TR-173

TECHNICAL REPORT

BOTTOM AND SUBBOTTOM INVESTIGATION
OF PENOBSCOT BAY, MAINE, 1959

CHARLES OSTERICHER, JR.

APRIL 1965

GC
743
W. TR-173

U. S. NAVAL OCEANOGRAPHIC OFFICE
WASHINGTON, D. C. 20390
Price \$2.65

A B S T R A C T

During the summer and early fall of 1959, bottom sediment samples were collected and Sonoprobe records were obtained as a part of an inshore survey in Penobscot Bay, Maine.

The Sonoprobe is described, its operation is explained, and its capabilities are discussed.

In the investigation of the bottom and subbottom of Penobscot Bay, Maine, the geographic setting and bathymetry of the area are described, and the geologic history of the region and the previous work done in the area are reviewed.

Survey observations are discussed and bottom sediment and Sonoprobe data are presented.

Sediment data are compared and correlated with Sonoprobe records that were obtained over the bottom sample station locations.

Grain-size analyses were made on 168 bottom samples and approximately 70 miles of Sonoprobe runs were recorded.

FOREWORD

This report presents the results of the correlation and comparison of the bottom and subbottom sediment samples and the high resolution subbottom profiler records taken during 1959 in Penobscot Bay, Maine.

The results of the correlation and comparison of the bay sediments with the high resolution subbottom profiler records have aided considerably in the understanding and interpretation of the complex sequence of events that may have occurred over the recent past in this typical estuary of the glaciated northeastern coast of North America.

DENYS W. KNOLL

Rear Admiral, U. S. Navy
Commander

U. S. Naval Oceanographic Office

CONTENTS

	Page
I. INTRODUCTION	1
II. THE SONOPROBE	1
A. General	1
B. Instrument Operation	1
C. Instrument Capabilities and Recordings	3
III. THE SURVEY AREA: PENOBSCOT BAY, MAINE	
A. Geographic Setting	4
B. Bathymetry	5
C. Geologic Setting and Previous Work in the Area	5
IV. SURVEY OBSERVATIONS	
A. Oceanographic Observations	8
B. Bottom Sampling	9
C. Sonoprobe Runs	9
V. ANALYSIS OF SURVEY DATA	
A. Sediments of Penobscot Bay	30
B. Sediment-Sonoprobe Correlation	35
C. Interpretation of Subbottom Records	
1. General	41
2. Sonoprobe Runs	43
a. Run I	43
b. Run II	44
c. Runs VII, VIII, and IX	44
d. Runs III, IV, V, and VI	45
e. Run XI	45
VI. CONCLUSIONS	45
REFERENCES	51

PLATES

PLATE I. Sonoprobe Deck Units	2
PLATE II. Hard Clay Samples	36

APPENDIX

List of All Bottom Sediment Stations Taken During 1959 Penobscot Bay Survey	54
Bottom Sediment Analysis Sheets	58

FIGURES

	Page
Figure 1. Penobscot Bay Bathymetry	6
Figure 2. Penobscot Bay Bottom Sample Stations	10
Figure 3. Penobscot Bay Sonoprobe Tracks	12
Figure 4. Strip Charts of Sonoprobe Run I	14
Figure 5. Strip Charts of Sonoprobe Run I (continued)	15
Figure 6. Strip Charts of Portions of Sonoprobe Run I	16
Figure 7. Strip Charts of Sonoprobe Run II	17
Figure 8. Strip Charts of Sonoprobe Runs III, IV, and V	18
Figure 9. Strip Charts of Sonoprobe Run VI	19
Figure 10. Strip Charts of Sonoprobe Run VII	20
Figure 11. Strip Charts of Sonoprobe Run VIII	21
Figure 12. Strip Charts of Sonoprobe Run IX	22
Figure 13. Strip Charts of Sonoprobe Run XI	23
Figure 14. Strip Charts of Sonoprobe Run XI (continued)	24
Figure 15A. Sonoprobe Runs over Rockland Harbor and Bottom Sample Locations in Penobscot Bay	25
Figure 15B. Sonoprobe Runs over Bottom Sample Locations in Penobscot Bay	26
Figure 15C. Sonoprobe Runs over Bottom Sample Locations in Penobscot Bay	27
Figure 15D. Sonoprobe Runs over Bottom Sample Locations in Penobscot Bay	28
Figure 15E. Sonoprobe Runs over Bottom Sample Locations in Penobscot Bay	29
Figure 16. Sand-Silt-Clay diagrams for Grab Samples and the Tops of Cores	33
Figure 17. Median Diameter (Md ϕ) of the Grab Samples and the Tops of the Cores versus Depth of Water	34
Figure 18. Penobscot Bay Area Bedrock Lithology	46

TABLES

1. Penobscot Bay Sonoprobe Run Fix Locations	13
2. Description of Cores and Corresponding Sonoprobe Record	38

I. INTRODUCTION

As part of the inshore survey of Penobscot Bay in the summer and early fall of 1959, many grab samples, cores, and Sonoprobe records of excellent quality were obtained. This report attempts to utilize the bottom and subbottom data, oceanographic information, and historical data to arrive at an overall picture of past and present sedimentation in Penobscot Bay. Particular emphasis is placed upon the use and evaluation of the Sonoprobe as a tool for obtaining geological data.

II. THE SONOPROBE

A. General

The Sonoprobe, manufactured by Scientific Service Laboratories, is an instrument for measuring the depth of water and the depth and thickness of sedimentary beds beneath the sea bottom by acoustic means. The parameter measured is the time lapse between the outgoing signal and the reflected signal. Signals are pulsed at a rate of 12/sec. The reflections are recorded on chart paper which is drawn through a recorder. As the survey ship passes over the bottom, a continuous trace of bottom and subbottom reflections is recorded.

B. Instrument Operation

The Sonoprobe consists of two hull mounted transducers; the transmitting transducer and the hydrophone, and four deck units; the Pulser, the Control-Display Unit, the Recorder, and the Precision 60-cycle Power Unit (Plate I).

The pulser drives the transmitter at frequencies of 3, 4.5, or 6 kc. The pulse duration is 0.3 millisecond. At the instant of discharge, voltages up to 1000 volts and currents to 1000 amperes are attained.

These high intensity pulses of acoustic energy are transmitted into the water from the magnetostrictive transducer mounted in the hull of the survey ship. The energy is peaked in the downward direction and forms a cone with approximately a 30° angle. Part of the signal is reflected at the water bottom, and part penetrates the bottom material where it is absorbed or reflected by acoustic discontinuities in the subbottom sediments. The hull mounted hydrophone receives the energy of the reflected signals and converts it into electrical energy.

Signals from the hydrophone are applied to the Control-Display Unit where they are filtered, amplified, displayed, and passed on to the recorder. The filters are variable and serve to eliminate ship's noise and other extraneous signals.

PLATE I. SONOPROBE DECK UNITS

The signal from the filter is applied to the logarithmic type amplifier. Here, low level signals receive a higher gain than high level signals so that weak reflections may be recorded along with strong signals. The output from the amplifier passes to the level control and printing circuits where a means of selecting the smallest signal to be displayed and/or recorded is provided.

The Recording Unit starts each cycle of operation and makes a record of signals received. The recording paper passes between a flat blade and a revolving drum that is wound with a single helix of wire. The pulse of acoustic energy is transmitted at the instant when a point connecting the blade and the wire is at the top of the paper; the zero depth position. The drum rotates at a rate so that each inch from the top of the paper represents $8 \frac{1}{3}$ milliseconds of travel time. On the assumption that the velocity of propagation of the signal through seawater is 4800 ft/sec, each inch down the recording paper equals 20 feet of depth to a reflecting horizon. When a signal is detected by the hydrophone a spark passes between the blade and the wire on the rotating drum, at the point of contact, and a mark is made on the electrosensitive paper. The paper is 10 inches wide and lined in increments of $\frac{1}{2}$ inch, each representing 10 feet of depth.

The Precision Power Unit provides the regulated power necessary to drive the recording drum at the precise speed needed for synchronization of the system.

C. Instrument Capabilities and Recordings

Bottom penetration of the acoustic signal under favorable conditions of water depth and bottom type is 100 feet to perhaps a maximum of 200 feet. Soft mud bottoms permit the greatest signal penetration whereas clean sands and gravels reflect nearly all of the signal. The use of the instrument is believed to be limited to water depths of less than 700 feet. Although the instrument is limited in penetration capability, its usefulness is demonstrated by its high resolution of bottom and subbottom features. This high resolution is not equaled by instruments with greater penetration capability.

The resolution capabilities of subbottom profiling instruments are dependent upon the frequency and pulse duration of the acoustic signal. It is possible to detect subbottom discontinuities as thin as $\frac{1}{2}$ wave length of the acoustic signal. For the Sonoprobe, the wave lengths in water are 1.6 and 0.8 feet for the 3 kc. and the 6 kc. signals, respectively. The short pulse durations permit only a single cycle of a 3.8 kc. wave to be transmitted at each pulse. In practice the resolving power of the Sonoprobe is 1 to 3 feet (McClure, et.al., 1958, Moore, 1960).

The calibration velocity of the instrument is 4800 ft/sec; therefore, the depth of the bottom and the layers beneath the bottom will be recorded at their true

depths if the sound velocities of the media equal the calibration velocity. This value is a reasonable average velocity for seawater, and deviation from this figure will result in only slight depth errors in shallow water. In unconsolidated and porous sediments the sound velocity is different than the instrument calibration velocity, but here again the velocity differences are usually not great, and the thickness of sediment penetrated not large, so that errors in sediment thickness are not excessive for most applications.

Recordings may be made at two scale settings: either normal or one-half scale. Changes in the scale settings do not change the vertical scale of 1/2 inch per 10 feet, only the relative position of the zero line is affected. Using the normal setting, zero depth is at the top of the paper. At the one-half scale setting, the zero position is located at the 100-foot line of the normal scale, or the center of the recording paper. When the pulse is transmitted a black line is recorded directly beneath the zero position.

Scale changes are made during a run in an attempt to keep the bottom and subbottom reflections in proper sequence on the recording. (In this report the reproductions of the Sonoprobe records have been adjusted so that the bottom trace is continuous regardless of scale changes.) In general, the water bottom, subbottom reflections, and bedrock can be recorded in the 200-foot span of the recorder. Multiples may, however, overlap the trace of actual bottom and subbottom features. Multiples occur when the original reflected signal is again partly reflected at the water-air interface or other reflecting surfaces above the horizon in question. This energy is then directed downward to start another cycle and to be eventually recorded. In most cases the multiples are easily distinguished (section V, C below), but they may become a problem in shallow water where the bottom and subbottom features are horizontal.

In operation, various frequencies and filter settings are used to obtain the best penetration and subbottom definition. Many of the notations on the records refer to these changes. The effects of these changes are monitored on the display scope mounted on the Control-Display Unit. When the best penetration is displayed the printing controls are adjusted to obtain the desired subbottom record.

III. THE SURVEY AREA: PENOBSCOT BAY, MAINE

A. Geographic Setting

Penobscot Bay is an estuary located in the central portion of the Maine coast that opens into the Gulf of Maine at 69°W. The bay, extending northward from the coastline at 43°58' N. to the mouth of the Penobscot River, is about 28 miles long. Of the many islands in the bay, Long Island, North Haven Island, and

Vinalhaven Island are the largest. These islands divide the bay into East Penobscot Bay and West Penobscot Bay.

B. Bathymetry

The bathymetry of the bay and its approaches, shown in Figure 1, was taken from Coast and Geodetic Survey (C&GS) charts 310, 311, 313, and 322 and is plotted on a base taken from C&GS chart 1203. The bottom of the bay is very irregular with many isolated highs and depressions. South of the latitude of Rockland, the bay deepens rapidly to a maximum of about 540 feet and shoals to 250 feet 5 miles farther south. A possible continuation of this basin may be the channel curving to the southeast as suggested by the contours. The topography in the approaches to Penobscot Bay is also very irregular, but depths gradually increase toward the Gulf of Maine where the bottom topography is similarly very irregular (Murray, 1947).

C. Geologic Setting and Previous Work in the Area

The shores and islands of Penobscot Bay consist of argillaceous metasediments, limestone, quartzite, and intrusive and extrusive acid and basic igneous rocks, all of Early and Middle Paleozoic age (Bastin, 1908). These rocks usually are exposed along the shores of the bay and its approaches and are only thinly covered with glacial and postglacial deposits elsewhere in the region.

Relatively little is known of the glacial and postglacial history of Maine. Problems that have not as yet been resolved include: the southern limit of glaciation, the number of glaciations, the duration of glaciation, and the number and extent of sea level changes during late glacial and postglacial time.

It is believed that there were at least two major glacial advances over Maine during the Pleistocene. The glaciation apparently did not result in a drastic alteration of the original topography (Johnson, 1925). The soil and weathered bedrock were removed, but large scale ice erosional features are generally lacking.

The evidence for the two glacial advances rests primarily on two sequences of marine sediments, one preceding and one following esker formation. The sequence of deposits from the youngest to the oldest is as follows: (Leavitt and Perkins, 1935)

- Marine sediment.

- Drift, including eskers. Ice flow south.

- Marine sediments. Sediments deformed as though by bergs.

- Drift, including eskers. Ice flow southeast.

Flint (1953) suggests that the older drift is part of the Iowan-Tazewell Complex and that the younger drift represents the Cary substage of the Wisconsin glaciation. The

FIGURE 1. PENOBSCOT BAY BATHYMETRY

Cary drift border passes into the sea at Boston and probably lies in the Gulf of Maine. Pollen profiles from Aroostock County, in northern Maine, seem to indicate that the Cary Ice Sheet was the last to occupy Maine and that the Late Wisconsin Mankato Ice Sheet probably did not extend farther south than the northern part of the state (Deevey, 1951; Flint and Deevey, 1951). Its proximity is reflected by a return of a tundra type climate to northern Maine.

Following, or possibly concurrent with, the retreat of the last ice sheet from southern Maine, the sea advanced over the isostatically depressed coastal area. Leavitt and Perkins (1935) believe that the sea reached a maximum of 300 feet above present sea level at Searsport. Other evidence by Deevey (1951) and by Bloom (1959), working in southwestern Maine, indicates that this figure is of the right order of magnitude. Radiocarbon dating of marine shells at Waterville, Maine, gave a date of $11,800 \pm 240$ years B.P. for the time of maximum submergence (Bloom, 1959, p.80). This date is probably applicable to the Penobscot Bay region, and it closely corresponds to the Two Creeks Interval; the Cary-Mankato Interval.

Isostatic recovery of the depressed land areas following deglaciation resulted in a retreat of the sea. Bloom (1959, p.85), interpreting a pollen profile (Deevey, 1951) from Muddy Pond in Kennebec County, believes that emergence was in progress 7,000 to 8,000 years ago. Emergence may have continued until sea level was at least 35 feet below present level (Bloom, 1960). Bloom (1960) states that sea level in Maine has been at ± 10 feet for the past 6,000 years. Flint and Deevey (1951) cite a former emergence of 15 to 30 feet at the Boylston Street fishwrier site in Boston. Radiocarbon dates place this emergence at about 5,700 years B.P. and submergence about 3,850 years ago. The dates and extent of postglacial emergence in coastal Maine are still not known precisely. The coast of Maine is currently undergoing gradual submergence (Marmer, 1949).

The glacial and postglacial sediments in the Penobscot Bay area have been described by Bastin (1908) and Smith, Bastin, and Brown (1907). The till in the region is thin and irregular, reaching a maximum of 40 to 50 feet in valleys and depressions. Outwash sands and gravels are rare in the southern part of the area, but they become more abundant to the north. These deposits lie on fresh bedrock.

The transgression of the sea resulted in the deposition of the marine clays so prevalent in southern Maine. The clays are described by Bastin (1908) to be yellowish gray to blue gray, very fine grained, and free of pebbles and sand. The clays are commonly 15 to 35 feet thick, but 50- to 75-foot thicknesses are known from wells. The clays are found in river valleys as far as Bangor, 25 miles north of Searsport. According to Bastin (1908), the clays represent "old clam flats." This view is supported by Goldthwait (1949) inasmuch as the clays are found only in the lower portions of valleys and have a well defined topographic upper limit in any given area. These clays are

probably shallow water deposits similar to marsh or mudflat deposits that were laid down during the transgressive phase of the submergence.

Bloom (1959), working in southwestern Maine, applied the name Presumpscot Formation to the late glacial marine clays of southern Maine. In the southwestern part of the state, the clays are gray to blue-gray, thick to thin bedded, silty clays separated by thin laminae of silt or fine sand. True varves are not found, but rhythmic bedding is common. In some locations, boulders, apparently ice-rafted, are found imbedded in the clays. Bloom believes these clays to be "glacial rock flour." The clays are sandier than those found in the Penobscot Bay region.

IV. SURVEY OBSERVATIONS

A. Oceanographic Observations

During the survey period August to October 1959, observations of temperature, salinity, and currents were made in the bay and its approaches. The saline wedge was only weakly developed during this period, but a gradual headward movement of the saline bottom water and a net seaward flow of the fresher surface water were observed. In the southern part of the survey area, current observations showed an ebb and flood of the bottom water with the flood predominating. The maximum observed flood velocity of the bottom water was 0.7 knot off Rockland. The average was considerably less. Farther north there was a very weak flood, and in the northern extremity of the bay, bottom currents were below the threshold of the current meter.

Current observations in the upper layer of water showed a flood and an ebb at nearly all locations with the ebb predominating. The currents were weaker in the north but reached a maximum ebb of 1.0 knot off Rockland.

In other seasons of the year, during periods of greater river discharge, current speeds greater than those observed during the survey period can be expected. During periods of peak discharge for the Penobscot River, April and May, the river flow is many times greater than during August and September (U.S.G.S. Water Supply Paper, 1947).

The tidal range in the Bay is large. The mean range exceeds 9 feet in the south and 10 feet in the north.

During the survey period sea and swell conditions in the area were very moderate. During the winter months, however, sea states can become severe, especially, in the unprotected approaches to the bay. At these times, wave action probably extends to the bottom in a large portion of the approaches to the bay and in the southern portion of the bay proper.

B. Bottom Sampling

In Penobscot Bay and its approaches, 143 grab samples and 74 cores were taken. Station locations are shown in Figure 2. The grab samples were taken with an orange peel sampler. Most of the cores were obtained with a modified Kullenberg piston corer using a 12-foot core barrel. A few Phleger gravity cores were attempted where it was suspected that the sediment cover over bedrock was thin. In general, excellent undisturbed Kullenberg cores were obtained. Full penetration and a high percentage of recovery was the rule. Stratification in the cores was nearly always horizontal, and only a few instances of sucked, pulled-apart, or otherwise disturbed cores were found.

All samples were analyzed by the U. S. Naval Oceanographic Office Geological Laboratory for grain-size distribution using the standard wet-sieve and pipette methods. The cores were sub-sampled where color or grain-size changes were noted or suspected. Samples were taken above and below such changes. In homogeneous cores the sampling interval was usually about 24 inches. It should be noted that at the time the samples were analyzed the cutoff from silt to clay was at 9ϕ (0.002 mm) in accordance with engineering procedure instead of 8ϕ (0.004 mm) which is customary with geologists. The result is that many samples on the analysis sheets (see the Appendix for the analysis sheets) are classed as clayey silts rather than silty clays as they would have been if geological usage had been followed. The usage followed in the text, diagrams, and charts, makes the silt-clay separation at 8ϕ . The 8ϕ values were obtained from cumulative curves not presented in this report. Grain-size determinations were not carried beyond 9ϕ ; consequently the third quartile for very fine sediments was not reached and statistical measures could not be obtained.

C. Sonoprobe Runs

The Sonoprobe runs were made with the instrument mounted aboard the USS LITTLEHALES (AGSC-15). Runs usually were made at speeds of 3 to 5 knots and at various chart speeds. For this reason, the horizontal scale of the recordings varies from run to run. The vertical exaggeration of the records ranges from 15 to 60 times. For convenience, horizontal lines representing 500 yards have been drawn on the records reproduced in this report.

Eleven Sonoprobe runs were made in the survey area for a total of 70 miles of tracks. In addition, short runs were made at most of the coring sites. Deep penetration and excellent definition of subbottom features were achieved on most of the runs.

FIGURE 2. PENOBSCOT BAY BOTTOM SAMPLE STATIONS

The Sonoprobe tracks for runs I through V and VII through IX are presented in Figure 3, and the fix locations are given in Table I. In the approaches to the bay, the Sonoprobe track locations and many of the grab sample positions are classified and are not given in this report. The grab sample data from the classified area are included in the graphs and the analysis of the data, but the positions and analysis sheets are excluded from this report.

Strip charts of 10 of the Sonoprobe runs are presented in Figures 4 through 14. Sonoprobe run X parallels a portion of run XI and is therefore excluded.

The Sonoprobe runs at selected bottom sample stations are presented in Figures 15A through 15E.

FIGURE 3. PENOBSCOT BAY SONOPROBE TRACKS

TABLE I
PENOBSCOT BAY
Sonoprobe Run Fix Locations

Run	Fix	Lat. N.	Long. W.	Run	Fix	Lat. N.	Long. W.
I	A	44°25'00"	68°54'55"	VII	C	44°15'10"	68°58'52"
	B	44 24 28	68 53 52	(cont.)	D	44 16 18	68 58 11
	C	44 23 52	68 52 38		E	44 17 10	68 57 40
	D	44 23 24	68 51 30		F	44 18 07	68 57 01
	E	44 22 54	68 50 30	VIII			
	F	44 21 48	68 50 22		A	44 18 04	68 57 22
	G	44 21 00	68 50 55		B	44 17 48	68 57 23
	H	44 20 02	68 51 27		C	44 16 22	68 58 34
	I	44 19 03	68 51 43		D	44 15 23	68 59 23
	J	44 18 03	68 51 56		E	44 14 55	68 59 46
	K	44 16 48	68 52 06		F	44 14 36	68 59 57
	L	44 15 24	68 52 30		G	44 14 35	69 00 10
	M	44 14 30	68 53 06		H	44 14 27	69 00 14
	N	44 13 36	68 53 48		I	44 14 11	69 00 05
	O	44 12 43	68 54 40		J	44 13 18	69 00 38
	P	44 11 55	68 55 15	IX			
	Q	44 10 39	68 56 13		A	44 05 35	69 00 18
II					B	44 06 38	69 00 25
	L	44 10 43	68 56 02		C	44 07 38	69 00 22
	M	44 09 30	68 56 52		D	44 08 38	69 00 14
	N	44 08 30	68 57 40		E	44 09 37	69 00 10
	O	44 07 25	68 58 12		F	44 10 43	69 00 04
	P	44 06 48	68 59 00		G	44 11 52	69 00 00
	Q	44 06 23	68 59 33		H	44 13 18	68 59 50
III	R	44 05 08	69 00 24		I	44 14 00	68 59 40
					J	44 15 00	68 59 05
IV	A	44 05 05	69 00 07		K	44 16 11	68 58 11
	B	44 04 07	69 00 09				
V	C	44 04 07	69 00 05				
	D	44 05 13	69 00 04				
VI	E	44 05 25	69 00 30				
	F	44 04 05	69 00 31				
VII	A	44 13 13	69 00 17				
	B	44 14 13	68 59 35

FIGURE 4. STRIP CHARTS OF SONOPROBE RUN I

FIGURE 5. STRIP CHARTS OF SONOPROBE RUN 1 (CONTINUED)

FIGURE 6. STRIP CHARTS OF PORTIONS OF SONOPROBE RUN I

FIGURE 7. STRIP CHARTS OF SONOPROBE RUN II

FIGURE 8. STRIP CHARTS OF SONOPROBE RUNS III, IV, AND V

FIGURE 9. STRIP CHARTS OF SONOPROBE RUN VI

DEPTH IN FEET

FIGURE 10. STRIP CHARTS OF SONOPROBE RUN VII

FIGURE 11. STRIP CHARTS OF SONOPROBE RUN VIII

DEPTH IN FEET

LEGEND			
66-94-1	AREA-STATION-SAMPLE	K	KULLENBERG CORE
OP	ORANGE PEEL SAMPLE	P	PHLEGER CORE
Br	BEDROCK REFLECTION		

FIGURE 15A. SONOPROBE RUNS OVER ROCKLAND HARBOR AND BOTTOM SAMPLE LOCATIONS IN PENOBSCOT BAY

DEPTH IN FEET

LEGEND			
66-94-1	AREA-STATION-SAMPLE	K	KULLENBERG CORE
OP	ORANGE PEEL SAMPLE	P	PHLEGER CORE
Br	BEDROCK REFLECTION		

FIGURE 15B. SONOPROBE RUNS OVER BOTTOM SAMPLE LOCATIONS IN PENOBSCOT BAY

FIGURE 15D. SONOPROBE RUNS OVER BOTTOM SAMPLE LOCATIONS IN PENOBSCOT BAY

DEPTH IN FEET

LEGEND

66-94-1	AREA-STATION-SAMPLE	K	KULLENBERG CORE
OP	ORANGE PEEL SAMPLE	P	PHLEGER CORE
Br	BEDROCK REFLECTION		

FIGURE 15E. SONOPROBE RUNS OVER BOTTOM SAMPLE LOCATIONS IN PENOBSCOT BAY

V. ANALYSIS OF SURVEY DATA

A. Sediments of Penobscot Bay

For convenience in discussing the bottom sediments, the survey area was arbitrarily divided into five parts as follows:

1. Northern part of the bay.
North of $44^{\circ}20'N$.
2. Central part of the bay, including West Penobscot Bay and the northern part of East Penobscot Bay.
 $44^{\circ}20'$ to $44^{\circ}10'N$.
3. Southern part of the bay, excluding East Penobscot Bay.
 $44^{\circ}10'$ to $44^{\circ}05'N$.
4. The entrance to the bay.
 $44^{\circ}05'$ to $44^{\circ}00'N$.
5. The approaches to the bay.
South of $44^{\circ}00'N$.

In general, from Searsport to south of Rockland the sediment cores were silty clays. South of $44^{\circ}05'N$., in the entrance and approaches to the bay, the fine-grained sediments were confined to depressions between bedrock or bedrock thinly covered with sand or gravel.

The fine-grained sediments are olive-gray, silty clays with very small amounts of fine sand and occasional pebbles. The cores, most of which were over 10 feet long, were usually uniform in color and grain size. Over two-thirds of the cores, however, contained thin beds and laminae of dark gray to black material. They usually occurred in the top foot, the top and bottom, and also throughout the length of several of the cores. Samples of the dark layers showed little textural difference with surrounding sediments. It is suspected that the dark color is due to small amounts of organic material. Analyses, however, were not made to determine the organic content of the samples. After drying, the dark layers could not be detected in the core.

Small percentages of shell, usually as broken fragments scattered throughout the core rather than confined to particular layers or zones, were found in many of the cores. Open worm burrows were found in several cores. The worm burrows crossed color and textural changes without destroying the stratification of the sediments. Small amounts of woody material also were found in a few cores.

Textural changes, in the fine-grained cores, consisted of thin laminae and lenses of silty and sandy material, soft liquid zones, and thin layers of hard bluish-gray clay. Some cores contained layers, blebs, or balls, composed of hard, seemingly dry, yellowish to brownish clayey silt and silty clay, in many cases banded and/or stained with limonitic material.

Cores containing coarser grained material and more pronounced textural changes than those mentioned above came from the northern part of the bay between Long Island and Searsport and the entrance to the bay.

Between Searsport and Long Island several of the cores contained relatively thick layers of sand and silty sand with scattered pebbles and pebbly zones. The sediments tended to increase in coarseness toward the bottom of the cores. Shallow penetration of the corer and the loss of the lower portion of some of the cores also were indicative of coarser sediments with depth below the bottom in this area.

In the entrance to the bay, the cores generally showed more variability than in the northern part of the bay; however, the changes were not as marked, and the cores were finer grained on the whole. Core 190, taken on the eastern slope of the topographic depression in the entrance to the bay, contained many slightly sandy, silty-clay layers which had a sharp lower contact and graded upward into silty clay or finer texture. Core 126 from West Penobscot Bay also displayed this type of bedding. The cores showing this weakly graded bedding may owe this condition to the settling of a slurry of sediments which were thrown into suspension by slumping of earlier deposits.

The coarse-grained sediment cores sampled in the north-central part of the bay reflect the nearness to the source of sediment, the Penobscot River. The cores are finer grained at the top indicating a decrease in energy conditions with time at the site of deposition. The finer grained cores with less significant changes in lithology are found in the remainder of this northern sector of the bay. Many of these cores contained open worm burrows and fragments of wood, as well as thin beds of coarser material. These features suggest shallow estuarine or tidal flat environments with rapid deposition taking place periodically (Hantzschel, 1939).

In the central and southern parts of the bay, the sediments are generally fine grained and uniform with depth below the water bottom. These sediments represent deposition under relatively uniform environmental conditions upon which were superimposed small scale and short lived variations. These fluctuations in the environment account for the silty and sandy laminae found in many of the cores. The black laminae found in nearly all of the cores from this portion of the bay may be due to increased rates of deposition. The uppermost layers of estuarine sediments

commonly develop a vertical profile related to chemical and biological activity (Nelson, 1962). The result is a thin layer of oxidized, semi-fluid sediment lying over a thin layer of darker sediments where microbiological activity is at a peak. Rapid burial of this profile could lead to its preservation and may be represented in the cores from Penobscot Bay by the black layers and laminae.

In the entrance to the bay, little marine sedimentation has taken place relative to the northern areas. Most of the fines, which may have been present originally, have been removed from the shallower areas by wave action and currents and deposited in the deep basins and depressions or carried away from the area. The many vertical changes in the cores reflect frequent short period changes in energy conditions over the past.

To aid in the interpretation of the present sedimentary regime of the surveyed area, the percentages of sand (including pebbles), silt, and clay found in the top 2 inches of the cores and in the grab samples were plotted to show the relationship of sediment type with distance from the northern part of the bay (Fig. 16) and to show any dependence of the median diameters of the sediments upon depth of water (Fig. 17). The surface sediment graphs show an increase in the percentage of sand to the south, but they show little relationship between grain size and water depth except for a slight trend toward finer sediments with depth in the approaches to the bay. Apparently toward the south, the increasing energy conditions, wave agitation and currents, are more important in the most recent bay sedimentation than proximity to the Penobscot River. The sedimentary data seem to indicate that the major geologic process in Penobscot Bay is the reworking of previously deposited sediments. This is characteristic of many estuaries. The amount of sediment in suspension in bay waters often exceeds that in the river or in the open sea adjacent to the bay.

At many of the grab sample stations, the surface sediments consisted of two layers: a thin upper layer of olive-gray sediments over olive-black sediments. The upper layer was liquid and seemed to contain more silt and fine sand than the sediments below. (These features were observed in the field and are not shown in the laboratory analysis.) There are two areas where the surface sediments consisted of two layers. One extends roughly from the middle of the central segment of the bay to the entrance off Rockland, and the other consists of a few locations in the approaches to the bay. To the north of the major area of two sediments, the surface sediments are olive black, but in the approaches to the bay where the two layers were not found, the sediment color was olive gray. This distribution did not show any obvious dependence on depth — only distance from the bay head was significant.

A possible explanation for these features of the surface and near surface sediments is that the finer fraction is being winnowed from previously deposited sediments in a zone extending from the central sector of the bay through the approaches. The

FIGURE 16 . SAND-SILT-CLAY DIAGRAMS FOR GRAB SAMPLES AND TOPS OF CORES

FIGURE 17. MEDIAN DIAMETER (MDØ) OF THE GRAB SAMPLES AND THE TOPS OF CORES
VERSUS DEPTH OF WATER

fine fraction may be partly carried out to sea and partly transported toward the head of the bay by the bottom water to be deposited in the northern part of the bay and on mud flats (Guilicher, 1958, p.101; Johnson, 1925, p.572).

Oxidation of the agitated surface sediments may yield a lighter colored sediment, and the extraction of the fines leaves one that is coarser than the original. The dark sediments in the northern sector probably indicate fine-grained sedimentation at present. Other explanations of the present sedimentary regime may be possible however.

At stations 29, 90, 128, 174, 178, and 189, masses and broken fragments of hard silty clay were found lying upon or partially mixed with the surface sediments. (These fragments were removed from the samples in the field.) The hard clay occurred in curled and contorted plates, irregularly shaped masses, and angular broken fragments. Some of the unfragmented samples are shown in Plate II. The outer surfaces varied from hard, dark reddish-brown, to a soft, gray, sticky-clay surface coating. The internal structure varied from banding parallel to the outer surface, to massive and relatively structureless for the less hardened globs. The samples were generally riddled with holes, some apparently the result of solution or erosion; however, most of the holes were formed prior to hardening and were caused by burrowing organisms and by roots growing in the soft mud. Many of the holes were encircled by bands of altered clay.

The material was formed subaerially, probably on mud flats which supported burrowing organisms and vegetation. The conditions leading to the development of this material probably involved drying to form mud cracks and decaying of the vegetation originally growing in the mud. The decay of the plant roots caused oxidation of the surrounding mud. The oxidation of the iron in the mud will account for the color, banding, and hardness of the material (Rousseau, 1934).

These deposits of hard clay may have arrived at their present position by flotation on vegetation, ice-rafting, or rolling under certain conditions. Subsequent deposition under water would result in fragmentation of most of the hardened masses due to differential expansion as the center of the mass became wet (Twenhofel, 1950, p.593).

In their present locations the hard-clay masses were found with crusts of bryozoans and some attached brachiopods. Little, if any, sedimentation is presently taking place at these locations. Zones and isolated occurrences of similar hard clay were found in many of the cores.

B. Sediment-Sonoprobe Correlation

Direct correlation of vertical changes in sediment type and Sonoprobe sub-bottom reflections was difficult in this area in spite of the numerous cores and grab samples obtained. Facies changes, however, could be determined fairly accurately, and a determination of general sediment type, or lack of sediment, at a sampling

PLATE II. HARD CLAY SAMPLES

location was usually made before attempting to sample. In areas where the surface sediments were coarse grained, the deposits were found lying on bedrock. The high reflectivity of the coarse sediments and of the bedrock generally obscured the Sonoprobe record, and the resolution was poor, and thicknesses could not be determined accurately. Where the sediments were thick penetration was good, but in these locations, the sediments were usually fine grained. A prominent subbottom reflection was found on most of the runs, but it was largely unverified by sampling because of the short length of the corer and the excessive depth to the layer. Where the subbottom sedimentary layer was sampled, the sample contained coarse material, but the exact position of the reflecting horizon relative to the coarse material could not always be determined. Only cores 136, 137, 201, and 211 penetrated the subbottom layer as recorded on the Sonoprobe.

Core 136 apparently consisted almost entirely of sediments from below the subbottom horizon. (See Figure 15 for the Sonoprobe runs over the coring sites and the Appendix for the analysis sheets.) The core was poorly sorted, muddy sand with the percentage of sand increasing toward the bottom. The core was pebbly at the top and at the bottom.

The bottom of core 137 probably represents the top of the subbottom layer in this area. The core was silty and sandy to about 25 inches. Below this depth the core became moderately well sorted sands which increased in coarseness to the bottom at 108 inches.

At location 201 the sediments were sandy muds and muddy sands becoming sandier toward the bottom. The material was all poorly sorted. The subbottom reflection at 4 to 5 feet below the bottom was reflected in the core by an increase in the median diameter of the sediments. Below this depth the sediments became muddy sands again.

Core 211 probably just penetrated the subbottom layer. The core increased in coarseness from top to bottom. The top was silty clay, gradually becoming pebbly and sandy at the bottom. The lowest portion of the core was slightly disturbed owing to the sucking action of the piston when a piece of wood became firmly wedged into the core retainer preventing further entry of sediment into the core barrel.

Sandy cores showing fairly close correlation with the Sonoprobe reflections are 130, 148, and 207. Table 2 presents a description of the core data and the corresponding Sonoprobe record for comparison. Generally the comparison is good for uniform cores and in areas where there were coarse sediments or bedrock at the water bottom. The sandy laminae and layers in cores consisting mostly of finer material did not show up on the records. These beds were usually too thin to be detected, and they contained high percentages of finer material which reduced the acoustic contrast between the sandy layers and the silty clays above and below. One reason

TABLE 2

Description of Bottom Samples and Corresponding Sonoprobe Record

Sta. No.	Type Sampler ¹	Penetration (ft.)	Length of Core (in.)	Description of Bottom Samples and Remarks	Description of Corresponding Sonoprobe Record
*91-1	K	3.5	27	Mud becoming sand toward bottom. Some pebbles, shell, and woody material at bottom. (Sample disturbed. Core catcher dented.)	Bedrock overlain by thin layer of sediments.
92-1	K	0	0	Pebbles in core catcher. (Cutter and core catcher smashed.)	Much like location 91.
*93-1	P	4	12	Clayey silt.	Coarse sediments.
*93-2	K	6	50	Clayey silt.	
*94-1	K	10	114	Fairly uniform core of silty clay.	Sediments. Layer 12' below bottom and bedrock 58 feet below bottom.
*95-1	P	0	0	No sample. (Dented cutter.)	Bedrock bottom.
96-1	P	0	0	No sample. (Lost core cutter.)	Bedrock bottom.
*97-1	P	5	15	3" sandy mud over clayey silt.	15 feet sediments over bedrock. Sb at 12 feet below bottom.
*98-1	P	0	0	No core, pebbles and sand in core catcher. (Cutter dented.)	Bedrock bottom.
*99-1	P	0	0	No sample.	Bedrock bottom.
100-1	OP			Pebbles and sand.	Layer of sediments over bedrock.
101-1	OP			Pebby sand.	3 foot layer of sediments over bedrock.
102-1	OP			Sand with some pebbles.	Bedrock with a thin layer of sediments.
103-1	OP			Pebbles and sand with some shell. (Required three lowerings of sampler.)	Bedrock bottom.
104-1	OP			Silty sand and broken shell.	Bedrock bottom.
105-1	OP			Pebby sand.	Coarse sediments over bedrock.
106-1	OP			Pebby sand with some silt and shell.	Coarse sediments over bedrock. To 20 feet penetration.
107-1	OP			Sandy mud and some shell.	Sediments over bedrock, over 20 feet penetration. Sediments probably thin.
108-1	OP			Clayey sand.	Thin layer of sediments over bedrock.
109-1	OP			No sample. (Lowered sampler twice.)	Bedrock.
110-1	OP			No sample. (Lowered sampler twice.)	Seems to be thin layer of sediments over bedrock.
111-1	OP			No sample.	Bedrock with a thin layer of sediments.
112-1	OP			Large pebbles with some mud.	Thin layer of sediments over bedrock.
113-1	OP			Clayey silt.	Scattered reflections to Sb layer 22 feet below bottom. Bedrock return discontinuous.
*113-2	K	11	96?	Clayey silt with shell scattered throughout. Slight increase in sand from 22-27". Soft areas 58-59" and 72-73".	
114-1	K	11	121	Uniform core of silty clay. Shell scattered throughout.	Sediments.
118-1	OP			Pebby sand.	
118-2	K	2	1.5?	No sample retained. (Core greatly disturbed.)	1-2 feet of sediments over coarse material or bedrock.
122-1	OP			Silty and pebbly sand.	Coarse sediments. Up to 12 feet penetration.
*123-1	K	13	126	Uniform core of silty clay.	Fine grained uniform sediments. Penetration to Sb at 48 feet.
124-1	OP			Silty clay.	Uniform sediments. Penetration to over 50 feet, Sb at 28 feet.
124-2	K	12	126	Uniform core of silty clay except 78-108" where the core is less consolidated.	
*125-1	K	?	0	No sample. (Core greatly disturbed.)	Bedrock.
*126-1	OP			Silty mud.	Thin layer of sediments over bedrock.
126-2	K	?	119	Silty clay with thin lenses of sand. Last 22" distorted and probably disturbed. From 90 inches sand content increases.	
*127-1	K	13	126	Silty clay, last 15 inches unconsolidated.	Uniform sediments. Penetration to about 90 feet. Seems to be coarse till or bedrock. Sb at 20 feet.
128-1	OP			Silty mud.	Bedrock with several feet of sediments above.
129-1	OP			Clayey mud.	Layer of coarse sediments over bedrock. Layer at 4 feet below bottom.
*129-2	K	?	82	Sandy and pebbly mud to about 24 inches, where the amount of sand and pebbles decreases, to become pebbly again in the last 4 inches.	
*130-1	K	11	91?	Silty clay with zones of soft material and hard clay. Becomes sandy below 60 inches.	Faint layers at 5 feet and 12 feet. Penetration about 20 feet.
131-1	K	11	124	Fairly uniform silty clay becoming softer toward the bottom and soft zones throughout.	Maximum penetration about 80 feet. Sb layer at 34 feet.
132-1	K	11	122	Fairly uniform core of silty clay.	Uniform sediments.
133-1	K	11	127	Uniform core of silty clay with scattered shell.	Uniform sediments. Penetration to over 80 feet. Sb at 20 to 50 feet.
*134-2	OP			Muddy sand and pebbles. (Kullenberg core penetrated 2-3 feet.)	Thin layer of sediments over bedrock. Reflector at 3 feet.
135-1	OP			Silty clay.	Fairly uniform sediments. Penetration to about 60'.
135-2	K	12	92	Uniform silty clay.	
*136-1	K	?	118	Silty sand on top becoming increasingly sandy below 6 inches. Pebbles throughout.	Sb layer over bedrock. Bedrock possibly 10 feet below bottom.

TABLE 2 (Continued)
Description of Bottom Samples and Corresponding Sonoprobe Record

Sta. No.	Type Sampler	Penetration (ft.)	Length of Core (in.)	Description of Bottom Samples and Remarks	Description of Corresponding Sonoprobe Record
137-1	OP			Clayey silt	
*137-2	K	11	108	Silty clay to 8", clayey mud with pebbles to 12", silty clay to 16", sandy mud with pebbles to 25", silty sand to bottom of core.	Sediments over Sb layer at 8 feet. Faint layers at 1, 3, 4, and 6 feet.
*138-1	K	12	99	Clayey mud to 39", silty sand to 54", sandy mud to 71", and silty sand to 99".	Scattered reflectors from 5.5 to 12 feet below bottom. Reflecting horizons from 18 to 45 feet. Bedrock not penetrated at core site, but probably 60 to 80 feet below bottom.
*139-1	K	12	123	Clay silt with sandy layers at 86 to 100 inches.	Non-uniform sediments over Sb layers at 13 and 21'
*140-1	K	?	126	Uniform silty clay.	Non-uniform sediments over Sb layer at 18' below bottom. Maximum penetration to 30 feet. Bedrock not shown.
*141-1	K	12	118	Silty clay with numerous hard clay balls, hard clay layers, sand zones and pebbles.	Non-uniform sediments, many scattered reflectors to 22 feet below bottom.
142-1	K	10	92	Silty clay with sandy zones at 0-4 and 18-20 inches. Hard clay layers below 74 inches.	Layer at about 2 to 3 feet.
143-1	OP			Pebbly sand. (Not Lab. analyzed.)	Bedrock bottom.
144-1	OP			Pebbly sand plus rounded cobbles.	Thin layer of sediments over bedrock.
145-1	K	11	124	Silty clay with shell and worm burrows.	Uniform sediments. Sb at 16 feet. Bedrock may be at 140 feet below bottom.
146-1	K	11	122	Fairly uniform silty clay.	Uniform sediments.
*148-1	K	12	119	Silty clay with varying amounts of sand to 38 inches, pebbly to 41 inches. Less sand below 41 inches.	Faint layers at 2.5 to 3, 5, and 15 feet.
149-1	K	11	125	Uniform core of silty clay.	Uniform sediments.
150-1	K	11	126	Uniform core of silty clay.	Fairly uniform sediments.
151-1	K	11	24	Silty clay to 12 inches, rest of core sandy and pebbly. (Lower portion of core lost from corer.)	Sediments over bedrock.
*152-1	K	11	124	Uniform clayey silt with occasional pebbles.	Uniform sediments above Sb. Sb at 25'. 5 layers from 32 to 70 feet.
153-1	K	11	125	Uniform core of silty clay.	Fairly uniform sediments.
*154-1	K	11	125	Core of hard and soft, silty clay and clayey silt.	Non-uniform sediments over bedrock.
*155-1	OP			No sample.	Bedrock bottom.
156-1	K	11	121	Uniform silty clay, unconsolidated from 97 to 107 inches.	Uniform sediments.
157-1	K	11	127	Uniform core of silty clay.	Uniform sediments.
158-1	K	11	126	Uniform core of silty clay.	Uniform sediments.
160-1	OP			Silty sand. (Cutter smashed. Corer penetrated 1 1/2 feet. No core.)	Sediments over bedrock.
161-1	OP			Silty sand.	Bedrock with a thin layer of sediments.
162-1	OP			No sample.	Bedrock bottom.
*163-1	OP			Sand.	Bedrock bottom.
164-1	OP			No sample.	Bedrock bottom.
165-1	OP			No sample.	Bedrock bottom.
*166-1	K	0	0	Pebbly sand. Sample from core catcher, fines washed out.	Coarse sediments.
167-1	OP			No sample. (Sampler lowered twice.)	Bedrock.
168-1	OP			No sample.	Bedrock or coarse sediments.
169-1	OP			Clayey sand with pebbles and shell.	Bedrock with some sediments.
170-1	OP			Clayey sand with pebbles and a high percentage of shell. (Sampler lowered twice.)	30 feet penetration. Possibly coarse sediments over bedrock.
171-1	OP			Clayey sand with pebbles and shell.	Coarse sediments over bedrock.
172-1	OP			No sample.	Bedrock bottom.
*173-1	OP			No sample. (Sampler lowered three times.)	Bedrock or coarse sediments, to 35 feet of penetration.
174-1	OP			Sandy mud and pebbles.	Bedrock with cover of sediments.
175-1	OP			Pebbly sand with a high percentage of shell.	Bedrock.
176-1	OP			No sample. (Sampler lowered twice.)	Sediments to possibly 25 feet over bedrock.
177-1	OP			Clayey sand. (Corer penetrated 4 feet, no sample retained.)	Sediments of variable thickness over bedrock.
179-1	K	12	124	Clayey silt with hard, soft, and sandy zones.	Uniform sediments.
180-1	K	12	126	Clayey silt with sandy zone at top.	Fairly uniform sediments.
181-1	K	?	65	Alternating clayey silt, sandy mud and clayey silt.	Uniform sediments.
182-1	OP			Sand with larger rock fragments.	Bedrock.
183-1	OP			Pebbly sand with a high percentage of shell.	Bedrock.
184-1	OP			Clayey sand.	Sediments over bedrock.
*185-1	K	9	17	Sand and pebbles grading downward to silty mud. (Corer penetrated 4 feet.)	Non-uniform sediments, 40 feet of penetration.
186-1	OP			Clayey sand plus one rounded cobble.	Thin layer of sediments over bedrock.
187-1	OP			Clayey sand with pebbles and larger subround rock fragments.	Possibly 20 feet of sediments over bedrock.
188-1	OP			Pebbly sand and some larger rounded rock fragments.	Coarse sediments.
189-1	OP			Sandy mud.	Some sediments over bedrock.
*190-1	K	?	77	Clayey silt and silty clay with many thin layers of sandy material and hard clay. (Core slightly disturbed.)	Fairly uniform sediments.
191-1	K	?	116	Uniform clayey silt.	Fairly uniform sediments.

TABLE 2 (Continued)

Description of Bottom Samples and Corresponding Sonoprobe Record

Sta. No.	Type Sampler	Penetration (ft.)	Length of Core (in.)	Description of Bottom Samples and Remarks	Description of Corresponding Sonoprobe Record
*192-1	K	13	109	Uniform silty clay.	Fairly uniform sediments. Sb at 50 to 60 feet and appears to be coarse sediments. Penetration to 110 ft.
193-1	K	12	121	Uniform silty clay.	Fairly uniform sediments.
194-1	K	12	85	Uniform silty clay.	Uniform sediments.
195-1	K	12	119	Uniform silty clay.	Fairly uniform sediments.
196-1	K	12	120	Fairly uniform silty clay.	Probable layer at 2 feet.
197-1	OP			Silty mud. (Sampler lowered twice.)	Thin layer of sediments over bedrock.
198-1	K	13	107	Fairly uniform silty clay.	Uniform sediments. Sb at 33 feet and bedrock at about 40 feet below bottom.
*199-1	K	13	114	Uniform silty clay.	Faint layer at from 3 to 8 feet below bottom. Sb layer at 30 feet and bedrock at about 55 feet below bottom.
*200-1	K	13	129	Uniform silty clay.	Fairly uniform sediments. Sb pinches out over bedrock at 15 to 18 feet below bottom.
*201-1	K	6	68	Clayey silt at top becoming sandy with depth in core. Sandy mud from 48 to 64 inches. Scattered pebbles throughout.	Layers at 4 and 5.5 feet. Bedrock at 8.5 feet below bottom.
202-1	K	12	121	Uniform silty clay.	Uniform sediments. Sb 22 feet below bottom.
*203-1	K	12	125	Uniform silty clay.	Uniform sediments.
*204-1	K	11	120	Uniform core of silty clay.	Uniform sediments.
*205-1	K	11	116	Uniform core of silty clay.	Possible layer at 5 feet, Sb layer about 20 feet below bottom.
*206-1	K	11	122	Uniform core of silty clay.	Uniform sediments. Sb layer at 33 feet and bedrock about 75 feet below bottom.
*207-1	K	12	109	Clayey and silty mud to 48 inches. Below 48 inches sand and pebble content increases.	Faint layer at 4 feet.
*208-1	K	13	125	Silty clay to 82 inches, sand and pebble content increases to 104 inches, silty clay to bottom of core.	Layer at 9 feet, bedrock at 20 feet below bottom.
*209-1	K	5	55	Silty clay with increasing amounts of sand and some pebbles to 38 inches. 38 to 55 inches of clayey silt.	Uniform sediments to Sb at 12 feet, bedrock at 28 feet below bottom.
*210-1	K	12	119	Fairly uniform core of silty clay. Increased amount of sand at bottom.	Possible layers at 7 and 10 feet below bottom.
*211-1	K	10	94	Silty clay to 40 inches, sand increasing with depth. 40 to 94 inches sandy silt becoming pebbly sand at bottom. (Lower portion of core disturbed, fines probably washed out.)	6 layers between 15 and 50 feet, very faint.
212-1	K	13	121	Uniform core of silty clay.	Layer at 6 feet below bottom.
213-1	K	12	110	Uniform core of silty clay. Sandy at bottom.	Possible layer at 2 feet, Sb at 18 feet below bottom.
*214-1	K	12	118	Silty clay with silty and sandy lenses and hard clay zones to 44 inches. 44 to 118 inches silty clay with a few silty layers.	Layers at 10, 15, and 20 feet below bottom.
215-1	K	12	124	Fairly uniform core of silty clay.	Faint layers at 3.5, 7 and 10 feet below the bottom.
216-1	K	11	117	Uniform core of silty clay.	
217-1	K	?	125	Uniform core of silty clay.	Layers at 3.5 and 6 feet below bottom.
					Uniform sediments with a possible layer at 2 feet.

¹ K. . . Kullenberg Sampler
P. . . Phleger Sampler
OP. . . Orange Peel Sampler

² Sb. . . Subbottom Horizon
* Sonoprobe Record shown on Figures 15A Through 15E.

why reflections recorded on the Sonoprobe while lying-to at a sampling location often could not be correlated with the core taken at the station is lack of lateral continuity of the sedimentary layers. Rapid lateral and vertical lithologic changes are to be expected in estuarine environments where daily and seasonal changes in the energy conditions affect the quantity and type of material deposited at any location. In some cases, an apparent sedimentary layer recorded by the subbottom profiler while on station at a sampling location may be due to side echoes from highly reflective strata or a point source not directly beneath the ship.

On nearly all of the Sonoprobe runs in the survey area, penetration to bedrock was achieved. The greatest depth of signal penetration to bedrock was about 110 feet. Nevertheless, the thickness of the sediments in the center of the bay opposite Rockland may have been somewhat greater since over 100 feet of penetration was achieved, yet bedrock was not encountered.

The silty clays that make up most of the bay sediments permitted penetration to over 100 feet. There are indications that 20 to 40 feet of penetration is possible through a sequence of silty-clay sediment that also contains sand layers which are several feet thick. Cores 130, 137, 138, and 211 all contained several feet of fine to coarse sand. Although the bedrock trace was not apparent on the Sonoprobe records at these stations, the acoustic signal had penetrated 15 to perhaps 40 feet below the bottom. At locations 129, 136, 148, 201, 207, and 209, the bedrock trace was faint, but the signal had passed through at least several feet of sand as shown by the cores. The sandy sediments were all poorly sorted and contained an average of 30% silt- and clay-sized particles. The thickness of coarse material below the sampled depth down to bedrock is not known, but the acoustic signal had passed through the coarse material which lies in the zone of the subbottom reflecting horizon.

C. Interpretation of Subbottom Records

1. General

In an attempt to utilize the Sonoprobe as a tool in understanding and determining the types and conditions of deposition of subbottom sediments, factors such as instrument capability, geologic history, and sedimentary data must be taken into account. With this knowledge of the instrument and the area under study, it is possible to know what can actually be determined with the instrument, what types of sediments are to be expected, and, more specifically, what the characteristic reflections and penetration are of these known surface and near surface sediments. Some of these factors were discussed in previous sections.

The bottom and bedrock beneath the bottom produce the strongest reflections; soft sediments allow the greatest penetration, and clean sands and gravels permit very little signal penetration. The detection of subbottom sedimentary layers depends upon the acoustic contrast of the horizon in question and the sediments above. The differences in acoustic impedance, producing the contrast between sediments, are mainly due to textural and density differences.

The first problem encountered in interpreting subbottom records is to determine real echoes from multiple echoes and side, or ghost, reflections. Multiple reflections from the air-water interface can generally be resolved in as much as the multiple will appear on the record at twice the depth of the true horizon, and any dip to the horizon will be shown on the trace at twice the apparent dip of the real horizon. Multiples due to reverberation or scattering of the sound in a very coarse sedimentary deposit is also a possibility. Reflections such as those on run I (Figs. 4, 5, and 6) between marks G and N may be caused by a deposit of this type. This record shows a dark irregular zone of reflections.

Side reflections are due to reflections from horizons or point reflectors not beneath the ship but in the insonified area. As an example, in 100 feet of water, the Sonoprobe will insonify an area beneath the ship to a distance of over 25 feet from the normal to the transducer. A point reflector on the bottom within this radius will be recorded as a reflection up to 3 feet below the water bottom. When steaming or drifting these side reflections may be recorded as an arcuate (concave downward) trace on the record. An example of these reflections may be seen in Figure 7; mark N of run II. Side reflections from a hummocky bottom are shown in Figure 15A at station 51.

Once the validity of a reflection is established, the nature of the reflecting surface can then be determined. The water bottom is the first reflecting surface and in this area may be sediments, coarse glacial deposits such as till or outwash, or bedrock. The nature of the bottom is determined from the Sonoprobe record by the depth of signal penetration and the topography of the bottom. A sedimentary bottom will generally have a smoother profile and allow greater penetration than bedrock or glacial till, depending upon the grain size of the sediment. A bedrock bottom will show considerable relief and will reflect nearly all of the signal, giving a dark bottom trace with little if any penetration. Coarse sediments over bedrock are more difficult to determine. The topography and character of the reflections are similar to those obtained over bedrock. Bottom sampling in this case usually resolves the problem only to the extent that it tells whether or not some sediments are present.

The above criteria also are used to determine bedrock reflections below the bottom. Coarse glacial deposits again present a problem, but some penetration is usually obtained. The penetrating signal may experience reverberation, and random patterns of reflections may be recorded, depending upon the coarseness of the material.

The subbottom (or Sb horizon as shown on the records in this report) is defined for the purpose of interpreting the Sonoprobe records as any laterally continuous reflecting horizon below the bottom, except bedrock or coarse glacial material. This definition causes no ambiguity in the Penobscot Bay area since only one such reflection was found beneath the bottom, and it is physically and genetically related throughout the area. Cores 136, 137, 201, and 211, although not precisely defining the nature of this horizon, do indicate that at the depth of this horizon the sediments are considerably coarser than those above.

2. Sonoprobe Runs

a. Run 1

Run 1 (Figs. 4, 5, and 6), starting near Searsport and extending through the eastern portion of the bay, illustrates nearly all of the bottom and subbottom features found throughout the surveyed area. From marks A to D, the bedrock trace is very distinct and shows characteristic reflections and topography. In this area, the subbottom reflecting horizon and the bottom are essentially flat. The subbottom horizon truncates against the higher peaks of bedrock at depths of about 80 feet. The top of the sediments represented by this horizon are probably the late glacial clays described in the geology of the land areas. At this horizon, poorly sorted sands and pebbly sands were sampled, but since there was considerable penetration until bedrock was encountered, it is reasonable to assume that the sediments below the subbottom reflecting surface decrease in coarseness with depth. The sediments above the subbottom horizon are silty clays and sandy silts.

Between fixes A and B, several channels from 2 to 18 feet deep and up to 90 feet wide are cut into the surface layer of sediments. Channels also appear on several of the records over the coring sites in this general area. The channels are all in the northwestern portion of the northern sector of the bay in depths of 70 to 80 feet. In the vicinity of core locations 203 through 206 (Figs. 15A to 15E), there are several channels extending through the subbottom layer which is found at depths of 90 to 115 feet.

Between fixes B and C, faint stratification of the sediments below the subbottom horizon was recorded. Similar features were found at core locations 138, 139, and 210. It is possible that this stratification represents old channel deposits of the Penobscot River. The corer did not penetrate these layers.

As the subbottom goes deeper, south of mark D, the top of this layer becomes less sharply defined, and the contact seems to be gradational with the sediments above. The relief of this horizon and of the bottom becomes greater beyond this point. South of mark D, the bedrock reflection becomes less distinct and is lost in

many places owing to either the greater depth of bedrock or an increase in the coarseness of the material above the bedrock which prevented signal penetration.

South of mark G to mark N, the lowest reflecting horizon does not have the characteristics of the bedrock reflections in the beginning of the run. The topography of the horizon is hummocky, and the reflections seem to come from a zone rather than a surface. Bedrock is present between marks G and H and at mark K. Elsewhere, this horizon is probably coarse glacial material of varying thickness resting on bedrock. These deposits may be moraine, till, or stratified drift in places. The depressions between the ridges appear to be partially filled with coarse sediments showing some stratification. The well stratified sediments at fix N strongly suggest glacial outwash.

The subbottom reflecting horizon over these probable glacial deposits is scattered and irregular, and the sediments appear to be draped over the high points of the material below. In some areas, the silts and clays above the subbottom horizon follow the subbottom topography, and in other places they fill in the depressions and tend to reduce the bottom relief. About 500 yards south of fix G, the bottom topography and the subbottom reflections suggest slumping of the sediments from the bedrock high to the south. Slumping may also account for some of the features found between the hummocky peaks below the bottom between marks L and N.

b. Run II

In the beginning of run II (Fig. 7), the bedrock appears to be mantled by coarse glacial material, overlaid by the subbottom layer. Continuing south along run II, evidence of bedrock or coarse glacial material is not apparent. It is here that the sediments are thickest, probably on the order of 150 feet, since bedrock is not encountered with over 100 feet of penetration. Beyond mark M the subbottom horizon becomes discontinuous. At mark N, the arcuate subbottom reflections are probably due to lenses of coarse sediments without great lateral extent. The shapes of the reflections are due to the high reflectivity of the material and the spread of the transmitted signal as the ship passed over these reflectors.

c. Runs VII, VIII, and IX

Run IX (Fig. 12) begins in the south near the end of run II and extends northward in the western portion of the bay. In run IX, the subbottom is defined better than in run II, but the horizon ends abruptly between marks E and F. Up to this point, the bedrock trace is shown only faintly and intermittently on the record. North of this point it is clearly shown. The subbottom layer apparently consists of coarse material, causing a considerable reduction in signal penetration. The lowest reflecting horizon appears to be bedrock with little evidence of coarse glacial material above; however, run VII (Fig. 10), which parallels run IX for a portion of its

length, shows features believed to be characteristic of coarse glacial sediments. The lack of similar reflections is probably due to the scales of the recordings. Run VII has a vertical exaggeration of about 15 times, while run IX has an exaggeration of 60. Run VII is probably the most representative of the actual subbottom conditions.

North of mark B on run VII, the bottom is bedrock thinly covered by sediments. Run VIII also shows a bedrock bottom only thinly covered by sediment. Slumping is suggested by the subbottom reflections at mark F on run VII.

d. Runs III, IV, V, and VI

Runs III, IV, and V (Fig. 8) begin near mark R on run II and cover the area southward, the deepest part of the bay. The maximum depth is about 540 feet shown on run IV. The deepest portions of the basin seem to be bedrock thinly covered by sediments. The sediments thicken to the north and west. Run VI (Fig. 9), continuing south from the end of these three runs, again shows bedrock covered by sediments which become thinner and spotty to the south.

e. Run XI

Run XI (Figs. 13 and 14), in the northwest approaches to the bay, shows mostly bedrock with sediments filling many of the depressions. From beyond fix E to fix H the sediment cover is thicker, and the subbottom horizon is present in places.

VI. CONCLUSIONS

The sediments and subbottom evidence indicate that glaciation and marine submergence were the cause of most of the topographic and sedimentary features found in the bay and its approaches. Although Penobscot Bay undoubtedly owes its major morphological features to preglacial stream erosion, subbottom evidence indicates that glacial erosion was largely responsible for forming the basin in the entrance to the bay. As interpreted from the Sonoprobe records, the floor of the basin is bedrock mantled by a relatively thin layer of sediments. The southern flank of the basin has a thicker cover of sediments, but all indications are that bedrock and not coarse glacial debris lies beneath these deposits. Personal observations of glacial striations on Mt. Battie, 7 miles north of Rockland, indicate glaciation parallel to the length of the bay. This direction of ice movement would tend to encourage glacial scour of the valley floor. Although the topography of the land areas does not support this view, the bedrock geology does add a degree of credence. The granite contact, shown on Figure 18, probably strikes northeast through the southern flank of the depression. The granite lies to the south whereas more easily eroded rocks lie to the north.

FIGURE 18. PENOBSCOT BAY AREA BEDROCK LITHOLOGY
(after Bastin, 1908, and Smith, et.al., 1907)

The glacial drift lying on bedrock can only be inferred. The coarse deposits noted in the discussion of the Sonoprobe runs are most likely glacial material deposited by the last ice sheet (Cary) to occupy the preglacial Penobscot River valley. The stratification of some of the deposits recorded at fix N of run I are probably outwash deposits from the last ice sheet, or a late remnant or lobe trapped in the valley depression north of fix N. The material below the subbottom and above the bedrock north of fix N to about fix L could be till and ice contact deposits which record a stand of the ice sheet during its regression.

Following deglaciation, or perhaps contemporaneously with deglaciation, the sea inundated the coastal area to a maximum of 300 feet above present sea level. The sediments deposited during this time were not sampled, but probably they do not differ from the silty clays described in the geology of the land areas. These are the sediments below the subbottom horizon in Penobscot Bay.

The two sequences of late-glacial marine sediments (Leavitt and Perkins, 1935) are not apparent on the Sonoprobe records. The deposits noted as till or ice-contact deposits on run I south of marks H and L, however, may be marine sediments deformed by a later advance of the ice sheet. The subbottom records do not resolve the problem since either interpretation of these deposits may be possible.

The sediments below the subbottom horizon were deposited in shallow water by sediment laden glacial meltwater in the bay and elsewhere (Bastin, 1908, and Goldthwait, 1949) during the transgressive phase of the marine submergence. The development of the subbottom horizon requires a marked change in conditions over the previous depositional cycle. The few cores which approached or penetrated the subbottom reflecting surface indicate that at or above this level the sediments are pebbly and silty sands. This horizon is flat north and northeast of Long Island at maximum depths of 70 to 80 feet below sea level. Northwest of Long Island, inside the 60-foot contour, this horizon drops abruptly to 90 feet and greater. Towards the shores in the northern sector of the bay the subbottom horizon becomes shallower.

In the central and southern sectors of the bay, the subbottom horizon is deeper, becomes less continuous, is probably more variable in its degree of coarseness, and has considerable relief relative to the northern part of the bay. The top of the horizon also appears to be gradational with the sediments above and below as the echoes are not as sharply defined as in the northern part of the bay.

As mentioned above, the sediments below the subbottom marker horizon are probably late-glacial marine clays described in the literature for the surrounding land areas. The sediment-Sonoprobe correlation is not precise enough to assign the coarse material found at or near this horizon to the top of the late-glacial clays or to the base of the sediments above. This may not be of great significance, however,

since the form and topography of this horizon does indicate a lower stand of the sea. This horizon is relatively flat in the northern sector of the bay and appears to be graded to some lower stand of the sea whereas to the south in deeper water this appearance and this form are lost. It is postulated that the subbottom surface in the northern part of the bay owes its development to a postglacial retreat of the sea and sediment reworking and deposition in mudflat, deltaic, or sub-deltaic environments.

The stratified deposits noted on run I, between marks A and B, and at core locations 138, 139, and 210 are all found immediately below the subbottom horizon and appear to be channel deposits of the Penobscot River. The alignment of these stations is suggestive of this origin. (Similar deposits were also noted at station 152.) To the west of this area but still in the northern sector, the depth of the subbottom horizon increases abruptly and is cut by numerous channels. This area was probably in the direction of the major drainage from the Penobscot River. The channeling of the subbottom layer in the vicinity of stations 202 to 208 is probably an erosional feature developed in fairly shallow water.

The topography on the late-glacial clays may be an original depositional feature, but the coarse material found above, marking the subbottom horizon, requires a lower level of the sea at the time of deposition of the coarser sediments. The extent of the drop in sea level is not known for this area and cannot be precisely determined from the evidence on hand, but it is probably on the order of 50 to 60 feet. The date when this event took place, however, can be defined more closely. The wood obtained in core 211 at a depth of 94 inches below the bottom was dated by the radiocarbon laboratory of the U. S. Geological Survey (sample number W1306). The sample dated $7,390 \pm 500$ years B.P. The Sonoprobe record at this location shows the subbottom horizon at a depth of $7 \frac{1}{2}$ to 8 feet below the bottom. The sample of wood was obtained slightly above or at the depth of this horizon.

In the earlier discussion of the glacial and postglacial history of Maine, the following was stated: the maximum submergence was about 11,800 years B.P., emergence was in progress 7,000 to 8,000 years ago in southwestern Maine, with the maximum emergence, on the order of only about 35 feet, occurring prior to 6,000 years ago. In Boston emergence was 15 to 30 feet and occurred 5,700 years B.P. The date for Penobscot Bay places the emergence farther back in time and was of a greater extent than for any of the places mentioned above. Redfield and Rubin, (1962) have plotted a number of peat and wood sample dates for southern New England, New Hampshire, Maine, and Nova Scotia. Although the majority of the dates are for less than 4,000 years, the few older samples and the trends of the southern New England and Nova Scotia samples indicate that the Penobscot Bay date is compatible with a lower sea level of 50 to 60 feet. It should be noted, however, that the Maine and New Hampshire dates do not provide good agreement with the Penobscot Bay date.

Following this stage of development, the sea readvanced depositing the silty clays found above the subbottom layer. These sediments, as mentioned earlier, are fairly uniform throughout the area except in the northern sector and in the entrance and approaches to the bay.

The main features of the recent sediments of Penobscot Bay are the prevalence of the olive-gray silty clay, lenses and laminae of sandy and silty material, and scattered pebbles found in the fine grained sequences of sediments. The black banding found in many of the cores as well as the hard clay masses and layers found in the cores and the similar material found on the surface of the sediments were also common. Woody material also was found in many of the cores. Nearly all the sediments were poorly sorted.

In the northern sector of the bay, the cores containing coarse material grade upward into finer material. The lenses and laminae of silts and sands, the clay layers and/or balls and fragments, and the pebbly and woody material all suggest shallow water estuarine conditions. The sea level probably rose gradually to its present position or above as indicated by the finer sediments upward from the sub-bottom horizon. Channeling such as that found at the beginning of run I would be expected over tidal flats or very shallow water. At any rate these channels must have been formed at an earlier time and are still preserved. As the sea level rose, the rate of sedimentation decreased to its present condition. Some fine-grained sedimentation is probably taking place in the northern part of the bay and on the tidal flats and marshes. The sediments are being derived largely from the reworking of the bay deposits farther south.

The usefulness of the Sonoprobe as a tool for studying the Pleistocene and Recent geologic history of Penobscot Bay has been demonstrated. The principal advantage of this survey method is to provide continuity and to delineate the morphology of sub-bottom reflections throughout the area under study. Although direct correlation of vertical lithologic changes and Sonoprobe reflections was not always possible, the lack of correlation is not in itself a shortcoming of the instrument. Correlation from core to core was equally difficult. Moreover, the properties of bottom deposits or the magnitude of changes in the physical properties, required to produce a reflection of the acoustic signal are not precisely known. The Sonoprobe does define changes in bottom and subbottom characteristics or type that may be only subtly reflected in the physical properties of the sediments. These changes, so well shown on the Sonoprobe records, may be difficult to distinguish in cores.

The subbottom horizon in Penobscot Bay could not have been defined in depth, lateral extent, or morphology of its reflecting surface by the bottom sampling program alone. In addition, the slump structures, the bedrock basin, and the subbottom glacial deposits are features which could not have been defined so readily and graphically by other means.

The Sonoprobe provides a ready means of determining facies changes , and when combined with a bottom sampling program, it can provide meaningful data over a large area with a minimum of bottom samples. The Sonoprobe was used to a limited degree in the Penobscot Bay survey to determine the type of bottom sampler to use at many of the stations. Used to its fullest extent, the number of bottom samples could have been reduced to a fraction of those obtained.

Members of the survey party were Mr. R. L. Cory, Party Chief, Mr. John R. DePalma, Mr. A. P. Franceschetti, and the author.

I wish to acknowledge the assistance of the following persons:

Mr. Meyer Rubin of the Radio Carbon Laboratory of the U. S. Geological Survey for the analysis of the wood sample.

Mr. R. L. Cory, Party Chief of the Penobscot Bay Survey, who was responsible for the excellent cores, grab samples, and subbottom records used in this report.

And my colleagues of the Oceanographic Branch of the U. S. Naval Oceanographic Office for their critical review of the manuscript of this report.

REFERENCES

- Bastin, E. S., 1908, "Rockland Folio, Maine," Geologic Atlas of the United States, No. 158. Washington: U. S. Geological Survey. 15 p.
- Bloom, A. L., 1959, Late Pleistocene Changes of Sealevel in Southwestern Maine, Final report, Contract Nonr-609(25); Office of Naval Research, Project No. NR 388-040. New Haven, Conn.: Yale University. Department of Geology. 143 p.
- , 1960, "Pleistocene Crustal and Sealevel Movements in Maine," [abs.] Bulletin of the Geological Society of America, vol. 71, no. 12, pt. 2, p. 1828.
- Deevey, E. S., Jr., 1951, "Late-Glacial and Postglacial Pollen Diagrams from Maine," American Journal of Science, vol. 249, no. 3, p. 177-207.
- Flint, R. F., 1953, "Probable Wisconsin Substages and Late-Wisconsin Events in Northeastern United States and Southeastern Canada," Bulletin of the Geological Society of America, vol. 64, no. 8, p. 897-919.
- , and Deevey, E. S., Jr., 1951, "Radiocarbon Dating of Late-Pleistocene Events," American Journal of Science, vol. 249, no. 4, p. 257-300.
- Goldthwait, Lawrence, 1949, "Clay Survey, 1948," Maine State Geologist Report 1947-1948, p. 63-69.
- Guilicher, André, 1958, Coastal and Submarine Morphology: translated by B. W. Sparks and the Rev. R. H. W. Kneese. New York:Wiley. 274 p.
- Häntzschel, Walter, 1939, "Tidal Flat Deposits (Wattenschlick)." In: Trask, P.D., ed., Recent Marine Sediments, a Symposium, p. 195-206. Tulsa, Okla.: Society of Economic Paleontologists and Mineralogists. 1939, reprinted with additions 1955.
- Johnson, D. W., 1925, The New England-Acadian Shoreline. New York:Wiley. 608 p.
- Leavitt, H. W., and Perkins, E. H., 1935, Glacial Geology of Maine. Maine Technology Experiment Station Bulletin 30, vol. 2. Orono, Maine:University of Maine. 230 p.

- McClure, C. D., Nelson, H. F., and Huckabay, W. B., 1958, "Marine Sonoprobe System, New Tool for Geologic Mapping," Bulletin of the American Association of Petroleum Geologists, vol. 42, no. 4, p. 701-716.
- Marmer, H. A., 1949, "Sea Level Changes along the Coasts of the United States in Recent Years," Transactions American Geophysical Union, vol. 30, no. 2, p. 201-204.
- Moore, D. G., 1960, "Acoustic-Reflection Studies of the Continental Shelf and Slope off Southern California," Bulletin of the Geological Society of America, vol. 71, no. 8, p. 1121-1136.
- Murray, H. W., 1947, "Topography of the Gulf of Maine, Field Season of 1940," Bulletin of the Geological Society of America, vol. 58, no. 2, p. 153-196.
- Nelson, B. W., 1962, "Important Aspects of Estuarine Sediment Chemistry for Benthic Ecology." In: Marshall, Nelson, ed., The Environmental Chemistry of Marine Sediments, Proceedings of a Symposium Held at the University of Rhode Island, January 1962, p. 27-41, Narragansett Marine Laboratory, Occasional Publication No. 1. Kingston, R. I. : University of Rhode Island. Graduate School of Oceanography.
- Redfield, A. C., and Rubin, Meyer, 1962, "The Age of Salt Marsh Peat and Its Relation to Recent Changes in Sealevel at Barnstable, Massachusetts," Narragansett Academy Science Proceedings, vol. 48, p. 1728-1735.
- Rousseau, Jacques, 1934, "The Part Played by Some Tidal Plants in the Formation of Clay Rhizoconcretions," Journal of Sedimentary Petrology, vol. 4, no. 2, p. 60-64.
- Smith, G. O., Bastin, E. S., and Brown, C. W., 1907, "Penobscot Bay Folio, Maine," Geologic Atlas of the United States, No. 149. Washington: U. S. Geological Survey. 14 p.
- Twenhofel, W. H., 1950, Principles of Sedimentation: 2d ed. New York: McGraw-Hill. 673 p.
- U. S., Geological Survey, 1947, Surface Water Supply of the United States, 1945, Pt. 1, North Atlantic Slope Basins, Water-Supply Paper 1031. Washington: U. S. Govt. Print. Off. 674 p.

APPENDIX

LIST OF ALL BOTTOM SEDIMENT STATIONS TAKEN DURING 1959 PENOBSCOT BAY SURVEY

BOTTOM SEDIMENT ANALYSIS SHEETS

LIST OF ALL BOTTOM SEDIMENT STATIONS TAKEN
DURING 1959 PENOBSCOT BAY SURVEY

Station No.	Station Position*	Description Presented in Table 2	Sonoprobe Record shown on Figures 15A to 15E	Summary Sheet presented in Appendix
1 to 39	See Appendix	No	No	Yes
40 to 50		Not Incl. in Report		
51		No	Yes	Yes
G		No	No	Yes
H		No	No	Yes
52 to 68		Not Incl. in Report		
69 to 77		No	No	Yes
78 to 89		Not Incl. in Report		
90		No	No	Yes
91		Yes	Yes	Yes
92	43°55'48"N			
	69 05 57 W	Yes	No	No
93-1		Yes	Yes	Yes
93-2		Yes	Yes	Yes
94		Yes	Yes	Yes
95	43 49 57 N			
	69 14 10 W	Yes	Yes	No
96	43 47 28 N			
	69 17 35 W	Yes	No	No
97		Yes	Yes	Yes
98		Yes	Yes	Yes
99	43 47 06 N			
	69 02 27 W	Yes	Yes	No
100		Yes	No	Yes
101		Yes	No	Yes
102		Yes	No	Yes
103		Yes	No	Yes
104		Yes	No	Yes
105		Yes	No	Yes
106		Yes	No	Yes
107		Yes	No	Yes
108		Yes	No	Yes
109	43 56 00 N			
	68 56 06 W	Yes	No	No
110	43 56 03 N			
	68 57 54 W	Yes	No	No
111	43 57 24 N			
	68 57 54 W	Yes	No	No
112		Yes	No	Yes
113-1		Yes	No	Yes
113-2		Yes	Yes	Yes
114		Yes	No	Yes
115		No	No	Yes
116		No	No	Yes

* If position is not given see
Bottom Sediment Analysis Sheet

LIST OF ALL BOTTOM SEDIMENT STATIONS TAKEN
DURING 1959 PENOBSCOT BAY SURVEY (Continued)

Station No.	Station Position*	Description Presented in Table 2	Sonoprobe Record shown on Figures 15A to 15E	Summary Sheet presented in Appendix
117		No	No	Yes
118-1		Yes	No	Yes
118-2		Yes	No	No
119-1		No	No	Yes
119-2		No	No	Yes
120-1		No	No	Yes
120-2		No	No	Yes
121		No sample attempted		
122		Yes	No	Yes
123		Yes	Yes	Yes
124-1		Yes	No	Yes
124-2		Yes	No	Yes
125	44°11'52"N 69 01 59 W	Yes	Yes	No
126-1		Yes	Yes	Yes
126-2		Yes	Yes	Yes
127		Yes	Yes	Yes
128		Yes	No	Yes
129-1		Yes	No	Yes
129-2		Yes	Yes	Yes
130		Yes	Yes	Yes
131		Yes	No	Yes
132		Yes	No	Yes
133		Yes	No	Yes
134-1		No	Yes	No
134-2		Yes	Yes	Yes
135-1		Yes	No	Yes
135-2		Yes	No	Yes
136		Yes	Yes	Yes
137-1		Yes	No	Yes
137-2		Yes	Yes	Yes
138		Yes	Yes	Yes
139		Yes	Yes	Yes
140		Yes	Yes	Yes
141		Yes	Yes	Yes
142		Yes	No	Yes
143	44 16 09 N 68 49 58 W	Not analyzed in laboratory		
144		Yes	No	Yes
145		Yes	No	Yes
146		Yes	No	Yes
147		No	No	Yes
148		Yes	Yes	Yes
149		Yes	No	Yes

* If position is not given see
Bottom Sediment Analysis Sheet

LIST OF ALL BOTTOM SEDIMENT STATIONS TAKEN
DURING 1959 PENOBSCOT BAY SURVEY (Continued)

Station No.	Station Position*	Description Presented in Table 2	Sonoprobe Record shown on Figures 15A to 15E	Summary Sheet presented in Appendix
150		Yes	No	Yes
151		Yes	No	Yes
152		Yes	Yes	Yes
153		Yes	No	Yes
154		Yes	Yes	Yes
155	44°13'17"N 68 57 55 W	Yes	Yes	No
156		Yes	No	Yes
157		Yes	No	Yes
158		Yes	No	Yes
159		No	No	Yes
160		Yes	No	Yes
161		Yes	No	Yes
162	44 04 49 N 68 57 56 W	Yes	No	No
163		Yes	Yes	Yes
164	44 01 45 N 68 57 59 W	Yes	No	No
165	44 00 13 N 68 57 56 W	Yes	No	No
166		Yes	Yes	Yes
167	43 59 13 N 68 55 32 W	Yes	No	No
168	43 58 52 N 68 54 11 W	Yes	No	No
169		Yes	No	Yes
170		Yes	No	Yes
171		Yes	No	Yes
172	43 57 16 N 68 50 04 W	Yes	No	No
173	43 57 21 N 68 52 03 W	Yes	Yes	No
174		Yes	No	Yes
175		Yes	No	Yes
176	43 57 25 N 68 56 02 W	Yes	No	No
177		Yes	No	Yes
178		No	No	Yes
179		Yes	No	Yes
180		Yes	No	Yes
181		Yes	No	Yes
182		Yes	No	Yes
183		Yes	No	Yes
184		Yes	No	Yes

* If position is not given see
Bottom Sediment Analysis Sheet

LIST OF ALL BOTTOM SEDIMENT STATIONS TAKEN
DURING 1959 PENOBSCOT BAY SURVEY (Continued)

Station No.	Station, Position*	Description Presented in Table 2	Sonoprobe Record shown on Figures 15A to 15E	Summary Sheet presented in Appendix
185		Yes	Yes	Yes
186		Yes	No	Yes
187		Yes	No	Yes
188		Yes	No	Yes
189		Yes	No	Yes
190		Yes	Yes	Yes
191		Yes	No	Yes
192		Yes	Yes	Yes
193		Yes	No	Yes
194		Yes	No	Yes
195		Yes	No	Yes
196		Yes	No	Yes
197		Yes	No	Yes
198		Yes	No	Yes
199		Yes	Yes	Yes
200		Yes	Yes	Yes
201		Yes	Yes	Yes
202		Yes	No	Yes
203		Yes	Yes	Yes
204		Yes	Yes	Yes
205		Yes	Yes	Yes
206		Yes	Yes	Yes
207		Yes	Yes	Yes
208		Yes	Yes	Yes
209		Yes	Yes	Yes
210		Yes	Yes	Yes
211		Yes	Yes	Yes
212		Yes	No	Yes
213		Yes	No	Yes
214		Yes	Yes	Yes
215		Yes	No	Yes
216		Yes	No	Yes
217		Yes	No	Yes

* If position is not given see
Bottom Sediment Analysis Sheet

BOTTOM SEDIMENT ANALYSIS SHEETS

Results of bottom sediment analysis performed by the U.S. Naval Oceanographic Office are recorded on sediment analysis sheets.

The following items are descriptions of the terms employed on the sediment analysis sheets:

1. Sample Number. This number has 3 parts: 66 (the area)
1 (the station number)
1 or 2 (the sample number at the station)
2. Latitude. Expressed in degrees, minutes, and seconds.
3. Longitude. Expressed in degrees, minutes, and seconds.
4. Date. Day (GMT), month, and year.
5. Sampler Type. Identified by name of device employed. Shown only for core.
6. Water Depth (fm.). The uncorrected sonic sounding recorded in fathoms.
7. Core Length (in.). Recorded in inches as observed in the laboratory. This information is not given when a grab sampler was employed. Shown only for cores.
8. Core Penetration (in.). Recorded in inches as observed in the field. This information is not given when a grab sampler was employed. Shown only for cores.
9. Laboratory Number. A reference number assigned to a fraction of a sample retained by the Laboratory.
10. Subsample Depth in Core (in.). Interval of the subsample as measured from the top of the core. Not applicable for a grab sample. Shown only for cores.
11. Color. Based on the Geological Society of America Rock-Color Chart. For those samples where color was not determined in the field, the sample was moistened in the laboratory for a color determination.
12. Odor. A qualitative description of any noticeable odors.
13. Wet Density (lbs/ft³). Not determined.
14. Rigidense (mm). Not determined.
15. Maximum Porosity (%). Not determined.
16. Minimum Porosity (%). Not determined.
17. Water Content (%). Not determined.
18. Organic Carbon Content (%). Not determined.

19. Size Analysis and Statistical Measures. Sample size fraction values are based on dry weight and given in phi (ϕ) units to the nearest whole percent. An American Instrument Company sieving machine and U. S. standard sieves were used for determining sand and larger size fractions ($> 1/16$ mm). The pipette method, based on Stokes Law (for computing settling rates of spherical particles), was used to determine silt size ($1/16$ to $1/1256$ mm) and clay size particles ($1/1256$ to $1/4096$ mm). Any colloidal material ($< 1/4096$ mm) was included with the clay.

QD ϕ - (phi quartile deviation). Is that statistical parameter which is a measure of one half of the spread of the quartiles and is expressed in phi units with the given value computed from the formula:

$$QD\phi = \frac{Q_{3\phi} - Q_{1\phi}}{2}$$

Sorting referred to in the text was determined in accordance with the relationship between QD ϕ and Trask's Sorting Coefficient (So)*

Sk ϕ - (phi quartile skewness). Is that statistical parameter which is a measure of half the sum of the first and third quartile values less the median and is expressed in phi units with the given value computed from the formula:

$$Sk\phi = \frac{Q_{1\phi} + Q_{3\phi}}{2} - Md\phi$$

Md ϕ - (phi median). Is the middlemost member of the distribution curve above which 50 percent of the diameters in the distribution are larger and below which 50 percent of the diameters are smaller and is expressed in phi units.

* Reference to Sorting

Krumbein, W. C., and F. J. Pettijohn, 1938, *Manual of sedimentary petrography*. Appleton-Century-Croft, New York, 549 pp.

Page 235, Fig. 110. Conversion chart for So and QD ϕ . $\log_2 So = QD\phi$

QD ϕ < 1.32 = well sorted
 1.58 = normally sorted sediment
 > 2.18 = poorly sorted

The following table is presented for the conversion of phi units to millimeters: $\phi = \log_2 \text{diameter (millimeters)}$

Phi (ϕ)	Millimeters	Geological Classification
-2	4.0	
-1	2.0	Granule
0	1.0	
1	0.50	
2	0.25	
3	0.125	
4	0.0625	Sand
5	0.0313	
6	0.0156	
7	0.0078	
8	0.0039	
9	0.00195	Silt
>9	-----	Clay

20. Subsample Dry Weight (gm.). Total dry weight of the subsample.
21. Sphericity (avg.). Not determined.
22. Plasticity. A qualitative description of the sediments plastic characteristics at the time the sample was analyzed in the laboratory.
23. Shell Con. A visual estimate of the percentage of sample that is shell.
- 24, 25, and 26. Dominant, Secondary, and Other Minerals (%). Not determined.
27. Remarks.

1. SAMPLE NUMBER	66-4-1	2. LATITUDE	44° 10' 12" N	3. LONGITUDE	69° 00' 18" W	4. DATE (Day, month, year)	5 August 1969	5. LABORATORY NUMBERS	4791	6. WATER DEPTH (m.)	31.7	11. COLOR	Olive Gray 5441	12. DOOR		13. WET DENSITY (lb./ft ³)		14. RIGIDNESS (mm)		15. MAXIMUM POROSITY (%)		16. MINIMUM POROSITY (%)		17. WATER CONTENT (%)		18. ORGANIC CARBON CONTENT (%)		19. SIZE ANALYSIS AND STATISTICAL MEASURES		20. SUBSAMPLE DRY WEIGHT (gm)		21. SPECIFIC (avg.)	17.85	22. Plasticity Plasticity	Mod	23. Shrinkage Shrinkage (mm) Shell Gm.	< 1%	24. DOMINANT MINERAL (%)		25. SECONDARY MINERAL (%)		26. OTHER MINERALS (%)		27. REMARKS: Items 11-26 determined in the lab	The sample was composed of silt and clay.	Sediment Type	Clayey Silt
------------------	--------	-------------	---------------	--------------	---------------	----------------------------	---------------	-----------------------	------	---------------------	------	-----------	--------------------	----------	--	--	--	--------------------	--	--------------------------	--	--------------------------	--	-----------------------	--	--------------------------------	--	--	--	-------------------------------	--	---------------------	-------	--------------------------------------	-----	---	------	--------------------------	--	---------------------------	--	------------------------	--	--	---	---------------	-------------

1. SAMPLE NUMBER	66-3-1	2. LATITUDE	44° 09' 16" N	3. LONGITUDE	69° 00' 18" W	4. DATE (Day, month, year)	5 August 1969	5. LABORATORY NUMBERS	4790	6. WATER DEPTH (m.)	31.7	11. COLOR	Olive Gray 5441	12. DOOR	faul	13. WET DENSITY (lb./ft ³)		14. RIGIDNESS (mm)		15. MAXIMUM POROSITY (%)		16. MINIMUM POROSITY (%)		17. WATER CONTENT (%)		18. ORGANIC CARBON CONTENT (%)		19. SIZE ANALYSIS AND STATISTICAL MEASURES		20. SUBSAMPLE DRY WEIGHT (gm)		21. SPECIFIC (avg.)	13.50	22. Plasticity Plasticity	Mod	23. Shrinkage Shrinkage (mm) Shell Gm.	< 1%	24. DOMINANT MINERAL (%)		25. SECONDARY MINERAL (%)		26. OTHER MINERALS (%)		27. REMARKS: Items 11-26 determined in the lab	The sample was composed of silt and clay.	Sediment Type	Clayey Silt
------------------	--------	-------------	---------------	--------------	---------------	----------------------------	---------------	-----------------------	------	---------------------	------	-----------	--------------------	----------	------	--	--	--------------------	--	--------------------------	--	--------------------------	--	-----------------------	--	--------------------------------	--	--	--	-------------------------------	--	---------------------	-------	--------------------------------------	-----	---	------	--------------------------	--	---------------------------	--	------------------------	--	--	---	---------------	-------------

1. SAMPLE NUMBER	66-2-1	2. LATITUDE	44° 08' 12" N	3. LONGITUDE	69° 00' 18" W	4. DATE (Day, month, year)	5 August 1969	5. LABORATORY NUMBERS	4789	6. WATER DEPTH (m.)	35.8	11. COLOR	Olive Gray 5441	12. DOOR		13. WET DENSITY (lb./ft ³)		14. RIGIDNESS (mm)		15. MAXIMUM POROSITY (%)		16. MINIMUM POROSITY (%)		17. WATER CONTENT (%)		18. ORGANIC CARBON CONTENT (%)		19. SIZE ANALYSIS AND STATISTICAL MEASURES		20. SUBSAMPLE DRY WEIGHT (gm)		21. SPECIFIC (avg.)	17.00	22. Plasticity Plasticity	Mod	23. Shrinkage Shrinkage (mm) Shell Gm.	< 1%	24. DOMINANT MINERAL (%)		25. SECONDARY MINERAL (%)		26. OTHER MINERALS (%)		27. REMARKS: Items 11-26 determined in the lab	The sample was composed of silt and clay	Sediment Type	Clayey Silt
------------------	--------	-------------	---------------	--------------	---------------	----------------------------	---------------	-----------------------	------	---------------------	------	-----------	--------------------	----------	--	--	--	--------------------	--	--------------------------	--	--------------------------	--	-----------------------	--	--------------------------------	--	--	--	-------------------------------	--	---------------------	-------	--------------------------------------	-----	---	------	--------------------------	--	---------------------------	--	------------------------	--	--	--	---------------	-------------

1. SAMPLE NUMBER	66-1-1	2. LATITUDE	44° 07' 06" N	3. LONGITUDE	69° 00' 18" W	4. DATE (Day, month, year)	5 August 1969	5. LABORATORY NUMBERS	4788	6. WATER DEPTH (m.)	38.3	11. COLOR	Olive Gray 5441	12. DOOR		13. WET DENSITY (lb./ft ³)		14. RIGIDNESS (mm)		15. MAXIMUM POROSITY (%)		16. MINIMUM POROSITY (%)		17. WATER CONTENT (%)		18. ORGANIC CARBON CONTENT (%)		19. SIZE ANALYSIS AND STATISTICAL MEASURES		20. SUBSAMPLE DRY WEIGHT (gm)		21. SPECIFIC (avg.)	14.70	22. Plasticity Plasticity	Mod	23. Shrinkage Shrinkage (mm) Shell Gm.	< 1%	24. DOMINANT MINERAL (%)		25. SECONDARY MINERAL (%)		26. OTHER MINERALS (%)		27. REMARKS: Items 11-26 determined in the lab	The sample was composed of silt and clay with some sand. * Contained dark streaks	Sediment Type	Clayey Silt
------------------	--------	-------------	---------------	--------------	---------------	----------------------------	---------------	-----------------------	------	---------------------	------	-----------	--------------------	----------	--	--	--	--------------------	--	--------------------------	--	--------------------------	--	-----------------------	--	--------------------------------	--	--	--	-------------------------------	--	---------------------	-------	--------------------------------------	-----	---	------	--------------------------	--	---------------------------	--	------------------------	--	--	--	---------------	-------------

1. SAMPLE NUMBER	66-5-1
2. LATITUDE	44° 11' 06" N
3. LONGITUDE	69° 00' 18" W
4. DATE (Day, month, year)	5 August 1959
5. LABORATORY NUMBERS	4792

6. WATER DEPTH (m.) 387.5

11. COLOR Olive Gray 5441

12. DOOR

13. NET DENSITY (lb./ft³)

14. RIGIDITY (cm)

15. MAXIMUM POROSITY (%)

16. MINIMUM POROSITY (%)

17. WATER CONTENT (%)

18. ORGANIC CARBON CONTENT (%)

19. SIZE ANALYSIS AND STATISTICAL MEASURES

20. SUBSAMPLE DRY WEIGHT (gm)

21. SPECIFIC (avg.)

22. MINERALS (avg.) Plasticity Med

23. SHORTEST-TENSILE (avg.) Shell 11 cm.

24. DOMINANT MINERAL (%)

25. SECONDARY MINERAL (%)

26. OTHER MINERALS (%)

27. REMARKS: Items 11-26 determined in the lab

The sample was composed of silt and clay

Sediment Type Clayey Silt

1. SAMPLE NUMBER	66-6-1
2. LATITUDE	44° 12' 12" N
3. LONGITUDE	69° 00' 18" W
4. DATE (Day, month, year)	5 August 1959
5. LABORATORY NUMBERS	4793

6. WATER DEPTH (m.) 32.6

11. COLOR Olive Gray 5441

12. DOOR

13. NET DENSITY (lb./ft³)

14. RIGIDITY (cm)

15. MAXIMUM POROSITY (%)

16. MINIMUM POROSITY (%)

17. WATER CONTENT (%)

18. ORGANIC CARBON CONTENT (%)

19. SIZE ANALYSIS AND STATISTICAL MEASURES

20. SUBSAMPLE DRY WEIGHT (gm)

21. SPECIFIC (avg.)

22. MINERALS (avg.) Plasticity Med

23. SHORTEST-TENSILE (avg.) Shell 11 cm.

24. DOMINANT MINERAL (%)

25. SECONDARY MINERAL (%)

26. OTHER MINERALS (%)

27. REMARKS: Items 11-26 determined in the lab

The sample was composed of silt and clay

Sediment Type Clayey Silt

1. SAMPLE NUMBER	66-7-1
2. LATITUDE	44° 13' 12" N
3. LONGITUDE	69° 00' 18" W
4. DATE (Day, month, year)	5 August 1959
5. LABORATORY NUMBERS	4794

6. WATER DEPTH (m.) 26.7

11. COLOR Olive Gray 5441

12. DOOR

13. NET DENSITY (lb./ft³)

14. RIGIDITY (cm)

15. MAXIMUM POROSITY (%)

16. MINIMUM POROSITY (%)

17. WATER CONTENT (%)

18. ORGANIC CARBON CONTENT (%)

19. SIZE ANALYSIS AND STATISTICAL MEASURES

20. SUBSAMPLE DRY WEIGHT (gm)

21. SPECIFIC (avg.)

22. MINERALS (avg.) Plasticity Med

23. SHORTEST-TENSILE (avg.) Shell 11 cm.

24. DOMINANT MINERAL (%)

25. SECONDARY MINERAL (%)

26. OTHER MINERALS (%)

27. REMARKS: Items 11-26 determined in the lab

The sample was composed of silt and clay

Sediment Type Clayey Silt

1. SAMPLE NUMBER	66-8-1
2. LATITUDE	44° 14' 06" N
3. LONGITUDE	68° 59' 36" W
4. DATE (Day, month, year)	5 August 1959
5. LABORATORY NUMBERS	4795

6. WATER DEPTH (m.) 25.8

11. COLOR Olive Gray 5441

12. DOOR

13. NET DENSITY (lb./ft³)

14. RIGIDITY (cm)

15. MAXIMUM POROSITY (%)

16. MINIMUM POROSITY (%)

17. WATER CONTENT (%)

18. ORGANIC CARBON CONTENT (%)

19. SIZE ANALYSIS AND STATISTICAL MEASURES

20. SUBSAMPLE DRY WEIGHT (gm)

21. SPECIFIC (avg.)

22. MINERALS (avg.) Plasticity Med

23. SHORTEST-TENSILE (avg.) Shell 11 cm.

24. DOMINANT MINERAL (%)

25. SECONDARY MINERAL (%)

26. OTHER MINERALS (%)

27. REMARKS: Items 11-26 determined in the lab

The sample was composed of silt and clay

Sediment Type Clayey Silt

1. SAMPLE NUMBER	66-9-1
2. LATITUDE	44° 15' 00" N
3. LONGITUDE	68° 59' 00" W
4. DATE (Day, month, year)	5 August 1959
5. LABORATORY NUMBERS	4796
6. WATER DEPTH (m.)	200

11. COLOR	Olive Gray 5/4/1
-----------	---------------------

12. ODR	
13. WET DENSITY (lb./ft ³)	
14. RIGIDITY (cm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 _φ (%)	3
b. < 2 _φ to -1 _φ (%)	3
c. -1 _φ to 0 _φ (%)	5
d. 0 _φ to 1 _φ (%)	6
e. 1 _φ to 2 _φ (%)	8
f. 2 _φ to 3 _φ (%)	9
g. 3 _φ to 4 _φ (%)	6
h. 4 _φ to 5 _φ (%)	8
i. 5 _φ to 6 _φ (%)	8
j. > 6 _φ (%)	28
20. DISAMPLE DRY WEIGHT (gm)	19.91
21. SPECIFIC (exp.)	
22. PLASTICITY	Med
23. SHRETT-KINNEY (mm) Shell Cn.	< 1%
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	

7. REMARKS: Items 11-26 determined in the lab
The sample was composed of sand with silt, clay and some pebbles.

Sediment Type	Sandy Mud
---------------	-----------

1. SAMPLE NUMBER	66-10-1
2. LATITUDE	44° 15' 54" N
3. LONGITUDE	68° 58' 24" W
4. DATE (Day, month, year)	5 August 1959
5. LABORATORY NUMBERS	4797
6. WATER DEPTH (m.)	217

11. COLOR	Olive Gray 5/4/1
-----------	---------------------

12. ODR	
13. WET DENSITY (lb./ft ³)	
14. RIGIDITY (cm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 _φ (%)	10
b. < 2 _φ to -1 _φ (%)	4
c. -1 _φ to 0 _φ (%)	4
d. 0 _φ to 1 _φ (%)	5
e. 1 _φ to 2 _φ (%)	6
f. 2 _φ to 3 _φ (%)	12
g. 3 _φ to 4 _φ (%)	13
h. 4 _φ to 5 _φ (%)	11
i. 5 _φ to 6 _φ (%)	15
j. > 6 _φ (%)	20
20. DISAMPLE DRY WEIGHT (gm)	29.81
21. SPECIFIC (exp.)	
22. PLASTICITY	Med
23. SHRETT-KINNEY (mm) Shell Cn.	< 1%
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	

7. REMARKS: Items 11-26 determined in the lab
The sample was composed of sand and pebbles with silt and clay.

Sediment Type	Sandy Mud
---------------	-----------

1. SAMPLE NUMBER	66-11-1
2. LATITUDE	44° 16' 42" N
3. LONGITUDE	68° 57' 18" W
4. DATE (Day, month, year)	5 August 1959
5. LABORATORY NUMBERS	4798
6. WATER DEPTH (m.)	226

11. COLOR	Olive Gray 5/4/1
-----------	---------------------

12. ODR	
13. WET DENSITY (lb./ft ³)	
14. RIGIDITY (cm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 _φ (%)	21
b. < 2 _φ to -1 _φ (%)	1
c. -1 _φ to 0 _φ (%)	2
d. 0 _φ to 1 _φ (%)	3
e. 1 _φ to 2 _φ (%)	6
f. 2 _φ to 3 _φ (%)	18
g. 3 _φ to 4 _φ (%)	15
h. 4 _φ to 5 _φ (%)	15
i. 5 _φ to 6 _φ (%)	18
j. > 6 _φ (%)	21
20. DISAMPLE DRY WEIGHT (gm)	28.70
21. SPECIFIC (exp.)	
22. PLASTICITY	Med
23. SHRETT-KINNEY (mm) Shell Cn.	< 1%
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	

7. REMARKS: Items 11-26 determined in the lab
The sample was composed of sand with silt, clay and some pebbles

Sediment Type	Sandy Mud
---------------	-----------

1. SAMPLE NUMBER	66-12-1
2. LATITUDE	44° 15' 12" N
3. LONGITUDE	68° 56' 48" W
4. DATE (Day, month, year)	5 August 1959
5. LABORATORY NUMBERS	4799
6. WATER DEPTH (m.)	232

11. COLOR	Olive Gray 5/4/1
-----------	---------------------

12. ODR	
13. WET DENSITY (lb./ft ³)	
14. RIGIDITY (cm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 _φ (%)	21
b. < 2 _φ to -1 _φ (%)	1
c. -1 _φ to 0 _φ (%)	1
d. 0 _φ to 1 _φ (%)	1
e. 1 _φ to 2 _φ (%)	3
f. 2 _φ to 3 _φ (%)	8
g. 3 _φ to 4 _φ (%)	18
h. 4 _φ to 5 _φ (%)	19
i. 5 _φ to 6 _φ (%)	24
j. > 6 _φ (%)	27
20. DISAMPLE DRY WEIGHT (gm)	19.44
21. SPECIFIC (exp.)	
22. PLASTICITY	Med
23. SHRETT-KINNEY (mm) Shell Cn.	< 1%
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	

7. REMARKS: Items 11-26 determined in the lab
The sample was composed of sand, silt and clay

Sediment Type	Silty Mud
---------------	-----------

1. SAMPLE NUMBER	66-13-1
2. LATITUDE	44° 19' 18" N
3. LONGITUDE	68° 58' 42" W
4. DATE (Day, month, year)	5 August 1959
5. LABORATORY NUMBERS	4800
6. WATER DEPTH (m.)	34.2

11. COLOR	Olive Gray 5Y4/1
12. DOOR	slightly foul
13. NET DENSITY (lb./ft ³)	
14. RIGIDNESS (mm)	
15. MEDIUM POROSITY (%)	
16. MEDIUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

a. < -2 _φ (%)	0 _φ
b. -2 _φ to -1 _φ (%)	SK _φ
c. -1 _φ to 0 _φ (%)	M _φ 7.97
d. 0 _φ to 1 _φ (%)	0 _φ 5.40
e. 1 _φ to 2 _φ (%)	0 _φ
f. 2 _φ to 3 _φ (%)	1
g. 3 _φ to 4 _φ (%)	6
h. 4 _φ to 6 _φ (%)	18
i. 6 _φ to 8 _φ (%)	35
j. > 8 _φ (%)	38
20. SUSPENSIBLE DRY WEIGHT (gm)	13.95
21. SPECIFICITY (gms.)	
22. REMARKS (type, plasticity)	Low
23. SUBMERGED-TENSILE (long. Shore) (lb./in.)	0
24. CONTRACT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	

27. REMARKS: Items 11-26 determined in the lab
The sample was composed of silt and clay with some sand.

Sediment Type	Clayey Silt
---------------	-------------

1. SAMPLE NUMBER	66-14-1
2. LATITUDE	44° 20' 18" N
3. LONGITUDE	58° 56' 24" W
4. DATE (Day, month, year)	5 August 1959
5. LABORATORY NUMBERS	4801
6. WATER DEPTH (m.)	32.5

11. COLOR	Olive Gray 5Y4/1
12. DOOR	
13. NET DENSITY (lb./ft ³)	
14. RIGIDNESS (mm)	
15. MEDIUM POROSITY (%)	
16. MEDIUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

a. < -2 _φ (%)	0 _φ
b. -2 _φ to -1 _φ (%)	SK _φ
c. -1 _φ to 0 _φ (%)	M _φ 7.79
d. 0 _φ to 1 _φ (%)	0 _φ 6.06
e. 1 _φ to 2 _φ (%)	3
f. 2 _φ to 3 _φ (%)	19
g. 3 _φ to 4 _φ (%)	35
h. 4 _φ to 6 _φ (%)	41
i. 6 _φ to 8 _φ (%)	15.58
j. > 8 _φ (%)	
20. SUSPENSIBLE DRY WEIGHT (gm)	
21. SPECIFICITY (gms.)	
22. REMARKS (type, plasticity)	Low
23. SUBMERGED-TENSILE (long. Shore) (lb./in.)	0
24. CONTRACT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	

27. REMARKS: Items 11-26 determined in the lab
The sample was composed of silt and clay with some sand.

Sediment Type	Clayey Silt
---------------	-------------

1. SAMPLE NUMBER	66-15-1
2. LATITUDE	44° 21' 30" N
3. LONGITUDE	58° 56' 06" W
4. DATE (Day, month, year)	5 August 1959
5. LABORATORY NUMBERS	4802
6. WATER DEPTH (m.)	26.7

11. COLOR	Olive Gray 5Y4/1
12. DOOR	
13. NET DENSITY (lb./ft ³)	
14. RIGIDNESS (mm)	
15. MEDIUM POROSITY (%)	
16. MEDIUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

a. < -2 _φ (%)	0 _φ
b. -2 _φ to -1 _φ (%)	SK _φ
c. -1 _φ to 0 _φ (%)	M _φ 8.57
d. 0 _φ to 1 _φ (%)	0 _φ 6.60
e. 1 _φ to 2 _φ (%)	2
f. 2 _φ to 3 _φ (%)	16
g. 3 _φ to 4 _φ (%)	38
h. 4 _φ to 6 _φ (%)	44
i. 6 _φ to 8 _φ (%)	12.76
j. > 8 _φ (%)	
20. SUSPENSIBLE DRY WEIGHT (gm)	
21. SPECIFICITY (gms.)	
22. REMARKS (type, plasticity)	Med
23. SUBMERGED-TENSILE (long. Shore) (lb./in.)	0
24. CONTRACT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	

27. REMARKS: Items 11-26 determined in the lab
The sample was composed of silt and clay.

Sediment Type	Clayey Silt
---------------	-------------

1. SAMPLE NUMBER	66-16-1
2. LATITUDE	44° 22' 42" N
3. LONGITUDE	68° 55' 54" W
4. DATE (Day, month, year)	5 August 1959
5. LABORATORY NUMBERS	4803
6. WATER DEPTH (m.)	21.8

11. COLOR	Olive Gray 5Y4/1
12. DOOR	slightly foul
13. NET DENSITY (lb./ft ³)	
14. RIGIDNESS (mm)	
15. MEDIUM POROSITY (%)	
16. MEDIUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

a. < -2 _φ (%)	0 _φ
b. -2 _φ to -1 _φ (%)	SK _φ
c. -1 _φ to 0 _φ (%)	M _φ 8.15
d. 0 _φ to 1 _φ (%)	0 _φ 7.29
e. 1 _φ to 2 _φ (%)	2
f. 2 _φ to 3 _φ (%)	9
g. 3 _φ to 4 _φ (%)	44
h. 4 _φ to 6 _φ (%)	45
i. 6 _φ to 8 _φ (%)	12.09
j. > 8 _φ (%)	
20. SUSPENSIBLE DRY WEIGHT (gm)	
21. SPECIFICITY (gms.)	
22. REMARKS (type, plasticity)	Low
23. SUBMERGED-TENSILE (long. Shore) (lb./in.)	0
24. CONTRACT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	

27. REMARKS: Items 11-26 determined in the lab

Sediment Type	Clayey Silt
---------------	-------------

1. SAMPLE NUMBER	66-17-1
2. LATITUDE	44° 23' 54" N
3. LONGITUDE	68° 53' 24" W
4. DATE (day, month, year)	5 August 1959
5. LABORATORY NUMBERS	4804
6. WATER DEPTH (m.)	15.8
11. COLOR	Olive Gray 5441
12. ODR	slightly foul
13. NET DENSITY (lb./ft. ³)	
14. RIGIDNESS (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. $\phi < -2_{\phi}$ (%)	OD ₀
b. -2_{ϕ} to -1_{ϕ} (%)	34 ₀
c. -1_{ϕ} to 0_{ϕ} (%)	M ₀ 874
d. 0_{ϕ} to 1_{ϕ} (%)	01 ₀ 720
e. 1_{ϕ} to 2_{ϕ} (%)	03 ₀
f. 2_{ϕ} to 3_{ϕ} (%)	3
g. 3_{ϕ} to 4_{ϕ} (%)	q
h. 4_{ϕ} to 6_{ϕ} (%)	43
i. 6_{ϕ} to 8_{ϕ} (%)	45
j. $> 8_{\phi}$ (%)	45
20. SUBSAMPLE DRY WEIGHT (gm)	1056
21. SPECIFICITY (spg.)	
22. apparent tenacity (lb./sq. ft.)	Lo w
23. substrate-tensile tenacity (lb./sq. ft.)	0
24. DIAMANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab.	

1. SAMPLE NUMBER	66-18-1
2. LATITUDE	44° 25' 06" N
3. LONGITUDE	68° 54' 54" W
4. DATE (day, month, year)	5 August 1959
5. LABORATORY NUMBERS	4805
6. WATER DEPTH (m.)	10
11. COLOR	Olive Gray 5441
12. ODR	
13. NET DENSITY (lb./ft. ³)	
14. RIGIDNESS (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. $\phi < -2_{\phi}$ (%)	OD ₀
b. -2_{ϕ} to -1_{ϕ} (%)	34 ₀
c. -1_{ϕ} to 0_{ϕ} (%)	M ₀ 874
d. 0_{ϕ} to 1_{ϕ} (%)	01 ₀ 733
e. 1_{ϕ} to 2_{ϕ} (%)	03 ₀
f. 2_{ϕ} to 3_{ϕ} (%)	2
g. 3_{ϕ} to 4_{ϕ} (%)	8
h. 4_{ϕ} to 6_{ϕ} (%)	45
i. 6_{ϕ} to 8_{ϕ} (%)	45
j. $> 8_{\phi}$ (%)	45
20. SUBSAMPLE DRY WEIGHT (gm)	1285
21. SPECIFICITY (spg.)	
22. apparent tenacity (lb./sq. ft.)	Lo w
23. substrate-tensile tenacity (lb./sq. ft.)	0
24. DIAMANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab.	

1. SAMPLE NUMBER	66-19-1
2. LATITUDE	44° 24' 30" N
3. LONGITUDE	68° 53' 48" W
4. DATE (day, month, year)	5 August 1959
5. LABORATORY NUMBERS	4806
6. WATER DEPTH (m.)	10.8
11. COLOR	Olive Gray 5441
12. ODR	
13. NET DENSITY (lb./ft. ³)	
14. RIGIDNESS (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. $\phi < -2_{\phi}$ (%)	OD ₀
b. -2_{ϕ} to -1_{ϕ} (%)	34 ₀
c. -1_{ϕ} to 0_{ϕ} (%)	M ₀ 863
d. 0_{ϕ} to 1_{ϕ} (%)	01 ₀ 718
e. 1_{ϕ} to 2_{ϕ} (%)	03 ₀
f. 2_{ϕ} to 3_{ϕ} (%)	1
g. 3_{ϕ} to 4_{ϕ} (%)	q
h. 4_{ϕ} to 6_{ϕ} (%)	45
i. 6_{ϕ} to 8_{ϕ} (%)	45
j. $> 8_{\phi}$ (%)	40
20. SUBSAMPLE DRY WEIGHT (gm)	1221
21. SPECIFICITY (spg.)	
22. apparent tenacity (lb./sq. ft.)	Med
23. substrate-tensile tenacity (lb./sq. ft.)	212
24. DIAMANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab.	

1. SAMPLE NUMBER	66-20-1
2. LATITUDE	44° 23' 54" N
3. LONGITUDE	68° 52' 36" W
4. DATE (day, month, year)	5 August 1959
5. LABORATORY NUMBERS	4807
6. WATER DEPTH (m.)	11.7
11. COLOR	Olive Gray 5441
12. ODR	slightly foul
13. NET DENSITY (lb./ft. ³)	
14. RIGIDNESS (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. $\phi < -2_{\phi}$ (%)	OD ₀
b. -2_{ϕ} to -1_{ϕ} (%)	34 ₀
c. -1_{ϕ} to 0_{ϕ} (%)	M ₀ 844
d. 0_{ϕ} to 1_{ϕ} (%)	01 ₀ 676
e. 1_{ϕ} to 2_{ϕ} (%)	3
f. 2_{ϕ} to 3_{ϕ} (%)	3
g. 3_{ϕ} to 4_{ϕ} (%)	13
h. 4_{ϕ} to 6_{ϕ} (%)	43
i. 6_{ϕ} to 8_{ϕ} (%)	43
j. $> 8_{\phi}$ (%)	41
20. SUBSAMPLE DRY WEIGHT (gm)	1070
21. SPECIFICITY (spg.)	
22. apparent tenacity (lb./sq. ft.)	Lo w
23. substrate-tensile tenacity (lb./sq. ft.)	0
24. DIAMANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab.	

Sediment Type Clayey Silt

Sediment Type Clayey Silt

Sediment Type Clayey Silt

Sediment Type Clayey Silt

1. SAMPLE NUMBER	66-21-1
2. LATITUDE	44° 23' 24" N
3. LONGITUDE	68° 51' 30" W
4. DATE (Day, month, year)	5 August 1959
5. LABORATORY NUMBERS	4808
6. WATER DEPTH (m.)	175
11. COLOR	Olive Gray 5/4H
12. ODR	
13. MET DENSITY (lb./ft ³)	
14. RESIDUE (m)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 _φ (%)	0 _φ
b. -2 _φ to -1 _φ (%)	SK _φ
c. -1 _φ to 0 _φ (%)	M _φ 8.48
d. 0 _φ to 1 _φ (%)	0 _φ 6.70
e. 1 _φ to 2 _φ (%)	2
f. 2 _φ to 3 _φ (%)	
g. 3 _φ to 4 _φ (%)	14
h. 4 _φ to 6 _φ (%)	
i. 6 _φ to 8 _φ (%)	42
j. > 8 _φ (%)	42
20. SUBSAMPLE DRY WEIGHT (m)	11.64
21. SPECIFIC (w/v)	
22. SHIMMERTON Plasticity	Med
23. SHIMMERTON Plasticity	0
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

Sediment Type Clayey Silt

1. SAMPLE NUMBER	66-22-1
2. LATITUDE	44° 22' 54" N
3. LONGITUDE	68° 50' 30" W
4. DATE (Day, month, year)	5 August 1959
5. LABORATORY NUMBERS	4809
6. WATER DEPTH (m.)	250
11. COLOR	Olive Gray 5/4H
12. ODR	
13. MET DENSITY (lb./ft ³)	
14. RESIDUE (m)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 _φ (%)	0 _φ
b. -2 _φ to -1 _φ (%)	SK _φ
c. -1 _φ to 0 _φ (%)	M _φ 8.66
d. 0 _φ to 1 _φ (%)	0 _φ 6.84
e. 1 _φ to 2 _φ (%)	4
f. 2 _φ to 3 _φ (%)	
g. 3 _φ to 4 _φ (%)	
h. 4 _φ to 6 _φ (%)	12
i. 6 _φ to 8 _φ (%)	39
j. > 8 _φ (%)	45
20. SUBSAMPLE DRY WEIGHT (m)	13.48
21. SPECIFIC (w/v)	
22. SHIMMERTON Plasticity	Med
23. SHIMMERTON Plasticity	0
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

Sediment Type Clayey Silt

1. SAMPLE NUMBER	66-23-1
2. LATITUDE	44° 21' 54" N
3. LONGITUDE	68° 50' 42" W
4. DATE (Day, month, year)	5 August 1959
5. LABORATORY NUMBERS	4810
6. WATER DEPTH (m.)	237
11. COLOR	Olive Gray 5/4H
12. ODR	
13. MET DENSITY (lb./ft ³)	
14. RESIDUE (m)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 _φ (%)	0 _φ
b. -2 _φ to -1 _φ (%)	SK _φ
c. -1 _φ to 0 _φ (%)	M _φ 8.38
d. 0 _φ to 1 _φ (%)	0 _φ 6.65
e. 1 _φ to 2 _φ (%)	3
f. 2 _φ to 3 _φ (%)	
g. 3 _φ to 4 _φ (%)	
h. 4 _φ to 6 _φ (%)	14
i. 6 _φ to 8 _φ (%)	43
j. > 8 _φ (%)	40
20. SUBSAMPLE DRY WEIGHT (m)	12.87
21. SPECIFIC (w/v)	
22. SHIMMERTON Plasticity	Low
23. SHIMMERTON Plasticity	0
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

Sediment Type Clayey Silt

1. SAMPLE NUMBER	66-24-1
2. LATITUDE	44° 21' 00" N
3. LONGITUDE	68° 51' 00" W
4. DATE (Day, month, year)	5 August 1959
5. LABORATORY NUMBERS	4811
6. WATER DEPTH (m.)	300
11. COLOR	Olive Gray 5/4H
12. ODR	
13. MET DENSITY (lb./ft ³)	
14. RESIDUE (m)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 _φ (%)	0 _φ
b. -2 _φ to -1 _φ (%)	SK _φ
c. -1 _φ to 0 _φ (%)	M _φ 8.12
d. 0 _φ to 1 _φ (%)	1
e. 1 _φ to 2 _φ (%)	1
f. 2 _φ to 3 _φ (%)	3
g. 3 _φ to 4 _φ (%)	7
h. 4 _φ to 6 _φ (%)	12
i. 6 _φ to 8 _φ (%)	39
j. > 8 _φ (%)	38
20. SUBSAMPLE DRY WEIGHT (m)	12.82
21. SPECIFIC (w/v)	
22. SHIMMERTON Plasticity	Med
23. SHIMMERTON Plasticity	0
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

The sample was composed of silt and clay with some sand.

Sediment Type Clayey Silt

1. SAMPLE NUMBER	66-26-1
2. LATITUDE	44° 19' 53" N
3. LONGITUDE	68° 51' 06" W
4. DATE (Day, month, year)	5 August 1969
5. LABORATORY NUMBERS	4812
6. WATER DEPTH (m.)	175
11. COLOR	Olive Gray 5441
12. DGR	
13. WET DENSITY (lb./ft ³)	
14. RIGIDITY (cm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

a. < 2 ₅₀ (%)	1	0 ₂₅ 2.89
b. -2 ₅₀ to -1 ₅₀ (%)	1	5 ₂₅ 40.10
c. -1 ₅₀ to 0 ₅₀ (%)	2	10 ₂₅ 6.4
d. 0 ₅₀ to 1 ₅₀ (%)	4	0 ₂₅ 3.35
e. 1 ₅₀ to 2 ₅₀ (%)	6	0 ₂₅ 9.18
f. 2 ₅₀ to 3 ₅₀ (%)	7	
g. 3 ₅₀ to 4 ₅₀ (%)	14	
h. 4 ₅₀ to 6 ₅₀ (%)	14	
i. 6 ₅₀ to 8 ₅₀ (%)	25	
j. > 8 ₅₀ (%)	86	
20. DISAMPLE DRY WEIGHT (gm)		25.01
21. SPECIFICITY (w.p.)		
22. PLASTICITY (w.p.)		None
23. SHRECK-TESTING (w.p.)		0
24. DOMINANT MINERAL (%)		
25. SECONDARY MINERAL (%)		
26. OTHER MINERALS (%)		
27. REMARKS	Items 11-26 determined in the lab	

The sample was composed of sand, silt and clay.

Sediment Type	Silty Mud
---------------	-----------

1. SAMPLE NUMBER	66-26-1
2. LATITUDE	44° 19' 00" N
3. LONGITUDE	68° 51' 30" W
4. DATE (Day, month, year)	5 August 1969
5. LABORATORY NUMBERS	4813
6. WATER DEPTH (m.)	192
11. COLOR	Olive Gray 5441
12. DGR	
13. WET DENSITY (lb./ft ³)	
14. RIGIDITY (cm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

a. < -2 ₅₀ (%)	0 ₂₅	
b. -2 ₅₀ to -1 ₅₀ (%)	5 ₂₅	
c. -1 ₅₀ to 0 ₅₀ (%)	10 ₂₅ 8.63	
d. 0 ₅₀ to 1 ₅₀ (%)	0 ₂₅ 6.92	
e. 1 ₅₀ to 2 ₅₀ (%)	1	
f. 2 ₅₀ to 3 ₅₀ (%)		
g. 3 ₅₀ to 4 ₅₀ (%)		
h. 4 ₅₀ to 6 ₅₀ (%)	13	
i. 6 ₅₀ to 8 ₅₀ (%)	42	
j. > 8 ₅₀ (%)	43	
20. DISAMPLE DRY WEIGHT (gm)		13.03

The sample was composed of sand, silt and clay.

Sediment Type	Clayey Silt
---------------	-------------

1. SAMPLE NUMBER	66-27-1
2. LATITUDE	44° 18' 00" N
3. LONGITUDE	68° 51' 48" W
4. DATE (Day, month, year)	5 August 1969
5. LABORATORY NUMBERS	4814
6. WATER DEPTH (m.)	300
11. COLOR	Olive Gray 5441
12. DGR	
13. WET DENSITY (lb./ft ³)	
14. RIGIDITY (cm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

a. < -2 ₅₀ (%)	0 ₂₅
b. -2 ₅₀ to -1 ₅₀ (%)	5 ₂₅
c. -1 ₅₀ to 0 ₅₀ (%)	Med 8.63
d. 0 ₅₀ to 1 ₅₀ (%)	0 ₂₅ 6.74
e. 1 ₅₀ to 2 ₅₀ (%)	3
f. 2 ₅₀ to 3 ₅₀ (%)	
g. 3 ₅₀ to 4 ₅₀ (%)	
h. 4 ₅₀ to 6 ₅₀ (%)	14
i. 6 ₅₀ to 8 ₅₀ (%)	38
j. > 8 ₅₀ (%)	45
20. DISAMPLE DRY WEIGHT (gm)	12.76

The sample was composed of sand, silt and clay.

Sediment Type	Clayey Silt
---------------	-------------

1. SAMPLE NUMBER	66-28-1
2. LATITUDE	44° 16' 48" N
3. LONGITUDE	68° 52' 06" W
4. DATE (Day, month, year)	5 August 1969
5. LABORATORY NUMBERS	4816
6. WATER DEPTH (m.)	282
11. COLOR	Olive Gray 5441
12. DGR	
13. WET DENSITY (lb./ft ³)	
14. RIGIDITY (cm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

a. < -2 ₅₀ (%)	75	0 ₂₅
b. -2 ₅₀ to -1 ₅₀ (%)	1	5 ₂₅
c. -1 ₅₀ to 0 ₅₀ (%)	1	10 ₂₅
d. 0 ₅₀ to 1 ₅₀ (%)	1	0 ₂₅
e. 1 ₅₀ to 2 ₅₀ (%)	2	0 ₂₅
f. 2 ₅₀ to 3 ₅₀ (%)	5	
g. 3 ₅₀ to 4 ₅₀ (%)	3	
h. 4 ₅₀ to 6 ₅₀ (%)		
i. 6 ₅₀ to 8 ₅₀ (%)	2	
j. > 8 ₅₀ (%)		
20. DISAMPLE DRY WEIGHT (gm)	40.41	

The sample was composed of pebbles with some mud.

Sediment Type	Gravelly mud
---------------	--------------

1. SAMPLE NUMBER	66-30-1
2. LATITUDE	44° 14' 22" N
3. LONGITUDE	68° 52' 36" W
4. DATE (Day, month, year)	5 August 1969
5. LABORATORY NUMBERS	
6. WATER DEPTH (m.)	4817

11. COLOR	Olive Gray 5441
12. DOOR	
13. MET DENSITY (lb./ft ³)	
14. RIGIDNESS (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 ₅₀ (%)	Op ₂
b. -2 ₅₀ to +1 ₂ (%)	Sp ₂
c. -1 ₂ to 0 ₂ (%)	Ms ₂ 8.80
d. 0 ₂ to 1 ₂ (%)	Op ₂ 6.08
e. 1 ₂ to 2 ₅₀ (%)	Op ₂
f. 2 ₅₀ to 3 ₆₀ (%)	
g. 3 ₆₀ to 6 ₀ (%)	
h. 6 ₀ to 10 ₀ (%)	
i. 10 ₀ to 2 ₀₀ (%)	
j. > 2 ₀₀ (%)	
20. SUBSAMPLE DRY WEIGHT (gm)	47
21. SPECIFICITY (avg.)	11.33
22. Plasticity Plasticity	Low
23. Shrinkage Shrinkage (mm) Shell Cn.	0
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

1. SAMPLE NUMBER	66-30-1
2. LATITUDE	44° 15' 24" N
3. LONGITUDE	68° 52' 30" W
4. DATE (Day, month, year)	5 August 1969
5. LABORATORY NUMBERS	
6. WATER DEPTH (m.)	4816

11. COLOR	Olive Gray 5441
12. DOOR	
13. MET DENSITY (lb./ft ³)	
14. RIGIDNESS (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 ₅₀ (%)	Op ₂
b. -2 ₅₀ to +1 ₂ (%)	Sp ₂
c. -1 ₂ to 0 ₂ (%)	Ms ₂ 7.04
d. 0 ₂ to 1 ₂ (%)	Op ₂ 5.24
e. 1 ₂ to 2 ₅₀ (%)	Op ₂
f. 2 ₅₀ to 3 ₆₀ (%)	
g. 3 ₆₀ to 6 ₀ (%)	
h. 6 ₀ to 10 ₀ (%)	
i. 10 ₀ to 2 ₀₀ (%)	
j. > 2 ₀₀ (%)	
20. SUBSAMPLE DRY WEIGHT (gm)	31
21. SPECIFICITY (avg.)	12.49
22. Plasticity Plasticity	Med
23. Shrinkage Shrinkage (mm) Shell Cn.	< 1%
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

1. SAMPLE NUMBER	66-32-1
2. LATITUDE	44° 12' 42" N
3. LONGITUDE	68° 54' 30" W
4. DATE (Day, month, year)	5 August 1969
5. LABORATORY NUMBERS	
6. WATER DEPTH (m.)	4819

11. COLOR	Olive Gray 5441
12. DOOR	
13. MET DENSITY (lb./ft ³)	
14. RIGIDNESS (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 ₅₀ (%)	Op ₂
b. -2 ₅₀ to +1 ₂ (%)	Sp ₂
c. -1 ₂ to 0 ₂ (%)	Ms ₂ 8.65
d. 0 ₂ to 1 ₂ (%)	Op ₂ 6.60
e. 1 ₂ to 2 ₅₀ (%)	Op ₂
f. 2 ₅₀ to 3 ₆₀ (%)	
g. 3 ₆₀ to 6 ₀ (%)	
h. 6 ₀ to 10 ₀ (%)	
i. 10 ₀ to 2 ₀₀ (%)	
j. > 2 ₀₀ (%)	
20. SUBSAMPLE DRY WEIGHT (gm)	42
21. SPECIFICITY (avg.)	13.52
22. Plasticity Plasticity	Med
23. Shrinkage Shrinkage (mm) Shell Cn.	0
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

1. SAMPLE NUMBER	66-32-1
2. LATITUDE	44° 13' 36" N
3. LONGITUDE	68° 53' 48" W
4. DATE (Day, month, year)	5 August 1969
5. LABORATORY NUMBERS	
6. WATER DEPTH (m.)	4818

11. COLOR	Olive Gray 5441
12. DOOR	
13. MET DENSITY (lb./ft ³)	
14. RIGIDNESS (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 ₅₀ (%)	Op ₂
b. -2 ₅₀ to +1 ₂ (%)	Sp ₂
c. -1 ₂ to 0 ₂ (%)	Ms ₂ 8.48
d. 0 ₂ to 1 ₂ (%)	Op ₂ 6.69
e. 1 ₂ to 2 ₅₀ (%)	Op ₂
f. 2 ₅₀ to 3 ₆₀ (%)	
g. 3 ₆₀ to 6 ₀ (%)	
h. 6 ₀ to 10 ₀ (%)	
i. 10 ₀ to 2 ₀₀ (%)	
j. > 2 ₀₀ (%)	
20. SUBSAMPLE DRY WEIGHT (gm)	43
21. SPECIFICITY (avg.)	14.71
22. Plasticity Plasticity	Med
23. Shrinkage Shrinkage (mm) Shell Cn.	0
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

1. SAMPLE NUMBER	66-29-1
2. LATITUDE	44° 15' 24" N
3. LONGITUDE	68° 52' 30" W
4. DATE (Day, month, year)	5 August 1969
5. LABORATORY NUMBERS	
6. WATER DEPTH (m.)	4816

11. COLOR	Olive Gray 5441
12. DOOR	
13. MET DENSITY (lb./ft ³)	
14. RIGIDNESS (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 ₅₀ (%)	Op ₂
b. -2 ₅₀ to +1 ₂ (%)	Sp ₂
c. -1 ₂ to 0 ₂ (%)	Ms ₂ 7.04
d. 0 ₂ to 1 ₂ (%)	Op ₂ 5.24
e. 1 ₂ to 2 ₅₀ (%)	Op ₂
f. 2 ₅₀ to 3 ₆₀ (%)	
g. 3 ₆₀ to 6 ₀ (%)	
h. 6 ₀ to 10 ₀ (%)	
i. 10 ₀ to 2 ₀₀ (%)	
j. > 2 ₀₀ (%)	
20. SUBSAMPLE DRY WEIGHT (gm)	31
21. SPECIFICITY (avg.)	12.49
22. Plasticity Plasticity	Med
23. Shrinkage Shrinkage (mm) Shell Cn.	< 1%
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

1. SAMPLE NUMBER	66-29-1
2. LATITUDE	44° 15' 24" N
3. LONGITUDE	68° 52' 30" W
4. DATE (Day, month, year)	5 August 1969
5. LABORATORY NUMBERS	
6. WATER DEPTH (m.)	4816

11. COLOR	Olive Gray 5441
12. DOOR	
13. MET DENSITY (lb./ft ³)	
14. RIGIDNESS (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 ₅₀ (%)	Op ₂
b. -2 ₅₀ to +1 ₂ (%)	Sp ₂
c. -1 ₂ to 0 ₂ (%)	Ms ₂ 7.04
d. 0 ₂ to 1 ₂ (%)	Op ₂ 5.24
e. 1 ₂ to 2 ₅₀ (%)	Op ₂
f. 2 ₅₀ to 3 ₆₀ (%)	
g. 3 ₆₀ to 6 ₀ (%)	
h. 6 ₀ to 10 ₀ (%)	
i. 10 ₀ to 2 ₀₀ (%)	
j. > 2 ₀₀ (%)	
20. SUBSAMPLE DRY WEIGHT (gm)	31
21. SPECIFICITY (avg.)	12.49
22. Plasticity Plasticity	Med
23. Shrinkage Shrinkage (mm) Shell Cn.	< 1%
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

The sample was composed of silt and clay with some sand.

1. SAMPLE NUMBER	66-33-1
2. LATITUDE	44° 11' 48" N
3. LONGITUDE	68° 55' 01" W
4. DATE (Day, month, year)	5 August 1969
5. LABORATORY NUMBERS	4820
6. WATER DEPTH (m.)	31.7
11. COLOR	Olive Gray 57411
12. DOOR	
13. WET DENSITY (lb./ft. ³)	
14. RIGIDORSE (cm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. $\bar{x} \pm 2s$ (%)	OD ₀
b. $\bar{x} \pm 2s$ to $\bar{x}_p$ (%)	SD ₀
c. $\bar{x}_p$ to 0 _p (%)	ME ₀ 8.28
d. 0 _p to 1 _p (%)	DI ₀ 618
e. 1 _p to 2 _p (%)	OS ₀
f. 2 _p to 3 _p (%)	3
g. 3 _p to 4 _p (%)	
h. 4 _p to 5 _p (%)	20
i. 5 _p to 6 _p (%)	36
j. $\bar{x} > \bar{q}_p$ (%)	41
20. SUBSAMPLE DRY WEIGHT (gm)	13.33
21. SPECIFIC (g/cc)	
22. Porosity (cm ³ /cm ³)	High
23. SHALLOE-TESTING (cm)	Shall Co.
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

1. SAMPLE NUMBER	66-34-1
2. LATITUDE	44° 10' 48" N
3. LONGITUDE	68° 56' 00" W
4. DATE (Day, month, year)	5 August 1969
5. LABORATORY NUMBERS	4826
6. WATER DEPTH (m.)	30.8
11. COLOR	Olive Gray 57411
12. DOOR	
13. WET DENSITY (lb./ft. ³)	
14. RIGIDORSE (cm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. $\bar{x} \pm 2s$ (%)	OD ₀
b. $\bar{x} \pm 2s$ to $\bar{x}_p$ (%)	SD ₀
c. $\bar{x}_p$ to 0 _p (%)	ME ₀ 8.65
d. 0 _p to 1 _p (%)	DI ₀ 658
e. 1 _p to 2 _p (%)	OS ₀
f. 2 _p to 3 _p (%)	1
g. 3 _p to 4 _p (%)	
h. 4 _p to 5 _p (%)	18
i. 5 _p to 6 _p (%)	37
j. $\bar{x} > \bar{q}_p$ (%)	44
20. SUBSAMPLE DRY WEIGHT (gm)	10.58
21. SPECIFIC (g/cc)	
22. Porosity (cm ³ /cm ³)	Med
23. SHALLOE-TESTING (cm)	Shall Co.
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

1. SAMPLE NUMBER	66-35-1
2. LATITUDE	44° 09' 54" N
3. LONGITUDE	68° 56' 36" W
4. DATE (Day, month, year)	10 August 1969
5. LABORATORY NUMBERS	4821
6. WATER DEPTH (m.)	30.8
11. COLOR	Olive Gray 57411
12. DOOR	
13. WET DENSITY (lb./ft. ³)	
14. RIGIDORSE (cm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. $\bar{x} \pm 2s$ (%)	OD ₀
b. $\bar{x} \pm 2s$ to $\bar{x}_p$ (%)	SD ₀
c. $\bar{x}_p$ to 0 _p (%)	ME ₀ 8.36
d. 0 _p to 1 _p (%)	DI ₀ 660
e. 1 _p to 2 _p (%)	OS ₀
f. 2 _p to 3 _p (%)	1
g. 3 _p to 4 _p (%)	
h. 4 _p to 5 _p (%)	18
i. 5 _p to 6 _p (%)	40
j. $\bar{x} > \bar{q}_p$ (%)	41
20. SUBSAMPLE DRY WEIGHT (gm)	13.74
21. SPECIFIC (g/cc)	
22. Porosity (cm ³ /cm ³)	Med
23. SHALLOE-TESTING (cm)	Shall Co.
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

1. SAMPLE NUMBER	66-36-1
2. LATITUDE	44° 09' 00" N
3. LONGITUDE	68° 57' 18" W
4. DATE (Day, month, year)	10 August 1969
5. LABORATORY NUMBERS	4822
6. WATER DEPTH (m.)	44.8
11. COLOR	Olive Gray 57411
12. DOOR	
13. WET DENSITY (lb./ft. ³)	
14. RIGIDORSE (cm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. $\bar{x} \pm 2s$ (%)	OD ₀
b. $\bar{x} \pm 2s$ to $\bar{x}_p$ (%)	SD ₀
c. $\bar{x}_p$ to 0 _p (%)	ME ₀ 190
d. 0 _p to 1 _p (%)	DI ₀ 570
e. 1 _p to 2 _p (%)	OS ₀
f. 2 _p to 3 _p (%)	3
g. 3 _p to 4 _p (%)	
h. 4 _p to 5 _p (%)	26
i. 5 _p to 6 _p (%)	32
j. $\bar{x} > \bar{q}_p$ (%)	39
20. SUBSAMPLE DRY WEIGHT (gm)	13.71
21. SPECIFIC (g/cc)	
22. Porosity (cm ³ /cm ³)	Med
23. SHALLOE-TESTING (cm)	Shall Co.
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

1. SAMPLE NUMBER	66-37-1
2. LATITUDE	44 08 06 N
3. LONGITUDE	68 57 54 W
4. DATE (day, month, year)	10 August 1959
5. LABORATORY NUMBERS	4828

6. WATER DEPTH (m.)	40.8
---------------------	------

11. COLOR Olive Black 5211

12. DOOR	
13. WET DENSITY (lb./ft ³)	
14. RESIDUE (%)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES

a. < 2 ₅ (%)	00 ₅
b. -2 ₅ to -1 ₆ (%)	SK ₂
c. -1 ₆ to 0 ₅ (%)	MC. 8.17
d. 0 ₅ to 1 ₆ (%)	01 ₆ 600
e. 1 ₆ to 2 ₅ (%)	01 ₆
f. 2 ₅ to 3 ₆ (%)	
g. 3 ₆ to 4 ₅ (%)	
h. 4 ₅ to 5 ₆ (%)	21
i. 5 ₆ to 6 ₅ (%)	35
j. > 6 ₅ (%)	40
20. SUBSAMPLE DRY WEIGHT (gm)	11.51
21. SPECIFIC (D _W)	
22. PLASTICITY (Liquid Plasticity)	Low
23. SHRECK-TEST (Liquor Shell Cn.)	< 1%
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	

27. REMARKS: Items 11-26 determined in the lab

Sediment Type	Clayey Silt
---------------	-------------

1. SAMPLE NUMBER	66-38-1
2. LATITUDE	44 07 18 N
3. LONGITUDE	68 58 36 W
4. DATE (day, month, year)	10 August 1959
5. LABORATORY NUMBERS	4828

6. WATER DEPTH (m.)	39.2
---------------------	------

11. COLOR Olive Gray 5341

12. DOOR	
13. WET DENSITY (lb./ft ³)	
14. RESIDUE (%)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES

a. < 2 ₅ (%)	00 ₅
b. -2 ₅ to -1 ₆ (%)	SK ₂
c. -1 ₆ to 0 ₅ (%)	MC. 7.34
d. 0 ₅ to 1 ₆ (%)	01 ₆ 500
e. 1 ₆ to 2 ₅ (%)	00 ₅
f. 2 ₅ to 3 ₆ (%)	
g. 3 ₆ to 4 ₅ (%)	
h. 4 ₅ to 5 ₆ (%)	20
i. 5 ₆ to 6 ₅ (%)	27
j. > 6 ₅ (%)	36
20. SUBSAMPLE DRY WEIGHT (gm)	13.90
21. SPECIFIC (D _W)	
22. PLASTICITY (Liquid Plasticity)	High
23. SHRECK-TEST (Liquor Shell Cn.)	< 1%
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	

27. REMARKS: Items 11-26 determined in the lab

Sediment Type	Clayey Silt
---------------	-------------

1. SAMPLE NUMBER	66-39-1
2. LATITUDE	44 06 18 N
3. LONGITUDE	68 59 24 W
4. DATE (day, month, year)	10 August 1959
5. LABORATORY NUMBERS	4828

6. WATER DEPTH (m.)	46.0
---------------------	------

11. COLOR Olive Gray 5341

12. DOOR	
13. WET DENSITY (lb./ft ³)	
14. RESIDUE (%)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES

a. < 2 ₅ (%)	00 ₅ 2.30
b. -2 ₅ to -1 ₆ (%)	SK ₂ 56.1 0.98
c. -1 ₆ to 0 ₅ (%)	MC. 5.27
d. 0 ₅ to 1 ₆ (%)	01 ₆ 3.40
e. 1 ₆ to 2 ₅ (%)	00 ₅ 9.00
f. 2 ₅ to 3 ₆ (%)	8
g. 3 ₆ to 4 ₅ (%)	28
h. 4 ₅ to 5 ₆ (%)	20
i. 5 ₆ to 6 ₅ (%)	18
j. > 6 ₅ (%)	25
20. SUBSAMPLE DRY WEIGHT (gm)	19.04
21. SPECIFIC (D _W)	
22. PLASTICITY (Liquid Plasticity)	Med
23. SHRECK-TEST (Liquor Shell Cn.)	< 1%
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	

27. REMARKS: Items 11-26 determined in the lab

Sediment Type	Silty Mud
---------------	-----------

1. SAMPLE NUMBER	66-40-1
2. LATITUDE	43 56 30 N
3. LONGITUDE	69 05 18 W
4. DATE (day, month, year)	14 August 1959
5. LABORATORY NUMBERS	4828

6. WATER DEPTH (m.)	20.8
---------------------	------

11. COLOR Olive Gray 5341

12. DOOR	
13. WET DENSITY (lb./ft ³)	
14. RESIDUE (%)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES

a. < 2 ₅ (%)	75
b. -2 ₅ to -1 ₆ (%)	3
c. -1 ₆ to 0 ₅ (%)	3
d. 0 ₅ to 1 ₆ (%)	5
e. 1 ₆ to 2 ₅ (%)	7
f. 2 ₅ to 3 ₆ (%)	5
g. 3 ₆ to 4 ₅ (%)	1
h. 4 ₅ to 5 ₆ (%)	
i. 5 ₆ to 6 ₅ (%)	
j. > 6 ₅ (%)	
20. SUBSAMPLE DRY WEIGHT (gm)	58.40
21. SPECIFIC (D _W)	
22. PLASTICITY (Liquid Plasticity)	None
23. SHRECK-TEST (Liquor Shell Cn.)	1%
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	

27. REMARKS: Items 11-26 determined in the lab

Sediment Type	Pebbles / Sand
---------------	----------------

1. SAMPLE NUMBER	66-6-1
2. LATITUDE	44° 14' 35" N
3. LONGITUDE	69° 00' 10" W
4. DATE (Day, month, year)	13 August 1969
5. LABORATORY NUMBERS	4827
6. WATER DEPTH (m.)	17.5
11. COLOR	Olive Gray 5/4/1

12. DGR	
13. WET DENSITY (lb./ft ³)	
14. RESIDUE (%)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 _φ (%)	7
b. -2 _φ to -1 _φ (%)	9
c. -1 _φ to 0 _φ (%)	10
d. 0 _φ to 1 _φ (%)	12
e. 1 _φ to 2 _φ (%)	17
f. 2 _φ to 3 _φ (%)	13
g. 3 _φ to 4 _φ (%)	2
h. 4 _φ to 6 _φ (%)	4
i. 6 _φ to 8 _φ (%)	11
j. > 8 _φ (%)	14
20. SUBSAMPLE DRY WEIGHT (gm)	19.20
21. SPECIFICITY (gwg.)	
22. MINIMUM PLASTICITY	Med
23. SUBS - TEST - TEMP - TIME - 100 - 11 - GM	19
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	

27. REMARKS: Items 11-26 determined in the lab
The sample was composed of sand
with silty clay and some pebbles.

Sediment Type	Silty Sand
---------------	------------

1. SAMPLE NUMBER	66-H-1
2. LATITUDE	44° 14' 27" N
3. LONGITUDE	69° 00' 14" W
4. DATE (Day, month, year)	13 August 1969
5. LABORATORY NUMBERS	4828
6. WATER DEPTH (m.)	22.6
11. COLOR	Olive Gray 5/4/1

12. DGR	
13. WET DENSITY (lb./ft ³)	
14. RESIDUE (%)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 _φ (%)	4
b. -2 _φ to -1 _φ (%)	5
c. -1 _φ to 0 _φ (%)	2
d. 0 _φ to 1 _φ (%)	3
e. 1 _φ to 2 _φ (%)	4
f. 2 _φ to 3 _φ (%)	8
g. 3 _φ to 4 _φ (%)	25
h. 4 _φ to 6 _φ (%)	10
i. 6 _φ to 8 _φ (%)	19
j. > 8 _φ (%)	20
20. SUBSAMPLE DRY WEIGHT (gm)	16.52
21. SPECIFICITY (gwg.)	
22. MINIMUM PLASTICITY	Med
23. SUBS - TEST - TEMP - TIME - 100 - 11 - GM	0
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	

27. REMARKS: Items 11-26 determined in the lab
The sample was composed of sand
with silty clay and some pebbles.

Sediment Type	Sandy Mud
---------------	-----------

1. SAMPLE NUMBER	66-43-1
2. LATITUDE	43° 44' 52" N
3. LONGITUDE	69° 19' 15" W
4. DATE (Day, month, year)	6 August 1969
5. LABORATORY NUMBERS	4857
6. WATER DEPTH (m.)	42.6
11. COLOR	Dark Yellowish Brown 10YR 4/2

12. DGR	
13. WET DENSITY (lb./ft ³)	
14. RESIDUE (%)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 _φ (%)	8
b. -2 _φ to -1 _φ (%)	4
c. -1 _φ to 0 _φ (%)	5
d. 0 _φ to 1 _φ (%)	6
e. 1 _φ to 2 _φ (%)	12
f. 2 _φ to 3 _φ (%)	18
g. 3 _φ to 4 _φ (%)	7
h. 4 _φ to 6 _φ (%)	6
i. 6 _φ to 8 _φ (%)	14
j. > 8 _φ (%)	20
20. SUBSAMPLE DRY WEIGHT (gm)	26.52
21. SPECIFICITY (gwg.)	
22. MINIMUM PLASTICITY	Low
23. SUBS - TEST - TEMP - TIME - 100 - 11 - GM	15.9
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	

27. REMARKS: Items 11-26 determined in the lab

Sediment Type	Sandy Mud
---------------	-----------

1. SAMPLE NUMBER	66-70-1
2. LATITUDE	43° 45' 21" N
3. LONGITUDE	69° 16' 41" W
4. DATE (Day, month, year)	6 August 1969
5. LABORATORY NUMBERS	4858
6. WATER DEPTH (m.)	43.3
11. COLOR	Dark Yellowish Brown 10YR 4/2

12. DGR	
13. WET DENSITY (lb./ft ³)	
14. RESIDUE (%)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 _φ (%)	40
b. -2 _φ to -1 _φ (%)	13
c. -1 _φ to 0 _φ (%)	10
d. 0 _φ to 1 _φ (%)	10
e. 1 _φ to 2 _φ (%)	9
f. 2 _φ to 3 _φ (%)	6
g. 3 _φ to 4 _φ (%)	2
h. 4 _φ to 6 _φ (%)	2
i. 6 _φ to 8 _φ (%)	4
j. > 8 _φ (%)	5
20. SUBSAMPLE DRY WEIGHT (gm)	44.11
21. SPECIFICITY (gwg.)	
22. MINIMUM PLASTICITY	Med
23. SUBS - TEST - TEMP - TIME - 100 - 11 - GM	0
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	

27. REMARKS: Items 11-26 determined in the lab

Sediment Type	Pebbly Sand
---------------	-------------

1. SAMPLE NUMBER	66-91-1	5. SAMPLER TYPE	KULLENBERG
2. LATITUDE	43° 58' N	5. WATER DEPTH (m.)	14.5
3. LONGITUDE	69° 01' W	7. CORE LENGTH (m.)	2.7
4. DATE (day, month, year)	2 SEPT. 1959	8. CORE PENETRATION (m.)	40
5. LABORATORY NUMBERS	3596		
10. SUBSAMPLE DEPTH IN CORE (m.)	17-21	3597	3598
11. COLOR	GRAYISH BLACK	21-23	25-27
	GREENISH BLACK		DARK GREENISH GRAY
	GRAY		5 Y 4/1
12. ODR			
13. WET DENSITY (lb./ft. ³)			
14. RIGIDNESS (cm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. $\Sigma < 2\phi$ (%)	00 ₂ 2.48	00 ₁ 3.08	13 00 ₂ 4.31
b. $\Sigma < 2\phi$ to -1ϕ (%)	50 ₂ 1.24	50 ₁ 1.10	8 50 ₂ 0.06
c. $\Sigma < 2\phi$ to 0ϕ (%)	10 ₂ 4.00	10 ₁ 3.64	9 10 ₂ 3.60
d. 0ϕ to 1ϕ (%)	01 ₂ 2.70	01 ₁ 1.65	6 01 ₂ 0.65
e. 1ϕ to 2ϕ (%)	02 ₂ 7.72	02 ₁ 7.82	6 02 ₂ 7.97
f. 2ϕ to 3ϕ (%)	21	13	6
g. 3ϕ to 4ϕ (%)	20	9	4
h. 4ϕ to 5ϕ (%)	17	13	13
i. 5ϕ to 6ϕ (%)	12	14	13
j. $> 6\phi$ (%)	20	19	21
20. DISAMPLE DRY WEIGHT (gm)	25.16	18.60	23.92
21. SPECIFIC (dry.)			
22. BURNNESS (dry.)			
23. SUBGRADE TEXTURE (dry.)			
24. SUBGRADE MINERAL (%)	Low	Low	Low
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)	0	< 1%	< 2%
27. REMARKS	Items 11-26 Determined in the lab. First 19" of core disturbed mud. 21-49" silt & shell 45-49" amorphous woody material.		
SEDIMENT TYPE	SANDY MUD	SILTY SAND	5% GRASSY SANDY MUD

1. SAMPLE NUMBER	66-92-1	5. SAMPLER TYPE	PALGER
2. LATITUDE	43° 56' N	5. WATER DEPTH (m.)	21.7
3. LONGITUDE	69° 10' W	7. CORE LENGTH (m.)	12
4. DATE (day, month, year)	2 SEPTEMBER 1959	8. CORE PENETRATION (m.)	50
5. LABORATORY NUMBERS	3709	3710	3711
10. SUBSAMPLE DEPTH IN CORE (m.)	0-2	2-6	6-9
11. COLOR	DARK GREENISH GRAY	GREEN	GREEN
	(5.6 Y)	(5.6 Y 4/1)	(5.6 Y 4/1)
12. ODR			
13. WET DENSITY (lb./ft. ³)			
14. RIGIDNESS (cm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. $\Sigma < 2\phi$ (%)	00 ₂	00 ₁	00 ₂
b. $\Sigma < 2\phi$ to -1ϕ (%)	50 ₂	50 ₁	50 ₂
c. $\Sigma < 2\phi$ to 0ϕ (%)	10 ₂ 8.67	10 ₁ 8.34	10 ₂ 7.05
d. 0ϕ to 1ϕ (%)	01 ₂ 4.77	01 ₁ 4.06	01 ₂ 5.28
e. 1ϕ to 2ϕ (%)	02 ₂	02 ₁	02 ₂
f. 2ϕ to 3ϕ (%)			
g. 3ϕ to 4ϕ (%)	13	12	9
h. 4ϕ to 5ϕ (%)	29	29	30
i. 5ϕ to 6ϕ (%)	23	24	24
j. $> 6\phi$ (%)	35	34	37
20. DISAMPLE DRY WEIGHT (gm)		24.67	22.32
21. SPECIFIC (dry.)			20.06
22. BURNNESS (dry.)	Plasticity	Med.	Med.
23. SUBGRADE TEXTURE (dry.)	< 1%	0	< 1%
24. SUBGRADE MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS	Items 11-26 DETERMINED IN THE LAB. THE CORE CONTAINED SAND STREAMS AT 11 INCHES. COLOR CHANGES AT 2 & 6.		
SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT

1. SAMPLE NUMBER	66-93-2				5. SAMPLER TYPE	KULENBERG			
2. LATITUDE	43	56	12	N	6. WATER DEPTH (m.)	21.7			
3. LONGITUDE	69	10	19	W	7. CORE LENGTH (in.)	50			
4. DATE (day, month, year)	12 SEPTEMBER 1969				8. CORE PENETRATION (in.)	92			
9. LABORATORY NUMBERS	3523				3524				
10. SUBSAMPLE DEPTH IN CORE (in.)	0-2				4-6	6-7 1/4 *			
11. COLOR	GRANISH OLIVE GREEN (567 1/2)				GRANISH OLIVE GREEN (567 3/4)	GRANISH OLIVE GREEN (567 1/4)			
12. ODR									
13. WET DENSITY (lb./ft ³)									
14. RIGIDNESS (mm)									
15. MAXIMUM POROSITY (%)									
16. MINIMUM POROSITY (%)									
17. WATER CONTENT (%)									
18. ORGANIC CARBON CONTENT (%)									
19. SIZE ANALYSIS AND STATISTICAL MEASURES									
a. < 2 ₅ (%)	0 ₅	0 ₅	1	0 ₅	0 ₅				
b. -2 ₅ to +1 ₅ (%)	3 ₅	3 ₅	1	3 ₅	3 ₅				
c. +1 ₅ to 0 ₅ (%)	4 ₅	7.23	4 ₅	4 ₅	4 ₅				
d. 0 ₅ to +1 ₅ (%)	1	4.97	1	0 ₅	4.66				
e. +1 ₅ to 2 ₅ (%)	1	0 ₅	1	0 ₅	0 ₅				
f. 2 ₅ to 4 ₅ (%)	1	1	1	2	1				
g. 4 ₅ to 6 ₅ (%)	8	7	10	8	8				
h. 6 ₅ to 8 ₅ (%)	27	28	31	33	33				
i. 8 ₅ to 10 ₅ (%)	26	27	23	24	24				
j. > 10 ₅ (%)	36	36	32	33	33				
20. SUBSAMPLE DRY WEIGHT (gm)	30.89				24.35	19.44			
21. SPECIFIC (avg.)									
22. PLASTICITY	High				High	High			
23. SHEDDING	High				High	High			
24. CONTAMINANT MINERAL (%)	< 1%				< 1%	< 1%			
25. SECONDARY MINERAL (%)									
26. OTHER MINERALS (%)									
27. REMARKS	ITEMS 11-26 DETERMINED IN THE LAB.								

Scattered shell fragments throughout core.

* Contained 1/4" black band.

SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT
---------------	-------------	-------------	-------------	-------------

1. SAMPLE NUMBER	66-93-2				5. SAMPLER TYPE	DOWNED			
2. LATITUDE					6. WATER DEPTH (m.)				
3. LONGITUDE					7. CORE LENGTH (in.)				
4. DATE (day, month, year)					8. CORE PENETRATION (in.)				
9. LABORATORY NUMBERS	3525				3526	3527			
10. SUBSAMPLE DEPTH IN CORE (in.)	24-26				38-40	48-50			
11. COLOR	GRANISH OLIVE GREEN (567 3/4)				GRANISH OLIVE GREEN (567 3/4)	GRANISH OLIVE GREEN (567 3/4)			
12. ODR									
13. WET DENSITY (lb./ft ³)									
14. RIGIDNESS (mm)									
15. MAXIMUM POROSITY (%)									
16. MINIMUM POROSITY (%)									
17. WATER CONTENT (%)									
18. ORGANIC CARBON CONTENT (%)									
19. SIZE ANALYSIS AND STATISTICAL MEASURES									
a. < 2 ₅ (%)	0 ₅	0 ₅	0 ₅	0 ₅	0 ₅				
b. -2 ₅ to +1 ₅ (%)	3 ₅	3 ₅	3 ₅	3 ₅	3 ₅				
c. +1 ₅ to 0 ₅ (%)	4 ₅	6.77	4 ₅	4 ₅	6.78				
d. 0 ₅ to +1 ₅ (%)	1	4.86	1	0 ₅	5.05				
e. +1 ₅ to 2 ₅ (%)	1	0 ₅	1	0 ₅	0 ₅				
f. 2 ₅ to 4 ₅ (%)	1	1	1	1	1				
g. 4 ₅ to 6 ₅ (%)	9	5	5	5	5				
h. 6 ₅ to 8 ₅ (%)	31	29	36	36	36				
i. 8 ₅ to 10 ₅ (%)	25	27	25	25	25				
j. > 10 ₅ (%)	33	37	32	32	32				
20. SUBSAMPLE DRY WEIGHT (gm)					32.18	19.66			
21. SPECIFIC (avg.)									
22. PLASTICITY	High				High	High			
23. SHEDDING	High				High	High			
24. CONTAMINANT MINERAL (%)	< 1%				< 1%	< 1%			
25. SECONDARY MINERAL (%)									
26. OTHER MINERALS (%)									
27. REMARKS									

SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT
---------------	-------------	-------------	-------------	-------------

1. SAMPLE NUMBER	66-94-1	5. SAMPLER TYPE	Kullenberg	
2. LATITUDE	43° 52' 50" N	6. WATER DEPTH (m.)	36.7	
3. LONGITUDE	69° 14' 18" W	7. CORE LENGTH (m.)	114	
4. DATE (day, month, year)	2 October 1969	8. CORE PENETRATION (m.)	120	
9. LABORATORY NUMBERS				
10. SUBSAMPLE DEPTH IN CORE (m.)	40.22	40.23	40.24	40.25
11. COLOR	Olive Gray 513/6	Grayish Olive Green 503/2	Grayish Olive Green 503/2	Grayish Olive Green 503/2
12. DOOR				
13. WET DENSITY (lb./ft. ³)				
14. RIGIDNESS (cm)				
15. MAXIMUM POROSITY (%)				
16. MINIMUM POROSITY (%)				
17. WATER CONTENT (%)				
18. ORGANIC CARBON CONTENT (%)				
19. SIZE ANALYSIS AND STATISTICAL MEASURES				
a. < 2 φ (s)	00 _g	00 _g	00 _g	00 _g
b. 2 φ to < 4 φ (s)	50 _g	50 _g	50 _g	50 _g
c. 4 φ to 6 φ (s)	M ₆ 8.53	M ₆ 8.10	M ₆ 8.38	M ₆ 8.30
d. 6 φ to 8 φ (s)	Trace	Trace	Trace	Trace
e. 8 φ to 10 φ (s)	00 _g	00 _g	00 _g	00 _g
f. 10 φ to 12 φ (s)	1	1	1	1
g. 12 φ to 14 φ (s)	4	5	4	3
h. 14 φ to 16 φ (s)	21	22	22	22
i. 16 φ to 18 φ (s)	29	30	29	30
j. > 18 φ (s)	45	43	45	45
20. SUBSAMPLE DRY WEIGHT (gm)	7.39	7.61	7.29	6.60
21. SPECIFIC (v/v)	High	High	High	High
22. MINERALOGY (v/v)	Plasticity	Plasticity	Plasticity	Plasticity
23. MINERALOGY (v/v)	0	0	0	0
24. MINERALOGY (v/v)	0	0	0	0
25. SECONDARY MINERAL (%)				
26. OTHER MINERALS (%)				
27. REMARKS	Items 11-20 determined in the lab. Composition			
28. DEPTH (m.)	0-31			
29. 31-33	Greenish clay with dark streaks throughout the top 4 inches			
30. 33-114	Soft, olive gray clay			
31. 114-114	Green clay with a soft area between 6 and 7 inches			
Sediment Type	Clayey silt	Clayey silt	Clayey silt	Clayey silt

1. SAMPLE NUMBER	66-94 continued				5. SAMPLER TYPE	
2. LATITUDE					6. WATER DEPTH (m.)	
3. LONGITUDE					7. CORE LENGTH (m.)	
4. DATE (day, month, year)					8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	4026	4027	4028	4029		
10. SUBSAMPLE DEPTH IN CORE (m.)	31-33	33-35	41-50	66-69		
11. COLOR	Olive Gray 534/1	Grayish Olive Green 503/2	Grayish Olive Green 503/2	Grayish Olive Green 503/2		
12. DOOR						
13. WET DENSITY (lb./ft. ³)						
14. RIGIDNESS (cm)						
15. MAXIMUM POROSITY (%)						
16. MINIMUM POROSITY (%)						
17. WATER CONTENT (%)						
18. ORGANIC CARBON CONTENT (%)						
19. SIZE ANALYSIS AND STATISTICAL MEASURES						
a. < 2 φ (s)	00 _g	00 _g	00 _g	00 _g		
b. 2 φ to < 4 φ (s)	50 _g	50 _g	50 _g	50 _g		
c. 4 φ to 6 φ (s)	M ₆ 2.67	M ₆ 2.90	M ₆ 2.15	M ₆ 2.50		
d. 6 φ to 8 φ (s)	00 _g	00 _g	00 _g	00 _g		
e. 8 φ to 10 φ (s)	1	1	1	1		
f. 10 φ to 12 φ (s)	1	1	1	1		
g. 12 φ to 14 φ (s)	9	8	5	7		
h. 14 φ to 16 φ (s)	24	22	22	18		
i. 16 φ to 18 φ (s)	25	29	29	29		
j. > 18 φ (s)	40	42	43	45		
20. SUBSAMPLE DRY WEIGHT (gm)	9.70	14.41	13.05	16.83		
21. SPECIFIC (v/v)						
22. MINERALOGY (v/v)	High	High	High	High		
23. MINERALOGY (v/v)	0	0	0	0		
24. MINERALOGY (v/v)	0	0	0	0		
25. SECONDARY MINERAL (%)						
26. OTHER MINERALS (%)						
27. REMARKS	continued					
28. DEPTH (m.)						
29. 31-33	Shell scattered throughout core.					
30. 33-114	Dark layers in bottom of sample.					
Sediment Type	Clayey silt	Clayey silt	Clayey silt	Clayey silt	Clayey silt	Clayey silt

1. SAMPLE NUMBER	66-94 continued	5. SAMPLER TYPE	
2. LATITUDE		6. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (Day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	4030	4031	4032
10. SUBSAMPLE DEPTH IN CORE (m.)	72-74	94-96	112-114
11. COLOR	Grayish Olive Green 5G Y 3/2	Grayish Olive Green 5G Y 3/2	Grayish Olive Green 5G Y 3/2
12. WET DENSITY (lb./ft. ³)			
13. RESIDUE (mm)			
14. MAXIMUM POROSITY (%)			
15. MINIMUM POROSITY (%)			
16. WATER CONTENT (%)			
17. ORGANIC CARBON CONTENT (%)			
18. SIZE ANALYSIS AND STATISTICAL MEASURES			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
20. SUBSAMPLE DRY WEIGHT (gm)	1147	997	970
21. SPECIFIC GRAVITY (avg.)			
22. BOUNDEDNESS (avg.)	High	High	High
23. SURFACE TEXTURE (avg.)	Plasticity	Plasticity	Plasticity
24. DOMINANT MINERAL (%)	41%	41%	41%
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS			

1. SAMPLE NUMBER	66-97-1	5. SAMPLER TYPE	Auger
2. LATITUDE	43° 47'	6. WATER DEPTH (m.)	41.0
3. LONGITUDE	69° 10' W	7. CORE LENGTH (m.)	15
4. DATE (Day, month, year)	8 SEPTEMBER 1957	8. CORE PENETRATION (m.)	60
9. LABORATORY NUMBERS	3631	3632	3633
10. SUBSAMPLE DEPTH IN CORE (m.)	0-3	7-9	12-15
11. COLOR	Dark Gray M ₃	Dark Gray (5Y 4/1)	Dark Gray (5Y 4/1)
12. WET DENSITY (lb./ft. ³)			
13. RESIDUE (mm)			
14. MAXIMUM POROSITY (%)			
15. MINIMUM POROSITY (%)			
16. WATER CONTENT (%)			
17. ORGANIC CARBON CONTENT (%)			
18. SIZE ANALYSIS AND STATISTICAL MEASURES			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
20. SUBSAMPLE DRY WEIGHT (gm)	274	2094	1828
21. SPECIFIC GRAVITY (avg.)			
22. BOUNDEDNESS (avg.)	High	High	High
23. SURFACE TEXTURE (avg.)	Plasticity	Plasticity	Plasticity
24. DOMINANT MINERAL (%)	0	0	0
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS	ITEMS 11-26 DETERMINED IN THE LAB.		

* MUD WITH DARK LAYERS AND STREAKS.
1-11 Many dark layers and streaks.

Sediment Type	Silty Mud	Clayey Silty	Clayey Silty
---------------	-----------	--------------	--------------

1. SAMPLE NUMBER	66-98-1
2. LATITUDE	43° 43' 54" N
3. LONGITUDE	69° 05' 54" W
4. DATE (Day, month, year)	8 September 1969
5. LABATORY NUMBERS	4401
6. WATER DEPTH (m.)	34.2

11. COLOR
Olive Gray
5741

12. DOOR	
13. NET DENSITY (1b./ft ³)	
14. RIGIDITY (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES

a. < 2 ₅ (%)	100
b. -2 ₅ to -1 ₆ (%)	4
c. -1 ₆ to 0 ₆ (%)	3
d. 0 ₆ to 1 ₆ (%)	3
e. 1 ₆ to 2 ₅ (%)	4
f. 2 ₅ to 3 ₆ (%)	4
g. 3 ₆ to 4 ₆ (%)	3
h. 4 ₆ to 6 ₆ (%)	7
i. 6 ₆ to 8 ₆ (%)	6
j. > 8 ₆ (%)	8

20. SUBSAMPLE DRY WEIGHT (gm) 60.19 |

21. SPECIFICITY (equiv.) |

22. MINIMUM-TEMPERATURE Plasticity	—
23. SUMMARY-TESTING-TEMPERATURE Shell/Gm	0
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	

27. REMARKS: Items 11-26 determined in the lab

1. SAMPLE NUMBER	66-100-1
2. LATITUDE	43° 50' 00" N
3. LONGITUDE	68° 58' 00" W
4. DATE (Day, month, year)	8 September 1969
5. LABATORY NUMBERS	4402
6. WATER DEPTH (m.)	25.0

11. COLOR
Olive Gray
5741

12. DOOR	
13. NET DENSITY (1b./ft ³)	
14. RIGIDITY (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES

a. < 2 ₅ (%)	46
b. -2 ₅ to -1 ₆ (%)	9
c. -1 ₆ to 0 ₆ (%)	6
d. 0 ₆ to 1 ₆ (%)	7
e. 1 ₆ to 2 ₅ (%)	6
f. 2 ₅ to 3 ₆ (%)	5
g. 3 ₆ to 4 ₆ (%)	2
h. 4 ₆ to 6 ₆ (%)	5
i. 6 ₆ to 8 ₆ (%)	6
j. > 8 ₆ (%)	7

20. SUBSAMPLE DRY WEIGHT (gm) 240.11 |

21. SPECIFICITY (equiv.) |

22. MINIMUM-TEMPERATURE Plasticity	None
23. SUMMARY-TESTING-TEMPERATURE Shell/Gm	19
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	

27. REMARKS: Items 11-26 determined in the lab

The sample contained one large pebble
($2\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{2}$ " - 8/32") - not included
in analysis.

1. SAMPLE NUMBER	66-101-1
2. LATITUDE	43° 51' 32" N
3. LONGITUDE	68° 58' 00" W
4. DATE (Day, month, year)	8 September 1969
5. LABATORY NUMBERS	4403
6. WATER DEPTH (m.)	27.3

11. COLOR
Olive Gray
5741

12. DOOR	
13. NET DENSITY (1b./ft ³)	
14. RIGIDITY (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES

a. < 2 ₅ (%)	30
b. -2 ₅ to -1 ₆ (%)	9
c. -1 ₆ to 0 ₆ (%)	5
d. 0 ₆ to 1 ₆ (%)	5
e. 1 ₆ to 2 ₅ (%)	9
f. 2 ₅ to 3 ₆ (%)	10
g. 3 ₆ to 4 ₆ (%)	6
h. 4 ₆ to 6 ₆ (%)	6
i. 6 ₆ to 8 ₆ (%)	8
j. > 8 ₆ (%)	13

20. SUBSAMPLE DRY WEIGHT (gm) 125.83 |

21. SPECIFICITY (equiv.) |

22. MINIMUM-TEMPERATURE Plasticity	Med
23. SUMMARY-TESTING-TEMPERATURE Shell/Gm	29
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	

27. REMARKS: Items 11-26 determined in the lab

1. SAMPLE NUMBER	66-102-1
2. LATITUDE	43° 53' 03" N
3. LONGITUDE	68° 57' 48" W
4. DATE (Day, month, year)	8 September 1969
5. LABATORY NUMBERS	4404
6. WATER DEPTH (m.)	23.7

11. COLOR
Olive Gray
5741

12. DOOR	
13. NET DENSITY (1b./ft ³)	
14. RIGIDITY (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES

a. < 2 ₅ (%)	14
b. -2 ₅ to -1 ₆ (%)	15
c. -1 ₆ to 0 ₆ (%)	26
d. 0 ₆ to 1 ₆ (%)	16
e. 1 ₆ to 2 ₅ (%)	22
f. 2 ₅ to 3 ₆ (%)	6
g. 3 ₆ to 4 ₆ (%)	Trace
h. 4 ₆ to 6 ₆ (%)	
i. 6 ₆ to 8 ₆ (%)	2
j. > 8 ₆ (%)	

20. SUBSAMPLE DRY WEIGHT (gm) 48.57 |

21. SPECIFICITY (equiv.) |

22. MINIMUM-TEMPERATURE Plasticity	Low
23. SUMMARY-TESTING-TEMPERATURE Shell/Gm	< 19
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	

27. REMARKS: Items 11-26 determined in the lab

Sediment Type Pebbles & Sand

Sediment Type Pebbles & Sand

Sediment Type Pebbly Sand

Sediment Type Sand

1. SAMPLE NUMBER	66-103-1
2. LATITUDE	43° 53' 12" N
3. LONGITUDE	68° 56' 06" W
4. DATE (day, month, year)	8 September 1969
5. LABORATORY NUMBERS	4905
6. WATER DEPTH (m.)	22.5

11. COLOR	Olive Gray 5Y4/1
12. ODOR	
13. WET DENSITY (lb./ft ³)	
14. RIGIDNESS (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

a. ϕ_{1-2} (%)	52	0%, 2.73
b. ϕ_{2-4} to ϕ_{1-2} (%)	7	5%, 1.29
c. ϕ_{4-10} to ϕ_{2-4} (%)	6	4%, 2.24
d. ϕ_{10-20} to ϕ_{4-10} (%)	5	0%, 3.73
e. ϕ_{20-40} to ϕ_{10-20} (%)	6	0%, 1.83
f. ϕ_{40-60} to ϕ_{20-40} (%)	10	
g. ϕ_{60-80} to ϕ_{40-60} (%)	3	
h. ϕ_{80-100} to ϕ_{60-80} (%)	2	
i. $\phi_{100-200}$ to ϕ_{80-100} (%)	3	
j. $\phi_{200-400}$ to $\phi_{100-200}$ (%)	6	
20. SUBSAMPLABLE DRY WEIGHT (gm)	225.32	
21. SPECIFICITY (equiv.)		
22. MINERALOGY Plasticity		
23. SUBSAMPLABLE DRY WEIGHT Plasticity		
24. DOMINANT MINERAL (%)		
25. SECONDARY MINERAL (%)		
26. OTHER MINERALS (%)		
27. REMARKS: Items 11-26 determined in the lab		

11. COLOR	Olive Gray 5Y4/1
12. ODOR	
13. WET DENSITY (lb./ft ³)	
14. RIGIDNESS (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

Sediment Type	Pebbles & Sand
---------------	----------------

1. SAMPLE NUMBER	66-104-1
2. LATITUDE	43° 53' 13" N
3. LONGITUDE	68° 54' 03" W
4. DATE (day, month, year)	8 September 1969
5. LABORATORY NUMBERS	4906
6. WATER DEPTH (m.)	25.8

11. COLOR	Olive Gray 5Y4/1
12. ODOR	
13. WET DENSITY (lb./ft ³)	
14. RIGIDNESS (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

a. ϕ_{1-2} (%)	4	0%, 1.45
b. ϕ_{2-4} to ϕ_{1-2} (%)	1	0%, 4.10
c. ϕ_{4-10} to ϕ_{2-4} (%)	1	4%, 2.67
d. ϕ_{10-20} to ϕ_{4-10} (%)	1	0%, 2.92
e. ϕ_{20-40} to ϕ_{10-20} (%)	2	0%, 5.22
f. ϕ_{40-60} to ϕ_{20-40} (%)	4	
g. ϕ_{60-80} to ϕ_{40-60} (%)	9	
h. ϕ_{80-100} to ϕ_{60-80} (%)	23	
i. $\phi_{100-200}$ to ϕ_{80-100} (%)	6	
j. $\phi_{200-400}$ to $\phi_{100-200}$ (%)	8	
20. SUBSAMPLABLE DRY WEIGHT (gm)	26.43	
21. SPECIFICITY (equiv.)		
22. MINERALOGY Plasticity		
23. SUBSAMPLABLE DRY WEIGHT Plasticity		
24. DOMINANT MINERAL (%)		
25. SECONDARY MINERAL (%)		
26. OTHER MINERALS (%)		
27. REMARKS: Items 11-26 determined in the lab		

11. COLOR	Olive Gray 5Y4/1
12. ODOR	
13. WET DENSITY (lb./ft ³)	
14. RIGIDNESS (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

Sediment Type	Silty Sand
---------------	------------

1. SAMPLE NUMBER	66-105-1
2. LATITUDE	43° 54' 29" N
3. LONGITUDE	68° 53' 06" W
4. DATE (day, month, year)	8 September 1969
5. LABORATORY NUMBERS	4907
6. WATER DEPTH (m.)	29.3

11. COLOR	Olive Gray 5Y4/1
12. ODOR	
13. WET DENSITY (lb./ft ³)	
14. RIGIDNESS (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

a. ϕ_{1-2} (%)	17	0%, 1.35
b. ϕ_{2-4} to ϕ_{1-2} (%)	20	3%, 4.10
c. ϕ_{4-10} to ϕ_{2-4} (%)	20	4%, 0.36
d. ϕ_{10-20} to ϕ_{4-10} (%)	17	0%, 1.60
e. ϕ_{20-40} to ϕ_{10-20} (%)	12	0%, 1.10
f. ϕ_{40-60} to ϕ_{20-40} (%)	4	
g. ϕ_{60-80} to ϕ_{40-60} (%)	2	
h. ϕ_{80-100} to ϕ_{60-80} (%)	1	
i. $\phi_{100-200}$ to ϕ_{80-100} (%)	3	
j. $\phi_{200-400}$ to $\phi_{100-200}$ (%)	3	
20. SUBSAMPLABLE DRY WEIGHT (gm)	39.51	
21. SPECIFICITY (equiv.)		
22. MINERALOGY Plasticity		
23. SUBSAMPLABLE DRY WEIGHT Plasticity		
24. DOMINANT MINERAL (%)		
25. SECONDARY MINERAL (%)		
26. OTHER MINERALS (%)		
27. REMARKS: Items 11-26 determined in the lab		

11. COLOR	Olive Gray 5Y4/1
12. ODOR	
13. WET DENSITY (lb./ft ³)	
14. RIGIDNESS (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

Sediment Type	Pebbly Sand
---------------	-------------

1. SAMPLE NUMBER	66-106-1
2. LATITUDE	43° 55' 54" N
3. LONGITUDE	68° 50' 06" W
4. DATE (day, month, year)	8 September 1969
5. LABORATORY NUMBERS	4908
6. WATER DEPTH (m.)	42.5

11. COLOR	Olive Gray 5Y4/1
12. ODOR	
13. WET DENSITY (lb./ft ³)	
14. RIGIDNESS (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

a. ϕ_{1-2} (%)	30	0%, 3.15
b. ϕ_{2-4} to ϕ_{1-2} (%)	6	5%, 0.01
c. ϕ_{4-10} to ϕ_{2-4} (%)	7	4%, 0.87
d. ϕ_{10-20} to ϕ_{4-10} (%)	8	0%, 2.23
e. ϕ_{20-40} to ϕ_{10-20} (%)	9	0%, 4.00
f. ϕ_{40-60} to ϕ_{20-40} (%)	10	
g. ϕ_{60-80} to ϕ_{40-60} (%)	5	
h. ϕ_{80-100} to ϕ_{60-80} (%)	5	
i. $\phi_{100-200}$ to ϕ_{80-100} (%)	8	
j. $\phi_{200-400}$ to $\phi_{100-200}$ (%)	11	
20. SUBSAMPLABLE DRY WEIGHT (gm)	12.87	
21. SPECIFICITY (equiv.)		
22. MINERALOGY Plasticity		
23. SUBSAMPLABLE DRY WEIGHT Plasticity		
24. DOMINANT MINERAL (%)		
25. SECONDARY MINERAL (%)		
26. OTHER MINERALS (%)		
27. REMARKS: Items 11-26 determined in the lab		

11. COLOR	Olive Gray 5Y4/1
12. ODOR	
13. WET DENSITY (lb./ft ³)	
14. RIGIDNESS (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

Sediment Type	Pebbly Sand
---------------	-------------

1. SAMPLE NUMBER	66-107-1
2. LATITUDE	43° 55' 54" N
3. LONGITUDE	68° 52' 26" W
4. DATE (day, month, year)	8 September 1959
5. LABORATORY NUMBERS	4409
6. WATER DEPTH (m.)	46.7

11. COLOR	Olive Gray 5411
12. ODR	
13. WET DENSITY (lb./ft ³)	
14. RIGIDNESS (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < -2 _φ (%)	1
b. -2 _φ to -1 _φ (%)	1
c. -1 _φ to 0 _φ (%)	2
d. 0 _φ to 1 _φ (%)	2
e. 1 _φ to 2 _φ (%)	4
f. 2 _φ to 3 _φ (%)	11
g. 3 _φ to 4 _φ (%)	15
h. 4 _φ to 5 _φ (%)	18
i. 5 _φ to 6 _φ (%)	19
j. > 6 _φ (%)	27
20. SUBSAMPLE DRY WEIGHT (gm)	28.95
21. SPECIFICITY (avg.)	
22. MINIMUM PLASTICITY	Med.
23. SUBSAMPLE SURFACE TEXTURE (avg.)	1 P
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

Sediment Type Silty Mud

1. SAMPLE NUMBER	66-108-1
2. LATITUDE	43° 55' 54" N
3. LONGITUDE	68° 54' 18" W
4. DATE (day, month, year)	8 September 1959
5. LABORATORY NUMBERS	4410
6. WATER DEPTH (m.)	49.5

11. COLOR	Olive Gray 5411
12. ODR	
13. WET DENSITY (lb./ft ³)	
14. RIGIDNESS (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < -2 _φ (%)	20
b. -2 _φ to -1 _φ (%)	8
c. -1 _φ to 0 _φ (%)	20
d. 0 _φ to 1 _φ (%)	6
e. 1 _φ to 2 _φ (%)	10
f. 2 _φ to 3 _φ (%)	12
g. 3 _φ to 4 _φ (%)	17
h. 4 _φ to 5 _φ (%)	11
i. 5 _φ to 6 _φ (%)	11
j. > 6 _φ (%)	74.67
20. SUBSAMPLE DRY WEIGHT (gm)	
21. SPECIFICITY (avg.)	
22. MINIMUM PLASTICITY	Med.
23. SUBSAMPLE SURFACE TEXTURE (avg.)	2 P
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

Sediment Type Silty Sand with silt

1. SAMPLE NUMBER	66-112-1
2. LATITUDE	43° 58' 51" N
3. LONGITUDE	68° 58' 00" W
4. DATE (day, month, year)	8 September 1959
5. LABORATORY NUMBERS	4411
6. WATER DEPTH (m.)	33.0

11. COLOR	
12. ODR	
13. WET DENSITY (lb./ft ³)	
14. RIGIDNESS (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < -2 _φ (%)	0 _φ
b. -2 _φ to -1 _φ (%)	5 _φ
c. -1 _φ to 0 _φ (%)	40 _φ
d. 0 _φ to 1 _φ (%)	0 _φ
e. 1 _φ to 2 _φ (%)	0 _φ
f. 2 _φ to 3 _φ (%)	
g. 3 _φ to 4 _φ (%)	
h. 4 _φ to 5 _φ (%)	
i. 5 _φ to 6 _φ (%)	
j. > 6 _φ (%)	
20. SUBSAMPLE DRY WEIGHT (gm)	
21. SPECIFICITY (avg.)	
22. MINIMUM PLASTICITY	
23. SUBSAMPLE SURFACE TEXTURE (avg.)	
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

Insufficient sample for analysis.

1. SAMPLE NUMBER	66-113-1
2. LATITUDE	44° 07' 20" N
3. LONGITUDE	68° 59' 48" W
4. DATE (day, month, year)	9 September 1959
5. LABORATORY NUMBERS	4412
6. WATER DEPTH (m.)	37.5

11. COLOR	Olive Black
12. ODR	foul
13. WET DENSITY (lb./ft ³)	
14. RIGIDNESS (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < -2 _φ (%)	0 _φ
b. -2 _φ to -1 _φ (%)	3 _φ
c. -1 _φ to 0 _φ (%)	40 _φ
d. 0 _φ to 1 _φ (%)	0 _φ
e. 1 _φ to 2 _φ (%)	1
f. 2 _φ to 3 _φ (%)	2
g. 3 _φ to 4 _φ (%)	5
h. 4 _φ to 5 _φ (%)	24
i. 5 _φ to 6 _φ (%)	32
j. > 6 _φ (%)	36
20. SUBSAMPLE DRY WEIGHT (gm)	16.83
21. SPECIFICITY (avg.)	
22. MINIMUM PLASTICITY	High
23. SUBSAMPLE SURFACE TEXTURE (avg.)	0
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

Sediment Type Clayey Silt

1. SAMPLE NUMBER	66-113-2	3. SAMPLER TYPE	Kullenberg
2. LATITUDE	44° 07' 20" N	6. WATER DEPTH (m.)	383
3. LONGITUDE	59° 48' W	7. CORE LENGTH (m.)	96.02*
4. DATE (day, month, year)	9 September 1959	8. CORE PENETRATION (m.)	132
5. LABORATORY NUMBERS	4034	9. CORE PENETRATION (m.)	4035
10. SUBSAMPLE DEPTH IN CORE (m.)	0-2	10. SUBSAMPLE DEPTH IN CORE (m.)	4036
11. COLOR	Black and Olive Gray 56132	11. COLOR	Grayish Olive Green 56132
12. OTHER		12. OTHER	
13. WET DENSITY (lb./ft. ³)		13. WET DENSITY (lb./ft. ³)	
14. RIGIDITY (cm)		14. RIGIDITY (cm)	
15. WATHEM POROSITY (%)		15. WATHEM POROSITY (%)	
16. WATHEM POROSITY (%)		16. WATHEM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES		19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. $\Sigma < 2\phi$ (%)		a. $\Sigma < 2\phi$ (%)	
b. $\Sigma < 2\phi$ to -1ϕ (%)		b. $\Sigma < 2\phi$ to -1ϕ (%)	
c. $\Sigma < 2\phi$ to 0ϕ (%)		c. $\Sigma < 2\phi$ to 0ϕ (%)	
d. 0ϕ to 1ϕ (%)		d. 0ϕ to 1ϕ (%)	
e. 1ϕ to 2ϕ (%)		e. 1ϕ to 2ϕ (%)	
f. 2ϕ to 3ϕ (%)		f. 2ϕ to 3ϕ (%)	
g. 3ϕ to 4ϕ (%)		g. 3ϕ to 4ϕ (%)	
h. 4ϕ to 6ϕ (%)		h. 4ϕ to 6ϕ (%)	
i. 6ϕ to 9ϕ (%)		i. 6ϕ to 9ϕ (%)	
j. $> 9\phi$ (%)		j. $> 9\phi$ (%)	
20. SUBSAMPLE DRY WEIGHT (gm)		20. SUBSAMPLE DRY WEIGHT (gm)	
21. SPECIFIC GRAVITY		21. SPECIFIC GRAVITY	
22. WATHEM PLASTICITY		22. WATHEM PLASTICITY	
23. WATHEM LIQUIDITY		23. WATHEM LIQUIDITY	
24. DOMINANT MINERAL (%)		24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)		25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS		27. REMARKS	

REMARKS: Terms 11-26 determined in the lab.
 She 11 scattered throughout the core, becoming more numerous in last 10 inches.
 Dark streaks in the first 8 inches. Change of color at 8 inches. Between 24 and 27,
 sand and 59° and 72nd 73°, the core was composed of soft mud.
 * Bottom of core was loose and unconsolidated.

Sediment Type	Clayey Silt	Clayey Silt	Clayey Silt
---------------	-------------	-------------	-------------

1. SAMPLE NUMBER	66-113-2 continued	5. SAMPLER TYPE	
2. LATITUDE		6. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
5. LABORATORY NUMBERS		9. CORE PENETRATION (m.)	
10. SUBSAMPLE DEPTH IN CORE (m.)		10. SUBSAMPLE DEPTH IN CORE (m.)	
11. COLOR		11. COLOR	
12. OTHER		12. OTHER	
13. WET DENSITY (lb./ft. ³)		13. WET DENSITY (lb./ft. ³)	
14. RIGIDITY (cm)		14. RIGIDITY (cm)	
15. WATHEM POROSITY (%)		15. WATHEM POROSITY (%)	
16. WATHEM POROSITY (%)		16. WATHEM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES		19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. $\Sigma < 2\phi$ (%)		a. $\Sigma < 2\phi$ (%)	
b. $\Sigma < 2\phi$ to -1ϕ (%)		b. $\Sigma < 2\phi$ to -1ϕ (%)	
c. $\Sigma < 2\phi$ to 0ϕ (%)		c. $\Sigma < 2\phi$ to 0ϕ (%)	
d. 0ϕ to 1ϕ (%)		d. 0ϕ to 1ϕ (%)	
e. 1ϕ to 2ϕ (%)		e. 1ϕ to 2ϕ (%)	
f. 2ϕ to 3ϕ (%)		f. 2ϕ to 3ϕ (%)	
g. 3ϕ to 4ϕ (%)		g. 3ϕ to 4ϕ (%)	
h. 4ϕ to 6ϕ (%)		h. 4ϕ to 6ϕ (%)	
i. 6ϕ to 9ϕ (%)		i. 6ϕ to 9ϕ (%)	
j. $> 9\phi$ (%)		j. $> 9\phi$ (%)	
20. SUBSAMPLE DRY WEIGHT (gm)		20. SUBSAMPLE DRY WEIGHT (gm)	
21. SPECIFIC GRAVITY		21. SPECIFIC GRAVITY	
22. WATHEM PLASTICITY		22. WATHEM PLASTICITY	
23. WATHEM LIQUIDITY		23. WATHEM LIQUIDITY	
24. DOMINANT MINERAL (%)		24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)		25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS		27. REMARKS	

REMARKS: Continued

Sediment Type	Clayey Silt	Clayey Silt	Clayey Silt
---------------	-------------	-------------	-------------

1. SAMPLE NUMBER	66-114-1	5. SAMPLER TYPE	VULNERBERG
2. LATITUDE	44 07 38 N	5. WATER DEPTH (m.)	43.3
3. LONGITUDE	68 57 45 W	7. CORE LENGTH (in.)	121
6. DATE (day, month, year)	9 SEPTEMBER 1959	8. CORE PENETRATION (in.)	132
9. LABORATORY NUMBERS	3920 *	3921 *	3922 *
10. SUBSAMPLE DEPTH IN CORE (in.)	0-2	9-11	30-32
11. COLOR	Pure Yellowish Green (10 BY 46)	Pure Yellowish Green (10 BY 46)	Pure Yellowish Green (10 BY 46)
12. 0000			
13. WET DENSITY (lb./ft ³)			
14. RIGIDITY (cm)			
15. MINIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. -2 ₀ (%)	1	0 ₁₀	0 ₁₀
b. -2 ₀ to -1 ₀ (%)		Trace	Trace
c. -1 ₀ to 0 ₁₀ (%)		M ₆₀ 8.60	M ₆₀ 8.55
d. 0 ₁₀ to 1 ₀ (%)	01.6.35	01.6.41	01.6.37
e. 1 ₀ to 2 ₀ (%)	1	3	1
f. 2 ₀ to 3 ₀ (%)			
g. 3 ₀ to 4 ₀ (%)			
h. 4 ₀ to 6 ₀ (%)	18	16	19
i. 6 ₀ to 8 ₀ (%)	35	35	35
j. > 8 ₀ (%)	45	43	44
20. SUBSAMPLE DRY WEIGHT (gm)	26.02	21.46	24.67
21. SPHERICITY (cm)			
22. SUBSAMPLE WEIGHT Plasticity	M ₆₀ 4.3 d	M ₆₀ 4.3 d	M ₆₀ 4.3 d
23. SUBSAMPLE WEIGHT Plasticity	< 1%	< 1%	< 1%
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS	ITEMS 11-26 DETERMINED IN THE LAB		

* THE SAMPLE CONTAINED BLACK STREAMS.
0-18" Black streaks & layers.

1. SAMPLE NUMBER	66-114-1	5. SAMPLER TYPE	CONTINUED
2. LATITUDE		5. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (in.)	
6. DATE (day, month, year)		8. CORE PENETRATION (in.)	
9. LABORATORY NUMBERS	3924	3925	3926
10. SUBSAMPLE DEPTH IN CORE (in.)	72-74	96-98	119-121
11. COLOR	Pure Yellowish Green (10 BY 46)	Pure Yellowish Green (10 BY 46)	Pure Yellowish Green (10 BY 46)
12. 0000			
13. WET DENSITY (lb./ft ³)			
14. RIGIDITY (cm)			
15. MINIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. -2 ₀ (%)		0 ₁₀	0 ₁₀
b. -2 ₀ to -1 ₀ (%)		36	36
c. -1 ₀ to 0 ₁₀ (%)		M ₆₀ 8.83	M ₆₀ 8.72
d. 0 ₁₀ to 1 ₀ (%)	1	01.6.35	01.6.83
e. 1 ₀ to 2 ₀ (%)		0 ₁₀	0 ₁₀
f. 2 ₀ to 3 ₀ (%)			
g. 3 ₀ to 4 ₀ (%)			
h. 4 ₀ to 6 ₀ (%)	16	15	17
i. 6 ₀ to 8 ₀ (%)	36	38	37
j. > 8 ₀ (%)	47	46	45
20. SUBSAMPLE DRY WEIGHT (gm)	24.81	30.86	28.39
21. SPHERICITY (cm)			
22. SUBSAMPLE WEIGHT Plasticity	M ₆₀ 4.3 d	M ₆₀ 4.3 d	M ₆₀ 4.3 d
23. SUBSAMPLE WEIGHT Plasticity	< 1%	< 1%	< 1%
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS	CONTINUED	9-10% tons of soft olive mud.	96-11" scattered throughout core

SEPIMENT TYPE CLOVEY SILT CLOVEY SILT CLOVEY SILT

1. SAMPLE NUMBER	66	5		5. SAMPLER TYPE	KULLENBERG
2. LATITUDE	44° 08'	41'	N	5. WATER DEPTH (m.)	35.8
3. LONGITUDE	68° 57'	47'	W	7. CORE LENGTH (m.)	12.8
4. DATE	9 SEPTEMBER 1959			8. CORE PENETRATION (m.)	156
5. LABORATORY NUMBER	3793				
6. SUBSAMPLER DEPTH IN CLM (m.)	20-22				
7. CORE	ONE GORY (51% 3/4)				
8. SUBSAMPLER DEPTH IN CLM (m.)	20-22				
9. CORE	ONE GORY (51% 3/4)				
10. SUBSAMPLER DEPTH IN CLM (m.)	20-22				
11. CORE	ONE GORY (51% 3/4)				
12. CORE					
13. NET DENSITY (lb./ft ³)					
14. RESIDUE (%)					
15. MAXIMUM PROSILITY (%)					
16. MINIMUM PROSILITY (%)					
17. WATER CONTENT (%)					
18. ORGANIC CARBON CONTENT (%)					
19. SITE ANALYSIS AND STATISTICAL MEASURES					
20. SUBSAMPLE DRY WEIGHT (g)					
21. SPECIFICITY (g/g)					
22. MINERALOGY					
23. MINERALOGY					
24. DOMINANT MINERAL (%)					
25. SECONDARY MINERAL (%)					
26. OTHER MINERALS (%)					
27. REMARKS:					

ITEMS 11-26 DETERMINED IN THE LAB.

THE FIRST 24 INCHES CONTAINED MORE SPHERES.
WORM BURROWS AND SHELL SCATTERED THROUGHOUT CORE.

SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT
---------------	-------------	-------------	-------------

1. SAMPLE NUMBER	66-115-1	CONTINUED	5. SAMPLER TYPE	
2. LATITUDE			5. WATER DEPTH (m.)	
3. LONGITUDE			7. CORE LENGTH (m.)	
4. DATE			8. CORE PENETRATION (m.)	
5. LABORATORY NUMBER				
6. SUBSAMPLER DEPTH IN CLM (m.)				
7. CORE				
8. SUBSAMPLER DEPTH IN CLM (m.)				
9. CORE				
10. SUBSAMPLER DEPTH IN CLM (m.)				
11. CORE				
12. CORE				
13. NET DENSITY (lb./ft ³)				
14. RESIDUE (%)				
15. MAXIMUM PROSILITY (%)				
16. MINIMUM PROSILITY (%)				
17. WATER CONTENT (%)				
18. ORGANIC CARBON CONTENT (%)				
19. SITE ANALYSIS AND STATISTICAL MEASURES				
20. SUBSAMPLE DRY WEIGHT (g)				
21. SPECIFICITY (g/g)				
22. MINERALOGY				
23. MINERALOGY				
24. DOMINANT MINERAL (%)				
25. SECONDARY MINERAL (%)				
26. OTHER MINERALS (%)				
27. REMARKS:				

SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT
---------------	-------------	-------------	-------------

1. SAMPLE NUMBER	5. SAMPLER TYPE	9. LABORATORY NUMBERS	13. COLOR	17. WATER CONTENT (%)	18. ORGANIC CARBON CONTENT (%)	19. SIZE ANALYSIS AND STATISTICAL MEASURES	20. SAMPLE DRY WEIGHT (gm)	21. SPECIFICITY (VOL.)	22. BRASSIANCE PLASTICITY	23. SIMILAR TEXTURE TEMP Wt. % Ca.	24. DOMINANT MINERAL (%)	25. SECONDARY MINERAL (%)	26. OTHER MINERALS (%)	27. REMARKS
1. SAMPLE NUMBER 66-116-1	5. SAMPLER TYPE Kullenberg	9. LABORATORY NUMBERS 3820	13. COLOR Olive Gray 5Y4/2	17. WATER CONTENT (%) 0-2	18. ORGANIC CARBON CONTENT (%)	19. SIZE ANALYSIS AND STATISTICAL MEASURES	20. SAMPLE DRY WEIGHT (gm) 25.08	21. SPECIFICITY (VOL.)	22. BRASSIANCE PLASTICITY High	23. SIMILAR TEXTURE TEMP Wt. % Ca. <1%	24. DOMINANT MINERAL (%) 0	25. SECONDARY MINERAL (%) 0	26. OTHER MINERALS (%) 0	27. REMARKS Items 11-26 determined in the lab
2. LATITUDE 44° 10'	5. SAMPLER TYPE Kullenberg	9. LABORATORY NUMBERS 3821	13. COLOR Olive Gray 5Y4/1	17. WATER CONTENT (%) 0-2	18. ORGANIC CARBON CONTENT (%)	19. SIZE ANALYSIS AND STATISTICAL MEASURES	20. SAMPLE DRY WEIGHT (gm) 26.59	21. SPECIFICITY (VOL.)	22. BRASSIANCE PLASTICITY High	23. SIMILAR TEXTURE TEMP Wt. % Ca. 0	24. DOMINANT MINERAL (%) 0	25. SECONDARY MINERAL (%) 0	26. OTHER MINERALS (%) 0	27. REMARKS Items 11-26 determined in the lab
3. LONGITUDE 68° 59'	5. SAMPLER TYPE Kullenberg	9. LABORATORY NUMBERS 3822	13. COLOR Olive Gray 5Y4/1	17. WATER CONTENT (%) 0-2	18. ORGANIC CARBON CONTENT (%)	19. SIZE ANALYSIS AND STATISTICAL MEASURES	20. SAMPLE DRY WEIGHT (gm) 31.50	21. SPECIFICITY (VOL.)	22. BRASSIANCE PLASTICITY High	23. SIMILAR TEXTURE TEMP Wt. % Ca. 0	24. DOMINANT MINERAL (%) 0	25. SECONDARY MINERAL (%) 0	26. OTHER MINERALS (%) 0	27. REMARKS Items 11-26 determined in the lab
4. DATE (Date, month, year) 9 September 1969	5. SAMPLER TYPE Kullenberg	9. LABORATORY NUMBERS 3823	13. COLOR Olive Gray 5Y4/1	17. WATER CONTENT (%) 0-2	18. ORGANIC CARBON CONTENT (%)	19. SIZE ANALYSIS AND STATISTICAL MEASURES	20. SAMPLE DRY WEIGHT (gm) 36.57	21. SPECIFICITY (VOL.)	22. BRASSIANCE PLASTICITY High	23. SIMILAR TEXTURE TEMP Wt. % Ca. 0	24. DOMINANT MINERAL (%) 0	25. SECONDARY MINERAL (%) 0	26. OTHER MINERALS (%) 0	27. REMARKS Items 11-26 determined in the lab

REMARKS: Items 11-26 determined in the lab
The first 19 inches contained dark streaks.
Core appears uniform

1. SAMPLE NUMBER	5. SAMPLER TYPE
66-11a-1 continued	
2. LATITUDE	5. WATER DEPTH (m.)
3. LONGITUDE	7. CORE LENGTH (m.)
4. DATE (Day, month, year)	8. CORE PENETRATION (m.)
9. LABORATORY NUMBERS	
10. SUBSAMPLER DEPTH IN CORE (m.)	
11. COLOR	
12. ODOR	
13. WET DENSITY (lb./ft. ³)	
14. RESIDUE (%)	
15. NAILHORN PROSPECT (%)	
16. NAILHORN PROSPECT (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	
19a. $\phi < 2\phi$ (%) 19b. $\phi < 2\phi$ (%) 19c. $\phi < 2\phi$ (%) 19d. $\phi < 2\phi$ (%) 19e. $\phi < 2\phi$ (%) 19f. $\phi < 2\phi$ (%) 19g. $\phi < 2\phi$ (%) 19h. $\phi < 2\phi$ (%) 19i. $\phi < 2\phi$ (%) 19j. $\phi < 2\phi$ (%) 19k. $\phi < 2\phi$ (%) 19l. $\phi < 2\phi$ (%) 19m. $\phi < 2\phi$ (%) 19n. $\phi < 2\phi$ (%) 19o. $\phi < 2\phi$ (%) 19p. $\phi < 2\phi$ (%) 19q. $\phi < 2\phi$ (%) 19r. $\phi < 2\phi$ (%) 19s. $\phi < 2\phi$ (%) 19t. $\phi < 2\phi$ (%) 19u. $\phi < 2\phi$ (%) 19v. $\phi < 2\phi$ (%) 19w. $\phi < 2\phi$ (%) 19x. $\phi < 2\phi$ (%) 19y. $\phi < 2\phi$ (%) 19z. $\phi < 2\phi$ (%)	19a. $\phi < 2\phi$ (%) 19b. $\phi < 2\phi$ (%) 19c. $\phi < 2\phi$ (%) 19d. $\phi < 2\phi$ (%) 19e. $\phi < 2\phi$ (%) 19f. $\phi < 2\phi$ (%) 19g. $\phi < 2\phi$ (%) 19h. $\phi < 2\phi$ (%) 19i. $\phi < 2\phi$ (%) 19j. $\phi < 2\phi$ (%) 19k. $\phi < 2\phi$ (%) 19l. $\phi < 2\phi$ (%) 19m. $\phi < 2\phi$ (%) 19n. $\phi < 2\phi$ (%) 19o. $\phi < 2\phi$ (%) 19p. $\phi < 2\phi$ (%) 19q. $\phi < 2\phi$ (%) 19r. $\phi < 2\phi$ (%) 19s. $\phi < 2\phi$ (%) 19t. $\phi < 2\phi$ (%) 19u. $\phi < 2\phi$ (%) 19v. $\phi < 2\phi$ (%) 19w. $\phi < 2\phi$ (%) 19x. $\phi < 2\phi$ (%) 19y. $\phi < 2\phi$ (%) 19z. $\phi < 2\phi$ (%)
20. SUBSAMPLER DRY WEIGHT (gm)	20a. $\phi < 2\phi$ (%)
21. PERCENTAGE (%)	20b. $\phi < 2\phi$ (%)
22. PERCENTAGE (%)	20c. $\phi < 2\phi$ (%)
23. PERCENTAGE (%)	20d. $\phi < 2\phi$ (%)
24. PERCENTAGE (%)	20e. $\phi < 2\phi$ (%)
25. PERCENTAGE (%)	20f. $\phi < 2\phi$ (%)
26. PERCENTAGE (%)	20g. $\phi < 2\phi$ (%)
27. PERCENTAGE (%)	20h. $\phi < 2\phi$ (%)
28. PERCENTAGE (%)	20i. $\phi < 2\phi$ (%)
29. PERCENTAGE (%)	20j. $\phi < 2\phi$ (%)
30. PERCENTAGE (%)	20k. $\phi < 2\phi$ (%)
31. PERCENTAGE (%)	20l. $\phi < 2\phi$ (%)
32. PERCENTAGE (%)	20m. $\phi < 2\phi$ (%)
33. PERCENTAGE (%)	20n. $\phi < 2\phi$ (%)
34. PERCENTAGE (%)	20o. $\phi < 2\phi$ (%)
35. PERCENTAGE (%)	20p. $\phi < 2\phi$ (%)
36. PERCENTAGE (%)	20q. $\phi < 2\phi$ (%)
37. PERCENTAGE (%)	20r. $\phi < 2\phi$ (%)
38. PERCENTAGE (%)	20s. $\phi < 2\phi$ (%)
39. PERCENTAGE (%)	20t. $\phi < 2\phi$ (%)
40. PERCENTAGE (%)	20u. $\phi < 2\phi$ (%)
41. PERCENTAGE (%)	20v. $\phi < 2\phi$ (%)
42. PERCENTAGE (%)	20w. $\phi < 2\phi$ (%)
43. PERCENTAGE (%)	20x. $\phi < 2\phi$ (%)
44. PERCENTAGE (%)	20y. $\phi < 2\phi$ (%)
45. PERCENTAGE (%)	20z. $\phi < 2\phi$ (%)
46. PERCENTAGE (%)	20aa. $\phi < 2\phi$ (%)
47. PERCENTAGE (%)	20ab. $\phi < 2\phi$ (%)
48. PERCENTAGE (%)	20ac. $\phi < 2\phi$ (%)
49. PERCENTAGE (%)	20ad. $\phi < 2\phi$ (%)
50. PERCENTAGE (%)	20ae. $\phi < 2\phi$ (%)
51. PERCENTAGE (%)	20af. $\phi < 2\phi$ (%)
52. PERCENTAGE (%)	20ag. $\phi < 2\phi$ (%)
53. PERCENTAGE (%)	20ah. $\phi < 2\phi$ (%)
54. PERCENTAGE (%)	20ai. $\phi < 2\phi$ (%)
55. PERCENTAGE (%)	20aj. $\phi < 2\phi$ (%)
56. PERCENTAGE (%)	20ak. $\phi < 2\phi$ (%)
57. PERCENTAGE (%)	20al. $\phi < 2\phi$ (%)
58. PERCENTAGE (%)	20am. $\phi < 2\phi$ (%)
59. PERCENTAGE (%)	20an. $\phi < 2\phi$ (%)
60. PERCENTAGE (%)	20ao. $\phi < 2\phi$ (%)
61. PERCENTAGE (%)	20ap. $\phi < 2\phi$ (%)
62. PERCENTAGE (%)	20aq. $\phi < 2\phi$ (%)
63. PERCENTAGE (%)	20ar. $\phi < 2\phi$ (%)
64. PERCENTAGE (%)	20as. $\phi < 2\phi$ (%)
65. PERCENTAGE (%)	20at. $\phi < 2\phi$ (%)
66. PERCENTAGE (%)	20au. $\phi < 2\phi$ (%)
67. PERCENTAGE (%)	20av. $\phi < 2\phi$ (%)
68. PERCENTAGE (%)	20aw. $\phi < 2\phi$ (%)
69. PERCENTAGE (%)	20ax. $\phi < 2\phi$ (%)
70. PERCENTAGE (%)	20ay. $\phi < 2\phi$ (%)
7	

1. SAMPLE NUMBER	66-117-1			5. SAMPLER TYPE	KILLWATER		
2. LATITUDE	44°	10'	15" N	6. WATER DEPTH (m.)	291		
3. LONGITUDE	68°	55'	50" W	7. CORE LENGTH (m.)	125		
4. DATE (day, month, year)	9 September 1959			8. CORE PENETRATION (m.)	132		
9. LABORATORY NUMBERS	3974 *			9. DATE (day, month, year)	3975 *		
10. SUBSAMPLE DEPTH IN CORE (m.)	0-2			10. SUBSAMPLE DEPTH IN CORE (m.)	22-24		
11. COLOR	DUNE GRAY (5Y 4/2)			11. COLOR	DUNE GRAY (5Y 4/2)		
12. DGR				12. DGR			
13. NET DENSITY (lb./ft ³)				13. NET DENSITY (lb./ft ³)			
14. RIGIDITY (cm)				14. RIGIDITY (cm)			
15. NUTRIENT POROSITY (%)				15. NUTRIENT POROSITY (%)			
16. MINIMUM POROSITY (%)				16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)				17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)				18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES				19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. -2 ₅ (φ)	0 ₁₀	0 ₁₀	0 ₁₀	a. -2 ₅ (φ)	0 ₁₀	0 ₁₀	0 ₁₀
b. -2 ₅ to -1 ₀ (φ)				b. -2 ₅ to -1 ₀ (φ)			
c. -1 ₀ to 0 ₁₀ (φ)	wt. 735	wt. 765	wt. 750	c. -1 ₀ to 0 ₁₀ (φ)	wt. 735	wt. 765	wt. 750
d. 0 ₁₀ to 1 ₀ (φ)	2	0 ₁₀ 5.35	1	d. 0 ₁₀ to 1 ₀ (φ)	2	0 ₁₀ 5.35	1
e. 1 ₀ to 2 ₅ (φ)		0 ₁₀	0 ₁₀	e. 1 ₀ to 2 ₅ (φ)		0 ₁₀	0 ₁₀
f. 2 ₅ to 3 ₀ (φ)				f. 2 ₅ to 3 ₀ (φ)			
g. 3 ₀ to 4 ₀ (φ)				g. 3 ₀ to 4 ₀ (φ)			
h. 4 ₀ to 5 ₀ (φ)	33	20	31	h. 4 ₀ to 5 ₀ (φ)	33	20	31
i. 5 ₀ to 6 ₀ (φ)	30	33	33	i. 5 ₀ to 6 ₀ (φ)	30	33	33
j. > 6 ₀ (φ)	35	36	36	j. > 6 ₀ (φ)	35	36	36
20. SUBSAMPLE DRY WEIGHT (gm)	1801			20. SUBSAMPLE DRY WEIGHT (gm)	2384		
21. SPHERICITY (ave)				21. SPHERICITY (ave)	2043		
22. MINERALOGY (ave)	Plasticity			22. MINERALOGY (ave)	High		
23. MINERALOGY (ave) (Shall Co.)	0			23. MINERALOGY (ave) (Shall Co.)	0		
24. DOMINANT MINERAL (%)				24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)				25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)				26. OTHER MINERALS (%)			
27. REMARKS:	ITEMS 11-20 DETERMINED IN THE LAB			27. REMARKS:	ITEMS 11-20 DETERMINED IN THE LAB		

* THE SAMPLE CONTAINED DARK STREAKS.
0-20 in. many dark streaks and fibers.

SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT
---------------	-------------	-------------	-------------

1. SAMPLE NUMBER	66-117-1			5. SAMPLER TYPE	CONTINUED		
2. LATITUDE				6. WATER DEPTH (m.)			
3. LONGITUDE				7. CORE LENGTH (m.)			
4. DATE (day, month, year)				8. CORE PENETRATION (m.)			
9. LABORATORY NUMBERS	3978 *			9. DATE (day, month, year)	3979 *		
10. SUBSAMPLE DEPTH IN CORE (m.)	94-96			10. SUBSAMPLE DEPTH IN CORE (m.)	107-109		
11. COLOR	DUNE GRAY (5Y 4/2)			11. COLOR	DUNE GRAY (5Y 4/2)		
12. DGR				12. DGR			
13. NET DENSITY (lb./ft ³)				13. NET DENSITY (lb./ft ³)			
14. RIGIDITY (cm)				14. RIGIDITY (cm)			
15. NUTRIENT POROSITY (%)				15. NUTRIENT POROSITY (%)			
16. MINIMUM POROSITY (%)				16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)				17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)				18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES				19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. -2 ₅ (φ)	0 ₁₀	0 ₁₀	0 ₁₀	a. -2 ₅ (φ)	0 ₁₀	0 ₁₀	0 ₁₀
b. -2 ₅ to -1 ₀ (φ)				b. -2 ₅ to -1 ₀ (φ)			
c. -1 ₀ to 0 ₁₀ (φ)	wt. 810	wt. 825	wt. 815	c. -1 ₀ to 0 ₁₀ (φ)	wt. 810	wt. 825	wt. 815
d. 0 ₁₀ to 1 ₀ (φ)	2	0 ₁₀ 5.85	1	d. 0 ₁₀ to 1 ₀ (φ)	2	0 ₁₀ 5.85	1
e. 1 ₀ to 2 ₅ (φ)		0 ₁₀	0 ₁₀	e. 1 ₀ to 2 ₅ (φ)		0 ₁₀	0 ₁₀
f. 2 ₅ to 3 ₀ (φ)				f. 2 ₅ to 3 ₀ (φ)			
g. 3 ₀ to 4 ₀ (φ)				g. 3 ₀ to 4 ₀ (φ)			
h. 4 ₀ to 5 ₀ (φ)	24	24	25	h. 4 ₀ to 5 ₀ (φ)	24	24	25
i. 5 ₀ to 6 ₀ (φ)	33	34	33	i. 5 ₀ to 6 ₀ (φ)	33	34	33
j. > 6 ₀ (φ)	41	41	41	j. > 6 ₀ (φ)	41	41	41
20. SUBSAMPLE DRY WEIGHT (gm)	1979			20. SUBSAMPLE DRY WEIGHT (gm)	2313		
21. SPHERICITY (ave)				21. SPHERICITY (ave)	1845		
22. MINERALOGY (ave)	Plasticity			22. MINERALOGY (ave)	High		
23. MINERALOGY (ave) (Shall Co.)	0			23. MINERALOGY (ave) (Shall Co.)	0		
24. DOMINANT MINERAL (%)				24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)				25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)				26. OTHER MINERALS (%)			
27. REMARKS:	100% - color change			27. REMARKS:	100% - color change		

SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT
---------------	-------------	-------------	-------------

1. SAMPLE NUMBER	66-11B-1
2. LATITUDE	44° 10' 13" N
3. LONGITUDE	68° 53' 37" W
4. DATE (Day, month, year)	9 September 1959
5. LABORATORY NUMBERS	4913
6. WATER DEPTH (m.)	7.5
11. COLOR	Olive Gray 5441
12. DGR	
13. WET DENSITY (lb./ft ³)	
14. RIGIDNESS (mm)	
15. MATHIOM PROSITY (%)	
16. MATHIOM PROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

a. < 2 ₀ (%)	84	0.2	3.32
b. 2 ₀ to 4 ₀ (%)	10	38.4	-0.24
c. 4 ₀ to 6 ₀ (%)	6	ME	0.00
d. 6 ₀ to 8 ₀ (%)	9	0.1	-2.67
e. 8 ₀ to 10 ₀ (%)	11	0.2	3.05
f. 2 ₀ to 3 ₀ (%)	5		
g. 3 ₀ to 4 ₀ (%)	2		
h. 4 ₀ to 5 ₀ (%)	5		
i. 5 ₀ to 6 ₀ (%)	9		
j. > 10 ₀ (%)	10		

20. SUBSAMPLE DRY WEIGHT (gm)	128.99
21. SPECIFICITY (avg.)	
22. MINERALOGY Plasticity	Med
23. SUBSTRATE from 1560 11 Co.	192
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

Sediment Type: Pebbly Sand

1. SAMPLE NUMBER	66-11B-1
2. LATITUDE	44° 11' 47" N
3. LONGITUDE	68° 53' 45" W
4. DATE (Day, month, year)	9 September 1959
5. LABORATORY NUMBERS	4914
6. WATER DEPTH (m.)	27.3
11. COLOR	Olive Gray 5441
12. DGR	
13. WET DENSITY (lb./ft ³)	
14. RIGIDNESS (mm)	
15. MATHIOM PROSITY (%)	
16. MATHIOM PROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

a. < 2 ₀ (%)	0.6
b. 2 ₀ to 4 ₀ (%)	38.4
c. 4 ₀ to 6 ₀ (%)	ME 7.96
d. 6 ₀ to 8 ₀ (%)	0.1
e. 8 ₀ to 10 ₀ (%)	0.2
f. 2 ₀ to 3 ₀ (%)	1
g. 3 ₀ to 4 ₀ (%)	1
h. 4 ₀ to 5 ₀ (%)	18
i. 5 ₀ to 6 ₀ (%)	44
j. > 10 ₀ (%)	35

20. SUBSAMPLE DRY WEIGHT (gm)	19.92
21. SPECIFICITY (avg.)	
22. MINERALOGY Plasticity	High
23. SUBSTRATE from 1560 11 Co.	0
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

Sediment Type: Clayey Silt

1. SAMPLE NUMBER	66-119-2
2. LATITUDE	44° 11' 47" N
3. LONGITUDE	68° 53' 45" W
4. DATE (Day, month, year)	9 September 1959
5. LABORATORY NUMBERS	3804
6. WATER DEPTH (m.)	16-18
11. COLOR	Olive Gray (5442)
12. DGR	
13. WET DENSITY (lb./ft ³)	
14. RIGIDNESS (mm)	
15. MATHIOM PROSITY (%)	
16. MATHIOM PROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

a. < 2 ₀ (%)	0.2	0.2	0.2	0.2	0.2
b. 2 ₀ to 4 ₀ (%)	38.4	38.4	38.4	38.4	38.4
c. 4 ₀ to 6 ₀ (%)	ME 7.80	ME 7.74	ME 8.40	ME 8.30	ME 8.30
d. 6 ₀ to 8 ₀ (%)	0.1	0.1	0.1	0.1	0.1
e. 8 ₀ to 10 ₀ (%)	0.2	0.2	0.2	0.2	0.2
f. 2 ₀ to 3 ₀ (%)	2	2	2	2	2
g. 3 ₀ to 4 ₀ (%)	28	28	20	22	22
h. 4 ₀ to 5 ₀ (%)	32	32	35	34	34
i. 5 ₀ to 6 ₀ (%)	38	37	43	42	42

20. SUBSAMPLE DRY WEIGHT (gm)	27.99	27.99	27.10	23.76	23.76
21. SPECIFICITY (avg.)					
22. MINERALOGY Plasticity	High	High	High	High	High
23. SUBSTRATE from 1560 11 Co.	0	0	0	0	0
24. DOMINANT MINERAL (%)					
25. SECONDARY MINERAL (%)					
26. OTHER MINERALS (%)					
27. REMARKS: Items 11-26 determined in the lab					

Sediment Type: Clayey Silt

THE COKE CONTAINED DARK STREAMS ONLY 0-10 AND 120-124 INCHES.

1. SAMPLE NUMBER	66-119-2 CONTINUED	5. SAMPLE TYPE	
2. LATITUDE		5. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3087		
10. SUBSAMPLE DEPTH IN CORE (m.)	96-98		
11. COLOR	Dark Gray (5Y 4/1)		
12. ODR			
13. WET DENSITY (lb./ft ³)			
14. RIDGEAGE (cm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. < 2 _φ (%)	100	CO ₂	CO ₂
b. -2 _φ to -1 _φ (%)	8.40	SH ₂	SH ₂
c. -1 _φ to 0 _φ (%)	2	MC	MC
d. 0 _φ to 1 _φ (%)	6.27	0.1	0.1
e. 1 _φ to 2 _φ (%)	0.1	0.3	0.3
f. 2 _φ to 3 _φ (%)			
g. 3 _φ to 4 _φ (%)	20	23	
h. 4 _φ to 5 _φ (%)	35	34	
i. 5 _φ to 6 _φ (%)	43	40	
j. > 6 _φ (%)	216	2414	
20. SUBSAMPLE DRY WEIGHT (gm)			
21. SPECIFICITY (avg.)			
22. plasticity plasticity	High	High	
23. shrinkage shrinkage	0	0	
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS:			

Sediment Type: Clayey Silt

1. SAMPLE NUMBER	66-120-1		
2. LATITUDE	44 13 22 N		
3. LONGITUDE	68 53 56 W		
4. DATE (day, month, year)	9 September 1969		
5. LABORATORY NUMBERS	4915		
6. WATER DEPTH (m.)	26.7		
7. COLOR	Olive Gray 8441		
8. ODR			
9. WET DENSITY (lb./ft ³)			
10. RIDGEAGE (cm)			
11. MAXIMUM POROSITY (%)			
12. MINIMUM POROSITY (%)			
13. WATER CONTENT (%)			
14. ORGANIC CARBON CONTENT (%)			
15. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. < 2 _φ (%)	100		
b. -2 _φ to -1 _φ (%)	SH ₂		
c. -1 _φ to 0 _φ (%)	MC	8.88	
d. 0 _φ to 1 _φ (%)	0.1	6.53	
e. 1 _φ to 2 _φ (%)	0.3		
f. 2 _φ to 3 _φ (%)			
g. 3 _φ to 4 _φ (%)			
h. 4 _φ to 5 _φ (%)			
i. 5 _φ to 6 _φ (%)			
j. > 6 _φ (%)			
20. SUBSAMPLE DRY WEIGHT (gm)			
21. SPECIFICITY (avg.)			
22. plasticity plasticity	High		
23. shrinkage shrinkage	0		
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS:	Items 11-22 determined in the lab		

Sediment Type: Clayey Silt

1. SAMPLE NUMBER	66-120-2				Kullenberg			
2. LATITUDE	44	13	22	N	6. WATER DEPTH (m.)	26.7		
3. LONGITUDE	68	53	56	W	7. CORE LENGTH (in.)	126		
4. DATE (day, month, year)	9 September 1959				8. CORE PENETRATION (in.)	134		
5. LABORATORY NUMBERS	4041				9. DATE (day, month, year)	4042	4043	4044
10. SUBSAMPLE DEPTH IN CORE (in.)	0-2				10. SUBSAMPLE DEPTH IN CORE (in.)	22-24	46-48	70-72
11. COLOR	Olive Gray 5141/2				11. COLOR	Olive Gray 5141/1	Olive Gray 5141/2	Olive Gray 5141/3
12. OTHER					12. OTHER			
13. WET DENSITY (lb./ft. ³)					13. WET DENSITY (lb./ft. ³)			
14. RIGIDITY (mm)					14. RIGIDITY (mm)			
15. MINIMUM POROSITY (%)					15. MINIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)					16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)					17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)					18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES					19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. < 2 _φ (%)	10 _φ	10 _φ	10 _φ	10 _φ	a. < 2 _φ (%)	10 _φ	10 _φ	10 _φ
b. -2 _φ to -1 _φ (%)	34 _φ	34 _φ	34 _φ	34 _φ	b. -2 _φ to -1 _φ (%)	34 _φ	34 _φ	34 _φ
c. -1 _φ to 0 _φ (%)	44 _φ	44 _φ	44 _φ	44 _φ	c. -1 _φ to 0 _φ (%)	44 _φ	44 _φ	44 _φ
d. 0 _φ to 1 _φ (%)	10 _φ	10 _φ	10 _φ	10 _φ	d. 0 _φ to 1 _φ (%)	10 _φ	10 _φ	10 _φ
e. 1 _φ to 2 _φ (%)	10 _φ	10 _φ	10 _φ	10 _φ	e. 1 _φ to 2 _φ (%)	10 _φ	10 _φ	10 _φ
f. 2 _φ to 3 _φ (%)	10 _φ	10 _φ	10 _φ	10 _φ	f. 2 _φ to 3 _φ (%)	10 _φ	10 _φ	10 _φ
g. 3 _φ to 4 _φ (%)	10 _φ	10 _φ	10 _φ	10 _φ	g. 3 _φ to 4 _φ (%)	10 _φ	10 _φ	10 _φ
h. 4 _φ to 5 _φ (%)	10 _φ	10 _φ	10 _φ	10 _φ	h. 4 _φ to 5 _φ (%)	10 _φ	10 _φ	10 _φ
i. 5 _φ to 6 _φ (%)	10 _φ	10 _φ	10 _φ	10 _φ	i. 5 _φ to 6 _φ (%)	10 _φ	10 _φ	10 _φ
j. > 6 _φ (%)	10 _φ	10 _φ	10 _φ	10 _φ	j. > 6 _φ (%)	10 _φ	10 _φ	10 _φ
20. SUBSAMPLE DRY WEIGHT (gm)	12.27	15.86	11.78	10.30	20. SUBSAMPLE DRY WEIGHT (gm)	12.27	15.86	10.30
21. SPECIFIC (avg.)	4.1	4.1	4.1	4.1	21. SPECIFIC (avg.)	4.1	4.1	4.1
22. MINERALOGY (avg.)	4.1	4.1	4.1	4.1	22. MINERALOGY (avg.)	4.1	4.1	4.1
23. MINERALOGY (from X-ray)	4.1	4.1	4.1	4.1	23. MINERALOGY (from X-ray)	4.1	4.1	4.1
24. DOMINANT MINERAL (%)	0	0	0	0	24. DOMINANT MINERAL (%)	0	0	0
25. SECONDARY MINERAL (%)					25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)					26. OTHER MINERALS (%)			
27. REMARKS: Items 11-26 determined in the lab					27. REMARKS: Items 11-26 determined in the lab			
	Numerous dark streaks in the first 46 inches.							

1. SAMPLE NUMBER	66-120-2 continued				5. SAMPLER TYPE			
2. LATITUDE					6. WATER DEPTH (m.)			
3. LONGITUDE					7. CORE LENGTH (in.)			
4. DATE (day, month, year)					8. CORE PENETRATION (in.)			
5. LABORATORY NUMBERS	4045				9. DATE (day, month, year)	4046	4047	4048
10. SUBSAMPLE DEPTH IN CORE (in.)	94-96				10. SUBSAMPLE DEPTH IN CORE (in.)	128-130	134-136	140-142
11. COLOR	Olive Gray 5141/1				11. COLOR	Olive Gray 5141/2	Olive Gray 5141/3	Olive Gray 5141/4
12. OTHER					12. OTHER			
13. WET DENSITY (lb./ft. ³)					13. WET DENSITY (lb./ft. ³)			
14. RIGIDITY (mm)					14. RIGIDITY (mm)			
15. MINIMUM POROSITY (%)					15. MINIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)					16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)					17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)					18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES					19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. < 2 _φ (%)	10 _φ	10 _φ	10 _φ	10 _φ	a. < 2 _φ (%)	10 _φ	10 _φ	10 _φ
b. -2 _φ to -1 _φ (%)	34 _φ	34 _φ	34 _φ	34 _φ	b. -2 _φ to -1 _φ (%)	34 _φ	34 _φ	34 _φ
c. -1 _φ to 0 _φ (%)	44 _φ	44 _φ	44 _φ	44 _φ	c. -1 _φ to 0 _φ (%)	44 _φ	44 _φ	44 _φ
d. 0 _φ to 1 _φ (%)	10 _φ	10 _φ	10 _φ	10 _φ	d. 0 _φ to 1 _φ (%)	10 _φ	10 _φ	10 _φ
e. 1 _φ to 2 _φ (%)	10 _φ	10 _φ	10 _φ	10 _φ	e. 1 _φ to 2 _φ (%)	10 _φ	10 _φ	10 _φ
f. 2 _φ to 3 _φ (%)	10 _φ	10 _φ	10 _φ	10 _φ	f. 2 _φ to 3 _φ (%)	10 _φ	10 _φ	10 _φ
g. 3 _φ to 4 _φ (%)	10 _φ	10 _φ	10 _φ	10 _φ	g. 3 _φ to 4 _φ (%)	10 _φ	10 _φ	10 _φ
h. 4 _φ to 5 _φ (%)	10 _φ	10 _φ	10 _φ	10 _φ	h. 4 _φ to 5 _φ (%)	10 _φ	10 _φ	10 _φ
i. 5 _φ to 6 _φ (%)	10 _φ	10 _φ	10 _φ	10 _φ	i. 5 _φ to 6 _φ (%)	10 _φ	10 _φ	10 _φ
j. > 6 _φ (%)	10 _φ	10 _φ	10 _φ	10 _φ	j. > 6 _φ (%)	10 _φ	10 _φ	10 _φ
20. SUBSAMPLE DRY WEIGHT (gm)	12.27	15.86	11.78	10.30	20. SUBSAMPLE DRY WEIGHT (gm)	12.27	15.86	10.30
21. SPECIFIC (avg.)	4.1	4.1	4.1	4.1	21. SPECIFIC (avg.)	4.1	4.1	4.1
22. MINERALOGY (avg.)	4.1	4.1	4.1	4.1	22. MINERALOGY (avg.)	4.1	4.1	4.1
23. MINERALOGY (from X-ray)	4.1	4.1	4.1	4.1	23. MINERALOGY (from X-ray)	4.1	4.1	4.1
24. DOMINANT MINERAL (%)	0	0	0	0	24. DOMINANT MINERAL (%)	0	0	0
25. SECONDARY MINERAL (%)					25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)					26. OTHER MINERALS (%)			
27. REMARKS: Items 11-26 determined in the lab					27. REMARKS: Items 11-26 determined in the lab			
	Numerous dark streaks in the first 46 inches.							

Sediment Type Clayey Silt Clayey Silt Clayey Silt

Sediment Type Clayey Silt Clayey Silt Clayey Silt

1. SAMPLE NUMBER	65-122-1	2. LATITUDE	44° 07' 39" N	3. LONGITUDE	69° 01' 58" W	4. DATE (day, month, year)	14 September, 1959	5. GRAVITY NUMBER	210	6. WATER DEPTH (m.)	25.0	7. COLOR	Olive Gray 5341
8. SUBSAMPLE DEPTH IN CORE (m.)		9. WATER DEPTH (m.)	52.4	10. CORE LENGTH (m.)	126	11. CORE PENETRATION (m.)	156	12. CORE NUMBER	3907	13. CORE DEPTH (m.)	48.50	14. CORE COLOR	Dark Yellowish Brown (1018 412)
15. MAXIMUM POROSITY (%)		16. MINIMUM POROSITY (%)		17. WATER CONTENT (%)		18. ORGANIC CARBON CONTENT (%)		19. SIZE ANALYSIS AND STATISTICAL MEASURES		20. SUBSAMPLE DRY WEIGHT (gm)	44.88	21. SPECIFICITY (ENR)	Plasticity
22. TEMPERATURE (°C)		23. SENSITIVE INDEX (mm)		24. DOMINANT MINERAL (%)		25. SECONDARY MINERAL (%)		26. OTHER MINERALS (%)		27. REMARKS	Items 11-26 determined in the lab	28. GRAVITY NUMBER	210
29. GRAVITY NUMBER		30. GRAVITY NUMBER		31. GRAVITY NUMBER		32. GRAVITY NUMBER		33. GRAVITY NUMBER		34. GRAVITY NUMBER		35. GRAVITY NUMBER	

The sample was composed of fine-grained siliceous crust with pebbles sand, silt and clay.

Sample was with 100

1. SAMPLE NUMBER	65-123-1	2. LATITUDE	52° 41' 26.1	3. LONGITUDE	69° 01' 52.4	4. DATE (day, month, year)	14 SEPTEMBER 1959	5. GRAVITY NUMBER	3906	6. WATER DEPTH (m.)	48.50	7. CORE LENGTH (m.)	126	8. CORE PENETRATION (m.)	156	9. GRAVITY NUMBER	3907	10. SUBSAMPLE DEPTH IN CORE (m.)	0-2	11. CORE COLOR	Dark Yellowish Brown (1018 412)																										
12. CORE NUMBER		13. CORE DEPTH (m.)	48.50	14. CORE COLOR	Dark Yellowish Brown (1018 412)	15. MAXIMUM POROSITY (%)		16. MINIMUM POROSITY (%)		17. WATER CONTENT (%)		18. ORGANIC CARBON CONTENT (%)		19. SIZE ANALYSIS AND STATISTICAL MEASURES																																	
														20. SUBSAMPLE DRY WEIGHT (gm)	18.24	21. SPECIFICITY (ENR)	High	22. TEMPERATURE (°C)	High	23. SENSITIVE INDEX (mm)	0	24. DOMINANT MINERAL (%)	0	25. SECONDARY MINERAL (%)		26. OTHER MINERALS (%)		27. REMARKS	ITEMS 11-26 DETERMINED IN THE LAB	28. GRAVITY NUMBER	3907																
														29. GRAVITY NUMBER		30. GRAVITY NUMBER		31. GRAVITY NUMBER		32. GRAVITY NUMBER		33. GRAVITY NUMBER		34. GRAVITY NUMBER		35. GRAVITY NUMBER		36. GRAVITY NUMBER		37. GRAVITY NUMBER		38. GRAVITY NUMBER		39. GRAVITY NUMBER		40. GRAVITY NUMBER		41. GRAVITY NUMBER		42. GRAVITY NUMBER		43. GRAVITY NUMBER		44. GRAVITY NUMBER		45. GRAVITY NUMBER	

Are streams were scattered throughout the core.

Core appears uniform

SEDIMENT TYPE

SEDIMENT TYPE

SEDIMENT TYPE

1. SAMPLE NUMBER	66-123-1; CONTINUED	5. SAMPLER TYPE
2. LATITUDE		5. WATER DEPTH (m.)
3. LONGITUDE		7. CORE LENGTH (m.)
4. DATE (Day, month, year)		8. CORE PENETRATION (m.)
9. LABORATORY NUMBERS	3910	3911
10. SUBSAMPLER DEPTH IN CORE (m.)	96-98	124-126
11. COLOR	Brown (10H 4/2)	Dark Yellowish Brown (10H 4/2)
12. ODOR		
13. WET DENSITY (N./H ³)		
14. RIGIDITY (mm)		
15. MAXIMUM POROSITY (%)		
16. MINIMUM POROSITY (%)		
17. WATER CONTENT (%)		
18. ORGANIC CARBON CONTENT (%)		
19. SIZE ANALYSIS AND STATISTICAL MEASURES		
a. < 2 ₅ (%)	CO ₂	CO ₂
b. -2 ₅ to -1 ₀ (%)	SK ₂	SK ₂
c. -1 ₀ to 0 ₁₀ (%)	ME ₂	ME ₂
d. 0 ₁₀ to 1 ₀ (%)	1	1
e. 1 ₀ to 2 ₅ (%)	0 ₁ , 6.44	0 ₁ , 6.51
f. 2 ₅ to 3 ₀ (%)	0 ₂	0 ₂
g. 3 ₀ to 4 ₀ (%)	19	18
h. 4 ₀ to 5 ₀ (%)	38	38
i. 5 ₀ to 9 ₀ (%)	42	43
j. > 9 ₀ (%)	16.36	24.66
20. SUBSAMPLE DRY WEIGHT (mg)		
21. SPHERICITY (mg)		
22. PLASTICITY (mg)		
23. SPREAD-THINNESS (mm)		
24. DIFFRACT MINERAL (%)		
25. SECONDARY MINERAL (%)		
26. OTHER MINERALS (%)		
REMARKS:		

1. SAMPLE NUMBER	66-124-1
2. LATITUDE	49° 10' 19" N
3. LONGITUDE	69° 01' 45" W
4. DATE (Day, month, year)	14 September 1969
5. B. LABORATORY NUMBERS	44017
6. WATER DEPTH (m.)	29.5
7. COLOR	
8. DOOR	
9. WET DENSITY (lb./ft ³)	
10. RESIDUE (%)	
11. MAXIMUM POROSITY (%)	
12. MINIMUM POROSITY (%)	
13. WATER CONTENT (%)	
14. ORGANIC CARBON CONTENT (%)	
15. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. Σd_n^2 (%)	58.
b. Σd_n to ∞ (%)	86.8
c. Σd_n to d_{10} (%)	0.1
d. d_{10} to d_{40} (%)	106
e. d_{40} to d_{60} (%)	8
f. d_{60} to d_{100} (%)	9
g. Σd_n to d_0 (%)	44
h. d_0 to d_{60} (%)	45
i. d_0 to d_{10} (%)	
j. Φ_0 (%)	
16. SUBSAMPLING DEPTH (cm)	22.02
17. SPECIFICITY (ppm.)	
18. Σ	
19. Σ	
20. SUBSAMPLING DEPTH (cm)	
21. SPECIFICITY (ppm.)	
22. Σ	
23. Σ	
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT

Sediment Type	Clayey Silt
---------------	-------------

1. SAMPLE NUMBER	66-24-2	5. SAMPLER TYPE	KULLENBERG
2. LATITUDE	44° 10' 19" N	6. WATER DEPTH (m.)	25.3
3. LONGITUDE	69° 01' 45" W	7. CORE LENGTH (m.)	126
4. DATE (day, month, year)	14 SEPTEMBER 1959	8. CORE PENETRATION (m.)	144
9. LABORATORY NUMBERS	3912	9. CORE PENETRATION (m.)	3913
10. SUBSAMPLE DEPTH IN CORE (m.)	0-2	10. SUBSAMPLE DEPTH IN CORE (m.)	41-50
11. CORE	DRY GRAY (51% 42)	11. CORE	Dark Humman Brown (10% 42)
12. OTHER		12. OTHER	
13. NET DENSITY (m./m ³)		13. NET DENSITY (m./m ³)	
14. RIGIDITY (m)		14. RIGIDITY (m)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. < 2 (5)	0.5	0.5	0.5
b. 2 to 10 (5)	54	54	54
c. 10 to 50 (5)	859	859	870
d. 50 to 100 (5)	0.1	0.1	0.1
e. 100 to 200 (5)	206	206	207
f. 200 to 300 (5)			
g. 300 to 400 (5)			
h. 400 to 500 (5)			
i. 500 to 600 (5)			
j. 600 to 700 (5)			
k. 700 to 800 (5)			
l. 800 to 900 (5)			
m. 900 to 1000 (5)			
n. 1000 to 1100 (5)			
o. 1100 to 1200 (5)			
p. 1200 to 1300 (5)			
q. 1300 to 1400 (5)			
r. 1400 to 1500 (5)			
s. 1500 to 1600 (5)			
t. 1600 to 1700 (5)			
u. 1700 to 1800 (5)			
v. 1800 to 1900 (5)			
w. 1900 to 2000 (5)			
x. 2000 to 2100 (5)			
y. 2100 to 2200 (5)			
z. 2200 to 2300 (5)			
aa. 2300 to 2400 (5)			
ab. 2400 to 2500 (5)			
ac. 2500 to 2600 (5)			
ad. 2600 to 2700 (5)			
ae. 2700 to 2800 (5)			
af. 2800 to 2900 (5)			
ag. 2900 to 3000 (5)			
ah. 3000 to 3100 (5)			
ai. 3100 to 3200 (5)			
aj. 3200 to 3300 (5)			
ak. 3300 to 3400 (5)			
al. 3400 to 3500 (5)			
am. 3500 to 3600 (5)			
an. 3600 to 3700 (5)			
ao. 3700 to 3800 (5)			
ap. 3800 to 3900 (5)			
aq. 3900 to 4000 (5)			
ar. 4000 to 4100 (5)			
as. 4100 to 4200 (5)			
at. 4200 to 4300 (5)			
au. 4300 to 4400 (5)			
av. 4400 to 4500 (5)			
aw. 4500 to 4600 (5)			
ax. 4600 to 4700 (5)			
ay. 4700 to 4800 (5)			
az. 4800 to 4900 (5)			
ba. 4900 to 5000 (5)			
bb. 5000 to 5100 (5)			
bc. 5100 to 5200 (5)			
bd. 5200 to 5300 (5)			
be. 5300 to 5400 (5)			
bf. 5400 to 5500 (5)			
bg. 5500 to 5600 (5)			
bh. 5600 to 5700 (5)			
bi. 5700 to 5800 (5)			
bj. 5800 to 5900 (5)			
bk. 5900 to 6000 (5)			
bl. 6000 to 6100 (5)			
bm. 6100 to 6200 (5)			
bn. 6200 to 6300 (5)			
bo. 6300 to 6400 (5)			
bp. 6400 to 6500 (5)			
bq. 6500 to 6600 (5)			
br. 6600 to 6700 (5)			
bs. 6700 to 6800 (5)			
bt. 6800 to 6900 (5)			
bu. 6900 to 7000 (5)			
bv. 7000 to 7100 (5)			
bw. 7100 to 7200 (5)			
bx. 7200 to 7300 (5)			
by. 7300 to 7400 (5)			
bz. 7400 to 7500 (5)			
ca. 7500 to 7600 (5)			
cb. 7600 to 7700 (5)			
cc. 7700 to 7800 (5)			
cd. 7800 to 7900 (5)			
ce. 7900 to 8000 (5)			
cf. 8000 to 8100 (5)			
cg. 8100 to 8200 (5)			
ch. 8200 to 8300 (5)			
ci. 8300 to 8400 (5)			
cj. 8400 to 8500 (5)			
ck. 8500 to 8600 (5)			
cl. 8600 to 8700 (5)			
cm. 8700 to 8800 (5)			
cn. 8800 to 8900 (5)			
co. 8900 to 9000 (5)			
cp. 9000 to 9100 (5)			
cq. 9100 to 9200 (5)			
cr. 9200 to 9300 (5)			
cs. 9300 to 9400 (5)			
ct. 9400 to 9500 (5)			
cu. 9500 to 9600 (5)			
cv. 9600 to 9700 (5)			
cw. 9700 to 9800 (5)			
cx. 9800 to 9900 (5)			
cy. 9900 to 10000 (5)			

FIGURES 11-26 DETERMINED IN THE LAB.
THE CORE CONTAINED HEAVY DARK STREAKS IN THE FIRST 21 INCHES
18" color change
28-108" area of soft mud.

SEDIMENT TYPE CLAYEY SILT CLAYEY SILT CLAYEY SILT

1. SAMPLE NUMBER	66-24-2	5. SAMPLER TYPE	CMUT
2. LATITUDE		6. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3915	9. CORE PENETRATION (m.)	3917
10. SUBSAMPLE DEPTH IN CORE (m.)	72-74	10. SUBSAMPLE DEPTH IN CORE (m.)	79-82
11. CORE	Dark Humman Brown (10% 42)	11. CORE	Dark Humman Brown (10% 42)
12. OTHER		12. OTHER	
13. NET DENSITY (m./m ³)		13. NET DENSITY (m./m ³)	
14. RIGIDITY (m)		14. RIGIDITY (m)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. < 2 (5)	0.5	0.5	0.5
b. 2 to 10 (5)	54	54	54
c. 10 to 50 (5)	885	885	885
d. 50 to 100 (5)	0.1	0.1	0.1
e. 100 to 200 (5)	699	699	708
f. 200 to 300 (5)			
g. 300 to 400 (5)			
h. 400 to 500 (5)			
i. 500 to 600 (5)			
j. 600 to 700 (5)			
k. 700 to 800 (5)			
l. 800 to 900 (5)			
m. 900 to 1000 (5)			
n. 1000 to 1100 (5)			
o. 1100 to 1200 (5)			
p. 1200 to 1300 (5)			
q. 1300 to 1400 (5)			
r. 1400 to 1500 (5)			
s. 1500 to 1600 (5)			
t. 1600 to 1700 (5)			
u. 1700 to 1800 (5)			
v. 1800 to 1900 (5)			
w. 1900 to 2000 (5)			
x. 2000 to 2100 (5)			
y. 2100 to 2200 (5)			
z. 2200 to 2300 (5)			
aa. 2300 to 2400 (5)			
ab. 2400 to 2500 (5)			
ac. 2500 to 2600 (5)			
ad. 2600 to 2700 (5)			
ae. 2700 to 2800 (5)			
af. 2800 to 2900 (5)			
ag. 2900 to 3000 (5)			
ah. 3000 to 3100 (5)			
ai. 3100 to 3200 (5)			
aj. 3200 to 3300 (5)			
ak. 3300 to 3400 (5)			
al. 3400 to 3500 (5)			
am. 3500 to 3600 (5)			
an. 3600 to 3700 (5)			
ao. 3700 to 3800 (5)			
ap. 3800 to 3900 (5)			
aq. 3900 to 4000 (5)			
ar. 4000 to 4100 (5)			
as. 4100 to 4200 (5)			
at. 4200 to 4300 (5)			
au. 4300 to 4400 (5)			
av. 4400 to 4500 (5)			
aw. 4500 to 4600 (5)			
ax. 4600 to 4700 (5)			
ay. 4700 to 4800 (5)			
az. 4800 to 4900 (5)			
ba. 4900 to 5000 (5)			
bb. 5000 to 5100 (5)			
bc. 5100 to 5200 (5)			
bd. 5200 to 5300 (5)			
be. 5300 to 5400 (5)			
bf. 5400 to 5500 (5)			
bg. 5500 to 5600 (5)			
bh. 5600 to 5700 (5)			
bi. 5700 to 5800 (5)			
bj. 5800 to 5900 (5)			
bk. 5900 to 6000 (5)			
bl. 6000 to 6100 (5)			
bm. 6100 to 6200 (5)			
bn. 6200 to 6300 (5)			
bo. 6300 to 6400 (5)			
bp. 6400 to 6500 (5)			
bq. 6500 to 6600 (5)			
br. 6600 to 6700 (5)			
bs. 6700 to 6800 (5)			
bt. 6800 to 6900 (5)			
bu. 6900 to 7000 (5)			
bv. 7000 to 7100 (5)			
bw. 7100 to 7200 (5)			
bx. 7200 to 7300 (5)			
by. 7300 to 7400 (5)			
bz. 7400 to 7500 (5)			
ca. 7500 to 7600 (5)			
cb. 7600 to 7700 (5)			
cc. 7700 to 7800 (5)			
cd. 7800 to 7900 (5)			
ce. 7900 to 8000 (5)			
cf. 8000 to 8100 (5)			
cg. 8100 to 8200 (5)			
ch. 8200 to 8300 (5)			
ci. 8300 to 8400 (5)			
cj. 8400 to 8500 (5)			
ck. 8500 to 8600 (5)			
cl. 8600 to 8700 (5)			
cm. 8700 to 8800 (5)			
cn. 8800 to 8900 (5)			
co. 8900 to 9000 (5)			
cp. 9000 to 9100 (5)			
cq. 9100 to 9200 (5)			
cr. 9200 to 9300 (5)			
cs. 9300 to 9400 (5)			
ct. 9400 to 9500 (5)			
cu. 9500 to 9600 (5)			
cv. 9600 to 9700 (5)			
cw. 9700 to 9800 (5)			
cx. 9800 to 9900 (5)			
cy. 9900 to 10000 (5)			

* ARMY AREA STREAMS IN SAMPLE.

SEDIMENT TYPE CLAYEY SILT CLAYEY SILT CLAYEY SILT

1. SAMPLE NUMBER	66-124-2 - CONT
2. LATITUDE	44° 13' 24" N
3. LONGITUDE	69° 01' 31" W
4. DATE (Day, month, year)	14 September 1969
5. LABORATORY NUMBERS	5989 *
6. SUBSAMPLE DEPTH IN CORE (m.)	122 - 126
7. CORE LENGTH (m.)	Blue Green (56 41)
8. CORE PENETRATION (m.)	
9. DATE (Day, month, year)	
10. SUBSAMPLE DEPTH IN CORE (m.)	
11. COLOR	
12. DOOR	
13. NET DENSITY (lb./ft ³)	
14. RIGIDITY (cm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. x_1 to x_6 (%)	0 ₁ , 1.84
b. x_7 to x_{10} (%)	5 ₁ , 40.16
c. x_{11} to x_{14} (%)	10 ₁ , 524
d. x_{15} to x_{18} (%)	15 ₁ , 3.56
e. x_{19} to x_{22} (%)	20 ₁ , 7.90
f. x_{23} to x_{26} (%)	25 ₁ , 9
g. x_{27} to x_{30} (%)	30 ₁ , 22
h. x_{31} to x_{34} (%)	35 ₁ , 20
i. x_{35} to x_{38} (%)	40 ₁ , 21
j. x_{39} to x_{42} (%)	45 ₁ , 23
20. SUBSAMPLE DRY WEIGHT (gm)	33.87
21. SPECIFIC (gpc)	
22. MINIMUM PLASTICITY	11.01
23. SUBSAMPLE DEPTH $\frac{100}{\text{Plasticity}}$	0
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS:	Items 11-26 determined in the lab

SEDIMENT TYPE: CLAYEY SILT

1. SAMPLE NUMBER	66-126-1
2. LATITUDE	44° 13' 24" N
3. LONGITUDE	69° 01' 31" W
4. DATE (Day, month, year)	14 September 1969
5. LABORATORY NUMBERS	4918
6. SUBSAMPLE DEPTH IN CORE (m.)	126.7
7. CORE LENGTH (m.)	
8. CORE PENETRATION (m.)	
9. DATE (Day, month, year)	
10. SUBSAMPLE DEPTH IN CORE (m.)	
11. COLOR	Olive Gray 5141, Olive Black 6211
12. DOOR	foul
13. NET DENSITY (lb./ft ³)	
14. RIGIDITY (cm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. x_1 to x_6 (%)	0 ₁ , 1.84
b. x_7 to x_{10} (%)	5 ₁ , 40.16
c. x_{11} to x_{14} (%)	10 ₁ , 524
d. x_{15} to x_{18} (%)	15 ₁ , 3.56
e. x_{19} to x_{22} (%)	20 ₁ , 7.90
f. x_{23} to x_{26} (%)	25 ₁ , 9
g. x_{27} to x_{30} (%)	30 ₁ , 22
h. x_{31} to x_{34} (%)	35 ₁ , 20
i. x_{35} to x_{38} (%)	40 ₁ , 21
j. x_{39} to x_{42} (%)	45 ₁ , 23
20. SUBSAMPLE DRY WEIGHT (gm)	33.87
21. SPECIFIC (gpc)	
22. MINIMUM PLASTICITY	11.01
23. SUBSAMPLE DEPTH $\frac{100}{\text{Plasticity}}$	0
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS:	Items 11-26 determined in the lab

SEDIMENT TYPE: Silty Mud

1. SAMPLE NUMBER	66-126-2
2. LATITUDE	44° 13' 24" N
3. LONGITUDE	69° 01' 31" W
4. DATE (Day, month, year)	14 September 1969
5. LABORATORY NUMBERS	5912 *
6. SUBSAMPLE DEPTH IN CORE (m.)	12 - 214
7. CORE LENGTH (m.)	214 - 5 1/2
8. CORE PENETRATION (m.)	5 1/2 - 8 1/2
9. DATE (Day, month, year)	
10. SUBSAMPLE DEPTH IN CORE (m.)	
11. COLOR	Dark Greenish (56 41)
12. DOOR	
13. NET DENSITY (lb./ft ³)	
14. RIGIDITY (cm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. x_1 to x_6 (%)	0 ₁ , 1.84
b. x_7 to x_{10} (%)	5 ₁ , 40.16
c. x_{11} to x_{14} (%)	10 ₁ , 524
d. x_{15} to x_{18} (%)	15 ₁ , 3.56
e. x_{19} to x_{22} (%)	20 ₁ , 7.90
f. x_{23} to x_{26} (%)	25 ₁ , 9
g. x_{27} to x_{30} (%)	30 ₁ , 22
h. x_{31} to x_{34} (%)	35 ₁ , 20
i. x_{35} to x_{38} (%)	40 ₁ , 21
j. x_{39} to x_{42} (%)	45 ₁ , 23
20. SUBSAMPLE DRY WEIGHT (gm)	33.87
21. SPECIFIC (gpc)	
22. MINIMUM PLASTICITY	11.01
23. SUBSAMPLE DEPTH $\frac{100}{\text{Plasticity}}$	0
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS:	Items 11-26 determined in the lab

SEDIMENT TYPE: CLAYEY SILT

1. SAMPLE NUMBER		66-126-2 : CONTINUED	
2. LATITUDE	3. LONGITUDE	4. DATE (day, month, year)	5. SAMPLER TYPE
6. WATER DEPTH (m.)	7. CORE LENGTH (m.)	8. CORE PENETRATION (m.)	9. CORE PENETRATION (m.)
10. SUSPENDED SOLIDS	11. SUSPENDED SOLIDS	12. COLOR	13. WET DENSITY (kg./cc)
14. RICE GRAIN (%)	15. MAXIMUM PROSODITY (%)	16. MINIMUM PROSODITY (%)	17. WATER CONTENT (%)
18. ORGANIC CARBON CONTENT (%)	19. SIZE ANALYSIS AND STATISTICAL MEASURE	20. SUSPENDED SOLID WEIGHT (mg)	21. SPECIFICITY (avg.)
22. SHAPE TEST (mm, Size, Color)	23. SECONDARY MINERAL (%)	24. DOMINANT MINERAL (%)	25. OTHER MINERALS (%)
26. OTHER MINERALS (%)	27. REMARKS		

1. SAMPLE NUMBER	5. SAMPLER TYPE			
66-126-2 CONTINUED				
2. LATITUDE	3. WATER DEPTH (m.)			
3. LONGITUDE	7. CORE LENGTH (m.)			
4. DATE (Day, month, year)	8. CORE PENETRATION (m.)			
9. LABORATORY NUMBERS	3720*			
10. SUBSURFACE DEPTH IN CORE (m.)	3720*			
11. COLOR	91-94			
	Medium Blue Gray			
	Mg			
12. DOOR	75-77			
13. NET DENSITY (lb./ft. ³)	Medium Blue Gray			
14. RICHDOSE (mm)	Mg			
15. MAXIMUM POROSITY (%)				
16. MINIMUM POROSITY (%)				
17. WATER CONTENT (%)				
18. DRYING CARGO CONTENT (%)				
19. SITE ANALYSIS AND STATISTICAL MEASURES				
a. $\bar{x} \pm s_2$ (5)	10.	10.	10.	10.
b. -2, to -1, (5)	5 ₁	1	5 ₂	5 ₁ 5 ₂
c. -1, to 0, (5)	Ms. 7.00	1	Ms. 7.13	Ms. 5.25
d. 0, to 1, (5)	1	1	0.1 5.10	0.1 3.92
e. 1, to 2, (5)	0 ₁	1	0 ₂	0.1 8.10
f. 2, to 3, (5)	1	1	1	9
g. 3, to 4, (5)	3	7	7	22
h. 4, to 5, (5)	24	26	29	19
i. 5, to 6, (5)	35	39	34	21
j. 6, (5)	58	34	35	44.41
20. SURFACE DRY WEIGHT (mg)	2.69	35.53		
21. SPECIFICITY (mg.)				
22. $\frac{\text{Hemoglobin} \times \text{Hemoglobin}}{\text{Hemoglobin} \times \text{Hemoglobin}}$	High	High		
23. SURFACE TENSILE (cm. Shell cm.)	0	0		
24. DRYHEAT MINERAL (%)				
25. SECONDARY MINERAL (%)				
26. OTHER MINERALS (%)				
REMARKS:				

SEMENT TYPE	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT

SEDIMENT TYPE			
	CLAYEY SILT	CLAYEY SILT	SILT/ MUD

1. SAMPLE NUMBER	66-127-1	5. SAMPLER TYPE	MULLERBERG
2. LATITUDE	44° 13' 18" N	5. WATER DEPTH (m.)	29.2
3. LONGITUDE	68° 59' 46" W	7. CORE LENGTH (m.)	126
4. DATE (mo., month, year)	SEPTEMBER 1959	8. CORE PRESERVATION (m.)	156
9. LABORATORY NUMBERS	3833 #		
10. SUBSAMPLE DEPTH IN CORE (m.)	0-2		
11. COLOR	White Gray (SV 4)		
12. DOOR			
13. WET DENSITY (lb./ft ³)			
14. RIGIDITY (cm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SITE ANALYSIS AND STATISTICAL MEASURES			
a. $\bar{x} \pm 2s$ (%)			
b. $\bar{x} \pm 2s$ to $-1s$ (%)			
c. $-1s$ to $0s$ (%)			
d. $0s$ to $1s$ (%)			
e. $1s$ to $2s$ (%)			
f. $2s$ to $3s$ (%)			
g. $3s$ to $4s$ (%)			
h. $4s$ to $5s$ (%)			
i. $5s$ to $6s$ (%)			
j. $6s$ to $7s$ (%)			
k. $7s$ to $8s$ (%)			
l. $8s$ to $9s$ (%)			
m. $9s$ to $10s$ (%)			
n. $10s$ to $11s$ (%)			
o. $11s$ to $12s$ (%)			
p. $12s$ to $13s$ (%)			
q. $13s$ to $14s$ (%)			
r. $14s$ to $15s$ (%)			
s. $15s$ to $16s$ (%)			
t. $16s$ to $17s$ (%)			
u. $17s$ to $18s$ (%)			
v. $18s$ to $19s$ (%)			
w. $19s$ to $20s$ (%)			
x. $20s$ to $21s$ (%)			
y. $21s$ to $22s$ (%)			
z. $22s$ to $23s$ (%)			
aa. $23s$ to $24s$ (%)			
ab. $24s$ to $25s$ (%)			
ac. $25s$ to $26s$ (%)			
ad. $26s$ to $27s$ (%)			
ae. $27s$ to $28s$ (%)			
af. $28s$ to $29s$ (%)			
ag. $29s$ to $30s$ (%)			
ah. $30s$ to $31s$ (%)			
ai. $31s$ to $32s$ (%)			
aj. $32s$ to $33s$ (%)			
ak. $33s$ to $34s$ (%)			
al. $34s$ to $35s$ (%)			
am. $35s$ to $36s$ (%)			
an. $36s$ to $37s$ (%)			
ao. $37s$ to $38s$ (%)			
ap. $38s$ to $39s$ (%)			
aq. $39s$ to $40s$ (%)			
ar. $40s$ to $41s$ (%)			
as. $41s$ to $42s$ (%)			
at. $42s$ to $43s$ (%)			
au. $43s$ to $44s$ (%)			
av. $44s$ to $45s$ (%)			
aw. $45s$ to $46s$ (%)			
ax. $46s$ to $47s$ (%)			
ay. $47s$ to $48s$ (%)			
az. $48s$ to $49s$ (%)			
ba. $49s$ to $50s$ (%)			
bb. $50s$ to $51s$ (%)			
bc. $51s$ to $52s$ (%)			
bd. $52s$ to $53s$ (%)			
be. $53s$ to $54s$ (%)			
bf. $54s$ to $55s$ (%)			
bg. $55s$ to $56s$ (%)			
bh. $56s$ to $57s$ (%)			
bi. $57s$ to $58s$ (%)			
bj. $58s$ to $59s$ (%)			
bk. $59s$ to $60s$ (%)			
bl. $60s$ to $61s$ (%)			
bm. $61s$ to $62s$ (%)			
bn. $62s$ to $63s$ (%)			
bo. $63s$ to $64s$ (%)			
bp. $64s$ to $65s$ (%)			
bq. $65s$ to $66s$ (%)			
br. $66s$ to $67s$ (%)			
bs. $67s$ to $68s$ (%)			
bt. $68s$ to $69s$ (%)			
bu. $69s$ to $70s$ (%)			
bv. $70s$ to $71s$ (%)			
bw. $71s$ to $72s$ (%)			
bx. $72s$ to $73s$ (%)			
by. $73s$ to $74s$ (%)			
bz. $74s$ to $75s$ (%)			
ca. $75s$ to $76s$ (%)			
cb. $76s$ to $77s$ (%)			
cc. $77s$ to $78s$ (%)			
cd. $78s$ to $79s$ (%)			
ce. $79s$ to $80s$ (%)			
cf. $80s$ to $81s$ (%)			
cg. $81s$ to $82s$ (%)			
ch. $82s$ to $83s$ (%)			
ci. $83s$ to $84s$ (%)			
cj. $84s$ to $85s$ (%)			
ck. $85s$ to $86s$ (%)			
cl. $86s$ to $87s$ (%)			
cm. $87s$ to $88s$ (%)			
cn. $88s$ to $89s$ (%)			
co. $89s$ to $90s$ (%)			
cp. $90s$ to $91s$ (%)			
cq. $91s$ to $92s$ (%)			
cr. $92s$ to $93s$ (%)			
cs. $93s$ to $94s$ (%)			
ct. $94s$ to $95s$ (%)			
cu. $95s$ to $96s$ (%)			
cv. $96s$ to $97s$ (%)			
cw. $97s$ to $98s$ (%)			
cx. $98s$ to $99s$ (%)			
cy. $99s$ to $100s$ (%)			
ca. $100s$ to $101s$ (%)			
cb. $101s$ to $102s$ (%)			
cc. $102s$ to $103s$ (%)			
cd. $103s$ to $104s$ (%)			
ce. $104s$ to $105s$ (%)			
cf. $105s$ to $106s$ (%)			
cg. $106s$ to $107s$ (%)			
ch. $107s$ to $108s$ (%)			
ci. $108s$ to $109s$ (%)			
cj. $109s$ to $110s$ (%)			
ck. $110s$ to $111s$ (%)			
cl. $111s$ to $112s$ (%)			
cm. $112s$ to $113s$ (%)			
cn. $113s$ to $114s$ (%)			
co. $114s$ to $115s$ (%)			
cp. $115s$ to $116s$ (%)			
cq. $116s$ to $117s$ (%)			
cr. $117s$ to $118s$ (%)			
cs. $118s$ to $119s$ (%)			
ct. $119s$ to $120s$ (%)			
cu. $120s$ to $121s$ (%)			
cv. $121s$ to $122s$ (%)			
cw. $122s$ to $123s$ (%)			
cx. $123s$ to $124s$ (%)			
cy. $124s$ to $125s$ (%)			
ca. $125s$ to $126s$ (%)			
cb. $126s$ to $127s$ (%)			
cc. $127s$ to $128s$ (%)			
cd. $128s$ to $129s$ (%)			
ce. $129s$ to $130s$ (%)			
cf. $130s$ to $131s$ (%)			
cg. $131s$ to $132s$ (%)			
ch. $132s$ to $133s$ (%)			
ci. $133s$ to $134s$ (%)			
cj. $134s$ to $135s$ (%)			
ck. $135s$ to $136s$ (%)			
cl. $136s$ to $137s$ (%)			
cm. $137s$ to $138s$ (%)			
cn. $138s$ to $139s$ (%)			
co. $139s$ to $140s$ (%)			
cp. $140s$ to $141s$ (%)			
cq. $141s$ to $142s$ (%)			
cr. $142s$ to $143s$ (%)			
cs. $143s$ to $144s$ (%)			
ct. $144s$ to $145s$ (%)			
cu. $145s$ to $146s$ (%)			
cv. $146s$ to $147s$ (%)			
cw. $147s$ to $148s$ (%)			
cx. $148s$ to $149s$ (%)			
cy. $149s$ to $150s$ (%)			
ca. $150s$ to $151s$ (%)			
cb. $151s$ to $152s$ (%)			
cc. $152s$ to $153s$ (%)			
cd. $153s$ to $154s$ (%)			
ce. $154s$ to $155s$ (%)			
cf. $155s$ to $156s$ (%)			
cg. $156s$ to $157s$ (%)			
ch. $157s$ to $158s$ (%)			
ci. $158s$ to $159s$ (%)			
cj. $159s$ to $160s$ (%)			
ck. $160s$ to $161s$ (%)			
cl. $161s$ to $162s$ (%)			
cm. $162s$ to $163s$ (%)			
cn. $163s$ to $164s$ (%)			
co. $164s$ to $165s$ (%)			
cp. $165s$ to $166s$ (%)			
cq. $166s$ to $167s$ (%)			
cr. $167s$ to $168s$ (%)			
cs. $168s$ to $169s$ (%)			
ct. $169s$ to $170s$ (%)			
cu. $170s$ to $171s$ (%)			
cv. $171s$ to $172s$ (%)			
cw. $172s$ to $173s$ (%)			
cx. $173s$ to $174s$ (%)			
cy. $174s$ to $175s$ (%)			
ca. $175s$ to $176s$ (%)			
cb. $176s$ to $177s$ (%)			
cc. $177s$ to $178s$ (%)			
cd. $178s$ to $179s$ (%)			
ce. $179s$ to $180s$ (%)			
cf. $180s$ to $181s$ (%)			
cg. $181s$ to $182s$ (%)			
ch. $182s$ to $183s$ (%)			
ci. $183s$ to $184s$ (%)			
cj. $184s$ to $185s$ (%)			
ck. $185s$ to $186s$ (%)			
cl. $186s$ to $187s$ (%)			
cm. $187s$ to $188s$ (%)			
cn. $188s$ to $189s$ (%)			
co. $189s$ to $190s$ (%)			
cp. $190s$ to $191s$ (%)			
cq. $191s$ to $192s$ (%)			
cr. $192s$ to $193s$ (%)			
cs. $193s$ to $194s$ (%)			
ct. $194s$ to $195s$ (%)			
cu. $195s$ to $196s$ (%)			
cv. $196s$ to $197s$ (%)			
cw. $197s$ to $198s$ (%)			
cx. $198s$ to $199s$ (%)			
cy. $199s$ to $200s$ (%)			
ca. $200s$ to $201s$ (%)			
cb. $201s$ to $202s$ (%)			
cc. $202s$ to $203s$ (%)			
cd. $203s$ to $204s$ (%)			
ce. $204s$ to $205s$ (%)			
cf. $205s$ to $206s$ (%)			
cg. $206s$ to $207s$ (%)			
ch. $207s$ to $208s$ (%)			
ci. $208s$ to $209s$ (%)			
cj. $209s$ to $210s$ (%)			
ck. $210s$ to $211s$ (%)			
cl. $211s$ to $212s$ (%)			
cm. $212s$ to $213s$ (%)			
cn. $213s$ to $214s$ (%)			
co. $214s$ to $215s$ (%)			
cp. $215s$ to $216s$ (%)			
cq. $216s$ to $217s$ (%)			
cr. $217s$ to $218s$ (%)			
cs. $218s$ to $219s$ (%)			
ct. $219s$ to $220s$ (%)			
cu. $220s$ to $221s$ (%)			
cv. $221s$ to $222s$ (%)			
cw. $222s$ to $223s$ (%)			
cx. $223s$ to $224s$ (%)			
cy. $224s$ to $225s$ (%)			
ca. $225s$ to $226s$ (%)			
cb. $226s$ to $227s$ (%)			
cc. $227s$ to $228s$ (%)			
cd. $228s$ to $229s$ (%)			
ce. $229s$ to $230s$ (%)			
cf. $230s$ to $231s$ (%)			
cg. $231s$ to $232s$ (%)			
ch. $232s$ to $233s$ (%)			
ci. $233s$ to $234s$ (%)			
cj. $234s$ to $235s$ (%)			
ck. $235s$ to $236s$ (%)			
cl. $236s$ to $237s$ (%)			
cm. $237s$ to $238s$ (%)			
cn. $238s$ to $239s$ (%)			
co. $239s$ to $240s$ (%)			
cp. $240s$ to $241s$ (%)			
cq. $241s$ to $242s$ (%)			
cr. $242s$ to $243s$ (%)			
cs. $243s$ to $244s$ (%)			
ct. $244s$ to $245s$ (%)			
cu. $245s$ to $246s$ (%)			
cv. $246s$ to $247s$ (%)			
cw. $247s$ to $248s$ (%)			
cx. $248s$ to $249s$ (%)			
cy. $249s$ to $250s$ (%)			
ca. $250s$ to $251s$ (%)			
cb. $251s$ to $252s$ (%)			
cc. $252s$ to $253s$ (%)			

1. SAMPLE NUMBER	66-128-1
2. LATITUDE	44 15 N
3. LONGITUDE	68 59 56 W
4. DATE (Day, month, year)	14 September 1969
5. LABORATORY NUMBERS	4419
6. WATER DEPTH (m.)	25.6
11. COLOR	Olive Gray 5411
12. DOOR	
13. WET DENSITY (lb./ft. ³)	
14. RIGIDITY (cm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. - < 2 ₅₀ (%)	2
b. - 2 ₅₀ to - 4 ₄₀ (%)	2
c. - 4 ₄₀ to 6 ₂₀ (%)	3
d. - 6 ₂₀ to 10 ₆₀ (%)	2
e. - 10 ₆₀ to 20 ₁₀ (%)	6
f. - 20 ₁₀ to 40 ₅ (%)	10
g. - 40 ₅ to 60 ₂ (%)	1
h. - 60 ₂ to 80 ₁ (%)	24
i. - 80 ₁ to 100 ₀ (%)	24
j. - > 100 ₀ (%)	26
20. SUSPENSIBLE DRY WEIGHT (gm)	26.0
21. SPECIFIC (LOW.)	
22. SPREADSHEET Plasticity	Med.
23. SPREADSHEET Plasticity	0
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-20 determined in the lab	

Sediment Type Silty Mud

1. SAMPLE NUMBER	66-129-1
2. LATITUDE	44 16 N
3. LONGITUDE	68 58 03 W
4. DATE (Day, month, year)	14 September 1969
5. LABORATORY NUMBERS	4420
6. WATER DEPTH (m.)	24.7
11. COLOR	Olive Black 5411
12. DOOR	
13. WET DENSITY (lb./ft. ³)	
14. RIGIDITY (cm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. - < 2 ₅₀ (%)	3
b. - 2 ₅₀ to - 4 ₄₀ (%)	1
c. - 4 ₄₀ to 6 ₂₀ (%)	1
d. - 6 ₂₀ to 10 ₆₀ (%)	1
e. - 10 ₆₀ to 20 ₁₀ (%)	8
f. - 20 ₁₀ to 40 ₅ (%)	3
g. - 40 ₅ to 60 ₂ (%)	6
h. - 60 ₂ to 80 ₁ (%)	20
i. - 80 ₁ to 100 ₀ (%)	26
j. - > 100 ₀ (%)	8
20. SUSPENSIBLE DRY WEIGHT (gm)	26.14
21. SPECIFIC (LOW.)	
22. SPREADSHEET Plasticity	High
23. SPREADSHEET Plasticity	19
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-20 determined in the lab	

Sediment Type Silty Mud

1. SAMPLE NUMBER	66-129-2
2. LATITUDE	44 16 N
3. LONGITUDE	68 58 03 W
4. DATE (Day, month, year)	14 September 1969
5. LABORATORY NUMBERS	3912
6. WATER DEPTH (m.)	39.4
11. COLOR	Olive Gray (5410) Mud Bank Bottom Gray (5410)
12. DOOR	
13. WET DENSITY (lb./ft. ³)	
14. RIGIDITY (cm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. - < 2 ₅₀ (%)	24
b. - 2 ₅₀ to - 4 ₄₀ (%)	3
c. - 4 ₄₀ to 6 ₂₀ (%)	4
d. - 6 ₂₀ to 10 ₆₀ (%)	5
e. - 10 ₆₀ to 20 ₁₀ (%)	5
f. - 20 ₁₀ to 40 ₅ (%)	7
g. - 40 ₅ to 60 ₂ (%)	15
h. - 60 ₂ to 80 ₁ (%)	16
i. - 80 ₁ to 100 ₀ (%)	15
j. - > 100 ₀ (%)	15
20. SUSPENSIBLE DRY WEIGHT (gm)	51.36
21. SPECIFIC (LOW.)	
22. SPREADSHEET Plasticity	Low
23. SPREADSHEET Plasticity	0
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-20 DETERMINED IN THE LAB. 0-5 inches - All Organic and Greenish gray mud. 5-82 " Many lenses of sticky blue clay.	

Sediment Type Silty Mud

1. SAMPLE NUMBER	66-129-2 : CONTINUED	5. SAMPLER TYPE	
2. LATITUDE		5. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (in.)	
4. DATE (day, month, year)		8. CORE PENETRATION (in.)	
9. LABORATORY NUMBERS	3916 3917 3918 * 3919		
10. SUBSAMPLE DEPTH IN CORE (in.)	40-42 42-44 44-46 46-48	20-22 22-24 24-26 26-28	28-30 30-32 32-34 34-36
11. COLOR	Dark Gray (35-40)	Dark Gray (35-40)	Dark Gray (35-40)
12. ODRS			
13. WET DENSITY (lb./ft. ³)			
14. RIGIDITY (mm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. ϕ_{-20} (%)	2 100.286	5 100.342	17 100.385
b. ϕ_{-40} (%)	3 100.333	3 100.342	3 100.385
c. ϕ_{-60} (%)	4 100.341	3 100.349	3 100.385
d. ϕ_{-80} (%)	5 100.278	4 100.342	4 100.385
e. ϕ_{-100} (%)	6 100.871	5 100.342	4 100.385
f. ϕ_{-200} (%)	7 100.871	5 100.342	4 100.385
g. ϕ_{-400} (%)	9 100.871	5 100.342	4 100.385
h. ϕ_{-600} (%)	19 100.871	5 100.342	4 100.385
i. ϕ_{-800} (%)	22 100.871	5 100.342	4 100.385
j. ϕ_{-1000} (%)	22 100.871	5 100.342	4 100.385
20. SUBSAMPLE DRY WEIGHT (mg)	32.56 35.18 25.17	42.58	
21. SPECIFICITY (mg)			
22. MINIMUM PLASTICITY	Med.	Med.	Med.
23. SUBSAMPLE PLASTICITY	0	0	0
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS:	* sample contained dark streaks. 78-82" black layers 78-79" layer of gray clay.		
SEDIMENT TYPE	Silty Mud	Silty Mud	Silty Mud

1. SAMPLE NUMBER	66-130-1	5. SAMPLER TYPE	Kullenberg
2. LATITUDE	44 17	5. WATER DEPTH (m.)	26.7
3. LONGITUDE	68 57	7. CORE LENGTH (in.)	91(2)
4. DATE (day, month, year)	14 September 1969	8. CORE PENETRATION (in.)	132
9. LABORATORY NUMBERS	4022 4023 4024		
10. SUBSAMPLE DEPTH IN CORE (in.)	5-7 13-15 15-17		
11. COLOR	Medium Dark Gray * N4	Medium Dark Gray * N4	Olive Gray 5W/10 Olive Gray 5W/10 Medium Dark Gray N4 Medium Dark Gray N4 Brown 5W/10
12. ODRS			
13. WET DENSITY (lb./ft. ³)			
14. RIGIDITY (mm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. ϕ_{-20} (%)	10 100.823	100.823	100.823
b. ϕ_{-40} (%)	10 100.823	100.823	100.823
c. ϕ_{-60} (%)	10 100.823	100.823	100.823
d. ϕ_{-80} (%)	10 100.823	100.823	100.823
e. ϕ_{-100} (%)	10 100.823	100.823	100.823
f. ϕ_{-200} (%)	10 100.823	100.823	100.823
g. ϕ_{-400} (%)	10 100.823	100.823	100.823
h. ϕ_{-600} (%)	10 100.823	100.823	100.823
i. ϕ_{-800} (%)	10 100.823	100.823	100.823
j. ϕ_{-1000} (%)	10 100.823	100.823	100.823
20. SUBSAMPLE DRY WEIGHT (mg)	28.94 28.94 28.94	28.94	28.94
21. SPECIFICITY (mg)			
22. MINIMUM PLASTICITY	High	High	Med
23. SUBSAMPLE PLASTICITY	0	0	0
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS:	* Items 11-26 determined in the lab Composition of mud Very fine sand Soft gray mud with black streaks Gray and olive mud with granules Gray and olive mud		
SEDIMENT TYPE	Clayey Silt	Clayey Silt	Clayey Silt

1. SAMPLE NUMBER	66-130-1 continued	5. SAMPLER TYPE	
2. LATITUDE		5. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (in.)	
4. DATE (day, month, year)		8. CORE PENETRATION (in.)	
9. LABORATORY NUMBERS	4076* 30-32 32-34	4077 48-52	4079 58-60
10. SUBSAMPLE DEPTH IN CORE (in.)			
11. COLOR	Olive Gray 5Y4/6 Medium Dark Gray N4	Olive Gray 5Y4/6 Medium Dark Gray N4	Olive Gray 5Y4/6 Medium Dark Gray N4
12. MOOR			
13. NET DENSITY (lb./ft ³)			
14. BULK DENSITY (lb./ft ³)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
20. SUBSAMPLE DRY WEIGHT (gm)			
21. SPECIFIC GRAVITY			
22. SUBSAMPLER PENETRATION (lb./in.)			
23. SUBSAMPLER PENETRATION (lb./in.)			
24. DRY WEIGHT (lb.)			
25. SECONDARY MINERALS (%)			
26. OTHER MINERALS (%)			
27. REMARKS (continued)			

Composition
Gray mud with numerous dark bands and streaks
Soft area of olive brown clay
Hard, broken clay

Sediment Type Clayey Silt Clayey Silt Clayey Silt Silty Mud

1. SAMPLE NUMBER	66-130-1 continued	5. SAMPLER TYPE	
2. LATITUDE		5. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (in.)	
4. DATE (day, month, year)		8. CORE PENETRATION (in.)	
9. LABORATORY NUMBERS	4080 60-62	4081 72-74	4082 84-91(2)
10. SUBSAMPLE DEPTH IN CORE (in.)			
11. COLOR	Olive Gray 5Y4/6 Moderate Olive Brown 5Y4/4	Olive Gray 5Y4/6 5Y4/4	Olive Gray 5Y4/6 5Y4/4
12. MOOR			
13. NET DENSITY (lb./ft ³)			
14. BULK DENSITY (lb./ft ³)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
20. SUBSAMPLE DRY WEIGHT (gm)			
21. SPECIFIC GRAVITY			
22. SUBSAMPLER PENETRATION (lb./in.)			
23. SUBSAMPLER PENETRATION (lb./in.)			
24. DRY WEIGHT (lb.)			
25. SECONDARY MINERALS (%)			
26. OTHER MINERALS (%)			
27. REMARKS (continued)			

Composition
Soft olive clay
Mostly clayey silt with occasional areas of clay
The top 27 inches of the core maybe missing. The depth recordings may actually be 27 inches off.
Dark streaks

Sediment Type Silty Mud Silty Sand Silty Sand

1. SAMPLE NUMBER	66-129-2 - CONTINUED	5. SAMPLER TYPE	
2. LATITUDE		5. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3916	3917	3918 *
10. SUBSAMPLE DEPTH IN CORE (m.)	40-42	20-22	20-22
11. COLOR	Over Gray (5Y 4/1)	Over Gray (5Y 4/1)	Over Gray (5Y 3/2)
12. ODR			
13. WET DENSITY (lb./ft. ³)			
14. RIDGEAGE (mm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SITE ANALYSIS AND STATISTICAL MEASURES			
a. < 2 ₅ (%)	2	10 ₂ 296	5
b. 2 ₅ to 1 ₀ (%)	3	14.33	3
c. 1 ₀ to 0 ₇₅ (%)	4	MS. 541	3
d. 0 ₇₅ to 1 ₀ (%)	5	01.278	4
e. 1 ₀ to 2 ₅ (%)	6	03.871	5
f. 2 ₅ to 3 ₀ (%)	7		5
g. 3 ₀ to 4 ₀ (%)	9		7
h. 4 ₀ to 5 ₀ (%)	19		20
i. 5 ₀ to 6 ₀ (%)	22		23
j. > 6 ₀ (%)	22		22
20. SUBSAMPLE DRY WEIGHT (mg)	3256	3518	4258
21. SPECIFICITY (g/g)	Med.	Med.	Med.
22. PLASTICITY	Med.	Med.	Med.
23. SHrinkage (mm/mm) (100% to 100% Cn.)	0	0	0
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS:	* Sample contained dark streaks. 72-82 black layers 78-79 layer of gray clay.		
SEDIMENT TYPE	Silty Mud	Silty Mud	Silty Mud
			Shaly Mud

1. SAMPLE NUMBER	66-130-1	5. SAMPLER TYPE	Kullenberg
2. LATITUDE	44° 17'	5. WATER DEPTH (m.)	26.7
3. LONGITUDE	68° 57'	7. CORE LENGTH (m.)	91(2)
4. DATE (day, month, year)	14 September 1959	8. CORE PENETRATION (m.)	132
9. LABORATORY NUMBERS		4023	4074
10. SUBSAMPLE DEPTH IN CORE (m.)		5-7	13-15
11. COLOR	Medium Dark Gray # N4	Medium Dark Gray # N4	Olive Gray 5Y 4/1 Medium Dark Gray N4 Brown Olive
12. ODR			
13. WET DENSITY (lb./ft. ³)			
14. RIDGEAGE (mm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SITE ANALYSIS AND STATISTICAL MEASURES			
a. < 2 ₅ (%)		10	8
b. 2 ₅ to 1 ₀ (%)		MS. 780	1
c. 1 ₀ to 0 ₇₅ (%)		01.638	1
d. 0 ₇₅ to 1 ₀ (%)		01.572	1
e. 1 ₀ to 2 ₅ (%)		03	3
f. 2 ₅ to 3 ₀ (%)			2
g. 3 ₀ to 4 ₀ (%)			2
h. 4 ₀ to 5 ₀ (%)		8	26
i. 5 ₀ to 6 ₀ (%)		42	32
j. > 6 ₀ (%)		38	40
20. SUBSAMPLE DRY WEIGHT (mg)		21.94	13.83
21. SPECIFICITY (g/g)		High	Med
22. PLASTICITY		High	Med
23. SHrinkage (mm/mm) (100% to 100% Cn.)		0	0
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS:	Thompson 11-20 determined in the lab composition 0-5 Very loose decomposed mud 5-15 Soft gray mud with black streaks 15-19 Gray and olive mud with granules 19-32 Gray and olive mud		
SEDIMENT TYPE	Clayey Silt	Clayey Silt	Clayey Silt

1. SAMPLE NUMBER	66-130-1 continued	5. SAMPLE TYPE	
2. LATITUDE		5. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (in.)	
4. DATE (Day, month, year)		8. CORE PRESERVATION (in.)	
9. LABORATORY NUMBERS	4076* 4077 4078 4079		
10. SUBSAMPLE DEPTH IN CORE (in.)	30-32 Olive Gray silt, Medium Dark Gray NT	48-52 Olive Gray silt, Medium Dark Gray NT	53-60 Olive Gray silt, Medium Dark Gray NT
11. COLOR			
12. MOON			
13. NET DENSITY (lb./ft ³)			
14. RIGIDNESS (cm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. $\Sigma < 2\phi$ (%)	00.	00.	00.
b. $\Sigma < 2\phi$ to -1ϕ (%)	34	34	34
c. $\Sigma < 1\phi$ to 0ϕ (%)	64	78.5	82.9
d. ϕ to 1ϕ (%)	1	01.5	1
e. ϕ to 2ϕ (%)	1	01.5	1
f. ϕ to 3ϕ (%)	00.	01.5	01.5
g. ϕ to 4ϕ (%)	4	1	3
h. ϕ to 5ϕ (%)	4	2	7
i. ϕ to 6ϕ (%)	20	23	5
j. ϕ to 7ϕ (%)	25	36	46
k. ϕ to 8ϕ (%)	35	48	58
l. ϕ to 9ϕ (%)	20.77	32.90	26.19
20. SUBSAMPLE DRY WEIGHT (gm)			23.64
21. SPECIFIC (dry)			
22. WATER-TO-SOLIDS RATIO Plasticity	Med	Med	Med
23. SHRINKAGE Plasticity	0	0	0
24. DRYFRACT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. SANDS, continued			
Depth (in)	Composition		
32-40	Gray mud with numerous dark bands and streaks		
48-52	Soft area of olive brown clay		
at 52	Hard, broken clay		
Sediment Type	Clayey Silt	Clayey Silt	Silty Mud

1. SAMPLE NUMBER	66-130-1 continued	5. SAMPLE TYPE	
2. LATITUDE		5. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (in.)	
4. DATE (Day, month, year)		8. CORE PRESERVATION (in.)	
9. LABORATORY NUMBERS	4080	4081	4082
10. SUBSAMPLE DEPTH IN CORE (in.)	60-62 Olive Gray silt, Medium Dark Gray NT	72-74 Olive Gray silt, Medium Dark Gray NT	89-91 Olive Gray silt, Medium Dark Gray NT
11. COLOR			
12. MOON			
13. NET DENSITY (lb./ft ³)			
14. RIGIDNESS (cm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. $\Sigma < 2\phi$ (%)	10.2	20.8	10.1
b. $\Sigma < 2\phi$ to -1ϕ (%)	57	10.98	57
c. $\Sigma < 1\phi$ to 0ϕ (%)	1	6.10	1
d. ϕ to 1ϕ (%)	01.3	01.3	01.3
e. ϕ to 2ϕ (%)	6	02.30	6
f. ϕ to 3ϕ (%)	15	35	15
g. ϕ to 4ϕ (%)	10	10	10
h. ϕ to 5ϕ (%)	15	6	7
i. ϕ to 6ϕ (%)	26	10	8
j. ϕ to 7ϕ (%)	35	11	9
20. SUBSAMPLE DRY WEIGHT (gm)		29.49	31.36
21. SPECIFIC (dry)			
22. WATER-TO-SOLIDS RATIO Plasticity	Low	Low	Med
23. SHRINKAGE Plasticity	0	0	0
24. DRYFRACT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. SANDS, continued			
Depth (in)	Composition		
60-67	Soft clay silt with occasional areas of clay		
68-71	The top 24 inches of the core is missing. The depth recordings may actually be 27 inches off.		
Dark streaks			
Sediment Type	Silty Mud	Silty Sand	Silty Sand

1. SAMPLE NUMBER	66-131-1	5. SAMPLER TYPE	YALLENBORG
2. LATITUDE	44 19 01 N	6. WATER DEPTH (m.)	342
3. LONGITUDE	68 56 55 W	7. CORE LENGTH (m.)	124
4. DATE (day, month, year)	14 SEPTEMBER 1959	8. CORE PENETRATION (m.)	132
9. LABORATORY NUMBERS	3890 *	3891	3892
10. SUBSAMPLE DEPTH IN CORE (m.)	0-2	8-10	24-26
11. COLOR	Dark Brown (50-60) Muddy Gray (50-41)	Medium Gray (40-50) Muddy Gray (50-41)	Medium Gray (40-50) Muddy Gray (50-41)
12. DOORS			
13. NET DENSITY (lb./ft. ³)			
14. RIGIDNESS (mm)			
15. NATIUM FOSIDITY (%)			
16. MARIUM FOSIDITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. -2 ₀ to -1 ₀ (%)		0 ₁₀	0 ₁₀
b. -2 ₀ to -1 ₀ (%)		5 ₁₀	5 ₁₀
c. -1 ₀ to 0 ₁₀ (%)		4 ₁₀	4 ₁₀
d. 0 ₁₀ to 1 ₀ (%)		0 ₁₀	0 ₁₀
e. 1 ₀ to 2 ₀ (%)		0 ₁₀	0 ₁₀
f. 2 ₀ to 3 ₀ (%)		0 ₁₀	0 ₁₀
g. 3 ₀ to 4 ₀ (%)		0 ₁₀	0 ₁₀
h. 4 ₀ to 6 ₀ (%)		0 ₁₀	0 ₁₀
i. 6 ₀ to 8 ₀ (%)		0 ₁₀	0 ₁₀
j. 8 ₀ to 10 ₀ (%)		0 ₁₀	0 ₁₀
20. SUBSAMPLE DRY WEIGHT (gm)	29.18	28.29	27.57
21. SPHERICITY (mm)			
22. SPHERICITY (mm)			
23. SPHERICITY (mm)			
24. SPHERICITY (mm)			
25. SPHERICITY (mm)			
26. SPHERICITY (mm)			

* ITEMS 11-26 DETERMINED IN THE LAB

* THE SAMPLE CONTAINED DARK STREAKS.

0-8 inches Many dark streaks

8"-yellow green, hard clay ball

SEDIMENT TYPE: CLAYEY SILT CLAYEY SILT CLAYEY SILT

1. SAMPLE NUMBER	66-131-1	5. SAMPLER TYPE	
2. LATITUDE		6. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3894	3895	3897 *
10. SUBSAMPLE DEPTH IN CORE (m.)	41-50	54-56	96-98
11. COLOR	Medium Gray (40-50) Muddy Gray (50-41)	Medium Gray (40-50) Muddy Gray (50-41)	Medium Gray (40-50) Muddy Gray (50-41)
12. DOORS			
13. NET DENSITY (lb./ft. ³)			
14. RIGIDNESS (mm)			
15. NATIUM FOSIDITY (%)			
16. MARIUM FOSIDITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. -2 ₀ to -1 ₀ (%)		0 ₁₀	0 ₁₀
b. -2 ₀ to -1 ₀ (%)		5 ₁₀	5 ₁₀
c. -1 ₀ to 0 ₁₀ (%)		4 ₁₀	4 ₁₀
d. 0 ₁₀ to 1 ₀ (%)		0 ₁₀	0 ₁₀
e. 1 ₀ to 2 ₀ (%)		0 ₁₀	0 ₁₀
f. 2 ₀ to 3 ₀ (%)		0 ₁₀	0 ₁₀
g. 3 ₀ to 4 ₀ (%)		0 ₁₀	0 ₁₀
h. 4 ₀ to 6 ₀ (%)		0 ₁₀	0 ₁₀
i. 6 ₀ to 8 ₀ (%)		0 ₁₀	0 ₁₀
j. 8 ₀ to 10 ₀ (%)		0 ₁₀	0 ₁₀
20. SUBSAMPLE DRY WEIGHT (gm)	24.15	38.85	29.77
21. SPHERICITY (mm)			
22. SPHERICITY (mm)			
23. SPHERICITY (mm)			
24. SPHERICITY (mm)			
25. SPHERICITY (mm)			
26. SPHERICITY (mm)			

* ITEMS 11-26 DETERMINED IN THE LAB

* 8-108 inches many zones of soft olive gray mud

beginning of 90 in. many dark layers and some shell

100-120 in. soft unconsolidated mud

SEDIMENT TYPE: CLAYEY SILT CLAYEY SILT CLAYEY SILT

1. SAMPLE NUMBER	66-132-1	CONTINUED	5. SAMPLER TYPE	
2. LATITUDE	44	56	6. WATER DEPTH (m.)	32.8
3. LONGITUDE	68	14	7. CORE LENGTH (m.)	122
4. DATE (day, month, year)	14 SEPTEMBER 1959		8. CORE PRECIPITATION (m.)	
9. LABORATORY NUMBERS	3878 *			
10. SUBSAMPLE DEPTH IN CORE (m.)	116-118			
11. COLOR	REDDISH BROWN			
	14			
12. CORE	OLIVE GRAY			
	(SY 32)			
13. WET DENSITY (lb./ft. ³)				
14. RIGIDNESS (mm)				
15. MAXIMUM POROSITY (%)				
16. MINIMUM POROSITY (%)				
17. WATER CONTENT (%)				
18. ORGANIC CARBON CONTENT (%)				
19. SITE ANALYSIS AND STATISTICAL MEASURES				
a. $\bar{x} \pm 2s$ (%)				
b. $\bar{x} \pm 2s$ to $-1s$ (%)				
c. $-1s$ to $0s$ (%)				
d. $0s$ to $1s$ (%)				
e. $1s$ to $2s$ (%)				
f. $2s$ to $3s$ (%)				
g. $3s$ to $4s$ (%)				
h. $4s$ to $5s$ (%)				
i. $5s$ to $6s$ (%)				
j. $6s$ to $7s$ (%)				
k. $7s$ to $8s$ (%)				
20. SUBSAMPLE DRY WEIGHT (mg)	2275	8335		
21. SPHERICITY (mg.)				
22. MINERALOGY (mm)	High	Low		
23. SHAPE (mm)	0	0		
24. DOMINANT MINERAL (%)				
25. SECONDARY MINERAL (%)				
26. OTHER MINERALS (%)				
27. REMARKS:				

SEDIMENT TYPE CLAYEY SILT CLAYEY SILT

1. SAMPLE NUMBER	66-132-1	VALLEMBERG	5. SAMPLER TYPE	
2. LATITUDE	44	56	6. WATER DEPTH (m.)	32.8
3. LONGITUDE	68	14	7. CORE LENGTH (m.)	122
4. DATE (day, month, year)	14 SEPTEMBER 1959		8. CORE PRECIPITATION (m.)	
9. LABORATORY NUMBERS	3878 *			
10. SUBSAMPLE DEPTH IN CORE (m.)	11-20			
11. COLOR	OLIVE GRAY			
	(SY 41)			
12. CORE	OLIVE GRAY			
	(SY 41)			
13. WET DENSITY (lb./ft. ³)				
14. RIGIDNESS (mm)				
15. MAXIMUM POROSITY (%)				
16. MINIMUM POROSITY (%)				
17. WATER CONTENT (%)				
18. ORGANIC CARBON CONTENT (%)				
19. SITE ANALYSIS AND STATISTICAL MEASURES				
a. $\bar{x} \pm 2s$ (%)				
b. $\bar{x} \pm 2s$ to $-1s$ (%)				
c. $-1s$ to $0s$ (%)				
d. $0s$ to $1s$ (%)				
e. $1s$ to $2s$ (%)				
f. $2s$ to $3s$ (%)				
g. $3s$ to $4s$ (%)				
h. $4s$ to $5s$ (%)				
i. $5s$ to $6s$ (%)				
j. $6s$ to $7s$ (%)				
k. $7s$ to $8s$ (%)				
20. SUBSAMPLE DRY WEIGHT (mg)	2060	2483		
21. SPHERICITY (mg.)				
22. MINERALOGY (mm)	High	High		
23. SHAPE (mm)	0	0		
24. DOMINANT MINERAL (%)				
25. SECONDARY MINERAL (%)				
26. OTHER MINERALS (%)				
27. REMARKS:				

ITEMS 11-20 OBTAINED IN THE LAB
0-9 in - many dark streaks and thin black layers
19-20 - Very soft mud.

SEDIMENT TYPE CLAYEY SILT CLAYEY SILT CLAYEY SILT

1. SAMPLE NUMBER	66-132-1 : CONTINUED	5. SAMPLER TYPE	KULLENBERG
2. LATITUDE		5. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (in.)	
4. DATE (Day, month, year)		6. CORE PENETRATION (in.)	
9. LABORATORY NUMBER	3687	3689 *	3690
10. SUBSAMPLE DEPTH IN CORE (in.)	91-93	93-95	107-109
11. COLOR	OLIVE GRAY (5Y 4/1)	OLIVE GRAY (5Y 4/1)	OLIVE GRAY (5Y 4/1)
12. ODR#			
13. WET DENSITY (lb./ft. ³)			
14. RIGIDITY (mm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. < 2 ₅ (%)	0 ₁₀	0 ₁₀	0 ₁₀
b. -2 ₅ to -1 ₀ (%)	SK ₆	SK ₆	SK ₆
c. -1 ₀ to 0 ₁₀ (%)	ME ₂ 8.63	ME ₂ 8.86	ME ₂ 8.80
d. 0 ₁₀ to 1 ₀ (%)	R 01.665	R 01.709	R 01.700
e. 1 ₀ to 2 ₅ (%)	0 ₁₀	0 ₁₀	0 ₁₀
f. 2 ₅ to 5 ₀ (%)			
g. 5 ₀ to 8 ₀ (%)	16	16	13
h. 8 ₀ to 10 ₀ (%)	37	36	38
i. > 9 ₀ (%)	45	46	47
20. SUBSAMPLE DRY WEIGHT (gm)	26.89	17.56	21.06
21. SPECIFICITY (mg.)			25.79
22. MINIMUM TENSILE PLASTICITY	High	High	High
23. MINIMUM TENSILE LONG. SHEAR (cm)	0	0	0
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS: * Sample contained dark streaks.			
SEGMENT TYPE	CORREY Silt	CORREY Silt	CORREY Silt

1. SAMPLE NUMBER	66-133-1	5. SAMPLER TYPE	KULLENBERG
2. LATITUDE	44 22	51 N	
3. LONGITUDE	68 57	09.5 W	
4. DATE (Day, month, year)	14 SEPTEMBER 1959		
9. LABORATORY NUMBER	3680 *	3682	3683
10. SUBSAMPLE DEPTH IN CORE (in.)	0-2	22-24	44-48
11. COLOR	OLIVE GRAY (5Y 3/2)	OLIVE GRAY (5Y 4/1)	OLIVE GRAY (5Y 4/1)
12. ODR#			
13. WET DENSITY (lb./ft. ³)			
14. RIGIDITY (mm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. < 2 ₅ (%)	0 ₁₀	0 ₁₀	0 ₁₀
b. -2 ₅ to -1 ₀ (%)	SK ₆	SK ₆	SK ₆
c. -1 ₀ to 0 ₁₀ (%)	ME ₂ 8.76	ME ₂ 8.63	ME ₂ 8.71
d. 0 ₁₀ to 1 ₀ (%)	1	01.723	1
e. 1 ₀ to 2 ₅ (%)	0 ₁₀	0 ₁₀	0 ₁₀
f. 2 ₅ to 5 ₀ (%)			
g. 5 ₀ to 8 ₀ (%)	14	10	9
h. 8 ₀ to 10 ₀ (%)	39	42	43
i. > 9 ₀ (%)	46	47	44
20. SUBSAMPLE DRY WEIGHT (gm)	29.71	18.74	25.40
21. SPECIFICITY (mg.)			
22. MINIMUM TENSILE PLASTICITY	High	High	High
23. MINIMUM TENSILE LONG. SHEAR (cm)	< 1/2	0	0
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS: ITEMS 11-26 DETERMINED IN THE LAB. THE CORE CONTAINED DARK STREAKS IN THE FIRST 4 INCHES. SOME SILL AND WARM BURROWS THROUGHOUT CORE.			
SEGMENT TYPE	CORREY Silt	CORREY Silt	CORREY Silt

1. SAMPLE NUMBER	66-133-1, CONTINUED	5. SAMPLE TYPE	
2. LATITUDE		5. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (Day, month, year)		8. CORE EXTRACTION (%)	
9. LABORATORY NUMBERS	31054 *	31055 *	
10. SUBSAMPLE DEPTH IN CORE (m.)	98-99	125-127	
11. COLOR	Olive Gray (5Y 4/1)	Olive Gray (5Y 4/1)	
12. ODR			
13. WET DENSITY (lb./ft. ³)			
14. RESISTANCE (mm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. < 2 _φ (%)	CO ₂	CO ₂	CO ₂
b. -2 _φ to -1 _φ (%)	SK ₂	SK ₂	SK ₂
c. -1 _φ to 0 _φ (%)	MS ₂ 8.80	MS ₂ 8.70	MS ₂
d. 0 _φ to +2 _φ (%)	0 ₁	0 ₁ 7.14	0 ₁
e. +1 _φ to 2 _φ (%)	0 ₂	0 ₂	0 ₂
f. 2 _φ to 3 _φ (%)			
g. 3 _φ to 4 _φ (%)			
h. 4 _φ to 6 _φ (%)	12	12	
i. 6 _φ to 8 _φ (%)	40	42	
j. > 8 _φ (%)	47	45	
20. SUBSAMPLE DRY WEIGHT (mg)	19.53	17.28	
21. SPHERICITY (avg.)			
22. MINIMUM TERNARY PLASTICITY	High	High	
23. SURFACE TERNARY PLASTICITY	0	0	
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS:	* Sample contained dark streaks.		
SEDIMENT TYPE	Olive Silt	Olive Silt	

1. SAMPLE NUMBER	66-134-2	5. SAMPLE TYPE	
2. LATITUDE	44° 24'	5. WATER DEPTH (m.)	
3. LONGITUDE	68° 57'	7. CORE LENGTH (m.)	
4. DATE (Day, month, year)	14 September 1959	8. CORE EXTRACTION (%)	
9. LABORATORY NUMBERS	4421	31055 *	
10. SUBSAMPLE DEPTH IN CORE (m.)	7-5	125-127	
11. COLOR	Olive Gray (5Y 4/1)	Olive Gray (5Y 4/1)	
12. ODR			
13. WET DENSITY (lb./ft. ³)			
14. RESISTANCE (mm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. < 2 _φ (%)	30	100 2.50	
b. -2 _φ to -1 _φ (%)	8	MS ₂ 4.43	
c. -1 _φ to 0 _φ (%)	7	MS ₂ 0.60	
d. 0 _φ to +2 _φ (%)	9	0 ₁ 2.67	
e. +1 _φ to 2 _φ (%)	16	0 ₂ 2.33	
f. 2 _φ to 3 _φ (%)	9		
g. 3 _φ to 4 _φ (%)			
h. 4 _φ to 6 _φ (%)	2		
i. 6 _φ to 8 _φ (%)	9		
j. > 8 _φ (%)	10		
20. SUBSAMPLE DRY WEIGHT (mg)	140.60		
21. SPHERICITY (avg.)			
22. MINIMUM TERNARY PLASTICITY	Med		
23. SURFACE TERNARY PLASTICITY	2.12		
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS:	Items 11-26 determined in the lab		
SEDIMENT TYPE	Babbly Sand		

1. SAMPLE NUMBER	66-135-1	5. SAMPLE TYPE	
2. LATITUDE	44° 24'	5. WATER DEPTH (m.)	
3. LONGITUDE	68° 55'	7. CORE LENGTH (m.)	
4. DATE (Day, month, year)	14 September 1959	8. CORE EXTRACTION (%)	
9. LABORATORY NUMBERS	4482	31055 *	
10. SUBSAMPLE DEPTH IN CORE (m.)	12-8	125-127	
11. COLOR	Olive Gray (5Y 4/1)	Olive Gray (5Y 4/1)	
12. ODR			
13. WET DENSITY (lb./ft. ³)			
14. RESISTANCE (mm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. < 2 _φ (%)			
b. -2 _φ to -1 _φ (%)			
c. -1 _φ to 0 _φ (%)			
d. 0 _φ to +2 _φ (%)			
e. +1 _φ to 2 _φ (%)			
f. 2 _φ to 3 _φ (%)			
g. 3 _φ to 4 _φ (%)			
h. 4 _φ to 6 _φ (%)			
i. 6 _φ to 8 _φ (%)			
j. > 8 _φ (%)			
20. SUBSAMPLE DRY WEIGHT (mg)	20.32		
21. SPHERICITY (avg.)			
22. MINIMUM TERNARY PLASTICITY	High		
23. SURFACE TERNARY PLASTICITY	0		
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS:	Items 11-26 determined in the lab		
SEDIMENT TYPE	Olive Silt		

1. SAMPLE NUMBER	66-135-2	5. SAMPLER TYPE	KILLENBERG
2. LATITUDE	44° 24' N	6. WATER DEPTH (m.)	13.0
3. LONGITUDE	68° 53' W	7. CORE LENGTH (m.)	92
4. DATE (day, month, year)	14 SEPTEMBER 1959	8. CORE PENETRATION (m.)	144
9. LABORATORY NUMBERS	3839 *	9. LABORATORY NUMBERS	3840 *
10. SUBSAMPLE DEPTH IN CORE (m.)	0-2	10. SUBSAMPLE DEPTH IN CORE (m.)	22 - 24
11. COLOR	OLIVE GRAY (SV 3/2)	11. COLOR	OLIVE GRAY (SV 4/1)
12. DOP		12. DOP	
13. WET DENSITY (lb./ft ³)		13. WET DENSITY (lb./ft ³)	
14. RIGIDITY (mm)		14. RIGIDITY (mm)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES		19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2, (%)	CO ₂	a. < 2, (%)	CO ₂
b. -2 to -1, (%)	SK ₆	b. -2 to -1, (%)	SK ₆
c. -1 to 0, (%)	MS, 878	c. -1 to 0, (%)	MS, 878
d. 0 to 1, (%)	01, 725	d. 0 to 1, (%)	01, 725
e. 1 to 2, (%)	03 ₆	e. 1 to 2, (%)	03 ₆
f. 2 to 3, (%)		f. 2 to 3, (%)	
g. 3 to 4, (%)	8	g. 3 to 4, (%)	8
h. 4 to 5, (%)	44	h. 4 to 5, (%)	43
i. 5 to 6, (%)	47	i. 5 to 6, (%)	47
j. > 6, (%)	17.60	j. > 6, (%)	13.10
20. SUBSAMPLE DRY WEIGHT (gm)		20. SUBSAMPLE DRY WEIGHT (gm)	
21. SPHERICITY (avg)		21. SPHERICITY (avg)	
22. PLASTICITY	High	22. PLASTICITY	High
23. SHRECK-TESTING (low-shear)	0	23. SHRECK-TESTING (low-shear)	0
24. DIAPHRAN MINERAL (%)		24. DIAPHRAN MINERAL (%)	
25. SECONDARY MINERAL (%)		25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS		27. REMARKS	

ITEMS 11-26 DETERMINED IN THE LAB

* THE SAMPLE CONTAINED DARK STREAMS.

0-22 in. dark layers and streaks.

Minerals grains in core - pulled apart.

SEDIMENT TYPE CLAYEY SILT CLAYEY SILT CLAYEY SILT

1. SAMPLE NUMBER	66-135-2	5. SAMPLER TYPE	
2. LATITUDE		6. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3842	9. LABORATORY NUMBERS	3843 *
10. SUBSAMPLE DEPTH IN CORE (m.)	68-70	10. SUBSAMPLE DEPTH IN CORE (m.)	90-92
11. COLOR	OLIVE GRAY (SV 4/1)	11. COLOR	OLIVE GRAY (SV 4/2)
12. DOP		12. DOP	
13. WET DENSITY (lb./ft ³)		13. WET DENSITY (lb./ft ³)	
14. RIGIDITY (mm)		14. RIGIDITY (mm)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES		19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2, (%)	CO ₂	a. < 2, (%)	CO ₂
b. -2 to -1, (%)	SK ₆	b. -2 to -1, (%)	SK ₆
c. -1 to 0, (%)	MS, 885	c. -1 to 0, (%)	MS, 888
d. 0 to 1, (%)	01, 726	d. 0 to 1, (%)	01, 723
e. 1 to 2, (%)	03 ₆	e. 1 to 2, (%)	03 ₆
f. 2 to 3, (%)		f. 2 to 3, (%)	
g. 3 to 4, (%)	8	g. 3 to 4, (%)	8
h. 4 to 5, (%)	43	h. 4 to 5, (%)	44
i. 5 to 6, (%)	47	i. 5 to 6, (%)	47
j. > 6, (%)	26.49	j. > 6, (%)	18.97
20. SUBSAMPLE DRY WEIGHT (gm)		20. SUBSAMPLE DRY WEIGHT (gm)	
21. SPHERICITY (avg)		21. SPHERICITY (avg)	
22. PLASTICITY	High	22. PLASTICITY	High
23. SHRECK-TESTING (low-shear)	0	23. SHRECK-TESTING (low-shear)	0
24. DIAPHRAN MINERAL (%)		24. DIAPHRAN MINERAL (%)	
25. SECONDARY MINERAL (%)		25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS		27. REMARKS	

38-40" - Soft mud.

SEDIMENT TYPE CLAYEY SILT CLAYEY SILT

1. SAMPLE NUMBER	2. LATITUDE	3. LONGITUDE	4. DATE (Day, month, year)	5. SAMPLER TYPE	6. WATER DEPTH (m)	7. CORE LENGTH (m)	8. CORE PENETRATION (%)	9. LABORATORY NUMBER	10. SAMPLE DEPTH (IN CORE) (cm)	11. COLOR	12. MOISTURE (%)	13. pH	14. RIGIDITY (mm)	15. MAXIMUM POROSITY (%)	16. MINIMUM POROSITY (%)	17. WATER CONTENT (%)	18. ORGANIC CARBON CONTENT (%)	19. SIZE ANALYSIS AND STATISTICAL MEASURES	20. SUBMERSE DRY WEIGHT (mg)	21. SPECIFIC GRAVITY	22. MINERALOGY	23. DOMINANT MINERAL (%)	24. SECONDARY MINERAL (%)	25. OTHER MINERALS (%)	
66-156-1	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3771	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3772	4-6	Dark Green (5-6 %)	5-8	5-8	3773	4-6	Dark Green (5-6 %)	5-8	5-8	3774	4-6	Dark Green (5-6 %)
66-156-2	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3775	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3776	4-6	Dark Green (5-6 %)	5-8	5-8	3777	4-6	Dark Green (5-6 %)	5-8	5-8	3778	4-6	Dark Green (5-6 %)
66-156-3	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3779	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3780	4-6	Dark Green (5-6 %)	5-8	5-8	3781	4-6	Dark Green (5-6 %)	5-8	5-8	3782	4-6	Dark Green (5-6 %)
66-156-4	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3783	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3784	4-6	Dark Green (5-6 %)	5-8	5-8	3785	4-6	Dark Green (5-6 %)	5-8	5-8	3786	4-6	Dark Green (5-6 %)
66-156-5	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3787	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3788	4-6	Dark Green (5-6 %)	5-8	5-8	3789	4-6	Dark Green (5-6 %)	5-8	5-8	3790	4-6	Dark Green (5-6 %)
66-156-6	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3791	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3792	4-6	Dark Green (5-6 %)	5-8	5-8	3793	4-6	Dark Green (5-6 %)	5-8	5-8	3794	4-6	Dark Green (5-6 %)
66-156-7	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3795	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3796	4-6	Dark Green (5-6 %)	5-8	5-8	3797	4-6	Dark Green (5-6 %)	5-8	5-8	3798	4-6	Dark Green (5-6 %)
66-156-8	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3799	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3800	4-6	Dark Green (5-6 %)	5-8	5-8	3801	4-6	Dark Green (5-6 %)	5-8	5-8	3802	4-6	Dark Green (5-6 %)
66-156-9	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3803	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3804	4-6	Dark Green (5-6 %)	5-8	5-8	3805	4-6	Dark Green (5-6 %)	5-8	5-8	3806	4-6	Dark Green (5-6 %)
66-156-10	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3807	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3808	4-6	Dark Green (5-6 %)	5-8	5-8	3809	4-6	Dark Green (5-6 %)	5-8	5-8	3810	4-6	Dark Green (5-6 %)
66-156-11	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3811	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3812	4-6	Dark Green (5-6 %)	5-8	5-8	3813	4-6	Dark Green (5-6 %)	5-8	5-8	3814	4-6	Dark Green (5-6 %)
66-156-12	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3815	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3816	4-6	Dark Green (5-6 %)	5-8	5-8	3817	4-6	Dark Green (5-6 %)	5-8	5-8	3818	4-6	Dark Green (5-6 %)
66-156-13	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3819	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3820	4-6	Dark Green (5-6 %)	5-8	5-8	3821	4-6	Dark Green (5-6 %)	5-8	5-8	3822	4-6	Dark Green (5-6 %)
66-156-14	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3823	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3824	4-6	Dark Green (5-6 %)	5-8	5-8	3825	4-6	Dark Green (5-6 %)	5-8	5-8	3826	4-6	Dark Green (5-6 %)
66-156-15	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3827	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3828	4-6	Dark Green (5-6 %)	5-8	5-8	3829	4-6	Dark Green (5-6 %)	5-8	5-8	3830	4-6	Dark Green (5-6 %)
66-156-16	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3831	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3832	4-6	Dark Green (5-6 %)	5-8	5-8	3833	4-6	Dark Green (5-6 %)	5-8	5-8	3834	4-6	Dark Green (5-6 %)
66-156-17	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3835	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3836	4-6	Dark Green (5-6 %)	5-8	5-8	3837	4-6	Dark Green (5-6 %)	5-8	5-8	3838	4-6	Dark Green (5-6 %)
66-156-18	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3839	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3840	4-6	Dark Green (5-6 %)	5-8	5-8	3841	4-6	Dark Green (5-6 %)	5-8	5-8	3842	4-6	Dark Green (5-6 %)
66-156-19	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3843	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3844	4-6	Dark Green (5-6 %)	5-8	5-8	3845	4-6	Dark Green (5-6 %)	5-8	5-8	3846	4-6	Dark Green (5-6 %)
66-156-20	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3847	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3848	4-6	Dark Green (5-6 %)	5-8	5-8	3849	4-6	Dark Green (5-6 %)	5-8	5-8	3850	4-6	Dark Green (5-6 %)
66-156-21	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3851	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3852	4-6	Dark Green (5-6 %)	5-8	5-8	3853	4-6	Dark Green (5-6 %)	5-8	5-8	3854	4-6	Dark Green (5-6 %)
66-156-22	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3855	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3856	4-6	Dark Green (5-6 %)	5-8	5-8	3857	4-6	Dark Green (5-6 %)	5-8	5-8	3858	4-6	Dark Green (5-6 %)
66-156-23	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3859	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3860	4-6	Dark Green (5-6 %)	5-8	5-8	3861	4-6	Dark Green (5-6 %)	5-8	5-8	3862	4-6	Dark Green (5-6 %)
66-156-24	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3863	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3864	4-6	Dark Green (5-6 %)	5-8	5-8	3865	4-6	Dark Green (5-6 %)	5-8	5-8	3866	4-6	Dark Green (5-6 %)
66-156-25	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3867	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3868	4-6	Dark Green (5-6 %)	5-8	5-8	3869	4-6	Dark Green (5-6 %)	5-8	5-8	3870	4-6	Dark Green (5-6 %)
66-156-26	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3871	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3872	4-6	Dark Green (5-6 %)	5-8	5-8	3873	4-6	Dark Green (5-6 %)	5-8	5-8	3874	4-6	Dark Green (5-6 %)
66-156-27	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3875	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3876	4-6	Dark Green (5-6 %)	5-8	5-8	3877	4-6	Dark Green (5-6 %)	5-8	5-8	3878	4-6	Dark Green (5-6 %)
66-156-28	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3879	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3880	4-6	Dark Green (5-6 %)	5-8	5-8	3881	4-6	Dark Green (5-6 %)	5-8	5-8	3882	4-6	Dark Green (5-6 %)
66-156-29	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3883	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3884	4-6	Dark Green (5-6 %)	5-8	5-8	3885	4-6	Dark Green (5-6 %)	5-8	5-8	3886	4-6	Dark Green (5-6 %)
66-156-30	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3887	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3888	4-6	Dark Green (5-6 %)	5-8	5-8	3889	4-6	Dark Green (5-6 %)	5-8	5-8	3890	4-6	Dark Green (5-6 %)
66-156-31	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3891	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3892	4-6	Dark Green (5-6 %)	5-8	5-8	3893	4-6	Dark Green (5-6 %)	5-8	5-8	3894	4-6	Dark Green (5-6 %)
66-156-32	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3895	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3896	4-6	Dark Green (5-6 %)	5-8	5-8	3897	4-6	Dark Green (5-6 %)	5-8	5-8	3898	4-6	Dark Green (5-6 %)
66-156-33	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3899	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3900	4-6	Dark Green (5-6 %)	5-8	5-8	3901	4-6	Dark Green (5-6 %)	5-8	5-8	3902	4-6	Dark Green (5-6 %)
66-156-34	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3903	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3904	4-6	Dark Green (5-6 %)	5-8	5-8	3905	4-6	Dark Green (5-6 %)	5-8	5-8	3906	4-6	Dark Green (5-6 %)
66-156-35	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3907	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3908	4-6	Dark Green (5-6 %)	5-8	5-8	3909	4-6	Dark Green (5-6 %)	5-8	5-8	3910	4-6	Dark Green (5-6 %)
66-156-36	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3911	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3912	4-6	Dark Green (5-6 %)	5-8	5-8	3913	4-6	Dark Green (5-6 %)	5-8	5-8	3914	4-6	Dark Green (5-6 %)
66-156-37	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3915	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3916	4-6	Dark Green (5-6 %)	5-8	5-8	3917	4-6	Dark Green (5-6 %)	5-8	5-8	3918	4-6	Dark Green (5-6 %)
66-156-38	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3919	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3920	4-6	Dark Green (5-6 %)	5-8	5-8	3921	4-6	Dark Green (5-6 %)	5-8	5-8	3922	4-6	Dark Green (5-6 %)
66-156-39	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3923	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3924	4-6	Dark Green (5-6 %)	5-8	5-8	3925	4-6	Dark Green (5-6 %)	5-8	5-8	3926	4-6	Dark Green (5-6 %)
66-156-40	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3927	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3928	4-6	Dark Green (5-6 %)	5-8	5-8	3929	4-6	Dark Green (5-6 %)	5-8	5-8	3930	4-6	Dark Green (5-6 %)
66-156-41	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3931	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3932	4-6	Dark Green (5-6 %)	5-8	5-8	3933	4-6	Dark Green (5-6 %)	5-8	5-8	3934	4-6	Dark Green (5-6 %)
66-156-42	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3935	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3936	4-6	Dark Green (5-6 %)	5-8	5-8	3937	4-6	Dark Green (5-6 %)	5-8	5-8	3938	4-6	Dark Green (5-6 %)
66-156-43	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3939	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3940	4-6	Dark Green (5-6 %)	5-8	5-8	3941	4-6	Dark Green (5-6 %)	5-8	5-8	3942	4-6	Dark Green (5-6 %)
66-156-44	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3943	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3944	4-6	Dark Green (5-6 %)	5-8	5-8	3945	4-6	Dark Green (5-6 %)	5-8	5-8	3946	4-6	Dark Green (5-6 %)
66-156-45	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3947	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3948	4-6	Dark Green (5-6 %)	5-8	5-8	3949	4-6	Dark Green (5-6 %)	5-8	5-8	3950	4-6	Dark Green (5-6 %)
66-156-46	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3951	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3952	4-6	Dark Green (5-6 %)	5-8	5-8	3953	4-6	Dark Green (5-6 %)	5-8	5-8	3954	4-6	Dark Green (5-6 %)
66-156-47	44° 24' N	68° 53' W	14 September 1959	Hand Core	11.5	10.3	10.3	3955	0-2	Dark Green Clay (5-6 %)	5-8	5-8	3956	4-6	Dark Green (5-6 %)	5-8	5-8	3957	4-6	Dark Green (5-6 %)	5-8	5-8	3958	4-6	Dark Green (5-6 %)
66-156-48	44° 24' N	68° 53' W																							

17. REMARKS: ITEMS 11-26 DETERMINED IN THE LAB.

REMARKS: ITEMS 11-26 DETERMINED IN THE LAB.

THE CORE WAS BROKEN AND PULLED APART PLACES.

0-6" stiff clay, pebbles + shell
112" soft + far above - some shell

Sediment Type	
Silty Sand	SANDY SILT
Mudstone	

SEDIMENT TYPE	W/14 th FLOES	DANDY SILT
---------------	--------------------------	------------

[illegible]

27 DECEMBER.

SEDIMENT TYPE	SILT SAND	SILT SAND	SILT SAND
SILT SAND	SILT SAND	SILT SAND	SILT SAND
	W/10% PERLES	W/10% PERLES	W/10% PERLES
			W/10% PERLES

1. SAMPLE NUMBER	66-137-1
2. LATITUDE	44° 24' 33" N
3. LONGITUDE	68° 51' 35" W
4. DATE (Day, month, year)	14 September 1969
5. LABORATORY NUMBER	4283
6. WATER DEPTH (m.)	11.7
11. COLOR	Olive Black 572/1

12. ODR	
13. NET DENSITY (lb./ft. ³)	
14. RIGIDNESS (cm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < -2 _φ (%)	OD ₂ 1.43
b. -2 _φ to -1 _φ (%)	SR 41.50
c. -1 _φ to 0 _φ (%)	ME ₂ 7.92
d. 0 _φ to 1 _φ (%)	1 01.649
e. 1 _φ to 2 _φ (%)	2 03.936
f. 2 _φ to 3 _φ (%)	2
g. 3 _φ to 4 _φ (%)	1
h. 4 _φ to 6 _φ (%)	12
i. 6 _φ to 8 _φ (%)	52
j. > 8 _φ (%)	30
20. SUBSAMPLE DRY WEIGHT (gm)	20.81
21. SPECIFICITY (avg.)	
22. MINIMUM TENSILE PLASTICITY	High
23. SUBSAMPLING TENSILE SHELL CM.	0
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

1. SAMPLE NUMBER	66-137-2	5. SAMPLER TYPE	Kullenberg
2. LATITUDE	44° 24' 33"	5. WATER DEPTH (m.)	11.2
3. LONGITUDE	68° 51' 55"	7. CORE LENGTH (m.)	10.8
4. DATE (Day, month, year)	14 September 1969	8. CORE PENETRATION (in.)	132
5. LABORATORY NUMBER	4257		
6. WATER DEPTH IN CORE (m.)	8-10		
11. COLOR	Olive Gray # 573/2		Olive Gray 574/1

12. ODR	
13. NET DENSITY (lb./ft. ³)	
14. RIGIDNESS (cm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

B. SIZE ANALYSIS AND STATISTICAL MEASURES				
a. < -2 _φ (%)	OD ₂	6	1	OD ₂
b. -2 _φ to -1 _φ (%)	SR	5	6	SR
c. -1 _φ to 0 _φ (%)	ME ₂	8.40	7.22	ME ₂
d. 0 _φ to 1 _φ (%)	01 ₂	6.50	1.50	01 ₂
e. 1 _φ to 2 _φ (%)	02 ₂	4	4	02 ₂
f. 2 _φ to 3 _φ (%)		4	2	
g. 3 _φ to 4 _φ (%)		2	1	
h. 4 _φ to 6 _φ (%)	12	8	9	12
i. 6 _φ to 8 _φ (%)	31	27	27	39
j. > 8 _φ (%)	41	31	33	47

27. REMARKS: Items 11-26 determined in the lab	
Depth (in.)	
0-3	Soft dark olive gray mud with dark streaks
3-12	Numerous coarse materials
12-16	Soft black mud
	Olive gray mud
Sediment Type	Clayey silt Silty Mud Silty Mud Clayey Silt

Sediment Type	Clayey silt Silty Mud Silty Mud Clayey Silt
---------------	---

1. SAMPLE NUMBER	66-137-2 continued				5. SAMPLER TYPE
2. LATITUDE					5. WATER DEPTH (m.)
3. LONGITUDE					7. CORE LENGTH (m.)
4. DATE (day, month, year)					8. CORE PENETRATION (m.)
9. LABORATORY NUMBER	4063	4061	4062	4063	
10. SUBSAMPLE DEPTH IN CORE (m.)	16-18	18-20	23-25	25-27	
11. COLOR	Olive Gray 514/1	Olive Gray 514/1	Olive Gray 514/1	Olive Gray 514/1	
12. COLOR					
13. WET DENSITY (lb./ft. ³)					
14. WET DENSITY (g./cc)					
15. MAXIMUM POROSITY (%)					
16. MINIMUM POROSITY (%)					
17. WATER CONTENT (%)					
18. ORGANIC CARBON CONTENT (%)					
19. SITE ANALYSIS AND STATISTICAL MEASURES					
20. SUBSAMPLE DRY WEIGHT (gms)	5	9	4.59	4	15
21. SPECIFICITY (gms.)	5	10	10.29	5	15
22. SPECIFICITY (gms.)	6	7.27	9	4.00	6
23. SPECIFICITY (gms.)	7	0.145	10	0.145	9
24. SPECIFICITY (gms.)	4	0.2	5	0.2	5
25. SPECIFICITY (gms.)	3	4	4	5	5
26. SPECIFICITY (gms.)	2	3	3	3	3
27. SPECIFICITY (gms.)	8	6	7	4	4
28. SPECIFICITY (gms.)	28	20	26	11	11
29. SPECIFICITY (gms.)	32	24	30	13	13
30. SUBSAMPLE DRY WEIGHT (gms)	1514	1992	2333	2981	
31. SPECIFICITY (gms.)	High	Med	Med	Low	
32. SPECIFICITY (gms.)	0	17%	17%	17%	
33. SPECIFICITY (gms.)					
34. SPECIFICITY (gms.)					
35. SPECIFICITY (gms.)					
36. SPECIFICITY (gms.)					
37. SPECIFICITY (gms.)					
38. SPECIFICITY (gms.)					
39. SPECIFICITY (gms.)					
40. SPECIFICITY (gms.)					
41. SPECIFICITY (gms.)					
42. SPECIFICITY (gms.)					
43. SPECIFICITY (gms.)					
44. SPECIFICITY (gms.)					
45. SPECIFICITY (gms.)					
46. SPECIFICITY (gms.)					
47. SPECIFICITY (gms.)					
48. SPECIFICITY (gms.)					
49. SPECIFICITY (gms.)					
50. SPECIFICITY (gms.)					
51. SPECIFICITY (gms.)					
52. SPECIFICITY (gms.)					
53. SPECIFICITY (gms.)					
54. SPECIFICITY (gms.)					
55. SPECIFICITY (gms.)					
56. SPECIFICITY (gms.)					
57. SPECIFICITY (gms.)					
58. SPECIFICITY (gms.)					
59. SPECIFICITY (gms.)					
60. SPECIFICITY (gms.)					
61. SPECIFICITY (gms.)					
62. SPECIFICITY (gms.)					
63. SPECIFICITY (gms.)					
64. SPECIFICITY (gms.)					
65. SPECIFICITY (gms.)					
66. SPECIFICITY (gms.)					
67. SPECIFICITY (gms.)					
68. SPECIFICITY (gms.)					
69. SPECIFICITY (gms.)					
70. SPECIFICITY (gms.)					
71. SPECIFICITY (gms.)					
72. SPECIFICITY (gms.)					
73. SPECIFICITY (gms.)					
74. SPECIFICITY (gms.)					
75. SPECIFICITY (gms.)					
76. SPECIFICITY (gms.)					
77. SPECIFICITY (gms.)					
78. SPECIFICITY (gms.)					
79. SPECIFICITY (gms.)					
80. SPECIFICITY (gms.)					
81. SPECIFICITY (gms.)					
82. SPECIFICITY (gms.)					
83. SPECIFICITY (gms.)					
84. SPECIFICITY (gms.)					
85. SPECIFICITY (gms.)					
86. SPECIFICITY (gms.)					
87. SPECIFICITY (gms.)					
88. SPECIFICITY (gms.)					
89. SPECIFICITY (gms.)					
90. SPECIFICITY (gms.)					
91. SPECIFICITY (gms.)					
92. SPECIFICITY (gms.)					
93. SPECIFICITY (gms.)					
94. SPECIFICITY (gms.)					
95. SPECIFICITY (gms.)					
96. SPECIFICITY (gms.)					
97. SPECIFICITY (gms.)					
98. SPECIFICITY (gms.)					
99. SPECIFICITY (gms.)					
100. SPECIFICITY (gms.)					

27. REMARKS: continued	Composition
28. REMARKS: continued	Soft olive gray mud with numerous silt granules and shell stringed in
29. REMARKS: continued	some places, with green
30. REMARKS: continued	granules, shell, and silt
31. REMARKS: continued	
32. REMARKS: continued	
33. REMARKS: continued	
34. REMARKS: continued	
35. REMARKS: continued	
36. REMARKS: continued	
37. REMARKS: continued	
38. REMARKS: continued	
39. REMARKS: continued	
40. REMARKS: continued	
41. REMARKS: continued	
42. REMARKS: continued	
43. REMARKS: continued	
44. REMARKS: continued	
45. REMARKS: continued	
46. REMARKS: continued	
47. REMARKS: continued	
48. REMARKS: continued	
49. REMARKS: continued	
50. REMARKS: continued	
51. REMARKS: continued	
52. REMARKS: continued	
53. REMARKS: continued	
54. REMARKS: continued	
55. REMARKS: continued	
56. REMARKS: continued	
57. REMARKS: continued	
58. REMARKS: continued	
59. REMARKS: continued	
60. REMARKS: continued	
61. REMARKS: continued	
62. REMARKS: continued	
63. REMARKS: continued	
64. REMARKS: continued	
65. REMARKS: continued	
66. REMARKS: continued	
67. REMARKS: continued	
68. REMARKS: continued	
69. REMARKS: continued	
70. REMARKS: continued	
71. REMARKS: continued	
72. REMARKS: continued	
73. REMARKS: continued	
74. REMARKS: continued	
75. REMARKS: continued	
76. REMARKS: continued	
77. REMARKS: continued	
78. REMARKS: continued	
79. REMARKS: continued	
80. REMARKS: continued	
81. REMARKS: continued	
82. REMARKS: continued	
83. REMARKS: continued	
84. REMARKS: continued	
85. REMARKS: continued	
86. REMARKS: continued	
87. REMARKS: continued	
88. REMARKS: continued	
89. REMARKS: continued	
90. REMARKS: continued	
91. REMARKS: continued	
92. REMARKS: continued	
93. REMARKS: continued	
94. REMARKS: continued	
95. REMARKS: continued	
96. REMARKS: continued	
97. REMARKS: continued	
98. REMARKS: continued	
99. REMARKS: continued	
100. REMARKS: continued	

1. SAMPLE NUMBER	66-137-2 continued				5. SAMPLER TYPE
2. LATITUDE					5. WATER DEPTH (m.)
3. LONGITUDE					7. CORE LENGTH (m.)
4. DATE (day, month, year)					8. CORE PENETRATION (m.)
9. LABORATORY NUMBER	4064	4065	4066	4067	
10. SUBSAMPLE DEPTH IN CORE (m.)	40-42	53-55	55-57	70-72	
11. COLOR	Olive Gray 514/1	Olive Gray 514/1	Olive Gray 514/1	Olive Gray 514/1	
12. COLOR					
13. WET DENSITY (lb./ft. ³)					
14. WET DENSITY (g./cc)					
15. MAXIMUM POROSITY (%)					
16. MINIMUM POROSITY (%)					
17. WATER CONTENT (%)					
18. ORGANIC CARBON CONTENT (%)					
19. SITE ANALYSIS AND STATISTICAL MEASURES					
20. SUBSAMPLE DRY WEIGHT (gms)	13	3.02	2	2.22	2
21. SPECIFICITY (gms.)	12	41.37	9	41.63	3
22. SPECIFICITY (gms.)	14	0.65	15	1.00	6
23. SPECIFICITY (gms.)	15	0.140	24	0.065	26
24. SPECIFICITY (gms.)	8	5.05	9	0.540	32
25. SPECIFICITY (gms.)	7	7	7	10	4
26. SPECIFICITY (gms.)	4	4	4	4	2
27. SPECIFICITY (gms.)	4	7	7	5	2
28. SPECIFICITY (gms.)	11	11	11	6	2
29. SPECIFICITY (gms.)	12	10	10	6	2
30. SUBSAMPLE DRY WEIGHT (gms)	3225	2258	3093	4653	
31. SPECIFICITY (gms.)	Low	Low	Med	Med	
32. SPECIFICITY (gms.)	17%	17%	17%	17%	
33. SPECIFICITY (gms.)					
34. SPECIFICITY (gms.)					
35. SPECIFICITY (gms.)					
36. SPECIFICITY (gms.)					
37. SPECIFICITY (gms.)					
38. SPECIFICITY (gms.)					
39. SPECIFICITY (gms.)					
40. SPECIFICITY (gms.)					
41. SPECIFICITY (gms.)					
42. SPECIFICITY (gms.)					
43. SPECIFICITY (gms.)					
44. SPECIFICITY (gms.)					
45. SPECIFICITY (gms.)					
46. SPECIFICITY (gms.)					
47. SPECIFICITY (gms.)					
48. SPECIFICITY (gms.)					
49. SPECIFICITY (gms.)					
50. SPECIFICITY (gms.)					
51. SPECIFICITY (gms.)					
52. SPECIFICITY (gms.)					
53. SPECIFICITY (gms.)					
54. SPECIFICITY (gms.)					
55. SPECIFICITY (gms.)					
56. SPECIFICITY (gms.)					
57. SPECIFICITY (gms.)					
58. SPECIFICITY (gms.)					
59. SPECIFICITY (gms.)					
60. SPECIFICITY (gms.)					
61. SPECIFICITY (gms.)					
62. SPECIFICITY (gms.)					
63. SPECIFICITY (gms.)					
64. SPECIFICITY (gms.)					
65. SPECIFICITY (gms.)					
66. SPECIFICITY (gms.)					
67. SPECIFICITY (gms.)					
68. SPECIFICITY (gms.)					
69. SPECIFICITY (gms.)					
70. SPECIFICITY (gms.)					
71. SPECIFICITY (gms.)					
72. SPECIFICITY (gms.)					
73. SPECIFICITY (gms.)					
74. SPECIFICITY (gms.)					
75. SPECIFICITY (gms.)					
76. SPECIFICITY (gms.)					
77. SPECIFICITY (gms.)					
78. SPECIFICITY (gms.)					
79. SPECIFICITY (gms.)					
80. SPECIFICITY (gms.)					
81. SPECIFICITY (gms.)					
82. SPECIFICITY (gms.)					
83. SPECIFICITY (gms.)					
84. SPECIFICITY (gms.)					
85. SPECIFICITY (gms.)					
86. SPECIFICITY (gms.)					
87. SPECIFICITY (gms.)					
88. SPECIFICITY (gms.)					
89. SPECIFICITY (gms.)					
90. SPECIFICITY (gms.)					
91. SPECIFICITY (gms.)					
92. SPECIFICITY (gms.)					
93. SPECIFICITY (gms.)					
94. SPECIFICITY (gms.)					
95. SPECIFICITY (gms.)					
96. SPECIFICITY (gms.)					
97. SPECIFICITY (gms.)					
98. SPECIFICITY (gms.)					
99. SPECIFICITY (gms.)					
100. SPECIFICITY (gms.)					

27. REMARKS: continued	Composition
28. REMARKS: continued	Silt and clay
29. REMARKS: continued	granules, shell and silt
30. REMARKS: continued	
31. REMARKS: continued	
32. REMARKS: continued	
33. REMARKS: continued	
34. REMARKS: continued	
35. REMARKS: continued	
36. REMARKS: continued	
37. REMARKS: continued	
38. REMARKS: continued	
39. REMARKS: continued	
40. REMARKS: continued	
41. REMARKS: continued	
42. REMARKS: continued	
43. REMARKS: continued	
44. REMARKS: continued	
45. REMARKS: continued	
46. REMARKS: continued	
47. REMARKS: continued	
48. REMARKS: continued	
49. REMARKS: continued	
50. REMARKS: continued	
51. REMARKS: continued	
52. REMARKS: continued	
53. REMARKS: continued	
54. REMARKS: continued	
55. REMARKS: continued	
56. REMARKS: continued	
57. REMARKS: continued	
58. REMARKS: continued	
59. REMARKS: continued	
60. REMARKS: continued	
61. REMARKS: continued	
62. REMARKS: continued	
63. REMARKS: continued	
64. REMARKS: continued	
65. REMARKS: continued	
66. REMARKS: continued	
67. REMARKS: continued	
68. REMARKS: continued	
69. REMARKS: continued	
70. REMARKS: continued	
71. REMARKS: continued	
72. REMARKS: continued	
73. REMARKS: continued	
74. REMARKS: continued	
75. REMARKS: continued	
76. REMARKS: continued	
77. REMARKS: continued	
78. REMARKS: continued	
79. REMARKS: continued	
80. REMARKS: continued	
81. REMARKS: continued	
82. REMARKS: continued	
83. REMARKS: continued	
84. REMARKS: continued	
85. REMARKS: continued	
86. REMARKS: continued	
87. REMARKS: continued	
88. REMARKS: continued	
89. REMARKS: continued	
90. REMARKS: continued	
91. REMARKS: continued	
92. REMARKS: continued	
93. REMARKS: continued	
94. REMARKS: continued	
95. REMARKS: continued	
96. REMARKS: continued	
97. REMARKS: continued	
98. REMARKS: continued	
99. REMARKS: continued	
100. REMARKS: continued	

1. SAMPLE NUMBER	66-137-2 continued				5. SAMPLER TYPE
2. LATITUDE					5. WATER DEPTH (

[illegible]

1. SAMPLE NUMBER	66-138-1	CONTINUED	5. SAMPLE TYPE				
2. LATITUDE			6. WATER DEPTH (m.)				
3. LONGITUDE			7. CORE LENGTH (m.)				
4. DATE (day, month, year)			8. CORE PENETRATION (m.)				
9. LABORATORY NUMBERS	35384	35385 *		35386	35387	35388	
10. SUBSAMPLE DEPTH IN CORE (m.)	69-71	75-77		82-84	84-86		
11. COLOR	OLIVE GRAY (5 Y 4/1)	OLIVE GRAY (5 Y 4/1)		OLIVE GRAY (5 Y 4/1)	OLIVE GRAY (5 Y 4/1)		
12. DGR%							
13. WET DENSITY (lb./ft. ³)							
14. RESISTANCE (mm)							
15. MAXIMUM POROSITY (%)							
16. MINIMUM POROSITY (%)							
17. WATER CONTENT (%)							
18. ORGANIC CARBON CONTENT (%)							
19. SIZE ANALYSIS AND STATISTICAL MEASURES							
20. ϕ_{1-2} (%)	5	01, 2, 57	4	02, 247	3	03, 214	04, 170
21. ϕ_{2-4} (%)	1	34, 70, 68	2	35, 40, 84	1	36, 0-50	37, 40, 65
22. ϕ_{4-6} (%)	2	04, 4, 17	2	04, 3, 70	2	04, 3, 51	04, 2, 17
23. ϕ_{6-10} (%)	5	04, 2, 28	6	04, 1, 87	6	04, 1, 87	04, 1, 42
24. ϕ_{10-20} (%)	9	01, 9, 43	13	02, 2, 22	15	03, 6, 15	03, 4, 83
25. ϕ_{20-40} (%)	11		11		15		16
26. ϕ_{40-60} (%)	15		14		15		9
27. ϕ_{60-80} (%)	19		17		17		9
28. ϕ_{80-100} (%)	16		15		12		9
29. $\phi_{100-200}$ (%)	18		17		13		10
30. SUBSAMPLE DRY WEIGHT (m)	30.61		34.95		37.25		43.17
31. SPECIFIC GRAVITY							
32. PLASTICITY INDEX	1.0		1.0		1.0		1.0
33. LIQUID LIMIT (mm)	0		0		0		0
34. DOMINANT MINERAL (%)							
35. SECONDARY MINERAL (%)							
36. OTHER MINERALS (%)							
37. REMARKS	# CONTINUED BLUE STRATIG.						

1. SAMPLE NUMBER	66-138-1	CONTINUED	5. SAMPLER TYPE	
2. LATITUDE			6. WATER DEPTH (m.)	
3. LONGITUDE			7. CORE LENGTH (m.)	
4. DATE (DD, MONTH, YEAR)			8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS		3580 **		
10. SUBSAMPLE DEPTH IN CORE (m.)		97-99		
11. COLOR		OLIVE GRAY (5-Y 4/1)		
12. DOOR				
13. WET DENSITY (lb./ft ³)				
14. RIGIDITY (cm)				
15. MAXIMUM POROSITY (%)				
16. MINIMUM POROSITY (%)				
17. WATER CONTENT (%)				
18. ORGANIC CARBON CONTENT (%)				
19. SIZE ANALYSIS AND STATISTICAL MEASURES				
a. $\phi < 2\phi$ (%)	15	09, 2.82	00 ₂	00 ₂
b. $\phi < 2\phi$ to ϕ_2 (%)	11	58, 10.10	58 ₂	58 ₂
c. $\phi < 2\phi$ to ϕ_2 (%)	7	94, 1.62	94 ₂	94 ₂
d. ϕ_2 to ϕ_3 (%)	9	01, 1.10	01 ₂	01 ₂
e. ϕ_3 to ϕ_4 (%)	13	03, 4.55	03 ₂	03 ₂
f. ϕ_4 to ϕ_5 (%)	9			
g. ϕ_5 to ϕ_6 (%)	8			
h. ϕ_6 to ϕ_7 (%)	10			
i. ϕ_7 to ϕ_8 (%)	9			
j. $\phi > \phi_8$ (%)	9			
20. SUBSAMPLE DRY WEIGHT (gm)		418		
21. SPHERICITY (avg.)				
22. PLASTICITY		1.0		
23. SHALLOO-TESTING (mm) Shear/Gr.		0		
24. DOMINANT MINERAL (%)				
25. SECONDARY MINERAL (%)				
26. OTHER MINERALS (%)				
27. REMARKS		44 CONTINUED BLANK STRAINS.		

1. SAMPLE NUMBER	66-139-1	MULLERBERG	5. SAMPLER TYPE	
2. LATITUDE	26	41	6. WATER DEPTH (m.)	190
3. LONGITUDE	68	50	7. CORE LENGTH (m.)	123
4. DATE (DD, MONTH, YEAR)	14	SEPTEMBER 1959	8. CORE PENETRATION (m.)	144
9. LABORATORY NUMBERS		3964		3965
10. SUBSAMPLE DEPTH IN CORE (m.)		0-2		48-50
11. COLOR		CRANBY BROWN (5.0Y 4/2)		CRANBY BROWN (5.0Y 4/2)
12. DOOR				
13. WET DENSITY (lb./ft ³)				
14. RIGIDITY (cm)				
15. MAXIMUM POROSITY (%)				
16. MINIMUM POROSITY (%)				
17. WATER CONTENT (%)				
18. ORGANIC CARBON CONTENT (%)				
19. SIZE ANALYSIS AND STATISTICAL MEASURES				
a. $\phi < 2\phi$ (%)	3	00 ₂	00 ₂	00 ₂
b. $\phi < 2\phi$ to ϕ_2 (%)		58 ₂	58 ₂	58 ₂
c. $\phi < 2\phi$ to ϕ_2 (%)		94, 8.35	94, 8.12	94, 8.12
d. ϕ_2 to ϕ_3 (%)		01, 6.38	01, 5.91	01, 6.10
e. ϕ_3 to ϕ_4 (%)	2	03 ₂	03 ₂	03 ₂
f. ϕ_4 to ϕ_5 (%)		2		1
g. ϕ_5 to ϕ_6 (%)		2		4
h. ϕ_6 to ϕ_7 (%)	15	15	18	22
i. ϕ_7 to ϕ_8 (%)	38	35	36	35
j. $\phi > \phi_8$ (%)	42	39	39	38
20. SUBSAMPLE DRY WEIGHT (gm)		16.62	18.00	21.91
21. SPHERICITY (avg.)				23.59
22. PLASTICITY		11.6	11.3	11.3
23. SHALLOO-TESTING (mm) Shear/Gr.		0	-1.9	0
24. DOMINANT MINERAL (%)				41.9
25. SECONDARY MINERAL (%)				
26. OTHER MINERALS (%)				
27. REMARKS		ITEMS 11-26 DETERMINED IN THE LAB		
		DARK STRAINS IN THE FIRST 6 INCHES OF THE CORE		
		SHELL SCATTERED THROUGHOUT CORE		

SEGMENT TYPE	CRANBY SALT	CRANBY SALT	CRANBY SALT	CRANBY SALT
--------------	-------------	-------------	-------------	-------------

[illegible]

1. SAMPLE NUMBER	61-199-1: cont.			5. SAMPLE TYPE	
2. LATITUDE				6. WATER DEPTH (m.)	
3. LONGITUDE				7. CORE LENGTH (m.)	
4. DATE (Day, month, year)				8. CORE PENETRATION (m.)	
9. LAB NUMBER	3971	5982	9973		
10. SUBSAMPLE BATH IN CORE (m.)	110 - 112	110 - 112	121 - 123		
11. COLOR	Greenish Blue (50Y 4/2)	Greenish Blue (50Y 4/2)	Greenish Blue (50Y 4/2)		
12. OTHER					
13. NET DENSITY (lb./ft. ³)					
14. RESIDUE (%)					
15. MAXIMUM POROSITY (%)					
16. MAXIMUM POROSITY (%)					
17. WATER CONTENT (%)					
18. ORGANIC CARBON CONTENT (%)					
19. SIFT ANALYSIS AND STATISTICAL VALUES					
20. $x_1 - x_2$ (%)	100, 238	100, 238	100, 238	100, 238	100, 238
21. $x_1 - x_2$ (%)	1, 1469	1, 1469	1, 1469	1, 1469	1, 1469
22. $x_1 - x_2$ (%)	100, 517	100, 517	100, 517	100, 517	100, 517
23. $x_1 - x_2$ (%)	5, 348	5, 348	5, 348	5, 348	5, 348
24. $x_1 - x_2$ (%)	100, 925	100, 925	100, 925	100, 925	100, 925
25. $x_1 - x_2$ (%)	8	8	8	8	8
26. $x_1 - x_2$ (%)	13	13	13	13	13
27. $x_1 - x_2$ (%)	28	28	28	28	28
28. $x_1 - x_2$ (%)	19	19	19	19	19
29. $x_1 - x_2$ (%)	21	21	21	21	21
30. SUBSAMPLE DRY WEIGHT (mg)	1667	1667	1667	1667	1667
31. SPHERULITE (mg)					
32. SPHERULITE (mg)					
33. SPHERULITE (mg)					
34. SPHERULITE (mg)					
35. SPHERULITE (mg)					
36. SPHERULITE (mg)					
37. SPHERULITE (mg)					
38. SPHERULITE (mg)					
39. SPHERULITE (mg)					
40. SPHERULITE (mg)					
41. SPHERULITE (mg)					
42. SPHERULITE (mg)					
43. SPHERULITE (mg)					
44. SPHERULITE (mg)					
45. SPHERULITE (mg)					
46. SPHERULITE (mg)					
47. SPHERULITE (mg)					
48. SPHERULITE (mg)					
49. SPHERULITE (mg)					
50. SPHERULITE (mg)					
51. SPHERULITE (mg)					
52. SPHERULITE (mg)					
53. SPHERULITE (mg)					
54. SPHERULITE (mg)					
55. SPHERULITE (mg)					
56. SPHERULITE (mg)					
57. SPHERULITE (mg)					
58. SPHERULITE (mg)					
59. SPHERULITE (mg)					
60. SPHERULITE (mg)					
61. SPHERULITE (mg)					
62. SPHERULITE (mg)					
63. SPHERULITE (mg)					
64. SPHERULITE (mg)					
65. SPHERULITE (mg)					
66. SPHERULITE (mg)					
67. SPHERULITE (mg)					
68. SPHERULITE (mg)					
69. SPHERULITE (mg)					
70. SPHERULITE (mg)					
71. SPHERULITE (mg)					
72. SPHERULITE (mg)					
73. SPHERULITE (mg)					
74. SPHERULITE (mg)					
75. SPHERULITE (mg)					
76. SPHERULITE (mg)					
77. SPHERULITE (mg)					
78. SPHERULITE (mg)					
79. SPHERULITE (mg)					
80. SPHERULITE (mg)					
81. SPHERULITE (mg)					
82. SPHERULITE (mg)					
83. SPHERULITE (mg)					
84. SPHERULITE (mg)					
85. SPHERULITE (mg)					
86. SPHERULITE (mg)					
87. SPHERULITE (mg)					
88. SPHERULITE (mg)					
89. SPHERULITE (mg)					
90. SPHERULITE (mg)					
91. SPHERULITE (mg)					
92. SPHERULITE (mg)					
93. SPHERULITE (mg)					
94. SPHERULITE (mg)					
95. SPHERULITE (mg)					
96. SPHERULITE (mg)					
97. SPHERULITE (mg)					
98. SPHERULITE (mg)					
99. SPHERULITE (mg)					
100. SPHERULITE (mg)					
101. SPHERULITE (mg)					
102. SPHERULITE (mg)					
103. SPHERULITE (mg)					
104. SPHERULITE (mg)					
105. SPHERULITE (mg)					
106. SPHERULITE (mg)					
107. SPHERULITE (mg)					
108. SPHERULITE (mg)					
109. SPHERULITE (mg)					
110. SPHERULITE (mg)					
111. SPHERULITE (mg)					
112. SPHERULITE (mg)					
113. SPHERULITE (mg)					
114. SPHERULITE (mg)					
115. SPHERULITE (mg)					
116. SPHERULITE (mg)					
117. SPHERULITE (mg)					
118. SPHERULITE (mg)					
119. SPHERULITE (mg)					
120. SPHERULITE (mg)					
121. SPHERULITE (mg)					
122. SPHERULITE (mg)					
123. SPHERULITE (mg)					
124. SPHERULITE (mg)					
125. SPHERULITE (mg)					
126. SPHERULITE (mg)					
127. SPHERULITE (mg)					
128. SPHERULITE (mg)					
129. SPHERULITE (mg)					
130. SPHERULITE (mg)					
131. SPHERULITE (mg)					
132. SPHERULITE (mg)					
133. SPHERULITE (mg)					
134. SPHERULITE (mg)					
135. SPHERULITE (mg)					
136. SPHERULITE (mg)					
137. SPHERULITE (mg)					
138. SPHERULITE (mg)					
139. SPHERULITE (mg)					
140. SPHERULITE (mg)					
141. SPHERULITE (mg)					
142. SPHERULITE (mg)					
143. SPHERULITE (mg)					
144. SPHERULITE (mg)					
145. SPHERULITE (mg)					
146. SPHERULITE (mg)					
147. SPHERULITE (mg)					
148. SPHERULITE (mg)					
149. SPHERULITE (mg)					
150. SPHERULITE (mg)					
151. SPHERULITE (mg)					
152. SPHERULITE (mg)					
153. SPHERULITE (mg)					
154. SPHERULITE (mg)					
155. SPHERULITE (mg)					
156. SPHERULITE (mg)					
157. SPHERULITE (mg)					
158. SPHERULITE (mg)					
159. SPHERULITE (mg)					
160. SPHERULITE (mg)					
161. SPHERULITE (mg)					
162. SPHERULITE (mg)					
163. SPHERULITE (mg)					
164. SPHERULITE (mg)					
165. SPHERULITE (mg)					
166. SPHERULITE (mg)					
167. SPHERULITE (mg)					
168. SPHERULITE (mg)					
169. SPHERULITE (mg)					
170. SPHERULITE (mg)					
171. SPHERULITE (mg)					
172. SPHERULITE (mg)					
173. SPHERULITE (mg)					
174. SPHERULITE (mg)					
175. SPHERULITE (mg)					
176. SPHERULITE (mg)					
177. SPHERULITE (mg)					
178. SPHERULITE (mg)					
179. SPHERULITE (mg)					
180. SPHERULITE (mg)					
181. SPHERULITE (mg)					
182. SPHERULITE (mg)					
183. SPHERULITE (mg)					
184. SPHERULITE (mg)					
185. SPHERULITE (mg)					
186. SPHERULITE (mg)					
187. SPHERULITE (mg)					
188. SPHERULITE (mg)					
189. SPHERULITE (mg)					
190. SPHERULITE (mg)					
191. SPHERULITE (mg)					
192. SPHERULITE (mg)					
193. SPHERULITE (mg)					
194. SPHERULITE (mg)					
195. SPHERULITE (mg)					
196. SPHERULITE (mg)					
197. SPHERULITE (mg)					
198. SPHERULITE (mg)					
199. SPHERULITE (mg)					
200. SPHERULITE (mg)					
201. SPHERULITE (mg)					
202. SPHERULITE (mg)					
203. SPHERULITE (mg)					
204. SPHERULITE (mg)					
205. SPHERULITE (mg)					
206. SPHERULITE (mg)					
207. SPHERULITE (mg)					
208. SPHERULITE (mg)					
209. SPHERULITE (mg)					
210. SPHERULITE (mg)					
211. SPHERULITE (mg)					
212. SPHERULITE (mg)					
213. SPHERULITE (mg)					
214. SPHERULITE (mg)					
215. SPHERULITE (mg)					
216. SPHERULITE (mg)					
217. SPHERULITE (mg)					
218. SPHERULITE (mg)					
219. SPHERULITE (mg)					
220. SPHERULITE (mg)					
221. SPHERULITE (mg)					
222. SPHERULITE (mg)					
223. SPHERULITE (mg)					
224. SPHERULITE (mg)					
225. SPHERULITE (mg)					
226. SPHERULITE (mg)					
227. SPHERULITE (mg)					
228. SPHERULITE (mg)					
229. SPHERULITE (mg)					
230. SPHERULITE (mg)					
231. SPHERULITE (mg)					
232. SPHERULITE (mg)					
233. SPHERULITE (mg)					
234. SPHERULITE (mg)					
235. SPHERULITE (mg)					
236. SPHERULITE (mg)					
237. SPHERULITE (mg)					
238. SPHERULITE (mg)					
239. SPHERULITE (mg)					
240. SPHERULITE (mg)					
241. SPHERULITE (mg)					
242. SPHERULITE (mg)					
243. SPHERULITE (mg)					
244. SPHERULITE (mg)					
245. SPHERULITE (mg)					
246. SPHERULITE (mg)					
247. SPHERULITE (mg)					
248. SPHERULITE (mg)					
249. SPHERULITE (mg)					
250. SPHERULITE (mg)					
251. SPHERULITE (mg)					
252. SPHERULITE (mg)					
253. SPHERULITE (mg)					
254. SPHERULITE (mg)					
255. SPHERULITE (mg)					
256. SPHERULITE (mg)					
257. SPHERULITE (mg)					
258. SPHERULITE (mg)					
259. SPHERULITE (mg)					
260. SPHERULITE (mg)					
261. SPHERULITE (mg)					
262. SPHERULITE (mg)					
263. SPHERULITE (mg)					
264. SPHERULITE (mg)					
265. SPHERULITE (mg)					
266. SPHERULITE (mg)					
267. SPHERULITE (mg)					
268. SPHERULITE (mg)					
269. SPHERULITE (mg)					
270. SPHERULITE (mg)					
271. SPHERULITE (mg)					
272. SPHERULITE (mg)					
273. SPHERULITE (mg)					
274. SPHERULITE (mg)					
275. SPHERULITE (mg)					
276. SPHERULITE (mg)					
277. SPHERULITE (mg)					
278. SPHERULITE (mg)					
279. SPHERULITE (mg)					
280. SPHERULITE (mg)					
281. SPHERULITE (mg)					
282. SPHERULITE (mg)					
283. SPHERULITE (mg)					
284. SPHERULITE (mg)					
285. SPHERULITE (mg)					
286. SPHERULITE (mg)					
287. SPHERULITE (mg)					
288. SPHERULITE (mg)					
289. SPHERULITE (mg)					
290. SPHERULITE (mg)					
291. SPHERULITE (mg)					
292. SPHERULITE (mg)					
293. SPHERULITE (mg)					
294. SPHERULITE (mg)					
295. SPHERULITE (mg)					
296. SPHERULITE (mg)					
297. SPHERULITE (mg)					
298. SPHERULITE (mg)					
299. SPHERULITE (mg)					
300. SPHERULITE (mg)					
301. SPHERULITE (mg)					
302. SPHERULITE (mg)					
303. SPHERULITE (mg)					
304. SPHERULITE (mg)					
305. SPHERULITE (mg)					
306. SPHERULITE (mg)					
307. SPHERULITE (mg)					
308. SPHERULITE (mg)					
309. SPHERULITE (mg)					
310. SPHERULITE (mg)					
311. SPHERULITE (mg)					
312. SPHERULITE (mg)					

1. SAMPLE NUMBER	66-140-1	5. SAMPLER TYPE	MULLERBERG
2. LATITUDE	44 24 N	6. WATER DEPTH (m.)	83
3. LONGITUDE	68 50 W	7. CORE LENGTH (m.)	126
4. DATE (day, month, year)	14 February 1959	8. CORE PENETRATION (m.)	
9. LABORATORY NUMBER	3991 +		3993
10. SUSPENSIBLE DEPTH IN CORE (m.)	0-2		62-64
11. COLOR	DRY GRAY (5-10)		DRY GRAY (5-10)
12. MOON			
13. NET DENSITY (1b./ft ³)			
14. RIGIDITY (cm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. -2, (s)	10 ₂	10 ₂	10 ₂
b. -2 ₀ to -1 ₀ (s)	SK ₂	SK ₂	SK ₂
c. -1 ₀ to 0 ₁ (s)	M ₂ 858	M ₂ 845	M ₂ 856
d. 0 ₁ to 1 ₀ (s)	2 01.691	2 01.674	2 01.683
e. 1 ₀ to 2 ₀ (s)	10 ₂	10 ₂	10 ₂
f. 2 ₀ to 3 ₀ (s)			
g. 3 ₀ to 4 ₀ (s)			
h. 4 ₀ to 5 ₀ (s)	12	12	13
i. 5 ₀ to 6 ₀ (s)	43	43	42
j. 6 ₀ to 7 ₀ (s)	42	41	44
k. 7 ₀ (s)	1392	1634	1744
20. SUSPENSIBLE DRY WEIGHT (gm)			
21. SPHERICITY (cm)			
22. PLASTICITY	H: 3.6	H: 3.6	H: 3.6
23. SHRECK-TESTING (mm. 1/2 in.)	2.1%	0	0
24. IMPACT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS	* THE SAMPLE OBTAINED FROM STREAMS. FEW SHELLS SCATTERED THROUGHOUT CORE.		
SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT

1. SAMPLE NUMBER	66-140-1	5. SAMPLER TYPE	
2. LATITUDE		6. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBER	3994		3996
10. SUSPENSIBLE DEPTH IN CORE (m.)	8-12		109-111
11. COLOR	DRY GRAY (5-10)		DRY GRAY (5-10)
12. MOON			
13. NET DENSITY (1b./ft ³)			
14. RIGIDITY (cm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. -2, (s)	10 ₂	10 ₂	10 ₂
b. -2 ₀ to -1 ₀ (s)	SK ₂	SK ₂	SK ₂
c. -1 ₀ to 0 ₁ (s)	M ₂ 851	M ₂ 861	M ₂ 868
d. 0 ₁ to 1 ₀ (s)	01.662	01.674	01.701
e. 1 ₀ to 2 ₀ (s)	10 ₂	10 ₂	10 ₂
f. 2 ₀ to 3 ₀ (s)	1	1	1
g. 3 ₀ to 4 ₀ (s)			
h. 4 ₀ to 5 ₀ (s)	14	12	11
i. 5 ₀ to 6 ₀ (s)	39	39	42
j. 6 ₀ to 7 ₀ (s)	42	44	45
k. 7 ₀ (s)	1701	1488	1488
20. SUSPENSIBLE DRY WEIGHT (gm)			
21. SPHERICITY (cm)			
22. PLASTICITY	H: 3.6	H: 3.6	H: 3.6
23. SHRECK-TESTING (mm. 1/2 in.)	0	0	0
24. IMPACT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS	* 0-9" and 119-126" contained black layers. Color change at 46" and 96"		
SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT

1. SAMPLE NUMBER	66-141-1	5. SAMPLER TYPE	Kullenberg
2. LATITUDE	44 53 N	6. WATER DEPTH (m.)	50.3
3. LONGITUDE	68 53 W	7. CORE LENGTH (m.)	11.8
4. DATE	15 September 1959	8. CORE PENETRATION (m.)	144
9. LABORATORY NUMBER	39441	9. LABORATORY NUMBER	39442 *
10. SUBSAMPLE DEPTH IN CORE (m.)	0-6	10. SUBSAMPLE DEPTH IN CORE (m.)	8-10
11. COLOR	Dark Greenish Gray 5041/2, Olive Gray 5341/1	11. COLOR	Dark Greenish Gray 5041/2, Olive Gray 5341/1
12. OTHER		12. OTHER	
13. WET DENSITY (lb./ft. ³)		13. WET DENSITY (lb./ft. ³)	
14. RESIDUUM (%)		14. RESIDUUM (%)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MEAN POROSITY (%)		16. MEAN POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SITE ANALYSIS AND STATISTICAL MEASURES			
a. $\bar{x} \pm 2s$ (%)	$\bar{x}_1 \pm 2s_1$ (%)	$\bar{x}_2 \pm 2s_2$ (%)	$\bar{x}_3 \pm 2s_3$ (%)
b. $\bar{x} - 2s$ to $+\bar{x}$ (%)	$\bar{x}_1 - 2s_1$ to $+\bar{x}_1$ (%)	$\bar{x}_2 - 2s_2$ to $+\bar{x}_2$ (%)	$\bar{x}_3 - 2s_3$ to $+\bar{x}_3$ (%)
c. $\bar{x} - 1s$ to 0 (%)	$\bar{x}_1 - 1s_1$ to 0 (%)	$\bar{x}_2 - 1s_2$ to 0 (%)	$\bar{x}_3 - 1s_3$ to 0 (%)
d. 0 to $1s$ (%)	0 to $1s_1$ (%)	0 to $1s_2$ (%)	0 to $1s_3$ (%)
e. $1s$ to $2s$ (%)	$1s_1$ to $2s_1$ (%)	$1s_2$ to $2s_2$ (%)	$1s_3$ to $2s_3$ (%)
f. $2s$ to $3s$ (%)	$2s_1$ to $3s_1$ (%)	$2s_2$ to $3s_2$ (%)	$2s_3$ to $3s_3$ (%)
g. $3s$ to $4s$ (%)	$3s_1$ to $4s_1$ (%)	$3s_2$ to $4s_2$ (%)	$3s_3$ to $4s_3$ (%)
h. $4s$ to $5s$ (%)	$4s_1$ to $5s_1$ (%)	$4s_2$ to $5s_2$ (%)	$4s_3$ to $5s_3$ (%)
i. $5s$ to $6s$ (%)	$5s_1$ to $6s_1$ (%)	$5s_2$ to $6s_2$ (%)	$5s_3$ to $6s_3$ (%)
j. $6s$ to $7s$ (%)	$6s_1$ to $7s_1$ (%)	$6s_2$ to $7s_2$ (%)	$6s_3$ to $7s_3$ (%)
k. $7s$ to $8s$ (%)	$7s_1$ to $8s_1$ (%)	$7s_2$ to $8s_2$ (%)	$7s_3$ to $8s_3$ (%)
l. $8s$ to $9s$ (%)	$8s_1$ to $9s_1$ (%)	$8s_2$ to $9s_2$ (%)	$8s_3$ to $9s_3$ (%)
m. $9s$ to $10s$ (%)	$9s_1$ to $10s_1$ (%)	$9s_2$ to $10s_2$ (%)	$9s_3$ to $10s_3$ (%)
n. $10s$ to $11s$ (%)	$10s_1$ to $11s_1$ (%)	$10s_2$ to $11s_2$ (%)	$10s_3$ to $11s_3$ (%)
o. $11s$ to $12s$ (%)	$11s_1$ to $12s_1$ (%)	$11s_2$ to $12s_2$ (%)	$11s_3$ to $12s_3$ (%)
p. $12s$ to $13s$ (%)	$12s_1$ to $13s_1$ (%)	$12s_2$ to $13s_2$ (%)	$12s_3$ to $13s_3$ (%)
q. $13s$ to $14s$ (%)	$13s_1$ to $14s_1$ (%)	$13s_2$ to $14s_2$ (%)	$13s_3$ to $14s_3$ (%)
r. $14s$ to $15s$ (%)	$14s_1$ to $15s_1$ (%)	$14s_2$ to $15s_2$ (%)	$14s_3$ to $15s_3$ (%)
s. $15s$ to $16s$ (%)	$15s_1$ to $16s_1$ (%)	$15s_2$ to $16s_2$ (%)	$15s_3$ to $16s_3$ (%)
t. $16s$ to $17s$ (%)	$16s_1$ to $17s_1$ (%)	$16s_2$ to $17s_2$ (%)	$16s_3$ to $17s_3$ (%)
u. $17s$ to $18s$ (%)	$17s_1$ to $18s_1$ (%)	$17s_2$ to $18s_2$ (%)	$17s_3$ to $18s_3$ (%)
v. $18s$ to $19s$ (%)	$18s_1$ to $19s_1$ (%)	$18s_2$ to $19s_2$ (%)	$18s_3$ to $19s_3$ (%)
w. $19s$ to $20s$ (%)	$19s_1$ to $20s_1$ (%)	$19s_2$ to $20s_2$ (%)	$19s_3$ to $20s_3$ (%)
x. $20s$ to $21s$ (%)	$20s_1$ to $21s_1$ (%)	$20s_2$ to $21s_2$ (%)	$20s_3$ to $21s_3$ (%)
y. $21s$ to $22s$ (%)	$21s_1$ to $22s_1$ (%)	$21s_2$ to $22s_2$ (%)	$21s_3$ to $22s_3$ (%)
z. $22s$ to $23s$ (%)	$22s_1$ to $23s_1$ (%)	$22s_2$ to $23s_2$ (%)	$22s_3$ to $23s_3$ (%)
aa. $23s$ to $24s$ (%)	$23s_1$ to $24s_1$ (%)	$23s_2$ to $24s_2$ (%)	$23s_3$ to $24s_3$ (%)
ab. $24s$ to $25s$ (%)	$24s_1$ to $25s_1$ (%)	$24s_2$ to $25s_2$ (%)	$24s_3$ to $25s_3$ (%)
ac. $25s$ to $26s$ (%)	$25s_1$ to $26s_1$ (%)	$25s_2$ to $26s_2$ (%)	$25s_3$ to $26s_3$ (%)
ad. $26s$ to $27s$ (%)	$26s_1$ to $27s_1$ (%)	$26s_2$ to $27s_2$ (%)	$26s_3$ to $27s_3$ (%)
ae. $27s$ to $28s$ (%)	$27s_1$ to $28s_1$ (%)	$27s_2$ to $28s_2$ (%)	$27s_3$ to $28s_3$ (%)
af. $28s$ to $29s$ (%)	$28s_1$ to $29s_1$ (%)	$28s_2$ to $29s_2$ (%)	$28s_3$ to $29s_3$ (%)
ag. $29s$ to $30s$ (%)	$29s_1$ to $30s_1$ (%)	$29s_2$ to $30s_2$ (%)	$29s_3$ to $30s_3$ (%)
ah. $30s$ to $31s$ (%)	$30s_1$ to $31s_1$ (%)	$30s_2$ to $31s_2$ (%)	$30s_3$ to $31s_3$ (%)
ai. $31s$ to $32s$ (%)	$31s_1$ to $32s_1$ (%)	$31s_2$ to $32s_2$ (%)	$31s_3$ to $32s_3$ (%)
aj. $32s$ to $33s$ (%)	$32s_1$ to $33s_1$ (%)	$32s_2$ to $33s_2$ (%)	$32s_3$ to $33s_3$ (%)
ak. $33s$ to $34s$ (%)	$33s_1$ to $34s_1$ (%)	$33s_2$ to $34s_2$ (%)	$33s_3$ to $34s_3$ (%)
al. $34s$ to $35s$ (%)	$34s_1$ to $35s_1$ (%)	$34s_2$ to $35s_2$ (%)	$34s_3$ to $35s_3$ (%)
am. $35s$ to $36s$ (%)	$35s_1$ to $36s_1$ (%)	$35s_2$ to $36s_2$ (%)	$35s_3$ to $36s_3$ (%)
an. $36s$ to $37s$ (%)	$36s_1$ to $37s_1$ (%)	$36s_2$ to $37s_2$ (%)	$36s_3$ to $37s_3$ (%)
ao. $37s$ to $38s$ (%)	$37s_1$ to $38s_1$ (%)	$37s_2$ to $38s_2$ (%)	$37s_3$ to $38s_3$ (%)
ap. $38s$ to $39s$ (%)	$38s_1$ to $39s_1$ (%)	$38s_2$ to $39s_2$ (%)	$38s_3$ to $39s_3$ (%)
aq. $39s$ to $40s$ (%)	$39s_1$ to $40s_1$ (%)	$39s_2$ to $40s_2$ (%)	$39s_3$ to $40s_3$ (%)
ar. $40s$ to $41s$ (%)	$40s_1$ to $41s_1$ (%)	$40s_2$ to $41s_2$ (%)	$40s_3$ to $41s_3$ (%)
as. $41s$ to $42s$ (%)	$41s_1$ to $42s_1$ (%)	$41s_2$ to $42s_2$ (%)	$41s_3$ to $42s_3$ (%)
at. $42s$ to $43s$ (%)	$42s_1$ to $43s_1$ (%)	$42s_2$ to $43s_2$ (%)	$42s_3$ to $43s_3$ (%)
au. $43s$ to $44s$ (%)	$43s_1$ to $44s_1$ (%)	$43s_2$ to $44s_2$ (%)	$43s_3$ to $44s_3$ (%)
av. $44s$ to $45s$ (%)	$44s_1$ to $45s_1$ (%)	$44s_2$ to $45s_2$ (%)	$44s_3$ to $45s_3$ (%)
aw. $45s$ to $46s$ (%)	$45s_1$ to $46s_1$ (%)	$45s_2$ to $46s_2$ (%)	$45s_3$ to $46s_3$ (%)
ax. $46s$ to $47s$ (%)	$46s_1$ to $47s_1$ (%)	$46s_2$ to $47s_2$ (%)	$46s_3$ to $47s_3$ (%)
ay. $47s$ to $48s$ (%)	$47s_1$ to $48s_1$ (%)	$47s_2$ to $48s_2$ (%)	$47s_3$ to $48s_3$ (%)
az. $48s$ to $49s$ (%)	$48s_1$ to $49s_1$ (%)	$48s_2$ to $49s_2$ (%)	$48s_3$ to $49s_3$ (%)
ba. $49s$ to $50s$ (%)	$49s_1$ to $50s_1$ (%)	$49s_2$ to $50s_2$ (%)	$49s_3$ to $50s_3$ (%)
bb. $50s$ to $51s$ (%)	$50s_1$ to $51s_1$ (%)	$50s_2$ to $51s_2$ (%)	$50s_3$ to $51s_3$ (%)
bc. $51s$ to $52s$ (%)	$51s_1$ to $52s_1$ (%)	$51s_2$ to $52s_2$ (%)	$51s_3$ to $52s_3$ (%)
bd. $52s$ to $53s$ (%)	$52s_1$ to $53s_1$ (%)	$52s_2$ to $53s_2$ (%)	$52s_3$ to $53s_3$ (%)
be. $53s$ to $54s$ (%)	$53s_1$ to $54s_1$ (%)	$53s_2$ to $54s_2$ (%)	$53s_3$ to $54s_3$ (%)
bf. $54s$ to $55s$ (%)	$54s_1$ to $55s_1$ (%)	$54s_2$ to $55s_2$ (%)	$54s_3$ to $55s_3$ (%)
bg. $55s$ to $56s$ (%)	$55s_1$ to $56s_1$ (%)	$55s_2$ to $56s_2$ (%)	$55s_3$ to $56s_3$ (%)
bh. $56s$ to $57s$ (%)	$56s_1$ to $57s_1$ (%)	$56s_2$ to $57s_2$ (%)	$56s_3$ to $57s_3$ (%)
bi. $57s$ to $58s$ (%)	$57s_1$ to $58s_1$ (%)	$57s_2$ to $58s_2$ (%)	$57s_3$ to $58s_3$ (%)
bj. $58s$ to $59s$ (%)	$58s_1$ to $59s_1$ (%)	$58s_2$ to $59s_2$ (%)	$58s_3$ to $59s_3$ (%)
bk. $59s$ to $60s$ (%)	$59s_1$ to $60s_1$ (%)	$59s_2$ to $60s_2$ (%)	$59s_3$ to $60s_3$ (%)
bl. $60s$ to $61s$ (%)	$60s_1$ to $61s_1$ (%)	$60s_2$ to $61s_2$ (%)	$60s_3$ to $61s_3$ (%)
bm. $61s$ to $62s$ (%)	$61s_1$ to $62s_1$ (%)	$61s_2$ to $62s_2$ (%)	$61s_3$ to $62s_3$ (%)
bn. $62s$ to $63s$ (%)	$62s_1$ to $63s_1$ (%)	$62s_2$ to $63s_2$ (%)	$62s_3$ to $63s_3$ (%)
bo. $63s$ to $64s$ (%)	$63s_1$ to $64s_1$ (%)	$63s_2$ to $64s_2$ (%)	$63s_3$ to $64s_3$ (%)
bp. $64s$ to $65s$ (%)	$64s_1$ to $65s_1$ (%)	$64s_2$ to $65s_2$ (%)	$64s_3$ to $65s_3$ (%)
bq. $65s$ to $66s$ (%)	$65s_1$ to $66s_1$ (%)	$65s_2$ to $66s_2$ (%)	$65s_3$ to $66s_3$ (%)
br. $66s$ to $67s$ (%)	$66s_1$ to $67s_1$ (%)	$66s_2$ to $67s_2$ (%)	$66s_3$ to $67s_3$ (%)
bs. $67s$ to $68s$ (%)	$67s_1$ to $68s_1$ (%)	$67s_2$ to $68s_2$ (%)	$67s_3$ to $68s_3$ (%)
bt. $68s$ to $69s$ (%)	$68s_1$ to $69s_1$ (%)	$68s_2$ to $69s_2$ (%)	$68s_3$ to $69s_3$ (%)
bu. $69s$ to $70s$ (%)	$69s_1$ to $70s_1$ (%)	$69s_2$ to $70s_2$ (%)	$69s_3$ to $70s_3$ (%)
bv. $70s$ to $71s$ (%)	$70s_1$ to $71s_1$ (%)	$70s_2$ to $71s_2$ (%)	$70s_3$ to $71s_3$ (%)
bw. $71s$ to $72s$ (%)	$71s_1$ to $72s_1$ (%)	$71s_2$ to $72s_2$ (%)	$71s_3$ to $72s_3$ (%)
bx. $72s$ to $73s$ (%)	$72s_1$ to $73s_1$ (%)	$72s_2$ to $73s_2$ (%)	$72s_3$ to $73s_3$ (%)
by. $73s$ to $74s$ (%)	$73s_1$ to $74s_1$ (%)	$73s_2$ to $74s_2$ (%)	$73s_3$ to $74s_3$ (%)
bz. $74s$ to $75s$ (%)	$74s_1$ to $75s_1$ (%)	$74s_2$ to $75s_2$ (%)	$74s_3$ to $75s_3$ (%)
ca. $75s$ to $76s$ (%)	$75s_1$ to $76s_1$ (%)	$75s_2$ to $76s_2$ (%)	$75s_3$ to $76s_3$ (%)
cb. $76s$ to $77s$ (%)	$76s_1$ to $77s_1$ (%)	$76s_2$ to $77s_2$ (%)	$76s_3$ to $77s_3$ (%)
cc. $77s$ to $78s$ (%)	$77s_1$ to $78s_1$ (%)	$77s_2$ to $78s_2$ (%)	$77s_3$ to $78s_3$ (%)
cd. $78s$ to $79s$ (%)	$78s_1$ to $79s_1$ (%)	$78s_2$ to $79s_2$ (%)	$78s_3$ to $79s_3$ (%)
ce. $79s$ to $80s$ (%)	$79s_1$ to $80s_1$ (%)	$79s_2$ to $80s_2$ (%)	$79s_3$ to $80s_3$ (%)
cf. $80s$ to $81s$ (%)	$80s_1$ to $81s_1$ (%)	$80s_2$ to $81s_2$ (%)	$80s_3$ to $81s_3$ (%)
cg. $81s$ to $82s$ (%)	$81s_1$ to $82s_1$ (%)	$81s_2$ to $82s_2$ (%)	$81s_3$ to $82s_3$ (%)
ch. $82s$ to $83s$ (%)	$82s_1$ to $83s_1$ (%)	$82s_2$ to $83s_2$ (%)	$82s_3$ to $83s_3$ (%)
ci. $83s$ to $84s$ (%)	$83s_1$ to $84s_1$ (%)	$83s_2$ to $84s_2$ (%)	$83s_3$ to $84s_3$ (%)
cj. $84s$ to $85s$ (%)	$84s_1$ to $85s_1$ (%)	$84s_2$ to $85s_2$ (%)	$84s_3$ to $85s_3$ (%)
ck. $85s$ to $86s$ (%)	$85s_1$ to $86s_1$ (%)	$85s_2$ to $86s_2$ (%)	$85s_3$ to $86s_3$ (%)
cl. $86s$ to $87s$ (%)	$86s_1$ to $87s_1$ (%)	$86s_2$ to $87s_2$ (%)	$86s_3$ to $87s_3$ (%)
cm. $87s$ to $88s$ (%)	$87s_1$ to $88s_1$ (%)	$87s_2$ to $88s_2$ (%)	$87s_3$ to $88s_3$ (%)
cn. $88s$ to $89s$ (%)	$88s_1$ to $89s_1$ (%)	$88s_2$ to $89s_2$ (%)	$88s_3$ to $89s_3$ (%)
co. $89s$ to $90s$ (%)	$89s_1$ to $90s_1$ (%)	$89s_2$ to $90s_2$ (%)	$89s_3$ to $90s_3$ (%)
cp. $90s$ to $91s$ (%)	$90s_1$ to $91s_1$ (%)	$90s_2$ to $91s_2$ (%)	$90s_3$ to $91s_3$ (%)
cq. $91s$ to $92s$ (%)	$91s_1$ to $92s_1$ (%)	$91s_2$ to $92s_2$ (%)	$91s_3$ to $92s_3$ (%)
cr. $92s$ to $93s$ (%)	$92s_1$ to $93s_1$ (%)	$92s_2$ to $93s_2$ (%)	$92s_3$ to $93s_3$ (%)
cs. $93s$ to $94s$ (%)	$93s_1$ to $94s_1$ (%)	$93s_2$ to $94s_2$ (%)	$93s_3$ to $94s_3$ (%)
ct. $94s$ to $95s$ (%)	$94s_1$ to $95s_1$ (%)	$94s_2$ to $95s_2$ (%)	$94s_3$ to $95s_3$ (%)
cu. $95s$ to $96s$ (%)	$95s_1$ to $96s_1$ (%)	$95s_2$ to $96s_2$ (%)	$95s_3$ to $96s_3$ (%)
cv. $96s$ to $97s$ (%)	$96s_1$ to $97s_1$ (%)	$96s_2$ to $97s_2$ (%)	$96s_3$ to $97s_3$ (%)
cw. $97s$ to $98s$ (%)	97		

1. SAMPLE NUMBER	66-141-1 continued	5. SAMPLER TYPE	
2. LATITUDE		5. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3049 3050 3051 3052		3953
10. SUBSAMPLE DEPTH IN CORE (m.)	32-34		32-34
11. COLOR	Olive Gray 5Y4/1, Medium Gray N5, Gray N5.	Olive Gray 5Y4/1, Medium Gray N5, Gray N5.	Medium Gray N5, Black N1
12. MOON			
13. WET DENSITY (lb./ft. ³)			
14. FIDUCIAL (mm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. ϕ - ϕ_{25} (%)	00 ₂	00 ₂	00 ₂
b. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
c. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
d. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
e. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
f. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
g. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
h. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
i. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
j. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
k. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
l. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
m. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
n. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
o. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
p. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
q. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
r. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
s. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
t. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
u. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
v. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
w. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
x. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
y. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
z. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
20. SUBSAMPLE DRY WEIGHT (gm)	28.22	31.21	36.41
21. SPHERICITY (%)			
22. PLASTICITY (%)	High	High	High
23. SHRECK-TESTING SHELL (%)	0	0	0
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS:	36-118 Clay + Silt - Clay balls at 42", 64" Black layers become numerous and thick at 45" Beginning at 20", soft olive pebbles 36-8" areas of soft olive gray mud		
Sediment Type	Silty Mud	Clayey Silt	Clayey Silt

1. SAMPLE NUMBER	66-141-1 continued	5. SAMPLER TYPE	
2. LATITUDE		5. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3953 3954 3955		3956
10. SUBSAMPLE DEPTH IN CORE (m.)	57-59		72-74
11. COLOR	Olive Gray 5Y4/1, Medium Gray N5	Olive Gray 5Y4/1, Medium Gray N5	Medium Gray N5
12. MOON			
13. WET DENSITY (lb./ft. ³)			
14. FIDUCIAL (mm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. ϕ - ϕ_{25} (%)	00 ₂	00 ₂	00 ₂
b. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
c. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
d. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
e. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
f. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
g. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
h. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
i. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
j. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
k. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
l. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
m. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
n. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
o. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
p. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
q. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
r. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
s. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
t. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
u. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
v. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
w. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
x. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
y. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
z. ϕ_{10} to ϕ_{25} (%)	50 ₂	50 ₂	50 ₂
20. SUBSAMPLE DRY WEIGHT (gm)	35.36	34.16	39.00
21. SPHERICITY (%)			
22. PLASTICITY (%)	High	High	High
23. SHRECK-TESTING SHELL (%)	0	0	0
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS:	57-58 Soft olive gray mud 81-83 Hard gritty + granular layer 83-89 Many dark bands + areas of soft mud. 89-118 Regular black layering		
Sediment Type	Clayey Silt	Clayey Silt	Clayey Silt

1. SAMPLE NUMBER	66-141-1 continued				5. SAMPLER TYPE	
2. LATITUDE					5. WATER DEPTH (m.)	
3. LONGITUDE					7. CORE LENGTH (m.)	
4. DATE (day, month, year)					6. CORE PRESERVATION (%)	
9. LABORATORY NUMBERS	39557	39558	39559	39560		
10. SUBSAMPLE DEPTH IN CORE (m.)	21-53	23-85	27-41	31-93		
11. COLOR	Medium Gray	Medium Gray	Medium Gray	Medium Gray		
	NS	NS	NS	NS		
12. DGR						
13. NET DENSITY (lb./ft ³)						
14. RIGIDITY (cm)						
15. MAXIMUM POROSITY (%)						
16. MINIMUM POROSITY (%)						
17. WATER CONTENT (%)						
18. ORGANIC CARBON CONTENT (%)						
19. SITE ANALYSIS AND STATISTICAL MEASURES						
20. SUBSAMPLE DRY WEIGHT (g)	9	9	9	9		
21. SPHERICITY (cm)						
22. SPHERICITY (cm) Plasticity						
23. SPHERICITY (cm) Plasticity						
24. DOMINANT MINERAL (%)						
25. SECONDARY MINERAL (%)						
26. OTHER MINERAL (%)						
27. REMARKS:						

Sediment Type: Silty Silt Clayey Silt Clayey Silt

1. SAMPLE NUMBER	65-141-1 continued				5. SAMPLER TYPE	
2. LATITUDE					5. WATER DEPTH (m.)	
3. LONGITUDE					7. CORE LENGTH (m.)	
4. DATE (day, month, year)					6. CORE PRESERVATION (%)	
9. LABORATORY NUMBERS	39661	39662	39663	39664		
10. SUBSAMPLE DEPTH IN CORE (m.)	17-102	17-102	17-102	17-102		
11. COLOR	Medium Gray	Medium Gray	Medium Gray	Medium Gray		
	NS	NS	NS	NS		
12. DGR						
13. NET DENSITY (lb./ft ³)						
14. RIGIDITY (cm)						
15. MAXIMUM POROSITY (%)						
16. MINIMUM POROSITY (%)						
17. WATER CONTENT (%)						
18. ORGANIC CARBON CONTENT (%)						
19. SITE ANALYSIS AND STATISTICAL MEASURES						
20. SUBSAMPLE DRY WEIGHT (g)	8	8	8	8		
21. SPHERICITY (cm)						
22. SPHERICITY (cm) Plasticity						
23. SPHERICITY (cm) Plasticity						
24. DOMINANT MINERAL (%)						
25. SECONDARY MINERAL (%)						
26. OTHER MINERAL (%)						
27. REMARKS:						

Sediment Type: Clayey Silt Clayey Silt

1. SAMPLE NUMBER	66-142-1	5. SAMPLER TYPE	KULLENBERG
2. LATITUDE	44° 16'	6. WATER DEPTH (m.)	16.2
3. LONGITUDE	68° 53' W	7. CORE LENGTH (m.)	92
4. DATE (day, month, year)	15 SEPTEMBER 1959	8. CORE PENETRATION (m.)	120
9. LABORATORY NUMBERS	3878	9. LABORATORY NUMBERS	3879
10. SUBSAMPLER DEPTH IN CORE (m.)	0-4	10. SUBSAMPLER DEPTH IN CORE (m.)	4-6
11. COLOR	Dark Greenish Gray (50-60) Mm Blue Gray (50-60) Blue Gray (50-60) Blue Gray (50-60)	11. COLOR	Medium Dark Greenish Gray (50-60) Mm Blue Gray (50-60) Blue Gray (50-60) Blue Gray (50-60)
12. DOOR		12. DOOR	
13. NET DENSITY (m./l.)		13. NET DENSITY (m./l.)	
14. RIGIDITY (mm)		14. RIGIDITY (mm)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES		19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 ₅ (φ)	13	φ ₂₅	φ ₂₅
b. 2 ₅ to 4 ₄ (φ)	1	SK ₂₅	1 SK ₂₅
c. 4 ₄ to 6 ₂ (φ)	1	MS ₂₅	1 MS ₂₅ 776
d. 6 ₂ to 1 ₄ (φ)	1	φ ₁₄	1 φ ₁₄ 475
e. 1 ₄ to 2 ₅ (φ)	2	φ ₂₅	1 φ ₂₅
f. 2 ₅ to 3 ₂ (φ)	4		2
g. 3 ₂ to 4 ₄ (φ)	9		6
h. 4 ₄ to 6 ₂ (φ)	16		19
i. 6 ₂ to 1 ₄ (φ)	27		32
j. > 1 ₄ (φ)	27		31
20. SUBSAMPLER DRY WEIGHT (gm)	35.21	20. SUBSAMPLER DRY WEIGHT (gm)	29.92
21. SPHERICITY (mm)	High	21. SPHERICITY (mm)	High
22. PLASTICITY	Plasticity	22. PLASTICITY	Plasticity
23. LIQUID LIMIT (mm)	0	23. LIQUID LIMIT (mm)	0
24. PLASTIC LIMIT (mm)	0	24. PLASTIC LIMIT (mm)	0
25. SECONDARY MINERAL (%)		25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS	ITEMS 11-26 DETERMINED IN THE LAB.		
	0-4" Soft green, pebbly mud w/ black and gray layers.		
	4-11" Thin layer of hard sticky, green clay		
	11-18" Hard, gray clay-silt, lenses of olive gray mud, dark layers.		
SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT

1. SAMPLE NUMBER	66-142-1	5. SAMPLER TYPE	
2. LATITUDE		6. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3882	9. LABORATORY NUMBERS	3883 *
10. SUBSAMPLER DEPTH IN CORE (m.)	17-22	10. SUBSAMPLER DEPTH IN CORE (m.)	22-24
11. COLOR	Blue Gray (50-60)	11. COLOR	Medium Dark Greenish Gray (50-60) Mm Blue Gray (50-60) Blue Gray (50-60)
12. DOOR		12. DOOR	
13. NET DENSITY (m./l.)		13. NET DENSITY (m./l.)	
14. RIGIDITY (mm)		14. RIGIDITY (mm)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES		19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 ₅ (φ)	1	φ ₂₅	φ ₂₅
b. 2 ₅ to 4 ₄ (φ)	1	SK ₂₅	1 SK ₂₅
c. 4 ₄ to 6 ₂ (φ)	1	MS ₂₅	1 MS ₂₅ 816
d. 6 ₂ to 1 ₄ (φ)	2	φ ₁₄	1 φ ₁₄ 600
e. 1 ₄ to 2 ₅ (φ)	3	φ ₂₅	1 φ ₂₅
f. 2 ₅ to 3 ₂ (φ)	9		2
g. 3 ₂ to 4 ₄ (φ)	18		2
h. 4 ₄ to 6 ₂ (φ)	17		16
i. 6 ₂ to 1 ₄ (φ)	23		37
j. > 1 ₄ (φ)	25		44
20. SUBSAMPLER DRY WEIGHT (gm)	30.85	20. SUBSAMPLER DRY WEIGHT (gm)	35.70
21. SPHERICITY (mm)	Low	21. SPHERICITY (mm)	High
22. PLASTICITY	Plasticity	22. PLASTICITY	High
23. LIQUID LIMIT (mm)	0	23. LIQUID LIMIT (mm)	0
24. PLASTIC LIMIT (mm)	0	24. PLASTIC LIMIT (mm)	0
25. SECONDARY MINERAL (%)		25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS	* THE SAMPLE CONTAINED DARK STREAKS.		
	18-22" Sandy, soft mud		
	22-92" Silt-clay w/ soft lenses of olive gray mud, black layer at 54"		
SEDIMENT TYPE	SILT AND CLAYEY SILT	CLAYEY SILT	CLAYEY SILT

1. SAMPLE NUMBER	65-142-1: CONTINUED	5. SAMPLER TYPE	
2. LATITUDE	44° 16' 51" N	7. CORE LENGTH (m.)	
3. LONGITUDE	68° 52' 06" W	8. CORE PENETRATION (m.)	
4. DATE (day, month, year)	16 September 1959		
5. LABORATORY NUMBERS	3976 * 3987 3989		
6. SUBSAMPLE DEPTH IN CORE (m.)	72 - 74		
7. COLOR	Medium Gray (M5) M/W Black (M1) M5		
8. WATER CONTENT (%)			
9. ORGANIC CARBON CONTENT (%)			
10. DENSITY (lb./ft ³)			
11. RIGIDNESS (mm)			
12. MAXIMUM POROSITY (%)			
13. MINIMUM POROSITY (%)			
14. WATER CONTENT (%)			
15. ORGANIC CARBON CONTENT (%)			
16. SITE ANALYSIS AND STATISTICAL MEASURES			
17. SPECIFICITY (AVE.)			
18. SUBSAMPLING DRY WEIGHT (mg)			
19. SPECIFICITY (AVE.)			
20. SUBSAMPLING DRY WEIGHT (mg)			
21. SPECIFICITY (AVE.)			
22. SUBSAMPLING DRY WEIGHT (mg)			
23. SPECIFICITY (AVE.)			
24. SUBSAMPLING DRY WEIGHT (mg)			
25. SPECIFICITY (AVE.)			
26. SUBSAMPLING DRY WEIGHT (mg)			
27. SPECIFICITY (AVE.)			

* THE SAMPLE CONTAINED A HARD BLACK LAYER.
Lenses of hard, stiff, yellow-green clay at 74", 81", 85", 92"

SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT
---------------	-------------	-------------	-------------

1. SAMPLE NUMBER	66-144-1	5. SAMPLER TYPE	
2. LATITUDE	44° 16' 51" N	7. CORE LENGTH (m.)	
3. LONGITUDE	68° 52' 06" W	8. CORE PENETRATION (m.)	
4. DATE (day, month, year)	16 September 1959		
5. LABORATORY NUMBERS	5317		
6. SUBSAMPLE DEPTH IN CORE (m.)	19.3		
7. COLOR	Dark Yellowish Brown 10YR 4/2		
8. WATER CONTENT (%)			
9. ORGANIC CARBON CONTENT (%)			
10. DENSITY (lb./ft ³)			
11. RIGIDNESS (mm)			
12. MAXIMUM POROSITY (%)			
13. MINIMUM POROSITY (%)			
14. WATER CONTENT (%)			
15. ORGANIC CARBON CONTENT (%)			
16. SITE ANALYSIS AND STATISTICAL MEASURES			
17. SPECIFICITY (AVE.)			
18. SUBSAMPLING DRY WEIGHT (mg)			
19. SPECIFICITY (AVE.)			
20. SUBSAMPLING DRY WEIGHT (mg)			
21. SPECIFICITY (AVE.)			
22. SUBSAMPLING DRY WEIGHT (mg)			
23. SPECIFICITY (AVE.)			
24. SUBSAMPLING DRY WEIGHT (mg)			
25. SPECIFICITY (AVE.)			
26. SUBSAMPLING DRY WEIGHT (mg)			
27. SPECIFICITY (AVE.)			

Sediment Type: Pebbly Sand

1. SAMPLE NUMBER	66-145-1	5. SAMPLER TYPE	KULLENDERS
2. LATITUDE	44 19 02 N	6. WATER DEPTH (m.)	13.3
3. LONGITUDE	68 53 08 W	7. CORE LENGTH (m.)	12.4
4. DATE (day, month, year)	15 SEPT. 1959	8. CORE PENETRATION (m.)	13.4
9. LABORATORY NUMBERS	3528	9. LABORATORY NUMBERS	3530
10. SUBSAMPLE DEPTH IN CORE (m.)	0-2	10. SUBSAMPLE DEPTH IN CORE (m.)	30-32
11. COLOR	GREENISH BROWN	11. COLOR	OLIVE GRAY
12. DOOR	5421	12. DOOR	5441
13. NET DENSITY (kg./m ³)	VERY FOUL	13. NET DENSITY (kg./m ³)	
14. RIGIDNESS (cm)		14. RIGIDNESS (cm)	
15. WATSON POROSITY (%)		15. WATSON POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
19.1 - 20.0	19.1	19.2	19.3
20. SUBSAMPLER DRY WEIGHT (gm)	15.63	20. SUBSAMPLER DRY WEIGHT (gm)	17.56
21. SPECIFIC GRAVITY	High	21. SPECIFIC GRAVITY	High
22. PLASTICITY	Plasticity	22. PLASTICITY	Plasticity
23. SHEDDING CHARACTERISTICS	0	23. SHEDDING CHARACTERISTICS	0
24. DRY WEIGHT (gm)	40	24. DRY WEIGHT (gm)	40
25. SECONDARY MINERALS (%)		25. SECONDARY MINERALS (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS: ITRM 11-26 DETERMINED IN THE LAB.			
* CONTAINED DARK STREAMS			
A few shell fragments and worm burrows scattered throughout.			
SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT

1. SAMPLE NUMBER	66-145-1	5. SAMPLER TYPE	CONTINUED
2. LATITUDE		6. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3532	9. LABORATORY NUMBERS	3534
10. SUBSAMPLE DEPTH IN CORE (m.)	52-54	10. SUBSAMPLE DEPTH IN CORE (m.)	107-110
11. COLOR	OLIVE GRAY	11. COLOR	OLIVE GRAY
12. DOOR	5441	12. DOOR	5441
13. NET DENSITY (kg./m ³)		13. NET DENSITY (kg./m ³)	
14. RIGIDNESS (cm)		14. RIGIDNESS (cm)	
15. WATSON POROSITY (%)		15. WATSON POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
19.1 - 20.0	19.1	19.2	19.3
20. SUBSAMPLER DRY WEIGHT (gm)	25.62	20. SUBSAMPLER DRY WEIGHT (gm)	21.99
21. SPECIFIC GRAVITY	High	21. SPECIFIC GRAVITY	High
22. PLASTICITY	Plasticity	22. PLASTICITY	Plasticity
23. SHEDDING CHARACTERISTICS	0	23. SHEDDING CHARACTERISTICS	0
24. DRY WEIGHT (gm)	40	24. DRY WEIGHT (gm)	40
25. SECONDARY MINERALS (%)		25. SECONDARY MINERALS (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS: CONTINUED.			
0-6% many asfenned ing layers of green + black clay.			
107-110 zone of many dark layers.			
SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT

1. SAMPLE NUMBER	66-146-1	5. SAMPLER TYPE	KULLENBERG
2. LATITUDE	44° 18' 17" N	5. WATER DEPTH (m.)	26.7
3. LONGITUDE	68° 51' 20" W	7. CORE LENGTH (m.)	122
4. DATE (day, month, year)	15 SEPTEMBER 1959	8. CORE PENETRATION (m.)	122
9. LABORATORY NUMBERS	3634 *	9. SUSPENSIBLE DEPTH IN CORE (m.)	3636 *
10. SUBSAMPLABLE DEPTH IN CORE (m.)	0-2	10. LABORATORY DEPTH IN CORE (m.)	24-26
11. COLOR	OLIVE GRAY (SY 41)	11. COLOR	OLIVE GRAY (SY 36)
12. DOOR	FOUL	12. DOOR	
13. WET DENSITY (lb./ft. ³)		13. WET DENSITY (lb./ft. ³)	
14. RIGIDITY (cm)		14. RIGIDITY (cm)	
15. MAXIMUM PROSITY (%)		15. MAXIMUM PROSITY (%)	
16. MINIMUM PROSITY (%)		16. MINIMUM PROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SITE ANALYSIS AND STATISTICAL VALUES		19. SITE ANALYSIS AND STATISTICAL VALUES	
a. $\bar{x} \pm 2s$ (s)	10 ₂	a. $\bar{x} \pm 2s$ (s)	10 ₂
b. $\bar{x} \pm 2s$ to $\bar{x}$ (s)	56 ₂	b. $\bar{x} \pm 2s$ to $\bar{x}$ (s)	56 ₂
c. $\bar{x}$ to $\bar{x}$ (s)	ME, 8.70	c. $\bar{x}$ to $\bar{x}$ (s)	ME, 8.35
d. $\bar{x}$ to $\bar{x}$ (s)	2	d. $\bar{x}$ to $\bar{x}$ (s)	3
e. $\bar{x}$ to $\bar{x}$ (s)	0 ₂	e. $\bar{x}$ to $\bar{x}$ (s)	0 ₂
f. $\bar{x}$ to $\bar{x}$ (s)	1	f. $\bar{x}$ to $\bar{x}$ (s)	1
g. $\bar{x}$ to $\bar{x}$ (s)	1	g. $\bar{x}$ to $\bar{x}$ (s)	1
h. $\bar{x}$ to $\bar{x}$ (s)	16	h. $\bar{x}$ to $\bar{x}$ (s)	19
i. $\bar{x}$ to $\bar{x}$ (s)	36	i. $\bar{x}$ to $\bar{x}$ (s)	36
j. $\bar{x}$ to $\bar{x}$ (s)	46	j. $\bar{x}$ to $\bar{x}$ (s)	42
20. SUSPENSIBLE DRY WEIGHT (gm)	1553	20. SUSPENSIBLE DRY WEIGHT (gm)	1939
21. SPECIFICITY (g/g)		21. SPECIFICITY (g/g)	
22. MINIMUM PLASTICITY	High	22. MINIMUM PLASTICITY	High
23. SUSPENSIBLE PLASTICITY	0	23. SUSPENSIBLE PLASTICITY	0
24. DOMINANT MINERAL (%)		24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)		25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS:		27. REMARKS:	
* THE SAMPLE CONTAINED DARK STREAMS.			
0-29 in. many dark layers & streaks.			
Color change at 24"			
SEDIMENT TYPE	CLAYEY SILT	SEDIMENT TYPE	CLAYEY SILT

1. SAMPLE NUMBER	66-146-1 CONTINUED	5. SAMPLER TYPE	
2. LATITUDE		5. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3638	9. SUSPENSIBLE DEPTH IN CORE (m.)	3640
10. SUBSAMPLABLE DEPTH IN CORE (m.)	0-2	10. LABORATORY DEPTH IN CORE (m.)	193-195
11. COLOR	OLIVE GRAY (SY 36)	11. COLOR	OLIVE GRAY (SY 36)
12. DOOR		12. DOOR	
13. WET DENSITY (lb./ft. ³)		13. WET DENSITY (lb./ft. ³)	
14. RIGIDITY (cm)		14. RIGIDITY (cm)	
15. MAXIMUM PROSITY (%)		15. MAXIMUM PROSITY (%)	
16. MINIMUM PROSITY (%)		16. MINIMUM PROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SITE ANALYSIS AND STATISTICAL VALUES		19. SITE ANALYSIS AND STATISTICAL VALUES	
a. $\bar{x} \pm 2s$ (s)	10 ₂	a. $\bar{x} \pm 2s$ (s)	10 ₂
b. $\bar{x} \pm 2s$ to $\bar{x}$ (s)	56 ₂	b. $\bar{x} \pm 2s$ to $\bar{x}$ (s)	56 ₂
c. $\bar{x}$ to $\bar{x}$ (s)	ME, 8.44	c. $\bar{x}$ to $\bar{x}$ (s)	ME, 8.93
d. $\bar{x}$ to $\bar{x}$ (s)	2	d. $\bar{x}$ to $\bar{x}$ (s)	2
e. $\bar{x}$ to $\bar{x}$ (s)	0 ₂	e. $\bar{x}$ to $\bar{x}$ (s)	0 ₂
f. $\bar{x}$ to $\bar{x}$ (s)	1	f. $\bar{x}$ to $\bar{x}$ (s)	1
g. $\bar{x}$ to $\bar{x}$ (s)	1	g. $\bar{x}$ to $\bar{x}$ (s)	1
h. $\bar{x}$ to $\bar{x}$ (s)	17	h. $\bar{x}$ to $\bar{x}$ (s)	17
i. $\bar{x}$ to $\bar{x}$ (s)	35	i. $\bar{x}$ to $\bar{x}$ (s)	35
j. $\bar{x}$ to $\bar{x}$ (s)	44	j. $\bar{x}$ to $\bar{x}$ (s)	36
20. SUSPENSIBLE DRY WEIGHT (gm)	2468	20. SUSPENSIBLE DRY WEIGHT (gm)	2676
21. SPECIFICITY (g/g)		21. SPECIFICITY (g/g)	
22. MINIMUM PLASTICITY	High	22. MINIMUM PLASTICITY	High
23. SUSPENSIBLE PLASTICITY	0	23. SUSPENSIBLE PLASTICITY	0
24. DOMINANT MINERAL (%)		24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)		25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS:		27. REMARKS:	
113" sticky blue clay			
114" Hard sticky bluish-green clay			
116-122" green + olive brown clay w/ black layers.			
SEDIMENT TYPE	CLAYEY SILT	SEDIMENT TYPE	CLAYEY SILT

1. SAMPLE NUMBER	66-146-1 - CONTINUED	5. SAMPLER TYPE	
2. LATITUDE		6. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3642 *		
10. SUBSAMPLE DEPTH IN CORE (m.)	116-117		
11. COLOR	Medium Brown (5Y 5/1)		
12. DUNE			
13. WET DENSITY (lb./ft ³)			
14. RIGIDITY (mm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SITE ANALYSIS AND STATISTICAL MEASURES			
a. -2 ₂ (%)	10 ₂	10 ₂	10 ₂
b. -2 ₂ to -1 ₂ (%)	3 ₂	3 ₂	3 ₂
c. -1 ₂ to 0 ₂ (%)	40 ₂	40 ₂	40 ₂
d. 0 ₂ to 1 ₂ (%)	1	1	1
e. 1 ₂ to 2 ₂ (%)	1	1	1
f. 2 ₂ to 3 ₂ (%)	1	1	1
g. 3 ₂ to 4 ₂ (%)	11	11	11
h. 4 ₂ to 5 ₂ (%)	51	40	40
i. 5 ₂ to 6 ₂ (%)	35	38	38
j. > 6 ₂ (%)	27.72		
20. SUBSAMPLE DRY WEIGHT (gm)			
21. SPECIFICITY (avg.)			
22. MINIMUM TO MAXIMUM Plasticity	H ₂ g ₂		
23. MINIMUM TO MAXIMUM Shell Cn.	0		
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS: * Mixed with Blue Green (5Y 3/2) and Green Ave Green (5G 4/2).			

Sediment Type

Clayey Silt

Clayey Silt

1. SAMPLE NUMBER	66-147-1	5. SAMPLER TYPE	Kullenberg
2. LATITUDE	44° 18' 50"	6. WATER DEPTH (m.)	27.8
3. LONGITUDE	68° 50' 01" W	7. CORE LENGTH (m.)	75
4. DATE (day, month, year)	15 September 1969	8. CORE PENETRATION (m.)	P
9. LABORATORY NUMBERS	4083		
10. SUBSAMPLE DEPTH IN CORE (m.)	0-2		
11. COLOR	Dark Gray		
12. DUNE			
13. WET DENSITY (lb./ft ³)			
14. RIGIDITY (mm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SITE ANALYSIS AND STATISTICAL MEASURES			
a. -2 ₂ (%)	10 ₂	10 ₂	10 ₂
b. -2 ₂ to -1 ₂ (%)	3 ₂	3 ₂	3 ₂
c. -1 ₂ to 0 ₂ (%)	40 ₂	40 ₂	40 ₂
d. 0 ₂ to 1 ₂ (%)	1	1	1
e. 1 ₂ to 2 ₂ (%)	1	1	1
f. 2 ₂ to 3 ₂ (%)	1	1	1
g. 3 ₂ to 4 ₂ (%)	11	10	11
h. 4 ₂ to 5 ₂ (%)	43	44	44
i. 5 ₂ to 6 ₂ (%)	44	45	45
j. > 6 ₂ (%)	20.23	17.17	17.42
20. SUBSAMPLE DRY WEIGHT (gm)			
21. SPECIFICITY (avg.)			
22. MINIMUM TO MAXIMUM Plasticity	H ₂ g ₂		
23. MINIMUM TO MAXIMUM Shell Cn.	0		
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS: Items 11-26 determined in the lab.			
Depth (cm)	0-40		
40-72			
72-75			
Sediment Type	Clayey Silt	Clayey Silt	Clayey Silt

Dark gray clay with many dark streaks and some soft olive areas

Unconsolidated, liquid, olive mud

Dark gray clay with black streaks

1. SAMPLE NUMBER	66-147-1 continued	5. SAMPLER TYPE	
2. LATITUDE	44° 20' 03" N	6. WATER DEPTH (m.)	
3. LONGITUDE	68° 51' 16" W	7. CORE LENGTH (m.)	
4. DATE (day, month, year)	15 September 1959	8. CORE PENETRATION (m.)	
9. LABORATORY NUMBER			
10. SUBSAMPLING DEPTH IN CORE (m.)	0-2		
11. COLOR	FAUL		
12. ODR			
13. WET DENSITY (lb./ft. ³)			
14. RIGIDITY (cm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
20. SPECIFIC GRAVITY			
21. SPECIFIC GRAVITY			
22. PLASTICITY			
23. LIQUIDITY			
24. SOIL TYPE			
25. SECONDARY MINERALS (%)			
26. OTHER MINERALS (%)			
27. REMARKS			
28. REMARKS			
29. REMARKS			
30. REMARKS			
31. REMARKS			
32. REMARKS			
33. REMARKS			
34. REMARKS			
35. REMARKS			
36. REMARKS			
37. REMARKS			
38. REMARKS			
39. REMARKS			
40. REMARKS			
41. REMARKS			
42. REMARKS			
43. REMARKS			
44. REMARKS			
45. REMARKS			
46. REMARKS			
47. REMARKS			
48. REMARKS			
49. REMARKS			
50. REMARKS			
51. REMARKS			
52. REMARKS			
53. REMARKS			
54. REMARKS			
55. REMARKS			
56. REMARKS			
57. REMARKS			
58. REMARKS			
59. REMARKS			
60. REMARKS			
61. REMARKS			
62. REMARKS			
63. REMARKS			
64. REMARKS			
65. REMARKS			
66. REMARKS			
67. REMARKS			
68. REMARKS			
69. REMARKS			
70. REMARKS			
71. REMARKS			
72. REMARKS			
73. REMARKS			
74. REMARKS			
75. REMARKS			
76. REMARKS			
77. REMARKS			
78. REMARKS			
79. REMARKS			
80. REMARKS			
81. REMARKS			
82. REMARKS			
83. REMARKS			
84. REMARKS			
85. REMARKS			
86. REMARKS			
87. REMARKS			
88. REMARKS			
89. REMARKS			
90. REMARKS			
91. REMARKS			
92. REMARKS			
93. REMARKS			
94. REMARKS			
95. REMARKS			
96. REMARKS			
97. REMARKS			
98. REMARKS			
99. REMARKS			
100. REMARKS			

1. SAMPLE NUMBER	66-148-1	5. SAMPLER TYPE	KULLENBERG
2. LATITUDE	44° 20' 03" N	6. WATER DEPTH (m.)	175
3. LONGITUDE	68° 51' 16" W	7. CORE LENGTH (m.)	119
4. DATE (day, month, year)	15 September 1959	8. CORE PENETRATION (m.)	144
9. LABORATORY NUMBER			
10. SUBSAMPLING DEPTH IN CORE (m.)	0-2		
11. COLOR	FAUL		
12. ODR			
13. WET DENSITY (lb./ft. ³)			
14. RIGIDITY (cm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
20. SPECIFIC GRAVITY			
21. SPECIFIC GRAVITY			
22. PLASTICITY			
23. LIQUIDITY			
24. SOIL TYPE			
25. SECONDARY MINERALS (%)			
26. OTHER MINERALS (%)			
27. REMARKS			
28. REMARKS			
29. REMARKS			
30. REMARKS			
31. REMARKS			
32. REMARKS			
33. REMARKS			
34. REMARKS			
35. REMARKS			
36. REMARKS			
37. REMARKS			
38. REMARKS			
39. REMARKS			
40. REMARKS			
41. REMARKS			
42. REMARKS			
43. REMARKS			
44. REMARKS			
45. REMARKS			
46. REMARKS			
47. REMARKS			
48. REMARKS			
49. REMARKS			
50. REMARKS			
51. REMARKS			
52. REMARKS			
53. REMARKS			
54. REMARKS			
55. REMARKS			
56. REMARKS			
57. REMARKS			
58. REMARKS			
59. REMARKS			
60. REMARKS			
61. REMARKS			
62. REMARKS			
63. REMARKS			
64. REMARKS			
65. REMARKS			
66. REMARKS			
67. REMARKS			
68. REMARKS			
69. REMARKS			
70. REMARKS			
71. REMARKS			
72. REMARKS			
73. REMARKS			
74. REMARKS			
75. REMARKS			
76. REMARKS			
77. REMARKS			
78. REMARKS			
79. REMARKS			
80. REMARKS			
81. REMARKS			
82. REMARKS			
83. REMARKS			
84. REMARKS			
85. REMARKS			
86. REMARKS			
87. REMARKS			
88. REMARKS			
89. REMARKS			
90. REMARKS			
91. REMARKS			
92. REMARKS			
93. REMARKS			
94. REMARKS			
95. REMARKS			
96. REMARKS			
97. REMARKS			
98. REMARKS			
99. REMARKS			
100. REMARKS			

1. SAMPLE NUMBER	66-148-1; CONTINUED			5. SAMPLER TYPE	
2. LATITUDE				5. WATER DEPTH (m.)	
3. LONGITUDE				7. CORE LENGTH (m.)	
4. DATE (day, month, year)				8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3754	3755	3756	3757	
10. SUBSAMPLE DEPTH IN CORE (m.)	13-15	15-18 1/2	18 1/2-22	22-24	
11. COLOR	Dark Greenish Gray (5.5% G)	Dark Greenish Gray (5.5% G)	Openish Gray (5.5% G)	Olive Gray (5.4% G)	
12. DOOR					
13. WET DENSITY (lb./ft ³)					
14. BULK DENSITY (cm)					
15. MAXIMUM POROSITY (%)					
16. MINIMUM POROSITY (%)					
17. WATER CONTENT (%)					
18. ORGANIC CARBON CONTENT (%)					
19. SIZE ANALYSIS AND STATISTICAL MEASURES					
a. -5φ (φ)		5	0 ₂	3	0 ₂
b. -2 _{1/2} to -1 _{1/2} (φ)		1	5 ₂	1	5 ₂
c. -1 _{1/2} to 0 (φ)		2	10 ₂	2	10 ₂
d. 0 to 1 _{1/2} (φ)		4	0 ₂	3	0 ₂
e. 1 _{1/2} to 2 _{1/2} (φ)		5	0 ₂	4	0 ₂
f. 2 _{1/2} to 3 _{1/2} (φ)		5	4	1	3
g. 3 _{1/2} to 4 _{1/2} (φ)		7	5	3	6
h. 4 _{1/2} to 5 _{1/2} (φ)		18	17	24	19
i. 5 _{1/2} to 6 _{1/2} (φ)		25	28	34	32
j. 6 _{1/2} to 7 _{1/2} (φ)		27	33	34	33
k. 7 _{1/2} to 8 _{1/2} (φ)		25.48	32.51	32.91	20.12
20. SUBSAMPLE DRY WEIGHT (gm)					
21. SPECIFIC GRAVITY					
22. PLASTICITY INDEX		High	High	High	High
23. SHrinkage Limit (mm/Shell Cm.)		0	0	0	0
24. DOMINANT MINERAL (%)					
25. SECONDARY MINERAL (%)					
26. OTHER MINERALS (%)					
27. REMARKS: Continued. 0-8" gray mud with black layers + granules 8-13" olive gray clay 13-18 1/2" Hard blue green					

SEDIMENT TYPE	Silt	Mud	Clayey Silt	Clayey Silt
---------------	------	-----	-------------	-------------

1. SAMPLE NUMBER	66-148-1; CONTINUED			5. SAMPLER TYPE	
2. LATITUDE				5. WATER DEPTH (m.)	
3. LONGITUDE				7. CORE LENGTH (m.)	
4. DATE (day, month, year)				8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3758	3759	3760	3761	
10. SUBSAMPLE DEPTH IN CORE (m.)	26-28	28-30	30-40	40-41	
11. COLOR	Olive Gray (5.4% G)	Medium Brown M. Greenish Gray (5.6% G)	Medium Brown Gray (5.8% G)	Olive Gray (5.4% G)	
12. DOOR					
13. WET DENSITY (lb./ft ³)					
14. BULK DENSITY (cm)					
15. MAXIMUM POROSITY (%)					
16. MINIMUM POROSITY (%)					
17. WATER CONTENT (%)					
18. ORGANIC CARBON CONTENT (%)					
19. SIZE ANALYSIS AND STATISTICAL MEASURES					
a. -5φ (φ)		0 ₂	0 ₂	70	0 ₂
b. -2 _{1/2} to -1 _{1/2} (φ)		1	1	3 ₂	3 ₂
c. -1 _{1/2} to 0 (φ)		1	1	1	1
d. 0 to 1 _{1/2} (φ)		0 ₂	0 ₂	1	1
e. 1 _{1/2} to 2 _{1/2} (φ)		1	1	1	1
f. 2 _{1/2} to 3 _{1/2} (φ)		1	1	1	1
g. 3 _{1/2} to 4 _{1/2} (φ)		3	1	1	4
h. 4 _{1/2} to 5 _{1/2} (φ)		22	17	6	16
i. 5 _{1/2} to 6 _{1/2} (φ)		34	39	10	28
j. 6 _{1/2} to 7 _{1/2} (φ)		38	41	10	28
20. SUBSAMPLE DRY WEIGHT (gm)					
21. SPECIFIC GRAVITY		25.22	26.61	28.34	19.82
22. PLASTICITY INDEX		High	High	High	High
23. SHrinkage Limit (mm/Shell Cm.)		0	0	0	0
24. DOMINANT MINERAL (%)					
25. SECONDARY MINERAL (%)					
26. OTHER MINERALS (%)					
27. REMARKS: Continued. 18 1/2-28" Blue clay 28-40" Hard blue clay - pebbly at base 40-41" Unconsolidated - pebbles					

SEDIMENT TYPE	Clayey Silt	Clayey Silt	Clayey Silt	Clayey Silt
---------------	-------------	-------------	-------------	-------------

1. SAMPLE NUMBER	66-147-1 CONTINUED	5. SAMPLE TYPE	
2. LATITUDE		5. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3762 41-46 44-48 48-50 3765		
10. SUBSAMPLE DEPTH IN CORE (m.)			
11. COLOR	Greenish Gray (5.6 Y), Min. Dark (5.8 Y), Min. Light (5.9 Y), Dark Brown (5.9 Y)		
12. ODR			
13. WET DENSITY (lb./ft ³)			
14. RIGIDNESS (cm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
20. SUBSAMPLE DRY WEIGHT (gm)			
21. SPHERICITY (%)			
22. PLASTICITY			
23. DOMINANT MINERAL (%)			
24. SECONDARY MINERAL (%)			
25. OTHER MINERALS (%)			
26. REMARKS			

1. SAMPLE NUMBER	66-148-1 CONTINUED	5. SAMPLE TYPE	
2. LATITUDE		5. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3766 69-72 72-75 3768		
10. SUBSAMPLE DEPTH IN CORE (m.)			
11. COLOR	Min. Dark (5.8 Y), Min. Light (5.9 Y), Dark Brown (5.9 Y)		
12. ODR			
13. WET DENSITY (lb./ft ³)			
14. RIGIDNESS (cm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
20. SUBSAMPLE DRY WEIGHT (gm)			
21. SPHERICITY (%)			
22. PLASTICITY			
23. DOMINANT MINERAL (%)			
24. SECONDARY MINERAL (%)			
25. OTHER MINERALS (%)			
26. REMARKS			

41-46" Greenish gray w/hard sticky zones
46-48" Soft olive gray w/black layers.
48-50" Bluish green w/many yellowish green, hard mud balls.

72-75" Gray w/thick black layers beginning at 72".

1. SAMPLE NUMBER	66-48-1: CONTINUED	5. SIMPLER TYPE	
2. LATITUDE		7. CORE LENGTH (m.)	
3. LONGITUDE		8. CORE PENETRATION (m.)	
4. DATE (Day, month, year)			
9. LABORATORY NUMBERS	3770		
10. SUBSAMPLE DEPTH IN CORE (m.)	119-119		
11. COLOR	Dark Grey N 3		
12. ODR			
13. WET DENSITY (lb./ft. ³)			
14. RIGIDITY (mm)			
15. MAXIMUM PROSPECT (%)			
16. MINIMUM PROSPECT (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SITE ANALYSIS AND STATISTICAL MEASURES			
20. SUBSAMPLE DRY WEIGHT (mg)	28.45	20.	0.2
21. SPECIFIC GRAVITY	Med.	21.	0.2
22. MINERALOGY	Plasticity	22.	0.2
23. MINERALOGY	Shall Co.	23.	0.2
24. MINERALOGY		24.	0.2
25. MINERALOGY		25.	0.2
26. MINERALOGY		26.	0.2
27. REMARKS		27.	0.2

[illegible]

1. SAMPLE NUMBER	66-100-2	66-100-2	5. SAMPLER TYPE	
2. LATITUDE	44	50	6. WATER DEPTH (m)	23.2
3. LONGITUDE	68	50	7. CORE LENGTH (m)	126
4. DATE (DD, MONTH, YEAR)			8. CORE PENETRATION (m)	182
9. LABORATORY NUMBERS	3739	3741		
10. SUBSAMPLE DEPTH IN CORE (m)	77-79	92-98		
11. COLOR	Dark brownish brown (10YR 4/2)	Dark brownish brown (10YR 4/2)		
12. OTHER				
13. WET DENSITY (lb./ft. ³)				
14. RESISTANCE (cm)				
15. MAXIMUM POROSITY (%)				
16. MINIMUM POROSITY (%)				
17. WATER CONTENT (%)				
18. ORGANIC CARBON CONTENT (%)				
19. SIZE ANALYSIS AND STATISTICAL MEASURES				
20. SUSAMPLE DRY WEIGHT (m)	1751	2310		
21. SPECIFIC GRAVITY				
22. SPERMATOPHYTES Plasticity	High	High		
23. SPERMATOPHYTES Shell Content	0	0		
24. DOMINANT MINERAL (%)				
25. SECONDARY MINERAL (%)				
26. OTHER MINERALS (%)				
27. REMARKS:	unconfined.			

Shell scattered throughout core.

SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT
---------------	-------------	-------------	-------------

1. SAMPLE NUMBER	66-100-1	66-100-1	5. SAMPLER TYPE	
2. LATITUDE	44	50	6. WATER DEPTH (m)	23.2
3. LONGITUDE	68	50	7. CORE LENGTH (m)	126
4. DATE (DD, MONTH, YEAR)			8. CORE PENETRATION (m)	182
9. LABORATORY NUMBERS		3559		
10. SUBSAMPLE DEPTH IN CORE (m)		16-18		
11. COLOR		Darkish olive green (5GY 3/2)		
12. OTHER				
13. WET DENSITY (lb./ft. ³)				
14. RESISTANCE (cm)				
15. MAXIMUM POROSITY (%)				
16. MINIMUM POROSITY (%)				
17. WATER CONTENT (%)				
18. ORGANIC CARBON CONTENT (%)				
19. SIZE ANALYSIS AND STATISTICAL MEASURES				
20. SUSAMPLE DRY WEIGHT (m)		2024		
21. SPECIFIC GRAVITY				
22. SPERMATOPHYTES Plasticity	High	High		
23. SPERMATOPHYTES Shell Content	0	0		
24. DOMINANT MINERAL (%)				
25. SECONDARY MINERAL (%)				
26. OTHER MINERALS (%)				
27. REMARKS:	ITEMS 11-26 DETERMINED IN THE LAB.			

THE CORE CONTAINED DARK STREAKS IN THE FIRST SIX INCHES.
68-126 - Dark layers.

SEDIMENT TYPE	Silty Clay	Silty Clay	Clayey Silt	Silty Clay
---------------	------------	------------	-------------	------------

1. SAMPLE NUMBER	66-150-1 : CONTINUED	5. SAMPLER TYPE	
2. LATITUDE		6. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3563	3564	3565
10. SUBSAMPLE DEPTH IN CORE (m.)	92-98	104-106	108-110
11. COLOR	GREENISH BLACK (5Y 4/1)	GREENISH BLACK (5-6Y 4/1)	DAWK GREENISH GRAY (5Y 4/1)
12. ODR			
13. WET DENSITY (lb./ft ³)			
14. RIGIDNESS (mm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. < 2, (s)	10%	10%	10%
b. 2 ₅₀ to < 6 ₀ , (s)	5%	5%	5%
c. 6 ₀ to < 12 ₅ , (s)	ME 8.95	ME 8.93	ME 8.93
d. 12 ₅ to < 25 ₀ , (s)	1 01.716	1 01.695	1 01.695
e. 25 ₀ to < 500, (s)	0%	0%	0%
f. 500 to < 1000, (s)			
g. 1000 to < 2000, (s)			
h. 2000 to < 4000, (s)	10	9	13
i. 4000 to < 8000, (s)	40	38	37
j. 8000 to < 16000, (s)	50	52	49
20. SUBSAMPLE DRY WEIGHT (gm)	1974	1958	2134
21. SPECIFICITY (gpc.)			17.99
22. MINERALOGY	Plasticity	High	High
23. MINERALOGY (from Shell Cn.)	0	0	0
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS	CONTINUED Cores contained a few scattered shell fragments. 92-106 Dark, sticky		
SEDIMENT TYPE	SILTY CLAY	SILTY CLAY	CLAYEY SILT
			SILTY CLAY

1. SAMPLE NUMBER	66-51-1	5. SAMPLER TYPE	KILLEWATER
2. LATITUDE	44° 29' 51" N	6. WATER DEPTH (m.)	163
3. LONGITUDE	68° 53' 15" W	7. CORE LENGTH (m.)	
4. DATE (day, month, year)	15 September 1959	8. CORE PENETRATION (m.)	132
9. LABORATORY NUMBERS	3793	3794	3795
10. SUBSAMPLE DEPTH IN CORE (m.)	0-2	14-16	19-21
11. COLOR	DAWK GRAY (5Y 4/2)	DAWK GRAY (5Y 4/2)	DAWK GRAY (5Y 4/2)
12. ODR			
13. WET DENSITY (lb./ft ³)			
14. RIGIDNESS (mm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. < 2, (s)	10%	10%	10%
b. 2 ₅₀ to < 6 ₀ , (s)	2	2	2
c. 6 ₀ to < 12 ₅ , (s)	ME 8.46	ME 8.92	ME 8.46
d. 12 ₅ to < 25 ₀ , (s)	01.688	01.600	01.605
e. 25 ₀ to < 500, (s)	1	1	1
f. 500 to < 1000, (s)			
g. 1000 to < 2000, (s)	1	1	1
h. 2000 to < 4000, (s)			
i. 4000 to < 8000, (s)	11	8	9
j. 8000 to < 16000, (s)	45	36	24
k. 16000 to < 32000, (s)	42	38	25
20. SUBSAMPLE DRY WEIGHT (gm)	1916	2315	1904
21. SPECIFICITY (gpc.)			
22. MINERALOGY	Plasticity	High	High
23. MINERALOGY (from Shell Cn.)	0	0	0
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS	SILTS 11-26 PREPARED IN THE LAB. 0-24" of core intact - rest missing or disturbed - sacked. 8" gradual color change 0-6" & 14-21" Black layers		
SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT	SILTY MUD
			SILTY MUD

1. SAMPLE NUMBER	66-151-1 : CONTINUED	5. SAMPLER TYPE
2. DATE		3. WATER DEPTH (m.)
3. LOCATION		7. CORE LENGTH (m.)
4. DATE (1952, month, year)		8. CORE PENETRATION (m.)
9. LABORATORY NUMBERS	3797	
10. SUBSAMPLE DEPTH IN CORE (m.)	21-23	
11. CORES	21-23 (CV 42) W. MEDIAN & LOW CORE (50-51)	
12. 2008		
13. WET DENSITY (kg./lit.)		
14. RIGIDITY (cm)		
15. MAXIMUM PRESSURE (kg)		
16. MINIMUM PRESSURE (kg)		
17. WATER CONTENT (%)		
18. ORGANIC CARBON CONTENT (%)		
19. SITE ANALYSIS AND STATISTICAL METHODS		
20. SUBSAMPLE DRY WEIGHT (gm)	45.35	
21. SPECIFICITY (avg.)		
22. specific gravity $\rho_{\text{solid}}/\rho_{\text{liq}}$	High	
23. SHIMADZU-RESEARCH (code)	0	
24. DOMINANT MINERAL (1)		
25. SECONDARY MINERAL (1)		
26. OTHER MINERALS (1)		
REMARKS:		

14" Hard lumpy clay
21" Hard blue clay

SEDIMENT TYPE	SILTY MUD
---------------	-----------

1. SAMPLE NUMBER	66-152-1	5. SAMPLER TYPE	KULLENBERG
2. LATITUDE	48° 26' N	5. WATER DEPTH (m.)	78
3. LONGITUDE	68° 54' W	7. CORE LENGTH (m.)	124
4. DATE (Day, month, year)	15 SEPT. 1959	8. CORE PENETRATION (m.)	132
9. LABORATORY NUMBERS	3546		
10. DISSEMABLE DEPTH IN CORE (m.)	0-2		
11. COLOR	OLIVE GRAY * 514/1		
12. DIBOR			
13. NET DENSITY (lb./ft. ³)			
14. % SILICEOUS (%)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. < 2 to > 10 μ		M _z	
b. < 2 to > 10 μ		M _w	
c. < 2 to > 10 μ		M _n	
d. 0. 10 μ to 10 μ		M _v	
e. 10 μ to 20 μ		M _s	
f. 20 μ to 30 μ		M _t	
g. 30 μ to 50 μ		M _h	
h. 50 μ to 60 μ		M _i	
i. 60 μ to 90 μ		M _j	
j. > 90 μ		M _k	
20. SUBMERSE DRY WEIGHT (mg)	23.39		
21. SFE (dy/cm)			
22. PLASTICITY	High		
23. CONSISTENCY SHELL Cn.	0		
24. DISTANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			

REMARKS: ITEMS 11-26 DETERMINED IN THE LAB.

17 REMARKS: TYPICAL 11-2/6 DETERMINED IN THE LAB.

* CONTAINED BLACK STREAKS (0-14%)

~~XX~~. CONTAINED LIMONITIC STAINS

14-16" Blue clay and Hard, dry brown clay

SEDIMENT TYPE		CLAYEY SILT	CLAYEY SILT	CLAYEY SILT
17.10	fine silty			

1. SAMPLE NUMBER	66-152-1	CONTINUED	5. SAMPLER TYPE	
2. LATITUDE			5. WATER DEPTH (m.)	
3. LONGITUDE			7. CORE LENGTH (m.)	
4. DATE (day, month, year)			8. CORE PENETRATION (m.)	
9. LABORATORY NUMBER	3550	3551	3552	3553
10. SUBSAMPLE DEPTH IN CORE (m.)	44-46	62-64	93-95	122-124
11. COLOR	GRAYISH OLIVE GREEN	GRAYISH OLIVE GREEN	GRAYISH OLIVE GREEN	GRAYISH OLIVE GREEN
	55Y 3/2	55Y 3/2	55Y 3/2	55Y 3/2
12. DGR				
13. WET DENSITY (N./H ³)				
14. RESISTANCE (cm)				
15. MAXIMUM POROSITY (%)				
16. MINIMUM POROSITY (%)				
17. WATER CONTENT (%)				
18. ORGANIC CARBON CONTENT (%)				
19. SIZE ANALYSIS AND STATISTICAL MEASURES				
20. $\Sigma < 2 \phi$ (%)				
21. $\Sigma < 4 \phi$ (%)				
22. $\Sigma < 6 \phi$ (%)				
23. $\Sigma < 8 \phi$ (%)				
24. $\Sigma < 10 \phi$ (%)				
25. $\Sigma < 12 \phi$ (%)				
26. $\Sigma < 14 \phi$ (%)				
27. $\Sigma < 16 \phi$ (%)				
28. $\Sigma < 18 \phi$ (%)				
29. $\Sigma < 20 \phi$ (%)				
30. $\Sigma < 22 \phi$ (%)				
31. $\Sigma < 24 \phi$ (%)				
32. $\Sigma < 26 \phi$ (%)				
33. $\Sigma < 28 \phi$ (%)				
34. $\Sigma < 30 \phi$ (%)				
35. $\Sigma < 32 \phi$ (%)				
36. $\Sigma < 34 \phi$ (%)				
37. $\Sigma < 36 \phi$ (%)				
38. $\Sigma < 38 \phi$ (%)				
39. $\Sigma < 40 \phi$ (%)				
40. $\Sigma < 42 \phi$ (%)				
41. $\Sigma < 44 \phi$ (%)				
42. $\Sigma < 46 \phi$ (%)				
43. $\Sigma < 48 \phi$ (%)				
44. $\Sigma < 50 \phi$ (%)				
45. $\Sigma < 52 \phi$ (%)				
46. $\Sigma < 54 \phi$ (%)				
47. $\Sigma < 56 \phi$ (%)				
48. $\Sigma < 58 \phi$ (%)				
49. $\Sigma < 60 \phi$ (%)				
50. $\Sigma < 62 \phi$ (%)				
51. $\Sigma < 64 \phi$ (%)				
52. $\Sigma < 66 \phi$ (%)				
53. $\Sigma < 68 \phi$ (%)				
54. $\Sigma < 70 \phi$ (%)				
55. $\Sigma < 72 \phi$ (%)				
56. $\Sigma < 74 \phi$ (%)				
57. $\Sigma < 76 \phi$ (%)				
58. $\Sigma < 78 \phi$ (%)				
59. $\Sigma < 80 \phi$ (%)				
60. $\Sigma < 82 \phi$ (%)				
61. $\Sigma < 84 \phi$ (%)				
62. $\Sigma < 86 \phi$ (%)				
63. $\Sigma < 88 \phi$ (%)				
64. $\Sigma < 90 \phi$ (%)				
65. $\Sigma < 92 \phi$ (%)				
66. $\Sigma < 94 \phi$ (%)				
67. $\Sigma < 96 \phi$ (%)				
68. $\Sigma < 98 \phi$ (%)				
69. $\Sigma < 100 \phi$ (%)				
70. $\Sigma < 102 \phi$ (%)				
71. $\Sigma < 104 \phi$ (%)				
72. $\Sigma < 106 \phi$ (%)				
73. $\Sigma < 108 \phi$ (%)				
74. $\Sigma < 110 \phi$ (%)				
75. $\Sigma < 112 \phi$ (%)				
76. $\Sigma < 114 \phi$ (%)				
77. $\Sigma < 116 \phi$ (%)				
78. $\Sigma < 118 \phi$ (%)				
79. $\Sigma < 120 \phi$ (%)				
80. $\Sigma < 122 \phi$ (%)				
81. $\Sigma < 124 \phi$ (%)				
82. $\Sigma < 126 \phi$ (%)				
83. $\Sigma < 128 \phi$ (%)				
84. $\Sigma < 130 \phi$ (%)				
85. $\Sigma < 132 \phi$ (%)				
86. $\Sigma < 134 \phi$ (%)				
87. $\Sigma < 136 \phi$ (%)				
88. $\Sigma < 138 \phi$ (%)				
89. $\Sigma < 140 \phi$ (%)				
90. $\Sigma < 142 \phi$ (%)				
91. $\Sigma < 144 \phi$ (%)				
92. $\Sigma < 146 \phi$ (%)				
93. $\Sigma < 148 \phi$ (%)				
94. $\Sigma < 150 \phi$ (%)				
95. $\Sigma < 152 \phi$ (%)				
96. $\Sigma < 154 \phi$ (%)				
97. $\Sigma < 156 \phi$ (%)				
98. $\Sigma < 158 \phi$ (%)				
99. $\Sigma < 160 \phi$ (%)				
100. $\Sigma < 162 \phi$ (%)				
101. $\Sigma < 164 \phi$ (%)				
102. $\Sigma < 166 \phi$ (%)				
103. $\Sigma < 168 \phi$ (%)				
104. $\Sigma < 170 \phi$ (%)				
105. $\Sigma < 172 \phi$ (%)				
106. $\Sigma < 174 \phi$ (%)				
107. $\Sigma < 176 \phi$ (%)				
108. $\Sigma < 178 \phi$ (%)				
109. $\Sigma < 180 \phi$ (%)				
110. $\Sigma < 182 \phi$ (%)				
111. $\Sigma < 184 \phi$ (%)				
112. $\Sigma < 186 \phi$ (%)				
113. $\Sigma < 188 \phi$ (%)				
114. $\Sigma < 190 \phi$ (%)				
115. $\Sigma < 192 \phi$ (%)				
116. $\Sigma < 194 \phi$ (%)				
117. $\Sigma < 196 \phi$ (%)				
118. $\Sigma < 198 \phi$ (%)				
119. $\Sigma < 200 \phi$ (%)				
120. $\Sigma < 202 \phi$ (%)				
121. $\Sigma < 204 \phi$ (%)				
122. $\Sigma < 206 \phi$ (%)				
123. $\Sigma < 208 \phi$ (%)				
124. $\Sigma < 210 \phi$ (%)				
125. $\Sigma < 212 \phi$ (%)				
126. $\Sigma < 214 \phi$ (%)				
127. $\Sigma < 216 \phi$ (%)				
128. $\Sigma < 218 \phi$ (%)				
129. $\Sigma < 220 \phi$ (%)				
130. $\Sigma < 222 \phi$ (%)				
131. $\Sigma < 224 \phi$ (%)				
132. $\Sigma < 226 \phi$ (%)				
133. $\Sigma < 228 \phi$ (%)				
134. $\Sigma < 230 \phi$ (%)				
135. $\Sigma < 232 \phi$ (%)				
136. $\Sigma < 234 \phi$ (%)				
137. $\Sigma < 236 \phi$ (%)				
138. $\Sigma < 238 \phi$ (%)				
139. $\Sigma < 240 \phi$ (%)				
140. $\Sigma < 242 \phi$ (%)				
141. $\Sigma < 244 \phi$ (%)				
142. $\Sigma < 246 \phi$ (%)				
143. $\Sigma < 248 \phi$ (%)				
144. $\Sigma < 250 \phi$ (%)				
145. $\Sigma < 252 \phi$ (%)				
146. $\Sigma < 254 \phi$ (%)				
147. $\Sigma < 256 \phi$ (%)				
148. $\Sigma < 258 \phi$ (%)				
149. $\Sigma < 260 \phi$ (%)				
150. $\Sigma < 262 \phi$ (%)				
151. $\Sigma < 264 \phi$ (%)				
152. $\Sigma < 266 \phi$ (%)				
153. $\Sigma < 268 \phi$ (%)				
154. $\Sigma < 270 \phi$ (%)				
155. $\Sigma < 272 \phi$ (%)				
156. $\Sigma < 274 \phi$ (%)				
157. $\Sigma < 276 \phi$ (%)				
158. $\Sigma < 278 \phi$ (%)				
159. $\Sigma < 280 \phi$ (%)				
160. $\Sigma < 282 \phi$ (%)				
161. $\Sigma < 284 \phi$ (%)				
162. $\Sigma < 286 \phi$ (%)				
163. $\Sigma < 288 \phi$ (%)				
164. $\Sigma < 290 \phi$ (%)				
165. $\Sigma < 292 \phi$ (%)				
166. $\Sigma < 294 \phi$ (%)				
167. $\Sigma < 296 \phi$ (%)				
168. $\Sigma < 298 \phi$ (%)				
169. $\Sigma < 300 \phi$ (%)				
170. $\Sigma < 302 \phi$ (%)				
171. $\Sigma < 304 \phi$ (%)				
172. $\Sigma < 306 \phi$ (%)				
173. $\Sigma < 308 \phi$ (%)				
174. $\Sigma < 310 \phi$ (%)				
175. $\Sigma < 312 \phi$ (%)				
176. $\Sigma < 314 \phi$ (%)				
177. $\Sigma < 316 \phi$ (%)				
178. $\Sigma < 318 \phi$ (%)				
179. $\Sigma < 320 \phi$ (%)				
180. $\Sigma < 322 \phi$ (%)				
181. $\Sigma < 324 \phi$ (%)				
182. $\Sigma < 326 \phi$ (%)				
183. $\Sigma < 328 \phi$ (%)				
184. $\Sigma < 330 \phi$ (%)				
185. $\Sigma < 332 \phi$ (%)				
186. $\Sigma < 334 \phi$ (%)				
187. $\Sigma < 336 \phi$ (%)				
188. $\Sigma < 338 \phi$ (%)				
189. $\Sigma < 340 \phi$ (%)				
190. $\Sigma < 342 \phi$ (%)				
191. $\Sigma < 344 \phi$ (%)				
192. $\Sigma < 346 \phi$ (%)				
193. $\Sigma < 348 \phi$ (%)				
194. $\Sigma < 350 \phi$ (%)				
195. $\Sigma < 352 \phi$ (%)				
196. $\Sigma < 354 \phi$ (%)				
197. $\Sigma < 356 \phi$ (%)				
198. $\Sigma < 358 \phi$ (%)				
199. $\Sigma < 360 \phi$ (%)				
200. $\Sigma < 362 \phi$ (%)				
201. $\Sigma < 364 \phi$ (%)				
202. $\Sigma < 366 \phi$ (%)				
203. $\Sigma < 368 \phi$ (%)				
204. $\Sigma < 370 \phi$ (%)				
205. $\Sigma < 372 \phi$ (%)				
206. $\Sigma < 374 \phi$ (%)				
207. $\Sigma < 376 \phi$ (%)				
208. $\Sigma < 378 \phi$ (%)				
209. $\Sigma < 380 \phi$ (%)				
210. $\Sigma < 382 \phi$ (%)				
211. $\Sigma < 384 \phi$ (%)				
212. $\Sigma < 386 \phi$ (%)				
213. $\Sigma < 388 \phi$ (%)				
214. $\Sigma < 390 \phi$ (%)				
215. $\Sigma < 392 \phi$ (%)				
216. $\Sigma < 394 \phi$ (%)				
217. $\Sigma < 396 \phi$ (%)				
218. $\Sigma < 398 \phi$ (%)				
219. $\Sigma < 400 \phi$ (%)				
220. $\Sigma < 402 \phi$ (%)				
221. $\Sigma < 404 \phi$ (%)				
222. $\Sigma < 406 \phi$ (%)				
223. $\Sigma < 408 \phi$ (%)				
224. $\Sigma < 410 \phi$ (%)				
225. $\Sigma < 412 \phi$ (%)				
226. $\Sigma < 414 \phi$ (%)				
227. $\Sigma < 416 \phi$ (%)				
228. $\Sigma < 418 \phi$ (%)				
229. $\Sigma < 420 \phi$ (%)				
230. $\Sigma < 422 \phi$ (%)				
231. $\Sigma < 424 \phi$ (%)				
232. $\Sigma < 426 \phi$ (%)				
233. $\Sigma < 428 \phi$ (%)				
234. $\Sigma < 430 \phi$ (%)				
235. $\Sigma < 432 \phi$ (%)				
236. $\Sigma < 434 \phi$ (%)				
237. $\Sigma < 436 \phi$ (%)				
238. $\Sigma < 438 \phi$ (%)				
239. $\Sigma < 440 \phi$ (%)				
240. $\Sigma < 442 \phi$ (%)				
241. $\Sigma < 444 \phi$ (%)				
242. $\Sigma < 446 \phi$ (%)				
243. $\Sigma < 448 \phi$ (%)				
244. $\Sigma < 450 \phi$ (%)				
245. $\Sigma < 452 \phi$ (%)				
246. $\Sigma < 454 \phi$ (%)				
247. $\Sigma < 456 \phi$ (%)				
248. $\Sigma < 458 \phi$ (%)				
249. $\Sigma < 460 \phi$ (%)				
250. $\Sigma < 462 \phi$ (%)				
251. $\Sigma < 464 \phi$ (%)				
252. $\Sigma < 466 \phi$ (%)				
253. $\Sigma < 468 \phi$ (%)				
254. $\Sigma < 470 \phi$ (%)				
255. $\Sigma < 472 \phi$ (%)				
256. $\Sigma < 474 \phi$ (%)				
257. $\Sigma < 476 \phi$ (%)				
258. $\Sigma < 478 \phi$ (%)				
259. $\Sigma < 480 \phi$ (%)				
260. $\Sigma < 482 \phi$ (%)				
261. $\Sigma < 484 \phi$ (%)				
262. $\Sigma < 486 \phi$ (%)				
263. $\Sigma < 488 \phi$ (%)				
264. $\Sigma < 490 \phi$ (%)				
265. $\Sigma < 492 \phi$ (%)				

1. SAMPLE NUMBER	66-153-1 - CONTINUED	5. SAMPLER TYPE	
2. LATITUDE		6. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3994	9. SUBSAMPLE DEPTH IN CORE (m.)	3945
10. SUBSAMPLE DEPTH IN CORE (m.)	123-125	11. CORN	
11. CORN	Green Clay (50-50%) (50-50%)	12. CORN	
12. CORN		13. NET DENSITY (m./ft ³)	
14. RIGIDITY (mm)		15. MAXIMUM PROSITY (%)	
16. MINIMUM PROSITY (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		19. SIZE ANALYSIS AND STATISTICAL MEASURES	
19. SIZE ANALYSIS AND STATISTICAL MEASURES		20. SUBSAMPLE DRY WEIGHT (m)	
21. SPHERICITY (m)		22. SPHERICITY (m)	
23. SPHERICITY (m)		24. SPHERICITY (m)	
25. SECONDARY MINERAL (%)		26. OTHER MINERALS (%)	
27. REMARKS		28. REMARKS	

1. SAMPLE NUMBER	66-154-1	5. SAMPLER TYPE	KULLENBERG
2. LATITUDE	44 06 16 W	6. WATER DEPTH (m.)	287
3. LONGITUDE	69 02 10 W	7. CORE LENGTH (m.)	125
4. DATE (day, month, year)	16 SEPTEMBER 1962	8. CORE PENETRATION (m.)	132
9. LABORATORY NUMBERS	3779 A	9. SUBSAMPLE DEPTH IN CORE (m.)	3780
10. SUBSAMPLE DEPTH IN CORE (m.)	0-2	11. CORN	Green Clay (50-50%) (50-50%)
11. CORN		12. CORN	
13. NET DENSITY (m./ft ³)		14. RIGIDITY (mm)	
15. MAXIMUM PROSITY (%)		16. MINIMUM PROSITY (%)	
17. WATER CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES		20. SUBSAMPLE DRY WEIGHT (m)	
21. SPHERICITY (m)		22. SPHERICITY (m)	
23. SPHERICITY (m)		24. SPHERICITY (m)	
25. SECONDARY MINERAL (%)		26. OTHER MINERALS (%)	
27. REMARKS		28. REMARKS	

1. SAMPLE NUMBER	66-154-1 CONTINUED	5. SAMPLER TYPE	
2. LATITUDE		5. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3783	3784	3785
10. SUBSAMPLE DEPTH IN CORE (m.)	35-37	42-47	47-49
11. COLOR	Dark Green Green (5.6-8.1)	Dark Green Dark Green (5.6-8.1)	Dark Green Dark Green (5.6-8.1)
12. GDR			
13. WET DENSITY (lb./ft ³)			
14. RIGIDITY (cm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
20. SUBSAMPLE DRY WEIGHT (gm)	26.66	28.08	29.60
21. SPECIFIC GRAVITY	2.66	2.81	2.97
22. PLASTICITY	11.6	11.6	11.6
23. LIQUIDITY	0	0	0
24. SHALINITY	0	0	0
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			

27. REMARKS: * The sample contained some small white sand.
35-37" soft brown mud.
38-80" green muds with soft layers of brown muds at 31, 45, 53, 60, 72"
and 81" - layers 1" thick.

SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT
---------------	-------------	-------------	-------------

1. SAMPLE NUMBER	66-154-1 CONTINUED	5. SAMPLER TYPE	
2. LATITUDE		5. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3787	3788	3789
10. SUBSAMPLE DEPTH IN CORE (m.)	85-87	87-89	94-96
11. COLOR	Dark Green Dark Green (5.6-8.1)	Medium Gray N5	Medium Gray N5
12. GDR			
13. WET DENSITY (lb./ft ³)			
14. RIGIDITY (cm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
20. SUBSAMPLE DRY WEIGHT (gm)	34.25	29.35	46.75
21. SPECIFIC GRAVITY	2.66	2.81	2.97
22. PLASTICITY	11.6	11.6	11.6
23. LIQUIDITY	0	0	0
24. SHALINITY	0	0	0
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			

27. REMARKS: continued.
87-92" hard, sticky blue mud.
92-108" soft " " "
108-125" soft brown mud w/ dark streaks.

SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT
---------------	-------------	-------------	-------------

1. SAMPLE NUMBER	66-154-1400000	5. SAMPLER TYPE	
2. LATITUDE	44	5. WATER DEPTH (m)	35.8
3. LONGITUDE	68	7. CORE LENGTH (m)	121
4. DATE (DD, MONTH, YEAR)	16 September 1959	8. CORE PRESERVATION (%)	132
9. LABORATORY NUMBERS	3791		
10. SUBSAMPLE DEPTH IN CORE (m)	116-118		
11. CORE	Mudstone Gray (51/26)		
12. CORE			
13. CORE			
14. CORE			
15. CORE			
16. CORE			
17. CORE			
18. CORE			
19. CORE			
20. CORE			
21. CORE			
22. CORE			
23. CORE			
24. CORE			
25. CORE			
26. CORE			
27. CORE			

1. SAMPLE NUMBER	66-156-1	5. SAMPLER TYPE	Kullenberg
2. LATITUDE	44	5. WATER DEPTH (m)	35.8
3. LONGITUDE	68	7. CORE LENGTH (m)	121
4. DATE (DD, MONTH, YEAR)	16 September 1959	8. CORE PRESERVATION (%)	132
9. LABORATORY NUMBERS	3918		
10. SUBSAMPLE DEPTH IN CORE (m)	0-2		
11. CORE	Olive Gray 513/2		
12. CORE			
13. CORE			
14. CORE			
15. CORE			
16. CORE			
17. CORE			
18. CORE			
19. CORE			
20. CORE			
21. CORE			
22. CORE			
23. CORE			
24. CORE			
25. CORE			
26. CORE			
27. CORE			

1. SAMPLE NUMBER	5. SAMPLER TYPE
66-156-1 continued	
2. LATITUDE	6. WATER DEPTH (m.)
3. LONGITUDE	7. CORE LENGTH (m.)
4. DATE (day, month, year)	8. CORE PENETRATION (m.)
LABORATORY NUMBERS	
9. SUBSAMPLE DEPTH IN CORE (m.)	10. SUBSAMPLE DEPTH IN CORE (m.)
48-50	72-74
4002	4003
4004	4005
4006	4007
4008	4009
4010	4011
4012	4013
4014	4015
4016	4017
4018	4019
4020	4021
4022	4023
4024	4025
4026	4027
4028	4029
4030	4031
4032	4033
4034	4035
4036	4037
4038	4039
4040	4041
4042	4043
4044	4045
4046	4047
4048	4049
4050	4051
4052	4053
4054	4055
4056	4057
4058	4059
4060	4061
4062	4063
4064	4065
4066	4067
4068	4069
4070	4071
4072	4073
4074	4075
4076	4077
4078	4079
4080	4081
4082	4083
4084	4085
4086	4087
4088	4089
4090	4091
4092	4093
4094	4095
4096	4097
4098	4099
4100	4101
4102	4103
4104	4105
4106	4107
4108	4109
4110	4111
4112	4113
4114	4115
4116	4117
4118	4119
4120	4121
4122	4123
4124	4125
4126	4127
4128	4129
4130	4131
4132	4133
4134	4135
4136	4137
4138	4139
4140	4141
4142	4143
4144	4145
4146	4147
4148	4149
4150	4151
4152	4153
4154	4155
4156	4157
4158	4159
4160	4161
4162	4163
4164	4165
4166	4167
4168	4169
4170	4171
4172	4173
4174	4175
4176	4177
4178	4179
4180	4181
4182	4183
4184	4185
4186	4187
4188	4189
4190	4191
4192	4193
4194	4195
4196	4197
4198	4199
4200	4201
4202	4203
4204	4205
4206	4207
4208	4209
4210	4211
4212	4213
4214	4215
4216	4217
4218	4219
4220	4221
4222	4223
4224	4225
4226	4227
4228	4229
4230	4231
4232	4233
4234	4235
4236	4237
4238	4239
4240	4241
4242	4243
4244	4245
4246	4247
4248	4249
4250	4251
4252	4253
4254	4255
4256	4257
4258	4259
4260	4261
4262	4263
4264	4265
4266	4267
4268	4269
4270	4271
4272	4273
4274	4275
4276	4277
4278	4279
4280	4281
4282	4283
4284	4285
4286	4287
4288	4289
4290	4291
4292	4293
4294	4295
4296	4297
4298	4299
4300	4301
4302	4303
4304	4305
4306	4307
4308	4309
4310	4311
4312	4313
4314	4315
4316	4317
4318	4319
4320	4321
4322	4323
4324	4325
4326	4327
4328	4329
4330	4331
4332	4333
4334	4335
4336	4337
4338	4339
4340	4341
4342	4343
4344	4345
4346	4347
4348	4349
4350	4351
4352	4353
4354	4355
4356	4357
4358	4359
4360	4361
4362	4363
4364	4365
4366	4367
4368	4369
4370	4371
4372	4373
4374	4375
4376	4377
4378	4379
4380	4381
4382	4383
4384	4385
4386	4387
4388	4389
4390	4391
4392	4393
4394	4395
4396	4397
4398	4399
4400	4401
4402	4403
4404	4405
4406	4407
4408	4409
4410	4411
4412	4413
4414	4415
4416	4417
4418	4419
4420	4421
4422	4423
4424	4425
4426	4427
4428	4429
4430	4431
4432	4433
4434	4435
4436	4437
4438	4439
4440	4441
4442	4443
4444	4445
4446	4447
4448	4449
4450	4451
4452	4453
4454	4455
4456	4457
4458	4459
4460	4461
4462	4463
4464	4465
4466	4467
4468	4469
4470	4471
4472	4473
4474	4475
4476	4477
4478	4479
4480	4481
4482	4483
4484	4485
4486	4487
4488	4489
4490	4491
4492	4493
4494	4495
4496	4497
4498	4499
4500	4501
4502	4503
4504	4505
4506	4507
4508	4509
4510	4511
4512	4513
4514	4515
4516	4517
4518	4519
4520	4521
4522	4523
4524	4525
4526	4527
4528	4529
4530	4531
4532	4533
4534	4535
4536	4537
4538	4539
4540	4541
4542	4543
4544	4545
4546	4547
4548	4549
4550	4551
4552	4553
4554	4555
4556	4557
4558	4559
4560	4561
4562	4563
4564	4565
4566	4567
4568	4569
4570	4571
4572	4573
4574	4575
4576	4577
4578	4579
4580	4581
4582	4583
4584	4585
4586	4587
4588	4589
4590	4591
4592	4593
4594	4595
4596	4597
4598	4599
4600	4601
4602	4603
4604	4605
4606	4607
4608	4609
4610	4611
4612	4613
4614	4615
4616	4617
4618	4619
4620	4621
4622	4623
4624	4625
4626	4627
4628	4629
4630	4631
4632	4633
4634	4635
4636	4637
4638	4639
4640	4641
4642	4643
4644	4645
4646	4647
4648	4649
4650	4651
4652	4653
4654	4655
4656	4657
4658	4659
4660	4661
4662	4663
4664	4665
4666	4667
4668	4669
4670	4671
4672	4673
4674	4675
4676	4677
4678	4679
4680	4681
4682	4683
4684	4685
4686	4687
4688	4689
4690	4691
4692	4693
4694	4695
4696	4697
4698	4699
4700	4701
4702	4703
4704	4705
4706	4707
4708	4709
4710	4711
4712	4713
4714	4715
4716	4717
4718	4719
4720	4721
4722	4723
4724	4725
4726	4727
4728	4729
4730	4731
4732	4733
4734	4735
4736	4737
4738	4739
4740	4741
4742	4743
4744	4745
4746	4747
4748	4749
4750	4751
4752	4753
4754	4755
4756	4757
4758	4759
4760	4761
4762	4763
4764	4765
4766	4767
4768	4769
4770	4771
4772	4773
4774	4775
4776	4777
4778	4779
4780	4781
4782	4783
4784	4785
4786	4787
4788	4789
4790	4791
4792	4793
4794	4795
4796	4797
4798	4799
4800	4801
4802	4803
4804	4805
4806	4807
4808	4809
4810	4811
4812	4813
4814	4815
4816	4817
4818	4819
4820	4821
4822	4823
4824	4825
4826	4827
4828	4829
4830	4831
4832	4833
4834	4835
4836	4837
4838	4839
4840	4841
4842	4843
4844	4845
4846	4847
4848	4849
4850	4851
4852	4853
4854	4855
4856	4857
4858	4859
4860	4861
4862	4863
4864	4865
4866	4867
4868	4869
4870	4871
4872	4873
4874	4875
4876	4877
4878	4879
4880	4881
4882	4883
4884	4885
4886	4887
4888	4889
4890	4891
4892	4893
4894	4895
4896	4897
4898	4899
4900	4901
4902	4903
4904	4905
4906	4907
4908	4909
4910	4911
4912	4913
4914	4915
4916	4917
4918	4919
4920	4921
4922	4923
4924	4925
4926	4927
4928	4929
4930	4931
4932	4933
4934	4935
4936	4937
4938	4939
4940	4941
4942	4943
4944	4945
4946	4947
4948	4949
4950	4951
4952	4953
4954	4955
4956	4957
4958	4959
4960	4961
4962	4963
4964	4965
4966	4967
4968	4969
4970	4971
4972	4973
4974	4975
4976	4977
4978	4979
4980	4981
4982	4983
4984	4985
4986	4987
4988	4989
4990	4991
4992	4993
4994	4995
4996	4997
4998	4999
5000	5001
5002	5003
5004	5005
5006	5007
5008	5009
5010	5011
5012	

1. SAMPLE NUMBER	66-157-1	3. SAMPLER TYPE	KYLE-MARBLE
2. LATITUDE	44° 10'	5. WATER DEPTH (m.)	35.0
3. LONGITUDE	69° 00' 00" W	7. CORE LENGTH (in.)	127
4. DATE	16 SEPTEMBER 1959	8. CORE PRESERVATION (in.)	132
9. LABORATORY NUMBERS	3936 *		3938
10. SUBSAMPLE DEPTH IN CORE (in.)	0-2		22-24
11. COLOR	Dark Gray (5Y 4/1)		Dark Gray (5Y 4/1)
12. OTHER			
13. WET DENSITY (lb./ft ³)			
14. RIGIDITY (cm)			
15. MINIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. -20 to -40	0%	0%	0%
b. -20 to -40	0%	0%	0%
c. -40 to 0	0%	0%	0%
d. 0 to 10	2	0%	2
e. 10 to 20	0%	0%	0%
f. 20 to 30	0%	0%	0%
g. 30 to 40	0%	0%	0%
h. 40 to 50	0%	0%	0%
i. 50 to 60	0%	0%	0%
j. 60 to 70	0%	0%	0%
k. 70 to 80	0%	0%	0%
l. 80 to 90	0%	0%	0%
m. 90 to 100	0%	0%	0%
20. SUBSAMPLE DRY WEIGHT (g)	2234	1762	2281
21. SPECIFICITY (g/g)	High	High	High
22. PERCENTAGE Plasticity	High	High	High
23. SUBJECT-TESTING Shell	0	<1/2	<1/2
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS	FENS 11-26 DETERMINED IN THE LAB		

* THE SAMPLE CONTAINED BLACK STREAKS. SHELL SCATTERED THROUGHOUT.

1. SAMPLE NUMBER	66-157-1	3. SAMPLER TYPE	CONTINUED
2. LATITUDE		5. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (in.)	
4. DATE		8. CORE PRESERVATION (in.)	
9. LABORATORY NUMBERS	3939		3940
10. SUBSAMPLE DEPTH IN CORE (in.)	94-96		124-127
11. COLOR	Dark Gray (5Y 4/1)		Dark Gray (5Y 4/1)
12. OTHER			
13. WET DENSITY (lb./ft ³)			
14. RIGIDITY (cm)			
15. MINIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. -20 to -40	0%	0%	0%
b. -20 to -40	0%	0%	0%
c. -40 to 0	0%	0%	0%
d. 0 to 10	1	0%	1
e. 10 to 20	0%	0%	0%
f. 20 to 30	0%	0%	0%
g. 30 to 40	0%	0%	0%
h. 40 to 50	0%	0%	0%
i. 50 to 60	0%	0%	0%
j. 60 to 70	0%	0%	0%
k. 70 to 80	0%	0%	0%
l. 80 to 90	0%	0%	0%
m. 90 to 100	0%	0%	0%
20. SUBSAMPLE DRY WEIGHT (g)	2389	2315	2315
21. SPECIFICITY (g/g)	High	High	High
22. PERCENTAGE Plasticity	High	High	High
23. SUBJECT-TESTING Shell	0	0	0
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS	0-12" Black bands 1/15-12" Very soft		

SEDIMENT TYPE CLAYEY SILT CLAYEY SILT

1. SAMPLE NUMBER	66-159-1	2. LATITUDE	44° 08' 00" N	50° 10' 00" W	5. SAMPLER TYPE	JULLENBERG							
3. LONGITUDE	69° 00' 00" W	6. WATER DEPTH (m.)	42.5										
4. DATE (Day, month, year)	16 SEPTEMBER 1959	7. CORE LENGTH (m.)	12.6										
9. LABORATORY NUMBERS		8. CORE PENETRATION (m.)	13.2										
10. SUBSAMPLE DEPTH IN CORE (m.)		3.673	3674										
11. COLOR		0-2	16-18	48-50									
12. ODOUR													
13. WET DENSITY (1b./ft. ³)													
14. RIGIDNESS (cm)													
15. MAXIMUM POROSITY (%)													
16. MAXIMUM POROSITY (%)													
17. WATER CONTENT (%)													
18. ORGANIC CARBON CONTENT (%)													
19. SITE ANALYSIS AND STATISTICAL MEASURES													
a. $\bar{x} \pm 2s$ (%)		0.2			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
b. $\bar{x} \pm 2s$ (to $\bar{x}$) (%)		0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
c. $\bar{x} \pm 1s$ (to $\bar{x}$) (%)		0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
d. σ to $\bar{x}$ (%)		0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
e. $\bar{x}$ to $\bar{x} \pm 2s$ (%)		0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
f. $\bar{x}$ to $\bar{x} \pm 2s$ (%)		0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
g. $\bar{x}$ to $\bar{x} \pm 2s$ (%)		0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
h. $\bar{x}$ to $\bar{x} \pm 2s$ (%)		0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
i. $\bar{x}$ to $\bar{x} \pm 2s$ (%)		0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
j. $\bar{x}$ to $\bar{x} \pm 2s$ (%)		0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
k. $\bar{x}$ to $\bar{x} \pm 2s$ (%)		0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
l. $\bar{x}$ to $\bar{x} \pm 2s$ (%)		0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
m. $\bar{x}$ to $\bar{x} \pm 2s$ (%)		0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
n. $\bar{x}$ to $\bar{x} \pm 2s$ (%)		0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
o. $\bar{x}$ to $\bar{x} \pm 2s$ (%)		0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
p. $\bar{x}$ to $\bar{x} \pm 2s$ (%)		0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
q. $\bar{x}$ to $\bar{x} \pm 2s$ (%)		0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
r. $\bar{x}$ to $\bar{x} \pm 2s$ (%)		0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
s. $\bar{x}$ to $\bar{x} \pm 2s$ (%)		0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
t. $\bar{x}$ to $\bar{x} \pm 2s$ (%)		0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
u. $\bar{x}$ to $\bar{x} \pm 2s$ (%)		0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
v. $\bar{x}$ to $\bar{x} \pm 2s$ (%)		0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
w. $\bar{x}$ to $\bar{x} \pm 2s$ (%)		0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
x. $\bar{x}$ to $\bar{x} \pm 2s$ (%)		0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
y. $\bar{x}$ to $\bar{x} \pm 2s$ (%)		0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
z. $\bar{x}$ to $\bar{x} \pm 2s$ (%)		0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
20. SUBSAMPLE DRY WEIGHT (m)													
21. SPECIFIC GRAVITY													
22. MINERALOGY Plasticity		High	High	High									
23. 4000-4400-													

27. REMARKS: ITEMS 11-26 DETERMINED IN THE LAB

* THE SAMPLE CONTAINED DARK STREAKS.
shell scattered throughout coro.

shell scattered throughout cov.

SEDIMENT TYPE		CLAYEY SILT	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT
0-4 dark layers					

1. SAMPLE NUMBER	5. SAMPLER TYPE				
66-157-1 : CONTINUED					
2. LATITUDE	6. CORE LENGTH (in.)				
3. LONGITUDE	7. WATER DEPTH (m.)				
4. DATE (Day, month, year)	8. CORE PENETRATION (in.)				
	3677 *				
9. LABORATORY NUMBERS					
10. SURSAMPLE DEPTH IN CORE (in.)	124-126				
	GRAYISH OLIVE				
	CLAYEY SILT				
	(50% H ₂ O)				
11. COLOR					
12. DOOR					
13. WET DENSITY (lb./ft ³)					
14. R (DENSE)					
15. MAXIMUM PROSITY (%)					
16. MINIMUM PROSITY (%)					
17. WATER CONTENT (%)					
18. ORGANIC CARBON CONTENT (%)					
19. SITE ANALYSIS AND STATISTICAL MEASURES					
a. $\bar{x} \pm s_x$ (%)	50 ₂	50 ₁	50 ₃	50 ₄	50 ₅
b. $\bar{x}_1 \pm s_{x_1}$ (%)	A ₂	50 ₂	50 ₁	50 ₃	50 ₄
c. $\bar{x}_2 \pm s_{x_2}$ (%)	W ₂ 7.82	W ₁ 8.10	W ₃	W ₄	W ₅
d. $\bar{x}_3 \pm s_{x_3}$ (%)	100	100	100	100	100
e. $\bar{x}_4 \pm s_{x_4}$ (%)	100	100	100	100	100
f. $\bar{x}_5 \pm s_{x_5}$ (%)	100	100	100	100	100
g. $\bar{x}_6 \pm s_{x_6}$ (%)	100	100	100	100	100
h. $\bar{x}_7 \pm s_{x_7}$ (%)	100	100	100	100	100
i. $\bar{x}_8 \pm s_{x_8}$ (%)	100	100	100	100	100
j. $\bar{x}_9 \pm s_{x_9}$ (%)	100	100	100	100	100
k. $\bar{x}_{10} \pm s_{x_{10}}$ (%)	100	100	100	100	100
l. $\bar{x}_{11} \pm s_{x_{11}}$ (%)	100	100	100	100	100
m. $\bar{x}_{12} \pm s_{x_{12}}$ (%)	100	100	100	100	100
n. $\bar{x}_{13} \pm s_{x_{13}}$ (%)	100	100	100	100	100
o. $\bar{x}_{14} \pm s_{x_{14}}$ (%)	100	100	100	100	100
p. $\bar{x}_{15} \pm s_{x_{15}}$ (%)	100	100	100	100	100
q. $\bar{x}_{16} \pm s_{x_{16}}$ (%)	100	100	100	100	100
r. $\bar{x}_{17} \pm s_{x_{17}}$ (%)	100	100	100	100	100
s. $\bar{x}_{18} \pm s_{x_{18}}$ (%)	100	100	100	100	100
t. $\bar{x}_{19} \pm s_{x_{19}}$ (%)	100	100	100	100	100
u. $\bar{x}_{20} \pm s_{x_{20}}$ (%)	100	100	100	100	100
v. $\bar{x}_{21} \pm s_{x_{21}}$ (%)	100	100	100	100	100
w. $\bar{x}_{22} \pm s_{x_{22}}$ (%)	100	100	100	100	100
x. $\bar{x}_{23} \pm s_{x_{23}}$ (%)	100	100	100	100	100
y. $\bar{x}_{24} \pm s_{x_{24}}$ (%)	100	100	100	100	100
z. $\bar{x}_{25} \pm s_{x_{25}}$ (%)	100	100	100	100	100
aa. $\bar{x}_{26} \pm s_{x_{26}}$ (%)	100	100	100	100	100
ab. $\bar{x}_{27} \pm s_{x_{27}}$ (%)	100	100	100	100	100
ac. $\bar{x}_{28} \pm s_{x_{28}}$ (%)	100	100	100	100	100
ad. $\bar{x}_{29} \pm s_{x_{29}}$ (%)	100	100	100	100	100
ae. $\bar{x}_{30} \pm s_{x_{30}}$ (%)	100	100	100	100	100
af. $\bar{x}_{31} \pm s_{x_{31}}$ (%)	100	100	100	100	100
ag. $\bar{x}_{32} \pm s_{x_{32}}$ (%)	100	100	100	100	100
ah. $\bar{x}_{33} \pm s_{x_{33}}$ (%)	100	100	100	100	100
ai. $\bar{x}_{34} \pm s_{x_{34}}$ (%)	100	100	100	100	100
aj. $\bar{x}_{35} \pm s_{x_{35}}$ (%)	100	100	100	100	100
ak. $\bar{x}_{36} \pm s_{x_{36}}$ (%)	100	100	100	100	100
al. $\bar{x}_{37} \pm s_{x_{37}}$ (%)	100	100	100	100	100
am. $\bar{x}_{38} \pm s_{x_{38}}$ (%)	100	100	100	100	100
an. $\bar{x}_{39} \pm s_{x_{39}}$ (%)	100	100	100	100	100
ao. $\bar{x}_{40} \pm s_{x_{40}}$ (%)	100	100	100	100	100
ap. $\bar{x}_{41} \pm s_{x_{41}}$ (%)	100	100	100	100	100
aq. $\bar{x}_{42} \pm s_{x_{42}}$ (%)	100	100	100	100	100
ar. $\$					

Color changes at 17° & 104°

Sediment Type	Clayey Silt	Clayey Silt

1. SAMPLE NUMBER	66-159-1	5. SAMPLER TYPE	KILLEBARGER					
2. LATITUDE	44° 08' N	6. WATER DEPTH (m.)	22.5					
3. LONGITUDE	68° 55' W	7. CORE LENGTH (m.)	90					
4. DATE (day, month, year)	16 SEPTEMBER 1959	8. CORE PENETRATION (m.)	120					
9. LABORATORY NUMBERS	3927	3928	3929					
10. SUBSAMPLE DEPTH IN CORE (m.)	0-5	5-8	8-27					
11. COLOR	MEDIUM BROWN (5B 4/2)	DRIVE GRAY (5V 4/1)	DRIVE GRAY (5V 4/1)					
12. MOIST								
13. WET DENSITY (lb./ft. ³)								
14. RECIPIENT (mm)								
15. MAXIMUM POROSITY (%)								
16. MINIMUM POROSITY (%)								
17. WATER CONTENT (%)								
18. ORGANIC CARBON CONTENT (%)								
19. SITE ANALYSIS AND STATISTICAL MEASURES								
19.1. $\bar{x} \pm 2s$ (s)	13	3.60	29	101.275	22	101.281	25	101.372
19.2. $\bar{x} \pm 2s$ (s)	7	2.887	12	20.50	9	51.051	6	51.044
19.3. $\bar{x} \pm 2s$ (s)	7	2.46	9	41.00	11	46.065	8	46.124
19.4. $\bar{x} \pm 2s$ (s)	8	01-027	10	01-225	12	01-174	9	01-200
19.5. $\bar{x} \pm 2s$ (s)	7	03.693	8	03.325	10	03.400	9	03.545
19.6. $\bar{x} \pm 2s$ (s)	6	6	6	6	7	7	7	7
19.7. $\bar{x} \pm 2s$ (s)	6	3	3	3	4	4	4	4
19.8. $\bar{x} \pm 2s$ (s)	14	7	7	7	8	10	10	10
19.9. $\bar{x} \pm 2s$ (s)	20	8	8	8	11	11	11	11
19.10. $\bar{x} \pm 2s$ (s)	11	8	8	8	9	9	9	9
20. SUBSAMPLE DRY WEIGHT (mg)		20.4	66.16	61.74	53.76			
21. SPHERICITY (mg)								
22. SPHERICITY (mg) <i>Sphe</i>		High	Low	Low	Low	Low	Low	Low
23. SUBSTRATE (HEAVY-FRONT) Sphe/Cm.		0	2.1%	2.1%	2.1%	2.1%	2.1%	2.1%
24. DIAMANT MINERAL (%)								
25. OTHER MINERAL (%)								

20. SUBSAMPLE DRY WEIGHT (mg)	70.64	66.16	61.74	53.76
21. SPHERICITY (mg)				
22. PLASTICITY	High	Low	Low	Low
23. SHARPNESS	0	<1%	<1%	<1%
24. DENSITY (g/cm ³)				
25. SECONDARY MINERALS (%)				
26. OTHER MINERALS (%)				
27. REMARKS:	TENS 11-26 DETERMINED IN THE LAB. 0-5" - Hard sticky clay mud with pebbles. 5-80" - Silt, sand with pebbles. 80-86" - Silt, sand unconsolidated.			
SEDIMENT TYPE	Silt, Sand W/13% GRAVELS	Silt, Sand W/14% GRAVELS	Silt, Sand W/15% GRAVELS	Silt, Sand W/16% GRAVELS

1. SAMPLE NUMBER	66-159-1 : CONTINUED				5. SAMPLER TYPE	
2. LATITUDE					6. WATER DEPTH (m.)	
3. LONGITUDE					7. CORE LENGTH (m.)	
4. DATE (day, month, year)					8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3923	3924	3925	3926	3927	3928
10. SUBSAMPLE DEPTH IN CORE (m.)	68-72	76-80	80-86	86-90	90-94	94-98
11. COLOR	DRIVE GRAY (5V 4/1)	DRIVE GRAY (5V 4/1)	DRIVE GRAY (5V 4/1)	DRIVE GRAY (5V 4/1)	DRIVE GRAY (5V 4/1)	DRIVE GRAY (5V 4/1)
12. MOOR						
13. WET DENSITY (lb./ft. ³)						
14. RECIPIENT (mm)						
15. MAXIMUM POROSITY (%)						
16. MINIMUM POROSITY (%)						
17. WATER CONTENT (%)						
18. ORGANIC CARBON CONTENT (%)						
19. SITE ANALYSIS AND STATISTICAL MEASURES						
19.1. $\bar{x} \pm 2s$ (s)	50	19.250	3/1	101.371	11	101.321
19.2. $\bar{x} \pm 2s$ (s)	8	19.415	9	101.039	10	101.042
19.3. $\bar{x} \pm 2s$ (s)	6	19.200	7	101.065	10	101.050
19.4. $\bar{x} \pm 2s$ (s)	7	19.336	8	101.267	13	101.240
19.5. $\bar{x} \pm 2s$ (s)	6	19.165	8	101.495	11	101.513
19.6. $\bar{x} \pm 2s$ (s)	5	19.165	6	101.495	11	101.513
19.7. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.8. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.9. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.10. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.11. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.12. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.13. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.14. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.15. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.16. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.17. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.18. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.19. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.20. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.21. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.22. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.23. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.24. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.25. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.26. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.27. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.28. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.29. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.30. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.31. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.32. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.33. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.34. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.35. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.36. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.37. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.38. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.39. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.40. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.41. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.42. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.43. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.44. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.45. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.46. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.47. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.48. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.49. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.50. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.51. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.52. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.53. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.54. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.55. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.56. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.57. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.58. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.59. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.60. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.61. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.62. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.63. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.64. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.65. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.66. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.67. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.68. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.69. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.70. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.71. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.72. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.73. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.74. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.75. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.76. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.77. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.78. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.79. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.80. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.81. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.82. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.83. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.84. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.85. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.86. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.87. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.88. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.89. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.90. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.91. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.92. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.93. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.94. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.95. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.96. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.97. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.98. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.99. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513
19.100. $\bar{x} \pm 2s$ (s)	3	19.165	6	101.495	11	101.513

20. SUBSAMPLE DRY WEIGHT (mg)	71.22	48.18	53.64	69.44
21. SPHERICITY (mg)				
22. PLASTICITY	Low	Low	Low	Low
23. SHARPNESS	<1%	<1%	<1%	<1%
24. DENSITY (g/cm ³)				
25. SECONDARY MINERALS (%)				
26. OTHER MINERALS (%)				
27. REMARKS:	86-90" Sand, Silt, Shell, pebbles			
SEDIMENT TYPE	Pebbles Mud, Silt, Sand W/10% GRAVELS	Silt, Sand W/10% GRAVELS	Silt, Sand W/10% GRAVELS	Silt, Sand W/10% GRAVELS

1. SAMPLE NUMBER	66-160-1
2. LATITUDE	44 06 14 N
3. LONGITUDE	69 03 26 W
4. DATE (day, month, year)	30 September 1969
5. LABORATORY NUMBERS	5318
6. WATER DEPTH (m.)	10.8

11. COLOR	Dark Brown 10.8/4.2
12. ODR	
13. NET DENSITY (1b./ft ³)	
14. RIGIDNESS (cm)	
15. MEDIUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 ₅ (%)	9
b. < 2 ₅ to < 1 ₅ (%)	8
c. < 1 ₅ to < 0 ₅ (%)	12
d. 0 ₅ to < 1 ₅ (%)	14
e. < 1 ₅ to < 2 ₅ (%)	16
f. < 2 ₅ to < 3 ₅ (%)	12
g. < 3 ₅ to < 4 ₅ (%)	8
h. < 4 ₅ to < 5 ₅ (%)	9
i. < 5 ₅ to < 6 ₅ (%)	6
j. < 6 ₅ (%)	10
20. SUBSAMPLE DRY WEIGHT (gm)	35.88
21. SPECIFICITY (gpc.)	
22. unobtainable Plasticity	Low
23. unobtainable unobtainable Shell Ca.	1%
24. INDIANIT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

Sediment Type	Silty Sand
---------------	------------

1. SAMPLE NUMBER	66-161-1
2. LATITUDE	44 06 25 N
3. LONGITUDE	68 58 00 W
4. DATE (day, month, year)	30 September 1969
5. LABORATORY NUMBERS	5319
6. WATER DEPTH (m.)	16.7

11. COLOR	Dark Yellowish Brown 10.8/4.2
12. ODR	
13. NET DENSITY (1b./ft ³)	
14. RIGIDNESS (cm)	
15. MEDIUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 ₅ (%)	11
b. < 2 ₅ to < 1 ₅ (%)	7
c. < 1 ₅ to < 0 ₅ (%)	10
d. 0 ₅ to < 1 ₅ (%)	16
e. < 1 ₅ to < 2 ₅ (%)	19
f. < 2 ₅ to < 3 ₅ (%)	10
g. < 3 ₅ to < 4 ₅ (%)	3
h. < 4 ₅ to < 5 ₅ (%)	12
i. < 5 ₅ to < 6 ₅ (%)	2
j. < 6 ₅ (%)	11
20. SUBSAMPLE DRY WEIGHT (gm)	38.91
21. SPECIFICITY (gpc.)	
22. unobtainable Plasticity	Low
23. unobtainable unobtainable Shell Ca.	1%
24. INDIANIT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

Sediment Type	Silty Sand
---------------	------------

1. SAMPLE NUMBER	66-163-1
2. LATITUDE	44 03 14 N
3. LONGITUDE	68 57 38 W
4. DATE (day, month, year)	30 September 1969
5. LABORATORY NUMBERS	5320
6. WATER DEPTH (m.)	10.0

11. COLOR	Olive Gray 5.4/1.1
12. ODR	
13. NET DENSITY (1b./ft ³)	
14. RIGIDNESS (cm)	
15. MEDIUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 ₅ (%)	69
b. < 2 ₅ to < 1 ₅ (%)	6
c. < 1 ₅ to < 0 ₅ (%)	5
d. 0 ₅ to < 1 ₅ (%)	3
e. < 1 ₅ to < 2 ₅ (%)	3
f. < 2 ₅ to < 3 ₅ (%)	3
g. < 3 ₅ to < 4 ₅ (%)	1
h. < 4 ₅ to < 5 ₅ (%)	2
i. < 5 ₅ to < 6 ₅ (%)	4
j. < 6 ₅ (%)	5
20. SUBSAMPLE DRY WEIGHT (gm)	159.71
21. SPECIFICITY (gpc.)	
22. unobtainable Plasticity	None
23. unobtainable unobtainable Shell Ca.	10%
24. INDIANIT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

Sediment Type	Pebbles / Sand
---------------	----------------

1. SAMPLE NUMBER	66-164-1
2. LATITUDE	43 59 47 N
3. LONGITUDE	68 56 46 W
4. DATE (day, month, year)	30 September 1969
5. LABORATORY NUMBERS	5321
6. WATER DEPTH (m.)	18.2

11. COLOR	(Variegated) Olive Gray 5.4/1.1
12. ODR	
13. NET DENSITY (1b./ft ³)	
14. RIGIDNESS (cm)	
15. MEDIUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 ₅ (%)	36
b. < 2 ₅ to < 1 ₅ (%)	13
c. < 1 ₅ to < 0 ₅ (%)	18
d. 0 ₅ to < 1 ₅ (%)	8
e. < 1 ₅ to < 2 ₅ (%)	12
f. < 2 ₅ to < 3 ₅ (%)	3
g. < 3 ₅ to < 4 ₅ (%)	1
h. < 4 ₅ to < 5 ₅ (%)	3
i. < 5 ₅ to < 6 ₅ (%)	4
j. < 6 ₅ (%)	3
20. SUBSAMPLE DRY WEIGHT (gm)	68.90
21. SPECIFICITY (gpc.)	
22. unobtainable Plasticity	None
23. unobtainable unobtainable Shell Ca.	75%
24. INDIANIT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab	

Sediment Type	Pebbly Sand
---------------	-------------

1. SAMPLE NUMBER	66-169-1
2. LATITUDE	43 58 N
3. LONGITUDE	68 52 W
4. DATE (day month year)	30 September 1959
5. LABORATORY NUMBER	5322
6. WATER DEPTH (m)	28.6
11. COLOR	
12. ODR	
13. MET DENSITY (lb./ft ³)	
14. RIGIDITY (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

11. COLOR	Dark Gray
12. ODR	574/1
13. MET DENSITY (lb./ft ³)	Paul
14. RIGIDITY (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 ₅ (%)	21
b. -2 ₅ to -1 ₆ (%)	11
c. -1 ₆ to 0 ₂ (%)	8
d. 0 ₂ to 1 ₆ (%)	8
e. 1 ₆ to 2 ₅ (%)	6
f. 2 ₅ to 3 ₂ (%)	4
g. 3 ₂ to 4 ₀ (%)	3
h. 4 ₀ to 6 ₀ (%)	1
i. 6 ₀ to 9 ₀ (%)	14
j. > 9 ₀ (%)	17
20. SUSPENSIBLE DRY WEIGHT (mg)	29.88
21. SPECIFIC (exp.)	
22. PLASTICITY	Low
23. DOMINANT MINERAL (%)	5%
24. SECONDARY MINERAL (%)	
25. OTHER MINERALS (%)	
26. REMAINS: Items 11-26 determined in the lab	

20. SUSPENSIBLE DRY WEIGHT (mg)	29.88
21. SPECIFIC (exp.)	
22. PLASTICITY	Low
23. DOMINANT MINERAL (%)	5%
24. SECONDARY MINERAL (%)	
25. OTHER MINERALS (%)	
26. REMAINS: Items 11-26 determined in the lab	

Sediment Type	Silty Sand with 1% coarse material
---------------	------------------------------------

1. SAMPLE NUMBER	66-170-1
2. LATITUDE	43 58 N
3. LONGITUDE	68 51 W
4. DATE (day month year)	30 September 1959
5. LABORATORY NUMBER	5323
6. WATER DEPTH (m)	28.5
11. COLOR	
12. ODR	
13. MET DENSITY (lb./ft ³)	
14. RIGIDITY (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

11. COLOR	Dark Gray
12. ODR	574/1
13. MET DENSITY (lb./ft ³)	Paul
14. RIGIDITY (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 ₅ (%)	17
b. -2 ₅ to -1 ₆ (%)	8
c. -1 ₆ to 0 ₂ (%)	6
d. 0 ₂ to 1 ₆ (%)	7
e. 1 ₆ to 2 ₅ (%)	16
f. 2 ₅ to 3 ₂ (%)	13
g. 3 ₂ to 4 ₀ (%)	4
h. 4 ₀ to 6 ₀ (%)	6
i. 6 ₀ to 9 ₀ (%)	11
j. > 9 ₀ (%)	13
20. SUSPENSIBLE DRY WEIGHT (mg)	40.22
21. SPECIFIC (exp.)	
22. PLASTICITY	Low
23. DOMINANT MINERAL (%)	3%
24. SECONDARY MINERAL (%)	
25. OTHER MINERALS (%)	
26. REMAINS: Items 11-26 determined in the lab	

20. SUSPENSIBLE DRY WEIGHT (mg)	40.22
21. SPECIFIC (exp.)	
22. PLASTICITY	Low
23. DOMINANT MINERAL (%)	3%
24. SECONDARY MINERAL (%)	
25. OTHER MINERALS (%)	
26. REMAINS: Items 11-26 determined in the lab	

Sediment Type	Silty Sand with 1% coarse material
---------------	------------------------------------

1. SAMPLE NUMBER	66-171-1
2. LATITUDE	43 58 N
3. LONGITUDE	68 49 W
4. DATE (day month year)	30 September 1959
5. LABORATORY NUMBER	5301
6. WATER DEPTH (m)	25.7
11. COLOR	
12. ODR	
13. MET DENSITY (lb./ft ³)	
14. RIGIDITY (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

11. COLOR	Dark Yellowish Brown
12. ODR	10784/2
13. MET DENSITY (lb./ft ³)	
14. RIGIDITY (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 ₅ (%)	24
b. -2 ₅ to -1 ₆ (%)	13
c. -1 ₆ to 0 ₂ (%)	14
d. 0 ₂ to 1 ₆ (%)	12
e. 1 ₆ to 2 ₅ (%)	3
f. 2 ₅ to 3 ₂ (%)	3
g. 3 ₂ to 4 ₀ (%)	2
h. 4 ₀ to 6 ₀ (%)	6
i. 6 ₀ to 9 ₀ (%)	8
j. > 9 ₀ (%)	11
20. SUSPENSIBLE DRY WEIGHT (mg)	50.12
21. SPECIFIC (exp.)	
22. PLASTICITY	None
23. DOMINANT MINERAL (%)	10%
24. SECONDARY MINERAL (%)	
25. OTHER MINERALS (%)	
26. REMAINS: Items 11-26 determined in the lab	

20. SUSPENSIBLE DRY WEIGHT (mg)	50.12
21. SPECIFIC (exp.)	
22. PLASTICITY	None
23. DOMINANT MINERAL (%)	10%
24. SECONDARY MINERAL (%)	
25. OTHER MINERALS (%)	
26. REMAINS: Items 11-26 determined in the lab	

Sediment Type	Silty Sand
---------------	------------

1. SAMPLE NUMBER	66-174-1
2. LATITUDE	43 57 N
3. LONGITUDE	68 52 W
4. DATE (day month year)	30 September 1959
5. LABORATORY NUMBER	5302
6. WATER DEPTH (m)	41.3
11. COLOR	
12. ODR	
13. MET DENSITY (lb./ft ³)	
14. RIGIDITY (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

11. COLOR	Dark Yellowish Brown
12. ODR	10784/2
13. MET DENSITY (lb./ft ³)	
14. RIGIDITY (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	

19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 ₅ (%)	36
b. -2 ₅ to -1 ₆ (%)	8
c. -1 ₆ to 0 ₂ (%)	3
d. 0 ₂ to 1 ₆ (%)	2
e. 1 ₆ to 2 ₅ (%)	4
f. 2 ₅ to 3 ₂ (%)	8
g. 3 ₂ to 4 ₀ (%)	8
h. 4 ₀ to 6 ₀ (%)	8
i. 6 ₀ to 9 ₀ (%)	8
j. > 9 ₀ (%)	14
20. SUSPENSIBLE DRY WEIGHT (mg)	27/3
21. SPECIFIC (exp.)	
22. PLASTICITY	Low
23. DOMINANT MINERAL (%)	0
24. SECONDARY MINERAL (%)	
25. OTHER MINERALS (%)	
26. REMAINS: Items 11-26 determined in the lab	

20. SUSPENSIBLE DRY WEIGHT (mg)	27/3
21. SPECIFIC (exp.)	
22. PLASTICITY	Low
23. DOMINANT MINERAL (%)	0
24. SECONDARY MINERAL (%)	
25. OTHER MINERALS (%)	
26. REMAINS: Items 11-26 determined in the lab	

Sediment Type	Silty Sand with 1% coarse material
---------------	------------------------------------

1. SAMPLE NUMBER	66-175-1
2. LATITUDE	43 57 18 N
3. LONGITUDE	68 54 14 W
4. DATE (Day, month, year)	30 September 1989
5. LABORATORY NUMBERS	5384
6. WATER DEPTH (m.)	17.2

11. COLOR
Dark Yellowish Brown
10R6/4

12. DRAIN	
13. WET DENSITY (lb./ft ³)	
14. RIGIDITY (mm)	
15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	

19. SIZE ANALYSIS AND STATISTICAL MEASURES

a. ϕ_1 to ϕ_2 (%)	39	0.39	1.20
b. ϕ_2 to ϕ_3 (%)	24	54	-0.20
c. ϕ_3 to ϕ_4 (%)	24	44	-1.40
d. ϕ_4 to ϕ_5 (%)	11	01	-2.30
e. ϕ_5 to ϕ_6 (%)	2	03	-0.50
f. ϕ_6 to ϕ_7 (%)	1		
g. ϕ_7 to ϕ_8 (%)	1		
h. ϕ_8 to ϕ_9 (%)	1		
i. ϕ_9 to ϕ_{10} (%)	1		
j. ϕ_{10} to ϕ_{11} (%)	2		

1. SAMPLE NUMBER	66-179-1	5. SAMPLER TYPE	HANDHELD
2. LATITUDE	44 03 42 N	6. WATER DEPTH (m.)	36.6
3. LONGITUDE	01 10 11 W	7. CORE LENGTH (m.)	124
8. DATE (day, month, year)	October 1959	8. CORE PENETRATION (m.)	
9. LABORATORY NUMBER	3866	9. LABORATORY NUMBER	3857
10. SUBSAMPLE DEPTH IN CORE (m.)	0-2	10. SUBSAMPLE DEPTH IN CORE (m.)	12-14
11. COLOR	DARK GREENISH GRAY (5G 4/1)	11. COLOR	DARK GREENISH GRAY (5G 4/1)
12. ODOR		12. ODOR	
13. WET DENSITY (lb./ft. ³)		13. WET DENSITY (lb./ft. ³)	
14. REIDURSE (mm)		14. REIDURSE (mm)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES		19. SIZE ANALYSIS AND STATISTICAL MEASURES	
20. ϕ_{-20} to ϕ_{-40} (%)	ME 6.50	20. ϕ_{-20} to ϕ_{-40} (%)	ME 6.67
21. ϕ_{-40} to ϕ_{-60} (%)	1 01.542	21. ϕ_{-40} to ϕ_{-60} (%)	ME 7.10
22. ϕ_{-60} to ϕ_{-80} (%)	1 01.542	22. ϕ_{-60} to ϕ_{-80} (%)	ME 7.10
23. ϕ_{-80} to ϕ_{-100} (%)	2	23. ϕ_{-80} to ϕ_{-100} (%)	ME 7.10
24. ϕ_{-100} to ϕ_{-200} (%)	39	24. ϕ_{-100} to ϕ_{-200} (%)	ME 7.10
25. ϕ_{-200} to ϕ_{-400} (%)	25	25. ϕ_{-200} to ϕ_{-400} (%)	ME 7.10
26. ϕ_{-400} to ϕ_{-600} (%)	33	26. ϕ_{-400} to ϕ_{-600} (%)	ME 7.10
27. ϕ_{-600} to ϕ_{-800} (%)	24.21	27. ϕ_{-600} to ϕ_{-800} (%)	ME 7.10
28. ϕ_{-800} to ϕ_{-1000} (%)	24.21	28. ϕ_{-800} to ϕ_{-1000} (%)	ME 7.10
29. ϕ_{-1000} to ϕ_{-2000} (%)	24.21	29. ϕ_{-1000} to ϕ_{-2000} (%)	ME 7.10
30. ϕ_{-2000} to ϕ_{-4000} (%)	24.21	30. ϕ_{-2000} to ϕ_{-4000} (%)	ME 7.10
31. ϕ_{-4000} to ϕ_{-6000} (%)	24.21	31. ϕ_{-4000} to ϕ_{-6000} (%)	ME 7.10
32. ϕ_{-6000} to ϕ_{-8000} (%)	24.21	32. ϕ_{-6000} to ϕ_{-8000} (%)	ME 7.10
33. ϕ_{-8000} to ϕ_{-10000} (%)	24.21	33. ϕ_{-8000} to ϕ_{-10000} (%)	ME 7.10
34. ϕ_{-10000} to ϕ_{-20000} (%)	24.21	34. ϕ_{-10000} to ϕ_{-20000} (%)	ME 7.10
35. ϕ_{-20000} to ϕ_{-40000} (%)	24.21	35. ϕ_{-20000} to ϕ_{-40000} (%)	ME 7.10
36. ϕ_{-40000} to ϕ_{-60000} (%)	24.21	36. ϕ_{-40000} to ϕ_{-60000} (%)	ME 7.10
37. ϕ_{-60000} to ϕ_{-80000} (%)	24.21	37. ϕ_{-60000} to ϕ_{-80000} (%)	ME 7.10
38. ϕ_{-80000} to $\phi_{-100000}$ (%)	24.21	38. ϕ_{-80000} to $\phi_{-100000}$ (%)	ME 7.10
39. $\phi_{-100000}$ to $\phi_{-200000}$ (%)	24.21	39. $\phi_{-100000}$ to $\phi_{-200000}$ (%)	ME 7.10
40. $\phi_{-200000}$ to $\phi_{-400000}$ (%)	24.21	40. $\phi_{-200000}$ to $\phi_{-400000}$ (%)	ME 7.10
41. $\phi_{-400000}$ to $\phi_{-600000}$ (%)	24.21	41. $\phi_{-400000}$ to $\phi_{-600000}$ (%)	ME 7.10
42. $\phi_{-600000}$ to $\phi_{-800000}$ (%)	24.21	42. $\phi_{-600000}$ to $\phi_{-800000}$ (%)	ME 7.10
43. $\phi_{-800000}$ to $\phi_{-1000000}$ (%)	24.21	43. $\phi_{-800000}$ to $\phi_{-1000000}$ (%)	ME 7.10
44. $\phi_{-1000000}$ to $\phi_{-2000000}$ (%)	24.21	44. $\phi_{-1000000}$ to $\phi_{-2000000}$ (%)	ME 7.10
45. $\phi_{-2000000}$ to $\phi_{-4000000}$ (%)	24.21	45. $\phi_{-2000000}$ to $\phi_{-4000000}$ (%)	ME 7.10
46. $\phi_{-4000000}$ to $\phi_{-6000000}$ (%)	24.21	46. $\phi_{-4000000}$ to $\phi_{-6000000}$ (%)	ME 7.10
47. $\phi_{-6000000}$ to $\phi_{-8000000}$ (%)	24.21	47. $\phi_{-6000000}$ to $\phi_{-8000000}$ (%)	ME 7.10
48. $\phi_{-8000000}$ to $\phi_{-10000000}$ (%)	24.21	48. $\phi_{-8000000}$ to $\phi_{-10000000}$ (%)	ME 7.10
49. $\phi_{-10000000}$ to $\phi_{-20000000}$ (%)	24.21	49. $\phi_{-10000000}$ to $\phi_{-20000000}$ (%)	ME 7.10
50. $\phi_{-20000000}$ to $\phi_{-40000000}$ (%)	24.21	50. $\phi_{-20000000}$ to $\phi_{-40000000}$ (%)	ME 7.10
51. $\phi_{-40000000}$ to $\phi_{-60000000}$ (%)	24.21	51. $\phi_{-40000000}$ to $\phi_{-60000000}$ (%)	ME 7.10
52. $\phi_{-60000000}$ to $\phi_{-80000000}$ (%)	24.21	52. $\phi_{-60000000}$ to $\phi_{-80000000}$ (%)	ME 7.10
53. $\phi_{-80000000}$ to $\phi_{-100000000}$ (%)	24.21	53. $\phi_{-80000000}$ to $\phi_{-100000000}$ (%)	ME 7.10
54. $\phi_{-100000000}$ to $\phi_{-200000000}$ (%)	24.21	54. $\phi_{-100000000}$ to $\phi_{-200000000}$ (%)	ME 7.10
55. $\phi_{-200000000}$ to $\phi_{-400000000}$ (%)	24.21	55. $\phi_{-200000000}$ to $\phi_{-400000000}$ (%)	ME 7.10
56. $\phi_{-400000000}$ to $\phi_{-600000000}$ (%)	24.21	56. $\phi_{-400000000}$ to $\phi_{-600000000}$ (%)	ME 7.10
57. $\phi_{-600000000}$ to $\phi_{-800000000}$ (%)	24.21	57. $\phi_{-600000000}$ to $\phi_{-800000000}$ (%)	ME 7.10
58. $\phi_{-800000000}$ to $\phi_{-1000000000}$ (%)	24.21	58. $\phi_{-800000000}$ to $\phi_{-1000000000}$ (%)	ME 7.10
59. $\phi_{-1000000000}$ to $\phi_{-2000000000}$ (%)	24.21	59. $\phi_{-1000000000}$ to $\phi_{-2000000000}$ (%)	ME 7.10
60. $\phi_{-2000000000}$ to $\phi_{-4000000000}$ (%)	24.21	60. $\phi_{-2000000000}$ to $\phi_{-4000000000}$ (%)	ME 7.10
61. $\phi_{-4000000000}$ to $\phi_{-6000000000}$ (%)	24.21	61. $\phi_{-4000000000}$ to $\phi_{-6000000000}$ (%)	ME 7.10
62. $\phi_{-6000000000}$ to $\phi_{-8000000000}$ (%)	24.21	62. $\phi_{-6000000000}$ to $\phi_{-8000000000}$ (%)	ME 7.10
63. $\phi_{-8000000000}$ to $\phi_{-10000000000}$ (%)	24.21	63. $\phi_{-8000000000}$ to $\phi_{-10000000000}$ (%)	ME 7.10
64. $\phi_{-10000000000}$ to $\phi_{-20000000000}$ (%)	24.21	64. $\phi_{-10000000000}$ to $\phi_{-20000000000}$ (%)	ME 7.10
65. $\phi_{-20000000000}$ to $\phi_{-40000000000}$ (%)	24.21	65. $\phi_{-20000000000}$ to $\phi_{-40000000000}$ (%)	ME 7.10
66. $\phi_{-40000000000}$ to $\phi_{-60000000000}$ (%)	24.21	66. $\phi_{-40000000000}$ to $\phi_{-60000000000}$ (%)	ME 7.10
67. $\phi_{-60000000000}$ to $\phi_{-80000000000}$ (%)	24.21	67. $\phi_{-60000000000}$ to $\phi_{-80000000000}$ (%)	ME 7.10
68. $\phi_{-80000000000}$ to $\phi_{-100000000000}$ (%)	24.21	68. $\phi_{-80000000000}$ to $\phi_{-100000000000}$ (%)	ME 7.10
69. $\phi_{-100000000000}$ to $\phi_{-200000000000}$ (%)	24.21	69. $\phi_{-100000000000}$ to $\phi_{-200000000000}$ (%)	ME 7.10
70. $\phi_{-200000000000}$ to $\phi_{-400000000000}$ (%)	24.21	70. $\phi_{-200000000000}$ to $\phi_{-400000000000}$ (%)	ME 7.10
71. $\phi_{-400000000000}$ to $\phi_{-600000000000}$ (%)	24.21	71. $\phi_{-400000000000}$ to $\phi_{-600000000000}$ (%)	ME 7.10
72. $\phi_{-600000000000}$ to $\phi_{-800000000000}$ (%)	24.21	72. $\phi_{-600000000000}$ to $\phi_{-800000000000}$ (%)	ME 7.10
73. $\phi_{-800000000000}$ to $\phi_{-1000000000000}$ (%)	24.21	73. $\phi_{-800000000000}$ to $\phi_{-1000000000000}$ (%)	ME 7.10
74. $\phi_{-1000000000000}$ to $\phi_{-2000000000000}$ (%)	24.21	74. $\phi_{-1000000000000}$ to $\phi_{-2000000000000}$ (%)	ME 7.10
75. $\phi_{-2000000000000}$ to $\phi_{-4000000000000}$ (%)	24.21	75. $\phi_{-2000000000000}$ to $\phi_{-4000000000000}$ (%)	ME 7.10
76. $\phi_{-4000000000000}$ to $\phi_{-6000000000000}$ (%)	24.21	76. $\phi_{-4000000000000}$ to $\phi_{-6000000000000}$ (%)	ME 7.10
77. $\phi_{-6000000000000}$ to $\phi_{-8000000000000}$ (%)	24.21	77. $\phi_{-6000000000000}$ to $\phi_{-8000000000000}$ (%)	ME 7.10
78. $\phi_{-8000000000000}$ to $\phi_{-10000000000000}$ (%)	24.21	78. $\phi_{-8000000000000}$ to $\phi_{-10000000000000}$ (%)	ME 7.10
79. $\phi_{-10000000000000}$ to $\phi_{-20000000000000}$ (%)	24.21	79. $\phi_{-10000000000000}$ to $\phi_{-20000000000000}$ (%)	ME 7.10
80. $\phi_{-20000000000000}$ to $\phi_{-40000000000000}$ (%)	24.21	80. $\phi_{-20000000000000}$ to $\phi_{-40000000000000}$ (%)	ME 7.10
81. $\phi_{-40000000000000}$ to $\phi_{-60000000000000}$ (%)	24.21	81. $\phi_{-40000000000000}$ to $\phi_{-60000000000000}$ (%)	ME 7.10
82. $\phi_{-60000000000000}$ to $\phi_{-80000000000000}$ (%)	24.21	82. $\phi_{-60000000000000}$ to $\phi_{-80000000000000}$ (%)	ME 7.10
83. $\phi_{-80000000000000}$ to $\phi_{-100000000000000}$ (%)	24.21	83. $\phi_{-80000000000000}$ to $\phi_{-100000000000000}$ (%)	ME 7.10
84. $\phi_{-100000000000000}$ to $\phi_{-200000000000000}$ (%)	24.21	84. $\phi_{-100000000000000}$ to $\phi_{-200000000000000}$ (%)	ME 7.10
85. $\phi_{-200000000000000}$ to $\phi_{-400000000000000}$ (%)	24.21	85. $\phi_{-200000000000000}$ to $\phi_{-400000000000000}$ (%)	ME 7.10
86. $\phi_{-400000000000000}$ to $\phi_{-600000000000000}$ (%)	24.21	86. $\phi_{-400000000000000}$ to $\phi_{-600000000000000}$ (%)	ME 7.10
87. $\phi_{-600000000000000}$ to $\phi_{-800000000000000}$ (%)	24.21	87. $\phi_{-600000000000000}$ to $\phi_{-800000000000000}$ (%)	ME 7.10
88. $\phi_{-800000000000000}$ to $\phi_{-1000000000000000}$ (%)	24.21	88. $\phi_{-800000000000000}$ to $\phi_{-1000000000000000}$ (%)	ME 7.10
89. $\phi_{-1000000000000000}$ to $\phi_{-2000000000000000}$ (%)	24.21	89. $\phi_{-1000000000000000}$ to $\phi_{-2000000000000000}$ (%)	ME 7.10
90. $\phi_{-2000000000000000}$ to $\phi_{-4000000000000000}$ (%)	24.21	90. $\phi_{-2000000000000000}$ to $\phi_{-4000000000000000}$ (%)	ME 7.10
91. $\phi_{-4000000000000000}$ to $\phi_{-6000000000000000}$ (%)	24.21	91. $\phi_{-4000000000000000}$ to $\phi_{-6000000000000000}$ (%)	ME 7.10
92. $\phi_{-6000000000000000}$ to $\phi_{-8000000000000000}$ (%)	24.21	92. $\phi_{-6000000000000000}$ to $\phi_{-8000000000000000}$ (%)	ME 7.10
93. $\phi_{-8000000000000000}$ to $\phi_{-10000000000000000}$ (%)	24.21	93. $\phi_{-8000000000000000}$ to $\phi_{-10000000000000000}$ (%)	ME 7.10
94. $\phi_{-10000000000000000}$ to $\phi_{-20000000000000000}$ (%)	24.21	94. $\phi_{-10000000000000000}$ to $\phi_{-20000000000000000}$ (%)	ME 7.10
95. $\phi_{-20000000000000000}$ to $\phi_{-40000000000000000}$ (%)	24.21	95. $\phi_{-20000000000000000}$ to $\phi_{-40000000000000000}$ (%)	ME 7.10
96. $\phi_{-40000000000000000}$ to $\phi_{-60000000000000000}$ (%)	24.21	96. $\phi_{-40000000000000000}$ to $\phi_{-60000000000000000}$ (%)	ME 7.10
97. $\phi_{-60000000000000000}$ to $\phi_{-80000000000000000}$ (%)	24.21	97. $\phi_{-60000000000000000}$ to $\phi_{-80000000000000000}$ (%)	ME 7.10
98. $\phi_{-80000000000000000}$ to $\phi_{-100000000000000000}$ (%)	24.21	98. $\phi_{-80000000000000000}$ to $\phi_{-100000000000000000}$ (%)	ME 7.10
99. $\phi_{-100000000000000000}$ to $\phi_{-200000000000000000}$ (%)	24.21	99. $\phi_{-100000000000000000}$ to $\phi_{-200000000000000000}$ (%)	ME 7.10
100. $\phi_{-200000000000000000}$ to $\phi_{-400000000000000000}$ (%)	24.21	100. $\phi_{-200000000000000000}$ to $\phi_{-400000000000000000}$ (%)	ME 7.10

1. SAMPLE NUMBER	66-179-1, CONTINUED	5. SAMPLER TYPE	
2. LATITUDE		6. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
8. DATE (day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBER	3860	9. LABORATORY NUMBER	3862
10. SUBSAMPLE DEPTH IN CORE (m.)	22-24.5	10. SUBSAMPLE DEPTH IN CORE (m.)	25-27
11. COLOR	DARK GREENISH GRAY (5G 4/1)	11. COLOR	DARK GREENISH GRAY (5G 4/1)
12. ODOR		12. ODOR	
13. WET DENSITY (lb./ft. ³)		13. WET DENSITY (lb./ft. ³)	
14. REIDURSE (mm)		14. REIDURSE (mm)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES		19. SIZE ANALYSIS AND STATISTICAL MEASURES	
20. ϕ_{-20} to ϕ_{-40} (%)	ME 8.31	20. ϕ_{-20} to ϕ_{-40} (%)	ME 8.23
21. ϕ_{-40} to ϕ_{-60} (%)	1 01.549	21. ϕ_{-40} to ϕ_{-60} (%)	ME 8.23
22. ϕ_{-60} to ϕ_{-80} (%)	2	22. ϕ_{-60} to ϕ_{-80} (%)	ME 8.23
23. ϕ_{-80} to ϕ_{-100} (%)	3	23. ϕ_{-80} to ϕ_{-100} (%)	ME 8.23
24. ϕ_{-100} to ϕ_{-200} (%)	24	24. ϕ_{-100} to ϕ_{-200} (%)	ME 8.23
25. ϕ_{-200} to ϕ_{-400} (%)	31	25. ϕ_{-200} to ϕ_{-400} (%)	ME 8.23
26. ϕ_{-400} to ϕ_{-600} (%)	43	26. ϕ_{-400} to ϕ_{-600} (%)	ME 8.23
27. ϕ_{-600} to ϕ_{-800} (%)	31.53	27. ϕ_{-600} to ϕ_{-800} (%)	ME 8.23
28. ϕ_{-800} to ϕ_{-1000} (%)	18.39	28. ϕ_{-800} to ϕ_{-1000} (%)	ME 8.23
29. ϕ_{-1000} to ϕ_{-2000} (%)	High	29. ϕ_{-1000} to ϕ_{-2000} (%)	ME 8.23
30. ϕ_{-2000} to ϕ_{-4000} (%)	High	30. ϕ_{-2000} to ϕ_{-4000} (%)	ME 8.

1. SAMPLE NUMBER	65-179-1: CONTINUED	5. SAMPLER TYPE	
2. LATITUDE		5. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (Day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBER	3164	3165	3167 *
10. SUBSAMPLE DEPTH IN CORE (m.)	47-49	49-51	67-69
11. COLOR	Dark Green (Mud)	Dark Greenish Gray (5.6 M)	Dark Greenish Gray (5.6 M)
12. ODS*			
13. WET DENSITY (lb./ft. ³)			
14. RIGIDITY (cm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. < 2 ₅ (%)	9	10 ₅	10 ₅
b. > 2 ₅ to < 1 ₅ (%)		SK ₅	SK ₅
c. < 1 ₅ to 0 ₅ (%)	1	M ₅ 6.50	M ₅ 8.00
d. 0 ₅ to 1 ₅ (%)		0 ₅ 4.39	0 ₅ 5.78
e. 1 ₅ to 2 ₅ (%)		0 ₅	0 ₅
f. 2 ₅ to 3 ₅ (%)	1		
g. 3 ₅ to 4 ₅ (%)	9	2	4
h. 4 ₅ to 5 ₅ (%)	25	25	26
i. 5 ₅ to 6 ₅ (%)	22	30	30
j. > 6 ₅ (%)	33	42	41
20. SUBSAMPLER DRY WEIGHT (m)	20.88	33.02	32.42
21. SPHERICITY (D)			
22. PLASTICITY	High	High	High
23. SHrinkAGE-TESTING SHELL CON.	0	< 1%	< 1%
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS*	Black layers and lenses of olive gray silt from 49-98" 98-106" Soft, surry, olive gray		

1. SAMPLE NUMBER	65-179-1: CONTINUED	5. SAMPLER TYPE	
2. LATITUDE		5. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (Day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBER	3168	3169	3171
10. SUBSAMPLE DEPTH IN CORE (m.)	98-106	106-108	111-113
11. COLOR	Dark Green (5.6 M)	Dark Greenish Gray (5.6 M)	Dark Greenish Gray (5.6 M)
12. ODS*			
13. WET DENSITY (lb./ft. ³)			
14. RIGIDITY (cm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. < 2 ₅ (%)		10 ₅	10 ₅
b. > 2 ₅ to < 1 ₅ (%)		SK ₅	SK ₅
c. < 1 ₅ to 0 ₅ (%)		M ₅ 7.20	M ₅ 7.79
d. 0 ₅ to 1 ₅ (%)		0 ₅ 5.20	0 ₅ 5.60
e. 1 ₅ to 2 ₅ (%)	1	0 ₅	0 ₅
f. 2 ₅ to 3 ₅ (%)			2
g. 3 ₅ to 4 ₅ (%)	7		20
h. 4 ₅ to 5 ₅ (%)	24	32	30
i. 5 ₅ to 6 ₅ (%)	26	28	20
j. > 6 ₅ (%)	37	39	28
20. SUBSAMPLER DRY WEIGHT (m)	24.05	23.11	16.93
21. SPHERICITY (D)			
22. PLASTICITY	Low	High	Med.
23. SHrinkAGE-TESTING SHELL CON.	0	0	0
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS*	106-113 Dark green w/ black layers. 113-124 Soft olive gray sandy med.		

SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT
---------------	-------------	-------------	-------------

SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT	CLAYEY MUD
---------------	-------------	-------------	------------

1. SAMPLE NUMBER	66-180-1	5. SAMPLER TYPE	KOLLEMBERG	
2. LATITUDE	44° 02' 38" N	6. WATER DEPTH (m.)	42.5'	
3. LONGITUDE	69° 00' 53" W	7. CORE LENGTH (m.)	126	
4. DATE (day, month, year)	1 Oct. 1959	8. CORE PENETRATION (m.)	144	
9. LABORATORY NUMBERS	3590	3591	3592	3593
10. SUBSAMPLE DEPTH IN CORE (m.)	0-2	18-20	40-49	73-76
11. COLOR	Dark Greenish Gray	Greenish Gray	Grayish Olive Green	Grayish Olive Green
	55Y 8/1	55Y 3/4	55Y 3/4	55Y 3/4
12. DRY				
13. WET DENSITY (lb./ft ³)				
14. RIGIDITY (cm)				
15. MAXIMUM PROBABILITY (%)				
16. MINIMUM PROBABILITY (%)				
17. WATER CONTENT (%)				
18. ORGANIC CARBON CONTENT (%)				
19. SIZE ANALYSIS AND STATISTICAL MEASURES				
a. < 2 ₀ (%)	100	2.65	0.1	0.1
b. < 2 ₀ to < 4 ₀ (%)	100	1.29	34	54
c. < 4 ₀ to < 6 ₀ (%)	100	4.86	46	6.91
d. < 6 ₀ to < 8 ₀ (%)	100	3.30	0.1	4.30
e. < 8 ₀ to < 10 ₀ (%)	100	8.80	0.1	0.1
f. < 10 ₀ to < 12 ₀ (%)	100	39	8	4
g. < 12 ₀ to < 14 ₀ (%)	100	18	37	41
h. < 14 ₀ to < 16 ₀ (%)	100	17	22	21
i. < 16 ₀ to < 18 ₀ (%)	100	24	31	30
j. < 18 ₀ to < 20 ₀ (%)	100	29.71	30.52	32.27
k. < 20 ₀ to < 22 ₀ (%)	100	High	High	High
l. < 22 ₀ to < 24 ₀ (%)	100	0	< 1%	0
m. < 24 ₀ to < 26 ₀ (%)	100	High	High	High
n. < 26 ₀ to < 28 ₀ (%)	100	0	< 1%	0
o. < 28 ₀ to < 30 ₀ (%)	100	High	High	High
p. < 30 ₀ to < 32 ₀ (%)	100	0	< 1%	0
q. < 32 ₀ to < 34 ₀ (%)	100	High	High	High
r. < 34 ₀ to < 36 ₀ (%)	100	0	< 1%	0
s. < 36 ₀ to < 38 ₀ (%)	100	High	High	High
t. < 38 ₀ to < 40 ₀ (%)	100	0	< 1%	0
u. < 40 ₀ to < 42 ₀ (%)	100	High	High	High
v. < 42 ₀ to < 44 ₀ (%)	100	0	< 1%	0
w. < 44 ₀ to < 46 ₀ (%)	100	High	High	High
x. < 46 ₀ to < 48 ₀ (%)	100	0	< 1%	0
y. < 48 ₀ to < 50 ₀ (%)	100	High	High	High
z. < 50 ₀ to < 52 ₀ (%)	100	0	< 1%	0
aa. < 52 ₀ to < 54 ₀ (%)	100	High	High	High
ab. < 54 ₀ to < 56 ₀ (%)	100	0	< 1%	0
ac. < 56 ₀ to < 58 ₀ (%)	100	High	High	High
ad. < 58 ₀ to < 60 ₀ (%)	100	0	< 1%	0
ae. < 60 ₀ to < 62 ₀ (%)	100	High	High	High
af. < 62 ₀ to < 64 ₀ (%)	100	0	< 1%	0
ag. < 64 ₀ to < 66 ₀ (%)	100	High	High	High
ah. < 66 ₀ to < 68 ₀ (%)	100	0	< 1%	0
ai. < 68 ₀ to < 70 ₀ (%)	100	High	High	High
aj. < 70 ₀ to < 72 ₀ (%)	100	0	< 1%	0
ak. < 72 ₀ to < 74 ₀ (%)	100	High	High	High
al. < 74 ₀ to < 76 ₀ (%)	100	0	< 1%	0
am. < 76 ₀ to < 78 ₀ (%)	100	High	High	High
an. < 78 ₀ to < 80 ₀ (%)	100	0	< 1%	0
ao. < 80 ₀ to < 82 ₀ (%)	100	High	High	High
ap. < 82 ₀ to < 84 ₀ (%)	100	0	< 1%	0
aq. < 84 ₀ to < 86 ₀ (%)	100	High	High	High
ar. < 86 ₀ to < 88 ₀ (%)	100	0	< 1%	0
as. < 88 ₀ to < 90 ₀ (%)	100	High	High	High
at. < 90 ₀ to < 92 ₀ (%)	100	0	< 1%	0
au. < 92 ₀ to < 94 ₀ (%)	100	High	High	High
av. < 94 ₀ to < 96 ₀ (%)	100	0	< 1%	0
aw. < 96 ₀ to < 98 ₀ (%)	100	High	High	High
ax. < 98 ₀ to < 100 ₀ (%)	100	0	< 1%	0
ay. < 100 ₀ to < 102 ₀ (%)	100	High	High	High
az. < 102 ₀ to < 104 ₀ (%)	100	0	< 1%	0
ba. < 104 ₀ to < 106 ₀ (%)	100	High	High	High
bb. < 106 ₀ to < 108 ₀ (%)	100	0	< 1%	0
bc. < 108 ₀ to < 110 ₀ (%)	100	High	High	High
bd. < 110 ₀ to < 112 ₀ (%)	100	0	< 1%	0
be. < 112 ₀ to < 114 ₀ (%)	100	High	High	High
bf. < 114 ₀ to < 116 ₀ (%)	100	0	< 1%	0
bg. < 116 ₀ to < 118 ₀ (%)	100	High	High	High
bh. < 118 ₀ to < 120 ₀ (%)	100	0	< 1%	0
bi. < 120 ₀ to < 122 ₀ (%)	100	High	High	High
bj. < 122 ₀ to < 124 ₀ (%)	100	0	< 1%	0
bk. < 124 ₀ to < 126 ₀ (%)	100	High	High	High
bl. < 126 ₀ to < 128 ₀ (%)	100	0	< 1%	0
bm. < 128 ₀ to < 130 ₀ (%)	100	High	High	High
bn. < 130 ₀ to < 132 ₀ (%)	100	0	< 1%	0
bo. < 132 ₀ to < 134 ₀ (%)	100	High	High	High
bp. < 134 ₀ to < 136 ₀ (%)	100	0	< 1%	0
bq. < 136 ₀ to < 138 ₀ (%)	100	High	High	High
br. < 138 ₀ to < 140 ₀ (%)	100	0	< 1%	0
bs. < 140 ₀ to < 142 ₀ (%)	100	High	High	High
bt. < 142 ₀ to < 144 ₀ (%)	100	0	< 1%	0
bu. < 144 ₀ to < 146 ₀ (%)	100	High	High	High
bv. < 146 ₀ to < 148 ₀ (%)	100	0	< 1%	0
bw. < 148 ₀ to < 150 ₀ (%)	100	High	High	High
bx. < 150 ₀ to < 152 ₀ (%)	100	0	< 1%	0
by. < 152 ₀ to < 154 ₀ (%)	100	High	High	High
bz. < 154 ₀ to < 156 ₀ (%)	100	0	< 1%	0
ca. < 156 ₀ to < 158 ₀ (%)	100	High	High	High
cb. < 158 ₀ to < 160 ₀ (%)	100	0	< 1%	0
cc. < 160 ₀ to < 162 ₀ (%)	100	High	High	High
cd. < 162 ₀ to < 164 ₀ (%)	100	0	< 1%	0
ce. < 164 ₀ to < 166 ₀ (%)	100	High	High	High
cf. < 166 ₀ to < 168 ₀ (%)	100	0	< 1%	0
cg. < 168 ₀ to < 170 ₀ (%)	100	High	High	High
ch. < 170 ₀ to < 172 ₀ (%)	100	0	< 1%	0
ci. < 172 ₀ to < 174 ₀ (%)	100	High	High	High
cj. < 174 ₀ to < 176 ₀ (%)	100	0	< 1%	0
ck. < 176 ₀ to < 178 ₀ (%)	100	High	High	High
cl. < 178 ₀ to < 180 ₀ (%)	100	0	< 1%	0
cm. < 180 ₀ to < 182 ₀ (%)	100	High	High	High
cn. < 182 ₀ to < 184 ₀ (%)	100	0	< 1%	0
co. < 184 ₀ to < 186 ₀ (%)	100	High	High	High
cp. < 186 ₀ to < 188 ₀ (%)	100	0	< 1%	0
cq. < 188 ₀ to < 190 ₀ (%)	100	High	High	High
cr. < 190 ₀ to < 192 ₀ (%)	100	0	< 1%	0
cs. < 192 ₀ to < 194 ₀ (%)	100	High	High	High
ct. < 194 ₀ to < 196 ₀ (%)	100	0	< 1%	0
cu. < 196 ₀ to < 198 ₀ (%)	100	High	High	High
cv. < 198 ₀ to < 200 ₀ (%)	100	0	< 1%	0
cw. < 200 ₀ to < 202 ₀ (%)	100	High	High	High
cx. < 202 ₀ to < 204 ₀ (%)	100	0	< 1%	0
cy. < 204 ₀ to < 206 ₀ (%)	100	High	High	High
cz. < 206 ₀ to < 208 ₀ (%)	100	0	< 1%	0
ca. < 208 ₀ to < 210 ₀ (%)	100	High	High	High
cb. < 210 ₀ to < 212 ₀ (%)	100	0	< 1%	0
cc. < 212 ₀ to < 214 ₀ (%)	100	High	High	High
cd. < 214 ₀ to < 216 ₀ (%)	100	0	< 1%	0
ce. < 216 ₀ to < 218 ₀ (%)	100	High	High	High
cf. < 218 ₀ to < 220 ₀ (%)	100	0	< 1%	0
cg. < 220 ₀ to < 222 ₀ (%)	100	High	High	High
ch. < 222 ₀ to < 224 ₀ (%)	100	0	< 1%	0
ci. < 224 ₀ to < 226 ₀ (%)	100	High	High	High
cj. < 226 ₀ to < 228 ₀ (%)	100	0	< 1%	0
ck. < 228 ₀ to < 230 ₀ (%)	100	High	High	High
cl. < 230 ₀ to < 232 ₀ (%)	100	0	< 1%	0
cm. < 232 ₀ to < 234 ₀ (%)	100	High	High	High
cn. < 234 ₀ to < 236 ₀ (%)	100	0	< 1%	0
co. < 236 ₀ to < 238 ₀ (%)	100	High	High	High
cp. < 238 ₀ to < 240 ₀ (%)	100	0	< 1%	0
cq. < 240 ₀ to < 242 ₀ (%)	100	High	High	High
cr. < 242 ₀ to < 244 ₀ (%)	100	0	< 1%	0
cs. < 244 ₀ to < 246 ₀ (%)	100	High	High	High
ct. < 246 ₀ to < 248 ₀ (%)	100	0	< 1%	0
cu. < 248 ₀ to < 250 ₀ (%)	100	High	High	High
cv. < 250 ₀ to < 252 ₀ (%)	100	0	< 1%	0
cw. < 252 ₀ to < 254 ₀ (%)	100	High	High	High
cx. < 254 ₀ to < 256 ₀ (%)	100	0	< 1%	0
cy. < 256 ₀ to < 258 ₀ (%)	100	High	High	High
cz. < 258 ₀ to < 260 ₀ (%)	100	0	< 1%	0
ca. < 260 ₀ to < 262 ₀ (%)	100	High	High	High
cb. < 262 ₀ to < 264 ₀ (%)	100	0	< 1%	0
cc. < 264 ₀ to < 266 ₀ (%)	100	High	High	High
cd. < 266 ₀ to < 268 ₀ (%)	100	0	< 1%	0
ce. < 268 ₀ to < 270 ₀ (%)	100	High	High	High
cf. < 270 ₀ to < 272 ₀ (%)	100	0	< 1%	0
cg. < 272 ₀ to < 274 ₀ (%)	100	High	High	High
ch. < 274 ₀ to < 276 ₀ (%)	100	0	< 1%	0
ci. < 276 ₀ to < 278 ₀ (%)	100	High	High	High
cj. < 278 ₀ to < 280 ₀ (%)	100	0	< 1%	0
ck. < 280 ₀ to < 282 ₀ (%)	100	High	High	High
cl. < 282 ₀ to < 284 ₀ (%)	100	0	< 1%	0
cm. < 284 ₀ to < 286 ₀ (%)	100	High	High	High
cn. < 286 ₀ to < 288 ₀ (%)	100	0	< 1%	0
co. < 288 ₀ to < 290 ₀ (%)	100	High	High	High
cp. < 290 ₀ to < 292 ₀ (%)	100	0	< 1%	0
cq. < 292 ₀ to < 294 ₀ (%)	100	High	High	High
cr. < 294 ₀ to < 296 ₀ (%)	100	0	< 1%	0
cs. < 296 ₀ to < 298 ₀ (%)	100	High	High	High
ct. < 298 ₀ to < 300 ₀ (%)	100	0	< 1%	0
cu. < 300 ₀ to < 302 ₀ (%)	100	High	High	High
cv. < 302 ₀ to < 304 ₀ (%)	100	0	< 1%	0
cw. < 304 ₀ to < 306 ₀ (%)	100	High	High	High
cx. < 306 ₀ to < 308 ₀ (%)	100	0	< 1%	0
cy. < 308 ₀ to < 310 ₀ (%)	100	High	High	High
cz. < 310 ₀ to < 312 ₀ (%)	100	0	< 1%	0
ca. < 312 ₀ to < 314 ₀ (%)	100	High	High	High
cb. < 314 ₀ to < 316 ₀ (%)	100	0	< 1%	0
cc. < 316 ₀ to < 318 ₀ (%)	100	High	High	High
cd. < 318 ₀ to < 320 ₀ (%)	100	0	< 1%	0
ce. < 320 ₀ to < 322 ₀ (%)	100	High	High	High
cf. < 322 ₀ to < 324 ₀ (%)	100	0	< 1%	0
cg. < 324 ₀ to < 326 ₀ (%)	100	High	High	High
ch. < 326 ₀ to < 328 ₀ (%)	100	0	< 1%	0
ci. < 328 ₀ to < 330 ₀ (%)	100	High	High	High
cj. < 330 ₀ to < 332 ₀ (%)	100	0	< 1%	0
ck. < 332 ₀ to < 3				

1. SAMPLE NUMBER	5. SAMPLER TYPE	6. CORE PENETRATION (cm)	7. DATE (day, month, year)	8. DATE (day, month, year)	9. LABORATORY NUMBERS	10. REMARKS
66-182-1 continued		4089	4/00	4/01	4102	
10. DISSEMINATE DRY WEIGHT (g)		4345	57.59	59.61	69.65	
11. SPECIFIC (g/cc)		Olive Gray N3	Medium Dark Gray N3	Dark Gray N3	Medium Gray N3	
12. DRAIN		5741	Olive Gray N3	Dark Gray N3	Medium Gray N3	
13. MET DENSITY (lb./ft ³)						
14. RIGIDITY (cm)						
15. MAXIMUM PROBABILITY (%)						
16. MINIMUM PROBABILITY (%)						
17. WATER CONTENT (%)						
18. ORGANIC CARBON CONTENT (%)						
19. SIZE ANALYSIS AND STATISTICAL MEASURES						
20. DISSEMINATE DRY WEIGHT (g)		3	1	1	1	
21. SPECIFIC (g/cc)		1	1	1	1	
22. MAXIMUM PROBABILITY (%)		6.88	1	7.80	9.00	
23. MINIMUM PROBABILITY (%)		3.12	2	3.40	3.70	
24. WATER CONTENT (%)		3	3	3	3	
25. ORGANIC CARBON CONTENT (%)		15	14	1	3	
26. SIZE ANALYSIS AND STATISTICAL MEASURES		7	6	1	3	
27. DISSEMINATE DRY WEIGHT (g)		13	5	4	8	
28. SPECIFIC (g/cc)		25	32	43	37	
29. MAXIMUM PROBABILITY (%)		31	34	51	47	
30. MINIMUM PROBABILITY (%)		2190	33.17	22.81	37.86	
31. WATER CONTENT (%)		Med	H. 7.6	H. 7.6	H. 7.6	
32. ORGANIC CARBON CONTENT (%)		Plasticity	Plasticity	Plasticity	Plasticity	
33. DISSEMINATE DRY WEIGHT (g)		0	0	0	0	
34. SPECIFIC (g/cc)						
35. MAXIMUM PROBABILITY (%)						
36. MINIMUM PROBABILITY (%)						
37. REMARKS						

* Black layers

Sediment Type: Silty Mud Silty Mud Silty Clay Silty Clay

1. SAMPLE NUMBER	5. SAMPLER TYPE	6. CORE PENETRATION (cm)	7. DATE (day, month, year)	8. DATE (day, month, year)	9. LABORATORY NUMBERS	10. REMARKS
66-182-1		4400	37.5	37.5	38	
10. DISSEMINATE DRY WEIGHT (g)		4400	37.5	37.5	38	
11. SPECIFIC (g/cc)		4400	37.5	37.5	38	
12. DRAIN		4400	37.5	37.5	38	
13. MET DENSITY (lb./ft ³)						
14. RIGIDITY (cm)						
15. MAXIMUM PROBABILITY (%)						
16. MINIMUM PROBABILITY (%)						
17. WATER CONTENT (%)						
18. ORGANIC CARBON CONTENT (%)						
19. SIZE ANALYSIS AND STATISTICAL MEASURES						
20. DISSEMINATE DRY WEIGHT (g)		31	37	37	37	
21. SPECIFIC (g/cc)		6	6	6	6	
22. MAXIMUM PROBABILITY (%)		1.45	1.45	1.45	1.45	
23. MINIMUM PROBABILITY (%)		7	7	7	7	
24. WATER CONTENT (%)		21	21	21	21	
25. ORGANIC CARBON CONTENT (%)		19	19	19	19	
26. SIZE ANALYSIS AND STATISTICAL MEASURES		2	2	2	2	
27. DISSEMINATE DRY WEIGHT (g)		3	3	3	3	
28. SPECIFIC (g/cc)		4	4	4	4	
29. MAXIMUM PROBABILITY (%)		6	6	6	6	
30. MINIMUM PROBABILITY (%)		10	10	10	10	
31. WATER CONTENT (%)		18	18	18	18	
32. ORGANIC CARBON CONTENT (%)		11	11	11	11	
33. DISSEMINATE DRY WEIGHT (g)		3	3	3	3	
34. SPECIFIC (g/cc)		4	4	4	4	
35. MAXIMUM PROBABILITY (%)		6	6	6	6	
36. MINIMUM PROBABILITY (%)		10	10	10	10	
37. REMARKS						

Items 11-26 determined in the lab
The sample contained one cobble
(2 1/2" x 1 1/4" x 1 1/4" - 97.9 g)
Not included in analysis.

Sediment Type: Sand

1. SAMPLE NUMBER	5. SAMPLER TYPE	6. CORE PENETRATION (cm)	7. DATE (day, month, year)	8. DATE (day, month, year)	9. LABORATORY NUMBERS	10. REMARKS
66-183-1		4400	37.5	37.5	38	
10. DISSEMINATE DRY WEIGHT (g)		4400	37.5	37.5	38	
11. SPECIFIC (g/cc)		4400	37.5	37.5	38	
12. DRAIN		4400	37.5	37.5	38	
13. MET DENSITY (lb./ft ³)						
14. RIGIDITY (cm)						
15. MAXIMUM PROBABILITY (%)						
16. MINIMUM PROBABILITY (%)						
17. WATER CONTENT (%)						
18. ORGANIC CARBON CONTENT (%)						
19. SIZE ANALYSIS AND STATISTICAL MEASURES						
20. DISSEMINATE DRY WEIGHT (g)		31	37	37	37	
21. SPECIFIC (g/cc)		6	6	6	6	
22. MAXIMUM PROBABILITY (%)		1.45	1.45	1.45	1.45	
23. MINIMUM PROBABILITY (%)		7	7	7	7	
24. WATER CONTENT (%)		21	21	21	21	
25. ORGANIC CARBON CONTENT (%)		19	19	19	19	
26. SIZE ANALYSIS AND STATISTICAL MEASURES		2	2	2	2	
27. DISSEMINATE DRY WEIGHT (g)		3	3	3	3	
28. SPECIFIC (g/cc)		4	4	4	4	
29. MAXIMUM PROBABILITY (%)		6	6	6	6	
30. MINIMUM PROBABILITY (%)		10	10	10	10	
31. WATER CONTENT (%)		18	18	18	18	
32. ORGANIC CARBON CONTENT (%)		11	11	11	11	
33. DISSEMINATE DRY WEIGHT (g)		3	3	3	3	
34. SPECIFIC (g/cc)		4	4	4	4	
35. MAXIMUM PROBABILITY (%)		6	6	6	6	
36. MINIMUM PROBABILITY (%)		10	10	10	10	
37. REMARKS						

Items 11-26 determined in the lab

Sediment Type: Pebbly Sand

1. SAMPLE NUMBER	66-124-1	5. SAMPLER TYPE	KILLENBERG
2. LATITUDE	43 58 47 N	6. WATER DEPTH (m.)	40.0
3. LONGITUDE	68 59 35 W	7. CORE LENGTH (m.)	17
4. DATE (DAY, MONTH, YEAR)	1 October 1959	8. CORE PRESERVATION (‰)	100
5. LABOURATORY NUMBERS	8321	9. LABOURATORY NUMBERS	3705
6. WATER DEPTH (m.)	27.5	10. SUBSAMPLE DEPTH IN CORE (m.)	0-2
7. COLOR	Dark Brown Yellow 1000/12	11. COLOR	Dark Gray M3
12. ODOR		12. ODOR	
13. NET DENSITY (lb./ft ³)		13. NET DENSITY (lb./ft ³)	
14. RIGIDITY (cm)		14. RIGIDITY (cm)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES		19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 _φ (%)	0 _φ	a. < 2 _φ (%)	49
b. 2 _φ to -1 _φ (%)	5 _φ	b. 2 _φ to -1 _φ (%)	8
c. -1 _φ to 0 _φ (%)	1	c. -1 _φ to 0 _φ (%)	9
d. 0 _φ to 1 _φ (%)	1	d. 0 _φ to 1 _φ (%)	7
e. 1 _φ to 2 _φ (%)	7	e. 1 _φ to 2 _φ (%)	4
f. 2 _φ to 3 _φ (%)	31	f. 2 _φ to 3 _φ (%)	2
g. 3 _φ to 4 _φ (%)	14	g. 3 _φ to 4 _φ (%)	2
h. 4 _φ to 6 _φ (%)	6	h. 4 _φ to 6 _φ (%)	5
i. 6 _φ to 8 _φ (%)	7	i. 6 _φ to 8 _φ (%)	6
j. > 8 _φ (%)	12	j. > 8 _φ (%)	8
20. SUBSAMPLE DRY WEIGHT (gm)	32.42	20. SUBSAMPLE DRY WEIGHT (gm)	63.94
21. SPECIFIC GRAVITY	Med	21. SPECIFIC GRAVITY	Med
22. MINIMUM TESTED Plasticity	< 1/2	22. MINIMUM TESTED Plasticity	Med
23. MINIMUM TESTED Flow Shell/Lm.		23. MINIMUM TESTED Flow Shell/Lm.	
24. DOMINANT MINERAL (%)		24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)		25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS: Items 11-20 determined in the lab		27. REMARKS: Items 11-26 determined in the lab	

1. SAMPLE NUMBER	66-165-1	5. SAMPLER TYPE	KILLENBERG
2. LATITUDE	43 59 37 N	6. WATER DEPTH (m.)	40.0
3. LONGITUDE	68 59 14 W	7. CORE LENGTH (m.)	17
4. DATE (DAY, MONTH, YEAR)	1 October 1959	8. CORE PRESERVATION (‰)	100
5. LABOURATORY NUMBERS	3703 *	9. LABOURATORY NUMBERS	3705
6. WATER DEPTH (m.)	0-2	10. SUBSAMPLE DEPTH IN CORE (m.)	2-5
7. COLOR	Dark Gray M3	11. COLOR	Dark Gray M3
12. ODOR		12. ODOR	
13. NET DENSITY (lb./ft ³)		13. NET DENSITY (lb./ft ³)	
14. RIGIDITY (cm)		14. RIGIDITY (cm)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES		19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 _φ (%)	49	a. < 2 _φ (%)	16
b. 2 _φ to -1 _φ (%)	8	b. 2 _φ to -1 _φ (%)	6
c. -1 _φ to 0 _φ (%)	9	c. -1 _φ to 0 _φ (%)	6
d. 0 _φ to 1 _φ (%)	7	d. 0 _φ to 1 _φ (%)	7
e. 1 _φ to 2 _φ (%)	4	e. 1 _φ to 2 _φ (%)	6
f. 2 _φ to 3 _φ (%)	2	f. 2 _φ to 3 _φ (%)	3
g. 3 _φ to 4 _φ (%)	2	g. 3 _φ to 4 _φ (%)	2
h. 4 _φ to 6 _φ (%)	5	h. 4 _φ to 6 _φ (%)	12
i. 6 _φ to 8 _φ (%)	6	i. 6 _φ to 8 _φ (%)	19
j. > 8 _φ (%)	8	j. > 8 _φ (%)	24
20. SUBSAMPLE DRY WEIGHT (gm)	63.94	20. SUBSAMPLE DRY WEIGHT (gm)	48.27
21. SPECIFIC GRAVITY	Med	21. SPECIFIC GRAVITY	Med
22. MINIMUM TESTED Plasticity	< 1/2	22. MINIMUM TESTED Plasticity	Med
23. MINIMUM TESTED Flow Shell/Lm.		23. MINIMUM TESTED Flow Shell/Lm.	
24. DOMINANT MINERAL (%)		24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)		25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS: Items 11-26 determined in the lab		27. REMARKS: Items 11-26 determined in the lab	

* Notified

1. SAMPLE NUMBER	66-115-1	2. SITE	KNOWLED	3. SAMPLE TYPE	
4. DATE	10/1/68	5. WATER DEPTH (m.)		6. CORE LENGTH (m.)	
7. DATE	10/1/68	8. CORE LENGTH (m.)		9. CORE PENETRATION (m.)	
10. SUBSAMPLE DEPTH IN CORE (m.)	370.7				
11. COLOR	Dark Grey N3				
12. ODR					
13. WET DENSITY (lb./ft ³)					
14. RIGIDITY (cm)					
15. MAXIMUM POROSITY (%)					
16. MINIMUM POROSITY (%)					
17. WATER CONTENT (%)					
18. ORGANIC CARBON CONTENT (%)					
19. SITE ANALYSIS AND STATISTICAL MEASURES					
a. $\bar{x} \pm 2s$ (s)	4	10	60	60	
b. $\bar{x} \pm 2s$ (s)	3	7.10	30	30	
c. $\bar{x} \pm 2s$ (s)	3	4.65	0	0	
d. $\bar{x} \pm 2s$ (s)	3	0.1	0.1	0.1	
e. $\bar{x} \pm 2s$ (s)	2				
f. $\bar{x} \pm 2s$ (s)	5				
g. $\bar{x} \pm 2s$ (s)	19				
h. $\bar{x} \pm 2s$ (s)	27				
i. $\bar{x} \pm 2s$ (s)	35				
20. SUBSAMPLE DRY WEIGHT (gm)	3440				
21. SPECIFIC (avg.)					
22. MINIMUM Plasticity	Med				
23. MINIMUM Plasticity	0				
24. DOMINANT MINERAL (%)					
25. SECONDARY MINERAL (%)					
26. OTHER MINERALS (%)					
27. REMARKS					

Sediment Type	Silt, Mud
---------------	-----------

1. SAMPLE NUMBER	66-126-1	2. SITE	KNOWLED	3. SAMPLE TYPE	
4. DATE	10/1/68	5. WATER DEPTH (m.)		6. CORE LENGTH (m.)	
7. DATE	10/1/68	8. CORE LENGTH (m.)		9. CORE PENETRATION (m.)	
10. SUBSAMPLE DEPTH IN CORE (m.)	370.7				
11. COLOR	Dark Yellowish Brown 10YR 4/2				
12. ODR					
13. WET DENSITY (lb./ft ³)					
14. RIGIDITY (cm)					
15. MAXIMUM POROSITY (%)					
16. MINIMUM POROSITY (%)					
17. WATER CONTENT (%)					
18. ORGANIC CARBON CONTENT (%)					
19. SITE ANALYSIS AND STATISTICAL MEASURES					
a. $\bar{x} \pm 2s$ (s)	39	30	30	30	
b. $\bar{x} \pm 2s$ (s)	5	2.00	0.1	0.1	
c. $\bar{x} \pm 2s$ (s)	4	0.1	0.1	0.1	
d. $\bar{x} \pm 2s$ (s)	3	0.2	0.2	0.2	
e. $\bar{x} \pm 2s$ (s)	7				
f. $\bar{x} \pm 2s$ (s)	4				
g. $\bar{x} \pm 2s$ (s)	7				
h. $\bar{x} \pm 2s$ (s)	12				
i. $\bar{x} \pm 2s$ (s)	19				
20. SUBSAMPLE DRY WEIGHT (gm)	3035				
21. SPECIFIC (avg.)					
22. MINIMUM Plasticity	Med				
23. MINIMUM Plasticity	0				
24. DOMINANT MINERAL (%)					
25. SECONDARY MINERAL (%)					
26. OTHER MINERALS (%)					
27. REMARKS					

Sediment Type	Clayey Sand
---------------	-------------

1. SAMPLE NUMBER	66-187-1	2. SITE	KNOWLED	3. SAMPLE TYPE	
4. DATE	10/1/68	5. WATER DEPTH (m.)		6. CORE LENGTH (m.)	
7. DATE	10/1/68	8. CORE LENGTH (m.)		9. CORE PENETRATION (m.)	
10. SUBSAMPLE DEPTH IN CORE (m.)	370.7				
11. COLOR	Dark Yellowish Brown 10YR 4/2				
12. ODR					
13. WET DENSITY (lb./ft ³)					
14. RIGIDITY (cm)					
15. MAXIMUM POROSITY (%)					
16. MINIMUM POROSITY (%)					
17. WATER CONTENT (%)					
18. ORGANIC CARBON CONTENT (%)					
19. SITE ANALYSIS AND STATISTICAL MEASURES					
a. $\bar{x} \pm 2s$ (s)	18	30	30	30	
b. $\bar{x} \pm 2s$ (s)	6	1.50	0.1	0.1	
c. $\bar{x} \pm 2s$ (s)	18	0.75	0.1	0.1	
d. $\bar{x} \pm 2s$ (s)	14	0.2	0.2	0.2	
e. $\bar{x} \pm 2s$ (s)	4				
f. $\bar{x} \pm 2s$ (s)	3				
g. $\bar{x} \pm 2s$ (s)	5				
h. $\bar{x} \pm 2s$ (s)	10				
i. $\bar{x} \pm 2s$ (s)	16				
20. SUBSAMPLE DRY WEIGHT (gm)	3222				
21. SPECIFIC (avg.)					
22. MINIMUM Plasticity	Med				
23. MINIMUM Plasticity	0				
24. DOMINANT MINERAL (%)					
25. SECONDARY MINERAL (%)					
26. OTHER MINERALS (%)					
27. REMARKS					

Sediment Type	Silt, Sand with shell
---------------	-----------------------

1. SAMPLE NUMBER	66-189-1
2. LATITUDE	48° 03' 45" N
3. LONGITUDE	68° 59' 42" W
4. DATE (day, month, year)	1 October 1969
5. LABORATORY NUMBERS	6831
6. WATER TEMP (°C)	5.60
7. COLOR	Olive Black 821/1 foul
8. DOOR	
9. SURFACE (m)	
10. MAXIMUM PROSITY (S)	
11. MINIMUM PROSITY (S)	
12. WATER CONTENT (S)	
13. ORGANIC CARBON CONTENT (S)	
14. SIZE ANALYSIS AND STATISTICAL MEASURES	
15. $\bar{x}$, $\pm \sigma$ (S)	10.9
16. $\bar{x}$, $\pm \sigma$, $\bar{x} - 2\sigma$, $\bar{x} - 3\sigma$ (S)	58
17. $\bar{x}$, $\pm \sigma$, $\bar{x} - 2\sigma$, $\bar{x} - 3\sigma$ (S)	1
18. $\bar{x}$, $\pm \sigma$, $\bar{x} - 2\sigma$, $\bar{x} - 3\sigma$ (S)	5.80
19. $\bar{x}$, $\pm \sigma$, $\bar{x} - 2\sigma$, $\bar{x} - 3\sigma$ (S)	2
20. $\bar{x}$, $\pm \sigma$, $\bar{x} - 2\sigma$, $\bar{x} - 3\sigma$ (S)	0.1
21. $\bar{x}$, $\pm \sigma$, $\bar{x} - 2\sigma$, $\bar{x} - 3\sigma$ (S)	2.80
22. $\bar{x}$, $\pm \sigma$, $\bar{x} - 2\sigma$, $\bar{x} - 3\sigma$ (S)	3
23. $\bar{x}$, $\pm \sigma$, $\bar{x} - 2\sigma$, $\bar{x} - 3\sigma$ (S)	43
24. $\bar{x}$, $\pm \sigma$, $\bar{x} - 2\sigma$, $\bar{x} - 3\sigma$ (S)	q
25. $\bar{x}$, $\pm \sigma$, $\bar{x} - 2\sigma$, $\bar{x} - 3\sigma$ (S)	12
26. $\bar{x}$, $\pm \sigma$, $\bar{x} - 2\sigma$, $\bar{x} - 3\sigma$ (S)	17
27. $\bar{x}$, $\pm \sigma$, $\bar{x} - 2\sigma$, $\bar{x} - 3\sigma$ (S)	26
28. SUBSAMPLE DRY WEIGHT (gm)	2493
29. SPECIFICITY (gm/g)	
30. MINERALOGICAL ANALYSIS	Med
31. MINERALOGICAL ANALYSIS	0
32. MINERALOGICAL ANALYSIS	See 1/2
33. MINERALOGICAL ANALYSIS	
34. MINERALOGICAL ANALYSIS	
35. MINERALOGICAL ANALYSIS	
36. MINERALOGICAL ANALYSIS	
37. REMARKS	Items 11-26 determined in the lab

SAMPLE NUMBER	66-188-1
DATE	44 02 44 N
LOCATION	44 02 44 W
DATE	1 October 1969
LABORATORY NUMBER	5330
WATER DEPTH (m.)	340
DATE	Dark
LOCATION	Yellowhorn Brown
DATE	10/24/42
1. COLOR	
2. DSSR	
3. SET REACTIVITY (10-10 ²)	
4. SUSPENSE (m)	
5. METEORIC POSSIBILITY (S)	
6. MINERAL POSSIBILITY (S)	
7. WATER CONTENT (S)	
8. ORGANIC CARBON CONTENT (S)	
9. SIZE ANALYSIS AND STATISTICAL MEASURES	
n = 24 (S)	26
$\bar{x} = 72, \text{ to } -1_2 (S)$	16
$\sigma = 1, \text{ to } 0_2 (S)$	34
$\sigma = 0_2, \text{ to } 1_2 (S)$	40.95
$\sigma = 1_2, \text{ to } 2_2 (S)$	10
$\sigma = 2_2, \text{ to } 3_2 (S)$	0.1
$\sigma = 3_2, \text{ to } 4_2 (S)$	2.66
$\sigma = 4_2, \text{ to } 5_2 (S)$	5
$\sigma = 5_2, \text{ to } 6_2 (S)$	2
$\sigma = 6_2, \text{ to } 7_2 (S)$	3
$\sigma = 7_2, \text{ to } 8_2 (S)$	5
$\sigma = 8_2, \text{ to } 9_2 (S)$	11
10. SUSPENSE BY WEIGHT (m)	34.48
11. SENSITIVITY (m/s)	
12. SENSITIVITY (m/s)	Med
13. SENSITIVITY (m/s)	2%
14. SENSITIVITY (m/s)	
15. SENSITIVITY (m/s)	
16. OTHER MATERIALS (S)	
17. SQUARE ITEMS 1-26 DETERMINED IN THE lab	
18. SAMPLE CONTAINED ONE PETTIE	
19. 1/2 x 1/4 x 1/4 - 44.4 gm	
20. 1/2 x 1/4 x 1/4 - 44.4 gm	
21. 1/2 x 1/4 x 1/4 - 44.4 gm	
22. 1/2 x 1/4 x 1/4 - 44.4 gm	
23. 1/2 x 1/4 x 1/4 - 44.4 gm	
24. 1/2 x 1/4 x 1/4 - 44.4 gm	
25. 1/2 x 1/4 x 1/4 - 44.4 gm	
26. OTHER MATERIALS (S)	
27. OTHER MATERIALS (S)	
28. OTHER MATERIALS (S)	
29. OTHER MATERIALS (S)	
30. OTHER MATERIALS (S)	
31. OTHER MATERIALS (S)	
32. OTHER MATERIALS (S)	
33. OTHER MATERIALS (S)	
34. OTHER MATERIALS (S)	
35. OTHER MATERIALS (S)	
36. OTHER MATERIALS (S)	
37. OTHER MATERIALS (S)	
38. OTHER MATERIALS (S)	
39. OTHER MATERIALS (S)	
40. OTHER MATERIALS (S)	
41. OTHER MATERIALS (S)	
42. OTHER MATERIALS (S)	
43. OTHER MATERIALS (S)	
44. OTHER MATERIALS (S)	
45. OTHER MATERIALS (S)	
46. OTHER MATERIALS (S)	
47. OTHER MATERIALS (S)	
48. OTHER MATERIALS (S)	
49. OTHER MATERIALS (S)	
50. OTHER MATERIALS (S)	
51. OTHER MATERIALS (S)	
52. OTHER MATERIALS (S)	
53. OTHER MATERIALS (S)	
54. OTHER MATERIALS (S)	
55. OTHER MATERIALS (S)	
56. OTHER MATERIALS (S)	
57. OTHER MATERIALS (S)	
58. OTHER MATERIALS (S)	
59. OTHER MATERIALS (S)	
60. OTHER MATERIALS (S)	
61. OTHER MATERIALS (S)	
62. OTHER MATERIALS (S)	
63. OTHER MATERIALS (S)	
64. OTHER MATERIALS (S)	
65. OTHER MATERIALS (S)	
66. OTHER MATERIALS (S)	
67. OTHER MATERIALS (S)	
68. OTHER MATERIALS (S)	
69. OTHER MATERIALS (S)	
70. OTHER MATERIALS (S)	
71. OTHER MATERIALS (S)	
72. OTHER MATERIALS (S)	
73. OTHER MATERIALS (S)	
74. OTHER MATERIALS (S)	
75. OTHER MATERIALS (S)	
76. OTHER MATERIALS (S)	
77. OTHER MATERIALS (S)	
78. OTHER MATERIALS (S)	
79. OTHER MATERIALS (S)	
80. OTHER MATERIALS (S)	
81. OTHER MATERIALS (S)	
82. OTHER MATERIALS (S)	
83. OTHER MATERIALS (S)	
84. OTHER MATERIALS (S)	
85. OTHER MATERIALS (S)	
86. OTHER MATERIALS (S)	
87. OTHER MATERIALS (S)	
88. OTHER MATERIALS (S)	
89. OTHER MATERIALS (S)	
90. OTHER MATERIALS (S)	
91. OTHER MATERIALS (S)	
92. OTHER MATERIALS (S)	
93. OTHER MATERIALS (S)	
94. OTHER MATERIALS (S)	
95. OTHER MATERIALS (S)	
96. OTHER MATERIALS (S)	
97. OTHER MATERIALS (S)	
98. OTHER MATERIALS (S)	
99. OTHER MATERIALS (S)	
100. OTHER MATERIALS (S)	
101. OTHER MATERIALS (S)	
102. OTHER MATERIALS (S)	
103. OTHER MATERIALS (S)	
104. OTHER MATERIALS (S)	
105. OTHER MATERIALS (S)	
106. OTHER MATERIALS (S)	
107. OTHER MATERIALS (S)	
108. OTHER MATERIALS (S)	
109. OTHER MATERIALS (S)	
110. OTHER MATERIALS (S)	
111. OTHER MATERIALS (S)	
112. OTHER MATERIALS (S)	
113. OTHER MATERIALS (S)	
114. OTHER MATERIALS (S)	
115. OTHER MATERIALS (S)	
116. OTHER MATERIALS (S)	
117. OTHER MATERIALS (S)	
118. OTHER MATERIALS (S)	
119. OTHER MATERIALS (S)	
120. OTHER MATERIALS (S)	
121. OTHER MATERIALS (S)	

[illegible]

27. REMARKS: ITEMS 11-26 DETERMINED IN THE LAB
 * THE SAMPLE CONTAINED NUMEROUS BLACK STREAKS.
 * THE SAMPLE WAS A BLACK LAYER.
 * THE SAMPLE CONTAINED A BLACK LAYER.

1. SAMPLE NUMBER	66-190-1	CONTINUED	5. SAMPLER TYPE
2. LATITUDE			3. WATER DEPTH (m.)
3. LONGITUDE			7. CORE LENGTH (m.)
4. DATE (day, month, year)			8. CORE PENETRATION (m.)
9. LABORATORY NUMBERS	3649 *	3650 *	3651 *
10. SUBSAMPLE DEPTH IN CORE (m.)	5.5 - 10	13 - 15	15 - 15.5
11. COLOR	Medium Dark Gray M4	Medium Dark Gray M4	Black M-1, AND Dark Gray M3
12. DOOR	3338		
13. WET DENSITY (lb./ft. ³)			
14. FRICTION (mm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SITE ANALYSIS AND STATISTICAL MEASURES			
a. $\bar{x}$, (s)	$\bar{x}$, (s)	$\bar{x}$, (s)	$\bar{x}$, (s)
b. $\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)
c. $\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)
d. $\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)
e. $\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)
f. $\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)
g. $\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)
h. $\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)
i. $\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)
j. $\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)
20. SUBSAMPLING DRY WEIGHT (gm)	33.20	35.44	45.08
21. SPECIFICITY (gm/g)			29.13
22. PLASTICITY	High	High	High
23. SHEAR STRENGTH (lb./sq. in.)	0	0	0
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS:	0" submergible 18" x 18" x 1/2" covered w/ gravel 0-2" gray clay w/ black layer. 2-3" hard clay layer		

Equipment Type	Core Size	Core Size	Core Size
----------------	-----------	-----------	-----------

1. SAMPLE NUMBER	66-190-1	CONTINUED	5. SAMPLER TYPE
2. LATITUDE			3. WATER DEPTH (m.)
3. LONGITUDE			7. CORE LENGTH (m.)
4. DATE (day, month, year)			8. CORE PENETRATION (m.)
9. LABORATORY NUMBERS	3652	3653	3654
10. SUBSAMPLE DEPTH IN CORE (m.)	15.5 - 19	19 - 21	21 - 23
11. COLOR	Dark Gray M3 AND Black M1	Blue Gray (M4) AND Medium Dark Gray M4	Dark Gray M3
12. DOOR			
13. WET DENSITY (lb./ft. ³)			
14. FRICTION (mm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SITE ANALYSIS AND STATISTICAL MEASURES			
a. $\bar{x}$, (s)	$\bar{x}$, (s)	$\bar{x}$, (s)	$\bar{x}$, (s)
b. $\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)
c. $\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)
d. $\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)
e. $\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)
f. $\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)
g. $\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)
h. $\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)
i. $\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)
j. $\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)	$\bar{x}$ to $\bar{x}$ (s)
20. SUBSAMPLING DRY WEIGHT (gm)	31.19	37.27	40.75
21. SPECIFICITY (gm/g)			46.32
22. PLASTICITY	High	High	High
23. SHEAR STRENGTH (lb./sq. in.)	0	0	0
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS:	4-5" Fine sand & silt. 10-18" Hard clay lumps & shls. 19-21 Sand & silt.		

Equipment Type	Core Size	Core Size	Core Size
----------------	-----------	-----------	-----------

66-190-1 CONTINUED					
1. SAMPLE NUMBER	2. LATITUDE	3. DATE (Day, month, year)	4. LABOURATORY NUMBERS	5. SUBSAMPLE DEPTH IN CORE (in.)	6. CORE PENETRATION (in.)
66-190-1					
2. LATITUDE					
3. DATE (Day, month, year)					
4. LABOURATORY NUMBERS					
5. SUBSAMPLE DEPTH IN CORE (in.)					
6. CORE PENETRATION (in.)					
7. CORE LENGTH (in.)					
8. DATE (Day, month, year)					
9. LABOURATORY NUMBERS					
10. SUBSAMPLE DEPTH IN CORE (in.)					
11. COLOR					
12. ODR					
13. WET DENSITY (lb./ft. ³)					
14. RIGIDNESS (cm)					
15. MAXIMUM POROSITY (%)					
16. MINIMUM POROSITY (%)					
17. WATER CONTENT (%)					
18. ORGANIC CARBON CONTENT (%)					
19. SIZE ANALYSIS AND STATISTICAL MEASURES					
a. < 2 ₅ (%)	OD ₅	SD ₅	MD ₅	PD ₅	OD ₅
b. < 2 ₅ to < 2 ₅₀ (%)	SD ₅	SD ₅₀	MD ₅₀	PD ₅₀	SD ₅₀
c. < 2 ₅₀ to < 2 ₆₀ (%)	MD ₅	MD ₅₀	MD ₆₀	PD ₆₀	MD ₆₀
d. < 2 ₆₀ to < 2 ₁₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
e. < 2 ₁₀₀ to < 2 ₂₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
f. < 2 ₂₀₀ to < 2 ₄₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
g. < 2 ₄₀₀ to < 2 ₆₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
h. < 2 ₆₀₀ to < 2 ₈₄₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
i. < 2 ₈₄₀ to < 2 ₁₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
j. < 2 ₁₀₀₀ to < 2 ₂₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
k. < 2 ₂₀₀₀ to < 2 ₄₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
l. < 2 ₄₀₀₀ to < 2 ₆₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
m. < 2 ₆₀₀₀ to < 2 ₈₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
n. < 2 ₈₀₀₀ to < 2 ₁₀₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
o. < 2 ₁₀₀₀₀ to < 2 ₁₂₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
p. < 2 ₁₂₀₀₀ to < 2 ₁₄₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
q. < 2 ₁₄₀₀₀ to < 2 ₁₆₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
r. < 2 ₁₆₀₀₀ to < 2 ₁₈₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
s. < 2 ₁₈₀₀₀ to < 2 ₂₀₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
t. < 2 ₂₀₀₀₀ to < 2 ₂₂₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
u. < 2 ₂₂₀₀₀ to < 2 ₂₄₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
v. < 2 ₂₄₀₀₀ to < 2 ₂₆₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
w. < 2 ₂₆₀₀₀ to < 2 ₂₈₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
x. < 2 ₂₈₀₀₀ to < 2 ₃₀₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
y. < 2 ₃₀₀₀₀ to < 2 ₃₂₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
z. < 2 ₃₂₀₀₀ to < 2 ₃₄₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
aa. < 2 ₃₄₀₀₀ to < 2 ₃₆₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
ab. < 2 ₃₆₀₀₀ to < 2 ₃₈₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
ac. < 2 ₃₈₀₀₀ to < 2 ₄₀₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
ad. < 2 ₄₀₀₀₀ to < 2 ₄₂₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
ae. < 2 ₄₂₀₀₀ to < 2 ₄₄₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
af. < 2 ₄₄₀₀₀ to < 2 ₄₆₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
ag. < 2 ₄₆₀₀₀ to < 2 ₄₈₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
ah. < 2 ₄₈₀₀₀ to < 2 ₅₀₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
ai. < 2 ₅₀₀₀₀ to < 2 ₅₂₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
aj. < 2 ₅₂₀₀₀ to < 2 ₅₄₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
ak. < 2 ₅₄₀₀₀ to < 2 ₅₆₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
al. < 2 ₅₆₀₀₀ to < 2 ₅₈₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
am. < 2 ₅₈₀₀₀ to < 2 ₆₀₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
an. < 2 ₆₀₀₀₀ to < 2 ₆₂₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
ao. < 2 ₆₂₀₀₀ to < 2 ₆₄₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
ap. < 2 ₆₄₀₀₀ to < 2 ₆₆₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
aq. < 2 ₆₆₀₀₀ to < 2 ₆₈₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
ar. < 2 ₆₈₀₀₀ to < 2 ₇₀₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
as. < 2 ₇₀₀₀₀ to < 2 ₇₂₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
at. < 2 ₇₂₀₀₀ to < 2 ₇₄₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
au. < 2 ₇₄₀₀₀ to < 2 ₇₆₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
av. < 2 ₇₆₀₀₀ to < 2 ₇₈₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
aw. < 2 ₇₈₀₀₀ to < 2 ₈₀₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
ax. < 2 ₈₀₀₀₀ to < 2 ₈₂₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
ay. < 2 ₈₂₀₀₀ to < 2 ₈₄₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
az. < 2 ₈₄₀₀₀ to < 2 ₈₆₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
ba. < 2 ₈₆₀₀₀ to < 2 ₈₈₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
bb. < 2 ₈₈₀₀₀ to < 2 ₉₀₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
bc. < 2 ₉₀₀₀₀ to < 2 ₉₂₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
bd. < 2 ₉₂₀₀₀ to < 2 ₉₄₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
be. < 2 ₉₄₀₀₀ to < 2 ₉₆₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
bf. < 2 ₉₆₀₀₀ to < 2 ₉₈₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
bg. < 2 ₉₈₀₀₀ to < 2 ₁₀₀₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
bh. < 2 ₁₀₀₀₀₀ to < 2 ₁₀₂₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
bi. < 2 ₁₀₂₀₀₀ to < 2 ₁₀₄₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
bj. < 2 ₁₀₄₀₀₀ to < 2 ₁₀₆₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
bk. < 2 ₁₀₆₀₀₀ to < 2 ₁₀₈₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
bl. < 2 ₁₀₈₀₀₀ to < 2 ₁₁₀₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
bm. < 2 ₁₁₀₀₀₀ to < 2 ₁₁₂₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
bn. < 2 ₁₁₂₀₀₀ to < 2 ₁₁₄₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
bo. < 2 ₁₁₄₀₀₀ to < 2 ₁₁₆₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
bp. < 2 ₁₁₆₀₀₀ to < 2 ₁₁₈₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
bq. < 2 ₁₁₈₀₀₀ to < 2 ₁₂₀₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
br. < 2 ₁₂₀₀₀₀ to < 2 ₁₂₂₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
bs. < 2 ₁₂₂₀₀₀ to < 2 ₁₂₄₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
bt. < 2 ₁₂₄₀₀₀ to < 2 ₁₂₆₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
bu. < 2 ₁₂₆₀₀₀ to < 2 ₁₂₈₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
bv. < 2 ₁₂₈₀₀₀ to < 2 ₁₃₀₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
bw. < 2 ₁₃₀₀₀₀ to < 2 ₁₃₂₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
bx. < 2 ₁₃₂₀₀₀ to < 2 ₁₃₄₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
by. < 2 ₁₃₄₀₀₀ to < 2 ₁₃₆₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
bz. < 2 ₁₃₆₀₀₀ to < 2 ₁₃₈₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
ca. < 2 ₁₃₈₀₀₀ to < 2 ₁₄₀₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
cb. < 2 ₁₄₀₀₀₀ to < 2 ₁₄₂₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
cc. < 2 ₁₄₂₀₀₀ to < 2 ₁₄₄₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
cd. < 2 ₁₄₄₀₀₀ to < 2 ₁₄₆₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
ce. < 2 ₁₄₆₀₀₀ to < 2 ₁₄₈₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
cf. < 2 ₁₄₈₀₀₀ to < 2 ₁₅₀₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
cg. < 2 ₁₅₀₀₀₀ to < 2 ₁₅₂₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
ch. < 2 ₁₅₂₀₀₀ to < 2 ₁₅₄₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
ci. < 2 ₁₅₄₀₀₀ to < 2 ₁₅₆₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
cj. < 2 ₁₅₆₀₀₀ to < 2 ₁₅₈₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
ck. < 2 ₁₅₈₀₀₀ to < 2 ₁₆₀₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
cl. < 2 ₁₆₀₀₀₀ to < 2 ₁₆₂₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
cm. < 2 ₁₆₂₀₀₀ to < 2 ₁₆₄₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
cn. < 2 ₁₆₄₀₀₀ to < 2 ₁₆₆₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
co. < 2 ₁₆₆₀₀₀ to < 2 ₁₆₈₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
cp. < 2 ₁₆₈₀₀₀ to < 2 ₁₇₀₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
cq. < 2 ₁₇₀₀₀₀ to < 2 ₁₇₂₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
cr. < 2 ₁₇₂₀₀₀ to < 2 ₁₇₄₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
cs. < 2 ₁₇₄₀₀₀ to < 2 ₁₇₆₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
ct. < 2 ₁₇₆₀₀₀ to < 2 ₁₇₈₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
cu. < 2 ₁₇₈₀₀₀ to < 2 ₁₈₀₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
cv. < 2 ₁₈₀₀₀₀ to < 2 ₁₈₂₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
cw. < 2 ₁₈₂₀₀₀ to < 2 ₁₈₄₀₀₀ (%)	OD ₅	OD ₅₀	OD ₆₀	OD ₁₀₀	OD ₁₀₀
cx. < 2 ₁					

[illegible]

1. SAMPLE NUMBER	66-191-1 continued	5. SAMPLER TYPE
2. LATITUDE		6. WATER DEPTH (m.)
3. LONGITUDE		7. CORE LENGTH (m.)
8. DATE (day, month, year)		8. CORE PENETRATION (m.)
9. LABORATORY NUMBERS	4013	4014
10. SUBSAMPLE DEPTH IN CORE (m.)	72-74	94-96
11. COLOR	Olive Gray 5H/1	Olive Gray 5H/1
12. ODR		
13. WET DENSITY (lb./ft^3)		
14. RESIDUE (%)		
15. MAXIMUM POROSITY (%)		
16. MINIMUM POROSITY (%)		
17. MOISTURE CONTENT (%)		
18. ORGANIC CARBON CONTENT (%)		
19. SITE ANALYSIS AND STATISTICAL MEASURES		
a. $x = \sum x_i / n$	$\bar{x}_1 = 8.13$	$\bar{x}_2 = 6.50$
b. $s^2 = \frac{\sum x_i^2}{n} - (\bar{x})^2$	$s_1^2 = 5.93$	$s_2^2 = 4.83$
c. $t = \frac{\bar{x}_1 - \bar{x}_2}{\sqrt{s_p^2(\frac{1}{n_1} + \frac{1}{n_2})}}$	1	1
d. $p < .10, 2, d.f.$		
e. $f_{.10, 2, d.f.}$		
f. t_2 to t_3 (t)	2	5
g. t_3 to t_4 (t)	23	39
h. t_4 to t_5 (t)	32	25
i. t_5 to t_6 (t)	41	30
j. q , (t)		
20. SUBSAMPLE DRY WEIGHT (gm)	10.63	27.83
21. SPECIFIC GRAVITY		
22. RESSOURCES FROM PASTRECHY	H3 h	H3 h
23. SUBSTRATE TEXTURE (mm) // cm	<1% 1%	<1% 1%
24. DOMINANT MINERAL (%)		
25. SECONDARY MINERAL (%)		
26. OTHER MINERALS (%)		
27. REMARKS continued		

1. SAMPLE NUMBER	66-192-1	5. SAMPLER TYPE	KOLLEDBERS
2. LATITUDE	44 08 N	5. WATER DEPTH (m.)	280
3. LONGITUDE	69 01 W	7. CORE LENGTH (m.)	109
4. DATE (day, month, year)	1959 / OCT	8. CORE PENETRATION (m.)	156
9. LABORATORY NUMBERS	3509	3601	3602
10. SUBSAMPLE DEPTH IN CORE (m.)	0-2	16-18	48-50
11. COLOR	DARK YELLOWISH BROWN 10YR 4/2	DARK YELLOWISH BROWN 10YR 4/2	DARK YELLOWISH BROWN 10YR 4/2
12. ODOR			
13. WET DENSITY (lb./ft ³)			
14. RIGIDITY (cm)			
15. MEDIUM POROSITY (%)			
16. MEDIUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. -2 ₅ (%)	10 ₂	10 ₁	10 ₀
b. -2 ₅ to -1 ₆ (%)	58 ₂	58 ₁	58 ₀
c. -1 ₆ to 0 ₁ (%)	ML 8.20	ML 8.25	ML 8.20
d. 0 ₁ to 1 ₆ (%)	01 ₂ 6.00	01 ₁ 5.90	01 ₀ 6.08
e. 1 ₆ to 2 ₅ (%)	2	2	2
f. 2 ₅ to 3 ₆ (%)			
g. 3 ₆ to 4 ₇ (%)	23	24	22
h. 4 ₇ to 5 ₈ (%)	36	33	35
i. 5 ₈ to 6 ₀ (%)	38	41	41
j. 6 ₀ to 7 ₀ (%)	21	22	22
k. 7 ₀ to 8 ₀ (%)			
l. 8 ₀ to 9 ₀ (%)			
m. 9 ₀ to 10 ₀ (%)			
20. SUBSAMPLE DRY WEIGHT (gm)	21.34	22.46	23.68
21. SPECIFIC GRAVITY			
22. PLASTICITY	High	High	High
23. LIQUID LIMIT (%)	41	41	41
24. SHREINKAGE (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS	ITEMS 11-26 DETERMINED IN THE LAB. ONE 1/4 IN. OF SOFT, UNCONSOLIDATED MUD AT 93". BOTTOM 3" DARKER AND NOT AS CONSOLIDATED AS REST OF CORE.		
SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT

1. SAMPLE NUMBER	66-192-1	5. SAMPLER TYPE	CONTINUED
2. LATITUDE		5. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3603	3604	*
10. SUBSAMPLE DEPTH IN CORE (m.)	93-94	107-109	
11. COLOR	OLIVE GRAY	OLIVE GRAY	
	5-Y 4/1	5-Y 4/1	
12. ODOR			
13. WET DENSITY (lb./ft ³)			
14. RIGIDITY (cm)			
15. MEDIUM POROSITY (%)			
16. MEDIUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. -2 ₅ (%)	10 ₂	10 ₁	10 ₀
b. -2 ₅ to -1 ₆ (%)	58 ₂	58 ₁	58 ₀
c. -1 ₆ to 0 ₁ (%)	ML 8.11	ML 7.97	ML 8.11
d. 0 ₁ to 1 ₆ (%)	01 ₂ 6.15	01 ₁ 5.85	01 ₀
e. 1 ₆ to 2 ₅ (%)	2	2	2
f. 2 ₅ to 3 ₆ (%)			
g. 3 ₆ to 4 ₇ (%)	22	25	25
h. 4 ₇ to 5 ₈ (%)	37	33	33
i. 5 ₈ to 6 ₀ (%)	40	40	40
j. 6 ₀ to 7 ₀ (%)			
k. 7 ₀ to 8 ₀ (%)			
20. SUBSAMPLE DRY WEIGHT (gm)	20.89	19.33	
21. SPECIFIC GRAVITY			
22. PLASTICITY	High	High	High
23. LIQUID LIMIT (%)	41	41	41
24. SHREINKAGE (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS	* Dark layers.		
SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT

1. SAMPLE NUMBER	66-194-1	5. SAMPLER TYPE	KULLENBERG
2. LATITUDE	44 11 02 N	3. WATER DEPTH (m.)	320
3. LONGITUDE	69 00 59 W	7. CORE LENGTH (m.)	85
4. DATE (Day, month, year)	1 October 1959	8. CORE PENETRATION (m.)	144
9. LABORATORY NUMBERS	3679	3679	3680
10. SUBSAMPLE DEPTH IN CORE (m.)	1-2	OLIVE GRAY (57-62)	OLIVE GRAY (57-62)
11. COLOR			BRNISH OLIVE GREEN (56Y 2/6)
12. 0000			
13. WET DENSITY (16./ft ³)			
14. RIGIDNESS (cm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. -2.5 (φ)	φ ₂	φ ₃	φ ₄
b. -2.5 to -1.5 (φ)	φ ₁	φ ₂	φ ₃
c. -1.5 to 0 (φ)	φ ₁	φ ₂	φ ₃
d. 0 to 1.5 (φ)	φ ₁	φ ₂	φ ₃
e. 1.5 to 2.5 (φ)	φ ₁	φ ₂	φ ₃
f. 2.5 to 3.5 (φ)	φ ₁	φ ₂	φ ₃
g. 3.5 to 6.5 (φ)	φ ₁	φ ₂	φ ₃
h. 6.5 to 9.5 (φ)	φ ₁	φ ₂	φ ₃
i. 9.5 to 12.5 (φ)	φ ₁	φ ₂	φ ₃
j. 12.5 to 15.5 (φ)	φ ₁	φ ₂	φ ₃
k. 15.5 to 18.5 (φ)	φ ₁	φ ₂	φ ₃
l. 18.5 to 21.5 (φ)	φ ₁	φ ₂	φ ₃
m. 21.5 to 24.5 (φ)	φ ₁	φ ₂	φ ₃
n. 24.5 to 27.5 (φ)	φ ₁	φ ₂	φ ₃
o. 27.5 to 30.5 (φ)	φ ₁	φ ₂	φ ₃
p. 30.5 to 33.5 (φ)	φ ₁	φ ₂	φ ₃
q. 33.5 to 36.5 (φ)	φ ₁	φ ₂	φ ₃
r. 36.5 to 39.5 (φ)	φ ₁	φ ₂	φ ₃
s. 39.5 to 42.5 (φ)	φ ₁	φ ₂	φ ₃
t. 42.5 to 45.5 (φ)	φ ₁	φ ₂	φ ₃
u. 45.5 to 48.5 (φ)	φ ₁	φ ₂	φ ₃
v. 48.5 to 51.5 (φ)	φ ₁	φ ₂	φ ₃
w. 51.5 to 54.5 (φ)	φ ₁	φ ₂	φ ₃
x. 54.5 to 57.5 (φ)	φ ₁	φ ₂	φ ₃
y. 57.5 to 60.5 (φ)	φ ₁	φ ₂	φ ₃
z. 60.5 to 63.5 (φ)	φ ₁	φ ₂	φ ₃
aa. 63.5 to 66.5 (φ)	φ ₁	φ ₂	φ ₃
ab. 66.5 to 69.5 (φ)	φ ₁	φ ₂	φ ₃
ac. 69.5 to 72.5 (φ)	φ ₁	φ ₂	φ ₃
ad. 72.5 to 75.5 (φ)	φ ₁	φ ₂	φ ₃
ae. 75.5 to 78.5 (φ)	φ ₁	φ ₂	φ ₃
af. 78.5 to 81.5 (φ)	φ ₁	φ ₂	φ ₃
ag. 81.5 to 84.5 (φ)	φ ₁	φ ₂	φ ₃
ah. 84.5 to 87.5 (φ)	φ ₁	φ ₂	φ ₃
ai. 87.5 to 90.5 (φ)	φ ₁	φ ₂	φ ₃
aj. 90.5 to 93.5 (φ)	φ ₁	φ ₂	φ ₃
ak. 93.5 to 96.5 (φ)	φ ₁	φ ₂	φ ₃
al. 96.5 to 99.5 (φ)	φ ₁	φ ₂	φ ₃
am. 99.5 to 102.5 (φ)	φ ₁	φ ₂	φ ₃
an. 102.5 to 105.5 (φ)	φ ₁	φ ₂	φ ₃
ao. 105.5 to 108.5 (φ)	φ ₁	φ ₂	φ ₃
ap. 108.5 to 111.5 (φ)	φ ₁	φ ₂	φ ₃
aq. 111.5 to 114.5 (φ)	φ ₁	φ ₂	φ ₃
ar. 114.5 to 117.5 (φ)	φ ₁	φ ₂	φ ₃
as. 117.5 to 120.5 (φ)	φ ₁	φ ₂	φ ₃
at. 120.5 to 123.5 (φ)	φ ₁	φ ₂	φ ₃
au. 123.5 to 126.5 (φ)	φ ₁	φ ₂	φ ₃
av. 126.5 to 129.5 (φ)	φ ₁	φ ₂	φ ₃
aw. 129.5 to 132.5 (φ)	φ ₁	φ ₂	φ ₃
ax. 132.5 to 135.5 (φ)	φ ₁	φ ₂	φ ₃
ay. 135.5 to 138.5 (φ)	φ ₁	φ ₂	φ ₃
az. 138.5 to 141.5 (φ)	φ ₁	φ ₂	φ ₃
ba. 141.5 to 144.5 (φ)	φ ₁	φ ₂	φ ₃
bb. 144.5 to 147.5 (φ)	φ ₁	φ ₂	φ ₃
bc. 147.5 to 150.5 (φ)	φ ₁	φ ₂	φ ₃
bd. 150.5 to 153.5 (φ)	φ ₁	φ ₂	φ ₃
be. 153.5 to 156.5 (φ)	φ ₁	φ ₂	φ ₃
bf. 156.5 to 159.5 (φ)	φ ₁	φ ₂	φ ₃
bg. 159.5 to 162.5 (φ)	φ ₁	φ ₂	φ ₃
bh. 162.5 to 165.5 (φ)	φ ₁	φ ₂	φ ₃
bi. 165.5 to 168.5 (φ)	φ ₁	φ ₂	φ ₃
bj. 168.5 to 171.5 (φ)	φ ₁	φ ₂	φ ₃
bk. 171.5 to 174.5 (φ)	φ ₁	φ ₂	φ ₃
bl. 174.5 to 177.5 (φ)	φ ₁	φ ₂	φ ₃
bm. 177.5 to 180.5 (φ)	φ ₁	φ ₂	φ ₃
bn. 180.5 to 183.5 (φ)	φ ₁	φ ₂	φ ₃
bo. 183.5 to 186.5 (φ)	φ ₁	φ ₂	φ ₃
bp. 186.5 to 189.5 (φ)	φ ₁	φ ₂	φ ₃
bq. 189.5 to 192.5 (φ)	φ ₁	φ ₂	φ ₃
br. 192.5 to 195.5 (φ)	φ ₁	φ ₂	φ ₃
bs. 195.5 to 198.5 (φ)	φ ₁	φ ₂	φ ₃
bt. 198.5 to 201.5 (φ)	φ ₁	φ ₂	φ ₃
bu. 201.5 to 204.5 (φ)	φ ₁	φ ₂	φ ₃
bv. 204.5 to 207.5 (φ)	φ ₁	φ ₂	φ ₃
bw. 207.5 to 210.5 (φ)	φ ₁	φ ₂	φ ₃
bx. 210.5 to 213.5 (φ)	φ ₁	φ ₂	φ ₃
by. 213.5 to 216.5 (φ)	φ ₁	φ ₂	φ ₃
bz. 216.5 to 219.5 (φ)	φ ₁	φ ₂	φ ₃
ca. 219.5 to 222.5 (φ)	φ ₁	φ ₂	φ ₃
cb. 222.5 to 225.5 (φ)	φ ₁	φ ₂	φ ₃
cc. 225.5 to 228.5 (φ)	φ ₁	φ ₂	φ ₃
cd. 228.5 to 231.5 (φ)	φ ₁	φ ₂	φ ₃
ce. 231.5 to 234.5 (φ)	φ ₁	φ ₂	φ ₃
cf. 234.5 to 237.5 (φ)	φ ₁	φ ₂	φ ₃
cg. 237.5 to 240.5 (φ)	φ ₁	φ ₂	φ ₃
ch. 240.5 to 243.5 (φ)	φ ₁	φ ₂	φ ₃
ci. 243.5 to 246.5 (φ)	φ ₁	φ ₂	φ ₃
cj. 246.5 to 249.5 (φ)	φ ₁	φ ₂	φ ₃
ck. 249.5 to 252.5 (φ)	φ ₁	φ ₂	φ ₃
cl. 252.5 to 255.5 (φ)	φ ₁	φ ₂	φ ₃
cm. 255.5 to 258.5 (φ)	φ ₁	φ ₂	φ ₃
cn. 258.5 to 261.5 (φ)	φ ₁	φ ₂	φ ₃
co. 261.5 to 264.5 (φ)	φ ₁	φ ₂	φ ₃
cp. 264.5 to 267.5 (φ)	φ ₁	φ ₂	φ ₃
cq. 267.5 to 270.5 (φ)	φ ₁	φ ₂	φ ₃
cr. 270.5 to 273.5 (φ)	φ ₁	φ ₂	φ ₃
cs. 273.5 to 276.5 (φ)	φ ₁	φ ₂	φ ₃
ct. 276.5 to 279.5 (φ)	φ ₁	φ ₂	φ ₃
cu. 279.5 to 282.5 (φ)	φ ₁	φ ₂	φ ₃
cv. 282.5 to 285.5 (φ)	φ ₁	φ ₂	φ ₃
cw. 285.5 to 288.5 (φ)	φ ₁	φ ₂	φ ₃
cx. 288.5 to 291.5 (φ)	φ ₁	φ ₂	φ ₃
cy. 291.5 to 294.5 (φ)	φ ₁	φ ₂	φ ₃
cz. 294.5 to 297.5 (φ)	φ ₁	φ ₂	φ ₃
da. 297.5 to 300.5 (φ)	φ ₁	φ ₂	φ ₃
db. 300.5 to 303.5 (φ)	φ ₁	φ ₂	φ ₃
dc. 303.5 to 306.5 (φ)	φ ₁	φ ₂	φ ₃
dd. 306.5 to 309.5 (φ)	φ ₁	φ ₂	φ ₃
de. 309.5 to 312.5 (φ)	φ ₁	φ ₂	φ ₃
df. 312.5 to 315.5 (φ)	φ ₁	φ ₂	φ ₃
dg. 315.5 to 318.5 (φ)	φ ₁	φ ₂	φ ₃
dh. 318.5 to 321.5 (φ)	φ ₁	φ ₂	φ ₃
di. 321.5 to 324.5 (φ)	φ ₁	φ ₂	φ ₃
dj. 324.5 to 327.5 (φ)	φ ₁	φ ₂	φ ₃
dk. 327.5 to 330.5 (φ)	φ ₁	φ ₂	φ ₃
dl. 330.5 to 333.5 (φ)	φ ₁	φ ₂	φ ₃
dm. 333.5 to 336.5 (φ)	φ ₁	φ ₂	φ ₃
dn. 336.5 to 339.5 (φ)	φ ₁	φ ₂	φ ₃
do. 339.5 to 342.5 (φ)	φ ₁	φ ₂	φ ₃
dp. 342.5 to 345.5 (φ)	φ ₁	φ ₂	φ ₃
dq. 345.5 to 348.5 (φ)	φ ₁	φ ₂	φ ₃
dr. 348.5 to 351.5 (φ)	φ ₁	φ ₂	φ ₃
ds. 351.5 to 354.5 (φ)	φ ₁	φ ₂	φ ₃
dt. 354.5 to 357.5 (φ)	φ ₁	φ ₂	φ ₃
du. 357.5 to 360.5 (φ)	φ ₁	φ ₂	φ ₃
dv. 360.5 to 363.5 (φ)	φ ₁	φ ₂	φ ₃
dw. 363.5 to 366.5 (φ)	φ ₁	φ ₂	φ ₃
dx. 366.5 to 369.5 (φ)	φ ₁	φ ₂	φ ₃
dy. 369.5 to 372.5 (φ)	φ ₁	φ ₂	φ ₃
dz. 372.5 to 375.5 (φ)	φ ₁	φ ₂	φ ₃
ea. 375.5 to 378.5 (φ)	φ ₁	φ ₂	φ ₃
eb. 378.5 to 381.5 (φ)	φ ₁	φ ₂	φ ₃
ec. 381.5 to 384.5 (φ)	φ ₁	φ ₂	φ ₃
ed. 384.5 to 387.5 (φ)	φ ₁	φ ₂	φ ₃
ee. 387.5 to 390.5 (φ)	φ ₁	φ ₂	φ ₃
ef. 390.5 to 393.5 (φ)	φ ₁	φ ₂	φ ₃
eg. 393.5 to 396.5 (φ)	φ ₁	φ ₂	φ ₃
eh. 396.5 to 399.5 (φ)	φ ₁	φ ₂	φ ₃
ei. 399.5 to 402.5 (φ)	φ ₁	φ ₂	φ ₃
ej. 402.5 to 405.5 (φ)	φ ₁	φ ₂	φ ₃
ek. 405.5 to 408.5 (φ)	φ ₁	φ ₂	φ ₃
el. 408.5 to 411.5 (φ)	φ ₁	φ ₂	φ ₃
em. 411.5 to 414.5 (φ)	φ ₁	φ ₂	φ ₃
en. 414.5 to 417.5 (φ)	φ ₁	φ ₂	φ ₃
eo. 417.5 to 420.5 (φ)	φ ₁	φ ₂	φ ₃
ep. 420.5 to 423.5 (φ)	φ ₁	φ ₂	φ ₃
eq. 423.5 to 426.5 (φ)	φ ₁	φ ₂	φ ₃
er. 426.5 to 429.5 (φ)	φ ₁	φ ₂	φ ₃
es. 429.5 to 432.5 (φ)	φ ₁	φ ₂	φ ₃
et. 432.5 to 435.5 (φ)	φ ₁	φ ₂	φ ₃
eu. 435.5 to 438.5 (φ)	φ ₁	φ ₂	φ ₃
ev. 438.5 to 441.5 (φ)	φ ₁	φ ₂	φ ₃
ew. 441.5 to 444.5 (φ)	φ ₁	φ ₂	φ ₃
ex. 444.5 to 447.5 (φ)	φ ₁	φ ₂	φ ₃
ey. 447.5 to 450.5 (φ)	φ ₁	φ ₂	φ ₃
ez. 450.5 to 453.5 (φ)	φ ₁	φ ₂	φ ₃
fa. 453.5 to 456.5 (φ)	φ ₁	φ ₂	φ ₃
fb. 456.5 to 459.5 (φ)	φ ₁	φ ₂	φ ₃
fc. 459.5 to 462.5 (φ)	φ ₁	φ ₂	φ ₃
fd. 462.5 to 465.5 (φ)	φ ₁	φ ₂	φ ₃
fe. 465.5 to 468.5 (φ)	φ ₁	φ ₂	φ ₃
ff. 468.5 to 471.5 (φ)	φ ₁	φ ₂	φ ₃
fg. 471.5 to 474.5 (φ)	φ ₁	φ ₂	φ ₃
fh. 474.5 to 477.5 (φ)	φ ₁	φ ₂	φ ₃
fi. 477.5 to 480.5 (φ)	φ ₁	φ ₂	φ ₃
fj. 480.5 to 483.5 (φ)	φ ₁	φ ₂	φ ₃
fk. 483.5 to 486.5 (φ)	φ ₁	φ ₂	φ ₃
fl. 486.5 to 489.5 (φ)	φ ₁	φ ₂	φ ₃
fm. 489.5 to 492.5 (φ)	φ ₁	φ ₂	φ ₃
fn. 492.5 to 495.5 (φ)	φ ₁	φ ₂	φ ₃
fo. 495.5 to 498.5 (φ)	φ ₁	φ ₂	φ ₃
fp. 498.5 to 501.5 (φ)	φ ₁	φ ₂	φ ₃
fq. 501.5 to 504.5 (φ)	φ ₁	φ ₂	φ ₃
fr. 504.5 to 507.5 (φ)	φ ₁	φ ₂	φ ₃
fs. 507.5 to 510.5 (φ)	φ ₁	φ ₂	φ ₃
ft. 510.5 to 513.5 (φ)	φ ₁	φ ₂	φ ₃
fu. 513.5 to 516.5 (φ)	φ ₁	φ ₂	φ ₃
fv. 516.5 to 519.5 (φ)	φ ₁	φ ₂	φ ₃
fw. 519.5 to 522.5 (φ)	φ ₁	φ ₂	φ ₃
fx. 522.5 to 525.5 (φ)	φ ₁	φ ₂	φ ₃
fy. 525.5 to 528.5 (φ)	φ ₁	φ ₂	φ ₃
fz. 528.5 to 531.5 (φ)	φ ₁	φ ₂	φ ₃
ga. 531.5 to 534.5 (φ)	φ ₁	φ ₂	φ ₃
gb. 534.5 to 537.5 (φ)	φ ₁	φ ₂	φ ₃
gc. 537.5 to 540.5 (φ)	φ ₁	φ ₂	φ ₃
gd. 540.5 to 543.5 (φ)</			

1. SAMPLE NUMBER	66-195-1	5. SAMPLER TYPE	KULLENBERG
2. LATITUDE	44° 12' 27" N	5. WATER DEPTH (m.)	43.0
3. LONGITUDE	69° 01' 04" W	7. CORE LENGTH (m.)	1.19
4. DATE (day, month, year)	1 October 1969	8. CORE FRACTURATION (%)	144
9. LABORATORY NUMBERS	3697	9. LABORATORY NUMBERS	3700
10. SUBSAMPLE DEPTH IN CORE (m.)	0-2	10. SUBSAMPLE DEPTH IN CORE (m.)	94-96
11. COLOR	Blue Gray (5-Y 4/1)	11. COLOR	Dark Yellowish Brown (10 YR 4/2)
12. DOOR		12. DOOR	
13. WET DENSITY (lb./ft ³)		13. WET DENSITY (lb./ft ³)	
14. RESIDUE (%)		14. RESIDUE (%)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. < 2 ₅ (%)	0 ₂	10 ₂	0 ₂
b. -2 ₅ to -1 ₅ (%)	5 ₄	5 ₄	5 ₄
c. -1 ₅ to 0 ₂ (%)	4 ₅	4 ₅	4 ₅
d. 0 ₂ to 1 ₅ (%)	1	0 ₂	1
e. 1 ₅ to 2 ₅ (%)	0 ₂	0 ₂	0 ₂
f. 2 ₅ to 3 ₅ (%)			
g. 3 ₅ to 4 ₅ (%)			
h. 4 ₅ to 6 ₅ (%)	10	10	9
i. 6 ₅ to 8 ₅ (%)	40	39	41
j. > 8 ₅ (%)	49	51	50
20. SUBSAMPLE DRY WEIGHT (gm)	12.7	21.22	15.05
21. SPECIFIC GRAVITY			25.57
22. Plasticity Plasticity	Med.	Med.	Med.
23. Shrinkage Shrinkage	0	0	0
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS:	ITEMS 11-23 DETERMINED IN THE LAB		
	shell scattered throughout core		
	0-4" dark layers.		
SEAWATER TYPE	Cover Salt	Salt Clay	Cover Salt

1. SAMPLE NUMBER	66-195-1	5. SAMPLER TYPE	
2. LATITUDE		5. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE FRACTURATION (%)	
9. LABORATORY NUMBERS	3701	9. LABORATORY NUMBERS	3702
10. SUBSAMPLE DEPTH IN CORE (m.)	94-96	10. SUBSAMPLE DEPTH IN CORE (m.)	117-119
11. COLOR	Dark Yellowish Brown (10 YR 4/2)	11. COLOR	Dark Yellowish Brown (10 YR 4/2)
12. DOOR		12. DOOR	
13. WET DENSITY (lb./ft ³)		13. WET DENSITY (lb./ft ³)	
14. RESIDUE (%)		14. RESIDUE (%)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. < 2 ₅ (%)	0 ₂	10 ₂	0 ₂
b. -2 ₅ to -1 ₅ (%)	5 ₄	5 ₄	5 ₄
c. -1 ₅ to 0 ₂ (%)	4 ₅	4 ₅	4 ₅
d. 0 ₂ to 1 ₅ (%)	1	0 ₂	1
e. 1 ₅ to 2 ₅ (%)	0 ₂	0 ₂	0 ₂
f. 2 ₅ to 3 ₅ (%)			
g. 3 ₅ to 4 ₅ (%)			
h. 4 ₅ to 6 ₅ (%)	9	10	10
i. 6 ₅ to 8 ₅ (%)	40	41	41
j. > 8 ₅ (%)	51	49	49
20. SUBSAMPLE DRY WEIGHT (gm)	22.34	16.42	
21. SPECIFIC GRAVITY			
22. Plasticity Plasticity	Med.	Med.	
23. Shrinkage Shrinkage	0	0	
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS:			
SEAWATER TYPE	Salt Clay	Cover Salt	

1. SAMPLE NUMBER	66-196-1	5. SAMPLER TYPE	KULLENBERG
2. LATITUDE	44° 13' 43" N	6. WATER DEPTH (m.)	36.4
3. LONGITUDE	69° 01' 05" W	7. CORE LENGTH (m.)	120
4. DATE (day, month, year)	1 OCT. 1958	8. CORE PENETRATION (m.)	144
5. LABORATORY NUMBERS	35336		35338
6. SUBSAMPLER DEPTH IN CORE (m.)	0-2		21-23
7. COLOR	OLIVE BLACK * 5Y 2/1 FOUL		OLIVE GRAY 5Y 4/1 58Y 5/6
8. MOOR			
9. WET DENSITY (lb./ft ³)			
10. RIGIDITY (mm)			
11. MEDIUM POROSITY (%)			
12. WATER CONTENT (%)			
13. ORGANIC CARBON CONTENT (%)			
14. SIZE ANALYSIS AND STATISTICAL MEASURES			
15. $b_1 - 2, (s)$			
16. $b_1 - 2, (s)$			
17. $b_1 - 2, (s)$			
18. $b_1 - 2, (s)$			
19. $b_1 - 2, (s)$			
20. $b_1 - 2, (s)$			
21. $b_1 - 2, (s)$			
22. $b_1 - 2, (s)$			
23. $b_1 - 2, (s)$			
24. $b_1 - 2, (s)$			
25. $b_1 - 2, (s)$			
26. $b_1 - 2, (s)$			
27. $b_1 - 2, (s)$			
28. $b_1 - 2, (s)$			
29. $b_1 - 2, (s)$			
30. $b_1 - 2, (s)$			
31. $b_1 - 2, (s)$			
32. $b_1 - 2, (s)$			
33. $b_1 - 2, (s)$			
34. $b_1 - 2, (s)$			
35. $b_1 - 2, (s)$			
36. $b_1 - 2, (s)$			
37. $b_1 - 2, (s)$			
38. $b_1 - 2, (s)$			
39. $b_1 - 2, (s)$			
40. $b_1 - 2, (s)$			
41. $b_1 - 2, (s)$			
42. $b_1 - 2, (s)$			
43. $b_1 - 2, (s)$			
44. $b_1 - 2, (s)$			
45. $b_1 - 2, (s)$			
46. $b_1 - 2, (s)$			
47. $b_1 - 2, (s)$			
48. $b_1 - 2, (s)$			
49. $b_1 - 2, (s)$			
50. $b_1 - 2, (s)$			
51. $b_1 - 2, (s)$			
52. $b_1 - 2, (s)$			
53. $b_1 - 2, (s)$			
54. $b_1 - 2, (s)$			
55. $b_1 - 2, (s)$			
56. $b_1 - 2, (s)$			
57. $b_1 - 2, (s)$			
58. $b_1 - 2, (s)$			
59. $b_1 - 2, (s)$			
60. $b_1 - 2, (s)$			
61. $b_1 - 2, (s)$			
62. $b_1 - 2, (s)$			
63. $b_1 - 2, (s)$			
64. $b_1 - 2, (s)$			
65. $b_1 - 2, (s)$			
66. $b_1 - 2, (s)$			
67. $b_1 - 2, (s)$			
68. $b_1 - 2, (s)$			
69. $b_1 - 2, (s)$			
70. $b_1 - 2, (s)$			
71. $b_1 - 2, (s)$			
72. $b_1 - 2, (s)$			
73. $b_1 - 2, (s)$			
74. $b_1 - 2, (s)$			
75. $b_1 - 2, (s)$			
76. $b_1 - 2, (s)$			
77. $b_1 - 2, (s)$			
78. $b_1 - 2, (s)$			
79. $b_1 - 2, (s)$			
80. $b_1 - 2, (s)$			
81. $b_1 - 2, (s)$			
82. $b_1 - 2, (s)$			
83. $b_1 - 2, (s)$			
84. $b_1 - 2, (s)$			
85. $b_1 - 2, (s)$			
86. $b_1 - 2, (s)$			
87. $b_1 - 2, (s)$			
88. $b_1 - 2, (s)$			
89. $b_1 - 2, (s)$			
90. $b_1 - 2, (s)$			
91. $b_1 - 2, (s)$			
92. $b_1 - 2, (s)$			
93. $b_1 - 2, (s)$			
94. $b_1 - 2, (s)$			
95. $b_1 - 2, (s)$			
96. $b_1 - 2, (s)$			
97. $b_1 - 2, (s)$			
98. $b_1 - 2, (s)$			
99. $b_1 - 2, (s)$			
100. $b_1 - 2, (s)$			

1. SAMPLE NUMBER	66-196-1	5. SAMPLER TYPE	CORING
2. LATITUDE		6. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
5. LABORATORY NUMBERS	3540		3542
6. SUBSAMPLER DEPTH IN CORE (m.)	39-41		61-63
7. COLOR	GRAYISH OLIVE * 10Y 4/1		DARK GREENISH GRAY * 58Y 3/2
8. MOOR			
9. WET DENSITY (lb./ft ³)			
10. RIGIDITY (mm)			
11. MEDIUM POROSITY (%)			
12. WATER CONTENT (%)			
13. ORGANIC CARBON CONTENT (%)			
14. SIZE ANALYSIS AND STATISTICAL MEASURES			
15. $b_1 - 2, (s)$			
16. $b_1 - 2, (s)$			
17. $b_1 - 2, (s)$			
18. $b_1 - 2, (s)$			
19. $b_1 - 2, (s)$			
20. $b_1 - 2, (s)$			
21. $b_1 - 2, (s)$			
22. $b_1 - 2, (s)$			
23. $b_1 - 2, (s)$			
24. $b_1 - 2, (s)$			
25. $b_1 - 2, (s)$			
26. $b_1 - 2, (s)$			
27. $b_1 - 2, (s)$			
28. $b_1 - 2, (s)$			
29. $b_1 - 2, (s)$			
30. $b_1 - 2, (s)$			
31. $b_1 - 2, (s)$			
32. $b_1 - 2, (s)$			
33. $b_1 - 2, (s)$			
34. $b_1 - 2, (s)$			
35. $b_1 - 2, (s)$			
36. $b_1 - 2, (s)$			
37. $b_1 - 2, (s)$			
38. $b_1 - 2, (s)$			
39. $b_1 - 2, (s)$			
40. $b_1 - 2, (s)$			
41. $b_1 - 2, (s)$			
42. $b_1 - 2, (s)$			
43. $b_1 - 2, (s)$			
44. $b_1 - 2, (s)$			
45. $b_1 - 2, (s)$			
46. $b_1 - 2, (s)$			
47. $b_1 - 2, (s)$			
48. $b_1 - 2, (s)$			
49. $b_1 - 2, (s)$			
50. $b_1 - 2, (s)$			
51. $b_1 - 2, (s)$			
52. $b_1 - 2, (s)$			
53. $b_1 - 2, (s)$			
54. $b_1 - 2, (s)$			
55. $b_1 - 2, (s)$			
56. $b_1 - 2, (s)$			
57. $b_1 - 2, (s)$			
58. $b_1 - 2, (s)$			
59. $b_1 - 2, (s)$			
60. $b_1 - 2, (s)$			
61. $b_1 - 2, (s)$			
62. $b_1 - 2, (s)$			
63. $b_1 - 2, (s)$			
64. $b_1 - 2, (s)$			
65. $b_1 - 2, (s)$			
66. $b_1 - 2, (s)$			
67. $b_1 - 2, (s)$			
68. $b_1 - 2, (s)$			
69. $b_1 - 2, (s)$			
70. $b_1 - 2, (s)$			
71. $b_1 - 2, (s)$			
72. $b_1 - 2, (s)$			
73. $b_1 - 2, (s)$			
74. $b_1 - 2, (s)$			
75. $b_1 - 2, (s)$			
76. $b_1 - 2, (s)$			
77. $b_1 - 2, (s)$			
78. $b_1 - 2, (s)$			
79. $b_1 - 2, (s)$			
80. $b_1 - 2, (s)$			
81. $b_1 - 2, (s)$			
82. $b_1 - 2, (s)$			
83. $b_1 - 2, (s)$			
84. $b_1 - 2, (s)$			
85. $b_1 - 2, (s)$			
86. $b_1 - 2, (s)$			
87. $b_1 - 2, (s)$			
88. $b_1 - 2, (s)$			
89. $b_1 - 2, (s)$			
90. $b_1 - 2, (s)$			
91. $b_1 - 2, (s)$			
92. $b_1 - 2, (s)$			
93. $b_1 - 2, (s)$			
94. $b_1 - 2, (s)$			
95. $b_1 - 2, (s)$			
96. $b_1 - 2, (s)$			
97. $b_1 - 2, (s)$			
98. $b_1 - 2, (s)$			
99. $b_1 - 2, (s)$			
100. $b_1 - 2, (s)$			

1. SAMPLE NUMBER	66-136-1 CONTINUED	5. SAMPLER TYPE	
2. LATITUDE		5. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
8. DATE (DD-MON-YEAR)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3544	3545	
10. DESIRABLE DEPTH IN CORE (m.)	94-96	118-120	
11. COLOR	GRAYISH OLIVE GREEN	GRAYISH OLIVE GREEN	
	55Y 3/4	55Y 3/4	
12. D50R			
13. NET DENSITY (lb./ft ³)			
14. RIGIDITY (cm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. -2, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
b. -2, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
c. -1, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
d. 0, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
e. 1, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
f. 2, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
g. 3, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
h. 4, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
i. 5, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
j. 6, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
k. 7, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
l. 8, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
m. 9, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
n. 10, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
o. 11, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
p. 12, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
q. 13, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
r. 14, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
s. 15, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
t. 16, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
u. 17, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
v. 18, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
w. 19, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
x. 20, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
y. 21, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
z. 22, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
aa. 23, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
ab. 24, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
ac. 25, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
ad. 26, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
ae. 27, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
af. 28, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
ag. 29, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
ah. 30, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
ai. 31, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
aj. 32, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
ak. 33, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
al. 34, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
am. 35, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
an. 36, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
ao. 37, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}
ap. 38, 10, 60, 100 (%)	20. ϕ_{20}	20. ϕ_{10}	20. ϕ_{60}

1. SAMPLE NUMBER	66-197-1
2. LATITUDE	44° 06' 57" N
3. LONGITUDE	69° 03' 18" W
4. DATE (Day, month, year)	2 October 1987
5. LABORATORY NUMBER	
6. WATER DEPTH (m)	19.2
7. COLOR	Dark yellowish brown 1074/2
8. DODR	
9. WEI DENSITY (1b/112)	
10. RIGIDITY (cm)	
15. MATHING POROSITY (%)	
16. MECHANIC POROSITY (%)	
17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. $\bar{d}_2 - \bar{d}_3$ (μ)	0.2, 2.2
b. $\bar{d}_2 - \bar{d}_3$ to $\bar{d}_4$ (μ)	1 2.5, 40.50
c. $\bar{d}_2 - \bar{d}_3$ to $\bar{d}_5$ (μ)	1 4.2, 5.45
d. $\bar{d}_2$ to $\bar{d}_4$ (μ)	2 0.1, 3.80
e. $\bar{d}_2$ to $\bar{d}_5$ (μ)	3 0.2, 8.86
f. $\bar{d}_2$ to $\bar{d}_6$ (μ)	7
g. $\bar{d}_2$ to $\bar{d}_7$ (μ)	15
h. $\bar{d}_2$ to $\bar{d}_8$ (μ)	24
i. $\bar{d}_2$ to $\bar{d}_9$ (μ)	21
j. $\bar{d}_2$ (μ)	26
20. SUSPENSIBLE DRY WEIGHT (wt)	14.10
21. SPECIFICITY (wt%)	
22. $\bar{d}_2$ to $\bar{d}_5$ (wt%)	Med.
23. $\bar{d}_2$ to $\bar{d}_6$ (wt%)	0
24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)	
27. REMARKS	Items 19-22 determined in the lab

[illegible]

Sediment Type	Silty Mud

1. SAMPLE NUMBER	66-190-1	5. SAMPLER TYPE	KULLENBERG
2. LATITUDE	44° 23' 31"	6. WATER DEPTH (m.)	9.2
3. LONGITUDE	68° 57'	7. CORE LENGTH (m.)	107
4. DATE (Day, month, year)	8 OCT. 1959	8. CORE PENETRATION (m.)	156
5. LABORATORY NUMBERS	3605 *	9. LABORATORY DEPTH IN CORE (m.)	3607 *
10. SUBSAMPLE DEPTH IN CORE (m.)	0-2	10. SUBSAMPLE DEPTH IN CORE (m.)	13-15
11. COLOR	DARK GREENISH GRAY 5.8 Y 4/1	11. COLOR	OLIVE GRAY 5Y 4/1
12. DOOR		12. DOOR	
13. WET DENSITY (lb./ft ³)		13. WET DENSITY (lb./ft ³)	
14. FIDUCIAL (cm)		14. FIDUCIAL (cm)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES		19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. -2 ₅ (%)	0 ₅	a. -2 ₅ (%)	0 ₅
b. -2 ₅ to +1 ₅ (%)	5 ₅	b. -2 ₅ to +1 ₅ (%)	5 ₅
c. +1 ₅ to 0 ₅ (%)	Mc 8.93	c. +1 ₅ to 0 ₅ (%)	Mc 8.93
d. 0 ₅ to 1 ₅ (%)	0 ₅ 7.22	d. 0 ₅ to 1 ₅ (%)	0 ₅ 7.22
e. 1 ₅ to 2 ₅ (%)	1	e. 1 ₅ to 2 ₅ (%)	1
f. 2 ₅ to 3 ₅ (%)	1	f. 2 ₅ to 3 ₅ (%)	1
g. 3 ₅ to 4 ₅ (%)	9	g. 3 ₅ to 4 ₅ (%)	9
h. 4 ₅ to 5 ₅ (%)	41	h. 4 ₅ to 5 ₅ (%)	41
i. 5 ₅ to 9 ₅ (%)	49	i. 5 ₅ to 9 ₅ (%)	49
j. 9 ₅ (%)	1790	j. 9 ₅ (%)	1790
20. SUBSAMPLE DRY WEIGHT (gm)	16.57	20. SUBSAMPLE DRY WEIGHT (gm)	16.57
21. SPECIFIC (W ₅₀)	High	21. SPECIFIC (W ₅₀)	High
22. PLASTICITY	High	22. PLASTICITY	High
23. SHREDDING PLASTICITY	0	23. SHREDDING PLASTICITY	0
24. DOMINANT MINERAL (%)	0	24. DOMINANT MINERAL (%)	0
25. SECONDARY MINERAL (%)		25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS	ITEMS 11-26 DETERMINED IN THE LAB.	27. REMARKS	ITEMS 11-26 DETERMINED IN THE LAB.
	NONE OF THE DARK AREAS PROBABLY DUE TO ORGANIC MATERIAL GREEN STICKY MUD WITH PIECES OF WOOD FOUND BETWEEN 51 AND 53 INCHES LAST THREE INCHES DARKER AND SOFTER.		NONE OF THE DARK AREAS PROBABLY DUE TO ORGANIC MATERIAL GREEN STICKY MUD WITH PIECES OF WOOD FOUND BETWEEN 51 AND 53 INCHES LAST THREE INCHES DARKER AND SOFTER.
SEDIMENT TYPE	CLAYEY SILT	SEDIMENT TYPE	CLAYEY SILT

1. SAMPLE NUMBER	66-198-1	5. SAMPLER TYPE	CONTINUED
2. LATITUDE		6. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (Day, month, year)		8. CORE PENETRATION (m.)	
5. LABORATORY NUMBERS	3609	9. LABORATORY DEPTH IN CORE (m.)	3610
10. SUBSAMPLE DEPTH IN CORE (m.)	24-26	10. SUBSAMPLE DEPTH IN CORE (m.)	49-51
11. COLOR	PALE BROWN OLIVE GRAY 5Y 6/2	11. COLOR	DARK GREENISH OLIVE GRAY 5Y 4/1
12. DOOR		12. DOOR	
13. WET DENSITY (lb./ft ³)		13. WET DENSITY (lb./ft ³)	
14. FIDUCIAL (cm)		14. FIDUCIAL (cm)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES		19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. -2 ₅ (%)	0 ₅	a. -2 ₅ (%)	0 ₅
b. -2 ₅ to +1 ₅ (%)	5 ₅	b. -2 ₅ to +1 ₅ (%)	5 ₅
c. +1 ₅ to 0 ₅ (%)	Mc 9.00	c. +1 ₅ to 0 ₅ (%)	Mc 9.00
d. 0 ₅ to 1 ₅ (%)	0 ₅ 7.25	d. 0 ₅ to 1 ₅ (%)	0 ₅ 7.25
e. 1 ₅ to 2 ₅ (%)	1	e. 1 ₅ to 2 ₅ (%)	1
f. 2 ₅ to 3 ₅ (%)	1	f. 2 ₅ to 3 ₅ (%)	1
g. 3 ₅ to 4 ₅ (%)	10	g. 3 ₅ to 4 ₅ (%)	10
h. 4 ₅ to 5 ₅ (%)	39	h. 4 ₅ to 5 ₅ (%)	39
i. 5 ₅ to 9 ₅ (%)	51	i. 5 ₅ to 9 ₅ (%)	51
j. 9 ₅ (%)	14.42	j. 9 ₅ (%)	14.42
20. SUBSAMPLE DRY WEIGHT (gm)	17.66	20. SUBSAMPLE DRY WEIGHT (gm)	17.66
21. SPECIFIC (W ₅₀)	High	21. SPECIFIC (W ₅₀)	High
22. PLASTICITY	High	22. PLASTICITY	High
23. SHREDDING PLASTICITY	0	23. SHREDDING PLASTICITY	0
24. DOMINANT MINERAL (%)	0	24. DOMINANT MINERAL (%)	0
25. SECONDARY MINERAL (%)		25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS		27. REMARKS	
SEDIMENT TYPE	SILTY CLAY	SEDIMENT TYPE	SILTY CLAY

SEDIMENT TYPE	SILTY CLAY	SEDIMENT TYPE	SILTY CLAY
---------------	------------	---------------	------------

1. SAMPLE NUMBER	65-198-1	CONTINUED	5. SAMPLER TYPE	
2. LATITUDE			5. WATER DEPTH (m.)	
3. LONGITUDE			7. CORE LENGTH (m.)	
4. DATE (day, month, year)			8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3613	3614	3615	*
10. SUBSAMPLE DEPTH IN CORE (m.)	72-74	94-96	102-107	
11. LABORATORY NAME(S)	SY 4	SY 4	SY 4	
12. CORE				
13. NET DENSITY (lb./ft ³)				
14. RICHNESS (m)				
15. WEATHER PROSPECT (S)				
16. WEATHER PROSPECT (S)				
17. WATER CONTENT (S)				
18. ORGANIC CARBON CONTENT (S)				
19. SIZE ANALYSIS AND STATISTICAL MEASURES				
20. SUBSAMPLE DRY WEIGHT (m)	15.50	17.99	15.90	
21. SPECIFICITY (m)				
22. SUBSAMPLE (m)	High	High	High	
23. SUBSAMPLE (m)	41%	41%	41%	
24. DOMINANT MINERAL (S)				
25. SECONDARY MINERAL (S)				
26. OTHER MINERALS (S)				
27. REMARKS:	* Dark brown streaks.			

SEMI-WEIGHT	TYPE	SILTY CLAY	CLAYE SILT	SILT CLAY
-------------	------	------------	------------	-----------

1. SAMPLE NUMBER	66-199-1		5. SAMPLER TYPE	Kullenberg
2. LATITUDE	44°	05° N	5. WATER DEPTH (m.)	0.3
3. LONGITUDE	68°	57° 19' W	7. CORE LENGTH (m.)	114
4. DATE (day, month, year)			8. CORE PENETRATION (m.)	156
9. LABORATORY NUMBERS	800-taken	1959	3827	3828
10. SUBSAMPLE DEPTH IN CORE (m.)			88-94	46-48
11. LABORATORY NAME(S)				
12. CORE	Olive Gray	Olive Gray	Olive Gray	Olive Gray
13. NET DENSITY (lb./ft ³)	519.2	519.1	519.1	519.1
14. RICHNESS (m)				
15. WEATHER PROSPECT (S)				
16. WEATHER PROSPECT (S)				
17. WATER CONTENT (S)				
18. ORGANIC CARBON CONTENT (S)				
19. SIZE ANALYSIS AND STATISTICAL MEASURES				
20. SUBSAMPLE DRY WEIGHT (m)	3	3	3	3
21. SPECIFICITY (m)				
22. SUBSAMPLE (m)	8.81	8.81	8.81	8.81
23. SUBSAMPLE (m)	0.1, 7.30	0.1, 7.30	0.1, 7.30	0.1, 7.30
24. DOMINANT MINERAL (S)				
25. SECONDARY MINERAL (S)				
26. OTHER MINERALS (S)				
27. REMARKS:	Items 11-16 determined in the lab			

The first 17 inches and the last 2 inches contained dark streaks
color change at 98"

SEMI-WEIGHT	TYPE	CLAYE SILT	CLAYE SILT	CLAYE SILT
-------------	------	------------	------------	------------

1. SAMPLE NUMBER	66-492-1 continued	5. SAMPLER TYPE	
2. LATITUDE	44° 24' N	6. WATER DEPTH (m.)	7.0
3. LONGITUDE	68° 57' W	7. CORE LENGTH (m.)	12.9
4. DATE (day, month, year)	8 October 1959	8. CORE PENETRATION (m.)	15.6
9. LABORATORY NUMBERS	3873		
10. SUBSAMPLE DEPTH IN CORE (m.)	0-2		
11. COLOR	Grayish Olive Green 5B13.2		
12. DOOR			
13. NET DENSITY (lb./ft ³)			
14. RIGIDITY (cm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SITE ANALYSIS AND STATISTICAL MEASURES			
a. $\bar{x} \pm \sigma_2$ (s)			
b. $\bar{x} \pm \sigma_2$ to $-\bar{x}$ (s)			
c. $-\bar{x}$ to σ_2 (s)			
d. σ_2 to $+\bar{x}$ (s)			
e. $\bar{x}$ to $2\sigma_2$ (s)			
f. $2\sigma_2$ to $3\sigma_2$ (s)			
g. $3\sigma_2$ to $4\sigma_2$ (s)			
h. $4\sigma_2$ to $5\sigma_2$ (s)			
i. $5\sigma_2$ to $6\sigma_2$ (s)			
j. $6\sigma_2$ (s)			
20. SUBSAMPLE DRY WEIGHT (gm)			
21. SPHERICITY (avg)			
22. MINIMUM TEMP Plasticity			
23. MINIMUM TEMP Shell			
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS:			

Sediment type Clayey silt

1. SAMPLE NUMBER	66-200-1	5. SAMPLER TYPE	Kullenberg
2. LATITUDE	44° 24' N	6. WATER DEPTH (m.)	7.0
3. LONGITUDE	68° 57' W	7. CORE LENGTH (m.)	12.9
4. DATE (day, month, year)	8 October 1959	8. CORE PENETRATION (m.)	15.6
9. LABORATORY NUMBERS	3873		
10. SUBSAMPLE DEPTH IN CORE (m.)	0-2		
11. COLOR	Gray Green (5Y 4/2)		
12. DOOR			
13. NET DENSITY (lb./ft ³)			
14. RIGIDITY (cm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SITE ANALYSIS AND STATISTICAL MEASURES			
a. $\bar{x} \pm \sigma_2$ (s)			
b. $\bar{x} \pm \sigma_2$ to $-\bar{x}$ (s)			
c. $-\bar{x}$ to σ_2 (s)			
d. σ_2 to $+\bar{x}$ (s)			
e. $\bar{x}$ to $2\sigma_2$ (s)			
f. $2\sigma_2$ to $3\sigma_2$ (s)			
g. $3\sigma_2$ to $4\sigma_2$ (s)			
h. $4\sigma_2$ to $5\sigma_2$ (s)			
i. $5\sigma_2$ to $6\sigma_2$ (s)			
j. $6\sigma_2$ (s)			
20. SUBSAMPLE DRY WEIGHT (gm)			
21. SPHERICITY (avg)			
22. MINIMUM TEMP Plasticity			
23. MINIMUM TEMP Shell			
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS:			

TIPS 11-26 DETERMINED IN THE LAB.
THE CORE CONTAINED A BLACK MINERAL (MICROBIAL ORIGIN) AT 27 INCHES AND SOME MUDDY MINERAL AT 46 INCHES. SHELL SCATTERED THROUGHOUT CORE.

Sediment type Clayey silt

1. SAMPLE NUMBER	66-201-1: CONTINUED	5. SAMPLER TYPE	
2. LATITUDE		5. WATER DEPTH (m.)	
3. LONGITUDE		6. CORE LENGTH (m.)	
4. DATE (Day, month, year)		7. CORE PENETRATION (m.)	
8. LABORATORY NUMBER	3876	8. LABORATORY NUMBER	3877
9. SUBSAMPLE DEPTH IN CORE (In.)	9 1/2 - 12 1/2	9. SUBSAMPLE DEPTH IN CORE (In.)	
10. COLOR	Dark Greenish Gray (5.6 Y 4.5)	10. COLOR	Dark Greenish Gray (5.6 Y 4.5)
11. COLOR	Foul	11. COLOR	
12. DORR		12. DORR	
13. MET DENSITY (lb./ft ³)		13. MET DENSITY (lb./ft ³)	
14. RIGIDITY (cm)		14. RIGIDITY (cm)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES		19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. ϕ_{-20} (%)	0.0	a. ϕ_{-20} (%)	0.0
b. ϕ_{-40} (%)	0.0	b. ϕ_{-40} (%)	0.0
c. ϕ_{-60} (%)	0.0	c. ϕ_{-60} (%)	0.0
d. ϕ_{-80} (%)	0.0	d. ϕ_{-80} (%)	0.0
e. ϕ_{-100} (%)	0.0	e. ϕ_{-100} (%)	0.0
f. ϕ_{-200} (%)	0.0	f. ϕ_{-200} (%)	0.0
g. ϕ_{-400} (%)	0.0	g. ϕ_{-400} (%)	0.0
h. ϕ_{-600} (%)	0.0	h. ϕ_{-600} (%)	0.0
i. ϕ_{-800} (%)	0.0	i. ϕ_{-800} (%)	0.0
j. ϕ_{-1000} (%)	0.0	j. ϕ_{-1000} (%)	0.0
20. SUBSAMPLE DRY WEIGHT (gm)	25.62	20. SUBSAMPLE DRY WEIGHT (gm)	21.90
21. SPECIFIC GRAVITY	High	21. SPECIFIC GRAVITY	High
22. PLASTICITY (mm)	High	22. PLASTICITY (mm)	High
23. LIQUID LIMIT (mm)	0	23. LIQUID LIMIT (mm)	0
24. SHrinkage (mm)	0	24. SHrinkage (mm)	0
25. SECONDARY MINERAL (%)		25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS		27. REMARKS	
CLAYEY SILT		CLAYEY SILT	

1. SAMPLE NUMBER	66-201-1	5. SAMPLER TYPE	KULLENBERG
2. LATITUDE	44° 25'	5. WATER DEPTH (m.)	60
3. LONGITUDE	57° 09' W	6. CORE LENGTH (m.)	68
4. DATE (Day, month, year)	8 October 1959	7. CORE PENETRATION (m.)	72
8. LABORATORY NUMBER	3513	8. LABORATORY NUMBER	3514
9. SUBSAMPLE DEPTH IN CORE (In.)	0-3	9. SUBSAMPLE DEPTH IN CORE (In.)	3-5
10. COLOR	OLIVE GRAY (5 Y 4.1)	10. COLOR	OLIVE GRAY (5 Y 4.1)
11. COLOR		11. COLOR	OLIVE GRAY (5 Y 4.1)
12. DORR		12. DORR	
13. MET DENSITY (lb./ft ³)		13. MET DENSITY (lb./ft ³)	
14. RIGIDITY (cm)		14. RIGIDITY (cm)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES		19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. ϕ_{-20} (%)	2	a. ϕ_{-20} (%)	2
b. ϕ_{-40} (%)	2	b. ϕ_{-40} (%)	2
c. ϕ_{-60} (%)	1	c. ϕ_{-60} (%)	1
d. ϕ_{-80} (%)	2	d. ϕ_{-80} (%)	2
e. ϕ_{-100} (%)	2	e. ϕ_{-100} (%)	2
f. ϕ_{-200} (%)	3	f. ϕ_{-200} (%)	3
g. ϕ_{-400} (%)	3	g. ϕ_{-400} (%)	3
h. ϕ_{-600} (%)	8	h. ϕ_{-600} (%)	8
i. ϕ_{-800} (%)	40	i. ϕ_{-800} (%)	40
j. ϕ_{-1000} (%)	38	j. ϕ_{-1000} (%)	38
20. SUBSAMPLE DRY WEIGHT (gm)	1827	20. SUBSAMPLE DRY WEIGHT (gm)	1999
21. SPECIFIC GRAVITY	Med.	21. SPECIFIC GRAVITY	Med.
22. PLASTICITY (mm)	Med.	22. PLASTICITY (mm)	Med.
23. LIQUID LIMIT (mm)	0	23. LIQUID LIMIT (mm)	0
24. SHrinkage (mm)	0	24. SHrinkage (mm)	0
25. SECONDARY MINERAL (%)		25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS		27. REMARKS	
CLAYEY SILT		CLAYEY SILT	

ITEMS 11-26 DETERMINED IN THE LAB.
0-3" clayey silt, high water content.
3 1/2" sandy silt + clay layer of greenish silt + pebbles at 20 1/2 - 21"

1. SAMPLE NUMBER	66-201-1 CONTINUED	2. LATITUDE	44° 22' N	3. LONGITUDE	68° 55' W	4. DATE	8 October 1959	5. SAMPLE TYPE	Kullenberg
6. WATER DEPTH (m.)	16.9	7. CORE LENGTH (m.)	121	8. CORE NUMBER	144	9. LABORATORY NUMBERS	4048	10. LABORATORY RESULTS	4048
11. COLOR	Olive Gray	12. WEIGHT (lb./ft ³)	12.14	13. WET DENSITY (lb./ft ³)	12.14	14. PLASTICITY (%)	0-2	15. NATURAL POROSITY (%)	40.49
16. MINIMUM POROSITY (%)	40.49	17. WATER CONTENT (%)	51.41	18. ORGANIC CARBON CONTENT (%)	51.41	19. SIZE ANALYSIS AND STATISTICAL MEASURES	51.41	20. REMARKS	Olive Gray
21. REMARKS	Dark streaks in the first 5 inches.								
22. REMARKS	Dark streaks in the first 5 inches.								
23. REMARKS	Dark streaks in the first 5 inches.								
24. REMARKS	Dark streaks in the first 5 inches.								
25. REMARKS	Dark streaks in the first 5 inches.								
26. REMARKS	Dark streaks in the first 5 inches.								
27. REMARKS	Dark streaks in the first 5 inches.								
28. REMARKS	Dark streaks in the first 5 inches.								
29. REMARKS	Dark streaks in the first 5 inches.								
30. REMARKS	Dark streaks in the first 5 inches.								
31. REMARKS	Dark streaks in the first 5 inches.								
32. REMARKS	Dark streaks in the first 5 inches.								
33. REMARKS	Dark streaks in the first 5 inches.								
34. REMARKS	Dark streaks in the first 5 inches.								
35. REMARKS	Dark streaks in the first 5 inches.								
36. REMARKS	Dark streaks in the first 5 inches.								
37. REMARKS	Dark streaks in the first 5 inches.								
38. REMARKS	Dark streaks in the first 5 inches.								
39. REMARKS	Dark streaks in the first 5 inches.								
40. REMARKS	Dark streaks in the first 5 inches.								
41. REMARKS	Dark streaks in the first 5 inches.								
42. REMARKS	Dark streaks in the first 5 inches.								
43. REMARKS	Dark streaks in the first 5 inches.								
44. REMARKS	Dark streaks in the first 5 inches.								
45. REMARKS	Dark streaks in the first 5 inches.								
46. REMARKS	Dark streaks in the first 5 inches.								
47. REMARKS	Dark streaks in the first 5 inches.								
48. REMARKS	Dark streaks in the first 5 inches.								
49. REMARKS	Dark streaks in the first 5 inches.								
50. REMARKS	Dark streaks in the first 5 inches.								
51. REMARKS	Dark streaks in the first 5 inches.								
52. REMARKS	Dark streaks in the first 5 inches.								
53. REMARKS	Dark streaks in the first 5 inches.								
54. REMARKS	Dark streaks in the first 5 inches.								
55. REMARKS	Dark streaks in the first 5 inches.								
56. REMARKS	Dark streaks in the first 5 inches.								
57. REMARKS	Dark streaks in the first 5 inches.								
58. REMARKS	Dark streaks in the first 5 inches.								
59. REMARKS	Dark streaks in the first 5 inches.								
60. REMARKS	Dark streaks in the first 5 inches.								
61. REMARKS	Dark streaks in the first 5 inches.								
62. REMARKS	Dark streaks in the first 5 inches.								
63. REMARKS	Dark streaks in the first 5 inches.								
64. REMARKS	Dark streaks in the first 5 inches.								
65. REMARKS	Dark streaks in the first 5 inches.								
66. REMARKS	Dark streaks in the first 5 inches.								
67. REMARKS	Dark streaks in the first 5 inches.								
68. REMARKS	Dark streaks in the first 5 inches.								
69. REMARKS	Dark streaks in the first 5 inches.								
70. REMARKS	Dark streaks in the first 5 inches.								
71. REMARKS	Dark streaks in the first 5 inches.								
72. REMARKS	Dark streaks in the first 5 inches.								
73. REMARKS	Dark streaks in the first 5 inches.								
74. REMARKS	Dark streaks in the first 5 inches.								
75. REMARKS	Dark streaks in the first 5 inches.								
76. REMARKS	Dark streaks in the first 5 inches.								
77. REMARKS	Dark streaks in the first 5 inches.								
78. REMARKS	Dark streaks in the first 5 inches.								
79. REMARKS	Dark streaks in the first 5 inches.								
80. REMARKS	Dark streaks in the first 5 inches.								
81. REMARKS	Dark streaks in the first 5 inches.								
82. REMARKS	Dark streaks in the first 5 inches.								
83. REMARKS	Dark streaks in the first 5 inches.								
84. REMARKS	Dark streaks in the first 5 inches.								
85. REMARKS	Dark streaks in the first 5 inches.								
86. REMARKS	Dark streaks in the first 5 inches.								
87. REMARKS	Dark streaks in the first 5 inches.								
88. REMARKS	Dark streaks in the first 5 inches.								
89. REMARKS	Dark streaks in the first 5 inches.								
90. REMARKS	Dark streaks in the first 5 inches.								
91. REMARKS	Dark streaks in the first 5 inches.								
92. REMARKS	Dark streaks in the first 5 inches.								
93. REMARKS	Dark streaks in the first 5 inches.								
94. REMARKS	Dark streaks in the first 5 inches.								
95. REMARKS	Dark streaks in the first 5 inches.								
96. REMARKS	Dark streaks in the first 5 inches.								
97. REMARKS	Dark streaks in the first 5 inches.								
98. REMARKS	Dark streaks in the first 5 inches.								
99. REMARKS	Dark streaks in the first 5 inches.								
100. REMARKS	Dark streaks in the first 5 inches.								

1. SAMPLE NUMBER	50-202-1 continued	5. SAMPLER TYPE	
2. LATITUDE		6. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (Day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	4152	4053	4055
10. SUBSAMPLER DEPTH IN CORE (m.)	70-72	94-96	119-121
11. COLOR	Olive Gray 514/1	Olive Gray 514/1	Olive Gray 514/1
12. ODR			
13. WET DENSITY (kg./ft ³)			
14. RESIDUE (%)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SITE ANALYSIS AND STATISTICAL MEASURES			
20. SUBSAMPLER DRY WEIGHT (gm)	688	1404	885
21. SPECIFIC GRAVITY	High	High	High
22. MINIMUM POROSITY Plasticity	High	High	High
23. MINIMUM POROSITY Shell Content	0	0	0
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS			

ITEMS 11-26 DETERMINED IN THE LAB.

THE CORE CONTAINED DARK STREAMS FROM 0'-8" AND 10'-125" AND A DARK layer (1" thick) AT 97" shell scattered throughout core.

Sediment Type	Silty Clay	Clayey Silt	Clayey Silt	Clayey Silt
---------------	------------	-------------	-------------	-------------

1. SAMPLE NUMBER	66-203-1	5. SAMPLER TYPE	KALEBERG
2. LATITUDE	44 23 23 N	6. WATER DEPTH (m.)	22.8
3. LONGITUDE	68 55 28 W	7. CORE LENGTH (m.)	125
4. DATE (Day, month, year)	8 October 1959	8. CORE PENETRATION (m.)	184
9. LABORATORY NUMBERS	3567	3568	3569
10. SUBSAMPLER DEPTH IN CORE (m.)	0-2	6-8	8-10
11. COLOR	OLIVE GRAY* (5Y 4/1)	OLIVE GRAY* (5Y 4/1)	OLIVE GRAY (5Y 4/1)
12. ODR	FOUL	FOUL	
13. WET DENSITY (kg./ft ³)			
14. RESIDUE (%)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SITE ANALYSIS AND STATISTICAL MEASURES			
20. SUBSAMPLER DRY WEIGHT (gm)	1363	2021	1322
21. SPECIFIC GRAVITY	High	High	High
22. MINIMUM POROSITY Plasticity	High	High	High
23. MINIMUM POROSITY Shell Content	0	0	0
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS			

ITEMS 11-26 DETERMINED IN THE LAB.

THE CORE CONTAINED DARK STREAMS FROM 0'-8" AND 10'-125" AND A DARK layer (1" thick) AT 97" shell scattered throughout core.

Sediment Type	Clayey Silt	Silty Clay	Silty Clay	Clayey Silt
---------------	-------------	------------	------------	-------------

1. SAMPLE NUMBER	66-203-1	CONTINUED	5. SAMPLER TYPE	
2. LATITUDE			6. WATER DEPTH (m.)	
3. LONGITUDE			7. CORE LENGTH (m.)	
4. DATE (day, month, year)			8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3571	3572	3573	3574
10. SUBSAMPLE DEPTH IN CORE (m.)	66-68	68-70	70-79	97-98
11. COLOR	OLIVE GRAY (5Y 4/1)	GRAYISH OLIVE (5B 1/2)	OLIVE GRAY (5Y 4/1)	OLIVE GRAY (5Y 4/1)
12. GORR				
13. WET DENSITY (lb./ft ³)				
14. RIGIDNESS (mm)				
15. MAXIMUM POROSITY (%)				
16. MINIMUM POROSITY (%)				
17. WATER CONTENT (%)				
18. ORGANIC CARBON CONTENT (%)				
19. SIZE ANALYSIS AND STATISTICAL MEASURES				
a. $\sum_{i=1}^n x_i^2$ (%)	10 _p	10 _p	10 _p	10 _p
b. $\sum_{i=1}^n x_i$ to -1_x (%)	5 _p	5 _p	5 _p	5 _p
c. $\sum_{i=1}^n x_i$ to 0_x (%)	4 _p	4 _p	4 _p	4 _p
d. 0_x to 1_x (%)	0 _p	0 _p	0 _p	0 _p
e. 1_x to 2_x (%)	0 _p	0 _p	0 _p	0 _p
f. 2_x to 3_x (%)				
g. 3_x to 4_x (%)				
h. 4_x to 5_x (%)	9	10	11	13
i. 5_x to 6_x (%)	37	38	37	37
j. $> 6_x$ (%)	52	52	50	49
20. SUBSAMPLE DRY WEIGHT (gm)	20.39	11.83	20.03	26.47
21. SPECIFICITY (exp.)				
22. MINERALOGY Plasticity	High	High	High	High
23. MINERALOGY Whellans	0	0	0	0
24. DOMINANT MINERAL (%)				
25. SECONDARY MINERALS (%)				
26. OTHER MINERALS (%)				
27. REMARKS:	Color changes at 68', 77',			

SEDIMENT TYPE	SILTY CLAY	SILTY CLAY	SILTY CLAY	CLAYEY SILT
---------------	------------	------------	------------	-------------

1. SAMPLE NUMBER	66-203-1	CONTINUED	5. SAMPLER TYPE	
2. LATITUDE			6. WATER DEPTH (m.)	
3. LONGITUDE			7. CORE LENGTH (m.)	
4. DATE (day, month, year)			8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS		3575		
10. SUBSAMPLE DEPTH IN CORE (m.)		123-125		
11. COLOR		OLIVE GRAY (5Y 4/1)		
12. GORR		FOUL		
13. WET DENSITY (lb./ft ³)				
14. RIGIDNESS (mm)				
15. MAXIMUM POROSITY (%)				
16. MINIMUM POROSITY (%)				
17. WATER CONTENT (%)				
18. ORGANIC CARBON CONTENT (%)				
19. SIZE ANALYSIS AND STATISTICAL MEASURES				
a. $\sum_{i=1}^n x_i^2$ (%)	10 _p	10 _p	10 _p	10 _p
b. $\sum_{i=1}^n x_i$ to -1_x (%)	5 _p	5 _p	5 _p	5 _p
c. $\sum_{i=1}^n x_i$ to 0_x (%)	4 _p	4 _p	4 _p	4 _p
d. 0_x to 1_x (%)	0 _p	0 _p	0 _p	0 _p
e. 1_x to 2_x (%)	0 _p	0 _p	0 _p	0 _p
f. 2_x to 3_x (%)				
g. 3_x to 4_x (%)				
h. 4_x to 5_x (%)	15			
i. 5_x to 6_x (%)	36			
j. $> 6_x$ (%)	47			
20. SUBSAMPLE DRY WEIGHT (gm)		12.57		
21. SPECIFICITY (exp.)				
22. MINERALOGY Plasticity		High		
23. MINERALOGY Whellans		0		
24. DOMINANT MINERAL (%)				
25. SECONDARY MINERALS (%)				
26. OTHER MINERALS (%)				
27. REMARKS:				

SEDIMENT TYPE	CLAYEY SILT
---------------	-------------

1. SAMPLE NUMBER	66-204-1				5. SAMPLER TYPE	KULLENBERG			
2. LATITUDE	44	24	03	N	6. WATER DEPTH (m.)	119.5			
3. LONGITUDE	68	55	30	W	7. CORE LENGTH (in.)	120			
4. DATE (day, month, year)	8 October 1959				8. CORE PENETRATION (in.)	132			
9. LABORATORY NUMBERS	3661 *				9. LABORATORY NUMBERS	3662			
10. SUBSAMPLE DEPTH IN CORE (in.)	0-2				10. SUBSAMPLE DEPTH IN CORE (in.)	30-32			
11. COLOR	OLIVE GRAY (5Y 4/1)				11. COLOR	BROWNISH OLIVE (5Y 3/2)			
12. ODR					12. ODR				
13. WET DENSITY (lb./ft ³)					13. WET DENSITY (lb./ft ³)				
14. RIGIDNESS (mm)					14. RIGIDNESS (mm)				
15. MAXIMUM POROSITY (%)					15. MAXIMUM POROSITY (%)				
16. MINIMUM POROSITY (%)					16. MINIMUM POROSITY (%)				
17. WATER CONTENT (%)					17. WATER CONTENT (%)				
18. ORGANIC CARBON CONTENT (%)					18. ORGANIC CARBON CONTENT (%)				
19. SIZE ANALYSIS AND STATISTICAL MEASURES									
a. -2 _s (%)		0.9 _s		0.9 _s	b. -2 _s (%)		0.9 _s		0.9 _s
b. -2 _s to -1 _s (%)		58 _s		58 _s	c. -1 _s to 0 _s (%)		58 _s		58 _s
d. 0 _s to 1 _s (%)		41 _s		41 _s	e. 1 _s to 2 _s (%)		41 _s		41 _s
f. 2 _s to 3 _s (%)		7		7	g. 3 _s to 4 _s (%)		9		9
h. 4 _s to 5 _s (%)		41		41	i. 5 _s to 6 _s (%)		42		41
j. 6 _s (%)		51		51	k. > 9 _s (%)		47		47
20. SUBSAMPLE DRY WEIGHT (gm)	1847				20. SUBSAMPLE DRY WEIGHT (gm)	2358			
21. SPECIFICITY (avg.)	High				21. SPECIFICITY (avg.)	High			
22. SUBSAMPLE DEPTH (in.)	119.5				22. SUBSAMPLE DEPTH (in.)	119.5			
23. SUBSAMPLE DEPTH (in.)	119.5				23. SUBSAMPLE DEPTH (in.)	119.5			
24. SUBSAMPLER MINERAL (%)	0				24. SUBSAMPLER MINERAL (%)	0			
25. SECONDARY MINERAL (%)					25. SECONDARY MINERAL (%)				
26. OTHER MINERALS (%)					26. OTHER MINERALS (%)				
27. REMARKS	ITEMS 11-26 DETERMINED IN THE LAB				27. REMARKS				

* THE SAMPLE CONTAINED DARK STREAKS. THE SOIL WAS NOT UNIFORM.

SEDIMENT TYPE	SILT CLAY	CLAYEY SILT	CLAYEY SILT
---------------	-----------	-------------	-------------

1. SAMPLE NUMBER	66-204-1 CONTINUED				5. SAMPLER TYPE				
2. LATITUDE					6. WATER DEPTH (m.)				
3. LONGITUDE					7. CORE LENGTH (in.)				
4. DATE (Day, month, year)					8. CORE PENETRATION (in.)				
9. LABORATORY NUMBERS	3665				9. LABORATORY NUMBERS	3666			
10. SUBSAMPLE DEPTH IN CORE (in.)	92-94				10. SUBSAMPLE DEPTH IN CORE (in.)	118-120			
11. COLOR	OLIVE GRAY (5Y 3/2)				11. COLOR	OLIVE GRAY (5Y 3/2)			
12. ODR					12. ODR				
13. WET DENSITY (lb./ft ³)					13. WET DENSITY (lb./ft ³)				
14. RIGIDNESS (mm)					14. RIGIDNESS (mm)				
15. MAXIMUM POROSITY (%)					15. MAXIMUM POROSITY (%)				
16. MINIMUM POROSITY (%)					16. MINIMUM POROSITY (%)				
17. WATER CONTENT (%)					17. WATER CONTENT (%)				
18. ORGANIC CARBON CONTENT (%)					18. ORGANIC CARBON CONTENT (%)				
19. SIZE ANALYSIS AND STATISTICAL MEASURES									
a. < 2 _s (%)		0.9 _s		0.9 _s	b. -2 _s to 1 _s (%)		58 _s		58 _s
c. -1 _s to 0 _s (%)		8.90		9.48	d. 0 _s to 1 _s (%)		41 _s		41 _s
e. 1 _s to 2 _s (%)		7.33		7.21	f. 2 _s to 3 _s (%)		0.9 _s		0.9 _s
g. 3 _s to 4 _s (%)		1		1.00	h. 4 _s to 5 _s (%)				
i. 5 _s to 6 _s (%)					j. 6 _s to 7 _s (%)				
k. 7 _s to 8 _s (%)					l. 8 _s to 9 _s (%)				
m. > 9 _s (%)					n. > 9 _s (%)				
20. SUBSAMPLE DRY WEIGHT (gm)	30.88				20. SUBSAMPLE DRY WEIGHT (gm)	23.48			
21. SPECIFICITY (avg.)	High				21. SPECIFICITY (avg.)	High			
22. SUBSAMPLE DEPTH (in.)	0				22. SUBSAMPLE DEPTH (in.)	118			
23. SUBSAMPLE DEPTH (in.)	0				23. SUBSAMPLE DEPTH (in.)	118			
24. DOMINANT MINERAL (%)					24. DOMINANT MINERAL (%)				
25. SECONDARY MINERAL (%)					25. SECONDARY MINERAL (%)				
26. OTHER MINERALS (%)					26. OTHER MINERALS (%)				
27. REMARKS:									

SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT
---------------	-------------	-------------

1. SAMPLE NUMBER	66-205-1	5. SAMPLE TYPE	Killenberg
2. LATITUDE	44° 24' N	5. WATER DEPTH (m.)	11.2
3. LONGITUDE	68° 55' W	7. CORE LENGTH (m.)	11.6
4. DATE (day, month, year)	8 October 1959	8. CORE PENETRATION (m.)	132
5. LABORATORY NUMBERS	3844	9. LABORATORY NUMBERS	3846
10. SUBSAMPLE DEPTH IN CORE (m.)	0-2	10. SUBSAMPLE DEPTH IN CORE (m.)	82-84
11. COLOR	Olive Gray 5341	11. COLOR	Olive Gray 5341
12. 0004		12. 0004	
13. WET DENSITY (lb./ft. ³)		13. WET DENSITY (lb./ft. ³)	
14. RIGIDITY (mm)		14. RIGIDITY (mm)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES		19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < -2 _φ (%)	00 _φ	a. < -2 _φ (%)	00 _φ
b. -2 _φ to -1 _φ (%)	58 _φ	b. -2 _φ to -1 _φ (%)	58 _φ
c. -1 _φ to 0 _φ (%)	40 _φ	c. -1 _φ to 0 _φ (%)	40 _φ
d. 0 _φ to 1 _φ (%)	01 _φ	d. 0 _φ to 1 _φ (%)	01 _φ
e. 1 _φ to 2 _φ (%)	03 _φ	e. 1 _φ to 2 _φ (%)	03 _φ
f. 2 _φ to 3 _φ (%)		f. 2 _φ to 3 _φ (%)	
g. 3 _φ to 4 _φ (%)		g. 3 _φ to 4 _φ (%)	
h. 4 _φ to 5 _φ (%)	6	h. 4 _φ to 5 _φ (%)	6
i. 5 _φ to 6 _φ (%)	42	i. 5 _φ to 6 _φ (%)	42
j. > 6 _φ (%)	51	j. > 6 _φ (%)	48
20. SUBSAMPLE DRY WEIGHT (mg)	16.22	20. SUBSAMPLE DRY WEIGHT (mg)	22.76
21. SPHERICITY (avg)		21. SPHERICITY (avg)	
22. MINIMUM TO MAXIMUM Plasticity	High	22. MINIMUM TO MAXIMUM Plasticity	High
23. MINIMUM TO MAXIMUM Shell Con.	0	23. MINIMUM TO MAXIMUM Shell Con.	< 1%
24. INSTANT MINERAL (%)		24. INSTANT MINERAL (%)	
25. SECONDARY MINERAL (%)		25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS:		27. REMARKS:	

Items 11-26 determined in the lab
The core contained dark streaks in the first 7 inches and the last 2 inches.
Shell scattered throughout core.
100-109. unconsolidated brown mud.

Sediment Type	Silty Clay	Clayey Silt	Clayey Silt
---------------	------------	-------------	-------------

1. SAMPLE NUMBER	66-205-1, continued	5. SAMPLE TYPE	
2. LATITUDE		5. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
5. LABORATORY NUMBERS	3848	9. LABORATORY NUMBERS	3849
10. SUBSAMPLE DEPTH IN CORE (m.)	90-92	10. SUBSAMPLE DEPTH IN CORE (m.)	114-116
11. COLOR	Dark Greenish Gray 5353 1/2	11. COLOR	Dark Greenish Gray 5353 1/2
12. 0004		12. 0004	
13. WET DENSITY (lb./ft. ³)		13. WET DENSITY (lb./ft. ³)	
14. RIGIDITY (mm)		14. RIGIDITY (mm)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES		19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < -2 _φ (%)	00 _φ	a. < -2 _φ (%)	00 _φ
b. -2 _φ to -1 _φ (%)	58 _φ	b. -2 _φ to -1 _φ (%)	58 _φ
c. -1 _φ to 0 _φ (%)	40 _φ	c. -1 _φ to 0 _φ (%)	40 _φ
d. 0 _φ to 1 _φ (%)	01 _φ	d. 0 _φ to 1 _φ (%)	01 _φ
e. 1 _φ to 2 _φ (%)	03 _φ	e. 1 _φ to 2 _φ (%)	03 _φ
f. 2 _φ to 3 _φ (%)		f. 2 _φ to 3 _φ (%)	
g. 3 _φ to 4 _φ (%)		g. 3 _φ to 4 _φ (%)	
h. 4 _φ to 5 _φ (%)	8	h. 4 _φ to 5 _φ (%)	8
i. 5 _φ to 6 _φ (%)	45	i. 5 _φ to 6 _φ (%)	45
j. > 6 _φ (%)	47	j. > 6 _φ (%)	49
20. SUBSAMPLE DRY WEIGHT (mg)	22.33	20. SUBSAMPLE DRY WEIGHT (mg)	20.41
21. SPHERICITY (avg)		21. SPHERICITY (avg)	
22. MINIMUM TO MAXIMUM Plasticity	High	22. MINIMUM TO MAXIMUM Plasticity	High
23. MINIMUM TO MAXIMUM Shell Con.	< 1%	23. MINIMUM TO MAXIMUM Shell Con.	< 1%
24. INSTANT MINERAL (%)		24. INSTANT MINERAL (%)	
25. SECONDARY MINERAL (%)		25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS:		27. REMARKS:	

Sediment Type	Clayey Silt	Clayey Silt
---------------	-------------	-------------

1. SAMPLE NUMBER	66-208-1	8. SAMPLER TYPE	Kullenberg
2. LATITUDE	44° 25' 18" N	9. WATER DEPTH (m.)	9.8
3. LONGITUDE	68° 55' 26" W	10. CORE LENGTH (m.)	13.2
4. DATE (Day, month, year)	8 October 1959	11. CORE PENETRATION (m.)	13.2
5. LABORATORY NUMBERS	4015	12. CORE DEPTH (m.)	4017
6. SUBSAMPLE DEPTH IN CORE (m.)	0-2	13. CORE PENETRATION (m.)	48-50
11. COLOR	Olive Gray 513/2	14. LABORATORY NUMBERS	Olive Gray 514/1
12. COLOR		15. LABORATORY NUMBERS	Olive Gray 514/1
13. WET DENSITY (lb./ft. ³)		16. LABORATORY NUMBERS	
14. RIGIDNESS (cm)		17. LABORATORY NUMBERS	
15. MAXIMUM POROSITY (%)		18. LABORATORY NUMBERS	
16. MINIMUM POROSITY (%)		19. LABORATORY NUMBERS	
17. WATER CONTENT (%)		20. LABORATORY NUMBERS	
18. ORGANIC CARBON CONTENT (%)		21. LABORATORY NUMBERS	
19. SITE ANALYSIS AND STATISTICAL MEASURES		22. LABORATORY NUMBERS	
a. $\bar{x} \pm 2s$ (%)		23. LABORATORY NUMBERS	
b. $\bar{x} \pm 2s$ to $-1s$ (%)		24. LABORATORY NUMBERS	
c. $-1s$ to $0s$ (%)		25. LABORATORY NUMBERS	
d. $0s$ to $1s$ (%)		26. LABORATORY NUMBERS	
e. $1s$ to $2s$ (%)		27. LABORATORY NUMBERS	
f. $2s$ to $3s$ (%)		28. LABORATORY NUMBERS	
g. $3s$ to $4s$ (%)		29. LABORATORY NUMBERS	
h. $4s$ to $5s$ (%)		30. LABORATORY NUMBERS	
i. $5s$ to $6s$ (%)		31. LABORATORY NUMBERS	
j. $6s$ to $7s$ (%)		32. LABORATORY NUMBERS	
k. $7s$ to $8s$ (%)		33. LABORATORY NUMBERS	
l. $8s$ to $9s$ (%)		34. LABORATORY NUMBERS	
m. $9s$ to $10s$ (%)		35. LABORATORY NUMBERS	
n. $10s$ to $11s$ (%)		36. LABORATORY NUMBERS	
o. $11s$ to $12s$ (%)		37. LABORATORY NUMBERS	
p. $12s$ to $13s$ (%)		38. LABORATORY NUMBERS	
q. $13s$ to $14s$ (%)		39. LABORATORY NUMBERS	
r. $14s$ to $15s$ (%)		40. LABORATORY NUMBERS	
s. $15s$ to $16s$ (%)		41. LABORATORY NUMBERS	
t. $16s$ to $17s$ (%)		42. LABORATORY NUMBERS	
u. $17s$ to $18s$ (%)		43. LABORATORY NUMBERS	
v. $18s$ to $19s$ (%)		44. LABORATORY NUMBERS	
w. $19s$ to $20s$ (%)		45. LABORATORY NUMBERS	
x. $20s$ to $21s$ (%)		46. LABORATORY NUMBERS	
y. $21s$ to $22s$ (%)		47. LABORATORY NUMBERS	
z. $22s$ to $23s$ (%)		48. LABORATORY NUMBERS	
aa. $23s$ to $24s$ (%)		49. LABORATORY NUMBERS	
ab. $24s$ to $25s$ (%)		50. LABORATORY NUMBERS	
ac. $25s$ to $26s$ (%)		51. LABORATORY NUMBERS	
ad. $26s$ to $27s$ (%)		52. LABORATORY NUMBERS	
ae. $27s$ to $28s$ (%)		53. LABORATORY NUMBERS	
af. $28s$ to $29s$ (%)		54. LABORATORY NUMBERS	
ag. $29s$ to $30s$ (%)		55. LABORATORY NUMBERS	
ah. $30s$ to $31s$ (%)		56. LABORATORY NUMBERS	
ai. $31s$ to $32s$ (%)		57. LABORATORY NUMBERS	
aj. $32s$ to $33s$ (%)		58. LABORATORY NUMBERS	
ak. $33s$ to $34s$ (%)		59. LABORATORY NUMBERS	
al. $34s$ to $35s$ (%)		60. LABORATORY NUMBERS	
am. $35s$ to $36s$ (%)		61. LABORATORY NUMBERS	
an. $36s$ to $37s$ (%)		62. LABORATORY NUMBERS	
ao. $37s$ to $38s$ (%)		63. LABORATORY NUMBERS	
ap. $38s$ to $39s$ (%)		64. LABORATORY NUMBERS	
aq. $39s$ to $40s$ (%)		65. LABORATORY NUMBERS	
ar. $40s$ to $41s$ (%)		66. LABORATORY NUMBERS	
as. $41s$ to $42s$ (%)		67. LABORATORY NUMBERS	
at. $42s$ to $43s$ (%)		68. LABORATORY NUMBERS	
au. $43s$ to $44s$ (%)		69. LABORATORY NUMBERS	
av. $44s$ to $45s$ (%)		70. LABORATORY NUMBERS	
aw. $45s$ to $46s$ (%)		71. LABORATORY NUMBERS	
ax. $46s$ to $47s$ (%)		72. LABORATORY NUMBERS	
ay. $47s$ to $48s$ (%)		73. LABORATORY NUMBERS	
az. $48s$ to $49s$ (%)		74. LABORATORY NUMBERS	
ba. $49s$ to $50s$ (%)		75. LABORATORY NUMBERS	
bb. $50s$ to $51s$ (%)		76. LABORATORY NUMBERS	
bc. $51s$ to $52s$ (%)		77. LABORATORY NUMBERS	
bd. $52s$ to $53s$ (%)		78. LABORATORY NUMBERS	
be. $53s$ to $54s$ (%)		79. LABORATORY NUMBERS	
bf. $54s$ to $55s$ (%)		80. LABORATORY NUMBERS	
bg. $55s$ to $56s$ (%)		81. LABORATORY NUMBERS	
bh. $56s$ to $57s$ (%)		82. LABORATORY NUMBERS	
bi. $57s$ to $58s$ (%)		83. LABORATORY NUMBERS	
bj. $58s$ to $59s$ (%)		84. LABORATORY NUMBERS	
bk. $59s$ to $60s$ (%)		85. LABORATORY NUMBERS	
bl. $60s$ to $61s$ (%)		86. LABORATORY NUMBERS	
bm. $61s$ to $62s$ (%)		87. LABORATORY NUMBERS	
bn. $62s$ to $63s$ (%)		88. LABORATORY NUMBERS	
bo. $63s$ to $64s$ (%)		89. LABORATORY NUMBERS	
bp. $64s$ to $65s$ (%)		90. LABORATORY NUMBERS	
bq. $65s$ to $66s$ (%)		91. LABORATORY NUMBERS	
br. $66s$ to $67s$ (%)		92. LABORATORY NUMBERS	
bs. $67s$ to $68s$ (%)		93. LABORATORY NUMBERS	
bt. $68s$ to $69s$ (%)		94. LABORATORY NUMBERS	
bu. $69s$ to $70s$ (%)		95. LABORATORY NUMBERS	
bv. $70s$ to $71s$ (%)		96. LABORATORY NUMBERS	
bw. $71s$ to $72s$ (%)		97. LABORATORY NUMBERS	
bx. $72s$ to $73s$ (%)		98. LABORATORY NUMBERS	
by. $73s$ to $74s$ (%)		99. LABORATORY NUMBERS	
bz. $74s$ to $75s$ (%)		100. LABORATORY NUMBERS	

REMARKS: Thomas 11-20 meter mixed in the lab. Shell scattered throughout the core. Dark streaks in the first six inches and between 34 and 37 inches. Slight changes of color at 92 and 118 inches.

1. SAMPLE NUMBER	66-206-1 continued	5. SAMPLER TYPE	
2. LATITUDE		6. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (Day, month, year)		8. CORE PENETRATION (m.)	
5. LABORATORY NUMBERS	4019	9. CORE DEPTH (m.)	4021
10. SUBSAMPLE DEPTH IN CORE (m.)	78-74	10. CORE DEPTH (m.)	180-182
11. COLOR	Olive Gray 514/1	11. COLOR	Grayish Olive Green 513/2
12. COLOR		12. COLOR	
13. WET DENSITY (lb./ft. ³)		13. WET DENSITY (lb./ft. ³)	
14. RIGIDNESS (cm)		14. RIGIDNESS (cm)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SITE ANALYSIS AND STATISTICAL MEASURES		19. SITE ANALYSIS AND STATISTICAL MEASURES	
a. $\bar{x} \pm 2s$ (%)		a. $\bar{x} \pm 2s$ (%)	
b. $\bar{x} \pm 2s$ to $-1s$ (%)		b. $\bar{x} \pm 2s$ to $-1s$ (%)	
c. $-1s$ to $0s$ (%)		c. $-1s$ to $0s$ (%)	
d. $0s$ to $1s$ (%)		d. $0s$ to $1s$ (%)	
e. $1s$ to $2s$ (%)		e. $1s$ to $2s$ (%)	
f. $2s$ to $3s$ (%)		f. $2s$ to $3s$ (%)	
g. $3s$ to $4s$ (%)		g. $3s$ to $4s$ (%)	
h. $4s$ to $5s$ (%)		h. $4s$ to $5s$ (%)	
i. $5s$ to $6s$ (%)		i. $5s$ to $6s$ (%)	
j. $6s$ to $7s$ (%)		j. $6s$ to $7s$ (%)	
k. $7s$ to $8s$ (%)		k. $7s$ to $8s$ (%)	
l. $8s$ to $9s$ (%)		l. $8s$ to $9s$ (%)	
m. $9s$ to $10s$ (%)		m. $9s$ to $10s$ (%)	
n. $10s$ to $11s$ (%)		n. $10s$ to $11s$ (%)	
o. $11s$ to $12s$ (%)		o. $11s$ to $12s$ (%)	
p. $12s$ to $13s$ (%)		p. $12s$ to $13s$ (%)	
q. $13s$ to $14s$ (%)		q. $13s$ to $14s$ (%)	
r. $14s$ to $15s$ (%)		r. $14s$ to $15s$ (%)	
s. $15s$ to $16s$ (%)		s. $15s$ to $16s$ (%)	
t. $16s$ to $17s$ (%)		t. $16s$ to $17s$ (%)	
u. $17s$ to $18s$ (%)		u. $17s$ to $18s$ (%)	
v. $18s$ to $19s$ (%)		v. $18s$ to $19s$ (%)	
w. $19s$ to $20s$ (%)		w. $19s$ to $20s$ (%)	
x. $20s$ to $21s$ (%)		x. $20s$ to $21s$ (%)	
y. $21s$ to $22s$ (%)		y. $21s$ to $22s$ (%)	
z. $22s$ to $23s$ (%)		z. $22s$ to $23s$ (%)	
aa. $23s$ to $24s$ (%)		aa. $23s$ to $24s$ (%)	
ab. $24s$ to $25s$ (%)		ab. $24s$ to $25s$ (%)	
ac. $25s$ to $26s$ (%)		ac. $25s$ to $26s$ (%)	
ad. $26s$ to $27s$ (%)		ad. $26s$ to $27s$ (%)	
ae. $27s$ to $28s$ (%)		ae. $27s$ to $28s$ (%)	
af. $28s$ to $29s$ (%)		af. $28s$ to $29s$ (%)	
ag. $29s$ to $30s$ (%)		ag. $29s$ to $30s$ (%)	
ah. $30s$ to $31s$ (%)		ah. $30s$ to $31s$ (%)	
ai. $31s$ to $32s$ (%)		ai. $31s$ to $32s$ (%)	
aj. $32s$ to $33s$ (%)		aj. $32s$ to $33s$ (%)	
ak. $33s$ to $34s$ (%)		ak. $33s$ to $34s$ (%)	
al. $34s$ to $35s$ (%)		al. $34s$ to $35s$ (%)	
am. $35s$ to $36s$ (%)		am. $35s$ to $36s$ (%)	
an. $36s$ to $37s$ (%)		an. $36s$ to $37s$ (%)	
ao. $37s$ to $38s$ (%)		ao. $37s$ to $38s$ (%)	
ap. $38s$ to $39s$ (%)		ap. $38s$ to $39s$ (%)	
aq. $39s$ to $40s$ (%)		aq. $39s$ to $40s$ (%)	
ar. $40s$ to $41s$ (%)		ar. $40s$ to $41s$ (%)	
as. $41s$ to $42s$ (%)		as. $41s$ to $42s$ (%)	
at. $42s$ to $43s$ (%)		at. $42s$ to $43s$ (%)	
au. $43s$ to $44s$ (%)		au. $43s$ to $44s$ (%)	
av. $44s$ to $45s$ (%)		av. $44s$ to $45s$ (%)	
aw. $45s$ to $46s$ (%)		aw. $45s$ to $46s$ (%)	
ax. $46s$ to $47s$ (%)		ax. $46s$ to $47s$ (%)	
ay. $47s$ to $48s$ (%)		ay. $47s$ to $48s$ (%)	
az. $48s$ to $49s$ (%)		az. $48s$ to $49s$ (%)	
ba. $49s$ to $50s$ (%)		ba. $49s$ to $50s$ (%)	
bb. $50s$ to $51s$ (%)		bb. $50s$ to $51s$ (%)	
bc. $51s$ to $52s$ (%)		bc. $51s$ to $52s$ (%)	
bd. $52s$ to $53s$ (%)		bd. $52s$ to $53s$ (%)	
be. $53s$ to $54s$ (%)		be. $53s$ to $54s$ (%)	
bf. $54s$ to $55s$ (%)		bf. $54s$ to $55s$ (%)	
bg. $55s$ to $56s$ (%)		bg. $55s$ to $56s$ (%)	
bh. $56s$ to $57s$ (%)		bh. $56s$ to $57s$ (%)	
bi. $57s$ to $58s$ (%)		bi. $57s$ to $58s$ (%)	
bj. $58s$ to $59s$ (%)		bj. $58s$ to $59s$ (%)	
bk. $59s$ to $60s$ (%)		bk. $59s$ to $60s$ (%)	
bl. $60s$ to $61s$ (%)		bl. $60s$ to $61s$ (%)	
bm. $61s$ to $62s$ (%)		bm. $61s$ to $62s$ (%)	
bn. $62s$ to $63s$ (%)		bn. $62s$ to $63s$ (%)	
bo. $63s$ to $64s$ (%)		bo. $63s$ to $64s$ (%)	
bp. $64s$ to $65s$ (%)		bp. $64s$ to $65s$ (%)	
bq. $65s$ to $66s$ (%)		bq. $65s$ to $66s$ (%)	
br. $66s$ to $67s$ (%)		br. $66s$ to $67s$ (%)	
bs. $67s$ to $68s$ (%)		bs. $67s$ to $68s$ (%)	
bt. $68s$ to $69s$ (%)		bt. $68s$ to $69s$ (%)	
bu. $69s$ to $70s$ (%)		bu. $69s$ to $70s$ (%)	
bv. $70s$ to $71s$ (%)		bv. $70s$ to $71s$ (%)	
bw. $71s$ to $72s$ (%)		bw. $71s$ to $72s$ (%)	
bx. $72s$ to $73s$ (%)		bx. $72s$ to $73s$ (%)	
by. $73s$ to $74s$ (%)		by. $73s$ to $74s$ (%)	
bz. $74s$ to $75s$ (%)		bz. $74s$ to $75s$ (%)	

REMARKS: Continued

Sediment Type	Silty Clay	Silty Clay	Silty Clay
---------------	------------	------------	------------

1. SAMPLE NUMBER	66-207-1	5. SAMPLER TYPE	KULLENBERG
2. LATITUDE	44 25 20 N	6. WATER DEPTH (m.)	9.2
3. LONGITUDE	68 53 43 W	7. CORE LENGTH (m.)	109
4. DATE (day, month, year)	8 October 1959	8. CORE PENETRATION (m.)	144
9. LABORATORY NUMBERS	3616 *	3617	3618
10. SUSPENSE DEPTH IN CORE (m.)	0-2	4-6	6-8
11. COLOR	Dark Greenish (5.0-4.1)	Dark Green (5.0-4.1)	Dark Green (5.0-4.1)
12. D008			
13. WET DENSITY (lb./ft ³)			
14. RIGIDNESS (mm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. ϕ -2 ₅ (%)	3	0 ₂	0 ₂
b. -2 ₅ to +1 ₄ (%)	3	3 ₄	3 ₄
c. -1 ₄ to 0 ₄ (%)	84.980	84.9	84.9
d. 0 ₄ to 1 ₄ (%)	1	0 ₁	0 ₁
e. 1 ₄ to 2 ₅ (%)	1	0 ₂	1
f. 2 ₅ to 3 ₄ (%)	1	1	1
g. 3 ₄ to 4 ₄ (%)	7	8	6
h. 4 ₄ to 5 ₄ (%)	42	40	39
i. 5 ₄ to 6 ₄ (%)	50	47	46
j. > 6 ₄ (%)	16.93	17.47	15.51
20. SUBSAMPLE DRY WEIGHT (gm)			
21. SPECIFIC (D ₂₅)	High	High	High
22. PLASTICITY (D ₂₅)	High	High	High
23. SHALLOO-TEXTURE-TOO-Well Co.	<1%	<1%	<1%
24. INFLUENT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS:			

THE CODE CONTAINED ONE LARGE FRAME (1/8" x 1/8" x 1/8") 200-200000 AT 86", WHICH WAS ANALYZED WITH A HIGH PERCENTAGE OF PLASTIC, ONE ALSO, AND QUARTZ. * LABORATORY SAMPLES

SEDIMENT TYPE	Silty Clay	Clayey Silty	Clayey Silty
---------------	------------	--------------	--------------

1. SAMPLE NUMBER	66-207-1	5. SAMPLER TYPE	CHANDLER
2. LATITUDE		6. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3620	3621	3622
10. SUSPENSE DEPTH IN CORE (m.)	24-26	48-48	48-52
11. COLOR	Dark Gray (5.0-4.1)	Dark Gray (5.0-4.1)	Dark Gray (5.0-4.1)
12. D008			
13. WET DENSITY (lb./ft ³)			
14. RIGIDNESS (mm)			
15. MAXIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. ϕ -2 ₅ (%)	3	0 ₂	11
b. -2 ₅ to +1 ₄ (%)	3	3 ₄	3
c. -1 ₄ to 0 ₄ (%)	5	84.980	4
d. 0 ₄ to 1 ₄ (%)	6	0 ₁	4
e. 1 ₄ to 2 ₅ (%)	6	0 ₂	5
f. 2 ₅ to 3 ₄ (%)	3	4	5
g. 3 ₄ to 4 ₄ (%)	1	2	3
h. 4 ₄ to 5 ₄ (%)	6	8	6
i. 5 ₄ to 6 ₄ (%)	32	33	26
j. > 6 ₄ (%)	39	44	32
20. SUBSAMPLE DRY WEIGHT (gm)	19.18	12.29	16.18
21. SPECIFIC (D ₂₅)	High	High	Mod
22. PLASTICITY (D ₂₅)	High	High	Mod
23. SHALLOO-TEXTURE-TOO-Well Co.	>1%	>1%	0
24. INFLUENT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS:			

0-6" Dark layers
0-52" silt clay, sandy at bottom
24-26" Broken shell.

SEDIMENT TYPE	Clayey Mud	Clayey Silty	Silty Clay
---------------	------------	--------------	------------

1. SAMPLE NUMBER	66-217-1	CONTAMINATED	5. SAMPLER TYPE	
2. LATITUDE			5. WATER DEPTH (m.)	
3. LONGITUDE			7. CORE LENGTH (m.)	
4. DATE (day, month, year)			8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3624	3625	3626	3627
10. DISPERSE DEPTH IN CORE (m.)	61-63	79-75	75-77	83-86.5
11. COLOR	Dark Gray (SV 41)	Dark Gray (SV 41)	Dark Gray (SV 41)	Dark Gray (SV 41)
12. DOOR				
13. NET DENSITY (lb./ft ³)				
14. RIGIDNESS (cm)				
15. MAXIMUM POROSITY (%)				
16. MINIMUM POROSITY (%)				
17. WATER CONTENT (%)				
18. ORGANIC CARBON CONTENT (%)				
19. SITE ANALYSIS AND STATISTICAL MEASURES				
20. DISPERSE DEPTH IN CORE (m.)	17	10	10	8
21. SPECIFIC (g./cc.)	1.02, 4.23	1.02, 3.12	1.02, 3.12	1.02, 3.12
22. PLASTICITY (%)	7	7	7	7
23. PLASTICITY (%)	5	5	5	5
24. PLASTICITY (%)	6	6	6	6
25. PLASTICITY (%)	9	9	9	9
26. PLASTICITY (%)	9	9	9	9
27. PLASTICITY (%)	9	9	9	9
28. PLASTICITY (%)	9	9	9	9
29. PLASTICITY (%)	9	9	9	9
30. PLASTICITY (%)	9	9	9	9
31. PLASTICITY (%)	9	9	9	9
32. PLASTICITY (%)	9	9	9	9
33. PLASTICITY (%)	9	9	9	9
34. PLASTICITY (%)	9	9	9	9
35. PLASTICITY (%)	9	9	9	9
36. PLASTICITY (%)	9	9	9	9
37. PLASTICITY (%)	9	9	9	9
38. PLASTICITY (%)	9	9	9	9
39. PLASTICITY (%)	9	9	9	9
40. PLASTICITY (%)	9	9	9	9
41. PLASTICITY (%)	9	9	9	9
42. PLASTICITY (%)	9	9	9	9
43. PLASTICITY (%)	9	9	9	9
44. PLASTICITY (%)	9	9	9	9
45. PLASTICITY (%)	9	9	9	9
46. PLASTICITY (%)	9	9	9	9
47. PLASTICITY (%)	9	9	9	9
48. PLASTICITY (%)	9	9	9	9
49. PLASTICITY (%)	9	9	9	9
50. PLASTICITY (%)	9	9	9	9
51. PLASTICITY (%)	9	9	9	9
52. PLASTICITY (%)	9	9	9	9
53. PLASTICITY (%)	9	9	9	9
54. PLASTICITY (%)	9	9	9	9
55. PLASTICITY (%)	9	9	9	9
56. PLASTICITY (%)	9	9	9	9
57. PLASTICITY (%)	9	9	9	9
58. PLASTICITY (%)	9	9	9	9
59. PLASTICITY (%)	9	9	9	9
60. PLASTICITY (%)	9	9	9	9
61. PLASTICITY (%)	9	9	9	9
62. PLASTICITY (%)	9	9	9	9
63. PLASTICITY (%)	9	9	9	9
64. PLASTICITY (%)	9	9	9	9
65. PLASTICITY (%)	9	9	9	9
66. PLASTICITY (%)	9	9	9	9
67. PLASTICITY (%)	9	9	9	9
68. PLASTICITY (%)	9	9	9	9
69. PLASTICITY (%)	9	9	9	9
70. PLASTICITY (%)	9	9	9	9
71. PLASTICITY (%)	9	9	9	9
72. PLASTICITY (%)	9	9	9	9
73. PLASTICITY (%)	9	9	9	9
74. PLASTICITY (%)	9	9	9	9
75. PLASTICITY (%)	9	9	9	9
76. PLASTICITY (%)	9	9	9	9
77. PLASTICITY (%)	9	9	9	9
78. PLASTICITY (%)	9	9	9	9
79. PLASTICITY (%)	9	9	9	9
80. PLASTICITY (%)	9	9	9	9
81. PLASTICITY (%)	9	9	9	9
82. PLASTICITY (%)	9	9	9	9
83. PLASTICITY (%)	9	9	9	9
84. PLASTICITY (%)	9	9	9	9
85. PLASTICITY (%)	9	9	9	9
86. PLASTICITY (%)	9	9	9	9
87. PLASTICITY (%)	9	9	9	9
88. PLASTICITY (%)	9	9	9	9
89. PLASTICITY (%)	9	9	9	9
90. PLASTICITY (%)	9	9	9	9
91. PLASTICITY (%)	9	9	9	9
92. PLASTICITY (%)	9	9	9	9
93. PLASTICITY (%)	9	9	9	9
94. PLASTICITY (%)	9	9	9	9
95. PLASTICITY (%)	9	9	9	9
96. PLASTICITY (%)	9	9	9	9
97. PLASTICITY (%)	9	9	9	9
98. PLASTICITY (%)	9	9	9	9
99. PLASTICITY (%)	9	9	9	9
100. PLASTICITY (%)	9	9	9	9

52-75" Silty sand, shell
75-109" Silty sand, dark layers 109-109"
75-87 Muddy - sticky

SWAMP AND WITH 10% PERCENTS	SWAMP AND WITH 10% PERCENTS	SWAMP AND WITH 10% PERCENTS	SWAMP AND WITH 10% PERCENTS
SEDIMENT TYPE	SEDIMENT TYPE	SEDIMENT TYPE	SEDIMENT TYPE

1. SAMPLE NUMBER	66-217-1	CONTAMINATED	5. SAMPLER TYPE	
2. LATITUDE			5. WATER DEPTH (m.)	
3. LONGITUDE			7. CORE LENGTH (m.)	
4. DATE (day, month, year)			8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3628	3629	3630	
10. DISPERSE DEPTH IN CORE (m.)	85.5-87	87-89	107-109	
11. COLOR	Dark Gray (SV 41)	Dark Gray (SV 41)	Dark Gray (SV 41)	
12. DOOR				
13. NET DENSITY (lb./ft ³)				
14. RIGIDNESS (cm)				
15. MAXIMUM POROSITY (%)				
16. MINIMUM POROSITY (%)				
17. WATER CONTENT (%)				
18. ORGANIC CARBON CONTENT (%)				
19. SITE ANALYSIS AND STATISTICAL MEASURES				
20. DISPERSE DEPTH IN CORE (m.)	4	4	4	4
21. SPECIFIC (g./cc.)	1.02, 4.23	1.02, 3.12	1.02, 3.12	1.02, 3.12
22. PLASTICITY (%)	7	7	7	7
23. PLASTICITY (%)	5	5	5	5
24. PLASTICITY (%)	6	6	6	6
25. PLASTICITY (%)	9	9	9	9
26. PLASTICITY (%)	9	9	9	9
27. PLASTICITY (%)	9	9	9	9
28. PLASTICITY (%)	9	9	9	9
29. PLASTICITY (%)	9	9	9	9
30. PLASTICITY (%)	9	9	9	9
31. PLASTICITY (%)	9	9	9	9
32. PLASTICITY (%)	9	9	9	9
33. PLASTICITY (%)	9	9	9	9
34. PLASTICITY (%)	9	9	9	9
35. PLASTICITY (%)	9	9	9	9
36. PLASTICITY (%)	9	9	9	9
37. PLASTICITY (%)	9	9	9	9
38. PLASTICITY (%)	9	9	9	9
39. PLASTICITY (%)	9	9	9	9
40. PLASTICITY (%)	9	9	9	9
41. PLASTICITY (%)	9	9	9	9
42. PLASTICITY (%)	9	9	9	9
43. PLASTICITY (%)	9	9	9	9
44. PLASTICITY (%)	9	9	9	9
45. PLASTICITY (%)	9	9	9	9
46. PLASTICITY (%)	9	9	9	9
47. PLASTICITY (%)	9	9	9	9
48. PLASTICITY (%)	9	9	9	9
49. PLASTICITY (%)	9	9	9	9
50. PLASTICITY (%)	9	9	9	9
51. PLASTICITY (%)	9	9	9	9
52. PLASTICITY (%)	9	9	9	9
53. PLASTICITY (%)	9	9	9	9
54. PLASTICITY (%)	9	9	9	9
55. PLASTICITY (%)	9	9	9	9
56. PLASTICITY (%)	9	9	9	9
57. PLASTICITY (%)	9	9	9	9
58. PLASTICITY (%)	9	9	9	9
59. PLASTICITY (%)	9	9	9	9
60. PLASTICITY (%)	9	9	9	9
61. PLASTICITY (%)	9	9	9	9
62. PLASTICITY (%)	9	9	9	9
63. PLASTICITY (%)	9	9	9	9
64. PLASTICITY (%)	9	9	9	9
65. PLASTICITY (%)	9	9	9	9
66. PLASTICITY (%)	9	9	9	9
67. PLASTICITY (%)	9	9	9	9
68. PLASTICITY (%)	9	9	9	9
69. PLASTICITY (%)	9	9	9	9
70. PLASTICITY (%)	9	9	9	9
71. PLASTICITY (%)	9	9	9	9
72. PLASTICITY (%)	9	9	9	9
73. PLASTICITY (%)	9	9	9	9
74. PLASTICITY (%)	9	9	9	9
75. PLASTICITY (%)	9	9	9	9
76. PLASTICITY (%)	9	9	9	9
77. PLASTICITY (%)	9	9	9	9
78. PLASTICITY (%)	9	9	9	9
79. PLASTICITY (%)	9	9	9	9
80. PLASTICITY (%)	9	9	9	9
81. PLASTICITY (%)	9	9	9	9
82. PLASTICITY (%)	9	9	9	9
83. PLASTICITY (%)	9	9	9	9
84. PLASTICITY (%)	9	9	9	9
85. PLASTICITY (%)	9	9	9	9
86. PLASTICITY (%)	9	9	9	9
87. PLASTICITY (%)	9	9	9	9
88. PLASTICITY (%)	9	9	9	9
89. PLASTICITY (%)	9	9	9	9
90. PLASTICITY (%)	9	9	9	9
91. PLASTICITY (%)	9	9	9	9
92. PLASTICITY (%)	9	9	9	9
93. PLASTICITY (%)	9	9	9	9
94. PLASTICITY (%)	9	9	9	9
95. PLASTICITY (%)	9	9	9	9
96. PLASTICITY (%)	9	9	9	9
97. PLASTICITY (%)	9	9	9	9
98. PLASTICITY (%)	9	9	9	9
99. PLASTICITY (%)	9	9	9	9
100. PLASTICITY (%)	9	9	9	9

52-75" Silty sand, shell
75-109" Silty sand, dark layers 109-109"
75-87 Muddy - sticky

SWAMP AND WITH 10% PERCENTS	SWAMP AND WITH 10% PERCENTS	SWAMP AND WITH 10% PERCENTS	SWAMP AND WITH 10% PERCENTS
SEDIMENT TYPE	SEDIMENT TYPE	SEDIMENT TYPE	SEDIMENT TYPE

1. SAMPLE NUMBER	66-200-1	5. SAMPLER TYPE	Kullenberg
2. LATITUDE	44 24 N	6. WATER DEPTH (m.)	97
3. LONGITUDE	68 53 W	7. CORE LENGTH (cm.)	125
8. DATE (Day, month, year)	8 October 1959	8. CORE PRESERVATION (%)	100
9. LABORATORY NUMBERS	3810	9.3811	3812
10. SUBSAMPLE DEPTH IN CORE (cm.)	0-2	22-24	28-32
11. COLOR	Olive Gray 554/1	Dore Yellowish Gray 10R5/4	Olive Gray 554/1
12. DOOR			
13. MET DENSITY (lb./ft. ³)			
14. RICH/DENSE (mm)			
15. MAXIMUM PROBABILITY (%)			
16. MEDIUM PROBABILITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. < -2 _φ (%)	2	10 ₂	10 ₃
b. -2 _φ to -1 _φ (%)	2	5 ₂	5 ₃
c. -1 _φ to 0 _φ (%)	2	Md. 2.03	Md. 2.02
d. 0 _φ to 1 _φ (%)	3	0 ₁ , 5.68	0 ₁ , 6.86
e. 1 _φ to 2 _φ (%)	3	10 ₃	10 ₃
f. 2 _φ to 3 _φ (%)	3	1	73
g. 3 _φ to 4 _φ (%)	2		1
h. 4 _φ to 5 _φ (%)	10	8	12
i. 5 _φ to 6 _φ (%)	34	42	40
j. > 6 _φ (%)	39	49	44
20. SUBSAMPLE DRY WEIGHT (mg)	23.17	29.24	17.66
21. SPECIFIC GRAVITY			25.61
22. SPECIFIC GRAVITY Plasticity	H _{gh}	H _{gh}	H _{gh}
23. SHREDDED-FIBROUS Shell Cn.	0	0	0
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS:	Items 11-26 determined in the lab		
	The core contained numerous granules and pebbles between 30 and 82 inches. The first 6 inches contained dark streaks.		
BEDIMENT TYPE	Clayey silt	Clayey silt	Clayey silt

REMARKS: Items 11-26 determined in the lab

[illegible]

0-82" Clayey Silt, 0-6" Black layers.
Slight color changes at 9" & 50"
Pebbles becoming numerous at
50"

1. SAMPLE NUMBER	66-106-1 continued	5. SAMPLER TYPE	
2. LATITUDE	44° 23' N	6. WATER DEPTH (m.)	
3. LONGITUDE	68° 53' W	7. CORE LENGTH (m.)	
4. DATE (day, month, year)	8 October 1959	8. CORE PENETRATION (m.)	60
9. LABORATORY NUMBERS	3493		
10. SUBSAMPLE DEPTH IN CORE (m.)	101-104		
11. COLOR	Olive Gray 5Y4/1		
12. ODOR			
13. WET DENSITY (lb./ft ³)			
14. RIGIDITY (mm)			
15. WATSHAM POROSITY (%)			
16. WATSHAM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. < 2 ₅ (%)	14	0 ₂₅	
b. 2 ₅ to 4 ₄ (%)	1	5 ₄	
c. 4 ₄ to 6 ₂ (%)	1	ME: 5.65	
d. 6 ₂ to 1 ₀ (%)	0.5	0 ₁₀	
e. 1 ₀ to 2 ₀ (%)	3	0 ₂₀	
f. 2 ₀ to 3 ₀ (%)			
g. 3 ₀ to 4 ₀ (%)			
h. 4 ₀ to 6 ₀ (%)	10		
i. 6 ₀ to 8 ₀ (%)	23		
j. 8 ₀ to 100 (%)	3.9		
20. SUBSAMPLE DRY WEIGHT (gm)	58.40	21.3	
21. SPECIFIC GRAVITY			
22. SUBSAMPLING (mm)	Plasticity		
23. SURFACE TEXTURE (mm)	Shall Co.		
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS:	82-88" blue, pebbly 5Y4 88-92" blue clay 92-97" silt and blue clay 97-101" silt and blue clay 101-106" 5Y4 olive gray.		
Sediment Type	Clayey Silt	Clayey Silt	Sandy Mud

1. SAMPLE NUMBER	66-106-1	5. SAMPLER TYPE	Kullenberg
2. LATITUDE	44° 23' N	6. WATER DEPTH (m.)	9.2
3. LONGITUDE	68° 53' W	7. CORE LENGTH (m.)	65
4. DATE (day, month, year)	8 October 1959	8. CORE PENETRATION (m.)	60
9. LABORATORY NUMBERS	3493		
10. SUBSAMPLE DEPTH IN CORE (m.)	12-14		
11. COLOR	Olive Gray 5Y4/1		
12. ODOR			
13. WET DENSITY (lb./ft ³)			
14. RIGIDITY (mm)			
15. WATSHAM POROSITY (%)			
16. WATSHAM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. < 2 ₅ (%)	4	0 ₂₅	2
b. 2 ₅ to 4 ₄ (%)		5 ₄	2
c. 4 ₄ to 6 ₂ (%)	1	ME: 8.33	3
d. 6 ₂ to 1 ₀ (%)	0.5	0 ₁₀	4
e. 1 ₀ to 2 ₀ (%)	3	0 ₂₀	4
f. 2 ₀ to 3 ₀ (%)	1		5
g. 3 ₀ to 4 ₀ (%)	2		5
h. 4 ₀ to 6 ₀ (%)	2		10
i. 6 ₀ to 8 ₀ (%)	9		13
j. 8 ₀ to 100 (%)	40		36
20. SUBSAMPLE DRY WEIGHT (gm)	49		41
21. SPECIFIC GRAVITY	28.85		26.55
22. SUBSAMPLING (mm)	Plasticity		High
23. SURFACE TEXTURE (mm)	Shall Co.		0
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS:	Heavy items piece determined in the lab. Dredge material Soft, plastic, brown clay with dark streaks of the top 0-23 Nine four granules 33-36 Silt, clay, bluish-green clay		
Sediment Type	Clayey Silt	Clayey Silt	Sandy Mud

1. SAMPLE NUMBER	66-210-1	5. SAMPLER TYPE	KULLENBERG
2. LATITUDE	44° 25' 02" N	6. WATER DEPTH (m.)	90
3. LONGITUDE	68° 52' 02" W	7. CORE LENGTH (m.)	119
4. DATE (day, month, year)	8 October 1959	8. CORE PENETRATION (m.)	144
9. LABORATORY NUMBERS	3691	9. LABORATORY NUMBERS	3692
10. SUBSAMPLE DEPTH IN CORE (m.)	0-2	10. SUBSAMPLE DEPTH IN CORE (m.)	36-60
11. COLOR	Grayish Olive Green (5.6V 3.6)	11. COLOR	Grayish Olive Green (5.6V 3.6)
12. ODR		12. ODR	
13. WET DENSITY (lb./ft ³)		13. WET DENSITY (lb./ft ³)	
14. RIGIDITY (mm)		14. RIGIDITY (mm)	
15. MATHSON POROSITY (%)		15. MATHSON POROSITY (%)	
16. MATHSON POROSITY (%)		16. MATHSON POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. -2 ₁ (%)	100	b. -2 ₁ (%)	100
b. -2 ₁ to -2 ₂ (%)	100	b. -2 ₁ to -2 ₂ (%)	100
c. -2 ₂ to -2 ₃ (%)	100	c. -2 ₂ to -2 ₃ (%)	100
d. -2 ₃ to -2 ₄ (%)	100	d. -2 ₃ to -2 ₄ (%)	100
e. -2 ₄ to -2 ₅ (%)	100	e. -2 ₄ to -2 ₅ (%)	100
f. -2 ₅ to -2 ₆ (%)	100	f. -2 ₅ to -2 ₆ (%)	100
g. -2 ₆ to -2 ₇ (%)	100	g. -2 ₆ to -2 ₇ (%)	100
h. -2 ₇ to -2 ₈ (%)	100	h. -2 ₇ to -2 ₈ (%)	100
i. -2 ₈ to -2 ₉ (%)	100	i. -2 ₈ to -2 ₉ (%)	100
j. -2 ₉ (%)	100	j. -2 ₉ (%)	100
20. SUBSAMPLE DRY WEIGHT (gm)	19.87	20. SUBSAMPLE DRY WEIGHT (gm)	28.34
21. SPECIFIC (app.)	High	21. SPECIFIC (app.)	High
22. Plasticity Plasticity	High	22. Plasticity Plasticity	High
23. Plasticity Plasticity	High	23. Plasticity Plasticity	High
24. 200-Mesh Wt. %	44	24. 200-Mesh Wt. %	44
25. SECONDARY MINERAL (%)		25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS: ITEMS 1-10 DETERMINED IN THE LAB			

Scattered shell and worm burrows throughout core.
0-2" Black layers

SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT
---------------	-------------	-------------	-------------

1. SAMPLE NUMBER	66-210-1; CONTINUED	5. SAMPLER TYPE	
2. LATITUDE		6. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3695	9. LABORATORY NUMBERS	3696
10. SUBSAMPLE DEPTH IN CORE (m.)	82-84	10. SUBSAMPLE DEPTH IN CORE (m.)	117-119
11. COLOR	Grayish Olive Green (5.6V 3.6)	11. COLOR	Grayish Olive Green (5.6V 3.6)
12. ODR		12. ODR	
13. WET DENSITY (lb./ft ³)		13. WET DENSITY (lb./ft ³)	
14. RIGIDITY (mm)		14. RIGIDITY (mm)	
15. MATHSON POROSITY (%)		15. MATHSON POROSITY (%)	
16. MATHSON POROSITY (%)		16. MATHSON POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. -2 ₁ (%)	100	b. -2 ₁ (%)	100
b. -2 ₁ to -2 ₂ (%)	100	b. -2 ₁ to -2 ₂ (%)	100
c. -2 ₂ to -2 ₃ (%)	100	c. -2 ₂ to -2 ₃ (%)	100
d. -2 ₃ to -2 ₄ (%)	100	d. -2 ₃ to -2 ₄ (%)	100
e. -2 ₄ to -2 ₅ (%)	100	e. -2 ₄ to -2 ₅ (%)	100
f. -2 ₅ to -2 ₆ (%)	100	f. -2 ₅ to -2 ₆ (%)	100
g. -2 ₆ to -2 ₇ (%)	100	g. -2 ₆ to -2 ₇ (%)	100
h. -2 ₇ to -2 ₈ (%)	100	h. -2 ₇ to -2 ₈ (%)	100
i. -2 ₈ to -2 ₉ (%)	100	i. -2 ₈ to -2 ₉ (%)	100
j. -2 ₉ (%)	100	j. -2 ₉ (%)	100
20. SUBSAMPLE DRY WEIGHT (gm)	21.5	20. SUBSAMPLE DRY WEIGHT (gm)	21.92
21. SPECIFIC (app.)	High	21. SPECIFIC (app.)	High
22. Plasticity Plasticity	High	22. Plasticity Plasticity	High
23. Plasticity Plasticity	High	23. Plasticity Plasticity	High
24. 200-Mesh Wt. %	42	24. 200-Mesh Wt. %	42
25. SECONDARY MINERAL (%)		25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS:			

SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT
---------------	-------------	-------------	-------------

1. SAMPLE NUMBER	60-211-1	5. SAMPLER TYPE	KULLENBERG
2. LATITUDE	44 25 22 N	6. WATER DEPTH (m.)	8.7
3. LONGITUDE	68 49 58 W	7. CORE LENGTH (m.)	94
4. DATE (Day, month, year)	8 OCTOBER 1959	8. CORE PENETRATION (m.)	120
9. LABORATORY NUMBERS	3405	9. LABORATORY NUMBERS	3406
10. SUBSAMPLE DEPTH IN CORE (m.)	0-2	10. SUBSAMPLE DEPTH IN CORE (m.)	36-40
11. COLOR	DARK GREENISH GRAY (5GY 4/1)	11. COLOR	DARK GREENISH GRAY (5GY 4/1)
12. ODR		12. ODR	
13. WET DENSITY (lb./ft ³)		13. WET DENSITY (lb./ft ³)	
14. RIGIDITY (mm)		14. RIGIDITY (mm)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SITE ANALYSIS AND STATISTICAL MEASURES			
a. < 2, (s)	0.2	0.2	0.2
b. 2 to 10, (s)	3.4	3.4	3.4
c. 10 to 60, (s)	1	1	1
d. 60 to 250, (s)	0.647	0.1	0.1
e. 250 to 1000, (s)	0.01	0.01	0.01
f. 1000 to 2500, (s)	0.01	0.01	0.01
g. 2500 to 5000, (s)	1	1	1
h. 5000 to 10000, (s)	17	17	17
i. 10000 to 25000, (s)	27	27	27
j. 25000 to 50000, (s)	70	70	70
k. 50000 to 100000, (s)	43	43	43
20. SUBSAMPLE DRY WEIGHT (gm)	16.46	20. SUBSAMPLE DRY WEIGHT (gm)	
21. SPECIFICITY (avg.)	Med	21. SPECIFICITY (avg.)	Med
22. ROUGHNESS (avg.)	Plasticity	22. ROUGHNESS (avg.)	Low
23. SURFACE TEXTURE (avg.)	< 1.8	23. SURFACE TEXTURE (avg.)	0
24. DOMINANT MINERAL (%)		24. DOMINANT MINERAL (%)	0
25. SECONDARY MINERAL (%)		25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS:			
0-40" Silty clay becoming sandy toward bottom. Some "very sandy" layers. Open worm burrows and scattered shell fragments. Very silty layers at 59-60". Brown sandy lumps at 79". Large piece of wood at 94". Lower portion of core possibly - and somewhat disturbed.			
28. SEGMENT TYPE			
Silty Clay			

1. SAMPLE NUMBER	60-211-1	5. SAMPLER TYPE	
2. LATITUDE		6. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (Day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3409	9. LABORATORY NUMBERS	
10. SUBSAMPLE DEPTH IN CORE (m.)	60-62	10. SUBSAMPLE DEPTH IN CORE (m.)	
11. COLOR	OLIVE GRAY (5Y 4/1)	11. COLOR	
12. ODR		12. ODR	
13. WET DENSITY (lb./ft ³)		13. WET DENSITY (lb./ft ³)	
14. RIGIDITY (mm)		14. RIGIDITY (mm)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SITE ANALYSIS AND STATISTICAL MEASURES			
a. < 2, (s)	0.2	0.2	0.2
b. 2 to 10, (s)	3.4	3.4	3.4
c. 10 to 60, (s)	1	1	1
d. 60 to 250, (s)	0.1	0.1	0.1
e. 250 to 1000, (s)	0.01	0.01	0.01
f. 1000 to 2500, (s)	0.01	0.01	0.01
g. 2500 to 5000, (s)			
h. 5000 to 10000, (s)			
i. 10000 to 25000, (s)			
j. 25000 to 50000, (s)			
k. 50000 to 100000, (s)			
20. SUBSAMPLE DRY WEIGHT (gm)		20. SUBSAMPLE DRY WEIGHT (gm)	
21. SPECIFICITY (avg.)		21. SPECIFICITY (avg.)	
22. ROUGHNESS (avg.)		22. ROUGHNESS (avg.)	
23. SURFACE TEXTURE (avg.)		23. SURFACE TEXTURE (avg.)	
24. DOMINANT MINERAL (%)		24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)		25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS:			
28. SEGMENT TYPE			

1. SAMPLE NUMBER	66-212-1	5. SAMPLER TYPE	KYLEBERG
2. LATITUDE	44 24 09 N	6. WATER DEPTH (m.)	9.5
3. LONGITUDE	68 49 57 W	7. CORE LENGTH (m.)	121
4. DATE (Day, month, year)	18 OCTOBER 1959	8. CORE PENETRATION (m.)	156
9. LABORATORY NUMBER	3554	9. LABORATORY NUMBER	3555
10. SUBSAMPLE DEPTH IN CORE (m.)	0-2	10. SUBSAMPLE DEPTH IN CORE (m.)	3556
11. COLOR	OLIVE GRAY (5Y 3/2)	11. COLOR	OLIVE GRAY (5Y 3/2)
12. ODR		12. ODR	
13. WET DENSITY (lb./ft ³)		13. WET DENSITY (lb./ft ³)	
14. RIGIDNESS (cm)		14. RIGIDNESS (cm)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES		19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 ₅ (%)	00 ₂	a. < 2 ₅ (%)	00 ₂
b. 2 ₅ to 4 ₄ (%)	3 ₂	b. 2 ₅ to 4 ₄ (%)	3 ₂
c. 4 ₄ to 6 ₂ (%)	874	c. 4 ₄ to 6 ₂ (%)	867
d. 6 ₂ to 1 ₂ (%)	01	d. 6 ₂ to 1 ₂ (%)	01
e. 1 ₂ to 2 ₅ (%)	03 ₂	e. 1 ₂ to 2 ₅ (%)	03 ₂
f. 2 ₅ to 3 ₂ (%)		f. 2 ₅ to 3 ₂ (%)	
g. 3 ₂ to 4 ₄ (%)		g. 3 ₂ to 4 ₄ (%)	
h. 4 ₄ to 6 ₂ (%)	11	h. 4 ₄ to 6 ₂ (%)	12
i. 6 ₂ to 9 ₂ (%)	42	i. 6 ₂ to 9 ₂ (%)	40
j. > 9 ₂ (%)	45	j. > 9 ₂ (%)	47
20. SUBSAMPLE DRY WEIGHT (gm)	22.67	20. SUBSAMPLE DRY WEIGHT (gm)	21.90
21. SPECIFIC (avg.)		21. SPECIFIC (avg.)	
22. MINIMUM POROSITY Plasticity	High	22. MINIMUM POROSITY Plasticity	High
23. ORGANIC CARBON CONTENT % Organic	0	23. ORGANIC CARBON CONTENT % Organic	0
24. DOMINANT MINERAL (%)		24. DOMINANT MINERAL (%)	< 1%
25. SECONDARY MINERAL (%)		25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS		27. REMARKS	

ITEMS 11-26 DETERMINED IN THE LAB.
THE TOP 1/2" OF THE CORE WAS BLACK AND VERY FOUL - PROBABLY ORGANIC.
THE CORE CONTAINED A FEW SCATTERED SHELLS AND WORM BURROWS

SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT
			CLAYEY SILT

1. SAMPLE NUMBER	66-212-1	5. SAMPLER TYPE	
2. LATITUDE		6. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (Day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBER		9. LABORATORY NUMBER	
10. SUBSAMPLE DEPTH IN CORE (m.)		10. SUBSAMPLE DEPTH IN CORE (m.)	
11. COLOR		11. COLOR	
12. ODR		12. ODR	
13. WET DENSITY (lb./ft ³)		13. WET DENSITY (lb./ft ³)	
14. RIGIDNESS (cm)		14. RIGIDNESS (cm)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES		19. SIZE ANALYSIS AND STATISTICAL MEASURES	
a. < 2 ₅ (%)	00 ₂	a. < 2 ₅ (%)	00 ₂
b. 2 ₅ to 4 ₄ (%)	3 ₂	b. 2 ₅ to 4 ₄ (%)	3 ₂
c. 4 ₄ to 6 ₂ (%)	900	c. 4 ₄ to 6 ₂ (%)	900
d. 6 ₂ to 1 ₂ (%)	01	d. 6 ₂ to 1 ₂ (%)	01
e. 1 ₂ to 2 ₅ (%)	03 ₂	e. 1 ₂ to 2 ₅ (%)	03 ₂
f. 2 ₅ to 3 ₂ (%)		f. 2 ₅ to 3 ₂ (%)	
g. 3 ₂ to 4 ₄ (%)		g. 3 ₂ to 4 ₄ (%)	
h. 4 ₄ to 6 ₂ (%)	11	h. 4 ₄ to 6 ₂ (%)	11
i. 6 ₂ to 9 ₂ (%)	36	i. 6 ₂ to 9 ₂ (%)	36
j. > 9 ₂ (%)	49	j. > 9 ₂ (%)	49
20. SUBSAMPLE DRY WEIGHT (gm)	18.17	20. SUBSAMPLE DRY WEIGHT (gm)	18.17
21. SPECIFIC (avg.)		21. SPECIFIC (avg.)	
22. MINIMUM POROSITY Plasticity	High	22. MINIMUM POROSITY Plasticity	High
23. ORGANIC CARBON CONTENT % Organic	< 1%	23. ORGANIC CARBON CONTENT % Organic	< 1%
24. DOMINANT MINERAL (%)		24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)		25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS		27. REMARKS	

SEDIMENT TYPE	SILTY CLAY

1. SAMPLE NUMBER	66-213-1	5. SAMPLER TYPE	KULLENBERG
2. LATITUDE	44 24 10 N	6. WATER DEPTH (m.)	10.8
3. LONGITUDE	51 55 W	7. CORE LENGTH (m.)	110
4. DATE (day, month, year)	8 OCTOBER 1959	8. CORE PENETRATION (m.)	144
9. LABORATORY NUMBERS	37463 *	37464	37465
10. SUBSAMPLE DEPTH IN CORE (m.)	0-2	46-48	67-69
11. COLOR	blue gray (5Y 4/1)	blue gray (5Y 4/1)	blue gray (5Y 4/1)
12. ODR			
13. WET DENSITY (lb./ft ³)			
14. RIGIDITY (cm)			
15. MINIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. < 2 ₅ (%)	OD ₂	OD ₁	OD ₂
b. -2 ₅ to -4 ₅ (%)	SE ₂	SE ₁	SE ₂
c. -4 ₅ to 0 ₂₅ (%)	ME ₂ 8.87	ME ₁ 8.83	ME ₂ 8.87
d. 0 ₂₅ to 1 ₂₅ (%)	0 - 6.73	0 ₁ 7.23	0 ₁ 9.0
e. 1 ₂₅ to 2 ₅ (%)	OD ₂	OD ₂	OD ₂
f. 2 ₅ to 3 ₂₅ (%)			
g. 3 ₂₅ to 8 ₄ (%)			
h. 8 ₄ to 5 ₂ (%)	11	11	6
i. 5 ₂ to 10 ₂ (%)	39	41	42
j. > 9 ₂ (%)	47	45	50
20. DISSEMULATED DRY WEIGHT (mm)	16.02	16.70	15.37
21. SPECIFIC (avg.)			1.870
22. MINIMUM (avg.) Plasticity	High	High	High
23. SHRECK-TESTING (mm) Shell Can.	0	0	0
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS	ITEMS 11-26 DETERMINED IN THE LAB * THE SAMPLE CONTAINED DARK STRENS 0-3 in. - Dark layer. Slight color change at 69"		
SEGMENT TYPE	CLAYEY SILT	CLAYEY SILT	SILTY CLAY

1. SAMPLE NUMBER	66-213-1	5. SAMPLER TYPE	
2. LATITUDE		6. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	37462	37463	37464
10. SUBSAMPLE DEPTH IN CORE (m.)	69-71	85-87	103-105
11. COLOR	greenish blue (5GY 3/2)	greenish blue (5GY 3/2)	greenish blue (5GY 3/2)
12. ODR			
13. WET DENSITY (lb./ft ³)			
14. RIGIDITY (cm)			
15. MINIMUM POROSITY (%)			
16. MINIMUM POROSITY (%)			
17. WATER CONTENT (%)			
18. ORGANIC CARBON CONTENT (%)			
19. SIZE ANALYSIS AND STATISTICAL MEASURES			
a. < 2 ₅ (%)	OD ₂	OD ₁	OD ₂
b. -2 ₅ to -4 ₅ (%)	SE ₂	SE ₁	SE ₂
c. -4 ₅ to 0 ₂₅ (%)	ME ₂ 8.87	ME ₁ 8.86	ME ₂ 7.24
d. 0 ₂₅ to 1 ₂₅ (%)	2	0 ₁ 7.16	0 ₁ 3.00
e. 1 ₂₅ to 2 ₅ (%)	OD ₂	OD ₂	OD ₂
f. 2 ₅ to 3 ₂₅ (%)			
g. 3 ₂₅ to 8 ₄ (%)			
h. 8 ₄ to 5 ₂ (%)	18	10	12
i. 5 ₂ to 10 ₂ (%)	40	39	27
j. > 9 ₂ (%)	48	47	33
20. DISSEMULATED DRY WEIGHT (mm)	13.91	17.28	26.62
21. SPECIFIC (avg.)			
22. MINIMUM (avg.) Plasticity	High	High	Med.
23. SHRECK-TESTING (mm) Shell Can.	0	0	4-7%
24. DOMINANT MINERAL (%)			
25. SECONDARY MINERAL (%)			
26. OTHER MINERALS (%)			
27. REMARKS			
SEGMENT TYPE	CLAYEY SILT	CLAYEY SILT	SILT, MED

1. SAMPLE NUMBER	66-215-1	5. SAMPLER TYPE	KILLENBERG
2. LATITUDE	44° 16' N	6. WATER DEPTH (m.)	30.8
3. LONGITUDE	68° 59' 45" W	7. CORE LENGTH (m.)	124
4. DATE (Day, month, year)	8 OCTOBER 1959	8. CORE PENETRATION (m.)	144
9. LABORATORY NUMBERS	3385	9. SUBSAMPLE DEPTH IN CORE (m.)	3386
10. SUBSAMPLE DEPTH IN CORE (m.)	12-14	10. SUBSAMPLE DEPTH IN CORE (m.)	3387
11. COLOR	OLIVE GRAY (5 Y 4/1)	11. COLOR	OLIVE GRAY (5 Y 4/1)
12. DUNE		12. DUNE	
13. WET DENSITY (lb./ft. ³)		13. WET DENSITY (lb./ft. ³)	
14. RIGIDITY (cm)		14. RIGIDITY (cm)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES		19. SIZE ANALYSIS AND STATISTICAL MEASURES	
20. SPECIFIC GRAVITY		20. SPECIFIC GRAVITY	
21. SPECIFIC GRAVITY		21. SPECIFIC GRAVITY	
22. SPECIFIC GRAVITY		22. SPECIFIC GRAVITY	
23. SPECIFIC GRAVITY		23. SPECIFIC GRAVITY	
24. SPECIFIC GRAVITY		24. SPECIFIC GRAVITY	
25. SPECIFIC GRAVITY		25. SPECIFIC GRAVITY	
26. SPECIFIC GRAVITY		26. SPECIFIC GRAVITY	
27. REMARKS		27. REMARKS	

ITEMS 11-26 DETERMINED IN THE LAB.
Color changes at 54" 59" + 119"

1. SAMPLE NUMBER	66-215-1	5. SAMPLER TYPE	CONTINUED
2. LATITUDE		6. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (Day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3389	9. SUBSAMPLE DEPTH IN CORE (m.)	3390
10. SUBSAMPLE DEPTH IN CORE (m.)	84-85	10. SUBSAMPLE DEPTH IN CORE (m.)	3391
11. COLOR	OLIVE GRAY (5 Y 4/1)	11. COLOR	OLIVE GRAY (5 Y 4/1)
12. DUNE		12. DUNE	
13. WET DENSITY (lb./ft. ³)		13. WET DENSITY (lb./ft. ³)	
14. RIGIDITY (cm)		14. RIGIDITY (cm)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL MEASURES		19. SIZE ANALYSIS AND STATISTICAL MEASURES	
20. SPECIFIC GRAVITY		20. SPECIFIC GRAVITY	
21. SPECIFIC GRAVITY		21. SPECIFIC GRAVITY	
22. SPECIFIC GRAVITY		22. SPECIFIC GRAVITY	
23. SPECIFIC GRAVITY		23. SPECIFIC GRAVITY	
24. SPECIFIC GRAVITY		24. SPECIFIC GRAVITY	
25. SPECIFIC GRAVITY		25. SPECIFIC GRAVITY	
26. SPECIFIC GRAVITY		26. SPECIFIC GRAVITY	
27. REMARKS		27. REMARKS	

SEDIMENT TYPE	SILTY CLAY	SILTY CLAY	SILTY CLAY
---------------	------------	------------	------------

1. SAMPLE NUMBER	66-216-1	5. SAMPLER TYPE	KULLENBERG
2. LATITUDE	44° 14' N	6. WATER DEPTH (m.)	33.3
3. LONGITUDE	00° 48' W	7. CORE LENGTH (m.)	117
4. DATE (day, month, year)	8 OCTOBER 1959	8. CORE PENETRATION (m.)	132
9. LABORATORY NUMBERS	3729	9. LABORATORY NUMBERS	3730 3731 3732
10. SUBSAMPLE DEPTH IN CORE (m.)	0-2	10. SUBSAMPLE DEPTH IN CORE (m.)	17-19 46-48 71-72
11. COLOR	Light Gray (5 Y 9.2)	11. COLOR	Dark Yellowish Brown (10 YR 4/2)
12. ODR		12. ODR	
13. MET DENSITY (lb./ft. ³)		13. MET DENSITY (lb./ft. ³)	
14. RIGIDITY (mm)		14. RIGIDITY (mm)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL WEIGHTS		19. SIZE ANALYSIS AND STATISTICAL WEIGHTS	
a. -2, (%)		a. -2, (%)	
b. -2 to -4, (%)		b. -2 to -4, (%)	
c. -4 to -6, (%)		c. -4 to -6, (%)	
d. -6 to -8, (%)		d. -6 to -8, (%)	
e. -8 to -10, (%)		e. -8 to -10, (%)	
f. -10 to -12, (%)		f. -10 to -12, (%)	
g. -12 to -14, (%)		g. -12 to -14, (%)	
h. -14 to -16, (%)		h. -14 to -16, (%)	
i. -16 to -18, (%)		i. -16 to -18, (%)	
j. -18 to -20, (%)		j. -18 to -20, (%)	
k. -20 to -22, (%)		k. -20 to -22, (%)	
l. -22 to -24, (%)		l. -22 to -24, (%)	
m. -24 to -26, (%)		m. -24 to -26, (%)	
n. -26 to -28, (%)		n. -26 to -28, (%)	
o. -28 to -30, (%)		o. -28 to -30, (%)	
p. -30 to -32, (%)		p. -30 to -32, (%)	
q. -32 to -34, (%)		q. -32 to -34, (%)	
r. -34 to -36, (%)		r. -34 to -36, (%)	
s. -36 to -38, (%)		s. -36 to -38, (%)	
t. -38 to -40, (%)		t. -38 to -40, (%)	
u. -40 to -42, (%)		u. -40 to -42, (%)	
v. -42 to -44, (%)		v. -42 to -44, (%)	
w. -44 to -46, (%)		w. -44 to -46, (%)	
x. -46 to -48, (%)		x. -46 to -48, (%)	
y. -48 to -50, (%)		y. -48 to -50, (%)	
z. -50 to -52, (%)		z. -50 to -52, (%)	
20. SUBSAMPLE DRY WEIGHT (gm)	1730	20. SUBSAMPLE DRY WEIGHT (gm)	2359
21. SPECIFICITY (g./cc)		21. SPECIFICITY (g./cc)	
22. PLASTICITY (g./cc)	High	22. PLASTICITY (g./cc)	High
23. SHEAR STRENGTH (lb./sq. in.)	1/2	23. SHEAR STRENGTH (lb./sq. in.)	0
24. DOMINANT MINERAL (%)		24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)		25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS:	ITEMS 11-20 DETERMINED IN THE LAB scattered shell and worm burrows throughout. Color change at 17".		
SEDIMENT TYPE	CLAYEY SILT	CLAYEY SILT	CLAYEY SILT

1. SAMPLE NUMBER	66-216-1	5. SAMPLER TYPE	
2. LATITUDE		6. WATER DEPTH (m.)	
3. LONGITUDE		7. CORE LENGTH (m.)	
4. DATE (day, month, year)		8. CORE PENETRATION (m.)	
9. LABORATORY NUMBERS	3733	9. LABORATORY NUMBERS	3734
10. SUBSAMPLE DEPTH IN CORE (m.)	90-91	10. SUBSAMPLE DEPTH IN CORE (m.)	115-117
11. COLOR	Dark Yellowish Brown (10 YR 4/2)	11. COLOR	Dark Yellowish Brown (10 YR 4/2)
12. ODR		12. ODR	
13. MET DENSITY (lb./ft. ³)		13. MET DENSITY (lb./ft. ³)	
14. RIGIDITY (mm)		14. RIGIDITY (mm)	
15. MAXIMUM POROSITY (%)		15. MAXIMUM POROSITY (%)	
16. MINIMUM POROSITY (%)		16. MINIMUM POROSITY (%)	
17. WATER CONTENT (%)		17. WATER CONTENT (%)	
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)	
19. SIZE ANALYSIS AND STATISTICAL WEIGHTS		19. SIZE ANALYSIS AND STATISTICAL WEIGHTS	
a. -2, (%)		a. -2, (%)	
b. -2 to -4, (%)		b. -2 to -4, (%)	
c. -4 to -6, (%)		c. -4 to -6, (%)	
d. -6 to -8, (%)		d. -6 to -8, (%)	
e. -8 to -10, (%)		e. -8 to -10, (%)	
f. -10 to -12, (%)		f. -10 to -12, (%)	
g. -12 to -14, (%)		g. -12 to -14, (%)	
h. -14 to -16, (%)		h. -14 to -16, (%)	
i. -16 to -18, (%)		i. -16 to -18, (%)	
j. -18 to -20, (%)		j. -18 to -20, (%)	
k. -20 to -22, (%)		k. -20 to -22, (%)	
l. -22 to -24, (%)		l. -22 to -24, (%)	
m. -24 to -26, (%)		m. -24 to -26, (%)	
n. -26 to -28, (%)		n. -26 to -28, (%)	
o. -28 to -30, (%)		o. -28 to -30, (%)	
p. -30 to -32, (%)		p. -30 to -32, (%)	
q. -32 to -34, (%)		q. -32 to -34, (%)	
r. -34 to -36, (%)		r. -34 to -36, (%)	
s. -36 to -38, (%)		s. -36 to -38, (%)	
t. -38 to -40, (%)		t. -38 to -40, (%)	
u. -40 to -42, (%)		u. -40 to -42, (%)	
v. -42 to -44, (%)		v. -42 to -44, (%)	
w. -44 to -46, (%)		w. -44 to -46, (%)	
x. -46 to -48, (%)		x. -46 to -48, (%)	
y. -48 to -50, (%)		y. -48 to -50, (%)	
z. -50 to -52, (%)		z. -50 to -52, (%)	
20. SUBSAMPLE DRY WEIGHT (gm)	2515	20. SUBSAMPLE DRY WEIGHT (gm)	2671
21. SPECIFICITY (g./cc)		21. SPECIFICITY (g./cc)	
22. PLASTICITY (g./cc)	High	22. PLASTICITY (g./cc)	High
23. SHEAR STRENGTH (lb./sq. in.)	0	23. SHEAR STRENGTH (lb./sq. in.)	0
24. DOMINANT MINERAL (%)		24. DOMINANT MINERAL (%)	
25. SECONDARY MINERAL (%)		25. SECONDARY MINERAL (%)	
26. OTHER MINERALS (%)		26. OTHER MINERALS (%)	
27. REMARKS:		27. REMARKS:	
SEDIMENT TYPE	CLAYEY SILT	SEDIMENT TYPE	CLAYEY SILT

1. SAMPLE NUMBER	66-217-1 KILLENBERG			
2. LATITUDE	44° 12' 35" N	3. WATER DEPTH (m.)	26.2	
3. LONGITUDE	68° 58' 43" W	7. CORE LENGTH (m.)	125	
4. DATE (YY, MONTH, YEAR)	8 OCTOBER 1959	8. CORE PENETRATION (m.)		
5. LABORATORY NUMBERS	3667 *	9. SUBSAMPLE DEPTH IN CORE (m.)	3668	3670
10. SUBSAMPLE DEPTH IN CORE (m.)	0-2	10. SUBSAMPLE DEPTH IN CORE (m.)	24-26	87-89
11. COLOR	BLUE GRAY (5Y 4/1)	11. COLOR	BLUE GRAY (5Y 4/1)	BLUE GRAY (5Y 4/1)
12. DOOR		12. DOOR		
13. WET DENSITY (lb./ft. ³)		13. WET DENSITY (lb./ft. ³)		
14. RIGIDITY (cm)		14. RIGIDITY (cm)		
15. MAXIMUM PROSITY (%)		15. MAXIMUM PROSITY (%)		
16. MINIMUM PROSITY (%)		16. MINIMUM PROSITY (%)		
17. WATER CONTENT (%)		17. WATER CONTENT (%)		
18. ORGANIC CARBON CONTENT (%)		18. ORGANIC CARBON CONTENT (%)		
19. SITE ANALYSIS AND STATISTICAL VALUES				
a. 1-2, 3, 4	16.	17.	18.	19.
b. 1-2, 3, 4	841	845	846	848
c. 1-2, 3, 4	2	6.45	2	6.07
d. 1-2, 3, 4	18	19	21	22
e. 1-2, 3, 4	37	34	31	32
f. 1-2, 3, 4	44	45	43	44
g. 1-2, 3, 4	19.34	22.76	21.45	26.00
h. 1-2, 3, 4	High	High	High	High
i. 1-2, 3, 4	0	0	0	0
j. 1-2, 3, 4	0	0	0	0
k. 1-2, 3, 4	0	0	0	0
l. 1-2, 3, 4	0	0	0	0
m. 1-2, 3, 4	0	0	0	0
n. 1-2, 3, 4	0	0	0	0
o. 1-2, 3, 4	0	0	0	0
p. 1-2, 3, 4	0	0	0	0
q. 1-2, 3, 4	0	0	0	0
r. 1-2, 3, 4	0	0	0	0
s. 1-2, 3, 4	0	0	0	0
t. 1-2, 3, 4	0	0	0	0
u. 1-2, 3, 4	0	0	0	0
v. 1-2, 3, 4	0	0	0	0
w. 1-2, 3, 4	0	0	0	0
x. 1-2, 3, 4	0	0	0	0
y. 1-2, 3, 4	0	0	0	0
z. 1-2, 3, 4	0	0	0	0
aa. 1-2, 3, 4	0	0	0	0
ab. 1-2, 3, 4	0	0	0	0
ac. 1-2, 3, 4	0	0	0	0
ad. 1-2, 3, 4	0	0	0	0
ae. 1-2, 3, 4	0	0	0	0
af. 1-2, 3, 4	0	0	0	0
ag. 1-2, 3, 4	0	0	0	0
ah. 1-2, 3, 4	0	0	0	0
ai. 1-2, 3, 4	0	0	0	0
aj. 1-2, 3, 4	0	0	0	0
ak. 1-2, 3, 4	0	0	0	0
al. 1-2, 3, 4	0	0	0	0
am. 1-2, 3, 4	0	0	0	0
an. 1-2, 3, 4	0	0	0	0
ao. 1-2, 3, 4	0	0	0	0
ap. 1-2, 3, 4	0	0	0	0
aq. 1-2, 3, 4	0	0	0	0
ar. 1-2, 3, 4	0	0	0	0
as. 1-2, 3, 4	0	0	0	0
at. 1-2, 3, 4	0	0	0	0
au. 1-2, 3, 4	0	0	0	0
av. 1-2, 3, 4	0	0	0	0
aw. 1-2, 3, 4	0	0	0	0
ax. 1-2, 3, 4	0	0	0	0
ay. 1-2, 3, 4	0	0	0	0
az. 1-2, 3, 4	0	0	0	0
ba. 1-2, 3, 4	0	0	0	0
bb. 1-2, 3, 4	0	0	0	0
bc. 1-2, 3, 4	0	0	0	0
bd. 1-2, 3, 4	0	0	0	0
be. 1-2, 3, 4	0	0	0	0
bf. 1-2, 3, 4	0	0	0	0
bg. 1-2, 3, 4	0	0	0	0
bh. 1-2, 3, 4	0	0	0	0
bi. 1-2, 3, 4	0	0	0	0
bj. 1-2, 3, 4	0	0	0	0
bk. 1-2, 3, 4	0	0	0	0
bl. 1-2, 3, 4	0	0	0	0
bm. 1-2, 3, 4	0	0	0	0
bn. 1-2, 3, 4	0	0	0	0
bo. 1-2, 3, 4	0	0	0	0
bp. 1-2, 3, 4	0	0	0	0
bq. 1-2, 3, 4	0	0	0	0
br. 1-2, 3, 4	0	0	0	0
bs. 1-2, 3, 4	0	0	0	0
bt. 1-2, 3, 4	0	0	0	0
bu. 1-2, 3, 4	0	0	0	0
bv. 1-2, 3, 4	0	0	0	0
bw. 1-2, 3, 4	0	0	0	0
bx. 1-2, 3, 4	0	0	0	0
by. 1-2, 3, 4	0	0	0	0
bz. 1-2, 3, 4	0	0	0	0
ca. 1-2, 3, 4	0	0	0	0
cb. 1-2, 3, 4	0	0	0	0
cc. 1-2, 3, 4	0	0	0	0
cd. 1-2, 3, 4	0	0	0	0
ce. 1-2, 3, 4	0	0	0	0
cf. 1-2, 3, 4	0	0	0	0
cg. 1-2, 3, 4	0	0	0	0
ch. 1-2, 3, 4	0	0	0	0
ci. 1-2, 3, 4	0	0	0	0
cj. 1-2, 3, 4	0	0	0	0
ck. 1-2, 3, 4	0	0	0	0
cl. 1-2, 3, 4	0	0	0	0
cm. 1-2, 3, 4	0	0	0	0
cn. 1-2, 3, 4	0	0	0	0
co. 1-2, 3, 4	0	0	0	0
cp. 1-2, 3, 4	0	0	0	0
cq. 1-2, 3, 4	0	0	0	0
cr. 1-2, 3, 4	0	0	0	0
cs. 1-2, 3, 4	0	0	0	0
ct. 1-2, 3, 4	0	0	0	0
cu. 1-2, 3, 4	0	0	0	0
cv. 1-2, 3, 4	0	0	0	0
cw. 1-2, 3, 4	0	0	0	0
cx. 1-2, 3, 4	0	0	0	0
cy. 1-2, 3, 4	0	0	0	0
cz. 1-2, 3, 4	0	0	0	0
da. 1-2, 3, 4	0	0	0	0
db. 1-2, 3, 4	0	0	0	0
dc. 1-2, 3, 4	0	0	0	0
dd. 1-2, 3, 4	0	0	0	0
de. 1-2, 3, 4	0	0	0	0
df. 1-2, 3, 4	0	0	0	0
dg. 1-2, 3, 4	0	0	0	0
dh. 1-2, 3, 4	0	0	0	0
di. 1-2, 3, 4	0	0	0	0
dj. 1-2, 3, 4	0	0	0	0
dk. 1-2, 3, 4	0	0	0	0
dl. 1-2, 3, 4	0	0	0	0
dm. 1-2, 3, 4	0	0	0	0
dn. 1-2, 3, 4	0	0	0	0
do. 1-2, 3, 4	0	0	0	0
dp. 1-2, 3, 4	0	0	0	0
dq. 1-2, 3, 4	0	0	0	0
dr. 1-2, 3, 4	0	0	0	0
ds. 1-2, 3, 4	0	0	0	0
dt. 1-2, 3, 4	0	0	0	0
du. 1-2, 3, 4	0	0	0	0
dv. 1-2, 3, 4	0	0	0	0
dw. 1-2, 3, 4	0	0	0	0
dx. 1-2, 3, 4	0	0	0	0
dy. 1-2, 3, 4	0	0	0	0
dz. 1-2, 3, 4	0	0	0	0
ea. 1-2, 3, 4	0	0	0	0
eb. 1-2, 3, 4	0	0	0	0
ec. 1-2, 3, 4	0	0	0	0
ed. 1-2, 3, 4	0	0	0	0
ee. 1-2, 3, 4	0	0	0	0
ef. 1-2, 3, 4	0	0	0	0
eg. 1-2, 3, 4	0	0	0	0
eh. 1-2, 3, 4	0	0	0	0
ei. 1-2, 3, 4	0	0	0	0
ej. 1-2, 3, 4	0	0	0	0
ek. 1-2, 3, 4	0	0	0	0
el. 1-2, 3, 4	0	0	0	0
em. 1-2, 3, 4	0	0	0	0
en. 1-2, 3, 4	0	0	0	0
eo. 1-2, 3, 4	0	0	0	0
ep. 1-2, 3, 4	0	0	0	0
eq. 1-2, 3, 4	0	0	0	0
er. 1-2, 3, 4	0	0	0	0
es. 1-2, 3, 4	0	0	0	0
et. 1-2, 3, 4	0	0	0	0
eu. 1-2, 3, 4	0	0	0	0
ev. 1-2, 3, 4	0	0	0	0
ew. 1-2, 3, 4	0	0	0	0
ex. 1-2, 3, 4	0	0	0	0
ey. 1-2, 3, 4	0	0	0	0
ez. 1-2, 3, 4	0	0	0	0
fa. 1-2, 3, 4	0	0	0	0
fb. 1-2, 3, 4	0	0	0	0
fc. 1-2, 3, 4	0	0	0	0
fd. 1-2, 3, 4	0	0	0	0
fe. 1-2, 3, 4	0	0	0	0
ff. 1-2, 3, 4	0	0	0	0
fg. 1-2, 3, 4	0	0	0	0
fh. 1-2, 3, 4	0	0	0	0
fi. 1-2, 3, 4	0	0	0	0
fj. 1-2, 3, 4	0	0	0	0
fk. 1-2, 3, 4	0	0	0	0
fl. 1-2, 3, 4	0	0	0	0
fm. 1-2, 3, 4	0	0	0	0
fn. 1-2, 3, 4	0	0	0	0
fo. 1-2, 3, 4	0	0	0	0
fp. 1-2, 3, 4	0	0	0	0
fq. 1-2, 3, 4	0	0	0	0
fr. 1-2, 3, 4	0	0	0	0
fs. 1-2, 3, 4	0	0	0	0
ft. 1-2, 3, 4	0	0	0	0
fu. 1-2, 3, 4	0	0	0	0
fv. 1-2, 3, 4	0	0	0	0
fw. 1-2, 3, 4	0	0	0	0
fx. 1-2, 3, 4	0	0	0	0
fy. 1-2, 3, 4	0	0	0	0
fz. 1-2, 3, 4	0	0	0	0
ga. 1-2, 3, 4	0	0	0	0
gb. 1-2, 3, 4	0	0	0	0
gc. 1-2, 3, 4	0	0	0	0
gd. 1-2, 3, 4	0	0	0	0
ge. 1-2, 3, 4	0	0	0	0
gf. 1-2, 3, 4	0	0	0	0
gg. 1-2, 3, 4	0	0	0	0
gh. 1-2, 3, 4	0	0	0	0
gi. 1-2, 3, 4	0	0	0	0
gj. 1-2, 3, 4	0	0	0	0
gk. 1-2, 3, 4	0	0	0	0
gl. 1-2, 3, 4	0	0	0	0
gm. 1-2, 3, 4	0	0	0	0
gn. 1-2, 3, 4	0	0	0	0
go. 1-2, 3, 4	0	0	0	0
gp. 1-2, 3, 4	0	0	0	0
gq. 1-2, 3, 4	0	0	0	0
gr. 1-2, 3, 4	0	0	0	0
gs. 1-2, 3, 4	0	0	0	0
gt. 1-2, 3, 4	0	0	0	0
gu. 1-2, 3, 4	0	0	0	0
gv. 1-2, 3, 4	0	0	0	0
gw. 1-2, 3, 4	0	0	0	0
gx. 1-2, 3, 4	0	0	0	0
gy. 1-2, 3, 4	0	0	0	0
gz. 1-2, 3, 4	0	0	0	0
ha. 1-2, 3, 4	0	0	0	0
hb. 1-2, 3, 4	0	0	0	0
hc. 1-2, 3, 4	0	0	0	0
hd. 1-2, 3, 4	0	0	0	0
he. 1-2, 3, 4	0	0	0	0
hf. 1-2, 3, 4	0	0	0	0
hg. 1-2, 3, 4	0	0	0	0
hi. 1-2, 3, 4	0	0	0	0
hj. 1-2, 3, 4	0	0	0	0
hk. 1-2, 3, 4	0	0	0	0
hl. 1-2, 3, 4	0	0	0	0
hm. 1-2, 3, 4	0	0	0	0
hn. 1-2, 3, 4	0	0	0	0
ho. 1-2, 3, 4	0	0	0	0
hp. 1-2, 3, 4	0	0	0	0
hq. 1-2, 3, 4	0	0	0	0
hr. 1-2, 3, 4	0	0	0	0
hs. 1-2, 3, 4	0	0	0	0
ht. 1-2, 3, 4	0	0	0	0
hu. 1-2, 3, 4	0	0	0	0
hv. 1-2, 3, 4	0	0	0	0
hw. 1-2, 3, 4	0	0	0	0
hx. 1-2, 3, 4	0	0	0	0
hy. 1-2, 3, 4	0	0	0	0
hz. 1-2, 3, 4	0	0	0	0
ia. 1-2, 3, 4	0	0	0	0
ib. 1-2, 3, 4	0	0	0	0
ic. 1-2, 3, 4	0	0	0	0
id. 1-2, 3, 4	0	0	0	0
ie. 1-2, 3, 4	0	0	0	0
if. 1-2, 3, 4	0	0	0	0
ig. 1-2, 3, 4	0	0	0	0
ih. 1-2, 3, 4	0	0	0	0
ii. 1-2, 3, 4	0	0	0	0
ij. 1-2, 3, 4	0	0	0	0
ik. 1-2, 3, 4	0	0	0	0
il. 1-2, 3, 4	0	0		

U. S. Naval Oceanographic Office
 BOTTOM AND SUBBOTTOM INVESTIGATION
 OF PENOBSCOT BAY, MAINE, 1959, April
 1965, 177 p., including 22 figures, 2 tables,
 2 plates. (N.O.O. TR-173).

Contains Bottom Sediment results and Sonoprobe Records obtained during 1959 Penobscot Bay, Maine, inshore survey. The Sonoprobe is described and its operation is explained; geology and previous work done in area are discussed, and Sonoprobe records and Sediments are correlated. Sonoprobe records for 10 runs are presented.

Appendix contains a tabulated list of bottom sediment samples collected and bottom sediment analysis sheets for 168 bottom sediments.

U. S. Naval Oceanographic Office
 BOTTOM AND SUBBOTTOM INVESTIGATION
 OF PENOBSCOT BAY, MAINE, 1959, April
 1965, 177 p., including 22 figures, 2 tables,
 2 plates. (N.O.O. TR-173).

Contains Bottom Sediment results and Sonoprobe Records obtained during 1959 Penobscot Bay, Maine, inshore survey. The Sonoprobe is described and its operation is explained; geology and previous work done in area are discussed, and Sonoprobe records and Sediments are correlated. Sonoprobe records for 10 runs are presented.

Appendix contains a tabulated list of bottom sediment samples collected and bottom sediment analysis sheets for 168 bottom sediments.

1. Bottom Sediments - Penobscot Bay, Maine
2. Sonoprobe Records - Penobscot Bay, Maine
3. Penobscot Bay, Maine - Bottom Sediments and Sonoprobe Records
4. Maine, Penobscot Bay
5. Ships - USS LITTLEHALES

- i. Title: Bottom and Subbottom Investigation of Penobscot Bay, Maine, 1959.
- ii. Author: Charles Ostericher, Jr.
- iii. N.O.O. TR-173

1. Bottom Sediments - Penobscot Bay, Maine
2. Sonoprobe Records - Penobscot Bay, Maine
3. Penobscot Bay, Maine - Bottom Sediments and Sonoprobe Records
4. Maine, Penobscot Bay
5. Ships - USS LITTLEHALES

- i. Title: Bottom and Subbottom Investigation of Penobscot Bay, Maine, 1959.
- ii. Author: Charles Ostericher, Jr.
- iii. N.O.O. TR-173

U. S. Naval Oceanographic Office
 BOTTOM AND SUBBOTTOM INVESTIGATION
 OF PENOBSCOT BAY, MAINE, 1959, April
 1965, 177 p., including 22 figures, 2 tables,
 2 plates. (N.O.O. TR-173).

Contains Bottom Sediment results and Sonoprobe Records obtained during 1959 Penobscot Bay, Maine, inshore survey. The Sonoprobe is described and its operation is explained; geology and previous work done in area are discussed, and Sonoprobe records and Sediments are correlated. Sonoprobe records for 10 runs are presented.

Appendix contains a tabulated list of bottom sediment samples collected and bottom sediment analysis sheets for 168 bottom sediments.

U. S. Naval Oceanographic Office
 BOTTOM AND SUBBOTTOM INVESTIGATION
 OF PENOBSCOT BAY, MAINE, 1959, April
 1965, 177 p., including 22 figures, 2 tables,
 2 plates. (N.O.O. TR-173).

Contains Bottom Sediment results and Sonoprobe Records obtained during 1959 Penobscot Bay, Maine, inshore survey. The Sonoprobe is described and its operation is explained; geology and previous work done in area are discussed, and Sonoprobe records and Sediments are correlated. Sonoprobe records for 10 runs are presented.

Appendix contains a tabulated list of bottom sediment samples collected and bottom sediment analysis sheets for 168 bottom sediments.

1. Bottom Sediments - Penobscot Bay, Maine
2. Sonoprobe Records - Penobscot Bay, Maine
3. Penobscot Bay, Maine - Bottom Sediments and Sonoprobe Records
4. Maine, Penobscot Bay
5. Ships - USS LITTLEHALES

- i. Title: Bottom and Subbottom Investigation of Penobscot Bay, Maine, 1959.
- ii. Author: Charles Ostericher, Jr.
- iii. N.O.O. TR-173

1. Bottom Sediments - Penobscot Bay, Maine
2. Sonoprobe Records - Penobscot Bay, Maine
3. Penobscot Bay, Maine - Bottom Sediments and Sonoprobe Records
4. Maine, Penobscot Bay
5. Ships - USS LITTLEHALES

- i. Title: Bottom and Subbottom Investigation of Penobscot Bay, Maine, 1959.
- ii. Author: Charles Ostericher, Jr.
- iii. N.O.O. TR-173