**IMAGE EVALUATION
TEST TARGET (MT-3)**

**Photographic
Sciences
Corporation**

23 WEST MAIN STREET
WEBSTER, N.Y. 14580
(716) 872-4503

**CIHM
Microfiche
Series
(Monographs)**

**ICMH
Collection de
microfiches
(monographies)**

Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques

© 1991

Technical and Bibliographic Notes / Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming, are checked below.

- ☐ Coloured covers/
Couverture de couleur
- ☐ Covers damaged/
Couverture endommagée
- ☐ Covers restored and/or laminated/
Couverture restaurée et/ou pelliculée

☐ Cover title missing/
Le titre de couverture manque

☐ Coloured maps/
Cartes géographiques en couleur

☐ Coloured ink (i.e. other than blue or black)/
Encre de couleur (i.e. autre que bleue ou noire)

☐ Coloured plates and/or illustrations/
Planches et/ou illustrations en couleur

☐ Bound with other material/
Relié avec d'autres documents

☐ Tight binding may cause shadows or distortion
along interior margin/
La reliure serrée peut causer de l'ombre ou de la
distorsion le long de la marge intérieure

☐ Blank leaves added during restoration may appear
within the text. Whenever possible, these have
been omitted from filming/
Il se peut que certaines pages blanches ajoutées
lors d'une restauration apparaissent dans le texte,
mais, lorsque cela était possible, ces pages n'ont
pas été filmées.

☐ Additional comments:/
Commentaires supplémentaires:

L'Institut a microfilmé le meilleur exemplaire qu'il
lui a été possible de se procurer. Les détails de cet
exemplaire qui sont peut-être uniques du point de vue
bibliographique, qui peuvent modifier une image
reproduite, ou qui peuvent exiger une modification
dans la méthode normale de filmage sont indiqués
ci-dessous.

☐ Coloured pages/
Pages de couleur

☐ Pages damaged/
Pages endommagées

☐ Pages restored and/or laminated/
Pages restaurées et/ou pelliculées

☒ Pages discoloured, stained or foxed/
Pages décolorées, tachetées ou piquées

☐ Pages detached/
Pages détachées

☒ Showthrough/
Transparence

☐ Quality of print varies/
Qualité inégale de l'impression

☐ Continuous pagination/
Pagination continue

☐ Includes index(es)/
Comprend un (des) index

Title on header taken from:/
Le titre de l'en-tête provient:

☐ Title page of issue/
Page de titre de la livraison

☐ Caption of issue/
Titre de départ de la livraison

☐ Masthead/
Générique (périodiques) de la livraison

This item is filmed at the reduction ratio checked below/

Ce document est filmé au taux de réduction indiqué ci-dessous:

10X	12X	14X	16X	18X	20X	22X	24X	26X	28X	30X	32X
☐	☐	☐	☐	☐	☐	☒	☐	☐	☐	☐	☐

The copy filmed here has been reproduced thanks to the generosity of:

Library of the National
Archiver of Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol $\longrightarrow$ (meaning "CONTINUED"), or the symbol ∇ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:

L'exemplaire filmé fut reproduit grâce à la générosité de:

La bibliothèque des Archives
nationales du Canada

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole $\longrightarrow$ signifie "A SUIVRE", le symbole ∇ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.

Regarding Portable Gravity Concrete Mixers

The Mixers are shown in Catalogue and Pamphlets being fed by means of storage bins, tipping trays or measuring boxes, and also by men with shovels, as best suits the work in hand.

The Mixer being portable, enables it to be easily moved about, and, as it requires no other power but gravitation, there is no engine, boiler, or piping, to move along with it.

Its capacity is only dependent upon how much can be fed to the Mixer, and how much concrete can be removed from the delivery end of same per day.

If it is proposed to feed the Mixer by hand with shovels, the best method would be one which was used by a contractor in London, Eng., namely, support the Mixer on a long bar which is well greased, employ nine men, four men to measure a batch in the ordinary manner, Stone, Sand spread on top of the stone, and Cement on top of the sand. One man goes to the discharge end of the Mixer to operate the water and gate, the concrete being delivered direct into the wheelbarrow, wagon, or trench as required. As soon as the batch is ready, the four men shovel it into the Mixer and, while they are doing this, four other men should be measuring another batch close at hand. When batch No. 1 is finished, the Mixer is slid along the bar in front of batch No. 2; and while that is being shovelled into the Mixer, the four men who shovelled batch No. 1 are measuring another batch in the same place; so that on finishing batch No. 2, the Mixer can be slid back to its original position in front of them. By this method a continuous supply of concrete is maintained, it also gives each gang a turn at measuring and feeding. The output of these nine men was 100 cubic yards per day.

"How soon will a Mixer pay for itself?" This is answered by comparing the amount of concrete that nine men can produce mixing it by hands with shovels in a day of ten hours, as against the same gang with a Mixer producing 100 cubic yards in the same time.

Again, **when the nine men would have finished mixing the concrete by hand, it would have to be shovelled into barrows, or other conveyors, or into the trench.** The Gravity Mixer fills the conveyors, therefore the act of shovelling into the Gravity Mixer is equivalent to filling the conveyors with mixed concrete, so that in addition to producing more concrete per day, it must save the cost of labor for dry and wet mixing. In other words, the cost of mixing the concrete and filling the wagons or conveyors would be the wages of the nine men employed. On works where a tipping box can be used the cost of concreting is greatly reduced, and the methods of working fully explained in the pamphlets. For a very large dock, or reservoir, there is no device that can turn out concrete more accurately or cheaply than that shown on page 5 in 2nd set of Advance Sheets.

"Comparison with Steam Mixers." It should be kept in mind that the Steam Mixer has not yet been made that can turn out the quantity a Gravity Mixer can, the latter being a continuous Mixer and does not have to wait for the drum to be charged, nor does it use steam or hand power to revolve a drum. Moreover, the Mixer being easily moved about, does not require anything like the setting up a Steam Mixer does; furthermore, there is a vast difference in the cost.

On large works, feeding from Storage Bins, or using the **Accurate Measurer and Feeder**, 60 to 100 cubic yards per day can be readily produced, PROVIDED the Storage Bins are kept full and the concrete removed as rapidly as it comes from the Mixer.

Some of our best customers are the ones that needed the most persuasion to purchase a Mixer in the first instance, as they thought the price rather high for such a simple device. Admitting that looking at the intrinsic value of the several parts of which the Mixer is composed the price appears high, yet the best proof of the Mixer's value as an investment is given by the following:

For some work at London, England, the Portable Gravity Concrete Mixer was used on one portion, while on another part of the work, concrete was being mixed in the usual manner by hand. At the end of two weeks when the contractor could figure up his costs intelligently, he immediately purchased another, the following being a copy of his letter:—

"15 Railway Approach, London Bridge, S.E., 9th August, 1901."

Dear Sir,

"Will you please send me as soon as possible another Portable Gravity Mixer for my work at the Central Electric Supply Co's. Building, Grove Road, Marylebone, the same as last, viz:— 8 feet without joint.

"Kindly let me know when you can deliver, I should like it at once."

The Mixer was submitted to a similar test at the New Entrance to the Docks at Swansea, England, since that date (between January and August, 1901) the contractor has purchased eight more mixers for his various contracts. It was also submitted to a similar test at the London and India Docks by another contractor, as shown in photograph, etc., on pages 10-12 of 2nd set of Advance Sheets, that contractor has since purchased six more for various contracts in England and foreign countries. In August 1901 a Mixer was sold to one of the largest Railway Contractors in England, for use on the Midland Railway, whom our London representative had been trying to persuade to buy for at least six months, and since that date there have been shipped him for various contracts, one on Oct. 18th, another Nov. 25th, and another Dec. 13th, 1901.

Remember, the quantity made depends altogether on how much can be fed to the mixer and what method best suits the work in hand.

E. F. DARTNELL, Sales Agent for Canada
180 St. James Street MONTREAL