LAMSON-SCRIBNER, F. *Lamson*

Index to the Names of North American Grasses.

Indianapolis, 1890.

QK
495
G74L24I
1890
BOT. C, 2

~~584.9~~

~~.S 47~~

~~Copy 2~~

Received from the author
March 9, 1891. *Lester F. Ward*

OK
495

G74 L24:

1890

bot

C. 2

INDEX TO THE NAMES OF
North American Grasses.

A REPORT PRESENTED TO THE SOCIETY FOR THE
PROMOTION OF AGRICULTURAL SCIENCE,

AT THE

INDIANAPOLIS MEETING, 1890,

BY

W. J. BEAL,

F. LAMPSON-SCRIBNER,

WM. SAUNDERS.

1891
COMMITTEE ON NOMENCLATURE OF GRASSES.

PUBLISHED BY AUTHORITY OF THE SOCIETY.

QK
495
G74 L24
1890
Bot

Lamson-Scribner, F.
Index to the names of North
American grasses /

INDEX TO GRASS NAMES.

COMPILED BY F. LAMSON-SCRIBNER.

African Cane.—*Pennisetum spicatum*.
African Sugar Cane.—*Sorghum saccharatum*.

Agropyrum caninum, R. & S.—
Bearded Wheat-grass, Awned
Wheat-grass, Fibrous-rooted
Wheat-grass.

Agropyrum divergens, Nees.—
Wire Bunch-grass.

Agropyrum glaucum, R. & S.—
Colorado Blue-stem, Blue-joint,
Blue-stem, Blue-grass, Wheat-
grass, Wild Quack-grass, Gumbo-
grass.

Agropyrum repens, Beauv.—Couch-
grass, Witch-grass, Quitch-grass,
Quick-grass, Quack-grass, Quake-
grass, Wheat-grass, Creeping
Wheat-grass, Dog-grass, Dutch-
grass, Durfa-grass, Durfee-grass,
Devil's-grass, Chandler's grass,
Scutch-grass, Twitch-grass, Fin's
grass.

Agrostis alba, Linn.—Herd's grass,
Bent-grass, English Bent, White
Bent, Bonnet-grass, White-top,
Dew-grass, Fiorin, Marsh Bent-
grass.

Agrostis arachnoides, Ell.—Spider
Bent-grass.

Agrostis canina, Linn.—Brown
Bent, Dog's Bent, Mountain Red-
top, Rhode Island Bent, Fine-top,
Furze-top, Burden's grass.

Agrostis dispar, Michx.—Same as
A. elata.

Agrostis elata, Trin.—Southern
Bent, Tall Thin-grass.

Agrostis exarata, Trin.—Northern
Red-top, Mountain Red-top.

Agrostis perennans, Tuck.—Thin-
grass.

Agrostis scabra, Willd.—Rough
Bent, Fly-away grass, Tickle-
grass, Hair-grass, Fool-hay.

Agrostis stolonifera, Linn.—Creep-
ing Bent, Fiorin.

Agrostis vulgaris, With.—Herd's
grass, Bent, Fine-top, Fine Bent,
Rhode Island Bent, Furze-top,
Tall Red-top, Burden's grass,

Red-top, Summer Dew-grass,
Borden's grass.

Aira præcox, (*Avena præcox*),
Linn.—Early Wild Oat-grass.

Alabama Guinea-grass.—*Sorghum
Halapense*.

Alkali-grass.—*Distichlis maritima*.

Alopecurus agrestis, Linn.—Slender
Fox-tail.

Alopecurus aristulatus, Michx.—
Wild Water-Fox-tail.

Alopecurus geniculatus, Linn.—
Water Fox-tail, Floating Fox-tail.

Alopecurus occidentalis, Scribn.—
Mountain Fox-tail, Mountain
Timothy.

Alopecurus pratensis, Linn.—Meadow
Fox-tail.

Alpine Meadow-grass.—*Poa laxa*.

American Canary-grass.—*Phalaris in-
termidia*.

Ammophila arundinacea, Host.—
Mat-grass, Common Sea-Reed,
Beach-grass, Sand-Reed, Reed,
Sea-sand Reed.

Ammophila brevipilis, Benth.—
Purple Bent.

Ammophila longifolia, Vasey.—
Sand-grass, Woolly Bent-grass.

Andes, Grass-of-the.—*Arrhenatherum
avenaceum*.

Andropogon argyræus, Schult.—
Silver Beard-grass.

Andropogon furcatus, Michx.—The
same as *Andropogon provincialis*,
Lam.

Andropogon Hallii, Hack.—Turkey-
foot, Sand-grass.

Andropogon macrourus, Michx.—
Brook-grass, Cluster-flowered
Beard-grass.

Andropogon nutans, Linn.—Indian
grass, Reed-grass, Wild Oat-grass,
Bushy Blue-stem.

Andropogon provincialis, Lam.—
Big Blue-stem, Finger-spiked
Beard-grass, Finger-spiked
Wood-grass, Finger-spiked In-
dian-grass, Blue-stem, Blue-joint,
Blue Bent (in R. I.), Blue-grass,
Turkey-foot.

- Andropogon scoparius**, Michx.—Little Blue-stem, Indian-grass, Purple Wood-grass, Wire-grass, Brown-grass, White Bent, Broom Sedge, Broom-grass.
- Andropogon Sorghum**, Brot.—Subspecies *sativus*, Hack.—Includes the cultivated varieties of *Sorghum*.
- Andropogon Sorghum**, Brot., var. *Halapensis*, Hack.—Johnson grass, Cuba-grass, St. Mary's grass, False Guinea-grass, Mean's grass, Guinea-grass (see *Panicum jumentorum*), Egyptian Millet, Egyptian-grass, Green Valley-grass, Alabama Guinea-grass, Australian Millet, Morocco Millet, Evergreen Millet, Arabian Millet, Syrian-grass. (*Sorghum Halapense*).
- Andropogon Sorghum**, Brot., var. *vulgaris*, Hack.—Name now adopted for *Sorghum vulgare*, (which see).
- Andropogon Virginicus**, Linn.—Broom Sedge, Broom-grass, Virginia Beard-grass, Sedge-grass. Annual Meadow-grass.—*Poa annua*.
- Anthoxanthum odoratum**, Linn.—Sweet Vernal-grass, Sweet-scented Vernal-grass, Sweet-scented Spring-grass, Sweet-scented grass, Vernal grass.
- Arabian Millet, or Arabian Evergreen Millet.—*Sorghum Halapense*.
- Aristida Californica**, Thurb.—Hare's grass, "Zacate de liebre."
- Aristida dichotoma**, Michx.—Poverty grass.
- Aristida lanata**, Poir.—Woolly Poverty-grass, Woolly Triple-awn, Poverty-grass.
- Aristida oligantha**, Michx.—Prairie Triple-awn.
- Aristida purpurascens**, Poir.—Beard-grass.
- Aristida purpurea**, Nutt.—Purple Beard-grass, Western Beard-grass, Beard-grass, Mesquit (or Mezquit) grass.
- Aristida stricta**, Michx.—Downy Triple-awn, Wire-grass.
- Aristida tuberculosa**, Nutt.—Long-awned Poverty-grass.
- Aristida virgata**, Michx.—Beard-grass.
- Aristida**, sp. indt.—White grama (Odessa, Texas).
- Arrhenatherum avenaceum**, Beauv. Tall Oat-grass, False Oat-grass, Tall Meadow Oat-grass, Evergreen-grass, Oat-grass, Grass-of-the-Andes, French Rye-grass.
- Arrow-grass.—*Stipa Sparteae*.
- Arundinaria gigantea**, Chapm.—Cane, Large Cane (*A. macrosperma*, Michx.).
- Arundinaria macrosperma**, Mx.—Same as *A. gigantea*, Chapm.
- Arundinaria tecta**, Muhl.—Small Cane, Reed.
- Asprella Hystrix**, Willd.—Bottle Brush, Hedge-hog grass.
- Austin-grass.—*Panicum Texanum*.
- Australian Millet.—*Sorghum Halapense*.
- Australian Oats.—*Bromus unioloides*.
- Australian Prairie-grass.—*Bromus unioloides*.
- Awned Wheat-grass.—*Agropyrum caninum*.
- Avena fatua**, Linn.—Sand Oats, Wild Oats.
- Avena flavescens**, Linn.—Yellow Oat-grass.
- Avena præcox**.—Same as *Aira præcox*.
- Avena pratensis**, Linn.—Meadow Oat-grass.
- Avena striata**, Michx.—Purple Wild Oat-grass.
- Avena pubescens**, Linn.—Downy Oat-grass.
- Barley-grass.—*Hordeum pusillum*.
- Barley-grass, Wild.—*Hordeum pratense*.
- Barn-grass.—*Panicum Crus-galli*.
- Barn-yard grass.—*Panicum Crus-galli*.
- Beach-grass.—*Ammophila arundinacea*, *Uniola paniculata*.
- Beads Corn.—*Coix Lachryma*.
- Bear-grass.—*Stipa setigera*.
- Beard-grass.—*Polypogon Monspeliensis*, *Aristida purpurea*, *A. purpurascens*, *A. virgata*; also applied to species of *Andropogon*.
- Beard-grass, Cluster-flowered.—*Andropogon macrourus*.
- Beard-grass, Creeping.—*Oplismenus setarius*.
- Beard-grass, Finger-spiked.—*Andropogon provincialis*.
- Beard-grass, Naked.—Generic name for species of *Gymnopogon*.
- Beard-grass, Short-leaved.—*Gymnopogon brevifolius*.
- Beard-grass, Silver.—*Andropogon argyræus*.
- Beard-grass, Virginia.—*Andropogon Virginicus*.
- Beard-grass, Western.—*Aristida purpurea*.

- Beard-grass, Woolly.—*Erianthus saccharoides*.
 Bearded Darnel.—*Lolium temulentum*.
 Bearded Wheat-grass.—*Agropyrum caninum*.
Beckmannia erucæformis, Host.—Slough-grass (Montana), Wild Timothy (in Nevada).
 Bengal-grass.—*Setaria Italica*.
 Bent-grass, or simply Bent.—Generic name for species of *Agrostis*; applied oftentimes to *A. alba* and *A. vulgaris*.
 Bent, Blue.—*Andropogon provincialis*.
 Bent, Brown.—*Agrostis canina*.
 Bent, Creeping.—*Agrostis stolonifera*.
 Bent, Dog's.—*Agrostis canina*.
 Bent, English.—*Agrostis alba*.
 Bent, Fine.—*Agrostis vulgaris*.
 Bent, Marsh.—*Agrostis alba*.
 Bent-grass, Panic.—*Panicum agrostoides*.
 Bent, Purple.—*Calamagrostis brevipilis*.
 Bent, Reed.—*Calamagrostis Canadensis*.
 Bent, Rhode Island.—*Agrostis vulgaris* and *A. canina*.
 Bent, Rough.—*Agrostis scabra*.
 Bent, Southern.—*Agrostis elata*.
 Bent, Spider.—*Agrostis arachnoides*.
 Bent, White.—*Agrostis alba*, *Andropogon scoparius*.
 Bent, Woolly.—*Calamagrostis longifolia*, which is the same as *Ammophila longifolia*, Vasey.
 Bermuda-grass.—*Cynodon Dactylon*.
 Big Blue-stem.—*Andropogon provincialis*.
 Bitter Panic-grass.—*Panicum amarum*.
 Black Bent.—*Panicum virgatum*.
 Black Bunch-grass.—*Hilaria Jamesii*.
 Black-fruited Mountain Rice.—*Oryzopsis melanocarpa*.
 Black Grama.—*Bouteloua oligostachya*, *Muhlenbergia pungens*.
 Black Oat-grass.—*Stipa avenacea*.
Blerpharidachne (Eremochloe).—Desert-grass.
 Blowout-grass.—*Redfieldia flexuosa*.
 Blue Bent (of R. I.).—*Andropogon provincialis*.
 Blue Grama.—*Bouteloua oligostachya*.
 Blue-grass.—*Poa pratensis*, *Poa compressa*, *Andropogon provincialis*, *Agropyrum glaucum*.
 Blue-grass, English.—*Poa pratensis*, *Festuca elatior*.
 Blue-grass, Kentucky.—*Poa pratensis*.
 Blue-grass, Smaller.—*Poa compressa*.
 Blue-grass, Texas.—*Poa arachnifera*.
 Blue joint-grass.—*Calamagrostis Canadensis*, *Agropyrum glaucum*, *Andropogon provincialis*.
 Blue-stem.—*Agropyrum glaucum*, *Andropogon provincialis*.
 Blue-stem, Big.—*Andropogon provincialis*.
 Blue-stem, Bushy.—*Andropogon nutans*.
 Blue-stem, Colorado.—*Agropyrum glaucum*.
 Blue-stem, Little.—*Andropogon scoparius*.
 Bonnet-grass.—*Agrostis alba*.
 Borden's grass.—*Agrostis vulgaris*.
 Bottle-grass.—*Setaria glauca* and *Setaria viridis*.
 Bottle-Brush grass.—*Asprella Hystrix*.
 Bottom-grass.—*Panicum Texanum*.
Bouteloua curtipendula.—The same as *B. racemosa*, Lag., q. v.
Bouteloua eriopoda, Torr.—Woolly-jointed Grama.
Bouteloua hirsuta, Lag.—Black Grama (Texas), Bristly Mesquit, Muskit or Meskit grass, Tall Grama.
Bouteloua oligostachya, Torr.—Blue Grama (Texas), Mesquit-grass, Muskit grass, Grama, Black Grama (New Mexico), Mosquit grass, Buffalo grass (in Montana), White Grama.
Bouteloua polystachya, Torr.—Low Grama, Six-weeks' grass.
Bouteloua racemosa, Lag.—Tall Grama, Hairy Mesquit, Muskit-grass. (*B. curtipendula*.)
Bouteloua Texana, Watson.—Texan Mesquit, Mesquit.
 Branching Fox-tail.—*Trichloris verticillata*.
 Branching Spear-grass.—*Eragrostis tenuis*.
 Bristly Foxtail.—*Setaria Germanica* and *S. verticillata*.
 Bristly Muskit or Mesquit.—*Bouteloua hirsuta*.
Briza media, Linn.—Quaking-grass.
 Brome-grass.—Generic name for species of *Bromus*.
 Brome-grass, Californian.—*Bromus carinatus*.
 Brome-grass, Fringed.—*Bromus ciliatus*.
 Brome-grass, Smooth.—*Bromus racemosus*.
 Brome-grass, Soft.—*Bromus mollis*.
 Brome-grass, Willard's.—*Bromus secalinus*.
Bromus carinatus, Hook.—California Brome-grass.
Bromus ciliatus, Linn.—Swamp Chess, Fringed Brome-grass.

- Bromus Kalmii**, Gray.—Wild Chess.
Bromus mollis, Linn.—Soft Chess, Soft Brome-grass.
Bromus racemosus, Linn.—Smooth Brome-grass, Upright Chess.
Bromus Schraderi.—Same as *Bromus unioloides*.
Bromus secalinus, Linn.—Chess, Cheat, Willard's Brome-grass.
Bromus unioloides, Willd.—Rescue grass, Schrader's Brome-grass, Australian Oats, Australian Prairie-grass.
Bromus Willdenovii.—Same as *Bromus unioloides*.
 Brook-grass.—*Andropogon macrourus*.
 Broom Corn.—*Sorghum saccharatum*, variety.
 Broom-grass.—*Andropogon scoparius* and *A. Virginicus*.
 Broom Sedge.—*Andropogon Virginicus*; also applied sometimes to *Andropogon scoparius*.
 Brown Bent-grass.—*Agrostis canina*.
 Brush, Bottle.—*Asprella Hystrix*.
Buchloe dactyloides, Engelm.—Buffalo-grass, False Mesquit, Early Mesquit, Mesquit grass.
 Buffalo-grass.—*Buchloe dactyloides*, *Bouteloua oligostachya*, *Panicum Texacum*, *Stipa spartea* (in the Saskatchewan region).
 Buffalo-Bunch grass.—*Festuca scabrella*.
 Bull-grass.—*Spartina cynosuroides* and *Paspalum plicatulum*, *Tripsacum dactyloides*.
 Bunch-grass.—*Oryzopsis cuspidata*, *Poa tenuifolia*, *Stipa viridula*, *S. comata*, *Sporobolus heterolepis*, *Calamagrostis sylvatica*, etc. This name is applied by the ranchmen in the west to many of the native grasses.
 Bunch-grass, Buffalo.—*Festuca scabrella*.
 Bunch-grass, Early.—*Eatonia obtusata*.
 Bunch-grass, Feather.—*Stipa viridula*.
 Bunch-grass, Great.—*Festuca scabrella*.
 Bunch-grass, Pine.—*Festuca ovina*, L. variety.
 Bunch-grass, Wire.—*Agropyrum divergens*.
 Bunch-Hair-grass.—*Muhlenbergia tri-chopodes*.
 Bunch Spear-grass.—*Poa Andina*.
 Bur-grass.—*Cenchrus tribuloides*.
 Burden's grass.—*Agrostis vulgaris*, *A. canina*.
 Bushy Blue-stem.—*Andropogon nutans*.
 Buzzard-grass (local).—*Eleusine Indica*.
Calamagrostis arenaria, Roth.—Same as *Ammophila arundinacea*.
Calamagrostis brevipilis, Gray (*Ammophila brevipilis*).—Purple Bent.
Calamagrostis Canadensis.—Blue-joint-grass, Sand-grass, Red-top Canadian Small-Reed, Fowl Meadow-grass.
Calamagrostis Howellii, Vasey.—Howell's grass.
Calamagrostis longifolia.—Same as *Ammophila longifolia* and *Calamovilfa longifolia*.
Calamagrostis Nuttalliana.—Reed Bent-grass, Wild Oats (*Calamagrostis coarctata* is the same).
Calamagrostis sylvatica.—Bunch-grass.
 Calf-kill.—*Holcus lanatus*.
 California Brome-grass.—*Bromus carinatus*.
 California Oat-grass.—*Danthonia Californica*.
 California Timothy.—*Phalaris intermedia*, variety *angusta*.
 Canada Lyme-grass.—*Elymus Canadensis*.
 Canadian Small-Reed.—*Calamagrostis Canadensis*.
 Canary-grass.—Generic name for species of *Phalaris*; applied especially to *Phalaris canariensis*.
 Canary-grass, Reed.—*Phalaris arundinacea*.
 Canary-grass, Southern.—*Phalaris intermedia*.
 Canary-grass, Stewart's.—*Phalaris intermedia*.
 Candy-grass.—*Eragrostis minor*.
 Cane.—*Arundinaria gigantea*, Chapm.
 Cane, African.—*Pennisetum spicatum*, the same as *Pennisetum typhoidum*, Pers.
 Cane, Chinese Sugar.—*Sorghum saccharatum*, *S. vulgare*.
 Cane, Large.—*Arundinaria gigantea*.
 Cane, Maiden.—*Panicum Curtisii*.
 Cane, Small.—*Arundinaria tecta*, *Panicum divaricatum*.
 Cane, Sugar.—*Sorghum vulgare*.
 Carpet-grass.—*Sporobolus Indicus* (Phares).
 Catch-fly-grass.—*Leersia lenticularis*.
 Cat's-tail-grass.—*Phleum pratense*.
 Cat-tail Millet.—*Pennisetum spicatum*, *Setaria Italica*.
Cenchrus echinatus, Linn.—Cockspur.

- Cenchrus tribuloides**, Linn.—Sand-bur, Sand-spur, Hedge-hog grass, Bur-grass, Cock-spur Bur.
- Chandler's grass.—*Agropyrum repens*.
- Cheat.—*Bromus secalinus*.
- Chess.—*Bromus secalinus*.
- Chess, Soft.—*Bromus mollis*.
- Chess, Swamp.—*Bromus ciliatus*.
- Chess, Upright.—*Bromus racemosus*.
- Chess, Wild.—*Bromus Kalnii*.
- Chicken Corn.—*Sorghum cernuum*.
- Chinese Sugar Corn.—*Sorghum saccharatum*, *S. vulgare*.
- Chinese Wheat.—*Sorghum vulgare*.
- Chocolate Corn.—*Sorghum vulgare*.
- Chrysopogon nutans**, Benth.—Same as *Andropogon nutans*, Linn.
- Chloris petraea**, Linn.—Sea-side Finger-grass. (*Eustachys petraea* is the same.)
- Cinna arundinacea**, Linn.—Indian Reed, Wood Reed-grass, Sweet Reed.
- Cinna pendula**, Trin.—Slender Reed-grass, Drooping Reed-grass.
- Close-flowered Drop-seed grass.—*Sporobolus compressus*.
- Cock's-foot, Rough.—*Dactylis glomerata*.
- Cluster-flowered Beard-grass.—*Andropogon macrourus*.
- Cock's-foot.—*Panicum Crus-galli*.
- Cockspur.—*Cenchrus echinatus*.
- Cockspur Bur.—*Cenchrus tribuloides*.
- Coix lachryma**, Linn.—Job's Tears, Tear-grass, Corn Beads.
- Colorado-grass.—*Panicum Texanum*.
- Colorado Blue-stem.—*Agropyrum glaucum*.
- Comb-grass, Meadow.—*Eragrostis pectinacea*.
- Common Manna-grass.—*Glyceria fluitans*.
- Common Meadow-grass.—*Poa trivialis*.
- Common Sea-Reed.—*Ammophila arundinacea*.
- Cord-grass, Freshwater.—*Spartina cynosuroides*.
- Corn Beads.—*Coix lachryma*.
- Corn, Broom.—*Sorghum saccharatum*, now called *Andropogon Sorghum*, variety *saccharatus*, Hack.
- Corn, Chicken.—*Sorghum cernuum*.
- Corn, Chocolate.—*Sorghum vulgare*, var.
- Corn, Dura.—*Sorghum vulgare*; see *Andropogon Sorghum*, var. *vulgaris*.
- Corn, Guinea.—*Sorghum cernuum*, same as *Andropogon Sorghum*, var. *cernuus*, Hack.
- Corn, Indian.—*Zea Mays*.
- Corn, White Egyptian.—*Sorghum cernuum*.
- Couch-grass.—*Agropyrum repens*.
- Crab-grass.—*Panicum sanguinale*, *Schedonnardus Texanus*, *Eleusine Indica*.
- Crab-grass, Slender.—*Panicum filiforme*.
- Crab-grass, Sprouting.—*Panicum proliferum*.
- Crab-grass, Texan.—*Schedonnardus Texanus*.
- Creeping Beard-grass.—*Oplismenus setarius*, also called *Panicum hirtellum*.
- Creeping Bent-grass.—*Agrostis stolonifera*.
- Creeping Meadow-grass.—*Eragrostis reptans*.
- Creeping Poa.—*Poa compressa*.
- Creeping Sea Spear-grass.—*Glyceria maritima*.
- Creeping Soft-grass.—*Holcus mollis*.
- Creeping Spear-grass.—*Poa compressa*.
- Creeping Wheat-grass.—*Agropyrum repens*, (*Triticum repens*).
- Crested Dog's-tail-grass.—*Cynosurus cristatus*.
- Crop-grass.—*Eleusine Indica*. (Crab-grass is probably a corruption of Crop-grass.)
- Crow-foot-grass.—*Eleusine Indica*, *Dactyloctenium Aegyptiacum*.
- Ctenium Americanum**, Spreng.—Toothache-grass, Lemon-grass.
- Cuba-grass.—*Sorghum Halapense*.
- Cut-grass.—*Leersia oryzoides*.
- Cut-grass, European.—*Leersia oryzoides*.
- Cut-grass, Rice.—*Leersia oryzoides*.
- Cut-grass, Virginia.—*Leersia Virginica*.
- Cynodon Dactylon**, Pers.—Bermuda grass, Reed-grass, Scutch-grass, Dog's-tooth-grass, Wire-grass.
- Cynosurus cristatus**.—Crested Dog's tail grass.
- Dactylis glomerata**, Linn.—Orchard grass, Rough Cock's-foot.
- Dactyloctenium Aegyptiacum**, Willd.—Crow-foot grass, Egyptian-grass.
- Danthonia Californica**, Boland.—California Oat-grass.
- Danthonia compressa**, Austin.—Tennessee Oat-grass, Mountain Oat-grass.
- Danthonia sericea**, Nutt.—Silky Oat-grass, Taller Wild Oat-grass, Silky-flowered Oat-grass.
- Danthonia spicata**, Beauv.—Wild Oat-grass, White-top, Old Fog, June-grass, Poverty-grass.

- Danthonia unispicata**.—Mountain Oat-grass.
 Darnel.—*Lolium temulentum*.
 Darnel, Bearded.—*Lolium temulentum*.
 Darnel, Fescue.—*Festuca loliacea*.
 Deer-grass.—*Epicampes rigens*.
 Dennett-grass.—*Elymus striatus*.
Deschampsia cæspitosa, Beauv.—Tufted Hair-grass. (This is the same as *Aira cæspitosa*.)
Deschampsia flexuosa, Griseb.—Hair-grass, Wood Hair-grass.
 Desert-grass.—Generic name applied to species of *Eremochloe* (*Blepharidachne*, Hack.).
 Devil's-grass.—*Agropyrum repens*.
 Devil's Darning-needles.—*Stipa spartea*.
 Devil's Knitting-needles.—*Stipa spartea*.
 Dew-grass.—*Agrostis alba*.
 Dew-grass, Summer.—*Agrostis vulgaris*.
Deyeuxia Canadensis, Hook.—*Calamagrostis Canadensis*, which see).
Diarrhena Americana, Beauv.—Twin-grass.
Diplachne fascicularis, Beauv.—Spike-grass.
Distichlis maritima, Rafin. (*Brizopyrum spicatum*).—Salt-grass, Sand grass, Alkali-grass, Spike-grass, Quack-grass.
 Dog or Dog's-grass.—*Agropyrum repens*.
 Dog's Bent.—*Agrostis canina*.
 Dog's-tail grass.—*Eleusine Indica*.
 Dog's-tail grass, Crested.—*Cynosurus cristatus*.
 Dog's-tooth grass.—*Cynodon Dactylon*, *Eleusine Indica*.
 Downy Oat-grass.—*Avena pubescens*.
 Downy Persoon.—*Trisetum subspicatum*, var. *molle*.
 Downy Triple-awn.—*Aristida stricta*.
 Drooping Reed-grass.—*Cinna pendula*.
 Drop-seed grass.—Generic name for species of *Sporobolus*; also applied to species of *Muhlenbergia* (e. g. *Sporobolus compressus*, *Muhlenbergia Mexicana*).
 Drop-seed grass, Late.—*Sporobolus serotinus*.
 Drop-seed grass, Rush-like.—*Sporobolus junceus*.
 Duck-grass.—*Poa serotina*.
 Durfa or Durfee-grass.—*Agropyrum repens*.
 Durra Corn.—*Sorghum vulgare*.
 Dutch-grass.—*Agropyrum repens*.
 Dwarf Meadow-grass.—*Poa annua*.
 Early Bunch-grass.—*Eatonia obtusata*.
 Early Meadow-grass.—*Poa annua*.
 Early Mesquit.—*Buchloe dactyloides*.
 Early Wild Oat-grass.—*Aira (Avena) præcox*.
 East Indian Millet.—*Pennisetum spicatum*.
 Eaton's grass.—*Eatonia Pennsylvanica*.
Eatonia obtusata, Gray.—Early Bunch-grass, Prairie-grass.
Eatonia Pennsylvanica, Gray.—Eaton's grass.
 Egyptian-grass.—*Dactyloctenium Aegyptiacum*, *Sorghum Halapense*.
 Egyptian Millet.—*Pennisetum spicatum*, *Sorghum Halapense*.
Eleusine Indica, Gaertn.—Goose-grass, Dog's-tail grass, Yard-grass, Crow-foot grass, Wire-grass, Crab-grass, Crop-grass, Dog's-tooth grass, Buzzard-grass.
Elymus arenarius, Linn.—Upright Sea-Lyme-grass.
Elymus Canadensis, Linn.—Canada Lyme-grass, Wild Rye, Terrell-grass.
Elymus condensatus, Presl.—Giant Rye-grass, Rye-grass, Western Rye-grass.
Elymus Sibiricus.—Siberian Lyme-grass.
Elymus striatus, Willd.—Dennett-grass, Slender Hairy Lyme-grass.
Elymus triticoides, Nutt.—Wild Wheat, Wild Rye.
Elymus Virginicus, Linn.—Lyme-grass, Smooth Rye-grass, Terrell-grass, Wild Rye, Virginia Lyme-grass.
 English grass.—*Poa pratensis*.
 English Bent-grass.—*Agrostis alba*.
 English Blue-grass.—*Festuca elatior*.
 English Rye or Ray-grass.—*Lolium perenne*.
Epicampes rigens, Benth.—Deer-grass.
Eragrostis Frankii, Meyer.—Short-stalked Meadow-grass.
Eragrostis major, Host.—Stink-grass, Pungent Meadow-grass.
Eragrostis minor, Host.—Candy-grass, Strong-scented Meadow-grass, Stink-grass.
Eragrostis pectinacea, Gray.—Meadow Comb-grass.
Eragrostis pilosa, Linn.—Slender Meadow-grass.
Eragrostis Purshii, Schrad.—Southern Spear-grass, Southern Eragrostis.
Eragrostis reptans, Nees.—Creeping Meadow-grass.
Eragrostis tenuis, Gray.—Branching Spear-grass.

- Erianthus saccharoides**, Michx.—Plume-grass, Woolly Beard-grass, Fox-tail.
- Euchlæna luxurians**.—Teosinte, Guatemala-grass.
- European Cut-grass.—*Leersia oryzoides*.
- Eustachys petraea**.—See *Chloris petraea*.
- Evergreen-grass.—*Arrhenatherum avenaceum*; more rarely applied to *Festuca elatior*.
- Evergreen Millet.—*Sorghum Halapense*.
- Fall Marsh-grass.—*Spartina cynosuroides*.
- Fall Red-top.—*Triodia cuprea* (*Tricuspis seslerioides*).
- False Buffalo-grass.—*Munroa squarrosa*.
- False Guinea-grass.—*Sorghum Halapense*.
- False Mesquit.—*Buchloe dactyloides*.
- False Oat-grass.—*Arrhenatherum avenaceum*.
- False Red-top.—*Poa serotina*.
- False Rice.—*Leersia oryzoides*.
- Feather-grass.—Generic name for species of *Stipa*, applied especially to *Stipa pennata*. Also applied to *Leptochloa mucronata* and *Holcus lanatus*.
- Feather Bunch-grass.—*Stipa viridula*.
- Fescue Grass.—Generic name for species of *Festuca*.
- Fescue, Darnel.—*Festuca loliacea*.
- Fescue, Hard.—*Festuca duriuscula*.
- Fescue, Meadow.—*Festuca pratensis*.
- Fescue, Nodding.—*Festuca nutans*.
- Fescue, Sheep's.—*Festuca ovina*.
- Fescue, Small.—*Festuca microstachya*.
- Fescue, Spiked.—*Festuca loliacea*.
- Fescue, Tall.—*Festuca elatior*.
- Fescue, Tall Meadow.—*Festuca elatior*.
- Fescue, Western.—*Festuca microstachya*.
- Fescue, Wild.—*Uniola latifolia*.
- Festuca duriuscula**, Lam.—Hard Fescue.
- Festuca elatior**, Linn.—Tall Fescue, Tall Meadow Fescue, English Blue-grass, Randall-grass, Evergreen-grass.
- Festuca loliacea**.—Darnel Fescue, Spiked Fescue.
- Festuca microstachya**, Nutt.—Western Fescue, Small Fescue.
- Festuca nutans**, Willd.—Nodding Fescue.
- Festuca ovina**, Linn.—Sheep's Fescue, Pinon-grass (in Nevada), Pine Bunch-grass.
- Festuca pratensis**, Linn.—Meadow Fescue, Randall grass.
- Festuca scabrella**, Torr.—Buffalo Bunch-grass, Great Bunch-grass.
- Festuca tenella**.—Slender Fescue.
- Festuca unioides**.—Same as *Bromus unioides*, which see.
- Festuca**, sp.—Pine Bunch-grass.
- Fibrous-rooted Wheat-grass.—*Agropyrum caninum*.
- Fin's grass.—*Agropyrum repens*.
- Fine Bent.—*Agrostis vulgaris*.
- Fine-top.—*Agrostis vulgaris* and *A. canina* and *Sporobolus airoides*.
- Finger-grass.—*Panicum sanguinale*.
- Finger-grass, Hairy.—*Panicum sanguinale*.
- Finger-grass, Sea-side.—*Chloris petraea*.
- Finger-spiked Beard-grass.—*Andropogon provincialis*. (*A. furcatus* is the same.)
- Finger-spiked Indian grass.—*Andropogon provincialis*.
- Finger-spiked Wood-grass.—*Andropogon provincialis*.
- Fiorin.—*Agrostis stolonifera*; also *A. alba*.
- Flat-stalked or Flat-stemmed grass.—*Poa compressa*.
- Flat-stalked Blue-grass.—*Poa compressa*.
- Floating-grass.—*Hydrochloa Carolinensis*.
- Floating Fox-tail.—*Alopecurus geniculatus*.
- Floating Manna-grass.—*Glyceria fluitans*.
- Fly-away-grass.—*Agrostis scabra*.
- Fly-catch-grass.—*Leersia lenticularis*.
- Fog, Old.—*Danthonia spicata*.
- Fool-hay.—*Panicum capillare* and *Agrostis scabra*.
- Fowl Meadow-grass.—*Glyceria nervata*, *Poa serotina*, and *Calamagrostis Canadensis*.
- Fox-tail.—*Setaria glauca*, *Erianthus saccharoides* (*E. alopecuroides*), *Trichloris verticillata*, and *Hordeum jubatum*, and species of *Alopecurus*.
- Fox-tail, Branching.—*Trichloris verticillata*.
- Fox-tail, Bristly.—*Setaria verticillata* and *S. Germanica*.
- Fox-tail, Floating.—*Alopecurus geniculatus*.
- Fox-tail, Green.—*Setaria viridis*.
- Fox-tail, Large.—*Setaria composita*.
- Fox-tail, Meadow.—*Alopecurus pratensis*.
- Fox-tail, Slender.—*Alopecurus agrestis*.
- Fox-tail, Wild Water.—*Alopecurus aristulatus*.

- Fox-tail, Wrinkled.—*Setaria corrugata*.
 Fox-tail, Yellow.—*Setaria glauca*.
 French Rye-grass.—*Arrhenatherum avenaceum*.
 Fresh-water Cord-grass.—*Spartina cynosuroides*.
 Fringed Brome-grass.—*Bromus ciliatus*.
 Furze-top.—*Agrostis vulgaris* and *A. canina*.
 Gama-grass.—*Tripsacum dactyloides*.
 Gastridium australe, Beauv.—Nit-grass.
 German Millet.—*Setaria Germanica*.
 Giant Rye-grass.—*Elymus condensatus*.
 Gilbert's Relief-grass.—*Phalaris intermedia*.
 Glyceria aquatica.—Reed Meadow-grass, White Spear-grass.
 Glyceria Canadensis, Trin.—Rattlesnake-grass, Tall Quacking-grass.
 Glyceria fluitans, R. Br.—Floating Manna-grass, Common Manna-grass.
 Glyceria maritima, Wahl.—Sea Spear-grass, Creeping Sea Spear-grass, Creeping Sea Meadow-grass, Goose-grass.
 Glyceria nervata, Trin.—Fowl Meadow-grass, Meadow Spear-grass, Nerved Manna-grass.
 Glyceria pallida, Trin.—Pale Manna-grass.
 Golden Millet.—*Setaria Italica* var.
 Golden Oat-grass.—*Avena flavescens*.
 Goose-grass.—*Eleusine Indica*, *Glyceria maritima*, *Panicum Texanum*, *Poa annua*.
 Grama.—Generic name for species of *Bouteloua*. Applied sometimes to *Muhlenbergia Texana*.
 Grama, Black.—*Bouteloua oligostachya*, *Muhlenbergia pungens*, *Bouteloua hirsuta*.
 Grama, Blue.—*Bouteloua oligostachya*.
 Grama, China.—*Muhlenbergia pungens*.
 Grama, Low.—*Bouteloua polystachya*.
 Grama, Tall.—*Bouteloua hirsuta*, *Bouteloua racemosa*.
 Grama, White.—*Bouteloua oligostachya* variety, and a species of *Aristida*.
 Grama, Woolly-jointed.—*Bouteloua eriopoda*.
 Grape-vine Mesquit or Grape-vine grass.—*Panicum obtusum*.
 Grass-of-the-Andes.—*Arrhenatherum avenaceum*.
 Great Bunch-grass.—*Festuca scabrella*.
 Great Millet.—*Sorghum vulgare*.
 Green Fox-tail.—*Setaria viridis*.
 Green grass.—*Poa pratensis*, *Poa trivialis*.
 Green Pigeon-grass.—*Setaria viridis*.
 Green Valley-grass.—*Sorghum Halapense*.
 Gautemala-grass.—*Euchlæna luxurians*.
 Guinea Corn.—*Sorghum cernuum*.
 Guinea-grass.—*Panicum jumentorum*; erroneously applied to *Sorghum Halapense*.
 Guinea-grass, Alabama.—*Sorghum Halapense*.
 Guinea-grass, False.—*Sorghum Halapense*.
 Gumbo-grass.—*Agropyrum glaucum*.
 Guyette.—*Hilaria Jamesii*.
 Gymnopogon brevifolius, Trin.—Short-leaved Beard-grass.
 Gymnopogon racemosus, Beauv.—Naked Beard-grass.
 Hard Fescue.—*Festuca duriuscula*.
 Hard-grass.—*Stenotaphrum Americanum*.
 Hair-grass.—Generic name for species of *Deschampsia* (Aira). Applied to *Deschampsia flexuosa*, *Agrostis scabra* and *Muhlenbergia capillaris*.
 Hair-grass, Bunch.—*Muhlenbergia Trichopodes*.
 Hair-grass, Muhlenberg's.
 Hair-grass, Sea-side.—*Muhlenbergia capillaris*.
 Hair-grass, Tufted.—*Deschampsia cespitosa*.
 Hair-grass, Wood.—*Deschampsia flexuosa*.
 Hairy Finger-grass.—*Panicum sanguinale*.
 Hairy-flowered Paspalum.—*Paspalum ovatum*.
 Hairy Muskit.—*Bouteloua racemosa*.
 Hare's-grass.—*Aristida Californica*.
 Hedge-hog grass.—*Asprella hystrix* and *Cenchrus tribuloides*.
 Herd's-grass.—*Agrostis alba*, *Agrostis vulgaris*, and *Phleum pratense*.
 Hierochloë borealis, R. & S.—Vantilla-grass, Seneca-grass, Holy-grass, Sweet-grass.
 Hilaria cenchroides, H. B. K.—Running Mesquit.
 Hilaria Jamesii, Benth.—Black Bunch-grass, "Guyetta."
 Holcus lanatus, Linn.—Velvet-grass, Velvet Meadow Soft-grass, Velvet Mesquit, Velvet Lawn-grass, Meadow Soft-grass, Woolly Soft-grass, White Timothy, Yorkshire White, Yorkshire Fog, Salem-grass, Feather-grass, Calf-kill, Hungarian Blue-grass.

- Holcus mollis**, Linn.—Creeping Soft-grass.
 Holy-grass.—*Hierochloa borealis*.
Hordeum jubatum, Linn.—Squirrel-tail grass, Fox-tail.
Hordeum pratense, Huds.—Wild Barley, Squirrel-tail grass.
Hordeum pusillum, Nutt.—Barley-grass.
 Horse Millet.—*Pennisetum* (*Penicillaria*) *spicatum*.
 Howell's grass.—*Calamagrostis Howellii*.
 Hungarian grass.—*Setaria Germanica*.
 Hungarian Blue-grass.—*Holcus lanatus*.
Hydrochloa Carolinensis, Beauv.—Floating-grass.
- Indian Corn.—*Zea Mays*.
 Indian-grass.—*Sorghum nutans* (*Andropogon nutans*), *Sorghum avenaceum* (*Andropogon nutans* var. *avenaceus*), and *Andropogon scoparius*.
 Indian-grass, Finger-spiked.—*Andropogon provincialis*.
 Indian-grass, Oat-like.—*Sorghum nutans*.
 Indian Millet.—*Oryzopsis cuspidata*, *Pennisetum spicatum*, *Sorghum vulgare*, *Setaria Italica*.
 Indian Reed.—*Cinna arundinacea*.
 Indian Rice.—*Zizania aquatica*.
 Italian Rye-grass.—*Lolium Italicum*.
 Ivory Wheat.—*Sorghum vulgare*.
- Japan Millet.—*Pennisetum spicatum*.
 Job's Tears.—*Coix lacryma*.
 Johnson-grass.—*Sorghum Halapense*.
 Joint-grass.—*Paspalum distichum*.
 June-grass.—*Poa pratensis*, *Koeleria cristata*, *Danthonia spicata*.
 June-grass, Wild.—*Koeleria cristata*.
- Kentucky Blue-grass.—*Poa pratensis*.
 Knot-grass.—*Paspalum distichum*.
 Knot-root grass.—*Muhlenbergia Mexicana*.
Koeleria cristata, Pers.—Wild June grass, June-grass, Prairie-grass.
- Large Cane.—*Arundinaria gigantea*.
 Large Crow-foot grass.—*Panicum Crus-galli*.
 Large Fox-tail.—*Setaria composita*.
 Large, White-grained Mountain Rice.—*Oryzopsis asperifolia*.
 Late Drop-seed grass.—*Sporobolus serotinus*.
 Lawn-grass, Velvet.—*Holcus lanatus*.
Leersia lenticularis, Mx.—Catch-fly grass, Fly-catch grass.
- Leersia oryzoides**, Swz.—Rice Cut-grass, Rice grass, Cut-grass, False Rice, White-grass, European Cut-grass, Prickle-grass.
Leersia Virginica, Willd.—Virginia Cut-grass, White-grass, Small-flowered White-grass.
 Lemon-grass.—*Ctenium Americanum*.
Leptochloa mucronata.—Feather-grass.
Lepturus paniculatus, Nutt.—Same as *Schedonnardus Texanus* (which see).
 Little Blue-stem grass.—*Andropogon scoparius*.
 Lizzard-tail grass.—*Manisurus granularis*.
Lolium Italicum.—Italian Rye-grass.
Lolium perenne, Linn.—Perennial Rye-grass, Ray or Rye-grass, Darnel, English Rye-grass.
Lolium temulentum, Linn.—Darnel, Poison Rye-grass, Bearded Darnel.
 Long-awned Poverty-grass.—*Aristida tuberculosa*.
 Louisiana Grass.—*Paspalum platycaule*.
 Low Grama.—*Bouteloua polystachya*.
 Low Spear-grass.—*Poa annua*.
 Lyme-grass.—Generic name for species of *Elymus*, applied especially to *Elymus Virginicus*.
 Lyme-grass, Canada.—*Elymus Canadensis*.
 Lyme-grass, Slender Hairy.—*Elymus striatus*.
 Lyme-grass, Upright Sea.—*Elymus arenarius*.
 Lyme-grass, Siberian.—*Elymus Sibiricus*.
 Lyme-grass, Virginian.—*Elymus Virginicus*.
- Manisurus granularis**.—Lizzard-tail grass.
 Maiden Cane.—*Panicum Curtissi*.
 Maize.—*Zea Mays*.
 Manna-grass.—Generic name for species of *Glyceria*. Applied in Germany to *Panicum sanguinale*.
 Manna-grass, Common.—*Glyceria fluitans*. This is also called Floating Manna-grass.
 Manna-grass, Nerved.—*Glyceria nervata*.
 Manna-grass, Pale.—*Glyceria pallida*.
 Marsh-grass.—*Spartina cynosuroides*, *Spartina glabra*.
 Marsh-grass, Fall.—*Spartina cynosuroides*.
 Marsh-grass, Rough.—*Spartina glabra*.

- Marsh-grass, Salt.—*Spartina stricta*, *Spartina juncea*.
 Marsh-grass, Smooth.—*Spartina alterniflora*.
 Marsh Bent.—*Agrostis alba*.
 Marsh Oat-grass.—*Trisetum palustre*.
 Mat-grass.—*Ammophila arundinacea*.
 Maton.—*Sporobolus Wrightii*.
 May-grass.—*Poa annua*.
 Meadow-grass, Alpine.—*Poa laxa*.
 Meadow-grass, Annual.—*Poa annua*.
 Meadow-grass, Common.—*Poa trivialis*.
 Meadow-grass, Creeping.—*Eragrostis reptans*.
 Meadow-grass, Creeping Sea.—*Glyceria martinica*.
 Meadow-grass, Dwarf.—*Poa annua*.
 Meadow-grass, Early.—*Poa annua*.
 Meadow-grass, Flat-stalked.—*Poa compressa*.
 Meadow-grass, Fowl.—*Glyceria nervata*, *Poa serotina*, *Calamagrostis Canadensis*.
 Meadow-grass, Pungent.—*Eragrostis major*.
 Meadow-grass, Reed.—*Glyceria aquatica*.
 Meadow-grass, Rough-stalked.—*Poa trivialis*.
 Meadow-grass, Rough.—*Poa trivialis*.
 Meadow-grass, Short-stalked.—*Eragrostis Frankii*.
 Meadow-grass, Slender.—*Eragrostis pilosa*.
 Meadow-grass, Smooth.—*Poa pratensis*.
 Meadow-grass, Smooth-stalked.—*Poa pratensis*.
 Meadow-grass, Strong-scented.—*Eragrostis minor*.
 Meadow-grass, Wavy.—*Poa laxa*.
 Meadow Cat's-tail grass.—*Phleum pratense*.
 Meadow Comb-grass.—*Eragrostis pectinacea*.
 Meadow Fescue.—*Festuca pratensis*.
 Meadow Fox-tail.—*Alopecurus pratensis*.
 Meadow Oat-grass.—*Avena pratensis*.
 Meadow Soft-grass.—*Holcus lanatus*.
 Meadow Soft-grass, Velvet.—*Holcus lanatus*.
 Meadow Spear-grass.—*Glyceria nervata*.
 Mean's Grass.—*Sorghum Halapense*.
 Melic grass.—*Melica mutica*.
Melica mutica, Walt.—Melic grass.
 Mesquit grass.—*Bouteloua hirsuta*, *Bouteloua dactyloides*.
 Mesquit grass.—Applied generally to species of *Bouteloua*, (e. g. *Bouteloua Texana*), and to *Aristida purpurea*.
 Mesquit, Grape-vine.—*Panicum obtusum*.
 Mesquit, Bristly.—*Bouteloua hirsuta*.
 Mesquit, Early.—*Buchloe dactyloides*.
 Mesquit, False.—*Buchloe dactyloides*.
 Mesquit, Running or Creeping.—*Hilaria cenchroides*.
 Mesquit, Velvet.—*Holcus lanatus*.
 Mesquit, Vine.—*Panicum obtusum*.
 Mezquit-grass.—Same as Mesquit-grass.
 Millet, African.—*Pennisetum spicatum*.
 Millet, Arabian Evergreen.—*Andropogon Sorghum* var. *Halapensis* (*Sorghum Halapense*).
 Millet, Australian.—Same as Arabian Evergreen.
 Millet, Cat-tail.—*Setaria Italica*, *Pennisetum spicatum*.
 Millet, Common.—*Panicum Miliaceum*, *Pennisetum spicatum*, *Milium effusum*.
 Millet, East Indian.—*Pennisetum spicatum*.
 Millet, Egyptian.—*Pennisetum spicatum*, *Andropogon Sorghum*.
 Millet, Evergreen.—*Sorghum Halapense*.
 Millet, German.—*Setaria Germanica*.
 Millet, Golden.—*Setaria Italica*, var.
 Millet, Great.—*Sorghum vulgare*.
 Millet, Horse.—*Pennisetum spicatum*.
 Millet, Indian.—*Oryzopsis* (*Eriocoma*) *cuspidata*, *Sorghum vulgare*, *Pennisetum spicatum*, and *Setaria Italica*.
 Millet, Japan.—*Pennisetum spicatum*.
 Millet, Morocco.—*Sorghum Halapense*.
 Millet, Pearl.—*Pennisetum spicatum*.
 Millet, Polish.—*Panicum sanguinale*.
 Millet-grass, Wild.—*Milium effusum*, *Oryzopsis cuspidata*, (*Eriocoma cuspidata*), and *Setaria viridis*.
Milium effusum, Linn.—Wild Millet, Millet-grass.
 Montana Rye.—*Triticum Polonicum*.
 Morocco Millet.—*Sorghum Halapense*.
 Mosquit grass.—*Bouteloua oligostachya*.
 Mountain Oat-grass.—*Danthonia compressa*, *Danthonia unispicata*.
 Mountain Poa.—*Poa alpina*.
 Mountain Red-top.—*Agrostis exarata*, *A. canina*.
 Mountain Rice.—Generic name for species of *Oryzopsis*.—*Oryzopsis asperifolia*.
 Mountain Rice, Black-fruited.—*Oryzopsis melanocarpa*.

- Mountain Rice, Large, White-grained.—*Oryzopsis asperifolia*.
 Mountain Rice, Small.—*Oryzopsis Canadensis*.
 Mountain Spear-grass.—*Poa andina*.
Poa alpina.
 Mountain Timothy.—*Alopecurus occidentalis*, *Phleum alpinum*.
Mulenbergia capillaris, Kth.—Sea-side Hair-grass, Muhlenberg's Hair-grass.
Muhlenbergia diffusa, Schreb.—Nimble Will, Wire grass, Drop-seed grass.
Muhlenbergia glomerata, Trin.—Muhlenberg's grass, Satin grass, Wild Timothy.
Muhlenbergia Mexicana, Trin.—Drop-seed grass, Wood grass, Knot-root grass.
Muhlenbergia pungens, Thurb.—Black Grama, Grama China.
Muhlenbergia Texana, Thurb.—Grama.
Muhlenbergia trichopodes, Chapm.—Bunch Hair-grass.
 Munro grass.—*Panicum agrostoides*.
Munroa squarrosa, Torr.—False Buffalo-grass.
 Muskit grass.—*Bouteloua racemosa* (*B. curtipendula*), *Bouteloua hirsuta*, *Bouteloua oligostachya*.
 Naked Beard-grass.—*Gymnopogon recemosus*.
 Native Timothy.—*Phleum alpinum*.
 Needle-grass.—*Stipa comata*.
 Needle-and-thread.—*Stipa comata*.
 Nerved Manna-grass.—*Glyceria nervata*.
 Nimble Will.—*Muhlenbergia diffusa*.
 Nit grass.—*Gastridium australe*.
 Nodding Fescue.—*Festuca nutans*.
 Northern Red-top.—*Agrostis exarata*.
 Oat-grass.—*Arrhenatherum avenaceum*.
 Oat-grass, Black.—*Stipa avenacea*.
 Oat-grass, California.—*Danthonia Californica*.
 Oat-grass, Downy.—*Avena pubescens*.
 Oat-grass, Early Wild.—*Aira præcox*.
 Oat-grass, False.—*Arrhenatherum avenaceum*.
 Oat-grass, Golden.—*Avena flavescens*.
 Oat-grass, Marsh.—*Trisetum palustre*.
 Oat-grass, Meadow.—*Avena pratensis*.
 Oat-grass, Mountain.—*Danthonia compressa*.
 Oat-grass, Purple-Wild.—*Avena striata*.
 Oat-grass, Silky-flowered.—*Danthonia sericea*.
 Oat-grass, Spiked Wild.—*Danthonia spicata*.
 Oat-grass, Tall.—*Arrhenatherum avenaceum*.
 Oat-grass, Tall Meadow.—*Arrhenatherum avenaceum*.
 Oat-grass, Taller Wild.—*Danthonia sericea*.
 Oat-grass, Tennessee.—*Danthonia compressa*.
 Oat-grass, Wild.—Applied to species of *Danthonia*; *Stipa viridula*.
 Oat-grass, Yellow.—*Avena flavescens*.
 Oat-like Indian grass.—*Sorghum nutans*.
 Oat-like Sorghum.—*Sorghum avenaceum*.
 Oats, Australian.—*Bromus unioloides*.
 Oats, Sea-side.—*Uniola paniculata*.
 Oats, Sand.—*Avena fatua*.
 Oats, Water.—*Zizania aquatica*.
 Oats, Wild.—*Uniola latifolia*, *Zizania miliacea*, *Avena fatua*, *Calamagrostis Nuttalliana*.
 Old Fog.—*Danthonia spicata*.
 Old Witch-grass.—*Panicum capillare*.
Oplismenus setarius, R. & S.—Creeping Beard-grass.
 Orchard grass.—*Dactylis glomerata*.
 Orcheston grass.—*Poa trivialis*.
 Oregon Rice.—*Sorghum vulgare*.
Oryzopsis asperifolia, Mx.—Mountain Rice, Large, white-grained Mountain Rice.
Oryzopsis Canadensis, Torr.—Small Mountain Rice.
Oryzopsis cuspidata, Scribn.—Indian Millet, Bunch grass, Wild Millet, Sand-grass.
Oryzopsis melanocarpa, Muhl.—Black-fruited Mountain Rice.
 Pale Manna-grass.—*Glyceria pallida*.
 Pampas Rice.—*Sorghum vulgare*.
 Panic grass.—Generic name for species of *Panicum*.
 Panic grass, Bitter.—*Panicum amarum*.
 Panic Bent-grass.—*Panicum agrostoides*.
Panicum agrostoides, Muhl.—Panic Bent-grass, Munro-grass, Red-top, Panic-grass.
Panicum amarum, Ell.—Bitter Panic-grass.
Panicum barbinode, Trin.—Same as *P. molle* Sw.
Panicum capillare, Linn.—Old Witch-grass, Fool-hay.
Panicum Crus-galli, Linn.—Barn-grass, Barn-yard grass, Cock's foot, Water-grass, Large Crow-foot-grass.
Panicum Curtisii, Chapm.—Maiden Cane, Simpson's grass.

- Panicum divaricatum**, Linn.—Branching Panic, Small Cane.
- Panicum filiforme**.—Slender Crab-grass.
- Panicum hirtellum**.—Same as *Optismenus setarius*, R. & S.
- Panicum jumentorum**, Pers. (*P. maximum* Jacq.)—Guinea-grass, St. Mary's grass.
- Panicum miliaceum**, Linn.—Common Millet, Millet.
- Panicum molle**, Sw. (*P. barbinode*)—Para grass, Yerba de Para, Spanish grass.
- Panicum proliferum**, Lam.—Sprouting Crab-grass.
- Panicum obtusum**, H. B. K.—Vine Mesquit, Grape-vine Mesquit, Grape-vine grass.
- Panicum sanguinale**, Linn.—Crab-grass, Finger-grass, Hairy Finger grass, Manna grass, Polish Millet.
- Panicum Texanum**, Buckl.—Texas Millet, Bottom grass, Colorado grass, River-grass, Goose-grass, Buffalo-grass, Austin-grass.
- Panicum virgatum**, Linn.—Switch-grass, Wild Red-top, Black Bent.
- Para grass.—*Panicum molle* (*P. barbinode*.)
- Paspalum distichum**, Linn.—Knot grass, Joint-grass.
- Paspalum ovatum**.—Hairy-flowered Paspalum.
- Paspalum platycaule**, Poir.—Louisiana grass.
- Paspalum plicatulum**, Michx.—Bull grass, Purple Paspalum, (Same as *P. undulatum*.)
- Paspalum undulatum**.—See *P. plicatulum*.
- Pearl Millet.—*Pennisetum spicatum*.
- Penicillaria spicata**.—Same as *Pennisetum spicatum*.
- Pennisetum spicatum**.—Pearl Millet, Japan Millet, Cat-tail Millet, East India Millet, Horse Millet, Egyptian Millet, Indian Millet, African Millet, African Cane.
- Perennial Rye-grass.—*Lolium perenne*.
- Phalaris arundinacea**, Linn.—Reed Canary-grass, Ribbon-grass.
- Phalaris Canariensis**, Linn.—Canary-grass.
- Phalaris intermedia**, Bosc.—Southern Canary-grass, California Timothy, Reed Canary-grass, American Canary-grass, Stewart's Canary-grass, Gilbert's Relief-grass.
- Phleum alpinum**, Linn.—Mountain Timothy, Native Timothy.
- Phleum pratense**, Linn.—Timothy, Herd's grass, Cat's-tail-grass, Meadow Cat's-tail-grass, Tame Timothy.
- Phragmites communis**, Trin.—Common Reed or Reed-grass.
- Pigeon-grass.—*Setaria viridis*.
- Pigeon-grass, green.—*Setaria viridis*.
- Pine Bunch-grass.—*Festuca* Sp.
- Pinon-grass.—*Festuca ovina*.
- Plume-grass.—*Erianthus saccharoides* (*E. alopecuroides*).
- Poa alpina**, Linn.—Mountain Spear-grass, Mountain Poa.
- Poa alsodes**, Gray.—Wood Spear-grass.
- Poa andina**, Nutt.—Bunch Spear-grass, Bunch-grass, Mountain Spear-grass.
- Poa annua**, Linn.—Low Spear-grass, Spear-grass, Annual Meadow-grass, Dwarf Meadow-grass, Early Meadow-grass, May-grass, Goose-grass, Suffolk-grass.
- Poa arachnifera**, Torr.—Texas Blue-grass.
- Poa Californica**, Vasey.—California Blue-grass.
- Poa compressa**, Linn.—Creeping Spear-grass, Blue grass, Smaller Blue-grass, English Blue-grass, Creeping Poa, Wire-grass, Flat-stalked Meadow-grass, Flat-stalked Blue-grass.
- Poa flexuosa**, Muhl.—Southern Spear-grass.
- Poa laxa**, Hænk.—Wavy Meadow-grass, Alpine Meadow-grass.
- Poa pratensis**, Linn.—Kentucky Blue-grass, Blue-grass, Green-grass, June-grass, Smooth Meadow-grass, Common Spear-grass, Spear-grass, English-grass, Brow-top-grass, Smooth stalked Meadow-grass.
- Poa tenuifolia**, Nutt.—Bunch-grass.
- Poa serotina**, Ehrh.—False Red-top, Fowl Meadow-grass, Duck-grass, Swamp Wire-grass.
- Poa trivialis**, Linn.—Rough Meadow-grass, Roughish Meadow-grass, Rough-stalked Meadow-grass, Green-grass, Orcheston-grass, Common Meadow-grass.
- Poison Rye-grass.—*Lolium temulentum*.
- Polish Millet.—*Panicum sanguinale*.
- Polypogon Monspeliensis**, Desf.—Beard grass.
- Porcupine-grass.—*Stipa spartea*.

- Poverty-grass.—*Aristida dichotoma*, *A. lanata*, *Danthonia spicata*.
 Poverty-grass, Long-awned.—*Aristida tuberculosa*.
 Poverty-grass, Southern.—*Sporobolus vaginiflorus*.
 Poverty-grass, Woolly.—*Aristida lanata*.
 Prairie-grass.—*Sporobolus asper*, *S. vaginiflorus*, *Koeleria cristata*, *Eatonia obtusata*.
 Prairie-grass, Australian.—*Bromus unioloides*.
 Prairie Triple-awn.—*Aristida oligantha*.
 Prickle-grass.—*Leersia oryzoides*.
 Prolific Rice.—*Zizania miliacea* (*Zizaniopsis*).
 Pungent Meadow-grass.—*Eragrostis major*.
 Purple Bearded-grass.—*Aristida purpurea*.
 Purple Bent.—*Calamagrostis brevipilis* (*Ammophila brevipilis*).
 Purple Paspalum.—*Paspalum plicatum* (*P. undulatum*).
 Purple Sand-grass.—*Triplasis purpurea*.
 Purple-Top.—*Triodia cupræa*, (*Tricuspis seslerioides*).
 Purple Wild-oat.—*Avena striata*.
 Purple Wood-grass.—*Andropogon scoparius*.
 Quack-grass.—*Agropyrum repens* (*Triticum repens*), *Distichlis maritima*.
 Quack-grass.—*Agropyrum glaucum*.
 Quake-grass.—*Agropyrum repens*.
 Quaking-grass.—Generic name for species of *Briza*. *Briza media*.
 Quaking-grass, Tall.—*Glyceria Canadensis*.
 Quick-grass.—*Agropyrum repens*.
 Quitch-grass.—*Agropyrum repens*.
 Randall-grass.—*Festuca pratensis*.
 Rat-tail grass.—*Rottbællia* species.
 Rattlesnake-grass.—*Glyceria Canadensis*.
 Ray-grass.—*Lolium perenne*.
 Ray or Rye-grass, English.—*Lolium perenne*.
 Red Fescue.—*Festuca rubra*.
Redfieldia flexuosa, Vasey.—Blowout-grass.
 Red-top.—*Agrostis vulgaris*, *Calamagrostis Canadensis*.
 Red-top, Fall.—*Triodia cupræa* (*Tricuspis seslerioides*).
 Red-top, False.—*Poa serotina*.
 Red-top, Mountain.—*Agrostis exarata*, *A. canina*.
 Red-top, Northern.—*Agrostis exarata*.
 Red-top, Tall.—*Triodia cupræa*, *Agrostis vulgaris*.
 Red-top, Panic.—*Panicum agrostoides*.
 Red-top, Wild.—*Panicum virgatum*.
 Reed.—*Arundinaria tecta*, *Ammophila arundinacea*.
 Reed-grass.—*Phragmites communis*, *Cynodon Dactylon*, *Andropogon nutans*.
 Reed Bent-grass.—*Calamagrostis Canadensis*.
 Reed, Canadian small.—*Calamagrostis Canadensis*.
 Reed-grass, Drooping.—*Cinna pendula*.
 Reed, Indian.—*Cinna arundinacea*.
 Reed-grass, Salt.—*Spartina polystachya*.
 Reed, Sea-sand.—*Ammophila arundinacea*.
 Reed-grass, Small.—*Calamagrostis Canadensis*.
 Reed, Sweet.—*Cinna arundinacea*.
 Reed-grass, Wood.—*Cinna arundinacea*.
 Reed Canary-grass.—*Phalaris arundinacea*.
 Reed Meadow-grass.—*Glyceria aquatica*.
 Relief-grass, Gilbert's.—*Phalaris intermedia*.
 Rescue-grass.—*Bromus unioloides*.
 Rhode Island Bent.—*Agrostis vulgaris*, *A. canina*.
 Ribbon-grass.—*Phalaris arundinacea*.
 Rice-grass.—*Leersia oryzoides*.
 Rice, Black-fruited Mountain.—*Oryzopsis melanocarpa*.
 Rice, False.—*Leersia oryzoides*.
 Rice Cut-grass.—*Leersia oryzoides*.
 Rice, Indian.—*Zizania aquatica*.
 Rice, Large White-grained Mountain.—*Oryzopsis asperifolia*.
 Rice, Mountain.—Generic name for species of *Oryzopsis*. *Oryzopsis asperifolia*.
 Rice, Oregon.—*Sorghum vulgare*.
 Rice, Pampas.—*Sorghum vulgare*.
 Rice, Prolific.—*Zizania miliacea*.
 Rice, Small Mountain.—*Oryzopsis Canadensis*.
 Rice, Tuscarora.—*Zizania aquatica*.
 Rice, Water.—*Zizania aquatica*.
 Rice, Wild.—*Zizania aquatica*.
 River-grass.—*Panicum Texanum*.
Rottbællia.—Rat-tail grass.
 Rough Bent-grass.—*Agrostis scabra*.
 Rough Cock's-foot.—*Dactylis glomerata*.
 Rough Marsh-grass.—*Spartina glabra*.
 Rough Meadow-grass.—*Poa trivialis*.
 Roughish Meadow-grass.—*Poa trivialis*.

- Rough-stalked Meadow-grass.—*Poa trivialis*.
- Running Mesquit.—*Hilaria cenchroides*.
- Rush-grass.—Generic name for species of *Sporobolus* (Vilfa.)
- Rush-like Drop-seed.—*Sporobolus junceus*.
- Rush Salt-grass.—*Spartina juncea*.
- Rye-grass.—*Elymus Virginicus*, *Lolium perenne*.
- Rye-grass, English.—*Lolium perenne*.
- Rye, Montana.—*Triticum Polonicum*.
- Rye-grass, French.—*Arrhenatherum avenaceum*.
- Rye-grass, Giant.—*Elymus condensatus*.
- Rye-grass, Italian.—*Lolium Italicum*.
- Rye-grass, Perennial.—*Lolium perenne*.
- Rye-grass, Poison.—*Lolium temulentum*.
- Rye-grass, Smooth.—*Elymus Virginicus*.
- Rye-grass, Western.—*Elymus condensatus*.
- Rye-grass, Wild.—*Elymus Canadensis*, *Elymus condensatus*, *Elymus triticoides*, and *Elymus Virginicus*.
- St. Augustine-grass.—*Stenotaphrum Americanum*.
- St. Mary's grass.—*Panicum junntorum*, *Sorghum Halapense*.
- Salem grass.—*Holcus lanatus*.
- Salt-grass.—*Sporobolus airoides*, *Distichlis maritima*.
- Salt-grass, Rush.—*Spartina juncea*.
- Salt Marsh-grass.—*Spartina stricta* and *Spartina juncea*.
- Salt Reed-grass.—*Spartina polystachya*.
- Sand-grass.—*Triplasis purpurea*, *Oryzopsis cuspidata*, *Distichlis maritima*, *Ammophila longifolia*, *Andropogon Hallii*, *Calamagrostis Canadensis*.
- Sand-Bur.—*Cenchrus tribuloides*.
- Sand-Oats.—*Avena fatua*.
- Sand Reed.—*Ammophila arundinacea*.
- Sand-Spur.—*Cenchrus tribuloides*.
- Satin-grass.—*Muhlenbergia glomerata*.
- Schedonnardus Texanus**, Steud.—Texan Crab-grass, Slender Tail-grass, Crab-grass, Wire-grass.
- Sea Meadow-grass, Creeping.—*Glyceria maritima*.
- Schrader's grass.—*Bromus unioides*.
- Seutch grass.—*Cynodon Dactylon*, *Agropyrum repens*.
- Sea Lyme grass, Upright.—*Elymus arenarius*.
- Sea-sand Reed.—*Ammophila arundinacea*.
- Sea-side Finger grass.—*Chloris petraea*.
- Sea-side Hair-grass.—*Muhlenbergia capillaris*.
- Sea-side Oats.—*Uniola paniculata*.
- Sea Spear-grass.—*Glyceria maritima*.
- Sea Spear-grass, Creeping.—*Glyceria maritima*.
- Sea Reed, Common.—*Ammophila arundinacea*.
- Sedge, Broom.—*Andropogon Virginicus*.
- Sedge-grass.—*Andropogon Virginicus*.
- Seneca grass.—*Hierochloa borealis*.
- Sesame grass.—*Tripsacum dactyloides*.
- Setaria composita**, Kunth.—Large Fox-tail.
- Setaria corrugata**.—Wrinkled Fox-tail.
- Setaria Germanica**.—German Millet, Hungarian grass, Bristly Fox-tail.
- Setaria glauca**, Beauv.—Yellow Fox-tail, Bottle grass, Fox-tail.
- Setaria Italica**, Kth.—Italian Millet, Bengal grass, Cat-tail Millet, Golden Millet, etc.
- Setaria verticillata**.—Bristly Fox-tail.
- Setaria viridis**, Beauv.—Green Fox-tail, Pigeon grass, Green Pigeon grass, Bottle grass, Wild Millet.
- Sheep's Fescue.—*Festuca ovina*.
- Shining Spike-grass.—*Uniola nitida*.
- Short-leaved Beard-grass.—*Gymnopogon brevifolius*.
- Short-stalked Meadow-grass.—*Eragrostis Frankii*.
- Siberian Lyme-grass.—*Elymus Sibiricus*.
- Silky-flowered Oat-grass.—*Danthonia sericea*.
- Silver Beard-grass.—*Andropogon argyreaus*.
- Simpson's grass.—*Panicum Curtisii*.
- Six-weeks grass.—*Bouteloua polystachya*.
- Slender Crab-grass.—*Panicum filiforme*.
- Slender Fescue.—*Festuca tenella*.
- Slender Fox-tail.—*Alopecurus agrestis*.
- Slender Meadow-grass.—*Eragrostis pilosa*.
- Slender Spike-grass.—*Uniola gracilis*.
- Slender Tail-grass.—*Schedonnardus Texanus*, (*Lepturus paniculatus*).
- Slough grass.—*Beckmannia erucæformis*, *Spartina cynosuroides*.
- Smaller Blue-grass.—*Poa compressa*.
- Small Cane.—*Panicum divaricatum*, *Arundinaria tecta*.
- Small Fescue.—*Festuca microstachya*.
- Small-flowered White grass.—*Leersia Virginica*.
- Small Mountain Rice.—*Oryzopsis Canadensis*.

- Small Reed-grass, Canadian.—*Calamagrostis Canadensis*.
 Smooth Brome-grass.—*Bromus racemosus*.
 Smooth Marsh-grass.—*Spartina alterniflora*.
 Smooth Meadow-grass.—*Poa pratensis*.
 Smooth Rye-grass.—*Elymus Virginicus*.
 Smooth-stalked Meadow-grass.—*Poa pratensis*.
 Smut grass.—*Sporobolus Indicus*.
 Soft Brome-grass.—*Bromus mollis*.
 Soft Chess.—*Bromus mollis*.
 Soft-grass, Creeping.—*Holcus mollis*.
 Soft-grass, Meadow.—*Holcus lanatus*.
 Soft-grass, Woolly.—*Holcus lanatus*.
Sorghum avenaceum, Mx.—Indian grass, (Same as *Andropogon nutans*, L. var. *avenaceus* Hack.)
Sorghum cernuum.—Chicken Corn, Guinea Corn, White Egyptian Corn.
Sorghum Halapense, Pers.—Same as *Andropogon Sorghum*, Brot. var. *Halapensis* Hack. which see.
Sorghum nutans, Gray.—Indian-grass, Wood-grass, Oat-like Indian grass. (Same as *Andropogon nutans*, L.)
Sorghum saccharatum.—Sweet Sorghum, Chinese Sugar Cane, African Cane, Broom Corn.
Sorghum vulgare, Pers.—(now referred to *Andropogon Sorghum*, Brot. var. *vulgaris*).—Sorghum, Sugar Cane, Broom Corn, Indian Millet, Chinese Wheat, Ivory Wheat, Pampas Rice, Chinese Sugar Cane, African Corn, Guinea Corn, Duora Corn, Chocolate Corn, Great Millet, Oregon Rice.
 Southern Bent-grass.—*Agrostis elata*.
 Southern Canary-grass.—*Phalaris intermedia*.
 Southern Eragrostis.—*Eragrostis Purshii*.
 Southern Poverty-grass.—*Sporobolus vaginæflorus*.
 Southern Spear-grass.—*Eragrostis Purshii*, *Poa flexuosa*.
 Spanish grass.—*Panicum molle*.
Spartina alterniflora.—Smooth Marsh-grass.
Spartina cynosuroides, Willd.—Cord-grass, Fresh-water Cord-grass, Marsh-grass, Bull-grass, Thatch-grass, Slough-grass.
Spartina glabra, Muhl.—Marsh-grass, Rough Marsh-grass.
Spartina juncea, Willd.—White Rush, Marsh-grass, Salt-grass, Salt Marsh-grass, Rush Marsh-grass.
Spartina polystachya, Willd.—Salt Reed-grass.
Spartina stricta, Roth.—Salt Marsh-grass.
 Spear-grass.—*Poa annua*, *Poa pratensis*, *Triodia trinervigulumis*, *Stipa spartea*.
 Spear-grass, Branching.—*Eragrostis tenuis*.
 Spear-grass, Bunch.—*Poa Andina*.
 Spear-grass, Creeping.—*Poa compressa*.
 Spear-grass, Creeping Sea.—*Glyceria maritima*.
 Spear-grass, Low.—*Poa annua*.
 Spear-grass, Meadow.—*Glyceria nervata*.
 Spear-grass, Mountain.—*Poa Andina*.
 Spear-grass, Sea.—*Glyceria maritima*.
 Spear-grass, Southern.—*Poa flexuosa*, *Eragrostis Purshii*.
 Spear-grass, White.—*Glyceria aquatica*.
 Spear-grass, Wood.—*Poa alsodes*.
 Spider Bent-grass.—*Agrostis arachnoides*.
 Spike-grass.—Generic name for species of *Uniola*. *Uniola paniculata*, *Diplachne fascicularis*, *Distichlis maritima*.
 Spike-grass, Shining.—*Uniola nitida*.
 Spike-grass, Slender.—*Uniola gracilis*.
 Spiked Fescue.—*Festuca loliacea*.
 Spiked Wild Oat-grass.—*Danthonia spicata*.
Sporobolus airoides, Torr.—Salt-grass, Fine-top.
Sporobolus asper, Kunth.—Prairie grass.
Sporobolus heterolepis, Gray.—Wire-grass, Bunch-grass, Strong-scented *Sporobolus*.
Sporobolus Indicus, R. Br.—Smut-grass, Carpet-grass, Drop-seed-grass.
Sporobolus junceus, Kth.—Rush-like Drop-seed grass, Wire-grass.
Sporobolus serotinus.—Late Drop-seed grass.
Sporobolus vaginæflorus, Vasey.—Southern Poverty-grass, Prairie-grass.
Sporobolus Wrightii, Munro.—“Zacaton” or “Zacate” grass, Maton (of the Mexicans).
 Spring-grass, Sweet-scented.—*Anthoxanthum odoratum*.
 Sprouting Crab-grass.—*Panicum proliferum*.
 Squirrel-tail grass.—*Hordeum jubatum* and *H. pratense*.

- Stenotaphrum Americanum**, Schk.—Hard grass, St. Augustine grass.
- Stewart's Canary-grass.—*Phalaris intermedia*.
- Stink-grass.—*Eragrostis minor* and *major*.
- Stipa avenacea**, Linn.—Black Oat-grass, Feather-grass.
- Stipa comata**.—Needle-grass, Feather grass, Bunch-grass, Needle and Thread.
- Stipa pennata**, Linn.—Feather-grass.
- Stipa setigera**, Presl.—Bear-grass, Bunch-grass.
- Stipa spartea**, Trin.—Porcupine-grass, Devil's Darning-needles, Devil's Knitting-needles, Spear-grass, Arrow-grass, Buffalo-grass (in the Saskatchewan region).
- Stipa viridula**, Trin.—Feather Bunch-grass, Bunch-grass, Wild Oat-grass, Wild Oats, Feather-grass.
- Strong-scented Meadow-grass.—*Eragrostis minor*.
- Strong-scented Sporobolus (Vilfa).—*Sporobolus heterolepis*.
- Suffolk-grass.—*Poa annua*.
- Sugar Cane, African.—*Sorghum saccharatum*.
- Sugar Cane.—*Sorghum vulgare*.
- Sugar Cane, Chinese.—*Sorghum saccharatum*, *S. vulgare*.
- Summer Dew-grass.—*Agrostis vulgare*.
- Swamp Chess.—*Bromus ciliatus*.
- Swamp Wire-grass.—*Poa serotina*.
- Sweet-grass.—*Hierochloa borealis*.
- Sweet-scented-grass.—*Anthoxanthum odoratum*.
- Sweet-scented Spring-grass.—*Anthoxanthum odoratum*.
- Sweet-scented Vernal.—*Anthoxanthum odoratum*.
- Sweet Reed.—*Cinna arundinacea*.
- Sweet Sorghum.—*Sorghum saccharatum*.
- Sweet Vernal grass.—*Anthoxanthum odoratum*.
- Switch-grass.—*Panicum virgatum*.
- Syrian-grass.—*Sorghum Halapense*.
- Tail-grass, Slender.—*Schedonnardus Texanus*.
- Tall Fescue.—*Festuca elatior*.
- Tall Grama.—*Bouteloua hirsuta*.
- Tall Oat-grass.—*Arrhenatherum avenaceum*.
- Tall Quaking-grass.—*Glyceria Canadensis*.
- Tall Red-top.—*Triodia cupræa* (*Tricuspis seslerioides*), *Agrostis vulgaris*.
- Tall, Smooth, Panic-grass.—*Panicum virgatum*.
- Tall Thin-grass.—*Agrostis elata*.
- Taller Wild-grass.—*Danthonia sericea*.
- Tame Timothy.—*Phleum pratense*.
- Tear-grass.—*Coix lachryma*.
- Tears Job's.—*Coix lachryma*.
- Tennessee Oat-grass.—*Danthonia compressa*.
- Teosinte.—*Euchlana luxurians*.
- Terrell-grass.—*Elymus Virginicus* and *E. Canadensis*.
- Texan Blue-grass.—*Poa arachnifera*.
- Texan Crab-grass.—*Schedonnardus Texanus*.
- Texas Millet.—*Panicum Texanum*.
- Thatch-grass.—*Spartina cynosuroides*.
- Thin-grass.—*Agrostis perennans*.
- Thin-grass, Tall.—*Agrostis elata*.
- Tickle-grass.—*Agrostis scabra*.
- Timothy.—*Phleum pratense*.
- Timothy, Californian.—*Phalaris intermedia*, var. *angusta*.
- Timothy, Mountain.—*Alopecurus occidentalis*.
- Timothy, Native.—*Phleum alpinum*.
- Timothy, Tame.—*Phleum pratense*.
- Timothy, White.—*Holcus lanatus*.
- Timothy, Wild.—*Muhlenbergia glomerata*, *Beckmannia erucaeformis*, *Setaria viridis*.
- Toothache-grass.—*Ctenium Americanum*.
- Trichloris verticillata**.—Branching Fox-tail, Fox-tail.
- Tricuspis seslerioides**.—See *Triodia cupræa*.
- Triodia acuminata**.—White Tuft-grass.
- Triodia cupræa**, Jacq.—Tall Red-top, Fall Red-top, Purple-top. (Same as *Tricuspis seslerioides*).
- Triplasis Americana**, Beauv.—Horned Spear-grass.
- Triplasis purpurea**, Chapm.—Purple Sand-grass, Sand-grass.
- Triple-awned grass.—Generic name for species of *Aristida*.
- Tripsacum dactyloides**, Linn.—Gama-grass, Sesame-grass, Bull-grass.
- Trisetum palustre**, Linn.—Marsh Oat-grass.
- Trisetum subspicatum**, var. *molle*. Gray.—Downy Persoon, Downy Oat-grass (?).
- Triticum caninum**.—Same as *Agropyrum caninum*.
- Triticum repens**.—Same as *Agropyrum repens*.
- Triticum Polonicum**.—Wild-goose Wheat, Montana Rye.
- Triticum sativum**, L.—Wheat.

Tuft-grass, White.—*Triodia acuminata*.
 Tufted Hair-grass.—*Deschampsia cespitosa*.
 Turkey-foot grass.—*Andropogon Hallii*, *A. provincialis*.
 Tuscarora Rice.—*Zizania aquatica* and *Z. miliacea*.
 Twin-grass.—*Diarrhena Americana*.
 Twitch-grass.—*Agropyrum repens*.

Uniola gracilis, Mx.—Slender Spike-grass.

Uniola latifolia, Mx.—Broad-leaved Spike-grass, Wild Fescue grass, Wild Oats.

Uniola nitida.—Shining Spike-grass.

Uniola paniculata, Linn.—Sea-side Oats, Beach-grass, Spike-grass.

Upright Chess.—*Bromus racemosus*.
 Upright Sea-Lyme grass.—*Elymus arenarius*.

Valley-grass, Green.—*Sorghum Halapense*.

Vanilla-grass.—*Hierochloa borealis*.

Velvet-grass.—*Holcus lanatus*.

Velvet Lawn-grass.—*Holcus lanatus*.

Velvet Meadow-grass, Soft.—*Holcus lanatus*.

Velvet Mesquit.—*Holcus lanatus*.

Vernal-grass.—*Anthoxanthum odoratum*.

Vernal-grass, Sweet.—*Anthoxanthum odoratum*.

Vine Mesquit.—*Panicum obtusum*.

Virginia Beard-grass.—*Andropogon Virginicus*.

Virginia Cut-grass.—*Leersia Virginica*.

Virginia Lyme-grass.—*Elymus Virginicus*.

Water Fox-tail—*Alopecurus geniculatus*.

Water Fox-tail, Wild.—*Alopecurus aristulatus*.

Water-grass.—*Panicum Crus-galli*.

Water Oats.—*Zizania aquatica*.

Water Rice.—*Zizania aquatica*.

Wavy Meadow-grass.—*Poa laxa*.

Western Beard-grass.—*Aristida purpurea*.

Western Fescue.—*Festuca microstachys*.

Western Rye-grass.—*Elymus condensatus*.

Wheat-grass.—Generic name for species of *Agropyrum*. *Agropyrum glaucum*.

Wheat-grass, Awned.—*Agropyrum caninum*.

Wheat-grass, Bearded.—*Agropyrum caninum*.

Wheat-grass, Creeping.—*Agropyrum repens*.

Wheat-grass, Fibrous-rooted.—*Agropyrum caninum*.

Wheat, Chinese.—*Sorghum vulgare*.

Wheat, Ivory.—*Sorghum vulgare*.

Wheat, Wild.—*Elymus triticoides*.

Wheat, Wild-goose.—*Triticum Polonicum*.

White Bent.—*Agrostis alba*, *Andropogon scoparius*.

White Egyptian Corn.—*Sorghum ceruum*.

White Gramma.—*Boteloua oligostachya*, var. and *Aristida* sp. undt. (near Odessa, Texas).

White-grass.—*Leersia oryzoides*, *L. Virginica*.

White-grass, Small-flowered.—*Leersia Virginica*.

White Rush.—*Spartina juncea*.

White Spear-grass.—*Glyceria aquatica*.

White Timothy.—*Holcus lanatus*.

White-top.—*Danthonia spicata*, *Agrostis alba*.

White Tuft-grass.—*Triodia acuminata*.

White Yorkshire.—*Holcus lanatus*.

Wild Barley.—*Hordeum pratense*.

Wild Chess.—*Bromus Kalnii*.

Wild Fescue-grass.—*Uniola latifolia*.

Wild-goose Wheat.—*Triticum Polonicum*.

Wild June grass.—*Koeleria cristata*.

Wild Oat-grass, Purple.—*Avena striata*.

Wild Millet-grass.—*Milium effusum*, *Oryzopsis cuspidata*, *Setaria viridis*.

Wild Oat-grass or Oat-grass.—Species of *Danthonia*, *Andropogon nutans*, *Arrhenatherum avenaceum*.

Wild Oat-grass.—*Danthonia spicata*, *Sorghum nutans* (*Chrysopogon nutans*), *Stipa viridula*.

Wild Oats.—*Avena fatua*, *Uniola latifolia*, *Zizania latifolia*, and *Calamagrostis Nuttalliana*.

Wild Quack-grass.—*Agropyrum glaucum*.

Wild Red-top.—*Panicum virgatum*.

Wild Rice.—*Zizania aquatica*.

Wild Rye.—*Elymus Virginicus*, *E. triticoides* and *E. condensatus*.

Wild Timothy.—*Muhlenbergia glomerata*, *Setaria viridis*, *Beckmannia erucaeformis*.

Wild Water Foxtail.—*Alopecurus aristulatus*.

Wild Wheat.—*Elymus triticoides*.

Willard's Brome-grass.—*Bromus secalinus*.

- Wire-grass.—*Muhlenbergia diffusa*, *Poa compressa*, *Sporobolus junceus*, *Aristida stricta*, *Cynodon Dactylon*, *Eleusine Indica*, *Andropogon scoparius*, *Sporobolus heterolepis*, *Schedonnardus Texanus*. Also applied to *Juncus* species.
- Wire-grass, Swamp.—*Poa serotina*.
- Wire-Bunch-grass.—*Agropyrum divergens*.
- Witch-grass.—*Agropyrum repens*.
- Witch-grass, Old.—*Panicum capillare*.
- Wood-grass.—*Sorghum nutans*, *Muhlenbergia Mexicana*.
- Wood-grass, Finger-spiked.—*Andropogon provincialis*.
- Wood-grass, Purple.—*Andropogon scoparius*.
- Wood Hair-grass.—*Deschampsia flexuosa*.
- Wood Meadow-grass.—*Poa nemoralis*.
- Wood Reed-grass.—*Cinna arundinacea*.
- Wood Spear-grass.—*Poa alsodes*.
- Woolly Beard-grass.—*Erianthus alopecuroides* (*E. saccharoides*).
- Woolly Bent-grass.—*Ammophila longifolia* (*Calamagrostis longifolia*).
- Woolly-jointed Grama.—*Bouteloua eriopoda*.
- Woolly Poverty-grass.—*Aristida lanata*.
- Woolly Soft-grass.—*Holcus lanatus*.
- Woolly Triple-awn.—*Aristida lanata*.
- Yard-grass.—*Eleusine Indica*.
- Yellow Fox-tail.—*Setaria glauca*.
- Yellow Oat-grass.—*Avena flavescens*.
- "Yerba de Para".—*Panicum molle* Sw.
- Yorkshire Fog.—*Holcus lanatus*.
- Yorkshire White.—*Holcus lanatus*.
- "Zacate de liebre".—*Aristida Clai-fornica*.
- Zacate-grass.—*Sporobolus Wrightii*.
- Zacaton.—*Sporobolus Wrightii*.
- Zea Mays**.—Indian Corn or Maize.
- Zizania aquatica**, Linn.—Indian Rice, Wild Rice, Water Rice, Tuscarora Rice, Water Oats.
- Zizania miliacea**, Mx.—Tuscarora Rice, Wild Oats, Prolific Rice.

SMITHSONIAN INSTITUTION LIBRARIES

3 9088 00623 6491