Cornell University Library

BOUGHT WITH THE INCOME
FROM THE

SAGE ENDOWMENT FUND
THE GIFT OF

Henry W. Sage
1891

A.71632

1/10/94

CORNELL UNIVERSITY LIBRARY

3 1924 053 948 984

Cornell University Library

The original of this book is in
the Cornell University Library.

There are no known copyright restrictions in
the United States on the use of the text.

ILLUSTRATIONS
OF
BRITISH FUNGI.

ILLUSTRATIONS
OF
BRITISH FUNGI
(HYMENOMYCETES),

To serve as an Atlas to the Handbook of "British Fungi."

BY

M. C. COOKE, M.A., LL.D., A.L.S.,

Late President of the Quekett Microscopical Club. President of the Hackney Natural History and Microscopical Society. Fellow of the Botanical Society of Edinburgh. Corresponding Member of the Academy of Natural Sciences, Philadelphia; of the Academy of Science of New York; of the Portland Society of Natural History, Maine, and of the Società Crittogamologica Italiana. Honorary Member of the Cryptogamic Society of Scotland; the Woolhope Field Club; the Hertfordshire Natural History Society; the Norfolk and Norwich Naturalists' Society; the Essex Field Club; and other Societies.

VOL. V.

London :

WILLIAMS AND NORGATE, HENRIETTA STREET, W.C.

1886-1888.

viscid.

G.M.

AGARICUS (PANÆOLUS) SEPARATUS.
on dung. Scarboro.' &c.

Fries
1882

viscid.

AGARICUS (PANÆOLUS) EGREGIUS. *Massee,*
on the ground. Scarboro.'

12-14 X 8

AGARICUS (PANÆOLUS) LEUCOPHANES. *B. & Br.*
in grassy places. Kings Cliffe.

B

AGARICUS (PANEOLUS) SCITULUS. *Massee.*
on soil in plant pot. Scarboro'.

G.M.

viscid.

M.C.C.

AGARICUS (PANÆOLUS) FIMIPUTRIS.

in pastures. Chingford. Oct., 1

viscid.

AGARICUS (*PANÆOLUS*) PHALENARUM. Bull.
 on dung. Loughton. Aug., 1881.

moist, opaque.

M.C.C.

M.J.B.

AGARICUS (PANÆOLUS) RETIRUGIS. Fries.
c. dung. Neesden. Sept., 1881

M.C.C.

AGARICUS (*PANÆOLUS*) SPHINCTRINUS. *Fries*
on dung. *Loughton.* Nov., 1881.

M.C.C.

AGARICUS (PANÆOLUS) CAMPANULATUS. Bull.
in pastures. Chingford. Oct., 1882.

AGARICUS (PANÆOLUS) PAPILIONACEUS. Bull.
in pastures. Chingford. Oct., 1882.

M.C.C.

AGARICUS (*PANÆOLUS*) CALIGINOSUS.

Jungb.

on the ground.

Highbeach.

Nov., 1881.

M.A.B.

AGARICUS (*PANÆOLUS*) SUBBALTEATUS.

B. & P.

on the ground.

Sibbertoft.

Oct., 1884.

A

AGARICUS (*PANÆOLUS*) ACUMINATUS. *Fries*
by roadsides. *Sibbertoft*

B

M.C.C.

AGARICUS (*PANÆOLUS*) FOMICOLA.
on dung. *Sibbertoft*.

COPRINARIA (COPRINARIA) ...
C.
C.

hygrophanous

M.C.C.

R.E.B.

AGARICUS (PSATHYRELLA) GRACILIS. Berk.
on the moist ground. Kew. Oct., 1881.

COPRINARI.

M.C.C.

R.E.B.

AGARICUS (PSATHYRELLA) HIASCENS
on rubbish heaps. Kow Gardens.

Fries.
Nov., 1883

deeply sulcate.

M.C.C.

AGARICUS (PSATHYRELLA) ARATUS. Berk.
by hedges and waysides. Woodnewton.

AGARICUS (PSATHYRELLA) TREPIDUS. *Fries.*
in muddy marshes. Balwick, 1863.

AGARICUS (PSATHYRELLA) HYDROPHORUS. *Bull.*
in gardens. Sibbertoft. 1871.

hygrophanous.

M.C.C.

AGARICUS (PSATHYRELLA) CAUDATUS. *Fries.*
on rich soil. Hockering Sept., 1883.

A

M.C.C.

Credinhill.

B

VARIETY.

a.

b.

X 700

W.G.S.

Epping Forest.

AGARICUS (PSATHYRELLA) PRONUS. Fries.
in grassy places and on lawns. Autumn.

W.G.S. Epping Forest.

AGARICUS (PSATHYRELLA) PRONUS. Fries.
in grassy places and on lawns. Autumn.

hygrophanous, strong scented.

AGARICUS (PSATHYRELLA) EMPYREUMATICUS. *B. & Br.*
on rotten wood. *Sibbertoft.* 1870.

M.C.C.

AGARICUS (PSATHYRELLA) DISSEMINATUS. *Pers.*
on old trunks. *Epping Forest.* Oct., 1884.

pileus atomatus.

M.J.B.

AGARICUS (PSATHYRELLA) ATOMATUS.

by roadsides, &c.

Sibbertoft.

hygrophanous, atomate.

G.M.

AGARICUS (PSATHYRELLA) CRENATUS. *Fries.*
amongst grass. Scarborough.

edible.

M.C.C.

COPRINUS COMATUS. Fries.
on the ground. Common.

COPRINUS OVATUS. Schæff.
in pastures. Woodnewton.

M.C.C.

COPRINUS STERQUILINUS. *Fries.*
in cucumber frame. Coventry. July, 1884.

after Bolton.

COPRINUS OBLECTUS. Bolton.
on dunghills. Halifax.

edible.

1003
50

9 X 6

M.C.C.

COPRINUS ATRAMENTARIUS. *Fries.*
about old stumps, and on naked soil. *Common.*

edible.

9 X 6

M.C.C.

COPRINUS ATRAMENTARIUS. *Fries.*
about old stumps, and on naked soil. Common.

COPRINUS (PELLICULOSI) SOBOLIFERUS. *Fries.*
 base of decayed elm. *Chiswick.* Sept. 1887.

10 X 6

P.E.B

COPRINUS FUSCESCENS. *Fries.*
at the base of trunks Sibbertoft. Oct., 1883.

densely caespitose.

M.C.C.

COPRINUS FUSCESCENS. Fr. var. RIMOSO-SQUAMOSUS.
on the ground. Sydenham. Oct., 1863.

M.C.C.

COPRINUS PICACEUS. Bulhard.
on the ground in woods. Haywood Forest. 1884.

after Bolton.

COPRINUS APHTHOSUS. *Fries.*

on decayed wood in cellars.

Twickenham.

1871.

M.J.B.

COPRINUS FLOCCULOSUS. De Cand.
in gardens, &c. King's Cliffe. June, 1867.

COPRINUS EXTINGTORIUS. Bull.
about the roots of ash trunks

M.C.C.

COPRINUS FIMETARIUS. Fr. var. PULLATUS. Bolton.
on dung. Haywood Common. Oct., 1883.

COPRINUS FIMETARIUS. Fries. var. *MACRORRHIZUS*. Pers.
on dung. King's Cliffe.

COPRINUS CINEREUS. Schaeff.
on dung and rich soil. King's Cliffe.

COPRINUS TOMENTOSUS. *Bulliard*
on rich soil in gardens

COPRINUS NIVEUS. *Fries.*
on horse dung. Common.

M.C.C.

COPRINUS MICACEUS. *Fries.*
about old stumps. Kew Gardens. Oct., 1882.

R.E.B.

COPRINUS ARATUS. Berk & Br.
in hollow trunk. Sibbertoft.

COPRINUS ARATUS. Berk & Br.
inside old stump. Epping Forest. 1881.

COPRINUS RADIANS. *Fries.*
on moist walls. Bungay. 1866.

COPRINUS PAPILLATUS. *Batsch.*
on the ground and dung. Fordingbridge.

COPRINUS ALTERNATUS. Schum.
on moist ground. Swanscombe. 1882.

665-

M.C.C.

COPRINUS DELIQUESCENTS. *Fries*
on trunks, and dead leaves. *Kew Gardens.* 1882.

COPRINUS (PELlicULOSI) TARDUS. *Kaesten*
on the ground *Keo Gardens* *Oct. 1885*

densely caespitose.

M.C.C.

COPRINUS CONGREGATUS. *Bulliard.*
by roadsides. Loughton. Oct., 1884.

A

M.J.B.

COPRINUS HENDERSONII. Berk & Br.
on dung, and in hotbeds. Milton, Norths.

odour strong.

B

11 x 5-6

W.P.

COPRINUS NARCOTICUS. Fries.
on dung. Shrewsbury. Oct., 1879.

W.G.S.

COPRINUS LAGOPUS. *Fries.*
on rotten wood, and dung. *St. Leonard's.*

A

M.J.B.

COPRINUS MACROCEPHALUS. Berk.
on dung. Cotterstock Norths.

B

COPRINUS NYCTHEMERUS. Fries.
on dung. King's Cliffe, Norths.

COPRINUS RADIATUS. Fries.
on dung, Hampstead. 1882.

COPRINUS SPRAGUEI. Berk & Curt.
in gardens, King's Cliffe. July.

M.J.B.

COPRINUS DOMESTICUS. *Fries.*
amongst rubbish, on carpets, &c.

A

COPRINUS STERCORARIUS. *Fries.*
on dungy soil, by roadsides, &c. *Abride.*

B

COPRINUS EPHEMERUS. *Fries.*
on dunghills, and by roadsides. *King's Cliffe.*

M.J.B.

COPRINUS PLICATILIS. *Fries.*
in pastures. Common.

X 5

M.C.C.

COPRINUS FILIFORMIS. *Berk & Br.*
on the ground in woods. Colleyweston.

A

COPRINUS HEMEROBIUS, *Fries.*
by roadsides.

B

X 3

M.J.B.

COPRINUS PLATYPUS *Berk.*
on palm sheath in stove.

HIATULA WYNNIÆ B. & Br.
in a stove, Kew. 1872.

W.P.

BOLBITIUS BOLTONI *Fries.*
on dung heaps. Meole. June, 1879.

BOLBITIUS VITELLINUS. Fries.
on horse dung. Carlisle.

10-12×6-7

BOLBITIUS RIVULOSUS. Berk. & Br.
in Orchid House, Chiswick.

M.C.C.

BOLBITIUS TITUBANS *Fries.*
on the ground, Ashmankhaugh, Aug. 1881.

R.E.B.

BOLBITIUS TENER *Fries.*
amongst grass. *Orton.* Aug. 27, 1883.

R.E.B.

BOLBITIUS TENER *Fries.*
amongst grass. Orton. Aug. 27, 1883.

M.C.C.

CORTINARIUS (PHLEGMACIUM) TRIUMPHANS. *Fries.*
under birch trees. Dinmore. Sept. 15th, 1884.

CORTINARIUS (PHLEGMACIUM) CLARICOLOR. *Fries.*
under birch trees.

CORTINARIUS (PHLEGMACIUM) TURMALIS. *Fries.*
in beech or larch plantations, chiefly amongst beech leaves.

M.C.C.

CORTINARIUS (PHLEGMACIUM) CRASSUS Fries.
amongst grass. Crowell, Oxon. Oct., 1885.

M.C.C.

CORTINARIUS (PHLEGMACIUM) BALTEATUS. Fries.
in mixed woods, often amongst fir leaves.

M.C.C.

CORTINARIUS (PHLEGMACIUM) SEBACEUS, Fries.
on the ground. Haywood Forest. Oct., 1884.

CORTINARIUS (PHLEGMACIUM) LUSTRATUS. Fries.
on grassy slopes. Cabalva.

CORTINARIUS (PHLEGMACIUM) VARIUS. *Fries.*
under fir trees, &c. Dinmore. Oct., 1883.

CORTINARIUS (PHLEGMACIUM) CYANOPUS. Fries.
under beech trees. Highbeech. Sept. 29th, 1883.

CORTINARIUS (PHLEGMACIUM) VARIICOLOR. *Fries.*

ine woods.

9-10x5

M.C.C.

CORTINARIUS (PHLEGMACIUM) VARIICOLOR, var. NEMORENSIS. Fries.
under beech. Carlisle. Sept. 1887.

CORTINARIUS (PHLEGMACIUM) LARGUS. Fries.
under trees Haywood Forest Oct. 1891

CORTINARIUS (PHLEGMACIUM) RIEDERI. *Fries.*
under fir trees. *Epping.* Oct. 1880.

CORTINARIUS (PHLEGMACIUM) SAGINUS.
under trees. Haywood Forest

Fries.

CORTINARIUS (PHLEGMACIUM) RUSSUS. *Fries*
amongst pines, &c. *Credinhill.* Oct. 1882.

CORTINARIUS (PHLEGMACIUM) INFRACTUS. *Fries.*
under beech. Dinmore. Oct., 1883.

CORTINARIUS (PHLEGMACIUM) ANFRACTUS. *Fries.*
in moist woods. Shrewsbury. Oct., 1883.

CORTINARIUS (PHLEGMACIUM) BERKELEYI. Cooke.
(= Cortinarius anfractus. Berk, not Fries.) In woods.

E.B.

CORTINARIUS (PHLEGMACIUM) BERKELEYI, Cooke.
Cortinarius anfractus. Berk, not Fries. In woods.

CORTINARIUS (PHLEGMACIUM) MULTIFORMIS. *Fries.*
in woods. *Pontrilas.* Sept. 1885.

mild

veil white

M.C.C.

CORTINARIUS (PHLEGMACIUM) MULTIFORMIS. *Fries.* var. FLAVESCENS.
under beech trees. *Highbeach, Epping Forest.* Oct., 1884.

CORTINARIUS (PHLEGMACIUM) NAPUS. *Fries.*
in fir woods. Ledbury. Oct., 1883.

C.B.P.

T.H.

CORTINARIUS (PHLEGMACIUM) ALLUTUS. *Fries.*
in fir woods. Guildford. Oct. 1883.

CORTINARIUS (PHLEGMACIUM) TALUS. *Fries.*
 in woods. *Epping Forest.* Oct., 1885.

M.C.C.

CORTINARIUS (PHLEGMACIUM) GLAUCOPUS. *Fries.*
under trees. Queen's Cottage, Kew.

CORTINARIUS (PHLEGMACIUM) CALOCHROUS. *Fries.*

CORTINARIUS (PHLEGMACIUM) CÆRULESCENS. Fries.
amongst leaves. Alresford, Hants. Oct. 1886.

CORTINARIUS (PHLEGMACIUM) CÆRULESCENS. Schæff.
under trees. Wycliff Wood, &c. Oct. 1882.

CORTINARIUS (PHLEGMACIUM) PURPURASCENS, *Fries.*
amongst beech leaves. *Epping Forest.* Oct. 1880.

CORTINARIUS (PHLEGMACIUM) PURPURASCENS. Fries.
under trees. Queen's College Grounds, Kew. Oct. 1884.

CORTINARIUS (PHLEGMACIUM) PURPURASCENS. var. SUBPURPURASCENS. *Fries*
amongst beech leaves. *Monk's Wood, Epping.* Oct. 1883.

CORTINARIUS (PHLEGMACIUM) DIBAPHUS Fr. var. XANTHOPHYLLUS.
In mixed woods. Dinmore. Oct. 1885.

CORTINARIUS (PHLEGMACIUM) TURBINATUS. Bull.
in beech woods. Epping Forest.

M.C.C.

C.B.P.

CORTINARIUS (PHLEGMACIUM) CORROSUS. Fries.
in pine woods. Rothiemurchas. Sept., 1883.

CORTINARIUS (PHLEGMACIUM) FULGENS. *Fries.*
in fir woods, &c. Fownhope Wood, Hereford.

M.C.C.

10 X 5 - 6

C.B.P.

CORTINARIUS (PHLEGMACIUM) FULMINEUS. Schaff.

in shady woods. Ledbury. Oct., 1888.

CORTINARIUS (PHLEGMACIUM) ORICHALCEUS. *Fries.*
under trees. Lyndhurst, Hants. 1884.

CORTINARIUS (PHLEGMACIUM) PRASINUS. *Fries.*
in beech woods. *King's Cliffe.*

taste bitter.

CORTINARIUS (PHLEGMACIUM) ATRO-VIRENS. *Kalch.*
under fir trees. Scarboro' Oct. 1884.

M.J.B.

CORTINARIUS (PHLEGMACIUM) SCARUS.
in moist woods. (A) Durdham Downs.

Fries.
Oct. 1885.

CORTINARIUS (PHLEGMACIUM) HERPETICUS. Fries.
on the ground, in woods, near Carlisle. Sept. 1887.

W.G.S.

CORTINARIUS (PHLEGMACIUM) CUMATILIS. *Fries.*
in beech woods. *Shubden.* 1858.

viscid when moist.

CORTINARIUS (PHLEGMACIUM) EMOLLITUS. *Fries.*
under beech trees. Epping Forest. Oct. 1882.

aerid, hygrophonous.

CORTINARIUS (PHLEGMACIUM) CRISTALLINUS. *Fries.*
amongst beech leaves. Mattishall, Norfolk.

CORTINARIUS (PHLEGMACIUM) DECOLORATUS. Fries.
 under trees. Highbeach, Essex. Sept. 1883.

CORTINARIUS (PHLEGMACIUM) DECOLORANS. *Fries.*
under trees. Epping Forest. Oct. 1885.

CORTINARIUS (PHLEGMACIUM) PORPHYROPUS. A. & S.
amongst dead leaves. Coed Coch. 1871.

C.B.

CORTINARIUS (PHLEGMACIUM) CROCEO-CÆRULEUS. Pers.
under beech, &c. Durdham Down, &c. 1884.

T.H.

CORTINARIUS (PHLEGMACIUM) CORRUSCANS. Fries.
under beech. Shiere Bottom.

C.B.

CORTINARIUS (PHLEGMACIUM) PAPULOSUS, Fries.
in woods. Durdham Down. Oct. 1883.

CORTINARIUS (MYXACIUM) ARVINACEUS. Fries.
under trees (A) Blaize Castle Woods, Bristol. Oct. 1882.

W.G.S.

CORTINARIUS (MYXACIUM) COLLINITUS
in woods. not uncommon.

Fries.

CORTINARIUS (MYXACIUM) MUCOSUS. *Fries.*
Amongst fir leaves. Blackheath.

M.C.C.

CORTINARIUS (MYXACIUM) MUCIFLUUS Fries.
under firs. Black Park, Langley. Sept. 1882.

CORTINARIUS (MYXACIUM) ELATIOR. *Fries.*
Under trees. Epping Forest. 1884.

M.C.C.

CORTINARIUS (MYXACIUM) ELATIOR. *Fries.*
under beeches. Highbeach, Epping 1885.

W.G.S.

CORTINARIUS (MYXACIUM) GRALLIPES. *Fries.*
 A. Ashton Park, Bristol. B Haywood Forest.

A

C.B.P.

B

M.C.C.

C

W.G.S.

CORTINARIUS (MYXACIUM) LIVIDO-OCRACEUS. Berk.
 on the ground. Dinmore, near Hereford. 1876.

CORTINARIUS (MYXACIUM) SALOR. Fries.
(B abnormal) on the ground Coed Coch

M.C.C.

CORTINARIUS (MYXACIUM) DELIBUTUS. Fries.
amongst grass in woods near Carlisle. Oct. 1886.

W.G.S.

8 X 6

M.C.C.

CORTINARIUS (MYXACIUM) STILLATITIUS. Fries.
amongst moss. St. Leonards, Hayward Heath, &c.

taste acrid.

M.C.C.

CORTINARIUS (MYXACIUM) VIBRATILIS. Fries.
in woods. Mattishall. Norfolk.

CORTINARIUS (MYXACIUM) PLUVIUS. *Fries.*
in pine woods, near Gainsborough. Sept.

M.C.C.

CORTINARIUS (INOLOMA) ARGENTATUS. Fries.
under trees. Highbeach, Epping. Oct. 1885.

W.G.S.

CORTINARIUS (INOLOMA) ARGENTATUS. var. PINETORUM. Fries.
in fir woods. Jedburgh. Sept. 1872.

M.C.C.

CORTINARIUS (INOLOMA) VIOLACEUS. Fries.
on the ground. Dinedor, 1881.

odour strong. *M.C.C.*

CORTINARIUS (INOLOMA) MURICINUS. *Fries.*
under firs. Dinedor. Oct. 1881.

M.C.C.

CORTINARIUS (INOLOMA) ALBO-VIOLOACEUS. Fries.
amongst leaves. Highbeach, Epping.

Inodorous.

M.C.C.

CORTINARIUS (*INOLOMA*) MALACHIUS Fries.
 under fir trees. Pontrilas. . Sept. 1885.

odour strong.

CORTINARIUS (INOLOMA) CAMPHORATUS. *Fries.*
in fir woods. Northamptonshire.

subcapitose.

M.C.C.

CORTINARIUS (INOLOMA) TOPHACEUS. *Fries.*
in beech woods. Rothiemurchas Aug. 1893.

CORTINARIUS (INOLOMA) REDIMITUS. *Fries.*
in beech woods. Scotland, Ballater.

CORTINARIUS (INOLOMA) CALLISTEUS. Fries.
in woods. near Bristol, and King's Cliffe.

M.C.C.

CORTINARIUS (INOLOMA) CALLISTEUS. *Fries.*
under larch. Carlisle. Sept. 1887.

M.C.C.

CORTINARIUS (INOLOMA) BULLIARDI. *Fries.*
amongst leaves. Haywood Forest. Oct. 1883.

CORTINARIUS (INOLOMA) VINOSUS. Cooke,
under trees. Eastnor Park, Oct. 1884.

CORTINARIUS (INOLOMA) BOLARIS. *Fries.*
in beech woods. King's Cliffe.

CORTINARIUS (INOLOMA) PHOLIDEUS. Fries.
in mixed woods. Wycliffe Woods. Oct. 1883.

Odor raphani.

M.C.C.

CORTINARIUS (INOLOMA) SUBLANATUS Fries.
in larch plantations, &c. near Ludlow.

CORTINARIUS (INOLOMA) ARENATUS, *Fries.*
amongst leaves. *Coed Coch.*

C.B.

CORTINARIUS (INOLOMA) PENICILLATUS Fries.
on ground in woods. Blaize Castle. Sept. 1884.