2812-161

M. 1

Missing - comp.
Preliminary list
of plants of
the *Hydrophilus* River

OLMSTED, OLMSTED & ELIOT.
LANDSCAPE ARCHITECTSEDWARD DILLON
SUPERINTENDENT OF THE METROPOLITAN RESERVATIONSGARDENING MANAGER
SUPERVISOR OF PLANTING

BROOKLINE, MASS.

PRELIMINARY LIST METROPOLITAN RESERVATIONS

This list is a record of plants collected or created by the Metropolitan Reservations within the limits of each of the Metropolitan Reservations. After the name of every plant are printed the following abbreviations for each Reservation.

B = Blue Hills; M = Middlesex Falls; S = Sutton, Brook; RR = Beaver Brook.

When either of the abbreviations for a Reservation stands alone it is to be understood that the plant stands name it follows has been reported from that Reservation. Where another abbreviation follows it indicates that the plant has been reported from or actually collected. The added abbreviation also indicates the frequency of the plant referred to and the character of the collected specimen is added.

The abbreviations denoting frequency are:

c. = common; f. = frequent; o. = occasional; r. = rare.

Coll. indicates that a complete specimen has been collected, but if a leaf only has been collected coll. is followed by lf., if a fruit only by fr. and if a flower by fl. If a plant is known to be represented at present only in some other herbarium than that of the Metropolitan Reservations this fact is indicated by Herb. and the initials of the owner of the collection in parenthesis.

It should be the purpose of all those who can collect during the coming season to secure specimens of plants that are not yet represented in the Reservations Herbarium.

Many valuable notes on peculiar forms, newly discovered species and varieties, new localities and on the distribution, association and composition of plants have been handed in. It is expected that much more information of this character will be collected during the coming season and added to this preliminary list. These lists are to be returned at the end of the season and from the accumulated notes and specimens a report will be published by the Commission to be prepared.

It should be kept in view that it is the purpose to determine as accurately as possible the present condition and distribution of the plants of the Reservations and the reasons for this condition and distribution.

A new set of maps will be furnished in an early date and hereafter it will be desirable when referring to localities to use the order of these maps. There will be no objection however to the use of the reference numbers and figures on the maps previously sent out.

It is to be understood that those to whom collecting assignments have been assigned are ready to receive and determine specimens which belong within their assignment. The specimens may be sent to the laboratory direct or to me for distribution. All specimens intended for the herbarium are to be sent to me ultimately so that they may be properly prepared and distributed.

QK

125

M36

1895

Mr. A. B. Seymour, Cambridge, Mass., is ready to assist any collector in the determination of Fungi and will permit a reference to his very valuable collection, but he must not be expected to personally determine all specimens that belong this very large group of plants.

I desire to express my grateful appreciation of the cordial cooperation of all who have supplied material and data for the preparation of this Preliminary List, and also of the assistance and suggestions offered by Mr. Edward L. Rand who has assisted and will hereafter assist in the editorial work.

Please hold me responsible for errors, of which there must be many, in the Preliminary List. Correct any that are found and be free also to offer suggestions.

Brookline, Mass. April 27th. 1895.

Warren H. Manning

STORRS
MICH. VASE
BOTANICAL
HERBARIUM

INDEX.

Ailanthaceae, 48.
 Amarantaceae, 31.
 Anacardiaceae, 35.
 Anacardiaceae, 8.
 Androsaceae, 61.
 Apocynaceae, 28.
 Araceae, 42.
 Aspladiaceae, 16.
 Aspladiaceae, 26.
 Berberidaceae, 2.
 Bignoniaceae, 30.
 Boraginaceae, 27.
 Bryophytes, 55.
 Campanulaceae, 24.
 Caprifoliaceae, 16.
 Caryophyllaceae, 5.
 Celastraceae, 7.
 Chenaceae, 61.
 Chenopodiaceae, 31.
 Cistaceae, 4.
 Compositae, 18.
 Coniferae, 37.
 Convolvulaceae, 27.
 Cornaceae, 16.
 Crassulaceae, 13.
 Cruciferae, 3.
 Cucurbitaceae, 16.
 Cypripedaceae, 35.
 Cyperaceae, 43.
 Dipsacaceae, 15.
 Elatinaceae, 5.
 Equisetaceae, 31.
 Ericaceae, 24.
 Eriocaulaceae, 43.
 Euphorbiaceae, 33.
 Ficoideae, 15.
 Filices, 36.
 Fumariaceae, 3.
 Gentianaceae, 27.
 Geraniaceae, 6.
 Gramineae, 47.
 Haloragaceae, 14.
 Hamamelidaceae, 14.
 Hepaticae, 61.
 Hydrocharidaceae, 37.
 Hypericaceae, 5.
 Illiciaceae, 7.
 Illecebraceae, 31.
 Iridaceae, 39.
 Juglandaceae, 34.
 Juncaceae, 41.
 Labiatae, 30.
 Lauraceae, 33.
 Leguminosae, 8.

Lemnaceae, 42.
 Lentibulariaceae, 29.
 Lichens, 62.
 Liliaceae, 39.
 Linaceae, 6.
 Lobeliaceae, 33.
 Lycopodiaceae, 53.
 Lythraceae, 14.
 Malvaceae, 6.
 Melastomaceae, 14.
 Musci, 55.
 Myricaceae, 34.
 Najadaceae, 43.
 Nymphaeaceae, 2.
 Oleaceae, 26.
 Onagraceae, 14.
 Ophioglossaceae, 53.
 Orchidaceae, 37.
 Orobanchaceae, 29.
 Papaveraceae, 3.
 Phytolaccaceae, 32.
 Plantaginaceae, 31.
 Platanaceae, 34.
 Polygalaceae, 8.
 Polygonaceae, 32.
 Pontederiaceae, 40.
 Portulacaceae, 5.
 Primulaceae, 25.
 Ranunculaceae, 1.
 Rosaceae, 4.
 Rhamnaceae, 7.
 Rosaceae, 10.
 Rubiaceae, 17.
 Rutaceae, 7.
 Salicaceae, 35.
 Santalaceae, 33.
 Sapindaceae, 7.
 Sarraceniacae, 2.
 Saxifragaceae, 13.
 Scrophulariaceae, 28.
 Selaginellaceae, 54.
 Solanaceae, 28.
 Sphagnaceae, 60.
 Thallophtes, 61.
 Tiliaceae, 6.
 Typhaceae, 41.
 Umbelliferae, 15.
 Urticaceae, 33.
 Verbenaceae, 30.
 Violaceae, 4.
 Vitaceae, 7.
 Xyridaceae, 40.

- Miss Frances Zieglschel. (TS). 51 Essex St., Boston, Mass. (43)
 1 Ranunculaceae.
 2 Berberidaceae.
 3 Toxicaceae.
 4 Scrophulariaceae.
 5 Papaveraceae.
 6 Ranunculaceae.
- Dr. J. H. Yessier, (JRW). East Milton, Mass.
 10 Ericaceae.
 11 Rosaceae.
 12 Distichaceae.
 13 Violaceae.
 14 Caryophyllaceae.
 15 Portulacaceae.
 16 Malvaceae.
 17 Hypericaceae.
 20 Liliaceae.
- Lab. Term, (LMD). West Bedford, Mass.
 21 Liliaceae.
 29 Sapindaceae.
 65 Oleaceae.
 99 Urticaceae.
 100 Juglandaceae.
 102 Myricaceae.
 103 Cupuliferae.
 104 Salicaceae.
 106 Umbelliferae.
 107 Compositae.
- Sidney Harris, (SH).
 Vernon St., Brookline, Mass.
 22 Linaceae.
 23 Geraniaceae.
 24 Rutaceae.
 26 Colchicaceae.
 27 Ranunculaceae.
 28 Vitaceae.
 30 Anacardiaceae.
- T.C. Fuller, (TGF). Needham, Mass.
 20 Liliaceae.
 49 Araliaceae.
 50 Coriaceae.
 51 Ranunculaceae.
 52 Rubiaceae.
 56. Lobeliaceae.
 57 Compositae.
 58 Ericaceae.
 61 Primulaceae.
 66 Apocynaceae.
 67 Asclepiadaceae.
 69 Gentianaceae.
 70 Polemoniaceae.
 72 Boraginaceae.
- E. P. Williams, (EPW).
 51 Tremont St., Boston, Mass.
 36 Ranunculaceae.
 37 Ranunculaceae.
 38 Ranunculaceae.
 39 Ranunculaceae.
 41 Liliaceae.
 42 Ranunculaceae.
- Miss M. E. Carter, (MEC).
 Boston Nat'l & Hist. Soc'y, Boston
 45 Compositae.
 46 Dactylaceae.
 47 Nictitaceae.
 48 Umbelliferae.
- M. L. Fernald, (MLF).
 Gray Herbarium, Cambridge, Mass.
 55 Compositae.
- J. E. Churchill, (JEC).
 Sears Building, Boston, Mass.
 73 Compositae.
 74 Solanaceae.
 75 Scrophulariaceae.
 76 Umbelliferae.
 77 Ranunculaceae.
 78 Ranunculaceae.
 81 Ranunculaceae.
- Walter Leno, (WL). Cambridge, Mass.
 82 Ranunculaceae.
 83 Ranunculaceae.
 84 Ranunculaceae.
 85 Ranunculaceae.
 86 Ranunculaceae.
 87 Ranunculaceae.
 88 Ranunculaceae.
 89 Ranunculaceae.
 90 Ranunculaceae.
 93 Ranunculaceae.
 97 Ranunculaceae.
 98 Ranunculaceae.
- Unassigned.
 100 Ranunculaceae.
 110 Ranunculaceae.
 113 Ranunculaceae.
 114 Ranunculaceae.
 115 Ranunculaceae.
 116 Ranunculaceae.
 117 Ranunculaceae.

Miss Kennedy, (JES).

518 Vesper St. Roxbury, Mass.

113 Bryalesae.

121 Typhalesae.

122 Alismaceae.

124 Compositae.

125 Alismaceae.

126 Najasae.

127 Equisetaceae.

T. C. Collins, (MI).

97 Dexter St.

Malden, Mass.

Algae.

A. B. Sawyer, (APS).

Cambridge, Mass.

Fungi.

Unassigned.

Bryaceae.

Sphagnaceae.

Andreaeaceae.

Hepaticae.

Characeae.

Lichens.

Dr. Chas. W. Swan, (CNS).

79 Worcester St. Boston, Mass.

121 Compositae.

122 Cyperaceae.

123 Gramineae.

P. A. Severn, (JAD).

87 Vesper St. Norwood, Mass.

130 Equisetaceae.

131 Filices.

132 Ophioglossaceae.

133 Equisetaceae.

134 Selaginellaceae.

135 Marsiliaceae.

136 Salviniaceae.

--- o ---

Miss Clara E. Cummings, Walpole, Mass. (LSC).

Miss Charlotte M. Benedict, Canton, Mass. (CEB).

Chas. E. Faxon, Jamaica Plain, Mass. (CF).

Edwin Faxon, Jamaica Plain, Mass. (EF).

A. H. Faxon, Newton Highlands, Mass. (AF).

P. Gallagher, 89 N. St. South Boston, Mass. (PG).

H. A. Horton, 220 Walnut St. Brookline, Mass. (HAH).

Chas. W. Jack, Bedford, Mass. (CWJ).

O. Katsenstein, 506 Chestnut Ave. Jamaica Plain, Mass. (OK).

N. T. Kitter, Milton, Mass. (NTK).

Miss Agnes W. Lincoln, Bedford, Mass. (AWL).

Ter. P. Ford, 22 Adams St. Andover, Mass. (TF).

Henry A. Purdie, 12 Beacon St. Boston, Mass. (HAP).

William P. Rich, 5 No. Market St. Boston, Mass. (WPR).

Mrs. P. D. Richards, West Bedford, Mass. (PDR).

I. Ranunculaceae.

<i>Aconitum uncinatum</i> , L.	Planted.	S.	BB.
B., r.			
<i>Actaea alba</i> , Bigel.	Rocky slopes.	S.	BB.
B., c., coll. fr.	M., r., coll. fr.		
<i>Astaea spicata</i> , L., var. <i>rubra</i> , Ait.	Damp shady places.	S.	BB.? r., coll
B.	M., r.		
<i>Anemone cylindrica</i> , Gray.		S.	BB.
B., f., coll.	M., f., coll.		
<i>Anemone nemorosa</i> , L.	Woods and shady fields.	S.	BB. c., 2 Herb W.
B., c., (Herb. JHC).	M., c., (Herb. WD).		
<i>Anemone virginiana</i> , L.	Rocky woods.	S.	BB.
B., c., coll.	M., c., coll.		
<i>Anemonella thalictroides</i> , Spach.	Wooded slopes.	S.	BB.
B., f., coll. fr.	M., f.		
<i>Aquilegia canadensis</i> , L.	Ledges.	S.	BB. r. coll. fl.
B., c., (Herb. JHC).	M., c.		
<i>Aquilegia vulgaris</i> , L.		S.	BB.
B., r.			
<i>Caltha palustris</i> , L.	Swamps.	S.	BB.
B., c., (Herb. WD).	M., c.		
<i>Clematis virginiana</i> , L.	Roadsides and moist places.	S.	BB.
B., f., coll. fl.	M., f.		
<i>Coptis trifolia</i> , Salisb.	Swamps and wet woods.	S.	BB.
B., f., coll. fr.	M., c.		
<i>Delphinium consolida</i> , L.		S.	BB.
B.	M., r., (Herb. MI).		
<i>Hepatica trifolia</i> , Chaix.	Moist ground in woods.	S.	BB.
B., c. (Herb. JHC).	M., f., (Herb. WD).		
<i>Paeonia officinalis</i> , Meta.	Planted.	S.	BB.
B., r.	M.		
<i>Ranunculus abortivus</i> , L.	Open woods and slopes.	S.	BB., f. coll.
B., c.	M., c.		
<i>Ranunculus abortivus</i> , L. var. <i>micranthus</i> , Gray.		S.	BB.
B.	M.? r.		

<i>Ranunculus seris</i> , L. Moist land.			
B., c., (Herb. GGN). M., r.	S.		B., c., coll. I
<i>Ranunculus aquatilis</i> , L. Brooks.			
B., f. Poir. L.	S.		BE.
<i>Ranunculus aquatilis</i> , L. var. <i>trichophyllus</i> , Gray. Stagnant pools.			
B., c., coll. lf. M., r., (Herb. IJ).	S.		BE.
<i>Ranunculus bulbosus</i> , L. Fields.			
B., s. (Herb. GGN). M., c.	S., c.		B., c., coll.
<i>Ranunculus fascicularis</i> , Muhl. Dry slopes.			
B. M., f.	S.		BE.
<i>Ranunculus multifidus</i> , Pursh. Swamps and pools.			
B., r. (Herb. WD). M., c.	S.		BE.
<i>Ranunculus Pennsylvanicus</i> , L. f. Wet shady woods.			
B. M., r., coll. fr.	S.		BE.
<i>Ranunculus septentrionalis</i> , Poir. Wet open places.			
B., f., coll. M., c.	S.		B., c., coll.
<i>Thalictrum dioicum</i> , L. Damp woods.			
B., f., (Herb. JNC). M., c.	S.		M., c., coll. lf.
<i>Thalictrum polygamum</i> , Muhl. Swamps and meadows.			
B., coll. fr. B., f., coll. fl.	S.		BE., c.
<i>Thalictrum purpurascens</i> , L. Rocky woods.			
B., c., (Herb. WD). M., r., coll.	S.		BE.

5. Berberidaceae.

<i>Berberis vulgaris</i> , L. Hedges, pastures, open places.			
B., c. M., c., (Herb. IJ).	S., c.		BE.

6. Nymphaeaceae.

<i>Brasenia peltata</i> , Pursh. Ponds and streams.			
B., c. M., c.	S.		BE.
<i>Nuphar advena</i> , Ait. Stagnant waters.			
B., s., coll. fl. M., f.	S.		BE.
<i>Nymphaea odorata</i> , Ait. Ponds.			
B., r. (Herb. GGN). M., c.	S.,		BE.

7. Sarraceniacae.

<i>Sarracenia purpurea</i> , L. Bogs and meadows.			
B., c., coll. fr. M., f.	S.		BE.

9. Papaveraceae.

<i>Corydalis aurea</i> , Pursh.	Wetland rocks	Ida. 88-	
S. F. coll.		S.	
To. (Herb. coll.)			
<i>Chelidonium majus</i> , L.	House-sites and roadsides.		
S.		S.	S. F. coll.
<i>Meconopsis acuminata</i> , L.	Wet places.		
S. F. coll. 11.		S.	S. F. coll. 11.

10. Cruciferae.

<i>Alyssum maritimum</i> , Lam.	Planted.		
S. F.		S.	S.
<i>Arabis canadensis</i> , L.			
S. F. (Herb. coll.)		S.	S.
<i>Arabis laevigata</i> , P. Br.			
S.	(Herb. coll. I).	S.	S.
<i>Barbarea vulgaris</i> , L. Fr.	House-sites and roadsides.		
S. F. coll.		S.	S. F.
<i>Barbarea vulgaris</i> , L. Fr. var. <i>arcuata</i> , Koch.			
S. F.	(Herb. coll. I).	S.	S.
<i>Brassica campestris</i> , L.	Cultivated fields and house-sites.		
S.		S.	S.
<i>Brassica nigra</i> , Koch.	House-sites and roadsides.		
S. F. (Herb. coll. I).		S.	S.
<i>Brassica sinensis</i> , L.	Roadsides and house-sites.		
S. F. (Herb. coll. I).		S.	S.
<i>Capitata Bursa-pastoris</i> , Moench.	Roadsides and fields.		
S. F.		S.	S.
<i>Cardamine hirsuta</i> , L.	Shaded wet places.		
S. F. (Herb. coll. I).	(Herb. coll. I).	S.	S. F. coll.
<i>Cardamine hirsuta</i> , L. var. <i>silvestris</i> , Gand.	Rocky hills.		
S. F.		S.	S.
<i>Cardamine rhomboides</i> , DC.			
S.		S. F.	S. F.
<i>Lepidium virginicum</i> , L.	Roadsides, dumps and house-sites.		
S. F. coll.		S.	S.
<i>Plantago officinalis</i> , R. Br.	Ditches and brooks.		
S.		S.	S. F. (Herb. coll. I)
<i>Plantago palustris</i> , DC.	Pastures and shores.		
S.		S.	S.

<i>Raphanus Raphanistrum</i> , L.	Wet places; home sites.		
S., c. (Herb. J.R.)		S.	22.
<i>Sisymbrium officinale</i> , Scop.	Home sites.		
S., c.	L., c.	S.	23.

12. Rubiaceae.

<i>Rubia lutea</i> , L.	Planted		
S., r	L.	S.	24.

13. Cistaceae.

<i>Helianthemum Canadense</i> , Michx.	Dry fields.		
S., c., coll.	L., c., coll.	S.	25.
<i>Lechea intermedia</i> , Lagr. lt.	Dry fields.		
S.	L., f. (Herb. MI).	S.	26.
<i>Lechea major</i> , Michx.	Dry woods and fields.		
S., f., coll.	L., c.	S.	27.
<i>Lechea minor</i> , L.	Open rocky woods.		
L., f., coll.	L., f., coll.	S.	28.
<i>Lechea minor</i> , L. var. <i>maritima</i> , Gray.			
L.	L., f., coll.		
<i>Lechea tenuifolia</i> , Michx.	Woodroads.		
L., f., coll.	L., f., coll.	S.	29.

14. Violaceae.

<i>Viola blanda</i> , Willd.	Moist and wet places.		
L., f., coll. fr.	L., f.	S.	L.B., f. coll. fl.
<i>Viola canina</i> , L. var. <i>Muhlenbergii</i> , Gray.	Moist woods.		
B., o., coll.	L.	S.	33.
<i>Viola lanceolata</i> , L.	Meadows.		
B., c., coll. fr.	L., c.	S., c.	33. c. coll. fl.
<i>Viola palmata</i> , L. var. <i>caerulea</i> , Gray.	Swamps; damp woods.		
B., c. (Herb. WD).	L., f.	S.	34.
B., coll. a white fl. form.			
<i>Viola pedata</i> , L.	Gravelly slopes.		
S., c. (Herb. GSK)	L., c.	S.	35.
<i>Viola primulaefolia</i> , L.	Wet open places.		
B., o., coll. fl.	L., r., coll.	S.	35. o. coll. fl.
<i>Viola pubescens</i> , Ait.			
B., o., coll. fr.	L., r.	S.	36.

Viola caroliniana, Torr. & Gray. S.
Viola caroliniana L. Dry fields and open woods. S.

13. Caryophyllaceae.

Arenaria latifolia, L. Low ground. S.
Arenaria serpyllifolia, L. Damp open and shady places. BB, BB.
Diaprasia ciliolata, L. Roadsides; house-sites. S.
Corollaria vulgaris, L. Fields. S., S.
Diaprasia ciliolata, L. Plant d. S.
Lychnis thalictroides, L. Planted. S.
Lychnis Githago, L. Low moist ground. BB.
Diaprasia ciliolata, L. Roadsides; roadsides. BB.
Silene acaulis, L. Planted. S.
Silene acaulis, L. BB.
Silene pennsylvanica, Michx. S.
Stellaria media, Smith. Roadsides; house-sites; cultivated fields. BB, BB.
Stellaria media, Smith. S.

16. Portulacaceae.

Portulaca oleraceae, L. Cultivated ground. S., S.
 BB, BB.

17. Elatinaceae.

Elatine Americana, Arn. Margins of ponds. BB.
 S., S., S.

18. Hypericaceae.

Hypericum canadense, L. Damp meadows and swamps. BB, BB.
Hypericum canadense, L. Meadows. BB, BB.
Hypericum canadense, L. S.
Hypericum canadense, L. S.

Hypericum matitum, L. Swamps and meadows.
B., c. (Herb. WD). M., c., coll. fl. S. 83

Hypericum radiculz, Walt. Edge of gravelly roadsides.
B., c. (Herb. GGR). M., c. S. 83

Hypericum perforatum, L. Roadsides and pastures.
B., c., coll. fr. M., c. S. 81

20. Malvaceae.

Hibiscus Moscheutos, L. Planted.
B., r. M. S. 83

Malva rotundifolia, L. Roadsides and housesites.
B., c. M., f. coll. S., o. 83

21. Tiliaceae.

Tilia Americana, L. Woods; edges; swamps.
B., r., coll. fr. M., o. S., r. 5.

22. Linaceae.

Linum Virginianum, L. Dry woods.
B., c., coll. M., f. (Herb. MI). S. 83

23. Geraniaceae.

Geranium Carolinianum, L. Rocks in open woods.
B., r. (Herb. JRO). M., r., coll. S. 83

Geranium dissectum, L.
B. M., r. S. 83

Geranium maculatum, L. Roadsides; edges of thickets.
B., c., coll. fl. M., c. S., c. 83

Geranium Robertianum, L. Damp rocks in woods.
B., f., col. M., f. S. 83

Geranium fulvum, Nutt. Shaded wet places.
B., c., coll. fl. M., c. S., c. 83

Xalis corniculata, L., var. *stricta*, Say. Roadsides and fields.
B., c., coll. fr. M., c. S. 83

Xalis violacea, L.
B. M. S. 83

24. Rutaceae.

<i>Ailanthus glandulosa</i> , Desf.	Planted.	S.	BB.
B., r.	M., r.		
<i>Xanthoxylum Americanum</i> , Mill.	Moist ground.	S.	BB.
B., f., r.	M.		

25. Illiciaceae.

<i>Ilex glabra</i> , Gray.	Swamp; edge meadow.	S.	BB.
B., r., coll.-lf.	M.		
<i>Ilex laevigata</i> , Gray.	Swamps.	S., o., coll.-fr.	BB.
B.	M.		
<i>Ilex verticillata</i> , Gray.	Swamps and bogs.	S., c., coll.-fr.	BB.o.
B., c., coll.-fr.	M., c., coll.		
<i>Nemopanthes fascicularis</i> , Raf.	Swamps and meadows.	S., o.	BB.o. coll.-lf.
B., o., coll.-lf.	M., f.		

26. Celastraceae.

<i>Celastrus scandens</i> , L.	Rocky slopes.	S.	BB., r. coll.-fr.
B., c., coll.-lf.	M., r.		

27. Rhamnaceae.

<i>Maenothus Americanus</i> , L.	Dry woods and slopes.	S., o., coll.	BB.
B., o. coll.	M., f. (Herb. WD).		
<i>Rhamnus cathartica</i> , L.	Dry and moist fields and thickets.	S., o.	BB.c. coll.-fl.
B., f., coll.-fr.	M., f.		

28. Vitaceae.

<i>Ampelopsis quinquefolia</i> , Michx.	Rocky moist woods.	S., o.	BB., o.
B., f.	M., f.		
<i>Vitis aestivalis</i> , Michx.	Rocky woods.	S.	BB.
B., f. (Herb. JRC).	M., o., coll.-lf.		
<i>Vitis Labrusca</i> , L.	Moist rocky places.	S.	BB.
B., f., (Herb. JRC).	M., o.		

29. Sapindaceae.

<i>Acer Pennsylvanicum</i> , L.		S.	BB.
B., r. (Herb. GOK).	M.		
<i>Acer platanoides</i> , L.	Planted.	S.	BB.
B., r.	M.		
<i>Acer rubrum</i> , L.	Very e. wet soil; o. dry soil.	S., c.	BB.c. (Herb. WD)
B., c. (Herb. JRC).	M., c.		
<i>Acer saccharinum</i> , Wang.	Small groups among rocks and planted.	S., r.	BB., r.
B., o., coll.-lf.	M., o., coll.-lf.		

<i>Asclepias hippocastanum</i> , L.	Planted.		22.
S., r.		S.	

30. Anacardiaceae.

<i>Rhus copallina</i> , L.	Dry fields; ledges.		22.
S., f., coll. fl.		S.	
<i>Rhus glabra</i> , L.	Fields and low thickets.		22., f.
S., f., coll. fl.		S., f.	
<i>Rhus Toxicodendron</i> , L.	Dry and wet woods and fields.		22., e.
S., c., coll. fl.		S., c.	
<i>Rhus typhina</i> , L.	Pastures and low thickets.		22.
S., o. (Herb. GGR).		S.	
<i>Rhus venenata</i> , DC.	Swamps.		22.
S., f. (Herb. JEC).		S., f.	

31. Polygalaceae.

<i>Polygala cruciata</i> , L.	Woods.		22.
S., r., coll. fl.		S.	
<i>Polygala polygama</i> , Walt.	Open places in dry woods.		22.
S., r. (Herb. GGR).		S.	
<i>Polygala sanguinalis</i> , L.	Moist and wet places.		22.
S., c., coll. fl.		S.	
<i>Polygala verticillata</i> , L.	Dry open land.		22.
S., r., coll.		S.	

32. Legumino.

<i>Amphicarpaea monoica</i> , Ell.	Woods.		22., o., coll.
S., f., coll.		S., o., coll.	
<i>Apocynum tuberosum</i> , Moench.	Among bushes in moist ground.		22.
S., o., coll. fl.		S., o.	
<i>Baptisia tinctoria</i> , R. & Br.	Rocky woods and dry fields.		22., o., coll. fl.
S., c., coll. fl.		S.	
<i>Desmodium acuminatum</i> , DC.	Rocky open woods.		22.
S., f., coll. fl.		S.	
<i>Desmodium canadense</i> , DC.	Roadsides and moist open ground.		22.
S., o., coll. fl.		S.	
<i>Desmodium canadense</i> , DC.	Poor dry soil.		22.
S., r., coll. fl.		S.	
<i>Desmodium ciliare</i> , DC.			22.
S., o. (Herb. GGR).		S.	

<i>Desmodium stipitatum</i> , Torr. & Gray	Rocky woods	
S.f.coll.fl.	M.f.coll.fl.	S.f.coll.fl.
<i>Desmodium Willden.</i> Darl.	Woods.	
S.c.coll.	S.c.	S.
<i>Desmodium Marylandicum</i> , Benth.	Woods and roadsides.	
S.f. (Herb. 36K).	M.	S.
<i>Desmodium nudiflorum</i> , DC.	Rocky woods and roads	
S.c.coll.	M.c.coll.fl.	S.
	a white fl. form coll.	
<i>Desmodium paniculatum</i> , DC.	Rocky open woods.	
B.f.coll.	M.f.coll.fl.	S.f.
<i>Desmodium rigidum</i> , DC.	Borders of woods.	
B.f.coll.	M.c.coll.fl.	S.
<i>Desmodium rotundifolium</i> , IC.	Dry open woods.	
S.c.coll.	M.c.	S.f.coll.
<i>Lespedeza capitata</i> , Michx.	Gravelly roadsides and dry open woods.	
B.c.coll.	M.f.	S.
<i>Lespedeza Nuttallii</i> , Darl.	Rocky thinly wooded slopes.	
E.	M.	S.r.
<i>Lespedeza polystachya</i> , Michx.	Open woods.	
B.c.coll.fl.	M.f.coll.fl.	S.
<i>Lespedeza procumbens</i> , Michx.	Dry thin woods.	
B.f.coll.fl.	M.r.	S.c.coll.fl.
<i>Lespedeza reticulata</i> , Pers.	Hillsides.	
S.c.coll.fl.	M.	S.
<i>Lespedeza Stuebeli</i> , Nutt. var. <i>intermedia</i> , Watson.	Rocky woods and slopes.	
B.c.coll.fl.	M.c.coll.fl.	S.c.coll.fl.
<i>Lespedeza violacea</i> , Pers.	Roadsides and dry woods.	
B.f.coll.	M.r.coll.fl.	S.f.coll.fl.
<i>Lespedeza Virginica</i> , (L.).	Open rocky hillsides.	
E.	M.r.coll.fl.	S.
<i>Medicago lupulina</i> , L.	Housesites; roadsides; fields.	
B.r.	M.o.	S.
<i>Malilotus officinalis</i> , Willd.		
E.o.	M.	S.
<i>Rhynchospora racemosa</i> , L.	Housesites and roadsides.	
B.c.	M.f.	S.c.
<i>Trifolium Virginiana</i> , Pers.	Slopes and woody paths.	
B.f. (Herb. 36K).	M.	S.

LIBRARY
NEW YORK
BOTANICAL
GARDEN

<i>Trifolium agrarium</i> , L.	Sandy places and roadsides	
B., f., coll. fl.	M., f.	S.
<i>Trifolium arvense</i> , L.	Roadsides; gravelly soil, ledges.	
B., c., coll. fl.	M., c.	S.
<i>Trifolium hybridum</i> , L.	Housesites, roadsides, fields.	
B., o.	M., f.	S.
<i>Trifolium pratense</i> , L.	Housesites; roadsides; fields.	
B., o. M., c.	M., f.	S.
<i>Trifolium repens</i> , L.	Pastures, housesides, housesites.	
B., c.	M., c.	S., c.
<i>Vicia Cracca</i> , L.	Moist open ground.	
B.	M., o.	S., o., coll. fl.
<i>Vicia sativa</i> , L.		
B.	M., r.	S.

33. Rosaceae

<i>Agrimonia eupatoria</i> , L.	Old housesites; roadsides; pastures.	
B., o., coll.	M., o.	S.
<i>Amelanchier canadensis</i> , Torr. & Gray	Scattered in wet and dry land.	
B., f. (Herb. GJK).	M., f., coll. fr.	S., o.
<i>Amelanchier canadensis</i> , Torr. & Gray var. <i>oblongifolia</i> , Gray.		
B., f., coll. fr.	M., c.	S.
<i>Crataegus coccinea</i> , L.		
B. ?	M. ?	S.
<i>Crataegus coccinea</i> , L. var. <i>mollis</i> , Torr. & Gray.		
B.	M.	S.
<i>Crataegus oxyacantha</i> , L.		
B.	M.	S.
<i>Fragaria vesca</i> , L.	Woods	
B.	M., o., coll.	S.
<i>Fragaria virginiana</i> , Duchesne.	Woods and fields.	
B., f., (Herb. JRC).	M., c.	S.
<i>Rumex albus</i> , Smol.	Rocky and moist woods.	
B., o. (Herb. GJK).	M., o. coll. fr.	S.
<i>Rumex rivale</i> , L.	Woods.	
B.	M., c.	S.
<i>Rumex virginianum</i> , L.	Roadside and thickets.	
B.	M.	S.

<i>Potentilla arguta</i> , L. S., c	Thin open soil S., c	BB., c.
<i>Potentilla canadensis</i> , L. S., c coll. fl.	Fields; meadows, roadsides (Herb WD) S., c.	BB. c coll. fl.
<i>Potentilla norvegica</i> , L. S., c (Herb GRK)	Low wet grounds S.	BB.
<i>Rubus Avium</i> , L. S.	Mo. S	BB
<i>Rubus Cerasus</i> , L. S., c.	Borders of woods and roads M., c. S.	BB.
<i>Rubus Cudonia</i> , L. S.	Near houses - M., c. S.	BB.
<i>Rubus domesticus</i> , L. S.	Moist sites S.	BB., c
<i>Rubus Pennsylvanicus</i> , L. S., f coll. fl.	Exposed slopes S., c	BB
<i>Rubus parviflorus</i> , L. S., c coll. fl.	Hilltops and rocky slopes S.	BB.
<i>Rubus crotchi</i> , Ehrh. S., c (Herb GRK)	Borders of woods S. f coll. fl.	BB.
<i>Rubus Virginicus</i> , L. S., c coll. fl.	Borders of woods M., c. S.	BB.
<i>Rubus arbutifolia</i> , L. S., f coll. fr.	Borders of meadows and fields M., f. S., f coll. fr.	BB.
<i>Rubus arbutifolia</i> , L. var. <i>lanocarpa</i> , Hook. S., f coll. fr.	Roadsides, meadows, fields S.	BB.
<i>Rubus cuneifolius</i> , Gaertn. S., f (Herb JRC)	Moist woody places. M., c coll. fl.	BB. r.
<i>Rubus communis</i> , L. S., r	Moist sites M., f. S.	BB. r coll. fl.
<i>Rubus idaeus</i> , L. S., c	Fields, woods, pastures M., c. S.	BB., c
<i>Rubus sambucifolius</i> , Cham & Sedg. S., c	Edges slopes M., c coll. fl.	S.
<i>Rubus clausii</i> , Ait. S., c coll. fr.	Thin woods M. S	BB.
<i>Rubus fruticosus</i> , L. S.	Thicket M. S	BB.
<i>Rubus fruticosus</i> , L. S.	Moist low thickets M., c coll. fl.	BB. c coll. fr.

[illegible]

35 Saxifragaceae.

<i>Chrysosplenium Americanum</i> , Schwein.	In springs and brooks.	
B. r. (Herb. J. C. H.). M., f.	S.	BE., coll.
<i>Deutzia gracilis</i> , Sieb. & Zucc.	Planted.	
B., r. M.	S.	BE.
<i>Deutzia scabra</i> , Thunb. var. fl. pl. hort.	Planted	
B., r. M.	S.	BE.
<i>Deutzia scabra</i> , Thunb.	Planted.	
B., r. M.	S.	BE.
<i>Hydrangea paniculata</i> , Sieb. var. <i>grandiflora</i> , hort.	Planted.	
B., r. F.	S.	BE.
<i>Philadelphus coronarius</i> , L.	Planted	
B., r. M.	S.	BE.
<i>Philadelphus Gordonianus</i> , Lindl.	Planted.	
B., r. M.	S.	BE. 4
<i>Ribes oxycanthoides</i> , L.	Stony moist slopes.	
<i>Ribes rubrum</i> , L.		
B. r. (coll. M.). M., r. (Herb. MI).	S.	BE.
<i>Ribes rubrum</i> , L. var. <i>umbellulosum</i> , Max.	Roadsides.	
B. M.	S.	BE.
<i>Saxifraga Pennsylvanica</i> , L.	Moist ground.	
B. f. L. f.	S.	BE. c (Herb)
<i>Saxifraga Virginiana</i> , Michx.	Moist ledges.	
B. f. M. c. (Herb. MI).	S.	BE. . .

36 Crassulaceae.

<i>Penthorum sedoides</i> , L.	Dogs and shores.	
B. r. (Herb.)	S.	BE.
<i>Sedum Telekii</i> , L.	Woods-sites and roadsides.	
B. M. r.	S.	BE.
<i>Sedum ternatum</i> , Michx.	Planted.	
F. M. r.	S.	BE.
<i>Sempervivum tectorum</i> , L.	Planted.	
B. M., r.	S.	BE.

37 Droseraceae.

<i>Drosera intermedia</i> , Michx. var. <i>Americana</i> , DC.	Meadows.	
B. f. (Herb. MI). M., f. coll. F.	S.	BE.
<i>Drosera rotundifolia</i> , L.	Meadows.	
B. f. coll. M.	S.	BE.

39. Menispermaceae.

Menispermum virginica, L. Moist shady woods
 M. coll. fr. M. coll. S. 85-0. coll. 18

40. Haloragaceae.

Haloragis holosericea, Marsh. Marshy water
 M. coll. S. 85-0. coll. 18
Haloragis holosericea, L. Marshy water
 M. coll. S. 85-0. coll. 18

Meriophyllum angustum, Nutt. var. *capillaceum*, Torr. & Gray. Shores
 M. coll. S. 85-0. coll. 18

Proserpinaca palustris, L. Swamps and pools.
 D. coll. (Herb. JRO). M. coll. fr. S. 85-0. coll. 18

41. Melastomaceae.

Stachys virginica, L. wet sandy or gravelly soil.
 S. coll. M. S. 85-0. coll. 18

42. Lythraceae.

Decodon verticillatus, Ell. Bogs.
 D. coll. (Herb. GSK) M. coll. S. f. 85-0. coll. 18

Lythrum hyssopifolia, L. Meadows.
 S. coll. M. S. 85-0. coll. 18

43. Onagraceae.

Circaea lutetiana, L. Moist shady places.
 D. coll. M. coll. S. 85-0. coll. 18

Circaea palustris, L. Marshy water.
 D. coll. fr. M. coll. S. 85-0. coll. 18

Circaea palustris, L. Marshy water.
 D. coll. fr. M. coll. S. 85-0. coll. 18

Circaea palustris, L. Marshy water.
 D. coll. fr. M. coll. S. 85-0. coll. 18

Circaea palustris, L. Marshy water.
 D. coll. fr. M. coll. S. 85-0. coll. 18

<i>Trinervium lanceum</i> , Muhl.	Borders of swamps.	
B. c. coll. fl.	B. f. coll. fl.	S.
<i>Salpiglossis palmatifida</i> , Ell.	Bogs and meadows.	
B. f. (Herb. JNC)	M. f.	S.
<i>Oenothera biennis</i> , L.	Roadsides and housesites.	
B. f.	M. f.	S.
<i>Monarda punctata</i> , L.	Wet places.	
B. c. (Hort. GDN)	M. f.	S.

45. Chaurbitaceae.

<i>Echinocystis lobata</i> , Torr. & Gray.	Roadsides.	
B.	M. r.	S.

47. Ficoidae.

<i>Mollugo verticillata</i> , L.	House sites and roadsides.	
B. c. coll.	M.	S.

48. Umbelliferae.

<i>Oenanthe sarai</i> , L.	Housesites and roadsides.	
B. c.	M. o. (Herb. JNC)	S.

<i>Cicuta bulbifera</i> , L.	Streams, ditches, bogs.	
B. c. coll.	M. f.	S.

<i>Cicuta maculata</i> , L.	Meadows.	
B. c.	M. f. coll.	S.

<i>Conium maculatum</i> , L.	Meadows.	
B. c. coll.	M.	S.

<i>Daucus Carota</i> , L.	Roadsides and fields.	
B.	M. c.	S.

<i>Hydrocotyle Americana</i> , L.	Low damp woods.	
B. f.	M. f.	S.

<i>Oenanthe brevistylis</i> , DC.	Damp woods and swamps.	
B.	M. f. (Herb. MI).	S.

<i>Echinops amicus</i> , L.	Housesites and roadsides.	
B. f. coll.	M.	S.

<i>Sanicula Marylandica</i> , L.	Woods.	
B. c. coll. fr.	M. f. coll. fr.	S.

<i>Plantago virginica</i> , Durand.	Standing water.	
B. c. coll. lf.	M.	S.

<i>Plantago virginica</i> , L.	Wet places.	
B. f. (Herb. GDN)	M. f. coll. lf.	S.

49. *Araliaceae*.

<i>Aralia nudicaulis</i> , Vent.	Stony land.		
B.f.coll.	M.o. (Herb.MI).	S.	BB.
<i>Aralia nudicaulis</i> , L.	Woods.		
B.o.coll.lf.	M.o.	S.	BB.o.coll.
<i>Aralia racemosa</i> , L.	Wooded slopes.		
B.r.coll.	M.r.coll.fl.	S.BB.	

50. *Cornaceae*.

<i>Cornus alternifolia</i> , L.f.	Moist places.		
B.o. (Herb.GHK).	M.f.	S.o.	BB.o.
<i>Cornus Canadensis</i> , L.	Woods.		
B.r.coll.lf.	M.o.	S.o.coll.fl.	BB.
<i>Cornus circinata</i> , L'Her.	Base of lodges.		
B.o.coll.	M.r.coll.fr.	S.r.	BB.
<i>Cornus florida</i> , L.	Dry and moist rocky slopes.		
B.o. (Herb.JNC).	M.f.	S.f.coll.lf.	BB.
<i>Cornus paniculata</i> , L'Her.	Roadsides; dry open land.		
B.o.coll.	M.o.	S.r.coll.	BB.o.
<i>Cornus sericea</i> , L.	Wet ground.		
B.f.coll.fr.	M.f.	S.f.coll.lf.	BB.o.
<i>Nyssa sylvatica</i> , Marsh.	Swamps.		
B.o.	M.o.	S.r.coll.fr.	BB.

51. *Caprifoliaceae*.

<i>Diervilla trifida</i> , Moench.	Rocky open woods and hilltops.		
B.o.coll.	M.f.	S.f.	BB.
<i>Lonicera Japonica</i> , Thunbg.	Planted.		
B.r.	M.	S.	BB.
<i>Lonicera sempervirens</i> , Ait.	Escaped?		
B.r. (Herb.GHK).	M.r.	S.	BB.
<i>Lonicera Tatarica</i> , L.	Planted.		
B.	M.r.	S.	BB.
<i>Sambucus Canadensis</i> , L.	Meadows and swamps.		
B.f.	M.o.	S.o.coll.fr.	BB.o.
<i>Sambucus racemosa</i> , L.	Rocky and shady slopes.		
B.r.coll.fl.	M.	S.	BB.
<i>Triostema perfoliatum</i> , L.	Brooksides; moist woods.		
B.o. (Herb.WD).	M.o.	S.	BB.

<i>Viburnum acerifolium</i> , L.	Woods.		
E.c.coll.fr.	M.c.	S.c.coll.fr.	BB.
<i>Viburnum cassinoides</i> , L.	Moist woods.		
E.c.coll.	L.c.	S.c.coll.fr.	BB.
<i>Viburnum dentatum</i> , L.	Swamps; moist woods and fields.		
E.c.coll.fr.	M.c.	S.f.	BB.c.coll.fr.
<i>Viburnum lentago</i> , L.	Clearings and rocky borders of swamps.		
E.c.coll.fl.	L.c.coll.fl.	S.	BB.f.coll.

52. Rubiaceae.

<i>Cephalanthus occidentalis</i> , L.	Bogs and meadows.		
E.c.coll.fr.	M.f.coll.fl.	S.c.	BB.f.
<i>Galium aparine</i> , L.	Meadows and damp woods.		
B.	M.f.	S.	BB.
<i>Galium asprellum</i> , Michx.	Wet ground.		
E.c.coll.	M.f.	S.	BB.
<i>Galium boreale</i> , L.	Planted.		
B.r.	M.	S.	BB.
<i>Galium circaeans</i> , Michx.	Dry woods.		
B.f. (Herb. GGK).	M.f.coll.	S.	BB.
<i>Galium lanceolatum</i> , Torr.			
E.c.coll.	M.c.coll.	S.	BB.
<i>Galium pilosum</i> , Ait.	Woods.		
E.c.coll.fr.	M.r.coll.fr.	S.	BB.
<i>Galium trifidum</i> , L.	Meadows.		
B.c. (Herb. JAC).	M.c.coll. fr.	S.	BB.
<i>Galium trifidum</i> , L. var. <i>latifolium</i> , Torr.	Moist land.		
B.	M.r.	S.	BB.
<i>Galium triflorum</i> , Michx.	Moist woods.		
E.c.coll.	M.r.	S.	BB.
<i>Galium verum</i> , L.			
B.	M.	S.r. (Herb. BMWS).	BB.
<i>Houstonia purpurea</i> , L. var. <i>longifolia</i> , Gray.	Rocky slopes.		
E.f.coll.	M.c.coll.	S.	BB.
<i>Mitchella repens</i> , L.	Woods.		
E.c.coll.fr.	M.c.	S.c.	BB.c.

55. Compositae.

<i>Achillea Millefolium</i> , L.	Woodroads, rocks, about houses.	
B.o.	L.c.	S.
<i>Achillea Ptarmica</i> , L. var. fl. pl. hort.	Planted.	
B.p.	M.	S.
<i>Ambrosia artemisiaefolia</i> , L.		
B.o. coll. fl.	M.o.	S.
		BB.o.
<i>Anaphalis margaritacea</i> , Benth. & Hook.	Dry open woods and fields.	
B.o. coll. fl.	M.f. coll. fl.	S.
		BB.
<i>Antennaria plantaginifolia</i> , Hook.	Thin poor soil.	
B.f. (Herb. JHC).	M.f.	S.
		BB.
<i>Anthemis Cotula</i> , DC.	Housesites and roadsides.	
B.o.	M.o. coll. fl.	S.o.
		BB.o.
<i>Arctium Lappa</i> , L.	About houses and waste places.	
B.c.	M.o.	S.o.
		BB.o.
<i>Artemisia biennis</i> , Willd.	Old cultivated fields.	
B.r. coll. fl.	M.	S.
		BB.
<i>Artemisia vulgaris</i> , L.	Roadsides; housesites.	
B.o. (Herb. JHC).	M.	S.
		BB.
<i>Aster acuminatus</i> , Michx.	Rocky banks and damp valleys.	
B.f. coll.	M.f. coll. fr.	S.o.
		B.o.
<i>Aster cordifolius</i> , L.	Rocky woods.	
B.f. coll. fl.	M.f.	S.
		BB.
<i>Aster corymbosus</i> , Lit.	Dry woods.	
B.f. coll.	M.f.	S.f.
		BB.
<i>Aster diffusus</i> , Ait.	Woods.	
B.o. (Herb. GCK).	M.f.	S.o.
		BB.
<i>Aster dumosus</i> , L.	Moist land.	
B.o. coll.	M.o. coll. fl.	S.
		BB.
<i>Aster ericoides</i> , L.		
B.	M ? r. coll. fl.	S.
		BB.
<i>Aster Herveyi</i> , Gray.		
B.r. coll. lf ?.	M.	S.
		BB.
<i>Aster infirmus</i> , Michx.		
B.o.	M.c.	S.r. coll.
		BB.
<i>Aster juncus</i> , Ait.		
B.r. (Herb. GCK).	M.	S.
		BB.

<i>Aster laevis</i> , L.	Roadsides.		
E.f. (Herb. W.C.).	M.c.	S.	19.
<i>Aster linearifolius</i> , L.	Dry fields and open woods.		
E.c. coll. fl.	M.c. coll. fl.	S.c.	23.
<i>Aster macrophyllus</i> , L.	Moist rocky woods.		
E.f. Herb. (EPW).	M.c. coll. fl.	S.c. coll.	24.
<i>Aster multiflorus</i> , Ait.	Dry open land.		
E.	M.c.	S.	25.
<i>Aster nemoralis</i> , Ait.			
E.f. (Herb. J.H.C.).	M.	S.	26.
<i>Aster Novae-Angliae</i> , L.			
E.r. coll.	M.	S.	28.
<i>Aster Novi-Belegii</i> , L.	Low ground.		
E.c. (Herb. G.H.K.)	M.c.	S.	29.
<i>Aster paniculatus</i> , Lam.			
E.	M.c. coll.	S.	30.
<i>Aster patens</i> , Ait.	Dry woods.		
E.c. coll.	M.c.	S.	31.
<i>Aster puniceus</i> , L.			
E.	M.	S.	32.r. coll.
<i>Aster puniceus</i> , L. var. <i>laevicaulis</i> , Gray.			
E.r. (Herb. EPW).	M.	S.	33.
<i>Aster spectabilis</i> Ait.			
E.r. (Herb. EPW).	M.	BE.	35.
<i>Aster umbellatus</i> , Mill.	Rocky woods.		
E.c. coll.	M.f. coll.	S.c.	34.
<i>Aster undulatus</i> , L.	Dry open woods and fields.		
E.c. (Herb. G.H.K.).	M.c.	S.c.	37.
<i>Aster vineus</i> , Lam.	Meadows and low ground.		
E.c. (Herb. J.H.C.).	S.c.	S.	36.
<i>Bidens Beskii</i> , Torr.	Pools and slowly moving water.		
E.r. coll. fl.	M.	S.	38.
<i>Bidens cernua</i> , L.	Roads and ditches.		
E.	M.f. coll. fl.	S.	39-40 coll.
<i>Bidens connata</i> , Muhl.	Wet open ground.		
E.	M.c. coll.	S.c. coll. fl.	32.
<i>Bidens frondosa</i> , L.	Wet and dry low open ground.		
E.c. coll.	M.c. coll.	S.c. coll. fl.	34.c.
<i>Centaurium Cyaneus</i> , L.	Planted.		
E.r.	M.	S.	33.

<i>Antennaria dioica</i> , L.	Roadsides and hummocks.	
S. f. (Herb. J. & C.). M. C.	S.	80.
<i>Cyananthus americanus</i> , L.	Roadsides and fields.	
S. C. M. C.	S.	81.
<i>Cyananthus americanus</i> , Pers.	Swamps.	
S. f. coll. fl.	S.	82.
<i>Cichorium intybus</i> , L.	Roadsides.	
S. M. f.	S.	83.
<i>Cnicus arvensis</i> , Hoffm.	Roadsides and fields.	
S. L. f.	S.	84.
<i>Cnicus lanceolatus</i> , Hoffm.	Fields and roadsides.	
S. C. coll. fl.	S.	85.
<i>Cnicus maritimus</i> , Pers.		
S. C. (Herb. J. & C.). M.	S.	86.
<i>Cnicus pumilus</i> , Torr.	Pastures.	
S. C. M. f. coll. fl.	S.	87.
<i>Erechtites glabra</i> , Raf.	Open damp woods.	
S. f. coll. fl.	S. f.	88.
<i>Erechtites glabra</i> , Raf. forma antiqua, DC.		
S. f. (Herb. J. & C.). M.	S.	89.
<i>Erigeron annuus</i> , Pers.	Roadsides and wet places.	
S. M. f.	S.	90.
<i>Erigeron bellidifolius</i> , L. (Synl.)	Dry fields and open woods.	
S. C. coll. fl.	S.	91. S. C. coll. fl.
<i>Erigeron canadensis</i> , L.	Roadsides and fields.	
S. f. M. C.	S.	92.
<i>Erigeron philadelphicus</i> , L.		
S. f. (Herb. J. & C.). M.	S.	93.
<i>Erigeron strigosus</i> , Mu. L.	Roadsides and fields.	
S. C. coll. fl.	S.	94. S. C. coll. fl.
<i>Eupatorium ageritoides</i> , L.	Roadsides.	
S. M. C.	S.	95.
<i>Eupatorium aromaticum</i> , L.		
S. f. (Herb. J. & C.). M. C. (Herb. M. I.).	S. coll. fl.	96.
<i>Eupatorium corollatum</i> , L.	Swamps and meadows.	
S. C. coll. fl.	S. C.	97.
<i>Eupatorium purpureum</i> , L.	Meadows and swamps.	
S. C. coll. M. C.	S.	98.

<i>Eupatorium purpureum</i> L. var. <i>arvense</i> , Gray.			
E. f. coll. fl.	"	S.	BB.
<i>Eupatorium rotundifolium</i> , L. var. <i>ovatum</i> , Torr.			
E. f. coll.	"	S.	BB.
<i>Eupatorium sessilifolium</i> , L.		Rocky slopes.	
E. f. coll.	"	S.	BB.
<i>Eupatorium tauricolum</i> , Willd.		Low woods and moist thickets.	
E. f. coll. fr.	M. c. cl.	S. c. coll. fr.	BB.
<i>Graphalium decurrens</i> , Ives.		Ledges.	
E. f. coll.			
<i>Graphalium polycephalum</i> , Michx.		Woods and fields.	
E. c. coll. fl.	M. c. coll.	S. r.	BB.
<i>Graphalium virginicum</i> , L.		Open ground.	
E. c. coll. fl.	M. c. coll. fl.	S. c.	BB.
<i>Helianthus annuus</i> , L.		Housesites and waste places,	
E.	M. r.	S.	BB.
<i>Helianthus divaricatus</i> , L.		Edges; dry thickets.	
E. c. coll. fl.	M. c.	S. c. coll. fl.	BB.
<i>Hieracium Gronovii</i> , L.			
E.	M.	S ? r.	BB.
<i>Hieracium Marionum</i> , Willd.			
E. r. (Herb. B.M.).	"	S.	BB.
<i>Hieracium paniculatum</i> , L.		Dry woods.	
E. c. coll.	M. c. coll.	S.	BB.
<i>Hieracium spatulatum</i> , Michx.		Dry woods.	
E. f. coll.	M. f. coll.	S. f. coll. fl.	BB.
<i>Hieracium vicosum</i> , M.		Open woods.	
E. c. coll. fl.	M. c.	S. c. coll. fl.	BB.
<i>Krigia Virginica</i> , Willd.		Leaves and dry pastures.	
E. c. coll.	M. f.	S.	BB.
<i>Lactuca Canadensis</i> , L.		Moist scrub thickets.	
E. c. coll.	M. f.	S. c. coll. fr.	BB.
<i>Lactuca hirsuta</i> , Muhl.		Woods.	
E. r. coll. fr.	M. r. (Herb. M.I.).	S.	BB.
<i>Leontodon autumnalis</i> , L.		Fields and roadsides.	
E. c. coll. fl.	M. c.	S.	BB. c.
<i>Mikania scandens</i> , Willd.		Bushy meadows.	
E. c. coll.	M.	S.	BB. c. coll. fr.
<i>Prenanthes alba</i> , L.		Woods.	
E. c. coll. fl.	M. f. coll.	S. c.	BB.

<i>Monarda serpentaria</i> , Pursh.			
B.c.coll.	M.c.coll.fl.	S.c.coll.	Bg.
<i>Subackia hirta</i> , L.	Fields.		
B.	M.f.	S.	BB.
<i>Senecio aureus</i> , L.	Meadows.		
B.f. (Herb. GGM).	L.f.	S.	BB.u.coll.fl.
<i>Senecio aureus</i> , L. var. <i>Balsamifera</i> , Torr. & Gray.	Rocky open woods.		
B.	M.r.	S.	BB.
<i>Sericocarpus conyzoides</i> , Nees.	Rocky woods; roadsides.		
B.c.coll.	M.c.coll.fl.	S.c.coll.fl.	BB.
<i>Sericocarpus solidagineus</i> Nees.	Dry woods and hilltops.		
B.c.coll.	M.r.coll.fl.	S.	BB.
<i>Solidago arguta</i> , Ait.			
B.c.coll.	L.f.	S.	BB.
<i>Solidago bicolor</i> , L.	Dry woods and roadsides.		
B.c.coll.	M.c.	S.c.	BB.
<i>Solidago caesia</i> , L.	Woods.		
B.f. (Herb. GGM).	L.c.	S.c.	Bg.c.
<i>Solidago canadensis</i> , L.	Meadows; fields; roadsides.		
B.c.	M.c.	S.c.	BB.c.
<i>Solidago canadensis</i> , L. var. <i>glabrata</i> , Porter.			
B.r.coll.fl.	M.	S.	BB.
<i>Solidago canadensis</i> , L. var. <i>praeceps</i> , Torr. & Gray.			
B.r.coll.fl.	M.	S.	BB.
<i>Solidago juncea</i> , Ait.	Rocky open woods.		
B.c.coll.fl.	M.c.coll.fl.	S.	BB.
<i>Solidago lanceolata</i> , L.	Moist ground and borders of woods.		
B.f.coll.fl.	M.f.	S.	BB.
<i>Solidago latifolia</i> , L.	Moist foot of ledges.		
B.c.coll.fl.	M.c.coll.fl.	S.	BB.
<i>Solidago neglecta</i> , Torr. & Gray.	Moist places.		
B.c.coll.fl.	M.c.	S.c.coll.fl.	Bp.
<i>Solidago nemoralis</i> , Ait.	Roadsides.		
B.c.coll.fl.	M.	S.	BB.
<i>Solidago odora</i> , Ait.	Open ground and dry woods.		
B.f.coll.	M.f.coll.	S.c.	BB.
<i>Solidago puberula</i> , Nutt.	Dry fields and open woods.		
B.c.coll.	M.c.coll.	S.	BB.

<i>Solidago rugosa</i> , Mill.	Wet meadows and in fields	
B.f.coll.	M.f.	S.
<i>Solidago rugosa</i> x <i>serotina</i> (?)	Swamps	
B.	M.r.	S.f.coll.
<i>Solidago serotina</i> , Ait.	Moist ground	
B.o.coll.	M.f.	S.
<i>Solidago serotina</i> {Ait. var. <i>gigantea</i> , Gray.	Wet meadows and fields	
B.e. (Herb. JRC).	M.f.coll.fl.	S.f.coll.fl.
<i>Solidago ulmifolia</i> , Muhl.	Damp woods and fields	
B.e.coll.	M.e.coll.fl.	S.o.coll.fl.
<i>Sonchus asper</i> , Will.	House-sites; roadsides, fields	
B.	M.f.	S.
<i>Sonchus oleraceus</i> , L.	Fields and waste places	
B.	M.r.coll.fr.	S.
<i>Tanacetum vulgare</i> , L.	House-sites and roadsides	
B.e.coll.fl.	M.e.	S.
<i>Taraxacum officinale</i> , Weber.	Open fields	
B.c.	M.e.	S.c.
<i>Taraxacum officinale</i> , Weber, var. <i>glaucescens</i> , Koch.	Wet meadows	
B.	M.	S.
<i>Xanthium Canadense</i> , Mill. var. <i>acuminatum</i> , Gray.	Waste places, roadsides	
B.r. (Herb. JRC).	M.	S.

56. Lobeliaceae

<i>Lobelia cardinalis</i> , L.	Wet meadows; swamps in partial shade	
B.f.coll.fl.	M.f.	S.c.
<i>Lobelia inflata</i> , L.	Moist open fields and roadsides	
B.f.coll.	M.f.coll.fl.	S.
<i>Lobelia spicata</i> , Lam.	Wet ground	
B.	M.r.	S.

44. *Carpentaceae.*

<i>Carpinus orientalis</i> , Dur.	S. coll. fr.	M. c.	S.	BB.
<i>Carpinus divaricata</i> , Michx.	S. coll. fr.	M.	Planted.	BB.
<i>Myrica grandifolia</i> , DC.	S. coll. fr.	M.	Planted.	BB.
<i>Sparganium angustifolium</i> , A. DC.	S. coll. fr.	M. f.	Rocks and open woods.	BB.

45. *Ericaceae.*

<i>Andromeda ligustrina</i> , Muell.	S. coll. fr.	M. c.	Thin woods and moist land.	BB. c.
<i>Proctostaphylos uva-ursi</i> , Spreng.	S. coll. fr.	M. f.	Hilltops.	BB.
<i>Chamaenerion calyculata</i> , Don.	S. coll. fr.	M. f.	Boggy places.	BB.
<i>Chamaenerion maculata</i> , Pursh.	S. coll. fr.	M. f.	Dry woods.	BB.
<i>Chamaenerion umbellata</i> , Nutt.	S. coll. fr.	M. f.	Dry woods.	BB.
<i>Clethra alnifolia</i> , L.	S. coll. fr.	M. f.	Swamps and wet woods.	BB.
<i>Epigaea repens</i> , L.	S. coll. fr.	M.	Woods.	BB.
<i>Scutellaria procumbens</i> , L.	S. coll. fr.	M. c.	Bushy pastures and woods.	BB.
<i>Gaylussacia frondosa</i> , Torr. & Gray.	S. coll. fr.	M. f.	Dry wooded slopes.	BB.
<i>Gaylussacia resinosa</i> , Torr. & Gray.	S. coll. fr.	M. c.	Thin woods and dry fields.	BB.
<i>Monarda angustifolia</i> , L.	S. coll. fr.	M. f.	Open places in woods.	BB. c.
<i>Monarda latifolia</i> , L.	S. coll. fr.	M.	Moist rocky hillsides.	BB.
<i>Monarda procumbens</i> , Gray.	S. coll. fr.	M. c.	Wet ground.	BB.

<i>Menzies grandiflora</i> , Ellis & B.	S. c.	S.	80.
<i>Monotropa hypopitys</i> , L. Bony woods.	S. c. coll. fr.	M. f.	81.
<i>Monotropa uniflora</i> , L. Woods.	S. c. coll.	M. f.	82.
<i>Pyrola cataractae</i> , Swartz. Woods.	S. -	M. r.	83.
<i>Pyrola elliptica</i> , Nutt. Woods.	S. f. coll. fr.	M. c. coll. fl.	84.
<i>Pyrola rotundifolia</i> , L. Woods.	S. f. (Herb. J. S. C.).	M. c.	85.
<i>Rhododendron nudiflorum</i> , Torr. Woods.	S. r.	M.	86.
<i>Rhododendron Rhodora</i> , Don. Swamps.	S. c. (Herb. J. S. C.).	M. r.	87.
<i>Rhododendron viscosum</i> , Torr. Bogs and swamps.	S. c. coll. fr.	M. f.	88.
<i>Rhododendron viscosum</i> , Torr. var. <i>glacuum</i> , Gray. Borders of swamps.	S. r. coll. fr.	M. f.	89.
<i>Vaccinium corymbosum</i> , L. Moist and wet open places.	S. c. (Herb. J. S. C.).	M. f.	90.
<i>Vaccinium corymbosum</i> , L. var. <i>amoenum</i> , Gray. Moist open places.	S. c. (Herb. J. S. C.).	M.	91.
<i>Vaccinium corymbosum</i> , L. var. <i>atrocarpum</i> , Gray. Moist open ground.	S. c.	M. f.	92.
<i>Vaccinium macrocarpon</i> , Ait. Wet open land.	S. c. (Herb. J. S. C.).	M. c.	93.
<i>Vaccinium Pennsylvanicum</i> , Lam. Hillsides and open pastures.	S. f. coll. fr.	M. c.	94.
<i>Vaccinium vacillans</i> , G. & L. Field woods.	S. c. coll.	M. c.	95.

VI. *Frugulaceae*.

<i>Hottelina inflata</i> , Ell. Shallow water.	S.	M. r. (Herb. M. f.).	96.
<i>Lythrum hyssagifolia</i> , L. Moist fields.	S.	M. r.	97.

<i>Lysimachia quadriflora</i> , L.	Open woods and dry prairie.		
B.c. coll. fr.	S.c.	S. coll.	87.
<i>Lysimachia variata</i> , Ait.	Meadows.		
S. f. (Herb. W.D.).	S.c.	S.	88.
<i>Lysimachia spicata</i> , Flora, L.	Swamps and bogs.		
S.	M.r.	S.	88.
<i>Lysimachia vulgaris</i> , L.	Planted.		
S.r.	M.	S.	88.
<i>Steironema ciliatum</i> , Raf.	Bogs and meadows.		
B.r. coll.	M.r.	S.	89.
<i>Steironema lanceolatum</i> , Gray.	Meadows.		
B.r. coll.	S.c.	S. c. coll. fl.	88.r. (Herb.)
<i>Trientalis Americana</i> , Pursh.	Damp Woods.		
S. f. (Herb. W.D.).	M.c.	S.	88.

65. Cistaceae.

<i>Fraxinus Americana</i> , L.	Woods and fields.		
B.o.	M.c.	S.o.	88.f.
<i>Fraxinus pubescens</i> , Lam.	Near and in swamps.		
B.o.	M.r. (Herb. S.C.).	S.r.	88.r.
<i>Fraxinus sambucifolia</i> , Lam.	Swamps.		
B.o. coll.	M.	S.r.	88.r.
<i>Ligustrum vulgare</i> , L.	Woods, pastures, and edges.		
B.f. coll. fl.	M.c.	S.c.	88.o.
<i>Syringa vulgaris</i> , L.	Planted.		
B.r.	M.	S.	88.

66. Apocynaceae.

<i>Apocynum androsaemifolium</i> , L.	Fields and open woods.		
B.f. coll. fr.	M.f.	S.o.	88.
<i>Apocynum cannabinum</i> , L.			
B.	M.r. coll. lf.	S.	88.

67. Asclepiadaceae.

<i>Asclepias cornuti</i> , Dene.	Roadsides.		
B.c.	M.c.	S.	88.
<i>Asclepias incarnata</i> , L. var. <i>pubera</i> , Gray.	Bogs and roadsides.		
B.o. coll.	M.f. coll. fl.	S.c. coll. fl.	88.

<i>Asclepias physalifera</i> , Pursh.	Roadsides; open woods in small patches.		
S.c. coll. fl.	M.r.	S.r.	BB.
<i>Asclepias purpurascens</i> , L.	Roadsides.		
S.r.	M.	S.	BB.
<i>Asclepias quadrifolia</i> , L.	Rocky woods.		
B.o. (Herb. WD)	L.o.	S.	BB.
<i>Asclepias verticillata</i> , L.	Hilltops.		
S.	M.	S.r. coll. fr.	BB.

69. Gentianaceae.

<i>Gentiana tenella</i> , Muhl.	Swamps.		
S.c. coll. fl.	M.	S.	BB.
<i>Gentiana crinita</i> , Griseb.	Low meadows.		
S.r.	M.	S.	BB.
<i>Simiantherum lachnureum</i> , Griseb.			
S.r. (Herb. GEX)	L.	S.	BB.
<i>Menyanthes trifoliata</i> , L.	Bogs.		
B.r.	M.	S.	BB.

70. Boraginaceae.

<i>Cynoglossum officinale</i> , L.	Roadsides.		
B. (Herb. JRC)	M.r. (Herb. WD)	S.	BB.
<i>Echium vulgare</i> , L.	Roadsides and fields.		
B.	M.r.	S.	BB.
<i>Myosotis laxa</i> , Rehm.	Meadows and streams.		
B.	M.c.	S.	BB. a. coll.
<i>Myosotis palustris</i> , With.	Pond edge.		
B.	M.	S.	BB. a. coll.
<i>Myosotis verna</i> , Nutt.	Thin soil.		
B.o.	M.c. (Herb. WD)	S.	BB.

71. Convolvulaceae.

<i>Calistegia sepium</i> , L.	Planted.		
S.r.	M.	S.	BB.
<i>Ipomoea Gronovii</i> , Willd.	Moist thickets.		
S.f. coll. fl.	M.f.	S.f. coll.	BB.
<i>Ipomoea hederacea</i> , Jacq.			
S.r. (Herb. GEX)	M.	S.	BB.

62. Solanaceae.

<i>Lycium chinense</i> , Will.	Flashed.		
E.P.		S.	22.
<i>Lycopersicon esculentum</i> , Will.	Grassland and crops.		
E.P. coll. fl.	E.		23.
<i>Petunia spectabilis</i> , Juss.	Plant d.		
E.P.	E.		23.
<i>Solanum carolinense</i> , L.	Fields.		
E.P. coll.	E.	S.	24.
<i>Solanum dulcamara</i> , L.	Woods and fields.		
E.P. coll.	E.P.	S.O.	25. P. 26. (1).

73. Scrophulariaceae.

<i>Chelone glabra</i> , L.	Wet places.		
E.P. (Herb. B&H).	E.P.	S.	26. (Herb. B&H)
<i>Gerardia flava</i> , L.	Dry land and roads.		
E.P. coll.	E.P. coll. fl.	E.P. coll. fl.	27.
<i>Gerardia pratensis</i> , L.	Dry woods.		
E.P. coll.	E.P. coll. fl.	E.P.	27.
<i>Gerardia parviflora</i> , L. (?)	Woods and fields.		
E.P. coll. fl.	E.P. coll. fl.	S.	28.
<i>Gerardia parviflora</i> , L. var. <i>parviflora</i> , DC.	Woods and fields.		
E.P. coll. fl.	E.P. coll. fl.		29.
	White fl. form (V. B. 1).		
<i>Gerardia quinquefolia</i> , Pursh.	Open woods.		
E.P. coll.	E.	S.	30.
<i>Gerardia tenuifolia</i> , Vahl.	Woods and fields.		
E.P. coll. fl.	E.P. coll.	E.P. coll. fl.	31.
	White fl. form (V. B. 1).		
<i>Guttieraria aurea</i> , L.	Woods and fields.		
E.P. coll.	E.P. coll. fl.	S.	32.
<i>Illysinthes raphanifolia</i> , Raf.	Grassland and sandy woods.		
E.	E.P. coll.	S.	33.
<i>Licaria canadensis</i> , Dumort.	Woods and fields.		
E.P. coll. fr.	E.P. coll.	S.	34.
<i>Licaria vulgaris</i> , Will.	Woods and fields.		
E.P.	E.P.	S.	35.
<i>Malvastrum americanum</i> , Michx.	Dry woods.		
E.P. coll. fl.	E.P.	S.	36.

<i>Thymus raryens</i> , L.	Shadows and swamps.		
S.F. coll. fl.	E.C.	S.	21.
<i>Pedicularis canadensis</i> , L.	Woods and moist fields.		
S.F. coll. fl.	E.C. (Herb. JNC).	S.	22.
<i>Verbascum Thapsus</i> , L.	Youscarite and pastor #.		
S.C.	E.F.	S.	23.
<i>Verbena stricta</i> , L.	Woods with a red cultiv. (fl. lvs.)		
S.	E.F. coll. fl.	S.	E.C. (Herb. JNC)
<i>Veronica officinalis</i> , L.	Open grassy place in low woods.		
S.	E.C. coll. fl.	S.	24.
<i>Veronica perfoliata</i> , L.	Woods.		
S.	E.	S.	25. c. (Herb. JNC)
<i>Veronica scutellaria</i> , L.	Wet places.		
E.C. coll. fl.	E.F.	S.	26. f. coll. fl.
<i>Veronica spicata</i> , L.	Fields.		
S.F. coll. fl.	E.C.	S.	27. f. coll. fl.

76. *Orobanchaceae*.

<i>Aristolochia uniflora</i> , Gray.	Along roads.		
S.F. (Herb. JNC).	E.F. coll. fl.	S.	28.
<i>Orobanchis alba</i> , Michx.	Wet places.		
S.	E.F. (Herb. JNC).	S.	29.
<i>Sparganium angustifolium</i> , Michx.	Wet places.		
S.F. (Herb. JNC).	E.	S.	30.

77. *Lentibulariaceae*.

<i>Utricularia intermedia</i> , Horn.	Woods.		
E.F. (Herb. JNC).	E.	S.	31.
<i>Utricularia flexilis</i> , L.	Wet sand.		
S.	E.F. (Herb. JNC).	S.	32.
<i>Utricularia purpurea</i> , Walt.	Shallow water.		
S.	E.F. (Herb. JNC).	S.	33.
<i>Utricularia vulgaris</i> , L.	Ditch.		
S.	E.C.	S.	34.

VI. Euphorbiaceae.

Catskill Euphorbia, Walt.	Planted.	
E. E.	E.	82.

VI. Verbenaecae.

Verbena hastata, L.	Meadows and wet pastures.	
E. E.	E. E.	83.

Verbena stricta, L.	Meadows and wet pastures.	
E. E.	E. E.	84.

VI. Labiatae.

Brucella vulgaris, L.	Open woods and fields.	
E. E.	E. E.	85.

Galopsis Tetradactylus, L.	Woods and wet pastures.	
E. E. coll.	E. E.	86.

Hedeoma pulegioides, Poir.	Woods and fields.	
E. E. coll.	E. E. coll. fr.	87.

Leonurus Cardiaca, L.	Woods and wet pastures.	
E. E. coll. fr.	E. E. coll.	88.

Lycopus simplicifolius, Ell.	Meadows ; swamps ; roadside.	
E. E. coll. fl.	E. E.	89.

Lycopus Virginicus, L.	Meadows ; swamps ; roadside.	
E. E. (Herb. W.D.).	E. E. coll. fl.	90.

Mentha Canadensis, L.	Woods and wet pastures.	
E. E.	E. E. coll. fl.	91.

Nepeta Cataracta, L.	Roadside ; meadows and wet pastures.	
E. E.	E. E.	92.

Nepeta Glehni, L.	Roadside and wet pastures.	
E. E. coll. fl.	E. E.	93.

Pyrola asarifolia, Poir.	Dry slopes.	
E. E. (Herb. W.D.).	E. E.	94.

Pyrola asarifolia, Poir.	Dry slopes.	
E. E. coll. fl.	E. E.	95.

Pyrola asarifolia, Poir.	Roadside.	
E. E. coll. fl.	E. E.	96.

Pyrola asarifolia, Poir.	Roadside.	
E. E. (Herb. W.D.).	E. E.	97.

<i>Scutellaria latiflora</i> , L.	Boys and swamps.		
B.f.coll.fl.	B.f.coll.fl.	S.	33.
<i>Stachys aspera</i> , Michx.			
B.r.coll.fl.	M.	S.	34.
<i>Thymus serpyllus</i> , L.			
B.r. (Hera. BMS).		S.	35.
<i>Trichostema dichrocarpum</i> , L.	Gravelly roadways and fields.		
B.c.	M.c.	S.c.	36.c.coll.

33. Plantaginaceae.

<i>Plantago lanceolata</i> , L.	Roadsides; fields and homesites.		
B.c.coll.	B.c.	S.c.	37.c.coll.
<i>Plantago major</i> , L.	Fields; homesites and roadsides.		
B.c.	M.c.	S.F.	38.c.
<i>Plantago rugelii</i> , Dene.	Woodsides and homesites.		
B.f.	M.c.coll.fl.	S.	39.

35. Illecebraceae.

<i>Anemone capillaris</i> , DC.	Roadsides and open woods.		
B.c.coll.	M.r.	S.	40.
<i>Anemone dioica</i> , Michx.	Roadsides and open dry woods.		
B.c.coll.	B.r.	S.	41.
<i>Sceloporus annuus</i> , L.	Roadsides and waste grounds.		
B.	M.f.	S.	42.f.coll.

36. Amaranthaceae.

<i>Amaranthus retroflexus</i> , L.	W. side of road about buildings.		
B.f.coll.fl.	M.c.	S.	43.

37. Chenopodiaceae.

<i>Chenopodium album</i> , L.	Waste places and cultivated grounds.		
B.r.coll.	M.c.coll.	S.	44.
<i>Chenopodium ambrosioides</i> , L.			
B.r. (Hera. GGM).	M.	S.	45.
<i>Chenopodium hybridum</i> , L.	Roadsides.		
B.r.	M.	S.	46.
<i>Chenopodium murale</i> , L.	Cultivated fields.		
B.c.coll.	L.	S.	47.

32. Portulacaceae.

<i>Portulaca oleraceae</i> , L.	Florida.	S.	31.
<i>P. oleraceae</i> , L.	Fla.		

33. Polygonaceae.

<i>Polygonum patens</i> , L.	Fla. and other places.	S.	32.
<i>P. patens</i> , L.	Fla.		

<i>Polygonum arifolium</i> , HBK.	Wet places.	S.	33.
<i>P. arifolium</i> , HBK.	Fla.		

<i>Polygonum virginicum</i> , L.	Woods in woods.	S.	34.
<i>P. virginicum</i> , L.	Fla.		

<i>Polygonum aviculare</i> , L.	Very dry wet ground.	S.	35.
<i>P. aviculare</i> , L.	Fla.		

<i>Polygonum barbatum</i> , L.		S.	36.
<i>P. barbatum</i> , L.	Fla.		

<i>Polygonum convolvulus</i> , L.	Wet low thickets.	S.	37.
<i>P. convolvulus</i> , L.	Fla.		

<i>Polygonum dumetorum</i> , L. var. <i>serotinum</i> , Gray.	Wet thickets.	S.	38.
<i>P. dumetorum</i> , L.	Fla.		

<i>Polygonum hydropiper</i> , L.	Wet places.	S.	39.
<i>P. hydropiper</i> , L.	Fla.		

<i>Polygonum multiflorum</i> , Michx.	Woods.	S.	40.
<i>P. multiflorum</i> , Michx.	Fla.		

<i>Polygonum lapathifolium</i> , L. var. <i>intermedium</i> , Moench.	Wet places.	S.	41.
<i>P. lapathifolium</i> , L.	Fla.		

<i>Polygonum lapathifolium</i> , L. var. <i>intermedium</i> , Moench.	Wet places.	S.	42.
<i>P. lapathifolium</i> , L.	Fla.		

<i>Polygonum bistorta</i> , L.	Wet places.	S.	43.
<i>P. bistorta</i> , L.	Fla.		

<i>Polygonum persicaria</i> , L.	Wet low wet ground.	S.	44.
<i>P. persicaria</i> , L.	Fla.		

<i>Polygonum orientale</i> , L.	Wet places and woods.	S.	45.
<i>P. orientale</i> , L.	Fla.		

<i>Polygonum sp.</i> , Michx.	Wet places.	S.	46.
<i>P. sp.</i> , Michx.	Fla.		

<i>Polygonum virginicum</i> , L.	Wet places.	S.	47.
<i>P. virginicum</i> , L.	Fla.		

<i>Rumex Acet. ss.</i> , L.	1st growth.		
S.	(Herb. 1778).	S.	82.
<i>Rumex Acetosella</i> , L.	House-sites ; roadsides and fields.		
S.c.	S.c.	S.	88.c. coll. fr.
<i>Rumex crispus</i> , L.	House-sites ; roadsides and fields.		
B.f.	S.c.	S.	82.
<i>Rumex obtusifolius</i> , L.	Roadside ; house-sites and fields.		
B.c. (Herb. 1778).	S.c. coll. fr.	S.	82.

93. Lauraceae.

<i>Sidera Benzoin</i> , Blume.	Shady wet runs.		
B.f. coll. fr.	K.f.	S.f.	82.f. coll. fr.
<i>Sassafras officinale</i> , Mill.	Dry slopes and hilltops.		
B.c. (Herb. 1778).	B.c.	S.c.	82.

LIBRARY
NEW YORK
BOTANICAL
GARDEN

94. Thymelaeaceae.

<i>Daphn. genkwa</i> , L.			
B.	K.f.	S.	82.

95. Santalaceae.

<i>Santalum album</i> , Nutt.	Thick dry woods and fields.		
B.c. coll. fr.	K.f. (Herb. 1778).	S.c. coll. fr.	82.

96. Euphorbiaceae.

<i>Acalypha Virginica</i> , L.	Shady soil and roadsides.		
B.f.	K.f. coll. fr.	S.	82.
<i>Euphorbia corollata</i> , L.	Plant d.		
B.f.	B.	S.	82.
<i>Euphorbia corollata</i> , L.	Roadsides and house-sites.		
B.	B.c.	S.	82.
<i>Euphorbia maculata</i> , L.	Dry fields.		
B.c. coll. fr.	K.f. coll.	S.	82.

97. Urticaceae.

<i>Urtica cylindrica</i> , Willd.	Wet shady places.		
B.c. coll. fr.	K.f.	S.	82.c. (Herb. 1778)
<i>Urtica dioica</i> , L.	Plant d.		
B.f.	B.	S.	82.

<i>Fraxinus pubula</i> , Griseb.	Moist woods.	
B.r.coll.	B.r. (Herb. M.).	32.
<i>Ulmus americana</i> , L.	Moist places and plantations.	
B.f.	B.f.	33.c.
<i>Urtica gracilis</i> , Wilt.	Waste places and roadsides.	
B.	B.f.	33.

100. Platanaceae.

<i>Platanus occidentalis</i> , L.	Near running water.	
-----------------------------------	---------------------	--

101. Juglandaceae.

<i>Carya alba</i> , Nutt.	Woods.	
B.f.	B.c.	34.
<i>Carya amara</i> , Nutt.	Woods.	
B.	B.r.	35.
<i>Carya mucronata</i> , Nutt.	Rocky woods.	
B.c. (Herb. JNC).	B.f.	36.
<i>Carya tomentosa</i> , Nutt.	Hilltops.	
B.c. (Herb. JNC).	B.r.	37.
<i>Juglans cinerea</i> , L.	Rocky slopes.	
B.r. (Herb. JNC).	B.	38.r.
<i>Juglans cinerea</i> x <i>nigra</i> .	(Hybrid).	Planted.
B.r.	B.	39.
<i>Juglans nigra</i> , L.	Planted (?).	
B.r.	B.	40.
<i>Juglans regia</i> , L.		
B.	B.	41.r.coll. 1f.

102. Myricaceae.

<i>Myrica asplenifolia</i> , Endl.	Dry fields and open woods.	
B.c.coll. 1f.	B.c.	53.c.
<i>Myrica cerifera</i> , L.	Open fields and thin woods.	
B.c.	B.c.	54.b.
<i>Myrica Gale</i> , L.	Meadows; edge of ditches.	
B.c.coll.	B.c.	55.

188. *Quercus* (cont.)

<i>Alnus incana</i> , Willd. E.f.	Wet places. E.g.		25-30 ft.
<i>Alnus serotina</i> , Willd. E.c. (Harkn.)	Wet places. E.c.		25-30 ft.
<i>Betula lenta</i> , L. E.c. coll. fr. fr.	Wet rocky slopes. E.c.		25-30 ft.
<i>Betula lutea</i> , Mill. ex f. E.c.	Wet, valley and slopes. E.c.		25-30 ft.
<i>Betula populifolia</i> , Marshall. E.	Rocky wooded slopes. E.		25-30 ft.
<i>Betula populifolia</i> , Mill. E.c.	Wet and open fields. E.c.		25-30 ft.
<i>Calpinus</i> E. Clinton, Willd. E.c. coll. fr.	Cool rocky ravines. E.c.		25-30 ft.
<i>Corylus americana</i> , Willd. E.c. coll. fr.	Wet open land. E.c.		25-30 ft.
<i>Corylus rostrata</i> , Mill. E.c. (Harkn.)	Wet places. E.c.		25-30 ft.
<i>Fagus sylvatica</i> , Mill. E.c. (Harkn.)	Woods. E.c.		25-30 ft.
<i>Q. virginica</i> , Willd. E.c. coll. fr.	Wet and open fields. E.c.		25-30 ft.
<i>Quercus alba</i> , L. E.c.	Everywhere except in the mountains and swamps. E.c.		25-30 ft.
<i>Quercus bicolor</i> , Willd. E.c.	Wet places. E.c.		25-30 ft.
<i>Quercus coccinea</i> , Mill. E.c.	Wet slopes and fields. E.c.		25-30 ft.
<i>Quercus coccinea</i> , Mill. var. <i>tinctoria</i> , Willd. E.c.	Woods. E.c. coll. fr.		25-30 ft.
<i>Quercus ilicifolia</i> , Willd. E.c. coll. fr.	Wet slopes and fields. E.c.		25-30 ft.
<i>Quercus laevis</i> , L., Engelm. E.c. (Harkn.)	Woods. E.c.		25-30 ft.
<i>Quercus prinus</i> , Willd. E.c. coll. fr.	Wet and open fields. E.c.		25-30 ft.

<i>Quercus Prinus</i> , L.	Woods.		
B.f.coll.	B.f.r.	B.	BB.
<i>Quercus rubra</i> , L.	Woods.		
B.c.	B.c.	B.c.	BB.c.

104. Salicaceae.

<i>Populus balsamifera</i> , L. var. <i>canadensis</i> , Mill.		Moist and wet ground.	
B.	M.r.	B.	BB.
<i>Populus grandidentata</i> , Michx.		Uproot land.	
B.f.	M.f.	S.f.	BB.
<i>Populus tremuloides</i> , Michx.		Sp. out land.	
B.c.	M.f.	B.	BB.
<i>Salix alba</i> , L.		Meadows and shores.	
B.c.	M.c.	S.c.	BB.c.
<i>Salix cordata</i> , Mill.		Wet ground.	
B.f. (Herb. JHC).	M.c.	B.	BB.
<i>Salix cordata x sericea</i> , (fide L.S. Bebb)			
B.r. (Herb. JHC).		B.	BB.
<i>Salix discolor</i> , Mill.		Swamps, meadows and shores.	
B.f.coll. lf.	M.f.coll. lf.	S.f.	BB.f.
<i>Salix lucida</i> , Mill.		Meadows, swamps and shores.	
B.c. (Herb. JHC).	M.c.	B.	BB.
<i>Salix myrtilloides</i> , L.		Meadows.	
B.	M.c.	B.	BB.
<i>Salix nigra</i> , Marsh.		Bogs, meadows and swamps.	
B.	M.	S.r.coll. lf.	BB.
<i>Salix petiolaris</i> , Smith.		Meadows, edges woods.	
B.	M.c.coll. lf.	B.	BB.
<i>Salix purpurea</i> , L.		Low lands.	
B.	M.r.	B.	BB.
<i>Salix rostrata</i> , Rich.		Moist pinets.	
B.c. (Herb. JHC).	M.	B.	BB.
<i>Salix tristis</i> , Ait.		Gravelly fields and low thickets.	
B.r.coll. lf.	M.c.	S.r.coll. lf.	BB.
<i>Salix nigra</i> , Marsh. var. <i>felcata</i> , Torr.		Bogs.	
B.r.coll. lf.	M.	B.	BB.

107. Coniferales.

<i>Chamaecyparis sphenoloba</i> , Spach. B.c. (Herb. J. N.).		Swampy. S.	27.
<i>Juniperus communis</i> , L. B.c. (Herb. J. N.).	Open pastures and meadows.	S.c.	28. b.
<i>Juniperus Virginiana</i> , L. B.c. (Herb. J. N.).	Barren, hill tops and pastures.	S.c.	29. a. (Herb. J. N.)
<i>Picea nigra</i> , Lk. S.r.	Planted.	S.	30.
<i>Picea excelsa</i> , Lk. B.c.	Planted.	S.	31. r.
<i>Pinus rigida</i> , Mill. S.f.	Hill tops and slopes.	S.f.	32. f.
<i>Pinus Strobus</i> , L. B.c. (Herb. J. N.).	Moist and wet places.	S.c.	33. b.
<i>Pinus sylvestris</i> , L. S.	Planted.	S.	34. r.
<i>Tsuga Canadensis</i> , Carr. B.f.	Rocky woods & slopes and moist valleys.	S.	35.

108. Gnaphalaceae.

<i>Erigeron Canadensis</i> , Michx. B.c. coll.	Shallow water.	S.f. coll.	36.
---	----------------	------------	-----

110. Gramineae.

<i>Arrhenathera bulbosa</i> , L. B.f.	Woods.	S.	37.
<i>Calopogon palustris</i> , L. Br. B.c. (Herb. J. N.).	Woods.	S.	38.
<i>Corallorhiza innata</i> , L. Br. B.f. (Herb. J. N.).		S.	39.
<i>Corallorhiza innata</i> , Nutt. B.c. coll. fr.	Rich woods.	S.	40.
<i>Corallorhiza innata</i> , Nutt. S.		S.r.	41.
<i>Cypripedium acaule</i> , Ait. B.c. coll. fr.	Open woods.	S.	42.

<i>Sagittaria pubescens</i> , R.Br.	Woods.	S.	52.
S.f.cull.fl.	M.		
<i>Sagittaria repens</i> , R.Br.	Woods.	S.	53.
S.f.cull.fl.	M.		
<i>Sagittaria biflorata</i> , Torr.		S.	54.
S.f.cull.fl.	M.		
<i>Sagittaria flaberrata</i> , R.Br.	Swamps and moist woods.	S.	55.
S.f.cull.fl.	M.		
<i>Sagittaria Hookeri</i> , Torr.		S.	56.
S.f.	M. (Herb. I).		
<i>Sagittaria lucida</i> , R.Br.	Meadows.	S.	57.
S.	M.		
<i>Sagittaria polyandra</i> , Gray.	Meadows and swamps.	S.	58.
S.f.cull.fl.	M.		
<i>Sagittaria tridentata</i> , Hook.	Wet ground.	S.	59.
S.f.cull.fl.	M.		
<i>Sagittaria viridescens</i> , Spreng.		S.	60.
S.f. (Herb. G&K).	M.		
<i>Liparis liliifolia</i> , Rich.		S.	61.
S.f. (Herb. J&C).	M.		
<i>Microstylis ophioglossoides</i> , Nutt.		S.	62.
S.f.	M.		
<i>Pogonia ophioglossoides</i> , Nutt.	Low ground.	S.	63.
S.f. (Herb. J&C).	M.		
<i>Pogonia venticillata</i> , Nutt.	Woods.	S.	64.
S.f.cull.fl.	M.		
<i>Spiranthes cernua</i> , Rich.	Meadows.	S.	65.
S.f.cull.fl.	M. f. cull. fl.		
<i>Spiranthes gracilis</i> , Bigel.	Dry fields.	S.	66.
S.f.cull.fl.	M. f. cull. fl.		
<i>Spiranthes prorepens</i> , Watson.		S.	67.
S.f. (Herb. G&K).	M. f.		

II3. Iridaceae.

<i>Iris Germanica</i> , L. B.r.	A.	Planted.	S.	BB.
<i>Iris prismatica</i> , Pursh. B.r.coll.fl.	M.		S.	BB.
<i>Iris versicolor</i> , L. B.c.coll.	M.c.	Pasture.	S.	BB.c.coll-fl.
<i>Sisyrinchium anceps</i> , Cav. B.c.(Herb.WD).	M.c.coll.	Moist ground.	S.	BB.c.coll.fl.
<i>Sisyrinchium angustifolium</i> , Mill. B.c.(Herb.GHM).	M.c.	Meadows. S.f.		BB.c.coll-fl.

II4. Amaryllidaceae.

<i>Hypoxis erecta</i> , L. B.c.coll.fl.	M.c.	Dry open woods and fields.	S.	BB.c.coll-fl.
--	------	----------------------------	----	---------------

II6. Liliaceae.

<i>Allium Canadense</i> , Kalm. B.	M.c.coll.	Pasture.	S.	BB.c.coll.
<i>Asparagus officinalis</i> , L. B.	M.c.	Fields and roadside.	S.	BB.c.
<i>Convallaria majalis</i> , L. B.r.	M.	Planted.	S.	BB.
<i>Convallaria majalis</i> , L.var. fl.roseo, hort. B.r.	M.	Planted.	S.	BB.
<i>Erythronium Americanum</i> , Ker. B.r.	M.c.	Moist woods.	S.	BB.c.coll-fl.
<i>Funkia lanceifolia</i> , Spr. B.r.	M.	Planted.	S.	BB.
<i>Hamorcoallia falva</i> , L. B.r.	M.	Planted.	S.	BB.
<i>Lilium Canadense</i> , L. B.r(Herb.JRC).	M.c.	Meadows.	S.	BB.c.coll-fl.
<i>Lilium Philadelphicum</i> , L. B.f.coll.fl.	M.f.	Open places in dry woods.	S.f.coll.fl.	BB.
<i>Lilium tigrinum</i> , Ker. B.r.	M.	Planted.	S.	BB.

<i>Valeriana</i> (Humboldt), Desf. B.c. (Humb. JAC). M.c.	Woods. S.c.	22, 0.001-11
<i>Lespedeza Virgatica</i> , L. B.f. (Humb. JAC). M.c.	Damp woods. S.c.	22
<i>Oenothera Californica</i> , Wats. B.c. M.c.	Open woods. S.	22
<i>Ornatocaulis umbellatus</i> , L. B.r. M.	Planted S.	22
<i>Polygonatum biflorum</i> , Eli. B.c. coll. M.f. (Humb. MI).	Damp rocky woods. S.	22
<i>Smilacina racemosa</i> , Desf. B.c. coll. M.f. (Humb. MI).	Rocky woods and hillsides. S.	22, 0.001-11
<i>Smilax herbacea</i> , L. B.c. (Humb. JAC). M.f.	Damp borders of woods. S.	22
<i>Smilax latifolia</i> , L. B.c. (Humb. JAC). M.f. (Humb. MI).	Wet swamps and dry slopes. S.f.	22, 0.001-11
<i>Trillium cernuum</i> , L. B.c. coll. M.f.	Wet woods. S.	22
<i>Urtica perfoliata</i> , L. B. M.r. (Humb. MI).	S.	22
<i>Veronica viridis</i> , Ait. B. M.r.	Swampy meadow. S.	22, 0.001-11
<i>Yucca filamentosa</i> , L. B.r. M.	Planted S.	22

III. *Yucca* (Humboldt).

<i>Pontedericea</i> , L. B.c.	Shallow water. B.c.	22
----------------------------------	------------------------	----

III. *Xyris* (Humboldt).

<i>Xyris Caroliniana</i> , Walt. B. r. coll. M.	S.	22
<i>Xyris flexuosa</i> , Michx. B.r. coll. M.	Sandy meadow. B.r. coll. M.	22
<i>Xyris flexuosa</i> , Michx. (Humb. JAC), Gray. B.r. (Humb. JAC).	S.	22

121. *Juncus*.

<i>Juncus acuminatus</i> , Michx. B. (Herb. JRC).	M.	S.	S.
<i>Juncus acuminatus</i> , Michx. var. <i>littoralis</i> , Engelm. B.	M. c. coll.	S.	Swamps. S. f. coll.
<i>Juncus stricklandii</i> , L. P. f. coll.	Woods. M. c. coll.	S.	S.
<i>Juncus bairdii</i> , L. P. c. coll.	Meadows. S.	S.	S.
<i>Juncus Canadensis</i> , J. Gay. var. <i>subopretatus</i> , Engelm. P. c. coll.	S.	S.	Swamps.
<i>Juncus Canadensis</i> , J. Gay. var. <i>longicaudatus</i> , Engelm. P. c. coll.	S.	S.	Swamps.
<i>Juncus Canadensis</i> , J. Gay. var. <i>subcaudatus</i> , Engelm. (?) P. c. coll.	M.	S.	Swamps.
<i>Juncus effusus</i> , L. P. c. (Herb. JRC).	Meadows and swamps. S.	S.	S. f. coll.
<i>Juncus Groenlandicus</i> , Oakes & Tuck. P. c. (Herb. JRC).	M.	S.	S.
<i>Juncus marginatus</i> , Nutt. P. c. coll.	M. c. coll.	S.	S. c. coll.
<i>Juncus pilocarpus</i> , Z. Meyer. P. r. (Herb. BFW).	Swamps. S.	S.	S.
<i>Juncus tenuis</i> , Willd. P. f. coll.	Dry and ledgy soil. S. c. coll.	S.	S. c. coll.
<i>Luzula sempervirens</i> , DC. P. c. (Herb. JRC).	Swampy borders of woods. S. c.	S. c.	S. c. coll. fr.

122. *Typheoides*.

<i>Sparganium simplex</i> , Michx. P. f. coll.	Woods and ditches. S.	S.	S.
<i>Sparganium simplex</i> , Michx. var. <i>andresii</i> , Engelm. P. f.	S.	S.	Swamps.
<i>Sparganium simplex</i> , Michx. var. <i>angustifolium</i> , Engelm. P. f. coll.	M.	S.	Swamps.
<i>Typheoides angustifolia</i> , L. P. c. coll. fr.	M.	S.	S.
<i>Typheoides latifolia</i> , L. P. f. (Herb. JRC).	M. c.	S. c.	S. c.

123. Araceae.

<i>Arisaema</i> <i>Uai</i> <i>man</i> , L.		Swamps.		
<i>Arisaema</i> <i>triphyllum</i> , Torr.		Woods.	S.	Wet coll.
<i>Sagittaria</i> <i>triphyllum</i> , Torr.		Woods.	S.	Wet coll.
<i>Sagittaria</i> <i>palustris</i> , L.		Swamps.		
<i>Sagittaria</i> <i>palustris</i> , L.		Swamps.	S.	Wet coll.
<i>Peltandra</i> <i>undulata</i> , R. & P.		Swamps.		
<i>Peltandra</i> <i>undulata</i> , R. & P.		Swamps.	S.	Wet coll.
<i>Symplocarpus</i> <i>foetidus</i> , Schreb.			Wet places.	
<i>Symplocarpus</i> <i>foetidus</i> , Schreb.			S. c.	Wet coll.

124. Lemnaceae.

<i>Lemna</i> <i>minor</i> , L.		Pools, ditches and streams.		
<i>Lemna</i> <i>minor</i> , L.		Pools, ditches and streams.	S.	Wet coll.
<i>Lemna</i> <i>triscula</i> , L.		Stagnant water.		
<i>Lemna</i> <i>triscula</i> , L.		Stagnant water.	S.	Wet coll.
<i>Lemna</i> <i>Valdiviana</i> , Philippi		Running water.		
<i>Lemna</i> <i>Valdiviana</i> , Philippi		Running water.	S.	Wet coll.
<i>Spirodela</i> <i>polyrrhiza</i> , Schleid.		Wet places.		
<i>Spirodela</i> <i>polyrrhiza</i> , Schleid.		Wet places.	S.	Wet coll.

125. Alismaceae.

<i>Alisma</i> <i>Plantago</i> , L.		Edge of water.		
<i>Alisma</i> <i>Plantago</i> , L.		Edge of water.	S.	Wet coll.
<i>Sagittaria</i> <i>graminea</i> , Michx.		Shores.		
<i>Sagittaria</i> <i>graminea</i> , Michx.		Shores.	S.	Wet coll.
<i>Sagittaria</i> <i>variabilis</i> , Engelm.		Pools and shallow water.		
<i>Sagittaria</i> <i>variabilis</i> , Engelm.		Pools and shallow water.	S. f.	Wet coll.
<i>Sagittaria</i> <i>variabilis</i> , Engelm. var. <i>angustifolia</i> , Engelm.			S.	Wet coll.
<i>Sagittaria</i> <i>variabilis</i> , Engelm. var. <i>obtusifolia</i> , Engelm.			S.	Wet coll.

126. Najadaceae.

<i>Najas flexilis</i> , Kostk. & Schmidt. (?)			
B.	M. f. r. coll.	S.	BB.
<i>Najas Indica</i> , Cham. var. <i>gracillima</i> , A. Br.			Shallow water.
B.	M. f. coll.	S.	BB.
<i>Potamogeton natans</i> , L.	Ponds.		
B.	M. r. (Herb. WD).	S.	BB.
<i>Potamogeton Nuttallii</i> , Cham. & Schl.			Shallow water.
B.	M. r. coll.	S.	BB.
<i>Potamogeton Pennsylvanicus</i> , Cham.			Shallow water.
B. c. (Herb. JRC).	M. f.	S.	BB.
<i>Potamogeton Spirillus</i> , Tuck.			Shallow water.
B. r. (Herb. GSK).	M. r. coll. fr.	S.	BB.
<i>Potamogeton Vaseyi</i> , Robbins.			Ponds.
B.	M. r. (Herb. MI).	S.	BB.

127. Eriocaulaceae.

<i>Eriocaulon septangulare</i> , With.			Shores of ponds.
B. c. coll.	M. c.	S. c.	BB.

128. Cyperaceae.

<i>Carex bromoides</i> , Schk.			
B.	M. r. coll.	S.	BB.
<i>Carex buliseta</i> , Schk.			Wet places.
B. f.	M.	S.	BB. f. (Herb. JRC)
<i>Carex canescens</i> , L.			
B. c.	M. c. (Herb. JRC).	S.	BB.
<i>Carex canescens</i> , L. var. <i>vulgaris</i> , Bailey.			
B.	M. c. coll.	S.	BB. c. coll.
<i>Carex cephalophora</i> , Muhl.			Woods.
B. i. (Herb. GSK).	M. f. coll.	S.	BB. c. coll.
<i>Carex communis</i> , Bailey.			
B. r. (Herb. JRC).	M. r.	S.	BB.
<i>Carex crinita</i> , Lam.			Wet ground.
B. c. coll.	M. f. coll. b	S.	BB. c. coll.
<i>Carex debilis</i> , Michx. var. <i>Budgei</i> , Bailey.			
B. c.	M. c. coll.	S.	BB. c. coll.

<i>Carex digitalis</i> , Willd.			
B.c. (Herb. GUK).	M.	S.	22.
<i>Carex filiformis</i> , L. var. <i>latifolia</i> , Boeckl.			
B.	M.	S.	26. c. coll.
<i>Carex flacca</i> , L. var. <i>graminis</i> , Hall f.			
M.	M.G.	S.	28.
<i>Carex foena</i> , Willd.			
B.r. coll.	M.	S.	48 ? Coll.
<i>Carex folliculata</i> , L.	Swamps.		
B.c. coll.	M.	S.	39.
<i>Carex gracillima</i> , Schw.			
L.	M.c. (Herb. JNC).	S.	70. 4.
<i>Carex interior</i> , var. <i>capillacea</i> , Bailey.			(fid Dr. C.W.S. in)
B. recoll.	M.	S.	24.
<i>Carex intumescens</i> , Rudge.			
M.c. coll.	M.	S.	98.
<i>Carex laxicalmis</i> , Schum.			
L.	M. coll.	S.	22. coll.
<i>Carex laxiflora</i> , Lam. var. <i>laxifolia</i> , Boeckl.			
B.r.	M.	S.	17.
<i>Carex laxiflora</i> , Lam. v. r. <i>petalifolia</i> , Carey.			
B.r. (Herb. JNC).	M. coll.	S.	33.
<i>Carex laxiflora</i> , Lam. var. <i>varians</i> , Bailey.			
L.	M.	S.	23. r.
<i>Carex laxiflora</i> , Lam. var. <i>varietula</i> , Carey.			
L.	M. coll.	S.	25. c. coll.
<i>Carex lupulina</i> , Muhl.	Shade.		
B.c. coll.	M. c. coll.	S.	10.
<i>Carex lucida</i> , Wuhl.	Shady slopes.		
B.c. coll.	M. c. coll.	S.	23. c. coll.
<i>Carex Muhlbergii</i> , Schk.			
B.r. (Herb. JNC).	M.	S.	35.
<i>Carex muricata</i> , L.	Low ground.		
L.	M. r. coll.	S.	27. r. coll.
<i>Carex pallidescens</i> , L.			
B.r. (Herb. GUK).	M. r. coll.	S.	20. r. coll.
<i>Carex panicea</i> , L.			
B.c.	M.	S.	21.

<i>Carex Pennsylvanica</i> , Lam. B.c. (Herb. J.C.). M.c. coll.	S.	55.c. (Herb. WD)
<i>Carex polytrichoides</i> , Muhl. B.f. (Herb. GSK).	S.	56.
<i>Carex Pseudo-Cyperus</i> , L. var. <i>Americana</i> , Hook. & G. B.f. M.f. coll.	S.	57.
<i>Carex rigida</i> , Gooden. var. <i>Goodenovi</i> , Bailey. B.r. (Herb. GSK).	S.	58.
<i>Carex rigida</i> , Gooden. var. <i>stricta</i> , Formis, Bailey. B.r. (Herb. GSK).	S.	59.
<i>Carex rostrata</i> , Schk. B.c. (Herb. WD).	S.	60.
<i>Carex rostrata</i> , Schk. var. <i>radiata</i> , Desf. B.c. (Herb. J.C.). M.c. coll.	S.	61.
<i>Carex scoparia</i> , Schk. moist places. B.c. coll.	S.	62.
<i>Carex scoparia</i> , Schk. B.r. coll.	S.	63.
<i>Carex sparganioides</i> , Muhl. B.c. (Herb. J.C.). M.c. (Herb. J.C.).	S.	64.
<i>Carex sterilis</i> , Willd. B.	S.	65.r. coll.
<i>Carex sterilis</i> , Willd. var. <i>angustata</i> , Bailey. B. M.r. coll.	S.	66.
<i>Carex stipata</i> , Muhl. B.c.	S.	67.c. coll.
<i>Carex straminea</i> , Willd. Dry soil. B.c. M.c. coll.	S.	68.
<i>Carex straminea</i> , Willd. var. <i>aperta</i> , Hook. & G. B.r. (Herb. GSK).	S.	69.
<i>Carex straminea</i> , Willd. var. <i>maritima</i> , Tuck. B.c. (Herb. WD).	S.	70.c. coll.
<i>Carex stricta</i> , Lam. B.	S.	71.c. coll.
<i>Carex stricta</i> , Lam. var. <i>decumbens</i> , Bailey. B.	S.	72.c. (Herb. WD)
<i>Carex tribuloides</i> , Willd. B. (Herb. GSK).	S.	73.c. coll.

<i>Carex lasiocarpa</i> , Dew.	Swamps.	S.	37.
B.f. (Herb. J.L.C.).			
<i>Carex lasiocarpa</i> , Schk.		S.	38.
B.f. (Herb. J.L.C.).			
<i>Carex varia</i> , Luhl.		S.	39.
B.			
<i>Carex viridula</i> , Luhl.	Rocky woods.	S.	40.
B.f. coll.	B.C. (Herb. J.L.C.).		
<i>Carex viridula</i> , Luhl. var. <i>costata</i> , Dew.	Woods.	S.	41.
B.f. coll.			
<i>Carex vulpina</i> , Pers.	Woods.	S.	42.
B.			
<i>Cyperus dentatus</i> , Torr.		S.	43.
B.f. coll.			
<i>Cyperus alpinus</i> , Torr.	Woods.	S.	44.
B.f. coll.			
<i>Cyperus filiculmis</i> , Vahl.	Swamps, Roadside and Hills.	S.	45.
B.f. coll.			
<i>Cyperus tenuifolius</i> , L.		S.	46.
B.			
<i>Halickium sylvaticum</i> , Pers.	Swamps.	S.	47.
B.f. coll.			
<i>Eleocharis angustata</i> , Steud.		S.	48.
B.f. coll.			
<i>Eleocharis olivacea</i> , Torr.	Woods.	S.	49.
B.f. coll.			
<i>Eleocharis ovata</i> , R.Br.	Borders of ponds and swamps.	S.f. coll.	50.
B.			
<i>Eleocharis palustris</i> , R.Br.		S.	51.
B.f.			
<i>Eleocharis tenuis</i> , Schultze.		S.	52.
B.f. coll.			
<i>Eleocharis subscutellata</i> , R.Br.		S.	53.
B.f. coll.			
<i>Eriophorum corymbosum</i> , L.	Swamps.	S.	54.
B.f. coll.			
<i>Eriophorum gracile</i> , Koch.		S. ?.	55.
B. ?.			

<i>Eriophorum virginicum</i> , L.			
S.f.coll.	N.F.	S.f.coll.	85.
<i>Fimbristylis aspericollis</i> , Nees & Schult.			
S.f.coll.	N.	S.	84. ground.
<i>Fimbristylis capillaris</i> , (Walt.)			
S.f.coll.	N.	S.	83.
<i>Rhynchospora alba</i> , Vahl.			
S.f.	N.	S.	82.
<i>Rhynchospora bifida</i> , Roem. & Schult.			
S.f. (Herb. Juss.)	N.	S.	81. Meadows.
<i>Rhynchospora ciliolata</i> , Vahl.			
S.f.coll.	N.	S.	80. Moist places.
<i>Scirpus planifolius</i> , Mill.	Woods.		
S.f. (Herb. Juss.)	N.	S.	79.
<i>Scirpus sylvaticus</i> , L.			
S.	S.f.coll.	S.	78.

IS. Gramineae.

<i>Agropyron junceum</i> , Nees & Schult.			
S.	S.f.coll.	S.	77.
<i>Agrostis alba</i> , L. var. <i>vulgaris</i> , (Walt.)			
S.f.	N.O.	S.	76. Moist ground.
<i>Agrostis alba</i> L. var. <i>vulgaris</i> , (Walt.)			
S.	S.f.coll.	S.	75. (fide Dr. Cean.)
<i>Agrostis perennans</i> , (Walt.)			
S.f. coll. 1.	S.f.coll.	S.f.coll.	74. damp road, woods.
<i>Alopecurus geniculatus</i> , L.			
S.	S.f.coll.	S.	73. Swamps.
<i>Alopecurus pratensis</i> , L.			
S.	N.	S.	72. Open fields.
<i>Andropogon furcatus</i> , Vahl.			
S.f. (Herb. Juss.)	N.	S.	71.
<i>Andropogon scoparius</i> , Michx.			
S.f. coll.	N.O. & N. (Herb. Mill.)	S.	70. Hills and poor fields.
<i>Andropogon virginicus</i> , L.			
S.f. (Herb. Juss.)	N.	S.	69.
<i>Antennaria odorata</i> , L.			
S.f. coll.	S.f. coll.	S.	68. roadsides and fields.
<i>Aristida stricta</i> , (L.)			
S.f. coll.	S.f. coll.	S.	67. Poor open fields and roads.

<i>Aristida gracilis</i> , Ell.			
B.r.coll.	N.	S.	BB.
<i>Asprella Mystrix</i> , Willd.	Rocky woods.		
B.c. (Herb. JRC).	N.o.coll.	S.	BB.
<i>Avena sativa</i> , L.			
B.r.coll.	N.r.coll.	S.	BB.
<i>Brachyelytrum aristatum</i> , Beauv.			
B.r.coll.	N.	S.	BB.
<i>Bromus ciliatus</i> , L.	Rocky slopes.		
B.f.	m.o.coll.	S.	BB.
<i>Bromus secalinus</i> , L.			
B.	N.r.coll.	S.	BB.
<i>Calamagrostis Nuttalliana</i> , Steud.			
L.r.coll.	N.	S.	
<i>Chrysopogon nutans</i> , Benth.			
B.r.	N.	S.	BB.
<i>Cinna arundinacea</i> , L.	Swamps.		
N.o.coll.	N.	S.	BB.
<i>Dactylis glomerata</i> , L.			
B.c.	N.c.	S.	BB.c.coll.
<i>Danthonia compressa</i> , Austin.	Dry woods.		
B.o.coll.	N.o.coll.	S.	BB.
<i>Danthonia spicata</i> , Beauv.	Dry woods.		
B.c.coll.	N.r. (Herb. II).	S.	BB.
<i>Deschampsia flexuosa</i> , Trin.			
B.c. (Herb. JRC).	N.	S.	BB.
<i>Ectonia Dudleyi</i> , Vasey.	(fide Dr. Swan).		
B.	N.r.coll.	S.	BB.
<i>Elymus Canadensis</i> , L.			
B.o. (Herb. JRC).	N.o.	S.	BB.
<i>Elymus striatus</i> , Willd.			
B.o. (Herb. JRC).	N.	S.	BB.
<i>Eragrostis capillaris</i> , Nees.	Ledges.		
B.r. (Herb. JRC).	N.	S.	BB.
<i>Eragrostis pectinacea</i> , Gray.			
B.c. (Herb. JRC).	N.	S.	BB.
<i>Eulalia Japonica variegata</i> , hort.	(Miscanthus Sinensis, Anders.) Planted.		
B.r.	N.	S.	BB.

<i>Festuca elatior</i> , L. var. <i>pratensis</i> , Gray.			
B.	B.		BB.r.coll.
<i>Festuca nutans</i> , Willd.			
B.f. (Herb. WD).	M.	S.	BB.
<i>Festuca tenella</i> , Willd.			
B.o.	M.	S.	BB.
<i>Glyceria acutifolia</i> , Torr.			
B.	P.o.	S.	BB.
<i>Glyceria Canadensis</i> , Trin.	Leadings.		
B.f. coll.	M.f.	S.	BB.
<i>Glyceria fluitans</i> , L. Br.			
B.o. coll.	M.	S.	BB.
<i>Glyceria nervata</i> , Trin.	Meadows.		
B.o. coll.	M.r. coll.	S.	BB.
<i>Glyceria obtusa</i> , Trin.	Swamps and meadows.		
B.o. coll.	M.	S.	BB.
<i>Holcus lanatus</i> , L.	Low ground.		
B.f. (Herb. GSK).	M.	S.	BB.
<i>Leersia oryzoides</i> , Sw.			
B.o. coll.	M.	S.	BB.o. coll.
<i>Leersia Virginica</i> , Willd.	Near roads.		
B.o. coll.	M.	S.	BB.o. coll.
<i>Muehlenbergia Mexicana</i> , Trin.	Woods.		
B.o. (Herb. EFW).	M.	S.	BB.
<i>Muehlenbergia sobolifera</i> , Trin.	Woods.		
B.o. (Herb. JHC).	M.	S.	BB.
<i>Muehlenbergia sylvatica</i> , Torr. & Gray.			
B.f. (Herb. BGK).	M.	S.	BB.
<i>Muehlenbergia Willdenowii</i> , Trin.			
B.f. coll.	M.	S.	BB.
<i>Oryzopsis asperifolia</i> , Michx.			
B.r. (Herb. JHC).	M.r. coll.	S.	BB.
<i>Oryzopsis Canadensis</i> , Torr.			
B.r. (Herb. JHC).	M.	S.	BB.
<i>Oryzopsis m. laniceps</i> , Muhl.			
B.	M.r. coll.	S.	BB.
<i>Panicum agrostoides</i> , Muhl.			
B.o. coll.	M.	S.	BB.r. coll.

<i>Panicum capillare</i> , L.			
B.		S.	BB.f.coll.
<i>Panicum clandestinum</i> , L.			
B.c. (Herb. 444).		S.	BB.
<i>Panicum compressum</i> , Schultes.			
B.	f.f.coll.	S. Dry woods.	BB.
<i>Panicum Crue-calli</i> , L.			
B.c.coll.	M.	Roadside and house-sites.	BB.
<i>Panicum depauperatum</i> , Muhl.			
B.c.coll.	f.c.coll.	S. Hillsides.	BB.
<i>Panicum dichotomum</i> , L.			
B.c.coll.	f.c.coll.	S. Woods and fields.	BB.f.coll.
<i>Panicum dichotomum</i> , L. var. <i>viride</i> , Tuckey.			
B.	f.c.coll.	S. Rocky woods.	BB.
<i>Panicum gibberum</i> , Gaudich.			
B.c.	f.	S. Roadside.	BB.
<i>Panicum latifolium</i> , L.			
B.c.coll.	f.c.coll.	S. Woods.	BB.
<i>Panicum laxiflorum</i> , Lam.			
B.c.	f.c.	S. Roadside.	BB.
<i>Panicum nitidum</i> , Michx.			
B.c.coll.	f.c.	S.	BB.
<i>Panicum strigosum</i> , L.			
f B.f.coll.	f.c.	S. Roadside and fields.	BB.
<i>Panicum scoparium</i> , Lam.			
B.c.coll.	f.c.coll.	S.	BB.
<i>Panicum sphaerocarpon</i> , Ell.			
B.	f.c.coll.	S.	BB.
<i>Paspalum setaceum</i> , Michx.			
B.c. (Herb. EFW).	f.	S. Meadows.	BB.c.coll.
<i>Phalaris pruriens</i> , L.			
B.c.	M.	S. Roadside and fields.	BB.
<i>Poa annua</i> , L.			
f.f.	M.f.	S. Roads and fields.	BB.f.coll.
<i>Poa compressa</i> , L.			
B.f. (Herb. J.G.).	f.f.coll.	S. Dry woods.	BB.f.coll.
<i>Poa pratensis</i> , L.			
B.f.coll.	M.f.coll.	S. Dry woods and roadsides.	BB.f.coll.

<i>Poa serotina</i> , Ehrh.	Wet places.	
B. l.c. coll.	S.	BB.
<i>Setaria glauca</i> , Beauv.	Near roadsides.	
B.o. coll.	S.	BB.
<i>Setaria viridis</i> , Beauv.	Fields.	
B.o. coll.	S.	BB.
<i>Sporobolus serotinus</i> , Gray.	Meadows.	
B.o. coll.	S.	BB.
<i>Sporobolus vaginiflorus</i> , Vasey.		
B.r. coll.	S.	BB.
<i>Stipa avenacea</i> , L.	Slopes.	
B.r. (Herb. JHC).	S.	BB.

130. Equisetaceae.

<i>Equisetum arvense</i> , L.	Dry woodlands.	
B.c.	S.	BB.c. coll.
<i>Equisetum hyemale</i> , L.		
B.	S.	BB.c. (Herb. JHC)
<i>Equisetum limosum</i> , L.	Woods and swamps.	
B.	S.	BB.
<i>Equisetum sylvaticum</i> , L.	Low woods.	
B.r. coll. lf.	S.	BB.

131. Filices.

<i>Adiantum pedatum</i> , L.	Among rocks in springy woodlands.	
B.o. coll.	S.	BB.
<i>Aspidium acrostichoides</i> , Swartz.	Rocky woodlands.	
B.f. coll. lf.	S.	BB.
<i>Aspidium acrostichoides</i> , Swartz. var. <i>incisum</i> , Gray.		
B.	S.	BB.
<i>Aspidium Besseyi</i> , Thwa.	Woodland and swamps.	
B.	S.	BB.
<i>Aspidium cristatum</i> , Swartz.	Woodland and swamps.	
B.o. coll.	S.	BB.
<i>Aspidium cristatum</i> , Swartz. var. <i>Clintonianum</i> , Eaton.	Woodland and swamps.	
B.	S.	BB.
<i>Aspidium cristatum</i> x <i>marginale</i> , Davenport.	Swamps, near its parents.	
B.	S.	BB.

<i>Aspidium marginale</i> , Swartz.	Ledges.		
S.f. coll.	S. f.	S. c.	SE. c.
<i>Aspidium Neovebursteana</i> , Swartz.	Woods.		
S. c.	N. b. coll.	S. c.	YE.
<i>Aspidium siskistum</i> , Daysonport.	Low molar woodlands.		
S. f. coll.	S. f.	S.	SE.
<i>Aspidium spinulosum</i> , Swartz.	Swampy woodlands.		
S. f.	S. f.	S.	SE.
<i>Aspidium spinulosum</i> , Bernh. var. <i>distictum</i> , Hook.	Woodlands and swamp.		
S. f.	S. f.	S.	SE.
<i>Aspidium s. imbricatum</i> , Swartz. var. <i>intermedium</i> , Paton.			
S.	S. f.	S.	SE.
<i>Aspidium Thelypteris</i> , Swartz.	Swamps and woodlands.		
S. f. coll.	S. f.	S. c. coll.	SE. c.
<i>Asplenium ebenense</i> , Ait.	Ledges.		
S. f. coll.	S. f. coll.	S.	SE.
<i>Asplenium Willd-foensis</i> , Bernh.	Woods.		
S. c. coll.	S. c. coll. f.	S. c.	SE.
<i>Asplenium thelypteris</i> , Bernh.	Woodland swamps.		
S. f.	S. f.	S.	SE.
<i>Asplenium Trichomanes</i> , L.	Rocky declivities.		
S. c. (Herb. J. H. C.).	S. c.	S.	SE.
<i>Cystopteris fragilis</i> , Bernh.	Stony banks and lakes.		
S. c.	S. c. coll.	S.	SE.
<i>Dicksonia pilosiuscula</i> , Willd.	Woodlands.		
S. c. coll. f.	S. c. coll. f. fr.	S. c.	SE. f.
<i>Oncoloba squarrosa</i> , L.	Woodlands.		
S. c. (Herb. J. H. C.).	S. c.	S. c.	SE. c.
<i>Osmunda cinnamomea</i> , L.	Low woodlands.		
S. c.	S. c.	S. c.	SE. c. coll. f.
<i>Osmunda Claytoniana</i> , L.	Low woodlands.		
S. c. (Herb. J. H. C.).	S. c.	S. c.	SE.
<i>Osmunda regalis</i> , L.	Low woodlands.		
S. c. coll.	S. c.	S. c.	SE. f.
<i>Phlegmaria Dryopteris</i> , Willd.	Woods.		
S.	S.	S.	SE.
<i>Phlegmaria neesii</i> , Willd.	Woodland ravines.		
S. c. coll.	S. c. coll.	S.	SE.

<i>Phlegmaria polypodioides</i> , Péc.		Havinas.	
B.r.coll.-lf.	P.r.	S.	BB.
<i>Polypodium vulgare</i> , L.	Ledges.		
B.c.	M.c.	S.c.	BB.c.
<i>Pteris aquilina</i> , L.	Woods.		
B.c.coll.	M.c.	S.c.	BB.c.
<i>Woodсия ilvensis</i> , R.Br.	Ledges.		
B.r.coll.	M.f.	S.	BB.
<i>Woodсия obtusa</i> , Torr.	Ledges.		
B.c.	M.r.coll.-fr.	S.	BB.
<i>Woodwardia australis</i> , Smith.	Low woodlands.		
B.r.coll.	M.	S.	BB.
<i>Woodwardia virginica</i> , Smith.	Woodland swamps.		
B.c.coll.-lf.	M.c.coll.-fr.	S.	BB.

I32. Ophioglossaceae.

<i>Botrychium heterocarpum</i> , R.Br.	Moist woods.		
B.r.	M.r.	S.	BB.
<i>Botrychium ternatum</i> , Swartz.	Low land and borders of woods and hillsides.		
B.c.	M.r.	S.	BB.
<i>Botrychium ternatum</i> , Swartz. var. <i>dissectum</i> , Wilde.	Borders of woods.		
B.c. (Herb. JKC).	M.c.	S.	BB.
<i>Botrychium ternatum</i> , Swartz. var. <i>obliquum</i> , Wilde.	Low land; hillsides.		
B.c.	M.c.	S.	BB.
<i>Botrychium virginianum</i> , Swartz.			
B.r.	M.r.coll.-lf.	S.	BB.r.coll.-lf.

I33. Lycopodiaceae.

<i>Lycopodium clavatum</i> , L.	Woods.		
B.c.coll.-lf.	M.	S.	BB.
<i>Lycopodium complanatum</i> , L.	Dry woodland.		
B.c.coll.	M.c.	S.	BB.
<i>Lycopodium lucidulum</i> , Michx.	Wet woodland in sphagnum.		
B.r.coll.	M.	S.	BB.
<i>Lycopodium obscurum</i> , L. var. <i>dendroideum</i> , D.C. Eaton.	Dry woodlands.		
B.c.	M.c.	S.	BB.

134. Selaginellaceae.

Isotria Selaginella, Durieu, var. Braunii, Vogel.			
B.	B.R. (Horn. II).	S.	Shell & water.
			55.
Selaginella sp., Spring. Moist pastures, near water.			
B.	B.R.	S.	52.
Selaginella rupestris, Spring. Lodges.			
B.P. (Horn. II).	M.f.	S.	52.

BRYOPHYTES.

Mosses.

<i>Wetia viridula</i> , Bridel.	B.c.	M.	S.c.	82.
<i>Dicranella heteromalla</i> , Schimper.	B.c.	L.	S.c.	84.
<i>Dicranum montanum</i> , Hedwig.	B.c.	M.	S.c.	85.
<i>Dicranum flagellare</i> , Hedwig.	B.c.	L.	S.c.	85.
<i>Dicranum fulvum</i> , Becker.	B.c.	L.	S.c.	86.
<i>Dicranum fuscescens</i> , Turner.	B.c.	M.	S.c.	86.
<i>Dicranum scoparium</i> , Hedwig.	B.c.	L.	S.c.	87.
<i>Dicranum Schradonii</i> , W. & A. Schr.	B.c.	L.	S.c.	87.
<i>Dicranum spurium</i> , Hedwig.	B.c.	M.	S.c.	88.
<i>Dicranum undulatum</i> , Turner.	B.c.	M.	S.c.	88.
<i>Pisidium taxifolium</i> , Hedwig.	B.	L.	S.c.	89.
<i>Pisidium oerundoides</i> , Hedwig.	B.	M. (Hedw. II)	S.c.	89.
<i>Pisidium alantoides</i> , Hedwig.	B.	M.	S.c.	90.
<i>Compositum Julianum</i> , Mont.	B.	L.	S.	91. (r)
<i>Leucobryum vulgare</i> , Hedwig.	B.c.	M.	S.c.	92.
<i>Ceratodon purpureus</i> , Bridel.	B.c.	L.	S.c.	93.
<i>Patella tomentosa</i> , Hedwig.	B.c.	M.	S.c.	94.

<i>Leptochloa (Lepidochloa) ...</i> S. r.	Donn. & J. J. J.	S. r.	81.
<i>Leptochloa ...</i> S.	Willd.	S. o.	82.
<i>Leptochloa ...</i> S. r.	Willd.	S. r.	83.
<i>Leptochloa ...</i> S.	Willd.	S. o.	84.
<i>Leptochloa ...</i> S. r.	Willd.	S.	85.
<i>Leptochloa ...</i> S. o.	Willd.	S. o.	86.
<i>Leptochloa ...</i> S. r.	Willd.	S.	87.
<i>Leptochloa ...</i> S. o.	Willd.	S.	88.
<i>Leptochloa ...</i> S. r.	Willd.	S. r.	89.
<i>Leptochloa ...</i> S. o.	Willd.	S. o.	90.
<i>Leptochloa ...</i> S. r.	Willd.	S. r.	91.
<i>Leptochloa ...</i> S. o.	Willd.	S. o.	92.
<i>Leptochloa ...</i> S. r.	Willd.	S. r.	93.
<i>Leptochloa ...</i> S. o.	Willd.	S. o.	94.
<i>Leptochloa ...</i> S. r.	Willd.	S. r.	95.
<i>Leptochloa ...</i> S. o.	Willd.	S. o.	96.
<i>Leptochloa ...</i> S. r.	Willd.	S. r.	97.
<i>Leptochloa ...</i> S. o.	Willd.	S. o.	98.
<i>Leptochloa ...</i> S. r.	Willd.	S. r.	99.
<i>Leptochloa ...</i> S. o.	Willd.	S. o.	100.

<i>Polypodium polypodioides</i> , Kunze	G.	S.c.	77
<i>Polypodium adpressum</i> , Pers. & Bory. de S.	G.	S.c.	78
<i>Polypodium filiforme</i> , Schlechter	G.	S.c.	79
<i>Polypodium hypopneum</i> , Willd.	G.	S.c.	80
<i>Polypodium Schomburgkii</i> , L. f. (Horn-Schomburgkii) (G.)	G.	S.c.	81
<i>Polypodium foliosum</i> , L.	G.	S.c.	82
<i>Polypodium apocynum</i> , L.	G.	S.c.	83
<i>Polypodium latifolium</i> , L.	G.	S.c.	84
<i>Polypodium latifolium</i> , L. var. <i>giganteum</i> , Sull.	G.	S.c.	85
<i>Polypodium Brownii</i> , Sull.	G.	S.c.	86
<i>Polypodium Royal-Anglicum</i> , Sull.	G.	S.c.	87
<i>Polypodium pilosum</i> , Br. & Schimp.	G.	S.c.	88
<i>Polypodium julaceum</i> , Sull.	G.	S.c.	89
<i>Polypodium hirtellum</i> , Sull.	G.	S.c.	90
<i>Polypodium hirtellum</i> , Sull.	G.	S.c.	91
<i>Polypodium obscurum</i> , Hedwig	G.	S.c.	92
<i>Polypodium prostratum</i> , Schimpf.	G.	S.c.	93
<i>Polypodium attenuatum</i> , Maxon	G.	S.	94
<i>Polypodium obtusifolium</i> , Br. & Schimp.	G.	S.r.	95
<i>Polypodium latifolium</i> , Br. & Schimp.	G.	S.c.	96
<i>Polypodium latifolium</i> , Br. & Schimp.	G.	S.c.	97

<i>Cladonia (Cladonia) cristata, Gail.</i>			
B.c.	M.	S.c.	BB.
<i>Cladonia Americana, Bridel.</i>			
B.c.	M.	S.c.	BB.
<i>Hypnum (Thuidium) rotundatum, Hedwig.</i>			
B.c.	M.	S.c.	BB.
<i>Hypnum (Thuidium) delicatulum, L.</i>			
B.c.	M.	S.c.	BB.
<i>Hypnum (Elodium) paludosum, Sull.</i>			
B.	M.	S.r.	BB.
<i>Hypnum (Brachythecium) laetum, Bridel.</i>			
B.	M.	S.r.	BB.
<i>Hypnum (Brachythecium) saletorum, Hoffm.</i>			
B.c.	M.	S.c.	BB.
<i>Hypnum (Brachythecium) velutinum, L.</i>			
B.c.	M.	S.c.	BB.
<i>Hypnum (Brachythecium) rutabulum, L.</i>			
B.c.	M.	S.c.	BB.
<i>Hypnum (Brachythecium) Novae-Angliae, Sull. & Lesq.</i>			
B.c.	M.	S.c.	BB.
<i>Hypnum (Brachythecium) populeum, Hedwig.</i>			
B.c.	M.	S.c.	BB.
<i>Hypnum (Brachythecium) plumosum, Swartz.</i>			
B.c.	M.	S.c.	BB.
<i>Hypnum (Eurhynchium) striosum, Hoffm.</i>			
B.c.	M.	S.c.	BB.
<i>Hypnum (Eurhynchium) Boeckii, Schwaegr.</i>			
B.	M.	S.r.	BB.
<i>Hypnum (Rhynchostegium) serotinum, Hedwig.</i>			
B.c.	M.	S.c.	BB.
<i>Hypnum (Rhynchostegium) rusciforme, Weiss.</i>			
B.	M.	S.r.	BB.
<i>Hypnum (Thamnum) Alleghaniense, Mueller.</i>			
B.	M.o. (Herb. M.)	S.o.	BB.
<i>Hypnum (Amblystegium) radicale, Beauv.</i>			
B.	M.	S.c.	BB.
<i>Hypnum (Amblystegium) adnatum, Hedwig.</i>			
B.	M.	S.c.	BB.
<i>Hypnum (Amblystegium) riparium, L.</i>			
B.c.	M.	S.c.	BB.

Hypnum (Hypnidium) flabellum, L.	B.c.	M.	S.c.	BB.
Hypnum (Stenites) cristae-aequalis, L.	B.	M.	S.r.	BB.
Hypnum (proper) reptans, Michx.	B.	M.	S.c.	BB.
Hypnum (proper) imponens, Hedwig.	B.c.	M.	S.	BB.
Hypnum (proper) cupressiforme, L.	B.c.	M.	S.c.	BB.
Hypnum (proper) curvifolium, Hedwig.	B.	M.	S.r.	BB.
Hypnum (proper) Haldanianum, Greville.	B.c.	M.	S.c.	BB.
Hypnum (Calliergon) cordifolium, Hedwig.	B.c.	M.	S.c.	BB.
Hypnum (Calliergon) Schreberii, Willd.	B.c.	M.c. (Herb. MI).	S.	BB.
Hypnum (Pleurozium) splendens, Hedwig.	B.r.	M.	S.	BB.
Hypnum (Hylocomium) triquetrum, L.	B.r.v	M.	S.	BB.
Hypnum denticulatum, L.	B.	M.r. (Herb. MI).	S.	BB.
Hypnum orthocladon, Beauv.	B.	M.r. (Herb. MI).	S.	BB.

Sphagnaceae.

Sphagnum Girgensohnii, Russow.	B.r.	M.	S.	BB.
Sphagnum tenellum, von Klinggraeff.	B.c.	M.	S.c.	BB.
Sphagnum acutifolium, (Ehrh.) Russ. & Warnst.	B.c.	M.	S.c.	BB.
Sphagnum cuspidatum, (Ehrh.) Russ. & Warnst.	B.c.	M.	S.c.	BB.
Sphagnum recurvum, (Beauv.) Russ. & Warnst.	B.f.	M.	S.f.	BB.

<i>Sphagnum angustatum</i> , Jepp.			
B.f.	M.	S.f.	BB.
<i>Sphagnum imbricatum</i> , (Gomph.) Kuntze.			
B.e.	M.	S.e.	BB.
<i>Sphagnum cyclophyllum</i> , Ehrh.			
B.e.	M.	S.e.	BB.
<i>Sphagnum magell.</i> , Lemprieux			
B.e.	M.	S.e.	BB.

Andreaeaceae.

<i>Andreaea rupestris</i> , Turner.			
B.r.	M.	S.r.	BB.
<i>Andreaea petrophila</i> , Ehrhart.			
B.r.	M.	S.	BB.

Hepaticae.

<i>Radothea platyphylla</i> , Dumort.			
B.	M.e.	S.	BB.
<i>Marchantia polymorpha</i> , L.			
B.	M.e.	S.	BB.
<i>Riccia natans</i> , L.	Stagnant water.		
B.	M.r. (Herb. MI).	S.	BB.

THALLOPHYTES.

Characeae.

<i>Chara sejuncta</i> , A.Br.	Ponds.		
B.	M.r. (Herb. MI).	S.	BB.
<i>Nitella gracilis</i> , Ag.	Ponds.		
B.	M.r. (Herb. MI).	S.	BB.
<i>Nitella tenuissima</i> , Kuetz.	Ponds.		
B.	M.r. (Herb. MI).	S.	BB.

Lichens.

<i>Cladonia cristatella</i> , Tuck.	Ledges.	
B.C.	S.	BB.
<i>Cladonia furcata</i> , (Huds.) Fr.		
B.	S.	BB.
<i>Cladonia gracilis</i> , (L.) Nyl.		
B.C. (Herb. EFW).	S.	BB.
<i>Cladonia pyxidata</i> , (L.) Fr.		
B.	S.	BB.
<i>Cladonia uncinata</i> , (L.) Fr.		
B.	S.	BB.
<i>Orbilicaria Dillenii</i> , Tuck.	Moist edges.	
B.	S.	BB.
<i>Orbilicaria pustulata</i> (T. J. Moore)