**CIHM
Microfiche
Series
(Monographs)**

**ICMH
Collection de
microfiches
(monographies)**

Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques

© 1997

Technical and Bibliographic Notes / Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming are checked below.

- ☐ Coloured covers / Couverture de couleur
- ☐ Covers damaged / Couverture endommagée
- ☐ Covers restored and/or laminated / Couverture restaurée et/ou pelliculée
- ☐ Cover title missing / Le titre de couverture manque
- ☐ Coloured maps / Cartes géographiques en couleur
- ☐ Coloured ink (i.e. other than blue or black) / Encre de couleur (i.e. autre que bleue ou noire)
- ☐ Coloured plates and/or illustrations / Planches et/ou illustrations en couleur
- ☒ Bound with other material / Relié avec d'autres documents
- ☐ Only edition available / Seule édition disponible
- ☐ Tight binding may cause shadows or distortion along interior margin / La reliure serrée peut causer de l'ombre ou de la distorsion le long de la marge intérieure.
- ☐ Blank leaves added during restorations may appear within the text. Whenever possible, these have been omitted from filming / Il se peut que certaines pages blanches ajoutées lors d'une restauration apparaissent dans le texte, mais, lorsque cela était possible, ces pages n'ont pas été filmées.
- ☐ Additional comments / Commentaires supplémentaires:

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- ☐ Coloured pages / Pages de couleur
- ☐ Pages damaged / Pages endommagées
- ☐ Pages restored and/or laminated / Pages restaurées et/ou pelliculées
- ☒ Pages discoloured, stained or foxed / Pages décolorées, tachetées ou piquées
- ☐ Pages detached / Pages détachées
- ☒ Showthrough / Transparence
- ☐ Quality of print varies / Qualité inégale de l'impression
- ☐ Includes supplementary material / Comprend du matériel supplémentaire
- ☐ Pages wholly or partially obscured by errata slips, tissues, etc., have been refilmed to ensure the best possible image / Les pages totalement ou partiellement obscurcies par un feuillet d'errata, une pelure, etc., ont été filmées à nouveau de façon à obtenir la meilleure image possible.
- ☐ Opposing pages with varying colouration or discolourations are filmed twice to ensure the best possible image / Les pages s'opposant ayant des colorations variables ou des décolorations sont filmées deux fois afin d'obtenir la meilleure image possible.

**This item is filmed at the reduction ratio checked below /
Ce document est filmé au taux de réduction indiqué ci-dessous.**

10x			14x			18x			22x			26x			30x		
												✓					
12x			16x			20x			24x			28x			32x		

The copy filmed here has been reproduced thanks to the generosity of:

Library
Agriculture Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol $\longrightarrow$ (meaning "CONTINUED"), or the symbol ∇ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagram illustrates the method:

L'exemplaire filmé fut reproduit grâce à la générosité de:

Bibliothèque
Agriculture Canada

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole $\longrightarrow$ signifie "À SUIVRE", le symbole ∇ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.

MICROCOPY RESOLUTION TEST CHART

(ANSI and ISO TEST CHART No. 2)

APPLIED IMAGE Inc

1853 East Main Street
Rochester, New York 14609 USA
(716) 482 - 0300 - Phone
(716) 288 - 5989 - Fax

Ontario Department of Agriculture

ONTARIO AGRICULTURAL COLLEGE

[A Revised Edition of No. 124]

NATURE STUDY

PRESIDENT GEORGE C. CREELMAN.

"Father," said a country boy of twelve years, "I made five dollars to-day."

"Why, how was that, my son."

"Why, I took first prize in the Nature Study competition at the fall fair."

"Is that so? Tell me all about it."

"Well, you see, the Agricultural Society offers prizes now for what is called Nature Study work, and all of the schools in the county are allowed to try."

"And how many pupils entered the competition?"

"Twenty-three," said the boy, and he smiled as he said it.

"Well, what did you have to do?"

A School Garden.

"Oh, not much. Just picked out a lot of common things and called them by their right names."

"What do you mean?"

"Well, 'Dad,' this is just what we had to do exactly. First, one of the judges went into the main building and brought out a basketful of apples, all different kinds. He had taken one from each plate on exhibition there. Then he stuck a pin in each with a number attached and gave us a sheet of paper with corresponding numbers and told us to fill in the names of the different varieties."

"And did you all do it?"

"Not quite, but the ripe ones were easy. Some of the winter varieties had not colored up, and you had to distinguish them by their shape."

"And did you get them all right?"

"No, 'Dad,' I didn't. I missed the Ontario; I called it a Spy."

"How was that?"

"The color fooled me; but then, you know that Ontario is half Spy, anyhow, and this one must have looked more like his dad than his brothers."

"What are you talking about? Brothers and fathers among apples."

"So, don't you know the Ontario is a cross between the Wagner and the Spy?"

"Is that so?"

"Of course, I thought everybody knew that."

"Well, was that all you had to do?"

"No, sir, we started in next on the insects."

"Oh, bugs, eh?"

"Yes, bugs and other insects."

"Other insects? Aren't all insects bugs?"

"Why, 'Dad,' where did you go to school? Of course bugs are insects, but they are only one of the many orders. Beetles are not bugs, and grasshoppers are not bugs; and butterflies are not bugs; and we had specimens of all the orders. We had to pick them out and arrange them in groups, according to their mouth parts."

"Mouth parts? What do you mean?"

"Well, you see, all insects either bite or suck their food. Cabbage-grubs and grasshoppers and potato beetles eat right along like we do, but plant lice and the San José Scale and bed-bugs and ticks have a long snout, and they pierce the skin and suck the juice of the plants or animals."

"Well, what difference does it make how they eat?"

"Why, don't you see? The reason we study these insects is so as to know how to kill those that are injurious. If they eat the leaves, then by putting Paris green or some such poison on the foliage where they are feeding you kill them as they come along. But if they are 'suckers' they can stick their snouts right through the poison and get the juice from the inside."

"Well, how are you going to get at them?"

"By throwing something right on them, like dust, or pyrethrum, or kerosene emulsion, or lime and sulphur, and simply cover them with it and so fill up their lungs or breathing pores and they suffocate."

"And did you get all the insects classified?"

"No, sir, I missed one or two, but I'll know them next time, as the teacher went over all of them with us afterwards."

"And was your teacher at the fair?"

"Sure. He went through all the cattle sheds and horse stables and experimental plots and everywhere with us, and we picked out the different breeds, and he got several of the judges to tell us why they placed the prizes as they did. Our teacher says a boy may get just as much useful knowledge outside of school as he can in it, if he keeps his eyes open and gets a little help sometimes."

"And so you won the prize?"

"Yes, but I haven't told you all yet. We had to identify the bad weeds and the wild flowers and the different kinds of wood."

"All of them?"

"Oh, no, just about forty or fifty of each. Say, 'Dad,' how many kinds of trees can you name?"

"Who? Me? Oh, I guess I know all the common ones."

"How many, 'Dad'?"

"Oh, I don't know, not more than fifty, I suppose. Let's see. There's maple and beech and ash and oak and elm and birch and pine and spruce and hemlock and walnut and butternut. How many does that make?"

"Eleven."

"Is that all? Well, those are all the common varieties."

"Hardly. Why, we have seventy-eight different species in Ontario alone, and there are more kinds of native maples in Canada than you have named altogether."

And so the father's eyes were opened to the possibilities of the New Education, and he thought he could see now why his son was busy all of the time—morning, noon and night—and all day Saturday, making discoveries, adding to his knowledge, and seeking after truth. Only twelve years old, and already finding "Tongues in trees, books in the running brooks, sermons in stones, and good in everything." Such is Nature Study.

This bulletin is intended to stimulate an interest in the common things about us, and we send it out with that object only in view.

THE STORY OF A GRAIN OF WHEAT

DR. C. A. ZAVITZ.

A grain of wheat is very small. It is much smaller than the smallest clay marble that I ever made or that I ever saw. In fact it is so small that a little ant is able to carry it from one place to another. Boys and girls greatly enjoy making clay marbles. They can become very much interested also in trying to make grains of wheat out of clay and water. Even with the greatest of care and the best of success, however, only artificial grains of wheat can be made in this way. No

Fig. 1. Back view

Front view.

Cross section.

person, either young or old, can make a real grain of wheat; yet a real wheat grain is of much greater value and is of far greater interest for the boys and the girls to examine and to study than even the prettiest artificial grain of wheat which was ever made. Allow me to tell you a few of the many interesting things about a genuine living grain of wheat.

An average grain of wheat is about one-quarter of an inch in length, and one-half as wide as it is long. The hairy end is known as the brush, and the opposite end is usually called the base. Along the front side is a well-defined crease or furrow extending the entire length of the grain. This crease should be narrow and not very deep. The portion on either side of the crease is called the bosom, which should be large, plump, and rather smooth. The backs of some grains are curved and those of others are actually humped. Most grains have a slightly wavy appearance along the central part of the back, but some are so plump that the wavy appearance is scarcely noticeable. There is still another part to be mentioned, and that is the rough portion near the base and at the back of the grain. This is the cover-

Side view.

Back view.

Fig. 2. Grain of wheat sprouting four days in ground.

ing to the embryo, or germ, or seed proper. The embryo itself can be readily examined if you first soak the grain of wheat in water for about a day, and then carefully remove this covering. A grain of wheat is made up of three principal parts—the bran, or skin; the endosperm, or flour; and the embryo, or germ. The grain should be plump, the skin thin and nearly smooth, and the germ fairly prominent.

The great difference between a grain of wheat and a marble of clay lies in the fact that the former has life, and the latter has no life. Nothing can be done to induce a marble to grow. This is not so with a grain of wheat. As long as it is kept in a dry condition, it is simply sleeping. When it is placed in the ground at the right season of the year and surrounded with the proper amount of moisture, heat and air, it soon awakens. A great change takes place in a very short time. The grain absorbs water, the embryo swells and begins to grow, and in a few days a young plant is produced.

Fig. 3. Plants produced from grains of wheat of different sizes, nine days after planting.

Fig. 4. Young plant of wheat after planting.

The little plant at first obtains its food from the starchy part of the grain. As soon, however, as it sends its roots into the soil and its leaves into the air, it obtains its food from outside sources. The little, fibrous roots get food from the soil in the form of liquids, and the green leaves get food from the air in the form of gas. With the proper conditions, the plant makes a wonderful growth; and, as time passes, we observe the formation of several long, slender, upright stems, with a very interesting and peculiarly arranged head on the top of each.

Front view. Side view.
Fig. 5. Head of wheat, natural size.

An average head of wheat is about three and a half inches in length. It is made up of a large number of spikelets which are arranged alternately along the stalk. Each spikelet usually contains three flowers. The flower is small and is enclosed by two glumes, which afterwards form the

Fig. 6. Spikelet of wheat. Wheat flower.

chaff. These glumes are sometimes blunt and sometimes elongated into awns or beards. The very interesting little flower, therefore, cannot be seen except by opening up the glumes, which can be readily done by means of a sharp knife or a pin. A small magnifying glass will greatly help in examining the various parts of the flower. The flower produces the seed, which at first is very small, but which grows rapidly and ripens in three or four weeks after the formation of the flower.

As the grain ripens the leaves turn brown and wither, the stems or straws change to a green or lightish yellow color, and the glumes become dry and harsh. From one seed which was planted we have obtained a well ripened plant, which is ready to be cut, harvested, and threshed, and will furnish us with straw, chaff and grain, all of which are useful.

I have touched on only a few of the points in connection with the life history of the wheat. The germination of the seed; the feeding of the plant; the growth of the leaf, the stem, and the head; the arrangement of the flower; the production of the grain—are all subjects which are very interesting and worthy of a person's close attention and careful study.

In view of the importance of the wheat crop, a large amount of experimental work has been done at the Ontario Agricultural College in order to glean information which may be of value in increasing both the yield and the quality of the wheat in Ontario. The results of these experiments have been published in bulletins which have been distributed among the farmers from time to time. Upwards of 300 varieties of wheat have been grown side by side on the College plots. These varieties possess many variations, and may be classified according to the time of sowing, as fall and spring; according to the structure of the chaff, as bearded and bald; according to the composition of the grain, as hard and soft; and according to the color of the grain, as red and white. There are other classifications also, but the ones here mentioned are the most common. Certain varieties of wheat are particularly well adapted for special purposes; some for the production of bread, others for macaroni, and still others for pastry,

Fig. 7. A head of wheat divided into three parts: (a) the grains; (b) the chaff, and (c) the centre stem.

biscuits, breakfast foods, etc. For making flour, both the red wheats and the white wheats are used; but for the other three purposes, white wheats are used almost entirely.

For the very best results in crop production, a selection of the most desirable plants from a field of the best variety of wheat should be made. From the grain obtained from these plants, none but the fully-developed, well-matured, plump, sound grains should be used for sowing, with the object of producing grain of high quality to be used for seed in the following year.

As we grasp the meaning of the little verse,

"Little drops of water,
Little grains of sand,
Make the mighty ocean
And the beautiful land."

we can better realize how it is that little grains of wheat make up the world's production of about two and a half billion bushels, or of Ontario's production of about twenty-five million bushels annually.

Let no one despise the little grain of wheat, but rather let everyone give honor where honor is due, and gladly acknowledge its high position in the vegetable world.

THE STORY OF A LOAF OF BREAD

PROFESSOR ROBERT HARCOURT.

Every one has seen and handled a grain of wheat. Each little grain is a store-house filled as full as it can be. In each of these little store-houses is everything that is needed to make our bodies grow. Some parts are useful in making bone, some in forming flesh, and some in forming fat, while others are useful in keeping up the heat of the body, and in giving us power to walk and run. Each grain of wheat contains everything that is necessary for all these different purposes. This is one reason why wheat is worth so much money and why we grow so much of it. The people over in England do not grow enough wheat for their own use; so we grow some for them and send it across the ocean in big shiploads.

Fig. 1. Longitudinal section of wheat grain; (a) outer coverings; (b) aleurone cells; (c) germ; (d) endosperm, the part of the wheat from which the covering acres of ground, and making thousands of barrels of flour is made.

While we use a large amount of wheat, we do not like to eat it until it has been ground and made into flour. Long ago, when people first began to grind wheat, they crushed it between any two flat stones that happened to be near at hand. A little later they kept two flat stones specially for the purpose, one of which was fixed in the ground while the other was turned on it. Methods of grinding in pioneer days are illustrated in Fig. 7. When treadmills, windmills, and, later, water-wheels came into use, the grinding was done at mills by men who understood how it should be done. But in all these ways of grinding, all the different parts of the wheat were left together in the flour. Later the millers found a method of sifting out the coarser parts.

The grinding of the grain and the sifting of the flour have gradually been improved, until to-day we have mills of flour each day. In these mills they are able to separate the different parts of the wheat, and can make ever so many different grades of flour.

You naturally ask: What is the difference between their various grades of flour? Are they not all made from the same wheat? Yes, they are; but to understand the difference we shall have to learn something about the different parts of a wheat grain. If we cut a wheat grain through from end to end, and place it, properly prepared, under a microscope, which is a wonderful instrument that makes things look larger than they really are, we shall see something like that shown in Fig. 1. If we were to cut the wheat crosswise, it would appear as in Fig. 2.

Around the outside of the grain, as you see in the picture, there are several thin coverings. Underneath these there is a row of cells tightly packed together, called the *aleurone cells*. These outer layers and the row of cells taken together form the greater part of the bran. The little egg-shaped part at the bottom of the first picture is the germ from which the sprout starts when the grain commences to grow. The remainder of the grain, known as the *endosperm*, is made up largely of starch and gluten. From a miller's standpoint, this part of the grain is by far the most important; for the object of milling is to separate the endosperm from the rest of the grain and grind it to flour.

Fig. 2. Cross section of a grain of wheat; (a) outer coverings; (b) aleurone cells; (c) endosperm, the part of the wheat from which the flour is made.

A part of the section more highly magnified.

In the roller-process mills of to-day the wheat usually passes through six pairs of rollers before the grinding is complete. In the first, the miller seeks just to break the grain into pieces. After sifting, the coarse parts, called the "tailings," are passed on to the next pair of rollers, where they are flattened, and some of the floury substance ground off of them. This is also sifted, and the tailings passed on to the next rollers, where the flour is removed. After the wheat has passed through all the rollers in this way, the flattened pieces are almost entirely free from flour, and are classed as bran. Fig. 26 is a picture of a piece or "scale" of bran. In all such methods of grinding wheat the centre part is rubbed off first; and, being free from bran particles, it makes very white flour. This forms the grade of flour known as "patent." That got by grinding closer to the bran is known as the "baker's" grades. Still closer grinding forms the low grades of flour. Generally speaking, the more bran particles there are in the flour, the lower it is graded. The outer

Fig. 3. A cross section of a piece of bran; (a) outer covering of the wheat; (b) aleurone cells; (c) endosperm. Notice that the endosperm has not been ground off from the bran.

part of the wheat, nearly all of which goes into the bran, contains much more bone-making material than the flour. Because of this some say that the "patent" and "baker's" grades of flour are not so good as the flour made by the old stone process. The Graham flour is supposed to be all of the wheat ground into flour; but it is hard to grind the bran so fine that it will not have a bad effect on man's digestive system. To overcome this there has been invented a machine which peels off the outer coat of the wheat grain. The remainder is ground, and is known as "entire wheat flour." Such flour is always dark in color, because the germ is ground with it; but it contains more bone and fat-producing material than flour made in any other way.

Fig. 4. Loaves of bread made from equal weights of flour: 1. From Manitoba wheat; 2. From Wild Goose wheat; 3. From Michigan Amber wheat.

It is very difficult to determine the exact quality of a flour; but there are certain general rules by which a good bread flour may be judged quickly. It should be white with a faint yellow tinge, and it should fall loosely apart in the hand after being pressed. When put between the teeth, it should "crunch" a little; or when rubbed between the fingers it should be slightly gritty. As flour is prepared, possibly there is no one point which determines its quality so much as the amount of gluten it contains. Some one asks: "What is gluten?" Have you ever made gum by chewing wheat? Nearly all children in the country have. The gummy part is gluten. If you have ever tried to make gum from oats, barley, or corn, you have failed; because these grains do not contain gluten. It is because wheat contains this substance that it is so much used for bread baking. If you take a little flour and add enough water to make it into a stiff dough, and allow it to stand for an hour, and then take it between your fingers and knead it in water, you will see the water get white with the starch part that is separating from the dough. Continue the washing until the starch is all removed. What remains is gluten. Notice how tough and elastic it is.

Some varieties of wheat contain more gluten than others. There is also a great difference in the quality of glutes: some are tough and can be pulled out like a piece of rubber; others are soft and break when pulled. The wheat which

Fig. 5. Loaf of bread made from normal flour from which part of the gluten has been removed. Note the big cracks up through the loaf, from which the gases escaped without causing the dough to rise.

contains the most gluten of a good, tough elastic quality will make the best flour for bread-making. For this reason, what are known as Spring Wheats are usually better than those known as Fall Wheats. To illustrate this point, flour was made from three kinds of wheat—Michigan Amber, one of our best winter varieties; Wild Goose, a very hard Spring variety; and Manitoba No. 1 hard. These flours were made into bread and a loaf of each lot was photographed.

The same weight of flour was used for each loaf. Fig. 4 shows the difference in size of the loaves. Manitoba flour made the largest loaf, one reason being because it contained more and better gluten than the others. Millers call a flour which contains good gluten "strong," and one that contains poor gluten, "weak."

Now that we have learned something about flour, let us see if we can learn something about the changes that take place when it is made into bread. If you have ever tried to wet flour with water you will have noticed how hard it is to get the flour all wet. That is because the flour is so very fine.

Fig. 6. Loaf of bread made from normal flour.

One of the main objects of making the flour into bread before it is eaten is to separate these fine particles, so that the digestive fluids of the stomach may more easily mix with them. The baker commences by mixing the flour with water. He also puts in yeast or something that will produce the same effects, and mixes it all together so thoroughly that the water and yeast come into contact with each little particle of flour. When the paste, or dough, containing yeast, is set in a warm place, the yeast begins to "work," as we say, and the dough to "rise." The yeast causes changes, one of the principal results of which is the production of a gas. This gas, in trying to force its way through the dough, comes into contact with the tough elastic gluten which spreads out and holds the gas in so as to form little bubbles, and thus causes the dough to rise. In this way the fine particles of flour are separated from one another. The tougher and more elastic the gluten, the better the dough will rise, and the lighter the bread will be. This is where good gluten is valuable.

Take a slice of bread and examine it carefully. Notice the little openings or holes in it. These little holes were formed by the gas being held in by the gluten as just described.

If too much yeast is added to the flour too much gas may be formed, and, if improperly handled, the openings will be very large, or the gas may even spread out the gluten so far that the walls of the bubbles may break.

If the gluten is all or partly removed from the flour, the dough will not rise, because there is nothing to keep the gas in, and we shall have a loaf like that shown in Fig. 5.

After the yeast has worked enough, the dough is put into a hot oven. Here

the heat kills the yeast, and causes the gas to expand and stretch out the walls of the little bubbles, or pockets, which it formed between the particles of dough, and changes some of the water into steam, thus raising the loaf still more. The heat on the outside of the loaf converts some of the starch into *dextrin*, a gummy substance with a sweetish taste. This is why the crust is sweeter and tougher than the centre of the loaf. The harder the loaf is baked, the darker the color, through the changing of some of this dextrin into caramel, which is a form of sugar. Some bakers moisten the top of the loaf with water, or water containing a little sugar, to

Fig. 7. In pioneer days.

develop caramel, and to give the loaf a darker and richer color. Both dextrin and caramel are soluble in water; and, therefore, they are easily digested. This explains why the crust of bread and toast are sweeter than the soft interior of the loaf, and also why they are more easily digested.

DAIRY STORIES

PROFESSOR H. H. DEAN.

A QUART OF MILK.

Milk is a complete human food, especially for children. Grown-ups might use milk more largely than they do. Instead of putting a small amount on porridge for breakfast, or in tea or coffee, and using little otherwise, it may form a part of every meal. A quart of milk is equal in food value to about one pound of meat or eight eggs; each of which cost from 20 to 25 cents, whereas the milk costs but 8 to 10 cents. Milk is not only a complete food, but it is a cheap food.

Cows' milk is most generally used for feeding boys and girls, because cows' milk is most nearly like human milk and because the cow gives a large flow of milk—much larger than any other animal, hence it is profitable to produce milk for sale from cows.

We do not know exactly how milk is made, but it is probably made from blood by the action of nervous force; hence a good cow has a plentiful supply of blood, and is always more or less nervous. She should be treated kindly at all times if she is expected to give plenty of milk.

Blood is made from food and water, therefore the cow giving milk must be supplied with plenty of pure food and pure water. The best foods for milk production are grass, corn silage, clover hay, roots, wheat bran, oats and oil-cake. The cow should receive all the grass she can eat in summer, and all the corn silage, clover hay and roots, preferably mangels or sugar beets, she requires in winter. In addition, she may be fed from four to eight or more, pounds, daily, of bran, oats and oil-cake, mixing these in proportions of about three parts each of bran and oats, and one or two parts of oil-cake.

The manger and watering place of the cow should be kept clean. The best arrangement for winter feeding and watering is a combined manger and water trough made of cement, and having temporary divisions made of steel to keep the feed for each cow separate. These divisions are easily swung up while the manger is cleaned.

The cow, stable, feed, water, milker and all utensils must be clean, in order to produce milk fit for humans to drink.

The cow and all persons handling the milk must be free from disease germs of all kinds, as milk is an excellent place in which disease bacteria may grow.

As soon as milk is drawn from the cow it should be strained and cooled to 50°F. or lower, to prevent souring.

There are three grades of milk commonly offered for sale—Raw, Pasteurized and Certified.

Ordinary raw milk is most commonly bought, because it is cheapest. However, this is not always a "safe" milk, hence the modern method of pasteurizing, in which milk is heated to about 140°F., held for twenty minutes at this temperature, then cooled to 45°F., and kept cold until delivered. This is the *safest* kind of milk which can be purchased by the ordinary consumer.

Certified milk is the highest grade of raw milk. It is produced from cows free of tuberculosis, and under conditions which are especially sanitary. Usually, however, this class of milk is high in price.

Milk should be exposed to the light and air as little as possible, as it was never intended to see daylight or mix with air. Nature intended it to pass directly from the cow's udder to the calf's stomach.

Milk and cream are best kept, so far as possible, in a tightly-closed milk bottle and in a cold place—in a refrigerator or cellar. No more milk or cream should be emptied into a pitcher for table use than is likely to be used at one meal. If any be left over this should not be emptied into the milk bottle, as it will likely sour the whole supply.

Glass milk bottles should be washed as soon as empty and be promptly returned to the milkman. These bottles should not be used for any other purpose.

The mono-service, or one-service bottle, made of sterilized paper, coated on the inside with wax, is the best form of milk bottle. It is destroyed as soon as empty. In this way there are no bottles to break or wash, and little danger of spreading disease from infected stables or houses, by means of the milk supply.

Boys and girls should drink plenty of pure milk, as this tends to build strong bodies and make active minds.

A POUND OF BUTTER.

The oil of butter is especially well adapted for oiling the brain. Brain-workers should use plenty of good butter and never any of the substitutes for cow's butter, such as "oleo," "peanut-butter," etc.

Butter is "concentrated sunshine," hence good butter tends to make people more "sunshiny" in disposition. It is also a "heat producer," and may be used more largely in winter when the weather is cold. It furnishes energy to do physical and mental work.

Butter consists of the tiny milk-fat globules (so small that it requires about ten thousand of them lying side by side to make a line an inch long) which are massed, or packed together, by means of a churn. After massing the fat globules, the butter-milk is removed, the butter is washed with clean cold water, salt is added to taste, then the butter is worked to mix the salt through the butter, expel the surplus moisture and to make it compact for printing or packing.

The finest flavored butter is made from sweet cream, and the butter is salted very lightly. Such butter has the true "creamy," natural flavor of fine butter. Ordinarily, however, after the cream is separated from the milk by setting it for twenty-four to thirty-six hours in shallow pans, or deep cans, or by running the milk through a cream separator, the cream is soured or ripened, making what is known as ripened or sour cream butter.

Butter for local markets and home use is best made into prints weighing one pound. All farm dairy butter, put up in prints or boxes must be branded with the word "Dairy," and such butter may not have the word "Creamery" on the wrapper or package.

Butter made during the summer may be packed solidly in an air-tight package (crock, tub, or box), and if kept in a cool place this will be quite palatable in winter, when butter is scarce and dear. The months of June and September are usually the best months for packing butter.

Good butter is a wholesome food, and should be used largely on the tables of Canadians. Butter substitutes should find no place in Canada.

A POUND OF CHEESE.

Cheese is a very rich, concentrated, muscle-forming food. It is similar in composition to meat, and may be used instead of meat, which is usually high in price. Cheese may be eaten once a day with profit. It may be eaten uncooked, or be cooked in a variety of ways. A pound of cheese is equal in food value to about two pounds of meat, and costs only about half as much. Fruit should always be eaten with cheese.

Cheese is made largely from the casein fat and water of milk by coagulating (curdling) the milk with rennet or pepai. Any person can easily make cheese for home needs, with simple utensils, which are nearly all found on farms. Rennet may be made from a calf's stomach, by soaking it two or three days in salt water. A hoop for moulding the cheese can be made by a tinsmith, or be made out of wood—square, oblong, or circular in form. The cheese may be pressed with a scantling, having a weight at one end.

To make a cheese, weighing from eight to ten pounds, use eight or ten gallons of sweet milk. Heat this in a clean boiler to 86°F. Then add about six teaspoonfuls of strong rennet and stir it well through the milk. Then allow it to stand until it thickens, when it should be carefully cut into small cubes with a long knife; or with a regular curd knife or knives. Next heat to 96°F. by placing a can of

hot water in the curd and whey, or heat slowly over a fire. Allow to stand for about three hours, then remove the curd from the whey and place on a slanting table covered with a clean cotton cloth for draining. When the curd feels firm apply two to four ounces of salt, mix through the curd, then put into the hoop or mould and press gently at first. When firm, cover with a clean cotton cloth, and place in a cool place, turning the cheese daily for two weeks. When about a month old the cheese will be ready to use. If the cheese moulds, wash with salt brine or spray with formalin. Dipping in, or coating the cheese with, hot wax prevents drying and moulding.

Cheese may also be made from skimmilk, buttermilk and cream. These are usually classed as "soft" cheese. The ordinary cheese is known as a "hard" variety.

THE STORY OF AN EGG

PROFESSOR W. R. GRAHAM.

Every one is familiar with the size and shape of an egg; but very few of us stop to think how wonderfully it is made. We all know that the contents of the egg are enclosed in a shell. This shell appears to be hard and solid, but this is not the case. True, it has much strength; but we find upon examination that it is full of little holes. These small holes allow the air next to the shell to get into the egg. Thus it will be seen that we should keep the egg in a clean place, away from dirty

straw, such as we often see in the nest; also away from strong smelling substances, such as onions; otherwise these strong odors, passing through the shell, will affect the taste of the egg more or less.

Next to the shell is a thin tissue. This tissue is made of two layers all over the egg, except at the large end, where they separate, forming a small open space, called the air-space. This air-space increases in size as the egg evaporates or dries. The longer the egg is allowed to remain in the air, the more air will pass through the shell; and each little particle of air carries away with it some of the moisture of the egg and thus the contents dry up and the air-space increases in size. Sometimes eggs that have been left exposed to the air in a

Fig. 1. Diagrammatic section of an unincubated fowl's egg (bl) germ spot; (wy) white yolk, consisting of central flask-shaped mass, and a number of layers concentrically arranged around it, the outer layer of white yolk lying immediately beneath the vitelline membrane, and connected with the central mass beneath the blastoderm; (yy) yellow yolk; (v) vitelline membrane; (f) layer of more fluid albumen surrounding the yolk; (ch) chalase; (a) air chamber between the two layers of the shell membrane; (m) shell membranes, where they lie in contact over the greater portion of the egg; (s) shell; (d) denser albumen, which extends around the yolk, outside of the internal layer of more fluid albumen; (c) boundary between the outer and middle portion of the albumen.

found to have very little content; and that which is left is dry and almost hard. These tissues may be pulled off the shell, especially in the case of a hard-boiled egg.

Now we come to the white of the eggs, or what is called the albumen. This is said by doctors to be a very good food: but we are particularly interested in its appearance. So let us break an egg in a saucer. Notice that the white on the outside is watery; in a little farther, we see a grey or whitish streak that

extends all the way around the yolk or yellow portion, but does not touch it. You will also notice that at each end of the yolk extending from this whitish portion is a knotted portion, like a little piece of white string. We wonder what these are for, and observe that they are simply an extended portion of this first white streak as mentioned. Inside the white streak is another watery portion. This comes in touch with the yolk. We shall now look at the yolk. Take your finger, or a blunt pencil, and try to turn it over, and you will notice that the covering of the yolk goes into all sorts of wrinkles and folds. So we find that the yolk is separated from the white by a thin layer of tissues or skin.

Fig. 2. An incubator.

If you have been careful in breaking the egg, you will notice a little round spot at the top of the yolk. This spot is about the size of a pea, and is called the germ spot; and it is from this that the chicken grows when heat and other conditions are properly applied.

To study further the structure of an egg, we will have one boiled hard, and, after removing the shell and lining tissues, we will tear loose a small piece of the white at the larger end of the egg. Now, by continuing to pull the torn portion from the left towards the right, you will notice that this white has a spiral arrangement. This is generally considered as giving strength to the egg.

We will next examine the yolk. Take the yolk out, cut through the centre, using a very sharp knife and you will notice a small, flask-shaped portion of the yolk, which is soft and light in color, and that the neck of the flask extends to the outer edge of the yolk. Upon this the germ rests. The hardened portion of the yolk, you will notice, is arranged in regular rings around this flask. This flask-shaped portion is lighter than the rest of the yolk, and is therefore always uppermost. No matter how you turn the egg, this spot will be on the upper surface.

Fig. 3.

Let us ponder for a few minutes over the many things we have found in the egg content. The germ, resting upon a nice soft cushion in the yolk, the yolk covered with a thin skin, adjoining this is a very thin portion of the white, and outside this a thicker portion. Now these two portions hold the yolk in position. If a sudden jar occurs, the yolk, or chiefly the germ, is protected by the skin of the yolk. The thin white portion acts as a pad or cushion, and the thick white portion holds it steady. Those extended cords of the thick layer of the white act as the axis of the yolk holding it in position; and, as you turn the egg around quickly, you twist the cords similar to twisting a string, with the result that, as soon as the egg is steady, these cords unwind, and help to right the germ spot on the upper surface again.

soon as the egg is steady, these cords unwind, and help to right the germ spot on the upper surface again.

No doubt by this time you are wondering, if this germ spot and the portion of the yolk under it are so light, why the yolk does not come right up against the tissues lining the shell. But nature has guarded against this by the thick layer of albumen, which always tends to hold the yolk in position. Sometimes when the egg is left for weeks in the cue position, the thick layer is overpowered, and the yolk touches the wall of the shell. If the yolk remains against the wall any length of time, it appears to become fastened to it, after which you cannot successfully hatch a chicken from the egg. Being fastened in one position, the germ cannot move properly in order to develop, the result being that the germ dies. You may say a hen sitting on eggs never moves them, but in this you are mistaken. The next hen you set put a large pencil mark on each of the eggs, and place the eggs under the hen with the pencil marks uppermost. Next day lift the hen, and you will see that she has altered the position of the eggs.

We have to imitate the hen in running an incubator, in that we turn the eggs twice a day. But some one asks, what is an incubator? Well, it is simply a well-built box, heated by a lamp, and the heat evenly distributed over all parts of the interior, so as to give the eggs the same temperature. This box is not exactly air-tight, for you know that if this little germ inside of the egg is going to develop into a chicken at the end of twenty-one days it must have air. This air, you will remember, passes through those little holes in the shell, the good air going in, and the foul air coming off in much the same manner as you breathe. Now, you will see we have this incubator ventilated in order to supply the little germ with pure air. There is another point we nearly overlooked, that is the temperature.

If you will place a thermometer under a hen you will notice that it reads 103 degrees; so we try to run the incubator at that temperature.

If any of you would like to see that the germ-spot always stays next to the surface, you can readily do so by taking a lamp after dark and going to a hen that has been sitting four or five days. Wrap a black cloth around the lamp chimney, but first make a hole in the cloth, much the same shape as an egg, and have the hole exactly opposite the blaze of the lamp. Put the lamp on a little box, the hole facing you. Now very carefully remove an egg from under the hen, taking great care not to turn it over. Place your finger at the ends of the egg and hold the egg in front of the light coming from the hole in the cloth that is around the chimney. If the egg is fertile you will see a dark spot, and from this a number of little veins running in different directions. This is the germ, and it has started to grow. Now turn the egg slowly around, and you will observe that the germ moves as you turn the egg, always resting near the surface. It is best to take a white egg to see this as white eggs are clearer than brown ones and the germ is more readily seen through them. Should the egg appear clear, or no dark portion be seen, it is infertile, and will not hatch.

THE STORY OF THE RAINDROPS

PROFESSOR WM. H. DAY.

Little drops of water,
Falling on the sand,
Make a bounteous harvest,
In the beauteous land.

As the drops of water reached the ground consciousness returned, and one said to another, "Why, I have been here before." "And so have I—and I—and I," came in chorus from thousands of their companions. "Say," said the first, "let's

have an experience meeting and each tell as nearly as he can remember what has happened to him since we last met here." A general clapping of hands as they danced upon the ground signified the great delight at the prospect.

"Well," said the first drop, "it is years since I was here last. On that occasion, the 20th of August, 1904, I was the first to reach the ground and as I approached I could see it was very dry and parched. It was three weeks since rain had fallen; and as the plants were beginning to show signs of wilting, I thought the supply of water in the upper portion of the soil was exhausted; and it would seem so from first impressions, for as soon as I touched the ground a thousand tiny specks of earth exerted an attraction upon me, and almost before I knew what was happening each was surrounded by a very thin coat or film of water, all made at my expense. But I noted that the grains of earth lying a trifle lower in the soil were more easily satisfied than those at the surface; and upon examination I found that the soil actually contained between seven and eight per cent. of water by weight."

While No. I had been talking he had been observing the various expressions on the faces of his comrades; and while many countenances had not yet brightened in the sympathy of common experience, still as he proceeded, many assenting nods did tell him that the majority of the meeting were with him, but as he mentioned the per cent. of water in the soil when the plants wilted, he could discern that his experience was no longer general, and he paused for discussion upon the point.

"The soil upon which I fell," said No. II, "was of a sandy nature, and contained only about 2 per cent. of water when the plants wilted. The soil referred to by No. I must have been a loam, i.e., about half sand and half clay."

"It was," said the leader.

No. III had observed that in a heavy clay soil the wilting point was about 10 per cent. of water, while No. IV had fallen on a muck soil and was able to add that the wilting point in it was 30 per cent.

"No. I, No. I," was heard on various sides, and the leader proceeded:

"I only had time to observe the condition of the soil when the shower of drops became general. Thousands of them fell almost in the same place as I had, but they sank much more quickly into the soil."

"Yes," said No. V, "that's because water moves much more easily through damp than through dry soil; you had opened the way, so to speak, and we took advantage of it; but remember we too had our share of pioneer work, for we had to begin the moistening process where you left off."

"Being near the surface," said No. I, "I made an observation which may have escaped many of you who were carried lower down. The shower had not lasted long before I noticed that the rain was falling faster than it could find its way into the soil, and some of it began to move slowly down the gentle slope towards a small creek in the low-land meadow. At the same time I saw in some places small bubbles of air coming out through the layer of water on the surface. This seemed strange to me at first, but as I meditated a little I realized that it must be so where soil is not under-drained, the air that fills the spaces between the grains of soil must escape as the countless drops settled down and spread themselves over the surface of the grains, thus diminishing the free space between. Then it occurred to me to enquire what quantity of air the soil was capable of holding, when dry, and by careful investigation I found the loam to be almost exactly 50 per cent. pore space. I suppose you, who fell upon other soils found varying pore space?"

"Yes," said No. II, "the pore space in the sand was only a little over 40 per cent."

"Clay, 48," "Muck, 53," came from No. III and No. IV in succession.

"What a lot of air there must be in the soil when it is dry," said No. VI. "I was one of those drops that were unable to enter the soil and ran toward the creek. It had not occurred to me to enquire about the soil conditions. Does the water in the soil when saturated correspond with the amount of air when dry?"

"When the rain has just ceased it does," resumed No. I, "but the soil is not capable of maintaining those conditions—some of the water being free, i.e., not held in films on the soil grains, gradually settles down until it finds unsaturated soil and is absorbed thereby, or else finds some outlet either natural or artificial."

"I was one of those 'free' water drops," said No. VII, "but it was during the shower of August 25th that I fell. After lying almost motionless for several days, I felt myself moved slowly sidewise by some gentle influence until at last reaching the low land, I passed through a joint and found myself in a tile drain with thousands of others, some of whom entered with me, but others of whom entered farther up. I found the grade of this drain to be 2 inches in 100 feet, and it was interesting to see the current's action on the grains of sand that from time to time entered through a joint as we passed by. Try as they would, sometimes even placing themselves on their flattest, broadest side, these grains could not find a lodging place—the velocity of the water was always just sufficient to keep them slowly rolling. Then I thought to myself, this is the true test of safety in a tile drain—the grade must be steep enough to keep sand rolling; and as I watched more closely I came to the conclusion that anything less than 2 inches in 100 feet would hardly do, for sometimes the larger grains would rest a moment as if anchored at last, but only to be moved on again. Each tile was 13 inches long, and as I passed a joint every second I was travelling slightly faster than a foot a second. At this rate it didn't take us long to reach the creek, the same one that many of our surface comrades sought soon after the shower began. Once in the creek, my journey was more rapid, and in a few hours we reached the south branch of the River Speed. The current was sluggish at the point of junction, so we moved slowly for many days, often resting in a quiet pool shaded by the bushes of the southern bank, or basking in the sunshine on a northern shoal. In these spots we met many of those drops who had hurried away to the creek so long before us."

"Those must have been halcyon days," broke in No. I again; "but I must go back to my story. The rain began with a heavy shower in the afternoon, but soon it slackened to a moderate fall which continued throughout the night. I had been in many rains, but that seemed the heaviest of them all. I have often wondered just how much rain fell during the twelve hours of that wet night."

No. VIII was a modest drop, who up to this time had taken little interest in the narratives, but at this remark he brightened up. "Why, I can tell you," said he. "I, with many others, fell into the College rain-gauge, and as the depth was measured next morning I listened for the reading—2.13 inches—and I also overheard the remark that during nineteen years that was the greatest fall recorded in any single day at the College. After the measurement was taken we were all poured upon the ground. But, No. I, you were going to tell us the amount of water the soil can retain after the free water has drained away."

"Like other properties, this depends upon the kind of soil. The loam held 44 per cent. by volume, showing that of the 50 per cent. pore space all was then full of water but 6; hence the quantity of air in the soil was comparatively small. What about the sand, No. II?"

"It retained 27 per cent. by volume of water."

"Heavy clay, 43 per cent."

"Muck, 49 per cent."

"Those are astonishing figures," put in No. VI. "They mean that if loam, clay and muck were dry, it would take between five and six inches of rain to saturate them one foot deep. Why, in the first five feet of soil there must be fully two feet of water, if all the little water films could be taken off the grains and put in a vessel for measurement. I had no idea that the soil could retain so much. I wonder what becomes of it all. I remember No. I said that when we reached the ground on the 20th it was very dry."

"Oh, it's all needed during the growth of the next crop," resumed No. I. "You see, this shower of which we are now talking, fell after the harvest. There was much rain during the next few days, so that the soil was pretty well saturated by the 25th, when No. VII began his career down through the soil to the drain, creek and river. Many of us, however, remained in the soil throughout the autumn, winter and spring, hibernating, one would think, but not growing less as does the bear through his long sleep. We were really very busy and useful though we do say it ourselves. To begin with, we set about the task of bringing into solution certain portions of the soil known as potash and phosphoric acid, with which to feed the plants during the following summer. While the work was going on, however, the weather grew colder, and on November 5th 'the ground froze up,' as I heard people say. It was a strange sensation to feel our warmth irresistibly stealing away, but by and by we seemed to reach a steady temperature and we thought the worst had come. It was only a delusion, however, for soon, without any further change in temperature, we felt ourselves passing through some transition stage, some new state almost insensibly creeping over us, which, while it did not change our temperature, was nevertheless robbing us of our heat. We were gradually changing to ice, and we learned afterward that in the simple change of state we lost 79 times as much heat as in cooling one degree."

"Isn't that strange?" said No. VI. "I spent that winter in Lake St. Clair, whither we had gone by way of the River Thames. I saw many pieces of ice, and they all seemed lighter than the water, for they always floated. Why was that?"

"Well, you see, as we changed to ice we increased in size, why I do not know, but it made us lighter, volume for volume than before. All through the long winter we lay there in the soil perfectly rigid, and useless as it would then seem. In the spring, as the snow disappeared and left the ground exposed to the sun's warm rays, we again became conscious of some subtle influence within, the heat seemed to be returning, though our temperature was just the same as when we changed to ice in the autumn. And when the 79 units of heat we had lost in congealing had been restored we felt our molecules slip past one another with indescribable ease, and we were again in our normal state. We noticed the soil was somewhat changed. As we expanded in freezing, its grains, or groups of particles, had been pushed farther apart, some of them had even been broken up, and now as we again assumed the liquid state and returned to our original volume we observed that the soil did not settle down as before. The grains remained a little farther apart, and many new ones were formed from the larger ones broken by the frost. Then we saw that our expansion, which had brought upon us freezing and long months of inactivity, had really fulfilled a great purpose—it had rendered the soil more granular, and thus made it capable of admitting more air and retaining more water for the use of the plants.

"When the last vestige of ice had disappeared and the free water had drained away we thought we would soon become warm again, but in this we were mistaken. We did not know then, but we afterwards learned, that water is harder to heat than any other substance, and that therefore our presence in the soil in such

large quantities was really keeping it cold. But making due allowance for our high specific heat, I felt that there was still some other great influence keeping the soil cold. I was several inches below the surface at the time, but by close observation I found that we were moving slowly upward against gravity. This seemed strange, for I had seen so many of our comrades disappear downward as the free water drained away. It was not my good fortune, however, to discover the cause of this upward movement nor the influence retarding the heating of the soil. I see by No. 1's countenance that he has some information on this point."

"I was quite close to the surface," began No. IX, "when the drainage ceased in the upper soil. Each morning as the sun rose higher and higher above the horizon we felt ourselves warmed somewhat, and then cooled again towards evening, but each day we were a little higher in the soil than the day before. At last I reached the surface. I felt warmer than on any previous day, my molecules vibrated more rapidly, and to my amazement I saw many of them break through my surface film and escape into the air. I exerted all my influence to bring them back, and some of them did return under compulsion, but many others were travelling so rapidly that my attraction for them was overcome, and they soared aloft and were borne away by the winds. They had been changed from liquid to vapor. As I realized that they were gone a sense of impending disaster seemed to crowd in upon me, similar to but much keener than what I had felt as I was being changed from water to ice. During the process of vaporization I observed that my temperature remained pretty nearly constant, although the sun's rays were beaming down upon me, and I could not help enquiring the cause. Then I thought how rapidly those wandering molecules were travelling as they left me, and of the amount of energy that must have been used in piercing my outer film and breaking away from my strong grasp. I found that the amount used by them at 60° F. was 588 times as much as would heat the same quantity of water one degree. With this great loss I would soon have become quite cold, but the sun's rays furnished me with sufficient energy to replace that loss, and to raise my temperature a little besides. Had it not been for this great loss we would have been warmed up much more rapidly."

"What proportion of the sun's heat is actually used in this way?" queried one of the drops who had not had this experience.

"Well," continued No. IX, "that is somewhat difficult to determine, but as my fast molecules soared away in the air they passed over the College grounds, where I saw an individual working with a strange instrument known as a pyrheliometer. He was in a sheltered spot, so they settled down in the lull to get warm and to see what he was doing—and he was actually working on this very problem. They overheard his soliloquy: 'At the equator evaporation from the ocean during the year uses from 60 to 70 per cent. of all the heat from the sun, leaving only the small balance to warm the water. What is the proportion here at Guelph? We know that evaporation from wet soil is fully as rapid as from water under similar conditions of temperature and exposure. The heat used here in evaporation must bear a similar ratio to the total energy received from the sun.'"

"I understand now," said No. I, "why so little warmth reached us lower down in the soil during those early days. And I also understand why we all moved slowly toward the surface—the water films near the surface were made thinner by evaporation and we were drawn up to supply the deficiency. I believe the tendency of the thicker films below to replenish the thinner ones above is called 'the force of capillarity.' But I observed that in a few days we began to get heat more rapidly."

"Yes," said No. X, "the workmen on 'The Model Farm' came along with the

harrow just as soon as the soil was dry enough to till and loosened it thoroughly for a depth of two or three inches. I was in the compact soil just below the mulch, and I noted four things; first, the movement of water toward the surface slackened immediately; second, that the mulch became fairly dry in a day or two, for it was losing water rapidly by evaporation and gaining it only slowly by capillarity, for capillarity does not work so well in an over-loose granular soil as in that same soil a little more compact; third, the rate of evaporation was greatly checked after the mulch became somewhat dry; fourth, the mulch became warm as well as dry. And once it became warm we began to get more heat further down.

"After a few days I saw a large implement passing above, called a seed-drill, I think, consisting of many hoes, each closely followed by a tube through which peas were dropping on the damp compact earth in the bottom of the small trenches made by the hoes. As they passed on the earth rolled in and covered the seed, one grain of which had fallen very close to me. It had scarcely settled itself in its dark bed when it began to drink of the water of the compact soil below. One would hardly think its capacity so great, but that seed actually absorbed 5 per cent. more water than its own weight. This served a very useful purpose, however, of splitting the seed open and thus allowing it to 'sprout.'

"Soon the root began to develop, and by some strange force, osmosis, I think it is called, I felt myself impelled into its tissues. With me went the plant food which I had brought into solution long ago, and together we rose upward in the plant, and I sighed a sigh of relief to feel myself above ground again. In the leaves of the plant the raw food, with a small portion of water, was prepared for assimilation by the plant and returned to its various tissues. But most of the molecules of which I was composed passed through the leaf into the freedom of the air, in the vapor state already referred to by some of our number."

No. I took up the story again. "I could see the roots descending day by day, and great numbers of drops passing slowly into them, as already described. It was a long time before my turn came, and by constant watching I became impressed with the vast quantities of water that entered the roots, and decided to watch for information as to what amount was required to mature the crops that grew upon that land. I was still in one of the plants when the peas were 'pulled,' and while lying in the 'bunch' I heard a couple of the workmen discussing experimental results, and one said that if all the water that passed from the soil during the growth of the crop, both by evaporation from the soil and transpiration through the plant, were collected on the ground at one time it would be from eighteen inches to two feet deep. He also said that the rains during that time amounted to only ten or twelve inches, far less than the crop needed, and that that was the reason they were so anxious to have the soil in condition to hold a large store of water, and to check the loss from evaporation by mulching. Why, he said, that during the summer evaporation alone amounts to more than the current rains, and that most of the water used by the crops is derived from the stores held in the soil at seeding time.

"But I could not wait to hear more. The gentle wind and the sun's heat were drying the grain by the same great power of evaporation, and, like so many of you, I found myself silently floating away with the breeze. Not long after I felt myself impelled toward a cloudy mass and entered another shower, which was then passing over Lake Ontario, whence I made my way slowly toward the sea.

"You all have the same story now, out to the sea, carried hither and thither by ocean currents and ocean storms, evaporating at last down near the Tropic of Cancer, then entering one of those great periodic low-pressure areas, over the Gulf

of Mexico and travelling northward and eastward, condensing into drops on the way and falling here again on the Model Farm in this warm April shower."

All nodded assent to this last portion of the story, and then realizing that already they had lingered too long, each hurried away to enter the cycle again, many no doubt wishing that in this round they might enrich their experience with some of the interesting features they had missed before.

THE STORY OF THE PLANE

PROFESSOR JOHN EVANS.

One Christmas afternoon not very long ago I visited some friends living a little way out on the gravel road. Gathered round the fire-stove was a merry party of children, each very happy in having received a Christmas gift from Santa Claus. Little Harry with his horn was making music for all. Pearl was chatting away to a tiny teddy bear. Mary was nursing a doll with the bluest of blue eyes. George was holding forth on the merits of his wonderful knife, while Tom, the eldest, was deeply occupied in examining the parts of a new plane. Why, Tom, this is a fine tool you've got—the latest pattern, too! What will you do with it? "Oh! I can make use of it for making grit-boxes, nests, and coops. I have to look after the poultry, you know! Only I wish I knew how to manage this one—it's so different from the wooden plane papa has. Will you please tell me about it?" That I will do with pleasure, Tom!

I dare say you have noticed how vast a difference there is in the character of the work done by tools differently formed and differently introduced to the work they have to do. The countless number of tools used in the arts and crafts of to-day are but slight changes of a few simple elements, just as this new plane differs from the wooden one. They differ more in variety than in kind and in the extent to which different kinds of tools are put into the same complete machine.

A tool may be considered to be any implement used for performing mechanical operations by which man is enabled to change the form of material.

The tools in common use are scarcely more than half a dozen in number—the axe, the plane, the saw, the hammer, the square, and the chisel. It is hardly possible to draw a distinction between a tool and a machine. Whilst the former is more simple than the latter, they so merge into one another that it is difficult to determine where one ends and the other begins.

However complicated a machine may be, or however great its number of parts, all may be classed under the head of simple or elementary machines. These are the lever, the pulley, the inclined plane, the screw, the wedge. These have been termed the mechanical powers, and form, as it were, the basis of tool construction, or the alphabet out of which all combinations are made, in the same way as all English words are made up out of certain of the twenty-six letters. The modern machine shop is largely these simple elements brought together and made self-acting and driven by power.

Of these many contrivances for doing work, the inclined plane (Fig. 1), is the one that enters mostly into the construction of cutting tools and the most useful application of it is obtained by doubling it, that is, by placing two inclined planes base to base, forming a wedge (Fig. 2).

If you will examine the forms of such tools as the axe, the knife, the chisel,

the plane, and the saw, and compare their shapes with the wedge, you will find there exists considerable resemblance, not only in the shape of the tools, but in their mode of action as well (Fig. 3).

The axe, chisel, etc., are simply wedges with handles. The axe is driven into the material by means of the handle. The chisel is struck with a mallet just like the wedge. In short, the general form and character of these tools have undergone but little change since the period of the flint implements, and others are but slightly modified in construction to meet the demand for special application. The development of these tools has been along the line of some means to direct and limit the action of the tool, as well as to provide a wedge-shaped edge of adequate strength and hardness, either forming part of the cutting blade itself, as in the chisel, or

independently of it, as in the plane. That is just what has taken place in this plane. It can be controlled better than the old one.

This is called a "jack" plane. You see, it is made of iron. Planes are made in a great variety of shapes and sizes in both iron and wood.

The wooden planes are much simpler in their construction than the iron ones. In its early stages the plane was just a chisel put at an angle in an oblong block of wood, called the "stock," with the cutting edge protruding slightly beyond the bottom and fastened in its place by a wedge (Fig. 4 A-22).

But the iron plane (Fig. 4 B) possesses many advantages over the wooden ones inasmuch as the sole, having once been made true, remains so always. It is *self-adjusting*, which removes most of the difficulty attending the setting of the wooden plane. The blade or cutting iron is secured in its place by means of the iron clamp (4) with a cam (4a) at its upper end. A screw (5) passing down into the iron bed piece below serves as a support (fulcrum) on which the clamp acts by

pressing down the plane iron as the screw is tightened. The clamp may be put in position or removed at pleasure—it being properly slotted for this purpose—by releasing the cam as shown by the dotted line, 4a. The pressure required for the

Fig. 4. The Jack Plane.

best working of the plane can be obtained at any time by tightening or slacking the central or cap screw (5) which acts upon the clamp. The thumb-screw (8) placed under the "frog" (6) and just in front of the handle works a simple device

(?) which enters an oblong slot in the blade and by means of which the blade can be easily set forward or withdrawn while it is still clamped down to the "frog" without removing the hands from the plane, or the plane from the work, and any desired thickness of shaving can be got with perfect accuracy. We'll take this plane to pieces for you to see the different parts and to learn their names.

The Jack Plane (Fig. 4).

1. The blade cutting or plane iron.	8. Brass adjusting nut.	16. Stock.
2. Top, cap or cover iron.	9. Lateral adjustment.	17. Sole or face.
3. Plane iron screw.	10. "Frog" screw.	18. Toe.
4. Clamp, 4a cam.	11. Handle.	19. Heel.
5. Clamp screw.	12. Knob.	20. Mouth.
6. "Frog."	13. Handle "bolt and nut."	21. Throat.
7. "Y" adjustment.	14. Knob "bolt and nut."	22. Wedge.
	15. Handle screw.	23. Cheeks.

The collection of parts marked A consist of Nos. 6, 7, 8 and 9, and form the "Frog complete."

Tell me, why was the chisel put into the block? Well, it was found that in certain grain of the wood the chisel caused the wood to split in front of the cutting edge and so spoil the work (Fig. 5). It was thought that this arrangement of putting the chisel in a case, as it were, would regulate the amount and direction of the cut made as well as to prevent splitting ahead of the tool. Though this method helped very much to stop the chisel following the lead of the fibres, it did not serve the purpose it was thought it would, for in progress of work whenever the grain of the wood was unfavorable the cutting edge caught the projecting ends of the layers of fibre, bending them back rather than cutting them, particularly so if the tool is blunt, the shaving running up the iron acquires a leverage drawing the chisel inwards in direction of the grain, causing much crushing of the fibres in the mouth of the plane and arresting the progress of the tool; to release it the worker by extra effort tears the fibres apart, leaving the surface very rough (Fig. 6). But this plane has two irons. You see, Tom, the tool did not work very well. It tore up the fibres and jammed up the mouth so that the next attempt to improve this tool was to prevent these defects. These faults, of course, might be partially avoided by narrowing the mouth, but this would make the amount of material it would take off so small that the tool would be of very little use, except for finishing work. But the tool, as already described, could not efficiently cross-cut the resisting fibres, and much ingenuity was exercised in devising a contrivance which would destroy the continuous connection of the fibres and so do away with any resistance from this cause. This led to the introduction of a second iron—one screwed down on the top of the other (Fig. 7), and almost every plane except those used for making mouldings has the blade stiffened by having the second iron screwed down on its flat upper surface. Henceforth the encased chisel loses its identity and must be regarded as a part of an independent tool.

The top-iron bears against the flat face of the cutting iron at its two ends (Fig. 7), and, being thin, presses against the edge with a yielding springy force. The pressure it exerts prevents, or very greatly deadens, "chattering," that is, the unsteady bending of the cutting edge before the always varying resistance of the material cut. This bending can take place only between the cutting edge and the top of the bevel on the cutting iron (Fig. 7 A), for at the latter point the iron is supported by resting on the stock; above this point it is firmly held by the wedge driven in to fasten it in its place in its stock in the wooden plane and by the clamp

in the iron ones (Fig. 4). Besides this, the top iron serves another purpose: it breaks or cracks the shaving as soon as it is cut from the surface of the board. The distance at which the top iron is set back from the cutting edge must vary with the function of the plane and the class of work in hand.

There are three kinds of planes in common use—the jack, the smoothing, and the fore or jointer. For a jointer or a smoothing plane, 1-32 in. to 1-64 in. is frequently not too close, while for the jack $\frac{1}{8}$ in. may not be too great a distance, as setting back the top iron conduces to splitting in front of the cutting edge.

Fig. 5.

Enlarged to show
arrangement of
top iron

Fig. 7.

Fig. 6

Fig. 9.

Fig. 8.

Fig. 11.

1. Planing with the grain
2. ... against.

Fig. 10.

End View of
Wooden Plane

Fig. 12.

When there is considerable amount of material to come off the surface of a board this forms the easiest mode of removing it.

Examine this shaving, Tom, and notice that one side is quite smooth while the other is rough. Can you tell me how this is? No Well, on the rough side you will see, on looking closely at it, little lines or cracks running parallel and cross-wise close to each other. These lines of half-breakage are made when the shaving slides up the edge of the back iron (Fig. 8).

If you'll bend the shaving over it will crack along one of these lines which are seen more easily on thick than on thin shavings. Notice, too, that the spacings between the lines are greater on the thicker shaving, agreeing more with the distance of the top-iron edge back from the cutting edge than with the width of the open mouth of the plane.

In a series of experiments it has been found that the main object in putting the top iron close down to the cutting edge is not so much the more immediate breaking of the shaving, as keeping the cutting edge of the blade perfectly steady, so that it may not yield more or less according as to whether it cuts over a high or a hollow place (Fig. 9).

Sometimes the mouth of the plane becomes clogged, and as a result the cutting ceases. This defect may be due to a variety of causes: A dull edge scraping off the fibres it cannot cut; too low a set of the top iron; a bad fit between top and cutting iron, allowing a shaving to find its way between them, obstructing the passage of other shavings; or, it may be due to the cutting edge being hollow, throwing up a double shaving, choking the plane.

In new wooden planes, the stoppage may be due to narrowness of the mouth, which will not allow a thick shaving to pass, but the opening should be no wider than is absolutely necessary, as it is one of the chief elements in the production of smooth work. If that portion of the stock in advance of the iron were wanting (Fig. 8A), the shaving, having nothing to hold it down, would rarely be broken notwithstanding the presence of the cover iron. A wide mouth would produce a similar effect. This being true, whatever other conditions there may be, the wider the mouth is the less frequently the shaving will be broken, and in obstinate grain, or in planing against the grain (Fig. 10-2), the rougher will be the face of the work.

Pressure on the material immediately in front of the cutting edge promotes clean cutting of the fibres and obviates splitting and tearing of the wood in advance of the tool. When a plane does become choked up, do not conclude that the mouth is too small and proceed to make it larger. It is quite possible that it is too large already. Knock out the wedge and try the iron to see if it beds firmly down without rocking; if it does, see if the wedge fits equally tight at all parts of its length. If this is right, too, examine the back iron and see if it touches evenly and closely on the face of the cutting iron throughout the entire width and that its edge is thin, so that the shavings can slide easily over it; or it may be that oil or dirt has gathered on the bevel of the back iron. Any or all of these causes will make a plane work badly or have a tendency to clog it up in use.

The stock, especially when new, gradually loses its perfect flatness of surface, either from atmospheric influence, as warping (Fig. 12); from unequal wear in different parts; or from scoring, that is, being grooved by accidentally driving over nailheads or benchtops. Should a plane refuse to "bite," although an abundance of iron projects beyond the face; or, if it persists in biting where it should not, and refuses to do so where it should, test the face to see if it is twisted, or if it is hollow across near the mouth or lengthways. It will probably have all these faults, and before it will work properly it must be "shot," that is, planed straight and true in all ways. When freshly "shot," or when new, a plane must have a plentiful supply of linseed oil on the face and periodically rubbed all over to preserve the plane and to prevent shrinkage. To facilitate the movement of the plane over the surface of the work, to reduce the wear from friction and keep the shavings from sticking in the mouth, a few drops of lubricating oil should be frequently applied to the sole. When a plane is out of truth it is not capable of doing good work and must be "jointed," i.e., planed true.

In selecting a wooden plane care should be taken that the annual rings are parallel with the sole, and the medullary rays or "silver grain" vertically to it (Fig. 11), as in shrinkage contraction takes place at right angles to the rays (Fig. 12); the less, therefore, they are inclined to the face the less will be the warp or twist.

The blade of the wooden plane is of iron overlaid in part with steel, the under side having a bevel and a small facet, forming the ground and cutting angle respectively (Fig. 13). The bevel is ground at an angle of from 20° to 25° to the upper face. The facet varies according to whether the tool is intended for use in soft or hard wood from 10° to 15° greater than the bevel, so that the upper face of the iron lies at from 45° to 60° from the surface of the work. The angle at which the irons are placed in the various planes varies as their function. The most service-

able angle is 45° , and is known as the common pitch, for when it is greater, especially in planing against the grain (Fig. 10-2), its action becomes more scraping than cutting.

Nearly all planes are distinguished by names having reference to the particular kind of work for which they are designed. The stock of the smoothing or hand plane is made short, so that by its use a surface may be smoothed without incurring the necessity of straightening it (Fig. 14). Thus if used on an uneven surface it will rise over elevated portions and settle in hollows, taking its shaving without interruption, producing no material change in the outline of the surface. But the jointer, fore or trying plane, similarly applied, will cut only on the higher parts and by so doing produce an even surface (Fig. 9). The jointer will smooth as well as the smoothing plane, but not until it has straightened the surface. This plane is longer and broader, for its immediate purpose is to remove the ridges caused by

the "jack" (Fig. 15-1), and not to interfere with the surface at the bottom of the hollows, for directly its action penetrates below that level then occasion arises for cutting the side connection of the fibres (Fig. 15-2xx), entailing greater strength to push the plane along, and the effect of the "jack" begins to reassert itself in a worse form.

Although the length of the plane-stock determines in a measure the straightness of the work, the length of the jack plane bears no relation to the character of the work expected of it, but it is such as can be easily and firmly grasped by the worker. It is used for coarse work, mainly for taking off the rough and ragged surface of sawn lumber and leaving it in a better condition for the action of the smoothing or trying plane, by which the inequalities left by the jack plane are removed, and the whole surface rendered smooth, level, and perfectly even. What is the cutting edge of this blade made round for? To facilitate cutting heavy shavings the iron is ground and sharpened with slightly rounded edge (Fig. 16), so that the plane really cuts out a shaving thick in the centre and gradually tapering to nothing at the edges, leaving a broad and rounded furrow (Fig. 15-1) on the surface of the wood. Upon the curvature of the cutting edge depends the efficient action of the jack. If the cutting edge were straight, as shown by dotted line (Fig. 16), it would produce a shaving rectangular in section (Fig. 15-2), requiring greater amount of force to remove it, because of having to tear off the sides of the shaving (Fig. 15-2xx). The term "jack" as applied to various contrivances is a corruption of the Jewish "Jacobus" through Jacquemes to Jacques in France and James in England, and Jacques being the commonest Christian name in the former country was used as a contemptuous expression for a common man. The introduction of the word in the same sense into England seems to have led to the use of Jack as the familiar synonym of John, which happened to be there the commonest name, as Jacques in France.

"Since every Jack became a gentleman,
There's many a gentle person made a Jack."

The term then is applied to any mechanical contrivance replacing the personal service of an attendant, or to an implement subjected to rough and familiar usage. A jack, a screw for raising heavy weights; a boot-jack, a device for taking off boots; a jack-towel, a coarse towel hanging on a roller for the common use of the household; jack-boots, heavy boots for rough service; jack-plane, a jack-knife, etc.

Now, Tom, whatever you have to do, try and do it as well as it can be done, even if it were only a grit-box. Work hard, but do not hurry; do not fuss, and do not be anxious. The happiness of life consists in having something to do, something to love, and something to hope for.

THE STORY OF A BUMBLE-BEE

PROFESSOR C. J. S. BETHUNE.

On a bright day in spring, when the willows are in bloom and when we feel that the long, cold winter is indeed over, we may often notice a great big yellow-haired bumble-bee flying about close to the ground and not joining with the myriad of other insects that are buzzing about the willow catkins. What is this great bee doing. Let us watch it for a little while. See, it has alighted on the ground and is creeping through the grass; now it comes out again and flies off a little farther; again it stops and creeps into a heap of brushwood or under an old stump—and there it stays for some time. It has probably found what it was searching for—you will hardly guess what!—an old deserted mouse's nest!

The great bee is a queen, and it has been searching for a suitable place in which to begin a new season's housekeeping. Many things will answer the purpose so long as the materials are soft and afford sufficient shelter for the future colony. Our field mice prepare for winter by gathering together a quantity of soft, dry grass, which they make up into a ball in some convenient place protected from the weather. This provides them with warm and snug quarters for sleeping and hiding, and from it they make their runways under the snow to any food such as roots of plants, tender bark of young trees, etc., as may be within reach. When winter is over they no longer need the nest, and so the bumble-bee can appropriate the deserted abode of the mice without any hindrance. When these nests cannot be found, the bee will choose something else. I have known a colony to be formed in a fur sleigh-robe which was carelessly left hanging in a barn, and within whose folds the queen found a nice soft place; at another time a nest was made under some clippings of grass left in a garden corner. What is needed is a mass of soft material for shelter and protection.

Having found what she was looking for—it may be after many a long hour's search, in doors and out of doors, in meadow and garden and field, around the barn, amongst the remains of the old straw stack, in a heap of stones or pile of rubbish—somewhere the diligent seeker has been rewarded for her toil and has found the mouse's nest or the next best thing to it. Now she feels free to join the honey-suckers about the tree-blossoms and to partake of a well-earned meal. But soon she begins to work again. She is all alone and has to prepare her nest, lay her eggs, gather honey and pollen, mix them into a mass and start a colony. What an amount and variety of work for one lone bee to do. But she sets to work with a will and soon gathers material from flowers and blossoms for a rough lump of mingled pollen and honey, which she puts together in the middle of her abode. In this she lays some eggs, and while waiting for them to hatch provides more material and lays some more eggs. From those first laid the young soon come out in the form of little grubs and begin to feed upon the pollen mass with which they are surrounded; they grow rapidly and eat voraciously, forming large cavities in the food material that surrounds them. When fully grown they spin a silken wall about them and change within it to the chrysalis state; soon a further change takes place and there comes forth a winged and fully-formed bee. These new bees are like the parent queen in color and markings, but are much smaller and are neuters or sexless creatures. It is not theirs to found new colonies and be the parents of new generations; their duties are to toil and work for their own home, and to relieve their mother of some of the many labors she has had to perform alone. They are lively, busy creatures, with their yellow, furry coats and black shiny faces; they

buzz about the flowers and fill the air with their cheerful hum. Sipping the nectar of flowers for food, they gather pollen with their bristly feet and fill to the brim with the yellow cargo the baskets on their hind pair of legs. This is brought home to the nest and added to the mass already there. Meanwhile more eggs hatch out; more holes are made by the devouring grubs and lined with silk, which the queen mother covers with a thin layer of wax, thus making impervious pots for the storage of honey. The laying of eggs and the hatching of grubs goes on; more workers are added to the winged community, and gradually a busy, populous colony is

A Bumble-Bee about to alight on a flower.

A Bumble-Bee feeding.

formed. In it, when summer is drawing to a close, may be found some large and handsome new queens, a number of smaller females which provide only male eggs and do not survive the winter, a swarm of workers and some males or drones, lazy creatures who do no work and soon die after mating with the queens.

When September has drawn to a close and October has come with its chilly and frosty nights and cold rainy days, a sad change takes place in our bumble-bee's nest. All the busy workers who have enlivened the sunshine of the summer days die, all the lazy drones also die, and the poor old queen mother dies—some in the nest and some elsewhere—none survive but the big new queens, who hide themselves away and sleep through the long cold months of winter in some safe resting-place. In the spring each one that survives establishes a new colony, as already described.

"What is the good of the bumble-bee?" some one may ask. They don't produce

much honey, and what they do is poor stuff. Certainly they are of no value to us as honey-producers; that work is left to their cousins the hive bees. But they are most useful and important creatures in another way. You will be surprised to hear that without their aid we can get no red clover seed. In the early days of settlement in New Zealand the farmers procured their seeds of various kinds from Great Britain until they were able to raise them for themselves. Amongst other things, red clover was sown and grew and blossomed splendidly, but it produced no seed. A fresh supply was obtained, but the result was the same—no seed at all was developed. Why was this? After a time those farmers found out—there were no bumble-bees in New Zealand. When this discovery was made they sent to England again, but this time they wanted bumble-bees as well as more clover seed. With much difficulty and after many disappointments, a supply of the insects was procured and they soon multiplied and spread over the country. Since then the New Zealanders are able to grow their own red clover seed.

This may seem a strange connection, but perhaps if you examine a head of clover you will understand the matter. The head is composed of a number of long narrow flowers crowded together and having stamens which bear pollen before the pistils in their own floret are ready to receive it; it is, therefore, necessary that the pollen should be carried to other florets where the pistils are in a more advanced condition, for if the pollen does not reach the pistil, no seeds are developed. The flowers are so narrow and deep the wind cannot blow the pollen about, as it does from some flowers, and few insects have tongues long enough to reach the bottom. The honey-bee in search of nectar can sip it from the shorter white clover bloom, but it cannot do so from the red. A large number of other insects that feed upon sweets find the same difficulty—their tongues are too short. But our friends, the bumble-bees, have longer tongues that reach to the bottom of these flowers and enable them to lap up the sweet nectar they contain. While doing this some of the pollen dust in one flower sticks to the tongue and head of the bee and is carried to another, where it gets rubbed off on the pistil. Thus fertilization is accomplished and clover seed is produced—thanks to the bumble-bee.

Many other flowers are aided by the bumble-bees in a similar manner. Melons and cucumbers, pumpkins and squash all require the aid of these or other insects to carry pollen from one flower to another. Our apple and pear, plum and cherry and peach trees would bear no fruit at all if it were not for the insects of various kinds, especially honey-bees, which hum and buzz about them. And so it comes to pass that if the weather is wet and stormy during blossoming time there will be a poor yield of fruit, because the bees are unable to do their work. Boys and girls should know how much we depend upon many kinds of despised insects for various articles of food that we value very much, and should learn not to kill or molest these useful creatures.

Many a country boy thinks it splendid fun to rob a bumble-bee's nest—I know I did in days gone by. There was the cautious approach to the nest as near as one dared go—a poke with a long stick—a wild chase with the bee after the boy—perchance a sting on the back of the neck. Then, armed with bats of shingle or branches of cedar twigs, the assault would be made again, and each poor bee as it came out to defend its home would be smitten and killed. When all were slain the nest would be rifled and we would suck the scanty store of honey from the dirty-looking cells. It was certainly a cruel proceeding, but boys hardly think of that. We were, moreover, killing our useful friends to whom we owe so much, and who would never sting or injure us if only left to live in peace. This we did not know—there was no "Nature Study" in schools in those days. Boys now are better

taught and know much more respecting the common things about us—birds and insects, snakes and toads and other useful creatures, as well as flowers and plants. They should understand that every living thing has its place in this world and its duties to perform, and that nothing should be destroyed unless there is a proper reason for doing so. Some insects, such as potato beetles and mosquitoes, are certainly injurious, and we have no hesitation in destroying them, but do not let us interfere with our good-natured, useful, busy, friendly bumble-bees.

THE STORY OF WOOL

PROFESSOR G. E. DAY.

The next time you visit a fall fair, be sure you do not come away without going to see the sheep. If you are fortunate enough to visit one of our large fairs, such as Toronto, London, or Ottawa, you will find the sheep pens a very interesting place. Here you will see many different kinds of sheep; some large, some medium size, and some small; some with white faces, some with brown or grey faces, and some with black faces; some with their faces so covered with wool that they can scarcely see out through it, and some with no wool at all on their faces; some with horns, and many with no horns—in fact, the longer you look at these beautiful creatures the more you will find to interest you. There is one thing about sheep that makes them look very different from all other farm animals, and that is the warm coat which they wear. This coat is so thick and so warm that the sheep can stay outside in the coldest weather without minding the cold in the least, while a horse, or a cow, or a pig, will shiver and look very uncomfortable indeed. Now, the horse, cow and pig have coats, too; but their coats are made of hair, while the sheep's coat is made of wool, and wool makes a much warmer coat than hair.

Fig. 1. Lock of wool showing coarse crimp.

Did you ever think of what is the difference between wool and hair? If you part a sheep's wool with your hands you will find that it is made up of a great number of very fine wool hairs, or fibres, which grow out from the skin of the sheep so close together, and so long, that they form a coat which the wind cannot blow through. After handling the wool you will find that your hands are quite greasy. This grease, or oil, comes from the skin of the sheep, and is called "yolk." It keeps the wool fibres soft

Fig. 2. Lock of wool showing medium crimp.

and smooth, and keeps them from tangling or matting together. It also helps to keep out water, so that a sheep can stay out in quite a heavy shower of rain without getting its coat wet through. Then, again, if you look at these wool fibres closely, you will see that they are not perfectly straight, but that they have a wavy appearance. In some kinds of wool these waves, or bends, in the fibre are much closer together than in other kinds. Look at the two locks of wool shown in Figs. 1 and 2. In the first there are very few waves in the fibre, while in the second the waves are

close together. The finer the fibre is the more waves it has, while wool with coarse fibre has very few waves. These waves, or bends, are called the "crimp" of the wool. When the waves are very close together, the crimp is said to be fine, so that fine wool has fine crimp and coarse wool has coarse crimp.

But there is another difference between wool and hair. If you take a single fibre of wool, and take hold of the end that grew next to the body of the sheep, and then draw the fibre between the finger and thumb of the other hand, you will find that it slips through very smoothly. But if you take hold of the other end of the fibre, and then draw it between the finger and thumb as before, you will find that it seems to catch, and does not slip between the fingers nearly so easily. Why is this? It is because every wool fibre has hundreds of very, very small scales on it, something like the scales on a fish, only so small that they cannot be seen without looking at the wool with a microscope, which makes the wool fibre appear many times larger than it really is. These tiny scales all point towards the outer end of the wool fibre, so that when you took hold of the outer end of the fibre and tried to draw it between the fingers of the other hand, the points of these little scales caught on your fingers and made it hard to pull. The picture (Fig. 3) shows how these scales grow on the wool fibre, but the fibre and scales are made to appear very much larger than their natural size. Hair also has scales upon it, but the points of the scales on the hair are rounded and they lie so close to the hair that they do not catch hold of anything they rub against; while the scales on the wool fibre have sharp points and rough edges, so that they catch and cling to everything they touch. This difference in the kind of scales is the most important difference between wool and hair.

Fig. 3. Wool Fibre, showing scales.

Now, when the weather grows warm in the spring, the sheep does not need its warm winter coat, and so the farmer shaves it all off, or shears the sheep, as we say. The wool is then sold, and is sent to the large factories, where it is made into all sorts of clothing, blankets, yarn and other goods.

Before it is made into cloth the wool is twisted, or spun into yarn. If the wool fibres had no crimp, they would not stay tightly twisted together, and the yarn would be of very poor quality. Then the yarn is woven into cloth by machines, and the way the wool is handled in spinning and weaving causes the little scales, which we have described, to catch into one another and the wool fibres become all tightly matted, or felted together, making a firm, strong piece of cloth. From what has been said you will see the use of the crimp and the scales of the wool. The crimp makes it possible to twist the wool into yarn which will not easily untwist again, and the scales cause the wool fibres to stick together, or felt.

It would take too long to describe all the different things that can be made out of wool; so we shall mention only a few of the principal classes of goods. Wool that is very long, strong and coarse in fibre is often called "braid" wool, because it is from such wool as this that braid is made. Then there is other wool, not quite so coarse as the braid wool, but still quite long and very strong in fibre; this is made into what are called "worsted" goods. Worsteds are used very commonly in making men's clothing. Some sheep produce wool that is quite long and yet very fine in fibre. Wool that is between two and three inches long and very fine in fibre usually sells for a higher price per pound than other kinds. It is used very largely

for making ladies' dress goods, such as delaines, and is often called "delaine" wool. Wool that is short and fine in fibre is used for making such goods as broadcloth, fine underclothing, tweeds and other goods of that kind. Some wool that is long and coarse has weak spots in its fibres; and any wool that has weak fibres cannot be used for delaines, worsteds, or braid, but is made into cheap tweeds, blankets, coarse underclothing, carpets, coarse stocking yarn, and such like. Thus, you see, there are many kinds of tweed, underclothing, blankets and such goods depending upon the quality of the wool that is used in making them.

Such goods as delaines and worsteds have a smooth surface. This is because the wool is put through machinery which stretches the wool fibres out straight, and they are then twisted together in such a way that all their ends are tucked in out of sight. This stretching is called "combing," and the wool fibres must be sound and strong in order that they may not break during the operation. But if you examine a piece of tweed or blanket, you will see the ends of the wool fibres standing out from the surface, making the material look rough. This is because the wool has not been combed, but has been put through a process called "carding," in which the wool is rolled up in such a way that when it is spun the ends of the wool fibres stand out from the yarn and give a rough appearance to the cloth after it is woven. As a rule, wool that is less than two inches long is not combed, but is used for carding; and wool that is weak in fibre will not stand combing, and therefore must also be carded. There are many other interesting things which might be said about wool, but I simply ask that whenever you see a sheep, you will think of what you have learned about the wonderful coat it wears, and remember that we should always be kind to these gentle and timid animals, because we owe them much of the most beautiful and most comfortable clothing which we wear.

THE AUTOBIOGRAPHY OF TOMBOY

J. HUGO REED, V.S.

I am a four-year-old filly. My name is Tomboy. My mother is a half-breed, and her name is Duster. My sire's name is Jim Wassen; he is a thoroughbred. Therefore I am three-quarters bred. My mother is a large white mare, a great favorite of my master, who both rides and drives her. She is a grand saddle mare and hunter. She likes to gallop across country after the hounds with my master in the saddle. She jumps over fences, ditches, stone walls, and anything that is not too high; she can run fast and jump better than the other horses in the hunt. She is large and strong, and although my master weighs two hundred pounds, she likes to carry him, as he is kind to her, rides her well, never pricks her sides with the spurs, nor hits her with the whip, nor hurts her mouth by bearing too heavily on the reins. He has always been kind to her and fed her well, and that is why she is strong and sound and as lively as when she was young, although she has done a great deal of hard work in both harness and saddle.

The first thing I remember was one Sunday morning in May, 1898, when my master and Ernest, his stable man, came to the stall where my mother and I were. I was only about one hour old, but I was walking around the stall. They looked at me for a while, and then my master came into the stall and put his hand on me and spoke kindly. I was afraid at first and ran behind my mother, but he followed me, saying, "Poor little thing, do not be afraid, I will not hurt you"; so after

a little time my fear left me, and I have never been afraid of him since, and he has always been kind to me, and provided me with a nice clean box stall with plenty of straw to lie on and good food to eat, and he never works me too hard. That morning, after looking me carefully over, he said, "Well, my little beauty, I am glad that you are a filly; you are tall enough but rather too slim, but time and good care will cause you to grow stouter; your knees are rather weak, but they will grow strong after a while; I will call you Tomboy; and if you make as good a mare as your old mother you will do well." He then gave my mother a nice feed of warm bran and crushed oats and a drink of water. He told Ernest to clean the stall out and put in a liberal supply of clean straw. I liked to lie on the straw, and did so most of the time for a few days. Whenever I got hungry I got up and took some milk and walked around a little. My mother did not lie down for three days after I was born; she appeared to be afraid to do so for fear of hurting me. My master and

Fig. 1. Tomboy's Mother, "Duster," 28 years old.

mistress came to see me often, and would always pet and handle me. I liked to see either of them come, and would always walk up to them to be petted. Ernest gave my mother her food and water, and kept the stall clean, and well supplied with straw. He liked horses and was very kind to us, and we both liked him, and would do what he told us. When I was three days old, my master put a little halter on me, and Ernest put one on my mother, and led her out of the stall. I was not afraid, but did not know what to do. My master, however, was kind and did not get angry and jerk or hit me but petted and coaxed me; he did not expect me to lead the same as a horse that had been trained to it; so I soon learned what he wanted me to do and went along with him. They took us to the yard between the stable and the house. I forgot to tell you that we live in town. There

was some nice grass in the yard, and as soon as our halters were taken off and we were given our liberty, my mother commenced to eat it. The day was fine and warm, and it was nice to be out in the open air. I began to run around my mother and kick up my heels.

My master and Ernest stood and watched us and laughed at the fun I was having. Master said, "That is right, Tomboy, have a good time, but do not hurt yourself; you are not very strong yet and a little sun will do you good." When I became tired I lay down and stretched myself out in the sun. All this time my mother continued to eat grass, but would often look to see that I was all right; she was very proud of me. After a little while some bad boys came along and threw stones at me; one of them hit me on the head and hurt me. I jumped up and ran to my mother; the boys continued to throw stones, and mother became greatly excited; she galloped around and whinnied, and my master heard the noise and ran out. He was very angry at the boys, and told them that if they ever threw stones at me again he would horsewhip them. We were then taken back to the stable. We were taken out to the yard every fine day after that, and left there for a few hours, and I soon became stronger. When I was two weeks old I had my photograph taken. You can see by it that I was tall and slight, and that my knees

Fig. 2. Tomboy when two weeks old.

had not yet become quite straight. When I was about three weeks old we were taken out as usual. A third man was leading my brother, who was a year old. His name is Banbury. Instead of leading us to the yard as usual they took us in the opposite direction, down a long street, until we came to a gate. They led us through this gate into a field, took off our halters, and set us at liberty. There was plenty of good grass in the field, and a stream of nice, cool, clear water running

through it. Banbury and I had any amount of fun running and kicking up our heels; our mother would occasionally join us in our frolic, but usually she would just look on. I soon discovered that grass tasted nice, and I used to eat all I could. The weather was warm, and we stayed in the field day and night. There was plenty of grass and good water, and we had a good time, with nothing to do but eat, drink, play, and sleep. After a while, the grass became rather dry and less plentiful, and the flies began to torment us during the day time. Our master soon noticed this, and every morning, about the time that the flies were beginning to trouble us, he would mount his wheel and ride down to the gate, which he would open. Then he would whistle; and as soon as we would hear him we would all gallop up to him, when he would put a halter on my mother and lead her out of the gate. We would follow, and he would then shut the gate, mount his wheel, and start towards home. Banbury and I would sometimes run ahead and sometimes lag behind; but we never got far away. We all were taken to the stable and put into our stalls, the windows of which were darkened to keep the flies out. Ernest then gave us some nice new hay and crushed oats, having nailed a little box up in one corner of the stall, just the proper height for me to eat out of. I was too small to reach my mother's feed box. When evening arrived, we were taken back to the field, as the flies did not bother us now, and it was better for

us to be out than in the stable, and we liked it better. This was done every day until the weather became colder in the fall, and the nights were so cold that we would be uncomfortable in the field. The flies had mostly all disappeared by this time, so we were kept in the stable at night and turned out in the day time. After a time the weather became so cold that we were not taken to the field at all, but were allowed to run out in the yard for a few hours every fine day. The time soon arrived when I had to be weaned. I was taken to a nice stall in a part of the stable distant from my mother. I did not like to be taken away from her. Neither did she like to be left alone. I was taken to her stall and left with her for a few minutes three times a day for three days; then twice daily for three days; then once daily for a few days; after which I was not allowed with her at all for a long time. By this time I had grown quite stout and strong, and my knees had become straight, as my master said they would the first time he saw me. I was fed all that I could eat the first winter. Ernest gave me good hay and scalded chopped oats, with a carrot or two every day, and twice weekly he gave me a feed of bran. My stall was kept clean and well supplied with straw, and I was allowed to run out in the snow with Banbury every day that was not too cold or stormy. My master used to trim my feet every month. He said that the wear was not equal to the growth, and that if he did not keep them trimmed to the natural shape there was danger of them becoming ill-formed and injuring me for life. He used to put a little bridle on me and leave it on for an hour or two every day. He said this was to give me a mouth. By that he meant to accustom me to the bit. I did not like it at first, but after a few days I did not mind it in the least. Then he put a set of little harness on me and left it on for a few hours daily. He soon put a check rein on the bridle. A portion of this rein was elastic. He fastened the rein to the check hook, but did not check me up tightly.

When I poked my nose out the elastic would stretch; but when I relieved tension it drew my nose back to the proper position. He said that this would gradually teach me to yield to the restraint of the bit, give me a good mouth, and thereby make me a more valuable horse, and more pleasant to ride or drive. I did well the first winter, and I learned a great many things that came very useful afterwards. When the grass became plentiful and the weather fine in the spring Banbury and I were taken out into the country and turned into a field on the farm of Mr. B. This was about the end of May. Our master told Mr. B. to watch us closely, and if we should not do well to be sure to let him know. The grass was very nice, and there was a stream of clear, cold water running through the field. We enjoyed ourselves very much, and resumed the sports of the previous summer, as we were always great chums and never quarrelled. In two or three days I began to feel unwell, my throat became sore, and I could not swallow easily. I felt cold all the time, although the weather was warm. I did not feel well enough to play with Banbury. I grew worse day by day. The soreness of my throat increased until I could not swallow anything without feeling great pain; my eyes became sore, tears ran down my cheeks, and I could not bear to look at the sun. My joints became sore. I had a painful cough and a discharge of mucus from the nostrils. Mr. B. saw us every day. One day he said to his son, "The filly has a cold, but I guess she will soon get over it." The son said, "But, father, you promised to let Mr. R. know if anything went wrong with the colts. You know he is very fond of them, and you should send him word about it." Mr. B. said, "I'll think of it some day when I am in town." I gradually became weaker, as I could neither eat nor drink. One day we saw our master coming

down the lane, and we were both very glad. (Banbury was quite well, but was very anxious about my condition.) We knew that he would do something to help me. As soon as he saw me he said, "Poor Tomboy, how you have failed. What is the matter?" Mr. B. was there, and after our master had examined me, he said to Mr. B., "Why did you not let me know that the filly was ill? You are in town mostly every day." He said that I had influenza, and that it would require very careful nursing to pull me through. He was very angry with Mr. B. for not telling him. He took both Banbury and me home. I was very weak, and we had to go slowly. When we reached home he rubbed something on my throat and gave me some medicine, which did not taste nice, but did me good. He and Ernest gave me a great deal of attention, and my throat soon got better, and I was able to eat. When I got strong enough he turned me out to pasture on Mr. W.'s farm, where we remained until the weather became cold, when we were taken back to town. The following winter we both did well. One day my master put a set of harness on me and drove me out on the street. I was so accustomed to harness and to do as I was told that he had very little trouble with me. He did this a few times, and then he hitched me to a light cutter. It was something new for me to have to draw a load, but I knew that it was all right, else my master would not ask me to do it. He walked behind at first, but I went all right, so he got into the cutter and I drew him too. He drove me a little every day for a couple of weeks, and I heard him tell Ernest one day that I was pretty handy now and would never give any trouble in harness. The next spring we were again turned out on good pasture and again taken to the stable in the fall. We were well cared for during the following winter. Banbury did some regular driving, and I was driven some to continue my education. The next spring Banbury was four years old and I was three. One day a man came to the stable and looked at all the horses. He asked if Banbury was for sale, and my master said, "Yes, I will sell him; he will make an excellent lady's saddle horse." The man said that he wanted him to send to South Africa with the mounted infantry. My master then said, "Well, you cannot have him, as I will not sell him for that purpose"; so the man went away, and I was glad that he could not get Banbury to send to the wars. After a little while a lady came to the office one day and asked my master if he had a good saddle horse to sell. Banbury was taken out for her inspection. She liked his looks, and asked if she might ride him. My mistress's saddle and bridle were put on him, and the lady mounted and rode away. When she came back she said she liked him, that his paces were good, and he had an excellent mouth and good manners. She bought him. I was sorry to see him leave the stable, but glad that he had been bought by a kind lady who wanted him for herself. My master saw him a few months later, and I heard him tell Ernest that he looked well, that he was homesick for a few weeks, but was now quite contented and happy in his new home, that his mistress was kind to him, and very fond and proud of him. One day Mr. T., a friend of my master's, asked permission to ride me. He was told that I never had been ridden, that I was of a nervous, sensitive disposition and required very gentle, kind treatment, and that he would like to ride me first himself, but was too heavy for me. Mr. T. said that he would like to try me, so a saddle and bridle were put on me, and I was taken out to a vacant lot. My master held me while Mr. T. mounted, and then led me for a while. I was afraid, as I never had weight on my back before, but while my master went with me I knew that it was all right, and I went nicely. He said to Mr. T., "Now, I will let her go; be gentle with her and do not worry her mouth"; so he let go. I became nervous then and made two or three plunges. Mr. T. sat me well, was easy with my mouth, and spoke kindly to me, so I settled down and walked along quietly.

Mr. T. then said, "So, my lady, you thought you could unseat me, but I will teach you that I am master here." He then drew heavily on the reins and hurt my mouth, and he hit me a smart cut with his whip, which caused me pain. This made me angry, as he had no right to punish me when I was acting nicely; so I bucked and threw him off. He alighted heavily on the hard ground; and I stood still until he got on his feet. My master came to me and caught the bridle; he asked Mr. T. if he was badly hurt, and told him that he should not have punished me. Mr. T. said that he was not badly hurt and that he would mount again, which he did; and as he used me kindly I did not throw him again. The next day I heard my master tell Ernest that two of Mr. T.'s ribs had been broken by the fall. I felt sorry, but really it was his own fault. After this I was ridden daily by Ernest. He was kind to me, and I acted well. I soon became handy, and Ernest said that I was very easy to ride. One day my mistress asked if she might ride me; and my master said yes, that I was perfectly safe. So they put saddles and bridles on me and my mother, and my mistress and master rode us. After that she rode me often, and said that she liked me better than her own saddle horse. She sits me well and has very light hands. I like to have her ride me. She says that

Fig. 3. The colt gives a lesson.

I walk, trot and canter well, and that my mouth is perfection. One day she asked me to jump a ditch, and I did it so well that she tried me over fences. I like jumping; I think I inherit the liking and ability to jump from both my parents. When the hunting season commenced, my master rode a big bay half-bred that he calls Pharoah, and my mistress rode her big bay half-bred mare, Dorothy. There are so many barbed wire fences and so

many swamps around here that they cannot hunt foxes as they do in some countries; so the huntsman rides across the country with a ball soaked in oil of anise trailing after him. He avoids swamps and barbed-wire fences. Then the club comes on horseback, and the huntsman brings the hounds out. The hounds scent the anise, and follow the course that the huntsman had gone. This is called "hunting a drag." The hounds make a lot of noise which is called giving tongue. I heard my master tell the huntsman one day to make a short run, as he wanted to try Tomboy across country, and that he would ride Duster; that the one was too young and the other too old for a long run, and to make it about four miles. So we were taken out one afternoon. My master rode my mother, and my mistress was up on me. As soon as the hounds came in sight I noticed that my mother became excited. She pawed the ground and champed the bit and wanted to be off. I did not understand it, as I saw nothing to be excited about. There were about twenty ladies and gentlemen in the saddle. After a while the hounds scented the drag, and one of them gave tongue. My master said, "Old Cecil has found; steady, Duster, steady."

Away the hounds went over the fence. My master had his hands full controlling his mount, but he managed to steady her and said to my mistress, "Now, I will give you a lead; steady her well at the jumps." He gave my mother her head and took the fence. I followed and off we went after the hounds. The other riders followed. My mother was very anxious to go fast, but her rider held in,

and said to my mistress, "Keep Tomboy back for a while; we will save our mounts at first, and see if the old mare and her daughter cannot beat them all out at the finish." I soon understood my mother's excitement, as I was becoming excited, too, and anxious to run to the front. Our riders held us back without being severe or cross with us, and we jumped everything that came in the way. We enjoyed the sport as much as our riders. My mistress talked to me and praised the way I was carrying her, and said she would let me have a brush with my mother at the finish. By this she meant that she would let me try to outrun her. I would rather have gone faster, but wanted to please my mistress, and I knew that she was the better judge. Some of the riders were ahead of us and some were behind, as their horses refused to jump. We went along steadily and did not make any mistakes, but took our jumps well. After we had gone about three miles we noticed those

Fig. 4. Tomboy and Duster lead the way.

in front of us stop short. The riders took their mounts back and then turned and whipped them; after which they ran to a certain place and balked. Two of the riders went forward over their horses' heads and were lost to view, while the horses galloped over the field with empty saddles. My master said to my mistress, "They have come to a stream and the horses refuse to take water." He meant that they would not jump over the water. "It is a broad jump, and our mounts will require speed to take it; steady Tomboy and follow me, but do not whip her." He gave my mother her head, and she went fast, with me close up. We passed through the other horses and both jumped the stream with ease. The hounds had lost the scent and were running around the field without making any noise. We came to a standstill and got a rest. Our master blew his horn, when every hound raised his head and looked toward us. He blew again, and they all came to us. In the meantime some of the horses got across the stream, but some would not take it. Master told the hounds to hunt, and Cecil again found and gave tongue. The others soon joined her, and away they went, making a great noise. Both my mother and I were excited now and anxious to be off, but our riders controlled us until the hounds got well away, when our master said, "We are near the finish

now, so let us have a brush and try Tomboy's mettle." They gave us our heads and off we went side by side. I was anxious for my mistress to win; but my mother can run fast even though she is old. We left the other horses behind. There was an open gate leading into the road, and about a quarter of a mile off we saw the hounds had lost again, and we knew that this was the finish. We ran down the road very fast; and just at the last I got about half my length ahead of my mother and won. I think she allowed me to do so, but she will not admit it. This was near home, so we were ridden home, and my mistress gave me great praise and said she would never allow me to be sold, but would keep me for her own saddle horse. I was glad that I had done so well, as I liked my mistress and had a good home, and a horse never knows what kind of master he will get when he is sold. We were taken home and given a few mouthfuls of water, put into our stalls, and given a nice warm mash each, rubbed until we were dry, and bandages put on our legs, and left on for about three hours. The next day we were given some walking exercise, and we both felt quite fresh. My mistress intends to ride and hunt me regularly, but my master says my mother is too old for such violent exercise and he does not think he will hunt her again. He says he will keep her as long as she lives; that it would be mean to sell so good a servant in her old age; and that he could not bear to see her owned by any person who might not be kind to her.

THE STORY OF APPLE SCAB

PROF. J. E. HOWITT.

Nearly every year black spots are seen on apples, especially on such varieties as Snows and Greenings. When we enquire what causes them we are told that they are due to a fungus disease known as Apple Scab. Naturally the next question that comes to our mind is "What is a fungus disease?" Most of us are inclined to think that a fungus disease is something mysterious, something which cannot be explained. However, a high power microscope shows us that there is nothing more strange about a fungus disease than there is about a dog having fleas. A flea is a small and low form of animal life which lives upon and obtains its nourishment from the dog, which is a larger and more highly developed form of animal life, while a fungus disease is caused by a fungus which is an exceedingly small and low form of plant life, which lives upon and obtains its nourishment from a larger and more highly developed form of plant life such as an apple tree or a potato plant.

These little plants, which are called fungi, are just as much plants as are sun-flowers, turnips and maple trees. They differ from such well known plants as these chiefly in their very small size, in the fact that they have no roots, stems, leaves, flowers or green color, and also in the way they get their food.

Most fungi are very, very small, though there are some quite large ones. Some idea of how small many of them are can be had when we are told that we can only see them when there are several hundreds of them growing close together, and then usually only as mere specks.

Instead of being composed of roots, stems and leaves, fungi are made up of very fine and delicate threads, some of which bear little bodies called spores, which take the place of the seeds of our familiar plants. These seed bodies or spores are generally very numerous and always very small, so small indeed that they can

only be seen without a magnifying glass when there are several hundreds of them massed together. Being so small they are very light, and, therefore, very easily blown about by the wind, washed around by rain, or carried on implements and clothing from place to place.

The familiar plants, such as trees, flowers, grains and vegetables, take certain substances from the soil and air, and out of these they manufacture their food. Fungi have not the power to manufacture their own food, so they steal it from other plants or get it from the bodies of dead and decaying plants or animals. Those fungi which steal their food from other plants injure them in various ways, and thus cause what are known as fungus diseases. So we see that after all there is nothing very wonderful about fungus diseases, except the small size of the little plants called fungi which cause them.

Now that we know something about the nature of fungus diseases we are better able to understand "The Story of Apple Scab." If we go into an orchard and look over an apple tree we shall see that there are black and brown spots on the leaves as well as on the fruits. If the spring and early summer have been very wet and the trees have not been sprayed, in all probability nearly all the fruits will be disfigured and many of the leaves destroyed by the apple scab. If we could examine under the microscope the black or brownish spots on the fruits and leaves we should find that they were made up chiefly of fungus threads and very small somewhat oval spores. These spores are produced just under the outer layer of the apple skin which is soon pushed off so that they are right on the surface of the spot, from which they are easily washed away by rain, blown about by the wind or carried off on the bodies of insects. By such means the spores produced on a scab spot are spread all through the orchard. Those that reach an apple or an apple leaf, if there is plenty of moisture, begin to grow. They send out very small threads called germ tubes which bore under the skin and grow into numerous fungus threads and spores which soon show on the surface of the leaf or fruit as spots. Plenty of moisture is necessary to cause the spores of the scab fungus to grow and produce new spots. This explains why apple scab is always worse in a wet season than it is in a dry one.

The spores found on the surface of the spots are often called summer spores because they spread the scab during the summer months. They are not, however, the only spores produced by the scab fungus. If in the early spring we examine the fallen leaves under an apple tree on which the scab has been bad the previous year, we shall notice on both surfaces of the leaves little black, pimple-like bodies, some mere specks, some as large as a pin's head. If we could examine these under a microscope we should find that they were round black cases, each with a very small hole or mouth. In each case we should find a large number of little sacks, and in each sack eight little spores. In the spring, when the weather begins to get warmer, if there is plenty of rain these spores are set free into the air, and some of them are blown on to the lower leaves of the apple tree, where, if there is plenty of moisture, they grow and produce scab spots with numerous summer spores, which, if the weather is wet, soon spread the scab through the orchard.

As these spores which are found on the fallen leaves in the spring of the year serve to carry the fungus over the winter, they are often called winter spores. Just when they are liberated in the spring of the year depends upon the time we get our rains. Moisture is required to set free these winter spores as well as to cause them to grow. In most seasons we get enough rain to set free the spores and cause them to grow just about the time the leaves of the apple trees are unfolding. The scab fungus only grows and spreads rapidly when there is plenty of moisture, so that

the times of the year that the scab usually does the most damage are during the spring and early summer months, which are very likely to be wet, and during the early fall rains which we often have about the middle of August or first of September.

If we enquire how to prevent apple scab we are told to spray with lime-sulphur or Bordeaux mixture. These substances are what are called fungicides, that is, they kill fungi; and the object of spraying is to cover the surfaces of the leaves and fruits with them so that when a spore reaches a leaf or fruit it is poisoned and cannot grow and cause scab. We see, therefore, that if spraying is to accomplish its object it must be very thoroughly done; every fruit and leaf must be all covered with the poison so there is not the least space on which a spore can grow.

Spraying must also be done at the proper time. The poison should be on the leaves and fruit before the spores reach them. We have already learned that the spores only spread and grow during wet weather. The times of the year, therefore, that we get our wet weather are the times when we have to spray if we are going to prevent scab. One spraying with either lime-sulphur or Bordeaux mixture is not sufficient as the rain in time washes the spray off and, as the leaves and fruit grow larger, there is more surface to cover. In order to be sure of preventing apple scab we must spray with lime-sulphur or Bordeaux mixture from three to five times during the summer, the number of sprayings depending upon whether the season is wet or dry. The first spraying should be done early in the spring just as the leaf buds burst, the second just when the blossom buds are showing pink, the third immediately after the blossoms have fallen. If the weather is wet after this time another spraying should be given in about two weeks. After this last spraying we seldom get very much rain until late summer when the weather very often becomes cold and wet and favorable for the spread of scab. In such seasons it is necessary to spray again in August.

THE STORY OF THE SMALLEST LIVING THINGS

PROF. DAN H. JONES.

The smallest of all living things are known as bacteria. These are very tiny little plants that cannot be seen unless we use a very powerful microscope to look at them with. They are so very small that a million of them could be placed on the head of a small pin and not be crowded.

There are many kinds of bacteria. Some of them are round like a ball; some of them are straight like a pencil; some of them are twisted like a cork-screw; and some of them are long and thin like a thread. Some kinds when placed in a drop of water under a powerful microscope can be seen to swim about quickly like little fish; other kinds move about slowly like worms, while other kinds cannot move about at all. Those that move about have little whips called flagella sticking out from their bodies. Some kinds have these whips at the end of the body, while other kinds have many of them scattered all over the body. When they lash these whips about in the water it causes them to move like fish move when they wiggle their tails.

Bacteria are found everywhere that other living things are found. They are present on the ground, in the air, in water and on our hands and clothes. Many kinds are very useful to us and are used for many purposes. Others are very

injurious as they cause disease and death. One kind causes typhoid fever and another kind causes diphtheria, while another kind causes tuberculosis or consumption, and still other diseases are caused by other kinds. One kind causes vegetables to rot in the ground or in the cellar, another kind causes a blight on apple trees and

Fig. 1.

Fig. 2.

Fig. 3.

Fig. 1.—Different types of bacteria. Fig. 2.—Yeast plants, some of them budding.
Fig. 3.—Different types of microscopic animals.

pear trees, and still another kind causes cucumber plants to wilt and die. So you see that though bacteria are very small, so small that we cannot see them without a highly magnifying microscope, they are very important and we should learn all

we can about them so that we may know how to help the good and useful kinds and how to destroy the bad and dangerous kinds.

In the soil of the garden, the field and the woods, bacteria are very useful. They are not only useful here but necessary, as the plants and trees could not grow without them. They are known as the soil bacteria. Their work in the soil is to prepare the food for the plants. When we eat a piece of bread and butter or anything else we have to chew it in our mouth and then digest it in our stomach before our body can use it to make blood and bone and muscle. The bacteria in the soil digest the plant food that is there, and make it so that the plant can take it in through the root hairs to make leaves and branches and flowers and fruits. So you see that if the plants in the garden are to grow their best we must encourage the bacteria in the soil to digest or prepare plenty of food for the plants to take in. If they are to prepare plenty of food for the plants we must put plenty of food into the soil, as manures and fertilizers, for them to work on. Then, as the soil bacteria like plenty of air, we must keep the soil well worked up with the hoe and cultivator, as this enables air to get into the soil. They also require moisture, so we must not let the garden get too much dried out. In a teaspoonful of good garden soil there are several millions of soil bacteria. The richer the soil is the more bacteria there are, and so the more plant food is prepared for the plants that are growing in it, causing them to grow larger and better than plants growing in a poorer soil. Some kinds of soil bacteria, instead of digesting the plant food that is added to the soil, as manure, are able to obtain from the air itself much valuable food in the shape of nitrogen which they add to the soil and make it so that plants can use it. The plants themselves cannot do this.

If we keep fresh milk or cream in a warm place it soon turns sour or changes some other way. If we keep it in a cool place it will also turn, but it takes a longer time. These changes are caused by bacteria of various kinds. These bacteria get into the milk in many ways. If the milk pails, cans and bottles are not well scalded, there will be bacteria in them, and so when milk is put into these vessels the bacteria in them will begin to act on the milk right away. If bits of hay and straw and particles of dust and cow hairs and flies are allowed to drop into the milk they will bring many bacteria with them, and these on getting into the milk will at once begin their work of spoiling it. So you see how necessary it is if we are to have good milk, we must not only get it from good healthy cows, but we must be very careful to have all cans well scalded and to take all care to keep flies and bits of dirt and other things from getting into the milk. We must also keep the milk in a cold place, as the bacteria will not be able to change it so rapidly when it is cold as when it is warm, for, however careful we are, we cannot, in the ordinary way of caring for milk, keep all bacteria from getting into it, but the more careful we are the fewer will get in, and the better the milk will be.

In the dairy, when butter is to be made from cream, a "lactic starter" is first added to the cream and allowed to work over night. This is a culture of one kind of bacteria, the lactic acid bacteria, which has the power to give a good flavor to the butter. When butter is bad flavored it is generally due to other kinds of bacteria being present in the cream from which the butter is made.

In the summer time it is very difficult to keep raw meat in a fresh condition unless it is kept in a refrigerator. This is due to various kinds of bacteria getting on to the surface of the meat during the handling of it from the air and from flies. Flies have millions of bacteria on their legs and so when they get on to meat they plant bacteria on it wherever they walk over it. These bacteria on the flies' legs come from the filth and manure in which flies breed.

Another tiny microscopic plant which is different from bacteria is the yeast plant. If we take a very small bit of Fleischman's yeast on the point of a needle, mix it in a small drop of water on a microscope slide and look at it through a highly magnifying microscope, we shall see that it is made up of a very large number of oval or egg-shaped bodies. Each one of these oval or egg-shaped bodies is a yeast plant. In a cake of Fleischman's yeast there are many millions of them.

There are many varieties of yeast plants, though they look very much alike. Some of them, like Fleischman's yeast, are very useful and others are not useful, and some of them are even injurious. Yeast plants are used in the manufacture of bread, beer, wine, whiskey, root beer, cider, etc. When yeast plants get into anything containing sugar and water, or fruit juices, they begin to grow and multiply. They feed on the sugar water by absorbing it and almost immediately begin to bud. At first very small buds will begin to show on the surface of the yeast plant. These buds will quickly grow until they are as large as the plant that has produced them and then they will begin to bud, and so they continue growing and budding, or multiplying, as long as the material they are growing in is suitable for them. During this process they act on the sugar and change it into alcohol and carbon dioxide gas. It is this carbon dioxide gas that causes the dough to rise when bread is being made. It helps to make the bread light, spongy and digestible.

Yeast plants are very common on the surface of fresh fruits, though, as they are so small, we cannot see them. If, however, we put some fruit into a jar or bottle and crush it, then allow it to stand for a few days, a fermentation will take place in the fruit juice. This fermentation is the result of the growth and multiplication of the yeast cells that were on the fruit at the time it was put into the bottle. If when canning fruit for preserves we are not careful to kill, by boiling or steaming, all the yeast and mold plants that are on the fruit then the jars of fruit will ferment and spoil. Many jars of fruit are spoiled in this way every year.

In the manufacture of wine the grapes are crushed and the juice extracted is allowed to ferment. This fermentation is caused by the growth and multiplication of the tiny yeast plants which are invisible on the surface of the grapes. Sometimes the wine is good and sometimes it is bad. Whether it is good or bad depends as much on the varieties of yeast plants that are on the grapes as on the quality of the grapes themselves.

In the manufacture of cider the apples are crushed and the juice strained off into barrels. It is then sweet cider. If the cider is to be used as sweet cider it has to be pasteurized. That is, it has to be heated to 70-75 degrees centigrade for twenty minutes to kill all the yeast plants that are in it that have come from the surface of the apples. Care must also be taken to keep yeast plants from getting into it after it has been pasteurized or else it will ferment.

If it is intended for hard cider then it is not pasteurized but filled into barrels and allowed to ferment. This fermentation is brought about, as in the case of wine, by the growth and multiplication of the yeast plants that were on the surface of the fruit that was crushed. Sometimes a little Fleischman's yeast is added to the juice when it is put into the barrels. This hastens the fermentation. The fermentation results in changing the fruit sugar that was in the apple juice into alcohol and carbon dioxide gas, and the fermented juice is then known as hard cider.

There are many tiny microscopic animals as well as microscopic plants. These, however, are usually a little larger than bacteria or yeasts. They are very common in swamp water and roadside puddles. Like bacteria and yeasts they are too small to be seen without a highly magnifying microscope.

THE STORY OF THE PLOW

J. R. SPRY, B.S.A.

You have seen your fathers or brothers plowing in the fields and are doubtless so accustomed to this commonplace farm operation that you may think that farmers always had horses, harness and plows like we have to-day. But plowing the fields was not always the simple and easy thing it is now. A long time ago the farmers had no horses, but had to use slow, clumsy oxen instead. They had no leather harness, but used willow branches twisted into thongs with which to hitch the oxen to the plow. They had no steel plow like your father's, but used a crooked stick as a substitute.

The first plow was a pig's nose. Not that the farmer plowed with a pig's

Primitive plowing. Merely scratching the surface of the ground.

nose, but the first plowing was done by pigs as they rooted over the soft earth in search of juicy plant roots or fat grubs. The farmer of long ago noticed the efficient manner in which the pigs turned over the soil and tried to imitate them. He cut down a small tree and trimmed off all but one branch, leaving this one about two feet long and

sharpened on the end. A long stick was fastened to the trunk of the tree with which to steady it, and the plow was ready to use. This was dragged up and down over the area to be planted and the earth torn up until it was sufficiently loosened to give a covering of soil for the seed to be sown.

The only reason given for plowing the soil in those days was to get a covering of earth for the seeds. It was soon found, however, that the weeds got thicker and

The first type of plow with moldboard.

thicker after each crop, and as years went by and the field was plowed again and again the soil became harder to work. It would be very sticky when wet and bake into a hard mass when dry, and the plants were greatly injured by the dry weather.

Now the reason of this was that the stick-plow did not turn the weeds and weed seeds under

the soil to smother and die, neither did it turn up their roots to be killed by the frost. Neither did the plow crumble the soil as do the plows we now use; nor did this stick-plow loosen the soil to any great depth, for had the soil been worked deeper it would have held more of the rains and the plants would not have died of thirst in the hot season.

And so we see with such a poor plow only poor crops could be produced, and farmers were not very prosperous at this time. Some men who have studied the history of farming tell us that the story of the plow is the story of farming; that if the plow used by the farmers of a nation is poorly constructed and gives but indifferent results, we are sure to find that nation lacking in agricultural know-

The one-furrow plow; in common use in Ontario.

Plowing two furrows at one time.

fledge and the homes of the farmers not very comfortable. I suppose this shows that the man who is a good farmer is a good plowman, and the boy or girl who would have a good garden must make and use the ground carefully and often.

But even if these farmers long ago had a poor plow they at least had grasped the idea suggested by the pig's nose, and many improvements were soon made in the shape of the plow which increased its usefulness. But for many years the plow remained at best a clumsy implement which served to stir the soil to only a very slight depth, and did not clear the weeds and grass as a good plow should do.

A peculiar custom in some countries was to draw plows by tying them to the tails of the horses or oxen. The idea of harness-makers such as we have, and leather harness was unknown. So you can see the plow to the horse's tail was about as handy and cheap a way of "hitching up" the horse or ox as could be thought of. After a while people began to see that this was a cruel practice, and laws were passed making it a crime to plow in this manner. About the time the first houses were

A large gasoline tractor plow which turns six furrows.

built where we now have the City of Montreal, an Irish Parliament passed a law entitled "An Act Against Plowing by the Tayle," which declared that any person plowing by hitching the plow to the tail of any animal should be fined and imprisoned.

The plow of those days left the soil lumpy, and the farmer or his sons broke up the clods with a club. One of the reasons for plowing is to make the soil fine and granular. It would never do to leave the ground all lumps.

A lumpy soil will not germinate seeds well, for to make seeds come up quickly the soil should be fine enough to touch the seed on all sides. A lumpy soil will not grow large and healthy plants, for the roots find it difficult to obtain food and water. In Ontario if our plow should leave the soil lumpy when plowed in the fall, the frosts of winter push the little soil grains apart, the lumps fall to pieces, and the following spring where we had lumpy soil we have a loose, easily worked soil layer. So in this country the frost does the work of breaking up the clods which the

farmers' sons had to do in the olden times. For this reason when the field or garden becomes baked hard during the summer it is best to plow the field and dig the garden in the fall so that the frosts will loosen up the soil for the following spring when the seeds of grain or flowers are to be sown.

All the plows we have been telling you about were made of wood, but they used to break easily and would wear out quickly, so some one made one partly of iron, placing the iron on the parts of the plow that used to wear out first; the other parts were still made of wood. Later the plows were made of iron except the handles. But a peculiar thing happened. You may remember hearing your grandfather tell how that when stoves first came into use that they were looked upon as something which would poison the air in a house, using up the good air and giving off air not fit to breathe. He might also tell you how that oil lamps were expected to explode and burn down houses, and how that people would sit away back from the table awaiting the calamity. These may seem queer ideas to you, but a new and useful idea is oftentimes ridiculed, and so it was with the iron plow. Some farmers said it made the weeds grow, others that it poisoned the soil, and many refused to use it. However, this strange opinion soon died out, and the wooden plows can now be found only in our museums.

And so to-day the plow your father uses is the result of 4,000 years of slow improvement from the crooked sticks that only scratched the ground to an implement that pulverizes the soil and exerts a more important influence on the productiveness of a soil than any other single tillage operation. As a result of all this your father works more land and grows better crops, and you live in more comfortable homes than did the farmer and his boys and girls who had only a crooked stick to plow with.

A STORY ABOUT HONEY

MORLEY PETTIT, PROVINCIAL APIARIST.

This is a story of flowers, sunshine and bees, rain and good rich earth, and of the sweetest thing that children ever eat.

When warm and moist, rich earth grows healthy flowers, which produce sweet nectar. Bees fly in the sunshine, gather nectar from the flowers and carry it home to make honey. So that is what flowers, sunshine and bees, rain and rich earth have to do with the honey boys and girls like so much.

Some flowers do not secrete nectar, and many that do are so rare as to be of little value to bees. There are a few, however, of which the bees are very fond, and I am going to tell you about some of these and how they are affected by sunshine, rain and soil.

In the early spring, as soon as bees can fly, they begin to hunt for nectar. About the first they find is in the "pussies" of the willows down by the creek or in the swamp. There are so many kinds of willows that no one has been able to name them all. They keep on blooming all through the spring, and bees get a great deal of nectar from them.

Soon after the earliest willows, and before they have any leaves at all, the maples show their red-brown glow of blossoms, and if it is warm enough, the bees are as busy as can be carrying home their nectar. Next come the fruit blossoms—cherries, peaches, pears, plums, and all the rest, till last of all the apple orchards

turn one glorious mass of pink and white. Now it all depends on the sunshine whether the bees get nectar, and whether the trees set fruit. For if it is cool and cloudy bees cannot fly, and if they do not visit the flowers to scatter the life-bearing pollen, there is no fruit. So you see the bees are not the only ones who need the sun.

After the fruit blossoms come the beautiful dandelions, which spread a mat of gold over lawns and meadows, making one think King Midas must have touched everything with his "golden touch." These also need the sun for they go to sleep at night and only open their bright eyes when the sun appears.

Honey bees on apple blossoms.

Now if there is warm sunshine and frequent showers bees gather nectar from all of these, but the boys and girls do not get the honey. Let me tell you a secret. In each hive the mother queen is daily laying hundreds of eggs. The nurse bees keep them warm, and from each egg after the third day a baby bee appears. It doesn't look much like a bee though. It is just a tiny white grub called a larva. These baby bees are great eaters, and the nurses are kept as busy as can be feeding them. All the nectar brought in during the spring is used in preparing this food, which is something like milk and something like jelly. Each larva lives in its own little cell in the comb feeding and growing faster than any boy you ever saw. When it is six days old the nurses help it cover itself up, and for twelve days while it is hidden from sight wonderful changes take place until it becomes no longer a helpless worm, but a busy bee with bright eyes and gauzy wings and active legs and a sting, and energy enough to chase you off the place if you don't watch out. These workers which are hatching by hundreds—yes, thousands—daily in every hive usually eat all the nectar brought in during spring; but when the main harvest of summer comes they make up for it by storing the kind of honey we want most.

By the first of June the beekeeper is watching out for the first white clover blossom. When he sees one he knows that in about ten days the main "honey flow," as he calls it, will begin. There are three common kinds of clover, the big red heads, the little white Dutch and the pink alsike. Red clover keeps most of its nectar for the bumble bees, because its flower tubes are so deep that the honey bee cannot reach the bottom with its tongue.

The White Dutch and alsike clovers are by far the best honey plants in most parts of Ontario, and the nectar they produce will depend on the kind of soil in which they grow. They do best in heavy clay with lots of lime and good drainage. They also like lots of rain while they are growing and as much heat as possible while they are producing nectar. They are called two-year plants, because they grow and get strong the first year, then blossom and give nectar the second. If they have plenty of rain the first year while they are growing, they seem to store up a great deal of the material from which honey is made. Then bright sunshine and hot days and nights at the right time help the blossoms to give large quantities of the sweet liquid which bees gather and make into honey.

Perhaps it will help you to understand this if you remember the kind of summers we had in 1915 and 1916. The former year it rained and rained, so that the farmers had the hardest time to save their crops. But while it was raining so hard and people were afraid the country would be ruined, the new clover was growing big and strong all over the fields and down the lane and along the roadsides. Then the next spring it started and rained again, and it rained and rained until lots of spring seeding was not done at all; but all the time those same clover plants were growing bigger and stronger and storing up material for making nectar, and in June great big blossoms came out all over them everywhere.

Then what did it do but turn dry and so hot that you could hardly do anything but look for a shady place, and then you could not possibly keep cool. But how those bees did work! They were out in the morning as soon as they could see, and at it until dark at night. They even worked nearly all night evaporating the nectar and making it into honey, and the roar in the hives of many thousands of wings fanning to ripen the honey was like distant thunder.

In some hives they would gather as much as eight or ten pounds of nectar in a single day and keep it up for several days together. When you think that a bee can only carry one drop at a time, can you imagine how many bees and how many trips and how many clover blossoms it would take for ten pounds of nectar to be carried into a hive in a single day. But what else could they do? There were so many clover blossoms everywhere and they were so full of nectar that they could not possibly gather it all, and yet they could not bear to see it waste. It was well they did work hard, too, because it was all over in a few weeks, and very little more did they get that summer.

Some years the basswood trees with their creamy white blossoms give nectar after the middle of July; but if it is hot and dry then they are spoiled. The same may be said of buckwheat and other fall flowers. You will see then that sunshine, rain and good rich earth have much to do with flowers, bees and honey.

Now, we shall see how the honey really is made. You have heard that bees make it of nectar, which they gather from flowers. Let us watch a bee at work on a clover blossom. It dips its long slender tongue down into one tube after another, then flits away to the next flower and does the same. What is it doing? It is drinking up the tiny sweet drops—and swallowing them. It must surely be eating it all and not saving any to take home. But no, I will tell you. The nectar it swallows does not go to its stomach, but to its honey-sac. When this is full the bee flies away home to its hive.

If you can get a beekeeper to show you the inside of a hive you will see many wonderful things. At first the hive seems to be filled with combs built in frames, but on looking closely you will see that there are narrow spaces between the combs, and it is here that the bees live. There are many thousand other bees which look so much like the one we have been watching that you could hardly tell them apart.

If you look closely, however, you will see that some are grey and fuzzy and others are brown or yellow, or golden. Others again are big, blunt, burly fellows. The grey ones are the youngest, the brown or yellow ones are older, and the big burly fellows are the drones.

The combs with which the hive is furnished consist of a great many little cups called cells. They are built by the workers of wax which they make themselves. They use the combs as cradles for the young and for storing honey and pollen.

All the thousands of bees in the hive have one mother. She is called the queen, and, of course, they are very fond of her. She does not do anything but lay

Opening a hive, showing comb of capped brood.

the eggs from which the young bees are reared. She places them in the cells of the comb, one in each. You have already heard how the young bees develop.

When a new bee comes out of its cell it finds itself in a crowd of busy jostling workers, who pay no more attention to it than though it were not there. It is rather weak at first, but soon gets food and before long is helping the other young bees with the housework. Like the hundreds of others coming out at the same time it finds its place and work in the community. It first does hive work, which consists in feeding the larvæ, secreting wax, building comb, ripening honey, "cleaning house," and the many other duties about the hive.

When two or three weeks old the young bees learn to fly and begin gathering nectar and pollen. They are then no longer "hive bees" but "field bees," and if

there is all the work they can do, they work so hard that they only live three or four weeks after that. They have a happy life while they live, for a bee seems to like nothing better than flitting from flower to flower gathering nectar in the sunshine. Bees that come later in the season do not have so much work and live all winter.

But we must not forget our bee with its load of nectar. Like thousands of others coming in at the same time it deposits its load in a cell or gives it to a hive bee—bringing it up through its mouth and long tube-like tongue—then crawls into an empty cell and takes a good long rest before starting out on another trip.

When it is taken from the flowers nectar is sweet but very thin and has to be evaporated much as maple sap is boiled down to make syrup; only the bees do not boil the nectar. They dry and thicken it by fanning with their wings to cause a current of air through the hive. When so much nectar is coming in everyone in the hive is well fed, and white flakes of wax grow on the sides of the younger bees. That is the way beeswax is produced. They use these dainty white flakes for building comb, and as fast as cells are filled with ripened honey they are capped with wax.

Of course, the capped combs of honey are meant for winter stores, but there are generally some to spare for the beekeeper. He takes them from the hive, and with a sharp knife removes the capping before extracting them. The extractor is a machine which whirls the combs so rapidly that all the honey flies out. The combs are not broken or damaged in any way and may be returned to the hive to be again filled with honey.

The extracted honey is strained through cloth to remove all pieces of wax and then is ready for use. Clover or basswood honey is a clear or light amber color, but that from buckwheat and other fall flowers is quite dark.

Extracted honey soon granulates and turns hard and solid when the cool weather of autumn comes on. It is just right then to spread on your bread. I see some children smacking their lips at the very thought of it. Extracted honey is sometimes sold in small glass jars or bottles, but the best way to buy it is in tin cans or pails, because tin costs less than glass and you get more honey for your money.

Honey should not be kept in the cellar or refrigerator or any place where it might draw dampness. A warm, dry place, such as the kitchen cupboard is best.

When liquefying granulated honey one must take great care not to get it too hot or it will be spoiled. Place the can in a larger dish containing water on the back of the stove where it will keep warm but not boil. In fact, the water should not become too warm to bear the hand. When honey gets too warm it turns dark and the flavor is spoiled. After several hours of slow heating it will be as clear and taste quite as good as when the bees first stored it in the comb.

Now you have seen how flowers and bees need sunshine, rain and good rich earth. And when it rains and spoils your out-door fun you must remember that it helps the clover and will make lots of honey for the bees—and for you.

THE STORY OF A DOG

G. H. UNWIN, B.S.A.

The dog I am going to tell you about lives on a farm. He is a big Scotch collie with a shiny coat, mostly black and white, and a long graceful tail, which waves in the air like a flag. As he has a kind master and is treated like a friend of the family this tail is generally waving about, sometimes fast, sometimes slow, as if he were trying to say: "I can't talk but this is my way of letting you know that all's well." By the way, I forgot to tell you the dog's name; it is Bill, son of Nellie.

When Bill first appeared on the scene he was a fat helpless little fellow without any clothes to speak of—I mean hair, of course—and he lay and squeaked and squirmed with his brothers and sisters and wondered when the next meal was coming. His eyes were tight shut and you would have had some trouble in picking him out that time, as all the pups looked exactly the same. They lay all higgledy-piggledy, and didn't seem to care whether they were on top of the pile or right underneath. Their mother was proud of them, and if you had told her they were not pretty she would have been very much offended. But then all mothers think their babies pretty, which is perfectly right and natural.

Before very long Bill opened his eyes and began to take notice. First he crawled all over his brothers and sisters looking for his mother; but she had left her family for a short time and had gone out for an airing. While he was poking about he suddenly stubbed his nose against something hard, which made him stop and think a bit. This hard thing was only the side of the old

Bill, age two months.

soap-box in which the puppies lived, but to Bill it seemed as big as the wall of a great barn, and though he stretched his little fat neck he couldn't see over the top.

The puppies grew very quickly, however, and one day, by standing on the back of one of his brothers, who was asleep, Bill managed to get his forepaws over the edge of the box and took his first look at the outside world—which was really only the floor of the drive-shed. It looked very big and lonesome. Imagine a great flat field stretching away for miles with no grass or trees on it, but rising out of the centre a huge thing bigger than the largest house, supported on four great wheels. You will then have some idea what the drive-shed looked like to a tender puppy who had never seen anything but the inside of a soap-box. The large thing in the centre was the wagon. Bill looked and looked, and after a time he began to feel so curious that he forgot to be frightened and was soon trying hard to scramble over; and just then his brother, whose dreams were disturbed by Bill's hind feet prodding his fat ribs, woke up and gave a heave from below which sent Bill toppling over the edge. He lit on his nose, gave a little squeak, rolled over twice and then

sat up and looked round him. Then he got up and wobbled off on a voyage of discovery.

What an exciting time he had! Everything he saw made him jump and thrill all over. I couldn't begin to tell you all the wonderful things that happened to him. He tripped up over everything that was small enough and ran into everything that was big enough. You see his eyes were not accustomed to things, and he couldn't tell how far away a thing was till he stubbed it with his nose. A large rat came out of a hole in the corner and ran along the wall to the harness room; and little Bill, who of course had never seen a rat before, and didn't know that all rats were the natural enemies of dogs, just sat down on his tail and stared after it with his head on one side and his forehead crinkled with amazement. He walked into a puddle of water and walked out again in a great hurry, leaving the track of his four little wet puds across the shed. Then he blundered into a pile of landplaster, and by the time he had got out of that his soft fur was streaked and powdered with white and he looked a queer object. After a bit he got very tired and was just thinking of crying for help when he saw a large grey animal, curled up in a patch of sunshine and looking very soft and comfortable. "This is worth looking into," thought he and so he waddled over to pay his respects. . . .

Poor Bill! it was a day of uncomfortable surprises.

The cat wasn't at all pleased to see him; she arched her back, spat twice, made some uncomplimentary remarks about dogs in general, and scratched him on the nose. What would have happened I don't know, but by good luck his mother came in just then, and puss didn't even stop to say "good morning," but was up on the wagon seat before you could turn round. Bill was picked up by the scruff of the neck and put back into the soap box; and very glad he was to find himself at home again. But he always remembered that cat, and when he got bigger used to chase her into a tree when nobody was looking.

When the puppies got old enough to run about by themselves they were jolly little fellows, round and soft and full of impertinence and mischief. They would play about for hours, knocking each other over and rolling in the dust. Then they would get angry and growl deep in the chest, and yap and fight till the wise old mother would put her nose under them and send them flying; after which they would forget all about it and go to sleep cuddled so close together that they looked just like one big lump of soft fur.

A pup has to be educated just like a child, and Bill was learning something all the time. He learned, among other things, to respect those who were older than himself and knew more. When he had grown into a long lanky creature, all legs and appetite, he found out that people didn't want him poking his nose into their concerns. His mother couldn't be bothered with him all the time; she had something else to do besides playing with lumbering pups, and several times she had to give him a nip to teach him to mind his own business. Then he learned that the man who gave him food and sometimes patted him and played with him was the Boss and had to be obeyed. When he was about half grown he had an idea that he was as good as anybody and that he could do just as he liked. But one day he got a surprise.

The Boss was taking the team out to plow the back field and Bill decided that he would go with him, but the Boss didn't want him and told him to go and lie down. Now Bill wasn't going to lie down for anybody; he gave a sharp bark to show his independence and trotted further into the road. Suddenly a large strong hand closed on the back of his neck: he was lifted from the ground and carried into the barn. Then whack! whack! went the whip and at each whack Bill sang

a little solo of surprise and pain. The Boss didn't hit him really hard, but to the puppy it was the most terrible experience he had ever had. He crouched trembling in the straw of the end stall, not daring to move and wondering what was coming next. Nothing came except the cat on a mouse hunt, and you may be sure he didn't get any sympathy from her. So finally he did the most sensible thing; he made the best of it and went to sleep.

The next day the same thing happened. You see Bill, like many other people, had a short memory, especially when he didn't want to remember; so he got another beating and spent another afternoon in the end stall. But the third time, when the Boss said, "Go and lie down," he didn't wait for the beating, but went. As a reward the Boss let him come out to the back field, where he had a great time chasing the crows and never catching them.

In this way Bill learned the first great lesson which everybody must learn, men and women, boys and girls; the lesson the soldier learns first of all: "Obey Orders." After this there were very few beatings. For the Boss knew how to treat

Professor Graham, O.A.C., and "Colonel."

a dog properly, and never punished one without letting him know why he did it. He never lost his temper with Bill, nor frightened the sense out of him by shouting. And the puppy soon began to trust him completely, because he knew that what he said would be right.

At the back of the farm was a big hilly pasture with a wooded ravine running through it and in the bottom of this ravine a stream which the boys called "the crick," and in which they sometimes caught little speckled trout;

there was also a fine swimming hole near the lower end, where the stream got bigger, just before it emptied itself into the river. Well, one day the Boss called up the two dogs and started for the pasture. All the other puppies had been given away, so Bill and his mother were all that was left of the family. Bill always liked going for a walk, and now he showed his pleasure by rushing ahead and barking joyfully as much as to say, "What a fine fellow I am! Take a look at me." Nellie trotted soberly behind her master, looking up from time to time as though she knew what was going to happen. In this way they crossed the stream, climbed up through the woods on the other bank, and there in a broad stretch of green pasture land they came upon a flock of sheep. Most of them were close together, grazing quietly or lying down, but there were little groups of four or five spread about here and there as far as they could see.

The man and the old dog began driving those farthest away into the centre, moving quietly so as not to frighten the sheep. This was too slow for Bill and he decided to show them how it ought to be done. With a loud bark he made a rush

for an old ewe, chasing her straight across the pasture. All the sheep they met turned and ran from them and in a few minutes the flock was scattered over the pasture and Bill was trotting up to his master wagging his tail and feeling proud of himself. There was only one thing to do and that was to show him that he was wrong, so the Boss gave him one or two taps with his stick which made him sit down and think things over.

Meanwhile the old dog was getting the sheep in line again. She ran out beyond the furthest sheep and started them gently back again, then she picked up another bunch away to the left and steered them in with the others. Now and then she would give a single bark to remind them that she was there and that they must go forward. When a startled, half-grown lamb tried to break back and get away she pounced after it like lightning, but after it had turned the right way she didn't chase it any more, as she knew it would go after the others. Here and there she moved, swiftly and quietly, gathering in stragglers, keeping the leaders from straying aside, always moving them on with gentle little barks. Soon the sheep were all together, a close mass of woolly backs and twinkling feet all moving towards the corral, which was near the pasture gate.

Now Bill was a true sheep dog. His mother and his grandmother and his great-grandmother and her mother had all been brought up with the sheep. So he did not take long to learn how it was done. It was just like a boy who is born and raised on a farm: when it comes to taking hold of the plow or using a hay fork, the farm boy soon feels at home, but the city boy goes at it left-handed and awkwardly, although he can learn it after a time. Bill watched his mother working and tried to do the same. There wasn't much to do after the sheep got going; but after they had crossed the stream at a point where the banks were low and the trees thin some of the ewes made a break to the right instead of going straight on. Away went Bill through the bush, and before the runaways could get far he was in front of them barking and showing his teeth. Back they went helter-skelter, where they belonged. But Bill stood there like a policeman until he was sure they were all going right. Then he trotted along on the flank keeping his eye on the leaders and feeling as proud as Lucifer. When the sheep were all safely in the corral the Boss stroked him, pulled his ears and said: "You're all right, Bill." You may be sure he never forgot that day, and after that he knew the sheep were his special care.

He soon grew to be a splendid dog, bigger and stronger than his mother, but not wiser. She was the cleverest sheep dog for miles around, so you see Bill had everything in his favor. He certainly was a fine looking dog. His head was long and his nose sharp, but he had a good wide forehead which showed plenty of brain power. His eyes were almost almond-shaped, bright and intelligent, and his small ears were half pricked up and pointed forward, which gave him a very knowing expression. His coat was long and thick, especially round the neck and shoulders; rough on the outside, but if you took a big handful of it you could feel how soft and fine it was right near the skin. As I have said, his color was black and tan, but he had a white chest and front legs, also his hind feet were white. His back was strong and broad and over it curled a long feathery tail. His forelegs, or front legs, had soft feathery hair right down to the feet, but the hind legs were clean from the hocks down. His feet were small but thickly cushioned or padded, so that he could lope along for miles over the roughest ground without ever a sign of lameness.

The Boss was very careful about the dogs; he always said that if a man or a horse or a dog got sore feet he wasn't much use. So every night he would examine

their feet for thorns or soreness, wash them carefully and sometimes put a little grease or ointment on them, especially in hot dry weather or after a hard day's work. He used to feed the dogs twice a day, once in the early morning, a light meal, and again in the evening, when he would let them have a little more. He was careful to comb out their coats from time to time and to take away all burrs, etc., and now and then he would wash their skin with lukewarm water with just a little carbolic acid in it.

Some of his neighbors laughed at him for taking so much trouble over a dog, but he just kept on and paid no attention to them; and his trouble was repaid, as his dogs never got sick or mangy and never wanted to leave the farm and roam over the country. They were there ready for work night and day, ready to watch and protect the sheep with their lives; and one night they had a good chance to show their courage and faithfulness.

The home pasture.

On a farm about two miles down the road lived Old Man Smith, and he was about as disreputable a farmer as you could find anywhere. His place grew nothing but thistles and pig weed, his horses were thin and covered with sores, and his yard was a disgrace, with rusty machinery, old boards and nail kegs, dirty sacks and rubbish of all kinds. He had two big, raw-boned hounds, one black and the other yellow. These he never fed or looked after, but they stayed with the old man because he was their master. They never got anything from old Smith but kicks or bad words; and yet if a stranger had tried to hurt him they would have torn him to pieces. Even the worst dog is faithful; and, as a matter of fact, all dogs are just what their master makes them.

Well, since these two were never fed they had to go round the country picking up what they could; and after a time they found that sheep were the easiest things to kill. One hot night, when the sheep were left out in pasture, these dogs got in and killed three of them; and when the Boss found them the next day he knew very well how it had happened, but he couldn't prove it. Besides, what was the good of going to Old Man Smith, who couldn't even buy food for his horses?

That night the sheep were put in the corral and every evening afterwards Bill and Nellie would go out together to the pasture, gather up every single sheep, and drive them into the corral, where the Boss would be waiting for them. This plan worked well for some time and the sheep-killers kept away. But after a time they got so hungry and desperate that they paid a night visit to the corral. Bill and his mother were sleeping in the corner of the yard near the barn, but they heard the racket in a minute. Bill jumped up with a growl and started for the corral, his teeth shining in the moonlight and all his hackles standing stiff. But wise old Nellie made straight for the house, barking to warn her master. As soon as she heard him jump out of bed she turned and ran down the lane to the corral.

When the Boss arrived with his shot-gun this is what he saw in the moonlight. The sheep were all jammed into one corner so tight against the fence that the hurdles were cracking and threatened to break any minute. In the open space beyond he could just make out the dim shapes of two dogs, rising and falling while they worried and fought; he could hear their breath coming with quick panting sounds or rumbling in their throats. Right against the fence lay Nellie, fighting to the last, but too small and too old to do much against the big yellow mongrel who was worrying her.

The Boss didn't waste any time. Bang! went the gun, and there was one yellow robber less in the world. Bill, after a fierce fight, had mastered the black hound and was shaking the breath out of him. He wasn't feeling very well when Bill got through with him, so the Boss let him crawl away home, as he knew that he wouldn't give any more trouble.

Next day the two dogs were a sight. Bill's ear was torn and he had to go on three legs, and poor Nellie could hardly move. The Boss doctored their wounds and the children made a great fuss over them. Bill didn't know what all the petting was about, but he wagged his tail as much as to say, "Don't worry, I'm here." That evening he went out to the pasture on three legs, rounded up the sheep and brought them into the corral.

So these two dogs worked beside their master year after year, and no man ever had two truer friends. Nellie died comfortably at a ripe old age, and for some years Bill kept the flock alone. At the present time he is quite old and stiff, and walks with short steps like a dignified old gentleman. There are two young dogs on the farm, and Bill keeps them in order and teaches them how to drive sheep. He is a great favorite with everybody, and when he goes his master will be able to say: "Well done, good and faithful servant."

THE STORY OF A WORMY APPLE

H. S. FRY, B.S.A.

"Oh, George," said Mary, "look at all those beautiful apples. Aren't you glad mother let us come to the fair instead of going to school to-day?"

"They are nice, but I would rather eat some of them than look at them and not be able to eat any," replied George.

"My, I wish, too, we could have one, but I suppose if we ate them, other people couldn't look at them any longer."

"Say, Mary, isn't that a daisy one over there at the back? And look! It hasn't any prize ticket on it at all. I wonder why."

"Oh!" said Mary, when she caught sight of it, "isn't it a beauty. I think it

is ever so much nicer than the others. Let's go and ask the judge why he didn't give it a prize. Maybe he meant to give it a prize and forgot about it, or perhaps he didn't see it. It's back so far and the others around it aren't a bit nice."

"All right," her brother said, "you go and ask." So Mary skipped away to where the judge was awarding prizes to some other kinds of fruit.

Now, the judge was very busy and didn't want to be interrupted, especially by an inquisitive little girl; but when he saw how eagerly Mary awaited his answer, he told her very kindly that the big red apple had a worm hole in it, and couldn't be given a prize on that account. He said it was being shown as a single specimen Northern Spy, and but for the worm injury would have won the first prize of five dollars.

"Oh! I didn't see it," said Mary, and after thanking the judge, she went back very slowly to where her brother was waiting for her.

"Isn't that a shame," George said, when Mary had explained what the judge had told her. "Just the same, I'll bet it would taste pretty good if we could get it and cut out the worm hole. Why couldn't some of those other apples have the worm and let this one get first prize? It's certainly a beauty," he ended up wistfully.

"Ah, children," said a small voice from some place quite close to them, "one never knows in this world whether things are really as they appear to be or not, until one can examine them very closely."

"Why, what was that?" said Mary. "I didn't see anybody close by. Who spoke to us?"

"Hush!" said George, looking very much surprised, "maybe he will speak again, whoever it was."

"You must not become alarmed," went on the voice, apparently coming from the big red apple they were looking at, "although I've no doubt you are very much surprised to hear an apple talk. Yes, it's I, the big apple without any prize. I get very lonely here with nobody except these scrubby little fellows here at the back to talk to. They have never had any amount of ambition in their lives, and since they are not worth very much to their masters, they are perfectly contented to sit here day after day and watch the people go by in their fine clothes. I feel quite differently about it, and sometimes when thoughtless people talk sneeringly about me I feel embarrassed and humiliated. I want to get out of sight as soon as possible. I know that cannot be, and so I must stay here until some naughty boy or girl steals me away, or my master takes me home."

"Oh!" said George and Mary together. "We didn't know apples could talk. We are very sorry you didn't take a prize, but the judge told us you were wormy. Won't you tell us about it?"

"I will, indeed, children, if you care to listen. It isn't everybody who can understand our language, but I knew you could, just as soon as you stopped to look at me and I saw how interested you were."

"Well, to begin with, my mother is a fine big Northern Spy tree in Farmer Jones' orchard, about three miles out of town. She is about thirty-five years old and just in the prime of life, because you know, trees of my mother's kind live to be very old. The orchard, of which my mother is a part, is planted in soil which is a little lighter than the ordinary apple soil, so that we ripen a little earlier than other orchards about us. Then, too, our orchard is on a gentle southern slope and so, you see, we can get plenty of sunlight. We are extremely fond of sunlight, because basking in the sun all day makes us beautiful, and of course apples like to be good looking, just as well as little boys and girls do.

"I was born in May. I think my mother has told me since that it was the 25th of May, although I would not be sure. All my brothers and sisters were born within a week of each other, and I am one of the eldest. My father is a Baldwin tree that stands just next to my mother in Farmer Jones' orchard. I was, of course, very young, even when all my brothers and sisters were born, but I remember quite distinctly most of the things which happened then. Very early in my life I know that three of my brothers and myself formed a cluster all by ourselves out on the end of a small branch facing the sun at noon. Being the centre apple in this cluster, I was a little older than my brothers and stronger than they were. Poor fellows! They all died before they got to be very old but as their story is bound up very closely with my own, I will tell you about them, too.

"Before an apple can grow the mother tree must put out blossoms, which are very beautiful indeed. The blossoms my mother produced were not quite as pretty as the blossoms that a Rhode Island Greening bore nearby, but of course it would be too bad if anyone had all the good things in the world, for then so many people would be unhappy. Our mother told us that we should be quite satisfied to be considered among the very finest dessert or eating apples, while the poor Rhode Island Greening is only a cooking apple, and not at all beautiful. Apple blossoms are very beautiful, so that the bees and other insects will visit them to bring nectar. Then, when the bees come for the nectar, they bring pollen from other apple blossoms, and this pollen grows down in the centre part of the flower or pistil and fertilizes the ovary, which is at the base of the flower. As soon as this is done an apple is born and begins to grow.

"As I started to tell you, I remember that when I was about a day old, four blossoms beside me opened up and pretty soon some bees came after their nectar, as it was a very bright, sunny day, and I could hear thousands of other bees working in the orchard. Before they went away from these blossoms which were beside me, some pollen was brushed off their legs on the pistil of the flowers, and a short time afterwards my three brothers were born. I might have had four brothers, but something happened and the fourth blossom didn't get fertilized. I asked my mother about it one day, and she said that if all the blossoms were fertilized, she couldn't take care of all her children, but she knew many of them would never get a chance to develop apples, so she always threw out plenty. As it was, you will see that many of my brothers and sisters died very early in life, because our mother didn't have sufficient food for them.

"You may think it very strange that my mother allowed my brothers to be born when she knew they couldn't all live, and if I hadn't heard my master's little girl and her teacher talking about it some time afterward I don't think I could make you understand. It seems that there is what people call 'the survival of the fittest,' and that all my brothers and I were engaged in what is known as 'the struggle for existence.' Now this means that some of us were better fed and stronger than others, and the weaker ones had to die, leaving only those who were 'fittest' or strongest to grow and ripen. This struggle for existence was going on all over Farmer Jones' orchard, and I could hear some of my brothers dropping off every day for a long time, because they were too weak to keep up the struggle any longer.

"So you must not blame my mother or me because my three brothers died. I was the strongest because I was in the centre, and consequently my mother fed me better than the other three. I felt sorry for them, but couldn't help it any, and of course I didn't want to die too.

"Well, although I was sorry for them, I was much better off

dropped to the ground, because I was the only one left, and could grow as fast as I chose. Plenty of food came my way, because I was right on the end of the small branch which was holding me up.

"Now, I must go back a little to the time when I was about five days old, because all my sadness dates from that time really. One fine morning, Farmer Jones and Tom, his hired man, came out in the orchard with a team, a big tank full of some liquid and a gasoline engine. Mother whispered to us quickly that they were going to spray us with a liquid, which I heard them speak of as arsenate of lead and lime-sulphur. It was very nasty smelling stuff, I can tell you, but mother said it would keep the worms from eating us, and when Farmer Jones said, 'Now, Tom, get up as close as you can and hit the calyx of every one,' my mother told us to 'never mind,' as it would do us good. She told us afterward that she could remember when Farmer Jones never used to spray, and she couldn't keep the worms away at all. The worms liked Northern Spy apples, but they didn't seem to like Ben Davis, who was just a short distance away, and whose children didn't get nearly so wormy as we Spys.

"However, the spraying started, and Tom, who was a very careless fellow anyway, was in bad humor that morning, and missed a lot of us, so that we didn't get sprayed nearly as well as we ought to have been. The calyx, you know, is the end of an apple opposite the stem, and most of the worms which hatch out from eggs laid by the codling moth enter an apple through the calyx, especially when we are very small, so you see why Farmer Jones spoke to Tom the way he did.

"I didn't get any spray in my calyx, and my mother as very angry at Tom's carelessness, because I was so big that mother was very proud of me.

"I grew very rapidly after that for quite a while, and soon was quite a bit bigger than most of my brothers. At first I was quite long, but in a month or six weeks I began to get stouter and to eat a very great deal.

"Finally, one day I was to feel the result of Tom's carelessness, and my pride was lowered a great deal. A hungry worm came crawling over me, and instead of biting me in the side and getting inside that way, as he could very easily have done, he crawled down to my feet and went right in at the side of my calyx. Of course he couldn't eat his way in very fast, but he stuck to it, and I have had to suffer ever since on account of him. He only made a very small hole, and my mother often told me no one would ever notice it, but I am naturally proud, and I hated to deceive people into thinking that I was such a beauty, when I knew down in my heart that I was only a wormy apple.

"However, time gradually lessened a part of my humiliation, and I consoled myself by thinking how big and strong I was. Some of my brothers were deformed, and mother said that was because the insects had not brought enough pollen to their blossoms, and so they did not grow as perfectly as I did. My master's little girl was told by her teacher that fertilization had not been completed before my brothers were born, and he said that meant that enough pollen had not grown down to the bottom of the flower, where the tiny ovules were waiting to unite with them. He said that if any ovule didn't unite in that way, then the part of the apple that ovule represented couldn't grow, and so the apple would be deformed.

"When I was nearly two months old my other brothers and I got quite a big. There was a Duchess tree some distance away, so far in fact that my brothers now on the ground couldn't see, but as I was up near the top, I and those of my brothers who were near me, could see a long distance away. We noticed, about the time I have mentioned, that the Duchess apples were getting quite big, and what hurt us more was that they were becoming very handsome. They were far

more beautiful than any of the rest of us at that time, and took on a great many airs on account of it, too. Their cheeks were striped with bright red, especially on the sunny side, and we were quite jealous of their good looks for a time.

"Mother soon found out that something was wrong and smiled quietly to herself when we told her about it. She told us that we need not worry about it at all, because we would be ever so much more beautiful after a while than the Duchess. Mother said that the Duchess would soon be ripe, and that was the reason they were getting red and good looking, while we were still quite green. I have found out since, from hearing Farmer Jones talking to Tom, that Duchess are summer apples and are only good for cooking. He also said they were poor keepers, like most other early apples, and couldn't be transported very great distances on that account. 'Now the Northern Spy over there,' said our master, 'is a late winter variety, and one of our longest keepers.' 'Why,' he said, 'I've kept Spies in our cellar until June, and they tasted as good as ever. They are fine for cooking, and you will go a long way before you find a better apple to eat out of hand.'

"This made us feel good again, and we eagerly looked forward to the time when we, too, would begin to redden up. Sure enough, it came before very long. Our master had helped us, because he had not cultivated the orchard after I got to be about a month old, as he said we wouldn't color up well if we grew too big, and it would take a long time to check the growth which the branches all around us were making. I was one of the very first to show any color, and one of my cheeks slowly began to get a dull red. It was a long time, however, before we could feel very proud of our beauty. Our faces, as you know, are covered with a very thin, dull-looking substance, which Farmer Jones calls 'bloom,' and this makes us look very sober. When this is rubbed off with a cloth, we are really very bright and cheerful looking, although I have heard that we do not live so long if we are polished. I like to think we can make ourselves look very beautiful if we want to. There are some very beautiful families in our orchard, the McIntoshes and Snows, who are related to each other. One can easily tell they are related, because they look so much alike. I wouldn't like to be plain looking and homely like the Golden Russet and Rhode Island Greening, although mother says they come of excellent families and are respected everywhere. Tom says that 'beauty is only skin deep,' but I'm sure he likes pretty apples better than plain ones.

"Now, children, I've kept you a long time, and my story is nearly finished. When I was between three and four months old, Farmer Jones and Tom came out to the orchard one day and picked all the Duchess and took them away. Then came the Alexanders, Gravensteins, Wealthy, Maiden Blush, Wolf River, Fameuse, McIntosh, Winter St. Lawrence, Rhode Island Greening, Wagener, Tolman Sweet and Baldwin in turn, until there was no one left in the orchard except the Ben Davis and my own brothers and I.

"At last our turn came, and although our master was in no hurry to take us to the cellar, I heard him tell Tom he was afraid of heavy frosts if he didn't pick us soon. I was picked separately and very carefully handled, because Farmer Jones wanted to take a prize with me at the fair, which was to be held in a very short time. So here I am at the fair, and didn't even get a third prize, because of a worm hole. Farmer Jones didn't know about my trouble until the judge passed me by this morning, and he feels as much disappointed as I do.

"I'm very glad you were kind enough to let me talk to you, because it has shortened the afternoon so much for me, and I hope I haven't kept you so long that your mother will scold you when you get home. Good-bye."

George and Mary had been so interested in the story the wormy apple was telling them that they hadn't realized how late it was, and had to hurry home as fast as they could to be in time for supper. They surprised their mother very much by telling her they had been talking with an apple, as she had never heard of apples talking; but she didn't contradict them, because, as George told Mary, *they know what the apple had said*, and that was proof enough.

GAMES, PLAY AND RECREATION

A. MACLAREN, B.S.A.

Have you ever tried the game of picking out the different kinds of men, women, boys and girls that you know and putting them in different groups according to their natures? If you have not, try it some time.

There's the man we call "Old Grouch." If your ball flies over into his garden he comes out growling and grumbling and captures your ball and keeps it. He never smiles to the boys as they pass by. "Boys and girls are only a nuisance," he says, "they spend too much time with fun and frolic and never attempt anything useful," and so he goes through this world with a frown on his face, envy in his heart and no joy in life.

Then there's the farmer who won't send his cream to the creamery because somebody may get ahead of him, or the maker is crooked and cheats him out of his dues, or he can't have his own way about some business matter at the annual meeting; in short, whenever he has to work with anybody else they are always wrong and he suffers for it.

Then there's the boy who loafs around the store at the village and does nothing. He is too lazy. He doesn't want to bother. Games, such as football or hockey, are too strenuous and tiring, and so he loafs, and later becomes a waster and maybe a criminal.

Then there is the timid little fellow who, when some game is on, sits or stands around watching it instead of getting into the game and developing courage and the ability to do things himself.

There's another kind of boy—the kind none of us like—the "quitter." He starts in with the rest, all enthusiasm and energy, and all goes well until the job gets a little bit hard or things in the game do not come his way, and then he says, "Aw! I've had enough—let's play something else."

Then there's the fellow we all love—big, strong, hearty, always a smile on his face, ready to lead in any kind of fun or games, great at swimming, skating, hockey, football, baseball, one who always leads in everything good or bad. He has his faults, but we like him all the same. Why? Because he does things. He's the kind of fellow who, when the umpire gives a "raw" decision and the team begins to howl, says, "Come on, fellows, let's play the game." You never hear him talk back, no matter what happens.

And so we can discover a great many kinds of people in this world. What kind do you belong to? Are you satisfied to stay in that class or do you want to get into another class? It depends on you.

I want to tell you, if I can, how these different kinds of people have come into being. They are what they are either because they have learned to play games honestly, fairly, squarely, or they have never played games at all.

The "old grouch" is an old grouch because he never developed his stock and surplus of energy and happiness in playing games, and so he lost God's greatest gift, the spirit of play, in which we should do all our work. The farmer who suspects everybody of cheating him has never learned to play his place in the ball team. He never learned what it is to make a sacrifice hit, to play so that the team would win whether he got any individual glory or not, so he can never be a co-operator.

Then the loafer never felt the joy of overflowing physical power as you run the bases or dribble the football up the field, dodging all comers, and so he has allowed his physical powers to go to sleep from which there is no awakening.

And that timid little fellow. Through no fault of his own he has not the courage to face the hard tasks of life. Do you want to help him have the courage for doing great things in life? Then encourage him to come into your games. Don't laugh at his awkwardness too much. Remember! He needs the games.

And the "quitter," what about him? Well, don't let him in on anything unless he promises to carry it through. If he fails, then shut him out the next time until he learns to persevere.

We all want to be like the big, hearty, strong leader. Perhaps we can't all be such men and women but we can all get a whole lot nearer to it than we are now. You want to know how, don't you? Well, it's quite simple. Get into games and play them with all your might, honestly, fairly, behind the umpire's back or before his face; stick to the game till the end, help the more timid ones and enjoy it to the full yourself.

Now I want to tell you about some simple games that you can carry on in your own school playground or at home.

1

HEADS AND TAILS.

Divide into two teams and line up the teams facing each other in two lines with about three feet between the lines. The teams take up their positions in the middle of the playing space each with their backs turned to their own den and facing the opponents. One side is called the "heads" and the other "tails." A leader is chosen who tosses up a coin—when it falls "heads" he calls out "heads," if it falls "tails," he calls out "tails." The side whose name is called turns and runs for its den, which may be a wall, fence or a line drawn about thirty feet from the centre of the playing space. The other side meantime tries to tag as many of the team called as possible before they get to their den. Everyone so tagged has to pass over to the other team. The teams then line up as before and the coin is tossed again and again until only one player is left on one side or the other.

ANIMAL BLIND MAN'S BUFF.

One player is blindfolded and stands in the centre of a circle with a wand, stick, or cane in his hand. The other players dance around him in circle until he taps three times on the floor with his cane, when they must stand still. The blind man thereupon points his cane at some player, who must take the opposite end of the cane in his hand. The blind man then commands him to make a noise like some animal, such as cat, dog, cow, sheep, lion, donkey, duck, parrot. From this noise the blind man tries to guess the name of the player. If the guess be correct they change places. If wrong, the game is repeated with the same blind man.

The players should try to disguise their natural tones as much as possible when imitating the animals, and much sport may be had through the imitation. Players may also disguise their height, to deceive the blind man, by bending their knees to seem shorter or rising on toes to seem taller.

Where there are thirty or more players, two blind men should be placed in the centre.

OVER AND UNDER RELAY.

The players stand in two or more files, the files containing an equal number of players. The game is a passing relay, the files competing against each other. The leaders of each file have two balls, bean bags, or blackboard erasers. At a signal, a ball (or whatever is used) is passed back over the heads of the players until it reaches the last

one in the line, who keeps it. The leader counts ten after the ball leaves his hands and at once passes back the second ball between his feet, the players bending over to pass it along. When this reaches the last player he runs forward with a ball in each hand and takes his place at the head of the line, which moves back one place to give him room. At once he passes one ball backward overhead, counts ten, and passes the other between his feet. This continues until the original leader, who has been gradually backing to the rear of the line, reaches the front again, carrying both balls. The line wins whose leader first accomplishes this.

This game has some admirable exercise in it, keeping the players bending and stretching alternately. Quick play should be encouraged. When played in a schoolroom alternate as it should be kept clear that the runners may use them in running to the front of the room.

DODGEBALL.

The players are divided into two even groups. One group forms a circle (this need not be marked on the ground). The larger the circle the more sport in the game. The other group stands within the circle, scattered promiscuously. The object of the game is for the circle men to hit the centre men with a basket ball, or football, the centre men dodging to evade this. They may jump, stoop, or resort to any means of dodging except leaving the ring. Any player hit on any part of his person at once joins the circle men. The last player to remain in the centre is considered the winner. The groups as originally constituted then change places for the next game, the centre men becoming circle players and the circle men going to the centre.

There is no retaliatory play of the ball by the centre players; they merely dodge it. The ball is returned to the circle either by a toss from a centre man or by a circle man stepping in for it if it should not roll or bound within reach. When two centre men are hit by one throw of the ball only the first one hit leaves the centre. The ball can be thrown only from your place in the circle.

SCHOOLROOM DODGEBALL.

The players are evenly divided into two teams. One team takes its place around the outer edge of the room; the players of the other team scatter through the aisles or seats, which latter should be turned up if possible. The outer team tries to hit the inner team with the ball, any player so hit taking his place in the outer team and joining in its play. The player who remains longest in the centre is considered to have won.

Only a hit from a ball on the fly counts. A hit from a bounce does not put a player out. If a ball touches any part of the clothing or person it is considered a hit. If two players are hit by the same throw, only the first one hit is considered out. Players may dodge the ball in any way. The ball is returned to the circle players by a toss from one of the inner team, should it be out of reach of any player of the circle team.

If desired, the hit players may leave the game instead of joining the outer circle. This leaves the teams intact, and each then keeps a separate score.

If successive games be played the teams change places, the inner players going to the circle, and *vice versa*. The game may then be played in innings if desired, each team to be given three minutes in the circle. One point is then scored against a team while in the centre for every player hit and the team wins which has the smallest score at the end.

CIRCLE SEAT RELAY.

This game starts with the players all seated and with an even number in each row. At a signal the last player in each row runs forward on the right-hand side of his seat, runs around the front desk, and returns on the left-hand side of his own row. As soon as he is seated he touches the player next in front on the shoulder, which is a signal for this one to start. He runs in the same way. This is continued until the last player, which in this case is the one sitting in the front seat, has circled his desk and seated himself with hand upraised. The line wins whose front player first does this.

This is one of the best running games for the schoolroom. As in all such games, seated pupils should strictly observe the rule of keeping their feet out of the aisles and under the desks.

Players must observe strictly the rule of running forward on the right-hand side and backward in the next aisle, else there will be collisions.

VOLLEY BALL.

This game consists in keeping a large ball in motion back and forth across a high net by striking it with the open palm. The ball must not be allowed to touch the floor. *Ground.* For large teams this game should be played on a ground measuring fifty feet long and twenty-five feet wide. For smaller teams a smaller ground will answer.

A tennis net, or net two feet wide, preferably the latter, is stretched across the centre of the ground, from side to side, extending one or two feet beyond the boundaries on either side. The upper edge should be from six feet six inches to seven feet six inches above the ground.

Players. Any number of players up to thirty may play. The players are evenly divided into two parties, which scatter over their respective courts without special arrangement. There is a captain for each side. An umpire is desirable.

Object of the Game. The object of the game for each party is to keep the ball in lively play towards its opponents' court, as each party scores only on its opponents' failures to return the ball or keep it in the air.

The ball is put in play by being served by the party which is to score. The service of the ball, and with it the privilege of scoring, pass to the opponents according to the rules described hereinafter.

Start; Rules for Service. The ball is put in play by being served by a member of one side, who should stand at the rear of his court with one foot on the rear boundary line and the other behind the line. From this position the ball is tossed upward lightly from one hand and batted with the palm of the other hand toward or into the opponents' court.

Diagram illustrating lay out of volley-hall court and position of players.

Each server has two trials in which to send the ball into the opponents' court. The service being over a long course with a comparatively heavy ball, the following privileges are allowed: a served ball may be assisted on its course by any two other players on the servers' side; no player so assisting the ball on the serve may strike it more than twice in succession, and the server under such circumstances may not strike it more than once; but should the ball then fail to land in the opponents' court the server loses his second serve.

In serving, the ball must be batted at least ten feet by the server before being touched by any other player on his side.

No "dripping" is allowed in serving.

A successful server continues serving until his side allows the ball to touch the floor, knocks it out of bounds, or fails to return it to the opponents. A server may also lose as follows:

If a returned ball hits a player on the server's side and bounces into the opponents' court, it is considered in play. If it hits such a player and does not bounce into the opponents' court, the server is out, losing his second trial.

If the ball hits the net during service, it is counted a dead ball and loses the server one of his trials.

If a served ball falls outside the opponents' court the server loses his turn.

The players on a side take turns in serving.

Rules of Play. The ball must always be batted with the open palm. The ball should be returned by the opponents before it can strike the ground. Any number of players may strike the ball to send it across the net, but no player may strike more than twice in succession. Having struck the ball twice a player may resume his play

only after some other player has struck it. The ball is thus volleyed back and forth across the net until one side fails to return it or allows it to touch the floor, or until it goes out of bounds. A ball is put out of play by hitting the net in returning after a serve. A ball which bounds back into the court after striking any other object except the floor or ceiling is still in play. It is permissible to strike the ball with both hands at once (open palms).

If a player touches the net at any time the ball is thereby put out of play. Should this player be on the serving side his side loses the ball and it goes to the opponents. Should this player be on the receiving side the serving side scores one point. Should the net be touched simultaneously by opponents the ball is thereby put out of play and the serving side serves again.

No dribbling is allowed at any time through the game; i.e., no keeping the ball in the air by one player hitting it quickly and repeatedly.

In sending the ball across the net players should aim for an unprotected part of the opponents' court, or try in other ways to place them at a disadvantage.

Score. This is entirely a defensive game, the score being made on opponents' fouls and failures. Aside from fouls, only the serving side scores. A good serve unreturned scores one point for the serving side. A point is similarly scored by the serving side at any time when the opponents fail to return a ball which is in play. Failure of the serving side to return a ball to the opponents' court merely puts them out; that is, the serve passes to the opponents, but no score is made on the failure. Should a player touching the net be on the receiving side, the serving side scores one point. A ball sent under the net is out of play and counts against the side which last struck it, their opponents scoring one point. If the ball strikes any object outside the court and bounds back, although it is still in play, it counts against the side which struck it out, their opponents scoring one point. A ball sent out of bounds by the receiving side in returning a service scores one point for the serving side. One point is scored for the opponents whenever a player catches the ball, or holds it for even an instant. The game consists of twenty-one points.

CAPTAIN BALL.

Ground. On each side of the ground at corresponding distances from the centre three small circles are drawn for bases at the points of a triangle. The circles should be from two to five feet each in diameter, the more skilful the players the smaller the

Diagram illustrating positions of players in Captain Ball.

circle. The distance between each two circles forming a triangle should be at least fifteen feet, and the distance across the centre of the field between the two inner circles from fifteen to twenty-five feet.

Teams. The players are divided into two teams, each consisting of three basemen, three base guards, and one fielder. One of the basemen is captain and stands in the base at the end of the ground farthest from the centre. Each team has a guard stationed

near each of its opponents' bases, and a fielder whose general place should be near the centre of the ground, but who is free to run to any part of the ground, and who should pick up the ball whenever it goes afield. The ball should then be put in play again from the centre as at the start.

Object of the Game. The object of the game is to have a captain catch a ball from one of his basemen. A ball caught by the captain from the guards or fielder of his team does not count. Of course the guards will try to prevent the ball being caught by a captain from one of his basemen, or by one of the basemen from his fielder, and on the other hand will try to secure the ball and send it back to their own baseman or fielder.

Start. The ball is put in play by being tossed up in the centre of the ground by a third party between the two fielders, both of whom try to catch it. The one who succeeds has first throw. Touching the ball is not enough for the first catch: it must be caught in both hands. In case of disputes the ball should be tossed again. The ball is again put in play in this way after each point scored; also after going afield and being picked up by one of the fielders.

Rules. The basemen may put one foot outside of their bases or circles, but at no time both feet. Each guard must remain near the base he guards, but may not step within it even with one foot. Should either side transgress these rules or make any other foul the ball is thrown to one of the basemen of the opposite side, who is given free play to throw it to his captain without interference of his own guard, though the captain's guard may try to prevent its being caught. A ball that goes afield is put in play again at the centre as at the opening of the game.

Fouls. It is a foul: (1) to transgress any of the rules given above; (2) to snatch or bat the ball from an opponent's hands; (3) to bounce the ball more than three times in succession; (4) to run with the ball; (5) to kick it; (6) to hand instead of throwing it; or (7) to hold it longer than time enough to turn once around quickly, or three seconds. Penalty for fouls consists in allowing opponents a free throw from one of their basemen to their captain, as described under rules.

Score. The ball scores one point whenever a catch is made by a captain from one of his basemen. It does not score when the captain catches it from a guard or fielder.

The game is played by time limits ranging from ten to thirty minutes. The time is divided in halves, and at the end of the first half the teams have an interval of rest, and the basemen and guards change places. The team wins which has the highest score at the end of the second half. The ball is put newly in play after every point scored.

Here's hoping you will have a good time playing the games.