**CIHM
Microfiche
Series
(Monographs)**

**ICMH
Collection de
microfiches
(monographies)**

Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques

© 1997

Technical and Bibliographic Notes / Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming are checked below.

- ☒ Coloured covers / Couverture de couleur
- ☐ Covers damaged / Couverture endommagée
- ☐ Covers restored and/or laminated / Couverture restaurée et/ou pelliculée
- ☐ Cover title missing / Le titre de couverture manque
- ☐ Coloured maps / Cartes géographiques en couleur
- ☐ Coloured ink (i.e. other than blue or black) / Encre de couleur (i.e. autre que bleue ou noire)
- ☐ Coloured plates and/or illustrations / Planches et/ou illustrations en couleur
- ☐ Bound with other material / Relié avec d'autres documents
- ☐ Only edition available / Seule édition disponible
- ☐ Tight binding may cause shadows or distortion along interior margin / La reliure serrée peut causer de l'ombre ou de la distorsion le long de la marge intérieure.
- ☐ Blank leaves added during restorations may appear within the text. Whenever possible, these have been omitted from filming / Il se peut que certaines pages blanches ajoutées lors d'une restauration apparaissent dans le texte, mais, lorsque cela était possible, ces pages n'ont pas été filmées.
- ☐ Additional comments / Commentaires supplémentaires:

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- ☐ Coloured pages / Pages de couleur
- ☐ Pages damaged / Pages endommagées
- ☐ Pages restored and/or laminated / Pages restaurées et/ou pelliculées
- ☒ Pages discoloured, stained or foxed / Pages décolorées, tachetées ou piquées
- ☐ Pages detached / Pages détachées
- ☒ Showthrough / Transparence
- ☐ Quality of print varies / Qualité inégale de l'impression
- ☐ Includes supplementary material / Comprend du matériel supplémentaire
- ☐ Pages wholly or partially obscured by errata slips, tissues, etc., have been refilmed to ensure the best possible image / Les pages totalement ou partiellement obscurcies par un feuillet d'errata, une pelure, etc., ont été filmées à nouveau de façon à obtenir la meilleure image possible.
- ☐ Opposing pages with varying colouration or discolourations are filmed twice to ensure the best possible image / Les pages s'opposant ayant des colorations variables ou des décolorations sont filmées deux fois afin d'obtenir la meilleure image possible.

This item is filmed at the reduction ratio checked below /
Ce document est filmé au taux de réduction indiqué ci-dessous.

10x	14x	18x	22x	26x	30x
☐	☐	☐	☐	☒	☐
12x	16x	20x	24x	28x	32x

The copy filmed here has been reproduced thanks to the generosity of:

Stauffer Library
Queen's University

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol $\rightarrow$ (meaning "CONTINUED"), or the symbol ∇ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:

L'exemplaire filmé fut reproduit grâce à la
générosité de:

Stauffer Library
Queen's University

Les images suivantes ont été reproduites avec le
plus grand soin, compte tenu de la condition et
de la netteté de l'exemplaire filmé, et en
conformité avec les conditions du contrat de
filmage.

Les exemplaires originaux dont la couverture en
papier est imprimée sont filmés en commençant
par le premier plat et en terminant soit par la
dernière page qui comporte une empreinte
d'impression ou d'illustration, soit par le second
plat, selon le cas. Tous les autres exemplaires
originaux sont filmés en commençant par la
première page qui comporte une empreinte
d'impression ou d'illustration et en terminant par
la dernière page qui comporte une telle
empreinte.

Un des symboles suivants apparaîtra sur la
dernière image de chaque microfiche, selon la
cas: le symbole $\rightarrow$ signifie "A SUIVRE", le
symbole ∇ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être
filmés à des taux de réduction différents.
Lorsque le document est trop grand pour être
reproduit en un seul cliché, il est filmé à partir
de l'angle supérieur gauche, de gauche à droite,
et de haut en bas, en prenant le nombre
d'images nécessaire. Les diagrammes suivants
illustrent la méthode.

MICROCOPY RESOLUTION TEST CHART

(ANSI and ISO TEST CHART No. 2)

1.0

1.1

1.25

1.4

1.6

REPORT
OF THE
CANADIAN ARCTIC EXPEDITION
1913-18

VOLUME VIII:
MOLLUSKS, ECHINODERMS, COELENTERATES, Etc.

PART J: PORIFERA

By A. DENDY and L. M. FREDERICK

G
670
1913
V. 8. P. J.

G
670
1913
C2t
v.008
pt.J
c.3

OTTAWA
F. A. AGLAND
PRINTER TO THE KING'S MOST EXCELLENT MAJESTY
1924

Issued July 5, 1924

Report of the Canadian Arctic Expedition, 1913-18.

VOLUME I: GENERAL INTRODUCTION, NARRATIVE, ETC

- Part A: NORTHERN PARTY, 1913-18. (To be prepared).
 Part B: SOUTHERN PARTY, 1913-18. By Rudolph Martin Anderson. (In preparation).

VOLUME II: MAMMALS AND BIRDS

- Part A: MAMMALS OF WESTERN ARCTIC AMERICA. By Rudolph Martin Anderson. (In preparation).
 Part B: BIRDS OF WESTERN ARCTIC AMERICA. By R. M. Anderson and P. A. Taverner. (In preparation).

VOLUME III: INSECTS

- INTRODUCTION. By C. Gordon Hewitt. (Issued December 10, 1920).
 Part A: COLEOPTERA. By Justin W. Tolson. (Issued July 10, 1919).
 Part B: NEUROPTEROID INSECTS. By Nathan Banks. (Issued July 11, 1919).
 Part C: DIPTERA.
 Crane-flies. By Charles P. Alexander.
 Mosquitoes. By Harrison G. Dyar.
 Diptera, excluding Tipulidae and Culicidae. By J. R. Malloch. (Issued July 14, 1919).
 Part D: MALLOPHAGA AND ANOPLURA.
 Mallophaga. By A. W. Baker.
 Anoplura. By G. F. Ferris and G. H. F. Nuttall. (Issued September 12, 1919).
 Part E: COLLEOPTERA.
 Forest Insects, including Ipsidae, Cerambycidae, and Buprestidae. By J. M. Swaine.
 Carabidae and Staphylinidae. By H. C. Fall.
 Coccinellidae, Elateridae, Chrysomelidae and Rhynchophora (excluding Ipsidae). By C. W. Leng.
 Dytiscidae. By J. D. Sherman, Jr. (Issued December 12, 1919).
 Part F: HEMIPTERA. By Edward P. VanDuzee. (Issued July 11, 1919).
 Part G: HYMENOPTERA AND PLANT GALLS.
 Sawflies. (Tenthredinoidea). By Alex. D. MacGillivray.
 Parasitic Hymenoptera. By Charles T. Brues.
 Wasps and Bees. By F. W. L. Sladen.
 Plant Galls. By E. Porter Felt. (Issued November 3, 1919).
 Part H: SPIDERS, MITES AND MYRIAPODS.
 Spiders. By J. H. Emerton.
 Mites. By Nathan Banks.
 Myriapods. By Ralph V. Chamberlin. (Issued July 14, 1919).
 Part I: LEPIDOPTERA. By Arthur Gibson. (Issued January 19, 1920).
 Part J: ORTHOPTERA. By E. M. Walker. (Issued September 4, 1920).
 Part K: INSECT LIFE ON THE WESTERN ARCTIC COAST OF AMERICA. By Frits Johansen. (Issued November 7, 1921).
 PART L: GENERAL INDEX. (Issued December, 1922).

VOLUME IV: BOTANY

- Part A: FRESHWATER ALGAE AND FRESHWATER DIATOMS. By Charles W. Lowe. (Issued February 20, 1923).
 Part B: MARINE ALGAE. By F. Collins. (In preparation).
 Part C: FUNGI. By John Dearness. (Issued June 1, 1923).
 Part D: LICHENS. By G. K. Merrill. (In press).
 Part E: MOSSSES. By S. Williams. (Issued February 8, 1921).
 PART F: MARINE. By Albert Mann. (In preparation).

VOLUME V: BOTANY

- Part A: VASCULAR. By James M. Macoun and Theo. Holm. (Issued October 14, 1921).
 Part B: CONTRASTING MORPHOLOGY, SYNONYMY AND GEOGRAPHICAL DISTRIBUTION OF ARCTIC PLANTS. By Theo. Holm. (Issued February 10, 1922).
 Part C: GENERAL NOTES ON ARCTIC VEGETATION. By Frits Johansen. (In press).

VOLUME VI: FISHES, TUNICATES, ETC.

- Part A: FISHES. By F. Johansen. (In preparation).
 Part B: ASCIDIANS, ETC. By A. G. Huntsman. (Issued November 20, 1922).

VOLUME VII: CRUSTACEA

- Part A: DECAPOD CRUSTACEANS. By Mary J. Rathbun. (Issued August 18, 1919).
 Part B: SCHIZOPOD CRUSTACEANS. By Waldo L. Schmitt. (Issued September 22, 1919).
 Part C: CUMACEA. By W. T. Calman. (Issued October 15, 1920).
 Part D: ISOPODA. By P. L. Boone. (Issued November 10, 1920).
 Part E: AMPHIPODA. By Clarence R. Shoemaker. (Issued September 7, 1920).
 Part F: PYCNOGONIDA. By Leon J. Cole. (Issued January 3, 1921).
 Part G: EUPHYLLOPODA. By F. Johansen. (Issued May 10, 1922).
 Part H: CLADOCERA. By Chancey Juday. (Issued June 23, 1920).
 Part I: STRACODA. By R. W. Sharpe. (In preparation).
 Part J: FRESHWATER COPEPODA. By C. Dwight Marsh. (Issued April 21, 1920).
 Part K: MARINE COPEPODA. By A. Willey. (Issued June 25, 1920).
 Part L: PARASITIC COPEPODA. By Charles B. Wilson. (Issued August 6, 1920).
 Part M: CIRRIPEdia. By H. A. Pilsbry. (In preparation).
 Part N: THE CRUSTACEAN LIFE OF SOME ARCTIC LAGOONS, LAKES AND PONDS. By F. Johansen. (Issued December 30, 1922).

REPORT
OF THE
CANADIAN ARCTIC EXPEDITION
1913-18

VOLUME VIII:
MOLLUSKS, ECHINODERMS, COELENTERATES, Etc.

PART J: PORIFERA

By A. DENDY and L. M. FREDERICK

PRINTED BY
TAYLOR AND FRANCIS LTD.
LONDON AND NEW YORK
PRINTED TO THE ORDER OF HER MAJESTY THE KING
21

Issued July 5, 1924

G-10

112

22

100

3

Some Canadian and Alaskan Arctic Sponges

By ARTHUR LEEDY, D.Sc. F.R.S.

Professor of Zoology, King's College, University of London,
and

LESLIE M. FREDERICK, M.Sc.,

Late Harold Row Research Student in King's College, London.

The collection of American Arctic Sponges submitted to us for examination and report contains little of very special interest, all the identifiable species being already well known arctic forms. Perhaps the most interesting point is the discovery of the fact that the common *Ficulina ficus* forms part of the food of the seal *Erignathus barbatus* (Erxleben).

LIST OF SPECIES REPRESENTED

Order CALCAREA

Family GRANTIIDAE

Leucandra sp.

Order TETRAONIDA

Suborder SIGMATOTETRAONIDA

Family HAPLOSCLERIDAE

Reniera gracilis (Miklucho-Maclay) Dybowski

Halichondria panicea Johnston

Family DESMACIDONIDAE

Phakellia variabilis (Vosmaer)

Family CLAVULIDAE

Ficulina ficus (Linné) Gray

Polymastia mammillaris (O. F. Mueller) Bwbk.

DESCRIPTIVE AND CRITICAL REMARKS

Leucandra sp.

The single specimen, which is rather badly preserved, is attached to branches of seaweed. It forms an erect, nearly straight, cylindrical tube, about 25 mm. long and 3.5 mm. in diameter, terminating above in an osculum provided with a short peristome; the wall of the tube is about 0.83 mm. in thickness. Colour in spirit light brownish-grey, texture soft and fragile.

There is a thin dermal cortex, about 0.065 mm. in thickness, and a very slight general cortex about 0.05 mm. in thickness. Thickly scattered dermal pores lead into wide, more or less lacunar, inhalant canals which penetrate

deep into the substance of the wall. The canal system is "syllabid;" the flagellate chambers, which are ovoid, measure about 0.13 mm. in longer diameter and open into wide exhalant canals which in their turn open into the central gastral cavity.

There is a dermal skeleton of tangential triradiates and a gastral skeleton of quadriradiates. The skeleton of the chamber layer consists of sagittal triradiates, rather irregularly arranged, but usually with the basal ray centrifugally directed, with a few sagittal quadriradiates and radial oxea, which are deeply imbedded in the wall and project beyond the surface.

Spicules.—(1) Gastral quadriradiates. The oral rays, which measure up to 0.2 by 0.013 mm. are slightly curved and gradually sharp-pointed; the straight, sharp-pointed, basal ray is slightly longer than the orals, measuring up to 0.22 by 0.013 mm.; the apical ray, which projects into the gastral cavity, is short, straight, sharp-pointed, measuring about 0.1 by 0.01 mm.

(2) Sagittal triradiates. Varying somewhat in size and form, but all with a very wide oral angle. In some the basal ray is very long, straight and sharp-pointed, measuring up to 0.5 by 0.013 mm.; while the orals, which measure about 0.26 by 0.013 mm., curve forward at their point of origin and then turn sharply outward. In others the rays are more or less the same length, measuring on an average 0.4 by 0.014 mm., the basal ray being straight while the orals are slightly curved.

(3) Sagittal quadriradiates. These are like the sagittal triradiates, with the addition of a small apical ray.

(4) Dermal triradiates. Slightly sagittal, with straight, gradually sharp-pointed rays; the orals measuring about 0.26 mm. in length and the basal slightly more.

(5) Oxea. Slightly curved, gradually sharp-pointed, measuring up to 1.2 by 0.02 mm.

(6) Small oxea. Found only in boiled out preparations; slightly curved or crooked, gradually sharp-pointed, the ends usually differing slightly; measuring up to 0.16 by 0.006 mm.

Because of the unsatisfactory state of the material we do not think it possible to identify the specimen specifically; it probably comes near to *Leucandra valida* Lambe (1900) or *Leucandra cylindrica* Fristedt (1887).

Register Number and Locality.—XIII; Richmond gulf (about 4 miles from the entrance), east coast of Hudson bay, 10-20 fathoms, August 24, 1920, F. Johansen coll.

Reniera gracilis (Miklucho-Maclay) Pybowski

Veluspa polymorpha, var. *gracilis* MIKLUCHO-MACLAY (1870).

Reniera gracilis Dybowski (1880).

There are twenty or more spirit specimens in the collection; some more or less whole, others in an extremely fragmentary condition; there is also one dry specimen (R.N. XXIII, 1).

The colour in life (R.N.V) was light rose grey; in spirit it varies from light yellowish brown to mud-grey; texture very soft and friable.

The skeleton arrangement and spiculation agree closely with those of specimens described and figured by Dybowski (1880). The short, sharp-pointed, stumpy oxea measure on an average 0.14 by 0.012 mm.

Register Numbers, Localities, etc.—V: Station 41f, Bernard harbour (outer harbour), Dolphin and Union strait, Northwest Territories, August 1, 1915, 2-3 fathoms.—XV, 1, 4 and XVIII, 1, 3: Station 20d, Beach at Teller, Alaska (Port Clarence), July, 1913.—XVII, 2, 3: Station 20b-c, Grantley harbour, Alaska, about 3 fathoms, sandy mud, July 30, 1913.—XXIII, 1: Station 20m, beach at Teller (Port Clarence), Alaska, August, 1913. (All Canadian Arctic Expedition, F. Johansen coll.)¹

¹For detail map of Port Clarence see Vol. VII, Part N, p. 25 of these reports.

Halichondria panicea Johnston

For literature, synonymy, etc., *vide* Ridley and Dendy (1887) and Dendy (1905).

There are about twenty-five specimens and a number of fragments of this very common species in the collection. The form varies from encrusting or massive to digitate.

The skeleton arrangement and spiculation are typical, so no further description is necessary.

Register Numbers, Localities, etc.—XI, XVI: Station 20*g*, Port Clarence, Alaska, 2-3 fathoms, sandy mud, August 4, 1913.—XIV, 1: Station 23, lat. 70° 24' N., long. 161° 25' W., 9-10 fathoms, grey mud with pebbles, August 19, 1913.—XV, 2, 3 and XVIII, 2: Station 20*d*, Teller Alaska, July, 1913.—XVII, 1: Station 20*b-c*, Grantley harbour, Alaska, July 30, 1913. (All Canadian Arctic Expedition, F. Johansen coll.)

Phakellia variabilis (Vosmaer)

Cribrochalina variabilis VOSMAER (1882).

Cribrochalina Sluiteri VOSMAER (1882, 1885).

Reniera infundibuliformis A. HANSEN (1885).

Cribrochalina Sluiteri LEVINSSEN (1887).

Cribrochalina variabilis FRISTEDT (1887).

Placochalina Sluiteri LENDENFELD (1887).

Cribrochalina Sluiteri SWARTSCHEWSKY (1906).

Tragosia Sluiteri LUNDBECK (1909).

Tragosia Sluiteri HENTSCHEL (1916).

There are three spirit and ten dried specimens in the collection. All are funnel-shaped, resembling closely specimens described and figured by Vosmaer and Levinsen, and ranging from 25 to 130 mm. in total height. The colour in spirit is brownish grey; that of the dried specimens varies from dark brown to almost white. Texture soft and flexible.

The skeleton arrangement and spiculation are typical.

Because of the absence of trichodragmata we propose to remove this sponge from the genus *Tragosia* [*vide* Dendy (1922)], and place it in the genus *Phakellia*.

Vosmaer (1882, 1885) makes two distinct species of "*Cribrochalina*," namely *C. variabilis* and *C. Sluiteri*. We can see nothing in his description to justify this and regard *C. Sluiteri* as identical with *C. variabilis*, the latter specific name being retained as it was the first given.

Register Numbers, Localities, etc.—XIV, 2: Station 23, lat. 70° 24' N., long. 161° 25' W., 9-10 fathoms, August 19, 1913.—XXI: Station 26, beach on Spy island (Thetis islands), Alaska, September 3, 1913.—XXIV, 1, 2, 3, 4: Station 24, beach at Point Barrow sandspit, Alaska, August 22-23, 1913.—XXV: Station 28, 1, *m*, beach at Collinson point (Camden bay), Alaska, June 1914. (All Canadian Arctic Expedition, F. Johansen coll.)

Ficulina ficus (Linné) Gray

For discussion and synonymy *vide* Topsent (1900.)

There are about a dozen specimens in the collection, and a number of fragments, R.N.X., which is yellowish grey in colour and has evidently been growing free, is ovoid and flattened in one plane, measuring 30 by 27 by 14 mm.: R.N. IV, which is dull greyish brown in colour, forms an irregular mass growing round a seaweed; R.N. XII consists of two minute, sub-spherical specimens,

grey in colour, growing on a small bivalve mollusc-shell; R.N. II, from the stomach of an *Erignathus barbatus* 73 inches long, consists of eight small specimens, yellow in colour (orange when first obtained), irregularly rounded and flattened in shape, the largest measuring 33 by 20 by 6 mm.; R.N. VIII consists of a number of greyish, semi-digested fragments from the stomach of an *Erignathus barbatus*; these were of a dark-green or orange-brown colour when first obtained.

The surface of all the specimens is smooth and even; neither inhalant pores nor oscula are visible. Texture firm, elastic and compact.

The skeleton consists of tylostyles, densely packed and arranged in great confusion; there is a very opaque outer layer in which the centrotylote microxea form an almost solid mass.

Spicules.—(1) Tylostyles. Usually slightly curved, varying little in size, and measuring up to 0.57 by 0.009 mm. In most cases the head is not very marked, and some of them tend to become stylote.

(2) Centrotylote microxea. Sometimes minutely spined or roughened; the typical ones measure up to 0.07 by 0.003 mm., but there are many smaller and more irregular forms.

Register Numbers, Localities, etc.—II: Station 370, Dolphin and Union strait at Bernard harbour, North West Territories, October 3, 1914.—IV: Station 41, Bernard harbour (outer harbour), 3-5 fathoms, sandy mud, July 20, 1915.—VIII: Station 37a, Bernard harbour, August 24, 1914.—XII: Station 43b, off Stapylton bay, Dolphin and Union strait, Northwest Territories, 25-30 fathoms, mud with pebbles, September 14, 1915. (All Canadian Arctic Expedition, F. Johansen coll.).—X: Whaler point, North Somerset island, Northwest Territories, August 17, 1904, (*Neptune* expedition, A. Halkett coll.).

***Polymastia mammillaris* (O. F. Mueller) Bwbk.**

(For discussion and synonymy *vide* Topsent (1900)).

There are two much flattened, disc-shaped specimens in the collection; *Trichostemma*-like, with marginal fringe of long spicules. The larger, (R.N.I. a), which has a small pebble attached to the middle of the under surface, and numerous teat-like projections on the upper surface, measures 63 mm. in diameter and 5 mm. in thickness. The smaller (R.N.I. b) is attached to a shell and measures only 25 mm. in diameter and 3 mm. in thickness.

The colour in spirit is dark yellowish grey; in life it was "grey-yellow, with the spine-brushes more strongly yellow-brown" (Johansen). The skeleton arrangement and spiculation agree closely with those of specimens described by Vosmaer and Topsent.

Register Numbers, Locality, etc.—I, a, b: Station 43a, off Cockburn point, Dolphin and Union strait, Northwest Territories, about 100 metres, mud with pebbles, September 13, 1915. (Canadian Arctic Expedition, F. Johansen coll.).

LIST OF LITERATURE REFERRED TO

- DENDY, A.
1905. Report on the Sponges collected by Professor Herdman at Ceylon, in 1902. (Rep. Pearl Oyster Fisher. Gulf Manuar; Roy. Soc. London, Part 3, Suppl. Rep. No. 18, pp. 57-246).
- DENDY, A.
1922. Note on the Genus *Tragosia* Gray (Annals and Mag. Nat. Hist., Ser. 9, Vol. IX, p. 169, London).
- DYBOWSKI, W.
1880. Studien ueber die Spongien des russischen Reiches, mit besonders Beruecksichtigung der Spongienfauna des Baikal Sees. (St. Petersburg Acad. Imper. Scien., Memoirs, Ser. VII, Vol. 27, No. 6).
- FRISTEDT, K.
1887. Sponges from the Atlantic and Arctic Oceans and the Behring Sea (Vega-Exped. Vetensk. Sakttag., Vol. 4, pp. 401-471, Plates 22-31, Stockholm).
- HANSEN, G.A.
1885. Spongiadae (The Norwegian North Atlantic Exped., 1876-78, XIII, Zoology, Christiania).
- HENTSCHEL, E.
1916. Die Spongien des Eisfjords. (Zoolog. Ergbn. Schwed. Exped. nach Spitzbergen, 1908, Pt. II, 3; Kgl. Svenska Vetensk. Akad. Handl., Band 54, No. 3, Stockholm).
- LAMBE, L. M.
1900. Sponges from the Coasts of Northeastern Canada and Greenland. (Trans. Roy. Soc. Can., 2d. Ser., 1900-01, Vol. VI, Section IV, pp. 19-37, Plates 1-VI, Ottawa).
- LENDENFELD, E. VON.
1887. Die Chalinen des Australischen Gebietes. (Zool. Jahrb., Vol. II, pp. 723-828, Jena).
- LEVINSEN, G. M. R.
1887. Kara Havets Svampe. (Dijunphna-Togtets Zoolog.-Botan. Udbytte, pp. 339-372, Tab. XXIX-XXXI, Kjoebenhavn).
- LUNDBECK, W.
1909. The Porifera of East Greenland (Meddelelser om Groenland, Vol. XXIX, pp. 423-464, Pl. XIV, Kjoebenhavn).
- MIKLUCHO-MACLAY, N. DE.
1870. Ueber einige Schwämme des nordlichen Stillen Oceans und des Eismeeres, welche im Zoologischen Museum der Kaiserlichen Akademie der Wissenschaften in St. Petersburg aufgestellt sind; ein Beitrag zur Morphologie und Verbreitung der Spongien. (St. Petersb. Acad. Imper. Scien., Memoirs, Ser. VII, Vol. 15, No. 3).
- MURDOCH, J.
1885. Report of the International Expedition to Point Barrow, Alaska. Part V, Marine Invertebrates, p. 168, Washington.
- RIDLEY, S. O. and DENDY, A.
1887. Report on the Monaxonida. (Rep. Scien. Results Voyage H.M.S. *Challenger*, 1873-76, Zoology, Vol. XX, Part 59, pp. 1-LXVIII, 1-275, Pls. 1-LI, London).
- SIMPSON, T.
1843. Narrative of the Discoveries on the North Coast of America, effected by the officers of the Hudson's Bay Company during the years 1836-39. p. 125. London.
- SWARTSCHEWSKY, B.
1906. Beitrag zur Spongien-Fauna des Weissen Meeres. (Mem. Soc. Nat. Kiev, Vol. 20, Livr. 2, pp. 356-371).
- TOPSENT, E.
1900. Étude monographique des Spongiaires de France, III, Monaxonida (Hadromerina. (Arch. Zool. experim. et générale (3), Tom. 8, pp. 1-331, Pl. 1-VIII, Paris).
- VOSMAER, G. C. J.
1882. Report on the Sponges dredged up in the Arctic Sea by the *Willem Barents* in the years 1878 and 1879. (Niederl. Archiv. Zool. Suppl., Bd. 1, Leiden).
1885. The Sponges of the *Willem Barents* Expedition, 1880 and 1881. (Bijdragen Dierkunde, Afl. 12, V, Amsterdam).

APPENDIX

We have been asked to include in this report the following notes on some Sponges belonging to the United States National Museum, collected by the International Expedition to Point Barrow in 1883, and listed by John Murdoch in his report on the marine invertebrates of the expedition, p. 168, as quite indeterminable with the resources at his command.

These were sent to us by the Smithsonian Institution in three jars, bearing the catalogue numbers 1588, 1596 and 1591. They all came from "Ten miles west of Point Franklin, Alaska, August 31, 1883, 13½ fathoms." Only two common species are present in the collection.

Number 1588 contains a number of specimens of *Ficulina ficus*, showing great variation in the number of microxea present, which are small, sharply pointed at each end, roughened or microspined, and frequently centrotylote. In one specimen they are almost completely wanting.

The other jars contain several specimens of *Halichondria panicea*, massive or digitate in form, with scattered vents, and an often very distinctly reticulate dermal membrane.

Mr. F. Johansen also submits the following note: "Mr. Thomas Simpson, in his Narrative of the Discoveries on the North Coast of America, 1836-39, London, 1843, p. 125, states that on the beach west of Flaxman island, Alaskan arctic coast, his party 'picked up some pieces of delicate branched Sponge,' on July 21, 1837."

LONDON, ENGLAND, August, 1923.

G670 1913 C2t v.8 pt.J c.3

Report of the Canadian Arctic
Expedition 1913-18.

Report of th

3 9004 02404759 6

VOLUME VIII: MOLLUSKS, ECHINODERMS, COELENTERATES, ETC.

- Part A: MOLLUSKS, RECENT AND PLEISTOCENE. By William H. Dall. (Issued September 24, 1919).
 Part B: CEPHALOPODA AND PTEROPODA.
 Cephalopoda. By S. S. Berry. (In preparation).
 Pteropoda. By W. T. Clapp. (In preparation).
 Part C: ECHINODERMS. By Austin H. Clark. (Issued April 6, 1920).
 Part D: BRYOZOA. By R. C. Osburn. (Issued February 20, 1923).
 Part E: ROTIFORIA. By H. K. Harring. (Issued December 31, 1921).
 Part F: CILIATOGNATHA. By A. G. Huntsman. (In preparation).
 Part G: ALCYONARIA AND ACTINARIA. By A. E. Verrill. (Issued April 28, 1922).
 Part H: MEDUSAE AND Ctenophora. By H. B. Bigelow. (Issued June 30, 1920).
 Part I: HYDROIDS. By C. McLean Fraser. (Issued August 21, 1922).
 Part J: PORIFERA. By A. Dendy. (In preparation).

VOLUME IX: ANNELIDS, PARASITIC WORMS, PROTOZOANS, ETC.

- Part A: OLIGOCHAETA.
 Lumbrioididae. By Frank Smith. (Issued September 29, 1919).
 Euchytridae. By Paul S. Welch. (Issued November 16, 1920).
 Part B: POLYCHAETA. By Ralph V. Chamberlin. (Issued February 4, 1921).
 Part C: HIRUDINEA. By J. P. Moore. (Issued June 10, 1920).
 Part D: Gephyria. By Ralph V. Chamberlin. (Issued April 7, 1920).
 Part E: ACANTHOCEPHALA. By H. J. Van Cleave. (In preparation).
 Part F: NEMATODA. By N. A. Cobb. (In preparation).
 Part G-H: TREMATODA AND CESTODA. By A. R. Cooper. (Issued February 4, 1921).
 Part I: TURBELLARIA. By A. Hensell. (In preparation).
 Part J: GORDIACEA.
 Part K: NEMERTINI. By Ralph V. Chamberlin. (In preparation).
 Part L: SPOROZOA. By J. W. Mayor. (In preparation).
 Part M: FORAMINIFERA. By J. A. Cushman. (Issued February 6, 1920).

VOLUME X: HYDROGRAPHY, TIDES, ETC.

- Part C: TIDAL OBSERVATIONS AND RESULTS. By W. Bell Dawson. (Issued October 1, 1920).
 Part D: HYDROGRAPHY. (In preparation).

VOLUME XI: GEOLOGY AND GEOGRAPHY

- Part A: THE GEOLOGY OF THE ARCTIC COAST OF CANADA, WEST OF THE KENT PENINSULA. By J. J. O'Neill. (In press).
 Part B: MAPS AND GEOGRAPHICAL NOTES. By Kenneth G. Chiptman and John R. Cox. (In press).

VOLUME XII: THE COPPER ESKIMOS

- Part A: THE LIFE OF THE COPPER ESKIMOS. By D. Jenness. (Issued January 14, 1922).
 Part B: THE PHYSICAL CHARACTERISTICS OF THE WESTERN AND COPPER ESKIMOS. By D. Jenness. (Issued May 23, 1923).
 Part C: THE OSTEOLOGY OF THE WESTERN AND CENTRAL ESKIMOS. By John Cameron. (Issued June 23, 1923).

VOLUME XIII: ESKIMO FOLK-LORE

- Part A: ESKIMO MYTHS AND TRADITIONS FROM ALASKA, THE MACKENZIE DELTA, AND CORONATION GULF. By D. Jenness. (In press).
 Part B: STRING FIGURES OF THE ESKIMOS. By D. Jenness. (In press).

VOLUME XIV: ESKIMO SONGS

- SONGS OF THE COPPER ESKIMOS. By Helen H. Roberts and D. Jenness. (Ready for press).

VOLUME XV: ESKIMO LANGUAGE AND TECHNOLOGY

- Part A: COMPARATIVE GRAMMAR AND VOCABULARY OF THE ESKIMO DIALECTS OF POINT BARROW, THE MACKENZIE DELTA, AND CORONATION GULF. By D. Jenness. (In preparation).
 Part B: TECHNOLOGY OF THE COPPER ESKIMOS. (To be prepared).

VOLUME XVI: ARCHAEOLOGY

- CONTRIBUTIONS TO THE ARCHAEOLOGY OF WESTERN ARCTIC AMERICA. (To be prepared).

(Index issued with last number of each Volume)