THE FIELD MUSEUM LIBRARY

3 5711 00017 0556

919
wo-
Mir 125 Papilio
sp. n. coll. Dickh.

Ref
13
Syst
B

Field Museum of Natural History

LIBRARY

Chicago

From Weiger, O.

Class 303

Book 6224

ICHTHOGRAPHIA

GENERUM PLANTARUM

EXACTA

STUDII ABN. EXDICHEN

VERBODEN

TEKST

1871

ICONOGRAPHIA GENERUM PLANTARUM

EDIDIT

STEPHANUS ENDLICHER.

- fac. 1, pl. 1-12. 1837
" 2, " 13-24. 1837
" 3, " 25-36. 1837
" 4, " 37-48, title, dedication, pp. v-viii. 1838
" 5, " 49-60. 1838
" 6, " 61-72. 1839
" 7, " 73-84. 1839
" 8, " 85-96. 1839
" 9, " 97-108. 1940
" 10, " 109-125. pp. ix-xvi. 1841.

Dates given in frown.
Arnold Arb 28:425. 1947

39918

VINDOBONAE.

APUD FR. BECK, UNIVERSITATIS BIBLIOPOLAM.

1838.

QK
98
E52

ALLANO CUNNINGHAM

SERENISSIMAE BRITANNIARUM REGINAE

IN COLONIIS AUSTRALIBUS

B O T A N I C O

D I C A T

Stephanus Endlicher.

Digitized by the Internet Archive
in 2013

<http://archive.org/details/iconographiagene00endl>

SIGLAE BRUNONIANAE.

- a. Flos ante expansionem.**
- a 1. Flos expansus.**
- b. Operculum floris: e calyce et corolla confluentibus saepius formatum.**
- c. Perigonium: integumentum florale monocotyledonum, et ut plurimum simplex dicotyledonum (cōrolla Linn. calyx Juss.).**
- c 1. Perigonii foliola v. laciniae seriei exterioris; saepe calycinae indolis (calyx Linn.).**
- c 2. Perigonii foliola v. laciniae seriei interioris (exceptis c 3. et 4.); saepe texturae petaloideae (corolla Linn.).**
- c 3. Labellum ejusve appendices. In Orchideis.**
- c 4. Squamulae hypogynae Graminum (nectarium Linn.).**
- c 5. Appendices perigonii.**
- d. Calyx.**
- e. Corolla monopetala.**
- e 1. Petala.**
- e 2. Appendices corollae (nectarium Linn. parapetala Ehrhart).**
- f. Discus hypogynus v. epigynus.**
- f 1. Glandulae v. squamulae hypogynae v. epigynae.**

-
- g.* Columna genitalium: *Orchidearum, Stylidearum.*
- g* 1. Genitalia distincta: integumentis remotis.
- h.* Stamina.
- h* 1. Anthera.
- h* 2. Pollen.
- h* 3. Pollinis massae: in *Orchideis et Asclepiadeis.*
- h* 4. Stamina sterilia.
- h* 5. Corona tubi staminei: in *Asclepiadeis* (*nectarium* Linn.).
- i.* Pistillum.
- i* 1. Ovarium.
- i* α . Stylus.
- i* 2. Stigma.
- i* 3. Stigmatis indusium: in *Goodenoviis, Brunonia.*
- i* 4. Ovulum.
- i* β . Chalaza.
- i* γ . Micropyle.
- i* δ . Rhaphe.
- l.* Fructus compositus: *floribus pluribus communis.*
- l* 1. Pericarpia plura distincta: *floris unici.*
- m.* Induviae. *Reliquiae foliis fructum v. augentes v. coronantes v. eidem adnatae.*
- m* 1. Pappus.
- m* 2. Calyptra *Muscorum.*
- n.* Pericarpium. *Complectens ejusdem species omnes a simplicissima caryepside Graminum.*
- n* 1. Pericarpium apertum.
- n* 2. Dissepimentum.
- n* 3. Valvulae.

- n* 4. Operculum.
- n* 5. Peristomium Muscorum.
- n* 6. Placenta (*receptaculum seminum* Gaert.).
- n* 7. Funiculus umbilicalis.
- n* 8. Strophiola v. caruncula umbilicalis.
- n* 9. Arillus.
- o*. Semen.
- o* 1. Ala seminis.
- o* 2. Coma seminis: in *Asclepiadeis*, *Epilobio*.
- o* 3. Integumenta seminis.
- o* 4. Albumen (*perispermum* Juss. *endospermum* Rich.).
- o* 5. Vitellus: in *Scitamineis*, *Nymphaea*.
- p*. Embryo.
- p* 1. Cotyledon.
- p* 2. Plumula.
- p* 3. Radicula.
- q*. Folium.
- q* 1. Petiolus.
- q* 2. Stipula.
- r*. Caulis v. scapi portio.
- s*. Inflorescentia: *complectens species omnes; exceptis duabus sequentibus (s 1. et s 2.)*.
- s* 1. Flos compositus.
- s* 2. Locusta Graminis (v. *uniflora* [v. *multiflora*]).
- t*. Involucrum umbellae, capituli.
- t* 1. Involucrum floris compositi (*calyx communis* Linn.).
- t* 2. Gluma Graminum (*calyx* Linn.).

VIII

- t* 3. Calyx exterior: *Malvacearum*, *Dipsacearum*, *Brunoniae*.
t 4. Involucrum (*sori v. capsulae unicae*) Filicum (*indusium Swartz*).
t 5. Bracteae.
t 6. Squamae amenti.
t 7. Paleae.
t 8. Paraphyses Muscorum.
t 9. Calyptra: dum e bracteis connatis formata.
u. Receptaculum floris unici.
u 1. Receptaculum commune v. floris compositi v. amenti v. capituli.
x. Diagramma floris.

Signa sequentia literis subposita sic intelligenda.

- * Partem vi expansam v. apertam esse denotat.
+ sectam verticaliter.
∴ horizontaliter.
— magnitudine diminutam.

Dum partes magnitudine auctae sunt, literae majusculae pro minoribus substituuntur.

Conspectus dispositionis tabularum.

Gasteromycetes.

357. *Ascröe pentactina* Endl. *Atakt.* t. 50. — Habitat in Nova Hollandia. (Ferd. Bauer.) I. 1.

Lycopodiaceae.

695. *Psilotum* (*Tmesipteris*) *Forsteri* Endl. *Flor. Norf.* 6. *Tmesipteris tannensis Bernhadi* in *Schrader Jour.* 1801 I. 131. non *Labill.* — Habitat in insula Norfolk. (Forster Ferd. Bauer.) VIII. 85.

Gramineae.

882. *Coelachne pulchella* R. Brown *Prodr.* 187. — Habitat in Nova Hollandia tropica. (Ferd. Bauer.) I. 2.

Cyperaceae.

963. *Diplacrum caricinum* R. Brown *Prodr.* 240. — Habitat in Nova Hollandia tropica. (Ferd. Bauer.) III. 25.

Centrolepideae.

1006. *Centrolepis fascicularis* Labillard. *Nov. Holl.* I. 7. t. 1. *Desvauxia Billardieri* R. Brown *Prodr.* 252. — Habitat in Nova Hollandia orientali et in insula Diemen. (Labillard, R. Brown, Ferd. Bauer, Sieber, Hügel.) V. 49.

Xyrideae.

1025. *Xyris* (*Pomatoxyris*) *operculata* Labill. *Nov. Holl.* I. 14. t. 10. R. Brown *Prodr.* 257. — Habitat in Nova Hollandia orientali et in insula Diemen. (Labillard, R. Brown, Ferd. Bauer.) II. 13.

Butomaceae.

1045. *Hydrocleis Commersonii* Richard in *Mem. Mus.* I. 368. — Habitat in America tropica. IV. 37.
1046. *Limnocharis Plumierii* Richard in *Mem. Mus.* I. 370. — Habitat in America tropica. III. 26.

Calectasiaceae.

1059. *Calectasia cyanea* R. Brown *Prodr.* 263. — Habitat in Nova Hollandia austro-occidentali. (R. Brown, Ferd. Bauer, Hügel.) IV. 38.

Melanthaceae.

1072. *Anguillaria dioica* R. Brown *Prodr.* 273. — Habitat in Nova Hollandia orientali et insula Diemen. (R. Brown, Ferd. Bauer, Hügel.) I. 3.

Liliaceae.

1104. *Blandfordia nobilis* Smith *Exot. Bot.* I. 5. t. 4. R. Brown *Prodr.* 296. — Habitat in Nova Hollandia orientali. (R. Brown, Ferd. Bauer, Sieber, A. Cunningham, Hügel.) III. 27.

1143. *Tricoryne elatior* R. Brown *Prodr.* 278. — Habitat in Nova Hollandia orientali. (R. Brown, Ferd. Bauer, A. Cunningham.) VI. 61.

1162. *Eustrephus latifolius* R. Brown *Prodr.* 281. — Habitat in Nova Hollandia orientali et tropica. (R. Brown, Ferd. Bauer.) I. 4.

1164. *Arthropodium paniculatum* R. Brown *Prodr.* 276. *Anthericum paniculatum* Andrews *Bot. Reposit.* t. 395. *Anthericum milleflorum Redoute Liliac.* 58. — Habitat in Nova Hollandia orientali. (Labill., R. Brown, Ferd. Bauer, Sieber, A. Cunningham, Hügel.) III. 28.

1169. *Laxmannia gracilis* R. Brown *Prodr.* 286. — Habitat in Nova Hollandia orientali. (R. Brown, Ferd. Bauer, Sieber, A. Cunningham, Hügel.) IX. 97.

Smilacaceae.

1184. *Smilax glycyphylla* Smith in *Whitès Voy.* 230. R. Brown *Prodr.* 293. — Habitat in Nova Hollandia orientali. (White, R. Brown, Ferd. Bauer, Hügel.) IV. 39.

Irideae.

1234. *Patersonia glauca* R. Brown *Prodr.* 403. *Genosiris fragilis* Labillard. *Nov. Holl.* 304. — Habitat in Nova Hollandia orientali et in insula Diemen. (Labillard., R. Brown, Ferd. Bauer, Sieber, A. Cunningham, Hügel.) V. 50.

Haemodoraceae.

1253. *Haemodorum spicatum* R. Brown *Prodr.* 300. — Habitat in Nova Hollandia australi. (R. Brown, Ferd. Bauer.) IX. 98.

1259. *Tribonanthes australis* Endl. *Nov. Stirp. Mus. Vind. Dec. n.* 34. — Habitat in Novae Hollandiae austro-occidentalis colonia King-Georges-Sound. (Hügel.) X. 109.

*

Orchideae.

1369. *Dendrobium teretifolium* R. Brown Prodr. 333. — Habitat in Nova Hollandia orientali. (R. Brown, Ferd. Bauer, Hügel.) IX. 99.
1534. *Bartholina pectinata* R. Brown in Aiton Hort. kew. ed. 2. V. 194. *Lindley Orchid.* 333. *Orchis pectinata* Willd. Spec. IV. 11. — Habitat in Capite bonae spei (Ferd. Bauer.) IV. 49.
1544. *Gastrodia sesamoides* R. Brown Prodr. 330. — Habitat in Nova Hollandia orientali. (R. Brown, Ferd. Bauer.) I. 5.
1579. *Cryptostylis longifolia* R. Brown Prodr. 317. *Malaxis subulata* Labillard. Nov. Holl. II. 62. t. 212. — Habitat in Nova Hollandia et in insula Diemen. (Labillard, R. Brown, Ferd. Bauer, Hügel.) II. 14.
1580. *Calochilus paludosus* R. Brown Prodr. 320. — Habitat in Nova Hollandia orientali. (R. Brown, Ferd. Bauer.) II. 17.
1588. *Microtis parviflora* R. Brown Prodr. 321. — Habitat in Nova Hollandia orientali, australi et tropica. (R. Brown, Ferd. Bauer, Sieber, A. Cunningham, Hügel.) II. 15.
1589. *Acianthus fornicatus* R. Brown Prodr. 321. — Habitat in Nova Hollandia orientali. (R. Brown, Ferd. Bauer, Sieber, A. Cunningham, Hügel.) II. 16.
1592. *Eriochilus autumnalis* R. Brown Prodr. 323. *Epipactis cucullata* Labillard. Nov. Holl. II. 61. t. 211. f. 2. — Habitat in Nova Hollandia orientali, australi et tropica. (R. Brown, Ferd. Bauer, A. Cunningham, Hügel.) I. 6.
1593. *Caladena carnea* R. Brown Prodr. 324. — Habitat in Nova Hollandia orientali et tropica. (R. Brown, Ferd. Bauer, A. Cunningham.) V. 51.
1594. *Glossodia major* R. Brown Prodr. 326. — Habitat in Nova Hollandia orientali. (R. Brown, Ferd. Bauer.) VI. 41.
1596. *Lyperanthus nigricans* R. Brown Prodr. 325. — Habitat in Nova Hollandia orientali et australi. (R. Brown, Ferd. Bauer, Hügel.) I. 7.
1597. *Corysanthes (Steleocorys) unguiculata* R. Brown Prodr. 328. — Habitat in Nova Hollandia orientali. (Ferd. Bauer.) II. 13.
1598. *Caleya major* R. Brown. *Caleana major* R. Brown Prodr. 329. — Habitat in Nova Hollandia orientali. (R. Brown, Ferd. Bauer.) I. 8.
1616. *Thelychiton argyropus* Endlicher Prodr. Flor. Norf. n. 72. — Habitat in insula Norfolk. (Ferd. Bauer.) II. 29.

Musaceae.

1650. *Ravenala madagascariensis* Sonner. Voy. II. 223. t. 124. Jacq. Hort. Schönbr. I. 47. t. 93. *Urania Ravenala* Richard Musac. 13. t. 5—6. — Habitat in Madagascar. IV. 42.

Najadeae.

- 1664/1. *Cyanogeton Hügelii* Endlicher in Annal. Wiener Mus. II. 210. Nov. Stirp. Mus. Vindob. Dec. n. 189. — Habitat in Novae Hollandiae colonia Swan-River. (Hügel.) VII. 73.

Aroideae.

1707. *Gymnostachys anceps* R. Brown Prodr. 337. — Habitat in Nova Hollandia orientali. (R. Brown, Ferd. Bauer, Sieber, A. Cunningham, Hügel.) I. 9.

Urticaceae.

1884. *Böhmia australis* Endlicher Flor. Norf. n. 82. — Habitat in insula Norfolk. (Ferd. Bauer, A. Cunningham.) VIII. 86.

Putranjiveae.

1894. *Putranjiva Roxburghii* Wallich Tent. Flor. nep. 16. Royle Himalay. 347. t. 100. *Nageja Putranjiva Roxburgh* Flor. Ind. or. III. 766. — Habitat in montibus Indiae. (Wallich.)

Chenopodeae.

- 1920/1. *Didymanthus Roëi* Endlicher Nov. Stirp. Decad. n. 10. — Habitat in Novae Hollandiae austro-occidentalis interioribus (Roë.) XI. 100.

Amarantaceae.

1967. *Centrostachys aquatica* Wallich in Roxburgh Flor. Ind. II. 497. *Achyranthes aquatica* Roxburgh Flor. Ind. I. 673. — Habitat in India orientali. (Wallich.) II. 20.
1978. *Deeringia celosioides* R. Brown Prodr. 413. *Celosia baccata* Retz Observ. 5. 23. — Habitat in Asia tropica. — In Nova Hollandia tropica et orientali. (R. Brown, Ferd. Bauer.) VI. 62.

Polygoneae.

1986. *Polygonum australe* A. Richard Flor. Nov. Zeel. 178. *Coccoloba australis* Forst. Prodr. n. 179. — Crescit in Nova Zeelandia (Forst.) et in insula Norfolk. (Ferd. Bauer.) VII. 87.

Nyctagineae.

2012. *Pisonia grandis* R. Brown Prodr. 422. — Habitat in Nova Hollandia tropica. (R. Brown, Ferd. Bauer.) III. 30.

Monimiaceae.

2019. *Ruizia fragrans* Pav. Syst. Fl. peruv. 266. *Peumus fragrans* Persoon Encheir. II. 624. — Habitat in Chili. (Pöppig, Bridges.) II. 21.
2022. *Doryphora Sassafras* Endl. *Atherosperma Sassafras* A. Cunningham msc. — Habitat in Nova Hollandia orientali. (A. Cunningham.)

Laurineae.

2066. *Litsaea Baueri* Endl. msc. — Habitat in Nova Hollandia orientali. (Ferd. Bauer.) IV. 44.

Gyrocarpaeae.

2068. *Gyrocarpus sphenopterus* R. Brown Prodr. 261. — Habitat in Nova Hollandia tropica. (Ferd. Bauer.) IV. 43.

Santalaceae.

2074. *Choretrum glomeratum* R. Brown Prodr. 354. — Habitat in Nova Hollandia australi. (R. Brown, Ferd. Bauer.) IV. 45.
2075. *Leptomeria (Oxymeria) acida* R. Brown Prodr. 253. Habitat in Nova Hollandia orientali. (R. Brown, Ferd. Bauer, Sieber, Hügel.) VII. 74.

Daphnoideae.

2098. *Pimelea (Thecanthes) punicea* R. Brown Prodr. 359. — Habitat in Nova Hollandia tropica. (R. Brown, Ferd. Bauer.) I. 11.
2105. *Wikströmia australis* Endl. Prodr. Flor. Norf. n. 92. — Habitat in insula Norfolk. (Ferd. Bauer.) II. 22.

Proteaceae.

2130. *Adenanthos terminalis* R. Brown Prodr. 367. — Habitat in Nova Hollandia australi. (Labillard, R. Brown, Ferd. Bauer, Hügel.) X. 110.
2131. *Synphaea dilatata* R. Brown Prodr. 370. *Conospermum reticulatum* Smith in Rees. Cyclop. — Habitat in Nova Hollandia australi. (Ferd. Bauer, R. Brown.) III. 31.
2132. *Conospermum (Euconospermum) ericifolium* Smith in Rees Cyclop. R. Brown Prodr. 368. — Habitat in Nova Hollandia orientali. (R. Brown, Ferd. Bauer.) III. 31.
- *Conospermum (Chilurus) teretifolium* R. Brown Prodr. 369. — Habitat in Nova Hollandia australi. (R. Brown, Ferd. Bauer, Hügel.) IV. 46.
2133. *Stirlingia anethifolia* Endl. msc. *Simsia anethifolia* R. Brown Prodr. 368. — Habitat in Nova Hollandia australi. (Ferd. Bauer, Hügel.) II. 23.
2134. *Franklandia fucifolia* R. Brown Prodr. 266. — Habitat in Nova Hollandia australi. (R. Brown, Ferd. Bauer, Hügel.) V. 52.
2135. *Symphyonema paludosum* R. Brown Prodr. 371. — *S. montanum sphalm.* in tab. — Habitat in Nova Hollandia orientali. (R. Brown, Ferd. Bauer, Sieber, Hügel.) I. 12.
2143. *Grevillea (Lissostylis) riparia* R. Brown Prodr. 377. — Habitat in Nova Hollandia orientali. (R. Brown, Ferd. Bauer.) III. 33.
2144. *Hackea acicularis* Knight et Salisb. Prot. 107. — R. Brown Prodr. 383. *Conchium aciculare* Vent. Malmais. t. 111. — Habitat in Nova Hollandia orientali. (R. Brown, Ferd. Bauer.) II. 24.
2146. *Xylomelum pyriforme* Smith in Linn. Transact. IV. 214. R. Brown Prodr. 387. *Banksia pyriformis* Gärtner 1. 220. t. 47. f. 1. *Hackea pyriformis* Cavanill. Ic. VI. 25. t. 538. — Habitat in Nova Hol-

landia orientali. (R. Brown, Ferd. Bauer, Sieber, Hügel.) VI. 47, 48.

Compositae.

2213. *Hoplophyllum spinosum* DC. Prodr. V. 74. *Pteronia spinosa* Linn. f. Supplem. 357. — Habitat in Capite bonae spei. (Thunb. Drège, Eckl. et Zeyh.) III. 34.
2374. *Fresenia leptophylla* DC. Prodr. V. 328. — Habitat in Capite bonae spei. (Drège.) III. 35.
2502. *Wollastonia Forsteriana* DC. Prodr. V. 548. *Wedelia Forsteriana* Endl. Prodr. Flor. Norf. 51. *Bupthalmum uniflorum* Forst. Prodr. n. 541. — Habitat in insula Norfolk. (Forst., Ferd. Bauer, A. Cunningham.) VIII. 88.
2629. *Madaria corymbosa* DC. Prodr. v. 692. — Habitat in America boreali - occidentali. (Douglas.) III. 36.

Lobeliaceae.

3062. *Heterotoma lobelioides* Zuccarini in Flora 1832. Beibl. p. 100. DC. Prodr. VII. 350. *Myopsia mexicana* Presl Lobeliac. 8. — Habitat in frigidissimis ad la Cumbre de San Antonio Mexicanorum, 8000 ped. supra mare. (Karwinsky.) V. 53.

Rubiaceae.

3105. *Coprosma Baueri* Endl. msc. *Coprosma lucida* Endl. Flor. Norf. n. 117. non Forst. — Habitat in insulae sinu Ausonis. (Ferd. Bauer, Hügel.)
3240. *Hedyotis (Anotis) gentianoides* Endl. msc. *Houstonia caerulea* Auct. — Habitat in America boreali. VIII. 89.
3275. *Cosmibuena ochracea* Endl. msc. *Buena hexandra* Pohl Plant. Brasil. I. 10. t. 8. — Habitat in Brasiliae provinciis Rio Janeiro et Minas-Geraes. (Schott, Pohl.) VIII. 90.

Oleaceae.

3349. *Olea (Gymnelaea) apetala* Vahl Symb. III. 3. Endl. Prodr. Flor. Norf. 112. — Habitat in Nova Zeelandia (Forst.) et in insula Norfolk. (Ferd. Bauer, A. Cunningham.) V. 54.
3350. *Notelaea ovata* R. Brown Prodr. 380. — Habitat in Nova Hollandia orientali. (R. Brown, Ferd. Bauer, Sieber, Hügel.) V. 55.

Loganiaceae.

3362. *Antonia pilosa* Hooker Ic. t. 64. — Habitat ad fluvium Essequibo Guianae. (Schomburg.) V. 56.
3363. *Coelostylis loganioides* Torrey et A. Gray msc. Endl. Nov. Stirp. Mus. Vindob. Dec. n. 41. — Habitat in Florida occidentali prope Tampa Bay. (Dr. Burrows et M. Alden in Herb. Torrey.) XI. 101.
3364. a. *Logania (Euosma) floribunda* R. Brown Prodr. 456. *Euosma albiflora* Andrews Bot. Reposit. 520. — Habitat in Nova Hollandia orientali. (R. Brown, Ferd. Bauer, Sieber, A. Cunningham, Hügel.) V. 57.

**

3364. *b. Logania (Stomandra) pusilla* R. Brown Prodr. 456. — Habitat in Nova Hollandia orientali. (R. Brown, Ferd. Bauer.) V. 58.

Apocynaceae.

3378. *Melodinus Baueri* Endl. Prodr. Flor. Norf. n. 113. — Habitat in insula Norfolk. (Ferd. Bauer, A. Cunningham.) V. 59.
3426. *Balfouria saligna* R. Brown Prodr. 467. — Habitat in Nova Hollandia tropica. (R. Brown, Ferd. Bauer.) VII. 75.

Asclepiadeae.

3444. *Hybanthera biglandulosa* Endl. Prodr. Flor. Norf. n. 115. — Habitat in insula Norfolk. (Ferd. Bauer.)
3456. *Sarcostemma australe* R. Brown Prodr. 463. — Habitat in Nova Hollandia tropica et australi. (R. Brown, Ferd. Bauer.)
3504. *Fockea capensis* Endlicher Nov. Stirp. Mus. Vindob. Dec. n. 21. *Cynanchum crispum* Jacq. Fragm. bot. t. 36. f. 5. — Habitat in Capite bonae spei. (Hort. Schönbr.) VIII. 91.
3516. *Microstemma tuberosum* R. Brown Prodr. 459. — Habitat in Nova Hollandia tropica. (R. Brown, Ferd. Bauer.) V. 60.

Selagineae.

3727. *Hebenstreitia robusta* E. Meyer Comm. 246. — Habitat in Capite bonae spei. (Drège.) VIII. 76.

Myoporineae.

3733. *Myoperum obscurum* Endlicher Prodr. Flor. Norf. n. 110. — Habitat in insula Norfolk. (Ferd. Bauer.) VI. 65.
3734. *Pholidia scoparia* R. Brown Prodr. 517. — Habitat in Nova Hollandia australi. (R. Brown, Ferd. Bauer, A. Cunningham.) VI. 66.
3736. *Stenochilus glaber* R. Brown Prodr. 517. — Habitat in Nova Hollandia australi. (R. Brown, Ferd. Bauer.) VIII. 92.

Convolvulaceae.

3800. *Polymeria calycina* R. Brown Prodr. 488. — Habitat in Nova Hollandia orientali et tropica. (R. Brown, Ferd. Bauer.) VI. 67.

Scrophularineae.

3902. *Anthocercis littorea* Labillard. Nov. Holl. II. 19. t. 158. R. Brown Prodr. 448. — Habitat in Nova Hollandia australi. (R. Brown, Ferd. Bauer, Hügel.) VI. 68.
3906. *Duboisia myoporoides* R. Brown Prodr. 448. — Habitat in Nova Hollandia orientali. (R. Brown, Ferd. Bauer, Sieber, Hügel, A. Cunningham.) VII. 77.
3931. *Mazus Pumilio* R. Brown Prodr. 439. — Habitat in van Diemens-Land. (R. Brown.) IX. 102.
3938. *Morgania pubescens* R. Brown Prodr. 441. — Habitat in Nova Hollandia tropica. (R. Brown, Ferd. Bauer.) IX. 103.
3944. *Anticharis arabica* Endlicher Nov. Stirp. Mus. Vindob. Dec. n. 28. *Capraria arabica* Steud. et Hochst.

msc. — Habitat in Arabia felici. (Fischer et Schimper.) VIII. 93.

3960. *Buchnera urticifolia* R. Brown Prodr. 437. — Habitat in Nova Hollandia tropica. (R. Brown, Ferd. Bauer.) VII. 78.

4025. *Haberlea rhodopensis* Frivaldsky in Act. soc. Hung. 1835. p. 249. t. 1. — Habitat in Rumeliae montibus. (Frivaldsky.) VI. 69.

Acanthaceae.

4022. *Nelsonia campestris* R. Brown Prodr. 481. — Habitat in Nova Hollandia tropica. (R. Brown, Ferd. Bauer.) VII. 79.
4047. *Ruellia bracteata* R. Brown Prodr. 479. — Habitat in Nova Hollandia tropica. (R. Brown, Ferd. Bauer.) III. 104.
4072¹. *Russeggera collina* Endlicher Nov. stirp. Mus. Vindob. Dec. n. 46. — Habitat in collibus Gebbel-Accara, juxta fluvium Tumad Africae. (Russegger.) VIII. 94.
4097. *Hypoestes floribunda* R. Brown Prodr. 474. — Habitat in Nova Hollandia tropica. (R. Brown, F. Bauer.) IX. 105.

Sesameae.

4105. *Sesamum indicum* Linn. Spec. 884. Sims Bot. Mag. t. 1788. — Habitat in India orientali et in insula Timor. (Ferd. Bauer.) VI. 70.
4106. *Calampelis scabra* Don in Sweet Fl. Gard. II. t. 30. *Eccremocarpus scaber* Ruiz et Pavon Syst. 157. Lindley in Bot. Reg. t. 939. — Habitat in Chili. VIII. 95.
4112. *Argylia radiata* Don in Edinb. n. philosoph. Journ. 1823 n. 8. p. 260. *Bignonia radiata* Linn. Spec. 871. — Habitat in Chili. (Bridges.) VI. 71.

Pedaliaceae.

4181. *Josephinia grandiflora* R. Brown Prodr. 520. — Habitat in Nova Hollandia tropica. (R. Brown, Ferd. Bauer.) IV. 106.

Orobancheae.

4182. *Epiphegus americanus* Nuttall Gen. Bor. Amer. 549. *Epiphegus virginianus* Barton Flor. Philad. II. 50. *Mylanche virginiana* Wallroth Diasec. 76. *Orobanche virginiana* Linn. Spec. 882. — Habitat in America boreali ad radices Fagi. VII. 80.
4184. *Conopholis americana* Wallroth Diascev. 78. *Orobanche americana* Linn. Suppl. 88. — Habitat in Carolina, nec non in Mexico. (Andrieux.) VII. 81.
4189. *Anoplangthus uniflorus* Endl. msc. *Orobanche uniflora* Linn. Spec. 882. — Habitat in America boreali. VI. 72.
4191. *Hyobanche sanguinea* Thunberg in Linn. Mant. 263. — Habitat in Capite bonae spei. (Drège.) VII. 82.

Sapotaceae.

4240. *Achras costata* Endl. Flor. Norf. n. 96. — Habitat in insula Norfolk. (Ferd. Bauer, Hügel.) In Nova Zeelandia (A. Cunningham.) VIII. 83.

Columelliaceae.

4264. *Columellia oblonga* Ruiz et Pav. *Flor. Peruv.* 1. 28. t. 12. f. a. — Habitat in Peruvia, (Matthews.) VII. 84.

Saxifragaceae.

4629. *Eremosyne pectinata* Endl. in *Enum. Plant. Hügel.* 53. — Habitat in Novae Hollandiae Colonia Swan-River. (Hügel.) X. 112.
4680. *Aphanopetalum resinosum* Endl. *Nov. Stirp. Mus. Vindob.* Dec. n. 42. — Habitat in Nova Hollandia orientali extratropica. (Ferd. Bauer, A. Cunningham, Hügel.) VIII. 96.

Rousseaceae.

4680. *Roussea simplex* Smith *Ic. inedit.* 1. 6. t. 6. DC. *Prodr.* VII. 522. — Habitat in insulae Mauritii sylvis umbrosis. (Sieber, Bojer.) IX. 107.

Droseraceae.

5085. *Byblis liniflora* Salisbury *Parad.* t. 95. DC. *Prodr.* I. 319. — Habitat in Nova Hollandia. (Ferd. Bauer.) X. 113.

Violariaceae.

5049. *Hymenanthera latifolia* Endl. *Flor. Norf.* n. 127. — Habitat in insula Norfolk. (Ferd. Bauer, Hügel.) IX. 108.

Passifloreae.

5103. *Modecca australis* R. Brown ex DC. *Prodr.* III. 337. — Habitat in Novae Hollandiae borealis sinu Carpentaria. (R. Brown.) X. 114, 115.

Cucurbitaceae.

5127. *Zehneria Baueriana* Endl. *Flor. Norf.* n. 126. — Habitat in insula Norfolk. (Ferd. Bauer, Hügel.) X. 116, 117.

Büttneriaceae.

5347. *Xeropetalum multiflorum* Endl. *Nov. Stirp. Mus. Vind.* Dec. n. 43. — Habitat in Shangul et Camamil Africae. (Theodorus Kotschy.) X. 118.

Sapindaceae.

5628. *Plösslea floribunda* Endl. *Nov. Stirp. Mus. Vind.* Dec. n. 47. — Habitat in Fazzoglou Africae tropicae. (Theodorus Kotschy.) X. 119, 120.

Rhamnaceae.

5754. *Pennantia corymbosa* Forster *Prodr.* n. 379. Endl. *Flor. Norf.* n. 140. — Crescit in insula Norfolk (Forster, Ferd. Bauer.) X. 121.

Euphorbiaceae.

5811. *Baloghia lucida* Endl. *Flor. Norf.* n. 143. — Habitat in insula Norfolk. (Ferd. Bauer, Hügel.) X. 122, 123.
5812. *Ricinocarpus pinifolius* Desfont. in *Mem. Mus.* III. 459. t. 22. — Habitat in Nova Hollandia. (Ferd. Bauer, Sieber.) X. 124.

Leguminosae.

6607. *Kotschya africana* Endl. *Nov. Stirp. Mus. Vind.* Dec. n. 6. — Habitat in insula fluvii Tumad, in confinibus Shangul et Camamil Africae borealis. (Theodorus Kotschy.) X. 125.

Index tabularum.

- I. 1. 357. *Ascröe pentactina* Endl.
 2. 882. *Coelachne pulchella* R. Br.
 3. 1072. *Anguillaria dioica* R. Br.
 4. 1062. *Eustrephus latifolius* R. Br.
 5. 1544. *Gastrodia sesamoides* R. Br.
 6. 1592. *Eriochilus autumnalis* R. Br.
 7. 1596. *Lyperanthus nigricans* R. Br.
 8. 1598. *Caleya major* R. Br.
 9. 1707. *Gymnostachys anceps* R. Br.
 10. 2022. *Doryphora Sassafras* Endl.
 11. 2098. *Pimelea (Thecanthes) punicea* R. Br.
 12. 2131. *Symphyonema paludosum* R. Br.
- II. 13. 1025. *Xyris (Pomatoxyris) operculata* Lab.
 14. 1579. *Cryptostylis longifolia* R. Br.
 15. 1588. *Microtis parviflora* R. Br.
 16. 1589. *Acianthus fornicatus* R. Br.
 17. 1580. *Calochilus paludosus* R. Br.
 18. 1597. *Corysanthes (Steleocorys) unguiculata* R. Br.
 19. 1894. *Putranjiva Roxburghii* Wall.
 20. 1967. *Centrostachys aquatica* Wallr.
 21. 2019. *Ruizia fragrans* Pav.
 22. 2105. *Wikströmia australis* Endl.
 23. 2133. *Stirlingia anethifolia* Endl.
 24. 2144. *Hackea acicularis* R. Br.
- III. 25. 963. *Diplacrum caricinum* R. Br.
 26. 1046. *Limncharis Plumieri* Rich.
 27. 1104. *Blandfordia nobilis* Smith.
 28. 1164. *Arthropodium paniculatum* R. Br.
 29. 1616. *Thelychiton argyropus* Endl.
 30. 2012. *Pisonia grandis* R. Br.
 31. 2132. *Conospermum (Euconospermum) ericifolium* Smith.
 32. 2131. *Synaphaea dilatata* R. Br.
 33. 2143. *Grevillea (Lissostylis) riparia* R. Br.
 34. 2213. *Hoplophyllum spinosum* DC.
 35. 2374. *Fresenia leptophylla* DC.
 36. 2629. *Madaria corymbosa* DC.
- IV. 37. 1045. *Hydrocleia Commersonii* Rich.
 38. 1059. *Calectasia cyanea* R. Br.
 39. 1184. *Smilax glycyphylla* R. Br.
 40. 1534. *Bartholina pectinata* Lindl.
 41. 1594. *Glossodia major* R. Br.
 42. 1650. *Ravenala madagascariensis* Sonner.
 43. 2068. *Gyrocarpus sphenopteris* R. Br.
 44. 2066. *Litsaea Baueri* Endl.
 45. 2075. *Choretum glomeratum* R. Br.
 46. 2132. *Conospermum (Chilurus) teretifolium* R. Br.
 47. 2146. *Xylomelum pyriforme* Smith.
 48. }
- V. 49. 1106. *Centrolepis fascicularis* Labill.
 50. 1234. *Patersonia glauca* R. Br.
 51. 1593. *Caladenia carnea* R. Br.
 52. 2134. *Franklandia fucifolia* R. Br.
 53. 3062. *Heterotoma lobelioides* Zucc.
54. 3349. *Olea (Gymnelaea) apetalae* Vahl.
 55. 3350. *Notelaea ovata* R. Br.
 56. 3362. *Antonia pilosa* Hook.
 57. 3364. *(Logania (Euosma) floribunda* R. Br.
 58. *(Logania (Stomandra) pusilla* R. Br.
 59. 3378. *Melodinus Baueri* Endl.
 60. 3516. *Microstemma tuberosum* R. Br.
- VI. 61. 1153. *Tricoryne elatior* R. Br.
 62. 1978. *Deeringia celosioides* R. Br.
 63. 3444. *Hybanthera biglandulosa* Endl.
 64. 3456. *Sarcostemma australe* R. Br.
 65. 3733. *Myoporum obscurum* Endl.
 66. 3734. *Pholidia scoparia* R. Br.
 67. 3800. *Polymeria calycina* R. Br.
 68. 3902. *Anthocercis littorea* Labill.
 69. 4025. *Haberlea rhodopensis* Frivalds.
 70. 4105. *Sesamum indicum* Linn.
 71. 4112. *Argylia radiata* Don.
 72. 4189. *Anoplangium uniflorum* Endl.
- VII. 73. 1664/1. *Cynogeton Hügelii* Endl.
 74. 2075. *Leptomeria (Oxymeria) acida* R. Br.
 75. 3426. *Balfouria saligna* R. Br.
 76. 3727. *Hebenstreitia robusta* E. Mey.
 77. 3906. *Duboisia myoporoides* R. Br.
 78. 3960. *Büchnera urticifolia* R. Br.
 79. 4032. *Nelsonia campestris* R. Br.
 80. 4182. *Epiphegus americanus* Nutt.
 81. 4184. *Conopholis americana* Wallr.
 82. 4191. *Hyobanche sanguinea* Thunb.
 83. 4240. *Achras costata* Endl.
 84. 4264. *Columellia oblonga* Lindl.
- VIII. 85. 695. *Psilotum (Tmesipteris) Forsteri* Endl.
 86. 1884. *Böhmia australis* Endl.
 87. 1986. *Polygonum (Helxine) australe* A. Rich.
 88. 2502. *Wollastonia Forsteriana* DC.
 89. 3240. *Hedyotis (Anotis) gentianoides* Endl.
 90. 3275. *Cosmibuena ochracea* Endl.
 91. 3504/1. *Fockea capensis* Endl.
 92. 3736. *Stenochilus glaber* R. Br.
 93. 3944. *Anticharis Schimperii* Endl.
 94. 4072/1. *Russegera collina* Endl.
 95. 4106. *Calampelis scabra* Don.
 96. 4650. *Aphanopetalum resinosum* Endl.
- IX. 97. 1169. *Laxmannia gracilis* R. Br.
 98. 1253. *Haemodorum spicatum* R. Br.
 99. 1369. *Dendrobium teretifolium* R. Br.
 100. 1920/1. *Didymanthus Roëi* Endl.
 101. 3363/1. *Coelostylis loganioides* Torr. et A. Gr.
 102. 3931. *Mazus pumilio* R. Br.
 103. 3938. *Morgania pubescens* R. Br.
 104. 4047. *Ruellia bracteata* R. Br.
 105. 4097. *Hypoestes floribunda* R. Br.
 106. 4181. *Josephinia grandiflora* R. Br.
 107. 4680. *Roussea simplex* Smith.
 108. 5049. *Hymenanthera latifolia* Endl.

- X. 109. 1259¹. *Tribonanthes australis* Endl.
 110. 2130. *Adenanthus terminalis* R. Br.
 111. 3105. *Coprosma Baueri* Endl.
 112. 4629. *Eremosyne pectinata* Endl.
 113. 5035. *Byblis liniflora* Salisb.
 114. } 5103. *Modecca australis* R. Br.
 115. }
 116. } 5127. *Zehneria Baueriana* Endl.
 117. }

118. 5347. *Xeropetalum multiflorum* Endl.
 119. } 5628. *Plösslea floribunda* Endl.
 120. }
 121. 5754. *Pennantia corymbosa* Forst.
 122. } 5811. *Baloghia lucida* Endl.
 123. }
 124. 5812. *Ricinocarpus pinifolius* Desf.
 125. 6607. *Kotschya africana* Endl.

Index alphabeticus.

- Achras costata* Endl. 4240. VII. 83.
Acianthus fornicatus R. Br. 1589. II. 16.
Adenanthus terminalis R. Br. 2130. X. 110.
Anguillaria dioica R. Br. 1072. I. 3.
Anoplangthus uniflorus Endl. 4189. VI. 72.
Anthocercis littorea Labill. 3902. VI. 68.
Anticharis Schimper Endl. 3944. VIII. 93.
Antonia pilosa Hook. 3362. V. 56.
Aphanopetalum resinosum Endl. 4650. VIII. 96.
Argylia radiata Don. 4112. VI. 71.
Arthropodium paniculatum R. Br. 1164. III. 28.
Ascroë pentactina Endl. 357. I. 1.

Balfouria saligna R. Br. 3426. VII. 75.
Baloghia lucida Endl. 5811. X. 122, 123.
Bartholina pectinata Lindl. 1534. IV. 40.
Blandfordia nobilis Smith. 1104. III. 27.
Böhmeria australis Endl. 1884. VIII. 86.
Büchnera urticifolia R. Br. 3960. VII. 78.
Byblis liniflora Salisb. 5035. X. 113.

Caladenia carnea R. Br. 1593. V. 51.
Calampelis scabra Don. 4106. VIII. 95.
Calectasia cyanea R. Br. 1059. IV. 38.
Caleya major R. Br. 1598. I. 8.
Calochilus paludosus R. Br. 1580. II. 17.
Centrolepis fascicularis Labill. 1006. V. 49.
Centrostachys aquatica Wall. 1967. II. 20.
Choretrum glomeratum R. Br. 2075. IV. 45.
Coelachne pulchella R. Br. 882. I. 2.
Coelostylis loganioides Torr. et A. Gr. 3363¹. XI. 101.
Columellia oblonga Lindl. 4264. VII. 81.
Conopholis americana Wallr. 4184. VII. 81.
Conospermum ericifolium Smith } 2132. III. 31.
Conospermum teretifolium R. Br. } IV. 46.
Coprosma Baueri Endl. 3105. X. 111.
Corysanthes unguiculata R. Br. 1597. II. 18.
Cosmibuena ochracea Endl. 3275. VIII. 90.
Cryptostylis longifolia R. Br. 1579. II. 14.
Cycnogeton Hügelii Endl. 1664¹. VII. 73.

Deeringia celosioides R. Br. 1978. VI. 62.
Dendrobium teretifolium R. Br. 1369. IX. 99.

Didymanthus Röei Endl. 1920¹. IX. 100.
Diplacrum caricinum R. Br. 963. III. 25.
Doryphora Sassafras Endl. 2022. I. 10.
Duboisia myoporoides R. Br. 3906. VII. 77.

Epiphegus americanus Nutt. 4182. VII. 80.
Eremosyne pectinata Endl. 4629. X. 112.
Eriochilus autumnalis R. Br. 1592. I. 6.
Eustrephus latifolius R. Br. 1062. I. 4.

Fockea capensis Endl. 3504¹. VIII. 91.
Franklandia fucifolia R. Br. 2134. V. 52.
Fresenia leptophylla DC. 2374. III. 35.

Gastrodia sesamoides R. Br. 1544. I. 5.
Glossodia major R. Br. 1594. IV. 41.
Grevillea riparia R. Br. 2143. III. 33.
Gymnostachys anceps R. Br. 1707. I. 9.
Gyrocarpus sphenopterus R. Br. 2068. IV. 43.

Haberlea rhodopensis Fridw. 4025. VI. 69.
Hackea acicularis R. Br. 2144. II. 24.
Haemodorum spicatum R. Br. 1253. IX. 98.
Hebenstreitia robusta E. Mey. 3727. VII. 76.
Hedyotis gentianoides Endl. 3240. VII. 89.
Heterotoma lobelioides Zucc. 3062. V. 53.
Hoplophyllum spinosum DC. 2213. III. 34.
Hybanthera biglandulosa Endl. 3444. VI. 63.
Hydrocleis Commersoni Rich. 1045. IV. 37.
Hymenanthera latifolia Endl. 5049. IX. 108.
Hyobanche sanguinea Thunb. 4491. VII. 82.
Hypöestes floribunda R. Br. 4097. IX. 105.

Josephinia grandiflora R. Br. 4481. IX. 106.

Kotschya africana Endl. 6607. X. 125.

Laxmannia gracilis R. Br. 1169. IX. 97.
Leptomeria acida R. Br. 2075. VII. 74.
Limnocharis Plumierii Rich. 1046. III. 26.
Litsea Baueri Endl. 2066. IV. 44.
Logania floribunda R. Br. } 3364. V. 57.
Logania pusilla R. Br. } V. 58.
Lyperanthus nigricans R. Br. 1596. I. 7.

XVI

<i>Madaria corymbosa</i> DC.	2629.	III.	36.	<i>Ricinocarpus pinifolius</i> Desf.	5812.	X.	124.
<i>Mazus Pumilio</i> R. Br.	3931.	IX.	102.	<i>Rousseia simplex</i> Smith.	4680.	IX.	107.
<i>Melodinus Baueri</i> Endl.	3378.	V.	59.	<i>Ruellia bracteata</i> R. Br.	4047.	IX.	104.
<i>Microstemma tuberosum</i> R. Br.	3516.	V.	60.	<i>Ruizia fragrans</i> Pav.	2019.	II.	21.
<i>Microtis parviflora</i> R. Br.	1588.	II.	15.	<i>Russegera collina</i> Endl.	4072/1.	VIII.	94.
<i>Modecca australis</i> R. Br.	5103.	X.	114. 115.				
<i>Morgania pubescens</i> R. Br.	3938.	IX.	103.	<i>Sarcostemma australe</i> R. Br.	3456.	VI.	64.
<i>Myoporum obscurum</i> Endl.	3733.	VI.	65.	<i>Sesamum indicum</i> Linn.	4105.	VI.	70.
				<i>Smilax glycyphylla</i> R. Br.	1184.	IV.	39.
<i>Nelsonia campestris</i> R. Br.	4032.	VII.	79.	<i>Stenochilus glaber</i> R. Br.	3736.	VIII.	92.
<i>Notelaea ovata</i> R. Br.	3350.	V.	55.	<i>Stirlingia anethifolia</i> Endl.	2133.	II.	23.
				<i>Symphyonema paludosum</i> R. Br.	2131.	I.	12.
<i>Olea apetala</i> Vahl.	3349.	V.	54.	<i>Synaphea dilatata</i> R. Br.	2131.	III.	32.
<i>Patersonia glauca</i> R. Br.	1234.	V.	50.	<i>Thelychiton argyropus</i> Endl.	1616.	III.	29.
<i>Pennantia corymbosa</i> Forst.	5754.	X.	121.	<i>Tribonanthus australis</i> Endl.	1259/1.	X.	109.
<i>Pholidia scoparia</i> R. Br.	3734.	VI.	66.	<i>Tricoryne elatior</i> R. Br.	1153.	VI.	61.
<i>Pimelea punicea</i> R. Br.	2098.	I.	11.				
<i>Pisonia grandis</i> R. Br.	2012.	III.	30.	<i>Wikströmia australis</i> Endl.	2105.	II.	22.
<i>Plösslea floribunda</i> Endl.	5628.	X.	119. 120.	<i>Wollastonia Forsteriana</i> DC.	2502.	VIII.	88.
<i>Polygonum australe</i> A. Rich.	1986.	VIII.	87.				
<i>Polymeria calycina</i> R. Br.	3800.	VI.	67.	<i>Xeropetalum multiflorum</i> Endl.	5347.	X.	118.
<i>Psilotum Forsteri</i> Endl.	695.	VIII.	85.	<i>Xylomelum pyriforme</i> Smith.	2146.	IV.	47. 48.
<i>Putranjiva Roxburghii</i> Wall.	1894.	II.	19.	<i>Xyris operculata</i> Labill.	1025.	II.	13.
<i>Ravenala madagascariensis</i> Smith.	1650.	IV.	42.	<i>Zehneria Baueriana</i> Endl.	5127.	X.	116. 117.

Ascröe pentactina E.

Coelachne pulchella R. Br.

Anguillaria dioica R.Br.

Eustrephus latifolius R. Br.

Ferd. Bauer del.

Schwarz sc. (11)

Gastrodia sesamoides R.Br.

Eriochilus autumnalis R. Br.

Lyperanthus nigricans R.Br.

Ferd. Bauer del.

Caleyia major R. Br.

Sehart sc. (8)

Aroideæ.

Acoroideæ. (1707.)

Gymnostachys anceps R. Br.

Ferd. Bauer del.

Gelhart sc. (9)

Doryphora Sassafras. E.

A. Patterick del.

Schubert sc. (10)

Pimelea (Thecanthes) punicea R. Br.

Symphyonema montanum R. Br.

Xyridex.

(1025)

Xyris (Pomatogyris) operculata Lab.

Ford. Bauer del.

Gelhart sc. (13)

Microtis parviflora R. Br.

Acianthus fornicatus R.Br.

F. Bauer del.

Geikart sc. (16.)

Cryptostylis longifolia R.Br.

Corysanthes (Steleocorys) unguiculata R. Br.

Gelhart co. (18.)

Putranjiva Roxburghii Wall.

Amarantaceae.

Aerva (1967)

Centrostachys aquatica Wall.

Kochner del.

Schubert sc. (20)

Ruizia fragrans Pav.

Zehner del.

Gelbhart sc. (21.)

Ferd. Bauer del.

Wickströmia australis E.

Geibhart sc. (22)

Stirlingia anethifolia E.

Ford, Bauer del.

Gelhart sc. (23)

Hackea acicularis.

Ford. Bauer del.

Gebhart sc. (214)

Diplacrum caricinum R. Br.

Limnocharis Plumieri Rich.

Blandfordia nobilis Sm.

Liliaceæ.

Anthericeæ. (1164)

Arthropodium paniculatum Andr.

Ford. Bauer del.

Solhart sc. (251)

Ferd. Bauer del.

Thebychiton argyropus E.

Schacht sc. (29)

Pisonia grandis R.Br.

Conospermum (Euconospermum) ericifolium Sm.

Hoplophyllum spinosum DC.

Madaria corymbosa DC.

Hydrocleis Commersonii Rich.

Calectasia cyanea R.Br.

Smilacaceae.

Convallariaceae (184)

Smilax glycyphylla R.Br.

Schacht sc. (39)

Orchideæ.

Ophrydeæ (1534.)

Bartholina pectinata Lindl.

Ford, Bauer del.

Seibert sc. (40.)

Gloesodia major R.Br.

Ravenala madagascariensis Sonner.

Gyrocarpea.

(2003)

Gyrocarpus sphenopterus R. Br.

Laurineæ.

Daphnidiinæ (2066)

Litsaea Baueri E.

Gebhart 20. (44)

Choretum glomeratum R. Br.

Ferd. Bauer del.

Gelhardt sc. (45.)

Conospermum (Chilurus) teretifolium R.Br.

Ford, Bauer del.

Gebrüder sc. (46)

Xylomelum pyriforme Sm.

Proteaceæ.

Hakeaæ (2146)

Xylomelum pyrifforme Sm.

Ferd. Bauer del.

Sehant sc. (48)

Iridaceæ.

(1234)

Patersonia glauca. R. Br.

Ferd. Bauer del.

Gebhart sc. (50)

Caladenia carnea R. Br.

Franklandia fucifolia. R.Br.

Heterotoma lobelioides. Zucc.

Oleaceæ.

Oleineæ (3349. a.)

Olea (Gymnelaea) apetala Vahl.

Ferd. Bauer del.

Schubart sc. (54.)

Notelaea orata R.Br.

Antonia pilosa. Hook.

Loganiaceae.

Euloganiaceae (3364. b.)

Logania (Euosma) floribunda. R.Br.

Gobhart sc. (57.)

Loganiaceæ.

Enloganiæ (3364. c)

Logania (Stomandra) pusilla R.Br.

Ferd. Bauer del.

Seebart sc. (58)

Apocynaceae.

Carisseae (3378)

Melodinus Baueri E.

Ferd. Bauer del.

Sehbart sc. (59)

Liliaceæ.

Asphodeleæ. (1153.)

Amarantaceæ.

Celosia (1978.)

Deeringia celosioides. R. Br.

Ferd. Bauer del.

Gebhardt sc. 162.

Asclepiadeæ.

Cynancheæ (3444)

Hybanthera biglandulosa. E.

Ferd. Bauer del.

Schhart sc. (63.)

Asclepiadeæ.

Cynanchææ. (3456)

Sarcostemma australe. R.Br.

Ferd. Bauer del.

Gelhart sc. (64)

Myoporum obscurum. E.

Pholidia scoparia. R. Br.

Convolvulaceae.

Convolvulæ. (3800.)

Polymeria calycina. R.Br.

Bauer del.

Selhartsc. (67.)

Scrophularinæ.

Salpiglossidæ. (3902.)

Anthocercis littorea Lab.

Ferd. Bauer del.

Gebhardt sc. (68)

Scrophularineis affines.
(4025.)

Haberlea rhodopensis. Friv.

St. Pütterlich del.

Seibert sc. (69)

Sesamum indicum L.

Argylia radiata. Don.

Kuhn del.

Gelhart sc. (71.)

Najadeae.

(1864.)
7.

Cycnogeton Hügelii. E.

J. Zehner del.

Sehant so. (73)

Apocynaceæ.

Echiteæ. (3426)

Ferd. Bauer del.

Balfouria saligna. R. Br.

Sehant sc. (75)

Scrophularineæ.

Salpiglossideæ (3906)

Ford. Bauer del.

Duboisia myoporoides. R. Br.

Solhwa sc. (77)

Scrophularinæ.

Buchnerææ. (2960.)

Buchnera urticifolia. R. Br.

Ferd. Bauer del.

Gobhart sc. (78.)

Nelsonia campestris. R. Br.

Epiphegus americanus. Nutt.

Achras costata E.

Columellia oblonga. Lindl.

A. Peterlick del.

Gelhart sc. (84.)

Cosmibuena ochracea. E.

Stenochilus glaber. R.Br.

Psilotum (Imesipteris) Forsteri. E.

Ford. Bauer del.

Sehart sc. (85)

Böhmeria australis. E.

Polygoneæ.

Polygoneæ veræ. (1986.)

Polygonum australe. A. Rich.

Ferd. Bauer del.

Gebhardt, oc. (87.)

Wollastonia Forsteriana. DC.

Anticharis arabica. E.

Butterlick del.

Gelhardt sc. (93)

Russeggera collina. E.

Putterlick del.

Sehant sc. (94)

Saxifragaceæ.

Cunoniæ. (4650.)

Aphanopetalum resinosum. E.

Ferd. Bauer del.

Schacht sc. (96.)

Haemodorum spicatum. R. Br.

Dendrobium teretifolium. R. Br.

Chenopodææ.

Cyclolobeæ. (1920)
7

Didymanthus Roëi Endl.

Butterlick del.

Sehara sc. (100)

Coelostylis loganioides. Torr. et Gr.

A. Putterlick del.

Gelhart sc. (101)

Mazus Pumilio. R. Br.

Morgania pubescens. R. Br.

Acanthaceæ.

Ruellieæ. (4047.)

Ruellia bracteata. R. Br.

Ferd. Bauer del.

Gebhart sc. (104)

Acanthaceae.

Diclipteraceae. (4097)

Ford, Bauer del.

Hypoestes floribunda. R.Br.

Sehart sc. (405)

Rousseia simplex. Smith.

Ed. Fernal del.

Gelbart sc. (107.)

Hymenanthera latifolia. E.

Tribonanthes australis. Endl.

Dutterlisch del.

Selhart sc. (109)

Adenanthos terminalis. R. Br.

Coprosma Baueri. E.

Bauer del.

Seibert sc. (111)

Byblis liniflora. Salisb.

Modecca australis. R. Br. ♂

Modecca australis. R. Br. ♀

Zehneria Baueriana. E. ♂

Cucurbitaceæ.

Melothriæ. (5127)

Lechneria Bauermana. E. ♀

Ferd. Bauer del.

Schubert sc. 1847

Sapindaceae.

(5628.)

Plösslea floribunda. Endl.

Butterlick del.

Gebhart sc. (119.)

Plösslea floribunda. Endl.

Rhamneis affines.

(5754)

Pennantia corymbosa. Forst.

Ferd. Bauer del.

Selhart sc. (121.)

Euphorbiaceae.

Crotonae.
(5811.)

Baloghia lucida. Endl. ♂

Ferd. Bauer del.

Sehbart sc. (122.)

Ricinocarpus pinifolius. Desf.