**CIHM
Microfiche
Series
(Monographs)**

**ICMH
Collection de
microfiches
(monographies)**

Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques

© 1997

Technical and Bibliographic Notes / Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming are checked below.

- ☒ Coloured covers / Couverture de couleur
- ☐ Covers damaged / Couverture endommagée
- ☐ Covers restored and/or laminated / Couverture restaurée et/ou pelliculée
- ☐ Cover title missing / Le titre de couverture manque
- ☐ Coloured maps / Cartes géographiques en couleur
- ☐ Coloured ink (i.e. other than blue or black) / Encre de couleur (i.e. autre que bleue ou noire)
- ☐ Coloured plates and/or illustrations / Planches et/ou illustrations en couleur
- ☐ Bound with other material / Relié avec d'autres documents
- ☐ Only edition available / Seule édition disponible
- ☐ Tight binding may cause shadows or distortion along interior margin / La reliure serrée peut causer de l'ombre ou de la distorsion le long de la marge intérieure.
- ☐ Blank leaves added during restorations may appear within the text. Whenever possible, these have been omitted from filming / Il se peut que certaines pages blanches ajoutées lors d'une restauration apparaissent dans le texte, mais, lorsque cela était possible, ces pages n'ont pas été filmées.
- ☐ Additional comments / Commentaires supplémentaires:

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- ☐ Coloured pages / Pages de couleur
- ☐ Pages damaged / Pages endommagées
- ☐ Pages restored and/or laminated / Pages restaurées et/ou pelliculées
- ☒ Pages discoloured, stained or foxed / Pages décolorées, tachetées ou piquées
- ☐ Pages detached / Pages détachées
- ☒ Showthrough / Transparence
- ☐ Quality of print varies / Qualité inégale de l'impression
- ☐ Includes supplementary material / Comprend du matériel supplémentaire
- ☐ Pages wholly or partially obscured by errata slips, tissues, etc., have been refilmed to ensure the best possible image / Les pages totalement ou partiellement obscurcies par un feuillet d'errata, une pelure, etc., ont été filmées à nouveau de façon à obtenir la meilleure image possible.
- ☐ Opposing pages with varying colouration or discolourations are filmed twice to ensure the best possible image / Les pages s'opposant ayant des colorations variables ou des décolorations sont filmées deux fois afin d'obtenir la meilleure image possible.

This item is filmed at the reduction ratio checked below /
Ce document est filmé au taux de réduction indiqué ci-dessous.

10x	14x	18x	22x	26x	30x
☐	☐	☐	☐	☒	☐
12x	16x	20x	24x	28x	32x

The copy filmed here has been reproduced thanks to the generosity of:

Stauffer Library
Queen's University

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shell contain the symbol $\longrightarrow$ (meaning "CONTINUED"), or the symbol ∇ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:

1	2	3
---	---	---

1	2
4	5

L'exemplaire filmé fut reproduit grâce à la
générosité de:

Stauffer Library
Queen's University

Les images suivantes ont été reproduites avec le
plus grand soin, compte tenu de la condition et
de la netteté de l'exemplaire filmé, et en
conformité avec les conditions du contrat de
filmage.

Les exemplaires originaux dont la couverture en
papier est imprimée sont filmés en commençant
par le premier plat et en terminant soit par la
dernière page qui comporte une empreinte
d'impression ou d'illustration, soit par le second
plat, selon le cas. Tous les autres exemplaires
originaux sont filmés en commençant par la
première page qui comporte une empreinte
d'impression ou d'illustration et en terminant par
la dernière page qui comporte une telle
empreinte.

Un des symboles suivants apparaîtra sur la
dernière image de chaque microfiche, selon le
cas: le symbole → signifie "A SUIVRE", le
symbole ∇ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être
filmés à des taux de réduction différents.
Lorsque le document est trop grand pour être
reproduit en un seul cliché, il est filmé à partir
de l'angle supérieur gauche, de gauche à droite,
et de haut en bas, en prenant le nombre
d'images nécessaire. Les diagrammes suivants
illustrent la méthode.

MICROCOPY RESOLUTION TEST CHART

(ANSI and ISO TEST CHART No. 2)

APPLIED IMAGE Inc

1653 East Main Street
Rochester, New York 14609 USA
(716) 482 - 0300 - Phone
(716) 288 - 5989 - Fax

REPORT
OF THE
CANADIAN ARCTIC EXPEDITION
1913-18

VOLUME VII: CRUSTACEA

PART C: CUMACEA

By W. T. CALMAN

SOUTHERN PARTY—1913-16

OTTAWA
THOMAS MULVEY
PRINTER TO THE KING'S MOST EXCELLENT MAJESTY
1920

Issued October 15, 1920

G
1670
1913
C21
V.007
pt.1
c.2

Report of the Canadian Arctic Expedition, 1913-18.

VOLUME VII: CRUSTACEA

- Part A: DECAPOD CRUSTACEANS. By Mary J. Rathbun.....(*Issued August 18, 1919*).
Part B: SCHIZOPOD CRUSTACEANS. By Waldo L. Schmitt. (*Issued September 22, 1919*).
Part C: CUMACEA. By W. T. Calman.....(*In press*).
Part D: ISOPODA. By Miss P. L. Boone.....(*In press*).
Part E: AMPHIPODA. By Clarence R. Shoemaker.....(*Issued September 7, 1920*).
Part F: PYCNOGONIDA. Leon J. Cole.....(*In press*).
Part G: EUPHYLLOPODA. By F. Johansen.....(*In preparation*).
Part H: CLADOCERA. By Chancey Juday.....(*Issued June 23, 1920*).
Part I: OSTRACODA. By R. W. Sharpe.....(*In preparation*).
Part J: FRESHWATER COPEPODA. By C. Dwight Marsh.....(*Issued April 21, 1920*).
Part K: MARINE COPEPODA. By A. Willey.....(*Issued June 25, 1920*).
Part L: PARASITIC COPEPODA. By Charles B. Wilson.....(*Issued August 6, 1920*).
Part M: CTERIPEDIA. By H. A. Pilsbry.....(*In preparation*).

DOUGLAS
LIBRARY

QUEEN'S UNIVERSITY
AT KINGSTON

KINGSTON ONTARIO CANADA

REPORT
OF THE
CANADIAN ARCTIC EXPEDITION
1913-18

VOLUME VII: CRUSTACEA

PART C: CUMACEA

By W. T. CALMAN

SOUTHERN PARTY—1913-16

OTTAWA
THOMAS MULVEY
PRINTER TO THE KING'S MOST EXCELLENT MAJESTY
1920

Cumacea of the Canadian Arctic Expedition 1913-1918.¹

By W. T. CALMAN, D. Sc.

Department of Zoology, British Museum (Natural History).

The collection of these Crustacea obtained by Mr. F. Johansen during the Canadian Arctic Expedition although small is of considerable interest as coming from a region hitherto quite unexplored in respect of this and most other groups of marine animals.

The full synonymy of the species mentioned will be found in Stebbing's revision of the Cumacea (Das Tierreich, Lief. 39, 1913). Some important records of distribution have since been published by Hansen (Danish Ingolf-Expedition, Vol. III, 6 (Malacostraca IV.) 1920). Most of the American records are quoted in my paper on the Cumacea of the U. S. National Museum (Proc. U. S. Nat. Mus., XLII, 1912, p. 603).

Diastylis rathkii Krøyer.

Locality. "Station 18a, Goulbourn point, Bathurst inlet, Northwest Territories, about lat. 67° 35' N., long. 108° 40' W., May, 1916. From stomach of *Collus quadricornis*." 1 female.

Remarks. The partially digested specimen is not in a condition to permit accurate determination of specific characters, but from its size (19 mm.) and from the absence of a marked gap between the 2nd and 3rd legs it may be referred to this widely distributed species rather than to *D. sulcata*.

To the synonymy of this species should, I think, be added *Alanna uncinata* Baird (in Sutherland's "Journ. Voy. Ballin's Bay", 1852, Vol. II, Appendix, p. civ, text-fig. 2). The specimen, which was from Assistance bay, Cornwallis island, Barrow strait (about lat. 75° N., long. 95° W.) is not to be found in the British Museum collection, but from the figure, it almost certainly belonged to *D. rathkii*.

Diastylis sulcata Calman.

Locality. Station 27s, "Collinson point, Alaska, lat. 69° 59' 06" N., long. 144° 49' 57" W., 3rd October, 1913. About 3 fathoms. Mud with algae." Many specimens.

Remarks.—The females, none of which is ovigerous, agree very closely with the specimens which I described (Proc. U.S. Nat. Mus. XLII, 1912, p. 654) from an Alaskan locality far to the south-west of that now recorded. The adult males, all of which are badly damaged, differ from typical males of *D. rathkii* in the rather more elongated carapace. The ridge crossing the dorsal surface behind the ocular lobe is less marked than in the female and bears no teeth, but the vertical continuation of it on the side of the carapace is strong and serrated and is continued, below the lateral keel of the carapace, to the upper lip of a deep supra-marginal furrow.

In neither sex have I been able to perceive pigment or any distinct evidence of ocular structure on the small ocular lobe. In preserved specimens of *D. rathkii*, however, the eye is no more distinct than it is here, and the use made of this character by Stebbing (Das Tierreich, Cumacea, p. 90) for separating the two species is not justified.

Diastylis sulcata var.

Localities.—Station 28o, "Collinson Point, Alaska, 8th July 1914. From stomach of *Sabellinus malmi*." Many females (some ovigerous) and young males.

¹ Published by permission of the Trustees of the British Museum.

Station 27c. "Lagoon-bay at Collinson point, Alaska, 15th September 1913. 0-1 foot of water." 1 adult male.

Remarks.—The females and young males from the first-named locality differ from typical specimens of *D. sulcata* in lacking the furrow from which the species takes its name. While the spiniferous ridge crossing the frontal lobe is well-marked, its vertical continuation on the side of the carapace is indistinct, and there is no horizontal ridge or furrow above the lower margin. The only other differences worthy of mention are that the postero-lateral prolongations of the last thoracic somite are shorter and less acute, and that the telson, instead of being longer than the peduncles of the uropods, is a little shorter.

On the other hand the specimens agree with *D. sulcata* and differ from *D. rathkii* in the less inflated form of the carapace, which is smooth except for the transverse row of spinules on the frontal lobe, and in the greater backward prolongation of the side-plates of the third and fourth free thoracic somites, leading to a marked separation between the second and third pairs of legs. It must be admitted that these differences of facies are hard to define with precision and are unconvincing as a ground for specific separation. Although the specimens appear to me to resemble the types of *D. sulcata* more closely than they do any of the forms of the polymorphic *D. rathkii* with which I have compared them, they justify a strong suspicion that *D. sulcata* may be, at most, only a local race of that species.

The male from lagoon bay, lacking the supra-marginal furrow of the typical males of *D. sulcata* described above, approaches *D. rathkii* even more closely than do the females and it is only recorded here because of its agreement in size with the females found in the same neighbourhood.

Diastylis goodsiri (Bell).

Locality.—Station 43a. "Off Cockburn point, Dolphin and Union strait, Northwest Territories, about lat. $68^{\circ} 50'$ N., long. 115° W., 13th September, 1915. About 50 fathoms. Mud with pebbles; no algæ." 1 male, 1 female, both immature. "Uniformly white-grey coloured."

Remarks.—The distribution of this conspicuous and well-known species is given in detail by Hansen (Ingolf Malacostraca, IV, 1920, p. 58). The present record extends its known range somewhat to the west but there remains a large gap towards the eastern record of 116° E. (Stuxberg). Further research may diminish or obliterate this gap, but it appears significant that the species was not found among the rich Alaskan and Bering sea collections of the U.S. National Museum (Calman, Proc. U.S. Nat. Mus., XLI, 1912, p. 662).

Diastylis spinulosa Heller.

Locality.—Station 43a. "Off Cockburn point, Dolphin and Union Strait, Northwest Territories, about lat. $68^{\circ} 50'$ N., long. 115° W., 13th September, 1915. About 50 fathoms. Mud with pebbles, no algæ." 1 female (broken).

Remarks.—The specimen is very fragmentary, but, in spite of the presence, on the surviving portions of the carapace, of more numerous spinules than are usually attributed to this species, there can be little doubt as to its identification. The species has not been recorded west of $74^{\circ} 20'$ W., or east of $83^{\circ} 8'$ E.