Historic, archived document

Do not assume content reflects current
scientific knowledge, policies, or practices.

1
Ag 847M
cop. 2

SUPPLEMENT
to
INSECT ENEMIES OF EASTERN FORESTS
(Miscellaneous Publication 657)
INDEX TO INSECTS BY HOST PLANTS

By
J. V. SCHAFFNER, JR., Entomologist
Division of Forest Insect Investigations
Bureau of Entomology and Plant Quarantine
Agricultural Research Administration

United States Department of Agriculture
Washington, D. C.

Supplement
to
Insect Enemies of Eastern Forests
(Miscellaneous Publication 657)
Index to Insects by Host Plants

This publication is a supplement to Miscellaneous Publication 657, Insect Enemies of Eastern Forests, issued December 1949. Copies of that volume may be obtained from the Superintendent of Documents, Washington 25, D. C., price \$2.75.

For sale by the Superintendent of Documents, U. S. Government Printing Office
Washington 25, D. C. - Price 15 cents

Issued October 1953

INDEX TO INSECTS BY HOST PLANTS

By J. V. SCHAFFNER, JR., *Entomologist, Division of Forest Insect Investigations, Bureau of Entomology and Plant Quarantine, Agricultural Research Administration*

This index by host plants has been prepared to enable foresters and others not trained in entomology to identify an insect that is causing damage to a particular kind of tree or shrub. Only those insects having definite host plants are included. Parasitic and predaceous insects and those species for which no host plant is given can be found in the general index.

Under each host plant the insects are grouped according to the type of injury that they cause—as bark feeders, borers, flower feeders, gall insects, leaf feeders, mites, mound-building ants, root feeders, and sucking insects. No attempt has been made to separate the insects into orders or genera. The common names of the insects are used, and for those not having a common name the scientific name is given. Where more than one page reference is given for an insect, the page on which the insect is discussed is in boldface type.

Acaela—
borer, bark—
Cryptocleptes dislocatus, 326
borers, wood—
huisache girdler, 257
mesquite borer, 242
Thysanoes Jimbricornis, 326
sucking insects—
cottony-cushion scale, 139, 140
oleander scale, 143
Ailanthus—
Atteva aurea, 487
cynthia moth, 377, 378
Alder—
borer, root—
Sthenopsis argenteomaculatus, 505
borers, wood—
alder borer, 230, 232, 267
Dicerca lurida, 195
pugionata, 195
fig-tree borer, 262
poplar and willow borer, 286-287
Ptychodes, 233, 262
Sinodendron rugosum, 170
leaf feeders—
beetles—
alder flea beetle, 277
Attelabinae, 292
Chrysomela interrupta, 274
tremulae, 274
cottonwood leaf beetle, 274
leaf-rolling weevils, 292
moths—
Acrobasis rubrifasciella, 451
Aceronia distans, 392
impressa, 392
Apateles torrefacta, 420
birch casebearer, 491
chain-spotted geometer, 436
gypsy moth, 408-412
Hyperetis amicarica, 433
smeared dagger moth, 393
spotted tussock moth, 386

Alder—Continued
leaf feeders—Continued
sawflies—
birch leaf-mining sawfly, 566
elm sawfly, 562-564
European alder leaf miner, 569
giant American sawfly, 562-564
Pteronidea alnivora, 576
striped alder sawfly, 572
sucking insects—
aphids—
Myzocallis alnifoliae, 110, 129
woolly alder aphid, 110, 132
lacebugs—
alder lacebug, 117
leafhoppers—
Alebra, 120
Empoasca, 120
Erythroneura, 120
Oncopsis, 120
Typhlocyba, 120
Psylla floccosa, 124
galeaformis, 124
Andromeda—
Datana major, 398
Angelica, Japanese (*Aralia elata*)—
borer, wood—
Sinodendron rugosum, 170
sucking insect—
cottony maple scale, 144
Apple—
borers, bark and phloem—
beetles—
Agilus vittaticollis, 192
Scolytus sulcatus, 312
moths—
Marmara spp., 492
borer, fruit—
apple maggot, 524
borers, wood—
beetles—
apple twig borer, 226
flatheaded apple tree borer, 31, 194
Hyemenor spp., 215
roundheaded apple tree borer, 233, 264

Apple—Continued
borers, wood—Continued
horntail—

- pigeon tremex, 588
- leaf feeders—
beetles—
European snout beetle, 291
- butterflies and moths—
Acrionia distans, 392
impressa, 392
- American dagger moth, 392
- Amorbia humerosana*, 476
- apple and thorn skeletonizer, 485
- apple bucculatrix, 495
- Basilarchia arthemis*, 370
astyanax, 370
- brown-tail moth, 412-414
- cecropia moth, 377
- cigar casebearer, 489
- cleft-headed spanworm, 432
- Datana major*, 398
- eastern tent caterpillar, 416-418
- Euchlaena serrata*, 433
- eye-spotted bud moth, 471
- fall cankerworm, 422-424
- filament bearer, 433
- four-lined leaf roller, 483
- green fruitworm, 394
- gyssy moth, 408-412
- hickory tussock moth, 385-386
- Lagon crispata*, 444
- linden looper, 432
- Lycia ursaria*, 432
- Olene atomaria*, 408
basiflava, 408
vagans, 408
- oriental moth, 441-442
- Orthosia hibisci*, 394
- palmerworm, 460
- Paonias excaecatus*, 375
- pepper and salt moth, 432
- Prochoerodes transversata*, 437
- red-humped caterpillar, 404
- saddled prominent, 403
- Schizura ipomoeae*, 405
leptinodes, 405
- smearer dagger moth, 393
- Smerinthus jamaicensis*, 375
- Sphinxz drupiferarum*, 374
gordius, 374
- spotted tussock moth, 386
- spring cankerworm, 422, 424-425
- Synchlora aerata*, 424
- tiger swallowtail, 368
- Tolyte velleda*, 419
- unicorn caterpillar, 405
- white-marked tussock moth, 406
- yellow-necked caterpillar, 398
- sucking insects—
gall aphids, 109
- woolly apple aphid, 129-130
- Aralia elata*. See Angelica, Japanese.
- Arborvitae (cedar, northern white)—
borers, bark and phloem—
cedar bark beetles, 320-321
- northern cedar bark beetle, 321
- borers, wood—
ants—
black carpenter ant, 622-625
- beetles—
Gnathotrichus materiarius, 340
- Trypodendron bivittatum*, 339
- leaf feeders—
moths—
arborvitae leaf miner, 487-488
- Argyresthia freyella*, 487
- bagworm, 438
- hemlock looper, 434
- Recurvaria thujaella*, 457-458, 487
- sawfly—
Monoctenus melliceps, 550
- sucking insects—
brown elm scale, 145-146
- European fruit lecanium, 145-146
- juniper scale, 151
- Aristolochia*. See Dutchman's pipe.
- Ash—
borers, bark and phloem—
eastern ash bark beetle, 323
- white-banded ash bark beetle, 323

Ash—Continued
borers, wood—
beetles—

- Allobates pennsylvanica*, 218
- apple twig borer, 223, 226
- ash and privet borer, 26, 269
- banded ash borer, 253, 254
- Chrysobothris seesignata*, 195
- Haplodandrus femoratus*, 218
- ivory-marked beetle, 245
- lesser grain borer, 227
- Lobopoda punctulata*, 216
- Lyctus* spp., 227-228
- Meracantha contracta*, 218
- Merinus laevis*, 218
- Neoclytus* spp., 235, 253
- painted hickory borer, 242-243
- powder-post beetles, 222-228
- red-headed ash borer, 253-255
- Scotobates calcaratus*, 218
- Tylonotus bimaculatus*, 26, 232, 233, 269
- Uloa imberbis*, 218
- Xylopinus aeneus*, 218
superdoides, 218
- moths—
ash borer, 464
- carpenter worm, 497
- liac borer, 465
- gall insects—
ash bullet gall, 513
- ash midrib gall, 514
- leaf feeders—
beetles—
Phyllophaga ilicis, 179
vehemens, 176
- butterflies and moths—
Apatelodes angelica, 421
- cecropia moth, 377, 378
- Ceratomia undulosa*, 372, 373
- forest tent caterpillar, 418-419
- fruit tree leaf roller, 478
- green fruitworm, 394
- notched-wing geometer, 436
- Orthosia hibisci*, 394
- promethea moth, 378, 379
- Sphinxz cheris*, 374
kalmiae, 374
- tiger swallowtail, 368
- Tolyte velleda*, 419
- sawflies—
black-headed ash sawfly, 581
- brown-headed ash sawfly, 581
- root feeder—
Xyloryctes satyrus, 183
- sucking insects—
boxelder bug, 118
- lacebug—
sycamore lacebug, 115
- Neoborus amoenus*, 118
- scales—
brown elm scale, 145-146
- cottony maple scale, 144
- English ivy scale, 143
- European fruit lecanium, 145-146
- oystershell scale, 151
- Putnam scale, 148
- scurfy scale, 149
- Tetraleurodes mori*, 139
- whiteflies, 139
- Aspen. See Poplar.
- Australian pine. See Casuarina.
- Azalea—
borer, wood—
rhododendron stem borer, 231, 255
- leaf feeders—
Acrionia distans, 392
impressa, 392
- Datana major*, 398
- sucking insect—
rhododendron lacebug, 117
- Bamboo—
bamboo borer, 236, 240, 254
- Dinoderus minutus*, 226
- Barberry—
leaf feeders—
beetle—
Pseudocneorrhinus setosus, 290
- moth—
Omphalocera dentosa, 445-446

Basswood (linden)—
 borers, bark and phloem—
 native elm bark beetle, 323
Pseudothysanodes drakei, 326
rigidus, 326
 borers, wood—
 flatheaded sycamore-heartwood borer, 193
 linden borer, 233, 235, 268
Platypus compositus, 342
Polycaon stouti, 226
 twig girdler, 257
Xiphydria abdominalis, 587
 gall insects—
Contarinia tiliarum, 520
 linden bark gall fly, 522
 twig gall midge, 520
 wart gall, 520
 leaf feeders—
 beetles—
Baliosus ruber, 273, 278
Phyllophaga futilis, 178
nitida, 176
 butterflies and moths—
 American dagger moth, 392
Basilarchia arthemis, 370
astyanax, 370
 basswood leaf roller, 445
Ceratonia amyntor, 372
Datana drezei, 398
 elm spanworm, 434
 gypsy moth, 408-412
Heterocampa manteo, 404
 lime tree winter moth, 432
 linden looper, 432
Melanolopia canadaria, 429
 notched-wing geometer, 436
 polyphemus moth, 378, 379
 red-humped oak worm, 401-403
 snow-white linden moth, 434
Symmerista albifrons, 403
Tolyte velleda, 419
 white-marked tussock moth, 406
 yellow-necked caterpillar, 398
 sawflies—
 elm sawfly, 562-564
 giant American sawfly, 562-564
 mite—
 European red mite, 66
 sucking insects—
 aphids—
Longistigma caryae, 127
Therioaphis tiliae, 111, 129
 lacebug—
 walnut lacebug, 117
 scale—
 Putnam scale, 148
 Bay—
 borer, wood—
Micracis nanula, 325
 sucking insect—
 tuliptree scale, 144
 Bayberry—
Acrobasis comptoniella, 450
 chain-spotted geometer, 436
Lagoa crispata, 444
Sphinx gordius, 374
 Beach plum—
Sphinx drupiferarum, 374
 Beech, American and European—
 borers, bark and phloem—
Agrilus arcuatus, 191
 beech bark beetle, 313
 bronze birch borer, 191
 cambium curculio, 289
Dryocetes betulae, 294, 336
Pseudopityophthorus fagi, 327
pruiniosus, 327
 two-lined chestnut borer, 190
 borer, nut—
 filbertworm, 474
 borers, wood—
Actenodes acornis, 197
Anisandrus obesus, 341
minor, 341
 beech and birch girdler, 269-270
Buprestis rufipes, 193
Chrysobothris seszignata, 195
 Columbian timber beetle, 338
Euparius marmoreus, 281
Eusphyrus walshii, 281
 flatheaded sycamore-heartwood borer, 193
Fornax badius, 186

Beech, American and European—Continued
 borers, wood—Continued
Goes spp., 233
Hammoderus spp., 233
 horntail—
 pigeon tremex, 588
Hymenorus spp., 215
Isorhipis ruficornis, 186
 living beech borer, 248
Melasis pectinicornis, 186
Neanthribus cornutus, 281
 New York weevil, 291
 oak timberworm, 280
Ormiscus saltator, 281
Platypus compositus, 342
Ptilinus ruficornis, 226
Strongylus tenuicollis, 218
terminatum, 218
 leaf feeders—
 beetles—
Polydrusus americana, 290
Xanthonia 10-notata, 279
 moths—
 Bruce's spanworm, 426
Datana angustii, 398
Dicentria lignicolor, 404
Fentonia marthesia, 405
 gypsy moth, 408-412
Heterocampa biundata, 404
manteo, 404
Hyperetis amicarica, 433
 luna moth, 378, 379
 maple leaf cutter, 502
Nadata gibbosa, 400
 notched-wing geometer, 436
Psilocorsis faginella, 461
 red-humped oak worm, 401
 saddled prominent, 403
Tetralopa sp., near *asperatella*, 447
 sucking insects—
 aphids—
 beech blight aphid, 110, 132
Longistigma caryae, 127
Phyllaphis fagi, 110, 129
 lacebug—
 birch lacebug, 117
 scales—
 beech scale, 12, 57, 107, 140
 brown elm scale, 145-146
 European fruit lecanium, 145-146
 oystershell scale, 151
 Putnam scale, 148
 Beefwood. *See Casuarina*.
 Benzoin (spicebush)—
 borer, wood—
Anisandrus sayi, 341
 leaf feeders—
 promethea moth, 378, 379
 spice-bush swallowtail, 368
 Birch—
 borers, bark and phloem—
 bronze birch borer, 20, 191
 cambium curculio, 289
Dryocetes betulae, 294, 336
Pseudopityophthorus asperulus, 327
 borer, seed—
 birch seed midge, 510
 borers, wood—
Actenodes acornis, 197
Alobates pennsylvanica, 218
Anisandrus obesus, 341
 beech and birch girdler, 269-270
Chrysobothris seszignata, 195
 Columbian timber beetle, 338
Haplodrusus femoratus, 218
 horntails—
 pigeon tremex, 588
Xiphydria attenuata, 587
mellipes, 587
provancheri, 587
Hylecoetus spp., 220
Meracantha contracta, 218
Merinus laevis, 218
 poplar and willow borer, 286-287
Platypus compositus, 342
 sawwood timberworm, 221, 222
Scotobates calcaratus, 218
Trypodendron betulae, 339
Ulcus imberbis, 218
Xylopinus aenescens, 218
saperdoides, 218

Birch—Continued

- gall insects—
 - Apion* spp., 281
 - gall aphids, 133-134
- leaf feeders—
 - beetles—
 - Altica betulae*, 277
 - Cryptoccephalus basalis*, 278
 - mutabilis*, 278
 - Orsodacne atra*, 278
 - Pachybrachis peccans*, 278
 - Phyllophaga nitida*, 176
 - Syneta ferruginea*, 273, 278
 - willow flea weevil, 292
 - butterflies and moths—
 - Acrobasis betulella*, 451
 - Acrionicta distans*, 392
 - impressa*, 392
 - leporina vulpina*, 391
 - apple and thorn skeletonizer, 485
 - birch casebearer, 491
 - birch skeletonizer, 495
 - cecropia moth, 377-378
 - Ceratonia amyntor*, 372
 - Charadra deridens*, 395
 - Ectropis crepuscularia*, 430
 - forest tent caterpillar, 418
 - gypsy moth, 408-412
 - Heterocampa bilineata*, 404
 - biundata*, 404
 - manteo*, 404
 - io moth, 378, 380
 - linden looper, 432
 - luna moth, 378, 379
 - maple leaf cutter, 502
 - Nadata gibbosa*, 400
 - Nymphalis j-album*, 369
 - Olene atomaria*, 408
 - basifrons*, 408
 - vagans*, 408
 - Orthosia hibisci*, 394
 - Paonias excaecatus*, 375
 - polyphemus moth, 378, 379
 - Smerinthus jamaicensis*, 375
 - spear-marked black moth, 428
 - spotted tussock moth, 386
 - tiger swallowtail, 363
 - yellow-necked caterpillar, 398
 - sawflies—
 - Arge pectoralis*, 549
 - birch leaf miner, 567
 - birch leaf-mining sawfly, 566
 - dusky birch sawfly, 580
 - elm sawfly, 562-564
 - giant American sawfly, 562-564
 - leaf mining sawflies, 57
 - striped alder sawfly, 572
 - Trichiosoma triangulum*, 564
- root feeder—
 - Polydrusus impressifrons*, 290
- sucking insects—
 - aphids—
 - Calaphis betulaecolens*, 111, 129
 - betulella*, 111, 129
 - Eucercaphis betulae*, 111, 129
 - Longistigma caryae*, 127
 - spiny witch-hazel gall aphid, 133-134
 - witch hazel leaf gall aphid, 133-134
 - lacebugs—
 - alder lacebug, 117
 - birch lacebug, 117
 - leafhoppers—
 - Alebra* spp., 120
 - Emponasca* spp., 120
 - Erythroneura* spp., 120
 - Psylla carpinicola*, 124
 - stirata*, 124
 - Typhlocyba* spp., 120
 - scales—
 - Chionaspis linterni*, 149
 - oystershell scale, 151

Birch, European white—

- leaf feeders—
 - moths—
 - birch casebearer, 491
 - birch skeletonizer, 495
 - sawflies—
 - birch leaf miner, 567
 - birch leaf-mining sawfly, 566

Birch, gray—

- leaf feeders—
 - butterflies and moths—
 - Acrobasis betulella*, 451
 - birch casebearer, 491
 - birch skeletonizer, 495
 - Brephos infans*, 422
 - chain-spotted geometer, 436
 - Datana angusii*, 393
 - filament bearer, 493
 - gypsy moth, 408-412
 - Hemileuca lucina*, 380
 - notched-wing geometer, 436
 - Nymphalis j-album*, 369
 - sawflies—
 - Arge pectoralis*, 549
 - birch leaf miner, 567
 - birch leaf-mining sawfly, 566
 - dusky birch sawfly, 580
 - elm sawfly, 562-564

Birch, paper—

- borer, wood—
 - Upis ceramboides*, 218
- leaf feeders—
 - beetles—
 - Phyllophaga drakei*, 171
 - Rhynchaenus* sp., 292
 - butterflies and moths—
 - Acrobasis betulella*, 451
 - birch casebearer, 491
 - birch skeletonizer, 495
 - Brephos infans*, 422
 - chain-spotted geometer, 436
 - gypsy moth, 408-412
 - Heterocampa manteo*, 404
 - Nymphalis j-album*, 369
 - Symmerista albifrons*, 403
 - sawflies—
 - Arge pectoralis*, 549
 - birch leaf miner, 567
 - birch leaf-mining sawfly, 566
 - dusky birch sawfly, 580
- sucking insects—
 - lacebug—
 - birch lacebug, 117
 - Psylla annulata*, 124

Birch, river (red)—

- borers, bark and phloem—
 - Agilus betulae*, 192
- Agromyza pruinosa*, 522-524
- leaf feeders—
 - moth—
 - gypsy moth, 408-412
 - sawflies—
 - birch leaf-mining sawfly, 566
 - dusky birch sawfly, 580

Birch, sweet (black)—

- borers, wood—
 - Lyctus* spp., 227
- leaf feeders—
 - moths—
 - Acrobasis betulella*, 451
 - birch skeletonizer, 495
 - gypsy moth, 408-412
 - oriental moth, 441-442
 - sawfly—
 - dusky birch sawfly, 580

Birch, yellow—

- leaf feeders—
 - moths—
 - birch skeletonizer, 495
 - elm spanworm, 434
 - gypsy moth, 408-412
 - hemlock looper, 434
 - Hyperis amicarica*, 433
 - notched-wing geometer, 436
 - Plagadis serinaria*, 433
 - snow-white linden moth, 434
 - sawflies—
 - birch leaf-mining sawfly, 566
 - dusky birch sawfly, 580
- sucking insect—
 - birch lacebug, 117

Bittersweet (*Celastrus*)—

- borer, wood—
 - Petalum seriatum*, 226
- leaf feeder—
 - Abbottana clemataria*, 437
- sucking insect—
 - euonymus scale, 107, 149

Blackberry—
 borers, stem—
 black-horned tree cricket, 104
 Hartigia trimaculata, 591
 leaf feeders—
 Apateles torrefacta, 420
 eye-spotted bud moth, 471
 io moth, 378, 380
Blue beech. See Hornbeam, American.
Blueberry—
 borers, fruit—
 blueberry maggot, 524
 Mineola vaccini, 451
 borer, wood—
 Corthylus punctatissimus, 338
 leaf feeders—
 chain-spotted geometer, 436
 Datana drezeli, 398
 major, 398
 hemlock looper, 434
 Lycia ursaria, 432
 Prochoerodes transversata, 437
 yellow-necked caterpillar, 398
Boxelder—
 borers, wood—
 boxelder twig borer, 470
 Columbian timber beetle, 338
 hardwood stump borer, 252
 Proteoceras crescentana, 470
 gall insect—
 boxelder gall midge, 510
 leaf feeders—
 American dagger moth, 392
 fruit tree leaf roller, 478
 smeared dagger moth, 393
 spotted tussock moth, 386
 sucking insects—
 aphids—
 boxelder bug, 118
 Periphyllus negundinis, 111, 129
 Psylla negundinis, 124
 scales—
 cottony maple scale, 144
 gloomy scale, 149
 terrapien scale, 146
Boxwood—
 leaf feeder—
 boxwood leaf miner, 511, 512
 sucking insects—
 brown elm scale, 145-146
 European fruit lecanium, 145-146
Buckeye—
 buckeye lacebug, 117
Buckthorn—
 leaf feeder—
 oriental moth, 441
 sucking insect—
 willow scurfy scale, 151
Butternut—
 borers, bark and phloem—
 Agilus juglandis, 192
 hickory bark beetle, 308
 borer, nut—
 Conotrachelus juglandis, 289
 borers, wood—
 Chrysobothris sexsignata, 195
 hickory sapra, 267
 Magdalis inconspicua, 288
 leaf feeders—
 beetles—
 Attelabus spp., 292
 Phyllophaga futilis, 178
 moths—
 Datana angusii, 398
 hickory horned devil, 383
 hickory tussock moth, 385
 walnut caterpillar, 399
 walnut sphinx, 376
 sawflies—
 Acordulecera sp., 550
 butternut woolly worm, 582
 Megazyela aviigrata, 583
 sucking insects—
 aphids—
 Monellia costalis, 111, 129
 caryella, 129
 lacebug—
 walnut lacebug, 117
 scales—
 brown elm scale, 145-146
 European fruit lecanium, 145-146

Cactus—
 cactus borer, 242
 Coenopoeus spp., 233
Cape jasmine—
 tuliptree scale, 144
Casuarina (Australian pine; beefwood)—
 Amphicercus punctipennis, 225
 apple twig borer, 223, 226
 Australian-pine borer, 194
 Polycaon femoralis, 227
Catalpa—
 catalpa leaf miner, 521
 midge, 511
 sphinx, 373
Cedar—
 borers, wood—
 black-horned juniper borer, 234, 240
 black-horned pine borer, 234, 240
 cedar tree borer, 234, 250
 cypress and cedar borer, 234, 257
 horntail—
 white-horned horntail, 589
 Hymenorus spp., 215
 Oeme strangulata, 257
 small cedar-bark borer, 234, 237
 root feeder—
 seed-corn maggot, 30, 537
Cedar, Atlas—
 borer, wood—
 deodar weevil, 284-285
 sucking insect—
 Cinara curripes, 110, 127
Cedar, deodar—
 borers, wood—
 deodar weevil, 284-285
 Pityophthorus pulicarius, 331-332
 leaf feeder—
 red-headed pine sawfly, 552
Cedar, Lebanon—
 deodar weevil, 284-285
Cedar, northern white. See Arborvitae.
Cedar, red—
 borer, bark and phloem—
 eastern juniper bark beetle, 321
 leaf feeders—
 Argyresthia freyella, 487
 juniper webworm, 460
 Recurvaria juniperella, 458
 mound-building ant—
 Allegheny mound ant, 626
 root feeder—
 seed-corn maggot, 30, 537
Cedar, southern white (falsecypress)—
 gypsy moth, 408-412
Celastrus. See Bittersweet.
Cherry—
 borers, bark and phloem—
 Agromyza pruni, 524
 Dryocoetes betulae, 294, 336
 fruit tree bark beetle, 310
 peach bark beetle, 315
 shot-hole borer, 310
 borers, fruit—
 black cherry fruit fly, 524
 cherry fruit fly, 524
 cherry maggot, 524
 borers, wood—
 Lycius spp., 227
 Platypus compositus, 342
 flower beetles—
 Trichotinus spp., 185
 gall insect—
 wild cherry bud gall, 515
 leaf feeders—
 butterflies and moths—
 Abbotina clemataria, 437
 Acronicta distans, 392
 impressa, 392
 Apateles torrefacta, 420
 Bapta semiclarata, 428
 Basilarchia arthemis, 370
 astyanax, 370
 brown-tail moth, 412-414
 cankerworms, 422-426
 cecropia moth, 377-378
 Cerura borealis, 405
 chain-spotted geometer, 436
 cherry scallop shell moth, 426
 cigar casebearer, 489
 cleft-headed spanworm, 432
 cynthia moth, 377, 378

Cherry—Continued

- leaf feeders—Continued
 - butterflies and moths—Continued
 - eastern tent caterpillar, 416-418
 - Euchlaena johnsonaria*, 433
 - pedinaria*, 433
 - filament bearer, 433
 - green fruitworm, 394
 - gypsy moth, 408-412
 - Hemileuca lucina*, 380
 - hemlock looper, 434
 - Heterocampa bimaculata*, 404
 - io moth, 378, 380
 - lappet moth, 419
 - Lycia ursaria*, 432
 - Machimia tentoriferella*, 461
 - Melanophia canadaria*, 429
 - oriental moth, 441-442
 - palmerworm, 460
 - Paonias myops*, 375
 - pepper and salt moth, 432
 - Pero honestarius*, 426
 - Prochoerodes transversata*, 437
 - promethea moth, 378, 379
 - red-humped caterpillar, 404
 - Schizura ipomoeae*, 405
 - leptinoides, 405
 - smearer dagger moth, 393
 - Sphinx drupiferarum*, 374
 - Tetraxis lorata*, 437
 - tiger swallowtail, 368
 - Tolyte velleda*, 419
 - ugly-nest caterpillar, 477-478
 - unicorn caterpillar, 405
 - yellow-necked caterpillar, 398
- Phytomyza obscurella*, var. *nigritella*, 521
- sawflies—
 - Arge macleani*, 550
 - cherry and hawthorn sawfly leafminer, 570
 - Neurotoma fasciata*, 585
 - pear-slug, 564
 - plum web-spinning sawfly, 585
 - Trichiosoma triangulum*, 564
- walking stick, 97
- sucking insects—
 - aphid—
 - Myzus cerasi*, 605
 - lacebugs—
 - cherry lacebug, 117
 - Corythucha associata*, 117
 - Psylla trimaculata*, 124
 - scales—
 - Aspidiotus forbesi*, 148
 - scurfy scale, 149

Chestnut—

- borers, bark and phloem—
 - beetles—
 - cambium curculio, 289
 - chestnut bark borer, 232, 251
 - Pseudopityophthorus asperulus*, 327
 - pruinotus, 327
 - pubescens, 327
 - Pseudothysanotes lecontei*, 326
 - two-lined chestnut borer, 190
 - moths—
 - Ectoedemia phleophaga*, 502
 - Marmara* spp., 492
- borers, nut—
 - beetles—
 - chestnut weevil, 288-289
 - large chestnut weevil, 289
 - moths—
 - acorn moth, 461
 - filbert worm, 474
- borer, root—
 - tile-horned prionus, 261
- borers, wood—
 - beetles—
 - Alobates pennsylvanica*, 218
 - Anthaxia querata*, 197
 - Buprestis rufipes*, 193
 - Carpodochroa fuliginosa*, 215
 - chestnut blight spore feeder, 251
 - chestnut timberworm, 220-222, 280
 - Cupes concolor*, 158
 - Dromaeolus striatus*, 186
 - Fornax badius*, 186
 - Haplodrus femoratus*, 218
 - Hyllocurus rufus*, 325
 - Hymenorus* spp., 215
 - Isorhipis ruficornis*, 186

Chestnut—Continued

- borers, wood—Continued
 - beetles—Continued
 - ivory-marked beetle, 245
 - Magdalis sulcatis*, 288
 - Melasis pectinicornis*, 186
 - Melittomma* spp., 220
 - Meracantha contracta*, 218
 - Merinus laevis*, 218
 - Mycterus scaber*, 214
 - oak sapling borer, 233, 248
 - oak-stem borer, 246
 - Platypus compositus*, 342
 - quadridensatus*, 343
 - Scobicia bidentata*, 227
 - Scotobates calcaratus*, 218
 - Strongylium tenuiole*, 218
 - terminatum*, 218
 - Uroma imberbis*, 218
 - Xylopinus aenescens*, 218
 - saperdioides*, 218
 - moth—
 - Scolecocampa liburna*, 395
- gall insect—
 - Ectoedemia castanea*, 502
- leaf feeders—
 - American dagger moth, 392
 - Euchlaena obtusaria*, 433
 - filament bearer, 433
 - gypsy moth, 408-412
 - notched-wing geometer, 436
- sucking insect—
 - Longistigma caryae*, 127
- Chestnut, Japanese—
 - rose leaf beetle, 278
- Chinaberry—
 - brown elm scale, 145-146
 - European fruit lecanium, 145-146
- Chokecherry—
 - borer, fruit—
 - apple maggot, 524
 - gall insect—
 - chokecherry midge, 515
- leaf feeders—
 - beetle—
 - European snout beetle, 291
 - moth—
 - ugly-nest caterpillar, 477-478
- Citrus trees—
 - puss caterpillar, 443
- Coffee—
 - Stephanoderes hampei*, 327
- Colorado spruce. *See* Spruce, blue.
- Conifers—
 - bark feeder—
 - pales weevil, 285
 - borers, bark and phloem—
 - Crypturgus* spp., 313
 - Dryocoetes* spp., 336
 - eastern larch borer, 268
 - Ips* spp., 333-336
 - Phithorophloeus piceae*, 315
 - Pityophthorus* spp., 331
 - ribbed pine borer, 262
 - borers, cone and seed—
 - Conophthorus* spp., 328
 - seed chalcids, 619
- borers, wood—
 - Anthaxia aeneogaster*, 197
 - brown prionid, 258
 - Buprestis decora*, 193
 - fascinata, 193
 - salisburyensis, 193
 - striata, 193
 - Calopus angustus*, 214
 - cedar tree borer, 250
 - Cephaloon lepturides*, 214
 - Dicerca canadensis*, 195
 - tenebrosa, 195
 - Dryophloeus americanus*, 293
 - Eustrophus tomentosus*, 214
 - Gnathodricus* spp., 339-340
 - hairy pine borer, 269
 - Hexathrum ulkei*, 293
 - horntail—
 - yellow-horned horntail, 589
 - Magdalis auctera*, 288
 - perforata, 288
 - pine stump prionus, 262
 - Pityophthorus* spp., 331
 - Platypus flavicornis*, 342

Conifers—Continued
 borers, wood—Continued
 pole borer, 258
Rhyncolus brunneus, 293
 ribbed pine borer, 262
Serropalpus barbatus, 214
Tomolips quercicola, 293
Trypodendron spp., 339
Xylotrechus sagittatus, 271
 leaf feeders—
 bagworm, 438
 gypsy moth, 408-412
 pine tussocks, 407-408
 rusty tussock, 407
 spruce budworm, 480-482
 root feeders—
Dichelonyx albicollis, 172
Diplotaxis spp., 171, 173
 goldsmith beetle, 181
Phyllophaga spp., 171
Serica spp., 171
Cornus spp. See Dogwood.
 Cotton—
 hickory horned devil, 383, 384
 io moth, 378, 380
 Cottonwood. See Poplar.
 Cranberry—
 borer, fruit—
Mineola vaccinii, 451
 leaf feeders—
Sphinx drupiferarum, 374
gordius, 374
Crataegus. See Hawthorn.
 Currant—
 borer, stem—
 currant stem girdler, 591
 leaf feeders—
 moths—
 currant spanworm, 429
 io moth, 378, 380
 sawfly—
 imported currantworm, 577
 Cypress—
 borers, bark and phloem—
 cedar bark beetles, 320-321
 cypress bark borer, 234, 259
 southern cypress bark beetle, 321
 borers, wood—
 ambrosia beetles, 337
 cypress and cedar borers, 257
 flatheaded bald cypress heartwood borer, 196
 flatheaded bald cypress sapwood borer, 190
 ivory-marked beetle, 325
Micractus opacicollis, 325
Oeme rigida, 257
Platypus compositus, 342
Tomolips quercicola, 293
 gall insects—
 cypress flowering gall, 520
 leaf gall, 520
 seed midge, 520
 twig gall, 520
 leaf feeders—
 beetle—
Phyllophaga toxodii, 175
 moth—
Recurvaria apictripunctella, 457
 sucking insect—
 juniper scale, 151
 Deutzia—
Pseudocneorrhinus setosus, 290
 Dogwood (*Cornus* spp.)—
 borer, bark and phloem—
Agrilus cephalicus, 192
 borer, fruit—
 apple maggot, 524
 borer, wood—
 beetles—
 dogwood twig borer, 231, 256
 twig girdler, 257
 moth—
 dogwood borer, 463
 gall insect—
 dogwood club gall, 511
 leaf feeders—
Macremphytus tarsatus, 581
varianus, 581
 sucking insects—
 aphid—
Anoecia querci, 111, 127

Dogwood—Continued
 sucking insects—Continued
 leafhoppers—
Alebra spp., 120
Empoasca spp., 120
Erythroneura spp., 120
Typhlocyba spp., 120
 scales—
Chionaspis linterni, 149
Tetraleurodes mori, 139
 willow scurfy scale, 151
 Douglas-fir—
 borer, seed—
 seed chalcids, 6, 619
 borers, twig and shoot—
Dioryctria abietella, 451
 white-pine weevil, 282-284
 borers, wood—
 cedar tree borer, 234, 250
 small cedar-bark borer, 234, 237
 leaf feeder—
 spruce budworm 480-482
 sucking insects—
 aphid—
 Cooley spruce gall aphid, 110, 135
 scale—
 black pine leaf scale, 108, 148
 Dutchman's pipe (*Aristolochia*)—
 pipevine swallowtail, 367
 Elder—
 borers, root—
Desmocerus spp., 230, 232, 233
 elder borer, 244-245
 borer, stem—
Desmocerus piperi, 230
 gall insect—
Desmocerus piperi, 230
 leaf feeders—
 cecropia moth, 377, 378
 elder leaf tier, 445
 Elm, American—
 borers, bark and phloem—
 black elm bark weevil, 283
 elm bark borer, 232, 259
 fruit tree bark beetle, 310
Magdalis spp., 288
 native elm bark beetle, 295, 301, 311, 323
 red elm bark weevil, 288
Scolytus sulcatus, 312
 shot-hole borer, 310
 smaller European elm bark beetle, 57, 308, 310-312, 323
 borers, wood—
Anthaxia viridifrons, 197
Buprestis rufipes, 193
 dogwood twig borer, 231, 256
 elm borer, 26, 233, 235, 267
Goes spp., 233
Hammoderus spp., 233
 horntails—
 pigeon tremex, 588
Xiphidria tibialis, 587
Hylocurus langstoni, 325
 living beech borer, 248
Magdalis spp., 288
 moths—
 carpenter worm, 497
 leopard moth, 499
Platypus compositus, 342
Scobicia bidentata, 227
Thysanoes berschemiae, 326
 twig girdler, 257
 gall insect—
Oligarces ulmi, 521
 leaf feeders—
 beetles—
Aukia carinata, 277
ulmi, 277
 elm leaf beetle, 57, 267, 275, 276
 European snout beetle, 291
Phyllophaga futilis, 173
soror, 173
tristis, 173
Xanthonia 10-notata, 279
 butterflies and moths—
 American dagger moth, 392
Canarsia ulmiarrosorella, 454
 cankerworms, 422-426
Ceratonia amyntor, 372
Charadra deridens, 395

Elm, American—Continued

- leaf feeders—Continued
- butterflies and moths—Continued
- comma butterfly, 369
- elm casebearer, 490
- elm spanworm, 434
- fruit tree leaf roller, 478
- gypsy moth, 408-412
- Heterocampa bilineata*, 404
- manteo*, 404
- hop merchant, 369
- lime tree winter moth, 432
- linden looper, 432
- Lycia ursaria*, 432
- mourning-cloak butterfly, 369
- Nerice bidentata*, 401
- Olene cinnamomea*, 408
- polyphemus moth, 378, 379
- puss caterpillar, 443
- question-sign, 369
- red-humped caterpillar, 404
- red-humped oak worm, 401-403
- snow-white linden moth, 434
- spiny elm caterpillar, 370
- Symmerista albifrons*, 403
- Tolype velleda*, 419
- white-marked tussock moth, 406
- yellow-necked caterpillar, 398
- fly—
- two-winged elm leaf miner, 521
- sawflies—
- Arge* spp., 549
- elm leaf miner, 568
- elm sawfly, 562-564
- giant American sawfly, 562-564
- Macrasyela ferruginea*, 583
- mites—
- European red mite, 66
- sucking insects—
- aphids—
- elm cockscomb gall aphid, 130-131
- gall aphids, 109
- Longistigma caryae*, 127
- Myzocallis ulmifolia*, 111, 129
- Tetraneura graminis*, 131
- ulmisaccula*, 131
- woolly apple aphid, 129
- woolly elm aphid, 129, 130
- woolly elm bark aphid, 130
- lacebugs—
- alder lacebug, 117
- elm lacebug, 116
- leafhoppers—
- Alebra* spp., 120
- Empoasca* spp., 120
- Erythroneura* spp., 120
- Neolygus invitus*, 118
- Typhlocyba* spp., 120
- scales—
- brown elm scale, 145-146
- elm scurfy scale, 149
- European elm scale, 107, 142
- European fruit lecanium, 145-146
- gloomy scale, 149
- obscure scale, 149
- oystershell scale, 151
- San Jose scale, 148
- scurfy scale, 149

Elm, Chinese—

- apple twig borer, 223, 226

Elm, English—

- leaf feeders—
- moth—
- elm casebearer, 490
- sawfly—
- elm leaf miner, 568
- sucking insects—
- aphid—
- Myzocallis ulmifolia*, 129
- scale—
- European elm scale, 142

Elm, slippery—

- sucking insects—
- elm cockscomb gall aphid, 130-131
- gall aphids, 109
- Myzocallis ulmifolia*, 111, 129
- red elm gall aphid, 131
- Tetraneura graminis*, 131
- woolly apple aphid, 129-130
- woolly elm bark aphid, 130

Eucalyptus—

- carpenter bee, 635
- Xylocopa brasiliatorum*, 635
- Euonymus—
- euonymus scale, 107, 149
- Evergreen trees—
- Oligonychus americanus*, 66
- Tetranychus telarius*, 66
- False cypress. *See* Cedar, southern white.
- Fig tree—
- borer, fruit—
- Agonidae, 619
- borers, wood—
- fig-tree borer, 262
- Ptychodes* spp., 233
- Fir, Alpine—
- leaf feeder—
- spruce budworm 480-482
- sucking insect—
- Cinara curvipes*, 127
- Fir, balsam—
- borers, bark and phloem—
- balsam fir beetle, 336
- Cryphalus* spp. 329
- balsameus*, 329
- Pissodes dubius*, 285
- similis*, 285
- Pityophthorus angustus*, 332
- balsameus*, 332
- cariniceps*, 332
- consimilis*, 333
- nudus*, 333
- opaculus*, 331
- patchi*, 332
- puberulus*, 331
- pulchellus*, 332
- spruce scolytus, 313
- borers, wood—
- Acanthocinus* spp., 234, 236
- ants, black carpenter, 622-625
- balsam fir sawyer, 252-253
- flatheaded fir borer, 196
- Gnathotrichus materiarius*, 340
- horntail—
- blue horntail, 589
- Melanophila acuminata*, 196
- Monochamus* spp., 252-253
- Tetropium* spp., 233
- Trypodendron bivittatum*, 339
- gall insect—
- balsam gall midge, 509-510
- leaf feeders—
- moths—
- black-headed budworm, 484
- chain-spotted geometer, 436
- hemlock looper, 434
- Marmara* spp., 492
- Nepytia canosaria*, 434
- Olene plagiata*, 408
- Semiothisa granitata*, 429
- spruce budworm, 5, 6, 7, 19, 480-482
- sawfly—
- balsam-fir sawfly, 551
- sucking insects—
- aphids—
- balsam twig aphid, 110, 133
- balsam woolly aphid, 12, 57, 109, 137
- Cinara curvipes*, 110, 127
- fir bark louse, 109, 137
- gall aphids, 109
- Fir, Frazer—
- borer, bark and phloem—
- Cryphalus frazeri*, 329
- gall insect—
- balsam gall midge, 509-510
- Fir, white—
- seed chalcids, 619-620
- Firethorn—
- San Jose scale, 148
- Fringe tree—
- borers, fruit—
- cherry fruit fly, 524
- cherry maggot, 524
- leaf feeder—
- Sphinx kalmiae*, 374
- Fruit trees—
- borers, bark and phloem—
- peach bark beetle, 315
- shot-hole borer, 310
- borer, root—
- broad-necked root borer, 262

Fruit trees—Continued

- borers, wood—
 - Anisandrus pyri*, 341
 - dogwood twig borer, 256
 - Monarthrum mali*, 339
 - roundheaded apple tree borer, 264
 - twig girdler, 257
- leaf feeders—
 - cankerworms, 422-425
 - cutworms, 393-394
 - four-lined leaf roller, 483
 - fruit tree leaf roller, 478
 - oriental moth, 441-442
 - red-banded leaf roller, 483

- Gooseberry—
 - imported currant worm, 577

- Grape—
 - borer, wood—
 - painted hickory borer, 242-243
 - leaf feeders—
 - beetle—
 - spotted pelidnota, 181
 - moths—
 - abbott's sphinx, 376
 - achemon sphinx, 377
 - Ampelocera myron*, 377
 - Amphion nessus*, 377
 - cecropia moth, 377-378
 - Deidamia inscriptum*, 377
 - eight-spotted forester, 390
 - grape leaf folder, 444
 - grape plume moth, 456
 - grapevine looper, 428
 - Pholus pandorus*, 377

- Greenbrier—
 - Phosphila turbulenta*, 395
- Gum, black or sour. See Tupelo.
- Gum, red. See Sweetgum.

- Hackberry—
 - borers, bark and phloem—
 - Agilus celti*, 192
 - lecontei*, 192
 - beech bark beetle, 313
 - Chramesus chapuisii*, 314
 - hackberry engraver, 310
 - Phthorophloeus dentifrons*, 315
 - Pseudothysanoes lecontei*, 326
 - borers, wood—
 - Alabates pennsylvanica*, 218
 - Hylocurus langstoni*, 325
 - rudis*, 325
 - painted hickory borer, 242-243
 - red-headed ash borer, 253
 - Scobicia bidentata*, 227
 - Stongylium tenuicollis*, 218
 - terminatum*, 218
 - gall insects—
 - Pachypsylla celtidis-gemma*, 124
 - celtidis-mamma*, 124
 - celtidis-vesicula*, 124
 - venusta*, 124, 126
 - leaf feeders—
 - beetle—
 - white-fringed beetle, 287
 - butterflies and moths—
 - Asterocampa celtis*, 370
 - clayton, 370
 - oriental moth, 441-442
 - puss caterpillar, 443
 - question-sign, 369
 - Sphinx drupiferarum*, 374
 - sucking insects—
 - lacebug—
 - Corythucha celtidis*, 117
 - scales—
 - brown elm scale, 145-146
 - elm scurfy scale, 149
 - European fruit lecanium, 145-146
 - gloomy scale, 149
 - obscure scale, 149
 - Putnam scale, 148

- Hardwoods—
 - borers, bark and phloem—
 - Dryocoetes* spp., 336
 - oak bark scaler, 232, 247
 - Pseudopityophthorus minutissimus*, 327
 - Synchroidae, 214
 - Zopheridae, 214

Hardwoods—Continued

- borers, root—
 - Obera* spp., 232, 255
 - Prionus* spp., 233, 261
 - Polymochus brevipes*, 182
- borers, twig and shoot—
 - twig pruner, 245
 - western oak pruner, 246
- borers, wood—
 - beetles—
 - Anisandrus* spp., 341
 - banded hickory borer, 238
 - broad-nosed bark weevils, 292
 - brown prionid, 258
 - Columbian timber beetle, 338
 - Cossonus* spp., 292
 - Cryptorhynchus* spp., 287
 - Dendrobiella* spp., 226
 - Dicerca* spp., 195
 - Dircaea quadrimaculata*, 214
 - Dryophthorus americanus*, 293
 - flatheaded apple tree borer, 31, 194
 - flatheaded borers, 31, 187-197
 - flatheaded sycamore-heartwood borer, 193
 - flat oak borer, 268
 - Fornax badius*, 186
 - Goes* spp., 247
 - hardwood stump borer, 27, 252
 - Helops* spp., 220
 - Holostrophus bifasciatus*, 214
 - Hylecoetus* spp., 220
 - Iphthimus* spp., 218
 - Isorhipis ruficornis*, 186
 - Lyctus* spp., 40, 227-228
 - melandryid bark borers, 212-214
 - Melesis pectinicornis*, 186
 - Monarthrum* spp., 339
 - Neoclytus* spp., 236, 253-254
 - New York weevil, 291
 - oak sapling borer, 247, 248
 - oak timberworm, 280
 - Phelopsis obcordata*, 214
 - Platypus* spp., 342-343
 - pole borer, 258
 - Polymochus brevipes*, 182
 - powder-post beetles, 40, 222-228
 - rustic borer, 271
 - Smodicum cucujiforme*, 236, 268
 - spined bark borer, 246
 - Stenoscelis brevis*, 293
 - tile-horned prionus, 261
 - trunk borers, 247
 - Trypodendron* spp., 339
 - Upis ceramoides*, 218
 - Xyleborus* spp., 340
 - Xyletinus peltatus*, 226
 - Xylobiops basilaris*, 227
 - Xyloterinus politus*, 339
 - horntails, 586-589
 - moths, 365-366
 - carpenter worms, 497-499
 - leopard moth, 499-501
 - gall makers, 232, 509-521, 592-600
 - leaf feeders—
 - beetles—
 - Brachys* spp., 197
 - Dichelonyx elongata*, 172
 - goldsmith beetle, 181
 - green June beetle, 184
 - Japanese beetle, 180
 - leaf-rolling weevils, 292
 - Phyllophaga* spp., 161, 170-179
 - rhinoceros beetle, 183
 - rose chafer, 173
 - Saperda* spp., 229
 - Serica* spp., 171, 174
 - moths—
 - Acrionicta* spp., 391-393
 - American dagger moths, 392-393
 - cankerworms, 422-426
 - Catocala* spp., 390
 - cleft-headed spanworm, 432
 - climbing cutworms, 394
 - Datana* spp., 398-400
 - Ectropis crepuscularia*, 430
 - elm spanworm, 434
 - fall webworm, 387-389
 - filament bearer, 433
 - forest tent caterpillar, 418
 - fruit tree leaf roller, 478
 - green fruitworm, 394

- Hardwoods—Continued
 leaf feeders—Continued
 moths—Continued
 gypsy moth, 19, 408-412
 Heterocampa biundata, 404
 manteo, 404
 hickory horned devil, 383
 Hyperitis amicarja, 433
 imperial moth, 384
 linden looper, 432
 oblique-banded leaf roller, 479
 pale tussock moth, 386
 pepper and salt moth, 432
 Phigalia titea, 431
 puss caterpillar, 443
 regal moth, 383
 rusty tussock moth, 407
 snow-white linden moth, 434
 Tolyte velleda, 419
 white-marked tussock moth, 406
 walkingstick, 97
 mites—
 European red mite, 66
 Tetranychus telarius, 66
 root feeders—
 Dichelonyx spp., 167, 172-173
 Phyllophaga spp., 175-179
 Serica spp., 167, 171, 174
 sucking insects—
 aphid—
 gall aphid, 109, 110
 scales—
 Aspidiotus spp., 107-108, 148
 Chionaspis lintneri, 108, 149
 oystershell scale, 108, 151
 walnut scale, 107-108, 148
 Hawthorn (*Crataegus*; Thornapple)—
 borer, bark and phloem—
 Agrilus vittaticollis, 192
 borer, fruit—
 apple maggot, 524
 borer, twig and shoot—
 thorn-limb borer, 232, 266
 borers, wood—
 Anthaxia quercata, 197
 round-headed apple tree borer, 233, 264
 gall insect—
 thorn-limb borer, 232, 266
 leaf feeders—
 beetles—
 Phyllophaga futilis, 178
 prunina, 177
 white-fringed beetle, 287
 moths—
 apple bucelatrix, 495
 apple and thorn skeletonizer, 485
 brown-tail moth, 412-414
 cecropia moth, 377-378
 cigar casebearer, 489
 eastern tent caterpillar, 416
 eye-spotted bud moth, 471
 gypsy moth, 408-412
 polyphemus moth, 378, 379
 yellow-necked caterpillar, 398
 sawflies—
 cherry and hawthorn sawfly, 570
 pear-slug, 564
 sucking insects—
 aphid—
 Anuraphis crataegifoliae, 111, 129
 lacebug—
 Corythucha cydoniae, 117
 scales—
 brown elm scale, 145-146
 European fruit lecanium, 145-146
 terrapiin scale, 146
 Hazel—
 borers, nut—
 beetle—
 hazelnut weevil, 289
 moth—
 filbertworm, 474
 gall insect—
 Agrilus politus pseudocorylli, 192
 leaf feeders—
 beetles—
 Atelabus spp., 292
 Phyllophaga futilis, 178
 ilicis, 179
 nitida, 176
 prunina, 177
 Hazel—Continued
 leaf feeders—Continued
 beetles—Continued
 Syneta ferruginea, 273, 278
 Tymnes metasternalis, 279
 tricolor, 279
 moths—
 Acrobasis coryliella, 451
 rubrifasciella, 451
 palmerworm, 460
 spiny oak worm, 381
 sawflies—
 birch leaf-mining sawfly, 566
 Pteronidea corylus, 576
 sucking insect—
 Cicadellidae, 120
 Hemlock—
 borers, bark and phloem—
 Ips longidens, 335
 Microbregma emarginatum, 225
 tanbark borer, 295
 borers, wood—
 black-horned juniper borer, 240
 black-horned pine borer, 240
 Chrysobothris scabripennis, 195
 serripennis, 195
 verdigris, 195
 Dicerca tuberculata, 195
 flatheaded fir borer, 196
 hemlock borer, 13, 20, 195
 Tetropium spp., 233, 268
 Trypodendron bivittatum, 339
 scabricollis, 339
 Xyloterinus politus, 339
 leaf feeders—
 beetle—
 Pseudocnecorrhinus setosus, 290
 moths—
 Anacamptodes ephyraria, 430
 black-headed budworm, 484
 Feralia jocosus, 394
 gypsy moth, 408-412
 hemlock looper, 434
 Lambdina athasaria athasaria, 435
 Melanophia canadaria, 429
 Nepytia canosaria, 434
 Recurvata apiciripunctella, 457
 spruce budworm, 480-482
 Tetraxis lorata, 437
 root feeder—
 strawberry root weevil, 291
 sucking insect—
 hemlock scale, 108, 148
 Hickory (See also Pecan)—
 borers, bark and phloem—
 Agrilus arcuatus, 191
 black elm bark weevil, 288
 cambium curculio, 289
 Pseudopithophthorus pruinatus, 327
 borers, nut—
 beetles—
 Conotrachelus affinis, 289
 nut weevils, 6, 288
 pecan weevil, 289
 moths—
 acorn moth, 461
 hickory shuckworm, 473-474
 pecan nut casebearer, 449-450
 borers, twig and shoot—
 beetles—
 apple twig borer, 223, 226
 Chramesus hickoriae, 314
 Conotrachelus aratus, 289
 Cryptocleptes dislocatus, 326
 twig girdler, 249, 257
 moths—
 Acrobasis caryivorella, 450
 pecan carpenter worm, 501
 pecan nut casebearer, 449-450
 borers, wood—
 beetles—
 Atenodes acornis, 197
 Alobates pennsylvanica, 218
 Anthaxia viridifrons, 197
 apple twig borer, 223, 226
 banded hickory borer, 235, 238
 Buprestis rufipes, 193
 Chrysobothris serripennis, 195
 Cryptorhynchus fallax, 287
 Dicerca lurida, 195
 Drapetes geminatus, 186

Hickory—Continued

borers, wood—Continued

beetles—Continued

- Dryophthorus americanus*, 293
- flat oak borer, 268
- Fornax badius*, 186
- Goes* spp., 233, 247
- Hammoderus* spp., 233, 247
- Haplodrusus femoratus*, 218
- hickory saperda, 235, 267
- Hylocurus* spp., 324-325
- Isorhipis ruficornis*, 186
- ivory-marked beetle, 245
- lesser grain borer, 227
- Lichenophanes bicornis*, 226
- living hickory borer, 248
- Lyctus* spp., 227
- Lymanator decipiens*, 326
- Magdalis* spp., 288
- Melasis pectinicornis*, 186
- Meracantha contracta*, 218
- Merinus laevis*, 218
- Microbregma emarginatum*, 225
- New York weevil, 291
- Orchesia castanea*, 214
- painted hickory borer, 235, 242-243
- Platypus compositus*, 342-343
- Polycaon stouli*, 226
- powder-post beetles, 40, 42, 226-228
- red-headed ash borer, 253
- Scobicia bideniata*, 227
- Scobites calcaratus*, 218
- Thysanoes fimbriicornis*, 326
- Ulcma imberbis*, 218
- Xyleborus* spp., 218, 340-341
- Xylopinus* spp., 218

fungus feeders—

- Euparius marmoreus*, 281
- Eusphyrus walshii*, 281
- Neanthribus cornutus*, 281
- Ormiscus saltator*, 281

moths—

- pecan carpenterworm, 501
- Scolecocampa liburna*, 395

gall insects—

- conical hickory gall, 511
- hickory onion gall, 511
- hickory tube gall, 511, 513

leaf feeders—

beetles—

- Atelabus* spp., 292
- Bassareus literatus*, 278
- Glyptoscelis barbata*, 278
- Pachybrachis peccans*, 278
- Phyllophaga crenulata*, 178
- forsteri*, 177
- ilicis*, 179
- luctuosa*, 177

moths—

- Acrobasis caryovorella*, 450
- Archips infumata*, 477
- Datana angustii*, 398
- fruit tree leaf roller, 478
- gypsy moth, 408-412
- hickory horned devil, 383
- hickory leaf roller, 483
- hickory tussock moth, 385
- lappet moth, 419
- linden looper, 432
- luna moth, 378, 379
- notched-wing geometer, 436
- oriental moth, 441-442
- pecan cigar casebearer, 489
- pecan leaf casebearer, 449
- pecan nut casebearer, 449
- polyphemus moth, 378, 379
- spring cankerworm, 424
- walnut caterpillar, 399
- walnut sphinx, 376

sawflies—

- Megazyela avinigrata*, 583
- major, 583

sucking insects—

aphids—

- gall aphids, 109
- Longistigma caryae*, 110, 127
- Monellia caryella*, 111, 129
- costalis*, 111, 129
- Myzocallis discolor*, 111, 129
- Phylloxera* spp., 109, 138
- Phylloxera* spp., 138

Hickory—Continued

sucking insects—Continued

lacebug—

- sycamore lacebug, 115
- scales—
- brown elm scale, 145-146
- European fruit lecanium, 145-146
- obscure scale, 149
- scurfy scale, 149

Holly—

borer, fruit—

- Euleia limata*, 524

leaf feeder—

- holly leaf miner, 521, 522

sucking insect—

- holly scale, 142

Honeylocust—

borer, bark and phloem—

- Agrilus difficilis*, 192

borer, seed—

- Amblycerus robiniae*, 279

borer, twig and shoot—

- twig girdler, 249, 257

borer, wood—

- Hylocurus langstoni*, 325

leaf feeder—

- oriental moth, 441-442

Honeysuckle—

leaf feeders—

fly—

- Phytomyza obscurella* var. *nigritella*, 521

moths—

- European honeysuckle leaf roller, 487

sawfly—

- honeysuckle sawfly, 564

Hop—

hop merchant, 369

question-sign, 369

Hophornbeam (See also Ironwood)—

borers, bark and phloem—

- Pseudopityophthorus pruinatosus*, 327

- Pseudothysanoes lecontei*, 326

gall insect—

- Agrilus champlaini*, 192

leaf feeders—

- gypsy moth, 408-412

- walnut sphinx, 376

sucking insect—

- birch lacebug, 117

Hornbeam, American (blue beech) (See also Iron-

wood)—

borers, bark and phloem—

- Pseudopityophthorus pruinatosus*, 327

- two-lined chestnut borer, 190

borers, wood—

beetles—

- Dicerca lurida*, 195

- living beech borer, 248

horntail—

- Xiphydria erythrogaster*, 587

leaf feeder—

- gypsy moth, 408-412

Horsechestnut—

borer, seed, twig, and wood—

- Proteoteras aesculana*, 470

leaf feeders—

- filament bearer, 433

- fruit tree leaf roller, 478

- Orthostia hibisci*, 394

- white-marked tussock moth, 406

sucking insect—

- Aspidiotus aesculi*, 107, 148

Huckleberry—

borer, fruit—

- Mineola vaccinii*, 451

leaf feeders—

- chain-spotted geometer, 436

- Datana major*, 398

Hulsache—

hulsache girdler, 257

Ironwood (See also Hophornbeam; Hornbeam,

American)—

borer, bark and phloem—

- two-lined chestnut borer, 190

borers, wood—

- Cynra gracilipes*, 197

- Dicerca lurida*, 195

- Fornax badius*, 186

Ironwood—Continued
 borers, wood—Continued
Isohipis ruficornis, 186
 living beech borer, 248
Melasis pectinicornis, 186

Ivy—
 leaf feeder—
 eight-spotted forester, 390
 sucking insect—
 English ivy scale, 143

Juneberry. *See* Serviceberry.

Juniper—
 borers, bark and phloem—
 cedar bark beetles, 320-321
 eastern juniper bark beetle, 321
 small cedar-bark borer, 234, 237
 borers, seed—
Catorama spp., 225
 borers, wood—
 black-horned juniper borer, 234, 240
 black-horned pine borer, 234, 240
 carpenter bee, 635, 637
 cedar tree borer, 234, 250
 cypress and cedar borers, 257
Mycterus scaber, 214
Ceme spp., 234, 257
 Xylcopidae, 635-637
 gall insect—
 juniper midge, 514
 leaf feeders—
 moths—
Argyresthia freyella, 350, 487
 juniper webworm, 460
Phalonia rutilana, 485
Recurvaria juniperella, 458
 sawfly—
Monoctenus melliceps, 550
 sucking insect—
 juniper scale, 108, 151

Larch, American and European (tamarack)—
 borers, bark and phloem—
 balsam fir beetle, 336
Dryocoetes americanus, 336
 eastern larch beetle, 319
 eastern larch borer, 268
 four-eyed spruce bark beetle, 313
Hylurgops pinifer, 324
Orthotomicus caelatus, 335-336
 spruce scolytus, 313
Tetropium spp., 233
 borers, twig and shoot—
Pityophthorus spp., 331
 borers, wood—
Anthaxia quercata, 197
Chrysobothris dentipes, 195
sezigmata, 195
Ernobius alutaceus, 225
 flatheaded fir borer, 196
Gnathotrichus materiarius, 340
Iphikimus sp., 218
Trypodendron bicittatum, 339
Upis ceramboides, 218
 leaf feeders—
 moths—
 eye-spotted bud moth, 471
Feralia jocosus, 394
 gypsy moth, 408-412
 larch casebearer, 57, 490
Melanophila canadaria, 429
Nepytia canosaria, 434
Pero honestarius, 426
Semiothisa granitata, 429
 spruce budworm, 480-482
Tolyte laricis, 419
 sawflies—
 larch sawfly, 57, 573-574
 red-headed pine sawfly, 552

root feeder—
 seed-corn maggot, 537

sucking insects—
 aphids—
Chermes lariciatus, 137
Cinara laricis, 110, 127
 woolly larch aphid, 137

Leguminous plants—
 pecan twig girdler, 257

Lichens—
 psocids, 81

Lilac—
 borer, wood—
 lilac borer, 465
 leaf feeders—
 beetle—
Pseudocneorrhinus setosus, 290
 butterflies and moths—
Apateles angelica, 421
Ceratonia undulosa, 372, 373
 lilac leafminer, 492
 promethea moth, 378, 379
Sphinx chersis, 374
kalmiae, 374
 tiger swallowtail, 368

Linden. *See* Basswood.

Linden, European—
 linden bark borer, 456

Locust, black—
 borer, bark and phloem—
Agrilus egenus, 192
 borer, root—
 lesser cornstalk borer, 454, 455
 borers, twig and shoot—
 beetle—
Amphicerus cornutus, 226
 moth—
 locust twig borer, 32, 365, 474
 borers, wood—
 beetles—
Lichenophanes bicornis, 226
 locust borer, 10, 13, 16, 24, 26, 228, 233, 241,
 243-244
 lyctus powder-post beetles, 227
 roundheaded borers, 228
 moth—
 carpenter worm, 497
 gall insects—
Apion spp. 281
 lesser cornstalk borer, 454, 455
 locust midge, 518
 locust twig borer, 32, 365, 474
Obolodiplosis robiniae, 518
 leaf feeders—
 beetles—
Diabrotica spp., 278
 locust leaf miner, 273, 277-278
 butterflies and moths—
 cleft-headed spanworm, 432
 fruit tree leaf roller, 478
 io moth, 378, 380
Lagoa crispata, 444
 locust leaf roller, 453
 pepper and salt moth, 432
Pero honestarius, 426
Salebria virgatella, 453
Semiothisa ocellinata, 429
 silver-spotted skipper, 371
 sawfly—
Pteronidea trilineata, 576
 sucking insects—
 leafhoppers—
Thelia bimaculata, 631
 three-cornered leafhopper, 121
 scale—
 brown elm scale, 145-146
 cottony maple scale, 144
 European fruit lecanium, 145-146
 Putnam scale, 148

Locust, clammy—
 silver-spotted skipper, 371

Magnolia—
 borer, wood—
Platypus compositus, 342
 sucking insects—
 brown elm scale, 145-146
 European fruit lecanium, 145-146
 magnolia scale, 107, 144
 oleander scale, 143
 San Jose scale, 148
 tuliptree scale, 144

Mahogany—
Minthea rugicollis, 228

Mahogany, mountain—
Corthylus punctatissimus, 338

Mangrove, red—
 Australian-pine borer, 194-195

Maple—
 borers, bark and phloem—
 cambium curculio, 289
Pseudopityophthorus pruinatus, 327

Maple—Continued

borers, twig and shoot—

beetles—

beech and birch girdler, 269-270

Pityophthorus sp., 331

moths—

boxelder twig borer, 470

Proteoteras aesculana, 470

crenata, 470

borers, wood—

beetles—

Acenodes acornis, 197

Alobates pennsylvanica, 218

Anisandrus minor, 341

obesus, 341

Capnochroa fuliginosa, 215

Chrysobothris sexsignata, 195

Columbian timber beetle, 338

Euparius marmoreus, 281

Eusphyrus walshii, 281

flatheaded sycamore-heartwood borer, 193

Fornax badius, 186

gall-making maple borer, 269-270

Haplodrus femoratus, 218

Hylecoetus spp., 220

Hyloterus rudis, 325

Isochis ruficornis, 186

ivory-marked beetle, 245

Lynxianor decipiens, 326

Melasis pectinicornis, 186

Meracantha contracta, 218

Merinus laevis, 218

Micrasis opacicollis, 325

Neanthribus cornutus, 281

Orchesia castanea, 214

Ormiscus saltator, 281

Platypus compositus, 342

Ptilinus ruficornis, 226

Scotobates calcaratus, 218

Strongylium tenuicollis, 218

terminatum, 218

sugar maple borer, 233, 260

Thysanotes lobdelli, 326

Ulama imberbis, 218

Uptis ceramoides, 218

Xylopinus aenescens, 218

saperdoides, 218

horntails—

pigeon tremex, 588

Xiphydria maculata, 587

moths—

carpenter worm, 497

leopard moth, 499

maple callus borer, 462

gall insects—

gall-making maple borer, 269-270

gouty vein midge, 510

ocellate maple leaf gall, 510

leaf feeders—

beetles—

European snout beetle, 291

Phyllophaga tristis, 178

vehemens, 176

leaf-cutting bee, 635

moths—

Abbottana clemataria, 437

American dagger moth, 392

Apatelodes torrefacta, 420

cankerworms, 422-426

ceroplia moth, 377-378

Charadra deridens, 395

Ectropis crepuscularia, 430

Euchloena serrata, 433

Fentonia marthesia, 405

filament bearer, 433

forest tent caterpillar, 418-420

green fruitworm, 394

green-striped maple worm, 383

gypsy moth, 408-412

hemlock looper, 434

Heterocampa biundata, 404

umbrata, 404

linden looper, 432

Lycia ursaria, 432

Machimia tentoriferella, 461

maple leaf cutter, 502-504

Nadata gibbosa, 400

notched-wing geometer, 436

oriental moth, 441-442

Phystogonia pustularia, 429

Plagiodis serinaria, 433

Maple—Continued

leaf feeders—Continued

moths—Continued

polyphemus moth, 378, 379

Prochoerodes transversata, 437

red-humped oak worm, 401

saddled prominent, 402, 403

Sparganothis pettiata, 477

spotted tussock moth, 386

Tetralopha sp., 447

Tolyte vellea, 419

sawflies—

elm sawfly, 562-564

giant American sawfly, 562-564

maple petiole borer, 571

mite—

European red mite, 66

sucking insects—

Aleurochiton forbesii, 139

aphids—

Drepanaphis acerifoliae, 111-112, 129

Longistigma caryae, 127

woolly alder aphid, 111, 132

boxelder bug, 118

lacebugs—

birch lacebug, 117

Corythucha arcuata mali, 116

leafhoppers—

Alebra spp., 120

Empoasca spp., 120

Erythroneura spp., 120

Typhlocyba spp., 120

Psylla annulata, 124

scales—

Aspidiotus comstocki, 148

brown elm scale, 145-146

cottony maple scale, 144

European fruit lecanium, 145-146

maple leaf scale, 107, 143

maple phenacoccus, 107, 142

oystershell scale, 151

scurfy scale, 149

terrapi scale, 146

Tetraleurodes mori, 139

Maple, English:

Drepanosiphum platanoides, 129

Maple, Japanese—

sucking insects—

aphid—

Euceraaphis betulae, 129

leafhopper—

Japanese maple leafhopper, 120

Maple, Norway—

leaf feeders—

oriental moth, 441

white-marked tussock moth, 406

sucking insects—

aphids—

Drepanosiphum platanoides, 129

Periphyllus tyropictus, 129

leafhopper—

Japanese maple leafhopper, 120

Maple, red—

borer, bark and phloem—

Agromyza aceris, 523-524

borers, wood—

beetle—

gall-making maple borer, 230, 232, 269-270

moths—

Conopia corni, 463

gall insect—

ocellate maple leaf gall, 510

leaf feeders—

elm spanworm, 434

maple leaf cutter, 502-504

maple trumpet skeletonizer, 473

snow-white linden moth, 434

Maple, silver (soft)—

borer, bark and phloem—

Agromyza aceris, 523, 524

borers, wood—

Conopia corni, 463

maple callus borer, 462

leaf feeders—

fruit tree leaf roller, 478

white-marked tussock moth, 406

sucking insects—

gloomy scale, 149

maple leaf scale, 143

Putnam scale, 148

Maple, striped—
Agrilus politus, 192
 Maple, sugar—
 borers, wood—
 beetle—
 sugar-maple borer, 233, 260
 horn-tail—
Xiphydria albicornis, 587
 moth—
 maple callus borer, 462
 leaf feeders—
 Bruce's spanworm, 426
 cankerworms, 422-424
 forest tent caterpillar, 418
 green-striped mapleworm, 383
 maple leaf cutter, 502-504
 maple trumpet skeletonizer, 473
 saddled prominent, 403
 sucking insects—
 aphids—
 Neoprociphilus aceris, 132
 Periphyllus americanus, 129
 lyropictus, 129
 scales—
 gloomy scale, 149
 maple leaf scale, 143
 maple phenacoccus, 142
 Maple, Sycamore—
 leaf feeders—
 oriental moth, 441-442
 white-marked tussock moth, 406
 sucking insect—
Drepanosiphum platanoides, 129
 Maple, vine—
Periphyllus americanus, 129
 Marmalade tree—
 oleander scale, 143
 Mesquite—
 borer, twig and shoot—
 huisache girdler, 257
 borers, wood—
 banded ash borer, 253
 mesquite borer, 235, 242
 mesquite-branch borer, 233, 239-240
 Polycaon femoralis, 227
 Ptilinus ruficornis, 226
 Mock orange—
Agromyza melampyga, 521
 Mountain-ash—
 borer, bark and phloem—
 peach bark beetle, 315
 borers, wood—
 beetle—
 roundheaded apple tree borer, 264
 moth—
 ash borer, 464, 465
 leaf feeders—
 moths—
 apple and thorn skeletonizer, 485
 Machimia tentoriferella, 461
 sawfly—
 mountainash sawfly, 572-573
 sucking insect—
 birch lacebug, 117
 Mountain laurel—
 borer, wood—
 rhododendron stem borer, 255
 leaf feeders—
 beetle—
 Pseudocneorrhinus setosus, 290
 moths—
 eye-spotted bud moth, 471
 Sphinx kalmiae, 374
 sucking insects—
 lacebug—
 rhododendron lacebug, 117
 scale—
 San Jose scale, 148
 Tetratleurodes mori, 139
 Mulberry—
 borers, bark and phloem—
 mulberry bark borer, 232, 246
 Phthorophloeus frontalis, 315
 borer, wood—
Hylocurus langstoni, 325
 sucking insects—
 lacebug—
 sycamore lacebug, 115
 scales—
 brown elm scale, 145-146
 cottony maple scale, 144

Mulberry—Continued
 sucking insects—Continued
 scales—Continued
 European fruit lecanium, 145-146
 oleander scale, 143
 Tetratleurodes mori, 139
 Ninebark—
Dicercia pugionata, 195
 Nursery seedlings—
 leaf feeders—
 blister beetles, 206
 Meloidae, 206
 root feeders—
Anomala spp., 161
 Asiatic garden beetle, 174
Autoserica castanea, 161, 174
Cotinus spp., 161
Diplotaris spp., 161, 173
 green June beetle, 184
 Japanese beetle, 180-181
 Lamellicorn beetles, 161-169
Ochrosidia spp., 161
Phyllophaga ansia, 176
 crenulata, 178
 drakei, 176
 forsteri, 177
 fusca, 176
 gracilis, 178
 lanceolata, 179
 luctuosa, 177
 prununculina, 179
 rugosa, 177
 tristis, 178
 pill beetles, 160-161
Polyphylla spp., 161
Popillia sp., 161, 180
 Rose chafer, 173-174
Serica spp., 161, 174
 sucking insects—
Aspidiotus californicus, 148
 pit-making oak scale, 143
 tarnished plant bug, 118
 Oak—
 borers, acorn—
 beetles—
 acorn weevils, 6, 288-289
 Curculio spp., 288-289
 white-marked spider beetle, 225
 moths—
 acorn moth, 461
 filbertworm, 474
 borers, bark and phloem—
 beetles—
 Agrilus arcuatus, 191
 cambium curculio, 289
 chestnut-bark borer, 232, 251
 oak-bark scarer, 263
 Pseudopityophthorus spp., 327
 Pseudothysanoes lecontei, 326
 Stephanopachys substriatus, 227
 tanbark borer, 259
 two-lined chestnut borer, 190
 moths—
 Marmara spp., 492
 borers, root—
Archodontes (M.) *melanopus*, 252
 root-boring prionids, 261
 borers, twig and shoot—
 oak-stem borer, 246
 twig pruner, 245-246
 western oak pruner, 246
 borers, wood—
 beetles—
 Actenodes acornis, 197
 Alobates pennsylvanica, 218
 ambrosia beetles, 337-343
 Anisandrus obesus, 341
 Anthaxia quercata, 197
 apple twig borer, 223, 226
 banded hickory borer, 238
 Buprestis rufipes, 193
 California prionus, 261-262
 Chrysobothris azurea, 195
 concinna, 195
 searsiana, 195
 Cynra gracilipes, 197
 Columbia timber beetle, 338
 Cupes concolor, 158, 159
 flat oak borer, 268
 Haplodrus femoratus, 218
 hardwood stump borer, 252

Oak—Continued

borers, wood—Continued

beetles—Continued

Hymenorus spp., 215

ivory-marked beetle, 245

lesser grain borer, 227

Lichenophanes armiger, 226

bicornis, 226

living beech borer, 248

lyctus powder-post beetles, 227–228

Meracantha contracta, 218

Merinus laevis, 218

Micracis nanula, 325

opacicolis, 325

Mycetochara fraterna, 215

Mycterus scaber, 214

Nematodes astropos, 186

Neoclytus spp., 235, 253

New York weevil, 291

oak-branch borer, 248

oak sapling borer, 233, 247, 248

oak timberworm, 230

Orchesia castanea, 214

Petalium seriatum, 226

Platypus compositus, 342

quadridentatus, 343

powder-post beetles, 40, 226–228

Ptilinus ruficornis, 226

red-headed ash borer, 253

red oak borer, 233, 249, 263

roundheaded borers, 228

Scotobia bidentata, 227

Scotobates calcaratus, 218

Strongylium spp., 218

Thysanoses spp., 326

tile-horned prionus, 261

Uloma imberbis, 218

white-marked spider beetle, 225

white oak borer, 249

Xyleborus fuscatus, 340

Xylopinus spp., 218

carpenter bee, 635

horntail—

pigeon tremex, 588–589

moths—

carpenter worm, 497, 498, 499

little carpenter worm, 497

pecan carpenter worm, 501

Scolecocampa liburna, 395

gall insects—

beetles—

Apion spp., 281

midges—

oak pill gall, 517

oak spangles, 516

vein pocket gall, 516

wasps—

acorn pip galls, 600

Andricus aquaticae, 596

clarigerus, 596

Callirhytis floridana, 594

futilis, 600

radialis, 600

Cynipinae, 593–594

gouty oak gall, 594–595

horned oak gall, 595–596

large oak-apple gall, 597, 598

oak fig gall, 598, 599

oak flake gall, 597

oak potato gall, 596, 597

ribbed bud gall, 596

succulent oak galls, 598–599

leaf feeders—

beetles—

Atelabus spp., 292

Baliosus ruber, 273, 278

Coscinoptera dominicana, 273, 278

goldsmith beetle, 181

leaf-rolling weevils, 292

Macroductylus sp., 161

Pachystethus sp., 161

Phyllophaga bipartita, 177

drakei, 171

futilis, 178

gracilis, 178

ilicis, 179

luctuosa, 177

nitida, 176

prunina, 177

tristis, 178

vehemens, 176

Oak—Continued

leaf feeders—Continued

beetles—Continued

Syneta ferruginea, 273, 278

Tymnes spp., 273, 279

Xanthonia 10-notata, 279

butterflies and moths—

American dagger moth, 392

Archips ferridana, 478, 479

brown anisota, 382

brown-tail moth, 412–414

buck moth, 378, 380

chain-spotted geometer, 436

Charadra deridens, 395

Datana angustis, 398

contracta, 400

Dicentra lignicolor, 404

Ectropis crepuscularia, 430

Erynnis icelus, 371

tucenalis, 371

Euchlaena spp., 433

eye-spotted bud moth, 471

Fenotia marthesia, 405

forest tent caterpillar, 418

fruit tree leaf roller, 478

gregarious oak leaf miner, 492

gypsy moth, 408–412

Hemileuca lucina, 380

hemlock looper, 434

Heterocampa manteo, 404

umbrata, 404

Lacosoma chiridota, 438

lappet moth, 419

lime tree winter moth, 432

linden looper, 432

Lophodonta angulosa, 401

Machimia tentoriferella, 461

Melanophila canadaria, 429

Melshheimer's sack-bearer, 438

Nacophora guernaria, 430

Nadata gibbosa, 400

oak skeletonizer, 496

Olene atomaria, 408

basiflava, 408

meridianalis, 408

tephra, 408

ragans, 408

orange-striped oakworm, 381

oriental moth, 441–442

Orthosia hibisci, 394

palmerworm, 460

Phigalia tilia, 431

polyphemus moth, 378, 379

Psilocoris quercicella, 461

reflexella, 461

puss caterpillar, 443

red-humped oak worm, 401

solitary oak leaf miner, 492

spiny oak worm, 381

spotted tussock moth, 386

spring cankerworm, 424

Tetralopha asperatella, 447

Tolyte vellea, 419

yellow-necked caterpillar, 398

grasshopper—

Dendrotettix quercus, 100

sawflies—

Acordulecera spp., 550

Arge spp., 549

Periclista spp., 582

sucking insects—

aphids—

Longistigma caryae, 127

Moneilia caryella, 112, 129

costalis, 112, 129

Mysocalis discolor, 112, 129

Therioaphis bellus, 112, 129

lacebugs—

Corythucha arcuata mali, 116

oak lacebug, 116

leafhoppers—

Alebra spp., 120

Empoasca spp., 120

Erythroneura spp., 120

Typhlocyba spp., 120

scales—

Aspidiotus osborni, 148

Asterolecanium minus, 142

quercicola, 107, 143

brown elm scale, 145–146

European fruit lecanium, 145–146

Oak—Continued
 sucking insects—Continued
 scales—Continued
Kermes galliformis, 107, 140
kingii, 107, 140
petitii, 107, 140
pubescens, 107, 140
trinotatus, 107, 140
 obscure scale, 149
 pit-making oak scale, 143, 614
 yellow oak scale, 142
 Oak, bear—
 pit-making oak scale, 143
 Oak, black—
 gall insects—
Andricus aquaticae, 596
Callirhytis (A.) *operator*, 599
 gouty oak gall, 594
 horned oak gall, 595-596
 large oak-apple gall, 597, 598
 ribbed bud gall, 596
 leaf feeders—
 beetles—
Dichelonyx elongata, 172
Phyllophaga drakei, 171
 soror, 178
 rose chafer, 173
 butterflies and moths—
Archips feroxidana, 478, 479
Argyrotaenia quercifoliaria, 482
Erynnis icelus, 371
juvenalis, 371
 oak skeletonizer, 496
 sawfly—
Periclista quercus, 582
 walkingstick, 97
 Oak, black-jack—
 gall insect—
 horned oak gall, 595-596
 leaf feeder—
 white-fringed beetle, 287
 Oak, blue jack—
 ribbed bud gall, 596
 Oak, bur—
 leaf feeder—
 red-humped oak worm, 401
 sucking insect—
 pit-making oak scale, 143
 Oak, California white—
Disholcaspis eldoradensis, 597
 Oak, Chapman—
Callirhytis floridana, 594
 Oak, chestnut—
 borer, bark and phloem—
 oak-bark scarer, 232, 263
 gall insect—
Itonida sp., 517
 sucking insects—
 scales—
Asterolecanium quercicola, 143
 pit-making oak scale, 143
 thrips—
Liothrips umbripennis, 80
 Oak, chinquapin—
 oak fig gall, 598, 599
 Oak, English—
Asterolecanium quercicola, 143
 pit-making oak scale, 143, 614
 Oak, ground—
Seirarctia echo, 388
 Oak, pin—
 borer, twig and stem—
Ectoedemia heinrichi, 502
 gall insects—
 midge—
 vein pocket gall, 516
 wasps—
 horned oak gall, 595-596
 succulent oak gall, 598-599
 leaf feeders—
 moths—
Argyrotaenia quercifoliaria, 482
 sawfly—
Caliroa lineata, 555
 Oak, post and dwarf post—
Callirhytis floridana, 594
 Oak, red—
 borer, twig and shoot—
 apple twig borer, 223, 226

Oak, red—Continued
 gall insects—
 midge—
 oak pill gall, 517
 wasps—
Callirhytis (A.) *operator*, 599
 gouty oak gall, 594
 large oak-apple gall, 597, 598
 ribbed bud gall, 596
 succulent oak gall, 598-599
 leaf feeders—
 butterflies and moths—
Archips feroxidana, 478, 479
Argyrotaenia quercifoliaria, 482
Erynnis icelus, 371
juvenalis, 371
 oak skeletonizer, 496
 midge—
Agromyza viridula, 521
 sawfly—
Periclista purpuridorsum, 582
 sucking insects—
Asterolecanium quercicola, 143
 pit-making oak scale, 143
 Oak, scarlet—
 gall insects—
Callirhytis (A.) *operator*, 599
 large oak-apple gall, 597
 leaf feeders—
 moths—
Archips feroxidana, 478, 479
Symmerista albifrons, 403
 sawfly—
Periclista similis, 582
 sucking insect—
 pit-making oak scale, 143
 Oak, scrub—
 gall insects—
 midge—
 vein pocket gall, 516
 wasps—
Callirhytis (A.) *operator*, 599
 horned oak gall, 595-596
 oak fig gall, 598, 599
 leaf feeders—
 butterflies and moths—
Archips feroxidana, 478, 479
Erynnis icelus, 371
juvenalis, 371
 Melshelmer's sack-bearer, 438
 sawfly—
Periclista quercus, 582
 Oak, swamp white—
 gall insect—
 oak flake gall, 597, 598
 leaf feeder—
Periclista diluta, 582
 sucking insects—
Asterolecanium quercicola, 143
 pit-making oak scale, 143
 Oak, water—
 gall insects—
Andricus aquaticae, 596
 gouty oak gall, 595
 horned oak gall, 595-596
 leaf feeder—
Phyllophaga soror, 178
 Oak, white—
 borers, bark and phloem—
 oak-bark scaler, 232, 247
 oak-bark scarer, 232, 263
 borers, wood—
Agrilaxia flavimana, 197
 banded ash borer, 253
 chestnut timber worm, 220
 oak timber worm, 280
 white-oak borer, 248
 gall insects—
Callirhytis futilis, 600
radicis, 600
 oak fig gall, 598, 599
 oak potato gall, 596, 597
 leaf feeders—
 moths—
Argyrotaenia quercifoliaria, 482
 brown-tail moth, 412-414
 gregarious oak leaf miner, 492
 oak skeletonizer, 496
 red-humped oak worm, 401
Symmerista albifrons, 403

Oak, white—Continued
 leaf feeders—Continued
 sawflies—
 Periclista diluta, 582
 purpuridorsum, 582
 quercus, 582
 similaris, 582
 sucking insects—
 Asterolecanium quercicola, 143
 Kermes sp., 141
 pit-making oak scale, 143
 Oak, willow—
 Andricus clavigerus, 596
 Olive (wild tea)—
 cherry fruitfly, 524
 Ornamental plants—
 borer, root—
 milkweed borers, 230, 268
 borer, twig and shoot—
 dogwood twig borer, 256
 leaf feeders—
 beetles—
 blister beetles, 206
 green June beetle, 184
 Japanese beetle, 180
 moths—
 Acronicta spp., 391-393
 Archips rosana, 477
 bagworm, 438
 Catocala spp., 390
 fall webworm, 387-389
 gypsy moth, 408-412
 hag moth, 440
 oriental moth, 441
 red-humped caterpillar, 404
 saddleback caterpillar, 440
 sucking insects—
 scales—
 Chionaspis lintneri, 149
 euonymus scale, 149
 oystershell scale, 151
 pit-making oak scale, 143
 San Jose scale, 148
 walnut scale, 148
 tarnished plant bug, 118
 Osage-orange—
 borer, wood—
 painted hickory borer, 242-243
 leaf feeder—
 fruit tree leaf roller, 478
 sucking insects—
 brown elm scale, 145-146
 European fruit lecanium, 145-146
 Palmetto and Palm—
 borer, seed—
 Caryobruchus gleditsiae, 279
 borer, wood—
 palmetto bill bug, 291
 leaf feeder—
 Seirarctia echo, 388
 Papaw—
 Micracis suturalis, 325
 Papaya—
 Toxotrypana curvicauda, 524
 Peach—
 borer, bark and phloem—
 peach bark beetle, 315
 borers, wood and gum—
 crane flies, 524-525
 Mycetobia persicae, 525
 leaf feeders—
 midges—
 Phytomyza obscurella, var.
 nigritella, 521
 moths—
 eastern tent caterpillar, 416
 Sphinx drupiferarum, 374
 Pear—
 borer, fruit—
 pear midge, 515
 borers, wood—
 beetle—
 Lymantria decipiens, 326
 horntail—
 pigeon tremex, 588
 leaf feeders—
 beetle—
 European snout beetle, 291

Pear—Continued
 leaf feeders—Continued
 moths—
 apple and thorn skeletonizer, 485
 brown-tail moth, 412-414
 cigar casebearer, 489
 eastern tent caterpillar, 416
 eye-spotted bud moth, 471
 green fruitworm, 394
 hickory tussock moth, 385
 oriental moth, 441-442
 Orthosia hibisci, 394
 palmerworm, 460
 sawfly—
 pear-slug, 564
 Pecan (See also Hickory)—
 borer, bark and phloem—
 hickory bark beetle, 308
 borers, nut—
 beetle—
 pecan weevil, 289
 moths—
 hickory shuckworm, 473-474
 pecan nut casebearer, 449
 borers, twig and shoot—
 apple twig borer, 223, 226
 pecan twig girdler, 257
 borers, wood—
 beetles—
 Platypus compositus, 342
 Xylobiops basilaris, 227
 moth—
 pecan carpenter worm, 501
 leaf feeders—
 beetles—
 Phyllophaga bipartita, 177
 crenulata, 178
 fervida, 176
 forsteri, 177
 futilis, 178
 ilicis, 179
 luctuosa, 177
 prunina, 177
 vehemens, 176
 white-fringed beetle, 287
 moths—
 pecan cigar casebearer, 489
 pecan leaf casebearer, 449
 pecan nut casebearer, 449
 walnut caterpillar, 399
 walnut sphinx, 376
 sawfly—
 Megazyga major, 583
 sucking insects—
 aphid—
 Longistigma caryae, 127
 scale—
 obscure scale, 107, 149
 Persimmon—
 borer, bark and phloem—
 Agrilus fuscipennis, 192
 borer, root—
 persimmon borer, 464
 borer, twig and shoot—
 twig girdler, 257
 borers, wood—
 beetles—
 Alobates pennsylvanica, 218
 Chrysobothris chrysoela, 195
 Dicerca obscura, 195
 Haplodrusus femoratus, 218
 Meracantha contracta, 218
 Merinus laevis, 218
 powder-post beetles, 42, 222-228
 red-headed ash borer, 253
 Scotobates calcaratus, 218
 Uloma imberbis, 218
 Xylobiops sp., 223
 Xylopinus aenescens, 218
 saperdoides, 218
 moth—
 persimmon borer, 464
 leaf feeders—
 beetles—
 Phyllophaga crenulata, 178
 forsteri, 177
 ilicis, 179
 tristis, 178

Persimmon—Continued

leaf feeders—Continued

moths—

- hickory horned devil, 383
- luna moth, 378, 379
- Seirarctia echo*, 388

Pine—

bark feeders—

- deodar weevil, 284-285
- Hylastes* spp., 301, 324
- Hylurgops pinifer*, 324
- pales weevil, 6, 7, 285-286
- pine root collar weevil, 286
- Pissodes approximatus*, 285
- white-pine weevil, 6, 19, 20, 281, 282-284, 612

borers, bark and phloem—

beetles—

- Acanthocinus* spp., 234, 236
- black turpentine beetle, 295, 301, 320
- Carpoborus* spp., 314
- cedar bark beetle, 320-321
- Corticus parallelus*, 218
- Cossonus* spp., 292
- Dendroctonus* spp., 198, 295, 301, 315-321
- Dryocoetes americanus*, 336
- piceae*, 336
- engraver beetles, 7, 333-336
- four-eyed spruce beetle, 313
- Hylastes* spp., 301, 324
- Hylurgops pinifer*, 324
- Ips* spp., 8, 12, 47, 198, 218, 333-336
- Ips avulsus*, 295, 335
- calligraphus*, 295, 334
- grandicollis*, 295, 334
- Microbregma emarginatum*, 225
- Orthotomicus caelatus*, 295, 335-336
- pine bark beetles, 14, 20, 47
- pine-bark borers, 234, 336
- Pityoborus comatus*, 330
- Pityogenes* spp., 295, 329-330
- Pityophthorus* spp., 295, 331-333
- red turpentine beetle, 295, 301, 319-320
- ribbed pine borer, 249, 262
- southern pine beetle, 4, 5, 12, 13, 16, 19, 48, 50, 58, 295, 315-318
- Stephanopachys substriatus*, 227

cricket—

- pine tree cricket, 104

moths—

- Marmara* spp., 492

borers, cone and seed—

beetles—

- Catorama* spp., 225
- Conophthorus* spp., 295, 301, 328
- Ernobius granulatus*, 225
- white-marked spider beetle, 225

moths—

- Battaristis vittella*, 458
- Dioryctria abietella*, 451
- amatella*, 452
- spruce coneworm, 451

borers, root—

- pales weevil, 7, 285-286

- Thylacites incanus*, 290

borers, twig and shoot—

beetles—

- Myeloborus ramiperda*, 331
- Pityogenes* spp., 329-330
- Pityophthorus* spp., 295, 331-333
- puberulus*, 331
- pulicarius*, 331
- white-pine weevil, 6, 19, 20, 281, 282-284, 612

moths—

- Battaristis vittella*, 458
- Dioryctria abietella*, 451
- amatella*, 452
- European pine shoot moth, 4, 12, 57, 466-467, 608.
- Nantucket pine tip moth, 467
- pitch twig moth, 469
- Rhyacionia frustrana bushnelli*, 467
- rigidana*, 468
- spruce coneworm 451
- Zimmerman pine moth, 452

borers, wood—

beetles—

- Anobium punctatum*, 225
- Asemum moestum*, 234, 237
- black-horned juniper borer, 234, 240
- black-horned pine borer, 234, 240
- brown spider beetle, 225

Pine—Continued

borers, wood—Continued

beetles—Continued

- cedar tree borer, 250
- Chalcophora* spp., 193
- Chrysobothris* spp., 195
- Crioceraphus obsoletus*, 234, 237
- Cupes concolor*, 158
- cypress and cedar borers, 257
- deodar weevil, 284-285
- Dicerca punctulata*, 195
- Dromaeolus striatus*, 186
- Ernobius mollis*, 225
- Fornax badius*, 186
- Gnathotrichus materiarius*, 340
- Hexathrum ulkei*, 293
- Hyllobius* spp., 282
- Hymenorus* spp., 215
- Iphthimus* sp., 218
- Isorhipis ruficornis*, 186
- large flatheaded pine heartwood borer, 193
- Magdalis* spp., 288
- Melanophila* spp., 196
- Melasis pectinicornis*, 186
- Monochamus* spp., 252-253
- Nathorhina* spp., 234
- old house borer, 248-250
- pales weevil, 6, 7, 285-286
- Petalium bistriatum*, 225, 226
- serriatum*, 226
- pine root-collar weevil, 286
- pine-stump prionus, 256, 262
- Pissodes approximatus*, 285
- Platypus flavicornis*, 342
- Rhyncolus brunneus*, 293
- Stephanopachys* spp., 227
- Strongylium* spp., 218
- Tomolips quercicola*, 293
- Trypodendron bisittatum*, 339
- scabricollis*, 339
- turpentine borer, 8, 20, 38, 192-193
- white-marked spider beetle, 225
- white-spotted sawyer, 249, 252
- Xyeloborus xylographus*, 340
- Xylotrechus sagittatus*, 271

horntails—

- blue horntail, 589
- Sirex juvenis cyaneus*, 589
- white-horned horntail, 589

moths—

- Dioryctria abietella*, 451
- pitch mass borer, 464
- Zimmerman pine moth, 452

flower feeders—

beetle—

- pine-flower snout beetles, 292

sawfly—

- Xyela minor*, 583

gall insects—

- gouty pitch pine midge, 514
- pine bud gall, 514
- pine needle gall fly, 515
- pitch pine midge, 515

leaf feeders—

beetles—

- Dichelonyx albicollis*, 172
- Diplozotis* spp., 173
- Macrodactylus* sp., 161
- Pachystethus obliqua*, 161, 180
- Phyllophaga luctuosa*, 177
- prununculina*, 179
- pine colaspis, 273

moths—

- Citheronia sepulchralis*, 383
- gypsy moth, 408-412
- imperial moth, 384
- Lapara bombycoides*, 375
- coniferarum*, 375
- Melanolophia canadaria*, 429
- Olene plagiata*, 408
- pine needle miner, 350, 458
- pine webworm, 446

sawflies, 57, 551-559, 583-585

- Abbott's pine sawfly, 553
- Diprion frutescens*, 557-559
- introduced pine sawfly, 557
- Neodiprion americanum*, 551
- banksianae*, 556
- dyari*, 555

Pine—Continued

- leaf feeders—Continued
- sawflies—Continued
 - Neodiprion sertifer*, 554, 555, 556
 - sp., near *abietis*, 551
 - spp., 551-557
 - nesting pine sawfly, 584, 585
 - pine false webworm, 583
 - red-headed pine sawfly, 552
 - red pine sawfly, 553
 - white-pine sawfly, 553
- mite—
 - Oligonychus americanus*, 66
- mound-building ant—
 - Allegheny mound ant, 626
- root feeders—
 - Dichelonyx* spp., 172
 - Diplotaxis* spp., 173
 - Phyllophaga* spp., 175-179
 - Polyphylla occidentalis*, 175
- sucking insects—
 - aphids—
 - Eulachnus rileyi*, 127
 - pine bark aphid, 110, 138
 - pine leaf aphid, 138
 - scales—
 - black pine leaf scale, 148
 - hemlock scale, 148
 - Matsucoccus* spp., 108, 139
 - Phenacaspis heterophyllae*, 151
 - pine needle scale, 108, 149-151
 - pine twig gall scale, 108, 139
 - spittlebugs—
 - pine spittlebug, 36, 121-123
 - Saratoga spittlebug, 36, 123
 - thrips—
 - Gnaphothrips piniphilus*, 80
- Pine, Austrian—
 - bark feeder—
 - pine root collar weevil, 286
 - borers, twig and shoot—
 - Battaristis vittella*, 458
 - European pine shoot moth, 466
 - Zimmerman pine moth, 452
 - borers, wood—
 - beetle—
 - moth—
 - Zimmerman pine moth, 452
 - leaf feeders—
 - nesting pine sawfly, 584
 - pine false webworm, 583, 584
 - red-headed pine sawfly, 552
 - sucking insects—
 - aphid—
 - pine bark aphid, 110, 138
 - scales—
 - pine needle scale, 149-151
 - pine tortoise scale, 144
- Pine, cluster—
 - Toumeyella pini*, 145
- Pine, Corsican—
 - borer, twig and shoot—
 - Rhyacionia rigidana*, 468
 - borer, wood—
 - pine root collar weevil, 286
- Pine, eastern white—
 - bark feeders—
 - pales weevil, 6, 285
 - white-pine weevil, 282-284
 - borers, bark and phloem—
 - Ips chagnoni*, 335
 - longidens*, 335
 - pini*, 335
 - Pityogenes hopkinsi*, 330
 - Pityophthorus* spp., 218, 331-333
 - southern pine beetle, 315-318
 - suppressed spruce bark beetle, 321
 - borers, cone and seed—
 - beetles—
 - cone beetles, 6, 327-328
 - white-pine cone beetle, 301, 328
 - moth—
 - Dioryctria abietella*, 451
 - borers, twig and shoot—
 - beetles—
 - Myeloborus ramiperda*, 331
 - Pityophthorus* spp., 331-333
 - white-pine weevil, 6, 19, 20, 281, 282-284, 452

- Pine, eastern white—Continued
- borers, twig and shoot—Continued
- moths—
 - Dioryctria abietella*, 451
 - Eucosma gloriola*, 470
 - Zimmerman pine moth, 452
- borers, wood—
 - beetles—
 - Anthrax quercata*, 197
 - Hypomolyz piceus*, 286
 - Pissodes affinis*, 285
 - moths—
 - Dioryctria abietella*, 451
 - pitch mass borer, 464
 - Zimmerman pine moth, 452
- leaf feeders—
 - beetle—
 - Pachystethus obliqua*, 180
 - moths—
 - Eufidonia notataria*, 429
 - Lapara bombycoides*, 375
 - Olene plagiata*, 408
 - pine tube moth, 483-484
 - pine webworm, 446
 - Semiothisa granitata*, 429
- sawflies—
 - introduced pine sawfly, 557
 - pine false webworm, 583
 - red-headed pine sawfly, 552
 - red pine sawfly, 553
 - white-pine sawfly, 553
- mound-building ant—
 - Allegheny mound ant, 626
- root feeder—
 - Phyllophaga rugosa*, 177
- sucking insects—
 - aphids—
 - Eulachnus rileyi*, 110, 127
 - pine bark aphid, 110, 138
 - pine leaf aphid, 138
 - Pineus floccus*, 138
 - Prociophilus bumeliae*, 132
 - white-pine aphid, 110, 128
 - leafhoppers, 120
 - scale—
 - pine needle scale, 149-151
 - spittlebug—
 - pine spittlebug, 121-123
- Pine, foxtail—
 - white-pine weevil, 282-284
- Pine, Himalayan blue—
 - white-pine weevil, 282-284
- Pine, jack—
 - borers, bark and phloem—
 - Pityophthorus* spp., 331-333
 - borers, twig and shoot—
 - beetles—
 - Pityophthorus* spp., 331-333
 - white-pine weevil, 282-284
 - moth—
 - Petrova albicapitana*, 469
 - borer, wood—
 - pine root collar weevil, 286
 - leaf feeders—
 - beetles—
 - Dichelonyx albicollis*, 172
 - Diplotaxis* spp., 173
 - Pachystethus obliqua*, 180
 - moths—
 - Lapara bombycoides*, 375
 - Olene plagiata*, 408
 - pine needle miner, 458
 - pine webworm, 446
 - spruce budworm, 480-482
 - sawflies—
 - Neodiprion banksianae*, 556
 - dubiosus*, 557
 - dyari*, 555-556
 - sertifer*, 554
 - swainae*, 557
 - nesting pine sawfly, 584
 - red-headed pine sawfly, 552
 - red pine sawfly, 553
 - root feeders—
 - Dichelonyx albicollis*, 172
 - Diplotaxis* spp., 173
 - sucking insects—
 - scale—
 - pine tortoise scale, 108, 144

Pine, jack—Continued
 sucking insects—Continued
 spittlebugs—
 pine spittlebug, 121-123
 Saratoga spittlebug, 123

Pine, Japanese red—
 borer, twig and shoot—
 white-pine weevil, 282-284

leaf feeders—
 Neodiprion dyari, 555-556
 sertifer, 554
 pine false webworm, 583
 red pine sawfly, 553

sucking insect—
 pine spittlebug, 121-123

Pine, Jersey—
 Rhyacionia rigidana, 468

Pine, knobcone (*P. attenuata*)—
 Paratimia sp., 230

Pine, limber—
 white-pine weevil, 282-284

Pine, loblolly—
 borers, bark and phloem—
 Pityogenes meridianus, 330
 Pityophthorus spp., 331-333
 southern pine beetle, 4, 5, 12, 13, 16, 19, 48, 50, 58,
 295, 315-318

borer, cone—
 Conophthorus taedae, 328

borers, twig and shoot—
 beetle—
 Pityophthorus spp., 331-333

moth—
 Rhyacionia rigidana, 468

leaf feeders—
 beetles—
 Phyllophaga luctuosa, 177
 prununculina, 179

moths—
 pine needle miner, 458
 pine webworm, 446

sawflies—
 Neodiprion americanum, 551
 excitans, 556
 red-headed pine sawfly, 552

sucking insects—
 pine twig gall scale, 139
 woolly pine scale, 144

Pine, lodgepole—
 borer, bark and phloem—
 mountain pine beetle, 3, 7, 605

borer, twig and shoot—
 Petrova albicapitana, 469

leaf feeders—
 moth—
 spruce budworm, 480-482

sawfly—
 red-headed pine sawfly, 552

sucking insects—
 aphid—
 pine leaf aphid, 138

scales—
 pine needle scale, 108, 149-151
 Toumeyella pini, 108, 145

Pine, longleaf—
 borers, bark and phloem—
 Corticus glaber, 218
 Ips avulsus, 218
 Pityoborus comatus, 330
 Pityophthorus spp., 331-333
 southern pine beetle, 315-318

borers, twig and shoot—
 beetle—
 Pityophthorus spp., 331-333

moth—
 Battaristis vitella, 458

borer, wood—
 turpentine borer, 192

leaf feeders—
 ant—
 Texas leaf-cutting ant, 625-626

beetles—
 Phyllophaga luctuosa, 177
 prununculina, 179

sawflies—
 Neodiprion fabricii, 556
 red-headed pine sawfly, 552

sucking insect—
 woolly pine scale, 144

Pine, mugho (Swiss mountain)—
 borers, twig and shoot—
 beetle—
 white-pine weevil, 282-284

moths—
 Battaristis vitella, 458
 European pine shoot moth, 466
 Zimmerman pine moth, 452

borer, wood—
 Zimmerman pine moth, 452

leaf feeders—
 beetle—
 Pachystethus oblitvia, 180

sawflies—
 Abbott's pine sawfly, 553
 Neodiprion sertifer, 554
 pine false webworm, 583
 red-headed pine sawfly, 552
 red pine sawfly, 553
 white-pine sawfly, 553

sucking insects—
 pine needle scale, 149-151
 Toumeyella pini, 145
 woolly pine scale, 144

Pine, Oregon—
 carpenter bee, 635

Pine, pinion—
 pine bud gall, 514

Pine, pitch—
 borers, bark and phloem—
 Pityophthorus spp., 331-333
 southern pine beetle, 315-318

borer, cone and seed
 Dioryctria abietella, 451-452

borers, twig and shoot—
 beetles—
 pine gall weevil, 290
 Pityophthorus spp., 331-333
 white-pine weevil, 282-284

moths—
 Dioryctria abietella, 451-452
 pitch twig moth, 469
 Rhyacionia rigidana, 468
 Zimmerman pine moth, 452

borers, wood—
 beetles—
 Hypomolyx piceus, 286
 Xyleborus filici, 340

horntail—
 Sirez edwardsii, 589

moths—
 pitch mass borer, 464
 Zimmerman pine moth, 452

gall insects—
 beetle—
 pine gall weevil, 290

midges—
 gouty pitch pine midge, 514
 pine needle gall fly, 515
 pitch pine midge, 515

leaf feeders—
 beetle—
 Pachystethus oblitvia, 180

moths—
 Lambdina athasaria pellucidaria, 435
 Lapara bombycoides, 375
 Olene plagiata, 408
 pine needle miner, 458
 pine webworm, 446

sawflies—
 Neodiprion dyari, 555-556
 eximina, 556
 pini-rigidae, 556
 nesting pine sawfly, 584
 red-headed pine sawfly, 552
 white-pine sawfly, 553

sucking insects—
 scales—
 pine twig gall scale, 139
 woolly pine scale, 144

spittlebug—
 pine spittlebug, 121-123

Pine, Ponderosa—
 borer, twig and shoot—
 Petrova albicapitana, 469

borer, wood—
 Gnathotrichus aciculatus, 340

leaf feeders—
 moths—
 pandora moth, 5
 spruce budworm 480-482

Pine, Ponderosa—Continued
 leaf feeders—Continued
 sawfly—
 red-headed pine sawfly, 552
 sucking insects—
 aphid—
Eulachnus rileyi, 127
 scales—
 pine needle scale, 149-151
 pine twig gall scale, 139

Pine, red—
 bark feeders—
 pales weevil, 285
 pine root collar weevil, 286
 white-pine weevil, 282-284
 borers, bark and phloem—
Ips chagnoni, 335
Ips spp., 334-335
Pityophthorus spp., 331-333
 borer, cone and seed—
 red-pine cone beetle, 328
 borers, twig and shoot—
 beetles—
Myeloborus firazi, 331
 pine gall weevil, 290
Pityophthorus spp., 331-333
 white-pine weevil, 282-284
 moths—
Battaristis vittella, 458
 European pine shoot moth, 466
Rhyacionia rigidana, 468
 Zimmerman pine moth, 452
 borers, wood—
 beetles—
Hypomolyx piceus, 286
 pales weevil, 285
 pine root collar weevil, 286
Pissodes approximatus, 285
 moth—
 Zimmerman pine moth, 452

gall insect—
 pine gall weevil, 290
 leaf feeders—
 beetle—
Pachystethus obliqua, 180

moths—
Lambdina athasaria pellucidaria, 435
Olene plagiata, 408
 pine webworm, 446, 447
 spruce budworm, 480-482
 sawflies—
Diprion frutetorum, 557-559
Neodiprion dyari, 555-556
eximius, 556
sertifer, 554, 556
 nesting pine sawfly, 584
 pine false webworm, 583
 red-headed pine sawfly, 552
 red pine sawfly, 553
 white-pine sawfly, 553

mound-building ant—
 Allegheny mound ant, 626
 root feeders—
Phyllophaga rugosa, 177
tristis, 178
 sucking insects—
 scale—
 pine needle scale, 149-151
 spittlebugs—
 pine spittlebug, 121-123
 Saratoga spittlebug, 123

Pine, scotch—
 borers, twig and shoot—
 beetle—
 white-pine weevil, 282-284
 moths—
Battaristis vittella, 458
 European pine shoot moth, 466
Rhyacionia rigidana, 468
 Zimmerman pine moth, 452
 borers, wood—
 beetles—
Hypomolyx piceus, 286
 pine root collar weevil, 286
 moth—
 Zimmerman pine moth, 452
 leaf feeders—
 moth—
 spruce budworm, 480-482

Pine, scotch—Continued
 leaf feeders—Continued
 sawflies—
Diprion frutetorum, 557-559
Neodiprion sertifer, 554
 pine false webworm, 583
 red-headed pine sawfly, 552
 mound-building ant—
 Allegheny mound ant, 626
 sucking insects—
 aphids—
Eulachnus rileyi, 127
 pine bark aphid, 110, 138
 scales—
 pine needle scale, 108, 149-151
 pine tortoise scale, 108, 144
Toumeyella pini, 145
 spittlebug—
 pine spittlebug, 121-123

Pine, scrub—
 borer, twig and shoot—
 pine gall weevil, 290
 gall insect—
Janetiella coloradensis, 514
 Pine, shortleaf—
 borers, bark and phloem—
Pityoborus comatus, 330
Pityogenes meridianus, 330
Pityophthorus spp., 331-333
 southern pine beetle, 315-318
 borer, twig and shoot—
Pityophthorus spp., 331-333
 leaf feeders—
 moth—
 pine needle miner, 458
 sawflies—
Neodiprion americanum, 551
dyari, 555-556
excitans, 556
 white-pine sawfly, 553
 sucking insects—
 aphid—
Eulachnus rileyi, 127
 scale—
 pine twig gall scale, 139

Pine, slash (*P. caribaea*)—
 borer, bark and phloem—
Pityoborus comatus, 330
Pityophthorus spp., 331-333
 borer, twig and shoot—
Pityophthorus spp., 331-333
 leaf feeders—
 Texas leaf-cutting ant, 625-626
 Pine, spruce (*P. glabra*)—
 borer, bark and phloem—
 southern pine beetle, 315-318
 sucking insect—
 pine twig gall scale, 139
 Pine, stone (*P. pinea*)—
 pine bud gall, 514
 Pine, Swiss mountain. *See* Pine, mugho.

Pine, table mountain—
 borer, bark and phloem—
 southern pine beetle, 315-318
 sucking insect—
 pine twig gall scale, 139
 Pine, Virginia—
 borers, bark and phloem—
Pityophthorus spp., 331-333
 southern pine beetle, 315-318
 borer, cone and seed—
Conophthorus virginianae, 328
 borers, twig and shoot—
 beetles—
Pityophthorus spp., 331-333
 moths—
Battaristis vittella, 458
Petroa albicapitana, 469
 leaf feeders—
 beetle—
Pachystethus obliqua, 180
 moth—
 pine needle miner, 458
 sawfly—
 red-headed pine sawfly, 552
 sucking insects—
 scale—
 pine twig gall scale, 139
 spittlebug—
 pine spittlebug, 121-123

Pine, western white—
 borer, bark and phloem—
 mountain pine beetle, 605
 borer, twig and shoot—
 white-pine weevil, 282-284
 leaf feeder—
 red-headed pine sawfly, 552
 sucking insect—
 pine leaf aphid, 138
 Pine, yellow (See also Pine, shortleaf; Pine, Ponderosa)—
 borers, bark and phloem—
Corticus piliger, 218
Ips calligraphus, 218, 334
 borers, cone and seed—
 beetles—
 cone beetle, 6, 327-328
 moth—
Dioryctria amatella, 452
 borer, twig and shoot—
 white-pine weevil, 282-284
 borers, wood—
 beetle—
Nicobium hirtum, 225
 moths—
Dioryctria amatella, 452
 Zimmerman pine moth, 452
 Plum—
 borers, bark and phloem—
 peach bark beetle, 315
Scolytus sulcatus, 312
 shot-hole borer, 310
 borer, fruit—
 apple maggot, 524
 leaf feeders—
 beetle—
 European snout beetle, 291
 moths—
 apple and thorn skeletonizer, 485
 brown-tail moth, 412-414
 cigar casebearer, 489
 cyynthia moth, 377, 378
 eastern tent caterpillar, 416-418
 eye-spotted bud moth, 471
 oriental moth, 441-442
 palmerworm, 460
 puss caterpillar, 443
Sphinx drupiferarum, 374
 sawfly—
 plum web-spinning sawfly, 585
 root feeder—
Polydrusus impressifrons, 290
 Poison ivy—
 borer, bark and phloem—
Pityophthorus rhois, 331
 leaf feeders—
 moth—
Episimus argutus, 471
 sawfly—
Arge humeralis, 549
 Poplar, Aspen, and Cottonwood (*Populus* spp.)—
 borer, bark and phloem—
 bronze birch borer, 191
 borer, root—
 hornet moth, 462
 borers, twig and shoot—
 beetles—
Micrasis populi, 325
Oberia schaumii, 232, 256
 poplar twig borer, 232, 266
 twig girdler, 257
 sawfly—
 willow shoot sawfly, 590-591
 borers, wood—
 beetles—
Anisandrus populi, 341
 cottonwood borer, 31-32, 228, 233, 260-261
Dicerca tenebrica, 195
 flatheaded poplar borer, 196
Hylecoetus spp., 220-221
Lyctus spp., 227
 oak timberworm, 280
Oberia ferruginea, 232, 255
Platypus compositus, 342
 poplar borer, 26, 233, 264
 poplar-butt borer, 233, 270
 poplar-gall saperda, 232, 264, 266
 poplar twig borer, 232, 266
 poplar and willow borer, 286-287

Poplar, Aspen, and Cottonwood—Continued
 borers, wood—Continued
 beetles—Continued
Ptilinus pruinosus, 226
 sapwood timber worm, 221, 222
Sinodendron rugosum, 170
Trypodendron retusus, 339
 horn-tail—
 black and red horn-tail, 589
 moths—
 carpenter worm, 497
 hornet moth, 462
 flower or catkin feeder—
Dorytomus sub similis, 290
 gall insects—
 aphids—
Pemphigus populicaulis, 133
populi-globuli, 133
 poplar stem gall aphid, 133
 poplar vagabond aphid, 133
 beetle—
 poplar-gall saperda, 232, 264-266
 midges—
 poplar twig gall fly, 522
 tulip gall fly, 514
 moth—
Ectoedemia populella, 502
 sawflies—
Pontania spp., 577
 leaf feeders—
 beetles—
Chrysomela interrupta, 274
tremulae, 274
 cottonwood leaf beetle, 274
 cottonwood leaf-mining beetle, 273
 European snout beetle, 291
 goldsmith beetle, 181
 imported willow leaf beetle, 274
Phyllophaga drakei, 171
ilicis, 179
vehemens, 176
 willow flea beetle, 292
 butterflies and moths—
Abbottana clemataria, 437
Acronicta distans, 392
impressa, 392
leporina vulpina, 391
Amorbia humerosana, 476
Anacamptis innocella, 459
Anacamptodes larvaria, 430
Brephos infans, 422
 Bruce's spanworm, 426
Cerura spp., 405
 chain-spotted geometer, 436
 cleft-headed spanworm, 432
 cottonwood dagger moth, 391-392
Deilephila erythremaria, 428
Euchlaena pectinaria, 433
Fentonina marthesia, 405
 forest tent caterpillar, 418
 fruit tree leaf roller, 478
Gluphisia septentrionis, 405
 gypsy moth, 408-412
Hyperaeschra stragula, 400
Ichthyura spp., 397
 io moth, 378, 380
 lappet moth, 419
 large aspen tortrix, 480
Lycia ursaria, 432
 mourning-cloak butterfly, 369
 Nevada buck moth, 380
Nymphalys j-album, 369
 oriental moth, 441
Paonias excaecatus, 375
 pepper and salt moth, 432
Pheosia rimosa, 400
 poplar tentmaker, 396
Raphia frater, 395
 red-humped caterpillar, 404
 satin moth, 414-416
 smeared dagger moth, 393
Smerinthus jamaicensis, 375
Sphinx luscitiosa, 374
 spotted tussock moth, 386
Tetralopha sp., 447
 tiger swallowtail, 368
Tolype velleda, 419
 viceroy butterfly, 370
 white-marked tussock moth, 406

Poplar, Aspen, and Cottonwood—Continued

- leaf feeders—Continued
 - sawflies—
 - elm sawfly, 562-564
 - giant American sawfly, 562-564
 - Pontania populi*, 578
 - robusta*, 578
 - poplar leaf-folding sawfly, 578
 - Pteronidea plesia*, 577
 - populi*, 577
 - Scoliomeura* sp., 570
 - Trichocampus viminalis*, 570, 571
 - Trichosoma triangulum*, 564
 - willow sawfly, 575
 - root feeder—
 - Polydrusus impressifrons*, 290
 - sucking insects—
 - aphids—
 - gall aphids, 109
 - Chaitophorus populifoliae*, 129
 - Clavirigerus populifoliae*, 129
 - smithiae*, 129
 - Lachnus salignus*, 127
 - Neothomasia populicola*, 129
 - Pemphigus populicaulis*, 133
 - populi-globuli*, 133
 - Phylloxera* spp., 138
 - poplar stem gall aphid, 133
 - poplar vagabond aphid, 133
 - lacebug—
 - willow and poplar lacebug, 117
 - leafhoppers, 120
 - scales—
 - brown elm scale, 145-146
 - European fruit lecanium, 145-146
 - European fruit scale, 148
 - oystershell scale, 151
 - Putnam scale, 148
 - scurfy scale, 149
- Poplar, yellow. *See* Tuliptree.
- Privet—
 - borers, wood—
 - beetle—
 - ash and privet borer, 232, 233, 269
 - moth—
 - lilac borer, 465
 - leaf feeders—
 - beetle—
 - Pseudocneorrhinus setosus*, 290
 - moths—
 - Archips rosana*, 477
 - lilac leaf miner, 492
 - sucking insect—
 - English ivy scale, 143
- Quince—
 - cigar casebearer, 489
- Raspberry—
 - black-horned tree cricket, 104
- Rattan—
 - Thysanoes berschemiae*, 326
- Redbud—
 - borer, bark and phloem—
 - Pityophthorus natalis*, 331
 - borer, seed—
 - Gibbobruchus mimus*, 279
 - borers, wood—
 - Anthaxia quercata*, 197
 - flatheaded redbud borer, 196
 - Hymenorus* spp., 215
 - Micracis meridianus*, 325
 - opacicolis*, 325
 - suturalis*, 325
 - swainet*, 325
 - Thysanoes fimbriicornis*, 326
 - leaf feeders—
 - Fascista cercerisella*, 460
 - grape leaf folder, 444
 - Norape cretata*, 444
 - sucking insects—
 - brown elm scale, 145-146
 - European fruit lecanium, 145-146
 - San Jose scale, 148
- Redwood—
 - carpenter bee, 635
- Rhododendron—
 - borer, root—
 - rhododendron stem borer, 231, 232, 234, 255
 - borers, wood—
 - beetles—
 - Corthyphus punctatissimus*, 338
 - rhododendron stem borer, 231, 232, 234, 255

Rhododendron—Continued

- borers, wood—Continued
 - moth—
 - rhododendron borer, 463
 - gall insects—
 - Giardomyia rhododendri*, 517
 - pinkster bud gall, 518
 - leaf feeders—
 - beetle—
 - Pseudocneorrhinus setosus*, 290
 - moths—
 - Orthosia hibisci*, 394
 - Sphinx kalmiae*, 374
 - sucking insect—
 - rhododendron lacebug, 117
 - Rose—
 - borer, wood—
 - Hartigia trimaculata*, 591
 - flower feeders—
 - rose chafer, 53, 173
 - Strigoderma arboricola*, 180
 - leaf feeders—
 - beetles—
 - Phyllophaga gracilis*, 178
 - vehemens*, 176
 - rose curculio, 292
 - rose leaf beetle, 278
 - leaf-cutting bees, 635
 - moths—
 - cecropia moth, 377-378
 - brown-tail moth, 412-414
 - eastern tent caterpillar, 416-418
 - Euchlaena effecta*, 433
 - oblique-banded leaf roller, 479
 - puss caterpillar, 443
 - red-humped caterpillar, 404
 - Sphinx gordius*, 374
 - white-marked tussock moth, 406
 - sawflies—
 - bristly rose-slug, 571
 - coiled rose-worm, 581
 - curled rose sawfly, 580
 - European rose slug, 565
 - rose sawfly, 565
 - Sassafras—
 - borer, root—
 - sassafras stem borer, 231, 232, 234, 256
 - borers, wood—
 - Anisandrus sayi*, 341
 - Apteromechus ferratus*, 287
 - sassafras stem borer, 231, 232, 234, 256
 - Scobicia bidentata*, 227
 - leaf feeders—
 - beetles—
 - Phyllophaga prunina*, 177
 - white-fringed beetle, 287
 - butterflies and moths—
 - cecropia moth, 377-378
 - Datana drezeli*, 398
 - Epimecis virginaria*, 430
 - fruit tree leaf roller, 478
 - gypsy moth, 408-412
 - polyphemus moth, 378, 379
 - promethea moth, 378, 379
 - spicebush swallowtail, 368
 - sucking insects—
 - brown elm scale, 145-146
 - European fruit lecanium, 145-146
- Seeds, including acorns and nuts—
 - beetles—
 - acorn and nut weevils, 6, 288
 - Catorama* spp., 225
 - chestnut weevil, 289
 - cigarette beetle, 225
 - Ernobius granulatus*, 225
 - hazelnut weevil, 289
 - large chestnut weevil, 289
 - pea weevil, 279
 - pecan weevil, 289
 - moths—
 - acorn moth, 461
 - Dioryctria abietella*, 451
 - amatella*, 452
 - filbert worm, 474
 - hickory shuckworm, 473, 474
 - Lasperyresia youngana*, 473
 - Mitrella raccini*, 451
 - pecan nut casebearer, 449
 - Proteoteras aesculana*, 470
 - spruce coneworm, 451

Seeds, including acorns and nuts—Continued

- midges and chalcids—
 - acorn pip galls, 600
 - birch seed midge, 510
 - catalpa midge, 511
 - chokecherry midge, 515
 - cypress seed midge, 520
 - Megastigmus* spp., 619-620
- Serviceberry (juneberry or shadbush)—
 - borers, bark and phloem—
 - beetle—
 - Agrius vittaticollis*, 192
 - midge—
 - Agromyza amelanchieris*, 524
 - borer, root—
 - Hammoderus tessellatus*, 233, 248
 - borers, wood—
 - Hammoderus tessellatus*, 233, 248
 - roundheaded apple tree borer, 233, 264
 - flower feeder—
 - Serica sericea*, 174
 - leaf feeders—
 - Phyllophaga drakei*, 171
 - gracilis*, 178
 - sucking insects—
 - aphids—
 - gall aphids, 109
 - woolly elm aphid, 130
 - scale—
 - willow scurfy scale, 151
- Smilax—
 - Neoprociphilus attenuatus*, 133
- Snowberry—
 - snowberry clearwing, 376
- Spicebush. *See* Benzoin.
- Spiraea* spp.—
 - Exora hemidesma*, 470
 - Hemileuca lucina*, 380
- Spruce—
 - bark feeder—
 - white-pine weevil, 282-284
 - borers, bark and phloem—
 - cedar bark beetles, 320-321
 - Dryocortus americanus*, 336
 - piceae*, 336
 - eastern spruce beetle, 4, 7, 16, 19, 318-319
 - four-eyed spruce bark beetle, 313
 - Ips pini*, 335
 - Hylurgops pinifer*, 324
 - Orthotomicus caelatus*, 335-336
 - Pityophthorus* spp., 331-332
 - red turpentine beetle, 319-320
 - southern pine beetle, 4, 5, 12, 13, 16, 19, 48, 50, 58, 218, 315-318
 - spruce scolytus, 313
 - borers, cone and seed—
 - Dioryctria abietella*, 451
 - Laspeyresia youngana*, 473
 - spruce coneworm, 451
 - borer, root—
 - Thylacites incanus*, 290
 - borers, twig and shoot—
 - beetles—
 - Cryphalus* spp., 329
 - Ptyogenes hopkinsi*, 330
 - Pityophthorus* spp., 331-332
 - white-pine weevil, 282-284
 - moths—
 - Dioryctria abietella*, 451
 - spruce coneworm, 451
 - borers, wood—
 - beetles—
 - Asemum* spp., 234, 237
 - black-horned juniper borer, 234, 240
 - black-horned pine borer, 234, 240
 - Chrysobothris pusillus*, 195
 - Criocephus* spp., 234, 237
 - Ernobius alutaceus*, 225
 - mollis*, 225
 - flatheaded fir borer, 196
 - Gnathotrichus materiarius*, 340
 - hemlock borer, 195
 - Melanophila acuminata*, 196
 - Monochamus* spp., 252-253
 - old house borer, 248-250
 - pine bark borers, 234, 236
 - Pissodes rotundatus*, 285
 - Trypodendron birittatum*, 339
 - Upis cerambyoides*, 218

Spruce—Continued

- borers, wood—Continued
- horntails—
 - blue horn-tail, 589
 - Sirex juvencus cyaneus*, 589
 - white-horned horn-tail, 589
 - yellow-horned horn-tail, 589
- moths—
 - Dioryctria abietella*, 451
 - pitch mass borer, 464
- gall insects—
 - Cooley spruce gall, 135
 - eastern spruce gall aphid, 134-135
 - Pineus floccus*, 138
 - similis*, 138
- leaf feeders—
 - moths—
 - black-headed budworm, 484
 - Epinotia nanana*, 350, 471
 - Epizeuxis aemula*, 395, 396
 - Feralia jocosus*, 394
 - gypsy moth, 408-412
 - hemlock looper, 434
 - Melanophila canadaria*, 429
 - Negypia carnosaria*, 434
 - Olene plagiata*, 408
 - Recurraria piceella*, 350, 457
 - Semiothisa granulata*, 429
 - spruce budworm, 4, 5, 6, 7, 14, 19, 59, 480-482
 - Tanina abolineana*, 350, 475
 - Zeiraphera ratzeburgiana*, 471
 - sawflies—
 - balsam-fir sawfly, 551
 - European spruce sawfly, 4, 57, 559-562
 - green-headed spruce sawfly, 575
 - Neodiprion* sp., near *abietis*, 551
 - yellow-headed spruce sawfly, 575
- mound-building ant—
 - Allegheny mound ant, 626
- sucking insects—
 - aphids—
 - balsam twig aphid, 133
 - Cooley spruce gall aphid, 135
 - eastern spruce gall aphid, 134-135
 - gall aphids, 109, 133-135
 - Pineus floccus*, 138
 - similis*, 138
 - woolly larch aphid, 137
 - scales—
 - hemlock scale, 148
 - pine needle scale, 149-151
 - spruce bud scale, 108, 147
- Spruce, black—
 - borer, bark and phloem—
 - eastern spruce beetle, 4, 7, 16, 19, 318-319
 - borer, twig and shoot—
 - white-pine weevil, 282-284
 - leaf feeders—
 - moth—
 - spruce budworm, 480-482
 - sawflies—
 - European spruce sawfly, 559-562
 - yellow-headed spruce sawfly, 575
 - sucking insects—
 - Cinara abietis*, 127
 - gall aphids, 109
 - pine leaf aphid, 138
 - woolly larch aphid, 137
- Spruce, blue (Colorado spruce)—
 - borer, bark and phloem—
 - Maydalis piceae*, 288
 - borer, twig and shoot—
 - white-pine weevil, 282-284
 - leaf feeders—
 - moths—
 - Epinotia nanana*, 471
 - gypsy moth, 408-412
 - Recurraria piceella*, 457
 - Tanina abolineana*, 475
 - sawfly—
 - yellow-headed spruce sawfly, 575
 - root feeder—
 - strawberry root weevil, 291
 - sucking insects—
 - gall aphids, 109
 - Cooley spruce gall aphid, 135-137
- Spruce, Engelmann—
 - borer, bark and phloem—
 - spruce scolytus, 313

Spruce, Engelmann—Continued

- leaf feeders—
 - moth—
 - Taniva albolineana*, 475
 - sawfly—
 - yellow-headed spruce sawfly, 575
- sucking insects—
 - Cooley spruce gall aphid, 109, 135
 - pine leaf aphid, 109, 138
- Spruce, Norway—
 - borer, bark and phloem—
 - southern pine beetle, 316
 - borer, twig and shoot—
 - white-pine weevil, 282-284
 - leaf feeders—
 - moths—
 - Epinotia nanana*, 471
 - Recurvaria piceaella*, 457
 - Taniva albolineana*, 475
 - sawflies—
 - European spruce sawfly, 559-562
 - yellow-headed spruce sawfly, 575
 - sucking insects—
 - gall aphids—
 - Chermes lariciatus*, 109, 137
 - eastern spruce gall aphid, 109, 134-135
 - spittlebug—
 - pine spittlebug, 121-123
- Spruce, red—
 - borers, bark and phloem—
 - Corticus glaber*, 218
 - Cryphalus mainensis*, 329
 - rubentis*, 329
 - eastern spruce beetle, 318
 - four-eyed spruce bark beetle, 218, 313-314
 - Phthorophloeus piceae*, 315
 - Pityophthorus* spp., 331-333
 - southern pine beetle, 318
 - spruce scolytus, 313
 - suppressed spruce bark beetle, 321
 - borers, twig and shoot—
 - Pityophthorus* spp., 331-333
 - white-pine weevil, 282-284
 - leaf feeders—
 - moths—
 - Epinotia nanana*, 471
 - Recurvaria piceaella*, 457
 - spruce budworm, 480-482
 - sawflies—
 - European spruce sawfly, 559-562
 - yellow-headed spruce sawfly, 575
 - sucking insects—
 - pine leaf aphid, 109, 138
 - woolly larch aphid, 109, 137
- Spruce, Sitka—
 - Cooley spruce gall aphid, 109, 135
 - pine leaf aphid, 109, 138
- Spruce, white—
 - borers, bark and phloem—
 - Cryphalus mainensis*, 329
 - eastern spruce beetle, 318
 - Ips chagnoni*, 335
 - Phthorophloeus piceae*, 315
 - Pityophthorus shepardii*, 332
 - spruce scolytus, 313
 - suppressed spruce bark beetle, 321
 - borer, twig and shoot—
 - white-pine weevil, 282-284
 - leaf feeders—
 - moths—
 - Epinotia nanana*, 471
 - Recurvaria piceaella*, 457
 - spruce budworm, 480-482
 - sawflies—
 - European spruce sawfly, 559-562
 - yellow-headed spruce sawfly, 575
 - sucking insects—
 - Chermes lariciatus*, 109, 137
 - eastern spruce gall aphid, 109, 134-135

Sumac—

- borers, bark and phloem—
 - Pityophthorus* spp., 331
- borer, root—
 - sumac stem borer, 231, 232, 234, 249, 255
- borers, twig and stem—
 - Pityophthorus* spp., 331
- borers, wood—
 - California prionus, 261-262
 - Dicera obscura*, 195
 - sumac stem borer, 231, 232, 234, 249, 255

Sumac—Continued

- leaf feeders—
 - beetles—
 - Blepharida rhois*, 277
 - Attelabus* spp., 292
 - moths—
 - Anacampsis rhoifrutella*, 459
 - Episimus argutatus*, 471
 - hickory horned devil, 383, 384
 - regal moth, 383, 384
 - Salebria semiobscura*, 454
 - sumac datana, 399
 - sawfly—
 - Arge coccinea*, 549
- Sumac, poison—
 - Arge humeralis*, 549
- Sweetfern—
 - borer, bark and phloem—
 - Agrilus lateralis*, 191
 - leaf feeders—
 - Acrobasis comptoniella*, 450
 - Acronycta distans*, 392
 - impressa*, 392
 - chain-spotted geometer, 436
 - cleft-headed spanworm, 432
 - Cosymbia pendulinaria*, 426
 - Euchlaena effecta*, 433
 - Lagoa crispata*, 444
 - pepper and salt moth, 432
 - Prochoerodes transversata*, 437
 - spear-marked black moth, 428
 - Sphinx gordius*, 374
 - Synchlora rubrifrontaria*, 424
 - Tetraxis lorata*, 437
 - sucking insect—
 - Saratoga spittlebug, 123
- Sweetgale—
 - Melanophila canadaria*, 429
 - spear-marked black moth, 428
- Sweetgum (gum, red)
- borers, bark and phloem—
 - Dryocoetes betulae*, 294, 336
 - liquidambarus*, 336
 - Pityophthorus liquidambarus*, 331
- borers, wood—
 - ambrosia beetles, 337
 - Corticus thoracicus*, 218
 - Fornax badius*, 186
 - Isorhipis ruficornis*, 186
 - Lyctus* spp., 227
 - Melasis pectinicornis*, 186
 - Platypus compositus*, 342
 - Strongylium tenuicollis*, 218
 - terminatum*, 218
 - Trichodesma gibbosa*, 226
 - Xyleborus* spp., 218, 296, 300, 337, 340
- leaf feeders—
 - forest tent caterpillar, 418
 - luna moth, 378, 379
- Sycamore—
 - borer, twig and shoot—
 - Myrmex myrmex*, 290
 - borers, wood—
 - beetles—
 - Dirhagus pectinatus*, 186
 - flatheaded sycamore-heartwood borer, 193
 - hardwood stump borer, 252
 - Iphthimus* sp., 218
 - Lichenophanes bicornis*, 226
 - living beech borer, 245
 - Orchesia castanea*, 214
 - Ptilinus ruficornis*, 226
 - horntail—
 - pigeon tremex, 588
 - leaf feeders—
 - Adorophyes furcata*, 476
 - Datana contracta*, 400
 - Fentonia marthesia*, 405
 - puss caterpillar, 443
 - sycamore tussock moth, 387
 - Tetralopha militella*, 447
 - white-marked tussock moth, 406-407
 - sucking insects—
 - aphid—
 - Longistigma caryae*, 110, 112, 127
 - lacebug—
 - sycamore lacebug, 115
 - scale—
 - cottony maple scale, 144
 - terrapin scale, 146

Tamarack. *See* Larch, American and European.

Tea, New Jersey—

- Aphonus tridentatus*, 183
- Phyllophaga drakei*, 171
- gracilis*, 178
- rose chafer, 173

Thornapple. *See* Hawthorn.

Tuliptree (poplar, yellow)—

- borers, wood—
- Allobates pennsylvanica*, 218
- Columbian timber beetle, 338
- flatheaded sycamore-heartwood borer, 193-194
- Fornax badius*, 186
- Haplodrusus femoratus*, 218
- Hylecoetus lugubris*, 221, 222
- Hymenorus* spp., 215
- Isorhipis ruficornis*, 186
- Melasis pectinicornis*, 186
- Meracantha contracta*, 218
- Merinus laevis*, 218
- Orchesia castanea*, 214
- Scotobates calcaratus*, 218
- Strongylium tenuirolle*, 218
- terminatum*, 218
- Uloma imberbis*, 218
- Xylopinus aenescens*, 218
- saperdoides*, 218

gall insect—

tulip gall fly, 514

leaf feeders—

- Epimecis virginaria*, 430
- polyphemus moth, 378, 379
- promethea moth, 378, 379

sucking insects—

- Aspidiotus townsendi*, 108, 148
- tuliptree scale, 108, 144
- willow scurfy scale, 108, 151

Tupelo (gum, black or sour)—

borer, twig and shoot—

twig girdler, 257

borers, wood—

- Allobates pennsylvanica*, 218
- Buprestis rufipes*, 193
- Dicerca scobina*, 195
- Haplodrusus femoratus*, 218
- Meracantha contracta*, 218
- Merinus laevis*, 218
- Platypus compositus*, 342
- Scotobates calcaratus*, 218
- Strongylium tenuirolle*, 218
- terminatum*, 218
- Uloma imberbis*, 218
- Xylopinus aenescens*, 218
- saperdoides*, 218

leaf feeders—

beetles—

- Coscinopectera dominicana*, 278
- Phyllophaga crenulata*, 178
- luctuosa*, 177
- vehemens*, 176
- white-fringed beetle, 287

moths—

- forest tent caterpillar, 418
- gypsy moth, 408-412
- Tacoma nyssaeolella*, 453
- tupelo leaf miner, 350, 485

sucking insects—

Phyllozerina spp., 138

Viburnum spp.

borer, twig and shoot—

dogwood twig borer, 256

leaf feeders—

- Anacamptis rhoisfructella*, 459
- hummingbird clearwing, 376
- Schizura badia*, 405

Virginia Creeper—

leaf feeders—

- abbott's sphinx, 376
- achemon sphinx, 377
- Ampelocera myron*, 377
- Amphion nessus*, 377
- Deidamia inscriptum*, 377
- eight-spotted forester, 390
- grape leaf folder, 444
- grapevine looper, 428
- Pholus pandorus*, 377

Walnut, black—

borer, bark and phloem—

Pseudothysanoes lecontei, 326

Walnut, black—Continued

borers, fruit and nut—

beetle—

Conotrachelus retentus, 289

fruitfly—

walnut husk fly, 524

borers, twig and shoot—

Conotrachelus juglandis, 289

retentus, 289

borers, wood—

Chrysobothris sezsingnata, 195

Lyctus, spp. 227

Micraxis suturalis, 325

leaf feeders—

beetles—

Attelabus spp., 292

Phyllophaga vehemens, 176

moths—

Ecroptis crepuscularia, 430

fruit tree leaf roller, 478

hickory horned devil, 383, 384

hickory tussock moth, 385

luna moth, 378, 379

pecan cigar casebearer, 489

pecan leaf casebearer, 449

walnut caterpillar, 399

walnut sphinx, 376

sawfly—

butternut woolly worm, 582

sucking insects—

aphids—

Longistigma caryae, 112, 127

Monellia caryella, 112, 129

costalis, 112, 129

lacebug—

walnut lacebug, 117

scales—

brown elm scale, 145-146

European fruit lecanium, 145-146

scurfy scale, 149

Wild tea. *See* Olive.

Willow—

borers, bark and phloem—

beetle—

Agrilus quadriguttatus, 192

moth—

Marmara spp., 492

borers, root—

hornet moth, 462

Sthenopis thule, 505

borers, twig and shoot—

beetle—

poplar-twig borer, 232, 266

sawfly—

willow shoot sawfly, 590, 591

borers, wood—

beetles—

Anthaxia viridicornis, 197

cottonwood borer, 260-261

hardwood stump borer, 252

Hymenorus spp., 215

Magdalis satilis, 288

Micraxis meridianus, 325

swaini, 325

Platypus compositus, 342

Poecilontha thureura, 196

Polycaon stouti, 226

poplar-gall sawperda, 232, 264

poplar and willow borer, 286-287

Sinodendron rugosum, 170

willow branch borer, 232, 255

moth—

hornet moth, 462

flower feeder—

willow-cotton sawfly, 578

gall insects—

beetles—

Agrilus politus, 192

Apion spp., 281

poplar-gall sawperda, 232, 264

midges—

beaked willow gall fly, 518, 519

European willow gall midge, 518

wheat ear gall, 518

willow cone gall midge, 518

sawflies—

Euura spp., 578, 579

Pontania spp., 577

Willow—Continued

leaf feeders—

beetles—

- Calligrapha bigsbyana*, 275
- Chrysomela interrupta*, 274
- tremulae*, 274
- cottonwood leaf beetle 274
- European snout beetle, 291
- goldsmith beetle, 181
- imported willow leaf beetle, 274
- Orsodacne atra*, 278
- Phyllophaga drakei*, 171
- tristis*, 178
- vehemens*, 176
- rose leaf beetle, 278
- willow flea beetle, 292
- butterflies and moths—
- Acronicta distans*, 392
- impressa*, 392
- leporina vulpina*, 391
- American dagger moth, 392
- Amorbia humerosana*, 476
- brown-tail moth, 412-414
- cecropia moth, 377-378
- Cerura cinerea*, 405
- multiscripta*, 405
- occidentalis*, 405
- chain-spotted geometer, 436
- cleft-headed spanworm, 432
- cottonwood dagger moth, 391, 392
- dagger moths, 391

- Deilephila erythremaria*, 428
- Euchlaena effecta*, 433
- fruit tree leaf roller, 478
- gypsy moth, 408-412
- Hyperaeschra stragula*, 400
- Ichtyura apicalis*, 397
- brucei*, 397
- strigosa*, 397
- io moth, 378, 380
- luna moth, 378, 379
- Lycia ursaria*, 432
- mourning-cloak butterfly, 369
- Nevada buck moth, 380
- Nymphalus j-album*, 369
- oriental moth, 441-442
- Orthosia hibisci*, 394
- Paonias excaecatus*, 375
- pepper and salt moth, 432
- Pheosia rimosa*, 400
- polyphemus moth, 378, 379
- Prochoerodes transversata*, 437
- Raphia frater*, 395
- red-humped caterpillar, 404
- saturn moth, 414-416
- Schizura ipomoeae*, 405
- leptinodes*, 405
- smear-dagger moth, 393
- Smerinthus jamaicensis*, 375
- spear-marked black moth, 428
- Sphinx lusciosa*, 374
- spotted tussock moth, 386
- Synchlora aerata*, 424
- viceroy butterfly, 370
- unicorn caterpillar, 405
- white-marked tussock moth, 406

sawflies—

- Arga* sp., 549
- elm sawfly, 562-564
- giant American sawfly, 562-564
- Pteronidea harringtoni*, 577
- odorata*, 576
- Trichocampus irregularis*, 571
- Trichosoma triangulum*, 564
- willow sawfly, 575

mite—

- European red mite, 66

root feeder—

- Polydorus impressifrons*, 290

sucking insects—

aphids—

- Clarigerus salicis*, 112, 129
- smithiae*, 112, 129
- Lachnus salignus*, 112, 127
- Longistigma caryae*, 112, 127
- Phylloxera* spp., 138

lacebugs—

- birch lacebug, 117
- willow lacebug, 116
- willow and poplar lacebug, 117
- leafhoppers, 120

Willow—Continued

sucking insects—Continued

scales—

- brown elm scale, 145-146
- Chionaspis linterni*, 149
- European fruit lecanium, 145-146
- European fruit scale, 148
- oystershell scale, 151
- scurfy scale, 149
- willow scurfy scale, 151
- spittlebugs—
- Aphrophora salicis*, 123

Wisteria—

- Euchlaena effecta*, 433
- locust leaf roller, 453
- silver-spotted skipper, 371
- white-marked tussock moth, 406

Witch hazel—

borer, bark and phloem—

- Ptyopthorus* sp., 331

borers, wood—

- Dierca pugionata*, 195
- Trypodendron scabricollis*, 339

gall insects—

- spiny witch hazel gall aphid, 109-110, 133-134
- witch hazel leaf gall aphid, 109-110, 133-134

leaf feeders—

- Datana drezei*, 398
- Episimus argutus*, 471

Wood products, 37-47

borers infesting lumber, piling, poles, and manufactured products—

ant—

- black carpenter ant, 41, 43-44, 228, 622-625

bee—

- carpenter bees, 44, 635-637

beetles—

- Anobiidae, 222, 225-226
- bamboo borer, 240
- banded ash borer, 253
- black-horned juniper borer, 240
- black-horned pine borer, 240
- Bostriichidae, 222, 223, 226-227
- Brentidae, 280
- brown prionid, 258
- brown spider beetle, 225
- Clinidium sculpitile*, 158, 159
- cypress bark borer, 259
- Cupesidae, 158
- Dermestidae, 203-204
- Ernobius* spp., 225
- flat oak borer, 268
- Hexarthrum ulkei*, 293
- hide beetle, 204
- Hylocurus langstoni*, 300, 325
- ivory-marked beetle, 245
- larder beetle, 204
- large powder-post beetles, 226-227
- lead cable borer, 223
- lesser grain borer, 227
- Lycidae, 222, 223, 224, 227-228
- Lyctus powder-post beetles, 40-41, 203, 227-228
- Micromalthus debilis*, 158
- oak timber worm, 280
- Oeme* spp., 257
- old house borer, 229, 230, 236, 241, 248-249, 254
- pole borer, 258
- powder-post beetles, 9, 40-41, 42, 44, 153, 222-228
- Paelactus spadix*, 293
- red-headed ash borer, 253
- rustic borer, 271
- ship-timber beetles, 220-222
- skin beetles, 203-204
- Stephanopachys* spp., 227
- tanbark borer, 259
- timber worms, 27, 38, 280
- Tomolips quercicola*, 293
- wharf borer, 214
- white-marked spider beetle, 225
- Xyleborus* spp., 300, 340
- Xylobius* spp., 223, 227

borers, marine—

- shipworms 67-69
- Teredo miriflora*, 67-69
- protection of logs and lumber 38-47
- termites, 30, 43-47, 85-93
- wood lice, 68-69

Yew—

- black vine weevil, 291
- strawberry root weevil, 291