Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.95
ESTABLISHED 1852. **BRARY,**

2011090
Catalogue No. 8.

U. S. Department of Agriculture,
Washington, D. C.

A CATALOGUE
— OF —
ORCHIDS,

For 1888,
Cultivated for Sale

— BY —
JOHN SAUL,
Nurseryman, Seedsman and Florist,
WASHINGTON CITY, D. C.

SEED AND FLORAL STORE—621 Seventh Street, Opp. U. S. Patent Office.
NURSERIES AND GREENHOUSES—On Seventh Street Road.

NOTICE.

SINCE issuing my last Catalogue of Orchids, I have added largely to my stock. Having regular shipments from Mexico, Guatemala, Central and South America, East Indies, Burmah, Philippine Islands, Borneo, Madagascar, and other countries celebrated for their Orchids, and as these importations are frequently arriving during the spring and summer months, it follows as a consequence that I have nearly at all times a great number of species not in Catalogue, as well as new and rare sorts unnamed.

Remarkably fine plants and masses of Angraecums, Grammatophyllums, &c., from Madagascar, Dendrobiums, Saccolabiums, Arides, &c., from Burmah, are offered.

From our bright sun and clear bright atmosphere, my Tropical Orchids are superior to any grown in England, or the continent of Europe. My Dendrobiums make longer, thicker, and finer Pseudo-Bulbs than they have when received from their native countries. Arides, Saccolabiums, Vandas, Phalaenopsis, &c., make stronger growths, with rampant roots and healthy foliage. Our climate is perfection for Tropical Orchids.

My prices are very much lower than they can be purchased for in Europe, in many cases not more than one-half, and stronger, and in every respect superior plants. What are offered there as cheap Orchids are in most cases little pieces.

It is difficult to give prices of Orchids in a Catalogue; a plant of any species may not be worth one dollar, whilst a fine plant of the same species may be worth five dollars. Orchids I can supply cheap and nice plants, I have also fine specimens where such are desired at extra prices. Of many I can supply large masses. Parties forming collections would do well to visit my establishment, and look out their plants. I have every confidence they will be more than pleased in quality and price.

All are established in Pots or Baskets, or upon Blocks.

JOHN SAUL.

February, 1883.

CATALOGUE OF ORCHIDS.

- (T) Distinguishes the Tropical species, such as require the temperature of a hot-house.
 (I) Intermediate or warm greenhouse.
 (C) Cool, or such as may be grown in an ordinary greenhouse.

	Each.		Each.
(I) <i>Aspasia Epidendroides</i> , (new).....	\$5 00	(I) <i>Catasetum Warszewiczii</i> , (scarce)....	\$5 00
(C) <i>Ada Aurantiaca</i>	1 50	(I) <i>Cattleya amethystina</i>	2 50
(I) <i>Acineta Barkerii</i>	2 00	(I) <i>Bicolor</i>	5 00
(I) <i>Humboldtii</i>	2 00	(C) <i>Citrina</i>	\$1 50 to 2 50
(C) <i>Acropera Laddigesii</i>	1 00	(T) <i>Dowiana</i>	5 00
(T) <i>Ærides Affine</i>	\$2 50 to 5 00	(I) <i>Eldorado</i>	2 50
(T) <i>Crassifolium</i>	2 50	(I) <i>Splendens</i>	5 00
(T) <i>Crispum</i>	(I)	(I) <i>Virginalis</i>	5 00
(I) <i>Fieldingi</i>	2 50	(I) <i>Gigas</i>	\$2 50 to 5 00
(T) <i>Leeanii</i>	5 00	(I) <i>Harrisoniæ</i>	2 50
(T) <i>Lobbi</i>	2 50	(I) <i>Intermedia</i>	2 50
(T) <i>Odoratum</i>	\$2 00 to 5 00	(I) <i>Labiata</i>	(I)
(T) <i>Majus</i> ... 2 50 to 5 00	(I)	(I) <i>Percivaliana</i>	5 00
(T) <i>Quinquivulnerum</i> ... 2 50 to 5 00	(I)	(I) <i>Leopoldii</i>	2 50
(T) <i>Roseum</i>	2 50 to 5 00	(I) <i>Marginata</i>	2 50
(T) <i>Virens</i>	2 50 to 5 00	(I) <i>Mendelii</i>	2 50
(T) <i>Ellisii</i>	5 00	(I) <i>Mossii</i>	\$1 00 to 2 50
(T) <i>Warnerii</i>	5 00	(I) <i>Superba</i>	(I)
(T) <i>Angræcum Eburneum</i>	5 00	(I) <i>Pinella</i> , (<i>Præstans</i>).....	2 50
(T) <i>Superbum</i>	5 00	(T) <i>Superba</i>	2 50
(T) <i>Virens</i>	5 00	(I) <i>Splendens</i>	5 00
(T) <i>Extra large plants and masses</i>	(C)	(I) <i>Schillerianum</i>	2 50
(T) <i>Sesquipedale</i>	10 00	(I) <i>Skinneri</i>	2 50
(T) <i>Distichum</i>	(I)	(I) <i>genuina</i> , (new) ...	(I)
(C) <i>Anguloa Clowesii</i>	2 00	(I) <i>Speciosissima</i>	\$2 50 to 5 00
(C) <i>Arpophyllum Spicatum</i>	1 50	(I) <i>Trianae</i>	2 50
(C) <i>Barkeria Skinnerii</i>	2 50	(I) <i>Warneri</i>	2 50
(C) <i>Spectabilis</i>	2 50	(C) <i>Cœlia Macrostachya</i>	1 50
(T) <i>Bifrenaria Aurantiaca</i>	2 00	(I) <i>Chysis Aurea</i>	2 50
(C) <i>Bletia Hyacinthina</i>	1 50	(I) <i>Maculata</i>	2 50
(C) <i>Shepherdii</i>	1 50	(I) <i>Bractescens</i>	2 00
(C) <i>Sherrattiana</i> or <i>Sanguineus</i>	2 00	(I) <i>Lævis</i>	5 00
(C) <i>Several other species of Bletias</i>	(I)	(I) <i>Limninghi</i>	5 00
(C) <i>Brassavola glauca</i>	2 00	(I) <i>Cœlogyne Cristata</i>	2 00
(C) <i>Grandiflora</i>	2 00	(I) <i>Ocellata</i>	2 00
(C) <i>Cuspedata</i>	2 00	(I) <i>Parishii</i> , (<i>Papagena</i>).....	2 50
(C) <i>Digbyana</i>	2 00	(T) <i>Coryanthes Macrantha</i>	2 50
(I) <i>Brassia Gireoudiana</i>	5 00	(I) <i>Cychnoches Aureum</i>	2 50
(C) <i>Verrucosa</i>	2 00	(I) <i>Ventricosum</i>	2 50
(I) <i>Bulbophyllum</i> , several species.....	(I)	(I) <i>Cymbidium Eburneum</i>	(I)
(I) <i>Burlingtonia fragrans</i>	(I)	(I) <i>Giganteum</i>	(I)
(I) <i>Venusta</i>	(I)	(I) <i>Lowianum</i>	(I)
(I) <i>Calanthe Turneri</i>	5 00	(I) <i>Aloifolium</i>	1 00
(I) <i>Veitchii</i>	2 00	(I) <i>Longiflorum</i>	(I)
(I) <i>Vestita Nivalis</i>	2 00	(I) <i>Cypripedium Barbatum</i>	1 50
(I) <i>lutea oculata</i>	1 50	(I) <i>Superbum</i> ...	2 50
(I) <i>alba</i>	2 00	(I) <i>Boxalli</i>	2 50
(I) <i>Rubra oculata</i>	1 50	(I) <i>Concolor</i>	\$3 50 to 5 00
		(I) <i>Caudatum</i>	5 00

	Each.		Each.
(I) <i>Cypripedium Harrisianum</i>	\$2 50	(I) <i>Dendrobium Moschatum</i>	\$2 50
(C) <i>Insignis</i>50 cts. to	1 00	(C) <i>Moniliforme</i> , (Lin-	
(C) <i>Insignis Maulei</i>	5 00	<i>wianæ</i>).....	2 50
(T) <i>Lawrencianum</i>2 50 to	5 00	(C) <i>Nobile</i>50 cts. to	2 50
(T) <i>Lowii</i>	2 50	(T) <i>Nodatum</i>	2 50
(I) <i>Niveum</i>	2 50	(T) <i>Palpebræ</i> . A charming	
(I) <i>Pardinum</i>	2 50	species in the way of	
(I) <i>Purpuratum</i> , (scarce),	5 00	<i>Densiflora</i> . Flowers	
(I) <i>Pearcei</i> , (Caricinum),	2 00	white, with a deep	
(I) <i>Sedeni</i>	2 50	yellow spot at the	
(T) <i>Stonei</i>	2 50	base of the labellum,	
(T) <i>Superbiens</i> , (Veitchi-		which is deeply	
<i>anum</i>).....	5 00	fringed.....	2 50
(C) <i>Venustum</i>	0 75	(I) <i>Parishii</i>	2 50
(I) <i>Villosum</i>	2 50	(I) <i>Paxtonii</i>	2 50
(I) <i>Cyrtopodium Andersonii</i>	2 50	(I) <i>Pierardi</i>\$1 50 to	2 50
(I) <i>punctatum</i>	2 50	(I) <i>latifolium</i> , 2 50 to	5 00
(C) <i>Cyrtochilum Maculatum</i>	1 50	(I) <i>Primulinum</i>	2 50
(I) <i>Dendrobium aggregatum</i>	2 50	(I) <i>Primulinum Gigan-</i>	
(I) <i>majus</i>	3 00	<i>teum</i>	
(T) <i>album</i>\$2 50 to	5 00	(T) <i>Ruckeriana</i>	2 50
(I) <i>Alba Sanguinea</i>	2 50	(I) <i>Schröderi</i> , (<i>Densiflo-</i>	
(T) <i>Barbatulum</i> (<i>Fytchia-</i>		<i>rum Album</i>).....	
<i>num</i>).....\$2 50 to	5 00	(I) <i>Secundum</i>	2 50
(T) <i>Bensonii</i>	2 50	(T) <i>Suavissimum</i>	2 50
(I) <i>Bigibbum</i>	2 50	(T) <i>Superbum</i> , (<i>Macro-</i>	
(I) <i>Calceolus</i> , (<i>Calceolaria</i>)	2 50	<i>phyllum</i>\$2 50 to	5 00
(I) <i>Cambridgianum</i>	2 50	(T) <i>Superbum Gigan-</i>	
(I) <i>Chrysanthum</i>	2 50	<i>teum</i>\$2 50 to	5 00
(I) <i>Chrysotis</i> , (<i>Hookeri-</i>		(T) <i>Taurinum</i>	5 00
<i>ana</i>).....	2 50	(T) <i>Tortile</i>	2 50
(T) <i>Chrysotoxum</i>\$2 00 to	3 50	(T) <i>Tortile Roseum</i>	2 50
(T) <i>Clavatum</i>	2 50	(T) <i>Thyrsiflorum</i>	2 50
(T) <i>Crassinode</i>	2 50	(T) <i>Wardianum</i>	2 50
(T) <i>Barberianum</i> , 2 50		(T) <i>Dendrochilum filiforme</i>	5 00
(T) <i>Crepidatum</i>	2 00	(C) <i>Disa grandiflora</i>	2 50
(T) <i>Crumenatum</i> , \$2 50 to	5 00	(C) <i>Epidendrum Aromaticum</i>	2 00
(T) <i>Cretaceum</i>	2 00	(C) <i>Aurantiacum</i>	2 00
(T) <i>Crystallinum</i>	2 50	(C) <i>Bulbafolium</i>	1 00
(T) <i>Cucullatum</i>	2 50	(C) <i>Brassavolæ</i>	2 50
(T) <i>Dalhousianum</i>	2 50	(C) <i>Cinnabarinum</i>	2 00
(I) <i>Densiflorum</i>	2 50	(I) <i>Ciliatum</i>\$2 50 to	5 00
(I) <i>Densiflorum Album</i>		(C) <i>Cochleatum</i>	1 00
(<i>Schröderi</i>).....		(I) <i>Criniferum</i>	5 00
(I) <i>Devonianum</i>	2 50	(I) <i>Dichromum</i> , (<i>Amabile</i>).....	2 50
(T) <i>Eburneum</i>2 50 to	5 00	(I) <i>Eburneum</i>	2 00
(C) <i>Falconerii</i>	2 50 to	(I) <i>Ellipticum</i>	2 00
(T) <i>Farmerii</i>	2 50	(C) <i>Falcatum</i> , (<i>Parksoniana</i>).....	2 00
(T) <i>aurea</i>	2 50	(C) <i>Gracilis</i>	1 00
(T) <i>Formosum</i>	2 50	(C) <i>Leucochilum</i>	2 00
(T) <i>Giganteum</i> , 2 50		(C) <i>Machrochilum</i> , (<i>Atropurpu-</i>	
(T) <i>Fimbriatum Occula-</i>		<i>rea</i>).....	2 00
<i>tum</i>	2 50	(C) <i>Macrochilum roseum</i>	2 50
(T) <i>Findleyanum</i> , \$2 50 to	5 00	(C) <i>Myrianthum</i>\$2 50 to	5 00
(T) <i>Gibsonii</i>	2 50	(C) <i>Nemorale</i>	2 00
(T) <i>Hedysmum</i>	2 50	(C) <i>Nemorale Majus</i>\$2 50 to	5 00
(I) <i>Heterocarpum</i> , (<i>aure-</i>		(C) <i>Oncidoides</i>	1 00
<i>um</i>).....	2 50	(C) <i>Odoratum</i>	1 50
(T) <i>Heterocarpum Philip-</i>		(C) <i>Prismatocarpum</i>	5 00
<i>pinense</i>		(C) <i>Radiatum</i>	1 00
(I) <i>Jamesianum</i>\$2 50 to	5 00	(C) <i>Rhizophorum</i>	2 50
(C) <i>Japonicum</i>	2 00	(C) <i>Stamfordianum</i>	2 00
(T) <i>Lasiglossum</i>\$3 00 to	5 00	(C) <i>Vitellinum</i>	1 50
(I) <i>Lituiflorum</i>	2 50	(C) <i>Majus</i>	2 00
(I) <i>Luteolum</i>	2 50	(I) <i>Eria</i> , several species.	
(T) <i>Macrophyllum</i>		(T) <i>Eulophia Scripta</i>	5 00

	Each.		Each.
(T) <i>Galeandra Devoniana</i>	\$2 50	(C) <i>Odontoglossum Cordatum</i>	\$2 00
species.....	\$2 50 to 5 00	(C) <i>Ehrenbergii</i> , 1 50 to	2 50
(T) <i>Goodyera</i> (<i>Anætochilus</i>) <i>Dawsonii</i> , 2 00	(C)	(C) <i>Gloriosum</i>	2 00
(T) <i>discolor</i>	0 75	(C) <i>Grande</i>	\$1 50 to 2 50
(C) <i>Gongora Maculata</i>	1 00	(C) <i>Hallii</i>	2 50
(T) <i>Grammatophyllum Ellisii</i> , \$5 00 to 10 00	(C)	(C) <i>Kramerii</i>	
(T) <i>Levictum</i>	2 50	(C) <i>Insleayi</i>	2 00
(T) <i>indeterminalis</i>	2 50	(C) <i>Maculatum</i>	2 00
(C) <i>Hartwegia purpurea</i>	2 00	(C) <i>Nebulosum</i>	2 50
(I) <i>Houlletia Brocklehurstiana</i>	2 50	(C) <i>Oerstedii</i>	
(I) <i>Hexisea Bidentata</i> . A pretty plant,	(C)	(C) <i>Pulchellum</i>	2 00
giving profusely panicles of bright	(C)	(C) <i>Roezlii</i>	2 50
vermillion flowers twice a year....	2 50	(C) <i>Rossii</i> , (<i>Warnerii</i>),	
(C) <i>Huntleya</i> . Species with snowy	(C)	\$1 50 to.....	2 50
white raceme flowers and purple	(C)	<i>Rossii Majus</i> , 2.50 to	5 00
lip.....	2 50	(C) <i>Schlieperianum</i>	
(I) <i>Isochilus lineare</i>	1 50	(C) <i>Oncidium Alatum</i>	1 50
(C) <i>Lælia acuminata</i>	\$2 50 to 5 00	(I) <i>Ampliatum</i>	2 50
(C) <i>alba</i> (<i>peduncularis</i>)	(I)	(I) <i>Ampliatum Majus</i>	5 00
(C) <i>Albida</i>	\$1 50 to 2 50	(C) <i>Baueri</i>	1 50
(C) <i>Anceps</i>	1 50 to 2 50	(C) <i>Barkerii</i> —See <i>Tigrinum</i> .	
(C) <i>Alba</i>		(C) <i>Bicallosum</i>	2 00
(C) <i>Dawsonii</i>		(C) <i>Cavendishianum</i>	2 00
(C) <i>Autumnalis</i>	\$2 00 to 3 00	(I) <i>Caminiophorum</i> , (<i>Reichenbachii</i>)	
(C) <i>Cinnabarina</i>	2 50	(I) <i>Cebolleta Macranthum</i>	2 00
(C) <i>Majalis</i>	\$1 50 to 2 50	(I) <i>Concolor</i>	2 50
(I) <i>Perrinii</i>		(I) <i>Cornigerum</i>	2 50
(I) <i>purpurata</i>	2 50	(I) <i>Crispum</i>	2 00
(I) <i>Superbiens</i>	\$2 50 to 5 00	(I) <i>Curtum</i>	5 00
(I) <i>Limatodes rosea</i>	1 50	(I) <i>Cucullatum</i>	1 50
(C) <i>Lycaste Aromatica</i>	2 00	(I) <i>Dastyle</i>	2 50
(C) <i>Aromatica et in Odora</i>	2 00	(I) <i>Divaricatum</i>	1 50
(C) <i>cruenta</i>	2 00	(C) <i>Forbesii</i>	2 50
(C) <i>Deppei</i>	2 00	(I) <i>Fuscatum</i>	2 00
(C) <i>Harrisoniæ</i>	2 00	(I) <i>Incurvum</i>	1 50
(I) <i>Lanipes</i>	2 00	(C) <i>Kramerianum</i>	2 50
(C) <i>Prismatocarpum</i>	2 50	(T) <i>Lanceanum</i>	2 50
(C) <i>Skinnerii</i>	2 50	(C) <i>Leucochilum</i>	2 00
(I) <i>Suaveolens</i>	2 50	(C) <i>Lavenderii</i>	2 00
(C) <i>Masdevallia barbata</i>	2 50	(T) <i>Luridum</i>	2 50
(I) <i>Attenuatæ</i>	2 50	(C) <i>Macranthum</i>	5 00
(C) <i>chimæra</i>	5 00	(C) <i>Marshallii</i>	
(C) <i>Maculata</i>	2 50	(C) <i>Ornithorynchium</i> , 1 50 to	2 50
(C) <i>Reichenbachiana</i>	5 00	(T) <i>Papilio</i>	2 00
(C) <i>tovarensis</i>	1 50	(I) <i>Phymatochilum</i>	5 00
(C) <i>Maxillaria Grandiflora</i>	2 50	(I) <i>Pulvinatum</i>	2 00
(I) <i>Harrisoniæ</i>	2 00	(C) <i>Reflexum</i>	2 00
(I) <i>Inerdita</i>		(I) <i>Rogersii</i>	5 00
(I) <i>Tetragonæ</i>	2 50	(I) <i>Roseum</i> , (<i>Henchmanii</i>),	2 00
Species from Brazil.	(I)	(I) <i>Sanguineum</i>	2 00
(C) <i>Picta</i>	2 00	(I) <i>Sarcodes</i>	5 00
(I) <i>Miltonia Morelliana</i>	5 00	(I) <i>Spacelatum Majus</i>	1 00
(I) <i>Regnellii</i>	5 00	(I) <i>Stelligerum</i>	2 50
(I) <i>spectabilis</i>	5 00	(C) <i>Stramineum</i>	1 50
(C) <i>Mormodes Citrinum</i>	2 00	(I) <i>Tigrinum</i> , (<i>Barkerii</i>),	2 50
(C) <i>Pardina</i>	2 00	(I) <i>Varicosum</i>	2 00
(C) <i>Aromaticum</i>	2 00	(I) <i>Volvox</i> , (<i>Reichenbachii</i>),	2 00
(C) <i>Neottia Spe</i>	2 50	(T) <i>Peristeria elata</i> , (<i>Holy Ghost</i>	
(C) <i>Odontoglossum Alexandræ</i>	2 50	Flower,).....	2 50
(C) <i>Bictoniensis</i>	2 50	(I) <i>Barkerii</i>	2 00
(C) <i>Alba</i>	2 50	(I) <i>Pescatoria Flora de Espiritu Santo</i> ,	2 50
(C) <i>Cervantesii</i> (<i>membranaceum</i>).....	2 00	(I) <i>Cereni</i>	5 00
(C) <i>Cirrhosum</i> , \$1 50 to 2 50	(I)	(I) <i>Klabochorum</i>	
(C) <i>Citrosimum</i>	2 00	(I) <i>Phajus Wallichii</i>	2 50

	Each.		Each.
(I) <i>Phajus Grandifolius</i> , (<i>Bletia Tankervilleae</i>),.....	\$0 50	(I) <i>Stanhopea Wardii</i> ,.....	\$2 00
(I) <i>Maculatus</i> ,.....	2 50	(T) <i>Scuticaria Hadwenii</i> ,.....	5 00
(T) <i>Phalænopsis Amabilis</i> ,.....	\$2 50 to 5 00	(I) <i>Steelii</i> ,.....	5 00
(T) <i>Cornu-cervi</i> ,.....	5 00	(I) <i>Sophronites Grandiflora</i> ,.....	2 00
(T) <i>Esmeralda</i> ,.....	5 00	(I) <i>Viola</i> ,.....	2 00
(T) <i>Grandiflora</i> ,.....	5 00	(T) <i>Thunia (Phajus) Albus Superbus</i> ,.....	2 50
(T) <i>Luddemanniana</i> ,.....	5 00	(T) <i>Bensonii</i> ,.....	2 50
(T) <i>Rosea</i> ,.....	5 00	(T) <i>Marshalli</i> ,.....	2 50
(T) <i>Schilleriana</i> ,.....	\$2 50 to 5 00	(I) <i>Tricocentrum Pfaui</i> , An extremely rare and beautiful new Orchid,.....	
(T) <i>Viola</i> ,.....		(I) <i>Tricopilia Crispa</i> ,.....	2 50
(C) <i>Pleione Maculata</i> ,.....	1 50	(I) <i>Crispa Marginata</i> , A very rare Orchid,.....	
(C) <i>Reichenbachiana</i> ,.....	2 00	<i>Coccinea</i> ,.....	2 50
(C) <i>Wallichiana</i> ,.....	2 00	<i>Suavis</i> ,.....	2 50
(T) <i>Renanthera Coccinea</i> ,.....	\$2 50 to 5 00	(C) <i>Sanguinea</i> , (<i>Sherrattiana</i>)	2 50
(T) <i>Storei</i> ,.....		(C) <i>Tortilis</i> ,.....	2 00
(T) <i>Saccolabium Blumei Majus</i> , 2 50 to 5 00		(T) <i>Vanda Lamellata Boxalli</i> ,.....	
(T) <i>Ampulaceum Moulmei-nense</i> ,.....	\$2 50 to 5 00	(T) <i>cœrulea</i> ,.....	
(T) <i>Curvifolium</i> ,.....	2 50 to 5 00	(T) <i>Gigantea</i> ,.....	5 00
(T) <i>Guttatum</i> ,.....	2 50 to 5 00	(T) <i>Hookeriana</i> ,.....	
(T) <i>Giganteum</i> ,.....	2 50 to 5 00	(T) <i>Parishii</i> ,.....	
(T) <i>Guttatum Giganteum</i> ,.....		(T) <i>Suavis</i> ,.....	
(T) <i>Premorsum</i> ,.....	5 00	(T) <i>Teres</i> ,.....	\$2 50 to 5 00
(T) <i>Reedii</i> ,.....	5 00	(T) <i>Tricolor</i> ,.....	5 00
(T) <i>Retusum</i> ,.....	5 00	(T) <i>Tesselata</i> ,.....	5 00
(T) <i>Violaceum</i> ,.....	\$5 00 to 10 00	(T) <i>New species</i> ,.....	5 00
(I) <i>Schomburgkia tibicina</i> ,.....	3 00	<i>Vanilla Aromatica</i> ,.....	
(I) <i>Sobralia Macrantha</i> ,.....	2 50	(T) <i>Utricularia Endresii</i> , Deep blue,.....	5 00
(I) <i>Fenzliana</i> , (Very rare),.....		(T) <i>Montana</i> ,.....	2 50
(I) <i>Pfau</i> , Sulphur yellow, flowers fine, (new),.....		Professor Reichenbach writes of <i>U. Endresii</i> : "This lovely Orchid, <i>sensu latiori</i> (that is to say in a gardener's sense, not in a botanist's) has finally developed its charming flowers. I hope these <i>Utricularias</i> may never be lost from gardens."	
(C) <i>Stanhopea Aurea</i> ,.....	2 00	(I) <i>Warszewiczella discolor</i> ,.....	
(C) <i>Eburnea</i> ,.....	2 00	(I) <i>Zygopetalum intermedium</i> ,.....	2 00
(T) <i>Grandiflora</i> ,.....	2 00	<i>crinitum</i> ,.....	2 00
(T) <i>Insignis</i> ,.....	2 00	(I) <i>Gautleri</i> ,.....	5 00
(I) <i>Martiana</i> ,.....	2 00	(I) <i>Mackayi</i> ,.....	2 00
(C) <i>Maculata et Oculata</i> ,.....	2 00		
(C) <i>Oculata</i> ,.....	2 00		
(C) <i>Tigrina</i> ,.....	2 00		
(C) <i>Tigrina lutescens</i> ,.....	2 00		
(C) <i>Tigrina atrata</i> ,.....	2 50

ODONTOGLOSSUM ROSSII.

CATTLEYA MOSSIIÆ.

PERISTERIA ELATA.—(Holy Ghost Flower.)

DENDROBIUM WARDIANUM.