Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.43
S 315
S 27
ESTABLISHED 1852.

Catalogue No. 8.

A DESCRIPTIVE CATALOGUE

— OF —

ORCHIDS,

For 1882,

Cultivated for Sale

— BY —

JOHN SAUL,

Nurseryman, Seedsman and Florist,

WASHINGTON CITY, D. C.

SEED AND FLORAL STORE—621 Seventh Street, Opp. U. S. Patent Office.
NURSERIES AND GREENHOUSES—On Seventh Street Road.

NOTICE.

SINCE issuing my last Catalogue of Orchids, I have added largely to my stock. Having regular shipments from my collectors in Mexico, Guatemala, Central and South America, East Indies, Burmah, Philippine Islands, Borneo, Madagascar, and other countries celebrated for their Orchids, and as these importations are frequently arriving during the spring and summer months, it follows as a consequence that I have nearly at all times a great number of species not in Catalogue, as well as new and rare sorts unnamed.

From our bright sun and clear bright atmosphere, my Tropical Orchids are superior to any grown in England, or the continent of Europe. My Dendrobiums make longer, thicker, and finer Pseudo-Bulbs than they have when received from their native countries. *Aerides*, *Saccolabiums*, *Vandas*, *Phalænopsis*, &c., make stronger growths, with rampant roots and healthy foliage. Our climate is perfection for Tropical Orchids.

My prices are very much lower than they can be purchased for in Europe, in many cases not more than one-half, and stronger, and in every respect superior plants. What are offered there as cheap Orchids are in most cases little pieces.

It is difficult to give prices of Orchids in a Catalogue; a plant of any species may not be worth one dollar, whilst a fine plant of the same species may be worth five dollars. Orchids I can supply cheap and nice plants, I have also fine specimens where such are desired at extra prices. Of many I can supply large masses. Parties forming collections would do well to visit my establishment and look out their plants. I have every confidence they will be more than pleased in quality and price.

All are established in Pots or Baskets, or upon Blocks.

February, 1882.

JOHN SAUL.

LIBRARY OF CONGRESS
DUPLICATE
EXCHANGED

CATALOGUE OF ORCHIDS.

S 18 115
S 27

- (T) Distinguishes the Tropical species such as require the temperature of a hot-house.
(I) Intermediate or warm greenhouse.
(C) Cool, or such as may be grown in an ordinary greenhouse.

	Per plant.		Per plant.
(I) Acineta Barkerii.....	\$2 00	(I) Cattleya Schillerianum.....	\$2 50
(I) Humboldtii.....	2 00	(I) Skinnerii.....	2 50
(C) Acropera Laddigesii.....	1 00	(I) Speciosissima.....	\$2 50 to 5 00
(T) Ærides Affine.....	5 00	(I) Superba splendens.....	
(T) Crassifolium.....		(I) Trianaea.....	2 50
(T) Crispum.....		(C) Cœlia Macrostachya.....	1 50
(I) Fieldingi.....		(I) Chysis Aurea.....	2 50
(T) Leeanaei.....		(I) Maculata.....	2 50
(T) Lobbi.....	\$2 50 to 5 00	(I) Bractescens.....	2 00
(T) Adoratum.....	2 00 to 5 00	(I) Lævis.....	5 00
(T) Quinquivulnerum.....	5 00 to 7 50	(I) Limninghi.....	5 00
(T) Roseum.....	5 00	(I) Cœlogyne Cristata.....	2 00
(T) Virens.....	\$3 to 5 00	(I) Parishii, (Papagena,).....	2 50
(T) Warnerii.....	5 00	(T) Coryanthes Macrantha.....	2 50
(C) Anguloa Clowesii.....	2 00	(I) Cychnoches Aureum.....	
(C) Arpophyllum Spicatum.....	1 50	(I) Ventricosum.....	
(C) Barkeria Skinnerii.....	2 50	(I) Cymbidium Eburneum.....	
(C) Spectabilis.....	2 50	(I) Giganteum.....	
(T) Bifrenaria Aurantiaca.....	2 00	(T) Lowianum.....	
(C) Bletia Hyacinthina.....	1 50	(I) Aloifolium.....	1 00
(C) Shepherdii.....	1 50	(I) Longiflorum.....	
(C) Sherrattiana or Sanguineus.....	2 00	(I) Cypripedium Barbatum Superbum.....	2 50
Several other species of Bletias.			
(C) Brassavola glauca.....	2 00	(I) Boxalli.....	
(C) Grandiflora.....	2 00	(T) Concolor.....	\$2 50 to 5 00
(C) Cuspedata.....	2 00	(I) Caudatum.....	5 00
(C) Digbyana.....	2 00	(I) Harrisianum.....	2 50
(I) Brassia Gireoudiana.....		(I) Insignis.....	50
(C) Verrucosa.....	2 00	(C) Insignis Maulii.....	5 00
(I) Burlingtonia fragrans.....		(I) Lawrencianum.....	5 00
(I) Venusta.....		(I) Niveum.....	2 50
(I) Calanthe Turneri.....	5 00	(I) Pardinum.....	2 50
(I) Veitchii.....	2 50	(I) Pearcei.....	\$2 00
(I) Vestita Nivalis.....	2 00	(I) Sedeni.....	\$2 50 to 5 00
(I) lutea oculata.....	1 50	(I) Stonei.....	
(I) alba.....	2 00	(I) Superbiens, (Veitchia- num,).....	5 00
(I) Rubra oculata.....	1 50	(I) Venustum.....	0 75
(I) Cattleya amethystina.....	2 50	(I) Villosum.....	2 50
(I) Bicolor.....	5 00	(I) Cyrtopodium Andersonii.....	2 50
(I) Citrina.....	\$1 50 to 2 50	(I) punctatum.....	2 50
(T) Dowiana.....	5 00	(C) Cyrtochilum Maculatum.....	1 50
(I) Eldorado.....		(I) Dendrobium aggregatum.....	2 50
(I) Intermedia.....	2 50	(I) majus.....	3 50
(I) Labiata.....		(I) album.....	\$2 50 to 5 00
(I) Marginata.....	2 50	(I) Alba Sanguinea.....	2 50
(I) Guttata Leopoldii.....	5 00	(I) Barbatulum (Fytchia- num,).....	\$2 50 to 5 00
(I) Mendellii.....	2 50	(I) Bensonii.....	2 50
(I) Mossiæ.....	\$1 to 2 50	(I) Bigibbum.....	2 50
(I) Pinella, (Præstans).....	2 50	(I) Calceolus, (Calceolaria).....	2 50

W. H. & A. S. J. H. T.

22301000 70

		Per plant.			Per plant.
(I)	Dendrobium Cambridgianum.....	\$2 50	(I)	Epidendrum Ellipticum.....	\$2 00
(I)	Chrysanthum.....	2 50	(C)	Falcatum, (Parksoniana).....	2 00
(T)	Chrysotis (Hookeri- ana,).....	2 50	(C)	Leucochilum.....	2 00
(T)	Chrysotoxum.....	2 50	(C)	Machrochilum, (Atropurpurea).....	2 00
(T)	Clavatum.....	2 50	(C)	Myrianthum.....	\$2 50 to 5 00
(T)	Crassinode.....	2 50	(C)	Nemorale Majus.....	2 50 to 5 00
(T)	Barberia- num,.....	2 50	(C)	Oncidoides.....	1 00
(T)	Crepdatum.....	2 00	(C)	Odoratum.....	1 50
(T)	Crumenatum, \$2 50 to 5 00		(C)	Prismatocarpum.....	\$2 50 to 5 00
(T)	Cretaceum.....	2 00	(C)	Radiatum.....	1 00
(T)	Crystallinum.....	2 50	(C)	Rhizophorum.....	2 50
(T)	Cucullatum.....	2 50	(C)	Stamfordianum.....	2 00
(T)	Dalhousianum.....	2 50	(C)	Vitellinum.....	1 50
(I)	Densiflorum.....	2 50	(C)	Majus.....	2 00
(I)	Devonianum.....	2 50	(T)	Galeandra Devoniana.....	
(T)	Eburneum.....	\$2 50 to 5 00	(T)	Goodyera (Anæctochilus) Dawso- nii.....	2 00
(C)	Falconerii.....	2 50 to 5 00	(T)	discolor.....	0 75
(T)	Farmerii.....	2 50	(C)	Gongora Maculata.....	1 00
(T)	aurea.....	2 50	(T)	Grammatophyllum Leviptum.....	
(T)	Formosum.....	2 50	(T)	indeterminalis.....	
(T)	Giganteum,.....	2 50	(C)	Hartwegia purpurea.....	2 00
(T)	Fimbriatum Occula- tum.....	2 50	(I)	Houlletia Brocklehurstiana.....	2 00
(T)	Findleyanum.....		(C)	Lælia acuminata.....	\$2 50 to 5 00
(T)	Hedyosmum.....	2 50	(C)	alba.....	
(I)	Heterocarpum, (aure- um,).....	2 50	(C)	Albida.....	\$1 50 to 2 50
(T)	Heterocarpum Philip- pinense.....		(C)	Anceps.....	1 50 to 2 50
(I)	Jamesianum.....	\$3 to 5 00	(C)	Autumnalis.....	2 00 to 3 00
(T)	Lasioglossum.....	3 to 5 00	(C)	Cinnabarina.....	2 50
(I)	Lituiflorum.....	2 50	(C)	Majalis.....	\$1 50 to 2 50
(I)	Luteolum.....	2 50	(I)	Perrinii.....	5 00
(T)	Macrophyllum.....		(I)	purpurata.....	2 50
(I)	Moschatum.....	2 50	(I)	Superbiens.....	\$2 50 to 5 00
(C)	Moniliforme, (Japoni- cum).....	2 50	(I)	Limatodes rosea.....	1 50 to 2 50
(C)	Nobile.....	50 cts. to 2 50	(C)	Lycaste Aromatica.....	2 00
(T)	Nodatum.....	2 50	(C)	Aromatica et in Odora.....	2 00
(I)	Parishii.....	2 50	(C)	cruenta.....	2 00
(I)	Paxtonii.....	2 50	(C)	Deppei.....	2 00
(I)	Pierardi,.....	\$1 50 to 2 50	(C)	Harrisoniæ.....	2 00
(I)	latifolium, 2 50 to 5 00		(I)	Lanipes.....	2 00
(I)	Primulinum.....	5 00	(C)	Prismatocarpum.....	2 50
(T)	Ruckeriana.....		(C)	Skinnerii.....	2 50
(T)	Superbum, (Macro- phyllum).....	\$2 50 to 5 00	(I)	Suaveolens.....	2 50
(T)	Superbum Giganteum, \$2 50 to.....	5 00	(C)	Masdevallia barbata.....	2 50
(T)	Taurinum.....	5 00	(C)	Maculata.....	2 50
(T)	Tortile Roseum.....	2 50	(C)	Maxillaria Grandiflora.....	2 50
(T)	Thyrsiflorum.....	2 50	(I)	Harrisoniæ.....	2 00
(T)	Wardianum, \$2 50 to 5 00		(I)	Tetragonæ.....	2 50
(T)	Dendrochilum filiforme.....	5 00	Species from Brazil.		
(C)	Disa grandiflora.....	2 50	(I)	Miltonia Morelliana.....	5 00
(C)	Epidendrum Aromaticum.....	2 00	(I)	spectabilis.....	5 00
(C)	Aurantiacum.....	2 00	(C)	Mormodes Citrinum.....	2 00
(C)	Bulbafolium.....	1 00	(C)	Pardina.....	2 00
(C)	Brassavolæ.....	2 50	(C)	Odontoglossum Bictoniensis.....	2 50
(C)	Cinnabarinum.....	2 00	(C)	Alba.....	2 50
(C)	Cochleatum.....	1 00	(C)	Cervantesii (membra- naceum,).....	2 00
(I)	Dichromum, (Amabile).....	2 50	(C)	Cirrhosum.....	\$1 50 to 2 50
(I)	Eburneum.....	2 00	(C)	Citrosium.....	2 00
			(C)	Cordatum.....	2 00
			(C)	Ehrenbergii.....	2 00
			(C)	Grande.....	\$1 50 to 2 50
			(C)	Hallii.....	2 50
			(C)	Insleayi.....	2 00

		Per plant.			Per plant.
(C)	Odontoglossum Maculatum.....	\$2 00	(T)	Phalænopsis Amabilis.....	\$5 00
(C)	Nebulosum.....	2 50	(T)	Grandiflora.....	5 00
(C)	Rossii, (Warnerii,).....		(T)	Ludemanniana.....	5 00
	\$1.50 to.....	2 50	(T)	Rosea.....	
(C)	Rossii Majus, \$2.50 to.....	5 00	(T)	Schilleriana.....	5 00
(C)	Oncidium Alatum.....	1 50	(T)	Violacea.....	
(T)	Ampliatum Majus.....	2 50	(C)	Pleione Maculata.....	1 50
(C)	Baueri.....	1 50	(C)	Reichenbachiana.....	2 00
	Barkerii—See <i>Tigrinum</i>		(T)	Renanthera Coccinea.....	\$2 50 to 5 00
(C)	Bicallosum.....	2 00	(T)	Saccolabium Blemei Majus, 2 50 to.....	5 00
(C)	Cavendishii.....	2 00	(T)	Ampulaceum Moulmei- nense.....	\$2 50 to 5 00
(I)	Caminiophorum, (Reich- enbach,).....	2 50	(T)	Curvifolium.....	2 50 to 5 00
(I)	Cebolletta Macranthum,.....	2 00	(T)	Guttatum.....	\$2 50 to 5 00
(I)	Concolor.....	2 50	(T)	Giganteum.....	2 50 to 5 00
(I)	Cornigeron.....	2 50	(T)	Guttatum Giganteum.....	
(I)	Crispum.....	2 00	(T)	Præmorsum.....	5 00
(I)	Curtum.....	5 00	(T)	Reedii.....	5 00
(I)	Dastyle.....	2 50	(I)	Schomburghia tibicina.....	3 00
(C)	Divaricatum.....	1 50	(I)	Sobralia Macrantha.....	2 50
(I)	Forbesii.....	2 50	New Species with Yellow Flowers.		
(C)	Incurvum.....	1 50	(C)	Stanhopea Aurea.....	2 00
(I)	Kramerianum.....	2 50	(T)	Grandiflora.....	2 00
(T)	Lanceanum.....	2 50	(T)	Insignis.....	2 00
(C)	Leucochilum.....	2 00	(T)	Martiana.....	2 00
(C)	Lavenderii.....	2 00	(I)	Oculata.....	2 00
(T)	Luridum.....	2 50	(C)	Tigrina.....	2 00
(C)	Macranthum.....	5 00	(C)	Tigrina lutescens.....	2 00
	Marshalli.....		(C)	Tigrina atrata.....	2 50
(C)	Ornithorynchium, \$1.50 to.....	2 50	(I)	Wardii.....	2 00
(T)	Papilio.....	2 00	(C)	Maculata et Oculata.....	2 00
(I)	Phymatochilum.....	5 00	(T)	Scuticaria Hadwenii.....	
(I)	Pulvinatum.....	2 00	(I)	Sophronites Grandiflora.....	2 00
(C)	Reflexum.....	2 00	(I)	Violacea.....	
(I)	Rogersii.....	5 00	(T)	Thunia (Phajus) Albus Superbus.....	2 50
(I)	Roseum, (Henchmanii,).....	2 00	(T)	Bensonii.....	2 50
(I)	Sanguineum.....	2 00	(T)	Marshalli.....	5 00
(I)	Sarcodes.....	5 00	(I)	Tricopilia Crispa.....	2 50
(I)	Spacelatum Majus.....	1 00	(C)	Suavis.....	2 50
(I)	Stelligerum.....	2 50	(C)	Sanguinea, (Sherratiana,).....	2 50
(C)	Stramineum.....	1 50	(C)	Tortilis.....	2 00
(I)	Tigrinum, (Barkerii,).....	2 50	(T)	Vanda Lamellata Boxalli.....	
(I)	Varicosum.....	2 00	(T)	Parishii.....	
(I)	Volvox, (Reichenbach,).....	2 00	(T)	Suavis.....	
(T)	Peristeria elata, (Holy Ghost Flower,).....	2 50	(T)	Teres.....	\$2 50 to 5 00
(I)	Barkerii.....	2 00	(T)	Vanilla Aromatica.....	1 50
(I)	Pescatoria Flora de Espiritu santo,.....	2 50	(T)	Utricularia Endresii.....	
	Cereni.....		(T)	Montana.....	2 50
(I)	Phajus Grandifolius, (Bletia Tan- kervillia,).....	0 50	(I)	Warscewiczella discolor.....	
(I)	Wallichii.....	2 50	(I)	Zygopetalum intermedium.....	2 00
			(I)	Mackayi.....	2 00

COLLECTIONS OF ORCHIDS.

If selection is left to me, I can give well established plants at \$10, \$15, \$20 and \$25 per doz. The prices vary with species and size of plant.