7303

PL 506.B85 v.1

hbl, stx

QL 506.B85

v. 1

Synomic catalogue of Orthoptera.

3 9153 00608681 5

PL 506.B85

v.1

hbl, stx

QL 506.B85

v. 1

Synomic catalogue of Orthoptera.

3 9153 00608681 5

PL 506.B85 v.1

PLYMOUTH

Municipal Museum

hbl, stx

v. 1

QL 506.B85

Synomic catalogue of Orthoptera.

3 9153 00608681 5

PRESENTED

BY

The Trustees

OF

THE BRITISH MUSEUM.

QL
506
B85
v.1

A SYNONYMIC CATALOGUE

OF

ORTHOPTERA.

British Museum (Nat. Hist.) Dept. of
Zoology.

BY

W. F. KIRBY.

VOL. I.

ORTHOPTERA EUPLEXOPTERA, CURSORIA,
ET GRESSORIA.

(FORFICULIDÆ, HEMIMERIDÆ, BLATTIDÆ, MANTIDÆ,
PHASMIDÆ.)

LONDON:

PRINTED BY ORDER OF THE
TRUSTEES OF THE BRITISH MUSEUM.

SOLD BY

LONGMANS & Co., 39 PATERNOSTER ROW, E.C.;
B. QUARITCH, 15 PICCADILLY; DULAU & CO., 37 SOHO SQUARE, W.;
KEGAN PAUL & Co., 43 GERRARD STREET, W.;

AND AT THE

BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, S.W.

1904.

All rights reserved.

QL

506

B85

v.1

PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

8/8/69

P R E F A C E.

DURING the last few years the Orthoptera of the British Museum have been rearranged throughout by Mr. W. F. Kirby, and now fill 38 cabinets, exclusive of the British collection. In order to carry out this work, Mr. Kirby found it necessary to prepare a complete Catalogue of the Order, which the Trustees have decided to publish in its entirety, believing that it will be found extremely useful to students of Entomology, especially as no recent or complete catalogues of most of the families exist.

In 1892 the number of described species of Orthoptera was estimated at 8000, but this number has since been largely increased; and Mr. Kirby has himself described numerous new species, chiefly in the 'Annals and Magazine of Natural History' and in the 'Transactions' of the Zoological and Entomological Societies, during the progress of his work. The types of these species are all in the British Museum, with the exception of a few (chiefly African) in the collection of Mr. W. L. Distant.

The most important special collections of Orthoptera in the British Museum are those formed for the preparation of the 'Biologia Centrali-Americana,' of which the families *Forficulidæ*, *Blattidæ*, *Mantidæ*, *Gryllidæ*, and *Phasgonuridæ* have already been received; the De Bormans collection of

Forficulidæ; and the collections formed by the collectors attached to scientific expeditions to Christmas Island, the Hawaiian Islands, Socotra, and the West Indies (especially St. Vincent and Grenada), and described in the Reports published relative to those expeditions.

The present volume includes five families of Orthoptera, and it is expected that the remaining three will be completed in one (or at most two) more volumes.

The pattern adopted for this Catalogue has been that of Mr. Kirby's unofficial 'Catalogue of Neuroptera Odonata,' published in 1890.

Special thanks are due to Prof. E. B. Poulton for allowing the types of *Blattidæ* described by Walker from the collection of the late W. W. Saunders, and now in the Hope Museum at Oxford, to be compared with the British Museum Collection, which has made it possible to determine at least the generic position of nearly the whole of Walker's *Blattidæ*.

Mr. Kirby also wishes to thank Messrs. Bolivar, Bruner, Burr, Caudell, and Rehn for early copies of their papers, some of which might otherwise not have reached him in time to be quoted in this volume.

E. RAY LANKESTER,
Director.

BRITISH MUSEUM (NATURAL HISTORY),
London, S.W.
November 7th, 1904.

INTRODUCTION.

IN submitting the first volume of a general Catalogue of Orthoptera to the Entomological public, it appears desirable to make some remarks on the most important recent works on the families included in it, and on the general arrangement of the Collection.

Eight principal families of Orthoptera are recognized in the present work, of which the first five—*Forficulidæ*, *Hemimeridæ*, *Blattidæ*, *Mantidæ*, and *Phasmidæ* (or Earwigs, Cockroaches, Praying Insects or Soothsayers, and Stick Insects or Spectre Insects, including the so-called Walking Leaves)—are catalogued in this volume. Of these the *Forficulidæ*, *Blattidæ*, and *Mantidæ* of Mexico and Central America have been monographed by De Bormans, De Saussure, and Zehntner in the ‘*Biologia Centrali-Americana*.’

The whole of the Orthoptera in the British Museum were arranged, in the first instance, by Adam White.

The *Forficulidæ* were subsequently rearranged by J. O. Westwood, who, however, published little of importance on the family. They are frequently regarded as a distinct order, to which the names Dermaptera and Euplexoptera have been applied. The former name, however, has sometimes been used for the Orthoptera in general. Till recently the *Forficulidæ* have been somewhat neglected by Entomologists; but in 1900 a monograph on the *Forficulidæ* and *Hemimeridæ*, by H. de Bormans and H. Krauss, was published as a volume of the series of

publications edited by F. E. Schulze, under the general title of 'Das Tierreich.' A revised system of classification, by K. W. Verhoeff, was partly sketched out in 1902, in papers in the 'Zoologische Anzeiger,' vol. xxv., and in the 'Sitzungsberichte der Gesellschaft naturforschender Freunde zu Berlin'; but it has been too incompletely developed to be taken into consideration in the present work.

The Collembola and Thysanura have been included by some authors with the Orthoptera, but are now usually regarded either as small independent orders, or as aberrant families of Neuroptera. I have therefore excluded them from the present Catalogue, with the exception of the genus *Iapyx* (or *Japyx*), belonging to the Thysanura, the species of which are all so deceptively similar to *Forficulidæ* that I considered it almost necessary to add them as an Appendix to that family.

The small West-African genus *Hemimerus* was originally described by Walker as belonging to the *Gryllidæ* (*Achetidæ*), but is now considered to form a distinct family allied to the *Forficulidæ*.

The *Blattidæ* form a distinct section of the Orthoptera, sometimes called Cursoria; but are not usually regarded as entitled to the rank of a distinct order.

Previous to the publication of the 'Biologia Centrali-Americana,' De Saussure issued a series of important works on the Orthoptera of Central America, especially 'Orthoptères de l'Amérique Moyenne: Blattides' (1864); 'Synopsis des Mantides Américaines' (1871); and 'Recherches Zoologiques pour servir à l'histoire de la Faune de l'Amérique Centrale et du Mexique,' 6^{me} partie (1870-1879). The latter work includes *Blattidæ*, *Mantidæ*, *Phasmidæ*, and *Gryllidæ*. He has also published a valuable series of synopses and descriptive papers on various families of Orthoptera, especially on the four families already mentioned, in various periodicals; but chiefly under the title of "Mélanges Orthoptérologiques," in the 'Mémoires de la Société de Physique et d'Histoire Naturelle de Genève,' vol. xviii. (1863-4), and in subsequent volumes.

In 1865 Brunner von Wattenwyl published his 'Nouveau Système des Blattaires,' and in 1868 F. Walker, having rearranged the British Museum Collection, published his 'Catalogue of the Specimens of Blattariæ in the British Museum' (1868), Supplements to which appeared at intervals from 1869 to 1871. Unfortunately, he was unable to consult Brunner's work while preparing his own.

The *Mantidæ* and *Phasmidæ* are sometimes treated as a separate section of Orthoptera, called Gressoria.

The *Mantidæ* were rearranged by H. W. Bates, and a series of plates were prepared to illustrate them; but these were not published till 1889, when they were issued accompanied by a complete Catalogue of the Family, and descriptions of new species, by J. O. Westwood, under the title of 'Revisio Insectorum Familiæ Mantidarum.'

Westwood had previously rearranged the *Phasmidæ* in the British Museum; and in 1859 the Trustees published a monograph on the family, by Westwood, under the title of 'Catalogue of Orthopterous Insects in the Collection of the British Museum: Part I. Phasmidæ.'

In 1893 Brunner von Wattenwyl published a "Révision des Système des Orthoptères" in the 'Annali del Museo Civico di Storia Naturale di Genova,' ser. 2, vol. xiii. The *Forficulidæ* and *Hemimeridæ* were omitted; but otherwise the work is the most comprehensive yet published on the Orthoptera as a whole, and includes synopses of the families and genera of the greater part of the order, with the exception of the *Gryllidæ* and some families of the *Phasgonuridæ*, which had already been monographed by Brunner, De Saussure, and others.

The remaining portion of the present Catalogue will be devoted to the Orthoptera Saltatoria, comprising the families *Achetidæ* (or *Gryllidæ*), *Phasgonuridæ*, and *Locustidæ*, or Crickets, Grasshoppers, and Locusts.

These have been previously catalogued by F. Walker in his

‘Catalogue of the Specimens of Dermaptera Saltatoria [and Supplement to the Blattariæ] in the Collection of the British Museum’ (5 parts, 1869–1871).

At the conclusion of the work it is proposed to add a Supplement including new genera and species published too late for insertion in their proper places in the Catalogue.

W. F. KIRBY.

NATURAL HISTORY MUSEUM,
SOUTH KENSINGTON.
November, 1904.

N.B.—Species marked with an asterisk in the Catalogue are represented in the Natural History Museum by one or more specimens, and those of which the Museum possesses the types with a double asterisk; ||, as usual, denotes a preoccupied name.

CONTENTS.

	Page
PREFACE	iii
INTRODUCTION	v
CONTENTS	ix
FORFICULIDÆ	1
HEMIMERIDÆ	59
BLATTIDÆ	61
Ectobiinæ	61
Chorisoneurinae	71
Phyllodromiinae	74
Nocticolinae	106
Nyctiborinae	107
Epilamprinae	109
Blattinae	127
Archiblattinae	148
Panchlorinae	148
Blaberinae	160
Corydiinae	166
Polyphaginae	171
Oxyhaloinae	175
Plectopterinae	177
Perisphæriinae	179
Panesthiinae	200
MANTIDÆ	207
Amorphoscelinae	207
Eremiaphilinae	208
Chœradodinae	219
Mantinae	221
Miopteryginae	274
Creobotrinae	280
Vatinae	297
Empusinae	310

	Page
PHASMIDÆ	317
Lonchodinæ	317
Bactriciinae	327
Bacillinae	327
Diapheromerinae	343
Bacteriinae	348
Phryganistriinae	358
Palophinae	360
Necrosciinae	368
Acrophyllinae	379
Eurycanthinæ	395
Heteropteryginae	396
Anisomorphinae	401
Prisopinae	403
Pseudophasminæ	408
Aschipasminæ	418
Phyllinae	420
INDEX	425

CATALOGUE

OF

ORTHOPTERA.

FAM. I.

FORFICULIDÆ.

Genus 1. **Diplatys**. (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 33 (1831); Ins. Orth. p. 50 (1839);
Borm. Biol. Centr.-Amer., Orth. i. p. 1 (1893); Tierreich,
Forf. pp. 5, 8 (1900); Burr, J. Bombay Soc. xiv. p. 73
(1902).

Dyscritina, Westw. Trans. Ent. Soc. Lond. 1881, p. 601 (larva).
(*Type* no. 8.)

Nannopygia, Dohrn, Stettin. Ent. Zeit. xxiv. p. 60 (1863);
Borm. Tierreich, Forf. p. 10 (1900). (*Type* no. 9.).

*1. **D. Macrocephala**, Beauv. (*Forficula* M.) E. & W.
Ins. Afr. Amér. p. 36, Orth. pl. 1. f. 3 Africa.
(1805); Serv. Ins. Orth. p. 51 (1839).

Diplatys M., Serv. Ann. Sci. Nat. xxii.
p. 33 (1831); Borm. Tierreich, Forf.
p. 9, f. 5 (1900), *nec text*.

D. Raffrayi, Dubr. An. Soc. Españ. viii.
p. 91 (1879); Borm. Tierreich, Forf. p. 9.
n. 2 (1900).

2. **D. Coriacea, Kirb. (*Forficula* C.) J. S. Leone.
Linn. Soc. xxiii. p. 525 (1891); Borm. l. c.
p. 127 (1900).

3. **D. Bormansi**, Kirb. (n. n.). Burma.

|| *D. Macrocephala*, Borm. Ann. Mus. Genov.
xxvi. p. 433 (1888); Tierreich, Forf. p. 9.
n. 1 (*text*) (1900).

- **4. **D. Ridleyi, Kirb.** Ann. Nat. Hist. (7) Singapore.
xi. p. 61 (1903).
- **5. **D. Rufescens, Kirb.** (*Cylindrogaster R.*) N. India.
J. Linn. Soc. xxv. p. 524, pl. 20. f. 2
(1895).
- **6. **D. Nigriceps, Kirb.** (*Cyl. N.*) l. c. xxiii. Hong Kong,
p. 507 (1891). India.
Ceylon.
- *7. **D. Greeni, Burr,** n. n.
|| *Diplatys Nigriceps, Burr,* Tr. Ent. Soc.
London, 1898, p. 389, pl. 18. ff. 1-3,
pl. 19. ff. 6-15, 18; J. Bombay Soc. xiv.
p. 75, pl. A. ff. 1-3 (1902).
|| *Dyscritina Longisetosa, Green,* Tr. Ent. Soc.
London, 1896, p. 229, figs.
Dyscritina, sp. n., Green, op. cit. 1898, p. 383.
- *8. **D. Longisetosa, Westw.** (*Dyscritina L.*) id.
Tr. Ent. Soc. London, 1881, p. 601, pl. 22.
ff. 1, 1 a-i; Green, op. cit. 1898, pp. 383,
384.
Diplatys Longisetosa, Burr, Trans. Ent.
Soc. London, 1898, p. 388, pl. 18. ff. 4,
5, 16, pl. 19. ff. 9-14; Borm. Tierreich,
Forf. p. 10, f. 6 (1900).
Diplatys Gerstaeckeri, pt., Burr, J. Bombay
Soc. xiv. p. 74, pl. A. ff. 4, 5 (1902).
9. **D. Gerstaeckeri, Dohrn,** (*Nanno- id.*
pygia G.) l. c. xxiv. p. 60 (1863); Borm.
l. c. p. 11. n. 1, f. 7 (1900).
- **10. **D. Jansoni, Kirb.** (*Cylindrogaster J.*) Chontales.
l. c. xxiii. p. 507 (1891).
Diplatys J., Borm. Biol. Centr.-Amer.,
Orth. p. 2, pl. 1. ff. 1, 2 (1893); Tierreich,
Forf. p. 9. no. 3 (1900).
- **11. **D. Severa, Borm.** ll. cc. p. 2, pl. 1. f. 3 Chiriqui.
(1893); p. 9. n. 4 (1900).

Genus 2. **Cylindrogaster.** (*Type* no. 1.)

Stål, Œfv. Vet.-Ak. Förh. xii. p. 350 (1855); Borm. Tierreich,
Forf. p. 11 (1900).

- *1. **C. Gracilis, Stål,** l. c. p. 350 (1855); Brazil.
Dohrn, Stettin. Ent. Zeit. xxiv. p. 58
(1863); Borm. l. c. p. 11. n. 1, f. 8
(1900).
Diplatys Gracilis, Stål, Eugenie's Resa, Ins.
p. 306 (1858).

*2. C. Thoracica , Dohrn , l. c. p. 59 (1863) ;	Brazil.
Borm. l. c. p. 12. n. 2 (1900).	
3. C. Sahlbergi , Dohrn , l. c. p. 59 (1863) ;	id.
Borm. l. c. p. 12. n. 3 (1900).	

Genus 3. **Apachyus.** (*Type* no. 6.)

Serv. Ann. Sci. Nat. xxii. p. 35 (1831) ; Borm. Tierreich, Forf. p. 12 (1900) ; Verh. Zool. Anz. xxv. p. 200 (1902).

Apachya, Serv. Ins. Orth. p. 54 (1839) ; Dohrn, Stettin. Ent. Zeit. xxiv. p. 42 (1863) ; Borm. Ann. Mus. Genova, xxxiv. p. 372 (1894).

Apachys, Agass. Nomencl. Zool., Ind. p. 27 (1846).

**1. A. Pascoei , Kirb. (<i>Apachys P.</i>) J. Linn. Soc. xxv. p. 521, pl. 20. f. 1 (1895).	Sylhet.
**2. A. Feæ , Borm. (<i>Apachya F.</i>) Ann. Mus. Genova, xxxiv. p. 373 (1894).	Burma.
<i>Apachyus F.</i> , Borm. Tierreich, p. 13. n. 1, f. 9 a, b (1900).	
*3. A. Chartaceus , Haan , (<i>Forficula Apachya</i>) <i>Chartacea</i> Temminck, Verhandel. Nat. Gesch., Orth. p. 239, pl. 23. f. 7 (1842).	Malay Peninsula, Borneo, Sumatra.
<i>Apachya Chartacea</i> , Dohrn, Stettin. Ent. Zeit. xxiv. p. 43 (1863).	
<i>Apachys Chartacea</i> , Dubr. Ann. Mus. Genova, xiv. p. 349, fig. (1879).	
<i>Apachyus Chartaceus</i> , Borm. Tierreich, p. 13. n. 3 (1900).	
4. A. Javanus , Verh. Zool. Anz. xxv. p. 200 (1902).	Java.
5. A. Beccarii , Dubr. (<i>Apachys B.</i>) l. c. p. 349, fig. (1879).	New Guinea.
<i>Apachyus B.</i> , Borm. Tierreich, p. 13. n. 2 (1900).	
*6. A. Depressus , Beauv. (<i>Forficula Depressa</i>) Ins. Afr. Amér. p. 36, Orth. pl. 1. ff. 5, 5 a (1805).	W. Africa.
<i>Apachya Depressa</i> , Serv. Ins. Orth. p. 55 (1839) ; Dohrn, l. c. p. 43. n. 1 (1863) ; Gerst. Mt. Ver. Vorpomm. xiv. p. 39 (1883).	
<i>Apachyus Depressus</i> , Borm. Tierreich, Forf. p. 1. n. 4 (1900).	

<p>7. A. Reichardi, Karsch, (<i>Apachya R.</i>)
 Berlin. Ent. Zeitschr. xxx. p. 85, pl. 3.
 f. 3 (1886).
 <i>Apachyus Reichardi</i>, Borm. Tierreich, p. 13.
 n. 5 (1900).</p> <p>8. A. Murrayi, Dohrn, (<i>Apachya M.</i>) Stettin.
 Ent. Zeit. xxiv. p. 44 (1863).
 <i>Apachyus Murrayi</i>, Borm. l. c. p. 14. n. 6
(1900).</p>	E. Africa. W. Africa.

Genus 4. **Tagalina**. (*Type* no. 1.)

Dohrn, Stettin. Ent. Zeit. xxiv. p. 44 (1863); Borm. Tierreich,
 Forf. p. 14 (1900).

<p>1. T. Semperi, Dohrn, l. c. p. 45 (1863);
 Borm. l. c. p. 14. n. 1 (1900).</p> <p>2. T. Grandiventris, Blanch. (<i>Forficula G.</i>)
 Voy. Pôle Sud, Zool. iv. p. 349, Orth.
 pl. 1. f. 1 (1853).
 <i>Tag. G.</i>, Dohrn, l. c. p. 46 (1863); Borm.
 l. c. p. 14. n. 2 (1900); Burr. Termés.
 Füzetek, xxv. p. 477, pl. 20. f. 1 (1902).</p> | <p>Luzon.</p> <p>Salomon
 Islands,
 N. Guinea.</p> |
|---|--|

Genus 5. **Pygidicrana**. (*Type* no. 30.)

Serv. Ann. Sci. Nat. xxii. p. 30 (1831); Dohrn, Stettin. Ent.
 Zeit. xxiv. p. 46 (1863); Borm. Tierreich, Forf. p. 15
 (1900); Burr, J. Bombay Soc. xiv. p. 68 (1902).
Dicranopygia, Burm. Germ. Zeitschr. Ent. ii. p. 79 (1840).
 (*Type* no. 30.)

<p>1. P. Caffra, Dohrn, Stettin. Ent. Zeit.
 xxviii. p. 343 (1867); (?) Karsch, Berlin.
 Ent. Zeitschr. xxx. p. 86, pl. 3. f. 5 (1886);
 Borm. l. c. p. 19. n. 10 (1900).</p> <p>**2. P. Frontalis, Kirb. Ann. Nat. Hist. (7)
 xi. p. 61 (1903).</p> <p>**3. P. Bettoni, Kirb. l. c. p. 62 (1903).</p> <p>*4. P. Liturata, Stål, (<i>Forficula L.</i>) Cfv.
 Vet.-Akad. Förh. xii. p. 347 (1855).
 <i>Pygidicrana Liturata</i>, Dohrn, l. c. xxiv. p. 57
 (1863); Borm. l. c. p. 23. n. 24 (1900).</p> <p>*5. P. Vitticollis, Stål, (<i>Forficula V.</i>) l. c.
 xii. p. 350 (1855).
 <i>Pygidicrana V.</i>, Stål, Eugenie's Resa, Ins.
 p. 299 (1858).</p> | <p>E. & W.
 Africa.</p> <p>Cameroons.</p> <p>B.E. Africa.</p> <p>S. Africa.</p> <p>China.</p> |
|--|---|

- Pygidicrana* V., *Dohrn*, l. c. p. 55 (1863);
Borm. l. c. p. 22. n. 22 (1900).
- *6. **P. Siamensis**, *Dohrn*, l. c. p. 51 (1863); Siam, &c.,
Borm. l. c. p. 19. n. 9 (1900). China.
- **7. **P. Modesta**, *Borm.* Ann. Mus. Genov. Burma.
xxxiv. p. 375 (1894); Tierreich, Forf.
p. 21. n. 15 (1900).
8. **P. Valida**, *Dohrn*, l. c. xxviii. p. 344 id.
(1867); Borm. Tierreich, Forf. p. 22.
n. 19 (1900).
- *9. **P. Callipyga**, *Dohrn*, (*P. Kallipygos*) India.
l. c. xxiv. p. 53 (1863).
P. Callipyga, *Borm.* l. c. p. 21. n. 16, f. 13
(1900).
- *10. **P. Picta**, *Guér.* Mag. Zool. viii. p. 70, id.,
pl. 236. f. 1 (1838); *Dohrn*, l. c. xxiv. Ceylon.
p. 50 (1863); Borm. l. c. p. 18. n. 6
(1900); Burr, l. c. xiv. p. 69 (1902).
- *11. **P. Eximia**, *Dohrn*, l. c. xxiv. p. 49 (1863); N. India.
Borm. l. c. p. 18. n. 5, f. 11 (1900).
12. **P. Nietneri**, *Dohrn*, l. c. xxiv. p. 53 Ceylon.
(1863); Borm. l. c. p. 21. n. 17 (1900);
Burr, l. c. p. 70 (1902).
- *13. **P. Angustata**, *Dohrn*, l. c. xxiv. p. 56 id.
(1863); Borm. l. c. p. 23. n. 23 (1900);
Burr, l. c. p. 71 (1902).
- *14. **P. Cumingi**, *Dohrn*, l. c. xxiv. p. 54 id.
(1863); Borm. l. c. p. 21. n. 18 (1900);
Burr, l. c. p. 71, pl. B. f. 2 (1902).
- *15. **P. Pallidipennis**, *Haan*, (*Forficula* Borneo,
(*Pygid.*) *P.*) Temminck, Verhandel., Sumatra,
Orth. p. 240, pl. 23. f. 8 (1842). Burma.
P. Pallidipennis, *Dohrn*, l. c. xxiv. p. 50
(1863); Borm. l. c. p. 18. n. 7 (1900).
16. **P. Imperatrix**, *Burr*, Ann. Nat. Hist. Java.
(7) iii. p. 163 (1899).
- *17. **P. Marmoricrura**, *Serv.* Ins. Orth. p. 20 id.,
(1839); *Dohrn*, l. c. xxiv. p. 51 (1863); Ceylon?
Borm. l. c. p. 19. n. 8 (1900); Burr, l. c.
p. 69 (1902).
Forficula (*Pygid.*) *M.*, *Haan*, l. c. p. 239
(1842).
- *18. **P. Hugeli**, *Sharp*, Cambridge Nat. Hist., Java.
Ins. i. p. 202, f. 102; p. 215 (1895).
19. **P. Abnormis**, *Borm.* (*Cylindrogaster* A.) id.
Ann. Soc. Ent. Belgique, xxvii. p. 59,
pl. 2. f. 1 (1883).

- Pygid. A.*, Borm. Tierreich, Forf. p. 23.
n. 25 (1900).
- **20. **P. Horsfieldii**, Kirb. J. Linn. Soc. xxiii. Java.
p. 506, pl. 12. figs. 11, 11 *a* (1891);
Borm. l. c. p. 20. n. 12 (1900).
- **21. **P. Guttata**, Kirb. Ann. Nat. Hist. (7) Celebes.
xi. p. 62 (1903).
22. **P. Finschi**, Karsch, Ent. Nachr. xi. p. 322 N. Australia,
(1885). N. Guinea?
(?) *P. Marmoricrura*, Dubr. Ann. Mus.
Genova, xiv. p. 351 (1871).
- *23. **P. Ophthalmica**, Dohrn, l. c. xxiv. p. 55 Australia,
(1863); xxviii. p. 344 (1867); Borm. Burma.
l. c. p. 22. n. 21 (1900).
- *24. **P. Daemeli**, Dohrn, l. c. xxx. p. 233 N. Australia.
(1869); Borm. l. c. p. 20. n. 11, f. 12 (1900).
- *25. **P. Atriceps**, Kirb. l. c. p. 63 (1903). Queensland.
- *26. **P. Bivittata**, Erichs. Schomb. Reise Guiana.
Brit. Guiana, iii. p. 579 (1848); Borm. l. c.
p. 18. n. 4 (1900).
- **27. **P. Staphylinoides**, Walk. (*Olyntha S.*) Santarem.
List Neuropt. Ins. B. M. iii. p. 532. n. 3
(1853).
Pygid. S., Kirb. J. Linn. Soc. xxiii. p. 506
(1891); Borm. l. c. p. 24 (1900).
- *28. **P. Notigera**, Stål, (*Pygidicrana N.*) Brazil.
Eugenie's Resa, Ins. p. 299 (1858).
Pygidicrana N., Dohrn, l. c. xxiv. p. 52
(1863); Borm. l. c. p. 20. n. 14 (1900).
- **29. **P. Egregia**, Kirb. l. c. xxv. p. 523, Santa
pl. 20. f. 3 (1895); Borm. l. c. p. 17. Catharina.
n. 3 (1900).
- *30. **P. V-nigrum**, Serv. Ann. Sci. Nat. xxii. Brazil.
p. 31 (1831); Ins. Orth. p. 19, pl. 1. ff. 1,
1 *a*, *b* (1839); Dohrn, l. c. xxiv. p. 47
(1863); Borm. l. c. p. 17. n. 2 (1900).
Forficula V-nigrum, Burm. Handb. Ent.
ii. p. 751 (1838).
- **31. **P. Forcipata**, Kirb. l. c. xxv. p. 522 Para.
(1895); Borm. l. c. p. 16 (1900).
32. **P. (?) Dilaticauda**, Motsch. (*Forfiscelia* Ceylon.
D.) Bull. Soc. Moscou, xxxvi. (3) p. 3 (1863).
Platylabia Dilaticauda, Borm. l. c. p. 75
(1900).
Pygidicrana (?) Dilaticauda, Burr, l. c.
p. 72 (1902).

Genus 6. **Anatælia.** (*Type* no. 1.)

Bol. Act. Soc. Españ. 1899, p. 97.

1. **A. Canariensis**, **Bol.** l. c. p. 99 ; p. 98, | Teneriffe.
figs. (1899).

Genus 7. **Pyragra.** (*Type* no. 4.)

Serv. Ann. Sci. Nat. xxii. p. 34 (1831) ; Ins. Orth. p. 32 (1839) ;
Borm. Tierreich, Forf. p. 24 (1900).

Thermastris, Dohrn, Stettin. Ent. Zeit. xxiv. p. 61 (1861) ;
Scudd. Bull. U.S. Geol. Surv. ii. p. 249 (1876). (*Type*
no. 3.)

- *1. **P. Dohrni**, **Scudd.** (*Therm. D.*) P. Boston | Peru.
Soc. xvii. p. 280 (1875).
Pyragra D., *Borm.* l. c. p. 25 (1900).
- *2. **P. Chontalia**, **Scudd.** (*Therm. C.*) l. c. | Nicaragua,
xviii. p. 258 (1876) ; Bull. U.S. Geol. | Peru.
Surv. ii. p. 249 (1876).
Pyragra C., *Borm.* l. c. p. 25 (1900).
- *3. **P. Brasiliensis**, **Gray** (*Forficula B.*), | Brazil.
Griffith, Animal Kingd. xv. p. 184, pl. 78.
f. 2 (1832).
Pyragra B., *Borm.* l. c. p. 24 (1900).
Thermastris B., *Dohrn*, l. c. xxiv. p. 62
(1863).
Forf. Opaca, *Burm.* Handb. Ent. ii. p. 751.
n. 2 (1838).
Forf. Aspera, *Stål*, Eugenie's Resa, Ins.
p. 300 (1858).
- *4. **P. Fuscata**, **Serv.** Ann. Sci. Nat. xxii. | Mexico to
p. 34 (1831) ; Ins. Orth. p. 32, pl. 1. ff. 4, | Brazil.
4 a-c (1839).
Pygidicrana Saussurei, *Dohrn*, l. c. xxiii.
p. 225, pl. 1. f. 2 (1862).
Therm. S., *Dohrn*, l. c. xxiv. p. 63 (1863) ;
Scudd. Bull. U.S. Geol. Surv. ii. p. 249
(1876).
Pyragra S., *Borm.* l. c. p. 24 (1900).

Genus 8. **Echinopsalis.** (*Type* no. 1.)

Borm. Biol. Centr.-Amer., Orth. i. p. 2 (1893) ;
Tierreich, Forf. p. 25 (1900).

- **1. **E. Guttata**, **Borm.** ll. cc. p. 3, pl. 1. f. 4 | Chontales.
(1893) ; p. 25 (1900).

Genus 9. **Echinosoma.** (*Type* no. 1.)

Serv. Ins. Orth. p. 34 (1839) ; Dohrn, Stettin. Ent. Zeit. xxiv. p. 63 (1863) ; Borm. Tierreich, Forf. p. 26 (1900) ; Burr, J. Bombay Soc. xiv. p. 77 (1902).

<p>*1. E. Afrum, Beauv. (<i>Forficula Afra</i>) Ins. Afr. Amér. p. 35, Orth. pl. 1. f. 1 (1805).
 <i>Echin. A., Serv.</i> l. c. p. 34 (1839) ; Dohrn, l. c. p. 63 (1863) ; Borm. l. c. p. 26, f. 14 (1900).</p> <p>2. E. Occidentale, Borm. Ann. Soc. Ent. France, 1893, p. 170 ; Tierreich, Forf. p. 27 (1900).</p> <p>*3. E. Wahlbergi, Dohrn, l. c. p. 64 (1863) ; Borm. Tierreich, Forf. p. 27 (1900).</p> <p>4. E. (?) Obscurum, Kirb. Distant, Ins. Transvaal. p. 12, pl. 1. f. 2 (1900).</p> <p>*5. E. Insulanum, Karsch, Ent. Nachr. xi. p. 323 (1885) ; Borm. l. c. p. 27 (1900).</p> <p>*6. E. Bolivari, Rodz. Wien. Ent. Zeit. xvi. p. 154 (1897) ; Borm. l. c. p. 27 (1900).</p> <p>*7. E. Sekalavum, Borm. Ann. Mus. Genov. xl. p. 441 (1900).</p> <p>*8. E. Sumatranum, Haan, (<i>Forficula (Echin.) Sumatrana</i>) Haan, Verhandel. Nat. Gesch., Orth. p. 241 (1842).
 <i>E. Sumatranum, Dohrn,</i> l. c. p. 65 (1863) ; Borm. l. c. p. 28 (1900).</p> <p>**9. E. Forbesi, Kirb. J. Linn. Soc. xxiii. p. 509, pl. 12. f. 9 (1891) ; Borm. l. c. p. 28 (1900).</p> <p>*10. E. Westermanni, Dohrn, l. c. p. 65 (1863) ; Borm. l. c. p. 28 (1900).</p> <p>*11. E. Parvulum, Dohrn, l. c. p. 66 (1863) ; Borm. l. c. p. 29 (1900) ; Burr, l. c. p. 77 (1902).</p> <p>*12. E. Horridum, Dohrn, l. c. p. 66 (1863) ; Borm. l. c. p. 29 (1900) ; Burr, Termés. Füzetek, xxv. p. 478 (1902).</p> <p>13. E. Yorkense, Dohrn, l. c. xxx. p. 234 (1869) ; Borm. l. c. p. 28 (1900).</p> | <p>W. Africa.</p> <p>id.
(Assini).</p> <p>S. Africa.</p> <p>Pretoria.</p> <p>Madagasc'r.</p> <p>id.</p> <p>Nossi Bé.</p> <p>Burma,
Java,
Sumatra,
Papua, Aus-
tralia, &c.
Dinner I.</p> <p>P'lo Penang,
Philippines.
Ceylon.</p> <p>Java.</p> <p>N. Australia.</p> |
|--|--|

Genus 10. **Forcipula.** (*Type* no. 8.)

Bol. Ann. Soc. Ent. France, 1897, p. 283 ; Borm. Tierreich, Forf. p. 29 (1900) ; Ann. Mus. Genova, xl. p. 442 (1900) ; Burr, J. Bombay Soc. xiv. p. 323 (1902).

1. F. Congo, Burr, Ann. Soc. Ent. Belgique, xliv. p. 49 (1900).	Congo.

2. **F. Gariazzi, Borelli**, Boll. Mus. Torino, xv. (381) p. 1, fig. (Dec. 1900). Congo.
- **3. **F. Walkeri, Kirb.** (*Labidura W.*) J. Linn. Soc. xxv. p. 524, pl. 20. f. 6 (1895).
Forcipula W., Borm. Tierreich, Forf. p. 31 (1900). Hong Kong.
4. **F. Trispinosa, Dohrn**, Stettin. Ent. Zeit. xxiv. p. 310 (1863). India, Abyssinia.
Forcipula T., Borm. l. c. p. 30, f. 15 (1900).
5. **F. Tarsata, Westw.** (*Forficula T.*) P. Zool. Soc. London, v. p. 139 (1837). Manila.
Labidura T., Dohrn, l. c. p. 311 (1863).
Forcipula T., Borm. l. c. p. 30 (1900).
- **6. **F. Pugnax, Kirb.** (*Labidura P.*) J. Linn. Soc. xxiii. p. 510, pl. 12. f. 1 (1891). N. India, Rangoon.
Forcipula P., Borm. l. c. p. 30 (1900).
- **7. **F. Morosa, Kirb.** (*Labidura M.*) J. Linn. Soc. xxiii. p. 513 (1891). Hab. — ?
- *8. **F. Quadrispinosa, Dohrn**, l. c. p. 311 (1863). India, Burma, Ceylon.
Forcipula Q., Borm. l. c. p. 30 (1900); Burr, J. Bombay Soc. xiv. p. 323 (1902).
9. **F. Lurida, Bol.** (*Forcipula Quadrispinosa*, var. *Lurida*) Ann. Soc. Ent. France, 1897, p. 283. Trichinopoly.
F. Quadrispinosa Lurida, Borm. l. c. p. 31 (1900).
10. **F. Decolyi, Borm.** Ann. Mus. Genova, xl. p. 444 (1900). India, N. Guinea (eadem?).
11. **F. Americana, Borm.** l. c. p. 443 (1900). Bolivia.

Genus 11. **Labidura.** (*Type no. 2.*)

Leach, Edinb. Encycl. ix. p. 118 (1815); Steph. Ill. Brit. Ent., Mand. vi. p. 8 (1835); Dohrn, Stettin. Ent. Zeit. xxiv. p. 309 (1863); Scudd. Bull. U.S. Geol. Surv. ii. p. 250 (1876); Bol. Sin. Ort. Esp. p. 21 (1876); Brunn. Prodr. Eur. Orth. p. 4 (1882); Fin. Faune France, Orth. p. 62 (1890); Tümp. Geradflügler Mitteleuropas, pp. 209, 230 (1900); Borm. Tierreich, Forf. p. 31 (1900); Burr, J. Bombay Soc. xiv. p. 316 (1902); Kirb. Ann. Nat. Hist. (7) xi. p. 63 (1903).
Farficesila, Serv. Ann. Sci. Nat. xxii. p. 32 (1831); Ins. Orth. p. 21 (1839). (*Type no. 2.*)

- *1. **L. Bengalensis, Dohrn**, l. c. p. 312 (1863); Borm. l. c. p. 33, f. 16, a, b (1900); Burr, l. c. p. 317 (1902). India, Ceylon.

- *2. **L. Riparia, Pall.** (*Forficula R.*) Reise Russ. Reichs, ii. Anh. p. 727. n. 75 (1773).

W. Asia,
S. Europe,
Africa.

Labidura Riparia, Dohrn, l. c. p. 313. n. 5 (1863); Bol. Sin. Ort. Esp. p. 21, pl. 1. f. 8 *a-d* (1876); Scudd. l. c. p. 250 (1876); (?) Dubr. Ann. Mus. Genova, xiv. p. 353 (1879); Brunn. l. c. p. 5, pl. 1. f. 1 (1882); Fin. l. c. p. 62, pl. 2. ff. 28, 29 (1890); Sharp, Cambr. Nat. Hist., Ins. i. p. 210, f. 110 (1895); Burr, Brit. Orth. p. 12, pl. 1. f. 1 (1897); J. Bombay Soc. xiv. p. 316, pl. B. f. 4 (1902); Borm. l. c. p. 33. n. 5 (1900); Tümp. l. c. p. 230, pl. 15 (1900).

Forficesila Riparia, Fisch. Waldh. Orth. Ross. p. 46 (1846).

Forficula Gigantea, Fabr. Mant. Ins. ii. p. 224. n. 2 (1787); Dufour, Ann. Sci. Nat. xiii. p. 345, pl. 19. ff. 1-3 (1828).

Forficula (Labidura) Gigantea, Fisch. Orth. Eur. p. 65, pl. 6. ff. 1, 1 *a-f* (1853).

Forficesila Gigantea, Serv. Ins. Orth. p. 23, pl. 1. f. 2 (1839); Fisch. Waldh. l. c. p. 44, ff. 1*, 1** (1846).

Forficula Bilineata, Herbst, Fuessly, Arch. Ins. p. 183, pl. 49. f. 1 (1786).

Forficula Maxima, Vill. Linn. Ent. i. p. 427, pl. 2. f. 53 (1789).

Psalis Morbida, Serv. Ann. Sci. Nat. xxii. p. 35 (1831).

- *Var. *a. Labidura Riparia, var. Mixta, Bol.* Ann. Sci. Nat. Porto, iv. p. 117 (1898).

Cadiz.

- 2 *a. L. Marginella, Costa, (Forficula M.)* Atti Accad. Borb. iv. Zool. p. 50, pl. 1. ff. 1, 2 (1839); Krauss, Verh. Ges. Wien, xxxvi. p. 137, pl. 8. f. 1 (1886).

S. Europe.

Forficula (Labidura) Marginella, Fisch. l. c. p. 66, pl. 6. ff. 2, 2 *a* (1853).

Labidura Riparia, var. Inermis, Brunn. l. c. p. 5 (1882).

- 2 *b. L. Bicolor, Fisch. Waldh. (Forficula B.)* Orth. Imp. Ross. p. 42 (1846).

S. Russia
(Taurida).

- 2 *c. L. Distincta, Rodz.* Wien. Ent. Zeit. xvi. p. 153 (1897).

Trans-
caucasia.

- 2 *d. L. Pallipes, Fabr. (Forficula P.)* Syst. Ent. p. 270. n. 7 (1775).

Cape Verde
Isl.

- 2 e. **L. Herculeana**, **Fabr.** (*Forficula H.*) Ent. Syst., Suppl. p. 185 (1798). St. Helena.
- *3. **L. Terminalis**, **Serv.** (*Forficesila T.*) Ins. Orth. p. 25 (1839). Mauritius.
4. **L. Auditor**, **Scudd.** P. Boston Soc. xviii. p. 252 (1876). Natal.
- *5. **L. Crenata**, **Oliv.** (*Forficula C.*) Enc. Méth., Ins. vi. p. 467. n. 4 (1791). S. Africa.
- *5 a. **L. Icterica**, **Serv.** (*Forficesila I.*) Ins. Orth. p. 25 (1839). India, Ceylon, China.
- *Var. a. *L. Servillei*, *Dohrn*, l. c. p. 316 (1863); *Borm. Tierreich*, *Forf.* p. 35 (1900). India, Ceylon.
- *Var. b. *Forficula (Forficesila) Gigantea*, var. b. *Japonica*, *Haan*, *Temminck*, *Verhandel. Nat. Gesch.*, Orth. p. 240 (1842). China, Japan.
- **6. **L. Granulosa**, **Kirb.** J. Linn. Soc. xxiii. p. 511 (1891). Philippines.
- **7. **L. Pluvialis**, **Kirb.** l. c. p. 512 (1891). Raine I.
- **8. **L. Truncata**, **Kirb.** Ann. Nat. Hist. (7) xi. p. 67 (1903). Australia.
9. **L. Bidens**, **Oliv.** (*Forficula B.*) l. c. p. 466. n. 3 (1791). Jamaica.
- *9 a. **L. Erythrocephala**, **Fabr.** (*Forficula E.*) Ent. Syst. ii. p. 4. n. 12 (1793). W. Indies, S. America.
- Forficula Bivittata*, *Burm.* Handb. Ent. ii. p. 751. n. 5 (1838).
- Forficula (Forficesila) Affinis*, *Guér. Sagra*, Hist. Cuba, Ins. p. 330, pl. 12. f. 2 (1857).
- 9 b. **L. Suturalis**, **Burm.** (*Forficula S.*) l. c. p. 752. n. 6 (1838). Colombia.
- *10. **L. Lividipes**, **Duf.** (*Forficula L.*) Ann. Sci. Nat. xiii. p. 340 (1828). S. Europe, Africa, Asia.
- Labidura Lividipes*, *Borm.* l. c. p. 36. n. 7 (1900); *Burr*, J. Bombay Soc. xiv. p. 318, pl. B. f. 5 (1902).
- Forficesila Meridionalis*, *Serv.* l. c. p. 26 (1839).
- Forficula (Labidura) Meridionalis*, *Fisch.* l. c. p. 67, pl. 6. ff. 3, 3 a-c (1853).
- || *Forficula Pallipes*, *Duf.* Ann. Gén. Sc. Phys. vi. p. 116, pl. 96. f. 7 a, b (1820).
- Forficule de Dufour*, *Desm.* Faune Franç., Orth. pl. 1. f. 7 (1820).
- Labidura Pallipes*, *Dohrn*, l. c. p. 317 (1863); *Bol. Sin. Ort. Esp.* p. 22, pl. 1. f. 9 a, b (1876).

- Labidura Dufourii*, Scudd. P. Boston Soc. xviii. p. 322 (1877); Brunn. l. c. p. 7 (1882); Fin. l. c. p. 63 (1899).
- 10 a. **L. Inconspicua**, Kirb. Distant, Ins. Pretoria. Transvaal. p. 13, pl. 1. f. 1 (1900).
11. **L. Castanea**, Serv. (*Forficesila C.*) Ins. Hab. — ? Orth. p. 26 (1839).
- *11 a. **L. Vicina**, Luc. (*Forficesila V.*) Expl. de Algeria, S. Europe. l'Algérie, iii. p. 5, iv. pl. 1. ff. 2, 2 a-e (1846).
- Labidura Vicina*, Dohrn, l. c. p. 318 (1863).
- **12. **L. Tenuicornis**, Borm. Ann. Mus. Genova, Sumatra, Brit. N. Guinea. xl. p. 446 (1900).
13. **L. (?) Fischeri**, Fisch. Waldh. (*Forficesila F.*) l. c. p. 354, pl. 33. f. 1 (1846). S. Russia (Taurida).
- **14. **L. (?) Clarki**, Kirb. J. Linn. Soc. xxiii. Rio de Janeiro. p. 512 (1891).
15. **L. (?) Huseinæ**, Rehn, (*Apterygida H.*) Galla Land. P. Acad. Philadelphia, liii. p. 273 (1901).

Genus 12. **Demogorgon.** (*Type* no. 2.)

Kirb. J. Linn. Soc. xxiii. p. 513 (1891); Ann. Nat. Hist. (7) xi. p. 68 (1903).

- *1. **D. Lividus**, Dubr. (*Labidura Livida*) An. Santa Catarina, Ceara. Soc. Esp. viii. p. 93 (1879); Bol. Viaje al Pacifico, Ins. p. 9, pl. 1. f. 1 (1884).
- **2. **D. Batesii**, Kirb. J. Linn. Soc. xxiii. Santarem. p. 514, pl. 12. ff. 3, 3 a (1891).
Labidura Batesi, Borm. Tierreich, Forf. p. 32 (1900).
- **3. **D. Bicolor**, Kirb. l. c. p. 514 (1890). S. America.
Labidura Bicolor, Borm. l. c. p. 32 (1900).
- *4. **D. Xanthopus**, Stål (*Forficesila X.*) Cefv. Brazil, B. Aires. Vet.-Ak. Förh. xii. p. 348 (1855).
Forficula Xanthopus, Stål, Eugenie's Resa, Ins. p. 300 (1860).
Demogorgon Adelphus, Kirb. l. c. p. 515 (1891).
Labidura Adelpha, Borm. l. c. p. 33 (1900).
- **5. **D. Patagonicus**, Kirb. l. c. p. 515 (1891). Patagonia.

Genus 13. **Karschiella.** (*Type* no. 1.)

Verh. Zool. Anz. xxv. p. 183 (1902).

<p>1. K. Buettneri, Karsch, (<i>Pygidicrana B.</i>)
Berlin. Ent. Zeitschr. xxx. p. 86, pl. 3.
f. 4 (1886); Borm. Tierreich, Forf. p. 22.
n. 20 (1900).
<i>Karschiella B.</i>, Verh. l. c. p. 184 (1902).</p>	W. Africa.
2. K. Camerunensis, Verh. l. c. (1902).	Cameroons.

Genus 14. **Bormansia.** (*Type* no. 1.)

Verh. Zool. Anz. xxv. p. 184 (1902).

1. B. Africana, Verh. l. c. (1902).	E. Africa.
2. B. Impressicollis, Verh. l. c. (1902).	id.

Genus 15. **Psalis.** (*Type* no. 8.)

Serv. Ann. Sci. Nat. xxii. p. 34 (1831); Burm. Handb. Ent. ii. p. 753 (1838); Scudd. P. Boston Soc. xviii. p. 297 (1876); Bull. U.S. Geol. Surv. ii. p. 250 (1876); Borm. Tierreich, Forf. p. 36 (1900); Burr, J. Bombay Soc. xiv. p. 77 (1902).

<p>*1. P. Indica, Burm. (<i>Forficula I.</i>) l. c.
p. 751. n. 3 (1838).
<i>Labidura Indica, Dohrn</i>, Stettin. Ent. Zeit.
xxiv. p. 320. n. 11 (1863).
<i>Psalis Indica, Borm.</i> l. c. p. 38. n. 3, f. 17
(1900); Ann. Mus. Genova, xl. p. 447
(1900).
<i>Forficula Genuiculata, Stål</i>, Öfv. Vet.-Ak.
Förh. xii. p. 349 (1855).
<i>Forficula Indica, Stål</i>, Eugenie's Resa, Ins.
p. 300 (1858).</p>	<p>Java,
Borneo,
Penang.</p>
<p>**2. P. Borneensis, Kirb. J. Linn. Soc. xxv.
p. 525 (1896).</p>	N.W. Borneo.
<p>*3. P. Femoralis, Dohrn, (<i>Labidura F.</i>) l. c.
p. 321 (1863); Dubr. Ann. Mus. Genova,
xiv. p. 353, figs. (1879).
<i>Psalis Femoralis, Borm.</i> Tierreich, Forf.
p. 38 (1900); Burr, l. c. p. 78, pl. B. f. 3
(1902).</p>	<p>Ceylon,
Burma
(eadem?).</p>
<p>**4. P. Guttata, Borm. Ann. Mus. Genova,
xl. p. 448 (1900).
<i>Psalis Indica, var. Minor, Borm.</i> l. c. (1900).</p>	Mentavei I.

- *5. **P. Plebeja**, Dohrn, (*Labidura P.*) l. c. p. 322 (1863).
Psalis Plebeja, Borm. Tierreich, Forf. p. 38 (1900). Java,
 Borneo.
 Samatra.
6. **P. Rufescens**, Beauv. (*Forficula R.*) Ins. Afr. Amer. p. 35, Orth. pl. 1. f. 2 (1805). W. Africa
 (Oware).
- **7. **P. Picina**, Kirb. l. c. xxiii. p. 516 (1891). Gambia,
 Congo.
- *8. **P. Americana**, Beauv. (*Forficula A.*) l. c. p. 165, Orth. pl. 14. f. 1 (1817). W. Indies.
Psalis Americana, Serv. Ann. Sci. Nat. xxii. p. 34 (1831); Scudd. Bull. U.S. Geol. S. & Central
 Surv. ii. p. 251 (1876); Borm. Tierreich, America.
 Forf. p. 37. n. 1 (1900).
Forficula Americana, Serv. Ins. Orth. p. 22 (1839); Wood, Ins. Abroad, p. 280, f. 140 (1874).
Labidura Americana, Dohrn, l. c. p. 319 (1863).
Forficula Procera, Burm. l. c. p. 753 (1838).
Psalis Procera, Scudd. l. c. p. 251 (1876).
Forficula Elegans, Stål. Öfv. Vet.-Akad. Förh. xii. p. 348 (1855).
Forficula (Forficula) Distincta, Guér. Sagra, Hist. Cuba, Ins. p. 329, pl. 12. ff. 1, 1a, b (1857).
- *9. **P. Gagathina**, Burm. (*Forficula G.*) l. c. p. 753. n. 13 (1838). Portorico.
Labidura Gagathina, Dohrn, l. c. p. 320 (1863).
Psalis Gagathina, Scudd. l. c. p. 250 (1876); Borm. Biol. Centr.-Amer., Orth. i. p. 4, pl. 1. ff. 5, 6 (1893); Tierreich, Forf. p. 37. n. 2 (1900).
- *10. **P. Rosenbergi**, Burr, Ann. Nat. Hist. (7) iv. p. 253 (1892). Ecuador.
- *11. **P. Thoracica**, Serv. (*Forficula T.*) Ins. Orth. p. 22 (1839). Cayenne,
 Panama.
Psalis Thoracica, Borm. Biol. Centr.-Amer., Orth. i. p. 4. n. 3, pl. 1. f. 7 (1893); Tierreich, Forf. p. 39. n. 7 (1900).
- *12. **P. Scudderi**, Borm. Ann. Mus. Genova, xl. p. 449 (1900). Amazons,
 Paraguay.

Genus 16. **Carcinophora.** (Type no. 1.)

Scudd. P. Boston Soc. xviii. p. 391 (1876); Borm. Tierreich, Forf. p. 40 (1900); Burr, J. Bombay Soc. xiv. p. 338 (1902).

- *1. **C. Robusta**, Scudd. (*Chelidura R.*) l. c. xii. p. 344 (1869). Ecuador, Colombia.
Carcinophora Robusta, Borm. l. c. p. 40. Costa Rica.
 n. 1 (1900).
Psalis Colombiana, Borm. Ann. Soc. Ent. Belgique, xviii. p. 61, pl. 2. f. 3 (1882).
- **2. **C. Dohrni**, Kirb. (*Neocoryphæ D.*) J. Linn. Soc. xviii. p. 508 (1891); Borm. Tierreich, Forf. p. 11. n. 2 (1900). Ceylon.
Carcinophora Dohrni, Burr, l. c. p. 338. pl. B. f. 8 (1902).
 | *Labidura Femoralis*, Dubr. Ann. Mus. Genova, xiv. p. 353 (1879).
Carcinophora Czruldipensis, Borm. l. c. p. 40. n. 2 (1900).
3. **C. Castetsi**, Bol. Ann. Soc. Ent. France, 1897, p. 384; Borm. l. c. p. 41. n. 3 (1900). S. India.

Genus 17. **Strongylopsalis.** (Type no. 1.)

Burr, Ann. Nat. Hist. (7) vi. p. 80 (1900).

1. **S. Inca**, Burr, l. c. p. 81 (1900). Peru.

Genus 18. **Labidurodes.** (Type no. 1.)

Dubr. Ann. Mus. Genova, xiv. p. 355 (1879); Borm. Tierreich, Forf. p. 39 (1900).

1. **L. Robustus**, Dubr. l. c. p. 356. fig. N. Guinea
 (1879); Borm. l. c. p. 39 (1900). (Fly R.).
- **2. **L. Decipiens**, Kirb. (*Labidura* (?) *D.*) J. Linn. Soc. xviii. p. 51 (1891); Borm. l. c. p. 39. n. 2 (1900). Assam.

Genus 19. **Gonolabis.** (Type no. 4.)

Burr, Ann. Soc. Ent. Belgique, xlv. pp. 48, 53 (1900); Borm. Ann. Mus. Genova, xl. p. 451 (1900).

1. **G. Lativentris**, Phil. (*Forficula L.*) Chile,
 Zeitschr. ges. Naturw. xxi. p. 317 (1863). Peru.

- Anisolabis Lativentris*, Borm. Ann. Soc. Ent. Belgique, xxvii. p. 62, pl. 2. f. 3 (1883); Tierreich, Forf. p. 51. n. 26 (1900). | Magellan, Argentina.
- Gonolabis Lativentris*, Bor. Boll. Mus. Torino, xiv. (418) p. 4 (1902).
2. **G. Sylvestrii**, Bor. l. c. p. 4, fig. (1902). | Patagonia.
- **3. **G. Peringueyi**, Borm. Ann. Mus. Genov. xl. p. 451 (1900). | Cape Town.
- **4. **G. Javana**, Borm. (*Anisolabis J.*) Ann. Soc. Ent. Belgique, xxvii. p. 63, pl. 2. f. 4 (1883); Tierreich, Forf. p. 51. n. 27 (1900). | Java, Papua (eadem?).
- Gonolabis Javana*, Burr, Termés. Füzetek, xxv. p. 479 (1902).
5. **G. Kirbyi**, Burr, (*Anisolabis* (?) *K.*) Ann. Nat. Hist. xx. p. 311 (1897); Borm. Tierreich, Forf. p. 52. n. 28 (1900). | Java.
- **6. **G. Sumatrana**, Borm. Ann. Mus. Genov. xl. p. 452 (1900); Burr, Termés. Füzetek, xxv. p. 480, pl. 20. f. 2 (1902). | Sumatra.

Genus 20. **Gonolabina.**

Verh. SB. Ges. naturf. Berlin, 1902, p. 8.

1. **G. Kuhlgtatzi**, Verh. l. c. (1902). | Chile.

Genus 21. **Brachylabis.** (*Type* no. 5.)

Dohrn, Stettin. Ent. Zeit. xxv. p. 292 (1864); Borm. Ann. Soc. Ent. Belgique, xxvii. p. 64 (1883); Tierreich, Forf. p. 52 (1900).

- *1. **B. Bifoveolata**, Bol. Ann. Soc. Ent. France, 1897, p. 285, pl. 10. f. 1; Borm. Tierreich, Forf. p. 53. n. 2 (1900). | India.
2. **B. Philetas**, Burr, J. Bombay Soc. xiv. p. 322, pl. B. f. 7 (1902). | Ceylon.
- *3. **B. Punctata**, Dubr. (*Brachylabis P.*) Ann. Mus. Genova, xiv. p. 357, fig. (1879); Borm. l. c. p. 53. n. 3 (1900). | Java.
4. **B. Geniculata**, Montr. (*Chelidura G.*) Ann. Soc. L. Lyon, (2) xi. p. 222 (1864). | New Caledonia.
- Brachylabis Geniculata*, Borm. l. c. p. 54. n. 6 (1900).

5. **B. Chilensis, Blanch.** (*Forficula C.*) Gay, | Chile,
Hist. Chile, Zool. vi. p. 10; Orth. pl. 1. | Brazil.
f. 1 (1852).
Brachylabis Chilensis, Dohrn, Stettin. Ent.
Zeit. xxv. p. 295 (1864); Borm. Ann.
Soc. Ent. Belgique, xxvii. p. 65, pl. 2. f. 5
(1883); Tierreich, Forf. p. 53. n. 1
(1900).
Anisolabis Chilensis, Bol. Viaje al Pacifico,
Ins. p. 10 (1884).
Forficula Testaceicornis, Blanch. l. c. p. 11
(1852).
6. **B. Nigra, Scudd.** (*Cylindrogaster N.*) | Brazil.
P. Boston Soc. xviii. p. 251 (1876).
Brachylabis Nigra, Borm. Tierreich, Forf.
p. 54. n. 5 (1900).

Genus 22. **Anisolabis.** (Type no. 1.)

- Fieb. Lotos, iii. p. 257 (1853); Scudd. Bull. U.S. Geol. Surv.
Territ. ii. p. 251 (1876); Brunn. Prodr. Eur. Orth. p. 7
(1882); Fin. Faune France, Orth. p. 63 (1890); Burr, Brit.
Orth. p. 13 (1897); J. Bombay Soc. xiv. p. 319 (1902);
Borm. Tierreich, Forf. p. 41 (1900); Tümp. Geradfl.
Mitteleuropas, p. 230 (1900).
Forcinella, Dohrn, Stettin. Ent. Zeit. xxiii. p. 226 (1862), xxv.
p. 285 (1864), Type no. 1; Bol. Ortópt. Españ. p. 23
(1876), Type no. 2, *haud recte*.
Brachylabis, pt., Dohrn, l. c. xxv. p. 292 (1864); Bol. l. c. p. 25
(1876).

- *1. **A. Maritima, Géné,** (*Forficula M.*) Ann. | Europe, &c.
Sci. Nat. Regn. Lomb. Venet. ii. p. 224 | (Cosmo-
(1832). | politan.)
Forficula (Labidura) Maritima, Fisch. Orth.
Eur. p. 68, pl. 6. ff. 4, 4 a-d (1853).
Forficesila Maritima, Serv. Ins. Orth. p. 27
(1853).
Anisolabis Maritima, Fieb. l. c. p. 257
(1853); Scudd. l. c. p. 251 (1876); P.
Boston Soc. xviii. p. 304 (1877); Brunn.
l. c. p. 9, pl. 1. f. 2 (1882); Fin. l. c.
p. 64 (1890); Burr, Brit. Orth. p. 13,
pl. 1. ff. 2, 2 a (1897); Borm. l. c. p. 45.
n. 7 (1900); Tümp. l. c. p. 230 (1900).
Brachylabis Maritima, Dohrn, l. c. xxv.
p. 293 (1864).

- *2. **A. Annulipes, Luc.** (*Forficula A.*) Bull. Soc. Ent. France, (2) v. p. lxxxiv (1847). Europe, &c.
Forficula (Labidura) Annulipes, Fisch. l. c. (Cosmo-
 p. 69, pl. 6. f. 6 a-c (1853). politan.)
Forcinella Annulipes, Dohrn, l. c. xxv. p. 290
 (1864); Bol. l. c. p. 24, pl. 6. f. 10 a, b (1876).
Anisolabis Annulipes, Brunn. l. c. p. 8 (1882);
 Fin. l. c. p. 64 (1890); Borm. l. c. p. 48.
 n. 18 (1900); Burr, l. c. p. 14 (1897);
 J. Bombay Soc. xiv. p. 321 (1902).
- *2 a. **A. Hottentotta, Dohrn**, (*Forcinella H.*) S. Africa.
 l. c. xxviii. p. 344 (1867).
- *3. **A. Mæsta, Serv.** (*Forficesila M.*) l. c. S. Europe,
 p. 28 (1839). N. & E.
Forficula (Labidura) Mæsta, Fisch. l. c. p. 68, Africa.
 pl. 6. ff. 5, 5 a-d (1853).
Brachylabis Mæsta, Dohrn, l. c. xxv. p. 296.
 n. 5 (1864); Bol. l. c. p. 25, pl. 6. f. 11 a, b
 (1876).
Anisolabis Mæsta, Fieb. Lotos, iii. p. 257
 (1853); Brunn. l. c. p. 9 (1882); Fin.
 l. c. p. 63, pl. 2. f. 30 (1890); Borm. l. c.
 p. 44. n. 5 (1900).
Forficula Hispanica, Herr.-Schäff. Nomencl.
 Ent. Orth. p. 29 (1840).
Forficula Maritima, Ramb. Faune de l'An-
 dalusie, Orth. p. 6 (1839).
- 3 a. **A. Taurica, Fisch. Waldh.** (*Forficesila* S. Russia
T.) Orth. Ross. p. 47 (1846); Fisch. (Taurida).
 Orth. Eur. p. 70 (1853).
- *4. **A. Mauritanica, Luc.** (*Forficesila M.*) Algeria,
 Expl. Alg. iii. p. 4, iv. pl. 1. ff. 1, 1 a-d Tunis.
 (1846).
Brachylabis Mauritanica, Dohrn, l. c. xxv.
 p. 292 (1864).
Anisolabis Mauritanica, Borm. l. c. p. 45.
 n. 8 (1900).
- *5. **A. (?) Maxima, Brullé**, (*Forficula (Forfi-* Canaries.
cesila) M.) Webb & Berthelot, Hist. Nat.
 Canaries, Ins. p. 74 (1838).
Forcinella Maxima, Dohrn, l. c. xxv. p. 288.
 n. 5 (1864).
Anisolabis Maxima, Bol. An. Soc. Españ.
 xxii. p. 46 (1893); Borm. l. c. p. 46. n. 9
 (1900).
- 5 a. **A. Major, Brullé**, (*Forficula (Forficesila)* id.
M.) l. c. p. 74 (1838).

- Anisolabis Major*, Borm. l. c. p. 46. n. 10 (1900).
- *6. **A. Angulifera**, Dohrn, (*Brachylabis A.*) W. Africa.
l. c. xxv. p. 294 (1864).
Anisolabis Angulifera, Borm. l. c. p. 51.
n. 25, f. 21 (1900).
7. **A. Cincticollis**, Gerst. (*Brachylabis C.*) Cameroons.
Mitth. Ver. Vorpomm. xiv. p. 44 (1882).
Anisolabis Cincticollis, Borm. l. c. p. 43. n. 1
(1900).
- **8. **A. Rufescens**, Kirb. J. Linn. Soc. xxiii. id.
p. 517, pl. 12. f. 10 (1891); Borm. l. c.
p. 46. n. 12 (1900).
9. **A. Læta**, Gerst. (*Brachylabis L.*) Arch. Kilima-
Naturg. xxxv. (1) p. 221 (1869); Von der njaro.
Decken, Reisen, iii. (2) p. 49, pl. 3. f. 8
(1873).
- **10. **A. Varicornis**, Smith, Ann. Nat. Hist. Rodriguez.
(4) xvii. p. 450 (1876).
11. **A. Pectoralis**, Esch. (*Forficula P.*) En- Kamt-
tomograph. p. 82 (1822). chatka.
Anisolabis P., Borm. l. c. p. 50. n. 24 (1900).
- *12. **A. Marginalis**, Dohrn, (*Forcinella M.*) Japan ;
l. c. xxv. p. 288 (1864). Java
(?) *Anisolabis Marginalis*, Borm. l. c. p. 50. (eadem ?)
n. 23, f. 20 (1900).
- *13. **A. Greeni**, Burr, Ann. Nat. Hist. (7) iv. Ceylon.
p. 257 (1899); J. Bombay Soc. xiv.
p. 319 (1902).
14. **A. Kudagæ**, Burr, J. Bombay Soc. xiv. id.
p. 320, pl. B. f. 6 (1902).
- **15. **A. Dubronii**, Kirb. Ann. Nat. Hist. (7) Tenasserim.
xi. p. 68 (1903).
|| *Anisolabis Læta*, Borm. l. c. p. 46. n. 11
(1900).
- *16. **A. Stæli**, Dohrn, (*Forcinella Stæli*) l. c. Java,
xxv. p. 286 (1864). Christmas I.
Anisolabis Stæli, Borm. l. c. p. 55. n. 6 (1900).
- **17. **A. Piligera**, Borm. Ann. Mus. Genova, Sumatra.
xl. p. 453 (1900).
- **18. **A. Subarmata**, Kirb. (*Labia* (?) *S.*) Mon. Christmas I.
Christmas I. p. 144, pl. 12. f. 7 (1900).
19. **A. (?) Blanchardi**, Le Guill. (*Forficula* Oceania (?).
B.) Rev. Zool. 1841, p. 292. n. 3.
- *20. **A. Colossea**, Dohrn, (*Forcinella C.*) l. c. Australia,
xxv. p. 286 (1864); Dubr. Ann. Mus. New
Genov. xiv. p. 357 (1879). Caledonia.

- Anisolabis Colossea*, Borm. Tierreich, Forf. p. 47. n. 15, f. 19 (1900).
 Var. *a. Anisolabis Colossea*, var. *Minor*, Burr, Termés. Füzetek, xxv. p. 479 (1902). N. S. Wales.
- **21. **A. Occidentalis**, Kirb. J. Linn. Soc. xxv. p. 525, pl. 20. f. 5 (1896). W. Australia.
- *22. **A. Brunneri**, Dohrn, (*Forcinella B.*) l. c. xxv. p. 291 (1864). Australia ; Ceylon ;
Anisolabis Brunneri, Borm. l. c. p. 48. n. 17 (1900); (?) Burr, J. Bombay Soc. xiv. p. 322 (1902). (eadem?)
23. **A. (?) Pacifica**, Erichs. (*Forficula P.*) Arch. Naturg. viii. p. 247 (1802). Tasmania.
- **24. **A. Tasmanica**, Borm. C. R. Soc. Ent. Belgique, xxiii. pp. lxxviii-lxx, fig. (1880); id.
 Tierreich, Forf. p. 43. n. 2, p. 44, f. 18 (1900); Sharp. Cambridge Nat. Hist., Ins. i. pp. 215, 216, f. 113 (1895).
- **25. **A. Littorea**, White, (*Forficula L.*) Zool. New Zealand.
 'Erebus' & 'Terror,' Ins. p. 24, pl. 6. ff. 4, 5 (1846).
Forcinella Littorea, Dohrn, l. c. xxv. p. 287 (1864).
Anisolabis Littorea, Borm. Tierreich, Forf. p. 47. n. 13 (1900).
- **26. **A. Xenia**, Kirb. l. c. xxiii. p. 517 (1891); Norfolk I.
 Borm. l. c. p. 47. n. 14 (1900).
- *27. **A. Azteca**, Dohrn, (*Forcinella A.*) l. c. Mexico.
 xxv. p. 291 (1864).
Anisolabis Azteca, Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 251 (1876); Borm. l. c. p. 49. n. 19 (1900).
- **28. **A. Antennata**, Kirb. l. c. xxiii. p. 517 Bermuda.
 (1891).
- *29. **A. Advena**, Mein. (*Labidura A.*) Nat. Jamaica.
 Tidskr. (3) v. p. 279, pl. 12. ff. 5-8 (1863).
- *30. **A. Antoni**, Dohrn, (*Forcinella A.*) l. c. Venezuela,
 xxv. p. 289 (1864). Cent. Amer.,
Anisolabis Antoni, Borm. Biol. Centr.-Amer., Mexico.
 Orth. i. p. 5, pl. 1. f. 10 (1893); Tierreich, Forf. p. 49. n. 21 (1900).
- *31. **A. Janeirensis**, Dohrn, (*Forcinella J.*) Brazil,
 l. c. xxv. p. 285 (1864). Nicaragua.
Anisolabis Janeirensis, Borm. ll. cc. p. 5, pl. 1. ff. 8, 9 (1893); p. 44. n. 4 (1900); Borelli, Boll. Mus. Torino, xvii. (418) p. 2 (1902).

32. A. Bormansi , Scudd. Bull. Mus. Harvard, xxv. p. 5, pl. 1. f. 1 (1897) ; Borm. Tierreich, Forf. p. 49. n. 20 (1900).	Galapagos.
33. A. Peruviana , Borm. An. Soc. Españ. ix. p. 505 (1880) ; Tierreich, Forf. p. 44. n. 3 (1900).	Peru.
34. A. Annulicornis , Blanch. Gay, Hist. Chile, Zool. vi. p. 10 (1852) ; Phil. Zeitschr. Naturw. xxi. p. 217 (1863).
<i>Forcinella Annulicornis</i> , Dohrn, Stett. Ent. Zeit. xxv. p. 290 (1864).
<i>Anisolabis Annulicornis</i> , Borm. Tierreich, Forf. p. 50. n. 22 (1900).	Chile,
Brazil.
35. A. Spectabilis , Phil. (<i>Forficula S.</i>) l. c. p. 218 (1863).
<i>Anisolabis Spectabilis</i> , Dohrn, l. c. p. 47. n. 16 (1900).	Chile.
36. A. Cæca , Borelli, l. c. pp. 2, 3, fig. (1902).	Argentina.

Genus 23. **Isolabis**. (*Type* no. 1.)

Verh. SB. Ges. naturf. Berlin, 1902, p. 11.

1. I. Braueri , Verh. l. c. p. 14 (1902).	Guinea (?)

Genus 24. **Ctenisolabis**. (*Type* no. 1.)

Verh. SB. Ges. naturf. Berlin, 1902, p. 11.

1. C. Togoensis , Verh. l. c. p. 14 (1902).	Togo.

Genus 25. **Leptisolabis**. (*Type* no. 1.)

Verh. SB. Ges. naturf. Berlin, 1902, p. 12.

1. L. Usambarana , Verh. l. c. p. 12 (1902).	Usambara.
2. L. Theoriæ , Verh. l. c. p. 13 (1902).	E. Africa.

Genus 26. **Platylabia**. (*Type* no. 8.)

Dohrn, Stettin. Ent. Zeit. xxviii. p. 347 (1867) ; Borm. Tierreich, Forf. p. 73 (1900) ; Burr, J. Bombay Soc. xiv. p. 75 (1902).

Labidophora, Scudd. P. Boston Soc. xviii. p. 297 (1876).

1. P. Pygmæa , Fabr. (<i>Forficula P.</i>) Ent. Syst. ii. p. 3. n. 8 (1793).	Guinea.

2. P. Guineensis , Dohrn , l. c. xxviii. p. 348 (1867); Borm. l. c. p. 75. n. 7 (1900).	Guinea.
**3. P. Fallax , Borm. Ann. Mus. Genova, xxxiv. p. 380 (1894).	Tenasserim.
*4. P. Thoracica , Dohrn , l. c. xxviii. p. 348 (1867); Borm. Tierreich, Forf. p. 73. n. 1, fig. 30 (1900); Burr , l. c. p. 76 (1902).	Penang,
Ceylon,
Burma, Aru,
Java, &c.
5. P. Javana , Borm. Ann. Soc. Ent. Belgique, xxvii. p. 65, pl. 2. f. 6 (1883); Tierreich , Forf. p. 74. n. 5 (1900).	Java.
**6. P. Sparattoides , Borm. Ann. Mus. Genov. xl. p. 459 (1900).	Penang,
Sumatra.
*7. P. Dimidiata , Dohrn , l. c. xxviii. p. 348 (1867); Borm. Tierreich, Forf. p. 74. n. 5 (1900).	Luzon,
Salwatty.
*8. P. Major , Dohrn , l. c. xxviii. p. 347 (1867); Dubr. Ann. Mus. Genov. xiv. p. 371 (1879); Borm. l. c. p. 74. n. 4 (1900).	Celebes,
Java,
Burma.
**9. P. Nigriceps , Kirb. J. Linn. Soc. xxiii. p. 518 (1891); Borm. l. c. p. 74. n. 2 (1900).	N. Guinea
(Dorey).
**10. P. Gestroi , Dubr. l. c. p. 372, figs. (1879); Borm. l. c. p. 74. n. 3 (1900).	N. Guinea
(Fly River).
11. P. Quadrata , Burr , Termés. Füzetek, xxv. p. 482, pl. 20. f. 5 (1901).	N. Guinea
(Deslacs I.).

Genus 27. **Chætospania.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxx. p. 87 (1886);
Borm. Tierreich, Forf. p. 75 (1900).

*1. C. Inornata , Karsch , l. c. p. 88, pl. 3. f. 6 (1886); Borm. l. c. p. 76. n. 3 (1900).	Madagasc'r.
**2. C. Feæ , Borm. Ann. Mus. Genov. xxxiv. p. 390 (1894); Tierreich , Forf. p. 76. n. 2 (1900).	Tenasserim.
3. C. Stella , Burr , Termés. Füzetek, xxv. p. 483, pl. 20. f. 6 (1902).	Malacca,
Papua.
**4. C. Semifulva , Borm. (<i>Sparatta</i> S.) Notes Leyden Mus. vi. p. 183 (1884).
<i>Chætospania Semifulva</i> , Borm. Tierreich, Forf. p. 75. n. 1 (1900).	Sumatra.
5. C. Parvula , Burr , Ann. Nat. Hist. (7) vi. p. 93 (1900).	Sarawak.
6. C. Jupiter , Burr , l. c. p. 94 (1900).	id.

Genus 28. **Mecomera.** (*Type* no. 1.)

Serv. Ins. Orth. p. 53 (1839) ; Borm. Tierreich,
Forf. p. 81 (1900).

<p>1. M. Brunnea, Serv. l. c. p. 54 (1839) ;
Borm. Ann. Soc. Ent. Belgique, xxvii. p. 71,
pl. 2. f. 10 (1883) ; Tierreich, Forf. p. 81.
n. 1 (1900).</p> <p>**2. M. Modigliani, Borm. Ann. Mus. Genova,
xl. p. 460 (1900).</p> | <p>Cayenne,
Colombia,
Montevideo
(eadem ?).
Mentavei I.,
Sumatra, &c.</p> |
|--|---|

Genus 29. **Sparatta.** (*Type* no. 12.)

Serv. Ins. Orth. p. 51 (1839) ; Dohrn, Stettin. Ent. Zeit. xxvi.
p. 68 (1868) ; Borm. Tierreich, Forf. p. 76 (1900).

<p>**1. S. Horsfieldii, Kirb. J. Linn. Soc.
xxiii. p. 519 (1891) ; Borm. l. c. p. 80.
n. 12 (1900).</p> <p>2. S. Angusticollis, Dubr. (<i>Psolidophora</i> A.)
Ann. Mus. Genova, xiv. p. 359, figs. (1879).
<i>Sparatta Angusticollis</i>, Borm. l. c. p. 80.
n. 10 (1900).</p> <p>**3. S. Brunneri, Borm. Ann. Soc. Ent. Bel-
gique, xxvii. p. 69, pl. 2. f. 9 (1883) ;
Tierreich, Forf. p. 78. n. 5 (1900).</p> <p>4. S. Australica, Borm. ll. cc. p. 68, pl. 2.
f. 8 (1883) ; p. 78. n. 3 (1900).</p> <p>5. S. Dentifera, Rehn, Trans. Amer. Ent.
Soc. xxvii. p. 218 (1901).</p> <p>*6. S. Nigrina, Stål, Öfv. Vet.-Akad. Förh.
xii. p. 350 (1855) ; Eugenie's Resa, Ins.
p. 307 (1858) ; Dohrn, l. c. xxvi. p. 70
(1865) ; Borm. C. R. Soc. Ent. Belg.
xxxiii. p. lxxii (1880) ; Biol. Centr.-Amer.,
Orth. i. p. 5, pl. 1. ff. 11, 12 (1893) ;
Tierreich, Forf. p. 78. n. 2 (1900).</p> <p>7. S. Plana, Burm. (<i>Forficula (Apachys) P.</i>)
Handb. Ent. ii. p. 752. n. 7 (1838).
<i>Sparatta Plana</i>, Burm. Germ. Zeitschr.
Ent. ii. p. 81 (1840).</p> <p>- **7 a. S. Apicalis, Kirb. l. c. xxv. p. 526, pl. 20.
ff. 7, 7 a (1896).</p> <p>**8. S. Colombiana, Borm. Ann. Soc. Ent.
Belgique, xxvii. p. 66, pl. 2. f. 7 (1883) ;
Tierreich, Forf. p. 79. n. 6 (1900).</p> | <p>Java.</p> <p>Sarawak.</p> <p>Queensland.</p> <p>id.</p> <p>Orizaba.</p> <p>Rio Janeiro,
Guatemala,
Nicaragua.</p> <p>Para.</p> <p>Rio Janeiro,
Theres'p'lis.
Colombia.</p> |
|--|---|

- **9. **S. Bormansi, Kirb.** l. c. xxv. p. 528 (1896); Mexico.
 Borm. Tierreich, Forf. p. 81 (1900).
 || *Sparatta Schotti*, Borm. Biol. Centr.-Amer.,
 Orth. i. p. 6, pl. 1. f. 14 (1893); Tierreich,
 Forf. p. 80. n. 11 (1900).
- **10. **S. Pygidiata, Kirb.** l. c. xxv. p. 527, Rio Janeiro.
 pl. 20. ff. 10, 10 *a* (1896); Borm. Tierreich,
 Forf. p. 80. n. 9 (1900).
- **11. **S. Bolivari, Borm.** An. Soc. Españ. ix. Peru.
 p. 510 (1880); Tierreich, Forf. p. 77. n. 1
 (1900).
- *12. **S. Pelvimetra, Serv.** l. c. p. 52 (1839); Brazil.
 Dohrn, l. c. xxvi. p. 68 (1865); Borm.
 Tierreich, Forf. p. 79. n. 8 (1900).
- *13. **S. Rufina, Stål**, Öfv. Vet.-Akad. Förh. xii. Brazil,
 p. 350 (1855); Eugenie's Resa, Ins. p. 307 Guatemala.
 (1858); Dohrn, l. c. xxvi. p. 69 (1865);
 Bol. Viaje al Pacifico, Orth. p. 11 (1884).
Sparatta Pelvimetra, var. *Rufina*, Borm.
 Biol. Centr.-Amer., Orth. i. p. 6, pl. 1. f. 13
 (1893).
- *14. **S. Schotti, Dohrn**, l. c. xxvi. p. 69 (1865). Brazil.
- **15. **S. Clarkii, Kirb.** l. c. p. 526, pl. 20. ff. 8, id.
 8 *a* (1896).
- *16. **S. Dohrni, Kirb.** Ann. Nat. Hist. (7) xi. S. & Central
 p. 68 (1903). America.
 || *Sparatta Plana*, Dohrn, l. c. xxvi. p. 69
 (1865); Borm. Tierreich, Forf. p. 79.
 n. 7 (1900).
- *17. **S. Gracilis, Blanch.** (*Forficula G.*) D'Or- Bolivia.
 bigny, Voy. Amér. mér. vi. (2) p. 214,
 pl. 26. f. 2 (1842).
- **18. **S. Semirufa, Kirb.** J. Linn. Soc. xxv. Igaurassu.
 p. 528, pl. 20. ff. 4, 4 *a* (1896); Borm.
 l. c. p. 78. n. 4 (1900).

Genus 30. **Sparattina.** (*Type* no. 1.)

Verh. Zool. Anz. xxv. p. 198 (1902).

1. **S. Flavicollis, Verh.** l. c. (1902). E. Java.
- *2. **S. (?) Armata, Burr**, (*Sparatta A.*) Ann. Ecuador.
 Nat. Hist. (7) iv. p. 252 (1899).
3. **S. (?) Setulosa, Burr**, l. c. (7) vi. p. 92 Sarawak.
 (1900).

Genus 31. **Labia.** (*Type* no. 1.)

Leach, Edinb. Encycl. ix. p. 118 (1815); Steph. Ill. Brit. Ent., Mand. vi. p. 7 (1835); Dohrn, Stettin. Ent. Zeit. xxv. p. 423 (1864); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 257 (1876); Brunner, Prodr. Eur. Orth. p. 10 (1882); Borm. Ann. Mus. Genova, xxxiv. p. 382 (1894); Tierreich, Forf. p. 62 (1900); Burr, Brit. Orth. p. 14 (1897); J. Bombay Soc. xiv. p. 324 (1902); Tümpel, Geradflügler Mitteleuropas, p. 231 (1900).

Copiscelis, Fieb. Lotos, iii. p. 257 (1853).

- *1. **L. Minor, Linn.** (*Forficula M.*) Syst. Nat. Europe, &c.
(ed. x.) i. p. 423. n. 2 (1758); De Geer, Mém. Ins. iii. p. 553, pl. 25. ff. 26, 27 (1773); Fisch. Orth. Eur. p. 70, pl. 6. f. 7 a-d (1853).

Labia Minor, Steph. l. c. vi. p. 8 (1835); Dohrn, l. c. xxv. p. 426. n. 4 (1864); Scudd. l. c. ii. p. 258 (1876); Brunn. l. c. p. 10, pl. 1. f. 3 (1882); Burr, Brit. Orth. p. 15, pl. 1. f. 4 (1897); Fin. Faune France, Orth. p. 65 (1900); Borm. Tierreich, Forf. p. 66. n. 9 (1900); Tümp. l. c. p. 231, pl. 15 (1900).

Forficula Livida, Gmel. Syst. Nat. i. (4) p. 2040 (1788).

Labia Minuta, Scudd. Boston Journ. Nat. Hist. vii. p. 415 (1862).

♂. *Forficula Media*, Marsh. Col. Brit. p. 530. n. 3 (1802).

- **2. **L. Bicolor, Dubr.** An. Soc. Españ. viii. Abyssinia.
p. 95 (1879); Borm. Tierreich, Forf. p. 72. n. 34 (1900).

3. **L. Quadrilobata, Dohrn**, l. c. xxviii. Guinea.
p. 346 (1867); Borm. Tierreich, Forf. p. 66. n. 7 (1900).

- *4. **L. Marginalis, Thunb.** (*Forficula M.*) S. Africa.
Act. Soc. Upsal. ix. p. 52 (1827).

Forficula Ochropus, Stål, Æfv. Vet.-Akad. Förh. xii. p. 348 (1855).

Labia Ochropus, Dohrn, l. c. xxviii. p. 345 (1867); Borm. l. c. p. 70. n. 21 (1900).

- **5. **L. Fasciata, Borm.** Ann. Mus. Genova, Tenasserim.
xxxiv. p. 387 (1894); Tierreich, Forf. p. 71. n. 27 (1900).

- **6. **L. Ridens, Borm.** ll. cc. xxxiv. p. 388 (1894); p. 66, n. 8 (1900).
 Var. *a. L. Ridens*, var. *Cyclolabia*, Borm. ll. cc. p. 389 (1894); p. 66 (1900).
- *7. **L. Amœna, Stål**, (*Forficula A.*) l. c. xii. p. 350 (1855).
Labia Amœna, Dohrn, l. c. xxv. p. 425 (1864); Borm. Tierreich, Forf. p. 67. n. 11, f. 29 *a, b* (1900).
- *8. **L. Mucronata, Stål**, Eugenie's Resa, Ins. p. 303 (1858).
Labia Mucronata, Dohrn, l. c. xxv. p. 423 (1864); Borm. l. c. p. 68. n. 13 (1900); Burr, J. Bombay Soc. xiv. p. 324 (1902).
- *9. **L. Luzonica, Dohrn**, l. c. p. 427 (1864);
 Dubr. Ann. Mus. Genov. xiv. p. 363 (1879); Borm. l. c. p. 70. n. 24 (1900).
- *10. **L. Pilicornis, Motsch.** (*Forficula P.*)
 Bull. Mosc. xxxvi. (3) p. 2 (1863).
Labia Pilicornis, Dohrn, l. c. xxv. p. 427 (1864); Borm. l. c. p. 72. n. 32 (1900); Burr, l. c. xiv. p. 326 (1902).
- *11. **L. Curvicauda, Motsch.** (*Forfiscelia C.*)
 l. c. xxxvi. (3) p. 2, pl. 2. f. 1 (1863).
Labia Curvicauda, Dohrn, l. c. xxv. p. 428 (1864); Borm. l. c. p. 70. n. 22 (1900); Burr, l. c. xiv. p. 325 (1902).
- **12. **L. Pygidiata, Dubr.** Ann. Mus. Genova, xiv. p. 364, figs. (1879); Borm. l. c. p. 65. n. 9 (1900).
- **13. **L. Nigrella, Dubr.** l. c. xiv. p. 370 (1879); Borm. Tierreich, Forf. p. 68. n. 16 (1900).
- **14. **L. Murrayi, Kirb.** Monogr. Christmas I. p. 143, pl. 12. f. 6 (♀ nec ♂), pl. 13. f. 5, ♀ (1900).
- **15. **L. Incerta, Kirb.** l. c. p. 144, pl. 12. f. 5 (1900).
- **16. **L. Indistincta, Kirb.** l. c. p. 144, pl. 12. f. 4 (1900).
- **17. **L. Sub serrata, Kirb.** l. c. p. 144, pl. 12. f. 7 (1900).
- *18. **L. Dolicha, Burr**, Ann. Nat. Hist. (6) xx. p. 311 (1897); Borm. l. c. p. 71. n. 29 (1900).
- *19. **L. Fruhstorferi, Burr**, l. c. (6) xx. p. 312 (1897); Borm. l. c. p. 69. n. 18 (1900).

Tenasserim.

Java, &c.,
Singapore,
Celebes,
Philippines,
Papua, &c.Java, Bur-
ma, Ceylon,
Philippines,
N. Guinea.Luzon, Arn,
Papua, N.
Australia.Ceylon,
Borneo.Ceylon,
Penang,
Burma,
Seychelles.Java,
Burma,
Hawaii.

Java.

Christmas I.

id.

id.

id.

Celebes.

Lombok.

- *20. **L. Wallacei**, Dohrn, l. c. xxv. p. 427 (1864); Dubr. l. c. xiv. p. 364 (1879); Borm. l. c. p. 72. n. 33 (1900). N. Guinea.
21. **L. Feæ**, Dubr. l. c. xiv. p. 368, figs. (1879); Borm. l. c. p. 69. n. 20 (1900). N. Guinea, Kei I.
- **22. **L. Aculeata**, Borm. Ann. Mus. Genova, xl. p. 456 (1900). N. Guinea.
23. **L. Hilaris**, Borm. l. c. p. 457 (1900). id.
- 23 bis. **L. Papua**, Borm. l. c. p. 458 (1900). Brit. N. Guinea.
24. **L. Sicaria**, Burr, Termés. Füzetek, xxv. p. 482, pl. 20. f. 4 (1902). N. Guinea.
- **25. **L. Grandis**, Dubr. l. c. xiv. p. 366, figs. (1879); Borm. l. c. p. 65. n. 5 (1900). Australia, N. Guinea, Aru.
- *26. **L. Pulchella**, Serv. (*Forficula P.*) Ins. Orth. p. 42 (1839). Niagara.
- *27. **L. Guttata**, Scudd. P. Boston Soc. xviii. p. 265 (1876); Bull. U.S. Geol. Surv. Territ. ii. p. 258 (1876). Texas.
- || *Labia Pulchella*, Borm. l. c. p. 65. n. 3 (1900).
- **28. **L. Burgessii**, Scudd. ll. cc. xviii. p. 266 (1876); ii. p. 258 (1876); Borm. l. c. p. 64. n. 2 (1900). Florida.
29. **L. Melancholica**, Scudd. ll. cc. xviii. p. 267 (1876); ii. p. 258 (1876); Borm. l. c. p. 65. n. 4 (1900). Texas.
30. **L. Mexicana**, Borm. Ann. Soc. Ent. Belgique, xxvii. p. 73, pl. 2. f. 11 (1883); Tierreich, Forf. p. 67. n. 12 (1900). Mexico.
- *31. **L. Rotundata**, Scudd. ll. cc. xviii. p. 263 (1876); ii. p. 259 (1876); Borm. Ann. Mus. Genova, xiv. p. 75, pl. 3. f. 13 (1883); Tierreich, Forf. p. 71. n. 28 (1900). id.
- **32. **L. Cheliduiroides**, Borm. An. Soc. Españ. ix. p. 509 (1880); Ann. Soc. Ent. Belgique, xxvii. p. 74, pl. 2. f. 12 (1883); Tierreich, Forf. p. 72. n. 30 (1900). Peru, Mexico.
- **33. **L. Championi**, Borm. Biol. Centr.-Amer., Orth. i. p. 7, pl. 1. f. 21 (1893); Tierreich, Forf. p. 67. n. 10 (1900). Panama.
- *34. **L. Annulata**, Fabr. (*Forficula A.*) Ent. Syst. ii. p. 4. n. 11 (1793). W. Indies.
- Labia Annulata*, Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 259 (1876).

- *35. **L. Brunnea**, Scudd. l. c. p. 258 (1876); P. Boston Soc. xviii. p. 264 (1876); Borm. l. c. p. 70. n. 23 (1900). Cuba, St. Vincent, Grenada.
- *36. **L. Unidentata**, Beauv. (*Forficula U.*) Ins. Afr. Amér. p. 165, Orth. pl. 14. f. 3 (1817). Haiti.
Labia Unidentata, Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 259 (1876); Borm. Tierreich, Forf. p. 72. n. 31 (1900).
- *37. **L. Ghilianii**, Dohrn, l. c. xxv. p. 424 (1864); Borm. l. c. p. 68. n. 15 (1900). Para, Cayenne, Venezuela.
- *38. **L. Chalybea**, Dohrn, l. c. p. 429 (1864); Borm. Biol. Centr.-Amer., Orth. i. p. 6, pl. 1. f. 17 (1893); Tierreich, Forf. p. 70. n. 25 (1900). Venezuela.
- **39. **L. Buprestoides**, Kirb. J. Linn. Soc. xxiii. p. 520, pl. 12. f. 8 (1891); Borm. Tierreich, Forf. p. 64. n. 1 (1900). Ega.
- *40. **L. Dorsalis**, Burm. (*Forficula D.*) Handb. Ent. ii. p. 754. n. 18 (1838). Colombia.
41. **L. Severini**, Burr, Ann. Soc. Ent. Belg. xlv. p. 50 (1900). id.
42. **L. Equatoria**, Burr, Ann. Nat. Hist. (7) iv. p. 254 (1899). Ecuador.
- *43. **L. Bilineata**, Scudd. P. Boston Soc. xii. p. 345 (1869); Borm. Biol. Centr.-Amer., Orth. i. p. 6, pl. 1. ff. 15, 16 (1893); Tierreich, Forf. p. 68. n. 14 (1900). Ecuador, Brazil, Panama.
- *44. **L. Maeklini**, Dohrn, l. c. xxv. p. 428 (1864); Borm. Tierreich, Forf. p. 71. n. 26 (1900). Brazil.
- *45. **L. Arcuata**, Scudd. P. Boston Soc. xviii. p. 257 (1876); Borm. An. Soc. Españ. ix. p. 509 (1880); Biol. Centr.-Amer., Orth. i. p. 6, pl. 1. ff. 18-20 (1893); Tierreich, Forf. p. 69. n. 19 (1900). Brazil, S. & Central America, W. Indies.
- **46. **L. Glabricula**, Kirb. l. c. xxiii. p. 520 (1891). Santarem.
- **47. **L. Tricolor**, Kirb. l. c. xxiii. p. 520 (1891); Borm. Tierreich, Forf. p. 69. n. 17 (1900). id.

Genus 32. **Auchenomus.** (*Type* no. 1.)

Karsch, Berl. Ent. Zeitschr. xxx. p. 89 (1886); Borm. Tierreich, Forf. p. 82 (1900).

- *1. **A. Longiforceps, Karsch**, l. c. pl. 3. | Madagasc'r.
f. 7 (1886); Borm. Tierreich, Forf. p. 82.
n. 1 (1900).

Genus 33. **Neolobophora.** (*Type* no. 5.)

Scudd. P. Boston Soc. xvii. p. 781 (1875); Bull. U.S. Geol. Surv. Territ. ii. p. 253 (1876); Borm. Tierreich, Forf. p. 99 (1900); Burr, J. Bombay Soc. xiv. p. 67 (1902).

1. **N. Asiatica, Bol.** Ann. Soc. Ent. France, | S. India.
1897, p. 285, pl. 10. f. 2; Borm. Tierreich,
Forf. p. 100. n. 3.
2. **N. Tamul, Burr**, l. c. p. 67, pl. B. f. 1 | Ceylon.
(1902).
- *3. **N. Ruficeps, Burm.** (*Forficula R.*) Handb. | Mexico.
Ent. ii. p. 755. n. 19 (1838); Dohrn,
Stettin. Ent. Zeit. xxvi. p. 88 (1865);
Scudd. Bull. U.S. Geol. Surv. Territ. ii.
p. 256 (1876).
Apterygida Ruficeps, Dohrn, l. c. xxiii.
p. 231 (1862).
Neolobophora Ruficeps, Borm. Biol. Centr.-
Amer., Orth. i. p. 8, pl. 2. ff. 7, 8 (1893);
Tierreich, Forf. p. 99. n. 1 (1900).
- *4. **N. Volsella, Scudd.** l. c. ii. p. 253 | id.
(1876); P. Boston Soc. xviii. p. 237
(1876).
- *5. **N. Bogotensis, Scudd.** P. Boston Soc. | Bogota.
xvii. p. 282 (1875); Borm. ll. cc. p. 8,
pl. 2. f. 9 (1893); p. 100. n. 2 (1900).

Genus 34. **Spongiphora.** (*Type* no. 23.)

Spongiphora, Serv. Ann. Sci. Nat. xxii. p. 31 (1831); Borm. Tierreich, Forf. p. 54 (1900).

Spongophora, Agass. Nomencl. Zool. p. 349 (1846); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 251 (1876); Borm. Ann. Mus. Genova, xxxiv. p. 381 (1896).

Psolidophora, Serv. Ins. Orth. p. 29 (1839). (*Type* no. 23.)

1. S. Assiniensis , Borm. Ann. Soc. Ent. France, 1893, p. 170 ; Tierreich, Forf. p. 61 (1900).	W. Africa.
*2. S. Quadrimaculata , Stål, (<i>Forficula</i> Q.) Öfv. Vet.-Akad. Förh. xii. p. 348 (1855). <i>Psolidophora Quadrimaculata</i> , Dohrn, l. c. xxv. p. 420 (1864). <i>Spongiphora Quadrimaculata</i> , Borm. Tierreich, Forf. p. 58. n. 8 (1900).	S. Africa.
**3. S. Nitidipennis , Borm. Ann. Mus. Genova, xxxiv. p. 382 (1894), xl. p. 455 (1900) ; Tierreich, Forf. p. 58. n. 7 (1900).	Tenasserim.
**4. S. Lutea , Borm. ll. cc. xxxiv. p. 383 (1894) ; p. 60. n. 13 (1900).	id.
**5. S. Semiflava , Borm. ll. cc. xxxiv. p. 385 (1894) ; p. 59. n. 9 (1900).	id.
6. S. Rubriceps , Burr, Ann. Nat. Hist. (7) vi. p. 89 (1900).	Borneo.
7. S. Sphinx , Burr, l. c. p. 91 (1900).	id.
**8. S. Stella , Borm. Ann. Mus. Genova, xl. p. 454 (1900).	Mentavei I.
**9. S. Guttulata , Burr, l. c. (6) xx. p. 314 (1897) ; Borm. Tierreich, Forf. p. 60. n. 14 (1900).	Lombok.
10. S. Nigrorufa , Burr, Termés. Füzetek, xxv. p. 480, pl. 20. f. 3 (1902).	Papua.
11. S. Australica , Dubr. Ann. Mus. Genova, xiv. p. 361, fig. (1879).	Australia.
12. S. Brunneipennis , Serv. (<i>Psolidophora B.</i>) Ins. Orth. p. 30 (1839) ; Dohrn, l. c. xxv. p. 418 (1864). <i>Spongophora Brunneipennis</i> , Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 252 (1876) ; Canad. Ent. xix. p. 67 (1887) ; Borm. Biol. Centr.-Amer., Orth. i. p. 7, pl. 2. ff. 1-3 (1893) ; Tierreich, Forf. p. 57. n. 4, f. 25 (1900).	N. & Central America.
*13. S. Prolixa , Scudd. P. Boston Soc. xviii. p. 331 (1876) ; Bull. U.S. Geol. Surv. Territ. ii. p. 252 (1876) ; Borm. Tierreich, Forf. p. 56. n. 2 (1900).
<i>Psolidophora Parallela</i> , Dohrn, l. c. xxiii. p. 227, pl. 1. ff. 3, 3 b (1862) ; xxv. p. 418 (1864).	Mexico.
*14. S. Parallela , Westw. (<i>Forficula P.</i>) Guér. Mag. Zool. 1838, pl. 178.	

- Spongophora Parallela*, Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 252 (1876).
Forficula Longissima, Wood, Insects Abroad, p. 280, fig. 139 (1874).
Forficula Longiforcipata, Blanch. D'Orbigny, Voy. Amér. mér. vi. (2) p. 214, pl. 26. f. 1 (1846). S. & Central America.
- *15. **S. Lherminieri**, Serv. (*Psalidophora* L.) Ins. Orth. p. 29 (1839). S. & Central America, Guadalupe.
Spongiphora Croceipennis Lherminieri, Borm. Tierreich, Forf. p. 56. n. 1 c, f. 23 (1900).
16. **S. Forfex**, Scudd. P. Boston Soc. xviii. p. 259 (1876); Bull. U.S. Geol. Surv. Territ. ii. p. 252 (1876). Central America(?).
- **17. **S. Dysoni**, Kirb. J. Linn. Soc. xxiii. p. 531, pl. 12. f. 3 (1891). Venezuela.
18. **S. Insignis**, Stål, (*Psalidophora* L.) Æfv. Vet.-Akad. Förh. xii. p. 349 (1855). N. Granada.
Spongiphora Insignis, Borm. l. c. p. 59. n. 10 (1900).
19. **S. Stigma**, Dohrn, (*Psalidophora* S.) l. c. xxviii. p. 345 (1867); Borm. l. c. p. 60. n. 12 (1900). Venezuela.
20. **S. Frontalis**, Dohrn, (*Psalidophora* F.) l. c. xxv. p. 422 (1864). id.
Spongiphora Frontalis, Borm. l. c. p. 60. n. 15 (1900).
- **21. **S. Similis**, Borm. Ann. Soc. Ent. Belg. xxvii. p. 76, pl. 2. f. 14 (1883); Tierreich, Forf. p. 61. n. 17 (1900). Colombia.
- *22. **S. Punctipennis**, Stål, Eugenie's Resa, Ins. p. 304 (1858). Brazil.
Psalidophora Punctipennis, Dohrn, l. c. xxv. p. 421 (1864).
- *23. **S. Croceipennis**, Serv. Ann. Sci. Nat. xxii. p. 31 (1831); Borm. Tierreich, Forf. p. 55 (1900). id.
Forficula Croceipennis, Wils. Treat. Ins. pl. 228. f. 6 (1835); Burm. Handb. Ent. ii. p. 752. n. 8 (1838); Pack. Standard Nat. Hist. ii. p. 139, f. 203 (1884).
Forficula (*Spongiphora*) *Croceipennis*, Guér. Icon. R. Anim., Ins. pl. 52. f. 1 (1829), p. 326 (1844); Gray, Griffith, Anim. Kingd. xv. p. 787, pl. 104. ff. 1, 1 b (1832).

- Psalidophora Croceipennis*, Serr. Ins. Orth. p. 30, pl. 1. ff. 3, 3 a, b (1839); Dohrn, l. c. xxv. p. 418 (1864).
Forficula Flavipennis, Burm. l. c. ii. p. 752. n. 9 (1838).
- *24. **S. Bormansi, Burr.** Ann. Nat. Hist. (6) xx. p. 313 (1897); Borm. l. c. p. 57. n. 3 (1900). Bahia.
- *25. **S. Pygmæa, Dohrn**, (*Psalidophora P.*) l. c. xxv. p. 421 (1864). Brazil.
Spongiphora Pygmæa, Borm. Biol. Centr.-Amer., Orth. i. p. 7, pl. 2. ff. 4, 5 (1893); Tierreich, Forf. p. 59. n. 11 (1900).
26. **S. (?) Remota, Burr.** (*Forficula (?) R.*) l. c. (7) iii. p. 165 (1899). Ecuador.
- *27. **S. (?) Divergens, Burr.** (*Forficula D.*) l. c. p. 166 (1899). id.
- *28. **S. Nigripennis, Scudd.** (*Psalidophora N.*) P. Boston Soc. xii. p. 344 (1869). id.
Spongiphora Nigripennis, Borm. l. c. p. 58. n. 6 (1900).
- **29. **S. Rogersi, Borm.** Biol. Centr.-Amer., Orth. i. p. 8, pl. 2. f. 6 (1893); Tierreich, Forf. p. 57. n. 5 (1900). Costa Rica.
30. **S. (?) Elongata, Fabr.** (*Forficula E.*) Ent. Syst. ii. p. 4. n. 13 (1793); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 257 (1876). W. Indies.

Genus 35. **Chelisoches.** (*Type* no. 12.)

Scudd. P. Boston Soc. xviii. p. 292 (1876); Borm. Tierreich, Forf. p. 82 (1900); Burr, J. Bombay Soc. xiv. p. 326 (1902).
 || *Lobophora*, Serv. Ins. Orth. p. 32 (1839); Dohrn, Stettin. Ent. Zeit. xxvi. p. 70 (1865).

1. **C. Comprimens, Scudd.** l. c. xviii. p. 252 (1876). Africa.
2. **C. Pulchellus, Gerst.** (*C. Pulchella*) Mt. Ver. Vorpomm. xiv. p. 42 (1883). Cameroons,
Chelisoches Pulchellus, Borm. Tierreich, Ogowé;
 Forf. p. 88. n. 17 (1900); ? Burr, l. c. Ceylon
 xiv. p. 327 (1902). (eadem?).
- *3. **C. Plagiatus, Fairm.** (*Forficula Plagiata*) Gaboon,
 Thoms. Arch. Ent. ii. p. 257, pl. 9. f. 3 Guinea.
 (1858).

- Chelisoches Plagiatus*, Borm. l. c. p. 88.
n. 15 (1900).
- Chelisoches Plagiata*, Gerst. l. c. xiv. p. 40
(1883).
4. **C. Modestus**, Stål, (*Forficula Modesta*) China.
Eugenie's Resa, Ins. p. 302 (1858).
Lobophora Modesta, Dohrn, l. c. xxvi. p. 74
(1865).
- *5. **C. Melanocephalus**, Dohrn, (*Lobophora* India,
Melanocephala) l. c. xxvi. p. 75 (1865). Burma,
Chelisoches Melanocephalus, Borm. l. c. Macassar.
p. 89. n. 18 (1900).
- **6. **C. Tenebrator**, Kirb. J. Linn. Soc. xxiii. India.
p. 521, pl. 12. f. 5 (1890); Borm. l. c.
p. 85. n. 6 (1900).
7. **C. Beelzebub**, Burr, Ann. Soc. Ent. Bel- N. India.
gique, xlv. p. 51 (1900).
- **8. **C. Pulchripennis**, Borm. Ann. Soc. Tenasserim.
Ent. Belgique, xxvii. p. 78, pl. 3. f. 15
(1883); Tierreich, Forf. p. 84. n. 2 (1900).
9. **C. Glaucopterus**, Burm. Ann. Mus. id.
Genova, xxvi. p. 441 (1888); xxxiv.
p. 392 (1894); Tierreich, Forf. p. 84.
n. 3 (1900).
10. **C. Birmanus**, Borm. (*Auchenomus B.*) Bhamo.
Ann. Mus. Genova, xxvi. p. 466 (1888).
Chelisoches Birmanus, Burm. Tierreich, Forf.
p. 85. n. 7 (1900).
- **11. **C. Feæ**, Borm. ll. cc. xxxiv. p. 393 (1894); Tenasserim.
p. 86. n. 10 (1900).
- **12. **C. Morio**, Fabr. (*Forficula M.*) Syst. Ent. Otaheite;
p. 270. n. 6 (1775). India to
Lobophora Morio, Dohrn, l. c. xxvi. p. 71 Papua.
(1865); Dubr. Ann. Mus. Genov. xiv.
p. 374 (1879).
Chelisoches Morio, Borm. Tierreich, Forf.
p. 85. n. 4 (1900); Burr, J. Bombay Soc.
xiv. p. 327 (1902).
Forficesila Oceanica, Le Guill. Rev. Zool.
1841, p. 292.
Lobophora Tartarea, Stål, Eugenie's Resa,
Ins. p. 305 (1858).
- 12 a. **C. Cincticornis**, Stål, (*Lobophora C.*) Mauritius.
l. c. p. 305 (1858).
- *13. **C. Rufitarsis**, Serv. (*Lobophora R.*) Ins. Java,
Orth. p. 33 (1839). Singapore,
Forficula (Psalidophora) Rufitarsis, Haan, Waigiou.
D

- Temminck, Verhandel. Nat. Gesch., Orth. p. 241 (1842).
Lobophora Nigronitens, Stål, l. c. p. 305 (1858).
- *14. **C. Simulans**, Stål, (*Forficula S.*) l. c. p. 302 (1858). Java,
Lobophora Simulans, Dohrn, l. c. xxvi. Tenasserim,
 p. 74 (1865). Penang,
Chelisoches Simulans, Borm. Tierreich, Forf. Sumatra,
 p. 87. n. 14, f. 34 a, b (1900). Borneo.
15. **C. Semiluteus**, Borm. & Burr, Ann. Java.
 Nat. Hist. (7) iv. pp. 259, 260 (1899).
Chelisoches Melanocephalus, var., Burr, l. c. (6) xx. p. 315 (1897).
- **16. **C. Nigricornis**, Kirb. (*Labidura N.*) P. Christmas I.
 Zool. Soc. London, 1888, p. 546; Mon. Christmas I. p. 142, pl. 12. ff. 2, 3 (1900).
- *17. **C. Fuscipennis**, Haan, (*Forficula (Psali-dophora F.)* Temminck, Verhandel. Nat. Sumatra,
 Gesch., Orth. p. 241 (1842). Java,
Lobophora Fuscipennis, Dohrn, l. c. xxvi. Moluccas,
 p. 75 (1875). Papua.
Chelisoches Fuscipennis, Borm. l. c. p. 86. n. 9 (1900).
18. **C. Ludekingi**, Dohrn, (*Lobophora L.*) Sumatra.
 l. c. xxvi. p. 73 (1863).
Chelisoches Ludekingi, Borm. l. c. p. 88. n. 16 (1900).
- *19. **C. Elegans**, Borm. Ann. Mus. Genova, xl. id.
 p. 464 (1900).
20. **C. Albomarginatus**, Haan, (*Forficula A.*)
 l. c. p. 241 (1842).
Lobophora Albomarginata, Dohrn, l. c. xxvi. p. 75 (1865).
21. **C. Ritsemæ**, Borm. Notes Leyden Mus. id.
 vi. p. 185 (1884); Tierreich, Forf. p. 86. n. 11 (1900); Burr, Termés. Füzetek, xxv. p. 484 (1902).
22. **C. (?) Sobrius**, Borm. Notes Leyden Mus. id.
 vi. p. 188 (1884).
- **23. **C. Variopictus**, Borm. Ann. Mus. Genov. Mentavei I.
 xl. p. 462 (1900).
24. **C. Punctulatus**, Burr, Ann. Nat. Hist. Celebes.
 (6) xx. p. 315 (1897); Borm. Tierreich, Forf. p. 86. n. 8 (1900).

25. C. Dohertyi, Burr, l. c. (7) iv. p. 258 (1899).	Macassar.
26. C. Lætior, Dohrn, (<i>Lobophora</i> L.) l. c. xxvi. p. 73 (1865); Dubr. Ann. Mus. Genova, xiv. p. 374, figs. (1879).
<i>Chelisochoes Lætior, Borm.</i> l. c. p. 87. n. 13 (1900).	Batchian,
Ternate.
*27. C. Australica, Le Guill. (<i>Forficesila</i> A.) Rev. Zool. 1841, p. 292.
<i>Forficula Australica, Blanch.</i> Voy. Pôle Sud, Zool. iv. p. 351, Orth. pl. 1. f. 3 (1853).
<i>Lobophora Australica, Dohrn,</i> l. c. xxvi. p. 72 (1865).
<i>Chelisochoes Australicus, Borm.</i> Tierreich, Forf. p. 87. n. 12 (1900).	Australia.
*28. C. Ater, Borm. l. c. p. 85. n. 5 (1900).
<i>Lobophora Australica, Dubr.</i> l. c. xiv. p. 574 (1879).	N. Australia.
29. C. Tasmanica, Blanch. (<i>Forficula</i> T.) l. c. p. 350, Orth. pl. 1. f. 2 (1853).	Tasmania.

Genus 36. **Chelisocheila.** (*Type* no. 1.)

Verh. Zool. Anz. xxv. p. 196 (1902).

*1. C. Superba, Dohrn, (<i>Lobophora</i> S.) Stettin. Ent. Zeit. xxvi. p. 71 (1865).
<i>Chelisochoes Superbus, Borm.</i> Tierreich, Forf. p. 83. n. 1, f. 32 (1900).	Malacca,
Penang,
Borneo,
Sumatra.
**2. C. Doriæ, Borm. Ann. Mus. Genova, xl. p. 463 (1900).	Sarawak,
Mentavei I.
*3. C. Shelfordi, Burr, Ann. Nat. Hist. (7) vi. p. 96, pl. 4. f. 4 (1900).
♀. <i>C. Hercules, Burr,</i> l. c. p. 97, pl. 4. f. 2 (1900).	Sarawak.

Genus 37. **Nesogaster.**

Verh. Zool. Anz. xxv. p. 191 (1902).

1. N. Fruhstorferi, Verh. l. c. (1902).	S. Celebes.

Genus 38. **Nesogastrella.**

Verh. Zool. Anz. xxv. p. 192 (1902).

1. **N. Ruficeps**, Verh. l. c. (1902). | Borneo.

Genus 39. **Ancistrogaster.** (*Type* no. 2.)

Stål, Cefv. Vet.-Akad. Förh. xii. p. 349 (1855); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 253 (1876); P. Boston Soc. xviii. p. 288 (1876); Borm. Tierreich, Forf. p. 89 (1900).

<p>1. A. Arthritica, Scudd. P. Boston Soc. xviii. p. 253 (1876); Borm. An. Soc. Españ. ix. p. 508 (1880); Tierreich, Forf. p. 91. n. 4, f. 35 <i>a, b</i> (1900).</p> <p>2. A. Luctuosus, Stål, l. c. xii. p. 349 (1855); Eugenie's Resa, Ins. p. 306, pl. 5. f. 1 (1858).
<i>Opisthocosmia Luctuosa</i>, Dohrn, Stettin. Ent. Zeit. xxvi. p. 78 (1865).</p> <p>**2 <i>a.</i> A. Petropolis, Wood, (<i>Forficula</i> P.) Ins. Abroad, p. 279, f. 138 (1874).</p> <p>**3. A. Burri, Kirb. Ann. Nat. Hist. (7) xi. p. 68 (1903).
 <i>Ancistrogaster Luctuosus</i>, Borm. Ann. Soc. Ent. Belgique, xxvii. p. 83 (1883).
<i>A. Luctuosa</i>, Borm. Tierreich, Forf. p. 90. n. 3 (1800).</p> <p>*4. A. Maculifera, Dohrn, (<i>Opisthocosmia</i> M.) l. c. xxvi. p. 77 (1865).
<i>Ancistrogaster Maculifera</i>, Borm. Tierreich, Forf. p. 90. n. 1 (1900).</p> <p>*5. A. Gulosa, Scudd. l. c. xviii. p. 259 (1876); Bull. U.S. Geol. Surv. Territ. ii. p. 253 (1876); Borm. l. c. p. 91. n. 7 (1900).</p> <p>*6. A. Spinax, Dohrn, l. c. xxiii. p. 229, pl. 1. ff. 1, 1<i>b</i> (1862); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 254 (1876); Borm. l. c. p. 90. n. 2 (1900).</p> <p>*7. A. Variegata, Dohrn, (<i>Opisthocosmia</i> V.) l. c. xxvi. p. 78 (1865).
<i>Ancistrogaster Variegatus</i>, Borm. Biol. Centr.-Amer., Orth. p. 9, pl. 1. f. 10 (1893); Tierreich, Forf. p. 91. n. 5 (1900).</p> | <p>Brazil.</p> <p>Brazil;
Ecuador(?).</p> <p>Brazil.</p> <p>Mexico to
Panama.</p> <p>Venezuela.</p> <p>Mexico.</p> <p>Mexico,
Guatemala.</p> <p>Venezuela,
Nicaragua,
Panama.</p> |
|---|---|

8. **A. Aterrimus, Borm.** Ann. Soc. Ent. Belgique, xxvii. p. 83, pl. 3. f. 18 (1883); Tierreich, Forf. p. 92. n. 9 (1900). Ecuador.
9. **A. Inopinata, Burr,** Ann. Nat. Hist. (7) vi. p. 85 (1900). Costa Rica.
- **10. **A. Championi, Borm.** Biol. Centr.-Amer., Orth. p. 10, pl. 2. f. 13 (1893); Tierreich, Forf. p. 92. n. 10 (1900). Chiriqui.
11. **A. Intermedia, Burr,** l. c. (7) vi. p. 87 (1900). Peru.
- *12. **A. Devians, Dohrn,** (*Opisthocosmia D.*) l. c. xxvi. p. 79 (1865). Brazil.
Ancistrogaster Devians, Borm. Tierreich, Forf. p. 93. n. 11 (1900).
- *13. **A. Parvicollis, Stål,** (*Forficula P.*) Eugenie's Resa, Ins. p. 304 (1858). id.
Psalidophora Parvicollis, Dohrn, l. c. xxviii. p. 345 (1867).
Spongiphora Parvicollis, Borm. Tierreich, Forf. p. 61. n. 16 (1900).
Forficula Variicornis, Scudd. P. Boston Soc. xviii. p. 255 (1876).
Sphingolabis Meridionalis, ♂, Kirb. J. Linn. Soc. xxiii. p. 529 (1891).
Apterygida Meridionalis, ♂, Borm. l. c. p. 116 (1900).
- **14. **A. Perplexa, Kirb.** (*Sphingolabis (?) P.*) l. c. xxiii. p. 529 (1891). Rio de Janeiro.
Ancistrogaster Perplexa, Borm. l. c. p. 93. n. 12 (1900).
15. **A. Hirsuta, Scudd.** (*Forficula H.*) l. c. xviii. p. 256 (1876). Brazil.
Ancistrogaster Hirsuta, Borm. l. c. p. 93 (1900).
- *16. **A. Tolteca, Scudd.** (*Forficula T.*) l. c. xviii. p. 261 (1876); Bull. U.S. Geol. Surv. Territ. ii. p. 256 (1876). Mexico.
Ancistrogaster Toltecus, Borm. Biol. Centr.-Amer., Orth. p. 10, pl. 2. ff. 11, 12 (1893).
Ancistrogaster Tolteca, Borm. Tierreich, Forf. p. 91. n. 6 (1900).
17. **A. Panamensis, Borm.** Ann. Soc. Ent. Belgique, xxvii. p. 81, pl. 3. f. 17 (1883); Tierreich, Forf. p. 93 (1900). Panama.
- **18. **A. Impennis, Borm.** Biol. Centr.-Amer., Orth. i. p. 10, pl. 2. ff. 14, 15 (1893); Tierreich, Forf. p. 92. n. 8 (1900). Mexico.

Genus 40. **Cosmiella.** (*Type* no. 1.)

Verh. Zool. Anz. xxv. p. 195 (1902).

1. C. Rebus, Burr, (<i>Opisthocosmia R.</i>) Ann. Soc. Ent. Belgique, xlv. p. 53. n. 3 (1900).	E. Java.
2. C. Neolobophoroides, Burr, (<i>Opisthocosmia N.</i>) J. Bombay Soc. xiv. p. 335 (1902).	Ceylon.
3. C. Dubia, Borm. (<i>Opisthocosmia (?) D.</i>) Ann. Mus. Genova, xxxiv. p. 399 (1894); Tierreich, Forf. p. 98. n. 15 (1900).	Tenasserim.
4. C. Aptera, Verh. l. c. xxv. p. 195 (1902).	E. Java.

Genus 41. **Opisthocosmia.** (*Type* no. 12.)

Dohrn, Stett. Ent. Zeit. xxvi. p. 76 (1865); Borm. Tierreich, Forf. p. 93 (1900); Burr, J. Bombay Soc. xiv. p. 333 (1902).

**1. O. Hova, Borm. (<i>Neolobophora Ora</i>) Ann. Soc. Ent. Belgique, xxvii. p. 80, pl. 3. f. 16 (1883).
<i>Opisthocosmia Hova, Borm.</i> Tierreich, Forf. p. 95. n. 4 (1900).	Madagasc'r.
2. O. Komarowi, Sem. Rev. Russe d'Entom. i. pp. 98, 99 fig., 259 (1901).	Corea.
3. O. Oannes, Burr, Ann. Nat. Hist. (7) vi. p. 85 (1900).	Assam.
**4. O. Humeralis, Kirb. J. Linn. Soc. xxiii. p. 523 (1891); Borm. Ann. Mus. Genova, xxxiv. p. 400 (1894); Tierreich, Forf. p. 95. n. 3 (1900); Burr, J. Bombay Soc. xiv. p. 333, pl. B. f. 9 (1902).	Ceylon.
*5. O. Ceylonica, Motsch. (<i>Labia C.</i>) Bull. Mosc. xxxvi. (3) p. 4 (1863).
<i>Opisthocosmia Ceylonica, Dohrn,</i> Stettin. Ent. Zeit. xxvi. p. 83 (1865); Borm. Tierreich, Forf. p. 96. n. 7 (1900); Burr, l. c. xiv. p. 335 (1902).	id.
**6. O. Lugens, Borm. Ann. Mus. Genova, xxxiv. p. 398 (1894); Tierreich, Forf. p. 98. n. 12 (1900).	Tenasserim.

- **7. **O. Dux, Borm.** ll. cc. xxxiv. p. 395 (1894); p. 98. n. 13 (1900). Tenasserim.
- **8. **O. Simplex, Borm.** ll. cc. xxxiv. p. 396 (1894); p. 98. n. 14 (1900); Burr, l. c. xiv. p. 334 (1902). id.
- *9. **O. Insignis, Haan,** (*Forficula I.*) Temminck, Verhandel. Nat. Gesch., Orth. p. 243, pl. 23. f. 14 (1842). Java.
Opisthocosmia Insignis, Dohrn, Stett. Ent. Zeit. xxvi. p. 81 (1865); Borm. Tierreich, Forf. p. 96. n. 6 (1900).
10. **O. Vigilans, Stål,** (*Forficula V.*) Cefv. Vet.-Akad. Förh. xii. p. 350 (1855); Eugenie's Resa, Ins. p. 302 (1858). id.
Opisthocosmia Vigilans, Dohrn, l. c. xxvi. p. 82 (1865).
- *11. **O. Tenella, Haan,** (*Forficula T.*) l. c. p. 243 (1842). id.
Opisthocosmia Tenella, Dohrn, l. c. p. 82 (1865); Borm. l. c. p. 97. n. 11 (1900).
- *12. **O. Centurio, Dohrn,** l. c. xxvi. p. 79 (1865); Borm. l. c. p. 95. n. 1, f. 36 (1900). Sumatra, Sarawak, Luzon.
- *13. **O. Armata, Haan,** (*Forficula A.*) l. c. p. 243, pl. 23. f. 12 (1842). Sumatra.
Opisthocosmia Armata, Dohrn, l. c. xxvi. p. 80 (1865); Borm. l. c. p. 96. n. 5 (1900).
14. **O. Beccarii, Borm.** Ann. Mus. Genova, xl. p. 465 (1900). id.
- *15. **O. Forcipata, Haan,** (*Forficula F.*) l. c. p. 242, pl. 23. f. 11 (1842). id.
Opisthocosmia Forcipata, Dohrn, l. c. xxvi. p. 81 (1865); Burr, Ann. Nat. Hist. (6) xx. p. 316 (1897); Borm. Tierreich, Forf. p. 95. n. 2 (1900).
16. **O. Minuscula, Borm.** Notes Leyden Mus. vi. p. 190 (1884); Tierreich, Forf. p. 99. n. 16 (1900). id.
17. **O. Longipes, Haan,** (*Forficula L.*) l. c. p. 242, pl. 23. f. 13 (1842). Sumatra, Papua.
Opisthocosmia Longipes, Dohrn, l. c. xxvi. p. 81 (1865); Borm. Tierreich, Forf. p. 97. n. 9 (1900).
18. **O. Cervipyga, Kirb.** J. Linn. Soc. xxiii. p. 523, pl. 12. ff. 12, 12 a (1891); Borm. l. c. p. 96. n. 8 (1900). Sarawak.

19. **O. Biroi, Burr**, Termés. Füzetek, xxv. | Papua.
p. 485, pl. 20. f. 7 (1902).
- **20. **O. Americana, Borm.** Biol. Centr.-Amer., | Mexico.
Orth. i. p. 8, pl. 1. ff. 22, 23 (1893);
Tierreich, Forf. p. 97. n. 10 (1900).
21. **O. Amazonensis, Borm. & Burr**, Ann. | U. Amazons,
Nat. Hist. (7) iii. p. 164 (1899). | Ecuador.

Genus 42. **Anechura.**

Scudd. P. Boston Soc. xviii. p. 289 (1876); Brunn. Prodr. Eur.
Orth. p. 18 (1882); Borm. Tierreich, Forf. p. 100 (1900);
Tümp. Geradfl. Mitteleuropas, p. 230 (1900).

- *1. **A. Bipunctata, Fabr.** (*Forficula B.*) Spec. | Central
Ins. i. p. 340. n. 2 (1781); Petagna, Inst. | Europe,
Ent. i. p. 304. n. 3 (1792), *nec fig.*; Panz. | W. and
Deutschl. Ins. lxxxvii. pl. 10 (1802?); | Central
Kitt. Bull. Soc. Moscou, 1849, (4) p. 441, | Asia.
pl. 7. ff. 5, 6.
Anechura Bipunctata, Brunn. l. c. p. 19,
pl. 1. f. 5 (1882); Fin. Faune France,
Orth. p. 69, pl. 2. f. 36 (1890); Borm. l. c.
p. 101. n. 1 (1900); Tümp. l. c. p. 232,
pl. 15 (1900).
Forficula Biguttata, Fabr. Ent. Syst. ii. p. 2.
n. 4 (1793); Serv. Ins. Orth. p. 43 (1839);
Fisch. Waldb. Orth. Russ. p. 40 (♂ only)
(1846); Fisch. Orth. Eur. p. 72, pl. 6.
ff. 9, 9 a, b (1853).
Chelidura Anthracina, Kol. Mel. Ent. v.
p. 73, pl. 17. f. 5 (1846).
Forficula Fabricii, Fieb. Lotos, iii. p. 253
(1853).
- *2. **A. Orientalis, Krauss**, (*A. Bipunctata O.*) | S. Russia,
Tierreich, Forf. p. 102. n. 1, b (1900). | W. Asia,
A. Orientalis, Sem. Hor. Soc. Ent. Ross. | Thibet.
xxxv. p. 187 (1902).
Forficula Biguttata, var., Serv. l. c. p. 43
note (1839).
|| *Forficula Biguttata*, Kitt. l. c. 1848, (4)
p. 439, pl. 7. ff. 3, 4.
- *3. **A. Zubovskii, Sem.** l. c. p. 188, note | Ladak,
(1902). | Cashmir.
4. **A. Eoa, Sem.** Rev. Russe d'Ent. ii. pp. 100, | Askold,
101, f. 2 (1902). | Corea.

<p>5. A. Fedtschenkoi, Sauss., Fedchenko, Reise in Turkestan, Orth. p. 6, pl. 1. f. 2 (1874).
<i>Anechura F.</i>, Borm. l. c. p. 103. n. 5 (1900); Sem. Hor. Soc. Ent. Ross. xxxv. p. 191 (1902).</p>	Turkestan.
*6. A. Metallica, Dohrn, (<i>Forficula M.</i>) Stettin. Ent. Zeit. xxvi. p. 90 (1865); Borm. l. c. p. 104. n. 8, f. 39 (1900).	<p>Assam,
Burma.</p>
<p>*7. A. Ancylura, Dohrn, (<i>Forficula A.</i>) l. c. xxvi. p. 91 (1865).
<i>Anechura Ancylura</i>, Borm. Ann. Soc. Ent. Belgique, xxvii. p. 88, pl. 3. f. 22 (1883); Ann. Mus. Genov. xxvi. p. 445 (1888); Tierreich, Forf. p. 102. n. 2 (1900).</p>	Himalaya.
<p>*8. A. Macropyga, Westw. (<i>Forficula M.</i>) Royle, Ill. Bot. Himal. Mountains, Intr. p. 53 (1839); Dohrn, l. c. p. 93 (1865).
<i>Forficula Micropyga</i>, Westw. l. c. pl. 9. f. 12 (1839).
<i>Anechura Macropyga</i>, Borm. Tierreich, Forf. p. 103. n. 6 (1900).</p>	Himalaya.
8 a. A. Huegeli, Dohrn, (<i>Forficula H.</i>) l. c. xxvi. p. 92 (1865).	N. India (?).
8 b. A. Coriacea, Borm. Ann. Mus. Genova, xxxiv. p. 403 (1894); Tierreich, Forf. p. 102. n. 3, f. 37 (1900).	<p>Burma,
Borneo.</p>
9. A. Feæ, Borm. Ann. Mus. Genova, xxvi. p. 445 (1888); Tierreich, Forf. p. 104. n. 9 (1900).	Burma.
10. A. Ahrimanes, Burr, Ann. Nat. Hist. (7) vi. p. 79, pl. 4. f. 5 (1900).	Sikkim.
11. A. Hermes, Burr, l. c. p. 99, pl. 4. ff. 1, 1 a (1900).	Sarawak.
12. A. Elongata, Borm. Mém. Soc. Zool. France, i. p. 120 (1888); Tierreich, Forf. p. 103. n. 7, f. 38 (1900).	Cuba.

Genus 43. **Allodahlia.**

Verh. Zool. Anz. xxv. p. 194 (1902).

<p>*1. A. Scabriuscula, Serv. (<i>Forficula S.</i>) Ins. Orth. p. 38 (1839).
 <i>Anechura Scabriuscula</i>, Borm. Ann. Mus. Genova, xxvi. p. 444 (1888); Tierreich,</p> | <p>“S. Amer.”
(err. Serv.).
India,
Burma,</p> |
|--|---|

Forf. p. 103. n. 4 (1900); Sharp, Cambridge Nat. Hist., Ins. i. pp. 207, 208, f. 108 (1895).

Forficula Brachynota, Haan, Temminck, Verhandel. Nat. Gesch., Orth. p. 243, pl. 23. f. 10 (1842); Dohrn, Stettin. Ent. Zeit. xxvi. p. 94. n. 15 (1865).

Java,
Sumatra,
Borneo.

Genus 44. **Chelidura**. (*Type* no. 1.)

Chelidoura, Serv. Ann. Sci. Nat. xxii. p. 36 (1831); Ins. Orth. p. 47 (1839).

Chelidura, Burm. Handb. Ent. ii. p. 755 (1838); Dohrn, Stettin. Ent. Zeit. xxviii. p. 341 (1867); Bol. Sin. Ort. Esp. p. 31 (1876); Dubr. Ann. Mus. Genov. xii. p. 434 (1878); Brunn. Prodr. Eur. Orth. p. 20 (1882); Fin. Faune France, Orth. p. 70 (1890); Borm. Tierreich, Forf. p. 105 (1900); Tümp. Geradfl. Mitteleurop. p. 231 (1900); Verh. Zool. Anz. xxv. p. 187 (1902).

*1. **C. Aptera**, Charp. (*Forficula A.*) Hor. Ent. p. 69 (1825); Serv. Ins. Orth. p. 47 (1839).

Chelidura Aptera, Dohrn, l. c. xxviii. p. 342 (1867); Bol. l. c. p. 31, pl. 1. f. 17 a, b (1876); Dubr. l. c. p. 446 (1878); Brunn. l. c. p. 25, pl. 1. f. 6 b (1882); Fin. l. c. p. 72, pl. 2. f. 40 (1890); Borm. l. c. p. 108. n. 8 (1900); Tümp. l. c. p. 231 (1900).

Var. *a. Forficula Alpina*, Géné, Ann. Sci. Nat. Regn. Lomb. Venet. ii. p. 230 (1832); Fisch. Orth. Eur. p. 81, pl. 6. f. 16 c, e (1853).

Chelidura Aptera, var. *Alpina*, Dubr. l. c. p. 447, fig. med. (1878).

Var. *b. Forficula (Chelidura) Simplex*, Germ. Fauna Ins. Europ. xi. pl. 17. ff. a-c (1828?).

Forficula Simplex, Burm. l. c. ii. p. 755. n. 23 (1838); Serv. Ins. Orth. p. 48 (1839); Fisch. l. c. p. 82, pl. 6. ff. 19, 19 a, b (1853).

Chelidura Aptera, var. *Simplex*, Dubr. l. c. p. 447, figg. rect. (1878).

Forficula Montana, Géné, l. c. p. 229 (1832).

*2. **C. Pyrenaica**, Géné, (*Forficula P.*) l. c. p. 230 (1832).

Chelidura Pyrenaica, Borm. l. c. p. 108. n. 9 (1900).

Southern
Alps(Valais,
Piedmont).

Pyrenees.

- || *Forficula Aptera*, Brullé, Hist. Ins. ix. p. 29, pl. 1. f. 2 (1835).
Forficula Dilatata, Burm. l. c. ii. p. 755. n. 22 (1839); Fisch. l. c. p. 80, pl. 6. ff. 16, 16 a, b (1853).
Chelidura Dilatata, Brunn. l. c. p. 25 (1882); Fin. l. c. p. 73, pl. 2. f. 41 (1890); Sharp, Cambridge Nat. Hist., Ins. i. p. 205, f. 105 (1895).
 || *Chelidura Aptera*, Dubr. l. c. p. 447, figg. *sinistr.* (1878).
 3. **C. Thoracica**, Fisch. Waldh. Orth. Russ. Finland. p. 50 (1846); Borm. l. c. p. 109 (1900).

Genus 45. **Mesochelidura.**

Verh. Zool. Anz. xxv. p. 187 (1902).

- **1. **M. Bolivari**, Dubr. (*Chelidura B.*) Ann. Spain. Mus. Genova, xii. p. 44, figg. (1878); Brunn. Prodr. Eur. Orth. p. 26 (1882); Borm. Tierreich, Forf. p. 108. n. 10 (1900).

Genus 46. **Chelidurella.** (*Type* no. 1.)

Verh. Zool. Anz. xxv. p. 187 (1902).

- *1. **C. Acanthopygia**, Géné, (*Forficula A.*) Europe. Ann. Sci. Nat. Lomb. Venet. ii. p. 228 (1832); Fisch. Orth. Eur. p. 83. n. 24, pl. 6. ff. 20, 20 a-d (1853).
Chelidura Acanthopygia, Dubr. Ann. Mus. Genova, xii. p. 441 (1878); Fin. Faune France, Orth. p. 72, pl. 2. f. 39 (1890); Borm. Tierreich, Forf. p. 107. n. 6 (1900); Burr, Entom. xxxi. p. 125, pl. 2. ff. 1, 2 (1898); Tümp. Geradfl. Mitteleur. p. 232 (1900).
 *2. **C. Mutica**, Krauss, (*Chelidura M.*) Tyrol. Verh. Ges. Wien, xxxvi. p. 140, pl. 5. f. 2 (1886); Borm. l. c. p. 107. n. 7 (1900).

Genus 47. **Isolabella.**

Verh. SB. Ges. naturf. Berlin, 1902, p. 15.

1. **I. Græca**, Verh. l. c. p. 16 (1902). | Greece.

Genus 48. **Pterygida.** (*Type* no. 1.)

Verh. Zool. Anz. xxv. p. 197 (1902).

<p>1. P. Jagori, Dohrn, (<i>Forficula J.</i>) Stettin.
Ent. Zeit. xxvi. p. 94 (1865).
<i>Apterygida Jagori</i>, Borm. Tierreich, Forf.
p. 116. n. 19 (1900).</p> <p>*2. P. Circulata, Dohrn, (<i>Forficula C.</i>) l. c.
p. 95 (1865).
<i>Apterygida Circulata</i>, Borm. l. c. p. 116.
n. 20, f. 42 (1900).</p>	Luzon. India.

Genus 49. **Apterygida.** (*Type* no. 1.)

Westw. Mod. Classif. Ins. ii. Gen. Synopsis, p. 44 (1840); Burr,
Brit. Orth. p. 17 (1897); J. Bombay Soc. xiv. p. 329
(1902); Borm. Tierreich, Forf. p. 109 (1900).
|| *Chelidura*, Steph. Ill. Brit. Ent., Mand. vi. p. 6 (1835).

<p>*1. A. Albipennis, Charp. (<i>Forficula A.</i>)
Hor. Ent. p. 68 (1825); Fisch. Orth.
Eur. p. 77. n. 15, pl. 6. f. 15 a-f (1853);
Dohrn, Stettin. Ent. Zeit. xxvi. p. 99
(1865).
<i>Forficula (Apterygida) Albipennis</i>, Fisch.
Orth. Eur. p. 77, pl. 6. ff. 14, 14 a, b (1853).
<i>Chelidura Albipennis</i>, Steph. l. c. p. 7, pl. 28.
fig. 5 (1835); Brunn. Prodr. Eur. Orth.
p. 21 (1882); Fin. Faune France, Orth.
p. 70, pl. 2. f. 37 (1890); Tümp. Geradfl.
Mitteleurop. p. 231, pl. 15 (1900).
<i>Apterygida Albipennis</i>, Burr, Brit. Orth.
p. 17, pl. 1. f. 7 (1897).
 <i>Forficula Media</i>, Hagenb. Symb. Faun. Ins.
Helv. p. 16, ff. 6, 7 (1822).
<i>Apterygida Media</i>, Borm. l. c. p. 117. n. 21
(1900).
<i>Forficula Pedestris</i>, Géné, Ann. Sci. Nat.
Regn. Lomb. Venet. ii. p. 228 (1832).
<i>Chelidura Curta</i>, Fisch. Waldh. Orth. Ross.
p. 49 (1846).
<i>Forficula Freyi</i>, Dohrn, l. c. xx. n. 106 (1859).</p> <p>*2. A. Arachidis, Yers. (<i>Forficula A.</i>) Ann.
Soc. Ent. France, (3) viii. p. 509, pl. x.
ff. 33-35 (1860).
<i>Chelidura Arachidis</i>, Brunn. Prodr. Eur.
Orth. p. 21 (1882).</p> | <p>Europe.</p> <p>S. Europe,
S. Asia,
Australia,
Africa,
America, &c.</p> |
|---|---|

- Apterygida Arachidis*, Burr, l. c. p. 17, pl. 1. f. 8 (1897); J. Bombay Soc. xiv. p. 330 (1902); Borm. l. c. p. 117. n. 22 (1900).
Forficella Nigripennis, Motsch. Bull. Soc. Moscou, xxxvi. (3) p. 1 (1863); Dohrn, l. c. xxvi. p. 89 (1865).
Forficula Wallacei, Dohrn, l. c. xxvi. p. 88 (1865); Dubr. Ann. Mus. Genova, xiv. p. 377, figg. (1879).
 *2 a. **A. Gravidula**, Gerst. (*Forficula* (Apt.) G.) Arch. f. Nat. xxxv. (1) p. 221 (1869); Decken, Reisen, iii. (2) p. 50, pl. 3. f. 9 (1873). Africa, Asia.
Labia Gravidula, Borm. Notes Leyden Mus. vi. p. 197 (1884).
Apterygida Gravidula, Borm. l. c. p. 117. n. 23 (1900).
 2 b. **A. Minuscula**, Latr. (*Forficula* M.) Humb. & Bonpl. Obs. Zool. ii. p. 119, pl. 40. ff. 8, 9 (1832?). S. America.

Genus 50. **Sphingolabis**. (*Type* no. 7.)

Borm. Ann. Soc. Ent. Belgique, xxvii. p. 59 (tab.) (1883); Biol. Centr.-Amer., Orth. p. 11 (1893); Ann. Mus. Genov. xxxiv. p. 405 (1896).

§ 1.

1. **S. Lingua**, Burr, (*Apterygida* L.) Termés. Füzetek, xxv. p. 486, pl. 20. f. 8 (1902). Java.
 *2. **S. Erichsoni**, Dohrn, (*Apterygida* E.) Stettin. Ent. Zeit. xxiii. p. 231 (1862). Tasmania, Australia, Vavau.
Sphingolabis Erichsoni, Kirb. J. Linn. Soc. xxv. p. 529, pl. 20. ff. 11, 11 a (1896).
 || *Forficula Oceanica*, Blanch. Voy. Pôle Sud, Zool. iv. p. 352, Orth. pl. 1. f. 4 (1853).
 || *Forficula Ruficeps*, Erichs. Arch. f. Nat. viii. (1) p. 246 (1842).
Apterygida Ruficeps, Borm. Tierreich, Forf. p. 118. n. 25 (1900).
 3. **S. Subaptera, Kirb. l. c. xxiii. p. 527 (1891); xxv. p. 529, pl. 20. ff. 12, 12 a (1894). Queensland.
Apterygida Subaptera, Borm. l. c. p. 118. n. 24 (1900).

§ 2.

- **4. **S. Hawaiensis, Borm.** (*Forficula H.*) Hawaiian Islands.
Ann. Mus. Genov. xviii. p. 341, figg. (1883).
Apterygida Hawaiensis, Borm. Tierreich, Forf. p. 114. n. 15 (1900).

§ 3.

- *5. **S. Flavipennis, Fabr.** (*Forficula F.*) Ent. Sierra Leone.
Syst. ii. p. 5. n. 17 (1793).
Sphingolabis Variegata, Kirb. l. c. xxiii. p. 326 (1891); xxv. p. 529, pl. 20. f. 9 (1896).
Forficula Variegata, Borm. l. c. p. 127 (1900).
- **6. **S. Japonica, Borm.** (*Forficula J.*) An. Japan.
Soc. Españ. ix. p. 512 (1880); Tierreich, Forf. p. 114. n. 13 (1900).

§ 4.

7. **S. Furcifera, Borm.** Notes Leyden Mus. Sumatra.
vi. p. 194 (1884).
Apterygida Furcifera, Borm. Tierreich, Forf. p. 115. n. 16, f. 41 (1900).
- **8. **S. Borneensis, Dubr.** (*Forficula B.*) Ann. Sarawak.
Mus. Genov. xiv. p. 381, figg. (1879).
Apterygida Borneensis, Borm. l. c. p. 113. n. 11 (1900).
- *9. **S. Bicuspis, Stål,** (*Forficula B.*) Eugenie's Java.
Resa, Ins. p. 301 (1858); Borm. Ann. Soc. Ent. Belgique, xxvii. p. 85, pl. 3. f. 19 (1883).
Apterygida Bicuspis, Borm. Tierreich, Forf. p. 114. n. 12 (1900).
10. **S. Doriæ, Dubr.** (*Forficula D.*) l. c. xiv. p. 379, figg. (1879).
Apterygida Doriæ, Borm. l. c. p. 115. n. 17 (1900).
- **11. **S. Bipartita, Kirb.** l. c. xxiii. p. 526 India, Ceylon.
(1891).
Apterygida Bipartita, Borm. l. c. p. 112. n. 5 (1900); Burr, J. Bombay Soc. xiv. p. 331 (1902).
- *12. **S. Cingalensis, Dohrn,** (*Forficula C.*) l. c. Ceylon.
xxvi. p. 89 (1865); Borm. l. c. p. 128 (1900).

Apterygida Cingalensis, Burr, l. c. xiv.
p. 332 (1902).

§ 5.

- **13. **S. Albertisii**, Dubr. (*Forficula A.*) l. c. Papua.
xiv. p. 378, figg. (1879); Borm. l. c.
p. 128 (1900).
- **14. **S. Spiculifera**, Kirb. l. c. xxiii. p. 528 N.S. Wales.
(1891).
Apterygida Spiculifera, Borm. l. c. p. 119.
n. 27 (1900).
15. **S. Exilis**, Scudd. (*Forficula E.*) P. Bos- Texas.
ton Soc. xviii. p. 262 (1876); Bull.
U.S. Geol. Surv. Territ. ii. p. 256
(1876).
Apterygida Exilis, Borm. l. c. p. 111. n. 4
(1900).
- *16. **S. Aculeata**, Scudd. (*Forficula A.*) ll. cc. Eastern
xviii. p. 262 (1876); ii. p. 256 (1876). States.
17. **S. Vellicans**, Scudd. (*Forficula V.*) P. Brazil.
Boston Soc. xviii. p. 254 (1876).
- *18. **S. Gracilis**, Burm. (*Forficula G.*) America.
Handb. Ent. ii. p. 755. n. 20 (1838).
Forficula Luteipennis, Serv. Ins. Orth. p. 46
(1839); Dohrn, l. c. xxvi. p. 87 (1865).
Apterygida Luteipennis, Borm. l. c. p. 118.
n. 26 (1900).
Forficula Dichroa, Stål, Eugenie's Resa,
Ins. p. 301 (1858).
- *19. **S. Luteipes**, Scudd. (*Forficula L.*) P. Brazil.
Boston Soc. xviii. p. 255 (1876).
Sphingolabis Meridionalis, ♀, Kirb. l. c.
xxiii. p. 529 (1891).
Apterygida Meridionalis, ♀, Borm. l. c.
p. 116 (1900).

§ 6.

- *20. **S. Californica**, Dohrn, (*Forficula C.*) l. c. California.
xxvi. p. 85 (1865); Scudd. Bull. U.S.
Geol. Surv. Territ. ii. p. 256 (1876).
Sphingolabis Californica, Borm. Biol. Centr.-
Amer., Orth. i. p. 12, pl. 2. f. 20 (1893).
Apterygida Californica, Borm. Tierreich,
Forf. p. 111. n. 2 (1900).
- *21. **S. Tæniata**, Dohrn, (*Forficula T.*) l. c. America.
xxiii. p. 230 (1862); xxvi. p. 85 (1865);
Scudd. l. c. ii. p. 255 (1876); P. Boston
Soc. xviii. p. 318 (1876).

- Sphingolabis Tæniata*, Borm. Biol. Centr.-Amer., Orth. i. p. 12, pl. 2. ff. 17-19 (1893).
Apterygida Tæniata, Borm. Tierreich, Forf. p. 110. n. 1 (1900).
22. **S. Linearis**, Esch. (*Forficula* L.) Entomographien, p. 81 (1822). Brazil.
- *23. **S. Suturalis**, Serv. (*Forficula* S.) Ins. id.
 Orth. p. 40 (1839).
Apterygida Suturalis, Borm. l. c. p. 116 (1900).
24. **S. Flexuosa**, Fabr. (*Forficula* F.) Syst. Cayenne.
 Ent. p. 269. n. 3 (1775).
- *25. **S. Percheroni**, Guér. & Perch. (*Forficula* Percheron) Gen. Ins., Orth. pl. 7 (1835). Brazil.
Forficula Percheroni, Dohrn, l. c. xxvi. p. 85 (1865); Scudd. ll. cc. ii. p. 255 (1876); xviii. p. 316 (1876).
Apterygida Percheron, Borm. l. c. p. 112. n. 8 (1900).
Spongophora Bipunctata, Scudd. Bost. Journ. Nat. Hist. vii. p. 415 (1862).
Psilidophora Bipunctata, Dohrn, l. c. xxv. p. 419 (1864).
- *26. **S. Bimaculata**, Beauv. (*Forficula* B.) Ins. W. Indies.
 Afr. Amér. p. 165, Orth. pl. 14. f. 1 (1817); Serv. l. c. p. 39 (1839); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 255 (1876).
Apterygida Bimaculata, Borm. l. c. p. 111. n. 3 (1900).
Forficula Elegans, Burm. l. c. p. 753. n. 11 (1838).
- *27. **S. Speculigera**, Stål, (*Forficula* S.) Œfv. New
 Vet.-Akad. Förh. xii. p. 349 (1855). Granada.
- 27 a. **S. Versicolor**, Borm. (*Forficula* V.) id.
 Ann. Soc. Ent. Belgique, xxvii. p. 86, pl. 3. f. 20 (1883).
Apterygida Versicolor, Borm. Tierreich, Forf. p. 115. n. 18 (1900).
- *28. **S. Albipes**, Fabr. (*Forficula* A.) Mant. W. Indies.
 Ins. i. p. 224. n. 4 (1787); Scudd. l. c. ii. p. 255 (1876).
Apterygida Albipes, Borm. l. c. p. 114. n. 14 (1900).
- **29. **S. Binotata**, Kirb. l. c. xxiii. p. 529 (1891). Colombia.
Apterygida Binotata, Borm. l. c. p. 113. n. 10 (1900).

§ 7.

30. S. Protensa, Gerst. (<i>Forficula P.</i>) Mt. Ver. Vorpomm. xiv. p. 45 (1883).
<i>Apterygida Protensa, Borm.</i> l. c. p. 113. n. 9 (1900).	Gold Coast.
*31. S. Serrata, Serv. (<i>Forficula S.</i>) l. c. p. 40 (1839).
<i>Forficula Variana, Scudd.</i> P. Boston Soc. xviii. p. 253 (1876).	W. Africa.
*32. S. Africana, Dohrn, (<i>Forficula A.</i>) l. c. xxvi. p. 86 (1865).
<i>Forficula Natalensis, Stål, Æfv. Vet.-Akad. Förh.</i> xii. p. 348 (1855).
<i>Apterygida Erythrocephala, Borm.</i> l. c. p. 112. n. 6 (1900).	Africa.
33. S. Insularis, Kirb. Dist. Ins. Transvaal. p. 13, pl. 1. f. 3 (1900).	Pemba I.
*34. S. Mackinderi, Burr, (<i>Apterygida M.</i>) Ann. Nat. Hist. (7) vi. p. 83, pl. 4. f. 3 (1900).	E. Africa,
Uganda.

§ 8.

*35. S. Sansibarica, Karsch, Berl. Ent. Zeitschr. xxx. p. 90 (1886).
<i>Apterygida Sansibarica, Borm.</i> l. c. p. 112. n. 7 (1900).	E. Africa.

Genus 51. **Forficula.** (*Type* no. 1.)

Linn. Syst. Nat. (ed. x.) i. p. 423 (1758); Latr. Hist. Nat. Crust. Ins. iii. p. 268 (1802); Steph. Ill. Brit. Ent., Mand. vi. p. 4 (1835); Serv. Ins. Orth. p. 35 (1839); Dohrn, Stett. Ent. Zeit. xxvi. p. 84 (1865); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 254 (1876); Brunn. Prodr. Eur. Orth. p. 11 (1882); Borm. Ann. Mus. Genova, xxxiv. p. 407 (1894); Tierreich, Forf. p. 119 (1900); Burr, Brit. Orth. p. 15 (1897); Tümp. Geradfl. Mitteleurop. p. 231 (1900).

*1. F. Auricularia, Linn. l. c. p. 423. n. 1 (1758); Steph. l. c. p. 4, pl. 28. f. 1 (1835); Serv. l. c. p. 36 (1839); Fisch. Orth. Eur. p. 74, pl. 6. ff. 11, 11 a, b (1853); Dohrn, l. c. xxvi. p. 98. n. 24	Europe,
Asia,
Africa,
America. |
|---|---|

- (1865); Scudd. l. c. ii. p. 255 (1876);
 Brunn. l. c. p. 12 (1882); Burr, l. c.
 p. 15, pl. 1. f. 5 (1897); Borm. l. c.
 p. 122. n. 6 (1900); Tümp. l. c. p. 231,
 pl. 15 (1900).
Forficula Major, De Geer, Mém. Ins. iii.
 p. 545, pl. 25. ff. 16-25 (1773).
 || *Forficula Bipunctata*, Petagna, Inst. Ent.
 ii. pl. 3. f. 11 (1798), *non descr.*
Forficula Infumata, Charp. Hor. Ent. p. 70
 (1825).
Forficula Neglecta, Marsh. Col. Brit. p. 529.
 n. 2 (1802).
Forficula Auricularia, var. *Cyclolabia*, Fieb.
 Lotos, iii. p. 254 (1853).
 Var. a. || *Forficula Media*, Steph. l. c. vi.
 p. 5, pl. 28. f. 2 (1835).
 Var. b. *Forficula Borealis*, Steph. l. c. vi.
 p. 5, pl. 28. f. 3 (1835).
 Var. c. *Forficula Forcipata*, Steph. l. c. p. 6.
 n. 4, pl. 28. f. 4 (1835).
Forficula Auricularia, Sulz. Gesch. Ins.
 p. 70, pl. 7. f. 17 (1776).
 || *Forficula Borealis*, Curt. Brit. Ent. xii.
 pl. 560 (1835).
Forficula Auricularia, var. *Macrolabia*, Fieb.
 l. c. iii. p. 254 (1853).
 2. **F. Vicaria**, Sem. Rev. Russ. d'Ent. ii.
 pp. 99, 100, f. 1 (1902). Corea.
 3. **F. Silana**, Costa, (*Forficula (Apterygia)*
S.) Atti Acc. Napoli, ix. (6) p. 37, ff. 8,
 8 a (1881). Calabria.
Forficula Silana, Borm. Tierreich, Forf.
 p. 126. n. 18 (1900).
Forficula Targionii, Brunn. l. c. p. 14. n. 2
 (1882).
 4. **F. Apennina**, Costa, (*Forficula (Apte-*
rygia) A.) l. c. p. 36, ff. 7, 7 a (1881). id.
Forficula Apennina, Borm. l. c. p. 126.
 n. 19, f. 45 (1900).
 5. **F. Circinata**, Fin. Bull. Soc. Ent. France,
 1893, p. xxviii; Ann. Soc. Ent. France,
 lxiv. p. 71, pl. 10. ff. 1, 2 (1895); Borm.
 l. c. p. 126. n. 20 (1900). Algeria.
 *6. **F. Lesnei**, Fin. Bull. Soc. Ent. France, (6)
 vii. p. clxxxix (1887); Faune France,
 Orth. p. 68, f. 2 (1900); Lucas, Entom. England,
 France,
 Spain.

- xxxi. pp. 49, 273, pl. 1 (1898); Borm.
l. c. p. 125. n. 16 (1900).
- || *Forficula Pubescens*, Borm. Ann. Soc. Ent.
Belgique, xxv. p. 27, fig. (1881); Burr,
Brit. Orth. p. 16, pl. 1. f. 6 (1897).
- *7. **F. Pubescens**, Serv. l. c. p. 46 (1839); S. Europe.
Fisch. l. c. p. 77, pl. 6. f. 15 *a-f* (1853);
Bol. Sin. Ortópt. Esp. p. 30, pl. 1.
f. 16 *a, b* (1876); Brunn. l. c. p. 14
(1882); Fin. Faune France, Orth. p. 67,
f. 1 (1890).
Forficula Setulosa, Fieb. l. c. p. 256 (1853);
Bol. l. c. p. 33 (1876).
Forficula Yersini, Yers. Ann. Soc. Ent.
France, (3) iv. p. 741 (1856).
Forficula Pubescens et var. *Yersini*, Borm.
Ann. Soc. Ent. Belgique, xxv. p. 27, fig.
(1881).
- *8. **F. Smyrnensis**, Serv. l. c. p. 38 (1839); Corsica,
Fisch. l. c. p. 71, pl. 6. ff. 8, 8 *a* (1853); Greece,
Brunn. l. c. p. 15. n. 4 (1882); Borm. Turkey,
l. c. p. 123. n. 10 (1900). Asia Minor.
Forficula Biguttata, ♀, Fisch. Waldh. Orth.
Ross. p. 40, pl. 1. f. 1 (1846).
- *9. **F. Lucasi**, Dohrn, l. c. xxvi. p. 98 W.&S. Asia;
(1865); Krauss, Ent. Nachr. xxi. p. 99, N. Africa.
p. 97, f. 2 (1895); Borm. l. c. p. 121.
n. 3 (1900).
- *10. **F. Ruficollis**, Fabr. Ent. Syst., Suppl. Spain,
p. 185 (1798); Fisch. l. c. p. 73, pl. 6. Portugal.
ff. 10, 10 *a, a*, b* (1853); Bol. Sin. Ortópt.
Españ. p. 28, pl. 6. f. 13 *a-c* (1876);
Brunn. l. c. p. 16. n. 5 (1882); Borm. l. c.
p. 124. n. 11 (1900).
Forficula Baetica, Ramb. Faun. Andal. ii.
p. 6, pl. 1. ff. 6-8 (1838).
- *11. **F. Lurida**, Fisch. l. c. p. 75, pl. 6. f. 12 *a, b* Turkey,
(1835); Brunn. l. c. p. 16. n. 6, pl. 1. Greece,
f. 4, A, B, C (1882); Borm. l. c. p. 123. W. Asia.
n. 7 (1900).
- *12. **F. Decipiens**, Géné, Ann. Sci. Nat. Regn. S. Europe.
Lomb. Venet. ii. p. 228 (1832); Serv.
l. c. p. 46 (1839); Fisch. l. c. p. 76, pl. 6.
f. 13 *a, b* (1853); Bol. l. c. p. 29, pl. 6.
f. 15 *a, b* (1876); Brunn. l. c. p. 17. n. 7
(1882); Fin. l. c. pp. 68, 69 fig. (1890);
Borm. l. c. p. 125. n. 15 (1900).

- Forficula Decipiens* et varr. *Cyclolabia* et *Macrolabia*, Fieb. l. c. iii. p. 255 (1853).
- Forficula Pallidicornis*, Brullé, Expl. Morée, iii. (2) p. 81, pl. 29. f. 2 (1832).
- Forficula Brevis*, Ramb. l. c. p. 9 (1838).
13. **F. Laminigera**, Costa, (*Forficula* (*Apterygia*) L.) Atti Acc. Napoli, ix. (6) p. 38, f. 9 (1881). Calabria.
- *14. **F. Dentata**, Fabr. Syst. Ent. p. 270. n. 4 (1775). Madeira.
15. **F. Orientalis**, Burr, Ann. Nat. Hist. (7) vi. p. 82, pl. 4. f. 7 (1900). Constantinople.
16. **F. Ætolica**, Brunn. l. c. p. 18. n. 9 (1882); Borm. l. c. p. 125. n. 14 (1900). Asia Minor.
- *17. **F. Tomis**, Kol. (*Chelidura* T.) Melet. Ent. v. p. 74, pl. 17. f. 6 a (1846). S. Russia, W. & Centr. Asia, Japan.
Chelidura Tomis, v. *Scindus*, Kol. l. c. f. 6 b (1846).
Forficula Tomis, Krauss, Verh. zool.-bot. Ges. Wien, xxix. p. 59 (1880); Brunn. l. c. p. 17. n. 8 (1882); Borm. l. c. p. 124. n. 13 (1900); Jacobson & Bianchi, Prem. Lozhn. Ross. Imp. p. 27, pl. 2 (1902).
Forficula Hellmanni, Kitt. Bull. Soc. Moscou, xxii. (4) p. 438, pl. 7. ff. 1, 2 (1849).
 || *Forficula Elongata*, Eversm. Bull. Soc. Moscou, xxxii. p. 123 (1859).
Forficula Scudderi, Borm. An. Soc. Españ. ix. p. 514 (1880).
- *18. **F. Barroisi**, Bol. Rev. biol. Nord France, v. p. 477 (1893); Sem. Hor. Soc. Ent. Ross. xxxvi. (1) p. 196 (1903). Dead Sea.
19. **F. Escherichi**, Krauss, Ent. Nachr. xxi. p. 97, f. 1 (1895). Tunis.
 || *Forficula Barroisi*, Borm. l. c. p. 121. n. 2 (1900).
- *20. **F. Rodziankoi**, Sem. Rev. Russe d'Ent. i. p. 48 (1901). Abyssinia.
- *21. **F. Erythrocephala**, Oliv. Enc. Méth. ix. p. 468. n. 10 (1792). Africa, S., E., & W.
Forficula Senegalensis, Serv. l. c. p. 39 (1839); Borm. l. c. p. 121. n. 1, f. 43 (1900).

- || *Forficula Serrata*, *Dohrn*, l. c. xxvi. p. 97.
n. 22 (1865).
- 21 a. **F. Jackeryensis**, **Beauv.** Ins. Afr. W. Africa
Amér. p. 36, Orth. pl. 1. f. 4 (1805); (Oware).
Borm. l. c. p. 127 (1900).
22. **F. Mabillei**, **Rochebr.** Bull. Soc. Philom. Sene-
(7) vii. p. 175 (1883). gambia.
23. **F. Pæderina**, **Gerst.** Mt. Ver. Vorpomm. Cameroons.
xiv. p. 46 (1883); Borm. l. c. p. 127
(1900).
24. **F. Picta**, **Kirb.** J. Linn. Soc. xxiii. p. 525 Zululand.
(1891); Borm. l. c. p. 123. n. 9 (1900).
25. **F. (?) Fasciata**, **Thunb.** Nova Acta Soc. Cape.
Reg. Upsal. ix. p. 52 (1827).
26. **F. (?) Capensis**, **Thunb.** l. c. (1827). id.
27. **F. (?) Cabrerae**, **Bol.** An. Soc. Españ. Canaries.
xxii. p. 47 (1893); Borm. l. c. p. 127.
n. 21, f. 46 (1900).
- **28. **F. Planicollis**, **Kirb.** l. c. xxiii. p. 526 N. India.
(1891); Borm. l. c. p. 128 (1900).
29. **F. (?) Pulchripes**, **Borm.** Ann. Mus. Tenasserim.
Genov. xxxiv. p. 408 (1894); Tierreich,
Forf. p. 128 (1900).
- **30. **F. Ornata**, **Borm.** Notes Leyden Mus. vi. Sumatra.
p. 192 (1884); Tierreich, Forf. p. 124.
n. 12, f. 44 (1900).
- *31. **F. (?) Lobophoroides**, **Dohrn**, l. c. xxvi. Philippines.
p. 96 (1865); Borm. Tierreich, Forf.
p. 122. n. 4 (1900).
Chelisochoes (?) Picticornis, *Kirb.* J. Linn.
Soc. xxiii. p. 522, pl. 12. f. 4 (1891).
32. **F. (?) Ares**, **Burr**, Ann. Nat. Hist. (7) vi. Sarawak.
p. 100, pl. 4. f. 6 (1900).
- **33. **F. Lugubris**, **Dohrn**, l. c. xxiv. p. 230 Mexico,
(1862); Scudd. Bull. U.S. Geol. Surv. Guatemala.
Territ. ii. p. 255 (1876); Borm. Ann. Soc.
Ent. Belgique, xxvii. p. 87, pl. 3. f. 21
(1883); Tierreich, Forf. p. 122. n. 5
(1900).
- **34. **F. (?) Smithi**, **Borm.** Biol. Centr.-Amer., Mexico.
Orth. i. p. 11. n. 2, pl. 2. f. 16 (1893);
Tierreich, Forf. p. 123. n. 8 (1900).
35. **F. (?) Doumerci**, **Serv.** l. c. p. 41 (1839). Cayenne.

Genus 52. **Pseudochelidura.** (Type no. 2.)

Verh. Zool. Anz. xxv. p. 187 (1902).

- **1. P. (?) Parallela, Fabr.** (*Forficula P.*) Madeira.
Syst. Ent. p. 270. n. 5 (1775).
Forficula Edentula, Woll. Ann. Nat. Hist.
(3) i. p. 20 (1858).
Chelidura Edentula, Dubr. Ann. Mus. Genov.
xii. p. 443 (1878); Borm. Tierreich, Forf.
p. 107. n. 5 (1900).
- *2. P. Analis, Ramb.** (*Forficula A.*) Faune Spain
Andal. ii. p. 10 (1838); Fisch. Orth. Eur. (Sierra
p. 79 (1853); Bol. Sin. Ortópt. Españ. Nevada).
p. 30 (1876).
Chelidura Analis, Dubr. l. c. xii. pp. 434,
435 figg. (1878); Borm. l. c. p. 106. n. 1
(1900); Brunn. Prodr. Eur. Orth. p. 22
(1882).
- *3. P. Sinuata, Germ.** (*Forficula S.*) Faun. Pyrenees,
Ins. Eur. xi. pl. 16. ff. *a, b* (1824); Serv. Crimea.
Ins. Orth. p. 49 (1839); Fisch. l. c. p. 82,
pl. 6. ff. 18, 18 *a* (1853).
Forficula Sinuata, a. *Macrolabia*, b. *Cyclo-*
labia, Fieb. Lotos, iii. p. 256 (1853).
Chelidura Sinuata, Fisch. Waldh. Orth.
Ross. p. 48 (1846); Bol. l. c. p. 33
(1876); Dubr. l. c. xii. pp. 437, 438 figg.
(1878); Fin. Faune France, Orth. p. 71
(1890); Borm. Tierreich, Forf. p. 106.
n. 4 (1900); Brunn. l. c. p. 22 (1882).
Forficula Dufourii, Serv. l. c. p. 49, pl. 1.
ff. 5, 5 *a* (1839); Fisch. l. c. p. 81, pl. 1.
ff. 17, 17 *a-c* (1853).
Chelidura Sinuata, var. *Dufourii*, Dubr. l. c.
p. 439, figg. (1878).
Chelidura Vittigera, Fisch. Waldh. l. c. iv.
p. 48 (1846).
- 3 a. P. Paupercula, Géné,** (*Forficula P.*) Savoy.
Ann. Sci. Nat. Regn. Lomb. Venet. ii.
p. 229 (1832).
- *4. P. Orsinii, Géné,** (*Forficula O.*) l. c. iii. Italy.
p. 188 (1833); Fisch. l. c. p. 79 (1853);
Dohrn, Stettin. Ent. Zeit. xx. p. 107
(1859); Costa, Atti Acc. Napoli, ix. (6)
p. 36, f. 10 (1881).

Chelidura Orsinii, Brunn. l. c. p. 23, pl. 1. f. 6 A (1882) ; Borm. l. c. p. 106. n. 2 (1900).

- *5. **P. Vara, Scudd.** (*Forficula V.*) P. Boston Soc. xviii. p. 260 (1876) ; Bull. U.S. Geol. Surv. Territ. ii. p. 257 (1876). Mexico.
Chelidura Vara, Borm. l. c. p. 106. n. 3 (1900).

(As some species of the two following genera have been mistaken for *Forficulidae*, they are included in the present Catalogue, though they do not belong to the Orthoptera.)

Genus **Iapyx**. (*Thysanura*. Type no. 1.)

Iapyx, Hal. Trans. Linn. Soc. xxiv. p. 442 (1864) ; Lubb. Mon. Collemb. Thys. p. 215 (1873).

Japyx, Mein. Nat. Tidskr. (3) iii. p. 413 (1865) ; Ann. Nat. Hist. (3) xx. p. 367 (1866) ; Fin. Faune France, Orth. p. 50 (1890) ; Silv. Bull. Soc. Ent. Ital. xxxiii. p. 212 (1902) ; Humb. Rev. Zool. (2) xx. p. 348 (1868).

Dicellura, Hal. J. Linn. Soc. viii. p. 162 (1865). (Type no. 1.)

Typhlolabia, Scudd. P. Boston Soc. xviii. p. 300 (1876) ; Borm. & Marq. Bull. Soc. Toulouse, xvii. p. 33 (1883). (Type no. 2.)

- **1. **I. Solifugus**, Hal. Trans. Linn. Soc. xxiv. p. 442, pl. 44. ff. 1-15 (1864) ; Lubb. l. c. p. 215, pl. 51, pl. 65. ff. 12, 13 (1873) ; Luc. Bull. Soc. Ent. France, (5) ii. p. lxxi (1872). Europe, N. Africa.

Japyx Solifugus, Mein. ll. cc. p. 420, pl. 14. ff. 1-11 (1865) ; p. 372 (1866) ; Humb. l. c. p. 348, pl. 22. ff. 6, 7 (1868) ; Pack. Amer. Nat. viii. p. 501, f. 91 (1874) ; Standard Nat. Hist. ii. p. 138, f. 202 (1884) ; Grassi, Atti Ital. Gioenia, (3) xix. p. 1, pls. 1-3 (1886) ; Parona, Ann. Mus. Genov. xxvi. p. 148 (1888) ; Fin. l. c. p. 50, pl. 1. f. 27 (1890) ; Oudem. Tijdschr. Ent. xxxviii. p. 178, f. 6 (1895) ; Sharp, Cambridge Nat. Hist., Ins. i. p. 184

- (1895); Calandr. Bull. Soc. Ent. Ital. xxx. p. 62 (1898); Silv. l. c. p. 213. n. 2, f. 17 (1902).
- Dicellura Solifuga*, Hal. J. Linn. Soc. viii. p. 162 (1865).
- I. Solifugus*, var. *Magna*, Grassi, l. c. pp. 6, 12 (1886).
- Typhlolabia Subterranea*, Borm. & Marq. l. c. p. 36 (1883).
2. **I. Major, Grassi**, (*Japyx Solifugus*, var. *Major*) l. c. p. 11 (1886). Italy, Spain, Algeria.
- Japyx Major*, Silv. l. c. p. 220. n. 11, ff. 22, 23 (1902).
3. **J. Isabellæ, Grassi**, l. c. p. 11, pl. 2. Messina. ff. 18, 19 (1886); Silv. l. c. p. 212. n. 1, f. 16 (1902).
4. **I. Humbertii, Grassi**, (*J. Solifugus*, var. *Humbertii*) l. c. p. 11 (1886). Switzerland, Savoy.
- || *J. Solifugus*, Humb. Rev. Zool. (2) xx. p. 350 (1868).
5. **J. Forficularius, Jos.** Jahresb. Schles. Ges. lix. p. 254 (1882); Berlin. Ent. Zeitschr. xxvi. p. 26 (1882). Carniola.
6. **J. Cavicola, Jos.** Berl. Ent. Zeitschr. xxvi. p. 26 (1882). id.
7. **J. Athenarum, Cook**, P. Ent. Soc. Washington, iv. p. 225, pl. 1. f. 1 *a*, *b* (1899). Athens.
8. **J. Creticus, Cook**, l. c. p. 226, pl. 2. Crete. f. 1 *a*, *b* (1899).
9. **J. Gigas, Brauer**, Verh. zool.-bot. Ges. Wien, xix. p. 557 (1869). Cyprus.
10. **I. Wollastoni, Westw.** Thes. Ent. Oxon. p. 196, pl. 37. f. 3 (1874). Madeira.
11. **J. Tunisinus, Silv.** l. c. p. 216. n. 6 (1902). Tunis.
12. **I. Africanus, Karsch**, Berl. Ent. Zeitschr. xxxviii. p. 16 (1893); *J. Africanus*, Cook, l. c. p. 226, pl. 2. f. 4 *a*, *b* (1899). W. Africa (Adeli).
13. **J. Liberiensis, Cook**, l. c. p. 226, pl. 1. W. Liberia. ff. 5 *a*, *b*, 6 *a*, *b* (1899).
14. **J. Obliquus, Cook**, l. c. p. 226, pl. 2. Liberia. f. 2 *a*, *b* (1899).
- *15. **J. Purcelli, Pér.** Ann. S. African Mus. ii. p. 133 (1901). Cape Colony.
16. **J. Dux, Skor.** Ann. Mus. Zool. St. Pétersb. v. p. 320, pl. 7 (1900). Bokhara.

17. J. Oudemansi , Par. Atti Soc. Ital. xxxiv. p. 128, pl. 1. ff. 5, 6 (1892).	Burma.
18. I. Indicus , Oudem. Weber, Zool. Ergebn. Reise Niederl. Ost-Indien, i. p. 77, pl. 6. ff. 3-5 (1890); Par. l. c. p. 127, pl. 1. f. 4 (1892).
<i>J. Indicus</i> , <i>Schott</i> , Termés. Füzetek, xxiv. p. 328 (1901); <i>Silv.</i> l. c. p. 217, ff. 24-26 (1902).
<i>J. Javanicus</i> , <i>Cook</i> , l. c. p. 226, pl. 3. f. 3 a, b (1899).	Java,
Saleyer,
Flores,
Burna.
19. J. Papuasicus , Silv. l. c. p. 221, ff. 34, 35 (1902).	.
20. J. Subterraneus , Pack. Amer. Nat. viii. p. 501 (1874), xx. p. 282 (1886); <i>Macgill.</i> Canad. Ent. xxv. p. 173 (1893).	Kentucky
(Mammoth
Cave).
21. J. Americanus , Macgill. l. c. p. 174 (1893).	Washington
State.
22. J. Hubbardi , Cook , l. c. p. 225, pl. 1. f. 2 a, b (1899).	Arizona.
23. J. Bidens , Cook , l. c. pl. 1. f. 3 a, b (1899).	Alabama.
24. J. Multidens , Cook , l. c. pl. 1. f. 4 a, b (1899).	id.
25. J. Saussurii , Humb. l. c. p. 351, pl. 22. ff. 1-5 (1868); Pack. l. c. xx. p. 382 (1886).
<i>I. Saussurii</i> , <i>Ridl.</i> J. Linn. Soc. xx. p. 556 (1894).	Mexico,
Fernando
Noronha
(eadem?).
26. J. Goliath , Par. Ann. Mus. Genova, xxvi. p. 80, ff. a, b (1888).	Guatemala.
27. J. Centralis , Silv. l. c. p. 222, f. 3 b (1902).	Venezuela.
28. J. Neotropicalis , Silv. l. c. p. 219, ff. 28-31 (1902).	Brazil to
Argentina.
29. J. Platensis , Silv. l. c. p. 218, f. 27 (1902).	Argentina.
30. J. Patagonicus , Silv. l. c. p. 215, ff. 19, 20 (1902).	id.
31. J. Bidentatus , Schäff. Hamburger Magal-haenischen Sammelreise, Apterygoten, p. 30, pl. 3. ff. 89-105 (1897); <i>Silv.</i> l. c. p. 214, f. 18 (1902).	Chile.
32. J. Anodus , Silv. l. c. p. 218 (1902).	id.
33. J. Megaloceros , Silv. l. c. p. 215, ff. 21-23 (1902).	id.

34. **I. Larva, Phil.** (*Forficula* (?) *Larva*) | Chile.
 Zeitschr. ges. Naturw. xxi. p. 219
 (1863).
Typhlolabia Larva, Scudd. l. c. pp. 300,
 332 (1876); Borm. & Marq. l. c. p. 33
 (1883).
Typhlolabia Lævis, Kirb. J. Linn. Soc. xxiii.
 p. 531 (1896).

Genus **Condylopalama.** (*Neuroptera: Embiidæ.*)

Sund. Forh. Skand. Naturf. iv. p. 255 (1847);
 Scudd. P. Boston Soc. xviii. p. 292 (1876).

1. **C. Agilis, Sund.** l. c. (1847); Krauss, | Bahia.
 Zool. Anz. xxii. p. 147 (1899).

FAM. II.

HEMIMERIDÆ.

Genus 1. **Hemimerus.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 2 (1871); Sauss. Mém. Soc. Genève, xxvi. p. 413 (1879); Spic. Ent. i. p. 19 (1879); Rev. Suisse Zool. iv. p. 277 (1896); Sharp, Cambridge Nat. Hist., Ins. i. p. 217 (1895); Krauss, Tierreich, Forf. & Hem. p. 132 (1900); Verh. SB. nat. Freunde Berl. 1892, p. 87.

- **1. **H. Talpoides, Walk.** l. c. n. 1 (1871); S. Leone.
 Sauss. ll. cc. p. 414, pl. 1 (1879); p. 20,
 pl. 1 (1879); pl. 10. ff. 1-6 (1896); Hans.
 (pt.) Ent. Tidskr. xv. p. 65 (1894); Sharp,
 l. c. p. 218, f. 117 (1895); Krauss, l. c.
 p. 132 (1900).
2. **H. Hanseni, Sharp,** l. c. pp. 217, 218, Cameroons.
 ff. 114-116 (1895).
 || *Hemimerus Talpoides* (pt.), Hans. l. c. p. 65,
 pl. 2 (1895).

FAM. III.

BLATTIDÆ.

SUBFAM. I.

ECTOBIINÆ.

Genus 1. **Ectobia.** (*Type* no. 1.)

Westw. Mod. Classif. Ins., Syn. Gen. p. 44 (1839); Sauss. Miss. Mex., Orth. p. 12 (1870); Bol. An. Soc. Españ. v. p. 116 (1876); Sin. Ort. Esp. p. 38 (1876); Brunn. Syst. Blatt. p. 52 (1865); Prodr. Eur. Orth. p. 30 (1882); Fin. Faun. France, Orth. p. 75 (1890); Burr, Brit. Orth. p. 21 (1897); Tümpel, Geradfl. Mitteleuropas, p. 233 (1900).

Ectobius, Steph. Ill. Brit. Ent., Mand. vi. p. 45 (1835).

†*Blatta*, Linn. Syst. Nat. (ed. x.) i. p. 424 (1758); Serv. Ann. Sci. Nat. xxii. p. 40 (1831); Fisch. Orth. Eur. p. 99 (1853).

*1. **E. Lapponica**, Linn. (*Blatta* L.) Syst. Europe.

Nat. (ed. x.) p. 425. n. 8 (1758); Faun. Suec. (ed. ii.) p. 235. n. 863 (1761); Sulz. Gesch. Ins. p. 77, pl. 8. f. 3 (1776); Curt. Brit. Ent. xii. pl. 556 (1835); Burm. Handb. Ent. ii. p. 496. n. 5 (1838); Serv. Ins. Orth. p. 110 (1839); Fisch. Orth. Eur. p. 105 (1853).

Ectobius Lapponicus, Steph. l. c. p. 46. n. 3, pl. 28. f. 7 (1835).

Phyllodromia Laponica, Fisch. Waldh. Orth. Ross. p. 83, pl. 1. ff. 4*, 4** (1846).

Ectobia Lapponica, Brunn. ll. cc. p. 53, pl. 1. f. 1A-E (1865); p. 31, pl. 1. f. 7A-G (1882); Sauss. l. c. p. 12, pl. 1. ff. 8, 8a-d (1870); Bol. ll. cc. p. 117 (1876); p. 39 (1876); Fin. l. c. p. 76 (1890); Burr, Brit. Orth. p. 21, pl. 2. f. 1 (1897); Tümp. l. c. p. 233, pl. 15 (1900).

Blatta Sylvestris, Scop. Ent. Carn. p. 104. n. 314 (1763).

- Blatta Nigrofusca*, *De Geer*, Mém. Ins. iii. p. 533, pl. 25. ff. 8-15 (1773).
- Blatta Hemiptera*, *Fabr.* Ent. Syst. ii. p. 12. n. 30 (1793); *Panz.* Faun. Germ. fasc. xevi. f. 15 (1805); *Burm.* l. c. p. 496. n. 4 (1838); *Serv.* l. c. p. 111 (1839).
- Blatta Lucida*, *Hagenb.* Faun. Ins. Helv. p. 18, f. 9 (1822).
- Blatta Helvetica*, *Hagenb.* l. c. p. 20, f. 10 (1822).
- || *Ectobius Perspicillaris*, *Steph.* l. c. p. 47. n. 4 (1835).
- *2. **E. Albicincta**, **Brunn.** (*Blatta A.*) Verh. zool.-bot. Ges. Wien, xi. pp. 98, 286 (1861). *Ectobia Albicincta*, *Brunn.* Syst. Blatt. p. 56. n. 2 (1865); *Prodr. Eur. Orth.* p. 33. n. 2 (1882); *Tümp.* l. c. p. 234 (1900).
3. **E. Nicæensis**, **Bris.** (*Blatta N.*) Bull. Soc. Ent. France, (2) x. p. lxviii (1852). *Ectobia Nicæensis*, *Brunn.* ll. cc. p. 56 (1865); p. 34. n. 3 (1882); *Borm. Ann. Soc. Ent. Belgique*, xxv. p. 28 (1881); *Fin.* l. c. p. 77 (1890). *Ectobia Hæckelii*, *Bol.* ll. cc. p. 118. n. 2 (1876); p. 40. n. 2 (1876).
4. **E. Tridentina**, **Targ.-Tozz.** Bull. Soc. Ent. Ital. xiii. p. 180 (1881).
- *5. **E. Panzeri**, **Steph.** (*Ectobius P.*) l. c. p. 47. n. 5 (1835). *Ectobia Panzeri*, *Burr.* l. c. p. 22, pl. 2. f. 2 (1897).
- || *Blatta Germanica*, *Panz.* l. c. fasc. ii. f. 17 (1793).
- Blatta Ericetorum*, *Wesm.* Bull. Acad. Brux. v. p. 587, pl. 1. f. 2 (1838); *Fisch.* l. c. p. 110. n. 8 (1853). *Ectobia Ericetorum*, *Brunn.* ll. cc. p. 58 (1865); p. 34. n. 4 (1882); *Fin.* l. c. p. 77, pl. 2. f. 45 (1890); *Tümp.* l. c. p. 234 (1890).
- Blatta Concolor*, *Serv.* l. c. p. 113. n. 43 (1839).
- Blatta Arenicola*, *Fisch.* l. c. p. 111, pl. 7. f. 20 (1853).
- Var. *a.* *Ectobius Nigripes*, *Steph.* l. c. p. 48. n. 6 (1835).

Dalmatia,
Tuscany.

S. France,
Spain.

Tyrol.

Europe.

England.

- Ectobia Panzeri*, var. *Nigripes*, Burr, l. c. p. 22 (1897).
- *6. **E. Perspicillaris**, Herbst, Fuessly, Archiv, p. 186, pl. 49. f. 11 (1786). Europe, Algeria.
Blatta Pallida, Oliv. Enc. Méth., Ins. iv. p. 319. n. 29 (1789).
Ectobius Pallidus, Steph. l. c. p. 48. n. 8 (1835).
Blatta Livida, Fabr. Ent. Syst. ii. p. 10. n. 23 (1793); Serv. l. c. p. 109. n. 38 (1839); Fisch. l. c. p. 107. n. 6, pl. 7. ff. 16-18 (1853).
Ectobius Lividus, Steph. l. c. p. 48. n. 7 (1835).
Ectobia Livida, Bol. ll. cc. p. 120. n. 4 (1876); p. 42. n. 4 (1876); Brunn. ll. cc. p. 59. n. 6 (1865); p. 35. n. 5 (1882); Fin. l. c. p. 78 (1890); Burr, l. c. p. 23, pl. 2. f. 3 (1897); Tümp. l. c. p. 233, pl. 15 (1900).
Blatta Concolor, Hagenb. l. c. p. 22, f. 11 (1822).
7. **E. Brunneri**, Seoane, Mt. Schweiz. Ent. Ges. v. p. 485 (1879). Spain, Port., Minorca.
Ectobia Livida, var. *Brevipennis*, Brunn. ll. cc. p. 61 (1865); p. 36 (1882); Bol. ll. cc. p. 120 (1876); p. 42 (1876). Spalato.
8. **E. Vittiventris**, Costa, (*Blatta V.*) Ann. Accad. Asp. Natur. i. p. 111 (1847); Italy, Spain, Algeria, Cape.
Ectobia Vittiventris, Brunn. ll. cc. p. 57. n. 4 (1865); p. 37. n. 6 (1882); Tümp. l. c. p. 234 (1900).
Blatta Punctulata, Fieb. Lotos, iii. p. 94. n. 4 (1853).
9. **E. Africana**, Sauss. Abh. Senckenb. Ges. xxi. p. 569 (1899). E. Africa.
- **10. **E. Platysoma**, Walk. (*Blatta P.*) Cat. Blatt. B. M. p. 111. n. 95 (1868). Swan River.
11. **E. Tepperi**, Kirb., n. n. S. Australia.
 || *Ectobia Apicifera*, Tepp. Tr. R. Soc. S. Austral. xvii. p. 35 (1893).
12. **E. Minima**, Tepp. l. c. xix. p. 147 (1895). Victoria.
13. **E. Sublucida**, Tepp. l. c. p. 147 (1895). id.
14. **E. (?) Margarita**, Tepp. l. c. p. 148 (1895). id.

15. E. (?) Marcida, Erichs. (<i>Blatta M.</i>) Arch. Naturg. viii. p. 248 (1842).
<i>Ectobia Marcida, Brunn.</i> l. c. p. 61. n. 7 (1865).	Tasmania.
16. E. Tasmanica, Brancs. Jahresh. Ver. Trencsin. Com. xix. p. 244, pl. 7. f. 1 (1897).	id.
17. E. Flavocincta, Scudd. J. Boston Soc. Nat. Hist. vii. p. 419. n. 3 (1862); <i>Brunn.</i> l. c. p. 57. n. 3 (1865).	N. America
(W. States).

Genus 2. **Theganopteryx.** (*Type no. 12.*)

Brunn. Syst. Blatt. p. 53 (1865); *Sauss.* Mém. Soc. Genève, xx. p. 229 (1869); *Sauss. & Zehntn.* Biol. Centr.-Amer., Orth. i. p. 16 (1893); *Grandidier*, Hist. Madagascar, Orth. i. p. 5 (1895).

1. T. Senegalensis, Sauss. (<i>Blattia S.</i>) Rev. Zool. (2) xx. p. 354 (1868).
<i>Ectobia (Theganopteryx) Senegalensis, Sauss.</i> Mém. Soc. Genève, xx. p. 231 (1869).
<i>T. Senegalensis</i> , var., <i>Sauss.</i> Mém. Soc. Genève, xxxv. p. 71 (1895).	Senegal,
Somaliland
(eadem?).
2. T. Æthiopica, Sauss. l. c. p. 72 (1895).	Gold Coast.
3. T. Hova, Sauss. & Zehntn. <i>Grandidier</i> , Hist. Madagascar, Orth. i. p. 7. n. 1 (1895).	Madagascar
(Antanana-
rivo).
4. T. Malagassa, Sauss. & Zehntn. l. c. p. 8. n. 2 (1895).	id.
5. T. Tricolor, Sauss. & Zehntn. l. c. p. 9. n. 3, pl. 1. f. 2 (1895).	Madagascar
6. T. Conspersa, Sauss. Soc. Ent. vi. p. 26 (1891); <i>Sauss. & Zehntn.</i> l. c. p. 10. n. 4, pl. 1. f. 3 (1895).	id.
7. T. Bidentata, Sauss. & Zehntn. l. c. p. 11, pl. 1. ff. 1, 1 a, d (1895); <i>Sauss.</i> Abh. Senckenb. Ges. xxi. p. 570 (1899).	id.
(Antanana-
rivo).
8. T. Molesta, Sauss. & Zehntn. l. c. p. 12. n. 6 (1895).	Madagascar
9. T. Punctata, Sauss. Soc. Ent. vi. p. 26 (1891); <i>Sauss. & Zehntn.</i> l. c. p. 13. n. 7 (1895).	id.
10. T. Indica, Sauss. (<i>Ectobia (Theganopteryx) I.</i>) Mém. Soc. Genève, xx. p. 230, pl. 3. f. 16 (1869).	Bombay.

11. T. Jucunda, Sauss. (<i>Ectobia</i> (<i>Theganopteryx</i>) <i>J.</i>) l. c. p. 232 (1869).	India (?).
12. T. Lucida, Brunn. (<i>Ectobia</i> <i>L.</i>) l. c. p. 62 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 34 (1893).	Australia(?)
13. T. Fallax, Sauss. (<i>Ectobia</i> (<i>Theganopteryx</i>) <i>F.</i>) l. c. p. 233 (1869).
<i>T. Fallax, Sauss. & Zehntn.</i> Biol. Centr.-Amer., Orth. i. p. 16. n. 1 (1893).	Mexico.
14. T. Pilosella, Sauss. & Zehntn. l. c. p. 17. n. 2 (1893).	Peru.

Genus 3. **Lupparia.**

Walk. Cat. Blatt. B. M. p. 65 (1868).

**1. L. Adimonialis, Walk. l. c. p. 66. n. 1 (1868).	Philippines.

Genus 4. **Pseudectobia.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xx. p. 234 (1869); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 16 (1893); Grandidier, Hist. Madagascar, Orth. i. p. 6 (1895).

1. P. Luneli, Sauss. (<i>Blatta</i> <i>L.</i>) Rev. Zool. (2) xx. p. 355 (1868).
<i>Ectobia</i> (<i>Pseudectobia</i>) <i>Luneli, Sauss.</i> Mém. Soc. Genève, xx. p. 235 (1869).	Nilgiris.
2. P. Pallidula, Bol. (<i>Theganopteryx</i> (<i>Pseudectobia</i>) <i>P.</i>) Ann. Soc. Ent. France, 1897, p. 287, pl. 10. ff. 3, 3 a, b.	S. India
(Kodai
Canal).
3. P. Litorifera, Stål, (<i>Blatta</i> <i>L.</i>) Eugenie's Resa, Ins. p. 308 (1858).
<i>Phyllodromia Litorifera, Brunn.</i> Syst. Blatt. p. 106 (1865).
<i>Ectobia</i> (<i>Pseudectobia</i>) <i>Litorifera, Sauss.</i> l. c. xx. p. 236, pl. 3. f. 17 (1869).
<i>Theganopteryx Litorifera, Sauss. & Zehntn.</i> Grandidier, Hist. Madagascar, Orth. i. p. 14. n. 8 (1895).	Mauritius.
4. P. Insularis, Sauss. (<i>Ectobia</i> (<i>Pseudectobia</i>) <i>I.</i>) l. c. p. 237 (1869).
<i>Theganopteryx Insularis, Sauss. & Zehntn.</i> l. c. p. 14. n. 9 (1895).	id.

5. P. Punctulata , Sauss. & Zehntn. (<i>Theganopteryx</i> (<i>Pseudectobia</i>) <i>P.</i>) l. c. p. 15. n. 10 (1895).	Madagascar
6. P. Voeltzkowiana , Sauss. & Zehntn. (<i>Theganopteryx</i> (<i>Pseudectobia</i>) <i>V.</i>) l. c. p. 15. n. 11, pl. 4. f. 42 (1895); Sauss. Abh. Senckenb. Ges. xxi. p. 570 (1899).	N.W. Madagascar (Mojanga).
**7. P. Subjectinata , Sauss. & Zehntn. (<i>Theganopteryx</i> (<i>Pseudectobia</i>) <i>S.</i>) Biol. Centr.-Amer., Orth. i. p. 17. n. 3, pl. 4. f. 18 (1893).	Guatemala.
8. P. Antiguensis , Sauss. & Zehntn. (<i>Theganopteryx</i> (<i>Pseudectobia</i>) <i>A.</i>) l. c. p. 17. n. 4 (1893).	Antigua, Cuba.
9. P. Intermedia , Sauss. & Zehntn. (<i>Theganopteryx</i> (<i>Pseudectobia</i>) <i>I.</i>) l. c. p. 18. n. 5 (1893).	Peru.

Genus 5. **Anaplecta**. (*Type* no. 17.)

Burm. Handb. Ent. ii. p. 494 (1838); Brunn. Syst. Blatt. p. 63 (1865); Sauss. Mém. Mex., Blatt. p. 49 (1864); Miss. Mex., Orth. p. 12 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 18 (1893).

*1. A. Cincta , Gerst. Mt. Ver. Vorpomm. xiv. p. 56 (1883).	W. Africa (Ogowe).
2. A. Africana , Sauss. Ann. Mus. Genova, xxxv. p. 70 (1895).	E. Soudan (Lado).
3. A. Fulva , Brunn. Ann. Mus. Genova, xxxiii. p. 12 (1893).	Burma.
4. A. Javanica , Sauss. l. c. p. 71 (1895).	Batavia.
5. A. Dorsalis , Burm. l. c. p. 494. n. 3 (1838); Brunn. Syst. Blatt. p. 63. n. 1 (1865).	Porto Rico.
6. A. Bivittata , Brunn. l. c. n. 2 (1865).	Brazil.
7. A. Unicolor , Burm. l. c. p. 494. n. 4 (1838); Brunn. l. c. p. 63. n. 3 (1865).	Colombia.
*8. A. Mexicana , Sauss. Rev. Zool. (2) xx. p. 97 (1868); Miss. Mex., Orth. p. 15 pl. 1. ff. 9, 9 <i>a-e</i> (1870); Sauss. & Zehntn. l. c. p. 22. n. 1, pl. 4. ff. 1, 2 (1893).	Mexico.
9. A. Peruviana , Sauss. & Zehntn. l. c. p. 23. n. 2 (1893).	Peru.
10. A. Nahua , Sauss. II. cc. (2) xx. p. 354 (1868); p. 14, pl. 1. f. 11 <i>a</i> (1870); Sauss. & Zehntn. l. c. p. 23. n. 3 (1893).	Mexico.

11. **A. Tolteca, Sauss.** ll. cc. (2) xx. p. 354 (1868); p. 16 (1870); Sauss. & Zehntn. l. c. p. 23. n. 4 (1893). Mexico.
12. **A. Pallida, Bol.** An. Soc. Españ. x. p. 463 (1881). Ecuador.
13. **A. Moxa, Sauss. & Zehntn.** l. c. p. 23. n. 5, pl. 4. ff. 3, 4 (1893). Peru.
14. **A. Major, Sauss. & Zehntn.** l. c. p. 24. n. 6, pl. 4. f. 6 (1893). id.
15. **A. Otomia, Sauss.** Mém. Soc. Genève, xx. p. 238, pl. 3. f. 18 (1869); Miss. Mex., Orth. p. 18 (1870); Sauss. & Zehntn. l. c. p. 24. n. 7 (1893). Mexico.
16. **A. Azteca, Sauss.** Rev. Zool. (2) xx. p. 97 (1868); Miss. Mex., Orth. p. 17, pl. 1. ff. 10, 10 a (1870); Sauss. & Zehntn. l. c. p. 24. n. 8 (1893). id.
- *17. **A. Lateralis, Burm.** l. c. p. 494. n. 2 (1838); Brunn. l. c. p. 65, pl. 1. f. 2 A-C (1865); Sauss. & Zehntn. l. c. p. 30 (1893). Colombia, Brazil.
Blatta Parviceps, Walk. Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 97. n. 63 (1868).
18. **A. Fallax, Sauss.** Rev. Zool. (2) xiv. p. 163 (1862); Mém. Mex., Blatt. p. 51 (1864); Sauss. & Zehntn. l. c. p. 25. n. 9, pl. 4. f. 7 (1893); Brunn. l. c. p. 66 (1865). Guatemala, Mexico, Colombia.
|| *A. Lateralis, Sauss.* Miss. Mex., Orth. p. 19, pl. 1. f. 13 (1870).
19. **A. Minutissima, De Geer, (Blatta M.)** Mém. Ins. iii. p. 542. n. 10, pl. 44. ff. 13, 14 (1773); Oliv. Enc. Méth., Ins. iv. p. 321. n. 37 (1789). Surinam.
A. Minutissima, Burm. l. c. p. 494. n. 1 (1838); Brunn. l. c. p. 64. n. 4 (1865).
20. **A. Replicata, Sauss. & Zehntn.** l. c. p. 25. n. 10, pl. 4. f. 12 (1893). Brazil (Pernambuco).
21. **A. Grandipennis, Sauss. & Zehntn.** l. c. p. 25. n. 11, pl. 4. f. 5 (1893). id.
- **22. **A. Albomarginata, Sauss. & Zehntn.** l. c. p. 26. n. 12 (1893). Mexico.
- **23. **A. Parvipennis, Sauss. & Zehntn.** l. c. n. 13 (1893). id.
- **24. **A. Domestica, Sauss. & Zehntn.** l. c. n. 14 (1893). Guatemala.
25. **A. Alaris, Sauss. & Zehntn.** l. c. p. 27. n. 15 (1893). Peru.

- **26. **A. Decipiens, Sauss. & Zehntn.** l. c. p. 27. Mexico.
 n. 16, pl. 3. f. 5, pl. 6. ff. 10, 11 (1893).
 27. **A. Elliptica, Sauss. & Zehntn.** l. c. Guatemala.
 p. 27. n. 17, pl. 3. f. 2, pl. 4. f. 8 (1893).
 28. **A. Dohrniana, Sauss. & Zehntn.** l. c. id.
 p. 28. n. 18, pl. 3. f. 3, pl. 4. f. 15 (1893).
 *29. **A. Fulgida, Sauss.** Rev. Zool. (2) xiv. id., Mexico.
 p. 163 (1862); Mém. Mex., Blatt. p. 50
 (1864); Miss. Mex., Orth. p. 19, pl. 1.
 f. 12 (1870); Sauss. & Zehntn. l. c. p. 28.
 n. 19, pl. 4. f. 16 (1893); Brunn. l. c.
 p. 66 (1865).
 30. **A. Jansoni, Sauss. & Zehntn. l. c. Nicaragua
 p. 29. n. 20, pl. 3. f. 4, pl. 4. f. 9 (1893). (Chontales).
 31. **A. Flabellata, Sauss. & Zehntn. l. c. Mexico to
 p. 29, pl. 3. f. 1, pl. 4. ff. 13, 14 (1893). Panama.

Genus 6. **Riatia.**

Walk. Cat. Blatt. B. M. p. 66 (1868).

- **1. **R. Pallicornis, Walk.** l. c. (1868). | Ega.

Genus 7. **Hololampra.** (*Type* no. 1.)

Sauss. Mém. Mex., Blatt. p. 94 (1864).

Aphlebia, Brunn. Syst. Blatt. p. 66 (1865); Prodr. Eur. Orth.
 p. 37 (1882); Bol. Sin. Ortópt. Españ. p. 42 (1876); Fin.
 Faune France, Orth. p. 79 (1890); Tümp. Geradfl. Mittel-
 europ. p. 232 (1900). (*Type* no. 7.)

- *1. **H. Marginata, Schreb.** (*Blatta M.*) S. Europe.
 Naturf. xv. p. 88, pl. 3. f. 16 (1781);
 Cyr. Ent. Neap. p. 2, pl. 1. f. 11 (1787);
 Fisch. Orth. Eur. p. 100, pl. 7. ff. 8, 8 a
 (1753).
 Phyllodromia Marginata, Fisch. Waldh.
 Orth. Ross. p. 84, pl. 1. f. 5 (1846).
 Aphlebia Marginata, Brunn. ll. cc. p. 67
 (1865); p. 39 (1882); Fin. l. c. p. 79,
 pl. 2. f. 46 (1890).
 Kakerlac Plicipennis, Brullé, Expéd. Morée,
 Zool. ii. p. 82, pl. 29. f. 3 (1832).
 Blatta Plicipennis, Serv. Ins. Orth. p. 105
 (1839).
 Aphlebia Marginata, var. *Erythronota*.
 Brunn. Prodr. Eur. Orth. p. 39 (1882).

- *2. **H. Infumata, Brunn.** (*Aphlebia I.*) Syst. Madeira.
Blatt. p. 68 (1865).
‡ *Blatta Ericetorum*, Woll. Ann. Nat. Hist.
(3) i. p. 21 (1858).
3. **H. Polita, Krauss,** (*Aphlebia P.*) Verh. W. Cauca-
zool.-bot. Ges. Wien, xxxviii. p. 569, sus (Novo-
pl. 15. ff. 2, 2 A (1888). rossisk).
4. **H. Maculata, Schreb.** (*Blatta M.*) l. c. Germany,
p. 89, pl. 3. ff. 17, 18 (1781); Panz. Austria.
Faun. Germ. xvi. pl. 14 (1805); Charp.
Hor. Ent. p. 76 (1825); Hahn, Icon.
Orth. pl. a. f. 6 a, b (1836); Fisch. l. c.
p. 101, pl. 7. ff. 9, 9 a, 10 (1853).
Aphlebia Maculata, Brunn. Syst. Blatt. p. 69
(1865); Prodr. Eur. Orth. p. 39 (1882);
Tümp. l. c. p. 233, pl. 15 (1900).
Blatta Schaefferi, Gmel. Syst. Nat. i. (4)
p. 2046 (1788).
5. **H. Adusta, Fisch. Waldh.** (*Phyllodromia* Crimea.
A.) l. c. p. 355 (1846).
Aphlebia Adusta, Krauss, l. c. p. 568, pl. 15.
f. 1 A, B (1888).
6. **H. Algerica, Bol.** (*Aphlebia A.*) An. Soc. Oran,
Españ. x. p. 499 (1881), xvi. p. 91, pl. 15. Tangiers.
f. 5 (1887); Act. Soc. Españ. 1894,
p. 84.
- *7. **H. Punctata, Charp.** (*Blatta P.*) Hor. Germany,
Ent. p. 77 (1825); Fisch. l. c. p. 103, Austria.
pl. 7. ff. 11, 11 a (1853).
Aphlebia Punctata, Brunn. ll. cc. p. 71,
pl. i. f. 3 A-D (1865); p. 41 (1882); Tümp.
l. c. p. 233 (1900).
Blatta Megerlei, Fieb. Lotos, iii. p. 94. n. 7
(1853).
8. **H. Sardea, Serv.** (*Blatta S.*) Ins. Orth. Sardinia,
p. 112 (1839). Algeria.
Aphlebia Sardea, Brunn. Prodr. Eur. Orth.
p. 41 (1882).
Blatta Cincticollis, Luc. Expl. Alg., Zool.
iii. p. 8, iv. pl. 1. f. 3 (1849).
Aphlebia Cincticollis, Brunn. Syst. Blatt.
p. 69. n. 3 (1865).
Aphlebia Sardea, var. *Adspersa*, Bol. Ann.
Sci. Nat. Porto, iv. p. 128 (1898).
9. **H. Bivittata, Brullé,** (*Blatta B.*) Webb & Canaries.
Berthelot, Hist. Nat. Canar., Ins. p. 75,
pl. 5. f. 1 (1844).

10. **H. Moghrebica, Bol.** (*Aphlebia M.*) An. Soc. Españ. xvi. p. 89, pl. 4. f. 1 (1887). Morocco (Riff).
11. **H. Pallida, Brunn.** (*Aphlebia P.*) Prodr. Eur. Orth. p. 42. n. 5 (1882). Greece, Asia Minor.
12. **H. Cecconii, Griff.** (*Aphlebia Pallida*, subsp. *Cecconii*) Boll. Mus. Torino, x. (193) p. 1 (1895). Candia.
13. **H. Trivittata, Serv.** (*Blatta T.*) Ins. Orth. p. 106 (1839); Fisch. l. c. p. 103 (1853). Sardinia, Algeria, Spain.
Aphlebia Trivittata, Brunn. Syst. Blatt. p. 73. n. 7 (1865); Prodr. Eur. Orth. p. 42. n. 6 (1882); Bol. l. c. p. 43 (1876); Costa, Atti Accad. Napoli, (2) i. (9) p. 50 (1888).
- *14. **H. Brevipennis, Fisch.** (*Blatta B.*) l. c. p. 102, pl. 7. f. 12 (1853). Istria, Servia, Styria, Carniola, Tyrol.
Aphlebia Brevipennis, Brunn. ll. cc. p. 72. n. 6 (1865); p. 43. n. 7 (1882); Krauss, SB. Akad. Wien, lxxviii. (1) p. 466, pl. 1. ff. 1, 1 A-E (1879); Tümp. l. c. p. 232 (1900).
15. **H. Bætica, Bol.** (*Aphlebia B.*) C. R. Soc. Ent. Belg. xxviii. p. cv (1884); An. Soc. Españ. xvi. p. 90, pl. 4. f. 2 (1887). Spain (Sierra Nevada).
16. **H. Græca, Brunn.** (*Aphlebia G.*) Prodr. Eur. Orth. p. 43. n. 8 (1882). Greece, Asia Minor.
17. **H. Virgulata, Bol.** (*Aphlebia V.*) Ann. Soc. Ent. Belg. xxi. p. 67 (1878); An. Soc. Españ. vi. p. 423, pl. 4. ff. 2, 2 a (1878), xvi. p. 92, pl. 15. f. 6 (1887). Portugal.
18. **H. Carpetana, Bol.** (*Aphlebia C.*) An. Soc. Españ. ii. p. 214, pl. 9. f. 1 (1873), xvi. p. 91, pl. 15. f. 3 (1887); Sin. Ortópt. Españ. p. 44 (1876). Spain.
19. **H. Retowskii, Krauss,** (*Aphlebia R.*) Verh. zool.-bot. Ges. Wien, xxxviii. p. 570, pl. 15. ff. 3, 3 A (1888). Crimea.
- *20. **H. Subaptera, Ramb.** (*Blatta S.*) Faune de l'Andalusie, ii. p. 14 (1838). Spain, Corsica, Dalmatia, Sicily.
Polyzosteria Subaptera, Fisch. l. c. p. 94. n. 3, pl. 7. f. 3 (1853).
Aphlebia Subaptera, Brunn. Syst. Blatt. p. 73. n. 8 (1865); Prodr. Eur. Orth. p. 44. n. 11, pl. 1. f. 8 A, B (1882); Bol. Sin. Ortópt. Españ. p. 45. n. 3 (1876); An. Soc. Españ. xvi. p. 91, pl. 15. f. 4

- (1887); Pant. An. Soc. Españ. xv. p. 258
(1886); Fin. l. c. p. 80 (1890).
21. **H. Tartara, Sauss.** (*Aphlebia T.*) Fed-chenko, Reise in Turkestan, Orth. p. 7, pl. 1. f. 4 (1874). | Sarafshan, Ferghana.
22. **H. Larrinuæ, Bol.** (*Aphlebia L.*) An. Soc. Españ. x. p. 500 (1881), xvi. p. 92, pl. 15. f. 7 (1887); Krauss, l. c. xxxviii. p. 570 (1888). | Algeria, Tunis, Crimea.
23. **H. Chavesi, Bol.** (*Aphlebia C.*) Actas Soc. Españ. 1898, p. 72. | Azores (San Miguel).
24. **H. Janeri, Bol.** (*Aphlebia J.*) op. cit. 1894, p. 83, fig. | Tangiers.
25. **H. Cazorroi, Bol.** (*Aphlebia C.*) Le Naturaliste, iii. p. 116 (1885); An. Soc. Españ. xvi. p. 92, pl. 15. f. 8 (1887). | Morocco (Melilla).
26. **H. Madecassa, Sauss.** (*Aphlebia M.*) Mém. Mus. Genève, xx. p. 238, pl. 3. ff. 19, 19a (1869); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 16 (1895). | Madagascar

Genus 8. **Aphlebidea.**

Brancs. Jahresh. Ver. Trencsin. Com. xix. & xx. p. 56 (1897).

1. **A. Brunneri, Brancs.** l. c. p. 56, pl. 1. f. 1 (1897). | Australia.

SUBFAM. II.

CHORISONEURINÆ.

Genus 9. **Chorisoneura.** (*Type* no. 14.)

Brunn. Syst. Blatt. p. 255 (1865); Sauss. Miss. Mex., Orth. p. 90 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 78 (1893).

1. **C. Anomala, Sauss. & Zehntn.** l. c. p. 80. n. 1, pl. 2. ff. 23, 24 (1893). | Peru.
2. **C. Texensis, Sauss. & Zehntn.** l. c. n. 2 (1893). | Texas, New Mexico.

3. C. Surinama, Sauss. Rev. Zool. (2) xx.
p. 100. n. 13 (1868); Miss. Mex., Orth.
p. 93 (1870).	Surinam.
4. C. Dimidiaticornis, Sauss. & Zehntn.
l. c. p. 80. n. 4 (1893).	Peru.
*5. C. Mysteca, Sauss. (<i>Blatta M.</i>) Rev.
Zool. (2) xiv. p. 167 (1862); Mém. Mex.,
Blatt. p. 140 (1864).
<i>C. Mysteca, Brunn.</i> l. c. p. 258. n. 4 (1865);
Sauss. & Zehntn. l. c. p. 81. n. 5 (1893).	Mexico,
Guatemala.
**6. C. Flavipennis, Sauss. & Zehntn. l. c.
p. 81. n. 6, pl. 2. f. 21 (1893).	Mexico.
*7. C. Pellucida, Sauss. (<i>Blatta P.</i>) Rev.
Zool. (2) xvi. p. 311. n. 15 (1864); Mém.
Mex., Blatt. p. 112 (1864).
<i>C. Pellucida, Sauss.</i> Miss. Mex., Orth. p. 92,
pl. 2. ff. 49, 49a (1870); Sauss. & Zehntn.
l. c. p. 81. n. 7 (1893).	id.
8. C. Minuta, Sauss. Rev. Zool. (2) xxi. p. 113.
n. 17 (1869); Miss. Mex., Orth. p. 95 (1870).	Argent. Rep.
(Corrientes)
8a. C. Argentina, Brancs. Jahresh. Ver.
Trencsin. Com. xix. & xx. p. 57 (1898).	La Plata.
9. C. Inquinata, Sauss. ll. cc. p. 112. n. 16
(1869); p. 94 (1870).	Brazil.
**10. C. Tæniata, Sauss. & Zehntn. l. c.
p. 82. n. 10, pl. 2. f. 22 (1893).	Mexico.
11. C. Translucida, Sauss. (<i>Blatta T.</i>) Rev.
Zool. (2) xvi. p. 311 (1864); Mém. Mex.,
Blatt. p. 113 (1864).
<i>C. Translucida, Sauss.</i> Miss. Mex., Orth.
p. 91 (1870); Sauss. & Zehntn. l. c. p. 82.
n. 11 (1893).	id.
*12. C. Gracilis, Sauss. (<i>Blatta G.</i>) Rev.
Zool. (2) xiv. p. 167 (1862); Mém. Mex.,
Blatt. p. 111. n. 48 (1864).
<i>C. Gracilis, Sauss.</i> Miss. Mex., Orth. p. 93
(1870); Sauss. & Zehntn. l. c. p. 82. n. 12
(1893).
<i>C. Flavoantennata, Brunn.</i> l. c. p. 257.
n. 2 (1865).	Brazil
(Rio Grande
do Sul).
13. C. Nigrifrons, Serv. (<i>Blatta N.</i>) Ins.
Orth. p. 109 (1839).
<i>C. Nigrifrons, Brunn.</i> l. c. p. 256. n. 1,
pl. 6. f. 26 A-E (1865).	Brazil.
14. C. Multivenosa, Sauss. Rev. Zool. (2)
xxi. p. 113 (1869); Miss. Mex., Orth.
p. 94 (1870).	Cayenne(?),
Brazil(?).

15. C. Discoidalis , Burm. (<i>Blatta D.</i>) l. c. p. 497. n. 9 (1838).
<i>C. Discoidalis</i> , Brunn. l. c. p. 257. n. 3 (1865).	Bahia.
16. C. Sordida , Brunn. l. c. p. 258. n. 5 (1865).	Brazil.
**17. C. Poststriga , Walk. (<i>Blatta P.</i>) Cat. Blatt. B. M. p. 99. n. 69 (1868).	id.(?); Fern. Noronha.
**18. C. Vitrocincta , Walk. (<i>Blatta V.</i>) l. c. p. 98. n. 67 (1868).	Santarem.
**18 a. C. Vitrifera , Walk. (<i>Blatta V.</i>) l. c. p. 108. n. 89 (1868).	id.
**19. C. Perlucida , Walk. (<i>Blatta P.</i>) l. c. p. 99. n. 68 (1868).	Brazil (Tejuca).
**20. C. Lepidella , Walk. (<i>Blatta L.</i>) l. c. p. 102. n. 76 (1868).	Brazil (Con-
stancia).
**21. C. Cistelina , Walk. (<i>Blatta C.</i>) l. c. p. 104. n. 79 (1868).	Brazil (Bahia).
22. C. Calogramma , Walk. (<i>Blatta C.</i>) l. c. p. 217 (1868).	Brazil.
23. C. Fragilis , Walk. (<i>Blatta F.</i>) l. c. p. 218 (1868).	id.
24. C. Glabricula , Walk. (<i>Blatta G.</i>) l. c. p. 217 (1868).	id.
25. C. (?) Nigrolineata , Stål , Æfv. Vet.-Akad. Förh. xxxiv. p. 34 (1877).	Philippines.
26. C. (?) Virescens , Walk. (<i>Blatta V.</i>) l. c. p. 231 (1868).	Sarawak.

Genus 10. **Choristima.** (*Type* no. 2.)

Tepp. Tr. R. Soc. S. Australia, xix. p. 165 (1895).

1. C. Pectinata , Sauss. (<i>Chorisoneura P.</i>) Mém. Soc. Genève, xxiii. p. 131 (1873);
Tepp. l. c. xviii. p. 186 (1894).	Australia.
**2. C. Hydrophoroides , Walk. (<i>Blatta H.</i>) Cat. Blatt. B. M. p. 96. n. 62 (1868).
<i>Chorisoneura Hygrophoroides</i> , Tepp. l. c. xvii. p. 114 (1893).	id.
**3. C. Galerucoides , Walk. (<i>Diploptera G.</i>) l. c. p. 57. n. 3 (1868).
<i>Eleutheroda Galerucoides</i> , Tepp. l. c. xvii. p. 116 (1893).	Tasmania.
3 a. C. Loftyensis , Tepp. (<i>Chorisoneura L.</i>) l. c. p. 115 (1893).	S. Australia.
*4. C. Kershawi , Tepp. l. c. xix. p. 165 (1895).	Australia.

Genus 11. **Anaptycha.**

Brunn. Proc. Zool. Soc. Lond. 1892, p. 202 ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 83 (1893).

- **1. **A. Bipunctulata**, Brunn. l. c. pl. 15. f. 1 | St. Vincent,
(1892). | W. Indies.

Genus 12. **Hemipterota.**

Sauss. Soc. Ent. viii. p. 67 (1893) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 83 (1893).

1. **H. Punctipes**, Sauss. l. c. p. 67 (1893) ; | Peru.
Sauss. & Zehntn. l. c. p. 83. n. 1, pl. 2. |
f. 25 (1893).

SUBFAM. III.

PHYLLODROMIINÆ.

Genus 13. **Pseudomops.** (*Type* no. 8.)

Serv. Ann. Sci. Nat. xxii. p. 41 (1831) ; Ins. Orth. p. 115 (1839).

- † *Thyrsocera*, Burm. Handb. Ent. ii. p. 498 (1838) ; Brunn. Syst. Blatt. p. 115 (1865) ; Sauss. Mém. Mex., Blatt. p. 119 (1864) ; Miss. Mex., Orth. p. 47 (1870) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 31 (1893).

- **1. **P. Angusta**, Walk. Cat. Blatt. B. M. p. 81. | Santarem.
n. 19 (1868).
*2. **P. Cincta**, Burm. (*Thyrsocera C.*) l. c. | Mexico,
p. 499. n. 3 (1838) ; Brunn. l. c. p. 122. | Guatemala,
n. 9 (1865) ; Sauss. ll. cc. p. 125 (1864) ; | Nicaragua.
p. 50, pl. 1. f. 28 (1870).
Thyrsocera Mexicana, Sauss. Rev. Zool. (2)
xiv. p. 168 (1862) ; Mém. Mex., Blatt.
p. 122 (1864).
*3. **P. Sallei**, Sauss. (*Thyrsocera S.*) ll. cc. | Mexico.
p. 168 (1862) ; p. 123 (1864).
P. Sallei, var., Walk. l. c. p. 77. n. 4 (1868).
Thyrsocera Cincta, var., Sauss. Miss. Mex.,
Orth. p. 51 (1870).

- *4. **P. Laticornis**, **Perty**, Del. Anim. Art. Brazil.
p. 117, pl. 23. f. 4 (1834); Serv. Ins.
Orth. p. 116 (1839).
Thyrsocera Laticornis, **Burm.** l. c. p. 499.
n. 6 (1838); **Brunn.** l. c. p. 123. n. 11
(1865); **Sauss.** Miss. Mex., Orth. p. 51
(1870).
- *5. **P. Dubia**, **Sauss.** (*Thyrsocera D.*) Rev. Rio Janeiro.
Zool. (2) xiv. p. 168 (1862); Mém. Mex.,
Blatt. p. 123 (1864); **Brunn.** l. c. p. 124.
n. 12 (1865).
Thyrsocera Laticornis, var., **Sauss. & Zehntn.**
l. c. p. 32. n. 2 (1893).
- **6. **P. Femoralis**, **Walk.** l. c. p. 81. n. 18 Brazil.
(1868).
|| *Thyrsocera Crinicornis* et var. *Fulva*,
Brunn. l. c. pp. 126, 127. n. 21 (1865).
Thyrsocera Brunneri, **Sauss.** Rev. Zool. (2)
xxi. p. 111 (1869).
7. **P. Oblongata**, **Linn.** (*Blatta O.*) Syst. Nat. Surinam.
(ed. x.) i. p. 425. n. 9 (1758); **De Geer**,
Mém. Ins. iii. p. 541, pl. 41. ff. 11, 12
(1773).
- *8. **P. Intercepta**, **Burm.** (*Blatta I.*) l. c. Mexico,
p. 499. n. 8 (1838); **Sauss.** Mém. Mex., Guatemala,
Blatt. p. 113 (1864). Honduras.
|| *P. Oblongata*, **Serv.** l. c. p. 115 (1839).
|| *Thyrsocera Oblongata*, **Brunn.** l. c. p. 121.
n. 8 (1865); **Sauss.** Miss. Mex., Orth.
p. 50, pl. 1. f. 29 (1870); **Sauss. & Zehntn.**
l. c. p. 32. n. 3 (1893).
Thyrsocera Tolteca, **Sauss.** Rev. Zool. (2)
xiv. p. 168 (1862); Mém. Mex., Blatt.
p. 124, pl. 1. f. 21 (1864); **Brunn.** l. c.
p. 125. n. 18 (1865).
9. **P. Inclusa**, **Walk.** l. c. p. 212 (1868). Brazil.
- **10. **P. Walkeri**, **Kirb.** Ann. Nat. Hist. (7) id.
xii. p. 273 (1903).
P. Flavipes, var., **Walk.** l. c. p. 79. n. 10 (1868).
- *11. **P. Flavipes**, **Burm.** (*Thyrsocera F.*) l. c. id.
p. 499. n. 5 (1838).
Thyrsocera Flavipes, **Brunn.** l. c. p. 125.
n. 16 (1865).
P. Concinna, **Walk.** l. c. p. 82. n. 20 (1868).
- *12. **P. Discicollis**, **Burm.** (*Blatta D.*) l. c. Mexico.
p. 1012 (1838); **Sauss.** Mém. Mex., Blatt.
p. 114 (1864).

- || *Blatta Discoidalis*, *Burm.* l. c. p. 498. n. 14 (1838).
Thyrsocera Discicollis, *Brunn.* l. c. p. 123. n. 10 (1865); (?) *Sauss. Miss. Mex., Orth.* p. 51 (1870).
13. **P. Gueriniana**, **Sauss.** (*Thyrsocera G.*) Mexico.
Rev. Zool. (2) xiv. p. 168 (1862); *Mém. Mex., Blatt.* p. 124 (1864); *Miss. Mex., Orth.* p. 50 (1870); *Brunn.* l. c. p. 126. n. 19 (1865).
- **14. **P. Mimica**, **Walk.** l. c. p. 80. n. 17 (1868). Para.
- **15. **P. Deceptura**, **Walk.** l. c. p. 82. n. 21 id.,
 (1868). Panama.
Thyrsocera Aurantiaca, *Sauss. & Zehntn.* l. c. p. 32. n. 6, pl. 3. ff. 6, 7 (1893).
16. **P. Americana**, **Sauss.** (*Thyrsocera A.*) Argentine Republic.
Rev. Zool. (2) xxi. p. 111 (1869); *Miss. Mex., Orth.* p. 51 (1870).
17. **P. Annulicornis**, **Burm.** (*Thyrsocera A.*) Bahia,
 l. c. p. 500. n. 9 (1838); *Brunn.* l. c. Para
 p. 125. n. 16 (1865). (eadem?).
 ? *Blatta Annulicornis*, *Walk.* l. c. p. 219 (1868).
- **18. **P. Melana**, **Walk.** l. c. p. 80. n. 16 (1868). Brazil.
- *19. **P. Crinicornis**, **Burm.** (*Thyrsocera C.*) Para,
 l. c. p. 499. n. 2 (1838); *Sauss. Rev. Surinam.*
Zool. (2) xxi. p. 111 (1869); *Miss. Mex., Orth.* p. 48 (1870); (?) *Sauss. & Zehntn.* l. c. p. 33. n. 7 (1893).
P. Crinicornis, var., *Walk.* l. c. p. 78. n. 8 (1868).
Thyrsocera Luctuosa, *Sauss.* *Rev. Zool.* (2) xx. p. 99 (1868); *Miss. Mex., Orth.* p. 48, pl. 1. ff. 27, 27 a (1870).
- *20. **P. Affinis**, **Burm.** (*Thyrsocera A.*) l. c. Surinam.
 p. 499. n. 4 (1838); (?) *Brunn.* l. c. p. 124. n. 14 (1865).
P. Affinis, *Walk.* l. c. p. 79. n. 9 (1868).
21. **P. Hirticornis**, **Burm.** (*Thyrsocera H.*) Para.
 l. c. p. 500. n. 10 (1868).
22. **P. Simulans**, **Stål**, *Eugenie's Resa, Ins.* Brazil.
 p. 310. n. 31 (1858).
Thyrsocera Simulans, *Brunn.* l. c. p. 124. n. 13 (1865).
- **23. **P. Melandryoides**, **Walk.** l. c. p. 84. Amazons
 n. 25 (1868). (St. Paolo).
24. **P. Tristicula**, **Stål**, l. c. p. 310. n. 32 (1858). Rio Janeiro.

- Thyrlocera Tristicula*, Brunn. l. c. p. 125.
n. 17 (1865).
25. **P. Nigrita**, Sauss. (*Thyrlocera N.*) Rev. Brazil.
Zool. (2) xxi. p. 111 (1869); Miss. Mex.,
Orth. p. 52 (1870).
26. **P. Obscura**, Sauss. (*Thyrlocera O.*) Miss. Bolivia
Mex., Orth. p. 52 (1870). (Sta. Cruz).
- *27. **P. Puiggarii**, Bol. (*Thyrlocera P.*) An. Brazil.
Soc. Españ. x. p. 354 (1881).

Genus 14. **Hemithyrlocera.** (Type no. 1.)

Sauss. Soc. Ent. viii. p. 57 (1893); Sauss. & Zehntn. Biol.
Centr.-Amer., Orth. i. p. 31 (1893).

- *1. **H. Nigra**, Brunn. (*Thyrlocera N.*) Syst. China,
Blatt. p. 120. n. 5 (1865); Ann. Mus. Cambodia,
Genova, xxxiii. p. 21 (1893). Burma.
- Ellipsidium Subcinctum*, Walk. Cat. Blatt.
B. M. p. 85. n. 5 (1868).
- *2. **H. Soror**, Brunn. (*Thyrlocera S.*) Syst. Celebes,
Blatt. p. 120. n. 6 (1865). Java.
3. **H. Ferruginea**, Brunn. (*Thyrlocera F.*) Burma.
Ann. Mus. Genova, xxxiii. p. 22, pl. 1.
f. 6 (1893).
- *4. **H. Scutigera**, Walk. (*Pseudomops S.*) Sarawak.
l. c. p. 212 (1868).
5. **H. Communis**, Brunn. l. c. p. 23 (1893). Burma.
- *6. **H. Lateralis**, Walk. (*Ellipsidium Laterale*) id., Siam,
l. c. p. 213 (1868). India.
- Thyrlocera Major*, Brunn. l. c. p. 22, pl. 1.
f. 7 (1893).
7. **H. Vittata**, Brunn. (*Thyrlocera V.*) Syst. Cambodia.
Blatt. p. 119. n. 4 (1865).
8. **H. Lugubris**, Stål, (*Thyrlocera L.*) Cefv. Philippines.
Vet.-Akad. Förh. xxxiv. (10) p. 33 (1877).
9. **H. Signata**, Brunn. (*Thyrlocera S.*) l. c. id.
p. 119. n. 3 (1865).
- Thyrlocera Circumcincta*, Stål, l. c. p. 33
(1877).
10. **H. Rufiventris**, Stål, (*Thyrlocera R.*) id.
l. c. (1877).
11. **H. Semicincta**, Stål, (*Thyrlocera S.*) l. c. id.
(1877).
12. **H. Circumclusa**, Stål, (*Thyrlocera C.*) id.
l. c. p. 34 (1877).

13. H. Suspecta , Bol. Ann. Soc. Ent. France,
1897, p. 288.	India.
14. H. (?) Australis , Tepp. (<i>Thyrlocera</i> (?)
A.) Tr. R. Soc. S. Australia, xix. p. 153
(1895).	N. Queens-
land.

Genus 15. **Nisibis**.Stål, *Œfv. Vet.-Akad. Förh.* xxxiv. (10) p. 34 (1877).

1. N. Amœna , Stål , (<i>Thyrlocera</i> (<i>Nisibis</i>) A.)
l. c. (1877).	Philippines.

Genus 16. **Thyrlocera**. (*Type* no. 5.)Burm. Handb. Ent. ii. p. 498 (1838) ; Brunn. Syst.
Blatt. p. 115 (1865), *nec* Sauss.

1. T. Xanthophila , Walk. (<i>Blatta</i> X.) Cat.
Blatt. B. M. p. 230 (1868).	Celebes.
*2. T. Histrio , Burm. l. c. p. 499. n. 7 (1838) ;
Brunn. l. c. p. 118. n. 2 (1865).
<i>Blatta Lateralis</i> , <i>Serv.</i> Ins. Orth. p. 107
(1839).
<i>Thyrlocera Lineaticollis</i> , <i>Bol.</i> An. Soc.
Españ. xix. p. 302 (1890).	Java,
Penang,
Sumatra.
3. T. Fissa , Walk. (<i>Pseudomops</i> F.) Cat.
Blatt. B. M. p. 213 (1868).	Sumatra.
*4. T. Pica , Walk. (<i>Pseudomops</i> P.) l. c.
(1868).	id., Singa-
pore.
*5. T. Spectabilis , Burm. l. c. p. 498. n. 1
(1838) ; Brunn. l. c. p. 121. n. 7 (1865).
<i>Ellipsidium Speciosum</i> , <i>Walk.</i> l. c. p. 214
(1868).	Nepal,
Ceylon,
"E. Archi-
pelago."
6. T. Jucunda , Sauss. (<i>Hemithyrlocera</i> J.)
Soc. Ent. viii. p. 57 (1893).	India.

Genus 17. **Pachnepteryx**. (*Type* no. 1.)*Pachnepteryx*, *Brunn.* Syst. Blatt. p. 116 (1865).

1. P. Pruinosa , Brunn. (<i>Thyrlocera</i> P.) l. c.
p. 117. n. 1 (1865).	Philippines.
**2. P. Ventralis , Walk. (<i>Ellipsidium Ventrale</i>)
Cat. Blatt. B. M. p. 85. n. 7 (1868).	id.

3. P. Pallidicollis , Stål, (<i>Thyrsochera</i> (<i>Pach-nepteryx</i>) <i>P.</i>) Æfv. Vet.-Akad. Förh. xxxiv. (10) p. 33 (1877).	Philippines.
4. P. Signaticollis , Stål, (<i>Thyrsochera</i> (<i>Pach-nepteryx</i>) <i>S.</i>) l. c. (1877).	id.

 Genus 18. **Ellipsidion**. (*Type* no. 14.)

Sauss. Mém. Soc. Genève, xvii. p. 146 (1863).

Ellipsidium, Sauss. Mém. Mex., Blatt. p. 118 (1864).

Apolyta, Brunn. Syst. Blatt. p. 112 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 44 (1893). (*Type* no. 15.)

**1. E. Mundicola , Walk. (<i>Blatta M.</i>) Cat. Blatt. B. M. p. 101. n. 74 (1868).	Australia.
1 a. E. Marginatum , Tepp. (<i>Apolyta Marginata</i>) l. c. xix. p. 152 (1895).	Victoria.
1 b. E. Latirupta , Walk. (<i>Blatta L.</i>) Cat. Blatt. B. M. Suppl. p. 143 (1869).	N. S. Wales.
**1 c. E. Inquinata , Walk. (<i>Blatta I.</i>) Cat. Blatt. B. M. p. 103. n. 78 (1868).	Australia.
1 d. E. Bitæniata , Sauss. (<i>Blatta B.</i>) Mém. Soc. Genève, xx. p. 243 (1869).	id.
*2. E. Femoratum , Brunn. (<i>Phyllodromia Femorata</i>) l. c. p. 101. n. 18 (1865).	Sydney.
3. E. Quadripunctatum , Tepp. (<i>Apolyta Quadripunctata</i>) l. c. xvii. p. 45 (1893).	Adelaide.
*4. E. Albovittatum , Sauss. (<i>Blatta</i> (<i>Phyllodromia</i>) <i>Albovittata</i>) l. c. xxiii. p. 95 (1873).	Australia.
5. E. (?) Marginiferum , Walk. (<i>Blatta Marginifera</i>) l. c. p. 107. n. 87 (1868).	id.
**6. E. Depressum , Walk. (<i>Blatta Depressa</i>) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 28 (1871).	id.
*7. E. Humerale , Tepp. (<i>Apolyta Humeralis</i>) l. c. xvii. p. 46 (1893).	Australia.
8. E. Pallidum , Tepp. (<i>Apolyta Pallida</i>) l. c. p. 46 (1893).	S. Australia.
9. E. Decoratum , Tepp. (<i>Apolyta Decorata</i>) l. c. (1893).	S. & W. Australia.
10. E. Testaceum , Tepp. (<i>Apolyta Testacea</i>) Horn Exped. Centr. Australia, ii. p. 358 (1896).	Centr. Australia.
11. E. Litura , Tepp. (<i>Apolyta L.</i>) l. c. p. 359 (1896).	id.
**12. E. Variegatum , Fabr. (<i>Blatta Variegata</i>) Syst. Ent. p. 273. n. 13 (1775).	Australia.

- || *Apolyta Vestita*, Brunn. l. c. p. 113. n. 1 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 45 (1893).
- 12 a. **E.(?) Vestitum, Burm.** (*Blatta Vestita*) Java.
Handb. Ent. ii. p. 498. n. 11 (1838).
13. **E. Bicolor, Tepp.** (*Apolyta B.*) l. c. xix. Cape York.
p. 152 (1895).
- *14. **E. Australe, Sauss.** (*Thyrlocera Australis*) Australia.
Mém. Soc. Genève, xvii. p. 146, pl. 1. f. 11 (1863).
E. Australe, Sauss. Rev. Zool. (2) xvi. p. 312 (1864), pupa.
- **14 a. **E. Placens, Walk.** (*Blatta P.*) l. c. p. 29 id.
(1871), larva.
15. **E. Pellucidum, Brunn.** (*Apolyta Pellucida*) N. S. Wales.
l. c. p. 114. n. 2, pl. 3. f. 10 A-E (1865);
Tepp. l. c. xvii. p. 47 (1893). xix. p. 151 (1895).
- *16. **E. Aurantium, Sauss.** Rev. Zool. (2) xvi. Australia.
p. 312 (1864).
Apolyta Aurantia, Sauss. Mém. Soc. Genève, xx. p. 250 (1869).
- *17. **E. Reticulatum, Sauss.** Rev. Zool. (2) id.
xvi. p. 312 (1864).
Apolyta Reticulata, Sauss. Mém. Soc. Genève, xx. p. 250 (1869).
18. **E. Pallescens, Tepp.** (*Apolyta P.*) l. c. Victoria.
xix. p. 152 (1895).
- **19. **E. Gracile, Butl.** Cist. Ent. i. p. 294 Rockhampton.
(1874).
- **20. **E. Apicifera, Walk.** (*Blatta A.*) Cat. Australia.
Blatt. B. M. p. 110. n. 94 (1868).
21. **E.(?) Ramosum, Walk.** (*Blatta Ramosa*) id.
Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 29 (1871).

Genus 19. **Ischnoptera.** (Type no. 73.)

Burm. Handb. Ent. ii. p. 500 (1838); Sauss. Mém. Mex., Blatt. p. 78 (1864); Miss. Mex., Orth. p. 53 (1870); Brunn. Syst. Blatt. p. 128 (1865); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 34 (1893); Tepp. Tr. R. Soc. S. Australia, xvii. p. 50 (1893).

|| *Platamodes*, Scudd. Bost. Journ. Nat. Hist. vii. p. 417 (1862).

- *1. **I. Strigosa, Schaum,** (*Blatta S.*) Peters' Mozambique, Natal, &c.
Reise Mossamb., Zool. v. p. 108 (1862).
I. Strigosa, Brunn. l. c. p. 138. n. 13 (1865).

- I. Natalensis*, Walk. Cat. Blatt. B. M. p. 117.
n. 30 (1868).
2. **I. Bocagii**, Bol. J. Sci. Lisboa, xxx. p. 107 (1882). Angola.
3. **I. Picea**, Schulth. Ann. Mus. Genova, xxxix. p. 166 (1898). Somali Land.
4. **I. Neutra**, Sauss. Abhandl. Senckenb. Ges. xxi. p. 571 (1899). S. Africa.
5. **I. Incuriosa**, Sauss. l. c. (1899). id.
6. **I. Malagassa**, Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 18, pl. 6. f. 66 (1895); Sauss. l. c. p. 570 (1899). Madagascar
7. **I. Ectobioides**, Sauss. Mém. Soc. Genève, xxiii. p. 104 (1873). S. China.
- **8. **I. Sinensis**, Walk. l. c. Suppl. p. 148 (1869). Hong Kong.
9. **I. Ramosa**, Sauss. l. c. xx. p. 254 (1869). "E. Indies."
10. **I. Himalayica**, Brunn. l. c. p. 129. n. 1 (1865). Himalayas.
- **11. **I. Continua**, Walk. (*Blatta C.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 22 (1871). Bombay.
12. **I. Arcta**, Brunn. l. c. p. 132. n. 7 (1865). Ceylon.
13. **I. Procera**, Brunn. l. c. p. 137. n. 12 (1865). id.
14. **I. Multiramosa**, Brunn. Ann. Mus. Genova, xxxiii. p. 23, pl. 1. f. 8 (1893). Burma (Rangoon).
15. **I. Fusca**, Brunn. l. c. p. 24 (1893). id. (Palon).
16. **I. Modesta**, Brunn. l. c. (1893). id. (Bhamo).
17. **I. Indica**, Brunn. Syst. Blatt. p. 130. n. 2 (1865). Malacca.
18. **I. Majuscula**, Walk. (*Blatta M.*) Cat. Blatt. B. M. Suppl. p. 139 (1869). Siam.
- *19. **I. Reversa**, Walk. l. c. p. 147 (1869). Singapore.
20. **I. Flavicollis**, Serv. (*Kakerlac F.*) Ins. Orth. p. 69 (1839). Java.
- I. Flavicollis*, Brunn. l. c. p. 138. n. 14 (1865); (?) Sauss. l. c. xx. p. 251 (1869).
21. **I. Obtusifrons**, Walk. (*Blatta O.*) Cat. Blatt. B. M. p. 226 (1868). Sarawak.
- *22. **I. Australis**, Sauss. Mém. Soc. Genève, xvii. p. 155, pl. 1. f. 17 (1863). Australia.
- I. Australica*, Brunn. l. c. p. 131. n. 4 (1865); Tepp. l. c. p. 50 (1893).
- Periplaneta Apicalis*, Walk. l. c. p. 129. n. 17 (1868).
- *23. **I. Fulva**, Sauss. l. c. xvii. p. 156, pl. 1. f. 18 (1863), xx. p. 251 (1869). id.

24. **I. Longiuscula, Walk.** (*Blatta L.*) l. c. Suppl. p. 143 (1869). Melbourne.
I. Longiuscula, Tepp. l. c. xvii. p. 51 (1893), S. Australia.
 xix. p. 154 (1895).
25. **I. Termitina, Sauss.** l. c. xvii. p. 157, Australia.
 pl. 1. f. 19 (1863), xx. p. 251 (1869).
26. **I. Triramosa, Sauss.** l. c. xx. p. 252 (1869). id.
27. **I. Anastomosa, Tepp.** l. c. xvii. p. 53 S. Australia.
 (1893).
- *28. **I. Brunneonigra, Tepp.** l. c. xix. p. 155 Victoria.
 (1895).
- **29. **I. Centralis, Walk.** Cat. Blatt. B. M. S. Australia.
 p. 120. n. 38 (1868).
30. **I. Manicata, Tepp.** l. c. xvii. p. 53 id.
 (1893).
31. **I. Paral[1]ella, Tepp.** l. c. (1893). Australia.
32. **I. Contraria, Tepp.** l. c. p. 54 (1893). S. Australia.
33. **I. Obscura, Tepp.** l. c. (1893). Australia.
34. **I. Annulata, Tepp.** l. c. p. 51 (1893). S. Australia.
35. **I. Excisa, Bol.** Mém. Soc. Zool. France, Cuba.
 i. p. 124 (1888).
- *36. **I. Rufescens, Beauv.** (*Blatta R.*) Ins. Haiti,
 Afr. Amér. p. 183, Orth. pl. 1 b. f. 7 Jamaica,
 (1805). Cuba,
I. Rufescens, Sauss. Mém. Mex., Blatt. p. 91 India,
 (1864); Brunn. Syst. Blatt. p. 139. Africa,
 n. 18 (1865). Mexico to
I. Terminalis, Walk. Cat. Blatt. B. M. Brazil.
 p. 122. n. 43 (1868).
Blatta Capitata, Sauss. Rev. Zool. (2) xiv.
 p. 167 (1862); Mém. Mex., Blatt. p. 114,
 pl. 1. f. 19 (1864).
I. Capitata, Brunn. l. c. p. 140. n. 21 (1865).
Epilampra Blattoides, Sauss. Mém. Soc.
 Genève, xvii. p. 145 (1863).
I. Blattoides, Sauss. Miss. Mex., Orth.
 p. 54, pl. 1. f. 31 (1870).
37. **I. Inæqualis, Sauss. & Zehntn.** Biol. Texas,
 Centr.-Amer., Orth. i. p. 36. n. 1, pl. 6. Mexico.
 ff. 14-17 (1893).
- *38. **I. Uhleriana, Sauss.** Rev. Zool. (2) xiv. Pennsylv-
 p. 169 (1862); Mém. Mex., Blatt. p. 82 ania,
 (1864); Miss. Mex., Orth. p. 55 (1870); Southern
 Sauss. & Zehntn. l. c. p. 36. n. 2, pl. 3. States.
 ff. 21-23 (1893).
39. **I. Hamata, Giglio-Tos,** Boll. Mus. Ecuador.
 Torino, xiii. (311) p. 4 (1898).

40. **I. Sancta, Giglio-Tos**, l. c. p. 5 (1898). Ecuador.
41. **I. Festæ, Griff.** (*Epilampra F.*) Boll. Panama.
Mus. Torino, xi. (236) p. 2 (1896).
I. Festæ, Giglio-Tos, l. c. xiii. (311) p. 3 (1898).
42. **I. Brasiliensis, Brunn.** l. c. p. 130. n. 3 Brazil.
(1865); Sauss. Miss. Mex., Orth. p. 55,
pl. 2. f. 32 (1870).
43. **I. Peruana, Sauss.** Rev. Zool. (2) xiv. Peru.
p. 169 (1862); Mém. Mex., Blatt. p. 90
(1864); Brunn. l. c. p. 141. n. 22 (1865).
44. **I. Mexicana, Sauss.** ll. cc. (2) xiv. p. 170 Mexico.
(1862); p. 86 (1864); Miss. Mex., Orth.
p. 64, pl. 2. f. 36 (1870); Brunn. l. c.
p. 141. n. 22 (1865).
- **45. **I. Nigricollis, Walk.** Cat. Blatt. B. M. Georgia.
p. 118. n. 32 (1868).
- *46. **I. Occidentalis, Sauss.** Rev. Zool. (2) New
xiv. p. 170 (1862); Mém. Mex., Blatt. Orleans,
p. 87 (1864); Brunn. l. c. p. 141. n. 23 Mexico.
(1865).
- *47. **I. Consobrina, Sauss.** ll. cc. (2) xiv. Mexico.
p. 170 (1862); p. 88 (1864); Miss. Mex.,
Orth. p. 59, pl. 2. f. 34 (1870); Sauss. &
Zehntn. l. c. p. 37. n. 4, pl. 3. f. 24
(1893); Brunn. l. c. p. 141. n. 24 (1865).
- **48. **I. Melasa, Walk.** l. c. p. 118. n. 31 (1868). Santarem.
- **49. **I. Lucida, Walk.** l. c. p. 120. n. 39 Pernam-
(1868). buco.
50. **I. Elongata, Beauv.** (*Blatta E.*) l. c. Haiti.
p. 183, Orth. pl. 1 b. f. 5 (1805).
I. Elongata, Sauss. Mém. Mex., Blatt. p. 89
(1864).
- **51. **I. Clara, Walk.** l. c. p. 114. n. 14 (1868). Brazil.
52. **I. Rufa, Brunn.** l. c. p. 131. n. 5, pl. 3. id.
f. 13 A-C (1865).
53. **I. Bergrothi, Griff.** (*Epilampra B.*) l. c. Panama.
xi. (236) p. 3 (1896).
I. Bergrothi, Giglio-Tos, l. c. xiii. (311) p. 4
(1898).
54. **I. Josephina, Giglio-Tos**, l. c. p. 6 (1898). Ecuador.
- **55. **I. Conformis, Sauss. & Zehntn.** l. c. Nicaragua.
p. 37. n. 5, pl. 3. f. 25 (1893).
- *56. **I. Ignobilis, Sauss.** Rev. Zool. (2) xvi. Buenos
p. 313 (1864); Miss. Mex., Orth. p. 60 Aires,
(1870); Sauss. & Zehntn. l. c. p. 37. Guatemala.
n. 6 (1893).

57. **I. Ocularis, Sauss.** Mém. Soc. Genève, xxiii. p. 103 (1873). Cayenne.
58. **I. Bivittata, Thom.** Proc. Davenport Acad. i. p. 250, pl. 36. ff. 1, 2 (1876). San Francisco.
59. **I. Bicolor, Beauv.** (*Blatta B.*) l. c. p. 183, pl. 1 b. f. 6 (1805). Haiti.
I. Bicolor, Sauss. Mém. Mex., Blatt. p. 90 (1864); Brunn. l. c. p. 139. n. 17 (1865).
- *60. **I. Borealis, Brunn.** l. c. p. 133. n. 8 (1865). Delaware, Texas.
I. Hyalina, Scudd. Trans. Amer. Ent. Soc. ii. p. 307 (1869).
61. **I. Unicolor, Scudd.** (*Platamodes U.*) Boston Journ. Nat. Hist. vii. p. 417 (1862). Massachusetts.
I. Unicolor, Brunn. l. c. p. 134. n. 9 (1865); Sauss. Miss. Mex., Orth. p. 56 (1870).
Ectobia Lithophila, Scudd. l. c. p. 418 (1862), larva.
- *62. **I. Nahua, Sauss.** Rev. Zool. (2) xx. p. 356 (1868); Miss. Mex., Orth. p. 56, pl. 2. f. 33 (1870). Mexico.
- **63. **I. Inca, Sauss. & Zehntn.** l. c. p. 38, pl. 4. f. 23 (1893). Guatemala.
- *64. **I. Castanea, Sauss.** ll. cc. (2) xxi. p. 112 (1869); p. 61 (1870); Sauss. & Zehntn. l. c. p. 38. n. 9 (1893). Brazil, Mexico.
65. **I. Bilunata, Sauss.** ll. cc. p. 111 (1869); p. 58 (1870). Bolivia (Chiquitos).
66. **I. Taczanowskii, Bol.** An. Soc. Españ. x. p. 467 (1881). Peru.
- *67. **I. Azteca, Sauss.** Rev. Zool. (2) xiv. p. 170 (1862); Mém. Mex., Blatt. p. 88 (1864); Miss. Mex., Orth. p. 65 (1870); Brunn. l. c. p. 141. n. 26 (1865). Mexico.
Blatta Otomia, Sauss. Mém. Mex., Blatt. p. 104 (1864).
- *68. **I. Tolteca, Sauss.** Rev. Zool. (2) xx. p. 356 (1868); Miss. Mex., Orth. p. 64, pl. 2. f. 37 (1870). id.
- **69. **I. Nana, Sauss. & Zehntn.** l. c. p. 39. n. 12 (1893). Nicaragua.
- *70. **I. Parvula, Sauss.** ll. cc. (2) xxi. p. 112 (1869); p. 62 (1870); Sauss. & Zehntn. l. c. p. 39. n. 13 (1893). Brazil, Cuba, Nicaragua.

71. I. Annulicornis , Sauss. & Zehntn. l. c. p. 40. n. 14 (1893).	Guatemala.
*72. I. Vilis , Sauss. ll. cc. (2) xxi. p. 112 (1869); p. 60 (1870).	S. America
(Corrientes)
*73. I. Morio , Burm. l. c. p. 500. n. 3 (1838).	Colombia.
*74. I. Pen[n]sylvanica , De Geer , (<i>Blatta P.</i>) Mém. Ins. iii. p. 537, pl. 44. f. 4 (1773).	United States.
<i>I. Pennsylvanica</i> , Sauss. Mém. Mex., Blatt. p. 84 (1864); Miss. Mex., Orth. p. 63, pl. 2. f. 35 (1870).	
<i>I. Pensylvanica</i> , Brunn. l. c. p. 135. n. 11 (1865).	
<i>I. Nortoniana</i> , Sauss. Rev. Zool. (2) xiv. p. 169 (1862).	
75. I. Couloniana , Sauss. l. c. (1862); Mém. Mex., Blatt. p. 83 (1864); Miss. Mex., Orth. p. 63 (1870); Sauss. & Zehntn. l. c. p. 40. n. 15 (1893).	Texas,
Mexico.
<i>I. Lata</i> , Brunn. l. c. p. 135. n. 10 (1865).	
**76. I. Rubiginosa , Walk. l. c. p. 121. n. 41 (1868).	Santarem.
77. I. (?) Cincta , Fabr. (<i>Blatta C.</i>) Mant. Ins. i. p. 226. n. 17 (1787).	North (?)
America.
78. I. Marginata , Brunn. l. c. p. 132. n. 6 (1865).	Brazil.
79. I. Translucida , Sauss. Mém. Mex., Blatt. p. 85 (1864).	N. America.
**80. I. Undulifera , Walk. Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 31 (1871).	Nicaragua
(Chontales)
81. I. Divisa , Sauss. & Zehntn. l. c. p. 40. n. 16 (1893).	Georgia,
North Mex.
82. I. Bolliana , Sauss. & Zehntn. l. c. n. 17 (1893).	Texas,
New Mex.
83. I. Hebes , Walk. Cat. Blatt. B. M. p. 122. n. 42 (1868).	Santarem.
84. I. Fumata , Burm. l. c. p. 500. n. 2 (1838); Brunn. l. c. p. 139. n. 16 (1865).	Brazil.
**85. I. Deprivata , Walk. (<i>Blatta D.</i>) l. c. p. 215 (1868).	Hab. — ?

Genus 20. **Pseudischnoptera.**

Sauss. Rev. Zool. (2) xxi. p. 112 (1869); Miss. Mex.,
Orth. p. 66 (1870).

<p>1. P. Lineata, Oliv. (<i>Blatta L.</i>) Enc. Méth.,
Ins. iv. p. 317. n. 17 (1789); Beauv. Ins.
Afr. Amér. p. 218, Orth. pl. 2 c. f. 5
(1805); Serv. Ins. Orth. p. 98 (1839).
<i>Thyrsocera Lineata</i>, Brunn. Syst. Blatt.
p. 126. n. 20 (1865).
<i>P. Lineata</i>, Sauss. Miss. Mex., Orth. p. 67
(1870).</p> | <p>Cayenne,
Antilles.</p> |
|---|-------------------------------|

Genus 21. **Chrastoblatta.**

Sauss. & Zehntn. Grandidier, Hist. Madagascar,
Orth. pp. 17, 20 (1895).

<p>1. C. Tricolor, Sauss. & Zehntn. l. c.
p. 21, pl. 2. f. 17 (1895); Sauss. Abhandl.
Senckenb. Ges. xxi. p. 572 (1899).</p> <p>2. C. Dimidiata, Sauss. (<i>Proscratea D.</i>)
Mém. Soc. Genève, xvii. p. 160 (1863).
<i>C. Dimidiata</i>, Sauss. & Zehntn. l. c. p. 23,
pl. 2. f. 18 (1895).
<i>Proscratea Marginata</i>, Brunn. Syst. Blatt.
p. 326. n. 3 (1868).</p> | <p>Madagascar
(Antanana-
rivo).</p> |
|---|---|

Genus 22. **Caloblatta.**

Sauss. Soc. Ent. viii. p. 57 (1893); Sauss. & Zehntn.
Biol. Centr.-Amer., Orth. i. p. 33 (1893).

<p>**1. C. Bicolor, Sauss. l. c. p. 57 (1893);
Sauss. & Zehntn. l. c. p. 33. n. 1 (1893).</p> <p>**2. C. Tricolor, Sauss. l. c. p. 57 (1893);
Sauss. & Zehntn. l. c. p. 34. n. 2, pl. 3.
ff. 11-13 (1893).</p> | <p>Costa Rica.</p> <p>Guatemala,
Nicaragua.</p> |
|--|---|

Genus 23. **Phyllodromia.** (*Type* no. 1.)

Serv. Ins. Orth. p. 105 (1839); Fisch. Waldh. Orth. Ross. p. 75
(1846); Brunn. Syst. Blatt. p. 88 (1865); Prodr. Eur.
Orth. p. 45 (1882); Bol. Sin. Ortópt. Españ. p. 47 (1876);
Fin. Faune France, Orth. p. 80 (1889); Burr, Brit. Orth.
p. 23 (1897); Tümp. Geradfl. Mitteleuropas, p. 234 (1900).

|| *Blatta*, *pt.*, *Linn.* Syst. Nat. (ed. xii.) i. (2) p. 667 (1767);
 Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 41 (1893);
 Grandidier, Hist. Madagascar, Orth. i. p. 24 (1895).

Liosilpha, *Stål*, Bihang Svensk. Akad. ii. (13) p. 10 (1874).
 (Type no. 154.)

Blattella, *Caud.* Proc. Ent. Soc. Washington, v. p. 234 (1903).
 (Type no. 1.)

- *1. **P. Germanica**, **Linn.** (*Blatta G.*) Syst. Nat. (ed. xii.) i. (2) p. 668. n. 7 (1767);
 Herbst, Fuessly, Arch. Ins. p. 186, pl. 49.
 f. 10 (1786); Don. Brit. Ins. x. pl. 341
 (1800); Stoll, Spectres, Blatt. p. 7, pl. 4 d.
 f. 18 (1813); Serv. Ins. Orth. p. 107
 (1839); Fisch. Orth. Eur. p. 112, pl. 7.
 ff. 21, 21 a (1853); Sauss. & Zehntn.
 ll. cc. p. 42, n. 1 (1893); p. 27 (1895).
Ectobius Germanicus, *Steph.* Ill. Brit. Ent.,
 Mand. vi. p. 46 (1835).

Phyllodromia Germanica, *Fisch. Waldh.* l. c.
 p. 76, pl. 1. f. 4 (1842); Brunn. ll. cc.
 p. 90. n. 1, pl. 2. f. 7 A-E (1865); p. 46,
 pl. 1. f. 9 A-E (1882); Bol. l. c. p. 48
 (1876); Fin. l. c. p. 81, pl. 2. f. 47
 (1889); Burr, l. c. p. 23, pl. 2. f. 4
 (1897); Tümp. l. c. p. 234, pl. 15 (1900).

|| *Phyllodromia Bivittata*, *Sauss.* Mém. Mex.,
 Blatt. p. 102 (1864).

- *2. **P. Bivittata**, **Serv.** (*Blatta B.*) Ins. Orth. Africa, &c.
 p. 108 (1839); Sauss. Miss. Mex., Orth. (Cosmopolitan.)
 p. 28 (1870).

P. Bivittata, *Brunn.* l. c. p. 92. n. 3 (1865).

3. **P. Parenthesis**, **Gerst.** Mitth. Ver. W. Africa
 Vorpomm. xiv. p. 57 (1883). (Ogowe).
4. **P. Madecassa**, **Sauss.** (*Blatta M.*) Ann. Madagascar
 Mus. Genova, xxxv. p. 72 (1895); Somali
 Abhandl. Senckenb. Ges. xxi. p. 572 Land.

5. **P. Bimaculata**, **Gerst.** Arch. Naturg. E. Africa
 xxxv. p. 206 (1869); Von der Decken, (Lake Jipe).
 Reisen in Ost-Afrika, iii. (2) p. 4 (1873).

- *6. **P. Bitæniata**, **Stål**, (*Blatta B.*) Œfv. S. Africa
 Vet.-Akad. Förh. xv. p. 308 (1858); (R. Swakop)
 Brunn. l. c. p. 93 (1865).

Ischnoptera Hastifera, *Walk.* Cat. Blatt.
 B. M. Suppl. p. 147 (1869).

- 6 a. **P. Macilenta, Sauss. & Zehntn.** (*Blatta* M.) l. c. p. 33, pl. 1. f. 12 (1895). S. Africa (Orange R.).
7. **P. Difficilis, Sauss.** (*Blatta* D.) Abhandl. Senckenb. Ges. xxi. p. 572 (1899). Madagascar (Nossi Bé).
8. **P. Extenuata, Walk.** (*Blatta* E.) Cat. Blatt. B. M. p. 221 (1869). Egypt.
- *9. **P. Lobiventris, Sauss.** (*Blatta* L.) Ann. Mus. Genova, xxxv. p. 73 (1895). E. Africa (Shoa).
10. **P. Incisa, Sauss. & Zehntn.** (*Blatta* I.) l. c. p. 37, pl. 1. f. 8 (1895); Sauss. Abhandl. Senckenb. Ges. xxi. p. 573 (1899). Madagascar (Antananarivo).
11. **P. Fissa, Sauss. & Zehntn.** (*Blatta* F.) l. c. p. 39, pl. 1. f. 11 (1895). id.
12. **P. Constricta, Sauss.** (*Blatta* (*Phyllo-dromia*) C.) Ann. Mus. Genova, xxxv. p. 74 (1895). E. Africa (Erythræa).
13. **P. Hemerobina, Gerst.** Mitth. Ver. Vorpomm. xiv. p. 57 (1883). W. Africa (Ogowe).
14. **P. Centralis, Gerst.** l. c. p. 58 (1883). Cameroons.
15. **P. Pustulosa, Gerst.** l. c. p. 59 (1883). id.
16. **P. Ferrea, Sauss. & Zehntn.** (*Blatta* F.) l. c. p. 36, pl. 1. f. 7 (1895); Sauss. Abhandl. Senckenb. Ges. xxi. p. 573 (1899). Madagascar
17. **P. Lacrymula, Sauss. & Zehntn.** (*Blatta* L.) l. c. p. 31, pl. 1. f. 10 (1895). id.
- *18. **P. Supellectilium, Serv.** (*Blatta* S.) Ins. Orth. p. 114 (1839); Sauss. & Zehntn. l. c. p. 34 (1895). Mauritius, Africa, &c. (*Cosmopolitan.*)
P. Supellectilium, Brunn. l. c. p. 98. n. 11 (1865).
Blatta Cubensis, Sauss. Rev. Zool. (2) xiv. p. 165 (1862); Mém. Mex., Blatt. p. 108, pl. 1. ff. 14, 15 (1864).
P. Cubensis, Brunn. l. c. p. 109. n. 29 (1865).
Blatta Capensis, Sauss. Rev. Zool. (2) xvi. p. 210 (1864); Mém. Soc. Genève, xx. p. 243, pl. 3. ff. 21, 21 a (1869).
Blatta Incisa, Walk. l. c. p. 109. n. 92 (1868).
Ischnoptera Quadriplaga, Walk. l. c. p. 121. n. 40 (1868).
Blatta Phalerata, Sauss. Mém. Soc. Genève, xvii. p. 151, pl. 1. f. 16 (1864).
Blatta Subfasciata, Walk. Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 26 (1871).

19. **P. Tenella, Stål**, (*Blatta T.*) l. c. xiii. Natal.
p. 166 (1856).
P. Tenella, *Brunn.* l. c. p. 99. n. 13
(1865).
20. **P. Cordofana, Brunn.** l. c. p. 97. n. 10 Khartoum.
(1865).
21. **P. Massauæ, Sauss. & Zehntn.** (*Blatta* Massowa.
M.) l. c. p. 28 (1895).
22. **P. Corommensis, Schulth.** Ann. Mus. Somali
Genova, xxxix. p. 165 (1898). Land.
23. **P. Delta, Kirb.** Ann. Nat. Hist. (7) v. Transvaal
p. 280 (1900); Distant, Ins. Transvaal. (Barberton).
p. 19, pl. 1. f. 4 (1900).
- *24. **P. Ruficeps, Kirb.** ll. cc. p. 280 (1900); Nyasa Land.
p. 20, pl. 1. f. 7 (1900).
25. **P. Circumcincta, Reiche & Fairm.** Abyssinia.
(*Blatta C.*) Ferret & Galinier, Voy. Abyss.
iii. p. 421, pl. 27. f. 3 (1847).
P. Circumcincta, *Brunn.* l. c. p. 100. n. 15
(1865).
26. **P. Patricia, Gerst.** l. c. p. 60 (1883). Cameroons.
27. **P. Cinnamomea, Gerst.** l. c. p. 62 id.
(1883).
28. **P. Pulchella, Gerst.** l. c. p. 61 (1883). id.
- *29. **P. Vinula, Stål**, (*Blatta V.*) l. c. xiii. Natal.
p. 166 (1856).
P. Vinula, *Brunn.* l. c. p. 100. n. 14 (1865).
- **30. **P. Fulvipes, Walk.** (*Blatta F.*) Cat. Blatt. Sierra
B. M. p. 105. n. 82 (1868). Leone.
- **31. **P. Amœna, Walk.** (*Blatta Amœna*) l. c. W. Africa,
p. 220 (1868). Natal.
32. **P. Alluaudi, Bol.** (*Blatta A.*) Ann. Soc. W. Africa
Ent. France, 1893, p. 171. (Assinie).
- **33. **P. Macroptera, Walk.** (*Blatta M.*) l. c. Natal.
p. 104. n. 80 (1868).
- **34. **P. Reducta, Walk.** (*Blatta R.*) l. c. p. 220 W. Africa.
(1868).
35. **P. Trigonalis, Sauss.** Abhandl. Senckenb. S. Africa.
Ges. xxi. p. 574 (1899).
36. **P. Carsiphila, Rochebr.** Bull. Soc. Senegambia
Philom. (7) vii. p. 175 (1883).
- **37. **P. Beauvoisii, Walk.** (*Blatta B.*) l. c. Sierra
p. 101. n. 72 (1868). Leone.
- **38. **P. Curta, Walk.** (*Blatta C.*) l. c. p. 220 Congo.
(1868).
39. **P. Basalis, Gerst.** l. c. p. 63 (1883). Cameroons.
40. **P. Punctifrons, Gerst.** l. c. (1883). id., Gaboon.

41. P. Ægrota , Gerst. l. c. p. 64 (1883).	Ogowe.
42. P. Relucens , Gerst. l. c. p. 65 (1883).	id.
43. P. Amplicollis , Gerst. l. c. p. 66 (1883).	Gaboon.
44. P. Obsoleta , Gerst. l. c. (1883).	Gold Coast.
45. P. Munzigeri , Sauss. (<i>Blatta</i> (<i>Phyllodromia</i>) <i>M.</i>) Mém. Soc. Genève, xxiii. p. 94 (1873).	W. Africa (Bogos).
46. P. Opima , Sauss. & Zehntn. l. c. p. 40, pl. 1. f. 13 (1895).	Madagascar
<i>Blatta</i> (<i>Phyllodromia</i>) <i>Latipennis</i> , Sauss. Soc. Ent. vi. p. 26 (1891).	
47. P. Anomala , Sauss. (<i>Blatta</i> <i>A.</i>) Mém. Soc. Genève, xx. p. 248 (1869).	Gaboon.
48. P. Sikoræ , Sauss. (<i>Blatta</i> (<i>Phyllodromia</i>) <i>S.</i>) Soc. Ent. vi. p. 25 (1891); Sauss. & Zehntn. l. c. p. 34, pl. 6. f. 67 (1895).	Madagascar (Antananarivo).
49. P.(?) Bicincta , Walk. (<i>Blatta</i> <i>B.</i>) Melliss, St. Helena, p. 166 (1875).	St. Helena.
50. P. Asiatica , Pall. (<i>Blatta</i> <i>A.</i>) Reise, ii. p. 727. n. 76 (1773).	Siberia.
**51. P. Lituricollis , Walk. (<i>Blatta</i> <i>L.</i>) l. c. p. 105. n. 83 (1868).	Amoy.
52. P. Colligata , Walk. (<i>Blatta</i> <i>C.</i>) l. c. p. 221 (1868).	id.
53. P. Bisignata , Brunn. Ann. Mus. Genov. xxxiii. p. 15, pl. 1. f. 1 (1893).
<i>Blatta Bisignata</i> , Sauss. & Zehntn. l. c. p. 28 (1896).	Bhamo.
54. P. Picteti , Fritze, Rev. Suisse Zool. vii. p. 337 (1900).	Java.
*55. P. Humbertiana , Sauss. (<i>Polyzosteria</i> <i>H.</i>) Mém. Soc. Genève, xvii. p. 130 (1863), larva.
<i>P. Cognata</i> , Brunn. Syst. Blatt. p. 92. n. 2 (1865); Ann. Mus. Genova, xxxiii. p. 17 (1893).
<i>Blatta Cognata</i> , Sauss. & Zehntn. l. c. p. 30 (1895).
<i>Blatta Latistriga</i> , Walk. l. c. p. 106. n. 84 (1868).
<i>Blatta Subreticulata</i> , Walk. Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 23 (1871).	China, India.
56. P. Irregulariter-vittata , Brunn. Abhandl. Senckenb. Ges. xxiv. p. 202, pl. 16. f. 1 (1898).	Java, Borneo.
57. P. Latiusvittata , Brunn. l. c. f. 2 (1898).	Java.

58. P. Curvinervis , Sauss. & Zehntn. (<i>Blatta C.</i>) l. c. p. 32 (1895).	Java,
Borneo.
59. P. Advena , Sauss. & Zehntn. l. c. p. 33, pl. 1. f. 9 (1895).	Java.
60. P. Variegata , Brunn. l. c. p. 205, pl. 16. f. 10 (1898).	id.
61. P. Sordida , Brunn. Syst. Blatt. p. 104. n. 21 (1865).	Cambodia.
**62. P. Figurata , Walk. (<i>Blatta F.</i>) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 24 (1871).	Bombay.
63. P. Rectangulariter-vittata , Brunn. Abhandl. Senckenb. Ges. xxiv. p. 203, pl. 16. f. 3 (1898).	Borneo.
64. P. Triangulariter-vittata , Brunn. l. c. f. 4 (1898).	id. (Baram).
**65. P. (?) Subcolorata , Walk. (<i>Ischnoptera S.</i>) l. c. p. 32 (1871).	Bombay.
**66. P. Annulifera , Walk. (<i>Blatta A.</i>) l. c. p. 24 (1871).	id.
**67. P. Fasciceps , Walk. (<i>Blatta F.</i>) l. c. p. 25 (1871).	id.
68. P. Diluta , Sauss. (<i>Blatta D.</i>) Mém. Soc. Genève, xvii. p. 153 (1863); Sauss. & Zehntn. l. c. p. 31 (1895).	Ceylon.
69. P. Inversa , Brunn. l. c. p. 96 (1865).	Java.
70. P. Humeralis , Walk. (<i>Blatta H.</i>) Cat. Blatt. B. M. Suppl. p. 140 (1869).	Singapore.
71. P. Laticeps , Walk. (<i>Blatta L.</i>) l. c. p. 142 (1869).	id.
72. P. Aliena , Brunn. Ann. Mus. Genova, xxxiii. p. 15 (1893).	Upper
Burma.
**73. P. Biligata , Walk. (<i>Ischnoptera B.</i>) Cat. Blatt. B. M. p. 123. n. 45 (1868).
<i>Blatta Biligata</i> , Wall. l. c. p. 227 (1868).	Ceylon,
Celebes.
**74. P. Brevipes , Walk. (<i>Blatta B.</i>) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 22 (1871).	Bombay.
75. P. Picticollis , Walk. (<i>Blatta P.</i>) Cat. Blatt. B. M. Suppl. p. 140 (1869).	Celebes.
76. P. Nodosa , Fritze, (<i>Blatta N.</i>) Rev. Suisse Zool. vii. p. 335 (1899).	Java.
77. P. Ferruginea , Brunn. Syst. Blatt. p. 102. n. 19 (1865).	"E. Indies."
78. P. Apicigera , Walk. (<i>Blatta A.</i>) Cat. Blatt. B. M. p. 227 (1868).	Java.
**79. P. Lativitrea , Walk. (<i>Blatta L.</i>) l. c. p. 223 (1868).	Cambodia.

80. P. Birmanica , Brunn. Ann. Mus. Genov. xxxiii. p. 17, pl. 1. f. 4 (1893).	Burma.
81. P. Subtilis , Brunn. l. c. p. 18 (1893).	Pegu.
*82. P. Unicolor , Brunn. l. c. (1893).	Mandalay.
83. P. Punctulata , Brunn. l. c. (1893).	Up. Burma.
84. P. Marmorata , Brunn. l. c. p. 19 (1893).	Burma.
85. P. Vicina , Brunn. l. c. (1893).	id.
86. P. Immunda , Brunn. l. c. p. 20 (1893).	id., Pegu.
87. P. Subgenitalis , Fritze, (<i>Blatta S.</i>) l. c. p. 336 (1899).	Java, Sumatra.
<i>P. Subgenitalis</i> , var. <i>Obscurior</i> , Fritze, l. c. (1899).	
**88. P. Isomorpha , Walk. (<i>Blatta I.</i>) Cat. Blatt. B. M. p. 108. n. 90 (1868).	Hong Kong.
89. P. Vilis , Brunn. Syst. Blatt. p. 103. n. 20 (1865).	Malacca.
<i>Blatta Humbertiana</i> , Sauss. Mém. Soc. Genève, xvii. p. 155 (1863), xx. p. 246 (1869).	
<i>P. Humbertiana</i> , Sauss. Abhandl. Senckenb. Ges. xxi. p. 574 (1899).	
**90. P. Parilis , Walk. (<i>Blatta P.</i>) l. c. p. 110. n. 93 (1868).	Hong Kong, Amoy.
91. P. Marginata , Bol. (<i>Blatta M.</i>) Ann. Soc. Ent. France, 1897, p. 288.	India (Trichinopoly).
**92. P. Lycoides , Walk. (<i>Blatta L.</i>) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 23 (1871).	Bombay.
**93. P. Inexacta , Walk. (<i>Blatta I.</i>) l. c. p. 26 (1871).	id.
94. P. Molesta , Brunn. Abhandl. Senckenb. Ges. xxiv. p. 203, pl. 16. f. 5 (1898).	Java.
95. P. Fuliginosa , Brunn. Ann. Mus. Genova, xxxiii. p. 16, pl. 1. f. 2 (1893).	Burma.
96. P. Lugubris , Brunn. l. c. f. 3 (1893).	Rangoon.
**97. P. (?) Parvula , Walk. (<i>Blatta P.</i>) Cat. Blatt. B. M. p. 108. n. 80 (1868).	India.
*98. P. Longealata , Brunn. Abhandl. Senckenb. Ges. xxiv. p. 205, pl. 16. f. 9 (1898).	Sarawak.
*99. P. (?) Gyrinoides , Walk. (<i>Blatta G.</i>) l. c. p. 97. n. 64 (1868).	Ceylon.
100. P. Elegans , Walk. (<i>Blatta E.</i>) l. c. p. 226 (1868).	Sarawak.
101. P. Contingens , Walk. (<i>Blatta C.</i>) l. c. p. 229 (1868).	id.
102. P. Laterifera , Walk. (<i>Blatta L.</i>) l. c. p. 231 (1868).	id.

103. P. Nitens, Brunn. l. c. xxiv. p. 204,
pl. 16. f. 6 (1898).	Borneo
(Brunei).
104. P. Castanea, Brunn. l. c. f. 7 (1898).	id.
105. P. Laticaput, Brunn. l. c. p. 205, pl. 16.
f. 8 (1898).	Borneo.
106. P. Terminalis, Brunn. l. c. p. 206,
pl. 16. f. 11 (1898).	id.
107. P. Puncticollis, Brunn. l. c. f. 12 (1898).	id.
108. P. Propinqua, Walk. (<i>Blatta P.</i>) l. c.
p. 228 (1868).	Celebes.
109. P. Sequens, Walk. (<i>Blatta S.</i>) l. c.
p. 229 (1868).	id.
110. P. Affinis, Sauss. (<i>Blatta A.</i>) Mém.
Soc. Genève, xx. p. 248 (1869).	Banda.
111. P. Amplectens, Walk. (<i>Blatta A.</i>) l. c.
p. 223 (1868).	Morty.
112. P. Suffusa, Walk. (<i>Blatta S.</i>) l. c. (1868).	N. Guinea.
113. P. Contigua, Walk. (<i>Blatta C.</i>) l. c.
p. 228 (1868).	id.
114. P. Guttifera, Walk. (<i>Blatta G.</i>) l. c.
p. 230 (1868).	Aru.
115. P. Spuria, Brunn. Syst. Blatt. p. 96. n. 9
(1865).	Fiji.
116. P. Australiæ, Brunn. l. c. p. 95. n. 7
(1865); Tepp. Tr. R. Soc. S. Australia,
xvii. p. 42 (1893).	Sydney.
117. P. Femorata, Brunn. l. c. p. 101. n. 18
(1865).	id.
118. P. Similis, Sauss. (<i>Blatta S.</i>) l. c. xx.
p. 245 (1869).	Australia(?)
119. P. Papua, Sauss. & Zehntn. (<i>Blatta P.</i>)
l. c. p. 25, note (1895).	Rockhamp-
ton.
120. P. Circumducta, Walk. (<i>Blatta C.</i>) l. c.
Suppl. p. 142 (1869).
<i>Ischnoptera Circumducta, Tepp.</i> l. c. xvii.
p. 51 (1893).	Australia.
**121. P. Hospes, Perk. Fauna Hawaiiensis,
Orth. p. 5 (1899).	Hawaiian
Islands.
122. P. Borealis, Sauss. (<i>Blatta B.</i>) Rev.
Zool. (2) xiv. p. 166 (April 1862); Mém.
Mex., Blatt. p. 96, pl. 1. f. 13 (1864);
Miss. Mex., Orth. p. 42 (1870).
<i>Phyllodromia Borealis, Brunn.</i> l. c. p. 101.
n. 17 (1865).
<i>Ectobia Flavocincta, Scudd.</i> Boston Journ.
Nat. Hist. vii. p. 419. n. 3 (Nov. 1862);
Brunn. l. c. p. 57. n. 3 (1865).	N. America.

- **123. P. Notata, Brunn.** Proc. Zool. Soc. Lond. Grenada.
1893, p. 602, pl. 52. f. 1 *a, b*.
- 124. P. Punctulata, Beauv.** (*Blatta P.*) Ins. Haiti.
Afr. Amér. p. 184, Orth. pl. 1 *b*. f. 8 (1805).
Ischnoptera Punctulata, Sauss. Mém. Mex.,
Blatt. p. 91 (1864).
- *124 a. P. Adpersicollis, Stål,** (*Blatta A.*) Brazil (Rio
Eugenie's Resa, Ins. p. 308 (1858); Sauss. Janeiro),
Miss. Mex., Orth. p. 35, pl. 1. f. 22 (1870). Mexico,
Phyllodromia Adpersicollis, Brunn. Syst. W. Indies,
Blatt. p. 107. n. 26 (1865). Honduras,
Blatta Nahua, Sauss. Rev. Zool. (2) xx. Hong Kong.
p. 355 (1868); Sauss. & Zehntn. Biol.
Centr.-Amer., Orth. i. p. 42, pl. 4. ff. 19-21
(1893).
Blatta Latimarco, Walk. Cat. Blatt. B. M.
p. 97. n. 65 (1868).
Blatta Latimargo, Walk. l. c. p. 236
(*Index*) (1868).
Blatta Nahua, var. Minor, Sauss. & Zehntn.
l. c. p. 43 (1893).
- **125. P. Vacillans, Walk.** (*Ischnoptera V.*) Haiti.
l. c. p. 114. n. 15 (1868).
- 126. P. Brunneriana, Sauss.** (*Blatta B.*) l. c. Mexico.
(2) xx. p. 98 (1868); Miss. Mex., Orth.
p. 32, pl. 1. f. 20 (1870).
- 127. P. Conspersa, Brunn.** l. c. p. 106. n. 24 Brazil.
(1865).
- 128. P. Fasciata, Brunn.** l. c. p. 107. n. 25 id.
(1865).
- 129. P. Festæ, Giglio-Tos,** (*Blatta F.*) Boll. Ecuador.
Mus. Torino, xiii. (311) p. 2 (1898).
- *130. P. Delicatula, Guér.** (*Blatta (Phyllo-* Cuba,
dromia) D.) Ramon de la Sagra, Hist. Mexico.
Cuba, Ins. p. 346 (1847).
Blatta Delicatula, Sauss. Mém. Mex., Blatt.
p. 104, pl. 1. f. 17 (1864); Miss. Mex.,
Orth. p. 33 (1870).
- **131. P. Azteca, Sauss. & Zehntn.** l. c. p. 43. Mexico.
n. 5 (1893).
- **132. P. Detersa, Walk.** (*Blatta D.*) l. c. Jamaica.
p. 215 (1868).
- **133. P. Alaris, Sauss. & Zehntn.** (*Blatta A.*) Mexico.
l. c. p. 43. n. 6 (1893).
- 134. P. Albida, Sauss.** (*Blatta A.*) Rev. Zool. New
(2) xxi. p. 110 (1869); Miss. Mex., Granada.
Orth. p. 37 (1870).

135. **P. Pellucida, Burm.** (*Blatta P.*) Handb. Para.
Ent. ii. p. 498. n. 12 (1838).
Phyllodromia Pellucida, Brunn. l. c. p. 109.
n. 30 (1865).
136. **P. Totonaca, Sauss.** (*Blatta T.*) Rev. Mexico.
Zool. (2) xiv. p. 165 (1862); Mém. Mex.,
Blatt. p. 101 (1864); Miss. Mex., Orth.
p. 37, pl. 1. f. 23 (1870).
P. Totonaca, Brunn. l. c. p. 94. n. 5 (1865).
137. **P. Minor, Brunn.** l. c. n. 6 (1865). Brazil.
- **138. **P. Fraterna, Sauss. & Zehntn.** l. c. Nicaragua
p. 44. n. 9 (1893). (Chontales)
139. **P. Dilatata, Sauss.** (*Blatta D.*) Rev. Mexico.
Zool. (2) xx. p. 98 (*nec* ♂) (1868);
Miss. Mex., Orth. p. 32, pl. 1. f. 19
(1870); Sauss. & Zehntn. l. c. p. 44.
n. 10 (1893).
140. **P. Vitrea, Brunn.** l. c. p. 109. n. 28, id., Fiji.
pl. 2. f. 8 A-E (1865).
Blatta Vitrea, Sauss. Miss. Mex., Orth.
p. 30, pl. 1. f. 18 (1870).
Blatta Dilatata, ♂, Sauss. Rev. Zool. (2)
xx. p. 98 (1868).
141. **P. Orizabæ, Sauss.** (*Blatta O.*) Rev. Mexico.
Zool. (2) xx. p. 355 (1868); Miss.
Mex., Orth. p. 39, pl. 1. ff. 24, 24 b
(1870).
- *142. **P. Acolhua, Sauss.** (*Blatta A.*) ll. cc. id.
(2) xx. p. 99 (1868); p. 40, pl. 1. f. 25 a
(1870).
- **143. **P. Maya, Sauss. & Zehntn.** (*Blatta M.*) Yucatan.
l. c. p. 45. n. 14 (1893).
- *144. **P. Zapoteca, Sauss.** (*Blatta Z.*) Rev. Mexico,
Zool. (2) xiv. p. 166 (1862); Mém. Mex., Guatemala.
Blatt. p. 105 (1864); Miss. Mex., Orth.
p. 34 (1870); Sauss. & Zehntn. l. c.
p. 45. n. 15 (1893).
- **145. **P. Chichimeca, Sauss. & Zehntn.** Mexico:
(*Blatta C.*) l. c. p. 46. n. 16, pl. 4. f. 22
(1893).
- *146. **P. Mexicana, Sauss.** Rev. Zool. (2) xvi. id.
p. 311 (1864); Miss. Mex., Orth. p. 28
(1870).
- **147. **P. Insularis, Walk.** (*Blatta I.*) l. c. p. 101. Jamaica.
n. 73 (1868).
- **148. **P. Parana, Walk.** (*Blatta P.*) l. c. Para.
p. 100. n. 70 (1868).

**149. P. Santarema, Walk. (<i>Blatta S.</i>) l. c.
p. 107. n. 86 (1868).	Santarem.
**150. P. Flexivitta, Walk. (<i>Blatta F.</i>) l. c.
p. 216 (1868).	id.
**151. P. Varicornis, Walk. (<i>Blatta V.</i>) l. c.
(1868).	id.
**152. P. Cercalis, Walk. (<i>Blatta C.</i>) l. c.
p. 214 (1868).	Hab. —?
153. P. Pallipes, Scudd. P. Boston Soc. N. H.
xii. p. 342 (1869).	Napo or
Maranon.
154. P. Punicata, Stål, (<i>Blatta P.</i>) Eugenie's
Resa, Orth. p. 309 (1858).	Rio Janeiro.
155. P. Fusca, Sauss. (<i>Blatta F.</i>) Rev. Zool.
(2) xxi. p. 110 (1869); Miss. Mex.,
Orth. p. 28 (1870).	Argentina
(Corrientes).
156. P. (?) Nigrita, Bol. (<i>Blatta N.</i>) An.
Soc. Españ. x. p. 477 (1881).	Ecuador.
**157. P. Partita, Walk. (<i>Blatta P.</i>) l. c.
p. 104. n. 81 (1868).	Hab. —?
158. P. Borellii, Giglio-Tos, Boll. Mus.
Torino, ix. (184) p. 2 (1894).	Paraguay.
159. P. Reticularis, Blanch. (<i>Blatta R.</i>) Gay,
Hist. Chile, Zool. vi. p. 15 (1852);
Sauss. Miss. Mex., Orth. p. 29 (1870).	Chile.
160. P. Strigata, Blanch. (<i>Blatta S.</i>) l. c.
p. 17, pl. 1. f. 4 (1852); Sauss. l. c.
p. 41 (1870).	id.
<i>Ischnoptera Strigata, Brunn.</i> l. c. p. 140.
n. 19 (1865).	

Genus 24. **Mallatoblatta.**

Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth.
pp. 17, 41 (1895).

1. M. Pubescens, Sauss. & Zehntn. l. c.
p. 42, pl. 2. f. 19 (1895).	Madagascar
(Antananarivo).
2. M. Pilosella, Sauss. & Zehntn. l. c.
p. 44, pl. 2. ff. 20, 20 a (1895).	id.

Genus 25. **Onychostylus.**

Bol. Ann. Soc. Ent. France, 1897, p. 289.

1. O. Unguiculatus, Bol. l. c. p. 290, pl. 10.
ff. 4, 4 a, b (1897).	India (Trichinopoly).

Genus 26. **Desmosia.**

Bol. Ann. Soc. Ent. France, 1895, p. 369.

1. **D. Alluaudi**, **Bol.** l. c. p. 371 (1895). | Seychelles.

Genus 27. **Mareta.**

Bol. Ann. Soc. Ent. France, 1895, p. 371.

- **1. **M. Innotabilis**, **Walk.** (*Blatta I.*) Cat. | Seychelles.
 Derm. Salt. B. M. v. Suppl. Blatt. p. 21
 (1871).
M. Conspicienda, **Bol.** l. c. p. 371 (1895). |

Genus 28. **Pseudophyllodromia.** (*Type no. 1.*)

Brunn. Syst. Blatt. p. 111 (1865); (?) Sauss. Miss. Mex., Orth.
 p. 42 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth.
 i. p. 46 (1893).

1. **P. Ornata**, **Brunn.** l. c. p. 112, pl. 3. f. 9 | Philippines.
 (1865).
 2. **P. Heydeniana**, **Sauss.** (*Ellipsidion Hey-* | Brazil.
denianum) Rev. Zool. (2) xvi. p. 313 (1864).
Ellipsidium Heydenianum, **Sauss.** Mém. Mex.,
 Blatt. p. 119 (1864).
 3. **P. Peruana**, **Sauss.** (*Blatta P.*) ll. cc. (2) | Peru.
 xvi. p. 311 (1864); p. 115 (1864).
 4. **P. Angustata**, **Latr.** (*Blatta A.*) Humb. | Vera Cruz.
 & Bonpl. Obs. Zool. i. p. 146, pl. 15. f. 9
 (1807).
P. Angustata, **Sauss.** Miss. Mex., Orth. p. 44
 (1870).
 *5. **P. Venosa**, **Sauss.** (*Blatta V.*) Rev. Zool. | Mexico.
 (2) xvi. p. 310 (1864); Mém. Mex., Blatt.
 p. 106 (1864).
P. Angustata, var. *Venosa*, **Sauss.** Miss. Mex.,
 Orth. p. 45 (1870).
P. Venosa, **Sauss.** & Zehntn. l. c. p. 47 (1893).
 6. **P. Literata**, **Burm.** (*Blatta L.*) Handb. | Surinam.
 Ent. ii. p. 497. n. 7 (1838).
 7. **P. Alternans**, **Serv.** (*Blatta A.*) Ins. | Cayenne.
 Orth. p. 114 (1839).
Phyllodromia Alternans, **Brunn.** l. c. p. 99.
 n. 12 (1865).

- **8. **P. Liturifera**, Walk. (*Blatta* (?) *L.*) Cat. | "W. Coast of
Derm. Salt. B. M. v. Suppl. Blatt. p. 21 | N. Amer."
(1871).
9. **P. Obscura**, Sauss. Mém. Soc. Genève, | Brazil.
xxiii. p. 98 (1873).
10. **P. Lineolata**, Sauss. l. c. p. 99 (1873). | id.
11. **P. Fasciatella**, Sauss. Rev. Zool. (2) xx. | Surinam.
p. 99 (1868); Miss. Mex., Orth. p. 45,
pl. 1. ff. 26, 26 *a* (1870).
12. **P. Histrio**, Sauss. ll. cc. (2) xxi. p. 110 | Colombia.
(1869); p. 46 (1870).
- **13. **P. Semivitrea**, Brunn. Proc. Zool. Soc. | W. Indies
Lond. 1892, p. 203, pl. 15. f. 2. | (St. Vinc.).
14. **P. Maximiliani**, Sauss. Mém. Soc. Genève, | Mexico.
xxiii. p. 100, pl. 10. f. 35 (1873).
- **15. **P. Albinervis**, Brunn. Proc. Zool. Soc. | W. Indies
Lond. 1893, p. 602. | (Grenada).
- **16. **P. Reticulosa**, Walk. (*Blatta* *R.*) Cat. | Jamaica.
Blatt. B. M. p. 103. n. 77 (1868).
- **17. **P. Variegata**, Walk. (*Blatta* *V.*) l. c. | Para.
p. 112. n. 97 (1868).
- **18. **P. Perlroides**, Walk. (*Blatta* *P.*) l. c. | Brazil.
p. 217 (1868).

Genus 29. **Ceratinoptera.** (*Type* no. 11.)

Brunn. Syst. Blatt. p. 75 (1865); Sauss. Miss. Mex., Orth. p. 20
(1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 47
(1893).

- **1. **C. Inscripta**, Walk. (*Periplaneta* *I.*) Cat. | Natal.
Blatt. B. M. p. 145. n. 58 (1868).
2. **C. Dimidiata**, Gerst. Arch. Naturg. xxxv. | E. Africa
p. 205 (1869); Von der Decken, Reisen in | (Endara).
Ost-Afrika, iii. (2) p. 3 (1873).
3. **C. Hottentotta**, Sauss. Abhandl. Senckenb. | S. Africa.
Ges. xxi. p. 575 (1899).
4. **C. Sundaica**, Fritze, Rev. Suisse Zool. | Java.
vii. p. 338 (1900).
5. **C. Diaphana**, Fabr. (*Blatta* *D.*) Ent. Syst. | W. Indies :
ii. p. 11. n. 25 (1792); Burm. Handb. | St. Thomas,
Ent. ii. p. 496. n. 3 (1838); Sauss. Mém. | Cuba,
Mex., Blatt. p. 95 (1864); Miss. Mex., | Porto Rico.
Orth. p. 20 (1870).
C. Diaphana, Brunn. l. c. p. 76. n. 1 (1865);
Sauss. & Zehntn. l. c. p. 48, pl. 3. ff. 27-
29 (1893).

6. C. (?) Pygmæa, Beauv. (<i>Blatta P.</i>) Ins.
Afr. Amér. p. 184, Orth. pl. 1 b. f. 9
(1805); Sauss. Mém. Mex., Blatt. p. 118
(1864).	Haiti.
7. C. Poeyi, Sauss. (<i>Blatta P.</i>) Rev. Zool.
(2) xiv. p. 164 (1862); Mém. Mex., Blatt.
p. 94 (1864).
<i>C. Poeyi, Brunn.</i> l. c. p. 79. n. 5 (1865).	Cuba.
8. C. Porcellana, Sauss. (<i>Blatta P.</i>) Rev.
Zool. (2) xiv. p. 164 (1862).
<i>C. Porcellana, Brunn.</i> l. c. p. 79. n. 6 (1865).	id.
**9. C. Lutea, Sauss. & Zehntn. l. c. p. 48
(1893).	Georgia, &c.
*10. C. Olmeca, Sauss. l. c. (2) xx. p. 354
(1868); Miss. Mex., Orth. p. 20, pl. 1.
ff. 17, 17 a, b (1870).	Mexico
(Orizaba).
11. C. Picta, Brunn. l. c. p. 76. n. 2, pl. 1.
f. 4 A-E (1865).	Brazil.
12. C. Castanea, Brunn. l. c. p. 77. n. 3
(1865).	id.
13. C. Peruviana, Brunn. l. c. p. 78. n. 4
(1865).	Peru.
**14. C. Facies, Walk. (<i>Blatta F.</i>) Cat. Blatt.
B. M. p. 102. n. 75 (1868).	Hab. —?

Genus 30. **Allacta.** (*Type no. 23.*)

Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 45
(1895).

|| *Abrodicta*, *Brunn.* Ann. Mus. Genova, xxxiii. p. 20 (1893).

**1. A. Transversalis, Walk. (<i>Blatta T.</i>) Cat.
Derm. Salt. B. M. v. Suppl. Blatt. p. 25
(1871).	Bombay.
**2. A. Subrotundata, Walk. (<i>Blatta S.</i>) l. c.
p. 26 (1871).	id.
3. A. Funebris, Walk. (<i>Blatta F.</i>) Cat. Blatt.
B. M. p. 225 (1868).	Sarawak.
**4. A. Submarginata, Walk. (<i>Blatta S.</i>) Cat.
Derm. Salt. B. M. v. Suppl. Blatt. p. 27
(1871).	Cahar.
**5. A. Concisa, Walk. (<i>Blatta C.</i>) l. c. p. 29
(1871).	Australia.
**6. A. Ramifera, Walk. (<i>Blatta R.</i>) l. c.
p. 27 (1871).	Nepal.
7. A. Crassivenosa, Bol. (<i>Ceratinoptera</i>
(<i>Allacta</i>) <i>C.</i>) Ann. Soc. Ent. France, 1897,
p. 290.	India.

- **8. A. Telephoroides, Walk.** (*Blatta T.*) Bombay.
Cat. Derm. Salt. B. M. v. Suppl. Blatt.
p. 23 (1871).
- 9. A. Ignobilis, Walk.** (*Blatta I.*) Cat. Blatt. Sula.
B. M. p. 224 (1868).
- 10. A. (?) Induta, Bol.** (*Ceratinoptera I.*) India
l. c. p. 291 (1897). (Madura).
- 11. A. Modesta, Brunn.** (*Abrodicta M.*) l. c. Burma.
xxxiii. p. 21, pl. 1. f. 5 (1893).
- 12. A. Latipennis, Brunn.** (*Phyllodromia L.*) Ceylon, Syd-
Syst. Blatt. p. 109. n. 31 (1865). ney, N. Zeal.
- **13. A. Conjuncta, Walk.** (*Blatta C.*) l. c. N. Zealand.
p. 109. n. 91 (1868).
- **14. A. Arborifera, Walk.** (*Blatta A.*) l. c. Pulo
p. 100. n. 71 (1868). Penang.
- 15. A. Marmorata, Walk.** (*Blatta M.*) l. c. Mount
Suppl. p. 140 (1869). Ophir.
- 16. A. Hamifera, Walk.** (*Blatta H.*) Cat. Sarawak.
Blatt. B. M. p. 224 (1868).
- **17. A. Megaspila, Walk.** (*Blatta M.*) l. c. Java.
p. 98. n. 66 (1868).
- 18. A. Polygrapha, Walk.** (*Blatta P.*) l. c. Siam.
p. 222 (1868).
- *19. A. Notulata, Stål,** (*Blatta N.*) Eugenie's Taiti,
Resa, Orth. p. 308 (1858). Borneo.
Phyllodromia Hieroglyphica, Brunn. l. c.
p. 105. n. 22 (1865).
- 19 a. A. Ceylanica, Sauss.** (*Blatta C.*) Rev. Ceylon.
Zool. (2) xx. p. 355 (1868); Mém. Soc.
Genève, xx. p. 247 (1869).
- 20. A. Patula, Walk.** (*Blatta P.*) l. c. Suppl. Sydney.
p. 143 (1869).
- **21. A. Obtusata, Brunn.** (*Phyllodromia O.*) Hawaiian
Proc. Zool. Soc. Lond. 1895, p. 892. Islands.
- *22. A. Liturata, Tepp.** (*Phyllodromia L.*) Tr. Victoria.
R. Soc. S. Australia, xix. p. 150 (1895).
- *23. A. Lobata, Sauss.** (*Blatta (Phyllodromia)* Madagascar
L.) Soc. Ent. vi. p. 25 (1891).
A. Lobata, Sauss. & Zehntn. l. c. p. 46, pl. 1.
f. 4 (1895).
- *24. A. Undata, Sauss. & Zehntn.** l. c. p. 47, id. (Antana-
pl. 1. f. 5 (1895). narivo).
- *25. A. Brachyptera, Sauss. & Zehntn.** l. c. id.
p. 49, pl. 1. f. 6 (1895).
- 26. A. Abbreviata, Sauss. & Zehntn.** l. c. Madagascar
p. 50 (1895).

Genus 31. **Duryodana.**

Kirb. Ann. Nat. Hist. (7) xii. p. 274 (1903).

- *1. **D. Palpalis, Walk.** (*Blatta P.*) Cat. Blatt. B. M. p. 225 (1868).
Phyllodromia Palpata, Brunn. Abhandl. Senckenb. Ges. xxiv. p. 207, pl. 16. f. 13 (1898).
 Borneo (Sarawak, Baram).

Genus 32. **Paraceratinoptera.**

Sauss. Rev. Zool. (2) xx. p. 357 (1868);
 Miss. Mex., Orth. p. 87 (1870).

1. **P. Nahua, Sauss.** ll. cc. p. 357 (1868); p. 87, pl. 1. f. 30 a, pl. 2. ff. 47, 47 a (1870). Mexico, Guatemala.
 2. **P. Dohrniana, Sauss. & Zehntn.** Biol. Centr.-Amer., Orth. i. p. 49. n. 2 (1893). Guatemala.

Genus 33. **Anisopygia.**

Sauss. Soc. Ent. viii. p. 57 (1893); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 49 (1893).

- **1. **A. Jocosicluna, Sauss.** l. c. p. 57 (1893); Sauss. & Zehntn. l. c. p. 50 (1893). Guatemala.

Genus 34. **Paraloboptera.**

Sauss. Miss. Mex., Orth. p. 86 (1870).
 || *Hypocrita*, Sauss. Rev. Zool. (2) xx. p. 99 (1868).

1. **P. Unicolor, Sauss.** (*Hypocrita U.*) l. c. p. 100 (1868). Buenos Aires.
P. Unicolor, Sauss. Miss. Mex., Orth. p. 86, pl. 2. ff. 46, 46 a (1870).

Genus 35. **Loboptera.**

Brunn. Syst. Blatt. p. 79 (1865); Prodr. Eur. Orth. p. 47 (1882); Bol. Sin. Ortópt. Españ. p. 45 (1876); Fin. Faune France, Orth. p. 82 (1890); Tümp. Geradflügler Mitteleuropas, p. 235 (1901).

- *1. **L. Decipiens, Germ.** (*Blatta D.*) Reise in Dalmatien, p. 249. n. 314 (1817); Dalmatia; S. Europe,

- Charp. Hor. Ent. p. 78 (1825); Serv. Ins. Orth. p. 104 (1839).
Polyzosteria Decipiens, Burm. Handb. Ent. ii. p. 483. n. 4 (1838); Fisch. Orth. Eur. p. 92, pl. 7. ff. 1, 1 a-f (1853).
Loboptera Decipiens, Brunn. Il. cc. p. 80. n. 1. pl. 2. f. 5 A-C (1865); p. 48. n. 1 (1882); Bol. l. c. p. 46, pl. 1. f. 18 (1876); Fin. l. c. p. 82, pl. 2. f. 48 (1900); Tümp. l. c. p. 235 (1901).
Blatta Limbata, Charp. l. c. p. 77 (1825).
Polyzosteria Limbata, Fisch. l. c. p. 93, pl. 7. f. 2 a-c (1853).
Loboptera Limbata, Brunn. Syst. Blatt. p. 81. n. 2 (1865); Bol. l. c. p. 47 (1876).
2. **L. Fortunata**, Krauss, Zool. Anz. xv. p. 165 (1892). Canaries (Palma).
 3. **L. Marocana**, Bol. Actas Soc. Españ. xxiii. p. 84, figs. (1894). Morocco.
 4. **L. Minor**, Bol. l. c. p. 85 (1894). id.
 5. **L. Duplovittata**, Sauss. Soc. Ent. vi. p. 25 (1891); Sauss. & Zehntn. Grandid. Hist. Madagascar, Orth. i. p. 54, pl. 1. f. 14 (1895). Madagascar (Imerina).
 - **6. **L. Peculiaris**, Burr, Bull. Liverpool Mus. ii. p. 42 (1900); Nat. Hist. Sokotra, p. 415, pl. 25. f. 8 (1903). Sokotra.
 7. **L. Tartara**, Sauss. Fedchenko, Reise Turkestan, Orth. p. 8, pl. 1. f. 5 (1874). Sarafshan.
 - *8. **L. Indica**, Brunn. l. c. p. 82. n. 4 (1865). India.
 - **9. **L. Lepida**, Walk. (*Blatta L.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 28 (1871). Australia.
 10. **L. Halmaturina**, Tepp. Tr. R. Soc. S. Australia, xvii. p. 36 (1893). Kangaroo I.
 11. **L. Duodecimsignata**, Tepp. l. c. (1893). Adelaide.
 12. **L. Circumcincta**, Tepp. l. c. p. 37 (1893). Kangaroo I., &c.
 13. **L. Tricolor**, Tepp. Horn Exped. Centr. Australia, ii. p. 357 (1896). Central Australia.
 14. **L. Trivittata**, Erichs. (*Blatta T.*) Arch. Naturg. viii. (1) p. 248. n. 211 (1842). Tasmania.
L. Trivittata, Brunn. l. c. p. 82. n. 3 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 36 (1893).

**15. L. Extranea, Perk. Faun. Haw., Orth. p. 6 (1899). 16. L. Americana, Scudd. Canad. Ent. xxxii. pp. 93, 329, pl. 2. f. 4 (1900). **17. L. Annulicornis, Sauss. & Zehntn. Biol.-Centr. Amer., Orth. i. p. 54 (1893). **18. L. Æqualis, Walk. (<i>Blatta</i> Æ.) Cat. Derm. Salt. v. Suppl. Blatt. p. 21 (1871). 19. L. Laurenziana, Giglio-Tos, Boll. Mus. Torino, xii. (302) p. 2 (1897). 20. L. Borellii, Giglio-Tos, l. c. p. 3 (1897). 21. L. Araucana, Sauss. Rev. Zool. (2) xxi. p. 109 (1869) ; Miss. Mex., Orth. p. 21 (1870).	Hawaiian Islands. Arizona. Mexico. Brazil (Tejuca). Argentina. id., Bolivia. Chili.

Genus 36. **Temnopteryx.** (*Type* no. 9.)

Brunn. Syst. Blatt. p. 83 (1865) ; Sauss. Miss. Mex., Orth. p. 22 (1870) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 50 (1893) ; Grandidier, Hist. Madagascar, Orth. i. pp. 18, 50 (1895).

<p>1. T. Brachyptera, Bol. An. Soc. Españ. xix. p. 301, pl. 1. f. 2 (1890).</p> <p>*2. T. Schulthessi, Kirb. (n. n.).
 <i>T. Ferruginea</i>, Schulth. Ann. Mus. Genova, xxxix. p. 165 (1898).</p> <p>3. T. Abyssinica, Sauss. Mém. Soc. Genève, xxiii. p. 93 (1873).</p> <p>4. T. Saussurei, Bol. Ann. Soc. Ent. France, lxvi. p. 292 note (1897).
 <i>T. Abyssinica</i>, Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 51 note (1895) ; Sauss. Abhandl. Senckenb. Ges. xxi. p. 576 (1899).</p> <p>5. T. Transvaaliensis, Kirb. (<i>Aphlebia</i> T.) Ann. Nat. Hist. (7) v. p. 278 (1900) ; Distant, Ins. Transvaal. p. 29, pl. 1. f. 6 (1900).</p> <p>6. T. Variegata, Schulth. Bull. Soc. Vaudoise, xxxv. p. 191, pl. 8. f. 1 (1899).</p> <p>**7. T. Elizabethæ, Kirb. (n. n.)
<i>Aphlebia Bicolor</i>, Kirb. Ann. Nat. Hist. (7) v. p. 279 (1900).</p> <p>8. T. (?) Misella, Stål, (<i>Blatta</i> M.) Œfv. Vet.-Akad. Förh. xiii. p. 166 (1856).</p>	N. Africa. S., W., & E. Africa ; Ceylon. Abyssinia (Tigré). id. (Massowa). Pretoria. Delagoa Bay. Cape Col. (Port Eliz.). Natal.

<i>Phyllodromia Misella</i> , Brunn. l. c. p. 101.
n. 16 (1865).	Natal.
*9. T. Phalerata , Sauss. (<i>Blatta P.</i>) Rev. Zool. (2) xvi. p. 309 (1864).
<i>T. Capensis</i> , Brunn. l. c. p. 84. n. 1, pl. 2.
f. 6 A, B (1865).	Cape Town.
*10. T. Inconspicua , Brunn. l. c. p. 85. n. 2
(1865).	Cape.
11. T. Caffra , Sauss. Abhandl. Senckenb. Ges. xxi. p. 577 (1899).	S. Africa.
12. T. Nana , Sauss. Mém. Soc. Genève, xx.
p. 241 (1869).	Senegal.
13. T. Sakalava , Sauss. Soc. Ent. vi. p. 25
(1891); Abhandl. Senckenb. Ges. xxi.
p. 576 (1899); Sauss. & Zehntn. l. c.
p. 51, pl. 1. f. 16 (1895).	Madagascar
(Imerina).
14. T. Panteli , Sauss. Soc. Ent. vi. p. 25
(1891); Sauss. & Zehntn. l. c. p. 52,
pl. 1. f. 15 (1895).	Madagascar
15. T. Madecassa , Sauss. & Zehntn. l. c.
p. 53 (1895); Sauss. Abhandl. Senckenb.
Ges. xxi. p. 575 (1877).	id.
16. T. Abbreviata , Sauss. (<i>Blatta A.</i>) Mém.
Soc. Genève, xvii. p. 149, pl. 1. f. 13
(1864).
<i>T. Abbreviata</i> , Sauss. & Zehntn. l. c. p. 54
(1895).	Réunion.
17. T. Indica , Sauss. (<i>Polyzosteria I.</i>) Mém.
Soc. Genève, xvii. p. 130 (1864).	India
(Pondicherry).
18. T. Truncata , Sauss. (<i>Blatta T.</i>) l. c.
p. 148, pl. 1. f. 12 (1864).	id.
19. T. Martini , Bol. l. c. p. 292, pl. 10. f. 6
(1897).	India (Trichinopoly).
20. T. Alca , Bol. l. c. p. 293, pl. 10. f. 7
(1897).	id.
21. T. Bicolor , Bol. l. c. p. 293 (1897).	id.
22. T. Dimidiatipes , Bol. An. Soc. Españ.
xix. p. 300, pl. 1. f. 1 (1890).	Philippines.
*23. T. Fulva , Brunn. l. c. p. 85. n. 3
(1865).	Java.
24. T. Obscura , Sauss. l. c. xx. p. 241
(1869).	Samoa.
25. T. Couloniana , Sauss. (<i>Blatta C.</i>) l. c.
xvii. p. 150, pl. 1. f. 14 (1864).	Australia.
26. T. Ferruginea , Tepp. Tr. R. Soc. S.
Australia, xix. p. 148 (1895).	Victoria.

- **27. **T. (?) Discalis, Walk.** (*Blatta D.*) Cat. Blatt. B. M. p. 111. n. 96 (1868).
Balta Discalis, Tepp. l. c. xvii. p. 40 (1893). Swan River.
28. **T. Major, Sauss. & Zehntn.** Biol. Centr.-Amer., Orth. i. p. 54. n. 10 (1893). Tennessee.
29. **T. Virginica, Brunn.** l. c. p. 86. n. 4 (1865). Virginia.
30. **T. Texensis, Sauss. & Zehntn.** l. c. p. 52. n. 1, pl. 3. f. 31 (1893). Texas, New Mexico.
31. **T. Deropeltiformis, Brunn.** l. c. p. 87. n. 6 (1865). N. America.
32. **T. Tarasca, Sauss.** (*Blatta T.*) Rev. Zool. (2) xiv. p. 164 (1862); Mém. Mex., Blatt. p. 95 (1864). Mexico.
T. Tarasca, Brunn. l. c. p. 86. n. 5 (1865).
33. **T. Kaupiana, Sauss.** Mém. Soc. Genève, xxiii. p. 92 (1873); Sauss. & Zehntn. l. c. p. 52, pl. 4. ff. 24-26 (1893). id.
34. **T. Otomia, Sauss.** (*T. Otomius*) Rev. Zool. (2) xx. p. 98 (1868). id.
T. Otomia, Sauss. Miss. Mex., Orth. p. 24, pl. 1. ff. 15, 15 a (1870); Sauss. & Zehntn. l. c. p. 52. n. 4 (1893).
- **35. **T. Nitida, Sauss. & Zehntn.** l. c. p. 53, pl. 4. ff. 51, 52 (1893). id.
36. **T. Limbata, Sauss.** (*T. Limbatus*) Rev. Zool. (2) xx. p. 98 (1868). id.
T. Limbata, Sauss. Miss. Mex., Orth. p. 25, pl. 1. ff. 16, 16 a (1870); Sauss. & Zehntn. l. c. p. 53. n. 6 (1893).
37. **T. Sumichrasti, Sauss.** Rev. Zool. (2) xx. p. 97 (1868); Miss. Mex., Orth. p. 23, pl. 1. f. 14 (1870); Sauss. & Zehntn. l. c. p. 53. n. 7 (1893). id.
- **38. **T. Guatemalæ, Sauss. & Zehntn.** l. c. p. 53. n. 8, pl. 4. ff. 27, 28 (1893). Guatemala.
39. **T. Fissa, Sauss. & Zehntn.** l. c. p. 54. n. 9, pl. 4. ff. 29, 30 (1893). id.
- **40. **T. Incommoda, Kirb.** (*Blatta I.*) J. Linn. Soc. Lond. xx. p. 533 (1894). Fernando Noronha.
41. **T. Lobipennis, Sauss.** Miss. Mex., Orth. p. 26 (1870). Brazil.
42. **T. Dimorpha, Bol.** An. Soc. Españ. x. p. 464, pl. 8. f. 4 (1881). Peru.
- *43. **T. Snodgrassi, McNeill,** Proc. Washington Acad. iii. p. 493 (1901). Galapagos Isl.

44. T. Ardua, Giglio-Tos , Boll. Mus. Torino, xii. (302) p. 3 (1897).	Argentina (Salta).
45. T. Continua, Giglio-Tos , l. c. p. 4 (1897).	id. (Jujuy).
46. T. Brevipennis, Sauss. (<i>Ischnoptera B.</i>)
Rev. Zool. (2) xvi. p. 313 (1864); Mém. Mex., Blatt. p. 80, pl. 1. f. 11 (1864); Miss. Mex., Orth. p. 23 (1870).	Chile.
47. T. Castanea, Blanch. (<i>Kakerlac C.</i>)
Hist. Chil., Zool. vi. p. 18, pl. 1. f. 2 (1851).	id.
48. T. (?) Latipes, Walk. (<i>Polyzosteria L.</i>)
Cat. Blatt. B. M. p. 165. n. 43 (1868); Melliss, St. Helena, p. 167 (1875).	Sierra Leone, St. Helena.

Genus 37. **Balta.**

Tepp. Tr. R. Soc. S. Australia, xvii. p. 40 (1893).

1. B. Epilamproides, Tepp. l. c. (1893).	Kangaroo I.

Genus 38. **Paratemnopteryx.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xx. p. 273 (1869).

1. P. Australis, Sauss. l. c. pl. 3. f. 22 (1869); Tepp. Tr. R. Soc. S. Australia, xix. p. 149 (1895).	Melbourne, Adelaide.
2. P. Blattoides, Tepp. l. c. p. 150 (1895).	Melbourne.

SUBFAM. IV.

NOCTICOLINÆ.

Genus 39. **Nocticola.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. France, lxi. p. 29 (1892).

1. N. Simoni, Bol. l. c. p. 32, pl. 1 (1892).	Philippines.
2. N. Cæca, Bol. l. c. p. 33 (1892).	id.

Genus 40. **Spelæoblatta.**

Bol. Ann. Mus. Genova, xxxviii. p. 32 (1897).

1. S. Gestroi, Bol. l. c. (1897).	Burma.

SUBFAM. V.

NYCTIBORINÆ.

Genus 41. **Nyctibora.** (*Type* no. 7.)

Burm. Handb. Ent. ii. p. 501 (1838); Brunn. Syst. Blatt. p. 142 (1865).

Nyctobora, Sauss. Mém. Mex., Blatt. p. 65 (1864); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 55 (1893).

<p>**1. N. Azteca, Sauss. & Zehntn. l. c. p. 56.
n. 2, pl. 4. f. 34 (1893).</p> <p>*2. N. Mexicana, Sauss. Rev. Zool. xiv.
p. 227 (1862); Mém. Mex., Blatt. p. 66
(1864); Miss. Mex., Orth. p. 68, pl. 2.
ff. 38, 38 a, b (1870); Sauss. & Zehntn.
l. c. p. 55 (1893); Brunn. l. c. p. 147
(1865).</p> <p><i>Nyctibora Stygia</i>, Walk. Cat. Blatt. B. M.
p. 148. n. 9 (1868).</p> <p>3. N. Crassicornis, Burm. l. c. p. 501. n. 1
(1838); Brunn. l. c. p. 144 (1865); Sauss.
Miss. Mex., Orth. p. 69 (1870).</p> <p><i>Blatta Servillei</i>, Serv. Ins. Orth. p. 91
(1839).</p> <p><i>Paratropes Vestita</i>, Sauss. Rev. Zool. (2)
xvi. p. 308 (1864).</p> <p><i>Paratropes Vestitus</i>, Sauss. Mém. Mex.,
Blatt. p. 64. n. 11 (1864).</p> <p>*4. N. Holosericea, Burm. l. c. p. 502. n. 3
(1838); Brunn. l. c. p. 145 (1865).</p> <p><i>Nyctobora Obscura</i>, Sauss. Rev. Zool. (2)
xvi. p. 316 (1864); Mém. Mex., Blatt.
p. 67, pl. 1. f. 9 (1864); Miss. Mex., Orth.
p. 68 (1870).</p> <p>5. N. Intermedia, Sauss. Mém. Soc. Genève,
xxiii. p. 105 (1873).</p> <p>6. N. Humeralis, Dohrn, Stettin. Ent. Zeit.
xlix. p. 129 (1888).</p> <p>*7. N. Sericea, Burm. l. c. p. 501. n. 2 (1838);
Brunn. l. c. p. 145 (1865).</p> <p> <i>Blatta Ægyptiaca</i>, Drury, Ill. Exot. Ent.
ii. pl. 36. f. 3 (1773).</p> | <p>Guatemala.</p> <p>Mexico,
Central
America.</p> <p>Brazil.</p> <p>id.</p> <p>id.</p> <p>Upper
Amazons.
Brazil.</p> |
|--|--|

- Blatta Druryi*, Serv. l. c. p. 86 (1839).
Periplaneta Jucunda, Walk. Cat. Blatt. B. M. p. 128. n. 15 (1868).
Nyctobora Terrestris, Sauss. Rev. Zool. (2) xvi. p. 315 (1864); Mém. Mex., Blatt. p. 68 (1864).
- *7 a. **N. Bohlsii**, **Giglio-Tos**, Boll. Mus. Torino, xii. (302) p. 7 note (1897). Paraguay, Brazil.
8. **N. Omissa**, **Brancs.** Jahresh. Ver. Trentsin. Com. xxiv. p. 186, pl. 3. f. 1 (1901). Argentina.
- *9. **N. Tomentosa**, **Serv.** (*Blatta T.*) l. c. p. 86 (1839). Surinam, Brazil.
N. Tomentosa, Sauss. Miss. Mex., Orth. p. 69 (1870).
- || *N. Latipennis*, Brunn. l. c. p. 146. n. 4 (1865).
- **10. **N. Tenebrosa**, **Walk.** l. c. p. 147. n. 8 (1868). Demerara.
Periplaneta Aterrima, Walk. l. c. Suppl. p. 151 (1869).
11. **N. Confusa**, **Giglio-Tos**, l. c. p. 7 (1897). Paraguay.
- *12. **N. Borellii**, **Giglio-Tos**, l. c. p. 8 (1897). Bolivia, Brazil.
13. **N. Glabra**, **Giglio-Tos**, l. c. p. 9 (1897). Bolivia.
14. **N. (?) Lateralis**, **Esch.** (*Blatta L.*) Entomographien, p. 84 (1822). Brazil (S. Catharina).

Genus 42. **Heminyctobora.**

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. pp. 55, 56 (1893).

- **1. **H. Truncata**, **Sauss. & Zehntn.** (*Nyctobora (Heminyctobora) T.*) l. c. p. 56. Mexico, Guatemala.
 n. 3, pl. 4. f. 33 (1893).

Genus 43. **Megaloblatta.** (*Type no. 1.*)

Dohrn, Stettin. Ent. Zeit. xlviii. p. 408 (1887);
 Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 56 (1893).

- **1. **M. Blaberoides**, **Walk.** (*Epilampra B.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 12 (1871). Nicaragua, Peruvian Amazons.
Megaloblatta Peruviana, Dohrn, l. c. p. 409 (1887).

- || *Megaloblatta Rufipes*, Sauss. l. c. p. 57,
pl. 5. ff. 15-17 (1893).
2. **M. Regina**, Sauss. (*Blabera R.*) Miss. Brazil.
Mex., Orth. p. 116 (1870).
- **3. **M. Longipennis**, Walk. (*Blabera L.*) Guayaquil,
Cat. Blatt. B. M. p. 8. n. 18 (1868). Panama.
Megaloblatta Rufipes, Dohrn, l. c. p. 409
(1887).

SUBFAM. VI.

EPILAMPRINÆ.

Genus 44. **Paratropes**. (*Type* no. 6.)

Serv. Ins. Orth. p. 117 (1839); Sauss. Mém. Mex., Blatt. p. 56
(1864).

Paratropa, Brunn. Syst. Blatt. p. 148 (1865).

- *1. **P. Elegans**, Burm. (*Phoraspis E.*) Handb. Surinam(?),
Ent. ii. p. 493. n. 8 (1838). Upper
Paratropa Elegans, Brunn. l. c. p. 150. n. 1 Amazons.
(1865).
- P. Bivitta*, Walk. Cat. Blatt. B. M. p. 150.
n. 7 (1868).
- P. Subsericeus*, Sauss. Rev. Zool. (2) xiv.
p. 229 (1862); Mém. Mex., Blatt. p. 63,
pl. 1. f. 8 (1864).
- Paratropa Subsericea*, Brunn. l. c. p. 152.
n. 3 (1865).
- *2. **P. Mexicana**, Brunn. (*Paratropa M.*) Mexico.
l. c. p. 151. n. 2, pl. 4. f. 15 A-E (1865);
Sauss. Miss. Mex., Orth. p. 73 (1870).
- P. Lycus*, var., Sauss. Rev. Zool. (2) xiv.
p. 229 (1862); Mém. Mex., Blatt. p. 60
(1864).
- **3. **P. Bilunata**, Sauss. & Zehntn. (*Para-* Panama.
tropa B.) Biol. Centr.-Amer., Orth. i.
p. 60. n. 3 (1893).
- **4. **P. Biolleyi**, Sauss. & Zehntn. (*Para-* Costa Rica.
tropa B.) l. c. n. 4 (1893).
- *5. **P. Æquatorialis**, Sauss. ll. cc. (2) xvi. Ecuador,
p. 309 (1864); p. 61 (1864). Bolivia.

- Paratropa Æquatorialis*, Sauss. Miss. Mex., Orth. p. 74 (1870).
P. Lanceolatus, Walk. l. c. p. 150. n. 6 (1868).
 || *Phoraspis Elegans*, Blanch. D'Orbigny, Voy. Amér. mér. vi. (2) p. 215, pl. 26. f. 4 (1846).
 6. **P. Lycoides**, Serv. l. c. p. 118 (1839). Para.
Paratropa Licoides, Brunn. l. c. p. 153. n. 6 (1865).
 *7. **P. Phalerata**, Erichs. (*Blatta (Nyctibora)* P.) Schomb. Brit. Guiana, iii. p. 580 Guiana, Brazil.
 (1848).
Paratropa Phalerata, Brunn. l. c. p. 152. n. 4 (1865).
P. Lycus, Sauss. Rev. Zool. (2) xiv. p. 228 (1862); Mém. Mex., Blatt. p. 59, pl. 1. f. 6 (1864).
 8. **P. Histrio**, Sauss. ll. cc. (2) xiv. p. 229 S. America.
 (1862); p. 58, pl. 1. f. 5 (1864).
Paratropa Histrio, Brunn. l. c. p. 152. n. 5 (1865).
 9. **P. Pica, Walk. l. c. p. 151. n. 11 (1868). Ega.

Genus 45. **Phlebonotus**. (*Type* no. 2.)

Sauss. Mém. Soc. Genève, xvii. p. 141 (1863).

1. **P. Pallens**, Serv. (*Phoraspis P.*) Ann. Sci. Nat. xxii. p. 43 (1831); Ins. Orth. p. 125, pl. 3. f. 4 (1839); Blanch. Ann. Soc. Ent. France, vi. p. 286, pl. 10. f. 1 (1837); Burm. Handb. Ent. ii. p. 492. n. 1 (1838). Java, Ceylon.
Paraphoraspis Pallens, Sauss. Mém. Soc. Genève, xx. p. 263 (1869); (?) Brunn. Syst. Blatt. p. 165. n. 2 (1865).
 2. **P. Anomala**, Sauss. (*Phoraspis A.*) l. c. xvii. p. 141, pl. 1. f. 8 (1863). Nilgiris, Pondi-cherry.
Paraphoraspis Anomala, Sauss. l. c. xx. p. 264 (1869).

Genus 46. **Thorax.**

Sauss. Mém. Soc. Genève, xvii. p. 141 (1863); Mém. Mex., Blatt. p. 143 (1864); Miss. Mex., Orth. p. 77 (1870).
Paraphoraspis, Brunn. Syst. Blatt. p. 163 (1865).

<p>*1. T. Porcellana, Sauss. (<i>Phoraspis P.</i>)
 Mém. Soc. Genève, xvii. p. 142, pl. 1.
 ff. 9, 9, 9 <i>a</i> (1863).
 <i>Thorax Porcellana</i>, Sauss. Miss. Mex., Orth.
 p. 79, pl. 2. f. 43 B, 43 A' (1870).
 <i>Paraphoraspis Notata</i>, Brunn. l. c. p. 164,
 pl. 4. f. 18 A-E (1865).</p> | Nilgiris,
Ceylon,
Victoria. |
|--|-----------------------------------|

Genus 47. **Planes.**

Sauss. Mém. Mex., Blatt. p. 141 (1864).

<p>*1. P. Cribrata, Sauss. (<i>Epilampra C.</i>) Mém.
 Soc. Genève, xvii. p. 144, pl. 1. ff. 10, 10 <i>a</i>
 (1863), xx. p. 264 (1869).
 <i>Epilampra Intacta</i>, Walk. Cat. Blatt. B. M.
 p. 205 (1868).</p> | Assam,
Bengal. |
|--|-------------------|

Genus 48. **Notolampra.** (*Type no. 1.*)

Sauss. Rev. Zool. (2) xiv. p. 227 (1862);
Mém. Mex., Blatt. p. 139 (1864).

<p>1. N. Cassidea, Burm. (<i>Phoraspis C.</i>)
Handb. Ent. ii. p. 493. n. 7 (1838);
Brunn. Syst. Blatt. p. 161. n. 8, pl. 4.
f. 17 (1865).
<i>Epilampra Lucida</i>, Sauss. Rev. Zool. (2)
xiv. p. 227 (1862); Mém. Mex., Blatt.
p. 139, pl. 2. ff. 22, 23 (1864).</p>	Bahia.
<p>*2. N. Punctata, Sauss. (<i>Thorax P.</i>) Mém.
Soc. Genève, xxiii. p. 125 (1873).</p>	Brazil.

Genus 49. **Phoraspis.** (Type no. 14.)

Serv. Ann. Sci. Nat. xxii. p. 43 (1831); Ins. Orth. p. 124 (1839); Blanch. Ann. Soc. Ent. France, vi. p. 285 (1837); Burm. Handb. Ent. ii. p. 492 (1838); Sauss. Mém. Mex., Blatt. p. 141 (1864); Brunn. Syst. Blatt. p. 154 (1865).

1. **P. Heydeniana, Sauss.** (*Paratropes H.*) | Brazil.
 Rev. Zool. (2) xvi. p. 309 (1864).
Paratropes Heydeniana, Sauss. Mém. Mex.,
 Blatt. p. 62, pl. 1. f. 7 (1864).
Phoraspis Heydeniana, Sauss. Miss. Mex.,
 Blatt. p. 75. n. 1 (1870).
 ? || *Phoraspis Conspersa, Burm.* l. c. p. 493.
 n. 6 (1838).
- *2. **P. Bicolor, Sauss. & Zehntn.** Biol. C.Amer.(?),
 Centr.-Amer., Orth. i. p. 61. n. 3 (1893). Brazil.
- *3. **P. Flavipes, Blanch.** l. c. p. 291, pl. 11. Brazil.
 f. 2 (1837); Serv. Ins. Orth. p. 127 (1839).
- *4. **P. Atomaria, Blanch.** l. c. p. 287, pl. 10. Guadeloupe
 f. 2 (1837); Serv. l. c. p. 126 (1839); Brazil.
 Sauss. Mém. Mex., Blatt. p. 144 (1864);
 Brunn. l. c. p. 159. n. 5 (1865).
P. Unicolor, Burm. l. c. p. 493. n. 5 (1838).
- *5. **P. Pellucens, Thunb.** (*Blatta P.*) Mém. Brazil.
 Acad. Pétersb. x. p. 276, pl. 14 (1826).
6. **P. Luctuosa, Sauss.** Rev. Zool. (2) xx. Surinam.
 p. 356 (1868); Miss. Mex., Orth. p. 76 (1870).
- *7. **P. Luteola, Blanch.** l. c. p. 290, pl. 11. Brazil.
 f. 1 (1837); Serv. l. c. p. 127 (1839).
P. Pieta, var. *Luteola, Brunn.* l. c. p. 157
 (1865); Sauss. Miss. Mex., Orth. p. 76 (1870).
- *8. **P. Conspersa, Brullé,** Hist. Ins. ix. p. 60, id.
 pl. 3. f. 4 (1835); Blanch. l. c. p. 288, pl. 10.
 f. 3 (1837); Serv. l. c. p. 127 (1839).
P. Leucogramma, var. *Conspersa, Brunn.*
 l. c. p. 158 (1865); Sauss. l. c. p. 77 (1870).
- *9. **P. Pantherina, Blanch.** l. c. p. 292, pl. 11. Haiti,
 f. 3 (1837); Serv. l. c. p. 127 (1839); Brazil.
 Sauss. Mém. Mex., Blatt. p. 144 (1864);
 Brunn. l. c. p. 160. n. 6 (1865).
- *10. **P. Fastuosa, Blanch.** l. c. p. 293, pl. 11. Brazil.
 f. 4 (1837); Serv. l. c. p. 128 (1839);
 Brunn. l. c. p. 158. n. 3 (1865).
- 10a. **P. Albicollis, Burm.** l. c. p. 493. n. 4 (1838). id.
P. Fastuosa, Burm. l. c. p. 1012 (1839).
11. **P. Cassidea, Dalm.** (*Blatta C.*) Anal. Ent. id.
 p. 87 (1823).
P. Cassidea, Serv. l. c. p. 295 (1839).

- *12. **P. Leucogramma, Perty**, Del. Anim. Art. Brazil.
 p. 116, pl. 30. f. 3 (1830); Blanch. l. c.
 p. 294, pl. 11. f. 5 (1837); Burm. l. c.
 p. 493. n. 3 (1838); Serv. l. c. p. 294, pl. 3.
 f. 3 (1839); Brunn. l. c. p. 157. n. 2 (1865).
13. **P. Mexicana, Sauss.** Rev. Zool. (2) xiv. Mexico.
 p. 228 (1862); Mém. Mex., Blatt. p. 143
 (1864); Miss. Mex., Orth. p. 75, pl. 2.
 ff. 41, 41 a (1870); Brunn. l. c. p. 159.
 n. 4 (1865).
- *14. **P. Picta, Drury**, (*Blatta P.*) Ill. Exot. Brazil.
 Ent. iii. pl. 50. f. 3 (1782); [? Guér. Icon.
 R. Anim. ii. pl. 52. f. 3, iii. p. 326 (1829–
 1844); Gray, Griffith, Anim. Kingd. xv.
 p. 783, pl. 104. f. 3 (1842) (*var. aut sp. n.?*)].
Phoraspis Picta, Blanch. l. c. p. 296, pl. 11.
 f. 6 (1837); Serv. Ins. Orth. p. 120
 (1839); Brunn. l. c. p. 155. n. 1, pl. 4.
 f. 16 A–E (1865).
Lampyris Rufovittata, Schönh. Syn. Ins. i.
 (3) p. 66. n. 47 (1817).
15. **P. Nigra, Blanch.** l. c. p. 297, pl. 11. f. 7 id.
 (1837); Serv. l. c. p. 130 (1839); Brunn.
 l. c. p. 162. n. 2 (1865).
16. **P. (?) Modesta, Brunn.** l. c. p. 161. n. 7 id.
 (1865).

Genus 50. **Cyrtilia.**

Stål, Bihang Svenska Akad. ii. (13) p. 11 (1875).

1. **C. Convexa, Thunb.** (*Blatta C.*) Mém. Hab. — ?
 Acad. Pétersb. x. p. 279 (1826).

Genus 51. **Pinaconota.**

Sauss. Rev. Suisse Zool. iii. p. 337 (1895).

- *1. **P. Bifasciata, Sauss.** (*Blatta B.*) Rev. Brazil
 Zool. (2) xiv. p. 165 (1862); Mém. Mex., (Santarem).
 Blatt. p. 98 (1864).
Epilampra Bifasciata, Sauss. Miss. Mex.,
 Orth. p. 84, pl. 2. ff. 44, 44 A (1870).
Pinaconota Bifasciata, Sauss. Rev. Suisse
 Zool. iii. p. 337 (1895).
Phyllodromia Bifasciata, Brunn. Syst. Blatt.
 p. 94. n. 4 (1865).
Ischnoptera Sicca, Walk. Cat. Blatt. B. M.
 Suppl. p. 149 (1869).

Genus 52. **Opisthoplatia.**

Brunn. Syst. Blatt. p. 198 (1865).

<p>*1. O. Orientalis, Burm. (<i>Polyzosteria O.</i>)
 Handb. Ent. ii. p. 482. n. 1 (1838); Sauss.
 Mém. Mex., Blatt. p. 54 (1864).
 <i>O. Orientalis, Brunn.</i> l. c. p. 199. n. 1, pl. 5.
 f. 22 A, B (1865).
 <i>Nympha Aptera, pt., Stoll, Spectres, Blatt.</i>
 p. 8, pl. 5 d. f. 25 (1813).
 <i>Polyzosteria Pictetiana, Sauss.</i> Mém. Soc.
 Genève, xvii. p. 131, pl. 1. f. 1 (1863).
 <i>Polyzo-steria Ægyptiaca(?)</i>, Walk. Cat. Blatt.
 B. M. p. 154. n. 22 (1868).</p> | China,
America. |
|--|--------------------|

Genus 53. **Molytria.** (Type no. 5.)

Stål, Bihang Svenska Akad. ii. (13) p. 12 (1875);
 Sauss. Rev. Suisse Zool. iii. pp. 333, 337 (1895).

<p>1. M. Decolyi, Bol. Ann. Soc. Ent. France,
1897, p. 294.</p>	S. India (Tri-
chinopoly).
<p>*2. M. Maculata, Brunn. (<i>Epilampra M.</i>)
Syst. Blatt. p. 179. n. 12 (1865).
<i>Epilampra Polyspila, Walk.</i> Cat. Blatt.
B. M. p. 197 (1868).</p>	Singapore.
<p>*3. M. Plana, Brunn. (<i>Epilampra P.</i>) l. c.
p. 183. n. 16 (1865).
<i>Epilampra Punctifera, Walk.</i> l. c. p. 198
(1868).</p>	Ceylon.
<p>*4. M. Badia, Brunn. (<i>Epilampra B.</i>) l. c.
p. 189. n. 25 (1865).
<i>Epilampra Dotata, Walk.</i> l. c. Suppl. p. 130
(1869).</p>	Java, Sin-
gapore,
Sarawak.
<p>*5. M. Inquinata, Stål, (<i>Epilampra I.</i>) Eu-
genie's Resa, Ins. p. 309 (1858); Brunn.
l. c. p. 177. n. 10 (1865).
<i>Epilampra Inquinita, Tepp.</i> Tr. R. Soc.
S. Australia, xvii. p. 61 (1893).
<i>Epilampra Nudiventris, Sauss.</i> Rev. Zool.
(2) xvi. p. 321 (1864).</p>	Sydney.
<p>**6. M. Amplipennis, Walk. (<i>Epilampra A.</i>)
Cat. Blatt. B. M. p. 196 (1868).</p>	Silhet.
<p>7. M. Ramifera, Walk. (<i>Epilampra R.</i>) l. c.
Suppl. p. 132 (1869).</p>	Sumatra.

8. **M. Auriculata**, **Brunn.** (*Epilampra A.*) Bengal.
l. c. p. 181. n. 13 (1865).
- **9. **M. Imperatrix**, **Kirb.** Ann. Nat. Hist. Tonkin.
(7) xii. p. 274 (1903).
- **9 a. **M. Shelfordi**, **Kirb.** l. c. p. 275 (1903). Borneo.
|| *Epilampra Polyspila*, **Walk.** l. c. Suppl.
p. 133 (1869).
10. **M. (?) Marmorata**, **Brunn.** (*Epilampra* Burma.
M.) Ann. Mus. Genov. xxxiii. p. 29 (1893).

Genus 54. **Homalopteryx.** (*Type* no. 13.)

Brunn. Syst. Blatt. p. 195 (1865); **Sauss.** Rev. Suisse
Zool. iii. p. 340 (1895).

1. **H. Patinifera**, **Bol.** Ann. Soc. Ent. France, S.India (Tri-
1897, p. 295. chinopoly).
2. **H. Cariniceps**, **Bol.** l. c. p. 296 (1897). id.
3. **H. Biplagiata**, **Bol.** l. c. (1897). id.
- *4. **H. Templetonii**, **Kirb.** Ann. Nat. Hist. Ceylon.
(7) xii. p. 275 (1903).
|| *Epilampra Cribricollis*, var. (?), **Walk.** Cat.
Blatt. B. M. p. 195 (1868).
5. **H. Regina**, **Sauss.** (*Epilampra (Homalo-* Cochin
pteryx) R.) Mém. Soc. Genève, xx. p. 270 China.
(1869).
6. **H. Macassariensis**, **Haan**, (*Blatta (Epi-* Macassar,
lampra) M.) Temminck, Verhandel., Orth. Amboina,
p. 51, pl. 18. f. 7 (1842). Philippines.
H. Macassariensis, **Brunn.** l. c. p. 197. n. 2
(1865).
Epilampra Strigifrons, **Walk.** Cat. Blatt.
B. M. Suppl. p. 132 (1869).
7. **H. Adusta**, **Walk.** (*Epilampra A.*) l. c. Sarawak.
p. 131 (1869).
8. **H. Basifera**, **Walk.** (*Epilampra B.*) l. c. Ceram.
(1869).
9. **H. Pelewensis**, **Sauss.** Rev. Suisse Zool. Pelew
iii. p. 342 (1895). Islands.
10. **H. Intermedia**, **Bol.** Actas Soc. Españ. Papua.
1898, p. 137.
11. **H. Pectinata**, **Sauss.** (*Epilampra (Homa-* Australia.
lopteryx ?) P.) Mém. Soc. Genève, xx.
p. 271 (1869).
- **12. **H. Vasta**, **Walk.** (*Epilampra V.*) Cat. Philippines.
Blatt. B. M. p. 195 (1868).

Epilampra Imperatoria, Stål, Œfv. Vet.-
Akad. Förh. xxxiv. (10) p. 36 (1877).

13. **H. Capucina, Brunn.** l. c. p. 196. n. 1, pl. 5. f. 21 A-E (1865); Ann. Soc. Ent. France, (6) x. p. 137 (1890). | Venezuela, Colombia.

- **14. **H. Geochroma, Walk.** (*Polyzosteria* G.) Hab. —? |
Cat. Blatt. B. M. p. 158. n. 31 (1868).

Genus 55. **Compsolampra.**

Comptolampra, Sauss. Soc. Ent. viii. p. 58 (1893).

Compsolampra, Sauss. Rev. Suisse Zool. iii. p. 343 (1895);
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 59 (1893).

- *1. **C. Liturata, Serv.** (*Blatta* L.) Ins. Orth. Java.
p. 103 (1839); Haan, Temminck, Ver-
handel., Orth. p. 58, pl. 18. f. 8 (♂) (1842).
Opisthoplatia Liturata, Brunn. Syst. Blatt.
p. 201 (1865).
Periplaneta Insolita, Walk. Cat. Blatt. B.
M. p. 146. n. 59 (1868).
Compsolampra Liturata, Sauss. Rev. Suisse
Zool. iii. p. 343 (1895).

Genus 56. **Phoetalia.** (Type no. 2.)

Stål, Bihang Svenska Akad. ii. (13) p. 17 (1875); Sauss. Rev.
Suisse Zool. iii. p. 343 (1895); Sauss. & Zehntn., Gran-
didier, Hist. Madagascar, Orth. i. pp. 56, 68 (1895).

1. **P. (?) Marginicollis, Stål**, (*Blatta* M.) Madeira.
Eugenie's Resa, Ins. p. 307 (1858).
*2. **P. Pallida, Brunn.** (*Nauphæta* P.) Syst. W. Indies,
Blatt. p. 286. n. 3 (1865). Brazil.
|| *Blatta Lævigata*, Serv. Ins. Orth. p. 98 Teneriffe.
(1839); Sauss. Mém. Mex., Blatt. p. 99,
pl. 1. f. 16 (1864).
Blatta (Panchlora) Lævigata, Guér. Ramon
de la Sagra, Hist. Cuba, Ins. p. 344 (1857).
Nauphæta Lævigata, Sauss. Miss. Mex.,
Orth. p. 104 (1870).
Nauphæta Marginalis, Walk. Cat. Blatt.
B. M. p. 41. n. 14 (1868).
*3. **P. Circumvagans, Burm.** (*Nauphæta* C.) Brazil,
Handb. Ent. ii. p. 508. n. 1 (1838). Teneriffe,
|| *Nauphæta Lævigata*, Brunn. l. c. p. 285. Mascarene
n. 2, pl. 7. f. 33 A-E (1865). Islands.

Genus 57. **Calolampra.** (Type no. 16.)

Sauss. Soc. Ent. viii. p. 57 (1893); Sauss. & Zehntn. Biol. Cent.-Amer., Orth. i. p. 67 (1893).

|| *Epilampra*, *Tepp.* Tr. R. Soc. S. Australia, xvii. p. 57 (1893).

*1. C. Aptera, Schulth. Ann. Mus. Genova, xxxix. p. 169, pl. 2. f. 2 (1898). 2. C. Biolleyi, Sauss. Rev. Suisse Zool. iii. p. 347, pl. 9. ff. 8, 8e (1895). 3. C. Brevitarsis, Sauss. Soc. Ent. viii. p. 38 (1893); Sauss. & Zehntn. l. c. p. 67. n. 1, pl. 4. f. 39 (1893). 4. C. Bispinosa, Sauss. l. c. p. 58 (1893); Sauss. & Zehntn. l. c. p. 67. n. 2, pl. 3. f. 26 (1893). 5. C. Carinulata, Sauss. Rev. Suisse Zool. iii. p. 347, pl. 9. f. 9 (1895). 6. C. Heusseriana, Sauss. (<i>Epilampra H.</i>) Rev. Zool. (2) xvi. p. 321 (1864); Mém. Mex., Blatt. p. 134, pl. 2. f. 24 (1864). **7. C. Conferta, Walk. (<i>Epilampra C.</i>) Cat. Blatt. B. M. p. 207 (1868). **8. C. Basistriga, Walk. (<i>Epilampra B.</i>) l. c. p. 211 (1868). **9. C. Pardalina, Walk. (<i>Epilampra P.</i>) l. c. p. 68. n. 6 (1868); Kirb. Ann. Nat. Hist. (7) v. p. 281 (1900); Dist. Ins. Transvaal. p. 20, pl. 1. f. 5 (1900). **10. C. Characterosa, Walk. (<i>Epilampra C.</i>) l. c. p. 209 (1868). **11. C. Signatura, Walk. (<i>Epilampra S.</i>) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 13 (1871); Melliss, St. Helena, p. 166 (1875). *12. C. Marginata, Brunn. (<i>Epilampra M.</i>) Ann. Mus. Genov. xxxiii. p. 28, pl. 1. f. 9 (1893). 13. C. Lævis, Brunn. (<i>Epilampra L.</i>) l. c. p. 28 (1893). **14. C. Antica, Walk. (<i>Polyzosteria A.</i>) l. c. p. 161. n. 37 (1868). 15. C. Quadrata, Sauss. (<i>Epilampra Q.</i>) Mém. Soc. Genève, xxiii. p. 129 (1873). <i>Blatta Liturata</i>, ♀, <i>Haan</i>, Temminck, Verhandl., Orth. p. 48, pl. 1. f. 9 (1842). **16. C. Irrorata, Fabr. (<i>Blatta I.</i>) Syst. Ent. p. 272. n. 8 (1775).	Kilima-njaro. Central America. New Granada, Panama. iid. Central America. Uruguay. Amazons. Hab. — ? Lake N'gami; Transvaal. Bengal. St. Helena. Pegu. Tenasserim. Hab. — ? China, Java. Australia.

- Epilampra Gracilis*, Brunn. Syst. Blatt. p. 170, pl. 4. f. 20 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 57 (1893).
Epi'ampra Atomifera, Walk. Cat. Blatt. B. M. p. 69. n. 11 (1868).
Polyzosteria Propria, Walk. l.c. p. 161. n. 36 (1868).
- 16 a. **C. Fornicata**, Sauss. (*Epilampra F.*) Australia.
 Rev. Zool. (2) xvi. p. 320 (1864).
17. **C. Depolita**, Brancs. Jahresh. Ver. Trencsin. Com. xix.-xx. p. 57 (1897). id.
 (Yorktown)
- **18. **C. Notabilis**, Walk. (*Epilampra N.*) l. c. Australia.
 p. 202 (1868); Tepp. l.c. xvii. p. 58 (1893).
19. **C. Fraserensis**, Tepp. (*Epilampra F.*) S.W. Aus-
 l. c. p. 59 (1893); Horn Exped. Centr. tralia.
 Australia, ii. p. 360 (1896).
20. **C. Paula**, Tepp. (*Epilampra P.*) Tr. R. S. Australia.
 Soc. S. Australia, xvii. p. 60 (1893).
21. **C. Truncata**, Brunn. (*Epilampra T.*) Sydney.
 l. c. p. 178. n. 11 (1865); Tepp. l. c.
 p. 61 (1893).
22. **C. Aspera**, Tepp. (*Epilampra A.*) l. c. S. & W.
 p. 62 (1893). Australia.
C. Aspera, Sauss. Rev. Suisse Zool. iii.
 p. 348 (1895).
23. **C. Tepperi**, Kirb. Ann. Nat. Hist. (7) xii. Australia.
 p. 275 (1903).
 || *Epilampra Propria*, Tepp. l. c. p. 64
 (1893).
24. **C. Obscura**, Tepp. (*Epilampra O.*) l. c. id.
 (1863).
25. **C. Atra**, Tepp. (*Epilampra A.*) l. c. id.
 p. 65 (1893).
- **26. **C. (?) Marginalis**, Walk. (*Ischnoptera* id. (Swan
M.) l. c. p. 119. n. 36 (1868). River).
27. **C. (?) Tatei**, Tepp. (*Epilampra T.*) l. c. Australia.
 xviii. p. 174 (1894).
- **28. **C. (?) Congrua**, Walk. (*Polyzosteria C.*) Congo.
 Cat. Blatt. B. M. p. 165. n. 44 (1868).

Genus 58. **Pæciloderrhis**. (*Type* no. 1.)

Stål, Bihang Svensk. Akad. ii. (13) p. 12 (1874).

- *1. **P. Verticalis**, Burm. (*Epilampra V.*) | Brazil.
 Handb. Ent. ii. p. 505. n. 6 (1838); |

- Brunn. Syst. Blatt. p. 175. n. 8 (1865);
 Sauss. Miss. Mex., Orth. p. 85 (1870).
Epilampra Socia, Stål, Eugenie's Resa,
 Ins. p. 309 (1858).
Epilampra Bella, Sauss. Rev. Zool. (2)
 xvi. p. 322 (1864).
2. **P. Bivittata**, Sauss. (*Epilampra B.*) l. c. Brazil.
 p. 323 (1864); Mém. Mex., Blatt. p. 136
 (1864).
3. **P. Maculifrons**, Stål, (*Epilampra M.*) Rio
 l. c. p. 310 (1858). Janeiro.
4. **P. Proxima**, Brunn. (*Epilampra P.*) l. c. Brazil.
 p. 176. n. 9 (1865).

Genus 59. **Wodongia**.

Tepp. Tr. R. Soc. S. Australia, xix. p. 155 (1895).

1. **W. Lunata**, Tepp. l. c. p. 156 (1895). | Victoria.

Genus 60. **Derocardia**. (*Type* no. 1.)

Sauss. Rev. Suisse Zool. iii. p. 350 (1895).

1. **D. Acutipennis**, Sauss. (*Hedaia A.*) l. c. Amboina.
 p. 353, pl. 9. f. 11 (1895).
- **2. **D. Oxyptera**, Walk. (*Epilampra O.*) Cat. Sarawak.
 Blatt. B. M. p. 199 (1868).

Genus 61. **Apsidopis**. (*Type* no. 1.)

Sauss. Rev. Suisse Zool. iii. p. 338 (1895).

1. **A. Cyclops**, Sauss. l. c. pl. 9. f. 7 (1895). | Borneo.
2. **A. (?) Oniscosoma**, Sauss. l. c. p. 339 | Peru.
 (1895).

Genus 62. **Pseudophoraspis**. (*Type* no. 1.)

Kirb. Ann. Nat. Hist. (7) xii. p. 275 (1903).

- *1. **P. Nebulosa**, Burm. (*Epilampra N.*) Java,
 Handb. Ent. ii. p. 505, n. 4 (1838); Malay
 Brunn. Syst. Blatt. p. 193. n. 30, pl. 9. Peninsula.
 f. 19 A-E (1865); Walk. Cat. Blatt. B.
 M. p. 194 (1868).
Blatta Jaspulea, Serv. Ins. Orth. p. 88
 (1839).

- Epilampra Jaspidea*, Brunn. l. c. p. 184.
n. 17 (1865); Walk. l. c. p. 193 (1868);
Sauss. Mém. Mex., Blatt. p. 138 (1864).
2. **P. Scita, Walk.** (*Epilampra S.*) l. c. Sumatra.
p. 200 (1868).
- **3. **P. Congrua, Walk.** (*Epilampra C.*) l. c. Sarawak ;
p. 199 (1868). Tonkin.
- **4. **P. Deplanata, Walk.** (*Epilampra D.*) Singapore.
l. c. p. 201 (1868).
5. **P. (?) Conformis, Walk.** (*Epilampra C.*) Sarawak.
l. c. p. 200 (1868).

Genus 63. **Rhabdoblatta.**

Kirb. Ann. Nat. Hist. (7) xii. p. 276 (1903).

- **1. **R. Præcipua, Walk.** (*Epilampra P.*) Ceylon.
Cat. Blatt. B. M. p. 196 (1868).

Genus 64. **Heterolampra.** (Type no. 46.)

Kirb. Ann. Nat. Hist. (7) xii. p. 276 (1903).

|| *Epilampra*, Sauss. & Zehntn. Hist. Madagascar, Orth. i. p. 56
(1895).

- **1. **H. Alligata, Walk.** (*Epilampra A.*) Cat. Hong
Blatt. B. M. p. 71. n. 22 (1868). Kong.
- **1 a. **H. Isochroma, Walk.** (*Epilampra I.*) id.
l. c. p. 204 (1868).
- **2. **H. Munda, Walk.** (*Epilampra M.*) l. c. id.
p. 203 (1868).
- **3. **H. Sinensis, Walk.** (*Epilampra S.*) l. c. id.
p. 197 (1868).
4. **H. Saussurei, Kirb.** Ann. Nat. Hist. (7) China.
xii. p. 277 (1903).
|| *Epilampra Puncticollis*, Sauss. Rev. Suisse
Zool. iii. p. 359 (1895).
5. **H. Sculpturata, Bol.** (*Epilampra S.*) S. India
Ann. Soc. Ent. France, 1897, p. 297, (Trichi-
pl. 10. f. 8. nopoly).
6. **H. Lineaticollis, Bol.** (*Epilampra L.*) id.
l. c. p. 298 (1897).
- *7. **H. Punctata, Brunn.** (*Epilampra P.*) Ceylon.
Syst. Blatt. p. 173. n. 5 (1865).
- **8. **H. Subsparsa, Walk.** (*Epilampra S.*) l. c. id.
p. 205 (1868).

- *9. **H. Inconspicua**, **Brunn.** (*Epilampra I.*) Philippines.
l. c. p. 186. n. 20 (1865).
- **10. **H. Curta**, **Walk.** (*Epilampra C.*) l. c. id.
p. 205 (1868).
11. **H. Cyrtophthalma**, **Stål**, (*Epilampra C.*) id.
Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 35
(1877).
- **12. **H. Pustulata**, **Walk.** (*Epilampra P.*) id.
l. c. p. 206 (1868).
- **13. **H. Insueta**, **Walk.** (*Epilampra I.*) l. c. id.
p. 202 (1868).
14. **H. Manillensis**, **Sauss.** (*Epilampra M.*) id.
Mém. Soc. Genève, xx. p. 268 (1869). (Manilla).
15. **H. Stæli**, **Kirb.** l. c. p. 277 (1903). Philippines.
|| *Epilampra Puncticollis*, **Stål**, l. c. p. 34
(1877).
- **16. **H. Pandens**, **Walk.** (*Epilampra P.*) l. c. id.
p. 204 (1868).
- *17. **H. Cribellata**, **Stål**, (*Epilampra C.*) l. c. id.
p. 34 (1877).
18. **H. Mutica**, **Stål**, (*Epilampra M.*) l. c. id.
(1877).
19. **H. Plebeia**, **Stål**, (*Epilampra P.*) l. c. id.
(1877).
20. **H. Tagalica**, **Stål**, (*Epilampra T.*) l. c. id.
p. 35 (1877).
21. **H. Trivialis**, **Stål**, (*Epilampra T.*) l. c. id.
(1877).
22. **H. Caliginosa**, **Stål**, (*Epilampra C.*) id.
l. c. p. 35 (1877).
23. **H. Lugubrina**, **Stål**, (*Epilampra L.*) l. c. id.
(1877).
24. **H. Meticulosa**, **Stål**, (*Epilampra M.*) id.
l. c. (1877).
25. **H. Ferruginosa**, **Stål**, (*Epilampra F.*) id.
l. c. (1877).
26. **H. Pudica**, **Stål**, (*Epilampra P.*) l. c. id.
(1877).
27. **H. (?) Elegans**, **Esch.** (*Blatta E.*) Ento- Luzon.
graphien, p. 84 (1822).
28. **H. Inclarata**, **Walk.** (*Epilampra I.*) l. c. Sarawak.
p. 198 (1868).
29. **H. Imitans**, **Brunn.** (*Epilampra I.*) Ann. Tenasserim.
Mus. Genov. xxxiii. p. 29, pl. 1. f. 10
(1893).
30. **H. Varia**, **Walk.** (*Epilampra V.*) Cat. Sarawak.
Blatt. B. M. Suppl. p. 130 (1869).

- *31. **H. Lurida**, **Burm.** (*Epilampra L.*) Handb. Ent. ii. p. 505. n. 5 (1838); Brunn. Syst. Blatt. p. 185. n. 19 (1865).
Blatta Cribricollis, *Serv.* Ins. Orth. p. 93 (1839). Java, Borneo, India, Celebes.
- **32. **H. Monticola**, **Kirb.** l. c. p. 277 (1903). Tonkin.
- **33. **H. Pallida**, **Kirb.** l. c. p. 278 (1903). id.
- **34. **H. Ridleyi**, **Kirb.** l. c. (1903). Singapore.
- **35. **H. Puncticollis**, **Walk.** (*Epilampra P.*) Cat. Blatt. B. M. p. 74. n. 28 (1868). Sarawak.
36. **H. Fervida**, **Walk.** (*Epilampra F.*) l. c. p. 211 (1868). id., Celebes, Papua.
37. **H. Plena**, **Walk.** (*Epilampra P.*) l. c. p. 210 (1868). Celebes (Menado).
38. **H. Lævicollis**, **Sauss.** (*Epilampra L.*) Mém. Soc. Genève, xxiii. p. 129, pl. 10. f. 45 (1873). Java.
- **39. **H. Quadrinotata**, **Walk.** (*Epilampra Q.*) l. c. p. 209 (1868). Sarawak.
- 39 a. **H. Geminata**, **Brunn.** (*Epilampra G.*) Abhandl. Senckenb. Ges. xxiv. p. 208 (1898). Borneo.
40. **H. Deflexa**, **Sauss.** (*Epilampra D.*) l. c. p. 126, pl. 10. f. 43 (1873). Java.
41. **H. Truncata**, **Brunn.** (*Epilampra T.*) l. c. p. 207 (1898). Celebes.
42. **H. Doleschali**, **Brunn.** (*Epilampra D.*) Syst. Blatt. p. 194. n. 31 (1895). Amboina.
- *43. **H. Concinnula**, **Walk.** (*Epilampra C.*) l. c. Suppl. p. 134 (1869). Timor.
44. **H. Keraudrenii**, **Le Guill.** (*Blatta K.*) Rev. Zool. 1841, p. 292. N. Guinea (Triton Bay).
Epilampra Keraudrenii, *Brunn.* l. c. p. 182. n. 15 (1865).
45. **H. Papua**, **Sauss.** (*Epilampra P.*) Rev. Suisse Zool. iii. p. 361, pl. 9. f. 14 (1895). N. Guinea.
- *46. **H. Dilatata**, **Brunn.** (*Epilampra D.*) l. c. p. 185. n. 18 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 62 (1893). Australia.
Epilampra Laticollis, *Walk.* Cat. Blatt. B. M. p. 203 (1868).
47. **H. Pectinata**, **Sauss.** (*Epilampra (Homalopteryx?) P.*) Mém. Soc. Genève, xx. p. 271 (1869). id.
48. **H. Lyncea**, **Gerst.** (*Epilampra L.*) Mitth. Ver. Vorpomm. xiv. p. 53 (1883). Cameroons.

49. H. Erubescens , Gerst. (<i>Epilampra E.</i>)	Cameroons,
l. c. p. 54 (1883).	Ogowe.
**50. H. Stipata , Walk. (<i>Epilampra S.</i>) l. c.	Sierra
p. 208 (1868).	Leone.
51. H. Punctipennis , Sauss. (<i>Epilampra P.</i>)	Zanzibar.
Rev. Suisse Zool. iii. p. 356, pl. 9. f. 12	
(1895).	
52. H. Hybrida , Sauss. (<i>Epilampra H.</i>) l. c.	Lake
p. 358 (1895).	N'gami.
53. H. Trilobata , Sauss. (<i>Epilampra T.</i>)	Madagascar
l. c. p. 25 (1891); Sauss. & Zehntn. l. c.	
p. 60, pl. 2. f. 24 (1895).	
54. H. Punctulata , Sauss. (<i>Epilampra P.</i>)	id.
l. c. p. 25 (1891); Sauss. & Zehntn. l. c.	
p. 63, pl. 2. ff. 22, 23 (1895).	
55. H. Malagassa , Sauss. & Zehntn. (<i>Epilampra M.</i>) l. c. p. 65, pl. 2. f. 25	id.
(1895).	
56. H. Cincta , Brunn. (<i>Epilampra C.</i>) Syst.	Hab. — ?
Blatt. p. 172. n. 4 (1865).	

Genus 65. **Hedaia**. (*Type* no. 1.)

Sauss. Rev. Suisse Zool. iii. p. 349 (1895); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. pp. 56, 66 (1895).

1. H. Venusta , Sauss. l. c. p. 351 (1895);	Madagascar
Sauss. & Zehntn. l. c. p. 67, pl. 4. f. 43	
(1895).	
2. H. Angulata , Sauss. (<i>Epilampra A.</i>) Soc.	id.
Ent. vi. p. 25 (1891); Sauss. & Zehntn.	
Grandidier, Hist. Madagascar, Orth. i.	
p. 58, pl. 2. f. 21 (1895).	
<i>H. Angulata</i> , Sauss. l. c. p. 352 (1895).	
3. H. Melanosoma , Sauss. (<i>Epilampra M.</i>)	"East
Mém. Soc. Genève, xx. p. 266 (1869).	Indies."
**4. H. Olivacea , Sauss. (<i>Epilampra O.</i>) l. c.	Cochin
p. 267 (1869).	China.
**5. H. Abdominalis , Kirb. Ann. Nat. Hist.	Tonkin.
(7) xii. p. 279 (1903).	
**6. H. Immaculata , Kirb. l. c. (1903).	id.
7. H. Albina , Sauss. Rev. Suisse Zool. iii.	Java.
p. 351 (1895).	
*8. H. Buqueti , Serv. (<i>Blatta B.</i>) Ins. Orth.	id.
p. 93 (1839).	

- 8 a. **H. Pfeifferæ, Brunn.** (*Epilampra P.*) Borneo.
Syst. Blatt. p. 188. n. 24 (1865).
9. **H. Javanica, Sauss.** (*Epilampra J.*) Java.
Mém. Soc. Genève, xx. p. 269 (1869).
10. **H. Parvicollis, Walk.** (*Epilampra P.*) Sarawak.
Cat. Blatt. B. M. Suppl. p. 133 (1869).
- *11. **H. Procera, Brunn.** (*Epilampra P.*) l. c. Java.
p. 192. n. 29 (1865).
Epilampra Borrei, Sauss. l. c. xxiii. p. 127, id.
pl. 10. f. 44 (1873).
- **12. **H. Horologica, Kirb.** l. c. p. 280 (1903). Khasia H.
13. **H. Yersiniana, Sauss.** (*Epilampra Y.*) Brazil.
Rev. Zool. (2) xvi. p. 323 (1864); Mém.
Mex., Blatt. p. 128 (1864).
Epilampra Superba, Brunn. l. c. p. 191.
n. 23 (1865).

Genus 66. **Rhcnoda.** (*Type* no. 1.)

Brunn. Ann. Mus. Genov. xxxiii. p. 30 (1893).

- *1. **R. Rugosa, Brunn.** l. c. p. 31, pl. 1. Borneo,
f. 11 a, b (1893). Java.
- **2. **R. Terranea, Walk.** (*Perisphæria T.*) Ceylon.
Cat. Blatt. B. M. p. 163. n. 41 (1868).
- *3. **R. Spinulosa, Brunn.** l. c. p. 31 Java.
(1893).
- *4. **R. Obscurifrons, Stål,** (*Homalopteryx O.*) Philippines.
Efv. Vet.-Akad. Förh. xxxiv. (10) p. 34
(1877).
5. **R. Major, Sauss.** (*Homalopteryx M.*) Java.
Rev. Suisse Zool. iii. p. 342 (1895).
6. **R. Perplexa, Tepp.** (*Epilampra (Rhcnoda) P.*) Tr. R. Soc. S. Australia, xix.
p. 156 (1895). Victoria.
- **7. **R. Reflexa, Sauss. & Zehntn.** Biol. Nicaragua.
Centr.-Amer., Orth. i. p. 68. n. 1, pl. 4.
f. 25 (1893).
- **8. **R. Laminata, Brunn.** (*Homalopteryx L.*) St. Vincent,
Proc. Zool. Soc. Lond. 1892, p. 294, Grenada.
pl. 15. f. 4.

Genus 67. **Epilampra.** (*Type* no. 12.)

Burm. Handb. Ent. ii. p. 504 (1838); Sauss. Mém. Mex., Blatt. p. 126 (1864); Miss. Mex., Orth. p. 80 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 61 (1893); Brunn. Syst. Blatt. p. 166 (1865).

1. **E. Crassa, Sauss.** Rev. Zool. (2) xvi. Mexico.
p. 99 (1864); Miss. Mex., Orth. p. 80
(1870); Sauss. & Zehntn. l. c. p. 62. n. 1,
pl. 4. f. 37 (1893).
- *2. **E. Imitatrix, Sauss. & Zehntn.** l. c. Brazil.
p. 63. n. 2 (1893).
- *3. **E. Mexicana, Sauss.** Rev. Zool. (2) xiv. Mexico,
p. 228 (1862); Mém. Mex., Blatt. p. 130, Guatemala.
pl. 2. f. 26 (1864); Miss. Mex., Orth.
p. 80 (1870); Sauss. & Zehntn. l. c. p. 63.
n. 3 (1893); Brunn. l. c. p. 188. n. 23
(1865).
4. **E. Insularis, Bol.** (*E. Mexicana*, var. *I.*) Cuba.
Mém. Soc. Zool. France, i. p. 128 (1888).
5. **E. Columbiana, Sauss.** Rev. Suisse Zool. New
iii. p. 360, pl. 9. f. 13 (1895). Granada.
- **6. **E. Sabulosa, Walk.** Cat. Blatt. B. M. Haiti.
p. 70. n. 20 (1868).
- **7. **E. Arctata, Walk.** l. c. p. 74. n. 27 British
(1868). Guiana.
- *8. **E. Azteca, Sauss.** Rev. Zool. (2) xx. Mexico.
p. 356 (1868); Miss. Mex., Orth. p. 82
(1870); Sauss. & Zehntn. l. c. p. 95. n. 6
(1893).
- **9. **E. Microspila, Walk.** l. c. p. 208 Haiti.
(1868).
10. **E. Latifrons, Sauss. & Zehntn.** l. c. S. America.
p. 66. n. 9 (1893).
- **11. **E. Caraibea, Sauss. & Zehntn.** l. c. Cuba.
p. 65. n. 7 (1893).
12. **E. Maculicollis, Serv.** (*Blatta M.*) Ins. Brazil.
Orth. p. 92 (1839).
|| *E. Brasiliensis*, Brunn. l. c. p. 169. n. 1
(1865); (?) Burm. l. c. ii. p. 505. n. 1
(1838).
13. **E. Fusca, Brunn.** l. c. p. 170. n. 2 Venezuela.
(1865).
14. **E. Grisea, De Geer,** (*Blatta G.*) Mém. Surinam.
Ins. iii. p. 570. n. 7, pl. 44. f. 9 (1773).

- **15. **E. Brasiliensis, Fabr.** (*Blatta B.*) Syst. Ent. p. 272. n. 10 (1775). Brazil.
 16. **E. Crossea, Sauss.** Rev. Zool. (2) xvi. p. 323 (1864). id.
E. Crocea, Sauss. Mém. Mex., Blatt. p. 133 (1864).
 17. **E. Burmeisteri, Guér.** (*Blatta (Phyllo-dromia) B.*) Ramon de la Sagra, Hist. Cuba, Ins. p. 345 (1857). Cuba.
E. Burmeisteri, Sauss. Mém. Mex., Blatt. p. 136, pl. 2. f. 25 (1864); Miss. Mex., Orth. p. 81 (1870); Sauss. & Zehntn. l. c. p. 66. n. 8 (1893).
 18. **E. Testacea, Brunn.** l. c. p. 187. n. 22 (1865). Brazil.
 19. **E. Cinerascens, Brunn.** l. c. p. 173. n. 6 (1865). id.
 20. **E. Subconsersa, Walk. l. c. p. 71. n. 21 (1868). id.
 21. **E. Adjuncta, Walk.** l. c. p. 72. n. 23 (1868). id.
 22. **E. Caliginosa, Walk. l. c. p. 207 (1868). id.
 23. **E. Castanea, Brunn.** l. c. p. 174. n. 7 (1865). id.
 24. **E. Sodalis, Walk. l. c. p. 72. n. 24 (1868). Santarem,
 || *E. Consersa, Sauss. & Zehntn.* l. c. p. 64. Guiana,
 n. 5, pl. 4. f. 38 (1893). Guatemala.
 *25. **E. Cribrosa, Burm.** l. c. p. 505. n. 2 (1838); Brunn. l. c. p. 190. n. 27 (1865). Brazil.
E. Agathina, Sauss. Rev. Zool. (2) xvi. p. 322 (1864); Mém. Mex., Blatt. p. 135 (1864); Walk. l. c. p. 194 (1868).
 26. **E. Repanda, Walk. l. c. p. 73. n. 25 (1868). id.
 *27. **E. Fallax, Sauss. & Zehntn.** l. c. p. 64. n. 4, pl. 4. f. 36 (1893). id.
 *28. **E. Consersa, Burm.** l. c. p. 505. n. 2 (1838); Brunn. l. c. p. 190. n. 26 (1865). id.
 29. **E. Ferruginea, Brunn.** l. c. p. 187. n. 21 (1865). id.
 30. **E. Heydeniana, Sauss.** Rev. Zool. (2) xvi. p. 323 (1864); Mém. Mex., Blatt. p. 133 (1864). id.
 31. **E. Cubensis, Bol.** l. c. i. p. 127 (1888). Cuba.

- *32. **E. Brevis, Brunn.** Proc. Zool. Soc. Lond. 1892, p. 203, pl. 15. f. 3. W. Indies (St. Vinc.).
- **33. **E. Substrigata, Walk.** l. c. p. 73. n. 26 (1868). Demerara.
E. Opaca, Walk. l. c. p. 206 (1868).
34. **E. (?) Obliqua, Walk.** (*Ischnoptera (?) O.*) Brazil.
 l. c. Suppl. p. 148 (1869).
35. **E. Atriventris, Sauss.** Rev. Suisse Zool. iii. p. 357 (1895). id.
36. **E. Stigmosa, Giglio-Tos,** Boll. Mus. Ecuador.
 Torino, xiii. (311) p. 8 (1898).
37. **E. Josephi, Giglio-Tos,** l. c. p. 9 (1898). id.
38. **E. Caizana, Giglio-Tos,** l. c. xii. (302) Bolivia.
 p. 10 (1897).
- *39. **E. Limbalis, Brancs.** Verh. Ver. Trencsin. Paraguay.
 Com. xxiii.-xxiv. p. 187 (1901).
40. **E. Erythrina, Walk.** (*Blatta E.*) Cat. Brazil.
 Blatt. B. M. p. 219 (1868).

SUBFAM. VII.

BLATTINÆ.

Genus 68. **Polyzosteria.** (*Type* no. 1.)

- Burm. Handb. Ent. ii. p. 482 (1838); Sauss. Mém. Mex., Blatt. p. 52 (1864); Miss. Mex., Orth. p. 70 (1870); Brunn. Syst. Blatt. p. 203 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 72 (1893).
- || *Chalcolampra*, Sauss. Mém. Soc. Genève, xvii. p. 132 (1863).

- *1. **P. Limbata, Burm.** l. c. p. 483. n. 5 Australia,
 (1838); Walk. Cat. Blatt. B. M. p. 167. Tasmania.
 n. 47 (1868); Sauss. Mém. Soc. Genève,
 xvii. p. 133, pl. 1. f. 3 (1864); Brunn.
 l. c. p. 205. n. 1, pl. 5. f. 23 A, B (1865);
 Tepp. l. c. xvii. p. 73 (1893).
P. Purpurascens, Fisch. Orth. Eur. p. 93
 note (1853).
P. Pulchella, Sauss. Rev. Zool. (2) xvi.
 p. 308 (1864), *larva*.
- **2. **P. Nitens, Walk.** l. c. p. 155. n. 24 Hab. — ?
 (1868).

3. **P. Impressa, Tepp.** Horn Exped. Centr. Austr. ii. p. 361 (1896). Central Australia.
- *4. **P. Cuprea, Sauss.** l. c. xvii. p. 133, pl. 1. f. 2 (1864). Swan River.
P. Maculata, Brunn. l. c. p. 206. n. 2 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 74 (1893).
5. **P. Obscuroviridis, Tepp.** l. c. p. 73 (1893). S. Australia.
6. **P. Ænea, Burm.** l. c. p. 483. n. 6 (1838); Brunn. l. c. p. 207. n. 3 (1865); Tepp. l. c. xvii. p. 74 (1893). Australia (Sydney, &c.).
- **7. **P. Invisa, Walk.** l. c. p. 162. n. 38 (1868); Tepp. l. c. xvii. p. 78 (1893). Australia.
- **8. **P. Patula, Walk.** l. c. p. 157. n. 28 (1868); Tepp. l. c. xvii. p. 76 (1893). N. Australia.
9. **P. Frenchii, Tepp.** l. c. xviii. p. 178 (1894). Victoria.
- *10. **P. Mitchellii, Angas, (Blatta M.)** S. Australia Illustrated, pl. 48. f. 1 (1847). Australia.
P. Mitchellii, Sauss. l. c. xxiii. p. 106 (1873); Tepp. l. c. xvii. p. 78 (1893).
Polyzostria Mitchellii, Frogg. Agric. Gazette N. S. Wales, xii. p. 1210, plate, f. 4 (1901).
11. **P. Subreflexa, Tepp.** l. c. xix. p. 158 (1895). id. (Ooklea).
- **12. **P. Subverrucosa, White, (Blatta S.)** Grey, Journ. Exped. Australia, ii. p. 467 (1841). K. George's Sound, Swan River.
P. Reflexa, Brunn. l. c. p. 208. n. 4 (1865); Tepp. l. c. xvii. p. 80 (1893).
- *13. **P. Nobilis, Brunn.** l. c. p. 209. n. 5 (1865); Tepp. l. c. xvii. p. 81 (1893). Swan River.
14. **P. Subnobilis, Tepp.** l. c. (1893). Kangaroo I.
15. **P. Iridicolor, Tepp.** l. c. p. 73 (1893). S. Australia.
- **16. **P. Femoralis, Walk.** l. c. p. 156. n. 27 (1868); Tepp. l. c. xvii. p. 77 (1893). Swan River.
- **17. **P. Figurata, Walk.** l. c. p. 157. n. 29 (1868); Tepp. l. c. xvii. p. 77 (1893). id.
18. **P. Bagoti, Tepp.** l. c. p. 79 (1893). Pt. Augusta.
19. **P. Oculata, Tepp.** l. c. p. 75 (1893). Kangaroo I.
20. **P. Pubescens, Tepp.** l. c. (1893); Frogg. l. c. p. 1210, pl. f. 6 (1901). S. W. Australia.
21. **P. Australica, Brancs. (Pellita A.)** Jahresh. Ver. Trencsin. Com. xix.-xx. p. 245, pl. 7. f. 4 (1897). York Town.

Genus 69. **Anamesia.** (*Type* no. 1.)

Tepp. Tr. R. Soc. S. Australia, xvii. p. 69 (1893).

1. A. Lambii, Tepp. l. c. p. 70 (1893).	C. Australia.
2. A. Eastii, Tepp. l. c. (1893).	id.
3. A. Lindsayi, Tepp. l. c. p. 71 (1893).	S.W. Austr.
*4. A. Frenchii, Tepp. l. c. p. 72 (1893).	N. Queensl.
5. A. (?) Fulvornata, Tepp. l. c. xviii.
p. 177 (1894).	Victoria.

Genus 70. **Melanozosteria.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. ii. (13) p. 13 (1875).

*1. M. Nitida, Brunn. (<i>Platyzosteria N.</i>)
Syst. Blatt. p. 214. n. 14 (1865).	Amboina,
Ternate,
Philippines.
**2. M. Polita, Walk. (<i>Periplaneta P.</i>) Cat.
Blatt. B. M. p. 139. n. 44 (1868).	Formosa,
Cornwallis I.
**3. M. Glabra, Walk. (<i>Periplaneta G.</i>) l. c.
n. 45 (1868).	Australia.
4. M. Aterrima, Esch. (<i>Blatta A.</i>) Entomo-
graphien, p. 89 (1822).	I. Radak.
**5. M. Bicolor, Kirb. Ann. Nat. Hist. (7)
xii. p. 373 (1903).	Torres Str.,
Cornwallis I.

Genus 71. **Syntomaptera.** (*Type* no. 6.)

Tepp. Tr. R. Soc. S. Australia, xvii. p. 106 (1893).

1. S. Heydeniana, Sauss. (<i>Periplaneta H.</i>)
Rev. Zool. (2) xvi. p. 317 (1864).
<i>Polyzosteria Heydeniana, Sauss.</i> Mém. Soc.
Genève, xx. p. 256 (1869).
<i>Platyzosteria Heydeniana, Tepp.</i> l. c. xviii.
p. 180 (1894).	King
George's
Sound.
*2. S. Novæ-Seelandiæ, Brunn. (<i>Polyzos-
terea N.</i>) Syst. Blatt. p. 218. n. 19
(1865).
<i>Periplaneta Fortipes, Walk.</i> Cat. Blatt.
B. M. p. 137. n. 40 (1868); Huds.
Manual N. Zealand Ent. p. 109, pl. 17.
f. 5 (1892).	N. Zealand
(Auckland);
Australia,
Tasmania.

3. S. Tepperi , Kirb. Ann. Nat. Hist. (7) xii. p. 374 (1903).
<i>Periplaneta Glabra</i> , Tepp. l. c. xvii. p. 107 (1893).	Australia.
4. S. Obscura , Tepp. (<i>Periplaneta O.</i>) l. c. (1893).	id.
5. S. Provisionalis , Tepp. (<i>Periplaneta P.</i>) l. c. xvii. p. 108 (1893), xix. p. 161 (1895).	id. (Mt. Bryan East).
6. S. Scabriuscula , Tepp. (<i>Periplaneta S.</i>) l. c. xvii. p. 108 (1893).	S. Australia.
7. S. Rufoterminalata , Brunn. (<i>Polyzosteria R.</i>) l. c. p. 219. n. 20 (1865).	Australia.

Genus 72. **Platyzosteria.** (Type no. 3.)

Brunn. Syst. Blatt. p. 204 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 83 (1893).

1. P. Consobrina , Sauss. (<i>Polyzosteria C.</i>) Rev. Zool. (2) xvi. p. 306 (1864).	Australia.
2. P. Melanaria , Erichs. (<i>Periplaneta M.</i>) Arch. Naturg. viii. p. 247 (1862).	Tasmania.
*3. P. Analis , Sauss. (<i>Polyzosteria A.</i>) l. c. (2) xvi. p. 305 (1864).
<i>Polyzosteria Melanaria</i> , Brunn. l. c. p. 210. n. 6 (1865); (?) Sauss. Mém. Soc. Genève, xxiii. p. 109 (1873).
(?) <i>Platyzosteria Melanaria</i> , Tepp. l. c. xvii. p. 83 (1893).	Australia.
4. P. Grandis , Sauss. (<i>Polyzosteria Melanaria</i> , var. <i>Grandis</i>) l. c. p. 110 (1873).	Melbourne.
5. P. Bifida , Sauss. (<i>Polyzosteria B.</i>) l. c. pl. 10. f. 37 (1873).
<i>Platyzosteria Bifida</i> , Tepp. l. c. xix. p. 159 (1895).	Queensland.
6. P. Armata , Tepp. l. c. xvii. p. 84 (1893).	W. Australia.
7. P. Rufofusca , Tepp. l. c. (1893).	S. Australia.
**8. P. Invisa , Walk. (<i>Periplaneta I.</i>) Cat. Blatt. B. M. p. 137. n. 41 (1868).	Swan River.
**9. P. Tarsalis , Walk. (<i>Polyzosteria T.</i>) l. c. p. 162. n. 39 (1868).	Australia.
*10. P. Atrata , Erichs. (<i>Periplaneta A.</i>) l. c. p. 248 (1842).	Tasmania, Australia.

- Polyzosteria Atrata*, Brunn. l. c. p. 210. n. 7 (1865).
Platyzosteria Atrata, Tepp. l. c. xix. p. 15 (1895).
- *11. **P. Aterrima**, Erichs. (*Periplaneta A.*) Tasmania.
 l. c. p. 248 (1842).
Polyzosteria Aterrima, Brunn. l. c. p. 211. n. 8 (1865).
Platyzosteria (Periplaneta) Aterrima, Tepp. l. c. xvii. p. 85 (1893).
12. **P. Punctata**, Brunn. (*Polyzosteria P.*) Australia.
 l. c. p. 211. n. 9 (1865).
Platyzosteria Punctata, Tepp. l. c. xvii. p. 85 (1893).
13. **P. Pseudatrata**, Tepp. l. c. p. 86 (1893). C. Australia.
 14. **P. Avocaensis**, Tepp. l. c. p. 88 (1893). N. S. Wales.
- *15. **P. Scabra**, Brunn. (*Polyzosteria S.*) l. c. Sydney.
 p. 213. n. 12 (1865).
16. **P. Scabrella**, Tepp. l. c. p. 88 (1893). S. Australia.
 17. **P. Variolosa**, Bol. (*Polyzosteria V.*) New Cale-
 Ann. Soc. Ent. France, (6) ii. p. 460 donia.
 (1882).
- *18. **P. Castanea**, Brunn. (*Polyzosteria C.*) Sydney.
 l. c. p. 214. n. 13 (1865).
Platyzosteria Castanea, Tepp. l. c. xvii. p. 89 (1893).
- *19. **P. Biglumis**, Sauss. (*Polyzosteria B.*) Rev. Australia.
 Zool. (2) xvi. p. 305 (1864); Mém. Soc. Genève, xx. p. 257 (1869).
Polyzosteria Subaptera, Brunn. l. c. p. 212. n. 11 (1865).
Platyzosteria Subaptera, Tepp. l. c. xvii. p. 87 (1893).
20. **P. Pseudocastanea**, Tepp. l. c. p. 89 S. Australia.
 (1893).
21. **P. Exaspera**, Tepp. l. c. xviii. p. 182 Victoria.
 (1894).

Genus 73. **Leptozosteria.** (*Type* no. 1.)

Tepp. Tr. R. Soc. S. Australia, xvii. p. 96 (1893).

1. **L. Prima**, Tepp. l. c. (1893). Cent. Austr.
 2. **L. Secunda**, Tepp. l. c. xviii. p. 183 Queensland.
 (1894).

Genus 74. **Pseudolampra.** (*Type* no. 1.)

Tepp. Tr. R. Soc. S. Australia, xvii. p. 96 (1893).

1. P. Punctata, Tepp. l. c. p. 97 (1893).	S.&W. Aust.
2. P. Rothei, Tepp. l. c. p. 98 (1893).	S. Australia.
3. P. Ornata, Tepp. l. c. (1893).	id.
**4. P. Circumcincta, Walk. (<i>Polyzosteria C.</i>)
Cat. Derm. Salt. B. M. v. Suppl. Blatt.
p. 36 (1871).	Australia.

Genus 75. **Knephasia.**

Tepp. Tr. R. Soc. S. Australia, xvii. p. 99 (1893).

1. K. Medilinea, Tepp. l. c. p. 100 (1893).	S. Australia.

Genus 76. **Cosmozosteria.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. ii. (13) p. 13 (1875).

*1. C. Bicolor, Sauss. (<i>Polyzosteria B.</i>) Rev.
Zool. (2) xvi. p. 307 (1864); Mém. Soc.
Genève, xx. p. 259 (1869).
<i>Polyzosteria Ligata</i> , Brunn. Syst. Blatt.
p. 220. n. 22 (1865).
<i>Platyzoosteria Ligata</i> , Tepp. Tr. R. Soc. S.
Austral. xvii. p. 93 (1893).	Australia.
**2. C. Lateralis, Walk. (<i>Polyzosteria L.</i>)
Cat. Blatt. B. M. p. 154. n. 23 (1868).
<i>Platyzoosteria Lateralis</i> , Tepp. l. c. xvii.
p. 93 (1893).
<i>Platyzoosteria (?) Picta</i> , Tepp. l. c. xviii.
p. 182 (1894).	id.
**3. C. Ferruginea, Walk. (<i>Polyzosteria F.</i>)
l. c. p. 158. n. 30 (1868).
<i>Platyzoosteria Ferruginea</i> , Tepp. l. c. xvii.
p. 94 (1893).	id.
4. C. Maculimarginata, Tepp. (<i>Platyzoos-
teria M.</i>) l. c. xix. p. 160 (1895).	N. Queens-
land.
5. C. Albomarginata, Brunn. (<i>Polyzosteria
A.</i>) l. c. p. 312. n. 10 (1865).	Sydney.

- Platyzosteria Albomarginata*, Tepp. l. c. xvii.
p. 86 (1893).
6. **C. Brunnea**, Tepp. (*Platyzosteria Albomarginata*, var. *Brunnea*) l. c. (1893). S. & Central Australia.
- **7. **C. Inclusa**, Walk. (*Periplaneta I.*) l. c. Hab. — ?
p. 140. n. 48 (1868).
8. **C. Trifasciata**, Tepp. (*Platyzosteria T.*) S. Australia.
l. c. p. 91 (1893).
- **9. **C. Polyzona**, Walk. (*Polyzosteria P.*) Swan River.
l. c. p. 159. n. 33 (1868).
Platyzosteria Polyzona, Tepp. l. c. xvii.
p. 94 (1893).
10. **C. Zebra**, Tepp. (*Polyzosteria Z.*) Horn Central
Exped. Centr. Australia, ii. p. 362 Australia.
(1896).
11. **C. Latizona**, Tepp. (*Platyzosteria L.*) S. Australia.
Tr. R. Soc. S. Australia, xvii. p. 92
(1893).
12. **C. Coolgardiensis**, Tepp. (*Platyzosteria C.*) l. c. xix. p. 159 (1895). W. Aus-
tralia.
13. **C. Ardrossanensis**, Tepp. (*Platyzosteria A.*) l. c. xvii. p. 92 (1893). S. Australia.
- **14. **C. Zonata**, Walk. (*Polyzosteria Z.*) l. c. Port
p. 159. n. 32 (1868). Essington.
15. **C. Subzonata**, Tepp. (*Platyzosteria S.*) Victoria.
l. c. xviii. p. 181 (1894).
- **16. **C. Pectoralis**, Walk. (*Polyzosteria P.*) N. Aus-
l. c. p. 160. n. 35 (1868). tralia.
Platyzosteria Pectoralis, Tepp. l. c. xvii.
p. 95 (1893).
- **17. **C. Quadrifascia**, Walk. (*Polyzosteria Q.*) Australia.
l. c. p. 160. n. 34 (1868).
Platyzosteria Quadrifascia, Tepp. l. c. xvii.
p. 95 (1893).
- **18. **C. Sexguttata**, Walk. (*Periplaneta S.*) id.
l. c. p. 141. n. 50 (1868).
Drymaplaneta Sexguttata, Tepp. l. c. xvii.
p. 113 (1893).
- **19. **C. (?) Ruficornis**, Walk. (*Periplaneta R.*) Bombay.
Cat. Derm. Salt. B. M. v. Suppl. Blatt.
p. 38 (1871).

Genus 77. **Cutilia.** (Type no. 1.)

Stål, Æfv. Vet.-Akad. Förh. xxxiv. (10) p. 36 (1877).

Drymaplaneta, Tepp. Tr. R. Soc. S. Austral. xvii. p. 109 (1893). (Type no. 9 a.)

1. C. Tartarea , Stål, l. c. p. 36 (1877).	Philippines.
**2. C. Coxalis , Walk. (<i>Polyzosteria C.</i>) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 35 (1871).	Bombay.
3. C. Biloba , Sauss. (<i>Polyzosteria B.</i>) Mém. Soc. Genève, xx. p. 258, pl. 2. f. 20 (1869).	Amboina.
4. C. Liturata , Sauss. (<i>Polyzosteria L.</i>) l. c. xxiii. p. 108, pl. 10. f. 36 (1873).	New Georgia.
*5. C. Soror , Brunn. (<i>Polyzosteria S.</i>) Syst. Blatt. p. 219. n. 21 (1865); Sauss. l. c. xx. p. 107. n. 2 (1869).
<i>Periplaneta Semicincta</i> , Walk. Cat. Blatt. B. M. p. 140. n. 47 (1868).	Amboina, Ceram, Formosa, Navigators' Isl.
6. C. Sedilloti , Bol. (<i>Polyzosteria S.</i>) Ann. Soc. Ent. France, (6) ii. p. 459 (1882).	New Caledonia.
**7. C. Circumducta , Walk. (<i>Periplaneta C.</i>) l. c. p. 143. n. 53 (1868).	Hab. — ?
8. C. (?) Balteata , Tepp. (<i>Platyzosteria B.</i>) l. c. xvii. p. 91 (1893).	S. Australia.
**9. C. Semivitta , Walk. (<i>Periplaneta S.</i>) l. c. p. 143. n. 54 (1868).
<i>Drymaplaneta Semivitta</i> , Tepp. l. c. xvii. p. 113 (1893).	Swan River.
9 a. C. Communis , Tepp. (<i>Drymaplaneta C.</i>) l. c. p. 110 (1893).	S. Australia.
10. C. Submarginata , Tepp. (<i>Drymaplaneta S.</i>) l. c. p. 111 (1893).	id.
11. C. Obscuripes , Tepp. (<i>Drymaplaneta O.</i>) l. c. p. 112 (1893).	S. & W. Australia.
12. C. Subbifasciata , Tepp. (<i>Drymaplaneta S.</i>) l. c. p. 112 (1893).	S. Australia.
13. C. Antipoda , Brancs. (<i>Methana Antipodum</i>) Jahresh. Ver. Trencsin. Com. xix.—xx. p. 58, pl. 1. f. 4 (1897).	id. (Yorktown).
14. C. (?) Anthracina , Brancs. (<i>Stylopyga A.</i>) l. c. xvii.—xviii. p. 244, pl. vii. f. 2 (1897).	Zambesi.

Genus 78. **Dorylæa.** (*Type* no. 3.)

Stål, Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 36 (1877).

<p>*1. D. Rhombifolia, Stoll, (<i>Blatta R.</i>)
Spectres, Blatt. p. 5, pl. 3 d. f. 13
(1813).
<i>Periplaneta Rhombifolia</i>, Sauss. Mém. Soc.
Genève, xx. p. 260. n. 2 (1869).
<i>Dorylæa Rhombifolia</i>, Sauss. & Zehntn.
Grandidier, Hist. Madagascar, Orth. p. 73
(1895).
<i>Periplaneta Histrio</i>, Sauss. Rev. Zool. (2)
xvi. p. 318 (1864); Mém. Mex., Blatt.
p. 73 (1864); Walk. Cat. Blatt. B. M.
p. 130. n. 20 (1868).
<i>Periplaneta Decorata</i>, Brunn. Syst. Blatt.
p. 224. n. 2 (1865).
<i>Stylopyga Decorata</i>, Brunn. Ann. Mus.
Genova, xxxiii. p. 35 (1893).
<i>Polyzosteria Heterospila</i>, Walk. Cat. Derm.
Salt. B. M. v. Suppl. Blatt. p. 35
(1871).</p>	<p>Asia,
Africa,
America.</p>
<p>2. D. Ornata, Brunn. (<i>Periplaneta O.</i>) l. c.
p. 225. n. 3 (1865).</p>	India (?).
<p>3. D. Brunneri, Stål, l. c. xxxiv. (10) p. 37
(1877).</p>	Philippines.
<p>*4. D. Configurata, Walk. (<i>Periplaneta C.</i>)
l. c. p. 145. n. 57 (1868).</p>	Java.
<p>5. D. Hottentota, Sauss. Abhandl. Senckenb.
Ges. xxi. p. 578 (1899).</p>	S. Africa.
<p>*6. D. Guttata, Sauss. (<i>Stylopyga G.</i>) Ann.
Mus. Genova, xxxv. p. 75 (1895).</p>	<p>Galla Land;
Mashona L.</p>
<p>7. D. Flavilatera, Sauss. (<i>Stylopyga F.</i>) l. c.
p. 76 (1895).</p>	Galla Land.
<p>8. D. (?) Signata, Esch. (<i>Blatta S.</i>) Ento-
mographien, p. 88 (1822).</p>	Luzon.

Genus 79. **Methana.** (*Type* no. 10.)

Stål, Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 36 (1877); **Sauss.**
& **Zehntn.** Grandidier, Hist. Madagascar, Orth. i. p. 70
(1895).

<p>*1. M. Agaboides, Gerst. (<i>Periplaneta A.</i>)
Mith. Ver. Vorpomm. xiv. p. 47 (1883).</p> | <p>Cameroons,
Old Calabar.</p> |
|--|------------------------------------|

- *2. **M. Concinna, Haan**, (*Blatta (Periplaneta) C.*) Temminck, Verhandeligen, Orth. p. 50 (1842).
Periplaneta Pallipalpis, var. (?), Walk. Cat. Blatt. B. M. p. 132. n. 26. (1868).
Periplaneta Borrei, Sauss. Mém. Soc. Genève, xxiii. p. 113, pl. 10. f. 38 (1873).
- *3. **M. Flavicincta, Haan**, (*Blatta (Periplaneta) F.*) l. c. p. 50 (1842).
Periplaneta Flavicincta, Brunn. Syst. Blatt. p. 231. n. 9 (1865).
M. Flavicincta, varr. *b, c*, Sauss. & Zehntn. l. c. p. 72 (1895).
4. **M. Zehntneri, Kirb.** Ann. Nat. Hist. (7) xii. p. 374 (1903).
 || *M. Flavicincta*, Sauss. & Zehntn. l. c. p. 71, pl. 2. f. 27 (1895).
- *5. **M. Pallipalpis, Serv.** (*Kakerlac P.*) Ins. Orth. p. 71 (1839).
 (?) *Periplaneta Pallipalpis*, Sauss. l. c. xx. p. 262 (1869).
6. **M. Latipennis, Burm.** (*Nyctibora L.*) Handb. Ent. ii. p. 502. n. 4 (1838). id.
- *7. **M. Convexa, Walk.** (*Periplaneta C.*) l. c. Suppl. Blatt. p. 152 (1869); Tepp. Tr. R. Soc. S. Australia, xvii. p. 106 (1893). Australia (Moreton Bay).
8. **M. Castanea, Tepp.** (*Paraphoraspis (?) C.*) l. c. xviii. p. 173 (1894). Victoria.
- *9. **M. Rufescens, Kirb.** l. c. p. 374 (1903). N. S. Wales.
 || *Periplaneta Pallipalpis*, Brunn. l. c. p. 238. n. 18 (1865).
- *10. **M. Marginalis, Sauss.** (*Periplaneta M.*) Rev. Zool. (2) xvi. p. 319 (1864). Australia.
Periplaneta Ligata, Brunn. l. c. p. 234. n. 12 (1865); Tepp. l. c. xvii. p. 104 (1893).
11. **M. (?) Regina, Sauss.** (*Periplaneta R.*) l. c. p. 320 (1864). Malacca.
- *12. **M. Soror, Sauss.** (*Periplaneta S.*) l. c. p. 319 (1864). Australia.
Periplaneta Biquadrata, Walk. Cat. Blatt. B. M. p. 134. n. 32 (1868); Tepp. l. c. xvii. p. 105 (1893).
Periplaneta Oculata, Walk. l. c. Suppl. p. 152 (1869).
13. **M. (?) Affinis, Sauss.** (*Periplaneta A.*) Mém. Soc. Genève, xx. p. 261 (1869). India (?).

Genus 80. **Zonioploca.** (Type no. 5.)

Stål, Bihang Svenska Akad. ii. (13) p. 13 (1874).

Temnelytra, *Tepp.* Tr. R. Soc. S. Australia, xvii. p. 38 (1893).

(Type no. 1.)

1. Z. Harpuri, Tepp. (<i>Temnelytra H.</i>) l. c.	Kangaroo I.
p. 39 (1893).	
*2. Z. Truncata, Brunn. (<i>Polyzosteria T.</i>)	N. S. Wales,
Syst. Blatt. p. 217. n. 18 (1865).	New Zea-
<i>Platyzosteria Truncata</i> , <i>Tepp.</i> l. c. xvii.	land.
p. 90 (1893).	
<i>Periplaneta Undulivitta</i> , <i>Walk.</i> Cat. Blatt.	
B. M. p. 144. n. 56 (1868).	
3. Z. Abbreviata, Tepp. (<i>Temnelytra A.</i>)	Victoria.
l. c. xix. p. 164 (1895).	
4. Z. Brunni, Alf. (<i>Platyzosteria B.</i>)	Chatham
Abhandl. Ver. Bremen, xvii. p. 142	Islands.
(1901).	
5. Z. Alutacea, Stål , l. c. p. 13 (1874).	Australia.
6. Z. Subtruncata, Tepp. (<i>Temnelytra S.</i>)	Victoria.
l. c. xix. p. 164 (1895).	
**7. Z. Marginifera, Walk. (<i>Periplaneta M.</i>)	K. George's
l. c. p. 144. n. 55 (1868).	Sound.
**8. Z. Curviger, Walk. (<i>Periplaneta C.</i>)	Moreton
l. c. p. 134. n. 31 (1868); <i>Tepp.</i> l. c.	Bay.
xvii. p. 104 (1893).	

Genus 81. **Blatta.** (Type no. 1.)

Linn. Syst. Nat. (ed. x.) i. p. 424 (1758); Latr. Hist. Nat. Crust. Ins. iii. p. 269 (1802); Steph. Ill. Brit. Ent., Mand. vi. p. 43 note (1835); Fisch. Orth. Eur. p. 114 (1853); Burr, Brit. Orth. p. 24 (1897).

Kakerlac, *Latr.* Fam. Nat. Règne Anim. p. 411 (1825); Cuvier, Règne Anim. v. p. 175 note (1829); Serv. Ann. Sci. Nat. xxii. p. 39 (1831); Ins. Orth. p. 67 (1839).

Steleopyga, *Fisch. Waldh.* Bull. Mosc. vi. pp. 356, 366 (1833).

Stylopyga, *Fisch. Waldh.* Orth. Ross. p. 68 (1846); Brunn. Syst. Blatt. p. 222 (1865).

*1. B. Orientalis, Linn. l. c. p. 424. n. 7	Asia,
(1758); Faun. Suec. (ed. ii.) p. 234.	Europe, &c.
n. 862 (1761); Sulz. Kennzeich. Ins.	(<i>Cosmo-</i>
pl. 7. f. 47 (1761); Beauv. Ins. Afr.	<i>politan.</i>)

Amér. p. 228, Orth. pl. 2 c. f. 3 (1805);
Stoll, Spectres, Blatt. p. 6, pl. 4 d. ff. 15–
17 (1813); Steph. l. c. p. 44 note (1835);
Burr, l. c. p. 24, pl. 2. f. 5 (1897).

Periplaneta Orientalis, *Burm. Handb. Ent.*
ii. p. 504. n. 5 (1838); *Fisch. l. c.*
p. 115, pl. 7. ff. 22–26 (1853); *Sauss.*
Mém. Mex., Blatt. p. 73 (1864); *Brunn.*
Syst. Blatt. p. 226. n. 4 (1865);
Prodr. Eur. Orth. p. 49 (1882); *Finot,*
Faune France, Orth. p. 83, pl. 2. f. 49
(1889); *Tümp. Geradfl. Mitteleuropas,*
p. 235, pl. 15 (1901).

Periplaneta (Stylopyga) Orientalis, *Bol.*
Sin. Ortópt. Españ. p. 49 (1873).

Kakerlac Orientalis, *Serv. Ann. Sci. Nat.*
xxi. p. 29 (1831); *Ins. Orth.* p. 72 (1839).

Stylopyga Orientalis, *Fisch. Waldh. Orth.*
Ross. p. 70, pl. 24. ff. 1–3 (1842).

Blatta Culinaris, *De Geer, Mém. Ins.* iii.
p. 344, pl. 25. ff. 1–7 (1773).

B. Ferrugineofusca, *Gronov. Zoophylacium,*
ii. p. 174. n. 636 (1774).

B. Badia, *Sauss. Mém. Soc. Genève*, xvii.
p. 150, pl. 1. f. 15 (1863).

1 a. **B. Castanea, Blanch.** (*Kakerlak C.*) Chile.

Gay, Hist. Chile, Zool. vi. p. 18, Orth.
pl. 1. f. 2 (1852); *Phil. Zeitschr. ges.*
Naturw. xxi. p. 221 (1863).

Kakerlak Platystetho, *Phil. l. c.* p. 222
(1863).

1 b. **B. Lateralis, Walk. (*Periplaneta L.*) Egypt.

Cat. Blatt. B. M. p. 136. n. 39 (1868).

2. **B. Voeltzkowi, Sauss.** (*Stylopyga V.*) Mada-
Abhandl. Senckenb. Ges. xxi. p. 579 gascar (?).
(1899).

3. **B. Nossibei, Sauss.** (*Stylopyga N.*) l. c. Nossi-Bé.
p. 580 (1899).

4. **B. Hova, Sauss.** (*Periplaneta H.*) Soc. Madagascar
Ent. vi. p. 17 (1891).

Stylopyga Hora, *Sauss. & Zehntn. Grandidier,*
Hist. Madagascar, Orth. i. p. 73, pl. 2. f. 26
(1895); *Sauss. Abhandl. Senckenb. Ges.*
xxi. p. 579 (1899).

*5. **B. Picea, Brunn.** (*Periplaneta P.*) Syst. Nicobar I.;
Blatt. p. 223. n. 1 (1865). Penang
(eadem?).

6. **B. Parallela, Bol.** (*Stylopyga P.*) Ann. Soc. Ent. France, 1897, p. 299. S.India(Tri-chinopoly).
7. **B. Sinuata, Brunn.** (*Stylopyga S.*) Ann. Mus. Genova, xxxiii. p. 35, pl. 1. f. 12 (1893). Burma.
8. **B. Quadrilobata, Brunn.** (*Stylopyga Q.*) Abhandl. Senckenb. Ges. xxiv. p. 209 (1898). Celebes.
- **9. **B. Coxalis, Walk.** (*Periplaneta C.*) l. c. p. 138. n. 43 (1868). Ceram.
10. **B. Rotundata, Brunn.** (*Periplaneta R.*) Syst. Blatt. p. 230. n. 8 (1865). Fiji.
11. **B. Rufa, Tepp.** (*Periplaneta R.*) Tr. R. Soc. S. Australia, xvii. p. 101 (1893). Central Australia.
12. **B. Brunneri, Kirb.** Ann. Nat. Hist. (7) xii. p. 375 (1903). Australia.
 || *Periplaneta Concinna, Brunn.* l. c. p. 229. n. 7 (1865).
13. **B. Zamorensis, Giglio-Tos,** (*Stylopyga Z.*) Boll. Mus. Torino, xiii. (311) p. 10 (1898). Ecuador.
14. **B. Pallipes, Phil.** (*Kakerlak P.*) Zeitschr. Naturw. xxi. p. 222 (1863). Chile.
Periplaneta Pallipes, Brunn. l. c. p. 228. n. 5 (1865).
15. **B. Brevipes, Phil.** (*Kakerlak B.*) l. c. p. 223 (1863). id.
Periplaneta Brevipes, Brunn. l. c. p. 229. n. 6 (1865).
16. **B. (?) Nitida, Bol.** (*Stylopyga N.*) An. Soc. Españ. xix. p. 302 (1890). Philippines.
17. **B. Assiniensis, Bol.** (*Periplaneta A.*) Ann. Soc. Ent. France, 1893, p. 172, pl. 1. f. 1. W. Africa (Assinie).
18. **B. Manca, Gerst.** (*Periplaneta M.*) Mitth. Ver. Vorpomm. xiv. p. 48 (1883). Cameroons.
19. **B. Anthracina, Gerst.** (*Periplaneta A.*) l. c. p. 49 (1883). id.
20. **B. Spinulifera, Krauss,** Zool. Jahrb. v. Abth. Syst. p. 650, pl. 45. ff. 1, 1A-C (1891). W. Africa (S. Thomé).
- **21. **B. Bimaculata, Walk.** (*Periplaneta B.*) l. c. p. 139. n. 46 (1868). Natal.
- *22. **B. Æthiopica, Sauss.** (*Periplaneta Æ.*) Rev. Zool. (2) xvi. p. 317 (1864); Mém. Soc. Genève, xx. p. 260 (1869). Gaboon, S. Africa.
Periplaneta Tetra, Walk. l. c. p. 138. n. 42 (1868).

- **23. **B. Antillarum, Brunn.** (*Stylopyga A.*) W. Indies
Proc. Zool. Soc. Lond. 1892, p. 204, (St. Vinc.).
pl. 15. f. 5.
- **24. **B. (?) Curta, Walk.** (*Periplaneta C.*) Bombay.
Cat. Derm. Salt. B. M. v. Suppl. Blatt.
p. 38 (1871).
- **25. **B. (?) Sexpustulata, Walk.** (*Polyzosteria* id.
S.) l. c. p. 36 (1871), *larva* (?).

Genus 82. **Periplaneta.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 502 (1838); Sauss. Mém. Mex., Blatt. p. 69 (1864); Brunn. Syst. Blatt. pp. 221, 223 (1865); Prodr. Eur. Orth. p. 48 (1882); Bol. Sin. Ortópt. Españ. p. 49 (1876); Fin. Faune France, Orth. p. 82 (1889); Tepp. Tr. R. Soc. S. Australia, xvii. p. 100 (1893); Burr, Brit. Orth. p. 25 (1897); Tümp. Geradfl. Mitteleuropas, p. 235 (1901).

Cacerlaca, Sauss. l. c. p. 71 (1864).

- *1. **P. Americana, Linn.** (*Blatta A.*) Syst. America,
Nat. (ed. x.) i. p. 424. n. 4 (1758); Europe, &c.
Herbst, Fuessly, Archiv, vii. & viii. (Cosmo-
p. 185, pl. 49. f. 6 (1786); Stoll, Spectres, politan.)
Blatt. p. 3, pl. 1 d. f. 4 (1813); Steph.
Ill. Brit. Ent., Mand. vi. p. 44 note
(1835).

Kakerlac Americana, Serv. Ann. Sci. Nat. xxii. p. 39 (1831); Ins. Orth. p. 68 (1839); Brullé, Hist. Nat. Ins. ix. p. 53, pl. 4. f. 3 (1835).

Periplaneta Americana, Burm. l. c. p. 503. n. 1 (1838); Fisch. Orth. Eur. p. 116 (1853); Sauss. Mém. Mex., Blatt. p. 71 (1864); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 74. n. 2 (1893); Grandidier, Hist. Madagascar, Orth. i. p. 75 (1895); Brunn. ll. cc. p. 232. n. 10, pl. 5. f. 24 A-E (1865); p. 50, pl. 1. f. 11 (1882); Bol. l. c. p. 50 (1876); Fin. l. c. p. 83 (1889); Tepp. l. c. xvii. p. 102 (1893); Burr, l. c. p. 26, pl. 2. f. 6 (1897); Tümp. l. c. p. 235 (1901).

Blatta Kakkerlac, De Geer, Mém. Ins. iii. p. 535, pl. 44. ff. 1-3 (1773); Oliv. Enc. Méth., Ins. iv. p. 315. n. 7 (1789);

- Beauv. Ins. Afr. Amér. p. 181, Orth. pl. 1 b. f. 1 (1805).
 || *Blatta Orientalis*, Sulz. Gesch. Ins. p. 77, pl. 8. f. 2 (1776).
Blatta Aurelianensis, Fourcr. Ent. Paris. i. p. 177. n. 2 (1785).
Blatta Siccifolia, Stoll, l. c. p. 5, pl. 3 d. ff. 10, 11 (1813).
Blatta Aurantiaca, Stoll, l. c. f. 14 (1813), larva.
P. Stolidia, Walk. Cat. Blatt. B. M. p. 128. n. 15 (1868).
 Var. *P. Americana Colorata*, Rehn, Trans. Amer. Ent. Soc. xxvii. p. 220 (1901).
 2. **P. Tartara**, Sauss. Fedchenko, Reise Turkestan, Orth. p. 9 (1874).
 3. **P. Lata**, Herbst, (*Blatta L.*) l. c. p. 185, pl. 49. f. 7 (1786).
 3 a. **P. Concolor, Walk. l. c. p. 135. n. 34 (1868).
 *4. **P. Valida**, Brunn. Ann. Mus. Genova, xxxiii. p. 36, pl. 1. f. 13 (1893).
 5. **P. (?) Gracilis**, Brunn. l. c. f. 14 (1893).
 6. **P. Monochroma, Walk. Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 37 (1871).
 7. **P. Methanoides**, Brunn. Abhandl. Senckenb. Ges. xxiv. p. 209, pl. 16. f. 14 (1898).
 *8. **P. Australasiæ**, Fabr. (*Blatta A.*) Syst. Ent. p. 271. n. 5 (1775); Oliv. Enc. Méth., Ins. iv. p. 315. n. 8 (1789).
Periplaneta Australasiæ, Burm. l. c. p. 503. n. 4 (1838); Sauss. Mém. Mex., Blatt. p. 72 (1864); Brunn. Syst. Blatt. p. 233. n. 11 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 203 (1893); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. p. 75 (1896); Burr, l. c. p. 26, pl. 2. f. 7 (1897).
Blatta Domingensis, Beauv. l. c. p. 182, Orth. pl. 1. f. 4 (1805).
Periplaneta Zonata, Haun, Temminck, Verhand. Nat. Gesch., Orth. p. 49 (1842).
Periplaneta Repanda, Walk. Cat. Blatt. B. M. p. 125. n. 11 (1868).
Periplaneta Subcincta, Walk. l. c. p. 126. n. 12 (1868).

Mexico
(Morelos).
Khokand.

E. Indies.

Hab. — ?

Pegu.

Rangoon.
Bombay.

Gilolo.

Australia,
Europe, &c.
(Cosmo-
politan.)

- Periplaneta Inclusa*, Walk. Cat. Blatt. B. M. p. 126. n. 13 (1868).
Periplaneta Emittens, Walk. Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 37 (1871).
Polyzosteria Subornata, Walk. l. c. p. 35 (1871), larva.
9. **P. (?) Australis, Macl.** (*Blatta A.*) King, Survey Coasts Australia, ii. p. 454. n. 109 (1827). N. Australia.
10. **P. Savignyi, Krauss**, Verh. zool.-bot. Ges. Wien, xl. p. 242 (1890). (Sav. Descr. Égypte, Orth. pl. 2. f. 13.) Egypt.
11. **P. Brunneriana, Schulth.** Ann. Mus. Genova, xxxix. p. 167, pl. 2. f. 1 (1898). Somali Land.
12. **P. Atricollis, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 580 (1899). S. Africa (Akam).
- **13. **P. Patens, Walk.** Cat. Blatt. B. M. p. 127. n. 14 (1868). Congo.
14. **P. Fuliginosa, Serv.** (*Kakerlac F.*) Ins. Orth. p. 70 (1839). N. America.
Periplaneta Fuliginosa, Brunn. Syst. Blatt. p. 238. n. 17 (1865).
- *15. **P. Brunnea, Burm.** l. c. p. 503. n. 2 (1838). Demerara, Chile, Mexico, Brazil, Teneriffe, N. Britain.
P. Truncata, Krauss, Zool. Anz. xv. p. 165 (1892); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 74. n. 3 (1893). Cayenne.
16. **P. Insignis, Serv.** (*Kakerlac I.*) l. c. p. 67 (1839).
Blatta Insignis, Blanch. Hist. Ins. iii. p. 6, pl. 1. f. 2 (1840).
Periplaneta Insignis, Brunn. l. c. p. 237. n. 16 (1865).
17. **P. (?) Heros, Esch.** (*Blatta H.*) Entomographien, p. 83 (1822). Luzon.

Genus 83. **Pelmatosilpha.** (*Type* no. 1.)

Dohrn, Stett. Ent. Zeit. xlviii. p. 410 (1887).

1. **P. Alaris, Sauss.** (*Periplaneta A.*) Rev. Zool. (2) xvi. p. 319 (1864); Mém. Mex., Blatt. p. 75, pl. 1. f. 10 (1864). Brazil.
P. Alaris, Dohrn, l. c. p. 411 (1887).
2. **P. Præstans, Dohrn**, l. c. p. 411 (1887). Fonte Boa.
3. **P. Rotundata, Scudd.** Proc. Davenport Acad. viii. p. 93, pl. 2. f. 5 (1900). Texas, Panama.

<p>*4. P. Opaca, Brunn. (<i>Polyzosteria O.</i>) l. c. p. 216. n. 17 (1865).
 <i>Eurycotis Opaca, Sauss. & Zehntn.</i> l. c. p. 72. n. 6 (1893).</p> <p>**5. P. Floridana, Walk. (<i>Periplaneta F.</i>) l. c. p. 135. n. 35 (1868).
 <i>Platyzosteria Ingens, Scudd.</i> l. c. xix. p. 92 (1877).</p> <p>**6. P. Marginalis, Brunn. Proc. Zool. Soc. Lond. 1893, p. 603, pl. 52. f. 2.</p> <p>7. P. Villana, Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 72. n. 1, pl. 4. ff. 41, 42 (1893).</p> <p>8. P. (?) Occidentalis, Burm. (<i>Polyzosteria O.</i>) Handb. Ent. ii. p. 483. n. 2 (1838).
 <i>Opisthoplatia Occidentalis, Brunn.</i> Syst. Blatt. p. 200. n. 2 (1865).</p> <p>**9. P. Purpurascens, Kirb. Ann. Nat. Hist. (7) xii. p. 375 (1903).</p> <p>**10. P. Decipiens, Kirb. l. c. p. 376 (1903).</p> <p>**11. P. (?) Antipoda, Kirb. l. c. (1903).</p> | <p>Cuba.</p> <p>Florida.</p> <p>W. Indies (Grenada).
Panama.</p> <p>Colombia.</p> <p>Dominica.</p> <p>Trinidad.</p> <p>Queensland.</p> |
|---|--|

Genus 84. **Homalossilpha.** (*Type no. 1.*)

Stål, Bihang Svenska Akad. ii. (13) p. 13 (1875).

<p>*1. H. Ustulata, Burm. (<i>Periplaneta U.</i>) Handb. Ent. ii. p. 503. n. 3 (1839);
 Brunn. Syst. Blatt. p. 235. n. 13 (1865).
 <i>Kakerlac Thoracica, Serv.</i> Ins. Orth. p. 69, pl. 2. f. 1 (1839).</p> <p>**2. H. Contraria, Walk. (<i>Periplaneta C.</i>) Cat. Blatt. B. M. p. 131. n. 24 (1868).</p> <p>3. H. Vicina, Brunn. (<i>Periplaneta V.</i>) l. c. p. 236. n. 14 (1865).</p> | <p>Java,
Sumatra.</p> <p>Philippines.</p> <p>Hab. — ?</p> |
|--|---|

Genus 85. **Eurycotis.** (*Type no. 4.*)

Stål, Bihang Svenska Akad. ii. (13) p. 13 (1875);
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 70 (1893).

<p>1. E. Australis, Burm. (<i>Polyzosteria A.</i>) Handb. Ent. ii. p. 483. n. 3 (1838).
<i>Opisthoplatia Australis, Brunn.</i> Syst. Blatt. p. 200. n. 2 (1865).</p>	Brazil.

- *2. **E. Mexicana, Sauss.** (*Polyzosteria M.*) Mexico.
 Rev. Zool. (2) xiv. p. 163 (1862); Mém. Mex., Blatt. p. 54 (1864); Miss. Mex., Orth. p. 70, pl. 2. ff. 39, 39 a (1870); Brunn. l. c. p. 216. n. 16 (1865).
Eurycotis Mexicana, Sauss. & Zehntn. l. c. p. 70. n. 1 (1893).
Polyzosteria Azteca, Sauss. Rev. Zool. (2) xiv. p. 163 (1862); Mém. Mex., Blatt. p. 55 (1864).
3. **E. Vittifrons, Sauss. & Zehntn.** l. c. Guatemala.
 p. 71. n. 2 (1893).
- *4. **E. Mysteca, Sauss.** (*Periplaneta M.*) Rev. Mexico
 Zool. (2) xiv. p. 170 (1862); Mém. Mex., (Oaxaca).
 Blatt. p. 77 (1864).
Polyzosteria Mysteca, Sauss. Miss. Mex., Orth. p. 71, pl. 2. f. 40 (1870).
Eurycotis Mysteca, Sauss. & Zehntn. l. c. p. 71. n. 3 (1893).
Polyzosteria Rufovittata, Brunn. l. c. p. 215. n. 15 (1865).
- **5. **E. Semipicta, Walk.** (*Periplaneta S.*) Florida.
 Cat. Blatt. B. M. p. 141. n. 49 (1868).
Platyzosteria Sabalianus, Scudd. Proc. Boston Soc. N. H. xix. p. 93 (1877).
6. **E. Dimidiata, Bol.** (*Polyzosteria D.*) Cuba.
 Mém. Soc. Zool. France, i. p. 125 (1888).
7. **E. Flavipennis, Sauss. & Zehntn.** l. c. id.
 p. 71. n. 4 (1893).
- **8. **E. Quadrisquamata, Sauss. & Zehntn.** Guatemala.
 l. c. p. 71. n. 5, pl. 4. f. 40 (1893).
9. **E. Finschiana, Sauss.** Mém. Soc. Genève, Cuba.
 xxiii. p. 111 (1873).
Polyzosteria Cabrera, Bol. An. Soc. Españ. x. p. 355, pl. 8. f. 3 (1881).
10. **E. Subalata, Sauss. & Zehntn.** l. c. Colombiā.
 p. 72. n. 8 (1893).
11. **E. Occidentalis, Sauss.** (*Periplaneta O.*) W. Indies.
 Rev. Zool. (2) xvi. p. 318 (1864); Mém. Mex., Blatt. p. 74 (1864).
12. **E. Cothurnata, Giglio-Tos,** Boll. Mus. Ecuador.
 Torino, xiii. (311) p. 11 (1898).
13. **E. Caraibea, Bol.** (*Polyzosteria C.*) Mém. Cuba.
 Soc. Zool. France, i. p. 126 (1888).

Genus 86. **Deropeltis.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 486 (1838); Brunn. Syst. Blatt. p. 240 (1865); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. pp. 70, 75 (1895).

Euryzosteria, Sauss. Rev. Zool. (2) xvi. p. 316 (1864). (*Type* no. 1.)

1. **D. Erythrocephala, Fabr. (*Blatta E.*) S. Africa.

Spec. Ins. i. p. 342. n. 7 (1781); Oliv. Enc. Méth., Ins. iv. p. 316. n. 10 (1789).

Perisphæria Erythrocephala, Burm. l. c. p. 486. n. 7 (1838).

Ischnoptera Erythrocephala, Sauss. l. c. (2) xvi. p. 314. n. 25 (1864).

D. Erythrocephala, Brunn. l. c. p. 242. n. 1, pl. 8. f. 38 A-F (1865).

Blatta Capensis, Thunb. Diss. Ent. Nov. Spec. Ins. iv. p. 77 (1784); Oliv. l. c. p. 316. n. 11 (1789); Serv. Ins. Orth. p. 93 (1839).

Euryzosteria Delalandii, Sauss. l. c. (2) xvi. p. 316 (1864).

Perisphæria Verticalis, ♀, Burm. l. c. p. 486. n. 6 (1838).

D. Burmeisteri, Sauss. Ann. Mus. Genova, xxxv. p. 77 (1895).

2. **D. Melanophila, Walk. (*Ischnoptera M.*)

Cat. Blatt. B. M. Suppl. p. 146 (1869).

D. Robusta, Gerst. Mitth. Ver. Vorpommern, xiv. p. 52 (1883).

D. Speiseri, Brancs. Jahresh. Ver. Trencsin. Com. xvii.-xviii. p. 245, pl. 7. f. 3 (1897).

D. Madecassa, Sauss. Soc. Ent. vi. p. 17 (1891); Abhandl. Senckenb. Ges. xxi. p. 581 (1899); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 77, pl. 3. ff. 28, 29 (1895).

Zanzibar ;
E. & W.
Africa,
Madagascar

*3. **D. Caffra, Stål,** (*Periplaneta C.*)

Œfv. Vet.-Akad. Förh. xiii. p. 166 (1856); Brunn. l. c. p. 239. n. 19 (1865).

D. Atra, Brunn. l. c. p. 244. n. 3 (1865); Borm. Ann. Mus. Genova, xvi. p. 207 (1881).

Natal ;
Ruwendori,
Shoa.

- *4. **D. Brevicollis**, Serv. (*Kakerlac B.*) Ins. Cape; E. & W. Africa.
Orth. p. 70 (1839).
D. Brevicollis, Brunn. l. c. p. 246. n. 8 (1865); Kirb. Ann. Nat. Hist. (7) v. p. 283 (1900); Distant, Ins. Transvaal. p. 22. n. 9 (1900).
D. Juncea, var., Sauss. Mém. Soc. Genève, xxiii. p. 117 (1873).
Ischnoptera Longipennis, Walk. Cat. Blatt. B. M. p. 117. n. 29 (1868).
- *5. **D. Juncea**, Sauss. (*Ischnoptera J.*) Rev. S. Africa.
Zool. (2) xvi. p. 314 (1864).
- *6. **D. Similis**, Sauss. (*Ischnoptera S.*) l. c. id.
p. 314 (1864).
D. Similis, Kirb. ll. cc. p. 284 (1900); p. 22. n. 10 (1900).
7. **D. Intermedia**, Brunn. l. c. p. 244. n. 4 Natal.
(1865).
8. **D. Integerrima**, Brunn. l. c. p. 245. n. 5 Zanzibar.
(1865).
9. **D. Orba**, Stål, (*Periplaneta O.*) l. c. p. 167. Natal.
n. 5 (1856); Brunn. l. c. p. 240. n. 22 (1865).
10. **D. Gracilis**, Burm. (*Ischnoptera G.*) l. c. Cape.
p. 500. n. 1 (1838); Brunn. l. c. p. 139. n. 15 (1865).
11. **D. Wahlbergi**, Stål, (*Periplaneta W.*) Limpopo.
l. c. xiii. p. 167. n. 2 (1856); Brunn. l. c. p. 239. n. 20 (1865).
- *12. **D. Albilatera**, Stål, (*Periplaneta A.*) l. c. Natal.
p. 167. n. 3 (1856); Brunn. l. c. p. 237. n. 15 (1865).
Ischnoptera Dimidiata, Walk. l. c. p. 116. n. 28 (1868).
|| *D. Wahlbergi*, Sauss. Mém. Soc. Genève, xxiii. p. 115 (1873).
13. **D. Saussurei**, Kirb. Ann. Nat. Hist. (7) Caffraria.
xii. p. 377 (1903).
|| *D. Longipennis*, Sauss. l. c. p. 117 (1873).
14. **D. Autraniana**, Sauss. Ann. Mus. Genova, Galla Land, W. Africa.
xxxv. p. 78 (1895).
15. **D. Barbeyana**, Sauss. l. c. p. 79 (1895). Massowa, &c.
16. **D. Schweinfurthi**, Sauss. l. c. (1895). Massowa.
17. **D. Nigrita**, Sauss. l. c. p. 80 (1895). Shoa.
18. **D. Bueana**, Karsch, Berlin. Ent. Zeitschr. Cameroons.
xxxvii. p. 65 (1892).
19. **D. Paulinoi**, Bol. Jorn. Sci. Lisboa, xxx. Benguela.
p. 108 (1882); (2) i. p. 76 (1889).

20. D. Sculpturata , Krauss , Zool. Jahrb. v. Syst. p. 651, pl. 45. f. 2 (1891).	Guinea (S. Thomé I.).
21. D. Dichroa , Gerst. l. c. p. 50 (1883).	Gold Coast.
*22. D. Flavomarginata , Brunn. l. c. p. 247. n. 10 (1865).	S. Africa.
<i>Polyzosteria Capensis</i> , Sauss. Rev. Zool. (2) xvi. p. 307 (1864).	
<i>Periplaneta Collaris</i> , Walk. Cat. Blatt. B. M. p. 142. n. 51 (1868).	
<i>Periplaneta Decorata</i> , Walk. l. c. n. 52 (1868).	
*23. D. Meridionalis , Sauss. (<i>Polyzosteria</i> (<i>Blatta</i> ?) <i>M.</i>) l. c. p. 306 (1864).	id.
<i>D. Bivittata</i> , Brunn. l. c. p. 247. n. 9 (1865).	
24. D. Distanti , Kirb. Ann. Nat. Hist. (7) v. p. 284 (1900); Distant , Ins. Transvaal. p. 22, pl. 1. f. 12 (1900).	Pretoria.

Genus 87. **Pseudoderopeltis.** (*Type* no. 1.)

Krauss, Zool. Jahrb. v. Syst. p. 652 (1891).

1. P. Antennata , Sauss. (<i>Deropeltis</i> <i>A.</i>) Mém. Soc. Genève, xxiii. p. 116, pl. 10. f. 39 (1873).	S. Africa (?)
<i>P. Antennata</i> , Krauss , l. c. p. 653, pl. 45. f. 4 (1891).	
*2. P. Granulifera , Krauss , l. c. p. 653 (1891).	Matabele L.
3. P. Flavescens , Krauss , l. c. p. 654 (1891).	Cape.
4. P. Triimpressa , Krauss , l. c. p. 656, pl. 45. ff. 3, 3a (1891).	Guinea (S. Thomé I.).
5. P. Carbonaria , Gerst. (<i>Deropeltis</i> <i>C.</i>) Mitth. Ver. Vorpommern, xiv. p. 51 (1883).	Cameroons.
**6. P. Foveolata , Walk. (<i>Nauphæta</i> <i>F.</i>) Cat. Blatt. B. M. p. 42. n. 16 (1868).	S. Africa.
*7. P. Diluta , Stål , (<i>Periplaneta</i> <i>D.</i>) Œfv. Vet.-Akad. Förh. xiii. p. 167. n. 4 (1856); Brunn. l. c. p. 239. n. 21 (1865).	Natal.

SUBFAM. VIII.

ARCHIBLATTINÆ.

Genus 88. **Archiblatta.** (*Type* no. 1.)Vollenh. Tidschr. Ent. v. p. 106 (1862); Brunn. Syst. Blatt.
p. 248 (1865).*Planetica*, Sauss. Mém. Soc. Genève, xvii. p. 164 (1864).

<p>*1. A. Hoevenii, Voll. l. c. pl. 6. ff. 1, 2
(1862); Brunn. l. c. p. 249, pl. 8.
f. 39 A-E (1865).
<i>Planetica Aranea</i>, Sauss. l. c. p. 166, pl. 1.
f. 23 (1864).</p> <p>2. A. Phalangium, Sauss. (<i>Planetica P.</i>)
Rev. Zool. (2) xvi. p. 344 (1864).</p> | <p>Sumatra,
Penang,
Singapore.</p> <p>“E. Indies.”</p> |
|---|--|

Genus 89. **Catara.**Walk. Cat. Blatt. B. M. p. 52 (1868); Brunn. Ann. Soc.
Genova, xxxiii. p. 35 (1893).

<p>*1. C. Rugosicollis, Brunn. (<i>Deropeltis R.</i>)
Syst. Blatt. p. 245. n. 6 (1865).
<i>C. Rugicollis</i>, Walk. l. c. p. 53. n. 1 (1868).
<i>Archiblatta Valvularia</i>, Sauss. Mém. Soc.
Genève, xxiii. p. 118, pl. 10. f. 40 (1873).</p> | <p>Java,
Borneo,
Singapore.</p> |
|---|---|

SUBFAM. IX.

PANCHLORINÆ.

Genus 90. **Phenacisma.**

Karsch, Stettin. Ent. Zeit. lvii. p. 243 (1896).

1. P. Peltata , Karsch, l. c. (1896).	Mombasa.

Genus 91. **Trichomera.**

Kirb. Ann. Nat. Hist. (6) xviii. p. 257 (1896).

**1. T. Insignata , Kirb. l. c. pl. 12. f. 5 (1896).	Ogowe.

Genus 92. **Gyna.** (*Type* no. 13.)

Brunn. Syst. Blatt. p. 266 (1865).

- **1. **G. Costalis**, Walk. (*Panchlora C.*) Cat. W. Africa.
Blatt. B. M. p. 35. n. 33 (1868).
- **2. **G. Scutelligera**, Walk. (*Panchlora S.*) Gambia.
l. c. p. 32. n. 29 (1868).
3. **G. Nigrifrons**, Bol. J. Sci. Lisboa, (2) i. Benguela
p. 77 (1889). (Caconda).
- **4. **G. Spurcata**, Walk. (*Panchlora S.*) l. c. Gaboon.
p. 34. n. 32 (1868).
5. **G. Æstuans**, Sauss. (*Panchlora Æ.*) Mém. Senegal.
Soc. Genève, xvii. p. 159, pl. 1. f. 20
(1864).
6. **G. Fervida**, Sauss. (*Panchlora F.*) Rev. Senegambia
Zool. (2) xvi. p. 341 (1864).
- **7. **G. Lata**, Walk. (*Panchlora L.*) l. c. p. 31. Gambia.
n. 28 (1868).
- *8. **G. Vetula**, Brunn. l. c. p. 267 (1865); W. Africa;
Sauss. Abh. Senckenb. Ges. xxi. p. 582 B. E. Afr.
(1899). (eadem?).
9. **G. Lurida**, Sauss. l. c. p. 581 (1899). Zanzibar.
- *10. **G. Caffrorum**, Stål, (*Panchlora C.*) Œfvy. Natal;
Vet.-Akad. Förh. xiii. p. 167 (1856); S. & E.
Brunn. l. c. p. 268 (1865). Africa.
Epilampra Conspicua, Walk. l. c. p. 67.
n. 2 (1868).
Panchlora Scripta, Walk. l. c. p. 183
(1868).
|| *G. Fervida*, Borm. Ann. Soc. Ent. Belgique,
xxv. p. 21, pl. 1. f. B (1881).
11. **G. Maculipennis**, Schaum, (*Panchlora Mozam-*
M.) Ber. Akad. Berlin, 1853, p. 776. n. 2; bique.
Peters, Reise Mossamb., Zool. v. p. 109,
pl. 7. f. 1 (1862).
- **12. **G. Laticosta**, Walk. (*Panchlora L.*) l. c. Angola.
p. 33. n. 31 (1868).
- *13. **G. Capucina**, Gerst. Mitth. Ver. Vorpomm. Cameroons,
xiv. p. 72 (1883). Old Calabar.
|| *G. Maculipennis*, Brunn. l. c. p. 268. n. 2,
pl. 6. f. 30 A-E (1865).
14. **G. Buchholzi**, Gerst. l. c. xiv. p. 72 Fern. Po,
(1883). Cameroons.
15. **G. Colini**, Rochebr. Bull. Soc. Philom. Senegambia
(7) vii. p. 176 (1883).

- *16. **G. Gloriosa, Stål**, (*Blatta G.*) l. c. xii. p. 351 (1856).
Panchlora Africana, Sauss. Rev. Zool. (2) xvi. p. 342 (1864).
G. Africana, Sauss. Mém. Soc. Genève, xx. p. 275 (1869).
G. Pomposa, Brunn. l. c. p. 269. n. 3 (1865).
 17. **G. Centurio, Dohrn**, Stettin. Ent. Zeit. xlix. p. 129 (1885).
 Sierra Leone, Gaboon, O. Calabar, Niger, Congo. Cameroons.

Genus 93. **Rhyparobia.** (*Type no. 1.*)

Krauss, Zool. Anz. xv. p. 165 (1892); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 89 (1893); Burr, Brit. Orth. p. 27 (1897).

- **1. **R. Maderæ, Fabr.** (*Blatta M.*) Spec. Ins. i. p. 341. n. 2 (1781); Stoll, Spectres, Blatt. p. 4, pl. 1 d. f. 7 (1813); Brullé, Hist. Nat. Ins. ix. p. 19, pl. 3. f. 1 (1835); Hahn, Icon. Orth., Blatt. pl. A. f. 1 (1836); Serv. Ins. Orth. p. 87 (1839); Donovan, Brit. Ins. xiii. p. 51, pl. 457 (1808); Steph. Ill. Brit. Ent., Mand. vi. p. 43 (1835).
Panchlora Maderæ, Burm. Handb. Ent. ii. p. 507. n. 8 (1838); Sauss. Mém. Mex., Blatt. p. 202 (1864); Brunn. Syst. Blatt. p. 282. n. 15 (1865); Gerst. Mitth. Ver. Vorpomm. xiv. p. 68 (1883).
R. Maderæ, Krauss, l. c. p. 165 (1892); Burr, l. c. p. 27, pl. 2 a. f. 1 (1897).
Blatta Major, Beauv. Ins. Afr. Amér. p. 182, pl. 16. f. 2 (1805).
Proscratea (?) *Illepida*, Walk. Cat. Blatt. B. M. p. 185 (1868), larva.
 *2. **R. Grandis, Sauss.** (*Panchlora G.*) Mém. Soc. Genève, xxiii. p. 132, pl. 10. f. 46 (1873).
 3. **R. Capelloi, Bol.** (*Panchlora C.*) J. Sci. Lisboa, (2) i. p. 78 (1889).
 4. **R. Thoracica, Kirb. Ann. Nat. Hist. (7) xi. p. 404 (1903).
 5. **R. Adusta, Gerst.** (*Panchlora A.*) l. c. xiv. p. 69 (1883).
 6. **R. Vitellina, Gerst.** (*Panchlora V.*) l. c. p. 70 (1883).
 Madeira; Africa, &c. (*Cosmopolitan.*)
 Sierra Leone.
 L. Guinea (Quango).
 E. Africa (Up. Shire).
 Cameroons.
 id.

- **7. **R. Rufipes, Kirb.** l. c. (7) xii. p. 377 | Sierra Leone.
(1903). | id.
- **8. **R. Pallescens, Kirb.** l. c. (1903).

Genus 94. **Leucophæa.** (*Type* no. 1.)

Brunn. Syst. Blatt. p. 278 (1865); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 89 (1893).

Pycnoscelus, Scudd. Boston Journ. Nat. Hist. vii. p. 424 (1862), larva.

- *1. **L. Surinamensis, Linn.** (*Blatta S.*) Syst. Nat. (ed. x.) i. p. 424. n. 3 (1758); De Geer, Mém. Ins. iii. p. 539. n. 6, pl. 44. f. 8 (1783). | Surinam, &c. (*Cosmopolitan.*)
- Panchlora Surinamensis, Burm.* Handb. Ent. ii. p. 507. n. 5 (1838); Sauss. Mém. Mex., Blatt. p. 188 (1864); Brunn. l. c. p. 278. n. 12, pl. 7. f. 32 A-E (1865).
- L. Surinamensis, Burr,* Brit. Orth. p. 28, pl. 2 a. f. 1 (1897).
- Blatta Melanocephala, Stoll,* Spectres, Blatt. p. 7, pl. 4 d. f. 20 (1813).
- Blatta Indica, Fabr.* Syst. Ent. p. 272. n. 6 (1775); Serv. Ins. Orth. p. 97 (1839).
- Panchlora Indica, Burm.* l. c. p. 507. n. 6 (1838); Sauss. Mém. Mex., Blatt. p. 188 (1864).
- Blatta Punctata, Esch.* Entomographien, p. 86 (1822).
- Blatta Corticum, Serv.* l. c. p. 90 (1839).
- Panchlora Submarginata, Walk.* Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 7 (1871).
- Panchlora Occipitalis, Walk.* l. c. (1871).
- Panchlora Celebesa, Walk.* Cat. Blatt. B. M. p. 26. n. 3 (1868).
- Pycnoscelus Obscurus, Scudd.* l. c. p. 424 (1862), larva.
- **2. **L. Tenebrigera, Walk.** (*Panchlora T.*) | India.
l. c. p. 31. n. 27 (1868).
- **3. **L. Striata, Kirb.** Ann. Nat. Hist. (7) xii. | Selangor.
p. 378 (1903).
4. **L. Nigra, Brunn.** (*Panchlora N.*) l. c. | Burma.
p. 280. n. 13 (1865).
5. **L. Conferta, Walk.** (*Ischnoptera C.*) l. c. | Siam.
Suppl. p. 148 (1869).

6. **L. (?) Lævigata, Beauv.** (*Blatta L.*) Ins. | Haiti.
Afr. Amér. p. 228, Orth. pl. 2 c. f. 4
(1805).

Genus 95. **Panchlora.** (*Type no. 17.*)

Burm. Handb. Ent. ii. p. 506 (1838); Sauss. Mém. Mex.,
Blatt. p. 186 (1864); Miss. Mex., Orth. p. 101 (1870);
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 90 (1893);
Brunn. Syst. Blatt. p. 270 (1865).

1. **P. Thalassina, Sauss. & Zehntn.** l. c. | S. & Centr.
p. 93. n. 1 (1893). | America.
- *2. **P. Exoleta, Burm.** l. c. p. 507. n. 2 | Mexico to
(1838); Brunn. l. c. p. 272. n. 2 (1865); | Brazil.
Sauss. & Zehntn. l. c. p. 93. n. 2 (1893).
3. **P. Glauca, Sauss.** Rev. Zool. (2) xiv. | Brazil.
p. 231 (1862); Mém. Mex., Blatt. p. 200
(1864); Sauss. & Zehntn. l. c. p. 94. n. 3
(1893); Brunn. l. c. p. 274 (1865).
4. **P. Antillarum, Sauss.** ll. cc. (2) xiv. | Cuba.
p. 230 (1862); p. 193 (1864); Sauss. &
Zehntn. l. c. p. 94. n. 4 (1893); Brunn.
l. c. p. 275. n. 5 (1865).
- *5. **P. Virescens, Thunb.** (*Blatta V.*) Mém. | Mexico to
Acad. St. Pétersb. x. p. 278 (1826); | Brazil;
Serv. Ins. Orth. p. 101 (1839). | Cuba.
Blatta (Panchlora) Virescens, Guér. Ramon
de la Sagra, Hist. Cuba, Ins. p. 344
(1857).
P. Virescens, Sauss. Mém. Mex., Blatt. p. 190
(1864); Sauss. & Zehntn. l. c. p. 94. n. 5
(1893).
- *6. **P. Hyalina, Stoll,** (*Blatta H.*) Spectres, | Cayenne,
Blatt. p. 5, pl. 3 d. f. 12 (1813). | Cuba.
|| *P. Viridis, Burm.* Handb. Ent. ii. p. 506.
n. 1 (1838); Sauss. & Zehntn. l. c. p. 94.
n. 6 (1893); Brunn. l. c. p. 273 (1865).
|| *Blatta Nivea, Herbst,* Fuessly, Arch. Insekt.
vii. & viii. p. 185. n. 7, pl. 49. f. 7
(1786); Thunb. l. c. p. 277 (1826);
Sauss. Mém. Mex., Blatt. p. 194 (1864).
P. Poeyi, Sauss. Rev. Zool. (2) xiv. p. 230
(1862); Mém. Mex., Blatt. p. 194 (1864).
- *7. **P. Prasina, Burm.** l. c. p. 507. n. 3 | Rio Janeiro.
(1838); Sauss. Mém. Mex., Blatt. p. 192

- (1864); Sauss. & Zehntn. l. c. p. 95.
n. 7 (1893); Brunn. l. c. p. 273. n. 3
(1865).
- **8. P. Acolhua, Sauss. & Zehntn.** l. c. p. 95. n. 8 (1893).
Var. *Minor*, Sauss. & Zehntn. l. c. (1893).
- *9. P. Peruana, Sauss.** Rev. Zool. (2) xvi. p. 342. n. 52 (1864); Mém. Mex., Blatt. p. 195 (1864); Sauss. & Zehntn. l. c. p. 95. n. 9 (1893).
- *10. P. Nivea, Linn.** (*Blatta N.*) Syst. Nat. (ed. x.) i. p. 424. n. 5 (1758); De Geer, Mém. Ins. iii. p. 540. n. 8, pl. 44. f. 10 (1773); Drury, Ill. Exot. Ent. ii. pl. 36. f. 1 (1773).
P. Nivea, Brunn. l. c. p. 274. n. 4 (1865); Sauss. Mém. Mex., Blatt. p. 194 (1864); Miss. Mex., Orth. p. 102. n. 5 (1870); Sauss. & Zehntn. l. c. p. 96. n. 10 (1893).
Blatta Viridis, Fabr. Syst. Ent. p. 272. n. 9 (1775).
P. Viridis, Sauss. Mém. Mex., Blatt. p. 193 (1864).
Blatta Chlorotica, Pall. Spicil. Zool. ix. p. 11, pl. 1. f. 6 (1772).
Blatta Cubensis, Sauss. Rev. Zool. (2) xiv. p. 230 (1862); Mém. Mex., Blatt. p. 192 (1864).
P. Luteola, Sauss. Rev. Zool. (2) xvi. p. 342. n. 53 (1864).
- 11. P. Punctum, Sauss. & Zehntn.** l. c. p. 96. n. 11 (1893).
- 12. P. Translucida, Kirb.** Ann. Nat. Hist. (7) xii. p. 378 (1903).
|| *P. Hyalina*, Sauss. Rev. Zool. (2) xiv. p. 231 (1862); Sauss. & Zehntn. l. c. p. 96. n. 12 (1893); Brunn. l. c. p. 275. n. 6 (1865).
- **13. P. Nigricornis, Walk.** Cat. Blatt. B. M. p. 28. n. 12 (1868).
- 14. P. Moxa, Sauss.** Rev. Zool. (2) xiv. p. 231 (1862); Mém. Mex., Blatt. p. 199 (1864); Sauss. & Zehntn. l. c. p. 96. n. 13 (1893); Brunn. l. c. p. 276. n. 9 (1865).
- **15. P. Fraterna, Sauss. & Zehntn.** l. c. p. 97. n. 14 (1893).

Mexico,
Guatemala.
Panama.

Mexico to
Peru;
Cuba.

S. America;
Cuba.

Central
America.
Guatemala,
Cuba.

Quito.

Bolivia,
Peru.

Nicaragua,
Panama.

16. **P. Lancadon, Sauss.** ll. cc. (2) xvi. Guatemala.
p. 342. n. 54 (1864); p. 194. n. 96,
pl. 2. f. 29 (1864).
P. Lacandon, Sauss. & Zehntn. l. c. p. 97.
n. 15 (1893).
- *17. **P. Quadripunctata, Stoll, (Blatta Q.)** Mexico,
Spectres, Blatt. p. 7, pl. 4 d. f. 19 (1813). Brazil.
P. Pulchella, Burm. l. c. p. 507. n. 4
(1838); Brunn. l. c. p. 275. n. 7,
pl. 7. f. A-E (1865); Sauss. & Zehntn. l. c.
p. 97. n. 16 (1893).
P. Mexicana, Sauss. ll. cc. (2) xiv. p. 231
(1862); p. 197. n. 98 (1864).
- *18. **P. Erronea, Sauss.** Miss. Mex., Orth. Brazil.
p. 103. n. 12 (1870).
|| *P. Pulchella, Sauss.* Mém. Mex., Blatt.
p. 196. n. 98 (1864).
19. **P. Zendala, Sauss.** Rev. Zool. (2) xiv. Guatemala.
p. 231 (1862); Mém. Mex., Blatt. p. 196.
n. 99, pl. 2. f. 30 (1864); Sauss. & Zehntn.
l. c. p. 98. n. 17 (1893); Brunn. l. c.
p. 276. n. 8 (1865).
20. **P. Najas, Dohrn,** Stettin. Ent. Zeit. xlix. Amazons
p. 130 (1880); Sauss. & Zehntn. l. c. (Fonte
p. 98. n. 18 (1893). Boa).
- **21. **P. Montezuma, Sauss. & Zehntn.** l. c. Mexico.
p. 98. n. 19 (1893).
22. **P. Azteca, Sauss.** ll. cc. (2) xiv. p. 230 id.
(1862); p. 198. n. 101, pl. 2. f. 31 (1864);
Sauss. & Zehntn. l. c. p. 98. n. 20 (1893).
Var. *P. Lactea, Brunn.* l. c. p. 277. n. 10
(1865).
23. **P. Latipennis, Sauss. & Zehntn.** l. c. Guatemala.
p. 99. n. 21, pl. 5. f. 2 (1893).
24. **P. Tolteca, Sauss.** Mém. Soc. Genève, Mexico.
xxiii. p. 131 (1873); Sauss. & Zehntn.
l. c. p. 99. n. 22, pl. 6. f. 11 (1893).
- **25. **P. Cribrosa, Sauss. & Zehntn.** l. c. Panama.
p. 99. n. 23, pl. 5. f. 1 (1893).
26. **P. Festæ, Giglio-Tos,** Boll. Mus. Torino, Ecuador.
xiii. (311) p. 12 (1898).
- *27. **P. (?) Alcarazzas, Serv. (Blatta A.)** l. c. Brazil.
p. 90 (1839).
P. Alcarazzas, Walk. l. c. p. 29. n. 18 (1868). id.
28. **P. Viridula, Beauv. (Blatta V.)** Ins. Afr. W. Africa
Amér. p. 182, Orth. pl. 1. f. 3 (1805). (Oware).
- 28 a. **P. Smaragdina, Brunn.** l. c. p. 277. n. 11 Old
(1865). Calabar.

Genus 96. **Achroblatta.** (*Type* no. 1.)

Sauss. Soc. Ent. viii. p. 67 (1893); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 100 (1893).

<p>*1. A. Luteola, Blanch. (<i>Blatta</i> L.) D'Orbigny, Voy. Amér. MÉR., Ins. p. 215, pl. 26. f. 3 (1843).
<i>A. Luteola</i>, Sauss. & Zehntn. l. c. p. 100. n. 1, pl. 6. f. 12 (1893).
<i>Paratropes Histrio</i>, Sauss. Rev. Zool. (2) xiv. p. 229 (1862); Mém. Mex., Blatt. p. 58. n. 6, pl. 1. f. 5 (1864).
<i>Panchlora Tripartita</i>, Walk. Cat. Blatt. B. M. p. 35. n. 34 (1868).
<i>Zetobora Sigillata</i>, Walk. l. c. p. 51. n. 13 (1868).</p>	<p>Bolivia;
Mexico to
Colombia.</p>
2. A. (?) Signifera, Scudd. (<i>Panchlora</i> S.) Proc. Boston Soc. Nat. Hist. xvii. p. 280 (1875).	<p>Peruvian
Andes.</p>
**3. A. Litoriceps, Walk. (<i>Pseudomops</i> L.) l. c. p. 83. n. 24 (1868).	<p>Brazil
(Ega).</p>

 Genus 97. **Nauphæta.** (*Type* no. 7.)

Burm. Handb. Ent. ii. p. 508 (1838); Sauss. Mém. Mex., Blatt. p. 203 (1864); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 100 (1893); Grandidier, Hist. Madag., Orth. i. p. 80 (1895); Brunn. Syst. Blatt. p. 283 (1865).

1. N. Testacea, Brunn. l. c. p. 284. n. 1 (1865).	W. Africa.
2. N. Guineensis, Sauss. Mém. Soc. Genève, xxiii. p. 133, pl. 10. f. 47 (1873).	<p>Guinea,
Gold Coast.</p>
3. N. Gestriana, Sauss. Ann. Mus. Genova, xxxv. p. 86 (1895).	E. Afr. (Boran Galla).
<p>**4. N. Flexivitta, Walk. (<i>Periplaneta</i> F.) Cat. Blatt. B. M. p. 133. n. 29 (1868).
<i>N. Discoidalis</i>, Sauss. Abh. Senckenb. Ges. xxi. p. 582 (1899).</p>	Congo.
5. N. Brazzæ, Bol. (<i>Panchlora</i> B.) An. Soc. Españ. xix. p. 303 (1890).	id.
6. N. Frenata, Gerst. Mt. Ver. Vorpomm. xiv. p. 67 (1883).	Ogowe.

- *7. **N. Cinerea**, Oliv. (*Blatta C.*) Enc. Méth., Ins. iv. p. 314. n. 3 (1789); Serv. Ins. Orth. p. 89 (1839). Mauritius, Madagascar, Sumatra, Philippines, Polynesia, S. & Centr. America, Cuba, &c.
- N. Cinerea*, Sauss. Mém. Mex., Blatt. p. 204 (1864); Miss. Mex., Orth. p. 104 (1870); Abh. Senckenb. Ges. xxi. p. 583 (1899); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 81, pl. 3. f. 31 (1895).
- Epilampra Cinerea*, Brunn. l. c. p. 182. n. 14 (1865).
- N. Grisea*, Burm. l. c. p. 508. n. 2 (1838); Brunn. l. c. p. 287. n. 4 (1865).
- N. Bivittata*, Burm. l. c. p. 508. n. 3 (1838); Brunn. l. c. p. 287. n. 5 (1865).
- (?) || *Blatta Madera*, Herbst, Fuessly, Arch. Insekt. p. 184, pl. 49. f. 3 (1786).
- (?) *Blatta Gallica*, Fabr. Ent. Syst. ii. p. 8. n. 11 (1793).
8. **N. Aspersata**, Kirb. Ann. Nat. Hist. (7) Pretoria. v. p. 285 (1900); Distant, Ins. Transvaal. p. 23, pl. 1. f. 8 (1900).
9. **N. Madecassa**, Sauss. Soc. Ent. vi. p. 17 Madagascar (1891); Sauss. & Zehntn. l. c. p. 82, pl. 3. f. 30 (1895).
10. **N. Heydeniana**, Sauss. l. c. p. 17 (1891); id. Sauss. & Zehntn. l. c. p. 83, pl. 3. f. 32 (1895).
11. **N. Rubricosa**, Walk. Cat. Blatt. B. M. S. Africa. p. 185 (1868).
- **12. **N. Opaca**, Walk. (*Blatta O.*) Cat. Blatt. Ceylon. B. M. p. 106. n. 85 (1868).
- **13. **N. Basalis**, Kirb. Ann. Nat. Hist. (7) Tonkin. xii. p. 378 (1903).

Genus 98. **Heminauphoeta**. (*Type* no. 1.)

Sauss. Soc. Ent. vi. p. 17 (1891); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. pp. 78, 84 (1895).

1. **H. Sakalava**, Sauss. l. c. (1891); Sauss. & Zehntn. l. c. p. 85, pl. 3. f. 33 (1895). Madagascar
2. **H. Brunneriana**, Sauss. & Zehntn. l. c. id. p. 86, pl. 3. f. 34 (1895).
3. **H. Hova**, Sauss. & Zehntn. l. c. p. 87, id. pl. 3. f. 35 (1895).

Genus 99. **Tribonium.** (Type no. 1.)

Sauss. Rev. Zool. (2) xiv. p. 232 (1864) ; Mém. Mex., Blatt. p. 208 (1864).

Philobora, Brunn. Syst. Blatt. p. 294 (1865).

<p>*1. T. Spectrum, Esch. (<i>Blatta S.</i>) Entomographien, p. 85 (1822).
<i>Blatta Conspersa</i>, Guér. & Perch. Gen. Ins. (2) iii. pl. 2 (1835) ; Serv. Ins. Orth. p. 39 (1839).
<i>Zetobora Conspersa</i>, Burm. Handb. Ent. ii. p. 510. n. 2 (1838).
<i>Blatta (Zetobora) Conspersa</i>, Guér. Ramon de la Sagra, Hist. Cuba, Ins. p. 339 (1857).
<i>Proscratea Conspersa</i>, Sauss. Mém. Mex., Blatt. p. 208 (1864).
<i>Philobora Conspersa</i>, Brunn. l. c. p. 295. n. 1, pl. 7. f. 35 A-E (1865).</p>	<p>Brazil,
Cuba.</p>
2. T. Guttulosa, Walk. (<i>Nauphaeta G.</i>) Cat. Blatt. B. M. p. 184 (1868).	Brazil.
<p>3. T. Conspurcata, Burm. (<i>Zetobora C.</i>) Handb. Ent. ii. p. 510. n. 1 (1838).
<i>Philobora Conspurcata</i>, Brunn. l. c. p. 297. n. 2 (1865).</p>	id.
4. T. Elegans, Brunn. (<i>Philobora E.</i>) l. c. p. 297. n. 3 (1865).	id.
**5. T. Inæqualis, Walk. (<i>Panchlora I.</i>) l. c. p. 33. n. 30 (1868).	Hab. — ?

Genus 100. **Tribonidium.** (Type no. 1 a.)

Sauss. Rev. Zool. (2) xiv. p. 232 (1862) ; Mém. Mex., Blatt. p. 210 (1864).

1. T. Signaticollis, Burm. (<i>Zetobora S.</i>) Handb. Ent. ii. p. 510. n. 3 (1838) ; Brunn. Syst. Blatt. p. 289. n. 1 (1865).	Brazil.
<p>*1 a. T. Monastica, Sauss. (<i>Zetobora M.</i>) ll. cc. p. 232 (1862) ; p. 211, pl. 2. f. 34 (1864) ; Miss. Mex., Orth. p. 104 (1870) ; Brunn. l. c. p. 293. n. 8 (1865).
<i>Zetobora Transversa</i>, Brunn. l. c. p. 390. n. 2, pl. 7. f. 34 A-E (1865).
<i>Zetobora Impressa</i>, Walk. Cat. Blatt. B. M. p. 45. n. 2 (1868).</p>	id.

- *2. **T. (?) Lignaria, Walk.** (*Perisphæria* L.) Rio Janeiro.
 Cat. Blatt. B. M. p. 179. n. 30 (1868).
 (An *T. Monastica*, larva ?)
3. **T. ? Aberrans, Giglio-Tos,** Boll. Mus. Ecuador.
 Torino, xiii. (311) p. 13 (1898).

Genus 101. **Zetobora.** (*Type* no. 2.)

Burm. Handb. Ent. ii. p. 509 (1838) ; Brunn. Syst.
 Blatt. p. 289 (1865).

1. **Z. Nimbata, Burm.** l. c. p. 511. n. 4 Brazil
 (1838) ; Brunn. l. c. p. 291. n. 6 (1865); (Para),
 Sauss. Miss. Mex., Orth. p. 105 (1870). Cayenne.
Z. Castanea, Sauss. Rev. Zool. (2) xvi.
 p. 343 (1864) ; Mém. Mex., Blatt. p. 216
 (1864).
- *2. **Z. Emarginata, Burm.** l. c. p. 511. n. 5 Brazil
 (1838) ; Brunn. l. c. p. 291. n. 4 (1865). (Para).
Z. Limbata, Brunn. l. c. n. 3 (1865).
Z. Perspicua, Walk. Cat. Blatt. B. M. p. 46.
 n. 3 (1868).
- *3. **Z. Cicatricosa, Burm.** l. c. p. 511. n. 6 Brazil
 (1838) ; Guér. Ramon de la Sagra, Hist. (Para, Ega),
 Cuba, Ins. p. 336, pl. 12. f. 5 (1857) ; Cuba
 Sauss. Mém. Mex., Blatt. p. 213 (1864) ; (eadem ?).
 Miss. Mex., Orth. p. 107 (1870) ; Brunn.
 l. c. p. 291. n. 5 (1865).
Z. Rudis, Walk. l. c. p. 46. n. 4 (1868).
4. **Z. Verrucosa, Sauss.** Rev. Zool. (2) xvi. S. America.
 p. 344 (1864) ; Mém. Mex., Blatt. p. 215
 (1864) ; Miss. Mex., Orth. p. 105 (1870).
5. **Z. Martinezii, Bol.** An. Soc. Españ. x. Ecuador.
 p. 478 (1881) ; Viaje al Pacifico, Ins.
 p. 20, pl. 1. f. 2 (1884) ; Giglio-Tos, Boll.
 Mus. Torino, xiii. (311) p. 13 (1898).

Genus 102. **Phortiæca.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xiv. p. 232 (1862) ; Mém. Mex.,
 Blatt. p. 212 (1864).

1. **P. Peruana, Sauss.** (*Zetobora* P.) ll. cc. Peru.
 p. 232 (1862) ; p. 213, pl. 2. f. 33 (1864) ;
 Brunn. Syst. Blatt. p. 294. n. 9 (1865).

- **2. P. Phoraspoides, Walk.** (*Zetobora P.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 8 (1871). | Nicaragua, Guatemala.
Zetobora Sublobata, Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 102. n. 2 (1893).
- *3. P. Maximiliani, Sauss.** (*Zetobora M.*) Mexico.
 Rev. Zool. (2) xx. p. 357. n. 13 (1868);
 Miss. Mex., Orth. p. 105 (1870).

Genus 103. **Schizopilia.**

Sauss. Mém. Mex., Blatt. p. 217 (1864).

- 1. S. Fissicollis, Serv.** (*Blatta F.*) Ins. Orth. Cayenne.
 p. 85 (1839); Guér. Ramon de la Sagra,
 Hist. Cuba, Ins. p. 337, pl. 12. f. 7
 (1857).
Zetobora Fissicollis, Brunn. Syst. Blatt.
 p. 292. n. 7 (1865).
Schizopilia Fissicollis, Sauss. l. c. p. 218
 (1864).

Genus 104. **Capucina.**Sauss. Soc. Ent. viii. p. 67 (1893); Sauss. & Zehntn. Biol.
 Centr.-Amer., Orth. i. p. 102 (1893).

- **1. C. Patula, Walk.** (*Zetobora P.*) Cat. Derm. Nicaragua.
 Salt. B. M. v. Suppl. Blatt. p. 8 (1871).
C. Cucullata, Sauss. l. c. p. 67 (1893);
Sauss. & Zehntn. l. c. p. 103. n. 1, pl. 6.
 f. 13 (1893).

Genus 105. **Oniscosoma.** (*Type no. 1.*)

- Brunn. Syst. Blatt. p. 298 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 118 (1893).
 || *Zetobora, Sauss. Rev. Zool. (2) xiv. p. 232 (1862); Mém. Mex.,*
Blatt. p. 212 (1864); Mém. Soc. Genève, xvii. p. 161
 (1863).
Laxta, Walk. Cat. Blatt. B. M. p. 17 (1868). (Type no. 2)

- *1. O. Granicollis, Sauss.** (*Zetobora G.*) Rev. Australia.
 Zool. (2) xiv. p. 232 (1862); Mém. Soc.
 Genève, xvii. p. 161, pl. 1. f. 21 (1863);
 Mém. Mex., Blatt. p. 212 (1864).

- O. Castanea*, *Brunn.* l. c. p. 300. n. 1, pl. 7.
f. 36 A-F (1865); *Tepp.* l. c. xvii. p. 119
(1893); xviii. p. 186 (1894).
Zetobora Antica, *Walk.* Cat. Blatt. B. M.
p. 47. n. 5 (1868).
Perisphæria Laminata, *Walk.* l. c. p. 178.
n. 29 (1868).
- *2. **O. Pallida**, *Brunn.* l. c. p. 301. n. 2
(1865); *Tepp.* l. c. xvii. p. 120 (1893).
Larta Oniscoides, *Walk.* l. c. p. 18. n. 1
(1868).
3. **O. (?) Contigua**, *Sauss.* (*Derocalymma* C.)
l. c. xxiii. p. 140, pl. 10. ff. 51, 51 a
(1873).
- New South
Wales.
N. Guinea.

SUBFAM. X.

BLABERINÆ.

Genus 106. **Monachoda.** (*Type* no. 2.)

Burm. Handb. Ent. ii. p. 513 (1838); *Sauss. Rev. Zool.* (2) xvi.
p. 348 (1864); *Mém. Mex., Blatt.* p. 253 (1864); *Brunn.*
Syst. Blatt. p. 362 (1865).

- *1. **M. Grossa**, *Thunb.* (*Blatta G.*) *Mém.* Brazil.
Acad. St. Pétersb. x. p. 280 (1822).
Blabera Grossa, *Serv. Ins. Orth.* p. 79
(1839).
M. Grossa, *Sauss. Mém. Mex., Blatt.* p. 254
(1864).
M. Crassimargo, *Burm.* l. c. p. 515. n. 6
(1838); *Brunn.* l. c. p. 370 (1865).
2. **M. Burmeisteri**, *Sauss.* l. c. p. 254 note id.
(1864).
M. Grossa, *Burm.* l. c. p. 515. n. 5 (1838);
Brunn. l. c. p. 369 (1865).
- *3. **M. Latissima**, *Brunn.* l. c. p. 370 (1865). Bahia.
4. **M. Laticollis**, *Burm.* l. c. p. 515. n. 7 Brazil.
(1838).

Genus 107. **Petasodes.** (Type no. 1.)

Sauss. Rev. Zool. (2) xvi. p. 349 (1864); Mém. Mex.,
Blatt. p. 259 (1864).

<p>*1. P. Reflexa, Thunb. (<i>Blatta R.</i>) Mém.
Acad. St. Pétersb. x. p. 278 (1826).
<i>Blabera Reflexa, Serv.</i> Ins. Orth. p. 82, pl. 2.
f. 2 (1839).
<i>Monachoda Reflexa, Brunn.</i> Syst. Blatt.
p. 364, pl. 11. f. 54 A-E (1865).
<i>Petasodes Reflexa, Sauss.</i> Mém. Mex., Blatt.
p. 261 (1864).
(?) <i>Blatta Mouffeti, Kirb.</i> Introd. Ent. ii.
p. 329 (1817); Trans. Linn. Soc. xii.
p. 448. n. 95 (1818).
(?) <i>Monachoda Mouffeti, Burm.</i> Handb. Ent.
ii. p. 514. n. 3 (1838).
——, <i>Mouf.</i> Ins. Theatrum, p. 129 (1634).
<i>Monachoda Franciscana, Burm.</i> l. c. p. 514.
n. 2 (1838).</p>	Brazil.
<p>*2. P. Dominicana, Burm. (<i>Monachoda D.</i>)
l. c. p. 514. n. 1 (1838).
<i>Petasodes Dominicana, Sauss.</i> l. c. p. 261
(1864).
<i>Blabera Pedestris, Serv.</i> l. c. p. 83 (1839).
<i>Monachoda Pedestris, Brunn.</i> l. c. p. 365
(1865).</p>	id.

Genus 108. **Monastria.** (Type no. 1.)

Sauss. Rev. Zool. (2) xvi. p. 349 (1864); Mém. Mex.,
Blatt. p. 255 (1864).

<p>*1. M. Biguttata, Thunb. (<i>Blatta B.</i>) Mém.
Acad. St. Pétersb. x. p. 276. n. 2, pl. 14
(1826).
<i>Monastria Biguttata, Sauss.</i> Mém. Mex.,
Blatt. p. 256 (1864); Miss. Mex., Orth.
p. 120 (1870).
<i>Monachoda Biguttata, Brunn.</i> Syst. Blatt.
p. 365 (1865).
<i>Blabera Nigripennis, Walk.</i> Cat. Blatt. B. M.
p. 6. n. 15 (1868).</p>	Brazil.
<p>*2. M. Similis, Serv. (<i>Blabera S.</i>) Ins. Orth.
p. 81 (1839).
<i>Monastria Similis, Sauss.</i> Mém. Mex., Blatt.
p. 257 (1864).
<i>Monachoda Similis, Brunn.</i> l. c. p. 367 (1865).</p>	S. America.
*3. M. Angulata, Sauss. l. c. p. 257 (1864).	Bahia.

<p>*4. M. Cassidea, Esch. (<i>Blatta C.</i>) Entomographien, p. 87 (1822).
<i>Monastria Semialata, Sauss.</i> Mém. Mex., Blatt. p. 258 (1864).
<i>Monachoda Semialata, Sauss.</i> Miss. Mex., Orth. p. 120 (1870).</p>	S. America.
*5. M. Granosa, Brunn. (<i>Monachoda G.</i>) l. c. p. 367 (1865).	Rio Grande do Sol.

Genus 109. **Blaptica.** (Type no. 1.)

Stål, Bihang Svenska Akad. ii. (13) p. 18 (1875);
 Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 121 (1894).

<p>*1. B. Dubia, Serv. (<i>Blabera D.</i>) Ins. Orth. p. 78 (1839); Sauss. Mém. Mex., Blatt. p. 245 (1864).
<i>Blabera Claraziana, Sauss.</i> Rev. Zool. (2) xvi. p. 348 (1864); Mém. Mex., Blatt. p. 243, pl. 2. ff. 41, 42 (1864); Miss. Mex., Orth. p. 116 (1870).
<i>Blaptica Claraziana, Sauss. & Zehntn.</i> l. c. p. 121. n. 1 (1894).
<i>Blabera Ligata, Brunn.</i> Syst. Blatt. p. 381 (1865).</p>	Buenos Aires, Uruguay.
2. B. Obscura, Sauss. & Zehntn. l. c. p. 121. n. 2 (1894).	Brazil.
**3. B. Panesthoides, Walk. (<i>Polyzosteria P.</i>) Cat. Blatt. B. M. p. 164. n. 42 (1868).	Jamaica.
4. B. (?) Bipustulata, Thunb. (<i>Blatta B.</i>) Mém. Acad. St. Pétersb. x. p. 279 (1826).	Hab. — ?

Genus 110. **Byrsotria.** (Type no. 2.)

Stål, Bihang Svenska Akad. ii. (13) p. 18 (1875);
 Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 120 (1894).

<p>1. B. Fumigata, Guér. (<i>Blatta (Blabera) F.</i>) Ramon de la Sagra, Hist. Cuba, Ins. p. 335, pl. 12. f. 4 (1857).
<i>Blabera Fumigata, Sauss.</i> Mém. Mex., Blatt. p. 244 (1864); Brunn. Syst. Blatt. p. 381. n. 10 (1865).</p>	Cuba.
<p>2. B. Thunbergii, Guér. (<i>Blatta (Monachoda) T.</i>) l. c. p. 337, pl. 12. f. 6 (1857).
<i>Blabera Thunbergii, Sauss.</i> Mém. Mex., Blatt. p. 246 (1864).
<i>Monachoda (?) Thunbergii, Brunn.</i> l. c. p. 368. n. 6 (1865).</p>	id.

Genus 111. **Archimandrita.** (*Type* no. 1.)

Sauss. Soc. Ent. viii. p. 67 (1893);

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 116 (1894).

<p>*1. A. Marmorata, Stoll, (<i>Blatta M.</i>) Spectres, Blattes, p. 3, pl. 2 d. f. 5 (1813).
 <i>Blabera Marmorata</i>, Sauss. Mém. Mex., Blatt. p. 249 (1864); Brunn. Syst. Blatt. p. 378 (1865); Brun. Bull. Lab. Iowa, iii. (3) p. 60, pl. 2. f. 1 (1893).
 <i>A. Marmorata</i>, Sauss. & Zehntn. l. c. p. 116. n. 1 (1894).</p> <p>2. A. Discoidalis, Serv. (<i>Blabera D.</i>) Ins. Orth. p. 76, pl. 1. f. 6 (1839); Sauss. l. c. p. 250 (1864).</p> <p>3. A. (?) Colosseae, Illig. (<i>Blatta C.</i>) Mag. Insekt. i. p. 186 (1802).</p> <p>4. A. (?) Deplanata, Sauss. (<i>Blabera D.</i>) Rev. Zool. (2) xvi. p. 348 (1864); Mém. Mex., Blatt. p. 250 (1864); Miss. Mex., Orth. p. 118 (1870).
<i>A. Deplanata</i>, Sauss. & Zehntn. l. c. p. 116. n. 2, pl. 5. f. 18 (1894).</p>	S. & Central America. Haiti. Demerara. Cuba.

Genus 112. **Blabera.** (*Type* no. 1.)*Blaberus*, Serv. Ann. Sci. Nat. xxii. p. 37 (1831).*Blabera*, Serv. Ins. Orth. p. 74 (1839); Mém. Mex., Blatt. p. 230 (1864); Miss. Mex., Orth. p. 113 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 117 (1894); Brunn. Syst. Blatt. p. 371 (1865).*Sisapona*, Walk. Cat. Blatt. B. M. p. 16 (1868), larva. (*Type* no. 5.)*Tarraga*, Walk. l. c. p. 16 (1868), larva. (*Type* no. 25.)*Libisoca*, Walk. l. c. p. 12 (1868), larva. (*Type* no. 23.)

<p>*1. B. Gigantea, Linn. (<i>Blatta G.</i>) Syst. Nat. (ed. x.) i. p. 424. n. 1 (1758); Mus. Ludov. Ulr. p. 106 (1764); Stoll, Spectres, Blatt. p. 2, pl. 1 d. f. 2 (1813).
<i>Blabera Gigantea</i>, Burm. Handb. Ent. ii. p. 517. n. 5 (1838); Serv. Ins. Orth. p. 75 (1839); Sauss. Mém. Mex., Blatt. p. 236 (1864); Brunn. Syst. Blatt. p. 372 (1865); Walk. Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 2 (1871).</p>	S. America.

2. **B. Armigera, Scudd.** P. Boston Soc. xii. Napo (?).
p. 343 (1869).
- *3. **B. Stollii, Brunn.** l. c. p. 374 (1865). Guiana,
|| *Blatta Gigantea, Stoll*, l. c. p. 2, pl. 1 d. f. 1 Rio Negro.
(1813).
- **4. **B. Parabolica, Walk.** Cat. Blatt. B. M. Ecuador.
p. 8. n. 17 (1868).
Blabera Æquatoriana, Bol. An. Soc. Españ.
x. p. 479 (1881); *Viaje al Pacifico, Orth.*
p. 24, pl. 1. f. 3 (1864).
- *5. **B. Trapezoidea, Burm.** l. c. p. 516. n. 1 Mexico to
(1838); *Sauss. Mém. Mex., Blatt.* p. 240 Brazil.
(1864); *Sauss. & Zehntn.* l. c. p. 118.
n. 2, pl. 5. ff. 26-31 (1894); *Brunn.*
l. c. p. 374 (1865).
Blabera Varians, Serr. l. c. p. 78 (1839).
Blabera Mexicana, Sauss. Rev. Zool. (2)
xiv. p. 233 (1862); *Mém. Mex., Blatt.*
p. 234 (1864); *Walk. Cat. Derm. Salt.*
B. M. v. Suppl. Blatt. p. 3 (1871).
Blabera Quadrifera, Walk. Cat. Blatt. B. M.
p. 3. n. 11 (1868).
Sisapona Marginalis, Walk. l. c. p. 17. n. 1
(1868), larva.
- *6. **B. Fusca, Brunn.** l. c. p. 376 (1865). S.& C. Amer.
- *7. **B. Atropos, Stoll,** (*Blatta A.*) l. c. Mexico to
p. 4, pl. 2 d. f. 8 (1813). Brazil.
Blabera Atropos, Sauss. Mém. Mex., Blatt.
p. 233 (1864); *Brunn.* l. c. p. 375, pl. 12.
f. 55 A-G (1865).
Blabera Craniifera, Burm. l. c. p. 516. n. 3
(1838).
Blabera Luctuosa, Stål, Æfv. Vet.-Akad.
Förh. xii. p. 351 (1855).
Blabera Laticollis, Walk. l. c. p. 5. n. 14
(1868).
8. **B. Rufescens, Sauss. & Zehntn.** l. c. Cuba.
p. 119. n. 3, pl. 5. f. 22 (1894).
- *9. **B. Cubensis, Sauss.** Rev. Zool. (2) xvi. Cuba, Haiti,
p. 347 (1864); *Mém. Mex., Blatt.* p. 236 Brazil.
(1864).
Blabera Subspurcata, Walk. l. c. p. 4. n. 12
(1868).
- *10. **B. Brasiliana, Sauss.** ll. cc. p. 347 (1864); Brazil.
p. 236 (1864).
Blabera Decisa, Walk. l. c. p. 5. n. 13
(1868).

- **11. **B. Scutata**, **Sauss. & Zehntn.** l. c. Pernam-
p. 119. n. 4, pl. 5. f. 24 (1894). buco.
12. **B. Anisitsi**, **Brancs.** Jahresh. Ver. Trenc- Paraguay.
sin. Com. xix.-xx. p. 60, pl. 1. f. 5 (1897).
13. **B. Immacula**, **Sauss. & Zehntn.** l. c. Pernam-
p. 120. n. 6, pl. 5. f. 23 (1894); Giglio-Tos, buco.
Boll. Mus. Torino, xiii. (311) p. 106 (1897).
- *14. **B. Ferruginea**, **Stoll**, (*Blatta F.*) l. c. Mexico.
p. 4, pl. 2 d. f. 9 (1813).
Blabera Ferruginea, **Sauss.** Mém. Mex.,
Blatt. p. 241 (1864); Brunn. l. c. p. 377
(1865).
Blabera Limbata, **Burm.** l. c. p. 516. n. 2
(1838).
- **15. **B. Fusiformis**, **Walk.** l. c. p. 7. n. 16 Hab. — ?
(1868).
16. **B. Femorata**, **Scudd.** l. c. xii. p. 342 Napo.
(1869).
17. **B. Sulzeri**, **Guér.** Ramon de la Sagra, Surinam,
Hist. Cuba, Ins. p. 334 (1857); (?) **Sauss.** Cuba.
Mém. Mex., Blatt. p. 239, pl. 2. f. 39
(1864); Brunn. l. c. p. 380 (1865).
- (?) || *Blatta Surinamensis*, **Sulz.** Gesch. Ins. pl. 8.
f. 1 (1776).
- **18. **B. Distanti**, **Kirb.** Ann. Nat. Hist. (7) Hab. — ?
xi. p. 404 (1903).
- *19. **B. Postica**, **Erichs.** Schomb. Reisen Brit. Guiana,
Guiana, iii. p. 580 (1848); Brunn. l. c. Panama,
p. 379 (1865). Colombia.
- Blabera Thoracica*, **Sauss. & Zehntn.** l. c.
p. 120. n. 5, pl. 5. f. 25 (1894).
20. **B. Monstrosa**, **Stål**, **Æfv.** Vet.-Akad. Brazil.
Förh. xii. p. 351 (1855).
21. **B. Minor**, **Sauss.** Rev. Zool. (2) xvi. id.
p. 347 (1864); Mém. Mex., Blatt. p. 238
(1864); Miss. Mex., Orth. p. 115 (1870).
22. **B. Fraterna**, **Sauss.** Mém. Mex., Blatt. S. America.
p. 241 (1864).
- **23. **B. Æqualis**, **Walk.** (*Libisoca Æ.*) Cat. St. Domingo
Blatt. B. M. p. 12. n. 1 (1869), larva.
- **24. **B. Chitonoides**, **Walk.** (*Laxta C.*) l. c. Hab. — ?
p. 18. n. 2 (1868), larva.
- **25. **B. Guttiventris**, **Walk.** (*Tarraga G.*) l. c. Rio Janeiro.
p. 16. n. 1 (1868), larva.
26. **B. (?) Latissima**, **Herbst**, (*Blatta L.*) Surinam.
Fuessly, Arch. Insekt. p. 184, pl. 49. f. 2
(1786), larva.

Genus 113. **Hemiblabera.** (*Type* no. 3.)

Sauss. Soc. Ent. viii. p. 68 (1893);

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 121 (1894).

<p>*1. H. Capucina, Sauss. (<i>Blabera C.</i>) Rev.
 Zool. (2) xiv. p. 234 (1862); Mém. Mex.,
 Blatt. p. 248, pl. 2. f. 43 (1864); Brunn.
 Syst. Blatt. p. 383. n. 12 (1865).
 <i>H. Capucina, Sauss.</i> Soc. Ent. viii. p. 68
 (1893).</p> <p>2. H. Brunneri, Sauss. (<i>Blabera B.</i>) Rev.
 Zool. (2) xxi. p. 113 (1869); Miss. Mex.,
 Orth. p. 117 (1870).</p> <p>3. H. Manca, Sauss. Soc. Ent. viii. p. 68
 (1893); Sauss. & Zehntn. l. c. p. 122.
 n. 1, pl. 5. f. 20 (1894).</p> <p>4. H. Granulata, Sauss. l. c. viii. p. 68
 (1893); Sauss. & Zehntn. l. c. p. 122. n. 2,
pl. 5. f. 21 (1894).</p>	Bahia. Antilles. Portorico. Mexico.

Genus 114. **Cacoblatta.**

Sauss. Soc. Ent. viii. p. 68 (1893);

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 122 (1894).

<p>1. C. Scabra, Sauss. l. c. viii. p. 68 (1893);
 Sauss. & Zehntn. l. c. p. 122. n. 2, pl. 5.
 f. 19 (1894).</p> | <p>New
 Granada.</p> |
|--|----------------------------------|

SUBFAM. XI.

CORYDIINÆ.

Genus 115. **Corydia.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 42 (1831); Ins. Orth. p. 122
 (1839); Burm. Handb. Ent. ii. p. 490 (1838); Sauss.
 Mém. Mex., Blatt. p. 147 (1864); Brunn. Syst. Blatt.
 p. 335 (1865).

<p>*1. C. Petiveriana, Linn. (<i>Cassida P.</i>) Syst.
 Nat. (ed. x.) i. p. 364. n. 18 (1758).
 <i>Blatta Petiveriana, Herbst</i>, Fuessly, Arch.
 Insekt. p. 185. n. 6, pl. 49. f. 7 (1786);</p> | <p>India;
 W. Africa(?)</p> |
|--|---|

- Stoll, Spectres, Blatt. p. 7, pl. 5. ff. 21, 22 (1813); Beauv. Ins. Afr. Amér. p. 227, Orth. pl. 2 c. f. 1 (1805).
Corydia Petiveriana, Burm. Handb. Ent. ii. p. 491. n. 1 (1838); Serv. Ins. Orth. p. 123 (1839); Brunn. l. c. p. 336. n. 1, pl. 10. f. 47 A, B (1865).
Cassida 7-guttata, Linn. Syst. Nat. (ed. xii.) i. (2) p. 577. n. 19 (1767).
Blatta Heteroclyta, Pall. Spicil. Zool. ix. pl. 1. f. 5 (1772); Sulz. Gesch. Ins. pl. 11. ff. A, B (1776).
2. **C. Nuptialis**, Gerst. Arch. Naturg. xxvii. p. 113 (1861); Brunn. l. c. p. 338. n. 3, pl. 10. f. 46 A-E (1865). Bengal.
Corydia Gueriniana, Sauss. Mém. Soc. Genève, xvii. p. 140, pl. 1. f. 7 (1864).
- *3. **C. Dasytoides**, Walk. (*Euthyrgrapha D.*) Amoy, Cat. Blatt. B. M. p. 191 (1868). Tonkin,
C. Tonkinensis, Kirb. Ann. Nat. Hist. (7) (Siam, xi. p. 405 (1903). eadem?)
- **4. **C. Purpuralis**, Kirb. l. c. (1903). S.W. Fokien
 5. **C. Hilaris, Kirb. l. c. p. 406 (1903). Hab. — ?
 *6. **C. Westwoodii**, Gerst. l. c. p. 114 (1861); Assam.
 Brunn. l. c. p. 339. n. 4 (1865).
7. **C. Ænea**, Brunn. l. c. p. 340. n. 5 (1865); Pegu.
 Ann. Mus. Genova, xxxiii. p. 39, pl. 1. f. 15 (1893).
- **8. **C. Plagiata**, Walk. Cat. Blatt. B. M. India, p. 58. n. 3 (1868). Burma.
Corydia Elegans, Brunn. Ann. Mus. Genova, xxxiii. p. 39, pl. 1. f. 16 (1893).
9. **C. Ornata**, Sauss. (*Melestora O.*) Rev. Bombay.
 Zool. (2) xvi. p. 341 (1864).
Corydia Armata, Sauss. Mém. Soc. Genève, xx. p. 280 (1869).

Genus 116. **Melestora.** (Type no. 1.)

Stål, Eugenie's Resa, Ins. p. 311 (1858); Sauss. Mém. Mex., Blatt. p. 149 (1864); Brunn. Syst. Blatt. p. 341 (1865).

1. **M. Adspersipennis**, Stål, l. c. p. 311, pl. 5. Brazil.
 ff. 2, 2a (1858); Brunn. l. c. p. 341 (1865).
 *2. **M. Fuscella**, Stål, l. c. p. 311 (1858); id.
 Brunn. l. c. p. 342 (1865).

Genus 117. **Euthyrrhapha.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 491 (1838); Sauss. Mém. Mex., Blatt. p. 148 (1864); Brunn. Syst. Blatt. p. 342 (1865).

- *1. **E. Pacifica, Coq.** (*Blatta* P.) Icon. Ins. iii. p. 91, pl. 21. f. 1 (1804); Serv. Ins. Orth. p. 103 (1839). Brazil, Polynesia, Madagascar

Euthyrrhapha Pacifica, Sauss. l. c. p. 148 (1864); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 108. n. 1 (1894); Brunn. l. c. p. 343. n. 1 (1865); Walk. Cat. Blatt. B. M. p. 59. n. 1 (1868).

Corydia Biguttata, Burm. Handb. Ent. ii. p. 491. n. 2 (1838).

E. Ipsoides, Walk. Cat. Blatt. B. M. p. 191 (1868). Para.

2. **E. Sanctæ-Helenæ, Walk.** Melliss, St. Helena. St. Helena. Helena, p. 165 (1875).

Genus 118. **Latindia.** (*Type* no. 8.)

Stål, Eugenie's Resa, Ins. p. 311 (1858); Sauss. Mém. Mex., Blatt. p. 229 (1864); Miss. Mex., Orth. p. 109 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 110 (1894); Brunn. Syst. Blatt. p. 344 (1865).

1. L. Dohrniana, Sauss. & Zehntn. l. c. p. 111. n. 1, pl. 5. f. 7 (1894).	Guatemala.
**2. L. Cucullata, Sauss. & Zehntn. l. c. n. 2, pl. 5. f. 9 (1894).	id.
3. L. Inca, Sauss. & Zehntn. l. c. n. 3, pl. 5. f. 8 (1894).	Peru.
**4. L. Delicatula, Sauss. & Zehntn. l. c. p. 112. n. 4, pl. 5. f. 10 (1894).	Guatemala.
5. L. Schwarzi, Caud. Proc. Ent. Soc. Washington, v. p. 165 (1903).	Arizona.
6. L. Pusilla, Sauss. & Zehntn. l. c. n. 5 (1894).	Peru.
7. L. Tolteca, Sauss. & Zehntn. l. c. p. 113. n. 6 (1894).	Mexico.
8. L. Maurella, Stål , Eugenie's Resa, Ins. p. 312, pl. 5. f. 3 (1858); Sauss. Mém. Mex., Blatt. p. 250 (1864); Brunn. l. c. p. 345. n. 1 (1865).	id.
9. L. Mexicana, Sauss. Rev. Zool. (2) xx. p. 100 (1868); Miss. Mex., Orth. p. 110, pl. 2. ff. 53-55 (1870); Sauss. & Zehntn. l. c. p. 113 (1894).	id.
10. L. Signata, Brunn. l. c. p. 345 (1865).	Brazil.
**11. L. Castanea, Brunn. Proc. Zool. Soc. Lond. 1893, p. 604.	Grenada.

Genus 119. **Hemilatindia.**

Sauss. Ann. Mus. Genova, xxxv. p. 83 (1895).

1. H. Doriana , Sauss. l. c. p. 84 (1895).	S. Africa
(Assab). |
|--|-----------------------|

Genus 120. **Ipisoma.**

Bol. Ann. Soc. Ent. France, 1893, p. 172.

1. I. Coleoptratum , Bol. l. c. p. 173
(1893). | W. Africa
(Assinie). |
|---|-------------------------|

Genus 121. **Tivia.**

Walk. Cat. Blatt. B. M. Suppl. p. 153 (1869).

**1. T. Simulatrix , Walk. l. c. (1869)	Lake
Nº Gami. |
|---|------------------|

Genus 122. **Paralatindia.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xx. p. 100 (1868); Miss. Mex., Orth. p. 111 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 113 (1894).

*1. P. Azteca , Sauss. Rev. Zool. xx. p. 101
(1868); Sauss. & Zehntn. l. c. p. 113. n. 1
(1894).
<i>Latindia Azteca</i> , Sauss. Miss. Mex., Orth.
p. 112, pl. 2. ff. 54, 55 (1870).	Mexico.
2. P. Peruviana , Sauss. & Zehntn. l. c.
p. 114. n. 2, pl. 5. ff. 11-14 (1894).	Peru.
3. P. Mancella , Sauss. & Zehntn. l. c. n. 3,
pl. 5. f. 6 (1894).	id.

Genus 123. **Holocompsa.** (*Type* no. 2.)

Burm. Handb. Ent. ii. p. 49 (1838); Sauss. Mém. Mex., Blatt. p. 150 (1864); Miss. Mex., Orth. p. 99 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 108 (1894); Brunn. Syst. Blatt. p. 346 (1865).

*1. H. Cyanea , Burm. (<i>Corydia C.</i>) Handb.
Ent. ii. p. 492. n. 3 (1838).
<i>H. Cyanea</i> , Sauss. Mém. Mex., Blatt. p. 150
(1864); Brunn. l. c. p. 346. n. 1 (1865).	St. Thomas,
Cuba,
Mauritius.
**2. H. Nitidula , Fabr. (<i>Blatta N.</i>) Spec. Ins.
i. p. 345. n. 19 (1781).
<i>Corydia Collaris</i> , Burm. l. c. p. 492. n. 4
(1838).	Surinam,
Mexico,
W. Indies,
Mauritius.

Blatta (Holocompsa) Collaris, Guér. Ramon de la Sagra, Hist. Cuba, Ins. p. 332, pl. 12. f. 3 (1857).

Hol. Collaris, Sauss. Mém. Mex., Blatt. p. 151 (1864); Sauss. & Zehntn. l. c. p. 109. n. 2, pl. 3. f. 34 (1894); Brunn. l. c. p. 347. n. 2, pl. 10. f. 50 A-C (1865); Proc. Zool. Soc. Lond. 1892, p. 205, pl. 15. f. 1.

- *3. **H. Azteca**, Sauss. (*Corydia A.*) Rev. Zool. Mexico. (2) xiv. p. 230 (1862).

H. Azteca, Sauss. Mém. Mex., Blatt. p. 151 (1864); Miss. Mex., Orth. p. 100, pl. 2. f. 49 (1870); Sauss. & Zehntn. l. c. p. 109. n. 3 (1894); Brunn. Syst. Blatt. p. 347. n. 3 (1865); Walk. Cat. Blatt. B. M. p. 61. n. 4 (1868).

Euthyrrhapha Mordelloides, Walk. l. c. p. 59. n. 2 (1868).

- **4. **H. Zapoteca**, Sauss. & Zehntn. l. c. Guatemala. p. 109. n. 4, pl. 3. f. 33 (1894).

- **5. **H. Tolteca**, Sauss. & Zehntn. l. c. n. 5, id. pl. 3. f. 35 (1894).

- **6. **H. Binotata**, Sauss. & Zehntn. l. c. id. p. 110. n. 6, pl. 3. f. 32 (1894).

7. **H. Fulva**, Burm. (*Corydia F.*) l. c. p. 492. Egypt, n. 5 (1838). Soudan.

H. Fulva, Brunn. l. c. p. 348. n. 4 (1865).

8. **H. Simonyi**, Krauss, Zool. Anz. xv. p. 165 Teneriffe. (1892).

9. **H. Debilis**, Walk. l. c. p. 192 (1868). Sarawak.

Genus 124. **Hypercompsa**. (*Type* no. 2.)

Sauss. Rev. Zool. (2) xvi. p. 323 (1864); Mém. Mex., Blatt. p. 152 (1864).

Diaphana, Brunn. Syst. Blatt. p. 348 (1865). (*Type* no. 1.)

- *1. **H. Fieberi**, Brunn. (*Diaphana F.*) l. c. Brazil. p. 349, pl. 10. f. 51 (1865).

H. Fieberi, Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 110. n. 1 (1894).

H. Cynipsoides, Walk. Cat. Blatt. B. M. p. 61. n. 2 (1868).

2. **H. Fenestrina**, Sauss. Rev. Zool. xvi. id. p. 324 (1864); Mém. Mex., Blatt. p. 153, pl. 2. f. 27 (1864); Sauss. & Zehntn. l. c. p. 110. n. 2 (1894).

Genus 125. **Biolleya.**

Sauss. An. Inst. Fis. Nac. Costa Rica, vii. p. 138 (1894 or 1897);
 Biolley, Inf. Mus. Nac. Costa Rica, 1899-1900, p. 48 (1900).

1. **B. Alaris, Sauss.** l. c. (1894 or 1897); | Costa Rica.
 Biolley, l. c. plate (1900). |

SUBFAM. XII.

POLYPHAGINÆ.

Genus 126. **Polyphaga.** (*Type* no. 1.)

Brullé, Hist. Nat. Ins. ix. p. 57 (1835); Sauss. Mém. Mex.,
 Blatt. p. 220 (1864).

Heterogamia, *Burm.* Handb. Ent. ii p. 488 (1838); Fisch.
 Waldh. Orth. Ross. p. 72 (1846); Fisch. Orth. Eur. p. 96
 (1853); Brunn. Syst. Blatt. p. 350 (1865); Prodr. Eur.
 Orth. p. 51 (1882); Sauss. l. c. p. 222 (1864); Rev. Suisse
 Zool. i. p. 302 (1893). (*Type* no. 1.)

- *1. **P. Ægyptiaca, Linn.** (*Blatta Æ.*) Syst. | Egypt,
 Nat. (ed. x.) i. p. 424. n. 2 (1758); Mus. | S. Europe,
 Ludov. Ulr. p. 107 (1764); Herbst, | N. Africa,
 Fuessly, Arch. Ins. p. 185, pl. 49. | W. Asia.
 f. 4 (1786); Petagna, Inst. Entom.
 i. p. 305, pl. 3. f. 12 *a, b* (1792); Ahrens,
 Faun. Ins. Eur. i. pl. 13 (1812); Serv.
 Ins. Orth. p. 94 (1839).
Polyphaga Ægyptiaca, Brullé, l. c. ix. p. 57,
 pl. 3. f. 3 (1835).
Heterogamia Ægyptiaca, *Burm.* l. c. p. 489.
 n. 2 (1838); Fisch. Waldh. l. c. p. 73,
 pl. 1. ff. 2, 3, pl. 24. f. 10 (1846); Fisch.
 l. c. p. 97, pl. 7. ff. 6, 6 *a*, 7, 7 *a* (1853);
 Brunn. ll. cc. p. 353, pl. 10. f. 52 A-F
 (1865); p. 52, pl. 1. f. 12 A-C (1882);
 Sauss. Rev. Suisse Zool. i. p. 308. n. 1
 (1893).
Steleopyga Trichoprocta, *Fisch. Waldh.* Bull.
 Soc. Moscou, vi. p. 367 (1833).
 (?) *Blatta Omeca*, *Costa*, Atti Accad. Borb.
 iv. Zool. p. 19, pl. 2. f. 8 (1839). |

- *2. **P. Saussurii, Dohrn**, (*Heterogamia S.*) Tashkend.
Stettin. Ent. Zeit. xlix. p. 131 (1888);
Sauss. l. c. i. p. 308 (1893).
- 2 a. **P. Pellucida, Redt.** (*Heterogamia P.*) Turcomania
Wien. Ent. Zeit. viii. p. 25 (1889).
3. **P. Roseni, Brancs.** (*Heterogamia R.*) Turkestan,
Jahresh. Ver. Trencsin. Com. xix.-xx. Afghanistan
p. 59, pl. 1. f. 2 a, b (1897).
4. **P. Plancyi, Bol.** Ann. Soc. Ent. France, Pekin.
(6) ii. p. 462 (1882).
5. **P. Silphoides, Walk.** Cat. Blatt. B. M. Cambodia.
p. 182 (1868).
- **6. **P. Sinensis, Walk.** l. c. p. 14. n. 5 N. China.
(1868).
Heterogamia Sinensis, Dohrn, l. c. p. 132
(1888).
Het. Dohrniana, Sauss. l. c. p. 309 (1893).
- **7. **P. Indica, Walk.** l. c. p. 14. n. 4 (1868). India.
- *8. **P. Limbata, Kirb.** Ann. Nat. Hist. (7) N. China.
xii. p. 379 (1903).
|| *Homæogamia Sinensis, Sauss.* Mém. Soc.
Genève, xx. p. 282 (1869); Rev. Suisse
Zool. i. p. 311 (1893).
(?) *Polyphaga Sinensis, Bol.* l. c. p. 463 (1882).
- **9. **P. Camelorum, Kirb.** Ann. Nat. Hist. Hari Rud,
(7) xi. p. 407, xii. p. 379 (1903). Turkestan.
Polyphaga sp., Kirb. Trans. Linn. Soc. (2)
v. Zool. p. 138 (1889).
|| *P. Ægyptiaca, Jacobson & Bianchi*, Pre-
mokr. i Lozhn. Ross. Imp. p. 133, pl. 2
(1902).
- *10. **P. Africana, Linn.** (*Blatta A.*) Syst. Nat. Egypt,
(ed. x.) i. p. 424. n. 6 (1758); Mus. Ulr. Syria.
p. 108 (1764).
Heterogamia Africana, Sauss. Rev. Suisse
Zool. i. p. 312 (1893).
Polyphaga Syriaca, Sauss. Rev. Zool. (2)
xvi. p. 346 (1864).
11. **P. Maris Mortui, Jans.** (*Het. M.*) Hart, Dead Sea.
Flora & Fauna of Sinai, p. 184, pl. 10. f. 3
(1891).
12. **P. Pilosella, Sauss.** (*Het. P.*) Ann. Mus. Shoa.
Genova, xxxv. p. 82 (1895).
- *13. **P. Ursina, Burm.** (*Het. U.*) l. c. p. 489. Egypt,
n. 1 (1838); Sauss. Rev. Suisse Zool. i. Syria.
p. 313 (1893).
|| *Het. Africana, Brunn.* l. c. p. 357 (1865).

14. P. Hirsuta , Sauss. (<i>Het. H.</i>) Abh. Senckenb. Ges. xxi. p. 583 (1899).	S. Africa.
15. P. Gestroiana , Sauss. (<i>Het. G.</i>) Ann. Mus. Genova, xxxv. p. 81 (1895).	Galla Land.
*16. P. Algerica , Brunn. (<i>Het. A.</i>) l. c. p. 356 (1865).	Algeria.
17. P. Livida , Brunn. (<i>Het. L.</i>) l. c. p. 359 (1865); Prodr. Eur. Orth. p. 53 (1882).	Cyprus,
Ins. Græc.
18. P. Cerveræ , Bol. An. Soc. Españ. xv. p. 512 (1886).	W. Sahara.
19. P. Rugosa , Schulth. (<i>Het. S.</i>) Zool. Jahrb. viii. Syst. p. 68 (1894).	Somali.

Genus 127. **Anisogamia.**

Sauss. Rev. Suisse Zool. i. p. 315 (1893).

1. **A. Tamerlana**, **Sauss.** l. c. p. 316 (1893). | Turcomania

Genus 128. **Attaphila.** (*Type* no. 1.)

Wheel. Amer. Nat. xxxiv. pp. 856-862 (1900).

1. A. Fungicola , Wheel. l. c. ff. 3-5 (1900).	Texas.
2. A. Bergi , Bol. Com. Mus. Nac. B. Aires, i. p. 334 (1901).	Argentina,
Uruguay.

Genus 129. **Ergaula.**

Walk. Cat. Blatt. B. M. p. 19 (1868).

- **1. **E. Scarabæoides**, **Walk.** l. c. (1868). | Philippines.

Genus 130. **Dyscologamia.** (*Type* no. 1.)

Sauss. Rev. Suisse Zool. i. p. 297 (1893).

*1. D. Cesticulata , Sauss. l. c. p. 298 (1893);
Kirb. Ann. Nat. Hist. (7) xi. p. 406 (1903).	Singapore,
Selangore.
2. D. Carunculigera , Gerst. (<i>Corydia C.</i>)
Arch. Naturg. xxvii. (1) p. 12 (1861);
Brunn. Syst. Blatt. p. 337 (1865).
<i>D. Carunculigera</i> , Sauss. l. c. p. 299 (1893).	Luzon.
3. D. Nepalensis , Sauss. l. c. p. 300 (1893).	Sikkim(<i>sic</i>).

4. D. Capucina, Brunn. (<i>Homœogamia C.</i>)
Ann. Mus. Genova, xxxiii. p. 39, pl. 1.
f. 17 a, b (1893).
<i>D. Capucina, Sauss.</i> l. c. p. 301 (1893).	Tenasserim.
5. D. Pilosa, Walk. (<i>Zetobora P.</i>) Cat.
Blatt. B. M. p. 187 (1868).	Java.
6. D. Capensis, Sauss. l. c. p. 301 (1893).	S. Africa.

Genus 131. **Ataxigamia.**

Tepp. Tr. R. Soc. S. Austral. xvii. p. 123 (1893).

1. A. Tatei, Tepp. l. c. (1893).	S. Australia.

Genus 132. **Homœogamia.** (*Type no. 1.*)

Burm. Handb. Ent. ii. p. 490 (1838); Sauss. Mém. Mex.,
Blatt. p. 225 (1864); Rev. Suisse Zool. i. p. 294 (1893);
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 105 (1894);
Brunn. Syst. Blatt. p. 360 (1865).

*1. H. Mexicana, Burm. (<i>Heterogamia M.</i>)
l. c. p. 490. n. 3 (1838).
<i>Polyphaga (Homœogamia) Mexicana, Sauss.</i>
Mém. Mex., Blatt. p. 226, pl. 2. ff. 36,
37 (1864).
<i>Homœogamia Mexicana, Brunn</i> Syst. Blatt.
p. 360 (1865); Sauss. Miss. Mex., Orth.
p. 108 (1870); Rev. Suisse Zool. i.
p. 296. n. 1 (1893); Sauss. & Zehntn.
l. c. p. 106. n. 1 (1894).	Mexico.
**2. H. Guttipennis, Walk. (<i>Zetobora G.</i>)
Cat. Blatt. B. M. Suppl. p. 123 (1869).
<i>Polyphaga Æqualis, Walk.</i> Cat. Derm. Salt.
B. M. v. Suppl. Blatt. p. 3 (1871).
<i>H. Azteca, Sauss.</i> Rev. Suisse Zool. i.
p. 296. n. 2 (1893); Sauss. & Zehntn.
l. c. p. 106. n. 2, pl. 5. ff. 4, 5 (1894).	id.
3. H. Bolliana, Sauss. l. c. p. 296. n. 3
(1893); Sauss. & Zehntn. l. c. p. 107.
n. 3, pl. 5. f. 3 (1894).	Texas,
New Mexico
4. H. Apache, Sauss. l. c. p. 296. n. 4
(1893); Sauss. & Zehntn. l. c. p. 107.
n. 4, pl. 3. f. 20 (1894).	New Mexico
5. H. Brasiliana, Sauss. (<i>Polyphaga (Ho-
mœogamia) B.</i>) Mém. Mex., Blatt. p. 228
(1864).	Brazil.

Genus 133. **Culama.**

Walk. Cat. Blatt. B. M. p. 44 (1868).

- **1. **C. Pilosa**, Walk. l. c. (1868). | Brazil.

Genus 134. **Apotrogia.** (*Incertæ sedis.*)

Kirb. Ann. Nat. Hist. (7) v. p. 281 (1900).

- **1. **A. Angolensis**, Kirb. l. c. (1900); Dis- | Angola.
tant, Ins. Transvaal. p. 21, pl. 1. f. 11
(1900). |

SUBFAM. XIII.

OXYHALOINÆ.

Genus 135. **Oxyhaloa.** (*Type no. 2.*)

Brunn. Syst. Blatt. p. 252 (1865); Sauss. Miss. Mex., Orth.
p. 89 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth.
i. p. 77 (1893).

1. O. Kitensis , Rochebr. Bull. Soc. Philom.	Senegambia
(7) vii. p. 175 (1883).	
2. O. Murrayi , Brunn. l. c. p. 253. n. 1,	Old Calabar.
pl. 6. f. 25 A-E (1865).	
3. O. Minor , Brunn. l. c. p. 254. n. 2 (1865).	Khartoum.
*4. O. Ferreti , Reiche, (<i>Blatta F.</i>) Ferret &	Abyssinia.
Galinier, Voy. Abyssinie, iii. p. 420,	
pl. 27. ff. 1, 2 (1847).	
<i>O. Ferreti</i> , Brunn. l. c. p. 254. n. 3 (1865).	
<i>Periplaneta Fusata</i> , Walk. Cat. Blatt. B. M.	
p. 133. n. 30 (1868).	
5. O. Africana , Sauss. Ann. Mus. Genova,	S. Africa.
xxxv. p. 85 (1895).	
*6. O. Deusta , Thunb. (<i>Blatta D.</i>) Diss. Ent.	Cape,
Nov. Ins. Spec. iv. p. 77 (1784).	Natal,
<i>O. Deusta</i> , Kirb. Ann. Nat. Hist. (7) v.	Transvaal,
p. 293 (1900).	Delagoa B.,
<i>Proscratea Deusta</i> , Stål, Øf. Vet.-Akad.	B. Centr.
Förh. xiii. p. 167 (1856).	Africa.
<i>Proscratea Fulviceps</i> , Burm. Handb. Ent.	
ii. p. 509. n. 1 (1838).	

- Perisphæria Verticalis*, Burm. l. c. p. 486.
n. 6 (1838).
Deropeltis Verticalis, ♂, Brunn. l. c. p. 244.
n. 2 (1865).
O. Fulviceps, Brunn. l. c. p. 255. n. 4
(1865).
Nauphæta Ruficeps, Walk. Cat. Blatt. B. M.
p. 39. n. 11 (1868).
Ischnoptera Ruficeps, Walk. l. c. p. 123.
n. 14 (1868).
Nauphæta Signifrons, Walk. l. c. p. 40.
n. 12 (1868).
7. **O. Buprestoides, Sauss.** (*Blatta B.*) Cuba.
Rev. Zool. (2) xiv. p. 166 (1862); Mém.
Mex., Blatt. p. 116, pl. 2. f. 20 (1864).
O. Buprestoides, Sauss. Miss. Mex., Orth.
p. 90, pl. 2. f. 48 (1870); Sauss. &
Zehntn. l. c. p. 77. n. 1 (1893).
Ischnoptera Buprestoides, Brunn. l. c. p. 140.
n. 20 (1865).

Genus 136. **Cirphis.**

Stål, Öfv. Vet.-Akad. Förh. xxxiii. (3) p. 74 (1876).

1. **C. Pallipes, Stål**, l. c. (1876). | Damara L.

Genus 137. **Diploptera.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xvi. p. 325 (1864); Mém. Mex., Blatt.
p. 177 (1864).
Eleutheroda, Brunn. Syst. Blatt. p. 264 (1865); Tepp. Tr. R.
Soc. S. Australia, xvii. p. 116 (1893). (*Type* no. 1.)

- *1. **D. Dytiscoides, Serv.** (*Blatta D.*) Ins. | Australia.
Orth. p. 102 (1839).
Eleutheroda Dytiscoides, Brunn. l. c. p. 265.
n. 1, pl. 6. f. 29 A-E (1865).
Prosoplecta Silpha, Sauss. Rev. Zool. (2)
xvi. p. 325 (1864).
D. Silpha, Sauss. Mém. Mex., Blatt.
pp. 167, 178, pl. 2. f. 28 (1864).
*2. **D. Minor, Brunn.** l. c. p. 265. n. 2 | Philippines.
(1865).
D. Silphoides, Walk. Cat. Blatt. B. M. p. 57.
n. 2 (1868).

SUBFAM. XIV.

PLECTOPTERINÆ.

Genus 138. **Areolaria.** (Type no. 1.)

Brunn. Syst. Blatt. p. 259 (1865).

<p>*1. A. Fieberi, Brunn. l. c. p. 260. n. 1,
pl. 6. f. 27 A-E (1865).
<i>Blatta Dermestoides, Walk.</i> Cat. Blatt. B. M.
p. 95. n. 60 (1868).</p> <p>**2. A. Consocia, Walk. (<i>Blatta C.</i>) l. c.
p. 96. n. 61 (1868).</p> <p>3. A. Bipunctata, Brunn. l. c. p. 261. n. 2
(1865).</p> <p>**4. A. Coccinelloides, Walk. (<i>Prosoplecta C.</i>) l. c. p. 56. n. 2 (1868).</p> | <p>Java ;
Penang.</p> <p>Pulo
Penang.</p> <p>Philippines.</p> <p>id.</p> |
|--|--|

Genus 139. **Prosoplecta.** (Type no. 1.)

Sauss. Rev. Zool. (2) xvi. p. 324 (1864) ; Mém. Mex., Blatt.
p. 169 (1864).

Cassidodes, Brunn. Syst. Blatt. p. 261 (1865). (Type no. 2.)

<p>*1. P. Coccinella, Sauss. ll. cc. (2) xvi.
p. 324 (1864) ; p. 173 (1864).</p> <p>2. P. Ligata, Brunn. (<i>Cassidodes L.</i>) l. c.
p. 262, pl. 6. f. 28 (1865).</p> <p>3. P. Rufa, Kirb. Ann. Nat. Hist. (7) xii.
p. 379 (1903).</p> <p>4. P. Gutticollis, Walk. Cat. Blatt. B. M.
p. 189 (1868).</p> <p>5. P. Quadriplagiata, Walk. l. c. (1868).</p> <p>6. P. Trifaria, Walk. l. c. p. 190 (1868).</p> <p>7. P. Megaspila, Walk. l. c. (1868).</p> <p>8. P. Bipunctata, Walk. (<i>Blatta B.</i>) l. c.
Suppl. p. 141 (1869).</p> | <p>Philippines.</p> <p>id.</p> <p>id. (Min-
danao).</p> <p>Ceram.</p> <p>Batchian.</p> <p>id.</p> <p>id.</p> <p>Celebes.</p> |
|---|--|

Genus 140. **Plectoptera.** (Type no. 7.)

Sauss. Mém. Mex., Blatt. p. 173 (1864) ; Miss. Mex., Orth.
p. 96 (1870) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth.
i. p. 84 (1893).

Hololampra, sect. 2, Sauss. Mém. Mex., Blatt. p. 94 (1864).

<p>1. P. Unicolor, Burm. (<i>Anaplecta U.</i>)
Handb. Ent. ii. p. 494. n. 4 (1838) ;
Brunn. Syst. Blatt. p. 64. n. 3 (1865).</p>	Colombia.

2. **P. Poeyi, Sauss.** (*Blatta P.*) Rev. Zool. Cuba.
(2) xiv. p. 164 (1862); Mém. Mex.,
Blatt. p. 94 (1864).
P. Poeyi, Sauss. Mém. Mex., Blatt. p. 177
(1864); Miss. Mex., Orth. p. 96 (1870);
Sauss. & Zehntn. l. c. p. 84. n. 1
(1893).
Ceratinoptera Poeyi, Brunn. l. c. p. 79.
n. 5 (1865).
3. **P. Krugi, Sauss. & Zehntn.** l. c. p. 85. id.
n. 3 (1893).
- **4. **P. Picta, Sauss. & Zehntn.** l. c. n. 4, Mexico.
pl. 3. f. 9 (1893).
- **5. **P. Circumcincta, Sauss. & Zehntn.** l. c. id.
n. 5 (1893).
6. **P. Micans, Bol.** Mém. Soc. Zool. France, Cuba.
i. p. 129 (1888).
7. **P. Porcellana, Sauss.** (*Blatta P.*) Rev. id.
Zool. (2) xiv. p. 164 (1862).
P. Porcellana, Sauss. Mém. Mex., Blatt.
p. 175, fig., p. 176 (1864); Miss. Mex.,
Orth. p. 96, pl. 2. f. 50 (1870); Sauss. &
Zehntn. l. c. p. 85. n. 7 (1893).
Ceratinoptera Porcellana, Brunn. l. c. p. 79.
n. 6 (1865).
- **8. **P. Pulicaria, Sauss. & Zehntn.** l. c. Panama.
p. 86. n. 8, pl. 3. f. 8 (1893).
- **9. **P. Circumdata, Sauss. & Zehntn.** l. c. Guatemala.
n. 9, pl. 3. f. 10, pl. 4. f. 17 (1893).

Genus 141. **Hypnorna.** (*Type* no. 1.)

- Stål, Eugenie's Resa, Ins. p. 312 (1861); Brunn. Syst. Blatt.
p. 263 (1865); Sauss. & Zehntn. Biol. Centr.-Amer., Orth.
i. p. 86 (1893).
- Hypnorna, Sauss.* Mém. Mex., Blatt. p. 149 (1864); Walk. Cat.
Blatt. B. M. p. 62 (1868).
1. **H. Hummeli, Stål,** l. c. p. 312, pl. 5. Rio Janeiro.
ff. 4, 4 a (1861); Brunn. l. c. p. 263
(1865); Sauss. & Zehntn. l. c. p. 87. n. 2
(1893).
- **2. **H. Cucujoides, Walk.** l. c. p. 63. n. 4 id.
(1868).
3. **H. Blanda, Sauss. & Zehntn.** l. c. Brazil.
p. 87. n. 1, pl. 3. ff. 17-19 (1893).

<p>*3. P. Circumdata, Haan, (<i>Blatta</i> (<i>Nauphæta</i>) <i>C.</i>) l. c. p. 52 (1842).
<i>P. Circumdata</i>, <i>Brunn.</i> l. c. p. 399, pl. 13. f. 59 A-E (1865).
<i>Nauphæta Adjuncta</i>, <i>Walk.</i> Cat. Blatt. B. M. p. 38. n. 9 (1868).</p>	<p>Java,
Cambodia.</p>
4. P. Vicina, Brunn. Ann. Mus. Genova, xxxiii. p. 44, pl. 1. f. 19 (1893).	Pegu.
*5. P. Rufipes, Brunn. Syst. Blatt. p. 400 (1865).	Ternate.
<p>**6. P. Discoidalis, Walk. (<i>Nauphæta</i> <i>D.</i>) l. c. p. 39. n. 10 (1868).
<i>P. Rufipes</i>, var. <i>Novæ Guineæ</i>, <i>Bol. Act. Soc. Españ.</i> 1898, p. 138.</p>	<p>N. Guinea,
Waigiou.</p>
<p>*7. P. Lyrata, Burm. (<i>Nauphæta</i> <i>L.</i>) Handb. Ent. ii. p. 508. n. 4 (1838); <i>Walk.</i> l. c. p. 37. n. 4 (1868).
<i>Blatta</i> (<i>Nauphæta</i>) <i>Lyrata</i>, <i>Haan</i>, l. c. p. 52 (1842).
<i>P. Lyrata</i>, <i>Brunn.</i> l. c. p. 401 (1865).
<i>Blatta Ornata</i>, <i>Serv.</i> l. c. p. 99 (1839).</p>	<p>Java,
Borneo,
Sumatra,
Philippines,
India,
Malacca.</p>
<p>8. P. Bilunata, Haan, (<i>Blatta</i> (<i>Nauphæta</i>) <i>B.</i>) l. c. p. 51 (1842).
<i>P. Bilunata</i>, <i>Brunn.</i> l. c. p. 402 (1865).</p>	Java.
9. P. Javanica, Sauss. Mém. Soc. Genève, xxiii. p. 153 (1873).	id.
10. P. Limbata, Sauss. l. c. xx. p. 288 (1869).	India (?).

Genus 145. **Compsoblatta.** (*Type* no. 1.)

Sauss. Soc. Ent. vi. p. 9 (1891).

<p>*1. C. Amœna, Sauss. (<i>Nauphæta</i> <i>A.</i>) Rev. Zool. (2) xvi. p. 343 (1864).
<i>Compsoblatta Amœna</i>, <i>Sauss.</i> l. c. p. 10 (1891).
<i>Eustegasta Amœna</i>, <i>Sauss. & Zehntn.</i> Grandidier, Hist. Madagascar, Orth. i. p. 102, pl. 3. f. 36 (1895).</p>	Madagascar
<p>2. C. Venusta, Sauss. l. c. p. 10 (1891).
<i>Eustegasta Venusta</i>, <i>Sauss. & Zehntn.</i> l. c. p. 104 (1895).</p>	id.
3. C. Lepida, Sauss. & Zehntn. (<i>Eustegasta</i> <i>L.</i>) Rev. Suisse Zool. iii. p. 16 (1895); Grandidier, Hist. Madagascar, Orth. i. p. 104 (1895).	id.

4. C. Suava , Sauss. Soc. Ent. vi. p. 26 (1891).
<i>Eustegasta Suava</i> , Sauss. & Zehntn. l. c. p. 105 (1895).	Madagascar
5. C. Blanda , Sauss. & Zehntn. (<i>Eustegasta B.</i>) ll. cc. p. 16 (1895); p. 106 (1895).	id.
*6. C. Pulchella , Sauss. Soc. Ent. vi. p. 10 (1891).
<i>Eustegasta Pulchella</i> , Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 106, pl. 3. f. 38 (1895).	id.

Genus 146. **Eustegasta.** (*Type* no. 7.)

Gerst. Mt. Ver. Vorpomm. xiv. p. 53 (1883); **Sauss. & Zehntn.** Rev. Suisse Zool. iii. pp. 8, 16 (1895); Grandidier, Hist. Madagascar, Orth. i. pp. 94, 99 (1895).

*1. E. Pæcila , Schaum , (<i>Panchlora P</i>) Ber. Akad. Berlin, 1853, p. 777; Peters' Reise Mossamb., Zool. v. p. 109, pl. 7. f. 2 (1862); Brunn. Syst. Blatt. p. 281 (1865).
<i>E. Pæcila</i> , Kirb. Ann. Nat. Hist. (7) v. p. 286 (1900); Distant, Ins. Transvaal. p. 24, pl. 1. f. 10 (1900).	Mozambique,
Nyasa
Land.
**2. E. Obsoleta , Kirb. ll. cc. p. 287 (1900); p. 24, pl. 1. f. 9 (1900).	Nyasa
Land.
3. E. Splendens , Sauss. Abh. Senckenb. Ges. xxi. p. 584 (1899).	W. (?) Afr.
4. E. Lueci , Dominique , Bull. Soc. Ouest France, x. p. 204, pl. 3. ff. 14-18 (1900).	French
Congo.
5. E. Micans , Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 17 (1895); Grandidier, Hist. Madag., Orth. i. p. 107 (1895).	Zanzibar.
6. E. Metallica , Sauss. (<i>Compsoblatta M.</i>) Soc. Ent. vi. p. 26 (1891).
<i>E. Metallica</i> , Sauss. & Zehntn. Grandidier, Hist. Madag., Orth. i. p. 108, pl. 3. f. 37 (1895).	Madagascar
**7. E. Buprestoides , Walk. (<i>Epilampra B.</i>) Cat. Blatt. B. M. p. 76. n. 41 (1868).
<i>E. Buprestoides</i> , Gerst. l. c. p. 53 (1883); Sauss. & Zehntn. l. c. p. 108 (1895).	Fernando
Po,
Cameroons.
**8. E. Carabidina , Walk. (<i>Epilampra C.</i>) l. c. p. 76. n. 42 (1868).	Sierra
Leone.

Genus 147. **Gynopeltis.** (*Type* no. 1.)

Gerst. Arch. Naturg. xxxv. p. 208 (1869); Von der Decken's Reisen in Ost-Afrika, iii. (2) p. 9 (1873); Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 17 (1895).

<p>*1. G. Cryptospila, Walk. (<i>Polyphaga</i> C.)
Cat. Blatt. B. M. p. 15. n. 6 (1868).
<i>G. Cryptospila</i>, Kirb. Ann. Nat. Hist. (7)
v. p. 288 (1900).
<i>G. Picta</i>, Gerst. ll. cc. p. 208 (1869); p. 9,
pl. 1. ff. 1, 2 (1873); Sauss. & Zehntn.
l. c. p. 17 (1895).</p>	E. Africa.
<p>*2. G. Discoidalis, Brunn. (<i>Perisphæria</i> D.)
Syst. Blatt. p. 310 (1865); Sauss. Mém.
Soc. Genève, xx. p. 276 (1869).</p>	S., E., &
W. Africa.

Genus 148. **Glyptopeltis.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxiii. p. 119 (1873).

<p>1. G. Biguttata, Sauss. l. c. p. 122, pl. 10.
f. 41 (1873).</p>	Java.
<p>2. G. Couloniana, Sauss. l. c. p. 124, pl. 10.
f. 42 (1873).</p>	id. (?).

Genus 149. **Aptera.** (*Type* no. 2.)

Sauss. Rev. Zool. (2) xvi. p. 326 (1864).

Oncercorypha, Stål, Öfv. Vet.-Akad. Förh. xxviii. p. 378
 (1871). (*Type* no. 1.)

<p>*1. A. Cingulata, Burm. (<i>Perisphæria</i> C.)
Handb. Ent. ii. p. 484. n. 1 (1838).
<i>A. Cingulata</i>, Sauss. & Zehntn. Rev. Suisse
Zool. iii. p. 18 (1895).
<i>Perisphæria Multicincta</i>, Walk. Cat. Blatt.
B. M. p. 169. n. 3 (1868).</p>	S. Africa.
<p>*2. A. Lenticularis, Sauss. Rev. Zool. (2)
xvi. p. 326 (1864).
<i>Perisphæria Crassa</i>, Walk. l. c. p. 169. n. 2
(1868).</p>	id.
<p>*3. A. Fusca, Thunb. (<i>Blatta</i> F.) Dissert.
Ent. iv. p. 77 (1784); Oliv. Enc. Méth.
iv. p. 315. n. 9 (1789); Serv. Ins. Orth.
p. 97 (1839), <i>nec auct. al.</i>
<i>Perisphæria Cingulata</i>, Brunn. Syst. Blatt.
p. 307. n. 4 (1865); Walk. l. c. p. 168.
n. 1 (1868).</p>	id.

Genus 150. **Ellipsica.** (*Type* no. 1)

Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 19 (1895);
Grandidier, Hist. Madagascar, Orth. i. pp. 95, 108 (1895).

1. E. Insculpta , Sauss. & Zehntn. ll. cc.
p. 19 (1895); p. 110, pl. 4. f. 53 (1895).	Madagascar
2. E. Ænea , Sauss. & Zehntn. ll. cc. p. 19
(1895); p. 110 (1895).	id.
3. E. Cribrosa , Sauss. & Zehntn. ll. cc.
p. 19 (1895); p. 111, pl. 4. f. 52 (1895).	id.
4. E. Subænea , Sauss. & Zehntn. l. c. p. 19
(1895); p. 112 (1895).	id.
5. E. Virescens , Sauss. & Zehntn. ll. cc.
p. 19 (1895); p. 112 (1895).	id.

Genus 151. **Elliptoblatta.** (*Type* no. 2.)

Sauss. Soc. Ent. vi. p. 9 (1891); Sauss. & Zehntn. Rev. Suisse
Zool. iii. p. 19 (1895); Grandidier, Hist. Madagascar,
Orth. i. pp. 95, 112 (1895).

1. E. Uniformis , Kirb. Ann. Nat. Hist. (7)
v. p. 288 (1900); Distant, Ins. Transvaal.
p. 25, pl. 1. f. 19 (1902).	Pretoria.
2. E. Madecassa , Sauss. (<i>Perisphæria M.</i>)
Mém. Soc. Genève, xx. p. 277 (1869).
<i>E. Madecassa</i> , Sauss. & Zehntn. Grandidier,
Hist. Madag., Orth. i. p. 115, pl. 4. f. 50
(1895).	Madagascar
(Antananarivo).
3. E. Sakalava , Sauss. & Zehntn. l. c.
p. 116, pl. 4. f. 49 (1895).	id.
4. E. Antennata , Sauss. & Zehntn. l. c.
p. 117 (1895).	id.
5. E. Punctulata , Sauss. & Zehntn. l. c.
p. 117 (1895).	id.
6. E. Consobrina , Sauss. & Zehntn. l. c.
p. 118 (1895).	id.
7. E. Polita , Sauss. & Zehntn. l. c. p. 119
(1895).	id.
8. E. Bisignata , Sauss. & Zehntn. l. c.
p. 119, pl. 4. f. 47 (1895).	Madagascar
9. E. Semilimbata , Sauss. & Zehntn. c.
p. 120 (1895).	id.
10. E. Brunneriana , Sauss. & Zehntn. l. c.
p. 120, pl. 4. f. 48 (1895).	id.

11. E. Cælebs , Sauss. & Zehntn. l. c.	Madag.(An-
p. 121, pl. 4. f. 51 (1895).	tananarivo).
12. E. Marginalis , Sauss. & Zehntn. l. c.	Madagascar
p. 122, pl. 4. f. 46 (1895).	
13. E. Hova , Sauss. Soc. Ent. vi. p. 26	id.
(1891); Sauss. & Zehntn. l. c. p. 122,	
pl. 4. f. 45 (1895).	
**14. E. (?) Terrestris , Walk. (<i>Perisphæria</i> T.)	S. Africa.
Cat. Blatt. B. M. p. 178. n. 28 (1868).	
**15. E. (?) Signata , Walk. (<i>Polyzosteria</i> S.)	id.
l. c. p. 155. n. 25 (1868).	
**16. E. (?) Limosa , Walk. (<i>Polyzosteria</i> L.)	id.
l. c. p. 167. n. 48 (1868).	
17. E. (?) Oniscoides , Walk. (<i>Polyzosteria</i> O.)	St. Helena.
Melliss, St. Helena, p. 167 (1875).	

Genus 152. **Gymnonyx**. (*Type* no. 1.)

Sauss. & Zehntn. Rev. Suisse Zool. iii. pp. 10, 21 (1895);
 Grandidier, Hist. Madagascar, Orth. i. pp. 95, 124 (1895).

1. G. Grandidieri , Sauss. & Zehntn. ll. cc.	Madagascar
p. 21 (1895); p. 124, pl. 3. ff. 40, 41 (1895).	
2. G. Scabra , Sauss. & Zehntn. ll. cc.	id.
p. 21 (1895); p. 124, pl. 3. f. 39 (1895).	

Genus 153. **Pronaonota**. (*Type* no. 2.)

Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 21 (1895);
 Grandidier, Hist. Madagascar, Orth. i. pp. 95, 127 (1895).

1. P. Clypeata , Sauss. (<i>Derocalymma</i> C.)	Java (?)
Mém. Soc. Genève, xxiii. p. 142, pl. 10.	
f. 52 (1873).	
2. P. Cribrosa , Sauss. & Zehntn. ll. cc.	Pretoria.
p. 21, pl. 1. f. 1 (1895); p. 128, pl. 5.	
f. 62 (1895); Kirb. Ann. Nat. Hist. (7)	
v. p. 288 (1900); Distant, Ins. Transvaal.	
p. 25, pl. 1. f. 14 (1902).	
<i>Pilema Laubneri</i> , Brancs. Jahresh. Ver.	
Trencsin. Com. xxiii.-xxiv. p. 187, pl. 3.	
f. 2 (1901).	
3. P. Fornicata , Sauss. & Zehntn. ll. cc.	S. Africa.
p. 21 (1895); p. 128 (1895).	

Genus 154. **Pilema.** (Type no. 3.)

Sauss. Mém. Soc. Genève, xxiii. p. 142 (1873);

Sauss. & Zehntn. Rev. Suisse Zool. iii. pp. 11, 22 (1895).

*1. P. Dentata , Sauss. & Zehntn. l. c. p. 23 (1895).	S. Africa.
*2. P. Hebetata , Sauss. & Zehntn. l. c. p. 24, pl. 1. ff. 2, 2 a, b (1895).	id.
*3. P. Dubia , Kirb., n. n.
<i>Derocalymma Reflexa</i> , Sauss. Mém. Soc. Genève, xxiii. p. 143 (1873).	id.
4. P. Serpæ , Bol. (<i>Derocalymma S.</i>) J. Sci. Lisboa, (2) i. p. 79, pl. 1. f. 1 (1889).	Angola.
**5. P. Thoracica , Walk. (<i>Perisphæria T.</i>) Cat. Blatt. B. M. p. 174. n. 20 (1868).
<i>Pilema Thoracica</i> , Kirb. Ann. Nat. Hist. (7) v. p. 289 (1900); Distant, Ins. Transvaal. p. 26. n. 15 (1902).	id. (?).
6. P. Saussurei , Kirb. ll. cc. p. 289 (1900); p. 26, pl. 1. f. 16 (1902).	Pretoria.
**7. P. Reflexa , Walk. (<i>Perisphæria R.</i>) l. c. p. 173. n. 19 (1868).	Natal.
8. P. (?) Saxicola , Esch. (<i>Blatta S.</i>) Entomographien, p. 89 (1822).	Cape.

Genus 155. **Thysanoblatta.** (Type no. 1.)

Kirb. Ann. Nat. Hist. (7) xii. p. 380 (1903).

**1. T. Latipennis , Kirb. l. c. (1903).	B. E. Africa.
2. T. (?) Versicolor , Burm. (<i>Perisphæria V.</i>) Handb. Ent. ii. p. 487. n. 9 (1838).
<i>Derocalymma V.</i> , Brunn. Syst. Blatt. p. 317 (1865).	Cape.
3. T. (?) Macra , Stål, (<i>Ischnoptera M.</i>) Öfv. Vet.-Akad. Förh. xiii. p. 165 (1856).
<i>Derocalymma (Cyrtotria) Macra</i> , Stål, l. c. xxviii. p. 380 (1871).
<i>Deropeltis Macra</i> , Brunn. Syst. Blatt. p. 246 (1865).	Limpopo.
4. T. (?) Trichoderma , Bol. (<i>Derocalymma T.</i>) An. Soc. Españ. x. p. 356 (1881).	Abyssinia,
Zanzibar.
5. T. (?) Pubescens , Sauss. (<i>Perisphæria P.</i>) Mém. Soc. Genève, xxiii. p. 136 (1873).	Natal.

Genus 156. **Stenopilema.** (*Type* no. 5.)

Sauss. Ann. Mus. Genova, xxxv. p. 87 (1895);
 Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 25 (1895).

<p>**1. S. Cylindrica, Walk. (<i>Perisphæria</i> C.)
 Cat. Blatt. B. M. p. 176. n. 23 (1868).</p> <p>**2. S. Elateroides, Walk. (<i>Perisphæria</i> E.)
 l. c. n. 24 (1868).
 <i>Derocalymma</i> (?) <i>Elateroides</i>, Kirb. Ann.
 Nat. Hist. (7) v. p. 290 (1900); Distant,
 Ins. Transvaal. p. 27, pl. 1. f. 13
 (1902).</p> <p>**3. S. Linearis, Walk. (<i>Perisphæria</i> L.) l. c.
 p. 176. n. 25 (1868).</p> <p>4. S. Fusca, Burm. (<i>Perisphæria</i> F.) Handb.
 Ent. ii. p. 487. n. 10 (1838) (<i>excl. syn.!</i>).
 <i>D. Fusca</i>, Brunn. Syst. Blatt. p. 317. n. 2
 (1865).</p> <p>*5. S. Capucina, Gerst. (<i>Derocalymma</i> C.)
 Arch. Naturg. xxv. p. 207 (1861); Von
 der Decken, Reisen in Ost-Afrika, iii. (2)
 p. 8, pl. 1. f. 4 (1873).</p> <p>6. S. Somali, Sauss. Ann. Mus. Genova,
 xxxv. p. 88 (1895); Sauss. & Zehntn. l. c.
 p. 27 (1895).</p> <p>*7. S. Gracilis, Burm. (<i>Perisphæria</i> G.) l. c.
 p. 487. n. 11 (1838).
 <i>Derocalymma Gracilis</i>, Brunn. l. c. p. 318
 n. 3 (1865).
 <i>Perisphæria Poduriformis</i>, Walk. l. c. p. 175.
 n. 21 (1868).</p> <p>*8. S. Macilenta, Sauss. & Zehntn. l. c.
 p. 26, pl. 1. f. 3 (1895).</p> <p>**9. S. Poduroides, Walk. (<i>Perisphæria</i> P.)
 l. c. p. 175. n. 22 (1868).</p> <p>**10. S. Pallicornis, Kirb. (<i>Perisphæria</i> P.)
 ll. cc. p. 290 (1900); p. 26. n. 18, pl. 1.
 f. 15 (1902).</p> <p>11. S. Graniger, Sauss. & Zehntn. l. c.
 p. 26 (1895).</p> | <p>Natal.</p> <p>id., Trans-
vaal.</p> <p>Natal.</p> <p>S. Africa.</p> <p>E. Africa.</p> <p>Somali
Land.</p> <p>Cape,
Natal.</p> <p>S. Africa,
Nyasa Land.</p> <p>Natal.</p> <p>Pretoria.</p> <p>Somali
Land.</p> |
|--|---|

Genus 157. **Derocalymma.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 487 (1838); Brunn. Syst. Blatt. p. 315 (1865).

Cyrtotria, Stål, Öfv. Vet.-Akad. Förh. xxviii. p. 379 (1871);
Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 28 (1895).
(*Type* no. 2.)

<p>*1. D. Dispar, Burm. (<i>Perisphæria D.</i>)
Handb. Ent. ii. p. 487. n. 12 (1838).
<i>Derocalymma Dispar</i>, Brunn. Syst. Blatt.
p. 319, pl. 9. f. 42 A, B (1865).
<i>Cyrtotria Dispar</i>, Sauss. & Zehntn. l. c. p. 28,
pl. 1. f. 4 (1895).
<i>Perisphæria Picea</i>, Walk. Cat. Blatt. B. M.
p. 173. n. 18 (1868).</p>	S. Africa.
<p>2. D. Gibbicollis, Stål, (<i>Ischnoptera G.</i>)
l. c. xiii. p. 165 (1856).
<i>Derocalymma (Cyrtotria) Gibbicollis</i>, Stål,
l. c. xxviii. p. 380 (1871).
<i>Deropeltis Gibbicollis</i>, Brunn. l. c. p. 248
(1865).</p>	Natal.
<p>**3. D. Scabra, Walk. (<i>Perisphæria S.</i>) l. c.
p. 172. n. 17 (1868).</p>	S. Africa.
<p>4. D. Scabricollis, Gerst. (<i>D. (Cyrtotria) S.</i>)
Mt. Ver. Vorpomm. xiv. p. 34 (1883).</p>	Gaboön.
<p>5. D. Brunneriana, Costa, Rend. Acc.
Napoli, (4) iv. p. 174 (1890); Atti Acc.
Napoli, (2) iv. (5) p. 18, pl. 3. f. 9
(1891).</p>	Cape.

Genus 158. **Pollusca.** (*Type* no. 1.)

Stål, Öfv. Vet.-Akad. Förh. xxviii. p. 381 (1871).

<p>1. P. Cruralis, Stål, (<i>Perisphæria C.</i>) l. c.
xv. p. 307 (1858).
<i>Perisphæria Cruralis</i>, Brunn. Syst. Blatt.
p. 307. n. 3 (1865).</p>	S. Africa.
<p>**2. P. Murina, Walk. (<i>Perisphæria M.</i>) Cat.
Blatt. B. M. p. 178. n. 27 (1868).</p>	E. Africa.

Genus 159. **Homalodemias.** (Type no. 1.)

Stål, Öfv. Vet.-Akad. Förh. xiii. p. 166 (1856) ; xxviii. p. 381 (1871) ; Brunn. Syst. Blatt. p. 332 (1865).

|| *Derocalymma*, Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 29 (1895) ; Grandidier, Hist. Madagascar, Orth. i. p. 128 (1895) ; Sauss. Ann. Mus. Genova, xxxv. p. 89 (1895).

1. H. Exarata , Stål, l. c. xiii. p. 166 (1856) ;
Brunn. l. c. p. 333 (1865).	Natal,
Caffraria.
<i>H. Exaratum</i> , Stål, l. c. p. 381 (1871).	
*2. H. Porcellio , Gerst. (<i>Derocalymma</i> P.)
Arch. Naturg. xxxv. p. 207 (1869) ; Von
der Decken, Reisen in Ost-Afrika, iii. (2)
p. 7, pl. 1. f. 3 (1873).	Zanzibar.
3. H. Lampyrina , Gerst. (<i>Derocalymma</i> L.)
ll. cc. p. 207 (1869) ; p. 8 (1873).	id.
4. H. Punctata , Sauss. & Zehntn. (<i>Derocalymma</i> P.) ll. cc. pp. 29, 30 (1895) ;
p. 131 (1895).	Pretoria.
**5. H. Bipapilla , Kirb. (<i>Derocalymma</i> B.)
Ann. Nat. Hist. (7) v. p. 291 (1900).	Nyasa Land
(Blantyre).
**6. H. Intermedia , Kirb. (<i>Derocalymma</i> I.)
l. c. p. 292 (1900) ; Distant, Ins. Trans-
vaal. p. 28, pl. 1. f. 17 (1902).	Barberton.
7. H. Granulata , Sauss. & Zehntn. (<i>Derocalymma</i> G.) l. c. p. 29 (1895) ; p. 131,
pl. 5. f. 65 (1895).	S. Africa.
8. H. Stigmosa , Krauss, (<i>Derocalymma</i> S.)
Verh. zool.-bot. Ges. Wien, li. p. 282 (1901).	S.W. Africa.
9. H. Analis , Sauss. & Zehntn. (<i>Derocalymma</i> A.) ll. cc. p. 29, pl. 1. ff. 5, 5 a, b
(1895) ; p. 131 (1895).	S. Africa.
10. H. Pallipes , Kirb. (<i>Derocalymma</i> P.)
Ann. Nat. Hist. (7) v. p. 292 (1900).	id. (Gra-
hamstown).
*11. H. Bottegoiana , Sauss. & Zehntn.
(<i>Derocalymma</i> B.) Rev. Suisse Zool. iii.
p. 30 (1895) ; Ann. Mus. Genova, xxxv.
p. 90 (1895).	Somali
Land.
12. H. Clavigera , Kirb. (<i>Derocalymma</i> C.)
l. c. p. 293 (1900) ; Distant, Ins. Trans-
vaal. i. p. 28, pl. 1. f. 18 (1902).	Transvaal
(Barberton).
13. H. Erythreina , Sauss. & Zehntn.
(<i>Derocalymma</i> E.) Rev. Suisse Zool. iii.
p. 31 (1895).	Abyssinia.
14. H. Abyssinica , Sauss. & Zehntn.
(<i>Derocalymma</i> A.) l. c. p. 31 (1895).	id.

15. H. Peringueyi, Sauss. & Zehntn.
(<i>Derocalymma P.</i>) l. c. p. 30 (1895).	S. Africa (?)
Quango.
16. H. (?) Silphoides, Bol. (<i>Derocalymma S.</i>)
J. Sci. Lisboa, (2) i. p. 79 (1889).	

Genus 160. **Pseudopanchlora.** (*Type* no. 1.)

Tepp. Tr. R. Soc. S. Australia, xvii. p. 55 (1893).

1. P. Punctosa, Walk. (<i>Ischnoptera (?) P.</i>)
Cat. Blatt. B. M. Suppl. p. 149 (1869).
<i>Ischnoptera Punctuosa, Tepp.</i> l. c. (1893).	Australia.
id. (York
Town).
2. P. Brunneri, Brancs. (<i>Pellita B.</i>)
Jahresh. Ver. Trencsin. Com. xix.-xx.
p. 60, pl. 1. f. 3 (1897).	

Genus 161. **Pellita.** (*Type* no. 1 ?)

Brunn. Ann. Mus. Genova, xxxiii. p. 42 (1893).

**1. P. Aspera, Walk. (<i>Zetobora A.</i>) Cat.
Blatt. B. M. p. 50. n. 11 (1868).
(?) <i>Derocalymma Porcellio, Brunn.</i> l. c. (1893),
<i>nec Gerst.</i>	S. Africa.
Hab. — ?
**2. P. Æqua, Walk. (<i>Perisphæria Æ.</i>) l. c.
p. 177. n. 26 (1868).	

Genus 162. **Perisphæria.** (*Type* no. 7.)

Perispherus, Serv. Ann. Sci. Nat. xxii. p. 44 (1831).

Perisphæra, Serv. Ins. Orth. p. 132 (1839).

Perisphæria, Burm. Handb. Ent. ii. p. 483 (1838); Brunn.
Syst. Blatt. p. 303 (1865); Sauss. & Zehntn. Rev. Suisse
Zool. iii. p. 32 (1895).

**1. P. Fornicata, Walk. (<i>Zetobora F.</i>) Cat.
Blatt. B. M. p. 48. n. 7 (1868).	Philippines.
Pegu,
Tenasserim.
2. P. Brunneri, Kirb., n. n.
<i>Pseudoglomeris Fornicata, Brunn.</i> Ann.
Mus. Genova, xxxiii. p. 43, pl. 1. f. 18
(1893).
<i>P. Fornicata, Sauss. & Zehntn.</i> l. c. p. 35
(1895).	
3. P. Cotesiana, Sauss. & Zehntn. l. c.
p. 35 (1895).	Assam.
4. P. Himalayæ, Sauss. & Zehntn. l. c.
p. 36 (1895).	id.

- *5. **P. Alta, Walk.** Cat. Blatt. B. M. p. 170. Silhet.
n. 12 (1868).
- *6. **P. Lucasiana, Sauss. & Zehntn.** l. c. Java.
p. 36 (1895).
- *7. **P. Armadillo, Serv.** Ann. Sci. Nat. xxii. id.
p. 44 (1831); Ins. Orth. p. 133, pl. 3.
f. 2 (1839).
Derocalymma Flavicornis, pt., Brunn. l. c.
p. 321 (1865).
- *8. **P. Glomeriformis, Luc.** Ann. Soc. Ent. Cochin
France, (4) iii. p. 408, pl. 9. ff. 10, 10 a China,
(1863); Sauss. & Zehntn. l. c. p. 37 Philippines.
(1895).
- *9. **P. Ænea, Brunn.** (*Derocalymma Æ.*) l. c. Philippines.
p. 322 (1865).

Genus 163. **Pseudoglomeris.** (Type no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. p. 42 (1893);
Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 37 (1895).

1. **P. Glomeris, Sauss.** (*Perisphæria G.*) Ceylon.
Mém. Soc. Genève, xvii. p. 135, pl. 1. f. 4
(1863).
Pseudoglomeris Glomeris, Sauss. & Zehntn.
l. c. p. 37 (1895).
- *2. **P. Flavicornis, Burm.** (*Perisphæria F.*) Java,
Handb. Ent. ii. p. 488. n. 14 (1838). Tenasserim,
Derocalymma Flavicornis, Brunn. Syst. Cambodia.
Blatt. p. 321 (1865).
- *3. **P. Humbertiana, Sauss.** (*Perisphæria* Ceylon.
H.) l. c. p. 136 (1863).
Perisphæria Flavipes, Sauss. l. c. p. 137,
pl. 1. f. 5 (1863).
Pseudoglomeris Humbertiana, Sauss. & Zehntn.
l. c. p. 40 (1895).
Perisphæria Orientalis, Sauss. l. c. p. 137
(1863), larva.
Perisphæria Tarsalis, Walk. Cat. Blatt.
B. M. p. 171. n. 13 (1868).
- *4. **P. Aterrima, Herbst,** (*Blatta A.*) Fuessly, Java.
Arch. Insekt. p. 185, pl. 49. f. 9 (1786).
Derocalymma Atræa, Brunn. l. c. p. 321
(1865).
- *5. **P. Planiuscula, Brunn.** Ann. Mus. Genova, Burma,
xxxiii. p. 44 (1893); Sauss. & Zehntn. Tonkin.
l. c. p. 41, pl. 1. ff. 14, 14 a (1895).

6. P. Nepalensis , Sauss. & Zehntn. l. c. p. 42 (1895).	Sikkim.
7. P. Antennata , Sauss. & Zehntn. l. c. p. 42 (1895).	Bangalore,
Nilgiris.
8. P. Flexicollis , Walk. (<i>Zetobora F.</i>) l. c. p. 187 (1868).	Java.
**9. P. Fallax , Walk. (<i>Perisphæria F.</i>) l. c. p. 172. n. 15 (1868).	Swan River.

Genus 164. **Melanoblatta.** (*Type no. 1.*)

Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 43 (1895).

*1. M. Virescens , Brunn. (<i>Derocalymma V.</i>) Syst. Blatt. p. 320 (1865); Sauss. Mém. Soc. Genève, xxiii. p. 138, pl. 10. ff. 48, 49 a, b (1873).
<i>M. Virescens</i> , Sauss. & Zehntn. l. c. p. 43, pl. 1. ff. 6, 7 (1895).	Cape.
**2. M. Lampyroides , Walk. (<i>Nauphæta L.</i>) Cat. Blatt. B. M. p. 42. n. 15 (1868).
♀ <i>Perisphæria Æqualis</i> , Walk. l. c. p. 172. n. 16 (1868).	id.

Genus 165. **Stilpnoblatta.** (*Type no. 1.*)

Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 44 (1895).

*1. S. Bengalensis , Sauss. (<i>Parahormetica B.</i>) Mém. Soc. Genève, xx. p. 284 (1869).
<i>S. Bengalensis</i> , Sauss. & Zehntn. l. c. p. 44, pl. 1. f. 8 (1895). | India,
Cochin
China. |
|--|----------------------------|

Genus 166. **Trichoblatta.** (*Type no. 2.*)

Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 44 (1895).

1. T. Guerini , Sauss. & Zehntn. l. c. p. 45 (1895).	India (?).
2. T. Sericea , Sauss. (<i>Perisphæria S.</i>) Mém. Soc. Genève, xvii. p. 138 (1863).
<i>T. Sericea</i> , Sauss. & Zehntn. l. c. p. 45 (1895).	Pondi-
cherry.
2 a. T. Emortualis , Sauss. (<i>Perisphæria E.</i>) l. c. p. 138, pl. 1. f. 6 (1863).
<i>T. Emortualis</i> , Sauss. & Zehntn. l. c. p. 45 (1895).	id.

- **2 *b. T. Terranea, Walk. (Ischnoptera T.)* | Bombay.
 Cat. Derm. Salt. B. M. v. Suppl. Blatt.
 p. 32 (1871).
 **3. *T. (?) Purpurea, Walk. (Polyzosteria* | Hab. — ?
P.) Cat. Blatt. B. M. p. 163. n. 40
 (1868).

Genus 167. **Hostilia.** (*Type no. 1.*)

Stål, Öfv. Vet.-Akad. Förh. xxviii. p. 380 (1871).

- *1. *H. Proterva, Stål, (Blatta P.)* l. c. xiii. | Natal.
 p. 166 (1856).
Phyllodromia Proterva, Brunn. Syst. Blatt.
 p. 111 (1865).
Zetobora Sordidula, Walk. Cat. Blatt. B. M.
 p. 48. n. 8 (1868).
 **2. *H. Congrua, Walk. (Zetobora C.)* l. c. | id.
 p. 49. n. 9 (1868).
Zetobora Cervina, Walk. l. c. p. 186 (1868).
 3. *H. Carinata, Sauss. (Derocalymma C.)* | id.
 Mém. Soc. Genève, xxiii. p. 138, pl. 10.
 ff. 50, 50 a (1873).
 **4. *H. Abscissa, Walk. (Zetobora A.)* l. c. | id.
 p. 49. n. 10 (1868).

Genus 168. **Pæciloblatta.** (*Type no. 1.*)

Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 47 (1895).
 (An *Hostilia*, ♀ ?)

1. *P. Angusta, Sauss. & Zehntn.* l. c. p. 48, | Africa.
 pl. 1. f. 9 (1895).
 2. *P. Affinis, Burm. (Perisphæria A.)* Handb. | S. Africa.
 Ent. ii. p. 487. n. 13 (1838).
Derocalymma Affinis, Brunn. Syst. Blatt.
 p. 319 (1865).
P. Affinis, Sauss. & Zehntn. l. c. p. 49
 (1895).
 3. *P. Peringueyi, Sauss. & Zehntn.* l. c. | Natal.
 p. 49 (1895).
 4. *P. Bicolor, Sauss. & Zehntn.* l. c. p. 50, | S. Africa.
 pl. 1. f. 10 (1895).
 *5. *P. Granicollis, Burm. (Perisphæria G.)* | Cape.
 Handb. Ent. ii. p. 485. n. 3 (1838);
 Brunn. l. c. p. 305 (1865).

- **6. **P. Tenebrosa**, Walk. (*Panchlora T.*) Natal.
Cat. Blatt. B. M. p. 36. n. 35 (1868).
Zetobora Leucophthalma, Walk. l. c. p. 186
(1868).
- **7. **P. Munda**, Walk. (*Nauphæta M.*) l. c. Cape.
p. 41. n. 13 (1868).
- **8. **P. Rugosa**, Walk. (*Zetobora R.*) l. c. p. 47. Hab. — ?
n. 6 (1868).
9. **P. Rubricosa**, Walk. (*Nauphæta R.*) l. c. S. Africa.
p. 185 (1868).

Genus 169. **Hyposphæria**. (Type no. 3.)

Luc. Ann. Soc. Ent. France, (4) iii. p. 408 (1863).

Lioblatta, Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 51 (1895).

1. **H. Giebeliana**, Sauss. & Zehntn. (*Lioblatta G.*) l. c. p. 51 (1895). Java (?).
2. **H. Ruficornis**, Sauss. & Zehntn. (*Lioblatta R.*) l. c. p. 52, pl. 1. f. 13 (1895). Caffraria.
- *3. **H. Stylifera**, Burm. (*Perisphæria S.*) S. Africa,
Handb. Ent. ii. p. 485. n. 2 (1838); Tuscany
Brunn. Syst. Blatt. p. 308 (1865). (advena ?)
- Lioblatta Stylifera*, Sauss. & Zehntn. l. c.
p. 51, pl. 1. f. 12 (1895).
- Perisphæria Solida*, Walk. Cat. Blatt. B. M.
p. 171. n. 14 (1868).
- *4. **H. Micans**, Burm. (*Perisphæria M.*) l. c. S. Africa ;
p. 485. n. 5 (1838); Brunn. l. c. p. 308 Java (?).
(1865).
- Polyzosteria Aversa*, Walk. l. c. p. 156. n. 26
(1868).

Genus 170. **Melanosilpha**. (Type no. 2.)

Stål, Öfv. Vet.-Akad. Förh. xxviii. p. 378 (1871);

Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 52 (1895).

- *1. **M. Unicolor**, Burm. (*Perisphæria U.*) S. Africa ;
Handb. Ent. ii. p. 485. n. 4 (1838); Egypt
(?) Brunn. Syst. Blatt. p. 306 (1865). (eadem ?).
- Blatta Scabricollis*, Serv. Ins. Orth. p. 96
(1839).
2. **M. Capensis**, Sauss. & Zehntn. l. c. S. Africa.
p. 43, pl. 1. f. 11 (1895).

3. M. Oniscina, Gerst. (<i>Perisphæria</i> (<i>Melanosilpha</i>) <i>O.</i>) Mt. Ver. Vorpomm. xiv. p. 75 (1883).	Cameroons.
4. M. (?) Ampla, Stål, (<i>Blatta</i> <i>A.</i>) Æfv. Vet.-Akad. Förh. xiii. p. 166 (1856).
<i>Phyllodromia Ampla</i> , <i>Brunn.</i> l. c. p. 111. n. 32 (1865).	Natal.

Genus 171. **Homaloblatta.**

Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 54 (1895);
Grandidier, Hist. Madagascar, Orth. i. pp. 98, 132 (1895).

1. H. Peringueyi, Sauss. & Zehntn. ll. cc. p. 54 (1895); p. 132, pl. 5. f. 61 (1895).	S. Africa.

Genus 172. **Blepharodera.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 486 (1838); Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 46 (1895).

Hemiblatta, *Sauss.* Soc. Ent. vi. p. 9 (1891). (*Type* no. 1.)
Trichocoma, *Stål*, Æfv. Vet.-Akad. Förh. xxviii. p. 379 (1871). (*Type* no. 2.)

*1. B. Ciliata, Burm. (<i>Perisphæria</i> <i>C.</i>) l. c. p. 486. n. 8 (1838); <i>Brunn.</i> Syst. Blatt. p. 311 (1865).
<i>B. Ciliata</i> , <i>Sauss. & Zehntn.</i> l. c. p. 47 (1895).	Cape.
2. B. Pilifera, Stål, (<i>Heterogamia</i> <i>P.</i>) l. c. xiii. p. 165 (1856); <i>Brunn.</i> Syst. Blatt. p. 352 (1865).
<i>Perisphæria</i> (<i>Trichocoma</i>) <i>Pilifera</i> , <i>Stål</i> , l. c. xxviii. p. 379 (1871).	Natal.
**3. B. (?) Contusa, Walk. (<i>Panchlora</i> <i>C.</i>) Cat. Blatt. B. M. p. 30. n. 26 (1868).
<i>Panchlora Pilipes</i> , <i>Walk.</i> l. c. p. 184 (1868).	Cape.

Genus 173. **Thliptoblatta.** (*Type* no. 1.)

Sauss. & Zehntn. Rev. Suisse Zool. iii. pp. 13 & 54 (1895);
Grandidier, Hist. Madagascar, Orth. i. pp. 99, 133 (1895).

1. T. Obtrita, Sauss. & Zehntn. ll. cc. p. 54 (1895); p. 134, pl. 5. f. 63 (1895).	S. Africa.
2. T. Taurina, Sauss. & Zehntn. ll. cc. p. 54 (1895); p. 135, pl. 5. f. 64 (1895).	id.

Genus 174. **Thoracopyga.**

Sauss. & Zehntn. Rev. Suisse Zool. iii. pp. 13, 54 (1895);
 Grandidier, Hist. Madagascar, Orth. i. pp. 99, 135 (1895).

1. **T. Loricata, Sauss. & Zehntn.** ll. cc. | Madagascar
 p. 54 (1895); p. 136, pl. 6. f. 69 (1895).

Genus 175. **Proscratea.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 509 (1838); Sauss. Mém. Mex., Blatt.
 p. 205 (1864); Brunn. Syst. Blatt. p. 324 (1865).

- *1. **P. Complanata, Perty,** (*Blatta C.*) Del. | Minas
 Anim. Art. p. 116, pl. 23. f. 1 (1830). | Geraes,
P. Complanata, Burm. l. c. p. 509. n. 3 | Para,
 (1838); Brunn. l. c. p. 325. n. 2, pl. 9. | Peru.
 f. 43 (1865).
P. Peruana, Sauss. Rev. Zool. (2) xiv.
 p. 232 (1862); Mém. Mex., Blatt. p. 207,
 pl. 2. f. 32 (1864).
 2. **P. Funebris, Burm.** l. c. p. 509. n. 2 | Brazil
 (1838); Brunn. l. c. p. 324. n. 1 (1865). | (Cameta).

Genus 176. **Parasphæria.** (*Type* no. 1.)

Brunn. Syst. Blatt. p. 311 (1865).

1. **P. Ovata, Blanch.** (*Blatta O.*) Gay, Hist. | Chile.
 Chile, Zool. vi. p. 14, Orth. pl. 1. f. 3
 (1852).
Parasphæria Ovata, Brunn. l. c. p. 312. n. 1,
 pl. 9. f. 40 A-F (1865).
Polyzosteria Valdiviana, Phil. Zeitschr.
 Naturw. xxi. p. 223 (1863).
Polyzosteria Geissei, Phil. l. c. p. 225
 (1863), larva.
Hormetica Chilensis, Sauss. Rev. Zool. (2)
 xiv. p. 233 (1862); Mém. Mex., Blatt.
 p. 184 (1864).
Brachycolla (sic) Chilensis, Sauss. l. c. (2)
 xvi. p. 345 (1864).
 2. **P. Linearis, Serv.** (*Blatta L.*) Ann. Sci. | Brazil.
 Nat. xxii. p. 41. n. 10 (1831); Ins. Orth.
 p. 100, pl. 3. f. 1 (1839).
Perisphæria Linearis, Brunn. l. c. p. 314
 (1865).
 3. **P. Castanea, Brunn.** l. c. p. 315 (1865). | id.

- **4. P. Nigra, Brunn.** Proc. Zool. Soc. Lond. 1892, p. 206, pl. 15. f. 7. St. Vincent; Sta. Lucia (eadem?).
- **5. P. Rufipes, Brunn.** l. c. 1893, p. 604, pl. 52. f. 3. Grenada.
- **6. P. (?) Nitens, Walk.** (*Polyzosteria N.*) Brazil (Tejuca).
Cat. Blatt. B. M. p. 166. n. 46 (1868).
- 7. P. (?) Crassipes, Walk.** (*Polyzosteria C.*) Napo.
l. c. n. 45 (1868).

Genus 177. **Oxycercus.**

Bol. An. Soc. Españ. x. p. 470 (1881).

- 1. O. Peruvianus, Bol.** l. c. p. 471, pl. 8. Peru.
f. 2 a-d (1881).

Genus 178. **Mioblatta.**

Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 55 (1895).

- 1. M. Forficata, Sauss. & Zehntn.** l. c. Brazil.
pl. 1. ff. 15, 15 a-c (1895).

Genus 179. **Brachycola.** (*Type no. 1.*)*Brachycola*, 2^{me} div., Serv. Ins. Orth. p. 119 (1839).*Hormetica*, sect. A, *Brunn.* Syst. Blatt. pp. 327, 328 (1865).

- *1. B. Tuberculata, Dalm.** (*Blatta T.*) Anal. Brazil.
Ent. p. 87. n. 95 (1823); Hahn, Icon. Orth. pl. A. f. 3 (1836); Brullé, Hist. Nat. Ins. ix. p. 52, pl. 4. f. 2 (1835).
Hormetica Tuberculata, *Burm.* Handb. Ent. ii. p. 512. n. 5 (1838); Brunn. l. c. p. 328 (1865).
Blatta Sexnotata, *Thunb.* Mém. Acad. Pétersb. x. p. 276, pl. 14 (1826); Perty, Del. Anim. Art. p. 116 (1830).
Blatta Maculata, *Gray*, Griffith, Anim. Kingd. xv. p. 783, pl. 78. f. 1 (1832).
Brachycola Sexnotata, *Serv.* Ins. Orth. p. 121 (1839).
Blatta Macularia, *Perty*, l. c. pl. 23. f. 2 (1830).

2. B. Diabolus, Sauss. Rev. Zool. (2) xvi.
p. 345 (1864).
<i>Hormetica Diabolus, Sauss.</i> Mém. Mex.,
Blatt. p. 182 (1864); Miss. Mex., Orth.
p. 99 (1870).	Brazil.
3. B. Interna, Walk. Cat. Blatt. B. M. p. 188
(1868).	Nauta.
4. B. Subcincta, Walk. l. c. (1868).	Colombia.

Genus 180. **Hormetica.** (*Type* no. 3.)

Burm. Handb. Ent. ii. p. 511 (1838); Sauss. Mém. Mex.,
Blatt. p. 181 (1864); Brunn. Syst. Blatt. p. 327 (1865)
(sect. B).

Brachycola, 1^{re} div., *Serv.* Ins. Orth. pp. 119, 120 (1839).

1. H. Advena, Scudd. P. Davenport Acad.
viii. p. 94 (1900).	Massachu-
setts.
2. H. Verrucosa, Brunn. l. c. p. 331 (1865).	Venezuela.
*3. H. Lævigata, Burm. l. c. p. 512. n. 2
(1838).
<i>Brachycola Lævicollis, Serv.</i> Ins. Orth.
p. 120 (1839).
♂. <i>H. Scrobiculata, Burm.</i> l. c. p. 512. n. 3
(1838); Brunn. l. c. p. 329 (1865).
<i>Brachycola Robusta, Serv.</i> l. c. p. 120, pl. 2.
f. 4 (1839).	Brazil.
4. H. Vittata, Brunn. l. c. p. 330, pl. 9.
f. 44 A-E (1865).	Minas
Geraes.
5. H. Ventralis, Burm. l. c. p. 512. n. 1
(1838); Brunn. l. c. p. 331 (1865).	Rio Janeiro.
6. H. Strumosa, Sauss. & Zehntn. Rev.
Suisse Zool. iii. p. 56 (1895).	Ecuador.
7. H. (?) Surinama, Sauss. Rev. Zool. (2)
xx. p. 100 (1868); Miss. Mex., Orth.
p. 98, pl. 2. f. 52 (1870).	Surinam.

Genus 181. **Parahormetica.** (*Type* no. 2.)

Brunn. Syst. Blatt. p. 385 (1865).

|| *Brachycola, Sauss.* Mém. Mex., Blatt. p. 183 (1864).

*1. P. Monticollis, Burm. (<i>Hormetica M.</i>)
Handb. Ent. ii. p. 512. n. 5 (1838).
<i>P. Monticollis, Brunn.</i> l. c. p. 386 (1865).
<i>Hormetica Trilobita, Sauss.</i> l. c. p. 183, pl. 2.
f. 35 (1864).	Brazil.

- *2. **P. Bilobata, Sauss.** (*Brachycolla B.*) Rev. Zool. (2) xiv. p. 345 (1864). Brazil.
P. Bilobata, Sauss. Miss. Mex., Orth. p. 123 (1870).
P. Tumulosa, Brunn. l. c. p. 385, pl. 12. f. 56 A-C (1865).
 *3. **P. Cicatricosa, Sauss.** Rev. Zool. (2) xxi. p. 113 (1869); Miss. Mex., Orth. p. 122 (1870). Argentine Republic.
 4. **P. Punctata, Sauss.** Mém. Soc. Genève, xxiii. p. 145 (1873). Brazil.
 5. **P. (?) Obscura, Sauss.** l. c. p. 146 (1873). Java (?)

Genus 182. **Dasyposoma.** (*Type no. 1.*)

Brunn. Syst. Blatt. p. 387 (1865).

1. **D. Nigra, Brunn.** l. c. p. 388, pl. 13. f. 57 A-C (1865). Brazil.
 *2. **D. Bicolor, Brunn.** l. c. p. 388 (1865). id.
 3. **D. Brunneri, Sauss. & Zehntn.** Rev. Suisse Zool. iii. p. 57 (1895). id.
 4. **D. Marmorata, Sauss.** Rev. Zool. (2) xxi. p. 113 (1869); Miss. Mex., Orth. p. 121 (1870). Venezuela.
 5. **D. (?) Castanea, Sauss.** Mém. Soc. Genève, xx. p. 285 (1869). Australia.

Genus 183. **Ateloblatta.** (*Type no. 1.*)

Sauss. Soc. Ent. vi. p. 10 (1891); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. pp. 99, 137 (1895).
Exedra, Brunn. Ann. Mus. Genova, xxxiii. p. 41 (1893).

- *1. **A. Cambouini, Sauss.** l. c. p. 10 (1891). Madagascar
A. Cambouei, Sauss. & Zehntn. l. c. p. 139, pl. 5. ff. 58, 59 (1895).
 2. **A. Malagassa, Sauss.** l. c. p. 10 (1891); Sauss. & Zehntn. l. c. p. 140, pl. 5. f. 60 (1895). id.

Genus 184. **Gromphadorhina.** (*Type* no. 3.)

Brunn. Syst. Blatt. p. 333 (1865) ; Sauss. Mém. Soc. Genève, xx. p. 278 (1869) ; Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. pp. 99, 141 (1895).

<p>*1. G. Coquereliana, Sauss. (<i>Hormetica</i>
(<i>Brachycola</i>) C.) l. c. xvii. p. 163, pl. 1.
f. 22 (1864).
<i>Gromphadorhina Coquereliana, Sauss.</i> Abh.
Senckenb. Ges. xxi. p. 585 (1899) ; Sauss.
& Zehntn. l. c. p. 143, pl. 5. f. 55 (1895).
<i>G. Portentosa</i>, pt., Sauss. Mém. Soc. Genève,
xx. p. 279 (1869).
<i>Ateloblatta Granulata, Sauss.</i> Soc. Ent. vi.
p. 10 (1891).
<i>Exedra Sacalava, Brancs.</i> Jahresh. Ver.
Trenesin. Com. xv.-xvi. p. 175, pl. 11.
f. 6 (1893).</p>	Madagascar
<p>**2. G. Brunneri, Butl. Ann. Nat. Hist. (5)
ix. p. 384 (1882) ; Sauss. & Zehntn. l. c.
p. 145, pl. 5. f. 54 (1895).</p>	id.
<p>3. G. Portentosa, Schaum, (<i>Hormetica</i> P.)
Ber. Akad. Berlin, 1853, p. 777. n. 4 ;
Peters, Reise Mossamb., Zool. v. p. 111,
pl. 7. f. 3 (1862).
<i>G. Portentosa, Brunn.</i> l. c. p. 333, pl. 9. f. 45
(1865).</p>	id.
<p>4. G. Lævigata, Sauss. & Zehntn. (<i>G.</i>
<i>Portentosa</i>, var. <i>Lævigata</i>) l. c. p. 147
(1895).</p>	id.
<p>5. G. Grandidieri, Kirb., n. n.
<i>G. Portentosa, Sauss. & Zehntn.</i> l. c. p. 146,
pl. 5. ff. 56, 57 (1895).</p>	id.

Genus 185. **Æluropoda.**

Butl. Ann. Nat. Hist. (5) ix. p. 385 (1881) ; Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. pp. 79, 88 (1895).

<p>**1. Æ. Insignis, Butl. l. c. p. 384, f. 2 (1882) ;
Sauss. & Zehntn. l. c. p. 89, pl. 4. f. 44
(1895).
<i>Æ. Gigantea, Butl.</i> l. c. p. 386 (1882).
<i>Gomphadorhina Hildebrandti, Dohrn, Stettin.</i>
Ent. Zeit. xlviii. p. 412 (1887).</p>	Madagascar

SUBFAM. XVI.

PANESTHIINÆ.

Genus 186. **Cryptocercus.**

Scudd. Boston Journ. Nat. Hist. vii. p. 419 (1863);
 Sauss. Mém. Soc. Genève, xxiii. p. 147 (1873).

1. C. Punctulatus , Scudd. l. c. p. 420 (1863).
<i>Dasyposoma Punctulata</i> , Brunn. Syst. Blatt. p. 389 (1865).
<i>Cryptocercus Punctulata</i> , Sauss. l. c. p. 149, pl. 10. f. 53 a-c (1873).	United States.

Genus 187. **Salganea.** (Type no. 1.)

Stål, Æfv. Vet.-Akad. Förh. xxxiv. (10) p. 37 (1877).

1. S. Morio , Burm. (<i>Panesthia M.</i>) Handb. Ent. ii. p. 513. n. 1 (1838); (?) Tepp. Tr. R. Soc. S. Austral. xvii. p. 124 (1893).	Australia, Papua.
*1 a. S. Regina , Sauss. (<i>Pan. R.</i>) Mém. Soc. Genève, xvii. p. 167, pl. 1. f. 24 (1864).
<i>Panesthia Morio</i> , Brunn. Syst. Blatt. p. 392 (1865).	Java, Borneo, Billiton, India.
**2. S. Passaloides , Walk. (<i>Pan. P.</i>) Cat. Blatt. B. M. p. 22. n. 9 (1868).
<i>S. Ceylonica</i> , Brunn. Ann. Mus. Genova, xxxiii. p. 46 (1893).
<i>Pan. Rufa</i> , Walk. l. c. p. 23. n. 11 (1868), larva.	Ceylon.
3. S. Erythronota , Bol. Ann. Soc. Ent. France, 1897, p. 301.	Trichinopoly.
4. S. Ternatensis , Brunn. l. c. p. 47 (1893).	Ternate.
4 a. S. Dux , Kirb. Ann. Nat. Hist. (7) xi. p. 408 (1903).	Obi.
5. S. Amboinica , Brunn. l. c. p. 47 (1893).
<i>Pan. Morio</i> , var. <i>Minor</i> , pt., Brunn. Syst. Blatt. p. 392 (1865).	Amboina.
*6. S. Rugulata , Sauss. Rev. Suisse Zool. iii. p. 304 (1895).	Java.
7. S. Foveolata , Sauss. l. c. (1895).	Macassar.

Genus 188. **Microdina.**

Kirb. Ann. Nat. Hist. (7) xi. p. 409 (1903).

<p>*1. M. Forceps, Sauss. (<i>Panesthia F.</i>) Mém. Soc. Genève, xx. p. 207, pl. 3. f. 24 (1869).
 <i>Salganea Forceps, Sauss.</i> Rev. Suisse Zool. iii. p. 303 (1895).
 <i>Microdina Forceps, Kirb.</i> l. c. p. 409 (1903).</p> | <p>Pondicherry,
Nilgiris.</p> |
|--|-----------------------------------|

Genus 189. **Cæparia.**

Stål, Cefv. Vet.-Akad. Förh. xxxiv. (10) p. 37 (1877).

<p>*1. C. Saussurii, Wood-Mason, (<i>Panesthia S.</i>) J. Asiatic Soc. Bengal, xlv. (2) p. 190 (1876); Ann. Nat. Hist. (4) xix. p. 118 (1877).
<i>Pan. Mandarinæ, ♀, Sauss.</i> Mém. Soc. Genève, xx. p. 286, pl. 3. f. 23 (1870).</p>	Sikkim.

Genus 190. **Dicellonotus.** (*Type* no. 3.)

Butl. Ann. Nat. Hist. (5) ix. p. 387 (1882).

<p>1. D. Monstruosus, Wood-Mason, (<i>Panesthia Monstruosa</i>) J. Asiatic Soc. Bengal, xlv. (2) p. 189 (1876); Ann. Nat. Hist. (4) xix. p. 117 (1877).
 2. D. Panteli, Bol. (<i>Pan. P.</i>) Ann. Soc. Ent. France, 1897, p. 301.
 **3. D. Lucanoides, Butl. l. c. p. 387, p. 384. f. 1 (1882).
 **4. D. Morsus, Butl. l. c. p. 388 (1882).
 **5. D. Lævis, Kirb. Ann. Nat. Hist. (7) xi. p. 409 (1903).
 **6. D. Insularis, Kirb. l. c. p. 410 (1903).</p> | <p>S. India.

Trichinopoly.
S. India.

id.
Animalli Hills.
Bcuru.</p> |
|--|--|

Genus 191. **Panesthia.** (*Type* no. 4.)

Serv. Ann. Sci. Nat. xxii. p. 38 (1831); Ins. Orth. p. 130 (1839); Burm. Handb. Ent. ii. p. 513 (1838); Brunn. Syst. Blatt. p. 390 (1865); Sauss. Rev. Suisse Zool. iii. p. 306 (1895).

<p>1. P. Ferrugin[e]ipes, Brunn. Ann. Mus. Genova, xxxiii. p. 53 (1893); (?) Bol. Ann. Soc. Ent. France, 1897, p. 302.</p> <p>*2. P. Quinquedentata, Kirb. Ann. Nat. Hist. (7) xi. p. 411 (1903).</p> <p>*3. P. Æthiopis, Stoll, (<i>Blatta</i> Æ.) Spectres, Blattes, p. 3, pl. 1 d. f. 3 (1813).
<i>P. Æthiopis, Kirb.</i> l. c. p. 412 (1903).</p> <p>*4. P. Javanica, Serv. Ann. Sci. Nat. xxii. p. 38 (1831); Ins. Orth. p. 131, pl. 2. f. 5 (1839); Brunn. Syst. Blatt. p. 393, pl. 13. f. 58 A-E (1865); Sauss. Mém. Soc. Genève, xx. p. 286 (1869); (?) Sauss. Rev. Suisse Zool. iii. p. 312. n. 3 (1895); Kirb. l. c. p. 411 (1903).
<i>P. Affinis, Burm.</i> l. c. ii. p. 513. n. 3 (1838).
<i>P. Quadrifasciata, Walk.</i> Cat. Blatt. B. M. p. 21. n. 8 (1868), <i>larva</i>.</p> <p>*5. P. Ruficeps, Kirb. l. c. p. 412 (1903).</p> <p>*6. P. Saussurii, Stål, Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 37 (1877); Sauss. Rev. Suisse Zool. iii. p. 312. n. 4 (1895).</p> <p>*7. P. Angustipennis, Ill. (<i>Blatta</i> A.) Mag. Insekt. i. p. 185. n. 15 (1801).
<i>Panesthia</i> A., Brunn. l. c. p. 395. n. 4 (1865); Sauss. l. c. p. 312. n. 5 (1895).
<i>P. Æthiops, Walk.</i> l. c. p. 20. n. 1 (1868).</p> <p>8. P. Nigrita, Stoll, (<i>Blatta</i> N.) l. c. p. 3, pl. 2 d. f. 6 (1813).</p> <p>*9. P. Cribrata, Sauss. Rev. Zool. (2) xvi. p. 346 (1864).
<i>P. Cribrata, Sauss.</i> Rev. Suisse Zool. iii. p. 313. n. 6 (1895).</p> <p>10. P. Stellata, Sauss. l. c. p. 313. n. 7 (1895).</p> <p>11. P. Antennata, Brunn. Ann. Mus. Genova, xxxiii. p. 50 (1893).</p>	Trichi-nopoly (?). Nilgiris. Philippines. Java, Borneo, Philippines, Burma, Malacca. Christmas I. Philippines. Sumatra, Borneo, Philippines, Amboina &c. Hab. — ? Australia. Sikkim. Burma.

12. P. Incerta , Brunn. l. c. (1893); Sauss. l. c. p. 314. n. 9 (1895).	Burma.
13. P. Serrata , Sauss. l. c. p. 315. n. 10 (1895).	India.
*14. P. Lævicollis , Sauss. Mém. Soc. Genève, xxiii. p. 151 (1872); Rev. Suisse Zool. iii. p. 315. n. 11 (1895).	Australia.
15. P. Nicobarensis , Sauss. Rev. Suisse Zool. iii. p. 316. n. 12 (1895).	Nicobar I.
*16. P. Brevipennis , Brunn. l. c. xxxiii. p. 51 (1893).	Amboina.
*17. P. Quadriglumis , Sauss. l. c. p. 316. n. 14, pl. 9. f. 3 (1895).	Australia.
**18. P. Lata , Walk. l. c. p. 24. n. 13 (1868).	Lord Howe Island.
*19. P. Lobipennis , Brunn. l. c. xxxiii. p. 51 (1893).	Ceylon.
*20. P. Serratissima , Brunn. Syst. Blatt. p. 394. n. 3 (1865).	Ternate.
21. P. Kheili , Bol. Act. Soc. Españ. 1898, p. 138.	New Guinea.
22. P. Nigricans , Kirb. l. c. (7) xii. p. 381 (1903).	Macassar.
<i>P. Nigrita</i> , <i>Sauss.</i> l. c. p. 317. n. 17 (1895).	
23. P. Puncticollis , Stål , l. c. xxxiv. (10) p. 37 (1877).	Philippines.
24. P. Sinuata , Sauss. l. c. p. 318. n. 19 (1895).	Singapore.
*25. P. Biglumis , Sauss. l. c. p. 319. n. 21 (1895).	Sikkim;
Java (ead.?)
26. P. Flavipennis , Wood-Mason , J. Asiatic Soc. Bengal , xlv. (2) p. 190 (1876); Ann. Nat. Hist. (4) xix. p. 117 (1877).	Naga Hills,
Brahma-putra.
27. P. Ornata , Sauss. Mém. Soc. Genève, xxiii. p. 152, pl. 10. f. 54 (1872).	Java,
China (?).
**28. P. Regalis , Walk. Cat. Blatt. B. M. p. 21. n. 7 (1868).
<i>P. Bengalica</i> , <i>Brunn.</i> Ann. Mus. Genova , xxxiii. p. 52 (1893).	Silhet,
Assam.
29. P. Transversa , Burm. Handb. Ent. ii. p. 513. n. 4 (1838); Brunn. l. c. xxxiii. p. 51 (1893); Sauss. Rev. Suisse Zool. iii. p. 321. n. 25 (1895).	Java,
Burma.
30. P. Tepperi , Kirb. l. c. (7) xi. p. 412 (1903).
<i>P. Transversa</i> , <i>Tepp.</i> Tr. R. Soc. S. Austral. xvii. p. 125 (1893).	Port Darwin.

- **31. **P. Plagiata**, **Walk.** Ann. Nat. Hist. (3) Ceylon.
 iv. p. 220 (1859).
 || *P. Transversa*, **Brunn.** Syst. Blatt. p. 395
 (1865).
P. Inermis, **Brunn.** Ann. Mus. Genova,
 xxxiii. p. 52 (1893).
- **32. **P. Morosa**, **Kirb.** l. c. p. 412 (1903). Animalli H.
 33. **P. Integra**, **Brunn.** l. c. xxxiii. p. 53 India.
 (1893).
34. **P. Mandarinea**, **Sauss.** Mém. Soc. China.
 Genève, xvii. p. 168, pl. 1. f. 25 (1864).
- **35. **P. Hilaris**, **Kirb.** l. c. p. 413 (1903). Sandakan.
 36. **P. Necrophoroides, **Walk.** Cat. Blatt. Tenasserim.
 B. M. p. 22. n. 10 (1868).
37. **P. Bramina**, **Sauss.** Rev. Suisse Zool. iii. Johore.
 p. 322. n. 29 (1895).
38. **P. Morio**, **Burm.** l. c. p. 513. n. 1 N. Guinea,
 (1838). Australia.
 39. **P. Australis**, **Brunn.** Syst. Blatt. p. 396 Australia.
 (1865); **Tepp.** l. c. xvii. p. 125 (1893).
40. **P. Perfecta**, **Kirb.** l. c. p. 414 (1903). New South
 || *P. Australis*, **Sauss.** l. c. p. 323. n. 30 Wales.
 (1895).
- *41. **P. Wallacei**, **Wood-Mason**, ll. cc. xlv. Singapore,
 (2) p. 189 (1876); (4) xix. p. 117 Malacca,
 (1877). Malabar.
P. Wallacei, **Sauss.** l. c. p. 323. n. 31
 (1895).
42. **P. Celebica**, **Brunn.** Ann. Mus. Genova, N. Celebes.
 xxxiii. p. 53 (1893).
- *43. **P. Birmanica**, **Brunn.** l. c. p. 54 (1893). Tenasserim.
 44. **P. (?) Conica, **Walk.** l. c. p. 23. n. 12 Java.
 (1868).

Genus 192. **Hemipanesthia.**

Sauss. Rev. Suisse Zool. iii. p. 327 (1895).

1. **H. Kraussiana**, **Sauss.** (*Panesthia* **K.**) Melbourne.
 Mém. Soc. Genève, xxiii. p. 150 (1872).
H. Kraussiana, **Sauss.** Rev. Suisse Zool. iii.
 p. 328, pl. ix. f. 6 (1895).

Genus 193. **Miopanesthia.** (*Type* no. 1.)

Sauss. Rev. Suisse Zool. iii. p. 323 (1895).

1. M. Bigibbosa , Sauss. l. c. p. 324, pl. 9.	Sikkim
f. 1 (1895).	Khasia Hills
2. M. Stenotarsis , Sauss. l. c. p. 325, pl. 9.	Java.
f. 2 (1895).	
3. M. Discoidalis , Sauss. l. c. p. 326	id.
(1895).	

Genus 194. **Mylacrina.**

Kirb. Ann. Nat. Hist. (7) xi. p. 414 (1903).

**1. M. Wrayi , Kirb. l. c. (1903).	Perak.

Genus 195. **Heteroplana.**

Kirb. Ann. Nat. Hist. (7) xi. p. 415 (1903).

**1. H. Thomsonii , Kirb. l. c. (1903).	Louisiade I.

Genus 196. **Geoscaphus.** (*Type* no. 2.)

Tepp. Tr. R. Soc. S. Austral. xvii. p. 67 (June, 1893).

Plana, Brunn. Ann. Mus. Genova, xxxiii. p. 46 (Sept. 1893);Sauss. Rev. Suisse Zool. iii. p. 326 (1895). (*Type* no. 1.)

1. G. Dilatatus , Sauss. (<i>Panesthia Dilatata</i>)	Queensland.
Rev. Zool. (2) xvi. p. 346 (1864); Mém.	
Soc. Genève, xx. p. 285 (1869).	
<i>Plana Dilatata</i> , Sauss. Rev. Suisse Zool.	
iii. p. 326 (1895).	
2. G. Robustus , Tepp. l. c. p. 68 (1893).	Australia.
<i>Plana Robusta</i> , Sauss. l. c. p. 327 (1895).	
3. G. Giganteus , Tepp. l. c. xviii. p. 176	N. Queens-
(1894).	land.

Genus 197. **Macropanesthia.** (*Type* no. 1.)

Sauss. Rev. Suisse Zool. iii. p. 328 (1895).

1. M. Rhinoceros , Sauss. l. c. p. 329,	Queensl nd
pl. 9. f. 4 (1895).	(Bowen).
2. M. Muelleri , Sauss. l. c. f. 5 (1895).	C. Australia.

FAM. IV.

MANTIDÆ.

SUBFAM. I.

AMORPHOSCELINÆ.

Genus 1. **Paraoxypilus.** (Type no. 3.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 227 (1870); Mém. Soc. Genève, xxi. p. 153 (1871).

Phthersigena, Stål, Öfv. Vet.-Akad. Förh. xxviii. p. 400 (1871). (Type no. 5.)

*1. P. Kraussii, Sauss. (<i>Haania K.</i>) Mém. Soc. Genève, xxiii. p. 75, pl. 9. f. 26 (1872); Wood-Mason, Mant. p. 2 (1889). 2. P. Lobifrons, Stål, Bihang Svenska Akad. iv. (10) p. 8 (1877). *3. P. Tasmaniensis, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 227 (1870); Mém. Soc. Genève, xxi. p. 155, pl. 6. ff. 49, 49 A, 50 (1871). *4. P. Verreauxii, Sauss. ll. cc. p. 227 (1870); p. 157 (1871). 5. P. Conspersus, Stål, (<i>Phthersigena Conspersa</i>) Öfv. Vet.-Akad. Förh. xxviii. p. 401 (1871).	Australia. Queensland. Tasmania. id. Cape York.

Genus 2. **Discothera.**

Bonnet & Finot, Bull. Soc. Ent. France, (6) iv. p. xxvi (1884); Rev. Sci. Nat. Montpellier, (3) iv. p. 202 (1885).

1. **D. Tunetana**, Bonnet & Finot, ll. cc. p. xxvi (1884); p. 202, pl. 7. ff. 1-6 (1885). | Tunis.

Genus 3. **Amorphoscelis.** (Type no. 3.)

Stål, Öfv. Vet.-Akad. Förh. xxviii. p. 401 (1871); Wood-Mason, Cat. Mant. p. 4 (1889).

1. **A. Annulipes**, Karsch, Ent. Nachr. xviii. p. 145 (1892); Berlin. Ent. Zeitschr. xxxix. p. 269, pl. 19. f. 6 (1894). | Cameroons.

2. A. Laxeretis , Karsch, Berlin. Ent. Zeitschr. xxxix. p. 270 (1894).	Togo.
3. A. Annulicornis , Stål, l. c. p. 401 (1871); Wood-Mason, Journ. Asiatic Soc. Bengal, li. p. 21 (1882); Cat. Mant. p. 4, ff. 1-3 (1889).	India.
*4. A. Pellucida , Westw. Rev. Mant. p. 28 (1889).	Ceyl., Sing., Australia.
5. A. Costalis , Westw. l. c. (1889).	Dorey.

Genus 4. **Compsothespis.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxiii. p. 64 (1872).

1. C. Anomala , Sauss. l. c. pl. 7. f. 13 (1872).	Cape.
2. C. Falcifera , Rehn, Proc. Acad. Nat. Sci. Philadelphia, liii. p. 280 (1901).	Galla Land.
3. C. Tumidiceps , Bol. An. Soc. Españ. xix. p. 303 (1890).	Philippines.
4. C. Australiensis , Wood-Mason, Cat. Mant. p. 7, f. 4 (1889).	Australia.

SUBFAM. II.

EREMIAPHILINÆ.

Genus 5. **Metallyticus.** (*Type* no. 1.)

Westw. Zool. Journ. v. p. 441 (1837).

Metalleutica, Burm. Handb. Ent. ii. p. 526 (1838); Sauss. Mém. Soc. Genève, xxi. p. 265 (1871); Wood-Mason, Cat. Mant. p. 9 (1889).

*1. M. Splendidus , Westw. l. c. p. 442, pl. 22. f. 1 (1837).
<i>Metalleutica Splendida</i> , Burm. l. c. p. 527. n. 1 (1838); Sauss. l. c. p. 268 (1871).
<i>M. Splendidus</i> , var. <i>Viridi-auratus</i> , Westw. Rev. Mant. p. 1 (1889).	Malabar,
Singapore,
Sumatra,
&c.
*2. M. Violacea , Burm. (<i>Metalleutica V.</i>) l. c. p. 527. n. 2 (1838); Charp. Orth. pl. 3 (1841); Sauss. l. c. p. 267 (1871).
♂. <i>Metalleutica Viripennis</i> , Burm. l. c. n. 3 (1838).	Java,
Sumatra.

Mantis Chalybea, Serv. Ins. Orth. p. 202 (1839).

|| *Metalleutica Splendida*, Haan, Temminck, Verhandel., Orth. p. 83 (1842).

M. Splendidus, var., Westw. Zool. Journ. v. p. 442 (1837); Brit. Cycl. Nat. Hist. p. 359, fig. (1837).

M. Splendidus, var. *Purpureus*, Westw. Rev. Mant. p. 1 (1889).

*3. **M. Semiaeneus**, Westw. l. c. p. 28, pl. 14. f. 3 (1889); Shelf. Zoologist, (4) vii. p. 299 (1903). Sarawak.

Genus 6. **Chæteessa**. (Type no. 3.)

Burm. Handb. Ent. ii. p. 527 (1838); Sauss. Miss. Mex., Orth. p. 230 (1870); Mém. Mex., Mant. p. 9 (1871).

Chæteessa, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 52 (1869).

|| *Hoplophora*, Perty, Del. Anim. Art. p. 126 (1833); Westw. Mod. Classif. Ins. pp. 412, 413 note (1839).

*1. **C. Caudata**, Sauss. Miss. Mex., Orth. p. 230 (1870); Mém. Mex., Mant. p. 11 (1871); Westw. Rev. Mant. p. 1, pl. 14. f. 1 (1889). Brazil.

*2. **C. Valida**, Perty, (*Hoplophora V.*) l. c. id. p. 126, pl. 25. f. 6 (1833).
C. Valida, Sauss. Mém. Mex., Mant. p. 13 (1871).

*3. **C. Filata**, Burm. l. c. p. 528 (1838); id. Sauss. l. c. p. 13 (1871).

Genus 7. **Mantoida**. (Type no. 4.)

Newm. Ent. Mag. v. p. 178 (1838); Westw. Mod. Classif. Ins. i. p. 413 & note (1839). (Type no. 4.)

Annia, Stål, Bihang Svenska Akad. iv. (10) p. 10 (1877). (Type no. 5.)

1. **M. Maya, Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 125, pl. 10. ff. 26, 27 (1894). Yucatan.

*2. **M. Tenuis**, Perty, (*Hoplophora T.*) Del. Brazil. Anim. Art. p. 127, pl. 25. f. 7 (1833).
Chæteessa Tenuis, Sauss. Mém. Mex., Mant. p. 15 (1871).

- M. Luteola*, Westw. Rev. Mant. p. 28, pl. 14. f. 14 (1889); Sharp, Cambridge Nat. Hist., Ins. i. p. 251. f. 141 (1895).
3. **M. Fulgidipennis**, Westw. l. c. p. 28, pl. 14. f. 9 (1889). Amazons.
4. **M. Nitida**, Newm. l. c. p. 179 (1838). Para.
5. **M. Brunneriana**, Sauss. (*Chateessa* B.) l. c. p. 14 (1871). Brazil.
6. **M. Burmeisteri**, Gieb. (*Chateessa* B.) Zeitschr. ges. Naturw. xx. p. 316 (1862). Brazil (N. Freiburg).
- Annia Burmeisteri*, Wood-Mason, Cat. Mant. p. 11 (1889).

Genus 8. **Charieis**.

Burr, Proc. Zool. Soc. Lond. 1900, p. 36.

1. **C. Peeli**, Burr, l. c. p. 37, pl. 2. f. 4 | Somali Land.
(1900).

Genus 9. **Eremiaphila**. (*Type* no. 6.)

Lef. Ann. Soc. Ent. France, iv. p. 468 (1835); Serv. Ins. Orth. p. 209 (1839); Sauss. Mém. Soc. Genève, xxi. p. 244 (1871); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 145 (1902).

| *Eremophila*, Burm. Handb. Ent. ii. p. 524 (1838).

- *1. **E. Typhon**, Lef. l. c. p. 499, pl. 12. f. 5 (1835); Sauss. l. c. p. 247, pl. 7. f. 55 (1871); Jacobs. & Bianki, l. c. p. 145 (1902). Egypt.
Eremophila Ehrenbergii, Burm. l. c. p. 525. n. 6 (1838).
- **2. **E. Rotundipennis** (*Bates, MS.*), Kirb., id.
n. n.
E. Typhon, var., Sauss. l. c. p. 248 (1871).
|| *E. Typhon*, Westw. Rev. Mant. p. 28, pl. 14. f. 11 (1890).
- *2 a. **E. Petit[i]**, Lef. l. c. p. 500 (1835); id.
Sauss. l. c. p. 265 (1871), *larva*.
3. **E. Audouin[i]**, Lef. l. c. p. 482, pl. 12. id.
ff. 1, 1 a, b (1835); Serv. l. c. p. 211 (1839); Sauss. l. c. p. 248 (1871).
Eremophila Audouini, Burm. l. c. p. 525. n. 1 (1838).
4. **E. Marchali**, Reiche & Fairmaire, Abyssinia.
Ferret & Galinier, Voy. Abyssinie, iii. p. 424, pl. 27. f. 5 (1847); Sauss. l. c. p. 248 (1871).

- *5. **E. Cerisy[i], Lef.** l. c. p. 484, pl. 13. Egypt,
ff. 1, 1 *a*, *b* (1835); Serv. l. c. p. 211 Arabia.
(1839); Sauss. l. c. p. 249 (1871).
6. **E. Gene[i], Lef.** l. c. p. 486, pl. 12. Lebanon.
ff. 2, 2 *a*, *b* (1835); Serv. l. c. p. 212, pl. 3.
f. 8 (1839); Sauss. l. c. p. 250 (1871);
Jacobs. & Bianki, l. c. p. 145 (1902).
Eremophila Genei, *Burm.* l. c. p. 525. n. 2
(1838).
- *7. **E. Burmeisteri, Sauss.** l. c. p. 252 (1871). Arabia.
|| *Eremophila Zetterstedtii*, *Burm.* l. c.
p. 525. n. 3 (1838).
- **8. **E. Turcica, Westw.** l. c. p. 29, pl. 14. Baghdad.
f. 2 (1890); Sharp, Cambridge Nat. Hist.,
Ins. i. p. 253, f. 144 (1895); Jacobs. &
Bianki, l. c. p. 145 (1902).
9. **E. Denticollis, Luc.** Rev. Zool. (2) vii. Algeria.
p. 103 (1855); Sauss. l. c. p. 252 (1871);
Vosseler, Zool. Jahrb. Syst. xvi. p. 347
(1902).
10. **E. Moreti, Bol.** An. Soc. Españ. xv. W. Sahara.
p. 513 (1886).
- *11. **E. Arabica, Sauss.** l. c. p. 254, pl. 7. Jeddah,
f. 56 (1871); Wood - Mason, Journ. Quetta,
Asiatic Soc. Bengal. li. p. 22 (1882); N.W. India.
Jacobs. & Bianki, l. c. p. 145 (1902).
- *12. **E. Somalica, Rehn**, Proc. Acad. Nat. Somali
Sci. Philadelphia, liii. p. 276 (1902). Land.
13. **E. Numida, Sauss.** l. c. xxiii. p. 6 (1872); Algeria.
Vosseler, l. c. p. 349 (1902).
14. **E. Luxor[i], Lef.** l. c. p. 491, pl. 13. Egypt
ff. 2, 2 *a*, *b* (1835); Serv. l. c. p. 213 (Luxor).
(1839); Sauss. l. c. xxi. p. 256 (1871).
15. **E. Bove[i], Lef.** l. c. p. 492, pl. 12. ff. 4, Suez.
4 *a*, *b* (1835); Serv. l. c. p. 213 (1839);
Sauss. l. c. p. 257 (1871).
- *16. **E. Hebraica, Lef.** l. c. p. 501 (1835); Egypt.
Sauss. l. c. p. 258 (1871).
—, *Savigny*, Descr. Égypte, Orth. pl. 2.
f. 4 (1809).
- *17. **E. Lefebvrii, Brunn.** (*Eremophila L.*) id.
l. c. p. 525. n. 5 (1839).
E. Lefebvrii, *Sauss.* l. c. p. 264 (1871).
18. **E. Spinulosa, Krauss**, Jahresh. Ver. Algeria.
Naturk. Württemb. xlix. p. xcv (1893);
Zool. Jahrb. Syst. ix. p. 525, pl. 7. ff. 1,
1 A-D (1896).

19. **E. Kheyich[i]**, **Lef.** l. c. p. 498 (1835). Egypt.
E. Kheyichi, *Sauss.* l. c. p. 262 (1871).
20. **E. Savigny[i]**, **Lef.** l. c. p. 494 (1835); id.
Sauss. l. c. p. 259 (1871).
 —, *Savigny*, l. c. Orth. pl. 2. f. 3 (1809).
21. **E. Hedenborgii**, **Stål**, (*Eremophila* H.) Nubia.
(Efr. Vet.-Akad. Förh. xxviii. p. 396 (1871).)
E. Hedenborgii, *Sauss.* l. c. xxiii. p. 5 (1872).
22. **E. Dentata**, **Sauss.** l. c. xxi. p. 264 (1871). Egypt.
 || *Eremophila Bovei*, *Burm.* l. c. p. 525. n. 4 (1838).
23. **E. Barbara**, **Bris.** Bull. Soc. Ent. France, Algeria.
 (3) ii. p. lxx (1854); *Sauss.* l. c. p. 262 (1871); *Krauss*, *Verh. zool.-bot. Ges. Wien*, lii. p. 234. f. 1 (1902).
24. **E. Brevipennis**, **Sauss.** l. c. p. 259 (1871). Egypt.
 —, *Savigny*, l. c. pl. 2. f. 6 (1809).
25. **E. Anubis**, **Lef.** l. c. p. 501 (1835); id.
Sauss. l. c. p. 260 (1871).
 —, *Savigny*, l. c. pl. 2. f. 2 (1809).
- *26. **E. Khamsin[i]**, **Lef.** l. c. p. 496, pl. 13. id.,
 f. 3 (1835); *Sauss.* l. c. p. 260 (1871). Suez.
27. **E. Hralil[i]**, **Lef.** l. c. p. 497 (1835); Egypt.
Sauss. l. c. p. 261 (1871).
28. **E. Nilotica**, **Sauss.** l. c. p. 262 (1871). id.
 —, *Savigny*, l. c. pl. 2. f. 1 (1809).
E. Hralil (?), *Lef.* l. c. p. 497, pl. 11. ff. 1, 3-10 (1835).
29. **E. Sabulosa**, **Sauss.** l. c. p. 263 (1871). Suez.
30. **E. Aristidis**, **Luc.** Bull. Soc. Ent. France, id.
 (5) x. p. lxxv (1880).
31. **E. Zetterstedt[ii]**, **Lef.** l. c. p. 489, pl. 12. id.,
 ff. 3, 3 a, b (1835); *Serv.* l. c. p. 212 Arabia.
 (1839); *Sauss.* l. c. p. 253 (1871).

Genus 10. **Heteronutarsus.**

Lef. Ann. Soc. Ent. France, iv. p. 501 (1835).

Heteronychotarsus, *Sauss. Mém. Soc. Genève*, xxi. p. 242 (1871).

1. **H. Ægyptiacus**, **Lef.** l. c. p. 503, pl. 13 B. Egypt
 ff. 1-9 (1835). (Fayum).
Heteronychotarsus Ægyptiacus, *Sauss.* l. c. p. 243 (1871).
 —, *Savigny. Desc. Égypte*, Orth. pl. 2. f. 5 (1809), larva (?).

Genus 11. **Theopompa.** (Type no. 3.)

Stål, Bihang Svenska Akad. iv. (10) p. 22 (1877).

1. **T. Ophthalmica, Oliv.** (*Mantis Ophthalmica*) Encycl. Méth., Ins. vii. p. 637. n. 62 (1792).
 || *Mantis Oratoria*, Stoll, Spectres, Mantes, p. 19, pl. 6. f. 23 (1813).
Mantis Grisea, Licht. Trans. Linn. Soc. Lond. vi. p. 29 note (1802). Malabar.
- *2. **T. Burmeisteri, Haan,** (*Mantis B.*) Temminck, Verhandeligen, Orth. p. 80, pl. 16. ff. 3, 4 (1842). Java, Borneo.
- *3. **T. Servillei, Haan,** (*Mantis S.*) l. c. p. 81, pl. 16. ff. 5, 6 (1842). Java, &c., Malacca.
 (?) *Humbertiella Ophthalmica*, ♂, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 224 (1869); Mém. Soc. Genève, xxi. p. 25 (1871).
4. **T. Tosta, Stål,** Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 38 (1877). Philippines.
- *5. **T. Blanchardi, Wood-Mason,** Cat. Mant. p. 62 (1891). Amboina, Ceram.
 || *Mantis Ophthalmica*, Blanch. Voy. Pôle Sud, iv. p. 354, pl. 1. f. 6 (1853).
 || *Humbertiella Ophthalmica*, ♀, Sauss. ll. cc. p. 224 (1870); pp. 24, 274 (1871).
 || *Humbertiella Servillei*, Sauss. Mém. Soc. Genève, xxiii. p. 17 (1872).
6. **T. Cambodjensis, Westw.** Rev. Mant. p. 29 (1889). Cambodia.
- **7. **T. Nigropicta, Westw.** l. c. p. 29, pl. 2. f. 6 (1889). Australia.
- *8. **T. Heterochroa, Gerst.** (*Humbertiella H.*) Mitth. Ver. Vorpomm. xiv. p. 80 (1883). Cameroons, Fernando-Po.
Theopompa Heterochroa, Westw. l. c. p. 29, pl. 2. ff. 4, 7 (1889).
- **9. **T. Westwoodii, Kirb.** Ann. Nat. Hist. (7) xiii. p. 81 (1904). Gold Coast, Ashanti.
10. **T. Aurivillii, Sjöst.** Bihang Svenska Akad. xxv. (4 : 6) p. 3, ff. 3-5 (1900). Cameroons.
11. **T. Angusticollis, Sjöst.** l. c. p. 5 (1900). Congo.

Genus 12. **Humbertiella.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 55 (1869) ;
 Mém. Soc. Genève, xxi. p. 19 (1871).

<p>*1. H. Indica, Sauss. ll. cc. p. 62 (1869) ;
p. 23, pl. 4. f. 6 (1871) ; Westw. Rev.
Mant. p. 4, pl. 2. f. 5 (1889) ; Wood-
Mason, Cat. Mant. pl. 1. f. 5 (1891) ;
Bol. Ann. Soc. Ent. France, 1897, p. 303.</p>	India.
<p>2. H. Assimilata, Wood-Mason, (<i>Theo-
pompa A.</i>) l. c. pl. 1. ff. 2, 4 (1891).</p>	id. (?)
<p>*3. H. Septentrionum, Wood-Mason,
(<i>Theopompa S.</i>) l. c. p. 64, pl. 1. f. 3
(1891).</p>	<p>Assam,
Travancore.</p>
<p>*4. H. Ceylonica, Sauss. ll. cc. p. 62 (1869) ;
p. 22, pl. 4. f. 5 (1871) ; Westw. l. c.
p. 30, pl. 2. f. 1 (1889).
<i>Theopompa Taprobanarum</i>, Wood-Mason,
l. c. p. 62, pl. 1. f. 1 (1891).</p>	Ceylon.
<p>*5. H. Ocularis, Sauss. Mém. Soc. Genève,
xxiii. p. 16 (1872) ; Kirb. Ann. Nat.
Hist. (7) xiii. p. 82 (1904).
<i>Theopompa Ocularis</i>, Wood-Mason, l. c. pl. 1.
ff. 6, 7 (1891).
<i>Theopompa Disparilis</i>, Westw. l. c. p. 29,
pl. 13. ff. 2, 3 (1889).</p>	<p>Borneo,
Singapore.</p>
<p>6. H. Semirufula, Westw. (<i>Hapalomantis
S.</i>) l. c. p. 37, pl. 1. f. 1, pl. 13. f. 8
(1889).</p>	Sarawak.
<p>7. H. Fuliginosa, Westw. (<i>Hapalomantis
F.</i>) l. c. p. 37, pl. 13. f. 6 (1889).</p>	Aru.
<p>**8. H. (?) Brunneri, Kirb. l. c. p. 83
(1904).</p>	Lombok.

Genus 13. **Elæa.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 22 (1877).

<p>1. E. Perlroides, Sauss. (<i>Humbertiella P.</i>)
Mitth. Schweiz. Ent. Ges. iii. p. 61
(1869) ; Mém. Soc. Genève, xxi. p. 21,
pl. 4. ff. 4, 4 a (1871).</p>	Senegal.
<p>*2. E. Somalica, Schulth. Ann. Mus. Genova,
xxxix. p. 170 (1898).</p>	Somali.
<p>*3. E. Consobrina, Sauss. (<i>Humbertiella C.</i>)
l. c. p. 273 (1871).</p>	<p>India,
Singapore.</p>

Genus 14. **Tarachodes.** (*Type* no. 13.)

Burm. Handb. Ent. ii. p. 528 (1838).

Chiropus, *Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 54 (1869).(*Type* no. 2.)*Ariusia*, *Stål*, Bihang Svenska Akad. iv. (10) p. 12 (1877).(*Type* no. 6.)

<p>*1. T. Irrorata, Gerst. Mitth. Ver. Vorpomm. xiv. p. 79 (1883).</p> <p>2. T. Dives, Sauss. (<i>Chiropus D.</i>) l. c. p. 61 (1869); <i>Mém. Soc. Genève</i>, xxi. p. 16, pl. 4. ff. 1, 1A (1871).</p> <p>2 a. T. Dissimulator, Wood-Mason, <i>Journ. Asiatic Soc. Bengal</i>, li. p. 23 (1882); <i>Cat. Mant.</i> p. 29, ff. 20, 21 (1889).</p> <p>*3. T. Afzelii, Stål, (<i>Chiropacha A.</i>) <i>Cefv. Vet.-Akad. Förh.</i> xxviii. p. 396 (1871).
 <i> Chiropus Dives</i>, <i>Westw. Rev. Mant.</i> p. 3, pl. 14. f. 15 (1889).</p> <p>4. T. Oxycephala, Gerst. l. c. xiv. p. 77 (1883).</p> <p>4 a. T. Maculisternum, Sjöst. <i>Bihang Svenska Akad.</i> xxv. (4: 6) p. 6 (1900).</p> <p>*5. T. Pantherina, Gerst. <i>Arch. Nat.</i> xxxv. p. 208 (1869); <i>Von der Decken, Reisen Ost-Afrika</i>, iii. (2) p. 11, pl. 1. f. 5 (1873).</p> <p>6. T. Conspersa, Stål, (<i>Ariusia C.</i>) <i>Bihang Svenska Akad.</i> iv. (10) p. 16 (1877).</p> <p>7. T. Obtusiceps, Stål, (<i>Chiropacha O.</i>) <i>Cefv. Vet.-Akad. Förh.</i> xxviii. p. 396 (1871).</p> <p>8. T. Insidiator, Wood-Mason, ll. cc. p. 22 (1882); p. 28 (1889).</p> <p>*9. T. Æstuans, Sauss. <i>Ann. Mus. Genova</i>, xxxv. p. 91 (1895).
 <i>T. Media</i>, <i>Schulth. Ann. Mus. Genova</i>, xxxix. p. 171 (1898).</p> <p>*10. T. Modestior, Schulth. <i>Bull. Soc. Vaud.</i> xxxv. p. 192 note (1899).
 <i> Chiropacha Modesta</i>, <i>Schulth. Zool. Jahrb.</i> viii. Syst. p. 69 (1894).
 <i>- T. Modesta</i>, <i>Schulth. Ann. Mus. Genova</i>, xxxix. p. 173 (1898).
 <i>T. Schulthessi</i>, <i>Rehn, Proc. Acad. Sci. Philad.</i> liii. p. 279 (1901).</p> | <p>W. Africa
(Gold Coast)
Benguela;
Senegal
(eadem?).
Cameroons.</p> <p>Sierra
Leone.</p> <p>Ogowe.</p> <p>W. Africa
(Itoki).
Zanzibar,
B. E. Africa.</p> <p>Damara
Land.
Nubia.</p> <p>Nyasa.</p> <p>Somali.</p> <p>id.</p> |
|---|--|

*11. T. Smithi, Rehn , l. c. p. 278 (1901).	Somali.
*12. T. Perloides, Burm. l. c. p. 529 (1838).
♀. <i>Chiropacha Maura</i> , Stål, Öfv. Vet.-Akad.
Förh. xv. p. 168 (1856).
(?) <i>Mantis Nympha</i> , Stoll, Spectres, Mantes,
p. 11, pl. 4. f. 13 (1813).	Cape,
Natal, &c.
*13. T. Sancta, Sauss. (<i>Chiropus S.</i>) Mém.
Soc. Genève, xxi. p. 269 (1871).
<i>Chiropus Insidiator</i> , Kirb. Dist. Ins. Trans-
vaal. p. 34, f. 1 (1902).	Natal,
Transvaal.

Genus 15. **Achlæna.** (Type no. 1.)

Karsch, Ent. Nachr. xviii. p. 149 (1892).

1. A. Cryptochroma, Karsch , l. c. p. 150
(1892); Berl. Ent. Zeitschr. xxxix. p. 271,
pl. 19. f. 2 (1894).	Cameroons.
**2. A. Lucubrans, Burch. (<i>Mantis L.</i>)
Travels S. Africa, i. p. 465 (1822).
<i>Tarachodes Lucubrans</i> , Westw. Rev. Mant.
p. 29, pl. 6. f. 2 (1889); Sharp, Cambridge
Nat. Hist., Ins. i. p. 249 (1895).	S. Africa
(Gariep R.;
Deelfontein)

Genus 16. **Chiropacha.**Charp. Germ. Zeitschr. Ent. iii. p. 288 (1841); Orth. pl. 15
(1842); Sauss. Mém. Soc. Genève, xxi. p. 15 (1871).

1. C. Gilva, Charp. ll. cc. p. 288 (1841);
pl. 15 (1842).	Egypt.

Genus 17. **Galepsus.** (Type no. 2.)Stål, Bihang Svenska Akad. iv. (10) p. 13 (1877); Sauss. &
Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 149
(1895).*Lygdamia*, Stål, l. c. p. 14 (1877). (Type no. 3.)

1. G. Capitatus, Sauss. (<i>Chiropacha Capi-
tata</i>) Mitth. Schweiz. Ent. Ges. iii. p. 61
(1869); Mém. Soc. Genève, xxi. p. 18,
pl. 4. f. 2 (1871).
<i>Lygdamia Capitata</i> , Stål, l. c. p. 17 (1877);
Sauss. Abhandl. Senckenb. Ges. xxi.
p. 586 (1899).	Zanzibar,
Delagoa
Bay.
2. G. Tenuis, Stål , l. c. p. 17 (1877).	W. Africa.

- *3. **G. Meridionalis, Sauss.** (*Chiropacha M.*) Natal,
l. c. xxiii. p. 10, pl. 9. f. 19 (1872). Transvaal.
|| *Lygdamia Capitata*, Westw. Rev. Mant.
p. 3, pl. 14. ff. 6, 7 (1889).
♂. *Chiropacha Lenticularis*, Sauss. l. c. p. 11,
pl. 9. f. 18 (1872).
Lygdamia Lenticularis, Stål, l. c. p. 17
(1877).
4. **G. Modesta, Gerst.** (*Tarachodes M.*) Zanzibar.
Arch. f. Nat. xxxv. p. 209 (1869); Von
der Decken, Reisen Ost-Afrika, iii. (2)
p. 11 (1873).
5. **G. Madagascariensis, Serv.** (*Mantis M.*) Madagascar
Ins. Orth. p. 204 (1839).
- 5 a. **G. Hova, Sauss. & Zehntn.** l. c. p. 151, id.
pl. 7. f. 8 (1895).

Genus 18. **Paralygdamia.**

Sauss. & Zehntn. Grandidier, Hist. Madagascar,
Orth. i. p. 152 (1895).

1. **P. Madecassa, Sauss. & Zehntn.** l. c. | Madagascar
p. 53, pl. 7. f. 9 (1895).

Genus 19. **Pyrgomantis.** (Type no. 1.)

Gerst. Arch. Naturg. xxxv. (1) p. 210 (1869); Von der Decken,
Reisen, Ins. p. 17 (1873); Sauss. Mitth. Schweiz. Ent.
Ges. iii. p. 223 (1870); Mém. Soc. Genève, xxi. pp. 177,
272 (1871).

- *1. **P. Nasuta, Thunb.** (*Mantis N.*) Nov. S. & E.
Spec. Ins. iii. p. 62 (1784). Africa.
P. Nasuta, Sauss. Mém. Soc. Genève, xxi.
p. 272, pl. 7. f. 57 (1871); Wood-Mason,
Cat. Mant. p. 32, ff. 22, 23 (1889).
Mantis Capensis, Gmel. Syst. Nat. i. (4)
p. 2055. n. 46 (1788); Oliv. Enc. Méth.,
Ins. vii. p. 634. n. 47 (1792).
P. Singularis, Gerst. ll. cc. p. 210 (1869);
p. 18, pl. 1. ff. 8, 8 b (1873); Sauss. ll. cc.
p. 223 (1870); p. 177 (1871); Westw.
Rev. Mant. p. 3, pl. 14. ff. 4, 5 (1889);
Sharp, Cambridge Nat. Hist., Ins. i.
p. 252, f. 142 (1895).
- **2. **P. Jonesi, Kirb.** Ann. Nat. Hist. (7) xiii. Nigeria.
p. 83 (1904).

Genus 20. **Didymocorypha.**

Wood-Mason, Ann. Nat. Hist. (4) xix. p. 221 (1877).
Pyrgocotis, Stål, Bihang Svenska Akad. iv. (10) p. 14 (1877).

- *1. **D. Lanceolata, Fabr.** (*Mantis L.*) Suppl. India,
 Ent. Syst. p. 191 (1798). Ceylon.
D. Ensifera, Wood-Mason, l. c. p. 222
 (1877); Journ. Asiatic Soc. Bengal, li.
 p. 24 (1882); Cat. Mant. p. 34, ff. 24, 25
 (1889).
Pyrgocotis Gracilipes, Stål, l. c. p. 17
 (1877).

Genus 21. **Orthodera.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 529 (1838).
Bolidena, Blanch. Voy. Pôle Sud, iv. p. 356 (1853). (*Type*
 no. 3.)

- **1. **O. Ministralis, Fabr.** (*Mantis M.*) Syst. Australia.
 Ent. p. 277. n. 18 (1775); Oliv. Enc.
 Méth., Ins. vii. p. 630. n. 20 (1792).
O. Prasina, Burm. l. c. p. 530. n. 1 (1838);
 Brancs. Jahresh. Ver. Trencs. Com. xvii.—
 xviii. p. 246, pl. 7. f. 5 b (1896).
Mantis Rubrocoxata, Serv. Ins. Orth. p. 203
 (1839).
O. Laticollis, Brancs. l. c. f. 5 a (1896).
 *2. **O. Novæ-Zelandiæ, Colenso,** (*Mantis* N. Zealand.
N.) Trans. N. Zeal. Inst. xiv. p. 277
 (1882).
 || *Tenodera Intermedia*, Huds. Manual N. Zeal.
 Ent. p. 109, pl. 17. f. 2 (1892).
 *3. **O. Hobsonii, Le Guill.** (*Mantis H.*) Rev. Tasmania
 Zool. 1841, p. 293. n. 6; Blanch. l. c., Orth. (Hobart
 pl. 1. f. 7 (1853). Town).
 ♂. *Mantis Gunnii*, Le Guill. l. c. n. 7 (1841).
Bolidena Hobsonii, Blanch. l. c. p. 356
 (1853).
 *4. **O. Marginata, Sauss.** Mém. Soc. Genève, Swan River.
 xxiii. p. 8, pl. 8. f. 1 (1872).
 5. **O. Burmeisteri, Wood-Mason,** Cat. New
 Mant. p. 21 (1889). Guinea.
 5 a. **O. Longicollis, Brancs.** l. c. xix.—xx. id.
 p. 61, pl. 1. f. 6 (1897).

Genus 22. **Orthoderella.**

Giglio-Tos, Boll. Mus. Torino, xii. (302) p. 13 (1897).

1. **O. Ornata**, **Giglio-Tos**, l. c. (1897). | Bolivia.

SUBFAM. III.

CHÆRADODINÆ.

Genus 23. **Chæradodis.** (*Type* no. 5.)

Serv. Ann. Sci. Nat. xxii. p. 50 (1831); Ins. Orth. p. 206 (1839); Sauss. Mém. Soc. Genève, xxi. p. 13 (1871); Mém. Mex., Mant. p. 16 (1871).

Craurusa, *Burm.* Handb. Ent. ii. p. 542 (1838). (*Type* no. 1.)

<p>1. C. Strumaria, Linn. (<i>Gryllus</i> (<i>Mantis</i>) <i>Strumarius</i>) Syst. Nat. (ed. x.) i. p. 426. n. 10 (1758).
<i>Mantis Strumaria</i>, <i>Fabr.</i> Syst. Ent. p. 276. n. 8 (1775); Oliv. Enc. Méth., Ins. vii. p. 633. n. 38 (1792).
<i>C. Strumaria</i>, <i>Wood-Mason</i>, Journ. Asiatic Soc. Bengal, liii. p. 239, f. 5 (1885); Cat. Mant. p. 13, f. 9 (1889); Westw. Rev. Mant. p. 3, pl. 8. f. 1 (1889).
(Mer. Ins. Sur. pl. 27; Rœs. Ins. Bel. ii. Locusta Indica, p. 17, pl. 3.)
<i>Mantis Cancellata</i>, <i>Licht.</i> Trans. Linn. Soc. Lond. vi. p. 25. n. 17 (1802); Stoll, Spectres, Mantes, p. 35, pl. 11. f. 42 (1813); <i>Burm.</i> l. c. p. 542. n. 50 (1838).
<i>C. Cancellata</i>, <i>Serv.</i> Ins. Orth. p. 206 (1839); Sauss. Mém. Mex., Mant. p. 19 (1871).</p>	<p>Surinam,
Cayenne.</p>
<p>*2. C. Peruviana, Serv. l. c. p. 207 (1839).
<i>C. Rhombicollis</i>, <i>Wood-Mason</i>, Ann. Nat. Hist. (5) vi. p. 161 (1880); Journ. Asiatic Soc. Bengal, xlix. p. 82 (1880), liii. p. 240, ff. 6, 7 (1885); Cat. Mant. p. 14, ff. 11, 12 (1889); De Borre, C. R. Soc.</p>	<p>Nicaragua
to Peru.</p>

- Ent. Belge, xxvii. p. cxliv, fig. (1883);
 Westw. l. c. p. 3, pl. 7. ff. 3, 4 (1889);
 Sauss. & Zehntn. Biol. Centr.-Amer., Orth.
 i. p. 126. n. 1, pl. 9. f. 3 (1894).
- *3. **C. Servillei, Wood-Mason**, ll. cc. p. 161
 (1880); p. 83 (1880); p. 238, f. 3, p. 240,
 f. 8 (1885); p. 12, f. 7, pp. 14, 15, f. 12
 (1889); Sauss. & Zehntn. l. c. p. 126.
 n. 2, pl. 9. ff. 1, 2 (1894). Central
 America.
4. **C. Brunneri, Wood-Mason**, Journ.
 Asiatic Soc. Bengal, li. p. 21 (1882), liii.
 p. 248, f. 2, p. 241, f. 9 (1885); Cat.
 Mant. p. 12, f. 6, p. 15, f. 13 (1889). New
 Granada.
5. **C. Rhombicollis, Latr.** (*Mantis R.*) Hum-
 boldt & Bonpland, Obs. Zool. ii. p. 103,
 pl. 39. ff. 2, 3 (1833). Hab. — ?
- 5 a. **C. Laticollis, Serv.** Ann. Sci. Nat. xxii.
 p. 51. n. 3 (1831); Ins. Orth. p. 208,
 pl. 4. f. 2 (1839); Sauss. Mém. Mex.,
 Mant. p. 20 (1871); Stål, Bihang
 Svenska Akad. iv. (10) p. 16. n. 2 (1877);
 Wood-Mason, Ann. Nat. Hist. (5) vi.
 p. 181 (1880); Journ. Asiatic Soc. Bengal,
 xlix. p. 83. n. 4 (1880), liii. pp. 241, 242,
 ff. 10, 11 (1885); Cat. Mant. p. 16, ff. 14,
 15 (1889); Westw. l. c. p. 3, pl. 8. f. 2
 (1889). Surinam,
 Ecuador,
 Peru.
- || *C. Strumaria*, Sauss. l. c. p. 18 (1871).
6. **C. Stæli, Wood-Mason**, (*C. Stalii*) ll. cc.
 p. 162 (1880); p. 83 (1880); p. 242,
 ff. 12, 13 (1885); p. 17, ff. 16, 17
 (1889). Ecuador.
- *7. **C. Rhomboidea, Stoll**, (*Mantis R.*)
 Spectres, Mantes, p. 39, pl. 12. f. 45
 (1813). Surinam,
 Amazons.
- C. Rhomboidea*, Wood-Mason, ll. cc. p. 162
 (1880); p. 84 (1880); p. 242 (1885);
 p. 17 (1889); Westw. l. c. p. 3, pl. 7.
 f. 1 (1889).
- || *Mantis Strumaria*, Licht. l. c. p. 26. n. 18
 (1802).
- || *C. Strumaria*, Stål, l. c. p. 15. n. 1 (1877).
C. Hyalina, Serv. Ann. Sci. Nat. xxii. p. 51.
 n. 2 (1831).
- *8. **C. Cancellata, Fabr.** (*Mantis C.*) Syst.
 Ent. p. 276. n. 10 (1775); Oliv. Enc.
 Méth., Ins. vii. p. 633. n. 37 (1792). India,
 Ceylon.

C. Cancellata, Wood-Mason, Journ. Asiatic Soc. Bengal, liii. p. 238, f. 1, p. 243 (1885); Cat. Mant. p. 12, f. 5, p. 18 (1889); Westw. l. c. p. 3, pl. 7. f. 6 (1889); Sharp, Cambridge Nat. Hist., Ins. i. p. 252, f. 143 (1895).

? *C. Squilla*, Luc. Ann. Soc. Ent. France, (5) ii. p. 32 (1872); Westw. l. c. p. 3, pl. 7. ff. 2, 5 (1889).

- *9. **C. Squilla**, Sauss. Mitth. Schweiz. Ent. Ceylon.
Ges. iii. p. 72 (1869); Mém. Soc. Genève, xxi. p. 13, pl. 1. ff. 3, 3a (1871); Wood-Mason, ll. cc. p. 238, f. 4, pp. 243, 244, ff. 14, 14 (1885); p. 12, f. 8, p. 19, ff. 18, 19 (1889).

SUBFAM. IV.

MANTINÆ.

Genus 24. **Hapalopeza**. (Type no. 2.)

Stål, Bihang Svenska Akad. iv. (10) p. 23 (1877).

**1. H. Occipitalis , Westw. Rev. Mant. p. 36, pl. 13. f. 5 (1889).	Hong Kong.
*2. H. Nitens , Sauss. (<i>Gonypeta (Iridopteryx)</i> N.) Mém. Soc. Genève, xxi. p. 279 (1871).
<i>H. Nitens</i> , Stål, l. c. p. 48 (1877).	Cambodia.
*3. H. Tigrina , Westw. l. c. p. 37, pl. 14. f. 13 (1889).	Singapore, Borneo, &c.
**4. H. Maculata , Kirb. Ann. Nat. Hist. (7) xiii. p. 84 (1904).	Ceylon.
5. H. Nigricornis , Stål, l. c. p. 48 (1877).	Malacca.
6. H. Nilgirica , Wood-Mason, Cat. Mant. pl. 2. ff. 4, 4a, b (1891).	Nilgiris.

Genus 25. **Nemotha**.

Wood-Mason, Ann. Nat. Hist. (5) xiii. p. 34 (1884).

1. N. Metallica , Westw. (<i>Mantis M.</i>) Arc. Ent. ii. p. 51, pl. 62. f. 3 (1845).	Silhet, Assam.
<i>N. Metallica</i> , Wood-Mason, l. c. p. 34 (1884); Westw. Rev. Mant. p. 42 (1889).	

Genus 26. **Micromantis.**

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 225 (1870);
 Mém. Soc. Genève, xxi. p. 30 (1871).

1. M. Glauca, Sauss. (<i>Iridopteryx</i> G.) Mitth.
Schweiz. Ent. Ges. iii. p. 63 (1869).
<i>M. Glauca, Sauss.</i> Mém. Soc. Genève, xxi.
p. 31, pl. 4. f. 9 (1871).	Ceylon.

Genus 27. **Compsomantis.**

Micromantis, div. *Compsomantis*, Sauss. Mém. Soc. Genève,
 xxiii. p. 23 (1872).

1. C. Crassiceps, Haan, (<i>Mantis</i> (<i>Oxyphilus</i>)
C.) Temminck, Verhandel., Orth. p. 87,
pl. 17. f. 8 (1842).
<i>Gonypeta Crassipes, Sauss.</i> l. c. xxi. p. 59
(1871).
<i>Micromantis</i> (<i>Compsomantis</i>) <i>Crassipes</i> ,
<i>Sauss.</i> l. c. xxiii. p. 23 (1872). | Java;
Timor
(eadem?). |
|---|-----------------------------|

Genus 28. **Antissa.**

Stål, Bihang Svenska Akad. iv. (10) p. 81 (1877).

*1. A. Pulchra, Fabr. (<i>Mantis</i> P.) Mant.
Ins. p. 229. n. 34 (1787); Oliv. Enc.
Méth., Ins. vii. p. 631. n. 25 (1792).
<i>Mantis Flavicineta, Oliv.</i> l. c. p. 641. n. 11
(1792); Burm. Handb. Ent. ii. p. 531.
n. 4 (1838).
<i>Mantis Caffrana, Licht.</i> Trans. Linn. Soc.
Lond. vi. p. 31. n. 37 (1802).
<i>Mantis Marginalis, Stoll,</i> Spectres, Mantes,
p. 37, pl. 11. f. 43 (1813).
<i>Gonypeta</i> (<i>Antissa</i>) <i>Marginalis, Sauss.</i>
Mém. Soc. Genève, xxiii. p. 32. n. 6
(1872).
<i>Gonypeta</i> (<i>Iridopteryx</i>) <i>Micans, Sauss.</i> l. c.
xxi. p. 194 (1871). | India,
Ceylon.
(Cape,
errore?) |
|--|---|

Genus 29. **Odontomantis.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxi. p. 32 (1871).

<p>*1. O. Javana, Sauss. (<i>Acromantis J.</i>) Mitth. Schweiz. Ent. Ges. iii. p. 230 (1870).
 <i>Micromantis Javana, Sauss.</i> Mém. Soc. Genève, xxi. p. 33, pl. 4. f. 11 (1871).</p> <p>*2. O. Planiceps, Haan, (<i>Mantis (Oxyphilus) P.</i>) Temminck, Verhandel., Orth. p. 88. n. 11, pl. 17. f. 10 (<i>nec</i> f. 11, <i>nec</i> Gieb.) (1842).</p> <p>3. O. Euphrosyne, Stål, Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 38 (1877).</p> | <p>Java,
N. India.</p> <p>Java,
Borneo.</p> <p>Philippines.</p> |
|--|---|

Genus 30. **Anaxandra.**

Stål, Bihang Svenska Akad. iv. (10) p. 81 (1877).

1. A. Grammica, Stål, l. c. p. 87 (1877).	Darjiling.

Genus 31. **Iridopteryx.** (*Type* no. 3.)Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 55 (1869);
Mém. Soc. Genève, xxi. p. 59 (1871).

<p>1. I. Infumata, Sauss. (<i>Gonypeta (Iridopteryx) I.</i>) Mém. Soc. Genève, xxiii. p. 30 (1872).
 <i>I. Infumata, Bol.</i> Ann. Soc. Ent. France, 1897, p. 305.</p> <p>*2. I. Reticulata, Haan, (<i>Mantis (Oxyphilus) R.</i>) Temminck, Verhandel., Orth. p. 87. n. 9, pl. 17. f. 9 (1842).
 <i>Mantis Reticulata, Stål,</i> Eugenie's Resa, Orth. p. 313 (1858).</p> <p>3. I. Iridipennis, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 63 (1869); Mém. Soc. Genève, xxi. p. 59, pl. 4. f. 14 (1871).</p> <p>*4. I. Marmorata, Brunn. Ann. Mus. Genova, xxxiii. p. 65, pl. 2. f. 20 (1893).</p> <p>5. I. (?) Irina, Sauss. (<i>Gonypeta I.</i>) ll. cc. p. 244 (1870); p. 56, pl. 6. f. 42 (1871).</p> | <p>Egypt (?)</p> <p>Java,
Singapore.</p> <p>Ceylon.</p> <p>Burma.</p> <p>Amboina.</p> |
|--|---|

Genus 32. **Gonypeta.** (*Type* no. 4.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 55 (1869) ; Mém. Soc. Genève, xxi. p. 50 (1871) ; Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 146 (1902).

<p>*1. G. Authæmon, Wood-Mason, Journ. Asiatic Soc. Bengal, li. p. 26 (1882).</p> <p>2. G. Saussurei, Bol. (<i>Iridopteryx</i> S.) Ann. Soc. Ent. France, 1897, p. 305.</p> <p>3. G. Vicina, Bol. l. c. p. 307 (1897).</p> <p>*4. G. Punctata, Haan, (<i>Mantis</i> (<i>Oxyphilus</i>) P.) Temminck, Verhandel., Orth. p. 85. n. 2, pl. 17. ff. 12, 13 (1842).
 <i>G. Punctata</i>, Sauss. Mém. Soc. Genève, xxi. p. 53 (1871).
 <i>G. Humbertiana</i>, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 63 (1869).</p> <p>5. G. Fuliginosa, Thunb. (<i>Mantis</i> F.) Mém. Acad. Pétersb. v. p. 291 (1815).
 <i>G. Fuliginosa</i>, Wood-Mason, Cat. Mant. pl. 2. ff. 6, 6 a (1889).
 ♀. <i>G. Femorata</i>, Sauss. l. c. p. 230 (1870) ; Mém. Soc. Genève, xxi. p. 58 (1871).</p> <p>6. G. Aspera, Stål, Cefv. Vet.-Akad. Förh. xxxiv. (10) p. 38 (1877).</p> <p>7. G. Malayana, Westw. Rev. Mant. p. 37, pl. 13. f. 9 (1889).</p> <p>8. G. Benguelæ, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 64 (1869) ; Mém. Soc. Genève, xxi. p. 57 (1871).</p> <p>9. G. Modesta, Gerst. Mitth. Ver. Vorpomm. xiv. p. 82 (1883).</p> <p>10. G. Noctivaga, Krauss, Verh. zool.-bot. Ges. Wien, li. p. 283 (1901).</p> <p>11. G. Punctigera, Stål, l. c. xxviii. p. 394 (1871).</p> | <p>Tenasserim.</p> <p>S. India (Madura).
 Trichinopoly.
 Java,
 Ceylon.</p> <p>Ceylon.</p> <p>Philippines.</p> <p>Batchian,
 Sula, &c.
 Benguela.</p> <p>Camer-
 oons (?).
 S.W. Africa
 (Windhoek)
 Caffraria.</p> |
|---|---|

Genus 33. **Geomantis.**

Pant. An. Soc. Españ. xxv. p. 63 (1896) ;
Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 146 (1902).

1. G. Larvoides, Pant. l. c. p. 67, pl. 1. f. 3 (1896) ; Azam, Bull. Soc. Ent. France, 1898, p. 59 ; Jacobs. & Bianki, l. c. (1902).	<p>Spain,
 Constantinople,
 Brussa.</p> |
|--|---|

Genus 34. **Mantellias.**

Westw. Rev. Mant. p. 38 (1889).

- *1. **M. Pubicornis**, Westw. l. c. p. 39 | Amazon.
(1889).

Genus 35. **Mantillica.** (*Type* no. 1.)

Westw. Rev. Mant. p. 39 (1889).

- *1. **M. Nigricans**, Westw. l. c. pl. 14. f. 16 | Upper
(1889). | Amazons.
*2. **M. Sialidea**, Westw. l. c. p. 39 (1889). | id. (Ega).

Genus 36. **Armene.**

Stål, Bihang Svenska Akad. iv. (10) p. 25 (1877);
Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 146 (1902).

1. **A. Alata**, Sauss. (*Ameles A.*) Mém. Soc. | Turkestan.
Genève, xxiii. p. 51 (1872); Fedchenko,
Reise Turk., Orth. p. 13, pl. 1. ff. 6, 7
(1874); Jacobs. & Bianki, l. c. (1902).
Armene Alata, Stål, l. c. p. 49 (1877).

Genus 37. **Entella.** (*Type* no. 3.)

Stål, Bihang Svenska Akad. iv. (10) p. 25 (1877);
Sauss. Abhandl. Senckenb. Ges. xxi. p. 594 (1899).

1. **E. Marginella**, Thunb. (*Mantis M.*) Mém. | Hab. — ?
Acad. Pétersb. v. p. 289 (1815).
*2. **E. Nebulosa**, Serv. (*Mantis N.*) Ins. | S. Africa.
Orth. p. 203 (1839).
*3. **E. Delalandii**, Sauss. (*Gonypeta D.*) | id.
Mitth. Schweiz. Ent. Ges. iii. p. 230
(1870); Mém. Soc. Genève, xxi. p. 55,
pl. 4. ff. 12, 13 (1871).
E. Delalandii, Sauss. Abhandl. Senckenb.
Ges. xxi. p. 595 (1899).
4. **E. Jucunda**, Sauss. l. c. (1899). | id.
5. **E. Parva**, Sauss. l. c. p. 594 (1899). | id.
6. **E. (?) Gracilipes**, Sauss. (*Ameles G.*) | id. (?)
Mém. Soc. Genève, xxiii. p. 50 (1872).

Genus 38. **Ligaria.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 25 (1877) ;
 Sauss. Abhandl. Senckenb. Ges. xxi. p. 596 (1899).

1. L. Quadrinotata , Stål, l. c. p. 50 (1877).	Transvaal.
2. L. Brevicollis , Stål, l. c. (1877).	id.
3. L. Trigonalis , Sauss. l. c. (1899).	S. Africa.
4. L. Producta , Rehn, Proc. Acad. Sci. Philadelphia, liii. p. 281 (1901).	Galla Land.

Genus 39. **Bolbe.**

Stål, Bihang Svenska Akad. iv. (10) p. 25 (1877).

1. B. Pygmea , Sauss. (<i>Ameles P.</i>) Mém. Soc. Genève, xxi. p. 299 (1871).	N. Australia

Genus 40. **Hapalomantis.** (*Type* no. 1.)

Stål, Öfv. Vet.-Akad. Förh. xxviii. p. 392 (1871).

1. H. Orba , Stål, (<i>Mantis O.</i>) l. c. xiii. p. 169 (1856).	Natal.
<i>H. Orba</i> , Stål, l. c. xxviii. p. 393 (1871).	
*2. H. Meridionalis , Sauss. (<i>Ameles M.</i>) Mém. Soc. Genève, xxi. p. 297, pl. 7. f. 63 (1871).	S. Africa.
3. H. Natalensis , Sauss. (<i>Ameles N.</i>) l. c. p. 299 (1871).	Natal.
*4. H. Debilitata , Westw. (<i>Gonypeta D.</i>) Rev. Mant. p. 37, pl. 14. f. 12 (1889).	id.

Genus 41. **Sphæromantis.**

Schulth. Ann. Mus. Genova, xxxix. p. 174 (1898).

1. S. Spinulosa , Schulth. l. c. p. 175, pl. 2. ff. 3, 3a (1898).	Somali.

Genus 42. **Dystacta.**

Sauss. Mém. Soc. Genève, xxi. p. 321 (1871).

*1. D. Alticeps , Schaum, (<i>Mantis A.</i>) Ber. Acad. Berlin, 1853, p. 777. n. 5 ; Peters' Reise Mossamb. v. p. 113, pl. 7. f. 4 (1852).	East & Central Africa.
<i>Cardioptera Alticeps</i> , Sauss. l. c. p. 63 (1871).	

- Dystacta Alticeps*, Westw. Rev. Mant. p. 37, pl. 9. f. 8 (1889); Krauss, Verh. zool.-bot. Ges. Wien, li. p. 284 (1901).
 ♂. *D. Paradoxa*, Sauss. l. c. xxi. p. 323 (1871), xxiii. p. 80, pl. 8. f. 16 (1872); Stål, Bihang Svenska Akad. iv. (10) p. 51 (1877).

Genus 43. **Chroicoptera.**

Stål, Öfv. Vet.-Akad. Förh. xxviii. p. 393 (1871);
 Bihang Svenska Akad. iv. (10) p. 26 (1877).

1. **C. Vidua**, Stål, (*Mantis V.*) Öfv. Vet.-Akad. Förh. xiii. p. 169 (1856). Natal.
Chroicoptera Vidua, Stål, l. c. xxviii. p. 393 (1871).

Genus 44. **Tropidomantis.** (*Type* no. 2.)

Stål, Bihang Svenska Akad. iv. (10) p. 26 (1877); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 164 (1895).

1. **T. Madagascar[i]ensis**, Sauss. (*Miopteryx M.*) Mitth. Schweiz. Ent. Ges. iii. p. 237 (1870); Mém. Soc. Genève, xxi. p. 124 (1871). Madagascar
T. Madagascariensis, Sauss. & Zehntn. l. c. p. 167, pl. 9. f. 27 (1895).
 *2. **T. Tenera**, Stål, (*Mantis T.*) Eugenie's Resa, Ins. p. 314 (1858). Singapore, &c.
T. Tenera, Sauss. & Zehntn. l. c. p. 168 (1895).
Miopteryx Perla, Westw. Rev. Mant. p. 38 (1889).
 ♀. *Mantis (Oxyphilus) Planiceps*, ♂, Haan, Temminck, Verhandel., Orth. p. 88. n. 11, pl. 17. f. 11 (*nec* 10) (1842).
 3. **T. Guttatipennis**, Stål, Bihang Svenska Akad. iv. (10) p. 51 (1877). India (?).
 4. **T. Iridipennis, Westw. (*Miopteryx I.*) India.
 l. c. p. 38 (1889).
 *5. **T. Australis**, Sauss. & Zehntn. l. c. p. 169 (1895). Queensland, Murray I.
 6. **T. Thalassina**, Sauss. Abhandl. Senckenb. Nossi Bé.
 Ges. xxi. p. 593 (1899).

Genus 45. **Platycalymma.** (*Type* no. 1.)

Westw. Rev. Mant. p. 39 (1889).

1. P. Latipennis , Westw. l. c. p. 40, pl. 10. f. 7 (1889).	Madagascar
<i>Tropidomantis</i> (<i>Platycalymma</i>) <i>Latipennis</i> ,
Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 169, pl. 9. f. 28 (1895).	
2. P. (?) Madagascariensis , Westw. l. c. p. 40 (1889).	id.

Genus 46. **Enicophlebia.** (*Type* no. 1.)

Westw. Rev. Mant. p. 39 (1889) ; Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 171 (1895).

*1. E. Pallida , Westw. l. c. p. 39, pl. 1. f. 10 (1889) ; Sauss. & Zehntn. l. c. p. 172, pl. 9. f. 29 (1895).	Madagascar
2. E. Hilara , Sauss. & Zehntn. l. c. p. 174, pl. 9. f. 30 (1895).	id.
3. E. (?) Tortricoides , Haan, (<i>Mantis T.</i>) Temminck, Verhandeligen, Orth. p. 82, pl. 18. f. 4 (1842) ; Sauss. & Zehntn. l. c. p. 177 (1895).	Java.

Genus 47. **Myrcinus.**

Stål, Bihang Svenska Akad. iv. (10) p. 21 (1877).

*1. M. Tuberosus , Stål, l. c. p. 46 (1877) ; Westw. Rev. Mant. p. 30, pl. 2. f. 2 (1889).	Borneo.

Genus 48. **Myrcinellus.**

Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 15 (1898).

1. M. Festæ , Giglio-Tos, l. c. p. 16 (1898).	Ecuador.

Genus 49. **Antistia.***Ameles*, subg. *Antistia*, Stål, Öfv. Vet.-Akad. Förh. xxxiii. (3) p. 69 (1876).*Antistia*, Stål, Bihang Svenska Akad. iv. (10) p. 26 (1877).

1. A. Maculipennis , Stål, (<i>Ameles</i> (<i>Antistia</i>) <i>M.</i>) Öfv. Vet.-Akad. Förh. xxxiii. (3) p. 69 (1876).	Damara Land.

Genus 50. **Yersinia.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 59 (1869); Stål, Bihang Svenska Akad. iv. (10) p. 27 (1877); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 153 (1894).

|| *Ameles*, Sauss. Mém. Mex., Mant. p. 98 (1871); Miss. Mex., Orth. p. 258 (1872).

1. **Y. Mexicana**, Sauss. (*Acanthops M.*) Mexico.

Rev. Zool. (2) xi. p. 60 (1859).

Ameles Mexicana, Sauss. Mém. Mex., Mant. p. 99, pl. 1. ff. 14, 14 a, 15 (1871); Miss. Mex., Orth. p. 258 (1872).

Y. Mexicana, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 72 (1869); Sauss. & Zehntn. l. c. p. 153 (1894).

♀. *Acanthops Aztecus*, Sauss. Rev. Zool. (2) xi. p. 60 (1859).

2. **Y. Solitaria**, Scudd. Canad. Ent. xxviii. Nebraska.
p. 209 (1896).Genus 51. **Ameles.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 531 (1838); Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 62 (1869); Mém. Soc. Genève, xxi. p. 100 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 27 (1877); Bol. Sin. Ortópt. Españ. p. 58 (1876); Brunn. Prodr. Eur. Orth. p. 64 (1882); Fin. Faune France, Orth. p. 89 (1889); Tümp. Geradfl. Mitteleuropas, pp. 211, 212, 236 (1900); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 147 (1902).

Perlamantis, Guér. Rev. Zool. 1843, p. 42. (*Type* no. 1 a.)

*1. **A. Abjecta**, Cyr. (*Mantis A.*) Ent. Neap. S. Europe,
p. 4, pl. 5. f. 4 (1787?). N. Africa,

A. Abjecta, Jacobs. & Bianki, l. c. p. 147 W. Asia.
(1902).

Mantis Spallanzania, Rossi, Mant. Ins. i. p. 102. n. 226, ii. pl. 5. ff. G, H (1792); Fisch. Orth. Eur. p. 124, pl. 8. ff. 4, 4 a, 5 (1853).

A. Spallanzania, Bol. l. c. p. 59. n. 1, pl. 1. f. 20 (1876); Brunn. l. c. p. 66. n. 2 (1882).

Mantis Nana, Charp. Hor. Ent. p. 91 (1825); Burm. l. c. p. 531. n. 1 (1838).

Mantis Soror, Serv. Ins. Orth. p. 200 (1839).

- Mantis Brevis*, ♀, *Ramb.* Faune Andal. ii. p. 21, pl. 1. f. 5 (1842).
- 1 a. **A. Alliberti, Guér.** (*Perlamantis A.*) l. c. p. 42 (1843). Basses Alpes.
- *2. **A. Decolor, Charp.** (*Mantis D.*) Hor. Ent. p. 90 (1825); Germ. Zeitschr. Ent. iii. p. 289 (1841); Serv. Ins. Orth. p. 200 (1839); Fisch. Waldh. Orth. Ross. p. 104, pl. 2. f. 6 (1846); Fisch. Orth. Eur. p. 125, pl. 8. f. 6 (1853). S. Europe, N. Africa.
- Harpax Decolor, Luc.* Expl. Alg., Zool. iii. p. 9, pl. 1. f. 4 (1849).
- Ameles Decolor, Bol.* l. c. p. 60, pl. 1. f. 21 (1876); Brunn. Prodr. Eur. Orth. p. 65 (1882); Fin. l. c. p. 89, pl. 3. f. 52 (1889); Tümp. l. c. pp. 212, 236 (1900); Jacobs. & Bianki, l. c. p. 147, pl. 2 (1902).
- 2 a. **A. Minima, Charp.** (*Mantis M.*) l. c. p. 91 (1825); Burm. Handb. Ent. ii. p. 531. n. 2 (1838). S. Russia.
- 2 b. **A. Pusilla, Eversm.** (*Mantis P.*) Bull. Mosc. xxvii. p. 195 (1854), xxxii. (1) p. 124 (1859). Kirghis Steppes.
- Gonypeta* (?) *Pusilla, Sauss.* Mém. Soc. Genève, xxi. p. 55. n. 4 (1871).
3. **A. Pau, Bol.** Actas Soc. Españ. 1898, p. 146. Spain (Morella).
- *4. **A. Gracilis, Brullé,** (*Mantis G.*) Webb & Berthelot, Hist. Nat. Canar., Ins. p. 76. n. 16, pl. 1. f. 4 (1845). Canaries; Bushire (eadem?).

Genus 52. **Parameles.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 59 (1869); Mém. Soc. Genève, xxi. p. 101 (1871); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 147 (1902).

- *1. **P. Picteti, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 72 (1869). S. Europe, Algeria, Cyprus.
- Ameles Picteti, Sauss.* Mém. Soc. Genève, xxi. p. 103 (1871).
- || *Mantis Nana, Ramb.* Faune Andal. ii. p. 2, pl. 1. f. 3 (1842).
- || *Harpax Nana, Luc.* Expl. Algér. iii. p. 10 (1849).
- P. Nana, Jacobs. & Bianki,* l. c. p. 148 (1902).

1 a. P. Limbata, Brullé, (<i>Mantis L.</i>) Webb & Berthelot, Hist. Nat. Canar., Ins. p. 76. n. 15, pl. 1. f. 3 (1838). *2. P. Assoi, Bol. (<i>Mantis A.</i>) An. Soc. Españ. ii. p. 216 (1873); Sin. Ortópt. Españ. p. 61, pl. 1. f. 22 (1876). 3. P. Brevis, Ramb. (<i>Mantis B.</i>; ♂ nec ♀) l. c. p. 21, pl. 1. f. 4 (1842). *4. P. Heldreichi, Brunn. (<i>Ameles H.</i>) Prodr. Eur. Orth. p. 67. n. 3, pl. 3. f. 18 a, b (1882). <i>P. Heldreichi, Jacobs. & Bianki</i>, l. c. p. 147 (1902). 5. P. Taurica, Jakovleff, Rev. Russe d'Ent. iii. pp. 41-43, ff. 1, 2 (1903).	<p>Canaries.</p> <p>Spain.</p> <p>id.
(Grenada).
Greece,
Asia Minor,
Crimea,
Odessa.
Crimea.</p> |
|---|--|

Genus 53. **Pseudoyersinia, Kirb.** (n. n.). (*Type* no. 1.)

Yersinia, pt., *Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 59 (1869); *Jacobs. & Bianki*, Prem. i Lozhn. Ross. Imp. p. 148 (1902).

<p>1. P. Brevipennis, Yers. (<i>Mantis B.</i>) Ann. Soc. Ent. France, (3) viii. p. 511, pl. 10. ff. 36-40 (1860).
<i>Ameles Brevipennis, Sauss.</i> Mém. Soc. Genève, xxi. p. 102. n. 2 (1871); Brunn. Prodr. Eur. Orth. p. 68 (1882); Fin. Faune France, Orth. p. 90 (1889).</p> <p>2. P. Wagneri, Kitt. (<i>Mantis W.</i>) Bull. Soc. Nat. Mosc. xxii. p. 447, pl. 7. f. 9 (1849).
<i>Yersinia Wagneri, Jacobs. & Bianki</i>, l. c. p. 148 (1902).</p> <p>3. P. (?) Aptera, Fuente, (<i>Ameles A.</i>) An. Soc. Españ. xxii. p. 137 (1894).</p> | <p>Hyères.</p> <p>Kirghis
Steppes.</p> <p>Spain.</p> |
|--|--|

Genus 54. **Astollia, Kirb.** (n. n.).

|| *Stollia, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 55 note (1869).

<p>1. A. Chloris, Oliv. (<i>Mantis C.</i>) Enc. Méth., Ins. vii. p. 639. n. 2 (1792).
<i>Mantis Prasinana, Licht.</i> Trans. Linn. Soc. Lond. vi. p. 32. n. 38 (1802).
<i>Mantis Abbreviata, Stoll</i>, Spectres, Mantes, p. 5, pl. 1. f. 4 (1813).</p>	Surinam.

Genus 55. **Litaneutria.**

Sauss. Soc. Ent. vii. p. 123 (1892) ;
 Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 154 (1894).

<p>**1. L. Ocularis, Sauss. l. c. p. 124 (1892) ;
 Sauss. & Zehntn. l. c. p. 154 (1894).
 <i>Litaneutria Ocularis</i>, Sauss. & Zehntn. l. c.
 pl. 8. ff. 3, 3 a-c (1894).</p> <p>2. L. Minor, Scudd. (<i>Stagmatoptera M.</i>)
 Rep. U.S. Geol. Surv. Nebraska, p. 251.
 n. 24 (1872).
 <i>L. Minor</i>, Scudd. Canad. Ent. xxviii. p. 209
 (1896).
 <i>Mantis</i> (?) sp., <i>Glover</i>, Ill. N. Amer. Ent.,
 Orth. pl. 13. f. 12 (1872).</p> <p>3. L. Borealis, Scudd. l. c. p. 209 (1896).</p> <p>4. L. Obscura, Scudd. l. c. pp. 209, 210
 (1896).</p> <p>5. L. Pacifica, Scudd. l. c. p. 210 (1896).</p> | <p>Mexico,
 (N. Sonora).</p> <p>Nebraska,
 Texas,
 Wyoming,
 E. U. States.</p> <p>Nebraska.</p> <p>Ariz., Calif.</p> <p>N. Calif.</p> |
|---|---|

Genus 56. **Acontista.** (*Type* no. 4.)

|| *Acontistes*, *Burm.* Handb. Ent. ii. p. 542 (1839); Stål, Bihang
 Svenska Akad. iv. (10) p. 85 (1877).
Acontista, **Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 55 (1869) ;
 Mém. Mex., Mant. p. 31 (1871); Miss. Mex., Orth. p. 236
 (1872) ; **Sauss. & Zehntn.** Biol. Centr.-Amer., Orth. i.
 p. 130 (1894).

<p>*1. A. Perspicua, Fabr. (<i>Mantis P.</i>) Mant.
 Ins. i. p. 230. n. 36 (1787) ; Oliv. Enc.
 Méth., Ins. vii. p. 631. n. 27 (1792).
 <i>A. Perspicua</i>, Sauss. Mém. Mex., Mant.
 p. 33. n. 1 (1871) ; Miss. Mex., Orth.
 p. 238, pl. 6. f. 18 (1872).
 <i>A. Elegans</i>, Sauss. Mitth. Schweiz. Ent.
 Ges. iii. p. 63 (1869).
 <i>Mantis Fusca</i>, <i>Oliv.</i> l. c. p. 635. n. 53
 (1792).
 <i>Mantis Truncata</i>, <i>Fabr.</i> Ent. Syst. ii. p. 17.
 n. 20 (1793) ; Licht. Trans. Linn. Soc.
 Lond. vi. p. 31. n. 35 (1802) ; Stoll,
 Spectres, Mantes, p. 9, pl. 3. f. 10 (1813).</p> | <p>Cayenne,
 Guiana,
 Surinam.</p> |
|--|--|

- A. Truncata*, Sauss. Mém. Mex., Mant. p. 33 (1871); Miss. Mex., Orth. p. 237 (1872); Sauss. & Zehntn. l. c. p. 133. n. 1 (1894).
Mantis Multistriata, Serv. Ins. Orth. p. 199 (1839).
- **2. A. Westwoodi, Sauss. & Zehntn.** l. c. p. 134. n. 2 (1894).
 || *A. Truncata*, Westw. Rev. Mant. p. 45, pl. 9. ff. 1, 3 (1889).
- 3. A. Fuscata, Stoll,** (*Mantis F.*) l. c. p. 57, pl. 19. f. 70 (1813).
- *4. A. Concinna, Perty,** (*Mantis C.*) Del. Anim. Art. p. 117, pl. 23. f. 5 (1830); Serv. l. c. p. 201 (1839); Charp. Orth. pl. 27 (1842).
A. Concinna, Sauss. Mém. Mex., Mant. p. 38 (1871); Sauss. & Zehntn. l. c. p. 134 (1894).
 || *Mantis Oratoria*, De Geer, Mém. Ins. iii. p. 410. n. 5, pl. 37. f. 2 (1773).
Mantis Aurantiaca, Burm. l. c. p. 531. n. 3 (1838).
Mantis Tricolor, Burm. l. c. p. 543. n. 54 (1838).
Mantis Quadrimaculata, Serv. l. c. p. 201 (1839).
- **5. A. Eximia, Pascoe,** (*Callimantis E.*) Para. Ann. Nat. Hist. (5) ix. p. 423 (1882).
A. Paraensis, Sauss. & Zehntn. l. c. p. 135. n. 4 (1894).
A. Concinna, var., Sauss. l. c. p. 38 (1871).
- **6. A. Mexicana, Sauss. & Zehntn.** l. c. p. 135. n. 5 (1894); Rehn, Proc. U. S. Nat. Mus. xxvii. p. 562 (1904).
A. Cordillerae ♀ (nec ♂), Sauss. l. c. p. 34 (1871); Miss. Mex., Orth. p. 239 (1872).
- **6 a. A. Inquinata, Sauss. & Zehntn.** (*A. Mexicana*, var. *Inquinata*) l. c. p. 136, pl. 6. f. 10 (1894). Mexico.
- **6 b. A. Championi, Kirb.,** n. n. Guatemala.
 || *A. Mexicana*, var. *Quadrimaculata*, Sauss. & Zehntn. l. c. p. 136, pl. 6. f. 8 (1894).
- 7. A. Multicolor, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 229 (1870); Sauss. & Zehntn. l. c. p. 136. n. 6 (1894). Guadeloupe

- **8. **A. Fraterna**, **Sauss. & Zehntn.** l. c. p. 136. n. 7 (1894). Costa Rica.
9. **A. Cayennensis**, **Sauss. & Zehntn.** l. c. n. 8 (1894). Cayenne.
- **10. **A. Semirufa**, **Westw.** l. c. p. 45, pl. 9. f. 2 (1889). Amazons (Ega).
11. **A. Amœnula**, **Gerst.** Mitth. Ver. Vorpomm. xx. p. 51 (1889); **Sauss. & Zehntn.** l. c. p. 137. n. 9 (1894). Amazons (Pebas).
- *12. **A. Cordilleræ**, **Sauss.** l. c. iii. p. 62 (1869); *Mém. Mex., Mant.* p. 34 (1871) (♂ nec ♀); *Miss. Mex., Orth.* p. 239, pl. 6. f. 17 (1872) (♂ nec ♀); **Sauss. & Zehntn.** l. c. p. 137. n. 10 (1894). Vera Cruz.
- **13. **A. Vitrea**, **Sauss. & Zehntn.** l. c. p. 138. n. 11, pl. 6. f. 9 (1894). Mexico to Panama.
- *14. **A. Bimaculata**, **Sauss.** ll. cc. iii. p. 229 (1870); p. 39 (1871); p. 240 (1872); **Sauss. & Zehntn.** l. c. p. 138. n. 12 (1894). S. Brazil, Paraguay.
15. **A. Brevipennis**, **Sauss.** *Miss. Mex., Orth.* p. 241 (1872); *Mém. Soc. Genève*, xxiii. p. 21, pl. 9. f. 20 (1872). Brazil.

Genus 57. **Tithrone.**

Stål, *Bihang Svenska Akad.* iv. (10) p. 42 (1877).

- *1. **T. Roseipennis**, **Sauss.** (*Acontista R.*) *Mitth. Schweiz. Ent. Ges.* iii. p. 229 (1870). Guiana.
- T. Roseipennis*, **Sauss. & Zehntn.** *Biol. Centr.-Amer., Orth.* i. p. 139. n. 1 (1894).

Genus 58. **Archimantis.** (*Type* no. 1.)

Sauss. *Mitth. Schweiz. Ent. Ges.* iii. p. 56 (1869); *Mém. Soc. Genève*, xxi. pp. 38, 237 (1871).

- *1. **A. Latistylus**, **Serv.** (*Mantis L.*) *Ins.* Australia. *Orth.* p. 179 (1839); *McCoy, Prodr. Zool. Vict.* xiii. pl. 130 (1886).
- A. Latistylus*, **Sauss.** l. c. p. 39 (1871).

- *2. **A. Brunneriana**, Sauss. l. c. p. 277 (1871). N.Australia.
- **3. **A. Monstrosa**, Wood-Mason, Proc. Zool. Soc. Lond. 1878, p. 583, pl. 36. ff. 1, 1 a, b; Westw. Rev. Mant. p. 9, pl. 3. f. 1 (1889). id. (Victoria R.).
Mantis Fuscoelytris, McCoy, l. c. text p. 4 (1886).
- *4. **A. Armatus**, Wood-Mason, Ann. Nat. Hist. (4) xx. p. 76 (1877); Proc. Zool. Soc. Lond. 1878, p. 584, pl. 36, ff. 2, 2 a. N.Australia.
- *5. **A. Sobrina**, Sauss. l. c. xxiii. p. 26 (1872). Swan River.

Genus 59. **Pseudomantis**. (*Type* no. 3.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 56 (1869);
 Mém. Soc. Genève, xxi. p. 34 (1871).

1. **P. (?) Brachyptera**, Sauss. Abhandl. Senckenb. Ges. xxi. p. 586 (1899). S. Africa.
2. **P. (?) Menyharthi**, Brancs. Jahresh. Ver. Trencsin. Com. xvii.-xviii. p. 246, pl. 7. f. 6 (1896). Zambesi.
- *3. **P. Albofimbriata**, Stål, (*Mantis A.*) Eugenie's Resa, Ins. p. 312 (1858). Tasmania.
P. Albofimbriata, Sauss. Mém. Soc. Genève, xxi. p. 34, pl. 4. f. 7 (1871).
- **4. **P. Victorina**, Westw. Rev. Mant. p. 37, pl. 9. f. 6 (1889). N.Australia.
5. **P. Apicalis**, Sauss. (*Mantis A.*) l. c. xxi. p. 291 (1871), xxiii. p. 48 (1872). Sydney.

Genus 60. **Omomantis**. (*Type* no. 1.)

Sauss. Abhandl. Senckenb. Ges. xxi. p. 588 (1899).

1. **O. Zebrata**, Charp. (*Mantis Z.*) Orth. pl. 39 (1842). S. & E. Africa.
Pseudomantis Zebrata, Sauss. Mém. Soc. Genève, xxi. p. 37 (1871).
Hierodula Suavis, Brancs. Jahresh. Ver. Trencsin. Com. xvii.-xviii. p. 247, pl. 7. f. 7 (1895).
O. Pardalina, Sauss. Abhandl. Senckenb. Ges. xxi. p. 589, pl. 37. f. 1 (1899).

2. **O. (?) Fasciata, Thunb.** (*Mantis F.*) Mém. Acad. Pétersb. v. p. 292 (1815). Hab. — ?
3. **O. (?) Ocellaria, Drury,** (*Mantis O.*) Ill. Exot. Ent. iii. pl. 43. f. 1 (1782). Sierra Leone.
Mantis (Harpax) Ocellaria, Westw. ed. Drury, l. c. iii. p. 57, pl. 43. f. 1 (1837);
 Duncan, Jardine, Nat. Libr., Ins. i. p. 232, pl. 7. f. 3 (1840).

Genus 61. **Statilia.** (Type no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 36 (1877).

Pseudomantis, pt., Sauss. Mém. Soc. Genève, xxi. p. 34 (1871);
 Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 148 (1902).

- *1. **S. Nemoralis, Sauss.** (*Pseudomantis N.*) Mitth. Schweiz. Ent. Ges. iii. p. 229 (1870); Mém. Soc. Genève, xxi. pp. 35, 275, pl. 4. f. 8, pl. 5. f. 33 (1871). Manilla, Japan.
 ♂. *Mantis Orientalis*, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 233 (1870).
- *2. **S. Maculata, Thunb.** (*Mantis M.*) Nov. Spec. Ins. iii. p. 61 (1784); Mém. Soc. Pétersb. v. p. 291 (1815); Oliv. Enc. Méth., Ins. vii. p. 634. n. 46 (1792); Haan, Temminck, Verhandel., Orth. p. 77, pl. 18. f. 5 (1842). Japan, China, India, Malacca, Burma, Java, Borneo, Celebes.
S. Maculata, Bol. Ann. Soc. Ent. France, 1897, p. 309.
Pseudomantis Haani, Sauss. Mém. Soc. Genève, xxi. pp. 37, 276 (1871), xxiii. p. 24 (1872); Jacobs. & Bianki, l. c. p. 148 (1902).

Genus 62. **Euchomena.** (Type no. 5.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 235 (1870); Mém. Soc. Genève, xxi. p. 45 (1871); Sauss. & Zehntn., Grandidier, Hist. Madagascar, Orth. i. p. 177 (1895).

- *1. **E. Thoracica, Haan,** (*Mantis (Thespis) T.*) Temminck, Verhandel., Orth. p. 94 (1842). Java, Borneo, Singapore.
E. Thoracica, Wood-Mason, Ann. Nat. Hist. (5) i. p. 143 (1878); Journ. Asiatic Soc. Bengal, li. p. 27 (1882).

- Mantis Heteroptera*, Haan, l. c. p. 78, pl. 18. f. 1 (nec 2) (1842).
- E. Moluccarum*, Sauss. Mém. Soc. Genève, xxiii. p. 27, pl. 8. f. 5 (1872); Sauss. & Zehntn. l. c. p. 179 (1895).
2. **E. Manillensis**, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 236 (1870); Mém. Soc. Genève, xxi. p. 47, pl. 6. f. 44 (1871). | Manilla.
3. **E. Heteroptera**, Haan, (*Mantis H.*) l. c. p. 78, pl. 18. f. 2 (1842). | Sunda Isl.,
Celebes,
Tondano.
- E. Heteroptera*, Sauss. Mém. Soc. Genève, xxi. p. 48 (1871).
- E. Confusa*, Westw. Rev. Mant. p. 9 (1889).
4. **E. Macrops**, Sauss. (*Miopteryx* (?) *M.*) Mitth. Schweiz. Ent. Ges. iii. p. 238 (1870). | Cochin
China.
- E. (?) Macrops*, Sauss. Mém. Soc. Genève, xxi. p. 48, pl. 6. ff. 43, 43 *a*, *b* (1871).
5. **E. Madecassa**, Sauss. ll. cc. p. 236 (1870); p. 41, pl. 6. f. 45 (1871); Sauss. & Zehntn. l. c. p. 179, pl. 10. f. 35 (1895). | Madagascar

Genus 63. **Stenopyga**. (*Type* no. 1.)

Karsch, Ent. Nachr. xviii. p. 146 (1892).

- *1. **S. Extera**, Karsch, l. c. (1892); Berlin. Ent. Zeitschr. xxxix. p. 213, pl. 19. f. 5 (1894). | Cameroons,
Gold Coast.
2. **S. Casta**, Gerst. (*Euchomena* (?) *C.*) Mitth. Ver. Vorpomm. xiv. p. 83 (1883). | Fernando
Po.

Genus 64. **Mesopteryx**. (*Type* no. 1.)Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 235 (1870);
Mém. Soc. Genève, xxi. p. 40 (1871).

1. **M. Alata**, Sauss. ll. cc. p. 235 (1870); p. 40, pl. 5. f. 34 (1871). | Manilla,
India.
- *2. **M. Platycephala**, Stål, (*Tenodera* *P.*) Bihang Svenska Akad. iv. (10) p. 56 (1877); Brunn. Ann. Mus. Geneva, xxxiii. p. 67, pl. 2. f. 21 (1893). | N. India,
Tenasserim.
- M. Platycephala*, Wood-Mason, Journ. Asiatic Soc. Bengal, li. p. 34 (1882).

3. **M. Robusta**, Wood-Mason, l. c. p. 36 (1882). S. Andamans (?). Java.
4. **M. Fasciata**, Oliv. (*Mantis F.*) Enc. Méth., Ins. vii. p. 640. n. 6 (1792); Burm. l. c. p. 534. n. 23 (1838).
Mantis Leptelytra, Licht. Trans. Linn. Soc. Lond. vi. p. 20. n. 3 (1802).
Mantis Attenuata, Stoll, Spectres, Mantes, p. 13, pl. 5. f. 16 (1813).
Mantis Exciccata, Serv. Ins. Orth. p. 176 (1839).

Genus 65. **Tenodera**. (*Type* no. 8.)

Burm. Handb. Ent. ii. p. 534 (1838); Sauss. Mém. Soc. Genève, xxi. pp. 94, 292 (1871); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 148 (1902).

1. **T. Limbalicollis**, Karsch, Ent. Nachr. xviii. p. 7 (1892). Cameroons (Kribi).
- *2. **T. Capitata**, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 69 (1869); Mém. Soc. Genève, xxi. pp. 95, 293 (1871). E. Africa, Congo (eadem?).
- *3. **T. Herbacea**, Serv. (*Mantis H.*) Ins. Orth. p. 177 (1839); Haan, Temminck, Verhandel., Orth. p. 72 (1842). Senegal, Nyassa.
T. Herbacea, Sauss. Mém. Soc. Genève, xxi. pp. 98, 295 (1871).
- *4. **T. Costalis**, Blanch. (*Mantis C.*) Voy. Pôle Sud, Zool. iv. p. 353 (1853). Ceram, Celebes, Ind., Siam, Java, &c.
 || *Mantis Fusca*, Blanch. l. c., Orth. pl. 2. ff. 1, 2 (1853).
 || *Mantis Superstitiosa*, Serv. l. c. p. 176 (1839).
 || *T. Superstitiosa*, var. *a*, Sauss. l. c. p. 296 (1871).
 ? || *Mantis Religiosa*, Stoll, Spectres, Mantes, p. 63, pl. 21. f. 80 (1813).
- **5. **T. Superstitiosa**, Fabr. (*Mantis S.*) Spec. Ins. i. p. 348. n. 17 (1781); Oliv. Enc. Méth., Ins. vii. p. 632. n. 34 (1792). Africa, Asia, Australia.
T. Superstitiosa, Sauss. l. c. pp. 99, 296 (1871); Shelford, Zoologist, (4) vii. pp. 293-303 (1903).
6. **T. Madagascariensis**, Sauss. & Zehntn. (*T. Superstitiosa* var. *Madagascariensis*) Grandidier, Hist. Madagascar, Orth. p. 207, pl. 9. f. 26 (1895). Madagascar
7. **T. Brevipennis**, Sauss. l. c. p. 297 (1871). Africa (?).

- *8. **T. Aridifolia**, **Stoll**, (*Mantis A.*) Spectres, Mant. p. 65, pl. 22. f. 82 (1813); Serv. l. c. p. 178 (1839).
T. Aridifolia, **Sauss.** l. c. pp. 97, 294 (1871);
 Jacobs. & Bianki, l. c. p. 149 (1902).
Mantis Chloreudeta, **Burm.** l. c. p. 535. n. 24 (1839).
 ♂. *T. Angustipennis*, **Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 69 (1869).
9. **T. Sinensis**, **Sauss.** (*T. Aridifolia*, var. *Sinensis*) Mém. Soc. Genève, xxi. p. 295, pl. 7. f. 62 (1871). Ningpo.
- *10. **T. Australasiæ**, **Leach**, (*Mantis A.*) Zool. Misc. i. pl. 34 (1814).
T. Australasiæ, **Sauss.** l. c. p. 96 (1871).
Mantis Darchii, **Macl.** King's Survey Coasts Austral. ii. p. 454. n. 111 (1827).
Mantis Tessellata, **Burm.** l. c. p. 535. n. 25 (1838). Australia, Tasmania, New Zealand, Ternate, Ceram, N. Guinea.
11. **T. Intermedia**, **Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 233 (1869); Mém. Soc. Genève, xxi. p. 98 (1871). N. Zealand.

Genus 66. **Polyspilota.** (*Type* no. 5.)

Burm. Handb. Ent. ii. p. 534 (1838); **Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 68 (1869); Mém. Soc. Genève, xxi. pp. 86, 286 (1871); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 149 (1902).

1. **P. Muta**, **Wood-Mason**, (*Hierodula (Sphodromantis) M.*) Journ. Asiatic Soc. Bengal, li. p. 30 (1882). Cameroons.
2. **P. Gasconi**, **Rochebr.** Bull. Soc. Philom. (7) viii. p. 29 (1884). Senegambia
- *3. **P. Validissima**, **Gerst.** Mitth. Ver. Vorpomm. xiv. p. 89 (1883); Westw. Rev. Mant. p. 12, pl. 10. ff. 4, 5 (1889). Gold Coast, Ashanti.
4. **P. Insignis**, **Wood-Mason**, l. c. p. 33 (1882). Cameroons.
- *5. **P. Variegata**, **Oliv.** (*Mantis V.*) Enc. Méth. vii. p. 638. n. 68 (1792); Beauv. Ins. Afr. Amér. p. 62, Orth. pl. 12. f. 4 (1805); **Burm.** l. c. p. 534. n. 21 (1838). Africa, W. Asia, Borneo (eadem?).
Mantis Adspersa, **Licht.** Trans. Linn. Soc. Lond. vi. p. 30. n. 30 (1802).

- Mantis Striata*, Stoll, Spectres, p. 34, pl. 11. f. 41 (1813); Blanch. Hist. Nat. Ins. iii. p. 12. n. 4 (1840); Haan, Temminck, Verhandel. Orth. p. 73. n. 19 (1842).
- P. Striata*, Sauss. l. c. xxi. pp. 87, 198 (1871); Gerst. Mitth. Ver. Vorpomm. xiv. p. 89 (1883).
- *6. **P. Pustulata**, Stoll, (*Mantis P.*) l. c. p. 59, pl. 20. f. 73 (1813); Serv. Ins. Orth. p. 186 (1839). Africa, Madagascar
- P. Pustulata*, Sauss. Mém. Soc. Genève, xxi. pp. 87, 198 (1871).
- Mantis Catenata*, Burm. l. c. p. 534. n. 22 (1838).
- P. Æruginosa*, var. *Viridis*, Sauss. Abhandl. Senckenb. Ges. xxi. p. 592 (1899); Sjöst. Bihang Svenska Akad. xxv. (4: 6) p. 9 (1900).
- Mantis Varia*, Burm. l. c. p. 534. n. 20 (1838).
- M. Signata*, Thunb. Mém. Soc. Pétersb. v. p. 292 (1815).
- P. Æruginosa*, Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 205, pl. 8. f. 23 (1895); Jacobs. & Bianki, l. c. p. 149 (1902).
- P. Æruginosa*, var. *Fuscoirrorata*, Sauss. Abhandl. Senckenb. Ges. xxi. p. 592 (1899).
- ?? *Mantis Æruginosa*, Goeze, Ent. Beytr. ii. p. 35. n. 29 (1778); Oliv. l. c. p. 642. n. 23 (1792); (Seba, Thesaurus, iv. p. 76, pl. 70. ff. 7, 8).
- ?? *Mantis Rubromaculata*, Goeze, l. c. n. 30 (1778); Oliv. l. c. n. 24 (1792); (Seba, l. c. ff. 9, 10).
- P. Caffra*, Westw. Rev. Mant. p. 35, pl. 11. f. 7 (1889).
- P. Æruginosa*, var. *Prasina*, Sauss. & Zehntn. l. c. p. 206 (1895).
- *7. **P. Marginata**, Fabr. (*Mantis M.*) Suppl. Ent. Syst. p. 191 (1798). Mauritius, Farquhar I.
- || *Mantis Variegata*, Serv. l. c. p. 187 (1839).
8. **P. Saussurei**, Borm. Ann. Mus. Genova, xvi. p. 209 (1880). Shoa.

9. P. Vicina , Serv. (<i>Mantis V.</i>) l. c. p. 187 (1839).	Senegal.
10. P. Laticollis , Karsch, Ent. Nachr. xviii. p. 147 (1892); Berlin. Ent. Zeitschr. xxxix. p. 274, pl. 19. f. 3 (1894).	
11. P. Flavipennis , Karsch, ll. cc. p. 147 (1892); p. 274, pl. 20. f. 9 (1894).	id.
12. P. Marmorata , Schulth. Bull. Soc. Vaud. xxxv. p. 192, pl. 8. f. 2 (1899).	Delagoa Bay.
13. P. Truncatipennis , Karsch, ll. cc. p. 147 (1892); p. 193, pl. 20. f. 7 (1894).	Cameroons.
14. P. Calabarica , Westw. l. c. p. 35, pl. 11. f. 2 (1889).	Old Calabar.
15. P. (?) Brunneriana , Sauss. Mém. Soc. Genève, xxi. p. 286 (1871).	New Caledonia.

Genus 67. **Tarachomantis.** (*Type* no. 4a.)

Brancs. Jahresh. Ver. Trencsin. Com. xv.-xvi. p. 176 (1893);
 Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i.
 p. 188 (1895).

1. T. Hova , Sauss. & Zehntn. (<i>Hierodula H.</i>) l. c. p. 189, pl. 7. ff. 12, 13 (1895).	Madagascar
2. T. Sakalava , Sauss. & Zehntn. (<i>Hierodula S.</i>) l. c. p. 190, pl. 8. f. 18 (1895); Sauss. Abhandl. Senckenb. Ges. xxi. p. 590 (1899).	id.
3. T. Betsilea , Sauss. & Zehntn. (<i>Hierodula B.</i>) l. c. p. 191, pl. 8. ff. 16, 17 (1895).	id.
*4. T. Caldwellii , Bates, (<i>Mantis C.</i>) Proc. Zool. Soc. Lond. 1863, p. 479.
<i>Hierodula Caldwelli</i> , Sauss. & Zehntn. l. c. p. 192, pl. 8. f. 21 (1895).
<i>Hierodula Roseinervis</i> , Stål, Bihang Svenska Akad. iv. (10) p. 58 (1877).	id.
4a. T. Brunneri , Brancs. l. c. p. 177, pl. 10. f. 1 (1893).	id.
*5. T. Rubiginosa , Sauss. & Zehntn. (<i>Hierodula R.</i>) l. c. p. 194 (1895).	id.
*6. T. Betanimena , Sauss. & Zehntn. (<i>Hierodula B.</i>) l. c. p. 196, pl. 8. f. 19 (1895).	id.

7. T. Malagassa, Sauss. & Zehntn.
(<i>Hierodula M.</i>) l. c. p. 197, pl. 8. f. 20
(1895); Sauss. l. c. p. 590 (1899).	Madagascar
8. T. (?) Macula, Sauss. & Zehntn.
(<i>Hierodula M.</i>) l. c. p. 199, pl. 8. ff. 14,
15 (1895).	id.

Genus 68. **Sphodropoda.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 56 (1877).

*1. S. Tristis, Sauss. (<i>Mantis T.</i>) Mém. Soc.
Genève, xxi. p. 93 (1871).
<i>S. Tristis, Westw.</i> Rev. Mant. p. 13, pl. 10.
ff. 2, 9 (1889).	Australia,
Fiji.
2. S. Dentifrons, Stål, (<i>Hierodula D.</i>) l. c.
p. 56 (1877).	Australia.
*3. S. Quinquedens, Macl. (<i>Mantis Q.</i>)
King's Surv. Coasts Austral. ii. p. 454.
n. 110 (1827).
<i>Hierodula Quinquedens, Sauss.</i> l. c. p. 78
(1871); Wood-Mason, Journ. Asiatic
Soc. Bengal, li. p. 28 (1882).	id.

Genus 69. **Cilnia.**

Stål, Öfv. Vet.-Akad. Förh. xxxiii. (3) p. 71 (1876).

*1. C. Humeralis, Sauss. (<i>Cardioptera H.</i>)
Mém. Soc. Genève, xxi. pp. 195, 281
(1871).
<i>C. Humeralis, Stål,</i> Bihang Svenska Handl.
iv. (10) p. 53 (1877); Kirb. Ann. Nat.
Hist. (7) iv. p. 349 (1899).
<i>Hierodula Brevipennis, Schulth.</i> Bull. Soc.
Vaud. xxxv. p. 193, pl. 8. f. 3 (1899).
<i>Mantis Latipes, Stål,</i> l. c. iii. (14) p. 43
(1875).
<i>C. Latipes, Stål,</i> Öfv. Vet.-Akad. Förh.
xxxiii. (3) p. 71 (1876); Bihang Svenska
Akad. iv. (10) p. 53 (1877). | Natal,
Transvaal,
Nyassa,
Delagoa
Bay. |
|--|--|

Genus 70. **Sphodromantis.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 57 (1877); Sauss. & Zehntn. Grandidier, Hist. Madag., Orth. i. p. 185 (1895); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 149 (1902).

- *1. **S. Guttata, Thunb.** (*Mantis G.*) Mém. Acad. Pétersb. v. p. 290 (1815).
Mantis Bioculata, Burm. Handb. Ent. ii. p. 537. n. 34 (1838).
Hierodula Bioculata, Sauss. Mém. Soc. Genève, xxi. p. 71, pl. 5. ff. 20, 21 (1871); Bol. Sin. Ortópt. Españ. p. 56 (1876); Brunn. Prodr. Eur. Orth. p. 58, pl. 2. f. 13 (1882); Sauss. & Zehntn. l. c. p. 185, pl. 7. f. 10 (1895).
S. Bioculata, Jacobs. & Bianki, l. c. p. 149 (1902).
 || *Mantis Simulacrum*, Serv. Ins. Orth. p. 184 (1839).
 Var. *Mantis Bimaculata*, Burm. l. c. p. 537. n. 35 (1838).
Mantis Simulacrum, var. *Zabou*, Serv. l. c. p. 185 (1839).
2. **S. Arabica, Wood-Mason**, (*Hierodula (Sphodromantis) A.*) Journ. Asiatic Soc. Bengal, li. p. 29 (1882).
 || *Hierodula Trimacula*, Wood-Mason, Ann. Nat. Hist. (5) i. p. 147 (1878).
3. **S. (?) Rudolfæ, Rehn**, (*Sphodropoda R.*) Proc. Acad. Philad. liii. p. 282 (1901).
- *4. **S. Lineola, Burm.** (*Mantis L.*) l. c. p. 537. n. 33 (1838).
Hierodula Lineola, Gerst. Mitth. Ver. Vorpomm. xiv. p. 87 (1883).
- *5. **S. Gastrica, Stål**, (*Mantis G.*) Öfv. Vet.-Akad. Förh. xv. p. 308 (1858).
Hierodula Gastrica, Sauss. & Zehntn. l. c. p. 187 (1895).
Hierodula Bicarinata, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 68 (1869); Mém. Soc. Genève, xxi. p. 74, pl. 5. f. 22 (1871).
Hierodula (Sphodromantis) Bicarinata, Wood-Mason, Journ. Asiatic Soc. Bengal, li. p. 28 (1882).

Malaga,
N. Africa,
Somali,
W. Asia,
Baltistan,
Ceylon.

Oman.

Lake
Rudolf.
W. Africa.

S. & E.
Africa.

Mantis (*Stagmatoptera*) *Kersteni*, *Gerst.*
Arch. f. Nat. xxxv. p. 209 (1869); Von
der Decken, Reisen Ost-Afrika, Ins.
p. 13 (1873).

*6. **S. Christina, Kirb.**, n. n.

|| *Mantis Kersteni*, *Stål*, Bihang Svenska
Akad. iv. (10) p. 57 (1877).

|| *Hierodula Kersteni*, *Sauss. & Zehntn.* l. c.
p. 187 (1895).

7. **S. Muta, Wood-Mason**, (*Hierodula*
(*Sphodromantis*) *M.*) l. c. p. 30 (1882).

Polyspilota Picta, *Gerst.* Mitth. Ver. Vor-
pomm. xiv. p. 88 (1883).

Hierodula Picta, *Sjöst.* Bihang Svenska
Akad. xxv. (4 : 6) p. 13 (1900).

S. (Hierodula) Cowalis, *Sauss. & Zehntn.*
l. c. p. 200, pl. 9. f. 25 (1895).

8. **S. (?) Voelzkowiana, Sauss.** (*Hierodula*
V.) Abhandl. Senckenb. Ges. xxi. p. 591,
pl. 37. ff. 2-4 (ootheca) (1899).

9. **S. Trimacula, Sauss.** (*Hierodula T.*)
Mitth. Schweiz. Ent. Ges. iii. p. 233
(1870); *Mém. Soc. Genève*, xxi. p. 82,
pl. 5. f. 29 (1871).

*10. **S. Transcaucasica, Brunn.** (*Hierodula*
T.) *Schneider*, Naturw. Beitr. Kaukasus-
länder, p. 88 (1878); *Jacobs. & Bianki*,
l. c. p. 150 (1902).

? *Hierodula Tenuidentata*, *Sauss.* *Fedchenko*,
Reise Turk., Orth. p. 12 (1874).

11. **S. Tenuidentata, Sauss.** (*Hierodula T.*)
Mitth. Schweiz. Ent. Ges. iii. p. 68
(1869); *Mém. Soc. Genève*, xxi. pp. 75,
197, pl. 5. f. 25 (1871); xxiii. p. 40
(1872); *Jacobs. & Bianki*, l. c. p. 150
(1902).

11 a. **S. Harpyia, Westw. (*Hierodula H.*)
Rev. Mant. p. 35, pl. 5. f. 3 (1889).

Zanzibar,
B.E. Africa.

Cameroons,
Gaboon.

I. Aldabra.

China (?).

Baku,
Turkestan,
Afghanistan
(eadem?).

Malabar,
Borneo.

Ceylon.

Genus 71. **Arria.**

Stål, Bihang Svenska Akad. iv. (10) p. 20 (1877).

1. **A. Cinctipes, Stål**, l. c. p. 46 (1877); | *Manipur.*
Wood-Mason, Cat. Mant. p. 50 (1891). |

Genus 72. **Hierodula.** (*Type* no. 16 a.)

Burm. Handb. Ent. ii. p. 536 (1838); Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 67 (1869); Mém. Soc. Genève, xxi. p. 65 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 38 (1877); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 150 (1902).

<p>*1. H. Coarctata, Sauss. ll. cc. p. 67 (1869);
p. 85, pl. 5. f. 24 (1871); (?) Westw. Rev.
Mant. p. 34, pl. 4. f. 1 (1889).</p> <p>*2. H. Latipennis, Brunn. Ann. Mus. Genova,
xxxiii. p. 69, pl. 2. f. 22 (1893).</p> <p>*3. H. Bipapilla, Serv. (<i>Mantis B.</i>) Ins.
Orth. p. 188 (1839).
<i>H. Bipapilla</i>, Westw. Rev. Mant. p. 34,
pl. 5. f. 2 (1889); Jacobs. & Bianki, l. c.
p. 150 (1902).
 <i>H. Patellifera</i>, Westw. l. c. p. 35, pl. 4. f. 5
(1889).</p> <p>*4. H. Patellifera, Serv. (<i>Mantis P.</i>) l. c.
p. 185 (1839).
<i>H. Manillensis</i>, Sauss. Mitth. Schweiz. Ent.
Ges. iii. p. 233 (1870).
 <i>H. Bipapilla</i>, Sauss. Mém. Soc. Genève,
xxi. pp. 79, 197, pl. 5. ff. 28, 28
(1871).</p> <p>*5. H. Saussurei, Kirb., n. n.
 <i>H. Simulacrum</i>, Sauss. l. c. p. 77, pl. 5.
ff. 23, 23 (1871).</p> <p>**6. H. Dispar, Kirb. Monograph of Christ-
mas Island, p. 146 (1900).</p> <p>*7. H. Raptoria, Stål, Öfv. Vet.-Akad.
Förh. xxxiv. p. 38 (1877).</p> <p>8. H. Biroi, Brancs. Jahresh. Ver. Trencsin.
Com. xix.-xx. p. 61, pl. 1. f. 7
(1897).
<i>H. Punctipectus</i>, Brunn. Abb. Senckenb.
Ges. xxiv. p. 212, pl. 16. f. 18 (1898).</p> <p>9. H. Timorensis, Haan, (<i>Mantis T.</i>) Tem-
minck, Verhandel., Orth. p. 69 (1842).
<i>H. Timorensis</i>, Sauss. l. c. xxiii. p. 38,
pl. 9. f. 24 (1872); Jacobs. & Bianki,
l. c. p. 150 (1902).
<i>H. Robusta</i>, Sauss. l. c. xxi. p. 73, pl. 6.
f. 53 (1871).</p> | <p>India,
Australia
(eadem?).</p> <p>Burma.</p> <p>Java,
Siam,
Lombok,
Bouru.</p> <p>Java,
Philippines.</p> <p>China,
Loochoo,
Moulmein.</p> <p>Christmas I.</p> <p>Philippines.</p> <p>N. Guinea,
New Britain</p> <p>Timor,
Amboina
(eadem?).</p> |
|--|--|

- *10. **H. Grandis, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 233 (1870); Mém. Soc. Genève, xxi. p. 80, pl. 5, ff. 27, 27 (1871). Silhet, Tenasserim.
11. **H. Multispinulosa, Brunn.** Ann. Mus. Genova, xxxiii. p. 68 (1893). Burma.
- *12. **H. Unimaculata, Oliv.** (*Mantis U.*) Enc. Méth. vii. p. 640. n. 9 (1792). Coromandel, Bombay, Tonkin.
 || *Mantis Simulacrum*, Licht. Trans. Linn. Soc. Lond. vi. p. 28. n. 24 (1802); Burm. l. c. p. 536. n. 32 (1838).
Mantis Notata, Stoll, Spectres, Mantes, p. 42*, pl. 12. f. 49 (1813).
H. Notata, Sauss. Mém. Soc. Genève, xxi. p. 83, pl. 5. ff. 31, 31 (1871); Wood-Mason, Ann. Nat. Hist. (5) i. p. 145 (1878).
- *13. **H. Malaya, Stål**, Bihang Svenska Akad. iv. (10) p. 58 (1877). Malacca.
14. **H. Heterodera, Westw.** l. c. p. 34 (1889). Bengal.
15. **H. (?) Vitrea, Stoll**, (*Mantis V.*) l. c. p. 15, pl. 5. f. 19 (1813). "Surinam."
- *15 a. **H. Hybrida, Burm.** (*Mantis H.*) l. c. p. 536. n. 31 (1839); Haan, l. c. p. 68. n. 6 (1842). Siam, Malacca, Java, Borneo, Celebes.
 || *H. Vitrea*, Sauss. Mém. Soc. Genève, xxi. p. 76, pl. 5. f. 26 (1871). Syria (?).
- 15 b. **H. Novemdentata, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 68 (1869).
16. **H. Venosa, Oliv.** (*Mantis V.*) l. c. p. 639. n. 73 (1792). Coromandel
Mantis Conspurcata, Licht. Cat. Mus. Zool. Hamburg, iii. p. 36 (1796); Trans. Linn. Soc. Lond. vi. p. 29. n. 27 (1802).
Mantis Punctata, Stoll, l. c. p. 49, pl. 16. f. 60 (1813).
- *16 a. **H. Membranacea, Burm.** (*Mantis M.*) l. c. p. 536. n. 30 (1838). India, Ceylon.
H. Membranacea, Sauss. l. c. xxi. p. 84, pl. 5. f. 32 (1871).
 || *H. Birivia*, Sauss. l. c. xxiii. p. 41 (1872); Wood-Mason, l. c. (5) i. p. 146 (1878).
 || *Stagmatoptera Birivia*, Sauss. Mém. Mex., Mant. p. 89, pl. 1. f. 8 (1871).
Stagmatoptera Veneratoria, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 232 (1870).

- *17. **H. Daphne, Stål**, Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 38 (1877). Philippines.
- **18. **H. Westwoodi, Kirb.**, n. n. N. India.
 || *H. Simulacrum*, *Westw.* l. c. p. 34, pl. 4. f. 2, pl. 6. f. 5 (1889).
19. **H. Parviceps, Stål**, l. c. p. 38 (1877). Philippines.
20. **H. Bankæ, Gieb.** (*Mantis B.*) Zeitschr. Banka.
 ges. Naturw. xviii. p. 111 (1861).
- **20 a. **H. Dyaka, Westw.** l. c. p. 34, pl. 6. Borneo,
 f. 4 (1889); Shelford, Zoologist, (4) vii. Sumatra,
 pp. 293-299 (1903). Celebes.
H. Modesta, *Brunn.* Abhandl. Senckenb. Ges. xxiv. p. 213, pl. 17. f. 20 (1898).
- *21. **H. Similis, Gieb.** (*Mantis S.*) l. c. p. 111 Borneo.
 (1861).
H. Gracilicollis, *Stål*, Bihang Svenska Akad. iv. (10) p. 58 (1877).
H. Stigmata, *Brunn.* l. c. p. 214, pl. 17. f. 2 (1898).
- *22. **H. Fuscescens, Blanch.** (*Mantis F.*) Voy. Fiji,
 Pôle Sud, Zool. iv. p. 354, pl. 1. f. 5 Solomon Is.
 (1853). (eadem?).
H. Fuscescens, *Sauss.* Mém. Soc. Genève, xxi. p. 81, pl. 5. f. 30 (1871).
23. **H. Lævicollis, Sauss.** l. c. p. 82 (1871). Amboina.
- *24. **H. Ovata, Sauss.** l. c. p. 285, pl. 7. f. 60 id.,
 (1871). Ceram.
- **25. **H. Aruana, Westw.** l. c. p. 35, pl. 4. f. 4 Aru.
 (1889).
H. Tertiata, *Brunn.* l. c. p. 211, pl. 16. f. 16 (1898).
- *26. **H. Everetti, Kirb.**, n. n. Borneo,
 || *H. Notata*, *Brunn.* l. c. p. 215, pl. 17. Alor.
 f. 22 A (1898).
27. **H. Reticulata, Brunn.** l. c. p. 214, pl. 17. Lombok,
 f. 22 (1898). Sumbawa.
28. **H. Obtusata, Brunn.** l. c. p. 213, pl. 17. N. Celebes.
 f. 19 (1898).
29. **H. Atrocoxata, Brunn.** l. c. p. 211. S. Celebes.
 pl. 16. f. 15 (1898).
30. **H. Purpurescens, Brunn.** l. c. p. 212, Minahassa,
 pl. 16. f. 17 (1898). Celebes.
- *31. **H. Sternosticta, Wood-Mason**, Journ. Australia.
 Asiatic Soc. Bengal, li. p. 31 (1882).

Genus 73. **Rhombodera.** (*Type* no. 4.)

Burm. Handb. Ent. ii. p. 536 (1838); Sauss. Mém. Soc. Genève, xxi. p. 68 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 59 (1877).

<p>*1. R. Scutata, Karsch, Ent. Nachr. xviii. p. 6 (1892).</p> <p>*2. R. Tectiformis, Sauss. (<i>Hierodula</i> T.) Mitth. Schweiz. Ent. Ges. iii. p. 232 (1870); Mém. Soc. Genève, xxi. p. 68, pl. 5. f. 19 (1871).
<i>Hierodula</i> (<i>Rhombodera</i>) <i>Tectiformis</i>, Wood-Mason, Proc. Zool. Soc. Lond. 1878, p. 580.</p> <p>*3. R. Butleri, Wood-Mason, (<i>Hierodula</i> (<i>Rhombodera</i>) B.) l. c. p. 580, pl. 36. ff. 3, 3 a, b (1878).</p> <p>*4. R. Valida, Burm. (<i>Mantis</i> V.) l. c. p. 536. n. 28 (1838).
<i>Mantis Basalis</i>, Haan, Temminck, Verhandel., Orth. p. 67 (1842).
<i>Hierodula Basalis</i>, Stål, l. c. p. 60. n. 21 (1877).
<i>R. Basalis</i>, Westw. Rev. Mant. p. 33, pl. 5. ff. 4, 5 (1889); Shelford, Zoologist, (4) vii. pp. 294, 299. f. 1 (1903).</p> <p>5. R. Saussurii, Kirb., n. n.
 <i>Hierodula Valida</i>, Sauss. Mém. Soc. Genève, xxi. p. 69, pl. 5. f. 17 (1871).</p> <p>6. R. Deflexa, Sauss. (<i>Hierodula</i> (<i>Rhombodera</i>) D.) l. c. p. 283, pl. 7. f. 58 (1871).</p> <p>*7. R. Laticollis, Burm. (<i>Mantis</i> L.) l. c. p. 536. n. 29 (1838); Haan, l. c. p. 67 (1842).</p> <p>*8. R. Haanii, Kirb., n. n.
 <i>Mantis Valida</i>, Haan, l. c. p. 66 (1842).</p> <p>9. R. Medioconstricta, Westw. l. c. p. 35, pl. 12. f. 4 (1889).</p> <p>*10. R. Fratricida, Wood-Mason, (<i>Hierodula</i> (<i>Rhombodera</i>) F.) l. c. p. 581, pl. 36. ff. 5, 5 a (1878).</p> <p>*11. R. Taprobanæ, Wood-Mason, (<i>Hierodula</i> T.) Ann. Nat. Hist. (5) i. p. 146 (1878).
<i>Hierodula</i> (<i>Rhombodera</i>) <i>Taprobanæ</i>, Wood-Mason, Proc. Zool. Soc. Lond. 1878, p. 583, pl. 36. ff. 7, 7 a.</p> | <p>Angola,
E. Africa.</p>
<p>N. India.</p>
<p>Java,
Borneo,
Malay
Peninsula.
Australia (?)</p>
<p>Amboina.</p>
<p>Banka.</p>
<p>Java,
Borneo.</p>
<p>Timor,
Sumatra.
Flores.</p>
<p>Malabar,
Borneo.</p>
<p>Ceylon,
Java.</p> |
|--|---|

12. **R. Major, Sauss.** (*Hierodula (Rhombodera) M.*) l. c. xxi. p. 284, pl. 7. f. 59 (1871); xxiii. p. 37, pl. 9. f. 22 (1872). Ternate, &c.
13. **R. Titania, Stål,** (*Hierodula T.*) l. c. p. 59. n. 19 (1877). Moluccas.
- *14. **R. Extensicollis, Serv.** (*Mantis E.*) Ins. Java.
Orth. p. 189 (1839).
Mantis Flava, Haan, l. c. p. 68 (1842).
Hierodula (Rhombodera) Flava, Wood-Mason, Journ. Asiatic Soc. Bengal, li. p. 31 (1882).
Mantis Macropsis, Gieb. Zeitschr. ges. Naturw. xviii. p. 111 (1861).
Hierodula Macropsis, Sauss. l. c. xxi. pp. 70, 284, pl. 5. f. 18 (1871).
Hierodula Rhomboidalis, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 233 (1870).
Hierodula Lingulata, Stål, l. c. p. 59. n. 18 (1877).
15. **R. Phryne, Stål,** (*Hierodula (Rhombodera) P.*) Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 38 (1877). Philippines.
- *16. **R. Pustulifera, Wood-Mason,** (*Hierodula (Rhombodera) P.*) Proc. Zool. Soc. Lond. 1878, p. 583, pl. 36. ff. 6, 6 a. Australia, Bouru, Obi, Kei.
- *17. **R. Atricoxis, Wood-Mason,** (*Hierodula (Rhombodera) A.*) l. c. p. 582, pl. 36. ff. 4, 4 a, b (1878). Australia.
Mantis (Rhombodera) Atricoxis, var. Grandis, Wood-Mason, Journ. Asiatic Soc. Bengal, li. p. 31 (1885).
- *18. **R. Tamolana, Brancs.** Jahresh. Ver. Trencsin. Com. xix.-xx. p. 62, pl. 1. f. 8 (1897). N. Guinea.
- **19. **R. Pectoralis, Westw.** l. c. p. 33, pl. 1. f. 7 (1889). id. Lizard I.

Genus 74. **Mantis.** (*Type no. 1.*)

Linn. Syst. Nat. (ed. x.) i. p. 425 (1758); Geoffr. Hist. Ins. i. p. 399 (1762); Latr. Hist. Nat. Crust. Ins. iii. p. 273 (1802), xii. p. 105 (1804); Burm. Handb. Ent. ii. p. 530 (1838); Serv. Ins. Orth. p. 174 (1839); Sauss. Mém. Soc. Genève, xxi. p. 88 (1871); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 201 (1895); Brunn. Prodr. Eur. Orth. p. 58 (1882); Tümp. Geradfl. Mitteleurop. p. 235 (1900); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 150 (1902).

- *1. **M. Religiosa**, Linn. (*Gryllus* (*Mantis*) *Religiosus*) l. c. p. 426. n. 5 (1758).
 —, Rösel, Insect. Belust. ii. Locust. Ind. pl. 1 (1749), iv. pl. 12 (1761).
M. Religiosa, Sulz. Gesch. Ins. p. 78, pl. 8. f. 4 (1776); Oliv. Enc. Méth. vii. p. 627. n. 10 (1792); Panz. Faun. Germ. fasc. l. pl. 8 (1798); Latr. l. c. xii. p. 109, pl. 94. f. 3 (1804); Guér. Icon. R. Anim., Ins. p. 327, pl. 52. f. 7 (1829–44); Burm. l. c. p. 535. n. 26 (1838); Serv. l. c. p. 193 (1839); Duncan, Nat. Libr., Ins. i. p. 233, pl. 8 (1840); Fisch. Waldh. Orth. Ross. p. 100, pl. 2. ff. 1, 2 (1846); Fisch. Orth. Eur. p. 129, pl. 2. ff. 6, 7, pl. 8. f. 1 (1853); Kitt. Bull. Mosc. xxii. p. 443, pl. 7. ff. 7, 8 (1849); Sauss. l. c. xxi. p. 91 (1871); Bol. Sin. Ortópt. Españ. p. 57, pl. 1. f. 23 (1876); Brunn. l. c. p. 59 (1882); Gerst. Mitth. Ver. Vorpomm. xiv. p. 86 (1883); Fin. Faune France, Orth. p. 87, pl. 3. f. 50 (1889); Tümp. l. c. p. 235, pl. 16 (1900); Jacobs. & Bianki, l. c. p. 151, pl. 4 (1902).
 || *M. Oratoria*, pt., Fabr. Syst. Ent. p. 276. n. 14 (1775); Oliv. l. c. p. 628. n. 11 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 28. n. 26 (1802).
M. Maroccana, Thunb. Mém. Acad. Pétersb. v. p. 287 (1815).
M. Striata, Fabr. Ent. Syst. ii. p. 20. n. 30 (1793).
M. Radiata, Motsch. Fisch. Waldh. l. c. p. 101, pl. 2. f. 3 (1846).
 1 a. **M. Sancta**, Fabr. Mant. Ins. i. p. 228. n. 23 (1787); Oliv. l. c. p. 628. n. 14 (1792); Licht. l. c. p. 30. n. 33 (1802).
 *2. **M. Sacra**, Thunb. l. c. v. p. 289 (1815); Dist. Nat. in Transvaal, p. 258 (1892); Kirb. Ann. Nat. Hist. (7) iv. p. 348 (1899); Sauss. Fedchenko, Reise Turk., Orth. p. 12 (1874); Jacobs. & Bianki, l. c. p. 150 (1902).
 ? || *Mantis Oratoria*, Stoll, Spectres, Mantes, p. 53, pl. 17. f. 64 (1813).

S. & Centr.
Europe,
N. & W.
Asia,
N. Africa.

S. France.

Africa,
India (?),
Borneo (?).

- *2 a. **M. Pia, Serv.** l. c. p. 193 (1839); Stål, Cefv. Vet.-Akad. Förh. p. 391 (1871); Kirb. l. c. p. 348 (1899).
 ||*M. Prasina*, Sauss. Mém. Soc. Genève, xxi. p. 93 (1871).
M. Capensis, Sauss. l. c. xxiii. p. 46 (1872).
- *3. **M. (?) Prasina, Serv.** l. c. p. 195 (1839); Sauss. Abhandl. Senckenb. Ges. xxi. p. 592 (1899); Sauss. & Zehntn. l. c. p. 203, pl. 9. f. 24 (1895).
M. Callifera, Wood-Mason, Journ. Asiatic Soc. Bengal, li. p. 32 (1882).
M. Emortualis, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 68 (1869); Mém. Soc. Genève, xxi. p. 89, pl. 5. f. 37 (1871).
- *4. **M. (?) Natalensis, Stål**, Cefv. Vet.-Akad. Förh. xiii. p. 169 (1856), xxviii. p. 391 (1871); Sauss. Mém. Soc. Genève, xxi. p. 288 (1871).
M. Viridis, Sauss. l. c. xxiii. p. 47 (1872); Sauss. & Zehntn. l. c. p. 201, pl. 8. f. 22 (1895).
5. **M. Japonica, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 69 (1869); Mém. Soc. Genève, xxi. p. 90 (1871); Jacobs. & Bianki, l. c. p. 151 (1902).
6. **M. Mandarinica, Sauss.** l. c. xxi. p. 289, pl. 7. f. 61 (1871); Jacobs. & Bianki, l. c. p. 151 (1902).
- *7. **M. Nobilis, Brunn.** Ann. Mus. Genova, xxxiii. p. 70, pl. 2. f. 23 (1893).
8. **M. Octospilota, Westw.** Rev. Mant. p. 35 (1889).
9. **M. (?) Monochroa, Montr.** Ann. Sci. Phys. Nat. Lyon, (2) vii. (1) p. 79 (1855).
- Africa.
 Mauritius,
 Bourbon,
 Madagascar
 S. Africa,
 Sierra
 Leone.
 Natal,
 Madagascar
 Japan.
 Ningpo.
 Bhamo,
 Sikhim.
 Adelaide.
 Woodlark I.

Genus 75. **Callimantis.** (Type no. 2.)

Stål, Bihang Svenska Akad. iv. (10) pp. 39, 61 (1877).

1. **C. Floridana, Scudd.** Canad. Ent. xxviii. p. 210 (1896). Florida.
- *2. **C. Antillarum, Sauss.** (*Mantis A.*) Rev. Zool. (2) xi. p. 60 (1859). St. Thomas,
Iris Antillarum, Sauss. Mém. Mex., Mant. Haiti;
 p. 105 (1871); Miss. Mex., Orth. p. 261, Brazil (?).
 pl. 6. f. 16 (1872).

Genus 76. **Stagmomantis.** (*Type* no. 4.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. pp. 56, 65 (1869); Mém. Mex., Mant. pp. 28, 42 (1871); Miss. Mex., Orth. pp. 233, 242 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 139 (1894).

- *1. **S. Nahua, Sauss.** ll. cc. p. 65 (1869); Mexico,
p. 45 (1871); p. 244, pl. 6. ff. 14, 15 Costa Rica,
(1872). &c.
- 2. **S. Vicina, Sauss.** ll. cc. p. 229 (1870); Guatemala.
p. 46 (1871); p. 245 (1872).
- **3. **S. Heterogamia, Sauss. & Zehntn.** l. c. Panama.
p. 142. n. 3, pl. 7. ff. 2, 3 (1894).
- 3 *vis.* **S. Theophila, Rehn,** Proc. U. S. Nat. Costa Rica.
Mus. xxvii. p. 563 (1904).
- *4. **S. Carolina, Joh.** (*Gryllus Carolinus*) Southern
Amœn. Acad. vi. p. 396. n. 28 (1763). United
Gryllus Irroratus, Joh. l. c. p. 397. n. 29 States,
(1763). N. Mexico.
Mantis Irrorata, Oliv. Enc. Méth., Ins. vii.
p. 628. n. 12 (1792); Licht. Trans. Linn.
Soc. Lond. vi. p. 27. n. 21 (1802).
- (?) *Mantis Nebulosa, Thunb.* Mém. Soc. Pétersb.
v. p. 288 (1815).
- Mantis Carolina, Oliv.* l. c. p. 632. n. 31
(1792); Stoll, Spectres, Mantes, p. 70,
pl. 24. f. 91 (1813); Burm. Handb. Ent.
ii. p. 538. n. 38 (1838); Pack. Guide
Stud. Ins. pp. 574, 575 (1869).
- Phasmomantis Carolina, Comst.* Man. Stud.
Ins. p. 107, f. 116 (1895).
- S. Carolina, Sauss.* Mém. Mex., Mant. p. 47
(1871); Sauss. & Zehntn. l. c. p. 143.
n. 4 (1894); Howard, Insect Book, p. 326,
f. 215 (1902).
- (?) *Mantis Fuscata, Weber,* Obs. Ent. p. 97
(1801).
- Mantis Conspurcata, Serv.* Ins. Orth. p. 190
(1839).
- Mantis Inquinata, Serv.* l. c. p. 191 (1839).
- *5. **S. Tolteca, Sauss.** (*Mantis (Stagmatoptera)* Texas,
T.) Rev. Zool. (2) xiii. p. 127 (1861). Mexico,
S. Tolteca, Sauss. & Zehntn. l. c. p. 143. n. 5 Central
(1894). America,
S. Carolina, var. Tolteca, Sauss. Mém. Panama.

- Mex., Mant. p. 47 (1871); Miss. Mex., Orth. p. 247, pl. 5. f. 5, pl. 6. f. 12 (1872).
- 5 a. **S. Wheelerii, Thom.** (*Mantis W.*) Colorado(?).
Wheeler, Rep. Expl. Surv. W. 100th Merid. v. Zool. p. 849 (1875).
- *6. **S. Dimidiata, Burm.** (*Mantis D.*) Handb. Argentine Republic.
Ent. ii. p. 539. n. 39 (1838); Berl. Ent. Zeitschr. viii. p. 237 (1864).
Mantis Cuticularis, Serv. l. c. p. 189 (1839).
- *7. **S. Ferox, Sauss.** (*Mantis F.*) Rev. Zool. Carolina, Texas, Mexico, Cent. Amer.
(2) xi. p. 60 (1859).
|| *S. Dimidiata*, pt., *Sauss.* Mém. Mex., Mant. p. 48 (1871); *Sauss. & Zehntn.* l. c. p. 144. n. 6 (1894).
S. Dimidiata, var. *Ferox, Sauss.* Miss. Mex., Orth. p. 248, pl. 5. f. 6 (1872).
- *8. **S. Stollii, Sauss.** Mitth. Schweiz. Ent. Georgia, Virginia, Cuba.
Ges. iii. p. 65 (1869).
(?) *S. Dimidiata*, var. *e. Stollii, Sauss.* Mém. Mex., Mant. p. 49 (1871).
|| *Mantis Carolina, Stoll*, l. c. p. 71, pl. 24. f. 92 (1813).
- **9. **S. Fraterna, Sauss. & Zehntn.** l. c. Mex., Guat., Brit. Hond.
p. 144. n. 7, pl. 9. ff. 7, 8 (1894). iid.
- **10. **S. Maya, Sauss. & Zehntn.** l. c. p. 145. n. 8, pl. 9. ff. 5, 6 (1894).
11. **S. Cærulans, Sauss. & Zehntn.** l. c. n. 9, Central America(?).
pl. 9. f. 9 (1894). Guatemala.
- **12. **S. Venusta, Sauss. & Zehntn.** l. c. n. 10, pl. 7. ff. 4, 5 (1894).
- *13. **S. Limbata, Hahn,** (*Mantis L.*) Icones, Mexico.
pl. A. f. 2 (1835).
S. Limbata, Sauss. Miss. Mex., Orth. p. 249, pl. 6. f. 11 (1872); *Sauss. & Zehntn.* l. c. p. 146. n. 11 (1894).
Mantis Cellularis, Burm. Handb. Ent. ii. p. 532. n. 12 (1838).
Mantis Viridimargo, Burm. l. c. n. 13 (1838).
Mantis Latipennis, Burm. l. c. p. 538. n. 37 (1838); *Sauss. Mém. Mex., Mant.* p. 52 (1871); *Westw. Rev. Mant.* p. 36, pl. 9. ff. 4, 5 (1889).
Mantis Asteca, Sauss. Rev. Zool. (2) xi. p. 60 (1859).
- **14. **S. Montana, Sauss. & Zehntn.** l. c. Mexico, Guatemala.
p. 146, pl. 9. f. 4 (1894).

- *15. **S. Domingensis, Beauv.** (*Mantis D.*) Ins. | Haiti,
Afr. Amér. p. 61, pl. 12. f. 2 (1805). | Cuba.
S. Domingensis, Sauss. Mém. Mex., Mant.
p. 50 (1871); Miss. Mex., Orth. p. 245
(1872); Westw. l. c. p. 36, pl. 4. f. 3
(1889); Sauss. & Zehntn. l. c. p. 146.
n. 13 (1894); Rehn, l. c. p. 564 (1904).
Mantis Cubaensis, Haan, Temminck, Ver-
handel., Orth. p. 74. n. 27 (1842).
- 15 a. **S. Albimacula, Burm.** (*Mantis A.*) l. c. | Brazil.
p. 534. n. 19 (1838).
- **16. **S. Androgyna, Sauss. & Zehntn.** l. c. | British
p. 147. n. 14, pl. 7. f. 1 (1894). | Honduras.
17. **S. (?) Thalassina, Burm.** (*Mantis T.*) l. c. | Brazil.
p. 532. n. 8 (1838).
18. **S. (?) Tripunctata, Burm.** (*Mantis T.*) | Bahia.
l. c. n. 10 (1838).
19. **S. (?) Conspersa, Burm.** (*Mantis C.*) l. c. | B. Aires.
p. 534. n. 18 (1838).
20. **S. (?) Marginata, Beauv.** (*Mantis M.*) l. c. | Haiti.
p. 62, Orth. pl. 12. f. 3 (1805).

Genus 77. **Melliera.** (*Type* no. 1.)

Sauss. Soc. Ent. vii. p. 123 (1892);
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 147 (1894).

- **1. **M. Atopogamia, Sauss.** l. c. p. 123 | Mexico,
(1892); Sauss. & Zehntn. l. c. p. 148, | Guatemala,
pl. 7. ff. 7, 8 (1894). | Nicaragua.
2. **M. Major, Sauss.** (*Acontista M.*) Mém. | Brazil.
Soc. Genève, xxiii. p. 22 (1872); Miss.
Mex., Orth. p. 241 (1872).
M. Major, Sauss. & Zehntn. l. c. p. 149. n. 2
(1894).

Genus 78. **Phasmomantis.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 57 (1869); Mém. Soc.
Genève, xxi. pp. 42, 278 (1871); Mém. Mex., Mant. p. 54
(1871); Miss. Mex., Orth. p. 251 (1872); Sauss. & Zehntn.
Biol. Centr.-Amer., Orth. i. p. 149 (1894).

- *1. **P. Sumichrasti, Sauss.** (*Mantis (Cardio-* | Mexico,
ptera) S.) Rev. Zool. (2) xiii. p. 126 | Texas, Brit.
(1861). | Honduras.
P. Sumichrasti, Sauss. Mém. Mex., Mant.

- p. 55 (1871); Miss. Mex., Orth. p. 252,
pl. 1. ff. 7, 8 (1872); Sauss. & Zehntn.
l. c. p. 149. n. 1 (1894).
♂. *Mantis Mexicana*, Sauss. Rev. Zool. (2)
xiii. p. 127 (1861).
2. **P. Championi, Sauss. & Zehntn. l. c. Panama.
p. 149. n. 2, pl. 7. f. 6 (1894).

Genus 79. **Oxyothespis.** (*Type no. 1.*)

Sauss. Mitth. Schweiz. Ent. Ges. iii. pp. 234, 239 (1870).
Oxythespis, Sauss. Mém. Soc. Genève, xxi. p. 127 (1871); Stål,
Bihang Svenska Akad. iv. (10) p. 29 (1877); Jacobs. &
Bianki, Prem. i Lozhn. Ross. Imp. p. 151 (1902).

- *1. **O. Senegalensis, Sauss.** ll. cc. p. 239 Senegal,
(1870); p. 128, pl. 6. ff. 41, 41 *a, b* Abyssinia.
(1871).
*2. **O. Granulata, Sauss.** ll. cc. p. 239 (1870); Senegal,
p. 128, pl. 6. ff. 40, 40 *a* (1871). Lagos.
3. **O. Turcomaniæ, Sauss.** Mém. Soc. Turkestan.
Genève, xxiii. p. 61 (1872); Fedchenko,
Reise Turk., Orth. p. 19, pl. 1. f. 8 (1874);
Jacobs. & Bianki, l. c. p. 151 (1902).

Genus 80. **Nanomantis.** (*Type no. 1.*)

Sauss. Mém. Soc. Genève, xxi. pp. 29, 115, 310 (1871);
Stål, Bihang Svenska Akad. iv. (10) p. 27 (1877).

- *1. **N. Australis, Sauss.** l. c. pp. 117, 311, Australia.
pl. 7. f. 64 (1871).
2. **N. (?) Snelleni, Sauss.** l. c. p. 313, pl. 7. Moluccas.
f. 65 (1871).
*3. **N. (?) Albella, Burm.** (*Mantis A.*) Handb. Java,
Ent. ii. p. 533. n. 15 (1838). Borneo,
Miopteryx Lactea, Sauss. Mitth. Schweiz. Sumatra,
Ent. Ges. iii. p. 237 (1870); Mém. Soc. Singapore,
Genève, xxi. p. 125. n. 5 (1871). Manilla.
Miopteryx Albella, Sauss. l. c. xxiii. p. 72
(1872).
4. **N. (?) Miranda, Westw.** Rev. Mant. Sumatra.
p. 19. n. 467 (1889).
Miopteryx Mirandula, Westw. l. c. p. 38
(1889).

<p>5. N. (?) Hemerobius, Stoll, (<i>Mantis H.</i>)
Spectres, Mantes, p. 40 (1788); Oliv. Enc.
Méth., Ins. vii. p. 638. n. 70 (1792).
<i>Mantis Fenestrata, Stoll</i>, l. c. pl. 12. f. 46
(1813).
<i>Mantis Neuroptera, Licht.</i> Trans. Linn. Soc.
Lond. vi. p. 31. n. 36 (1802).</p> <p>6. N. (?) Fragilis, Westw. (<i>Musonia F.</i>)
Rev. Mant. p. 31 (1889).</p> <p>7. N. (?) Gilolæ, Westw. (<i>Musonia G.</i>) l. c.
(1889).</p> <p>8. N. (?) Variipennis, Westw. (<i>Musonia V.</i>)
l. c. (1889).</p> <p>9. N. (?) Bilineata, Westw. (<i>Musonia B.</i>)
l. c. (1889).</p>	Ceylon. Sarawak. Gilolo. Dorey. Sarawak.

Genus 81. **Stenomantis.** (*Type no. 1.*)

Sauss. Mém. Soc. Genève, xxi. p. 311 (1871).

<p>*1. S. Novæ-Guineæ, Haan, (<i>Mantis N.</i>)
Temminck, Verhandel., Orth. p. 76, pl. 17.
f. 3 (1842).
<i>Miomantis Novæ-Guineæ, Sauss.</i> l. c. pp. 121,
308 (1871).
<i>Nanomantis Novæ-Guineæ, Sauss.</i> l. c. p. 314
(1871).</p> <p>1 a. S. Biseriata, Westw. (<i>Nanomantis B.</i>)
Rev. Mant. p. 32 (1889).</p> | <p>N. Guinea,
Waigiou,
Queensland.</p> <p>Rockhamp-
ton.</p> |
|---|--|

Genus 82. **Parathespis.**

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 58 (1869);
Mém. Soc. Genève, xxi. p. 132 (1871).

<p>1. P. Humbertiana, Sauss. ll. cc. p. 71
(1869); xxi. p. 133 (1871); xxiii. p. 63
(1872).</p>	Ceylon.

Genus 83. **Hoplocorypha.** (*Type no. 1.*)

Stål, Æfv. Vet.-Akad. Förh. xxviii. p. 388 (1871); Sauss. Mém.
Soc. Genève, xxiii. p. 63 (1872); Sauss. & Zehntn. Gran-
didier, Hist. Madagascar, Orth. i. p. 208 (1895).

<p>*1. H. Galeata, Gerst. (<i>Mantis (Danuria) G.</i>)
Arch. f. Nat. xxxv. p. 210 (1870); Von
der Decken, Reisen in Ost-Afrika, Ins.
p. 16 (1873).</p>	Africa.

- Parathespis Galeata*, Sauss. l. c. xxi. p. 135 (1871), xxiii. p. 63 (1872).
Mantis Macra, Stål, l. c. xiii. p. 169. n. 4 (1856).
H. Macra, Stål, l. c. xxviii. p. 388 (1871); Sauss. & Zehntn. l. c. p. 209 (1895).
2. H. Rapax , Sauss. Ann. Mus. Genova, xvi. p. 211 (1881).	Shoa.
3. H. Bottegi , Sauss. l. c. xxxv. p. 91 (1895).	Galla Land.
4. H. Boromensis , Brancs. Jahresh. Ver. Trencsin. Com. xvii.-xviii. p. 247, pl. 7. f. 8 <i>a-d</i> (1895).	Zambesi.
*5. H. Grandis , Brancs. l. c. p. 248, pl. 7. f. 9 <i>a-c</i> (1895).	id.
6. H. Aurita , Sauss. & Zehntn. l. c. p. 210, pl. 9. f. 34 (1895).	Madagascar
7. H. Bispina , Sauss. & Zehntn. l. c. p. 211, pl. 9. f. 33 (1895).	id.

Genus 84. **Fulcinea.**

Stål, Bihang Svenska Akad. iv. (10) p. 27 (1877).

1. F. Alaris , Sauss. (<i>Nanomantis</i> A.) Mém. Soc. Genève, xxi. p. 312 (1871).	Moluccas.

Genus 85. **Calidomantis.** (*Type* no. 3.)

Rehn, Canad. Ent. xxxiii. p. 271 (1901).

|| *Miomantis*, Sauss. Mitth. Schweiz. Ent. Ges. iii. pp. 225, 228 (1870); Mém. Soc. Genève, xxi. p. 117 (1871); Rev. Suisse Zool. v. pp. 184, 788 (1898); Stål, Bihang Svenska Akad. iv. (10) p. 53 (1877) (*nec* Blanch.).

|| *Photina*, Burm. Handb. Ent. ii. p. 531 (1838).

1. C. Armicollis , Karsch, (<i>Miomantis</i> A.) Ent. Nachr. xviii. p. 148 (1892); Berl. Ent. Zeitschr. xxvii. p. 66 (1892), xxxix. p. 275, pl. 19. f. 4 (1894).	Cameroons.
2. C. Cephalotes , Gerst. (<i>Miomantis</i> C.) Mitth. Ver. Vorpomm. xiv. p. 85 (1883); Sauss. Rev. Suisse Zool. v. p. 187 (1898).	id.

- **3. C. Fenestrata, Fabr.** (*Mantis F.*) Spec. Ins. i. p. 349. n. 13 (1781); Oliv. Enc. Méth., Ins. vii. p. 629. n. 18 (1792); Burm. Handb. Ent. ii. p. 531. n. 5 (1838).
Miomantis Fenestrata, Sauss. Mém. Soc. Genève, xxi. p. 119 (1871); Rev. Suisse Zool. v. p. 187 (1898).
Mantis Nana, Stoll, Spectres, Mantes, p. 66, pl. 22. f. 84 (1813).
Mantis Vitrata, Oliv. Enc. Méth., Ins. vii. p. 639. n. 1 (1792); Serv. Ins. Orth. p. 196 (1839).
Mantis Forficata, Stoll, l. c. p. 4, pl. 1. f. 2 (1813).
4. **C. Lutescens, Sjöst.** (*Miomantis L.*) Bihang Svenska Akad. xxv. (4: 6) p. 15 (1900). Cameroons.
5. **C. Preussi, Karsch,** (*Miomantis P.*) Berl. Ent. Zeitschr. xxxvii. p. 148 (1892), xxxix. p. 275, pl. 20. ff. 11, 12 (1894). id.
6. **C. Quadripunctata, Sauss.** (*Miomantis Q.*) Rev. Suisse Zool. v. p. 188 (1898). S. Africa.
- *7. C. Monacha, Fabr.** (*Mantis M.*) Mant. Ins. i. p. 228. n. 21 (1787); Oliv. Enc. Méth., Ins. vii. p. 629. n. 15 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 30. n. 32 (1802). S. & E. Africa.
Miomantis Monacha, Kirb. Ann. Nat. Hist. (7) iv. p. 349 (1899).
8. **C. Coxalis, Sauss.** (*Miomantis C.*) l. c. p. 189 (1898). S. Africa.
- *9. C. Caffra, Sauss.** (*Miomantis C.*) Mém. Soc. Genève, xxi. p. 309 (1871); Rev. Suisse Zool. v. p. 195 (1898). Natal.
10. **C. Brevipennis, Sauss.** (*Miomantis B.*) Mém. Soc. Genève, xxiii. p. 68 (1872); Rev. Suisse Zool. v. p. 190 (1898). Cape, Natal, Zanzibar.
- *11. C. Menelikii, Borm.** (*Miomantis M.*) Ann. Mus. Genova, xvi, p. 209, fig. (1881), xviii. p. 705 (1883); Sauss. Rev. Suisse Zool. v. p. 194 (1898). Shoa.
12. **C. Paykullii, Stål,** (*Miomantis P.*) Œfv. Vet.-Akad. Förh. xxviii. p. 392, note (1871); Sauss. l. c. p. 194 (1898). Senegal(?).

- *13. **C. Savignyi, Sauss.** (*Miomantis S.*) Egypt,
Mém. Soc. Genève, xxiii. p. 69, pl. 8. Nubia,
f. 15 (1872); Rev. Suisse Zool. v. p. 190 Zululand.
(1898); Westw. Rev. Mant. p. 37, pl. 10.
f. 1 (1889).
14. **C. Senegalensis, Schulth.** (*Miomantis S.*) Senegal.
Bull. Soc. Vaud. xxxv. p. 196 (1899).
- *15. **C. Prasina, Burm.** (*Mantis P.*) l. c. p. 543. Natal.
n. 55 (1838).
|| *Mantis Fenestrata*, Charp. Orth. pl. 40
(1842).
Miomantis Semialata, Sauss. Mém. Soc.
Genève, xxiii. p. 71, pl. 8. f. 14 (1872);
Rev. Suisse Zool. v. p. 191, pl. 9. f. 1
(1898).
Miomantis Marginalis, var., Sauss. Mém.
Soc. Genève, xxi. p. 309 (1871).
16. **C. Saussurei, Schulth.** (*Miomantis S.*) id.,
l. c. p. 195 (1899). Delagoa B.
- *17. **C. Pellucida, Sauss.** (*Miopteryx P.*) Mitth. Senegal,
Schweiz. Ent. Ges. iii. p. 238 (1870). S. Africa.
Miomantis Pellucida, Sauss. Mém. Soc.
Genève, xxi. p. 119, pl. 5. ff. 38, 39 (1871);
Rev. Suisse Zool. v. p. 191 (1898).
- 17 a. **C. Clara, Serv.** (*Mantis C.*) l. c. p. 204 Senegal.
(1839).
18. **C. Nyassensis, Sauss.** (*Miomantis N.*) Nyassa.
Rev. Suisse Zool. v. p. 195 (1898).
19. **C. Scabricollis, Gerst.** (*Miomantis S.*) Gold Coast.
Mitth. Ver. Vorpomm. xiv. p. 84 (1883);
Sauss. l. c. p. 192 (1898).
- *20. **C. Pharaonis, Sauss.** (*Miomantis P.*) Egypt.
l. c. p. 193 (1898).
21. **C. Gracilis, Karsch,** (*Miomantis G.*) Ent. Cameroons.
Nachr. xviii. p. 149 (1892), xxxix. p. 275,
pl. 20. f. 10 (1894).

Genus 86. **Iris.** (*Type no. 1.*)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 56 (1869); Mém. Soc.
Genève, xxi. p. 105 (1871); Mém. Mex., Mant. p. 104
(1871); Miss. Mex., Orth. p. 261 (1872); Bol. Sin. Ortópt.
Esp. p. 63 (1876); Brunn. Prodr. Eur. Orth. p. 60 (1882);
Finot, Faune France, Orth. p. 88 (1890); Jacobs. &
Bianki, Prem. i Lozhn. Ross. Imp. p. 151 (1902).

- *1. **I. Oratoria**, Linn. (*Gryllus* (*Mantis*) *Oratorius*) Syst. Nat. (ed. x.) i. p. 426. n. 6 (1758). N. Africa, S. Europe, W. Asia.
Mantis Oratoria, Linn. op. cit. (ed. xii.) i. (2) p. 690. n. 6 (1766) (*excl. syn.*); Charp. Hor. Ent. p. 89 (1825); Orth. pl. 16 (1842); Burm. Handb. Ent. ii. p. 540. n. 44 (1838); Serv. Ins. Orth. p. 195 (1839); Fisch. Orth. Eur. p. 127 (1853).
Iris Oratoria, Sauss. Mém. Soc. Genève, xxi. p. 106 (1871); Fedchenko, Reise Turk., Orth. p. 15 (1874); Bol. l. c. p. 64 (1876); Brunn. l. c. p. 61, pl. 2. f. 15 A, B (1882); Finot, l. c. p. 88, pl. 3. f. 51 (1890); Sharp, Cambridge Nat. Hist., Ins. i. p. 248, f. 140 (1895); Jacobs. & Bianki, l. c. p. 152, pl. 2 (1902).
Mantis Bella, Germ. Faun. Ins. Eur. fasc. 6, pl. 16 (1817).
Mantis Minima, Charp. Hor. Ent. p. 91 (1825); Burm. l. c. p. 531. n. 2 (1838); Fisch. Waldh. Orth. Ross. p. 105 (1846).
Mantis Fenestrata, Brullé, Exp. Morée, p. 84, pl. 29. f. 5 (1832).
Mantis Polystictica, Fisch. Waldh. l. c. p. 102, pl. 2. f. 4 (1846).
2. **I. Fasciata**, Oliv. (*Mantis F.*) Enc. Méth., Ins. vii. p. 640. n. 4 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 30. n. 34 (1802). Surinam, Cayenne.
Mantis Strigosa, Stoll, Spectres, Mantes, p. 56, pl. 18. f. 68 (1813).
I. Strigosa, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 64 (1869); Mém. Mex., Mant. p. 104 (1871).
- *3. **I. Orientalis**, Wood-Mason, Journ. Asiatic Soc. Bengal, li. p. 32 (1882). India.
4. **I. Masoni**, Westw. Rev. Mant. p. 32, pl. 1. f. 6 (1889). id.
5. **I. Rogenhoferi**, Sauss. Mém. Soc. Genève, xxiii. p. 55, pl. 8. f. 9 (1872). Natal.

Genus 87. **Oxyophthalmus.** (*Type* no. 1.)

Oxyophthalmus, *Sauss.* Ann. Soc. Ent. France, (4) i. p. 469 (1861).

Oxyophthalma, *Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 59 (1869); Mém. Soc. Genève, xxi. p. 270 (1871), xxiii. p. 12 (1872).

1. O. Gracilis , <i>Sauss.</i> Ann. Soc. Ent. France, (4) i. p. 470, pl. 11. f. 1 (1861) : Mém. Soc. Genève, xxi. p. 271 (1871).	Ceylon.
2. O. Engæus , Wood-Mason , Cat. Mant. p. 37, f. 28 (1889).	Nilgiris.

Genus 88. **Paroxyophthalmus.** (*Type* no. 1.)

Wood-Mason, Cat. Mant. p. 38 (1889).

1. P. Collaris , <i>Sauss.</i> (<i>Oxyophthalmus</i> C.) Mém. Soc. Genève, xxiii. p. 14, pl. 9. f. 17 (1872).	Senaar.
2. P. (?) Savatieri , Rochebr. (<i>Oxyophthalma</i> S.) Bull. Soc. Philom. (7) vii. p. 176 (1883).	Senegambia

Genus 89. **Episcopus.**

Sauss. Mém. Soc. Genève, xxiii. p. 12 (1872).

*1. E. Chalybeus , Burm. (<i>Schizocephala Chalybea</i>) Handb. Ent. ii. p. 552. n. 2 (1838).
<i>Oxyophthalma Chalybea</i> , <i>Sauss.</i> l. c. p. 12, pl. 8. ff. 2, 2 a (1872).
<i>E. Chalybeus</i> , <i>Wood-Mason</i> , Journ. Asiatic Soc. Bengal, li. p. 24 (1882) ; Cat. Mant. p. 38, f. 29 (1889).	S. & E. Africa.

Genus 90. **Paraepiscopus.**

Wood-Mason, Cat. Mant. p. 39 (1889).

1. P. Hampsoni , Wood-Mason , l. c. p. 40, f. 30 (1889),	Nilgiris.

Genus 91. **Dysaules.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 15 (1877);
Wood-Mason, Cat. Mant. p. 41 (1889).

<p>*1. D. Longicollis, Stål, l. c. p. 18 (1877);
Wood-Mason, l. c. p. 41, f. 31 (1889).
<i>D. Longicollis</i>, var. <i>Brevipennis</i>, Wood-Mason, Journ. Asiatic Soc. Bengal, li. p. 25 (1882).</p> <p>*2. D. Himalayanus, Wood-Mason, Cat. Mant. p. 42, ff. 42, 43 (1889).
 <i>D. Longicollis</i>, Wood-Mason, Journ. Asiatic Soc. Bengal, li. p. 25 (1882).</p> | <p>India.</p> <p>N.W. India,
Quetta.</p> |
|---|--|

Genus 92. **Schizocephala.**

Serv. Ann. Sci. Nat. xxii. p. 55 (1831); Ins. Orth. p. 166 (1839);
Burm. Handb. Ent. ii. p. 552 (1838); Sauss. Mém. Soc. Genève, xxi. p. 135 (1871).

<p>*1. S. Bicornis, Linn. (<i>Gryllus (Mantis) B.</i>)
Syst. Nat. (ed. x.) i. p. 426. n. 8 (1758);
Mus. Ludov. Ulr. p. 116 (1764); Oliv.
Enc. Méth., Ins. vii. p. 632. n. 35 (1792).
<i>Mantis Oculata</i>, Fabr. Spec. Ins. i. p. 348.
n. 16 (1781); Oliv. l. c. n. 33 (1792);
Licht. Trans. Linn. Soc. Lond. vi. p. 20.
n. 2 (1802); Stoll, Spectres, Mantes,
pp. 32, 43, pl. 10. f. 38, pl. 13. f. 53
(1813).
<i>S. Bicornis</i>, Burm. l. c. p. 552. n. 1 (1838);
Serv. Ins. Orth. p. 167 (1839); Sauss. l. c.
p. 137 (1871); Wood-Mason, Cat. Mant.
p. 44, f. 34 (1889).
<i>Mantis Stricta</i>, Oliv. l. c. p. 641. n. 12
(1792).
<i>S. Stricta</i>, Serv. Ann. Sci. Nat. xxii. p. 56
(1831).</p> | <p>Africa,
India,
China.</p> |
|---|--------------------------------------|

Genus 93. **Leptocola.** (*Type* no. 1.)

Gerst. Mitth. Ver. Vorpomm. xiv. p. 91 (1883).

<p>* 1. L. Gracillima, Gerst. l. c. p. 92 (1883).
 <i>Euchomena Stanleyana</i>, Westw. Rev. Mant.
 p. 33 (1889).</p> <p>* 2. L. Giraffa, Karsch, Berl. Ent. Zeitschr.
 xxxix. p. 277 (1894).
 <i>L. Gracillima</i>, Karsch, Ent. Nachr. xviii.
 p. 11 (1892).</p> <p>3. L. Ligneæ, Karsch, l. c. p. 12 (1892).</p> <p>4. L. Seriepunctata, Karsch, l. c. p. 10
 (1892).</p> <p>5. L. Tenuissima, Karsch, l. c. p. 146
 (1892); Berlin. Ent. Zeitschr. xxxix.
 p. 276, pl. 19. f. 1 (1894).</p> | <p>Cameroons,
 Congo,
 Gaboon.</p> <p>Cameroons.</p> <p>Tanganyika.
 Chinchoxo.</p> <p>Cameroons.</p> |
|--|---|

Genus 94. **Solygia.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 32 (1877).

|| *Thespis*, Serv. Ins. Orth. p. 171 (1839).

<p>1. S. Sulcatifrons, Serv. (<i>Thespis S.</i>) l. c.
 p. 171 (1839).</p> <p>2. S. Agrionina, Gerst. (<i>Mantis (Photina)</i>
 A.) Arch. Nat. xxxv. p. 209 (1869); Von
 der Decken, Reisen in Ost-Afrika, Ins.
 p. 13 (1873).</p> <p>** 3. S. (?) Distanti, Kirb. Ann. Nat. Hist.
 (7) iv. p. 350 (1899); Dist. Ins. Transv.
 p. 38, pl. 2. f. 5 (1902).</p> <p>4. S. Phthisica, Sauss. (<i>Mantis P.</i>) Mitth.
 Schweiz. Ent. Ges. iii. p. 70 (1869); Mém.
 Mex., Mant. p. 131 (1871).</p> <p>5. S. (?) Bormantiella, Borm. (<i>Thespis B.</i>)
 Ann. Mus. Genov. xvi. p. 210 (1881).
 <i>Thespis Cormantiella</i>, Westw. Rev. Mant.
 p. 6 (1889).</p> | <p>Cape,
 Senegal.
 Zanzibar.</p> <p>Transvaal,
 Zululand.</p> <p>W. Africa
 (nec
 Brazil).
 Shoa.</p> |
|--|--|

Genus 95. **Teddia.**

Burr, Bull. Liverpool Mus. ii. p. 42 (1899) ;
 Forbes, Nat. Hist. Sokotra, p. 415 (1903).

- **1. **T. Dioscoris**, Burr, ll. cc. p. 43 (1899) ; | Sokotra.
 p. 416, pl. 25. ff. 3, 3a, b (1903).

Genus 96. **Brunneria.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 58 (1869), p. 240 (1870) ;
 Mém. Mex., Mant. p. 132 (1871).

*1. B. Subaptera , Sauss. ll. cc. p. 71 (1869);	Argentina.
p. 133, pl. 2. f. 30 (1871).	
*2. B. Brasiliensis , Sauss. ll. cc. p. 240	Brazil.
(1870) ; p. 135, pl. 2. ff. 31, 31a (1871).	
3. B. Borealis , Scudd. Canad. Ent. xxviii.	Texas.
p. 212 (1896).	
4. B. (?) Caudata , Sauss. (<i>Thespis</i> (?) C.)	Brazil.
Mitth. Schweiz. Ent. Ges. iii. p. 238	
(1870).	
<i>B. (?) Caudata</i> , Sauss. Mém. Mex., Mant.	
p. 136, pl. 2. f. 32 (1871).	

Genus 97. **Thespis.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 54 (1831) ; Burm. Handb. Ent. ii.
 p. 533 (1838), *sect. typ.*
Angela, Serv. Ins. Orth. p. 171 (1839) ; Sauss. Mém. Mex.,
 Mant. p. 57 (1871) ; Miss. Mex., Orth. p. 271 (1872) ;
 Sauss. & Zehntn. Biol. Centr. Amer., Orth. i. p. 155 (1894) ;
 Stål, Bihang Svenska Akad. iv. (10) p. 41 (1877).

*1. T. Purpurascens , Oliv. (<i>Mantis P.</i>) Enc.	S. America.
Méth., Ins. vii. p. 640. n. 7 (1792) ; Licht.	
Trans. Linn. Soc. vi. p. 20. n. 4 (1802) ;	
Burm. l. c. p. 533. n. 17 (1838).	
<i>T. Purpurascens</i> , Serv. Ann. Sci. Nat. xxii.	
p. 54 (1831).	
<i>Mantis Versicolor</i> , Stoll, Spectres, Mantes,	
p. 25, pl. 8. f. 28 (1813) ; Blanch. Hist.	
Ins. iii. p. 13. n. 7 (1841).	

- Angela Versicolor*, Sauss. Mém. Mex., Mant. p. 59 (1871); Westw. Rev. Mant. p. 5, pl. 3. ff. 2, 3 (1889).
 ♀. *Mantis Brachyptera*, Stoll, l. c. p. 58, pl. 19. f. 71 (1813).
T. Brachyptera, Serv. l. c. p. 173 (1839).
Angela Brachyptera, Sauss. & Zehntn. l. c. p. 156. n. 1 (1894).
2. **T. Fulgida**, Sauss. (*Angela F.*) Mém. Soc. Genève, xxiii. p. 61 (1872); Miss. Mex., Orth. p. 272 (1872); Sauss. & Zehntn. l. c. p. 157. n. 2 (1894). Cayenne.
3. **T. Quinquemaculata**, Oliv. (*Mantis Q.*) l. c. p. 636. n. 57 (1792); Stoll, l. c. p. 8, pl. 3. f. 9 (1813); Burm. l. c. p. 533. n. 16 (1838). Surinam, Cayenne.
Angela Quinquemaculata, Sauss. & Zehntn. l. c. p. 157. n. 3 (1894).
- **4. **T. Championi**, Sauss. & Zehntn. (*Angela C.*) l. c. p. 158. n. 4 (1894). Guatemala
5. **T. Miranda**, Sauss. (*Angela M.*) Mém. Mex., Mant. p. 60 (1871); Sauss. & Zehntn. l. c. p. 158. n. 6 (1894). Mexico.
- *6. **T. Perpulchra**, Westw. (*Angela P.*) l. c. p. 30 (1889); Sauss. & Zehntn. l. c. p. 158. n. 7, pl. 8. f. 1 (1894). Nicaragua.
7. **T. Trifasciata**, Stål, l. c. p. 62 (1877). Bahia.

Genus 98. **Eremoplana.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 33 (1877).

- *1. **E. Guerini**, Reiche & Fairm. (*Thespis G.*) Ferret & Galinier, Voy. Abyss. iii. p. 422, pl. 27. f. 4 (1847). Abyssinia, E. Africa.
E. Guerini, Westw. Rev. Mant. pp. 8, 33, pl. 11. f. 5 (1889).
Iris (Fischeria) Guerini, Sauss. Mém. Soc. Genève, xxi. p. 306 (1871).
Mantis Perfida, Guér. Lefebvre, Voy. Abyss. vi. p. 334, pl. 6. f. 1 (1848).
2. **E. Gigas**, Sauss. (*Brunneria G.*) Mitth. Schweiz. Ent. Ges. iii. p. 240 (1869). Africa (?).
Iris (Fischeria) Gigas, Sauss. Mém. Soc. Genève, xxi. p. 307 (1871).

- **3. **E. Microptera**, Westw. l. c. pp. 9, 32, pl. 3. f. 4 (1889). | India.
4. **E. (?) Basalis**, Westw. (*Phasmomantis B.*) l. c. pp. 10, 33, pl. 13. f. 4 (1889). | Darjiling.
5. **E. Armata**, Haan, (*Mantis (Thespis) A.*) Hab. — ?
Temminck, Verhandel., Orth. p. 95 (1842).
- 5a. **E. Laticeps**, Wood-Mason, (*Fischeria L.*) Ann. Nat. Hist. (4) xviii. p. 337 (1876), (5) i. p. 144 (1878). | India.
Deiphobe Laticeps, Wood-Mason, Proc. Zool. Soc. Lond. 1878, p. 580, pl. 35.
- (?) *Mantis Ocellata*, Thunb. Mém. Acad. Pétersb. v. p. 293 (1815).

Genus 99. **Deiphobe.**

Stål, Bihang Svenska Akad. iv. (10) p. 33 (1877).

- *1. **D. Ocellata**, Sauss. (*Thespis O.*) Mém. | India.
Soc. Genève, xxi. pp. 130, 306 (1871).

Genus 100. **Ischnomantis.** (*Type* no. 1.)

Stål, Öfv. Vet.-Akad. Förh. xxviii. p. 389 (1871).

1. **I. Fatiloqua**, Stål, (*Mantis F.*) l. c. xiii. | Natal.
p. 168 (1856), xxviii. p. 389 (1871).
2. **I. Spinigera**, Schulth. Ann. Mus. Genova, | Somali.
xxxix. p. 176 (1898).
3. **I. Media**, Rehn, Proc. Acad. Sci. Philad. | Galla Land.
liii. p. 284 (1901).
4. **I. Grandis**, Sauss. (*Phasmomantis G.*) | Senegal.
Mitth. Schweiz. Ent. Ges. iii. p. 69 (1869);
Mém. Soc. Genève, xxi. p. 43 (1871);
Mém. Mex., Mant. p. 57 (1871).
Fischeria Grandis, Sauss. Mém. Soc.
Genève, xxiii. p. 60, pl. 1. f. 10 (1872).

Genus 101. **Carvilia.** (*Type* no. 1.)

Stål, Öfv. Vet.-Akad. Förh. xxxiii. (3) p. 70 (1876); Bihang
Svenska Akad. iv. (10) p. 29 (1877).
Parasphendale, Schulth. Ann. Mus. Genova, xxxix. p. 177
(1898). (*Type* no. 1.)

- *1. **C. Vincata**, Gerst. (*Mantis V.*) Arch. f. | E. Africa.
Naturg. xxxv. p. 209. n. 24 (1859); Von

- der Decken, Reisen in Ost-Afrika, Ins.
p. 14, pl. 1. f. 6 (1873).
C. Vineta, *Sauss.* Abhandl. Senckenb. Ges.
xxi. p. 587 (1899).
- **2. **C. Costalis**, **Kirb.** Ann. Nat. Hist. (7) E. Africa.
xiii. p. 85 (1904).
Mantis Vineta, var. *a*, *Gerst.* ll. cc. p. 210
(1859) ; pp. 14, 15 (1873).
3. **C. Saussurii**, **Stål**, (*Fischeria* (*Carvilia*)
S.) Æfv. Vet.-Akad. Förh. xxxiii. (3) Damara
p. 70 (1876). Land.
4. **C. Minor**, **Schulth.** (*Parasphendale* M.) Somali
l. c. p. 177 (1898). Land.
- **5. **C. Obscura**, **Fabr.** (*Mantis* O.) Spec. Ins. W. Africa.
i. p. 349. n. 21 (1781).

Genus 102. **Dactylopteryx**.

Karsch, Ent. Nachr. xviii. p. 8 (1892).

1. **D. Flexuosa**, **Karsch**, l. c. p. 10 (1892). | Gaboon.

Genus 103. **Bisanthe**. (*Type* no. 1.)

Stål, Æfv. Vet.-Akad. Förh. xxxiii. (3) p. 72 (1876).

1. **B. Pulchripennis**, **Stål**, (*Mantis* P.) Damara
Bihang Svenska Akad. iii. (14) p. 43 Land.
(1875).
B. Pulchripennis, **Stål**, Æfv. Vet.-Akad.
Förh. xxxiii. (3) p. 72 (1876).
2. **B. Ornatipennis**, **Bol.** Ann. Soc. Ent. W. Africa.
France, 1893, p. 174.

Genus 104. **Fischeria**. (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 56 (1869) ; Mém. Soc.
Genève, xxi. pp. 106, 300 (1870) ; Brunn. Prodr. Eur.
Orth. p. 64 (1882) ; Jacobs. & Bianki, Prem. i Lozhn.
Ross. Imp. p. 153 (1902).

- *1. **F. Bætica**, **Ramb.** (*Mantis* B.) Faune | S. Europe,
Andalusie, ii. p. 19, pl. 1. ff. 1, 2 (1839) ; | N. Africa,
Luc. Expl. Alg. iii. p. 11 (1849) ; Fisch. | W. Asia.
Orth. Eur. p. 128, pl. 8. ff. 2, 3 (1853).

- Iris Bætica*, Sauss. Mém. Soc. Genève, xxi. pp. 108, 302 (1871).
Iris (Fischeria) Bætica, Bol. Sin. Ortópt. Españ. p. 64 (1876).
F. Bætica, Sauss. Fedchenko, Reise Turk., Orth. p. 16 (1874); Jacobs. & Bianki, l. c. p. 153 (1902).
Mantis Pallasii, Fieb. Lotos, iii. p. 95. n. 3 (1858).
- *2. **F. Syriaca**, Sauss. (*Iris S.*) Mitth. Schweiz. Ent. Ges. iii. p. 65 (1869). Syria.
3. **F. Caucasica**, Sauss. (*Iris C.*) Mém. Soc. Genève, xxi. p. 110 (1871). Caucasus, W. Asia.
F. Caucasica, Sauss. Fedchenko, Reise Turk., Orth. p. 17 (1874); Jacobs. & Bianki, l. c. p. 153 (1902).
- *4. **F. Fraterna**, Sauss. (*Iris F.*) Mém. Soc. Genève, xxi. p. 109 (1871). India, Arabia.

Genus 105. **Bolivaria**. (Type no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 34 (1877); Brunn. Prodr. Eur. Orth. p. 62 (1882); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 152 (1902).

1. **B. Brachyptera**, Pall. (*Mantis B.*) Reise, ii. p. 728. n. 81 (1773); Goeze, Ent. Beytr. ii. p. 32. n. 19 (1778); Fisch. Waldh. Orth. Ross. p. 103, pl. 5. f. 3 (1846). S.E. Europe, N. Africa, W. Asia.
- Iris Brachyptera*, Sauss. Mém. Soc. Genève, xxi. p. 112 (1871).
Mantis Commutata, Fieb. Lotos, iii. p. 95. n. 4 (1853).
Iris Pallasii, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 65 (1869).
Mantis Mesomelas, Oliv. Enc. Méth., Ins. vii. p. 635. n. 54 (1792).
Mantis Nympa, Stoll, Spectres, Mantes, p. 10, pl. 4. f. 12 (1813).
Coptopteryx(?) Stollii, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 230 (1870).
Coptopteryx(?) Mesomelas, Sauss. Mém. Mex., Mant. p. 68 (1871).

- Fischeria Brachyptera*, Sauss. Fedchenko, Reise Turk., Orth. p. 18 (1874).
B. Brachyptera, Brunn. l. c. p. 62, pl. 2. f. 16 (1882); Jacobs. & Bianki, l. c. p. 152 (1902).
2. **B. Moseri, Sauss.** (*Iris M.*) Mém. Soc. Genève, xxi. p. 114 (1871). Samarcand.
Fischeria Moseri, Sauss. Fedchenko, l. c. p. 18 (1874).
B. Moseri, Jacobs. & Bianki, l. c. p. 152 (1902).
3. **B. Dolichoptera, Schulth.** Zool. Jahrb. Syst. viii. p. 71 (1894). Somali Land.

Genus 106. **Sphendale.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 34 (1877).

1. **S. Infuscata, Sauss.** (*Phasmomantis I.*) Mitth. Schweiz. Ent. Ges. iii. p. 235 (1870); Mém. Soc. Genève, xxi. p. 44 (1871). India.
Iris (Fischeria) Infuscata, Sauss. Mém. Soc. Genève, xxi. p. 303 (1871).
S. Infuscata, Bol. Ann. Soc. Ent. France, 1897, p. 312.
- *2. **S. Xanthoptera, Oliv.** (*Mantis X.*) Enc. Méth., Ins. vii. p. 637. n. 61 (1792). id.
Mantis Ochroptera, Licht. Trans. Linn. Soc. Lond. vi. p. 29. n. 29 (1802).
Mantis Nymphe, Stoll, Spectres, Mantes, p. 19, pl. 6. f. 22 (1813).
S. Xanthoptera, Kirb. Ann. Nat. Hist. (7) xiii. p. 85 (1904).
- **3. **S. Robusta, Kirb.** l. c. p. 86 (1904). Nepal.
4. **S. (?) Brunneri, Sauss.** (*Iris (Fischeria) B.*) l. c. p. 304 (1871). Himalaya.

Genus 107. **Gonatista.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 54 (1869); Mém. Mex., Mant. p. 23 (1871); Miss. Mex., Orth. p. 230 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 159 (1894); Stål, Bihang Svenska Akad. iv. (10) p. 40 (1877).

- *1. **G. Grisea, Fabr.** (*Mantis G.*) Ent. Syst. ii. p. 22. n. 40 (1793). N. America,
Cuba,
Jamaica, &c.
G. Grisea, Sauss. Mém. Mex., Mant. p. 23
(1871); *Miss. Mex., Orth.* p. 231, pl. 5.
ff. 1, 2 (1872).
Mantis Reticulata, Thunb. Mém. Acad.
Pétersb. v. p. 288 (1815).
Mantis Phryganoides, Serv. Ins. Orth.
p. 198 (1839).
Mantis Bifasciata, Haan, Temminck, Ver-
handel., Orth. p. 78 (1842).
G. Cubensis, Sauss. Mitth. Schweiz. Ent.
Ges. iii. p. 61 (1869).
2. **G. Trifasciata, Haan,** (*Mantis T.*) l. c. Brazil.
p. 77 (1842).
G. (?) Trifasciata, Sauss. Mém. Mex., Mant.
p. 27 (1871).

Genus 108. **Majanga.** (*Type no. 2.*)

Wood-Mason, Cat. Mant. pl. 1. f. 8 (1891).

Pantelica, Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth.
i. p. 159 (1895).

1. **M. Tricolor, Sauss. & Zehntn.** (*Pante-* Madagascar
lica T.) l. c. p. 162, pl. 9. f. 32 (1895).
2. **M. Basilaris, Westw.** (*Epaphrodita B.*) id.
Rev. Mant. p. 45, pl. 1. f. 2 (1889).
Pantelica Basilaris, Sauss. & Zehntn. l. c.
p. 163 (1895).
M. Basilaris, Wood-Mason, l. c. pl. 1. ff. 8,
8a, b (1891).

Genus 109. **Hagiomantis.** (*Type no. 1.*)

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 158 (1894).

1. **H. Ornata, Stoll,** (*Mantis O.*) Spectres, "India,"
Mant. p. 57, pl. 19. f. 69 (1813). "Cape,"
Mantis Ornata, Serv. Ins. Orth. p. 192 Cayenne,
(1839). Bolivia,
Gonatista Ornata, Sauss. Mém. Mex., Mant. Ega
p. 25 (1871); *Westw. Rev. Mant.* p. 4, (eadem?).
pl. 13. f. 7 (1889).
*2. **H. Superba, Gerst.** (*Liturgusa S.*) Mitth. Peru,
Ver. Vorpomm. xx. p. 53 (1889). Ega.

3. H. Lutescens, Guér. & Perch. (<i>Mantis</i> L.) Gen. Ins., Orth. pl. 3 (1835).
<i>Liturgousa Lutescens</i> , Sauss. l. c. p. 103 (1871).	Cayenne.
4. H. Nubeculosa, Gerst. (<i>Liturgousa N.</i>) l. c. p. 54 (1889).	Ega.
5. H. Surinamensis, Sauss. (<i>Liturgousa S.</i>) Miss. Mex., Orth. p. 260 (1872).	Surinam.

Genus 110. **Liturgousa.** (*Type* no. 3.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 55 (1869); Mém. Mex., Mant. p. 100 (1871); Miss. Mex., Orth. p. 259 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 159 (1894); Grandidier, Hist. Madagascar, Orth. i. p. 157 (1895).

*1. L. Annulipes, Serv. (<i>Mantis A.</i>) Ins. Orth. p. 199 (1839); (?) Charp. Orth. pl. 28 (1843).
<i>L. Annulipes</i> , Sauss. Mém. Mex., Blatt. p. 102 (1871); Westw. Rev. Mant. p. 4, pl. 2. f. 3 (1889).	Cayenne,
Brazil.
2. L. Lichenalis, Gerst. Mitth. Ver. Vorpomm. xx. p. 52 (1889).	Peru.
*3. L. Cayennensis, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 62 (1869); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 159 (1894).	Cayenne,
Panama,
Amazons.
**4. L. Maya, Sauss. & Zehntn. (<i>L. Cayennensis</i> , var. <i>Maya</i>) l. c. p. 160 (1894).	Mex., Guat.,
Brazil.
5. L. Mesopoda, Westw. l. c. p. 30, pl. 13. f. 10 (1889).	Cayenne.
6. L. Malagassa, Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 157, pl. 9. f. 31 (1895).	Madagascar

Genus 111. **Coptopteryx.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 56 (1869); Mém. Mex., Mant. p. 61 (1871); Miss. Mex., Orth. p. 263 (1872).

*1. C. Crenaticollis, Blanch. (<i>Mantis C.</i>) Gay, Hist. Chile, Zool. vi. p. 22. n. 2 (1852); Phil. Zeitschr. ges. Naturw. xxi. p. 225. n. 2 (1863).
<i>C. Crenaticollis</i> , Sauss. Mém. Mex., Mant. | Chile,
Patagonia,
Argentina,
Uruguay. |
|---|--|

- p. 63 (1871); Miss. Mex., Orth. p. 264,
pl. 6. ff. 19, 20 (1872).
C. Claraziana, Sauss. Mitth. Schweiz. Ent.
Ges. iii. p. 66 (1869).
- *2. **C. Argentina, Burm.** (*Mantis A.*) Berlin. Argentina,
Ent. Zeitschr. vii. p. 234 (1864). Brazil.
C. Argentina, Sauss. Mém. Mex., Mant.
p. 66 (1871); Miss. Mex., Orth. p. 266,
pl. 6. f. 21, E, A (1872).
3. **C. Gayi, Blanch.** (*Mantis G.*) l. c. p. 21. Chile,
n. 1, pl. 1. f. 5 (1852). Argentina.
C. Gayi, Sauss. ll. cc. p. 65 (1871); p. 265,
pl. 6. f. 13 (1872); Giglio-Tos, Bull.
Mus. Torino, ix. (184) p. 4 (1894).
4. **C. (?) Gymnopyga, Burm.** (*Mantis G.*) Brazil.
Handb. Ent. ii. p. 541. n. 48 (1838).
5. **C. (?) Grisea, Phil.** (*Mantis G.*) l. c. Chile.
p. 225. n. 3 (1863).
C. (?) Grisea, Sauss. Mém. Mex., Orth.
p. 67 (1871).

Genus 112. **Euryderes.**

Brancs. Jahresh. Ver. Trencsin. Com. xix.-xx. p. 63 (1897).

1. **E. Anisitsi, Brancs.** l. c. p. 64, pl. 1. f. 9 | Paraguay.
(1897).

Genus 113. **Macromantis.** (*Type* no. 1.)

Sauss. Mém. Mex., Mant. p. 77 (1871); Miss. Mex., Orth.
p. 270 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth.
i. p. 150 (1894).

Pentacantha, Stål, Öfv. Vet.-Akad. Förh. xxviii. p. 400 (1872).
(*Type* no. 3.)

- *1. **M. Ovalifolia, Stoll,** (*Mantis O.*) Spectres, Guiana.
Mantes, p. 58, pl. 19. f. 72 (1813); Burm.
Handb. Ent. ii. p. 541. n. 49 (1838).
Cardioptera Ovalifolia, Sauss. Mitth. Schweiz.
Ent. Ges. iii. p. 231 (1870).
M. Ovalifolia, Sauss. Mém. Mex., Mant.
p. 78, pl. 1. f. 4 (1871).
- **2. **M. Nicaraguæ, Sauss. & Zehntn.** (*M. Ovalifolia*, var. *Nicaraguæ*) l. c. p. 150
(1894). Nicaragua.

3. **M. Hyalina, De Geer**, (*Mantis H.*) Mém. Ins. iii. p. 410. n. 4, pl. 37. f. 1 (1773); Stoll, l. c. p. 60, pl. 20. f. 75 (1813).
M. Hyalina, Sauss. Mém. Mex., Blatt. p. 79 (1871); Miss. Mex., Orth. p. 270 (1872). | Surinam.

Genus 114. **Metriomantis.** (*Type* no. 1.)

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 151 (1894).

- *1. **M. Cupido, Sauss.** (*Cardioptera C.*) Mitth. Schweiz. Ent. Ges. iii. p. 66 (1869); Mém. Mex., Mant. p. 71 (1871); Miss. Mex., Orth. p. 267, pl. 6. ff. 9, 9 A (1872). | Brazil (Ceara).
M. Cupido, Sauss. & Zehntn. l. c. p. 152. n. 1 (1894).
 2. **M. Biramosa, Sauss. & Zehntn.** l. c. n. 2 (1894). | Brazil.
 3. **M. Ovata, Sauss. & Zehntn.** l. c. n. 3 (1894). | Cayenne.

Genus 115. **Photina.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 531 (1838); Stål, Bihang Svenska Akad. iv. (10) p. 63 (1877).

- *1. **P. Vitrea, Burm.** (*Mantis V.*) l. c. p. 532. n. 7 (1838); Charp. Zeitschr. Ent. iii. p. 289 (1841). | Brazil.
Cardioptera Vitrea, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 231 (1870); Mém. Mex., Mant. p. 72, pl. 1. f. 3 (1871); Miss. Mex., Orth. p. 269, pl. 6. f. 10 (1872).
Mantis Pellucida, Serv. Ins. Orth. p. 191 (1839).
Cardioptera Translucida, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 66 (1869).
 1 a. **P. Reticulata, Burm.** (*Mantis R.*) l. c. p. 541. n. 46 (1839). | id.
Cardioptera Burmeisteri, Westw. Rev. Mant. p. 15. n. 5 (1889).
 1 b. **P. Amplipennis, Stål**, l. c. p. 64. n. 3 (1877). | id.,
Cardioptera Vitrea, ♀, Sauss. Mém. Mex., Mant. p. 73, pl. 1. f. 2 (1871). | Guiana.

2. P. Breviceps , Stål, l. c. p. 64. n. 4
(1877).	Rio Janeiro.
3. P. Gracilipes , Kirb. Ann. Nat. Hist. (7)
xiii. p. 86 (1904).
<i>Cardioptera Reticulata</i> , Sauss. l. c. p. 196
(1871).	Para (?).
4. P. (?) Vitripennis , Sauss. (<i>Cardioptera</i>
V.) Miss. Mex., Orth. p. 268 (1872).	Cayenne.

Genus 116. **Ardesca.**

Stål, Bihang Svenska Akad. iv. (10) p. 43 (1877).

1. A. Vitreola , Stål, l. c. p. 63 (1877).	Colombia.

Genus 117. **Hicetia.**

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 152 (1894).

1. H. Goeldiana , Sauss. & Zehntn. l. c.
p. 153 (1894).	Rio Janeiro.

SUBFAM. V.

MIOPTERYGINÆ.

Genus 118. **Miopteryx.** (*Type no. 2.*)

Sauss. Mitth. Schweiz. Ent. Ges. iii. pp. 55, 64 (1869); Mém. Soc. Genève, xxi. p. 122 (1871); Mém. Mex., Mant. p. 110 (1871); Miss. Mex., Orth. p. 277 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 162 (1894).

*1. M. Ciliata , Stål, (<i>Mantis C.</i>) Eugenie's
Resa, Ins. p. 313 (1858).
<i>M. Phryganea</i> , Sauss. Mitth. Schweiz. Ent.
Ges. iii. p. 64 (1869).
<i>M. Ciliata</i> , Sauss. Mém. Mex., Mant. p. 111,
pl. 2. f. 21 (1871).	Rio Janeiro.
**2. M. Rustica , Fabr. (<i>Mantis R.</i>) Spec. Ins.
i. p. 350. n. 27 (1781); Oliv. Enc. Méth.,
Ins. vii. p. 630. n. 22 (1792).
<i>M. Rustica</i> , Sauss. l. c. p. 112 (1871);
Miss. Mex., Orth. p. 277 (1872).
<i>M. Perloides</i> , Sauss. Mitth. Schweiz. Ent.
Ges. iii. p. 64 (1869).	Patagonia,
Brazil
(eadem ?).

3. M. Argentina , Sauss. l. c. p. 237 (1870).	Argentina.
4. M. Brunneri , Sauss. Mém. Mex., Mant. p. 113 (1871).	Brazil (N. Freiburg).
5. M. Granadensis , Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 237 (1870); Sauss. & Zehntn. l. c. p. 162 (1894).	Bogota.
6. M. Grandis , Westw. Rev. Mant. p. 38 (1889).	Brazil (?).
7. M. Livida , Serv. (<i>Thespis</i> L.) Ins. Orth. p. 172 (1839).	Brazil.
<i>M. Livida</i> , Sauss. Mém. Mex., Mant. p. 172 (1871).	
8. M. (?) Stigmatica , Burm. (<i>Mantis</i> S.) Handb. Ent. ii. p. 532. n. 6 (1838).	id.
<i>M. (?) Stigmatica</i> , Sauss. l. c. p. 177 (1871).	
<i>Miomantis (?) (Stagmomantis?) Stigmatica</i> , Westw. Rev. Mant. p. 18. n. 448 (1889).	

Genus 119. **Pseudomiopteryx**. (Type no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 228 (1870); Mém. Mex., Mant. p. 107 (1871); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 163 (1894).

1. P. Spinifrons , Sauss. ll. cc. p. 228 (1870); p. 108, pl. 2. ff. 20, 20 a (1871).	Brazil.
**2. P. Infuscata , Sauss. & Zehntn. l. c. p. 163, pl. 9. ff. 10-12 (1894); Rehn, Proc. U.S. Nat. Mus. xxvii. p. 566 (1904).	Mexico, Cent. Amer. Bogota.
3. P. Bogotensis , Sauss. ll. cc. p. 228 (1870); p. 109 (1871); Sauss. & Zehntn. l. c. p. 164 (1894).	

Genus 120. **Bantia**. (Type no. 2.)

Stål, Bihang Svenska Akad. iv. (10) p. 44 (1877); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 180 (1894).

1. B. Marmorata , Sauss. & Zehntn. l. c. p. 180 (1894).	Rio Janeiro.
2. B. Pygmæa , Sauss. (<i>Oligonyx Pygmæa</i>) Miss. Mex., Orth. p. 274 (1872).	Brazil.
<i>B. Pygmæa</i> , Stål, l. c. p. 64 (1877); Sauss. & Zehntn. l. c. p. 180 (1894).	

Genus 121. **Astape.**

Stål, Bihang Svenska Akad. iv. (10) p. 44 (1877).

1 a. **A. Denticollis, Stål**, l. c. p. 65 (1877). | Hab. — ?Genus 122. **Musonia.** (Type no. 1.)

Stål, Bihang Svenska Akad. iv. (10) pp. 45, 66 (1877) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 164 (1894).

Paramusonia, *Rehn*, Proc. U.S. Nat. Mus. xxvii. p. 566 (1904).
(Type no. 3.)

1. M. Major, Sauss. & Zehntn. l. c. p. 165.	S. America.
n. 1, pl. 10. ff. 17-19 (1894).	
*2. M. Conspersa, Sauss. (<i>Thespis</i> C.)	id.
Mitth. Schweiz. Ent. Ges. iii. p. 238	
(1870) ; Mém. Mex., Mant. p. 130, pl. 2.	
ff. 29, 29 a (1871).	
3. M. Cubensis, Sauss. (<i>Thespis</i> C.) ll. cc.	Cuba.
p. 70 (1869) ; p. 127, pl. 2. ff. 29, 29 a	
(1871) ; Sauss. & Zehntn. l. c. p. 165.	
n. 2 (1894).	
4. M. Vicina, Sauss. (<i>Thespis</i> V.) Miss.	Colombia.
Mex., Orth. p. 276 (1872).	
5. M. Infumata, Serv. (<i>Mantis</i> I.) Ins.	Brazil.
Orth. p. 173 (1839).	
<i>Oligonyx</i> (?) <i>Infumata</i> , Sauss. Mém. Mex.,	
Orth. p. 124. n. 5 (1871).	
**6. M. Femorata, Sauss. & Zehntn. l. c.	Nicaragua.
p. 166. n. 3, pl. 10. ff. 20, 21 (1894).	

Genus 123. **Galapagia.**

Scudd. Bull. Mus. Harvard Coll. xxv. p. 7 (1893).

*1. G. Solitaria, Scudd. l. c. p. 8, pl. 1.	Galapagos
ff. 2, 3 (1893).	Isl.

Genus 124. **Mionyx.** (Type no. 4.)

Sauss. Soc. Ent. vii. p. 122 (1892) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 166 (1894).

Musonia, *bb* & *aa*, Stål, Bihang Svenska Akad. iv. (10) pp. 63, 64 (1877).

**1. M. Rapax, Sauss. & Zehntn. l. c. p. 167.	Costa Rica.
n. 1 (1894).	
<i>Musonia Rapax</i> , Sauss. & Zehntn. l. c. pl. 10.	
ff. 22-25 (1894)	

<p>**2. M. Ferus, Sauss. & Zehntn. l. c. p. 167.
n. 2 (1894).
<i>M. Fera, Sauss. & Zehntn.</i> l. c. pl. 10. ff. 15,
16 (1894).</p>	Panama.
<p>**3. M. Sævus, Sauss. & Zehntn. l. c. p. 167.
n. 3 (1894).
<i>M. Sæva, Sauss. & Zehntn.</i> l. c. pl. 10.
ff. 12-14 (1894).</p>	id.
<p>4. M. Lineativentris, Stål, (<i>Musonia L.</i>)
Bihang Svenska Akad. iv. (10) p. 66. n. 3
(1877).
<i>M. Lineativentris, Sauss. & Zehntn.</i> l. c.
p. 168. n. 4 (1894).</p>	<p>id.,
Colombia.</p>
<p>5. M. Dohrnianus, Sauss. & Zehntn. l. c.
p. 168. n. 5 (1894).
<i>M. Dohrniana, Sauss. & Zehntn.</i> l. c. pl. 9.
f. 16 (1894).</p>	Guatemala.
<p>*6. M. Surinamus, Sauss. (<i>Thespis Surinama</i>)
Mitth. Schweiz. Ent. Ges. iii. p. 70 (1869);
Mém. Mex., Mant. p. 129 (1871).
<i>Musonia Surinama, Stål,</i> l. c. p. 66. n. 2
(1877).</p>	<p>Surinam,
W. Indies.</p>

Genus 125. **Thesprotia.** (Type no. 3.)

Stål, Bihang Svenska Akad. iv. (10) p. 45 (1877);
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 169 (1894).

<p>1. T. Vidua, Sauss. & Zehntn. l. c. p. 170.
n. 1 (1894).
<i>Oligonyx Subhyalina</i>, var., <i>Sauss.</i> Mém.
Mex., Orth. p. 125 (1871).</p>	S. America.
<p>*2. T. Subhyalina, Sauss. (<i>Oligonyx S.</i>)
Mitth. Schweiz. Ent. Ges. iii. p. 239
(1870); Mém. Mex., Mant. p. 124. n. 6,
pl. 2. ff. 27, 27 a (1871).</p>	Amazons.
<p>*3. T. Filiformis, Sauss. (<i>Oligonyx F.</i>) ll. cc.
p. 71 (1869); p. 123, pl. 2. ff. 26, 26 a
(1871).
<i>T. Filiformis, Westw.</i> Rev. Mant. p. 31,
pl. 3. f. 5 (nec 6) (1889).</p>	id.
<p>4. T. Macilenta, Sauss. & Zehntn. l. c.
p. 170. n. 4 (1894).</p>	Brazil.
<p>5. T. Fuscipennis, Sauss. & Zehntn. l. c.
p. 171. n. 5 (1894).</p>	Rio Janeiro.

Genus 126. **Bactromantis.** (Type no. 1.)

Scudd. Canad. Ent. xxviii. p. 213 (1896).

*1. B. Virga , Scudd. l. c. (1896).	Florida.
**2. B. Toltecus , Sauss. & Zehntn. (<i>Oligonyx</i>
T.) Biol. Centr.-Amer., Orth. i. p. 175.
n. 6 (1894).	Mexico.
3. B. (?) Parvula , Goeze, (<i>Mantis P.</i>) Ent.
Beytr. ii. p. 34. n. 25 (1778); Oliv. Enc.
Méth., Ins. vii. p. 642. n. 19 (1792)
(Seba, Thes. iv. pl. 68. ff. 13-16).	Hab. — ?

Genus 127. **Oligonyx.** (Type no. 5.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 58 (1869); Mém. Mex.
Mant. p. 117 (1871); Miss. Mex., Orth. p. 273 (1872);
Soc. Ent. vii. p. 122 (1892); Sauss. & Zehntn. Biol.
Centr.-Amer., Orth. i. p. 171 (1894).

1. O. Brunneri , Sauss. Mém. Mex., Mant.
p. 119 (1871).	Colombia.
2. O. Uhleri , Stål, Bihang Svenska Akad.
iv. (10) p. 66 (1877).	Louisiana.
3. O. Scudderi , Sauss. Mitth. Schweiz. Ent.
Ges. iii. p. 239 (1870); Mém. Mex.,
Mant. p. 121, pl. 2. ff. 24, 24a (1871).	Georgia (?).
4. O. Graminis , Scudd. Proc. Bost. Soc.
Nat. Hist. xix. p. 90 (1877).	Florida.
5. O. Parva , Drury, (<i>Mantis P.</i>) Ill. Exot.
Ent. ii. pl. 39. f. 5 (1773); Oliv. Enc.
Méth. vii. p. 634. n. 48 (1792); Burm.
Handb. Ent. ii. p. 533. n. 14 (1838).
<i>Mantis Minuta</i> , Goeze, Ent. Beytr. ii. p. 28.
n. 1 (1778).
<i>Miopteryx (?) Minuta</i> , Sauss. Mém. Mex.,
Mant. p. 116. n. 2 (1871).	S. America.
**6. O. Mexicanus , Sauss. & Zehntn. l. c.
p. 172. n. 1, pl. 9. ff. 13-15 (1894).	Mexico,
Guatemala.
7. O. Bollianus , Sauss. & Zehntn. l. c.
p. 173. n. 2, pl. 9. f. 17 (1894).	Texas,
New Mexico
**8. O. Striolatus , Sauss. & Zehntn. l. c.
n. 3, pl. 9. ff. 18-22 (1894).	Guatemala.
**9. O. Punctulatus , Sauss. & Zehntn. l. c.
p. 174. n. 4, pl. 9. ff. 23-25 (1894).	Mexico.
**10. O. Tessellatus , Sauss. & Zehntn. l. c.
n. 5, pl. 9. ff. 26-31 (1894).	id.

Genus 128. **Harpagonyx.** (*Type* no. 1.)

Sauss. Soc. Ent. vii. p. 122 (1892) ;
 Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 175 (1894).

<p>**1. H. Gryps, Sauss. & Zehntn. l. c. p. 176.
 n. 1, pl. 8. ff. 4, 4 <i>a</i>, <i>b</i> (1894).</p> <p>2. H. Dohrnianus, Sauss. & Zehntn. l. c.
 n. 2 (1894).</p> <p>**3. H. Maya, Sauss. & Zehntn. l. c. p. 176
 (1894).</p> <p>4. H. Carlottæ, Rehn, Proc. U.S. Nat.
 Mus. xxvii. p. 568 (1904).</p> | <p>Mexico,
Guatemala.</p> <p>Guatemala.</p> <p>Mexico.</p> <p>Costa Rica.</p> |
|---|---|

Genus 129. **Spanionyx.** (*Type* no. 1.)

Sauss. Soc. Ent. vii. p. 122 (1892) ;
 Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 177 (1894).

<p>*1. S. Bicornis, Sauss. (<i>Oligonyx B.</i>) Mitth.
 Schweiz. Ent. Ges. iii. p. 71 (1869) ;
 Mém. Mex., Mant. p. 122 (1871) ; Miss.
 Mex., Orth. p. 274, pl. 6. ff. 22, 22 <i>a</i>, <i>b</i>
 (1872).
 <i>S. Bicornis, Sauss. & Zehntn.</i> l. c. p. 177.
 n. 1 (1894).</p> <p>**2. S. Bidens, Sauss. & Zehntn. l. c. n. 2,
 pl. 10. ff. 1-3 (1894) ; Rehn, Proc. U.S.
 Nat. Mus. xxvii. p. 569 (1904).</p> <p>*3. S. Filum, Licht. (<i>Mantis F.</i>) Trans. Linn.
 Soc. Lond. vi. p. 19. n. 1, pl. 2. f. 2
 (1802) ; Charp. Germar, Zeitschr. Ent.
 v. p. 289 (1844).
 <i>Oligonyx Filum, Sauss. Mém. Mex., Mant.</i>
 p. 125. n. 7 (1871).</p> | <p>Mexico.</p> <p>Honduras.</p> <p>Surinam,
Trinidad.</p> |
|--|---|

Genus 130. **Thrinaconyx.** (*Type* no. 1.)

Sauss. Soc. Ent. vii. p. 122 (1892) ;
 Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 178 (1894).

<p>**1. T. Fumosus, Sauss. & Zehntn. l. c.
 p. 179. n. 1, pl. 10. ff. 4-10 (1894).</p> <p>2. T. Kirschianus, Sauss. & Zehntn. l. c.
n. 2, pl. 10. f. 11 (1894).</p>	Panama. Colombia.

SUBFAM. VI.

CREOBOTRINÆ.

Genus 131. **Acromantis.** (*Type* no. 2.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 229 (1870); Mém. Soc. Genève, xxi. pp. 61, 324 (1871); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 153 (1902).

<p>*1. A. Japonica, Westw. Rev. Mant. p. 43 (1889); Jacobs. & Bianki, l. c. p. 154 (1902).</p> <p>*2. A. Oligoneura, Haan, (<i>Mantis O.</i>) Temminck, Verhandel., Orth. p. 90, pl. 18. f. 6 (1842).
 <i>A. Oligoneura</i>, Sauss. Mém. Soc. Genève, xxi. p. 62, pl. 4. ff. 10, 10 a (1871); Westw. Rev. Mant. p. 43 (1889).
 <i>A. Formosa</i>, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 230 (1870).</p> <p>*3. A. Parvula, Westw. l. c. p. 43, pl. 10. f. 6 (1889).</p> <p>*4. A. Hesione, Stål, Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 38 (1877).</p> <p>5. A. Australis, Sauss. Mém. Soc. Genève, xxi. p. 325, pl. 7. f. 68 (1871).</p> <p>6. A. Aruana, Westw. l. c. p. 43, pl. 11. f. 3 (1889).</p> <p>*7. A. Borneensis, Haan, (<i>Mantis B.</i>) l. c. p. 91 (1842).
<i>A. Borneensis</i>, Westw. l. c. p. 43, pl. 6. f. 8 (1889).</p> <p>8. A. (?) Subcornuta, Westw. l. c. p. 43, pl. 12. f. 3 (1889).</p>	Japan. India, Java, Borneo, Sumatra, Celebes. Borneo. Philippines. Waigiou. Aru, &c., N. Guinea. Borneo. Natal.

Genus 132. **Ambivia.**

Stål, Bihang Svenska Akad. iv. (10) p. 88 (1877).

*1. A. Popa, Stål, l. c. (1877); Westw. Rev. Mant. p. 22, pl. 11. f. 6 (1889).	India.

Genus 133. **Deroplatys.** (*Type* no. 1 a.)

Westw. Mod. Classif. Ins. i. p. 430 (1839); Jardine's Nat. Library, Intr. Ent. p. 234 (1840); Arc. Ent. i. p. 33 (1841); Sauss. Mém. Soc. Genève, xxi. p. 164 (1871).

1. **D. Cordata, Fabr.** (*Mantis C.*) Ent. Syst. | Hab. — ?
Suppl. p. 190 (1798).
- *1 a. **D. Desiccata, Westw.** Mod. Classif. Ins. | Malacca,
i. p. 430 (1839); Arc. Ent. i. p. 33, pl. 9. | Java,
f. 3 (1841); Shelf. Zool. (4) vii. pp. 295, | Borneo,
296, 304 (1903). | Sumatra.
Mantis (Deroplatys) Desiccata, Westw. Nat.
Libr., Intr. Ent. p. 234, pl. 9 (1840);
Haan, Temminck, Verhandel., Orth. p. 91
(1842).
Mantis Palliata, Haan, l. c. pl. 16, ff. 1, 2
(1842).
D. Arida, Westw. Arc. Ent. i. p. 34, pl. 9.
f. 1 (1841).
- *2. **D. Trigonodera, Westw.** Rev. Mant. | Burma.
p. 40, pl. 8. f. 5 (1889).
3. **D. Lobata, Guér.** (*Chæradodis L.*) Mag. | Hab. — ?
Zool., Ins. 1838, p. 69, pl. 134.
D. Lobata, Westw. Arc. Ent. i. p. 34, pl. 9.
f. 4 (1841).
- *4. **D. Angustata, Westw.** l. c. f. 2 (1841); | Java,
Rev. Mant. p. 41 (1889). | Borneo,
Mantis (Deroplatys) Rhombica, ♂, Haan, | Sumatra.
l. c. p. 92, pl. 17. f. 1 (1842).
5. **D. Brunneri, Kirb.** (n. n.). | Sunda Isl.
|| *D. Rhombica, Brunn.* Obs. Color. Ins. p. 11,
pl. 8. f. 95 (1897).
- *6. **D. Rhombica, Haan,** (*Mantis (R.)* | Borneo, &c.
Rhombica, ♀) l. c. f. 2 (1842).
7. **D. Sarawaca, Westw.** Rev. Mant. p. 40, | Sarawak.
pl. 8. f. 3 (1889); Sharp, Cambridge
Nat. Hist., Ins. i. pp. 243, 252, f. 135
(1895).
- *8. **D. Siccifolium, Sauss.** Mitth. Schweiz. | Malacca,
Ent. Ges. iii. p. 240 (1870); Mém. Soc. | Borneo.
Genève, xxi. p. 166 (1871); Westw.
Rev. Mant. p. 44, pl. 9. f. 11 (1889).
- **9. **D. Shelfordi, Kirb.** Zool. (4) vii. p. 304; | Sarawak.
Shelf. l. c. pp. 296, 298 (1903).

10. **D. Horrifica**, Westw. l. c. p. 40, pl. 8. f. 4 (1889). | Burma.
- *11. **D. Truncata**, Guér. (*Chæradodis* T.) Delessert, Souv. Inde, Ins. p. 65, pl. 15 (1843). | Malacca.
- D. Truncata*, Westw. l. c. p. 23, pl. 8. f. 6 (1889). |

Genus 134. **Brancsikia**.

Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 216 (1895).

- *1. **B. Freyi**, Brancs. (*Deroplatys* F.) Jahresh. Ver. Trensin. Com. xv.-xvi. p. 178, pl. 4. f. 3 (1893). | Madagascar
- B. Freyi*, Sauss. & Zehntn. l. c. p. 217, pl. 10. ff. 36, 37 (1895). |

Genus 135. **Metilia**.

Stål, Bihang Svenska Akad. iv. (10) p. 84 (1877).

- *1. **M. Integra**, Stål, l. c. p. 89 (1877); | Brazil.
- Westw. Rev. Mant. p. 45, pl. 9. f. 9 (1889). |

Genus 136. **Acanthops**. (*Type* no. 2.)

Serv. Ann. Sci. Nat. xxii. p. 52 (1831); Ins. Orth. p. 164 (1839); Burm. Handb. Ent. ii. p. 551 (1838); Sauss. Mém. Mex., Mant. p. 139 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 84 (1877).

- **1. **A. Godmani**, Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 181, pl. 6. f. 3 (1894). | British Honduras.
- *2. **A. Falcataria**, Goeze, (*Mantis* F.) Ent. Beytr. ii. p. 36. n. 36 (1788); Olivier, Enc. Méth., Ins. vii. p. 642. n. 30 (1792) (Seba, Thes. iv. pl. 76. ff. 1-4). | S. America.
- Mantis Fuscifolia*, Oliv. l. c. p. 636. n. 55 (1792).
- A. Fuscifolius*, Burm. l. c. p. 552 (1838).
- Mantis Sinuata*, Stoll, Spectres, Mantes, p. 12, pl. 4. f. 14 (1813); ? Kirb. Trans.

- Linn. Soc. xii. p. 74 (1818); Charp. Germar, Zeitschr. Ent. i. p. 375 (1839), iii. p. 299 (1841); Orth. pl. 29 (1845).
A. Sinuata, Sauss. l. c. p. 141 (1871); Stål, l. c. p. 90. n. 1, pl. 1. f. 3 (1877).
A. Mortuifolia, Serv. Ins. Orth. p. 166, pl. 6. f. 1 (1839); Brunn. Obs. Color. Ins. p. 11, pl. 8. f. 96 (1897).
3. **A. Erosa**, Serv. l. c. p. 165, pl. 4. ff. 1, 1a, b (1839). Brazil, Iquitos.
A. Contorta, Gerst. Mitth. Ver. Vorpomm. xx. p. 56 (1888).
- *4. **A. Erosula**, Stål, l. c. p. 90. n. 3 (1877). Para, Ega.
A. Angulifera, Westw. Rev. Mant. p. 45, pl. 13. f. 1. (1889).
- *5. **A. Falcata**, Stål, l. c. p. 90. n. 2 (1877). N. Granada.
 6. **A. Adusta**, Gerst. l. c. p. 57 (1888). Iquitos.
 7. **A. Brunneri**, Sauss. l. c. p. 144 (1871). Surinam.
 8. **A. Tuberculata**, Sauss. (*A. Tuberculatus*) Mitth. Schweiz. Ent. Ges. iii. p. 243 (1870). Cayenne, Costa Rica.
A. Tuberculata, Sauss. Mém. Mex., Mant. p. 146, pl. 1. f. 16 (1871); Rehn, Proc. U.S. Nat. Mus. xxvii. p. 570 (1904).

Genus 137. **Decimia.**

Stål, Bihang Svenska Akad. iv. (10) p. 84 (1877).

- *1. **D. Tessellata**, Charp. (*Acanthops T.*) Brazil, Germar, Zeitschr. Ent. iii. p. 302 (1841); Bolivia.
 Orth. pl. 30 (1845); Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 243 (1870);
 Mém. Mex., Mant. p. 143 (1871).

Genus 138. **Pseudocanthops.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 243 (1870).

Pseudacanthops, Sauss. Mém. Mex., Mant. p. 178 (1871); Miss. Mex., Orth. p. 279 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 182 (1894); Stål, Bihang Svenska Akad. iv. (10) p. 91 (1877).

Paracanthops, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 243 (1870); Mém. Mex., Mant. p. 147 (1871).

1. **P. Cælebs**, Sauss. (*Hymenopus C.*) Mitth. Mexico.
 Schweiz. Ent. Ges. iii. p. 73 (1869).
P. Cælebs, Sauss. Mém. Mex., Mant. p. 148,

- pl. 1. ff. 17, 17 a (1871); Miss. Mex., Orth. p. 279 (1872); Sauss. & Zehntn. l. c. p. 182 (1894).
- *2. **P. Spinulosa, Sauss.** (*Paracanthops S.*) Cayenne
Mitth. Schweiz. Ent. Ges. iii. p. 243 (1870).
P. Spinulosa, Sauss. Mém. Mex., Mant. p. 150, pl. 1. f. 18 (1871).
3. **P. (?) Angulata, Licht.** (*Mantis A.*) Surinam.
Trans. Linn. Soc. Lond. vi. p. 33. n. 43 (1802).
P. (?) Angulata, Sauss. Mém. Mex., Mant. p. 151 (1871).

Genus 139. **Antemna.**

- Stål, Bihang Svenska Akad. iv. (10) p. 83 (1877);
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 182 (1894).
1. **A. Rapax, Stål,** l. c. p. 88 (1877); Sauss. | Chiriqui.
& Zehntn. l. c. p. 182 (1894).

Genus 140. **Phyllomantis.**

- Sauss. Soc. Ent. vii. p. 124 (1892);
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 183 (1894).
- **1. **P. Laurifolia, Sauss.** l. c. p. 124 (1892); | Panama.
Sauss. & Zehntn. l. c. p. 183, pl. 6. ff. 6, 7 (1894).

Genus 141. **Epaphrodita.** (*Type no. 1.*)

- Serv. Ann. Sci. Nat. xxii. p. 52 (1831); Ins. Orth. p. 205 (1839); Sauss. Mém. Mex., Mant. p. 152 (1871); Miss. Mex., Orth. p. 280 (1872).
- *1. **E. Musarum, Beauv.** (*Mantis M.*) Ins. Haiti.
Afr. Amér. p. 111, Orth. pl. 13. f. 3 (1805); Burm. Handb. Ent. ii. p. 537. n. 36 (1838).
E. Musarum, Serv. Ins. Orth. p. 205 (1839); Sauss. Mém. Mex., Mant. p. 152 (1871).
- 1 a. **E. Undulata, Sauss.** (*Phyllocrania U.*) Santa Lucia.
Mitth. Schweiz. Ent. Ges. iii. p. 222 (1870); Mém. Soc. Genève, xxi. p. 176, pl. 6. ff. 54, 54 a (1871).
- *2. **E. Dentifrons, Sauss.** Miss. Mex., Orth. Haiti,
p. 281 (1872). Cuba.

Genus 142. **Toxodera.**

Serv. Ann. Soc. Ent. France, vi. p. 27 (1837); Ins. Orth. p. 168 (1839); Wood-Mason, Journ. Asiatic Soc. Bengal, lviii. p. 321 (1889).

1. T. Denticulata , Serv. ll. cc. p. 28, pl. 2
(1837); p. 169, pl. 5 (1839); Wood-
Mason, l. c. p. 323 (1889); Sharp,
Cambridge Nat. Hist., Ins. i. pp. 253, 254,
f. 145 (1895).	Java.

Genus 143. **Toxoderopsis.** (*Type* no. 1.)

Wood-Mason, Journ. Asiatic Soc. Bengal, lviii. p. 317 (1889).

1. T. Curtipes , Westw. (<i>Toxodera</i> (<i>Paradanuria</i>) C.) Rev. Mant. p. 41, pl. 1. f. 4
(1889).
<i>T. Curtipes</i> , Wood-Mason, l. c. p. 319
(1889).	Bombay.
2. T. Taurus , Wood-Mason, l. c. p. 320
(1889).	Sind,
Orissa.

Genus 144. **Paratoxodera.**

Wood-Mason, Journ. Asiatic Soc. Bengal, lviii. p. 324 (1889).

1. P. Cornicollis , Wood-Mason, l. c. p. 325
(1889).	Java.

Genus 145. **Oxypilus.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 50 (1831); Ins. Orth. p. 155 (1839); Burm. Handb. Ent. ii. p. 526 (1838); Sauss. Mém. Soc. Genève, xxi. p. 168 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 21 (1877); Wood-Mason, Cat. Mant. p. 50 (1891).

1. O. Annulatus , Serv. Ann. Sci. Nat. xxii.
p. 50 (1831); Burm. l. c. p. 526 (1838);
Wood-Mason, l. c. p. 51, pl. 2. f. 1 a-c
(1891).
<i>Oxypila Annulata</i> , Serv. l. c. p. 156, pl. 3.
f. 5 (1839).	Senegal.

- *2. **O. Nasutus, Fabr.** (*Mantis Nasuta*) Mant. | S. & E. Afr.
 Ins. i. p. 229. n. 32 (1787); Oliv. Enc.
 Méth., Ins. vii. p. 630. n. 23 (1792);
 Licht. Trans. Linn. Soc. Lond. vi. p. 25.
 n. 16 (1802).
Gongylus Nasuta, Thunb. Mém. Soc.
 Pétersb. v. p. 295 (1815).
O. Capensis, Sauss. Mém. Soc. Genève, xxi.
 p. 169, pl. 6. ff. 52, 52 *a* (1871).
 || *O. Annulatus*, Sauss. Mitth. Schweiz. Ent.
 Ges. iii. p. 223 (1870).
- **3. **O. Strigipennis, Westw.** Rev. Mant. | Natal.
 p. 44, pl. 9. f. 7, pl. 12. f. 1 (1889).
4. **O. Brunnerianus, Sauss.** Mém. Soc. | Nubia.
 Genève, xxi. p. 171 (1871).
- *5. **O. (?) Vigilax, Westw.** Rev. Mant. p. 44, | Ega.
 pl. 10. f. 8 (1889).

Genus 146. **Oxypiloidea.**

Schulth. Ann. Mus. Genova, xxxix. p. 178 (1898);
 Bull. Soc. Vaud. xxxv. p. 198 (1899).

- *1. **O. Lobata, Schulth.** Ann. Mus. Genova, | Somali,
 xxxix. p. 179, pl. 2. ff. 4, 4 *a* (1898). | B.E. Africa.

Genus 147. **Panurgica.**

Karsch, Stett. Ent. Zeit. lvii. p. 243 (1896).

- *1. **P. Duplex, Karsch**, l. c. p. 244 (1896). | W. Africa.

Genus 148. **Junodia.**

Schulth. Bull. Soc. Vaud. xxxv. p. 197 (1899).

1. **J. Amœna, Schulth.** l. c. p. 198, pl. 7. | Delagoa
 ff. 3, 3 *a-c* (1899). | Bay.

Genus 149. **Sibylla.** (*Type* no. 1.)

Stål, Öfv. Vet.-Akad. Förh. xiii. p. 168 (1856); Bihang
 Svenska Akad. iv. (10) p. 20 (1877); Sauss. Mém. Soc.
 Genève, xxi. pp. 173, 331 (1871), xxiii. p. 80 (1872).

- *1. **S. Pretiosa, Stål**, Öfv. Vet.-Akad. Förh. | Natal,
 xiii. p. 168. n. 1 (1856); Sauss. l. c. Transvaal,
 xxi. p. 332, pl. 7. ff. 69, 69 *a* (1871); Zomba.

Kirb. Ann. Nat. Hist. (7) iv. p. 351
(1899); Distant, Ins. Transvaal. p. 39,
f. 2 (1902).

♂. *S. Fuscosparsa*, Stål, l. c. n. 2 (1856).

2. **S. Pannulata**, Karsch, Berl. Ent. Cameroons.
Zeitschr. xxxix. p. 277 (1894).

3. **S. (?) Polyacantha**, Gerst. Mitth. Ver. Congo.
Vorpomm. xx. p. 49 (1888).

Genus 150. **Triænocorypha**.

Wood-Mason, Ann. Nat. Hist. (6) v. p. 439 (1890);
Cat. Mant. p. 59 (1891).

1. **T. Dohertyi**, Wood-Mason, ll. cc. p. 440, | Perak.
pl. 17 B (1890); p. 60 (1891).

Genus 151. **Ceratomantis**.

Wood-Mason, Proc. Asiatic Soc. Bengal, 1876, p. 175; Ann.
Nat. Hist. (4) xviii. p. 507 (1876); Cat. Mant. p. 52
(1891).

1. **C. Saussurii**, Wood-Mason, ll. cc. | Pegu.
p. 175 (1876); p. 507 (1876); p. 53,
pl. 2. ff. 3, 3 *a-c* (1891).

Oxyphilus Saussurii, Wood-Mason, Proc.
Asiatic Soc. Bengal, 1879, p. 259.

Genus 152. **Pachymantis**. (*Type* no. 2.)

Sauss. Mém. Soc. Genève, xxi. p. 158 (1871);
Wood-Mason, Cat. Mant. p. 56 (1891).

1. **P. Phyllopus**, Haan, (*Mantis* (*Oxyphilus*) | Java.
P.) Temminck, Verhandel., Orth. p. 84,
pl. 16. f. 7 (1842).

2. **P. Bicingulata**, Haan, (*Mantis* (*Oxy-* | Sumatra.
philus) *B.*) l. c. p. 86, pl. 17. ff. 6, 7
(1842).

P. Bicingulata, Wood-Mason, l. c. p. 57,
pl. 2. ff. 2, 2 *a, b* (1891).

Oxyphilus Bicingulatus, Wood-Mason, Proc.
Asiatic Soc. Bengal, 1879, p. 251.

P. Biangulata, Sauss. l. c. (1871).

- *3. **P. Sarawaca, Westw.** (*Hestias S.*) Rev. Sarawak,
Mant. p. 44, pl. 11. f. 1 (1889). Penang.
Hestiasula Sarawaca, Shelf. Zoologist, (4)
vii. pp. 296-302, f. 2 (1903).
- *4. **P. Inermis, Wood-Mason,** (*Hestias I.*) Naga Hills.
Proc. Asiatic Soc. Bengal, 1879, p. 258;
Westw. l. c. p. 44, pl. 9. f. 12 (1889).
5. **P. Castetsi, Bol.** Ann. Soc. Ent. France, S. India.
1897, p. 313, pl. 10. f. 9.
6. **P. Amœna, Bol.** l. c. p. 314 (1897). id.
7. **P. Rogenhoferi, Sauss.** l. c. xxiii. p. 77, Moluc-
pl. 9. f. 27 (1872). cas (?).

Genus 153. **Hestiasula.** (*Type* no. 7.)

Sauss. Mém. Soc. Genève, xxi. p. 329 (1871).

Hestias, Wood-Mason, Proc. Asiatic Soc. Bengal, 1876, p. 175,
1879, p. 257.

- *1. **H. Brunneriana, Sauss.** l. c. p. 330 India.
(1871).
Hestias Brunneriana, Wood-Mason, l. c.
1876, p. 175.
- *2. **H. Nitida, Brunn.** (*Pachymantis N.*) Tenasserim.
Ann. Mus. Genova, xxxiii. p. 72, pl. 2.
f. 24 (1893).
- *3. **H. Pictipes, Wood-Mason,** (*Hestias P.*)
Proc. Asiatic Soc. Bengal, 1879, p. 258.

Genus 154. **Gonypetyllis.**

Wood-Mason, Cat. Mant. pl. 2 (1891).

1. **G. Semuncialis, Wood-Mason,** l. c. | India (?).
figs. 5, 5 a, b (1891).

Genus 155. **Parairidopteryx.**

Sauss. Mém. Soc. Genève, xxi. p. 159 (1871).

1. **P. Confusus, Sauss.** (*Haania C.*) l. c. Sumatra.
n. 1 (1871).
♂. *Mantis (Oxyphilus) Lobiceps*, ♀, Haan,
Temminck, Verhandel., Orth. pp. 85, 86,
pl. 17. f. 5 (1842).

Genus 156. **Haania.**

Sauss. Mém. Soc. Genève, xxi. p. 159 (1871).

1. H. Lobiceps, Haan, (<i>Mantis (Oxyphilus)</i> L.) Temminck, Verhandel., Orth. p. 85, pl. 17. f. 4 (1842).	Sumatra.

Genus 157. **Sigerpes.** (*Type* no. 3.)

Wood-Mason, Proc. Asiatic Soc. Bengal, 1879, p. 259.

1. S. Tridens, Sauss. (<i>Sibylla T.</i>) Mém. Soc. Genève, xxiii. p. 81, pl. 9. ff. 29, 29 a (1872).
<i>S. Tridens, Westw.</i> Rev. Mant. p. 23, pl. 12. f. 8 (1889).	Zanzibar,
Mozambique.
2. S. Mortuifolia, Sauss. (<i>Sybilla M.</i>) Abhandl. Senckenb. Ges. xxi. p. 597 (1899).	"Tropical Africa."
**3. S. Occidentalis, Wood-Mason, l. c. p. 259 (1879).	Sierra Leone.

Genus 158. **Phyllothelys.** (*Type* no. 1.)

Wood-Mason, Proc. Ent. Soc. London, 1877, p. xviii ;
Journ. Asiatic Soc. Bengal, liii. p. 206 (1884).

**1. P. Westwoodi, Wood-Mason, (<i>Phyllothelys W.</i>) Proc. Asiatic Soc. Bengal, 1876, p. 176 ; Ann. Nat. Hist. (4) xviii. p. 507 (1876).
<i>P. Westwoodii, Wood-Mason,</i> Proc. Ent. Soc. Lond. 1877, p. xviii ; Journ. Asiatic Soc. Bengal, liii. p. 207, pl. 12. ff. 1, 2 (1885) ; Westw. Rev. Mant. p. 44, pl. 1. f. 3, pl. 6. f. 6 (1889).	Naga Hills,
Bhutan.
2. P. Paradoxum, Wood-Mason, Journ. Asiatic Soc. Bengal, liii. p. 209, pl. 12. f. 3 (1885).	Burma.

Genus 159. **Ceratocrania.**

Westw. Rev. Mant. p. 46 (1889).

*1. C. Macra, Westw. l. c. pl. 11. f. 9 (1889).
<i>Phyllothelys Macra, Dohrn,</i> Stett. Ent. Zeit. lv. p. 129, pl. 5. ff. 5, 6 (1894).	Borneo.

Genus 160. **Phyllocrania.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 548 (1838); Sauss. Mém. Soc. Genève, xxi. pp. 174, 326 (1871); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 220 (1895).

<p>*1. P. Paradoxa, Burm. l. c. p. 549 (1838);
Westw. Arc. Ent. ii. p. 51 note (1845);
Kirb. Ann. Nat. Hist. (7) iv. p. 40
(1899); Distant, Ins. Transvaal. p. 40,
f. 3 (1903).
<i>P. Insignis</i>, <i>Sauss.</i> l. c. p. 327 (1871).</p>	S. & E. Afr.
<p>*2. P. Insignis, Westw. l. c. p. 51, pl. 12.
f. 1 (1845); Rev. Mant. p. 12, f. 7
(1889); Sauss. l. c. pp. 174, 328 (1871).</p>	W. Africa.
<p>3. P. Illudens, Sauss. & Zehntn. l. c.
p. 221, pl. 10. f. 39 (1895).</p>	Madagascar

Genus 161. **Parablepharis.**

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 223 (1870);
 Mém. Soc. Genève, xxi. p. 171 (1871).

<p>*1. P. Kuhlii, Haan, (<i>Mantis</i> (<i>Blepharis</i>) <i>K.</i>)
 Temminck, Verhandel., Orth. p. 93,
 pl. 18. f. 3 (1842).
 <i>Parablepharis Kuhlii</i>, <i>Sauss.</i> l. c. p. 172
(1871).</p>	Java.

Genus 162. **Creoboter.** (*Type* no. 1 a.)

Serv. Ins. Orth. p. 160 (1839); Stål, Bihang Svenska Akad.
 iv. (10) p. 80 (1877); Jacobs. & Bianki, Prem. i Lozhn.
 Ross. Imp. p. 154 (1902).
Creobotra, *Sauss.* Mém. Soc. Genève, xxi. p. 143 (1871); Rev.
 Suisse Zool. v. p. 200 (1897); Brunn. Abhandl. Senckenb.
 Ges. xxiv. p. 215 (1898).

<p>*1. C. Urbana, Fabr. (<i>Mantis</i> <i>U.</i>) Syst. Ent.
 p. 278. n. 19 (1775); Oliv. Enc. Méth.
 vii. p. 630. n. 21 (1792); Licht. Trans.
 Linn. Soc. Lond. vi. p. 27. n. 23
 (1802).
 <i>Harpax Urbana</i>, <i>Burm.</i> Handb. Ent. ii.
 p. 550. n. 1 (1838).</p> | <p>India,
 China.</p> |
|--|-----------------------------------|

- Mantis* (*Harpax*) *Urbana*, ♂, *Haan*, Temminck, Verhandel., Orth. p. 89 (1842).
C. Urbanus, *Jacobs. & Bianki*, l. c. p. 154 (1902).
C. Urbana, *Sauss.* Mém. Soc. Genève, xxi. p. 144 (1871).
- 1 a. **C. Discifera**, *Serv.* (*Mantis D.*) Ins. Java.
 Orth. p. 161 (1839).
 || *Mantis Gemmata*, *Serv.* l. c. p. 160 (1839).
 || *C. Lobata*, *Stål*, l. c. p. 86 (1877).
 || *C. Urbana*, *Brunn.* Obs. Color. Ins. p. 9, pl. 6. f. 71 (1897); Abhandl. Senckenb. Ges. xxiv. p. 215, pl. 17. f. 23 (1898).
- *2. **C. Gemmata**, *Stoll*, (*Mantis G.*) Spectres, "America,"
 Mantes, p. 71, pl. 24. f. 93 (1813). Java.
- **3. **C. Signifer**, *Walk.* (*Harpax S.*) Ann. Ceylon.
 Nat. Hist. (3) iv. p. 220 (1859).
- *4. **C. Apicalis**, *Sauss.* Mitth. Schweiz. Ent. N. India.
 Ges. iii. p. 73 (1869); Mém. Soc. Genève, xxi. pp. 146, 317 (1871).
- *5. **C. Fuscoareata**, *Sauss.* ll. cc. p. 242 Siam.
 (1870); p. 147, pl. vi. ff. 46, 46 a (1871).
- *6. **C. Granulicollis**, *Sauss.* ll. cc. p. 242 Penang.
 (1870); p. 147 (1871).
7. **C. Meleagris**, *Stål*, Öfv. Vet.-Akad. Förh. Philippines.
 xxxiv. (10) p. 39 (1877).
8. **C. Episcopalis**, *Stål*, Bihang Svenska Borneo.
 Akad. iv. (10) p. 86 (1877).
9. **C. Brunneri**, *Kirb.* (n. n.). Sumatra.
 || *C. Sumatrana*, *Brunn.* Abhandl. Senckenb. Ges. xxiv. p. 215, pl. 17. f. 24 (1898).
- **10. **C. Cattulus**, *Westw.* Rev. Mant. p. 42, Java.
 pl. 9. f. 10 (1889).
11. **C. Sumatrana**, *Haan*, (*Mantis* (*Harpax*) Sumatra.
S.) l. c. p. 89, pl. 17. ff. 14, 15 (1842).
12. **C. Lævicollis**, *Sauss.* ll. cc. p. 242 (1870); Java.
 p. 146 (1871).
- *13. **C. Pictipennis**, *Wood-Mason*, Proc. Ceylon.
 Zool. Soc. Lond. 1878, p. 585, pl. 36. f. 8.

Genus 163. **Helvia.**

Stål, Bihang Svenska Akad. iv. (10) p. 80 (1877).

1. **H. Cardinalis**, **Stål**, l. c. p. 86 (1877); | Malacca.
 Sauss. Rev. Suisse Zool. v. p. 200 |
 (1897).

Genus 164. **Mystipola.**

Sauss. Rev. Suisse Zool. v. p. 201 (1898).

1. **M. Compressicollis**, **Sauss.** l. c. (1898); | W. Africa.
 Sjöst. Bihang Svenska Akad. xxv. (4 : 6) |
 p. 19 (1900).

Genus 165. **Bomistria.**

Sauss. Rev. Suisse Zool. v. pp. 202, 789 (1898).

- *1. **B. Lunata**, **Sauss.** l. c. pp. 203, 789 | Gaboon,
 (1898). | Cameroons,
Chlinidonoptera Lunata, *Sjöst.* Bihang | Gold Coast.
 Svenska Akad. xxv. (4 : 6) p. 20, pl. 1.
 f. 6 (1900).

Genus 166. **Chlidonoptera.**

Karsch, Ent. Nachr. xviii. p. 150 (1892); Berlin. Ent. Zeitschr.
 xxxvii. p. 68 (1892); Sauss. Rev. Suisse Zool. v. p. 789
 (1898).

1. **C. Vexillum**, **Karsch**, ll. cc. p. 150 | Cameroons,
 (1892); xxxvii. p. 68 (1892), xxxix. p. 279, | Congo.
 pl. 20. f. 13 (1894); Sauss. l. c. p. 789
 (1898); Sjöst. Bihang Svenska Akad.
 xxv. (4 : 6) p. 20 (1900).
 2. **C. (?) Pavonina**, **Burm.** (*Mantis P.*) | S. Africa.
 Handb. Ent. ii. p. 540. n. 42 (1838).
Stagmatoptera Pavonina, *Sauss.* Mém. Soc.
 Genève, xxi. p. 64 (1871).

Genus 167. **Theopropus.** (*Type* no. 1.)

Sauss. Rev. Suisse Zool. v. p. 204 (1898).

<p>*1. T. Elegans, Westw. (<i>Blepharis E.</i>) Griffith, Animal Kingd. xv. p. 190, pl. 78. f. 3 (1832).
<i>Creobotra Elegans, Sauss.</i> Mém. Soc. Genève, xxi. p. 145 (1871); Brunn. Abhandl. Senckenb. Ges. xxiv. p. 215, pl. 17. f. 25 (1898).
<i>T. Elegans, Sauss.</i> Rev. Suisse Zool. v. p. 205, pl. 9. f. 3 (1898); Shelf. Zoologist, (4) vii. pp. 297-303 (1903).</p>	<p>Tenasserim,
Java,
Borneo.</p>
2. T. Præcontatrix, Sauss. l. c. p. 205 (1898).	Java.

Genus 168. **Pseudocreobotra.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 241 (1870); Mém. Soc. Genève, xxi. p. 148 (1871); Rev. Suisse Zool. v. p. 206 (1898); Stål, Bihang Svenska Akad. iv. (10) p. 78 (1877).

<p>*1. P. Ocellata, Beauv. (<i>Empusa O.</i>) Ins. Afr. Amér. p. 110, Orth. pl. 13. f. 2 (1805).
<i>Harpax Ocellata, Burm.</i> Handb. Ent. ii. p. 550. n. 2 (1838); Gerst. Mitth. Ver. Vorpomm. xiv. p. 95 (1883).
<i>P. Ocellata, Sauss.</i> Mém. Soc. Genève, xxi. p. 148, pl. 6. ff. 47, 47 a, b (1871); Stål, l. c. p. 85. n. 1 (1877).</p>	<p>W. Africa,
Ruwenzori.</p>
<p>*2. P. Wahlbergi, Stål, l. c. p. 85. n. 2 (1877); Kirb. Distant, Ins. Transvaal. p. 40, f. 4 (1902).
<i>Harpax Ocellata, Serv.</i> Ins. Orth. p. 158 (1839).
<i>P. Ocellata, Sauss.</i> l. c. xxi. p. 317 (1871); Brunn. Obs. Color. Ins. pp. 7, 8, pl. 6. f. 70, a-c (1897).</p>	<p>S. & E.
Africa.</p>
3. P. Amaræ, Rehn, Proc. Acad. Nat. Sci. Philadelphia, liii. p. 286 (1901).	<p>Galla
Land.</p>

Genus 169. **Callibia.**

Stål, Bihang Svenska Akad. iv. (10) p. 79 (1877); Sauss. Rev. Suisse Zool. v. p. 207 (1898).

Anastira, Gerst. Mitth. Ver. Vorpomm. xiv. p. 97 (1883).

- *1. **C. Diana**, Stoll, (*Mantis D.*) Spectres, Mantes, p. 74, pl. 25. f. 100 (1813).
Anastira Diana, Gerst. l. c. (1883).
Harpax Pictipennis, Serv. Ins. Orth. p. 160 (1839).

“E. Indies,”
 Cayenne,
 Ega, Per-
 nambuco.

Genus 170. **Hymenopus.**

Serv. Ann. Sci. Nat. xxii. p. 46 (1831); Burm. Handb. Ent. ii. p. 549 (1838); Sauss. Mém. Soc. Genève, xxi. p. 142 (1871); Rev. Suisse Zool. v. p. 208 (1898).

Hymenopa, Serv. Ins. Orth. p. 162 (1839).

- *1. **H. Coronatus**, Oliv. (*Mantis Coronata*)
 Enc. Méth. vii. p. 638. n. 69 (1792);
 Licht. Trans. Linn. Soc. Lond. vi. p. 24.
 n. 14 (1802).
H. Coronatus, Burm. l. c. p. 549 (1838);
 Sauss. Rev. Suisse Zool. v. p. 209 (1898).
Hymenopa Coronata, Serv. Ins. Orth. p. 163
 (1839).
Mantis Bicornis, Stoll, Spectres, Mantes,
 p. 38, pl. 11. f. 44 (1813).
H. Bicornis, Wood-Mason, Proc. Zool. Soc.
 London, 1878, p. 786; Annandale, P. Z. S.
 Lond. 1900, pp. 839–848, ff. 1, 2 (1901);
 Shelf. Zoologist, (4) vii. pp. 299–304
 (1903).

India,
 Borneo, &c.

Genus 171. **Parymenopus.**

Wood-Mason, Ann. Nat. Hist. (6) v. p. 437 (1890);
 Sauss. Rev. Suisse Zool. v. p. 209 (1898).

1. **P. Davisoni**, Wood-Mason, l. c. pl. 17 A, | Singapore.
 a-c (1890); Sauss. l. c. (1898).

Genus 172. **Harpagomantis.** (*Type* no. 9.)

Kirb. Ann. Nat. Hist. (7) iv. p. 352 (1899); Distant, Ins. Transvaal. p. 40 (1902).

|| *Harpax*, *Serv.* Ann. Sci. Nat. xxii. p. 49 (1831); Ins. Orth. p. 157 (1839); Burm. Handb. Ent. ii. p. 550 (1838); Sauss. Mém. Soc. Genève, xxi. p. 151 (1871); Rev. Suisse Zool. v. p. 210 (1898); Stål, Bihang Svenska Akad. iv. (10) p. 79 (1877).

Australomantis, *Rehn*, Canad. Ent. xxxiii. p. 271 (1901).

*1. **H. Tricolor, Linn.** (*Gryllus (Mantis) T.*) S. Africa.

Syst. Nat. (ed. x.) i. p. 426. n. 9 (1758).

Mantis Tricolor, *Fabr.* Syst. Ent. p. 276. n. 9 (1775); Herbst, Fuessly, Archiv. Ins. p. 188, pl. 51. f. 4 (1786); Oliv. Enc. Méth., Ins. vii. p. 632. n. 36 (1792).

Gryllus Tricolor, *Linn.* Mus. Ludov. Ulr. p. 117 (1764).

Harpax Tricolor, *Serv.* Ins. Orth. p. 158 (1839); Sauss. ll. cc. p. 151 (1871); p. 210 (1898); Stål, l. c. p. 85 (1877); Brunn. Obs. Color. Ins. p. 7, pl. 6. f. 69 (1897).

Mantis Lobata, *Fabr.* Spec. Ins. i. p. 350. n. 28 (1781); Oliv. Enc. Méth., Ins. vii. p. 630. n. 24 (1792); Licht. Trans. Linn. Soc. Lond. p. 25. n. 15 (1802); Stoll, Spectres, Mantes, p. 29, pl. 9. f. 33, p. 41*, pl. 12. f. 48 (1813).

Harpax Lobata, *Burm.* l. c. p. 551. n. 4 (1838).

Mantis Cornuta, *Oliv.* Enc. Méth., Ins. vii. p. 641. n. 13 (1792).

Harpax Cornuta, *Burm.* l. c. p. 551. n. 3 (1838).

Mantis Quadricornis, *Stoll*, l. c. p. 42*, pl. 12. f. 50 (1813).

Harpax Spinocula, *Serv.* l. c. p. 159, pl. 3. f. 6 (1839).

|| *Harpax Coronata*, *Westw.* Rev. Mant. p. 20. n. 505 (1889).

(?) *Mantis Paradora*, *Goeze*, Ent. Beytr. ii. p. 35. n. 33 (1788); Oliv. l. c. p. 642. n. 27 (1792) (*Seba*, Thes. iv. pl. 73. ff. 9, 10).

- *2. **H. Discolor, Stål**, (*Harpax D.*) l. c. p. 85 | Caffraria,
(1877); Sauss. Rev. Suisse Zool. v. p. 210 | Transvaal.
(1898).

Genus 173. **Pseudoharpax.**

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 241 (1870); Mém. Soc. Genève, xxi. p. 150 (1871); Rev. Suisse Zool. v. p. 211 (1898); Stål, Bihang Svenska Akad. iv. (10) p. 79 (1877).

- *1. **P. Virescens, Serv.** (*Harpax V.*) Ins. | W. Africa,
Orth. p. 162, pl. 3. f. 7 (1839); Sauss. | Abyssinia.
Mém. Soc. Genève, xxi. p. 150, pl. 6.
ff. 48, 48 a (1871).

Genus 174. **Galinthias.** (*Type no. 1*)

Stål, Bihang Svenska Akad. iv. (10) pp. 79, 86 (1877);
Sauss. Rev. Suisse Zool. v. p. 318 (1898).

- *1. **G. Amœna, Sauss.** (*Harpax A.*) Mém. | Natal,
Soc. Genève, xxi. p. 318 (1871). | Cape,
G. Amœna, Westw. Rev. Mant. p. 21. | Zanzibar.
n. 510, pl. 10. ff. 3, 10 (1889); Brunn.
Obs. Color. Ins. p. 7, pl. 6. f. 68
(1897).
2. **G. Hyalina, Sauss.** Abhandl. Senckenb. | Delagoa
Ges. xxi. p. 598 (1899). | Bay.

Genus 175. **Otomantis.** (*Type no. 1.*)

Bol. An. Soc. Españ. xix. p. 304 (1890).
Acanthomantis, Sauss. & Zehntn. Grandidier, Hist. Madagascar,
Orth. i. p. 212 (1895). (*Type no. 3.*)

- *1. **O. Scutigera, Bol.** l. c. p. 305, pl. 1. f. 3 | Delagoa
(1890). | Bay.
Acanthomantis Africana, Sauss. & Zehntn.
l. c. p. 215 (1895).

<p>2. O. Rendalli, Kirb. (<i>Acanthomantis R.</i>)
Ann. Nat. Hist. (7) iv. p. 352 (1899);
Distant, Ins. Transvaal. p. 41, pl. 2. f. 6
(1902).</p> <p>3. O. Aurita, Sauss. & Zehntn. (<i>Acantho-</i>
<i>mantis A.</i>) l. c. p. 213, pl. 10. f. 38
(1895).</p> | <p>Fort
Johnston.</p> <p>Madagascar</p> |
|--|---|

SUBFAM. VII.

VATINÆ.

Genus 176. **Cardioptera.**

Burm. Handb. Ent. ii. p. 540 (1838); Sauss. Mitth. Schweiz.
Ent. Ges. iii. p. 66 (1869); Mém. Mex., Mant. p. 68
(1871); Miss. Mex., Orth. p. 267 (1872); Sauss. & Zehntn.
Biol. Centr.-Amer., Orth. i. p. 184 (1894); Stål, Bihang
Svenska Akad. iv. (10) p. 43 (1877).

<p>*1. C. Brachyptera, Burm. (<i>Mantis B.</i>)
Handb. Ent. ii. p. 541. n. 47 (1838).
<i>Mantis Sublobata, Serv.</i> Ins. Orth. p. 180
(1839); Charp. Germar, Zeitschr. Ent.
iii. p. 290 (1841); Orth. pl. 37 (1845).
<i>C. Sublobata, Sauss.</i> Mém. Mex., Mant.
p. 75 (1871).
♂. <i>Mantis Pilipes, Serv.</i> l. c. p. 192
(1839).</p>	Brazil.

Genus 177. **Oxyops.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 56 (1869); Mém. Mex.,
Mant. p. 41 (1871); Miss. Mex., Orth. i. p. 253 (1872);
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 189 (1894);
Stål, Bihang Svenska Akad. iv. (10) p. 68 (1877).

<p>*1. O. Rubicunda, Stoll, (<i>Mantis R.</i>) Spectres,
Mantes, p. 73, pl. 25. f. 96 (1813).
<i>O. Rubicunda, Sauss.</i> Mém. Mex., Mant.
p. 41 (1871); Miss. Mex., Orth. p. 254</p> | <p>Guiana,
Brazil.</p> |
|--|----------------------------|

- (1872); Sauss. & Zehntn. l. c. p. 189.
 n. 1 (1894); Stål, l. c. p. 71. n. 1 (1877);
 Westw. Rev. Mant. p. 15. n. 378, pl. 6.
 f. 3 (1889).
Stagmatoptera Diluta, ♂ (nec ♀), Sauss.
 Mém. Mex., Mant. p. 87, pl. 1. f. 6
 (1871).
2. **O. Dubiosa**, Giglio-Tos, Boll. Mus. Ecuador.
 Torino, xiii. (311) p. 18 (1898).
 3. **O. Acutipennis**, Stål, l. c. p. 71. n. 2 Peru.
 (1877).
 4. **O. Media**, Stål, l. c. n. 3 (1877). Brazil.
 5. **O. Obtusa**, Stål, l. c. p. 72. n. 4 (1877). id.
 6. **O. Icterica**, Sauss. & Zehntn. l. c. p. 190. S. America.
 n. 2 (1894).
 7. **O. Borellii**, Giglio-Tos, l. c. xii. (302) Bolivia.
 p. 15 (1897).
 8. **O. Paraguayensis**, Brancs. Jahresh. Ver. Paraguay.
 Trencsin. Com. xix.-xx. p. 64, pl. 1. f. 10
 (1898).

Genus 178. **Pseudoxyops**.

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 185 (1894).

1. **P. Perpulchra**, Westw. (*Stagmatoptera* | Ega.
 P.) Rev. Mant. p. 36, pl. 11. f. 8 (1889).

Genus 179. **Parastagmatoptera**. (*Type* no. 1.)

Sauss. Mém. Mex., Mant. p. 83 (1871); Sauss. & Zehntn. Biol.
 Centr.-Amer., Orth. i. p. 188 (1894); Stål, Bihang Svenska
 Akad. iv. (10) p. 68 (1877).

1. **P. Flavoguttata**, Serv. (*Mantis F.*) Ins. Cayenne.
 Orth. p. 183 (1839).
- *1 a. **P. Unipunctata**, Burm. (*Mantis U.*) Brazil,
 Handb. Ent. ii. p. 540. n. 43 (1838); Buenos
 Berlin. Ent. Zeitschr. viii. p. 238 (1864). Aires.
2. **P. Ciliata**, Stål, (*Mantis C.*) Eugenie's Rio Janeiro.
 Resa, Orth. p. 313 (1858).
- **3. **P. Serricornis**, Kirb. (n. n.) Santarem.
 (*Mantis Serricornis*, Bates, MS.)
 || *Stagmatoptera Flavoguttata*, Sauss. l. c.
 p. 84, pl. 1. f. 5 (1871); Miss. Mex.,
 Orth. p. 256 (1872).

- || *P. Unipunctata*, Sauss. & Zehntn. l. c. p. 188. n. 1 (1894).
 || *P. Flavoguttata*, Westw. Rev. Mant. p. 16. n. 392, pl. 6. f. 1 (1889).
 4. **P. Tessellata**, Sauss. & Zehntn. l. c. p. 188. n. 2 (1894). Cayenne.
 5. **P. Lobipes, Redt. Proc. Zool. Soc. Lond. 1892, p. 206, pl. 15. f. 8; Brunn. op. cit. 1893, p. 605, pl. 52. f. 4; Sauss. & Zehntn. l. c. p. 189. n. 3 (1894). W. Indies : St. Vincent, Grenada.
 6. **P. (?) Simulacrum**, Fabr. (*Mantis S.*) Ent. Syst. ii. p. 21. n. 34 (1793). America.
 7. **P. (?) Diluta**, Stoll, (*Mantis D.*) Spectres, Mantes, p. 66, pl. 22. f. 83 (1813). Surinam.
Stagmatoptera Diluta, ♀, Sauss. ll. cc. p. 87 (1871); p. 256 (1872).

Genus 180. **Stagmatoptera.** (Type no. 10.)

Burm. Handb. Ent. ii. p. 537 (1838); Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 67 (1869); Mém. Soc. Genève, xxi. p. 64 (1871); Mém. Mex., Mant. p. 80 (1871); Miss. Mex., Orth. p. 255 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 185 (1894); Grandidier, Hist. Madagascar, Orth. i. p. 223 (1895); Stål, Bihang Svenska Akad. iv. (10) pp. 68, 72 (1877).

- *1. **S. Biocellata**, Sauss. ll. cc. p. 67 (1869); p. 96 (1871); p. 257 (1872). Brazil.
 2. **S. Supplicaria**, Burm. (*Mantis S.*) l. c. p. 542. n. 52 (1838). Guiana, Brazil.
 || *Mantis Hyalina*, Burm. l. c. p. 532. n. 11 (1838).
 || *Mantis Precaria*, Licht. Trans. Linn. Soc. Lond. vi. p. 26. n. 16 (1802); Stoll, Spectres, Mantes, p. 51, pl. 17. f. 62 (1813).
Mantis Flavipennis, Serv. Ins. Orth. p. 182 (1839).
S. Supplicaria, Sauss. Mém. Mex., Mant. p. 94. n. 8, pl. 1. ff. 11, 11 (1871).
 3. **S. Hyaloptera**, Perty, (*Mantis H.*) Delectus Anim. Art. p. 117, pl. 23. f. 6 (1832). Amazons, Cayenne.
S. Hyaloptera, Sauss. l. c. p. 95, pl. 1. f. 12 (1871); Miss. Mex., Orth. p. 257 (1872).

- *4. **S. Luna, Serv.** (*Mantis L.*) l. c. p. 183 (1839). Argentine Republic.
- *5. **S. Predicatoria, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 232 (1870). Brazil.
S. Prædicatoria, Sauss. Mém. Mex., Mant. p. 92, pl. 1. f. 10 (1871); (?) Westw. Rev. Mant. p. 16. n. 386, pl. 4. f. 6 (1889).
 || *Mantis Rogatoria, Burm.* l. c. p. 540. n. 41 (1838).
6. **S. Binotata, Scudd.** Proc. Boston Soc. Nat. Hist. xii. p. 341 (1869). Napo (?).
- **7. **S. Septentrionalis, Sauss. & Zehntn.** l. c. p. 186, pl. 8. f. 2 (1894). Panama, Trinidad.
- *8. **S. Minor, Sauss. & Zehntn.** (*S. Septentrionalis*, var. *Minor*) l. c. p. 187 (1894). Colombia, Venezuela.
9. **S. Pia, Sauss. & Zehntn.** l. c. p. 187. n. 2 (1894). Brazil.
- *10. **S. Præcaria, Linn.** (*Gryllus (Mantis) Præcarius*) Syst. Nat. (ed. x.) i. p. 426. n. 7 (1758). S. America.
Gryllus Mantis Præcarius, Linn. Mus. Ludov. Ulr. p. 114 (1764).
Mantis Præcaria, De Geer, Mém. Ins. iii. pp. 406, 407. n. 3, pl. 37. ff. 4, 8, 9 (1773); Herbst, Fuessly, Arch. Ins. p. 186, pl. 50. f. 1 (1786); Oliv. Enc. Méth., Ins. vii. p. 628. n. 13 (1792); Beauv. Ins. Afr. Amér. p. 61, Orth. pl. 12. f. 1 (1805); Hahn, Icon. Orth., Mant. t. A. f. 1 (1836); Serv. Ins. Orth. p. 181 (1839).
Mantis Præcaria, Burm. l. c. p. 539. n. 40 (1838); Berlin. Ent. Zeitschr. viii. p. 236. n. 1 (1864).
S. Præcaria, Brunn. Obs. Color. Ins. p. 3, pl. 2. f. 22 a (1897).
S. Flavipennis, Brunn. l. c. f. 22, b (1897).
Mantis Cubitata, Goeze, Ent. Beytr. ii. p. 34. n. 27 (1778); Oliv. Enc. Méth., Ins. vii. p. 642. n. 21 (1792) (Seba, Thes. iv. pl. 69. ff. 3, 4).
Mantis Obsecraria, Licht. Trans. Linn. Soc. vi. p. 28. n. 25 (1802).
Mantis Ocellata, Oliv. l. c. p. 639. n. 77 (1792).

- Mantis Annulata*, Stoll, Spectres, Mantes, p. 55, pl. 18. f. 66 (1813).
S. Annulata, Sauss. l. c. p. 91, pl. 1. ff. 9, 9 (1871); Miss. Mex., Orth. p. 256. n. 4 (1872); Sauss. & Zehntn. l. c. p. 187. n. 3 (1894).
Mantis Rogatoria, Stoll, l. c. p. 73, pl. 25. f. 95 (1813).
11. **S. Femoralis**, Sauss. & Zehntn. l. c. p. 187. n. 4 (1894). Cayenne.
 ? *Mantis Præcaria*, Müll. Naturs. Linn., Ins. i. p. 413, pl. 9. f. 3 (1774).
12. **S. Indicator**, Oliv. (*Mantis I.*) l. c. p. 641. n. 16 (1792). Surinam.
Mantis Bodegetica, Licht. l. c. p. 26. n. 20 (1802).
Mantis Sancta, Stoll, l. c. p. 52, pl. 17. f. 63 (1813); Burm. l. c. p. 542. n. 51 (1838).
- 12 a. **S. Pagana**, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 232 (1870). Bogota.
 || *S. Sancta*, Sauss. Mém. Mex., Mant. p. 88, pl. 1. f. 7 (1871).
- 12 b. **S. Costalis**, Burm. (*Mantis C.*) l. c. p. 532. n. 9 (1838). Brazil.
13. **S. Insatiabilis**, Rehn, Proc. U. S. Nat. Mus. xxvii. p. 572 (1904). Costa Rica.
14. **S. Abdominalis**, Oliv. (*Mantis A.*) l. c. p. 640. n. 8 (1792). Surinam.
Mantis Birivia, Stoll, l. c. p. 28, pl. 9. f. 31 (1813); Burm. l. c. p. 541. n. 45 (1838).
S. Birivia, Sauss. & Zehntn. l. c. p. 186 (1894).
Mantis Urbana, Licht. l. c. p. 27. n. 23 (1802).
15. **S. Freyi**, Brancs. (*Hierodula (Sphodromantis) F.*) Jahresh. Ver. Trencsin. Com. xv.-xvi. p. 177, pl. 9. ff. 1, 1 a (1892). Madagascar
S. Freyi, Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 224, pl. 6. ff. 1, 2 (1895).
- *16. **S. Acutipennis**, Westw. (*Hierodula A.*) id.
 Rev. Mant. p. 34, pl. 1. f. 8 (1889).
S. Acutipennis, Sauss. & Zehntn. l. c. p. 228, pl. 7. f. 5 (1895).
S. Grandidieri, Sauss. & Zehntn. l. c. p. 226, pl. 7. ff. 3, 4 (1895).

Genus 181. **Heterovates.**

Sauss. Mém. Soc. Genève, xxiii. p. 85 (1872); Miss. Mex., Orth. p. 289 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 184 (1894).

1. **H. Pardalina, Sauss.** ll. cc. p. 85, pl. 9. | Brazil.
f. 32 (1871); p. 289 (1872). |

Genus 182. **Zoolea.**

Serv. Ins. Orth. p. 154 (1839); Sauss. Mém. Mex., Mant. pp. 156, 160 (1871); Miss. Mex., Orth. p. 286 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 184 (1894).

|| *Vates, Stål*, Bihang Svenska Akad. iv. (10) pp. 69, 73 (1877).

- *1. **Z. Lobipes, Oliv.** (*Mantis L.*) Enc. Méth. vii. p. 637. n. 65 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 23. n. 9 (1802); Charp. Germar, Zeitschr. Ent. v. p. 294 (1844). | “Tran-
quebar,” |
Brazil, |
Guiana. |
- Empusa Lobipes, Guér.* Icon. R. Anim., Ins. p. 327, pl. 52. f. 5 (1829–1844); Gray, Griffith, Anim. Kingd. xv. p. 172, pl. 104. f. 5 (1832); Duncan, Nat. Libr., Ins. i. p. 237, pl. 10. f. 2 (1840).
- Theoclytes Lobipes, Serv.* Ins. Orth. p. 254 (1839).
- Mantis Macroptera, Stoll*, Spectres, Mantes, p. 26, pl. 8. f. 30 (1813).
- Vates Macropterus, Burm.* Handb. Ent. ii. p. 544. n. 3 (1838); Charp. Orth. pls. 25, 26 (1842).
- Z. Macroptera, Sauss.* Mém. Mex., Mant. p. 161 (1871).
- Vates Orbus, Burm.* l. c. p. 544. n. 2 (1838).

Genus 183. **Phyllovates, Kirb.** (n. n.). (*Type no. 1.*)

Theoclytes (2^{me} subdiv.), *Serv.* Ins. Orth. p. 153 (1839), *nec sect. typ.*

|| *Theoclytes, Sauss.* Mitth. Schweiz. Ent. Ges. iii. pp. 53, 60

(1869); Mém. Mex., Mant. p. 172 (1871); Miss. Mex., Orth. p. 292 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 190 (1894); Stål, Bihang Svenska Akad. iv. (10) p. 69 (1877).

- *1. **P. Chlorophæa, Blanch.** (*Mantis C.*) N. & Centr.
Mag. Zool., Ins. pl. 135 (1836). America.
Theoclytes (?) *Chlorophæa*, Serv. l. c. p. 153
(1839); Sauss. Mém. Mex., Mant. p. 173
(1871); Miss. Mex., Orth. p. 292, pl. 5.
ff. 4, 4a (1872); Sauss. & Zehntn. l. c.
p. 191. n. 1 (1894).
Theoclytes Azteca, Sauss. Rev. Zool. (2) xi.
p. 61 (1859).
Theoclytes Mexicana, Sauss. l. c. (2) xiii.
p. 127 (1861).
- **1 a. **P. Cornuta, Sauss. & Zehntn.** (*Theo-* Guatemala.
clytes Chlorophæa, var. *Cornuta*) l. c.
p. 191 (1894).
- **2. **P. Maya, Sauss. & Zehntn.** (*Theoclytes* Mexico.
M.) l. c. p. 192. n. 2 (1894).
Theoclytes Chlorophæa, var., Sauss. &
Zehntn. l. c. pl. 10. f. 33 (1894).
- *3. **P. Brevicornis, Stål**, (*Pseudovates B.*) Colombia,
l. c. p. 74 (1877). Brazil.
Jamaica.
- 4. **P. Cingulata, Drury**, (*Mantis C.*) Ill.
Ex. Ent. ii. pl. 49. f. 2 (1773); Oliv.
Enc. Méth., Ins. vii. p. 635. n. 49 (1792);
Licht. Trans. Linn. Soc. Lond. vi. p. 27.
n. 22 (1802).
Mantis Bidens, Haan, Temminck, Ver-
handel., Orth. p. 79 (1842).
Theoclytes Cingulata, Sauss. & Zehntn. l. c.
p. 192. n. 3 (1894).
|| *Mantis Hyalina*, Fabr. Syst. Ent. p. 277.
n. 16 (1775); Oliv. Enc. Méth., Ins. vii.
p. 629. n. 17 (1792); Licht. Trans. Linn.
Soc. Lond. vi. p. 30. n. 3 (1802).
- 5. **P. Stolli, Sauss. & Zehntn.** (*Mantis S.*) Guiana,
l. c. p. 192. n. 4 (1894). Brazil.
|| *Mantis Cingulata*, Stoll, Spectres, Mantes,
p. 28, pl. 9. f. 32 (1813); Burm. Handb.
Ent. ii. p. 542. n. 53 (1838); Serv. l. c.
p. 197 (1839).
Theoclytes Cingulata, Sauss. Mém. Mex.,
Mant. p. 174 (1871); Miss. Mex., Orth.
p. 293 (1872).

- *6. **P. Parallela, Haan**, (*Mantis P.*) l. c. p. 79 (1842). Guiana.
Theoclytes Parallela, Sauss. ll. cc. p. 176, pl. 2. f. 33 (1871); p. 294 (1872);
 Sauss. & Zehntn. l. c. p. 193. n. 5 (1894).
Theoclytes Surinamensis, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 60 (1869);
 Mém. Mex., Mant. pl. 1. f. 19 (1871).
- *7. **P. Spinicollis, Sauss. & Zehntn.** (*Theoclytes S.*) l. c. p. 193. n. 6, pl. 6. f. 2 (1894). Brazil.
8. **P. Iheringi, Sauss. & Zehntn.** (*Theoclytes I.*) l. c. p. 193. n. 7 (1894). R. Grande do Sol.
- *9. **P. Minor, Sauss.** (*Theoclytes M.*) Mém. Soc. Genève, xxiii. p. 85, pl. 9. f. 33 (1872); Miss. Mex., Orth. p. 294 (1872). Brazil.
- 9 a. **P. Parvulus, Westw.** (*Theoclytes (Vates P.)*) Rev. Mant. p. 46 (1889). id.

Genus 184. **Pseudovates.** (Type no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. pp. 60, 221 (1869, 1870);
 Stål, Bihang Svenska Akad. iv. (10) pp. 69, 74 (1877);
 Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. pp. 190, 194 (1894).

- *1. **P. Tolteca, Sauss.** (*Theoclytes T.*) Rev. Zool. (2) xi. p. 61 (1859). Mexico.
Vates Tolteca, Sauss. Mém. Mex., Mant. p. 167 (1871); Miss. Mex., Orth. p. 291, pl. 5. ff. 3, 3 a-c (1872); Sauss. & Zehntn. l. c. p. 194. n. 1 (1894).
- *2. **P. Paraensis, Sauss.** (*Vates P.*) Mém. Mex., Mant. p. 168 (1871); Sauss. & Zehntn. l. c. p. 195. n. 2, pl. 6. f. 1, pl. 10. ff. 28, 29 (1894). Para, Mexico.
3. **P. Bidens, Fabr.** (*Mantis B.*) Syst. Ent. p. 227. n. 17 (1775); Oliv. Enc. Méth., Ins. vii. p. 629. n. 19 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 24. n. 13 (1802). Brazil.
Vates Bidens, Sauss. l. c. p. 169, pl. 2. ff. 35, 35 a (1871).
P. Consobrina, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 222 (1870).
4. **P. Longicollis, Stål**, l. c. p. 74 (1877). Mexico.
Vates Longicollis, Sauss. & Zehntn. l. c. p. 195. n. 3 (1894).

Genus 185. **Vates.** (Type no. 2 b.)

Burm. Handb. Ent. ii. p. 543 (1833); Sauss. Mitth. Schweiz. Ent. Ges. iii. pp. 53, 60, 221 (1869, 1870); Mém. Mex., Mant. pp. 156, 162 (1871); Miss. Mex., Orth. p. 286 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. pp. 184, 194 (1894).

Theoclytes, Serv. Ins. Orth. p. 150 (1839). (Type no. 2 b.)

*1. V. Pectinata, Sauss. Mém. Mex., Mant. p. 163, pl. 2. f. 34 (1871); Sauss. & Zehntn. l. c. p. 196. n. 4, pl. 6. ff. 4, 5, pl. 10. ff. 30-32 (1894). 2. V. Foliata, Licht. (<i>Mantis F.</i>) Trans. Linn. Soc. Lond. vi. p. 24. n. 11 (1802). <i>Mantis Subfoliata</i>, Stoll, Spectres, Mantes, p. 55, pl. 18. f. 67 (1813). <i>Vates Subfoliata</i>, Sauss. l. c. p. 166 (1871). 2 a. V. Sphingicornis, Stoll, (<i>Mantis S.</i>) l. c. p. 59, pl. 20. f. 74 (1813). 2 b. V. Lobata, Fabr. (<i>Mantis L.</i>) Ent. Syst., Suppl. p. 190 (1798). <i>Empusa Hyalina</i>, Charp. Silbermann, Rev. Ent. iii. p. 316 (1835); Charp. Germar, Zeitschr. Ent. i. p. 372 (1839); Charp. Orth. pl. 2 (1841). <i>V. Cnemidotus</i>, Burm. l. c. p. 543. n. 1 (1838); Charp. Germar, Zeitschr. Ent. iii. p. 295 (1841). <i>Theoclytes Foliata</i>, Serv. l. c. p. 151 (1839). <i>V. Sphingicornis</i>, Sauss. l. c. p. 164 (1871). <i>V. Subfoliata</i>, Sauss. & Zehntn. l. c. p. 196. n. 5 (1894). 3. V. Denticulata, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 222 (1870). 4. V. Pectinicornis, Stål, (<i>Theoclytes P.</i>) Bihang Svenska Akad. iv. (10) p. 73 (1877). <i>V. Pectinicornis</i>, Sauss. & Zehntn. l. c. p. 197. n. 6 (1894). 5. V. Serraticornis, Stål, (<i>Theoclytes S.</i>) l. c. p. 73 (1877).	<p>Mexico.</p> <p>"Bengal."</p> <p>"Amboina."</p> <p>Cayenne,
Brazil.</p> <p>Surinam.</p> <p>Panama.</p> <p>N. Granada.</p> |
|--|---|

6. V. Amazonicus, Westw. (<i>Theoclytes</i> A.)
Rev. Mant. p. 46 (1889).
<i>V. Amazonica</i> , Sauss. & Zehntn. l. c. p. 197.
n. 7 (1894).	Amazons.
7. V. Annectens, Rehn , Trans. Amer. Ent.
Soc. xxvii. p. 85 (1900).	Mexico.
8. V. Townsendi, Rehn , Proc. U. S. Nat.
Mus. xxvii. p. 573 (1904).
<i>Vates</i> sp., <i>Rehn</i> , Trans. Amer. Ent. Soc.
xxvii. p. 221 (1904).	id.

Genus 186. **Hagiotata.**

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 197 (1894).

**1. H. Hofmanni, Sauss. & Zehntn. l. c.
p. 197, pl. 8. f. 5 (1894).	Brazil.

Genus 187. **Stenophylla.**

Westw. Arc. Ent. ii. p. 52 (1845); Sauss. Mém. Mex., Mant.
 p. 154 (1871); Miss. Mex., Orth. p. 282 (1872); Sauss. &
 Zehntn. Biol. Centr.-Amer., Orth. i. p. 184 (1894).

1. S. Cornigera, Westw. l. c. pl. 62. f. 2
(1845); Rev. Mant. p. 45 (1889); Sauss.
ll. cc. p. 155 (1871); p. 283 (1872);
Mém. Soc. Genève, xxiii. p. 82, pl. 9.
f. 30 (1872); Sharp, Cambridge Nat.
Hist., Ins. i. pp. 257, 258, f. 147 (1895).	Brazil.

Genus 188. **Stenovates.**

Sauss. Mém. Soc. Genève, xxiii. p. 84 (1872);
 Miss. Mex., Orth. p. 286 (1872).

1. S. Pantherina, Sauss. ll. cc. p. 84, pl. 9.
ff. 31, 31 <i>a</i> (1872); p. 287 (1872); Brunn.
Ann. Mus. Genova, xxxiii. p. 74 (1893). | "C.Amer.,"
White
Nile. |
|---|------------------------------|

Genus 189. **Heterochæta.** (*Type* no. 1.)

Westw. Arc. Ent. i. p. 162 (1845);
 Sauss. Mém. Soc. Genève, xxi. pp. 140, 164 (1871).

1. H. Tenuipes, Westw. (<i>Toxodera</i> T.)
Ann. Nat. Hist. (1) viii. p. 272 (1841).	Senegal.

Toxodera (Heterochaeta) Tenuipes, Westw.

Arc. Ent. i. p. 162, pl. 41 (1845).

H. Tenuipes, Westw. Rev. Mant. p. 41 (1889).

2. **H. Orientalis, Kirb. Ann. Nat. Hist. (7) E. Africa.
xiii. p. 87 (1904).

(?) *H. Tenuipes*, Gerst. Mitth. Ver. Vor-
pomm. xiv. p. 94 (1883).

Genus 190. **Pseudochaeta**.

Kirb. Ann. Nat. Hist. (7) xiii. p. 87 (1904).

1. **P. Strachani, Kirb. l. c. p. 88 (1904). | Lagos.

Genus 191. **Severinia**.

Finot, Ann. Soc. Ent. Belg. xlv. p. 433 (1902).

1. **S. Lemoroi**, Finot, (*Heterochaeta* L.) Bull. | Algeria.
Soc. Ent. France, 1893, p. xxix; Ann.
Soc. Ent. Belg. xlv. p. 432 (1902).

Genus 192. **Heterochaetula**. (*Type* no. 1.)

Wood-Mason, Journ. Asiatic Soc. Bengal, lviii. p. 308 (1889).

1. **H. Fissispinis**, Wood-Mason, l. c. | Mysore.
p. 309 (1889).
2. **H. Tricolor**, Wood-Mason, (*Hetero- Calcutta,*
chaeta T.) Ann. Nat. Hist. (4) xviii. | Orissa.
p. 441 (1876).

Genus 193. **Paradanuria**. (*Type* no. 1.)

Wood-Mason, Ann. Nat. Hist. (4) xix. p. 220 (1877);

Journ. Asiatic Soc. Bengal, lviii. p. 314 (1889).

*1. **P. Orientalis**, Wood-Mason, Ann. Nat. | India.
Hist. (4) xix. p. 220 (1877).
Toxodera (Paradanuria) Orientalis, Westw.
Rev. Mant. p. 41, pl. 12. f. 9 (1889).
2. **P. Parvula**, Westw. (*Toxodera (Para- Hab. — ?*
danuria) P.) l. c. p. 41 (1889).
3. **P. Fortnumi**, Westw. (*Toxodera (Para- N. Australia.*
danuria) F.) l. c. p. 41, pl. 8. f. 7 (1889).

Genus 194. **Euthyphleps**.

Wood-Mason, Journ. Asiatic Soc. Bengal, lviii. p. 315 (1889).

1. **E. Rectivenis**, Wood-Mason, l. c. | N.W.
p. 317 (1889). | Himalayas.

Genus 195. **Æthalochroa.** (Type no. 1.)

Wood-Mason, Ann. Nat. Hist. (4) xix. p. 308 (1877); Journ.

Asiatic Soc. Bengal, lviii. p. 310 (1889).

Arsacia, Stål, Bihang Svenska Akad. iv. (10) p. 70 (1877).

Arteria, Brunn. Ann. Mus. Genova, xxxiii. p. 74 (1893).

1. **Æ. Ashmoliana, Westw.** (*Vates Ashmolianus*) Ann. Nat. Hist. (1) viii. p. 271 (1841); Arc. Ent. ii. p. 52 note (1845).
Popa (?) *Aschmoliana*, Sauss. Mém. Soc. Genève, xxi. p. 161 (1871).
Æ. Ashmoliana, Wood-Mason, ll. cc. p. 308 (1877); p. 312 (1889); Westw. Rev. Mant. p. 46, pl. 12. f. 6 (1889).
Æ. Ashmoliana, var. *Simplicipes*, Wood-Mason, Proc. Zool. Soc. Lond. 1878, p. 584.
Æ. Ashmoliana, var. *Insignis*, Wood-Mason, l. c. (1878).
 India.
2. **Æ. Affinis, Wood-Mason**, Journ. Asiatic Soc. Bengal, lviii. p. 313 (1889).
 Sind.
3. **Æ. Spinipes, Wood-Mason**, l. c. (1889).
 Karachi.

Genus 196. **Pseudempusa.**

Brunn. Ann. Mus. Genova, xxxiii. p. 73 (1893).

1. **P. Pinnapavonis, Brunn.** l. c. p. 75, pl. 2. f. 25 (1893); Obs. Color. Ins. p. 5, pl. 4. f. 50 (1897).
 Burma.

Genus 197. **Popa.** (Type no. 2.)

Stål, Öfv. Vet.-Akad. Förh. xiii. p. 169 (1856), xxviii. pp. 386, 397 (1871); Bihang Svenska Akad. iv. (10) p. 70 (1877); Sauss. Mém. Soc. Genève, xxi. pp. 140, 160 (1871); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 229 (1895).

- *1. **P. Undata, Fabr.** (*Mantis U.*) Ent. Syst. ii. p. 19. n. 28 (1793).
 (?) *Mantis Undata*, Charp. Orth. pl. 38 (1841).
 Tranquebar,
Bombay;
S. Africa (?)
- *2. **P. Spurca, Stål**, ll. cc. p. 169 (1856), p. 387 (1871).
 || *Theoclytes* (?) *Undata*, Serv. Ins. Orth. p. 152 (1839).
 S. & E.
Africa,
Madagascar

- || *P. Undata*, Sauss. l. c. xxiii. p. 79 (1872);
 Sauss. & Zehntn. l. c. p. 233 (1895).
P. Undata, var. *Pallida*, Sauss. & Zehntn.
 l. c. p. 234 (1895).
 3. **P. Batesi**, Sauss. & Zehntn. l. c. p. 230 Madagascar
 (1895).
P. Undata, pt., Bates, Proc. Zool. Soc.
 Lond. 1863, p. 480.

Genus 198. **Macrodanuria.** (*Type* no. 1.)

Sjöst. Bihang Svenska Akad. xxv. (4 : 6) p. 22 (1900).

- *1. **M. Phasmoides**, Sjöst. l. c. p. 23, pl. 1. Congo.
 ff. 1, 2 (1900).
 2. **M. Elongata**, De Borre (*Danuria E.*) S. Guinea.
 Ann. Soc. Ent. Belg. xxvii. p. 76 (1883).
 *3. **M. Bolauana**, Sauss. (*Danuria B.*) Mitth. E. Africa.
 Schweiz. Ent. Ges. iii. p. 70 (May,
 1869).
Danuria Bolauana, Sauss. Mém. Soc.
 Genève, xxi. p. 162 (1871).
Mantis (*Danuria*?) *Superciliaris*, Gerst.
 Arch. Naturg. xxxv. p. 210. n. 25
 (1869); Von der Decken's Reisen in
 Ost-Afrika, Ins. p. 15, pl. 1. ff. 7, 7 a, b
 (1873).
Danuria (?) *Caffra*, Westw. Rev. Mant.
 p. 42, pl. 1. f. 5 (1889).

Genus 199. **Danuria.** (*Type* no. 1.)

Stål, Öfv. Vet.-Akad. Förh. xiii. p. 169 (1856), xxviii. p. 387
 (1871); Bihang Svenska Akad. iv. (10) p. 70 (1877);
 Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 57 (1869); Mém.
 Soc. Genève, xxi. pp. 161, 319 (1871); Karsch, Ent.
 Nachr. xv. p. 270 (1889).

Daniura, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 70 (1869).

- *1. **D. Thunbergi**, Stål, ll. cc. p. 169 (1856), S. & E.
 p. 387 (1871); Sauss. Mém. Soc. Genève, Africa,
 xxi. pp. 163, 320, pl. 7. ff. 66, 67 (1871); Madagascar
 Karsch, l. c. p. 273 (1889); (?) Sauss. & (eadem?).
 Zehntn. Grandidier, Hist. Madagascar,
 Orth. i. p. 228 (1895).
 *2. **D. Buchholzi**, Gerst. Mitth. Ver. Vor- W. Africa.
 pomm. xiv. p. 93 (1883).

3. **D. Gracilis, Schulth.** (*Popa G.*) Ann. Mus. Genova, xxxix. p. 180 (1898). Somali Land.
D. Gracilis, Schulth. Bull. Soc. Vaud. xxxv. p. 200 note (1899).
- *4. **D. Impannosa, Karsch,** l. c. p. 274 (1889). Nubia.
- *5. **D. Serratodentata, Karsch,** l. c. p. 274 (1889). Congo, Angola.

Genus 200. **Danuriella.**

Westw. Rev. Mant. p. 42 (1889) ; Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 235 (1895).

1. **D. Irregularis, Westw.** l. c. p. 42, pl. 1. f. 9 (1889) ; Sauss. & Zehntn. l. c. p. 236, pl. 7. ff. 6, 7 (1895). Madagascar

Genus 201. **Phitrus.**

Karsch, Ent. Nachr. xviii. p. 149 (1892).

1. **P. Lobulipes, Karsch,** l. c. (1892) ; Berlin. Ent. Zeitschr. xxxix. p. 279, pl. 20. f. 8 (1894). Cameroons.

SUBFAM. VIII.

EMPUSINÆ.

Genus 202. **Gongylus.** (*Type* no. 1.)

Thunb. Mém. Pétersb. v. p. 220 (1815) ; Burm. Handb. Ent. ii. p. 545 (1838) ; Sauss. Mém. Soc. Genève, xxi. p. 185 (1871) ; Stål, Bihang Svenska Akad. iv. (10) p. 75 (1877).

- *1. **G. Gongylodes, Linn.** (*Gryllus Mantis G.*) India, Ceylon.
 Syst. Nat. (ed. x.) i. p. 426. n. 4 (1758) ;
 Mus. Ulr. p. 112 (1764).
 —, *Ræsel*, Ins. Belust. ii. Locusta Indica, pl. 7. ff. 1-3 (1749).
Mantis Gongylodes, Fabr. Syst. Ent. p. 275. n. 6 (1775) ; Drury, Ill. Exot. Ent. i. pl. 50. f. 2 (1773) ; Oliv. Enc. Méth., Ins. vii. p. 626. n. 7 (1792) ; Licht. Trans. Linn. Soc. Lond. vi. p. 21. n. 6 (1802) ;

Stoll, Spectres, Mantes, p. 46, pl. 16.
ff. 58, 59 (1813); Brullé, Hist. Nat. Ins.
ix. p. 78, pl. 6. f. 2 (1835).

G. Gongylodes, Thunb. l. c. p. 294 (1815);
Sauss. l. c. xxi. p. 185 (1871); Sharp,
Cambridge Nat. Hist., Ins. i. pp. 254-256,
f. 146 (1895).

Empusa Gongylodes, Burm. l. c. p. 545. n. 1
(1838); Serv. Ins. Orth. p. 141 (1839);
Duncan, Nat. Libr., Ins. i. p. 235, pl. 10.
f. 1 (1840).

♂. *Mantis Flabellicornis*, Fabr. Ent. Syst.
ii. p. 16. n. 16 (1793); Licht. l. c. p. 22.
n. 7 (1802); Stoll, l. c. p. 49, pl. 17. f. 61
(1813).

*2. **G. Trachelophyllus**, Burm. (*Empusa*
Trachelophylla) l. c. p. 545. n. 2 (1838).
G. Trachelophyllus, Sauss. l. c. xxi. p. 186
(1871), xxiii. p. 86, pl. 9. f. 34 (1872).

India,
Ceylon.

Genus 203. **Empusa**. (Type no. 6.)

Illiger, Käfer Preuss. p. 499 (1798); Latr. Gen. Crust. Ins.
iii. p. 90 (1807); Serv. Ann. Sci. Nat. xxi. p. 47 (1831);
Ins. Orth. p. 140 (1839); Burm. Handb. Ent. ii. pp. 544,
546 (1838); Fisch. Waldh. Orth. Ross. p. 94 (1846); Fisch.
Orth. Eur. p. 131 (1853); Sauss. Mém. Soc. Genève, xxi.
p. 186 (1871); Bol. Sin. Ortópt. Españ. p. 65 (1876);
Stål, Bihang Svenska Akad. iv. (10) p. 26 (1877); Brunn.
Prodr. Eur. Orth. p. 69 (1882); Finot, Faune France,
Orth. p. 91 (1890); Sauss. & Zehntn. Grandidier, Hist.
Madagascar, Orth. i. p. 240 (1895); Jacobs. & Bianki,
Prem. i Lozhn. Ross. Imp. p. 154 (1902).
Ampusa, Ramb. Faune And. ii. p. 17 (1842).

1. **E. Pectinata**, Dru. (*Mantis P.*) Ill. Exot.
Ent. i. pl. 50. f. 1 (1773).

|| *E. Pennicornis*, Westw. ed. Drury, l. c.
(1837).

"Jamaica."

*1 a. **E. Egena**, Charp. Germar, Zeitschr.
Ent. iii. p. 298 (1841); Fisch. Waldh. l. c.
p. 97, pl. 1. f. 7 (1846); Fisch. l. c.
p. 132 (1853); Sauss. l. c. p. 189 (1871);
Bol. l. c. p. 66, pl. 1. f. 24 *a, b* (1876);
Brunn. l. c. p. 70 (1882); Finot, l. c.
p. 91, pl. 3. f. 53 (1890).

|| *Mantis Pauperata*, Rossi, Faune Etr. i.
p. 258 (1783); Cyr. Ent. Neap. pl. 6. f. 1,
pl. 8. f. 1 (1797).

S. Europe,
N. Africa,
W. Asia.

- E. Pauperata*, Charp. Hor. Ent. p. 87 ;
Burm. l. c. p. 547. n. 6 (1838) ; Serv.
Ins. Orth. p. 145 (1839) ; Fisch. l. c.
p. 135 (1853).
- || *Ampusa Pauperata*, Ramb. l. c. p. 17 (1842)
- || *Mantis Pectinicornis*, Cyr. l. c. pl. 9. f. 5
(1797) ; Stoll, Spectres, Mantes, p. 30,
pl. 9. f. 34 (1813).
- Empusa Stollii*, Sauss. l. c. p. 188 (1871).
- E. Brachyptera*, Fisch. Waldh. l. c. p. 97,
pl. 1. f. 8 (1846).
- E. Europæa*, Fieb. Lotos, iii. p. 96. n. 1
(1853).
- E. Occidentalis*, Fisch. l. c. p. 133 (1853).
- ?? *Mantis Clavata*, Goeze, Ent. Beytr. ii.
p. 34. n. 24 (1778) ; Oliv. Enc. Méth.,
Ins. vii. p. 642. n. 18 (1792) (Seba,
Thesaurus, iv. pl. 68. ff. 11, 12).
- ?? *Mantis Tricornis*, Goeze, l. c. n. 26, pl. 69.
ff. 1, 2 (1778) ; Oliv. l. c. n. 20 (1792)
(Seba, l. c. pl. 69. ff. 1, 2).
- ?? *Mantis Spuria*, Goeze, l. c. p. 37. n. 39
(1778) ; Oliv. l. c. n. 33 (1792) (Seba,
l. c. pl. 76. ff. 13, 14).
- E. Tricornis*, Jacobs. & Bianki, l. c. p. 155
(1902).
- *2. **E. Hedenborgi**, Stål, l. c. p. 77 (1877). Nubia.
|| *E. Pectinicornis*, Burm. l. c. p. 546. n. 4
(1838).
- *3. **E. Fasciata**, Brullé, Expl. Morée, Ins. Balkan
p. 83, pl. 6. f. 4 (1836) ; Fisch. l. c. Peninsula,
p. 133 (1853) ; Brunn. l. c. p. 70, pl. 3. W. Asia,
f. 19 (1882) ; Jacobs. & Bianki, l. c. Egypt.
p. 155 (1902).
4. **E. Unicornis**, Joh. (*Gryllus U.*) Amœn. China.
Acad. vi. p. 396. n. 27 (1764).
Mantis Pectinicornis, Linn. Syst. Nat.
(ed. xii.) i. (2) p. 691. n. 10 (1767) ; Fabr.
Syst. Ent. p. 276. n. 12 (1775) ; Oliv.
l. c. p. 632. n. 32 (1792).
- *5. **E. Pennicornis**, Pall. (*Mantis P.*) Reise, S.E. Russia,
ii. p. 728. n. 80 (1773) ; Goeze, Ent. W. Asia.
Beytr. ii. p. 31. n. 18 (1778) ; Oliv. l. c.
p. 635. n. 50 (1792).
- E. Pennicornis*, Sauss. l. c. p. 188. n. 5
(1871) ; Brunn. l. c. p. 71 (1882) ; Jacobs.
& Bianki, l. c. p. 155 (1902).

- Mantis Pallasiana*, Oliv. l. c. p. 637. n. 66 (1792).
- || *Mantis Pectinicornis*, Licht. Trans. Linn. Soc. Lond. vi. p. 22. n. 8 (1802).
- E. Orientalis*, Burm. l. c. p. 546. n. 5 (1838); Fisch. Waldh. l. c. p. 97, pl. 1. f. 6 (1846); Fisch. l. c. p. 132 (1853).
- || *E. Pauperata*, Kitt. Bull. Soc. Mosc. xxii. p. 443 (1849).
- (?) *Gongylus Pennatus*, Thunb. Mém. Soc. Pétersb. v. p. 294 (1815).
- (?) *Gongylus Marginatus*, Thunb. l. c. (1815).
- **6. **E. Pauperata**, Fabr. (*Mantis P.*) Spec. Ins. i. p. 346. n. 9 (1781); Herbst, Fuessly, Arch. Ins. p. 187, pl. 51. f. 1 (1786); Oliv. l. c. p. 627. n. 8 (1792); Licht. l. c. p. 24. n. 12 (1802); Stoll, l. c. p. 33, pl. 10. f. 40 (1813).
- E. Humbertiana*, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 60 (1869).
- || *E. Unicornis*, Sauss. Mém. Soc. Genève, xxi. p. 189 (1871).
7. **E. Guttulus**, Thunb. (*Gongylus G.*) l. c. p. 294 (1815). Hab. — ?
- *7a. **E. Binotata**, Serv. Ins. Orth. p. 143 (1839). S. Africa.
- || *Mantis Pectinicornis*, Stoll, l. c. p. 30, pl. 9. f. 35 (1813).
- || *E. Fronticornis*, Burm. l. c. p. 546. n. 3 (1838); Sauss. Mém. Soc. Genève, xxi. p. 86 (1871).
8. **E. Dolosa**, Serv. l. c. p. 143 (1839). Senegal.
9. **E. Servillii**, Sauss. l. c. xxiii. p. 88. n. 3 (1872); Sauss. & Zehntn. l. c. p. 240 (1895). Hab. — ?
- || *E. Fronticornis*, Serv. l. c. p. 144 (1839).

Genus 204. **Hemiempusa.**

Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 242 (1895).

- *1. **H. Fronticornis**, Stoll, (*Mantis F.*) Spectres, Mantes, p. 63, pl. 21. f. 79 (1813). S. & E. Africa.
- Empusa Capensis*, Burm. Handb. Ent. ii. p. 547. n. 7 (1838); Sauss. Mém. Soc. Genève, xxiii. p. 88 (1872).

- Idolomorpha (Hemiempusa) Capensis*, Sauss. & Zehntn. l. c. p. 242, pl. 10. f. 43 (1895).
Vates Wahlbergi, Stål, Öfv. Vet.-Akad. Förh. xiii. p. 167 (1856).
Empusa Wahlbergi, Stål, l. c. xxviii. p. 382 (1871); Sauss. l. c. p. 88 (1872).
Empusa Purpuripennis, Serv. Ins. Orth. p. 145 (1839).
Mantis Nympha, Stoll, l. c. p. 72, pl. 24. f. 94 (1813).

Genus 205. **Hypsicorypha.**

- Krauss, Zool. Anz. xv. p. 166 (1892); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 240 (1895).
 1. **H. Juliae**, Krauss, l. c. p. 166 (1892); Teneriffe. Rebeur-Paschwitz, Berlin. Ent. Zeitschr. xl. p. 265, pl. 2. ff. 1-5 (1895).

Genus 206. **Idolomorpha.** (Type no. 1.)

- Burm. Handb. Ent. ii. p. 547 (1838); Sauss. Mém. Soc. Genève, xxi. p. 191 (1871); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 241 (1895).
 *1. **I. Lateralis**, Burm. (*Empusa L.*) l. c. p. 547. n. 8 (1838). W. Africa.
 2. **I. Defoliata**, Serv. (*Empusa D.*) Ins. Orth. p. 147 (1839). Senegal.
 (?) *I. Defoliata*, Sauss. l. c. p. 191 (1871). id.
 3. **I. Spinifrons**, Sauss. (*Empusa S.*) Rev. Zool. (2) xi. p. 61 (1859).
I. Spinifrons, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 61 (1869); Sauss. & Zehntn. l. c. p. 244, pl. x. f. 42 (1895).
 4. **I. Sagitta**, Sjöst. Bihang Svenska Akad. xxv. (4 : 6) p. 25 (1900). Congo.
 5. **I. Longifrons**, Sauss. l. c. p. 224 (1870); Mém. Soc. Genève, xxi. p. 193 (1871); Sauss. & Zehntn. l. c. p. 244 (1895). Tunis.
 6. **I. Gracilis**, Burm. (*Empusa G.*) l. c. p. 547. n. 9 (1838). Hab. —?

- *7. **I. Dentifrons, Sauss. & Zehntn.** l. c. p. 244 (1895); Sauss. Abhandl. Senckenb. Ges. xxi. p. 599 (1899). | Zanzibar,
Kilimanjaro
- **8. **I. Madagascariensis, Westw.** Rev. Mant. p. 46, pl. 6. f. 7 (1889); Sauss. & Zehntn. l. c. p. 242, pl. 10. f. 41 (1895). | Madagascar

Genus 207. **Blepharodes.**

Bol. An. Soc. Españ. xix. p. 303 (1890).

1. **B. Candelarius, Bol.** l. c. p. 306, pl. 1. f. 4 (1890). | Mogadixo.
2. **B. (?) Cornuta, Schulth.** (*Blepharis C.*) Zool. Jahrb. Syst. viii. p. 72, pl. 4. f. 1 (1895); Ann. Mus. Genova, xxxix. p. 18 (1898). | Somali
Land.
3. **B. (?) Kotschy, Schulth.** l. c. p. 72 (1895). | Sennaar.

Genus 208. **Blepharopsis.**

Rehn, Canad. Ent. xxxiv. p. 316 (1902).

|| *Blepharis*, Serv. Ann. Sci. Nat. xxii. p. 47 (1831); Ins. Orth. p. 148 (1839); Burm. Handb. Ent. ii. p. 547 (1838); Sauss. Mém. Soc. Genève, xxi. pp. 179, 181 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 76 (1877); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 155 (1902).

- *1. **B. Mendica, Fabr.** (*Mantis M.*) Syst. Ent. p. 275. n. 7 (1775); Oliv. Enc. Méth., Ins. vii. p. 627. n. 9 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 23. n. 10 (1802); Stoll, Spectres, Mantes, p. 41*, pl. 12. f. 47 (1813); Brullé, Hist. Nat. Ins. ix. p. 77, pl. 6. f. 1 (1835). | N. Africa,
W. Asia.
- Blepharis Mendica*, Burm. l. c. p. 548 (1838); Serv. l. c. p. 149 (1839); Sauss. l. c. p. 181 (1871); Jacobs. & Bianki, l. c. p. 155 (1902).
- Mantis Marmorata*, Oliv. l. c. p. 641. n. 10 (1792).

Genus 209. **Idolum.**

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 53 (1869) ;
Mém. Soc. Genève, xxi. p. 182 (1871).

- *1. **I. Diabolicum, Sauss.** ll. cc. pp. 60, 223 | E. Africa.
(1869-1870) ; p. 183, pl. 5. ff. 36, 36 a
(1871) ; Westw. Rev. Mant. p. 26, pl. 5.
f. 1 (1889) ; Sharp, Proc. Cambridge
Soc. Nat. Hist. x. p. 175, pl. 2 (1899) ;
Shelf. Zoologist, (4) vii. p. 298 (1903).
I. Diabroticum, Shelf. l. c. p. 295 note
(1903).

FAM. V.

PHASMIDÆ.

SUBFAM. I.

LONCHODINÆ.

Genus 1. **Stælonchodes.** (*Type* no. 7.)

Kirb. Ann. Nat. Hist. (7) xiii. p. 372 (1904).

Lonchodes, pt., Gray (*nec sect. typ.*), Syn. Phasm. p. 19 (1835);
Stål, Rec. Orth. iii. pp. 8, 64 (1875).

<p>**1. S. Praon, Westw. (<i>Lonchodes P.</i>) Cat. Phasm. p. 41. n. 110, pl. 6. ff. 3, 3 <i>a-c</i> (1859).</p> <p>**2. S. Porus, Westw. (<i>Lonchodes P.</i>) l. c. p. 42. n. 113, pl. 7. ff. 9, 9 <i>a</i> (1859); Wood-Mason, Proc. Asiatic Soc. Bengal, 1877, p. 162; Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 40.
<i>Lopaphus Porus</i>, Wood-Mason, Journ. Asiatic Soc. Bengal, xlv. p. 348 (1877).</p> <p>**3. S. Nigropunctatus, Kirb. (<i>Lonchodes N.</i>) Trans. Linn. Soc. Lond., Zool. (2) vi. p. 453 (1896).</p> <p>4. S. Sinkiebensis, Wood-Mason, (<i>Bacteria S.</i>) Journ. Asiatic Soc. Bengal, xlv. p. 343 (1879).</p> <p>*5. S. Sarawaca, Westw. (<i>Bacteria S.</i>) l. c. p. 31. n. 89, pl. 25. ff. 1, 1 <i>a</i>, 2, 2 <i>a</i>, <i>b</i> (1859).</p> <p>6. S. Steira, Westw. (<i>Lonchodes S.</i>) l. c. p. 40. n. 108, pl. 23. ff. 5, 5 <i>a</i> (1859).</p> <p>*7. S. Geniculatus, Gray, (<i>Lonchodes G.</i>) l. c. p. 19 (1835); Westw. l. c. p. 37. n. 101 (1859).
<i>Phasma (Bacteria) Geniculosum</i>, Westw. Cab. Orient. Ent. p. 80, pl. 39. f. 4 (1848).</p> <p>8. S. Forcipatus, Bates, (<i>Lonchodes F.</i>) Trans. Linn. Soc. Lond. xxv. p. 338 (1865).</p> | <p>Ceylon.</p> <p>Upper
Tenasserim.</p> <p>Lizard I.</p> <p>Sumatra,
Sinkieb I.</p> <p>Sarawak.</p> <p>Amboina.</p> <p>Penang,
Prince of
Wales I.</p> <p>Celebes.</p> |
|--|---|

- **9. **S. Stomphax, Westw.** (*Lonchodes S.*) Cat. Phasm. p. 38. n. 104, pl. 4. f. 8 (1859). Hong Kong.
10. **S. Tagalicus, Stål,** (*Lonchodes T.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 39 (1877). Philippines.
11. **S. Dispar, Bates,** (*Lonchodes D.*) l. c. p. 337 (1865). Sarawak.
- **12. **S. Catori, Kirb.** (*Lonchodes C.*) Trans. Linn. Soc. Lond., Zool. (2) vi. p. 454 (1896). Sandakan.
13. **S. Nodosus, Haan,** (*Phasma (Bacteria) Nodosum*, ♂) Temminck, Verhandel., Orth. p. 133, pl. 11. f. 3 (1842). Java, Timor.
Lonchodes Nodosus, ♂, *Westw.* l. c. p. 37. n. 100 (1859).
- **14. **S. Trollius, Westw.** (*Lonchodes T.*) l. c. p. 40. n. 109, pl. 23. ff. 1, 1 a (1859). Philippines.
- **15. **S. Confucius, Westw.** (*Lonchodes C.*) l. c. p. 46. n. 124, pl. 7. ff. 2, 2 a, 3, 3 a (1859). China.
16. **S. Asperatus, Bates,** (*Lonchodes A.*) l. c. p. 339 (1865). Darjiling.
- **17. **S. Batesii, Kirb.** (*Lonchodes B.*) l. c. p. 452 (1896). Bouru(?).
- *18. **S. Hæmatomus, Westw.** (*Lonchodes H.*) l. c. p. 39. n. 106, pl. 24. ff. 8, 8 a (1859). Sarawak.
- **19. **S. Myrina, Westw.** (*Lonchodes M.*) l. c. p. 38. n. 105, pl. 24. ff. 7, 7 a (1859). N. India.
- **20. **S. Virgatus, Kirb.** (*Lonchodes V.*) l. c. p. 452 (1896). Bouru(?).
21. **S. Alluaudi, Bol.** (*Lonchodes A.*) Ann. Soc. Ent. France, 1895, p. 372. Seychelles.
22. **S. Sechellensis, Bol.** (*Lonchodes S.*) l. c. p. 373 (1895). id.
23. **S. Denticauda, Bates,** (*Lonchodes D.*) l. c. p. 336 (1865). Ceylon.
- **24. **S. Gracillimus, Kirb.** Ann. Nat. Hist. (7) xiii. p. 373 (1904). Tonkin.
- **25. **S. Baucis, Westw.** (*Bacteria B.*) l. c. p. 21. n. 56, pl. 8. f. 8 (1859). Assam, &c.
L. Baucis, *Wood-Mason*, l. c. xlv. p. 349, pl. 2. f. 2 (1877).

Genus 2. **Greenia.**

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 456 (1896).

- *1. **G. Furcata, Bates,** (*Lonchodes Furcatus*) Ceylon.
 Trans. Linn. Soc. Lond. xxv. p. 335,
 pl. 44. ff. 5, 6 (1865).
 || *Lonchodes Praon*, ♀, *Sauss. Mém. Soc.*
Genève, xx. p. 302, pl. 2. ff. 6, 6 a
 (1870).

Genus 3. **Thrasyllus.**

Stål, Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 41 (1877).

1. **T. Macilentus, Stål**, l. c. (1877). | Philippines.

Genus 4. **Chondrostethus.**

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 455 (1896).

- **1. **C. Woodfordi, Kirb.** l. c. pl. 39. ff. 1, | Solomon
 1 a, 2, 2 a (1896). | Isl.

Genus 5. **Mithrenes.**

Stål, Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 39 (1877).

1. **M. Asperulus, Stål**, l. c. p. 40 (1877). | Philippines.
 2. **M. (?) Whiteheadi, Kirb. (*Lonchodes* | Luzon.
W.) Trans. Linn. Soc. Lond., Zool. (2)
 vi. p. 451 (1896).

Genus 6. **Phraortes.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 8 (1875).

- *1. **P. Elongata, Thunb.** (*Phasma E.*) Mém. Japan.
 Soc. Pétersb. v. p. 299 (1815); Westw.
 Cat. Phasm. p. 183. n. 4 (1859).
P. Elongatus, Stål, l. c. p. 64 (1875).
Phasma (Bacteria) Niponense, Haan, Tem-
 minck, Verhandel., Orth. p. 134 (1842).
Lonchodes Niponensis, Westw. l. c. p. 46.
 n. 123 (1859).
 2. **P. Mikado, Rehn**, Proc. Acad. Nat. Sci. Yokohama.
 Philad. 1904, p. 40.

Genus 7. **Periphetes.**

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 40 (1877).

<p>**1. P. Graniferum, Westw. (<i>Phasma G.</i>)
Cat. Phasm. p. 35. n. 97, pl. 3. f. 4
(1859).</p> <p>2. P. (?) Duivenbodei, Kaup, (<i>Lonchodes D.</i>)
Berlin. Ent. Zeitschr. xv. p. 30, pl. 2.
f. 3 (1871).</p> | <p>Philippines.</p> <p>Celebes,
Menado.</p> |
|--|---|

Genus 8. **Mnesilochus.** (*Type no. 1.*)

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 39 (1877).

1. M. Capreolus, Stål, l. c. (1877). 2. M. Hædulus, Stål, l. c. (1877).	Philippines. id.

Genus 9. **Carausius.** (*Type no. 1.*)

Stål, Rec. Orth. iii. p. 8 (1875).

<p>1. C. Strumosus, Stål, l. c. p. 64 (1875).</p> <p>2. C. Macer, Stål, l. c. p. 65 (1875).</p> <p>3. C. Mercurius, Stål, C. R. Soc. Ent.
Belg. xx. p. lxii (1877).</p> <p>4. C. Bracatus, Rehn, Proc. Acad. Nat.
Sci. Philad. 1904, p. 42.</p> <p>5. C. Mammatus, Rehn, l. c. p. 44 (1904).</p> <p>6. C. Obiensis, Rehn, l. c. p. 46 (1904).</p> <p>7. C. (?) Granulatus, Brunn. Ann. Mus.
Genova, xxxiii. p. 81, pl. 2. f. 26 (1893).</p>	Java. id. Hab. — ? Siam. Obi. id. Tenasserim.

Genus 10. **Myronides.** (*Type no. 3.*)

Stål, Rec. Orth. iii. pp. 8, 63 (1875).

<p>**1. M. Crishna, Westw. (<i>Lonchodes C.</i>) Cat.
Phasm. p. 44. n. 117, pl. 24. f. 9 (1859).</p> <p>**2. M. Bootanicus, Westw. (<i>Lonchodes B.</i>)
l. c. p. 43. n. 115, pl. 26. f. 8 (1859).
<i>Lopaphus Bootanicus, Wood-Mason,</i> Journ.
Asiatic Soc. Bengal, xlvi. p. 348, pl. 2.
f. 1 (1877).</p> | <p>Java.</p> <p>Bootan,
Naga Hills.</p> |
|--|---|

- Genus 11. **Lonchodes.** (*Type* no. 1.)

Dixippus, Stål, Rec. Orth. iii. pp. 9, 66 (1875). (Type no. 3.)

- Y

**5. L. Cornutus, Kirb. (<i>Dixippus C.</i>) l. c. p. 459 (1896). 6. L. Verrucifer, Wood-Mason, Proc. Asiatic Soc. Bengal, 1876, p. 95; Journ. Asiatic Soc. Bengal, xlv. p. 47, pl. 11 (1876). 7. L. Godama, Wood-Mason, Proc. Asiatic Soc. Bengal, 1877, p. 162. **8. L. (?) Beecheyi, Gray, (<i>Bacillus B.</i>) Syn. Phasm. p. 21 (1835); Westw. l. c. p. 12. n. 28 (1859). **9. L. Shiva, Westw. (<i>Bacteria S.</i>) l. c. p. 32. n. 90, pl. 8. f. 6 (1859); Wood-Mason, Journ. Asiatic Soc. Bengal, xlvi. p. 342, pl. 2. f. 3 (1877). **10. L. (?) Viridis, Kirb. Ann. Nat. Hist. (7) xiii. p. 373 (1904).	Hong Kong. Andaman Islands. Upper Tenasserim. Sandwich Isl. (?) N. India. Tonkin.

Genus 12. **Hermagoras.** (*Type no. 5.*)

Stål, Rec. Orth. iii. p. 8 note (1875); Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 456 (1896).
Prisomera, pt., Gray, Syn. Phasm. p. 15 (1835); Brunn. Ann. Mus. Genov. xxxiii. p. 81 (1893).

<p>1. H. Verrucosus, Haan, (<i>Phasma (Acanthoderus) Verrucosum</i>) Temminck, Verhandel., Orth. p. 136, pl. 14. f. 1 (1842).
 <i>Prisomera Verrucosum</i>, Westw. Cat. Phasm. p. 48. n. 128 (1859).</p> <p>**2. H. Cristatus, Kirb. l. c. p. 457 (1896).</p> <p>**3. H. Hosei, Kirb. l. c. pl. 40. ff. 1, 1 a (1896).</p> <p>4. H. Foliopeda, Oliv. (<i>Mantis F.</i>) Enc. Méth. vii. p. 638. n. 72 (1792).
 <i>Phasma Latipes</i>, Licht. Cat. Mus. Zool. Hamburg, iii. p. 78. n. 15 (1796); Trans. Linn. Soc. Lond. vi. p. 11. n. 6 (1802).
 <i>Phasma Femorata</i>, Stoll, Spectres, Mantes, p. 44, pl. 14. f. 54 (1813).
 <i>Bacteria Femorata</i>, Burm. Handb. Ent. ii. p. 565. n. 5 (1838).
 <i>Prisomera Femoratum</i>, Gray, Syn. Phasm. p. 15 (1835); Westw. l. c. p. 47. n. 125 (1859).</p> | <p>Sumatra.</p> <p>N. Borneo (Baram).
id.</p> <p>Amboina.</p> |
|--|---|

- *5. **H. Personatus, Bates**, (*Lonchodes P.*) Bouru.
Trans. Linn. Soc. Lond. xxv. p. 336,
pl. 44. f. 7 (1862).
6. **H. Valgus, Wood-Mason**, (*Lonchodes V.*) Perak.
Ann. Nat. Hist. (4) xix. p. 487
(1877).

Genus 13. **Prisomera.**

Gray, Syn. Phasm. p. 15 (1835) ;
Westw. Cat. Phasm. p. 47 (1859).

- **1. **P. Spinicollis, Gray**, l. c. p. 16 (1835). Ceylon.
Prisomera Spinicolle, Westw. l. c. p. 47.
n. 126 (1859).

Genus 14. **Sthenobœa.** (*Type no. 7.*)

Stål, Rec. Orth. iii. pp. 10, 68 (1875) ;
Bihang Svenska Akad. iii. (14) p. 8 (1875).

- **1. **S. Cyllabacus, Westw.** (*Lonchodes C.*) Ceylon.
Cat. Phasm. p. 45. n. 120, pl. 6. f. 4 (1859).
- 1 a. **S. (?) Flavicornis, Bates**, (*Lonchodes F.*) id.
Trans. Linn. Soc. Lond. xxv. p. 333
(1865).
- **2. **S. Taprobanæ, Westw.** (*Lonchodes T.*) id.
l. c. p. 41. n. 111, pl. 6. f. 6, pl. 24. f. 12
(1859); (?) Sauss. Rev. Zool. (2) xx. p. 66.
n. 13 (1868); Mém. Soc. Genève, xxi.
p. 304, pl. 2. ff. 7, 7 a, b (1870).
- 2 a. **S. (?) Auscultator, Bates**, (*Lonchodes A.*) id.
l. c. p. 334 (1865).
- **3. **S. Amaups, Westw.** (*Lonchodes A.*) Sarawak.
l. c. p. 43. n. 116, pl. 24. f. 10 (1859).
- **4. **S. Tuberculata, Kirb.** Trans. Linn. Soc. id.
Lond., Zool. (2) vi. p. 462 (1896).
- *5. **S. Phyllopus, Haan**, (*Phasma (Acanthoderus) P.*) Java,
Temminck, Verhandel., Malacca.
Orth. p. 135, pl. 12. f. 5 (1842).
Acanthoderus Phyllopus, Westw. l. c. p. 50.
n. 137 (1859).
- *6. **S. Bifoliata, Haan**, (*Phasma (Acanthoderus) Bifoliatum*) Sumatra ;
l. c. p. 136, pl. 14. W. Africa
f. 2 (1842). (*errore ?*).
Prisomera Bifoliatum, Westw. l. c. p. 47.
n. 127 (1859).

7. S. Malaya, Stål , Rec. Orth. iii. p. 68 (1875).	Malacca.
8. S. (?) Canna, Haan , (<i>Phasma (Bacteria) C.</i>) l. c. p. 101 (1842).
<i>Bacteria Canna, Westw.</i> l. c. p. 21. n. 54 (1859).	Cape.

Genus 15. **Phasgania.** (*Type no. 2.*)

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 461 (1896).

1. P. Crawangensis, Haan , (<i>Phasma Crawangense</i>) Temminck, Verhandel., Orth. pl. 13. f. 1 (1842).
<i>Phasma (Bacteria) Nematodes</i> , ♀, Haan, l. c. p. 132 (1842).
<i>Lonchodes Nematodes</i> , ♀, Westw. Cat. Phasm. p. 42. n. 112 (1859).	Java.
**2. P. Everettii, Kirb. l. c. p. 461, pl. 40. ff. 2, 2 a (1896).	N.W. Borneo.
**3. P. Insularis, Kirb. (<i>Dirippus (?) I.</i>) l. c. p. 460 (1896).	Thursday Island.
4. P. (?) Squeleton, Oliv. (<i>Mantis S.</i>) Enc. Méth., Ins. vii. p. 639. n. 74 (1792).
<i>Phasma Sceleton, Licht.</i> Cat. Mus. Zool. Hamburg, iii. p. 78. n. 17 (1796); Trans. Linn. Soc. Lond. vi. p. 10. n. 5 (1802).
<i>Phasma Simplex, Stoll</i> , Spectres, Phasmes, p. 45, pl. 14. f. 55 (1813).
<i>Bacteria Simplex, Gray</i> , Syn. Phasm. p. 17 (1835); Burm. Handb. Ent. ii. p. 565. n. 4 (1838); Westw. l. c. p. 23. n. 60 (1859).	China.

Genus 16. **Oxyartes.** (*Type no. 1.*)

Stål, Rec. Orth. iii. pp. 18, 73 (1875).

*1. O. Despectus, Westw. (<i>Phasma (Acanthoderus) Despectum</i>) Cab. Orient. Ent. p. 80, pl. 39. f. 5 (1848).
<i>Anophelepis Despecta, Westw.</i> Cat. Phasm. p. 68. n. 179, pl. 3. f. 6 (1859).
<i>Anophelepis Despecta</i> , var. <i>Cresphontes</i> , Westw. l. c. f. 1 (1859).	Silhet.

2. **O. Ceylonicus, Sauss.** (*Anophelepis Ceylonica*) Rev. Zool. (2) xx. p. 67. n. 18 (1868); Mém. Soc. Genève, xx. p. 298, pl. 2. f. 5 (1870). Ceylon.
- **3. **O. Lamellatus, Kirb.** Ann. Nat. Hist. (7) xiii. p. 374 (1904). Tonkin.

Genus 17. **Neohirasea.**

Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 84.

1. **N. Japonicus, Haan,** (*Phasma (Acanthoderus) Japonicum*) Temminck, Verhandel., Orth. p. 135, pl. 12. f. 4 (1842). Japan.
Acanthoderus Japonicus, Westw. Cat. Phasm. p. 50. n. 136 (1859).

Genus 18. **Menexenus.** (Type no. 6.)

Stål, Rec. Orth. pp. 18, 33 (1875).

Menexenus, Brunn. Ann. Mus. Genova, xxxiii. p. 81 (1893).

- *1. **M. Lacertinus, Westw.** (*Phasma (Acanthoderus) Lacertinum*) Cab. Orient. Ent. p. 80, pl. 39. f. 6 (1848). Assam, Bootan.
Acanthoderus Lacertinus, Westw. Cat. Phasm. p. 49. n. 133 (1859).
- **2. **M. Mimas, Westw.** (*Acanthoderus M.*) l. c. p. 55. n. 150, pl. 1. f. 3 (1859). Ceylon.
- *3. **M. Luteoviridis, Westw.** (*Phasma (Lonchodes) Luteoviride*) Cab. Orient. Ent. p. 78, pl. 38. f. 7 (1848). Assam, Sikkim.
Lonchodes Luteoviridis, Westw. Cat. Phasm. p. 38. n. 103 (1859).
4. **M. Bicornatus, Westw.** (*Phasma (Acanthodera) Bicornuta*) Cab. Orient. Ent. p. 15, pl. 7. f. 2 (1848). Himalayas.
Acanthoderus Bicornatus, Westw. Cat. Phasm. p. 50. n. 134 (1859).
5. **M. Semiarmatus, Westw.** (*Phasma (Acanthodera) Semiarmata*) Cab. Orient. Ent. p. 15, pl. 7. f. 2 (1848). id.
Acanthoderus Semiarmatus, Westw. Cat. Phasm. p. 50. n. 135 (1859).

Genus 19. **Promachus.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 17, 73 (1875) ;
 Bihang Svenska Akad. iii. (14) p. 9 (1875).

<p>**1. P. Wallacei, Westw. (<i>Acanthoderus W.</i>)
Cat. Phasm. p. 181. n. 468, pl. 40. ff. 7,
8 (1859).</p>	Aru.
<p>**2. P. (?) Lætus, Kirb. Ann. Nat. Hist. (7)
xiii. p. 375 (1904).</p>	Tonkin.
<p>*3. P. Doreyanus, Bates, (<i>Lonchodes D.</i>)
Trans. Linn. Soc. Lond. xxv. p. 332
(1865).</p>	<p>N. Guinea
(Dorey).</p>
<p>4. P. Servillei, Montr. (<i>Bacteria S.</i>) Ann.
Phys. Lyon, vii. p. 80 (1855) ; Westw.
l. c. p. 182. n. 1 (1859).
<i>Acanthoderus Servillei, Westw.</i> l. c. p. 58.
n. 159 (1859).</p>	Woodlark I.
<p>5. P. Austeni, Wood-Mason, (<i>Lonchodes</i>
<i>A.</i>) Journ. Asiatic Soc. Bengal, xlv.
p. 216 (1875), xlv. p. 343, pl. 3. f. 4
(1877).</p>	Assam.
<p>*6. P. Hispa, Bates, (<i>Lonchodes H.</i>) l. c.
p. 333 (1865).</p>	<p>N. Guinea,
Salwatty.</p>
<p>7. P. Hystrix, Kaup, (<i>Acanthoderus (?) H.</i>)
Berlin. Ent. Zeitschr. xv. p. 32, pl. 2. f. 4
(1871).</p>	Aru.
<p>**7 a. P. Insularis, Kirb. l. c. (6) iv. p. 231
(1889).</p>	<p>Louisiades
(Sudest I.).</p>
<p>**8. P. Sordidus, Kirb. Trans. Linn. Soc.
Lond., Zool. (2) vi. p. 463, pl. 40. ff. 4,
4 a (1896).</p>	Thursday I.
<p>**9. P. Spinus, Kirb. Ann. Nat. Hist. (6)
iv. p. 230 (1889).</p>	<p>Louisiades
(Rossel I.).</p>
<p>10. P. Rachis, Sauss. (<i>Acanthoderus R.</i>)
Rev. Zool. (2) xx. p. 64 (1868) ; Mém.
Soc. Genève, xx. p. 295 (1870).
<i>Acanthoderus Rhachis, Sauss.</i> l. c. pl. 3.
ff. 10, 10 a (1870).</p>	<p>New
Caledonia.</p>
<p>11. P. Rosarius, Perch. (<i>Bacteria Rosaria</i>)
Gen. Ins., Orth. pl. 5 (1838 ?).
<i>Acanthoderus Rosarius, Westw.</i> l. c. p. 56.
n. 154 (1859).</p>	<p>South
America(?).</p>
<p>**12. P. (?) Bicolor, Kirb. l. c. (7) xiii. p. 377
(1904).</p>	Tonkin.

SUBFAM. II.

BACTRICIINÆ.

Genus 20. **Bactricia.** (*Type* no. 1.)

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 463 (1896).
Scaphegyna, Karsch, Ent. Nachr. xxiv. pp. 364, 366 (1898).
 (*Type* no. 1.)

<p>**1. B. Trophinus, Westw. (<i>Bacteria T.</i>) Cat. Phasm. p. 30. n. 85, pl. 5. f. 5 (1859).
<i>B. Trophinus</i>, Kirb. l. c. p. 463, pl. 39. ff. 3, 3 a, 4, 4 a (1896).
♀. <i>Bacteria Bituberculata</i>, Westw. l. c. p. 180. n. 467 (1859).</p>	<p>Natal,
Mozambique.</p>
**2. B. Calametum, Bates, (<i>Phibalosoma C.</i>) Trans. Linn. Soc. Lond. xxv. p. 341 (1865).	<p>Caffraria,
Natal.</p>
**3. B. Ridleyi, Kirb. Ann. Nat. Hist. (7) xiii. p. 429 (1904).	Singapore.

SUBFAM. III.

BACILLINÆ.

Genus 21. **Baculum.** (*Type* no. 14.)

Sauss. Mém. Soc. Genève, xx. p. 292 (1870).
Clitumnus, Stål, Bihang Svenska Akad. iii. (14) p. 8 (1875);
 Rec. Orth. iii. pp. 9, 66 (1875). (*Type* no. 4.)
Entoria, Stål, Rec. Orth. iii. p. 15 (1875). (*Type* no. 8.)

**1. B. Stilpnus, Westw. (<i>Lonchodes S.</i>) Cat. Phasm. p. 39. n. 107, pl. 25. f. 8 (1859).	<p>N. India,
Java.</p>
**2. B. Stilpnoides, Kirb. (<i>Clitumnus S.</i>) Proc. Zool. Soc. Lond. 1888, p. 547 (1889); Mon. Christmas I. p. 147, pl. 12. f. 1 (1900).	Christmas I
3. B. Russellii, Bates, (<i>Lonchodes R.</i>) Trans. Linn. Soc. Lond. xxv. p. 339 (1865).	Darjiling.

- *4. **B. Nematodes, Haan**, (*Phasma* (*Bacteria*) *N.*, ♂) Temminck, Verhandel., Orth. p. 132, pl. 11. f. 6 (1842). Sumatra, Singapore (eadem?).
(?) *Lonchodes Nematodes*, ♂, Westw. l. c. p. 42. n. 112, pl. 5. f. 7 (1859); Sharp, Cambridge Nat. Hist., Ins. i. p. 261, f. 148 (1895).
5. **B. Subnematodes, Gieb.** (*Bacteria* *S.*) Zeitschr. ges. Naturw. xviii. p. 113 (1861). Java.
6. **B. Phalangodes, Bates**, (*Lonchodes* *P.*) l. c. p. 337 (1865). Batchian.
7. **B. Regulus, Westw.** (*Bacillus* *R.*) l. c. p. 8. n. 19, pl. 22. f. 5 (1859). India.
8. **B. Denticorne, Stål**, (*Entoria Denticornis*) Rec. Orth. iii. p. 72 (1875). Philippines.
9. **B. Westwoodii, Wood-Mason**, (*Bacillus* *W.*) Journ. Asiatic Soc. Bengal, xlii. p. 50, pl. 6. f. 3 (1873). India, Andamans, Nicobar.
Lonchodes Westwoodii, Wood-Mason, l. c. xlv. p. 215 (1875), xlv. p. 342 (1877).
Entoria Spinicornis, Stål, l. c. p. 72 (1875).
10. **B. Bilobatum, Brunn.** (*Entoria* (?) *Bilobata*) Ann. Mus. Genova, xxxiii. p. 90, pl. 3. f. 30* (1893). Bhamo.
11. **B. Grallator, Bates**, (*Lonchodes* *G.*) Trans. Linn. Soc. Lond. xxv. p. 334 (1865). Ceylon.
- **12. **B. Pseudoporus, Westw.** (*Lonchodes* *P.*) l. c. p. 42. n. 114, pl. 4. f. 6 (1859); Sauss. Mém. Soc. Genève, xx. p. 300 (?) ♀, p. 301, pl. 2. f. 30 (1870). id., Tenasserim.
Clitumnus Pseudoporus, Brunn. Ann. Mus. Genova, xxxiii. p. 89 (1893).
Bacillus (*Ramulus*) *Humberti*, Sauss. Ann. Soc. Ent. France, (4) i. p. 472 (1861).
13. **B. Rusticus, Stål**, (*Clitumnus* *R.*) Œfv. Vet.-Akad. Förh. xxxiv. p. 40 (1877). Philippines.
- **14. **B. Cuniculus, Westw.** (*Bacillus* *C.*) l. c. p. 9. n. 21, pl. 6. f. 2 (1859); Sauss. Mém. Soc. Genève, xx. pl. 2. ff. 2, 2 a (1870). Ceylon, India, Java (eadem?).
Bacillus Cunicularis, Sauss. l. c. p. 292 (1870).
- **15. **B. Amathia, Westw.** (*Bacillus* *A.*) l. c. p. 11. n. 25, pl. 23. f. 9 (1859). N. India.

16. B. Scytale, Bates, (<i>Bacillus S.</i>) l. c. p. 328, pl. 44. f. 9 (1865).	Ceylon.
17. B. Artemis, Westw. (<i>Bacillus (?) A.</i>) l. c. p. 10. n. 24, pl. 26. f. 9 (1859).
<i>Bacillus Patellifer, Bates,</i> l. c. p. 328 (1865).
<i>Bacillus (Baculum) Artemis, Wood-Mason,</i> Journ. Asiatic Soc. Bengal, xlii. p. 51, pl. 6. ff. 1, 2 (1873).	N. India.
18. B. Insignis, Wood-Mason, (<i>Bacillus (Baculum) I.</i>) l. c. p. 51, pl. 5. ff. 1, 2 (1873).
<i>Lonchodes Insignis, Wood-Mason,</i> Ann. Nat. Hist. (4) xii. p. 348 (1873); Proc. Asiatic Soc. Bengal, 1873, p. 149.	id.
19. B. Penthesilea, Wood-Mason, (<i>Bacillus (Baculum) P.</i>) Journ. Asiatic Soc. Bengal, xlii. p. 52, pl. 5. f. 5 (1873).	Bhutan.
20. B. Furcillatus, Wood-Mason, (<i>Bacillus (Baculum) F.</i>) l. c. p. 54, pl. 5. f. 6 (1873).	id.
21. B. Lævigatus, Wood-Mason, (<i>Bacillus L.</i>) l. c. p. 49, pl. 5. f. 4 (1873).	Assam.
22. B. Oxytenes, Wood-Mason, (<i>Bacillus O.</i>) l. c. p. 48, pl. 5. f. 3 (1873).	Pegu.
23. B. Ramosum, Sauss. Rev. Zool. (2) xiii. p. 127 (1861).
<i>Bacillus (Baculum) Ramosus, Sauss.</i> Ann. Mus. Genova, xx. p. 294 (1870).	Brazil (?).

Genus 22. **Ramulus.** (*Type no. 1.*)

Sauss. Mém. Soc. Genève, xx. p. 291 (1870).

1. R. Carinulatus, Sauss. (<i>Bacillus C.</i>) Rev. Zool. (2) xx. p. 33 (1868); Mém. Soc. Genève, xx. p. 291, pl. 2. f. 1 (1870).	Ceylon (?).
2. R. Ceylonicus, Sauss. (<i>Lonchodes C.</i>) ll. cc. p. 66 (1868); p. 301 (1870).	Ceylon.
**3. R. Humilis, Westw. (<i>Bacillus H.</i>) Cat. Phasm. p. 7. n. 14, pl. 2. f. 7 (1859).	id.
**4. R. Viridis, Gray, (<i>Bacteria V.</i>) Syn. Phasm. p. 17 (1835); Westw. l. c. p. 32. n. 91 (1859).	Sandwich Isl. (?).

Genus 23. **Gratidia.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 14 (1875); Brunn. Ann. Mus. Genova xxxiii. p. 88 (1893); Karsch, Ent. Nachr. xviii. pp. 365, 370 (1898).

1. G. Sansibara , Stål, l. c. p. 70 (1875);
Karsch, l. c. pp. 372-375 (1898).
<i>G. Sansibarica</i> , Schulth. Ann. Mus. Genova,
xxxix. p. 182 (1898).	E. Africa.
2. G. Brunneri , Kirb. (n. n.).
<i>G. Sansibarica</i> , Brunn. l. c. p. 93, pl. 4.
f. 33 <i>a-c</i> (1893).	Pegu.
3. G. Verruculosa , Brunn. l. c. p. 94
(1893).	Rangoon.
4. G. Bituberculata , Redt. Wien. Ent.
Zeit. viii. p. 26 (1889).	Turco-
mania.
**5. G. Hyphereon , Westw. (<i>Bacillus H.</i>)
l. c. p. 9. n. 22, pl. 6. f. 1 (1859).	Ceylon.

Genus 24. **Paraclitumnus.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. pp. 88, 91 (1893).

1. P. Lineatus , Brunn. l. c. p. 91, pl. 4.
f. 31 <i>a-c</i> (1893).	Burma,
Ceylon.
2. P. Concisus , Brunn. l. c. p. 92 (1893).	Tenasserim.
3. P. Productus , Brunn. l. c. (1893).	Pegu.
**4. P. Alauna , Westw. (<i>Bacillus A.</i>) Cat.
Phasm. p. 10. n. 23, pl. 23. f. 6 (1859).	N. India.
*5. P. Filiformis , Herbst, (<i>Mantis F.</i>)
Fuessly, Arch. Ent. p. 187, pl. 51. ff. 2,
3 (1786).	id.
**6. P. Indica , Gray, (<i>Bacteria I.</i>) Syn. Phasm.
p. 17 (1835).
<i>Bacillus Indicus</i> , Westw. Cat. Phasm. p. 7.
n. 16, pl. 22. f. 1 (1859).	India.
7. P. Fuscilineatus , Wood-Mason, (<i>Bacil-
lus F.</i>) Journ. Asiatic Soc. Bengal, xlii.
p. 46, pl. 5. f. 7 (1873).	Punjab.
8. P. Hispidulus , Wood-Mason, (<i>Bacillus
H.</i>) l. c. p. 47, pl. 7. ff. 2, 3 (1873).	Andamans.
9. P. Beroe , Westw. (<i>Bacillus B.</i>) l. c. p. 8.
n. 18, pl. 22. f. 2 (1859).	India.

10. **P. (?) Javanus, Haan**, (*Phasma (Bacillus) Javanum*) Temminck, Verhandel., Orth. p. 138, pl. 15. f. 8 (1842).
Bacillus Javanus, Westw. Cat. Phasm. p. 7. n. 17 (1859). | Java.

Genus 25. **Hyrtacus**. (*Type* no. 5.)

Stål, Bihang Svenska Akad. iii. (14) p. 8 (1875); Rec. Orth. iii. p. 10 (1875).

Candovia, Stål, Rec. Orth. iii. p. 12 (1875). (*Type* no. 1.)

- *1. **H. Cœnosa, Gray**, (*Bacteria C.*) Ent. Austral. p. 17, pl. 2. f. 2 (1833); Syn. Phasm. p. 18 (1835); Westw. Cat. Phasm. p. 33. n. 93, pl. 27. f. 2 (1859).
Bacteria Fragilis, Gray, ll. cc. p. 22, pl. 7. f. 1 (1833); p. 18 (1835). | Australia.
2. **H. Frenchi, Wood-Mason**, (*Bacteria F.*) Ann. Nat. Hist. (4) xx. p. 74 (1877). | id.
- *3. **H. Eutrachelia, Westw.** (*Bacteria E.*) l. c. p. 32. n. 92, pl. 24. f. 11 (1859). | id.
- **4. **H. Peridromes, Westw.** (*Bacillus P.*) l. c. p. 13. n. 33, pl. 8. f. 2 *b, c* (1859). | id.
5. **H. Tuberculatus, Stål**, Rec. Orth. iii. p. 67 (1875). | id.
6. **H. Carinatus, Kirb.** Distant, Ins. Transvaal. p. 46, pl. 2. ff. 3, 4 (1900). | Transvaal.
7. **H. Lancettifer, Brancs.** Jahresh. Trencsin. Com. xv. p. 179, pl. 9. f. 2 (1893). | Madagascar

Genus 26. **Brachyrtacus**.

Sharp, Willey, Zool. Results, p. 84 (1898).

1. **B. Celatus, Sharp**, l. c. pl. 7. f. 4 | New
 (1898). | Britain.

Genus 27. **Rhamphophasma**.

Brunn. Ann. Mus. Genova, xxxiii. pp. 88, 92 (1893).

1. **R. Modestum, Brunn.** l. c. p. 93, pl. 4. | Burma.
 f. 32 (1893).

Genus 28. **Macynia**.

Stål, Rec. Orth. iii. pp. 62, 102 (1875);
Karsch, Ent. Nachr. xxiv. p. 366 (1898).

1. M. Labiata , Thunb. (<i>Mantis</i> L.) Nov.
Spec. Ins. iii. p. 61 (1784); Oliv. Enc.
Méth., Ins. vii. p. 634. n. 45 (1792).
<i>Phasma Labiata</i> , <i>Thunb.</i> Mém. Acad.
Pétersb. v. p. 299 (1815); Westw. Cat.
Phasm. p. 183. n. 7 (1859).
<i>M. Labiata</i> , <i>Stål</i> , l. c. p. 103. n. 3 (1875).	Africa (?).

Genus 29. **Macella**. (*Type* no. 2.)

Stål, Rec. Orth. iii. p. 13 (1875).

**1. M. Souchongia , Westw. (<i>Bacillus</i> S.)
Cat. Phasm. p. 11. n. 26, pl. 7. f. 8
(1859).	China.
2. M. Dentata , <i>Stål</i> , l. c. p. 70 (1875).	Cochin Ch.
3. M. Caulodes , Rehn , Proc. Acad. Nat.
Sci. Philad. 1904, p. 80.	Siam.

Genus 30. **Phthoa**. (*Type* no. 2.)

Karsch, Ent. Nachr. xxiv. pp. 365, 368 (1898).

**1. P. Stellenboschus , Westw. (<i>Bacillus</i> S.)
Cat. Phasm. p. 5. n. 11, pl. 2. f. 4 (1859).	Cape.
*2. P. Prolixa , Karsch , l. c. p. 369, fig.
(1898).	E. Africa.
**3. P. Annulata , Westw. (<i>Bacillus Annu-</i>
<i>latus</i>) l. c. p. 14. n. 36, pl. 7. f. 6 (1859).	Cape.
4. P. Graminea , Bates , (<i>Bacillus Grami-</i>
<i>neus</i>) Trans. Linn. Soc. Lond. xxv.
p. 326, pl. 44. f. 4 (1866).
<i>Macynia Graminea</i> , <i>Stål</i> , Rec. Orth. iii.
p. 103 (1875).	Natal.
5. P. Hispanicus , Bol. An. Soc. Españ.
vii. p. 423, pl. 4. ff. 2, 2 a (1878); Brunn.
Prodr. Eur. Orth. p. 77 (1882).
<i>Bacillus Gallicus</i> , pt., <i>Bol.</i> Sin. Ortópt.
Españ. pp. 68, 295, pl. 2. f. 1 (1876).	Spain.

6. P. Angolensis , Bol. (<i>Bacillus</i> A.) Journ. Sci. Lisboa, (2) i. p. 89 (1889).	Angola.
**7. P. Ægyptiaca , Gray , (<i>Bacteria</i> Æ.) Syn. Phasm. p. 18 (1835).
<i>Bacillus Ægyptiacus</i> , <i>Westw.</i> l. c. p. 4. n. 7 (1859).	Egypt.

Genus 31. **Parabacillus.** (*Type* no. 1.)

Caud. Ent. News, xiv. p. 314 (1903);
Proc. U. S. Nat. Mus. xxvi. p. 865 (1903).

1. P. Coloradus , Scudd. (<i>Bacillus</i> C.) Proc. Davenport Acad. Sci. ix. p. 21, pl. 1. f. 4 (1902); <i>Psyche</i> , vi. p. 372 (1903).
<i>Bacillus Carinatus</i> , <i>Scudd.</i> <i>Psyche</i> , vi. p. 372 (1903).
<i>P. Coloradus</i> , <i>Caud.</i> ll. cc. p. 314 (1903); p. 865, pl. 57. f. 1, pl. 58. f. 1 (1903).	Western
United
States.
2. P. Palmeri , Caud. (<i>Bacillus</i> C.) Ent. News, xiii. p. 274 (1902).	Mexico.

Genus 32. **Bacillus.** (*Type* no. 1.)

St.-Farg. & Serv. Enc. Méth., Ins. x. p. 446 (1825); Serv. Ann. Sci. Nat. xxii. p. 64 (1831); Ins. Orth. p. 255 (1839); Gray, Syn. Phasm. p. 20 (1835); Burm. Handb. Ent. ii. p. 561 (1838); Fisch. Orth. Eur. p. 139 (1853); Sauss. Mém. Soc. Genève, xx. p. 290 (1870); Stål, Bihang Svenska Akad. ii. (17) pp. 5, 15 (1875), iii. (14) p. 21 (1875); Rec. Orth. iii. p. 61 (1875); Bol. Sin. Ortópt. Españ. p. 68 (1876); Brunn. Prodr. Eur. Orth. p. 73 (1882); Fin. Faune France, Orth. p. 93 (1889); Tümp. Geradfl. Mitteleurop. p. 236 (1900); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 160 (1902).
|| *Phasma*, Ill. Käf. Preuss. p. 499 (1798); Latr. Hist. Nat. Crust. Ins. iii. p. 272 (1802); Cuv. Règne Anim. iii. p. 374 (1817).

1. B. Redtenbacheri , Padew. Glasnik Narav. Drúst. xi. p. 20 (1899); Tümp. l. c. p. 236 (1900); Jacobs. & Bianki, l. c. p. 160 (1902).	Croatia.
*2. B. Rossia , Rossi , (<i>Mantis</i> R.) Faun. Etr. i. p. 259, ii. pl. 8. f. 1 (1790), (ed. 2) p. 447, pl. 8. f. 1 (1795); Mant. Ins. i. p. 102 (1792); Fabr. Ent. Syst. ii. p. 13. n. 4 (1793).	S. Europe,
Algeria.

- Phasma Rossia*, Fabr. Suppl. Ent. Syst. p. 187 (1798).
- B. Rossia*, Gray, Syn. Phasm. p. 20 (1835); Serv. Ins. Orth. p. 256 (1839).
- Phasma Rossium*, Charp. Hor. Ent. p. 93 (1825).
- B. Rossii*, Serr. Ann. Sci. Nat. xxii. p. 65 (1831); Burm. l. c. p. 561. n. 1 (1838); Fisch. l. c. p. 139, pl. 8. ff. 9, 9 *a*, *b*, ff. 10, 10 *a-c* (1853); Westw. Cat. Phasm. p. 3. n. 1 (1859); Brunn. l. c. p. 74, pl. 3. f. 20 A, B (1882); Finot, l. c. p. 93, pl. 3. ff. 54-56 (1889); Azam, Bull. Soc. Ent. France, 1898, p. 60; Tümp. l. c. p. 236, pl. 15 (1900).
- || *Mantis Filiformis*, Cyr. Ent. Neap. pl. 5. f. 1, pl. 7. f. 1 (1787); Petagn. Inst. Ent. i. p. 307 (1792).
- || *B. Filiformis*, Jacobs. & Bianki, l. c. p. 160, pl. 3 (1902).
3. **B. Lobipes**, Luc. Expl. Alg., Ins. p. 12, pl. 1. f. 5 (1849); Westw. l. c. p. 4. n. 4 (1859). Algeria.
- *4. **B. Tripolitanus**, Haan, (*Phasma (Bacillus) Tripolitanum*) Temminck, Verhandel., Orth. p. 101 note, pl. 15. f. 3 (1842). Tripoli, Sicily.
- B. Tripolitanus*, Westw. l. c. p. 4. n. 2 (1859).
- *5. **B. Atticus**, Brunn. l. c. p. 75 (1882); Jacobs. & Bianki, l. c. p. 161 (1902). Athens.
- *6. **B. Gallicus**, Charp. (*Phasma Gallicum*) Hor. Ent. p. 94 (1825). S. Europe.
- B. Gallicus*, Serr. Ann. Sci. Nat. xxii. p. 65 (1831); Gray, l. c. p. 20 (1835); Burm. l. c. p. 561. n. 2 (1838); Fisch. l. c. p. 141, pl. 8. ff. 11, 11 *a*, *b* (1853); Bol. l. c. p. 68 (1876); Brunn. l. c. p. 76. n. 3 (1882); Fin. l. c. p. 94, pl. 3. ff. 57, 58 (1889); Jacobs. & Bianki, l. c. p. 161 (1902).
- B. Granulatus*, Brullé, Expéd. Morée, Ent. p. 84, pl. 29. f. 6 (1832); Hist. Nat. Ins. ix. p. 110, pl. 9. f. 1 (1835); Gray, l. c. p. 20 (1835); Serv. Ins. Orth. p. 258 (1839); Westw. l. c. p. 4. n. 3 (1859).
- B. Rossius*, Ramb. Faune Andal. ii. p. 24 (1842).

7. B. Algericus , Pant. An. Soc. Españ. xix.	Oran.
p. 394 (1890).	
8. B. (?) Tranquebaricus , Westw. l. c.	Tranquebar.
p. 7. n. 15 (1859).	
<i>Phasma Nympha</i> , <i>Stoll</i> , Spectres, Phasmes,	
p. 33, pl. 10. f. 39 (1813).	
9. B. (?) Inermis , Thunb. (<i>Phasma I.</i>) Mém.	Hab. — ?
Soc. Pétersb. v. p. 300 (1815); Westw.	
l. c. p. 183. n. 6 (1859).	

Genus 33. **Linocerus**.

Gray, Syn. Phasm. p. 19 (1835).

1. L. Gracilis , Gray , l. c. p. 20 (1835);	China.
Burm. Handb. Ent. ii. p. 562 (1838).	
<i>Bacillus (Linocerus) Gracilis</i> , <i>Westw.</i> Cat.	
Phasm. p. 12. n. 27 (1859).	

Genus 34. **Bathycharax**.

Kirb. Ann. Nat. Hist. (6) xviii. p. 259 (1896).
Batycharax, *Karsch*, Ent. Nachr. xxiv. p. 366 (1898).

**1. B. Granulatus , Kirb. l. c. pl. 12. f. 9	W. Africa,
(1896).	Ogowe.

Genus 35. **Leptynia**. (*Type* no. 1.)

Pant. An. Soc. Españ. xix. p. 385 (1890); Caud. Ent. News,
xiv. p. 314 (1903).

1. L. Attenuata , Pant. l. c. p. 402 (1890).	Spain.
2. L. Koenigi , Krauss , Wien. Ent. Zeit. xi.	Tunis.
p. 147 (1892).	

Genus 36. **Paraclonaria**. (*Type* no. 3.)

Brunn. Ann. Mus. Genova, xxxiii. p. 89 (1893).

1. P. Longelaminata , Schulth. Ann. Mus.	Somali
Genova, xxxix. p. 182, pl. 2. ff. 5, 5 a	Land.
(1898).	

2. P. Affinis , Schulth. l. c. p. 183, pl. 2.
ff. 6, 6 a (1898).	Somali
Land.
3. P. Hamuligera , Schulth. l. c. p. 184,
pl. 2. ff. 7, 7 a (1898).	id.
4. P. Postrostrata , Karsch, (<i>Gratidia</i> P.)
Ent. Nachr. xxiv. p. 378 (1893).
<i>P. Postrostrata</i> , Rehn, Proc. Acad. Nat.
Sci. Philad. 1904, p. 83.	Mombasa.

Genus 37. **Phalces.**

Stål, Rec. Orth. iii. pp. 62, 102 (1875).

*1. P. Longiscaphum , Haan, (<i>Phasma</i> (<i>Bacillus</i>) L.) Temminck, Verhandel., Orth.
p. 101 note (1842).
<i>Bacillus Longiscaphum</i> , Westw. Cat. Phasm.
p. 5. n. 8 (1859).
<i>Bacillus Coccyx</i> , Westw. l. c. p. 6. n. 12,
pl. 7. f. 5 (1859).	S. Africa.

Genus 38. **Burria.** (*Type* no. 1.)

Brunn. Proc. Zool. Soc. Lond. 1900, p. 37.

1. B. Longixipha , Brunn. l. c. p. 38, pl. 2.
f. 6 (1900).	Somali
Land.
2. B. Farinosa , Brunn. l. c. p. 38 (1900).	id.

Genus 39. **Camax.**

Karsch, Ent. Nachr. xxiv. p. 380 (1898).

1. C. Acutus , Karsch, l. c. (1898).	Mombasa.

Genus 40. **Maransis.** (*Type* no. 1.)

Karsch, Ent. Nachr. xxiv. pp. 365, 381 (1898).

1. M. Mozambicus , Westw. (<i>Bacillus</i> M.)
Cat. Phasm. p. 179. n. 464 (1859).	Mozam-
bique.
2. M. Trilineata , Stål, (<i>Macynia</i> T.) Rec.
Orth. iii. p. 103 (1875).	Transvaal.

*3. M. Aspericollis , Bates , (<i>Bacillus A.</i>)
Trans. Linn. Soc. Lond. xxv. p. 327
(1866).
<i>M. Aspericollis</i> , <i>Kirb.</i> Distant, <i>Ins. Trans-</i>
<i>vaal.</i> p. 48 (1902).	Natal.
4. M. Rufolineatus , Schulth. Bull. Soc.
Vaud. xxxv. p. 200, pl. 7. f. 4 (1899).	Delagoa
Bay.

Genus 41. **Clonaria.** (Type no. 1.)

Stål, *Bihang Svenska Akad.* ii. (17) pp. 5, 13 (1875), iii. (14)
p. 9 (1875); *Rec. Orth.* iii. pp. 14, 71 (1875); *Brunn.*
Ann. Mus. Genova, xxxiii. p. 89 (1893).

**1. C. Natalis , Westw. (<i>Bacillus N.</i>) Cat.
Phasm. p. 6. n. 13, pl. 23. ff. 7, 8
(1859).	Natal.
2. C. Abdul , Westw. (<i>Bacillus A.</i>) l. c. p. 4.
n. 6 (1859).
<i>Bacillus Gracilis</i> , <i>Burm.</i> Handb. Ent. ii.
p. 561. n. 3 (1838).	Nubia,
Arabia.
**3. C. Gracilipes , Westw. (<i>Bacillus G.</i>) l. c.
p. 5. n. 9, pl. 8. f. 5 (1859).	Sierra
Leone.
4. C. Gueinzii , Bates , (<i>Bacillus G.</i>) Trans.
Linn. Soc. Lond. xxv. p. 327, pl. 44. f. 14 a
(1865).	Natal.
5. C. Arcuata , Karsch , (<i>Gratidia A.</i>) Ent.
Nachr. xxiv. pp. 372, 375 (1898).	E. Africa.
*6. C. Inclinata , Karsch , (<i>Gratidia I.</i>) l. c.
pp. 372, 375 (1898).	id. (Usam-
bara).
7. C. Fissa , Karsch , (<i>Gratidia F.</i>) l. c.
pp. 372, 375 (1898).	E. Africa.
(Burungi).
8. C. Bifurcata , Karsch , (<i>Gratidia B.</i>) l. c.
pp. 373, 378 (1898).	Nyasa.
9. C. Forcipata , Karsch , (<i>Gratidia F.</i>) l. c.
pp. 373, 378 (1898).	Victoria
Nyanza.
*10. C. Schaumi , Karsch , (<i>Gratidia S.</i>) l. c.
pp. 373, 378 (1898).
<i>Bacillus Gracilis</i> , <i>Schaum</i> , <i>Peters' Reise</i>
<i>Mossamb.</i> v. p. 114 (1862).	Mozam-
bique.
11. C. Arida , Karsch , (<i>Gratidia A.</i>) l. c.
pp. 374, 378 (1898).	E. Africa.
12. C. Talea , Karsch , (<i>Gratidia T.</i>) l. c.
pp. 374, 378 (1898).	id.
13. C. Evanescens , Karsch , (<i>Gratidia E.</i>)
l. c. pp. 374, 378 (1898).	id.

14. C. Prodigiosa , Karsch , (<i>Gratidia P.</i>) l. c. pp. 374, 378 (1898).	Mombasa,
Kilimanjaro
15. C. Leprosus , Gerst. (<i>Bacillus L.</i>) Arch. Naturg. xxxv. p. 211 (1870); Von der Decken, Reisen in Ost-Afrika, Ins. p. 19 (1873).
<i>Gratidia Leprosa</i> , Karsch , l. c. pp. 375, 380 (1898).	Mombasa,
Usambara.
16. C. Prolata , Karsch , (<i>Gratidia P.</i>) l. c. pp. 375, 380 (1898).	Usambara.
17. C. Capensis , Serv. (<i>Bacillus C.</i>) Ins. Orth. p. 257 (1839); Westw. l. c. p. 5. n. 10 (1859).
<i>Phasma (Bacillus) Capense</i> , Haan , Temminck, Verhandel., Orth. p. 137 (1842).	Cape.
18. C. Trivittata , Gerst. (<i>Bacillus Trivittatus</i>) Mitth. Ver. Vorpomm. xiv. p. 98 (1883).	Gold Coast.
19. C. Buchholzi , Gerst. (<i>Bacillus B.</i>) l. c. p. 99 (1883).	Cameroons.
20. C. Æstuans , Sauss. (<i>Bacteria (Bacunculus) Æ.</i>) Ann. Soc. Ent. France, (4) i. p. 474, pl. 11. f. 2 (1861).	Old
Calabar.
21. C. (?) Lineata , Gray , (<i>Bacteria L.</i>) Syn. Phasm. p. 17 (1835); Westw. l. c. p. 30. n. 86 (1859).	Sierra
Leone.

Genus 42. **Arphax.** (*Type no. 1.*)

Stål, Bihang Svenska Akad. iii. (14) p. 14 (1875);
Rec. Orth. iii. pp. 37, 84 (1875).

*1. A. Australis , Charp. (<i>Bacillus A.</i>) Orth. pl. 57 (1845); Westw. Cat. Phasm. p. 12. n. 30 (1859).	Australia.
**2. A. Dolomedes , Westw. (<i>Bacillus D.</i>) l. c. p. 13. n. 31, pl. 5. f. 4 (1859).	id.
**3. A. (?) Brunneus , Gray , (<i>Bacillus B.</i>) Ent. Austral. p. 22, pl. 7. f. 3 (1833); Syn. Phasm. p. 21 (1835); Burm. Handb. Ent. ii. p. 562. n. 5 (1838); Westw. Cat. Phasm. p. 12. n. 29 (1859).
<i>Phasma (Bacillus) Brunneum</i> , Gray , Ent. Austral. p. 28 (1833).	id., Swan
River.

Genus 43. **Echetlus.**

Stål, Bihang Svenska Akad. ii. (17) p. 6 (1875).

- **1. **E. Peristhenes, Westw.** (*Bacillus P.*) | Australia.
 Cat. Phasm. p. 13. n. 32, pl. 7. f. 1, pl. 8.
 f. 2 (1859).

Genus 44. **Acanthoderus.**

Gray, Syn. Phasm. p. 14 (1835) ; Westw. Cat. Phasm. p. 48
 (1859) ; Stål, Rec. Orth. p. 49 note (1875).

1. **A. Spinusus, Gray,** (*Phasma (Bacteria?)* | Australia
Spinosum) Trans. Ent. Soc. Lond. i. | (Swan
 p. 46 (1834). | River).
A. Spinusus, Gray, Syn. Phasm. p. 15
 (1835) ; Westw. l. c. p. 48. n. 129 (1859).

Genus 45. **Clitarchus.** (*Type* no. 4.)

Stål, Rec. Orth. iii. p. 34 (1875) ; Bihang Svenska Akad. iii.
 (14) p. 13 (1875) ; Hutt. Trans. N. Zeal. Inst. xxx. p. 162
 (1898), xxxi. p. 54 (1899).

- **1. **C. Hookeri, White,** (*Bacillus H.*) Voy. | N. Zealand.
 'Erebus' & 'Terror,' Ins. p. 24, pl. 6. f. 6
 (1846) ; Westw. Cat. Phasm. p. 14. n. 35
 (1859) ; Hutt. Cat. Orth. N. Zealand,
 p. 74 (1881).
C. Hookeri, Hutt. Trans. N. Zealand Inst.
 xxx. p. 163 (1898), xxxi. p. 54 (1899).
 *2. **C. Coloreus, Col.** (*Bacillus C.*) Trans. N. | id.
 Zeal. Inst. xvii. p. 151 (1885).
C. Coloreus, Hutt. ll. cc. p. 163 (1898),
 p. 55 (1899).
 3. **C. Reductus, Hutt.** l. c. xxxi. p. 55 | id.
 (1899).
 *4. **C. Læviusculus, Stål,** Rec. Orth. iii. | id.
 p. 82 (1875) ; Hutt. l. c. xxx. p. 163
 (1898), xxxi. p. 56 (1899).

Genus 46. **Macracantha, Kirb.** (n. n.). (*Type* no. 1.)

Clitarchus, sect. B, *Hutt.* Trans. N. Zealand Inst. xxx. p. 164 (1898).

|| *Acanthoderus*, *Hutt.* l. c. xxxi. p. 56 (1899).

1. **M. Prasinus, Westw. (*Acanthoderus P.*) | N. Zealand.

Cat. Phasm. p. 49. n. 132, pl. iii. f. 2
(1859); *Hutt.* Cat. N. Zeal. Orth. p. 77
(1881); *Hutt.* Trans. N. Zeal. Inst. xxxi.
p. 56 (1899).

Bacillus Atroarticulus, *Col.* Trans. N. Zeal.
Inst. xvii. p. 154 (1885).

2. **M. Suteri, Hutt.** (*Acanthoderus S.*) l. c. | id.
xxxi. p. 56 (1899).

|| *Acanthoderus Geisovii*, *Hutt.* l. c. xxx.
p. 165 (1898).

3. **M. Geisovii, Kaup**, (*Bacillus G.*) Proc. | id.
Zool. Soc. Lond. 1866, p. 578; *Hutt.* Cat.
N. Zeal. Orth. p. 75 (1881).

4. **M. Fasciatus, Hutt.** (*Acanthoderus F.*) | id.
Trans. N. Zeal. Inst. xxxi. p. 58 (1899).

Genus 47. **Argosarchus.** (*Type* no. 1.)

Hutt. Trans. N. Zeal. Inst. xxx. p. 165 (1898),
xxxi. p. 58 (1899).

1. **A. Spiniger, White, (*Acanthoderus S.*) | N. Zealand.

Voy. 'Erebus' & 'Terror,' Ins. p. 24
(1846); *Westw.* Cat. Phasm. p. 48. n. 130
(1859); *Hutt.* Cat. N. Zeal. Orth. p. 76
(1881).

A. Spiniger, *Alfk.* Abhandl. nat. Ver.
Bremen, xvii. p. 143 (1901).

Bacillus Filiformis, *Col.* Trans. N. Zeal.
Inst. xvii. p. 153 (1885).

♀. *Acanthoderus Horridus*, *White*, l. c. p. 24,
pl. 5. f. 4 (1846); *Westw.* l. c. p. 49.
n. 131 (1859); *Hutt.* l. c. p. 76 (1881);
Huds. Man. N. Zeal. Ent. p. 110, pl. 19
(1892).

A. Horridus, *Hutt.* Trans. N. Zeal. Inst.
xxx. p. 165 (1898), xxxi. p. 59 (1899).

Bacillus Gerhardii, *Kaup*, Proc. Zool. Soc.
Lond. 1866, p. 577; *Hutt.* Cat. N. Zeal.
Orth. p. 75 (1881).

1 a. A. Minimus, Col. (<i>Bacillus M.</i>) l. c. xvii. p. 153 (1885).	N. Zealand.
2. A. Sylvaticus, Col. (<i>Bacillus S.</i>) l. c. xiv. p. 278 (1882).	id.
<i>A. Sylvaticus, Hutt.</i> Trans. N. Zeal. Inst. xxx. p. 166 (1898).	

Genus 48. **Medaura.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 69 (1875); Brunn. Ann. Mus. Genova, xxxiii. pp. 89, 94 (1893).
Menaka, Wood-Mason, Journ. Asiatic Soc. Bengal, xli. p. 342 (1877). (*Type* no. 1.)

1. M. Scabriusculus, Wood-Mason, (<i>Bacillus S.</i>) l. c. xlii. p. 55, pl. 7. f. 1 (1873).
<i>Menaka Scabriuscula</i> , Wood-Mason, l. c. xli. p. 342 (1877).
<i>Sthenobæa (Medaura) Brunneri</i> , Stål, l. c. p. 69 (1875).	Silhet.
2. M. Stæli, Brunn. (<i>M. Stæli</i>) l. c. p. 94, pl. 4. f. 34 (1893).	Pegu.
**3. M. (?) Darnis, Westw. (<i>Bacillus D.</i>) Cat. Phasm. p. 8. n. 20, pl. 23. ff. 2, 3 (1859).	Sarawak.
4. M. (?) Makassarinus, Westw. (<i>Bacillus M.</i>) l. c. p. 179. n. 465 (1859).	Macassar.

Genus 49. **Manduria.**

Stål, Öfv. Vet.-Akad. Förh. xxxiii. (10) p. 40 (1877).

**1. M. Systropedon, Westw. (<i>Lonchodes S.</i>) Cat. Phasm. p. 44. n. 119, pl. 3. f. 8 (1859).	Philippines.

Genus 50. **Hemipachymorpha, Kirb.** (n. n.).

N. g. sub *Pachymorpha*, Brunn. Ann. Mus. Genova, xxxiii. p. 95 (1893).

**1. H. Omphale, Westw. (<i>Pachymorpha (?) O.</i>) Cat. Phasm. p. 16. n. 40, pl. 2. f. 5 (1859).	S. Africa.

Genus 51. **Pachymorpha.** (*Type* no. 1.)

Gray, Syn. Phasm. p. 21 (1835); Serv. Ins. Orth. p. 258 (1839); Westw. Cat. Phasm. p. 15 (1859); Stål, Bihang Svenska Akad. iii. (14) p. 8 (1875); Rec. Orth. iii. p. 11 (1875); Brunn. Ann. Mus. Genova, xxxiii. p. 95 (1893); Hutt. Trans. N. Zeal. Inst. xxx. p. 161 (1898), xxxi. p. 52 (1899).

*1. P. Squalida, Gray, (<i>Bacillus Squalidus</i>)	Australia.
Ent. Austral. p. 18, pl. 3. f. 2 (1833).	
<i>P. Squalida, Gray,</i> Syn. Phasm. p. 21 (1835); Burm. Handb. Ent. ii. p. 562 (1838); Westw. l. c. p. 15. n. 37 (1859).	
2. P. Pasithoe, Westw. (<i>Bacillus P.</i>) l. c.	id.
p. 15 (1859).	
<i>P. Squalida, var., Westw.</i> l. c. pl. 22. f. 4 (1859).	
3. P. Simplicipes, Serv. l. c. p. 259 (1839).	id.
<i>P. (?) Simplicipes, Westw.</i> l. c. p. 15. n. 38 (1859).	
4. P. Novæ-Guineæ, Kaup, Berlin. Ent.	N. Guinea.
Zeitschr. xv. p. 26 (1871).	
**5. P. Hystriculea, Westw. l. c. p. 16. n. 39,	N. Zealand.
pl. 1. f. 4 (1859); Hutt. l. c. xxxi. p. 52 (1899).	
<i>Bacillus Hystriculea, Hutt.</i> Cat. N. Zeal. Orth. p. 75 (1881).	
6. P. Salebrosa, Hutt. Trans. N. Zeal. Inst.	id.
xxx. p. 52 (1899).	
<i>P. Hystriculea, Hutt.</i> l. c. xxx. p. 162 (1898).	
7. P. Annulata, Hutt. l. c. xxx. p. 162	id.
(1898), xxxi. p. 53 (1899).	
8. P. Acornuta, Hutt. l. c. xxxi. p. 53	id.
(1899).	

Genus 52. **Parapachymorpha.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. p. 95 (1893).

1. P. Nigra, Brunn. l. c. p. 96, pl. 4. f. 35 <i>a, b</i>	Burma.
(1893).	
2. P. Spinosa, Brunn. l. c. f. 36 (1893).	id.

Genus 53. **Charnidas.**

Stål, Rec. Orth. iii. p. 56 note (1875).

- **1. **C. Cerberus, Westw.** (*Anisomorpha* (?) Ceylon.
C.) Cat. Phasm. p. 19. n. 50, pl. 1. f. 6
(1859).

SUBFAM. IV.

DIAPHOMERINÆ.

Genus 54. **Hesperophasma.** (*Type* no. 2.)

Rehn, Canad. Ent. xxxiii. p. 271 (1901).

|| *Phantasis*, Sauss. (*nec* Thoms.) Miss. Mex., Orth. p. 188 (1872);
Stål, Bihang Svenska Akad. iii. (14) p. 10 (1875); Rec.
Orth. iii. pp. 19, 73 (1875).

- **1. **H. Planulum, Westw.** (*Phasma P.*) Cat. S. Domingo.
Phasm. p. 34. n. 95, pl. 1. f. 7 (1859).
2. **H. Saussurei, Bol.** (*Phantasis S.*) Mém. Cuba.
Soc. Zool. France, i. p. 136 (1888).
Phantasis Planula, Sauss. l. c. p. 188
(1872).
3. **H. Lyratum, Bol.** (*Phasma Lyrata*) l. c. id.
p. 137 (1888).
4. **H. Vittatum, Westw. (*Anophelepis Vit-* Mexico.
tata) l. c. p. 69. n. 181 (1859).
Phantasis Vittata, Sauss. l. c. p. 189 (1872).
5. **H. (?) Scythrus, Westw. (*Anophelepis* id.
S.) l. c. p. 68. n. 180, pl. 2. f. 3 (1859).
Phantasis Scythrus, Sauss. l. c. p. 190
(1872).

Genus 55. **Lamponius.**

Stål, Rec. Orth. iii. pp. 19, 73 (1875).

1. **L. Guerini, Sauss.** (*Pygirhynchus G.*) Rev. Guadeloupe
Zool. (2) xx. p. 64 (1868); Miss. Mex.,
Orth. p. 169, pl. 3. ff. 13, 13 a (1872).

Genus 56. **Caulonia.** (*Type* no. 2.)

Stål, Bihang Svenska Akad. iii. (14) p. 10 (1875) ; Rec. Orth. iii. pp. 20, 74 (1875).

|| *Ceroys*, *Sauss.* Miss. Mex., Orth. p. 166 (1872).

1. C. Rhabdota , Westw. (<i>Ceroys R.</i>) Cat. Phasm. p. 61. n. 169, pl. 22. f. 6 (1859).	Colombia.
2. C. Bigibbus , Rehn , (<i>Ceroys B.</i>) Proc. Acad. Nat. Sci. Philad. 1904, p. 48.	Nicaragua,
Costa Rica.
3. C. Bifolia , Stål , Rec. Orth. iii. p. 74 (1875).	Colombia.
4. C. Columbina , Westw. (<i>Ceroys C.</i>) l. c. p. 62. n. 170, pl. 24. f. 1 (1859).	id.
5. C. Thestylis , Westw. (<i>Bacteria T.</i>) l. c. p. 29. n. 83, pl. 24. f. 2 (1859).	id.
6. C. Molita , Westw. (<i>Bacteria M.</i>) l. c. n. 82, pl. 24. f. 3 (1859).	id.
7. C. Tolima , Westw. (<i>Acanthoderus T.</i>) l. c. p. 56. n. 156, pl. 24. f. 5 (1859).	id.
8. C. Senticosa , Giglio-Tos , Boll. Mus. Torino, xiii. (311) p. 28 (1898).	Ecuador.
9. C. Conradi , Giglio-Tos , l. c. p. 30 (1898).	id.
10. C. Poeyi , Bol. Mém. Soc. Zool. France, i. p. 137 (1888).	Cuba.
11. C. Triedrica , Bol. l. c. p. 138 (1888).	id.
** 12. C. Spinosissima , Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 464, pl. 40. ff. 5, 5a (1896).	Archidona.
** 13. C. (?) Iphiclus , Westw. (<i>Pygirhynchus I.</i>) l. c. p. 58. n. 163, pl. 2. f. 2 (1859).
<i>C. Iphiclus</i> , Bol. Ann. Soc. Ent. France, (6) x. p. 138 (1890).	Colombia,
Venezuela.
14. C. Capreolus , Kaup , (<i>Ceroys C.</i>) Berlin. Ent. Zeitschr. xv. p. 34 (1871).	Mexico.
15. C. (?) Quindensis , Goud. (<i>Bacteria Q.</i>) Mag. Zool. 1843, Ins. no. 125, p. 5.
<i>Acanthoderus Quindensis</i> , Westw. l. c. p. 57. n. 158, pl. 25. ff. 3, 4 (1859).	N. Granada.

Genus 57. **Parobrimus.**

Scudd. Proc. Boston Soc. Nat. Hist. xxvii. p. 205 (1896).

1. P. Immanis , Scudd. (<i>Acanthoderus I.</i>) l. c. xii. p. 340 (1869).	Peru.
* 2. P. (?) Laciniatus , Westw. (<i>Ceroys L.</i>) Thes. Ent. Oxon. p. 174, pl. 32. f. 4 (1874).	Nicaragua.

Genus 58. **Libethra.** (*Type* no. 2.)

Stål, Rec. Orth. iii. pp. 20, 74 (1875).

**1. L. Ignavus, Westw. (<i>Ceroys</i> I.) Cat. Phasm. p. 61. n. 168, pl. 4. f. 7 (1859).	Tapajos.
2. L. Nisseri, Stål , l. c. p. 74 (1875).	Colombia.
3. L. Ramale, Giglio-Tos , Boll. Mus. Torino, xiii. (311) p. 27 (1898).	Ecuador.
4. L. (?) Palmes, Giglio-Tos , l. c. p. 28 (1898).	id.
5. L. Strigiventris, Westw. (<i>Bacteria</i> S.) l. c. p. 28. n. 79, pl. 24. f. 6 (1859).	Colombia.
6. L. Sutoria, Stål , l. c. p. 75 (1875).	Bogota.

Genus 59. **Sermyle.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 23, 77 (1875).

1. S. Mexicanus, Sauss. (<i>Acanthoderus</i> M.) Rev. Zool. (2) xx. p. 62 (1868).
<i>Ceroys Mexicanus</i> , Sauss. Miss. Mex., Orth. p. 167, pl. 4. ff. 17, 17 a (1872).
<i>S. Mexicana</i> , Stål, l. c. p. 76 (1875).	Mexico.
2. S. Saussurii, Stål , l. c. p. 77 (1875).	id.
3. S. Physconia, Rehn , Proc. Acad. Nat. Sci. Philad. 1904, p. 51.	Costa Rica.
4. S. Azteca, Sauss. (<i>Bacteria</i> A.) Rev. Zool. (2) xi. p. 62 (1859); Miss. Mex., Orth. p. 155, pl. 3. ff. 9, 9 a (1872).	Mexico.
5. S. Linearis, Sauss. (<i>Ceroys</i> L.) Rev. Zool. (2) xx. p. 65 (1888); Miss. Mex., Orth. vi. p. 168, pl. 4. ff. 16, 16 a (1872).	S. America.

Genus 60. **Pseudosermyle.** (*Type* no. 1.)

Caud. Proc. U. S. Nat. Mus. xxvi. p. 867 (1903).

1. P. Arbuscula, Rehn , (<i>Sermyle</i> A.) Canad. Ent. xxxiv. p. 273 (1902).
<i>P. Arbuscula</i> , Caud. l. c. p. 868, pl. 57. f. 3, pl. 58. f. 4 (1903).	California
(San Diego).
2. P. Truncata, Caud. l. c. p. 869, pl. 58. ff. 3, 3 a, b (1903).	Arizona,
California.
3. P. Strigata, Scudd. (<i>Sermyle</i> S.) Proc. Davenport Acad. viii. p. 94, pl. 1. f. 3 (1900); Caud. l. c. p. 870, pl. 56. f. 3, pl. 58. f. 8 (1903).	Texas.

<p>4. P. Stramineus, Scudd. (<i>Bacunculus</i> S.)
 l. c. ix. p. 20, pl. 1. f. 1 (1902).
 <i>P. Stramineus</i>, Caud. l. c. p. 871, pl. 58.
 f. 2 (1903).</p> <p>5. P. Banksii, Caud. l. c. p. 871 (1903).</p> <p>6. P. Strigiceps, Kaup, (<i>Diapheromera</i> S.)
 Berlin. Ent. Zeitschr. xv. p. 28 (1871).</p> <p>*7. P. Tridens, Burm. (<i>Bacteria</i> T.) Handb.
 Ent. ii. p. 567. n. 13 (1838); Westw.
 Cat. Phasm. p. 27. n. 75 (1859); Sauss.
 Miss. Mex., Orth. p. 157 (1872); Rehn,
 Trans. Amer. Ent. Soc. xxvii. p. 87 (1900).</p> | <p>New
Mexico.</p> <p>Texas.
Mexico.</p> <p>id.</p> |
|--|---|

Genus 61. **Pseudobacteria.** (Type no. 1.)

Sauss. Miss. Mex., Orth. p. 157 (1872).

<p>**1. P. Crudelis, Westw. (<i>Bacteria</i> C.) Cat.
 Phasm. p. 24. n. 65 (1859).
 <i>Bacteria Antillarum</i>, Sauss. Rev. Zool. (2)
 xx. p. 65 (1868); Miss. Mex., Orth.
 p. 157 (1872).</p> <p>2. P. Yersiniana, Sauss. (<i>Bacteria</i> Y.) ll.
 cc. p. 65 (1868); p. 158 (1872).</p> <p>3. P. Cubaensis, Haan, (<i>Phasma</i> (<i>Bac-</i>
 <i>teria</i>) <i>Cubaense</i>) Temminck, Verhandel.,
 Orth. p. 101 (1842).
 <i>Bacteria Cubaense</i>, Westw. l. c. p. 26. n. 68
 (1859).
 <i>Bacteria Cubaensis</i>, Sauss. Miss. Mex.,
 Orth. p. 159 (1872).
 <i>Bacunculus Cubensis</i>, Bol. Mém. Soc.
 Zool. France, i. p. 139 (1888).</p> | <p>Guade-
loupe,
Dominica.</p> <p>Porto
Rico.
Cuba.</p> |
|--|---|

Genus 62. **Diapheromera.** (Type no. 1.)

Gray. Syn. Phasm. p. 18 (1835); Westw. Cat. Phasm. p. 20
(1859); Sauss. Miss. Mex., Orth. p. 163 (1872); Stål,
Bihang Svenska Akad. ii. (17) pp. 7, 13 (1875); Rec.
Orth. iii. p. 21 (1875); Caud. Proc. U. S. Nat. Mus. xxvi.
p. 873 (1903).

<p>*1. D. Femorata, Say, (<i>Spectrum Femoratum</i>)
 Long's 2nd Exped. St. Peter's River, i.
 p. 297 (1824); Amer. Ent. iii. p. 37,
 pl. 27 (1828); Leidy, Proc. Acad. Nat.
 Sci. Philad. iii. p. 80 (1846).
 <i>D. Femorata</i>, Harr. Ins. Inj. Veget.
p. 119 (1841), ed. 3, pp. 146, 147, f. 67</p>	N. America.

- (1862); Caud. l. c. p. 874, pl. 57. f. 4, pl. 58. f. 6 (1903); Howard, Insect Book, pp. 323-325 (1902); Scudd. Psyche, ix. p. 189 (1901).
D. Sayi, Gray, l. c. p. 18 (1835); Westw. l. c. p. 20. n. 51 (1859); Sauss. Miss. Mex., Orth. p. 165 (1872).
Bacteria Sayi, Burm. Handb. Ent. ii. p. 566. n. 10 (1838); Charp. Orth. pl. 4 (1841).
Bacteria Linearis, Gosse, Lett. Alabama, p. 275 (1859).
2. **D. Velii, Walsh**, Proc. Ent. Soc. Philad. iii. p. 410 (1864); Scudd. l. c. p. 189 (1901). S. United States, Mexico.
D. Veliei, Caud. l. c. p. 876, pl. 58. f. 5 (1903).
3. **D. Arizonensis, Caud.** l. c. p. 877 (1903). Arizona.
 4. **D. Carolina, Scudd.** l. c. p. 188 (1901); N. Carolina.
 Caud. l. c. p. 877 (1903).
5. **D. Mesillana, Scudd.** l. c. p. 189 (1901); New Mexico.
 Caud. l. c. p. 878 (1903).
6. **D. (?) Bidens, Kaup**, Berlin. Ent. Zeitschr. xv. p. 28 (1871). Mexico.
7. **D. Beckeri, Kaup**, l. c. p. 27 (1871). id.
8. **D. Calcarata, Burm.** (*Bacteria C.*) l. c. id.
 p. 566. n. 11 (1838).
D. Calcarata, Westw. l. c. p. 20. n. 52 (1859); Sauss. l. c. p. 164, pl. 3. ff. 5, 5 a (1872); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 50.
9. **D. Faunus, Westw.** (*Bacteria F.*) l. c. S. America.
 p. 28. n. 78 (1859).
 || *Bacteria Viridis*, Burm. l. c. p. 568. n. 18 (1838).
- **10. **D. (?) Saussurii, Kirb.** Ann. Nat. Hist. Dominica.
 (6) iii. p. 501 (1889).

Genus 63. **Megaphasma.**

Caud. Proc. U. S. Nat. Mus. xxvi. p. 878 (1903).

1. **M. Denticrus, Stål**, (*Diaphoromera D.*) Southern
 Rec. Orth. iii. p. 76 (1875); Scudd. United States.
 Psyche, ix. p. 187 (1901); Harper's
 Mag. lxxxviii. p. 456, f. 1 (1894).
M. Denticrus, Caud. l. c. p. 878, pl. 57.
 ff. 2, 2 a, b (1903).

SUBFAM. V.

BACTERIINÆ.

Genus 64. **Heteronemia.** (Type no. 1.)

Gray, Syn. Phasm. pp. 13, 19 (1835).

|| *Bacunculus*, Sauss. Miss. Mex., Orth. p. 154 (1872); Stål, Bihang Svenska Akad. ii. (17) pp. 7, 13 (1875), iii. (14) p. 10 (1875); Rec. Orth. iii. p. 23 (1875); Caud. Proc. U. S. Nat. Mus. xxvi. p. 872 (1903).

**1. H. Mexicana , Gray, l. c. p. 19 (1835).	Mexico.
<i>Bacteria Mexicana</i> , Westw. Cat. Phasm. p. 25. n. 67 (1859); Sauss. Rev. Zool. (2) xx. p. 357 (1868); Miss. Mex., Orth. p. 152, pl. 3. ff. 10, 11, 11 a (1872).	
<i>Bacteria Tolteca</i> , Sauss. Rev. Zool. (2) xi. p. 62 (1859).	
2. H. Ignava , Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 54.	Costa Rica.
*3. H. Striata , Burm. (<i>Bacteria S.</i>) Handb. Ent. ii. p. 567. n. 14 (1838); Westw. l. c. pp. 28, 180. n. 76 (1859); Sauss. Miss. Mex., Orth. p. 156, ff. 7, 8, 8 a (1872).	Mexico.
4. H. Tenuescens , Scudd. (<i>Bacunculus T.</i>) Proc. Davenport Acad. viii. p. 95, pl. 1. f. 1 (1900); Caud. Proc. U. S. Nat. Mus. xxvi. p. 872, pl. 56. ff. 1, 2 (1903).	Florida.
*5. H. Hastata , Burm. (<i>Bacteria H.</i>) l. c. p. 567. n. 11 (1838); Westw. l. c. pp. 23, 179. n. 61 (1859).	Ega.
6. H. Olmeca , Sauss. (<i>Bacteria O.</i>) l. c. p. 156 (1872).	Mexico.
7. H. Festæ , Giglio-Tos, (<i>Bacunculus F.</i>) Boll. Mus. Torino, xiii. (311) p. 22 (1898).	Ecuador.
8. H. Festuca , Giglio-Tos, (<i>Bacunculus F.</i>) l. c. p. 24 (1898).	id.
*9. H. Mimus , Giglio-Tos, (<i>Bacunculus M.</i>) l. c. p. 25 (1898).	id.
10. H. Sarmentum , Giglio-Tos, (<i>Bacunculus S.</i>) l. c. (1898).	id.
11. H. Palea , Giglio-Tos, (<i>Bacunculus P.</i>) l. c. p. 26 (1898).	id.

12. H. Fallax, Giglio-Tos, (<i>Bacunculus F.</i>)	Ecuador.
l. c. p. 26 (1898).	
13. H. Gramen, Giglio-Tos, (<i>Bacunculus G.</i>) l. c. (1898).	id.
14. H. Nodosus, Giglio-Tos, (<i>Bacunculus N.</i>) l. c. p. 27 (1898).	id.
15. H. Laticauda, Bates, (<i>Bacteria L.</i>)	Ega.
Trans. Linn. Soc. Lond. xxv. p. 329,	
pl. 44. f. 11 a (1865).	
16. H. Amazonica, Bates, (<i>Bacteria A.</i>)	id.
l. c. p. 330 (1865).	
17. H. Culmus, Bates, (<i>Bacteria C.</i>) l. c.	Brazil.
p. 331 (1865).	
18. H. Cacica, Kaup, (<i>Bacteria C.</i>) Berlin.	Mexico.
Ent. Zeitschr. xv. p. 28 (1871).	
19. H. Arampes, Kaup, (<i>Bacteria A.</i>) l. c.	Brazil.
p. 30 (1871).	
**20. H. Samouellii, Gray, (<i>Bacteria S.</i>) l. c.	Hab. —?
p. 43 (1835); Westw. l. c. p. 33. n. 94	
(1859).	
**21. H. Tenuis, Westw. (<i>Bacteria T.</i>) l. c.	Hab. —?
p. 31. n. 88, pl. 8. f. 1 (1859).	

Genus 65. **Bacunculus.** (*Type no. 1.*)

Burm. Handb. Ent. ii. p. 566 (1838);
Westw. Cat. Phasm. p. 26 (1859).

*1. B. Phyllopus, Gray, (<i>Prisomera (?) P.</i>)	Chile.
Syn. Phasm. p. 16 (1835).	
<i>Bacteria (Bacunculus) Phyllopoda, Westw.</i>	
l. c. p. 180. n. 71 (1859).	
<i>Bacteria Spatulata, Burm.</i> l. c. p. 566.	
n. 9 (1838).	
<i>Bacteria (Bacunculus) Spatulata, Westw.</i>	
l. c. pp. 26, 179. n. 71 (1859).	
<i>B. Spatulatus, Bol. Viaje al Pacif., Neur. y</i>	
<i>Ortópt.</i> p. 27 (1884).	
2. B. Foliacea, Blanch. (<i>Bacteria F.</i>) Gay,	id.
Hist. Chile, Zool. vi. p. 26 (1852);	
Westw. l. c. p. 26. n. 70 (1859).	
3. B. Chilensis, Westw. l. c. p. 180. n. 466	id.
(1859).	
<i>Bacteria Spatulata, Blanch.</i> l. c. p. 25, pl. 1.	
f. 6 (1852).	
4. B. Unifolius, Phil. (<i>Bacteria Unifoliata</i>)	id.,
Stettin. Ent. Zeit. xxvi. p. 64 (1865).	Valdivia.

Genus 66. **Oreophœtes.**

Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 56.

1. O. Peruana, Sauss. (<i>Bacteria P.</i>) Rev.
Zool. (2) xx. p. 65. n. 11 (1868); Miss.
Mex., Orth. p. 160, pl. 3. ff. 12, 12 a
(1872).	Peru.

Genus 67. **Dyme.** (*Type no. 1.*)

Stål, Rec. Orth. iii. p. 24 (1875).

1. D. Bifrons, Stål, l. c. p. 77 (1875);
Rehn, Proc. Acad. Nat. Sci. Philad.
1904, p. 56.	Peru.
*2. D. Muricata, Burm. (<i>Bacteria M.</i>) Handb.
Ent. ii. p. 564. n. 2 (1838); Westw. Cat.
Phasm. pp. 23, 179. n. 59 (1859).	Para.
**3. D. Emesa, Westw. (<i>Bacteria E.</i>) l. c.
p. 30. n. 87, pl. 5. f. 3 (1859).	Hab. — ?
4. D. Serricauda, Bates, (<i>Bacteria S.</i>)
Trans. Linn. Soc. Lond. xxv. p. 331,
pl. 44. f. 13 a (1865).	Ega.
5. D. Sakai, Bates, (<i>Bacteria S.</i>) l. c.
p. 332, pl. 44. f. 1 (1865).	id.

Genus 68. **Bostra.** (*Type no. 1.*)Stål, Bihang Svenska Akad. ii. (17) pp. 6, 13 (1875);
Rec. Orth. iii. p. 24 (1875).

**1. B. Turgida, Westw. (<i>Bacteria T.</i>) Cat.
Phasm. p. 28. n. 80, pl. 8. ff. 4, 9
(1859).	Venezuela.
2. B. Dorsuaria, Stål, Rec. Orth. iii. p. 79
(1875).	Chiriqui.
3. B. Exigua, Scudd. (<i>Bacteria E.</i>) Proc.
Boston Soc. Nat. Hist. xvii. p. 278
(1875).	Peruvian
Andes.
4. B. Incompta, Rehn, Proc. Acad. Nat.
Sci. Philad. 1904, p. 57.	Costa
Rica.
5. B. Remiformis, Rehn, l. c. p. 58 (1904).	id.

Genus 69. **Oncotophasma.** (*Type* no. 1.)

Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 59.

1. O. Martini, Griff. (<i>Bostra M.</i>) Boll. Mus. Torino, xi. (236) p. 10, fig. (1896).	Colombia,
Costa Rica.
2. O. Podagrica, Stål, (<i>Bostra P.</i>) Rec. Orth. iii. p. 79 (1875).	Panama.

Genus 70. **Clonistria.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. ii. (17) pp. 6, 13 (1875), iii. (14) p. 10 (1875); Rec. Orth. iii. p. 25 (1875).

1. C. Bartholomæa, Stål, ll. cc. ii. (17) p. 16 (1875), iii. p. 80 (1875).	W. Indies
(St. Barth.).
*2. C. Linearis, Dru. (<i>Mantis L.</i>) Ill. Exot. Ent. i. pl. 50. f. 3 (1773).
<i>Bacteria Linearis</i> , Gray, Syn. Phasm. p. 17 (1835); Westw. Cat. Phasm. p. 24. n. 64 (1859).
(?) <i>C. Linearis</i> , Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 60.
<i>Pseudobacteria Longiceps</i> , Kirb. Ann. Nat. Hist. (6) iii. p. 503 (1889).	Antigua,
St. Lucia,
Montserrat,
Grenada, &
St. Vincent.
**3. C. Haita, Westw. (<i>Bacteria H.</i>) l. c. p. 25. n. 66, pl. 25. ff. 5, 6 (1859).
<i>Bacteria Dryas</i> , Westw. l. c. p. 27. n. 74 (1859).
<i>Bacteria Spinosa</i> , Burm. Handb. Ent. ii. p. 567. n. 12 (1838).	Haiti.
4. C. Comis, Bates, (<i>Bacteria C.</i>) Trans. Linn. Soc. Lond. xxv. p. 330, pl. 44. f. 12 b (1865).	Bogota.
5. C. Gracilis, Burm. (<i>Bacteria G.</i>) Handb. Ent. ii. p. 567. n. 15 (1838); Westw. l. c. p. 28. n. 77 (1859).	La Guayra.
*6. C. Calamus, Fabr. (<i>Mantis C.</i>) Ent. Syst. ii. p. 13. n. 3 (1793).
<i>Phasma Calamus</i> , Fabr. l. c. Suppl. p. 187. n. 3 (1798); Licht. Trans. Linn. Soc. Lond. vi. p. 10. n. 4 (1802).
<i>Bacteria Calamus</i> , Gray, l. c. p. 17 (1835); Westw. Cat. Phasm. p. 20. n. 53 (1859).	S. America,
W. Indies.

Genus 71. **Tersomia.**

Kirb. Ann. Nat. Hist. (7) xiii. p. 431 (1904).

- **1. **T. Brasiliensis**, Kirb. l. c. p. 432 (1904). | Iguarassu.

Genus 72. **Bactridium.**

Sauss. Rev. Zool. (2) xx. p. 66 (1868); Mém. Soc. Genève, xx. p. 305 (1869); Stål, Rec. Orth. iii. pp. 30, 82 (1875).

1. **B. Coulonianum**, Sauss. ll. cc. p. 66 (1868); p. 306, pl. 2. ff. 8, 8 a, 9, 9 a (1869). | Australia(?)
Chili (?).

Genus 73. **Abrachia.** (*Type* no. 3.)

Kirb. Ann. Nat. Hist. (6) iii. p. 503 (1889); Trans. Linn. Soc. Lond., Zool. (2) vi. p. 475 (1896).

1. A. Phyllocephala , Westw. (<i>Acanthoderus Phyllocephalus</i>) Cat. Phasm. p. 58. n. 160 (1859).
<i>Phibalosoma Phyllocephalum</i> , Westw. l. c. p. 73. n. 188, pl. 33. f. 1 (1859).
<i>Bacteria Aurita</i> , Burm. Handb. Ent. ii. p. 565. n. 7 (1838).	Brazil.
2. A. Extensa , Bates, (<i>Phibalosoma Extensum</i>) Trans. Linn. Soc. Lond. xxv. p. 340 (1865).	id. (?)
**3. A. Brevicornis , Kirb. ll. cc. p. 504 (1889); p. 475 (1896).	Theresopolis
4. A. Longimana , Sauss. (<i>Bacteria L.</i>) Rev. Zool. (2) xi. p. 61 (1859).
<i>Phibalosoma Longimanum</i> , Sauss. Miss. Mex., Orth. p. 177, pl. 4. f. 20 (1872).	Bahia.
5. A. Emortualis , Sauss. (<i>Bacteria E.</i>) Rev. Zool. (2) xi. p. 61 (1859).
<i>Phibalosoma Emortuale</i> , Sauss. Miss. Mex., Orth. p. 175, pl. 4. ff. 21, 21 a (1872).	id.
6. A. Clinteria , Westw. (<i>Bacteria C.</i>) Cat. Phasm. p. 27. n. 73, pl. 25. f. 9 (1859); <i>Bactridium Clinteria</i> , Giglio-Tos, Boll. Mus. Torino, xv. (377) p. 2 (1900).	Brazil.

Genus 74. **Calynda.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 24 (1875).

1. **C. Bicuspis**, Stål, l. c. p. 78 (1875); Chiriqui.
Rehn, Proc. Acad. Nat. Sci. Philad.
1904, p. 57.
- **2. **C. Cyphus**, Westw. (*Bacteria C.*) Cat. W. Indies,
Phasm. p. 24. n. 63, pl. 7. f. 7 (1859). St. Vincent,
|| *Phasma Cornutum*, Guild. Trans. Linn. Grenada.
Soc. Lond. xiv. p. 137, pl. 6 (1825).
- *3. **C. Ceratoskeleton**, Oliv. (*Mantis Kera-* S. America,
tosqueleton) Enc. Méth., Ins. vii. p. 639. W. Indies.
n. 75 (1792).
Phasma Cornutum, Licht. Cat. Mus. Zool.
Hamburg, iii. p. 78. n. 16 (1796); Trans.
Linn. Soc. Lond. vi. p. 10. n. 3 (1802).
Phasma Bicornis, Stoll, Spectres, Phasmes,
p. 46, pl. 15. ff. 57, 57 A (1813).
Bacteria Bicornis, Gray, Syn. Phasm. p. 16
(1835); Burm. Handb. Ent. ii. p. 566.
n. 8 (1838); Westw. l. c. p. 23. n. 62
(1859).

Genus 75. **Canuleius.**

Stål, Rec. Orth. iii. p. 53 (1875).

- **1. **C. Euterpinus**, Westw. (*Acanthoderus* Brazil.
E.) Cat. Phasm. p. 56. n. 155 (1859).
Bacteria Euterpina, Sauss. Miss. Mex.,
Orth. p. 161 (1872).
C. Euterpinus, Stål, l. c. p. 94 (1875).
|| *Bacteria Spinosa*, Gray, Syn. Phasm. p. 43
(1835).
Bacteria Spinigera, Sauss. Rev. Zool. (2)
xi. p. 62 (1859).
2. **C. (?) Bicornis**, Thunb. (*Phasma B.*) Hab. — ?
Mém. Acad. Pétersb. v. p. 298 (1815);
Westw. l. c. p. 183. n. 9 (1859).

Genus 76. **Phanocles.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 28, 81 (1875).

1. **P. Burkartii**, Sauss. (*Bacteria B.*) Rev. Mexico.
Zool. (2) xx. p. 65 (1868); Miss. Mex.,
Orth. p. 151, pl. 3. f. 6 (1872).
♂. || *Bacteria Cornuta*, Sauss. Rev. Zool.
(2) xiii. p. 128 (1861).

2. P. Ætolus, Westw. (<i>Bacteria</i> Æ.) Cat.
Phasm. p. 27. n. 72, pl. 22. f. 3 (1859).
<i>Phibalosoma Ætolus, Sauss.</i> Miss. Mex.,
Orth. p. 174 (1872).	Mexico.
3. P. Sartoriana, Kaup, (<i>Bacteria</i> S.)
Berlin. Ent. Zeitschr. xv. p. 29 (1871).	id.
**4. P. Curvipes, Redt. Proc. Zool. Soc.
Lond. 1892, p. 207, pl. 15. f. 9.	W. Indies,
St. Vincent.

Genus 77. **Ceroys.** (*Type* no. 4.)

Serv. Ins. Orth. p. 262 (1835); Westw. Cat. Phasm. p. 59 (1859).

Cladomorphus, pt., Gray, Syn. Phasm. p. 15 (1835); Stål, Bihang Svenska Akad. ii. (17) pp. 13, 94 (1875), iii. (14) p. 18 (1875); Rec. Orth. iii. pp. 53, 94 (1875), *nec sect. typ.*

1. C. Cornutus, Burm. (<i>Acanthoderus</i> C.)
Handb. Ent. ii. p. 569. n. 4 (1838);
Westw. Cat. Phasm. p. 56. n. 153 (1859).
<i>Bacteria Cornuta, Sauss.</i> Rev. Zool. (2)
xx. p. 65 (1868); Miss. Mex., Orth.
p. 161, pl. 4. ff. 14, 14 a (1872).	W. Indies,
St. Thomas.
2. C. Baculus, Sauss. (<i>Bacteria</i> B.) ll. cc.
(2) xi. p. 61 (1859); p. 163, pl. 4. ff. 15,
15 a, b (1872).	S. America.
3. C. Cyrtocnemis, Bates, (<i>Bacteria</i> C.)
Trans. Linn. Soc. Lond. xxv. p. 329,
pl. 44. f. 10 (1865).	Ega.
**4. C. Perfoliatus, Gray, (<i>Cladomorphus</i> P.)
Syn. Phasm. p. 15 (1835).
<i>Acanthoderus Perfoliatus, Burm.</i> Handb.
Ent. ii. p. 569. n. 1 (1838).
<i>C. Perfoliatus, Serv.</i> Ins. Orth. p. 263
(1839); Westw. l. c. p. 59. n. 164
(1859).	Brazil.
5. C. Ramulus, Giglio-Tos, (<i>Bacunculus</i>
R.) Boll. Mus. Torino, xiii. (311) p. 21
(1898).	Ecuador.
6. C. Borellii, Giglio-Tos, (<i>Bacunculus</i>
B.) l. c. p. 22 (1898).	id.
7. C. Multispinosus, Serv. l. c. p. 264
(1839); Westw. l. c. p. 59. n. 165
(1859).	Brazil.

8. C. Oryx, Westw. (<i>Acanthoderus O.</i>) l. c. p. 56. n. 152 (1859).
<i>Acanthoderus Scabrosus</i> , <i>Burm. Handb. Ent.</i> ii. p. 569. n. 3 (1838).	Brazil.
9. C. Vigilans, Westw. (<i>Acanthoderus V.</i>) l. c. p. 56. n. 151 (1859).
<i>Acanthoderus Auritus</i> , <i>Burm.</i> l. c. p. 569. n. 2 (1838).	id.
10. C. Scops, Kaup , (<i>Acanthoderus S.</i>) <i>Berlin. Ent. Zeitschr.</i> xv. p. 32 (1871).	id.
11. C. Coronatus, Thunb. (<i>Phasma Coronata</i>) <i>Mém. Soc. Pétersb.</i> v. p. 299 (1815); <i>Westw.</i> l. c. p. 183. n. 8 (1859).	Hab. — ?

Genus 78. **Bacteria.** (*Type* no. 1.)

St.-Farg. & Serv. *Enc. Méth., Ins.* x. p. 446 (1825); *Gray, Syn. Phasm.* p. 16 (1835); *Burm. Handb. Ent.* ii. p. 563 (1838); *Serv. Ins. Orth.* p. 223 (1839); *Haan, Temminck, Verhandel., Orth.* p. 132 (1842); *Westw. Cat. Phasm.* p. 20 (1859); *Sauss. Miss. Mex., Orth.* p. 151 (1872); *Stål, Bihang Svenska Akad.* ii. (17) pp. 6, 14 (1875), iii. (14) p. 11 (1875); *Rec. Orth.* iii. p. 29 (1875).

*1. B. Baculus, Oliv. (<i>Mantis B.</i>) <i>Enc. Méth., Ins.</i> vii. p. 138. n. 71 (1792).
<i>Phasma Arumatia</i> , <i>Stoll, Spectres, Phasmes</i> , p. 41, pl. 13. f. 51 (1813).
<i>B. Arumatia</i> , <i>Gray</i> , l. c. p. 16 (1835); <i>Serv.</i> l. c. p. 223 (1839).	Surinam,
British
Guiana,
Cayenne.
*2. B. Remphan, Westw. l. c. p. 22 (1859).
<i>B. Arumatia</i> , var., <i>Westw.</i> l. c. pl. 23. ff. 4, 4 a (1859).	Venezuela,
Ecuador.
**3. B. Simplicitarsis, Gray , l. c. p. 43 (1835); <i>Westw.</i> l. c. p. 21. n. 55 (1859).
<i>Phasma Filiformis</i> , <i>Stoll</i> , l. c. p. 64, pl. 22. f. 81 (1813).
<i>Phasma Filiforme</i> , <i>Licht. Trans. Linn. Soc. Lond.</i> vi. p. 9. n. 1, pl. 1. f. 1 (1802).	Jamaica,
Antigua,
&c.
4. B. Ferula, Fabr. (<i>Mantis F.</i>) <i>Ent. Syst.</i> ii. p. 12. n. 2 (1793).
<i>Phasma Ferula</i> , <i>Fabr. Suppl. Ent. Syst.</i>	W Indies.

- p. 187. n. 2 (1798); Licht. Trans. Linn. Soc. Lond. vi. p. 10. n. 2 (1802).
B. Ferula, *Burm.* l. c. p. 564. n. 3 (1838).
 || *B. Arumatia*, *Westw.* l. c. p. 22. n. 57 (1859).
 5. **B. (?) Filiformis, Fabr.** (*Mantis Filiformes*) *Mant. Ins.* i. p. 227. n. 1 (1787). *Mantis Filiformis, Fabr. Ent. Syst.* ii. p. 12. n. 1 (1793). *Phasma Filiformis, Fabr. Suppl. Ent. Syst.* p. 106. n. 1 (1798). *B. Filiformis, Westw.* l. c. p. 22. n. 58 (1859).
 6. **B. Nigripes, Scudd.** *Proc. Boston Soc. Nat. Hist.* xvii. p. 278 (1875).
 7. **B. Granulicollis, Blanch.** *Gay, Hist. Chil., Zool.* vi. p. 26 (1851); *Westw. l. c.* p. 26. n. 69 (1859).

S. America

Peruvian
Andes.
Chili.Genus 79. **Phibalosoma.** (*Type* no. 1.)

Gray, Syn. Phasm. p. 42 (1835); *Westw. Cat. Phasm.* p. 71 (1859); *Sauss. Miss. Mex., Orth.* p. 172 (1872); *Stål, Bihang Svenska Akad.* ii. (17) pp. 8, 14 (1875); *Rec. Orth.* iii. p. 28 (1875).
Cladomorphus, *pt., Gray.* l. c. p. 15 (1835); *Serv. Ins. Orth.* p. 224 (1839).

*1. **P. Phyllinus, Gray,** (*Cladomorphus P.*) Brazil.

l. c. p. 15 (1835); *Serv. l. c.* p. 225 (1839).

♂. *P. Lepelletieri, Gray.* l. c. p. 42 (1835).

P. Lepelletieri, Westw. l. c. p. 72. n. 186 (1859); *Sauss. l. c.* p. 180 (1872).

Cladoxerus Phyllinus, Burm. Handb. Ent. ii. p. 571. n. 1 (1838); *Charp. Orth. pls.* 34, 35 (1845); *Rehn, Proc. Acad. Nat. Sci. Philad.* 1904, p. 61.

(?) *Bacteria Calamus, ♀, Burm.* l. c. p. 564. n. 1 (1838).

2. **P. Rubispinosa, Serv.** (*Bacteria R.*) l. c. Cayenne.
 p. 224 (1839); *Westw. l. c.* p. 30. n. 84 (1859).**3. **P. Dilatipes, Gray,** (*Cladomorphus D.*) Brazil.

l. c. p. 15 (1835).
P. Lepelletieri, larva, Westw. l. c. p. 72 (1859).

- P. Lepeletierii*, var. *Dilatipes*, Sauss. l. c.
p. 181 (1872).
4. **P. Rubus**, Sauss. (*Cladoxerus* R.) Rev. Zool. (2) xiii. p. 128 (1861). Brazil
(Bahia).
P. Lepeletierii, var. *Rubus*, Sauss. Miss.
Mex., Orth. p. 181 (1872).
5. **P. Coronata**, Stål, Rec. Orth. iii. p. 80 Brazil.
(1875).

Genus 80. **Xylodus.**

Sauss. Rev. Zool. (2) xi. p. 62 (1859);
Miss. Mex., Orth. p. 182 (1872).

1. **X. Adumbratus**, Sauss. Rev. Zool. (2) xi. p. 62 (1859). Porto Rico.
Phibalosoma Adumbratum, Sauss. Miss.
Mex., Orth. p. 182, pl. 4. ff. 19, 19 a, b
(1872).

Genus 81. **Cladomorphus.**

Gray, Syn. Phasm. p. 15 (1835).

1. **C. Ceratocephalus**, Gray, l. c. (1835). Brazil.
Phibalosoma Ceratocephalum, Westw. Cat.
Phasm. p. 72. n. 187, pl. 36. f. 2 (1859).

Genus 82. **Cladoxerus.** (*Type* no. 1.)

St.-Farg. & Serv. Enc. Méth., Ins. x. p. 445 (1825); Serv.
Ann. Sci. Nat. xxii. p. 59 (1831); Ins. Orth. p. 254
(1839); Gray, Syn. Phasm. p. 42 (1835); Burm. Handb.
Ent. ii. p. 571 (1838).

- *1. **C. Gracilis**, St.-Farg. & Serv. l. c. Brazil.
p. 445 (1825); Serv. ll. cc. p. 59
(1831); p. 255, pl. 7 (1839); Gray, l. c.
p. 42 (1835); Burm. l. c. p. 572. n. 2
(1838).
Phibalosoma Gracilis, Westw. Cat. Phasm.
p. 77. n. 200 (1859).
- **2. **C. Cryphaleus**, Westw. (*Phibalosoma* C.) id.
l. c. p. 78. n. 201, pl. 11. f. 3 (1859).

3. C. Longipes, Gray , l. c. p. 42 (1835).
<i>Phibalosoma Longipes</i> , Westw. l. c. p. 78.
n. 202 (1859).	Demerara.
**4. C. Ditomus, Westw. (<i>Phibalosoma D.</i>)
l. c. p. 78. n. 203, pl. 13. f. 1 (1859).	Brazil.
**5. C. Ploiaria, Westw. (<i>Phibalosoma P.</i>)
l. c. p. 79. n. 204, pl. 13. f. 4 (1859).	Central
America(?)
6. C. Cubensis, Sauss. (<i>Phybalosoma C.</i>)
Rev. Zool. (2) xx. p. 67 (1868).
<i>Phibalosoma Cubense</i> , Sauss. Miss. Mex.,
Orth. p. 179, pl. 4. ff. 22, 22 a (1872).
<i>Bacteria Cubensis</i> , Rehn, Proc. Acad. Nat.
Sci. Philad. 1904, p. 62.	Cuba.
**7. C. Phantasma, Westw. (<i>Phasma P.</i>)
l. c. p. 126. n. 331, pl. 12. f. 5 (1859).	Tapajos.
**8. C. Valgius, Westw. (<i>Phasma V.</i>) l. c.
p. 126. n. 330, pl. 10. f. 3 (1859).	Hab. — ?
**9. C. Puppeius, Westw. (<i>Phasma P.</i>) l. c.
p. 125. n. 329, pl. 10. f. 1 (1859).	Tapajos.

SUBFAM. VI.

PHRYGANISTRIINÆ.

Genus 83. **Phryganistria**.

Stål, Bihang Svenska Akad. ii. (17) pp. 7, 14 (1875), iii. (14)
p. 7 (1875); Rec. Orth. iii. p. 6 (1875); Brunn. Ann.
Mus. Genova, xxxiii. p. 81 (1893).

*1. P. Sarmentosa, Westw. (<i>Bacteria S.</i>)
Cab. Orient. Ent. p. 65, pl. 32. f. 1
(1848).
♂. <i>Bacteria Virgea</i> , Westw. l. c. p. 66,
pl. 32. f. 2 (1848).
<i>Lonchides Virgeus</i> , Westw. Cat. Phasm.
p. 46. n. 122 (1859).
<i>P. Sarmentosa</i> , Stål, Rec. Orth. p. 63
(1875).	Sylhet.

Genus 84. **Sadyattes**.

Stål, Rec. Orth. iii. p. 44 (1875).

1. S. Borrii, Stål , l. c. p. 88 (1875).	Hab. — ?

Genus 85. **Pharnacia.** (*Type* no. 3.)

Stål, Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 40 (1877).

Phryganistria, div. a, Stål, Rec. Orth. iii. p. 63 (1875).

- **1. P. Serratipes, Gray, (*Cladoxerus* S.)** Malabar,
 Syn. Phasm. p. 42 (1835). Penang,
Phibalosoma Serratipes, Westw. Cat. Phasm. Singapore,
 p. 75. n. 192 (1859). Java.
 ♀. *Bacteria Acanthopus*, Burm. Handb.
 Ent. ii. p. 565. n. 6 (1838).
Phasma (Cladoxerus) Acanthopus, Haan,
 (♂; an ♀?) Temminck, Verhandel.,
 Orth. p. 131 (1842).
Phibalosoma Acanthopus, Westw. (♂; an
 ♀?) l. c. p. 74. n. 190 (1859).
 (?) *Phibalosoma Acanthopus*, Wood-Mason,
 Proc. Asiatic Soc. Bengal, 1877, p. 161.
- *1 a. P. Maxima, Bates, (*Phibalosoma Maxi-*** Sumatra,
-mum) Trans. Linn. Soc. Lond. xxv. Sarawak.
 p. 341 (1865).
 || *P. Serratipes*, Kirb. Trans. Linn. Soc.
 Lond., Zool. (2) vi. p. 450 (1896).
- 2. P. Annamallayanum, Wood-Mason,** S. India.
 (*Phibalosoma A.*) l. c. p. 161 (1877);
 Journ. Asiatic Soc. Bengal, xlv. p. 346
 (1877).
- 3. P. Ponderosa, Stål,** l. c. p. 40 (1877); Philippines.
 (?) Kirb. l. c. p. 451 (1896).
- **4. P. Feruloides, Westw. (*Lonchodes* F.)** id.,
 Cat. Phasm. p. 45. n. 121, pl. 6. f. 5 Java
 (1859). (eadem?).

Genus 86. **Tirachoidea.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. p. 83 (1893).

- 1. T. Cantori, Westw. (*Phibalosoma C.*)** Malacca,
 Cat. Phasm. p. 74. n. 191, pl. 37. f. 1, Siam.
 pl. 38. f. 1 (1859); Rehn, Proc. Acad.
 Nat. Sci. Philad. 1904, p. 70.
- *1 a. T. Tirachus, Westw. (*Phibalosoma T.*)** Assam.
 l. c. p. 75. n. 194, pl. 37. f. 3 (1859).
- 2. T. Westwoodi, Wood-Mason, (*Phi-*** id.
balosoma W.) Journ. Asiatic Soc. Bengal,
 xlv. p. 216 (1875), xlv. p. 347, pl. 3.
 f. 1 (1877).

- **3. T. Hypharpax, Westw.** (*Phibalosoma H.*) l. c. p. 75. n. 193, pl. 13. f. 6 (1859); Kaup, Berlin. Ent. Zeitschr. xv. p. 37 (1871). | Ceylon.

Genus 87. **Lopaphus.**

Westw. Cat. Phasm. p. 99 (1859); Sauss. Mém. Soc. Genève, xx. p. 312 (1870); Wood-Mason, Journ. Asiatic Soc. Bengal, xvi. p. 347 (1877).

Phasma, group 15, *Haan*, Temminck, Verhandel., Orth. p. 125 (1842).

1. **L. Brachypterus, Haan**, (*Phasma Brachypterus*) l. c. p. 125, pl. 13. f. 2 (1842). | Sumatra.
L. Brachypterus, Westw. l. c. p. 99. n. 254 (1859).
2. **L. (??) Hellotis, Westw.** l. c. p. 101. n. 259, pl. 40. f. 1 (1859). | Borneo.
3. **L. (?) Hadrillus, Westw.** l. c. p. 100. n. 258, pl. 28. f. 4 (1859). | Sarawak.

Genus 88. **Phænopharos.**

Kirb. Ann. Nat. Hist. (7) xiii. p. 433 (1904).

- **1. P. Struthioneus, Westw.** (*Lopaphus S.*) | Singapore.
Cat. Phasm. p. 101. n. 260, pl. 34. f. 3 (1859).

SUBFAM. VII.

PALOPHINÆ.

Genus 89. **Hermarchus.** (*Type* no. 3.)

Stål, Rec. Orth. iii. p. 45 (1875);

Bihang Svenska Akad. iii. (14) p. 17 (1875).

- **1. H. Apollonius, Westw.** (*Phibalosoma A.*) | Fiji.
Cat. Phasm. p. 181. n. 469, pl. 40. f. 4 (1859).
Phibalosoma Pythonius, ♂, *Westw.* l. c. p. 73. n. 189, pl. 35. f. 3 (1859).

2. **H. Novæ-Britanniæ, Wood-Mason,** Ann. Nat. Hist. (4) xx. p. 75 (1877). | New Britain.
- *3. **H. Pythonius, Westw.** (*Phibalosoma P.*, ♀) l. c. p. 73. n. 189, pl. 12. f. 1 (1859); Sauss. Miss. Mex., Orth. pl. 3. ff. 1-3, details (1872). | Fiji.
4. **H. (?) Trigonus, Thunb.** (*Phasma Trigona*) Mém. Soc. Pétersb. v. p. 300 (1815); Westw. l. c. p. 183. n. 5 (1859). | Hab. — ?

Genus 90. **Tæniosoma.**

Bol. Act. Soc. Esp. 1897, p. 30.

1. **T. Sanchezi, Bol.** l. c. pp. 31, 32, fig. | Philippines. (1897).

Genus 91. **Diagoras.**

Stål, C.R. Soc. Ent. Belg. xx. p. lxvi (1877).

1. **D. Ephialtes, Stål,** l. c. (1877). | Palau.

Genus 92. **Cranidium.**

Burm. Handb. Ent. ii. p. 574 (1838); Westw. Arc. Ent. ii. p. 49 (1845).

Diapherodes, pt., *Burm.* l. c. p. 573 (1838); Brunn. Ann. Mus. Genova, xxxiii. p. 83 (1893).

- *1. **C. Gibbosum, Burm.** (*Diapherodes Gibbosa*) l. c. p. 575. n. 3 (1838); Sauss. Miss. Mex., Orth. p. 187 (1872). | Brazil.
Monandroptera (?) Gibbosa, Westw. Cat. Phasm. p. 80. n. 209 (1859).
Diapherodes (Cranidium) Serricollis, Westw. Arc. Ent. ii. p. 49, pl. 61. f. 1 (1845).
- **2. **C. (?) Pumilio, Westw.** (*Diapherodes (Cranidium) P.*) l. c. p. 50, pl. 61. f. 2 (1845). | Jamaica.
Monandroptera Pumilio, Westw. Cat. Phasm. p. 80. n. 208 (1859).

Genus 93. **Hirtuleius.**

Stål, Rec. Orth. iii. p. 29 (1875).

1. **H. Læviceps, Stål,** l. c. p. 81 (1875). | Brazil.

Genus 94. **Pterinoxylus.** (*Type no. 2.*)

Serv. Ins. Orth. p. 226 (1839); Westw. Cat. Phasm. p. 89 (1859); Stål, Rec. Orth. p. 29 (1875).

1. **P. Eucnemis, Burm.** (*Haplopus E.*) Brazil.
Handb. Ent. ii. p. 577. n. 2 (1838).
P. Difformipes, Westw. l. c. p. 90. n. 231,
pl. 36. f. 1 (1859).
2. **P. Difformipes, Serv.** l. c. p. 227 (1839). id.
- *3. **P. Crassus, Kirb.** Ann. Nat. Hist. (6) iii. Dominica.
p. 502 (1889).

Genus 95. **Diapherodes.** (*Type no. 1.*)

Gray, Syn. Phasm. p. 33 (1835); Burm. Handb. Ent. ii. p. 573 (1838); Haan, Temminck, Verhandel., Orth. p. 109 (1842); Westw. Cat. Phasm. p. 84 (1859); Sauss. Miss. Mex., Orth. p. 163 (1872); Stål, Bihang Svenska Akad. ii. (17) p. 15 (1875), iii. (14) p. 11 (1875); Rec. Orth. iii. p. 31 (1875).

- *1. **D. Gigantea, Gmel.** (*Mantis G.*) Syst. Nat. St. Vincent,
i. (4) p. 2055. n. 49 (1788). Guadeloupe.
|| *Mantis Gigas, Drury*, Ill. Exot. Ent. ii.
pl. 50 (1773).
|| *D. Gigas, Gray*, l. c. p. 33 (1835); Westw.
l. c. p. 84. n. 215 (1859).
Mantis Angulata, Fabr. Ent. Syst. ii. p. 13.
n. 5 (1793).
Phasma Angulata, Fabr. l. c. Suppl. p. 187.
n. 5 (1798).
Phasma Angulatum, Licht. Trans. Linn.
Soc. Lond. vi. p. 11. n. 8 (1802).
D. Angulata, Burm. l. c. p. 574. n. 2 (1838).
|| *Cyphocrana Cornuta, St.-Farg. & Serv.*
Enc. Méth., Ins. x. p. 445 (1825).
- *2. **D. Christopheri, Westw.** l. c. p. 84. St. Kitts.
n. 217, pl. 33. f. 4 (1859).
3. **D. (?) Venustula, Serv.** (*Platycrana V.*) Cuba.
Ins. Orth. p. 242 (1839).
D. Venustula, Westw. l. c. p. 84. n. 216
(1859); Sauss. l. c. p. 185 (1872).
Phasma (Diapherodes) Venustulum, Haan,
l. c. p. 109 (1842).
♀. *Phasma Havaniense, Westw.* l. c. p. 34.
n. 96, pl. 22. f. 7 (1859).

4. **D. Grayi, Kaup**, (*Haplopus G.*) Berl. Moluccas
Ent. Zeitschr. xv. p. 36, pl. 2. f. 1 (an recte?).
(1871).

Genus 96. **Haplopus.** (Type no. 4.)

Aplopus, Gray, Syn. Phasm. p. 34 (1835).

|| *Haplopus*, Burm. Handb. Ent. ii. p. 576 (1838); Haan, Temminck, Verhandel., Orth. p. 127 (1842); Westw. Cat. Phasm. p. 85 (1859); Sauss. Miss. Mex., Orth. p. 191 (1872); Stål, Rec. Orth. iii. p. 31 (1875).

- **1. **H. Evadne, Westw.** l. c. p. 85. n. 218, pl. 18. f. 6 (1859); Caud. Proc. U.S. Nat. Mus. xxvii. pp. 249-251, ff. 1, 2 (1904). Haiti, Florida.
2. **H. Cytherea, Westw.** l. c. p. 86. n. 219, pl. 18. f. 5 (1859); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 63. Haiti.
3. **H. Achalus, Rehn**, (*Aplopus A.*) l. c. p. 68 (1904). Porto Rico.
- *4. **H. Jamaicensis, Dru.** (*Mantis J.*) Ill. Exot. Ins. ii. pl. 49. f. 1 (1773); Fabr. Spec. Ins. i. p. 346. n. 6 (1781); Oliv. Enc. Méth., Ins. vii. p. 634. n. 42 (1792). *Phasma Jamaicensis*, Fabr. Suppl. Ent. Syst. p. 188 (1798). *Platycrana Jamaicensis*, Gray, l. c. p. 38 (1835). *H. Jamaicensis*, Westw. l. c. p. 86. n. 220 (1859). Jamaica.
- *5. **H. Bispinosus, Fabr.** (*Mantis Bispinosa*) Syst. Ent. p. 275. n. 4 (1775); Oliv. Enc. Méth., Ins. vii. p. 633. n. 41 (1792); Shaw, Nat. Misc. ix. pl. 323 (1798). *Phasma Bispinosus*, Fabr. Suppl. Ent. Syst. p. 188 (1798). *Phasma Bispinosum*, Gray, Syn. Phasm. p. 24 (1835). *H. Bispinosus*, Westw. l. c. p. 87. p. 221 (1859). Brazil.
6. **H. Micropterus, St.-Farg. & Serv.** (*Cyphocrana Microptera*) Enc. Méth., Ins. x. p. 445 (1825). St. Thomas.
Aplopus Micropterus, Gray, l. c. p. 34 (1835).
Phasma (Haplopus) Micropterus, Haan, l. c. p. 128 (1842).

- H. Micropterus*, Westw. l. c. p. 87. n. 222 (1859).
- || *Phasma Angulata*, Stoll, Spectres, Phasmes. p. 61, pl. 21. f. 77 (1813).
- H. Angulatus*, Burm. l. c. p. 577. n. 1 (1838).
7. **H. Spinipes**, Gray, (*Diapherodes* S.) l. c. p. 34 (1835). Haiti.
- H. Spinipes*, Westw. l. c. p. 87. n. 223 (1859).
- || *Phasma Angulata*, Beauv. Ins. Afr. Amér. p. 166, Orth. pl. 14. f. 4 (1805).
- **7 a. **H. Ligia**, Westw. l. c. p. 89. n. 230. id.
pl. 11. ff. 1, 2 (1859).
- 7 b. **H. Bicuspidatus**, Haan, (*Phasma* (Haplopus) *Bicuspidatum*) l. c. p. 128 (1842). Hab. — ?
- H. Bicuspidatus*, Westw. l. c. p. 87. n. 224 (1859).
8. **H. Similis**, Rehn, (*Aplopus* S.) l. c. p. 65 (1904). Swan Isl., Caribb. Sea.
- **9. **H. Glabricollis**, Gray, (*Diapherodes* G.) l. c. p. 33 (1835); Burm. l. c. p. 575. n. 4 (1838). Hab. — ?
- H. Glabricollis*, Westw. l. c. p. 88. n. 227 (1859).
10. **H. Bituberculatus**, Haan, (*Phasma* (Haplopus) *Bituberculatum*) l. c. p. 128 (1842). Hab. — ?
- H. Bituberculatus*, Westw. l. c. p. 88. n. 225 (1859).
- **11. **H. Pulverulentus**, Gray, (*Diapherodes* P.) l. c. p. 34 (1835). Bahamas.
- H. Pulverulentus*, Westw. l. c. p. 88. n. 226 (1859).
12. **H. Scabricollis**, Gray, (*Diapherodes* S.) l. c. p. 34 (1835). Hab. — ?
- H. Scabricollis*, Westw. l. c. p. 88. n. 228 (1859).
13. **H. Dubius**, Gray, (*Diapherodes* D.) l. c. p. 34 (1835). Cayenne.
- H. Dubius*, Westw. l. c. p. 89. n. 229 (1859).
14. **H. Cubensis**, Sauss. Rev. Zool. (2) xx. p. 68 (1868); Miss. Mex., Orth. p. 192 (1872); Bol. Mém. Soc. Zool. France, i. p. 140 (1888). Cuba.
15. **H. Poeyi**, Sauss. (*Creoxylus* P.) ll. cc. p. 68 (1868); p. 196 (1872). id.

Genus 97. **Palophus.** (Type no. 1.)

Westw. Cat. Phasm. p. 90 (1859); Brongn. Nouv. Arch. Mus. Paris, (3) iii. p. 193 (1892); Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 465 (1896).

*1. P. Centaurus, Westw. l. c. p. 91. n. 233, pl. 32. ff. 1, 1 a (1859); Brongn. l. c. p. 195, pl. 8 : 9. ff. 1-4 (1892); Sharp, Cambridge Nat. Hist., Ins. i. pp. 260, 275, f. 162 (1895).	<p>W. Africa;
Old Calabar,
Cameroons.</p>
**2. P. Episcopalis, Kirb. (<i>Ischnopoda E.</i>) l. c. p. 466 (1896).	Tanganyika.
<p>3. P. (?) Hecticus, Licht. (<i>Phasma Hecticum</i>) Cat. Mus. Zool. Hamburg, p. 78. n. 8 (1796); Trans. Linn. Soc. Lond. vi. pp. 14, 39. n. 13, pl. 1. f. 2 (1802).
<i>Platyserana Hectica</i>, Gray, Syn. Phasm. p. 34 (1835).
<i>Cyphocrania (?) Hectica</i>, Westw. l. c. p. 109. n. 278 (1859).</p>	"China" (?).
<p>*3 a. P. (?) Haworthii, Gray, (<i>Ctenomorpha H.</i>) l. c. p. 41 (1835).
<i>P. Haworthii</i>, Westw. l. c. p. 90. n. 232, pl. 10. f. 5 (1859); Brongn. l. c. p. 202 (1892).
♀. <i>Haplopus Ceratophyllus</i>, Burm. Handb. Ent. ii. p. 577 (1838).</p>	<p>"Australia,"
S. Africa.</p>
**4. P. (?) Moiræ, Kirb. Ann. Nat. Hist. (6) xviii. p. 463 (1896).	<p>Br. Cent.
Africa.</p>

Genus 98. **Ischnopoda.** (Type no. 1.)

Grandidier, Rev. Zool. (2) xxi. p. 292 (1869); Luc. Ann. Soc. Ent. France, (4) ix. p. 430 (1870); Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 468 (1896).

<p>*1. I. Rey, Grandidier, l. c. p. 293 (1869); Luc. l. c. p. 430 (1870).
<i>Palophus Rey</i>, Brongn. Nouv. Arch. Mus. Paris, (3) iii. p. 198, pl. 9. ff. 5-8 (1892); Karsch, Werther, Mittl. Hochl. nördl. Deutsch-Ost-Afrika, p. 311, figs. (1898); Ent. Nachr. xxiv. p. 376, fig. (1898).</p>	E. Africa.

- *2. **I. Brevitarsis, Stål**, (*Bactrododema B.*) E. Africa,
 Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 67
 (1876). Damara
 Land.
3. **I. Hippotaurus, Karsch**, (*Palophus H.*) E. Africa.
 Stett. Ent. Zeit. lvii. p. 245 (1896); Ent.
 Nachr. xxiv. pp. 367, 368 (1898).
- **4. **I. Phillipsi, Kirb.** l. c. p. 467, pl. 40. Somali
 ff. 3, 3 a (1896); Rehn, Proc. Acad. Nat. Land.
 Sci. Philad. 1904, p. 69.

Genus 99. **Bactrododema.** (Type no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xv. p. 308 (1858); Bihang Svenska
 Akad. ii. (17) p. 14 (1875), iii. (14) p. 12 (1875); Rec.
 Orth. iii. p. 32 (1875).

- *1. **B. Tiaratum, Stål**, (*B. Tiarata*) Œfv. Damara
 Vet.-Akad. Förh. xv. p. 308 (1858), xxxiii. Land,
 (3) p. 66 (1876); Rec. Orth. iii. p. 82 Transvaal.
 (1875).
B. Tiaratum, Kirb. Distant, Ins. Transvaal.
 p. 47 (1902).
Palophus Tiaratus, Griff. Boll. Mus. Torino,
 xii. (290) p. 11 (1897).
2. **B. Aculiferum, Kirb.** l. c. p. 47, pl. 2. Transvaal.
 ff. 1, 1 a-c, 2, 2 a (1902).
- **3. **B. Lugardi, Kirb.** Ann. Nat. Hist. (7) ix. Lake
 p. 448 (1902). N'Gami.
- **4. **B. Wayi, Kirb.** l. c. p. 449 (1902). Ft. Johnston
5. **B. Minotaurus, Gerst.** (*Palophus M.*) Gold Coast.
 Mitth. Ver. Vorpomm. xiv. p. 100 (1883);
 Brongn. Nouv. Arch. Mus. Paris, (3) iii.
 p. 201 (1892).
- **6. **B. Æstuans, Westw.** (*Cyphocrania Æ.*) Congo,
 Cat. Phasm. p. 109. n. 279, pl. 7. f. 4 Senegal.
 (1859); Sharp, Cambridge Nat. Hist.,
 Ins. i. p. 266, f. 153 (1895).
Palophus Æstuans, Brongn. l. c. p. 202
 (1892).
- *7. **B. Miliaris, Bol.** Jorn. Sci. Lisboa, (2) W. Africa;
 i. p. 87 (1889); Rehn, Proc. Acad. Nat. St. Thomas.
 Sci. Philad. 1904, p. 70.
8. **B. Welwitschi, Bol.** l. c. p. 88 (1889). Loanda.

Stål, Rec. Orth. iii. p. 43 (1875).

<p>*1. C. Iolas, Westw. (<i>Necrosia</i> I.) Cat. Phasm. p. 145. n. 377, pl. 19. f. 2 (1859).
<i>Lopaphus Iolas</i>, Wood-Mason, Journ. Asiatic Soc. Bengal, xliv. p. 217 (1875), xlv. p. 347, pl. 3. f. 2 (1877).
♀. <i>Candaules Sparnius</i>, Stål, l. c. p. 87 (1875).</p>	<p>Malacca,
Johore,
Sumatra.</p>
<p>*2. C. Diardi, Haan, (<i>Phasma</i> (<i>Cladoxerus</i>) D.) Temminck, Verhandel., Orth. p. 131, pl. 12. f. 6 (1842).
<i>Phibalosoma Diardi</i>, Westw. l. c. p. 76. n. 195 (1859).</p>	<p>Borneo,
Malacca.</p>
3. C. Spinus, Sauss. Rev. Zool. (2) xx. p. 68 (1868); Mém. Soc. Genève, xx. p. 312, pl. 3. ff. 15, 15 a (1870).	Malacca.

Stål, Rec. Orth. iii. p. 45 (1875).

Neanthes, Stål, l. c. (1875).

1. A. Femoratus, Stål , l. c. p. 89 (1875).
♀. <i>Neanthes Brunneri</i> , Stål, l. c. p. 90
(1875). | New
Caledonia. |
|--|-------------------|

Stål, Rec. Orth. pp. 43, 87 (1875).

1. **O. Macklottii, Haan**, (*Phasma M.*) Temminck, Verhandel., Orth. p. 126, pl. 11. ff. 1, 2 (1842).
Lopaphus Macklottii, Westw. Cat. Phasm. p. 100. n. 257 (1859).
- **2. **O. Zeuxis, Westw.** (*Necroscia Z.*) l. c. p. 151. n. 401, pl. 28. ff. 5, 6 (1859).
3. **O. Galacpterus, Haan**, (*Phasma Galac-terum*) l. c. p. 127, pl. 13. ff. 4, 5 (1842).
Lopaphus Galacpterus, Westw. l. c. p. 100. n. 256 (1859).

- **4. O. (?) Xiphias, Westw.** (*Anophelepis X.*) | Amboina,
l. c. p. 71. n. 185, pl. 4. ff. 4, 5 (1859); | Obi.
Rehn, Proc. Acad. Nat. Sci. Philad. 1904,
p. 71.

Genus 103. **Lamachus.**

Stål, Æfv. Vet.-Akad. Förh. xxxiv. (10) p. 41 (1877).

1. **L. Semperi, Stål**, l. c. (1877). | Philippines.

SUBFAM. VIII.

NECROSCIINÆ.

Genus 104. **Sosibia.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 42 (1875).

1. S. Nigrispina, Stål , l. c. p. 87 (1875).	Malacca.
2. S. Esepus, Westw. (<i>Necroscia E.</i>) Cat.
Phasm. p. 129. n. 337, pl. 16. f. 5
(1859).	id.
**3. S. Peninsularis, Kirb. Ann. Nat. Hist.
(7) xiii. p. 434 (1904).	Penang.
4. S. Curtipes, Westw. (<i>Phasma (Ne-
croscia C.)</i> Cab. Orient. Ent. p. 79, pl. 39.
f. 1 (1848).
<i>Necroscia Curtipes, Westw.</i> Cat. Phasm.
p. 143. n. 373 (1859).	Prince of
Wales I.
**5. S. Pholidotus, Westw. (<i>Necroscia P.</i>)
l. c. p. 143. n. 372, pl. 17. f. 4, pl. 20.
f. 6 (1859).	Silhet,
Assam.
**6. S. Gadarama, Westw. (<i>Necroscia G.</i>)
l. c. p. 130. n. 340, pl. 21. f. 4 (1859).	Java.
7. S. Esacus, Westw. (<i>Necroscia E.</i>) l. c.
p. 132. n. 347, pl. 16. f. 4 (1859).	Singapore.
**8. S. Passalus, Westw. (<i>Necroscia P.</i>) l. c.
p. 132. n. 348, pl. 9. f. 8 (1859).	Ceylon.
**9. S. Euryalus, Westw. (<i>Necroscia E.</i>) l. c.
p. 144. n. 375, pl. 10. f. 4 (1859);
(?) Sauss. Mém. Soc. Genève, xx. p. 314
(1870).	id.

10. **S. Humbertiana, Sauss.** (*Necroscia H.*) Ceylon.
Rev. Zool. (2) xx. p. 68 (1868); Mém.
Soc. Genève, xx. p. 315, pl. 3. f. 11
(1870).
- **11. **S. Mancinus, Westw.** (*Necroscia M.*) Philippines.
l. c. p. 144. n. 374, pl. 14. f. 3 (1859).
- **12. **S. Samson, Westw.** (*Necroscia S.*) l. c. China.
p. 132. n. 346, pl. 10. f. 6 (1859).
- **13. **S. Ceramia, Westw.** (*Necroscia C.*) l. c. Ceram.
p. 141. n. 367, pl. 12. f. 2 (1859).
14. **S. Scabra, Stål,** (*Necroscia S.*) Øfv. Vet.- Philippines.
Akad. Förh. xxxiv. (10) p. 43 (1877).
Sipylodea Scabra, Rehn, Proc. Acad. Nat.
Sci. Philad. 1904, p. 76.
15. **S. Vipera, Kaup,** (*Necroscia V.*) Berlin. Celebes.
Ent. Zeitschr. xv. p. 39 (1871).
- *16. **S. (?) Æsalus, Westw.** (*Necroscia Æ.*) Ceylon.
l. c. p. 133. n. 349, pl. 10. f. 7 (1859).
- *17. **S. (?) Tamyris, Westw.** (*Cyphocrania Penang.*
T.) l. c. p. 110. n. 281, pl. 38. f. 2
(1859).
18. **S. (?) Aurita, Fabr.** (*Mantis A.*) Ent. India (?).
Syst. ii. p. 15. n. 13 (1793).
Phasma Aurita, Fabr. l. c. Suppl. p. 189
(1798).
Phasma Auritum, Gray, Syn. Phasm. p. 23
(1835).
Creoxylus Auritus, Westw. l. c. p. 106.
n. 271 (1859).

Genus 105. **Calvisia.** (Type no. 10.)

Stål, Rec. Orth. iii. pp. 42, 87 (1875).

- *1. **C. Maculicollis, Westw.** (*Phasma (Ne- N. India,*
croscia) M.) Cab. Orient. Ent. p. 77, pl. 38. Tenasserim,
f. 2 (1847). Java,
Necroscia Maculicollis, Westw. Cat. Phasm. Sumatra.
p. 155. n. 408 (1859).
C. Maculicollis, Rehn, Proc. Acad. Nat.
Sci. Philad. 1904, p. 72.
C. Atrosignata, Brunn. Ann. Mus. Genova,
xxxiii. p. 85, pl. 3. f. 27 (1893); Sharp,
Cambridge Nat. Hist., Ins. v. p. 273.
n. 159 (1895).
- *2. **C. Maculata, Kirb.** Ann. Nat. Hist. (7) Penang.
xiii. p. 435 (1904).

3. **C. Westermanni, Westw.** (*Necrosia* W.) l. c. p. 157. n. 412, pl. 38. f. 3 (1859). Pulo Penang.
4. **C. Viridilineata, Bates,** (*Necrosia* V.) Trans. Linn. Soc. Lond. xxv. p. 352 (1865). Ceram, Obi.
C. Viridilineata, Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 71.
5. **C. Graminea, Bates,** (*Necrosia* G.) l. c. p. 356 (1865). Batchian, Gilolo, Obi.
C. Graminea, Rehn, l. c. p. 72 (1904).
♂. *Necrosia Smaragdula, Bates,* l. c. p. 357, pl. 45. f. 7 (1865).
- *6. **C. Nigrofasciata, Haan,** (*Phasma* (*Necrosia*) *Nigrofasciatum*) Temminck, Verhandel., Orth. p. 122 (1842). Sumatra.
Necrosia Nigrofasciata, Westw. l. c. p. 158. n. 415 (1859).
C. Nigrofasciata, Rehn, l. c. p. 72 (1904).
- *7. **C. Medora, Westw.** (*Necrosia* M.) l. c. p. 157. n. 411, pl. 27. ff. 1, 1 a (1859). Sarawak.
8. **C. Torquata, Bates,** (*Necrosia* T.) Trans. Linn. Soc. Lond. xxv. p. 359, pl. 45. f. 3 (1865). Cambodia.
- *9. **C. Biguttata, Burm.** (*Phasma* 2-guttatum) Handb. Ent. ii. p. 586. n. 11 (1838). Borneo, Singapore, Penang.
Necrosia Biguttata, Westw. l. c. p. 158. n. 413 (1859).
- *10. **C. Sangarius, Westw.** (*Necrosia* S.) l. c. p. 155. n. 410, pl. 17. f. 6, pl. 35. ff. 4, 5 (1859). Malacca, Borneo.
- *11. **C. Hilaris, Westw.** (*Phasma* (*Necrosia*) *Hilare*) Cab. Orient. Ent. p. 77, pl. 8. f. 1 (1846). Assam, Sikhim, Malacca, Borneo.
Necrosia Hilaris, Westw. Cat. Phasm. p. 155. n. 409 (1859); Wood-Mason, Journ. Asiatic Soc. Bengal, xlv. p. 350 (1877).
♂. *Necrosia Virbius, Westw.* l. c. p. 154. n. 405, pl. 16. f. 2 (1859).
- *12. **C. Tages, Westw.** (*Necrosia* T.) l. c. p. 152. n. 403, pl. 18. f. 1 (1859). India.
- *13. **C. Hemus, Westw.** (*Necrosia* H.) l. c. p. 154. n. 406, pl. 16. f. 3 (1859). Malacca.
14. **C. Hippolyte, Westw.** (*Necrosia* H.) l. c. p. 182. n. 470 (1859). Macassar.
15. **C. Costata, Thunb.** (*Phasma* C.) Mém. Soc. Pétersb. v. p. 297 (1815); Westw. l. c. p. 183. n. 11 (1859). Hab. —?

Genus 106. **Marmessoidea.** (*Type* no. 2.)

Brunn. Ann. Mus. Genova, xxxiii. pp. 84, 85 (1893).

1. **M. Sumatrensis, Brancs.** Jahresh. Ver. Sumatra.
Trencsin. Com. xv.-xvi. p. 201, pl. 11.
f. 11 *a* (1893).
- *2. **M. Rosea, Fabr.** (*Mantis R.*) Ent. Syst. Malacca,
ii. p. 16. n. 15 (1793). Siam,
Phasma Rosea, Fabr. l. c. Suppl. p. 190 Sumatra,
(1798). Java.
Platycrana Rafflesii, Gray, Syn. Phasm.
p. 37 (1835).
Phasma (Necroscia) Rafflesii, Haan, Tem-
minck, Verhandel., Orth. p. 121 (1842).
Necroscia Rafflesii, Westw. Cat. Phasm.
p. 149. n. 392 (1859).
Necroscia Marmessus, Westw. l. c. p. 149.
n. 393, pl. 19. ff. 1, 7 (1859).
M. Marmessus, Rehn, Proc. Acad. Nat.
Sci. Philad. 1904, p. 73.
Phasma Roseum, pt., Licht. Trans. Linn.
Soc. Lond. vi. p. 14. n. 16 (1802).
3. **M. Cercyon, Westw.** (*Necroscia C.*) l. c. Pulo
p. 146. n. 379, pl. 34. f. 1 (1859). Penang,
M. Cercyon, Rehn, l. c. p. 73 (1904). Siam.
4. **M. Papuana, Brancs.** (*Necroscia P.*) l. c. Papua.
xix.-xx. p. 65, pl. 2. f. 11 *a, b* (1897).
5. **M. Bisbiguttata, Burm.** (*Phasma Bis-2-* Java,
guttatum) Handb. Ent. ii. p. 586. n. 10 Borneo.
(1838).
Phasma Bisbiguttatum, Charp. Orth. pl. 11
(1841).
Necroscia Bis-2-guttata, Westw. l. c. p. 149.
n. 39 (1859).
- *6. **M. Quadriguttata, Burm.** (*Phasma-4-* iid.
guttatum) l. c. p. 586. n. 9 (1838).
Phasma Quadriguttatum, Charp. l. c. pl. 10
(1841).
Phasma (Necroscia) 4-guttatum, Haan, l. c.
p. 121 (1842).
Necroscia Quadriguttata, Serv. Ins. Orth.
p. 253 (1839); *Westw.* l. c. p. 148.
n. 390 (1859).
Necroscia Marmessus, var. Eurybates, Westw.
l. c. p. 150, pl. 29. ff. 4, 4 *a* (1859).

7. **M. Marginata, Brunn.** l. c. p. 86, pl. 3. f. 28 (1893). Pegu.
8. **M. Annulata, Fabr.** (*Phasma A.*) Ent. Syst., Suppl. p. 189 (1798). Tran-
Phasma Annulatum, Gray, l. c. p. 23 (1835). quebar.
Necrosia Annulata, Westw. l. c. p. 147.
 n. 385 (1859).
- **9. **M. Atricoxis, Westw.** (*Necrosia A.*) India.
 l. c. p. 146. n. 381, pl. 21. f. 5 (1859).
- *10. **M. Ismene, Westw.** (*Necrosia I.*) l. c. Borneo.
 p. 145. n. 378, pl. 40. ff. 2, 3 (1859).
11. **M. Bimaculata, Oliv.** (*Mantis B.*) Enc. Tran-
 Méth., Ins. vii. p. 637. n. 64 (1792). quebar.
Phasma Bimaculatum, Licht. l. c. p. 15.
 n. 19 (1802); Gray, l. c. p. 22 (1835);
 Burm. l. c. p. 586. n. 13 (1838).
Phasma Bimaculata, Stoll, Spectres, Phas-
 mes, p. 26, pl. 8. f. 29 (1813).
Necrosia Bimaculata, Westw. l. c. p. 141.
 n. 368 (1859).

Genus 107. **Trigonophasma.** (*Type no. 3.*)

Kirb. Ann. Nat. Hist. (7) xiii. p. 436 (1904).

- *1. **T. Vinosa, Serv.** (*Necrosia V.*) Ins. Java,
 Orth. p. 253 (1839); Westw. Cat. Phasm. Borneo.
 p. 147. n. 386 (1859).
Phasma (Necrosia) Vinosum, Haan, Tem-
 minck, Verhandel., Orth. p. 120 (1842).
- *2. **T. Rubicunda, Haan,** (*Phasma (Ne-* Borneo.
crosia) Rubicundum) l. c. p. 120, pl. 12.
 f. 2 (1842).
Necrosia Rubicunda, Westw. l. c. p. 148.
 n. 387 (1859).
- *3. **T. Rubescens, Sauss.** (*Necrosia R.*) Malacca,
 Rev. Zool. (2) xx. p. 68 (1868); Mém. Borneo.
 Soc. Genève, xx. p. 317, pl. 3. f. 12
 (1870).
4. **T. Conicipennis, Bates,** (*Necrosia C.*) Sumatra.
 Trans. Linn. Soc. Lond. xxv. p. 358
 (1865).
5. **T. Atrophica, Pall.** (*Mantis A.*) Spicil. Java.
 Zool. ix. p. 12, pl. 1. f. 7 (1772); Fabr.
 Spec. Ins. i. p. 345. n. 3 (1781); Oliv.
 Enc. Méth., Ins. vii. p. 633. n. 39 (1792).
Phasma Atrophicum, Licht. Trans. Linn.

- Soc. Lond. vi. p. 14. n. 14 (1802); Gray,
Syn. Phasm. p. 23 (1835).
Phasma (*Necrosia*) *Atrophicum*, Haan, l. c.
p. 122 (1842).
Necrosia Atrophica, Westw. l. c. p. 131.
n. 341 (1859).
Phasma Minans, Serv. l. c. p. 268 (1839).
6. **T. Acanthophora, Stoll**, (*Phasma* A.) Amboina.
Spectres, Phasmes, p. 62, pl. 21. f. 78
(1813).
Phasma Acanthopterum, Gray, l. c. p. 23
(1835); Burm. Handb. Ent. ii. p. 586.
n. 12 (1838).
Necrosia Acanthoptera, Westw. l. c. p. 147.
n. 383 (1859).
7. **T. Casignetus, Westw.** (*Necrosia* C.) Assam.
l. c. p. 147. n. 384, pl. 20. f. 5 (1859).

Genus 108. **Agondasoidea.** (Type no. 6)

Brunn. Ann. Mus. Genova, xxxiii. p. 84 (1893).

- *1. **A. Acanthocephala, Haan**, (*Phasma* Borneo.
(*Necrosia*) *Acanthocephalum*), Temminck,
Verhandel., Orth. p. 118 (1842).
Necrosia Acanthocephala, Westw. Cat.
Phasm. p. 128. n. 335, pl. 27. f. 4
(1859).
2. **A. Spiniceps, Haan**, (*Phasma* (*Necrosia*) id.
S.) l. c. p. 119 (*nec fig.*).
Necrosia Spiniceps, Westw. l. c. p. 128.
n. 334 (1859).
- *3. **A. Malaccensis, Kirb.** (n. n.). Malacca.
|| *Necrosia Diacanthos*, Westw. l. c. pp. 128,
181. n. 336, pl. 19. ff. 5, 6 (1859).
4. **A. Diacanthos, Haan**, (*Phasma* (*Necrosia*) Borneo.
D.) l. c. p. 119, pl. 15. f. 4
(1842).
5. **A. Ceres, Stål**, (*Necrosia* C.) Æfv. Vet.-Philippines.
Akad. Förh. xxxiv. (10) p. 42 (1877).
6. **A. Agondas, Westw.** (*Necrosia* A.) Borneo.
l. c. p. 129. n. 338, pl. 28. f. 2 (1859).

Genus 109. **Orthonecroschia.** (Type no. 1.)

Kirb. Ann. Nat. Hist. (7) xiii. p. 436 (1904).

|| *Necroschia*, Brunn. Ann. Mus. Genova, xxxiii. p. 84 (1893),
nec Serv.

<p>*1. O. Filum, Westw. (<i>Phasma</i> (<i>Necroschia</i>) <i>F.</i>)
Cab. Orient. Ent. p. 79, pl. 39. f. 1
(1847).
<i>Phibalosoma Filum</i>, Westw. Cat. Phasm.
p. 77. n. 198 (1859).</p> <p>2. O. Longicornis, Burm. (<i>Gladoxerus</i> <i>L.</i>)
Handb. Ent. ii. p. 572. n. 3 (1838).
<i>Phibalosoma Longicorne</i>, Westw. l. c. p. 77.
n. 197 (1859).</p> <p>**3. O. Pulcherrima, Kirb. l. c. p. 436 (1904).</p> <p>**4. O. Ruficeps, Kirb. l. c. p. 437 (1904).</p> | <p>Malacca,
Prince of
Wales I.</p> <p>Manilla.</p> <p>Borneo.</p> <p>Guadalcanar</p> |
|--|--|

Genus 110. **Necroschia.** (Type no. 31.)

Serv. Ins. Orth. p. 250 (1839); Haan, Temminck, Verhandel.,
Orth. p. 119 (1842); Westw. Cat. Phasm. p. 128 (1859);
Stål, Bihang Svenska Akad. ii. (17) p. 15 (1875), iii. (14)
p. 16 (1875); Rec. Orth. iii. pp. 41. 86 (1875); Kirb.
Ann. Nat. Hist. (7) xiii. p. 437 (1904)
Sipyloidea, Brunn. Ann. Mus. Genova, xxxiii. pp. 84, 86 (1893).
(Type no. 17.)

<p>1. N. Inflexipes, Oliv. (<i>Mantis</i> <i>L.</i>) Enc.
Méth., Ins. vii. p. 641. n. 14 (1792).
<i>Phasma Valgum</i>, Licht. Cat. Mus. Zool.
Hamburg, iii. p. 78. n. 14 (1796); Trans.
Linn. Soc. Lond. vi. p. 16. n. 21 (1802).
<i>Phasma Curvipes</i>, Stoll. Spectres, Phasmes,
p. 43, pl. 13. f. 52 (1813).
<i>Platycrana Curvipes</i>, Gray, Syn. Phasm.
p. 37 (1835).
<i>N. Curvipes</i>, Westw. l. c. p. 151. n. 400
(1859).</p> <p>2. N. Flavoguttata, Stål, Öfv. Vet.-Akad.
Förh. xxxiv. (10) p. 42 (1877).</p> <p>3. N. Fasciolata, Stål, l. c. (1877).</p> <p>4. N. Nigrogranosa, Stål, l. c. (1877).</p> <p>5. N. Conspersa, Stål, l. c. (1877).</p>	China. Philippines. id. id. id.

6. N. Virens , Stål, l. c. p. 43 (1877).	Philippines.
7. N. Berenice , Stål, l. c. (1877).	id.
8. N. Calliope , Stål, l. c. (1877).	id.
9. N. Philippa , Stål, l. c. (1877).	id.
10. N. Fatua , Stål, l. c. (1877).	id.
11. N. Eurynome , Stål, l. c. p. 44 (1877).	id.
12. N. Parvipennis , Stål, l. c. (1877).	id.
13. N. Eucerca , Stål, l. c. (1877).	id.
14. N. Icaris , Stål, l. c. (1877).	id.
*15. N. Ceylonica , Sauss. Rev. Zool. (2) xx. p. 69 (1868); Mém. Soc. Genève, xx. p. 316, pl. 3. f. 14 (1870).	Ceylon.
**16. N. Panætius , Westw. l. c. p. 144. n. 376, pl. 12. f. 4 (1859); Sauss. Mém. Soc. Genève, xx. p. 319 (1870).	id.
**17. N. Sipylus , Westw. l. c. p. 138. n. 362, pl. 18. f. 4 (1859).	Assam,
Java.
17 a. N. Warasaca , Westw. l. c. p. 139 (1859).	Sarawak.
18. N. Pœcilopectera , Rehn, (<i>Sipylodea</i> P.) Proc. Acad. Nat. Sci. Philad. 1904, p. 77.	Obi.
**19. N. Tonquinensis , Kirb. Ann. Nat. Hist. (7) xiii. p. 437 (1904).	Tonkin.
**20. N. Marginata , Gray, (<i>Phasma Marginatum</i>) l. c. p. 23 (1835).
<i>N. Marginata</i> , Westw. l. c. p. 148. n. 389 (1859).	Malabar.
21. N. Acutipennis , Bates, Trans. Linn. Soc. Lond. xxv. p. 354, pl. 45. f. 5 (1865).	Ceylon.
*22. N. Chloris , Serv. Ins. Orth. p. 253 (1839); Westw. l. c. p. 151. n. 398 (1859).
<i>N. Pallescens</i> , Kaup, Berlin. Ent. Zeitschr. xv. p. 41 (1871).	Java,
Borneo,
Singapore,
Ceylon.
*23. N. Erechtheus , Westw. l. c. p. 142. n. 369, pl. 9. f. 1, pl. 12. f. 3, pl. 14. f. 6 (1859).	Ceylon,
Borneo.
24. N. Larunda , Westw. l. c. p. 140. n. 365, pl. 27. f. 3 (1859).	Sarawak.
25. N. Tenebrosa , Bates, l. c. p. 357 (1865).	Ceylon.
26. N. Gularis , Haan, (<i>Phasma (Necroscia) Gulare</i>) l. c. p. 122 (1842).
<i>N. Gularis</i> , Westw. l. c. p. 158. n. 414 (1859).	Borneo.
*27. N. Vittata , Serv. l. c. p. 254 (1839); Westw. l. c. p. 150. n. 395 (1859).	Java,
Malacca.

28. **N. Brunneri, Kirb.** (n. n.). Burma.
 || *Sipylloidea Vittata*, Brunn. Ann. Mus. Genova, xxxiii. p. 87, pl. 3. f. 29 (1893).
29. **N. Pictipes, Bates**, l. c. p. 352 (1865). Cambodia.
- **30. **N. Annulipes, Gray**, (*Phasma Annulipes*) Malacca.
 l. c. p. 37 (1835).
N. Annulipes, Westw. l. c. p. 150. n. 394 (1859).
- *31. **N. Roseipennis, Serv.** l. c. p. 252 Java,
 (1839). Borneo,
Phasma (Necroscia) Roseipenne, Haan, l. c. Singapore,
 p. 121 (1842). Penang.
N. Roseipennis, Westw. l. c. p. 151. n. 397 (1859).
32. **N. Euplectes, Westw.** l. c. p. 146. n. 380, Sarawak.
 pl. 28. f. 1 (1859).
33. **N. Chlorotica, Serv.** l. c. p. 252 (1839); Java.
 Westw. l. c. p. 150. n. 396 (1859).
34. **N. Malaccæ, Sauss.** Rev. Zool. (2) xx. Malacca.
 p. 69 (1868); Mém. Soc. Genève, xx.
 p. 318, pl. 3. f. 13 (1870).
- *35. **N. Westwoodi, Kirb.** (n. n.). Singapore.
 || *N. Punctata*, ♀, Westw. l. c. p. 142. n. 371,
 pl. 29. f. 5 (1859).
- *36. **N. Haanii, Kirb.** (n. n.). Borneo.
Phasma (Necroscia) Punctatum, var. *a*,
 Haan, l. c. p. 121 (1842).
- *37. **N. Horsfieldii, Kirb.** (n. n.). Java.
Phasma (Necroscia) Punctatum, var. *c*,
 Haan, l. c. p. 122 (1842).
- *38. **N. Burmeisteri, Westw.** l. c. p. 151. id.,
 n. 39 (1859). Borneo.
 || *Phasma Prasinum*, Burm. Handb. Ent. ii.
 p. 586. n. 8 (1838).
- *39. **N. Fumata, Serv.** l. c. p. 251 (1839); Java.
 Westw. l. c. p. 131. n. 344 (1859).
40. **N. Fuscoannulata, Haan**, (*Phasma* Borneo.
(Necroscia) Fuscoannulatum) l. c. p. 119
 (1842).
N. Fuscoannulata, Westw. l. c. p. 131.
 n. 342 (1859).
41. **N. Nigroannulata, Haan**, (*Phasma* id.
(Necroscia) Nigroannulatum) l. c. p. 119
 (1842).
N. Nigroannulata, Westw. l. c. p. 131.
 n. 343 (1859).

42. **N. Sordida, Haan**, (*Phasma (Necroscia) Sordidum*) l. c. p. 120 (1842).
N. Sordida, Westw. l. c. p. 132. n. 345 (1859). Sumatra.
43. **N. Pulchella, Haan**, (*Phasma (Necroscia) Pulchellum*) l. c. p. 120, pl. 15. f. 5 (1842). id.,
N. Pulchella, Westw. l. c. p. 152. n. 402 (1859). Sarawak.
44. **N. Janus, Bates**, l. c. p. 354, pl. 45. f. 4 (1865). Tondano.
45. **N. Mustea, Bates**, l. c. p. 355, pl. 45. f. 8 (1865). Sula.
46. **N. Stylogera, Bates**, l. c. f. 1 (1865). id.
47. **N. Rosenbergi, Kaup**, l. c. xv. p. 40 (1871). Moluccas.
48. **N. Lacteipennis, Bates**, l. c. p. 353 (1865). Gilolo.
49. **N. Davidis, Le Guill.** (*Cladoxerus D.*) Salomon
 Rev. Zool. 1841, p. 293. n. 9. Isl.
Phibalosoma Davidis, Westw. l. c. p. 77. n. 199 (1859).
50. **N. Distincta, Brancs.** Jahresh. Ver. Papua.
 Trencsin. Com. xix.-xx. p. 66 (1897).
- **51. **N. Carterus, Westw.** l. c. p. 138. n. 361, Australia.
 pl. 15. f. 5 (1859).
- **52. **N. Sarpedon, Westw.** l. c. p. 139, pl. 16. N. Austral.
 f. 1, pl. 32. f. 5 (1859).
- **53. **N. Sparaxes, Westw.** l. c. p. 153. n. 404, Ceylon.
 pl. 9. f. 6, pl. 20. f. 4 (1859).
54. **N. (?) Manicatus, Licht.** (*Phasma Manicatum*) Trans. Linn. Soc. Lond. vi. p. 17. India.
 n. 24 (1802).
Prisopus Manicatus, Gray, Syn. Phasm. p. 28 (1835).
Xeroderus (?) Manicatus, Westw. l. c. p. 103. n. 264 (1859).
- || *Mantis Linearis, Fabr.* Mant. Ins. i. p. 227. n. 9 (1787); Oliv. Enc. Méth., Ins. vii. p. 634. n. 44 (1792).
Phasma Linearis, Fabr. Suppl. Ent. Syst. p. 189 (1798); Haan, Temminck, Verhandl., Orth. p. 112 (1842).
55. **N. (?) Lampethusa, Westw.** l. c. p. 136. Sarawak.
 n. 357, pl. 34. f. 2 (1859).
56. **N. (?) Lampetia, Westw.** l. c. p. 137. id.
 n. 359, pl. 38. f. 5 (1859).

57. **N. (?) Lysippus, Westw.** l. c. p. 136. | Borneo.
n. 358, pl. 39. f. 3 (1859).
58. **N. (?) Viridis, Montr.** (*Tropidoderus V.*) | Woodlark I
Ann. Soc. Linn. Lyon, (2) vii. p. 80
(1855); Westw. l. c. p. 166. n. 436
(1859).
59. **N. Menepolemus, Westw.** l. c. p. 141. | Singapore.
n. 366, pl. 19. f. 4 (1859).

Genus 111. **Aruanoidea.** (Type no. 5.)

Brunn. Ann. Mus. Genova, xxxiii. p. 84 (1893).

- **1. **A. Salmanazar, Westw.** (*Necroscia S.*) | Philippines.
Cat. Phasm. p. 133. n. 350, pl. 16. f. 6
(1859).
2. **A. Maculiceps, Stål,** (*Necroscia M.*) Cefv. | id.
Vet.-Akad. Förh. xxxiv. (10) p. 42
(1877).
3. **A. Thisbe, Stål,** (*Necroscia T.*) l. c. | id.
(1877).
4. **A. Menaka, Wood-Mason,** (*Necroscia M.*) Ann. Nat. Hist. (4) xx. p. 130 | Khasia
(1877); Journ. Asiatic Soc. Bengal, xlv. | Hills,
p. 350 (1877). | Borneo.
5. **A. Aruana, Westw.** (*Necroscia A.*) l. c. | Aru.
p. 134. n. 352, pl. 39. f. 4 (1859).
A. Aruana, Rehn, Proc. Acad. Nat. Sci.
Philad. 1904, p. 78.
6. **A. Ophidiiderma, Griff.** Ann. Mus. Torino, | Perak.
xii. (307) p. 1 (1897).
- **7. **A. Pirithous, Westw.** (*Necroscia P.*) | Java.
l. c. p. 134. n. 351 (1859).
8. **A. Osmylus, Westw.** (*Necroscia O.*) l. c. | Sarawak.
p. 135. n. 353, pl. 37. f. 4 (1859).
9. **A. Frondosa, Bates,** (*Necroscia F.*) | Celebes
Trans. Linn. Soc. Lond. xxv. p. 353 | (Menado).
(1865).
10. **A. Agrionina, Bates,** (*Necroscia A.*) l. c. | id.
p. 356, pl. 45. f. 9 (1865).
- **11. **A. (?) Gargantua, Westw.** (*Necroscia G.*) | Sarawak.
l. c. p. 130. n. 339, pl. 29. f. 3 (1859).
Necroscia Phaetusa, Westw. l. c. p. 137.
n. 360, pl. 38. f. 4 (1859); Wood-Mason,
Journ. Asiatic Soc. Bengal, xlv. p. 349
(1877).

- **12. **A. Affinis**, Gray, (*Platycrana A.*) Syn. India.
Phasm. p. 37 (1835).
Necrosia Affinis, Westw. l. c. p. 142.
n. 370 (1859).
- **13. **A. Punctata**, Gray, (*Platycrana P.*) l. c. id.,
p. 37 (1835). Siam.
Phasma (Necrosia) Punctatum, var. *b*,
Haan, Temminck, Verhandel., Orth.
pp. 121, 122 (1842).
Necrosia Punctata, ♂, Westw. l. c. p. 142.
n. 371 (1859).

SUBFAM. IX.

ACROPHYLLINÆ.

Genus 112. **Podacanthus**. (*Type* no. 1.)

Gray, Ent. Austral. p. 17 (1833); Syn. Phasm. p. 32 (1835);
Burm. Handb. Ent. ii. p. 581 (1838); Serv. Ins. Orth.
p. 229 (1839); Haan, Temminck, Verhandel., Orth. p. 124
(1842); Westw. Cat. Phasm. p. 116 (1859); Stål, Bihang
Svenska Akad. ii. (17) p. 14 (1875); Rec. Orth. iii. p. 38
(1878).

- **1. **P. Typhon**, Gray, ll. cc. p. 17, pl. 2 Australia.
(1833); p. 32 (1835); Burm. l. c.
p. 581 (1838); Serv. l. c. p. 230 (1839);
Westw. l. c. p. 117. n. 299 (1859);
McCoy, Prodr. Zool. Vict. viii. pl. 80
(1883).
2. **P. Unicolor**, Charp. Orth. pl. 56 id.
(1845).
- *3. **P. Viridiroseus**, Gray, Syn. Phasm. id.
p. 43 (1835); Westw. l. c. p. 117. n. 300
(1859); Bates, Trans. Linn. Soc. Lond.
xxv. p. 348 (1865).
4. **P. Wilkinsoni**, Macl. Proc. Linn. Soc. N. S. Wales.
N. S. Wales, vi. p. 538 (1882).

Genus 113. **Tropidoderus.** (*Type* no. 1.)

Gray, Syn. Phasm. p. 31 (1835); Burm. Handb. Ent. ii. p. 589 (1838); Haan, Temminck, Verhandel., Orth. p. 125 (1842); Westw. Cat. Phasm. p. 165 (1859); Stål, Bihang Svenska Akad. ii. (17) p. 14 (1875); Rec. Orth. iii. p. 38 (1875).
 || *Trigonoderus*, Gray, Ent. Austral. p. 18 (1833).

<p>**1. T. Childrenii, Gray, (<i>Trigonoderus</i> C.)
 l. c. p. 18, pl. 3. f. 1 (1833).
 <i>T. Childreni</i>, Gray, Syn. Phasm. p. 31 (1835); Burm. l. c. p. 589 (1838);
 Westw. l. c. p. 165. n. 435 (1859); Brunn.
 Obs. Color. Ins. p. 12, pl. 9. f. 103 (1897).
 ♂. <i>Diura Typhæus</i>, Gray, Ent. Austral.
 p. 21, pl. 6. f. 2 (1833).</p> <p>2. T. Iodomus, McCoy, Prodr. Zool. Vict.
 vii. pls. 69 & 70. ff. 2, 3 (1882).</p> <p>*3. T. Rhodomus, McCoy, l. c. ff. 1, 1 <i>a-c</i>
 (1882).
 <i>T. Childrenii</i>, var., Westw. l. c. p. 166
 (1859).</p> <p>4. T. Deciapiens, Rainb. Rec. Austral. Mus.
 iii. p. 36, pl. 10 (1897).</p> | <p>Australia.</p> <p>Melbourne,
&c.</p> <p>iid.</p> <p>Australia.</p> |
|---|---|

Genus 114. **Extatosoma.** (*Type* no. 1.)

Gray, Ent. Austr. p. 26 (1833); Haan, Temminck, Verhandel., Orth. p. 110 (1842); Westw. Cat. Phasm. p. 170 (1859); Stål, Bihang Svenska Akad. iii. (14) p. 15 (1875); Rec. Orth. iii. p. 38 (1875).
Ectatosoma, Gray, Syn. Phasm. p. 29 (1835); Burm. Handb. Ent. ii. p. 575 (1838); Serv. Ins. Orth. p. 285 (1839).

<p>*1. E. Tiaratum, MacL. (<i>Phasma</i> T.) King,
 Surv. Coasts Austral. ii. p. 455. n. 113,
 pl. B. ff. 3, 4 (1827).
 <i>E. Tiaratum</i>, Gray, Ent. Austral. pp. 23, 29,
 pl. 8. f. 2 (1833); Westw. l. c. p. 170.
 n. 448 (1859).
 <i>Ectatosoma Tiaratum</i>, Gray, Syn. Phasm.
 p. 29 (1835); Burm. l. c. p. 576 (1838);
 Serv. l. c. p. 286 (1839).
 ♂. <i>E. Hopei</i>, Gray, Ent. Austr. pp. 23,
25, pl. 8. f. 1 (1833).</p>	Australia.

- Ectatosoma Hopei*, Gray, Syn. Phasm. p. 29
(1835); Serv. l. c. p. 285 (1839).
1 a. **E. Popa, Stål**, Rec. Orth. iii. p. 84 N. Guinea.
(1875).
|| *Phasma (Ectatosoma) Tiaratum*, Haan, l. c.
p. 110, pl. 10. f. 2 (1842).
2. **E. (?) Bufonium, Westw.** Thes. Ent. Australia.
Oxon. p. 174, pl. 32. f. 2 (1874).

Genus 115. **Lysicles.**

- Stål, C.R. Soc. Ent. Belg. xx. p. lxiv (1877).
1. **L. Hippolytus, Stål**, l. c. p. lxv (1877). Peak Downs
2. **L. (?) Insignis, Kaup**, (*Cladoxerus I.*) Australia.
Berlin. Ent. Zeitschr. xv. p. 39 (1871).

Genus 116. **Didymuria, Kirb.** (n. n.). (*Type* no. 1.)

|| *Diura*, Gray, Ent. Austr. p. 26 (1833); Stål, Bihang Svenska
Akad. iii. (14) p. 15 (1875); Rec. Orth. iii. p. 37 (1875).

- *1. **D. Violescens, Leach**, (*Phasma V.*) Zool. Australia.
Misc. i. p. 26, pl. 9 (1814).
Diura Violascens, Gray, l. c. pp. 21, 27,
pl. 6. f. 1 (1833).
Acrophylla Violascens, Gray, Syn. Phasm.
p. 40 (1835); Westw. Cat. Phasm. p. 116.
n. 298 (1859); McCoy, Prodr. Zool. Vict.
viii. pl. 79 (1883).
Cyphocrania Violascens, Burm. Handb. Ent.
ii. p. 580. n. 10 (1838).
♀. *Diura Roseipennis*, Gray, Ent. Austr.
p. 22, pl. 7. f. 2 (1833).
Diura Roseipenne, Gray, l. c. p. 27 (1833).
Acrophylla Roseipennis, Gray, Syn. Phasm.
p. 41 (1835).
*2. **D. Virginea, Stål**, (*Diura V.*) Rec. Orth. Queensland.
iii. p. 84 (1875).

Genus 117. **Vasilissa.**

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 468 (1896).

- **1. **V. Walkeri**, Kirb. l. c. (1896). | N.W.Austr.
 (Queen's I.)

Genus 118. **Anophelepis.** (Type no. 1.)

Westw. Cat. Phasm. p. 68 (1859); Sauss. Mém. Soc. Genève, xx. p. 296 (1870); Miss. Mex., Orth. p. 17 (1872).

- **1. **A. Telesphorus**, Westw. l. c. p. 69. n. 182, | Australia.
 pl. 8. ff. 3, 7 (1859).
 2. **A. Periphanes, Westw. l. c. p. 70. | id.
 n. 183, pl. 8. f. 2 (1859).

Genus 119. **Rhaphiderus.** (Type no. 1.)

Serv. Ins. Orth. p. 245 (1839); Westw. Cat. Phasm. p. 62 (1859); Stål, Rec. Orth. iii. p. 39 (1875).

- *1. **R. Scabrosus**, Perch. (*Bacteria Scabrosa*) | Mauritius.
 Guér. Icon. R. Anim., Ins. pl. 53. f. 4
 (1829); Gray, Griffith, Anim. Kingd. xv.
 p. 783, pl. 110. f. 4 (1832).
R. Scabrosus, Serv. l. c. p. 246 (1839);
 Guér. l. c. iii. p. 328 (1844); Westw. l. c.
 p. 62. n. 171 (1859).
Rhaphiderus Scabrosus, Coq. Ann. Soc. Ent.
 France, (4) i. p. 498 (1861).
Acanthoderus Scabrosus, Gray, Syn. Phasm.
 p. 14 (1835).
 *2. **R. Dumerilii**, Gray, (*Acanthoderus D.*) | id.
 l. c. (1835).
R. Dumerilii, Westw. l. c. p. 62. n. 172
 (1859).
 "Phasme géant," Duméril, Consid. Gén.
 Ins. p. 200, pl. 23. f. 3 (1823).
 (?) *Monandroptera Inuncans*, ♀ (nec ♂)
 Serv. l. c. p. 244 (1839).
 3. **R. Spinigera**, Luc. (*Monandroptera S.*) | Bourbon.
 Maillard, Notes sur l'île de Réunion, ii.
 Orth. p. 22, pl. 21. f. 2 (1862).
 || *R. Scabrosus*, ♀, Westw. Ann. Soc. Ent.
 France, (4) iv. p. 204 (1864).

4. **R. (?) Delicatulus, Brancs.** (*Canuleius D.*) Jahresh. Ver. Trencsin. xix.-xx. p. 66
pl. 2. f. 12 *a-d* (1897). | Madagascar
5. **R. (?) Alliaceus, Stal,** l. c. p. 85 | India.
(1875).

Genus 120. **Xenomaches.**

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 470 (1896).

- **1. X. Incommodus, Butl.** (*Bacillus I.*) | Rodriguez.
Ann. Nat. Hist. (4) xvii. p. 410 (1878);
Phil. Trans. clxviii. p. 148, pl. 54. ff. 4,
4 *a-c* (1879).

Genus 121. **Xeroderus.**

Gray, Syn. Phasm. p. 32 (1835); Burm. Handb. Ent. ii. p. 582
note (1838); Haan, Temminck, Verhandel., Orth. p. 116
(1842); Westw. Cat. Phasm. p. 102 (1859).

- *1. X. Kirbii, Gray,** l. c. p. 32 (1835); | Australia.
Westw. l. c. p. 102. n. 262, pl. 31. ff. 6, 7
(1859).

Genus 122. **Acanthomima.**

Kirb. Ann. Nat. Hist. (7) xiii. p. 438 (1904).

- **1. A. Rhipheus, Westw.** (*Anophelepis R.*) | Australia
Cat. Phasm. p. 184, pl. 8. f. 10 (1859). | (Swan R.).

Genus 123. **Acanthodyta.**

Sharp, Willey, Zool. Results, p. 85 (1898).

- *1. A. Spiniventris, Sharp,** l. c. p. 86, pl. 8. | Lifu.
f. 11, pl. 9. f. 40 (ovum) (1898).

Genus 124. **Arrhidæus.** (Type no. 2.)

Stål, Bihang Svenska Akad. ii. (17) p. 15 (1875), iii. (14) p. 16 (1875); Rec. Orth. iii. p. 40 (1875).

Arrhidacus, Brunn. Ann. Mus. Genova, xxxiii. p. 97 (1893),

1. A. Capito, Westw. (<i>Necroscia C.</i>) Cat. Phasm. p. 135. n. 354, pl. 32. f. 4 (1859).	Sarawak.
**2. A. Stygius, Westw. (<i>Necroscia S.</i>) l. c. p. 192 (errata), pl. 9. f. 3 (1859).
<i>Necroscia Stygius, Westw.</i> l. c. p. 136. n. 356 (1859).
<i>A. Ståli, Kirb.</i> Trans. Linn. Soc. Lond., Zool. (2) vi. p. 471 (1896).	Philippines.
3. A. Vittipennis, Stål , Rec. Orth. iii. p. 85 (1875).	id.
4. A. Viridinervis, Stål , l. c. p. 86 (1875).	id.
5. A. Nigricornis, Stål , Æfv. Vet.-Akad. Förh. xxxiv. (10) p. 41 (1877).	id.
**6. A. Palinurus, Westw. (<i>Necroscia P.</i>) l. c. p. 135. n. 355, pl. 11. f. 6 (1859).	id.
*7. A. Erythroptera, Oliv. (<i>Mantis E.</i>) Enc. Méth., Ins. vii. p. 636. n. 58 (1792).
<i>Phasma Rosea, Stoll</i> , Spectres, Phasmes, p. 13, pl. 5. f. 17 (1813).
<i>Necroscia Rosea, Westw.</i> l. c. p. 148. n. 388 (1859).	Amboina, Ceram.
**8. A. Moderata, Kirb. (<i>Necroscia M.</i>) Ann. Nat. Hist. (5) xiii. p. 477, fig. (1884).	Amboina.
9. A. Bojei, Haan , (<i>Phasma B.</i>) Temminck, Verhandel., Orth. p. 125, pl. 13. f. 3 (1842).
<i>Lopaphus Bojei, Westw.</i> l. c. p. 99. n. 253 (1859).	Celebes, Macassar.
10. A. Apalanurus, Rehn , Proc. Acad. Nat. Sci. Philad. 1904, p. 85.	Obi.
11. A. Longiceps, Bates , (<i>Necroscia L.</i>) Trans. Linn. Soc. Lond. xxv. p. 350, pl. 45. f. 6 (1865).	Kaioa.
12. A. Cephalotes, Bates , (<i>Necroscia C.</i>) l. c. p. 351 (1865).	N. Guinea.
*13. A. Phlyctænoides, Rehn , (<i>Marmessoidea Phluctainoides</i>) l. c. p. 73 (1904).
<i>A. Phlyctænoides, Kirb.</i> l. c. (7) xiii. p. 438 (1904).	Japan.

Genus 125. **Platycrania.**

Platycrana, Gray, Syn. Phasm. p. 36 (1835); Serv. Ins. Orth. p. 240 (1839).

Platycrania, Westw. Cat. Phasm. p. 112 (1859); Stål, Bihang Svenska Akad. ii. (17) p. 14 (1875), iii. (14) p. 16 (1875); Rec. Orth. iii. pp. 40, 85 (1875).

<p>*1. P. Viridana, Oliv. (<i>Mantis</i> V.) Enc. Méth., Ins. vii. p. 636. n. 60 (1792).
 <i>Platycrana Viridana</i>, Gray, l. c. p. 36 (1835); Serv. l. c. p. 241 (1839).
 <i>Phasma</i> (<i>Cyphocrania</i>) <i>Viridanum</i>, Haan, Temminck, Verhandel., Orth. p. 130 (1842).
 <i>Mantis Viridis</i>, Don. Ins. India, pl. 10 (1800).
 <i>Phasma Edule</i>, Licht. Cat. Mus. Zool. Hamb. iii. p. 77. n. 5 (1796); Trans. Linn. Soc. Lond. vi. p. 13. n. 12 (1802).
 <i>Platycrania Edulis</i>, Westw. l. c. p. 112. n. 286 (1859).
 <i>Mantis Gigas</i>, Houtt. Nat. Hist. i. (10) p. 136, pl. 79. f. 1 (1766).
 <i>Phasma Grandis</i>, Thunb. Mém. Acad. Pétersb. v. p. 295 (1815); Westw. l. c. p. 183. n. 13 (1859).
 <i>Phasma Jamaicensis</i>, Stoll, Spectres, Phasmes, p. 17, pl. 6. ff. 20, 21 (1813).</p> | <p>Moluccas,
Philippines,
Celebes,
Aru,
Ceram.</p> |
|---|--|

Genus 126. **Megacrania.** (*Type* no. 1.)

Kaup, Berlin. Ent. Zeitschr. xv. p. 38 (1871).

<p>**1. M. Phelaus, Westw. (<i>Platycrania</i> P.) Cat. Phasm. p. 113. n. 288, pl. 27. f. 5 (1859).
 <i>M. Phelaus</i>, Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 470 (1896).
 **2. M. Alpheus, Westw. (<i>Platycrania</i> A.) l. c. p. 112. n. 287, pl. 4. f. 2 (1859); Bates, Trans. Linn. Soc. Lond. xxv. p. 347 (1865).
 **3. M. Batesii, Kirb. l. c. p. 471 (1896).
 <i>Platycrania Alpheus</i>, var., Bates, l. c. p. 347 (1865).</p> | <p>Fiji,
Salomon
Isl.

Ceylon.

Salomon I.,
Amboina,
Papua, &c.</p> |
|--|---|

Genus 127. **Ophicrania.**

Kaup, Berlin. Ent. Zeitschr. xv. p. 38 (1871).

- *1. **O. Striatocollis**, Kaup, l. c. (1871). | Bouru.

Genus 128. **Graeffea.** (Type no. 1.)

Brunn. Graeffe, Reisen in Viti-Levu, p. 46 (1868);
Stål, Rec. Orth. iii. pp. 40, 85 (1875).

<p>*1. G. Crouanii, Le Guill. (<i>Bacillus C.</i>) Rev. Zool. 1841, p. 293; Westw. Cat. Phasm. p. 14. n. 34 (1859).
<i>Alopus Cocophages</i>, Newp. Phil. Trans. Roy. Soc. 1844, p. 288. pl. 14. f. 4.
<i>G. Cocophages</i>, Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 85.
<i>Lopaphus Cocophagus</i>, Westw. Cat. Phasm. p. 99. n. 255 (1859).
<i>Anophelepis Fulvescens</i>, ♂, Sauss. Mém. Soc. Genève, xx. p. 298, pl. 2. ff. 4, 4 a (1870).
<i>G. Purpuripennis</i>, Brunn. l. c. p. 46, plate. ff. 1, 1 a, 2, 2 a (1868).</p>	<p>Samoa,
Navigators'
I.</p>
2. G. Fulvescens, Sauss. (<i>Anophelepis F.</i>) Rev. Zool. (2) xx. p. 67 (1868); Mém. Soc. Genève, xx. p. 297, pl. 2. ff. 3, 3 a (1870).	<p>Marquesas
Isl.</p>
3. G. Minor, Brunn. l. c. p. 47 (1868).	Fiji.
4. G. Lifuensis, Sharp, Willey, Zool. Results, p. 86 (1898).	Lifu.

Genus 129. **Gigantophasma.** (Type no. 1.)

Sharp, Willey, Zool. Results, p. 87 (1898).

<p>1. G. Bicolor, Sharp, l. c. pl. 7. f. 6, pl. 9. f. 35 (ovum) (1898).
<i>G. Bicolor</i>, var. <i>Depictus</i>, Sharp, l. c. p. 88 (1898).</p>	Lifu.
2. G. Pallipes, Sharp, l. c. p. 88, (?) pl. 7. f. 5, pl. 9. f. 22 (1898).	id.

Genus 130. **Monandroptera.** (Type no. 1.)

Serv. Ins. Orth. p. 242 (1839); Westw. Cat. Phasm. p. 79 (1859); Stål, Bihang Svenska Akad. ii. (17) p. 15 (1875), iii. (14) p. 15 (1875); Rec. Orth. iii. p. 39 (1875).

Craspedonia, Westw. Arc. Ent. i. p. 25 (1841). (Type no. 2.)

<p>*1. M. Acanthomera, Burm. (<i>Cyphocrania</i> A.) Handb. Ent. ii. p. 579. n. 2 (1838).
<i>M. Inuncans</i>, Serv. l. c. p. 244 (1839); Westw. Cat. Phasm. p. 79. n. 205 (1859); Ann. Soc. Ent. France, (4) iv. p. 201, pl. 6. f. 2 (1864); Coq. Bull. Soc. Ent. France, (4) vi. p. xxiii (1866).
<i>M. Inuncanus</i>, Coq. Ann. Soc. Ent. France, (4) i. p. 496 (1861); Luc. Maillard, Notes sur l'île de Réunion, ii. Orth. p. 22 (1862).</p>	Mauritius.
<p>2. M. Undulata, Westw. (<i>Diapherodes</i> (<i>Craspedonia</i>) <i>Undulata</i>) Arc. Ent. ii. p. 49 (1843).
<i>M. Undulata</i>, Westw. Cat. Phasm. p. 80. n. 206 (1859); Ann. Soc. Ent. France, (4) iv. p. 203, pl. 6. f. 3 (1864); Sauss. Mém. Soc. Genève, xx. p. 308 (1870).
<i>Phasma</i> (<i>Craspedonia</i>) <i>Gibbosa</i>, Westw. Arc. Ent. i. p. 26, pl. 8 (1841).</p>	Bourbon.
3. M. Parallela, Westw. Cat. Phasm. p. 80. n. 207, pl. 36. f. 3 (1859).	Africa (?).
4. M. Jumnos, Westw. (<i>Cyphocrania</i> J.) l. c. p. 111. n. 285, pl. 30. f. 1 (1859).	id. (?).

Genus 131. **Dimorphodes.** (Type no. 1.)

Westw. Cat. Phasm. p. 80 (1859).

*1. D. Prosthesis, Westw. l. c. p. 81. n. 210, pl. 34. ff. 4, 5 (1859).	Aru.
2. D. Mancus, Bates, Trans. Linn. Soc. Lond. xxv. p. 345, pl. 44. ff. 3, 8 (1865); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 84.	Batchian, Ternate.

Genus 132. **Acrophylla.**

Gray, Syn. Phasm. p. 39 (1835); Serv. Ins. Orth. p. 231 (1839); Westw. Cat. Phasm. p. 113 (1859); Stål, Bihang Svenska Akad. ii. (17) pp. 8, 14 (1875), iii. (14) p. 15 (1875); Rec. Orth. iii. p. 34 (1875).

- *1. **A. Titan, Macl.** (*Phasma T.*) King, Australia.
 Survey Coasts Austral. ii. p. 454. n. 112 (1827).
Diura Titan, Gray, Ent. Austral. pp. 19, 26, pl. 4 (1833).
Acrophylla Titan, Gray, Syn. Phasm. p. 39 (1835); Westw. l. c. p. 114. n. 289 (1859); Sauss. Miss. Mex., Orth. pl. 4. f. 25 (wing) (1872).
Phasma (Cyphocrania) Titan, Haan, Temminck, Verhandel., Orth. p. 129 (1842).
Cyphocrania Titan, Burm. Handb. Ent. ii. p. 579. n. 7 (1838); D'Orbigny, Dict. d'Hist. Nat., Atlas, Zool. ii. Orth. pl. 2. f. 1 (1861).
A. Titanus, Serv. l. c. p. 231 (1839).

Genus 133. **Ctenomorpha.** (Type no. 1.)

Gray, Ent. Austral. pp. 16, 27 (1833); Syn. Phasm. p. 41 (1835); Stål, Bihang Svenska Akad. iii. (14) p. 13 (1875); Rec. Orth. iii. p. 35 (1875).

- *1. **C. Marginipennis, Gray**, ll. cc. p. 16, Australia, Tasmania.
 pl. 1. f. 2 (1833); p. 41 (1835).
C. Marginipenne, Gray, Ent. Austr. p. 27 (1833).
 ♀. *Diura Chronus*, Gray, l. c. pp. 20, 26, pl. 5. f. 2 (1833).
Acrophylla Chronus, Gray, Syn. Phasm. p. 39 (1835); Serv. Ins. Orth. p. 232 (1839); Westw. Cat. Phasm. p. 114. n. 291 (1859).
Cyphocrania Chronus, Burm. Handb. Ent. ii. p. 580. n. 8 (1838).
 Var. *Diura Saturnus*, Westw. l. c. (1859).

2. C. Osiris, Gray , (<i>Phasma (Diura) O.</i>)
Trans. Ent. Soc. Lond. i. p. 46 (1834).
<i>Acrophylla Osiris, Gray</i> , Syn. Phasm. p. 40
(1835); Westw. l. c. p. 115. n. 293
(1859).	Australia.
3. C. Acheron, Gray , (<i>Phasma (Diura) A.</i>)
Trans. Ent. Soc. Lond. i. p. 46 (1834).
<i>Acrophylla Acheron, Gray</i> , Syn. Phasm.
p. 40 (1835); Westw. l. c. p. 115. n. 294
(1859).	id.
4. C. Macleayi, Gray , l. c. p. 41 (1835).
<i>Acrophylla Macleayi, Westw.</i> l. c. p. 115.
n. 295 (1859).	id.
**5. C. Tessellata, Gray , (<i>C. Tessellata</i>) l. c.
p. 44 (1835).
<i>Acrophylla Tessellata, Westw.</i> l. c. p. 115.
n. 296, pl. 35. ff. 1, 2 (1859); Bates,
Trans. Linn. Soc. Lond. xxv. p. 347
(1865).	Moreton
Bay.
6. C. Nigrovaria, Stål , Rec. Orth. iii. p. 83
(1875).	Cape York.
7. C. Briareus, Gray , (<i>Phasma (Diura) B.</i>)
Trans. Ent. Soc. Lond. i. p. 45 (1834).
<i>Acrophylla Briareus, Gray</i> , Syn. Phasm.
p. 40 (1835); Westw. l. c. p. 114. n. 290
(1859).	Australia.
**8. C. Albopunctatum, Kirb. Trans. Linn.
Soc. Lond., Zool. (2) vi. p. 472 (1896).	Queensland.
**9. C. Salmacis, Westw. (<i>Acrophylla S.</i>)
l. c. p. 116. n. 297, pl. 37. f. 2
(1859).	N.Australia.
10. C. Caprella, Westw. (<i>Phibalosoma C.</i>)
l. c. p. 76. n. 196, pl. 21. f. 3 (1859).	Aus-
tralia (?).
11. C. Macrotegmus, Tepp. (<i>Lopaphus</i>
<i>M.</i>) Trans. Roy. Soc. S. Australia, ix.
p. 112, pl. 6 (1887).	S. Australia
(Mt. Lofty).

Genus 134. **Clemacantha.**

Rainb. Rec. Austral. Mus. iii. p. 34 (1897).

*1. C. Regale, Rainb. l. c. p. 34, pl. 9
(1897).	Australia.

Genus 135. **Phasma.** (Type no. 2.)

Licht. Cat. Mus. Zool. Hamb. iii. p. 77 (1796); Trans. Linn. Soc. Lond. vi. p. 9 (1802); Illiger, Käf. Preuss. p. 499 (1798); Fabr. Suppl. Ent. Syst. p. 186 (1798); Kirb. Ann. Nat. Hist. (7) xiii. p. 439 (1904).

Cyphocrana, St.-Farg. & Serv. Enc. Méth., Ins. x. p. 445 (1825); Serv. Ann. Sci. Nat. xxii. p. 60 (1831); Ins. Orth. pp. 233, 237 (1839); Gray, Syn. Phasm. p. 35 (1835). (Type no. 1.)

Cyphocrania, Burm. Handb. Ent. ii. p. 578 (1838); Haan, Temminck, Verhandel., Orth. p. 128 (1842); Westw. Cat. Phasm. p. 106 (1859); Stål, Bihang Svenska Akad. ii. (17) pp. 8, 14 (1875), iii. (14) p. 14 (1875); Rec. Orth. iii. pp. 35, 83 (1875).

*1. **P. Gigas, Linn.** (*Gryllus Mantis G.*) | Amboina,
Syst. Nat. (ed. x.) i. p. 425. n. 1 (1758). &c.

Gryllus Gigas, Linn. Mus. Ludov. Ulr. p. 109 (1764).

Mantis Gigas, Fabr. Syst. Ent. p. 274. n. 1 (1775); Oliv. Enc. Méth., Ins. vii. p. 625. n. 2 (1792); Don. Ins. Ind. pl. 9 (1800).

Phasma Gigas, Fabr. Suppl. Ent. Syst. p. 187. n. 5 (1798); Licht. Trans. Linn. Soc. Lond. vi. p. 11. n. 9 (1802); Stoll, Spectres, Phasmes, p. 6, pl. 2. f. 5 (1813).

Cyphocrana Gigas, St.-Farg. & Serv. l. c. p. 445 (1825); Serv. ll. cc. p. 60 (1831); p. 237 (1839); Gray, l. c. p. 35 (1835).

Cyphocrania Gigas, Burm. l. c. p. 579. n. 3 (1838); Westw. l. c. p. 106. n. 272 (1859).

Phasma (Cyphocrania) Gigas, Haan, l. c. p. 129, pl. 14. f. 3 (1842).

|| *Phasma Necdaloides*, Thunb. Mém. Acad. Pétersb. v. p. 296 (1815).

*2. **P. Empusa, Licht.** Cat. Mus. Zool. Hamb. | Amboina.
iii. p. 77. n. 2 (1796); Trans. Linn. Soc. Lond. vi. p. 12. n. 10 (1802).

Cyphocrana Empusa, Gray, l. c. p. 35 (1835); Serv. Ins. Orth. p. 237 (1839).

Cyphocrania Empusa, Burm. l. c. p. 579. n. 4 (1838).

- || *Phasma Gigas*, Stoll, Spectres, Phasmes,
p. 1, pl. 1. f. 1 (1813).
|| *Cyphocrania Gigas*, var., Westw. l. c. p. 107
(1859).
3. **P. Reinwardtii**, Haan, (*Phasma* (*Cyphocrania*) *R.*) Temminck, Verhandel., Orth.
p. 130, pl. 10. f. 1 (1842).
Cyphocrania Reinwardtii, Westw. l. c. p. 107.
n. 273 (1859). N. Guinea.
4. **P. Macleayi**, Macleay, (*Cyphocrania* *M.*) id.
Proc. Linn. Soc. N. S. Wales, ix. p. 710
(1884).
5. **P. Lobiceps**, Macl. (*Cyphocrania* *L.*) l. c. id.
p. 711 (1884).

Genus 136. **Eurycnema**. (*Type* no. 2.)

Serv. Ins. Orth. p. 235 (1839).

- **1. **E. Magnifica**, Kirb. Ann. Nat. Hist. (7) New
xiii. p. 439 (1904). Guinea (?).
- *2. **E. Versirubra**, Serv. (*Cyphocrana* *V.*) Java.
l. c. p. 235 (1839).
Cyphocrania Herculeana, Charp. Orth. pl. 1
(1841).
Cyphocrania Goliath, var., Westw. Cat.
Phasm. p. 107 (1859).
E. Herculeana, Brunn. Mitth. Mus. Ham-
burg, xv. (2 Beiheft) pp. 147-160
(1898).
Cyphocrania Hanitschi, Sharp, Willey, Zool.
Results, p. 89, pl. 9. ff. 39, 39 a (ovum)
(1898).
- **3. **E. Viridissima**, Kirb. l. c. p. 440 Moreton B.,
(1904). N. Austral.
- *4. **E. Versifasciata**, Serv. (*Cyphocrana* *V.*) N. Austral.
l. c. p. 235 (1839).
Cyphocrania Goliath, var., Westw. l. c.
p. 107 (1859).
- *5. **E. Goliath**, Gray, (*Phasma* (*Diura*) *G.*) Moreton
Trans. Ent. Soc. Lond. i. p. 45 (1834); Bay.
Syn. Phasm. p. 39 (1835).
(?) *Phasma* (*Cyphocrania*) *Goliath*, Brullé,
Hist. Ins. ix. p. 105, pl. 7 (1835); Haan,
Temminck, Verhandel., Orth. p. 128 (1842).
Cyphocrania Goliath, Westw. l. c. p. 107.
n. 274 (1859).

6. **E. (?) B[e]auvoisi, Serv.** (*Cyphocrana* B.) Ann. Sci. Nat. xxii. p. 60 (1831); Gray, Syn. Phasm. p. 35 (1835).
Cyphocrania Beauvoisii, Burm. Handb. Ent. ii. p. 579. n. 5 (1838); Westw. l. c. p. 108. n. 275 (1859).
 || *Phasma Gigas*, Beauv. Ins. Afr. Amér. p. 109, Orth. pl. 13. f. 1 (1805).

Java.

Genus 137. **Anchiale.** (*Type* no. 2.)

Stål, Rec. Orth. iii. p. 36 (1875).

1. **A. (?) Cylindrica, Gmel.** (*Mantis C.*) Syst. Nat. i. (5) p. 2048. n. 54 (1788); Oliv. Enc. Méth., Ins. vii. p. 626. n. 4 (1792).
Mantis —, Zschach, Mus. Lesk., Ins. p. 46. n. 12 (1789).
 *2. **A. Maculata, Oliv.** (*Mantis M.*) l. c. p. 636. n. 56 (1792).
Platycrana Maculata, Gray, Syn. Phasm. p. 36 (1835); Serv. Ins. Orth. p. 240 (1839).
Phasma (Cyphocrania) Maculatum, Haan, Temminck, Verhandel., Orth. p. 129 (1842).
Cyphocrania Maculata, Westw. Cat. Phasm. p. 111. n. 283 (1859).
Phasma Nævium, Licht. Trans. Linn. Soc. Lond. vi. p. 13. n. 11 (1802).
A. Nævica, Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 88.
 || *Phasma Necydaloïdes*, Stoll, Spectres, Phasmes, p. 8, pl. 3. f. 8; p. 10, pl. 4. f. 11 (1813).
 || *Cyphocrania Necydaloïdes*, Burm. Handb. Ent. ii. p. 579. n. 6 (1838).
 3. **A. Stollii, Sharp**, Willey, Zool. Results, p. 89, pl. 9. ff. 16, 19, 27 (app. anal. et ovum) (1898).
 *4. **A. Confusa, Sharp**, l. c. p. 90, pl. 9. ff. 17, 18, 29 (app. anal. et ovum) (1898).
Cyphocrania Maculata, pt., Westw. l. c. p. 111. n. 283 (1859).

Hab. — ?

Amboina,
Ternate,
Salomon I.,
Thursday I.New
Britain.id.,
Amboina,
Kei I.

5. **A. Insularis, Kirb.** (n. n.) Ceram.
 || *Cyphocrana Necdaloides, Blanch. Voy.*
Pôle Sud, Zool. iv. p. 358 (1853).
6. **A. (?) Spinicollis, Gray, (Ctenomorpha** Melville
S.) Ent. Austral. p. 16, pl. 1. f. 1 (1833); Island.
Syn. Phasm. p. 41 (1835).
Phasma (Ctenomorpha) Spinicolle, Gray,
Ent. Austral. p. 27 (1833).
♀. Diura Japetus, Gray, l. c. p. 20, pl. 5.
f. 1 (1833).
Phasma (Diura) Japetus, Gray, l. c. p. 26
(1833).
Acrophylla Japetus, Gray, Syn. Phasm.
p. 40 (1835); Westw. l. c. p. 114. n. 292
(1859).
Cyphocrania Japetus, Burm. l. c. p. 580.
n. 9 (1838).
7. **A. (?) Reticulata, Beauv. (Phasma R.)** Haiti (?).
Ins. Afr. Amér. p. 166, Orth. pl. 14. f. 5
(1805).
Platycrana Reticulata, Gray, Syn. Phasm.
p. 38 (1835).
Cyphocrania Reticulata, Westw. l. c. p. 108.
n. 277 (1859).
8. **A. Grayi, Montr. (Pachymorpha G.)** Woodlark I.
Ann. Sci. Nat. Lyon, (2) vii. p. 80
(1855); Westw. l. c. p. 182. n. 3
(1859).
9. **A. Longipennis, Montr. (Pachymorpha** id.
L.) l. c. p. 81 (1855); Westw. l. c.
p. 182. n. 2 (1859).
10. **A. (?) Tessulata, Goeze, (Mantis T.)** Hab. — ?
Ent. Beytr. ii. p. 37. n. 40 (1778); Oliv.
l. c. p. 642. n. 34 (1792); (Seba, Thes. iv.
pl. 78. ff. 1-4).

Genus 138. **Vetilia.** (Type no. 1.)

Stål, Rec. Orth. iii. pp. 36, 84 (1875).

- *1. **V. Enceladus, Gray, (Acrophylla E.)** Australia.
Syn. Phasm. p. 39 (1835).
Cyphocrania Enceladus, Westw. Cat. Phasm.
p. 108. n. 276, pl. 39. ff. 1, 2 (1859).
- *2. **V. Eurymedon, Stål, C.R. Soc. Ent.** Queensland.
Belg. xx. p. lxiii (1877).
- *3. **V. Thoon, Stål, l. c. (1877).** id.

Genus 139. **Onchestus.** (*Type* no. 2.)

Stål, C.R. Soc. Ent. Belg. xx. p. lxiii (1877).

**1. O. Pasimachus, Westw. (<i>Cyphocrania</i>
<i>P.</i>) Cat. Phasm. p. 109. n. 280, pl. 9. f. 5
(1859).	Australia.
**2. O. Gorgus, Westw. (<i>Lopaphus G.</i>) l. c.
p. 102. n. 261, pl. 11. f. 4 (1859).	id.
3. O. (?) Lugens, Thunb. (<i>Phasma L.</i>)
Mém. Acad. Pétersb. v. p. 297 (1815);
Westw. l. c. p. 183. n. 12 (1859).	Hab. — ?
4. O. (?) Bidentatus, Thunb. (<i>Phasma</i>
<i>Bidentata</i>) l. c. p. 298 (1815); Westw.
l. c. p. 183. n. 10 (1859).	Hab. — ?

Genus 140. **Achrioptera.**

Coq. Ann. Soc. Ent. France, (4) i. p. 495 (1861).

1. A. Fallax, Coq. l. c. pl. 9. f. 1 (1861).	Madagascar
Africa.
2. A. (?) Punctipes, Serv. (<i>Cyphocrana (?)</i>
<i>P.</i>) Ins. Orth. p. 239 (1839).
<i>Cyphocrania (?) Punctipes, Westw.</i> Cat.
Phasm. p. 110. n. 282 (1859).	

Genus 141. **Enetia.**

Kirb. Ann. Nat. Hist. (5) viii. p. 151 (1891).

**1. E. Spinosissima, Kirb. l. c. (1891).	Madagascar

S U B F A M. X.

E U R Y C A N T H I N Æ.

Genus 142. **Karabidion.**

Montr. Ann. Sci. Phys. Nat. Lyon, (2) vii. (1) p. 81 (1855) ;
Stål, Rec. Orth. iii. pp. 46, 90 (1875).

<p>*1. K. Australe, Montr. l. c. p. 86 (1855).
 <i>Eurycantha Australis, Westw.</i> Cat. Phasm.
 p. 65. n. 177, pl. 1. ff. 1, 2 (1859).
 <i>Eurycantha (Karabidion) Australis, Sharp,</i>
 Cambridge Nat. Hist., Ins. i. p. 274, f. 160
 (1895).</p> | <p>Lord
Howe's I.</p> |
|---|---------------------------|

Genus 143. **Eubulides.** (*Type* no. 1.)

Stål, C.R. Soc. Ent. Belg. xx. p. lxviii (1877).

<p>1. E. Alutaceus, Stål, l. c. (1877).
 **2. E. Spuria, Kirb. Ann. Nat. Hist. (7) xiii.
 p. 441 (1904).</p> | <p>Philippines.
Australia.</p> |
|--|------------------------------------|

Genus 144. **Eurycantha.** (*Type* no. 1.)

Boisd. Voy. Astrolabe, Ent. ii. p. 647 (1835) ; Gray, Syn.
Phasm. p. 14 (1835) ; Burm. Handb. Ent. ii. p. 569 note
(1838) ; Serv. Ins. Orth. p. 277 (1839) ; Haan, Temminck,
Verhandel., Orth. p. 136 (1842) ; Westw. Cat. Phasm.
p. 62 (1859) ; Stål, Bihang Svenska Akad. ii. (17) p. 15
(1875), iii. (14) p. 17 (1875) ; Rec. Orth. iii. p. 46 (1875).

<p>*1. E. Horrida, Boisd. l. c. p. 647, pl. 11.
 f. 2 (1835) ; Gray, l. c. p. 14 (1835) ;
 Burm. l. c. pp. 569, 570 (1838) ; Serv.
 l. c. p. 279 (1839) ; Brullé, Hist. Nat.
 Ins. ix. pl. 10 (1835) ; Westw. l. c. p. 63.
 n. 173 (1859).
 <i>Pasma (Eurycantha) Horrida, Haan,</i> l. c.
 p. 136, pl. 14. f. 8 (1842).
 <i>Karabidion Horridum, Montr.</i> Ann. Sci.
 Phys. Nat. Lyon, (2) vii. (1) p. 82
 (1855).</p> | <p>N. Guinea,
N. Ireland,
Woodlark I.
(eadem?).</p> |
|---|---|

- *2. **E. Calcarata**, Luc. Bull. Soc. Ent. France, (4) ix. p. xxv (1870). Salomon I., Brit. N. Guinea.
- *3. **E. Willeyi**, Kirb. Ann. Nat. Hist. (7) xiii. p. 442 (1904). New Britain.
 || *E. Horrida*, Sharp, Willey, Zool. Results, p. 85, pl. 8. ff. 7-9, pl. 9. ff. 46, 46 a, b (ovum) (1898).
- *4. **E. Rosenbergi**, Kaup, Berlin. Ent. Zeitschr. xv. p. 34 (1871). N. Guinea.
- **5. **E. Portentosa**, Kirb. l. c. p. 442 (1904). Rossel I.
- **6. **E. Tyrrhæus**, Westw. l. c. p. 64. n. 174, pl. 2. f. 1 (1859). N. Hebrides, Loyalty I.
- *7. **E. Insularis**, Luc. l. c. (4) ix. p. xxv (1870). Salomon I., N. Guinea.
8. **E. Micrantha**, Montr. (*Karabidion Micranthum*) l. c. p. 85 (1855). Woodlark I.
E. Micrantha, Westw. l. c. p. 64. n. 175 (1859).
9. **E. Echinata**, Luc. l. c. (5) viii. p. clxiii (1878). N. Guinea.
10. **E. (?) Scorpionides**, Montr. (*Karabidion S.*) l. c. p. 64. n. 176 (1855). Woodlark I.
- **11. **E. Sifia**, Kirb. l. c. p. 443 (1904). Thursday I.

Genus 145. **Canachus**. (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 47 (1875).

1. **C. Crocodilus**, Stål, l. c. p. 90 (1875). N. Caledonia.
2. **C. Salamandra**, Stål, l. c. p. 91 (1875). id.

SUBFAM. XI.

HETEROPTERYGINÆ.

Genus 146. **Heteropteryx**.

Gray, Syn. Phasm. pp. 13, 32 (1835); Westw. Cat. Phasm. p. 81 (1859); Brunn. Ann. Mus. Genova, xxxiii. p. 98 (1893).

Leocrates, Stål, Rec. Orth. iii. p. 48 note (1875).

- *1. **H. Dilatata, Park.** (*Phasma D.*) Trans. Malacca,
Linn. Soc. Lond. iv. p. 190, pl. 18. ff. 2– Prince of
5 (1798); Shaw, Nat. Misc. ix. pls. 347, Wales I.
348 (1800?); Zool. vi. (1) p. 124,
pls. 45, 46 (1806); Serv. Ins. Orth.
p. 281 (1839).
H. Dilatata, Gray, l. c. p. 32 (1835);
Westw. Cat. Phasm. p. 82. n. 211 (1859);
Thes. Ent. Oxon. p. 173, pl. 32. f. 1
(1874); Rehn, Proc. Acad. Nat. Sci.
Philad. 1904, p. 89.
Diapherodes Dilatata, Burm. Handb. Ent.
ii. p. 574. n. 1 (1838).
H. Hopei, Westw. Proc. Ent. Soc. Lond.
1864, p. 16.
H. Rollandi, Luc. Bull. Soc. Ent. France,
(6) ii. p. xxxii (1882).
♂. *Phasma (Eurycantha) Graciosa, Westw.*
Cab. Orient. Ent. p. 16, pl. 7. f. 3
(1846).
Cyphocrania Graciosa, Westw. Cat. Phasm.
p. 111. n. 284 (1859).

Genus 147. **Haaniella.** (*Type* no. 2.)

Kirb. Ann. Nat. Hist. (7) xiii. p. 444 (1904).
|| *Heteropteryx, Haan*, Temminck, Verhandel., Orth. p. 108
(1842); Stål, Bihang Svenska Akad. ii. (17) p. 15 (1875),
iii. (14) p. 18 (1875); Rec. Orth. p. 48 (1875) (*nec*
Gray).

- *1. **H. Rosenbergi, Kaup**, (*Heteropteryx*
R.) Berlin. Ent. Zeitschr. xv. p. 35, pl. 2.
f. 2 (1871). Java,
Sumatra.
2. **H. Muelleri, Haan**, (*Phasma (Hetero-*
pteryx) Mülleri) Temminck, Verhandel.,
Orth. p. 108, pl. 11. ff. 4, 5 (1842). Sumatra.
Heteropteryx Mülleri, Westw. Cat. Phasm.
p. 82. n. 212 (1859).
3. **H. Grayii, Westw. (*Heteropteryx G.*) Borneo.
l. c. p. 82. n. 213, pl. 30. f. 3 (1859);
Sharp, Cambridge Nat. Hist., Ins. i.
p. 262, f. 149 (1895).
4. **H. Saussurei, Kirb.** (n. n.). Sunda
|| *Heteropteryx Grayi, var., Sauss.* Ann. Mus.
Genève, xx. p. 310 (1870). Isl. (?).

- **5. **H. Dehaanii, Westw.** (*Heteropteryx D.*) Borneo.
l. c. p. 83. n. 214, pl. 3. f. 7 (1859).
6. **H. Westwoodii, Bates,** (*Heteropteryx W.*) Trans. Linn. Soc. Lond. xxv. p. 345
(1865). Celebes,
Menado.
- **7. **H. Australis, Kirb.** (*Heteropteryx A.*) Australia.
Trans. Linn. Soc. Lond., Zool. (2) vi.
p. 172 (1896).
|| *Heteropteryx Grayii*, ♂, Westw. l. c.
p. 82. n. 213, pl. 30. f. 2 (1859).
8. **H. (?) Castelnaudi, Westw.** (*Heteropteryx C.*) Thes. Ent. Oxon. p. 174, pl. 32.
f. 3 (1874). Malacca,
Tringany.

Genus 148. **Parectatosoma.** (*Type* no. 1.)

Wood-Mason, Journ. Asiatic Soc. Bengal, xlviii. p. 117 (1879).

- *1. **P. Hystrix, Wood-Mason,** l. c. (1879). Madagascar
- *2. **P. Echinus, Wood-Mason,** l. c. p. 118 id.
(1879).
- *3. **P. Mocquerysi, Finot,** Ann. Soc. Ent. id.
France, lxvi. p. 585 (1898).

Genus 149. **Obrimus.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 49, 92 (1875).

- **1. **O. Bufo, Westw.** (*Acanthoderus B.*) Cat. Philippines.
Phasm. p. 51. n. 140, pl. 2. f. 6
(1859).
2. **O. Cavernosus, Stål,** C.R. Soc. Ent. id.
Belg. xx. p. lxviii (1877).
3. **O. Echinatus, Stål,** l. c. (1877). id.
- **4. **O. Mesoplatus, Westw.** (*Phasma (Acanthoderus) M.*) Cab. Orient. Ent. p. 37,
pl. 38. f. 4 (1847). id.
Acanthoderus Mesoplatus, Westw. Cat.
Phasm. p. 51. n. 141 (1859).
5. **O. Quadratipes, Bol.** An. Soc. Españ. id.
xix. p. 307 (1890).

Genus 150. **Hoploclonia.**

Stål, Bihang Svenska Akad. ii. (17) p. 8 (1875), iii. (14) p. 18 (1875); Rec. Orth. iii. pp. 50, 92 (1875).

- **1. **H. Gecko, Westw.** (*Acanthoderus G.*) | Borneo.
Cat. Phasm. p. 52. n. 143, pl. 26. ff. 6, 7
(1859).

Genus 151. **Tisamenus.** (*Type* no. 2.)

Stål, Rec. Orth. iii. pp. 50, 92 (1875).

- **1. **T. Deplanatus, Westw.** (*Phasma (Pachymorpha) Deplanatum*) Cab. Orient. Ent. | Philippines.
p. 78, pl. 38. f. 6 (1847).
Acanthoderus Deplanatus, Westw. Cat.
Phasm. p. 52. n. 144 (1859).
2. **T. Serratorius, Stål,** l. c. p. 92 (1875). | id.
*3. **T. Draconinus, Westw.** (*Phasma (Pachymorpha) Draconinum*) Cab. Orient. Ent. | id.
p. 78, pl. 36. f. 4 (1847).
Acanthoderus Draconinus, Westw. Cat.
Phasm. p. 51. n. 142 (1859).
4. **T. Cervicornis, Bol.** An. Soc. Españ. | id.
xix. p. 307, pl. 1. ff. 5, 5 a (1890).
5. **T. Asper, Bol.** l. c. p. 308 (1890). | id.
*6. **T. Nolimetangere, Haan,** (*Phasma (Acanthoderus) N.*) Temminck, Verhandel., Orth. p. 135, pl. 14. ff. 6, 7 | Borneo.
(1842).
Acanthoderus Nolimetangere, Westw. l. c.
p. 50. n. 138 (1859).
7. **T. (?) Ranarius, Westw. (*Acanthoderus R.*) l. c. p. 53. n. 145, pl. 4. f. 3 (1859).

Genus 152. **Theramenes.** (*Type* no. 2.)

Stål, Rec. Orth. iii. p. 46 note (1875).

- **1. **T. Olivacea, Westw.** (*Eurycantha O.*) | Ceylon.
Cat. Phasm. p. 65. n. 178 (1859).
2. **T. Dromedarius, Stål,** C.R. Soc. Ent. | Philippines.
Belg. xx. p. lxviii (1877).

Genus 153. **Pylæmenes.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 51, 93 (1875).

<p>*1. P. Coronatus, Haan, (<i>Phasma (Pachymorpha) Coronatum</i>) Temminck, Verhandel., Orth. p. 137, pl. 14. ff. 4, 5 (1842).
 <i>Acanthoderus Coronatus, Westw. Cat. Phasm. p. 51. n. 139 (1859).</i></p> <p>*2. P. Spiniventris, Bates, (<i>Acanthoderus S.</i>) Trans. Linn. Soc. Lond. xxv. p. 343, pl. 44. f. 2 <i>a, b</i> (1865).</p> <p>3. P. Occipitalis, Kaup, (<i>Acanthoderus O.</i>) Berlin. Ent. Zeitschr. xv. p. 31 (1871).</p> <p>4. P. Gravidus, Bates, (<i>Acanthoderus G.</i>) l. c. p. 343 (1865).</p> | <p>Java,
Borneo,
Amboina,
Ceram.</p> <p>Timor,
Bouru.</p> <p>Celebes,
N. Guinea.
Gilolo.</p> |
|--|--|

Genus 154. **Datames.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 51, 93 (1875).

**1. D. Oileus, Westw. (<i>Acanthoderus O.</i>) Cat. Phasm. p. 53. n. 146, pl. 26. f. 4 (1859). 2. D. Mouhotii, Bates, (<i>Acanthoderus M.</i>) Trans. Linn. Soc. Lond. xxv. p. 342 (1865). 3. D. Æqualis, Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 89. 4. D. (?) Guttigerus, Westw. (<i>Phasma Guttigerum</i>) l. c. p. 35. n. 98, pl. 27. f. 6 (1859).	<p>Java,
Malacca.</p> <p>Cambogia,
Chantabun.</p> <p>Obi.</p> <p>Sarawak.</p> |
|--|---|

Genus 155. **Dares.** (*Type* no. 2.)

Stål, Rec. Orth. iii. pp. 51, 93 (1875).

1. D. Otys, Westw. (<i>Acanthoderus O.</i>) Cat. Phasm. p. 54. n. 148, pl. 26. f. 2 (1859). 2. D. Validispinus, Stål, l. c. p. 93 (1875). 3. D. Ulula, Westw. (<i>Acanthoderus U.</i>) l. c. p. 53. n. 147, pl. 26. f. 1 (1859).	Borneo. id. id.

ANISOMORPHINÆ.

Genus 158. **Agathemera.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 56, 95 (1875).

- **1. **A. Pardalina, Westw.** (*Anisomorpha P.*) Chile.
 Cat. Phasm. p. 18. n. 46, pl. 5. ff. 1, 2
 (1859); Sharp, Cambridge Nat. Hist.,
 Ins. i. p. 274, f. 161 (1895).
A. Pardalina, Berg, Com. Mus. B. Aires,
 i. p. 185 (1899).
Anisomorpha Variegata, Phil. Zeitschr. ges.
 Naturw. xxi. p. 230 (1863).
- *2. **A. Claraziana, Sauss.** (*Anisomorpha C.*) La Plata.
 Rev. Zool. (2) xx. p. 64 (1868); Miss.
 Mex., Orth. p. 149, pl. 3. f. 4 (1872).
3. **A. (?) Poeyi, Sauss.** (*Anophelepis P.*) Cuba.
 ll. cc. p. 67 (1868); p. 171, pl. 4. ff. 18,
 18 a (1872).

Genus 159. **Autolyca.** (*Type* no. 4.)

Stål, Rec. Orth. iii. pp. 56, 95 (1875).

- **1. **A. Semele, Westw.** (*Anisomorpha S.*) Peru.
 Cat. Phasm. p. 19. n. 49, pl. 25. f. 7
 (1859).
- *2. **A. Unicolor, Haan,** (*Phasma (Anisomorpha) U.*) Temminck, Verhandel., Orth. La Guayra,
 p. 102 note (1842). Bogota.
Bacteria Bogotensis, Goud. Mag. Zool. 1843,
 Ins. p. 2, pl. 125.
Anisomorpha Bogotensis, Westw. l. c. p. 17.
 n. 43 (1859).
3. **A. Roulinii, Goud.** (*Bacteria R.*) l. c. N. Granada.
 p. 4 (1843).
Anisomorpha Roulinii, Westw. l. c. p. 17.
 n. 44, pl. 25. ff. 10, 11 (1859).
4. **A. Pallidicornis, Stål,** l. c. p. 95 Guatemala.
 (1875).

Genus 160. **Decidia.**

Stål, Rec. Orth. iii. pp. 57, 96 (1875).

1. D. Soranus, Westw. (<i>Phasma S.</i>) Cat. Phasm. p. 127. n. 333, pl. 17. f. 3 (1859).
<i>D. Soranus, Rehn</i> , Proc. Acad. Nat. Sci. Philad. 1904, p. 91. | N. Granada,
Bolivia
(eadem?). |
|--|-------------------------------------|

Genus 161. **Paradoxomorpha.** (*Type* no. 1.)

Brancs. Jahresh. Ver. Trencsin. Com. xix.-xx. p. 67 (1898).
 || *Anisomorpha, Blanch.* Gay, Hist. Chile, Zool. vi. p. 27 (1851).

1. P. Crassa, Blanch. (<i>Anisomorpha C.</i>) l. c. p. 28, pl. 1. f. 7 (1852); Westw. Cat. Phasm. p. 18. n. 47 (1859).
<i>Agathemera Crassa, Berg</i> , Com. Mus. B. Aires, i. p. 183 (1899).
<i>P. Bruchi, Brancs.</i> l. c. p. 68, pl. 2. f. 13 (1898).	Chile,
Patagonia.
2. P. Borellii, Giglio-Tos , Boll. Mus. Torino, xii. (302) p. 16 (1897), xv. (377) p. 2 (1900).	Paraguay.
3. P. (?) Grylloides, Westw. (<i>Anisomorpha G.</i>) l. c. p. 19 (1859).	Chile.
4. P. (?) Elegans, Phil. (<i>Anisomorpha E.</i>) Zeitschr. ges. Naturw. xxi. p. 231 (1863).	id.

SUBFAM. XIII.

PRISOPINÆ.

Genus 162. **Xeranthrix.**

Brancs. Jahresh. Ver. Trencsin. Com. xv.-xvi. p. 182 (1893).

1. X. Nossibianus, Brancs. l. c. p. 183, pl. 4. f. 1 (1893).	Madagascar

Genus 163. **Xylica.**

Karsch, Ent. Nachr. xxiv. pp. 365, 381 (1898).

1. X. Œdematosa , Karsch , l. c. p. 382	Usambara.
(1898).	

Genus 164. **Damasippoides.**

Brancs. Jahresh. Ver. Trencsin. Com. xv.-xvi. p. 181 (1893).

1. D. Xanthostictus , Brancs. l. c. p. 182,	Nossi Bé.
pl. 4. f. 5 (1893).	

Genus 165. **Epicharmus.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 60 note (1875).

1. E. Marchali , Serv. (<i>Prisopus M.</i>) Ins.	Mauritius.
Orth. p. 284 (1839).	
<i>Xeroderus</i> (?) <i>Marchali</i> , Westw. Cat. Phasm.	
p. 103. n. 263, pl. 36. f. 4 (1859).	
2. E. Guerinii , Westw. (<i>Prisopus G.</i>) l. c.	id.
p. 170. n. 447, pl. 21. f. 1 (1859).	

Genus 166. **Neocles.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 59 note (1875).

1. N. Simyra , Westw. (<i>Creoxylus S.</i>) Cat.	Sarawak.
Phasm. p. 105. n. 268, pl. 32. f. 3	
(1859).	
2. N. Diacis , Haan , (<i>Phasma</i> (<i>Xeroderus</i>	Sumatra.
<i>D.</i>) Temminck, Verhandel., Orth. p. 117,	
pl. 15. f. 2 (1842).	
<i>Creoxylus Diacis</i> , Westw. l. c. p. 105. n. 269	
(1859).	
**3. N. Laceratus , Westw. (<i>Creoxylus L.</i>)	id.
l. c. p. 270, pl. 29. f. 1 (1859).	

Genus 167. **Prisopus.** (*Type* no. 4.)

St.-Farg. & Serv. Enc. Méth., Ins. x. p. 444 (1825); Serv. Ann. Sci. Nat. xx. p. 62 (1831); Ins. Orth. p. 282 (1839); Gray, Syn. Phasm. pp. 13, 27 (1835); Burm. Handb. Ent. ii. p. 587 (1838); Haan, Temminck, Verhandel., Orth. p. 112 (1842); Westw. Cat. Phasm. p. 166 (1859); Sauss. Miss. Mex., Orth. p. 199 (1872); Stål, Bihang Svenska Akad. iii. (14) p. 20 (1875); Rec. Orth. iii. p. 60 (1875).
Platytelus, Gray, l. c. pp. 13, 28 (1835); Burm. l. c. p. 588 (1838). (*Type* no. 12.)

<p>*1. P. Horstokkii, Haan, (<i>Phasma</i> (<i>Prisopus</i>) <i>H.</i>) l. c. p. 113, pl. 12. f. 1 (1842).
 <i>P. Horstokkii</i>, Westw. l. c. p. 168. n. 441 (1859).</p> <p>2. P. (?) Cornutus, Gray, l. c. p. 43 (1835); Westw. l. c. p. 169. n. 445 (1859).
 <i>Gryllus Locusta</i> —, Stoll, Saut. Pass. p. 88, pl. 206. f. 79 (1813).</p> <p>3. P. Draco, Oliv. (<i>Mantis D.</i>) Enc. Méth., Ins. vii. p. 636. n. 59 (1792).
 <i>Phasma Dracunculus</i>, pupa, Licht. Cat. Mus. Hamburg, iii. p. 78. n. 13 (1796); Trans. Linn. Soc. Lond. vi. p. 16. n. 22 (1802).
 <i>Phasma Nympha</i>, Stoll, Spectres, Phasmes, p. 14, pl. 5. f. 18 (1813).
 <i>P. Nympha</i>, Gray, l. c. p. 28 (1835).
 <i>P. Incertus</i>, Westw. l. c. p. 169. n. 444 (1859).</p> <p>4. P. Sacrata, Oliv. (<i>Mantis S.</i>) l. c. p. 639. n. 76 (1792).
 <i>Phasma Dracunculus</i>, Licht. ll. cc. p. 78. n. 13 (1796); p. 16. n. 22 (1802).
 <i>Phasma Flabelliformis</i>, Stoll, Spectres, Phasmes, p. 53, pl. 18. ff. 65, 65 a (1813).
 <i>P. Flabelliformis</i>, Gray, l. c. p. 27 (1835); Burm. l. c. p. 588. n. 4 (1838).</p> <p>5. P. (?) Ohrtmanni, Licht. (<i>Phasma O.</i>) Trans. Linn. Soc. Lond. vi. p. 17. n. 23, pl. 2. f. 1 (1802).
 <i>P. Ohrtmanni</i>, Westw. l. c. p. 167. n. 439 (1859).
 <i>P. Ohrtmanni</i>, Gray, l. c. p. 28 (1835).</p> <p>6. P. Mexicanus, Sauss. Rev. Zool. (2) xi. p. 61 (1859); Miss. Mex., Orth. p. 200 (1872).</p> | <p>Cape;
 S. Leone
 (eadem?).</p> <p>India(?).</p> <p>Java.</p> <p>Amboina.</p> <p>India(?).</p> <p>Mexico.</p> |
|---|---|

7. P. Cepus, Westw. l. c. p. 169. n. 446,
pl. 20. f. 1 (1859).	Bolivia.
**8. P. Berosus, Westw. l. c. p. 168. n. 442,
pl. 20, f. 7 (1859).	Panama.
**9. P. Phacellus, Westw. l. c. p. 169. n. 443
(1859).	Ega.
10. P. Spiniceps, Burm. l. c. p. 588. n. 1
(1838); Westw. l. c. p. 167. n. 438 (1859).
<i>P. Flabelliformis, Serv.</i> Ins. Orth. p. 283
(1839).	Brazil.
*11. P. Spinicollis, Burm. l. c. p. 588. n. 2
(1838).
<i>P. Flabelliformis, Westw.</i> l. c. p. 166. n. 437
(1859).	id.
12. P. Horridus, Gray, (Platytelus H.) l. c.
p. 28 (1835); Westw. Brit. Cycl. Nat.
Hist. iii. p. 359, pl. Orth. f. 1 (1837);
Cat. Phasm. p. 168. n. 440 (1859).	Colombia.

Genus 168. **Loxopsis.**

Westw. Cat. Phasm. p. 117 (1859).

1. L. Conocephala, Haan, (Phasma Cono-
<i>cephalum)</i> Temminck, Verhandel., Orth.
p. 124, pl. 12. f. 3 (1842).
<i>L. Conocephala, Westw.</i> l. c. p. 117. n. 301
(1859).	Sumatra.
**2. L. (?) Hipponoe, Westw. (Necroscia H.)
l. c. p. 140. n. 364, pl. 29. f. 2 (1859).	Sarawak.

Genus 169. **Cacomorpha.**

Sharp, Willey, Zool. Results, p. 91 (1898).

1. C. Aberrans, Sharp, l. c. pl. 8. f. 12
(1898).	Lifu.

Genus 170. **Leosthenes.**

Stål, Rec. Orth. iii. p. 60 (1875).

1. L. Aquatilis, Stål, l. c. p. 102 (1875).	N. Caledonia

Genus 171. **Nisyrys.**

Stål, C.R. Soc. Ent. Belg. xx. p. lxvi (1877).

- *1. **N. Spinulosus**, Stål, l. c. p. lxvii (1877). | Fiji.

Genus 172. **Cotylosoma.** (Type no. 2.)

Wood-Mason, Ann. Nat. Hist. (5) i. p. 102 (1878).

1. **C. Amphibium**, Stål, (*Nisyrys Amphibius*) | Tonga.
C.R. Soc. Ent. Belg. xx. p. lxvii (1877).
*2. **C. Dipneusticum**, Wood-Mason, l. c. | Fiji (nec
p. 102 (1878) ; Waterh. Ann. Nat. Hist. Borneo).
(6) xv. p. 498, fig. (1895).
3. **C. Carlottæ, Macgill. (*Prisopus C.*) Zoo- | N.Hebrides,
logist, xviii. p. 7141 (1860). | Aneiteum.

Genus 173. **Damasippus.** (Type no. 1.)

Stål, Rec. Orth. iii. p. 60 (1875).

1. **D. Westwoodii**, Stål, l. c. p. 101 (1875). | Panama.
*2. **D. Zymbræus**, Westw. (*Dinelytron Z.*) | N. Granada.
Cat. Phasm. p. 163. n. 432, pl. 15. f. 3
(1859).
3. **D. Batesianus**, Westw. (*Dinelytron* | Upper
Batesianum) l. c. p. 184. n. 471 (1859). | Amazons.

Genus 174. **Acanthoclonia.** (Type no. 1.)

Stål, Bihang Svenska Akad. ii. (17) p. 8 (1875).

1. **A. Tisiphone**, Westw. (*Acanthoderus T.*) | Colombia.
Cat. Phasm. p. 54. n. 149, pl. 26. ff. 10,
11 (1859).
2. **A. Sævissimus, Westw. (*Ceroys S.*) l. c. | Brazil.
p. 60. n. 167, pl. 26. f. 3 (1859) ; Sharp,
Cambridge Nat. Hist., Ins. i. p. 264. n. 151
(1895).
3. **A. Histrinus, Westw. (*Ceroys H.*) l. c. | Venezuela.
p. 60. n. 166, pl. 1. f. 5 (1859).
4. **A. Arispa**, Westw. (*Acanthoderus A.*) | Colombia.
l. c. p. 57. n. 157, pl. 26. f. 5 (1859).
5. **A. (?) Paradoxa, Kirb. Ann. Nat. Hist. | Santarem.
(7) xiii. p. 444 (1904).

Genus 175. **Pygirhynchus.** (*Type* no. 1.)

Serv. Ins. Orth. p. 260 (1839); Westw. Cat. Phasm. p. 58 (1859); Sauss. Miss. Mex., Orth. p. 169 (1872); Stål, Bihang Svenska Akad. ii. (17) p. 15 (1875); Rec. Orth. iii. pp. 53, 94 (1875).

1. P. Subfoliatus , Serv. l. c. p. 261 (1839);	Brazil.
Westw. l. c. p. 58. n. 161 (1859).	
2. P. Coronatus , Serv. l. c. p. 261 (1839);	id. (?)
Westw. l. c. p. 58. n. 162 (1859).	
3. P. Thomæ , Sauss. Rev. Zool. (2) xx.	St. Thomas.
p. 64 (1868); Miss. Mex., Orth. p. 170 (1872).	

Genus 176. **Dinelytron.** (*Type* no. 1.)

Gray, Syn. Phasm. pp. 13, 27 (1835); Westw. Cat. Phasm. p. 163 (1859); Stål, Bihang Svenska Akad. ii. (17) p. 16 (1875); Rec. Orth. iii. p. 60 (1875).

1. D. Grylloides , Gray, l. c. pp. 27, 43 (1835);	Brazil.
Westw. l. c. p. 163. n. 429 (1859).	
<i>Platycrania Grylloides</i> , Burm. Handb. Ent. ii. p. 582. n. 2 (1838).	
2. D. Hipponax , Gray, l. c. p. 27 (1835);	id.
Westw. l. c. p. 163. n. 430 (1859).	
3. D. Shuckardi , Gray, l. c. p. 43 (1835);	id.
Westw. l. c. p. 163. n. 431 (1859).	
**4. D. (?) Agrion , Westw. l. c. p. 164. n. 433, pl. 21. f. 6 (1859).	Villa Nova.
**5. D. Merismus , Westw. l. c. p. 164. n. 434, pl. 13. f. 5 (1859).	Venezuela.

SUBFAM. XIV.

PSEUDOPHASMINÆ.

Genus 177. **Dajaca.**

Brunn. Ann. Mus. Genova, xxxiii. p. 99 (1893).

*1. <i>Sp. non descr.</i>	Borneo.

Genus 178. **Donusa.**

Stål, Bihang Svenska Akad. ii. (17) p. 16 (1875);
Rec. Orth. iii. p. 54 (1875).

1. D. Prolixa , Stål, ll. cc. p. 18 (1875);
p. 94 (1875).	Valparaiso.
?? <i>Bactridium Coulonianum</i> , Sauss. (<i>antea</i> ,
p. 352).	

Genus 179. **Orobia.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. ii. (17) p. 16 (1875), iii. (14)
p. 18 (1875); Rec. Orth. iii. pp. 54, 95 (1875).

*1. O. Nigrolineata , Stål, Bihang Svenska
Akad. ii. (17) p. 17 (1875).	Madagascar
*2. O. Lucubensis , Brancs. Jahresh. Ver.
Trencsin. Com. xv.-xvi. p. 180, pl. 4.
f. 2 (1893).	
3. O. Sohri , Brancs. l. c. xix.-xx. p. 69,
pl. 2. f. 14 (1898).	id.

Genus 180. **Stratocles.** (*Type* no. 2.)

Stål, Rec. Orth. iii. pp. 57, 96 (1875).

1. S. Stabilinus , Westw. (<i>Phasma S.</i>) Cat.
Phasm. p. 124. n. 326, pl. 17. f. 5 (1859).	Amazons.
2. S. Cinctipes , Stål, l. c. p. 96 (1875).	
**3. S. Bogotensis , Kirb. Trans. Linn. Soc.
Lond., Zool. (2) vi. p. 474 (1896).	Bogota.
4. S. Bennettii , Gray, (<i>Phasma B.</i>) Syn.
Phasm. p. 25 (1835); Westw. l. c. p. 124.
n. 325 (1859).	Colombia.
5. S. Forcipatus , Bol. Actas Soc. Españ.
xxv. p. 11 (1896).	Peru.
6. S. Multilineatus , Rehn, Proc. Acad.
Nat. Sci. Philad. 1904, p. 91.	Costa Rica.
7. S. Costaricensis , Rehn, l. c. p. 93 (1904).	id.
*8. S. Perspicillaris , Stoll, (<i>Phasma P.</i>)
Spectres, Phasmes, p. 67, pl. 23. f. 86
(1813).	Surinam,
N. Granada.
<i>Phasma Perspicillare</i> , Gray, Syn. Phasm.
p. 24 (1835); Westw. l. c. p. 117. n. 303
(1859).	

9. **S. (?) Tessellatus, Oliv.** (*Mantis Tessulata*) Enc. Méth., Ins. vii. p. 637. n. 63 (1792). Surinam.
Phasma Variegatum, Licht. Cat. Mus. Zool. Hamburg, iii. p. 78. n. 20 (1796); Trans. Linn. Soc. Lond. vi. p. 15. n. 18 (1802); Gray, Syn. Phasm. p. 24 (1835); Serv. Ins. Orth. p. 271 (1839); Westw. l. c. p. 121. n. 314 (1859).
Phasma Variegata, Fabr. Suppl. Ent. Syst. p. 189. n. 16 (1798); Stoll, Spectres, Phasmes, p. 24, pl. 8. f. 26 (1813).

Genus 181. **Olcyphides.** (*Type* no. 1.)

Griff. Zool. Anz. xxii. p. 90 (1899).

|| *Phocylides*, Stål, Rec. Orth. iii. pp. 57, 96 (1875), *nec Pascoe*.

1. **O. Bicarinatus, Stål**, (*Phocylides B.*) Colombia.
 l. c. p. 96 (1875).
 2. **O. Hopii, Gray, (*Phasma H.*) Syn. Brazil.
 Phasm. p. 25 (1835).
Phasma Hopei, Westw. Cat. Phasm. p. 117. n. 302 (1859).
Phasma Lineolatum, Serv. Ins. Orth. p. 273 (1839); Westw. l. c. p. 120. n. 310 (1859).
 2 a. **O. Fasciatus, Gray**, (*Phasma Fasciatum*) l. c. p. 24 (1835); Burm. Handb. Ent. ii. p. 585. n. 7 (1838); Westw. l. c. p. 120. n. 311 (1859). id.
 ***3. **O. Tithonus, Gray**, (*Phasma T.*) l. c. id.
 p. 23 (1835); Westw. l. c. p. 119. n. 308 (1859).
Phasma Tithonius, Serv. l. c. p. 272 (1839).
Phocylides Tithonus, Bol. Viaje al Pacifico, Ins. p. 27 (1884).
Phasma Ornatum, Burm. Handb. Ent. ii. p. 585. n. 6 (1838); Charp. Orth. pl. 42 (1845).
Phasma Lineatum, Fisch. Bull. Mosc. vii. p. 327 (1834).
 4. **O. Jurinii, Sauss.** (*Metriotes J.*) Rev. S. America.
 Zool. (2) xx. p. 69 (1868); Miss. Mex., Orth. p. 197, pl. 4. f. 24 (1872).

- *5. **O. Venilia**, Westw. (*Phasma V.*) l. c. Bogota.
p. 118. n. 305, pl. 33. f. 5 (1859).
- **6. **O. Gambrisius**, Westw. (*Phasma G.*) Venezuela.
l. c. p. 118. n. 304, pl. 14. f. 2
(1859).
7. **O. Cryptochloros**, Rehn, (*Pseudophasma*
Cryptochlore) Proc. Acad. Nat. Sci.
Philad. 1904, p. 98. Costa Rica.
- **8. **O. Cneius**, Westw. (*Phasma C.*) l. c. Villa Nova.
p. 124. n. 324, pl. 21. f. 2 (1859).
- **9. **O. Iridesens**, Kirb. Ann. Nat. Hist. (7) Trinidad.
xiii. p. 445 (1904).

Genus 182. **Ignacia**. (*Type* no. 1.)

- Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 95 note.
[*Pseudophasma*, Bol. Actas Soc. Españ. xxv. p. 13 (Sept. 1896).
1. **I. Auriculata**, Bol. (*Pseudophasma*
Auriculatum) l. c. p. 12 (1896). Amazons.
- **2. **I. Appendiculata**, Kirb. Ann. Nat. Hist. E. Peru.
(7) xiii. p. 446 (1904).

Genus 183. **Pseudophasma**. (*Type* no. 8.)

- Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 474 (July, 1896).
[*Phasma*, Fabr. Suppl. Ent. Syst. p. 183 (1798); Latr. Hist.
Nat. Crust. Ins. iii. p. 272 (1802); Gray, Syn. Phasm.
p. 22 (1835); Burm. Handb. Ent. ii. p. 583 (1838);
Serv. Ins. Orth. p. 266 (1839); Westw. Cat. Phasm.
p. 117 (1859); Sauss. Miss. Mex., Orth. p. 193 (1872);
Stål, Bihang Svenska Akad. ii. (17) p. 16 (1875), iii. (14)
p. 19 (1875); Rec. Orth. iii. p. 57 (1875).
- **1. **P. Cyllarus**, Westw. (*Necroscia C.*) Cat. Jamaica.
Phasm. p. 155. n. 407, pl. 13. f. 2, pl. 14.
f. 5 (1859).
2. **P. Unicolor**, Gray, (*Phasma U.*) Syn. Colombia.
Phasm. p. 25 (1835); Westw. l. c.
p. 125. n. 327 (1859).
3. **P. Menius**, Westw. (*Phasma M.*) l. c. id.,
p. 118. n. 306, pl. 17. f. 2 (1859). Chiriqui,
P. Menius, Rehn, Proc. Acad. Nat. Sci. Costa Rica.
Philad. 1904, p. 97.
4. **P. Phaeton**, Rehn, l. c. p. 95 (1904). Costa Rica.

- *15. **P. Salpingus, Westw.** (*Phasma S.*) l. c. Bogota.
p. 119. n. 307, pl. 33. f. 3 (1859).
- *16. **P. Armatum, Gray,** (*Phasma A.*) l. c. Demerara.
p. 26 (1835); Westw. l. c. p. 123. n. 322 (1859).
17. **P. Rugicolle, Gray,** (*Platycrana Rugicollis*) l. c. p. 38 (1835). Brazil.
Metriotes Rugicollis, Westw. l. c. p. 162. n. 428 (1859).
Phasma Lichenale, Burm. Handb. Ent. ii. p. 584. n. 2 (1838).
18. **P. Xanthomela, Oliv.** (*Phasma X.*) l. c. Surinam.
p. 638. n. 67 (1792).
|| *Mantis Lateralis, Licht.* Cat. Mus. Zool. Hamburg, iii. p. 78. n. 12 (1796).
|| *Phasma Laterale, Licht.* Trans. Linn. Soc. Lond. vi. p. 15. n. 17 (1802); Gray, l. c. p. 22 (1835); Westw. l. c. p. 122. n. 317 (1859).
|| *Phasma Lateralis, Stoll,* l. c. pp. 31, 32, pl. 10. ff. 36, 37 (1813).
19. **P. Radiatum, Scudd.** (*Phasma R.*) Proc. E. Peru.
Boston Soc. N. H. xvii. p. 279 (1875).
20. **P. Helvolum, Serv.** (*Phasma H.*) Ins. Brazil.
Orth. p. 273 (1839); Westw. l. c. p. 119. n. 309 (1859).
21. **P. Cubense, Sauss.** (*Phasma Cubensis*) Cuba.
Rev. Zool. (2) xx. p. 69 (1868).
Phasma Cubense, Sauss. Miss. Mex., Orth. p. 195, pl. 4. f. 23 (1872).
22. **P. Kheili, Bol.** (*Phasma K.*) Actas Soc. Amazons.
Españ. xxv. p. 13 (1896).
23. **P. Prasinum, Serv.** (*Phasma P.*) l. c. Hab. —?
p. 272 (1839); Westw. l. c. p. 121. n. 315 (1859).

Genus 184. **Prexaspes.** (Type no. 2.)

Stål, Rec. Orth. iii. pp. 59, 98 (1875).

|| *Metriotes, Sauss.* Miss. Mex., Orth. p. 197 (1872).

- **1. **P. Acuticornis, Gray,** (*Phasma Acuticorne*) Syn. Phasm. p. 26 (1835). S. America.
Metriotes Acuticornis, Westw. Cat. Phasm. p. 162. n. 425 (1859).
|| *Metriotes Servillii, Sauss.* l. c. p. 198 (1872):

2. **P. Servillii, Gray**, (*Phasma S.*) l. c. Brazil.
p. 26 (1835); Serv. Ins. Orth. p. 267
(1839); Guér. Icon. R. Anim., Ins. texte,
p. 328 (1844).
|| *Phasma Annulata*, Serv. Ann. Sci. Nat.
xxii. p. 58 (1831); Guér. l. c. Ins.
pl. 53. f. 1 (1832); Gray, Griffith, Anim.
Kingd. xv. p. 792, pl. 110. f. 1 (1832).
Metriotes Servillii, Westw. l. c. p. 162.
n. 426 (1859).
- (?) *P. Servillii*, Stål, l. c. p. 98 (1875).
3. **P. Venosus, Burm.** (*Phasma Venosum*) id.
Handb. Ent. ii. p. 585. n. 4 (1838).
Metriotes Venosa, Westw. l. c. p. 161.
n. 424 (1859).
4. **P. Dictys, Westw.** (*Metriotes D.*) l. c. id.
p. 160. n. 421, pl. 15. f. 7 (1859).
P. Dictys, Stål, l. c. p. 98 (1875).
- *5. **P. Ambiguus, Stoll**, (*Phasma Ambigua*) id.,
Spectres, Phasmes, p. 74, pl. 25. f. 98 Surinam,
(1813). Cayenne.
Phasma Ambiguum, Gray, l. c. p. 26
(1835); Serv. Ins. Orth. p. 269 (1839);
Westw. l. c. p. 123. n. 320, pl. 13. f. 3
(1859).
P. Ambiguus, Stål, l. c. p. 98 (1875).
- **6. **P. Pholcus, Westw.** (*Phasma P.*) l. c. Santarem.
pp. 122, 181. n. 318, pl. 10. f. 2 (1859).
- **7. **P. Lateralis, Fabr.** (*Mantis L.*) Syst. Brazil.
Ent. p. 275. n. 5 (1775); Ent. Syst. ii.
p. 15. n. 12 (1793); Oliv. Enc. Méth.,
Ins. vii. p. 634. n. 43 (1792).
Phasma Lateralis, Fabr. Suppl. Ent. Syst.
p. 188. n. 12 (1798).
- **8. **P. Maculatus, Gray**, (*Phasma Maculatum*) Amazons.
l. c. p. 26 (1835); Serv. l. c. p. 269
(1839); Westw. l. c. p. 122. n. 319
(1859).
9. **P. Neptunus, Kaup**, (*Dinelytron N.*) Brazil.
Berlin. Ent. Zeitschr. xv. p. 41 (1871).
10. **P. Umbretta, Licht.** (*Phasma U.*) Cat. Surinam.
Mus. Zool. Hamburg, iii. p. 78. n. 10
(1796); Trans. Linn. Soc. Lond. vi. p. 14.
n. 15 (1802).
Necrosia Umbretta, Westw. l. c. p. 147.
n. 382 (1859).

- || *Phasma Linearis*, Stoll, l. c. p. 24, pl. 8.
f. 27 (1813).
11. **P. Quadratus**, Bates, (*Phasma Quadratum*) Trans. Linn. Soc. Lond. xxv.
p. 350 (1865). Santarem.
12. **P. Janus**, Kirb. (n. n.). Cayenne.
|| *Phasma Acanthopteron*, Serv. Ins. Orth.
p. 268 (1839) (*nec Stoll*).

Genus 185. **Isagoras**. (Type no. 1.)

Stål, Rec. Orth. iii. pp. 59, 98 (1875).

- *1. **I. Bubastes**, Westw. (*Metriotes B.*) Cat. Tapajos.
Phasm. p. 159. n. 419, pl. 14. f. 1
(1859).
- (?) || *I. Obscurus*, Stål, l. c. p. 98 (1875) (*nec Guér.*).
- **2. **I. Santara**, Westw. (*Metriotes S.*) l. c. Santarem.
p. 159. n. 418, pl. 14. f. 4 (1859).
3. **I. Quitensis**, Sauss. (*Phasma Q.*) Rev. Quito.
Zool. (2) xx. p. 69 (1868).
Phasma Quitense, Sauss. Miss. Mex., Orth.
p. 194 (1872).

Genus 186. **Metriotes**. (Type no. 3.)

Westw. Cat. Phasm. p. 158 (1859); Stål, Bihang Svenska
Akad. ii. (17) p. 16 (1875); Rec. Orth. iii. pp. 60, 100
(1875).

1. **M. Stollii**, Gray, (*Platycrana S.*) Syn. S. America.
Phasm. p. 38 (1835); Burm. Handb.
Ent. ii. p. 582. n. 1 (1838).
M. Stollii, Westw. l. c. p. 159. n. 416
(1859).
- || *Phasma Reticulata*, Stoll, Spectres, Phas-
mes, p. 67, pl. 23. f. 85 (1813) (*nec Beauv.*).
- *2. **M. Obscurus**, Guér. (*Phasma Obscurum*) Brazil
Mag. Zool., Ins. 1838, p. 72, pl. 235; (Bahia, &c.).
Voy. Favorite, v. Ins. p. 152, pl. 43 (1839).
M. Obscura, Westw. l. c. p. 160. n. 420
(1859).

<p>*3. M. Diocles, Westw. l. c. p. 161. n. 423,
pl. 15. f. 1 (1859) ; Stål, l. c. p. 100
(1875).</p> <p>4. M. Agathocles, Stål, l. c. (1875).</p> <p>*5. M. Myrsilus, Westw. l. c. p. 160. n. 422,
pl. 15. f. 6 (1859).</p> <p>6. M. Festæ, Giglio-Tos, Boll. Mus. Torino,
xiii. (311) p. 34 (1898).</p> <p>7. M. Baculus, Geer, (<i>Mantis B.</i>) Mém.
Ins. iii. p. 405. n. 2, pl. 36. ff. 2, 3
(1773).</p> <p><i>M. Baculus</i>, Stål, l. c. p. 101 (1875).</p> <p>8. M. Cinerea, Oliv. (<i>Mantis Cirenea</i>) Enc.
Méth., Ins. vii. p. 641. n. 15 (1792).</p> <p><i>Phasma Cinereum</i>, Licht. Trans. Linn. Soc.
Lond. vi. p. 16. n. 20 (1802) ; Gray,
l. c. p. 25 (1835) ; Burm. Handb. Ent. ii.
p. 584. n. 3 (1839) ; Westw. l. c. p. 121.
n. 316 (1859).</p> <p><i>Phasma Cinerea</i>, Stoll, l. c. p. 45, pl. 14.
f. 56 (1813).</p> <p>**9. M. Ega, Westw. (<i>Phasma E.</i>) l. c. p. 120.
n. 312, pl. 32. f. 2 (1859).</p> | <p>Colombia,
Ecuador,
Chiriqui.
S. Amer.(?).</p> <p>Colombia,
Ecuador.
Ecuador.</p> <p>Surinam.</p> <p>id., Bahia.</p> <p>Ega.</p> |
|---|--|

Genus 187. **Xerosoma** (*inc. sed.*).

Serv. Ann. Sci. Nat. xxii. p. 61 (1831) ; Ins. Orth. p. 274
(1839) ; Gray, Syn. Phasm. p. 26 (1835) ; Westw. Cat.
Phasm. p. 103 (1859) ; Stål, Rec. Orth. iii. pp. 59, 99
(1875).

<p>1. X. Canaliculatum, Serv. ll. cc. p. 61
(1831) ; p. 275, pl. 6. f. 3 (1839) ; Gray,
l. c. p. 27 (1835) ; Westw. l. c. p. 104.
n. 265 (1859).</p> <p>2. X. (?) Senticosa, Stål, l. c. p. 99
(1875).</p> <p>3. X. (?) Glyptomerion, Rehn, Proc. Acad.
Nat. Sci. Philad. 1904, p. 101.</p>	Brazil. id. (Bahia). Costa Rica.

Genus 188. **Creoxylus.** (*Type* no. 1.)

serv. Ins. Orth. p. 265 (1839); Westw. Cat. Phasm. p. 104 (1859); Sauss. Miss. Mex., Orth. p. 195 (1872).
Xerosoma, sect. a, Stål, Rec. Orth. iii. pp. 59, 99 (1875).

<p>1. C. Corniger, Serv. l. c. p. 265 (1839);
 Westw. l. c. p. 104. n. 266 (1859).</p> <p>*2. C. Spinosus, Fabr. (<i>Mantis Spinosa</i>)
 Syst. Ent. p. 274. n. 3 (1775); Oliv. Enc.
 Méth., Ins. vii. p. 633. n. 40 (1792).
 <i>Phasma Spinosa</i>, Fabr. Suppl. Ent. Syst.
 p. 188. n. 9 (1798).
 <i>Phasma Spinosum</i>, Gray, Syn. Phasm.
 p. 22 (1835).
 <i>Xerosoma Spinosa</i>, Stål, l. c. p. 99 (1875).
 <i>C. Spinosus</i>, Westw. l. c. p. 104. n. 267 (1859).
 <i>Phasma Corniceps</i>, Gray, l. c. p. 25 (1835).</p> <p>3. C. (?) Poeyi, Sauss. Rev. Zool. (2) xx.
 p. 68 (1868); Miss. Mex., Orth. p. 196
(1872).</p>	Hab. — ? Demerara. Cuba.

Genus 189. **Planudes.** (*Type* no. 4.)

Stål, Rec. Orth. iii. pp. 59, 98 (1875).

<p>1. P. Brevipennis, Burm. (<i>Phasma Brevipenne</i>) Handb. Ent. ii. p. 584. n. 1 (1838).
<i>Metriotes Brevipennis</i>, Westw. Cat. Phasm. p. 162. n. 427 (1859).</p> <p>*2. P. Paxillus, Westw. (<i>Phasma P.</i>) l. c. p. 127. n. 332, pl. 11. f. 5 (1859).</p> <p>3. P. Crenulipes, Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 100.</p> <p>4. P. Perillus, Stål, l. c. p. 98 (1875).</p> <p>5. P. Molorcha, Westw. (<i>Bacteria M.</i>) l. c. p. 29. n. 81, pl. 24. f. 4 (1859).</p> <p>**6. P. (?) Flavomaculatus, Gray, (<i>Phasma Flavomaculatum</i>) Syn. Phasm. p. 25 (1835); Westw. l. c. p. 123. n. 323 (1859).</p>	Brazil. id. Costa Rica. Hab. — ? N. Granada. Brazil.

SUBFAM. XV.

ASCHIPASMINÆ.

Genus 190. **Aschipasma.**

- Westw. Cat. Phasm. p. 92 (1859); Stål, Bihang Svenska Akad.
 ii. (17) p. 16 (1875), iii. (14) p. 19 (1875); Rec. Orth. iii.
 p. 55 (1875).
Aschiphasma, Westw. Zool. Journ. v. p. 442 (1834).
Ascephasma (A), Haan, Temminck, Verhandel., Orth. pp. 113,
 114 (1842).
Perlamorpha, Gray, Syn. Phasm. p. 13 (1835); Serv. Ins.
 Orth. p. 275 (1839); Blanch. Hist. Nat. Ins. iii. p. 19
 (1840); Brunn. Ann. Mus. Genova, xxxiii. p. 100
 (1893).
Perlamorphus, Gray, l. c. p. 21 (1835); Burm. Handb. Ent.
 ii. p. 583 & note (1838).

*1. A. Annulipes, Westw. (<i>Aschiphasma A.</i>)	Java,
Zool. Journ. v. p. 442 (1834).	Sumatra,
<i>A. Annulipes</i> , Westw. Cat. Phasm. p. 92.	Borneo,
n. 234, pl. 15. f. 2 (1859).	N. India,
<i>Phasma</i> (<i>Ascephasma</i>) <i>Annulipes</i> , Haan,	Malacca
l. c. p. 114 (1842).	(eadem?).
<i>Perlamorphus Hieroglyphicus</i> , Gray, l. c.	
p. 21 (1835); Burm. l. c. p. 583 note	
(1838); Blanch. l. c. p. 19 (1840).	
<i>Perlamorpha Hieroglyphica</i> , Serv. l. c.	
p. 276 (1839).	

Genus 191. **Presbistus.** (Type no. 2.)

- Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 475 (1896).
 || *Aschipasma*, Brunn. Ann. Mus. Genova, xxxiii. p. 100 (1893).
Ascephasma (C), Haan, Temminck, Verhandel., Orth. pp. 113,
 114 (1842).

**1. P. Crudelis, Westw. (<i>Aschipasma Cru-</i>	Ceylon.
<i>dele</i>) Cat. Phasm. p. 96. n. 246, pl. 9.	
f. 7 (1859).	

- * * 2. **P. Peleus, Gray**, (*Perlamorphus P.*) Syn. Malabar,
Phasm. p. 22 (1835); Burm. Handb. Malacca.
Ent. ii. p. 583 note (1838).
Aschipasma Peleus, Westw. l. c. p. 96.
n. 245, pl. 15. f. 4 (1859).
- * 3. **P. Ridleyi, Kirb.** (n. n.). Malacca,
|| *Phasma (Ascephasma) Peleus*, Haan, Java,
Temminck, Verhandel., Orth. p. 115 Sumatra.
(1842).
4. **P. Eryx, Westw.** (*Aschipasma E.*) l. c. Malacca.
p. 96. n. 248, pl. 19. f. 3 (1859).
- * 5. **P. Nebulosus, Westw.** (*Aschipasma* Ceylon.
Nebulosum) l. c. p. 93. n. 235, pl. 9. f. 4
(1859).
6. **P. Flavicornis, Haan**, (*Phasma (Asce-* Borneo.
phasma) Flavicorne) l. c. p. 114 (1842).
Aschipasma Flavicorne, Westw. l. c. p. 95.
n. 241 (1859).
7. **P. Affinis, Haan**, (*Phasma (Ascephasma)* Java.
Affine) l. c. p. 115 (1842).
Aschipasma Affine, Westw. l. c. p. 95.
n. 240 (1859).
8. **P. Viridimarginatus, Haan**, (*Phasma* id.
(Ascephasma) Viridimarginatum) l. c.
p. 115 (1842).
Aschipasma Viridimarginatum, Westw.
l. c. p. 95. n. 242 (1859).
9. **P. Pilosipes, Haan**, (*Phasma (Asce-* Borneo.
phasma) P.) l. c. p. 115 (1842).
Aschipasma Pilosipes, Westw. l. c. p. 95.
n. 243 (1859).
10. **P. Iridescent, Haan**, (*Phasma (Asce-* Sumatra.
phasma) I.) l. c. p. 116 (1842).
Aschipasma Iridescent, Westw. l. c. p. 95.
n. 244 (1859).
- * 11. **P. Infumatus, Charp.** (*Ascepasma Infu-* Java,
matum) Orth. pl. 41 (1845). Borneo.
Aschipasma Infumatum, Westw. l. c. p. 98.
n. 251 (1859).
- * 12. **P. Daunus, Westw.** (*Aschipasma D.*) l. c. Java.
p. 98. n. 250, pl. 18. f. 2, pl. 20. f. 2
(1859).
13. **P. Dulichia, Westw.** (*Aschipasma D.*) Sarawak.
l. c. p. 97. n. 247, pl. 33. f. 2 (1859).

Genus 192. **Orthomeria, Kirb.** (n. n.). (*Type* no. 5.)

Ascephasma (B), *Haan*, Temminck, Verhandel., Orth.
pp. 113, 114 (1842).

<p>**1. O. Catadromus, Westw. (<i>Aschipasma C.</i>)
Cat. Phasm. p. 94. n. 238, pl. 18. f. 3
(1859); Sharp, Cambridge Nat. Hist.,
Ins. i. p. 263, f. 150 (1895).</p> <p>**2. O. Darnis, Westw. (<i>Aschipasma D.</i>) l. c.
p. 97. n. 249, pl. 20. f. 3 (1859).</p> <p>**3. O. Servilleana, Westw. (<i>Aschipasma</i>
<i>Servilleanum</i>) l. c. p. 98. n. 252 (1859).
 <i>Perlamorpha Peleus, Serv.</i> Ins. Orth. p. 277,
pl. 8. f. 1 (1839) (<i>nec Gray</i>).</p> <p>**4. O. Pandora, Westw. (<i>Aschipasma P.</i>)
l. c. p. 93. n. 237, pl. 9. f. 2 (1859).</p> <p>*5. O. Forstenii, Haan, (<i>Phasma</i> (<i>Asce-</i>
<i>phasma</i>) <i>F.</i>) l. c. p. 114 (1842).
<i>Aschipasma Forstenii, Westw.</i> l. c. p. 93.
n. 236 (1859).</p> <p>**6. O. Alexis, Westw. (<i>Aschipasma A.</i>) l. c.
p. 94. n. 239, pl. 28. f. 3 (1859).</p> | <p>Sumatra.</p> <p>Java.</p> <p>id.</p> <p>Philippines,
Ceram.</p> <p>Celebes.</p> <p>Borneo.</p> |
|--|---|

SUBFAM. XVI.

PHYLLINÆ.

Genus 193. **Chitoniscus.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 62, 104 (1875).

<p>*1. C. Lobiventris, Blanch. (<i>Phyllium Lobi-</i>
<i>ventre</i>) Voy. Pôle Sud, Zool. iv. p. 359,
Orth. pl. 1. f. 9 (1853); Westw. Cat.
Phasm. p. 174. n. 454, pl. 39. f. 5
(1859).</p> <p>*2. C. Feejeeanus, Westw. (<i>Phyllium Fee-</i>
<i>jeeanum</i>) Proc. Ent. Soc. Lond. (3) ii.
p. 17 (1864).</p>	Fiji. id.

3. C. (?) Novæ-Britanniæ, Wood-Mason,
(<i>Phyllium N.</i>) Ann. Nat. Hist. (4) xx.
p. 75 (1877).	New
Britain.
4. C. (?) Brachysoma, Sharp, (<i>Phyllium B.</i>)
Willey, Zool. Results, p. 92, pl. 8. f. 13
(1898).	Lifu.

Genus 194. **Pulchriphyllium.** (*Type* no. 7.)

Griff. Boll. Mus. Torino, xiii. (312) p. 2 (1898);
Misc. Ent. vi. p. 3 (1898).

1. P. Bioculatum, Gray, (<i>Phyllium B.</i>)
Griffith, Anim. Kingd. xv. p. 191, pl. 163.
f. 3 (1832); Syn. Phasm. p. 30 (1835);
Burm. Handb. Ent. ii. p. 590. n. 3
(1838); Westw. Cat. Phasm. p. 175.
n. 455 (1859).	Mauritius.
**2. P. Gelonus, Gray, (<i>Phyllium G.</i>) Zoo-
logist, i. p. 121, f. <i>d</i> (1843); Westw. l. c.
p. 175. n. 456 (1859).
<i>Phyllium Crurifolium</i> , ♂, Serv. Ins. Orth.
p. 291 (1839).	Seychelles.
*3. P. Dardanus, Westw. (<i>Phyllium D.</i>)
l. c. p. 176. n. 461, pl. 40. f. 5 (1859).	id.
**4. P. Agathyrsus, Gray, (<i>Phyllium A.</i>)
l. c. pp. 121, 122, f. <i>h</i> (1843); Westw.
l. c. p. 176. n. 458 (1859).	Ceylon.
*5. P. Crurifolium, Serv. (<i>Phyllium C.</i> , ♀)
l. c. p. 291 (1839); Gray, l. c. p. 120
(1843); Westw. l. c. p. 176. n. 460
(1859).
<i>Pasma (Phyllium) Crurifolium</i> , Haan,
Temminck, Verhandel., Orth. p. 112
(1842).
<i>Phyllium Bioculatum</i> , Gray, l. c. pp. 121,
122, f. <i>f</i> (1843); Bol. Ann. Soc. Ent.
France, 1895, p. 395.	id.,
Borneo,
Seychelles.
*6. P. Pulchrifolium, Serv. (<i>Phyllium P.</i>)
l. c. p. 292 (1839); Gray, l. c. pp. 121,
122, f. <i>g</i> (1843); Westw. l. c. p. 177.
n. 462 (1859); Rehn, Proc. Acad. Nat.
Sci. Philad. 1904, p. 106.
<i>Pasma (Phyllium) Pulchrifolium</i> , Haan,
l. c. p. 112, pl. 15. f. 6 (1842).	Java,
Borneo.

- *7. **P. Scythe, Gray**, (*Phyllium S.*) l. c. N. India.
 pp. 121, 122, f. i (1843); Murray, Edinb.
 New Philos. Journ. (2) iii. p. 96, pls. 6, 7
 (1856); Westw. l. c. p. 177. n. 463
 (1859); Sharp, Cambridge Nat. Hist. i.
 pp. 267-272, figs. 154, 155, 157, 158
 (1895); Rehn, l. c. p. 106 (1904).

Genus 195. **Phyllium**. (*Type* no. 1.)

- Illiger, Käf. Preuss. p. 499 (1798); Latr. Hist. Nat. Crust.
 Ins. iii. p. 271 (1802); St.-Farg. & Serv. Enc. Méth., Ins.
 x. p. 115 (1825); Serv. Ann. Sci. Nat. xxii. p. 63 (1831);
 Ins. Orth. p. 287 (1839); Gray, Syn. Phasm. pp. 13, 29
 (1835); Zoologist, i. p. 117 (1843); Burm. Handb. Ent. ii.
 p. 589 (1838); Blanch. Hist. Nat. Ins. iii. p. 18 (1840);
 Haan, Temminck, Verhandel., Orth. p. 111 (1842);
 Westw. Cat. Phasm. p. 171 (1859); Stål, Bihang Svenska
 Akad. ii. (17) pp. 12, 15 (1875), iii. (14) p. 21 (1875);
 Rec. Orth. iii. pp. 62, 104 (1875).
 || *Pteropus*; Thunb. Mém. Acad. Pétersb. v. p. 219 (1815).

- *1. **P. Siccifolium, Linn.** (*Gryllus (Mantis)* Amboina.
Siccifolius) Syst. Nat. (ed. x.) i. p. 425.
 n. 3 (1758); Mus. Lud. Ulr. p. 111
 (1764).
 (Rösel, Ins. Belust. ii. Locusta Indica,
 pl. 17.)
Mantis Siccifolia, Fabr. Syst. Ent. p. 276
 n. 11 (1775); Oliv. Enc. Méth., Ins. vii.
 p. 626. n. 6 (1792); Don. Ins. Ind. pl. 11
 (1800).
Phasma Siccifolia, Stoll, Spectres, Phasmes,
 pp. 21-23, pl. 7. ff. 24-26 (1813).
P. Siccifolium, St.-Farg. & Serv. l. c. p. 115
 (1825); Serv. Ins. Orth. p. 289 (1839);
 Gray, ll. cc. p. 30 (1835); pp. 118, 121,
 f. b (1843); Burm. l. c. p. 590. n. 1
 (1838); Blanch. l. c. p. 18, pl. 5 (1840);
 Westw. Cat. Phasm. p. 172. n. 449
 (1859).
Pteropus Siccifolius, Thunb. l. c. p. 286
 (1815).
P. Brevicorne, Latr. l. c. p. 272 (1802).
Phasma Citrifolium, Licht. Cat. Mus. Zool.

Hamburg, iii. p. 78. nn. 21-23 (1796);
Trans. Linn. Soc. Lond. vi. p. 17. n. 25
(1802).

Mantis Foliatius, Perry, Arcana, pl. 24
(1811).

P. Gorgon, Gray, ll. cc. p. 31 (1835);
p. 119 (1843).

*2. **P. Westwoodii**, Wood-Mason, Journ.
Asiatic Soc. Bengal, xlv. p. 218, pl. 17
(1875); xlv. p. 351, pl. 3. f. 3 (1877).

3. **P. Geryon, Gray, Zoologist, i. pp. 118,
121, f. a (1843); Westw. l. c. p. 174.
n. 453 (1859); Griff. Boll. Mus. Torino,
xiii. (312) pp. 2, 3, figs. A, B (1898).

Phasma (Phyllium) Siccifolium (nymph),
Haan, l. c. p. 111, pl. 15. f. 7 (1842).

*4. **P. Chlorophyllum**, Stoll, (*Phasma*
Chlorophylla) l. c. p. 69, pl. 23. f. 89
(1813).

P. Chlorophyllum, Burm. l. c. p. 590. n. 2
(1838); Westw. l. c. p. 173. n. 450
(1859).

P. Chlorophyllum, Gray, Syn. Phasm. p. 31
(1835); Zoologist, i. p. 119 (1843).

P. Stollii, St.-Farg. & Serv. l. c. p. 115
(1825).

*5. **P. Celebicum**, Haan, l. c. p. 111 (1842);
Gray, Zoologist, i. p. 121 (1843); Westw.
l. c. p. 173, pl. 40. f. 6 (1859); Wood-
Mason, l. c. xlv. p. 218, pl. 16 (1875).

6. **P. Athanyus, Westw. l. c. p. 174.
n. 452, pl. 31. f. 3 (1859).

7. **P. Bilobatum, Gray, l. c. p. 120 fig.,
p. 121, f. c (1843); Westw. l. c. p. 175.
n. 457 (1859).

8. **P. Donovanii**, Gray, Syn. Phasm. p. 31
(1835); Zoologist, i. p. 120 (1843);
Westw. l. c. p. 176. n. 459 (1859).

Mantis sp., Don. l. c. pl. 11. fig. sup. (1800).

S. Anda-
mans,
Moulmein.
Philippines.

Hab. — ?

Celebes,
Philippines,
Burmah.

Ceylon.

Philippines.

Hab. — ?

INDEX.

The names of Families and Subfamilies are printed in Capitals, and those of Genera are either printed in Capitals or enclosed in parentheses. Those of species are printed in Roman, and those of varieties and synonyms in Italics. In case of an accidental duplication of entry of a species, the page indicating the reference to be erased is enclosed in square brackets.

- Abbreviata (Allacta), 100.
Abbreviata (*Blatta*), 104.
Abbreviata (*Mantis*), 231.
Abbreviata (*Temnelytra*), 137.
Abbreviata (*Temnopteryx*), 104.
Abbreviata (*Zonioploca*), 137.
Abdominalis (*Hedaia*), 123.
Abdominalis (*Mantis*), 301.
Abdominalis (*Stagmatoptera*), 301.
Abdul (*Bacillus*), 337.
Abdul (*Clonaria*), 337.
Aberrans (*Cacomorpha*), 406.
Aberrans (*Tribonidium*), 158.
Abjecta (*Ameles*), 229.
Abjecta (*Mantis*), 229.
Abnormis (*Cylindrogaster*), 5.
Abnormis (*Pygidicrana*), 5, 6.
ABRACHIA, 352.
ABRODLETA, 99.
Abscissa (*Hostilia*), 192.
Abscissa (*Zetobora*), 192.
Abyssinica (*Derocalymma*), 188.
Abyssinica (*Homalodemus*), 188.
Abyssinica (*Temnopteryx*), 103.
Abyssinica (*Temnopteryx*), 103.
Acanthocephala (*Agonidasoidea*), 373.
Acanthocephala (*Necroscia*), 373.
Acanthocephalum (*Necroscia*), 373.
Acanthocephalum (*Phasma*), 373.
ACANTHOCOLONIA, 407.
ACANTHODERUS, 339.
ACANTHODERUS, 340.
ACANTHODYTA, 383.
ACANTHOMANTIS, 296.
Acanthomera (*Cyphocrania*), 387.
Acanthomera (*Monandroptera*), 387.
ACANTHOMIMA, 383.
Acanthophora (*Phasma*), 373.
Acanthophora (*Trigonophasma*), 373.
ACANTHOPS, 282.
Acanthoptera (*Necroscia*), 373.
Acanthopteron (*Phasma*), 373, 415.
Acanthopus (*Bacteria*), 359.
Acanthopus (*Cladoxerus*), 359.
Acanthopus (*Phasma*), 359.
Acanthopus (*Phibalsoma*), 359.
Acanthopygia (*Chelidurella*), 43.
Acanthopygia (*Forficula*), 43.
Achalus (*Aplopus*), 363.
Achalus (*Haplopus*), 363.
Acheron (*Acrophylla*), 389.
Acheron (*Ctenomorpha*), 389.
Acheron (*Diura*), 389.
Acheron (*Phasma*), 389.
ACHLÆNA, 216.
ACHRIOPTERA, 394.
ACHROBLATTA, 155.
Acolhua (*Blatta*), 95.
Acolhua (*Panchlora*), 153.
Acolhua (*Phyllodromia*), 95.
Acolhua var. *Minor* (*Panchlora*), 153.
ACONTISTA, 232.
ACONTISTES, 232.
Acornuta (*Pachymorpha*), 342.
ACROMANTIS, 280.
ACROPHYLLA, 388.
ACROPHYLLINÆ, 379.
Aculeata (*Forficula*), 47.
Aculeata (*Labia*), 27.
Aculeata (*Sphingolabis*), 47.
Aculiferum (*Bactrododema*), 366.

- Acuticorne* (*Phasma*), 413.
Acuticornis (*Metriotes*), 413.
Acuticornis (*Prexaspes*), 413.
Acutipennis (*Derocardia*), 119.
Acutipennis (*Hedaia*), 119.
Acutipennis (*Hierodula*), 301.
Acutipennis (*Necroscia*), 375.
Acutipennis (*Oxyops*), 298.
Acutipennis (*Stagmatoptera*), 301.
Acutus (*Camax*), 336.
Adelpha (*Labidura*), 12.
Adelphus (*Demogorgon*), 12.
Adimoniales (*Lupparia*), 65.
Adjuncta (*Epilampra*), 126.
Adjuncta (*Nauphæta*), 180.
Adpersa (*Aphlebia*), 69.
Adpersa (*Hololampra*), 69.
Adpersa (*Mantis*), 239.
Adpersicollis (*Blatta*), 94.
Adpersicollis (*Phyllodromia*), 94.
Adpersipennis (*Melastora*), 167.
Adumbratum (*Phibalosoma*), 357.
Adumbratus (*Xylodus*), 357.
Adusta (*Acanthops*), 283.
Adusta (*Aphlebia*), 69.
Adusta (*Epilampra*), 115.
Adusta (*Hololampra*), 69.
Adusta (*Homalopteryx*), 115.
Adusta (*Panchlora*), 150.
Adusta (*Phyllodromia*), 69.
Adusta (*Rhyparobia*), 150.
Advena (*Anisolabis*), 20.
Advena (*Hormetica*), 197.
Advena (*Labidura*), 20.
Advena (*Phyllodromia*), 91.
Ægrota (*Phyllodromia*), 90.
Ægyptiaca (*Bacteria*), 333.
Ægyptiaca (*Blatta*), 107, 171.
Ægyptiaca (*Heterogamia*), 171.
Ægyptiaca (*Phthoa*), 333.
Ægyptiaca (*Polyphaga*), 171.
Ægyptiaca (*Polyphaga*), 172.
Ægyptiaca (*Polyzosteria*), 114.
Ægyptiacus (*Bacillus*), 333.
Ægyptiacus (*Heteronutarsus*), 212.
Ægyptiacus (*Heteronychotarsus*), 212.
 ÆLUROPODA, 199.
Ænea (*Corydia*), 167.
Ænea (*Derocalymma*), 190.
Ænea (*Ellipsica*), 183.
Ænea (*Perisphæria*), 190.
Ænea (*Polyzosteria*), 128.
Æqua (*Pellita*), 189.
Æqua (*Perisphæria*), 189.
Æqualis (*Blabera*), 165.
Æqualis (*Blatta*), 103.
Æqualis (*Datames*), 400.
Æqualis (*Libisoca*), 165.
Æqualis (*Loboptera*), 103.
Æqualis (*Perisphæria*), 191.
Æqualis (*Polyphaga*), 174.
Æquatorialis (*Paratropa*), 110.
Æquatorialis (*Paratropes*), 109.
Æquatoriana (*Blabera*), 164.
Æruginosa (*Mantis*), 240.
Æruginosa (*Polyspilota*), 240.
Æruginosa var. *Fuscorrorata* (*Polyspilota*), 240.
Æruginosa var. *Prasina* (*Polyspilota*), 240.
Æruginosa var. *Viridis* (*Polyspilota*), 240.
Æsalus (*Necroscia*), 369.
Æsalus (*Sosibia*), 369.
Æstuans (*Bactricia*), 338.
Æstuans (*Bactrododema*), 366.
Æstuans (*Bacunculus*), 338.
Æstuans (*Clonaria*), 338.
Æstuans (*Cyphocrania*), 366.
Æstuans (*Gyna*), 149.
Æstuans (*Palophus*), 366.
Æstuans (*Panchlora*), 149.
Æstuans (*Tarachodes*), 215.
 ÆTHALOCHROA, 308.
Æthiopica (*Blatta*), 139.
Æthiopica (*Periplaneta*), 139.
Æthiopica (*Theganopteryx*), 64.
Æthiopis (*Blatta*), 202.
Æthiopis (*Panesthia*), 202.
Æthiops (*Panesthia*), 202.
Æthiops (*Forficula*), 52.
Ætolus (*Bacteria*), 354.
Ætolus (*Phanocles*), 354.
Ætolus (*Phibalosoma*), 354.
Affine (*Ascephasma*), 419.
Affine (*Aschiphasma*), 419.
Affine (*Phasma*), 419.
Affinis (*Æthalochroa*), 308.
Affinis (*Aruanoidea*), 379.
Affinis (*Blatta*), 93.
Affinis (*Derocalymma*), 192.
Affinis (*Forficesila*), 11.
Affinis (*Forficula*), 11.
Affinis (*Methana*), 136.
Affinis (*Necroscia*), 379.
Affinis (*Panesthia*), 202.
Affinis (*Paraclonaria*), 336.
Affinis (*Periplaneta*), 136.
Affinis (*Perisphæria*), 192.
Affinis (*Phyllodromia*), 93.
Affinis (*Platycrania*), 379.
Affinis (*Pæciloblatta*), 192.
Affinis (*Presbistus*), 419.
Affinis (*Pseudomops*), 76.
Affinis (*Thyrsocera*), 76.
Afra (*Forficula*), 8.
Africana (*Acanthomantis*), 296.
Africana (*Anaplecta*), 66.
Africana (*Blatta*), 172.
Africana (*Bormansia*), 13.

- Africana* (Ectobia), 63.
Africana (Forficula), 49.
Africana (Gyna), 150.
Africana (Heterogamia), 172.
Africana (Oxyhaloa), 175.
Africana (Panchlora), 150.
Africana (Polyphaga), 172.
Africana (Sphingolabis), 49.
Africanus (Tapyx), 56.
Africanus (Tapyx), 56.
Afrum (Echinosoma), 8.
Afzelii (Chiropacha), 215.
Afzelii (Tarachodes), 215.
Agaboides (Methana), 135.
Agaboides (Periplaneta), 135.
 AGATHEMERA, 402.
Agathina (Epilampra), 126.
Agathocles (Metriotes), 416.
Agathysus (Phyllium), 421.
Agathysus (Pulchriphyllium), 421.
Agilis (Condylopalama), 58.
Agondas (Agondasoidea), 373.
Agondas (Necroscia), 373.
 AGONDASOIDEA, 373.
Agrion (Dinelytron), 408.
Agrionina (Aruanoidea), 378.
Agrionina (Mantis), 263.
Agrionina (Necroscia), 378.
Agrionina (Photina), 263.
Agrionina (Solygia), 263.
Ahrimanes (Anechura), 41.
Alaris (Anaplecta), 67.
Alaris (Biolleya), 171.
Alaris (Blatta), 94.
Alaris (Fulcinea), 257.
Alaris (Nanomantis), 257.
Alaris (Pelmatosilpha), 142.
Alaris (Periplaneta), 142.
Alaris (Phyllodromia), 94.
Alata (Ameles), 225.
Alata (Armene), 225.
Alata (Mesopteryx), 237.
Alauna (Bacillus), 330.
Alauna (Paraclitumnus), 330.
Albella (Mantis), 255.
Albella (Miopteryx), 255.
Albella (Nanomantis), 255.
Albertisii (Forficula), 47.
Albertisii (Sphingolabis), 47.
Albicincta (Blatta), 62.
Albicincta (Ectobia), 62.
Albicollis (Phoraspis), 112.
Albida (Blatta), 94.
Albida (Phyllodromia), 94.
Albilatera (Deropeltis), 146.
Albilatera (Periplaneta), 146.
Albimacula (Mantis), 254.
Albimacula (Stagmomantis), 254.
Albina (Hedaia), 123.
Albinervis (Pseudophyllodromia), 98.
Albipennis (Apterygida), 44.
Albipennis (Chelidura), 44.
Albipennis (Forficula), 44.
Albipes (Apterygida), 48.
Albipes (Forficula), 48.
Albipes (Sphingolabis), 48.
Albofimbriata (Mantis), 235.
Albofimbriata (Pseudomantis), 235.
Albomarginata (Anaplecta), 67.
Albomarginata (Cosmozosteria), 132.
Albomarginata (Forficula), 34.
Albomarginata (Lobophora), 34.
Albomarginata (Platyzosteria), 133.
Albomarginata (Pelyzosteria), 132.
Albomarginata (Psalidophora), 34.
Albomarginata var. *Brunnea* (Platyzosteria), 133.
Albomarginatus (Cheliosches), 34.
Albopunctatum (Ctenomorphia), 389.
Albovittata (Blatta), 79.
Albovittata (Phyllodromia), 79.
Albovittatum (Ellipsoidion), 79.
Alca (Temnopteryx), 104.
Alcarazzas (Blatta), 154.
Alcarazzas (Panchlora), 154.
Alexis (Aschipasma), 420.
Alexis (Orthomeria), 420.
Algerica (Aphlebia), 69.
Algerica (Heterogamia), 173.
Algerica (Hololampra), 69.
Algerica (Polyphaga), 173.
Algericus (Bacillus), 335.
Aliena (Phyllodromia), 91.
 ALLACTA, 99.
Alliaceus (Rhaphiderus), 383.
Alliberti (Ameles), 230.
Alliberti (Perlamanitis), 230.
Alligata (Epilampra), 120.
Alligata (Heterolampra), 120.
 ALLODAHLIA, 41.
Alluaudi (Blatta), 89.
Alluaudi (Desmosia), 97.
Alluaudi (Lonchodes), 318.
Alluaudi (Phyllodromia), 89.
Alluaudi (Stælonchodes), 318.
Alpheus (Megacrana), 385.
Alpheus (Platycrania), 385.
Alpina (Chelidura), 42.
Alpina (Forficula), 42.
Alta (Perisphæria), 190.
Alternans (Blatta), 97.
Alternans (Phyllodromia), 97.
Alternans (Pseudophyllodromia), 97.
Alticeps (Cardioptera), 226.
Alticeps (Dystacta), 226.
Alticeps (Mantis), 226.

- Alutacea (Zonioploca), 137.
 Alutaceus (Eubulides), 395.
 Amaræ (Pseudocrebrotia), 293.
 Amathia (Bacillus), 328.
 Amathia (Baculum), 328.
 Amaurops (Lonchodes), 323.
 Amaurops (Sthenobœa), 323.
 Amazonensis (Opisthocosmia), 40.
 Amazonica (Bacteria), 349.
 Amazonica (Heterone-mia), 349.
 Amazonica (Vates), 306.
 Amazonicus (Theoclytes), 306.
 Amazonicus (Vates), 306.
 Ambigua (Phasma), 414.
 Ambiguum (Phasma), 414.
 Ambiguus (Prexaspes), 414.
 AMBIVIA, 280.
 Amboinica (Salganea), 200.
 AMELES, 229.
 AMELES, 228, 229.
 Americana (Blatta), 140.
 Americana (Forcipula), 9.
 Americana (Forficesila), 14.
 Americana (Forficula), 14.
 Americana (Kakerlac), 140.
 Americana (Labidura), 14.
 Americana (Loboptera), 103.
 Americana (Opisthocosmia), 40.
 Americana (Periplaneta), 140.
 Americana (Psalis), 14.
 Americana (Pseudomops), 76.
 Americana (Thyrso-cera), 76.
 Americana Colorata (Periplaneta), 141.
 Americanus (Japyx), 57.
 Amœna (Blatta), 89.
 Amœna (Calyptornis), 179.
 Amœna (Comptosia), 180.
 Amœna (Eustegasia), 180.
 Amœna (Forficula), 26.
 Amœna (Galinthias), 296.
 Amœna (Harpax), 296.
 Amœna (Hypnorna), 179.
 Amœna (Junodia), 286.
 Amœna (Labia), 26.
 Amœna (Nauphaeta), 180.
 Amœna (Nisibis), 78.
 Amœna (Pachymantis), 288.
 Amœna (Phyllodromia), 89.
 Amœna (Thyrso-cera), 78.
 Amœnula (Acontista), 234.
 AMORPHOSCELINÆ, 207.
 AMORPHOSCELIS, 207.
 Amphibium (Cotylo-soma), 407.
 Amphibius (Nisyris), 407.
 Ampla (Blatta), 194.
 Ampla (Melanosilpha), 194.
 Ampla (Phyllodromia), 194.
 Amplectens (Blatta), 93.
 Amplectens (Phyllo-dromia), 93.
 Amplicollis (Phyllo-dromia), 90.
 Amplipennis (Epilampra), 114.
 Amplipennis (Molytria), 114.
 Amplipennis (Photina), 273.
 AMPUSA, 311.
 Analis (Chelidura), 54.
 Analis (Derocalymma), 188.
 Analis (Forficula), 54.
 Analis (Homalodemias), 188.
 Analis (Platyzosteria), 130.
 Analis (Polyzosteria), 130.
 Analis (Pseudo-chelidura), 54.
 ANAMESIA, 129.
 ANAPLECTA, 66.
 ANAPTYCTA, 74.
 ANASTIRA, 294.
 Anastomosa (Ischno-ptera), 82.
 ANATÆLIA, 7.
 ANAXARCHA (ANAX-ANDRA, *err. impr.*), 223.
 ANCHIALE, 392.
 ANCISTROGASTER, 36.
 Ancy-lura (Anechura), 41.
 Ancy-lura (Forficula), 41.
 Androgyna (Stagmo-mantis), 254.
 ANECHURA, 40.
 ANGELA, 264.
 Angolensis (Apotrogia), 175.
 Angolensis (Bacillus), 333.
 Angolensis (Phthoa), 333.
 Angulata (Diapherodes), 362.
 Angulata (Epilampra), 123.
 Angulata (Hedaia), 123.
 Angulata (Mantis), 284, 362.
 Angulata (Monastria), 161.
 Angulata (Phasma), 362, 364.
 Angulata (Pseudocanthops), 284.
 Angulatum (Phasma), 362.
 Angulatus (Haplopus), 364.
 Angulifera (Acanthops), 283.
 Angulifera (Anisolabis), 19.
 Angulifera (Brachylabis), 19.
 Angusta (Pœcilloblatta), 192.
 Angusta (Pseudomops), 74.
 Angustata (Blatta), 97.
 Angustata (Deroplatys), 281.
 Angustata (Pseudophyllo-dromia), 97.
 Angustata (Pygidicrana), 5.
 Angustata var. Venosa (Pseudophyllodromia), 97.
 Angusticollis (Psalido-phora), 23.
 Angusticollis (Sparatta), 23.

- Angusticollis* (Theopompa), 213.
Angustipennis (Blatta), 202.
Angustipennis (Panesthia), 202.
Angustipennis (Tenodera), 239.
Anisitsi (Blabera), 165.
Anisitsi (Euryderes), 272.
ANISOGAMIA, 173.
ANISOLABIS, 17.
ANISOMORPHA, 401.
ANISOMORPHA, 403.
ANISOMORPHINÆ, 401.
ANISOPYGIA, 101.
Annamallayanum (Pharnacia), 359.
Annamallayanum (Phibalosoma), 359.
Annectens (Vates), 306.
ANNTA, 209.
Annulata (Forficula), 27.
Annulata (Ischnoptera), 82.
Annulata (Labia), 27.
Annulata (Mantis), 301.
Annulata (Marmessoidea), 372.
Annulata (Necroscia), 372.
Annulata (Oxypila), 285.
Annulata (Pachymorpha), 342.
Annulata (Phasma), 372, 414.
Annulata (Phthoa), 332.
Annulata (Stagmatoptera), 301.
Annulatium (Phasma), 372.
Annulatus (Bacillus), 332.
Annulatus (Oxypilus), 285.
Annulatus (Oxypilus), 286.
Annulicornis (Amorphoscelis), 208.
Annulicornis (Anisolabis), 21.
Annulicornis (Blatta), 76.
Annulicornis (Forcinella), 21.
Annulicornis (Ischnoptera), 85.
Annulicornis (Loboptera), 103.
Annulicornis (Pseudomops), 76.
Annulicornis (Thyrso-cera), 76.
Annulifera (Blatta), 91.
Annulifera (Phyllodromia), 91.
Annulipes (Amorphoscelis), 207.
Annulipes (Anisolabis), 18.
Annulipes (Ascephasma), 418.
Annulipes (Aschipasma), 418.
Annulipes (Aschiphasma), 418.
Annulipes (Forcinella), 18.
Annulipes (Forficula), 18.
Annulipes (Labidura), 18.
Annulipes (Liturgousa), 271.
Annulipes (Mantis), 271.
Annulipes (Necroscia), 376.
Annulipes (Phasma), 376, 418.
Anodus (Japyx), 57.
Anomala (Blatta), 90.
Anomala (Chorisoneura), 71.
Anomala (Comptoshepsis), 208.
Anomala (Paraphoraspis), 110.
Anomala (Phlebonotus), 110.
Anomala (Phoraspis), 110.
Anomala (Phyllodromia), 90.
ANOPHELEPIS, 382.
ANTEMNA, 284.
Antennata (Anisolabis), 20.
Antennata (Deropeltis), 147.
Antennata (Elliptoblatta), 183.
Antennata (Panesthia), 202.
Antennata (Pseudoderopeltis), 147.
Antennata (Pseudoglomeris), 191.
Anthracina (Blatta), 139.
Anthracina (Chelidura), 40.
Anthracina (Cutilia), 134.
Anthracina (Periplaneta), 139.
Anthracina (Stylopyga), 134.
Antica (Calolampra), 117.
Antica (Polyzosteria), 117.
Antica (Zetobora), 160.
Antiguensis (Pseudectobia), 66.
Antiguensis (Theganopteryx), 66.
Antillarum (Bacteria), 346.
Antillarum (Blatta), 140.
Antillarum (Callimantis), 251.
Antillarum (Iris), 251.
Antillarum (Mantis), 251.
Antillarum (Panchlora), 152.
Antillarum (Stylopyga), 140.
Antipoda (Cutilia), 134.
Antipoda (Pelmato-silpha), 143.
Antipodum (Methana), 134.
ANTISSA, 222.
ANTISTIA, 228.
Antonii (Anisolabis), 20.
Antonii (Forcinella), 20.
Anubis (Eremiaphila), 212.
Apacha (Homœogamia), 174.
APACHYA, 3.
APACHYS, 3.
APACHYUS, 3.
Apalanurus (Arrhidæus), 384.
Apennina (Apterygia), 50.
Apennina (Forficula), 50.
APHEBIA, 63.
APHEBIDEA, 71.
Apicalis (Creobotra), 291.
Apicalis (Mantis), 235.
Apicalis (Periplaneta), 81.
Apicalis (Pseudomantis), 235.
Apicalis (Sparatta), 23.
Apicifera (Blatta), 80.
Apicifera (Ectobia), 63.
Apicifera (Ellipsidion), 80.
Apicigera (Blatta), 91.
Apicigera (Phyllodromia), 91.
APLOPUS, 363.
Apollonius (Hermarchus), 360.
Apollonius (Phibalosoma), 360.

- APOLYTA*, 79.
APOTROGIA, 175.
Appendiculata (*Ignacia*), 411.
APSIDOPIS, 119.
APTERA, 182.
Aptera (*Ameles*), 231.
Aptera (*Calolampra*), 117.
Aptera (*Chelidura*), 42.
Aptera (*Chelidura*), 43.
Aptera (*Cosmiella*), 38.
Aptera (*Forficula*), 42.
Aptera (*Forficula*), 42, 43.
Aptera (*Nympha*), 114.
Aptera (*Pseudoyersinia*), 231.
Aptera var. *Alpina* (*Chelidura*), 42.
Aptera var. *Simplex* (*Chelidura*), 42.
APTERYGIDA, 44.
Aquatilis (*Leosthenes*), 406.
Arabica (*Eremiaphila*), 211.
Arabica (*Hierodula*), 243.
Arabica (*Sphodromantis*), 243.
Arachidis (*Apterygida*), 44, 45.
Arachidis (*Chelidura*), 44.
Arachidis (*Forficula*), 44.
Arampes (*Bacteria*), 349.
Arampes (*Heteronemia*), 349.
Aranea (*Planetica*), 148.
Araucana (*Loboptera*), 103.
Arborifera (*Allacta*), 100.
Arborifera (*Blatta*), 100.
Arbuscula (*Pseudosermyle*), 345.
Arbuscula (*Sermyle*), 345.
ARCHIBLATTA, 148.
ARCHIBLATTINÆ, 148.
ARCHIMANDRITA, 163.
ARCHIMANTIS, 234.
Arcta (*Ischnoptera*), 81.
Arctata (*Epilampra*), 125.
Arcuata (*Clonaria*), 337.
Arcuata (*Gratidia*), 337.
Arcuata (*Labia*), 28.
ARDESCA, 274.
Ardrossanensis (*Cosmozosteria*), 133.
Ardrossanensis (*Platyzosteria*), 133.
Ardua (*Temnopteryx*), 106.
Arenicola (*Blatta*), 62.
AREOLARIA, 177.
Ares (*Forficula*), 53.
Argentina (*Chorisonura*), 72.
Argentina (*Coptopteryx*), 272.
Argentina (*Mantis*), 272.
Argentina (*Miopteryx*), 275.
ARGOSARCHUS, 340.
Arida (*Clonaria*), 337.
Arida (*Deroplatys*), 281.
Arida (*Gratidia*), 337.
Aridifolia (*Mantis*), 239.
Aridifolia (*Tenodera*), 239.
Aridifolia var. *Sinensis* (*Tenodera*), 239.
Arispa (*Acanthoclonia*), 407.
Arispa (*Acanthoderus*), 407.
Aristidis (*Eremiaphila*), 212.
ARIUSIA, 215.
Arizonensis (*Diapheromera*), 347.
Armadillo (*Perisphæria*), 190.
Armata (*Corydia*), 167.
Armata (*Eremoplana*), 266.
Armata (*Forficula*), 39.
Armata (*Mantis*), 266.
Armata (*Opisthocosmia*), 39.
Arnata (*Platyzosteria*), 130.
Armata (*Sparatta*), 24.
Arnata (*Sparattina*), 24.
Armata (*Thespis*), 266.
Armatum (*Phasma*), 413.
Armatum (*Pseudophasma*), 413.
Armatus (*Archimantis*), 235.
ARMENE, 225.
Armicollis (*Calidomantis*), 257.
Armicollis (*Micromantis*), 257.
Armigera (*Blabera*), 164.
ARPHAX, 338.
ARRHIDACUS, 384.
ARRHIDÆUS, 384.
ARRIA, 244.
ARSACIA, 308.
Artemis (*Bacillus*), 329.
Artemis (*Baculum*), 329.
ARTERIA, 308.
Arthritica (*Ancistrogaster*), 36.
Aruana (*Acromantis*), 280.
Aruana (*Aruanoidea*), 378.
Aruana (*Hierodula*), 247.
Aruana (*Necroscia*), 378.
ARUANOIDEA, 378.
Arumatia (*Bacteria*), 355, 356.
Arumatia (*Phasma*), 355.
ASCEPHASMA, 418, 420.
ASCHIPASMA, 418.
ASCHIPASMA, 418.
ASCHIPASMINÆ, 418.
ASCHIPHASMA, 418.
Ashmolia (*Popa*), 308.
Ashmeadi (*Myronides*), 321.
Ashmolia (*Æthalochroa*), 308.
Ashmolia var. *Insignis* (*Æthalochroa*), 308.
Ashmolia var. *Simplipes* (*Æthalochroa*), 308.
Ashmolianus (*Vates*), 308.
Asiatica (*Blatta*), 90.
Asiatica (*Neolobophora*), 29.
Asiatica (*Phyllodromia*), 90.
Asper (*Tisamenus*), 399.
Aspera (*Calolampra*), 118.
Aspera (*Epilampra*), 118.
Aspera (*Forficula*), 7.
Aspera (*Gonypteta*), 224.
Aspera (*Pellita*), 189.
Aspera (*Zetobora*), 189.
Asperatus (*Lonchodes*), 318.
Asperatus (*Stælonchodes*), 318.
Aspericollis (*Bacillus*), 337.
Aspericollis (*Maransis*), 337.
Aspersata (*Nauphæta*), 156.
Asperulus (*Mithrenes*), 319.
ASPRENAS, 367.
Assimilata (*Humbertiella*), 214.
Assimilata (*Theopompa*), 214.
Assiniensis (*Blatta*), 139.
Assiniensis (*Periplaneta*), 139.

- Assiniensis (Spongiphora), 30.
 Assoi (Mantis), 231.
 Assoi (Parameles), 231.
 ASTAPE, 276.
 Asteca (Mantis), 253.
 ASTOLLA, 231.
 ATAXIGAMIA, 174.
 ATELOBLATTA, 198.
 Ater (Chelisoches), 35.
 Aterrima (Blatta), 129, 190.
 Aterrima (Melanozosteria), 129.
 Aterrima (Periplaneta), 108, 131.
 Aterrima (Platyzosteria), 131.
 Aterrima (Polyzosteria), 131.
 Aterrima (Pseudoglomeris), 190.
 Aterrimus (Ancistrogaster), 37.
 Athanyus (Phyllium), 423.
 Athenarum (Japyx), 56.
 Atomaria (Phoraspis), 112.
 Atomifera (Epilampra), 118.
 Atopogamia (Melliera), 254.
 Atra (Calolampra), 118.
 Atra (Derocalymna), 190.
 Atra (Deropeltis), 145.
 Atra (Epilampra), 118.
 Atrata (Periplaneta), 130.
 Atrata (Platyzosteria), 130, 131.
 Atrata (Polyzosteria), 131.
 Atriceps (Pygidicrana), 6.
 Atricollis (Periplaneta), 142.
 Atricoxis (Hierodula), 249.
 Atricoxis (Marmessoidea), 372.
 Atricoxis (Necroscia), 372.
 Atricoxis (Rhombodera), 249.
 Atricoxis var. *Grandis* (Mantis), 249.
 Atricoxis var. *Grandis* (Rhombodera), 249.
 Atriventris (Epilampra), 127.
 Atroarticulatus (Bacillus), 340.
 Atrocoxata (Hierodula), 247.
 Atrophica (Mantis), 372.
 Atrophica (Necroscia), 373.
 Atrophica (Trigonophasma), 372.
 Atrophicum (Necroscia), 373.
 Atrophicum (Phasma), 372, 373.
 Atropos (Blabera), 164.
 Atropos (Blatta), 164.
 Atrosignata (Calvisia), 369.
 ATTAPHILA, 173.
 Attenuata (Leptynia), 335.
 Attenuata (Mantis), 238.
 Atticus (Bacillus), 334.
 AUCHENOMUS, 29.
 Auditor (Labidura), 11.
 Audouini (Eremiaphila), 210.
 Audouini (Eremophila), 210.
 Aurantia (Apolyta), 80.
 Aurantiaca (Blatta), 141.
 Aurantiaca (Mantis), 233.
 Aurantiaca (Thyrsochera), 76.
 Aurantium (Ellipsoidion), 80.
 Aurelianensis (Blatta), 141.
 Auricularia (Forficula), 49.
 Auricularia (Forficula), 50.
 Auricularia var. *Cyclobabia* (Forficula), 50.
 Auricularia var. *Macrobabia* (Forficula), 50.
 Auriculata (Epilampra), 115.
 Auriculata (Ignacia), 411.
 Auriculata (Molytria), 115.
 Auriculatum (Pseudophasma), 411.
 Aurita (Acanthomantis), 296.
 Aurita (Bacteria), 352.
 Aurita (Hoplocorypha), 257.
 Aurita (Mantis), 369.
 Aurita (Otomantis), 296.
 Aurita (Phasma), 369.
 Aurita (Sosibia), 369.
 Auritum (Phasma), 369.
 Auritus (Acanthoderus), 355.
 Auritus (Creoxylus), 369.
 Aurivillii (Theopompa), 213.
 Auscultator (Lonchodes), 323.
 Auscultator (Sthenobœa), 323.
 Austeni (Lonchodes), 326.
 Austeni (Promachus), 326.
 Australasiæ (Blatta), 141.
 Australasiæ (Mantis), 239.
 Australasiæ (Periplaneta), 141.
 Australasiæ (Tenodera), 239.
 Australe (Ellipsoidion), 80.
 Australe (Karabidion), 395.
 Australiæ (Phyllodromia), 93.
 Australica (Chelisoches), 35.
 Australica (Forficesila), 35.
 Australica (Forficula), 35.
 Australica (Ischnoptera), 81.
 Australica (Lobophora), 35.
 Australica (Pellita), 128.
 Australica (Polyzosteria), 128.
 Australica (Sparatta), 23.
 Australica (Spongiphora), 30.
 Australicus (Chelisoches), 35.
 Australiensis (Compsothespis), 208.
 Australis (Acromantis), 280.
 Australis (Arphax), 338.
 Australis (Bacillus), 338.
 Australis (Blatta), 142.
 Australis (Eurycantha), 395.
 Australis (Eurycotis), 143.
 Australis (Haaniella), 398.
 Australis (Hemithyrsochera), 78.
 Australis (Heteropteryx), 398.
 Australis (Ischnoptera), 81.
 Australis (Karabidion), 395.

- Australis (Nanomantis), 255.
 Australis (Opisthoplatia), 143.
 Australis (Panesthia), 204.
 Australis (Panesthia), 204.
 Australis (Paratemnopteryx), 106.
 Australis (Periplaneta), 142.
 Australis (Polyzosteria), 143.
 Australis (Thyrso-cera), 78, 80.
 Australis (Tropidoman-tis), 227.
 AUSTRALOMANTIS, 295.
 Authæmon (Gonypeta), 224.
 AUTOLYCA, 402.
 Autraniana (Deropeltis), 146.
 Aversa (Polyzosteria), 193.
 Avocaensis (Platyzos-teria), 131.
 Azteca (Anaplecta), 67.
 Azteca (Anisolabis), 20.
 Azteca (Bacteria), 345.
 Azteca (Corydia), 170.
 Azteca (Épilampra), 125.
 Azteca (Forcinella), 20.
 Azteca (Holocompsa), 170.
 Azteca (Homæogamia), 174.
 Azteca (Ischnoptera), 84.
 Azteca (Latindia), 169.
 Azteca (Nyctobora), 107.
 Azteca (Panchlora), 154.
 Azteca (Paralatindia), 169.
 Azteca (Phyllodromia), 94.
 Azteca (Polyzosteria), 144.
 Azteca (Sermyle), 345.
 Azteca (Theoclytes), 303.
 Aztecus (Acanthops), 229.
 BACILLINÆ, 327.
 BACILLUS, 333.
 BACTERIA, 355.
 BACTERIINÆ, 348.
 BACTRICIA, 327.
 BACTRICIINÆ, 327.
 BACTRIDIVM, 352.
 BACTRODODEMA, 366.
 BACTROMANTIS, 278.
 BACULUM, 327.
 Baculus (Bacteria), 355.
 Baculus (Bacteria), 354.
 Baculus (Ceroys), 354.
 Baculus (Mantis), 355, 416.
 Baculus (Metriotes), 416.
 BACUNCULUS, 349.
 BACUNCULUS, 348.
 Badia (Blatta), 138.
 Badia (Epilampra), 114.
 Badia (Molytria), 114.
 Bætica (Aphlebia), 70.
 Bætica (Fischeria), 267, 268.
 Bætica (Forficula), 51.
 Bætica (Hololampra), 70.
 Bætica (Iris), 268.
 Bætica (Mantis), 267.
 Bagoti (Polyzosteria), 128.
 BALTA, 106.
 Balteata (Cutilia), 134.
 Balteata (Platyzosteria), 134.
 Bankæ (Hierodula), 247.
 Bankæ (Mantis), 247.
 Banksii (Pseudosermyle), 346.
 BANTIA, 275.
 Barbara (Eremiaphila), 212.
 Barbeyana (Deropeltis), 146.
 Barroisi (Forficula), 52.
 Barroisi (Forficula), 52.
 Bartholomæa (Clonis-tria), 351.
 Basalis (Blatta), 179.
 Basalis (Eremoplana), 266.
 Basalis (Hierodula), 248.
 Basalis (Mantis), 248.
 Basalis (Nauphæta), 156.
 Basalis (Nauphæta), 179.
 Basalis (Paranauphæta), 179.
 Basalis (Phasmomantis), 266.
 Basalis (Phyllodromia), 89.
 Basalis (Rhombodera), 248.
 Basifera (Epilampra), 115.
 Basifera (Homalo-pteryx), 115.
 Basilaris (Epaphrodita), 270.
 Basilaris (Majanga), 270.
 Basilaris (Pantelica), 270.
 Basistriga (Calolampra), 117.
 Basistriga (Epilampra), 117.
 Batesianum (Dinelytron), 407.
 Batesianus (Damasip-pus), 407.
 Batesii (Demogorgon), 12.
 Batesii (Labidura), 12.
 Batesii (Lonchodes), 318.
 Batesii (Megacrana), 385.
 Batesii (Papa), 309.
 Batesii (Stælonychodes), 318.
 BATHYCHARAX, 335.
 BATHYCHARAX, 335.
 Baucis (Bacteria), 318.
 Baucis (Lonchodes), 318.
 Baucis (Stælonychodes), 318.
 Bauvoisi (Cyphocrana), 392.
 Beauvoisi (Blatta), 89.
 Beauvoisi (Cyphocrana), 392.
 Beauvoisi (Eurycnema), 392.
 Beauvoisi (Phyllo-dromia), 89.
 Beccarii (Apachys), 3.
 Beccarii (Apachys), 3.
 Beccarii (Opisthocosmia), 39.
 Beckeri (Diapheromera), 347.
 Beecheyi (Bacillus), 322.
 Beecheyi (Lonchodes), 322.
 Beelzebub (Chelisoches), 33.
 Bella (Epilampra), 119.
 Bella (Mantis), 260.
 Bengalensis (Labidura), 9.
 Bengalensis (Parahor-metica), 191.
 Bengalensis (Stilpno-blatta), 191.
 Bengalic (Panesthia), 203.
 Benguelæ (Gonypeta), 224.
 Bennetti (Phasma), 409.
 Bennetti (Stratocles), 409.

- Berenice (Necroscia), 375.
 Bergi (Attaphila), 173.
 Bergrothi (Epilampra), 83.
 Bergrothi (Ischnoptera), 83.
 Beroe (Bacillus), 330.
 Beroe (Paraclitumnus), 330.
 Berosus (Prisopus), 406.
 Betanimena (Hierodula), 241.
 Betanimena (Tarachomantis), 241.
 Betsileo (Hierodula), 241.
 Betsileo (Tarachomantis), 241.
 Bettoni (Pygidierana), 4.
 Biangulata (Pachymantis), 287.
 Bicarinata (Hierodula), 243.
 Bicarinata (Sphodromantis), 243.
 Bicarinatus (Oleypides), 410.
 Bicarinatus (Phocylides), 410.
 Bicineta (Blatta), 90.
 Bicineta (Phyllodromia), 90.
 Bicingulata (Mantis), 287.
 Bicingulata (Oxyphilus), 287.
 Bicingulata (Pachymantis), 287.
 Bicingulatus (Oxyphilus), 287.
 Bicolor (Aphlebia), 103.
 Bicolor (Apolita), 80.
 Bicolor (Blatta), 84.
 Bicolor (Caloblatta), 86.
 Bicolor (Cosmozosteria), 132.
 Bicolor (Dasyposoma), 198.
 Bicolor (Demogorgon), 12.
 Bicolor (Ellipsoidion), 80.
 Bicolor (Forficula), 10.
 Bicolor (Gigantophasma), 386.
 Bicolor (Ischnoptera), 84.
 Bicolor (Labia), 25.
 Bicolor (Labidura), 10.
 Bicolor (Labidura), 12.
 Bicolor (Melanozosteria), 129.
 Bicolor (Phoraspis), 112.
 Bicolor (Pæciloblatta), 192.
 Bicolor (Polyzosteria), 132.
 Bicolor (Promachus), 326.
 Bicolor (Temnopteryx), 104.
 Bicolor var. Depictus (Gigantophasma), 3-6.
 Bicornis (Bacteria), 353.
 Bicornis (Canuleius), 353.
 Bicornis (Gryllus), 262.
 Bicornis (Hymenopus), 294.
 Bicornis (Mantis), 262, 294.
 Bicornis (Oligonyx), 279.
 Bicornis (Phasma), 353.
 Bicornis (Schizocephala), 262.
 Bicornis (Spanionyx), 279.
 Bicoronata (Acanthodera), 325.
 Bicoronata (Phasma), 325.
 Bicoronatus (Acanthoderus), 325.
 Bicoronatus (Menexenus), 325.
 Bicuspidatum (Haplopus), 364.
 Bicuspidatum (Phasma), 364.
 Bicuspidatus (Haplopus), 364.
 Bicuspis (Apterygida), 46.
 Bicuspis (Calynda), 353.
 Bicuspis (Forficula), 46.
 Bicuspis (Sphingolabis), 46.
 Bidens (Diapheromera), 347.
 Bidens (Forficula), 11.
 Bidens (Japyx), 57.
 Bidens (Labidura), 11.
 Bidens (Mantis), 303, 304.
 Bidens (Pseudovates), 304.
 Bidens (Spanionyx), 279.
 Bidens (Vates), 304.
 Bidentata (Phasma), 394.
 Bidentata (Theganopteryx), 64.
 Bidentatus (Japyx), 57.
 Bidentatus (Onchestus), 394.
 Bifasciata (Blatta), 113.
 Bifasciata (Epilampra), 113.
 Bifasciata (Mantis), 270.
 Bifasciata (Phyllodromia), 113.
 Bifasciata (Pinaconota), 113.
 Bifida (Platyzosteria), 130.
 Bifida (Polyzosteria), 130.
 Bifolia (Caulonia), 344.
 Bifoliata (Sthenobœa), 323.
 Bifoliatum (Acanthoderus), 323.
 Bifoliatum (Phasma), 323.
 Bifoliatum (Prisomera), 323.
 Bifoveolata (Brachylabis), 16.
 Bifrons (Dyme), 350.
 Bifureata (Clonaria), 337.
 Bifurcata (Gratidia), 337.
 Bigibbosa (Mio-panesthia), 205.
 Bigibbus (Caulonia), 344.
 Bigibbus (Ceroys), 344.
 Biglumis (Panesthia), 203.
 Biglumis (Platyzosteria), 131.
 Biglumis (Polyzosteria), 131.
 Biguttata (Blatta), 161.
 Biguttata (Calvisia), 370.
 Biguttata (Corydia), 163.
 Biguttata (Forficula), 40, 51.
 Biguttata (Glyptopeltis), 182.
 Biguttata (Monachoda), 161.
 Biguttata (Monastria), 161.
 Biguttata (Necroscia), 370.
 Biguttatum (Phasma), 370.
 Biligata (Blatta), 91.
 Biligata (Ischnoptera), 91.
 Biligata (Phyllodromia), 91.
 Bilineata (Forficula), 10.

- Bilineata (Labia), 28.
Bilineata (Musionia), 256.
 Bilineata (Nanomantis), 256.
 Biloba (Cutilia), 134.
Biloba (Polyzosteria), 134.
Bilobata (Brachycolla), 198.
Bilobata (Entoria), 328.
Bilobata (Parahormetica), 198.
Bilobatium (Baculum), 328.
Bilobatium (Phyllium), 423.
Bilunata (Blatta), 180.
Bilunata (Ischnoptera), 84.
Bilunata (Nauphæta), 180.
Bilunata (Paranauphæta), 180.
Bilunata (Paratropa), 109.
Bilunata (Paratropes), 109.
Bimaculata (Acontista), 234.
Bimaculata (Apterygida), 48.
Bimaculata (Blatta), 139.
Bimaculata (Forficula), 48.
Bimaculata (Mantis), 243, 372.
Bimaculata (Marmessoidea), 372.
Bimaculata (Necroscia), 372.
Bimaculata (Periplaneta), 139.
Bimaculata (Phasma), 372.
Bimaculata (Phyllodromia), 87.
Bimaculata (Sphingolabis), 48.
Bimaculatium (Phasma), 372.
Binodis (Myronides), 321.
Binotata (Apterygida), 48.
Binotata (Empusa), 313.
Binotata (Holocompsa), 170.
Binotata (Sphingolabis), 48.
Binotata (Stagmatoptera), 300.
- Biocellata (Stagmatoptera), 299.
Bioculata (Hierodula), 243.
Bioculata (Mantis), 243.
Bioculata (Phasma), 412.
Bioculata (Sphodromantis), 243.
Bioculatum (Phasma), 412, 421.
Bioculatum (Phyllium), 421.
Bioculatum (Pulchriphyllium), 421.
 BİÖLLEYA, 171.
Biolleyi (Calolampira), 117.
Biolleyi (Paratropa), 109.
Biolleyi (Paratropes), 109.
Bipapilla (Derocalymma), 188.
Bipapilla (Hierodula), 245.
Bipapilla (Hierodula), 245.
Bipapilla (Homalodemias), 188.
Bipapilla (Mantis), 245.
Bipartita (Apterygida), 46.
Bipartita (Sphingolabis), 46.
Biplagiata (Homalopteryx), 115.
Bipunctata (Anechura), 40.
Bipunctata (Areolaria), 177.
Bipunctata (Blatta), 177.
Bipunctata (Forficula), 40, 50.
Bipunctata (Prosoplecta), 177.
Bipunctata (Psalidophora), 48.
Bipunctata (Spongophora), 48.
Bipunctata Orientalis (Anechura), 40.
Bipunctulata (Anaptycta), 74.
Bipustulata (Blaptica), 162.
Bipustulata (Blatta), 162.
Biquadrata (Periplaneta), 136.
Biramosa (Metriomantis), 273.
Birivia (Hierodula), 246.
- Birivia* (Mantis), 301.
Birivia (Stagmatoptera), 246, 301.
 Birmanica (Panesthia), 204.
 Birmanica (Phyllodromia), 92.
Birmanus (Auchenomus), 33.
 Birmanus (Chelisoches), 33.
 Biroi (Hierodula), 245.
 Biroi (Opisthocosmia), 40.
 BISANTHE, 267.
Bisbiguttata (Marmessoidea), 371.
Bisbiguttata (Necroscia), 371.
Bisbiguttatum (Phasma), 371.
Biseriata (Nanomantis), 256.
Biseriata (Stenomantis), 256.
Bisignata (Blatta), 90.
Bisignata (Elliptoblatta), 183.
Bisignata (Phyllodromia), 90.
Bispina (Hoplocorypha), 257.
Bispinosa (Calolampira), 117.
Bispinosa (Mantis), 363.
Bispinosa (Phasma), 363.
Bispinosum (Phasma), 363.
Bispinosus (Haplopus), 363.
Bitæniata (Blatta), 79, 87.
Bitæniata (Ellipsidion), 79.
Bitæniata (Phyllodromia), 87.
Bituber (Myronides), 321.
Bituberculata (Bacteria), 327.
Bituberculata (Gratidia), 330.
Bituberculatum (Haplopus), 364.
Bituberculatum (Phasma), 364.
Bituberculatus (Haplopus), 364.
Bivitta (Paratropes), 109.
Bivittata (Anaplecta), 66.

- Bivittata* (*Blatta*), 69, 87.
Bivittata (*Deropeltis*), 147.
Bivittata (*Epilampra*), 119.
Bivittata (*Forficula*), 11.
Bivittata (*Hololampra*), 69.
Bivittata (*Ischnoptera*), 84.
Bivittata (*Nauphæta*), 156.
Bivittata (*Phyllodromia*), 87.
Bivittata (*Phyllodromia*), 87.
Bivittata (*Pæciloderrhis*), 119.
Bivittata (*Pygidicrana*), 6.
Bivittatum (*Spectrum*), 401.
BLABERA, 163.
BLABERINÆ, 160.
Blaberoides (*Epilampra*), 108.
Blaberoides (*Megaloblatta*), 108.
BLABERUS, 163.
Blanchardi (*Anisolabis*), 19.
Blanchardi (*Forficula*), 19.
Blanchardi (*Metriotes*), 412.
Blanchardi (*Pseudophasma*), 412.
Blanchardi (*Theopompa*), 213.
Blanda (*Compsoblatta*), 181.
Blanda (*Eustegasta*), 181.
Blanda (*Hypnorna*), 178.
BLAPTICA, 162.
BLATTA, 137.
BLATTA, 61, 87.
BLATTELLA, 87.
BLATTIDÆ, 61.
BLATTINÆ, 127.
Blattoides (*Epilampra*), 82.
Blattoides (*Ischnoptera*), 82.
Blattoides (*Paratemnopteryx*), 106.
BLEPHARIS, 315.
BLEPHARODERA, 194.
BLEPHARODES, 315.
BLEPHAROPSIS, 315.
Bocagei (*Ischnoptera*), 81.
Bodegetica (*Mantis*), 372.
Bogotensis (*Anisomorpha*), 402.
Bogotensis (*Bacteria*), 402.
Bogotensis (*Neolobophora*), 29.
Bogotensis (*Pseudomiopteryx*), 275.
Bogotensis (*Stratocles*), 409.
Bohlsii (*Nyctibora*), 108.
Bojei (*Arrhidæus*), 384.
Bojei (*Lopaphus*), 384.
Bojei (*Phasma*), 384.
Bolauana (*Danuria*), 309.
Bolauana (*Macrodnuria*), 309.
BOLBE, 226.
BOLIDENA, 218.
Bolivari (*Chelidura*), 43.
Bolivari (*Echinosoma*), 8.
Bolivari (*Mesochelidura*), 43.
Bolivari (*Sparatta*), 24.
BOLIVARIA, 268.
Bolliana (*Homœogamia*), 174.
Bolliana (*Ischnoptera*), 85.
Bollianus (*Oligonyx*), 278.
BOMISTRIA, 292.
Bootanicus (*Lonchodes*), 320.
Bootanicus (*Lopaphus*), 320.
Bootanicus (*Myronides*), 320.
Borealis (*Blatta*), 93.
Borealis (*Brunneria*), 264.
Borealis (*Forficula*), 50.
Borealis (*Ischnoptera*), 84.
Borealis (*Litaneutria*), 232.
Borealis (*Phyllodromia*), 93.
Borellii (*Bacunculus*), 354.
Borellii (*Ceroys*), 354.
Borellii (*Loboptera*), 103.
Borellii (*Nyctibora*), 108.
Borellii (*Oxyops*), 298.
Borellii (*Paradoxomorpha*), 403.
Borellii (*Phyllodromia*), 97.
Bormansi (*Anisolabis*), 21.
Bormansi (*Diplatys*), 1.
Bormansi (*Sparatta*), 24.
Bormansi (*Spongiphora*), 32.
BORMANSIA, 13.
Bormantiella (*Solygia*), 263.
Bormantiella (*Thespis*), 263.
Borneensis (*Aeromantis*), 280.
Borneensis (*Apterygida*), 46.
Borneensis (*Forficula*), 46.
Borneensis (*Mantis*), 280.
Borneensis (*Psalis*), 13.
Borneensis (*Sphingolabis*), 46.
Boromensis (*Hoplocorypha*), 257.
Borrei (*Epilampra*), 124.
Borrei (*Periplaneta*), 136.
Borrii (*Sadyattes*), 358.
BOSTRA, 350.
Bottegi (*Hoplocorypha*), 257.
Bottegoiana (*Derocarymma*), 188.
Bottegoiana (*Homalodemias*), 188.
Bovei (*Eremiaphila*), 211.
Bovei (*Eremophila*), 212.
Bracatus (*Carausius*), 320.
BRACHYCOLA, 196.
BRACHYCOLA, 197.
BRACHYLABIS, 16.
BRACHYLABIS, 17.
Brachynota (*Forficula*), 42.
Brachyptera (*Allacta*), 100.
Brachyptera (*Angela*), 265.
Brachyptera (*Bolivaria*), 268, 269.
Brachyptera (*Cardioptera*), 297.
Brachyptera (*Empusa*), 312.
Brachyptera (*Fischeria*), 269.
Brachyptera (*Iris*), 268.
Brachyptera (*Mantis*), 265, 268, 297.
Brachyptera (*Pseudomantis*), 235.
Brachyptera (*Temnopteryx*), 103.

- Brachyptera* (*Thespis*), 265.
Brachypterum (*Phasma*), 360.
Brachypterus (*Lophus*), 260.
BRACHYPTACUS, 331.
Brachysoma (*Chitoniscus*), 421.
Brachysoma (*Phyllium*), 421.
Bramina (*Panesthia*), 204.
BRANCSIKIA, 282.
Brasiliana (*Blabera*), 164.
Brasiliana (*Homöogamia*), 174.
Brasiliana (*Polyphaga*), 174.
Brasiliensis (*Blatta*), 126.
Brasiliensis (*Brunneria*), 264.
Brasiliensis (*Epilampra*), 126.
Brasiliensis (*Epilampra*), 125.
Brasiliensis (*Forficula*), 7.
Brasiliensis (*Ischnoptera*), 83.
Brasiliensis (*Pyragra*), 7.
Brasiliensis (*Tersomia*), 352.
Brasiliensis (*Thermastris*), 7.
Braueri (*Isolabis*), 21.
Brazzæ (*Nauphæta*), 155.
Brazzæ (*Panchlora*), 155.
Breviceps (*Photina*), 274.
Brevicollis (*Deropeltis*), 146.
Brevicollis (*Kakerlac*), 146.
Brevicollis (*Ligaria*), 226.
Brevicorne (*Phyllium*), 422.
Brevicornis (*Abrachia*), 352.
Brevicornis (*Phyllopterus*), 303.
Brevicornis (*Pseudovates*), 303.
Brevipenne (*Phasma*), 417.
Brevipennis (*Acontista*), 234.
Brevipennis (*Ameles*), 231.
Brevipennis (*Aphlebia*), 70.
Brevipennis (*Blatta*), 70.
Brevipennis (*Calidomantis*), 258.
Brevipennis (*Dysaules*), 262.
Brevipennis (*Ectobia*), 63.
Brevipennis (*Eremiophila*), 212.
Brevipennis (*Hierodula*), 242.
Brevipennis (*Hololampra*), 70.
Brevipennis (*Ischnoptera*), 106.
Brevipennis (*Mantis*), 231.
Brevipennis (*Metriotes*), 417.
Brevipennis (*Miomantis*), 258.
Brevipennis (*Panesthia*), 203.
Brevipennis (*Planudes*), 417.
Brevipennis (*Pseudoyerisia*), 231.
Brevipennis (*Temnopteryx*), 106.
Brevipennis (*Tenodera*), 238.
Brevipes (*Blatta*), 91.
Brevipes (*Blatta*), 139.
Brevipes (*Kakerlac*), 139.
Brevipes (*Lonchodes*), 321.
Brevipes (*Periplaneta*), 139.
Brevipes (*Phyllodromia*), 91.
Brevis (*Epilampra*), 127.
Brevis (*Forficula*), 52.
Brevis (*Mantis*), 230, 231.
Brevis (*Parameles*), 231.
Brevitarsis (*Bactrodema*), 366.
Brevitarsis (*Calolampra*), 117.
Brevitarsis (*Ischnopoda*), 366.
Briareus (*Acrophylla*), 389.
Briareus (*Ctenomorpha*), 389.
Briareus (*Diura*), 389.
Briareus (*Phasma*), 389.
Bruchi (*Paradoxomorpha*), 403.
Brunnea (*Cosmozosteria*), 133.
Brunnea (*Labia*), 28.
Brunnea (*Mecomera*), 23.
Brunnea (*Periplaneta*), 142.
Brunnea (*Platyzosteria*), 133.
Brunneipennis (*Psilidophora*), 30.
Brunneipennis (*Spongiphora*), 30.
Brunneipennis (*Spongophora*), 30.
Brunneonigra (*Ischnoptera*), 82.
Brunneri (*Acanthops*), 283.
Brunneri (*Anisolabis*), 20.
Brunneri (*Aphlebeidea*), 71.
Brunneri (*Blabera*), 166.
Brunneri (*Blatta*), 139.
Brunneri (*Chæradodis*), 220.
Brunneri (*Creoboter*), 291.
Brunneri (*Dasyposoma*), 198.
Brunneri (*Deroplatys*), 281.
Brunneri (*Dorylæa*), 135.
Brunneri (*Ectobia*), 63.
Brunneri (*Fischeria*), 269.
Brunneri (*Forcinella*), 20.
Brunneri (*Gratidia*), 330.
Brunneri (*Gromphodrhina*), 199.
Brunneri (*Hemiblabera*), 166.
Brunneri (*Humbertiella*), 214.
Brunneri (*Iris*), 269.
Brunneri (*Medaura*), 341.
Brunneri (*Miopteryx*), 275.
Brunneri (*Necroscia*), 376.
Brunneri (*Oligonyx*), 278.
Brunneri (*Pellita*), 189.
Brunneri (*Perisphæria*), 189.
Brunneri (*Pseudopanchlora*), 189.
Brunneri (*Sparatta*), 23.
Brunneri (*Sphendale*), 269.
Brunneri (*Sthenobæa*), 341.

- Brunneri (Tarachomantis), 241.
Brunneri (Thyrso-cera), 75.
 BRUNNERIA, 264.
 Brunneriana (Archimantis), 235.
Brunneriana (Blatta), 94.
Brunneriana (Chæteessa), 210.
Brunneriana (Derocarymma), 187.
Brunneriana (Elliptoblatta), 183.
Brunneriana (Heminauphæta), 156.
Brunneriana (Hestias), 288.
Brunneriana (Hestiasula), 288.
Brunneriana (Mantoida), 210.
Brunneriana (Periplaneta), 142.
Brunneriana (Phyllo-dromia), 94.
Brunneriana (Polyspilota), 241.
Brunnerianus (Oxyphilus), 286.
Brunneum (Bacillus), 338.
Brunneum (Phasma), 338.
Brunneus (Arphax), 338.
Brunneus (Bacillus), 338.
Brunni (Platyzosteria), 137.
Brunni (Zonioploca), 137.
Bubastes (Isagoras), 415.
Bubastes (Metriotes), 415.
Buchholzi (Bacillus), 338.
Buchholzi (Clonaria), 338.
Buchholzi (Danuria), 309.
Buchholzi (Gyna), 149.
Bueana (Deropeltis), 146.
Buettneri (Karschiella), 13.
Buettneri (Pygidicrana), 13.
Bufo (Acanthoderus), 398.
Bufo (Obrimus), 398.
Bufonium (Extatosoma), 381.
 Buprestoides (Anisomorpha), 401.
Buprestoides (Blatta), 176.
Buprestoides (Epilampra), 181.
 Buprestoides (Eustegasta), 181.
Buprestoides (Ischnoptera), 176.
 Buprestoides (Labia), 28.
 Buprestoides (Oxyhaloa), 176.
Buprestoides (Phasma), 401.
Buqueti (Blatta), 123.
Buqueti (Hedaia), 123.
 Burgessii (Labia), 27.
Burkartii (Bacteria), 353.
Burkartii (Phanocles), 353.
Burmeisteri (Annia), 210.
Burmeisteri (Blatta), 126.
Burmeisteri (Cardioptera), 273.
Burmeisteri (Chæteessa), 210.
Burmeisteri (Deropeltis), 145.
Burmeisteri (Epilampra), 126.
Burmeisteri (Eremiaphila), 211.
Burmeisteri (Mantis), 213.
Burmeisteri (Mantoida), 210.
Burmeisteri (Monachoda), 160.
Burmeisteri (Necroscia), 376.
Burmeisteri (Orthodera), 218.
Burmeisteri (Phyllo-dromia), 126.
Burmeisteri Theopompa), 213.
 Burri (Ancistrogaster), 36.
 BURRIA, 336.
Butleri (Hierodula), 248.
Butleri (Rhombodera), 248.
 BYRSOTRIA, 162.
 Cabrera (Forficula), 53.
Cabrera (Polyzosteria), 144.
 CACERLACA, 140.
Cacica (Bacteria), 349.
Cacica (Heteronemia), 349.
 CACOBLATTA, 166.
 CACOMORPHA, 406.
 Cæca (Anisolabis), 21.
 Cæca (Nocticola), 106.
 Cælebs (Elliptoblatta), 184.
Cælebs (Hymenopus), 283.
 Cælebs (Pseudocanthops), 283.
 CÆPARIA, 201.
 Cærulans (Stagmomantis), 253.
Ceruleipennis (Carcinophora), 15.
 Caffra (Calidomantis), 258.
Caffra (Danuria), 309.
 Caffra (Deropeltis), 145.
Caffra (Miomantis), 258.
Caffra (Periplaneta), 145.
Caffra (Polyspilota), 240.
 Caffra (Pygidicrana), 4.
 Caffra (Temnopteryx), 104.
Caffrana (Mantis), 222.
 Caffrorum (Gyna), 149.
Caffrorum (Panchlora), 149.
 Caizana (Epilampra), 127.
 Calabarica (Polyspilota), 241.
 Calametum (Bacteria), 327.
Calametum (Phibalosoma), 327.
Calanus (Bacteria), 351, 353, 401.
 Calanus (Clonistria), 351.
Calanus (Mantis), 351.
Calanus (Phasma), 351.
Calcarata (Bacteria), 347.
Calcarata (Diapheromera), 347.
Calcarata (Eurycantha), 396.
Caldwelli (Hierodula), 241.
Caldwelli (Mantis), 241.
Caldwelli (Tarachomantis), 241.
 CALHYPNORNA, 179.
 CALIDOMANTIS, 257.
 Californianum (Timema), 401.
Californica (Apterygida), 47.
Californica (Forficula), 47.
 Californica (Sphingolabis), 47.
 Caliginosa (Epilampra), 126.
Caliginosa (Epilampra), 121.

- Caliginosa (Hetero-
lampra), 121.
 CALLIBIA, 294.
Callifera (Mantis), 251.
 CALLIMANTIS, 251.
 Calliope (Necroscia), 375.
 Callipyga (Pygidicrana),
5.
 CALOBLATTA, 86.
Calogramma (Blatta), 73.
Calogramma (Choriso-
neura), 73.
 CALOLAMPRA, 117.
 CALVISTA, 369.
 CALYNDIA, 353.
 CAMAX, 336.
 Cambodjensis (Theo-
pompa), 213.
Cambouei (Ateloblatta),
198.
 Cambouini (Ateloblatta),
198.
 Cambridgei (Pseudo-
phasma), 412.
 Camelorum (Polyphaga),
172.
 Camerunensis (Karschi-
ella), 13.
 CANACHUS, 396.
 Canaliculatum (Xero-
soma), 416.
 Canariensis (Anatælia),
7.
 Cancellata (Chæradodis),
220.
Cancellata (Chæradodis),
219.
Cancellata (Mantis), 219,
220.
 CANDAULES, 367.
 Candelarius (Blepha-
rodes), 315.
 CANDOVIA, 331.
Canna (Bacteria), 324.
Canna (Phasma), 324.
Canna (Sthenobœa), 324.
Cantori (Phibalosoma),
359.
Cantori (Tirachoidea),
359.
 CANULEIUS, 353.
Capelloi (Panchlora),
150.
Capelloi (Rhyparobia),
150.
Capense (Bacillus), 338.
Capense (Phasma), 338.
Capensis (Bacillus), 338.
Capensis (Blatta), 88,
145.
Capensis (Clonaria), 338.
Capensis (Dyscologamia),
174.
Capensis (Empusa), 313.
Capensis (Forficula),
53.
Capensis (Hemiempusa),
314.
Capensis (Idolomorpha),
314.
Capensis (Mantis), 217,
251.
Capensis (Melanosilpha),
193.
Capensis (Oxyphilus), 286.
Capensis (Polyzosteria),
147.
Capensis (Temnopteryx),
104.
Capitata (Blatta), 82.
Capitata (Chirapacha),
216.
Capitata (Ischnoptera),
82.
Capitata (Lygdamia),
216, 217.
Capitata (Tenodera), 238.
Capitatus (Galepsus),
216.
Capito (Arrhidæus), 384.
Capito (Necroscia), 384.
Caprella (Ctenomorpha),
389.
Caprella (Phibalosoma),
389.
Capreolus (Caulonia),
344.
Capreolus (Ceroys), 344.
Capreolus (Mnesilochus),
320.
 CAPUCINA, 159.
Capucina (Blabera), 166.
Capucina (Derocalymma),
186.
Capucina (Dyscologamia),
174.
Capucina (Gyna), 149.
Capucina (Hemiblabera),
166.
Capucina (Homalo-
pteryx), 116.
Capucina (Homæogamia),
174.
Capucina (Stenopilema),
186.
Carabidina (Epilampra),
181.
Carabidina (Eustegasta),
181.
Caraibea (Epilampra),
125.
Caraibea (Eurycotis),
144.
Caraibea (Polyzosteria),
144.
 CARAUSIUS, 320.
Carbonaria (Deropeltis),
147.
Carbonaria (Pseudodero-
peltis), 147.
 CARCINOPHORA, 15.
Cardinalis (Helvia), 292.
 CARDIOPTERA, 297.
Carinata (Derocalymma),
192.
Carinata (Hostilia), 192.
Carinatus (Bacillus), 333.
Carinatus (Hyrtacus),
331.
Cariniceps (Homalo-
pteryx), 115.
Carinulata (Calolampra),
117.
Carinulatus (Bacillus),
329.
Carinulatus (Ramulus),
329.
Carlottæ (Cotylosoma),
407.
Carlottæ (Harpagonyx),
279.
Carlottæ (Prisopus), 407.
Carolina (Diapheromera),
347.
Carolina (Mantis), 252,
253.
Carolina (Phasmomantis),
252.
Carolina (Stagmomantis),
252.
Carolina var. *Tolteca*
(Stagmomantis), 252.
Carolinus (Gryllus), 252.
Carpetana (Aphlebia), 70.
Carpetana (Hololampra),
70.
Carsiphila (Phyllodro-
mia), 89.
Carterus (Necroscia), 377.
Carunculigera (Corydia),
173.
Carunculigera (Dyscolo-
gamia), 173.
 CARVILIA, 266.
Casignetus (Necroscia),
373.
Casignetus (Trigono-
phasma), 373.
Cassidea (Blatta), 112,
162.
Cassidea (Monastria),
162.
Cassidea (Notolampra),
111.
Cassidea (Phoraspis), 112.
Cassidea (Phoraspis), 111.
 CASSIDODES, 177.
Casta (Euchomena), 237.
Casta (Stenopyga), 237.

- Castanea* (Blatta), 138.
Castanea (Ceratinoptera), 99.
Castanea (Dasypodoma), 198.
Castanea (Epilampra), 126.
Castanea (Forficula), 12.
Castanea (Ischnoptera), 84.
Castanea (Kakerlac), 106, 138.
Castanea (Labidura), 12.
Castanea (Latindia), 168.
Castanea (Methana), 136.
Castanea (Oniscosoma), 160.
Castanea (Paraphoraspis), 136.
Castanea (Parasphæria), 195.
Castanea (Phyllodromia), 93.
Castanea (Platyzosteria), 131.
Castanea (Polyzosteria), 131.
Castanea (Temnopteryx), 106.
Castanea (Zetobora), 158.
Castaneum (Phasma), 412.
Castaneum (Pseudophasma), 412.
Castelnaudi (Haaniella), 393.
Castelnaudi (Heteropteryx), 393.
Castetsi (Carcinophora), 15.
Castetsi (Pachymantis), 288.
Catadromus (Aschipsasma), 420.
Catadromus (Orthomeria), 420.
 CATARA, 148.
Catenata (Mantis), 240.
Catori (Lonchodes), 318.
Catori (Stælonchodes), 318.
Cattulus (Creoboter), 291.
Caucasica (Fischeria), 263.
Caucasica (Iris), 263.
Caudata (Brunneria), 264.
Caudata (Chæteessa), 209.
Caudata (Thespis), 264.
Caulodes (Macella), 332.
 CAULONIA, 344.
Cavernosus (Obrimus), 393.
Cavicola (Japyx), 56.
Cayennensis (Acontista), 234.
Cayennensis (Liturgousa), 271.
Cayennensis var. *Maya* (Liturgousa), 271.
Cazurroi (Aphlebia), 71.
Cazurroi (Hololampra), 71.
Cecconii (Aphlebia), 70.
Cecconii (Hololampra), 70.
Celatus (Brachypterus), 331.
Celebesa (Panchlora), 151.
Celebesa (Panesthia), 204.
Celebicum (Phyllium), 423.
Cellularis (Mantis), 253.
Centaurus (Palophus), 365.
Centralis (Ischnoptera), 82.
Centralis (Japyx), 57.
Centralis (Phyllodromia), 88.
Centurio (Gyna), 150.
Centurio (Opisthocosmia), 39.
Cephalotes (Arrhidæus), 384.
Cephalotes (Calidomantis), 257.
Cephalotes (Miomantis), 257.
Cephalotes (Necroscia), 334.
Cepus (Prisopus), 406.
Ceramia (Necroscia), 369.
Ceramia (Sosibia), 369.
 CERATINOPTERA, 98.
Ceratocephalum (Phibalsoma), 357.
Ceratocephalus (Cladomorphus), 357.
 CERATOCRANIA, 289.
 CERATOMANTIS, 287.
Ceratophyllus (Haplopus), 365.
Ceratoskeleton (Calynda), 353.
Cerberus (Anisomorpha), 343.
Cerberus (Charnidas), 343.
Cercalis (Blatta), 96.
Cercalis (Phyllodromia), 96.
Cercyon (Marmessoidea), 371.
Cercyon (Necroscia), 371.
Ceres (Agondasoidea), 373.
Ceres (Necroscia), 373.
Cerisyi (Eremiaphila), 211.
 CEROYS, 354.
 CEROYS, 344.
Cerveræ (Polyphaga), 173.
Cervicornis (Tisamenus), 399.
Cervina (Zetobora), 192.
Cervipyga (Opisthocosmia), 39.
Cesticulata (Dyscologamia), 173.
Ceylonica (Allacta), 100.
Ceylonica (Anophelepis), 325.
Ceylonica (Blatta), 100.
Ceylonica (Humbertiella), 214.
Ceylonica (Labia), 33.
Ceylonicus (Lonchodes), 329.
Ceylonicus (Necroscia), 375.
Ceylonicus (Opisthocosmia), 38.
Ceylonicus (Oxyartes), 325.
Ceylonicus (Ramulus), 329.
Ceylonicus (Salganea), 201.
 CHÆTEESSA, 209.
 CHÆTESSA, 209.
 CHÆTOSPANIA, 22.
 CHALCOLAMPRA, 127.
Chalybea (Labia), 23.
Chalybea (Mantis), 209.
Chalybea (Oxyophthalma), 261.
Chalybea (Schizocephala), 261.
Chalybeus (Episcopus), 261.
 Championsi (Acontista), 233.
 Championsi (Ancistrogaster), 37.
Championsi (Angela), 265.
 Championsi (Labia), 27.
 Championsi (Phasmodantis), 255.
 Championsi (Thespis), 265.
Characterosa (Calolampra), 117.
Characterosa (Epilampra), 117.
 CHARIEIS, 210.

- CHARNIDAS, 343.
Chartacea (Apachya), 3.
Chartacea (Apachys), 3.
Chartacea (Forficula), 3.
Chartaceus (Apachyus), 3.
Chavesi (Aphlebia), 71.
Chavesi (Hololampra), 71.
CHELIDOURA, 42.
CHELIDURA, 42.
CHELIDURA, 44.
CHELIDURELLA, 43.
Cheliduroides (Labia), 27.
CHELISOHELLA, 35.
CHELISOCHES, 32.
Chichimeca (Blatta), 95.
Chichimeca (Phyllo-dromia), 95.
Childreni (Trigonoderus), 380.
Childreni (Tropidoderus), 380.
Childrenii (Tropidoderus), 380.
Chilensis (Anisolabis), 17.
Chilensis (Bacunculus), 349.
Chilensis (Brachycolla), 195.
Chilensis (Brachylabis), 17.
Chilensis (Forficula), 17.
Chilensis (Hormetica), 195.
CHIROPACHA, 216.
CHIROPUS, 215.
CHITONISCUS, 420.
Chitonoides (Blabera), 165.
Chitonoides (Laxta), 165.
CHLIDONOPTERA, 292.
Chloreudeta (Mantis), 239.
Chloris (Astollia), 231.
Chloris (Mantis), 231.
Chloris (Necroscia), 375.
Chlorophæa (Mantis), 303.
Chlorophæa (Phyllovates), 303.
Chlorophæa (Theoclytes), 303.
Chlorophæa var. Cornuta (Theoclytes), 303.
Chlorophylla (Phasma), 423.
Chlorophyllum (Phyllium), 423.
Chlorophyllum (Phyllium), 423.
Chlorotica (Blatta), 153.
Chlorotica (Necroscia), 376.
CHCERADODINÆ, 219.
CHCERADODIS, 219.
CHONDROSTETHUS, 319.
Chontalia (Pyragra), 7.
Chontalia (Thermastris), 7.
CHORISONEURA, 71.
CHORISONEURINÆ, 71.
CHORISTIMA, 73.
CHRASTOBLATTA, 86.
Christina (Sphodromantis), 244.
Christopheri (Diapherodes), 362.
CHROICOPTERA, 227.
Chronus (Acrophylla), 388.
Chronus (Cyphocrania), 388.
Chronus (Diura), 388.
Cicatricosa (Parahormetica), 198.
Cicatricosa (Zetobora), 153.
Ciliata (Blepharodera), 194.
Ciliata (Mantis), 274, 298.
Ciliata (Miopteryx), 274.
Ciliata (Parastagmatoptera), 298.
Ciliata (Perisphæria), 194.
CILNIA, 242.
Cincta (Anaplecta), 66.
Cincta (Blatta), 85.
Cincta (Epilampra), 123.
Cincta (Heterolampra), 123.
Cincta (Ischnoptera), 85.
Cincta (Pseudomops), 74.
Cincta (Thyrocera), 74.
Cincticollis (Anisolabis), 19.
Cincticollis (Aphlebia), 69.
Cincticollis (Blatta), 69.
Cincticollis (Brachylabis), 19.
Cincticornis (Chelisoches), 33.
Cincticornis (Lobophora), 33.
Cinctipes (Arria), 244.
Cinctipes (Stratocles), 409.
Cinerascens (Epilampra), 126.
Cinerea (Blatta), 156.
Cinerea (Epilampra), 156.
Cinerea (Metriotes), 416.
Cinerea (Nauphæta), 156.
Cinerea (Phasma), 416.
Cinereum (Phasma), 416.
Cingalensis (Apterygida), 47.
Cingalensis (Forficula), 46.
Cingalensis (Sphingolabis), 46.
Cingulata (Aptera), 182.
Cingulata (Mantis), 303.
Cingulata (Perisphæria), 182.
Cingulata (Phyllovates), 303.
Cingulata (Theoclytes), 503.
Cinnamomea (Phyllo-dromia), 89.
Circinata (Forficula), 50.
Circulata (Apterygida), 44.
Circulata (Forficula), 44.
Circulata (Pterygida), 44.
Circumcincta (Blatta), 89.
Circumcincta (Loboptera), 102.
Circumcincta (Phyllo-dromia), 89.
Circumcincta (Plectoptera), 178.
Circumcincta (Polyzosteria), 132.
Circumcincta (Pseudolampra), 132.
Circumcincta (Thyrocera), 77.
Circumclusa (Hemithyrocera), 77.
Circumclusa (Thyrocera), 77.
Circumdata (Blatta), 180.
Circumdata (Nauphæta), 180.
Circumdata (Paranauphæta), 180.
Circumdata (Plectoptera), 178.
Circumducta (Blatta), 93.

- Circumducta* (Outilia), 134.
Circumducta (Ischnoptera), 93.
Circumducta (Periplaneta), 134.
Circumducta (Phylldromia), 93.
Circumvagans (Nauphæta), 116.
Circumvagans (Phœtalia), 116.
Cirenea (Mantis), 416.
 CIRPHIS, 176.
Cistelina (Blatta), 73.
Cistelina (Chorisoneura), 73.
Citrifolium (Phasma), 422.
 CLADOMORPHUS, 357.
 CLADOMORPHUS, 354, 356.
 CLADOXERUS, 357.
Clara (Calidomantis), 259.
Clara (Ischnoptera), 83.
Clara (Mantis), 259.
Claraziana (Agathemera), 402.
Claraziana (Anisomorpha), 402.
Claraziana (Blabera), 162.
Claraziana (Blaptica), 162.
Claraziana (Coptopteryx), 272.
Clarki (Labidura), 12.
Clarki (Sparatta), 24.
Clavata (Mantis), 312.
Clavigera (Derocalymma), 188.
Clavigera (Homalodemias), 188.
 CLEMACANTHA, 389.
Clinteria (Abrachia), 352.
Clinteria (Bacteria), 352.
Clinteria (Bactridium), 352.
 CLITARCHUS, 339.
 CLITARCHUS, 340.
 CLITUMNUS, 327.
 CLONARIA, 337.
 CLONISTRIA, 351.
Clypeata (Derocalymma), 184.
Clypeata (Pronaonota), 184.
Cneius (Olecyphides), 411.
Cneius (Phasma), 411.
Cnemidatus (Vates), 305.
Coarctata (Hierodula), 245.
Coccinella (Prosoplecta), 177.
Coccinelloides (Areolaria), 177.
Coccinelloides (Prosoplecta), 177.
Coccophagus (Lopaphus), 386.
Coccyx (Bacillus), 336.
Cocophages (Alopus), 386.
Cocophages (Graeffea), 386.
Cænosa (Bacteria), 331.
Cænosa (Hyrtacus), 331.
Cognata (Blatta), 90.
Cognata (Phylldromia), 90.
Coleoptratum (Ipsoma), 169.
Colini (Gyna), 149.
Collaris (Blatta), 170.
Collaris (Corydia), 169.
Collaris (Holocompsa), 170, 171.
Collaris (Oxyophthalmus), 261.
Collaris (Paroxyophthalmus), 261.
Collaris (Periplaneta), 147.
Colligata (Blatta), 90.
Colligata (Phylldromia), 90.
Coloradus (Bacillus), 333.
Coloradus (Parabacillus), 333.
Colorata (Periplaneta), 241.
Coloreus (Bacillus), 339.
Coloreus (Clitarchus), 339.
Colossea (Anisolabis), 19.
Colossea (Anisolabis), 20.
Colossea (Archimandrita), 163.
Colossea (Blatta), 163.
Colossea (Forcinella), 19.
Colossea var. *Minor* (Anisolabis), 20.
Columbiana (Epilampra), 125.
Columbiana (Psalis), 15.
Columbiana (Sparatta), 23.
Columbina (Caulonia), 344.
Columbina (Ceroys), 344.
Comis (Bacteria), 351.
Comis (Clonistria), 351.
Communis (Cutilia), 134.
Communis (Drymoplaneta), 134.
Communis (Hemithyracera), 77.
Commutata (Mantis), 268.
Complanata (Blatta), 195.
Complanata (Proscratea), 195.
Compressicollis (Mystipola), 292.
Comprimens (Chelisothes), 32.
 COMPSOBLATTA, 180.
 COMPSOLAMPRA, 116.
 COMPSOMANTIS, 222.
 COMPSOTHESPIS, 203.
 COMPTOLAMPRA, 116.
Concinna (Acontista), 233.
Concinna (Acontista), 233.
Concinna (Blatta), 136.
Concinna (Mantis), 233.
Concinna (Methana), 136.
Concinna (Periplaneta), 136, 139.
Concinna (Pseudomops), 175.
Concinnula (Epilampra), 122.
Concinnula (Heterolampra), 122.
Concisa (Allacta), 99.
Concisa (Blatti), 99.
Concisus (Paraclitumnus), 330.
Concolor (Blatta), 62, 63.
Concolor (Periplaneta), 141.
 CONDYLOPALAMA, 58.
Conferta (Calolampra), 117.
Conferta (Epilampra), 117.
Conferta (Ischnoptera), 151.

- Conferta* (*Leucophæa*), 151.
Configurata (*Dorylæa*), 135.
Configurata (*Periplaneta*), 135.
Conformis (*Epilampra*), 120.
Conformis (*Ischnoptera*), 83.
Conformis (*Pseudophoraspis*), 120.
Confucius (*Lonchodes*), 318.
Confucius (*Stælono-chodes*), 318.
Confusa (*Anchiale*), 392.
Confusa (*Euchomena*), 237.
Confusa (*Nyctibora*), 103.
Confusus (*Haania*), 288.
Confusus (*Parairidopteryx*), 288.
Congo (*Forcipula*), 8.
Congrua (*Calolampra*), 118.
Congrua (*Epilampra*), 120.
Congrua (*Hostilia*), 192.
Congrua (*Polyzosteria*), 118.
Congrua (*Pseudophoraspis*), 120.
Congrua (*Zetobora*), 192.
Conica (*Panesthia*), 204.
Conicipennis (*Necroscia*), 372.
Conicipennis (*Trigonophasma*), 372.
Conjuncta (*Allacta*), 100.
Conjuncta (*Blatta*), 100.
Conocephala (*Loxopsis*), 406.
Conocephalum (*Phasma*), 406.
Conradi (*Caulonia*), 344.
Consobrina (*Elæa*), 214.
Consobrina (*Elliptoblatta*), 183.
Consobrina (*Humbertiella*), 214.
Consobrina (*Ischnoptera*), 83.
Consobrina (*Platyzosteria*), 130.
Consobrina (*Polyzosteria*), 130.
Consobrina (*Pseudovates*), 304.
Consocia (*Areolaria*), 177.
Consocia (*Blatta*), 177.
Consersa (*Ariusia*), 215.
Consersa (*Blatta*), 157.
Consersa (*Epilampra*), 126.
Consersa (*Epilampra*), 126.
Consersa (*Mantis*), 254.
Consersa (*Musonia*), 276.
Consersa (*Necroscia*), 374.
Consersa (*Philobora*), 157.
Consersa (*Phoraspis*), 112.
Consersa (*Phoraspis*), 112.
Consersa (*Phthersigena*), 207.
Consersa (*Phyllo-dromia*), 94.
Consersa (*Proscratea*), 157.
Consersa (*Stagmomantis*), 254.
Consersa (*Tarachodes*), 215.
Consersa (*Theganopteryx*), 64.
Consersa (*Thespis*), 276.
Consersa (*Zetobora*), 157.
Consersus (*Paraoxypilus*), 207.
Conspicienda (*Mareta*), 97.
Conspurcata (*Mantis*), 246, 252.
Conspurcata (*Philobora*), 157.
Conspurcata (*Tribonium*), 157.
Conspurcata (*Zetobora*), 157.
Constricta (*Blatta*), 88.
Constricta (*Phyllo-dromia*), 88.
Contigua (*Blatta*), 93.
Contigua (*Derocalymma*), 160.
Contigua (*Oniscosoma*), 160.
Contigua (*Phyllo-dromia*), 93.
Contingens (*Blatta*), 92.
Contingens (*Phyllo-dromia*), 92.
Continua (*Blatta*), 81.
Continua (*Ischnoptera*), 81.
Continua (*Temnopteryx*), 106.
Controrta (*Acanthops*), 283.
Controrta (*Acanthops*), 283.
Contraria (*Homalophilpha*), 143.
Contraria (*Ischnoptera*), 82.
Contraria (*Periplaneta*), 143.
Contusa (*Blepharodera*), 194.
Contusa (*Panchlora*), 194.
Convexa (*Cyrtilia*), 113.
Convexa (*Methana*), 136.
Convexa (*Periplaneta*), 136.
Coolgardiensis (*Cosmozosteria*), 133.
Coolgardiensis (*Platyzosteria*), 133.
COPISCCELIS, 25.
COPTOPTERYX, 271.
Coquereliana (*Brachycola*), 199.
Coquereliana (*Gromphadorhima*), 199.
Coquereliana (*Hormetica*), 199.
Cordata (*Deroplatys*), 281.
Cordata (*Mantis*), 281.
Cordilleræ (*Acontista*), 234.
Cordilleræ (*Acontista*), 233.
Cordofana (*Phyllo-dromia*), 89.
Coriacea (*Anechura*), 41.
Coriacea (*Diplatys*), 1.
Coriacea (*Forficula*), 1.
Cormantiella (*Thespis*), 263.
Corniceps (*Phasma*), 419.
Cornicollis (*Paratoxodera*), 285.
Corniger (*Creoxylus*), 417.
Cornigera (*Stenophylla*), 306.
Cornuta (*Bacteria*), 353, 354.
Cornuta (*Blepharis*), 315.
Cornuta (*Blepharodes*), 315.
Cornuta (*Cyphocrania*), 362.

- Cornuta* (*Harpax*), 295.
Cornuta (*Mantis*), 295.
Cornuta (*Phyllovates*), 303.
Cornuta (*Theoclytes*), 303.
Cornutum (*Phasma*), 353.
Cornutus (*Acanthoderus*), 353.
Cornutus (*Ceroys*), 354.
Cornutus (*Dixippus*), 322.
Cornutus (*Lonchodes*), 322.
Cornutus (*Prisopus*), 405.
Corommensis (*Phyllo-*
dromia), 89.
Coronata (*Harpax*), 295.
Coronata (*Hymenopa*), 294.
Coronata (*Mantis*), 294.
Coronata (*Phasma*), 355.
Coronata (*Phibalosoma*), 357.
Coronatum (*Pachy-*
morpha), 400.
Coronatum (*Phasma*), 353, 400.
Coronatus (*Acanthoderus*), 400.
Coronatus (*Ceroys*), 355.
Coronatus (*Hymenopus*), 294.
Coronatus (*Pygirhynchus*), 408.
Coronatus (*Pylæmenes*), 400.
Corticum (*Blatta*), 151.
CORYDIA, 166.
CORYDIINÆ, 166.
COSMIELLA, 38.
COSMOZOSTERIA, 132.
Costalis (*Amorphoscelis*), 208.
Costalis (*Carvilia*), 267.
Costalis (*Gyna*), 149.
Costalis (*Mantis*), 238, 301.
Costalis (*Panchlora*), 149.
Costalis (*Stagmatoptera*), 301.
Costalis (*Tenodera*), 238.
Costaricensis (*Strato-*
cles), 409.
Costata (*Calvisia*), 370.
Costata (*Phasma*), 370.
Cotesiana (*Perisphæria*), 189.
Cothurnata (*Eurycotis*), 144.
COTYLOSOMA, 407.
Couloniana (*Blatta*), 104.
Couloniana (*Glyptop-*
peltis), 182.
Couloniana (*Ischno-*
ptera), 85.
Couloniana (*Temno-*
pteryx), 104.
Coulonianum (*Bac-*
tridium), 352.
Coxalis (*Blatta*), 139.
Coxalis (*Calidomantis*), 258.
Coxalis (*Cutilia*), 134.
Coxalis (*Hierodula*), 244.
Coxalis (*Miomantis*), 258.
Coxalis (*Periplaneta*), 139.
Coxalis (*Polyzosteria*), 134.
Coxalis (*Sphodromantis*), 244.
CRANIDIUM, 361.
Craniifera (*Blabera*), 164.
CRASPEDONIA, 387.
Crassa (*Agathemera*), 403.
Crassa (*Anisomorpha*), 403.
Crassa (*Epilampra*), 125.
Crassa (*Paradoxo-*
morpha), 403.
Crassa (*Perisphæria*), 182.
Crassiceps (*Compos-*
mantis), 222.
Crassiceps (*Mantis*), 222.
Crassiceps (*Oxyphilus*), 222.
Crassicornis (*Nyctibora*), 107.
Crassimargo (*Monachoda*), 160.
Crassipes (*Compsomantis*), 222.
Crassipes (*Gonypeta*), 222.
Crassipes (*Micromantis*), 222.
Crassipes (*Parasphæria*), 196.
Crassipes (*Polyzosteria*), 196.
Crassivenosa (*Allacta*), 99.
Crassivenosa (*Ceratino-*
ptera), 99.
Crassus (*Pterinoxylus*), 362.

- CRAURUSA*, 219.
Crawangense (*Phasma*), 324.
Crawangensis (*Phas-*
gania), 324.
Crenata (*Forficula*), 11.
Crenata (*Labidura*), 11.
Crenaticollis (*Copto-*
pteryx), 271.
Crenaticollis (*Mantis*), 271.
Crenulipes (*Planudes*), 417.
CREOBOTER, 290.
CREOBOTRA, 290.
CREOBOTRINÆ, 280.
CREOXYLUS, 417.
Cresphontes (*Anophe-*
lepis), 324.
Creticus (*Japyx*), 56.
Cribata (*Panesthia*), 202.
Cribellata (*Epilampra*), 121.
Cribellata (*Hetero-*
lampra), 121.
Cribrata (*Epilampra*), 111.
Cribrata (*Panesthia*), 202.
Cribrata (*Planes*), 111.
Cribricollis (*Blatta*), 122.
Cribricollis (*Epilampra*), 115.
Cribrata (*Ellipsica*), 183.
Cribrata (*Epilampra*), 126.
Cribrata (*Panchlora*), 154.
Cribrata (*Pronaonota*), 184.
Crinicornis (*Pseudo-*
mops), 76.
Crinicornis (*Thyrocera*), 75, 76.
Crinicornis var. *Fulva* (*Thyrocera*), 75.
Crishna (*Lonchodes*), 320.
Crishna (*Myronides*), 320.
Cristatus (*Hermagoras*), 322.
Crocea (*Epilampra*), 126.
Croceipennis (*Forficula*), 31.
Croceipennis (*Psalido-*
phora), 32.
Croceipennis (*Spongi-*
phora), 31.

- Croceipennis* (*Spongiphora*), 31.
Croceipennis Lherminieri (*Spongiphora*), 31.
Crocodilus (*Canachus*), 396.
Crosea (*Epilampra*), 126.
Crouanii (*Bacillus*), 386.
Crouanii (*Graeffea*), 386.
Crudele (*Aschipsasma*), 418.
Crudelis (*Bacteria*), 346.
Crudelis (*Presbistus*), 418.
Crudelis (*Pseudobacteria*), 346.
Cruralis (*Perisphæra*), 187.
Cruralis (*Perisphæria*), 187.
Cruralis (*Pollusca*), 187.
Crurifolium (*Phasma*), 421.
Crurifolium (*Phyllium*), 421.
Crurifolium (*Pulchriphyllium*), 421.
Cryphaleus (*Cladoxerus*), 357.
Cryphaleus (*Phibalosoma*), 357.
CRYPTOCERUS, 200.
Cryptochlore (*Pseudophasma*), 411.
Cryptochloros (*Olecyphides*), 411.
Cryptochroma (*Achlæna*), 216.
Cryptospila (*Gynopeltis*), 182.
Cryptospila (*Polyphaga*), 182.
CTENISOLABIS, 23.
CTENOMORPHA, 388.
Cubaense (*Bacteria*), 346.
Cubaense (*Phasma*), 346.
Cubaensis (*Bacteria*), 346.
Cubaensis (*Mantis*), 254.
Cubaensis (*Pseudobacteria*), 346.
Cubense (*Phasma*), 413.
Cubense (*Phibalosoma*), 358.
Cubense (*Pseudophasma*), 413.
Cubensis (*Bacteria*), 358.
Cubensis (*Bacunculus*), 346.
Cubensis (*Blabera*), 164.
Cubensis (*Blatta*), 88, 153.
Cubensis (*Cladoxerus*), 358.
Cubensis (*Epilampra*), 126.
Cubensis (*Gonatista*), 270.
Cubensis (*Haplopus*), 364.
Cubensis (*Musonia*), 276.
Cubensis (*Phasma*), 413.
Cubensis (*Phybalosoma*), 358.
Cubensis (*Phyllodromia*), 88.
Cubensis (*Thespis*), 276.
Cubitata (*Mantis*), 300.
Cucujoides (*Hypnorna*), 178.
Cucullata (*Capucina*), 159.
Cucullata (*Latindia*), 168.
CULAMA, 175.
Culinaris (*Blatta*), 138.
Culmus (*Bacteria*), 349.
Culmus (*Heteronemia*), 349.
Cumingi (*Pygidierana*), 5.
Cunicularis (*Bacillus*), 328.
Cuniculus (*Baculum*), 328.
Cupido (*Cardioptera*), 273.
Cupido (*Metriomantis*), 273.
Cuprea (*Polyzosteria*), 128.
Curta (*Blatta*), 140.
Curta (*Blatta*), 89.
Curta (*Chelidura*), 44.
Curta (*Epilampra*), 121.
Curta (*Heterolampra*), 121.
Curta (*Periplaneta*), 140.
Curta (*Phyllodromia*), 89.
Curtipes (*Necroscia*), 368.
Curtipes (*Paradanuria*), 285.
Curtipes (*Phasma*), 368.
Curtipes (*Sosibia*), 368.
Curtipes (*Toxodera*), 285.
Curtipes (*Toxoderopsis*), 285.
Curvicauda (*Forfiscelia*), 26.
Curvicauda (*Labia*), 26.
Curvigera (*Periplaneta*), 137.
Curvigera (*Zonioploca*), 137.
Curvinervis (*Blatta*), 91.
Curvinervis (*Phyllodromia*) 91.
Curvipes (*Necroscia*), 374.
Curvipes (*Phanocles*), 354.
Curvipes (*Phasma*), 374.
Curvipes (*Platycrana*), 374.
Cuticularis (*Mantis*), 253.
CUTILIA, 134.
Cyanea (*Corydia*), 169.
Cyanea (*Holocompsa*), 169.
Cyclolabia (*Forficula*), 50, 52, 54.
Cyclolabia (*Labia*), 26.
Cyclops (*Apsidopis*), 119.
Cylindrica (*Anchiale*), 392.
Cylindrica (*Mantis*), 392.
Cylindrica (*Perisphæria*), 186.
Cylindrica (*Stenopilema*), 186.
CYLINDROGASTER, 2.
Cyllabacus (*Lonchodes*), 323.
Cyllabacus (*Sthenobœa*), 323.
Cyllarus (*Necroscia*), 411.
Cyllarus (*Pseudophasma*), 411.
Cynipsoidea (*Hypercompsa*), 170.
CYPHOCRANA, 390.
CYPHOCRANIA, 390.
Cyphus (*Bacteria*), 353.
Cyphus (*Calynda*), 353.
CYRTILIA, 113.
Cyrtocnemis (*Bacteria*), 254.
Cyrtocnemis (*Ceroys*), 254.
Cyrtophthalma (*Epilampra*), 121.
Cyrtophthalma (*Heterolampra*), 121.
CYRTOTRIA, 187.
Cytherea (*Haplopus*), 363.
DACTYLOPTERYX, 267.
Daemeli (*Pygidierana*), 6.
DAJACA, 408.
DAMASIPPOIDES, 404.
DAMASIPPUS, 407.
DANIURA, 309.
DANURIA, 309.
DANURIELLA, 310.
Daphne (*Hierodula*), 247.

- Darchui* (*Mantis*), 239.
Dardanus (*Phyllium*), 421.
Dardanus (*Pulchriphyllium*), 421.
DARES, 400.
Darius (*Aschipsasma*), 420.
Darius (*Bacillus*), 341.
Darius (*Medaura*), 341.
Darius (*Orthoneuria*), 420.
DASYPOSOMA, 198.
Dasytoides (*Corydia*), 167.
Dasytoides (*Euthyrrapha*), 167.
DATAMES, 400.
Daunus (*Aschipsasma*), 419.
Daunus (*Presbistus*), 419.
Davidis (*Cladoxerus*), 377.
Davidis (*Necroscia*). 377.
Davidis (*Phibalosomu*), 377.
Davisoni (*Parymenopus*), 294.
Debilis (*Holocompsa*), 170.
Debilitata (*Gonypeta*), 226.
Debilitata (*Hapalomantis*), 226.
Deceptura (*Pseudemops*), 76.
DECIDIA, 403.
DECIMIA, 283.
Decipiens (*Anaplecta*), 68.
Decipiens (*Blatta*), 101.
Decipiens (*Forficula*), 51.
Decipiens (*Labidura*), 15.
Decipiens (*Labidurodes*), 15.
Decipiens (*Loboptera*), 101, 102.
Decipiens (*Pelmato-silpha*), 143.
Decipiens (*Polyzosteria*), 102.
Decipiens (*Tropidoderus*), 380.
Decipiens var. *Cyclo-labia* (*Forficula*), 52.
Decipiens var. *Macrolabia* (*Forficula*), 52.
Decisa (*Blabera*), 164.
Decolor (*Ameles*), 230.
Decolor (*Harpax*), 230.
Decolor (*Mantis*), 230.
Decolyi (*Forcipula*), 9.
Decolyi (*Molytria*), 114.
Decorata (*Apolyta*), 79.
Decorata (*Periplaneta*), 135, 147.
Decorata (*Stylopyga*), 135.
Decoratum (*Ellipsidion*), 79.
Deflexa (*Epilampra*), 122.
Deflexa (*Heterolampra*), 122.
Deflexa (*Hierodula*), 248.
Deflexa (*Rhombodera*), 248.
Defoliata (*Empusa*), 314.
Defoliata (*Idolomorpha*), 314.
Dehaanii (*Haaniella*), 398.
Dehaanii (*Heteropteryx*), 398.
DEIPHOBE, 266.
Delalandii (*Eutella*), 225.
Delalandii (*Euryzosteria*), 145.
Delalandii (*Gonypeta*), 225.
Delicatula (*Blatta*), 94.
Delicatula (*Latindia*), 163.
Delicatula (*Phyllo-dromia*), 94.
Delicatululus (*Canulcius*), 383.
Delicatululus (*Rhaphi-derus*), 383.
Delta (*Phyllo-dromia*), 89.
DEMOGORGON, 12.
Dentata (*Anisomorpha*), 401.
Dentata (*Eremiaphila*), 212.
Dentata (*Forficula*), 52.
Dentata (*Macella*) 332.
Dentata (*Pilema*), 185.
Denticauda (*Lonchodes*), 318.
Denticauda (*Stæl-on-chodes*). 318.
Denticollis (*Astape*), 276.
Denticollis (*Eremiaphila*), 211.
Denticorne (*Baculum*), 323.
Denticornis (*Entoria*), 328.
Denticrus (*Diaphero-mera*), 347.
Dentierus (*Megaphasma*), 347.
Denticulata (*Toxodera*), 285.
Denticulata (*Vates*), 305.
Dentifera (*Sparatta*), 23.
Dentifrons (*Epaphro-dita*). 284.
Dentifrons (*Hierodula*), 242.
Dentifrons (*Idolo-morpha*), 315.
Dentifrons (*Sphodro-poda*), 242.
Dentricus (*Megaphasma*), 347.
Depictus (*Giganto-phasma*), 386.
Deplanata (*Archiman-drita*), 163.
Deplanata (*Blabera*), 163.
Deplanata (*Epilampra*), 120.
Deplanata (*Pseudopho-raspis*), 120.
Deplanatum (*Pachy-morpha*), 399.
Deplanatum (*Phasma*), 399.
Deplanatus (*Acantho-derus*), 399.
Deplanatus (*Tisamenus*), 399.
Depolita (*Calolampra*), 118.
Depressa (*Apachya*), 3.
Depressa (*Blatta*), 79.
Depressa (*Forficula*), 3.
Depressum (*Ellipsidion*), 79.
Depressus (*Apachyus*), 3.
Deprivata (*Blatta*), 85.
Deprivata (*Ischnoptera*), 85.
Dermostoides (*Blatta*), 177.
DEROCALYMMMA, 187.
DEROCALYMMMA, 188.
DEROCARDIA, 119.
Deropeltiformis (*Temno-pteryx*), 105.
DEROPELTIS, 145.
DEROPLATYS, 281.
Desiccata (*Deroplatys*), 281.
Desiccata (*Mantis*), 281.
DESMOSIA, 97.
Despecta (*Anopholepis*), 324.

- Despecta* var. *Cresphontes* (*Anophelepis*), 324.
Despectum (*Acanthoderus*), 324.
Despectum (*Phasma*), 324.
Despectus (*Oxyartes*), 324.
Detersa (*Blatta*), 94.
Detersa (*Phyllodromia*), 94.
Deusta (*Blatta*), 175.
Deusta (*Oxyhaloa*), 175.
Deusta (*Proscratea*), 175.
Devians (*Ancistrogaster*), 37.
Devians (*Opisthocosmia*), 37.
Diabolicum (*Idolum*), 316.
Diabolus (*Brachycola*), 397.
Diabolus (*Hormetica*), 197.
Diabroticum (*Idolum*), 316.
Diacanthos (*Agondasoidea*), 373.
Diacanthos (*Necroscia*), 373.
Diacanthos (*Phasma*), 373.
Diacis (*Creoxylus*), 404.
Diacis (*Neocles*), 404.
Diacis (*Phasma*), 404.
Diacis (*Xeroderus*), 404.
 DIAGORAS, 361.
Diana (*Anastira*), 293.
Diana (*Callibia*), 293.
Diana (*Mantis*), 293.
 DIAPHANA, 170.
Diaphana (*Blatta*), 98.
Diaphana (*Ceratinoptera*), 98.
 DIAPHERODES, 362.
 DIAPHERODES, 361.
 DIAPHEROMERA, 346.
 DIAPHEROMERINÆ (*errore* *Diaphomerinæ*), 343.
Diardi (*Candaules*), 367.
Diardi (*Cladoxerus*), 367.
Diardi (*Phasma*), 367.
Diardi (*Phibalosoma*), 367.
 DICELLONOTUS, 201.
 DICELLURA, 55.
Dichroa (*Deropeltis*), 147.
Dichroa (*Forficula*), 47.
 DICRANOPYGIA, 4.
Dictys (*Metriotes*), 414.
 DIDYMOCORYPHA, 218.
 DIDYMURIA, 381.
Difficilis (*Blatta*), 88.
Difficilis (*Phyllodromia*), 88.
Difformipes (*Pterinoxylus*), 362.
Difformipes (*Pterinoxylus*), 362.
Dilatata (*Blatta*), 95.
Dilatata (*Chelidura*), 43.
Dilatata (*Diapherodes*), 397.
Dilatata (*Epilampra*), 122.
Dilatata (*Forficula*), 43.
Dilatata (*Heterolampra*), 122.
Dilatata (*Heteropteryx*), 397.
Dilatata (*Panesthia*), 205.
Dilatata (*Phasma*), 397.
Dilatata (*Phyllodromia*), 95.
Dilatata (*Plana*), 205.
Dilatatus (*Geoscaphus*), 205.
Dilaticauda (*Forfiscelia*), 6.
Dilaticauda (*Platylabia*), 6.
Dilaticauda (*Pygidicrana*), 6.
Dilatipes (*Cladomorphus*), 356.
Dilatipes (*Phibalosoma*), 356.
Dilatipes (*Phibalosoma*), 357.
Diluta (*Blatta*), 91.
Diluta (*Mantis*), 299.
Diluta (*Parastagnatoptera*), 299.
Diluta (*Periplaneta*), 147.
Diluta (*Phyllodromia*), 91.
Diluta (*Pseudoderopeltis*), 147.
Diluta (*Stagmatoptera*), 298, 299.
 Dimidiata (*Ceratinoptera*), 98.
 Dimidiata (*Chrastoblatta*), 86.
 Dimidiata (*Eurycotis*), 144.
Dimidiata (*Ischnoptera*), 146.
Dimidiata (*Mantis*), 253.
 Dimidiata (*Platylabia*), 22.
Dimidiata (*Polyzosteria*), 144.
Dimidiata (*Proscratea*), 86.
 Dimidiata (*Stagmomantis*), 253.
Dimidiata (*Stagmomantis*), 253.
Dimidiata var. *Ferox* (*Stagmomantis*), 253.
Dimidiata var. *Stollii* (*Stagmomantis*), 253.
 Dimidiaticornis (*Chorisoneura*), 72.
 Dimidiatipes (*Temnopteryx*), 104.
 Dimorpha (*Temnopteryx*), 105.
 DIMORPHODES, 387.
 DIMELYTRON, 408.
 Diocles (*Metriotes*), 416.
 Dioscoris (*Teddia*), 264.
 DIPLATYS, 1.
 DIPLOPTERA, 176.
 Dipneusticum (*Cotyloma*), 407.
Discalis (*Balta*), 105.
Discalis (*Blatta*), 105.
Discalis (*Temnopteryx*), 105.
Discicollis (*Blatta*), 75, 76.
Discicollis (*Pseudomops*), 75.
Discicollis (*Thyrsochera*), 76.
Discifera (*Creoboter*), 291.
Discifera (*Mantis*), 291.
Discoidalis (*Archimandrita*), 163.
Discoidalis (*Blabera*), 163.
Discoidalis (*Blatta*), 73, 76.
Discoidalis (*Chorisoneura*), 73.
Discoidalis (*Gynopeltis*), 182.
Discoidalis (*Miopanesthia*), 205.
Discoidalis (*Nauphæta*), 155, 180.
Discoidalis (*Paranauphæta*), 180.
Discoidalis (*Perisphæria*), 182.
Discolor (*Harpagomantis*), 296.
Discolor (*Harpax*), 296.
 DISCOTHERA, 207.

- Dispar* (*Cyrtotria*), 187.
Dispar (*Derocalyuma*), 187.
Dispar (*Hierodula*), 245.
Dispar (*Lonchodes*), 318.
Dispar (*Perisphæria*), 187.
Dispar (*Stælonychodes*), 318.
Disparilis (*Theopompa*), 214.
Dissimulator (*Tarachodes*), 215.
Distanti (*Blabera*), 165.
Distanti (*Deropeltis*), 147.
Distanti (*Solygia*), 263.
Distincta (*Forficesila*), 14.
Distincta (*Forficula*), 14.
Distincta (*Labidura*), 10.
Distincta (*Necroscia*), 377.
Ditonus (*Cladoxerus*), 358.
Ditonus (*Phibalosoma*), 358.
DIURA, 381.
Divergens (*Forficula*), 32.
Divergens (*Spongiphora*), 32.
Dives (*Chiropus*), 215.
Dives (*Tarachodes*), 215.
Divisa (*Ischnoptera*), 85.
DLIXIPPUS, 321.
Dohertyi (*Chelisoches*), 35.
Dohertyi (*Triænocyrrhpa*), 287.
Dohrni (*Carcinophora*), 15.
Dohrni (*Nannopygia*), 15.
Dohrni (*Pyragra*), 7.
Dohrni (*Sparatta*), 24.
Dohrni (*Thermastris*), 7.
Dohrniana (*Anaplecta*), 68.
Dohrniana (*Heterogamia*), 172.
Dohrniana (*Latindia*), 168.
Dohrniana (*Mionyx*), 277.
Dohrniana (*Paraceratinoptera*), 101.
Dohrnianus (*Harpagonyx*), 279.
Dohrnianus (*Mionyx*), 277.
Doleschali (*Epilampra*), 122.
Doleschali (*Heterolampra*), 122.
Dolicha (*Labia*), 26.
Dolichoptera (*Bolivaria*), 269.
Dolomedes (*Arphax*), 338.
Dolomedes (*Bacillus*), 338.
Dolosa (*Empusa*), 313.
Domestica (*Anaplecta*), 67.
Domingensis (*Blatta*), 141.
Domingensis (*Mantis*), 254.
Domingensis (*Stagmomantis*), 254.
Dominicana (*Monachoda*), 161.
Dominicana (*Petasodes*), 161.
Donovani (*Phyllium*), 423.
DONUSA, 409.
Doreyanus (*Lonchodes*), 326.
Doreyanus (*Promachus*), 326.
Doriæ (*Apterygida*), 46.
Doriæ (*Chelisochella*), 35.
Doriæ (*Forficula*), 46.
Doriæ (*Sphingolabis*), 46.
Doriana (*Hemilatindia*), 169.
Dorsalis (*Anaplecta*), 66.
Dorsalis (*Forficula*), 28.
Dorsalis (*Labia*), 28.
Dorsuaria (*Bostra*), 350.
DORYLEA, 135.
Dotata (*Epilampra*), 114.
Doumerci (*Forficula*), 53.
Draco (*Mantis*), 405.
Draco (*Prisopus*), 405.
Draconinum (*Pachymorpha*), 399.
Draconinum (*Phasma*), 399.
Draconinus (*Acanthoderus*), 399.
Draconinus (*Tisamenus*), 399.
Dracunculus (*Phasma*), 405.
Dromedarius (*Theramenus*), 399.
Druryi (*Blatta*), 108.
Dryas (*Bacteria*), 351.
DRYMAPLANETA, 134.
Dubia (*Blabera*), 162.
Dubia (*Blaptica*), 162.
Dubia (*Cosmiella*), 38.
Dubia (*Opisthocosmia*), 38.
Dubia (*Pilema*), 185.
Dubia (*Pseudomops*), 75.
Dubia (*Thyrsocera*), 75.
Dubiosa (*Oxyops*), 298.
Dubius (*Diapherodes*), 364.
Dubius (*Haplopus*), 364.
Dubronii (*Anisolabis*), 19.
Dufourii (*Chelidura*), 54.
Dufourii (*Forficula*), 54.
Dufourii (*Labidura*), 12.
Duivenbodei (*Lonchodes*), 320.
Duivenbodei (*Periphetes*), 320.
Dulichia (*Aschipasma*), 419.
Dulichia (*Presbistus*), 419.
Dumerilii (*Acanthoderus*), 382.
Dumerilii (*Rhaphiderus*), 382.
Duodecimsignata (*Loboptera*), 102.
Duplex (*Panurgica*), 286.
Duplovittata (*Loboptera*), 102.
DURYODANA, 101.
Dux (*Japyx*), 56.
Dux (*Opisthocosmia*), 39.
Dux (*Salganea*), 200.
Dyaka (*Hierodula*), 247.
DYME, 350.
DYSAULES, 262.
DYSOCOLEGAMIA, 173.
DYSCRITINA, 1.
Dysoni (*Spongiphora*), 31.
DYSTACTA, 226.
Dytiscoides (*Blatta*), 176.
Dytiscoides (*Diploptera*), 176.
Dytiscoides (*Eleutheroda*), 176.
Eastii (*Anamesia*), 129.
EOHETLUS, 339.
Echinata (*Eurycantha*), 396.
Echinatus (*Obrimus*), 398.
ECHINOPSALIS, 7.
ECHINOSOMA, 8.
Echinus (*Parectatosoma*), 398.
ECTATOSOMA, 380.
ECTOBIA, 61.

- ECTOBIINÆ, 61.
 Ectobioides (Ischnoptera), 81.
 ECTOBIUS, 61.
 Edentata (*Chelidura*), 54.
 Edentata (*Forficula*), 54.
 Edule (*Phasma*), 385.
 Edulis (*Platycrania*), 385.
 Ega (Metriotes), 416.
 Ega (*Phasma*), 416.
 Egena (Empusa), 311.
 Egregia (Pygidicrana), 6.
 Ehrenbergii (*Eremophila*), 210.
 ELÆA, 214.
 Elateroides (*Derocalymma*), 186.
 Elateroides (*Perisphæria*), 186.
 Elateroides (Stenopilema), 186.
 Elegans (*Acontista*), 232.
 Elegans (*Anisomorpha*), 403.
 Elegans (*Blatta*), 92, 121.
 Elegans (*Blepharis*), 293.
 Elegans (*Chelisoches*), 34.
 Elegans (*Corydia*), 167.
 Elegans (*Creobotra*), 293.
 Elegans (*Forficesila*), 14.
 Elegans (*Forficula*), 48.
 Elegans (*Heterolampra*), 121.
 Elegans (Paradoxomorpha), 403.
 Elegans (*Paratropa*), 109.
 Elegans (*Paratropes*), 109.
 Elegans (*Philobora*), 157.
 Elegans (*Phoraspis*), 109, 110.
 Elegans (*Phyllodromia*), 92.
 Elegans (*Theopropus*), 293.
 Elegans (*Tribonium*), 157.
 ELEUTHERODA, 176.
 Elizabethæ (Temnopteryx), 103.
 ELLIPSICA, 183.
 ELLIPSIDION, 79.
 ELLIPSIDIUM, 79.
 Elliptica (Anaplecta), 68.
 ELLIPTOBLATTA, 183.
 Elongata (Anechura), 41.
 Elongata (*Blatta*), 83.
 Elongata (*Danuria*), 309.
 Elongata (*Forficula*), 32, 52.
 Elongata (Ischnoptera), 83.
 Elongata (Macrodanuria), 309.
 Elongata (*Phasma*), 319.
 Elongata (*Phraortes*), 319.
 Elongata (Spongiphora), 32.
 Elongatus (*Phraortes*), 319.
 Emarginata (Zetobora), 158.
 EMBIIDÆ, 58.
 Emesa (*Bacteria*), 350.
 Emesa (Dyme), 350.
 Emittens (*Periplaneta*), 142.
 Emortuale (*Phibalosoma*), 352.
 Emortualis (Abrachia), 352.
 Emortualis (*Bacteria*), 352.
 Emortualis (*Mantis*), 251.
 Emortualis (*Perisphæria*), 191.
 Emortualis (*Trichoblatta*), 191.
 EMPUSA, 311.
 Empusa (*Cyphocrana*), 390.
 Empusa (*Cyphocrania*), 390.
 Empusa (*Phasma*), 390.
 EMPUSINÆ, 310.
 Enceladus (*Acrophylla*), 393.
 Enceladus (*Cyphocrania*), 393.
 Enceladus (*Vetilia*), 393.
 ENETIA, 394.
 Engæus (*Oxyophthalmus*), 261.
 ENICOPHLEBIA, 228.
 Ensifera (*Didymocorypha*), 218.
 ENTELLA, 225.
 ENTORIA, 327.
 Eoa (Anechura), 40.
 EPAPHRODITA, 284.
 Ephialtes (Diagoras), 361.
 EPICARMUS, 404.
 EPILAMPRA, 125.
 EPILAMPRA, 117, 120.
 EPILAMPRINÆ, 109.
 Epilamproides (Balta), 106.
 Episcopalis (Creoboter), 291.
 Episcopalis (*Ischnopoda*), 365.
 Episcopalis (Palophus), 365.
 EPISCOPUS, 261.
 Equatoria (Labia), 28.
 Erechtheus (Necroscia), 375.
 EREMIAPHILA, 210.
 EREMIAPHILINÆ, 208.
 EREMOPHILA, 210.
 EREMOPIANA, 265.
 ERGAULA, 173.
 Ericetorum (*Blatta*), 62, 69.
 Ericetorum (*Ectobia*), 62.
 Erichsoni (*Apterygida*), 45.
 Erichsoni (*Sphingolabis*), 45.
 Erosa (Acanthops), 283.
 Erosula (Acanthops), 283.
 Erronea (Panchlora), 154.
 Erubescens (*Epilampra*), 123.
 Erubescens (Heterolampra), 123.
 Erythreina (*Derocalymma*), 188.
 Erythreina (Homalodemmas), 188.
 Erythrina (*Blatta*), 127.
 Erythrina (Epilampra), 127.
 Erythrocephala (*Apterygida*), 49.
 Erythrocephala (*Blatta*), 145.
 Erythrocephala (Deropeltis), 145.
 Erythrocephala (*Forficula*), 52.
 Erythrocephala (*Ischnoptera*), 145.
 Erythrocephala (Labidura), 11.
 Erythrocephala (*Perisphæria*), 145.
 Erythronota (*Aphlebia*), 68.
 Erythronota (Salganea), 200.
 Erythroptera (Arrhidæus), 384.
 Erythroptera (*Mantis*), 384.
 Eryx (*Aschipasmas*), 419.
 Eryx (Presbistus), 419.
 Esacus (*Necroscia*), 368.
 Esacus (Sosibia), 368.

- Escherichi (Forficula), 52.
Esepus (*Necroscia*), 368.
Esepus (*Sosibia*), 368.
 EUBULIDES, 395.
Eucerca (*Necroscia*), 375.
 EUCHOMENA, 236.
Eucnemis (*Haplopus*), 362.
Eucnemis (*Pterinoxylus*), 362.
Euphrosyne (*Odontomantis*), 233.
Euplectes (*Necroscia*), 376.
Europæa (*Empusa*), 312.
Euryalus (*Necroscia*), 368.
Euryalus (*Sosibia*), 368.
Eurybates (*Necroscia*), 371.
 EURYCANTHA, 395.
 EURYCANTHINE, 395.
 EURYCHEMA, 391.
 EURYCOTIS, 143.
 EURYDERES, 272.
Eurymedon (*Vetilia*), 393.
Eurynome (*Necroscia*), 375.
 EURYZOSTERIA, 148.
 EUSTEGASTA, 181.
Euterpina (*Bacteria*), 353.
Euterpinus (*Acanthoderes*), 353.
Euterpinus (*Canuleius*), 353.
 EUTHYPHEPS, 307.
 EUTHYRRHAPHA, 168.
Eutrachelia (*Bacteria*), 331.
Eutrachelia (*Hyrtacus*), 331.
Evadne (*Haplopus*), 363.
Evanesens (*Clonaria*), 337.
Evanesens (*Gratidia*), 337.
Everetti (*Hierodula*), 247.
Everetti (*Phasgania*), 324.
Exarata (*Homalodemus*), 188.
Exaratum (*Homalodemus*), 188.
Exaspera (*Platyzosteria*), 131.
Excisa (*Ischnoptera*), 82.
 EXEDRA, 198.
Exigua (*Bacteria*), 350.
Exigua (*Bostra*), 350.
Exilis (*Apterygida*), 47.
Exilis (*Forficula*), 47.
Exilis (*Sphingolabis*), 47.
Eximia (*Acontista*), 233.
Eximia (*Callimantis*), 233.
Eximia (*Pygidierana*), 5.
Exoleta (*Panchlora*), 152.
Exsiccata (*Mantis*), 238.
 EXTATOSOMA, 380.
Extensa (*Abrachia*), 352.
Extensicollis (*Mantis*), 249.
Extensicollis (*Rhombodera*), 249.
Extensum (*Phibalosoma*), 352.
Extenuata (*Blatta*), 88.
Extenuata (*Phyllodromia*), 88.
Extera (*Stenopyga*), 237.
Extranea (*Loboptera*), 103.
Fabricii (*Forficula*), 40.
Facies (*Blatta*), 99.
Facies (*Ceratinoptera*), 99.
Falcata (*Acanthops*), 283.
Falcatoria (*Acanthops*), 282.
Falcatoria (*Mantis*), 282.
Falcifera (*Compsothespis*), 208.
Fallax (*Achrioptera*), 394.
Fallax (*Anaplecta*), 67.
Fallax (*Bacunculus*), 349.
Fallax (*Ectobia*), 65.
Fallax (*Epilampra*), 126.
Fallax (*Heteronemia*), 349.
Fallax (*Perisphæria*), 191.
Fallax (*Platylabia*), 22.
Fallax (*Pseudoglomeris*), 191.
Fallax (*Theganopteryx*), 65.
Farinosa (*Burria*), 336.
Fasciata (*Empusa*), 312.
Fasciata (*Forficula*), 53.
Fasciata (*Iris*), 260.
Fasciata (*Labia*), 25.
Fasciata (*Mantis*), 236, 238, 260.
Fasciata (*Mesopteryx*), 238.
Fasciata (*Omomantis*), 236.
Fasciata (*Phyllodromia*), 94.
Fasciatella (*Pseudophyllodromia*), 98.
Fasciatum (*Phasma*), 410.
Fasciatus (*Acanthoderus*), 340.
Fasciatus (*Macracantha*), 340.
Fasciatus (*Olecyphides*), 410.
Fasciceps (*Blatta*), 91.
Fasciceps (*Phyllodromia*), 91.
Fasciolata (*Necroscia*), 374.
Fastuosa (*Phoraspis*), 112.
Fastuosa (*Phoraspis*), 112.
Fatiloqua (*Ischnomantis*), 266.
Fatiloqua (*Mantis*), 266.
Fatua (*Necroscia*), 375.
Faunus (*Bacteria*), 347.
Faunus (*Diapheromera*), 347.
Feæ (*Anechura*), 41.
Feæ (*Apachya*), 3.
Feæ (*Apachyus*), 3.
Feæ (*Chætospania*), 22.
Feæ (*Chelisothes*), 33.
Feæ (*Labia*), 27.
Fedtschenkoi (*Anechura*), 41.
Fedtschenkoi (*Forficula*), 41.
Feejeeanum (*Phyllium*), 420.
Feejeeanus (*Chitoniscus*), 420.
Femoralis (*Labidura*), 13, 15.
Femoralis (*Polyzosteria*), 128.
Femoralis (*Psalis*), 13.
Femoralis (*Pseudomops*), 75.
Femoralis (*Stagmatoptera*), 301.
Femorata (*Bacteria*), 322.
Femorata (*Blabera*), 165.
Femorata (*Diapheromera*), 346.
Femorata (*Gonypeta*), 224.
Femorata (*Musonia*), 276.
Femorata (*Phasma*), 322.
Femorata (*Phyllodromia*), [93].

- Femorata* (*Phyllodromia*), 79.
Femoratum (*Ellipsoidion*), 79.
Femoratum (*Prisomera*), 322.
Femoratum (*Spectrum*), 346.
Femoratus (*Asprenas*), 367.
Fenestrata (*Calidomantis*), 258.
Fenestrata (*Mantis*), 256, 258, 259, 260.
Fenestrata (*Miomantis*), 258.
Fenestrina (*Hypercompsa*), 170.
Fera (*Mionyx*), 277.
Ferox (*Mantis*), 253.
Ferox (*Stagmomantis*), 253.
Ferrea (*Blatta*), 88.
Ferrea (*Phyllodromia*), 88.
Ferreti (*Blatta*), 175.
Ferreti (*Oxyhaloa*), 175.
Ferruginea (*Anisomorpha*), 401.
Ferruginea (*Blabera*), 165.
Ferruginea (*Blatta*), 165.
Ferruginea (*Cosmozosteria*), 132.
Ferruginea (*Epilampra*), 126.
Ferruginea (*Hemithyrscera*), 77.
Ferruginea (*Phasma*), 401.
Ferruginea (*Phyllodromia*), 91.
Ferruginea (*Platyzosteria*), 132.
Ferruginea (*Polyzosteria*), 132.
Ferruginea (*Temnopteryx*), 104.
Ferruginea (*Temnopteryx*), 103.
Ferruginea (*Thyrscera*), 77.
Ferrugineipes (*Panesthia*), 202.
Ferrugineofusca (*Blatta*), 138.
Ferruginosa (*Epilampra*), 121.
Ferruginosa (*Heterolampra*), 121.
Ferula (*Bacteria*), 355, 356.
Ferula (*Mantis*), 355.
Ferula (*Phasma*), 355.
Feruloides (*Lonchodes*), 359.
Feruloides (*Pharnacia*), 359.
Ferus (*Mionyx*), 277.
Fervida (*Epilampra*), 122.
Fervida (*Gyna*), 149.
Fervida (*Gyna*), 149.
Fervida (*Heterolampra*), 122.
Fervida (*Panchlora*), 149.
Festæ (*Bacunculus*), 348.
Festæ (*Blatta*), 94.
Festæ (*Epilampra*), 83.
Festæ (*Heteronemia*), 348.
Festæ (*Ischnoptera*), 83.
Festæ (*Metriotes*), 416.
Festæ (*Myrcinellus*), 228.
Festæ (*Panchlora*), 154.
Festæ (*Phyllodromia*), 94.
Festuca (*Bacunculus*), 348.
Festuca (*Heteronemia*), 348.
Fieberi (*Areolaria*), 177.
Fieberi (*Diaphana*), 170.
Fieberi (*Hypercompsa*), 170.
Figurata (*Blatta*), 91.
Figurata (*Phyllodromia*), 91.
Figurata (*Polyzosteria*), 128.
Filata (*Chæteessa*), 209.
Filiforme (*Phasma*), 355.
Filiiformes (*Mantis*), 356.
Filiiformis (*Bacillus*), 334, 340.
Filiiformis (*Bacteria*), 356.
Filiiformis (*Mantis*), 330, 334, 356.
Filiiformis (*Oligonyx*), 277.
Filiiformis (*Paraclitumnus*), 330.
Filiiformis (*Phasma*), 355, 356.
Filiiformis (*Thesprotia*), 277.
Filum (*Mantis*), 279.
Filum (*Myronides*), 321.
Filum (*Necroscia*), 374.
Filum (*Oligonyx*), 279.
Filum (*Orthonecroscia*), 374.
Filum (*Phasma*), 374.
Filum (*Phibalosoma*), 374.
Filum (*Spanionyx*), 279.
Finschi (*Pygidicrana*), 6.
Finschiana (*Eurycotis*), 144.
Fischeri (*Forficula*), 12.
Fischeri (*Labidura*), 12.
FISCHERIA, 267.
Fissa (*Blatta*), 88.
Fissa (*Clonaria*), 337.
Fissa (*Gratidia*), 337.
Fissa (*Phyllodromia*), 88.
Fissa (*Pseudomops*), 78.
Fissa (*Temnopteryx*), 105.
Fissa (*Thyrscera*), 78.
Fissicollis (*Blatta*), 159.
Fissicollis (*Schizopilia*), 159.
Fissicollis (*Zetobora*), 159.
Fissipinis (*Heterochætula*), 307.
Flabellata (*Anaplecta*), 68.
Flabellicornis (*Mantis*), 311.
Flabelliformis (*Phasma*), 405.
Flabelliformis (*Prisopus*), 405, 406.
Flava (*Hierodula*), 249.
Flava (*Mantis*), 249.
Flava (*Rhombodera*), 249.
Flavescens (*Pseudoderopeltis*), 147.
Flavicincta (*Blatta*), 136.
Flavicincta (*Mantis*), 222.
Flavicincta (*Methana*), 136.
Flavicincta (*Methana*), 136.
Flavicincta (*Periplaneta*), 136.
Flavicollis (*Ischnoptera*), 81.
Flavicollis (*Kakerlac*), 81.
Flavicollis (*Sparattina*), 24.
Flavicorne (*Ascephasma*), 419.
Flavicorne (*Aschipasma*), 419.
Flavicorne (*Phasma*), 419.
Flavicornis (*Derocalymma*), 190.
Flavicornis (*Lonchodes*), 323.
Flavicornis (*Perisphæria*), 190.

- Flavicornis* (Presbistus), 419.
Flavicornis (Pseudoglomeris), 190.
Flavicornis (Sthenobœa), 323.
Flavilatera (Dorylæa), 135.
Flavilatera (Stylopyga), 135.
Flavipennis (Chorisonæura), 72.
Flavipennis (Eurycotis), 144.
Flavipennis (Forficula), 32, 46.
Flavipennis (Mantis), 299.
Flavipennis (Panesthia), 203.
Flavipennis (Polyspilota), 241.
Flavipennis (Sphingolabis), 46.
Flavipennis (Stagmatoptera), 300.
Flavipes (Perisphæria), 190.
Flavipes (Phoraspis), 112.
Flavipes (Pseudomops), 75.
Flavipes (Pseudomops), 75.
Flavipes (Thyrsoœera), 75.
Flavoantennata (Chorisonæura), 72.
Flavocincta (Ectobia), [64].
Flavocincta (Ectobia), 93.
Flavoguttata (Mantis), 298.
Flavoguttata (Necroscia), 374.
Flavoguttata (Parastagmatoptera), 299.
Flavoguttata (Stagmatoptera), 298.
Flavomaculata (Anisomorpha), 401.
Flavomaculatum (Phasma), 417.
Flavomaculatus (Planudes), 417.
Flavomarginata (Deropeltis), 147.
Flexicollis (Pseudoglomeris), 191.
Flexicollis (Zetobora), 191.
Flexivitta (Blatta), 96.
Flexivitta (Nauphœta), 155.
Flexivitta (Periplaneta), 155.
Flexivitta (Phyllodromia), 96.
Flexuosa (Dactylopteryx), 267.
Flexuosa (Forficula), 48.
Flexuosa (Sphingolabis), 48.
Floridana (Callimantis), 251.
Floridana (Pelmato-silpha), 143.
Floridana (Periplaneta), 143.
Foliacea (Bacteria), 349.
Foliacea (Bacunculus), 349.
Foliata (Mantis), 305.
Foliata (Theoclytes), 305.
Foliata (Vates), 305.
Foliatus (Mantis), 423.
Foliopeda (Hermagoras), 322.
Foliopeda (Mantis), 322.
Forbesi (Echinosoma), 8.
Forceps (Microdina), 201.
Forceps (Panesthia), 201.
Forceps (Salganea), 201.
FORCINELLA, 17.
Forcipata (Clouaria), 337.
Forcipata (Forficula), 39, 44, 50.
Forcipata (Gratidia), 337.
Forcipata (Opisthocosmia), 39.
Forcipata (Pygidicrana), 6.
Forcipatus (Lonchodes), 317.
Forcipatus (Stælonchodes), 317.
Forcipatus (Stratocles), 409.
FORCIPULA, 8.
Forfex (Spongiphora), 31.
Forficata (Mantis), 258.
Forficata (Mioblatta), 196.
FORFICESILA, 9.
FORFICULA, 49.
Forficularius (Japyx), 56.
FORFICULIDÆ, 1.
Formosa (Acromantis), 280.
Fornicata (Calolampra), 118.
Fornicata (Epilampra), 118.
Fornicata (Perisphæria), 189.
Fornicata (Perisphæria), 189.
Fornicata (Pronæonota), 184.
Fornicata (Pseudoglomeris), 189.
Fornicata (Zetobora), 189.
Forstenii (Ascephasma), 420.
Forstenii (Aschipasma), 420.
Forstenii (Orthomeria), 420.
Forstenii (Phasma), 420.
Fortipes (Periplaneta), 129.
Fortnumi (Paradanuria), 307.
Fortnumi (Toxodera), 307.
Fortunata (Loboptera), 102.
Foveolata (Nauphœta), 147.
Foveolata (Pseudoderopeltis), 147.
Foveolata (Salganea), 200.
Fragilis (Bacteria), 331.
Fragilis (Blatta), 73.
Fragilis (Chorisonæura), 73.
Fragilis (Musionia), 256.
Fragilis (Nanomantis), 256.
Franciscana (Monachoda), 161.
Fraserensis (Calolampra), 118.
Fraserensis (Epilampra), 118.
Fraterna (Acontista), 234.
Fraterna (Blabera), 165.
Fraterna (Fischeria), 268.
Fraterna (Iris), 268.
Fraterna (Panchlora), 153.
Fraterna (Phyllo-dromia), 95.
Fraterna (Stagmomantis), 253.
Fratricida (Hierodula), 248.
Fratricida (Rhombodera), 248.
Frenata (Nauphœta), 155.
Frenchii (Anamesia), 129.

- Frenchii* (*Bacteria*), 331.
Frenchii (*Hyrtacus*), 331.
Frenchii (*Polyzosteria*), 128.
Freyi (*Brancsikia*), 282.
Freyi (*Deroplatys*), 282.
Freyi (*Forficula*), 44.
Freyi (*Hierodula*), 301.
Freyi (*Sphodromantis*), 301.
Freyi (*Stagmatoptera*), 301.
Froncosa (*Aruanoidea*), 378.
Froncosa (*Necroscia*), 378.
Frontalis (*Psalidophora*), 31.
Frontalis (*Pygidicrana*), 4.
Frontalis (*Spongiphora*), 31.
Fronticornis (*Empusa*), 313.
Fronticornis (*Hemiem-pusa*), 313.
Fronticornis (*Mantis*), 313.
Fruhstorferi (*Labia*), 26.
Fruhstorferi (*Nesogaster*), 35.
FULCINEA, 257.
Fulgida (*Anaplecta*), 68.
Fulgida (*Angela*), 265.
Fulgida (*Thespis*), 265.
Fulgidipennis (*Mantoida*), 210.
Fuliginosa (*Gonypeta*), 224.
Fuliginosa (*Hapalomantis*), 214.
Fuliginosa (*Humbertiella*), 214.
Fuliginosa (*Kakerlac*), 142.
Fuliginosa (*Mantis*), 224.
Fuliginosa (*Periplaneta*), 142.
Fuliginosa (*Phyllo-dromia*), 92.
Fulva (*Anaplecta*), 66.
Fulva (*Corydia*), 170.
Fulva (*Holocompsa*), 170.
Fulva (*Ischnoptera*), 81.
Fulva (*Temnopteryx*), 104.
Fulva (*Thyrso-cera*), 75.
Fulvescens (*Anophelepis*), 386.
Fulvescens (*Anophelepis*), 386.
Fulvescens (*Graeffea*), 386.
Fulviceps (*Oryhaloa*), 176.
Fulviceps (*Proscratea*), 175.
Fulvipes (*Blatta*), 89.
Fulvipes (*Phyllodromia*), 89.
Fulvornata (*Anamesia*), 129.
Fumata (*Ischnoptera*), 85.
Fumata (*Necroscia*), 376.
Fumigata (*Blabera*), 162.
Fumigata (*Blatta*), 162.
Fumigata (*Byrsotria*), 162.
Fumosus (*Thrinaconyx*), 279.
Funebris (*Allacta*), 99.
Funebris (*Blatta*), 99.
Funebris (*Proscratea*), 195.
Fungicola (*Attaphila*), 173.
Furcata (*Greenia*), 319.
Furcatus (*Lonchodes*), 319.
Furcifera (*Apterygida*), 46.
Furcifera (*Sphingolabis*), 46.
Furcillatus (*Bacillus*), 329.
Furcillatus (*Baculum*), 329.
Fusata (*Periplaneta*), 175.
Fusca (*Aptera*), 182.
Fusca (*Blabera*), 164.
Fusca (*Blatta*), 96, 182.
Fusca (*Derocalymma*), 186.
Fusca (*Epilampra*), 125.
Fusca (*Ischnoptera*), 81.
Fusca (*Mantis*), 232, 238.
Fusca (*Perisphæria*), 186.
Fusca (*Phyllodromia*), 96.
Fusca (*Stenopilema*), 186.
Fuscata (*Acontista*), 233.
Fuscata (*Mantis*), 233, 252.
Fuscata (*Pyragra*), 7.
Fuscella (*Melestora*), 167.
Fusciscens (*Hierodula*), 247.
Fusciscens (*Mantis*), 247.
Fusci-folia (*Mantis*), 282.
Fusci-folius (*Acanthops*), 282.
Fusilineatus (*Bacillus*), 330.
Fusilineatus (*Paraclitumnus*), 330.
Fuscipennis (*Chelisothes*), 34.
Fuscipennis (*Forficula*), 34.
Fuscipennis (*Lobophora*), 34.
Fuscipennis (*Psalidophora*), 34.
Fuscipennis (*Thesprotia*), 277.
Fuscoannulata (*Necroscia*), 376.
Fuscoannulatum (*Necroscia*), 376.
Fuscoannulatum (*Phasma*), 376.
Fuscoareata (*Creoboter*), 291.
Fuscoelytris (*Mantis*), 235.
Fuscoirrorata (*Poly-spilota*), 240.
Fuscosparsa (*Sibylla*), 287.
Fusifformis (*Blabera*), 165.
Gadarama (*Necroscia*), 368.
Gadarama (*Sosibia*), 368.
Gagathina (*Forficula*), 14.
Gagathina (*Psalis*), 14.
Gagatina (*Labidura*), 14.
Gagatina (*Psalis*), 14.
Galacpterus (*Phasma*), 367.
Galacpterus (*Lopaphus*), 367.
Galacpterus (*Orxines*), 367.
GALAPAGIA, 276.
Galeata (*Danuria*), 256.
Galeata (*Hoplocorypha*), 256.
Galeata (*Mantis*), 256.
Galeata (*Parathespis*), 257.
GALEPSUS, 216.
Galerucoides (*Choris-tima*), 73.
Galerucoides (*Diplo-ptera*), 73.
Galerucoides (*Eleuthero-roda*), 73.

- GALINTHIAS, 296.
Gallica (*Blatta*), 156.
Gallicum (*Phasma*), 334.
Gallicus (*Bacillus*), 334.
Gallicus (*Bacillus*), 332.
Gambrisius (*Olecyphides*), 411.
Gambrisius (*Phasma*), 411.
Gargantua (*Aruanoidea*), 378.
Gargantua (*Necroscia*), 378.
Gariazzi (*Forcipula*), 9.
Gasconi (*Polyspilota*), 239.
Gastrica (*Hierodula*), 243.
Gastrica (*Mantis*), 243.
Gastrica (*Sphodromantis*), 243.
Gayi (*Coptopteryx*), 272.
Gayi (*Mantis*), 272.
Gecko (*Acanthoderus*), 399.
Gecko (*Hoploclonia*), 399.
Geisovii (*Acanthoderus*), 340.
Geisovii (*Bacillus*), 340.
Geisovii (*Macracantha*), 340.
Geissei (*Polyzosteria*), 195.
Gelonus (*Phyllium*), 421.
Gelonus (*Pulchriphyllium*), 421.
Geminata (*Ceoboter*), 291.
Geminata (*Epilampra*), 122.
Geminata (*Heterolampra*), 122.
Geminata (*Mantis*), 291.
Genei (*Eremiaphila*), 211.
Genei (*Eremophila*), 211.
Geniculata (*Brachylabis*), 16.
Geniculata (*Chelidura*), 16.
Geniculata (*Forficula*), 13.
Geniculatus (*Lonchodes*), 317.
Geniculatus (*Stælonychodes*), 317.
Geniculosum (*Bacteria*), 317.
Geniculosum (*Phasma*), 317.
Geochroma (*Homalopteryx*), 116.
Geochroma (*Polyzosteria*), 116.
 GEOMANTIS, 224.
 GEOSCAPHEUS, 205.
Gerhardii (*Bacillus*), 340.
Germanica (*Blatta*), 62, 87.
Germanica (*Phyllo-dromia*), 87.
Germanicus (*Ectobius*), 87.
Gerstæckeri (*Diplatys*), 2.
Gerstæckeri (*Diplatys*), 2.
Gerstæckeri (*Nannopygia*), 2.
Geryon (*Phyllium*), 423.
Gestriana (*Nauphæta*), 155.
Gestroi (*Platylabia*), 22.
Gestroi (*Spelæoblatta*), 106.
Gestroiana (*Heterogamia*), 173.
Gestroiana (*Polyphaga*), 173.
Ghilianii (*Labia*), 28.
Gibbicollis (*Cyrtotria*), 187.
Gibbicollis (*Derocarymma*), 187.
Gibbicollis (*Deropeltis*), 187.
Gibbicollis (*Ischnoptera*), 187.
Gibbosa (*Craspedonia*), 387.
Gibbosa (*Diapherodes*), 361.
Gibbosa (*Monandrop-tera*), 361.
Gibbosa (*Phasma*), 387.
Gibbosum (*Cranidium*), 361.
Giebeliana (*Hypo-sphæria*), 193.
Giebeliana (*Lioblatta*), 193.
Gigantea (*Æluropoda*), 199.
Gigantea (*Blabera*), 163.
Gigantea (*Blatta*), 163, 164.
Gigantea (*Diapherodes*), 362.
Gigantea (*Forficesila*), 10, 11.
Gigantea (*Forficula*), 10, 11.
Gigantea (*Labidura*), 10, 11.
Gigantea (*Mantis*), 362.
Gigantea var. *Japonica* (*Forficesila*), 11.
Gigantea var. *Japonica* (*Forficula*), 11.
Giganteus (*Geoscapheus*), 205.
 GIGANTOPHASMA, 386.
Gigas (*Brunneria*), 265.
Gigas (*Cyphocrana*), 390.
Gigas (*Cyphocrania*), 390, 391.
Gigas (*Diapherodes*), 362.
Gigas (*Eremoplana*), 265.
Gigas (*Fischeria*), 265.
Gigas (*Gryllus*), 390.
Gigas (*Iris*), 265.
Gigas (*Japyx*), 56.
Gigas (*Mantis*), 362, 385, 390.
Gigas (*Phasma*), 390.
Gigas (*Phasma*), 385, 391, 392.
Gilolæ (*Musonia*), 256.
Gilolæ (*Nanomantis*), 256.
Gilva (*Chiropacha*), 216.
Giraffa (*Leptocola*), 263.
Glabra (*Melanozosteria*), 129.
Glabra (*Nyetibora*), 108.
Glabra (*Periplaneta*), 129, 130.
Glabricollis (*Diapherodes*), 364.
Glabricollis (*Haplopus*), 364.
Glabricula (*Blatta*), 73.
Glabricula (*Chorisoneura*), 73.
Glabricula (*Labia*), 28.
Glaucia (*Iridopteryx*), 222.
Glaucia (*Micromantis*), 222.
Glaucia (*Panchlora*), 152.
Glaucopterus (*Chelisothes*), 33.
Glomeriformis (*Perisphæria*), 190.
Glomeris (*Perisphæria*), 190.
Glomeris (*Pseudoglomeris*), 190.
Gloriosa (*Blatta*), 150.
Gloriosa (*Gyna*), 150.
Glyptomerium (*Xerosoma*), 416.
 GLYPTOPELTIS, 182.

- Godama (Lonchodes), 322.
 Godmani (Acanthops), 282.
 Goeldiana (Hicetia), 274.
 Goliath (Cyphocrania), 391.
 Goliath (Diura), 391.
 Goliath (Eurycnema), 391.
 Goliath (Japyx), 57.
 Goliath (Phasma), 391.
 GONATISTA, 269.
 Gongylodes (Empusa), 311.
 Gongylodes (Gongylus), 310, 311.
 Gongylodes (Gryllus), 310.
 Gongylodes (Mantis), 310.
 GONGYLUS, 310.
 GONOLABINA, 16.
 GONOLABIS, 15.
 GONYPETA, 224.
 GONYPETYLLIS, 283.
 Gorgon (Phyllium), 413.
 Gorgus (Lopaphus), 394.
 Gorgus (Onchestus), 394.
 Gracile (Ellipsoidion), 80.
 Gracilicollis (Hierodula), 247.
 Gracilipes (Ameles), 225.
 Gracilipes (Bacillus), 337.
 Gracilipes (Clonaria), 337.
 Gracilipes (Entella), 225.
 Gracilipes (Photina), 274.
 Gracilipes (Pyrgocotis), 218.
 Gracilis (Ameles), 230.
 Gracilis (Bacillus), 335, 337.
 Gracilis (Bacteria), 351.
 Gracilis (Blatta), 72.
 Gracilis (Calidomantis), 259.
 Gracilis (Chorisoneura), 72.
 Gracilis (Cladoxerus), 357.
 Gracilis (Clonistria), 351.
 Gracilis (Cylindrogaster), 2.
 Gracilis (Danuria), 310.
 Gracilis (Derocalymma), 186.
 Gracilis (Deropeltis), 146.
 Gracilis (Diplatys), 2.
 Gracilis (Empusa), 314.
 Gracilis (Epilampra), 118.
 Gracilis (Forficula), 24, 47.
 Gracilis (Idolomorpha), 314.
 Gracilis (Ischnoptera), 146.
 Gracilis (Linocerus), 335.
 Gracilis (Mantis), 230.
 Gracilis (Miomantis), 259.
 Gracilis (Oxyophthalmus), 261.
 Gracilis (Periplaneta), 141.
 Gracilis (Perisphæria), 186.
 Gracilis (Phibalosoma), 357.
 Gracilis (Popa), 310.
 Gracilis (Sparatta), 24.
 Gracilis (Sphingolabis), 47.
 Gracilis (Stenopilema), 186.
 Gracillima (Leptocola), 263.
 Gracillima (Leptocola), 263.
 Gracillimus (Stælonchodes), 318.
 Graciosa (Cyphocrania), 397.
 Graciosa (Eurycantha), 397.
 Graciosa (Phasma), 397.
 Græca (Aphlebia), 70.
 Græca (Hololampra), 70.
 Græca (Isolabella), 43.
 GRAEFFEA, 386.
 Grallator (Baculum), 328.
 Grallator (Lonchodes), 328.
 Gramen (Bacunculus), 349.
 Gramen (Heteronemia), 349.
 Graminea (Calvisia), 370.
 Graminea (Macynia), 332.
 Graminea (Necroscia), 370.
 Graminea (Phthoa), 332.
 Gramineus (Bacillus), 332.
 Graminis (Oligonyx), 278.
 Grammica (Anaxarcha), 223.
 Grandadensis (Miopteryx), 275.
 Grandidieri (Gromphadorhina), 199.
 Grandidieri (Gymnonyx), 184.
 Grandidieri (Stagmatoptera), 301.
 Grandipennis (Anaplecta), 67.
 Grandis (Fischeria), 265.
 Grandis (Forficula), 47.
 Grandis (Hierodula), 246.
 Grandis (Hoplocorypha), 257.
 Grandis (Ischnomantis), 266.
 Grandis (Labia), 27.
 Grandis (Mantis), 249.
 Grandis (Miopteryx), 275.
 Grandis (Panchlora), 150.
 Grandis (Phasma), 385.
 Grandis (Phasmomantis), 266.
 Grandis (Platyzosteria), 130.
 Grandis (Polyzosteria), 130.
 Grandis (Rhombodera), 249.
 Grandis (Rhyparobia), 150.
 Grandiventris (Forficula), 4.
 Grandiventris (Tagalina), 4.
 Granicollis (Oniscosoma), 159.
 Granicollis (Perisphæria), 192.
 Granicollis (Pæcioblatta), 192.
 Granicollis (Zetobora), 159.
 Graniferum (Periphetes), 320.
 Graniferum (Phasma), 320.
 Graniger (Stenopilema), 186.
 Granosa (Monachoda), 162.
 Granosa (Monastria), 162.
 Granulata (Ateloblatta), 199.

- Granulata* (*Derocarymma*), 188.
Granulata (*Hemiblabea*), 166.
Granulata (*Homalodemus*), 188.
Granulata (*Oxythespis*), 255.
Granulatus (*Bacillus*), 334.
Granulatus (*Bathycharax*), 335.
Granulatus (*Carausius*), 320.
Granulicollis (*Bacteria*), 356.
Granulicollis (*Creoboter*), 291.
Granulifera (*Pseudoderopeltis*), 147.
Granulosa (*Labidura*), 11.
 GRATIDIA, 330.
Gravidula (*Apterygida*), 45.
Gravidula (*Forficula*), 45.
Gravidula (*Labia*), 45.
Gravidus (*Acanthoderus*), 400.
Gravidus (*Pylæmenes*), 400.
Grayi (*Anchiale*), 393.
Grayi (*Diapherodes*), 363.
Grayi (*Haaniella*), 397.
Grayi (*Haplopus*), 363.
Grayi (*Heteropteryx*), 397.
Grayi (*Pachymorpha*), 393.
Grayii (*Heteropteryx*), 397, 398.
Greeni (*Anisolabis*), 19.
Greeni (*Diplatys*), 2.
 GREENIA, 319.
Grisea (*Blatta*), 125.
Grisea (*Coptopteryx*), 272.
Grisea (*Epilampra*), 125.
Grisea (*Gonatista*), 270.
Grisea (*Mantis*), 213, 270, 272.
Grisea (*Nauphæta*), 156.
 GROMPHADO-
 RHINA, 199.
Grossa (*Blabea*) 160.
Grossa (*Blatta*), 160.
Grossa (*Monachoda*), 160.
Grossa (*Monachoda*), 160.
Grylloides (*Anisomorpha*), 403.
Grylloides (*Dinelytron*), 403.
Grylloides (*Paradoxomorpha*), 403.
Grylloides (*Platycrania*), 408.
Gryps (*Harpagonyx*), 279.
Guatemalæ (*Temnopteryx*), 105.
Gueinzii (*Bacillus*), 337.
Gueinzii (*Clonaria*), 337.
Guerinii (*Epicharmus*), 404.
Guerini (*Eremoplana*), 265.
Guerini (*Fischeria*), 265.
Guerini (*Iris*), 265.
Guerini (*Lamponius*), 343.
Guerini (*Prisopus*), 404.
Guerini (*Pygirkynchus*), 343.
Guerini (*Thespis*), 265.
Guerini (*Trichoblatta*), 191.
Gueriniana (*Corydia*), 167.
Gueriniana (*Pseudomops*), 76.
Gueriniana (*Thyrlocera*), 76.
Guineensis (*Nauphæta*), 155.
Guineensis (*Platylabia*), 22.
Gulare (*Necroscia*), 375.
Gulare (*Phasma*), 375.
Gularis (*Necroscia*), 375.
Gulosa (*Ancistrogaster*), 36.
Gunnii (*Mantis*), 218.
Guttata (*Dorylæa*), 135.
Guttata (*Echinopsalis*), 7.
Guttata (*Labia*), 27.
Guttata (*Mantis*), 243.
Guttata (*Psalis*), 13.
Guttata (*Pygidicrana*), 6.
Guttata (*Sphodromantis*), 243.
Guttata (*Stylopyga*), 135.
Gutticollis (*Prosoplecta*), 177.
Guttifera (*Blatta*), 93.
Guttifera (*Phyllodromia*), 93.
Guttigerum (*Phasma*), 400.
Guttigerus (*Datames*), 400.
Guttipennis (*Homœogamia*) 174.
Guttipennis (*Tropidomantis*), 227.
Guttipennis (*Zetobora*), 174.
Guttiventris (*Blabea*), 165.
Guttiventris (*Tarraga*), 165.
Guttulata (*Spongiphora*), 30.
Guttulosa (*Nauphæta*), 157.
Guttulosa (*Tribonium*), 157.
Guttulus (*Empusa*), 313.
Guttulus (*Gongylus*), 313.
 GYMNONYX, 184.
Gymnopyga (*Coptopteryx*), 272.
Gymnopyga (*Mantis*), 272.
 GYNA, 149.
 GYNOPELTIS, 182.
Gyrinoides (*Blatta*), 92.
Gyrinoides (*Phyllodromia*), 92.
 HAANIA 289.
 HAANIELLA, 397.
Haanii (*Necroscia*), 376.
Haanii (*Pseudomantis*), 236.
Haanii (*Rhombodera*), 248.
Hadrillus (*Lopaphus*), 360.
Hæckelii (*Ectobia*), 62.
Hædulus (*Mnesilochus*), 320.
Hæmatomus (*Lonchodes*), 318.
Hæmatomus (*Stælonychodes*), 318.
 HAGIOMANTIS, 270.
 HAGIOTATA, 306.
Haita (*Bacteria*), 351.
Haita (*Clonistria*), 351.
Halmaturina (*Loboptera*), 102.
Hamata (*Ischnoptera*), 82.
Hamifera (*Allacta*), 100.
Hamifera (*Blatta*), 100.
Hampsoni (*Parepisopus*), 261.
Hamuligera (*Paraclo-naria*), 336.
Hanitschi (*Cyphocrania*), 391.
Hanseni (*Hemimerus*), 59.

- HAPALOMANTIS, 226.
 HAPALOPEZA, 221.
 HAPLOPUS, 363.
 HARPAGOMANTIS, 295.
 HARPAGONYX, 279.
HARPAX, 295.
Harpuri (*Tennelytra*), 137.
Harpuri (*Zonioploca*), 137.
Harpyia (*Hierodula*), 244.
Harpyia (*Sphodromantis*), 244.
Hastata (*Bacteria*), 348.
Hastata (*Heteronemia*), 348.
Hastifera (*Ischnoptera*), 87.
Havaniense (*Phasma*), 362.
Havaniensis (*Apterygida*), 46.
Havaniensis (*Forficula*), 46.
Havaniensis (*Sphingolabis*), 46.
Haworthii (*Ctenomorpha*), 365.
Haworthii (*Palophus*), 365.
Hebes (*Ischnoptera*), 85.
Hebetata (*Pilema*), 185.
Hebraica (*Eremiaphila*), 211.
Hectica (*Cyphocrania*), 365.
Hectica (*Platycrana*), 365.
Hecticum (*Phasma*), 365.
Hecticus (*Palophus*), 365.
 HEDAIA, 123.
Hedenborgi (*Empusa*), 312.
Hedenborgii (*Eremiaphila*), 212.
Hedenborgii (*Eremophila*), 212.
Heldreichi (*Ameles*), 231.
Heldreichi (*Parameles*), 231.
Hellmanni (*Forficula*), 52.
Hellotis (*Lopaphus*), 360.
Helvetica (*Blatta*), 62.
 HELVIA, 292.
Helvolum (*Phasma*), 413.
Helvolum (*Pseudophasma*), 413.
Hemerobina (*Phyllodromia*), 88.
Hemerobius (*Mantis*), 256.
Hemerobius (*Nanomantis*), 256.
 HEMIBLABERA, 166.
 HEMIBLATTA, 194.
 HEMIEMPUSA, 313.
 HEMILATINDIA, 169.
 HEMIMERIDÆ, 59.
 HEMIMERUS, 59.
 HEMINAUPHÆTA, 156.
 HEMINYCTOBORA, 108.
 HEMIPACHYMORPHA, 341.
 HEMIPANESTHIA, 204.
Hemiptera (*Blatta*), 62.
 HEMIPTEROTA, 74.
 HEMITHYRSOCERA, 77.
Hemus (*Calvisia*), 370.
Hemus (*Necroscia*), 370.
Herbacea (*Mantis*), 238.
Herbacea (*Tenodera*), 238.
Herculeana (*Cyphocrania*), 391.
Herculeana (*Eurycnema*), 391.
Herculeana (*Forficula*), 11.
Herculeana (*Labidura*), 11.
Hercules (*Chelisochella*), 35.
 HERMAGORAS, 322.
 HERMARCHUS, 360.
 Hermes (*Anechura*), 41.
Heros (*Blatta*), 142.
Heros (*Periplaneta*), 142.
Hesione (*Acromantis*), 280.
 HESPEROPHASMA, 343.
 HESTIAS, 288.
 HESTIASULA, 288.
 HETEROCHÆTA, 306.
 HETEROCHÆTULA, 307.
Heterochroa (*Humbertiella*), 213.
Heterochroa (*Thespompa*), 213.
Heteroclyta (*Blatta*), 167.
Heterodera (*Hierodula*), 246.
 HETEROGAMIA, 171.
Heterogamia (*Stagmomantis*), 252.
 HETEROLAMPRA, 120.
 HETERONEMIA, 348.
 HETERONUTARSUS, 212.
 HETERONYCHOTARSUS, 212.
 HETEROPLANA, 205.
Heteroptera (*Euchomena*), 237.
Heteroptera (*Mantis*), 237.
 HETEROPTERYGINÆ, 396.
 HETEROPTERYX, 396.
 HETEROPTERYX, 397.
Heterospila (*Polyzosteria*), 135.
 HETEROVATES, 302.
Heusseriana (*Calolampra*), 117.
Heusseriana (*Epilampra*), 117.
Heydeniana (*Epilampra*), 126.
Heydeniana (*Nauphæta*), 156.
Heydeniana (*Paratropes*), 112.
Heydeniana (*Periplaneta*), 129.
Heydeniana (*Phoraspis*), 112.
Heydeniana (*Platyzosteria*), 129.
Heydeniana (*Polyzosteria*), 129.
Heydeniana (*Pseudophyllodromia*), 97.
Heydeniana (*Syntomaptera*), 129.
Heydenianum (*Ellipsoidion*), 97.
Heydenianum (*Ellipsoidium*), 97.
 HICETIA, 274.
 HIERODULA, 245.
Hieroglyphica (*Perlamorpha*), 418.
Hieroglyphica (*Phyllodromia*), 100.
Hieroglyphicus (*Perlamorphus*), 418.
Hilara (*Enicophlebia*), 228.
Hilare (*Necroscia*), 370.
Hilare (*Phasma*), 370.
Hilaris (*Calvisia*), 370.
Hilaris (*Corydia*), 167.
Hilaris (*Labia*), 27.
Hilaris (*Necroscia*), 371.
Hilaris (*Panesthia*), 204.
Hildebrandti (*Gromphodrhina*), 199.

- Himalayæ (Perisphæria), 189.
Himalayanus (Dysaules), 262.
Himalayica (Ischnoptera), 81.
Hippolyte (Calvisia), 370.
Hippolyte (*Necroscia*), 370.
Hippolytus (Lysicles), 381.
Hipponax (Dinelytron), 408.
Hipponoe (Loxopsis), 406.
Hipponoe (*Necroscia*), 406.
Hippotaurus (Ischnopoda), 366.
Hippotaurus (*Palophus*), 366.
Hirsuta (Ancistrogaster), 37.
Hirsuta (*Forficula*), 37.
Hirsuta (*Heterogamia*), 173.
Hirsuta (Polyphaga), 173.
Hirticornis (Pseudomops), 76.
Hirticornis (*Thyrso-cera*), 76.
HIRTULEIUS, 361.
Hispa (*Lonchodes*), 326.
Hispa (Promachus), 326.
Hispanica (*Forficula*), 18.
Hispanicus (Phthoa), 332.
Hispidulus (*Bacillus*), 330.
Hispidulus (Paraclitumnus), 330.
Histrinus (Acanthoclona), 407.
Histrinus (*Ceroys*), 407.
Histrion (*Paratropa*), 110.
Histrion (Paratropes), 110.
Histrion (*Paratropes*), 155.
Histrion (*Periplaneta*), 135.
Histrion (Pseudophyllo-dromia), 98.
Histrion (Thyrso-cera), 78.
Hobsonii (*Bolidena*), 218.
Hobsonii (*Mantis*), 218.
Hobsonii (Orthodera), 218.
Hoevenii (Archiblatta), 148.
Hofmanni (Hagiotata), 306.
HOLOCOMPSA, 169.
HOLOLAMPRA, 68.
HOLOLAMPRA, 177.
Holosericea (Nyctibora), 107.
HOMALOBLATTA, 194.
HOMALODEMAS, 188.
HOMALOPTERYX, 115.
HOMALOSILPHA, 143.
HOMEOGAMIA, 174.
Hookeri (*Bacillus*), 339.
Hookeri (Clitarchus), 339.
Hopei (*Ectatosoma*), 381.
Hopei (*Ectatosoma*), 380.
Hopei (*Heteropteryx*), 397.
Hopei (*Phasma*), 410.
Hopii (Olephides), 410.
Hopii (*Phasma*), 410.
HOPLOCLODIA, 399.
HOPLOCORYPHA, 256.
HOPOPHORA, 209.
HORMETICA, 197.
HORMETICA, 196.
Horologica (Hedaia), 124.
Horrida (Eurycantha), 395.
Horrida (*Eurycantha*), 396.
Horrida (*Phasma*), 395.
Horridum (Echinosoma), 8.
Horridum (*Karabidion*), 395.
Horridus (*Acanthoderus*), 340.
Horridus (*Argosarchus*), 340.
Horridus (*Platytelus*), 406.
Horridus (Prisopus), 406.
Horridica (Deroplatys), 282.
Horsfieldii (Necroscia), 376.
Horsfieldii (Pygidicrana), 6.
Horsfieldii (Sparatta), 23.
Horstokkii (*Phasma*), 405.
Horstokkii (Prisopus), 405.
Hosei (Hermagoras), 322.
Hospes (Phyllodromia), 93.
HOSTILIA, 192.
Hottentota (Dorylæa), 135.
Hottentotta (Anisolabis), 18.
Hottentotta (Ceratinoptera), 98.
Hottentotta (*Forcinella*), 18.
Hova (Blatta), 138.
Hova (Elliptoblatta), 184.
Hova (Galepsus), 217.
Hova (Heminauphæta), 156.
Hova (*Hierodula*), 241.
Hova (Opisthocosmia), 33.
Hova (*Periplaneta*), 133.
Hova (*Stylopyga*), 138.
Hova (Tarachomantis), 241.
Hova (Theganopteryx), 64.
Hralili (Eremiaphila), 212.
Hralili (*Eremiaphila*), 212.
Hubbardi (Japyx), 57.
Huegeli (Anechura), 41.
Huegeli (*Forficula*), 41.
Hugeli (Pygidicrana), 5.
Humberti (*Bacillus*), 328.
Humberti (*Ramulus*), 328.
Humbertiana (Blatta), 92.
Humbertiana (Empusa), 313.
Humbertiana (Gonypeta), 224.
Humbertiana (Necroscia), 369.
Humbertiana (Parathespis), 256.
Humbertiana (*Perisphæria*), 190.
Humbertiana (Phyllo-dromia), 90.
Humbertiana (*Phyllo-dromia*), 92.
Humbertiana (*Poly-zosteria*), 90.
Humbertiana (Pseudoglomeris), 190.
Humbertiana (Sosibia), 369.
HUMBERTIELLA, 214.

- Humbertii (*Iapyx*), 56.
Humbertii (*Japyx*), 56.
 Humeralis (*Ellipsoidion*), 79.
Humeralis (*Apolyta*), 79.
Humeralis (*Blatta*), 91.
Humeralis (*Cardioptera*), 242.
Humeralis (*Cilnia*), 242.
Humeralis (*Nyctibora*), 107.
Humeralis (*Opisthocosmia*), 38.
Humeralis (*Phyllo-dromia*), 91.
Humilis (*Bacillus*), 329.
Humilis (*Ramulus*), 329.
Hummeli (*Hypnorna*), 178.
Huseinæ (*Apterygida*), 12.
Huseinæ (*Labidura*), 12.
Hyalina (*Blatta*), 152.
Hyalina (*Cheradodis*), 220.
Hyalina (*Empusa*), 305.
Hyalina (*Galinthias*), 296.
Hyalina (*Ischnoptera*), 84.
Hyalina (*Macromantis*), 273.
Hyalina (*Mantis*), 273, 299, 303.
Hyalina (*Panchlora*), 152.
Hyalina (*Panchlora*), 153.
Hyaloptera (*Mantis*), 299.
Hyaloptera (*Stagmatoptera*), 299.
Hybrida (*Epilampra*), 123.
Hybrida (*Heterolampra*), 123.
Hybrida (*Hierodula*), 246.
Hybrida (*Mantis*), 246.
Hydrophoroides (*Blatta*), 73.
Hydrophoroides (*Choristima*), 73.
Hydrophoroides (*Chorisonura*), 73.
 HYMENOPA, 294.
 HYMENOPUS, 294.
 HYPERCOMPSA, 170.
Hypharpax (*Phibalosoma*), 360.
Hypharpax (*Tirachoides*), 360.
Hyphereon (*Bacillus*), 330.
Hyphereon (*Gratidia*), 330.
 HYPNORMA, 178.
 HYPNORNA, 178.
 HYPOCRITA, 101.
 HYPOSPHÆRIA, 193.
 HYPSTOCORYPHA, 314.
 HYRTACUS, 331.
Hystriculea (*Bacillus*), 342.
Hystriculea (*Pachymorpha*), 342.
Hystriculea (*Pachymorpha*), 342.
Hystrius (*Acanthoclona*), 407.
Hystrius (*Ceroys*), 407.
Hystrix (*Acanthoderus*), 326.
Hystrix (*Parectatosoma*), 398.
Hystrix (*Promachus*), 326.
 IAPYX, 55.
Icaris (*Neuroscia*), 375.
Icterica (*Forficesila*), 11.
Icterica (*Labidura*), 11.
Icterica (*Oxyops*), 298.
 IDOLOMORPHA, 314.
 IDOLUM, 316.
 IGNACIA, 411.
Ignava (*Heteronemia*), 348.
Ignavus (*Ceroys*), 345.
Ignavus (*Libethra*), 345.
Ignobilis (*Allacta*), 100.
Ignobilis (*Blatta*), 100.
Ignobilis (*Ischnoptera*), 83.
Iheringi (*Phyllovates*), 304.
Iheringi (*Theoclytes*), 304.
Illepida (*Proscratea*), 150.
Illudens (*Phyllocrania*), 290.
Imitans (*Epilampra*), 121.
Imitans (*Heterolampra*), 121.
Imitatrix (*Epilampra*), 125.
Immacula (*Blabera*), 165.
Immaculata (*Hedaia*), 123.
Immanis (*Acanthoderus*), 344.
Immanis (*Parobrimus*), 344.
Immunda (*Phyllo-dromia*), 92.
Impannosa (*Danuria*), 310.
Impennis (*Ancistrogaster*), 37.
Imperatoria (*Epilampra*), 116.
Imperatrix (*Molytria*), 115.
Imperatrix (*Pygidicrana*), 5.
Impressa (*Polyzosteria*), 128.
Impressa (*Zetobora*), 157.
Impressicollis (*Bor-mansia*), 13.
Inæqualis (*Ischnoptera*), 82.
Inæqualis (*Panchlora*), 157.
Inæqualis (*Tribonium*), 157.
Inca (*Ischnoptera*), 84.
Inca (*Latindia*), 168.
Inca (*Pseudophasma*), 412.
Inca (*Strongylopsalis*), 15.
Incerta (*Labia*), 26.
Incerta (*Panesthia*), 203.
Incertus (*Prisopus*), 405.
Incisa (*Blatta*), 88.
Incisa (*Phyllodromia*), 88.
Inclarata (*Epilampra*), 121.
Inclarata (*Heterolampra*), 121.
Inclinata (*Clonaria*), 337.
Inclinata (*Gratidia*), 337.
Inclusa (*Cosmozosteria*), 133.
Inclusa (*Periplaneta*), 133, 142.
Inclusa (*Pseudomops*), 75.
Incommoda (*Blatta*), 105.
Incommoda (*Temnopteryx*), 105.
Incommodus (*Bacillus*), 383.
Incommodus (*Xenomaches*), 383.
Incompta (*Bostra*), 350.
Inconspicua (*Epilampra*), 120.
Inconspicua (*Heterolampra*), 120.

- Inconspicua* (Labidura), 12.
Inconspicua (Temnopteryx), 104.
Incuriosa (Ischnoptera), 81.
Indica (Bacteria), 330.
Indica (Blatta), 151.
Indica (Ectobia), 64.
Indica (Forficula), 13.
Indica (Humbertiella), 214.
Indica (Ischnoptera), 81.
Indica (Labidura), 13.
Indica (Loboptera), 102.
Indica (Panchlora), 151.
Indica (Paraclitumnus), 330.
Indica (Paranauphæta), 179.
Indica (Polyphaga), 172.
Indica (Platyzosteria), 104.
Indica (Psalis), 13.
Indica (Temnopteryx), 104.
Indica (Theganopteryx), 64.
Indica var. *Minor* (Psalis), 13.
Indicator (Mantis), 301.
Indicator (Stagmatoptera), 301.
Indicus (Bacillus), 330.
Indicus (Iapyx), 57.
Indicus (Japyx), 57.
Indistincta (Labia), 26.
Induta (Allacta), 100.
Induta (Ceratinoptera), 100.
Inermis (Bacillus), 335.
Inermis (Hestias), 288.
Inermis (Labidura), 10.
Inermis (Pachymantis), 288.
Inermis (Panesthia), 204.
Inermis (Phasma), 335.
Inexacta (Blatta), 92.
Inexacta (Phyllochromia), 92.
Inflexipes (Mantis), 374.
Inflexipes (Necroscia), 374.
Infumata (Aphlebia), 69.
Infumata (Forficula), 50.
Infumata (Gonypeta), 223.
Infumata (Hololampra), 69.
Infumata (Iridopteryx), 223.
Infumata (Mantis), 276.
Infumata (Musonia), 276.
Infumata (Oligonyx), 276.
Infumatum (Ascepasma), 419.
Infumatum (Aschipsasma), 419.
Infumatus (Presbistus), 419.
Infuscata (Fischeria), 269.
Infuscata (Iris), 269.
Infuscata (Phasmo-mantis), 269.
Infuscata (Pseudomiopteryx), 275.
Infuscata (Sphendale), 269.
Ingens (Platyzosteria), 143.
Innotabilis (Blatta), 97.
Innotabilis (Mareta), 97.
Inopinata (Ancistrogaster), 37.
Inornata (Chætospania), 22.
Inquinata (Acontista), 233.
Inquinata (Blatta), 79.
Inquinata (Chorisoneura), 72.
Inquinata (Ellipsidion), 79.
Inquinata (Epilampra), 114.
Inquinata (Mantis), 252.
Inquinata (Molytria), 114.
Inquinata (Epilampra), 114.
Insatiabilis (Stagmatoptera), 301.
Inscripta (Ceratinoptera), 98.
Inscripta (Periplaneta), 98.
Insculpta (Ellipsica), 183.
Insidiator (Chiropus), 216.
Insidiator (Tarachodes), 215.
Insignata (Trichomera), 143.
Insignis (Æluropoda), 199.
Insignis (Æthalochroa), 303.
Insignis (Bacillus), 329.
Insignis (Baculum), 329.
Insignis (Blatta), 142.
Insignis (Cladozerus), 331.
Insignis (Forficula), 39.
Insignis (Kakerlac), 142.
Insignis (Lonchodes), 329.
Insignis (Lysicles), 331.
Insignis (Opisthocosmia), 39.
Insignis (Periplaneta), 142.
Insignis (Phyllocrania), 290.
Insignis (Phyllocrania), 290.
Insignis (Polyspilota), 239.
Insignis (Psolidophora), 31.
Insignis (Spongiphora), 31.
Insolita (Periplaneta), 116.
Insueta (Epilampra), 121.
Insueta (Heterolampra), 121.
Insulanum (Echinossoma), 8.
Insularis (Auchiale), 393.
Insularis (Blatta), 95.
Insularis (Dicellonotus), 201.
Insularis (Dirippus), 324.
Insularis (Ectobia), 65.
Insularis (Epilampra), 125.
Insularis (Eurycantha), 396.
Insularis (Phasgania), 324.
Insularis (Phyllochromia), 95.
Insularis (Promachus), 326.
Insularis (Pseudectobia), 65.
Insularis (Sphingolabis), 49.
Insularis (Theganopteryx), 65.
Intacta (Epilampra), 111.
Integerrima (Dero-peltis), 146.
Integra (Metilia), 282.
Integra (Panesthia), 204.
Intercepta (Blatta), 75.

- Intercepta (Pseudomops), 75.
 Intermedia (Ancistrogaster), 37.
 Intermedia (*Dero-calymma*), 188.
 Intermedia (*Deropeltis*), 146.
 Intermedia (*Homalodemus*), 188.
 Intermedia (*Homalopteryx*), 115.
 Intermedia (*Nyctibora*), 107.
 Intermedia (*Pseudectobia*), 66.
 Intermedia (*Tenodera*), 239.
 Intermedia (*Tenodera*), 218.
 Intermedia (*Theganopteryx*), 66.
 Interna (*Brachycola*), 197.
Inuncans (*Monandrop-tera*), 382, 387.
Inuncanus (*Monandrop-tera*), 387.
 Inversa (*Phyllodromia*), 91.
 Invisa (*Periplaneta*), 130.
 Invisa (*Platyzosteria*), 130.
 Invisa (*Polyzosteria*), 128.
 Iodomus (*Tropidoderus*), 380.
 Iolas (*Candaules*), 367.
 Iolas (*Lopaphus*), 367.
 Iolas (*Necroscia*), 367.
 Iphiclus (*Caulonia*), 344.
Iphiclus (*Pygirhynchus*), 344.
 IPISOMA, 169.
Ipsoides (*Euthyrrhapha*), 168.
Iridescent (*Ascephasma*), 419.
Iridescent (*Aschipasma*), 419.
Iridescent (*Olecyphides*), 411.
Iridescent (*Phasma*), 419.
Iridescent (*Presbistus*), 419.
 Iridicolor (*Polyzosteria*), 128.
 Iridipennis (*Iridopteryx*), 223.
Iridipennis (*Miopteryx*), 227.
 Iridipennis (*Tropidomantis*), 227.
 IRIDOPTERYX, 223.
Irina (*Gonypteta*), 223.
Irina (*Iridopteryx*), 223.
 IRIS, 259.
 Irregularis (*Danuriella*), 310.
 Irregulariter-vittata (*Phyllodromia*), 90.
Irrorata (*Blatta*), 117.
Irrorata (*Calolampra*), 117.
Irrorata (*Mantis*), 252.
Irrorata (*Tarachodes*), 215.
Irroratus (*Gryllus*), 252.
Isabellæ (*Japyx*), 56.
 ISAGORAS, 415.
 ISCHNOMANTIS, 266.
 ISCHNOPODA, 365.
 ISCHNOPTERA, 80.
Ismene (*Marmessoidea*), 372.
Ismene (*Necroscia*), 372.
Isochroma (*Epilampra*), 120.
Isochroma (*Heterolampra*), 120.
 ISOLABELLA, 43.
 ISOLABIS, 21.
Isomorpha (*Blatta*), 92.
Isomorpha (*Phyllodromia*), 92.
 Jackeryensis (*Forficula*), 53.
Jagori (*Apterygida*), 44.
Jagori (*Forficula*), 44.
Jagori (*Pterygida*), 44.
Jamaicensis (*Haplopus*), 363.
Jamaicensis (*Mantis*), 363.
Jamaicensis (*Phasma*), 363, 385.
Jamaicensis (*Platycrana*), 363.
Janeirensis (*Anisolabis*), 20.
Janeirensis (*Forcinella*), 20.
Janeri (*Aphlebia*), 71.
Janeri (*Hololampra*), 71.
Jansoni (*Anaplecta*), 68.
Jansoni (*Cylindrogaster*), 2.
Jansoni (*Diplatys*), 2.
 Janus (*Necroscia*), 377.
 Janus (*Prexaspes*), 415.
Japetus (*Acrophylla*), 393.
Japetus (*Cyphocrania*), 393.
Japetus (*Diura*), 393.
Japetus (*Phasma*), 393.
 Japonica (*Aeromantis*), 280.
 Japonica (*Forficesila*), 11.
 Japonica (*Forficula*), 11, 46.
 Japonica (*Mantis*), 251.
 Japonica (*Sphingolabis*), 46.
Japonicum (*Acanthoderus*), 325.
Japonicum (*Phasma*), 325.
Japonicus (*Acanthoderus*), 325.
Japonicus (*Neohirasea*), 325.
 JAPYX, 55.
Jaspidea (*Blatta*), 119.
Jaspidea (*Epilampra*), 120.
 Javana (*Aeromantis*), 223.
 Javana (*Anisolabis*), 16.
 Javana (*Gonolabis*), 16.
 Javana (*Micromantis*), 223.
 Javana (*Odontomantis*), 223.
 Javana (*Platylabia*), 22.
 Javanica (*Anaplecta*), 66.
 Javanica (*Epilampra*), 124.
 Javanica (*Hedaia*), 124.
 Javanica (*Panesthia*), 202.
 Javanica (*Paranauphœta*), 180.
Javanicus (*Japyx*), 57.
Javanum (*Bacillus*), 331.
Javanum (*Phasma*), 331.
 Javanus (*Apachyus*), 3.
 Javanus (*Bacillus*), 331.
 Javanus (*Paraclitumnus*), 331.
 Jocosicluna (*Anisopygia*), 101.
 Jonesi (*Pyrgomantis*), 217.
 Josephi (*Epilampra*), 127.
 Josephina (*Ischnoptera*), 88.
 Jucunda (*Ectobia*), 65.
 Jucunda (*Entella*), 225.
 Jucunda (*Hemithyrso-cera*), 78.
 Jucunda (*Periplaneta*), 108.

Jucunda (Theganopteryx), 65.
Jucunda (Thyrsocera), 78.
Julia (Hypsicorypha), 314.
Jumna (Cyphocrania), 387.
Jumna (Monandrop-
 ptera), 387.
Junce (Deropeltis), 146.
Junce (Deropeltis), 146.
Junce (Lechnoptera), 146.
JUNODIA, 286.
Jupiter (Chaetospasia), 22.
Jurini (Metriotes), 410.
Jurini (Oleophides), 410.

KAKERLAC, 137.
Kakkerlac (Blatta), 140.
Kallipyga (Pygidicrana), 5.
KARABIDION, 395.
KARSCHIELLA, 13.
Kaupiana (Tennopteryx), 105.
Kaupii (Myronides), 321.
Keratosqueleton (Mantis), 363.
Keraudrenii (Blatta), 122.
Keraudrenii (Epilampra), 122.
Keraudrenii (Hetero-
 lampra), 122.
Kershawi (Choristima), 73.
Kersteni (Hierodula), 244.
Kersteni (Mantis), 244.
Kersteni (Stigmatoptera), 244.
Khamini (Eremiaphila), 212.
Kheili (Panesthia), 203.
Kheili (Phasma), 413.
Kheili (Pseudophasma), 413.
Kheychi (Eremiaphila), 212.
Kirbii (Xeroderus), 363.
Kirbyi (Anisobatis), 16.
Kirbyi (Gonolabis), 16.
Kirschianus (Thrinaco-
 nyx), 279.
Kitensis (Oxyhaloa), 175.
KNEPHASIA, 132.
Kenigi (Leptynia), 335.
Komarowi (Opistho-
 cosmia), 35.

Kotschyi (Blepharodes), 315.
Kraussiana (Hemipan-
 esthia), 204.
Kraussiana (Panesthia), 204.
Kraussi (Haania), 207.
Kraussi (Paraoxyphilus), 207.
Krugi (Plectoptera), 178.
Kudaga (Anisobatis), 19.
Kuhlgatzi (Gonolabis), 16.
Kuklii (Blepharis), 290.
Kuklii (Mantis), 290.
Kohlii (Parablepharis), 290.

LABIA, 25.

Labia (Macynia), 332.
Labia (Mantis), 332.
Labia (Phasma), 332.
LABIDOPHORA, 21.
LABIDURA, 9.
LABIDURODES, 15.
Lacandon (Panchlora), 154.
Laceratus (Cresylus), 404.
Laceratus (Neocles), 404.
Lacertinus (Acantho-
 derus), 325.
Lacertinus (Phasma), 325.
Lacertinus (Acantho-
 derus), 325.
Lacertinus (Meneptenus), 325.
Lacinia (Ceroys), 344.
Lacinia (Parabrinnus), 344.
Lacrymula (Blatta), 88.
Lacrymula (Phyllopro-
 mia), 88.
Lactea (Mispiteryx), 255.
Lactea (Panchlora), 154.
Lacteipennis (Neoclesia), 377.
Lera (Anisobatis), 19.
Leta (Anisobatis), 19.
Leta (Brachylabus), 19.
Letior (Chebsches), 35.
Letior (Libephora), 35.
Letus (Promachus), 326.
Laeviceps (Hirtaleius), 361.
Laevicollis (Brachycola), 197.
Laevicollis (Creoboter), 291.
Laevicollis (Epilampra), 122.

Laevicollis (Hetero-
 lampra), 122.
Laevicollis (Hierodula), 247.
Laevicollis (Panesthia), 203.
Levigata (Blatta), 116.
Levigata (Gromphado-
 rhina), 190.
Levigata (Hermetica), 197.
Levigata (Leucoptera), 152.
Levigata (Nauphaia), 116.
Levigata (Panchlora), 116.
Levigatus (Bacillus), 329.
Levigatus (Baculum), 329.
Laevis (Calolampra), 117.
Laevis (Dicellonotus), 401.
Laevis (Epilampra), 117.
Laevis (Typhloblatta), 53.
Levinsonius (Clitarchus), 329.
LAMACHUS, 363.
Lambii (Anamesia), 129.
Lamellatus (Oxyartes), 325.
Laminata (Homalo-
 pteryx), 124.
Laminata (Perispheria), 160.
Laminata (Rhicnoda), 124.
Laminigera (Apterygia), 52.
Laminigera (Formica), 52.
Lampetusa (Neoclesia), 377.
Lampetia (Neoclesia), 377.
LAMPONIUS, 343.
Lampyrina (Derocalym-
 ma), 185.
Lampyrina (Homalo-
 demas), 185.
Lampyroides (Melano-
 blatta), 191.
Lampyroides (Nauphaia), 191.
Lancandon (Panchlora), 154.
Lanceolatus (Didymo-
 corypha), 218.
Lanceolata (Mantis), 218.
Lanceolatus (Paratropes), 110.

- Lancettifer* (*Hyrtacus*), 331.
Laponica (*Phyllodromia*), 61.
Lapponica (*Blatta*), 61.
Lapponica (*Ectobia*), 61.
Lapponicus (*Ectobius*), 61.
Larrinua (*Aphlebia*), 71.
Larrinua (*Hololampra*), 71.
Larunda (*Neoscia*), 375.
Larva (*Forficula*), 58.
Larva (*Iapix*), 58.
Larva (*Typhlolabia*), 58.
Larvodes (*Geomantis*), 224.
Lata (*Blatta*), 141.
Lata (*Gyna*), 149.
Lata (*Ischnoptera*), 85.
Lata (*Panchlora*), 149.
Lata (*Panesthia*), 203.
Lata (*Periplaneta*), 141.
Laterale (*Ellipsoidium*), 77.
Laterole (*Phasma*), 413.
Lateralis (*Anaplecta*), 67.
Lateralis (*Anaplecta*), 67.
Lateralis (*Blatta*), 138.
Lateralis (*Blatta*), 78, 108.
Lateralis (*Cosmozosteria*), 132.
Lateralis (*Empusa*), 314.
Lateralis (*Hemithyrso-cera*), 77.
Lateralis (*Idolomorpha*), 314.
Lateralis (*Mantis*), 413, 414.
Lateralis (*Nyctibora*), 108.
Lateralis (*Periplaneta*), 138.
Lateralis (*Phasma*), 413, 414.
Lateralis (*Platyzo-steria*), 132.
Lateralis (*Polyzosteria*), 132.
Lateralis (*Prexaspes*), 414.
Laterifera (*Blatta*), 92.
Laterifera (*Phyllodromia*), 92.
Laticaput (*Phyllodromia*), 93.
Laticauda (*Bacteria*), 349.
Laticauda (*Heterone-mia*), 349.
Laticeps (*Blatta*), 91.
Laticeps (*Deiphobe*), 266.
Laticeps (*Eremoplana*), 266.
Laticeps (*Fischeria*), 266.
Laticeps (*Phyllodromia*), 91.
Laticollis (*Blabera*), 164.
Laticollis (*Chæradodis*), 220.
Laticollis (*Epilampra*), 122.
Laticollis (*Mantis*), 248.
Laticollis (*Monachoda*), 160.
Laticollis (*Orthodera*), 218.
Laticollis (*Polyspilota*), 241.
Laticollis (*Rhombodera*), 248.
Laticornis (*Pseudomops*), 75.
Laticornis (*Thyrso-cera*), 75.
Laticosta (*Gyna*), 149.
Laticosta (*Panchlora*), 149.
Latifrons (*Epilampra*), 125.
Latimargo (*Blatta*), 94.
Latimargo (*Blatta*), 94.
 LATINDIA, 163.
Latipennis (*Allacta*), 100.
Latipennis (*Blatta*), 90.
Latipennis (*Hierodula*), 245.
Latipennis (*Mantis*), 253.
Latipennis (*Methana*), 136.
Latipennis (*Nyctibora*), 108, 136.
Latipennis (*Panchlora*), 154.
Latipennis (*Phyllodromia*), 90, 100.
Latipennis (*Platycalymma*), 228.
Latipennis (*Thysanoblatta*), 185.
Latipennis (*Tropidomantis*), 228.
Latipes (*Cilnia*), 242.
Latipes (*Mantis*), 242.
Latipes (*Phasma*), 322.
Latipes (*Polyzosteria*), 106.
Latipes (*Temnopteryx*), 106.
Latirupta (*Blatta*), 97.
Latirupta (*Ellipsoidion*), 79.
Latissima (*Blabera*), 165.
Latissima (*Blatta*), 165.
Latissima (*Monachoda*), 160.
Latistriga (*Blatta*), 90.
Latistylus (*Archimantis*), 234.
Latistylus (*Mantis*), 234.
Latiusvittata (*Phyllodromia*), 90.
Lativentris (*Anisolabis*), 16.
Lativentris (*Forficula*), 15.
Lativentris (*Gonolabis*), 15, 16.
Lativitrea (*Blatta*), 91.
Lativitrea (*Phyllodromia*), 91.
Latizona (*Cosmozosteria*), 133.
Latizona (*Platyzo-steria*), 133.
Latistylus (*Archimantis*), 234.
Laubneri (*Pilema*), 184.
Laurenziana (*Loboptera*), 102.
Laurifolia (*Phyllo-man-tis*), 284.
Laxeretis (*Amorpho-scelis*), 208.
 LAXTA, 159.
Lefebvrei (*Eremiaphila*), 211.
Lefebvrei (*Eremophila*), 211.
Lemoroï (*Heterochaeta*), 307.
Lemoroï (*Severinia*), 307.
Lenticularis (*Aptera*), 182.
Lenticularis (*Chiropacha*), 217.
Lenticularis (*Lygdamia*), 217.
 LEOCRATES, 396.
 LEOSTHENES, 406.
Lepelletierii (*Phibalosoma*), 356, 357.
Lepelletieri var. *Dila-tipes* (*Phibalosoma*), 357.
Lepelletieri var. *Rubus* (*Phibalosoma*), 357.
Lepida (*Blatta*), 102.
Lepida (*Compsoblatta*), 180.
Lepida (*Eustegasta*), 180.
Lepida (*Loboptera*), 102.
Lepidella (*Blatta*), 73.

- Lepidella* (*Chorisoneura*), 73.
Leprosa (*Gratidia*), 338.
Leprosus (*Bacillus*), 338.
Leprosus (*Clonaria*), 338.
Leptelytra (*Mantis*), 238.
LEPTISOLABIS, 21.
LEPTOCOLA, 263.
LEPTOZOSTERIA, 131.
LEPTYNIA, 335.
Lesnei (*Forficula*), 50.
Leucogramma (*Phoraspis*), 113.
Leucogramma var. *Conspersa* (*Phoraspis*), 112.
LEUCOPHÆA, 151.
Leucophthalma (*Zetobora*), 193.
Lherminieri (*Psalidophora*), 31.
Lherminieri (*Spongiphora*), 31.
Liberiensis (*Japyx*), 56.
LIBETHRA, 345.
LIBISOCA, 163.
Lichenale (*Phasma*), 413.
Lichenalis (*Liturgousa*), 271.
Licoides (*Paratropha*), 110.
Lifuensis (*Graeffea*), 386.
LIGARIA, 226.
Ligata (*Blabera*), 162.
Ligata (*Cassidodes*), 177.
Ligata (*Periplaneta*), 136.
Ligata (*Platyzoasteria*), 132.
Ligata (*Polyzosteria*), 132.
Ligata (*Prosoplecta*), 177.
Ligia (*Haplopus*), 364.
Lignaria (*Perisphæria*), 158.
Lignaria (*Tribonium*), 158.
Lignea (*Leptocola*), 263.
Limbicollis (*Tenodera*), 238.
Limbis (*Epilampra*), 127.
Limbata (*Blabera*), 165.
Limbata (*Blatta*), 102.
Limbata (*Loboptera*), 102.
Limbata (*Mantis*), 231, 253.
Limbata (*Parameles*), 231.
Limbata (*Paranauphœta*), 180.
Limbata (*Polyphaga*), 172.
Limbata (*Polyzosteria*), 127.
Limbata (*Polyzosteria*), 102.
Limbata (*Stagmomantis*), 253.
Limbata (*Temnopteryx*), 105.
Limbata (*Zetobora*), 158.
Limbatus (*Temnopteryx*), 105.
Limosa (*Elliptoblatta*), 184.
Limosa (*Polyzosteria*), 184.
Lindsayi (*Anamesia*), 129.
Linearis (*Bacteria*), 347, 351.
Linearis (*Blatta*), 195.
Linearis (*Ceroys*), 345.
Linearis (*Clonistria*), 351.
Linearis (*Forficula*), 48.
Linearis (*Mantis*), 351, 377.
Linearis (*Parasphæria*), 195.
Linearis (*Perisphæria*), 186, 195.
Linearis (*Phasma*), 377, 415.
Linearis (*Sermyle*), 345.
Linearis (*Sphingolabis*), 48.
Linearis (*Stenopilema*), 186.
Lineata (*Bacteria*), 338.
Lineata (*Blatta*), 86.
Lineata (*Clonaria*), 338.
Lineata (*Pseudischnotera*), 86.
Lineata (*Thyrso-cera*), 86.
Lineaticollis (*Epilampra*), 120.
Lineaticollis (*Heterolampra*), 120.
Lineaticollis (*Thyrso-cera*), 78.
Lineativentris (*Mionyx*), 277.
Lineativentris (*Musonia*), 277.
Lineatum (*Phasma*), 410.
Lineatus (*Paraclitumnus*), 330.
Lineola (*Hierodula*), 243.
Lineola (*Mantis*), 243.
Lineola (*Sphodromantis*), 243.
Lineolata (*Pseudophyllo-dromia*), 98.
Lineolatum (*Phasma*), 410.
Lingua (*Apterygida*), 45.
Lingua (*Sphingolabis*), 45.
Lingulata (*Hierodula*), 249.
LINOCERUS, 335.
LINOBLATTA, 193.
LIOSILPHA, 87.
LITANEUTRIA, 232.
Literata (*Blatta*), 97.
Literata (*Pseudophyllo-dromia*), 97.
Lithophyla (*Ectobia*), 84.
Littorea (*Anisolabis*), 20.
Littorea (*Forcinella*), 20.
Littorea (*Forficula*), 20.
Litura (*Apolyta*), 79.
Litura (*Ellipsoidion*), 79.
Liturata (*Allacta*), 100.
Liturata (*Blatta*), 116, 117.
Liturata (*Compsolampra*), 116.
Liturata (*Cutilia*), 134.
Liturata (*Forficesila*), 4.
Liturata (*Opisthoplatia*), 116.
Liturata (*Phyllodromia*), 100.
Liturata (*Polyzosteria*), 134.
Liturata (*Pygidicrana*), 4.
LITURGOUSA, 271.
Lituriceps (*Achroblatta*), 155.
Lituriceps (*Pseudomops*), 155.
Liturocollis (*Blatta*), 90.
Liturocollis (*Phyllo-dromia*), 90.
Liturifera (*Blatta*), 65, 93.
Liturifera (*Ectobia*), 65.
Liturifera (*Phyllodromia*), 65.
Liturifera (*Pseudectobia*), 65.
Liturifera (*Pseudophyllo-dromia*), 98.
Liturifera (*Theganopteryx*), 65.
Livida (*Blatta*), 63.
Livida (*Ectobia*), 63.
Livida (*Forficula*), 25.
Livida (*Heterogamia*), 173.
Livida (*Labidura*), 12.
Livida (*Miopteryx*), 275.
Livida (*Polyphaga*), 173.

Livida (*Thespis*), 275.
Livida var. *Brevipennis* (*Ectobia*), 63.
Lividipes (*Forficula*), 11.
Lividipes (*Labidura*), 11.
Lividus (*Demogorgon*), 12.
Lividus (*Ectobius*), 63.
Lobata (*Allacta*), 100.
Lobata (*Blatta*), 100.
Lobata (*Cheradodis*), 281.
Lobata (*Creoboter*), 291.
Lobata (*Deroplatys*), 281.
Lobata (*Harpa*), 295.
Lobata (*Mantis*), 295, 305.
Lobata (*Oxyphiloides*), 286.
Lobata (*Phyllodromia*), 100.
Lobata (*Vates*), 305.
Lobiceps (*Cyphocrania*), 391.
Lobiceps (*Haania*), 289.
Lobiceps (*Mantis*), 288, 289.
Lobiceps (*Oxyphilus*), 288, 289.
Lobiceps (*Phasma*), 391.
Lobifrons, (*Paraoxyphilus*), 207.
Lobipennis (*Panesthia*), 203.
Lobipennis (*Temnopteryx*), 105.
Lobipes (*Bacillus*), 334.
Lobipes (*Empusa*), 302.
Lobipes (*Mantis*), 302.
Lobipes (*Parastagmoptera*), 299.
Lobipes (*Theoclytes*), 302.
Lobipes (*Zoolea*), 302.
Lobiventris (*Phyllium*), 420.
Lobiventris (*Blatta*), 88.
Lobiventris (*Chitoniscus*), 420.
Lobiventris (*Phyllodromia*), 88.
LOBOPHORA, 32.
Lobophoroides (*Forficula*), 53.
LOBOPTERA, 101.
Lobulipes (*Phitrus*), 310.
Loftyensis (*Chorisoneura*), 73.
Loftyensis (*Choristima*), 73.
LONCHODES, 321.
LONCHODES, 317.

LONCHODINÆ, 317.
Longealata (*Phyllodromia*), 92.
Longelaminata (*Paracolonaria*), 335.
Longiceps (*Arrhidæus*), 384.
Longiceps (*Necroscia*), 384.
Longiceps (*Pseudobacteria*), 351.
Longicollis (*Dysaules*), 262.
Longicollis (*Dysaules*), 262.
Longicollis (*Orthodera*), 218.
Longicollis (*Pseudovates*), 304.
Longicollis (*Vates*), 304.
Longicollis var. *Brevipennis* (*Dysaules*), 262.
Longicorne (*Phibalosoma*), 374.
Longicornis (*Cladoxerus*), 374.
Longicornis (*Orthonecroscia*), 374.
Longiforceps (*Auchenomus*), 29.
Longiforcipata (*Forficula*), 31.
Longifrons (*Idolomorpha*), 314.
Longimana (*Abrachia*), 352.
Longimana (*Bacteria*), 352.
Longimanum (*Phibalosoma*), 352.
Longipennis (*Anchiale*), 393.
Longipennis (*Blabera*), 109.
Longipennis (*Deropeltis*), 146.
Longipennis (*Ischnoptera*), 146.
Longipennis (*Megaloblatta*), 109.
Longipennis (*Pachymorpha*), 393.
Longipes (*Cladoxerus*), 358.
Longipes (*Forficula*), 39.
Longipes (*Opisthocosmia*), 39.
Longipes (*Phibalosoma*), 358.
Longiscaphum (*Bacillus*), 336.
Longiscaphum (*Phalces*), 336.

Longiscaphum (*Phasma*), 336.
Longisetosa (*Diplatys*), 2.
Longisetosa (*Diplatys*), 2.
Longisetosa (*Dyscritina*), 2.
Longissima (*Forficesila*), 31.
Longiuscula (*Blatta*), 82.
Longiuscula (*Ischnoptera*), 82.
Longixipha (*Burria*), 336.
LOPAPHUS, 360.
Loricata (*Thoracopyga*), 195.
LOXOPSIS, 406.
Lucanoides (*Dicellonotus*), 201.
Lucasi (*Forficula*), 51.
Lucasiana (*Perisphæria*), 190.
Lucida (*Blatta*), 62.
Lucida (*Ectobia*), 65.
Lucida (*Epilampra*), 111.
Lucida (*Ischnoptera*), 83.
Lucida (*Theganopteryx*), 65.
Luctuosa (*Ancistrogaster*), 36.
Luctuosa (*Blabera*), 164.
Luctuosa (*Opisthocosmia*), 36.
Luctuosa (*Phoraspis*), 112.
Luctuosa (*Thyrlocera*), 76.
Luctuosus (*Ancistrogaster*), 36.
Luctuosus (*Ancistrogaster*), 36.
Lucubensis (*Orobia*), 409.
Lucubrans (*Achlæna*), 216.
Lucubrans (*Mantis*), 216.
Lucubrans (*Tarachodes*), 216.
Ludekingi (*Chelisoches*), 34.
Ludekingi (*Lobophora*), 34.
Luci (*Eustegasta*), 181.
Lugardi (*Bactrododema*), 366.
Lugens (*Onchestus*), 394.
Lugens (*Opisthocosmia*), 38.
Lugens (*Phasma*), 394.

- Lugubrina* (*Epilampra*), 121.
Lugubrina (*Heterolampra*), 121.
Lugubris (*Forficula*), 53.
Lugubris (*Hemithyrso-cera*), 77.
Lugubris (*Phyllodromia*), 92.
Lugubris (*Thyrso-cera*), 77.
Luna (*Mantis*), 300.
Luna (*Stigmatoptera*), 300.
Lunata (*Bomistria*), 292.
Lunata (*Chlidonoptera*), 292.
Lunata (*Wodongia*), 119.
Luneli (*Blatta*), 65.
Luneli (*Ectobia*), 65.
Luneli (*Pseudectobia*), 65.
LUPPARIA, 65.
Lurida (*Epilampra*), 122.
Lurida (*Forcipula*), 9.
Lurida (*Forficula*), 51.
Lurida (*Gyna*), 149.
Lurida (*Heterolampra*), 122.
Lutea (*Ceratinoptera*), 99.
Lutea (*Spongiphora*), 30.
Luteipennis (*Apterygida*), 47.
Luteipennis (*Forficula*), 47.
Luteipes (*Forficula*), 47.
Luteipes (*Sphingolabis*), 47.
Luteola (*Achroblatta*), 155.
Luteola (*Blatta*), 155.
Luteola (*Mantoida*), 210.
Luteola (*Panchlora*), 153.
Luteola (*Phoraspis*), 112.
Luteoviride (*Lonchodes*), 325.
Luteoviride (*Phasma*), 325.
Luteoviridis (*Lonchodes*), 325.
Luteoviridis (*Menexenus*), 325.
Lutescens (*Calidomantis*), 258.
Lutescens (*Hagiomantis*), 271.
Lutescens (*Liturgousa*), 271.
Lutescens (*Mantis*), 271.
Lutescens (*Miomantis*), 258.
Luxori (*Eremiaphila*), 211.
Luzonica (*Labia*), 26.
Lycoides (*Blatta*), 62.
Lycoides (*Paratropes*), 110.
Lycoides (*Phyllodromia*), 92.
Lycus (*Paratropes*), 109, 110.
LYGDAMIA, 216.
Lyncea (*Epilampra*), 122.
Lyncea (*Heterolampra*), 122.
Lyrata (*Blatta*), 180.
Lyrata (*Nauphaeta*), 180.
Lyrata (*Paranauphaeta*), 180.
Lyrata (*Phasma*), 343.
Lyratum (*Hespero-phasma*), 343.
LYSICLES, 381.
Lysippus (*Necroscia*), 378.
Mabiliei (*Forficula*), 53.
Macassariensis (*Blatta*), 115.
Macassariensis (*Epilampra*), 115.
Macassariensis (*Homalopteryx*), 115.
MACELLA, 332.
Macer (*Carausius*), 320.
Macilenta (*Blatta*), 88.
Macilenta (*Phyllodromia*), 88.
Macilenta (*Stenopilema*), 186.
Macilenta (*Thesprotea*), 277.
Macilentus (*Thrasyllus*), 319.
Mackinderi (*Apterygida*), 49.
Mackinderi (*Sphingolabis*), 49.
Macklini (*Labia*), 28.
Macklottii (*Lopaphus*), 367.
Macklottii (*Orxines*), 367.
Macklottii (*Phasma*), 367.
Maclayi (*Cyphocrania*), 391.
Maclayi (*Phasma*), 391.
Macleanii (*Acrophylla*), 389.
Macleani (*Otenomorpha*), 389.
Macra (*Ceratocrania*), 289.
Macra (*Cyrtotria*), 185.
Macra (*Derocalymma*), 185.
Macra (*Deropeltis*), 185.
Macra (*Hoplocorypha*), 257.
Macra (*Ischnoptera*), 185.
Macra (*Mantis*), 257.
Macra (*Phyllothelys*), 289.
Macra (*Thysanoblatta*), 185.
MACRACANTHA, 340.
Macrocephala (*Diplatys*), 1.
Macrocephala (*Diplatys*), 1.
Macrocephala (*Forficula*), 1.
MACRODANURIA, 309.
Macrolabia (*Forficula*), 50, 52, 54.
MACROMANTIS, 272.
MACROPANESTHIA, 205.
Macrops (*Euchomena*), 237.
Macrops (*Miopteryx*), 237.
Macropsis (*Hierodula*), 249.
Macropsis (*Mantis*), 249.
Macroptera (*Blatta*), 89.
Macroptera (*Mantis*), 302.
Macroptera (*Phyllodromia*), 89.
Macroptera (*Zoolea*), 302.
Macropterus (*Vates*), 302.
Macropyga (*Anechura*), 41.
Macropyga (*Forficula*), 41.
Macrotegus (*Otenomorpha*), 389.
Macrotegus (*Lopaphus*), 389.
Macula (*Hierodula*), 242.
Macula (*Tarachomantis*), 242.
Macularia (*Blatta*), 196.
Maculata (*Anchiale*), 392.
Maculata (*Aphlebia*), 69.
Maculata (*Blatta*), 69, 196.
Maculata (*Calvisia*), 369.
Maculata (*Cyphocrania*), 392.

- Maculata* (Cyphocrania), 393.
Maculata (Epilampra), 114.
Maculata (Hapalopeza), 221.
Maculata (Hololampra), 69.
Maculata (Mantis), 236, 392.
Maculata (Molytria), 114.
Maculata (Platycrana), 392.
Maculata (Polyzosteria), 128.
Maculata (Statilia), 236.
Maculatum (Cyphocrania), 392.
Maculatum (Pasma), 392, 414.
Maculatus (Prexaspes), 414.
Maculiceps (Aruanoidea), 378.
Maculiceps (Necroscia), 378.
Maculicollis (Blatta), 125.
Maculicollis (Calvisia), 369.
Maculicollis (Epilampra), 125.
Maculicollis (Necroscia), 369.
Maculicollis (Pasma), 369.
Maculifera (Ancistrogaster), 36.
Maculifera (Opisthocosmia), 36.
Maculifrons (Epilampra), 119.
Maculifrons (Pæciloderhis), 119.
Maculimarginata (Cosmozosteria), 132.
Maculimarginata (Platyzosteria), 132.
Maculipennis (Ameles), 228.
Maculipennis (Antistia), 228.
Maculipennis (Gyna), 149.
Maculipennis (Gyna), 149.
Maculipennis (Panchlora), 149.
Maculisternum (Tarachodes), 215.
 MACYNIA, 332.
Madagascariensis (Galepus), 217.
Madagascariensis (Idolomorpha), 315.
Madagascariensis (Mantis), 217.
Madagascariensis (Miopteryx), 227.
Madagascariensis (Platycalymma), 228.
Madagascariensis (Tenedera), 238.
Madagascariensis (Tropidomantis), 227.
Madecassa (Aphlebia), 71.
Madecassa (Blatta), 87, 156.
Madecassa (Deropeltis), 145.
Madecassa (Elliptoblatta), 183.
Madecassa (Euchomena), 237.
Madecassa (Hololampra), 71.
Madecassa (Nauphæta), 156.
Madecassa (Paralygdamia), 217.
Madecassa (Perisphæria), 183.
Madecassa (Phyllodromia), 87.
Madecassa (Temnopteryx), 104.
Maderæ (Blatta), 150, 156.
Maderæ (Panchlora), 150.
Maderæ (Rhyparobia), 150.
 Maeklini (Labia), 28.
Magna (Iapyx), 56.
Magnifica (Eurycnema), 391.
 MAJANGA, 270.
Major (Acontista), 254.
Major (Anaplecta), 67.
Major (Anisolabis), 18, 19.
Major (Blatta), 150.
Major (Forficesila), 18.
Major (Forficula), 18, 50.
Major (Hierodula), 249.
Major (Homalopteryx), 124.
Major (Iapyx), 56.
Major (Japyx), 56.
Major (Melliera), 254.
Major (Musonia), 276.
Major (Platylabia), 22.
Major (Rhicnoda), 124.
Major (Rhombodera), 249.
Major (Temnopteryx), 105.
Major (Thyrsocera), 77.
Majuscula (Blatta), 81.
Majuscula (Ischnoptera), 81.
Makassarinus (Bacillus), 341.
Makassarinus (Medaura), 341.
Malacæ (Necroscia), 376.
Malaccensis (Agondasoidea), 373.
Malagassa (Ateloblatta), 198.
Malagassa (Epilampra), 123.
Malagassa (Heterolampra), 123.
Malagassa (Hierodula), 242.
Malagassa (Ischnoptera), 81.
Malagassa (Liturgousa), 271.
Malagassa (Tarachomantis), 242.
Malagassa (Theganopteryx), 64.
Malaya (Hierodula), 246.
Malaya (Sthenobœa), 324.
Malayana (Gonypeta), 224.
 MALLATOBLATTA, 96.
Mammatus (Carausius), 320.
Manca (Blatta), 139.
Manca (Hemiblabera), 166.
Manca (Periplaneta), 139.
Mancella (Paralatinidia), 169.
Mancinus (Necroscia), 369.
Mancinus (Sosibia), 369.
Mancus (Dimorphodes), 387.
Mandarinea (Mantis), 251.
Mandarinea (Panesthia), 204.
Mandarinea (Panesthia), 201.
 MANDURIA, 341.
Manicata (Ischnoptera), 82.
Manicatum (Pasma), 377.
Manicatus (Necroscia), 377.

- Manicatus* (*Prisopus*), 377.
Manicatus (*Xeroderus*), 377.
Manillensis (*Epilampra*), 121.
Manillensis (*Euchomena*), 237.
Manillensis (*Heterolampra*), 121.
Manillensis (*Hierodula*), 245.
 MANTELLIAS, 225.
 MANTIDÆ, 207.
 MANTILLICA, 225.
 MANTINÆ, 221.
 MANTIS, 249.
 MANTOIDA, 209.
 MARANSIS, 336.
Marchali (*Epicharmus*), 404.
Marchali (*Eremiaphila*), 210.
Marchali (*Prisopus*), 404.
Marchali (*Xeroderus*), 404.
Marcida (*Blatta*), 64.
Marcida (*Ectobia*), 64.
 MARETA, 97.
Margarita (*Ectobia*), 63.
Marginalis (*Anisolabis*), 19.
Marginalis (*Antissa*), 222.
Marginalis (*Calolampra*), 118.
Marginalis (*Elliptoblatta*), 184.
Marginalis (*Forcinella*), 19.
Marginalis (*Forficula*), 25.
Marginalis (*Gonypeta*), 222.
Marginalis (*Ischnoptera*), 118.
Marginalis (*Labia*), 25.
Marginalis (*Mantis*), 222.
Marginalis (*Methana*), 136.
Marginalis (*Miomantis*), 259.
Marginalis (*Nauphata*), 116.
Marginalis (*Pelmato-silpha*), 143.
Marginalis (*Periplaneta*), 136.
Marginalis (*Sisapona*), 164.
Marginata (*Aphlebia*), 68.
Marginata (*Apolyta*), 79.
Marginata (*Blatta*), 63, 92.
Marginata (*Calolampra*), 117.
Marginata (*Epilampra*), 117.
Marginata (*Hololampra*), 68.
Marginata (*Ischnoptera*), 85.
Marginata (*Mantis*), 240, 254.
Marginata (*Marmessoidea*), 372.
Marginata (*Necroscia*), 395.
Marginata (*Orthodera*), 218.
Marginata (*Phyllo-dromia*), 92.
Marginata (*Polyspilota*), 240.
Marginata (*Phyllo-dromia*), 92.
Marginata (*Proscratea*), 86.
Marginata (*Stagmomantis*), 254.
Marginata var. *Erythro-nota* (*Aphlebia*), 63.
Marginatum (*Ellipsidion*), 79.
Marginatum (*Phasma*), 375.
Marginatus (*Gongylus*), 313.
Marginella (*Entella*), 225.
Marginella (*Forficula*), 10.
Marginella (*Labidura*), 10.
Marginella (*Mantis*), 225.
Marginicollis (*Blatta*), 116.
Marginicollis (*Phaetalia*), 116.
Marginifera (*Blatta*), 79.
Marginifera (*Periplaneta*), 137.
Marginifera (*Zonioploca*), 137.
Marginiferum (*Ellipsidion*), 79.
Marginipenne (*Ctenomorpha*), 338.
Marginipennis (*Ctenomorpha*), 338.
Maris Mortui (*Heterogamia*), 172.
Maris Mortui (*Polypaga*), 172.
Maritima (*Anisolabis*), 17.
Maritima (*Brachylabis*), 17.
Maritima (*Forficesila*), 17.
Maritima (*Forficula*), 17, 18.
Maritima (*Labidura*), 17.
 MARMESSEOIDEA, 371.
Marmessus (*Marmessoidea*), 371.
Marmessus (*Necroscia*), 371.
Marmessus var. *Eurybates* (*Necroscia*), 371.
Marmorata (*Allacta*), 100.
Marmorata (*Archimandrita*), 163.
Marmorata (*Bantia*), 275.
Marmorata (*Blabera*), 163.
Marmorata (*Blatta*), 100, 163.
Marmorata (*Dasyposoma*), 198.
Marmorata (*Epilampra*), 115.
Marmorata (*Iridopteryx*), 223.
Marmorata (*Mantis*), 315.
Marmorata (*Molytria*), 115.
Marmorata (*Phyllo-dromia*), 92.
Marmorata (*Polyspilota*), 241.
Marmoricrura (*Forficula*), 5.
Marmoricrura (*Pygidicrana*), 5.
Marmoricrura (*Pygidicrana*), 6.
Maroccana (*Loboptera*), 102.
Maroccana (*Mantis*), 250.
Martinezi (*Zetobora*), 158.
Martini (*Bostra*), 351.
Martini (*Oncotophasma*), 351.
Martini (*Temnopteryx*), 104.
Masoni (*Iris*), 260.
Massauæ (*Blatta*), 89.
Massauæ (*Phyllodromia*), 89.
Maura (*Chiropacha*), 216.
Maurella (*Latindia*), 163.

- Mauritanica (Anisolabis), 18.
Mauritanica (Brachylabis), 18.
Mauritanica (Forficesila), 18.
 Maxima (Anisolabis), 18.
Maxima (Forcinella), 18.
Maxima (Forficesila), 18.
Maxima (Forficula), 10, 18.
 Maxima (Pharnacia), 359.
 Maximiliani (Phorticea), 159.
 Maximiliani (Pseudophyllodromia), 98.
Maximiliani (Zetobora), 159.
Maximum (Phibalosoma), 359.
Maya (Blatta), 95.
 Maya (Harpogonyx), 279.
 Maya (Liturgousa), 271.
 Maya (Mantoida), 209.
 Maya (Phyllodromia), 95.
 Maya (Phyllovates), 303.
 Maya (Stagmomantis), 253.
Maya (Theoclytes), 303.
 MECOMERA, 23.
 MEDAURA, 341.
Media (Apterygida), 44.
Media (Forficula), 25, 44, 50.
 Media (Ischnomantis), 266.
 Media (Oxyops), 298.
Media (Tarachodes), 215.
 Medilinea (Knephasia), 132.
 Medioconstricta (Rhombodera), 248.
 Medora (Calvisia), 370.
Medora (Necroscia), 370.
 MEGACRANIA, 385.
 MEGALOBLATTA, 108.
 Megaloceros (Japyx), 57.
 MEGAPHASMA, 347.
 Megaspila (Allacta), 100.
Megaspila (Blatta), 100.
 Megaspila (Prosoplecta), 177.
Megerlei (Blatta), 69.
 Melana (Pseudomops), 76.
Melanaria (Periplaneta), 130.
 Melanaria (Platyzosteria), 130.
Melanaria (Platyzosteria), 130.
Melanaria (Polyzosteria), 130.
Melanaria var. *Grandis* (Polyzosteria), 130.
 Melancholica (Labia), 27.
 Melandryoides (Pseudomops), 76.
 MELANOBLATTA, 191.
Melanocephala (Blatta), 151.
Melanocephala (Lobophora), 33.
 Melanocephalus (Chelisothes), 33.
Melanocephalus (Chelisothes), 34.
 Melanophila (Deropeltis), 145.
Melanophila (Ischnoptera), 145.
 MELANOSILPHA, 193.
Melanosoma (Epilampra), 123.
 Melanosoma (Hedaia), 123.
 MELANOZOSTERIA, 129.
 Melasa (Ischnoptera), 83.
 Meleagris (Creoboter), 291.
 MELESTORA, 167.
 MELLIERA, 254.
 Membranacea (Hierodula), 246.
Membranacea (Mantis), 246.
 MENAKA, 341.
 Menaka (Aruanoidea), 378.
Menaka (Necroscia), 378.
Mendica (Blepharis), 315.
Mendica (Blepharopsis), 315.
Mendica (Mantis), 315.
 Menelikii (Calidomantis), 258.
Menelikii (Miomantis), 258.
 Meneptolemus (Necroscia), 378.
 MENEXENUS, 325.
 MENEXUS, 325.
Menius (Phasma), 411.
 Menius (Pseudophasma), 411.
 Menyharthi (Pseudomantis), 235.
 Mercurius (Carausius), 320.
Meridionalis (Ameles), 226.
Meridionalis (Apterygida), 37, 47.
Meridionalis (Blatta), 147.
Meridionalis (Chiro-pacha), 217.
 Meridionalis (Deropeltis), 147.
Meridionalis (Forficesila), 11.
Meridionalis (Forficula), 11.
 Meridionalis (Galepsus), 217.
 Meridionalis (Hapalomantis), 226.
Meridionalis (Labidura), 11.
Meridionalis (Polyzosteria), 147.
Meridionalis (Sphingolabis), 37, 47.
 Merisnus (Dinelytron), 408.
 Mesillana (Diapheromera), 347.
 MESOCHELIDURA, 43.
Mesomelas (Coptopteryx), 268.
Mesomelas (Mantis), 268.
Mesoplatus (Acanthoderus), 398.
 Mesoplatus (Obrimus), 398.
Mesoplatus (Phasma), 398.
 Mesopoda (Liturgousa), 271.
 MESOPTERYX, 237.
 METALLEUTICA, 208.
 Metallica (Anechura), 41.
Metallica (Compsoblatta), 181.
 Metallica (Eustegasta), 181.
Metallica (Forficula), 41.
Metallica (Mantis), 221.
 Metallica (Nemotha), 221.
 METALLYTICUS, 208.
 METHANA, 135.
 Methanoides (Periplaneta), 141.
Meticulosa (Epilampra), 121.
 Meticulosa (Heterolampra), 121.
 METILIA, 282.
 METRIOMANTIS, 273.
 METRIOTES, 413, 415.

- Mexicana* (*Acanthops*), 229.
Mexicana (*Acontista*), 233.
Mexicana (*Ameles*), 229.
Mexicana (*Anaplecta*), 66.
Mexicana (*Bacteria*), 348.
Mexicana (*Blabera*), 164.
Mexicana (*Epilampra*), 125.
Mexicana (*Eurycotis*), 144.
Mexicana (*Heterogamia*), 174.
Mexicana (*Heteronemia*), 348.
Mexicana (*Homœogamia*), 174.
Mexicana (*Ischnoptera*), 83.
Mexicana (*Labia*), 27.
Mexicana (*Latindia*), 168.
Mexicana (*Mantis*), 255.
Mexicana (*Nyctibora*), 107.
Mexicana (*Panchlora*), 154.
Mexicana (*Paratropa*), 109.
Mexicana (*Paratropes*), 109.
Mexicana (*Phoraspis*), 113.
Mexicana (*Phyllodromia*), 95.
Mexicana (*Polyphaga*), 174.
Mexicana (*Polyzosteria*), 144.
Mexicana (*Sermyle*), 345.
Mexicana (*Theoclytes*), 303.
Mexicana (*Thyrso-cera*), 74.
Mexicana (*Yersinia*), 229.
Mexicana var. *Inquinata* (*Acontista*), 233.
Mexicana var. *Quadrimaculata* (*Acontista*), 233.
Mexicana var. *Insularis* (*Epilampra*), 125.
Mexicanus (*Acanthoderus*), 345.
Mexicanus (*Ceroys*), 345.
Mexicanus (*Oligonyx*), 278.
Mexicanus (*Prisopus*), 405.
Mexicanus (*Sermyle*), 345.
Micans (*Eustegasta*), 181.
Micans (*Gonypeta*), 222.
Micans (*Hyposphæria*), 193.
Micans (*Iridopteryx*), 222.
Micans (*Perisphæria*), 193.
Micans (*Plectoptera*), 178.
Micrantha (*Eurycantha*), 396.
Micranthum (*Karabidion*), 396.
MICRODINA, 201.
MICROMANTIS, 222.
Microptera (*Cyphocrana*), 363.
Microptera (*Eremoplana*), 266.
Micropterum (*Haplopus*), 364.
Micropterum (*Phasma*), 364.
Micropterus (*Aplopus*), 363.
Micropterus (*Haplopus*), 363.
Micropyga (*Forficula*), 41.
Microspila (*Epilampra*), 125.
Mikado (*Phraortes*), 319.
Miliaris (*Bactrododema*), 366.
Mimas (*Acanthoderus*), 325.
Mimas (*Menexenus*), 325.
Mimica (*Pseudomops*), 76.
Mimus (*Bacunculus*), 348.
Mimus (*Heteronemia*), 348.
Minans (*Phasma*), 373.
Minima (*Ameles*), 230.
Minima (*Ectobia*), 63.
Minima (*Mantis*), 230, 260.
Minimus (*Argosarchus*), 341.
Minimus (*Bacillus*), 341.
Ministralis (*Mantis*), 218.
Ministralis (*Orthodera*), 218.
Minor (*Anisolabis*), 20.
Minor (*Blabera*), 165.
Minor (*Blatta*), 94.
Minor (*Carvilia*), 267.
Minor (*Diploptera*), 176.
Minor (*Forficula*), 28.
Minor (*Graeffea*), 386.
Minor (*Labia*), 25.
Minor (*Litaneutria*), 232.
Minor (*Loboptera*), 102.
Minor (*Psalis*), 13.
Minor (*Oxyhaloa*), 175.
Minor (*Panchlora*), 153.
Minor (*Panesthia*), 200.
Minor (*Parasphendale*), 267.
Minor (*Phyllodromia*), 95.
Minor (*Phyllovates*), 304.
Minor (*Psalis*), 13.
Minor (*Stagmatoptera*), 300.
Minor (*Stagmatoptera*), 232.
Minor (*Theoclytes*), 304.
Minotaurus (*Bactrododema*), 366.
Minotaurus (*Palophus*), 366.
Minuscula (*Apterygida*), 45.
Minuscula (*Forficula*), 45.
Minuscula (*Opisthocosmia*), 39.
Minuta (*Chorisoneura*), 72.
Minuta (*Labia*), 25.
Minuta (*Mantis*), 278.
Minuta (*Miopteryx*), 278.
Minutissima (*Anaplecta*), 67.
Minutissima (*Blatta*), 67.
MIOBLATTA, 196.
MIOMANTIS, 257.
MIONYX, 276.
MIOPANESTHIA, 205.
MIOPTERYGINÆ, 274.
MIOPTERYX, 274.
Miranda (*Angela*), 265.
Miranda (*Nanomantis*), 255.
Miranda (*Thespis*), 265.
Mirandula (*Miopteryx*), 255.
Misella (*Blatta*), 103.
Misella (*Phyllodromia*), 104.
Misella (*Temnopteryx*), 103.
Mitchellii (*Blatta*), 128.

- Mitchellii (Polyzosteria), 128.
 MITHRENEs, 319.
 Mixta (Labidura), 10.
 MNESILOCHUS, 320.
 Mocquersyi (Parectatosoma), 398.
 Moderata (Arrhidæus), 384.
 Moderata (Necroscia), 384.
 Modesta (Abrodiæta), 100.
 Modesta (Allacta), 100.
 Modesta (Chiropacha), 215.
 Modesta (Forficula), 33.
 Modesta (Galepsus), 217.
 Modesta (Gonypeta), 224.
 Modesta (Hierodula), 247.
 Modesta (Ischnoptera), 81.
 Modesta (Lobophora), 33.
 Modesta (Phoraspis), 113.
 Modesta (Pygidierana), 5.
 Modesta (Tarachodes), 215, 217.
 Modestior (Tarachodes), 215.
 Modestum (Rhamphopasma), 331.
 Modestus (Chelisoches), 33.
 Modigliani (Mecomera), 23.
 Mæsta (Anisolabis), 18.
 Mæsta (Brachylabis), 18.
 Mæsta (Forficesila), 18.
 Mæsta (Forficula), 18.
 Mæsta (Labidura), 18.
 Moghrebica (Aphlebia), 70.
 Moghrebica (Heterolampra), 70.
 Moiræ (Palophus), 365.
 Molesta (Phyllodromia), 92.
 Molesta (Theganopteryx), 64.
 Molita (Bacteria), 344.
 Molita (Caulonia), 344.
 Molorcha (Bacteria), 417.
 Molorcha (Planudes), 417.
 Moluccarum (Eucho-
 mena), 237.
 MOLYTRIA, 114.
 Monacha (Calidomantis), 258.
 Monacha (Mantis), 258.
 Monacha (Miomantis), 258.
 MONACHODA, 160.
 MONANDROPTERA, 387.
 Monastica (Tribo-
 nidium), 157, 158.
 Monastica (Zetobora), 157.
 MONASTRIA, 161.
 Monochroa (Mantis), 251.
 Monochroma (Peri-
 planeta), 141.
 Monstrosa (Archimantis), 235.
 Monstrosa (Blabera), 165.
 Monstruosa (Panesthia), 201.
 Monstruosus (Dicel-
 lonotus), 201.
 Montana (Forficula), 42.
 Montana (Stagmo-
 mantis), 253.
 Montezuma (Panchlora), 154.
 Monticola (Hetero-
 lampra), 122.
 Monticollis (Hormetica), 197.
 Monticollis (Para-
 hormetica), 197.
 Morbida (Psalis), 10.
 Mordelloides (Euthyr-
 rapha), 170.
 Moreti (Eremaphila), 211.
 Morio (Chelisoches), 33.
 Morio (Forficula), 33.
 Morio (Ischnoptera), 85.
 Morio (Lobophora), 33.
 Morio (Panesthia), [204].
 Morio (Panesthia), 200.
 Morio (Salganea), 200.
 Morio var. Minor
 (Panesthia), 200.
 Morosa (Forcipula), 9.
 Morosa (Labidura), 9.
 Morosa (Panesthia), 204.
 Morsus (Dicellonotus), 201.
 Mortuifolia (Acanthops), 283.
 Mortuifolia (Sigerpes), 289.
 Mortuifolia (Sybilla), 289.
 Moseri (Bolivaria), 269.
 Moseri (Fischeria), 269.
 Moseri (Iris), 269.
 Mouffeti (Blatta), 161.
 Mouffeti (Monachoda), 161.
 Mouhotii (Acanthoderus), 400.
 Mouhotii (Datames), 400.
 Moxa (Anaplecta), 67.
 Moxa (Panchlora), 153.
 Mozambicus (Bacillus), 336.
 Mozambicus (Maransis), 336.
 Mucronata (Forficula), 26.
 Mucronata (Labia), 26.
 Muelleri (Haaniella), 397.
 Muelleri (Heteropteryx), 397.
 Muelleri (Macropan-
 esthia), 205.
 Muelleri (Phasma), 397.
 Multicincta (Peri-
 sphæria), 182.
 Multicolor (Acontista), 233.
 Multidens (Japyx), 57.
 Multilineatus (Strato-
 cles), 409.
 Multiramosa (Ischno-
 ptera), 81.
 Multispinosus (Ceroys), 354.
 Multispinulosa (Hiero-
 dula), 246.
 Multistriata (Mantis), 233.
 Multivenosa (Choriso-
 neura), 72.
 Munda (Epilampra), 120.
 Munda (Heterolampra), 120.
 Munda (Nauphata), 192.
 Munda (Pæciloblatta), 192.
 Mundicola (Blatta), 79.
 Mundicola (Ellipsidion), 79.
 Munzigeri (Blatta), 90.
 Munzigeri (Phyllo-
 dromia), 90.
 Muricata (Bacteria), 350.
 Muricata (Dyme), 350.
 Murina (Perisphæria), 187.
 Murina (Pollusca), 187.

- Murrayi* (*Apachya*), 4.
Murrayi (*Apachyus*), 4.
Murrayi (*Labia*), 26.
Murrayi (*Oxyhaloa*), 175.
Musarum (*Epaphrodita*), 284.
Musarum (*Mantis*), 234.
MUSONIA, 276.
MUSONIA, 276.
Mustea (*Necroscia*), 377.
Muta (*Hierodula*), [239], 244.
Muta (*Polyspilota*), [239].
Muta (*Sphodromantis*), 244.
Muta (*Sphodromantis*), [239].
Mutica (*Chelidura*), 43.
Mutica (*Chelidurella*), 43.
Mutica (*Epilampra*), 121.
Mutica (*Heterolampra*), 121.
MYLACRINA, 205.
MYRCINELLUS, 228.
MYRCINUS, 228.
Myrina (*Lonchodes*), 318.
Myrina (*Stælonchodes*), 318.
MYRONIDES, 320.
Myrsilus (*Metriotes*), 416.
Mysteca (*Blatta*), 72.
Mysteca (*Chorisonaura*), 72.
Mysteca (*Eurycotis*), 144.
Mysteca (*Periplaneta*), 144.
Mysteca (*Polyzosteria*), 144.
MYSTIPOLA, 292.

Nævia (*Anchiale*), 392.
Nævium (*Phasma*), 392.
Nahua (*Anaplecta*), 66.
Nahua (*Blatta*), 94.
Nahua (*Ischnoptera*), 84.
Nahua (*Paraceratinoptera*), 101.
Nahua (*Stagmomantis*), 252.
Nahua var. *Minor* (*Blatta*), 94.
Najas (*Panchlora*), 154.
Nana (*Harpax*), 230.
Nana (*Ischnoptera*), 84.
Nana (*Mantis*), 229, 230, 258.
Nana (*Parameles*), 230.
Nana (*Temnopteryx*), 104.
NANNOPYGIA, 1.
NANOMANTIS, 255.
Nasuta (*Gongylus*), 286.
Nasuta (*Mantis*), 217, 286.
Nasuta (*Pyrgomantis*), 217.
Nasutus (*Oxypilus*), 286.
Natalensis (*Ameles*), 226.
Natalensis (*Forficula*), 49.
Natalensis (*Harpagomantis*), 226.
Natalensis (*Ischnoptera*), 81.
Natalensis (*Mantis*), 251.
Natalis (*Bacillus*), 337.
Natalis (*Clonaria*), 337.
NAUPHÆTA, 155.
NEANTHES, 367.
Nebulosa (*Entella*), 225.
Nebulosa (*Epilampra*), 119.
Nebulosa (*Mantis*), 225, 252.
Nebulosa (*Pseudophoraspis*), 119.
Nebulosum (*Aschipsasma*), 419.
Nebulosus (*Presbistus*), 419.
Necrophoroides (*Panesthia*), 204.
NECROSCIA, 374.
NECROSCIA, 374.
NECROSCIINÆ, 368.
Necydaloides (*Cyphocrana*), 393.
Necydaloides (*Cyphocrania*), 392.
Necydaloides (*Gryllus*), 412.
Necydaloides (*Mantis*), 412.
Necydaloides (*Phasma*), 390, 392, 412.
Neglecta (*Forficula*), 50.
Nematodes (*Bacteria*), 324, 328.
Nematodes (*Baculum*), 328.
Nematodes (*Lonchodes*), 324, 328.
Nematodes (*Phasma*), 324, 328.
Nemoralis (*Pseudomantis*), 236.
Nemoralis (*Statilia*), 236.
NEMOTHA, 221.
NEOCLES, 404.
NEOHIRASEA, 325.
NEOLOBOPHORA, 29.
Neolobophoroides (*Cosmiella*), 38.
Neolobophoroides (*Opisthocosmia*), 38.
Neotropicalis (*Japyx*), 57.
Nepalensis (*Dyscologamia*), 173.
Nepalensis (*Pseudoglomeris*), 191.
Neptunus (*Dinelytron*), 414.
Neptunus (*Prexaspes*), 414.
NESOGASTER, 35.
NESOGASTRELLA, 36.
NEUROPTERA, 58.
Neuroptera (*Mantis*), 256.
Neutra (*Ischnoptera*), 81.
Nicaensis (*Blatta*), 62.
Nicaensis (*Ectobia*), 62.
Nicaraguæ (*Macromantis*), 272.
Nicobarensis (*Panesthia*), 203.
Nietneri (*Pygidicrana*), 5.
Nigra (*Brachylabis*), 17.
Nigra (*Cylindrogaster*), 17.
Nigra (*Dasyposoma*), 198.
Nigra (*Hemithyrsoptera*), 77.
Nigra (*Leucophæa*), 151.
Nigra (*Panchlora*), 151.
Nigra (*Parapachymorpha*), 342.
Nigra (*Parasphæria*), 196.
Nigra (*Phoraspis*), 113.
Nigra (*Thyrsoptera*), 77.
Nigrella (*Labia*), 26.
Nigricans (*Mantillica*), 225.
Nigricans (*Panesthia*), 203.
Nigriceps (*Cylindrogaster*), 2.

- Nigriceps* (*Diplatys*), 2.
Nigriceps (*Diplatys*), 2.
Nigriceps (*Platylabia*), 22.
Nigricollis (*Ischnoptera*), 83.
Nigricornis (*Arrhidæus*), 384.
Nigricornis (*Chelisoches*), 34.
Nigricornis (*Hapalopeza*), 221.
Nigricornis (*Labidura*), 34.
Nigricornis (*Panchlora*), 153.
Nigrifrons (*Blatta*), 72.
Nigrifrons (*Chorisoneura*), 72.
Nigrifrons (*Gyna*), 149.
Nigrina (*Sparatta*), 23.
Nigripennis (*Blabera*), 161.
Nigripennis (*Forfiscelia*), 45.
Nigripennis (*Psalidophora*), 32.
Nigripennis (*Spongiphora*), 32.
Nigripes (*Bacteria*), 356.
Nigripes (*Ectobia*), 63.
Nigripes (*Ectobius*), 62.
Nigrispina (*Sosibia*), 368.
Nigrita (*Blatta*), 96, 202.
Nigrita (*Deropeltis*), 146.
Nigrita (*Panesthia*), 202.
Nigrita (*Panesthia*), 203.
Nigrita (*Phyllodromia*), 96.
Nigrita (*Pseudomops*), 77.
Nigrita (*Thyrsochera*), 77.
Nigroannulata (*Necroscia*), 376.
Nigroannulatum (*Necroscia*), 376.
Nigroannulatum (*Phasma*), 376.
Nigrofasciata (*Calvisia*), 370.
Nigrofasciata (*Necroscia*), 370.
Nigrofasciatum (*Necroscia*), 370.
Nigrofasciatum (*Phasma*), 370.
Nigrofusca (*Blatta*), 62.
Nigrogranosa (*Necroscia*), 374.
Nigrolineata (*Chorisoneura*), 73.
Nigrolineata (*Orobia*), 409.
Nigronitens (*Lobophora*), 34.
Nigropicta (*Theopompa*), 213.
Nigropunctatus (*Lonchodes*), 317.
Nigropunctatus (*Stælonychodes*), 317.
Nigrorufa (*Spongiphora*), 30.
Nigrovaria (*Ctenomorpha*), 389.
Nilgirica (*Hapalopeza*), 221.
Nilotica (*Eremiaphila*), 212.
Nimbata (*Zetobora*), 158.
Niponense (*Bacteria*), 319.
Niponense (*Phasma*), 319.
Niponensis (*Lonchodes*), 319.
 NTSIBIS, 78.
Nisseri (*Libethra*), 345.
 NISYRUS, 407.
Nitens (*Gonypeta*), 221.
Nitens (*Hapalopeza*), 221.
Nitens (*Iridopteryx*), 221.
Nitens (*Parasphæria*), 196.
Nitens (*Phyllodromia*), 93.
Nitens (*Polyzosteria*), 127.
Nitens (*Polyzosteria*), 196.
Nitida (*Blatta*), 139.
Nitida (*Hestiasula*), 288.
Nitida (*Mantoida*), 210.
Nitida (*Melanozosteria*), 129.
Nitida (*Pachymantis*), 288.
Nitida (*Platyzosteria*), 129.
Nitida (*Stylopyga*), 139.
Nitida (*Temnopteryx*), 105.
Nitidipennis (*Spongiphora*), 30.
Nitidula (*Blatta*), 169.
Nitidula (*Holocompsa*), 169.
Nivea (*Blatta*), 152, 153.
Nivea (*Panchlora*), 153.
Nobilis (*Mantis*), 251.
Nobilis (*Polyzosteria*), 128.
 NOCTICOLA, 106.
 NOCTICOLINÆ, 106.
Noctivaga (*Gonypeta*), 224.
Nodosa (*Blatta*), 91.
Nodosa (*Phyllodromia*), 91.
Nodosum (*Bacteria*), 318, 321.
Nodosum (*Phasma*), 318, 321.
Nodosus (*Bacunculus*), 349.
Nodosus (*Heteronemia*), 349.
Nodosus (*Lonchodes*), 318, 321.
Nodosus (*Stælonychodes*), 318.
Nolimetangere (*Acanthoderus*), 399.
Nolimetangere (*Phasma*), 399.
Nolimetangere (*Tisamenus*), 399.
Nortoniana (*Ischnoptera*), 85.
Nossihei (*Blatta*), 138.
Nossihei (*Stylopyga*), 138.
Nossibianus (*Xeranthrix*), 403.
Notabilis (*Calolampira*), 118.
Notabilis (*Epilampira*), 118.
Notata (*Hierodula*), 246, 247.
Notata (*Mantis*), 246.
Notata (*Paraphoraspis*), 111.
Notata (*Phyllodromia*), 94.
Notigera (*Pydicrana*), 6.
Notigera (*Pygidicrana*), 6.
 NOTOLAMPRA, 111.
Notulata (*Allacta*), 100.
Notulata (*Blatta*), 100.
Novæ-Britanniæ (*Chitoniscus*), 421.
Novæ-Britanniæ (*Hermarchus*), 361.
Novæ-Britanniæ (*Phyllium*), 421.

- Novæ-Guineæ* (*Mantis*), 256.
Novæ-Guineæ (*Miomantis*), 256.
Novæ-Guineæ (*Nanomantis*), 256.
Novæ-Guineæ (*Pachymorpha*), 342.
Novæ-Guineæ (*Paranauphata*), 180.
Novæ-Guineæ (*Stenomantis*), 256.
Novæ-Seelandiæ (*Polyzosteria*), 129.
Novæ-Seelandiæ (*Syntomaptera*), 129.
Novæ-Zealandiæ (*Mantis*), 218.
Novæ-Zealandiæ (*Orthodera*), 218.
Novementata (*Hierodula*), 246.
Nubeculosa (*Hagiomantis*), 271.
Nubeculosa (*Liturgusa*), 271.
Nudiventris (*Epilampra*), 114.
Numida (*Eremiaphila*), 211.
Nuptialis (*Corydia*), 167.
Nyassensis (*Calidomantis*), 257.
Nyassensis (*Miomantis*), 257.
NYCTIBORA, 107.
NYCTIBORINÆ, 107.
NYCTOBORA, 107.
Nympha (*Mantis*), 216, 268, 269, 314.
Nympha (*Phasma*), 335, 405.
Nympha (*Prisopus*), 405.
Oannes (*Opisthocosmia*), 38.
Obiensis (*Carausius*), 320.
Obliqua (*Epilampra*), 127.
Obliqua (*Ischnoptera*), 127.
Obliquus (*Japyx*), 56.
Oblongata (*Blatta*), 75.
Oblongata (*Pseudomops*), 75.
Oblongata (*Pseudomops*), 75.
Oblongata (*Thyrsochera*), 75.
OBRIMUS, 398.
Obscura (*Blaptica*), 162.
Obscura (*Calolampra*), 118.
Obscura (*Carvilia*), 267.
Obscura (*Epilampra*), 118.
Obscura (*Ischnoptera*), 82.
Obscura (*Litaneutria*), 232.
Obscura (*Mantis*), 267.
Obscura (*Metriotes*), 415.
Obscura (*Nyctobora*), 107.
Obscura (*Parahormetica*), 198.
Obscura (*Periplaneta*), 130.
Obscura (*Pseudomops*), 77.
Obscura (*Pseudophyllo-dromia*), 98.
Obscura (*Syntomaptera*), 130.
Obscura (*Temnopteryx*), 104.
Obscura (*Thyrsochera*), 77.
Obscurifrons (*Homalopteryx*), 124.
Obscurifrons (*Rhienoda*), 124.
Obscurior (*Blatta*), 92.
Obscuripes (*Cutilia*), 134.
Obscuripes (*Drymaplaneta*), 134.
Obscuroviridis (*Polyzosteria*), 128.
Obscurum (*Echinosoma*), 8.
Obscurum (*Phasma*), 415.
Obscurus (*Isagoras*), 415.
Obscurus (*Metriotes*), 415.
Obscurus (*Pycnoscelus*), 151.
Obscuraria (*Mantis*), 300.
Obsoleta (*Eustegasta*), 181.
Obsoleta (*Phyllodromia*), 90.
Obtrita (*Thliptoblatta*), 194.
Obtusa (*Oxyops*), 298.
Obtusata (*Allacta*), 100.
Obtusata (*Hierodula*), 247.
Obtusata (*Phyllodromia*), 100.
Obtusiceps (*Chiropacha*), 215.
Obtusiceps (*Tarachodes*), 215.
Obtusifrons (*Blatta*), 81.
Obtusifrons (*Ischnoptera*), 81.
Occidentale (*Echinosoma*), 8.
Occidentalis (*Anisolabis*), 20.
Occidentalis (*Empusa*), 312.
Occidentalis (*Eurycotis*), 144.
Occidentalis (*Ischnoptera*), 83.
Occidentalis (*Opisthoplatia*), 143.
Occidentalis (*Pelmato-silpha*), 143.
Occidentalis (*Periplaneta*), 144.
Occidentalis (*Polyzosteria*), 143.
Occidentalis (*Sigerpes*), 289.
Occipitalis (*Acanthoclonia*), 400.
Occipitalis (*Hapalopeza*), 221.
Occipitalis (*Panchlora*), 151.
Occipitalis (*Pylæmenes*), 400.
Oceanica (*Forficesila*), 33.
Oceanica (*Forficula*), 45.
Ocellaria (*Harpax*), 236.
Ocellaria (*Mantis*), 236.
Ocellaria (*Omomantis*), 236.
Ocellata (*Deiphobe*), 266.
Ocellata (*Empusa*), 293.
Ocellata (*Harpax*), 293.
Ocellata (*Mantis*), 266, 300.
Ocellata (*Pseudocrebobra*), 293.
Ocellata (*Thespis*), 266.
Ochroptera (*Mantis*), 269.
Ochropus (*Forficula*), 25.
Ochropus (*Labia*), 25.
Octospilota (*Mantis*), 251.
Ocularis (*Humbertiella*), 214.
Ocularis (*Ischnoptera*), 84.
Ocularis (*Litaneutria*), 232.
Ocularis (*Lithaneutria*), 232.
Ocularis (*Theopompa*), 214.
Oculata (*Mantis*), 262.
Oculata (*Periplaneta*), 136.

- Oculata (Polyzosteria), 128.
 ODONTOMANTIS, 223.
 Oedematisa (Xylica), 404.
 Ohrtmanni (Phasma), 405.
 Ohrtmanni (Prisopus), 405.
 Oileus (Acanthoderus), 400.
 Oileus (Datames), 400.
 OLCYPHIDES, 410.
 Oligoneura (Acromantis), 280.
 Oligoneura (Mantis), 280.
 OLIGONYX, 278.
 Olivacea (Epilampra), 123.
 Olivacea (Eurycantha), 399.
 Olivacea (Hedaia), 123.
 Olivacea (Theramenes), 399.
 Olmea (Bacteria), 348.
 Olmea (Ceratinoptera), 99.
 Olmea (Heteronemia), 348.
 Omeca (Blatta), 171.
 Omissa (Nyctibora), 108.
 OMOMANTIS, 235.
 Omphale (Hemipachymorpha), 341.
 Omphale (Pachymorpha), 341.
 ONCEROCORYPHA, 182.
 ONCHESTUS, 394.
 ONCOTOPHASMA, 351.
 Oniscina (Melanosilpha), 194.
 Oniscina (Perisphæria), 194.
 Oniscoides (Elliptoblatta), 184.
 Oniscoides (Laxta), 160.
 Oniscoides (Polyzosteria), 184.
 ONISCOSOMA, 159.
 Oniscosoma (Apsidopis), 119.
 ONYCHOSTYLUS, 96.
 Opaca (Blatta), 156.
 Opaca (Epilampra), 127.
 Opaca (Eurycotis), 143.
 Opaca (Forficula), 7.
 Opaca (Nauphæta), 156.
 Opaca (Pelmatosilpha), 143.
 Opaca (Polyzosteria), 143.
 OPHICRANIA, 386.
 Ophidiiderma (Aruanoidea), 378.
 Ophthalmica (Humbertiella), 213.
 Ophthalmica (Mantis), 213.
 Ophthalmica (Pygidicrana), 6.
 Ophthalmica (Theopompa), 213.
 Opima (Phyllodromia), 90.
 OPISTHOCOSMIA, 38.
 OPISTHOPLATIA, 114.
 Oratoria (Iris), 260.
 Oratoria (Mantis), 213, 233, 250.
 Oratorius (Gryllus), 260.
 Oratorius (Mantis), 260.
 Orba (Deropeltis), 146.
 Orba (Hapalomantis), 226.
 Orba (Mantis), 226.
 Orba (Periplaneta), 146.
 Orbus (Vates), 302.
 OREOPHÆTES, 350.
 Ohrtmanni (Prisopus), 405.
 Orientalis (Anechura), 40.
 Orientalis (Blatta), 137.
 Orientalis (Blatta), 141.
 Orientalis (Empusa), 313.
 Orientalis (Forficula), 52.
 Orientalis (Heterochæta), 307.
 Orientalis (Iris), 260.
 Orientalis (Kakerlac), 138.
 Orientalis (Mantis), 236.
 Orientalis (Opisthoplatia), 114.
 Orientalis (Paradanuria), 307.
 Orientalis (Periplaneta), 138.
 Orientalis (Perisphæria), 190.
 Orientalis (Polyzosteria), 114.
 Orientalis (Stygopyga), 138.
 Orientalis (Toxodera), 307.
 Orizabæ (Blatta), 95.
 Orizabæ (Phyllodromia), 95.
 Ornata (Blatta), 180.
 Ornata (Corydia), 167.
 Ornata (Dorylæa), 135.
 Ornata (Forficula), 53.
 Ornata (Gonatista), 270.
 Ornata (Hagiomantis), 270.
 Ornata (Mantis), 270.
 Ornata (Melestora), 167.
 Ornata (Orthoderella), 219.
 Ornata (Panesthia), 203.
 Ornata (Periplaneta), 135.
 Ornata (Pseudolampra), 132.
 Ornata (Pseudophyllo-dromia), 97.
 Ornatipennis (Bisanthe), 267.
 Ornatum (Phasma), 410.
 OROBIA, 409.
 Orsinii (Chelidura), 55.
 Orsinii (Forficula), 54.
 Orsinii (Pseudochelidura), 54.
 ORTHODERA, 218.
 ORTHODERELLA, 219.
 ORTHOMERIA, 420.
 ORTHONECROSCIA, 374.
 ORTHOPTERA, 1.
 ORXINES, 367.
 Oryx (Acanthoderus), 355.
 Oryx (Ceroys), 355.
 Osiris (Acrophylla), 389.
 Osiris (Otenomorpha), 389.
 Osiris (Diura), 389.
 Osiris (Phasma), 389.
 Osmylus (Aruanoidea), 378.
 Osmylus (Necroscia), 378.
 OTOMANTIS, 296.
 Otomia (Anaplecta), 67.
 Otomia (Blatta), 84.
 Otomia (Temnopteryx), 105.
 Otomius (Temnopteryx), 105.
 Otys (Acanthoderus), 400.
 Otys (Dares), 400.
 Oudemansi (Japyx), 57.
 Ova (Neolobophora), 38.
 Ovalifolia (Cardioptera), 272.
 Ovalifolia (Macromantis), 272.
 Ovalifolia var. Nicaraguæ (Macromantis), 272.
 Ovata (Blatta), 195.
 Ovata (Hierodula), 247.

- Ovata (Metriomantis), 273.
 Ovata (Parasphæria), 195.
 OXYARTES, 324.
 Oxycephala (Tarachodes), 215.
 OXYCERCUS, 196.
 OXYHALOA, 175.
 OXYHALOINÆ, 175.
 OXYOPHTHALMA, 261.
 OXYOPHTHALMUS, 261.
 OXYOPS, 297.
 OXYOTHESPIIS, 255.
 OXYPILOIDEA, 286.
 OXYPIIUS, 285.
 Oxyptera (Derocardia), 119.
Oxyptera (Epilampra), 119.
Oxytenes (Bacillus), 329.
Oxytenes (Baculum), 329.
 OXYTHESPIIS, 255.

 PACHNEPTERIX, 78.
 PACHNEPTERYX, 78.
 PACHYMANIIS, 287.
 PACHYMORPHA, 542.
 PACHYMORPHA, 541.
 Pacifica (Anisolabis), 20.
 Pacifica (Blatta), 168.
 Pacifica (Euthyrrhapha), 168.
 Pacifica (Forficula), 20.
 Pacifica (Litaneutria), 232.
 Pæderina (Forficula), 53.
 Pagana (Stagmatoptera), 301.
 Palea (Bacunculus), 348.
 Palea (Heteronemia), 348.
 Palinurus (Arrhidæus), 384.
 Palinurus (Necroscia), 384.
 Pallasiana (Mantis), 313.
 Pallasii (Iris), 268.
 Pallasii (Mantis), 268.
 Pallens (Paraphoraspis), 110.
 Pallens (Phlebonotus), 110.
 Pallens (Phoraspis), 110.
 Pallescens (Apolyta), 80.
 Pallescens (Ellipsidion), 80.
 Pallescens (Necroscia), 375.
 Pallescens (Rhyparobia), 151.
 Palliata (Mantis), 281.
 Pallicornis (Riatia), 68.
 Pallicornis (Stenopilema), 186.
 Pallida (Anaplecta), 67.
 Pallida (Aphlebia), 70.
 Pallida (Apolyta), 79.
 Pallida (Blatta), 63.
 Pallida (Enicophlebia), 228.
 Pallida (Heterolampra), 122.
 Pallida (Hololampra), 70.
 Pallida (Nauphæta), 116.
 Pallida (Oniscosoma), 110.
 Pallida (Phæta), 116.
 Pallida (Popa), 309.
 Pallida subsp. Cecconii (Aphlebia), 70.
 Pallidicollis (Pachnepteryx), 79.
 Pallidicollis (Thyrsocera), 79.
 Pallidicornis (Autolyca), 402.
 Pallidicornis (Forficula), 52.
 Pallidipennis (Forficula), 5.
 Pallidipennis (Pygidicrana), 5.
 Pallidula (Pseudectobia), 65.
 Pallidula (Theganopteryx), 65.
 Pallidum (Ellipsidion), 79.
 Pallidus (Ectobius), 63.
 Pallipalpis (Kakerlac), 136.
 Pallipalpis (Methana), 136.
 Pallipalpis (Periplaneta), 136.
 Pallipalpis (Periplaneta), 136.
 Pallipes (Blatta), 139.
 Pallipes (Cirphia), 176.
 Pallipes (Derocalymma), 188.
 Pallipes (Forficula), 10.
 Pallipes (Gigantoplasma), 386.
 Pallipes (Homalodemus), 188.
 Pallipes (Kakerlac), 139.
 Pallipes (Labidura), 10.
 Pallipes (Labidura), 11.
 Pallipes (Periplaneta), 139.
 Pallipes (Phyllodromia), 96.
 Palmeri (Bacillus), 333.
 Palmeri (Parabacillus), 333.
 Palmes (Libethra), 345.
 PALOPHINÆ, 360.
 PALOPHUS, 365.
 Palpalis (Blatta), 101.
 Palpalis (Duryodana), 101.
 Palpata (Phyllodromia), 101.
 Panætius (Necroscia), 375.
 Panamensis (Ancistrogaster), 37.
 PANCHLORA, 152.
 PANCHLORINÆ, 148.
 Pandens (Epilampra), 121.
 Pandens (Heterolampra), 121.
 Pandora (Aschipsma), 420.
 Pandora (Orthomeria), 420.
 PANESTHIA, 202.
 PANESTHIINÆ, 200.
 Panethoides (Blaptica), 162.
 Panethoides (Polyzosteria), 162.
 Pannulata (Sibylla), 287.
 Panteli (Dicellonotus), 201.
 Panteli (Panesthia), 201.
 Panteli (Temnopteryx), 104.
 PANTELICA, 270.
 Pantherina (Phoraspis), 112.
 Pantherina (Stenovates), 306.
 Pantherina (Tarachodes), 215.
 PANURGICA, 286.
 Panzeri (Ectobia), 62.
 Panzeri (Ectobius), 62.
 Panzeri var Nigripes (Ectobia), 63.
 Papua (Blatta), 93.
 Papua (Epilampra), 122.
 Papua (Heterolampra), 122.
 Papua (Labia), 27.
 Papua (Phyllodromia), 93.

- Papuana (Marmessoidea), 371.
Papuana (Necrosia), 371.
 Papuasicus (Japyx), 57.
 PARABACILLUS, 333.
 PARABLEPHARIS, 290.
 Parabolica (Blabera), 164.
 PARACANTHOPS, 283.
 PARACERATINOPTERA, 101.
 PARACLITUMNUS, 330.
 PARACLONARIA, 335.
 PARADANURIA, 307.
 Paradoxa (Acanthoclona), 407.
Paradoxa (Dystacta), 227.
Paradoxa (Mantis), 295.
 Paradoxa (Phyllocrania), 290.
 PARADOXOMORPHA, 403.
 Paradoxum (Phyllothelys), 289.
Paraensis (Acontista), 233.
Paraensis (Pseudovates), 304.
Paraensis (Vates), 304.
 PARAEPISCOPUS (recte PAREPISCOPUS), 261.
 Paraguayensis (Oxyops), 298.
 PARAHORMETICA, 197.
 PARAIRIDOPTERYX, 288.
 PARALATINDIA, 169.
 Parallela (Blatta), 139.
Parallela (Forficula), 30, 54.
Parallela (Ischnoptera), 82.
Parallela (Mantis), 304.
Parallela (Monandroptera), 387.
Parallela (Phyllovates), 304.
Parallela (Psalidophora), 30.
Parallela (Pseudochelidura), 54.
Parallela (Spongiphora), 30.
Parallela (Spongophora), 31.
Parallela (stenoblatta), 179.
Parallela (Stylopyga), 139.
Parallela (Theoclytes), 304.
 PARALOBOPTERA, 101.
 PARALYGDAMIA, 217.
 PARAMELES, 230.
 PARAMUSONIA, 276.
Parana (Blatta), 95.
Parana (Phyllodromia), 95.
 PARANAUPHCETA, 179.
 PARAOXYPIIUS, 207.
 PARAPACHYMORPHA, 342.
 PARAPHORASPIS, 111.
 PARASPHÆRIA, 195.
 PARASPHELENDALE, 266.
 PARASTAGMATOPTERA, 298.
 PARATEMNOPTERYX, 106.
 PARATHESPIS, 256.
 PARATOXODERA, 285.
PARATROPA, 109.
 PARATROPES, 109.
 Pardalina (Agathemora), 402.
Pardalina (Anisomorpha), 402.
 Pardalina (Calolampra), 117.
Pardalina (Epilampra), 117.
 Pardalina (Heterovates), 302.
Pardalina (Omomantis), 235.
 PARECTATOSOMA, 398.
 Parenthesis (Phyllo-dromia), 87.
 PAREPISCOPUS, 261.
Parilis (Blatta), 92.
Parilis (Phyllodromia), 92.
 PAROBRIMUS, 344.
 Paromelas (Anisomorpha), 401.
 PAROXYOPHTHALMUS, 261.
Partita (Blatta), 96.
Partita (Phyllodromia), 96.
 Parva (Entella), 225.
Parva (Mantis), 278.
Parva (Oligonyx), 278.
Parviceps (Blatta), 67.
 Parviceps (Hierodula), 247.
 Parvicollis (Ancistrogaster), 37.
Parvicollis (Epilampra), 124.
Parvicollis (Forficula), 37.
Parvicollis (Hedain), 124.
Parvicollis (Psalidophora), 37.
Parvicollis (Spongiphora), 37.
 Parvipennis (Anaplecta), 67.
 Parvipennis (Necrosia), 375.
 Parvula (Acromantis), 280.
 Parvula (Bactromantis), 278.
Parvula (Blatta), 92.
 Parvula (Chætospania), 22.
 Parvula (Ischnoptera), 84.
Parvula (Mantis), 278.
 Parvula (Paradanuria), 307.
 Parvula (Phyllodromia), 92.
Parvula (Toxodera), 307.
 Parvulum (Echinosoma), 8.
 Parvulus (Phyllovates), 304.
Parvulus (Theoclytes), 304.
Parvulus (Vates), 304.
 PARYMENOPUS, 294.
Pascoei (Apachys), 3.
Pascoei (Apachyus), 3.
Pasimachus (Cyphocrania), 394.
 Pasimachus (Onchestus), 394.
Pasithoe (Bacillus), 342.
Pasithoe (Pachymorpha), 342.
Passaloides (Panesthia), 200.
 Passaloides (Salganea), 200.
Passalus (Necrosia), 368.
 Passalus (Sosibia), 368.
 Patagonicus (Demogorgan), 12.
 Patagonicus (Japyx), 57.
Patellifer (Bacillus), 329.
 Patellifera (Hierodula), 245.
Patellifera (Hierodula), 245.

- Patellifera* (Mantis), 245.
Patens (Periplaneta), 142.
Patinifera (Homalopteryx), 115.
Patricia (Phyllodromia), 89.
Patula (Allacta), 100.
Patula (Blatta), 100.
Patula (Capucina), 159.
Patula (Polyzosteria), 128.
Patula (Zetobora), 159.
Pau (Ameles), 230.
Paula (Calolampra), 118.
Paula (Epilampra), 118.
Paulinoi (Deropeltis), 146.
Paupera (Gyna), 150.
Pauperata (Empusa), 312.
Pauperata (Empusa), 313.
Pauperata (Empusa), 312, 313.
Pauperata (Mantis), 311, 313.
Paupercula (Forficula), 54.
Paupercula (Pseudochelidura), 54.
Pavonina (Chlinidoptera), 292.
Pavonina (Mantis), 292.
Pavonina (Stagmatoptera), 292.
Paxillus (Pasma), 417.
Paxillus (Planudes), 417.
Paykullii (Calidomantis), 258.
Paykullii (Miomantis), 258.
Pectinata (Chorisoneura), 73.
Pectinata (Choristima), 73.
Pectinata (Empusa), 311.
Pectinata (Epilampra), 115, [122].
Pectinata (Heterolampra), [122].
Pectinata (Homalopteryx), 115, [122].
Pectinata (Mantis), 311.
Pectinata (Vates), 305.
Pectinicornis (Empusa), 312.
Pectinicornis (Mantis), 312, 313.
Pectinicornis (Theoclytes), 305.
Pectinicornis (Vates), 305.
Pectoralis (Anisolabis), 19.
Pectoralis (Cosmozosteria), 133.
Pectoralis (Forficula), 19.
Pectoralis (Platyzosteria), 133.
Pectoralis (Polyzosteria), 133.
Pectoralis (Rhombodera), 249.
Peculiaris (Loboptera), 102.
Pedestris (Blabera), 161.
Pedestris (Forficula), 44.
Pedestris (Monachoda), 161.
Peeli (Charieis), 210.
Peleus (Ascephasma), 419.
Peleus (Aschipsasma), 419.
Peleus (Perlamorpha), 420.
Peleus (Perlamorphus), 419.
Peleus (Pasma), 419.
Peleus (Presbistus), 419.
Peleus (Homalopteryx), 115.
PELLITA, 189.
Pellucens (Blatta), 112.
Pellucens (Phoraspis), 112.
Pellucida (Amorphoscelis), 208.
Pellucida (Apolyta), 80.
Pellucida (Blatta), 72, 95.
Pellucida (Calidomantis), 259.
Pellucida (Chorisoneura), 72.
Pellucida (Heterogania), 172.
Pellucida (Mantis), 273.
Pellucida (Miomantis), 259.
Pellucida (Miopteryx), 259.
Pellucida (Phyllodromia), 95.
Pellucida (Polyphaga), 172.
Pellucidum (Ellipsoidion), 80.
PELMATOSILPHA, 142.
Peltata (Phenacisma), 148.
Pelvimetra (Sparatta), 24.
Pelvimetra var. *Rufina* (Sparatta), 24.
Peninsularis (Sosibia), 368.
Pennatus (Gongylus), 313.
Pennicornis (Empusa), 311.
Pennicornis (Empusa), 312.
Pennicornis (Mantis), 312.
Pennsylvanica (Ischnoptera), 85.
Pennsylvanica (Blatta), 85.
Pennsylvanica (Ischnoptera), 85.
PENTACANTHA, 272.
Penthesilea (Bacillus), 329.
Penthesilea (Baculum), 329.
Percheron (Apterygida), 48.
Percheron (Forficula), 48.
Percheroni (Forficula), 48.
Percheroni (Sphingolabis), 48.
Perezii (Pasma), 412.
Perezii (Pseudopasma), 412.
Perfecta (Panesthia), 204.
Perfida (Mantis), 265.
Perfoliatus (Acanthoderus), 354.
Perfoliatus (Ceroys), 354.
Perfoliatus (Cladomorphus), 354.
Peridromes (Bacillus), 331.
Peridromes (Hyrtacus), 331.
Perillus (Planudes), 417.
Peringueyi (Derocarymma), 189.
Peringueyi (Gonolabis), 16.
Peringueyi (Homaloblatta), 194.
Peringueyi (Homolodemas), 189.
Peringueyi (Pæcilo-blatta), 192.
Periphanes (Anophelepis), 382.
PERIPHETES, 320.
PERIPLANETA, 140.
PERISPHERA, 189.

- PERISPHERIA, 189.
 PERISPHERIINÆ, 179.
 PERISPHERUS, 189.
 Peristhenes (*Bacillus*), 339.
 Peristhenes (*Echetlus*), 339.
 Perla (*Miopteryx*), 227.
 PERLAMANTIS, 229.
 PERLAMORPHA, 418.
 PERLAMORPHUS, 418.
 Perlouides (*Blatta*), 98.
 Perlouides (*Elæa*), 214.
 Perlouides (*Humbertiella*), 214.
 Perlouides (*Miopteryx*), 274.
 Perlouides (*Pseudophyllo-dromia*), 98.
 Perlouides (*Tarachodes*), 216.
 Perlucida (*Blatta*), 73.
 Perlucida (*Chorisoneura*), 73.
 Perplexa (*Ancistrogaster*), 37.
 Perplexa (*Epilampra*), 124.
 Perplexa (*Rhcnoda*), 124.
 Perplexa (*Sphingolabis*), 37.
 Perpulchra (*Angela*), 265.
 Perpulchra (*Pseudoxy-ops*), 298.
 Perpulchra (*Stagmato-ptera*), 298.
 Perpulchra (*Thespis*), 265.
 Personatus (*Hermagoras*), 323.
 Personatus (*Lonchodes*), 323.
 Perspicillare (*Phasma*), 409.
 Perspicillaris (*Blatta*), 63.
 Perspicillaris (*Ectobia*), 63.
 Perspicillaris (*Ectobius*), 62.
 Perspicillaris (*Phasma*), 409.
 Perspicillaris (*Stratocles*), 409.
 Perspicua (*Acontista*), 232.
 Perspicua (*Mantis*), 232.
 Perspicua (*Zetobora*), 158.
 Peruana (*Bacteria*), 350.
 Peruana (*Blatta*), 97.
 Peruana (*Ischnoptera*), 83.
 Peruana (*Oreophætes*), 350.
 Peruana (*Panchlora*), 153.
 Peruana (*Phorticea*), 158.
 Peruana (*Proscratea*), 195.
 Peruana (*Pseudophyllo-dromia*), 97.
 Peruana (*Zetobora*), 158.
 Peruviana (*Anaplecta*), 66.
 Peruviana (*Anisolabis*), 21.
 Peruviana (*Ceratinoptera*), 99.
 Peruviana (*Chæradodis*), 219.
 Peruviana (*Megaloblatta*), 108.
 Peruviana (*Paralatindia*), 169.
 Peruvianus (*Oxycercus*), 496.
 PETASODES, 161.
 Petiti (*Eremiaphila*), 210.
 Petiveriana (*Blatta*), 166.
 Petiveriana (*Cassida*), 166.
 Petiveriana (*Corydia*), 166, 167.
 Petropolis (*Ancistrogaster*), 36.
 Petropolis (*Forficula*), 36.
 Pfeifferæ (*Epilampra*), 124.
 Pfeifferæ (*Hedaia*), 124.
 Pfeifferæ (*Lonchodes*), 321.
 Pfeifferæ (*Myronides*), 321.
 Phacellus (*Prisopus*), 406.
 PHÆNOPHAROS, 360.
 Phaeton (*Pseudophasma*), 411.
 Phætusa (*Necroscia*), 378.
 Phalangium (*Archiblatta*), 148.
 Phalangodes (*Baculum*), 328.
 Phalangodes (*Lonchodes*), 328.
 PHALCES, 336.
 Phalerata (*Blatta*), 88, 104, 110.
 Phalerata (*Nyctibora*), 110.
 Phalerata (*Paratropa*), 110.
 Phalerata (*Paratropes*), 110.
 Phalerata (*Temnopteryx*), 104.
 PHANOCLES, 353.
 PHANTASIS, 343.
 Phantasma (*Cladoxerus*), 358.
 Phantasma (*Phasma*), 358.
 Pharaonis (*Calidomantis*), 259.
 Pharaonis (*Miomantis*), 259.
 PHARNACIA, 359.
 PHASGANIA, 324.
 PHASMA, 390.
 PHASMA, 333, 360, 411.
 PHASMIDÆ, 317.
 Phasinoides (*Macro-danuria*), 309.
 PHASMOMANTIS, 254.
 Phelaus (*Megacrania*), 385.
 Phelaus (*Platycrania*), 385.
 PHENACISMA, 148.
 PHIBALOSOMA, 356.
 Philetas (*Brachylabis*), 16.
 Philippa (*Necroscia*), 375.
 Phillipsi (*Ischnoptera*), 366.
 PHILOBORA, 157.
 PHITRUS, 310.
 PHLEBONOTUS, 110.
 Phlegyas (*Phasma*), 412.
 Phlegyas (*Pseudo-phasma*), 412.
 Phluctainoides (*Marmessoidea*), 384.
 Phlyctænoides (*Arrhidæus*), 384.
 PHOCYLIDES, 410.
 PHOTALLIA, 116.
 Pholcus (*Phasma*), 414.
 Pholcus (*Prexaspes*), 414.
 Pholidotus (*Necroscia*), 368.
 Pholidotus (*Sosibia*), 368.
 PHORASPIS, 112.
 Phoraspoides (*Phorticea*), 159.
 Phoraspoides (*Zetobora*), 159.
 PHORTICEA, 158.
 PHOTINA, 273.
 PHOTINA, 257.

PHRAORTES, 319.
Phryganea (*Miopteryx*), 274.
 PHRYGANISTRIA, 358.
PHRYGANISTRIA, 359.
 PHRYGANISTRINIÆ, 358.
Phryganoides (*Mantis*), 270.
Phryne (*Hierodula*), 249.
Phryne (*Rhombodera*), 249.
 PHTHERSIGENA, 207.
Phthisica (*Mantis*), 263, 412.
Phthisica (*Solygia*), 263.
Phthisicum (*Pseudophasma*), 412.
Phthisicus (*Gryllus*), 412.
Phthisicus (*Mantis*), 412.
 PHTHOA, 332.
 PHYLLINIÆ, 420.
Phyllinus (*Cladomorphus*), 356.
Phyllinus (*Cladoxerus*), 356.
Phyllinus (*Phibalosoma*), 356.
 PHYLLIUM, 422.
Phyllocephala (*Abrachia*), 352.
Phyllocephalum (*Phibalosoma*), 352.
Phyllocephalus (*Acanthoderus*), 352.
 PHYLLOCRANIA, 290.
 PHYLLODROMIA, 86.
 PHYLLODROMIINIÆ, 76.
 PHYLLOMANTIS, 284.
Phyllopoda (*Bacteria*), 349.
Phyllopoda (*Bacunculus*), 349.
Phyllopus (*Acanthoderus*), 323.
Phyllopus (*Bacunculus*), 349.
Phyllopus (*Mantis*), 287.
Phyllopus (*Oxyphilus*), 287.
Phyllopus (*Pachymantis*), 287.
Phyllopus (*Phasma*), 323.
Phyllopus (*Prisomera*), 349.
Phyllopus (*Stenobœa*), 323.
 PHYLLOTHELYS, 289.

PHYLLOVATES, 302.
Physconia (*Sermyle*), 345.
Pia (*Mantis*), 251.
Pia (*Stagmatoptera*), 300.
Pica (*Paratropes*), 110.
Pica (*Pseudomops*), 78.
Pica (*Thyrsocera*), 78.
Picea (*Blatta*), 138.
Picea (*Ischnoptera*), 80.
Picea (*Periplaneta*), 138.
Picea (*Perisphæria*), 187.
Picina (*Psalis*), 14.
Picta (*Blatta*), 113.
Picta (*Ceratinoptera*), 99.
Picta (*Forficula*), 53.
Picta (*Gynopeltis*), 182.
Picta (*Hierodula*), 244.
Picta (*Mantis*), 265.
Picta (*Phoraspis*), 113.
Picta (*Platyzosteria*), 132.
Picta (*Plectoptera*), 178.
Picta (*Polyspilota*), 244.
Picta (*Pygidicerana*), 5.
Picta var. *Luteola* (*Phoraspis*), 112.
Picteti (*Ameles*), 230.
Picteti (*Parameles*), 230.
Picteti (*Phyllodromia*), 90.
Pictetiana (*Polyzosteria*), 114.
Picticollis (*Blatta*), 91.
Picticollis (*Phyllodromia*), 91.
Picticornis (*Chelisoches*), 53.
Pictipennis (*Creoboter*), 291.
Pictipennis (*Harpax*), 293.
Pictipes (*Hestias*), 288.
Pictipes (*Hestiasula*), 288.
Pictipes (*Necroscia*), 376.
 PILEMA, 185.
Pilicornis (*Forficula*), 26.
Pilicornis (*Labia*), 26.
Pilifera (*Blepharodera*), 194.
Pilifera (*Heterogamia*), 194.
Pilifera (*Perisphæria*), 194.
Pilifera (*Trichocoma*), 194.
Piligera (*Anisolabis*), 19.

Pilipes (*Mantis*), 297.
Pilipes (*Panchlora*), 194.
Pilosa (*Culama*), 175.
Pilosa (*Dyscologamia*), 174.
Pilosa (*Zetobora*), 174.
Pilosella (*Heterogamia*), 172.
Pilosella (*Mallatoblatta*), 96.
Pilosella (*Polyphaga*), 172.
Pilosella (*Theganopteryx*), 65.
Pilosipes (*Ascephasma*), 419.
Pilosipes (*Aschiphasma*), 419.
Pilosipes (*Phasma*), 419.
Pilosipes (*Presbistus*), 419.
 PINACONOTA, 113.
Pinnapavonis (*Pseud-enpusa*), 308.
Pirithous (*Aruanoidea*), 378.
Pirithous (*Necroscia*), 378.
Placens (*Blatta*), 80.
Placens (*Ellipsidion*), 80.
Plagiata (*Chelisoches*), 33.
Plagiata (*Corydia*), 167.
Plagiata (*Forficula*), 32.
Plagiata (*Panesthia*), 204.
Plagiatus (*Chelisoches*), 32, 33.
 PLANA, 205.
Plana (*Apachys*), 23.
Plana (*Epilampra*), 114.
Plana (*Forficula*), 23.
Plana (*Molytria*), 114.
Plana (*Sparatta*), 23.
Plana (*Sparatta*), 24.
Plancyi (*Polyphaga*), 172.
 PLANES, 111.
 PLANETICA, 148.
Planiceps (*Mantis*), 223, 227.
Planiceps (*Odontomantis*), 223.
Planiceps (*Oxyphilus*), 223, 227.
Planicollis (*Forficula*), 53.
Planiuscula (*Pseudoglomeris*), 190.
 PLANUDES, 417.
Planula (*Phantasis*), 343.

- Planulum (Hespero-
 phasma), 343.
Planulum (Phasma), 343.
 PLATAMODES, 80.
 Platensis (Japyx), 57.
 PLATYCALYMMMA,
 228.
 Platycephala (Meso-
 pteryx), 237.
Platycephala (Tenodera),
 237.
 PLATYCRANA, 385.
 PLATYCRANIA, 385.
 PLATYLABIA, 21.
Platysoma (Blatta), 63.
Platysoma (Ectobia),
 63.
Platystetha (Kakerlac),
 133.
 PLATYTELUS, 405.
 PLATYZOSTERIA, 130.
Plebeia (Epilampra),
 121.
Plebeia (Heterolampra),
 121.
Plebeja (Labidura), 14.
Plebeja (Psalis), 14.
 PLECTOPTERA, 177.
 PLECTOPTERINÆ,
 177.
Plena (Epilampra), 122.
Plena (Heterolampra),
 122.
Plicipennis (Blatta), 68.
Plicipennis (Kakerlac),
 68.
Ploiaria (Cladoxerus),
 358.
Ploiaria (Phibalosoma),
 358.
Pluvialis (Labidura), 11.
 PODACANTHUS, 379.
Podagrica (Bostra), 351.
Podagrica (Oncoto-
phasma), 351.
Poduriformis (Peri-
spheria), 186.
Poduroides (Perispheria),
 186.
Poduroides (Stenopi-
lema), 186.
Pœcila (Eustegasta),
 181.
Pœcila (Panchlora), 181.
 PŒCILOBLATTA, 192.
 PŒCILODERRHIS,
 118.
Pœcilopectera (Necrosia),
 375.
Pœcilopectera (Sipyloidea),
 375.
Pœyi (Agathemera), 402.
Pœyi (Anophelepis), 402.
Pœyi (Blatta), [99],
 178.
Pœyi (Caulonia), 344.
Pœyi (Ceratinoptera),
 [99].
Pœyi (Ceratinoptera),
 178.
Pœyi (Creoxylus), [417].
Pœyi (Creoxylus), 364.
Pœyi (Haplopus), 364.
Pœyi (Panchlora), 152.
Pœyi (Plectoptera), 178.
Polita (Aphlebia), 69.
Polita (Elliptoblatta),
 183.
Polita (Hololampra),
 69.
Polita (Melanozosteria),
 129.
Polita (Periplaneta), 129.
 POLLUSCA, 187.
Polyacantha (Sibylla),
 287.
Polygrapha (Allacta),
 100.
Polygrapha (Blatta),
 100.
 POLYPHAGA, 171.
 POLYPHAGINÆ, 171.
Polyspila (Epilampra),
 114, 115.
 POLYSPILOTA, 239.
Polystictica (Mantis),
 260.
Polyzona (Cosmozos-
teria), 133.
Polyzona (Platyzosteria),
 133.
Polyzona (Polyzosteria),
 133.
 POLYZOSTERIA, 127.
Pomposa (Gyna), 150.
Ponderosa (Pharnacia),
 359.
 POPA, 308.
Popa (Ambivia), 280.
Popa (Extatosoma), 381.
Porcellana (Blatta), [99],
 178.
Porcellana (Ceratin-
optera), [99], 178.
Porcellana (Phoraspis),
 111.
Porcellana (Plectoptera),
 178.
Porcellana (Thorax),
 111.
Porcellio (Derocalymma),
 188, 189.
Porcellio (Homalo-
demas), 188.
Portentosa (Eurycantha),
 306.
Portentosa (Grom-
phadorhina), 199.
Portentosa (Grom-
phadorhina), 199.
Portentosa (Hormetica),
 199.
Portentosa var. Lævigata
(Gromphadorhina),
 199.
Porus (Lonchodes), 317.
Porus (Lopaphus), 317.
Porus (Stælonychodes),
 317.
 Postica (Blabera), 165.
Postrostrata (Gratidia),
 336.
Postrostrata (Para-
clonaria), 336.
Poststriga (Blatta), 73.
Poststriga (Choriso-
neura), 73.
Præcaria (Mantis), 300,
 301.
Præcaria (Stagmato-
ptera), 300.
Præcarius (Gryllus),
 300.
Præcarius (Mantis), 300.
Præcipua (Epilampra),
 120.
Præcipua (Rhabdo-
blatta), 120.
Præcontatrix (Theo-
propus), 293.
Prædictatoria (Stagmato-
ptera), 300.
Præstans (Pelmato-
silpha), 142.
Praon (Lonchodes), 317,
 319.
Praon (Stælonychodes),
 317.
Prasina (Calidomantis),
 259.
Prasina (Mantis), 251.
Prasina (Mantis), 251,
 259.
Prasina (Orthodera),
 218.
Prasina (Panchlora),
 152.
Prasina (Polyspilota),
 240.
Prasinana (Mantis),
 231.
Prasinum (Phasma), 376,
 413.
Prasinum (Pseudo-
phasma), 413.
Prasinus (Acanthoderus),
 340.
Prasinus (Macracantha),
 340.

- Precaria* (*Mantis*), 299, 300.
Precaria (*Stagmatoptera*), 300.
Precarius (*Gryllus*), 300.
Precarius (*Mantis*), 300.
Predicatoria (*Stagmatoptera*), 300.
 PRESBISTUS, 418.
Pretiosa (*Sibylla*), 286.
Preussi (*Calidomantis*), 258.
Preussi (*Miomantis*), 258.
 PREXASPES, 413.
Prima (*Leptozosteria*), 131.
 PRISOMERA, 323.
PRISOMERA, 322.
 PRISOPINÆ, 403.
 PRISOPUS, 405.
Procera (*Epilampra*), 124.
Procera (*Forficula*), 14.
Procera (*Hedaia*), 124.
Procera (*Ischnoptera*), 81.
Procera (*Psalis*), 14.
Prodigiosa (*Clonaria*), 338.
Prodigiosa (*Gratidia*), 338.
Producta (*Ligaria*), 226.
Productus (*Paraclitumnus*), 330.
Prolata (*Clonaria*), 338.
Prolata (*Gratidia*), 338.
Prolixa (*Donusa*), 409.
Prolixa (*Phthoa*), 332.
Prolixa (*Spongiphora*), 30.
 PROMACHUS, 326.
 PRONAONOTA, 184.
Propinqua (*Blatta*), 93.
Propinqua (*Phyllodromia*), 93.
Propria (*Epilampra*), 118.
Propria (*Polyzosteria*), 118.
 PROSCRATEA, 195.
 PROSOPECTA, 177.
Prostasis (*Dimorphodes*), 387.
Protensa (*Apterygida*), 49.
Protensa (*Forficula*), 49.
Protensa (*Sphingolabis*), 49.
Proterva (*Blatta*), 192.
Proterva (*Hostilia*), 192.
Proterva (*Phyllodromia*), 192.
Provisionalis (*Periplaneta*), 130.
Provisionalis (*Syntomaptera*), 130.
Proxima (*Epilampra*), 119.
Proxima (*Pœciloderthis*), 119.
Pruinosa (*Pachnepteryx*), 78.
Pruinosa (*Thyrrocera*), 78.
PSALIDOPHORA, 29.
PSALIS, 13.
PSEUDACANTHOPS, 283.
Pseudatrata (*Platyzosteria*), 131.
 PSEUDECTOBIA, 65.
 PSEUDEMPUSA, 303.
 PSEUDISCHNOPTERA, 86.
 PSEUDOBACTERIA, 346.
 PSEUDOCANTHOPS, 283.
Pseudocastanea (*Platyzosteria*), 131.
 PSEUDOCHÆTA, 307.
 PSEUDOCHELIDURA, 54.
 PSEUDOCREOBOTRA, 293.
 PSEUDODEROPELTIS, 147.
 PSEUDOGLOMERIS, 190.
 PSEUDOHARPAX, 296.
 PSEUDOLAMPRA, 132.
 PSEUDOMANTIS, 235.
 PSEUDOMANTIS, 236.
 PSEUDOMIOPTERYX, 275.
 PSEUDOMOPS, 74.
 PSEUDOPANCHLORA, 189.
 PSEUDOPHASMA, 411.
 PSEUDOPHASMA, 411.
 PSEUDOPHASMINE, 408.
 PSEUDOPHORASPIS, 119.
 PSEUDOPHYLLODROMIA, 97.
Pseudoporus (*Baculum*), 328.
Pseudoporus (*Clitumnus*), 328.
Pseudoporus (*Lonchodes*), 328.
 PSEUDOSERMYLE, 345.
 PSEUDOVATES, 304.
 PSEUDOXYOPS, 298.
 PSEUDOYERSINIA, 231.
 PTERINOXYLUS, 362.
Pterodactylus (*Lonchodes*), 321.
 PTEROPUS, 422.
 PTERYGIDA, 44.
Pubescens (*Forficula*), 51.
Pubescens (*Forficula*), 51.
Pubescens (*Mallatoblatta*), 96.
Pubescens (*Perisphæria*), 185.
Pubescens (*Polyzosteria*), 128.
Pubescens (*Thysanoblatta*), 185.
Pubescens var. *Yersini* (*Forficula*), 51.
Pubicornis (*Mantellias*), 225.
Pudica (*Epilampra*), 121.
Pudica (*Heterolampra*), 121.
Pugnax (*Forcipula*), 9.
Pugnax (*Labidura*), 9.
Puiggarii (*Pseudomops*), 77.
Puiggarii (*Thyrrocera*), 77.
Pulchella (*Calhypnorna*), 179.
Pulchella (*Chelisoches*), 32.
Pulchella (*Compso-blatta*), 181.
Pulchella (*Eustegasta*), 181.
Pulchella (*Forficula*), 27.
Pulchella (*Hypnorna*), 179.
Pulchella (*Labia*), 27.
Pulchella (*Labia*), 27.
Pulchella (*Necroscia*), 377.
Pulchella (*Panchlora*), 154.
Pulchella (*Phyllodromia*), 89.
Pulchella (*Polyzosteria*), 127.

- Pulchellum* (*Necroscia*), 377.
Pulchellum (*Phasma*), 377.
Pulchellus (*Chelisoches*), 32.
Pulcherrima (*Orthonecroscia*), 374.
Pulchra (*Antissa*), 222.
Pulchra (*Mantis*), 222.
Pulchrifolium (*Phasma*), 421.
Pulchrifolium (*Phyllium*), 421.
Pulchrifolium (*Pulchriphyllium*), 421.
Pulchripennis (*Bisante*), 267.
Pulchripennis (*Chelisoches*), 33.
Pulchripennis (*Mantis*), 267.
Pulchripes (*Forficula*), 53.
PULCHRIPHYLLIUM, 421.
Pulicaria (*Plectoptera*), 178.
Pulverulentus (*Diapherodes*), 364.
Pulverulentus (*Haplopus*), 364.
Pumicata (*Blatta*), 96.
Pumicata (*Phyllo-dromia*), 96.
Pumilio (*Cranidium*), 361.
Pumilio (*Diapherodes*), 361.
Pumilio (*Monandrop-tera*), 361.
Punctata (*Aphlebia*), 69.
Punctata (*Aruanoidea*), 379.
Punctata (*Blatta*), 69, 151.
Punctata (*Brachylabis*), 16.
Punctata (*Derocalymma*), 188.
Punctata (*Epilampra*), 120.
Punctata (*Gonypeta*), 224.
Punctata (*Hetero-lampra*), 120.
Punctata (*Hololampra*), 69.
Punctata (*Homalodemias*), 188.
Punctata (*Mantis*), 224, 246.
Punctata (*Necroscia*), 376, 379.
Punctata (*Notolampra*), 111.
Punctata (*Oxyphilus*), 224.
Punctata (*Parahor-metica*), 198.
Punctata (*Platycrana*), 379.
Punctata (*Platyzosteria*), 131.
Punctata (*Polyzosteria*), 131.
Punctata (*Pseudo-lampra*), 132.
Punctata (*Theganop-teryx*), 64.
Punctata (*Thorax*), 111.
Punctatum (*Necroscia*), 376, 379.
Punctatum (*Phasma*), 376, 379.
Puncticollis (*Epilampra*), 120, 121, 122.
Puncticollis (*Hetero-lampra*), 122.
Puncticollis (*Panesthia*), 203.
Puncticollis (*Phyllo-dromia*), 93.
Punctifera (*Epilampra*), 114.
Punctifrons (*Phyllo-dromia*), 89.
Punctigera (*Gonypeta*), 224.
Punctipectus (*Hierodula*), 245.
Punctipennis (*Epilampra*), 123.
Punctipennis (*Hetero-lampra*), 123.
Punctipennis (*Psali-do-phora*), 31.
Punctipennis (*Spongi-phora*), 31.
Punctipes (*Achrio-ptera*), 394.
Punctipes (*Cyphocrana*), 394.
Punctipes (*Cyphocrania*), 394.
Punctipes (*Hemi-pterota*), 74.
Punctosa (*Ischnoptera*), 189.
Punctosa (*Pseudopan-chloria*), 189.
Punctulata (*Blatta*), 63, 94.
Punctulata (*Cryptocercus*), 200.
Punctulata (*Dasypo-soma*), 200.
Punctulata (*Ellipto-blatta*), 183.
Punctulata (*Epilampra*), 123.
Punctulata (*Hetero-lampra*), 123.
Punctulata (*Ischnoptera*), 94.
Punctulata (*Phyllo-dromia*), 92, 94.
Punctulata (*Pseudec-tobia*), 65.
Punctulata (*Theganop-teryx*), 65.
Punctulatus (*Cheli-soches*), 34.
Punctulatus (*Cryptocercus*), 200.
Punctulatus (*Oligonyx*), 278.
Punctum (*Panchlora*), 153.
Punctuosa (*Ischnoptera*), 189.
Puppeius (*Cladoxerus*), 358.
Puppeius (*Phasma*), 358.
Purelli (*Japyx*), 56.
Purpuralis (*Corydia*), 167.
Purpurascens (*Mantis*), 264.
Purpurascens (*Pelmato-silpha*), 143.
Purpurascens (*Polyzos-teria*), 127.
Purpurascens (*Thespis*), 264.
Purpurea (*Polyzosteria*), 192.
Purpurea (*Trichoblatta*), 192.
Purpureus (*Hierodula*), 247.
Purpureus (*Metallyticus*), 209.
Purpuripennis (*Empusa*), 314.
Purpuripennis (*Graeffea*), 386.
Pusilla (*Ameles*), 230.
Pusilla (*Gonypeta*), 230.
Pusilla (*Latindia*), 168.
Pusilla (*Mantis*), 230.
Pustulata (*Epilampra*), 121.
Pustulata (*Hetero-lampra*), 121.

- Pustulata* (*Mantis*), 240.
Pustulata (*Polyspilota*), 240.
Pustulifera (*Hierodula*), 249.
Pustulifera (*Rhombo-dera*), 249.
Pustulosa (*Phyllo-dromia*), 88.
Putidum (*Phasma*), 412.
Putidum (*Pseudo-phasma*), 412.
PYCNOCELUS, 151.
Pygidiata (*Labia*), 26.
Pygidiata (*Sparatta*), 24.
PYGIDICRANA, 4.
PYGIRHYNCHUS, 408.
Pygmæa (*Bantia*), 275.
Pygmæa (*Blatta*), 99.
Pygmæa (*Ceratinoptera*), 99.
Pygmæa (*Forficula*), 21.
Pygmæa (*Platylabia*), 21.
Pygmæa (*Psalidophora*), 32.
Pygmæa (*Spongiphora*), 32.
Pygmea (*Bolbe*), 226.
Pygmea (*Oligonyx*), 275.
PYLÆMENES, 400.
PYRAGRA, 7.
Pyrenaica (*Chelidura*), 42.
Pyrenaica (*Forficula*), 42.
PYRGOCOTIS, 218.
PYRGOMANTIS, 217.
Pythonius (*Hermarchus*), 361.
Pythonius (*Phibalosoma*), 360, 361.

Quadrata (*Calolampra*), 117.
Quadrata (*Epilampra*), 117.
Quadrata (*Platylabia*), 22.
Quadratipes (*Obrimus*), 398.
Quadratium (*Phasma*), 415.
Quadratus (*Prexaspes*), 415.
Quadricornis (*Mantis*), 295.
Quadrifascia (*Cosmo-zosteria*), 133.
Quadrifascia (*Platyzosteria*), 133.
Quadrifascia (*Polyzosteria*), 133.
Quadrifera (*Blabera*), 164.
Quadriglumis (*Panesthia*), 203.
Quadriguttata (*Marmessoidea*), 371.
Quadriguttata (*Necroscia*), 371.
Quadriguttatum (*Necroscia*), 371.
Quadriguttatum (*Phasma*), 371.
Quadrilobata (*Blatta*), 139.
Quadrilobata (*Forficula*), 25.
Quadrilobata (*Labia*), 25.
Quadrilobata (*Stylopyga*), 139.
Quadrinaculata (*Acon- tista*), 235.
Quadrinaculata (*For- ficula*), 30.
Quadrinaculata (*Man- tis*), 233.
Quadrinaculata (*Panesthia*), 202.
Quadrinaculata (*Psalidophora*), 30.
Quadrinaculata (*Spon- giphora*), 30.
Quadrinotata (*Epilampra*), 122.
Quadrinotata (*Hetero- lampra*), 122.
Quadrinotata (*Ligaria*), 226.
Quadriplaga (*Ischno- ptera*), 88.
Quadriplagiata (*Proso- plecta*), 177.
Quadrupunctata (*Apo- lyta*), 79.
Quadrupunctata (*Blatta*), 154.
Quadrupunctata (*Calido- mantis*), 258.
Quadrupunctata (*Mio- mantis*), 258.
Quadrupunctata (*Pan- chlorea*), 154.
Quadrupunctatum (*Ellip- sidion*), 79.
Quadrispinosa (*Forci- pula*), 9.
Quadrispinosa (*Labi- dura*), 9.
Quadrispinosa *Lurida* (*Forcipula*), 9.
Quadriskumata (*Eury- cotis*), 144.
Quindensis (*Acantho- derus*), 344.
Quindensis (*Bacteria*), 344.
Quindensis (*Caulonia*), 344.
Quinquedens (*Hiero- dula*), 242.
Quinquedens (*Mantis*), 242.
Quinquedens (*Sphodro- poda*), 242.
Quinquedentata (*Panesthia*), 202.
Quinquemaculata (*An- gela*), 265.
Quinquemaculata (*Man- tis*), 265.
Quinquemaculata (*Thes- pis*), 265.
Quitense (*Phasma*), 415.
Quitensis (*Isagoras*), 415.
Quitensis (*Phasma*), 415.

Rachis (*Acanthoderus*), 326.
Rachis (*Promachus*), 326.
Radiata (*Mantis*), 250.
Radiatum (*Phasma*), 413.
Radiatum (*Pseudo- phasma*), 413.
Rafflesii (*Necroscia*), 371.
Rafflesii (*Phasma*), 371.
Rafflesii (*Platycrana*), 371.
Raffrayi (*Diplatys*), 1.
Ramale (*Libethra*), 345.
Ramifera (*Allacta*), 99.
Ramifera (*Blatta*), 99.
Ramifera (*Epilampra*), 114.
Ramifera (*Molytria*), 114.
Ramosa (*Blatta*), 80.
Ramosa (*Ischnoptera*), 81.
Ramosum (*Baculum*), 329.
Ramosum (*Ellipsidion*), 80.
Ramosus (*Bacillus*), 329.
Ramosus (*Baculum*), 329.
RAMULUS, 329.

- Ramulus* (*Bacunculus*), 354.
Ramulus (Ceroys), 354.
Ramulus (Myronides), 321.
Ranarius (*Acanthoderus*), 399.
Ranarius (*Tisamenus*), 399.
Rapax (Antenna), 284.
Rapax (*Hoplocorypha*), 257.
Rapax (*Mionyx*), 276.
Rapax (*Musonia*), 276.
Raptoria (*Hierodula*), 245.
Rebus (*Cosmiella*), 38.
Rebus (*Opisthocosmia*), 38.
Rectangulariter-vittata (*Phyllodromia*), 91.
Rectivenis (*Euthyphleps*), 307.
Redtenbacheri (*Bacillus*), 333.
Reducta (*Blatta*), 89.
Reducta (*Phyllodromia*), 89.
Reductus (*Clitarchus*), 339.
Reflexa (*Blabera*), 161.
Reflexa (*Blatta*), 161.
Reflexa (*Derocalymma*), 185.
Reflexa (*Monachoda*), 161.
Reflexa (*Perisphæria*), 185.
Reflexa (*Petasodes*), 161.
Reflexa (*Pilema*), 185.
Reflexa (*Polyzosteria*), 128.
Reflexa (*Rhienoda*), 124.
Regale (*Clemacantha*), 389.
Regalis (*Panesthia*), 203.
Regina (*Blabera*), 109.
Regina (*Epilampra*), 115.
Regina (*Homalosilpha*), 115.
Regina (*Megaloblatta*), 109.
Regina (*Methana*), 136.
Regina (*Panesthia*), 200.
Regina (*Periplaneta*), 136.
Regina (*Salganea*), 200.
Regulus (*Bacillus*), 328.
Regulus (*Baculum*), 328.
Reichardi (*Apachya*), 4.
Reichardi (*Apachyus*), 4.
Reinwardtii (*Cyphocrana*), 391.
Reinwardtii (*Phasma*), 391.
Religiosa (*Mantis*), 250.
Religiosa (*Mantis*), 238.
Religiosus (*Gryllus*), 250.
Religiosus (*Mantis*), 250.
Relucens (*Phyllodromia*), 90.
Remiformis (*Bostra*), 350.
Remota (*Forficula*), 32.
Remota (*Spongiphora*), 32.
Remphan (*Bacteria*), 355.
Rendalli (*Acanthomantis*), 297.
Rendalli (*Otomantis*), 297.
Repanda (*Epilampra*), 126.
Repanda (*Periplaneta*), 141.
Replicata (*Anaplecta*), 67.
Reticularis (*Blatta*), 96.
Reticularis (*Phyllodromia*), 96.
Reticulata (*Anchiale*), 393.
Reticulata (*Apolyta*), 80.
Reticulata (*Cardioptera*), 274.
Reticulata (*Cyphocrania*), 393.
Reticulata (*Hierodula*), 247.
Reticulata (*Iridopteryx*), 223.
Reticulata (*Mantis*), 223, 237, 270, 273.
Reticulata (*Oxyptilus*), 223.
Reticulata (*Phasma*), 393, 415.
Reticulata (*Photina*), 273.
Reticulata (*Platycrana*), 393.
Reticulatum (*Ellipsoidion*), 80.
Reticulatum (*Phasma*), 412.
Reticulosa (*Blatta*), 98.
Reticulosa (*Pseudophyllodromia*), 98.
Retowskii (*Aphlebia*), 70.
Retowskii (*Hololampra*), 70.
Reversa (*Ischnoptera*), 81.
Reyi (*Ischnopoda*), 365.
Reyi (*Palophus*), 365.
RHABDOBLATTA, 120.
Rhabdota (*Caulonia*), 344.
Rhabdota (*Ceroys*), 344.
Rhachis (*Acanthoderus*), 326.
RHAMPHOPHASMA, 331.
RHAPHIDERUS, 382.
RHICNODA, 124.
Rhinoceros (*Macropanesthia*), 205.
Rhipheus (*Acanthomima*), 383.
Rhipheus (*Anophelepis*), 383.
Rhodomus (*Tropidoderus*), 380.
Rhombica (*Deroplatys*), 281.
Rhombica (*Deroplatys*), 281.
Rhombica (*Mantis*), 281.
Rhombicollis (*Chæradodis*), 220.
Rhombicollis (*Chæradodis*), 219.
Rhombicollis (*Mantis*), 220.
Rhombifolia (*Blatta*), 135.
Rhombifolia (*Dorylæa*), 135.
Rhombifolia (*Periplaneta*), 135.
RHOMBODERA, 248.
Rhomboidalis (*Hierodula*), 249.
Rhomboidea (*Chæradodis*), 220.
Rhomboidea (*Mantis*), 220.
RHYPAROBIA, 150.
RIATIA, 68.
Ridens (*Labia*), 26.
Ridens var. *Cyclolabia* (*Labia*), 26.
Ridleyi (*Bactricia*), 327.
Ridleyi (*Diplatys*), 2.
Ridleyi (*Heterolampra*), 122.
Ridleyi (*Presbistus*), 419.

- Riparia* (*Forficesila*), 10.
Riparia (*Labidura*), 10.
Riparia var. *Mixta* (*Labidura*), 10.
Ritsemæ (*Chelisochoes*), 34.
Robusta (*Brachycola*), 197.
Robusta (*Carcinophora*), 15.
Robusta (*Chelidura*), 15.
Robusta (*Deropeltis*), 145.
Robusta (*Hierodula*), 245.
Robusta (*Mesopteryx*), 238.
Robusta (*Plano*), 205.
Robusta (*Sphendale*), 269.
Robustus (*Geoscapheus*), 205.
Robustus (*Labidurodes*), 15.
Rodziankoi (*Forficula*), 52.
Rogatoria (*Mantis*), 300, 301.
Rogenhoferi (*Iris*), 260.
Rogenhoferi (*Pachymantis*), 288.
Rogersi (*Sphingolabis*), 33.
Rogersi (*Spongiphora*), 32.
Rollandi (*Heteropteryx*), 397.
Rosaria (*Bacteria*), 326.
Rosarius (*Acanthoderus*), 326.
Rosarius (*Promachus*), 326.
Rosea (*Mantis*), 371.
Rosea (*Marmessoidea*), 371.
Rosea (*Necroscia*), 384.
Rosea (*Phasma*), 371, 384.
Roseinervis (*Hierodula*), 241.
Roseipenne (*Diura*), 381.
Roseipenne (*Necroscia*), 376.
Roseipenne (*Phasma*), 376.
Roseipennis (*Acontista*), 234.
Roseipennis (*Acrophylla*), 381.
Roseipennis (*Diura*), 381.
Roseipennis (*Necroscia*), 376.
Roseipennis (*Tithrone*), 234.
Rosenbergi (*Eurycantha*), 396.
Rosenbergi (*Haaniella*), 397.
Rosenbergi (*Heteropteryx*), 397.
Rosenbergi (*Necroscia*), 377.
Rosenbergi (*Psalis*), 14.
Roseni (*Heterogamia*), 172.
Roseni (*Polyphaga*), 172.
Roseum (*Phasma*), 371.
Rossia (*Bacillus*), 333, 334.
Rossia (*Mantis*), 333.
Rossia (*Phasma*), 334.
Rossii (*Bacillus*), 334.
Rossium (*Phasma*), 334.
Rossius (*Bacillus*), 334.
Rothei (*Pseudolampra*), 132.
Rotundata (*Blatta*), 139.
Rotundata (*Labia*), 27.
Rotundata (*Pelmatosilpha*), 142.
Rotundata (*Periplaneta*), 139.
Rotundipennis (*Eremiaphila*), 210.
Roulinii (*Anisomorpha*), 402.
Roulinii (*Autolyca*), 402.
Roulinii (*Bacteria*), 402.
Rubescens (*Necroscia*), 372.
Rubescens (*Trigonophasma*), 372.
Rubicunda (*Mantis*), 297.
Rubicunda (*Necroscia*), 372.
Rubicunda (*Oxyops*), 297.
Rubicunda (*Trigonophasma*), 372.
Rubicundum (*Necroscia*), 372.
Rubicundum (*Phasma*), 372.
Rubiginosa (*Hierodula*), 241.
Rubiginosa (*Ischnoptera*), 85.
Rubiginosa (*Tarachomantis*), 241.
Rubispinosa (*Bacteria*), 356.
Rubispinosa (*Phibalosoma*), 356.
Rubriceps (*Spongiphora*), 30.
Rubricosa (*Nauphæta*), [156].
Rubricosa (*Nauphæta*), 193.
Rubricosa (*Pœciloblatta*), 193.
Rubrocoxata (*Mantis*), 218.
Rubromaculata (*Mantis*), 240.
Rubus (*Cladoxerus*), 357.
Rubus (*Phibalosoma*), 357.
Rudis (*Zetobora*), 158.
Rudolfæ (*Sphodromantis*), 243.
Rudolfæ (*Sphodropoda*), 243.
Rufa (*Blatta*), 139.
Rufa (*Ischnoptera*), 83.
Rufa (*Panesthia*), 200.
Rufa (*Periplaneta*), 139.
Rufa (*Prosoplecta*), 177.
Rufescens (*Anisolabis*), 19.
Rufescens (*Blabera*), 164.
Rufescens (*Blatta*), 82.
Rufescens (*Cylindrogaster*), 2.
Rufescens (*Diplatys*), 2.
Rufescens (*Forficula*), 14, 29, 45.
Rufescens (*Ischnoptera*), 82.
Rufescens (*Methana*), 136.
Rufescens (*Psalis*), 14.
Ruficeps (*Apterygida*), 29, 45.
Ruficeps (*Forficula*), 29, 45.
Ruficeps (*Ischnoptera*), 176.
Ruficeps (*Nauphæta*), 176.
Ruficeps (*Neolobophora*), 29.
Ruficeps (*Nesogastrella*), 36.
Ruficeps (*Orthonecroscia*), 374.
Ruficeps (*Panesthia*), 202.
Ruficeps (*Phyllodromia*), 89.

- Ruficollis* (Forficula), 51.
Ruficornis (Cosmozosteria), 133.
Ruficornis (Hyposphæria), 193.
Ruficornis (Lioblatta), 193.
Ruficornis (Periplaneta), 133.
Rufina (Sparatta), 24.
Rufipes (Megaloblatta), 109.
Rufipes (Paranauphæta), 180.
Rufipes (Parasphæria), 196.
Rufipes (Rhyparobia), 151.
Rufipes var. *Novæ Guineæ* (Paranauphæta), 180.
Rufitarsis (Chelisoches), 33.
Rufitarsis (Forficula), 33.
Rufitarsis (Lobophora), 33.
Rufitarsis (Psalidophora), 33.
Rufiventris (Hemithyrso-cera), 77.
Rufiventris (Thyrso-cera), 77.
Rufusca (Platyzosteria), 130.
Rufolineatus (Maransis), 337.
Rufoterminata (Polyzosteria), 130.
Rufoterminata (Syntomaptera), 130.
Rufovittata (Lampyrus), 113.
Rufovittata (Polyzosteria), 144.
Rugicollis (Pseudophasma), 413.
Rugicollis (Catara), 148.
Rugicollis (Metriotes), 413.
Rugicollis (Platycrana), 413.
Rugosa (Heterogamia), 173.
Rugosa (Peciloblatta), 193.
Rugosa (Polyphaga), 173.
Rugosa (Rhicnoda), 124.
Rugosa (Zetobora), 193.
Rugosicollis (Catara), 148.
Rugosicollis (Deropeltis), 148.
Rugulata (Salganea), 200.
Russellii (Baculum), 327.
Russellii (Lonchodes), 327.
Rustica (Mantis), 274.
Rustica (Miopteryx), 274.
Rusticus (Baculum), 328.
Rusticus (Clitumnus), 328.
Sabalianus (Platyzosteria), 144.
Sabulosa (Epilampra), 125.
Sabulosa (Eremiaphila), 212.
Sacalava (Exedra), 199.
Sacra (Mantis), 250.
Sacrata (Mantis), 405.
Sacrata (Prisopus), 405.
SADYATTES, 358.
Sæva (Mionyx), 277.
Sævissimus (Acanthoclonia), 407.
Sævissimus (Ceroys), 407.
Sævus (Mionyx), 277.
Sagitta (Idolomorpha), 314.
Sahlbergi (Cylindrogaster), 3.
Sakai (Bacteria), 350.
Sakai (Dyme), 350.
Sakalava (Elliptoblatta), 183.
Sakalava (Heminauphæta), 156.
Sakalava (Hierodula), 241.
Sakalava (Tarachomantis), 241.
Sakalava (Temnopteryx), 104.
Salamandra (Canachus), 396.
Salebrosa (Pachymorpha), 342.
SALGANEAE, 200.
Sallei (Pseudomops), 74.
Sallei (Thyrso-cera), 74.
Salmacis (Acrophylla), 329.
Salmacis (Ctenomorpha), 389.
Salmanazar (Aruanoidea), 378.
Salmanazar (Necroscia), 378.
Salpingus (Phasma), 413.
Salpingus (Pseudophasma), 413.
Samouellii (Bacteria), 349.
Samouellii (Heterone-mia), 349.
Samson (Necroscia), 369.
Samson (Sosibia), 369.
Sanchezi (Tæniosoma), 361.
Sancta (Chiropus), 216.
Sancta (Ischnoptera), 83.
Sancta (Mantis), 250.
Sancta (Mantis), 301.
Sancta (Stagmatoptera), 301.
Sancta (Tarachodes), 216.
Sanctæ-Helenæ (Euthyr-rhapha), 168.
Sangarius (Calvisia), 370.
Sangarius (Necroscia), 370.
Sansibara (Gratidia), 330.
Sansibarica (Apterygida), 49.
Sansibarica (Gratidia), 330.
Sansibarica (Gratidia), 330.
Sansibarica (Sphingolabis), 49.
Santara (Isagoras), 415.
Santara (Metriotes), 415.
Santarema (Blatta), 95.
Santarema (Phyllostoma), 95.
Saperdiformis (Calhyp-norna), 179.
Saperdiformis (Hyp-norma), 179.
Saperdoides (Calhyp-norna), 179.
Saperdoides (Hypnorna), 179.
Sarawaca (Bacteria), 317.
Sarawaca (Deroplatys), 281.
Sarawaca (Hestias), 288.
Sarawaca (Hestiasula), 288.
Sarawaca (Pachymantis), 288.
Sarawaca (Stælonchodes), 317.

- Sardea* (*Aphlebia*), 69.
Sardea (*Blatta*), 69.
Sardea (*Hololampra*), 69.
Sardea var. *Adspersa* (*Aphlebia*), 69.
Sarmentosa (*Bacteria*), 358.
Sarmentosa (*Phryganistria*), 358.
Sarmentum (*Bacunculus*), 348.
Sarmentum (*Heteronemia*), 348.
Sarpedon (*Necroscia*), 377.
Sartoriana (*Bacteria*), 354.
Sartoriana (*Phanocles*), 354.
Saturnus (*Diura*), 388.
Saussurei (*Cæparia*), 201.
Saussurei (*Calidomantis*), 259.
Saussurei (*Carvilia*), 267.
Saussurei (*Ceratomantis*), 287.
Saussurei (*Deropeltis*), 146.
Saussurei (*Diapheromera*), 347.
Saussurei (*Fischeria*), 267.
Saussurei (*Gonypeta*), 224.
Saussurei (*Haaniella*), 397.
Saussurei (*Hesperophasma*), 243.
Saussurei (*Heterogamia*), 172.
Saussurei (*Heterolampra*), 120.
Saussurei (*Heteropteryx*), 397.
Saussurei (*Hierodula*), 245.
Saussurei (*Iapyx*), 57.
Saussurei (*Iridopteryx*), 224.
Saussurei (*Japyx*), 57.
Saussurei (*Miomantis*), 259.
Saussurei (*Oxypilus*), 287.
Saussurei (*Panesthia*), 202.
Saussurei (*Panesthia*), 201.
Saussurei (*Phantasis*), 343.
Saussurei (*Pilema*), 185.
Saussurei (*Polyphaga*), 172.
Saussurei (*Polyspilota*), 240.
Saussurei (*Pygidicrana*), 7.
Saussurei (*Pyragra*), 7.
Saussurei (*Rhombodera*), 248.
Saussurei (*Sermyle*), 345.
Saussurei (*Temnopteryx*), 103.
Saussurei (*Thermastris*), 7.
Savatieri (*Oxyophthalma*), 261.
Savatieri (*Paroxyophthalmus*), 261.
Savignyi (*Calidomantis*), 259.
Savignyi (*Eremiaphila*), 212.
Savignyi (*Miomantis*), 259.
Savignyi (*Periplaneta*), 142.
Saxicola (*Blatta*), 185.
Saxicola (*Pilema*), 185.
Sayi (*Bacteria*), 347.
Sayi (*Diapheromera*), 347.
Scabra (*Cacoblatta*), 166.
Scabra (*Derocalymma*), 187.
Scabra (*Gymnonyx*), 184.
Scabra (*Necroscia*), 369.
Scabra (*Perisphæria*), 187.
Scabra (*Platyzosteria*), 131.
Scabra (*Polyzosteria*), 131.
Scabra (*Sipylloidea*), 369.
Scabra (*Sosibia*), 369.
Scabrella (*Platyzosteria*), 131.
Scabricollis (*Blatta*), 193.
Scabricollis (*Calidomantis*), 259.
Scabricollis (*Cyrtotria*), 187.
Scabricollis (*Derocalymma*), 187.
Scabricollis (*Diapherodes*), 364.
Scabricollis (*Haplopus*), 364.
Scabricollis (*Miomantis*), 259.
Scabriuscula (*Allodahlia*), 41.
Scabriuscula (*Anechura*), 41.
Scabriuscula (*Forficula*), 41.
Scabriuscula (*Menaka*), 341.
Scabriuscula (*Periplaneta*), 130.
Scabriuscula (*Syntomaptera*), 130.
Scabriusculus (*Bacillus*), 341.
Scabriusculus (*Medaura*), 341.
Scabrosa (*Bacteria*), 382.
Scabrosus (*Acanthoderus*), 355, 382.
Scabrosus (*Raphiderus*), 382.
Scabrosus (*Rhaphiderus*), 382.
Scabrosus (*Rhaphiderus*), 382.
SCAPHEGYNA, 327.
Scarabæoides (*Ergaula*), 173.
Sceleton (*Phasma*), 324.
Schæfferi (*Blatta*), 69.
Schaumi (*Clonaria*), 337.
Schaumi (*Gratidia*), 337.
 SCHIZOCEPHALA, 262.
 SCHIZOPIILIA, 159.
Schotti (*Sparatta*), 24.
Schotti (*Sparatta*), 24.
Schulthessi (*Tarachodes*), 215.
Schulthessi (*Temnopteryx*), 108.
Schwarzi (*Latindia*), 168.
Schweinfurthi (*Deropeltis*), 146.
Scindus (*Chelidura*), 52.
Scita (*Epilampra*), 120.
Scita (*Pseudophoraspis*), 120.
Scops (*Acanthoderus*), 355.
Scops (*Ceroys*), 355.
Scorpionides (*Eurycantha*), 396.
Scorpionides (*Karabidion*), 396.
Scripta (*Panchlora*), 149.
Scrobiculata (*Hormetica*), 197.
Scudderi (*Forficula*), 52.
Scudderi (*Oligonyx*), 278.
Scudderi (*Psalis*), 14.
Sculpturata (*Deropeltis*), 147.
Sculpturata (*Epilampra*), 120.
Sculpturata (*Heterolampra*), 120.

- Scutata (Blabera), 165.
 Scutata (Rhombodera), 248.
 Scutelligera (Gyna), 149.
 Scutelligera (Panchlora), 149.
 Scutigera (Hemithyrso-cera), 77.
 Scutigera (Otomantis), 296.
 Scutigera (Pseudomops), 77.
 Scytale (Bacillus), 329.
 Scytale (Baculum), 329.
 Scythe (Phyllium), 422.
 Seythe (Pulchriphyllium), 422.
 Scythrus (Anophelepis), 343.
 Scythrus (Hesperophasma), 343.
 Scythrus (Phantasis), 343.
 Sechellensis (Lonchodes), 318.
 Sechellensis (Stælonchodes), 318.
 Secunda (Leptozosteria), 131.
 Sedilloti (Cutilia), 134.
 Sedilloti (Polyzosteria), 134.
 Sekalavum (Echinosoma), 8.
 Semele (Anisomorpha), 402.
 Semele (Antolyca), 402.
 Semiæneus (Metallyticus), 209.
 Semialata (Miomantis), 259.
 Semialata (Monachoda), 162.
 Semialata (Monastria), 162.
 Semiarmata (Acanthodera), 324.
 Semiarmata (Phasma), 325.
 Semiarmatus (Acanthoderus), 325.
 Semiarmatus (Menexenus), 325.
 Semicincta (Hemithyrso-cera), 77.
 Semicincta (Periplaneta), 134.
 Semicincta (Thyrso-cera), 77.
 Semiflava (Spongiphora), 30.
 semiflava (Chætospania), 22.
 Semifulva (Sparatta), 22.
 Semilimbata (Elliptoblatta), 183.
 Semiluteus (Chelisoches), 34.
 Semipicta (Eurycotis), 144.
 Semipicta (Periplaneta), 144.
 Semirufa (Acontista), 234.
 Semirufa (Sparatta), 24.
 Semirufula (Hapalomantis), 214.
 Semirufula (Humbertiella), 214.
 Semivitrea (Pseudophyllodromia), 93.
 Semivitta (Cutilia), 134.
 Semivitta (Drymoplaneta), 134.
 Semivitta (Periplaneta), 134.
 Semperi (Lamachus), 368.
 Semperi (Tagalina), 4.
 Semuncialis (Gonypetilis), 288.
 Senegalensis (Blatta), 64.
 Senegalensis (Calidomantis), 259.
 Senegalensis (Ectobia), 64.
 Senegalensis (Forficula), 52.
 Senegalensis (Miomantis), 259.
 Senegalensis (Oxythespis), 255.
 Senegalensis (Theganopteryx), 64.
 Senticosa (Caulonia), 344.
 Senticosa (Xerosoma), 416.
 Septemguttata (Cassida), 167.
 Septentrionalis (Stagmatoptera), 300.
 Septentrionalis var. Minor (Stagmatoptera), 300.
 Septentrionum (Humbertiella), 214.
 Septentrionum (Theopompa), 214.
 Sequens (Blatta), 93.
 Sequens (Phyllodromia), 93.
 Sericea (Nyetibora), 107.
 Sericea (Perisphæria), 191.
 Sericea (Trichoblatta), 191.
 Seriepunctata (Leptocola), 263.
 SERMYLE, 345.
 Serpæ (Derocalymma), 185.
 Serpæ (Pilema), 185.
 Serrata (Forficula), 49.
 Serrata (Panesthia), 203.
 Serrata (Sphingolabis), 49.
 Serraticornis (Theoclytes), 305.
 Serraticornis (Vates), 305.
 Serratipes (Cladoxerus), 359.
 Serratipes (Pharnacia), 359.
 Serratipes (Pharnacia), 359.
 Serratipes (Phibalosoma), 359.
 Serratissima (Panesthia), 203.
 Serratodentata (Danuria), 310.
 Serratorius (Tisamenus), 399.
 Serricauda (Bacteria), 350.
 Serricauda (Dyme), 350.
 Serricollis (Cranidium), 361.
 Serricollis (Diapherodes), 361.
 Serricornis (Mantis), 298.
 Serricornis (Parastagnatoptera), 298.
 Servilleana (Orthomeria), 420.
 Servilleanum (Aschipsasma), 420.
 Servillei (Acanthoderus), 326.
 Servillei (Bacteria), 326.
 Servillei (Blatta), 107.
 Servillei (Chœradodis), 220.
 Servillei (Empusa), 313.
 Servillei (Humbertiella), 213.
 Servillei (Labidura), 11.
 Servillei (Mantis), 213.
 Servillei (Metriotes), 413.
 Servillei (Metriotes), 414.
 Servillei (Phasma), 414.
 Servillei (Prexaspes), 414.
 Servillei (Promachus), 326.
 Servillei (Theopompa), 213.

- Setulosa* (*Forficula*), 51.
Setulosa (*Sparattina*), 24.
Severa (*Diplatys*), 2.
Severini (*Labia*), 28.
SEVERINIA, 307.
Sexguttata (*Cosmozosteria*), 133.
Sexguttata (*Drymaplaneta*), 133.
Sexguttata (*Periplaneta*), 133.
Sexnotata (*Blatta*), 196.
Sexnotata (*Brachycola*), 196.
Sexpustulata (*Blatta*), 140.
Sexpustulata (*Polyzosteria*), 140.
Shelfordi (*Chelisochella*), 35.
Shelfordi (*Deroplatys*), 281.
Shelfordi (*Molytria*), 114.
Shiva (*Bacteria*), 322.
Shiva (*Lonchodes*), 322.
Shuckardi (*Dinelytron*), 408.
Sialidea (*Mantillica*), 225.
Siamensis (*Pygidicrana*), 5.
SIBYLLA, 286.
Sicaria (*Labia*), 27.
Sicca (*Ischnoptera*), 113.
Siccifolia (*Blatta*), 141.
Siccifolia (*Mantis*), 422.
Siccifolia (*Phasma*), 422.
Siccifolium (*Deroplatys*), 281.
Siccifolium (*Phasma*), 423.
Siccifolium (*Phyllium*), 422.
Siccifolium (*Phyllium*), 423.
Siccifolius (*Gryllus*), 422.
Siccifolius (*Mantis*), 422.
Siccifolius (*Pteropus*), 422.
Siffa (*Eurycantha*), 396.
SIGERPES, 289.
Sigillata (*Zetobora*), 155.
Signata (*Blatta*), 135.
Signata (*Dorylaea*), 135.
Signata (*Elliptoblatta*), 184.
Signata (*Hemithyrso-cera*), 77.
Signata (*Latindia*), 168.
Signata (*Mantis*), 240.
Signata (*Polyzosteria*), 184.
Signata (*Thyrso-cera*), 77.
Signaticollis (*Pachne-ptyryx*), 79.
Signaticollis (*Thyrso-cera*), 79.
Signaticollis (*Tribonidium*), 157.
Signaticollis (*Zetobora*), 157.
Signatura (*Calolampra*), 117.
Signatura (*Epilampra*), 117.
Signifer (*Creoboter*), 291.
Signifer (*Harpa.x*), 291.
Signifera (*Achroblatta*), 155.
Signifera (*Panchlora*), 155.
Signifrons (*Nauphaeta*), 176.
Sikoræ (*Blatta*), 90.
Sikoræ (*Phyllodromia*), 90.
Silana (*Apterygia*), 50.
Silana (*Forficula*), 50.
Silpha (*Diploptera*), 176.
Silpha (*Prosoplecta*), 176.
Silphoides (*Derocalymna*), 189.
Silphoides (*Diploptera*), 176.
Silphoides (*Homalodem-mas*), 189.
Silphoides (*Polyphaga*), 172.
Similis (*Aplopus*), 364.
Similis (*Blabera*), 161.
Similis (*Blatta*), 93.
Similis (*Deropeltis*), 143.
Similis (*Haplopus*), 364.
Similis (*Hierodula*), 247.
Similis (*Ischnoptera*), 146.
Similis (*Mantis*), 247.
Similis (*Monachoda*), 161.
Similis (*Monastria*), 161.
Similis (*Phyllodromia*), 93.
Similis (*Spongiphora*), 31.
Simoni (*Nocticola*), 106.
Simonyi (*Holocompsa*), 170.
Simplex (*Bacteria*), 324.
Simplex (*Chelidura*), 42.
Simplex (*Forficula*), 42.
Simplex (*Myronides*), 321.
Simplex (*Opisthocosmia*), 39.
Simplex (*Phasma*), 324.
Simplicipes (*Æthalo-chroa*), 308.
Simplicipes (*Pachy-morpha*), 342.
Simplicitarsis (*Bacteria*), 355.
Simulacrum (*Hierodula*), 245, 247.
Simulacrum (*Mantis*), 243, 246, 299.
Simulacrum (*Parastag-matoptera*), 299.
Simulans (*Chelisoches*), 34.
Simulans (*Forficula*), 34.
Simulans (*Lobophora*), 34.
Simulans (*Pseudomops*), 76.
Simulans (*Thyrso-cera*), 76.
Simulatrix (*Tivia*), 169.
Simyra (*Creoxylus*), 404.
Simyra (*Neocles*), 404.
Sinensis (*Epilampra*), 120.
Sinensis (*Heterogamia*), 172.
Sinensis (*Heterolampra*), 120.
Sinensis (*Homæogamia*), 172.
Sinensis (*Ischnoptera*), 81.
Sinensis (*Polyphaga*), 172.
Sinensis (*Polyphaga*), 172.
Sinensis (*Tenodera*), 239.
Singularis (*Pyrgomantis*), 217.
Sinkiebensis (*Bacteria*), 317.
Sinkiebensis (*Stæl-on-chodes*), 317.
Sinuata (*Acanthops*), 283.
Sinuata (*Blatta*), 139.
Sinuata (*Chelidura*), 54.
Sinuata (*Forficula*), 54.
Sinuata (*Mantis*), 282.
Sinuata (*Panesthia*), 203.
Sinuata (*Pseudocheli-dura*), 54.
Sinuata (*Stylopyga*), 139.
Sinuata var. *Cyclotabia* (*Pseudochelidura*), 54.

- Sinuata* var. *Dufourii* (*Chelidura*), 54.
Sinuata var. *Macrolabia* (*Pseudochelidura*), 54.
 SIPYLOIDEA, 374.
Sipylus (*Necroscia*), 375.
SISAPONA, 163.
Smaragdina (*Panchlora*), 154.
Smaragdula (*Necroscia*), 370.
 Smithi (*Forficula*), 53.
 Smithi (*Tarachodes*), 216.
 Smyrnensis (*Forficula*), 51.
 Snelleni (*Nanomantis*), 255.
 Snodgrassi (*Temnopteryx*), 105.
 Sobrina (*Archimantis*), 235.
 Sobrius (*Chelisoches*), 34.
Socia (*Epilampra*), 119.
Sodalis (*Dirippus*), 321.
Sodalis (*Epilampra*), 126.
Sodalis (*Lonchodes*), 321.
 Sohri (*Orobia*), 409.
Solida (*Perisphæria*), 193.
Solifuga (*Dicellura*), 56.
Solifugus (*Iapyx*), 55.
Solifugus (*Iapyx*), 56.
Solifugus (*Japyx*), 55, 56.
Solifugus var. *Humbertii* (*Japyx*), 56.
Solifugus var. *Magna* (*Iapyx*), 56.
Solifugus var. *Major* (*Japyx*), 56.
 Solitaria (*Galapagia*), 276.
 Solitaria (*Yersinia*), 229.
 SOLYGIA, 263.
 Somali (*Stenopilema*), 186.
 Somalica (*Elæa*), 214.
 Somalica (*Eremiaphila*), 211.
 Soranus (*Decidia*), 403.
Soranus (*Phasma*), 403.
 Sordida (*Chorisoneura*), 73.
 Sordida (*Necroscia*), 377.
 Sordida (*Phyllodromia*), 91.
Sordidula (*Zetobora*), 192.
Sordidum (*Necroscia*), 377.
Sordidum (*Phasma*), 377.
 Sordidus (*Myronides*), 321.
 Sordidus (*Promachus*), 326.
 Soror (*Cutilia*), 134.
 Soror (*Hemithysocera*), 77.
 Soror (*Mantis*), 229.
 Soror (*Methana*), 136.
 Soror (*Periplaneta*), 136.
 Soror (*Polyzosteria*), 134.
 Soror (*Thysocera*), 77.
 SOSIBIA, 368.
Souchongia (*Bacillus*), 332.
Souchongia (*Macella*), 332.
Spallanzania (*Ameles*), 229.
Spallanzania (*Mantis*), 229.
 SPANIONYX, 279.
 SPARATTA, 23.
 SPARATTINA, 24.
 Sparattoides (*Platylabia*), 22.
 Sparaxes (*Necroscia*), 377.
Sparnius (*Candaules*), 367.
Spatulata (*Bacteria*), 349.
Spatulata (*Bacunculus*), 349.
Spatulatus (*Bacunculus*), 349.
Speciosum (*Ellipsoidium*), 78.
 Spectabilis (*Anisolabis*), 21.
Spectabilis (*Forficula*), 21.
 Spectabilis (*Thysocera*), 78.
Spectrum (*Blatta*), 157.
Spectrum (*Tribonium*), 157.
Speculigera (*Forficula*), 48.
Speculigera (*Sphingolabis*), 48.
Speiseri (*Deropeltis*), 145.
 SPELÆOBLATTA, 106.
 SPHÆROMANTIS, 226.
 SPHENDALE, 269.
Sphingicornis (*Mantis*), 305.
Sphingicornis (*Vates*), 305.
Sphingicornis (*Vates*), 305.
 SPHINGOLABIS, 45.
 Sphinx (*Spongiphora*), 30.
 SPHODROMANTIS, 243.
 SPHODROPODA, 242.
Spiculifera (*Apterygida*), 47.
Spiculifera (*Sphingolabis*), 47.
 Spinax (*Ancistrogaster*), 36.
 Spiniceps (*Agondas-oidea*), 373.
Spiniceps (*Necroscia*), 373.
Spiniceps (*Phasma*), 373.
 Spiniceps (*Prisopus*), 406.
Spinicolle (*Ctenomorpha*), 393.
Spinicolle (*Phasma*), 393, 412.
Spinicolle (*Prisomera*), 33.
 Spinicolle (*Pseudophasma*), 412.
 Spinicollis (*Anchiale*), 393.
Spinicollis (*Ctenomorpha*), 393.
 Spinicollis (*Phyllovates*), 304.
 Spinicollis (*Prisomera*), 323.
 Spinicollis (*Prisopus*), 406.
Spinicollis (*Theoclytes*), 304.
Spinicornis (*Entoria*), 328.
Spinifrons (*Empusa*), 314.
 Spinifrons (*Idolomorpha*), 314.
 Spinifrons (*Pseudomiopteryx*), 275.
Spiniger (*Acanthoderus*), 340.
 Spiniger (*Argosarchus*), 340.
Spinigera (*Bacteria*), 353.
 Spinigera (*Ischnomantis*), 266.
Spinigera (*Monandroptera*), 382.
 Spinigera (*Rhaphiderus*), 382.

- Spinipes (*Æthalochoera*), 308.
Spinipes (*Diapherodes*), 364.
 Spinipes (*Haplopus*), 364.
Spiniventris (*Acanthoderus*), 400.
Spiniventris (*Acanthodyta*), 383.
Spiniventris (*Pylæmenes*), 400.
Spinocula (*Harpa*), 295.
Spinosa (*Bacteria*), 351, 353.
Spinosa (*Mantis*), 417.
Spinosa (*Parapachymorpha*), 342.
Spinsa (*Phasma*), 417.
Spinosa (*Xerosoma*), 417.
Spinosissima (*Caulonia*), 344.
Spinosissima (*Enetia*), 394.
Spinosum (*Bacteria*), 339.
Spinosum (*Phasma*), 339, 417.
Spinosus (*Acanthoderus*), 339.
Spinosus (*Candaules*), 367.
Spinosus (*Creoxylus*), 417.
Spinosus (*Promachus*), 326.
Spinulifera (*Blatta*), 139.
Spinulosa (*Eremiaphila*), 211.
Spinulosa (*Paracanthops*), 284.
Spinulosa (*Pseudacanthops*), 284.
Spinulosa (*Rhcnoda*), 124.
Spinulosa (*Sphæromantis*), 226.
Spinulosus (*Nisyus*), 407.
Splendens (*Eustegasta*), 181.
Splendida (*Metalleutica*), 203, 209.
Splendidus (*Metal-lyticus*), 208.
Splendidus (*Metal-lyticus*), 209.
Splendidus var. *Purpureus* (*Metal-lyticus*), 209.
Splendidus var. *Virid-auratus* (*Metal-lyticus*), 208.
 SPONGIPHORA, 29.
 SPONGOPHORA, 29.
 Spurca (*Popa*), 308.
 Spurcata (*Gyna*), 149.
 Spurcata (*Panchlora*), 149.
 Spuria (*Eubulides*), 395.
 Spuria (*Mantis*), 312.
 Spuria (*Phyllodromia*), 93.
 Squalida (*Pachymorpha*), 342.
 Squalida (*Pachymorpha*), 342.
 Squalidus (*Bacillus*), 342.
 Squeleton (*Mantis*), 324.
 Squeleton (*Phasgania*), 324.
 Squilla (*Chæradodis*), 221.
 Squilla (*Chæradodis*), 221.
 Stabilinus (*Phasma*), 409.
 Stabilinus (*Stratocles*), 409.
 Stæli (*Anisolabis*), 19.
 Stæli (*Arrhidæus*), 384.
 Stæli (*Chæradodis*), 220.
 Stæli (*Forcinella*), 19.
 Stæli (*Heterolampra*), 121.
 Stæli (*Medaura*), 341.
 STÆLONCHODES, 317.
 STAGMATOPTERA, 299.
 STAGMOMANTIS, 252.
 Stanleyana (*Euchomena*), 263.
 Staphylinoides (*Olyntha*), 6.
 Staphylinoides (*Pygidicrana*), 6.
 STATILIA, 236.
 Steira (*Lonchodes*), 317.
 Steira (*Stælonchodes*), 317.
 STELEOPYGA, 137.
 Stella (*Chætospasia*), 22.
 Stella (*Spongiphora*), 30.
 Stellata (*Panesthia*), 202.
 Stellenboschus (*Bacillus*), 332.
 Stellenboschus (*Phthoa*), 332.
 STENOBLATTA, 179.
 STENOMANTIS, 256.
 STENOPHYLLA, 306.
 STENOPILEMA, 186.
 STENOPYGA, 237.
 Stenotarsis (*Miopanesthia*), 205.
 STENOVATES, 306.
 Sternosticta (*Hierodula*), 247.
 STHENOBCEA, 323.
 Stigma (*Psalidophora*), 31.
 Stigma (*Spongiphora*), 31.
 Stigmata (*Hierodula*), 247.
 Stigmatica (*Mantis*), 275.
 Stigmatica (*Miomantis*), 275.
 Stigmatica (*Miopteryx*), 275.
 Stigmatica (*Stagmomantis*), 275.
 Stigmata (*Derocalymma*), 188.
 Stigmata (*Epilampra*), 127.
 Stigmata (*Homalodemus*), 188.
 STILPNOBLATTA, 191.
 Stilpnoides (*Baculum*), 327.
 Stilpnoides (*Clitumnus*), 327.
 Stilpnus (*Baculum*), 327.
 Stilpnus (*Lonchodes*), 327.
 Stipata (*Epilampra*), 123.
 Stipata (*Heterolampra*), 123.
 Stollida (*Periplaneta*), 141.
 STOLLIA, 231.
 Stollia (*Anchiale*), 392.
 Stollia (*Blabera*), 164.
 Stollia (*Coptopteryx*), 268.
 Stollia (*Empusa*), 312.
 Stollia (*Mantis*), 303.
 Stollia (*Metriotes*), 415.
 Stollia (*Phyllium*), 423.
 Stollia (*Phyllovers*), 303.
 Stollia (*Platycrana*), 415.
 Stollia (*Stagmomantis*), 253.

- Stomphar* (*Lonchodes*), 318.
Stomphax (*Stælonychodes*), 318.
Strachani (*Pseudochæta*), 307.
Stromineus (*Bacunculus*), 346.
Stramineus (*Pseudo-sermyle*), 346.
STRATOCLES, 409.
Striata (*Bacteria*), 348.
Striata (*Heteronemia*), 348.
Striata (*Leucophæa*), 151.
Striata (*Mantis*), 240, 250.
Striata (*Polyspilota*), 240.
Striatocollis (*Ophierania*), 386.
Stricta (*Mantis*), 262.
Stricta (*Schizocephala*), 262.
Strigata (*Blatta*), 96.
Strigata (*Ischnoptera*), 96.
Strigata (*Phyllodromia*), 96.
Strigata (*Pseudosermyle*), 345.
Strigata (*Sermyle*), 345.
Strigiceps (*Diapheromera*), 346.
Strigiceps (*Pseudo-sermyle*), 346.
Strigifrons (*Epilampra*), 115.
Strigipennis (*Oxyphilus*), 286.
Strigiventris (*Bacteria*), 345.
Strigiventris (*Libethra*), 345.
Strigosa (*Blatta*), 80.
Strigosa (*Iris*), 260.
Strigosa (*Ischnoptera*), 80.
Strigosa (*Mantis*), 260.
Striolatus (*Oligonyx*), 278.
STRONGYLOPSALIS, 15.
Strumaria (*Chæradodis*), 219.
Strumaria (*Chæradodis*), 220.
Strumaria (*Mantis*), 219, 220.
Strumarius (*Gryllus*), 219.
Strumarius (*Mantis*), 219.
Strumosa (*Hormetica*), 197.
Strumosus (*Carausius*), 320.
Struthioneus (*Lonchodes*), 360.
Struthioneus (*Phænopharos*), 360.
Stygia (*Nyctibora*), 107.
Stygus (*Arrhidæus*), 384.
Stygus (*Necroscia*), 384.
Stylifera (*Hyposphæria*), 193.
Stylifera (*Lioblatta*), 193.
Stylifera (*Perisphæria*), 193.
Styligera (*Necroscia*), 377.
STYLOPYGA, 137.
Styxus (*Necroscia*), 384.
Suava (*Compsoblatt*), 181.
Suava (*Eustegasta*), 181.
Suavis (*Hierodula*), 235.
Subænea (*Ellipsica*), 183.
Subalata (*Eurycotis*), 144.
Subaptera (*Aphlebia*), 70.
Subaptera (*Apterygida*), 45.
Subaptera (*Blatta*), 70.
Subaptera (*Brunneria*), 264.
Subaptera (*Hololampra*), 70.
Subaptera (*Platyzosteria*), 131.
Subaptera (*Polyzosteria*), 70, 131.
Subaptera (*Sphingolabis*), 45.
Subarmata (*Anisolabis*), 19.
Subarmata (*Labia*), 19.
Subbifasciata (*Cutilia*), 134.
Subbifasciata (*Drymaplaneta*), 134.
Subcincta (*Brachycola*), 197.
Subcincta (*Periplaneta*), 141.
Subcinctum (*Ellipsoidium*), 77.
Subcolorata (*Ischnoptera*), 91.
Subcolorata (*Phyllodromia*), 91.
Subconspersa (*Epilampra*), 126.
Subcornuta (*Acromantis*), 280.
Subfasciata (*Blatta*), 88.
Subfoliata (*Mantis*), 305.
Subfoliata (*Vates*), 305.
Subfoliatus (*Pygirhynchus*), 408.
Subgenitalis (*Blatta*), 92.
Subgenitalis (*Phyllodromia*), 92.
Subgenitalis var. *Obscurior* (*Phyllodromia*), 92.
Subhyalina (*Oligonyx*), 277.
Subhyalina (*Thesprotia*), 277.
Sublobata (*Cardioptera*), 297.
Sublobata (*Mantis*), 297.
Sublobata (*Zetobora*), 159.
Sublucida (*Ectobia*), 63.
Submarginata (*Allacta*), 99.
Submarginata (*Blatta*), 99.
Submarginata (*Cutilia*), 134.
Submarginata (*Drymaplaneta*), 134.
Submarginata (*Pan-chlora*), 151.
Subnematodes (*Bacteria*), 328.
Subnematodes (*Baculum*), 328.
Subnobilis (*Polyzosteria*), 128.
Subornata (*Polyzosteria*), 142.
Subpectinata (*Pseudectobia*), 66.
Subpectinata (*Theganopteryx*), 66.
Subreflexa (*Polyzosteria*), 128.
Subreticulata (*Blatta*), 90.
Subrotundata (*Allacta*), 99.
Subrotundata (*Blatta*), 99.
Subsericea (*Paratropa*), 109.
Subsericeus (*Paratropes*), 109.
Subserrata (*Labia*), 26.

- Subsparsa* (*Epilampra*), 120.
Subsparsa (*Heterolampra*), 120.
Subspurcata (*Blabera*), 164.
Substrigata (*Epilampra*), 127.
Subterranea (*Typhloblabia*), 56.
Subterraneus (*Japyx*), 57.
Subtilis (*Phyllodromia*), 92.
Subtruncata (*Temnelytra*), 137.
Subtruncata (*Zonioploca*), 137.
Subverrucosa (*Blatta*), 128.
Subverrucosa (*Polyzosteria*), 128.
Subzonata (*Cosmozosteria*), 133.
Subzonata (*Platyzosteria*), 133.
Suffusa (*Blatta*), 93.
Suffusa (*Phyllodromia*), 93.
Sulcatifrons (*Solygia*), 263.
Sulcatifrons (*Thespis*), 263.
Sulzeri (*Blabera*), 165.
Sumatrana (*Creoboter*), 291.
Sumatrana (*Creoboter*), 291.
Sumatrana (*Echinosoma*), 8.
Sumatrana (*Forficula*), 8.
Sumatrana (*Gonolabis*), 16.
Sumatrana (*Harpax*), 291.
Sumatrana (*Mantis*), 291.
Sumatranum (*Echinosoma*), 8.
Sumatranum (*Forficula*), 8.
Sumatranum (*Phasma*), 321.
Sumatranus (*Dixippus*), 321.
Sumatranus (*Lonchodes*), 321.
Sumatrensis (*Marmessoidea*), 371.
Sumichrasti (*Cardioptera*), 254.
Sumichrasti (*Mantis*), 254.
Sumichrasti (*Phasmomantis*), 254.
Sumichrasti (*Temnopteryx*), 105.
Sundaica (*Ceratinoptera*), 98.
Supellectilium (*Blatta*), 88.
Supellectilium (*Phyllodromia*), 88.
Superba (*Chelisochella*), 35.
Superba (*Epilampra*), 124.
Superba (*Hagiomantis*), 270.
Superba (*Liturgusa*), 270.
Superba (*Lobophora*), 35.
Superbus (*Chelisoches*), 35.
Superciliaris (*Danuria*), 309.
Superciliaris (*Mantis*), 309.
Superstitiosa (*Mantis*), 238.
Superstitiosa (*Tenodera*), 238.
Superstitiosa (*Tenodera*), 238.
Superstitiosa var. *Madagascariensis* (*Tenodera*), 238.
Supplicaria (*Mantis*), 299.
Supplicaria (*Stagmatoptera*), 299.
Surinama (*Chorisoneura*), 72.
Surinama (*Hormetica*), 197.
Surinama (*Musonia*), 277.
Surinama (*Thespis*), 277.
Surinamensis (*Blatta*), 151, 165.
Surinamensis (*Hagiomantis*), 271.
Surinamensis (*Leucophæa*), 151.
Surinamensis (*Liturgousa*), 271.
Surinamensis (*Mionyx*), 277.
Surinamensis (*Panchlora*), 151.
Surinamensis (*Theodytes*), 304.
Suspecta (*Hemithyrso-cera*), 78.
Suteri (*Acanthoderus*), 340.
Suteri (*Macracantha*), 340.
Sutoria (*Libethra*), 345.
Suturalis (*Apterygida*), 48.
Suturalis (*Forficula*), 11, 48.
Suturalis (*Labidura*), 11.
Suturalis (*Sphingolabis*), 48.
Sylvaticus (*Argosarchus*), 341.
Sylvaticus (*Bacillus*), 341.
Sylvestrii (*Gonolabis*), 16.
Sylvestris (*Blatta*), 61.
 SYNTOMAPTERA, 129.
Syriaca (*Fischeria*), 268.
Syriaca (*Iris*), 268.
Syriaca (*Polyphaga*), 172.
Systropedon (*Lonchodes*), 341.
Systropedon (*Manduria*), 341.
Taczanowskii (*Ischnoptera*), 84.
Tæniata (*Apterygida*), 48.
Tæniata (*Chorisoneura*), 72.
Tæniata (*Forficula*), 47.
Tæniata (*Sphingolabis*), 47, 48.
 TÆNIO-SOMA, 361.
Tagalica (*Epilampra*), 121.
Tagalica (*Heterolampra*), 121.
Tagalicus (*Lonchodes*), 318.
Tagalicus (*Stælonchodes*), 318.
 TAGALINA, 4.
Tages (*Calvisia*), 370.
Tages (*Necroscia*), 370.
Talea (*Clonaria*), 337.
Talea (*Gratidia*), 337.
Talpoides (*Hemimerus*), 59.
Talpoides (*Hemimerus*), 59.
Tamrlana (*Anisogamia*), 173.
Tamolana (*Rhombodera*), 249.

- Tamul (*Neolobophora*), 29.
Tamyris (*Cyphocrania*), 369.
Tamyris (*Sosibia*), 369.
Taprobanæ (*Hierodula*), 248.
Taprobanæ (*Lonchodes*), 323.
Taprobanæ (*Rhombo-dera*), 248.
Taprobanæ (*Sthenobœa*), 323.
Taprobanarum (*Theopompa*), 214.
 TARACHODES, 215.
 TARACHOMANTIS, 241.
Tarasca (*Blatta*), 105.
Tarasca (*Temnopteryx*), 105.
Targionii (*Forficula*), 50.
 TARRAGA, 163.
Tarsalis (*Perisphæria*), 190.
Tarsalis (*Platyzosteria*), 130.
Tarsalis (*Polyzosteria*), 130.
Tarsata (*Forcipula*), 9.
Tarsata (*Forficula*), 9.
Tarsata (*Labidura*), 9.
Tartara (*Aphlebia*), 71.
Tartara (*Hololampra*), 71.
Tartara (*Loboptera*), 102.
Tartara (*Periplaneta*), 141.
Tartarea (*Cutilia*), 134.
Tartarea (*Lobophora*), 33.
Tasmanica (*Anisolabis*), 20.
Tasmanica (*Chelisoches*), 35.
Tasmanica (*Ectobia*), 64.
Tasmanica (*Forficula*), 35.
Tasmaniensis (*Paraoxy-pilus*), 207.
Tatei (*Ataxigamia*), 174.
Tatei (*Calolampra*), 118.
Tatei (*Epilampra*), 118.
Taurica (*Anisolabis*), 18.
Taurica (*Forficula*), 18.
Taurica (*Parameles*), 231.
Taurina (*Thliptoblatta*), 194.
Taurus (*Toxoderopsis*), 285.
Tectiformis (*Hierodula*), 248.
Tectiformis (*Rhombo-dera*), 248.
 TEDDIA, 264.
Telephoroides (*Allacta*), 100.
Telephoroides (*Blatta*), 100.
Telephorus (*Anophelepis*), 382.
 TEMNELYTRA, 137.
 TEMNOPTERYX, 103.
Templetonii (*Homalopteryx*), 115.
Tenebrator (*Chelisoches*), 33.
Tenebriger (*Leucophæa*), 151.
Tenebriger (*Panchlora*), 151.
Tenebrosa (*Necroscia*), 378.
Tenebrosa (*Nyetibora*), 108.
Tenebrosa (*Panchlora*), 193.
Tenebrosa (*Pæciloblatta*), 193.
Tenella (*Blatta*), 89.
Tenella (*Forficula*), 39.
Tenella (*Opisthocosmia*), 39.
Tenella (*Phyllodromia*), 89.
Tenera (*Mantis*), 227.
Tenera (*Tropidomantis*), 227.
 TENODERA, 238.
Tenuescens (*Bacunculus*), 348.
Tenuescens (*Heteronemia*), 348.
Tenuicornis (*Labidura*), 12.
Tenuidentata (*Hierodula*), 244.
Tenuidentata (*Sphodromantis*), 244.
Tenuipes (*Heterochæta*), 306, 307.
Tenuipes (*Heterochæta*), 307.
Tenuipes (*Toxodera*), 306.
Tenuis (*Bacteria*), 349.
Tenuis (*Chateessa*), 209.
Tenuis (*Galepsus*), 216.
Tenuis (*Heteronemia*), 349.
Tenuis (*Hoplophora*), 209.
Tenuis (*Mantoida*), 209.
Tenuissima (*Leptocola*), 263.
Tepperi (*Calolampra*), 118.
Tepperi (*Ectobia*), 63.
Tepperi (*Panesthia*), 203.
Tepperi (*Syntomaptera*), 130.
Terminalis (*Forficesila*), 11.
Terminalis (*Ischnoptera*), 82.
Terminalis (*Labidura*), 11.
Terminalis (*Phyllo-dromia*), 93.
Termitina (*Ischnoptera*), 82.
Ternatensis (*Salganea*), 200.
Terranea (*Ischnoptera*), 192.
Terranea (*Perisphæria*), 124.
Terranea (*Rhcnoda*), 124.
Terranea (*Trichoblatta*), 192.
Terrestris (*Elliptoblatta*), 184.
Terrestris (*Nyctobora*), 108.
Terrestris (*Perisphæria*), 184.
 TERSOMIA, 352.
Tertiata (*Hierodula*), 247.
Tessellata (*Acanthops*), 283.
Tessellata (*Acrophylla*), 389.
Tessellata (*Otenomorpha*), 389.
Tessellata (*Decimia*), 283.
Tessellata (*Mantis*), 239.
Tessellata (*Parastagmatoptera*), 299.
Tessellatus (*Oligonyx*), 278.
Tessellatus (*Stratocles*), 410.
Tessulata (*Anchiale*), 393.
Tessulata (*Otenomorpha*), 389.

- Tessulata* (*Mantis*), 393.
Tessulata (*Phasma*), 410.
Testacea (*Apolyta*), 79.
Testacea (*Epilampra*), 126.
Testacea (*Nauphoeta*), 155.
Testaceicornis (*Forficula*), 17.
Testaceum (*Ellipsoidion*), 79.
Tetra (*Periplaneta*), 139.
Texensis (*Chorisoneura*), 71.
Texensis (*Temnopteryx*), 105.
Thalassina (*Mantis*), 254.
Thalassina (*Panchlora*), 152.
Thalassina (*Stagmomantis*), 254.
Thalassina (*Tropidomantis*), 227.
 THEGANOPTERYX, 64.
 THEOCLYTES, 302, 305.
Theophila (*Stagmomantis*), 252.
 THEOPOMPA, 213.
 THEOPROPUS, 293.
Theoriæ (*Leptisolabis*), 21.
 THERAMENES, 399.
 THERMASTRIS, 7.
 THESPIS, 264.
 THESPIS, 263.
 THESPROTIA, 277.
Thestylis (*Bacteria*), 344.
Thestylis (*Caulonia*), 344.
Thisbe (*Aruanoidea*), 378.
Thisbe (*Necroscia*), 378.
 THLIPTOBLATTA, 194.
Thomæ (*Pygirhynchus*), 403.
Thomsonii (*Heteroplana*), 205.
Thoon (*Vetilia*), 393.
Thoracica (*Blabera*), 165.
Thoracica (*Chelidura*), 43.
Thoracica (*Cylindrogaster*), 3.
Thoracica (*Euchomena*), 236.
Thoracica (*Forficesila*), 14.
Thoracica (*Kakerlac*), 143.
Thoracica (*Mantis*), 236.
Thoracica (*Perisphæria*), 185.
Thoracica (*Pilema*), 185.
Thoracica (*Platylabia*), 22.
Thoracica (*Psalis*), 14.
Thoracica (*Rhyparobia*), 150.
Thoracica (*Thespis*), 236.
 THORACOPYGA, 195.
 THORAX, 111.
 THRASYLLUS, 319.
 THRINACONYX, 279.
Thunbergii (*Blabera*), 162.
Thunbergii (*Blatta*), 162.
Thunbergii (*Byrsotria*), 162.
Thunbergii (*Danuria*), 309.
Thunbergii (*Monachoda*), 162.
 THYRSOCERA, 78.
 THYRSOCERA, 74.
 THYSANOBLATTA, 185.
 THYSANURA, 55.
Tiarata (*Bactrododema*), 366.
Tiaratum (*Bactrododema*), 366.
Tiaratum (*Ectatosoma*), 380.
Tiaratum (*Extatosoma*), 380, 381.
Tiaratum (*Phasma*), 380, 381.
Tiaratus (*Palophus*), 366.
Tigrina (*Hapalopeza*), 221.
 TIMEA, 401.
Timorensis (*Hierodula*), 245.
Timorensis (*Mantis*), 245.
 TIRACHOIDEA, 359.
Tirachus (*Phibalosoma*), 359.
Tirachus (*Tirachioidea*), 359.
 TISAMENUS, 399.
Tisiphone (*Acanthoelonia*), 407.
Tisiphone (*Acanthoderus*), 407.
Titan (*Acrophylla*), 388.
Titan (*Cyphocrania*), 388.
Titan (*Diura*), 388.
Titan (*Phasma*), 388.
Titania (*Hierodula*), 249.
Titania (*Rhombodera*), 249.
Titanus (*Acrophylla*), 388.
Tithonius (*Phasma*), 410.
Tithonus (*Olecyphides*), 410.
Tithonus (*Phasma*), 410.
Tithonus (*Phocylides*), 410.
 TITHRONE, 234.
 TIVIA, 169.
Togoensis (*Ctenisolabis*), 21.
Tolima (*Acanthoderus*), 344.
Tolima (*Caulonia*), 344.
Tolteca (*Anaplecta*), 67.
Tolteca (*Ancistrogaster*), 37.
Tolteca (*Bacteria*), 348.
Tolteca (*Forficula*), 37.
Tolteca (*Holocompsa*), 170.
Tolteca (*Ischnoptera*), 84.
Tolteca (*Latindia*), 168.
Tolteca (*Mantis*), 252.
Tolteca (*Panchlora*), 154.
Tolteca (*Pseudorates*), 304.
Tolteca (*Stagmatoptera*), 252.
Tolteca (*Stagmomantis*), 252.
Tolteca (*Theoclytes*), 304.
Tolteca (*Thyrsocera*), 75.
Tolteca (*Vates*), 304.
Toltecus (*Ancistrogaster*), 37.
Toltecus (*Bactromantis*), 278.
Toltecus (*Oligonyx*), 278.
Tomentosa (*Blatta*), 108.
Tomentosa (*Nyctibora*), 108.
Tomis (*Chelidura*), 52.
Tomis (*Forficula*), 52.
Tomis var. *Scindus* (*Chelidura*), 52.
Tonkinensis (*Corydia*), 167.
Tonquinensis (*Necroscia*), 375.
Torquata (*Calvisia*), 370.
Torquata (*Necroscia*), 370.
Tortricoides (*Enicophlebia*), 228.
Tortricoides (*Mantis*), 228.

JNDEN

— 3 —

- [illegible]

- Tosta (Theopompa), 213.
Totonaca (*Blatta*), 95.
Totonaca (*Phyllodromia*), 95.
 Townsendi (*Vates*), 306.
 TOXODERA, 285.
 TOXODEROPSIS, 285.
Trachelophylla (*Empusa*), 311.
Trachelophyllus (*Gongylus*), 311.
Tranquebaricus (*Bacillus*), 335.
Transcaucasica (*Hierodula*), 244.
Transcaucasica (*Sphodromantis*), 244.
Translucida (*Blatta*), 72.
Translucida (*Cardioptera*), 273.
Translucida (*Chorisoneura*), 72.
Translucida (*Ischnoptera*), 85.
Translucida (*Panchlora*), 153.
Transvaaliensis (*Aphlebia*), 103.
Transvaaliensis (*Temnopteryx*), 103.
Transversa (*Panesthia*), 203.
Transversa (*Panesthia*), 203, 204.
Transversa (*Zetobora*), 157.
Transversalis (*Allacta*), 99.
Transversalis (*Blatta*), 99.
Trapezoidea (*Blabera*), 164.
 TRIÆNOCORYPHA, 287.
Triangulariter - vittata (*Phyllodromia*), 91.
 TRIBONIDIUM, 157.
 TRIBONIUM, 157.
 TRICHOBLATTA, 191.
Trichoderma (*Dero-calymma*), 185.
Trichoderma (*Thysanoblatta*), 185.
 TRICHOMERA, 148.
Trichoprocta (*Steleopyga*), 171.
Tricolor (*Caloblatta*), 86.
Tricolor (*Chrastoblatta*), 86.
Tricolor (*Gryllus*), 295.
Tricolor (*Harpagomantis*), 295.
Tricolor (*Harpax*), 295.
Tricolor (*Heterochæta*), 307.
Tricolor (*Heterochætula*), 307.
Tricolor (*Labia*), 28.
Tricolor (*Loboptera*), 102.
Tricolor (*Majanga*), 270.
Tricolor (*Mantis*), 233, 295.
Tricolor (*Pantelica*), 270.
Tricolor (*Theganopteryx*), 64.
Tricornis (*Empusa*), 312.
Tricornis (*Mantis*), 312.
Tridens (*Bacteria*), 346.
Tridens (*Pseudosermyle*), 346.
Tridens (*Sibylla*), 289.
Tridens (*Sigerpes*), 289.
Tridentina (*Ëctobia*), 62.
Triedrica (*Caulonia*), 344.
Trifaria (*Prosoplecta*), 177.
Trifasciata (*Cosmozosteria*), 133.
Trifasciata (*Gonatista*), 270.
Trifasciata (*Mantis*), 270.
Trifasciata (*Platyzo-steria*), 133.
Trifasciata (*Thespis*), 265.
Trigona (*Phasma*), 361.
Trigonalis (*Ligaria*), 226.
Trigonalis (*Phyllodromia*), 89.
Trigonodera (*Dero-platys*), 281.
 TRIGONODERUS, 380.
 TRIGONOPHASMA, 372.
Trigonus (*Hermarchus*), 361.
Triimpressa (*Pseudoderopeltis*), 147.
Trilineata (*Macynia*), 336.
Trilineata (*Maransis*), 336.
Trilobata (*Epilampra*), 123.
Trilobata (*Heterolampra*), 123.
Trilobita (*Hormetica*), 197.
Trimacula (*Hierodula*), 243, 244.
Trimacula (*Sphodromantis*), 244.
Tripartita (*Panchlora*), 155.
Tripolitanum (*Bacillus*), 334.
Tripolitanum (*Phasma*), 334.
Tripolitanus (*Bacillus*), 334.
Tripunctata (*Mantis*), 254.
Tripunctata (*Stagmomantis*), 254.
Tiramosa (*Ischnoptera*), 82.
Trispinosa (*Forcipula*), 9.
Trispinosa (*Labidura*), 9.
Tristicula (*Pseudomops*), 76.
Tristicula (*Thyrso-cera*), 77.
Tristis (*Mantis*), 242.
Tristis (*Sphodropoda*), 242.
Trivialis (*Epilampra*), 121.
Trivialis (*Heterolampra*), 121.
Trivittata (*Aphlebia*), 70.
Trivittata (*Blatta*), 70, 102.
Trivittata (*Clonaria*), 338.
Trivittata (*Hololampra*), 70.
Trivittata (*Loboptera*), 102.
Trivittatus (*Bacillus*), 338.
Trollius (*Lonchodes*), 318.
Trollius (*Stæl-onchodes*), 318.
Trophinus (*Bacteria*), 327.
Trophinus (*Bactricia*), 327.
 TROPIDODERUS, 380.
 TROPIDOMANTIS, 227.

- Truncata* (*Acontista*), 233.
Truncata (*Blatta*), 104.
Truncata (*Calolampra*), 118.
Truncata (*Chæradodis*), 282.
Truncata (*Deroplatys*), 282.
Truncata (*Epilampra*), 118, 122.
Truncata (*Heminyctibora*), 108.
Truncata (*Heterolampra*), 122.
Truncata (*Labidura*), 11.
Truncata (*Mantis*), 232.
Truncata (*Nyctobora*), 108.
Truncata (*Periplaneta*), 142.
Truncata (*Platyzosteria*), 137.
Truncata (*Polyzosteria*), 137.
Truncata (*Pseudo-sermyle*), 345.
Truncata (*Temnopteryx*), 104.
Truncata (*Zonioploca*), 137.
Truncatipennis (*Polyspilota*), 241.
Tuberculata (*Acanthops*), 283.
Tuberculata (*Blatta*), 196.
Tuberculata (*Brachycola*), 196.
Tuberculata (*Hormetica*), 196.
Tuberculata (*Sthenobœa*), 323.
Tuberculatus (*Acanthops*), 283.
Tuberculatus (*Hyrtacus*), 331.
Tuberosus (*Myrcinus*), 228.
Tumidiceps (*Compsothespis*), 208.
Tumulosa (*Parahormetica*), 198.
Tunetana (*Discothera*), 207.
Tunisinus (*Japyx*), 56.
Turcica (*Eremiaphila*), 211.
Turcomaniæ (*Oxythespis*), 255.
Turgida (*Bacteria*), 350.
Turgida (*Bostra*), 350.
TYPHLOLABIA, 55.
Typhæus (*Diura*), 380.
Typhon (*Eremiaphila*), 210.
Typhon (*Eremiaphila*), 210.
Typhon (*Podacanthus*), 379.
Tyrhæus (*Eurycantha*), 396.
Uhleri (*Oligonyx*), 278.
Uhleriana (*Ischnoptera*), 82.
Ulula (*Acanthoderus*), 400.
Ulula (*Dares*), 400.
Umbretta (*Necroscia*), 411.
Umbretta (*Phasma*), 414.
Umbretta (*Prexaspes*), 414.
Undata (*Allacta*), 100.
Undata (*Mantis*), 308.
Undata (*Popa*), 308.
Undata (*Popa*), 309.
Undata (*Theoclytus*), 308.
Undata var. *Pallida* (*Popa*), 309.
Undulata (*Craspedonia*), 387.
Undulata (*Diapherodes*), 387.
Undulata (*Epaphrodita*), 284.
Undulata (*Monandrop-tera*), 387.
Undulata (*Phyllocrania*), 284.
Undulifera (*Ischnoptera*), 85.
Undulivitta (*Periplaneta*), 137.
Unguiculatus (*Onychostylus*), 96.
Unicolor (*Anaplecta*), [66].
Unicolor (*Anaplecta*), 177.
Unicolor (*Anisomorpha*), 402.
Unicolor (*Autolyca*), 402.
Unicolor (*Hypocrita*), 101.
Unicolor (*Ischnoptera*), 84.
Unicolor (*Melanosilpha*), 193.
Unicolor (*Paraloboptera*), 101.
Unicolor (*Perisphæria*), 193.
Unicolor (*Phasma*), 402, 411.
Unicolor (*Phoraspis*), 112.
Unicolor (*Phyllodromia*), 92.
Unicolor (*Platamodes*), 84.
Unicolor (*Plectoptera*), 177.
Unicolor (*Podacanthus*), 379.
Unicolor (*Pseudophasma*), 411.
Unicornis (*Empusa*), 312.
Unicornis (*Empusa*), 313.
Unicornis (*Gryllus*), 312.
Unidentata (*Forficula*), 28.
Unidentata (*Labia*), 28.
Unifoliata (*Bacteria*), 349.
Unifoliatus (*Bacunculus*), 349.
Uniforme (*Lonchodes*), 321.
Uniforme (*Phasma*), 321.
Uniformis (*Dixippus*), 321.
Uniformis (*Elliptoblatta*), 183.
Uniformis (*Lonchodes*), 321.
Unimaculata (*Hierodula*), 246.
Unimaculata (*Mantis*), 246.
Unipunctata (*Mantis*), 298.
Unipunctata (*Parastagmatoptera*), 298.
Unipunctata (*Parastagmatoptera*), 299.
Urazi (*Phasma*), 412.
Urazi (*Pseudophasma*), 412.
Urbana (*Creoboter*), 290, 291.
Urbana (*Creoboter*), 291.
Urbana (*Harpax*), 290, 291.
Urbana (*Mantis*), 290, 291, 301.
Urbanus (*Creoboter*), 291.

- Ursina* (*Heterogamia*), 172.
Ursina (*Polyphaga*), 172.
Usambarana (*Leptisolabis*), 21.
Ustulata (*Homalophilpha*), 143.
Ustulata (*Periplaneta*), 143.

Vacillans (*Ischnoptera*), 94.
Vacillans (*Phyllo-dromia*), 94.
Valdiviana (*Polyzosteria*), 193.
Valgius (*Cladoxerus*), 358.
Valgius (*Phasma*), 358.
Valgum (*Phasma*), 374.
Valgus (*Hermagoras*), 323.
Valgus (*Lonchodes*), 323.
Valida (*Chæteesa*), 209.
Valida (*Hierodula*), 248.
Valida (*Hoplophora*), 209.
Valida (*Mantis*), 248.
Valida (*Periplaneta*), 141.
Valida (*Pygidicrana*), 5.
Valida (*Rhombodera*), 248.
Validispinus (*Dares*), 400.
Validissima (*Poly-spilota*), 239.
Valvularia (*Archiblatta*), 148.
Vara (*Chelidura*), 55.
Vara (*Forficula*), 55.
Vara (*Pseudochelidura*), 55.
Varia (*Epilampra*), 121.
Varia (*Heterolampra*), 121.
Varia (*Mantis*), 240.
Variana (*Forficula*), 49.
Varians (*Blabera*), 164.
Varicornis (*Anisolabis*), 19.
Varicornis (*Blatta*), 96.
Varicornis (*Phyllo-dromia*), 96.
Variegata (*Ancistrogaster*), 36.
Variegata (*Anisomorpha*), 402.
Variegata (*Blatta*), 79, 98.
Variegata (*Forficula*), 46.
Variegata (*Mantis*), 239, 240.
Variegata (*Opisthocomia*), 36.
Variegata (*Phasma*), 410.
Variegata (*Phyllodromia*), 91.
Variegata (*Polyspilota*), 239.
Variegata (*Pseudophyllo-dromia*), 98.
Variegata (*Sphingolabis*), 46.
Variegata (*Temnopteryx*), 103.
Variegatum (*Ellipsidion*), 79.
Variegatum (*Phasma*), 410.
Variegatus (*Ancistrogaster*), 36.
Variicornis (*Forficula*), 37.
Variipennis (*Musonia*), 256.
Variipennis (*Nanomantis*), 256.
Variolosa (*Platyzosteria*), 131.
Variolosa (*Polyzosteria*), 131.
Variopictus (*Chelisothes*), 34.
VASILISSA, 382.
Vasta (*Epilampra*), 115.
Vasta (*Homalopteryx*), 115.
VATES, 305.
VATES, 302.
VATINÆ, 297.
Veliei (*Diapheromera*), 347.
Velii (*Diapheromera*), 347.
Vellicans (*Forficula*), 47.
Vellicans (*Sphingolabis*), 47.
Veneratoria (*Stagmoptera*), 246.
Venilia (*Olecyphides*), 411.
Venilia (*Phasma*), 411.
Venosa (*Blatta*), 97.
Venosa (*Hierodula*), 246.
Venosa (*Mantis*), 246.
Venosa (*Metriotes*), 414.
Venosa (*Pseudophyllo-dromia*), 97.
Venosum (*Phasma*), 414.
Venosus (*Prexaspes*), 414.
Ventrale (*Ellipsidium*), 78.
Ventralis (*Hormetica*), 197.
Ventralis (*Pachnepteryx*), 78.
Venusta (*Compsoblatta*), 180.
Venusta (*Eustegasta*), 180.
Venusta (*Hedaia*), 123.
Venusta (*Stagmomantis*), 253.
Venustula (*Diapherodes*), 362.
Venustula (*Platycrana*), 362.
Venustulum (*Diapherodes*), 362.
Venustulum (*Phasma*), 362.
Vermicularis (*Phasma*), 401.
Verreauxii (*Paraoxy-pilus*), 207.
Verrucifer (*Lonchodes*), 322.
Verrucosa (*Hormetica*), 197.
Verrucosa (*Zetobora*), 158.
Verrucosum (*Acanthoderus*), 322.
Verrucosum (*Phasma*), 322.
Verrucosum (*Prisomera*), 322.
Verrucosus (*Hermagoras*), 322.
Verruculosa (*Gratidia*), 330.
Versicolor (*Angela*), 265.
Versicolor (*Apterygida*), 48.
Versicolor (*Derocarynna*), 185.
Versicolor (*Forficula*), 48.
Versicolor (*Mantis*), 264.
Versicolor (*Perisphæria*), 185.
Versicolor (*Sphingolabis*), 48.

- Versicolor* (Thysanoblatta), 185.
Versifasciata (Cyphocrana), 391.
Versifasciata (Eurycnema), 391.
Versirubra (Cyphocrana), 391.
Versirubra (Eurycnema), 391.
Verticalis (Deropeltis), 176.
Verticalis (Epilampra), 118.
Verticalis (Perisphæria), 145, 176.
Verticalis (Pæciloderhis), 118.
Vestita (Apolyta), 80.
Vestita (Blatta), 80.
Vestita (Paratropa), 107.
Vestitum (Ellipsidion), 80.
Vestitus (Paratropes), 47.
VETILIA, 393.
Vetula (Gyna), 149.
Vexillum (Chlidonoptera), 292.
Vicaria (Forficula), 50.
Vicina (Forficesila), 12.
Vicina (Gonypeta), 224.
Vicina (Homalosilpha), 143.
Vicina (Labidura), 12.
Vicina (Mantis), 241.
Vicina (Musonia), 276.
Vicina (Paranauphæta), 180.
Vicina (Periplaneta), 143.
Vicina (Phyllodromia), 92.
Vicina (Polyspilota), 241.
Vicina (Stagmomantis), 252.
Vicina (Thespis), 276.
Victorina (Pseudomantis), 235.
Vidua (Chroicoptera), 227.
Vidua (Mantis), 227.
Vidua (Thesprotia), 277.
Vigilans (Acanthoderus), 355.
Vigilans (Ceroys), 355.
Vigilans (Forficula), 39.
Vigilans (Opisthocsmia), 39.
Vigilax (Oxypilus), 286.
Vilis (Ischnoptera), 85.
Vilis (Phyllodromia), 92.
Villana (Pelmatosilpha), 143.
Vincta (Carvilia), 266, 267.
Vincta (Mantis), 266, 267.
Vinosa (Necroscia), 372.
Vinosa (Trigonophasma), 372.
Vinosum (Necroscia), 372.
Vinosum (Phasma), 372.
Vinula (Blatta), 89.
Vinula (Phyllodromia), 89.
Viola (Metalleutica), 208.
Viola (Metallyticus), 208.
Violascens (Acrophylla), 381.
Violascens (Cyphocrania), 381.
Violascens (Diura), 381.
Violescens (Didymuria), 381.
Violescens (Phasma), 381.
Vipera (Necroscia), 369.
Vipera (Sosibia), 369.
Virbius (Necroscia), 370.
Virens (Necroscia), 375.
Virescens (Blatta), 73, 152.
Virescens (Chorisoneura), 73.
Virescens (Derocalymma), 191.
Virescens (Ellipsica), 183.
Virescens (Harpax), 296.
Virescens (Melanoblatta), 191.
Virescens (Panchlora), 152.
Virescens (Pseudolampra), 296.
Virga (Bactromantis), 278.
Virgatus (Lonchodes), 318.
Virgatus (Stælonchodes), 318.
Virgea (Bacteria), 358.
Virgeus (Lonchodes), 358.
Virginea (Didymuria), 381.
Virginea (Diura), 381.
Virginica (Temnopteryx), 105.
Virgulata (Aphlebia), 70.
Virgulata (Hololampra), 70.
Viridana (Mantis), 385.
Viridana (Platycrana), 385.
Viridana (Platycrania), 385.
Viridanum (Cyphocrania), 385.
Viridanum (Phasma), 385.
Viridi-auratus (Metallyticus), 208.
Viridilineata (Calvisia), 370.
Viridilineata (Necroscia), 370.
Viridimarginatum (Ascephasma), 419.
Viridimarginatum (Aschippasma), 419.
Viridimarginatum (Phasma), 419.
Viridimarginatus (Presbistus), 419.
Viridimargo (Mantis), 253.
Viridinervis (Archidæus), 384.
Viridiroseus (Podacanthus), 379.
Viridis (Bacteria), 329, 347.
Viridis (Blatta), 153.
Viridis (Lonchodes), 322.
Viridis (Mantis), 251, 385.
Viridis (Necroscia), 378.
Viridis (Panchlora), 152, 153.
Viridis (Polyspilota), 240.
Viridis (Ramulus), 329.
Viridis (Tropidoderus), 378.
Viridissima (Eurycnema), 391.
Viridula (Blatta), 154.
Viridula (Panchlora), 154.
Vitellina (Panchlora), 150.
Vitellina (Rhyparobia), 150.
Vitrata (Mantis), 258.
Vitrea (Acontista), 234.
Vitrea (Blatta), 95.
Vitrea (Cardioptera), 273.
Vitrea (Hierodula), 246.
Vitrea (Hierodula), 246.

- Vitrea* (Mantis), 246, 273.
Vitreia (Photina), 273.
Vitreia (Phyllodromia), 95.
Vitreola (Ardesca), 274.
Vitrifera (Blatta), 73.
Vitrifera (Chorisoneura), 73.
Vitripennis (Cardioptera), 274.
Vitripennis (Metalleutica), 208.
Vitripennis (Photina), 274.
Vitrocincta (Blatta), 73.
Vitrocincta (Chorisoneura), 73.
Vittata (Anophelepis), 343.
Vittata (Hemithyrso-cera), 77.
Vittata (Hormetica), 197.
Vittata (Necroscia), 375.
Vittata (Phantasis), 343.
Vittata (Sipylloidea), 376.
Vittata (Thyrso-cera), 77.
Vittatum (Hespero-phasma), 343.
Vitticollis (Forficula), 4.
Vitticollis (Pygidicrana), 4.
Vitticollis (Pygidicrana), 4, 5.
Vittifrons (Eurycotis), 144.
Vittigera (Chelidura), 54.
Vitipennis (Arrhidæus), 384.
Vittiventris (Blatta), 63.
Vittiventris (Ectobia), 63.
V-nigrum (Forficula), 6.
V-nigrum (Pygidicrana), 6.
Voeltzkowi (Blatta), 138.
Voeltzkowi (Stylopyga), 138.
Voeltzkowiana (Hierodula), 244.
Voeltzkowiana (Pseudec-tobia), 66.
Voeltzkowiana (Sphodro-mantis), 244.
Voeltzkowiana (Thegano-pteryx), 66.
Volsella (Neolobophora), 29.
Wagneri (Mantis), 231.
Wagneri (Pseudoyer-sinia), 231.
Wagneri (Yersinia), 231.
Wahlbergi (Deropeltis), 146.
Wahlbergi (Deropeltis), 146.
Wahlbergi (Echinosoma), 8.
Wahlbergi (Empusa), 314.
Wahlbergi (Periplaneta), 146.
Wahlbergi (Pseudocreo-botra), 293.
Wahlbergi (Vates), 314.
Wallacei (Panesthia), 204.
Walker (Forcipula), 9.
Walker (Labidura), 9.
Walker (Pseudomops), 75.
Walker (Vasilissa), 382.
Wallacei (Acanthoderus), 326.
Wallacei (Forficula), 45.
Wallacei (Labia), 27.
Wallacei (Panesthia), 204.
Wallacei (Promachus), 326.
Warasaca (Necroscia), 375.
Wayi (Bactrododema), 366.
Welwitschi (Bactrodo-dema), 366.
Westermanni (Calvisia), 370.
Westermanni (Echino-soma), 8.
Westermanni (Necroscia), 370.
Westwoodii (Acontista), 233.
Westwoodii (Bacillus), 328.
Westwoodii (Baculum), 328.
Westwoodii (Corydia), 167.
Westwoodii (Damasip-pus), 407.
Westwoodii (Haaniella), 398.
Westwoodii (Hetero-pteryx), 398.
Westwoodii (Hierodula), 247.
Westwoodii (Lonchodes), 328.
Westwoodii (Necroscia), 376.
Westwoodii (Phibalosoma), 359.
Westwoodii (Phyllium), 423.
Westwoodii (Phyllo-crania), 289.
Westwoodii (Phyllo-thelys), 289.
Westwoodii (Theo-pompa), 213.
Westwoodii (Tirachioidea), 359.
Wheelerii (Mantis), 253.
Wheelerii (Stagmo-mantis), 253.
Whiteheadi (Lonchodes), 319.
Whiteheadi (Mithrenes), 319.
Wilkinsoni (Podacan-thus), 379.
Willeyi (Eurycantha), 396.
WODONGIA, 119.
Wollastoni (Iapyx), 56.
Woodfordi (Chondro-stethus), 319.
Wrayi (Mylacrina), 205.
Xanthomela (Phasma), 413.
Xanthomela (Pseudo-phasma), 413.
Xanthophila (Blatta), 78.
Xanthophila (Thyrso-cera), 78.
Xanthoptera (Mantis), 269.
Xanthoptera (Sphendale), 269.
Xanthopus (Demogor-gon), 12.
Xanthopus (Forficesila), 12.
Xanthopus (Forficula), 12.
Xanthostictus (Damasip-poides), 404.
Xenia (Anisolabis), 20.
XENOMACHES, 383.
XERANTHERIX, 403.
XERODERUS, 383.
XEROSOMA, 416.
XEROSOMA, 417.
Xiphias (Anophelepis), 388.
Xiphias (Orxines), 388.

- XYLICA, 404.
 XYLODUS, 357.
- Yersini* (*Forficula*), 51.
 YERSINIA, 229.
 YERSINIA, 231.
Yersiniana (*Bacteria*), 346.
Yersiniana (*Epilampra*), 124.
Yersiniana (*Hedaia*), 124.
Yersiniana (*Pseudobacteria*), 346.
Yorkense (*Echinosoma*), 8.
- Zabou* (*Mantis*), 243.
Zamorensis (*Blatta*), 139.
- Zamorensis* (*Stylopyga*), 139.
Zapoteca (*Blatta*), 95.
Zapoteca (*Holocompsa*), 170.
Zapoteca (*Phyllodromia*), 95.
Zebra (*Cosmozosteria*), 133.
Zebra (*Polyzosteria*), 133.
Zebrata (*Mantis*), 235.
Zebrata (*Omomantis*), 235.
Zebrata (*Pseudomantis*), 235.
Zehntneri (*Methana*), 136.
Zendala (*Panchlora*), 154.
- ZETOBORA, 158.
- ZETOBORA, 159.
Zetterstedtii (*Eremiaphila*), 212.
Zetterstedtii (*Eremiaphila*), 211.
Zeuxis (*Necroscia*), 367.
Zeuxis (*Orxines*), 367.
Zonata (*Cosmozosteria*), 133.
Zonata (*Periplaneta*), 141.
Zonata (*Polyzosteria*), 133.
- ZONIOPLOCA, 137.
 ZOOLEA, 302.
Zubovskii (*Anechura*), 40.
Zymbræus (*Damasippus*), 407.
Zymbræus (*Dinelytron*), 407.

LIST OF THE CURRENT

NATURAL HISTORY PUBLICATIONS OF THE TRUSTEES OF THE BRITISH MUSEUM.

The following publications can be purchased through the Agency of *Messrs. LONGMANS & Co.*, 39, *Paternoster Row*; *Mr. QUARITCH*, 15, *Piccadilly*; *Messrs. KEGAN PAUL, TRENCH, TRÜBNER & Co.*, *Dryden House*, 43, *Gerrard Street, Soho, W.*; and *Messrs. DULAU & Co.*, 37, *Soho Square*; or at the NATURAL HISTORY MUSEUM, *Cromwell Road, London, S.W.*

Catalogue of the Books, Manuscripts, Maps, and Drawings in the British Museum (Natural History). Compiled by B. B. Woodward, Assistant in charge of the General Library, with some clerical assistance:—

Vol. I. A—D. Pp. viii., 500. 1903, 4to. 20s.

Vol. II. E—K. Pp. 501–1038. 1904, 4to. 20s.

Catalogue of the Specimens and Drawings of Mammals, Birds, Reptiles, and Fishes of Nepal and Tibet. Presented by B. H. Hodgson, Esq., to the British Museum. 2nd edition. By John Edward Gray. Pp. xii., 90. [With an account of the Collection by Mr. Hodgson.] 1863, 12mo. 2s. 3d.

Catalogue of the Mammalia and Birds of New Guinea in the Collection of the British Museum. [With list of Species of New Guinea Birds, and those of the neighbouring Localities.] By John Edward Gray, Ph.D., F.R.S., and George Robert Gray, F.L.S., &c. Pp. 63. Woodcuts. 1859, 8vo. 1s. 6d.

Report on the Zoological Collections made in the Indo-Pacific Ocean during the voyage of H.M.S. "Alert," 1881–2. Pp. xxv., 684. 54 Plates. 1884, 8vo. 1l. 10s.

Summary of the Voyage...	...	..	By Dr. R. W. Coppinger.
Mammalia	...	..	" O. Thomas.
Aves... ..	...	..	" R. B. Sharpe.
Reptilia, Batrachia, Pisces	...	..	" A. Günther.
Mollusca	...	..	" E. A. Smith.
Echinodermata	...	..	" F. J. Bell.
Crustacea	...	..	" E. J. Miers.
Coleoptera	...	..	" C. O. Waterhouse.
Lepidoptera	...	..	" A. G. Butler.
Alcyonaria and Spongiida	...	..	" S. O. Ridley.

A Monograph of Christmas Island (Indian Ocean) : Physical Features and Geology by C. W. Andrews, B.A., B.Sc., F.G.S., with descriptions of the Fauna and Flora by numerous contributors. Pp. xv., 337: 22 plates (7 coloured), a map, and 27 illustrations in text. [With Index.] 1900, 8vo. 20s.

Report on the Collections of Natural History made in the Antarctic Regions during the Voyage of the "Southern Cross." Pp. ix., 344. 53 Plates. 1902, Royal 8vo. 2l.

Mammalia	...	...	By Capt. G. E. H. Barrett-Hamilton.
Notes on Antarctic Seals	...	...	" E. A. Wilson, M.B.
Extracts from the "Diary"	{		
of the late Nicolai Hanson.	{		
Aves	...	...	" Dr. R. Bowdler Sharpe.
Pisces	...	...	" G. A. Boulenger, F.R.S.
Tunicata	...	...	" Prof. W. A. Herdman, F.R.S.
Mollusca	...	...	" E. A. Smith.
Echinoderma	...	...	" Prof. F. J. Bell.
Insecta	...	...	" G. H. Carpenter and Hon. N. C. Rothschild.
Arachnida	...	...	" Dr. E. L. Trouessart.
Crustacea	...	...	" T. V. Hodgson.
Polychæta	...	...	" Dr. A. Willey.
Gephyrea	...	...	" A. E. Shipley.
Nematoda	...	...	{
Cestoda	...	...	
Polyzoa	...	...	{
Porifera	...	...	
Anthozoa	...	...	" Dr. L. Roule and S. J. Hickson, F.R.S.
Actiniæ	...	...	" J. A. Clubb.
Hydrozoa	...	...	" E. T. Browne
Cryptogamia	...	...	" A. Gepp, V. H. Blackman, and Miss E. S. Barton.
Rock Specimens	...	...	" G. T. Prior.

First Report on Economic Zoology. By Fred. V. Theobald, M.A., &c. [With an Introduction, containing a Classification of Animals from the point of view of Economic Zoology, by Prof. E. Ray Lankester, LL.D., F.R.S.] Pp. xxxiv., 192. 18 Woodcuts. 1903, Roy. 8vo. 6s.

Second Report on Economic Zoology. By Fred. V. Theobald, M.A., &c. Pp. x., 197. 29 Illustrations. 1904, Roy. 8vo. 6s.

MAMMALS.

Catalogue of the Bones of Mammalia in the Collection of the British Museum. By Edward Gerrard. Pp. iv., 296. 1862, 8vo. 5s.

Catalogue of Monkeys, Lemurs, and Fruit-eating Bats in the Collection of the British Museum. By Dr. J. E. Gray, F.R.S., &c. Pp. viii., 137. 21 Woodcuts. 1870, 8vo. 4s.

Catalogue of Carnivorous, Pachydermatous, and Edentate Mammalia in the British Museum. By John Edward Gray, F.R.S., &c. Pp. vii., 398. 47 Woodcuts. 1869. 8vo. 6s. 6d.

Catalogue of Seals and Whales in the British Museum. By John Edward Gray, F.R.S., &c. 2nd Edition. Pp. vii., 402. 101 Woodcuts. 1866, 8vo. 8s.

——— Supplement. By John Edward Gray, F.R.S., &c., Pp. vi., 103. 11 Woodcuts. 1871, 8vo. 2s. 6d.

List of the Specimens of Cetacea in the Zoological Department of the British Museum. By William Henry Flower, LL.D., F.R.S., &c. [With Systematic and Alphabetical Indexes.] Pp. iv., 36. 1885, 8vo. 1s. 6d.

Catalogue of Ruminant Mammalia (*Pecora*, Linnæus) in the British Museum. By John Edward Gray, F.R.S., &c. Pp. viii., 102. 4 Plates. 1872, 8vo. 3s. 6d.

Catalogue of the Marsupialia and Monotremata in the Collection of the British Museum. By Oldfield Thomas. Pp. xiii., 401. 4 Coloured and 24 plain Plates. [With Systematic and Alphabetical Indexes.] 1888, 8vo. 1l. 8s.

BIRDS.

Catalogue of the Birds in the British Museum :—

Vol. VI. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cichlomorphæ* : Part III., containing the first portion of the family Timeliidæ (Babbling Thrushes). By R. Bowdler Sharpe. Pp. xiii., 420. Woodcuts and 18 coloured Plates. [With Systematic and Alphabetical Indexes.] 1881, 8vo. 1l.

Vol. VII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cichlomorphæ* : Part IV., containing the concluding portion of the family Timeliidæ (Babbling Thrushes). By R. Bowdler Sharpe. Pp. xvi., 698. Woodcuts and 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1883, 8vo. 1l. 6s.

Vol. VIII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cichlomorphæ* : Part V., containing the families Paridæ and Laniidæ (Titmice and Shrikes); and *Certhiomorphæ* (Creepers and Nuthatches). By Hans Gadow, M.A., Ph.D. Pp. xiii., 386. Woodcuts and 9 coloured Plates. [With Systematic and Alphabetical Indexes.] 1883, 8vo. 17s.

Catalogue of the Birds in the British Museum—*continued*.

Vol. IX. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cinnyrimorphæ*, containing the families Nectariniidæ and Meliphagidæ (Sun Birds and Honey-eaters). By Hans Gadow, M.A., Ph.D. Pp. xii., 310. Woodcuts and 7 coloured Plates. [With Systematic and Alphabetical Indexes.] 1884, 8vo. 14s.

Vol. X. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Fringilliformes*: Part I., containing the families Dicæidæ, Hirundinidæ, Ampelidæ, Mniotiltidæ, and Motacillidæ. By R. Bowdler Sharpe. Pp. xiii., 632. Woodcuts and 12 coloured Plates. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 17. 2s.

Vol. XI. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Fringilliformes*: Part II., containing the families Cœrebidæ, Tanagridæ, and Icteridæ. By Philip Lutley Selater, M.A., F.R.S. Pp. xvii., 431. Woodcuts and 18 coloured Plates. [With Systematic and Alphabetical Indexes.] 1886, 8vo. 17.

Vol. XII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Fringilliformes*: Part III., containing the family Fringillidæ. By R. Bowdler Sharpe. Pp. xv., 871. Woodcuts and 16 coloured Plates. [With Systematic and Alphabetical Indexes.] 1888, 8vo. 17. 8s.

Vol. XIII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Sturniformes*, containing the families Artamidæ, Sturnidæ, Ploceidæ, and Alaudidæ. Also the families Atrichiidæ and Menuridæ. By R. Bowdler Sharpe. Pp. xvi., 701. Woodcuts and 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1890, 8vo. 17. 8s.

Vol. XIV. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Oligomyodæ*, or the families Tyrannidæ, Oxyrhamphidæ, Pipridæ, Cotingidæ, Phytotomidæ, Philepittidæ, Pittidæ, Xenicidæ, and Eurylæmidæ. By Philip Lutley Selater, M.A., F.R.S. Pp. xix., 494. Woodcuts and 26 coloured Plates. [With Systematic and Alphabetical Indexes.] 1888, 8vo. 17. 4s.

Catalogue of the Birds in the British Museum—*continued*.

- Vol. XV. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Tracheophonæ*, or the families Dendrocolaptidæ, Formicariidæ, Conopophagidæ, and Pteroptochidæ. By Philip Lutley Sclater, M.A., F.R.S. Pp. xvii., 371. Woodcuts and 20 coloured Plates. [With Systematic and Alphabetical Indexes.] 1890, 8vo. 1*l*.
- Vol. XVI. Catalogue of the Picariæ in the Collection of the British Museum. *Upupæ* and *Trochili*, by Osbert Salvin. *Coraciæ*, of the families Cypselidæ, Caprimulgidæ, Podargidæ, and Steatornithidæ, by Ernst Hartert. Pp. xvi., 703. Woodcuts and 14 coloured Plates. [With Systematic and Alphabetical Indexes.] 1892, 8vo. 1*l*. 16s.
- Vol. XVII. Catalogue of the Picariæ in the Collection of the British Museum. *Coraciæ* (contin.) and *Halcyones*, with the families Leptosomatidæ, Coraciidæ, Meropidæ, Alcedinidæ, Momotidæ, Totidæ and Coliidæ, by R. Bowdler Sharpe. *Bucerotes* and *Trogones*, by W. R. Ogilvie Grant. Pp. xi., 522. Woodcuts and 17 coloured Plates. [With Systematic and Alphabetical Indexes.] 1892, 8vo. 1*l*. 10s.
- Vol. XVIII. Catalogue of the Picariæ in the Collection of the British Museum. *Scansores*, containing the family Picidæ. By Edward Hargitt. Pp. xv., 597. Woodcuts and 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1890, 8vo. 1*l*. 6s.
- Vol. XIX. Catalogue of the Picariæ in the Collection of the British Museum. *Scansores* and *Coccyges*: containing the families Rhamphastidæ, Galbulidæ, and Bucconidæ, by P. L. Sclater; and the families Indicatoridæ, Capitonidæ, Cuculidæ, and Musophagidæ, by G. E. Shelley. Pp. xii., 484: 13 coloured Plates. [With Systematic and Alphabetical Indexes.] 1891, 8vo. 1*l*. 5s.
- Vol. XX. Catalogue of the Psittaci, or Parrots, in the Collection of the British Museum. By T. Salvadori. Pp. xvii., 658. Woodcuts and 18 coloured Plates. [With Systematic and Alphabetical Indexes.] 1891, 8vo. 1*l*. 10s.
- Vol. XXI. Catalogue of the Columbæ, or Pigeons, in the Collection of the British Museum. By T. Salvadori. Pp. xvii., 676. 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1893, 8vo. 1*l*. 10s.
- Vol. XXII. Catalogue of the Game Birds (*Pterocletes*, *Gallinæ*, *Opisthocomi*, *Hemipodii*) in the Collection of the British Museum. By W. R. Ogilvie Grant. Pp. xvi., 585. 8 coloured Plates. [With Systematic and Alphabetical Indexes.] 1893, 8vo. 1*l*. 6s.

Catalogue of the Birds in the British Museum—*continued*.

- Vol. XXIII. Catalogue of the Fulicariæ (Rallidæ and Heliornithidæ) and Alectorides (Aramidæ, Eurypygidæ, Mesitidæ, Rhinochetidæ, Gruidæ, Psophiidæ, and Otididæ) in the Collection of the British Museum. By R. Bowdler Sharpe. Pp. xiii., 353. 9 coloured Plates. [With Systematic and Alphabetical Indexes.] 1894, 8vo. 20s.
- Vol. XXIV. Catalogue of the Limicolæ in the Collection of the British Museum. By R. Bowdler Sharpe. Pp. xii., 794. Woodcuts and 7 coloured Plates. [With Systematic and Alphabetical Indexes.] 1896, 8vo. 17. 5s.
- Vol. XXV. Catalogue of the Gaviæ and Tubinares in the Collection of the British Museum. Gaviæ (Terns, Gulls, and Skuas), by Howard Saunders. Tubinares (Petrels and Albatrosses), by Osbert Salvin. Pp. xv., 475. Woodcuts and 8 coloured Plates. [With Systematic and Alphabetical Indexes.] 1896, 8vo. 17. 1s.
- Vol. XXVI. Catalogue of the Plataleæ, Herodiones, Steganopodes, Pygopodes, Alcæ, and Impennes in the Collection of the British Museum. Plataleæ (Ibises and Spoonbills) and Herodiones (Hérons and Storks), by R. Bowdler Sharpe. Steganopodes (Cormorants, Gannets, Frigate-birds, Tropic-birds, and Pelicans), Pygopodes (Divers and Grebes), Alcæ (Auks), and Impennes (Penguins), by W. R. Ogilvie-Grant. Pp. xvii., 687. Woodcuts and 14 coloured Plates. [With Systematic and Alphabetical Indexes.] 1898, 8vo. 17. 5s.
- Vol. XXVII. Catalogue of the Chenomorphæ (Palamedæ, Phœnicopteri, Anseres), Crypturi, and Ratitæ in the Collection of the British Museum. By T. Salvadori. Pp. xv., 636. 19 coloured Plates. [With Systematic and Alphabetical Indexes.] 1895, 8vo. 17. 12s.
- A Hand-list of the Genera and Species of Birds. [Nomenclator Avium tum Fossilium tum Viventium.] By R. Bowdler Sharpe, LL.D. :—
- Vol. I. Pp. xxi., 303. [With Systematic Index.] 1899, 8vo. 10s.
- Vol. II. Pp. xv., 312. [With Systematic Index, and an Alphabetical Index to Vols. I. and II.] 1900, 8vo. 10s.
- Vol. III. Pp. xii., 367. [With Systematic and Alphabetical Indexes.] 1901, 8vo. 10s.
- Vol. IV. Pp. xii., 391. [With Systematic and Alphabetical Indexes.] 1903, 8vo. 10s.

List of the Specimens of Birds in the Collection of the British Museum. By George Robert Gray :—

- Part III., Section I. Ramphastidæ. Pp. 16. [With Index.] 1855, 12mo. 6*d*.
 Part III., Section II. Psittacidæ. Pp. 110. [With Index.] 1859, 12mo. 2*s*.
 Part III., Sections III. and IV. Capitonidæ and Picidæ. Pp. 137. [With Index.] 1868, 12mo. 1*s*. 6*d*.
 Part IV. Columbæ. Pp. 73. [With Index.] 1856, 12mo. 1*s*. 9*d*.
 Part V. Gallinæ. Pp. iv., 120. [With an Alphabetical Index.] 1867, 12mo. 1*s*. 6*d*.

Catalogue of the Birds of the Tropical Islands of the Pacific Ocean in the Collection of the British Museum. By George Robert Gray, F.L.S., &c. Pp. 72. [With an Alphabetical Index.] 1859, 8vo. 1*s*. 6*d*.

Catalogue of the Collection of Birds' Eggs in the British Museum (Natural History) :—

- Vol. I. Ratitæ. Carinatae (Tinamiformes—Lariformes). By Eugene W. Oates. Pp. xxiii., 252. 18 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1901, 8vo. 30*s*.
 Vol. II. Carinatae (Charadriiformes—Strigiformes). By Eugene W. Oates. Pp. xx., 400. 15 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1902, 8vo. 30*s*.
 Vol. III. Carinatae (Psittaciformes—Passeriformes). By Eugene W. Oates and Capt. Savile G. Reid. Pp. xxiii., 349. 10 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1903, 8vo. 25*s*.

REPTILES.

Catalogue of the Tortoises, Crocodiles, and Amphisbæniæ in the Collection of the British Museum. By Dr. J. E. Gray, F.R.S., &c. Pp. viii., 80. [With an Alphabetical Index.] 1844, 12mo. 1*s*.

Catalogue of Shield Reptiles in the Collection of the British Museum. By John Edward Gray, F.R.S., &c.:—

Appendix. Pp. 28. 1872. 4to. 2*s*. 6*d*.

Part II. Emydosaurians, Rhynchocephalia, and Amphisbæniæ. Pp. vi., 41. 25 Woodcuts. 1872, 4to. 3*s*. 6*d*.

Hand-List of the Specimens of Shield Reptiles in the British Museum. By Dr. J. E. Gray, F.R.S., F.L.S., &c. Pp. iv., 124. [With an Alphabetical Index.] 1873, 8vo. 4*s*.

Catalogue of the Chelonians, Rhynchocephalians, and Crocodiles in the British Museum (Natural History). New Edition. By George Albert Boulenger. Pp. x., 311. 73 Woodcuts and 6 Plates. [With Systematic and Alphabetical Indexes.] 1889, 8vo. 15s.

Catalogue of the Lizards in the British Museum (Natural History). Second Edition. By George Albert Boulenger :—

Vol. I. Geckonidæ, Eublepharidæ, Uroplatidæ, Pygopodidæ, Agamidæ. Pp. xii., 436. 32 Plates. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 20s.

Vol. II. Iguanidæ, Xenosauridæ, Zonuridæ, Anguidæ, Anniellidæ, Helodermatidæ, Varanidæ, Xantusiidæ, Teiidæ, Amphisbænidæ. Pp. xiii., 497. 24 Plates. [With Systematic and Alphabetical Indexes.] 1885 8vo. 20s.

Vol. III. Lacertidæ, Gerrhosauridæ, Scincidæ, Anelytropidæ, Dibamidæ, Chamæleontidæ. Pp. xii., 575. 40 Plates. [With a Systematic Index and an Alphabetical Index to the three volumes.] 1887, 8vo. 17. 6s.

Catalogue of the Snakes in the British Museum (Natural History). By George Albert Boulenger, F.R.S., &c. :—

Vol. I., containing the families Typhlopidae, Glauconiidae, Boidæ, Ilysiidæ, Uropeltidæ, Xenopeltidæ, and Colubridæ aglyphæ (part). Pp. xiii., 448 : 26 Woodcuts and 28 Plates. [With Systematic and Alphabetical Indexes.] 1893, 8vo. 17. 1s.

Vol. II., containing the conclusion of the Colubridæ aglyphæ. Pp. xi., 382 : 25 Woodcuts and 20 Plates. [With Systematic and Alphabetical Indexes.] 1894. 8vo. 17s. 6d.

Vol. III., containing the Colubridæ (Opisthoglyphæ and Proteroglyphæ), Amblycephalidæ, and Viperidæ. Pp. xiv., 727 : 37 Woodcuts and 25 Plates. [With Systematic Index, and Alphabetical Index to the 3 volumes.] 1896, 8vo. 17. 6s.

Catalogue of Colubrine Snakes in the Collection of the British Museum. By Dr. Albert Günther. Pp. xvi., 281. [With Geographic, Systematic, and Alphabetical Indexes.] 1858, 12mo. 4s.

BATRACHIANS.

Catalogue of the Batrachia Salientia in the Collection of the British Museum. By Dr. Albert Günther. Pp. xvi., 160. 12 Plates. [With Systematic, Geographic, and Alphabetical Indexes.] 1858, 8vo. 6s.

FISHES.

Catalogue of the Fishes in the British Museum. Second edition. Vol. I. Catalogue of the Perciform Fishes in the British Museum. Vol. I. Containing the Centrarchidæ, Percidæ, and Serranidæ (part). By George Albert Boulenger, F.R.S. Pp. xix., 394. Woodcuts and 15 Plates. [With Systematic and Alphabetical Indexes.] 1895, 8vo. 15s.

Catalogue of Fish collected and described by Laurence Theodore Gronow, now in the British Museum. Pp. vii., 196. [With a Systematic Index.] 1854, 12mo. 3s. 6d.

Catalogue of Lophobranchiate Fish in the Collection of the British Museum. By J. J. Kaup, Ph.D., &c. Pp. iv., 80. 4 Plates. [With an Alphabetical Index.] 1856, 12mo. 2s.

MOLLUSCA.

Guide to the Systematic Distribution of Mollusca in the British Museum. Part I. By John Edward Gray, Ph.D., F.R.S., &c. Pp. xii., 230. 121 Woodcuts. 1857, 8vo. 5s.

List of the Shells of the Canaries in the Collection of the British Museum, collected by MM. Webb and Berthelot. Described and figured by Prof. Alcide D'Orbigny in the "Histoire Naturelle des Iles Canaries." Pp. 32. 1854, 12mo. 1s.

List of the Shells of Cuba in the Collection of the British Museum collected by M. Ramon de la Sagra. Described by Prof. Alcide d'Orbigny in the "Histoire de l'Île de Cuba." Pp. 48. 1854, 12mo. 1s.

List of the Shells of South America in the Collection of the British Museum. Collected and described by M. Alcide D'Orbigny in the "Voyage dans l'Amérique Méridionale." Pp. 89. 1854, 12mo. 2s.

Catalogue of the Collection of Mazatlan Shells in the British Museum, collected by Frederick Reigen. Described by Philip P. Carpenter. Pp. xvi., 552. 1857, 12mo. 8s.

List of Mollusca and Shells in the Collection of the British Museum, collected and described by MM. Eydoux and Souleyet in the "Voyage autour du Monde, exécuté pendant les années 1836 et 1837, sur la Corvette 'La Bonite,'" and in the "Histoire naturelle des Mollusques 'Ptéropodes.'" Par MM. P. C. A. L. Rang et Souleyet. Pp. iv., 27. 1855, 12mo. 8d.

Catalogue of the Phaneropneumona, or Terrestrial Operculated Mollusca, in the Collection of the British Museum. By Dr. L. Pfeiffer. Pp. 324. [With an Alphabetical Index.] 1852, 12mo. 5s.

Catalogue of Pulmonata, or Air Breathing Mollusca, in the Collection of the British Museum. Part I. By Dr. Louis Pfeiffer. Pp. iv., 192. Woodcuts. 1855, 12mo. 2s. 6d.

Catalogue of the Auriculidæ, Proserpinidæ, and Truncatellidæ in the Collection of the British Museum. By Dr. Louis Pfeiffer. Pp. iv., 150. Woodcuts. 1857, 12mo. 1s. 9d.

List of the Mollusca in the Collection of the British Museum. By John Edward Gray, Ph.D., F.R.S., &c.

Part II. Olividæ. Pp. 41. 1865, 12mo. 1s.

Catalogue of the Conchifera, or Bivalve Shells, in the Collection of the British Museum. By M. Deshayes:—

Part I. Veneridæ, Cyprinidæ, Glauconomidæ, and Petricoladæ. Pp. iv., 216. 1853, 12mo. 3s.

Part II. Petricoladæ (concluded); Corbiculadæ. Pp. 217-292. [With an Alphabetical Index to the two parts.] 1854, 12mo. 6d.

BRACHIOPODA.

Catalogue of Brachiopoda Ancylopoda or Lamp Shells in the Collection of the British Museum. [*Issued as* "Catalogue of the Mollusca, Part IV."] Pp. iv., 128. 25 Woodcuts. [With an Alphabetical Index.] 1853, 12mo. 3s.

POLYZOA.

Catalogue of Marine Polyzoa in the Collection of the British Museum. Part III. Cyclostomata. By George Busk, F.R.S. Pp. viii., 39. 38 Plates. [With a Systematic Index.] 1875, 8vo. 5s.

CRUSTACEA.

Catalogue of the Specimens of Amphipodous Crustacea in the Collection of the British Museum. By C. Spence Bate, F.R.S., &c. Pp. iv., 399. 58 Plates. [With an Alphabetical Index.] 1862, 8vo. 1l. 5s.

ARACHNIDA.

Descriptive Catalogue of the Spiders of Burma, based upon the Collection made by Eugene W. Oates and preserved in the British Museum. By T. Thorell. Pp. xxxvi., 406. [With Systematic List and Alphabetical Index.] 1895, 8vo. 10s. 6d.

INSECTS.

Coleopterous Insects.

Nomenclature of Coleopterous Insects in the Collection of the British Museum :—

Part VI. Passalidæ. By Frederick Smith. Pp. iv., 23. 1 Plate. [With Index.] 1852, 12mo. 8*d*.

Part VII. Longicornia, I. By Adam White. Pp. iv., 174. 4 Plates. 1853, 12mo. 2*s*. 6*d*.

Part VIII. Longicornia, II. By Adam White. Pp. 237. 6 Plates. 1855, 12mo. 3*s*. 6*d*.

Part IX. Cassididæ. By Charles H. Boheman, Professor of Natural History, Stockholm. Pp. 225. [With Index.] 1856, 12mo. 3*s*.

Illustrations of Typical Specimens of Coleoptera in the Collection of the British Museum. Part I. Lycidæ. By Charles Owen Waterhouse. Pp. x., 83. 18 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1879, 8vo. 16*s*.

Catalogue of the Coleopterous Insects of Madeira in the Collection of the British Museum. By T. Vernon Wollaston, M.A., F.L.S. Pp. xvi., 234 : 1 Plate. [With a Topographical Catalogue and an Alphabetical Index.] 1857, 8vo. 3*s*.

Catalogue of the Coleopterous Insects of the Canaries in the Collection of the British Museum. By T. Vernon Wollaston, M.A., F.L.S. Pp. xiii., 648. [With Topographical and Alphabetical Indexes.] 1864, 8vo. 10*s*. 6*d*.

Catalogue of Halticidæ in the Collection of the British Museum. By the Rev. Hamlet Clark, M.A., F.L.S. Physapodes and Œdipodes. Part I. Pp. xii., 301. Frontispiece and 9 Plates. 1860, 8vo. 7*s*.

Catalogue of Hispidæ in the Collection of the British Museum. By Joseph S. Baly, M.E.S., &c. Part I. Pp. x., 172. 9 Plates. [With an Alphabetical Index.] 1858, 8vo. 6*s*.

Hymenopterous Insects.

Catalogue of Hymenopterous Insects in the Collection of the British Museum. By Frederick Smith. 12mo. :—

Part I. Andrenidæ and Apidæ. Pp. 197. 6 Plates. 1853, 2*s*. 6*d*.

Part II. Apidæ. Pp. 199–465. 6 Plates. [With an Alphabetical Index.] 1854. 6*s*.

Catalogue of Hymenopterous Insects in the British Museum—*continued*.

Part III. Mutillidæ and Pompilidæ. Pp. 206. 6 Plates. 1855. 6s.

Part IV. Sphegidæ, Larridæ, and Crabronidæ. Pp. 207–497. 6 Plates. [With an Alphabetical Index.] 1856. 6s.

Part V. Vespidæ. Pp. 147. 6 Plates. [With an Alphabetical Index.] 1857. 6s.

Part VI. Formicidæ. Pp. 216. 14 Plates. [With an Alphabetical Index.] 1858. 6s.

Part VII. Dorylidæ and Thynnidæ. Pp. 76. 3 Plates. [With an Alphabetical Index.] 1859. 2s.

List of Hymenoptera, with descriptions and figures of the Typical Specimens in the British Museum. Vol. I., Tenthredinidæ and Siricidæ. By W. F. Kirby. Pp. xxviii., 450. 16 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1882, 8vo. 1*l.* 18s.

Dipterous Insects.

List of the Specimens of Dipterous Insects in the Collection of the British Museum. By Francis Walker, F.L.S.

Part VII. Supplement III. Asilidæ. Pp. ii., 507–775. 1855, 12mo. 3s. 6*d.*

A Monograph of the Culicidæ, or Mosquitoes. Mainly compiled from the Collections received at the British Museum from various parts of the world in connection with the Investigation into the cause of Malaria conducted by the Colonial Office and the Royal Society. By Fred. V. Theobald, M.A., &c. :—

Vols. I., II. (pp. xviii., 424; viii., 391 : 318 woodcuts), and Atlas of 37 coloured and 5 collotype plates (pp. viii., with explanations of plates). 1901, 8vo. 3*l.* 3s.

Vol. III. Pp. xvii., 359 : 17 plates, 1 diagram, and 193 illustrations in text. 1903, 8vo. 1*l.* 1s.

A Monograph of the Tsetse-Flies (Genus *Glossina*, Westwood), based on the Collection in the British Museum. By Ernest Edward Austen. With a chapter on Mouth-parts by H. J. Hansen, Phil. Doc. Pp. ix., 319 : 9 plates (7 coloured), 16 woodcuts, 1 map. 1903, Roy. 8vo. 15s.

Lepidopterous Insects.

Catalogue of the Lepidoptera Phalænæ in the British Museum. By Sir George F. Hampson, Bart. :—

Vol. I. Catalogue of the Syntomidæ in the Collection of the British Museum. Pp. xxi., 559 : 285 Woodcuts. [With Systematic and Alphabetical Indexes.] 1898, 8vo. 15s.

—Atlas of 17 Coloured Plates, 8vo. 15s.

Vol. II. Catalogue of the Arctiadæ (Nolinæ, Lithosianæ) in the Collection of the British Museum. Pp. xx., 589 : 411 Woodcuts. [With Systematic and Alphabetical Indexes.] 1900, 8vo. 18s.

—Atlas of 18 Coloured Plates (xviii.—xxxv.), 8vo. 15s.

Vol. III. Catalogue of the Arctiadæ (Arctianæ) and Agaristidæ in the Collection of the British Museum. Pp. xix., 690 : 294 woodcuts. [With Systematic and Alphabetical Indexes.] 1901, 8vo. 15s.

—Atlas of 19 Coloured Plates (xxxvi.—liv.), 8vo. 16s.

Vol. IV. Catalogue of the Noctuidæ. Pp. xx., 689 : 125 woodcuts. [With Systematic and Alphabetical Indexes.] 1903, 8vo. 15s.

—Atlas of 23 Coloured Plates (lv.—lxxvii), 8vo. 16s.

Illustrations of Typical Specimens of Lepidoptera Heterocera in the Collection of the British Museum :—

Part V. By Arthur Gardiner Butler. Pp. xii., 74. 78–100 Coloured Plates. [With a Systematic Index.] 1881, 4to. 2l. 10s.

Part VI. By Arthur Gardiner Butler. Pp. xv., 89. 101–120 Coloured Plates. [With a Systematic Index.] 1886, 4to. 2l. 4s.

Part VII. By Arthur Gardiner Butler. Pp. iv., 124. 121–138 Coloured Plates. [With a Systematic List.] 1889, 4to. 2l.

Part VIII. The Lepidoptera Heterocera of the Nilgiri District. By George Francis Hampson. Pp. iv., 144. 139–156 Coloured Plates. [With a Systematic List.] 1891, 4to. 2l.

Part IX. The Macrolepidoptera Heterocera of Ceylon. By George Francis Hampson. Pp. v., 182. 157–176 Coloured Plates. [With a General Systematic List of Species collected in, or recorded from, Ceylon.] 1893. 4to. 2l. 2s.

Catalogue of the Collection of Palæarctic Butterflies formed by the late John Henry Leech, and presented to the Trustees of the British Museum by his Mother, Mrs. Eliza Leech. By Richard South, F.E.S. Pp. vi., 228. 2 Coloured Plates. With a Portrait and Biographical Memoir of Mr. Leech. 1902, 4to. 1l.

Catalogue of Diurnal Lepidoptera described by Fabricius in the Collection of the British Museum. By Arthur Gardiner Butler, F.L.S., &c. Pp. iv., 303. 3 Plates. 1869, 8vo. 7s. 6d.

Specimen of a Catalogue of Lycænidae in the British Museum. By W. C. Hewitson. Pp. 15. 8 Coloured Plates. 1862, 4to. 1l. 1s.

List of the Specimens of Lepidopterous Insects in the Collection of the British Museum. By Francis Walker. 12mo. :—

Part XXII. Geometrites. Pp. 499–755. 1861, 3s. 6d.

Part XXIII. ————— Pp. 756–1020. 1861, 3s. 6d.

Part XXIV. ————— Pp. 1021–1280. 1862, 3s. 6d.

Part XXV. ————— Pp. 1281–1477. 1862, 3s.

Part XXVI. ————— Pp. 1478–1796. [With an Alphabetical Index to Parts XX.–XXVI.] 1862, 4s. 6d.

Part XXVII. Crambites and Tortricites. Pp. 1–286. 1863, 4s.

Part XXVIII. Tortricites and Tineites. Pp. 287–561. 1863, 4s.

Part XXIX. Tineites. Pp. 562–835. 1864, 4s.

Part XXX. ————— Pp. 836–1096. [With an Alphabetical Index to Parts XXVII.–XXX.] 1864, 4s.

Part XXXI. Supplement. Pp. 1–321. 1864, 5s.

Part XXXII. ————— Part 2. Pp. 322–706. 1865, 5s.

Part XXXIII. ————— Part 3. Pp. 707–1120. 1865, 6s.

Part XXXIV. ————— Part 4. Pp. 1121–1533. 1865, 5s. 6d.

Part XXXV. ————— Part 5. Pp. 1534–2040. [With an Alphabetical Index to Parts XXXI.–XXXV.] 1866, 7s.

Neuropterous Insects.

Catalogue of the Specimens of Neuropterous Insects in the Collection of the British Museum. By Francis Walker. 12mo. :—

Part II. Sialidæ—Nemopterides. Pp. ii., 193–476. 1853, 3s. 6d.

Part III. Termitidæ—Ephemeridæ. Pp. ii., 477–585. 1853, 1s. 6d.

Catalogue of the Specimens of Neuropterous Insects in the Collection of the British Museum. By Dr. H. Hagen. Part I. Termitina. Pp. 34. 1858, 12mo. 6d.

Orthopterous Insects.

Catalogue of Orthopterous Insects in the Collection of the British Museum. Part I. Phasmidæ. By John Obadiah Westwood, F.L.S., &c. Pp. 195. 48 Plates. [With an Alphabetical Index.] 1859, 4to. 3*l*.

Catalogue of the Specimens of Blattariæ in the Collection of the British Museum. By Francis Walker, F.L.S., &c. Pp. 239. [With an Alphabetical Index.] 1868, 8vo. 5*s*. 6*d*.

Catalogue of the Specimens of Dermaptera Saltatoria in the Collection of the British Museum. By Francis Walker, F.L.S., &c. :—

Part II. Locustidæ (continued). Pp. 225–423. [With an Alphabetical Index.] 1869, 8vo. 4*s*. 6*d*.

Part III. Locustidæ (continued).—Acrididæ. Pp. 425–604. [With an Alphabetical Index.] 1870, 8vo. 4*s*.

Part IV. Acrididæ (continued). Pp. 605–809. [With an Alphabetical Index.] 1870, 8vo. 6*s*.

Part V. Tettigidæ.—Supplement to the Catalogue of Blattariæ.—Supplement to the Catalogue of Dermaptera Saltatoria (with remarks on the Geographical Distribution of Dermaptera). Pp. 811–850; 43; 116. [With Alphabetical Indexes.] 1870, 8vo. 6*s*.

Hemipterous Insects.

Catalogue of the Specimens of Heteropterous Hemiptera in the Collection of the British Museum. By Francis Walker, F.L.S., &c. 8vo. :—

Part I. Scutata. Pp. 240. 1867. 5*s*.

Part II. Scutata (continued). Pp. 241–417. 1867. 4*s*.

Part III. Pp. 418–599. [With an Alphabetical Index to Parts I., II., III., and a Summary of Geographical Distribution of the Species mentioned.] 1868. 4*s*. 6*d*.

Part IV. Pp. 211. [With Alphabetical Index.] 1871. 6*s*.

Part V. Pp. 202. [With Alphabetical Index.] 1872. 5*s*.

Part VI. Pp. 210. [With Alphabetical Index.] 1873. 5*s*.

Part VII. Pp. 213. [With Alphabetical Index.] 1873. 6*s*.

Part VIII. Pp. 220. [With Alphabetical Index.] 1873.

[6*s*. 6*d*.

VERMES.

Catalogue of the Species of Entozoa, or Intestinal Worms, contained in the Collection of the British Museum. By Dr. Baird. Pp. iv., 132. 2 Plates. [With an Index of the Animals in which the Entozoa mentioned in the Catalogue are found, and an Index of Genera and Species.] 1853, 12mo. 2s.

ANTHOZOA.

Catalogue of Sea-pens or Pennatulariidæ in the Collection of the British Museum. By J. E. Gray, F.R.S., &c. Pp. iv., 40. 2 Woodcuts. 1870, 8vo. 1s. 6d.

Catalogue of Lithophytes or Stony Corals in the Collection of the British Museum. By J. E. Gray, F.R.S., &c. Pp. iv., 51. 14 Woodcuts. 1870, 8vo. 3s.

Catalogue of the Madreporarian Corals in the British Museum (Natural History):—

Vol. I. The Genus *Madrepora*. By George Brook. Pp. xi., 212. 35 Collotype Plates. [With Systematic and Alphabetical Indexes, and Explanation of the Plates.] 1893, 4to. 1l. 4s.

Vol. II. The Genus *Turbinaria*; the Genus *Astræopora*. By Henry M. Bernard, M.A. Cantab., F.L.S., F.Z.S. Pp. iv., 106. 30 Collotype and 3 Lithographic Plates. [With Index of Generic and Specific Names, and Explanation of the Plates.] 1896, 4to. 18s.

Vol. III. The Genus *Montipora*; the Genus *Anacropora*. By Henry M. Bernard, M.A. Pp. vii., 192. 30 Collotype and 4 Lithographic Plates. [With Systematic Index, Index of Generic and Specific Names, and Explanation of the Plates.] 1897, 4to. 1l. 4s.

Vol. IV. The Family Poritidæ. I.—The Genus *Goniopora*. By Henry M. Bernard, M.A. Pp. viii., 206. 12 Collotype and 4 Lithographic Plates. [With Index of Generic and Specific Names, and Explanation of the Plates.] 1903, 4to. 1l.

BRITISH ANIMALS.

Catalogue of British Birds in the Collection of the British Museum. By George Robert Gray, F.L.S., F.Z.S., &c. Pp. xii., 248. [With a List of Species.] 1863, 8vo. 3s. 6d.

Catalogue of British Hymenoptera in the Collection of the British Museum. Second edition, Part I. Andrenidæ and Apidæ. By Frederick Smith, M.E.S. New Issue. Pp. xi., 236. 11 Plates. [With Systematic and Alphabetical Indexes.] 1891, 8vo. 6s.

Catalogue of British Fossorial Hymenoptera, Formicidæ, and Vespidæ in the Collection of the British Museum. By Frederick Smith, V.P.E.S. Pp. 236. 6 Plates. [With an Alphabetical Index.] 1858, 12mo. 6s.

A Catalogue of the British Non-parasitical Worms in the Collection of the British Museum. By George Johnston, M.D., Edin., F.R.C.L., Ed., LL.D., Marischal Coll., Aberdeen, &c. Pp. 365. Woodcuts and 24 Plates. [With an Alphabetical Index.] 1865, 8vo. 7s.

Catalogue of the British Echinoderms in the British Museum (Natural History). By F. Jeffrey Bell, M.A. Pp. xvii., 202. Woodcuts and 16 Plates (2 Coloured). [With Table of Contents, Tables of Distribution, Alphabetical Index, Description of the Plates, &c.] 1892, 8vo. 12s. 6d.

List of the Specimens of British Animals in the Collection of the British Museum; with Synonyma and References to figures. 12mo. :—

Part V. Lepidoptera. By J. F. Stephens. 2nd Edition. Revised by H. T. Stainton and E. Shepherd. Pp. iv., 224. 1856. 1s. 9d.

Part VI. Hymenoptera. By F. Smith. Pp. 134. 1851. 2s.

Part VII. Mollusca, Acephala and Brachiopoda. By Dr. J. E. Gray. Pp. iv., 167. 1851. 3s. 6d.

Part VIII. Fish. By Adam White. Pp. xxiii., 164. (With Index and List of Donors.) 1851. 3s. 6d.

Part IX. Eggs of British Birds. By George Robert Gray. Pp. 143. 1852. 2s. 6d.

Part XI. Anoplura, or Parasitic Insects. By H. Denny. Pp. iv., 51. 1852. 1s.

Part XII. Lepidoptera (continued). By James F. Stephens. Pp. iv., 54. 1852. 9d.

Part XIII. Nomenclature of Hymenoptera. By Frederick Smith. Pp. iv., 74. 1853. 1s. 4d.

Part XIV. Nomenclature of Neuroptera. By Adam White. Pp. iv., 16. 1853. 6d.

Part XV. Nomenclature of Diptera, I. By Adam White. Pp. iv., 42. 1853. 1s.

Part XVI. Lepidoptera (completed). By H. T. Stainton. Pp. 199. [With an Index.] 1854. 3s.

Part XVII. Nomenclature of Anoplura, Euplexoptera, and Orthoptera. By Adam White. Pp. iv., 17. 1855. 6d.

PLANTS.

Illustrations of the Botany of Captain Cook's Voyage Round the World in H.M.S. "Endeavour" in 1768-71. By the Right Hon. Sir Joseph Banks, Bart., K.B., P.R.S., and Dr. Daniel Solander, F.R.S. With Determinations by James Britten, F.L.S., Senior Assistant, Department of Botany, British Museum :—

Part I.—Australian Plants. 101 Copper-plates [after paintings by F. P. Nodder], with 31 pages of descriptive text. 1900, fol. 25s.

Part II.—Australian Plants, Pt. II. 142 Copper-plates (pls. 101-243) [after paintings by F. P. Nodder, James Miller, J. F. Miller, and John Cleveley], with 41 pages of descriptive text (pp. 35-75). 1901, fol. 35s.

Catalogue of the African Plants collected by Dr. Friedrich Welwitsch in 1853-61 :—

Vol. I. Dicotyledons. By William Philip Hiern, M.A., F.L.S., &c. :—

Part I. [Ranunculaceæ to Rhizophoraceæ.] Pp. xxvi., 336. [With Portrait of Dr. Welwitsch. Introduction, Bibliography, and Index of Genera.] 1896, 8vo. 7s. 6d.

Part II. Combretaceæ to Rubiaceæ. Pp. 337-510. [With Index of Genera.] 1898, 8vo. 4s.

Part III. Dipsaceæ to Scrophulariaceæ. Pp. 511-784. [With Index of Genera.] 1898, 8vo. 5s.

Part IV. Lentibulariaceæ to Ceratophylleæ. Pp. 785-1035. [With Index.] 1900, 8vo. 5s.

Vol. II. Monocotyledons, Gymnosperms, and Cryptogams :—

Part I. Monocotyledons and Gymnosperms. By Alfred Barton Rendle, M.A., D.Sc. F.L.S., Assistant, Department of Botany. Pp. 260. [With Index of Genera.] 1899, 8vo. 6s.

Part II. Cryptogamia. Pp. 261-566. [With Table of Errata, and General Index to the whole work.] 1901, 8vo. 6s.

Vascular Cryptogams	...	By William Carruthers, F.R.S.
Mosses	...	Antony Gepp, M.A., F.L.S.
Hepatics	...	F. Stephani.
Marine Algæ	...	Ethel S. Barton.
Freshwater Algæ	...	W. West, F.L.S., and G. S. West, B.A.
Diatomaceæ	...	Thomas Comber, F.L.S.
Lichenes	...	E. A. Wainio.
Fungi	...	Annie Lorrain Smith.
Mycetozoa	...	Arthur Lister, F.R.S.

A Monograph of Lichens found in Britain : being a Descriptive Catalogue of the Species in the Herbarium of the British Museum. By the Rev. James M. Crombie, M.A., F.L.S., F.G.S., &c. Part I. Pp. viii., 519 : 74 Woodcuts. [With Glossary, Synopsis, Tabular Conspectus, and Index.] 1894, 8vo. 16s.

A Monograph of the Mycetoza : being a Descriptive Catalogue of the Species in the Herbarium of the British Museum. By Arthur Lister, F.L.S. Pp. 224. 78 Plates and 51 Woodcuts. [With Synopsis of Genera and List of Species, and Index.] 1894, 8vo. 15s.

List of British Diatomaceæ in the Collection of the British Museum. By the Rev. W. Smith, F.L.S., &c. Pp. iv., 55. 1859, 12mo. 1s.

FOSSILS.

Catalogue of the Fossil Mammalia in the British Museum (Natural History). By Richard Lydekker, B.A., F.G.S. :—

Part I. Containing the Orders Primates, Chiroptera, Insectivora, Carnivora, and Rodentia. Pp. xxx., 268. 33 Woodcuts. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 5s.

Part II. Containing the Order Ungulata, Suborder Artiodactyla. Pp. xxii., 324. 39 Woodcuts. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 6s.

Part III. Containing the Order Ungulata, Suborders Perissodactyla, Toxodontia, Condylarthra, and Amblypoda. Pp. xvi., 186. 30 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1886, 8vo. 4s.

Part IV. Containing the Order Ungulata, Suborder Proboscidea. Pp. xxiv., 235. 32 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1886, 8vo. 5s.

Part V. Containing the Group Tillodontia, the Orders Sirenia, Cetacea, Edentata, Marsupialia, Monotremata, and Supplement. Pp. xxxv., 345. 55 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1887, 8vo. 6s.

Catalogue of the Fossil Birds in the British Museum (Natural History). By Richard Lydekker, B.A. Pp. xxvii., 368. 75 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1891 8vo. 10s. 6d.

Catalogue of the Fossil Reptilia and Amphibia in the British Museum (Natural History). By Richard Lydekker, B.A., F.G.S. :—

Part I. Containing the Orders Ornithosauria, Crocodilia, Dinosauria, Squamata, Rhynchocephalia, and Proterosauria. Pp. xxviii., 309. 69 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1888, 8vo. 7s. 6d.

Part II. Containing the Orders Ichthyopterygia and Sauropterygia. Pp. xxi., 307. 85 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1889, 8vo. 7s. 6d.

Part III. Containing the Order Chelonina. Pp. xviii., 239. 53 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1889, 8vo. 7s. 6d.

Part IV. Containing the Orders Anomodontia, Ecaudata, Caudata, and Labyrinthodontia; and Supplement. Pp. xxiii., 295. 66 Woodcuts. [With Systematic Index, Alphabetical Index of Genera and Species, including Synonyms, and Alphabetical Index of Genera and Species to the entire work.] 1890, 8vo. 7s. 6d.

Catalogue of the Fossil Fishes in the British Museum (Natural History). By Arthur Smith Woodward, LL.D., F.R.S., F.G.S., &c. :—

Part I. Containing the Elasmobranchii. Pp. xlvii., 474. 13 Woodcuts and 17 Plates. [With Alphabetical Index, and Systematic Index of Genera and Species.] 1889, 8vo. 21s.

Part II. Containing the Elasmobranchii (Acanthodii), Holocephali, Ichthyodorulites, Ostracodermi, Dipnoi, and Teleostomi (Crossopterygii and Chondrosteian Actinopterygii). Pp. xlv., 567. 58 Woodcuts and 16 Plates. [With Alphabetical Index, and Systematic Index of Genera and Species.] 1891, 8vo. 21s.

Part III. Containing the Actinopterygian Teleostomi of the Orders Chondrostei (concluded), Protospondyli, Aethospondyli, and Isospondyli (in part). Pp. xlii., 544. 45 Woodcuts and 18 Plates. [With Alphabetical Index, and Systematic Index of Genera and Species.] 1895, 8vo. 21s.

Part IV. Containing the Actinopterygian Teleostomi of the Suborders Isospondyli (in part), Ostariophysi, Apodes, Percosces, Hemibranchii, Acanthopterygii, and Anacanthini. Pp. xxxix., 636. 22 Woodcuts and 19 Plates. [With Alphabetical Index, and Systematic Index of Genera and Species.] 1901, 8vo. 21s.

Systematic List of the Edwards Collection of British Oligocene and Eocene Mollusca in the British Museum (Natural History), with references to the type-specimens from similar horizons contained in other collections belonging to the Geological Department of the Museum. By Richard Bullen Newton, F.G.S. Pp. xxviii., 365. [With table of Families and Genera, Bibliography, Correlation-table, Appendix, and Alphabetical Index.] 1891, 8vo. 6s.

Catalogue of Tertiary Mollusca in the Department of Geology, British Museum (Natural History). Part I. The Australasian Tertiary Mollusca. By George F. Harris, F.G.S., &c. Pp. xxvi., 407. 8 Plates. [With Table of Families, Genera, and Sub-Genera, and Index.] 1897, 8vo. 10s.

Catalogue of the Fossil Cephalopoda in the British Museum (Natural History):—

Part I. Containing part of the Suborder Nautiloidea, consisting of the families Orthoceratidæ, Endoceratidæ, Actinoceratidæ, Gomphoceratidæ, Ascoceratidæ, Poterioceratidæ, Cyrtoceratidæ, and Supplement. By Arthur H. Foord, F.G.S. Pp. xxxi., 344. 51 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1888, 8vo. 10s. 6d.

Part II. Containing the remainder of the Suborder Nautiloidea, consisting of the families Lituitidæ, Trochoceratidæ, Nautilidæ, and Supplement. By Arthur H. Foord, F.G.S. Pp. xxviii., 407. 86 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1891, 8vo. 15s.

Part III. Containing the Bactritidæ, and part of the Suborder Ammonoidea. By Arthur H. Foord, Ph.D., F.G.S., and George Charles Crick, A.R.S.M., F.G.S. Pp. xxxiii., 303. 146 Woodcuts. [With Systematic Index of Genera and Species, and Alphabetical Index.] 1897, 8vo. 12s. 6d.

List of the Types and Figured Specimens of Fossil Cephalopoda in the British Museum (Natural History). By G. C. Crick, F.G.S. Pp. 103. [With Index.] 1898, 8vo. 2s. 6d.

A Catalogue of British Fossil Crustacea, with their Synonyms and the Range in Time of each Genus and Order. By Henry Woodward, F.R.S. Pp. xii., 155. [With an Alphabetical Index.] 1877, 8vo. 5s.

Catalogue of the Fossil Bryozoa in the Department of Geology, British Museum (Natural History):—

The Jurassic Bryozoa. By J. W. Gregory, D.Sc., F.G.S., F.Z.S. Pp. [viii.,] 239 : 22 Woodcuts and 11 Plates. [With List of Species and Distribution, Bibliography, Index, and Explanation of Plates.] 1896, 8vo. 10s.

The Cretaceous Bryozoa. Vol. I. By J. W. Gregory, D.Sc., F.G.S., F.Z.S. Pp. xiv., 457 : 64 Woodcuts and 17 Plates. [With Index and Explanation of Plates.] 1899, 8vo. 16s.

Catalogue of the Blastoidea in the Geological Department of the British Museum (Natural History), with an account of the morphology and systematic position of the group, and a revision of the genera and species. By Robert Etheridge, jun., of the Department of Geology, British Museum (Natural History), and P. Herbert Carpenter, D.Sc., F.R.S., F.L.S. (of Eton College). Pp. xv., 322. 20 Plates. [With Preface by Dr. H. Woodward, Table of Contents, General Index, Explanations of the Plates, &c.] 1886, 4to. 25s.

The Genera and Species of Blastoidea, with a List of the Specimens in the British Museum (Natural History). By F. A. Bather, M.A., F.G.S., of the Geological Department. Pp. x., 70. 1 Woodcut. 1899, 8vo. 3s.

Catalogue of the Palæozoic Plants in the Department of Geology and Palæontology, British Museum (Natural History). By Robert Kidston, F.G.S. Pp. viii., 288. [With a list of works quoted, and an Index.] 1886, 8vo. 5s.

Catalogue of the Mesozoic Plants in the Department of Geology, British Museum (Natural History). By A. C. Seward, M.A., F.R.S., F.G.S., University Lecturer in Botany and Fellow of Emanuel College, Cambridge :—

Part I. The Wealden Flora. Part I. Thallophyta—Pteridophyta. Pp. xxxviii., 179. 17 Woodcuts and 11 Plates. [With Alphabetical Index, Explanations of the Plates, &c.] 1894, 8vo. 10s.

Part II. The Wealden Flora. Part II. Gymnospermæ. Pp. viii., 259. 9 Woodcuts and 20 Plates. [With Alphabetical Index, Explanations of the Plates, &c.] 1895, 8vo. 15s.

Part III. The Jurassic Flora. Part I. The Yorkshire Coast. Pp. xii., 341. 53 Woodcuts and 21 Plates. [With Alphabetical Index, Explanations of the Plates, &c.] 1900, 8vo. 20s.

Part IV. The Jurassic Flora. Part II. Liassic and Oolitic Floras of England (excluding the Inferior Oolite Plants of the Yorkshire Coast). Pp. xv., 192. 20 Woodcuts and 13 Plates. [With Alphabetical Index, Explanations of the Plates, &c.] 1904, 8vo. 10s.

GUIDE-BOOKS, ETC.

A General Guide to the British Museum (Natural History), Cromwell Road, London, S.W. With 58 Woodcuts, 2 Plans, 2 views of the building, and an illustrated cover. Pp. 119. 1903, 8vo. 3d.

Guide to the Galleries of Mammalia in the Department of Zoology of the British Museum (Natural History). 7th Edition. Pp. 126. 65 Woodcuts and 4 Plans. Index. 1902, 8vo. 6d.

Guide to the Galleries of Reptiles and Fishes in the Department of Zoology of the British Museum (Natural History). 4th Edition. Pp. iv., 119. 101 Woodcuts. Index. 1898. 8vo. 6d. (*Out of print.*)

Guide to the Shell and Starfish Galleries (Mollusca, Polyzoa, Brachiopoda, Tunicata, Echinodermæ, and Worms), Department of Zoology, British Museum (Natural History). New Edition. Pp. iv., 130. 125 Woodcuts, Plan and Indexes. 1901, 8vo. 6d.

Guide to the Coral Gallery (Protozoa, Porifera or Sponges, Hydrozoa, and Anthozoa) in the Department of Zoology, British Museum (Natural History). Pp. [iv.,] 73. 82 Illustrations, Plan, and Index. 1902, 8vo. 1s.

A Guide to the Fossil Mammals and Birds in the Department of Geology and Palæontology in the British Museum (Natural History). 7th Edition. [By Henry Woodward.] Pp. xii., 103. 116 Woodcuts. [With List of Illustrations, Table of Stratified Rocks, and Index.] 1896, 8vo. 6d. (*Out of print.*)

A Guide to the Fossil Reptiles and Fishes in the Department of Geology and Palæontology in the British Museum (Natural History). [By Henry Woodward.] Pp. xiv., 129: 165 Woodcuts. [With List of Illustrations, Table of Stratified Rocks, and Index.] 1896, 8vo. 6d.

A Guide to the Fossil Invertebrates and Plants in the Department of Geology and Palæontology in the British Museum (Natural History). [By Henry Woodward.] Pp. xvi., 158. 182 Woodcuts. [With List of Illustrations, Table of Stratified Rocks, Introduction, and Index.] 1897, 8vo. 1s.

The same, in two parts :—

Part I. Mollusca to Bryozoa. Pp. xii., 64. 107 Woodcuts. [With List of Illustrations, Table of Stratified Rocks, and Introduction.] 1897, 8vo. 6d.

Part II. Insecta to Plants, &c. Pp. ix., 64*-158. Woodcuts 108-182. [With List of Illustrations and Index to the two parts.] 1897, 8vo. 6d.

Guide to Sowerby's Models of British Fungi in the Department of Botany, British Museum (Natural History). By Worthington G. Smith, F.L.S. Pp. 82. 93 Woodcuts. With Table of Diagnostic Characters, and Index. [Second Edition.] 1898, 8vo. 4*d*.

Guide to the British Mycetozoa exhibited in the Department of Botany, British Museum (Natural History). By Arthur Lister, F.L.S. [Second Edition.] Pp. 42. 44 Woodcuts. Index. 1903, 8vo. 3*d*.

A Guide to the Mineral Gallery of the British Museum (Natural History). [By L. Fletcher, M.A., F.R.S.] Pp. 32. Plan. 1903, 8vo. 1*d*.

The Student's Index to the Collection of Minerals, British Museum (Natural History). [By L. Fletcher, M.A., F.R.S.] Pp. 32. With a Plan of the Mineral Gallery. 1903, 8vo. 2*d*.

An Introduction to the Study of Minerals, with a Guide to the Mineral Gallery of the British Museum (Natural History). By L. Fletcher, M.A., F.R.S. Pp. 123. 41 Woodcuts. With Plan of the Mineral Gallery and Index. 1903, 8vo. 6*d*.

An Introduction to the Study of Rocks. By L. Fletcher, M.A., F.R.S. Pp. 118. [With plan of the Mineral Gallery, Table of Contents, and Index.] 1898, 8vo. 6*d*.

An Introduction to the Study of Meteorites, with a List of the Meteorites represented in the Collection on January 1st, 1904. By L. Fletcher, M.A., F.R.S., &c. Pp. 109. [With a Plan of the Mineral Gallery, and an Index to the Meteorites represented in the Collection.] 1904, 8vo. 6*d*.

Handbook of Instructions for Collectors, issued by the British Museum (Natural History). With Illustrations. Second Edition. Pp. 138. Index. 1904, 8vo. 1*s*. 6*d*.

Hints on Removing and Preparing Skins of Mammals. Pp. 11. Text illust. [2nd Edition.] 1903, 8vo. 4*d*.

Instructions for the Preservation of Birds. Pp. 10. 5 figures in text. [3rd Edition.] 1904, 8vo. 3*d*.

Instructions for Collecting Reptiles, Batrachians, and Fishes. Pp. 12. [2nd Edition.] 1903, 8vo. 4*d*.

- Instructions for Collecting Insects. Pp. 10. Text illust. [3rd Edition.] 1903, 8vo. 4d.
- How to Collect Diptera (Two-winged Flies), with Notes on the Habits of the Perfect Insects and Larvæ. Pp. 16. Text illust. [2nd Edition.] 1903, 8vo. 4d.
- How to Collect Mosquitoes (Culicidæ). Pp. 8. 1 Plate, 1 figure in text. [3rd Edition.] 1904, 8vo. 3d.
- Instructions for Collecting Arachnida, Myriopoda, and Peripatus. Pp. 3. 1900, 8vo. 4d.
- Methods of Collecting and Preserving various Soft-bodied Invertebrate Animals; with Hints for Collecting and Preserving Shells of Molluscs. Pp. 15. [2nd Edition.] 1902, 8vo. 4d.
- Directions for Collecting and Preserving Plants. Pp. 8. 2 figures in text. [3rd Edition.] 1903, 8vo. 4d.
- Suggestions as to Collecting and Preserving Fossils and Minerals. Pp. 9. [2nd Edition.] 1903, 8vo. 4d.

E. RAY LANKESTER,

British Museum

Director.

(Natural History),

Cromwell Road,

London, S.W.

May 1st, 1904.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1901,

University of
Connecticut
Libraries