LIBRARY
Brigham Young University

~~582.481~~

M62

80920

8-11
11-12

AN INTRODUCTION
TO THE
STUDY OF THE DIATOMACEÆ.

PRINTED BY
ALFRED JUBB & SON, LTD.,
AT
THE ALBANY PRINTING WORKS, HUDDERSFIELD.

L. C. Chamberlin

OK
569
DS4
M54 n
1893

AN INTRODUCTION

TO THE STUDY OF THE

DIATOMACEÆ,

BY

FREDERICK WM. MILLS, F.R.M.S.,

AUTHOR OF

PHOTOGRAPHY APPLIED TO THE MICROSCOPE, &c.

WITH A

80920

BIBLIOGRAPHY,

BY

JULIEN DEBY, F.R.M.S.

RETURN TO
RALPH V. CHAMBERLIN,
Salt Lake City, Utah.

LONDON:

ILIFFE & SON, 3, ST. BRIDE STREET, LUDGATE CIRCUS.

WASHINGTON, D.C.:

THE MICROSCOPICAL PUBLISHING COMPANY.

1893.

“Tous les ordres des êtres naturels ne forme qu’une seule chaîne, dans laquelle les différentes classes, comme autant d’annimaux, tiennent si étroitement les unes aux autres, qu’il est impossible aux sens, et à l’imagination même, de fixer précisément le point, où qu’une commence ou finit.”

1089

LEIBNITZ.

PREFACE.

IN making his first acquaintance with the Diatomaceæ the author experienced great difficulty in obtaining concise elementary information. He had to grope his way through a mass of irrelevant literature contained in the reports of Scientific Societies, to purchase many very expensive works, and, with much difficulty, to obtain access to certain rare old volumes.

The study of diatoms is attracting an ever increasing circle of microscopists. By the discovery of fossil diatoms geologists are solving many important and difficult problems. The subject is one of surpassing interest. The field of study is vast, is largely unexplored, and is within the reach of all. Beautiful living specimens abound on every hand, in unpolluted watercourses, in ponds, and in moist places. The great want appears to be a concise introduction both to the diatom and its literature. The author trusts that the following pages may to some extent supply the want. He has collected his information from the highest sources, and has not refrained, where desirable, from using the precise language of eminent writers, whose teaching is better expressed in their own words.

The author acknowledges with gratitude the generous assistance of Mr. Julien Deby, F.R.M.S., who has placed at his disposal the Bibliography appended to this treatise.

F. W. M.

Huddersfield,

April, 1893.

Digitized by the Internet Archive
in 2013

CONTENTS.

CHAPTER I.

PAGES.

PRELIMINARY REMARKS.

What are Diatoms?—Habitats of the Diatomaceæ.— Their extraordinary abundance.—Diatoms form food for aquatic animals in the arctic regions.—They are found in the digestive organs of fishes.—Diatoms in guano.—Fossil diatoms.—Longevity of Diatoms.— <i>Bergmehl</i>	1-3

CHAPTER II.

THE STRUCTURE OF DIATOMS.

Gelatinous envelope.—External coating of silica.— Valves.—Diatoms' markings.—Raphé and nodules.— Endochrome.—Nucleus.—Chemical properties of the endochrome examined spectroscopically.—Oil globules in <i>Pleurosigma</i> .—Molecular movement in the protoplasm	4-6

CHAPTER III.

THE MOVEMENT OF DIATOMS.

Movements observed.—The existence of endosmotic and exosmotic currents.—The existence of cilia on some parts of the frustule.—The existence of a snail like foot external to the frustule.—Movements caused by a modification of the interchange of gases	7-15

CHAPTER IV.

CLASSIFICATION OF THE DIATOMACEÆ, WITH A CONSPECTUS
OF THE FAMILIES AND GENERA.

The raphidieæ.—The pseudo-raphidieæ.—The Crypto-
raphidieæ.—Species 16-38

CHAPTER V.

MODES OF REPRODUCTION.

By simple division.—By auxospores.—By conjugation. 39-42

CHAPTER VI.

COLLECTING DIATOMS.

How their presence may be detected.—Free species.
—Stipate species.—Frondose species.—Methods of
collecting.—Disintegrating fossil diatoms 43-45

CHAPTER VII.

MOUNTING DIATOMS.

To mount *in situ*.—Method of preparing frustules for
mounting dry, or in a medium.—Mounting dry.—
Mounting in media.—Methods of charging the
markings of Diatoms.—Mercurous sulphide method.
—Silver nitrate method.—Colour of final cell-ringing. 46-51

CHAPTER VIII.

MICROSCOPICAL EXAMINATION OF DIATOMS.

Microscope stands.—Objectives and Condensers.—
The use of a Condenser.—Preparing endochrome
for examination by a micro-spectroscope.—Cutting
sections of valves 53-59

CHAPTER IX.

HOW TO PHOTOGRAPH DIATOMS.

The Camera.—The microscope stand.—Objectives, and oculars.—The dark room.—Chemicals.—The illuminant.—Oxy-hydrogen.—Coal gas.—Paraffin.—Sunlight.—Monochromatic light.—Exposure of the plate.—Development.—Printing.—Lantern slide making 61-77

CHAPTER X.

BIBLIOGRAPHY RELATING TO DIATOMOLOGY.

Containing almost every reference to Diatoms up to the present time, arranged alphabetically under the authors' names	78-240

INDEX 241-243

AN INTRODUCTION TO THE STUDY OF THE DIATOMACEÆ.

CHAPTER I.

PRELIMINARY REMARKS.

WHAT are Diatoms? They are a family of Confervoid Algæ (being so minute that a microscope is required to distinguish them), commonly known as brittleworts, and formerly called by Kützing, Bacillariaceæ, from the genus Bacillaria. They are now termed Diatomaceæ from the word Diatoma.

Formerly Diatoms were regarded as belonging to the animal kingdom, but they have long since been definitely classified as Cryptogamia.

The Rev. William Smith, one of our early authorities as to their habits, states:—"The Diatomaceæ inhabit the sea or fresh water; but the species peculiar to the one are never found in a living state in the other locality; though there are some which prefer a medium of a mixed nature, and are only to be met with in water more or less brackish. The latter are often found in great abundance and variety in districts occasionally subject to marine influences, such as marshes in the neighbourhood of the sea, or the deltas of rivers, where, on the occurrence of high tides, the freshness of the water is affected by percolation from the adjoining stream, or more directly by the occasional overflow of its banks. Other favourite habitats of the Diatomaceæ are stones of mountain streams or waterfalls, and the shallow pools left by the retiring tide at the mouths of our larger rivers. They are not, however, confined to the localities I have mentioned—they are in

fact, most ubiquitous, and there is hardly a road side ditch, water-trough, or cistern, which will not reward a search and furnish specimens of the tribe."

It is impossible to conceive the extraordinary abundance of Diatoms throughout the world. According to Prof. Ehrenberg, they have exercised an important influence in blocking up harbours and diminishing the depth of channels.

A deposit of mud, chiefly consisting of their siliceous valves, no less than 400 miles long, by 120 miles broad, was found at a depth of between 200 and 400 feet, on the flanks of Victoria Land, in 70° South Lat. Of the thickness of this deposit no conjecture can be formed.

Sir J. D. Hooker's observations upon the Diatomaceæ of the Southern seas show that within the Antarctic Circle Diatoms become enclosed in newly formed ice, and are washed up in myriads by the sea on to the "pack" and "bergs," where their presence makes the snow and ice a pale ochreous brown. The same author remarks that the universal presence of this microscopic vegetation throughout the South Polar Ocean is a most important feature, since there is a marked deficiency in this region of higher forms of vegetation. Were it not for Diatoms there would not be food for aquatic animals, nor could the ocean waters be purified from the carbonic acid which animal respiration and decomposition would be continually imparting to them.

Diatoms are found in the digestive organs of fishes, where many rare specimens may often be obtained.

It is worthy of note that singular instances of the preservation of diatoms may be found in guano, into which they have passed from the intestinal canals of the birds of whose accumulated excrement that substance is composed, the birds having received them from shell-fish, to which Diatoms most probably serve as food. They are also found in the fossil state in many places in great abundance.

“As regards the longevity of Diatoms,” says the Rev. F. Wolle,* “it may be said that dried specimens can not be revived, but they have been known to survive nearly a quarter of century in their natural element, even though kept for long periods in the dark, and at times frozen in solid ice. Their siliceous covering is almost indestructible, resisting the strongest acids and passing unscathed through very high degrees of heat.”

Large deposits of Diatoms in Sweden and Norway are known under the name of *bergmehl*, or mountain-flour; and in times of scarcity the inhabitants mix a quantity of the fine deposit with their flour when making bread. This does not merely increase the bulk of the loaves without adding any nutritive qualities, as some have averred, for the *bergmehl* loses from a quarter to a third of its weight on exposure to a red heat, thus demonstrating that it contains a large quantity of organic matter.

* *Diatomaceæ of North America*, p. xiii.

CHAPTER II.

THE STRUCTURE OF DIATOMS.

ALL living Diatoms possess a gelatinous envelope, which, owing to its transparency, can only be readily detected by means of adding a colouring matter to the surrounding water. In certain species this gelatinous matter forms a stalk giving the Diatom the appearance of a flower growing on a stem. Inside this outer mass lies the frustule, which is a simple cell, having a firm external coating of silica (Cytioderm). The frustule consists of two symmetrical portions or valves (comparable to those of a bivalve shell), which are in contact at their margins with an intermediate hoop. In the pill-box forms, the top and bottom constitute the valves, the sides are known as the connecting membranes or sutural zones, and when detached are called the hoops. The line of juncture forms a suture, along which the valves may be readily separated.

The outline of frustules is infinitely varied. Almost every conceivable form may be found ; triangular, square, and many sided figures oval, boat-shaped, rod-like, circular, globular, saddle-shaped, lunate, are the most frequent shapes. The valves of these beautiful frustules possess markings of varying degrees of fineness, presenting an appearance of dots, grooves, ridges, etc., differing with every species. The question whether, in certain species, these markings are perforations, depressions, protruberances or cells within the siliceous wall, has raised in the past, and no doubt will do so in the future, numerous controversies about their actual formation, and the punctate, striate, or other appearances which the microscope presents to us.

Many genera are furnished, on either side of the frustule with a median line, or keel, called the raphé.

The raphé has a central nodule and often at either end it is terminated by other nodules.

The raphé was adopted by Prof. H. L. Smith in his diatomacean classification (which is incorporated in this work) as the primary basis of the families.

Within the frustule is an endochrome, the superficial layer of which constitutes a primordial utricle, which is firmly attached to the silex. "The endochrome of Diatoms consists, as in other plants, of a viscid protoplasm, in which float the granules of colouring matter. In the ordinary condition of the cell these granules are diffused through it with tolerable uniformity, except in the central spot, which is occupied by a nucleus: Round this nucleus they commonly form a ring, from which radiating lines of granules may be seen to diverge into the cell-cavity. Instead of being bright green (as in the Desmidiaceæ), the endochrome is a yellowish brown. The principle colouring substance appears to be a modification of ordinary chlorophyll; it takes a green or greenish-blue tint with sulphuric acid, and often assumes this hue in drying; but with it is combined in greater or less proportion a yellow colouring matter termed *diatomin*, which is very unstable in the light and fades in drying. At certain times, oil globules are observed in the protoplasm; these seem to represent the starch-granules of the Desmidiaceæ and the oil globules of other protophytes."*

The chemical properties of the endochrome were first investigated by Prof. H. L. Smith, with the micro-spectroscope. Several other authors have fully treated of this subject, especially MM. Kraus, Millardet, Petit.†

In the *Pleurosigma* the oil-globules are four in number; a pair near each end of the diatom. They are not, however, all in the same plane; one globule of each pair being nearer

*The Microscope, by Carpenter, 7th Ed., by W. H. Dallenger, p. 517.

†See also M. Petit's account of endochrome in Bull. Soc. Belg. Micr., V. p. 55, 1880. (A full translation appears in T. R. M. S., iii., p. 680, 1880.)

the observer than the other. Mr. Jabez Hogg states* that the blue-black colour which is assumed by these globules. After the diatom has been treated with hypermosic acid, demonstrates that they consist of oleaginous matter.

Besides the central mass contained in the frustule, the conical cavities at either end of the siliceous shell are seen to be filled with a similar granular substance, and two linear extensions from each of these three masses are developed, closely underlying that part of the shell which is beneath the raphé (the central longitudinal line which is so prominent in the *Pleurosigma*); so that in the side view they appear attached to the right and left edges of the interior of the frustule. This colourless granular substance carries in its centre, near the middle of the diatom, an imperfectly developed nucleus, which is not readily seen, but which may be easily demonstrated by the application of acid. The colourless substance is what, in other diatoms, Schultze shows to be Protoplasm, or vegetable sarcode. It contains numerous small refractive particles; which on the addition of a drop of a one per cent. solution of osmic acid became blue-black and proved to be fat. It is, however, excessively difficult to determine the exact limitations of the protoplasm, on account of the highly refractive character of the siliceous skeleton, and the obstruction presented by the endochrome.

After a short distance, the protoplasm reappears, and is contracted into a considerable mass within the conical terminations of the frustule. Schultze observed in this part of the protoplasm a rapid molecular movement such as is known to occur in the *Closterium*, and further, a current of the granules of the protoplasm along the raphé.

*The Microscope, by Jabez Hogg, 11th Ed., page 424.

CHAPTER III.

THE MOVEMENT OF DIATOMS.*

There is nothing more interesting or more obscure than the movement of these microscopical plants.

For the purposes of this chapter Diatomaceæ may be roughly divided into three groups. viz.:—i.—those which live free and apart from each other; ii.—those which live in chains or stalked groups; and iii.—those which live together in large numbers encased by a branching gelatinous envelope. It is, however, only in those species which are free, and in a few of the fixed and chain species, that movements have been observed.

Anyone who gets a handful of duckweed or conferva from a pond, and places some of its droppings under the microscope, is certain to observe some forms of *Navicula*, *Nitzschia*, or *Synedra* exhibiting movements. The motion is of a particular kind, a slow regular advance in a straight line, a little hesitation, then other rectilinear movements, and after a short pause, a return upon nearly the same path by similar movements. It is particularly noticeable that an obstacle in the path does not affect the Diatom, which does not shrink from or avoid foreign bodies in any way, nor is there the slightest evidence that contact with them affects the nature of the movement, as it almost invariably does in the lowest Protozoa. Either the obstacle is pushed on one side by the Diatom, or, should it be too large for this, the Diatom remains pressing against it for as long a space of time as would have been occupied in its forward movement had it

*This Chapter is principally taken from Mr. Ray Lancaster's paper in *The Popular Science Review*, 1866, p. 395.

been unopposed. As compared with the rapid darting evolutions of the Infusoria, the movements of the Diatoms are slow. They have been estimated by the Rev. W. Smith to move about 400 times their own length in three minutes; that is to say, a form $\frac{1}{400}$ of an inch in length moves more than $\frac{1}{200}$ of an inch in a second.

Referring to the strength and vigour of the movements of Diatoms, Dr. Donkin observed* a species, *Bacillaria cursoria*, discovered by himself, push away *A. arenaria*, a species at least six times its own size. Mr. Barkas states that he has seen them push away particles of foreign matter, and that with the greatest ease, at least one hundred times larger than all the frustules combined; and what is more remarkable still, they not only push the accumulated particles away when they are in their direct line of motion, but if they merely touch them in passing, they drag them with them as though attached by some magnetic attraction or strong cement.

No organ capable of producing these movements of the siliceous frustule are apparent to the observer on his first inspection, and many different hypotheses have been advanced to account for them.

The various explanations offered come under one of three heads, viz. :—

- i.—The existence of endosmotic and exosmotic currents ;
- ii.—The existence of cilia on some part of the frustule ; or,
- iii.—The existence of a snail-like foot external to the frustule.

Nägeli, in 1849, was the originator of the first of these hypotheses, and his explanation was adopted by Von Siebold and the Rev. W. Smith. Nägeli says :—“ The cells have no special organs for these movements. But as in consequence of their nutritive processes they both take in and give out fluid matters, the cells necessarily move when the attraction

**Quart. Jour. Mic. Sci.*, vol. vi., new series, p. 26.

and emission of the fluids is unequally distributed on parts of the surface, and is so active as to overcome the resistance of the water."

Von Siebold demonstrated the existence of currents on the surface of *Naviculæ* by means of indigo, and considered his researches corroborative of Nägeli's hypothesis. He remarked that indigo particles coming in contact with the Diatom remained quite motionless, except along the raphé; here he observed that the granules were carried from the central spot slowly along to the terminal points of the frustule, where they stopped a short time, and were then again carried off in the reverse direction. He found the current occasionally so strong that bodies of some size were set in motion by them. The Rev. W. Smith accepts this theory, for he states in the introduction to his synopsis of the British Diatomaceæ, that that the fluids which are concerned in these actions must enter and be emitted through the minute foramina at the extremities of the siliceous valves; and it may easily be conceived that an exceedingly small quantity of water expelled through these minute apertures would be sufficient to produce movement in bodies of so little specific gravity.

We now come to the hypothesis of ciliary action. Ehrenberg was the first to start this explanation with singular confidence and inconsistency, as we shall see that he had already advanced the explanation of a central foot. He gives the following minute details, which have only the most remote foundation in fact, in reference to *Surirella gemma*:—"Long delicate threads projecting where the ribs or transverse markings of the shell joined the ribless lateral portions, and which the creature voluntarily drew in or extended. . . . An animulcule, $\frac{1}{18}$ of a line long, had twenty-four for every two plates, or ninety-six in all." These ciliary processes were stated to be actively vibratile, while the frustule was declared to be perforated with ninety-six apertures for their extrusion. The presence of hair-like processes on all parts of the frustule

is not at all infrequent, and it is not improbable that Ehrenberg was deceived by these. There can be little doubt that these hairs are foreign to the Diatom, and are, in all probability, fungoid growths. Mr. Jabez Hogg tells us* that he has repeatedly satisfied himself that the motive power is derived from cilia arranged around openings at either end (in some also around central openings), which, with the terminal cilia, act as paddles or propellers. However, Mr. Wenham has clearly shown that Mr. Hogg's cilia were mere optical illusions.

Ehrenberg, having abandoned his theory of an expanding, snail-like foot projecting from the central opening in *Navicula*, *Surirella*, *Gemma*, etc., announced the discovery of ciliary processes, situated along the lateral openings of the frustule, capable of extension or retraction at intervals. Kützing, a reliable observer, partially acquiesced in this view. He was of opinion "that the openings or pores in the siliceous valves gave exit to gelatinous substances, analogous with that thrown out during the act of self-division, and which often persists when the act is completed, as observed in *Cæconeis*, *Melosira*, *Cyclotella*, *Fragilaria*, etc."

This writer in the 4th Ed., 1861, of Pritchard's Infusoria considered that, at the time when he wrote, it was not satisfactorily ascertained that minute cilia did not exist along the raphé, causing the currents of indigo particles described by Von Siebold.

Thirdly, and lastly, we have to consider the hypothesis of some form of snail-like foot. Ehrenberg asserted that such a foot was protruded from the central thickened portion of the frustule, known as the umbilicus, which he believed to be a perforation. M. Focke believed in the existence of many such feet, of a temporary character, while Mr. Wenham advanced the following speculations on the cause of the move-

* Journal of the Microscopical Society, 1855, p. 235.

ments, which, from their close approximation to the true state of the case as ascertained by Prof. Schultze, deserve especial attention. He says* :—" If caused by the action of cilia, such extremely rapid impulses would be required to propel the comparatively large body through the water, that surrounding bodies would be jerked away far and wide. A similar effect would be observed if the propulsion were caused by the reaction of a jet of water, which, according to known laws of hydrodynamics, must necessarily be ejected with a rapidity to indicate the existence of the current a long distance astern. I consider there is no ground for assuming the motions of the Diatomaceæ to be due to either of these causes. They are urged forward through a mass of sediment without displacing any other particles than those they immediately come in contact with, and quietly thrust aside heavy obstacles directly in their way with a slow but mechanical power, apparently only to be obtained from an abutment against a solid body. In studying the motions of the Diatomaceæ, I have frequently seen one get into a position such as to become either supported or jammed endways between two obstacles. In this case particles in contact with the sides are carried up and down from the extreme ends with a jerking movement and a strange tendency to adherence, the Diatom seeming unwilling to part with the captured particle. Under these circumstances I have distinctly perceived the undulating movement of an *external membrane*; whether this envelopes the whole surface of the siliceous valves I am not able to determine, nor do I know if the existence of such a membrane has yet been recognized. The movement that I refer to occupies the place *at the junction of the two valves*, and it is caused by the undulation of what is known as the connecting membrane. This will account for the progressive motion of the Diatomaceæ, which is performed in a manner analogous to that of the gasteropoda. The primary cause, however, is different, and not due to any

* Journal of the Microscopical Society, 1856, p. 159.

property of animal vitality, but arises, in my opinion, from the effects of vegetable circulation. I have observed several corpuscles of uniform size travel to and fro, apparently within the membrane which is thus raised in waves by their passage."

The researches of Prof. Max Schultze, of Bonn, were published in December, 1865. He reviews the history of the subject and after some remarks on the external currents in *Rhizosolenia* and *Coscinodiscus*, he proceeds to describe his very minute and careful observations on a marine naviculoid species, the *Pleurosigma angulatum*, which is not infrequently met with on the sea-coast. The *P. angulatum* is to be preferred for examination to the larger *P. balticum*, because the transverse markings on its frustule do not impede to so great an extent the observation of what is going on within. When you have a specimen of *P. angulatum* under the microscope, if crawling, it always has its broad side turned to view, one raphé being uppermost, the other in contact with the glass on which it is placed. Prof. Schultze observed in the protoplasm a rapid molecular movement, such as is well known in the Desmid *Closterium*, and further, a current of the granules of the protoplasm along the raphé. *P. angulatum* crawls, as do all Diatoms possessing a raphé, along the line of suture. To crawl along, it must have a fixed support. Free swimming movements are never to be observed in this or any other Diatom. Accordingly he invariably found that the raphé was in contact with either the glass slip or the cover glass, or was in opposition to some foreign body of considerable size, even when it was standing on end. Where the Diatom crawled along the smooth surface of the glass cover, Schultze noticed that there was a slight turning of the longitudinal axis; this he connected with the fact that the raphé inclines to opposite sides at either end of the frustule.

Having thus determined that a moving protoplasmic mass was intimately connected with the raphé, and that if there

were an external organ of locomotion, the raphé must prove to be its seat, Schultze's next care was to minutely examine the current of granules which he had discovered in the protoplasm underlying the raphé. If he should find that any of the current protoplasm was flowing *externally*, the motor organ in Diatomaceæ would be discovered. It was impossible to see any such phenomenon by simple inspection. Accordingly, Schultze repeated the experiments of Siebold, and observed the same fact that Siebold and Wenham had seen, namely, that particles of foreign matter stuck to the raphé, as though it were covered with some glutinous material, and were carried slowly along by the action of some current. This he observed in many Diatoms, and found invariably that foreign particles adhered only to the raphé or what corresponded to it. "There is obviously" says Prof. Schultze, "but one explanation; it is clear that there must be a band of protoplasm lying along the raphé, which causes the particles of colouring matter to adhere, and gives rise to a gliding movement. For there is one phenomenon which can be compared with the gliding motion of foreign bodies on the Diatomaceæ, and that is the taking up and casting off of particles of the pseudopodia of the rhizopoda, as observed, for instance, on placing a living *Gromia* or *Miliolina* in still water along with powdered carmine. The nature of the adhesion and of the motion is in both cases the same in all respects. And since with Diatoms as unicellular organisms, protoplasm forms the principal part of the cell body, everything suggests that the external movements are referable to the movement of this protoplasm."

Unfortunately, however, as it may seem, the Professor could not see this protoplasm; for although he had clearly witnessed the movement of granular protoplasm along the raphé in the *interior* of the frustule, in no Diatom could he observe it *externally*. When we reflect upon the great difficulties offered by the minuteness of the Diatom, the refraction of the siliceous shell, and the close packing of the

endochrome, we cannot but admire the perseverance and acumen displayed. Having satisfied himself that no external movement of *granular* protoplasm could be detected, after examining *Pleurosigma*, *Survirella*, and many others, our observer came to the only conclusion open to him—that the protoplasm moving on the exterior of the raphé is *hyaline*, and totally free from granules, just as are the pseudopodia of *Gromia* and *Diffugia*, described by him. The perforations in the shell along the raphé are so infinitesimal as to be scarcely perceptible with the microscope, and it is through these holes the protoplasm has to flow. Accordingly, its granules, or those of any visible size, are of necessity kept back within the frustule, whilst the clear hyaline matter flows slowly over the exterior of the raphé—moving with the inner protoplasm, whose flow is more obvious from the presence of the granules suspended in it. Hence the band of protoplasm coating the raphé has the import of a foot, on which the Diatom creeps.

Professor Schultze remarked that there were three types on which the holes for the hyaline protoplasm were arranged. The first presented to us with long open slits on the surface of the frustule, corresponding with the raphé, and is seen in *Navicula viridis*, and its allied forms. The second type had the raphé closed, but with fine openings at either end—this was the case in *Pleurosigma*. The third type was the most common, existing in all those flat Diatomaceæ in which the raphé ran along the narrower edges of the frustule. In these there were numerous openings placed along the elevated ridge at the sides of the frustule corresponding with the raphé. These are seen in *Nitzschia*, *Survirella*, &c.

The movements of the Diatomaceæ other than those of free locomotion are admirably explained by Professor Schultze's observations. The rotatory movements of some of the stalked species are thus readily accounted for, while the connection of the concatenated species which live in a chain consisting of several individuals, united by their long sides or by their angles,

are rendered intelligible. It is by this hyaline protoplasm that they are connected the one with the other. The movements of *Bacillaria paradoxa* and *Bacillaria cursoria*, which have so much puzzled observers, now receive a ready explanation. The *Bacillariæ* are elongated Diatoms attached to one another by their broad sides. They are frequently seen to exhibit the most strange movements. One frustule slides along its neighbour until it is only attached to it by its edge; the next one above performs the same movement, and then the whole colony follows the example, so that they come spread out like a flight of steps; after a short pause the movement is reversed. This curious phenomenon is easily explained by the gliding movement of the hyaline protoplasm of one frustule upon that of its neighbour.

It is now more than ten years since Herr T. W. Engelmann most carefully investigated the preception of light and colour possessed by Diatoms, and other of the lower organisms.* His observations led him to conclude that movement in Diatoms was directly caused by a modification of the interchange of gasses, without apparent addition of a sensation, being intimately connected with the presence of free oxygen, which, if not present, could be produced by light upon these organisms. This being the reason why they are stationary when enveloped in darkness and in want of oxygen. This observer found that after movements had ceased owing to want of light, they might be made to recommence by illuminating the Diatom with the red portion of the spectrum. He found that red between the lines B and C promoted the most active movements, while ultra-red and ultra-violet were ineffective.

* *Vide Bibliography.*

CHAPTER IV.

CLASSIFICATION OF THE DIATOMACEÆ, WITH A CONSPECTUS
OF THE FAMILIES AND GENERA.*

Diatoms are placed in the vegetable kingdom as follows:—

Class CRYPTOGAMIA; Sub-class ALGÆ; Natural order DIATOMACEÆ, which is divided into three sub-families or tribes, viz:—

- I. THE RAPHDIEÆ, which have a true raphé, at least on one of the valves;
- II. THE PSEUDO-RAPHDIEÆ, having at least on one of the valves a blank space, somewhat like a raphé, they are never furnished with processes, teeth, spines, awns or a true raphé; and
- III. CRYPTO-RAPHDIEÆ, never possessing either a true raphé, or a pseudo-raphé, are generally circular or angular in form, and often furnished with teeth, spines, etc.

Tribe I.—The Raphidieæ.

[N.B.—s.v.=side view; f.v.=front view.]

Frustules mostly bacillar in s.v.; sometimes broadly oval;	{	always with	{	a distinct raphé and nodules on one or both valves; central nodule rarely wanting or ob- scure; valves simple or complex; raphé generally prominent in s.v., occasionally in f.v., especially when con- stricted, with nodules at the constrictions;
		without	{	teeth, spines, awns, or processes.

* This classification here given is that of Prof. H. L. Smith, of Geneva, revised by the author in accordance with our present knowledge of the subject. Prof. Smith's conspectus was published in "*The Lens*" in the year 1873, and there are only six copies at present known in existence, as almost the whole edition perished in the great fire at Chicago.

ANALYSIS OF THE FAMILIES.

(The figures refer to the corresponding numbers on the left of each section)

	Frustules with valves alike	2
	Frustules with valves unlike... ..	1
1	{ Valves cuneate... .. <i>Gomphonemeeæ</i> —	
	{ Valves not cuneate	7
2	{ Valves symmetrically divided by the raphé ...	4
	{ Valves not so divided... ..	3
3	{ Valves alate, or obliquely striate	4
	{ Valves not as above, more or less arcuate or cymbiform ... .. <i>Cymbelleæ</i>	
4	{ Valves with central nodule equally distant from ends ... .. <i>Naviculeæ</i>	
	{ Valves not as above	5
5	{ Valves with central nodule wanting ... .. <i>Naviculeæ</i>	
	{ Valves not as above	6
6	{ Valves with central nodule unequally distant from ends ... .. <i>Gomphonemeeæ</i>	
	{ Valves not as above	7.
7	{ Frustules genuflexed, nodule or stauros on one valve, usually on the concave margin (at the constriction), valves rarely broadly oval... <i>Achnantheæ</i>	
	{ All others, valves generally broadly oval, rarely bent ... .. <i>Cocconideæ</i>	

ANALYSIS OF THE GENERA.

FAMILY I.—CYMBELLEÆ.

Frustules sometimes complex ; frequently hyaline, inflated, or constructed in f.v. ; with central nodules approximate and touching the connecting zone ; median line often inflexed. Valves frequently with a tranverse line (stauros) ; connecting membrane often longitudinally striate or punctuate ... .. *Amphora*

Frustules not as above 1

- 1 { Frustules free, terminal nodules near the ends,
     raphé more or less arcuate... .. *Cymbella*
 { Frustules often in gelatinous tubes ... .. *Encyonoma*

FAMILY II.—*NAVICULEÆ*.

- Frustules compound, valves with loculi (marginal cells) ... .. *Mastogloia*
 Frustules not as above 1
- 1 { Frustules compound (each with two plates); one
     (superior) with tranverse ribs the other (inferior)
     striate, with raphé and nodules ... .. *Stictodesmis*
 { Frustules not as above 2
- 2 { Valves with a conspicuous, tranverse smooth
     siliceous band (stauros) not alate ... .. *Stauroneis*
 { Valves not as above 3
- 3 { Valves sigmoid or arcuate; or frustules not alate,
     or raphé inflected or reflected 10
 { Valves not as above 4
- 4 { Valves with a central nodule... .. 5
 { Valves without a central nodule, or obscured 9
- 5 { Valves having unique raphé 6
 { Nodules central and terminal elongated between
     the branches of a double raphé ... .. *Vanheurnchia*
- 6 { Valves with connecting zone, and straight raphé .. 7
 { Valves with connecting zone, raphé sigmoid... *Scoliopleura*
- 7 { Terminal nodules elongated, suture slightly
     elongated ... .. *Colletonema*
 { Valves not as above 8
- 8 { Frustules free ... .. *Navicula*
 { In gelatinous tubes ... .. *Schizonema*

9	{	Valves with nodule median wanting or ob-					
		scured					<i>Amphipleura</i>
		Valves with median nodule					<i>Berkeleya</i>
10	{	Valves symmetrically divided by the raphé, frustules					
		not alate, rarely constricted in f.v. ...					<i>Pleurosigma</i>
		Valves not as above					11
11	{	Valves keeled, not symmetrically divided by the					
		raphé, which is arcuate, ends reflexed, and					
		marginal					<i>Toxonidia</i>
		Valves keeled					12
12	{	Slightly constricted in f.v. ; valves unevenly divided					
		divided by the keel					<i>Plagiotraxis</i>
		Much constricted, valves equally divided					13
13	{	Elongated nodule at each side of keel ...					<i>Amphipora</i>
		Not as above					<i>Donkinia</i>

FAMILY III.—GOMPHONENIÆ.

Frustules curved in f.v. ; nodule on concave of						
valves... ..						<i>Rhoikosphenia</i>
All others						<i>Gomphonema</i>

FAMILY IV.—ACHNANTHÆ.

Valve with straight raphé						<i>Achnanthes</i>
Valve with sigmoid raphé						<i>Achnanthidium</i>

FAMILY V.—COCCONIDÆ.

Valves with marginal cells						<i>Orthoneis</i>
Valves not as above						I

- I { Valves not symmetrically divided by the raphé *Anortheis*
 { Valves simple, the superior being without a pseudo-
 raphé, inferior having raphé and nodules *Cocconeis*

Tribe II.—Pseudo-Raphidiæ.

- Frustules generally bacillar in s.v., sometimes broadly oval; or suborbicular—very rarely orbicular; with or without nodules
- { always with { a pseudo-raphé (simple line or blank space) on one or both valves; or longitudinal septae or vittæ in f.v.; or valves fusiform, sigmoid, beaked, or alate; or with numerous tranverse ribs, plicæ, costæ, striæ, or rows of granules on one or both valves, rarely regularly radial; costæ sometimes showing in f.v.
- { without { processes, teeth, spines, awns, or true raphé on the valves; { except spines very rarely among the *Surirellæ* or *Tabellariæ*, when the character is already sufficiently indicated by the above.
- { never angular in s.v.
- { rarely { hyaline, unstriate; or much developed in f.v., unless longitudinally septate.

ANALYSIS OF THE FAMILIES.

- Frustules compound ; rarely or apparently longitudinally septate or vittate ; septæ or vittæ showing distinctly in f.v. 1
- Frustules not as above, or only seen in s.v. 2
- 1 { Arcuate in f.v. (apparently septate?), valves alike
or differing only by a pseudo-nodule at ends of
concave valve ... .. *Fragilarieæ*
All others ... .. *Tabellarieæ*
- 2 { Valves circular, sub-circular, very broadly oval, or
differently costate 3
Valves not as above 4
- 3 { Valves mostly hyaline, with a few pervious costæ
(scalari form), or arcuate f.v., with valves
differently costate, rarely septate in f.v. ... *Tabellarieæ*
All others ... .. *Surirelleæ*
- 4 { Valves fusiform, sigmoid, beaked, or one margin
more strongly marked than the other ... *Surirelleæ*
Valves not as above 5
- 5 { Valves transversely undulate (undulations conspicuous in f.v.), with transverse shaded bands
Surirelleæ
Valves not as above 6
- 6 { Frustules in f.v. with beaded margins (especially on one side), without ends of costæ ; or carinate, or alate ... .. *Surirelleæ*
Frustules not as above 7
- 7 { Valves pervious or dimidiate, costate or striate, or transversely or irregularly dotted (not carinate or alate ... .. *Fragilarieæ*
Valves not as above 8

- 8 { Fustules with a row of marginal sub-capitate processes, alate or carinate ... .. *Survirellæ*
 { Frustules not as above ... .. *Fragilarieæ*

ANALYSIS OF THE GENERA.

FAMILY VI.—FRAGILARIEÆ.

- Frustules arcuate in f.v. ; valves with interrupted transverse striæ or costæ ; and one or both valves with pseudo-nodules (blank spaces) at the ends ... .. *Gephyria*
 Frustules and valves not as above 1
- 1 { Frustules more or less arcuate in s.v. ; with transverse (often granulate) ribs (canaliculi W. Sm.) ; which in f.v. frequently cause the margin or sub-margin to appear beaded, or dentate ... *Epithemia*
 { Frustules not as above 2
- 2 { Frustules arcuate in s.v. ; not ribbed ; valves transversely striate on concave margin, without median line or nodule, and with pseudo-nodules at the ends ... .. *Eunotia*
 { Frustules not as above 3
- 3 { Valves with a pseudo-raphé, and transverse rows of granules within square cells (clathrate) ; central and terminal nodules distinct... *Glyphodesmis*
 { Valves not as above 4
- 4 { Valves cruciform ; with interrupted transverse striæ (not clathrate), central nodule very distinct ; frustules in f.v., with terminal vittæ ? ... *Omphalopsis*
 { Valves not as above 5
- 5 { Valves arcuate, striæ fine and granulated, with pseudo-raphé and central nodule ; frustules free... *Ceratoneis*
 { Valves not as above 6

- 6 { Valves with central and terminal nodules (or blank spaces), latter prominent in f.v. ; and pseudo-median line (not always distinct) ; valves frequently constricted or inflated at the middle ; frustules cohereing ... .. *Diadesmis*
 Valves not as above 7

- 7 { Valves with a central (generally transverse) blank space, and a central pseudo-ocellus ; or with two or more (few) strong pervious costæ in the middle which are prominent in f.v. ; and transverse (generally moniform interrupted) striæ, costæ, or square cellules : and terminal nodules *Plagiogramma*
 Valves not as above 8

- 8 { Frustules cohering ; quadrangular in f.v., valves without central nodule ; striæ interrupted by a smooth median line, or a blank space ; valves inflated or constricted ; terminal nodules present, and generally prominent in f.v. ... *Dimeregramma*
 Frustules not as above 9

- 9 { Frustules with a serrated suture ; valves without a median line, and with transverse conspicuous rows of perles or dots ... .. *Terebraria*
 Frustules not as above 10

- 10 { Frustules in f.v. narrow, linear ; valves lancrolate or inflated ; with conspicuous moniliform, (generally somewhat radiate) transverse striæ ; and a median line or black space (frequently obscure or wanting) ; nodules absent ... .. *Raphoneis*
 Frustules not as above 11

- 11 { Frustules in f.v. linear ; valve cymbilliform, striæ fine ; without pseudo-raphé ... .. *Campylosira*
 Frustules not as above 12

- 12 { Frustules sessile, solitary, or in lines, elongated,
linear ; slightly cuneate ; valve finely striate, con-
stricted at one end, and without median line *Peronia*
Frustules not as above 13
- 13 { Frustules linear in f.v. ; somewhat hyaline, and en-
larged at one end ; valves striate, without median
line or nodule ; cuneate, and constricted at one
end ; united in a stellate or zigzag manner *Asterionella*
Frustules not as above 14
- 14 { Frustules much elongated ; valves with a smooth
median line or blank space, sometimes obscure ;
frequently a central pseudo-nodule ; transversely
striate, never costate ; sometimes slightly cuneate,
or bent, sessile, filamentous, or attached end to
end ... .. *Synedra*
Frustules not as above 15
- 15 { Frustules very much elongated, straight or undu-
late ; valves inflated at the middle, slender
(awn-like), somewhat irregular punctuate in s.v.,
without median line, or nodules ... .. *Toxarium*
Frustules not as above... .. 16
- 16 { Frustules cuneate ; margin smooth ; valves hyaline
or finely striate, with a median line ... *Licmorpha*
Frustules not as above 17
- 17 { Valves finely striate, punctuate, or more or less
hyaline ; never costate ; median line wanting or
obscure. Frustules narrow in f.v., sometimes
inflated (undulate-arcuate) or constricted ; mar-
gins smooth, cohering, forming a straight (rarely
zigzag) filament ... .. *Fragillaria*
Valves and frustules not as above 18
- 18 { Valves lanceolate with heavy markings, f.v. undu-
late ... .. *Cymatosira*
Frustules not as above 19

19	{	Frustules cuneate ; valves transversely costate or distinctly granular striate, with a median line ...	<i>Podocystis</i>			
		Frustules not as above	20			
20	{	Frustules compound ; valves costate or ribbed ; ends of costæ prominent, sub-marginal and capitate in f.v. ; frustules not cuneate...	<i>Denticula</i>			
		Frustules not as above	21			
21	{	Valves furnished with ridges ; f.v. linear ; frustules cohering ; filament zigzag	<i>Diatoma</i>			
		Valves not as above	22			
22		Valves cuneiform forming a spiral filament...	<i>Meridion</i>			

FAMILY VII.—TABELLARIÆ.

		Frustules linear, or cuneate, and showing moniliform vittæ (ends of costæ) in f.v. ; Valves divided into chambers by transverse ribs (scalariform) ; outer valve finely pervious striate, without median line	<i>Climacosphenia</i>
		Frustules not as above	I
1	{	Frustules curved in f.v. ; valves costate, dissimilar ; septæ rudimentary	<i>Entopyla</i>
		Frustules not as above	2
2	{	Frustules in f.v. with straight vittæ, which are usually alternate ; cohering, forming a zigzag filament : valves transversely striate, and inflated at centre and ends, margin often finely punctuate	<i>Tabellaria</i>
		Frustules not as above	3
3	{	Frustules with straight vittæ, in pairs, and interrupted at the ends and centre in f.v. ...	<i>Diatomella</i>
		Frustules not as above	4

4	{	Frustules with vittæ in pairs, which are straight or undulate in f.v.; not interrupted or enlarged at ends; cohering, forming a zigzag filament ...	<i>Grammatophora</i>	
		Frustules not as above... ..		5
5	{	Frustules filamentous; vittæ in f.v. somewhat enlarged at the ends (clavate); valves pervious costate; costæ few, showing in f.v. ...	<i>Gomphogramma (Tetracyclus)</i>	
		Frustules not as above		6
6	{	Valves without pervious costæ, quite smooth, or very finely striate; often with fine median line; frustules hyaline in f.v. ...		7
		Valves and frustules not as above		9
7	{	Frustules with spines at the angles in f.v. ...	<i>Attheya</i>	
		Frustules without spines		8
8	{	Septæ (or vittæ) in f.v., interrupted, alternate ...	<i>Tessella</i>	
		Septæ not interrupted... ..	<i>Striatella</i>	
9	{	Frustules compound; valves with a median line, and generally blank ends; costate or striate. Septæ in f.v. connected by transverse striæ (latticed); frustules cohering, forming a flat filament	<i>Rhabdonema</i>	
		Valves not as above		10
10		Valves mostly hyaline, with a few pervious costæ (scalariform); linear, orbicular, or inflated	<i>Biblarium</i>	

FAMILY VIII.—SURIRELLÆ.

- Frustules compound; valves broadly oval, unlike;
 one costate, the other sieve-like (cribrose),
 punctuate; without nodules ... *Campyloneis*
- Frustules not as above I

1	{	Valves transversely undulate, undulations conspicuous in f.v. ; striate, and with a few transverse shaded bands ... .. <i>Cymatopleura</i>	
		Valves not as above 2	
2	{	Frustules in f.v. showing a marginal row of short sub-capitate processes; valves transversely costate (scalariform) ... .. <i>Clavularia</i>	
		Frustules not as above 3	
3	{	Frustules bent in s.v., margins finely dotted, valves without median line, and with an unequally notched inflation at one end; cohering in a stellate manner ... .. <i>Actinella</i>	
		Frustules not as above 4	
4	{	Frustules linear in f.v. ; arcuate, with rounded ends in s.v. ; margins punctuate ; valves finely striate, without median line, terminal nodules on the concave margin. Frustules cohering in a zigzag manner, or in tables ... .. <i>Desmogonium</i>	
		Frustules not as above 5	
5	{	Frustules (inconspicuously) alate ; valves elliptical or linear ; not cuneate ; parallel (dimidiate, marginal, or wavy) striate ; rarely costate ; median line, if present, simple, and not beaded or conspicuously marked ; valves sometimes bent along the longer axis (apparently) ... .. <i>Tryblionella</i>	
		Frustules not as above 6	
6	{	Frustules alate (sometimes inconspicuously); valves cuneate, reniform, oval or sub-circular, rarely linear, frequently twisted ; with simple median line, or more or less linear blank space ; centre sometimes blank, or finely dotted ; margins or sub-margins strongly marked (somewhat radiate) ; costæ or plicate (canaliculate, <i>W. Smith.</i>) <i>Survirella</i>	
		Valves not alate, or cairnate 7	

7	{	Not alate 8	
		Wings imperfectly developed and reduced to a keel generally having large punctuations 9	
8	{	Frustules saddle shaped, pseudo-raphé in the form of a cross ... .. <i>Campylodiscus</i>	
		Frustules fusiform, bnt slightly silaceous, furnished with 2 or 3 keels arranged spirally ... .. <i>Cylindrotheca</i>	
		Frustules not as above 10	
10	{	Valves having keels diagonally arranged ... .. <i>Nitzschia</i>	
		Keels on both valves on the same side of the frustule ... .. <i>Hantzchia</i>	

Tribe III.—Crypto-Raphidieæ.

Frustules generally circular, sub- circular, or angular in s.v., more rarely elliptical, oval, or bacilar :	either	{ much developed in f.v., and filamentous ; or processes, teeth, spines or awns ; or more or less hyaline or irregular ; or transversely septate (or costate) in f.v.
	never	{ with a central <i>linear</i> blank space or true raphé, on the valves, except a raphé or pseudo-raphé in Raphidodiscus.

ANALYSIS OF THE FAMILIES.

Frustules cylindrical, or flattened, valves alate (terminated by a calyptré) ; pointed with a bristle... .. <i>Chatocerea</i>		
Frustules not as above 1		
1	{	Frustules with valves dissimilar, or mostly smooth ; furnished with awns, horns, (elongated processes), spines, or septæ, which are sometimes absent or imperfect in fossil forms ; frequently imperfectly siliceous, valves not ribbed radially, or cellulose <i>Chatocerea</i>
		Frustules not as above 2

2	{	Frustules imperfectly siliceous, connecting zone more or less turgid ; connected in distant series ; valves angular, with long central spine ... <i>Chaetocerenæ</i>	
		Frustules not as above 3	
3	{	Valves with a single marginal, or sub-marginal pseudo-nodule ... .. <i>Coscinodisceæ</i>	
		Valves not as above 4	
4	{	Valves lunate, not transversely costate or septate ... <i>Coscinodisceæ</i>	
		Valves not as above 5	
5	{	Valves somewhat hispid ; with sinuato-reticulate lines (not rayed) ... .. <i>Coscindisceæ</i>	
		Valves not as above 6	
6	{	Valves circular or angular, not much developed in f.v., with (obscurely) reticulate centre, and conspicuous, pore-like punctæ ... .. <i>Cosinodisceæ</i>	
		Valves not as above 7	
7	{	Valves alike, smooth (hyaline), with radiating lines (linear rays not terminating in a spine) ; rays definite (few) ... .. <i>Asterolampreæ</i>	
		Valves not as above 8	
8	{	Frustules cuneate in f.v., or with decided ocelli, or processes, or tubercules, generally few and prominent in f.v. (not spines alone) 11	
		Frustules not as above 10	
9	{	Frustules cohering ; generally much developed in f.v., and cylindrical ; firmly siliceous ; valves rarely hyaline, unlike or elliptical ; without median line ; sometimes apiculate, or conical, or with a peculiar central nodule (spine) ; radiate punctuate, or cellulate ; and frequently with marginal or sub-marginal spines. Frustules cohering by smooth sutural lines, or by marginal spines or teeth, or by a central spine ... .. <i>Melosireæ</i>	
		Frustules not as above 12	

10	{	Frustules transversely septate, or costate ; cuneate, angular, or sub-angular	11
	{	Frustules not as above	9
11	{	Frustules little developed in f.v., (free), rarely angular, neither lunate nor cuneate ... <i>Eupodisceæ</i>	
	{	All others, filamentous, generally much developed in f.v. ... .. <i>Biddulphieæ</i>	
12	{	Valve disk more or less undulate, divided into regular compartments, usually alternately light and dark; mostly with marginal or sub-marginal spines or teeth ... .. <i>Heliopelceæ</i>	
	{	Valves not as above	13
13	{	Valves hyaline with umbilical lines ... <i>Asterolampreæ</i>	
	{	Valves not as above	14
14	{	Valves with definite, irregular, flexuose, or bifurcate rays; not hispid, nor with marginal spines ... .. <i>Asterolampreæ</i>	
	{	Valves not as above	15
15	{	Valves hyaline, rays definite, not reaching margin ... .. <i>Asterolampreæ</i>	
	{	Valves not as above	16
16	{	Valves with spatulate, cordate, or deltoid rays, their bases frequently forming a hyaline central area ... .. <i>Asterolampreæ</i>	
	{	Valves not as above	17
17	{	Valves with large marginal spaces, which are neither circular nor hexagonal ... <i>Asterolampreæ</i>	
	{	All others, f.v. angular oval, circular or lunate ... .. <i>Coseinodisceæ</i>	

ANALYSIS OF THE GENERA.

FAMILY IX.—CHÆTOCERÆ.

- Frustules annulate, cohering, elongate, ends alike,
calyptriform; tipped with a spine or mucro;
often imperfectly siliceous ... .. *Rhizosolenia*
- Frustules not as above 1
- 1 { Frustules with two or more horns (elongated pro-
cesses, not spines simply); valves frequently
alike 2
- 2 { Frustules smooth, or with spines, bristles, or horns 3
Frustules compressed, the sutural portion narrow;
horns frequently branching or bifurcate; sometimes
mucronate; valves and horns sometimes with
short scattered spines; horns sometimes obtuse,
short obtuse (mammæ) ... .. *Dicladia*
- Frustules elongated; horns mucronate; valves
dissimilar; generally one horn (or process) on one
valve, two on the other ... .. *Syringidium*
- 3 { Only one valve spined; spine frequently long and
sometimes branching ... .. *Syndendrium*
- Frustules not as above 4
- 4 { Valves angular; spine central; sutural portion more
or less turgid (imperfectly siliceous) with a radiate
series of dots; frustules connected in a distant
series ... .. *Ditylium*
- Valves not as above 5
- 5 { Spines (setæ?) marginal, on both valves; valves
dissimilar and mostly hyaline ... .. *Hercotheca*
- All other forms, valves frequently awned, or with
minute scattered spines, or dissimilar, hyaline or
imperfectly siliceous; or frustules compound; in
fossil forms awns often absent, leaving valves
entirely smooth ... .. *Chaetoceros*

FAMILY X.—MELOSIREÆ.

	Frustules apiculate (drawn out at the extremities or margins to a point)	1
	Frustules not as above	2
1	{ Frustules cylindrical; apiculate in f.v.; valves unlike ... .. <i>Pyxilla</i>	
	{ Frustules not cylindrical; apiculate in s.v.; valves alike ... .. <i>Peponia</i>	
2	{ Valves with a central spine, or coronal or scattered spines; not ribbed; frustules cohering by the spines... .. <i>Stephanopyxis</i>	
	{ Valves not as above	3
3	{ Frustules cylindrical, with somewhat large marginal teeth, and peculiar central spine ... .. <i>Syndetocystis</i>	
	{ Frustules not as above	4
4	{ Valves elliptical or constricted, marginal spines or teeth, and peculiar central nodule ... .. <i>Rutilaria</i>	
	{ Valves not as above	5
5	{ Frustules cylindrical, ends constricted and finally expanded into a connecting nodule <i>Strangulonema</i>	
	{ Frustules not as above	6
6	{ Frustules cylindrical, with border of much elongated cells at junction of margins in f.v. ... .. <i>Skeletonema</i>	
	{ Frustules not as above	7
7	{ Valves circular, with curved marginal rays, and minute marginal teeth ... .. <i>Discosira</i> — <i>Melosira</i>	
	{ Valves not as above	8
8	{ Valves dissimilar, somewhat conical or inflated in f.v.; with radiating lines or ribs, not branching nor bifurcate at extremities; apex truncated; usually spinous; interspaces punctate <i>Stephanogonia</i>	
	{ Frustules not as above	9

9	{	Frustules marked with spiral or crossed bands in					
		f.v.	...	...	...	...	<i>Liparogyra</i>
		All others	...	...	...	...	<i>Melosira</i>

FAMILY XI.—BIDDULPHIÆ.

		Frustules with one neck-like process; generally oblique; cohering, irregular, valves unlike	<i>Isthmia</i>				
		Frustules not as above	...	...	...	..	I
1	{	Frustules transversely costate in f.v.; costæ more or less capitate, resembling music notes; valves transversely costate; without spines or median line	...	...	...	...	<i>Terpsinoë</i>
		Frustules not as above	...	...	...	...	2
2	{	Frustules transversely costate or scalariform; costæ (septæ) showing in f.v., not capitate, valves often lunate, connecting zone hyaline or striate					<i>Anaulus</i>
		Frustules not as above	...	...	...	...	3
3	{	Frustules generally hyaline or slightly silaceous, forming a filament straight or curved	...	...			4
		Frustules not as above	...	...	...	...	6
4	{	Frustules with short processes; valves devoid of spines...	...	...	...	...	5
		Frustules furnished with stout spines					<i>Lithodesmium</i>
5	{	Frustules mostly hyaline or imperfectly silaceous; forming filaments;					
		Filament curved, valve having 2 processes...					<i>Eucampia</i>
		Filament straight, valve having 3-4 processes					<i>Bellerochea</i>
		Processes not as above	...	...	...	...	6
6	{	Processes often elongated, generally straight on the outer margin in f.v., and terminated with a spine or mucro, which is sometimes obscured	...				<i>Hemiaulus</i>
		Frustules not as above	...	...	...		<i>Biddulphia</i>

FAMILY XII.—*EUPODISCEÆ*.

- Valves with plum-rose rays or dots about the flat mastoid processes (or ocelli) ; rarely obscure ; somewhat with a sub-quadrate central portion, or a radiant cellulation interrupted by a linear series terminating in the ocelli ... .. *Auliscus*
- Valves not as above I
- I { Valves with decided ribs, rays, or furrows, connecting the (usual large) processes or tubercles
Aulacodiscus
- { Valves not as above 2
- Valves circular, or oval ; with ocelli, or pseudo-openings, in compartments ... .. *Craspedoporus*
- 2 { Valves discoid with a central thickening or obscure nodule, and an interrupted raphé terminated by minute spines, or spiniform nodules somewhat within the margin of the disk ; central portion of disk naviculoid, depressed, its ends terminating at the spines. Striæ radiate moniliform, extending from raphé to the margin of the valve ... .. *Raphidodiscus*
- { Valves not as above 3
- 3 { Valves circular, with radiating series of minute punctæ, and marginal tubercles ... .. *Perithyra*
- { Marginal tubercles smaller, valves radiate granulate, circular or oval ... .. *Cespodiscus*
- { All others, ocelli (tubercles, or processes) generally quite large, and few, usually sub-marginal ; cellules or granules, rarely radial, or minute *Eupodiscus*

FAMILY XIII.—*HELIOPELTEÆ*.

- Valves with marginal spines obsolete, or if present, few, and in alternate compartments ... *Actinoptychus*
- Valves not as above I

- I { Valves with a hyaline (stellate) umbilicus, with
marginal spines or teeth, connected by a radial
rib .. .. . *Halionyx*
- I { Valves with numerous marginal spines or teeth;
and a hyaline umbilicus; often hyaline spaces
at the base (angles) of each compartment *Heliopelta*.

FAMILY XIV.—*ASTEROLAMPREÆ*.

- Valves hyaline, angular or circular, with straight
rays or ribs not expanded at margin or centre,
and not reaching the margin ... .. *Liostephania*
- Valves not as above I
- I { Disk radiate-punctate, cellulate or granulate; with
several well-defined linear blank spaces (ribs),
from the margin inwards; centre granulate, not
stellate .. .. . *Actinodiscus*
- I { Valves not as above 2
- 2 { Valves inflated, hyaline, or punctate, centre some-
times stellate; rays linear, more or less bifurcating
and somewhat irregular; interspaces blank, or
with curved or sinuose lines ... .. *Cladogramma*
- 2 { Valves not as above 3
- 3 { Valves hyaline; with a broad margin divided by
simple rays; centre hyaline, or granulate, reticu-
late, or minutely punctate ... .. *Mastogonia*
- 3 { All others ... .. *Asterolampra*

FAMILY XV.—*COSCINODISCEÆ*.

- Disk with a circle of large marginal or intra-marginal
cellules; and radiate, or scattered cellules or
punctate ... .. *Heterodictyon*
- Valves not as above I

1	{	Disk with an interior ring of cellulose separating the centre from the broad marginal rim ; cellulation of centre, curved or spiral ... .. <i>Brightwellia</i>	
		Valves not as above 2	
2	{	Disk very complex, or conical in f.v. , with a conspicuous, central, pseudo-opening ... <i>Porodiscus</i>	
		Valves not as above 3	
3	{	Disk cellulose, large, with a broad border of a different structure, separated by a well-defined margin ... .. <i>Craspedodiscus</i>	
		Valves not as above 4	
4	{	Disk hyaline, with distinct umbilicus, and (very) finely marked ; having raged or decussating lines <i>Hyalodiscus</i>	
		Probably often valves of ... .. <i>Podosira—Meliosira</i>	
		Valves not as above 5	
5	{	Disk cellulose, with narrow (somewhat dentate) rim ; connecting zone cellulose ... .. <i>Endictya—Meliosira</i>	
		Valves not as above 6	
6	{	Disk without marginal spines, teeth, or pseudo-nodule ; usually of small or medium size ; and generally with an outer ring-like portion either smooth or striate ; centre often bullate, smooth, or granulate : granules equal, scattered, or rayed, or disk hyaline (or finely punctate), with strong linear straight lines... .. <i>Cyclotella</i>	
		Valves not as above 7	
7	{	Frustules complex ? Disk circular, generally with a marginal or submarginal pseudo-nodule (sometimes absent) ; frequently with minute marginal spines or teeth ; and with a single or double series of radiating dots (in this form $\Leftarrow$) or punctate often subulate (!) blank spaces ... .. <i>Actinocyclus</i>	
		Frustules not as above 8	

- 8 { Frustules cuneate in f.v., lunate in s.v. ... 9
 { Frustules not as above ... 11
- 9 { Valves cellulose, centre blank, margin veined *Hemidiscus*
 { Valves not as above ... 10
- 10 { Valves with indistinct umbilicus, finely punctate
       with radiating lines, dorsal and neutral margins
       with minute teeth or spines ... *Pameria*
 { All others dorsal margin without spines, ventral
       frequently with small pseudo-nodule ... *Euodia*
- 11 { Disk with a radiating series of small equal or sub-
       equal granules and generally with a granular
       umbilicus or centre; marginal teeth or spines
       rarely absent... *Stephanodiscus*
 { Valves not as above ... 12
- 12 { Valves circular much inflated. Frustules in f.v.
       with the longitudinal axis much longer than the
       transverse; not ribbed, nor cellulose; sutural
       portion ("connecting zone") narrow; sometimes
       minute marginal teeth ... *Pyxidicula*
 { Valves not as above ... 13
- 13 { Valves elliptic, circular, or sub-circular; with a
       prickly aspect (hispid) often with minute spines,
       and with sinuato-reticulate rays or lines... *Liradiscus*
 { Valves not as above ... 14
- 14 { Disc circular or angular, with conspicuous punctæ,
       and divided into more or less plicate compart-
       ments, often obscured, by radiating, often
       dichotomizing, lines or blank spaces; centre
       sometimes bullate, or more or less distinctly
       reticulate ... *Stictodiscus*
 { Valves not as above 15

15	{	Frustules compound. Disk circular, with numerous strong, straight, radial ribs, and a hyaline centre, ribs connected by concentric lines, or rows of gemmaceous granules without spines or teeth ...	<i>Arachnoiducus</i>
		Frustules not as above 16	
16	{	Disk with a circle of well-defined marginal or inter-marginal (subulate) spines; cellules in parallel rows ... .. <i>Systephania</i>	
		Cellules not in parallel rows, valves of ... .. <i>Creswellia-Stephanopyxis</i>	
		Valves not as above 17	
17	{	Disk very convex, and strongly cellulose, without marginal teeth or spines ... .. <i>Dictyopyxis</i>	
		Valves not as above 18	
18	{	Disk without rays; frequently hyaline; and with scattered spines or spines ... .. <i>Xanthiopyxis</i>	
		All others, without strong linear rays, or large spines, or teeth ... .. <i>Coscinodiscus</i>	

Dr. A. M. Edwards doubts the existence of true species, or even genera, among the Diatomaceæ.* At all events he claims to have established that all the various species of *Schizonema* and *Homæocladia* are but forms of two species, while both these genera must be united with *Nitzschia*. Again, there are no good characters to distinguish *Schizonema* from *Navicula*; and the twenty-four species of *Micromega* can all be grouped under *Navicula fetida*. Dr. Edward's arguments are based on the fact that he finds specimens of the alleged different species and genera "in the same tube!"

* Amer. Mon. Micr. Journ., xiii (1892) p. 212—6.

CHAPTER V.

MODES OF REPRODUCTION.

MUCH has been written but little is known of the means by which the Diatomaceæ reproduce their species. It seems to be generally acknowledged that they have three modes of multiplication:—by simple division, auxospores, and by a kind of conjugation which is regarded by some as sexual; the three modes, however, pass gradually one into the other.

Simple division commences with the bipartition of the nucleus, and the division of the internal membrane takes place at the same time, as is seen in higher grades of plant life. When the nucleus is about to divide, the two valves of the frustule separate, the contents dividing into two daughter-cells, and new siliceous valves are formed within the old ones, being therefore smaller. This has led Pfitzer to imagine that when diatoms have reached their smallest possible dimensions by repeated binary division, the process of conjugation takes place between them, resulting in the formation of an *auxospore*, capable of reproducing two sporangial frustules of considerably larger size, which would again give rise, by fission, to a new series of diminishing frustules. Dr. Van Heurck states it as a fact, worth noting, that the protoplasm of the primordial utricle generally moves to the centre of the siliceous envelope, probably at the commencement of duplication of that utricle, and again after the phenomenon is terminated, drawing with it the endochrome, and that movements of the coloured matter differ according to the nature of the different genera and families. “But,” states Dr. Dallenger, “binary subdivision cannot take place in genera with unequal valves, as it is universally acknowledged that the two new valves which are

formed in the process of binary subdivision must stereotype themselves on the old valves; and for this reason this process cannot take place in those genera in which axes cross one another, like *Campylodiscus*, or in those in which the two valves, although equal, yet constantly unite in such a way that the similar parts alternate with one another, as may be seen in *Asterolampra*."

In some genera undergoing conjugation, a *zygosperm* is produced as the result of the coalescence of the protoplasmic contents of two different individuals. The conjugating frustules are side by side enveloped in a gelatinous mass, and upon the separation of the two valves the contents of each come in contact and unite in a single *zygosperm*. In other cases two *zygosperms* result from the conjugation of a pair of cells. As the protoplasm emerges from the cells it puts out two protuberances, these meet in pairs, and the whole contents of the pair of mother-cells finally pass into the two *zygosperms*, which complete their development in precisely the same way as the auxospores.

De Bary thus summarises* the four modes in which the Diatomaceæ are reproduced by means of auxospores or *zygosperms*:—

(i.) Two products of conjugation are formed by the union of the contents of two distinct individuals;

(ii.) A similar process results in the formation of a single product of the same nature;

(iii.) A single act of conjugation (production of auxospores) takes place between two portions of the contents of the same individual; and

(iv.) Two such acts of conjugation take place simultaneously between different portions of the contents of the same individual. In all cases the formation of a new individual is completed by the simple division of the product of union

* Bot. Zeit., 1858, Supplement, p. 61; The above translation is taken from Bennett and Murray's *Cryptogamic Botany*, London, 1889.

(auxospore or zygospore) into two symmetrical halves, with or without the intervention of a period of rest.

It may be worthy of note that the tube, frond, stipes, cushion, or mucus pellicle, by which diatoms attach themselves to various objects, such as algæ, bridges, bottoms of boats, etc., is called the Thallus. M. C. Dr. Lanzi observed* in a gathering of *Epithemia ventricosa* taken in Rome, that some portions of the pellicle were composed of a great quantity of round granular corpuscles of a greenish yellow colour. Most of these corpuscles appeared to be similar to those contained in the frustules of the *Epithemia*, and imbedded in a hyaline plasm. At another time he found in a gathering *Cymbella* in a state of reproduction, and was again able to see the round corpuscles, which were small and coloured like the endochrome. They were contained in the thallus, and resembled those in the frustules. On following them through their phases of development he, by repeated observations, ascertained that while increasing in breadth, they preserved their circular form; that afterwards they commenced to elongate, so as to acquire the lunate and naviculoid outline of the mature frustule.

Of these growing forms, some remained attached to the thallus, and others became free. Their number was considerable; and he was easily convinced that they were the result of a new kind of generation. The disparity in size was so considerable, that it would have been absurd to suppose that they had been produced by fissiparity.

Dr. Lanzi was also able to report of other similar acts observed in *Navicula ambigua*, *Nitzschia minutissima*, and *Amphora ovalis*; but in order to avoid repetition confined himself to *Gomphonema olivaceum* only, in which he had followed the series of transformations until the frustule containing the germs became changed into a sporangial cell, and

* Annales de la Société Belge de Microscopie, Vol. IV.

the thallus became charged with germs and frustules in various stages of development. When this cycle was completed, the thallus contained three different forms:—(i.) the sessile sphenelloid form, (ii.) the pedunculate (either simple or dichotomous), and (iii.) the perfect or free form.

Mr. F. Kitton states* that the presence of the “thallus” is by no means uncommon, and he remarks that the reproduction of the Diatomaceæ has not received that amount of attention the subject deserved. Their increase by self-division was the method first observed, more careful observations led to detection of the production of sporangial frustules, or the formation of a sporangium by a single frustule.

* Transactions of the Royal Microscopical Society, 1879 (old series, vol. ii.) page 38—40.

CHAPTER VI.

COLLECTING DIATOMS.

THE diatomist has not far to turn in quest of objects for collection and preservation. As has already been observed in the first chapter, this class of microscopic life is almost universal. It may be met with in fresh, salt, or brackish water in a living state, and large beds of frustules in a fossil state exist; as for instance at Dolgelly. Our mountain streams, lakes, ponds, and ditches contain vast numbers of specimens, which may be collected all the year round. Oyster beds abound with them, and the stomach of almost every fish will yield a good supply.

“ Their living masses,” says the Rev. W. Smith, “ present themselves as coloured fringes attached to larger plants, or forming a covering to stones or rocks in cushion-like tufts (or spread over the surface as delicate velvet), or depositing themselves as a filmy stratum on mud, or intermixed with the scum of living or decayed vegetation floating on the surface of the water. Their colour is usually a yellowish-brown of a greater or less intensity, varying from a light chestnut in individual specimens to a shade almost approaching black in the aggregated masses. Their presence may often be detected without the aid of a microscope, by the absence in many species, of the fibrous tenacity which distinguishes other plants. When removed from their natural position they become distributed through the water, and are held in suspension by it, only subsiding after some little time has elapsed.”

The Diatomaceæ have been divided into two classes, by Herr Johann Nave, viz.:—the free species, or those which have an independent existence; and the stipate, or such as

are attached to other objects, generally Algæ, by means of a stalk. There is however a third division comprising the frondose species, or those in which numerous individual frustules are enclosed, held together by a gelatinous mass, and in appearance not unlike sea-weed.

The free growing species are found entangled with algæ and mosses, or below the surface of the water, wherever the soil, stone, or a fallen leaf is stained with a yellowish brown hue. In rapid streams and mountain torrents they become scattered and numbers of them remain suspended in the foam and may be easily gathered. Also when the sun is shining they liberate oxygen and rise to the surface with the gas. Whenever these minute bubbles are seen to be coloured brown, it may be taken as a sure sign that Diatoms are present.

Certain stipate Diatoms are exactly similar to others of the free kind so far as their frustules are concerned, and their stipate existence forms a convenient basis for distinguishing the families. As examples of the close approximation in the form of the frustule may be mentioned, the *Cymbella*, and *Cocconema*; *Sphenella*, and *Gomphonema*, which are respectively separated solely on account of this difference.

Stipate Diatoms may be found adhering to the larger algæ and similar water plants, tinted with a reddish brown.

When collecting, a number of phials with wide mouths, furnished with corks, should be carried.* The mouth of the bottle being closed with the thumb it is brought close over the coveted colony in the water, and on removing the thumb, the water and Diatoms will rush in. A spoon is frequently used in removing layers of Diatoms from sand at the bottom of pools and rivers. If the masses of Diatoms are entangled amongst algæ, they may be detached and collected

*These can be obtained in a case from Mr. C. Baker, 244, High Holborn, London, W.C.

by means of muslin nets affixed to a rod. Telescopic rods, like Japanese fishing-rods can be procured for carrying the net or a bottle, and are often useful in obtaining specimens which would be otherwise beyond reach.

Diatomaceæ are, as has already been stated, found in fossil form in great numbers, seldom however containing a great variety of species. The mass may sometimes be disintegrated by placing lumps of it in a test-tube, covering them with *Liquor potassæ*, boiling for a short time until the whole breaks up into a sort of mud, which should instantly be poured into a quantity of distilled water and well washed.

CHAPTER VII.

MOUNTING DIATOMS.

THERE are numerous methods of mounting diatoms but only the most simple and efficient will be here enumerated.

To MOUNT *in situ*.

Mr. Rylands' method as given in Mr. Davies' book* is as follows :—"Take a shallow ring of asphalt or black varnish (which must be at least three weeks old), and on the cell, whilst revolving, add a ring of benzole and gold-size mixed in equal proportions. In a minute or two pure distilled water† is put in the cell until the surface is slightly convex. The object having been already floated on to the cover (the vessel used for this purpose being an ordinary Indian-ink pallet), is now inverted and laid carefully upon the water in the cell. By these means the object may be laid down without being removed. The superfluous moisture must not be ejected by pressure, but a wetted camel-hair pencil, the size made in an ordinary quill, being partially dried by drawing through the lips, must be used repeatedly to absorb it. The pencil will draw by capillary attraction as it is very slowly turned round. When the cover comes in contact with the benzole and gold-size ring, there is no longer any fear of the object being removed, and a slight pressure with the end of the cedar stick of the pencil will render the adhesion complete, and cement the cover closely and firmly to the cell. When dry, an outer ring of asphalt makes the mounting neat and complete."

* The Preparation and Mounting of Microscopic Objects, new edition. London, W. H. Allen & Co., 1890.

† One-tenth of pure spirit should be added. F.W.M.

Although Mr. Rylands says that he has had no failures, the author finds that unless a very small quantity of a solution of bichloride of mercury, one in a thousand, be added to the water, the water, containing more or less organic matter, will speedily lead to decomposition of the specimens. Even the gelatinous covering of the Diatoms is sufficient to cause decomposition of the preparation, and soon render an otherwise permanent specimen worthless. The solution of mercury must be handled with care, as it is a very strong poison.

METHOD OF PREPARING FRUSTULES FOR MOUNTING DRY,
OR IN A MEDIUM.

The Diatoms having been separated from the algæ or other matter with which they may be entangled, by agitating the water in which they have been taken, and, if necessary, by the aid of a camel-hair pencil, they are placed in a glass beaker of about eight ounces capacity. The larger and heavier frustules will gradually sink to the bottom, when the rest of the water containing the lighter ones should be decanted off and placed in a similar beaker for them to subside. This may be repeated several times until all the Diatoms have fallen to the bottoms of the several beakers. The decanting is best done with a pipette. Each of the deposits in the beakers should be examined by a power of a one inch, or a two-thirds object glass under the microscope, and by this means the student will learn how to obtain the particular gatherings of which he may be in quest. If on examination any deposit appears to be contaminated with dirt, water and a few drops of liquid ammonia may be added, the whole thoroughly agitated for some minutes with a glass rod, the Diatoms allowed to again subside and the water drawn off with a pipette. It may be necessary to repeat this operation several times, before the Diatoms are free from dirt. When this has been accomplished place the

residue in a large test tube, and add drop by drop nitric acid and boil over a spirit lamp, shaking the tube during this process until all traces of organic matter have been eliminated. Some gatherings require to be boiled in pure nitric acid until the frustules become dark in colour, and then by adding a cold saturated solution of chlorate of potash, drop by drop, to avoid an explosion, until the gathering loses its dark hue.

The Diatoms must now be thoroughly freed from all trace of acid or potash by thoroughly washing in several changes of water, being violently agitated in each, and of course allowed to settle between each decanting, when they will be ready for mounting.

MOUNTING DRY.

A small drop of water containing the frustules is transferred to a cover glass and allowed to dry, after which it is placed on a small platinum disk attached to a handle, and held over the flame of a spirit lamp, until the cover assumes a dull red heat. By these means the Diatoms will be affixed to the cover. The cover can be mounted over a shallow cell either dry or filled with any medium.

MOUNTING IN MEDIA.

Canada balsam, monobromide of naphthaline or any other medium may be used to mount Diatoms by placing the same in the shallow cell.

Mr. E. M. Nelson writes in the Journal of the Qukett Microscopical Club* describing how to prepare the Rev. Father Thompson's high refractive medium, he says:—
“Take *flowers of sulphur, bromine, and arsenious acid* in the proportions of 8, 10 and 12 respectively by weight. Dissolve

the sulphur in the bromine with gentle heat in a thinnish test tube about six inches long. Over a small Bunsen jet add small portions of the arsenious acid, boil and let the condensed vapours of the mixture cool and fall down the sides again. Be very careful that these do not escape. If none of these have escaped, the proportions given will be correct, but, if they do escape, probably a spot more bromine will have to be added to keep the mixture clear.

“No mechanical directions can be given beyond these. Success is very much like that of a cook in his preparations. When made the mixture should be about the consistency of toffy and much the same in appearance. It should be handled with a piece of platinum wire. The more arsenic the better, and a grain or two of the metal itself may be coaxed in towards the end so long as the mixture remains clear. If properly made this will last, so far as I know, for ever.”

Prepared frustules may have their “striæ,” or other markings, being hollow, impregnated with mercurous sulphide or other matter.

Mr. C. Haughton Gill described his method of charging the markings of Diatoms in a communication made to the Royal Microscopical Society, 19th March, 1890.* He described several processes, but we shall refer only to two of them. Firstly the

MERCUROUS SULPHIDE METHOD.

For Diatoms not having excessively fine markings this method is the best. It is as follows:—A cold saturated solution of mercurous nitrate (*sub*-nitrate of mercury) is added to an equal bulk of distilled water. The Diatoms together with a drop of metallic mercury, are added to this solution, which should be placed in a test tube and tightly corked.

*Vide J. R. M. S., 1890. p. 423, also 1891, p. 442.

The longer the Diatoms remain immersed in the liquid the better, weeks being preferable to days.

Before removing them agitate the tube, then draw off the valves suspended in the liquid by means of a pipette, leaving behind any crystals of basic sub-nitrate of mercury which may have formed. Place the Diatoms in a small test tube, and allow them to settle, finally drawing off as much fluid as possible, first with a pipette, and lastly with thin strips of filter paper. When almost dry add to the Diatoms a few drops of a strong solution of ammonium sulphide, which has been recently prepared and which is practically free from dissolved sulphur (*i.e.* not yellow), then shake them up in the test tube, which must be filled up with water and corked and allowed to stand for some hours.

The Diatoms must be thoroughly washed in several changes of water, each being decanted after the valves have fallen to the bottom, as described in the first part of this chapter. The Diatoms, which will now be charged with a black amorphous precipitate, are ready for mounting.

The second method of charging is:—

THE SILVER NITRATE METHOD.

A strong solution of silver nitrate (100 grs. to 1 oz. of water) may be substituted for the mercurous nitrate, the process being the same as already described. It is however only suitable to those Diatoms having the finest markings.

Whatever method has been employed to mount the Diatoms, the slide should be finished with a ring of asphalt, and when this has become hard a ring of gold size. The older the size the better.

The cell-making and final ringing will be done with the aid of an ordinary turn-table. Finally label the slide neatly.

It is a very good plan to add a ring of coloured cement to designate the mounting medium. The following are those used by the author :

Dry	...	...	...	...Black cement.
Canada Balsam	...	...	...	...White ,,
Balsam and Bensole...	...	...	...	..White and red cement.
Bromiodide of Naphthaline...	...	...	...	Green cement.
Thompson's Medium	...	...	...	...Red ,,

In closing this chapter the author advises the student to make several slides of each of his gatherings, at least one *in situ* and another in balsam.

FIG. 1.

CHAPTER VIII.

MICROSCOPICAL EXAMINATION OF DIATOMS.

In this chapter the microscopical apparatus will first be dealt with, and then the methods of its employment.

The student will find that any modern cheap microscope stand made by a good English optician, will answer his purpose, provided that it be fitted with the means to focus a substage illuminator.

The most efficient of the cheaper stands is Messrs. R. & J. Beck's "Bacteriological Star Microscope." This stand possesses fine and coarse adjustments, and a simple substage fitting which can be raised or lowered (in order to focus the Abbe illuminator which it carries), or instantly turned aside. See fig. 1.

The student may rely upon any of the following maker's stands, which possess a substage :—Mr. C. Baker, Messrs. R. & J. Beck, H. Crouch, Ltd., Powell & Lealand, J. Swift & Son, and W. Watson & Sons.

If, however, a really first-class stand is required, the author has a preference for Messrs. W. Watson & Sons' "Van Heurck." The Fig. 2 gives a good representation of one of these stands.

As to objectives it is difficult to advise. A good one-sixth inch, and one inch are the most useful, and will answer most purposes, but for the most minute observations oil immersion lenses of great numerical aperture are necessary.

It is never advisable to use a higher power objective than a one-twelfth, as the amount of resolution displayed depends upon the numerical aperture, and not upon the magnifying power of the lens. Also penetration (or depth of focus, as it

FIG. 2.

is sometimes termed) is, and mathematically must be, in the inverse ratio of the aperture, and varies at a rapidly increasing rate according to the focal length, the rate being one upon the square of the focus.

The two homogeneous oil immersions which the author prefers are Powell & Lealand's apochromatic $\frac{1}{1\frac{1}{2}}$ of 1.4 numerical aperture, and Reichert's semi-apochromatic $\frac{1}{1\frac{1}{2}}$ of 1.25 N.A., both of these objectives will stand a cone of light filling $\frac{3}{4}$ of their back lenses, without breaking down, the latter one giving a remarkably pure image for a cheap lens.

When working with a $\frac{1}{6}$ or $\frac{1}{1\frac{1}{2}}$ inch objective a substage illuminator or some form of condenser becomes necessary. A half-inch objective screwed into an adapter fitting the substage will answer this purpose; the objective being, of course, inverted.

The ordinary Abbé illuminators, costing from 17s. to £1, are cheap and useful lenses, as they can be used with oil immersion objectives by connecting the top of the illuminator with the bottom of the slide under observation with a drop of oil.

For general work Watson's Achromatic Condenser of 1 N.A. is the most useful, as not only can it be successfully employed with lenses of large aperture, but by removing the top lens is suitable for medium powers. For the most critical work with the largest angled apochromatic objectives, Powell and Lealand's apochromatic immersion condenser of 1.4 N.A. is superior to anything that has yet been produced.

The most useful eyepiece to employ is a compensating one, magnifying about 10 or 12 diameters. The above-mentioned appliances will complete the disciderata to enable the student to carefully examine his specimens during the day time. If work is to be done in the evening a lamp should be used. Any lamp will answer the purpose, but a microscope lamp is preferable as it enables the observer to turn the *edge* of the

flame towards the mirror. Fig. 3 shows the lamp used by the author.

FIG. 3.

The condenser should be racked up and down until the edge of the flame is sharply focussed upon the object and by this means a critical image may be obtained.

If the objective is flooded with light a diaphragm should be placed under the condenser to reduce the angle of the cone of light entering the objective. Should this cone be too much reduced in angle a double outline will surround the Diatom.

Living specimens should be examined in a live-box, when their movements may be observed, and their velocity computed by the aid of an eye-piece micrometer, and a stop

watch. When making such examinations it is instructive to add granules of carmine (from a cake of water-colour) with a camel-hair pencil to the water containing the Diatoms. These will be seen to follow such currents as are made by the moving Diatoms, and in many instances to become attached to the gelatinous envelope, especially along the raphé of such Diatoms as possess one.

The endochrome should also be noted, particularly as to whether it takes the form of *laminæ* or of *granules*.

The yellow or brown colouring matter with which the endochrome is impregnated should be examined with a micro-spectroscope (or as it should be termed a spectro-microscope). To do this it is necessary to wash the frustules in several changes of water, in order to detach any algæ or other foreign bodies. After which the frustules should be placed upon filter paper to dry rapidly, and then immersed in a volume equal to their own of 90 per cent. alcohol and left *in the dark* to macerate, until the endochrome loses all its colour.

In about ten days the maceration will be complete and the colouring matter known as *diatomin** will be totally eliminated from the endochrome, which will be observed to be otherwise unchanged.

The alcoholic solution, after the removal of the diatomacean residue, will be in a suitable condition for spectroscopical examination.† This will prove instructive as to its consistency, particularly if comparisons be made between this solution and *Chlorophyll*.

If the beaded appearance, which is almost universal on the valves is to be examined for the purpose of ascertaining its structure the largest apertured lenses must be employed under varying conditions of illumination.

*First so-called by M. Nägeli. *Vide* Gattungen einzell. Algen, p. 7.

†The comparative spectra of *Chlorophyll*, *Phycoxanthine*, and the *Diatomin* of certain Diatomaceæ was first published by M. Petit, in Bull. Soc. Belg. Micr., vol. V., p. 55 (1880); and the chart showing these was reproduced in T. R. M. S., vol. III., pp. 680-687 (1880); and in the text of Dr. Van Heurk's "Synopsis des Diatomées de Belgique."

Dr. J. H. L. Flögel, who has probably devoted more time to systematic methods of observation on sections of valves and fractured fragments than any other investigator, has written an excellent account of his researches.

This observer recommends the following preparatory operations for enabling the investigations to be successfully carried out.*

(1) "If we wish to examine uninjured specimens. The Diatoms are first stained, usually by picro-carminé; then put in absolute alcohol. A glass slip is coated with collodion and allowed to set. To avoid peeling when dry, the collodion must not be too thick. A drop of thick gum is then put on. A cluster of Diatoms is taken direct from the alcohol with forceps and placed in the gum. In consequence of the current set up the Diatoms immediately distribute themselves equally through the gum. As soon as the edge of the gum begins to harden, one frustule after another is drawn to the edge by a very fine needle, where with proper manipulation, they can be piled up like a bundle of rods. All those which interfere with this piling up should be removed. Owing to the staining, the frustules can be readily seen on the transparent ground. As soon as the edge dries, a drop of fluid gum is added by a needle, and this process is repeated until the solid layer of gum has such a thickness that a displacement of the frustules need be no longer feared; a small patch of collodion is then put on. The preparation is now cut out by four cross cuts and carefully removed from the glass; the bundle of Diatoms in gum being contained between two films of collodion. It is advisable to make a drawing with a high power to show the position of the individual frustules and aid in the identification of the sections. The preparation is then put upon a nearly dry flat drop of gum on a piece of cardboard, and the base and edges are made to adhere, if necessary, by a few drops of water, and by the addition of minute drops of gum it is so imbedded that at last it is

* *Vide Bibliography.*

entirely surrounded. This must be carried out so cautiously that the collodion films do not separate; very careful watching of the imbedding process is therefore necessary, especially also to avoid cracks which commence at the edge and might easily extend to the object. From this bundle sections may be made according to the method described by me in 1870.

(2) "Anyone wishing to study the structure of the individual valves and mark their manner of combination can shorten this somewhat detailed process. A cluster of Diatom valves is taken out of the alcohol and placed in a large drop of water on a slide; and the water is allowed to evaporate after the valves have been evenly distributed. A drop of gum already dry—if possible with a flat surface on a piece of cardboard—should be in readiness; another piece of glass is coated with oil of turpentine, which is allowed to run off so that a very thin film is left, which does not readily dry. In this the point of a fine needle is dipped vertically, taking up sufficient oil so that by touching a frustule lying on another slide it will adhere. Thus the frustule can be put on the hardened drop of gum which has been moistened by the breath; this is repeated with a number of valves *ad libitum*, and finally they are covered with minute drops of gum till the required thickness is attained. This transference of dry frustules upon the dry gum is much easier than the process with fluid gum described under (1), because, with the latter it frequently occurs that in bringing a new frustule into place the others are disturbed. With uninjured frustules, process (2) is not available, because these, after the drying of the thin upper layer of gum, moistened with the breath, will at once become charged with air and baffle any cutting. This absorption of air can only be avoided by transferring the frustules from the alcohol directly into the fluid gum, which then diffuses equally through them. At the most the frustule at the moment of hardening is slightly compressed, which injures somewhat the appearance of the section."

FIG. 4.

CHAPTER IX.

HOW TO PHOTOGRAPH DIATOMS.

To photograph Diatoms a camera specially made for that purpose will be required. This may either be vertical as shown in Fig. 4 (as used by the author) or horizontal as in Fig. 5. The engravings clearly show the construction of these cameras. Whether one or the other of them be used it should be furnished with two focussing screens, one of ground glass as usual, the other of plain plate glass; the former being suited for roughly getting an idea of the general contour of the specimen, the latter is used merely as a support for a focussing eye-piece used for focussing the aerial image. This eye-piece is adjusted so as to be in focus for a small object placed under the opposite side of the plate glass when the eye-piece is held in contact with the other surface of the glass. Just in front of the focussing screen a groove should be cut, permitting of tin plates to be used as masks to give a clean edge to the photograph. The most suitable size of camera for the above apparatus would be half-plate, $6\frac{1}{2} \times 4\frac{3}{4}$ inches.

The microscope tube should be of large diameter, unless a projection ocular is to be used; its length also is an important matter, but most opticians are now making microscope stands with a series of draw tubes, which enable one to vary the tube from 6in. to 12in., and to work at any length that seems to give the best results.

It is important to see that the inside of the microscope tube is uniformly of a dead black.

It is essential that the objectives should be corrected for photography, that is to say, the visual and chemically actinic foci must be coincident, or the photographic results will be

blurred and out of focus. Most opticians supply suitable objectives.

Very good work can be done without an eye-piece, but the

FIG. 5.

very best can only be accomplished with its aid. It must be clearly understood that the ordinary eye-piece is not adapted

to photography, and that only those constructed specially for the purpose must be used. These are fitted with one end rotating in a spiral slot, the use of which is explained subsequently.

Undoubtedly, a projection ocular is a great convenience, as the camera does not require to be so long, 30 in. being ample, and at least two-thirds less than the extension generally required when working without one.

It is worthy of note that Zeiss's low power *compensating* oculars may be used for projection in place of his projection oculars, with excellent results.

THE DARK ROOM.

Although development may be carried out in the bedroom at night, in a cupboard, under stairs, in a wine-cellar, and other similar places, they are obviously inconvenient and quite unsuitable for systematic scientific work. A room should be fitted up especially for the purpose, and possibly the most convenient course will be to have means of converting the room in which the apparatus stands into the dark room—in other words contrive that the dark room shall be of such size that the apparatus can be kept *in situ* in it.

The room should be well ventilated, this being a very important item, as when artificial light is used the air gets very foul, especially when ammonia is being used. A good water supply, and a sink, over which development can be carried out complete the essential requirements.

The Illumination.—Gas is the most convenient when it can be obtained. One jet being provided with a by-pass, the pilot flame of which burns behind a collar, thus showing no light when turned down; this serves to illuminate the room on ordinary occasions, and for exposing bromide prints, &c. Another jet is placed inside a lantern glazed with ruby glass:

the screen holding the glass being removable and replaceable with one of yellow, for use during printing, or the development of plates other than orthochromatic. If gas is not available, a paraffin lamp or candles may be employed but these are not so generally useful as gas, the heat from gas being easily adapted as a means of ventilating the room. The flue from the lantern should be led out of the room.

A set of about half-a-dozen dishes of porcelain will be found sufficient. Two or three shelves ought to be fitted up to hold the bottles of reagents. The reagents required are as follows, and the following strengths will be found convenient for photographic use :—

Pyrogallic acid*	..	..	..	..	10%
Bromide potassium	..	..	..	..	10%
Ammonia ..	..	..	..	..	10%
Potass. ferrocyanide	..	..	..	..	10%
Quinol ..	..	..	..	..	crystalline
Potass. hydrate	..	..	..	..	in sticks
Potass. metabisulphite	..	..	..	..	powdered
Sulphite of soda	..	..	..	..	crystalline
Citric acid ..	..	..	..	..	crystalline
Ferrous sulphate	..	..	..	..	sat. sol.
Neut. oxalate potass.	..	..	..	..	sat. sol.
Mercury perchloride	..	..	..	..	sat. sol.
Thiosulphate soda (hypo)	..	..	..	..	sat. sol.
Powdered Alum	..	..	..	..	sat. sol.

The first three substances on the list are most conveniently kept in dropping bottles of about two to four ounce capacity. The alum and hypo being kept in stone jars.

Two measuring glasses should be obtained, one of ten-ounce capacity and another of a drachm. A pair of small balances with glass pans are also required.

The fixing bath should have a wooden lid to prevent dust falling in, it also prevents evaporation when not in use.

A wooden grid should be fixed above the sink to develop upon, this arrangement letting the spillings, &c., fall into the sink below.

The Illuminant. This may be either—

- (a) Oxy-hydrogen lime light.
- (b) Coal gas.
- (c) Paraffin.
- (d) Daylight.

(a) The oxy-hydrogen light is probably the most convenient for the majority of workers, two forms of jet being available—

The “blow-through.”

The mixing jet.

The former is the safest for beginners to work with, the oxygen gas being blown through a hydrogen flame upon the lime cylinder, but the light is not so good as that obtained from the latter, in which the oxygen and hydrogen are mixed in a chamber previous to consumption at the nozzle. The nozzle of this jet should be fine in bore, rather finer than when for use in the lantern; by this means a nearer approach is obtained to the theoretical “point of light.” A very good mixing jet, invented by Mr. Andrew Pringle (made by Messrs. Newton and Co., of Fleet Street, London), is provided with a special cut-off tap, which in one movement cuts the oxygen off completely, and turns at the same time the hydrogen down to a minimum, as shown in Fig. 6.

FIG. 6.

The limes should be of the hardest description ; Nottingham limes being the best we have tried. All good jets are provided with an arrangement for turning the limes when they become pitted, for if their use be continued in this state, the flame is liable to spurt sideways, and so crack the condenser. The gas for the jet can be obtained compressed in steel cylinders. The author uses the oxygen from a cylinder provided with a Beard's regulator which renders possible the adjustment of flame at the taps of the burner ; but he obtains the hydrogen from the mains—that is he uses coal gas for hydrogen. The only danger in this method of working is that unless the oxygen be turned on carefully, it may be blown round into the mains and not only extinguish the light at the jet, but furnish an unpleasant surprise to the next person who attempts to light the gas in another part of the house. With care however this will not happen.

(b) Coal gas alone, may be employed with an Argand burner with fair success, but a Welsbach flame, (which is a Bunsen flame playing upon the interior of a cap made of cotton fibre netted and coated with a mixture of metallic salts, chiefly oxide of zirconium) acts better.

(c) An ordinary paraffin microscope lamp is also available, but is better suited to low powers than to high.

(d) Daylight requires special arrangements, scarcely within the reach of ordinary workers ; a heliostat is needed to keep the sunlight upon the condensers.

MONOCHROMATIC LIGHT.

Fluid saturators in cells, or coloured glasses placed between the condenser and the light are of little, if any, service in improving the photographic image. Mr. E. M. Nelson's apparatus described in J. R. M. S., 1891, p. 443-6, answers very well and with regard to resolving power with a blue-green light, it practically adds $\cdot 1$ to the N. A. of the objective ; thus a D.D. of $\cdot 8$ becomes a lens of $\cdot 9$ N. A., and

without increasing the sperical aberration. There can be no secondary spectrum with monochromatic light, therefore an ordinary achromatic lens acts as well as an apochromatic.*

EXPOSURE OF THE PLATE.

First go into the dark room, shut the door, and light the red lamp, then open a box of plates, and one of your double dark slides. Take two plates out of the box, dust the film side carefully with a broad, soft brush, and place them in the dark slide, the film side of the plates being turned towards the shutters of the double dark slide. Carefully fasten up the remainder of your plates in the box, and daylight may then be permitted in the room. Screw on to the body a one inch power, and place the microscope ready to attach to the camera. The light, whether oil lamp, electric, or any other, must be placed in the exact optical axis of the microscope, together with the condenser. Focus both the objective and the condenser upon the object placed on the stage. Too much stress cannot be laid upon the importance of having the condenser perfectly centred, whether it be the large four-inch condenser, a wide-angle substage condenser, or an ordinary large bull's-eye. The image of the flame must be exactly focussed in the centre of the field. If it is too much on one side, the opposite edge of the field will be dark.

Presuming that all is ready, roughly focus with the ordinary eye-piece and then remove it, inserting in its place a projection eye-piece. Bring the camera into position, but so that the fingers may grasp the revolving head of the eye-piece, which must be turned backwards and forwards until the round disc of light thrown upon the focussing screen has a sharp and clearly defined margin. The camera can now be connected with the microscope.

*Vide J. R. M. S., 1891, p. 442; 1892, p. 1.

Withdraw the shutter, uncovering the plate, and after taking care that the camera no longer vibrates, remove the black card from the lamp for, say, one minute, with an ordinary oil lamp having a $\frac{5}{8}$ in. wick or about twenty seconds with lime-light. The shutter having been replaced and the slide removed, the plate should be developed as described later on.

DEVELOPMENT.

In the last chapter we have seen how the plate is to be exposed. Our attention must now be turned to the process of development, by which the latent image in the film is to be brought to light, thereby making a negative of the plate from which any number of positive copies may be printed.

First, the developing and fixing solution must be prepared. There are several reagents which act as developers of the latent image. That which is still most generally used is pyro and ammonia, or alkaline pyro. This should be prepared in three stock solutions, viz :—

No. 1.				
Pyrogallic acid ..	..	..	..	1 ounce.
Sulphite of soda ..	..	..	..	3 ounces.
Water to make ..	..	..	..	10 ounces.
Sulph. acid ..	..	..	..	5 drops.

The sulphite (take care it is pure) must *first* be dissolved in hot water, and when cold the pyro added to the solution, or the pyro ready made up in a 10 per cent. solution may be obtained at a photographic dealer's under the name of sulpho-pyrogalol.

No. 2.				
Bromide of potassium ..	..	..	..	1 ounce.
Water to make ..	..	..	..	10 ounces.
No. 3.				
Liquid ammonia '880 ..	..	..	..	1 ounce.
Water to make ..	..	..	..	10 ounces.

These will each be, roughly, 10 per cent. solutions, consequently, any proportion of the three may be measured out, 10 drops of any one of the solutions containing one grain of the substance dissolved or of ammonia.

What may be called a normal developer, that is for correct exposures, may be formed by taking of

No. 1 ..	..	..	20 minims	} to each ounce of water.
No. 2 ..	..	..	10 „	
No. 3 ..	..	..	20 „	

Another developer in common use is hydroquinone or quinol, of which the following is a formula :—

A. Hydroquinone	..	..	..	3 drachms.
Potassium bromide	..	..	..	40 grains.
Sulphite of soda..	..	..	..	3 ounces.
Water to make	..	..	..	20 ounces.
B. Caustic potash	..	..	..	2 drachms.
Water to make	..	..	..	20 ounces.

Equal parts of A and B are used to develop. This developer has the advantage of not staining the fingers (as does pyro), and may be used to develop several plates in succession.

A third developer which has much to recommend it is eikonogen. This can be bought in a very handy form of cartridges. The contents of a cartridge are dissolved in about six to eight ounces of water, and the developer is at once ready. This has the advantage of saving trouble. It leaves no scope for varying the constituents of the developer to suit special cases, but that is, perhaps, of less importance in photo-micrographic work where the exposure may be repeated to suit the developer used. The same eikonogen developer may be used for many plates in succession, but gradually loses its power.

One of the above-mentioned developers having been chosen (we recommend the latter for beginners, but personally prefer

pyro), the fixing bath must also be mixed and placed ready for use in a tray *kept exclusively for that purpose*.

The strength of the bath should be about—

Hyposulphite of soda	..	..	..	1 ounce.
Water	..	..	..	6 ounces.

A rough idea of the object of the developing and fixing solutions may be given as follows :—Wherever light has acted on the plate through the objective forming the image, there the developer causes a visible reduction of silver as a black deposit, and the intensity of this deposit varies according to the light which that part of the plate has received. Dark portions in object will, therefore, remain white or creamy, and the highest lights of the object will, in the negative, be black. The intermediate tones will be represented accordingly, and so a representation reversed in lights and shades, or, as it is called, a negative is produced.

The fixing solution: Hypo has the peculiar property of dissolving out all the salt of silver (that part which was not acted upon by light) in the film, and has no power of affecting the reduced image or black portions. Consequently, the shadow portions are, after fixing, more or less clear glass.

Let the beginner remember that the aim in photo-micrography is to expose and develop in such a manner as to obtain a negative which shall give in the subsequent print all the detail of the original and shall show, as far as possible, the same gradations of light and intensity of colour. To approach correct relations of colour the photo-microscopist must have used, in exposure, orthochromatic plates and coloured screens (as we have already pointed out) and in such a case only rather *deep red light* may be used when the plates are taken out of the slides and developed. If ordinary plates have been used, orange light is to be preferred as being quite safe, and as giving a much brighter light by which to see the development. Ruby paper or orange paper form excellent media.

Now, as to the actual operations and judgment needed in developing. Having the fixing solution to hand in one tray, remove the exposed plate from the dark slide, and place the film (the duller side uppermost) in the other tray. Now pour the developer on it in such a way as to cover the whole plate quickly and evenly. Rock the plate gently so as to keep the developer moving; otherwise, fatal markings with some developers may be caused in the negative. If the subject have been correctly exposed, the image will shortly appear, the high lights of the image coming first, and the whole gradually growing in detail and density. Now comes the necessity for experience and judgment, though there is no reason why the very first plate developed by a beginner may not be one of the best. The difficulty is to decide whether the plate has been over or under exposed, and then, more important still, to know at what stage to stop the development. Now, if the normal developer be used and the temperature always kept the same, the time that the image takes in appearing is some criterion of the exposure. If over-exposed the image comes quickly, if under-exposed it is longer in appearing. But the better way of judging is to watch the character, rather than the time of appearance, of the image. If black patches appear in certain parts, the rest remaining white, then *under-exposure* is to be feared, and a plate much under-exposed is useless to the microscopist. If the plate shows a tendency to *grey all over* then the subject has had *too much exposure*, and immediate steps should be taken to make the best of such state of things. These we shall indicate immediately. Judging by surface appearances, however, is somewhat misleading with some makes of plates, and, as far as ultimate density is concerned, practically useless. The only safe guide is to examine the the plate by transmitted light, holding it up to the red or orange light. The same rule holds good here. If the plate comes black in patches it has been under-exposed, if thin and grey all over it has been over-exposed; some allowances, of

course, being made for what may have been the actual character of the contrasts in the object photographed. The plate which comes rather grey all over and thin at first need never be despaired of. It must be remembered it is the print that has to be considered, not the mere appearance of the negative. These are golden rules here to be born in mind. If the plate has evidently been under-exposed, and comes harsh in contrasts it should be further developed, or else the subsequent printing process will not give even a presentable print. If the plate shows evidences of over-exposure, the development must be prolonged until the image is very dense—until, in fact, very little sign of image can be seen in the blackness. In such a case, if good thick emulsion plates have been used, an excellent, though slow, printing negative may still be obtained. This is the great difficulty in developing—to know when to end it. A few experiments with the dark room, the plates, and the printing method which the beginner may have chosen to use, will soon give him a practical of his work.

It is usual to vary the constituents with the pyro-ammonia developer, if the plate comes up as if under-exposed, the normal developer is poured off and washed out, and one containing, say, 1 grain of pyro, $\frac{1}{4}$ or $\frac{1}{2}$ grain of bromide, and 20 drops of 10% ammonia *per ounce* of developer is applied. Even more ammonia may be added if the plates seem able to stand it. If the plate shows over-exposure, the normal developer is discarded as before, and one containing, say, 4 grains pyro, 2 of bromide, and 1 drop of ammonia per ounce is employed, and the result patiently waited for, as it will come very slowly. Above all, let it be remembered to develop over-exposed plates to very full density, for good printing purposes.

When development is considered complete the plate is well rinsed, and, if thought desirable, cleared of pyro stain by immersion in an alum bath (saturated solution) for two

or three minutes. Alum, however is not altogether desirable, and if the plates have no tendency to frill, a weak citric acid clearer (1 in 80) is better. After the alum or acid the plate is again well rinsed, and is then placed in the fixing bath for about ten or fifteen minutes. The plate may be examined from the back, and if every vestige of the white appearance is gone a few more minutes will complete the fixation. The hypo bath may be used for many plates, but it is not advisable to allow it to get very discoloured or overcharged with silver. The plate is now to be very thoroughly washed. This may be done in daylight, and if in running water, one hour or even less, is sufficient; or six or seven changes of water, made at intervals of about ten minutes, will be found to suffice. The plate, after washing, should be cleaned at the back (the glass side) and placed in a rack, or leaning against a support, to dry naturally. When dry it is ready for printing, or it may be varnished as a protection against the possible danger of damp silver paper, which causes red stains in the film, almost impossible to remove.

Should the plate prove too thin, it may be intensified. This may be done by placing it in a 1 in 20 solution of mercuric chloride. This will bleach the film, and the bleaching should be allowed to act right through the film. The plate must then be thoroughly washed for, say, five or ten minutes, under running water, and placed in a bath of dilute ammonia (1 in 20) until it turns quite dark all over. Finally the plate must be washed, and can then be placed on the rack to dry.

PRINTING.

The negative having been obtained and its defects, if any, remedied, the next process is its printing, and for this purpose, to our minds, none is more beautiful than carbon, which has this advantage, that it is absolutely permanent, and the disadvantage which is usually urged, namely the

reversed position of the image, does not apply to photo-micrography. We shall describe this process only, because by means of it we can both make prints and lantern slides, the latter being in the majority of cases the means taken for displaying the specimens for public demonstration; an additional advantage being that by means of this process the final image can be obtained of any colour, thus rendering the specimen a nearer approximation in many cases to the original specimen. The first step is to put what is termed a safe-edge round the negative, this being most conveniently done by pasting four strips of non-actinic (black, or red) paper on the back of the negative, so as, as it were, to make a complete frame round the image. The reason for this frame is that without it the edges of the carbon tissue would wash up during the subsequent development.

The negative is now placed in the printing frame and a piece of sensitised carbon tissue* laid upon it. The exposure of this tissue must be judged by means of an actinometer as the image is practically invisible. Several forms of actinometers are made for this purpose, consisting of a graduated scale of tints superimposed on a strip of sensitised albumen paper. A trial print is made in silver and the actinometer is exposed simultaneously, and when the silver print is correctly printed the number of the actinometer square, which has *just become visible*, is noted. This forms a guide for future exposures, it being only necessary to watch the actinometer. As the tissue gets older it requires slightly longer exposure; it remains in good condition for about ten days after sensitising. The print having been removed from the frame, the next step is development, which, in the case of photo-micrographs can be done on the final support at once. If the specimens are to be shown at public meetings, a very good way is to develop them upon sheets of matt surface

* The Autotype Company send out Carbon tissue freshly sensitised two or three times a week, thus saving a good deal of trouble to amateurs in sensitising the tissue themselves.

opal glass, thus giving very brilliant results; but if the specimens are for preservation in books, they can be developed upon *autotype single transfer paper*, or if for lantern slides, upon glasses $3\frac{1}{4}$ inches square (which, after being first thoroughly cleaned), are coated with a substratum of gelatine by immersing them in a bath of

Gelatine	..	..	..	..	1 ounce.
Water ..	..	..	..	..	10 ounces.

and subsequent drying and immersion in

Pot. bichromate	..	..	..	..	2 drachms.
Water	..	..	..	..	10 ounces.

And exposure to day-light for an hour.

Whatever may be the substance of the final support, the treatment of the tissue is the same. It is immersed in a dish of cold water, and is left there until the tissue, which at first curls, begins to uncurl. The surface is then brought into contact with the support under water, and is firmly squeegeed to force into accurate contact and expel all air-bubbles. The support and tissue, now in contact, are placed to partially dry between sheets of blotting paper under pressure. After about 15 minutes they are removed and developed by immersion in warm water (*Fah.* 100°) until the pigmented gelatine is seen to ooze from the sides of the paper, which is now raised by the corner and pulled away, and the water kept moving over the surface of the print, either by shaking the dish from side to side, or by laving warm water on to the surface with the hand, the bathing in warm water being continued until the high-lights are quite clean and clear. To secure this, the water is changed two or three times, and the last bath had better be slightly warmer than its predecessors (*say Fah.* 120°). The print is now immersed in alum solution 5%, and left there to harden for about 20 minutes, when it is rinsed in water and dried.

The process takes longer to describe than to do, and it is quite easy to manipulate.

It is better for photo-micrographs to have a glazed surface as this tends to show the detail better than when the matt surface is retained. The prints can have a high glaze placed on them by first hardening the gelatine by immersion in alum 5% solution, then squeegeeing into contact with sheets of carefully cleaned *polished* plate glass—or specially enamelled iron plates sold for this purpose (these have the advantage of not needing such careful cleaning as the glasses, although the surface thus given is not so highly polished). When dry the prints strip off of their own accord.

If the prints are to be mounted on cards, and the polished surface retained, they should have a thin line of stiff glue applied round their edges to a depth of about $\frac{1}{16}$ of an inch (applied by means of a brush and straight-edge) and the print pressed into contact with a *warm* flat-iron. If starch is used as a mountant the water from the starch would soak into the gelatine and so destroy the gloss before the print could be placed on the mount. If starch must be used it may either be applied to the print whilst it is still damp on the plate glass or enamelled iron, and then allowed to dry, and the card *only* damped for mounting purposes, or as an alternative process, when the prints are all on the enamelling plate paste them all over together whilst still damp, and place a sheet of fine thin paper over the whole of them, and peel them all off at once, when dry. They can then be trimmed and mounted in the usual way, the extra thickness of paper preventing the gelatine surface receiving any moisture through the back whilst they are being affixed to their mounts.

As lantern slides must often of necessity be made at night, it will be as well to give a rough sketch of gelatine-bromide lantern plate manipulation. The size of a photo-micrograph renders it possible, in the majority of cases, to make lantern slides from them by means of contact. With average negatives and average lantern plates, an exposure of 15 to 20 seconds to gaslight of a fish-tail burner, at a distance of

about one foot from the flame, will be found ample. Development is best carried out by means of some form of Quinol developer. The following can be recommended:—

A.	{	Quinol	80 grs.
		Sodium sulphite	3 oz.
		Pot. bromide	20 grs.
		Metabisulphite potassium ..	1 drachm.
		Water	10 oz.
B.	{	Potassium hydrate.. .. .	60 grs.
		Water	10 oz.

Mix the above solutions, A and B, in equal parts, do not wet the plate before development, as this often causes the formation of pinholes in the film. The above developer will be found to give sufficient density, and will retain the high lights absolutely pure. Development should not be carried quite so far as is desired in the finished result, as during the pouring off of the developer a wonderful increase in density takes place. The plate is now fixed in a solution of

Sodium thiosulphate (hypo)	4 oz.
Water	20 oz.

and after having thoroughly cleared it is washed as if a negative. Should the plate be too dense it can be reduced by immersion in

10% Solution ferrocyanide of pot. :			
(yellow prussiate).. .. .	30	minims.	
Sodium thiosulphate solution (as above)..	1	dram.	
Water	1	oz.	

care being taken that too much reduction does not take place.

The slide having been allowed to dry, two little discs of paper (gummed stamp edging) are affixed, one in each upper corner on the gelatine surface of the plate, and the surface is then covered with a piece of clean glass the same size as the plate, and the two are bound together with strips of gummed paper. The object of the discs of paper is to show which way the specimen is to be inserted in the lantern during exhibition, the discs being placed downwards and towards the condenser.

CHAPTER X.

BIBLIOGRAPHY RELATING TO DIATOMOLOGY,

BY JULIEN DEBY, F.R.M.S.

Collected and arranged by F. W. Mills, F.R.M.S.

- ABBE E.—Beiträge zur Theorie des Mikroskops und der mikroskopischen Wahrnehmung (Arch. f. mikr. Anat. Bd. IX., p. 413, 8vo.). Bonn 1873. Also (Proc. Bristol Nat. Soc., vol. I., pt. 2, p. 200, Journ. d. Microg. vol I., p. 23).
- Ueber einen neuen Beleuchtungsapparat am Mikroskop (Arch. f. mikr. Anat. Bd. IX., p. 466, 8vo.). Bonn 1873.
- Die Leistungsfähigkeit der Mikroskope und ihre Grenzen (Naturforsch 1873, n. 39, 8vo.). Halle 1873.—(Hedw. Bd. XII., p. 153, 8vo. Dresden 1873).—(Extract from n. l. Beiträge zur Theorie, etc., v. supra).
- Ueber Stephenson's System der homogen Immersion bei Mikroskop-Objectiven (Sitzungsb. Jena. Ges. f. Med. u. Naturw.). Jena 1880.
- Beschreibung eines neuen stereoskopischen Oculars nebst allgemeinen Bemerkungen über die Bedingungen mikro-stereoskopischer Beobachtung. Zeitschr. f. Mikrosk. Bd. II., 8vo. Berlin 1880.
- On the estimation of aperture in the microscope. J. R. M. S., vol. I., (ser. 2) p. 388, 8vo. London 1881.
- ABHANDLUNGEN.—Aus dem Geibet d. Naturwissenschaft herausgegeben von Naturwiss. Verein in Hamburg. Hamburg 1846-1890.
- Der K. Akad. d. Wissenschaft. zu Berlin (Abh. Berl. Ak.) Berlin 1788-1889.
- Der Mathem.-Physik-Naturwiss. Class d. k. Bayer. Akademie d. Wissenschaft (Abh. d. k. Bayer. Ak.). München 1832-1890.
- Der Schlesischen Gesellschaft für vaterl. Cultur (Abh. Schl. Ges. vaterl. Cult.). Breslau.
- Der Senckenberg. Naturf. Gesellschaft (Abh. Senckeb. Naturf. Ges.). Frankfurt 1833-1890.
- ACHARIUS M.—*Enchella radiosa*. Weber's Beitr. z. Naturk., p. 340.

- ACTA.—Societatis pro Fauna et Flora Fennica (Act. Soc. Faun. et Flor. Fenn.) vols. I., II., 8vo. Helsingfors 1877-1885.
- ADAMS J. M.—Motions of Diatoms, Am. M. M. J., vol. IV., p. 50, 8vo. Washington 1883.—J. R. M. S., vol. III., (ser. 2) p. 547, 8vo. London 1883.
- ADAN H. PH.—Diatomées. Traduit de l'Anglais de "Griffith & Henfrey," Annal. Soc. Phytol. et Micr. Belg. t. I., livr. IX-X., 1867, p. 145; p. 245, 8vo. Anvers 1867-1870.
- Les Diatomées (Le Microscope, Coup d'oeil discret sur le monde invisible), 8vo. Bruxelles 1873.
- ADERHOLD K.—Beitrag zur Kenntniss richtender Kräfte bei der Bewegung niederer Organismen. Jena Zeitschr. f. Naturw. Bd. XXII., N. F. XV., p. 310. Jena 1888-1889.
- AGARDH C. A.—Synopsis Algarum Scandinaviæ adjecta dispositione universali Algarum, 12mo. Lundæ 1817.
- Species Algarum rite cognitæ, cum Synonymis, differentiis specificis et descriptionibus succintis, 8vo. Gryphisvaldiæ 1824.
- Systema Algarum, 12mo. Lundæ 1830-1832.
- Conspectus criticus Diatomacearum, 8vo. Lundæ 1830-1832.
- ATGRET C. ET FRANÇOIS V.—Flore élémentaire des Cryptogames. Analyses descriptions et usages des Mousses, Sphaignes, Hepatiques, Lichens, Algues, Champignons. Augmenté d'une notice sur les Diatomées par H. Van Heurck, 236 pp., 8vo. Namur 1889.
- ALEFELD DR.—Ein häufig undeachtetes Axiom der "Art." Bot. Zeit. p. 59, 4to. Leipzig 1862.
- ALTMANN R.—Zur Theorie der Bilderzeugung. Arch. f. Anat. u. Physiol. 1880, p. 111, 8vo. 1880.
- Ueber die Vorbemerkungen des Herten Prof. Abbe zu seinen Grenzen der geometrischen Optik. Arch. Anat. u. Physiol. p. 354. 1880.
- AKERN.—Typ. Skand. Alger. Gotheborg 1870
- ALLEN A.—Mounting diatoms in Tolu. Journ. Mic. and Nat. Sci., vol. III., 8vo. Bath and London 1884.
- AMANN T.—Sur l'emploi du baume de Tolu pour les préparations des Diatomées, Bull. Soc. Belg. Micr. t. XI., p. 127, 8vo. Bruxelles 1885.—J. R. M. S., vol. 5, ser. 2, p. 353, 8vo. London 1885.
- *Amphipleura pellucida* in various mounting media. Nature, vol. XXIV., p. 355, 4to. London 1888.
- *Amphipleura pellucida*. Engl. Mechan., vol. XLVIII., pp. 117, 138, 159, 178, 199, 216, 260, 4to. London 1888.
- AMERICAN JOURNAL OF MICROSCOPY AND POPULAR SCIENCE, The (A. J. M.) New York 1876-1881.
- AMERICAN JOURNAL OF SCIENCE AND ARTS, The (A. J. S.). Newhaven, U.S. 1880 et seq.

- AMERICAN MONTHLY MICROSCOPIC JOURNAL, The (A. M. M. J.). Washington, 1860 et seq.
- AMERICAN NATURALIST, The, a popular illustrated Magazine of Natural History (Amer. Naturalist). New York, etc. 1868 et seq.
- AMERICAN QUARTERLY MICROSCOPICAL JOURNAL, The; edited by Romyn Hitchcock. New York 1878.
- ANALES DE LA SOCIEDAD ESPANOLA de Historia Natural (Annal. Soc. Espan. Hist Nat.). Madrid, 1872 et seq.
- ANDRES A.—Sulle Diatomee. Nouv. Giorn. Bot. Ital. t. IX. Firenze 1877.
- La Teoria dell'incapsulamento del guscio delle Diatomee ed i recenti studi sulla natura del contenuto delle medesime. Relazione critica. Nouv. Giorn. Bot. Ital. t. IX. Firenze 1877.
- ANNALES DES SCIENCES NATURELLES (Anal. Sci. Nat.). Paris 1824-1890.
- ANNALES ET BULLETINS DE LA SOCIÉTÉ MEDIC. Gand (Annal. et Bull. Soc. Med. Gand). Gand.
- ANNALS AND MAGAZINE OF NATURAL HISTORY, The (A. and M. N. H.). London 1829 et seq.
- ANNALS OF BOTANY, The (Annal. Bot.). London 1805-1806.
- ANNALES OF THE LYCEUM OF NATURAL HISTORY, The (Annal. Lyc. Nat. Hist.) New York, 1824-1876.
- ANNUARIO DEL R. ISTITUTO BOTANICO ROMANO (Annuar. d. R. Ist. Bot. Rom.). Roma.
- ANONYMOUS.—Two letters from a gentleman in the country relating to Leeuwenhoek's Letter in Trans. n. 283. "Phil Trans." (Nov. and Dec.) n. 288, p. 1488-1499 Fig., 4to. London 1703.
- ANTHONY.—On the structure of *Pleurosigma angulatum* and *Pleurosigma quadratum*, 1 plate. M. M. J., vol. IV., p. 121, 8vo. London 1870.
- APERTURES, A Plea for wide (*Pleurosigma Angulatum*). Northern Microscopist, p. 229, 8vo. London 1871.
- ARBEITEN DER NATURFORSCH. GESELLSCHAFT aus der Akad. Universität Kassar (Abh. d. Naturf. Ges. a. d. Akad. Univ. Kasau). Kasan.
- ARCHER W.—On the conjugation of *Stauronis phœnicenteron*. Q. J. M. S., vol. XI., p. 321, 8vo. London 1871.
- On the conjugated state of *Navicula seriens*. Q. J. M. S., vol. XII., p. 86, 8vo. London 1872.
- On the conjugated states of *Cocconeia cymbiforme*. Q. J. M. S., vol. XII., p. 422, 8vo. London 1872.
- On two distinct diatoms presenting the appearance of being on the same stipes, as bearing on Bastian's views. Q. J. M. S., vol. XIII., n. 5, p. 313, 8vo. London 1873.
- ARCHIVES DE BIOLOGIE par E. van Beneden et C. van Bambeke (Arch. d. Biol.). Gand, Leipzig, Paris 1880-1889.

- ARCHIVES DE LA SOCIÉTÉ DE PHYSIQUE ET D'HISTOIRE NATURELLE DE GENÈVE (Arch. Soc. Phys. et Hist. Nat. Genève). Genève 1821-1889.
- ARCHIV FÜR ANATOMIE, PHYSIOLOGIE UND WISSENSCHAFTLICHE MEDICIN (Müller's Archiv.). Berlin 1834-1890.
- ARCHIV FÜR MIKROSKOPISCHE ANATOMIE, herausgegeben von Max Schultze, v. la Valette St. George und W. Waldeyer (Arch. f. mikr. Anat.) Bonn 1865-1890.
- ARCHIV. FÜR NATURGESCHICHTE (Arch. f. Naturg.). Berlin 1835 et seq.
- ARDISSONE FR.—Enumerazione delle Alghe di Sicilia, 8vo. Geneva 1864.
- Appendice all'enumerazione delle Alghe di Silicia. Com. Soc. Critt. Ital. tom. V., fasc. II., 8vo. Geneva 1865.—Hedw. Bd. V., n. l. 8vo. Dresden 1865.
  - Enumerazione delle Alghe delle Marche di Ancona, pp. 7-16, 27, 4to. Fano, 1866.
  - Note sulla raccolta e preparazione delle Diatomee, pp. 30-32, 4to. Fano 1866.
  - Appendice II., all'enumerazione delle Alghe di Sicilia. Com. Soc. Critt. Ital., 8vo. Genova 1867.
  - Nota intorno all'uso delle Diatomee nella determinazione della penetrazione degli obiettivi. Atti Accad. Pontif. nuov. Linc. 1872, p. 131, 134, 4to. Roma 1872.—M. M. J., vol. X., p. 135, 8vo. London 1873.
- ARDISSONE F. E STRAFFORELLO J.—Enumerazione delle Alghe di Liguria. Milano 1878.
- ARESCHOUG J. EHR.—Algæ Scandinaviæ exsiccata. Hedw. Bd. VI., 5, 63, 8vo. Dresden 1866.
- ARNOTT G. A. W.—On Species of Diatomaceæ. Q. J. M. S., vol. III., p. 307, 8vo. London 1855.
- When are diatoms common in a slide? Q. J. M. S., vol. V., p. 106, 8vo. London 1857.
  - Note on *Campylodiscus Hodgsonii*. T. M. S., vol. V., p. 85, 8vo. London, 1858.
  - On *Rhabdonema* and a new allied genus. Q. J. M. S., vol. VI., p. 87, 8vo. London 1858.
  - Notes on *Arachnoidiscus*, *Pleurosigma*, *Amphiprora*, *Eunotia* and *Amphora*. Q. J. M. S., vol. VI., p. 195, 8vo. London, 1858.
  - On *Amphora*, a genus of Diatomaceæ and the diagnosis of its species. Q. J. M. S., vol. VI., p. 184, 8vo. London, 1858.
  - On *Arachnoidiscus*. Q. J. M. S., vol. VI., p. 159, 8vo. London 1858.
  - In reply to Donkin. Q. J. M. S., vol. VII., p. 89, 8vo. London 1859.

- ARNOTT G. A. W.—What are Marine Diatoms? Q. J. M. S., vol. VII., p. 170, 8vo. London 1859.
- Bermuda tripoli. Q. J. M. S., vol. VII., p. 254, 8vo. London 1859.
  - On *Cyclotella*. Q. J. M. S., vol. VIII., p. 244, 8vo. London 1860.
  - On a Marine object (*Chaetoceros armatum*) collected at St. Andrews. Letter to Lankester. Q. J. M. S., vol. VIII., p. 140, 8vo. London 1860.
  - Notes on *Cocconeis*, *Nitzschia* and some of the allied genera of Diatomaceæ. Trans. Nat. Hist. Soc. Glasg., 8vo. Glasgow 1863.
- ASKENASY E.—Beiträge zur Kenntniss des Chlorophylls und einiger dasselbe begleitender Farbstoffe. Bot. Zeit. p. 236, 4to. Leipzig 1867.
- ATTI DEL CONGRESSO NAZIONALE Botanico Crittogamico (Atti. Congres. Nazion. Bot. Critt. Parma). Parma 1887.
- ATTI DELL'ACCADEMIA degli aspiranti Naturalisti (Annali Accad. Nat. Nap.) Napoli 1861-1869,
- ATTI DELL'ACCADEMIA DELLE SCIENZE FIS. E MATEM. (Atti Soc. Sci. Fis. e Mat. Napol.). Napoli 1811-1840.
- ATTI DELL'ACCADEMIA PONTIFICIA DEI NOUVI LINCEI (Atti Accad. Pontif. Nouv. Linc.). Roma 1848-1890.
- ATTI DELLA SOCIETA ITALIANA DI SCIENZE NATURALI (Atti Soc. Ital. Sci. Nat.) Milano 1859 et seq.
- ATTI DEL R. INSTUTO VENETO DI SCIENZE LETT. ED ARTI (Atti Ist. Venet. Sci.). Venezia 1843 et seq.
- ATTWOOD.—Diatoms from the Chicago water supply. M. M. J., vol. XVII., p. 266, 8vo. London.
- AUBERT A. B.—The gum of *Liquidambar styraciflva* or American Styrax as a mounting medium. A. M. M. J., vol. VI., p. 86, 8vo. Washington 1885.—J. R. M. S., vol. V., ser. 2, p. 744, 8vo. London 1885.
- Styrax for mounting. A. M. M. J., vol. VI., (1885) p. 219, 8vo. Washington 1885. J. R. M. S., vol. V., ser. 2, p. 171, 8vo. London 1885.
- AUERSWALD B. ET ROSSMEASSLER E. A.—Botanische Unterhaltungen zum Verständniss der heimathischen Flora, 48 Taf. und 380 Holzschnitten, 8vo. Leipzig 1858.
- B. L. B.—True cause of dotted appearance of *Pleurosigma formosum*. Engl. Mechan., vol. XLIII., p. 300, 4to. London 1886.
- BABCOCK H. H.—On the effect of the reversal of the Chicago River on the Hydrant Water. Lens. vol. I., p. 103, 8vo. Chicago 1872.

- BACHMANN A.—Unsere modernen Mikroskope und deren sämtliche Hilfs-und Neben-apparat für wissenschaftliche Forschungen. München N.D.
- BADCOCK JOHN—Vignettes from invisible life (Diatoms pp. 157, 183), 8vo. London 1883.
- On certain filaments observed in *Surirella bifrons*. J. R. M. S., vol. IV., ser. 2, p. 352, 8vo. London 1884.
- BADDELEY W. H. C.—On some Diatomaceæ that are found in *Noctiluca miliaris* and the best means of obtaining them. T. M. S., vol. VI., p. 79, 8vo. London 1858.
- BAER V., WEISSE ET GOEBEL MAX.—Vorläufige Nachricht von der Sammlungen des Lieutenant Ulski im Kaspischen Meere. Melang. Biol. St. Petersburg, tom. IV., p. 229, 8vo. St. Petersburg 1862.
- BAILEY J. W.—Fossil and recent Diatomaceæ (Final Rep. Geol. of Massachusetts, p. 320, by Edward Hitchcock, vol. II.), pl. 4to. Amherst 1841.
- American Bacillaria.—Pt. I., *Desmidiaceæ*. A. J. S., vol. XLI. (1841), n. 2, 1 plate.—II., *Naviculaceæ*, ibid., vol. XLII. (1842), n. 1, 2 plates.—III., *Echinella* and *Lacernata*, ibid., vol. XLIII. (1842), n. 2, 2 plates, 8vo. New Haven, 1841-1842.
- Account of some new Infusorial forms discovered in the fossil Infusoria from Petersburg Va. and Piscataway Md., with a plate. Am. J. Sc., vol. XLVI., p. 137, 8vo. New Haven 1844.
- Ehrenberg's observations on the fossil Infusoria of Virginia and Maryland, and comparison of the same with those found in the Chalk formations of Europe and Africa. Am. J. Sc., vol. XLVI., 8vo. New Haven 1844.
- Notice of a memoir by C. G. Ehrenberg on the extent and influence of microscopic life in North and South America. Am. J. Sc., vol. XLVI., p. 297. New Haven 1844.
- Notice of some new localities of Infusoria fossil and recent, with plate. Am. J. Sc., vol. XLVII., 8vo. New Haven 1845.
- Infusoria from Earleton lake. Am. J. Sc. April 1845.
- Diatomaceæ, in the Report of the exploring expedition to the Rocky Mountains, Oregon and North California, by Capt. J. C. Fremont, 8vo, pl. Washington 1845.
- Some remarks on the *Navicula Spencerii* and on a still more difficult test-object. Am. J. Sc., vol. VII., ser. 2, 8vo. New Haven.
- Microscopical observations made in South Carolina, Georgia and Florida, 3 plates. Smith's Contrib. to Knowl., vol. II., Art. 8, 4to. Washington 1850.
- Reply to Mr. De la Rue's remarks on the *Navicula Spencerii* con-

tained in the Am. J. Sc., vol. IX., p. 23, with a notice of two new test objects. Am. J. Sc., ser. 2, p. 82, 8vo. New Haven 1851.

BAILEY J. W.—Localities of *Terpsinoë musica* Ehrb. Am. J. Sc., vol. XI., ser. 2, p. 85, 8vo. New Haven 1851.

— Fossil Infusoria of Maryland. Am. J. Sc., vol. XI., ser. 2, p. 85, 8vo. New Haven 1851.

— Fossil Infusoria of the southern Rice Fields. A. J. S., vol. XI., ser. 2, p. 85, 8vo. New Haven 1851.

— On the real nature of the so-called orifices in the Diatomacean Shells. Am. J. Sc., vol. XI., ser. 2, p. 349, 8vo. New Haven 1851.

— On the cell membrane of Diatomaceous Shells. Am. J. Sc., vol. XI., ser. 2, p. 350, 8vo. New Haven 1851.

— Infusoria in Hudson River Ice. Am. J. Sc., vol. XI., ser. 2, p. 351, 8vo. New Haven 1851.

— On the Infusoria and other Microscopic forms in dust showers and Blood rain, by C. G. Ehrenberg. Translated by Prof. J. W. Baily. Am. J. Sc., 8vo. Newhaven 1851.

— Notes on new species and localities of microscopical organisms, 1 plate. Smith's Contrib. to Knowl., vol. VII., 4to. Washington 1854.

— Examination of some deep Soundings from the Atlantic Ocean. Am. J. Sc., vol. XVII., ser. 2, p. 276, 8vo. New Haven 1854.

— On some new localities of fossil Diatomaceæ in California and Oregon. Am. J. Sc., vol. VII., ser. 2, p. 179, 8vo. New Haven 1854.

— Fossil Diatomaceæ from California. U. S. Report 1854.

— On some new localities of fossil Diatomaceæ. Q. J. M. S., vol. III., p. 91, 8vo. London 1885.

— New species of Diatomaceæ. Q. J. M. S., vol. III., p. 93, 8vo. London 1855.

— Reply to some remarks by W. H. Wenham, and a notice of a new locality of a microscopical Test-object. Am. J. Sc., vol. XIX., ser. 2, 8vo. New Haven 1855

— New method of disintegrating masses of fossil Diatomaceæ. Am. J. Sc., vol. XXI., ser. 2, p. 356, 8vo. New Haven 1856.—Q. J. M. S., vol. IV., p. 302, 8vo. London 1856.

— On the non-existence of polarizing Silica in the organic Kingdoms. Am. J. Sc., vol. XXI., ser. 2, p. 357, 8vo. New Haven 1856.—Q. J. M. S., vol. IV., p. 303, 8vo. London 1856.

— Notice of microscopic forms in the Soundings of the Sea of Kamtschatka. With a plate. Am. J. Sc., vol. XXII., ser. 2, 8vo. New Haven 1856.

- BAILEY J. W.—On some specimens of deep Sea bottom from the sea of Kamtschatka, collected by Lieut. Brooke, U.S.N.—Q. J. M. S., vol. IV., p. 305, 8vo. London 1858.
- Report upon the results of microscopic examinations of the Soundings made by Lieut. Berryman of the U.S.N., in his recent voyage to and from Ireland in the Arctic. Addressed to Lieut. M. F. Maury. Am. J. Sc., vol. XXIII., ser. 2, p. 153, 8vo. New Haven 1857.
  - Microscopical Examination of Soundings made by the U.S. coast Survey of Atlantic Coast of U.S. One plate. Smith's Contrib. to Knowl., vol. II., Art. 3, 4to. Washington 1860.
  - The Bailey collection of Diatomaceæ in the Museum of the Boston Society of Natural History, by Prof. H. L. Smith. The Lens, vol. I., p. 288, 8vo. Chicago 1872.—Also, the Bailey collection at the Boston Society of Natural History. M. M. J., vol. IX., p. 78, 8vo. London 1873.
- BAILEY L. W.—Notes on new species of microscopical Organisms, chiefly from the Para River, South America. Two Plates. Bost. J. N. H., vol. VII., p. 329, 8vo: Boston 1861.
- Notes on Diatomaceæ from the St. John's River. Canada Natural. 1863.
  - Desmids and Diatoms, 1 plate. Amer. Nat. vol. I., parts I. and II., pp. 505, 587. Salem 1868.
- BAILEY J. W. & HARVEY W. H.—The Algæ of the U. S. Expedition under Cap. C. Wilkes, vol. XVII., p. 155, 4to. Philadelphia 1862-1874.
- BAKER HENRY—Of the "oat animal" (*Navicula*) in his book "Employment for the Microscope," 2 vols., 8vo. London 1753.
- Of microscopes and discoveries made thereby, 2 vols., new Ed., 8vo. London 1785.—(This is a posthumous Reprint).
- BALE W. M.—On selecting and mounting diatoms. Q. J. M. Soc. Vict., vol. I., Nos. 2, 3, p. 65, 8vo. Melbourne 1880.
- BALFOUR JOHN HUTTON—Obituary notice of Greville. Trans. Bot. Soc. Edin., vol. VIII., pt. 2, p. 463, 8vo. Edinburgh 1865.
- BALSAMO-CRIVELLI G.—Notizie naturali e civili sulla Lombardia. Elenco delle Alghe del territorio milanese. Milano 1844.
- BALSAMO F.—Le Diatomee della Cascata di Caserta. Lettera alla Soc. Nat. e Med. Tornato 11 March 1880. Napoli 1884.
- Sulla storia naturale delle Alghe di acqua dolce del Comune di Napoli. Atti Accad. Sc. Fis. e Mat. Nat., vol. I., ser. 2, n. 14. Napoli 1885.
  - Diatomee contenute nel canale digerente di alcune *Aplysia* raccolte dal Capitano G. Chierchia nel viaggio di circumnavigazione della

- Vettor Pisani* nel 1884-1885 (con 1 tav.). Boll. della Soc. dei Nat. in Napoli. Ser. 1, vol. IV., 1890.
- BANKS C. W.—Slides of arranged and isolated Diatoms. Proc. S. Francise. Micr. Soc. Feb. 1885, 8vo. San Francisco 1885.
- BARBEY W.—*Floræ Sardoæ compendia*. Lausanne 1885.
- BARKAS T. P.—Notes on *Bacillaria cursoria*. Q. J. M. S., vol. V., p. 252., 8vo. London 1865.
- On *Pleurosigma*, *Doukinia*, *Toxonidea* and *Amphiprora*. Q. J. M. S., vol. VII., n. 5, p. 8, 8vo. London 1867.
- BARRÉ PH.—Sur l'alignement des Diatomées dans les préparations. Bull. Soc. Belg. Micr., vol. IX, pp. 75-77., 8vo. Bruxelles 1882-1883.—Journ. Microg., vol. VIII., p. 325, 8vo. Paris 1883.
- Sur un procédé de préparation Synoptique d' objects pulverulents (Diatomées des guanos, terres fossiles, etc.) Bull. Soc. Belg. Micr. tom. X., p. 16-18, 1 planche. 8vo. Bruxelles 1883-1884.—J. R. M. S., vol. VI., p. 308, 8vo. London 1864.
- BASTIAN H. CHARLTON M. A., M. D.—Modes of origin of Desmids and Diatoms, Beginnings of Life, vol. II., p. 417, 8vo. London 1872.
- BAUER MAX.—Des diluviale Diatomeenlager aus der Wilmsdorfer Forst bei Zinten in Ostpreussen. Zeitschr. Deutsch. Geol. Ges., vol. XXXIII., p. 196, 8vo. Berlin 1881.
- BAUWEMS L. M.—Les Diatomées de Belgique. Bull. Soc. Belg. Micr. tom. III., p. XCV., 8vo. Bruxelles 1877.
- BEALE L.—How to work with the Microscope. 8vo. London 1880.
- Test objects for the microscope (*Grammatophora subtilissima*, *Hyalodiscus subtilis*.) Amer. Nat. vol. I., p. 153, 8vo. Salem 1868.
- BEARDSLEY AMOS.—On a Diatomaceous deposit in Leven water near Coniston T. M. S. vol. V., n. 5, p. 146, 8vo. London 1857.
- BECKWITH E. F.—Resolution of *Amphipleura*. The Microscope, vol. V., p. 131, 8vo. Detroit 1885.
- BECK GÜNTHER—Flora von Südbosnien und der angrenzenden Herzegowina. Notar. Ann. II., p. 287, 8vo. Venezia 1887.
- Geschichte des Wiener Herbariums: Verzeichniss aller wientigeren im Herbare der botanischen Abtheilung des k. k. naturhistorischen Hofmuseums enthaltenen Pflanzen-Sammlungen. (Mit Erwähnung der Diatomaceen-Sammlungen). Bot. Centralbl. Bd. XXXIII., pp. 249, 280, 312, 378, Bd. XXXIV., pp. 28, 86, 147, 151, 8vo. Cassel 1888.
- BECK RICHARD.—A Treatise on the construction, proper use and capabilities of Smith, Beck and Beck's Achromatic microscopes, 28 plates, 8vo. London 1865.
- BECKNELL E.—On diatoms thrown up by the Sea. M. M. J., vol. V., p. 34, 8vo. London 1874.

- BEHRENS WILH. JUL.—Referat über.—New amer. F. S.—Cleaning and Arranging Diatoms. J. R. M. S. 1887, pag. 844, 8vo. London 1887.—Proc. Amer. Soc. Nat. 9th, Ann. Meet. 1786, p. 128, Zeitschr. f. wiss. Mikroskop. p. 527, 8vo. Braunschweig 1887.
- BEITRAEGE ZUR BIOLOGIE der Pflanzen, von Dr. Ferdinand Cohn (Beitr. z. Biol. Pflanz.) See COHN Breslau.
- BEITRAEGE ZUR NATURKUNDE (Beitr. z. Naturk.)
- BEITRAEGE ZUR PALÆONTOLOGIE (Österreich. Ungarns und des Orients (Beitr. z. Palæont. Öst. Ung. u. Orients). Wien 1883.—See GRUNOW.
- BELL JAMES.—Microscopical examination of water for domestic use. M. M. J. vol. V., n. XXVII., p. 163, 8vo. London 1871.
- BELL J. S. B.—Warm stage and stage condenser for Diatomaceæ. Microscop. News, vol. IV., p. 19, 8vo. 1884.
- BELLOC EMILE.—Les Diatomées de Luchon et des Pyrénées Centrales, planche. Revue de Comminges, 8vo. St Gaudens 1887. Vide Journ. Microg. XII, p. 96, 8vo. Paris 1888.—Notar. Ann. III., p. 548, 8vo. Venezia 1888.
- Le Lac d'Oo. Paris 1890 (Vide Le Diatomiste).
- BENNETT A. W., M.A., B.Sc. F.L.S.—Freshwater Algæ (including Chlorophyllaceous Protophyta) of the English Lake district, with descriptions of 12 new species. J. R. M. S., vol. VI., ser. 2, p. 1, 2 plates, 8vo. London 1886.
- On the affinities and Classification of Algæ. Journ. Lin. Soc. (Bot.) vol. XXIV., p. 49, 8vo. London 1887.—Referat von Herrn Moebius Bot. Centralbl. Bd. XXXII., p. 129, 8vo. Cassel 1887.
- Freshwater Algæ (including Chlorophyllaceous Protophyta) of North Cornwall, with descriptions of six new species. J. R. M. S., 1887, page 8, 2 plates, 8vo. London 1887.—Notar. Ann. I, n. 4, p. 218, 8vo. Venezia 1887.—Referat von Herrn Hansgirg Bot. Centralbl. Bd. XXX., p. 228, 8vo. Cassel 1887.
- Internal spore formation in Diatoms. Amer. Nat. vol XX. (1886), p. 280, 8vo. Philadelphia 1886.
- BENNETT A. W., M.A., B.Sc., F.L.S. AND MURRAY GEORGE, F.L.S.—A Handbook of Cryptogamie Botany (Diatomaceæ p. 419) 8vo. London, 1889.
- BERGEN JR., J. Y.—Cleaning Diatoms. A. M. M. J., vol. IV., p. 198, 8vo. Washington 1833. J. R. M. S., vol. III., ser. 2, p. 822, 8vo. London 1883.
- BERICHTE DER DEUTSCHEN BOTANISCHEN GESELLSCHAFT (Ber. deutsch. Bot. Ges.). Berlin 1883-1890.

- BERICHTE DER OBERSCHLESISCHEN GEsellschaft für Naturwissenschaft und Heilkunde, Ber. Oberschles. Ges. f. Nat. u. Huilk. Giessen.
- BERICHTE ÜBER DIE THATIGKEIT DER BOT. SEKT. der Schles. Ges. (Ber. Th. Bot. Schles. Ges.). Breslau.
- BERICHTE DER PHYSIOLOGISCHEN COMMISSIONS der Akademie Wissenschaft (Ber. physiol. Com. Akad. Wiss. Krakau 1873 and Seq.
- BERICHT ÜBER DIE GENERALVERSAMMLUNG der deutschen Botanischen Gesellschaft (Ber Generalversamml. Deutsch. Bot. Ges.). Freiburg.
- BERKELEY M. J.—Gleanings of British Algæ, 8vo. London 1833.
- Introduction to the study of Cryptogamic Botany (Diatomaceæ pp. 113, 123, 130), 8vo. London 1837.
  - Article on Diatomaceæ in Treasury of Botany, Edited by John Lindley, Ph. D., F.R.S. and Thomas Monro, F.R.S., 8vo. London 1870.
- BERKELEY REV. M. J. and RALFS JOHN—One a new genus of Diatomaceæ (*Dickieia*).—Ann. and M. N. H. vol. XIV., n. 92, 8vo. London 1844.
- BERTHOLD G.—Untersuchungen über die Verzweigung einiger Süßwasser-Algen.—Verh. Leop. Carol. Ak. Naturf. Bd. XI., Bonn., Bot. Zeit. 1879, p. 325, 4to. Leipzig 1879.
- BIASOLETTO DR.—Di alcune Diatomee osservate in un' acqua di pozzo.—Boll. Soc. Adriat. Sci. Nat., 8vo. Trieste 1875.
- BICKNELL E.—Diatoms thrown up by the Sea at Marblehead Mass.—M. J. vol. V., p. 34, 8vo. London 1871.—Amer. Nat. vol. IV. (1871), p. 573, 8vo. Salem 1871.
- BIHANG TILL KONGLA SEVENSKA VETENSKAPS-AKADEMIENS.—HANDLINGER (Bih. K. S. V. Handl.). Stockholm 1872-1889.
- BIOLOGISCHES CENTRALBLATT.—(Biol. Centralbl.). Erlangen 1882 et seq.
- BISCOE PROF. J. D.—*Amphipleura pellucida* by moonlight. Amer. Nat., vol. VII., p. 55, 8vo. Salem 1873.
- BIZZOZERO G.—Flora veneta crittogamica vol. II. Padova 1885.
- BLACKBURN W.—The theory of aperture in the microscope: a popular Exposition with Figures (*Pleurosigma formosum*, *Pleur. hippocampus*). Northern Microscopist p. 325, 8vo. London 1882.
- On Dr. Carpenter's address delivered at Montreal to the Histological and Microscopical Section of the American Association for the advancement of Science (Diatom Tests) Micr. News, p. 29, 8vo. London 1883.
- BLAKE DR.—Diatoms found in hot-springs. Calif. Acad. of Sci. et M. M. J. vol. IX., p. 71; A. M. N. H., vol. II., ser. 4, 8vo. London 1872.

- BLAKE DR.—Diatoms in the hot-springs of Nevada. Amer. Nat., vol. V., p. 716, 8vo. Salem 1871.
- BLEISCH DR.—*Pinnularia Chilensis*. Hedw. Bd. II, p. 28, tab. 4, 8vo. Dresden 1859.
- Ueber *Pleurostaurum*. Hedw. Bd. II., p. 19, tab. 3, 8vo. Dresden 1859.
- Ueber zwei *Campylodiscus* (*C. costatus* *C. spiralis*). Hedw. Bd. II, p. 29, tab 5, 8vo. Dresden 1860.
- Ueber einige in den Jahren 1856-62 in der Gegend von. Strehlen gefundene Diatomeen. Abh. Schl. Ges. Breslau p. 75, 8vo. Breslau 1863.
- BOLLETTINO D. ACCADEM. NACIONAL D. CIENC. Republic. Argentina (Boll. Ac. Nac. Cienc. Rep. Arg.). Buenos-Ayres, Ann. ?
- BOLLETTINO DELLA SOCIETA ADRIATICA di Scienze Naturali (Boll. Soc. Adriat. Sci. Nat.). Trieste 1875 and seq.
- BOLLETTINO DELLA SOCIETA BROTERIANA (Boll. Soc. Broter.) Coimbra.
- BOLLETTINO DELLA SOCIETA GEOGRAFICA (Boll. Soc. Geog. Rom.). Roma.
- BOLLETTINO DEL R. COMITATO GEOLOGICO D' ITALIA (Boll. Comit. Geol. Ital.). Firenze e Roma.
- BOLLETTINO SCIENTIFICO (Boll. Sci. Pavia). Pavia, 1879 et seq.
- BOLTON THOMAS—Portfolio of drawings and descriptions of living organisms, etc., 8vo. Birmingham 1879 et seq.
- BONARDI DR. ED.—Sur les Diatomées fossiles des lignites de Leffe. Journ. Microg. tom. VII., 8vo. Paris 1883.—(Also Bonardi e Parona Boll. Sci. Pavia. Pavia 1883).
- Prime ricerche intorno alle Diatomee di Val d' Intelvi. Boll. Sci. Pavia. Pavia 1883.—Journ. Microg. t. VII., p. 303, 8vo. Paris 1883.
- Intorno alle Diatomee della Valtellina e delle sue Alpi (Sur les Diatomées de la Valtelline et de ses Alpes). Boll. Sci. Pavia. Pavia 1883.—J. R. M. S., vol. VII., p. 585, 8vo. London, 1883.
- Sulle Diatomee del Lago d'Orta. Boll. Sci. Pavia, Ann. VII., p. 14, 8vo. Pavia 1885.
- Catalogo delle Diatomee del Lago d'Orta. Notar. Ann. I., n. 1, p. 60, 8vo. Venezia 1886.
- Sulle Diatomee di alcuni laghi italiani. Boll. Sci. Pavia, Ann. X., n. 2, 8vo. Pavia 1888.—Notar. Ann. III., n. 12, p. 688, 8vo. Venezia 1888. See also Note sur les diatomées de quelques lacs d' Italie. Journ. Microg. tom. XIII., p. 437, 8vo. Paris 1889.
- Intorno alle Diatomee del Lago d' Idro. Boll. Sci. Pavia. Anno X, n. I., 8vo. Pavia 1888.—Notar. Ann. III., n. 12, p. 638, 8vo.

- Venezia 1888.—See also Note sur les Diatomées du lac d' Idro. Journ. Microg. tom. XIII., n. 6, p. 185, n. 7, p. 218, 8vo. Paris 1889.
- BONARDI DR. ED.—Diatomées de lacs de Delio et de Piano. Arch. d. Scien. Physiq. et Natur. 3.^{me} Periode XIII., p. 381, Oct. 1889.
- BONARDI E. E PARONA C. F.—Sulle Diatomee fossili del bacino lignitico di Leffe. Atti Soc. Ital. Sci. nat. vol. XXVI. Milano 1883.
- BONARDI V. E.—Diatomées des Lacs de Delio et de Piano. Vide Botanisches Centralblatt, n. 52, 1890. Vol. 44, p. 431.
- BONNIER GASTON—Éléments de Botanique, d' Anatomie et de Physiologie végétales. 276 pp., 345 Figs., 8vo. Paris 1889.
- BORBAS (VON).—Referat über: Gallik, Oszvald-Az édesvízi Diatomaceákrol (Bacillariák) etc. q. v. Bot. Centralbl. Bd. XXXII., p. 354, 8vo. Cassel 1887.
- BORNET E.—Instruction sur la Recolte, l' Etude et la Préparation des algues. Mém. Soc. Sci. Nat. Cherab. tom. IV., 8vo. Cherbourg 1856.
- BORSZCOW PROF. E. L.—Die Süßwasser-Bacillariaceen (Diatomaceen) des Südwestlichen Russlands, insbesondere der Gouvernements Kiew, Cernigow und Paltawa. 2 Talfeln (Russian and German) 4to. Kiew 1873.
- BORY DE ST. VINCENT—Dictionnaire classique d' Histoire Naturelle. Paris 1822.
- Encyclopédie Méthodique tom. I., II. Paris 1824.
- Essai d' une classification des animaux microscopiques. Paris 1826.
- BOSTON JOURNAL OF NATURAL HISTORY, The (Bost. J. N. H.) 8vo. pl. Boston, U.S., 1837-1863.
- BOSSEY F.—Fresh and Salt water Diatoms found in Thames mud. Proc. Holmesdale Nat. Hist. Cl. 1879-1888.—J. R. M. S., vol. II., ser. 2, p. 94, 8vo. London 1882.
- The preparation of the Diatoms from the London Clay. Micr. Bull., vol. III., 8vo. Philadelphia 1883.
- BOTANICAL AND PHYSIOLOGICAL MEMOIRS, Ray Society (Bot. and Phys. Mem. R. S.). London 1846-1848.
- BOTANICAL GAZETTE, The (Bot. Gaz.). Grawfordsville, Indiana, U.S.
- BOTANISCHE ABHANDLUNGNN aus dem Gebiete der Morphologie und Physiologie (Bot. Abh. Geb. d. Morph. u. Physiol.). Bonn.
- BOTANISCHE CENTRALBLATT (Bot. Centralbl.). Cassel 1880 et seq.
- BOTANISCHE ZEITUNG (Bot. Zeit.). Leipzig 1843 et seq.
- BOTANISKA NOTISER (Bot. Not.). 1841 and seq.
- BOTANISK TIDSSKRIFT (Bot. Tidssk.). Kjöbenhavn 1866 et seq.

- BOUCHÉ E.—Ueber Sammeln und Beobachten mikroskopischer Objecte auf Reisen und Excursionen. Zeitschr. f. Mikrosk.. Jahrg. I., Heft. 5 (Diatomaceen s. 159, anch Heft. VI., s. 179, 181, 184), 8vo. Berlin 1878.
- BOWMAN MR.—On microscopic vegetable skeletons found in peat near Gainsborough, by Mr. Binney of Manchester. Ninth Rep. Brit. Assoc. 1840; also M. J., vol. I., p. 127, 8vo. London 1841.
- BRAMHALL J.—How to resolve test Diatoms without any special apparatus. Sci. Gossip, 8vo. London 1877. M. M. J., vol. XVII., pp. 102, 162, 8vo. London 1877.
- BRASS HERR.—Ueber *Pleurosigma angulatum*. Zeitschr. f. Naturwiss. Bd. LV., Folg. IV., 8vo. Halle 1883.
- BRAUN ALEXANDER—Betrachtungen über die Erscheinung der Verjüngung in der Natur. 4to pl. Leipzig 1851; also the same, translated into English, by Arthur Henfrey, Ray. Soc. Mem., 8vo. London 1853.
- BRAZZA CONTE GIACOMO E CASTRACANE CONTE FRANCESCO.—Contribuzione alla flora Diatomacea Africana. Diatomee dell' Ogoué. Nota del Conte Ab. Francesco Castracane degli Antelminelli. Estrat. Atti Accad. Pontif. nuov.. Linc. tom. XL. 4to. Roma 1887.
- BRÉBISSE A. (de).—Mémoire sur les Diatomées. Des Microscopes et leur usage. Par Ch. Chevalier. 8vo. Paris 1839.
- Description de quelques nouvelles Diatomées observées dans le Guano de Pérou, formant le genre *Spatangidium*. Bull. de la Soc. Linn. de Normandie, 8vo. 1857.
  - Note sur quelques Diatomées marines rares ou peu connues du littoral de Cherbourg, Avec 1 planche. Mém. de la Soc. Imp. des Sci. Nat. de Cherbourg, tom. II., p. 341, 8vo. 1854; and 2nd edit., 8vo. Paris 1867.
  - Extrait d' un Essai monographique sur les *Vanheurckia*, nouveau genre appartenant à la tribu des Diatomacées Naviculées. Avec 1 planche. Ann. de la Soc. Phyto. et micrograph. de Belg. 8vo. 1869.
  - Notes on French Diatomaceæ. With Note by F. Kitton. J. Q. M. C. Vol. II., p. 87, pl. 8vo. 1870.
  - Diatomacées renfermées dans le Médicament Vermifuge connu sous le nom de Mousse de Corse. Extrait de la Revue des Sci. Nat. 8vo. 1872.
  - De la Structure des Valves des Diatomacées, Considérations présentées à la Soc. Linn. de Normandie. Paris 8vo. 1872.
- BRÉBISSE (A.) et GODEY.—Considérations sur les Diatomées. Falaise 1838.

- BRÉBISSE (A.) et GODEY.—Algues des environs de Falaise. Mém. de la Soc. des Sci. de Falaise. 1355.
- BRÉBISSE.—Recueil de Botanique cryptogamique. Paris 1878-1881.
- BREWSTER SIR DAVID.—Diatomaceæ. Treatise on the Microscope, 8vo. Edinburgh 1837.
- BRIGGS S. A.—The Diatomaceæ of Lake Michigan. Lens, vol. 1., p. 41, 8vo. Chicago 1872.
- Some of the Diatomaceæ of Upper Lake Huron and the Sault. Lens, vol. I., p. 235, 8vo. Chicago 1872.
  - A contribution towards a list of Rhode Island Diatomaceæ. Lens, vol. II., p. 161, 8vo. Chicago 1873.
  - The Diatomaceæ in the Soundings of the Expedition for the Baltic. With a plate. Lens, vol. II., p. 232, 8vo. Chicago 1873.
- BRIGHTWELL THOMAS F. L. S.—Sketch of a Fauna Infusoria for East Norfolk. With 19 coloured plates. Sq. 12mo. Norwich 1848.
- On the genus *Triceratium*, with description and figures of the species. Q. J. M. S., vol. I., p. 245, pl. IV., 8vo. London 1853.
  - On the filamentous long-horned Diatomaceæ, with a description of two new species. Q. J. M. S., vol. IV., p. 105, pl. VII., 8vo. London 1856.
  - Further observations on the genus *Triceratium*, with description and figures of new species. Q. J. M. S., vol. IV., p. 272, pl. XVII., 8vo. London 1856.
  - Remarks on the genus *Rhizosolenia* of Ehrenberg. Q. J. M. S., vol. VI., p. 93, pl. LV., 8vo. London 1858.
  - Further observations on the genera *Triceratium* and *Chatoceros*. Q. J. M. S. Vol. VI. p. 153, pl. VIII. 8vo. London 1858.
  - On some of the rarer or undescribed species of Diatomaceæ (Pt. I.) Q. J. M. S. Vol. VII., p. 179, pl. IX. 8vo. London 1859.
  - Ditto (Pt. II.) with errata and corrigenda (p. 139). Q. J. M. S. Vol. VIII. p. 93, pl. V., VI.; also p. 139, 8vo. London 1860.
  - Ditto (Pt. II.) with MS. notes by Wallich. Q. J. M. S. Vol. VIII., p. 93, pl. V., VI., p. 139, 8vo. London 1860. (In library of Julien Deby).
- BRONN H. G.—Lethæa geognostica. Chapter *Polygastrica*. Stuttgart 1853-56. Q. J. M. S. Vol. VI., p. 153, 8vo. London 1858.
- BROWN G. D., M. R. C. S., F. L. S.—Reference Catalogue of the Diatomaceæ. 7 vols. 2 vols. in MS. (Incomplete. In the library of Julien Deby).
- BROWN ROBERT.—On the nature of the discoloration of the Artic Seas. Read before the Edin. Bot. Soc. Dec. 1867. Q. J. M. S. Vol. VIII., n. 5, p. 240, 8vo. London 1868.

- BROWN ROBERT—The whale's food and the discoloration of the Arctic Seas. Amer. Nat., vol. II., p. 583, 8vo. Salem 1869.
- BROWN A. AND RAMSAY A.—History of a flint pebble and general properties of Silica. Micr. a. Nat. Hist. Club, Ealing, 8vo. London 1880.
- BRUEGGER CH. G.—Bündner Algen. Jabresb. naturf. Ges. Graubündens, 8vo. Chur 1863.—Hedw. Bd. II., p. 181, 8vo. Dresden 1863.
- BRUGUIERE M., D.M.—*Vibrio falx* et *V. intermedius* (*Bacillaria paradoxa*). Tableau Encyclopédique et Méthod. d. trois Regnes de la Nature, 4to. Paris 1791.
- BRUN J.—Sur les Diatomées des Alpes. Bull. Soc. Belg. Micr., tom. IV., p. CL.-CLII., 8vo. Bruxelles 1878.
- Diatomées des Alpes et du Jura et de la Region Suisse et Française des environs de Genève. 9 planches, 8vo. Genève 1880.
  - Les Diatomées des Alpes et du Jura. Bull. Soc. Belg. Micr., tom. VI., VII., et IX., 8vo. Bruxelles 1880.
  - Observations en réponse aux critiques formées par M. Grunow dans le Centralblatt au sujet de son travail sur les Diatomées des Alpes. Bull. Soc. Belg. Micr., tom. IX., p. 123, 8vo. Bruxelles 1880.
  - Preparation des Diatomées. Bull. Soc. Belg. Micr., tom. IX. (1882), p. CLXII.-CLXIV., 8vo. Bruxelles 1882. Journ. Microg. tom. VII., p. 457, 8vo. Paris 1832.—J. R. M. S., vol. II., ser. 2, p. 887, 8vo. London 1832. Also Bull. Soc. Bot. Genève 1883.
  - Notions sur les Diatomées. Bull. Soc. Belg. Micr., vol. IX., p. 78-96, 8vo. Bruxelles 1882-1883.
  - Végétations pélagiques et microscopiques du lac de Genève (au printemps de 1884). Bull. Soc. Bot. Genève 1884, p. 17-34, 8vo. Genève 1884. Jour. Microg., 1884, 8vo. Paris 1884.
  - Note sur la microscopie technique appliquée à l'histoire naturelle. Arch. Soc. Phys. et Hist. Nat. Genève tom. XVII., p. 146. Genève 1887. J. R. M. S. p. 505. 8vo. London 1887.
  - Réponse à M. P. Petit à propos des Diatomées fossiles du Japon. Journ. Microg. tom. XIII., p. 533. 8vo. Paris 1889.
  - Notes sur quelques espèces nouvelles. Le Diat., vol. I., p. 177.
  - Lettre relative à la critique de J. Deby sur les Diatomées de Sendai et de Yedo. Le Diat., vol. I., p. 11.
  - A propos du *Rhabdonema Japonicum*. Journ. de Microg., vol. XIV., p. 183. Paris 1890.
  - Diatomées, Espèces nouvelles marines, fossiles au pélagique. Mem. Soc. de Phys. et d' Hist. Nat. de Genève. T. 31, 1891.
- BRUN JACQ. ET TEMPÈRE J.—Diatomées fossiles du Japon : especes marines et nouvelles des calcaires argileux de Sendai et de Yedo.

9 planches. Mem. Soc. Physiq. et Hist. Nat. de Genève, tom. XXX., n. 9. 4to. Genève 1889.

BRYAN G. H.—On Mounting selected Diatomaceæ. Scientif. Enq., vol. II., p. 48., 8vo. London et Bath 1887.

BRUYNE, DE, C.—Monadines et Chytridiacées parasites des Algues du Golfe de Naples. Arch. de Biolog. p. 43, vol X., 1890.

BUFFHAM H.—Newly observed phenomena in the conjugation of the Diatom *Rhabdonema arcuatum*. J. Q. M. C., vol. II., ser. 2, p. 131, 8vo. London 1885.

— Conjugation in Diatomaceæ, J. Q. M. C., V. (1892), pp. 27-30, J. R. M. S., p. 225 (1893).

BULLETIN DE L'ACADÉMIE IMPERIALE DES SCIENCES (Bull. Ac. Imp. Sci. St. Peters). St. Petersburg 1860 et seq.

BULLETIN DE LA SOCIÉTÉ BELGE DE MICROSCOPIE (Bull. Soc. Belg. Micr.) Bruxelles 1874 et seq.

BULLETIN DE LA SOCIÉTÉ BORDA A DAX. Dax.

BULLETIN DE LA SOCIÉTÉ BOTANIQUE DE FRANCE (Bull. Soc. Bot. de France). Paris 1854 et seq.

BULLETIN DE LA SOCIÉTÉ BOTANIQUE DE GENÈVE (Bull. Soc. Bot. Genève). Genève.

BULLETIN DE LA SOCIÉTÉ BOTANIQUE DE LYON (Bull. Soc. Bot. Lyon). Lyon.

BULLETIN DE LA SOCIÉTÉ D'HISTOIRE NATURELLE DE TOULOUSE (Bull. Soc. Hist. Nat. Toul.). Toulouse.

BULLETIN DE LA SOCIÉTÉ D'HORTICULTURE ET BOTANIQUE du centre de la Normandie. (Boll. Soc. Hort. et Bot. d. Centre d. Normand). Lisieux.

BULLETIN DE LA SOCIÉTÉ IMPÉRIALE DES NATURALISTES DE MOSCOU (Bull. Soc. Imp. d. Nat. Mosc.). Moscou. 1829 et seq.

BULLETIN DE LA SOCIÉTÉ LINÉENNE de Normandie (Bull. Soc. Lin. Normand.).

BULLETIN DE LA SOCIÉTÉ ROYALE DES SCIENCES DES NANCY (Bull. Soc. Sci. Nancy). Nancy?

BULLETIN OF THE SCIENTIFIC LABORATORIES OF DENISON UNIVERSITY (Bull. Sci. Lab. Denison Univers.). Granville, Ohio.

BULLETIN OF THE TORREY BOTANICAL CLUB, The (Bull. Torrey Bot. Cl.). New York 1870 et seq..

BULNHHEIM O.—Ueber *Nitzschia arcus* sp. n. Hedw. p. 22, 8vo. Dresden 1859.

BURGESS E. W.—Diatoms from the Island of Lewis near Stornoway. J. R. M. S., vol. II., ser. 2, p. 655, 8vo. London 1882.

— Notes on the structure of the Diatomaceæ, 10 Figures. Micr.

News, vol. III., p. 71, 8vo. London 1883. J. R. M. S., vol. III., ser. 2, p. 264, 853, 8vo. London 1883.

BURRITT T. T.—Photographs of *Amphipleura pellucida*. Science, vol. VI. London 1885.

BÜTSCHLI O.—Central Body in the Cell of Diatoms. Verhandl. Nat. Hist. Med. Ver. Heideberg, IV. ; Bot. Centralbl. XLIX. (1892), p. 82 ; J. R. M. S., 1892, p. 404.

CALDERON DON SALVADOR Y PAUL DON MANUEL—La Moronita y los yacimientos Diatomaceos de Moron. Anal. Soc. Espan. Hist. Nat., tom. XV., Cuaderno 3, p. 447, 8vo. Madrid 1886.

CAMPBELL DOUGLAS H.—Plants of the Detroit River (America). Bull. Torrey Bot. Club, p. 83, 8vo. New York 1886. Notar. Ann. I., n. 4, p. 218, 8vo. Venezia 1886.

CANADIAN NATURALIST The—Toronto.

CARPENTER WILLIAM C. B., M.D., LL.D., F.R.S.—The Microscope and its Revelations. 7th Edition by the Rev. W. H. Dallinger, LL.B., F.R.S. (Diatomaceæ pp. 516-554), 8vo. London 1891.

— The Microscope and its Revelations, two lectures delivered at the evening meetings of the Pharmaceutical Society of Great Britain. Feb. and March, 1871. Phar. Journ., ser. 3, nos. 33, 37, 4to. London 1871.

CARR E.—Test Diatoms in Phosphorus and Monobromide of Naphthaline. Engl. Mechn., vol. XXXVIII., p. 280, 4to. London 1883. J. R. M. S., vol. IV., p. 138, 8vo. London 1883-1884.

CARRO JOHN (DE)—Essay on the mineral waters of Carlsbad for physicians and patients. With observations on the microscopic animalcules about the hot springs of Carlsbad by A. T. C. Corda of Prague, and a flora of Carlsbad by Prof. C. B. Presl of Prague, 8vo. Prague 1835.

CARRUTHERS WILLIAM, F.R.S.—On *Tryblionella Victoria* and *Denticula subtilis* two species of British Diatomaceæ, 8vo. London 1863.

— The Diatomaceæ in Handb. Brit. Fresh water weeds or Algæ by John Edward Gray, F.R.S., 8vo. London 1864.

CARTER, REV. FREDK. B.—Diatoms : their life, history, and their classification. Micr. Journ. Washington 1831.

CARTER H. J., F.R.S.—On the conjugation of *Cocconeis*, *Cymbella* and *Amphora*, together with some remarks on *Amphiprora alata*. A. and M. N. H. vol. XVII., ser. 2, p. 1, 8vo. London 1856.

— Conjugations of *Navicula serians*, *N. rhomboides* and *Pinnularia gibba*. A. and M. N. H., vol. XV., ser. 3, p. 161, 1 plate, 8vo. London 1865.

- CARTER H. J., F.R.S.—Abstract of the above, in Q. J. M. S., vol. V., n. 5, p. 139, 8vo. London 1865.
- CASTRACANE CONTE ABATE FRANCESCO DEGLI ANTELMINELLI.—On a new method of Illumination (monochromatic) in the Study of Diatoms. Q. J. M. S., vol. V., n. 5, p. 249, 8vo. London 1865. Also: Atti Accad. pontif. nuov. Linc. tom. XVII., 4to. Roma 1864.
- Catalogo di Diatomee raccolte nella Val Intrasca. Estrat. Com. Soc. Critt. Ital., vol. II., fasc. II. 8vo. Genova 1867.
  - On Microphotography. Letter to Prof. J. Gazliardi. Q. J. M. S., vol. VII., n. 5, p. 60, 8vo. London 1867.
  - On the multiplication and reproduction of the Diatomaceæ. Q. J. M. S., vol. VIII., n. 5, p. 255, 8vo. London 1868.
  - Cenni storici e generali su le Diatomee. Atti Accad. pontif. nuov. Linc., 4to. Roma 1868.
  - Su la moltiplicazione e riproduzione delle Diatomee. Atti Accad. pontif. nuov. Linc. Sess. IV., 4to. Roma 1868.
  - Osservazioni sopra una Diatomee del genere *Podosphenia* Ehr. Atti Accad. pontif. nuov. Linc. Sess. V., tom XXII., p. 138, 4to. 1869.
  - Su l' uso delle Linee di Nobert e delle preparazioni di Diatomee a valutare l' efficacia dei Microscopi. Atti Accad. pontif. nuov. Linc. Sess. IV., 4to. Roma 1869.
  - Nuovo sistema di ricerche su le Diatomee, e risultati ottenuti da quelle nel 1869. Atti Accad. pontif. nuov. Linc., 4to. Roma 1870.
  - Rettificazione alla memoria presentata nella Sezione IV., su l' uso delle Linee di Nobert e delle preparazioni di Diatomee a valutare l' efficacia dei microscopi. Atti Accad. pontif. nuov. Linc., 4to. Roma 1869.
  - Su i diversi metodi di misurare oggetti microscopici. Atti Accad. pontif. nuov. Linc., 4to. Roma 1869.
  - Cenni su l' esame microscopico di un fango estratto dal fondo dell' Oceano Atlantico. Atti Accad. pontif. nuov. Linc. Sess. V., 4to. Roma 1870.
  - Esame microscopico e note critiche su un campione di fango atlantico ottenuto nella spedizione del "Porcupine" nell' anno 1869, 4to. 1871.
  - Su la illuminazione monocromatica del microscopio e la fotomicrografia e loro utilità. I Tav. Atti Accad. pontif. nuov. Linc. Ann. XXIV., Sess. 3, 4to. Roma 1871.
  - The magnifying power of the microscope, markings on *Surirella gemma*, etc. M. M. J. vol. V., n. XXVIII., p. 173. 8vo. London 1871.

CASTRACANE CONTE ABATE FRANCESCO DEGLI ANTELMINELLI.—Le Diatomee e la Geologia nelle formazioni marine. Atti Accad. pontif. nuov. Linc. vol. XXV., 4to. Roma 1872.

- Comunicazione sulle faldoline che coprivano ovunque il mare Adriatico. Mem. Accad. Linc., vol. XXV., 4to. Roma 1872.
- Su la risoluzione delle linee di Nobert e su i progressi della micrografia. Atti Accad. pontif. nuov. Linc. vol. XXV., 4to. Roma 1872.
- Su di un nuovo genere di Diatomee. Atti Accad. pontif. nuov. Linc. vol. XXV., 4to. Roma 1872.
- Sopra la straordinaria apparenza presentata dal mare Adriatico nella seconda metà del luglio 1872. Atti Accad. Pontif. nuov. Linc. vol. XXVI., p. 73. 4to. Roma 1873.
- Sulla struttura delle Diatomee. Atti Accad. pontif. nuov. Linc. Ann. XXVI., Sess. 2, 4to. Roma 1873.
- Le Diatomee litorale dell'Istria e della Dalmazia. 1 Tav. Atti Accad. pontif. nuov. Linc. Anno XXVI., 4to. Roma 1873.
- Le Diatomee nella età del Carbone. Atti Accad. pontif. nuov. Linc. Ann. XXVII., Sess. 3, 4to. Roma 1874.
- Die Diatomeen in der Kohlenperiode. Uebersetzt und in Antrage des Verfassers eingessandt, von Prof. F. Boll in Rom. Jahrb. f. Wiss. Bot. Bd. X., 8vo. Berlin 1874.
- La teoria della riproduzione della Diatomee, note critiche ed osservazioni. 1 Tav. Estrat. Atti Accad. pontif. nuov. Linc. Ann. XXVII., Sess. VI., 4to. Roma 1874.
- Le Diatomee in relazione alla Geologia a proposito di scoperta fattane in una lignite del territorio di Urbino. Atti Accad. pontif. nuov. Linc. tom. XXVII., p. 68, 4to. Roma 1874.
- Sur l'existence des Diatomées dans différentes formations géologiques. Compt. Rend. t. LXXIX., 52, 8vo. Paris 1874.
- La visione binoculare in relazione alla micrografia. Atti Accad. pontif. nuov. Linc. tom. XXVII., 4to. Roma 1874.
- Studio delle Diatomee. Atti Accad. pontif. nuov. Linc. tom. XXVIII., 4to. Roma 1875.
- Instruzione per chi voglia raccogliere Diatomee. Atti Accad. pontif. nuov. Linc. tom. XXVIII., Sess. IV., 4to. Roma 1875.
- Contribuzione alla flora della Diatomee del Mediterraneo ossia esame del contenuto dello stomaco di una *Salpa pinnata*, pescata a Messina. 1 Tav. Atti Accad. pontif. nuov. Linc. tom. XXVIII., Sess. V., 4to. Roma 1875.
- La *Grammatophora longissima*. Atti Accad. pontif. nuov. Linc. tom. XXVIII., 4to. Roma 1875.

- CASTRACANE CONTE ABATE FRANCESCO DELGI ANNELMINELLI.—Problemi che potranno venire sciolti dallo studio delle Diatomee e importanza di quello. Atti Accad. pontif. nuov. Linc. tom, XXVIII., 4to. Roma 1875.
- Diatomaceæ in the Carboniferous Epoch. M. M. J. vol. XIII., p. 243, 8vo. London 1875.
  - Examination of coal for Diatoms. M. M. J. vol. XIV., p. 291, 8vo. London 1875.
  - Nuovi argomenti a provare che le Diatomee reproduconsi per mezzo di germi. Atti Accad. pontif. nuov. Linc. tom, XXIX., 4to. Roma 1870.
  - Del limite della visibilità nel Microscopio. Atti Accad. pontif. nuov. Linc. tom, XXIX, 4to. Roma 1876.
  - Studi sulle Diatomee. Atti Accad. pontif. nuov. Linc. tom, XXX., 4to. Roma 1877.
  - Osservazioni e note ad elucidazione dello sviluppo delle Diatomee. Atti Accad. pontif. nuov. Linc. Ann. XXX., 4to. Roma 1877.
  - Analisi microscopica di un deposito di Diatomee dei Monti Livornesi. Atti Accad. pontif. nuov. Linc. tom. XXX., Sess. IV., 4to. Roma 1877.
  - Nuovo genere e specie di Diatomee (*Cyclophora tenuis*,) etc. Atti Accad. pontif. nuov. Linc. tom. XXXI., Sess. II., 4to. Roma 1878. Atti Soc. critt. Ital. I. p. 53.
  - Nouvelle forme de *Melosira Borrevi* et *Cyclophora tenuis* nouv. gen., n. sp. Traduit par M. Paul Petit. Brebissonia I. Ann., N. 2, p. 21, 8vo. Paris 1878. et Réplique à l'observation de Mons. P. Petit sur le *C. tenuis* Brebissonia N. 5, p. 75, 8vo. Paris 1878.
  - Considérations sur l'Etude des Diatomées. Bull. Soc. Bot. France. Paris 1887.—J. R. M. S., vol. I., p. 152, Brebissonia Ann. I. 8vo. Paris 1878.
  - Diatomee di Valle Intrasca. Atti Accad. pontif. nuov. Linc. Roma 1878.
  - Nuova forma di *Melosira Borrevi* Grev. Atti Soc. Critt. Ital., vol. I., p. 17, 8vo. Milano 1878.
  - La *Grammatophora longissima* Petit fra le Diatomee Italiane. Atti Soc. Critt. Ital. 8vo. Milano 1878.
  - Se e qual valore sia da attribuire nella determinazione delle specie al numero delle strie nelle Diatomee. Atti Accad. pontif. nuov. Linc. Ann. XXXI., Sess. VI., 4to. Roma 1879.
  - Distinzione delle Diatomee marine in flora litorale e flora pelagica. Atti Accad. pontif. nuov. Linc. Ann. XXXII., Sess. I., 4to. Roma 1879.

- CASTRACANE CONTE ABATE FRANCESCO DEGLI ANTELMINELLI.—Una nuova varietà di *Melosira Borveri* Grev. Atti Accad. pontif. nuov. Linc. Tom. XXXI., 4to. Roma 1879.
- Note critiche intorno a due nuovi Tipi di Diatomee Italiane. Atti Accad. pontif. nuov. Linc. tom. XXXIII., 4to. Roma 1880.
  - Osservazioni sui generi *Homæocladia* e *Schizonema*. Atti Accad. pontif. nuov. Linc. Sess. VI., tom. XXXIII., 4to. Roma 1880. J. R. M. S., vol. I., ser. 2, (1881) p. 931, 8vo. London 1881.
  - Nuova contribuzione alla florula delle Diatomee del Mediterraneo. Atti Accad. pontif. nuov. Linc. Ann. XXXIII., Sess. 2, 4to. Roma 1880. J. R. M. S., vol. I., ser. 2, p. 931, 8vo. London 1881.
  - Striæ of the Diatomaceæ. With a note by F. Kitton. J. R. M. S., vol. I., n. 5, p. 787, 8vo. London 1881.
  - Straordinario fenomeno della vita del mare osservato nell'Adriatico nella estate del 1880. Atti Accad. pontif. nuov. Linc. tom. XXXIV., Sess. I., 4to. Roma 1881.
  - Studio su le Diatomee del Lago di Como. Atti Accad. pontif. nuov. Linc. tom. XXXV., 4to. Roma 1882.
  - Origine dei depositi marini di Diatomee ed esistenza probabile di speciale flora lacustro-vagante della medesima. Atti Accad. pontif. nuov. Linc. tom. XXXVI., Sess. I., p. 17, 4to. Roma 1883.
  - Su l'argomento della profondità alla quale può giungere la vita delle Diatomee nel mare. Atti Accad. pontif. nuov. Linc. tom. XXXVII., 4to. Roma 1884. J. R. M. S., vol. IV., ser. II., p. 939, 8vo. London 1884.
  - Nuova osservazione sulla profondità cui giunge la Diatomee nel mare. Mem. Accad. pontif. nuov. Linc. tom. XXVII. Roma 1884. From J. R. M. S., p. 498, 8vo. London 1885.
  - Generalità su le Diatomee, 4to. Roma 1884. J. R. M. S., vol. IX., ser. II., (1884) p. 606, 8vo. London 1884.
  - Diatomee fossili. Boll. Accad. pontif. nuov. Linc. tom. XXXVIII., p. 8. Roma 1885.
  - Formazione interna delle spore delle Diatomee. Accad. pontif. nuov. Linc. tom. XXXVIII., 4to. Roma 1885. Internal spore formation in Diatoms. J. R. M. S., vol. V., ser. 2, p. 1041, 8vo. London 1888.
  - Catalogo delle Diatomee rinvenute da D. Pantanelli nel calcare biancastro friabile sovrapposto al bacino di lignite di Spoleto. Proc. Verb. Soc. Toscan. Sci. p. 171. Pisa 1885. Notar. Ann. I. p. 61, 8vo. Venezia 1886.
  - Ueber einen pliocenen Bacillariaceen enthaltenden Cüsswarserkalk von Spoleto. from Atti Accad. pontif. nuov. Linc. Roma 1885.

- CASTRACANE CONTE ABATE FRANCESCO DEGLI ANTELMINELLI.—Osservazione in una Diatomee fossile relativa al processo di riproduzione. Atti Accad. pontif. nuov. Linc. tom. XXXVIII., p. 8, 8vo. Roma 1886.
- Analisi microscopica di un calcare del territorio di Spoleto. Atti Accad. pontif. nuov. Linc. tom. XXXVIII., 4to. Roma 1886. Notice of under title: "Fossil Diatoms from Spoleto in Umbria." J. R. M. S. p. 443, 8vo. London 1887.
  - Reproduction in a fossil Diatom. from Atti Accad. pontif. nuov. Linc. tom. XXXVIII., 4to. Roma 1886. J. R. M. S., vol. VII., p. 443, 8vo. London 1887.
  - I tripoli marini nella valle Metaurense. Bol. Comit. Geol. Ital. tom. V. Roma 1887. Notar. Ann. II., N. 7, p. 368, 374. Venezia 1886. Also: Composition of the marine tripolis of the Valley of Metaurus. J. R. M. S., p. 1028, 8vo. London 1889.
  - Report on the Diatomaceæ collected by H. M. S. Challenger during the years 1873-76, 30 plates. Rep. Chall. Exped. Bot., vol. II., 4to. London, Edinburgh, and Dublin 1886.
  - Le raccolte di Diatomee pelagiche del Challenger. Atti Accad. pontif. nuov. Linc. tom XXXIX., 4to. Roma 1887.
  - Contribuzione alla Flora Diatomacea Africana: Diatomee dell' Ogoué riportate dal Conte Giacomo di Brazzà. Atti Accad. pontif. nuov. Linc. Ann. XL., Sess. I.-VI., 4to. Roma 1887.
  - Saggio sulla flora Diatomacea delle cosiddette mufte delle terme di Valdieri. Notar. Ann. III., p. 334, 8vo. Venezia 1888. Also, Diatoms of Hot Springs. J. R. M. S., p. 102, 8vo. London 1889.
  - Le Diatomee o il trasformismo Darwiniano. Mem. Accad. pontif. nuov. Linc., vol. III., 4to. Roma 1888. Also, Antiquity of Diatoms. J. R. M. S. (1889) p. 266, 8vo. London 1889.
  - Quale sia l'estensione della vita vegetale nella profondità del mare Atti Congresso Nazionale Bot. Critt. in Parma. Fasc. II., 4to. Parma 1888.
  - Forma critica e nuova di *Pleurosigma* del Golfo di Napoli. Atti Accad. pontif. nuov. Linc. Ann. XLII., 4to. Roma 1889.
  - La *Cyclophora* è da riguardarsi qual genere fra le Diatomee? Considerazioni su questo e su altri casi analoghi. Atti Accad. pontif. nuov. Linc. tom. XLII., 4to. Roma 1889. J. R. M. S., p. 683, 8vo. London 1889.
  - Reproduction and multiplication of Diatoms. J. R. M. S., 1889, p. 22, 8vo. London 1889.
  - Reproduction et multiplication des Diatomées. Communication à la R. Micr. Soc. de Londres 9 Jan. 1889. Traduit par le Dr. J. Pelletan. Journ. Microg. tom. XIII., p. 396, 8vo. Paris 1889.

- CASTRACANE CONTE ABATE FRANCESCO DEGLI ANTELMINELLI.—Aggiunte alla Flora Diatomologica Italiana (Lettera aperta Redattori della Notarisia). Notar. N. 15, p. 790, 8vo. Hedw. Bd. XXXVIII., p. 377. Dresden 1889.
- II Tripol africano della Valle Superiore del Dobi tra Assab ed Aussa. Atti Accad. pontif, nuov. Linc. tom. XLII. Sess. III., Tab. 17. Roma 1889. J. R. M. S., p. 683, 8vo. London 1889.
  - La visione stereoscopia nello studio delle Diatomee. Atti Accad. Pontif. nuov. Linc., 4to. Roma 1889.
  - Sul deposito di Jackson's Paddock, Oamaru nella Nuova Zelanda: osservazioni biologiche. Atti Accad. Pontif. nuov. Lincei, vol. XLIII., 4to. Roma 1890.
- CATALOGUE OF MICROSCOPICAL OBJECTS in the cabinet of the microscopical Society of London. 8vo. London 1864.
- CAUNTER HENRY—Notice of an Infusorial deposit in the Island of Lewis. 8vo. 1859.
- CAYEUX M. L.—Sur un calcaire moderne concrétionné avec Diatomées, de St. Nectaire-le-Bas. Ann. Soc. Géol. du Nord, 1891, p. 252-260. Lille.
- Etude micrographique du Tuffeau à Cyprina planata du Nord de la France et de la Belgique et du rôle des Diatomées dans la formation de ce tuffeau, Ann. Soc. Géol. du Nord., 1891. Lille.
  - De l'existence des Diatomées dans l'Yprésin du Nord. Lille 1891.
  - Diatomées des Tuffeaux Landeniens. Le Diat., vol. I., p. 77.
  - Live box. Notarisia, III., (1892) pp. 355-63, 378-88, (1 pl.). T. R. M. S., 1892, p. 836, 1893, p. 80.
- CERETES A.—Sur l'abondance de la *Pinnularia viridis* dans les dépôts du Cap Horn. "Rap. sur les Protozoaires" Miss. Scientif. du Cap Horn., p. 20, 4to. Paris 1889.
- CERTES A.—Sur l'abondance de la *Pinnularia viridis* dans les dépôts du Cap Horn. "Rap. sur les Protozoaires" Miss. Scientif. du Cap Horn., p. 20, 4to. Paris 1889.
- CESATI VINCENZO.—Saggio di una bibliografia algologica Italiana, 4to. Napoli 1882.
- CHALON J.—Sur un procédé de préparation des Diatomées. Assoc. franç. Avanc. Sci. Congrès d'Alger. 1881.
- Arrangement des Diatomées pures. Bull. Soc. Belg. Micr. tom. VII., 8vo. Bruxelles 1881.
- CHASE H. H.—*Amphipectura pellucida* and other test diatoms mounted in a medium having a refractive index of 2.42. A. M. M. J., p. 159, and advertising columns, 8vo. Washington 1884.

- CHAUVIN J.—Des Collections d'Hydrophytes et de leur préparation (Diatomaceæ, p. 39) 8vo. Caen 1834.
- CHEVALIER CHARLES—Des Microscopes et de leur usage : Description d'un Appareil et de procédés nouveaux, suivie d'expériences microscopiques puisées dans des meilleurs ouvrages anciens, et les notes de M. le Baillif et d'un Mémoire sur les Diatomées, etc., par M. de Brébisson. Manuel Complet du Micrographe, 5 planches 8vo. Paris 1839.
- CHEVALIER CHARLES ET KERSTEIN FRIEDR. SYLV. PH.—Die Mikroskope und ihr Gebrauch, oder vollständiges Handbuch der Mikrographie, enthaltend eine Beschreibung der neuesten Methoden und Apparate zu mikroskopischen Beobachtungen, uebst einer Abhandlung von de Brébisson u. s. w. Mit Anmerkungen sowie mit einer Abhandlung über die Kata-dioptrischen Linsen versehen von Friedr. Sylv. Kerstein Ph. D. 6, Tafeln. 8vo. Quedlinburg u. Leipzig 1843
- CHIMNO WILLIAM—Bed of the Atlantic, 4to. Weymouth 1870.
- CHRISTIAN THOMAS—New Diatomaceous deposits. The Microscope p. 65.6 woodcuts. 8vo. Detroit 1887.
- The diatoms from the fossil marine deposit of Oamaru, Otago, New Zealand. The Microscope, vol. VIII., p. 372, 8vo. Detroit 1888.
- CLARKE J. LAVE—Objects for the microscope, 8vo. London 1863.
- CLEVE P. T.—Diatomaceer fran Spetsbergen. Öfvers. k. Vet. Ak. Förhandl. n. 10, p. 661, 1 Taf., 8vo. Stockholm 1864.
- Svenska och Norska Diatomacéer. 1 Taf. Öfvers. k. Vet. Ak. Förhandl. 8vo. Stockholm 1868.
  - Examination of Diatoms found on the surface of the Sea of Java, 3 plates. Bih. k. Sv. Vet. Ak. Handl. Bd. I. n. II., 8vo. Stockholm 1873.
  - On Diatoms from the Arctic Sea, 4 plates. Bih. k. Sv. Vet. Ak. Handl. Bd. I., n. 13, 8vo. Stockholm 1873.
  - Diatoms from the West Indian Archipelago, 5 plates. Bih. k. Sv. Vet. Ak. Handl. Bd. V., n. 8, 8vo. Stockholm 1878.
  - New Diatoms, with notes by F. Kitton. Grevillea, vol. I., pp. 67, 115, 8vo (see under Cleve et Kitton). London 1877.
  - ?Enumerantur plantæ Scandinaviæ. Points-Förteckning öfver Skandinaviens Växter. De angifna bytesvärdena äro antagna både i Lunds botaniska förening och Upsala botaniska bytesförening. Characeer, Alger och Lafvar (Diatomaceer p. 35) 8vo. Lund 1880. No authors name.
  - Complete alphabetical M.S. index to the genera, species and

and Synonyms in "Cleve et Grunow's Articschen Diatomeen"
Fol. In the library of Julien Deby. 1881.

- CLEVE P. T.—On some new and little known Diatoms, 6 plates. K. Sv. Vet. Akad. Handl. Bd. XVIII., n. 5, 4to. Stockholm 1881.
- Färsvattens-Diatomacéer fran Grönland och Argentinska Republiken, 1 Plate. Öfvers. k. Vet. Ak. Forhandl. n. 10, p. 3, 8vo. Stockholm 1882.
  - Determinaciones de Diatomaceas de la República Argentina. Boll. Ac. Nac. Cienc. Rep. Arg. Buenos-Ayres 1882.
  - Diatoms collected during the expedition of the Vega, 4 Plates in 4to. Vega-Exped. Vetensk. Arbet. Jakttagel. Bd. III., 8vo. Stockholm 1883.
  - On the Diatoms collected during the Arctic Expedition of Sir George Nares. Journ. Lin. Soc. (Bot.) vol. XX., p. 313, read Vpr. 9, 1883, 8vo. London 1884.
  - On some fossil marine Diatoms found in the Moravian "Tegel" from Augarten near Brünn, 2 plates. J. Q. M. Clb., vol. II., ser. 2, p. 165, 8vo. Note in Bot. Centralbl. Bd. XXXI., p. 65, 8vo. Cassel 1887.
  - Pelagiske Diatomeer fran Kattegat. Figuerne Saertryk af Det videnskabelige Udbytte af Kanonbaaden Hauck's Togter i de danske Have etc., 1889, 4to. Kjöbenhavn 1889.
  - Dictyoneis n. g. Le Diatomiste 1890, n. 2, p. 14-17.
  - The Diatoms of Finland, with 3 plates, 8vo. Helsingfors 1891.
  - Diatomées rares ou nouvelles Le Diat. vol. I., p. 75.
  - Le genre Dictyoneis, Le Diat. vol. I., p. 14.
  - Note sur les Diatomées trouvées dans la poussière glaciaire de la côte orientale du Groënland. Le Diat. vol. I., p. 78.
  - Remarques sur le genre *Amphiprora*. Le Diat. vol. I., p. 51.
  - Sur quelques nouvelles formes du genre *Mastogloria*. Le Diat. vol. I., p. 159.
- CLEVE P. T. ET GRUNOW A.—Beiträge zur Kenntniss der arctischen Diatomeen. K. Sv. Vet Ak. Handl. vol. XVII., n. 2, 7, Tafeln, 4to. Stockholm 1880.
- Sur quelques Diatomées nouvelles ou peu connues. Le Diat. Vol. I., p. 54, 64.
- CLEVE P. T. und JENTZSCH DR. A.—Ueber einige diluviale und alluviale Diatomeen-schichten Norddeutschlands. Schrift. Phys. Ök. Ges. Königsb. Bd. XXII., 4to. Königsberg 1882.
- CLEVE P. T. and KITTON F.—New Diatoms, with notes by F. Kitton. Grevillea vol. VII., p. 67, 115, 8vo. London 1878-79.
- CLEVE P. T. und MÖLLER J. D.—Diatoms. Exsiccata. Upsala 1878.

- CLOS D.—De la dimidation des êtres et des organes dans le regne végétal. C. R. Assoc. franç. Avanc. Sci. Congrès d. Toulouse. 29 Sept. 1887; Bot. Centralbl. Bd. XXXVIII., n. 10, p. 773, 8vo. Cassel 1889.
- COAL—Examination of, for Diatoms. M. M. J. vol. XIV., n. LXXXIV. 8vo. London 1875.
- COATES JOHN—On a deposit of Diatomaceæ at South Yarra. Trans. Roy. Soc. Vict., vol. V. Melbourne 1866.
- *Coscinodiscus Barklyi*. Q. J. M. S., vol. I., n. 5. p. 138, 8vo. London 1861.
- COHENDY MICHEL et ROUJOU A.—Des gisements de Silice et des Diatomacées de l'Auvergne. Mém. Ac. Cler.-Ferrand, 8vo. Clermont-Ferrand 1878.
- COHN PROF. DR. FERDINAND—Utersuchungen über die Entwicklungsgeschichte der mikroskopischen Algen und Pilze, 8vo. Bonn 1854.
- Die mikroskopische Welt., 8vo. Gegenwart, vol. XI. 1855.
- Ueber einige neue interessante Organismen, von denen neue Fundorte in Schlesien bekannt geworden sind. Bericht ü. d. Verh. Bot. Sect. d. Schles. Ges. väterl. Cult. p. 21. 4to. Breslau 1856.
- Ueber Meeres-Organismen im Binnenlande. Bericht ü. d. Verh. Bot. Sect. d. Schles. Ges. väterl. Cult. p. 32, 8vo. Breslau 1857.
- Ueber den Zellkern der Bacillarien. Bericht u. d. Verh. Bot. Sect. Schles. Ges. väterl. Cult. p. 42, 4to. Breslau 1857.
- Ueber ein Bacillarienlager in Oberschlesien. Bericht ü. d. Verh. Bot. Sect. d. Schles. Ges. väterl. Cult. p. 37, 8vo. Breslau 1858.
- Ueber die Bacillarienerde von Schimnitz bei Proskau in Oberschlesien. Bericht ü. d. Verh. Bot. Sect. d. Schles. Ges. väterl. Cult. p. 40, 8vo. Breslau 1858.
- Ueber einige neue Algen Schlesiens. Bericht ü. d. Verh. Bot. Sect. d. Schles. Ges. väterl. Cult. p. 41, 8vo. Breslau 1858.
- Ueber die Algen des Karlsbader Sprudels, mit Rücksicht auf die Bildung des Sprudelsinters, 8vo. Bonn 1862. Also Abh. Schles. Ges. väterl. Cult. (Naturw. Medec. Abth.) Heft II. Breslau 1862.
- Ueber die Cultur der Meer-Algen. Hedw. Bd. V. 5, 65, 8vo. Dresden 1866.
- Beiträge zur Biologie der Pflanzen, 8vo. Breslau 1870 etc. Janisch's Photogramma der Bacillariaceen von der Expedition der "Gazelle" Jahresb. Schles. Ges. väterl. Cult. Breslau 1878.
- Kryptogamen-Flora von Schlesien 2tes Band 1ste Hälfte. Algen von Dr. O. Kirchner (Diatomaceen pp. 171-218), 8vo. Breslau 1878.

- COHN PROF. DR. FERDINAND—Diatomaceen in einem salzhaltigen Bach bei Sondershausen. Jahresb. Schles. Ges. väterl. Cult. p. 152. Breslau 1886.
- COLE ARTHUR—The preparation of the Diatomaceæ. Methods of Micr. Research, 8vo. London 1884.
- The mounting of the Diatomaceæ. Methods of Micr. Research, 8vo. London 1884.
- Studies in Microscopical Science. With plates, 8vo. London 1886.
- COLE THOMAS—List of Infusorial objects found in the neighbourhood of Salem, Massachusetts. Proc. Essex Inst., 8vo. Salem 1853.
- COLLINGWOOD DR. C.—On the microscopic Algæ which cause the coloration of the sea in various parts of the world. T. M. S., vol. XVI., p. 85. 8vo. London 1868.
- COLMEIRO D. MIGUEL—Enumeracion de las Cryptogames de Espana y Portugal, parte segunda: Thalogenas (Hongos, Liqueenes, Collemaceas, Algas). Revist. Progres. Cienc. t. XVII., 8vo. Madrid 1868.
- Enumeracion y revision de las plantas de la peninsula Hispano-Lusitana e islas Baleares, con la distribucion geografica de las especies y sus nombres vulgares, tanto nacionales como provinciales, tom. V. Diatomeas p. 1017), 8vo. Madrid 1888.
- COMBER THOMAS—Diatoms of the neighbourhood of Hull. Trans. Lancaster Nat. Hist. Soc., 8vo. 1859.
- On the Diatomaceæ of the neighbourhood of Liverpool. Q. J. M. S., vol. VIII., p. 111, 8vo. London 1860.
- COMMENTARIO DELLA SOCIETÀ CRITTOGAMOLOGICA ITALIANA.—Com. Soc. Crit. Ital. Genova.
- COMPTES RENDUS de l' Association Française pour l' avancement des Sciences (C. R. Assoc. franç. Avanc. Sci.).
- COMPTES RENDUS HEBDOMADAIRES de l' Académie des Sciences de l' Institut de France (C. R. P.) Paris.
- CONTRIBUTIONS TO THE GEOLOGY AND MINERALOGY OF CALIFORNIA.—Contrib. Geol. and Mineral. Cal.). Sacramento ann. ?
- COOKE M. C.—One thousand objects for the microscope, 8vo. London 1869.
- Ponds and ditches, 8vo. London 1880.
- COOPER W. F.—Fossil Diatomaceæ. Q. J. M. S., vol. II, n. 5, p. 65, 8vo. London 1862.
- CORDA A. C. J.—Observations sur les animalcules microscopiques qu' on trouve aupres des eaux thermeles de Carlsbad. Traduit Manuscrit du allemand 6 planches. "Almanach de Carlsbad," pp. 167-211, 12mo. Prague 1835.

- CORDA A. C. J.—Observations microscopiques sur les animalcules des eaux et des thermes de Karlsbad. Karlsbad 1834-40.
- CORRESPONDENCE, original MS., with Andrew Pritchard in connection with the issue of the 4th Edition of the History of the Infusoria by Messrs. Allen, W. J. ; Alder, Joshua ; Arlidge, J. I. ; Archer, William ; Brightwell, T. ; Greville, R. K. ; Johnson, Christopher ; Kitton, Fred ; Ralfs, John ; West, Tuffen ; Williamson, W. C. ; and others ; in all 265 letters, 1856-62. In the library of Julien Deby.
- COSTA O. G.—Diatomaceæ. Fauna del Regno di Napoli, 4to., pl. Napoli 1838.
- COSTE M.—On the greening of oysters, " Voyage d' Exploration sur le littoral de la France et de l'Italie," p. 118.
- COTTAM A.—On a new *Aulacodiscus* (*A. Africanus*) from the west coast of Africa. J. Q. M. C., vol. IV., p. 149, pl. XII., 8vo. London 1876.
- Note on *Aulacodiscus Africanus*. M. M. J., vol. XV., n. LXXXIX., p. 252, 8vo. London 1876.
- COURROUX E. S.—On Diatoms in the stomachs of Shell Fish and Crustacea. Journ. Mic. and Nat. Sci., vol. IV., p. 196. London and Bach 1885. Q. J. M. S., vol. V., p. 134, 8vo. London 1885.
- On the washing and cleaning of Diatomaceous deposits. Scientif. Enquir. vol. II., p. 144, 8vo. London and Bath 1887.
- COUVREUR E.—Le microscope et ses applications à l' étude des animaux et des végétaux, 8vo. Paris 1888.
- COX J. D.—*Isthmia nervosa*. A study of its modes of growth and Reproduction. 6 Figs. A. J. M. vol. III., pp. 97, 125, 8vo. 1878. Also : Etude sur le mode de végétation et de reproduction de l' *Isthmia nervosa*, 1 pl. Brebissonia n. 2-5, 8vo. Paris 1878.
- *Survirella craticula* an abnormal form of *Navicula cuspidata*. A. J. M. vol. IV., p. 97, 1879.
- Motion of Diatoms. A. M. M. J. vol. II., p. 66, 8vo. Washington 1881. T. R. M. S. vol. I., ser. 2, p. 649, 8vo. London 1881. Northern Microscopist p. 183, 8vo. London 1881.
- On the structure of the Diatom Shell. A. M. M. J. vol. V., pp. 45, 66, 85, 104, 8vo. Washington 1884. J. R. M. S. vol. IV., ser. 2, p. 943, 8vo. London 1884.
- Photography with high powers by lamplight, illustrating the structure of Diatoms. Proc. Amer. Soc. of Mic. p. 99. 1884.
- On some photographs of broken Diatom valves taken by lamplight. J. R. M. S. vol. IV., Ser. 2, p. 853, 8vo. London 1884.
- Structure of the Diatom Shell. Siliceous films too thin to show a

- broken edge. J. R. M. S. vol. IV., ser. 2, p. 398. 8vo. London 1885.
- COX J. D.—Some Diatom Hoops: the question of their mode of growth (*Aulacodiscus Kittoni*). Proc. Amer. Soc. of Micr. p. 33. Also: Hoops of Diatoms. J. R. M. S. vol. VI., ser. 2, p. 659, 8vo. London 1886.
- The new Achromatic Objective. The Microscope, p. 164. Trenton N. J. 1890.
- Diatoms: their nutrition and locomotion. The Microscope, p. 196. 1890.
- Notes on some unreliable criteria of genera and species. Am. Soc. Mic. 1890.
- What is a Diatom. Jour. N. Y. Mic. Soc. vol XIII. 1890.
- COX DR. J. D.—*Coscinodisceæ*. Proc. Amer. Soc., Micr., 1890, pp. 184-204 (2 pl.); *Vide* T. R. M. S., 1891, p. 385; also Journ. de Microg., XV., 1891, pp. 112-4.
- CRAMER PROF. C.—Algologische Notizen zu n. 1441 der Decaden: Rabenhorst's Algen Europas. Hedw. Bd. II., p. 65, 8vo. Dresden 1863.
- Ueber einige Meteorstaubfälle und über den Sahara Sand. Schweiz. Meteor. Beobach. vol. V. Zurich 1868.
- CRISP FRANK—On *Amphipleura pellucida*. J. R. M. S. p. 380, 529, 8vo. London 1885.
- CROUAN FRÈRES.—Liste des Diatomées marines recueillies dans le Finisterre. Soc. Bot. France, Sess. 22. Paris 1860.
- CUBONI G.—Diatomee raccolte a San Bernardino dei Grigioni da Giuseppe de Notaris. Notar. Ann. II., p. 226, 8vo. Venezia 1887.
- CUNNINGHAM K. M.—Cleaning Diatoms. A. M. M. J., vol. II., p. 93, 8vo. Washington 1881. J. R. M. S., vol. I., Ser. 2, p. 837, 8vo. London 1881.
- On collecting marine Diatomaceæ. Micros. News, vol. III., p. 59, 8vo. London 1883.
- Collecting and cleaning Diatoms. The Microscope, vol. VII., p. 331, 8vo. Detroit, 1887. J. R. M. S., p. 143, 8vo. London 1888.
- On the preparation of Type-plates, and arranged groups of Diatoms. The Microscope, vol. VIII., n. 8, p. 237, 8vo. Detroit 1888. J. R. M. S., pt. I., p. 152, 8vo. London 1889.
- The Diatoms of Mobile, Alabama. The Microscope, vol. IX., n. 4, p. 105, 8vo. Detroit 1889.
- CURTIS G. H.—On cleaning and Mounting the Diatomaceæ. Micr. Bull. p. 12, 8vo. Philadelphia 1890.

- CZAPSKI DR. S.—On an objective with an aperture of 1,60 N.A. (Monobromide of Naphthalin immersion) made according to the formulæ of Prof. Abbé in the optical factory of Carl Zeiss. *Amphipleura pellucida* J. R. M. S. p. 11, 8vo. London 1890.
- DALLINGER W. H.—On *Frustulia saxonica*, *Navicula crassinervis* and *Navicula rhomboides*, as Test objects. Two plates. M. M. J., vol. XVII., p. 1, 8vo. London 1877.
- Additional note on the identity of *Navicula crassinervis*, *Frustulia saxonica* and *N. rhomboides*. 1 pl. M. M. J. vol. XVII., page 173, 8vo. London 1877.
- Life histories and their lessons, 4 plates (Diatoms p. 262). Northern Microscopist pp. 165, 196, 261, 8vo. London 1882.
- The Microscope and its Revelations, by W. B. Carpenter, C.B., M.D., LL.D., F.R.S. 7th Ed. by W. H. Dallinger, LL.D., F.R.S. London 1891.
- DANNFELT H. JUHLIN.—On the Diatoms of the Baltic Sea. 4 plates. Bih. Sv. Vet. Akad. Handl. vol. VI., n. 21, 8vo. Stockholm 1882.
- DANCER J. B.—On cleaning and preparing Diatoms, etc. obtained from the soundings. Q. J. M. S. vol. I., n. s. p. 145, 8vo. London 1861.
- On the markings on the *Pleurosigma angulatum* and on the *Lepisma saccharina*. M. M. J. vol. I., p. 243, 8vo. London 1869.
- Dotted appearance on *Pleurosigma angulatum*. Engl. Mechan. vol. XLII., pp. 283, 329, 4to. London 1886. J. R. M. S. vol. VI., ser. 2, p. p. 691, 8vo. London 1836.
- DANJOY L. ET PETIT PAUL—De la matière organique et organisée des eaux de la Bourboule. 1. planche. Les Diatomées par Paul Petit. Fxtr. Annal Soc. d'Hydrol. Med. 8vo. Paris 1835.
- DARWIN CHARLES—An account of the fine dust which often falls on vessels in the Atlantic Ocean. Proc. Geol. Soc. vol. XVII., p. 26, 8vo. London 1845.
- DAS WASSER in und um Wien rücksichtlich seiner Eignung zum Trinken, etc., 8vo. pl. Wien 1860.
- DAVIDSON REV. G.—On a Diatomaceous deposit in the district of Cromar. Aberdeenshire. Edinburgh 1874.
- List of Diatomaceæ found in Loch Kinnord Kieselguhr. J. Q. M. Cb. vol. III., ser. 2, n. 19, p. 149, 8vo. London 1887.
- DAVIES THOMAS—The preparation and mounting of microscopic objects, 2nd Edit. by T. Matthews, 12mo. London 1873.
- DAVIS GEORGE—Practical Microscopy (Diatoms p. 139), 8vo. London 1889.
- The elements of Microscopy. The human eye (*Amphipleura pellu-*

- cida* and *Pleurosigma angulatum*). Northern microscopist p. 293, 8vo. London 1882.
- DAVIS H.—Variation in *Navicula rhomboides*. M. M. J., vol. XVII., p. 105, 8vo. London 1877.
- DAVISON J.—*Navicula cuspidata* as a Test-object. Sci. Gossip, p. 276. 8vo. London 1884.
- DAY G. ED.—*Stephanodiscus Niagara*. Journ. New York Mic. Soc., vol. I., page 41, 8vo. New York 1885.
- DEANE H.—On a mode of isolating the siliceous shells of Infusorial animals (Diatoms) found in Ichaboe guano. J. M. S., vol. II., p. 80, 8vo. London 1849.
- On the history of *Arachnoidiscus*. Q. J. M. S., vol. VI., p. 188, 8vo. London 1858.
- DE BARY ANTON.—Bericht über die Fortschritte der Algenkunde in den Jahren 1855, 1856 und 1857. Bot. Zeit, Beilage 5. 59, 4to. Leipzig 1858.
- Untersuchungen über die Familie der Conjugaten, 4to. Leipzig 1858.
- Zur Systematik der Thallophyten. Bot. Zeit, 4to. Leipzig 1881.
- DEBEAUX O.—Enumeration des Algues du littoral de Bastia. Rev. Sci. Nat., vol. III., p. 240. Montpellier ann. ?
- DEBES E.—Das Reinigen und Präpariren von Diatomaceen-Material. Zeitschr. f. wiss Mikrosk. Bd. II. p. 411, 8vo., II. Braunschweig 1885. Also: Cleaning and preparing diatom material: Mounting Diatoms, J. R. M. S., vol. V., ser. 2, p. 898, 8vo. London 1885. Also: Die Herstellung von Diatomaceen-Dauerpräparaten. Hedw. Bd. XXIV. Heft. IV., p. 151, 8vo. Dresden 1885. Also: The mounting of Diatoms. A. M. M. J., vol. VII., n. 4. Washington 1886.
- Referat über. Smith H. L. Mounting media of high refractive index. A. M. M. J., vol. VI., n. 9, p. 161, im Zeitschr. f. wiss Mikrosk, Bd. II. (1885) p. 566, 8vo. Braunschweig 1885.
- Referat über. "Witt O. N. Ueber den Polirschiefer von Archangelsk Kurojedowo im Gouv. Simbirsk. Sapiski der Russisch Mineral. Ges. Bd. XXII." Zeitschr. f. wiss. Mikrosk. Bd. II., p. 573, 8vo. Braunschweig 1885.
- Sammeln und Behandlung lebender Diatomaceen. Zeitschr. f. wiss Mikrosk. Bd. III., p. 27, 8vo. Braunschweig 1886.—Also: Collecting and Treatment of living Diatoms. J. R. M. S., vol. VI., ser. 2, 1077, 8vo. London 1886.
- Hilfsapparat zum Aussuchen und legen von Diatomaceen. 3 Holzchnitte. Zeitschr. f. wiss. Mikrosk. Bd. III., p. 330, 8vo.

Braunschweig 1886.—Also: Superstage for the selection and arrangement of Diatoms. J. R. M. S., vol. II., page 153, 8vo. London 1887.

DEBES E.—Zur Technik der Diatomaceen-Präparaten. Zeitschr. f. wiss. Mikrosk. Bd. VI., p. 283, 8vo. Braunschweig 1889.

DEBY JULIEN—Note sur l' Argile des Polders, suivie d' une liste des Fossiles qui y ont été observées dans la Flandre occidentale. Mém. Soc. Belg. Malacol, 8vo. Bruxelles 1876.

— Liste des Diatomees fossiles trouvees dans l'argile des Polders. Bull. Soc. Belg. Micr. Tom. III., 8vo. Bruxelles 1877.

— Ce que c'est qu'une Diatomée. Bull. Soc. Belg. Micr., 8vo. Bruxelles 1877.

— Synonymie des Diatomées décrites dans le " Conspectus criticus Diatomacearum" de Ch. Ad. Agardh. Bull. Soc. Belg. Micr. tom. IV. Bruxelles 1877.

— Liste supplémentaire aux Diatomées de Belgique. Bull. Soc. Belg. Micr. tom. IV., 1877-78, p. 131, 8vo. Bruxelles 1876-77.

— Sur les Diatomées des Alpes. Annal. Soc. Belg. Micr. tom. IV., 8vo. Bruxelles 1877.

— Les Diatomées terrestres. Bull. Soc. Belg. Micr. 8vo. Bruxelles 1879. J. R. M. S., vol. II., p. 762, 8vo. London.

— Liste de Diatomées de Villefranche. Bull. Soc. Belg. Micr. IV., p. 134. Bruxelles 1877.

— What a Diatom is. A translation by F. Kitton. Sci. Gossip, vol. XIV., pp. 104, 126, 8vo. London 1878.

— Observations sur une notice intitulée "Le Thalle des Diatomées par le Dr. Matteo Lanzi dans Brebissonia Anno I., n. p. 113, 8vo. Paris 1877. J. R. M. S., vol. II., p. 608, 8vo. London 1878.

— Les apparences microscopiques des Valves des Diatomées *Nitzschia* pt. I., *Amphora* pt. II. Ann. Soc. Belg. Micr. tom. V.-VI., 8vo, fig. Bruxelles 1880. Summary in J. R. M. S., vol. III., p. 1033, 8vo. London 1880. Also, The Microscopical appearance of the valves of Diatoms. A study of the genus *Amphora*. Northern Microscopist, vol. I., p. 218, 8vo. London 1881.

— Quelques considérations relatives au travail de Mr. Prinz sur les coupes de quelques Diatomées. Bull. Soc. Belg. Micr. p. 79, 8vo. Bruxelles 1880.

— Receipts for Microscopists, with plate, 8vo. J. Q. M. C. London 1880.

— How to arrange Diatoms. J. Q. M. C., vol. VI., p. 166, 8vo. London 1880. J. R. M. S., vol. IV., ser. 2, p. 656, 8vo. London.

— A Bibliography of the Diatomaceæ "A bibliography of the Micros-

- cope" vol. III., 8vo. London 1882.—Also: Bibliographie Diatomologique. Journ. Microg. tom. XI., n. 6, p. 217, 8vo. Paris 1887.
- DEBY JULIEN—Le Diatomepelite de Seville: nouvelles espèces de *Cyclotella*. Fig. Journ. Microg., vol. VIII, p. 49, 8vo. Paris 1884.
- Notes diatomiques. Sur la structure des Diatomées d'après Prinz et Van Ermengen. *Terpsinoë musica* en Espagne. Diatomées arrangées. Journ. Microg., vol. VIII., p. 228, 8vo. Paris 1884.
  - On the microscopical structure of the Diatom valve. J. Q. M. C., vol. II., ser. 2, pp. 308, 339, 8vo. London 1886.—Notice of in J. R. M. S., vol. VI., ser. 2, p. 1024. London 1886.
  - Sur la structure microscopique des valves des Diatomées: Communication faite au Quek. Micr. Club de Londres les 20 Mai 1886.—Also: Structure intime de la valve des Diatomées. Journ. Microg., tom. X, p. 416, 8vo. Paris 1886. Zeitschr. f. wiss. Mikrosk. Bd. III., p. 266, 8vo. Braunschweig 1886.
  - Test Diatoms. J. R. M. S., vol. VI., ser. 2, p. 172. London 1886.
  - The mounting of Diatoms. A. M. M. J., vol. VII, p. 65, 8vo. Washington 1886.
  - Imbedding media for Diatoms. J. Q. M. C., vol. II., p. 308, 8vo. London 1886. J. R. M. S., vol. VI., ser. 2, p. 883, 8vo. London 1886.
  - Literature récente des Diatomées. Journ. Microg., vol. XI., p. 217, 8vo. Paris 1887.
  - Introduction à l'étude des Diatomées, dans l'ouvrage: "Diatomées, histoire naturelle. Classification et description des principales espèces" par le Dr. Pelletan, 8vo. Paris 1888.
  - Bibliographie récente des Diatomées. Notar. I., Ann. IV., p. 829, 8vo. Venezia 1889.
  - Bibliographie récente des Diatomées II. Nuova Notarisia 15 Giugno 1890, p. 49.
  - Réponse à Mr. J. Brun, lettre ouverte a Mr. De-Toni. Nuova Notarisia 15 Giugno 1890, p. 139.
  - Bibliographie récente des Diatomées III. Nuova Notarisia Ottobre 1890 et seq.
  - Catalogue de toutes les espèces du genre *Auliscus* connues à ce Jour. Journ. de Microg., vol 17, p. 183-189. 1891.
  - Genus *Campylodiscus*, Monograph. London 1891.
  - Notes sur les Diatomées fossiles de Sendaï. Le Diat., vol. I., p. 11.
  - Note sur le genre *Hydrosera*. Journ. de Micrg., No. 7, 1891. Le Diat., vol. I., p. 72.

DEICHMÜLLER DR. T. V.—Fossile Insecten aus dem Diatomeenschiefer von

Kütschlin bei Bilin, Böhmen. 1 Tafel. Vern. Leop. Carol. Ak. Naturf. Bd. XLII., n. 6, 4to. Halle 1881.

DE LANGUIBAUDIÈRE BAILLE.—Montage des Diatomées. Journ. Microg. Ann. XIII., n. 2, p. 59, 8vo. Paris 1889. Mounting Diatoms, J. R. M. S., p. 469, 8vo. London 1889. Micr. Bull., p. 27, 8vo. Philadelphia 1889. Also, notice of under title: "To distribute diatoms on the cover glass." The Microscope, vol. IX., n. 9, p. 283, 8vo. Detroit 1889.

DE LA RUE WARREN.—On *Navicula Spencerii*. A. J. S., vol. IX., n. 25, p. 33, New Haven 1850.

DELOGNE C. H.—Diatomées des environs de Bruxelles (première liste). Bull. Soc. Belg. Micr. tom. III., p. 78, 8vo. Bruxelles 1876-77.

— Note sur le *Tryblionella ovata*. Annal. Soc. Belg. Micr., tom. V., p. 227. Bruxelles 1878-9.

— Rapport sur le Thalle des Diatomées, par M. Lanzi. Bull. Soc. Belg. Micr., tom. V., p. 4, 8vo. Bruxelles 1878.

— De la Stabilité des Diatomées. Bull. Soc. Belg. Micr., vol. VI. p. 65, 8vo. Bruxelles 1880.

— Diatomées de Belgique Fasc. I-IV. et Catalogue des Espèces. Bruxelles 1880-81.

— Moyen de recueillir les Diatomées. Les Mondes p. 142. Bruxelles 1881.

— Diatomées de Belgique. Annal. Soc. Belg. Micr., vol. IX. Bruxelles 1880 et 1883.

— Instrument pour opérer le triage des Diatomées sous des grossissements assez forts, tels que ceux fournis par les objectifs nos. 3 et 4 de Hartnack. Bull. Soc. Belg. Micr., tom. XI. p. 38, 8vo. Bruxelles 1884.

— Rapport sur le "Synopsis des Diatomées de Belgique." Bull. Soc. Belg. Micr. Ann. XII. n. 7. p. 72, 8vo. Bruxelles 1886.

DEMING J. L.—List of Diatoms from Licking County, Ohio. Bull. Sci. Lab. Denison Univ., vol. III. pt. 1. p. 114, 8vo. Granville, Ohio 1888.

DENAEYER A.—Les végétaux inférieurs, Thallophytes et Cryptogames vasculaires, classification en familles, en genres et en espèces. Analyse des familles, avec 4 micrographies gr. 8vo. Bruxelles 1866. Referat von Herrn Möbius. Bot. Centralbl. Bd. XXX., p. 65, 8vo. Cassel 1887.

DENKSCHRIFTEN DER MATHEM. NATURWISS. CLASSE D. KAIS. AKADEMIE der Wissenschaft. (Denk. Ak. Wiss. Wien). Wien.

DE NOTARIS G. DE BAGLIETTO.—Erbario crittogamico Italiano. Genova 1842, etc.

- DE ROUGEMONT M.—Preparation des Diatomées par M. Mauler. Bull. Soc. Sci Nat. d. Neuchatel, p. 399. Neuchatel 1879.
- DE RUBLER J.—Diatomées du lac Lemán, du lac de Constance, du lac de Neuchatel, du lac de Zurich et du Rhin. 1874.
- DESMAZIÈRES J. B. H. T.—Plantes cryptogames de la France Ed. 1. Lille 1825, Ed. 2 (exsiccatae) Lille 1836-45.
- DE ST. VINCENT BORY.—On the greening of oyster In Annal. General. d. Sci. Physiq. tom. VII., p. 89, Bruxelles 1820 (Compare also Gaillon.).
- DETMERS H. J.—Resolution of *Amphipleura* by Sunlight. The Microscope vol. III., p. 197-201. Ann Arbor 1883.
- American and European Microscopes. Extract form an Address delivered before the A. S. M. (Amer. Soc. of Microscopists) on "What I saw in the optical establishments of Germany. Proc. Amer. Soc. Microscopists 11. th. Ann. Meet. at Columbus, Ohio vol. X., p. 149, 8vo. Hartford Conn. 1888.
- DE-TONI G. B.—Alge delle Ardenne contenute nelle Cryptogamæ Arduennæ della Signora M. A. Libert. Malp. Ann. I., 1887, pp. 325-228: Notar. Ann. II., n. 7, p. 367, 8vo. Venezia 1887.
- Manipolo di alge Portoghesi raccolte dal Sig. A. Moller. Notar. Ann. III., n. 10, p. 431, 8vo. Venezia 1888.
  - Intorno ad alcune Diatomacee rinvenute nel tubo intestinale di una *Trygon violacea*, pescata nell' Adriatico. Atti Ist. Venet. Sci. vol. VI., ser. 6. Venezia 1888. Notar. p. 565, 8vo. Venezia 1888. Bot. Centralbl. Bd. XXXV., p. 227, 8vo. Cassel 1888.
  - *Rattrayella*, novum genus Diatomacearum. Notar. Ann. IV., p. 691, 8vo. Venezia, 1889.
  - Prima contribuzione diatomologica sul lago di Alleghe. Boll. Soc. Bot. Ital. nel Nuov. Giorn. Bot. Ital., vol. XXI., n. 1, p. 126. Notar. Ann. IX., n. 13, p. 704, 8vo. Venezia 1889.
  - Osservazioni sulla tassonomia delle Bacillariee (Diatomee) seguite da un prospetto dei generi delle medesime. Notar. Ann. V., n. 17, p. 885, 8vo. Venezia 1890.
  - Sulla *Navicula aponina* Kütz. e sui generi *Brachysira* Kütz. e *Libellus* Cleve. Atti R. Ist. Venet. Sci. 1890.
  - La Nuova Notarisia. Redattore e proprietario, G. B. Dott. De-Toni, 8vo. Padova 1890.
  - Diagnoses Algarum Novarum (Bacillarieæ). Nuova Notarisia, Avril 1890, p. 32.
  - Diagnoses algarum novarum. Nuova Notar. 1890.
  - Classification of Diatoms. J. R. M. S., 1890.
  - "Referat" sur le travail de Macchiati L., Primo elenco de

Diatomacee nel laghetto del pubblico Gardino di Modena. Boll. Soc. Bot. Ital., vol. XXIII., p. 175. Beihefte zum Botanischen Centralblatt, No. 3, vol. I., p. 161.

DE-TONI G. B.—Note sulla flora del Bellunese. N. G. B. T., XXI., t. 9, p. 55-76. Referat dans Just. Bot. Jahrb., No. 48, p. 250. 1891.

— Sylloge algarum omnium hucusque cognitarum, vol. II., pars I. *Bacillaria*.

DE-TONI G. B. E LEVI-MORENOS DAVID (Notarisia). Catalogo delle Diatomee del Lago d'Orta. Estrat. d. Nota del Sign. Edoardo Bonardi in Boll. Sci. Pavia tom. VII. Pavia 1885. Notar. Ann. I. p. 60, 8vo. Venezia 1886.

— Catalogo delle Diatomee rinvenute da D. Pantanelli nel calcare biancastro friabile sovrapposto al bacino di lignite di Spoleto classificate dal sig. Conte Francesco Castracane. Nei Proc. Verb. Soc. Tosc. Sci. Nat. 22 Marzo 1885, p. 171. Pisa 1885. Notar. Ann. I. p. 61, 8vo. Venezia 1886.

— Alghe della Baia di Assab raccolte da G. B. Licata. La Natura Milano 1882, n. 12, p. 181. Notar. Ann. I., p. 62, 8vo. Venezia 1886.

— Relazione sul riordinamento dell' Algarium Zanardini al Comitato Direttivo del Civico Museo Correr di Venezia (Diatomee). Notar. Ann. I., p. 73, 8vo. Venezia 1886.

— P. Petit, Note sur le developpement des auxospores chez le *Cocconema cistula*. Notar. Ann. I., p. 100, 8vo. Venezia 1886.

— Contributiones ad phycologiam extra-Italicam (Bacillariaceæ). Notar. Ann. I., p. 117, 8vo. Venezia 1886

— Primi materiali per il censimento delle Diatomacee Italiane. Notar. Ann. I., pp. 125, 169, 416, 8vo. Venezia 1886.

— Diatomacee nuove per la flora algologica del Veneto. Notar. Ann. I., pag. 164, 8vo.

— Bibliographia Diatomacearum Italicarum. Notar. Ann. I., p. 126, 127, 128, 8vo. Venezia 1886.

— Diatomaceæ Venetæ Novæ vel veteres notis micrometricis ditatæ. Miscell. phycol. Ser. 1. Atti R. Ist. Venet. Sci. tom. XV., ser. 6, pag. 995, 8vo. Venezia 1886.

— Sul genere *Cymbella*. Notar. Ann. II., n. 5, p. 291, 8vo. Venezia 1886.

— De algis nonnullis præcipue Diatomaceis inter Nymphæaceas Horti Botanici Patavini. Malpighia Ann. I., fasc. II., p. 60. Messina 1886.

— Phycotheca Italica, collezione di Alghe Italiane essiccate (Diatomaceæ, etc.). Collaborati Dott. F. Balsamo, Prof. A.

- Borzi, Prof. E. De-Toni, I. Miani, Prof. A. Piccone, Prof. P. A. Saccardo, Strafforello. Notar. Ann. I., p. 157, II., p. 273, 322; II., p. 640, 8vo. Venezia 1884-88.—Bot. Centralbl. Bd. XXIX., p. 24, 8vo. Cassel 1887.
- DE-TONI G. B. E LEVI-MORENOS DAVID (Notarisia)—Algæ novæ: Diatomaceæ. Notar. Ann. I., p. 146, 192; II., p. 255, 343, 349; III., p. 463, 429, 605; IV., p. 680, 743, 854; V., p. 930, 8vo. Venezia 1886-89.
- Algæ novæ Annis 1885-86 editæ (incl. Diatomaceæ) Notar. Ann. II., p. 242, 8vo. Venezia 1887.
  - Spigolature per la ficologia Veneta Nuov. Giorn. Bot. Ital. XIX., fasc. II., p. 106-110, 1887; Notar. An. II., n. 8, p. 370, 8vo. Venezia 1887.
  - Diatomee da agginugersi al censimento delle Diatomee Italiane, estratte dai lavori del Dr. Matteo Lanzi. Notar. Ann. II., n. 7, p. 372, 8vo. Venezia 1887.
  - Collezioni botaniche: l'agarium Zanardini, Diatomeæ, p. 141. Civic. Mus. e raccolta Cor. in Venezia, 8vo. Venezia 1880.
  - Liste des algues trouvées dans le tube digestif d'un Têtard. Soc. Bot. de Lyon, 1888. Lyon 1888.
  - Notice of "Schultze E. A., A description of Staten Island Diatoms." Notar. Ann. IV., p. 860, 8vo. Venezia 1889.
  - Notice of "Kain H. and Schultze E. A. On a fossil marine diatomaceous deposit from Atlantic City, N. Y." Notar. Ann. IV., p. 862, 8vo. Venezia 1889.
  - Notice of "Studnicka F. Beitrag zur Kenntniss der böhmischen Diatomeen." Notar. Ann. IV., p. 863, 8vo. Venezia 1889.
  - Notice of "Macchiati L. La *Synedra pulchella* K. var. *abnormis* Macchiati, ed altre diatomacee della sorgente di Ponte Nuovo (Sassuolo)." Notar. Ann. IV., p. 869, 8vo. Venezia 1889.
  - Notice of "Bonardi E. Diatomées des lacs de Delio et de Piano." Notar. Ann. IV., p. 870, 8vo. Venezia 1889.
  - Notice of "Macchiati L. Le Diatomacee della fortezza di Castel-franco Bolognese." Notar. Ann. IV., p. 876, 8vo. Venezia 1889.
  - Notice of "Hauck F. and Richter P. Phykotheke Universalis fasc. V., n. 201-250." Notar. Ann. IV., p. 878, 8vo. Venezia 1889.
- DIATOM—The first figure of a; Phil. Trans. (abridged), 1703, p. 1498, 8vo. London 1803. Also, Early history of the Diatomaceæ. Sci. Gossip, vol. XI., p. 77, 133, 8vo. London 1880. Journ. Microg. tom. IV., V., 8vo. Paris 1880-81.
- Cleaning of Diatoms and breaking up of Barbados Earth. The Microscope, vol. VI. Ann Arbor 1885.

DIATOM—The Diatom hoax (*Pleurosigma angulatum*). Amer. Naturalist, vol. VI., p. 121. Salem 1872.

DIATOMA—The name of a genus of *Flowering* plants. Flor. Cochinchin. sistens. Plantas in Regn. Cochinchina, Africa Oriental. Indiæ-que locis variis. Ulyssipone 1790.

DIATOMACEÆ—I. Icones or atlas of original plates, extracted from more than 150 distinct works und papers, by more than 60 different authors and containing between 15,000 and 20,000 named figures of Diatomes, bound in X. volumes, Roy. Folio. In the In the library of Julien Deby. These Icones comprise all the published figures by J. W. Bailey, L. W. Bailey, Beck, Brightwell, Brun, Castracane, Cleve, Cleve et Grunow, Danfelt, Donkin, Ehrenberg (except those in the "Infusionsthierchen" and "Mikrogeologie"), Fresenius, Gregory, Greville, Grove and Sturt, Grunow, Hantzsch, Heiberg, Janisch (including the Gazelle Expedition Photographs), Janisch and Rabenhorst, Johnstone, Kitton, Kitton et Grunow, Ladgerstedt, Lauder, Leuduger-Fortmorel, Lewis, Norman, O'Meara, Pantocsek, Pedicino, Peregallo, Petit, Rrichard, Rattray, Roper, A. Schmidt (Atlas, etc.), Schultze, Schumann, Shadbolt, Shrubsole, H. L. Smith, W. Smith, Stolterfoth, Suringar, Taranek, Tempère, Truan, Truan and Witt, Van Heurck, Walker and Chase, Wallich, Weisse, West, Witt, and many others.

DIATOMANIE A.—Micr. Bull., vol. VI., p. 19. 8vo. Philadelphia 1889.

DIATOMEEN-TAFELN, zusammengestellt für einige Freunde. Als M. S. gedruckt, 8vo. New York 1888. (A photographic reproduction of plates in J. and T. of R. M. S., by Greville and others).

DIATOMISTE LE--Paris 1890 et seq.

DIATOM OOZE.—Encycl. Brit. Ed. IX., vol. XVII. (article on Pacific ocean). Edinburgh 1884.

DIATOMS of the U. S. Exploring Expedition 1838-42. Reports vol. XVII., p. 174, pl. IX. See Harvey et Bailey, 4to. Washington 1862-1864.

— Diatoms list of, discovered in the U. S. Exploring Expedition under Capt. Wilkes. U. S. N. Q. J. M. S., vol. II., p. 288, 8vo. London 1854.

— Diatoms, where to search for. Lens vol. I., p. 106. Extract from Intellect. Observer. Chicago 1872.

— Diatoms, The distribution of, affected by the change of current in Lakes. M. M. J., vol. VII., p. 182, 8vo. London 1872.

— Diatoms, how to pick out in mounting. M. M. J., vol. IX., p. 86, 8vo. London 1873.

- DIATOMS—Diatoms, Separating. 12 woodcuts. Amer. Naturalist, vol. VII., p. 637, 8vo. Salem 1873.
- Diatoms, Structure of. Amer. Naturalist, vol. VII., p. 701, 8vo. Salem 1873.
  - Diatoms, Natural History of. M. M. J., vol. XIII., p. 221, London 1875.
  - Diatoms, Mounting selected. The Silver disk. Amer. Naturalist, vol. IX., p. 252, 8vo. Salem 1875.
  - Diatoms as food for plants, with cuts of forms of Diatoms found in Col. Kunkel's Straw. A. J. M., vol. I., n. 9, p. 105, 8vo. New York 1876.
  - Diatoms, Collecting (Mr. Redmayne's method). Amer. Naturalist, vol. X., p. 567, 8vo. Boston et New York 1876.
  - Diatoms, Cleaning with Glycerine (Mr. James Neil's method). Amer. Naturalist, vol. XI., p. 121, 8vo. Boston and New York 1877.
  - Diatoms, Fossil from South Australia (Coorongite). Amer. Naturalist, vol. XI., p. 377, 8vo. Boston and New York 1877.
  - Diatoms, Mounting of. See Davis "On the Mounting and preparation of Microscopic objects," 8vo. London 1878.
  - Diatoms of Eastbourne. Lists of the Flora of Eastbourne. Eastbourne Nat. His. Soc. from Chamber's Handbook for Eastbourne. Eastbourne 1873.
  - Diatoms : How to find and how to prepare them. Northern Microscopist, p. 56, 8vo. London 1881, and A. M. J., April 1880.
  - Diatoms. A visit of Belfast Naturalists Field Club. Excursion to Toome Bridge, 8vo. Belfast 1881.
  - Diatoms, Movements of. Northern Microscopist, p. 143, 8vo. London 1881.
  - Diatoms in Thames Mud. Northern Microscopist, p. 75, 8vo. London 1882.
  - Diatoms from the London Clay, The preparation of. Micr. News, p. 178, 8vo. London 1883.
  - Diatoms, Deposit of in the Island of Skye. Chamber's Journal, p. 413, 1886.
  - Diatoms, Cleaning of. J. R. M. S., p. 295, 8vo. London 1887.
  - Diatoms, Photomicrographs of. J. R. M. S. p. 295, 8vo. London 1888.
- DICKIE G.—Notes on Diatomaceæ found in the stomachs of certain Mollusca. A. and M. N. H. vol. I., n. s. 8vo. London 1848.
- Notes on a deposit of fossil Diatomaceæ in Aberdeenshire. A. and M. N. H. vol II. n. s. 8vo. London 1848.

- DICKIE G.—On a deposit of Diatomaceæ and Mollusca in the County of Antrim. Q. J. M. S. vol. VII., p. 9, 8vo. London 1859.
- Notes on Diatomaceæ from Danisch Greenland collected by Robert Brown. Trans. Bot. Soc. Edin. vol. X., pag. 65, 8vo. Edinburgh 1869. Q. J. M. S. vol. IV., p. 316, 317, 8vo. London 1869. M. M. J. vol. I., p. 191, 8vo. London 1869.
- Notice of a diatomaceous deposit at Methlic, Aberdeenshire. Journal. and Proc. Bot. Soc. vol. XI., p. 394, 8vo. Edinburgh 1873.
- On the Algæ found during the Arctic Expedition under the command of Sir George Nares (Read 1877). Journ. Lin. Soc. (Bot.) vol. XVII., p. 6, 8vo. London 1880.
- Notes on Algæ from Lake Nyassa, East Africa. Journ. Lin. Soc. (Bot.) vol. XVII., p. 281, 8vo. London 1879. J. R. M. S. vol. 11., p. 668, fig., 8vo. London 1879.
- Notes on Algæ from the Amazon and its Tributaries. Journ. Lin. Soc. Bot. vol. XVIII., p. 123, 8vo. London 1880. The Diatoms by Rev. G. Davidson.
- Notes on Algæ from the Himalayas. Journ. Lin. Soc. Bot. vol. XIX., pag. 230, 8vo. London 1882.
- Structure of the Diatom valve. Proc. Amer. Soc. Micr. vol. VII., 8vo. 1884.—J. R. M. S., vol. V., ser. 2, p. 286, 8vo. London 1884.
- DICTIONNAIRE DES SCIENCES NATURELLES (§ Vibrio) tom. LXIII.
- DICTIONNAIRE UNIVERSEL d'Histoire Naturelle (Dict. Univ. d'Hist. Nat.) Paris.
- DIECK RUDOLPH—Diatomeen aus Halle's Umgebung. Giebel's Zeitschr., vol. XXVIII., p. 424-430, 8vo. Berlin 1866.
- DILLENUS J. J.—Historia Muscorum. Appendix, p. 552, 85 Tab. Oxonii 1744.—Ditto: (English Edition). London 1763.
- DILLER J. S.—The occurrence of Infusorial earth in the Pacific States (Pitt and Klamath Rivers). Miner. Res. U.S., 1886 Dep. of Int. Geol. Surv., p. 588, 8vo. Washington 1887.
- DILLWYN LEWIS WESTON—British Confervæ; or coloured figures and descriptions of the British Plants referred by Botanists to the genus *Conferva*, 4to. (See Kitton). London 1809.
- DIPPLE LEOPOLD—Beiträge zur Kenntniss der in den Soolwässern von Kreuznach lebenden Diatomeen, sowie über Struktur, Theilung, Wachsthum und Bewegung der Diatomeen überhaupt. 3 Tafeln, 8vo. Kreuznach 1870.
- Diatomaceenschalen. "Das Mikroskop und seine Anwendung." 8vo. Braunschweig 1872.

DIPPLE LEOPOLD—Die neue Theorie über die feinere Struktur der Zellhülle, betrachtet an der Hand der Thatsachen. Mit Tafeln, 4to. Frankfurt-a-M. 1878.

-- Ableitung der Formel $a = \frac{\lambda \sqrt{e_1^2 + e_2^2} - 2e_1 e_2 \cos. i}{2e_1 e_2 \sin. i}$ auf

Seite 312 meines Handbuchs der allgemeinen Mikroskopie mit Bemerkungen über einige Probe objecte aus der Gattung *Grammatophora*. Zeitschr. f. wiss. Mikrosk. Bd. I., p. 23, 8vo. Braunschweig 1884.—Arch. f. Mikr. Anat. Bd. V., p. 283; Bd. IX., p. 803, 8vo. Bonn 1884.—Zeitschr. f. Mikrosk. Bd. II. Heft 9. Berlin 1880.

— Kaliumquecksilber-jodid als Einschlussmittel für Diatomeen. Bot. Centralbl. Bd. XI., p. 105, 8vo. Cassel 1882.

— Das Mikroskop und seine Anwendung. Zweite Aufl. Fig., 8vo. Braunschweig 1882-83.

— Ein neues Einschlussmittel für Diatomeen-Präparate. Bot. Centralbl. vol. XVI., p. 158, 8vo. Cassel 1883. Bull. Soc. Belg. Micr. 1883, 8vo. Bruxelles 1883.

— J. D. Möllers Probeobjecte in Phosphorlösung. Zeitschr. f. wiss. Mikrosk. Bd. I., p. 413, 8vo. Braunschweig 1884. Also: Diatoms in Phosphorus. J. R. M. S. vol. V., ser. II. p. 354, 8vo. London 1883.

— Referat über "Kain C. H. Balsam of Tolu for Mounting. Microsc. Bull. vol I., p. 36". Zeitschr. f. wiss. Mikrosk. Bd. II. p. 82, 8vo. Braunschweig 1885.

— Referat über "Francotte P. Description des différentes Méthodes employées pour ranger les coupes et les Diatomées en séries sur le port-object. Bull. Soc. Belg. Micr. tom. X., p. 137". Zeitschr. f. wiss. Mikrosk. pag. 419, 8vo. Braunschweig 1885.

— Grundzüge der allgemeinen Mikroskopie, 8vo. Braunschweig 1886.

— Referat über "Cassia oil for mounting. J. R. M. S. vol. VI., ser. 2, pt. 4, p. 717". Zeitschr. f. wiss. Mikrosk. Bd. III., p. 397, 8vo. Braunschweig 1886.

DONKIN ARTHUR—On a species of filamentous Diatom new to Britain. J. M. S. vol. VI., n. 7, p. 11, 8vo. London 1858.

— On the marine Diatomaceæ of Northumberland with a description of 8 new species. T. R. M. S., VI., p. 12-34, 3 pl. London 1858.

— Notes in reply (re. *Amphiprova Ralfsii*, *Toxonidea*, etc.) to Dr. Walker-Arnott, Q. J. M. S., vol. VII., p. 5, 8vo. London 1859.

— On the marine Diatomaceæ of Northumberland with a description

- of several new species. Q. J. M. S., vol. I., n. s. p. 1., pl. I. London 1861.
- DONKIN ARTHUR—On several new and rare Species of Freshwater Diatomaceæ discovered in Northumberland. Q. J. M. S., vol. IX., n. s. p. 287, pl. XVIII., 8vo. London 1869.
- Notes on certain fresh water species of Diatomaceæ. Q. J. M. S., vol. IX., n. s. p. 397, 8vo. London 1869.
- The Natural History of the British Diatomaceæ, illustrated with plates by Tuffen West, F.L.S. Pts. 1, 2, 3 (all published) 12 plates: 105 figures of *Navicula*, 8vo. Review of do. in J. R. M. S., XIV., p. 93. London 1871-72.
- His collection of Diatoms. *Collectiones exsiccatae*.
- DOSSET Y MONZÓN JOSÉ ANTONIO.—Datos par la Sinopsis de las Diatoméas de Aragon. 32 pp. Zaragoza 1888. Bot. Centralbl. Bd. XXXVIII., n. 7, p. 676, 8vo. Cassel 1889.
- DOUGLAS R. C.—*Bacillaria paradoxa* in fresh water. Q. J. M. S., vol. V., n. s. p. 148, 8vo. London 1865. Micr. News, p. 27, 8vo. London 1883.
- DRUCE TH. CH.—Conjugation of Diatomaceæ. Q. J. M. S., vol. V., p. 22, 8vo. London 1857.
- DRUDE O.—Staining Diatoms. J. R. M. S., 1888, p. 256; from Sitzungsber. in Abh. Naturwiss. Ges. Isis, p. 8, 8vo. Dresden 1887.
- DRUMMOND JAMES—On fossil infusoria found in the County Down, Ireland. Loud. Mag. Nat. Hist., 8vo. London 1839.
- DUBLIN ZOOLOGICAL AND BOTANICAL ANNALS—The Dubl. Zol. Bot. Ann. Dublin.
- DUBY J. E.—Botanicon gallicum. Pars. II. Plant. cellulares, 8vo. Paris 1830.
- DUCHESNE LÉON—*Pleurosigma angulatum*. Diatomiste, 1890, vol. I., p. 27.
- DUDLEY P. H. C. E.—*Triceratium Davyanum*. Journ. New York Mic. Soc., vol. I., n. 6. p. 145, 8vo. New York 1885.
- DUJARDIN FELIX—Bacillariées (Diatomées) in "Hist. Nat. d. Zoophytes Infusoires," 8vo., pl. Paris 1841.
- Diatomées in "Nouveau manuel de l'Observateur au Microscope," 12 mo., Atlas 8vo. Paris 1842.
- DUTERTRE E.—Sur la photographie des Diatomées. Le Diat., vol. I., p. 34.
- DUNCAN PROF. MARTIN—Extract from address to the members of Royal Microscopical Society, Feb. 8, 1882. Northern Microscopist 1882, p. 274, 206, 339 (*Survirella gemma* p. 337), 8vo. London 1882.
- DURKEE R. P. H.—Structure of the Diatom Valve. Proc. Amer. Soc. Mic. vol. VII., p. 105, 1884.
- DYBOWSKI W.—Przyczynek do fauny jeziora Bajkalskiego in Wiadomosis z nauk przyrodzonych, vol. I. Varsoviæ 1880.

- EBERT T.—Beiträge zur Diatomeenflora der Umgegend von Cassel. Festschr. Ver. f. Naturk. p. 77, 8vo., Cassel, 1886. Notar. Ann. I., n. 3, p. 166, 8vo. Venezia 1886.
- ECKHARD C.—Die Organisations verhältnisse der polygastrischen Infusorien mit besonderer Rücksicht auf die kürzlich durch Herrn v. Siebold ausgesprochenen Ansichten über diesen Gegenstand. Arch. f. Naturgesch. Jahrg. XII. Bd., I., 8vo. Berlin 1846.
- EDINBURGH NEW PHILOSOPHICAL JOURNAL, The (E. N. P. J.) Edinburgh.
- EDMONDS H.—Elementary Botany, Theoretical and Practical. New and revised edition, 8vo. London 1889.
- EDWARDS A. M., M.D.—On Diatomaceæ collected in the United States. T. M. S., vol. VII., n. s. p. 84, 8vo. London 1859.
- Method of cleaning Diatomaceæ. Q. J. M. S., vol. VII., p. 167, 8vo. London 1859.
  - On the microscopic forms of the Harbour of Charleston, South Carolina. Ann. Lyc. Nat. Hist., vol. VII., p. 103, 8vo. New York 1860.
  - On American Diatomaceæ. Q. J. M. S., vol. VIII., p. 127, 8vo. London 1860.
  - Results of an examination under the microscope of some Japanese Infusorial Earths and other deposits of China and Mongolia, being appendix n. 3 of geological researches in China, Mongolia, and Japan, by Raphael Pumpelly. Smith's Contrib. to Knowl., 4to. Philadelphia 1866.
  - Remarks on Prof. H. L. Smith's observation on the probable formation of an *amaeba* from *Pinnularia*. Amer. Naturalist, vol. I., p. 167, 8vo. Salem 1868.
  - On the occurrence of living forms in the hot waters of California. A. J. S. New Haven 1868.
  - A new process of preserving Specimens of filamentous Algæ for the microscope. M. M. J., vol. I., p. 361, 8vo. London 1869. Amer. Naturalist, vol. III., p. 164, 8vo. Salem 1870.
  - Notes on a point in the Habits of the Diatomaceæ and Desmidiaceæ. Q. J. M. S., vol. IX., n. s. p. 64, 8vo. London 1869.
  - Notes on Diatomaceæ. Proc. Bost. Soc. Nat. Hist., vol. XIII. Boston 1870.
  - Notes on Diatomaceæ. Pt. I. M. M. J., vol. III., p. 249. Pt. II. ibid. vol IV., p. 33, 8vo. London 1870.
  - What is a Desmid? Amer. Naturalist, vol. III., p. 313, 8vo. Salem 1870.
  - Natural Carvings. Amer. Naturalist, vol. III., p. 427, 8vo. Salem 1870.

- EDWARDS A. M., M.D.—Fresh Water Diatomaceæ or Infusorial Earths. M. M. J., vol. V., p. 234, 8vo. London 1871.
- Microscopical Examination of two minerals (one Diatomaceous). Proc. Lyc. Nat. Hist. New York 1871. M. M. J., vol. V., p. 226, 8vo. London 1871.
  - Note on the identity of several species of *Gomphonema*. Bull. Torrey Bot. Cl., vol. II., p. 39, 8vo. New York 1871.
  - On diatomaceous deposits from America. M. M. J., vol. V., p. 234, 8vo. London 1871.
  - Remarks on *Triceratium fimbriatum*. M. M. J., vol. X., p. 137, 8vo. London 1873.
  - On dimorphic Diatoms. Grevillea, p. 15, 8vo. London 1872.
  - How to prepare specimens of Diatomaceæ for Examination and Study by means of the microscope. M. M. J., vol. XII., p. 225, 8vo. London 1874.
  - A sketch of the Natural History of the Diatomaceæ. 3 Plates. Concord. N. H. 1874.
  - Different Diatoms on the same stipes. Q. J. M. S., vol. XV., p. 63, 8vo. London 1875.
  - Dr. Phipson on Diatoms by Mead Edwards, A. J. M., vol. I., p. 129. New York 1876.
  - A Sketch of the Natural History of the Diatomaceæ. Bull. Torrey Bot. Cl., vol. VI., p. 34, 8vo. New York 1877.
- EDWARDS A. M., M.D., JOHNSTON CHRISTOPHER, M.D., AND SMITH, PROF. H. L., LL.D. Practical directions for collecting, preserving, transporting, preparing and mounting Diatoms, 8vo. New York 1877. Notice of Amer. Naturalist, vol. XII., n. 43, 8vo. Philadelphia 1878.
- Species. Am. Mon. Micr. J., XIII. (1892) pp. 212-6, T. R. M. S., 1893, p. 80.
- EHRENBERG C. G.—Die geographische Verbreitung der Infusions-thierchen in Nord Africa und West Asien, beobachtet auf Hemprich und Ehrenberg's Reisen. Abh. Berl. Akad., 4to. Berlin 1829.
- Beiträge zur Kenntniss der Organisation der Infusorien und ihrer geographischen Verbreitung besonders in Sibirien. Abh. Berl. Akad. 4 und 18. März 1830. Mit 8 Tafeln. Berlin 1830.
  - Organisation, Systematik und geographisches Verhältniss der Infusions-thierchen. Zwei Verträge; Abh. Akad. d. Wiss. Berlin. Mit 8 Kupfertafeln, 4to (Gelesen 1828). Berlin 1830.
  - Ueber die Entwicklung und Lebensdauer der Infusions-thiere, nebst ferneren Beiträgen zu einer Vergleichung ihrer organischen Systeme. Abh. Berl. Akad., p. 19, 4 Taf. Col., 4to. Berlin 1831.

EHRENBERG C. G.—Ueber eine neue Fortschritt in der Kenntniss der Organisation im kleinsten Raume durch Verbesserung des Mikroskops von Pistor und Schiek. Abh. Berl. Akad. 1832, p. 433-438, 4to. Berlin 1832.

- Zur Erkenntniss der Organisation in der Richtung des kleinsten Raumes. Zweiter Beitrag. Entwicklung, Lebensdauer und Struktur der Magenthiere und Räderthiere oder sogenannten Infusorien; nebst einer physiologischen Characteristik beider Klassen und 412 Arten derselben. Abh. Berl. Akad. Col. Taf. Berlin 1832.
- Dritter Beitrag zur Erkenntniss grosser Organisation in der Richtung des kleinsten Raumes. Abh. Berl. Akad. 1833, p. 145, 11 Tafeln, 4to. Berlin 1833.
- Das Lauchten des Meeres. Neue Beobachtungen nebst Uebersicht der Hauptmomente der geschichtlichen Entwicklung dieses merkwürdigen Phänomenens. Abh. Berl. Ak. 2 Tafeln, 4to. Berlin 1834.
- Zusätze zur Erkenntniss grosser organischen Ausbildung in den kleinsten thierischen Organismen. Abh. Berl. Ak. 1835, p. 151-180, 1 Tafel., 4to. Berlin 1835.
- Ueber das Massenverhältniss der jetzt lebenden Kiesel-Infusorien und über ein neues Infusorien-Conglomerat als Polirschiefer von Jastraba in Ungarn. Abh. Berl. Ak., 2 Tafeln, 4to. Berlin 1836.
- Die fossilen Infusorien und die lebendige Dammerde. Abh. Berl. Ak. 1836-37, 2 Kupfertafeln und 1 Tabelle, 4to. Berlin 1837.
- Remarks on the real occurrence of fossil Infusoria and their extensive diffusion. 1 Plate. Poggend. Annal., vol. XXXVIII., n. 5, p. 213. Reproduced in Taylor's Mem., translated by M. W. Francis, vol. I., pt. 3, 8vo. London 1837.
- Further notices of fossil Infusoria. Poggend. Annal., vol. XXXVIII., n. 6, p. 455. Taylor's Mem., vol. I., pt. 3, p. 407, 8vo. London 1837.
- Die Infusionsthierchen als vollkommene Organismen. Ein Blick in das tiefere organische Leben der Natur; Nebst einen Atlas von vier und sechzig colorirten Kupfertafeln, gezeichnet von Verfasser. 2 vols., Folio. Leipzig 1838.
- Ueber die Bildung der Kreidefelsen und des Kreidemergels durch unsichtbare Organismen. Abh. Berl. Ak. 6 und 20 Dec., 1838, und 18 Feb., 1839. Nebst 4 Kupfertafeln. und 3 Tabellen, 4to. Berlin 1840.
- Ueber das im Jahre 1686 in Curland von Himmel gefallene Meteorpapier und über dessen Zusammensetzung aus Conferven

und Infusorien. Abh. Berl. Ak. 6 Dec. 1833. Mit 2, colorirten Kupfertafeln, 4to. Berlin 1839.

EHRENBERG C. G.—Recherches sur l'organisation des Infusoires, traduit par Mandl. Joint au Traité du Microscope par Mandl. 14 Planches, 8vo. Paris 1839.

- Communications respecting fossil and recent Infusoria made to the British Association at Newcastle. A. and M. N. H. vol. II., 8vo. London 1839.
- On a meteor paper which fell from the Sky in 1682 at Curland, composed of Confervæ and Infusoria. A. and M. N. H. vol. III., 8vo. London 1839.
- Ueber noch jetzt zahlreich lebende Thierarten der Kreidebildung und den Organismus der Polythalamien. Abh. Berl. Ak. 1839 und 1840. Nebst 4 colorirten Kupfertafeln, 4to. Berlin 1840.
- Zusätze über noch jetzt lebende Thierformen der Kreidemergel. Mb. Berl. Ak. 1840, p. 147, 8vo. Berlin 1840.
- Ueber ausgezeichnete jetzt lebende peruanische und Mexikanische Meeres-In-fusorien. Mb. Berl. Ak. 1840, p. 157, 8vo. Berlin 1840.
- Dritte Fortsetzung Beobachtungen über zahlreiche jetzt lebende mikroskopische Thiere der Kreideformation. Mb. Berl. Ak. 1840, p. 147, 176, 8vo. Berlin 1840.
- Charakteristik von 274 neuen Arten von Infusorien. Mb. Berl. Ak. 1840, p. 197, 8vo. Berlin 1840.
- Ueber die wie Kork auf Wasser schwimmenden Mauersteine der Alten Griechen und Römer. Mb. Berl. Ak. 1842, p. 132, 8vo. Berlin 1842.
- Ueber eine bisher unbekannte sehr grosse Verbreitung des mikroskopischen Lebens als Felsmassen in Central Nord Amerika und in westlichen Asien. Mb. Berl. Ak. 1842, p. 187, 8vo. Berlin 1842.
- Ueber eine plastischen Kreidemergel von Aegina. Mb. Berl. Ak. 1842, p. 263, 8vo. Berlin 1842.
- Ueber die Verbreitung der mikroskopischen Organismen in Asien und Australien. Mb. Berl. Ak. 1842, p. 269, 8vo. Berlin 1842.
- Ueber drei neue Lager fossiler Infusorien in Frankreich. Mb. Berl. Ak. 1842, p. 270. Berlin 1842.
- Ferner Resultate der neuesten and seiner eigenen Untersuchungen des grossen Infusorien-Lagers der Lüneburger Haide. Mb. Berl. Ak. 1842, p. 292, 8vo. Berlin 1842.
- Samples of Infusorial Earths from the Mourne Mountains, Ireland. Mb. Berl. Ak. 1842, p. 335, 8vo. Berlin 1842.

- EHRENBERG C. G.—On the extent and influence of microscopic life in South and North America, with list of Diatoms. *M. J.*, vol. II., p. 24, 8vo. (from *Mb. Berl. Ak.* 1841). London 1842.
- Das unsichtbar wirkende organische Leben. Eine Vorlesung im Vereine für wiss. Vorträge, gehalten zu Berlin am 12, Feb. 1842, 1 Tafel, 8vo. Leipzig 1842.
  - On numerous animals of the Chalk formation which are still to be found in a living state, 4 Plates. *Taylor's Mem.* vol. III., pt. 10, p. 319, pt. II., p. 345, 8vo. London 1842.
  - Verbreitung und Einfluss des mikroskopischen Lebens in Süd- und Nord-Amerika. *Abh. Berl. Ak.* 25 März und 10 Juni 1841, mit spätern Zusätzen. Nebst 4 colorirten Kupfertafeln, 4to. Berlin 1842.
  - Ueber gebrannte Mauersteine aus Infusorien Erde. *Mb. Berl. Ak.* 2 Feb. 1843, p. 41, 8vo. Berlin 1843.
  - Über zwei neue Asiatische Larger fossiler Infusorien-Erden aus dem Russischen Trans-Kaukasien (Grusien) und Siberien. *Mb. Berl. Ak.* 6 Feb. 1843, p. 43, 8vo. Berlin 1843.
  - Über die alterthümliche Anfertigung leichter Steine aus einer weissen (wahrscheinlich Infusorien) Erde auf der Insel Rhodus und deren historische Verwendung zum Bau der berühmten Kuppel der Sophien-Kirche in Constantinopel. *Mb. Berl. Ak.* 23 Feb. 1843, p. 63, 8vo. Berlin 1843.
  - Ueber einige Jura-Infusorien-Arten des Corallrags bei Krakau. *Mb. Berl. Ak.* 23 Febr. 1843, p. 61, 8vo. Berlin 1843.
  - Beobachtungen über die Verbreitung des jetzt wirkenden kleinsten organischen Lebens in Asien, Australien und Afrika und über die vorherrschende Bildung auch des Oolithkalkes der Jura-Formation aus kleinen polythalamischen Thieren. *Mb. Berl.* 1843, p. 100, 105, 3 Theile, 8vo. Berlin 1843.
  - Ueber die weitere Entwicklung der Verbreitung und Einflusses des mikroskopischen Lebens in Afrika. *Mb. Berl. Ak.* 1843, p. 133, 137, 8vo. Berlin 1843. Auch: Fortsetzung des Vortrages von 10 März d. J. über die Weitere Entwicklung der Verbreitung und des Einflusses des mikroskopischen Lebens in Afrika. *Mb. Berl. Ak.* 1843, p. 133, 8vo. Berlin 1843.
  - Neue Beobachtungen über den sichtlichen Einfluss der mikroskopischen Meeres-Organismen auf den Boden des Elbbettes bis oberhalb Hamburg. *Mb. Berl. Ak.* 1843, p. 161, 8vo. Berlin 1843.
  - Ueber den Gehalt an unsichtbar kleinen Lebensformen aus einigen von Prof. Koch aus Constantinopel eingesandten Proben der

Meeresablagerungen im Marmara Meer und im Bosphorus.
Mb. Berl. Ak. 1843, p. 253, 8vo. Berlin 1843.

EHRENBERG C. G.—Ueber fortgesetzte Beobachtungen des bedeutenden
Einflusses unsichtbar kleiner Organismen auf die untern
Stromgebiete, besonders der Elbe, Gahde, Ems und Schelde.
Mb. Berl. Ak. 1843, p. 259, 8vo. Berlin 1843.

— Observations on the filling up of river beds and harbours by
microscopic organisms (Diatomaceæ). M. J., vol. II., 8vo.
London 1843.

— Ueber zwei neue Lager von Gebirgsmassen aus Infusorien als
Meeresabsatz in Nord-Amerika und eine Vergleichung derselben
mit den organischen Kreidegebilden in Europa und Africa. Mb.
Berl. Ak. 1844, p. 57, 8vo. Berlin 1844.

— Einige vorläufige Resultate der Untersuchungen der von der
Sudpolarreise des Captain Ross, so wie in den Herrn Schayer
und Darwin zugekommenen Materialien. Mb. Berl. Ak. 1844, p.
182, 8vo. Berlin 1844.

-- Untersuchungen über die kleinsten Lebensformen im Quellenlande
des Euphrats und Arasces, so wie über eine an neuen Formen sehr
reiche, marine Tripelbildung von den Bermuda Inseln. Mb. Berl.
Ak. 1844, p. 253, 8vo. Berlin 1844. Auch dasselben, unter dem
Titel: Beiträge zur Kenntniss des kleinsten Lebens im ägäischen
Meere am Euphrat und auf den Bermuda-Inseln. Nebst kurzer
Charakteristik von 13 neuen Genera und 69 neuen Arten sammt
einer Steindrucktafel. Mb. berl. Ak., 1844, p. 253, 8vo. Berlin
1844.

— Ueber einen deutlichen Einfluss des unsichtbar Kleinen organischen
Lebens als mekanisch gefrittete Kieselmasse auf die Massen-
bildung von Binnstein, Tuff, Trass, vulkanischen Conglomerat
und auch auf das Muttergestein des nordasiatischen Marekanitz.
Mb. Berl. Ak. 1844, p. 324, 8vo. Berlin 1844.

— Ueber das kleinste Leben im Weltmeer am Sudpol und in die
Meerestiefen. Mit. Kupfertafeln, 8vo. Berlin 1844.

— Various communications to the Mb. Berl. Ak. 1844, p. 414, 8vo.
Berlin 1844.

— Neue Untersuchungen über das kleinste Leben als geologisches
moment, Mit kurzer Charakteristik von 10 neuen Genera und
66 neuen Arten. Mb. Berl. Ak. 27 Feb., 1845, 8vo. Berlin 1845.

— Vorläufige zweite Mittheilung über die Beziehungen des kleinsten
organischen Lebens zu den vulkanischen Massen der Erde.
Mb. Berl. Ak. Apr., 1845, 8vo. Berlin 1845.

— Ueber die geformten, unkrySTALLINISCHEN Kieseltheile von Pflanzen,

besonders über *Spongilla erinaceus* in Schlesien und ihre Beziehung zu den Infusorien-erde-Ablagerungen des Berliner Grundes. Mb. Berl. Ak. 1846, p. 96, 8vo. Berlin 1846.

- EHRENBERG C. G. — Ueber die mikroskopischen Kieselschaligen Polycistinen als mächtige Gebirgsmasse von Barbados, und über das Verhältniss der aus mehr als 300 neuen Arten bestehenden, ganz eigenthümlichen Formengruppe jener Felsmasse zu den jetzt lebenden Thieren und zur Kreidebildung. Eine neue Anregung zur Erforschung des Erdlebens. 1 Tafel. Mb. Berl. Ak. 1847, p. 40, 8vo. Berlin 1847.
- Mittheilung über vor kurzem vom dem Preuss. Seehandlungsschiffe der "Adler," aus Canton mitgebrachte, verkäufliche, chinesische Blumenculturerde, über deren reiche Mischung mit mikroskopischen Organismen und Verzeichniss von 124 von ihm selbst beobachteten Arten chinesischer kleinster Lebensformen. Mb. Berl. Ak. p. 476, 8vo. Berlin 1847.
  - Ueber die zimmt-und zielgelfarbigem, zuweilen mit Feuerkugeln und Steinfällen begleitet gewesenen Staub-Meteore, neue Untersuchungen und Nachweiss gleicher organischer Mischung dieser Staubarten seit 44 Jahren nebst einigen Folgerungen. Mb. Berl. Ak. 1847, p. 319, 427, 8vo. Berlin 1847.
  - Ueber zwei neue Genera kieselschaliger Polygastern aus dem Guano (*Hemiphytychus* und *Entopyla*) und über die neue Art von Guano aus Patagonien, welche das dänische Schiff Waldemar 1847 gebracht hat Mb. Berl. Ak. 3, Jan. 1848, p. 5, 8vo. Berlin 1848.
  - Ueber vom Herrn Dr. Thomas in Königsberg aufgefundenene Polygastern im Bernstein. Mb. Berl. Ak. 3 Jan., 1848, p. 17, 8vo. Berlin 1848.
  - Ueber in den Magen eines peruanischen Flussfisches als Speise gefundene mikroskopische Organismen. Mb. Berl. Ak. 3 Jan. 1848, p. 3, 8vo. Berlin 1848.
  - Ueber 3 neue Infusorien-Biolithe der Braunkohle des mittleren Deutschlands bei Godesberg, Ostheim und Redwitz, entdeckt durch die Herren Nöggerath in Bonn, Eckhard in Marburg, und Nauck in Berlin. Mb. Berl. Ak. 3 Jan. 1848, p. 8, 8vo. Berlin 1848.
  - Ueber eigenthümliche, auf den Bäumen des Urwaldes in Süd-Amerika zahlreich lebende, mikroskopische oft kieselschalige Organismen. Mb. Berl. Ak. 25 Mai 1848, p. 213, 8vo. Berlin 1848.
  - Ueber die "Ambo" oder "Tanach ambo" (Rauch-Erde?) genannte

- essbare Erde, von Samarang auf Java, ihre geognotische Lagerung und organische Mischung. Mb. Berl. Ak., p. 220, 8vo. Berlin 1848.
- EHRENBERG C. G.—Ueber die in der heissen Quelle des Rio-Taenta-Flusses in Africa, im Innern von Mosambik vorkommenden mikroskopischen Organismen. Mb. Berl. Ak. 25 Mai 1848, p. 225, 8vo. Berlin 1848.
- Ueber die in einer kleinen Wasser-probe des Niger-Flusses am West-rande Afrikas beobachteten kleinsten Lebensformen. Mb. Berl. Ak. 25 Mai 1848, p. 227, 8vo. Berlin 1848.
  - Beobachtungen zwei generisch neuer Formen des Frühlingsgewässers bei Berlin, als lebhaft grüne Wasserfärbung. Mb. Berl. Ak. 29 Mai 1848, p. 233, 8vo. Berlin 1848.
  - Ueber den Meteorstaub von Muhra in Schlesien als Erweiterung der Kenntnisse des am 31 Januar d. J. erschienenen Meteorstaubes. Mb. Berl. Ak., 8vo. Berlin 1848.
  - Fortgesetzte Beobachtungen über jetzt herrschende atmosphärische mikroskopische Verhältnisse. Mb. Berl. Ak. 1848, p. 370, 8vo. Berlin 1848.
  - The Diatomaceæ in R. Schomburgk's Reisen in British Guiana vol. III., 8vo. Leipzig 1848.
  - Passat-Staub und Blut-Regen. Ein grosses organisches unsichtbares Wirken und Leben in der Atmosphäre. Mit 6 colorirten Kupfe tafeln. Abh. Berl. Ak., 4to. Berlin 1849.
  - Erste Mittheilung über das mikroskopische Leben der Alpen und Gletscher der Schweiz. Mb. Berl. Ak. 1849, p. 287. Berlin 1849.
  - Ueber einen die Sonne zwei Tage trubenden Staub-Nebel in Russland, am 29 u. 30 April 1842, bei heiterem Himmel und ohne Sturm. Mb. Berl. Ak. 17 Jan. 1850, p. 9, 8vo. Berlin 1850.
  - Ueber den Plan und die ersten 26 Druckbogen, sammt 35 folio Tafeln Abbildungen in Kupferstich, seines im Buchhandel erscheinenden Werkes über die Geologie des unsichtbaren kleinen Lebens. Mb. Berl. Ak. 1850, p. 384, 8vo. Berlin 1850.
  - Ueber die essbaren Erden. Ueber die leukogäische Erde der römischen Alica Mb. Berl. Ak., 1850, p. 350, 8vo. Berlin 1850,
  - Weitere Erläuterungen über die für Russland wichtige Schwarz-Erde, Tscher-no-Sem. des russischen Culturbodens. Mb. Berl. Ak. 1850, p. 364, 8vo. Berlin 1850.
  - Ueber das Erdessen der Chinesen und die mikroskopische Analyse von zwei essbaren Erden. Mb. Berl. Ak. 1851, p. 735, 8vo. Berlin 1851.

- EHRENBERG C. G.—Ueber eine frische Probe der die Crimson Cliffs scharlachroth farbenden Substanz aus der Baffins-Bai und das sie begleitende kleinste Leben. Mb. Berl. Ak. 1851, p. 741, 8vo. Berlin 1851.
- On the Infusoria and other microscopic forms in dustshowers and blood-rain. I Plate. Translated by Prof. J. W. Bailey. A. J. S., vol. XI., ser. 2, n. 33, p. 372, 8vo. Newhaven 1851.
  - Ueber die Formbeständigkeit und den Entwicklungs-Kreis der organischen Formen. Ein Bild der neuesten Bewegungen in der Naturforschung. Mb. Berl. Ak. 18 Dec. 1851, 8vo. Berlin 1852.
  - Über die neuesten die allmälige Ablagerung des Nil-Landes in Ägypten betreffenden Nachforschungen. Mb. Berl. Ak. 1853, p. 181, 8vo. Berlin 1853.
  - Ueber das mikroskospische Leben der Galapagos Inseln und über die organische Mischung der dortigen vulkanischen Gerbirgsarten, besonders des Palagonits. Mb. Berl. Ak. 1853, p. 178, 8vo. Berlin 1853.
  - Ueber die neuerlich bei Berlin vorgekommenen neuen Formen des mikroskopischen Lebens. Mb. Berl. Ak. 1853, p. 183, 8vo. Berlin 1853.
  - Über die vorweltliche klein Süsswasserlecken in Ägypten. Mb. Berl. Ak. 1853, p. 200, 8vo. Berlin 1853.
  - Ueber die erfreuliche in grossen fördernde Theilnahme an mikroskopischen Forschungen in Nord Amerika. Mb. Berl. Ak. 1858, p. 203, 8vo. Berlin 1853.
  - Ueber das jetzige mikroskopische Leben als Flusstribung und Humusland in Florida. Mb. Berl. Ak. 1853, p. 252, 8vo. Berlin 1853.
  - Ueber die auf den höchsten Gipfeln der Europäischen Centralalpen zahlreich. zum Theil auch kräftig ledenden mikroskopischen Organismen und über das kleinste Leben der Baierischen Kpplkalssen. Mb. Berl. Ak. 1853, p. 315, 8vo. Berlin 1853.
  - Weisses Biolithischer Süsswasser-Mergel vom See Garag in Fajum. Berlin 1853.
  - Mikrogeologie. Das Erden und Felsen schaffende Wirken des unsichtbar kleinen selbständigen Lebens auf der Erde. Bd. I., Text. Bd. II., Atlas. Ein und vierzig Tafeln, mit über viertausend grossentheils colorirten Figuren, gezeichnet vom Verfasser, Folio. Leipzig 1854.
  - Ueber die Zygoze der *Surirella Splendida*. Mb. Berl. Ak. 1854, p. 158, 8vo. Berlin 1854.
  - Weitere Mittheilung über die aus grossen Meerestisfen gehobenen Grundmassen. Mb. Berl. Ak. 1854, p. 191, 8vo. Berlin 1854.

- EHRENBERG C. G.—Die systematische Charakteristik der neuen mikroskopischen Organismen des tiefen Atlantischen Ocean. Mb. Berl. Ak. 1854, p. 236, 8vo. Berlin 1854.
- Weitere Ermittlungen über das Leben in grossen Tiefen des Oceans. Mb. Berl. Ak. 1854, p. 305, 8vo. Berlin 1854.
  - Ueber Cultur-Erde aus Ceylon, Indien und der Mascarenen Insel Mauritius. Mb. Berl. Ak. 1854, p. 704, 8vo. Berlin 1854.
  - Ueber die weitere Entwicklung der Kenntniss des Grünsandes als grüner Polythalamien-Steinkerne, über braunrothe und corallrothe Steinkerne der Polythalamien Kreide in Nordamerika, und über den Meeresgrund aus 12,900 Fuss. Tiese. Mb. Berl. Ak. 8 März 1855, p. 172, 8vo. Berlin 1855.
  - Ueber auch nach fast vier Jahren fortlebende mikroskopische Thiere trockener Erde von den hohen Alpen des Monte Rosa. Mb. Berl. Ak. 16 Apr. 1855, 8vo. Berlin 1855.
  - Ueber ein europäisches marines Polygastern Lager, und über verlarvte Polythalamien in den marinen Polygastern Tripeln von Virginien und Simbirsk. Mb. Berl. Ak. 14 Mai 1855, p. 305, 8vo. Berlin 1855.
  - Ueber die gelungene durchscheinende Färbung farbloser organischer Kieseltheile für mikroskopische Zwecke. Mb. Berl. Ak. 12 Juli 1855, p. 552, 8vo. Berlin 1855.
  - Beiträge zur Kenntniss der Flusstrübungen und der vulkanischen Auswurfstoffe: I. Quantitative Messung der Rheintrübung in allen Monaten eines Jahres. II. Ueber die Wassertrübung des Tiberflusses in Roma. III. Nahere Bestimmung der Mischung des frischen Auswurfs des Schlamm-Vulkans von Poorwadadi auf Java. IV. Ueber den Süsswasser-Schlammauswurf der Kleinen Vulkane von Turbaco in Quito. Mb. Berl. Ak. 1855, p. 561, 8vo. Berlin 1855.
  - Ueber die Meeresorganismen in 16,200 Fuss Tiefe. Mb. Berl. Ak. 10 Apr. 1856, p. 197, 8vo. Berlin 1856.
  - Ueber das mikroskopische Leben der Centralen Landflächen Mittel-Afrika's nach Dr. Vogel's Materialien. Mb. Berl. Ak. 1856, p. 328, 8vo. Berlin 1856.
  - Mikrogeologie. Fortsetzung. Enthaltend: Das nordliche Amerika, die Sudlichen vereinigten Staaten, Californien und Oregon mit allem Festland und den Inseln bis zum Nordpol, Folio. Leipzig 1856.
  - Ueber das mikroskopische Leben in den Meeresgrund-Proben auf der Telegraphenlinie zwischen America und England, nebst Uebersicht des verglichenen Tiefgrundes aller bekannten Meere Mb. Berl. Ak. 1857, p. 142, 8vo. Berlin 1857.

- EHRENBURG C. G.—Ueber einen vulkanischen Tuff bei Hennersdorf in Schlesien, welcher reich mit organischen Süßwasserformen gemischt ist. Mb. Berl. Ak., 30 März 1857, p. 227, 8vo. Berlin 1857.
- Ueber die organischen Lebensformen in unerwartet grossen Tiefen des Mittelmeeres. Mb. Berl. Ak. p. 538, 8vo. Berlin 1857.
  - Kruze Charakteristik der 9 neuen Genera und der 105 neuen Species des ägaischen Meeres und des Tiefgrundes des Mittelmeeres. Mb. Berl. Ak. 1858, p. 10, 8vo. Berlin 1858.
  - Feststellung des Kalk-Ueberzuges am Serapis-Tempel zu Pozzuolibei Neapel als Süßwasser-Kalk durch das Mikroskop. Mb. Berl. Ak. 1858, p. 585, 8vo. Berlin 1858.
  - Beitrag zur Bestimmung des stationären mikroskopischen Lebens in his 20,000 Fuss Alpenhöhe. 3 Tafeln. Abh. Berl. Ak. 1858, p. 429, 4to. Berlin 1859.
  - Ueber gelungene Versuche des. Hrn. Beissel in Burtscheid bei Aachen, Künstliche Kiesel-Steinkerne aus organischen Kalkschalen darzustellen. Mb. Berl. Ak. 1859, p. 685, 8vo. Berlin 1859.
  - Einige vorläufige Mittheilungen über ein sehr massenhaftes bisher unbekanntes mikroskopisches Leben in Schneelachen des Mont-Blauc-Gipfels, nach Dr. Pitschner's Materialien. Mb. Berl. Ak. 1859, p. 694, 8vo. Berlin 1859.
  - Ueber das Leuchten und über neue mikroskopische Leuchtthiere des Mittelmeeres. Mb. Berl. Ak. 8 Dec. 1859, p. 727, 791, 8vo. Berlin 1859.
  - Über die mit dem *Proteus anguineus* (*Hypochthon Laurenti*) zusammenlebenden mikroskopischen Thierformen in den Bassins der Magdalenengrotte in Krain. Mb. Berl. Ak. 1859, p. 759, 8vo. Berlin 1859.
  - Ueber Grundproben des stillen Oceans, aus vermeintlich 19,800 Fuss Tiefe. Mb. Berl. Ak. 1860, p. 466, 489, 588, 712, 765, 8vo. Berlin 1860.
  - Ueber den Tiefgrund des stillen Oceans zwischen Californien und d. Sandwich Inseln aus 15,600 Fuss Tiefe. Mb. Berl. Ak. 1860, p. 819, 8vo. Berlin 1860.
  - Beiträge zur Uebersicht der Elemente des tiefen Meeresgrundes im mexikanischen Golfstrom bei Florida. Mb. Berl. Ak. 24 Jan. 1861, p. 222, 8vo. Berlin 1861.
  - Ueber die Tiefgrunde-Verhältnisse des Oceans am Eingange der Davisstrasse und bei Island. Nebst einem Uebersichtskärtchen. Mb. Berl. Ak. 1861, p. 275, 8vo. Berlin 1861.

EHRENBURG C. G.—Ueber die vervielfältigten Grundhebungen zum Behufe der neuen nordatlantischen Telegraphenlinie. Mb. Berl. Ak. p. 505, 8vo. Berlin 1861.

- Eine vorläufige Mittheilung über das mikroskopische Erdleben nach Dr. Hochstetter's von der Erdumseglung der Fregatte "Novara" mitgebrachten Materialien. Mb. Berl. Ak. p. 886, 8vo. Berlin 1861.
- Ueber das mikroskopische Leden auf der Insel St. Paul im Süd-Ocean. Mb. Berl. Ak. p. 1085, 8vo. Berlin 1861.
- Ueber die seit 27 Jahren noch wohl erhaltenen Organisations-Präparate des mikroskopischen Lebens. Mit 3 colorirten Tafeln. Abh. Berl. Ak. 4to. Berlin 1862.
- Ueber die vor 27 Jahren vorgelegten noch jetzt wohl erhaltenen physiologischen Präparate von mikroskopischen selbstständigen Organismen und ihren wissenschaftlichen noch fortdauerenden Werth. Mb. Berl. Ak. p. 119, 8vo. Berlin 1862.
- Ueber die rothen Meteorstaubfälle im Anfang des Jahres 1862 in den Gasteiner und Rauriser Alpen und bei Lyon. Nachtrag eines wichtigen Passatstaubfalles im Jahre 1856. Mb. Berl. Ak. p. 511, 8vo. Berlin 1862.
- Eine zweite Mittheilung über die mikroskopischen Lebensformen als Nahrung des Höhlen-Salamanders. Mb. Berl. Ak. 13 Oct. 1862, p. 573, 8vo. Berlin 1862.
- Erläuterung eines neuen wirklichen Passatstaubes aus d. Atlantischen Dunkelmeer. Abh. Berl. Ak., p. 202. 4to. Berlin 1862.
- Passatstaub aus einem Orkan um Lyon. Abh. Berl. Ak. 1862, p. 285, 4to. Berlin 1862.
- Ueberblick des von Dr. Hartmann am oberen blauen Nil gesammelten mikroskopischen Lebens. Mb. Berl. Ak. 1863, p. 41, 8vo. Berlin 1863.
- Ueber das unsichtbar-wirkende Leben im Mittelmeere, und in den sich an denselbe ostwärts nach Central Asien hin anschliessenden Meeren und Seen. Mb. Berl. Ak., p. 291, 8vo. Berlin 1863.
- Beitrag zur Kenntniss der utoerseeischen Agulhas Bank an der Südspitze Afrikas als eines Kundgebenden grünsadigen Polythalamien-Kalkfelsen. Mb. Berl. Ak., p. 379, 8vo. Berlin 1863.
- Ueber die bei Sicilien sich neuerlich weider hebende, 1831 zuerst als thätiger Vulkan erschienene und bald wieder zurüskgesunkene Ferdinands-oder Graham-Insel. Mb. Berl. Ak. 1863, p. 486, 8vo. Berlin 1863.
- Ueber eine neue Erweiterung der Kenntniss des Caspische

Meer charakterisirenden reichen Lebens. Mb. Berl. Ak. 1864, p. 82, 8vo. Berlin 1864.

- EHRENBERG C. G.—Charakteristik des mikroskopischen Leben in Aralsee und dem Caspische Meer, desgl. im Mittelmeer und den nach Central Asien hin sich anschliesenden Binnenmeeren und Binnenseen. Mb. Berl. Ak. 1863, p. 41, 243, 291; 1864, p. 82, 8vo. Berlin 1863-64.
- Ueber das den Schlammgrunde bildende Meeresleben des Südoceans bei Japan, und Beiträge zur Kenntniss des mikroskopischen Lebens der Molukken Inseln. Mb. Berl. Ak. 1864, p. 593, 8vo. Berlin 1864.
  - Ueber einen Polyolitharien-Tuff als Gebirgsart im Toluca-Thale von Mexico. Mb. Berl. Ak. 1866, p. 153, 8vo. Berlin 1866.
  - Weitere Aufschlüsse über das an verschiedenen Stellen Berlins unter der Oberfläche liegende mächtige Lager von Infusorien Kieselerde (nebst einem Situationsplan). Mb. Berl. Ak. 31 Mai. p. 305, 8vo. Berlin 1866.
  - Ein Beitrag und Versuche zur weiteren Kenntniss der Wachstumsbedingung der organischen kieselerdigen Gebilde. Mb. Berl. Ak. p. 810, 8vo. Berlin 1866.
  - Nachtrag zur Kenntniss der organischen Kieselerdigen Gebilde. Mb. Berl. Ak. p. 298, 8vo. Berlin 1867,
  - Ueber die rothen Erden als Speise der Guinea Neger. Abh. Berl. Ak. 4to, p. 155. Berlin 1868. Also Mb. : p. 304 (1868).
  - Ueber die von Kaptain Koldewy auf der deutschen Nordpol-Expedition des kleinen Segelschiffes Germania gehobenen Tiefgrundproben mit einigen vorläufigen Bemerkungen. Mb. Berl. Ak. p. 628, 8vo. Berlin 1868.
  - Ueber die formenreichen von Herrn Dr. Jentzsch aufgefundenen mikroskopisch-organischen Einschlüsse im Melaphyr. Mb. Berl. Ak. 1849, p. 244, 8vo. Berlin 1869.
  - Ueber mächtige Gebirgs-Schichten vorherrschend aus mikroskopischen Bacillarien unter und bei der Stadt Mexico. Abh. Berl. Ak. 3 Tafeln, 4to. Berlin 1869.
  - Ueber viele in Berlin lebend beobachtete mikroskopische Land- und Süsswasser Organismen der Insel Spitzbergen. Abh. Berl. Ak. p. 149, 257, 4to. Berlin 1869.
  - Ueber die wachsende Kenntniss des unsichtbaren Lebens als felsbildende Bacillarien in Californien, Mit 3 Tafeln. Abh. Berl. Ak. 1870, p. 1-74, 4to. Berlin 1870.
  - Uebersicht der seit 1847 forgesetzt Untersuchungen über das von der Atmosphäre unsichtbar getrangene reiche organische Leben. Nebst 2 Tafeln. Abh. Berl. Ak. 1871, 4to. Berlin 1871.

- EHRENBURG C. G.—Nachtrag zur Uebersicht der organischen Atmosphä-
 rilien. Abh. Berl. Ak., p. 233, 1 Tafel., 4to. Berlin 1871.
- Mikrogeologische Studien als Zusammenfassung der Beobachtungen
 des kleinsten Leben der Meerestiefgrunde aller Zonen und
 dessen geologischen Einfluss, Mb. Berl. Ak., p. 265. Berlin
 1872.
- Whitney's neueste Erläuterungen der Californischen Bacillarien-
 Gebirge, nebst Bemerkungen und Skizzen. Abh. Berl. Ak. 1872,
 p. 124, 4to. Berlin 1872.
- Mikrogeologische Studien über das kleinste Leben der Meerestief-
 gründe aller Zonen und dessen geologischen Einfluss. Mit 12
 Tafeln-Abbildungen und 1 Situations-Karte. Abh. Berl. Ak.
 1872, 4to. Berlin 1873.
- Die das Funkeln und Aufblitzen des Mittelmeeres bewirkenden
 unsichtbar kleinen Lebensformen. Gestschrift zur. Feier des
 hundertjährigen Bestehens des Ges. naturforsch. Freude zu
 Berlin. 1 Tafel, 4to. Berlin 1873.
- Grossere Felsproben des Polycistinen Mergels von Barbadoes, mit
 weiteren Erläuterungen. Abh. Berl. Ak., p. 213, 4to. Berlin
 1873.
- De la toba fitolitoria del valle de Toluca por el Senor Ehrenberg.
 Traduccion comunicada por el Senor Doctor Burkart a Don
 Antonio del Castillo con encargo de corregirla para su publicacion
 en Mexico. La Naturaleza tom. III (1874), p. 118, 1 Lam. 4to.
 1874.
- Forsetzung der mikrogeologischen Studien als Gesamt-Uebersicht
 der mikroskopischen Paläontologie gleichartig analysirter
 Gebirgsarten der Erde, mit specieller Rücksicht auf den
 Polycistinen-Mergel von Barbados. 30 Tafeln. Abh. Berl. Ak.
 1875, 4to. Berlin 1875.
- Die Sicherung des Objectilität der selbstständigen mikroskopischen
 Lebensformen und ihrer Organisation durch eine zweckmässige
 Aufbewahrung. Mb. Berl. Ak., p. 71, 8vo. Berlin 1875.
- Das unsichtbar wirkende Leben der Nordpolarzone am Lande und
 in den Meerestiefgrunden bei 300 mal verstärkter Sehkraft nach
 Materialien der Germania erläutert. Mit 4 Tafeln. Aus "Die
 zweite Deutsche Nordpolarfahrt." 8vo. Leipzig 1875.
- EIBEN E. L.—Die Diatomeen des Ostfriesischen Inseln und Küsten
 gesammelt, präparirt und herausgegeben von E. L. Eiben.
 (Exsiccata) 1870.
- Beiträge zur physiologischen Charakteristik der Ostfriesischen
 Inseln und Küsten mit besonderer Berücksichtigung der
 Diatomeen. Hanover 1871.

- EICHWALD HR.—Diatomaceen in Nachträge 1-3 zur Infusorienkunde Russlands. 1 vol., 8vo., plates. Moscou 1844, 1847, 1852.
- ENCYCLOPEDIA BRITANNICA (Ençycl. Brit.) Edinburgh and London (Last Edition).
- ENGELMANN T. W.—Ueber die Bewegung der Oscillarien und Diatomeen Bot. Zeit. 1879, p. 49, 4to. Leipzig 1879.
- Perception of Light and Colour by the lowest organisms (*Navicula*, etc.). Pflüger's Arch., vol. XXIX, 1882.—T. R. M. S., p. 81, 8vo. London 1883.
- ENGELS T. G.—*Meridion circulare*. Brebissonia, vol. I., p. 60, 8vo. Paris 1878-1879.
- ENGLER A.—Ueber die pelagifchen Diatomaceen der Ostsee. Ein Beitrag zur deutschen Flora. Generalversamml. Deutsch. Bot. Ges. p. X.-XIII. Freiburg 1883. Auch: Bot. Centralbl. vol. XXV., p. 392, 8vo. Cassel 1886. Und Jahresb. Schl. Ges. väterl. Cult. p. 152. Breslau 1886.
- ENGLISH BOTANY by J. E. Smith, Sowerby, etc. 1790-1814.
- ENGLISH MECHANIC, The (Engl. Mechan.) London.
- ERNST A. AND SLACK H. J.—Diatomaceous earth from the Lake of Valencia, Caracas. M. M. J., vol. VI., p. 69, 8vo. London 1871.
- ERRERA L.—Sur la structure des Diamotées. Bull. Soc. Belg. Micr. tom. X., p. 82, 8vo. Bruxelles 1884.
- Sur l'emploi de l'encre de Chine en microscopie. Bull. Soc. Belg. Micr. tom. X., p. 478, 8vo. Bruxelles 1884.
- EULENSTEIN TH.—Blicke durch das Mikroskop. Die Diatomoceen. 1 Taf. Buch der Welt p. 304-309, 4to. 1861.
- On *Homæocladia* in fresh water. Q. J. M. S., vol. IV., n. s. p. 172, 8vo. London 1864. Also, *Homæocladia* im süßsen Wasser. Hedw. 1864, p. 155, 8vo. Dresden 1864.
- Value of habitat as a distinction of species. Q. J. M. S., vol. V., n. s. p. 55, 8vo. London 1865.
- Diatomacearum Species Typicæ (Exsiccata). Stuttgart 1868.
- Ueber *Epithemia constricta* de Bréb. Hedw. Bd. VIII., 8vo. Dresden 1869.
- Ueber die Diatomeen. Sitzungsab. Ges. Isis. Jahrg. 1870, p. 35, 8vo. Dresden 1871.
- EUPODISCUS and ISTHMA, Structure of. Vide Amer. Naturalist, vol. VII., p. 571, 8vo. Salem 1873.
- EYFERTH B.—Die mikroskopische Süßwasserbewohner, 8vo. Kupf. Braunschweig 1877.
- Die einfachsten Lebensformen des Thier- und Pflanzenreichs, systematische Naturgeschichte der mikroskopischen Süßwasser-

- bewohner. 5 Tafeln, 4to, Ed. I., Braunschweig 1878. 7 Tafeln, 4to, Ed. II., Braunschweig 1885.
- EYRICH HR.—Beiträge zur Kenntniss der Kryptogamenflora Badens. Mitth. Ver. Kreis. Frieb. u. d. Land Baden, p. 287. Mannheim 1886.
- FABRE-DOMERGUE M.—Premiers principes du microscope et de la technique microscopique, Avec Figures, 8vo. Paris 1889.
- FALKENBERG P.—Die Meeresalgen des Golfes von Neapel. Mittheil. Zool. Stat. Neapel. Bd. V. Leipzig 1884.
- FAMINTZIN A.—Beitrag zur Symbiose von Algen und Thieren. Mém. Acad. St. Petersb. Tom. XXXVI., ser. 7, n. 16, 2 Tafeln, 4to. St. Petersburg 1889. Referat von Hrn. Rothert Bot. Centralbl. Bd. XXXIX., p. 118. Cassel 1889.
- FEBIGER C.—Arranged Diatoms. St. Louis National Druggist, vol. VIII., p. 196. St. Louis 1885. J. R. M. S., vol. VI., ser. 2, p. 172, 8vo. London 1886.
- FEUILLE DES JEUNES NATURALISTES (Feuil. jeun. Nat.). Paris 1870 et seq.
- FESTSCHRIFT ZUR VERSAMMLUNG DER DEUTSCHEN PHILOLOGEN und Schulmänner zu Dessau. Dessau.
- FESTSCHRIFT ZUR VERSAMMLUNG FÜR NATURKUNDE. Cassel.
- FINDON C. J. B.—The Diatomoscope. Engl. Mechan. vol. XL. (1885-85), p. 264. London 1884.
- FISCHER ED.—Referat über “Amann J. Sur l’emploi du baume de Tolu pour les préparations des Diatomées. Bull. Soc. Belg. Micr. t. XI. (1885), n. 4, p. 127”. Zeitschr. f. wiss. Mikrosk. Bd. III., (1886) p. 276, 8vo. Braunschweig 1886.
- Referat über “Deby J. Sur la structure microscopique des valves des Diatomées. Journ. d. Microg. t. X. (1886), p. 416”. Zeitschr. f. wiss. mikrosk. Bd. IV., p. 256, 8vo. Braunschweig 1887.
- FIORINI-MAZZANTI ELISABETTA—Sopra una nuova Diatomea. 1 Tav. Atti Accad. Pontif. nuov. Linc. 4to. Roma 1856.
- Rettificazione di una nuova Diatomea. Atti Accad. pontif. nuov. Linc. XV. Sess. II., 5 Gennaio 1861, 5to. Roma 1861.
- Microficee osservate nelle acque termali di Terracina (3 opuscoli con altrettante tavole). Roma 1863-67.
- Nuovi cenni sull’ *Amphora bullosa*. Atti Soc. Critt. Ital. vol. II., p. 103. Milano 1879.
- FIXING ARRANGED DIATOMS and sections. A. M. M. J. vol. VI., (1885) n. 12, p. 233, 8vo. Washington 1885.

FLAHAULT C.—Liste des algues récoltées aux environs de Millau pendant la Session de 1866. Notar. Ann. II., n. 6, p. 326, 8vo. Venezia 1887. Also Bull. Soc. Bot. France t. XXXIII., p. 119. Paris 1887.

FLOEGEL J. H. L.—Ueber optische Erscheinungen an Diatomeen. Bot. Zeit. n. 43-45, 4to. Leipzig 1869.

- Untersuchungen über die Struktur der Zellwand in der Gattung *Pleurosigma*. Mit 1 Tafel. Arch. f. mikr. Anat. Bd. VI., p. 472, 8vo. Bonn 1870. Auch ; Ueber die Structur der Zellwand von *Pleurosigma*. Bot. Zeit. n. 20, 1870, Col. 320, 4to. Leipzig 1870.
- Ueber die Structur der Diatomeenschale. Bot. Zeit. n. 42, 4to. Leipzig 1872.
- Die Diatomaceen in den Grundproben der Expedition zur Untersuchung der Ostsee. 1 Tafel. Bericht u. d. Expedition zur physikal. Chem. u. biolog. Untersuch. d. Ostsee im Sommer 1871, auf S. M. Avisodampfer Pomerania, p. 85, Folio. Kiel 1873.
- Notiz *Pleurosigma* betreffend. Zeitschr. f. Naturw. Nat. Ver. Halle, p. 318. Halle 1883.
- Researches on the structure of the cell wall of Diatoms, translated by J. Mayall Janr. 4 plates, 1 cut. J. R. M. S., vol. IV., ser 2, pp. 505, 665, 851, 8vo. London 1884. Amer. Naturalist, vol. XVIII., p. 747, 8vo. Philadelphia 1884.

FLORA, oder allgemeine botanische Zeitung, herausgegeben von der botanischen Gesellschaft zu Regensburg. Regensburg 1818 et seq.

FOCKE G. W.—Physiologische Studien. 6 Tafeln. Col. 4to. Bremen 1847, 1854.

- Ueber die zygose der *Surirella splendida*. Mb. Berl. Ak. 1854, p. 118, 8vo. Berlin 1854.
- Movements of *Navicula* by exsertile and retractile feet. C. R. P., p. 167, 4to. Paris 1855.
- Die Copulation Baccillarien und Desmidiaceen. Bot. Zeit. n. 44, p. 771, 4to. Leipzig 1857.

FÖLDT. KÖZLÖNY KIADJA A MAGYARH—Földt. társul. A. Valaszt. megbiz. Szerkerztett. Sajóhelyi frigyés és Roth Lajos tárrul tilkar. Budapest.

FOREL F. A.—Diatomées des lacs de la Suisse Leman, Constance, Zurich, et le Rhin I.re ser. § XVIII., p. 129, 8vo. Lausanne 1874.

- Diatomées du lac Leman, 8vo. Lausanne 1874.
- Les échantillons de limon dragués en 1879 dans les lacs d' Arménie. Lettre adressée à M. le Dr. A. Brandt à St. Petersburg. Méland. Biol. t. X., p. 743-751, tixé du Bull. Acad. Imp. Sci. St. Petersb. tom. XXVI., p. 571-576, 8vo. St. Petersburg 1880.

- FOREL F. A.—La faune profonde des Lacs Suisses p. 69, 103, 4to. Lucerne 1884.
- FORSCHUNGEN AUS DEM BOTANISCHEN GARTEN ZU MARBURG. Marburg 1886-1889.
- FRAENKEL DR. CARL AND PFEIFFER DR. RICHARD—Mikrophotographische Atlas des Bakterienkunde (*Amphipecta pellucida* eingebettet in Realgar), 8vo. Berlin 1889.
- FRANCOTTE P.—Description des différentes méthodes employées pour ranger les coupes en séries sur le porte-objet. (Diatomées pag. 46, 63, 137). Bull. Soc. Belg. Micr. tom. X. (1883-84), n. 2, 3, p. 43, 8vo. Bruxelles 1883-1884. J. R. M. S. vol. IV., ser. 2, p. 153, 8vo. London 1884. Zeitschr. f. wiss. mikrosk. Bd. I., pag. 579, 8vo. Braunschweig 1884. Also: arranging sections and Diatoms in series. J. R. M. S. vol. IX., ser. 2, pt. 6, p. 984, 8vo. London 1884.
- Manuel de technique microscopique applicable à l'Histologie, l'Anatomie Comparée, l'Embryologie et la Botanique. 1 Planche et Vignettes, 8vo. Paris 1866.
- FRANK A. B.—Die Kryptogamen. Leunis Synopsis der Pflanzenkunde. Hannover 1877.
- FREELAND PATRICK—On the movements of the Diatomaceæ. 1 Woodcut. Read before the Canadian Institute, Jan. 19, 1861, 8vo. 1861.
- FREMINAU M.—The microscopical illumination of Diatoms. Soc. Philomat. Paris 1868 Trans. in Q. J. M. S., vol. VIII., n. s. p. 277, 8vo. London 1868.
- FRESENIUS G.—Beiträge zur Kenntniss der mikroskopischen Organismen. Abh. Senkenb. naturf. Frankfurt 1857.
- Ueber einige Diatomeen. 1 Tafel. Abh. Senkenb. naturf. Ges. Bd. IV., p. 63-73, 4to. Frankfurt 1862.
- FREY HEINRICH.—Diatomaceen. Das Mikroskop, 8vo. Leipzig 1871.
- FRIES ELIAS.—Systema orbis vegetabilis. Pars I. Plantæ Homonemæ (Diatomaceæ p. 345), 8vo. Lundæ 1825.
- Clavis analytica homonemæ, Diatomaceæ. Upsala 1836.
- FRITSCH GUSTAV.—Ueber das stereoscopische Sehen im Mikroskop und die Herstellung stereoscopischer Mikrotypen auf photographischem Wege. Ein Karton mit 6 Stereoskopplatten, Sm. fol. Berlin 1873.
- FRITSCH GUSTAV UND MÜLLER OTTO.—Die Skulptur und die feineren Structurverhältnisse der Diatomaceen mit vorzugsweiser Berücksichtigung der als Probeobjecte benützten Arten. Abth I., 12 Tafeln mikrophotograph. Abbildungen, 4to. Berlin 1870.

- G. E. L.—A review of Otto Müller's work "Durechbrechungen der Zellwand ihren Beziehungen zur Ortsbewegung der Bacillariaceen." Bull. Torrey bot. Cl., vol. XVI., p. 222, 8vo. New York 1889.
- GAILLON M.—On greening of Oysters by *Vibrio ostrearius*. Journ. d. Physiq. d. Chim. et d'Hist. Nat. tom. XCI., 1820. Annal gén. d. Sci. Physiq. tom. VII., p. 89. Bruxelles 1820. Compare also: Annales Maritim. Sci et Arts, 1821, p. 874, *ibid.* 1822, p. 86.
- GALLIK OSZVALD.—Az édesvízi Diatomacéákról (Bacillariák) általában, azon fajok felsorolásával, melyeket vivékunkön találtam i. e. [Ueber die Süßwasser Diatomeen im allgemeinen, mit Aufzählung jener arten, welche Verf. in seiner Umgebung gefunden hat]. Programm. der benedict. Kathol. Gymnasiums Pápá vom Jahre 1885-1886, 8vo. Pápá 1886. Referate von Herrn v. Borbas Bot. Centralbl. Bd. XXXII., p. 354, 8vo. Cassel 1887. Notar Ann. II., n. 8, p. 371, 8vo. Venezia 1887.
- GAYER EDWARD J.—Notes on Microphotography. 2 plates. (Diatoms). M. M. J., vol. XV., n. 90, p. 258, 8vo. London 1876.
- GEINITZ H. B.—Grundriss der Versteinerungskunde. Chap. "*Bacillaria*." Dresden und Leipzig 1846.
- GENERAL OUTLINE OF SUBJECTIVE BOTANY. 8vo. London 1833.
- GEOLOGICAL AND POLYTECHNICAL SOCIETY OF THE WEST RIDING of York, Transactions of the. (Trans. Geol. a. Polytech. Soc. W. Riding. York 18. . .
- GERSTENBERGER C.—Spaltung der Bacillarien. Beitr. z. neuern Mikrosk. von Reinicke. Heft 2, p. 82, 8vo. 1860.
- Bacillarien-Präparate aus dem Guano. Beitr. z. neuem Mikrosk. Heft. 3, p. 47, 8vo. 1862.
- GETSCHMANN'S ARRANGED DIATOMS.—J. R. M. S., vol. IV., Ser. 2, pt. 3, p. 478, 8vo. London 1884.
- GILL C. HAUGHTON—Prepairing Diatoms. J. R. M. S., p. 834, 8vo. London 1889.
- On Diatom Structure. J. Q. M. C., July, 8vo. London 1890.
- On some methods of preparing Diatoms so as to exhibit clearly the nature of their markings. J. R. M. S., 1890, p. 427, plate VII., 8vo. London 1890.
- On a fungus internally parasitic in certain Diatoms. J. R. M. S., 1892, p. 909.
- On an Endophytic parasite on Diatoms. J. R. M. S., 1892, plate 1, p. 1.
- GIRARD J.—Les Diatomées fossiles. 4 Planches, Etudes Micrograph, 8vo. Paris 1867.

- GIRARD J.—Etude Photomicrographique sur le Guado. C. R. P., 4to. Paris 1868-69.
- Photomicrographie des Diatomées. C. R. P., 4to. Paris 1869.
  - Le Chambre noire et le microscope. 8vo. Paris 1869.
  - Le monde microscopique des eaux. Paris 1872.
- GIROD-CHANTRANS M.—Polype à charnières (*Bacillaria vulgaris*) *Diatoma flocculosum*. Recherch. Chimiq. et Microscop., An. X., 4to. Paris 1802.
- GÖBI CHRISTOPH.—Die Algenflora des weissen Meeres. Mem. Acad. St. Petersburg. St. Petersburg 1878.
- Ueber die Benutzung der Diatomeen bei der Verfertigung von Dynamiten. Sitzungsber. Bot. Sect. russ. Naturforscherversamml. 1879.
- GOMONT M.—Revision of the genera *Homocystous* *Nostocaceæ*. Journ. de Bot. IV. (1890) pp. 349-57. Vide J. R. M. S., 1890, p. 103; 1891, p. 283.
- GOULD DR. A. A.—An address in Commemoration of Prof. J. W. Bailey, late President of the American Association for the advancement of Science. A. J. S., vol. XXV., ser. 2, p. 74, 8vo. New Haven 1858.
- GOWEN F. H.—Resolution of *Amphipleura*. A. M. M. J., vol. V., n. 6, p. 118, 8vo. Washington 1884.—J. R. M. S., p. 118, 8vo. London 1884.
- GRATACAP L. P. AND WOODWARD A.—The fresh water Flora and Fauna of Central Park. Pamphlet pp. 19, reprinted from Sci. Amer. Suppl. dec. 27, 1884. Also: Notice of, in Bull. Torrey Bot. Cl. vol. XII., p. 12, 8vo. New York 1885.
- GRAVENHORST DR. J. L. C.—Naturgeschichte der Infusionsthierchen nach Ehrenbergs grossen Werke über diese Thiere, in einer gedrängten Vergleichenden Uebersicht dargestellt, 8vo. Breslau 1844.
- GRAVIS DR. A.—Observations sur l'endochrome des Diatomées par P. Petit. Bull. Soc. Belg. Micr. t. 10, p. 109, 8vo. Bruxelles 1880.
- GRAY DR. J. E. AND CARRUTHERS W.—Handbook of British fresh-water weeds or algæ. The Diatomaceæ, by W. Carruthers, 8vo. London 1864.
- GRAY DR. W.—Balsam of Tolu for mounting. J. R. M. S. p. 160, 8vo. London 1885.
- GREEN N. E.—On the examination of the surface markings of Diatoms by the Oxycalcium light. 1 Plate. J. Q. M. C. vol. II., p. 232, 8vo. London 1871.
- GREENLEAF R. C.—On a new species of *Nitzschia* (*N. Mitchelliana*). Proc. Boston Soc. Nat. Hist. 1865, p. 107, 1 Woodcut. Boston 1865.

- GREENHALGH R. C.—List of Diatomaceæ found in a peat swamp near Lake Winisquam in Laconia N. H. Proc. Boston. Soc. Nat. Hist. 1866, p. 75. Boston 1866.
- Diatoms found in Soundings from the Gulf of Mexico. Proc. Boston. Soc. Nat. Hist. 8vo. Boston 1866.
  - On the Diatoms and other microscopic objects found in Soundings from the Gulf of Mexico, between Sand Key and Elmore, made by Henry Mitchell of U. S. Coast Survey. Proc. Boston. Soc. Nat. Hist. vol. XI., p. 79, 8vo. Boston 1866.
  - On the double plate of *Aulacodiscus oregonus*. M. M. J. vol. II., p. 326, 8vo. London 1869.
- GREGER A.—Etwas über die Diatomaceen in Temesvar. Férmes danianyi fützet. Org. Süd. Nat. Ges. vol. II.
- GREGORY W., M.D.—On a remarkable group of Diatomaceous forms, and on new species of fresh water Diatoms, etc., with MS. notes and additions by Gregory, 1834-35.—(These belonged to the late Dr. Rabenhorst and are now the property of J. Deby, F.R.M.S.)
- Notice of a diatomaceous earth found in the Isle of Mull. T. M. S., vol. I., n 5, p. 92, 8vo. London 1853.
  - Additional observations on the Diatomaceous deposit of Mull. Q. J. M. S., vol. II., p. 24, 8vo. London 1854.
  - Notice on the new forms and varieties of known forms occurring in the Diatomaceous earth of Mull, with remarks on the classification of the Diatomaceæ. Q. J. M. S., vol. II., p. 90, pl. IV. London 1854.
  - Observations on some deposits of fossil Diatomaceæ. T. M. S., vol. II., n. s. p. 104, 8vo. London 1854.
  - On a remarkable group of diatomaceous forms with remarks on Shape or outline as a specific Character in the Diatomaceæ. T. M. S., vol. III., n. s. p. 10, pl. II., 8vo. London 1855.
  - On a Post-Tertiary lacustrine Sand, containing Diatomaceous exuviae from Glenshira, near Inverness. Q. J. M. S., vol. III., p. 30, pl. IV., 8vo. London 1855.
  - On some new species of British fresh water Diatomaceæ, with remarks on the value of certain specific Characters. Proc. Bot. Soc. Edin., p. 38, 8vo. Edinburgh 1855.
  - On the presence of Diatomaceæ, Phytolitharia and Sponge Spicules in soils which support vegetation. Proc. Bot. Soc. Edin. 1855, p. 69, 8vo. Edinburgh 1855.
  - Report on the Diatomaceæ collected during a Botanical Excursion to Falkland and the Lomond Hills. Proc. Bot. Soc. Edin. 1855, p. 74, 8vo. Edinburgh 1855.

- GREGORY W., M.D.—On the Post-Tertiary Diatomaceous Sand of Glenshira, Pt. II. Containing an account of a number of additional undescribed Species illustrated by numerous figures drawn from nature. T. M. S., vol. IV., n. s., p. 35, pl. V.; vol. V., n. s. p. 67, pl. I., 8vo. London 1856-57.
- Notice of some new species of British Fresh-water Diatomaceæ. Q. J. M. S., vol. IV., p. 1, pl. I., 8vo. London 1856.
  - On new forms of marine Diatomaceæ found in the Firth of Clyde and in Loch Fyne, illustrated by numerous figures drawn by K. K. Greville, LL.D., F.R.S.E. Trans. Roy. Soc. Edinb., vol. XXI., pl. IV., 6 plates, 4to. Edinburgh 1857.
  - New forms of Diatomaceæ found in the Firth of Clyde and in Loch Fyne. Q. J. M. S., vol. VII., p. 60, 8vo. London 1859. Report of the 26th Meeting of the British Association. London 1856. (Published 1857).
  - A long and interesting original autograph MS. letter to L. Rabenhorst (in German) regarding the species figured in the papers on the Glenshira sand and on British fresh water Diatoms in the T. M. S. (now in the possession of J. Deby, Esq.)
- GREVILLE K. K., LL.D.—Scottish Cryptogamic Flora, 6 vols., col. pl. 8vo. Edinburgh 1823-28.
- Diatomaceæ in the English Flora of Sir J. E. Smith, by William Jackson Hooker, LL.D., etc., vol. V., pt. I., p. 401. London 1833.
  - Notice of *Gomphonema ampullacea*. M. J., vol I., p. 159, 8vo. London 1866.
  - Report on a Collection of Diatomaceæ made in the district of Braemar by Prof. Balfour and M. G. Lawson. 1 Plate. Journ. Bot. Soc. Edin. 1855, p. 7, 8vo. Edinburgh 1855. A. et M. N. H., vol. XV., ser. 2. London 1855.
  - Description of some new Diatomaceous forms from the West Indies. Q. J. M. S., vol V., p. 7, pl. III., 8vo. London 1857.
  - Descriptions of new species of British Diatomaceæ, chiefly observed by the late Prof. Gregory. Q. J. M. S., vol. VII., p. 79, pl. VI., 8vo. London 1859.
  - Descriptions of some new species and varieties of *Navicula*, etc., observed in Californian guano. 1 Plate. E. N. P. J., vol. X., n. s. p. 25, 8vo. Edinburgh 1859. Trans. Bot. Soc. Edin. vol. VI., p. 245. Edinburgh 1859.
  - Descriptions of Diatomaceæ observed in Californian guano. Trans. Bot. Soc. Edin., vol. VI., 8vo. Edinburgh 1859. Q. J. M. S., vol. VII., p. 155, pl. VII., 8vo. London 1859.

- GREVILLE K. K., LL.D.—On *Plagiogramma*, a new genus of Diatomaceæ. Q. J. M. S., vol. VII., p. 207, pl. X., 8vo. London 1859.
- Note on a Structure observed in *Surirella*. Q. J. M. S., vol. VII., p. 116, 1 Woodcut, 8vo. London 1859.
- On *Campylodiscus* etc. T. M. S., vol. VIII., n. s. p. 29, pl. LXI., 8vo. London 1860.
- A monograph of the genus *Asterolampra* including *Asteromphalus* and *Spatangidium*. T. M. S., vol. VIII., n. s. p. 102, pls. III., IV., 8vo. London 1860.
- Descriptions of new and rare Diatoms: Series I., pag. 39; Series II., p. 67; Series III., p. 73; Series IV., pag. 79, 1 plate each. T. M. S. vol. IX., n. s. 8vo. London 1861.
- Descriptions of new and rare Diatoms. Series V., pag. 18, 2, plates; series VI., p. 89, 1 plate. T. M. S. vol. X., n. s. 8vo. London 1862.
- Descriptions of new and rare Diatoms, series VII., 1 plate. Q. J. M. S. vol. II., n. s. p. 231, 8vo. London 1862.
- On the *Asterolampræ* of the Barbados deposit. T. M. S. vol. X., n. s. p. 41, pls. VII., VIII., 8vo. London 1862.
- Descriptions of new and rare Diatoms, series VII., p. 13, 1 plate; series IX., p. 63, 2 plates. T. M. S. vol. XI., n. s. 8vo. London 1863.
- Descriptions of new and rare Diatoms, series X., p. 237, 2 plates. Q. J. M. S. vol. III., n. s. 8vo. London 1863.
- Descriptions of new genera and species of Diatoms from the South Pacific. 1 plate. E. N. P. J. vol. XVIII., n. 1, p. 34, 8vo. Edinburgh et London 1863.
- Descriptions of new genera and species of Diatoms from the South Pacific. 1 plate. Trans. Bot. Soc. Edin. vol. VII., p. 534. Pt. II., 1 plate ibid. p. 574, Pt. III., 1 plate ibid. vol. VIII., p. 223, 8vo. Edinburgh 1863-65.
- A monograph of the genus *Auliscus*. T. M. S. vol. XI., n. s. p. 36 pls. II., III., 8vo. London 1863.
- Descriptions of new and rare Diatoms, series XI., p. 8, 1 plate; series XII., p. 81, 2 plates; series XIII., p. 87, 2 plates. T. M. S. vol. XII., n. s. 8vo. London 1864.
- Descriptions of new and rare Diatoms, series XIV., p. 1, 2 plates; series XV., p. 24, 2 plates; series XVI., p. 43, 2 plates: series XVII., p. 97, 2 plates. T. M. S. vol. XII., n. s. 8vo. London 1865.
- Description of new genera and species of Diatoms from Hong Kong. 1 plate. A. et M. N. H., vol. XVI., ser. 3, n. 91, p. 1, 8vo. London 1865.

- GREVILLE K. K., LL.D.—Descriptions of new and rare Diatoms from the Tropics and Southern Hemisphere. I Plate. Trans. Bot. Soc. Edin., vol. VIII., p. 436, E. N. P. J., 1866. 8vo. Edinburgh 1865-66.
- Descriptions of new and rare Diatoms, series XVIII., p. 1, 2 plates, series XIX., p. 77, 2 plates; series XX., p. 121, 2 plates. T. M. S., vol. XIV., n. s., 8vo. London 1866.
- GREVILLEA.—A quarterly Record of Cryptogamic Botany and its Literature, edited by M. C. Cooke, 8vo. London 1872-90.
- GRIESBACH H.—Referat über "Francotte P., Description des différentes méthodes employées pour ranger les coupes en séries sur le port-objet; Bull. Soc. Belg. Micros. t. X., (1883-84) n. 2, 43." Zeitschr. f. wiss. Mikrosk. Bd. I., p. 597, 8vo. Braunschweig 1884.
- GRIFFIN ALFRED W.—On the collection and preparation of the Diatomaceæ. Pt. I., Journ. Micr. et Nat. Sci. p. 138; Pt. II., *ibid.*, p. 229. London 1884.
- Preparing Phosphorus solution and mounting in it. Journ. Post. Micr. Soc., 8vo. London et Bath 1884. Also A. M. M. J., vol. VI., p. 6, 8vo. Washington 1885.
- GRIFFITH E. H.—Diatoms, how to find and how to prepare them. A. J. M. vol. V., 8vo. New York 1880.
- Arranging Diatoms. The Microscope, vol. III., p. 205-206. Detroit 1883.
- GRIFFITHS J. W., M.D.—On *Gallionella ferruginea*. A. and M. N. H., vol. XII., n. s. 8vo. London 1853.
- On the conjugation of the Diatomaceæ. A. and M. N. H., vol. XVI., n. s. 8vo. London 1855.
- On the siliceous sporangial sheath of the Diatomaceæ. A. and M. N. H., vol. XVIII., ser. 2, p. 75, 8vo. London 1856.
- Diatomaceæ in "Elementary Text Book of the Microscope." 1864.
- GRIFFITH AND HENFREY.—Diatomaceæ in "The Micrographic Dictionary" plates I., VI., XI.-XIV., XIX., XL.-XLIII. London 1875. Also 4th edition.
- GRIGOLATO G.—Piante acquatiche e palustri del Polesine. Rovigo 1843.
- GROSS Dr. G.—De l'Embryogénie ascendante des espèces ou génération primitive équivoque et spontanée et métamorphoses de certains animaux et végétaux inférieurs. Bull. Soc. Imp. d. Nat. Moscou, t. XXIII., 8vo. Moscou 1854.
- GROVE E. AND STURT G.—On a fossil marine Diatomaceous deposit from Oamaru, Otago, New Zealand. Pt. I., J. Q. M. C., vol. II., ser. 2, n. 16, p. 231; Pt. II., *ibid.* vol. III., ser. 2, n. 17, p. 7; Pt. III., *ibid.* vol. III., ser. 2, n. 18, p. 63; Pt. IV., Appendix

ibid. vol. III., ser. 2, n. 19, p. 131, II. plates, 8vo. London 1886-87. Also: References to above in Bot. Centralbl. Bd. XXXI, n. 31 (1887), 131; Bd. XXXIV., n. 2-3, p. 34, 8vo. Cassel 1887-88. Notar Ann. II., pp. 343, 349, 372, 375, 463, 8vo. Venezia. Also: J. Q. M. C., vol. III., ser. II., p. 387, 8vo. London 1889.

- GRUNOW A—Ueber neue oder ungenügend gekannte Algen. Mit 5 Tafeln. Erste Folge: Diatomaceen. Familie *Naviculaceen*. Verh. Zool. Bot. Ges. Bd. X., 8vo. Wein 1860.
- Die oesterreichischen Diatomaceen nebst Anschluss einiger neuen Arten von andern Lokalitäten und einer kritischen Uebersicht der bisher bekannten Gattungen und Arten. Erste Folge: *Epithemieæ*, *Meridioneæ*, *Diatomeæ*, *Entopyleæ*, *Surirelleæ*, *Amphipleureæ*. 6 Tafeln. Verh. Zool. Bot. Ges. Bd. XII., 8vo. Wien 1862. Zweite Folge: Familie *Nitzschieæ*. Mit. 1 Tafel. ibid. Bd. XII., 8vo. Wien 1862. Notice in Hedw. Bd. III., 8vo. Dresden 1864.
  - Ueber einige neue und ungenügend bekannte Arten und Gattungen von Diatomaceen. Mit 2 Tafeln. Verh. Zool. Bot. Ges. Bd. XIII., 8vo. Wien 1863.
  - Ueber die von Herrn Gerstenberger in Rabenhorst's Decaden ausgegebenen Süsswasser Diatomaceen und Desmidiaceen von der Insel Banka, nebst Untersuchungen über die Gattungen *Ceratoneis* und *Frustulia*. 2 Tafeln. Raben. Beitr. Heft II., 4to. Leipzig 1865.
  - Moler aus Jutland eingesandt von Th. Jensen, analysirt von A. Grunow. Hedw. Bd. V., p. 145, 8vo. Dresden 1866. Auch: (a) Ueber *Triceratium Heibergianum* n. sp. Grun. und *Tric. Jensenianum* n. sp. Grun. Hedw. Bd. VI., p. 145, 8vo. Dresden 1866. (b) Ueber *Stephanogonia dantca* n. sp. Grun. Hedw. Bd. V., p. 146, 8vo. Dresden 1866. (c) Ueber *Sceptroneis* ? *gemmata* n. sp. Grun. Hedw. Bd. V., p. 146, 8vo. Dresden 1866.
  - Reise seiner Majestät Fregatte Novara um die Erde. Botanisch. Theil Bd. I. Algen. Mit 2 Tafeln, 4to. Wien 1867.
  - Diatomeen auf Sargassum Von Honduras, gesammelt von Lindig. Hedw. Bd. VI., n. 1, p. 1, n. 2, p. 17, 8vo. Dresden 1867.
  - Nachträgliche Bemerkungen über die von Herrn Lindig gesammelten Diatomeen von Honduras. Hedw. Bd. VI., p. 33, 8vo. Dresden 1867.
  - Beiträge zur Kenntniss der *Schizonema*-und *Berkeleya*-Arten. Hedw. Bd. VI., p. 1, 8vo. Dresden 1868.
  - Algen der Fidjhi, Tonga und Samoa Inseln. Journ. Mus. Godefr. Heft IV., 4to. Hamburg 1874.

- GRUNOW A.—Some remarks concerning P. T. Cleve and Möllers Diatoms. Upsala 1877, n. 1-48. A. J. M. vol. III., p. 101, 8vo. New York 1878. Brebissonia Année I., n. 7, p. 98. Paris 1879.
- Algen und Diatomaceen aus dem Kaspischen Meere. In Dr. O. Schneider's Naturwiss. Beitr. z. Kennt. d. Kaukasusländer. 2 Tafeln, 8vo. Dresden 1878.
  - Bemerkungen zu J. Brun's Diatomeen-Flora der Alpen. Bot. Centralbl. Bd. I., n. 7-8, 8vo. Cassel 1880.
  - Vorläufige Bemerkungen zu einer systematischen Anordnung der *Schizonema*-und *Berkeleya*-Arten, mit Bezug auf die in Van Heurck's Diatomeen-Flora von Belgien veröffentlichten Abbildungen der Frusteln auf Taf. XV., XVI., XVII. Bot. Centralbl. IV., n. 47-48, p. 1506, 1585, 8vo. Cassel 1880.
  - Referat über "Petit P. Priorité du nom *Gaillionella* Bory sur le *Melosira* Ag." Bot. Centralbl. Bd. I., p. 161, 8vo. Cassel 1880.
  - Referat über "Petit P. La dessication fait elle périr les Diatomées?" Bot. Centralbl. Bd. I., p. 161, 8vo. Cassel 1880.
  - Referat über "Petit P. De l'endochrome des Diatomées." Bot. Centralbl. Bd. I., p. 162, 8vo. Cassel 1880.
  - Referat über "Deby J. Les apparences microscopiques des valves des Diatomées." Bot. Centralbl. Bd. I., p. 258, 8vo. Cassel 1880.
  - Referat über "Kitton F. The early history of the Diatomaceæ." Bot. Centralbl. Bd. I., p. 332, 8vo. Cassel 1880.
  - Referat über "Kitton F. Discovery of Diatoms in the London Clay." Bot. I., p. 353, 8vo. Cassel 1880.
  - Referat über "Reinsch P. F. Diatomaceæ of Kerguelen's Land. Algæ aquæ dulcis Kerguelenses, auctore P. F. Reinsch, cum notulis de distributione geographica a G. Dickie adjectis." Bot. Centralbl. Bd. II., p. 322, 8vo. Cassel 1880.
  - Referat über "Petit P. Diatomées de l'île de Ré, recoltées sur le *Chondrus crispus*." Bot. Centralbl. Bd. II., p. 578, 8vo. Cassel
  - Referat über "Brun J. Les Diatomées Wieder-Abdruck der Einleitung zu Prof. J. Brun's Diatomées des Alpes et du Jura, Brebissonia II., (1880) n. 7, bis. 11." Bot. Centralbl. Bd. II., p. 578, 8vo. Cassel 1880.
  - On some new species of *Nitzschia* (with notes by Kitton). J. R. M. S., vol. III., pl. 5, p. 394. London 1880.
  - Referat über "Grunow A. On some new species of *Nitzschia*." Bot. Centralbl. Bd. II., p. 645, 8vo. Cassel 1880.
  - Referat über "Von Heurck H. Synopsis des Diatomées de Belgique. Fasc. I., 1." Bot. Centralbl. Bd. II., p. 741, 8vo. Cassel

1880. Do. Fasc. II., 2. Bot. Centralbl. Bd. IV., p. 1441, 8vo. Cassel 1880.

GRUNOW A.—Notes on Diatoms in “Van Heurck’s Synopsis des Diatomées de Belgique” and most figures in this Work. Anvers 1880-81.

- Ueber die Zeichnungen der Diatomaceen resp. Prinz. und Van Ermengen. Bot. Centralbl. Bd. VIII., p. 354, 8vo, 1881. Also Trad. dans Bull. Soc. Belg. Micr. p. 27, 8vo. Bruxelles 1882-38.
- Ueber die Arten der Gattung *Grammatophora*, mit Bezug auf die Tafeln LIII. und LIII. bis, in Van Heurck’s Synopsis der belgischen Diatomeen. Beilage z. Bot. Centralbl. Bd. VII., 8vo. Cassel 1881.
- Referat über “Cleve P. T. und Grunow A. Beiträge zur Kenntniss der artischen Diatomeen.” Bot. Centralbl. Bd. V., p. 65, 8vo. Cassel 1881.
- Referat über “Hallier Ernst. Die Diatomeen.” Bot. Centralbl. Bd. V., p. 161, 8vo. Cassel 1881.
- Referat über “Castracane Conte A. F. La *Grammatophora longissima* Petit fra le Diatomee Italiane.” Bot. Centralbl. Bd. V., p. 257, 8vo. Cassel 1881.
- Referat über “Müller Otto. Anatomischer Bau der Bacillarien-Gattung *Terpsinoë*.” Bot. Centralbl. Bd. VI., p. 147, 8vo. Cassel 1881.
- Referat über “Castracane Conte abate Francesco. Osservazioni sui generi *Homoeocladia* e *Schizonema*.” Bot. Centralbl. Bd. VI., p. 181, 8vo. Cassel 1881.
- Referat über “Castracane Conte Abate Francesco. Nuova contribuzione alla florula delle Diatomee del Mediterraneo.” Bot. Centralbl. Bd. VI., p. 333, 8vo. Cassel 1881.
- Referat über “Cleve P. T. On some new and little known Diatoms.” Bot. Centralbl. Bd. VI., p. 131, 8vo. Cassel 1881.
- Referat über “Castracane Conte Abate Francesco. Straordinario fenomeno della vita del mare, osservato nell’Adriatico nell’estate del 1880.” Bot. Centralbl. Bd. VII., p. 193, 8vo. Cassel 1881.
- Referat über “Stolterfoth Henry. On a new species of *Hydrosera*.” Bot. Centralbl. Bd. VII., p. 225, 8vo. Cassel 1881.
- Referat über “Van Heurck Henri. Synopsis des Diatomées de Belgique. Livr. III., Pseudo-Rhaphidiées.” Bot. Centralbl. Bd. VII., p. 353, 8vo. Cassel 1881.
- Referat über “Petit Paul. Diatomées récoltées sur les huitres de Ning-po et de Nimrod Sound (Chine).” Bot. Centralbl. Bd. VIII., p. 33, 8vo. Cassel 1881.

- GRUNOW A.—Referat über “Shrubsole W. H. The Diatoms of the London Clay, with a list of species and remarks by F. Kitton.” Bot. Centralbl. Bd. VIII., p. 100, 8vo. Cassel 1881.
- Referat über “Schmidt A. Atlas der Diatomaceenkunde Heft 17 und 18 Taf. 65-72.” Bot. Centralbl. Bd. VIII., p. 130, 8vo. Cassel 1881.
  - Referat über “Prinz W. Etudes sur des coupes de Diatomées observées dans les minces lames de la roche de Nykjöbing, Jutland.” Bot. Centralbl. Bd. VIII., p. 354, 8vo. Cassel 1881.
  - Beiträge zur Kenntniss der fossilen Diatomeen Oesterreich-Ungarns. Beitr. z. Palæontol. Oest.-Ung. u. des Orients. Bd. II., p. 136, 2 Tafeln, 4to. Wien 1882.
  - Referat über “Van Heurck Henri. Synopsis des Diatomées de Belgique, Fasc. IV., Pseudo-Rhaphidiées. Pt. II.” Bot. Centralbl. Bd. IX., p. 369, 8vo. Cassel 1882.
  - Referat über “Schmidt A. Atlas der Diatomaceenkunde Heft 19 und 20.” Bot. Centralbl. Bd. IX., p. 410, 8vo. Cassel 1882.
  - Referat über “Cleve P. T. and Möller J. D. Diatoms Pt. VI., n. 277 bis 324.” Bot. Centralbl. Bd. X., p. 43, 8vo. Cassel 1882.
  - Referat über “Habirshaw Frederick. Catalogue of the Diatomaceæ, with reference to the various published descriptions and figures. Edited and published by Romya Hitchcock. Pt. I.” Bot. Centralbl. Bd. X., p. 385, 8vo. Cassel 1882.
  - Referat über “Cleve P. T. und Jentzsch A. Ueber einige diluviale Diatomeenschichten Norddeutschlands.” Bot. Centralbl. Bd. X., p. 400, 8vo. Cassel 1882.
  - Referat über “Lanzi Matteo. Le Diatomee fossili di Tor di Quinto.” Bot. Centralbl. Bd. X., p. 401, 8vo. Cassel 1882.
  - Referat über “Cleve P. T. Färskvattens Diatomaceer from Grönland och Argentinska Republiken.” Bot. Centralbl. Bd. XI., p. 43, 8vo. Cassel 1882.
  - Referat über “Juhlin Dannfelt. On the Diatoms of the Baltic Sea.” Bot. Centralbl. Bd. XI., p. 173, 8vo. Cassel 1882.
  - Referat über “Van Heurck Henri. Synopsis des Diatomées de Belgique. Fasc. V., Crypto-Rhaphidiées. 1me partie.” Bot. Centralbl. Bd. XI., p. 370, 8vo. Cassel 1882.
  - Remarques sur les ponctuations des Diatomées à propos du travail de M. Prinz. Traduit de l'Allemand par M. Prinz. Bull. Soc. Belg. Micr. tom IX., p. 27, 8vo. Bruxelles 1883.
  - Referat über “Reinhard L. Zur Kenntniss der Baccilariaceen des wessen Meeres.” Bot. Centralbl. Bd. XIII., p. 321, 8vo. Cassel 1883.

- GRUNOW A.—Referat über “Van Heurck H. Synopsis des Diatomées de Belgique. Fasc. VI., Crypto-Rhaphidées. Pt. II.” Bot. Centralbl. Bd. XV., p. 297, 8vo. Cassel 1883.
- Referat über “Müller Otto, Das Gesetz der Zelltheilungsfolge von *Melosira (Orthosira) arenaria* Moore,” und ueber “Die Zellhaut und das Gesetz der Zelltheilungsfolge von *Melosira arenaria*.” Bot. Centralbl. Bd. XVI., p. 194, 8vo. Cassel 1883.
- Referat über “Lanzi Matteo, Le Diatomee raccolte nel lago di Bracciano.” Bot. Centralbl. Bd. XVI., p. 257, 8vo. Cassel 1883.
- Die Diatomeen von Franz Josefs Land. 5 Tafeln Denk. Ak. Wiss. Wien. Bd. XLVIII., 4to. Wien 1884.
- Referat über “Kitton F. Notes on *Diatomaceæ Dillwynii*, or the genera and species of *Diatomaceæ* in the British Confervæ of Dillwyn.” Bot. Centralbl. Bd. XVII., p. 1, 8vo. Cassel 1884.
- Referat über “Prinz W. et Ermenghem E. van Recherches sur la structure de quelques Diatomées contenues dans le Cementstein du Jutland.” Bot. Centralbl. Bd. XVII., p. 65, 8vo. Cassel 1884.
- Über das Vorkommen wirklicher Öffnungen in der Schalen der Bacillariaceen. Bot. Centralbl. Bd. XVII., p. 67, 8vo. Cassel 1884.
- Referat über “Van Heurck Henri, Types du Synopsis des Diatomées de Belgique. Serie I. et II.” Bot. Centralbl. Bd. XVII., p. 291, 8vo. Cassel 1884.
- Referat über “Engler A. Ueber die pelagischen Diatomaceen der Ostsee.” Bot. Centralbl. Bd. XVII., p. 329, 8vo. Cassel 1884.
- Referat über “Cleve P. T. Diatoms collected during the expedition of the Vega.” Bot. Centralbl. Bd. XVIII., p. 132, 8vo. Cassel 1884.
- Referat über “Grunow A. Die Diasomaceen von Franz Josefs Land.” Bot. Centralbl. Bd. XIX., p. 65, 8vo. Cassel 1884.
- Referat ueber “Schmidt A. Atlas der Diatomaceenkunde Heft 21 und 22.” Bot. Centralbl. Bd. XIX., p. 321, 8vo. Cassel 1885.
- Diatoms of the algæ of the voyage of the “Vettor Pisani,” published by A. Piccone. Notar. vol. II., 1887. Genova 1886.
- Diatomacea in “Martelli Flor. Bogosensis.” Firenze 1886.
- Notice of Florula Bogosensis (Martelli). Notar. Ann. I., p. 193, 218, 8vo. Venezia 1886.
- Referat ueber “Prinz M. Note sur les coupes du *Pinnularia*.” Bot. Centralbl. Bd. XXV., p. 135, 8vo. Cassel 1886.
- Referat über “Ströse K. Das Bacillarienlager bei Klicken in Anhalt.” Bot. Centralbl. Bd. XXV. p. 370, 8vo. Cassel 1886.
- Referat über “Schmidt A. Atlas der Diatomaceenkunde Heft 23 und 24.” Bot. Centralbl. Bd. XXVII., p. 33, 8vo. Cassel 1886.

- GRUNOW A.—Referat über “Petit Paul. Note sur le développement des auxospores chez le *Cocconema cistula*.” Bot. Centralbl. Bd. XXVIII., p. 3, 8vo. Cassel 1886.
- Referat über “Schütt Franz. Auxosporenbildung von *Rhizosolenia alata*.” Bot. Centralbl. Bd. XXVIII., p. 4, 8vo. Cassel 1886.
- Referat über “Lagerstedt N. G. W. Diatomaceerna i Kuetzing exsikkatverk: Algarum aquæ dulcis Germanicum Decades.” Bot. Centralbl. Bd. XXVIII., p. 153, 8vo. Cassel 1886.
- Referat über “Schmidt A. Atlas der Diatomaceenkunde Heft 25 und 26.” Bot. Centralbl. Bd. XXVIII., p. 353, 8vo. Cassel 1886.
- Referat über “Lanzi Matteo. La forma dell'endocroma nelle Diatomee.” Bot. Centralbl. Bd. XXIX., p. 321, 8vo. Cassel 1887.
- Referat über “Witt O. Über den Polirschiefer von Archangelsk-Kurojedowo im Gouvernement Simbirsk. Mit 7 Tafeln.” Bot. Centralbl. Bd. XXX., p. 108, 8vo. Cassel 1887.
- Referat über “Cleve P. T. On some fossil Diatoms found in the Moravian Tegel from Augarten near Brünn. 2 Tafeln.” Bot. Centralbl. Bd. XXXI., p. 65, 8vo. Cassel 1887.
- Referat über “Walker W. C. and Chase H. H. Notes on some new and rare Diatoms. Utica N. Y. 1886.” Bot. Centralbl. Bd. XXXII., p. 97, 8vo. Cassel 1887.
- Referat über “Schütt Franz. Einiges ueber Bau und Leben der Diatomeen.” Bot. Centralbl. Bd. XXXII., p. 290, 8vo. Cassel 1887.
- Referat über “Grove E. and Sturt G. On a fossil marine Diatomaceous deposit from Oamaru, Otago, New Zealand.” Bot. Centralbl. Bd. XXXI., p. 131, Bd. XXXIV., p. 34, 8vo. Cassel 1887-88.
- Referat über “Chase H. H. and Walker W. C. On some new and rare Diatoms Ser. II., III.” Bot. Centralbl. Bd. XXXIII., p. 130, 8v.
- Referat über “Van Heurck Henri. Types du Synopsis des Diatomées de Belgique. Ser. V-XXII.” Bot. Centralbl. Bd. XXXIII., p. 323, 8vo. Cassel 1888.
- Referat über “Pantocsek J. Beiträge zur Kenntniss der fossilen Baccillarien Ungarns. Theil I. Marine Baccillarien. Mit 30 Tafeln.” Bot. Centralbl. Bd. XXXIV., p. 174, 8vo. Cassel 1888.
- Referat über “Lanzi Matteo. Le Diatomee fossili di Gabi, della cava presso S. Agnese in Via Nomentana e della Via Flaminia sopra la tomba dei Nasoni.” Bot. Centralbl. Bd. XXXV., p. 91, 8vo.

- GRUNOW A.—Referat über “Schütt Franz. Ueber die Diatomeengattung *Chaetoceros*.” Bot. Centralbl. Bd. XXXIV., p. 3, 8vo. Cassel 1888.
- Referat über “Deby Julien. On the microscopical Structure of the Diatom valve.” Bot. Centralbl. Bd. XXXVI., p. 34, 8vo. Cassel 1888.
  - Referat über “Belloc E. Les Diatomées de Luchon et des Pyrénées Centrales.” Bot. Centralbl. Bd. XXXVI., 66, 8vo. Cassel 1888.
  - Referat über “Kozlowsky Vladislav. Materialien zur Algenflora von Sibirien.” Bot. Centralbl. Bd. XXXVI., p. 66. Cassel 1888.
  - Referat ueber “Gutwinski Roman. Bacillariaceæ Tatrenses.” Bot. Centralbl. Bd. XXXVI., p. 129, 8vo. Cassel 1888.
  - Referat über “Truan y Luard Alfredo und Witt C. N. Die Diatomaceen der Polycistenkreide von Jeremie in Haiti.” Bot. Centralbl. Bd. XXXVI., p. 825, 8vo. Cassel 1888.
  - Referat über “Schmidt A. Atlas der Diatomaceenkunde Heft 27-30. Mit Tafeln 105-120.” Bot. Centralbl. Bd. XXXVII., p. 82, 8vo. Cassel 1889.
  - Referat über “De Toni Gio. Batt. Intorno ad alcune Diatomee rinvenute nel tubo intestinale di una *Trygon violacea*, pescata nell’Adriatico.” Bot. Centralbl. Bd. XXXIX., p. 13, 8vo. Cassel 1889.
  - Referat über “Lanzi Matteo. Le Diatomee fossili del Monte delle Picche e della Via Ostiense.” Bot. Centralbl. Bd. XXXIX., p. 57, 8vo. Cassel 1889.
  - Referat über “Lanzi Matteo. Le Diatomee fossili del terreno Quaternario di Roma.” Bot Centralbl Bd. XXXIX., p. 130, 8vo. Cassel 1889.
  - Some critical remarks on the Oamaru diatom papers of Messrs. Grove and Sturt. Translated by G. C. Karop with annotations by E. Grove. J. Q. M. C., vol III., Ser. 2, n. 24, p. 387, 8vo. London 1889.
- GRUNOW A. AND KITTON F.—Novara Diatoms. Descriptions of new genera and species of Diatoms obtained by the Austrian Imperial Frigate “Novara,” during her voyage round the world. Translated with notes by F. Kitton. Grevillea vol I., pp. 30, 41, 76, 91, pls. V., VI., 8vo. London 1872.
- New Diatoms from Honduras, with notes by F. Kitton. M. M. J., vol. XVIII. p. 165, pls. CXCIIL.-CXCVI., 8vo. London 1877.
  - New species and varieties of Diatomaceæ from the Caspian Sea. Translated with additional notes by F. Kitton. J. R. M. S., vol. II., p. 677, pl. XXI., 8vo. London 1879.

- GRUNOW A. AND KITTON F.—On some new species of *Nitzschia*, with notes by F. Kitton. J. R. M. S., vol. III., pl. XII.-XIII., 8vo. London 1880.
- GUINARD M. E.—Note sur quelques formes anormales et tératologiques chez les Diatomacées. Rev. Sci. Nat. Montpellier 1875.
- Indications pratiques sur la Recolte et la Préparation des Diatomacées. Rev. Sci. Nat. tom. V., 8vo. Montpellier 1876.
  - Sur un cas de Parasitisme observé sur une Diatomée. Bull. Soc. Belg. Micr. tom. IV., 8vo. Bruxelles 1877.
  - Des Diatomées; quelques mots en faveur de leur Etude. Rev. Sci. Nat. tom. VI., 8vo. Montpellier 1877.
  - Note sur la préparatitn des Diatomées. Annal. Soc. Belg. Micr. tom. IV., 8vo. Bruxelles 1877.
  - Note on the preparation of Diatoms. Mic. News, vol. IV., n. 39, p. 81. 1884.
  - Désagrégation des roches à Diatomées. Bull. Soc. Belg. Micr. tom. XII., n. 3, p. 180. Bruxelles 1887. Also: On the Breaking up of Diatomaceous rocks. J. R. M. S., vol. XII., p. 1047, 8vo. London 1887.
  - On the disintegration of Diatomaceous deposits. J. Q. M. C., vol. III., ser. 2, n. 20, p. 188, 8vo. London 1887.
- GUINARD M. E. ET BLEISCHER M.—Notes sur un gisement de Diatomacées dans le terrain quarternaire des environs de Rome. Rev. Sci. Nat. vol. I., n. 3, 8vo. Montpellier 1872.
- GUTWINSKI ROMAN—Materyjaly do flory wodorostów Galicyi. Osobne odbicie z. T. XVIII. Sprawozdan Komisji fizyogreficznój Akad. umiej. 8vo. (Polnisch). Krakau 1884.
- Przyczynale do znajomości okrzemek tatrzańskich (Bacillariaceæ Tatrenses). Bericht. physiol. Om. Akad. Wiss. Krakau. tom. XXII. (Polnisch), 8vo. Krakau 1888. Review of, in Bot. Centralbl. Bd. XXXVI., p. 129, 8vo. Cassel 1888 (Bacillariaceæ tatrenses).
  - Materyjaly do flory glonów Galicya 2 tab. Osobne odbicie Z. XXV. Tomu Sprawozdan Komisji fizjogr. Akad. Umiej. 8vo. (Polnisch). Krakau 1890.
  - Materyaly do filory glonów Polski. Odbitka z. "Kosmosu" Roczn. XIV., zeszyt IX., 8vo.
  - Vorläufige Mittheilungeu ueber einige neue Algen-species und Varietäten aus der Umgeblung von Lemberg. Bot. Centralblatt, 1890, n. 29.
- GYULA, ISTVANFFI.—Jelentés a Felső-Magyarországi tőzeg-Koplotek algológiai megvizsgálásáról. Budapest 1888.

- HABEL DR. AND EDWARDS PROF. A. M.—On the origin of guano. Q. J. M. S., vol. XII., n. s. p. 71, 8vo. London 1872.—Proc. Lyc Nat. Hist., vol. I., p. 225. New York 1870-1872.
- HABIRSHAW FREDERICK.—Catalogue of the Diatomaceæ with references to the various published descriptions and figures. Reproduced by the Edison Electric pen process, 4to. New York 1877.
- The revivification of Diatoms. J. R. M. S., vol. I., p. 150, 311, 8vo. London 1878.
  - Catalogue of the Diatomaceæ, with references to the published descriptions and figures. Edited and published by R. Hitchcock. F. R. M. S., Roy. 8vo. (I. Part. all published.) New York 1881-82.
  - Catalogue of the Diatomaceæ. Ed. II. Edited and published by H. H. Chase. 4to. Geneva New York 1885.
  - Catalogue of the Diatomaceæ. Ed. III. Prepared by H. H. H. H. Chase. 4to, bound in 4 vols. Type-written to order for Julien Deby. Unique. New York 1888.
- HAECKEL DR. ERNST.—Das Leben in den grössten Meerestiefen. Samml. gemeinverst. wissensch. Vorträge herausg. v. R. Virchow u Fr. v. Holtzendorf. Ser. V. Heft 110, 1 plate, 43 pp., 8vo. Berlin 1870.
- Das Protistenreich. Figures. 8vo. Leipzig 1878.
- HAGER D. HERMANN.—Diatomaceen in "Das Mikroskop und seine Anwendung." 8vo. Berlin 1886.
- HALL CHARLES M. D.—On an easy method of viewing certain of the Diatomaceæ. Q. J. M. S., vol. IV., p. 205, pl. XIII., 8vo. London 1856.
- HALLIER E.—Untersuchungen über Diatomeen, insbesondere über ihre vegetative Fortpflanzung. 2 Tafeln. 8vo. Gera-Untermhaus 1880.
- Die Diatomeen. Westermann's illustrierte deutsche Monatshefte Ser. IV., pt. IV., p. 266. With Woodcuts, 8vo. Braunschweig 1888.
  - Die Bewegung der Diatomeen und ihre wahre Ursache nachgewiesen an *Nitzschia acicularis*. Pharm. Centralh. Neue Folge. Jahrg. I., n. 49, p. 440, 1 Woodcut, 4to. Berlin 1880.
  - Movements and vegetative reproduction of Diatoms. J. R. M. S., vol. I., n. s. p. 509, 8vo. London 1881.
  - Biologische Studien über Diatomeen. Zeitschr. f. mikr. Fleischschau und populäre Mikroskopie, n. 1-4, 6. 9 Holzschnitten. Berlin 1881.
  - Weitere Beobachtungen an Diatomeen. Pharm. Centralhal. Neue Folge. Jahrg. II., n. 4, p. 47. Berlin 1881.

- HALLIER E.—Schachtelzellen bei Diatomeen, nachgewiesen für *Pinnularia major* und *Nitzschia sigmoidea*. 3 Figuren. Pharm. Centralhal. Neue Folge. Jahrg. II., n. 14, p. 155. 2 Holzschnitten, 8vo. Berlin 1881.
- Die Auxosporenbildung bei *Cymbella gastroides* Kz. Humboldt Jahrg. I., Heft. 4, p. 134. 9 Holzschnitten. Stuttgart 1882.
- HANKS HENRY G.—Diatoms. Contrib. to Geology and Mineralogy of Cal., 8vo. Sacramento, U.S., 1881.
- On the uses of Diatoms. Mining and Sci. Press. July 9, (1881) p. 785; J. R. M. S., vol. I., (1881) p. 785, 8o. London 1881.
- Diatoms and diatomaceous earths. Second Report of the State Mineralogist of California. Sacramento, U.S., 1882.
- A fossil diatomaceous Earth. A. M. M. J., vol. VIII., n. 6., p. 17, 1887.
- HANSEN CARL.—Fortegnelse over ny findeste deter for Danske Diatomeer. Bot. Tidssk. Kjöbenhavn 1870-71.
- Ein Kleiner Beitrag zur Kenntniss der Diatomeen der danischen Beilande. Vid. Med. Naturh. For. Kjöbenh. Kjöbenhavn 1871.
- Liste des Diatomées trouvées dans le Duché de Slesvig. Bot. Tidssk. Kjöbenhavn 1873.
- Referat über "Mereschkowsky C. Beobachtungen über die Bewegung der Diatomaceen und ihre Ursache." Bot. Centralbl. Bd. III., p. 801, 8vo. Cassel 1880.
- HANSRIG ANTON.—Beiträge zur Kenntniss der Quarnerischen und dalmatinischen Meeresalgen (Ester. Bot. Zeitschr. Jahrg. XXXIX., n. 2. Wien 1889.
- Referat über "Bennett A. W. Freshwater algæ (including Chlorophyllaceous Protophyta) of North Cornwall, with descriptions of six new species." Bot. Centralbl. Bd. XXX., p. 228, 8vo. Cassel 1887.
- HANTZSCH C. A.—Ueber die Gattung *Nitzschia*. Hedw. Bd. II., n. 4, p. 22, Holzschnitt, 8vo. Dresden 1859.
- Neue Bacillaren *Nitzschia vivax* et *elongata*, *Cymatopleura nobilis*. Hedw. Bd. II. n. 6, p. 35, 26, Figuren, 8vo. Dresden 1860.
- Ueber einige Diatomaceen aus dem ostindischen Archipel. Taf. V., u. VI., Rabenh. Beitr. Heft I., 4to. Leipzig 1862.
- Neue Präparir-Methode für Algen und andere sehr zarte und weiche Gegenstände, besonders Pflanzentheile etc. Separatabdr. aus "Reinicke Beitr. z. neuern Mikroskopie." Heft III., 8vo. Dresden 1862.
- HARDY MR.—On filaments of Diatoms J. R. M. S., 1885, p. 573, 8vo. London 1885.

- HARDWICKE R.—Diatomaceæ, various papers on. See Hardwick's Science Gossip, 8vo. London 1865 et seq.
- HARKNESS ROBERT.—Diatomaceæ found in a subfossil state in Dumfriesshire. Proc. Bot. Soc. Edin., p. 548, 8vo. Edinburgh 1855.
- HARRISON M.—On a new *Pleurosigma*. Q. J. M. S., vol. VIII., p. 104. 1 Woodcut, 8vo. London 1860.
- HARTING P.—Diatomaceen. In Het Mikroskop. 5 vol., Pl., 8vo. Tiel 1843-54.
- Over de Foraminiferen und Diatomeen in den Nederlandschen boden. Aanteek. Prov. Genoots. Utrecht 1848.
  - Die Macht des kleinen sichtbar in der Bildung der Rinde unseres Erdballs, oder Uebersicht der Gestaltung der geographischen und geologischen Verbreitung der Polypen, Foraminiferen, und kieselchaligen Bacillarien. Aus dem Holländischen übersetzt von Dr. A. Schwartzkopf mit einem Vorworte von Dr. Schleiden, 8vo. Leipzig 1851.
  - De Magt van het Kleine (Diatomaceæ), 8vo. Amsterdam 1866.
  - De Boden onder Amsterdam onderzucht en beschreven. 4 Platen Het Instit. Amsterdam, 4to. Amsterdam 1852.
  - De Boden onder Gronigen onderzucht en beschreven, 4to. Haarlem 1853.
  - Bijdrage tot de Kennis der mikroskopische Fauna en Flora van de Banda-Zee, naar aanleiding van een onderzoek van einige door diepzeeloodingen van 900 tot 4000 vademmen uit die zee opgebragte Gronden. 3 Pl. Natürk. Neiderl. Ak. Wetensch. Deel X., 4to. Amsterdam 1860.
- HARTNACK E.—Observations sur diverses Diatomées servant de Tests. Annal. Soc. Phytol d'Anvers. Tom. I., Livr. IV., p. 49, 2 Figs., 8vo. Anvers 1865.
- HARVEY HON. W. H.—A manuel of the British Algæ, 8vo. London 1841.
- HARVEY AND BAILEY PROF.—Diatomaceæ in U. S. Exploring Expedition under Capt. Wilkes in 1838-42, pl., vol. XVII., 4to. Washington 1862-74.
- New species of Diatomaceæ collected by the U. S. Exploring Expedition, under the command of Capt. Wilkes, U. S. N. Proc. Acad. Nat. Sci. Philad. 1 Plate, 8vo. Philadelphia 1853.
- HARZ DR.—Ueber den Dysodil. Bot. Centralbl. Bd. XXXVII., n. 2, p. 39, n. 3, p. 72, 8vo. Cassel 1889.
- HASKINS, R. W.—Movements of *Nitzschia*, The Microscope, 1890, pp. 272-3.
- HASSALL ARTHUR H.—A history of the British Freshwater algæ (including descriptions of the Diatomaceæ and Desmidiaceæ), with

upwards of 150 plates, illustrating the various species, vol. I. text, vol. II. plates, 8vo. London, 1844.

HASSELL ARTHUR H.—The Diatomaceæ in the water supplied to the inhabitants of London. Microscopic Examination of the water. 8vo. London 1856.

HAUCK FERD.—Ueber das Massenauftreten der *Nitzschia Closterium* (Ehrb). Sm. in der Adria. Œsterr. Bot. Zeitschr., n. 8, p. 253. Wien 1872.

— Aufzählung einiger in dem sogenannten Seeschleime der Adria vorkommenden Diatomeen. Œsterr. Bot. Zeitschr. n. 10, p. 331. Wien 1872.

HAUCK ET RICHTER.—Phykotheke Universalis, 1886, etc. Notar Ann. II., p. 370, Ann. III., p. 647. Venezia 1886 et seq.

HAUSLER R.—Die Diatomeen des London Clay. Bot. Zeit., n. 44, col. 720, 4to. Leipzig 1881.

HAZSLINSZKY FRIGYESTÖL.—Magyarhon s Társországai Moszatviranya Math. és Termes. Közlem. Kiadja a Magyar Tudomány. Akad. Köt. V., Füz. II., p. 163, 8vo. Pest 1867.

HEDWIGIA : Organ für Kryptogamenkunde nebst Repertorium für Kryptog. Literatur. Dresden 1852 et seq.

HEIBERG P. A. C.—Conspectus criticus Diatomacearum Danicarum. Kritisk oversigt over de Danske Dialomeer. Med 6 Tavler. 8vo. Kjöbenhavn 1863. Also : Conspectus criticus Diatomacearum Danicarum, notice of, in Q. J. M. S., vol. IV., n. s. p. 198, 8vo. London 1864.

HELMHACKER R.—Ein neues Diatomaceenlager bei Tabor. Verh. K. K. geol. Reichsanstalt, 17 Juni, 1873, p. 180, 4to. Wein 1873.

HEMPER C. E.—Algenflora der Umgegend von Chemnitz, p. 90. 1875-77.

— Algenflora der Umgegend von Chemnitz. 6ter u. 7ter Ber. Naturwiss. Ges. Chemnitz, p. 7. Chemnitz 1878-80.

HENDRY W.—On *Amphipleura pellucida*. Q. J. M. S., vol. VIII., p. 208, 8vo. London 1860.

— On *Amphipleura pellucida* (p. 87), *Hyalodiscus subtilis* (Syn. *Craspedodiscus Franklinii*) (p. 179) and *Navicula rhomboides* (p. 231) Q. J. M. S., vol. I., n. s., 8vo. London 1861.

— On the Hull *Pleurosigma fasciola*. Q. J. M. S., vol. II., n. s., p. 152, 2 figures, 8vo. London 1862.

HENFREY.—See Griffith and Henfrey. Micr. Dict.

HENRIQUES J.—Contributiones ad floram cryptogamicam Lusitanicam. Enumeratio methodica algarum, Lichenum et Fungorum herbarii præcipue Horti Regii bot. Universitatis Coninbricensis. Coninbricæ 1881.

- HENRIQUES J.—Catalogo das plantas que vivem na serra do Geretz (Portugal). Bol. Soc. Broter. Coimbra 1885. Notar. Ann. I., p. 120, 8vo. Venezia 1886.
- HERMANN PROF.—Helminthologische Bemerkungen. Der Naturforscher, Stück 20, Artikel 10, p. 161-162. Halle 1874.
- HERMANN DR.—Wimpern an *Campylodiscus*. Hedw. Bd. VII., p. 93, 8vo. Dresden 1868.
- HET INSTITUUT.—Tijdeschrift. v. phys. en Natuurk. Wetensch. en Verlagen en Mededeel. d. K. Akad. v. Wetensch. Afdeel Natr-kunde. (Het. Instit. Amsterd.) Amsterdam 1841-1871.
- HICKIE W. J.—Descriptions of a new species of *Stauroneis* (*S. Spicula*) M. M. J., vol. XII., p. 200, 8vo. London 1874.
- On Dr. Schumann's formulæ for Diatom-lines. M. M. J., vol. XIV., n. LXXIX., p. 6, pl. CIX., 8vo. London 1875.
- What are the characteristics of *Frustulia saxonica*? M. M. J., vol. XIV., p. 32, 8vo. London 1875.
- Further notes on *Frustulia saxonica*. M. M. J., vol. XV., n. LXXXVII., p. 122, pl. CXXX., 8vo. London 1876.
- HIGGIN J.—Microphotographs. Diatomaceæ 13 plates, 4to. Liverpool N. D.
- HILSE M.—Beiträge zur Algen-und Diatomeen-Kunde Schlesiens, insbesondere Strehlen's. Berl. Schl. Ges. väterl. Cult. (Bot. Sect.) p. 13. Breslau 1860.
- Ueber einige Diatomeen in Coujugation. Berl. Schl. Ges. f. väterl. Cult. (Bot. Sect.) p. 24. Breslau 1860.
- Neue Beiträge zur Algen-und Diatomeen-Kunde Schlesiens, insbesondere Strehlens. Ber. Schl. Ges. f. väterl. Cult., 8vo. Breslau 1863. Mit. Nachtrag von Ferdinand Cohn.
- HIRST G. D.—Metod of intensifying the resolving power of microscopic objectives (*Amphipleura pellucida* and *Pleurosigma angulatum*). Micr. Bull., vol. V., n. 5, p. 36. Philadelphia 1888.
- Histological structures and the Diffraction Theory. J. R. M. S., 1888, p. 119, 8vo. London 1888.
- HITCHCOCK ROMYN.—On filamentous projections on Diatoms. A. M. M. J., vol. V., p. 176, 8vo. Washington 1884.
- Imbedding Diatoms. J. R. M. S., vol. IV., ser. 2 (1784), pt. 3, p. 474. London 1884. A. M. M. J., vol. V. (1884), p. 54, 8vo. Washington 1884.
- Beading of *Amphipleura* and photomicrography. A. M. M. J., vol. VI., p. 32, 42, 8vo. Washington 1885.
- Smith's new mounting media. Amer. Naturalist vol. XX., p. 88, 8vo. New York 1886. J. R. M. S., vol. VI., ser. 2, p. 180, 8vo. London 1886.

- HITCHCOCK ROMYN.—On mounting certain Diatoms. A. M. M. J., vol. VII., p. 148, 8vo. Washington 1886. J. R. M. S., vol. VI., ser. 2, p. 1079, 8vo. London 1886.
- Resolution of pearls of *Amphipleura*. A. M. M. J., vol. VIII., n. 6, p. 105, 8vo. Washington 1887.
- HODGSON E.—On a collection of Diatomaceæ near Ulverstone. 8vo. 1862.
- HOFFMANN H.—Ein Versuch zur Bestimmung des Werthes von "Species" und "Varietät." Bot. Ziet., p. 1, 4to. Leipzig 1862.
- Diatomeen von Giessen. Ber. Oberschles. Ges. f. Nat. u. Heilkund. Giessen 1873.
- Beiträge zur Diatomeenflora von Marburg. Bot. Hefte Forsch. aus d. Bot. Garten z. Marburg Heft I., p. 129, 8vo. Marburg 1885.
- HOFMEISTER W.—Ueber die Fortpflanzung der Desmidiæen und Diatomeen. Ber. d. k. s. Acad. d. Wiss., p. 18, 1 Tafel, 8vo. Leipzig 1857. Also on the propagation of the Desmidiæ and Diatomaceæ. Translated by Arthur Henfrey. A. and M. N. H., vol. I., ser. 3, 1. pl., 8vo. London 1858.
- HOGG JABEZ—Cilia in Diatomaceæ. Q. J. M. S., vol. III., p. 335, 8vo. London 1855.
- Diatomaceæ. Hogg on the Microscope, 8vo. London, Ed. I., 1854. (Several new Editions.)
- Movements of Diatoms. J. R. M. S., vol. III., ser. 2, p. 262, 8vo. London 1883.
- Further observations on the movement of Diatoms. Mem. Soc. Belg. Micr., vol. VII., p. 9, 8vo. Bruxelles 1883.
- Observations nouvelles sur les mouvements des Diatomées. Journ. Microg., 8vo. Paris 1884.
- HOHENBUEHEL HEUFLER L.—Enumeratio Cryptogamarum Italiæ Venetæ. Vindobonæ 1871.
- HOOKE.—Five references to Antarctic Diatoms. Rep. Brit. Ass. 1877, 8vo. London 1877.
- HOPKINS F. V.—Report upon the specimens obtained from borings made in 1874, between the Mississippi River and Lake Borgne, at the site proposed for an outlet for flood waters. 2 plates, Suppl. to Rep. of Comm. of Engineers, 16 Jan. 1875, p. 42, Appendix 4, 8vo. pl. Washington 1878.
- HORNEMANN J. W.—Icones plantarum sponte nascentium in Regno Daniæ et in Ducatibus Slesvici, Holsatiæ et Lauenburgiæ ad illustrandum opus de iisdem Plantis, Regis jussu, exorandum Floræ Danicæ nomine inscriptum, vol. IX., Fasc. XXV.-XXVII. Plates 1441-1620. 1820.

- HUNT G.—Curious effects of moisture on the markings of *Pleurosigma*.
Q. J. M. S., vol. III., p. 174, 1. Fig., 8vo. London 1855.
- The *Triceratum Favus*: to Mr. Nelson. Engl. Mechan., vol. XL., p. 539. London 1884.
- HUTTON F. W.—On the discovery of *Arachnoidiscus ornatus* and *A. Ehrenbergii* at Malahide Co. Dublin., 3 Figs. Jour. Proc. Dubl. Mic. Cl., vol. I., pt. I., p. 4, 8vo. Dublin 1865. Q. J. M. S., vol. V., n. s., p. 132, 8vo. London 1865.
- List of Diatomaceæ found in washing of Seaweed from China. Jour. Proc. Dubl. Mic. Cl., vol. I., pt. I., p. 42, 8vo. Dublin 1865. Q. J. M. S., vol. VI., n. s., p. 126, 8vo. London 1866.
- ILLUMINATION AND RESOLUTION (*Amphipleura pellucida*). Northern Microscopic, p. 186, 8vo. London 1882.
- IMHOF DR. O. E.—Poren an Diatomaceenschalen und Austreten des Protoplasmas an die Oberfläche. Biol. Centralbl. Bd. VI., n. 23, p. 719, 8vo. Erlangen 1887. See also Movements of Diatoms. J. R. M. S., p. 442, and Pores in Diatom. valves. J. R. M. S., p. 1000, 8vo. London 1887.
- Notizie sulle diatomee pelagiche dei laghi in generale e su quelle dei laghi di Ginevra e di Zurigo in special modo. Notra V., n. 19, p. 996. Venezia 1890. T. R. M. S., 1891, p. 78.
- INDEX in L. Rabenhorst's "Algarum Europæarum exsiccatarum" (die Algen Europa's) mit Berücksichtigung des ganzen Erdballs für Decaden 1-235." Dresden 1873.
- INDICE delle specie pubblicate nei fascicoli I.-XXXVIII. dell'Erbario Crittogamico Italiano (Diatomee p. 227), 8vo.
- INFUSORIAL EARTH, The, found in Nevada, with analysis by Mr. W. Habirshaw, and in Los Angeles County, California. Miner. Rev., U. S. Dep. of Int. Geol. Surv., p. 479, 8vo. Washington D. C. 1883.
- INFUSORIAL EARTHS, The, on the Patuxent River near Dunkirk, Calvert Co. Md. Miner. Res. U. S. Calendr year 1885, p. 443 and 1886, p. 587, Dep. of Int. Geol. Surv., 8vo. Washington D. C. 1887.
- INGPEN J. F.—On mounting Media of High Refractive Indices. J. Q. M. C., 1892; Le Diat., vol. I., p. 92.
- INGLIS J.—New species of New Zealand Diatoms. Trans. N. Z. Inst., vol. XIV., p. 357, pl. XXII. Wellington 1880-81.
- On the Diatomaceous Earth of New Zealand. Trans. N. Z. Inst., vol. XV., p. 341. Wellington 1882.
- INTELLECTUAL OBSERVER, The (Intel. Observ.), London.

- ISTVANFFI DR., *Gyula-tol.*—A Meteorpapirrol. *Természetrajz Füzetek*, vol. XIII., 1890, in-8, Budapest.
- Les Algues de l'herbier Kitaibel. *Fermészetrajz Füzetek*, vol. XIV. 1891.
- ISTVANFFI-SCHAARSCHMIDT.—Frammenti Algologici. I. Alcune alghe raccolte nel lago di Schloss-see in Baviera (Notarisia). Venezia 1891, p. 1866.
- ITZIGSOHN H.—Ueber das Studium der Süßwasser-Algen. Hedw. 8vo. Dresden 1850.
- *Epithemia Göppertiana* copulata. Hedw. Bd. V., p. 15, Tab. I., 8vo. Dresden 1866.
- JACKSON J. K.—Fixing Diatoms. Amer. Naturalist, vol. VIII., p. 701, 8vo. Salem 1874.
- JAHRBUCH DER POSENER GESELLSCHAFT d. Freunde der Wissenschaft. Posen.
- JAHRBUECHER FÜR WISSENSCHAFTLICHE BOTANIK. (Jahrb. f. wiss. Bot.) Berlin 1858 et seq.
- JAHRESBERICHT DES EVANGEL. REALPROGYMNAS. in Düren, über d. Schuljahr v. Ostern 1887-88. (Jahresb. Evangel. Realprogym Düren.) Düren 1888.
- JAHRESBERICHT DER VERSAMMLUNG für vaterland. Naturkunde.
- JAHRESBERICHT NATURFORSCH. GESELLSCHAFT GRAUBUENDENS. Chur 1856 et seq.
- JAMES F. L.—Mounting Diatoms in situ. St. Louis Nat Duggist, vol. VII., p. 233. St. Louis 1885. J. R. M. S., vol. VI., ser. 2, p. 139, 8vo. London 1886. Journ. Microg. t. IX., n. 10, p. 417, 8vo. Paris 1885. Zeitschr. f. wiss. Mikr., vol. III., p. 275, 8vo. Braunsch-1886.
- JANISCH C.—Ueber *Pleurostarum acutum* Raben. Hedw. Bd. II., S. 25, T. 3, 8vo. Dresden 1859.
- Zur Charakterisiik des Guanos von verschiedenen Fundorten. 5 Tafeln. Abh. Schl. f. vaterl. Cult. 8vo. Breslau 1861-62.
- Ueber Meeres-Diatomaceen von Honduras, von C. Janisch und Dr. Ludwig Rabenhorst. 4 Tafeln. Rab. Beitr. Heft. I., 8vo. Leipzig 1862.
- Diatomaceen im Hafenschlick von Cuxhafen. Hedw. Bd. II., p. 125, 8vo. Dresden 1863.
- Ueber Schlämmen und Reinigen von Diatomaceen-Material. Zeitschr. f. Mikr. Jahrg. I., p. 285, 8vo. Berlin 1878.
- Ueber J. J. Woodward's neueste Mikro-Photographien von *Amphi-*

- plëura pellucida* und *Pleurosigma angulatom*. Mit 3 Tafeln. Arch. f. mikr. Anat. Bd. XVIII., 8vo, fig. fotogr. Bonn 1880.
- JANISCH C.—The Diatoms of the "Gazelle" Expedition. 17 Plates, beautifully Photographed. With MS. index to the plates. Not published, but distributed to several Diatomists by the author..
- JEFFREYS J. GWYN F.R.S.—Report on dredging among the Hebrides. A. and M. N. H., vol. XVIII., ser. 3, p. 387 (Diatomaceæ p. 393), 8vo. London 1866.
- JENAIISCHE ZEITSCHRIFT F. MEDECIN und Naturwissenschaft. Leipzig und Jena 1864 et seq.
- JENNER A.—Flora of Tunbridge Wells, 8vo. London 1845.
- JENTZSCH ALFRED—Ueber Diatomeen-führende Schichten des Westpreussischen Diluviums, Zeitschr. f. deutsch. geol. Ges. Jahrg. 1884, p. 169, 1 Fig., 8vo. Berlin 1884.
- JOBLOT L.—*Synedra Ulna* (teste Ehrenberg). Description et usages de plusieurs 'nouveaux Microscopes, p. 67, pl. VIII., fig. 14, 4to. Paris 1718.
- Observations d'Histoire naturelle faites avec le microscope. 4to. Pris 1794.
- JOHNSON A. S.—Notice of some undescribed Infusorial Shells (*Asterodiscus*). A. J. S., vol. XIII., ser. 2, n. 37, p. 33. New Haven 1852.
- JOHNSON G. J.—Photography (*Amphipectura*, *Arachnoidiscus*, *Pleurosigma*, *Surirella*). Micr. News, p. 113, 8vo. London 1883.
- JOHNSON CHRISTOPHER M. D.—Description of Diatomaceæ, chiefly of those found in "Elide" (Lower California) guano. Q. J. M. S., vol. VIII., p. 11, pl. I., 8vo. London 1860.
- The preparation of Diatomaceæ. The Lens vol. I., p. 197, 8vo. Chicago 1872.
- *Aulacodiscus oregonus* with two centres. A. J. M., vol. I., p. 82, 1. Fig., 8vo. 1876.
- JOURNAL AND PROCEEDINGS OF THE DUBLIN MICROSCOPICAL SOCIETY. Dublin.
- JOURNAL AND PROCEEDINGS ROYAL SOCIETY OF NEW SOUTH WALES. Sydney 1867 et seq.
- JOURNAL DE MICROGRAPHIE, Histologie humaine et comparée, Anatomie végétale, Botanique, Zoologie, Bactériologie, application diverses du microscope. Paris 1877 et seq.
- JOURNAL DES AMATEURS d. Science. Bruxelles.
- JOURNAL D. MUSEUM GODDEFROY. Hamburg 1873-1881.
- JOURNAL OF BOTANY, The, London 1872 et seq
- JOURNAL OF MICROSCOPY AND NATURAL SCIENCE, and of the Postal Microscopical Society. London and Bath 1882 et seq.
- JOURNAL OF THE ASIATIC SOCIETY of Bengal. Calcutta 1832 et seq.

- JOURNAL OF THE LANCASTER NATURAL HISTORY SOCIETY. Lancaster.
- JOURNAL OF THE LINNEAN SOCIETY (Botany). London 1857 et seq.
- JOURNAL OF THE NEW YORK MICROSCOPICAL SOCIETY. New York 1885 et seq.
- JOURNAL OF THE POSTAL MICROSCOPICAL SOCIETY and Nat. Sci., see above
Journal of Microscopy. London.
- JOURNAL OF THE QUEKETT MICROSCOPICAL CLUB (J. Q. M. C.). London
1868 et seq.
- JOURNAL OF THE ROYAL MICROSCOPICAL SOCIETY (J. R. M. S.). London
1878 et seq.
- JOURNAL OF THE TRENTON NATURAL HISTORY SOCIETY. Trenton.
- JOURNAL OF THE VICTORIA MICROSCOPICAL SOCIETY.
- JUDD J. W.—Relation of Tabasheer to mineral substances. Nature, vol.
XXXV., p. 488, 4to. London 1887.
- JUHLIN-DANNFELT H.—On the Diatoms of the Baltic Sea. 4 Plates. Bih.
k. Sv. Vet. Ak. Handl. Bd. VI., n. 21, 8vo. Stockholm 1882.
- JULIEN Dr. A. A.—Pyritised Diatoms. Journ. N. Y. Mic. Soc. vol. II., p.
85, 8vo. New York 1886. J. R. M. S., 1887, p. 279, 8vo.
London 1887.
- JULLIEN Dr. J.—Diatomées trouvées dans l'appareil digestif de la *Flustra*
spinosa. Rap. sur les Bryozoaires. Miss. Scientif. du Cap Horn,
p. 92, pl. XV., fig. 5. 4to. Paris 1888.
- JUNG HERR.—Referat über "Wenham's Reflex Illuminator. J. R. M. S.,
vol. III., ser. 2, (1883) pt. 6, p. 909." Zeitschr. f. Wiss. Mikrosk.
Bd. I. p. 432 8vo. Braunschweig 1884.
- JUST LEOPOLD—Botanischer Jahresbericht. Systematisch geordnetes
Repertorium der botanischen Literatur aller Länder (See Pfitzer,
for the Diatoms), 8vo. Berlin 1875 et seq.
- KAIN C. H.—Balsam of Tolu for mounting. Micr. Bull. vol. I. (1884), p.
36, 8vo. Philadelphia 1885. J. R. M. S., vol. IV., ser. 2, pt. 6,
p. 985, 8vo. London 1884.
- Some thoughts about mounting. Micr. News, 1884, p. 105, 8vo.
London 1884.
- Photo-reproduction of A Schmidt's Atlas der Diatomaceenkunde
and "Die in den Grundproben der Nordseefahrt vom 21 Juli bis
9 September 1872 enthaltenen Diatomaceen" ("Pirated work")
8vo. Camden, New Jersey 1884 et seq.
- Diatomaceen of Shark River New Jersey. Bull. Torrey Bot. Cl.,
1886, 8vo. New York 1886. Notar. Ann. II., n. 6, p. 325, 8vo.
Venezia 1887.
- Notes on Diatoms. Bull. Torrey Bot. Cl., vol. XIV., n. 2, p. 25, 8vo.
New York 1887.

- KAIN C. H.—New Fossil deposits of Diatomaceæ. Bull. Torrey Bot. Cl., vol. XIV., n. 3, p. 57, 8vo. New York 1887.
- Diatoms of Atlantic City. Bull. Torrey Bot. Cl., vol. XV., n. 5, p. 128, 8vo. New York 1888. A. M. M. J., vol. IX., n. 6, p. 105, 8vo. Washington 1888.
- Collecting Diatoms. Bull. Torrey Bot. Cl., 1888, p. 128-131, 8vo. New York 1888. Micr. Bull., vol. VI., p. 20, 8vo. Philadelphia 1889. J. R. M. S., 1889, pt. I., p. 137, 8vo. London 1889.
- Recent contributions to the literature of the Diatomaceæ. Bull. Torrey Bot. Club, 1891, p. II., p. 156.
- Note on the occurrence of *Surirella ovata* at Sorata. Bull. Torrey Bot. Cl., vol. XV., n. 8, p. 220, 8vo. New York 1888.
- Notice of "Brun and Tempère's Diatomées fossiles du Japon." Bull. Torrey Bot. Club, vol. XVII., p. 18, 8vo. New York 1890.
- KAIN C. H. AND SCHULTZE E. A.—On a fossil marine Diatomaceous deposit from Atlantic City, N. J. Bull. Torrey Bot. Cl., vol. XVI., pp. 71-76, 207-210, 3 photo-plates, 8vo. New York 1889. Hedw. Bd. XXVIII., Heft. 3, pag. 202, Heft 6, p. 377, 8vo. Dresden 1889. The Microscope, vol. IX., n. 9, p. 285. J. R. M. S., 1889, pt. IV., p. 566, 8vo. London 1889.
- KAISER E.—Gunther's Photographien von *Pleurosigma angulatum*. Bot. Centralbl. Bd. II., p. 683, 8vo. Cassel 1880. J. R. M. S., vol. III., p. 891, 8vo. London 1880.
- KAROP G. C.—On certain immature forms of Diatomaceæ. J. Q. M. C., vol. VI., pp. 191, 215, 8vo. London 1881.
- Extract from a Monograph "Zur Kenntniss der Infektions-Krankheiten niederer Thiere und Pflanzen," by Dr. W. Zopf, in the Nov. Act. Acad. Caes. Leop.-Carol. Nat. Cur. Halle Bd. LII., n. 7. Translated with the sanction of the Academy by George C. Karop, M.R.C.S., F.R.M.S. 1 Plate. J. Q. M. C., vol. IV., ser. 2, n. 25, p. 34, 8vo. London 1889.
- Some critical Remarks by Herr A. Grunow on the Oamaru Diatom Papers of Mess Grove and Sturt, with annotations by E. Grove. J. Q. M. C., 1889, n. 24, p. 387-391, 8vo. London 1889.
- KAROP G. C. AND MORLAND H.—The Loch Kinnord and Skye Diatomaceous deposits with hints on cleaning refractory material. J. Q. M. C., vol. III., ser. 2, p. 92, 8vo. London 1887.
- KELAART DR.—List of Diatomaceæ found in Ceylon. A. and M. N. H., vol. I., ser. 3, 8vo. London 1858.
- KELLER C. C.—Die Reinigung des Tolu-balsams zu mikroskopischen Zwecken. Zeitschr. f. wiss. Mikrosk. Bd. IV., p. 471, 8vo. Braunschweig 1887.

- KENT SAVILLE—On *Isthmia enervis*. "Man. of Infusoria," vol. I., p. 59, 8vo. (footnote). London 1880.
- KIADJA A MAGYAR TUDOMANYOS. AKAD.—Math. es. Termeszett. Budapest . . . . .
- KICKX JEAN—Recherches pour servir à la Flore Cryptogamique des Flandres. 2 vol., Gd. 8vo. Gand 1840-1855. Ouvrage posthume de G. Kickx. Gand 1867.
- KILLIAS E.—An enumeration of the plants collected by Dr. H. H. Rusby in South America in 1855-56 (Fresh water Diatomaceæ determined by C. H. Kain). Bull. Torrey Bot. Cl., vol. 15, p. 177-184, 8vo. New York 1888.
- KIRCHENPAUER DR. JUR.—Beitrag zur Thier-und Pflanzen-Topographie der Seetonnen der Elbmündung. Abh. naturwiss. Ver. Hamburg, Hedw. Bd. II., p. 83, 8vo. Dresden 1863.
- KIRCHNER DR. O.—Die Algen Schlesiens in F. Cohn's Kryptogamen-Flora von Schlesien. Vol. II., 8vo. Breslau 1878.
- Beitrag zur Algenflora von Württemberg. 1 Tafel. Württ. Naturw. Jahresh. Jahrg. XXXVI., p. 155, 1 vol., 8vo. Württemberg 1880.
- Nachträge zur Algenflora von Württemberg. Jahresh. Ver. f. väterl. Naturk. Württ. 1888, p. 143 (*Achnantheidium Zelleri* etc.). Bot. Centralbl. Bd. XXXVI, p. 324, 8vo. Cassel 1888.
- Die Mikroskopische Pflanzenwelt des Süßwassers 1891, with 9 plates.
- KITTON FRED—The Diatomaceæ of the Monmouth U. S. subpeat deposit. Sci. Goss., vol. III., pp. 133, 156, 180, 8vo. London 1867.
- The genus *Amphitetras*. Sci. Goss., vol. III., p. 271, 8vo. London 1867.
- List of Diatomaceæ collected by Dr. David Lyall. R. N. of the N. W. coast of British North America. Boundary Commission 1858-59. Journ. Lin. Soc. Bot., vol. IX., p. 416, 8vo. London 1867.
- Remarks on the publication of the new genera and species from insufficients material. Q. J. M. S., vol. VII., n. s. p. 118, 8vo. London 1867.
- Remarks on some of the new species of Diatomaceæ recently published by Revd. E. O'Meara. Q. J. M. S., vol. VIII., n. s., p. 13, 8vo. London 1868.
- Description of the new genus of Diatomaceæ and observations on the costæ of *Pinnularia peregrina*. Q. J. M. S., vol. VIII., n. s., p. 16, 8vo. London 1868.
- On the Diatoms in the Maine U. S. subpeat deposits. Sci. Goss., vol. IV., p. 85, 9 figs., 8vo. London 1868.

- KITTON FRED.—On the Diatoms in the "Pearley's meadow" deposit. Sci. Goss., vol. IV., p. 131, 13 figs., 8vo. London 1868.
- New species of Diatomaceæ (Reply to the Revd. E. O'Meara). Q. J. M. S., vol. VIII., n. s., p. 139, 8vo. London 1868.
  - A new *Surirella*. Sci. Goss., vol. V., p. 61, 8vo. London 1869.
  - Notes on New York Diatoms with descriptions of a new species. *Fragilaria crotonensis* K. Sci. Goss. vol. V., p. 109, 3 figs., 8vo. London 1869.
  - Seaside Diatoms. Sci. Goss., vol. V., p. 220, 8vo. London 1869.
  - New Diatoms (The forms in Grunow's Diatomaceæ of the Novara Expedition). Sci. Goss., vol. VI., p. 61, 8 Figs., 8vo. London 1872.
  - Diatomaceous deposits from Jutland. 5 Plates. J. Q. M. C., vol. II., p. 99, 168, 8vo. London 1870-81.
  - On cleaning diatomaceous gatherings Sci. Goss., vol. VII., p. 105, 8vo. London 1871.
  - On Prof. H. L. Smith's "Conspectus of the Diatomaceæ" Grevillea, vol. I., p. 63, 89, 8vo. London 1872. See also notice under title: A review of the new Conspectus of the Families and Genera of Diatomaceæ by H. L. Smith. M. M. J., vol. IX., p. 35, 165, 8vo. London 1873.
  - Strange habitats of certain species of Diatomaceæ. Sci. Goss., vol. XI., p. 222, 6 Figs., 8vo. London 1873.
  - Guano Diatoms etc. M. M. J., vol. IX., p. 166, 8vo. London 1873.
  - The Diatomaceæ and Heterogenesis (A resumé of Prof. H. L. Smith's Archebiosis and Heterogenesis. Lens vol. II., p. 19, 1873). Sci. Goss., vol. IX., p. 153, 8vo. London 1873.
  - Remarks on *Aulacodiscus formosus*, *Omphalopelta versicolor* etc., with description of a new species of *Navicula*. M. M. J., vol. X., p. 6, pl. XXI., 8vo. London 1873.
  - A description of some new species of Diatomaceæ. M. M. J., vol. X., p. 205, pl. XXXVIII., 8vo. London 1873. Grevillea, vol. II., p. 110, 8vo. London 1873.
  - Conspectus of Diatomaceæ. The genus *Amphora* by Prof. H. L. Smith. Grevillea, vol. II., p. 24, 8 Figs., 8vo. London 1873-74.
  - New Diatoms. M. M. J., vol. XII., p. 218, p. LXXXI.-LXXXII., 8vo. London 1874. Grevillea, vol. III., p. 72, 8vo. London 1874.
  - Critical notes on some species of Diatomaceæ. Grevillea, vol. III., p. 38, 3 Figs., 8vo. London 1874.

- KITTON FRED.—History of the Diatomaceæ (A resumé of Prof. H. L. Smith's translation of Kützinger's Historical Preface to the "*Bacillaria*." Lens, vol. II., p. 120, 199). Sci. Goss. vol. X., p. 2, 25, 149, 8vo. London 1874.
- Reports on A. Schmidt's Atlas der Diatomocéenkunde: Pt. I., Grevillea, vol. III., p. 134, 8vo. London 1874-75. Pt. I., Sci. Goss., vol. XI., p. 38, 8vo. London 1875. Pt. II.-III., Grevillea, vol. III., p. 187, 8vo. London 1874-75. Pt. IV.-V., Grevillea, vol. IV., p. 26, 8vo. London 1875-76. Pt. IV.-V., Sci. Goss., vol. XI., p. 205, 8vo. London 1875. Pt. VI.-VIII., Grevillea, vol. IV., p. 131, 8vo. London 1875-76. Pt. IX.-X., Grevillea, vol. V., p. 78, 8vo. London 1876-77. Pt. XIII.-XIV., Grevillea, vol. VI., p. 58, 8vo. London 1877-78.
  - Bermuda Tripoli. Sci. Goss., vol. XI., p. 160, 8vo. London 1875.
  - Fauna and Flora of Norfolk. Pt. VII., Diatomaceæ, being a list of the Diatomaceæ occurring at Norfolk. Trans. Norfolk and Norwich Nat. Hist. Soc., vol. III., p. 336, 8vo. 1875.
  - On the genus *Arachnoidiscus*. Sci. Goss., vol. XI., p. 121, 8vo. London 1875.
  - Number of striæ on the Diatoms in Möller's Probe-Platte. M. M. J., vol. XIV., p. 45, 8vo. London 1875.
  - Diatoms in slides of Santa Monica deposit. M. M. J., vol. XVI., p. 232, 8vo. London 1876.
  - On the Rev. E. O'Meara's Report on the Irish Diatomaceæ. Sci. Goss., vol. XII., 8vo. London 1876.
  - *Heliopecta Metii*. Sci. Goss., vol. XIII., p. 65, 8vo. London 1877.
  - On cleaning and mounting Diatomaceæ. Sci. Goss., vol. 13, p. 145, 217, 8vo. London 1877.
  - Catalogue of the Diatomaceæ by Fred. Habirshaw. Grevillea, vol. VI., p. 115, 8vo. London 1877-78.
  - New Diatoms by Prof. P. T. Cleve with notes by F. Kitton. Grevillea, vol. VII., p. 67, 115, 8vo. London 1878.
  - Does dessication kill Diatoms? Translated from the French of M. Paul Petit. Sci. Goss., vol. XIV., p. 74, 8vo. London 1878.
  - New Diatoms. J. R. M. S., vol. I., p. 367, 8vo. London 1878.
  - On *Hyalodiscus subtilis* and *H. Californicus*. With notes by Prof. H. L. Smith. A. J. M., vol. III., p. 357, 8 Figs., 8vo. 1878. *Brebissonia* I. Ann. n. 8, p. 117, 8vo. Paris 1879.
  - What a Diatom is. Translated from "Ce que c'est qu'une Diatomée" par M. Julien Deby. Sci. Goss., vol. XIV., pp. 104, 126, 8 Figs., 8vo. London 1878.
  - Notes sur quelques Diatomées. Bull. Soc. Belg. Mier. tom. V., 2 Figs., 8vo. Bruxelles 1878-79.

- KITTON FRED.—The Thallus of the Diatomaceæ. A resumé of “Le Thalle des Diatomées” par M. le Dr. Matteo Lanzi. Ann. Soc. Belg. Mic. tom. IV. J. R. M. S., vol. II., p. 38, 8vo. London 1879. A. J. M., vol. IV., p. 134, 8vo. 1879.
- Diatomaceæ of Kerguelen's Land (from *Algæ aquæ dulcis Insulæ Kerguelensis*, auctore P. F. Reinsch cum notulis de distributione geographica a G. Dickie adjectis). Tran. Roy. Soc., vol. CLXVIII., p. 66-69, 4to. London 1879. Grevillea, vol. VIII., p. 90, 8vo. London 1879-80.
  - The early history of the Diatomaceæ. Sci. Goss., vol. XVI., p. 77, 1 Fig. p. 133, and n. CCV., p. 6, 8vo. London 1880, 1882. Journ. Microg. t. IV. et V., 8vo. Paris 1880-81.
  - Note on the Rev. G. L. Mills's paper on Diatoms in Peruvian guano. J. R. M. S., vol. II., ser. 2, p. 476, 8vo. London 1882.
  - Sur l'*Aulacodiscus Kittoni* de Mills, etc. Journ. Microg., tom. VI. Paris 1882.
  - Notes on “Diatomaceæ Dillwynii,” or the genera and species of Diatomaceæ in the “British Confervæ” of Dillwyn. I Plate. J. Q. M. C., vol. I., ser. 2, p. 166, 8vo. London 1883. Also : Note sur les genres et espèces de Diatomées dans les British Confervæ de Dillwyn. Journ. Microg. t. VIII., 8vo. Paris 1883.
  - Binocular vision in the study of the Diatomaceæ. J. R. M. S., vol. III., ser. 2, p. 154, 8vo. London 1883.
  - On some Diatomaceæ from the Island of Socotra. Jour. Lin. Soc. Bot., vol. XX., p. 513, 1 plate, 8vo. London 1884.
  - On gum Styrax as a medium for mounting Diatoms. Sci. Goss. p. 66, 8vo. London 1884. J. R. M. S., vol. IV., ser. 2, p. 318, 8vo. London 1884.
  - Fauna and Flora of Norfolk Diatomaceæ. Trans. Norfolk and Norwich Nat. Soc. vol. III., p. 754, 8vo. Norwich 1884.
  - On the mysterious appearance of a Diatom. J. Q. M. C., vol. II., ser. 2, n. 13, p. 178, 8vo. London 1885.
  - *Navicula Durrandii* n. sp. J. R. M. S., vol. V., ser. 2, p. 1042, 8vo. London 1885.
  - *Asteromphalus* living on the Teignmouth coast. J. R. M. S., p. 380, 8vo. London 1885.
  - Some new Diatomaceous forms from the “Saugstiefer” of Dabrovrica. Sci. Goss., p. 36, 3 Figs., 8vo. London 1885. J. R. M. S., p. 497, 8vo. London 1885.
  - Diatoms and Bladderwort. J. R. M. S., p. 685, 8vo. London 1885.

- KITTON FRED.—Note on *Styrax* and Canada balsam. J. R. M. S., p. 359, 8vo. London 1887.
- New species of *Biddulphia* from Fiji (*B. echinata*). J. R. M. S., p. 466, 8vo. London 1888.
- On some Diatomaceæ from the Island of Socotra. Trans. Roy. Soc. Edin., vol. XXXI., 4fo. Edinburgh 1888.
- A new species of *Navicula* (*N. venustissima*). J. R. M. S., p. 101., 8vo. London 1889.
- KITTON FRED. AND GROVE E.—Description of some new Diatomaceæ found in the stomachs of Japanese oysters, with a list of species observed by E. Grove. Also a description of some new or undescribed forms from other localities by F. Kitton. 1. Plate. J. Q. M. C., vol. II., ser. 2, p. 16, 8vo. London 1884.
- KJELLMAN F. R.—Bidrag till Kännedomen af Kariska hafvets Alg-vegetation. 1 Plate Oefvers. K. Vet. Ak. Förhandl. Stockh., p. 3, 8vo. Stockholm 1877.
- KLEBS G.—Ueber die Organisation der Gallerte bei einigen Algen und Flagellaten. Unters. a. d. Bot. Inst. z. Tübingen Bd. II., p. 333. Tübingen 1887.
- Beiträge zur Physiologie der Pflanzenzelle. Unters. a. d. Bot. Inst. z. Tübingen Bd. III., p. 489, 568. Tübingen 1888. Hedw., p. 114, 8vo. Dresden 1888.
- KOENIG DR.—Diatoms from Railway Cutting near Gray's Ferry Road. Rept. Proc. Philad. Acad. Sci. in Amer. Naturalist, vol. XX., p. 754, 8vo. Philadelphia 1886.
- KONGLICH SVENSKA VETENSKAPS AKADEMIENS HANDLINGER (K. Sv. Vet. Ak. Handl.). Stockholm.
- KOSLOWSKY VLADILAS.—Materialien zur Algenflora von Sibirien. Schrift. Naturf. Ges. z. Kiew. 1 Tafel. (In Russian). Kiew. 1887. Bot. Centralbl. Bd. XXXVI., p. 129, 8vo. Cassel 1888. Referat von Rothert (St. Petersburg). Bot. Centralbl. Bd. XL., p. 40, 8vo. Cassel 1889.
- KRAUS G. ET MILLARDET A.—Etudes sur la matière colorante des Phycocchromacées et des Diatomées. Mém. Soc. Sci. Nat. Strassb. t. VI., 4to. Strassburg 1868.
- KROKER M.—Bericht über ein neu aufgefundenes an Diatomaceen sehr reiches und ausgedehntes Schlammlager zu Pallowitz bei Orzesche. 52. Jahresb. Schles. Ges. väterl. Cult. 8vo.
- KRONSFELD.—Referat über "Imhof O. E. Poren an Diatomaceen-schalen, etc. Biol. Centralbl. Bd. VI., n. 23, p. 719." Bot. Centralbl. Bd. XXXI., p. 193, 8vo. Cassel 1887.
- KUEBLER J. DE —Diatomées des lacs Lemane, Constance, Neuchatel, Zurich et du Rhin. 8vo. Lausanne 1874.

- KUEBLER DR. J. UND ZWINGLI H.—Mikroskopische Bilder aus dem Leben unserer einheimischen Gewässer. 3 Tafeln. Neujahrs-Blatt v. d. Bürgerbibliothek in Wintherthur. 4to. Winterthur 1864.
- KUTORGA PROF. S.—Naturgeschichte der Infusionsthier, vorzüglich nach Ehrenbergs Beobachtungen. Aus dem russischen übersetzt. Mit. einem Atlas. Ueber fossile Infusorien p. 128, 8vo. Carlsruhe 1841. (Russische Auflage. St. Petersburg 1839.)
- KÜTZING DR. F. T.—Ueber die Gattungen *Melosira* und *Fragilaria*. Linnæa vol. VIII., p. 67, 8vo. Berlin 1833.
- Synopsis Diatomearum oder Versuch einer systematischen Zusammenstellung der Diatomeen. Aus der Linnæa vol. VIII., besonders abgedruck.. 7 Tafeln. 8vo. Halle 1834.
  - Die kieselchaligen Bacillarien oder Diatommeen, mit 30 gravirten Tafeln. 4to. Nordhausen 1844. Zweiter Abdruck. 4to. Nordhausen 1865.
  - Diatomaceæ. In Phycologia Germanica d. i. Deutschlands Algen in bündigen Beschreibungen. p. 54 et seq. 8vo. Nordhausen 1845.
  - Species Algarum. 8vo. Lipsiæ 1849.
  - Diatomaceæ. In "Grundzüge der philosophischen Botanik." 8vo. Leipzig 1851-52.
- L. V. A.—Preparation of Diatoms. Sci. Enquir., vol. II., p. 31, 8vo. London and Bath 1877.
- LAGERSTEDT N. G. W.—Sötvattens-Diatomaceer fran Spetsbergen och Beeren Eiland. 2 Taflor. Bih. K. Sv. Vet. Ak. Handl. Bd. I., n. 14, 8vo. Stockholm 1873.
- Saltvattens Diatomaceer fran Bohuslän. Med 1 Tafla. Bih K. Sv. Vet. Ak. Handl. Bd. III., n. 15, 8vo. Stockholm 1876. Hedw. Bd. XV., s., 8vo. Dresden 1876.
  - Bör namnet Diatomaceæ utbyttas mot Bacillariaceæ. Bot. Not. Stockholm 1876.
  - Diatomaceerna i Kützings exsikkatverk "Algarum aquæ dulcis germanicarum decades" 1 Tafla. Oefvers. K. Sv. Vet. Ak. Förhandl. n. 2, 8vo. Stockholm 1884.
- LAMARCK DR. ET DE CANDOLLE—Diatomées. Flore Française. 3 Ed., t. II., p. 48, 8vo. Paris 1815.
- LA NATURA—Milano.
- LA NATURALEZA—Mexico.
- LANG F. H.—On selecting and mounting Diatoms. M. M. J., vol. IV., p. 308, 8vo. London 1870.
- Another hint on selecting and mounting Diatoms. M. M. J., vol. VI., p. 215, 8vo. London 1871.

- LANG F. H.—A review of the new “*Conspectus of the Families and genera of Diatomaceæ.*” *M. M. J.*, vol. IX., p. 114, 8vo. London 1873.
- Handling Diatoms. *Amer. Naturalist*, vol. VIII., p. 697, 8vo. Salem 1874.
- On *Stictodiscus Californicus* with illustrations. *Sci. Goss.*, p. 135, 8vo. London 1885.
- LANGENBACH DR. G.—*Die Meeresalgen der Inseln Sicilien und Pantellaria*, 8vo. Berlin 1873.
- LANKESTER EDWIN—On a white Diatomaceous incrustation on Stones from the bed of the River Annan. *M. J.*, vol. I., p. 41, 8vo. London 1841.
- LANKESTER EDWIN. AND REDFERN PETER—Reports made to the Directors of the London (Watford) Spring Water Company on the results of microscopical Examinations of the organic matters and solid contents of water Supplied from the Thames and other sources, 8vo. London 1852.
- LANKESTER ED RAY—On the movements of the Diatomaceæ. *Pop. Sci. Rev.*, 8vo. London 1866.
- On green oysters. *Q. J. M. S.*, vol. XXVI., p. 71. London 1886.
- The cause of the green colour of the European oyster. *Amer. Naturalist*, vol. XX., p. 298, 8vo. Philadelphia 1886.
- LANZI MATTEO. DOTT—*Alcune Diatomacee raccolte in Fiesole*. *Nuov. Giorn. Bot. Ital.*, vol. VII., n. 2, p. 153, 8vo. Roma 1875.
- Le Diatomacee raccolte dalla Spedizione della Società geografica Italiana in Tunisia *Boll. Soc. Geograf. Ital. Fasc. I.* 8vo. Roma 1876.
- Le Thalle des Diatomées. 1 Planche. *Ann. Soc. Belg. Micr.* tom. IV., 8vo. Bruxelles 1878.
- Diatomee raccolte in Ostia. *Atti. Soc. Critt. Ital.* tom. I., p. 25. 1878.
- Alcune parole in risposta al Signor Paolo Petit. *Brebissonia* n. 9, p. 129, 8vo. Paris 1879. Also *Trad. française de G. Huberson* p. 135, 8vo. Paris 1879.
- Utilità dello studio delle Diatomee. *R. Accad. Med. d. Roma.* Roma 1880.
- Le Diatomee fossili di Tor di Quinto. *Nota. Atti. Accad. Pontif. nouv. Linc. Ann. XXXIV.* Roma 1881.
- Le Diatomee rinvenute nelle fonti urbane dell’acqua Pia-Marcia. *Atti Accad. Pontif. nouv. Linc. Ann. XXXIV.*, ser. VI., 4to. Roma 1881.
- Le Diatomee raccolte nel Lago di Bracciano. *Atti Accad. Pontif.*

- nouv. Linc. tom. XXXV., Ann. XXXV., Ser. VI., 4to. Roma 1883. Bot. Centralbl. Bd. XVI., p. 257, 8vo. Cassel 1883. J. R. M. S., vol. IV., ser. 2, p. 277, 8vo. London 1884.
- LANZI MATTEO DOTT.—Le Diatomee rinvenute nel Lago Traiano, nello stagno di Maccarese e loro adiacenze. Atti Soc. Critt. Ital. residente in Milano (R. Ort. Bot. di Brera). Ann. XXVII., vol. III., ser. 2, 8vo. Varese 1884.
- La forma dell'endocroma nelle Diatomee. Atti Accad. pontif. nouv. Linc. t. XXXVII. Roma 1885. Bot. Centralbl. Bd. XXXIX., p. 421, 8vo. Cassel 1886. J. R. M. S., vol. VI., ser. 2, p. 291, 8vo. London 1886.
  - Le Diatomee fossili della via Flaminia sopra la tomba dei Nasoni. Atti Accad. pontif. nouv. Linc. tab. XL., 4to. Roma 1887. Bot. Centralbl. Bd. XXXV., p. 156, 8vo. Cassel 1888.
  - Le Diatomee fossili di Gabi. Atti Accad. pontif. nouv. Linc. tab. XXXIX., 4to. Roma 1887.
  - Le Diatomee fossili della cava presso S. Agnese in via Nomentana. Atti Accad. pontif. nouv. Linc. t. XXXIX., 4to. Roma 1887. Bot. Centralbl. Bd. XXXV., p. 91, 8vo. Cassel 1888.
  - Le Diatomee fossili del terreno quaternario di Roma. Annuar. d. R. Ist. Bot. Roma. Ann. III., fasc. I. 4to. Roma 1887.
  - Le Diatomee fossili del monte delle Picche e della via Ostiense. Notar. Ann. III., n. 11, p. 543, 8vo. Venezia 1888. Atti Accad. pontif. nouv. Linc. Ann. XL., T. XL., 4to. Roma 1888.
  - Le Diatomee fossili della via Aurelia. Nota. Atti Accad. pontif. nouv. Linc. Ann. XLII., 4to. Roma 1889.
  - Le Diatomee fossili del Gianicolo. Nota. Atti Accad. pontif. nouv. Linc. Ann. XLII., 4to. Roma 1889.
  - Saggio di classificazione naturale delle Diatomee secondo il sistema naturale. Atti Accad. pontif. nouv. Linc. XLIII., ser. II. Roma 1890. *Vide* T. R. M. S., 1891, p. 234.
  - Diatomacearum naturalis et methodicæ distributionis specimen. Notar. V., n. 19, p. 1017-1019. Venezia 1890.
  - Elenco delle Diatomee fossili rinvenute nel Gianicolo (Città Leonina-Roma). Notar. p. 986, avril 1890; *Vide* Atti Acc. Pont. Nuovi Linc. Roma 1889.
- LAUDER HENRY SCOTT—Remarks on the Marine Diatomaceæ found at Hong Kong with descriptions of new species. T. M. S., vol. XII., n. s., p. 75, pl. VIII., 8vo. London 1864.
- On new Diatoms. T. M. S., vol. XII., p. 6, pl. III., 8vo. London 1872.
- LEEUWENHOEK A.—In Phil. Trans Roy. Soc. Lond., 1703, 8vo. London 1703.

- LEIDY J.—On the motive power of Diatoms. *Proc. Acad. Nat. Sci. Philad.*, p. 113, 8vo. Philadelphia 1874.
- LE JOLIS AUGUSTE.—Quelques réflexions sur l'étude de la Botanique et détails sur les modes de reproduction des Algues Zoosporées. *Mém. Soc. Sci. Nat. Cherbourg*, 8vo. Cherbourg 1852.
- LEMAIRE A.—Catalogue des Diatomées des environs de Nancy. *Bull. Soc. Sci. Nancy*, 8vo. Nancy 1881.
- Les Diatomées observées dans quelques lacs des Vosges. *Neptunia*, No. 12, 1891. *Le Diat.*, vol. I., p. 117.
- LENS, THE—A quarterly Journal of microscopy and the allied natural Sciences, with the Transactions of the State Microscopical Society of Illinois. Edited by S. A. Briggs. 2 vols. 8vo., pl. (All published). Chicago 1872-1873.
- LETT H. W. M.—Diatomaceous fossil deposits of Mourne Mountains and South Mourne. *Sci. Gossip*, vol. XIX., p. 16, 8vo. London 1883.
- LEUDUGER-FORTMOREL G., M. D.—Catalogue des Diatomées de la Baie de de Saint-Brieuc et du littoral des Côtes-du-Nord. *Bull. Soc. Bot. de France*, t. XXV., 8vo. Paris 1879.
- Catalogue des Diatomées de l'île Ceylon. 9 planches. *Mem. Soc. d'Emul. d. Côtes-du-Nord*, 8vo. Saint-Brieuc 1879.
- M. S. "liste des Diatomées marines de la Malaisie, Sumatra, Java et Singapore, dans les préparations de Mons. Julien Denby (unique). 'In possession of Julien Deby.' Unpublished 1889.
- Diatomées de la Malaisie. *Ann. du Jardin de Buitenzorg* 1892. *Le Diat.*, vol. I., p. 117.
- LIEDUGER-FORTMOREL G., M.D. et PETIT PAUL—Des gisements silicieux fossiles de l'Auvergne, etc. *Journ. de Microg.*, 8vo. Paris 1878.
- LEVI-MORENOS DAVID—Appunti algologici sulla nutrizione dei girini di *Rana esculenta*. *Rendic. Accad. Linc. Rom.*, vol. IV., fasc., 8vo. Roma 1888.
- Alcune osservazioni e proposte sulla Diatomologia lacustre Italiana. *Notar. Ann.* IV., n. 15, p. 813, 8vo. Venezia 1889. *Hedw. Bd.* XXXVIII., p. 377, 8vo. Dresden 1889.
- Ricerche sulla fitofagia delle larve di *Friganea*. *Notar. n.* 15, p. 775, 8vo. Venezia 1889. *Hedw.* XXVIII., p. 377, 8vo. Dresden 1889.
- Elenchi di Diatomee rinvenute nel tubo digerente d'animali acquatici. *Pt. I.*, *Notar. Ann.* IV., p. 833, 8vo. Venezia 1889.
- Elenco delle Diatomee osservate nei Italiani. *Notarisia*, 1889, n. 15.
- Alcune idee sulla evoluzione difensiva delle Diatomee, in rapporto

con la diatomofagia degli animali acquatici. Boll. d. Soc. Italiana dei Microsp., 8vo. Acireale 1890 et traduc. fr. dans Notarisia 1890. T. R. M. S., 191, p. 79.

LEVI-MORENOS DAVID—Nuovi materiali per la Diatomologia Veneta. Notarisia 1890.

LEWIS F. W., M.D.—Notes on new and rarer species of the Diatomaceæ of the United States Seaboard. 2 plates. Proc. Ac. Nat. Sci. Philad., 8vo. Philadelphia 1861. Q. J. M. S., vol. II., n. s., p. 155, 8vo. London 1862.

— On some new and singular intermediate forms of Diatomaceæ with 1 plate. Proc. Ac. Nat. Sci. Philad. Philadelphia 1863.

— On the extreme and exceptional variation of Diatoms in some White Mountain localities, etc. 1 plate. Proc. Ac. Nat. Sci. Philad., 8vo. Philadelphia 1865.

LICATA G. B.—Alghie della Baja di Assab. La Natura. n. 12, p. 181, 4to. Milano 1882. Notar. Ann. I., p. 62, 8vo. Venezia 1886.

LICOPOLI G.—Storia naturale delle piante crittogame che nascono sulle lave Vesuvitne. Atti Acad. Sci. Fis. e mat. Napol. Napoli 1885?

LIERAU DR. M.—Das Botanische Museum und bot. Laboratorium für Waarenkunde zu Hamburg—Eine Uebersicht seiner Sammlungen und Einrichtungen. Bot. Centralbl. Bd. XXXVIII., n. 4, p. 558, 8vo. Cassel 1889.

LILLJEBORG M.—Conspectus criticus Diatomacearum. 4 parts. Lund 1830-32. (See C. A. Agardh.)

LINDLEY JOHN PH. D.—Diatomaceæ. In "Vegetable Kingdom, or the Structure, Classification and Uses of Plants." 8vo. London 1846.

LINDLEY J. AND MOORE THOMAS—The Treasury of Botany. London 1875.

LINDSAY W. LAUDER M.D.—On the Diatomaceæ of Otago, New Zealand. Journ. Lin. Soc. Bot., vol. IX., p. 129, 8vo. London 1867.

— On the Protophyta (Diatomsceæ) of New Zealand. Q. J. M. S., vol. VII., n. s., p. 97, 8vo. London 1867.

— On the Protophyta of Iceland (including Desmids and Diatoms). Q. J. M. S., vol. VII., n. s., p. 197, 8vo. London 1867.

LINK H. F.—Horæ phys. Berol. Berolin 1820.

LINNAEA.—Ein Journal für die Botanik. Berlin 1826-82.

LINNAEUS C.—Systema Naturæ vol. I., pt. VI., p. 3963, Ed. XIII. 1788.

LOBARZEWSKI H. RITTER. v.—Einige neue Diatomaceen Agardh et auct. der Ostküste des Adriatischen Meeres. 4 Tafeln. Linnæa, vol. XIV., p. 265, 8vo. Berlin 1840.

LOCKWOOD S.—The Life of Diatoms. Journ. N. Y. Mic. Soc. 1886. New York 1886.

- LOCKWOOD S.—Raising Diatoms in the Laboratory. 2 Plates. Journ. N. Y. Mic. Soc., vol. II., p. 153, 8vo. New York 1886. J. R. M. S., 1887, p. 626, 8vo. London 1887.
- LONDON PHYSIOLOGICAL JOURNAL THE —1 vol., 8vo. pl. London 1834.
- LORD J. K.—The Naturalist in Vancouver Islands and British Columbia. Appendix contains a list of 119 Diatoms.
- LORENZ DR. J. R.—Physicalische Verhältnisse und Vertheilung der Organismen im Quarnerischen Golfe, roy. 8vo. Wien 1863.
- LOTOS—Zeitschrift für Naturwissenschaften Herausgegeben vom Naturhistorischen Vereine Lotos in Prag. Redigirt vom Dr. Wilh. Rud. Weitenweber und Dr. V. R. v. Zepharovich. Prag 1851 et seq.
- LOUREIRO JOAO DE—Flora Cochinchinensis, p 275, 4to. Ulyssipone 1790.
- LOWNE B. THOMPSON—On interference phenomena in relation to true and false images in microscopy. With Figures. J. Q. M. C., vol. III., ser. 2, p. 360, 398, 8vo. London 1889.
- LOWNE B. T. AND NELSON E. M.—The defraction theory (*Pleurosigma angulatum*). J. R. M. S., p. 806, 8vo. London 1889. Also in J. Q. M. C., vol. III., p. 360, 4 Figs., 8vo. London 1889. Also Nelson in Engl. Mechan., vol. XLIX., p. 425, 4 Figs., 4to. London 1889.
- LUEDERS JOH. E.—Einige Bemerkungen über Diatomeen-Cysten und Diatomeen-Schwärmsporen., 1 Fig., Bot. Zeit. Jahrg. XVIII., n. 48, 4to. Leipzig 1860.
- Beobachtungen über die Organisation, Theilung und Copulation der Diatomeen. 1 Tafel. Bot. Zeit. Jahrg. XX., n. 6-9, 4to. Leipzig 1862.
- LUERSEN CH.—Medecinisch-pharmaceutische Botanik I. Kryptogamen 1879.
- LUTKEN DR. C. F.—Review of the Scandinavian Contributions to Natural History in 1847-68. Amer. Naturalist, vol. III., p. 214, 8vo. Salem 1870.
- LYNGBYE HANS CHRISTIAN—Tentamen Hydrophytologiæ Danicæ continens omnia Hydrophyta Cryptogama Daniae, Holsatiæ, Færoæ, Islandiæ, Grœnlandiæ, hucusque cognita, systematice disposita, descripta et iconibus illustrata, adjectis simul speciebus Norvegicis. 4to. Hafniæ 1819.
- MACADAM W. T.—Diatomaceous deposits in Scotland. Mineral. Mag., vol. VI., p. 87. J. R. M. S., p. 287, 8vo. London 1885.
- MACADAM IVISON—Note on the presence of certain Diatoms in a town-water

Supply. Proc. Roy. Phys. Soc. Edin., p. 483, 8vo. Edinburgh 1885. J. R. M. S., vol. VI., ser. 2, p. 291, 8vo. London 1886.

MACADAM IVISON—On the analysis of a sample of a white deposit from the peat of Aberdeenshire. Trans. Geol. Soc. Edin., p. 206, 8vo. Edinburgh.

- On some new localities for the mineral Diatomite, with notes on the Chemical Composition of the Specimens exhibited. Mineral. Mag. and Journ. Mineral. Soc., vol. VII., n. 32, pp. 30-34, 8vo. Edinburgh 1886.

MACCHIATI L.—Le Diatomacee nella fontana del Regio Istituto Tecnico di Modena. Boll. Soc. Bot. Ital. nel N. Giorn. Bot. Ital., vol. XX., p. 404, 8vo. Firenze 1888. Hedw., p. 313, 8vo. Dresden 1888.

- Diatomacee del Lago Santo Modenese. Boll. Soc. Bot. Ital. nel N. Giorn. Bot. Ital., vol. XX., n. 3, p. 408, 8vo. Firenze 1888. Hedw., p. 313, 8vo. Dresden 1888.

- La *Synedra pulchella* Kütz. var. *abnormis* M. ed altre Diatomacee della sorgente die Ponte Nuovo (Sassuolo). Boll. Soc. Bot. Ital. nel N. Giorn. Bot. Ital., vol. XXI., p. 263-267. Firenze 1889. J. R. M. S., pt. IV., p. 566, 8vo. London 1889.

- Le Diatomacee della fortezza di Castelfranco Bolognese. Boll. Soc. Bot. Ital. nel N. Giorn. Bot. Ital., vol. XXI., p. 278-281. Firenze 1889.

- Le Diatomacee nella fontana del regio Istituto tecnico di Modena. Nuov. Gior. Bot. Ital., vol. XX. 1888.

- Primo elenco di Diatomacee del Laghetto artificiale del pubblico Giardino di Modena e qualche osservazione sulla Biologia di queste Alghe Nuov. Gior. Bot. Ital., vol. XXIII., n. 1, Gennaio 1891.

- Movement and Reproduction of Diatoms. Nuov. Giorn. Bot. Ital. XXIII., 1891, pp. 175-84; vide T. R. M. S., 1891, p. 508.

- *Navicula elliptica*. Bull. Soc. Bot. Ital., 1892, pp. 168-72; vide T. R. M. S., 1892, p. 655.

- Comunicazione preventive sulla cultura delle Diatomee. Estratto dagli atti della Societa dei Nat. di Modena. Série III., vol. XI., 1892.

MACDONALD J. D., F. R. S.—Observations on deep Soundings obtained by H. M. S. Herald in the South Western Pacific. A. and M. N. H., vol. XX., ser. 2, p. 264, 8vo. London 1857.

- On the structure of the Diatomaceous frustule and its genetic Cycle. 1 plate, A. and M. N. H., vol. III., ser. 4, 8vo. London 1869. Q. J. M. S., vol. IX., n. s., p. 316, 8vo. London 1869.

- MACKAY A. H.—Organic Siliceous remains in the Lake deposits of Nova Scotia. *Canad. Record of Sci.*, vol. I., n. 4, p. 236, 8vo. Montreal 1885.
- MADDOX DR. R. L.—On bleaching Diatomaceæ etc. *M. M. J.*, vol. V., p. 274, 8vo. London 1871. Also cleaning Diatoms. *Amer. Naturalist*, vol. VI., p. 188. Salem 1872.
- Simple substage Condenser. (*Ampipuleura pellicuida*, *Pleurosigma balticum* P. *formosum*). *J. R. M. S.*, p. 99, 8vo. London 1890. From *Brit. Journal of Photography*, vol. XXXVI. London 1889.
- Small glass rod Illuminator (*Triceratium*, *Navicula rhomboides*). *J. R. M. S.*, p. 101, 8vo. London 1890.
- MAGAZINE OF NATURAL HISTORY, and Journal of Zoology, Botany, Mineralogy, Geology and Meteorology, conducted by J. C. Loudon, F. L. S., etc. London 1829-1836.
- MAGGI LEOPOLDO.—Protistologia (Manuali Hoepli n. 34). Diatomee p. 90-95, 2 Figs., 32mo. Milano 1882.
- Sull analisi protistologica dell'acqua del lago Maggiore, estratta a 60 met. di profondità fra Angera ed Arona. *Rendic. Ist. Lombard.* vol. XV., ser. 2., fasc. IX-X. Milano 1882.
- MANN A.—Classification, life-history, gathering and preparing Diatoms. *A. M. M. J.* May 1890.
- MANOURY CH.—De l'organisation des Diatomées. 8vo. Caen 1869.
- Etude sur les Diatomacées. 2 Planches, 4to. Paris 1870.
- De la multiplication chez quelques Algues inférieures. 1 Planche. *Bull. Soc. Hort. et Bot. d. Centre d. Normand.* t. II., n. 6, 8vo. Lisieux 1877.
- Les Diatomacées de l'embouchure de la Seine. *Rev. Inter. d. Sci.*, p. 522. Paris 1879.
- MAOUT EMM. LE ET DECAISNE JH.—Traité général de Botanique, descriptive et analytique. Roy. 8vo. Paris 1886.
- MARCUCCI E.—*Triceratium pentacrinus*, specie di Diatomea nuova per l'Italia e per l'Europa. *Att. Soc. Ital. Sci. Nat.*, vol. VII., p. 272. Milano 1865.
- MARISSAL F. D.—Diatomées. Catalogue des espèces omises dans la Flore du Hainaut et observées dans les environs de Tourani (1. re Centurie) Algues. 2 Planches. *Mém. Soc. His. Tournai*, tom. I., 8vo. Tournai 1850.
- MARMOND M. G.—Préparation des Diatomées. *Jour. Microg.*, t. II., p. 466, 8vo. Paris 1878.
- MARQUAND ERNEST D.—Desmid and Diatoms of West Cornwall. *Trans. Penzance Nat. Hist. Soc.*, n. 272, 8vo. Plymouth 1882-83.

- MARTELLI U.—*Florula Bogosensis*. Enumerazione delle piante dei Bogos raccolte dal Dott. O. Beccari nell'anno 1870 con descrizione delle specie nuove e poco note. Tav. Diatomee, del Sr. A. Grunow. Firenze 1886. Notar. Ann. I., p. 193, 218, 8vo. Venezia 1886.
- MASON NORMAN H.—*Cleaning Diatoms from Sand*. Mic. Bull., p. 46, 8vo. Philadelphia 1889. J. R. M. S., p. 112, 8vo. London 1890.
- MATHIEU C.—*Flore générale de Belgique, contenant la description de toutes les plantes qui croissent dans ce pays*, 8vo. Bruxelles 1853.
- MATTIROLO O.—*Sulla natura, struttura e movimento del protoplasma vegetale*. Rivist. filosof. Scientif. Ann. II., vol. II., Fasc. 2, 1882.
- MAUELER M.—*Sur les Diatomées fossiles des Bord du Lac Majeur* Ann. Soc. Belg. Micr. t. IV., 8vo. Bruxelles 1877-78.
- MAYALL JOHN JUN.—*Immersion objectives and Test-objects*. Q. J. M. S., vol. IX., n. s., p. 242, 8vo. London 1869.
- *On Photomicrographs of Amphipleura pellucida, Surirella, Gemma, and Pleurosigma angulatum*. J. R. M. S., p. 182, 8vo. London 1887.
- *Notes on Navicula rhomboides*. M. M. J., vol. XVI., p. 247, 8vo. London 1876.
- McKELVEY J. W.—*The Infusorial earth near Drakesville, New Jersey, with analysis of that from Morris County, New Jersey*. Miner. Res. U. S. (Year 1886) Dept. of Int. Geol. Surv. p. 587, 8vo. Washington 1887.
- MEATES W. C.—*Mounting medium*. J. R. M. S., vol. VI., ser. 2, p. 171, 8vo. London 1886.
- *New medium of high refractive Index*. J. R. M. S., vol. VI., ser. 2, p. 357, 8vo. London 1886.
- MÉLANGES BIOLOGIQUES, Bulletin de l'Académie Impériale des Sciences de St. Petersburg. St. Petersburg.
- MÉMOIRES de l'Academia de Clermont-Ferrand. Clermont-Ferrand.
- MÉMOIRES de l'Académie des Sciences, Arts et belles Lettres de Falaise. Falaise.
- MÉMOIRES de l'Académie Impériale des Sciences de St. Petersburg. St. Petersburg.
- MÉMOIRES de la Société d'Emulation des Côtes du Nord St. Brieuc. Tirés a part. Paris 1879.
- MÉMOIRES de la Société de Physique et d'Histoire Naturelle de Genève. Genève....
- MÉMOIRES de la Société des Sciences Naturelles de Cherbourg. Cherbourg.
- MÉMOIRES de la Société des Sciences Naturelles de Strassbourg. Strassbourg....

- MÉMOIRES de la Société Histor. et Litter. de Tournai. Tournai....
- MÉMOIRES de la Société Royale Malacologique de Belgique. Bruxelles....
- MÉMOIRES du Muséum d'Histoire Naturelle. Paris.
- MEMOIRS of the Manchester Literary and Philosophical Society. Manchester....
- MENEHINI G.—Sulla animalità delle Diatomee e revisione organografica dei generi di Diatomee stabilite dal Kuetzing. Venezia 1846.
- On the animal nature of the Diatomeæ, with an Organographical Revision of the genera established by Kützing. Translated by Christopher Johnson. Bot. and Phys. Mem. Roy. Soc. 8vo. London 1853.
- MEINER CH.—Sur l'*Arachnoidiscus japonicus*. Bull. Soc. Bot. France, vol. XXVI., Rev. bibliogr. p. 66. Paris 1879 ?
- Falsification de la Gelée de Groseilles, découverte par les Diatomées, 8vo. Nantes 1879.
- MERESCHKOWSKY C.—Verzeichniss der bei den Solowerkischen Inseln im Weissen Meere gesammelten Diatomaceen. Schrift. Naturf. Ges. St. Petersburg. St. Petersburg 1878.
- Diatomées de la Mer Blanche, Enumeration de *Fusotheca polaris* et un *Rhizosolenia*. Mem. Soc. Nat. St. Petersb. St. Petersburg 1878. Résumé dans Journ. Microg. (par Reinhardt). Paris 1883.
- Beobachtungen über die Bewegungen der Diatomaceen und ihre Ursache. Bot. Zeit. Jahrg. XXXVIII., n. 31, 4to. Leipzig 1880.
- Movement of Diatoms. J. R. M. S., vol. I., ser. 2, p. 102, 8vo. London 1881.
- MERTENS ET JUERGENS M. M.—Algæ aquaticæ, quas in littore maris dynastiam Jeveranam et Frisiam orientalem alluventis rejectas etc. Dec. 1-20. Jever 1816-22. (only diatom is *Melosira* (*Lysigonium*) *orichalcea*).
- MICROSCOPE, The, an illustrated Monthly Journal devoted to Microscopical Science. 8vo. Detroit 1881 et seq.
- MICROSCOPICAL BULLETIN and Science News, The. Philadelphia....
- MICROSCOPICAL JOURNAL and Structural Record. Edited by Daniel Cooper, M. R. C. S., and George Busk (M. J.). London 1841-1843.
- MILLER C. J.—An index to Diatoms figured in Q. J. M. S., from 1853 to 1867. Q. J. M. S., vol. X., n. s., p. 179, 8vo. London 1870.
- MILLER M. N.—Photographing Diatoms and Diffraction gratings. Engl. Mechan., vol. XL., p. 158, 8vo. London 1884.
- MILLS F. W.—Photography applied to the Microscope. London and New York 1891.

- MILLS F. W.—Practical Photomicrography. Proc. Huddersfield Nat. Soc., n. 34, 1892, p. 67. Huddersfield.
- Notes on Diatoms. Proc. Huddersfield Nat. Soc., n. 39, 1893. Huddersfield.
- An Introduction to the Study of the Diatomaceæ. London and Washington 1893.
- MILLS H.—Motion of Diatoms. M. M. J., vol. III., p. 8, 8vo. London 1882.
- Filamentous projections *Stephanodiscus Niagara*. J. R. M. S., vol. V., p. 561, 8vo. London 1885.
- MILLS LEWIS G.—Guano Diatoms. 6 Figs. Sci. Goss., p. 55, 8vo. London 1870.
- Diatoms from Peruvian Guano. J. R. M. S., vol. I., n. s., p. 865, pl. XI., 8vo. London 1881.
- MINERAL RESOURCES OF THE UNITED STATES, Department of Interior U. S. Geographical Survey. Washington....
- MINING AND SCIENTIFIC PRESS, The. San Francisco.
- MIQUEL, Dr. P.—Biologie des Diatomées. Ann. de Micr., IV., 1892, pp. 321-49. T. R. M. S., (1892) p. 655.
- De la culture artificielle des Diatomées. Le Diat., vol. I., pp. 73, 93, 121, 149, 165. Paris.
- Considerations générales et pratiques sur les cultures des Diatomées. Le Diat., vol. I., p. 123. Paris.
- Lettre relative à la communication du Dr. Macchiati sur la culture des Diatomées. Le Diat., vol. I., p. 118. Paris.
- MITTHEILUNGEN AUS DER ZOOLOGISCHEN STATION ZU NEAPEL. Leipzig....
- MITTHEILUNGEN DES BOTANISCH. VEREINS D. KREIS. FREIBURG und d. Land-Baden. Freiburg....
- MOEBIUS Dr. M.—Referat über "Deneyer, A. Les végétaux inférieurs, Thallobytes et Cryptogames vasculaires, classification en familles, en genre et en espèces; analyse des familles, avec 4 micrographies. gr. 8vo." Bot. Centralbl. Bd. XXX., p. 65, 8vo. Cassel 1887.
- Referat über "Bennett, A. W. Fresh-water algæ (including Chlorophyllaceous Protophyta) of the English Lake District, with description of 12 new species." Bot. Centralbl. Bd. XXXII., p. 129, 8vo. Cassel 1887.
- Über einige in Porto-Rico gesammelte Süßwasser-und Luft-Algen (Diatomaceæ). Hedw. p. 224, 8vo. Dresden 1888.
- Referat über "Peragallo, H. Diatomées du Midi de la France. Diatomées de la Baie de Villefranche (Alpes maritimes). 100 pp. avec 6 planches. Paris 1888." Bot. Centralbl. Bd. XLI., p. 48, 8vo. Cassel 1890.

- MÖLLER J. D.—Various Indices to Diatomaceen Typen-Platte and to Probe-Platten. Wedel....
- Catalogue of Diatoms for sale at Wedel, Holstein....
  - Notice of Type-plates by Möller. Amer. Naturalist, vol. III., p. 222, 8vo. Salem 1870.
  - “Lichtdrucktafen Möllerschen Diatomaceen Präparate.” 59 plates. *Vide* T. R. M. S., 1892, p. 86.
- MOHL HUGO VON.—Über das Kieselskelet lebender Pflanzen-Zellen. Bot. Zeit. Jahrg. XIX., p. 309, 4to. Leipzig 1861.
- MOLES J. J.—Cleaning Diatoms. Am. M. Mic. Jour., 1890, p. 86.
- MONATSBERICHTE DER K. AKADEMIE DER WISSENSCHAFTEN ZU BERLIN (Mb. Berl. Ak.) Berlin....
- MONTAGNE J. T. C.—Voyage au pôle Sud et en Océanie et Dumont d’Urville, Botanique par Hombron et Jacquinot. tom. I. 1837-40.
- Phytographia canariensis, Histoire naturelle des Canaries, par P. B. Webb et S. Bartholot. Paris 1840.
  - Cryptogamia ó Plantas celulares: Historia física política y natural de la isla de Cuba par Don Ramon de la Sagra. 1838-42.
  - Cryptogamia guyanensis (Algæ). Paris 1842.
  - Prodromus generum specierumque phycearum novarum in itinere ad polum arcticum. Paris 1842.
  - Algues de l’exploration scientifique de l’Algérie. Paris 1846.
  - Phycologie ou considérations générales sur les Algues. Dict. Univers. d’Hist. Nat. Paris 1847.
  - Sylloge generum specierumque cryptogamarum. Paris 1856.
- MONTHLY MICROSCOPICAL SOCIETY, The. Edited by H. Lawson, M.D. Transaction of the Royal Microscopical Society and Record of Histological Research at home and abroad (M. M. J.). London. 8vo., 18 vol. 1868-1877.
- MOORE A. Y.—*Amphipleura pellucida* by central light. The Microscope, vol. III., p. 49-51. 8vo. Detroit 1882.
- Coating Diatoms with Silver. J. R. M. S., vol. IV., ser. 2, pt. 5, p. 829, 8vo. London 1884. The Microscope, vol. IV., p. 15, 8vo. Detroit 1884.
  - Slide of *Amphipleura pellucida* mounted in a medium of refractive index 2.4.
  - Stained *Amphipleura*. Mic. Bull., vol. III., p. 3, 8vo. Philadelphia 1886. J. R. M. S., vol. VI., ser. 2, p. 376, 8vo. London 1886.
  - Gold plated Diatoms. J. R. M. S., vol. VI., ser. 2, p. 172, 8vo. London 1886.

- MOORE A. Y.—Gold plated Diatoms. *Micr. Bull.*, vol. III., p. 35, 8vo. Philadelphia 1886. *J. R. M. S.*, p. 160, 8vo. London 1887.
- MOREHOUSE G. W.—Resolution of *Amphipleura pellucida* by the 1/50 of Tolles. *Amer. Naturalist*, vol. VII., p. 315, 8vo. Salem 1873. *M. M. J.*, vol. XII., p. 159, 8vo. London 1874.
- Resolution of *Frustulia saxonica* in rows of dots. *Amer. Naturalist*, vol. VII., p. 448, 8vo. Salem 1873.
  - On the structure of Diatoms. *M. M. J.*, vol. XII., p. 19, 8vo. London 1874. *Amer. Naturalist*, vol. VIII., p. 309, 8vo. Salem 1874.
  - Tolles new 1/10 v. s. the old 1/50. *Amer. Naturalist*, vol. IX., p. 62, 8vo. (Read before the Memphis Tenn. Mic. Soc.). Salem 1875.
  - Silica films and the structure of Diatoms. *M. M. J.*, vol. XV., p. 38, 8vo. London.
  - Dr. Woodward's Photography of *Frustulia saxonica*. *M. M. J.*, vol. XVI., p. 270, 8vo. London 1876.
  - The marking of *Frustulia saxonica*. *Cincinnati med. Journ.*, June 1876. *M. M. J.*, vol. XVI., p. 92, 8vo. London 1876.
- MORLAND H.—Diatoms and their preparation as microscopic objects. 8vo. Hanley 1887.
- Preparing Diatoms in Cementstein. *J. Q. M. C.*, vol. II., p. 299, 8vo. London 1886. *J. R. M. S.*, vol. VII., p. 330, 8vo. London 1887. Also on Diatom structure. *J. Q. M. C.*, vol. II., ser. 2, p. 297, 338, 8vo. London 1886. *J. R. M. S.*, p. 125, 8vo. London 1887.
  - On the structure of *Aulacodiscus margaritaceus* Ralfs. *J. Q. M. C.*, vol. III., ser. 2, p. 79, 8vo. London 1887.
  - On mounting media so far as they relate to Diatoms. *J. Q. M. C.*, vol. III., ser. 2, p. 108, 8vo. London 1887.
  - Do *Porodiscus interruptus* and *Craspedoporus elegans* belong both to one form? *J. Q. M. C.*, vol. III., ser. 2, p. 167, 8vo. London 1887.
  - Notes on mounting the Diatomaceæ. *J. Q. M. C.*, vol. III., ser. 2, p. 318, 8vo. London 1888. Also notice under title: Bracket Mounting selected Diatoms. *J. R. M. S.*, 1889, p. 840. London 1889.
  - Some thoughts on a bubble. *J. Q. M. C.*, vol. IV., ser. 2, n. 26, p. 67, 8vo. London 1890.
  - On measuring figures of microscopic objects. *J. Q. M. C.*, vol. IV., ser. 2, n. 27, p. 104, 8vo. London 1890.
- MORLEY E. W.—*Amphipleura pellucida*. *Amer. Naturalist*, vol. IX., p. 187, 8vo. Salem 1875.

- MORLEY E. W.—Measurements of Möller's Diatomaceen-Probe-Platten. Amer. Naturalist, vol. IX., p. 428, 8vo. Salem 1875. M. M. J., vol. XV., n. 89, p. 223, 8vo. London 1876.
- MORONZ T.—Common and conspicuous Algæ of Montand. Bull. Torr. Bot. Club. 1891, p. 137.
- MORREN CHARLES.—Observations sur la *Fragilaria lineata* de Lyngbye et application des principes de la philosophie organogénique végétale à étude de sa structure, 1 Planche, 8vo. Bruxelles 1826. (This is *Melosira nummuloides* of modern authors.)
- MORRIS G. G.—Fossil Diatoms from South Australia. Amer. Naturalist June 1877 and M. M. J., vol. XVIII., p. 46, 8vo. London.
- MORRIS W.—Mounting medium. Australasian Med. Gaz. V., p. 100. 1886. J. R. M. S., vol. VI., ser. 2, p. 357, 8vo. London 1886.
- Note on experiments in mounting the *Amphipleura pellucida* in media having a higher refractive index than Canada balsam. Journ. Proc. R. S. New South Wales, vol. XIX., p. 121. Sydney 1886.
- MOUCHET—*Pleurosigma angulatum*. Q. J. M. S., vol. VII., n. s., p. 221, 8vo. London 1857.
- Test Diatoms. Q. J. M. S., vol. VIII., n. s., p. 105, 8vo. London 1868.
- MOUGEOT A., DUPRAY M. ET ROUMEGUÈRE C.—Les algues des eaux douces de France. Cent. 1-XII. Toulouse 1886. Notar. Ann. I., N. 4, p. 207, Cent. VIII.; Ann. II., p. 320, N. 8, p. 368, 8vo. Venezia 1886 et seq.
- MOUNTS for Diatoms. Sci. Goss. N. 205, p. 15, 8vo. London 1882.
- MÜLLER C.—Diatoms and how to collect them. A. M. M. J., vol. VI., p. 230, 8vo. Washington 1885. J. R. M. S., vol. VI., ser. 2, (1886) p. 153, 8vo. London 1886.
- MÜLLER OTTO.—Ueber den feineren Bau der Zellwand der Bacillariaceen insbesondere des *Triceratium favus* Ehrb. und der *Pleurosigenen*. 1 Taf. Reichert u. Du Bois-Reymond Archiv. p. 619, 8vo. Berlin 1871.
- Bau der Zellwand von *Triceratium favus*. Bot. Zeit. 1872, p. 242, 4to. Leipzig 1872.
- Ueber den Bau der Zellwand in der Bacillarien-Gattung *Grammatophora* etc. Sitzungsab. Ges. Naturf. Freunde, 8vo. Berlin 1874.
- Vorläufige Mittheilunge über pelagische Formen von Diatomaceen aus dem südlichen Eismeere. Sitzungsab. Ges. Naturf. Freunde. 8vo. Berlin 1877.
- Ergänzungen dazu und über den Bau der Zellwand von *Synedra tabulata* var. *Talassiothrix*. Sitzungsab. Ges. Naturf. Freunde. 8vo. Berlin 1877.

- MÜLLER OTTO.—Ueber den anatomischen Bau der Bacillarien-Gattung *Terpsinoë*. Sitzungsber. Ges. Naturf. Freunde 8vo. Berlin 1852, 1872, 1874, 1881. Resumé J. R. M. S., vol. I., n. s., p. 783, 8vo. London 1881.
- Sur la structure anatomique des Bacillariées du genre *Terpsinoë*. Journ. Microgr., n. 1, 8vo. Paris 1882.
  - Das Gesetz der Zelltheilungsfolge von *Melosira* (*Orthosira*) *arenaria* Moore. 1 Taf. Ber. deutsch. Bot. Ges., p. 35. Bot. Centralbl. Bd. XVI., p. 194. Cassel 1883. J. R. M. S., vol. V. (1885), p. 497, 8vo. London 1885.
  - Die Zellhaut und das Gesetz der Zelltheilungsfolge von *Melosira arenaria* Moore. 5 Tafeln. Jahrb. f. Wiss. Bot. vol. XIV., p. 231, 8vo. Berlin 1883.
  - Die Chromatophoren mariner Bacillariaceen aus den Gattungen *Pleurosigma* and *Nitzschia*. 5 Figs., Ber. deutsch. Bot. Ges. Bd. I., p. 478-484, 8vo. Berlin 1883.
  - Chromatophores of marine Diatoms. J. R. M. S., vol. IV., ser. 2, p. 274, 8vo. London 1884. Hedw. 1884. 8vo. Dresden 1884.
  - Bemerkungen zu dem Aufsätze D. J. H. L. Floegel's Researches on the structure of the cellwall of Diatoms. Ber. deutsch. Bot. Ges. Jahrg. XXX., Bd. II., Heft. XII., p. 487, 8vo. Berlin 1885.
  - Die Zwischenbänder und Septen der Bacillariaceen. Ber. deutsch. Bot. Ges., vol. IV., p. 306. 1 Tafel, 8vo. Berlin 1886. Also: Intermediate bands and septa of Diatoms. J. R. M. S., 1887, p. 442, 8vo. London 1887.
  - Durchbrechungen der Zellwand in ihren Beziehungen zur Ortsbewegung der Bacillariaceen. 1 Taf. Ber. deutsch. bot. Ges. Bd. VII., Heft IV., p. 169, 8vo. Berlin 1889. Also: A review of the above by E. L. G. Bull. Torrey Bot. Cl., vol. XVI., p. 222, 8vo. New York 1889.
  - Auxosporen von *Terpsinoë musica*, 1 Taf. Ber. deutsch. Bot. Ges. Bd. VII., Heft IV., p. 181, 8vo. Berlin 1889. Bot. Centralbl. Bd. XI., p. 209, 8vo. Cassel 1889. J. R. M. S., p. 794, 8vo. London 1889.
  - Bacillariaceen aus Java. 1 Plate. Berichte der Deutschen Bot. Gesell. Bd. VIII., 1890, p. 318.
- MÜLLER OTTO FREDERICUS.—Strand parlebandet och armbandet (*Fragilaria lineata* et *Enchella stipitata*) twanne mikroskopika Strandvæxter beskripte Svensk. Vet. Ak. Handl., p. 80. Stockholm 1783.
- Vermium terrestrium et fluviatilium sue animalium infusorium helminthecorum et testaceorum non marinorum succincta historia, 4to. Havniae et Lipsiae 1773.

- MÜLLER OTTO FREDERICUS.—Om et besöndrelicht Voessen i Strandvandet Nye Saml. Kon. Dansk. Vidensk. Selk. Skrift. Kjöbenhavn p. 278-286. Kjöbenhavn 1783.
- Diatomaceen (*Vibrio paxillifer*, *V. bipunctatus*, *V. tripunctatus*, *Gonium pulvinatum*). Animalcula infusoria fluviatilia et marina quae detexit, systematice, descripsit et ad vivum delineare curavit O. F. Müller. Talulae XLVIII., 4to. Havniae 1786.
  - De Confervis palustribus oculo nudo invisibilibus. Nov. Act. Ac. Sc. Petropol. tomo III., p. 91, pl. 1, fig. 4-7. Petropoli 1788.
  - Om Infusions-Dyrenes Frembringelse. Nye Saml. K. Dansk. Vid. Skrift. vol. III. p. 27. Kjöbenhavn 1788.
- MUNRO H.—On washing and concentrating Diatomaceæ. Q. J. M. S., vol. III., p. 241, 8vo. London 1885.
- MURRAY G. AND BENNETT A. W.—A handbook of Cryptogamic Botany, 388 illustrations, 8vo. London 1889.
- NAEGELI C.—Memoir on the nuclei, formation and growth of vegetable cells. 7 plates. Translated from Schleiden and Nägelis Zeitschr. f. wiss. Bot. 1844, by Arthur Henfrey, F. L. S. Ray Soc., 8vo. London 1846.
- Gattungen einzelliger Algen, 4to. Zurich 1849.
- NAEGELI C. UND SCHWENDENER S.—Das Mikroskop: Theorie und Anwendung desselben. Diatomaceen s. 135, 547, 8vo. Leipzig 1867.
- NATIONAL DRUGGIST, The. St. Louis U.S.A.
- NATUR, Die, Zeitung zur Verbreitung naturwissenschaftlicher Kenntniss und Naturanschauung für Leser aller Stände. Halle....
- NATURAL HISTORY, The: A quarterly Journal of Biological Science. London.
- NATURAL HISTORY REVIEW THE, OF EASTBOURNE and its vicinity. (Diatomaceæ) p. 21. Trans. Eastbourne Nat. Hist. Soc., 8vo. June 1873.
- NATURE, a weekly illustrated journal of Science (Nature). London.
- NATURFORSCHER, Der (Naturforsch.), 4to. Berlin 1868 et seq.
- NATURWISSENSCHAFTLICHE BEITRÄGE ZUR Kenntniss der Kaukaus-länder, Schneiders (Naturwiss. Beitr. z. Kennt. a Kaukaus-länder). Dresden....
- NATURWISSENSCHAFTLICHE JAHRESHEFTE. Württemberg....
- NAVE J.—Algen Mährens und Schlesiens. Verh. Naturf. Ver. Wien. Wien 1863.
- Anleitung zum Einsammeln. Präpariren und Untersuchen der Pflanzen mit besonderer Rücksicht auf die Kryptogramen. 9 Figs., 8vo. Dresden 1864.

- NAVE J.—Collection and preparation of Diatomaceæ. A handybook to the collection and preparation of freshwater algæ. 8vo. London 1867.
- NEBELUNG H.—Spectroskopische Untersuchungen der Farbstoffe einiger Süßwasser-Algen. Bot. Zeit. Jahrg. XXXVI., n. 24-27, 4to. Leipzig 1878.
- NEIL J.—Cleaning Diatoms with glycerine. Amer. Naturalist Feb. 1887. M. M. J., vol. XVII., p. 161., 8vo. London 1877.
- NELSON E. M.—Resolution of *Amphipleura pellucida*. J. R. M. S., vol. II., ser. 2., p. 584, 8vo. London 1882.
- Microscopic Test objects Micr. News, p. 18, 8vo. London 1884.
  - The Diatomoscope. Engl. Mechan., vol. XL., p. 199, 4to. Sci. Goss., p. 276, 8vo. London 1884. J. R. M. S., vol. IV., ser. 2, pt. VI., p. 961; vol. V., pt. I., p. 128, 8vo. London 1884-85.
  - *Triceratium*. Engl. Mechan., vol. XL., p. 560, 4to. London 1885.
  - Test objects. J. R. M. S., vol. VI., ser 2, p. 321, 8vo. London 1886.
  - Models of the markings of Diatoms. J. R. M. S., vol. VI., ser. 2, p. 552, 8vo. London 1886.
  - Central and oblique light. Engl. Mechan., XLIII., p. 300, 4to. London 1886. J. R. M. S., vol. VI., ser. 2, p. 692, 8vo. London 1886.
  - Resolution of Diatoms whose striæ are of unequal fineness. Engl. Mechan. XLII., p. 528, 4to. London 1886. J. R. M. S., vol. VI., ser. 2, p. 864, 8vo. London 1886.
  - Interpretation of the six spectra of *Pleurosigma angulatum*. Engl. mechan., XLIII., p. 337, 396, 4to. London 1886. J. R. M. S., vol. VI., ser. 2, p. 694, 8vo. London 1886.
  - Tests of modern objectives. The microscope, vol. VIII., p. 381. 8vo. Detroit 1888.
  - On the formation of Diatom Structure. J. Q. M. C., vol. III., ser. 2, p. 201, 308, 2 plates, 8vo. London 1889.
  - On the interpretation of a photomicrographic phenomenon by the Abbé Diffraction Theory. (*Pleurosigma angulatum*). J. Q. M. C., vol. III., ser. 2, n. 22, p. 273, 8vo. London 1888.
  - Curious interference phenomena with *Amphipleura pellucida*. J. R. M. S., pl. II., p. 302, 8vo. London 1888.
  - *Amphipleura pellucida*. Engl. mechan., XLIII., p. 151, 4to. London 1888.
  - On the large axial cone and its bearing on the diffraction Theory. J. Q. M. C., vol. IV., ser. 2, n. 25, p. 9, 8vo. London 1889.
  - Diatom Structure. 1 Photo-plate. Trans. Middlesex Nat. Hist. Soc., 8vo. London 1889.

- NELSON E. M.—On a method of detecting certain spurious diffraction images, and on the new half inch apochromatic object glass of Zeiss. 1 Fig. J. Q. M. C., vol. IV., ser. 2, n. 26, p. 55, 8vo. London 1890.
- Semi-apochromatic objectives. J. R. M. S., 1890, p. 92, 8vo. London 1890.
- Diatom Structure. J. Q. M. C., ser. 2, vol. IV., p. 315, 1891. T. R. M. S., 1892, p. 82.
- NELSON E. M. AND KAROF G. C.—On the finer structure of certain Diatoms. J. Q. M. C., vol. II., ser. 2, p. 269, 1 plate; pt. II., ibid. vol. III., ser. 2, p. 41, 1 plate, 8vo. London 1886-87. J. R. M. S., vol. VI., ser. 2, p. 661, 8vo. London 1886.
- NEUE SCHRIFTEN DER NATURFORSCH. GESELLSCHAFT ZU HALLE.—Halle 1853 et seq.
- NEUHAUSS R.—Die Mikrophotographie auf der photographischen Jubiläum's Ausstellung zu Berlin im Jahre 1889. Zeitschr. f. wiss. Mikrosk. Bd. VI., Heft. III., p. 273, 8vo. Braunschweig 1889.
- NEUPAUER JANOS-TOL.—Az Asatag Diatomaceák (Oszlókafélék) Rhyolith csiszpalában s Egyéb Közetekben. 4 Táblán. Kiadja a Magyar Tudományos Akad. Math. és Természett. allands bizottsága. Kötet V., 11 Füzet p. 183, 8vo. Pest 1867.
- NEWBERY JOHN S.—Reports on the Geology, Botany and Zoology of Northern California and Oregon. 4to. Washington D. C., 1857.
- The ancient Lakes of North America, their deposits and drainage. Amer. Naturalist, vol. IV., p. 641, 8vo. Salem 1871.
- NEWCOMER F. S.—Bleaching Diatoms. Breaking down Barbados Earth. The microscope, vol. VI., 8vo. Detroit 1885.
- Cleaning and arranging Diatoms. Proc. Amer. Soc. Mic., 9th Ann. meet., p. 128-130. 1886. J. R. M. S., p. 844, 8vo. London 1887.
- NEWMAN WILLIAM M.—A new deposit of infusorial Earth at Popes Creek, Maryland. Chemical analysis by Mr. P. de P. Ricketts, of New York. Miner. Res. U.S. Calendar Year 1887. Dep. of Int. Geol. Surv., p. 554, 8vo. Washington 1888.
- NICOLUCCI G.—Analisi microscopica delle pretese mucilagini che si formano sulle acque termali del Tamburo, della Senegalla e della Rete nell'isola d'Ischia. Rendic. Accad. Sci. Fis. Nap., vol. I., p. 252. Napoli 1842.
- NICOTRA LEOPOLDO.—Diatomeæ in schistis quibusdam messanensibus detectæ. Boll. Soc. Geol. Ital. Roma, vol. I., 1882. Roma 1882.

- NITZSCH CHRISTIAN LUDGWIG.—Betrag zur Infusorienkunde oder Naturbeschreibung der Zerkarien und Bazillarien. Mit 6 Kupfer tafeln. Neue Schrift. Naturf. Ges. Halle. Bd. III., Heft I., 8vo. Halle 1817.
- NITZSCHIA, An Essay (*N. curvula*). Amer. Naturalist, vol. X., p. 566, 8vo. Boston and New York 1876.
- NOE LOUIS H.—*Amphipleura pellucida* as a Test object (through the Ammoniosulphate cell). Amer. Naturalist, vol. VII., p. 758, 8vo. Salem 1873.
- NOELDEKE C.—Die Diatomeenlager der Lüneburger Heide. Vertrag gehalten im Künstler-Verein zu Celle am 19 Nov. 1883.
- NOETLING HERR.—Ueber diatomeenführende Schichten des Westpreussischen Diluviums. Zeitschr. deutsch. Geol. Ges. Bd. XXV. Berlin 1883.
- NOLTE EDW.—Die Seetonen der Elbmündung Abh. Naturw. Ver. Hamb. Bd. IV. Hamburg 1862. Bot. Zeit. p. 166, 4to. Leipzig 1863.
- (No NAME).—Referat über "Janisch C. Ueber J. J. Woodward's neueste Mikrophotographien von *Amphipleura pellucida* and *Pleurosigma angulatum*." Bot. Centralbl. Bd. I., p. 350, 8vo. Cassel 1880.
- NORMAN GEORGE.—Notes on some new and rare Diatomaceæ from the Stomachs of Ascidians. A. and M. N. H., vol. XX., ser. 2, p. 158, 8vo. London 1857.
- On *Rhizosolenia*. A. and M. N. H., vol. XX., ser. 2, p. 158, 8vo. London 1858.
  - On the Diatomaceæ in the neighbourhood of Liverpool. Micr. Soc. Livp., 1858. Trans. Lancaster Hist. Soc., 1859.
  - List of Diatomaceæ occurring in the neighbourhood of Hull. T. M. S., vol. VIII., p. 59-71, 156-168, 8vo. London 1860.
  - On some undescribed species of Diatomaceæ. T. M. S., vol. IX., n. s., p. 5, pl. II., 8vo. London 1861.
  - List of Diatomaceæ occurring in the neighbourhood of Hull, Ed. 2, 8vo. Hull 1865.
  - Diatomaceous deposits. Q. J. M. S., vol. III., n. s., p. 218. London 1868.
  - Hunting for Diatoms. Intell. Observ.
- NOERNER, HERR.—Referat über "Frank L. James. Montage des Diatomées. Journ. Microg. t. IX. (1885) p. 417." Zeitschr. f. wiss. Mikrosk. Bd. III., p. 275, 8vo. Braunschweig 1886.
- NORTHERN MICROSCOPIST, THE—An illustrated Journal of Practical Microscopy, edited by George E. Davis, F.R.M.S. Continued under title: "The Northern Microscopist and Microscopical News; an illustrated Journal of Practical Microscopy," and later under

title: "The Microscopical News and Northern Microscopist; an illustrated journal of Practical Microscopy." London 1881 et seq.

NOTARISIA.—Commentarium phycologicum, rivista trimestrale consacrata allo studio delle Alghe. Redattori Dott. G. B. De-Toni e David Levi-Morenos. Venezia 1886 et seq.

NOTCUTT W. L.—Diatomaceæ. A handbook of the microscope and of microscopic objects. 8vo. London 1859.

NOTT EDWARD S.—Cleaning Diatoms. Proc. Amer. Soc. Microsc., vol. XI., p. 149. A. M. M. J., vol. XI. (1890) p. 31, 8vo. Washington 1890.

NOVA ACTA ACAD. SCIENC. PETROPOLITAN.—St. Petersburg 1728 et seq.

NOWELL B. J.—On the Menai Straits as a locality for the collection of Diatomaceæ. Q. J. M. S., vol. VI., p. 122, 8vo. London 1858.

NUOVA NOTARISIA.—Red. G. B. De-Toni. Padova 1890 et seq.

NUOVO GIORNALE BOTANICO ITALIANO.—Firenze 1891.

NYE SAMMLING KONGL. DANSKE VIDENSK. SELSK. SKRIVTEN.—Kjöbenhavn Copenhagen 1781 et seq.

NYLANDER WILLIAM—De Diatomaceis Fennix fossilibus additamentum. Sällsk. pro Fauna et Flora Fennica. Vol. VI., Ny Ser., 3 Häftet. p. 147, 8vo. Helsingfors 1861.

OESTERREICH. BOTANISCHES WOCHENBLATT UND ZEITSCHRIFT.—(Oesterr. Bot. Zeitschr.) Wein.

OERSTEDT A. S.—System der Pilze, Lichenen und Algen, Deutsch von A. Griesbach und J. Reinke, 8vo. Leipzig 1873.

OFVERSICHT AF KONGL. SVENSKA VETENSKAPS-AKADEMIENS FÖRHANDLINGAR.—(Ofvers. K. Vet. Ak. Förhandl.). Stockholm.

O'HARA K.—Means of movement possessed by the Diatomaceæ. J. R. M. S., 1882, p. 837; 1887, p. 679, 1070. 8vo. London 1887.

— Remarks on *Amphipleura pellucida*. J. Q. M. C., vol. IV., ser. 2, N. p. 44, 8vo. London 1889.

OKEDEN FITZMAURICE.—On the deep diatomaceous deposits of the mud of Milford Haven and other localities. Q. J. M. S., vol. III., p. 26, 8vo. London 1855.

— On a mode of washing and concentrating diatomaceous earths and clays. Q. J. M. S., vol. III., p. 158, 8vo. London 1855.

— On the Diatomaceæ of South Wales. T. M. S., vol. VI., p. 87. London 1858.

ONLEY S. T.—Algæ Rhodiaceæ, A list of Rhode Island Algæ. Providence 1871. The Lens p. 129, vol. I. Chicago 1872.

- O'MEARA, REVD. EUGENE—Anthozoids in *Pleurosigma Spencerii*. Proc. Dublin Soc. Nat. Hist., 8vo. Dublin 1856.
- Diatomaceæ in Chalk. Nat. Hist. Rev. 1857, 8vo. London 1857.
  - On the occurrence of anthozoids in *Pleurosigma Spencerii*. Q. J. M. S., vol. VI., p. 258, 8vo. London 1858.
  - Contributions to a catalogue of Diatomaceæ of County Dublin, species from Malahide and Portsmouth. London 1858.
  - Diatomaceæ in Chalk. Nat. Hist. Rev., vol. VI., p. 9, pl. IX., 8vo. London 1859.
  - On the occurrence of recent Diatoms in the lower tertiaries of Hampshire. Trans. Dublin Geol. Soc., vol. VIII., 8vo. Dublin. Nat. Hist. Rev. London 1859.
  - Notes on the encysted condition of *Diatoma vulgare*. Dublin Zool. Bot. Ann. 1849. 1 plate. Dublin 1859. Nat. Hist. Rev. 1859, 8vo. London 1859.
  - On some diatomaceous forms from the Arctic regions collected during the late voyage of the "Fox." Dublin Zool. Bot. Ann. 1860. Dublin 1860. Journ. R. I. Ac. Sci. Dublin 1860-62. Dublin 1860-62.
  - Notes on reproduction of Diatoms. Proc. Dublin Nat. Hist. Soc. 1859-62. Dublin 1859-62. Nat. Hist. Rev., 1860, 8vo. London 1860.
  - Notes to Dublin Microscopic Club. Q. J. M. S., vol. V., n. s., p. 163-236. London 1865.
  - A new *Gephyria* (*G. Harveyi*) from Port Fairy, Victoria. Q. J. M. S., vol. VI., n. s., 185, 8vo. London 1866.
  - On *Striatella curviseptata* n. sp. found on *Haloplegma Preissi* from Australia. Q. J. M. S., vol. VI., n. s., p. 189, 8vo. London 1866.
  - Exhibition of *Terpsinoë musica* and *Pleurodesmium Brebissonii*. Q. J. M. S., vol. VI., n. s., p. 191, 8vo. London 1866.
  - On a rare *Coscinodiscus* resembling *C. symmetricus* found in a froud of *Vanvoorstia spectabilis* Harv. from Ceylon. Q. J. M. S., vol. VI., n. sp., p. 272, 8vo. London 1866.
  - Diatoms from the surface of a Lake near Seaforde Co. Down, May, 1865. Q. J. M. S., vol. VI., n. s., p. 273, 8vo. London 1866.
  - On Diatoms gathered at Rostrevor Co. Down. Q. J. M. S., vol. VII., n. s., p. 85, 8vo. London 1867.
  - On Diatoms dredged by Dr. Wright off the Arran Islands. Q. J. M. S., vol. VII., n. s., p. 113, 8vo. London 1857.
  - On some new and rare Diatomaceæ from the West Coast of Ire-

land. 1 plate. Q. J. M. S., vol. VII., n. s., p. 113, 8vo. London 1867.

O'MEARA, REV. EUGENE.—New Diatoms discovered by Dr. E. Percival Wright off Arran Islands. Q. J. M. S., Vol. VII., n. s., p. 232, 8vo. London 1867.

— Notice of *Ptychodiscus lineatus*, a new genus and species of Diatoms from Arran. Q. J. M. S., vol. VII., n. s., p. 233, 8vo. London 1867.

— On new forms of Diatomaceæ from dredgings off the Arran Islands Co. Galway. 2 series, 1 plate. Q. J. M. S., vol., VII., n. s., p. 245, 8vo. London 1867.

— The genus *Wrightia*. Q. J. M. S., vol. VII., n. s., p. 295, 8vo. London 1867.

— Notice of a new *Triceratium* from Arran, and a 5-sided form of *Amphitetras antediluviana*. Q. J. M. S., vol. VII., n. s., p. 298, 8vo. London 1867.

— Notice of a new *Pinnularia* from Arran. Q. J. M. S., vol. VII., n. s., p. 298, 8vo. London 1867.

— On a new species of Diatomaceæ being a reply to Mr. Kitton's Remarks. Q. J. M. S., vol. VIII., n. s., p. 73, 8vo. London 1868.

— On certain diatomaceous materials. Q. J. M. S., vol. VIII., n. s., p. 121, 8vo. London 1868.

— On *Nitzschia verrucosa*. Q. J. M. S., vol. IX., n. s., p. 318, 8vo. London 1869.

— On new forms of Diatomaceæ from dredgings off the Arran Islands Co. Galway, ser. III. Q. J. M. S., vol. IX., n. s., p. 150, pl. XII., 8vo. London 1869.

— On *Pinnularia Collissi*. Q. J. M. S., vol. X., n. s., p. 202, 8vo. London 1870.

— On *Navicula Morrei*. Q. J. M. S., vol. X., n. s., p. 308, 8vo. London 1870.

— On some new species of the genus *Amphiprora*, plates III. Q. J. M. S., vol. XI., n. s., p. 21, 8vo. London 1871.

— On *Mastogloia binornata*. Q. J. M. S., vol. XI., n. s., p. 211, 8vo. London 1871.

— On *Mastogloia binorata*. Q. J. M. S., vol. XII., n. s., p. 313. London 1871.

— On *Pinnularia Vickersii*. Q. J. M. S., vol. XI., n. s., p. 100, 8vo. London 1871.

— On *Navicula Chimmoana* and *N. spiralis*. Q. J. M. S., vol. XXII., n. s., p. 90 and 93, 8vo. London 1872.

- O'MEARA, REVD. EUGENE.—On *Pleurosigma mirabile*. Q. J. M. S., vol. XII., n. s., p. 198, 8vo. London 1872.
- On *Melosira varians* in which the endochrome plates were very obvious. Q. J. M. S., vol. XII., p. 314, 8vo. London 1872.
- On *Navicula dicurvata*, *N. vertebrata* and *N. Morreana*. Q. J. M. S., vol. XII., n. s., p. 419, 421, 422, 8vo. London 1872.
- On some peculiar forms of *Navicula* from the Sulu Archipelago. Q. J. M. S., vol. XII., n. s., p. 283, pl. XIII., 8vo. London 1872.
- Recent researches on the Diatomaceæ, Pt. I. II. Being an analysis of Dr. Pfitzer's "Untersuchungen über Bau und Entwicklung der Bacillarien." Journ. of Bot., vol. I., n. s. Q. J. M. S., vol. XII., n. s., p. 240, 384, 8vo. London 1872. Pt. III., Q. J. M. S., vol. III., n. s., p. 9, 8vo. London 1873. Pt. IV., Q. J. M. S., vol. XIV., n. s., p. 81, 8vo. London 1874.
- On Diatoms from hot-springs of the Azores. Q. J. M. S., vol. XIV. (1874) p. 1078, 8vo. London 1874.
- On Diatomaceæ from Spitsbergen. Q. J. M. S., vol. XIV., n. s., p. 254, pl. VIII., 8vo. London 1874.
- Notes on Bermuda Diatoms (*Navicula Pfitzeriana*). Q. J. M. S., vol. XIV., n. s., p. 316, 8vo. London 1874.
- On *Navicula spiralis*, *N. Kittoniana*, *Cyclotella papillosa*, *N. Barkeriana*, *N. undulata*. Q. J. M. S., vol. XV., n. s., p. 100, 201, 410, 416, 8vo. London 1875.
- On *Craspedodiscus Marylandicus*. Q. J. M. S., vol. XVII., p. 106, 8vo. London 1877.
- On *Coscinodiscus Moseleyi*. Q. J. M. S., vol. XV., n. s., p. 330, 8vo. London 1875.
- Diatoms from a fresh water deposit found in Vancouver's Island. Q. J. M. S., vol. XV., p. 409, 8vo. London 1875.
- Diatoms from silt of Timber from Demerara. Q. J. M. S., vol. XV., p. 333, 8vo. London 1875.
- Report on the Irish Diatomaceæ Pt. I. (all published) 9 plates. Proc. R. I. Ac. Dubln., vol. II., ser. 2, 8vo. Dublin 1876.
- On *Synedra spathulata*, *Navicula Stokesiana* and *colletonema Hibernicum*. Q. J. M. S., vol. XVI., n. s. p. 106, 285, 417, 8vo. London 1876.
- On diatomaceous forms from the Rockel River Sierra Leone. Q. J. M. S., vol. XVI., p. 414, 8vo. London 1876.
- On *Navicula Mossiana*, *Aulacodiscus areolatus*, *Craspedodiscus Febigerii*, *Stauroneis Mackintoshii*. Q. J. M. S., vol. XVIII., n. s. p. 104, 346, 350, 8vo. London 1878.
- On *Coscinodiscus craspedodiscus*, *C. arafuraensis*, and *Heliopelta perforata*. Q. J. M. S., vol. XVIII., p. 461, 463, 8vo. London 1877.

- O'MEARA, REVD. EUGENE.—On the Diatomaceous gatherings made at Kerguelen's Land, by H. N. Moseley, M. A., H. M. S. Challenger, 1 plate, Journ. Lin. Soc. (Bot.) vol. XV., p. 55, 8vo. London 1877.
- On a new *Donkinia*. Q. J. M. S., vol. XVII., p. 195, 8vo. London 1887.
  - On *Craspedodiscus elegans*. Q. J. M. S., vol. XVII., p. 465, 8vo. London 1877.
  - List of Diatomaceæ found in the Counties of Dublin and Wicklow. Proc. R. I. Ac. Sci. Dubl., vol. I., n. s., p. 259, 8vo. Dublin 1878.
  - Diatoms from Arctic Seas. Q. J. M. S., vol. XVIII., p. 214, 8vo. London 1878.
  - *Biddulphia chinensis* from Yeddo Sea. Q. J. M. S., vol. XIX., p. 120, 8vo. London 1879.
  - A new *Coscinodiscus*. Q. J. M. S., vol. XIX., p. 122, 8vo. London 1879.
  - Problematical *Triceratium*. Q. J. M. S., vol. XIX., p. 124, 8vo. London 1879.
  - *Coscinodiscus sol* Wall. from the Sea of Java. Q. J. M. S., vol. XX., p. 111, 8vo. London 1880.
  - Article on Diatomaceæ. Encycl. Brit.
- ON MOUNTING CERTAIN DIATOMS—A. M. M. J., vol. VII. (1886) n. 8, p. 148, 8vo. Washington 1886.
- ONDERDONK C.—The movements of Diatoms. The Microscope, vol. 5 (1885) p. 205, 8vo. Detroit 1885. A. M. M. J., 1883, p. 61, 8vo. Washington 1883. J. R. M. S., vol. VI., ser. 2 (1886) p. 111, 8vo. London 1886.
- Movements of Diatoms. The Microscope, X., 1890, pp. 225-30; Vide T. R. M. S., 1891, p. 638; (also The Microscope, tom cit., pp. 272-3).
- OSBORNE, THE HON. AND REVD. THE LORD S. G.—The Exhibitor: a novel apparatus for showing Diatoms. M. M. J., vol. XVII., N. C., p. 179, 8vo. London 1877.
- The Diatomscope. Engl. Mechan., vol. XXXIX (1884) p. 561. London 1884. J. R. M. S., vol. IV., ser. 2 (1884) pt. 5, p. 802, 8vo. London 1884.
- O'SHAUGHNESSY, ARTHUR W. E.—On green oysters. A. and M. N. H., vol. XVIII., ser. 3, p. 221, 8vo. London 1866.

PALAEONTOGRAPHICA.—Cassel 1851 et seq.

PANTANELLI D.—Catalogo delle Diatomee rinvenute da D. Pantanelli nel calcare biancastro friabile sovrapposto al bacino di lignite di

Spoleto, classificate dal Sig. Conte Fr. Castracane. Proc. Verb. Soc. Tosc. Sci. Nat. 22 Marzo 1885, p. 171. Pisa 1885. Notar. 1886, p. 61., 8vo. Venezia 1886.

PANTOCSEK JOSEF.—Beiträge zur Kenntniss der fossilen Bacillarien Ungarns Th. I. Marine Bacillarien Th. II. Brackwasser Bacillarien. 60 Tafeln. Nagy-Tapolcsány 1886-89.

— Referat über: "Truan y Luard A. und Witt O. N. Die Diatomaceen der Po-Iycistinenkreide von Jeremie in Hayti, Westindien." Zeitschr. f. wiss. Mikrosk. Bd. V (1888), 8vo. Braunschweig 1888.

— Referat über: "Ratray John. A revision of the genus *Aulacodiscus* Ehrb. in J. R. M. S. 1888, p. 337." Bot. Centralbl. Bd. XXXIX. p. 344, 8vo. Cassel 1889.

— Referat über: "Ratray John. On some recently observed new species of Diatoms." Bot. Centralbl. Bd. XL., p. 210, 8vo. Cassel 1889.

PANTON MUNGO.—The beginning, its when and its how (including remarks on Diatomaceæ). 8vo. London 1871.

PAOLETTI G.—Diatomaceæ nonnullæ phycologiæ Venetæ addendæ. Notar Ann. I., p. 209, 8vo. Venezia 1886.

PARONA CORRADO.—Prime ricerche intorno ai Protisti del lago d'Orta con cenni della loro corologia italiana. Boll. Sci. Ann. II. Pavia 1880.

— Protisti parassiti nella *Ciona intestinalis*. Atti Soc. Itai. Sci. Nat., vol. XXIX. Milano 1886.

PARSONS FREDERICK A.—List of objects found on the excursion to the gardens of the Royal Botanic Society of London by Messrs. Bousfield, Dunning, Funston, Hardy, Kern, McIntyre, A. D. Michael, Nevins, Oxley, Parsons and Rousselet (including Diatomaceæ). J. Q. M. C., vol. III., ser. 2, p. 31, 8vo. London 1886.

PARTRIDGE THOMAS.—On Diatoms. Journ. Post. Mic. Soc., vol. I., p. 22, 8vo. London 1882. Northern microscopist 1882, p. 128, 8vo. London 1882.

PAYOT VENANCE.—Algologie ou les Diatomées de la Vallée de Chamounix. Ann. Soc. Phyt. et Micr. d'Anvers. tom. I., p. 58. Anvers 1865.

PEARCEY FREDERICK G.—Investigations on the food of the Herring with additions to the marine fauna of the Shetland Islands (some remarks on Diatoms). Proc. Roy. Phys. Soc. Edin., vol. VIII., pt. 2, p. 391-400, 8vo. Edinburgh 1874-85.

PEDICINO N. A.—Pochi studi sulle Diatomee viventi presso alcune terme dell'isola d'Ischia. Tav. 2, Atti. Accad. Sci. Fis. Napol., vol. III., n. 20, 4to. Napoli 1867.

PELLETAN J.—Le microscope, son emploi et ses applications. 8vo. Paris 1876.

- Notice sur "Diatoms" par Mm. Mead Edwards, Ch. Johnston et H. L. Smith. Journ. Microg., T. I., 307. 1887.
- Notice sur "Catalogue des Diatomées et des Desmidiées de la région parisienne : Essai de classification des Diatomées," par M. Paul Petit. Journ. Microgr. T. I., p. 126. 1887.
- Bibliographie des Diatomées par M. F. Habirshaw. Journ. t. III., IV. et V., 8vo. Paris 1879-81.
- Notice sur la "Bibliotheca Microscopia. Diatomaceæ" par M. J. Deby. Journ. Microgr. T. VI., p. 468. 1882.
- Les Achnanthes. Journ. Microg., 8vo. Paris 1883.
- Sur l'emploi du Baume de Tolu. Journ. Microg. t. IX. (1885), p. 131, 8vo. Paris 1885.
- Histoire Naturelle des Diatomées, Chapitre Extrait de l'ouvrage sous presse : Les Diatomées, histoire naturelle, préparation, classification et description des principales espèces par le Dr. J. Pelletan. Journ. Microg. Ann. XI., pp. 275, 312, 8vo. Paris 1887.
- Announcement "Beiträge zur Kenntniss der Bacillarien Ungarns Theil I. Marine Bacillarien" par Dr. Josef Pantocsek. Journ. Microg. Ann. XI., p. 383, 8vo. Paris 1887.
- Histoire naturelle des Diatomées. Journ. Microg. Ann. XI., p. 374, 8vo. Paris 1887.
- Mission scientifique du Cap Horn : Diatomacées. Journ. Microg. Ann. XII., p. 354, 8vo. Paris 1888.
- Les Diatomées, Histoire naturelle, préparation, classification, et description des principales espèces avec une introduction à l'étude des Diatomées par M. Julien Deby et un exposé de la classification des Diatomées par M. Paul Petit. Planches et Vignettes. 8vo. Paris 1888-89.
- Sur "Die Diatomaceen der Polycistinenkreide von Jeremie in Hayti" par M. M. A. Truan y Luard et Dr. O. N. Witt. Journ. Microg. Ann. XII., p. 162, 8vo. Paris 1888.
- Notice sur les Diatomées du Midi de la France : Diatomées de la Baie de Villefranche par M. H. Peragallo. Journ. Microg. Ann. XIII., p. 31, 8vo. Paris 1889.
- Notice sur les Diatomées due Monde Entier par M. M. J. Tempère et H. Peragallo. Journ. Microg. Ann. XIII., p. 147, 8vo. Paris 1889.
- Diatomées, Collection J. Tempère et H. Peragallo. Journ. Microg. Ann. XIII., n. 9, p. 285, 8vo. Paris 1889 et seq.

- PELLETAN J.—Notice sur “Les Diatomées fossiles du Japon : Espèces marines et nouvelles des calcaires argileux de Sendai et de Yédo par MM. J. Brun et J. Tempère.” Journ. Microg. Ann. XIII., p. 494, 8vo. Paris 1889.
- Notice sur Les Diatomées de France par MM. J. Tempère et P. Petit. Journ. Microg. Ann. XIII., p. 503, 8vo. Paris 1889 et seq.
- Notice sur Les genres des Diatomées par M. J. Tempère. Journ. Microg. Ann. XIII., p. 504, 8vo. Paris 1889.
- Notice sur la résolution des Diatomées. Journ. Microg. Ann. XIII., p. 513, 8vo. Paris 1889.
- Diatomées à l'exposition de Paris 1889. Journ. Microg. t. XIII., p. 524, 8vo. Paris 1889.
- Les Perles du *Plenrosigma angulatum*. Journ. Microg. t. XIII., p. 558, 8vo. Paris 1889.
- Les Perles du *Pleurosigma angulatum*. Journ. Microg. Ann. XIV., p. 43, 8vo. Paris 1890.
- Classification des Diatomées. Journ. de Microg., XVI., (1892) pp. 57-8, 89-90. T. R. M. S., 1892, p. 656.
- *Cymbellaceæ*. Journ. de Microg. XVI., (1892), pp. 89-90. T. R. M. S., 1892, p. 656.
- PENZIG OTTO—Referat über “De-Toni G. B. e Levi D. Spigolature per la ficologia veneta. Nuov. Giorn. Bot. Ital. XIX., Fasc. 2, 1887, p. 106-110.” Bot. Centralbl. Bd. XXXII., p. 3, 8vo. Cassel 1887.
- Referat über “De-Toni G. B. e Levi D. Primi materiali per il censimento delle Diatomacee italiane. Parte prima. Notar. Ann. I., N. 3, p. 125-143.” Bot. Centralbl. Bd. XXIX., p. 129, 8vo. Cassel 1887.
- PERAGALLO H.—Diatomées du midi de la France. Notions sommaires sur les Diatomées leur récolte, leur préparation et leur examen, suivies d'une liste des Diatomées récoltées dans la Provence, le Bas Languedoc, le Vallée de la Garonne et les Pyrénées. Extrait Bull. Soc. Hist. Nat. Toul. Ann. 1884, 8vo. Toulouse 1884.
- Les Diatomées du Midi de la France, 8vo. Toulouse 1885.
- Diatomées du Midi de la France. Diatomées de la Baie de Villefranche (Alpes maritimes). Avec 6 planches. Bull. soc. hist. nat. Toulouse, 8vo. 1888. Also J. R. M. S., 1889, p. 427.
- Liste complète des Diatomées françaises. Journ. Microg. Ann. XII., p. 499, 441, 480, 8vo. Paris 1888.
- Diatomées de Médoc. Bull. Soc. Hist. Nat. Toulouse 1888. Toulouse 1888.
- Préparation des Diatomées. Journ. Microg. t. XIII., p. 302, 8vo. Paris 1889. (Reprod. d. Diat. Baie Villefranche. Paris 1888.)

- PERAGALLO H.—Notes sur quelques Diatomées saumâtres du Médoc. Bull. Soc. Hist. Nat. Toul. 1888. Toulouse 1888. Journ. Microg. Ann. XIII., p. 281, 8vo. Paris 1889.
- Monographie du genre *Rhizosolenia* et de quelques genres voisins. Le Diat., vol. I., p. 79, 99. Paris.
  - Monographie du genre du *Pleurogigma* et des genres alliés; 10 planches. Published in Nos. 4 and 5 of Le Diat., vol. I. Paris 1891.
  - Nomenclature des Diatomées: i, *Coscinodiscus*. Le Diat., vol. I., p. 8. Paris.
- PERTY DR. MAX—Bacillaren. Die Bewegung durch schwingende mikroskopische Organe im Thier-und Pflanzenreiche. Nebst Erörterungen über Sporozoiden, Infusorien, Bacillarien, und über die Elementar-Structur der *Halcyonella fluviatilis* var. *Nympheæ*. 4to. Bern 1848
- Bemerkungen über die Bacillarien. Bern 1848.
  - Zer Kenntniss kleinster Lebensformen nach Bau, Funktionen, Systematik, mit Specialverzeichniss der in der Schweiz beobachteten. Mit 17 lithochromischen Tafeln, 4to. Bern 1852.
- PETICOLAS C. L.—The Richmond Diatomaceous Earth. A. J. M., vol. II., p. 17, 8vo. New York 1877. Cincinnati Med. News Aug. 1878. Cincinnati 1878. A. M. M. J., Aug. 1880. 8vo. Washington 1880.
- Diatoms. New York Tablet May 18. New York 1878.
  - Diatoms. Leonard's Medic. Journ. Oct. 1883. 1883.
  - Some new slides from the Richmond, Virginia, diatomaceous Earth. A. J. M., vol. V., p. 133, 8vo. New York 1880.
  - Two new preparations of Richmond Diatoms. Micr. Bull. Feb., 1885, 8vo. Philadelphia 1885.
  - New Diatoms from the Maryland artesian wells, the most interesting and beautiful found since the discovery of the celebrated Santa Monica Earth, with notes on new deposits. Richmond Va. 1885.
  - Notes on the diatomaceous formations of Virginia in connection with some recent discoveries made in the excavation of the English street tunnel at Richmond. The Microscope, vol. VIII., N. 11, p. 327, 8vo. Detroit 1888. Bull. Torrey Bot. Cl., vol. XVI., N. 1 p. 32, 8vo. New York 1889.
  - Notes on the fossil marine Diatom deposit from Artesian Wells at Atlantic City, N. J. A. M. M. J., vol. XI. (1890) p. 32. Washington 1890. Translated from Journ. de Micog. 1890, p. 346.
- PETIT PAUL.—Diagnose d'une Diatomée nouvelle des côtes de France par

M. le docteur Leuduger-Fortmorel. Ann. Soc. Belg. Micr. t. II., p. XXXIV. Bruxelles 1875-6.

PETIT PAUL.—Diatomées de Table Bay (Cap de Bonne Espérance), 1 planche. "Les Fonds de la Mer." t. II., livr. 16, p. 252, 8vo. Paris 1876.

— Liste des Diatomées et des Desmidiées observées dans les Environs de Paris, précédée d'un essai de classification des Diatomées. 2 Planches. Bull. Soc. Bot. France tom. XXIII.-XXIV., 8vo. Paris 1877.

— An essay on the classification of the diatomaceæ with descriptions of some new species. Translated with notes by F. Kitton. 2 plates. M. M. J., vol. XVIII., pp. 10, 65, 8vo. London 1877.

— Catalogue des Diatomées de l'île Campbell et de la Nouvelle Zélande. Précédé d'une étude géologique des abords de l'île Campbell et de la Nouvelle-Zélande par Leon Perier, 2 Planches. "Fonds de la Mer," vol. III., 8vo. Paris 1877. Hedw. Bd. XVII., p. 124, 129, 8vo. Dresden 1878.

— La dessiccation fait-elle périr les Diatomées? Bull. Soc. Bot. France. Paris 1877. Journ. Microg., vol. I., 8vo. Paris 1887.

— Sur le verdissement des Huitres. Rev. Pharmaceut. 1878, n. 7, p. 112. (*Amphipleura ostrearia* de Bréb. Paris 1878. Compare also *Navicula fusiformis* var. *ostrearia* Grun. M. M. J., 1877, p. 178, 8vo. London 1877.

— On some new genera and species of Diatomaceæ. Translated by F. Kitton F. R. M. S., by kind permission of the author. 2 plates. J. R. M. S., vol. I., p. 237, 8vo. London 1878.

— Observations sur la vie des Diatomées. Bull. Soc. Bot. France t. XXV. Paris 1878.

— Le thalle des Diatomées par M. Lanzi. Brebissonia I., p. 109, 8vo. Paris 1879.

— Diatomées récoltées sur le *Conomitrium capense* Müll. Brebissonia Ann. I., n. 8, p. 116. Paris 1879.

— Life history of the Diatomaceæ. J. R. M. S., vol. II., p. 181, 8vo. London 1879.

— Préparations des Diatomées in situ moyen d'éviter les bulles d'air. Brebissonia t. I., p. 121, 8vo. Paris 1879.

— Diatomées récoltées dans l'Esonne à Malesherbes. Bull. Soc. Bot. France t. XXVIII. Paris 1879.

— De l'endochrome des Diatomées. 1 Planche. Brebissonia Ann. II., n. 6, 7, p. 81, 8vo. Paris 1880. J. R. M. S., vol. III., p. 680, 8vo. London 1880.

— Priorité du nom générique *Gaillonella* (Bory) sur le nom *Melosira* (Ag.) Brebissonia t. II. N. 7, p. 106, 8vo. Paris 1880.

- PETIT PAUL.—Découverte des Diatomées dans l'argile de Londres. Brebissonia t. II., p. 195, 8vo. Paris 1880.
- Diatomées de l'île de Ré, récoltées sur le *Chondrus crispus*. Paris 1880.
  - Liste des Diatomées récoltées à l'ascension de la Rhune (Bayonne). Bull. Soc. Bot. France 1880, p. 84. Paris 1880.
  - Diatomées récoltées sur les Huitres de Ningpo et de Nimrod Sound (Chine). Mém. Soc. Sci. Nat. Cherb. t. XXIII., 1 planche. 8vo. Paris 1881.
  - Diatomacées récoltées dans le voisinage du Cap Horn. 1 planche. Mission Scientif. d. Cap Horn (Bot.) t. V. 1 planche 1882-83. 4to. Paris 1888. Journ. Microg. Ann. XII., n. 11, p. 324, 8vo. Paris 1888.
  - Revue des Diatomées du midi de la France par M. Peragallo. Journ. Microg., 1885, p. 138, 8vo. Paris 1885.
  - Diatomées des eaux de la Bourboule (Danjoy Mat. Organ.). 8vo. Paris 1885.
  - Algues récoltées dans les marais du Haut-Butté (avec Diatomacées). Extr. Bull. Soc. Bot. France t. XXXII., p. 84, 8vo. Paris 1885.
  - Diatomées récoltées aux environs de Vendresse. Extr. Bull. Soc. Bot. France, t. XXXII., 8vo. Paris 1885. Notar. Ann. I, p. 118, 8vo. Venezia 1886.
  - Note sur le développement des auxospores chez le *Cocconema cistula* Ehrb. 1 planche. Bull. Soc. Bot. France, vol. XXXII., p. 48, 8vo. Paris 1886. Auxospores of *Cocconema* and *Navicula*. J. R. M. S., vol. VI., ser. 2 (1886) p. 659, 8vo. London 1886.
  - Sur "Beitrag zur Kenntniss der fossilen Bacillarien Ungarns Th. I. Marine Bacillarien" par le Dr. J. Pantocsek. Journ. Microg. Ann. XI., p. 484, 8vo. Paris 1887.
  - Diatomacées observées dans les lacs des Vosges. I Planche, Feuil. jeun. Nat. Ann. XVIII., 8vo. Paris 1888.
  - Notice sur les "Diatomées fossiles du Japon" par MM. J. Bun et J. Tempère. Mém. Soc. Phys. et d'Hist. Nat. Genève. t. XXX., n. 9, 75 pp. 9 Planches. Journ. Microg. t. XIII., p. 581, 8vo. Paris 1889.
  - Notice sur "Le Diatome fossili della Via Aurelia, nota del Dott. Matteo Lanzi. Atti Accad. pontif. nuov. Linc. t. XLIII., 1889." Journ. Microg. t. XIII., p. 502, 8vo. Paris 1889.
  - Notice sur "Pelagiske Diatomeer fran Kattegat af Prof. P. T. Cleve, Kjöbenhavn 1889." Journ. Microg. t. XIII., p. 503, 8vo. Paris 1889.
  - Diatomées nouvelles et rares observées dans les lignites de Sendai

- (Nord du Japon). Journ. Microg. t. XIV., p. 47, 8vo. Paris 1890.
- PETIT PAUL.—Note relative aux Diatomées fossiles du Japon d. M. M. Brun et Tempère. Journ. Microg. t. XIV., 10 marzo 1890.
- Réponse à M. le Prof. Brun. Journ. de Microg., vol. XIV., p. 189, Paris 1890.
- PETIT PAUL ET LEUDUGER-FORTMOREL DR.—Diatomées fossiles de l'Auvergne. Journ. Microg., 8vo. Paris 1887.
- PFITZER ERNST—Ueber den Bau und die Zelltheilung der Diatomeen. Bot. Zeit., n. 46, 4to. Leipzig 1869.
- Untersuchungen über Bau und Entwicklung der Bacillariaceen (Diatomaceen). 6 Tafeln. Bot. Abh. a. d. Geb. d. Morphol. u. Physiol. Heft. 2, 8vo. Bonn 1871. Also "The vegetable nature of Diatoms." Amer. Naturalist, vol. VI. (1872), p. 684, 8vo. Salem 1872.
- Die Bacillariaceen (Diatomaceen) in Schenk's Handbuch d. Bot. 16 Fig., p. 403-445, 8vo. Breslau 1882. J. R. M. S., vol. III., n. s., p. 413, 8vo. London 1884.
- Bacillariaceæ. Verzeichniss der erschienenen Arbeiten. Just's Bot. Jahresh. 8vo. 1874-89, 1891, p. 237-265. Berlin.
- PHARMACEUTICAL JOURNAL (Phar. Journ). London.
- PHARMACEUTISCH. CENTRALHALLE (Phar. Centralh.) Berlin.
- PFLUEGER'S ARCHIV.
- PHILLIPS JOHN—On the remains of microscopic animals in the rocks of Yorkshire. Geol. and Polytech. Soc. West Riding York, 8vo. Leeds 1846.
- PHILLIPS P. A.—*Amphipleura pellucida*: to Dr. Royston-Piggott. Engl. Mechan. t. XL, (1885) p. 560, 4to. London 1885.
- Photomicrographs (*Pleurosigma Cymbella*). A. M. M. J., vol. IX., N. 6, p. 113, 8vo. Washington 1888.
- PHILOSOPHICAL TRANSACTIONS OF THE ROYAL SOCIETY.—(Phil. Trans.). London.
- PICCONI A.—Florula algologica della Sardegna. Nouv. Giorn. Bot. Ital. t. XV., p. 313, 8vo. Firenze 1883.
- Distribution of sea weeds. J. R. M. S., vol. IV., ser. 2, p. 270, 8vo. London 1884. Bot. Centralbl. Bd. XVI., p. 298, 8vo. Cassel 1883.
- Nove spigolature per la ficologia della Liguria. Nuov. Giorn. Bot. Ital., vol. XVII., p. 189, 8vo. Firenze 1885. Notar. Ann. III., N. 10, p. 437, 8vo. Venezia 1888.
- Alghe del Viaggio di Circumnavigazione della "Vettor Pisani" (Diatomee del Brasile, Stretto de Magellano, Callao, Hawaii,

- Extra d. Viaggio d. Circumnavig. d. "Vettor Pisani." Diatomées par M. Grunow). Genova 1886. Notar Ann. II., N. 5, p. 255, 259, 283, 8vo. Venezia 1887.
- PICCONE A.—Alghe della Crociera del "Corsaro" alle Azzorre. Nuov. Giorn. Bot. Ital., vol. XXI., N. 2, p. 171. Firenze 1889.
- PICCONE A. ET PARONA C.—Essai d'une protistologie de la Sardaigne. Arch. Soc. Phys. et Hist. Nat. Genève, vol. X. Genève 1883.
- PLEUROSIGMA ANGULATUM, Spectra of. J. R. M. S., 1888, p. 303, 8vo. London 1883.
- PLEUROSIGMA FORMOSUM, as illustrating Prof. Abbé's paper on the relations of aperture and power in the microscope. Northern Microscopist, 1882, p. 211, 8vo. London 1882.
- POGGENDORFF'S ANNALEN. (Pogg Annal.)
- PONTON MUNGO—The Beginning, its when and its how, with Frontispiece and 15 plates, 8vo. London 1871.
- POOLEY CHARLES—The Diatomaceæ of Weston-super-Mare. London 1863.
- POPULAR SCIENCE REVIEW, The. Edited by James Samuelson, Henry Lawson and W. S. Dallas. London 1862 et seq.
- POWELL J —*Amphipectura pellucida* and the vertical illuminator. Northern Microscopist, 1882, p. 46, 8vo. London 1882.
- PRIHODA M.—Referat über "Castracane Conte F.—Se e quale valore sia da attribuire nella determinazione delle specie al numero delle strie nelle Diatomee." Bot. Centralbl. Bd. I., p. 258, 8vo. Cassel 1880.
- PRINZ W.—Etudes sur des coupes de Diatomées observées dans des lames minces de la roche de Nykjøbing (Jutland). 1 Planche. Ann. Soc. Belg. Micr. tom. VII., 8vo. Bruxelles 1880. J. R. M. S., vol. I., ser. 2, p. 507, 8vo. London 1881. Brebissonia Ann. III., n. 11-12, p. 161, 8vo. Paris.
- Structure des Diatomées. Bull. Soc. Belg. Micr. t. IX (1882), p. 23. Bruxelles 1882.
- Note sur les coupes du *Pinnularia*. 4 Figs., Bull. Soc. Belg. Microg., vol. IX., p. 136, 8vo. Bruxelles 1882-83. J. R. M. S., vol. III., ser. 2 (1883), p. 891, 8vo. London 1883.
- Note on the sections of *Pinnularia*. Microsc. News, vol. IV. (1884), n. 38, p. 37, 8vo. 1884.
- Traduction d'un article de M. Grunow sur les coupes minces de Diatomées. Soc. Belg. Micr., vol. IX., p. 23, 8vo. Bruxelles 1882-83.
- A propos des coupes des Diatomées. Bull. Soc. Belg. Microg., vol. IX., p. 124, 8vo. Bruxelles 1882-83.

- PRINZ W.—Réponse de M. Prinz à des remarques critiques de Grunow.
Bull. Soc. Belg. Micr., 8vo. Bruxelles 1884.
- PRINZ W. ET VAN ERMERGEN E.—Recherches sur la structure de quelques
Diatomées contenues dans le "Cementstein" de Jutland.
4 Planches. Ann. Soc. Belg. Micr. t. VIII., p. 7, 8vo. Bruxelles
1883. J. R. M. S., vol. III., ser. 2, p. 411, 8vo. London 1883.
Zeitschr. f. wiss. Mikrosk. Bd. I. (1884), p. 609, 8vo.
Braunschweig 1884.
- PRITCHARD ANDREW—Natural History of animalcules. 8vo. London
1834.
- Diatomaceæ in a "History of Infusoria including the Desmidiaceæ
and Diatomaceæ British and Foreign." Editions 1845, 1852, and
1861, 8vo. London 1845-46. (Diatoms by Ralfs.)
- Corrected and finally revised original MS. of the 4th Edition of
a history of animalcules, comprising the Infusoria, Rotatoria,
Desmidiæ and Diatomaceæ. London 1861. In the library of
Julien Deby, 5 vol., 8vo.
- PROCEEDINGS OF THE ACADEMY OF NATURAL SCIENCE OF PHILADELPHI.—(Proc.
Ac. Nat. Sci. Phil.). Philadelphia.
- PROCEEDINGS OF THE AMERICAN SOCIETY OF MICROSCOPISTS (Proc. Amer. Soc.
Mic.).
- PROCEEDINGS OF THE BELFAST NATURALIST'S FIELD CLUB. (Proc. Belfast
Nat. Field Cl.). Belfast.
- PROCEEDINGS OF THE BRISTOL NATURALIST'S SOCIETY. (Proc. Bristol Nat.
Soc.) Bristol.
- PROCEEDINGS OF THE DUBLIN SOCIETY OF NATURAL HISTORY. (Proc. Dublin
Soc. Nat. Hist.) Dublin.
- PROCEEDINGS OF THE ESSEX INSTITUTE SALEM. (Proc. Essex Inst.) Salem.
- PROCEEDINGS OF THE GEOLOGICAL SOCIETY OF LONDON. (Proc. Geol. Soc.
Lond.) London.
- PROCEEDINGS OF THE HOLMESDALE NATURAL HISTORY CLUB. (Proc. Holmesd.
Nat. Hist. Cl.)
- PROCEEDINGS OF THE LYCEUM OF NATURAL HISTORY NEW YORK. (Proc. Lyc.
Nat. Hist. New York). New York.
- PROCEEDINGS OF THE PERTHSHIRE SOCIETY OF NATURAL HISTORY. (Proc.
Perthsh. Soc. Nat. Hist.) Perth.
- PROCEEDINGS OF THE ROYAL IRISH ACADEMY OF SCIENCES, DUBLIN. (Proc.
R. I. Ac. Sci. Dubl.) Dublin.
- PROCEEDINGS OF THE ROYAL PHYSICAL SOCIETY OF EDINBURGH. (Proc. Roy.
Phys. Soc. Edin.) Edinburgh.
- PROCEEDINGS OF THE ROYAL SOCIETY OF EDINBURGH (Proc. Roy. Soc. Edin.).
Edinburgh.

- PROCEEDINGS OF THE SAN FRANCISCO MICROSCOPICAL SOCIETY (Proc. S. Franc. Micr. Soc.). San Francisco, Cal.
- PROCESSI VERBALI DELLA SOCIETÀ TOSCANA DI SCIENZE NATURALI (Proc. Verb. Soc. Tosc. Sci. Nat.). Pisa.
- PROLLIUS F.—Beiträge zur Kenntniss der Diatomaceen der Lüneburger Haide, mit 3 Tafeln. Jahresb. d. Naturw. Ver. f. d. Fürstenthum Lüneburg. Bd. VIII. (1882) p. 87. Lüneburg 1882.
- Beobachtungen über die Diatomaceen der Umgebung von Jena. 2 Tafeln. 8vo. Lüneburg 1882.
- PRUDENT P.—Diatomées des environs de Lyon. Bull. Soc. Bot. Lyon. Lyon 1884.
- Diatomées de la Gélose. Bull. Soc. Bot. Lyon, p. 68. Lyon 1885. Notar., 8vo. Venezia 1886.
- PUNCTUATIONS OF DIATOMS, The. A. M. M. J., vol. IV., n. 8, p. 141, 8vo. Washington 1883.
- PUYSÉGUR M.—Notice sur la cause du verdissement des Huitres. Extr. Rev. Marli. et Colon., p. 11, 1 plate, 8vo. Paris 1880.
- PUYSÉGUR M. AND RYDER JOHN A.—On the cause of greening of Oysters, with a supplementary note on the coloration of the corpuscles of the Oyster by John A. Ryder. 1 Fig., 8vo. Fish Commission, Washington D.C. 1883.
- QUARTERLY JOURNAL OF MICROSCOPICAL SCIENCE, The (Q. J. M. S.) London....
- QUARTERLY JOURNAL OF THE MICROSCOPICAL SOCIETY OF VICTORIA, The. Melbourne....
- QUEEN T. W.—Glass discs for arranging Diatoms. Micr. Bull., vol. II., p. 24, 8vo. Philadelphia 1885.
- QUEKETT EDWIN J.—Observations on the species of fossil animalcules discovered at Petersburg in Virginia. 8vo. Lond. Physiol. Journ., vol. I., n. 5, p. 140. London 1846.
- QUEKETT JOHN—On the presence in the northern seas of Infusorial animals analogous to those occurring in a fossil state at Richmond Va. M. J., vol. II., p. 353, pl. XII. London 1842.
- Diatomaceæ. "Lectures on Histology," vol. I. and II., 8vo. London 1842.
- Diatomaceæ. "A Practical Treatise on the Microscope." 8vo. London 1855.
- Catalogue of the Microscopic collection of the College of Surgeons. Diatomaceæ, vol. I., p. 6.

- R. J. (Union Scientif.)—Revue de: "Les Diatomées par le Dr. J. Pelletan." Journ. Microg. Ann. XI., p. 351, 8vo. Paris 1887.
- RABENHORST L.—Flora Lusatica oder Verzeichniss und Beschreibung der in der Ober-und Nieder-Lausitz wildwachsenden und häufig cultivirten Pflanzen. Kryptogamen. 8vo. Leipzig 1840.
- Deutschland's Kryptogamen-Flora oder Handbuch zur Bestimmung der kryptogamischen Gewächse Deutschlands, der Schweiz, des Lombardisch-Venetianischen Königreichs und Istriens. Bd. II. 2 Abth. Algen. Leipzig 1847.
- Die Bacillarien Sachsens. Ein Beitrag zur Fauna von Sachsen, Fasc. I-VII. With figures and dried specimens. 8vo. Dresden, Leipzig 1849-50.
- Systematische Uebersicht der auf meiner Italienischen Reise beobachteten Kryptogamen. Flora n. 33, p. 313. Regensburg 1850.
- Die Süßwasser-Diatomaceen (Bacillarien) für Freunde der Mikroskopie. 10 Tafeln, 4to. (Also "Eulensteins" copy of the same with many MS. notes, purchased by Julien Deby F.R.M.S. from Friedländer and Sohn, Berlin in 1882).
- *Campylodiscus noricus* Ehrb. Hedw. Bd. I., p. 52, tab. IX., fig. 2, 8vo. Dresden 1856.
- Alphabetisches Verzeichniss der Gattungen und Arten, welche bis jetzt in Rabenhorsts Algen und Bacillarien Sachsens resp. Mittel-Europas ausgegeben sind. Dresden 1856.
- *Climacosphenia maxima*. Hedw. Bd. I., p. 103, t. XIII., f. 1. 8vo. Dresden 1856.
- *Surirella Hohenackeri*. Hedw. Bd. I., p. 103, t. XIII., f. 2, 8vo. Dresden 1856.
- *Cocconeis finnica*. Hedw. Bd. I., p. 103, t. XIII., f. 3, 8vo. Dresden 1856.
- *Melosira lineata*. Hedw. Bd. I., p. 103, t. XIII., f. 4, 8vo. Dresden 1856.
- *Gomphonema tridentulum*. Hedw. Bd. I., p. 103, t. XIII., f. 5, 8vo. Dresden 1856.
- *Licmophora*. Hedw. Bd. I., p. 103, t. XIII., f. 6, 8vo. Dresden 1856.
- *Stauroneis Rotæana*. Hedw. Bd. I., p. 103, t. XIII., f. 7, 8vo. Dresden 1866.
- *Nitzschia vivax* Sm. Hedw. Bd. II., p. 40, t. VI., f. 4, 8vo. Dresden 1860.
- *Nitzschia elongata* Han. Hedw. Bd. II., p. 49, t. VI., f. 5, 8vo. Dresden 1860.

- RABENHORST L.—*Nitzschia Clausii* Han. Hedw. Bd. II., p. 40, t. VI., f. 7, 8vo. Dresden 1860.
- *Nitzschia Hantzschiana*. Hedw. Bd. II., p. 40, t. VI, f. 6, 8vo. Dresden 1860.
- *Nitzschia gracilis* Han. Hedw. Bd. II., p. 40, t. VI., f. 8, 8vo. Dresden 1860.
- *Nitzschia media* Han. Hedw. Bd. II., p. 40, t. VI., f. 9, 8vo. Dresden 1860.
- *Navicula macrogongyla*. Hedw. Bd. II., p. 46, t. VI., f. 10, 8vo. Dresden 1860.
- Beiträge zur näheren Kenntniss und Verbreitung der Algen. 12 Taf. Heft I.-II., (all published), 4to. Leipzig 1863-65.
- Diatomaceen, Kryptogamen-Flora von Sachsen, der Ober-Lausitz, Thüringen, und Nord-Böhmen, mit Berücksichtigung der benachbarten Länder. 8vo. Leipzig 1863.
- Ueber Heiberg's Conspectus criticus Diatomacearum Danicarum Hedw. Bd. III., p. 100, 8vo. Dresden 1864.
- Ueber Schumann's Preussische Diatomeen. Hedw. Bd. III., p. 22, 8vo. Dresden 1864.
- Flora Europæa Algarum aquæ dulcis et submarinæ. Sectio 1 Algas diatomaceas complectens, cum figuris generum omnium xylographice impressis. 8vo. Lipsiæ 1864. Rabenhorst's and Eulenstein's with M. S. notes in J. Deby's library.
- Diatomaceæ exsiccatae totius terrarum orbis. Semicenturia I. et II. fol. Dresden 1871.
- Algen Sachsens respectiv. Mittel-Europas, etc. Vide Exsiccata.
- RACIBORSKI M.—Pelit Niepolomicki (Der Pelit von Niepolmice). Bericht Physiogr. Com. Akad. Wiss. Krakau. Bd. XX. (Polnisch). Krakau 1887. Bot. Centralbl. Bd. XXX., p. 33, 8vo. Cassel 1887.
- Materyjaly do flory glonów Polski (Materialien zur Algenflora Polens). Bericht. Physiogr. Com. Akad. Wiss. Krakau, Bd. XXII., 43 pp., 8vo. Krakau 1888. (Mit 75 Bacillariaceen).
- Przegląd gatunków rodzaju *Pediastrum*. Kraków 1889.
- RADDE G.—Bericht über Reisen im Süd-und Ost-Sibirien. St. Petersburg 1861.
- RALEIGH JOHN—On the Diatomaceæ, 5 plates. Trans. Bot. Soc. Edin., vol. II., p. 13, 8vo. Edinburgh 1846.
- On the British Species of *Meridion* and *Gomphonema*. 1 plate. Trans. Bot. Soc. Edin., vol. II., p. 47, 8vo. Edinburgh 1846.

- RALFS JOHN—On some British Diatomaceæ Trans. Bot. Soc. Edin., vol. II., p. 171, 2 plates, 8vo. Edinburgh 1846.
- Trans. Bot. Soc. Edin., vol. II. Also in A. and M. N. H. *Diatomaceæ*. vol. II., pl. III.
- vol. II., pl. IV. vol. XII., pl. II. *Tessella*, *Tetracyclus*, *Fragilaria*.
- vol. II., pl. V. vol. XII., pl. VIII. *Isthmia*, *Biddulphia*, *Amphitetras*.
- vol. II., pl. VI. vol. XII., pl. IX. *Melosira*.
- vol. II., pl. VII. vol. XII., pl. VIII. *Meridion*, *Gomphonema*.
- vol. II., pl. XVIII. vol. XVI., pl. III. *Homæocladia*, *Encyonema*.
- vol. II., pl. XIX. vol. XIII., pl. XIV. *Eunotia*, *Grammonema*, *Striatella unipunctata*, *Achnanthes*.
- vol. XI., pl. IX. *Diatoma*, *Striatella*, *arcuata*.
- Remarks on *Dickieia*. A. and M. N. H., 1851. Trans. Bot. Soc. Edin., vol. IV., 1853, 8vo. London et Edinburgh 1851-53.
- Notes on the siliceous cell of Diatomaceæ. Q. J. M. S., vol. VI., p. 14, 8vo. London 1858.
- Diatomaceæ in Prichard's Infusoria. 8vo. London 1861.
- Manuscript correspondence of Ralfs with Prichard in connection with the publication of "Diatomaceæ in Prichard's Infusoria, 1861" and proposed supplement. In the possession of Julien Deby (80 original letters from 1856-1864).
- RAMANN E.—Die v. Post'schen Arbeiten über Schlamm, Moor, Torf und Humus. Landwirthsch. Jahrb. Bd. XVII., Heft 2, und 3, 1888. Bot. Centralbl. Bd. XXXVIII., n. 13, p. 862, 8vo. Cassel 1889.
- RAMSDEN H.—Remarks on *Triceratium fimbriatum*. M. M. J., vol. XI., p. 84., 8vo. London 1874.
- RAMSON F.—Diatoms, their nature and habits. Trans. Herts. Nat. Hist. Soc., 1884. 8vo. Hertford 1884.
- RATABOUL M.—Les Diatomés, récolte et préparation. 1 pl., Bull. Soc. Hist. Nat. Toul. Toulouse 1883. Journ. Microg., t. VIII., p. 115, 173, 231, 342, 451, 8vo. Paris 1884.
- RATTRAY JOHN—Diatoms Trans. Edin. Nat. Field Club, 8vo. Edinburgh 1884.
- A Diatomaceous deposit from North Tolstoa, Lewis. 1 plate. Trans. Roy. Soc. Edin., vol. XXXIII., pt. 2, p. 419, 4to. Edinburgh 1888.
- A revision of genus "*Anlacodiscus*" Ehrb. 3 plates. J. R. M. S., 1888, p. 337. 8vo. London 1888.
- Notes on some abnormal forms of *Aulacodiscus* Ehrb. 1 plate. Journ. of Bot., 8vo. London 1888.

- RATTRAY JOHN—Remarks on the genus "*Aulacodiscus*" Ehrb. Trans. Edin. Nat. Field Club, 8vo. Edinburgh 1888.
- A revision of the genus "*Auliscus*" Ehrb. and of some allied genera. 5 plates. J. R. M. S., p. 861, 8vo. London 1888.
  - On some recently observed new species of Diatoms. 2 plates. J. Q. M. C., vol. IV., ser. 2, n. 25, p. 38, 8vo. London 1889. Referat by Dr. Pantocsek. Bot. Centralbl. Bd. XI., n. 7, p. 210, 8vo. Cassel 1889. Notar. Ann. V., n. 17, p. 936, 8vo. Venezia 1890.
  - A revision of the genus "*Coscinodiscus*" Ehrb. and of some allied genera. 3 plates. Proc. Roy. Soc. Edin., vol. XXI., p. 449, 8vo. Edinburgh 1890.
  - A list of diatoms observed in gatherings from Fernando Noronha, Collected by Messrs. N. H. Ridley, Sea, and Ramage. Journ. Lin. Soc. (Bot.) vol. XXIV., 8vo. London 1890.
  - A revision of the genus "*Actinocyclus*" Ehrb. 1 plate. J. Q. M. C., London 1890. (Weigsflog's index to same. J. Q. M. C., vol. IV., ser. 2, p. 275).
- RE G. F.—Flora Torinese : Alghe. vol. II., p. 218. Torino 1827.
- READE REV. J. B.—On animals of the Chalk (Diatomaceæ) still found in a living state in the stomachs of oysters. T. M. S., vol. II., p. 20, 8vo. London 1849.
- On the Diatom prism, and the true form of Diatom markings. M. M. J., vol. II., p. 5, 79, 8vo. London 1869.
- REDFERN P.—Mode of isolating "*Navicula*" and other Test objects. M. J. vol. I., 8vo. London 1853.
- REICHARDT DR. H. W.—Bericht über die auf einer Reise nach den Quarnerischen Inseln gesammelten Sporenpflanzen. Abh. Zool. Bot. Ges. Wien. Wien 1833.
- Ueber die Flora der Inseln St. Paul im Indischen Ocean. Verh. Zool. Bot. Ges. Wien, Bd. XXI., 8vo. Wien 1878.
- REINHARDT L.—Zur Morphologie und Systematik der Bacillariaceen. Bot. Zeit. n. 29, 4to. Leipzig 1875.
- Zur Kenntniss der Bacillariaceen des Weissen Meeres. 1 Fig. Bull. Soc. Imp. d. Nat. Moscou, p. 297. Moscou 1882.
  - Les Bacillariées de la mer Blanche. Journ. Microg., vol. VII., 8vo. Paris 1883.
  - Beobachtungen die Morphologie der Bacillariaceen betreffend. Sitzungsber. Bot. Sect. d. 7ten Vers. Russ. Naturf. und Aerzte. Odessa. Sitz. v 27 Aug., 8 Sept., 1883. Bot. Centralbl. Bd. XVIII., p. 191, 8vo. Cassel 1884.
  - Auxosporen Bot. Centralbl. Bd. XIX., p. 191, 8vo. Cassel 1888.

REINICKE FRIEDRICH—*Pleurosigma angulatum* als Probeobject. 1 Tafl. Beitr. z. neuern Mikroskopie. Heft. I., p. 21, 8vo. Dresden 1858.

— Das Einsammeln und Präpariren der Bacillarien. Beitr. z. neuern Mikroskopie. Heft. I., p. 47. Dresden 1858.

REINSCH PAUL—Die Algenflora des mittleren Theils von Franken (des Keupergebietes mit den angrenzenden Partien des jurassischen Gebietes) enthaltend die vom Autor bis jetzt in diesen Gebieten beobachteten Süßwasseralgen und die Diagnosen und Abbildungen von ein und fünfzig vom Autor in diesem Gebiete entdeckten neuen Arten und drie neuen Gattungen (Diatomaceæ p. 10), 8vo. Nürnberg 1867.

— Diatomaceen "Das Mikroskop," 8vo. Nürnberg 1867.

— Species ac genera nova Algarum aquæ dulcis quæ sunt inventa in speciminibus in Expeditione Vener. Transit. heime 1874-75 in insula Kerguelenis a clar. Eaton collectis. Journ. Lin. Soc. (Bot.), vol. XV., n. 205, 8vo. London 1876.

— Diatomaceæ of Kerguelen's Land. London 1880.

RENDICONTI DELL'ACCADEMIA DELLE SCIENZE FIS. E MATEMAT. DI NAPOLI. Napoli....

RENDICONTI DELLA R. ACCADEMIA DEI LINCEI DI ROMA. Roma....

RENDICONTI DELLA R. ACCADEMIA DI MEDICINA DI ROMA. Roma....

RENDICONTI DEL R. ISTITUTO LOMBARDO DI SCIENZE, LETTERE ED ARTI. Milano....

REPORTS OF THE COMMISSIONER OF FISH AND FISHERIES. Washington D. C.

REPORTS OF THE ASSOCIATION for the Advancement of Science. London 1851 et seq.

REPORTS ON THE FAUNA OF LIVERPOOL BAY. 2 vols. 8vo. Liverpool 1886-1889.

RETZIUS PROF.—On Bergmehl. Pogg. Annal. Bd. XXIX., p. 261. Leipzig 1832.

REVISITA DE LOS PROGRESSOS DE LAS CIENCIAS. Madrid....

REVISITA PERIODICA DEI LAVORI DELLA I. R. ACCADEMIA DI SCIENZE, LETTERE ED ARTI IN PADOVA. Padova....

RENUE DE COMMINGES. Saint Gaudens. (France)....

REVUE DES SCIENCES NATURELLES. Montpellier....

REVUE INTERNATIONALE DES SCIENCES. Paris....

REVUE MARITIME ET COLONIALE. Paris.... (Puysegur. Verdissement huitres 1880).

RICHTER PAUL—Neue Bacillariaceen (*Homæocladia germanica* et *H. conferta*). Hedw. Bd. XVIII., p. 65, 8vo. Dresden 1879. Brebissonia. Ann. II., n. 1. p. 1, 8vo. Paris 1879.

- RICHTER PAUL—*Campylodiscus superbus* bei Eisleben. Hedw. Bd. XIX., p. 98, 8vo. Dresden 1879.
- Beispiele von massenhaften und periodischem Auftreten gewisser Diatomaceen. Hedw. Bd. XX., p. 81, 8vo. Dresden 1881. J. R. M. S., vol. I., ser. 2, p. 931, 8vo. London 1881.
  - List of new genera of Diatoms, etc., established by and named after Dr. G. L. Rabenhorst, in Nekrolog. Hedw. Bd. XX., p. 118, 8vo. Dresden 1881.
  - Referat über "Stolterfoth H. On a new species of the genus *Eucampia*." Bot. Centralbl. Bd. I., p. 36, 8vo. Cassel 1880.
- RIESS FELIX—Diatomaceen. Beiträge zur Fauna der Infusorien mit dem beifügten Ehrenberg'schen System, 8vo. Wien 1840.
- RINER W. W.—Arrangement of Diatomaceæ. Amer. Naturalist, vol. VIII., p. 571, 8vo. Salem 1874.
- Mounting Diatoms. Amer. Naturalist, vol. VIII., p. 568, 8vo. Salem 1874.
  - A fine Diatom. A. J. M., vol. IV., p. 61, 8vo. New York 1879. Journ. Microg. 1879, n. 5, 8vo. Paris 1879. Brebissonia, 1879, n. 3, p. 33, 8vo. Paris 1879.
- ROBINSON ISAAC—The Diatomaceæ, with special reference to species found in the neighbourhood of Hertford. Trans. Hert. Nat. Hist. Soc., vol. III., pl. 1, 8vo. Hertford 1884.
- Observations on Diatomaceæ from the neighbourhood of Hertford. Trans. Hert. Nat. Hist. Soc., vol. IV., pl. VII., 8vo. Hertford 1887.
- RODRIGUEZ Y FEMENIAS D. JUAN J.—Algas de las Baleares (Diatomeæ). Anal. Soc. Espan. Hist. Nat. t. XVIII., Cuad. 1, p. 199, 8vo. Madrid 1889.
- ROGERS PROF. WILLIAM B.—Extract from a letter to B. Silliman J. Esq. Jun. A. J. S., vol. XLVI., n. 1, p. 141, 8vo. New Haven, Conn.
- ROOD PROF. O. N.—Examination of the nature of the marking on *Coscinodiscus*, *Triceratium*, etc. M. M. J., vol. X., p. 223, 8vo. London 1873.
- ROPER F. C. S.—Some observations on the Diatomaceæ of the Thames. T. M. S., vol. II., p. 67, n. s., pl. VI., 8vo. London 1854.
- On three new species of Diatomaceæ. Q. J. M. S., vol. II., p. 383, 8vo. London 1854.
  - Notes on some new species and varieties of British marine Diatomaceæ. Q. J. M. S., vol. VI., p. 17, pl. III., 8vo. London 1858.
  - On the genus *Biddulphia* and its affinities. T. M. S., vol. VII., n. s. p. 1, pl. I. and II., 8vo. London 1859.

- ROPER F. C. S.—Notes on *Actinocyclus* and *Eupodiscus*. Q. J. M. S., vol. VI., p. 261, 8vo. London 1859.
- On *Triceratium arcticum*, 1 Fig. T. M. S., vol. VIII., n. s. p. 55, 8vo. London 1860.
- On the genus *Licmophora*, 2 Fig. T. M. S., vol. XI., n. s. p. 53, 8vo. London 1863.
- Catalogue of works on the Microscope, etc., in the Library of the author. Printed for private circulation, 8vo. London 1865.
- ROSTOCK M.—Verzeichniss Oberlausitzer Kryptogamen. Sitzber. a. Abh. d. Naturf. Ges. Isis, 1889, p. 18. Vide Just. Bot. Jahrb. no. 31, p. 248, 1891.
- ROTH ALB. GUILL.—Tentamen Floræ Germanicæ, 8vo. Lipsiæ 1788-1800.
- Catalecta Botanica. Fasc. I., p. 186, 1797. Fasc. II., p. 204, 1800. Fasc. III., 1806, 8vo. Lips. 1797-1806.
- ROTH E.—Referat über "Castracane Conte A. F.—Report on the Scientific Results of the voyage of H.M.S. Challenger during the years 1873-76, Botany, vol. II. "The Diatomaceen." Bot. Centralbl. Bd. XXXIII., p. 258, 8vo. Cassel 1888.
- ROTHERT HERR—Referat über "Raciborski M. Pellit Niepolomicki (Der Pellit von Niepolomice) q. v." Bot. Centralbl. Bd. XXX., p. 33, 8vo. Cassel 1887.
- Referat über "Koslowsky W. Materialien zur Algenflora Sibiriens. Arbeit. Kiew Naturf. Ges. Bd. IX., Heft II., p. 395-436. 1 Tafel. Kiew 1888 (Diatomaceæ) [Russian]." Bot. Centralbl. Bd. XL., n. 2, p. 40, 8vo. Cassel 1889.
- Referat über "Famintzin A. Beitrag zur Symbiose von Algen und Thieren." Bot. Centralbl. Bd. XXXIX., p. 118, 8vo. Cassel 1889.
- ROTHPLETZ HERR—Radiolarien, Diatomaceen, und Sphærosomatiten in Silurischen Kieselstiefer von Lagenstriegis in Sachsen. Zeitschr. deutsch. Geol. Ges. 1880, p. 447. Berlin 1880.
- ROUJOU A.—Note sur les Diatomacées de la Randanite de Ceyssat. Mém. Acad. d. Clermont-Ferrand, 8vo. Clermont-Ferrand 1878.
- ROYSTON-PIGOTT G. W. M. A.—High power definition and its difficulties. and the visibility of Diatomaceous beading. Q. J. M. S., vol. X., n. s., p. 168, pl. X., 8vo. London 1870.
- Animal characters of Diatoms. Engl. Mechan., vol. XLIII., p. 115. London 1886. J. R. M. S., vol., VI., s. 2, p. 485, 8vo. London 1886.
- Diatomoscope. Experiments. Engl. Mechan., vol., XL., p. 239, 4to. London 1884.
- *Amphipleura pellucida*. Engl. Mechan., vol. XL., p. 520, vol. XLI., p. 35. London 1884-85.

- ROYSTON-PIGOTT G. W. M. A.—*Amphipleura pellucida* and the Diffraction Theory. J. R. M. S., vol. V., ser. 2, pt. 3, p. 529, 8vo. London 1885.
- ROXBURGH WILLIAM—Hortus Bengalensis. Serampore 1814.
- RUDA DR. J.—Aus F. Sypniewski's Abhandlung über die Diatomaceen Posens. Lotos vol. II., pp. 34, 63, 88. Prag 1861.
- RUEST DR.—Beiträge zur Kenntniss der fossilen Radiolaren aus Gesteinen des Jura. Palæontographica N. F. XI. (XXXI), 4to. Cassel....
- RYDER JOHN A.—Supplementary note on the coloration of the Blood corpuscles of the oyster. Rep. Comm. Fish and Fisheries 1880. Washington 1880.
- The green colour of oysters. Amer. Naturalist, vol. XVII., p. 868, 8vo. Philadelphia 1883.
- RYLANDS THOMAS G.—On the markings of Diatomaceæ. Q. J. M. S., vol. VIII., p. 25, 8vo. London 1860.
- On the classification of the Diatomaceæ. Q. J. M. S., vol. II., n. s. p. 70, 8vo. London 1862.
- S. C.—“Schmidt's Atlas der Diatomaceenkunde.” Amer. Naturalist, vol. IX., p. 428, 8vo. Salem 1875.
- SACHS DR. JULIUS.—Ergebnisse einiger neuern Untersuchungen über die in Pflanzen enthaltene Kieselsäure. Flora Reg. n. 8, 8vo. Regensburg 1863. Hedw. Bd. III., p. 32, 8vo. Dresden 1864.
- Diatomaceen. Handbuch der Botanik nach dem gegenwärtigen Stand der Wissenschaft, 8vo. Leipzig 1873.
- SANDE LACOSTE en W. F. R. SURINGAR. Nieuw beschrevene en voor onze Flora nieuwe zoetwaterwieren, versamld in Drenthe. 1860.
- SAPISKI RUSSISCHEN MINERALOGISCHE GESELLSCHAFT. St. Petersburg.
- SAUTERMEISTER O.—Beitrag zur Kenntniss der Diatomaceen der Umgebung Spaichingens. Jahresh. d. Ver. f. vaterl. Naturk. in Würt. Jahrg. XLIV. Württemberg 1888.
- SCHAARSCHMIDT-JSTVANFFI G.—Additamenta ad algologiam dacicam II. Mag. Növénytani Lapok. IV., n. 46, p. 129. Klausenburg 1880.
- Specimen phycologiæ æquatoriensis. Magy. Növénytani Lapok V., n. 50, p. 17. Klausenburg 1881. Hedw. Bd. XXI., p. 93, 8vo. Dresden 1882.
- Fossil Bacillariacéak Hazánkól Magy. Növénytani Lapok VI., n. 64, 65, p. 33, 8vo. Klausenburg 1882.
- Additamenta ad phycologiam, cott. Bihar et Krassó-Szörény I. Magy. Növénytani Lapok VI., n. 66, 67, p. 65. Klausenburg 1882.

SCHAARSCHMIDT-JSTVANFFI G.—Fragmenta phycologiæ Bosniaco-Serbicæ. Magy. Növénytani Lapok VII. Klausenburg 1883.

- Adatok a *Synedra ulna* (Nitzsch) Ehrb. oszlásának bővebb ismeretéhez. 1. Tabl. (Beiträge zur näheren Kenntniss der Theilung von *Synedra ulna*). Magy. Növénytani Lapok, VII., n. 76, 77, p. 49, 8vo. Klausenburg 1883. Bot. Centralbl. Bd. XVI., p. 198, Cassel 1883. J. R. M. S., vol. IV., p. 276, 8vo. London 1884. Zeitschr. f. wiss. Mikrosk. Bd. I., p. 122, 8vo. Braunschweig 1884.
- Referat über: "Prinz W. et Van Ermengem E. Recherches sur la structure de quelques Diatomées centenuées dans le Cementstein du Jutland. Ann. Soc. Belg. Microsc. t. VIII., p. 7, pl. I-IV." Zeitschr. f. wiss. Mikrosk. Bd. I., p. 609, 8vo. Braunschweig 1884.
- Algæ nonnullæ a cl. Przewalski in Mongolia lectæ et a cl. I. Maximowicz comm. enumerantur, a Dr. Julio Istvanffy. Magy. Növénytani Lapok. 8vo. Klausenburg 1886. Notar. Ann. I., p. 117, 8vo. Venezia 1886.
- Notes on Afghanistan Algæ. Journ. Lin. Soc. (Bot.) vol. XXI., p. 241, 1 plate. London 1886. Bot. Centralbl. vol. XXV., p. 263, 8vo. Cassel 1886.
- Algæ Romanicæ (ex A. Kanitz, Plantæ Romanicæ seorsim impressum).
- Algæ nonnullæ a beato E. Frivaldszky in Rumelia lectæ. Természetrajzi Füret, vol. XIII., part 2-3, 1890, p. 67-77. Budapest 1890.

SCHAARSCHMIDT J. UND TAMAS A.—Additamenta ad algologiam Dacicam. Magy. Növénytani Lapok. IV., n. 43, 44, 64, 65, 8vo. Klausenburg 1880, 1882.

SCHELL J.—Materialien zur Pflanzen-Geographie der Gouvernements Ufa und Orenburg. Sporophyta. Arb. d. Naturf. Ges. a. d. Akad. Univ. Kasan vol. XII., 8vo. Kasan 1883.

SCHIFF M.—Ueber die Skulptur des *Gyrosigma*. 1 Tafel. Arch. f. mikr. Anat. Bd. II. und III., 8vo. Bonn 1866.

- Ueber die angeblichen Sechsecke der bilateralen Diatomeen und insbesondere der *Pleurosigma angulatum*. 1 Tafel. Separatab. aus Arch. f. mikr. Anat. Bd. II., p. 291, 8vo. Bonn 1866.
- Ueber die Skulptur der Kieselschale der *Grammatophora*, mit 3 Holzschnitten. Separatab. aus Arch. f. mikr. Anat. Bd. II., p. 81, 8vo. Bonn 1866.
- Neue Untersuchungen einiger bekannter mikroskopischer Test-objecte. 3 Figs. Moleschott. Unters. z. Natur. d. Mensch. u. Thiere. Bd. IX., Heft IV., p. 836. Giessen 1864.

- SCHIBERSKY KARL JR.—Schnellverschluss mikroskopischer Präparate, welche ohne Uebertragen, in der ursprünglichen Beobachtungs-Flussigkeit, sofort eingeschlossen werden können. Zeitschr. f. wiss. Mikrosk. Bd. VI., p. 227, 8vo. Braunschweig 1889.
- SCHILLER C.—Kryptogame Excursionen wehrend des Winters im Stadtgebiete Dresdens. Sitzb. u. Abhl. de Nat. Ges. Isis., 1888, p. 5. Just, Bot. Jahrb. Referat, n. 32, p. 248, 1891.
- SCHIMPER A. J. W.—Utersuchungen über die Chlorophyllkörner und die ihnen homologen Gebilde. Jahrb. f. wiss. Bot., 8vo. Berlin 1855.
- SCHKUHR CHRISTIAN—Botanisches Handbuch Theil v., Vier und zwanzigste Klasse des Linneischen Pflanzensystems oder Kryptogamische Gewächse. Bd. I., Diatomaceen, pl. CLXVII., mit Erläuterung, n. 171-173. Leipzig 1815.
- SCHLEIDEN M.—Diatomaceen. Grundzüge der wissenschaftlichen Botanik, 8vo. Leipzig 1861.
- SCHMIDT ADOLF.—Ueber die Mittellinie, besonders der Naviculaceen. Bot. Zeit., n. 42, p. 742, 4to. Leipzig 1872.
- Ueber die Mittellinie in den Kieselpanzern der Naviculaceen. Zeitschr. f. Ges. Naturwiss. Bd. XLII., p. 217, 8vo. Halle 1874.
  - Ueber *Navicula Weissflogii* und *N. Gründleri*. 1 Tafel. Zeitschr. f. Ges. Naturwiss. Bd. XLI., p. 403, 8vo. Halle 1873.
  - Die in den Grundproben der Nordseefahrt vom 21 Juli bis 9 Sept. 1872 enthaltenen Diatomaceen. Erste Folge. Separatabdr. a. d. II^{te}. Jahresber. d. Komm. z. Untersuch. d. deutsch. Meer. Kiel. 3 Tafeln., Folio. Berlin 1874.
  - Atlas der Diatomaceenkunde in Verbindung mit den Herren Gründler, Grünow, Janisch, Weissflog und Witt. Herausgegeben von Adolf Schmidt, Archidiaconus in Aschersleben. Folio. Aschersleben 1874-93. Notices of above: Heft 21-22, J. R. M. S., vol. VI., ser. 2, p. 291, 8vo. London 1886. Heft 23-24, J. R. M. S., ser. 2, p. 1026, 8vo. London 1886. Heft 27-28, J. R. M. S., 1889, p. 428, 8vo. London 1889. Also in Bot. Centralbl. XXXVII., n. 3, p. 82, 8vo. Cassel 1889 etc.
- SCHMITZ FR.—Die Bildung der Auxosporen von *Cocconema cistula*. Ehrb. Bot. Zeit., n. 14, p. 117, 4to. Leipzig 1872.
- Ueber die Auxosporenbildung der Bacillariaceen. Aus d. Sitzungsber. Naturf. Ges. Halle, 4to. Halle 1877.
  - Beitrag zur Lehre von der Sexualität der einfachsten Organismen. Naturforscher n. 47. Berlin 1878.
  - Die Chromatophoten der Algen. Vergleichende Untersuchung über Bau und Eutwicklung der Chlorophyllkörper und analogen

- Farbstoffkörper der Algen. 1 Tafel. Verh. naturalist. Ver. preuss. Rheinl. u. Westf. Jahrg. XL. IV. Folge, Bd. X. 8vo. Bonn 1882.
- SCHMITZ FR.—Beitrag zur Kenntniss der Chromatophoren. Jahrb. f. wiss. Bot. 8vo. Berlin 1884.
- SCHNITZLEIN ADALBERTUS—Iconographia familiarum naturalium Regni Vegetabilis vol. I. Bonn 1843-46.
- SCHOCH D.—Die mikroskopischen Thiere des Süsswasser-Aquariums, 8vo. Leipzig 1868.
- SCHOMBURGH R.—Reisen in British Guiana (1840-44) [The Diatomacæ by Ehrenburg] vol. III., p. 537, 8vo. London 1878.
- SCHRANK FRANZ VON PAULA—Ueber die Oscillatorien. Abh. Bayer. Ak., 4to. München N.D.
- Fauna Boica, vol. III., pl II. Landshut 1803.
- SCHRIFTEN DER KAISERLICHEN PHYSIKAL. ÖKONOMISCHEN GESELLSCHAFT ZU KÖNIGSBERG. (Schrift. Phys. Ök. Ges. Königsb.). Königsberg....
- SCHRIFTEN DER NATURFORSCHENDEN GESELLSCHAFT ST. PETERSBURG. St. Petersburg....
- SCHUETT F.—Auxosporenbildung von *Rhisosolenia alata*. Ber. deutsch. Bot. Ges., vol. IV., p. 8, 8vo. Berlin 1886. Referat von A. Grunow. Bot. Centralbl. Bd. XXVIII., p. 4.
- Einiges über Bau und Leben der Diatomeen. Biol. Centralbl. Bd. VI., p. 257, 8vo. Erlangen 1886.
- Formation of Auxospores of Diatoms. J. R. M. S., vol. VI., ser. 2, 832, p. 268. 8vo. London 1886-88. Bot. Centralbl. Bd. VI., 1887, 8vo. Erlangen 1887.
- Ueber die Diatomeengattung *Chatoceros*. Bot. Zeit. 1880, p. 161-170, 177-184. 1 Tafel., 4to. Leipzig 1888. Hedw. 1880, p. 145, 8vo. Dresden 1888. Bot. Centralbl. Bd. XXXVI., p. 3, 8vo. Cassel 1888. J. R. M. S., p. 627, 8vo. London 1888.
- Ueber das Phycoerythrin Ber. deutsch. Bot. Ges. Bd. VI., p. 36-51. 1 Tafel., 8vo. Berlin 1888. Hedw. p. 116, 8vo. Dresden 1888. Referat in Bot. Centralbl. Bd. XXV., p. 124, 8vo. Cassel 1888.
- Ueber die Sporenbildung mariner Peridineen (Entwicklungsgang als gleichwerthig mit der Auxosporenbildung der Diatomeen). Ber. deutsch. Bot. Ges. Bd. V., p. 364, 1 Tafel., 8vo. Berlin 1888. Hedw. 1888, p. 25, 8vo. Dresden 1888. Referat in Bot. Centralbl. Bd. XXXIV., p. 3, 8vo. Cassel 1888.
- Ueber Auxosporenbildung der Gattung *Chatoceros* mit Tafel. Ber. deutsch. Bot. Ges. Bd. VI., p. 361, 8vo. Berlin 1889.
- SCHULTZE E. A.—Diatoms from Lake of Geneva. Trans. New York. Soc. vol. 1, p. 197, 8vo. New York, 1885.

- SCHULTZE E. A.—A descriptive list of the Staten Island Diatoms. Bull. Torrey Bot. Cl., vol. XIV., p. 69, 1 plate; vol. XIV., p. 109, 1 plate; vol. XVI., p. 98, 1 plate, 8vo. New York 1887-89. Notar. Ann. II., n. 8, p. 373, 8vo. Venezia 1887. Hedw. Bd. XXVIII., Heft. III., p. 202, 8vo. Dresden 1889.
- Note on a variety of *Asteromphalus Roperianus* Grev. Bull. Torrey Bot. Cl., vol. XIV., p. 96, 8vo. New York 1887.
  - *Synedra pulchella* Kuetz. var. *abnormis* Macchiati, 2 cuts. Bull. Torrey Bot. Cl. vol. XVI., n. 6, p. 164, 8vo. New York 1889.
- SCHULTZE PROF. MAX—Innere Bewegungserscheinungen bei Diatomeen der Nordsee aus den Gattungen *Coscinodiscus*, *Denticella*, *Rhizosolenia*. Müller's Archiv., p. 330, Taf. XIII., 1858. Also Phenomena of internal movements in Diatomaceæ of the North Sea, belonging to the genera *Coscinodiscus*, *Denticella* and *Rhizosolenia*. Q. J. M. S., vol. VII., p. 13, pl. II., 8vo. London 1859.
- Die Structur der Diatomaceenschale verglichen mit gewissen aus Fluorkiesel künstlich darstellbaren Kieselhäuten. 1. Tafel. Verh. d. natur. Ver. d. pr. Rheinl. Jahrg. XX., Neue Folge X. Bonn 1863. Bot. Zeit. p. 420, 4to. Leipzig 1863. Compare also on the structure of the valve in the Diatomaceæ as compared with certain siliceous pellicles produced artificially by the decomposition in moist air of Fluo-silicic acid gas. Q. J. M. S., vol. III., n. s., p. 120, pl. VIII., 8vo. London 1863.
  - Die Bewegung der Diatomeen. Aus Schultze's Arch. f. mikr. Anat. Bd. I., p. 376, Taf. XXIII., 8vo. Bonn 1865. Notice in Amer. Naturalist, vol. I., p. 441, 8vo. Salem 1868.
- SCHULZ C. F.—Verfahren der Kieselerde der Steinkohle. Mb. Berl. Ak. 1844, p. 359, 8vo. Berlin 1844.
- SCHULZ ADOLF.—An easy and simple method of resolving the finest lined balsamed Diatomaceous Tests by transmitted lamp-light, with special reference to *Amphipleura pellucida*. J. R. M. S., vol. I., p. 45, 8vo. London 1878. A. J. M., vol. IV., p. 38, 8vo. New York 1879. J. Q. M. C., p. 209, 8vo. London 1879.
- An easy and simple method of resolving the finest lined dry diatomaceous tests, mounted on cover with special reference to *Amphipleura pellucida*. J. Q. M. C., vol. V., p. 209, 8vo. London 1879, A. J. M., vol. V., 8vo. New York 1880.
- SCHUMANN J.—Die Diatomeen der hohen Tatra. 4 Taf. Verh. k. k. Zool. Bot. Ges. Wien, 8vo. Wien 1867.
- Beiträge zur Naturgeschichte der Diatomeen. Verh. k. k. Zool. Bot. Ges. Wien. Bd. XIX., p. 493, 8vo. Wien 1869.
  - Preussische Diatomeen. 7 Tafeln. Schrift. Phys. Œk. Ges. Königsb. mit 3 Nachträgen, 4to. Königsberg 1864-69.

- SCHUMANN K. UND HOLLRUNG M.—Die Flora von Kaiser-Wilhelms Land. “Nachrichten über Kaiser Wilhelm’s Land und den Bismarck Archipel.” 8vo. Berlin 1889. Bot. Centralbl. Bd. XLI., n. 8, p. 264, 8vo. Cassel 1890.
- SCHWARZ DR.—Grundproben aus den chinesischen Gewässern gesammelt von R. Rabenhorst fil. Hedw. Bd. XIII., p. 160, 2 Fig., 8vo. Dresden 1874. Auch: Ueber *Triceratium Sinense* und *T. whampoëense*. Hedw. Bd. XIII., p. 163, 8vo. Dresden 1874.
- Meeresgrundproben aus dem Kattegat bei Helsingör und von Geestemünde. Hedw. Bd. XIV., p. 49, 8vo. Dresden 1875.
- SCIENCE GOSSIP (Hardwicke’s): an illustrated medium of interchange and gossip for Students and lovers of Nature. Roy. 8vo. London 1866 et seq.
- SCIENTIFIC ENQUIRER, The: a monthly medium for the supply of information on all subjects. London and Bath 1886-8.
- SEAMAN W. H.—Mounting Media of high refractive index. A. M. M. J. vol. VII., p. 21. 1886.
- SERNAGIOTTO RAEFAELLO.—“Deby Julien. On the microscptical structure of the Diatom valve.” Notar. Ann. II., p. 270, 8vo. Venezia 1887.
- SERRES MARCEL DE.—Note sur les animalcules microscopiques renfermés dans diverses substances minerales, 8vo. Paris....
- SHADBOLT G.—On the structure of the siliceous lorice of the genus *Arachnoidiscus*. T. M. S., vol III., p. 49, pl. XI., 8vo. London 1852.
- Hints on the subject of collecting objects. (Diatoms, Desmids etc.) for microscopical examination. Q. J. M. S., vol. I., p. 17, 8vo. London 1853.
- A short description of some new forms of Diatomaceæ from Port Natal. T. M. S., vol. II., n. 1, p. 13, pl. I., 8vo. London 1854.
- A note on the proposed new genus *Actinophænia*. T. M. S., vol. II., p. 16, 8vo, and defence of do. Q. J. M. S., p. 201. London 1854.
- Presidential address to the Microscopical Society of London for the year 1858. T. M. S., vol. VI., n. s., p. 65, 8vo. London 1858.
- SHARP H.—On mounting Diatoms in lines and patterns. The Microscope, vol. III., p. 26, 8vo. Detroit 1883. Journ. Victoria Micr. Soc., 1884. A. M. M. J., vol. IV., p. 132, 8vo. Washington 1883.
- SHULTZ C. S.—Note on *Peridinium* and *Asterionella*. Journ. New York, Mic. Soc., vol. I., n. 7, p. 190, 8vo. New York 1885.
- SHRUBSOLE W. H.—On a new Diatom from the Estuary of the Thames. J. Q. M. S., ser. 2, vol. 4, p. 259, pl. XIII.
- SHRUBSOLE W. H. AND KITTON F.—The Diatoms of the London clay with

- a list of species and remarks by F. Kitton. 1 plate. J. R. M. S., vol. I., ser. 2, p. 381, 8vo. London 1881.
- SIDEBOTHAM MR.—On the preserving and mounting of Diatoms to preserve the green colour. Q. J. M. S., vol. I., n. s., p. 147, 8vo. London 1861.
- SIEBER J.—Contribution to the knowledge of Diatomaceous slate of Kutschlin, Bilin. Verh. Geol. Reichsanst. Wien 1879.
- SIEBOLD C. TH.—Einzellige Pflanzen und Thiere. Zeitschr. f. wiss. Zool. Bd. I., p. 270, 282. Leipzig 1849. Q. J. M. S., vol. I., p. 111, 195, 8vo. London 1853.
- SILVESTRI ORAZIO—Diatomee. Ricerche chimico-micrografiche sopra le Pioggie rosse e le Polveri meteoriche dela Sicilia in occasione di grandi burrasche atmosferiche. 2 Tav., 4to. Catania 1877.
- SIMKOVICZ DR—Referat über "Temosvary E. Bacillariaceae in Dacia observatae, Enumerat. II." Centralbl. Bd. I., p. 98, 8vo. Cassel 1880.
- SIMMONS W. J.—Motion of Diatoms. Sci. Gossip, 8vo. London 1885-1887.
- SITZUNGSBERICHTE der Botanischen Section der Versammlung d. russischen Naturforscher und Aerzte. Odessa....
- SITZUNGSBERICHTE der Jenaischen Gesellschaft für Medecin und Naturwissenschaft. Jena....
- SITZUNGSBERICHTE der königlichen böhmischen Gesellschaft der Wissenschaft. Prag....
- SITZUNGSBERICHTE der Naturforschenden Gesellschaft zu Halle. Halle....
- SITZUNGSBERICHTE und Abhandlungen der naturwissenschaftlichen Gesellschaft Isis. Dresden....
- SLACK J. H.—The Siliceous deposit in *Pinnularia*. M. M. J., vol. VI., p. 71, 8vo. London 1871.
- On the structure of the valves of *Eupodiscus Argus* and *Isthmia enervis*, showing that their siliceous deposit conforms to the general plan of disposition in simpler forms. 1 Fig. M. M. J., vol. VIII., p. 256, vol. IX., p. 123, 8vo. London 1874.
- On certain beaded silica films artificially formed. 2 plates. M. M. J., vol. XI., n. 66, p. 237, 8vo. London 1874.
- SMILEY CHARLES W.—Rinnböck's slide of arranged Diatoms, etc., with plate. A. M. M. J., vol. IX., n. 11, p. 199, 8vo. Washington 1888.
- SMITH PROF. H. L.—Notes on Diatomaceæ found near Gambia O., U.S. T. M. S., vol. VIII., n. s., p. 33, 8vo. London 1860.
- Spectroscopic Examination of the Diatomaceæ. Silliman's Journ. Also An. and M. N. H., vol. IV., 8vo. London 1869.

- SMITH PROF. H. L.—Conspectus of the Families and the Genera of the Diatomaceæ. Lens, vol. I., p. 1, 72, 154, 8vo. Chicago 1872. Notice in Amer. Naturalist, vol. VI., p. 318, 8vo. Salem 1872.
- The Bailey Collection of Diatomaceæ in the Museum of the Boston Society of Natural History. Lens, vol. I., p. 228, 8vo. Chicago 1872.
  - Conspectus of the Diatomaceæ. Analysis of the species of the genus *Amphora*, 3 plates. Lens, vol. II., p. 64, 8vo. Chicago 1873.
  - The siliceous shelled Bacillariæ or Diatomaceæ. Lens vol. II., p. 129, 199, 8vo. Chicago 1873.
  - On the preparation of Diatomaceæ. Lens, vol. II., p. 209, 8vo. Chicago 1873.
  - Conspectus of the Diatomaceæ, answer to Capt. Lang. M. M. J., vol. IX., p. 219, 8vo. London 1873.
  - On *Navicula crassinervis*. M. M. J., vol. XV., p. 278, 8vo. London 1876.
  - Species Diatomacearum Typicæ Studiis H. L. Smith, Geneva. New York 1874.
  - Lettre à Mons. Julien Deby. Bull. Soc. Belg. Mic., t. IV., 2 Figs., 8vo. Bruxelles 1877.
  - Description of new species of Diatoms. Amer. Q. J. M., vol. I., p. 12, pl. III., 8vo. New York 1878.
  - Sur les Diatomées. Ann. Soc. Belg. Mic. I., III. Bruxelles 1877-78.
  - Notes on Cent. I. and III. of the Specie Typicæ Diatomacearum. A. J. M., vol. II., p. 99, et vol. III., p. 183, 8vo. New York 1877-78.
  - Synopsis des Familles et des Genres des Diatomées. Traudit par le Dr. Henri Van Heurck. "Le microscope." 8vo. Anvers 1878.
  - New Diatoms. Amer. Q. J. M., vol. I., p. 12, 8vo. New York 1887. Grevillea, vol. XII., p. 54, 8vo. London 1878.
  - Réponse à la note de M. Kitton sur le *Hyalodiscus*. Brebissonia I. p. 117, 8vo. Paris 1879.
  - A few notes on Part III. Diatoms, edited by Cleve and Möller, n. 109-168, p. 100. A. J. M. vol. IV. New York 1879.
  - The siliceous shelled Bacillariæ or Diatomaceæ. Reprinted and continued in A. J. M., vol. II., vol. IV. and vol. V., 8vo. New York 1877-80.
  - Fineness of striation as a specific character of Diatoms. A. M. M. J., vol. II., p. 221, 8vo. Washington 1881.

- SMITH PROF. H. L.—Diatoms in coloured liquids. J. R. M. S., vol. II., n. s., p. 79, 8vo. London 1881.
- *Rhizosolenia Eriensis* and *R. gracilis*. Proc. Amer. Soc. Micr., pl. IV., Elmira Meeting 1882.
  - Motion of Diatoms. A. M. M. J., vol. III., p. 85, 8vo. Washington 1882.
  - Un nouveau milieu pour le montage des préparations. Journ. de Microg., p. 127, 8vo. Paris 1885.
  - Mounting media of high refractive index. A. M. M. J., p. 71, p. 161, 182, 8vo. Washington 1884-85.
  - Directions for using the stannous chloride medium in mounting Diatomaceæ. Micr. Bull., vol. II., p. 46, 8vo. Philadelphia 1885.
  - Fastening of Diatoms by heat. Journ. New York Mic. Soc., vol. I., n. 5, p. 123, 8vo. New York 1885.
  - Contribution to the Life-History of the Diatomaceæ. 2 Coloured plates. Proc. Amer. Soc. Micr. (Part I.). 1886-87. Also : Contribution à l'Histoire Naturelle des Diatomées. Pt. I. Journ. de Microg., vol. XII., n. 1, p. 22, n. 16, p. 507, vol. XIII., n. 1-4, p. 21, 49, 84, 120, n. 10, p. 308 (Translated from Amer. Proc. Soc. Mic.) 8vo. Paris 1888-89.
  - New high refractive media. Journ. New York Mic. Soc., vol. II., p. 75, 8vo. New York, 1886. J. R. M. S., vol. VI., ser. 2, p. 901, 8vo. London 1886.
  - Newer mounting medium of high refractive index. A. M. M. J., vol. VII., p. 3, 8vo. Washington 1886. J. R. M. S., vol. VI., ser. 2, p. 358, 8vo. London 1886.
  - Directions for using high refractive mounting media. The Microscope, vol. VII., p. 308. Detroit 1887. J. R. M. S., p. 1063, 8vo. London 1887. Bot. Centralbl. Bd. XXXVII., n. 2, p. 46. Cassel 1887.
  - A contribution to the Life History of the Diatomaceæ. Pt. II., 6 plates and several woodcuts. Proc. Amer. Soc. Micr. 10th Ann. Meet. at Pittsburgh Pa., 8vo. Peoria, Ill. 1888.
- SMITH PROF. JAMES EDWARD—English Botany, vol. XXIII., XXV.-XXVII., 8vo. London 1808.
- Monochromatic Light in the study of Diatoms. M. M. J., vol. X., p. 158, 8vo. London 1873.
- SMITH J. EDWARDS—The study of "difficult" Diatoms. Amer. Naturalist, vol. VI., p. 444, 8vo. Salem 1872.
- SMITH T. F.—On Diatom structure. J. Q. M. C., vol. III., ser. 2, p. 125,

- 161, 163, 1 plate, 8vo. London 1887. J. R. M. S., p. 94, 8vo. London 1888.
- SMITH T. F.—On *Arachnoidiscus* as a new test for high power objectives. J. Q. M. C., vol. III., ser. 2, p. 247, 8vo. London 1887. J. R. M. S., p. 815, 8vo. London 1888.
- On true and false images in microscopy. J. Q. M. C., vol. III., ser. 2, p. 267, 8vo. London 1888.
- On the structure of the valve of *Pleurosigma*. J. Q. M. C., vol. III., ser. 2, p. 301. 1 plate, 8vo. London 1889. J. R. M. S., p. 566, 8vo. London 1889.
- On the Abbé diffraction plate (*Pleurosigma angulatum*). Q. J. M. C., vol. IV., ser. 2, n. 25, p. 5, 8vo. London 1889.
- Ultimate structure of the *Pleurosigma* valve. J. R. M. S., p. 812, 8vo. London 1889.
- SMITH REV. WILLIAM—On deposits of diatomaceous earth found on the shores of Lough Mourne, Co. Antrim, with a record of species living in the waters of the Lake. A. and M. N. H., vol. VII., ser. 2, 8vo. London 1850.
- Notes on Diatomaceæ, with descriptions of British species included in the genera *Campylodiscus*, *Surirella*, *Cymatopleura* 3 plates. A. and M. N. H., vol. VII., ser. 2, 8vo. London 1851.
- Notes on the Diatomaceæ with descriptions of British Species included in the genus *Pleurosigma*. 2 plates. A. and M. N. H., vol. IX., ser. 2, 8vo. London 1852.
- Notes of an excursion to the south of France and the Auvergne, in Search of Diatomaceæ. 1 plate. A. and M. N. H., vol. XV., ser. 2, 8vo. London 1855.
- On the determination of species in the Diatomaceæ. Q. J. M. S., vol. III., p. 130, 8vo. London 1855.
- Synopsis of the British Diatomaceæ, with remarks on their structure, functions and distribution and instructions for collecting and preserving specimens. 2 vols., 69 plates, by Tuffen West. 8vo. London 1853 and 1856.
- Notes of an excursion to the Pyrenees in search of Diatomaceæ. 2 plates. A. and M. N. H., vol. XIX., ser. 2, 8vo. London 1858.
- List of British Diatomaceæ in the collection of the British Museum. 12mo. London 1859.
- SMITHSONIAN CONTRIBUTIONS TO KNOWLEDGE. Washington....
- SOCIÉTÉ PHILOMATIQUE DE PARIS. Paris....
- SOLLAS W. J.—Cutting sections of Diatoms. The Microscope, vol. IV., n. 6, p. 139, 8vo. Detroit 1884. Zeitschr. f. wiss. mikrosk. Bd. I., p. 624, 8vo. Brannschweig 1884.

- SOLLITT J. D.—On the measurement of the striæ of Diatoms. Q. J. M. S., vol. VIII., p. 48, 8vo. London 1860.
- SOLLITT J. D. AND HARRISON R.—On the Diatomaceæ found in the vicinity of Hull. Q. J. M. S., vol. II., p. 61, 8vo. London 1854.
- SOMERVILLE MARY—Diatomaceæ. Molecular and Microscopic Science, 2 vols., 8vo. London 1869.
- SONNTAG HERR—Ueber die Diatomeen der Umgegend von Wüste-Waltersdorf und ihre Beziehungen zu den geographischen Verhältnissen den Eulengebirges. Ber. Bot. Sect. Schles. Ges. väterl. Cult. p. 258. Breslau 1887.
- SORBY H. C.—On the Abbé Count Castracane's Photographs of Nobert's 19th Band. M. M. J., vol. XVI., 8vo. London 1876.
- SOUBEIRAN J. LEON—Diatomaceæ. Essai sur la matière organisée des sources sulfureuses des Pyrénées, 2 planches, 8vo. Paris 1858.
- SPAMER DR. ALBERT—Die Diatomaceen von Düren und Umgegend. Jahrshb. d. Evangel. Realprog. Düren ü Schuljahr. von Ostern 1887-88, 4to. Düren 1888.
- SPRAWOZDAN KOMISYI FIZYJOGRAFICZNEJ AKAD. Kraukau....
- STANLEY F. F.—Collection of Photographs of Diatoms (of Möller's Diatomaceen Typen-Platten etc.) Swampscott Mass.
- STARING W. C. H.—Mikroskopische Wezens der Zeebezinkingen. Afgedrukt uit het 1ste Deel van den Boden van Nederland, 8vo. Haarlem 1856.
- STEPHENSON J. W.—Observations on the optical appearances presented by the inner and outer layers of *Coscinodiscus* when examined in bisulphide of Carbon and in air. M. M. J., vol. X., pl. XXI., 8vo. London 1873.
- On mounting objects in Phosphorous and in a solution of bi-iodide of Mercury and iodide of Potassium. J. R. M. S., vol. II., ser. 2, p. 163, 8vo. London 1884.
  - Phosphorus mounts. J. R. M. S., vol. IV., ser. 2, p. 475, 8vo. London 1884. Zeitschr. f. wiss. Mikrosk. Bd. I., p. 620, 8vo. Braunschweig 1884.
  - On "central" light in resolution. J. R. M. S., vol. VI., ser. 2, p. 37, 8vo. London 1886.
- STIEBEL DR. S. F.—Die Gundformen der Infusorien in den Heilquellen nebst allgemeinen Bemerkungen über die Entwicklungen derselben. Heft. I. 1 Tafel., 4to. Frankfurt a. M. 1841.
- STIMPSON W. M. D.—On the question whether Diatoms live on the sea bottom at great depths. A. and M. N. H., vol. XII., ser. 3. 8vo. London 1863.

STIZENBERGER DR. ERNST—Dr. Ludwig Rabenhorst's Algen Sachsens resp. Mitteleuropa's, Dec I-C. Systematisch geordnet. Mit. Zugrundelegung eines neuen Systems, 8vo. Dresden 160.

STODDER CHARLES—On slides of Diatomaceæ mounted by E. Samuels for the Boston (U.S.) Society of Natural History, and presented to the Microscopical Society of London. T. M. S., vol. IX., n. s., p. 25, 8vo. London 1861

- On the structure of the valve of the Diatomaceæ. Q. J. M. S., vol. III., n. s., p. 214, 8vo. London 1863.
- On diatomaceous earth of Randolph Mass. Proc. Boston Nat. Hist. Soc., vol. IX., p. 2, 8vo. Boston 1862. Q. J. M. S., vol. IX., n. s., p. 242, 8vo. London 1864.
- Note on *Rhabdonema mirificum*. Proc. Boston Soc. Nat. Hist., p. 101, 8vo. Boston 1865.
- Report upon the collection of Diatomaceæ from the Alpine summits of the White Mountains of New Hampshire. Proc. Boston Soc. Nat. Hist., p. 75, 8vo. Boston 1867.
- On Infusorial earth from Peru. Proc. Boston Soc. Nat. Hist. 1866, p. 75, 8vo. Boston 1867.
- Des microscopes modernes et du Test ou lame d'épreuve de Nobert (Traduit de l'American Naturalist, d'avril 1868). Ann. Soc. Phyt. et Micr. d. Belg., vol. I., p. 189-200, Livr. XIII-XIV., 8vo. Anvers 1868. Also original as Noberts Test Plate and Modern Microscopes. Q. J. M. S., vol. VIII., p. 131-138. London 1868.
- American microscopes and their merits. Amer. Naturalist, vol. IX., n. 7, 8vo. New York 1870.
- The structure of *Eupodiscus Argus*. Lens vol. II., p. 29, 5 Figs., 8vo. Chicago 1873.
- Remarks on *Eupodiscus Argus*. M. M. J., vol. IX., p. 186, 288, 8vo. London 1873.
- Remarks on the locality of the Bermuda tripoli. M. M. J., vol. XIV., p. 265, 8vo. London 1875.
- On *Frustulia saxionica*, *Navicula rhomboides* and *Navicula crassinervis*. M. M. J., vol. XV., p. 265, 8vo. London 1876.
- A contribution to microgeology (Diatoms of Richmond Va.). Proc. Boston Soc. Nat. Hist., vol. XVIII. Boston 1875-76.
- An American Infusorial stratum. Proc. Boston Soc. Nat. Hist. Boston 1876. M. M. J., vol. XVI., p. 219, 8vo. London 1876.
- Notes on Diatomaceæ from Santa Monica, California. A. J. M., vol. IV., 8vo. New York, 1878.

- STODER CHARLES.—New Diatoms. A. M. M. J., vol. IV., n. 3, 8vo. Washington 1879. J. R. M. S., p. 937, 8vo. London 1879.
- Notes sur les Diatomées de Tampa Bay, Floride. Journ. Microg. vol. VII., 8vo. Paris 1883.
- On *Heliopelta*. Sci. Gossip, vol. XIX., p. 16, 8vo. London 1883.
- STOHR EMIL.—Die Radiolarien Fauna der Tripoli von Grotte Provinz Girgenti in Scilien. Palæontographica N. F., VI. 4 (XXVI), 4to.
- STOKES T. G.—Hints on the mounting of Diatomaceæ. Q. J. M. S., vol. II., n. s., p. 202, 8vo. London 1862.
- On cleaning Diatoms. Q. J. M. S., vol. VII., n. s., p. 222, 8vo. London 1867.
- Some remarks on Dr. Donkin's recent paper on Diatomaceæ. Q. J. M. S., vol. IX., n. s., p. 401, 8vo. London 1869.
- STOLTERFOTH H., M.D.—List of Diatomaceæ found in Chester District and Curn Bychan. 1874.
- On a new species of the genus *Encampia* (*E. striata*). J. R. M. S., vol. II., p. 835, 8vo. London 1879.
- On a simple method of cleaning Diatoms. J. Q. M. C., vol. VI., p. 95, 122, 8vo. London 1880.
- On the Diatomaceæ in the Llyn Arenig Bach deposit. J. R. M. S. vol. III., p. 913, 8vo. London 1880.
- On a new species of *Hydrosera* Wall. J. R. M. S., vol. I., n. s., p. 424. 2 Figs., 8vo. London 1881.
- Report on the marine Diatomaceæ of the Liverpool Marine Biological Committee's District. Second Rep. Fauna Liverpool Bay., 8vo. Liverpool 1889.
- STONEY MR.—Intervals between the markings of Diatoms. Q. J. M. S., vol. VII., n. s., p. 235-237, 8vo. London 1867.
- STOWELL C. H.—Our new one-fiftieth (1/50th) objective. The Microscope, vol. III., p. 14, 8vo. Detroit 1883.
- STOWELL C. H. AND L. A.—Beads of *Amphipleura pellucida*. The Microscope, vol. V., p. 91, 8vo. Detroit 1885.
- STRASBURGER PROF. E.—Das Botanische Practicum. Anleitung zum Selbst-studium der mikroskopischen Botanik für Anfänger und Geübtere. Zugleich ein Handbuch der mikroskopischen Technik. Mit 193 Holzschnitten. Zweite umgearbeitete Auflage., 685 pp., 8vo. Jena 1887.
- STRASBURGER PROF. E. AND HILLHOUSE PROF. W.—Handbook of Practica Botany for the Botanical Laboratory and private student. Revised by the author, and with many additional notes by the author and editor. 426 pp., 8vo. London 1887.

- SRTIE, The Diatoms on the "Möller Probe-Platte." A. M. M. J., vol. VI., n. 12, p. 234, 8vo. Washington 1885.
- STROESE K.—Das Bacillarienlager bei Klieken in Anhalt. 2 Tafeln. Festscher. z. XXXVII., Versamml. deutsch. Philog. u. Schul män. z. Dessau. Okt. 1-4. Dessau 1884.
- Mittheilung über das Diatomeenlager bei Klieken in Anhalt, n. II., 4to. Dessau 1891. IX. Jahresbericht Friedrichs-Realgymnasiums für das Schuljahr 1890-1891.
- STUDNICCKA F.—Beitrag zur Kenntniss der bötinischen Diatomeen. Verh. k. k. Zool. Bot. Ges. Wien. Bd. XXXVIII., p. 735, 8vo. Wien 1888.
- STUMP E. C.—On a deposit of Diatomaceous earth at Loch Kinnord, Aberdeenshire. Trans. Manchester Mic. Soc. Nov. 1, 1888, 8vo. Manchester 1888.
- STURT G.—M. S. Catalogue of the Diatomaceæ. 11 vols., 4to. (M.S.), in the possession of Julien Deby. Copy of Habirshaw.
- SULLIVANT W. S. AND WORMLEY T. G.—On the measurement of the striæ of Diatoms. A. J. S., 8vo. New Haven 1859.
- On Noberts Test plates and the striæ of Diatoms. Q. J. M. S., vol. I., n. s., p. 112, 8vo. London 1861. A. and M. N. H., vol., XII., ser. 3., 8vo. London 1861.
- SURINGAR, WILLEM FREDERICK REINIER—Dissertatio Botanica inauguralis continens observationes phycologicas in Floram Batavam (Diatomaceæ, p. 62), 8vo. Lewardia 1857.
- Algæ Japonicæ musei botanici Lugduno-Batavi (Diatomaceæ, pp. 3-17, 2 Tab.), 4to. Harlemi 1870.
- SUTHERLAND DR.—Journal of a voyage to Baffin's Bay and Barrow Straits, pp. 195-199., 8vo. 1850-51.
- SYDOW P.—Anleitung zum Sammeln der Kryptogamen. Struttgart 1886. Bot. Centralbl. Bd. XXV., p. 253, 8vo. Cassel 1886.
- SYPIIEWSKI F.—Okrzemki (Diatomaceæ) okolic Poznania etc., 5 Tabl. Jahrb. Posen Ges. Freunde d. Wiss. Bd. I., p. 493, 8vo. Posen 1860.
- TABLET, The. New York....
- TARÁNEK K. J.—Rozsivky (Diatomaceæ). 40 woodcuts, 8vo. Praze 1878.
- Systematische Uebersicht der Diatomeen der Torfmoore von Hirschberg und Umgebung. Sitzungsber. böhm. Ges. d. Wiss. 9. Mai 1879. 2 Tafeln. Prag 1879.
- Ueber die Süßwasser-Diatomeen aus den tertiären Schichten von Warnsdorf in Böhmen. Sitzungsber. böhm. Ges. d. Wiss. 26

- Nov. 1890. 1 Tafel. Prag 1881. J. R. M. S., vol. I., ser. 2, p. 931, 8vo. London 1881.
- TAYLOR B.—The character and distribution of the Diatomaceæ. Trans. Cumberland Ass. for Advanc. Lit. and Sci. Pt. V. (read at Whitehaven). N. D.
- TAYLOR G. H.—Diatoms and Bladderwort. Sci. Gossip, 1885, p. 164, 8vo. London 1885.
- Water washed Diatoms. Proc. Amer. Soc. Mic. 1885, p. 207. J. R. M. S., vol. VI., ser. 2, p. 550, 8vo. London 1886.
  - Cleaning Diatomaceous mud. Bull. Torrey Bot. Club, vol. XIV., p. 141, 8vo. New York 1887. J. R. M. S., vol. VII., p. 844, 8vo. London 1887.
  - Cleaning Diatoms from marine muds. Proc. Amer. Soc. Mic. 1885, p. 208. J. R. M. S., vol. VI., ser. 2, p. 550, 8vo. London 1886. Micr. Bull. Dec. 1887, p. 45, 8vo. Philadelphia 1887.
  - Notes on Diatoms. Bull. Torrey Bot. Club, vol. XIV., p. 141, 8vo. New York 1887.
- TAYLOR RICHARD—Scientific Memoirs from Transactions of foreign Academies, vol. I., pt. 3, 8vo. London 1837. Vol. III., pt. 10, 8vo. London 1842. Vol. III., pt. 11, 8vo. London 1843.
- TEMPÈRE J.—Les genres des Diatomées connues séries de préparations microscopiques. Journ. Microg. Ann. XII., p. 226, 8vo. Paris 1887.
- Le Diatomiste, 4to, plates. Paris 1890 et seq.
  - Nomenclature des Diatomées (*Coscinodiscus*). Le Diat. vol. I., p. 8.
  - Diatomées et Diatomophiles. Le Diat., vol. I., p. 13.
  - Recherche et récolte des Diatomées. Le Diat., pp. 25, 37, 41, 45, vol. I.
- TEMPÈRE J. et PERAGALLO H.—Les Diatomées du monde entier. Exsiccata Revue de, dans Journ. Microg. Ann. XIII., n. 5, pp. 147, 388, etc. 8vo. Paris 1889-1890.
- TEMPÈRE J. ET PETIT PAUL—Les Diatomées de France en préparations microscopiques. Exsiccata continué par Tempère et Peragallo. Paris 1887-91.
- Diatomées de France, Notice, in Journ. Microg., p. 357, etc., 8vo. Paris 1889-90.
- TERBECQ F. de.—Mounting Diatoms. M. M. J., vol. V., p. 276, 8vo. London 1871.
- TERRY WILLIAM A.—Cleaning Diatoms and notes on Diatom Study. A. M. M. J., vol. VIII., n. 3, p. 44, n. 4, p. 49, 8vo. Washington 1887. J. R. M. S., p. 676, 8vo. London 1887.

- TERRY WILLIAM A.—Notes on Diatoms and other algæ of New Haven Harbour and adjacent waters. A. M. M. J., vol. IX., p. 225, 8vo. Washington 1888. Bull. Torrey Bot. Club, vol. XVI., p. 33, 8vo. New York 1889.
- Motions of certain Diatoms and Oscillatoria. A. M. M. J., vol. X., p. 81, 8vo. Washington 1889. Notice in J. R. M. S., pt. 4, p. 566, 8vo. London 1889.
- A search for Diatoms in Boston Harbour in September 1889. A. M. M. J., vol. XI., p. 35, 8vo. Washington 1890.
- THALHEIM HERR—Modelle von Bacillarien. Jahresb. Schles. Ges. vaterl. Cult., p. 129. Breslau 1877.
- THISELTON-DYER W. E.—Tabasheer. Nature, vol. XXXV., p. 396, 4to. London 1887.
- THOMAS B. W.—Resolving *Amphipleura pellucida* with central light. The Microscope, vol. III., p. 9, 8vo. Detroit 1883.
- THOMAS B. W. AND CHASE H. H.—Diatomaceæ of Lake Michigan, as collected during the last 16 years from the Water Supply of the City of Chicago. Presented to the State Nat. Hist. Soc. of Illinois. May 14, 1886, 8vo. Chicago 1886. Notar. Ann. II., p. 328, 8vo. Venezia 1887.
- THOMSON C. WYVILLE—Preliminary notes on the nature of the Sea bottom procured by the Soundings of H.M.S. "Challenger" during her cruise in the Southern Sea in the early part of the year 1874. 5 plates. Proc. Roy. Soc. Lond., vol. XXIII., n. 156, p. 32, 8vo. London 1874.
- THORE J.—Diatomées des environs de Salies-de-Béarn. Bull. Soc. de Borda à Dax. VI. Trim. 2, p. 163. Dax 1881.
- THRELFALL MR.—Fixing arranged Diatoms and Sections. A. M. M. J., vol. VI., p. 233, 8vo. Washington 1885.
- THUM E.—Ueber das Sammeln von Diatomeen auf Salzigen Gebiete. Natur n 43, N. F. p. 537. Halle 1880.
- THWAITES G. H. K.—On the conjugation in the Diatomaceæ, 2 papers. A. and M. N. H., vol. XX., ser. 1, t. IV. and XXII., C-D, 8vo London 1847.
- Further observations on the Diatomaceæ, with descriptions of new genera and species, 2 plates. A. and M. N. H., vol. I., ser. 3, 8vo. London 1848.
- THWAITES GEORGE H.—The Infusorial Earth near Socorro New Mexico. Miner. Res. U.S. for calendar year 1886, Dept. of Int. Geol. Surv. p. 587, 8vo. Washington 1887.
- TOMASCHEK PAUL.—Über das Entwicklungsgesetz der Diatomaceen. Bot. Zeit. Jahrg. XXXI., n. 18, p. 274, 4to. Leipzig 1873.

- TOEMOESVARY O.—Bacillariaceæ in Dacia observatæ. Magyar Növénytani Lapok n. 34, n 38, 1880, p. 17-20. Hedw. Bd. XV., p. 60, 8vo Dresden 1881. Brebissonia II. (1880), p. 94, 8vo. Paris 1880.
- TOOME BRIDGE DIATOMACEOUS DEPOSIT.—Proc. Belfast Nat. Field Club, vol. I., ser. 2, 2 plates, 8vo. Belfast 1881.
- TORNABENE F.—Determinazione di tre Alghe ritrovate nelle acque idrogassose sulfuree di S. Venera del Pozzo presso Acireale in Sicilia 1875.
- TRANSACTIONS and Proceedings of the Botanical Society of Edinburgh. Edinburgh....
- TRANSACTIONS and Proceedings of the New Zealand Institute. (Trans. N. Z. Inst.) Wellington....
- TRANSACTIONS of the Cumberland Association for the Advancement of Literature and Science.
- TRANSACTIONS of the Dublin Geological Society. Dublin....
- TRANSACTIONS of the Eastbourne Natural History Society. Eastbourne....
- TRANSACTIONS of the Edinburgh Naturalist's Field Club. Also later under title of "Transactions of the Edinburgh Naturalist's Field Club and Microscopical Society. Edinburgh....
- TRANSACTIONS of the Geological Society of Edinburgh. Edinburgh....
- TRANSACTIONS of the Hertfordshire Natural History Society. Hertford....
- TRANSACTIONS of the Leeds Naturalist's Club. Leeds.
- TRANSACTIONS of the Linnean Society. London.
- TRANSACTIONS of the Manchester Microscopical Society. Manchester....
- TRANSACTIONS of the Microscopical Society of London (T. M. S.). London....
- TRANSACTIONS of the Middlesex Natural History Society. London....
- TRANSACTIONS of the Natural History Society of Glasgow. Glasgow....
- TRANSACTIONS of the Norfolk and Norwich Natural History Society. Norwich....
- TRANSACTIONS of the Penzance Natural History and Antiquarian Society. Plymouth....
- TRANSACTIONS of the Royal Microscopical Society (T. R. M. S.). London....
- TRANSACTIONS of the Royal Society. London....
- TRANSACTIONS of the Royal Society of Victoria. Melbourne....
- TRANSACTIONS of the Tyneside and Durham Natural History Society.
- TROTTER MR.—The Diatoms of the Tay. Proc. Perth. Soc. Nat. Hist., vol. I., pt. V., 8vo. Perth 1884-86.
- TRUAN Y LUARD ALFREDO—Ensayo sobre la Synopsis de las Diatomeas de Asturias. 2 parts, 4 pls., Ann. Soc. Espan. Hist. Nat., p. 3057,

8vo. Madrid 1882-85. Zeitschr. f. wiss. Mikr., vol. III., p. 273. Braunschweig 1886.

TRUAN Y LUARD ALFREDO—Mounting Diatoms. J. R. M. S., vol. VI., ser. 2, 1886, p. 1079, 8vo. London 1886.

TRUAN Y LUARD ALFRED UND WITT OTTO N.—Die Diatomaceen der Polycistinenkreide von Jeremie in Hayti, West Indien. 7 Tafeln, 4to. Berlin 1888. Journ. Microg. Ann. XII., n. 5, p. 162, 8vo. Paris. Bot. Centralbl. Bd. XXXVI., p. 225, 8vo. Cassel 1888.

TULK J. A.—On Cleaning and preparing Diatoms. T. M. S., vol. XI., n. s., p. 480. London 1863.

TURNER W. BARWELL—The Algæ of Strensall Common. 1 plate. The Naturalist, 8vo. 1888.

— Notes on freshwater Algæ with description of new species. 1 Plate. Trans. Leeds Nat. Club, 1886, p. 33, 8vo. Leeds 1886.

TURPIN P.—Organographie végétale, observations sur quelques végétaux microscopiques et sur le rôle important que leurs analogues jouent dans la formation et l'accroissement du tissu cellulaire. Extrait de. Mém. d. Muséum, 4to. Paris 1827.

— Observations sur le nouveau genre *Survirella*. Mém. d. Muséum d'Hist. Nat. t. XVI., p. 362, 4to. Paris 1828.

— Aperçu organographique sur le nombre deux, considéré comme multiplicateur de 4, 8, 16, 32. et 64, dans la structure de végétaux d'un ordre inférieur. Mém. d. Muséum d'Hist. Nat., 4to. Paris 1828.

— Analyse ou étude microscopique des differents corps qui peuvent accidentellement se trouver dans la pâte translucide des silex. 2 planches. Ann. Sci. Nat. 8vo. Paris 1837.

TYPEN UND PROBE-PLATTEN, Notice of J. D. Micr. News, p. 210, 8vo. London 1883.

UNGER PROF. FRANZ.—Diatomaceen. Mikroskopische Untersuchung des atmosphärischen Staubes von Gratz. 5 Tafeln. Sitzungsber. d. k. Akad. d. Wiss. Wien. Wien 1849.

— Beobachtung einer neuen Art von *Gomphonema* (*G. viride*). 1 Tafel. Mikrosk. Beobacht. vol. XVIII., pt. II., p. 709, 4to.

UNTERSUCHUNGEN aus dem Botanischem Institut zu Tübingen. Tübingen

....

UNTERSUCHUNGEN zur Naturlehre d. Menschen und d. Thiere. Giessen....

VAHL W. B.—Diatoms in Infusorial Earth being absorbed by roots of Corn. Q. J. M. S., 8vo. London 1876. M. M. J., vol. XVI., p. 156, 8vo. London 1876.

- VAILLANT LÉON.—De la fécondation dans les Cryptogames (Thèse), 8vo. Paris 1863.
- VAN BRUNT C.—Removing air from Diatoms. A. M. M. J., IV., p. 39, 8vo. Washington 1884.
- Preparation of *Bacillaria paradoxa*. A. M. M. J., p. 60, 8vo. Washington 1884.
  - Dr. Van Heurck's Photographs of Diatoms. Journ. New York Mic. Soc., vol. I., n. 7, p. 187, 8vo. New York 1885.
- VAN DEN BROECK E.—Sur les Diatomées recueillies dans l'Escaut à Anvers par Ehrenberg. Ann. Soc. Belg. Mic. tom. IV. Bruxelles 1877-78.
- Mélanges de Microscopie. Ann. Soc. Belg. Micr., 8vo. Bruxelles 1878.
  - Remarques sur la note de M. Van Heurck sur l'*Amphipleura pellucida*. Bull. Soc. Belg. Micr. t. XI., p. 67. Bruxelles 1884.
- VAN DER SANDE LACOSTE C. M. EN SURINGAR W. F. R.—Nieuw Beschrevene en voor onze flora nieuwe zoetwaterwiesen, verzameld in Drenthe, 9-20 Julij 1859. 1 Platt. Overgedrukt uit het Verslag van der Vergadering der Vereinigung voor de Flora v. Nederl. eng. 28 Julij 1860. Nederl. Kruidkundig Archief 5de Deel. 2de Stuk. 8vo. Amsterdam 1860.
- VAN ERMENGEM E.—Rapport sur le mémoire de Mr. J. Hogg, relatif aux mouvements des Diatomées. Bull. Soc. Belg. Micr., vol. IX., p. 37. Bruxelles 1882-83.
- Résumé du Travail de MM. Prinz et Van Ermengem sur la structure de quelques Diatomées du Cementstein du Jutland. Bull. Soc. Belg. Micr. tab. IX., p. 50, 8vo. Bruxelles 1886.
  - Resolution de l'*Amphipleura*. Journ. Microg., 8vo. Paris 1884.
  - Discussion sur la structure de quelques Diatomées contenues dans le Cementstein du Jutland avec MM. Prinz, Errera, Grunow, Francotte, etc. Ann. Soc. Belg. Micr. t. X., p. 79, 8vo. Bruxelles 1885.
- VAN HEURCK PROF. DR. HENRI.—Notice sur un nouvel objectif à immersion et à correction construit par E. Hartnack, suivi de recherches sur le *Navicula affinis*. Annal. Soc. Phytol. d'Anvers. t. I.—Liv. I., p. 11, 1 Planche, 8vo. Anvers 1864.
- Le nouvel objectif $\frac{1}{3}$ à immersion dans l'essence de Cedre de M. Carl Zeiss. Bull. Soc. Belg. Micr. Bruxelles 1877.
  - Le microscope, sa construction, son maniement et son application à l'Anatomie végétale et aux Diatomées. Ed. III., Avec 12 planches et 170 Figures dans le Texte, 8vo. Bruxelles 1878.
  - Le microscope appliqué à l'étude des Diatomées, avec le Synopsis

des Familles et des genres des Diatomées. Par le Prof. H. L. Smith. Geneva N. Y. Traduit par le Dr. Henri Van Heurck, 8vo. Anvers 1878.

VAN HEURCK PROF. DR. HENRI—Recherches des Diatomées. Brebissonia. Ann. I., n. 2, 3, 6, p. 19, 34, 8vo. Paris 1878.

- Synopsis des Diatomées de Belgique. 1 vol., 8vo, et 141 Planches, 8vo. Anvers 1880-85.
- Note sur les objectifs à immersion homogène. Formules de nouveaux liquides propres à cette immersion. Proc. Verb. Soc. Belg. Micr. Séance du 25 Nov. 1881. Bruxelles 1881.
- La lumière électrique appliqué eaux recherches de la micrographie. Proc. Verb. Soc. Belg. Micr. Séance du 25 févr. 1882, 8vo. Bruxelles 1882. Ditto Ed. 2. Journ. Microg. 1883, 8vo. Paris 1883. Ditto. Northern Microscopist p. 141, 8vo. London 1882.
- De l'emploi du Styrax et du Liquidamber en remplacement du daume de Canada. Bull. Soc. Belg. Micr. t. IX., p. 133, et t. X., p. 178. Bruxelles 1882-83.
- Table alphabétique des noms génériques et spécifiques et des synonymes contenus dans l'Atlas des Diatomées de Belgique, 8vo. Anvers 1884.
- Types du Synopsis des Diatomées de Belgique. Serie I.-XXII., Exsiccata. Anvers 1884 et seq. Bot. Centralbl. Bd. XXXIII., p. 323, etc.
- Note sur la resolution en perles de l' *Amphipleura pellucida* Kuetz. et sur la natur réelle des stries des Diatomées. Bull. Soc. Belg. Micr. tab. XI., n. II., p. 63, 8vo. Bruxelles 1884. Journ. Microg. t. VIII., n. 12, p. 633, 8vo. Paris 1884. J. R. M. S., vol. IV., s. 2, p. 971, 8vo. London 1884.
- Structures microscopiques de la valve des Diatomées. Bull. Soc. Belg. Micr. t. XI., n. II., p. 71, 8vo. Bruxelles 1884-85.
- Les perles de l' *Amphipleura pellucida*. Journ. Microg. t. IX., n. 3, p. 129, 8vo. Paris 1885. Also Beading *Amphipleura*. A. M. M. J., vol. VI., n. 2, p. 32, 8vo. Washington 1885.
- The Diatomoscope—true nature of the striæ of Diatoms. Engl. Mechan., vol. XL., p. 365, 452, 8vo. London 1885. Guide Scientif. Journ. d'Amat. d. Sci. Bruxelles (n. 18). Bruxelles 1885.
- Photograph of *Amphipleura pellucida*. Journ. New York Mic. Soc., vol. I., n. 4, p. 102, 8vo. New York 1885.
- Structure of the Diatom valve. J. R. M. S., vol. V., s. 2, p. 498, 8vo. London 1885.
- Nouvelle préparation du medium à haut indice (2.4) et note sur le

liquidam. Bull. Soc. Belg. Micr. t. XIII., 1886, p. 20. Bruxelles 1886-87.

VAN HEURCK PROF. DR. HENRI.—Notice sur une série de photomicrogrammes faits en 1886. Bull. Soc. Belg. Micr. bar. vol. XIII., p. 5. Bruxelles 1886-87.

— Silvering Diatoms. Engl. Mechan. XLII., p. 548, 4to. London 1886. J. R. M. S., vol XI., ser. 2, p. 900, 8vo. London 1886.

— Comparateur à employer dans les recherches microscopiques. Bull. Soc. Belg. Micr. t. XIII., p. 76, 8vo. Bruxelles 1886-87.

— Les apochromatiques jugés en Amérique. Journ. Microg. t. XII., n. 14, p. 489, 8vo. Paris 1888.

— Les nouveaux objectives apochromatiques de M. Reichert. Bull. Soc. Belg. Micr. t. XIV., n. 9, p. 154, 7vo. Bruxelles 1888.

— La nouvelle combinaison optique de Zeiss et les perles de l'*Amphipleura*. Bull. Soc. Belg. Micr. t. XV., p. 69, 8vo. Bruxelles 1889. Journ. Microg. t. XIII., p. 527, 8vo. Paris 1889. Also, New objective with 1.63 N. A. J. R. M. S., p. 91, 8vo. London 1890.

— Les derniers progrès de l'éclairage électrique appliqués à la micro- et à la photomicrographie. Bull. Soc. Belg. Micr. t. XV., 8vo. Bruxelles 1889.

— *Pleurosigma angulatum*. Bull. Soc. Belg. Micr. Ann. XVI., n. 1-3, p. 10, 8vo. Bruxelles 1890. J. R. M., 1890, p. 479.

— *Amphipleura pellucida* and *Pleurosigma angulatum*, Photomicrographs of. J. R. M. S., p. 103, 8vo. London 1890.

— Structure of Diatom valves. 2 plates. J. R. M. S., p. 104, 8vo. London 1890.

— La nouvelle combinaison optique de MM. Zeiss et la structure de la valve des Diatomées, 8vo. Anvers 1890. *Vide* Le Diat., vol. I., p. 39.

VAN TIEGHEM PH.—Traité de Botanique, 8vo. Paris 1884 et seq.

VAUCHER JEAN PIERRE—Histoire des Conferves d'eau douce, pp. 244-245, Plates. 4to. Genève.

VERHANDELINGEN Natuurk. en Matem. d. Kon. Nederland. Akad. v. Wetenschap. Amsterdam....

VERHANDLUGEN der k. k. Zoolog. Botan. Gesellschaft. Wien....

VERHANDLUNGEN der Leopold-Carolin. Deutschen Akademie d. Naturforscher. Halle a. S....

VERHANDLUNGEN der Russisch.naturforschenden Versammlung. Kiew....

VERHANDLUNGEN des Geologischen Reichsanstalt. Wien....

VERHANDLUNGEN des naturforschenden Vereins. Wien....

VERHANDLUNGEN des naturhistorischen Vereins des Preussischen Rheinlandes. Bonn....

- VIDENSKAB. Meddelelser. fra d. Naturhist. Forening i Kjöbenhavn-Kjöbenhavn....
- VILLARS M.—Histoire des Plantes du Danphiné, Grenoble, Lyons, p. 1010. Paris 1889.
- VORCE C. M., F. R. M. S.—The motion of Diatoms. Northern Microscopist, p. 177, 8vo. London 1882. A. M. M. J. Washington 1882.
- Division of *Stephanodiscus Niagaræ*. Proc. Ame. Soc. Micr. 1885, p. 139, 4 Figs. J. R. M. S., p. 660, 8vo. London 1886.
  - Forms observed in the waters of Lake Erie. 1 Plate. Proc. Amer. Soc. Micr., vol. III., p. 7, 61, vol. IV., p. 10, 187. Columbus 1881, Buffalo 1881.
  - The affinities of *Rhaphidodiscus*. 1 Plate. The Microscope, vol. IX., p. 132, 8vo., 1886. J. R. M. S., p. 78, 8vo. London 1890.
- W. F.—The Diatomoscope. Engl. Mechan., vol. XL., p. 321, 4to. London 1885.
- WACKERNAGEL P.—Preparation der Diatomeen. Zeitscher f. Mikrosk. Jahrg. II., Heft III., p. 57, 2 Figs. Berlin 1879-80.
- WAGNER H.—Diatomaceen. Führer ins Reich der Cryptogamen Th. IV., s. 10, 8vo. Bielefeld 1885.
- WAHLENBERG HERR—Flora Lapponica, Berolini 1812.
- WALES WILLIAM—Observations on resolution of *Amphipleura pellucida*. Journ. New York Mic. Soc., vol. I., n. 4, p. 103, 8vo. New York 1885.
- WALKER-ARNOTT G. A.—Notes on *Arachnoidiscus*, *Pleurosigma*, *Amphiprora*, *Eunota* and *Amphora*. Quart. Journ. Mic. Soc., vol. VI., p. 195, 8vo. London 1858.
- What are marine Diatoms? Quart. Journ. Mic. Sci., vol. VII., p. 170, 8vo. London 1859.
  - (*Vide* ARNOTT G. A. W.)
- WALKER JOHN—A useful collecting device. The Microscope, p. 372, 8vo. Trenton 1889.
- WALKER W. C. AND CHASE H. H.—Notes on some new and rare Diatoms. Photoplates, 4to, s. 1-3. Utica. N. Y. 1886-1887. Bot. Centralbl. Bd. XXXII., p. 97, 8vo. Cassel 1887. Ser. 2-3, Daily News Print. Flint Michigan 1887. Bot. Centralbl. Bd. XXXII., p. 130, 131, 8vo. Cassel 1888. Notar. Ann. II., p. 328, III., p. 541, 8vo. Venezia 1887-88.
- WALLICH G. C.—On *Triceratium* and some allied forms (*Hydrosera*). Q. J. M. S., vol. VI., p. 252, pl. XII., XIII., 8vo. London 1858.

- WALLICH G. C.—On the siliceous organisms found in the digestive cavities of the Salpæ, and their relation to the Flint nodules of the Chalk Formation. T. M. S., vol. VIII., n. s., p. 36, pl. II., 8vo. London 1860.
- On the development and structure of the Diatom valve. T. M. S., vol. VIII. n. s., p. 129, 8vo. London 1860.
  - On the markings of the Diatomaceæ in common use as Test objects. A. and M. N. H., vol. X., s. III., p. 122, 8vo. London 1860.
  - Observations on the distribution and habits of the pelagic and freshwater free floating Diatomaceæ. A. and M. N. H., vol. X., ser. 3, p. 1, 8vo. London 1860.
  - On the structure of the valves of *Pleurosigma* and other Diatoms. A. and M. N. H., vol. XI., ser. 3, p. 1, 8vo. London 1863.
  - Do Diatoms live on the Sea bottom at great depths? A. and M. N. H., vol. XII., ser. III., 8vo. London 1863.
  - On *Coscinodiscus regius*. Q. J. M. S., vol. VIII., n. s., p. 115, 8vo. London 1868.
  - On the relation between the development, reproduction and markings of the Diatomaceæ. M. M. J., vol. XVI., p. 61, 8vo. London 1877.
  - Are the Desmids and Diatoms simple cells? Pop. Sci. Rev., vol. I., n. s., 8vo. London 1877.
  - On the structure of Diatoms. Engl. Mechan. p. 496. London 1885.
  - A. M. M. J., vol. VI., n. 62, p. 53, 8vo. Washington 1885.
  - On filaments of Diatoms. J. R. M. S., p. 572, 8vo. London 1885.
  - Drawings of Desmids, Diatoms, etc. Library Roy. Mic. Soc. Lond. (see catalogue of Books in Library). London.
- WALLROTH C. F. W.—Annus botanicus. Hallæ 1815.
- Flora cryptogamice Germaniæ. Nürnberg 1833.
- WALMSLEY W. H.—Photomicrograph of Rinnböck. The Microscope, vol. V., p. 181 (Arranged diatoms), 8vo. Detroit 1885.
- WALZ G. F.—Ueber Zoosporen einer Diatomeæ. Verh. dritter russisch. Naturf. Versamml. Kiew. Kiew 1871. Bot. Zeit. n. 21, p. 422, 4to. Leipzig 1872.
- WARD MRS.—The Microscope. 8vo. Detroit, Michigan 1869.
- WARMING HERR—Symbolæ ad Floram Brasiliæ centralis cognoscendam. Vid. Med. Naturh. For. Pars. XXII. Kjöbenhavn 1876.
- WARTMANN B.—Ueber Diatomaceen. Verhandl. Schweiz. Naturf. Ges. Jahresversamml. z. St. Gallen. 1879, p. 65, 1879.
- WARTMANN B. UND SCHENCK H.—Schweizerische Kryptogamen. St. Gallen 1864. Fasc. V.-VIII. Dekade 4, Hedw. Bd. III., p. 58, 8vo. Dresden 1864.

- WATER ANALYSIS AND THE MICROSCOPE. Woodcuts. *Micr. New*, p. 309. 8vo. 1883.
- WEBBER H. J.—The freshwater Algæ of the plains. *Bot. Labor. Uiversity of Nebraska. Amer. Nat.*, vol. 23, p. 1011.
- WEBER DR. FRIED MOHR D. M. H.—Grossbritanniens Conferven nach Dillwyn, für deutsche Botaniker bearbeitet. Göttingen 1803.
- WEDEL C.—Mikroskopische Untersuchungen über die Trinkwasser in Wien und einige hierauf Bezug habende Objecte. 3 Tafeln. Betrag VII., von "Das Wasser in und um Wien rücksichtlich seiner Eignung zum Trinken und zu anderen häuslichen Zwecken." 8vo. Wien 1860.
- WEED WALTER H.—The Diatom marshes and Diatom beds of the Yellowstone National Park. *Micr. Bull.*, vol. VI., n. 3, p. 17, 8vo. Philadelphia 1889. *Botan. Gazet.* 1889, p. 117. *The Microscope*, vol. IX., p. 217, 8vo. Detroit 1889. *J. R. M. S.*, p. 794, 8vo. London 1889.
- Vegetation Hot Springs. *Proc. Acad. Sci. Phil.* 1890, pp. 192-6. Philadelphia *vide T. R. M. S.* 1891, p. 232. London 1891.
- WEIR F. W.—Cleaning recent Diatomaceous material. *The Microscope*, vol. IX., n. 1, p. 1, 8vo. Detroit 1889. *J. R. M. S.*, p. 302, 8vo. London 1889.
- A new Diatom mounting medium. *Am. Month. Mic. Journ.*, p. 86, 1890. Washington, D.C. 1890.
- WEISS DR. ADOLF—Zum Baue und der Natur der Diatomaceen. 2 Tafeln. *Sitzungsb. d. k. Akad. d. Wiss. Bd. LXIII., Abth. I.*, 8vo. Wien 1871.
- Nature of Diatom structure. *M. M. J.*, vol. VII., p. 194, 8vo. London 1872. Also: *Structure of Diatoms. Amer. Naturalist* vol. VI., p. 500, 8vo. Salem 1872.
- WEISS (München).—Referat über "Studnicka Franz. Beitrag zur Kenntniss der böhmischen Diatomeen. *Verh. Zeit. Zool. Ges. Wein Bd. XXXVIII.*, p. 735-740." *Bot. Centralbl. Bd. XL.*, n. p. 175, 8vo. Cassel 1889.
- Sur l'emploi du baume de tolu pour les préparations de Diatomées. *Journ. Microg. t. IX.*, n. 3, p. 131, 8vo. Paris 1885.
- WEISS DR. J. F.—Nachricht über einen Staubfall, welcher sich im Jahre 1834 im Gouv. Irkutsk ereignet hat. *Mélang. Biol. I. Bull. Acad. Imp. Sci. St. Petersburg. t. IX.*, n. 20, p. 275, 2 Tafeln, 8vo. St. Petersburg 1854.
- Mikroskopische Analyse eines organischen Polirschiefers aus dem Gouvernement Simbirsk, 3 Tafeln. *Mélang. Biol. V. II.*, p. 257, *Bull. Phy. Math. Acad. St. Petersburg.* 4to. St. Petersburg 1854.

WEISS DR. J. F.—Resultate von vergleichenden mikroskopischen Untersuchungen von megr als 30 verschiedenen Proben der sogenannten Schwarzen-Erde. Moscou 1856.

- Nachlese St. Petersburgischer Infusorien. Bull. Acad. Imp. Sci. Bull. Acad. Imp. Sci. St. Petersb. St. Petersburg 1859.
- Die Diatomaceen des Badeschlammes von Arensburg und Hapsal, wie auch des sogenannten Mineralschlammes der Soolen-Badeanstalt in Stavaja-Russa, 1 Tafel. Bull. Acad. Imp. Sci. St. Petersburg t. I., p. 357. St. Petersburg 1860. Mélang. Biol. St. Petersburg. I, II., 8vo. St. Petersburg 1860.
- Dritte Nachlese St. Petersburgischer Infusorien, nebst einer Notiz über Infusorien-metamorphose. Bull. Acad. Imp. Sci. St. Petersburg t. IX., n. 170, p. 76, (Bacillaria p. 78) 4to. St. Petersburg 1850.
- Nachträgliche Bemerkungen in Betreff der Diatomaceen, welche sich im sogenannten Mineral-Schlamm von Stavaja-Russa befinden. Mélang. Biol. p. 78, Bull. Acad. Imp. Soc. St. Petersburg. t. IV., p. 305, 8vo. St. Petersburg 1861.
- Verzeichniss aller von mir in einem 40-jährigen Zeitraume zu St. Petersburg beobachteten Infusorien, Bacillarien und Räderthiere. 8vo. Moskau 1863.
- Notiz in Betreff eines aus Szarepta erhaltenen Staubes. St. Petersburg 1864.
- Diatomaceen des Ladoga-Sees. 1 Tafel. Mélang. Biol. Bull. Acad. Imp. Sci., St. Petersburg. p. 659, 8vo. St. Petersburg 1864.
- Fernere Untersuchungen an Grundproben aus dem Ladoga-See, auf Diatomaceen. 1. Tafel. Mélang. Biol. Bull. Acad. Imp. Sci. St. Petersburg., p. 106, 8vo. St. Petersburg 1865.
- Mikroskopische Untersuchung des Guanos. 2 Tafeln. 8vo. Bull. Acad. Imp. Sci. t. XII., p. 120. St. Petersburg 1867.
- Viertes Verzeichniss St. Petersburgischer Infusorien, nebst Beschreibung zweier neuen Arten. 1 Tafel. 8vo. Bull. Acad. Imp. Sci., St. Petersburg....

WEISSFLOG E.—On *Craspedoporus elegans* and *Porodiscus interruptus*.

WELCKER DR. H.—On the distinguishing of elevations and depressions under the Microscope. Q. J. M. S., vol. VIII., p. 52, 8vo. London 1860. Zeitschr. f. ration. Medicin Bd. VII., n. s., p. 63. Orig. 1859.

WELLS S.—On the structure of *Eupodiscus Argus*. M. M. J., vol. IX., p. 110, 3 Figs., 8vo. London 1873.

- The markings of *Frustulia saxonica*. M. M. J., vol. XVI., p. 169, 8vo. London 1876.

- WENHAM F. H.—Metallic impressions of microscopic objects. Q. J. M. S., vol. III., p. 244, 8vo. London 1855.
- Sunlight illumination of Diatoms. Q. J. M. S., vol. III.-V., p. 299, 8vo. London 1863.
  - Some remarks on the structure of Diatoms and Podura scales. M. M. J., vol. II., p. 25. 1 Fig., 8vo. London 1869.
- WENTZEL J.—Die Flora des tertiären Diatomaceen schiefers von Sulloditz im böhmischen Mittelgebirge. 1 Tafel. Sitzungsber. d. k. Ak. d. wiss. Bd. LXXXIII., Abth. I., p. 241, 8vo. Wien 1881.
- WERNECK DR.—Betrachtung über die Abhandlung betitelt “Die Grundformen der Infusorien in den Heilquellen, etc., von Dr. S. F. Stiebel” und einige Remerkungen zum vorstehenden Aufsatz von A. Ehrenberg. 8vo. Frankfurt a M. 1841.
- WEST TUFFEN F. L. S.—On the structure of *Rhabdonema* and other Diatomaceæ with compound frustules. Q. J. M. S., vol. VI., p. 136, 8vo. London 1858.
- Remarks on some Diatomaceæ, new or imperfectly described and a new Desmid. T. M. S., vol. VIII., n. s., p. 147, pt. VII., 8vo. London 1860.
  - Remarks on some new microscopic Algæ (Diatoms and Desmids). Trans. Tyneside and Durham Nat. Hist. Soc., vol. 4, 8vo. 1860.
  - On *Plagiogramma*. Journ. Micr. and Nat. Sci., vol. IV., n. 13, p. 34, 8vo. London and Bath 1885.
- WEST W.—The fresh water Algæ of North Yorkshire. Jour. of Bot. 27, p. 289, 8vo. London 1889.
- The fresh water Algæ of Maine. Jour. of Bot., XXVII., p. 205, 8vo. London 1889.
  - Fresh Water Algæ of North Wales. (Diatoms, p. 300). J. R. M. S., 8vo. London 1890.
- WESTENDORP J. D.—Herbier cryptogamique Belge, 1845-59.
- Notices sur quelques Cryptogames inédites ou nouvelles pour la Flora belge. 1845-61.
  - Les Cryptogames classées d'après leurs stations naturelles. 1854-65.
- WESTENDORP J. B. ET WALLEYS A. C.—Herbier cryptogamique de Belgique. 1844-1859.
- WHITE T. CHARTERS—A Manual of Microscopical Manipulation. London 1887.
- Microscopy for amateurs. Micr. Journ., Washington, 1891, p. 61 (being a pirated edition of the above).

- WIGAND PROF. DR.—Bemerkungen über einige Diatomaceen. Hedw. Bd. II., p. 41, t. VII., 8vo. Dresden 1860.
- (a) *Himantidium dilalatum* W. und *H. striatum*. Hedw. Bd. II., p. 43, t. VII., 8vo. Dresden 1860.
- (b) *Biddulphia unifasciata*, *B. bifasciata*, *B. transversa* n. sp. Hedw. Bd. II., p. 45, t. VII., 8vo. Dresden 1860.
- (c) *Odontella biddulphiodes* W. Hedw. Bd. II., p. 45, t. VII., 8vo. Dresden 1860.
- (d) *Tessella striata* W. Hedw. Bd. II., p. 46, t. VII., 8vo. Dresden 1860.
- (e) *Cocconeis radiata* W. Hedw. Bd. II., p. 46, 8vo. Dresden 1860.
- WILBUR C. L.—Separating Desmids, Diatoms and other minute objects. The Microscope, vol. VI., p. 169, 8vo. Detroit 1886. J. R. M. S., vol. VI., s. 2, p. 1076, 8vo. London 1886.
- WILLE AND ROSENVINGE.—Alger fra Novaia Zemla og Kara Havet. Cfr. Notar. Ann. II., p. 289, 8vo. Venezia 1887.
- WILLIAMSON W. C.—On some of the microscopical objects found in the mud of the Levant and other deposits with remarks on the mode of formation of calcareous and infusorial siliceous rocks. Mem. Manchester Lit. and Phil. Soc., vol. VIII., p. 128 (2 plates with Diatomaceæ), 8vo. Manchester 1847.
- On a new species of *Campylodiscus* (*C. Horologium*). A. and M. N. H. vol. I., ser. 2, 8vo. London 1848.
- What is *Bathybius*? Amer Naturalist vol. III. (1870), p. 651 (Diatoms p. 660, 661). 8vo. Salem 1870.
- On the organisation of the fossil plants of the Coal. Proc. Roy. Soc. Journ. of Bot., London 1878.
- WILSON EDWARD T. M. B., F.R.C.P.—Notes on Diatomaceæ collected during and Expedition for the Survey of Sinai. Folio. N. D.
- WISSINGER KAROLYTÓL. —Adatok hazánk ásatag bacilláriáinak ismeretéhez. 2 Tab. Földt. Közlöny, Kiadir a Magyarh. földt. társul. A. Választ megbiz. Szerkesztoll. Sajóhelj frigyés és Roth Lajos társul. tilkar Harmidak Evfolyam p. 168. 8vo. Budapest 1876.
- WITT OTTO N. DR.—Bericht über die Untersuchung zweier Diatomaceen-Gemische. Ein Beitrag zur Kenntniss der Flora der Südsee. 1 Tafel. Separatabdr. a d. Journ. Museum Godef. Heft I., 4to. Hamburg 1873. Resumé: Hedw. Bd. XII., p. 54, 123, 8vo. Dresden 1873.
- Ueber Südsee-Diatomaceen. II. Folge. Journ. Museum Godef. Heft IV. 1 Tafel., 4to. Hamburg 1873.
- Untersuchungen über einige zu mikroskopischen Zwecken ver-

- wandte Harze. Zeitschr. f. wiss. Mikr. Bd. III., p. 196, 8vo. Braunschweig 1886.
- WITT OTTO N. DR.—Removal of siliceous coverings from fossil Diatoms. Sapiski Russischen Mineral Gesel. Bd. XXII., Zeitschr. f. wiss. Mikr. Bd. II., p. 573, 8vo. Braunschweig 1885. J. R. M. S., vol. VI., ser. 2, p. 880, 8vo. London 1886.
- Referat über "Truan y Luard Alfredo. Ensayo sobre la sinopsis de las Diatomeas de Asturias (Versuch einer Synopsis der Diatomeen von Asturias). Annal. Soc. Espan. d. Hist. Nat. t. XIII., p. 307." Zeitschr. f. wiss. Mikrosk. Bd. III., 8vo. Braunschweig 1886.
  - Ueber der Polierschiefer von Archangelsk Kurojedowo im Gouvernt. Simbirsk, 7 Tafeln. Schrift. Russisch. Mineral. Ges. 8vo. St. Petersburg 1885. Bot. Centralbl. Bd. XXX., p. 108, 8vo. Cassel 1887.
- WITTRICK PROF. VEIT.—Eine subfossile, hauptsächlich von Algen gebildete Erdschicht. Bot. Centralbl. Bd. XXIX., p. 222, 8vo. Cassel 1887.
- Om Gotland och Olands sötvattensalger. Stockholm, 1872.
- WOLLE REV. F.—Fourth Contribution to the Knowledge of Kansas Algæ Bull. Washburn College, Lab. Nat. Hist. II., 1889, p. 64.
- Diatomaceæ of North America, 120 plates. Bethlehem, Pa. U.S.A., 1890.
- WOLLNY ROBERT—Die Meeresalgen von Heligoland (with list of Diatoms) Hedw. n. 1, p. 1, 8vo. Dresden 1881.
- WOOD J. G.—Common objects for the Microscope. London 1861-88.
- WOOD W. W.—An animal like Diatom. Nature, 4to. London 1875. M. M. J., vol. XIV., p. 255, 8vo. London 1875.
- WOODWARD J. J.—On the structure of the Podura scale and certain other Test objects (Diatomaceæ) and of their representation by photomicrography, 2 plates. M. M. J., vol. V., p. 149, 8vo. London 1871.
- Note on *Amphipleura pellucida*. M. M. J., vol. VI., p. 43, 8vo. London 1871.
  - Observations on *Survirella gemma*. M. M. J., vol. VI., p. 100, 8vo. London 1871.
  - Note on the resolution of *Amphipleura pellucida* by certain objectives made by R. and J. Beck and by William Wales. M. M. J., vol. VII., p. 165, 8vo. London 1872.
  - On the double markings of *Triceratium*. The Lens, vol. I., p. 100, 1 plate, 8vo. Chicago 1872.
  - Note on the *Frustulia saxonica* as a test of high power definition. Lens vol. I., p. 233, 1 plate, 8vo. Chicago 1872.

WOODWARD J. J.—The use of *Amphipleura pellucida* as a test object for high powers. 1 plate. Amer. Naturalist, vol. VI., p. 193, 8vo. Salem 1872.

— Note on the markings of *Frustulia saxonica*. 2 plates. M. M. J., vol. XIV., p. 274, 8vo. London 1875.

— On the spurious lines of Diatoms. M. M. J., vol. XV., p. 224, 8vo. London 1876.

— Notes on the markings of *Navicula rhomboides*. 2 plates. M. M. J., vol. XV., p. 209, 8vo. London 1876.

-- Observations suggested by the study of *Amphipleura pellucida* mounted in Canada balsam, by lamplight and sunlight, with various objectives. A. J. S., vol. IV. 1879.

— Photographs of Diatoms. Journ. New York Micr. Soc., vol. I., n. 5, p. 123, 8vo. New York 1885.

WOODWARD J. J. AND ABBÉ PROF.—Diffraction experiments with *Pleurosigma angulatum*. J. R. M. S., vol. II., p. 141, 8vo. London 1882.

WOOLMAN LEWIS—On the discovery of Diatoms in Artesian Wells, at Atlantic City, New Jersey. Micr. Bull., vol. V., n. 6, p. 41, 8vo. Philadelphia 1888.

— Artesian Wells, Atlantic City, New Jersey. Ann Rep. of the State Geologist 1889. Trenton, N.J.

— Geology of the Artesian Wells at Atlantic City, N.J. Proc. Acad. Nat. Sc. Philadelphia, March 1890.

— Fossil Diatoms near Shiloh. N.J. Micr. Bull., p. 9. Philadelphia 1890.

— Marine and Freshwater Diatoms and Sponge spicules from the Delaware River Clays of Philadelphia. Journ. Acad. Nat. Sc. Philadelphia 1890.

— Artesian Wells and water horizons in Southern New Jersey and their relations to an immense Diatomaceous clay bed, having a maximum thickness of 300 feet, etc. Trenton, 8vo., 1891, 1 photoplate.

— Geological age of the Diatom deposits at Oamaru, New Zealand. Micros. Bulletin, 1891, p. 10.

WYATT MR.—Algæ Dammonienses. Nos. 199, 232, 236.

WYTHE J. H., A. M. M. D.—The Microscopist: A manual of Microscopy and Compendium of the Microscopic sciences, Micro-Mineralogy, Micro-Chemistry, Biology, Histology and Pathology, ed. 3, with 205 illustrations, 8vo. London 1877.

ZAENGERLE M.—Grundriss der Botanik für den Unterricht an mittleren und höheren Lehranstalten, 240 pp. 8vo. München 1887.

- ZANARDINI G.—Catalogo delle piante crittogame raccolte finora nelle provincie Venete. Atti Ist. Ven. Sci. t. III., ser. 3, p. 243. Venezia 1857.
- ZEITSCHRIFT der deutschen geologischen Gesellschaft. Berlin....
- ZEITSCHRIFT für den gesammten Naturwissenschaften. Halle....
- ZEITSCHRIFT für den gesammten Naturwissenschaften herausgegeben von naturwissenschaftlichem Vereine für Sachsen und Thüringen, durch Giebel und Heintz. Berlin....
- ZEITSCHRIFT für mikroskop. Fleischausschau und Populäre Mikroskopie. Berlin....
- ZEITSCHRIFT für Mikroskopie-Organ der Gesellschaft für Mikroskopie. Berlin....
- ZEITSCHRIFT für wissenschaftliche Mikroskopie und für mikroskopische Technik. Braunschweig....
- ZEITSCHRIFT für wissenschaftliche Zoologie, herausgegeben von C. Th. v. Siebold und A. Kölliker. Leipzig....
- ZELLER.—Diatomaceæ. Journ. Asiatic Soc. Bengal, vol. XI., pt. II., p. 175, 1873. Hedw. Bd. XII., s. 168, 8vo. Dresden 1873.
- ZENGER C. V.—Mounting for Diatoms to view them on both sides. J. R. M. S., vol. V., pl. I., p. 161, 8vo. London 1885.
- ZIMMERMANN O. E. R.—Referat über "Müller Otto. Auxosporen von *Terpsinoë musica* Ehrh. Ber. deutsch. Bot. Ges. Bd. VII., p. 181-183, Taf. VIII." Bot. Centralbl. Bd. XL., n. 7, p. 209, 8vo. Cassel 1889.
- Referat über "Van Heurck H. De l'emploi du Styrax et du liquidambar en remplacement du baume de Canada. Bull. Soc. Belg. Micr. t. X., p. 178." Zeitschr. f. wiss. Mikrosk. Bd. II., p. 81, 8vo. Braunschweig 1885.
  - Referat über "Errera L. Sur l'emploi de l'encre de China en microscopie. Bull. Soc. Belg. Micr. t. X., p. 478." Zeitschr. f. wiss. Mikrosk. Bd. II., p. 84, 8vo. Braunschweig 1885.
  - Referat über "Debes E. Das Reinigen und Präpariren von Diatomaceen Material. Hedw. 1885, Heft II." Zeitschr. f. wiss. Mikrosk. Bd. II., p. 411, 8vo. Braunschweig 1885.
  - Referat über "Debes E. Die Herstellung von Diatomaceen-Dauerpräparaten. Hedw. Bd. XXIV., Heft. IV., p. 151, 166." Zeitschr. f. wiss. Mikrosk. Bd. II., p. 567, 8vo. Braunschweig 1885.
- ZOPF DR. W.—Zur Kenntniss der Infektionskrankheiten niederer Thiere und Pflanzen. Nova Act. d. k. k. Leop.-Carol. Deutsch. Akad. d. Naturf. Bd. LII., n. 7, 7 Talfen, 4to. Halle 1888. Bot. Centralbl. Bd. XXXVIII., n. 6, p. 641, 8vo. Cassel 1889.

- ZOPF DR. W.—Végétaux parasites des Diatomées, translated by G. C. Karop. J. Q. M. C., ser. 2, vol. IV., p. 34, 8vo., London 1889; and reviewed by J. Pelletan, Jourl. de Microgr., 1891, p. 114.
- ZOPF DR. W. AND KAROP G. C.—On a fungoid growth found in Diatoms. Abstract from a Memoir by Dr. Zopf. entitled “Zur Kenntniss der Phycomyceten”: translated by G. C. Karop. J. Q. M. C., vol. III., ser. 2, p. 115, 8vo. London 1887.
- ZUKAL H.—*Scytonema clavatum*. Notarisia, 1890, pp. 1106-15, 1 pl. Vide T. R. M. S., 1890, p. 222, 1891, 223.

INDEX.

	PAGES.
Alum	73
Antartic circle, diatoms within	2
Auxospores	39
<i>Bergmehl</i>	3
Bibliography	78
Binary division	39
Camera	61
Carbon, printing in	73, 75
Charging diatoms	49
Cements, coloured	51
Chemicals, photographic	64
Chlorophyll	5, 57
Cilia	8, 9
Classification	16
Collecting bottle	44
Collecting diatoms	43
Condensers	55, 56
Conjugation	40
Connecting membranes	4
Conspectus of the families and genera	16
Crypto-Raphidiæ	28
Dark room, the	63
Developers	68, 69, 72, 77
Development	68, 72
<i>Diatomin</i>	5, 57
Diatoms, what are	1
Division of the diatomaceæ	39
Dry, mounting	47
Endochrome	5
Eudsmatic currents	8
Examination of diatoms, microscopical	53
Exposure of the plate	67, 71
External currents	12

	PAGES.
Exosmotic currents	8
Eye-pieces	55, 62
Families and genera	16
Fishes, diatoms found in digestive organs of	2
Fixing-bath	70, 73, 77
Foot, snail like	10
Forms of diatoms	4
Fossil diatoms	2, 45
Frustule, description of	4
Gelatinous envelope	4
Genera, families and	16
Guano, diatoms found in	2, 45
Habitats of the diatomaceæ	4
Illumination	56, 63, 65
<i>In situ</i> , to mount in	46
Influence of diatoms	2
Intermediate hoop	4
Intensification	73
Jet of water, movements caused by	11
Lamps	56, 63
Laminæ	57
Lantern slides	76
Light, effect of, on diatoms	15
Longevity of diatoms.. .. .	3
Markings on valves	4
Median line	4
Medium, mounting in a	47
Mercurous sulphide method of charging diatoms	49
Microscope stands	53, 61
Modes of reproduction	39
Molecular movement	12
Monochromatic light.. .. .	66
Mounting diatoms	46
,, prints	76
Movement of diatoms	7
Nodules	5,
Nucleus	5, 6
Objectives	53, 55, 61
Oil-globules	5

Over-exposure	71
Oxygen, liberation of, by diatoms	15
Oxy-hydrogen light	65
Penetration	53
Photograph diatoms, how to	61
Preliminary remarks	1
Printing	73, 74
Protoplasm	5, 6
Pseudo-Raphidieæ	20
Raphé	4
Raphidieæ	16
Reduction of Negatives	77
Reproduction, modes of	39, 40
Requisites, photographic	64
Rotatory movements	14
Sections of diatoms, cutting	58, 59
Silver nitrate method of charging diatoms	50
Spectra	57
Stripate diatoms	43, 44
Structure	4, 57
Species	38
Sporangial cell	41
Sutural zones	4
Thallus	41, 42
Thompson's high refractive medium	48
Under exposure	71
Valves	4
Zones, sutural	4
ZygospERM	40

PHOTOGRAPHY APPLIED TO THE MICROSCOPE,

By F. W. MILLS, F.R.M.S.

With a Chapter on MOUNTING OBJECTS,

By T. CHARTERS WHITE, F.R.M.S., etc.

Cloth. Crown 8vo. Price, 2s. ; in U.S.A., 1 dol. ; in France, 2 fr. 50.

Some Press Notices.

"A useful work for those interested in the subject."—*The Amateur Photographer*, October, 1891.

"We should strongly advise everyone to secure a copy."—*Photographic Reporter*, November, 1891.

"The Author treats of the whole subject of photo-micrography in a thorough practical manner, suitable for amateurs who do not wish to spend more than a small sum on apparatus. The book is beautifully illustrated, and should prove a valuable assistance to those who use the microscope."—*The Journal of the Camera Club*, November, 1891.

"It is well written ; the directions are such that those with a limited amount of experience can understand the manipulations. The work is pre-eminently fitted to the wants of the microscopist, for whom it was specially written."—*Anthony's Photographic Bulletin*, December 12th, 1891.

"The Author gives some plain instructions on the subject in hand."—*The Journal of Microscopy and Natural Science*, December, 1891.

"On est généralement tenté de croire que la photomicroscopie command de dispendieuses installations. Il suffira à nos amateurs de se procurer ce petit opuscule, très complet, en 60 pages, pour se convaincre du contraire."—*Helios Illustré Belge*, October 15th, 1891.

London:

ILIFFE & SON, 3, St. Bride Street, E.C.

Melbourne:

W. WATSON & SONS, 251, Swanston Street.

Paris:

J. TEMPÈRE, 168, Rue St. Antoine.

New York:

E. & H. T. ANTHONY & Co., 591, Broadway.

ILIFFE & SON'S

Photographic Publications

PHOTOGRAPHY. Edited by HENRY STURMEY. The oldest Penny Photographic Paper in the World. The Journal of the Amateur, the Profession, and the Trade. EVERY THURSDAY. Price 1d; post free, 1½d.

PHOTOGRAPHY ANNUAL. Edited by HENRY STURMEY. An illustrated compendium of information and statistics. Published early in May each year. Demy 8vo. Price 2/6, cloth, 3/6; postage, 4½d.

THE ENCYCLOPÆDIA OF PHOTOGRAPHY. By WALTER E. WOODBURY. With over 1,000 References, and illustrated with 200 explanatory diagrams and sketches. Cloth bound. Price, 7/6; postage 6d.

PHOTOGRAPHY FOR ALL. An Elementary Text Book and Introduction to the Art of Taking Photographs. By W. JEROME HARRISON, F.G.S. Sewed, 1s; post free, 1½.

THE INTERNATIONAL ANNUAL OF ANTHONY'S PHOTOGRAPHIC BULLETIN. Edited by W. JEROME HARRISON and A. H. ELLIOTT. Published in June each year. Price, 2/-; post free, 2/4½.

COLLOTYPE AND PHOTO-LITHOGRAPHY. By DR. JULIUS SCHNAUSS. Translated with the sanction and assistance of the author by E. C. MIDDLETON. Together with all the original illustrations, and an Appendix on Steam Presses by the Translator. Price 5/-; post free, 5/4½.

THE PROCESSES OF PURE PHOTOGRAPHY. By W. K. BURTON, C.E., and ANDREW PRINGLE. A standard work, very complete, and freely illustrated. Price, 4/6; post free, 4/10.

THE INDISPENSABLE HANDBOOK TO THE OPTICAL LANTERN, 1888. A complete Cyclopædia on the subject of Optical Lanterns, Slides and Accessory Apparatus. Compiled by WALTER D. WELFORD; Edited by HENRY STURMEY. Price 2/6; post free, 2/10½.

AN INTRODUCTION TO THE SCIENCE AND PRACTICE OF PHOTOGRAPHY. By CHAPMAN JONES, F.I.C., F.C.S., Senior Demonstrator of Practical Chemistry in the Royal College of Science. New and Revised Edition. Sewed, 2/6; cloth, 3/6; postage, 4½d.

PHOTOGRAVURE. By W. T. WILKINSON. A complete Text Book on the subject, with illustrations. Price, 1/6; post free, 1/7.

MATERIA PHOTOGRAPHICA. By C. J. LEAPER, F.C.S. A treatise on the manufacture, uses, and properties of the substances employed in photography. Crown 8vo. Cloth, 250 pages, largely illustrated. Price, 5/-; post free, 5/4½.

THE FIRST PRINCIPLES OF PHOTOGRAPHY. By C. J. LEAPER, F.C.S., Author of "Materia Photographica." Crown 8vo., Cloth. Price 5/-; post free, 5/4½.

PHOTOGRAPHY FOR ARCHITECTS. By F. W. MILLS, Author of "The Art and Practice of Interior Photography." Demy 8vo., cloth, illustrated. Price, 2/6; post free, 2/9.

MILITARY PHOTOGRAPHY. By O. E. WHEELER, late Captain 1st Leicestershire Regiment. Price, 1/6; post free, 1/7½.

PHOTOGRAPHIC PASTIMES. By HERMANN SCHNAUSS. Containing particulars of many curious effects to be obtained with the aid of the Camera. Crown 8vo. Price, 1/-; post free, 1/2.

PRACTICAL ENLARGING. By JOHN A. HODGES, Vice-president West London Photo Society. Paper covers, 1/-; cloth, 2/-; Postage 3d.

THE HAND CAMERA, AND HOW TO USE IT. By WALTER D. WELFORD, Compiler of "The Photographer's Indispensable Handbook," etc. Paper covers, 1/-; cloth 2/-; postage, 3d.

LONDON :

ILIFFE & SON, 3, ST. BRIDE STREET, E.C.

THE OLDEST Penny Photographic Paper in the World.

EVERY THURSDAY. ONE PENNY.

Photography

THE JOURNAL OF THE AMATEUR, THE PROFESSION, AND THE TRADE

IS

ACCURATE, NEWSY, ENTERPRISING.

EDITOR—HENRY STURMEY.

Editorial Contributors:

Capt. W. de W. ABNEY, C.B., F.R.S.; CHAS. H. BOTHAMLEY, F.C.S., F.I.C.;
Prof. W. K. BURTON, C.E.; GEORGE DAVISON; CHAPMAN JONES;
ANDREW PRINGLE; FRANK M. SUTCLIFFE.

The Special Features are: Scientific and Technical Articles by well-known writers; The Question Box, with a series of Prizes for the senders of replies; Prize Competitions; Snap Shots; Items of Interest; Interviews with prominent Members of the Trade; and the Price—One Penny.

A SPECIMEN COPY WILL BE SENT GRATIS & POST FREE.

WHAT THEY THINK OF IT.

"*Photography* is a positive success."—*Wilson's Photographic Magazine*.

"A stirring, newsy journal, which bids fair to a successful career."—*St. Louis Photographer*.

"It is very interesting, and far ahead of the other photographic papers."—GERALD STONEY, Gateshead.

"I look upon *Photography* now as part of my weekly diet, as it suits my constitution."—MOORE, Dartford.

"When I have read the pages of one week's issue I am anxious to see the next."—F. LEWIS, Derby.

"Your new journal, like the 'Pickwick' pen, 'comes as a boon and a blessing to men.'"—J. C. CHRISTIE, Old Cathcart.

"You may be sure I shall prize this my *first* silver medal, and I shall not want to look at it to remind me of *Photography*, as I always have this paper for dessert on Thursdays."—J. W. EVANS, Wolverhampton.

"I think your paper a marvel of cheapness. I had great difficulty in getting it regularly, or even at all, at first; but since I have succeeded I think all my early trouble has been liberally repaid."—A. C. ANDERSON, Arbroath.

"I must say *Photography* is proving a decided success; it seems to be improving every week. Since taking in your paper I have entirely given up a journal which is published on the same subject, which, though more mature in years, still takes a leaf from its infant friend."—M. TILLCUTHY.

LONDON: ILIFFE & SON, 3, ST. BRIDE STREET, E.C.

AND ALL BOOKSELLERS AND BOOKSTALLS.

Editorial and Advertisement Offices: 19, Hertford Street, Coventry.

AMERICAN MONTHLY Microscopical Journal.

14TH YEAR, 1893.

POST PAID, SIX SHILLINGS PER ANNUM.

Original and Illustrated Articles by the best writers. Descriptions of *Microscopical Methods*, pictures of new *apparatus*, a department of *Medical Microscopy* revealing what the instrument is doing to combat disease, *Bacteriology* or the study of Bacilli, *Diatoms* or Nature's Jewels, *Biological Notes* upon the progress in Botany, Entomology, Agriculture and the study of all life by the aid of the grandest of instruments, *Recreative Microscopy* or the entertainment of people who exclaim "Oh! My!" when they look through the golden tube, *Microscopical News*, the *Detection of Crime*, *Societies* and their proceedings, *Notices of Books*, the *Exchange* and Sale of Slides, &c.

THE MICROSCOPE.

A MONTHLY MAGAZINE DEVOTED STRICTLY
TO ELEMENTARY MICROSCOPY.

PRICE POST PAID TO ANY PART OF THE WORLD 4/- PER ANNUM.

This is a Magazine for Beginners and Amateurs and seeks to supply every need of those entering upon this fascinating study.

Its QUERY DEPARTMENT alone, conducted by Dr. S. G. Shanks, of Albany, N. Y., will be found worth the price.

☞ SAMPLE COPIES FREE. ☞

Remittance may be made in any funds current in London, such as cheque, postal order, etc. Direct correspondence is preferable to dealing through agencies. Ask for sample copies by post-card. Address:

THE MICROSCOPICAL PUBLISHING CO.,

WASHINGTON, D. C., U. S. A.

WATSON & SONS'

TRIPOD

Edinburgh Student's Microscope

Made in four forms, "E," "F," "G," & "H."

Prices from £4 5s. 0d.

Suitable for investigations with the highest powers. The quality and workmanship are the finest possible, and it is unequalled for stability and convenience of manipulation by any other medium size or student's instrument. It can be used with either Continental or English objectives. All fittings are of the universal size.

WATSON & SONS' VAN HEURCK MICROSCOPE combines every mechanical convenience, with the utmost precision in all the working parts, and is unsurpassed for Photo-Micrography and all research of the most delicate nature.

Stand "H"

Price
with One
Eye-piece
£9 10s. 0d.

WATSON & SONS
67, HOLBORN
LONDON

HEADINGTON

Full Illustrated Catalogue of Microscopes may be had on application to—

W. WATSON & SONS, 313, HIGH HOLBORN LONDON, W.C. &
78, SWANSTON ST., MELBOURNE, AUSTRALIA.

OPTICIANS TO H.M. GOVERNMENT. ESTABLISHED 1837.

Awarded 2 Diplomas of Honour (Degrees higher than Gold Medal), Antwerp Microscopical Exhibition, 1891; 2 Gold Medals, Paris Exhibition, 1889; and 26 Gold and other Medals at the principal Exhibitions of the World.

C. REICHERT,
WIEN VIII. BENNOGASSE 26. (O.V. 522.)

SPECIALITÉ—
MICROSCOPES
OF THE BEST QUALITY.

Catalogues and Price Lists in English, French, Italian, German, and Russian.

THE NATURALIST:

A MONTHLY JOURNAL OF NATURAL HISTORY FOR THE NORTHERN COUNTIES OF ENGLAND,
VIZ:—NORTHUMBERLAND, DURHAM, YORKSHIRE, LINCOLNSHIRE, NOTTINGHAMSHIRE, DERBYSHIRE,
CHESHIRE, LANCASHIRE, WESTMORLAND, CUMBERLAND, AND THE ISLE OF MAN.

EDITED BY W. DENISON ROEBUCK, F.L.S.,

With the assistance of

J. GILBERT BAKER, F.R.S., F.L.S.;

W. EAGLE CLARKE, F.L.S., M.B.O.U.;

ALFRED HARKER, M.A., F.G.S.;

CHARLES P. HOBKIRK, F.L.S.;

GEO. T. PORRITT, F.L.S., F.E.S.; and

W. BARWELL TURNER, F.C.S., F.R.M.S.

Communications to be Addressed THE EDITORS, "THE NATURALIST," SUNNY BANK, LEEDS.

Single Numbers, 6d.; by post, 7d. Annual Subscription, 6/6. If paid before March 31st, 5/- post free, from the Leeds office only.

LONDON: LOVELL REEVE & Co., 5, HENRIETTA STREET, COVENT GARDEN, E.C.

C. BAKER,
244, HIGH HOLBORN, LONDON.

Microscopes supplied to suit all requirements.

The NELSON MODEL MICROSCOPES, £6 6s., £16 16s., and £30.

A Large Stock of Microscopes and Objectives by ZEISS, LEITZ, REICHERT, HARTNACK,
and other Continental Manufacturers.

SECOND-HAND Microscopes and Objectives. Catalogues post free.

Prepared Mounted Specimens of the DIATOMACEÆ, &c., from 1/- each.

ESTABLISHED 1765.

On the 1st of every Month, price 1s. 3d.,

THE JOURNAL OF BOTANY,

BRITISH AND FOREIGN.

Edited by JAMES BRITTEN, F.L.S.

Contains original articles by our leading British Botanists, Notices of Books, Proceedings of Societies, and Botanical News. Especial attention is now given to British Botany. There is usually at least one plate, drawn by a well-known botanical artist.

Subscription for the year, payable in advance, TWELVE SHILLINGS, post free. Terms for Advertisements may be had on application to the Publishers.

EDITION LIMITED TO FIVE HUNDRED COPIES.

Just Published, Demy 8vo, pp. 204.

Price 6s. 6d. net.

A BIOGRAPHICAL INDEX

OF

BRITISH AND IRISH BOTANISTS

BY

JAMES BRITTEN, F.L.S., AND G S BOULGER, F.L.S

The plan of the work has been to be liberal in including all who have in any way contributed to the literature of the science, who have made scientific collections of plants, or who are known to have otherwise assisted in the progress of Botany, exclusive of pure Horticulture. Where known, the name is followed by the years of birth and death, and in other cases an approximate date is given. Then follows the place and day of birth and death, the place of burial, chief titles, dates of election to the Linnean and Royal Societies, or chief University degrees. In conclusion, reference is made to the chief sources of further information, in which Pulteney, Rees, Pritzel, Jackson, and the Royal Society's Catalogue are first quoted, and then the fullest known record, with a note of any portrait and of genera dedicated to the various persons catalogued, or, in the absence of genera, of species. The book comprises about 2,000 names.

Demy 8vo. Price 1s. 6d.

KEY TO THE GENERA AND SPECIES

OF

BRITISH MOSSES.

By the REV. H. G. JAMESON, M.A.

LONDON: WEST, NEWMAN & CO., 54, Hatton Garden.

LE DIATOMISTE

A Quarterly Journal especially devoted to the study of the Diatomaceæ.
(Text in French).

Edited by M. J. TEMPÈRE,

ASSISTED BY

MM. J. BRUN, P. BERGON, P. T. CLEVE, E. DUTERTRE, E. GROVE, Dr. P.
MIQUEL and H. PERAGALLO.

Subscription, per annum - - - 12s.

Separate numbers - - - - - 4s.

Subscriptions are received:

LONDON:

W. P. COLLINS,

157, GT. PORTLAND STREET.

PARIS:

J. TEMPÈRE,

168, RUE ST. ANTOINE.

BERLIN:

R. FRIENDLANDER & SOHN,

11, CARLSTRASSE, N.W.

Volume I. 1889-1892, is now ready, Price £1 12s.

PREPARED DIATOMS,

FROM ALL PARTS OF THE WORLD.

Sold by Series of 12 tubes. 12 Series are ready.

Send for Lists to J. TEMPÈRE, 168, RUE ST. ANTOINE, PARIS.

The Micro-Fungi of France,

By MM. J. TEMPÈRE & E. DUTERTRE.

This Collection is issued every other month in series containing 25 slides, the majority of which bear two preparations, one transparent for Microscopical study, and the other opaque, presenting the species in situ. 8 series are ready. Price for each series with letterpress giving all the synonymous names and other useful information, £1 8s.

TO BE OBTAINED ONLY FROM

M. J. TEMPÈRE, 168, RUE ST. ANTOINE, PARIS.

DATE DUE

FEB 23 1991

JAN 21 1993

MAR 16 2000

APR 06 2000

APR 05 2001

MAR 30 2001

DEC 01 2003

FEB 02 2012

APR 05 2013

APR 23 2013

Brigham Young University

BRIGHAM YOUNG UNIVERSITY

3 1197 20683 6436

MR