Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

6261
S B 15
475

1882

ESTABLISHED 1840.

No. 2.

DESCRIPTIVE CATALOGUE

—OF—

ORNAMENTAL TREES,

SHRUBS, HARDY PERENNIAL PLANTS, Etc.

TWENTY-FIFTH EDITION.

✓
ELLWANGER & BARRY,
MOUNT HOPE NURSERIES,
ROCHESTER, N. Y.

For New and Rare Trees and Shrubs, see Index pages 129-131.

TABLE OF CONTENTS.

	PAGE
Index, General.....	131
Index to New and Rare Trees and Shrubs, to which special attention is requested,.....	129-131
Preface,.....	3
Brief Suggestions to Planters,.....	4
Advice to Correspondents,.....	7
Deciduous Trees,.....	8
" " Weeping,.....	47
" " possessing remarkable characteristics of foliage,.....	48
" " producing ornamental fruit,.....	50
" " having bright colored bark in winter,.....	50
" " select assortments at reduced prices,.....	51
Evergreen Trees,.....	53
Deciduous Shrubs,.....	63
" " with variegated foliage.....	87
" " producing ornamental fruit,.....	88
" " select assortments at reduced prices,.....	89
Evergreen Shrubs,.....	90
Climbing and Trailing Shrubs,.....	91
Clematis,.....	93
Hedge Plants,.....	98
Pæonies,.....	99
Phlox,.....	102
Hollyhock,.....	104
Hardy Herbaceous Flowering Plants,.....	104
Bulbs, Summer and Autumn Flowering,.....	125
Bulbous Flowering Roots,.....	126
Bulbs, Miscellaneous,.....	127

Special attention is invited to our select assortments of *Deciduous Trees* and *Shrubs*, at reduced prices, pages 51 and 89.

Ellwanger & Barry's Order Sheet of
ORNAMENTAL TREES, EVERGREENS, SHRUBS, ETC.

Parties in Ordering will oblige us by using this sheet. In Remitting please make allowance for Packing and give explicit Shipping Directions.

188

Gentlemen :

Enclosed find Post Office Order, amount, - - - - - \$

" " Cash, - - - - -

" " Draft, - - - - -

For which send the following list of Trees, &c., by - - - - - to the address of

Name, - - - - - Post Office,

County, - - - - - State,

Express Office or Railroad Station, - - - - -

No.

NAME.

PRICE.

COPYRIGHT SECURED.

SEE PAGE 68.

Weigela candida.

NEW WHITE WEIGELA.

LITHOGRAPHED AND PRINTED EXPRESSLY FOR ELLWANGER AND BARRY'S CATALOGUE
BY THE ROCHESTER LITH. CO.

No. 2.

DESCRIPTIVE CATALOGUE
OF HARDY
ORNAMENTAL TREES,
SHRUBS, HERBACEOUS PERENNIAL PLANTS, ETC..

CULTIVATED AND FOR SALE AT THE
MOUNT HOPE NURSERIES,
ROCHESTER, N. Y.

ESTABLISHED 1840.

13 /
—♦—
(254 ed)
ELLWANGER & BARRY,

PROPRIETORS.
—♦—

ROCHESTER, N. Y.:

E. R. ANDREWS, PRINTER AND BOOKBINDER.

1882.

Entered according to Act of Congress, in the year 1882, by
ELLWANGER & BARRY,
In the office of the Librarian of Congress, at Washington, D. C.

~~STB
E475~~

PREFACE TO 25th EDITION.

We take pleasure in presenting to our friends and patrons a new edition of this catalogue.

Many of the descriptions have been rewritten, all the lists revised, and some new illustrations introduced. We think, therefore, that the book will now serve, not merely as a priced catalogue, but also as a useful hand-book, containing brief descriptions of nearly all the hardy ornamental trees and shrubs most worthy of cultivation in this and similar climates.

We have recently planted a new arboretum in which young specimens of nearly all the species and varieties we offer, are to be found, and we cordially invite all who are interested in ornamental planting, to inspect the collection.

We are prepared to furnish duplicate collections, for college grounds, parks, etc., on the most favorable terms. To students and lovers of nature nothing can be more interesting than to study the nomenclature and note the peculiarities of growth, habit, foliage, flowers and fruit of all the finest trees and shrubs that will thrive in our climate.

Our general stock of ornamental trees, shrubs and plants has never been so extensive and complete in every department as it is at this time. Everything has been well and carefully grown.

Several promising novelties are now offered for the first time.

Gentlemen making extensive improvements, or adding to their collections, Landscape Gardeners, Superintendents of Public Parks, Gardens, Cemeteries, etc., etc., will find it to their advantage to examine our stock.

Nurserymen and Dealers will be supplied on liberal terms. A wholesale catalogue (No. 4) is published semi-annually.

A Rose Catalogue is now published separately and is known, in our series, as No. 5; the great extension of our Rose culture having compelled us to adopt this course.

Attention is requested to "Brief Suggestions to Planters" on next page.

ELLWANGER & BARRY.

BRIEF SUGGESTIONS TO PLANTERS.

WHAT TO PLANT.

In this and similar climates where great extremes of temperature are experienced, it is necessary to employ only the most hardy ornamental trees and shrubs. Impressed with the importance of this fact, and in order that our customers may be spared much disappointment and expense, we have omitted from our catalogue, as far as possible, everything which is liable to suffer from severe cold.

We have also taken great pains to secure both at home and abroad all valuable hardy material so as to render our assortment of this class as complete as possible. An examination of the catalogue shows what an extensive variety of stock is offered, enabling the planter by a judicious use of the same to accomplish any desired result with perfectly hardy trees, shrubs and plants.

For the convenience of Planters we have grouped the trees under the following heads: Trees remarkable for their flowers, Trees of drooping habit, Trees with variegated and colored foliage, Trees with cut or dissected foliage. The shrubs have been similarly arranged and parties desiring to make selections for particular purposes will find this classification useful.

For Parks and Extensive Grounds.—No difficulty can be experienced by any one in making selections for this purpose. But we cannot impress too strongly upon Planters the importance and value of flowering shrubs for effective masses and groups. There are many who imagine that the Rhododendron and Azalea are indispensable. This is a great error. In this latitude both Rhododendron and Azalea require prepared soil and protection, while hardy shrubs like the Weigela, Deutzia, Spiræa, Hydrangea, Japan Quince, Double-flowering Almond, Lilac, Viburnum, Althæa, Pæony, Phlox and Japan Anemone, when planted in masses, produce a magnificent effect, need no protection, and demand little skill or care in their management. What grand masses of bloom can be had throughout the season by a proper use of the various families. Then the Purple and Variegated-leaved trees and shrubs can also be planted in such a manner as to afford rich and striking contrasts.

Groups of flowering trees form superb objects at the blossoming season, and it is strange that Planters do not employ them more.

Highly effective groups can be formed of trees and shrubs possessing bright colored bark in winter.

For Lawns and Small Places.—Whatever specimens are planted should be; of the finest species, of moderate size, of graceful habits of growth and handsome foliage.

A pendulous tree or one with variegated foliage may be occasionally introduced, and will add to the beauty of the grounds. Depend mainly upon dwarf shrubs for small places, and in selecting aim at securing a succession of bloom. Dwarf evergreens are very useful, and in small grounds hardy border plants can be used with the most satisfactory results: a proper selection will afford as much bloom as ordinary bedding plants, and at half the trouble and expense.

WHEN TO PLANT.

Deciduous Trees and Shrubs and Vines can be planted either in Spring or Fall. In localities where the winters are very severe we recommend Spring planting. Spring is the best time for Evergreens generally.

HOW TO PLANT.

Preparation of the Roots.—Cut off smoothly all bruised or broken roots up to the sound wood. This prevents their decaying and hastens the emission of new roots and fibers.

Preparation of the Top.—This consists in cutting back the top and side branches in such a way as to correspond with the more or less mutilated roots, as follows:

Trees, with branching heads, should have the small branches cut clean out, and the larger ones, intended for the frame work of the tree, cut back till within two or three buds of their base.

In cases where there is an abundant root, and small top or few branches, the pruning need be very light, but where the roots are small and the top heavy, severe pruning will be necessary. These remarks are applicable to all Deciduous Trees and Shrubs. Evergreens seldom require pruning, but *Arbor Vitæ* and other Evergreens planted in hedge rows may be advantageously shorn immediately after planting.

Planting.—Dig holes, in the first place, large enough to admit the roots of the tree to be spread out in their natural position. Then, having the tree pruned as above directed, let one person hold the tree in an upright position, and the other shovel in the earth, carefully putting in the finest and the best from the surface in among the roots, filling every interstice, and bringing every root in contact with the soil. When the earth is nearly all filled in, a pail of water may be thrown on to settle and wash in the earth around the roots; then fill in the remainder, and tread gently with the foot. Guard against planting too DEEP. The trees, after the ground settles, should stand in this respect as they did in the nursery. In very dry gravelly ground, the holes should be dug twice the usual size and depth, and filled in with good loamy soil. No manure should be used around the roots at the time of planting, only good surface soil. The manure can be applied on the surface afterwards.

Staking.—If the trees are tall and much exposed to winds, a stake should be planted with the tree, to which it should be tied in such a manner as to prevent chafing. A piece of matting or cloth may be put between the tree and the stake.

Mulching.—When the tree is planted, throw around it as far as the roots extend, and a foot beyond, four to six inches deep of rough manure or litter. This is particularly necessary in dry ground, and is highly advantageous everywhere, both in Spring and Fall planting. It prevents the ground from baking or cracking, and maintains an equal temperature about the roots.

After Culture.—The grass should not be allowed to grow around young trees after being planted, as it stunts their growth and utterly ruins them. The ground should be kept clean and loose around them, until at least they are well established.

PRUNING.

Pruning, as practised by some people, has the effect to render trees and shrubs unnatural and inelegant. We refer to the custom of shearing trees, particularly conifers, into cones, pyramids and other unnatural shapes. Every tree, shrub and

plant has a habit of growth peculiar to itself, and this very peculiarity is one of its beauties. If we prune all trees into regular shapes we destroy their identity. The pruning knife, therefore, should be used to assist nature, and handled with judgment and care; to lop off straggling branches, to thin the head of a tree which has become too dense, and to remove dead wood. Sometimes it becomes necessary to prune severely to keep a tree from attaining too great size.

Shearing may be practised on hedges, but never on trees or shrubs.

PRUNING SHRUBS.

Many persons trim and shear them into regular shapes, imagining that regular outline adds to their effect and beauty. While symmetry and regularity of form are to be admired in a shrub, this quality should never be gained at the expense of health and natural grace. Each shrub has peculiarities of habit and foliage, and we should aim to preserve them as far as possible. Judicious pruning to secure health and vigor is necessary; but trimming all kinds of shrubs into one form shows a lack of appreciation for natural beauty, to say the least. Weigelas, Deutzias, Forsythias and Mock Orange flower on the wood of the preceding year's growth, hence these shrubs should not be pruned in winter or spring, but in June, after they have finished flowering, when the old wood should be shortened or cut out, thus promoting the growth of the young wood, which is to flower the following season.

Spiræas, Lilacs, Althæas and Honeysuckles may be trimmed during the winter or early in spring, but the branches should only be reduced enough to keep them in good shape. The old growth should occasionally be thinned out and the suckers and root sprouts removed when they appear. The best time, however, for pruning all shrubs is when they have done flowering. The Plumed Hydrangea should be severely cut back and thinned early in Spring.

PRUNING EVERGREENS.

Use the knife occasionally to thicken the growth and preserve the shape. This can be done in April or May, just before the trees start to grow.

ADVICE TO CORRESPONDENTS.

(Please read before making out order.)

CORRESPONDENTS will greatly oblige by observing, as far as possible, the following directions,

1st. All orders should be legibly written out on the order sheet herein enclosed; this will save us much trouble and at the same time prevent mistakes.

2d. The names of everything ordered should be plainly written out.

3d. Where particular trees or plants are ordered, it should be stated whether, and to what extent, other varieties may be substituted, in case the order can not be filled to the letter, as happens occasionally in all establishments. Our rule is, not to substitute in any case, without being expressly requested to do so.

4th. All trees and plants are carefully labelled and packed in the best manner for any part of the United States, Canada or Europe, *for which a moderate charge is made*, but no charge is made for the delivery of packages at the railroad.

5th. *It is requested that explicit directions for marking and shipping packages accompany each order.* When it is left to us to choose the mode of conveyance, we will exercise our best judgment. We pack in such a manner that ornamental trees, shrubs, evergreens and hardy border plants can go safely as freight. *In all cases, the articles are at the risk of the purchaser after being shipped; and if delay or loss occurs, the forwarder alone must be held responsible.*

6th. *Parties desiring to have stock forwarded to points west of Chicago, are reminded that we are obliged to prepay the freight charges on all goods shipped west of that city.* In remitting, therefore, please send a sufficient amount of money to pay for the stock ordered, as well as the transportation charges.

7th. For shipment abroad, we pack in the best manner, in close boxes. Our consignments to all parts of the world have generally been received in good condition, and parties who favor us with their orders, may rely upon the same having careful attention. Shipments of this kind can usually be made to the best advantage in the months of October and November.

8th. All orders from unknown correspondents must be accompanied with a draft on some of the principal cities, or post-office order for the amount. Please send no order for less than one dollar.

9th. Our customers are requested to notify us instantly of any errors that may be committed in filling their orders, so that we may at once make ample amends, as we desire to conduct our business in all respects satisfactorily to those who favor us with their confidence.

Descriptive and Illustrated priced Catalogues will be sent free to customers on application; to others, on receipt of postage stamps, as follows:

No. 1.—A Descriptive Catalogue of fruits, 10c.

No. 2.—A Descriptive Catalogue of Ornamental Trees, Shrubs, Hardy Flowering Plants, etc., 20c.; ditto, with colored plate, 25c.

No. 3.—A Descriptive Catalogue of Strawberries and other small Fruits, free.

No. 4.—A Wholesale Catalogue or List for the Trade, free.

No. 5.—A Descriptive Catalogue of Roses, free.

No. 6.—Abridged Catalogue, free.

ELLWANGER & BARRY.

ARTICLES BY MAIL.

For the convenience of those who cannot be reached by railroad or express, packages of *small* articles, not less in amount than \$3, will be sent by mail prepaid, such articles to be charged at full retail prices.

ORNAMENTAL TREES.

IN FOUR CLASSES.

CLASS I.—A General Descriptive List of Deciduous Trees of upright as well as those of drooping habit.

CLASS II.—A List of Deciduous Weeping or Drooping Trees, described in their respective places in the Catalogue.

CLASS III.—A list of trees possessing remarkable characteristics of foliage, in three sections—Cut-Leaved, Variegated and Purple, and described in their respective places in the Catalogue.

CLASS IV.—Coniferæ or Evergreens.

Our object in the above classification is to lessen the labor and difficulty, as far as possible, of making selections adapted to particular purposes.

ARRANGEMENT OF CATALOGUE.

The botanical name of the genus or family, as well as of the species and variety, is placed *first* in **Full Faced** conspicuous type. The English name follows in **SMALL CAPITALS**. The German and French names of the genus are also given in **SMALL CAPITALS**. It is to be hoped that, with the aid of the complete index of Botanical and English names, to be found on the last page, no difficulty will be experienced in finding any tree, shrub or plant described in the Catalogue.

CLASS I.—DECIDUOUS TREES, UPRIGHT AND DROOPING.

Those preceded by a * are the most suitable for parks, avenues, streets, etc. They are propagated in large quantities, and can be furnished at low rates.

PRICE.—*For trees of the usual size (except otherwise noted), 50c. each; \$5 per dozen. Extra sized trees, selected in the Nursery, charged for in proportion to size.*

ACER. Maple. AHORN, Ger. ERABLE, Fr.

A valuable and highly ornamental family of trees. The Maples are regular in outline, beautiful in foliage, vigorous growers, free from all diseases, and adapted to all soils, merits which deservedly render them universally popular.

A. campestre. **ENGLISH OR CORK BARKED MAPLE.** A native of Central Europe. It is a slow growing, stocky tree, of compact, roundish habit, with corky bark, and small handsome foliage; hardy and very ornamental. 75 c.

A. Colchicum rubrum or latum. **RED COLCHICUM MAPLE.** From Japan. Tree of medium size and rounded, elegant form. The young growth of wood and foliage is of a bright crimson color. In this latitude this rare and beautiful variety is not entirely hardy. \$1.00.

***A. dasycarpum or eriocarpum.** WHITE OR SILVER-LEAVED MAPLE. A North American species, of rapid growth, large size, and irregular rounded form; foliage bright green above and silvery white beneath; tree very hardy and easily transplanted; where immediate shade is required, one of the most useful trees; also a favorite street and park tree.

LEAVES OF THE CRISPED-LEAVED MAPLE.
(NATURAL SIZE.)

var. crispum. CRISPED-LEAVED SILVER MAPLE. A beautiful variety, raised in our nurseries from seed. Its foliage is deeply cut and crimped, and in appearance is quite different from anything in this class. The tree is of medium, rather compact growth. \$1.00

var. heterophyllum laciniatum. CUT-LEAVED SILVER MAPLE. A distinct variety, raised in our nurseries from the seed of the Silver-leaved. It is a luxuriant, erect grower of fine appearance, and has handsomely cut or dissected leaves, which are extremely variable in form, some being only slightly lobed and others deeply cleft and lacinated. It differs from Wier's in being of upright habit and in having the foliage more deeply cut. An occasional cutting back will be of advantage to the tree. We consider this sort destined to a popularity equal to that of Wier's. \$1.50.

LEAVES OF ACER DASYCARPUM.—VAR. HETEROPHYLLUM LACINIATUM.

(NATURAL SIZE.)

A. d. var. tripartitum.

Another choice variety, which originated in our nurseries. It is a vigorous, upright grower, with deeply lobed foliage, the leaves being cut nearly to the midrib and are three parted. The young growth is conspicuously marked with white spots, which are particularly noticeable in winter. \$1.00.

var. Wierii laciniatum.

WIER'S CUT-LEAVED SILVER MAPLE. Introduced by us in 1873. It is a variety of the silver-leaved, and one of the most remarkable and beautiful trees, with cut or dissected foliage. Its growth is rapid, shoots slender and drooping, giving it a habit almost as graceful as the Cut-leaved Birch. The foliage is abundant, silvery underneath, and on the young wood especially deeply and delicately cut. The leaf stalks are long and tinted with red on the upper surface. It ranks among the most interesting and attractive lawn trees, and may be easily adapted to small places by an occasional cutting back, which it will bear to any degree necessary, as well as a willow. \$1.00

A. Japonicum. From Japan. Of slow growth, handsome scalloped, deep green leaves. \$2.50.

A. Monspessulanum. MONTPELIER MAPLE. Native of Central Europe; forms a handsome small tree with rounded head, leaves small, palmately three lobed. \$1.00.

LEAVES OF WIER'S CUT-LEAVED MAPLE (REDUCED).

A LEAF OF ACER TRIPARTITUM.

(½ NATURAL SIZE.)

***A. platanoides.** NORWAY MAPLE. Native of Europe. A large handsome tree, of spreading rounded form, with broad, deep green, shining foliage. Its compact habit, stout, vigorous growth, render it one of the most desirable species for the street, park or garden.

var. cucullatum. CURLED-LEAF NORWAY MAPLE. A curious variety of the above, with leaves the lobes of which curl and turn inwards, giving the tree a novel and distinct aspect. \$1.00.

var. digitatum foliis aureo marginatis. A promising novelty with gold margined leaves. \$1.50.

var. dissectum. CUT-LEAVED NORWAY MAPLE. A compact growing tree, with dense, dark green foliage, which is regularly and deeply cut, so as almost to divide the leaf into three parts. One of the best of the cut-leaved varieties; rare. \$1.00.

var. laciniatum. CUT-LEAVED OR EAGLE'S CLAW NORWAY MAPLE. A curious variety of the Norway with deeply lobed and sharp pointed leaves, in form resembling an eagle's claw. It is difficult to propagate, and scarce. \$1.50.

var. Lorbergii. LORBERG'S NORWAY MAPLE. An elegant variety, with deeply cut foliage. The leaves somewhat resemble those of *dissectum*, but the growth seems to be more vigorous. \$1.00.

A. p. var. Reitenbachi. REITENBACH'S NORWAY MAPLE. A promising new variety with dark purple leaves in spring. In summer and autumn the leaves have a faint purple tint. \$1.00.

var. Schwedlerii. SCHWEDLER'S NORWAY MAPLE. A beautiful variety, with the young shoots and leaves of a bright purplish and crimson color, which changes to purplish green in the older leaves. One of the most valuable trees of recent introduction. \$1.00.

A. polymorphum. JAPAN MAPLE. This is the normal form or type; growth slow and shrubby; foliage small, five lobed, and of a bright cheerful green in spring and summer, changing to a lovely dark crimson in autumn. Apparently perfectly hardy. One of the most beautiful and valuable of small sized trees. 2 to 3 feet plants, \$1.50.

var. atropurpureum. DARK PURPLE-LEAVED JAPAN MAPLE. Forms a bushy shrub; foliage dark purple and deeply cut; very ornamental. 2 to 3 feet plants \$3.00.

var. dissectum atropurpureum. CUT-LEAVED PURPLE JAPAN MAPLE. One of the most striking and handsome varieties of the Japanese Maples. Form dwarf and weeping. The leaves are of a beautiful rose color when young, and change to a deep and constant purple, as they become older. They are also deeply and delicately cut, giving them an elegant, fern-like appearance. The young growth is long, slender and pendulous, and like the leaves, has a deep crimson hue. Besides being an elegant and attractive lawn tree, it is also very useful for conservatory decoration in spring. 2 to 3 feet plants. \$2.50 to \$5.00.

var. sanguineum. BLOOD LEAVED JAPAN MAPLE. Of dwarf habit and rounded form; foliage five lobed and serrated; reddish crimson in June. A charming variety and one of the best of the Japanese Maples. 2 to 3 feet plants \$2.50 to \$5.00.

☞ We are now propagating several other varieties of the Japanese Maples which we will offer as soon as the plants are sufficiently large.

LEAF OF TRICOLOR LEAVED SYCAMORE.

($\frac{1}{4}$ NATURAL SIZE).

finest variegated-leaved trees. The *Variegated-leaved Sycamore*, has proved identical with this. \$1.00.

var. Woorleii. WOORLE'S GOLDEN-LEAVED SYCAMORE MAPLE. Synonymous with *lutescentibus*. Recently introduced from Hamburg, Germany. In spring the foliage is of a golden yellow color which changes to a duller shade as the season advances. The young growth continues brilliant throughout the summer. A valuable and effective variety for grouping with purple-leaved trees. \$1.50.

***A. pseudo platanus.** EUROPEAN SYCAMORE MAPLE. From Europe. A handsome tree, of rapid, upright growth, with large foliage, and smooth, ash-gray colored bark.

var. aurea variegata. GOLDEN-LEAVED SYCAMORE MAPLE. A distinct variety of the *European Sycamore*, the foliage of which is clouded with bright yellow in spring. Contrasts finely with the *Purple leaved Sycamore*. \$1.00

var. purpurea. PURPLE-LEAVED SYCAMORE MAPLE. Tree of fine, robust habit. Foliage deep green on the upper surface, and purplish red underneath. Produces a fine effect planted with golden-leaved trees. \$1.00.

var. tricolor. TRICOLOR-LEAVED SYCAMORE MAPLE. Another charming variety of the *European Sycamore*. Leaves distinctly marked with white, red and green, retaining their variegation all the summer. One of the

WIER'S CUT-LEAVED SILVER MAPLE.

(FROM A SPECIMEN ON OUR GROUNDS.)

RACEMES OF FLOWERS OF THE DOUBLE FLOWERED HORSE CHESTNUT.
(ONE-FIFTH NATURAL SIZE.)

A. rubrum. RED OR SCARLET MAPLE, RED-BUD MAPLE. A native species, of medium size, and rounded head; produces deep red blossoms, which appear before the leaves. In autumn the foliage changes to brilliant scarlet, rendering the tree very conspicuous. At the South the seeds assume gorgeous tints. \$1.00.

var. fulgens. A dwarf variety of the *Scarlet*, forming a very conspicuous round head. Flowers bright red. \$1.00.

***A. saccharinum.** SUGAR OR ROCK MAPLE. A well-known native tree, of elegant pyramidal form; valuable both for the production of sugar and for its wood; its stately growth, fine form and foliage, make it desirable as an ornamental and shade tree.

A. Tartaricum. TARTARIAN MAPLE. A native of South-eastern Europe, of medium size, and rounded form; leaves small; a moderate, irregular grower, but forming a handsome tree. \$1.00.

var. ginnala. Of dwarf habit and compact form, with medium sized or small leaves; makes a very pretty small tree; perfectly hardy. \$1.50.

A. velutinum. VELVETY-LEAVED MAPLE. A vigorous growing species with large five-lobed leaves of a dark green color. \$1.00.

ÆSCULUS. Horse Chestnut. KASTANIEN, *Ger.* MARONNIER, *Fr.*

Trees of elegant habit, magnificent foliage, and fine large spikes of flowers in May and June.

Æ. glabra. OHIO BUCKEYE. A native of the Western States, forming a large sized tree; leaves smooth; flowers yellow. Blooms before the others.

***Æ. Hippocastanum.** THE EUROPEAN OR WHITE-FLOWERING HORSE CHESTNUT. This well-known species forms a large-sized tree, of handsome, regular outline, is very hardy, and free from all diseases. In May it is covered with magnificent, erect spikes or panicles of white flowers lightly marked with red. As a single lawn tree, or for the street, it has no superior.

var. alba flore pleno. DOUBLE WHITE-FLOWERING HORSE CHESTNUT. A superb variety, with double flowers, in larger panicles than the common sort, and of fine pyramidal habit. The absence of fruit by which much litter is avoided, is an important argument in favor of its employment. It is one of the best ornamental trees. \$1.00.

Mr. Scott in his interesting work entitled "Suburban Home Grounds," writes thus: "Ellwanger & Barry, at Rochester, have a noble young specimen about forty feet high, which, in the blossoming season, is like a verdant tower, spangled all over with hyacinth boquets." See cut.

var. heterophylla dissecta. An interesting and ornamental variety, with deeply and delicately cut foliage; rare. \$1.00.

var. Memmingerii. MEMMINGER'S HORSE CHESTNUT. The foliage of this variety is completely dotted or sprinkled with white. The effect thus produced is very novel and ornamental. The tree being of handsome, compact growth, is very desirable for the lawn. \$1.50.

var. nana Van Houtteii. \$1.00.

Æ. H. rubicunda. RED-FLOWERING HORSE CHESTNUT. Origin obscure. One of the finest trees in cultivation; form round; flowers showy red; blooms a little later than the white, and the leaves are of a deeper green. One of the most valuable ornamental trees. The white-flowered and this contrast well, when planted together. \$1.00.

var. foliis aureo variegatis. GOLDEN VARIEGATED HORSE CHESTNUT. Foliage with bright golden yellow variegation. \$1.00.

Æ. Sinensis. CHINESE HORSE CHESTNUT. Of recent introduction. Tree a vigorous grower and foliage very large. \$1.00.

Æ. umbraculifera. \$1.00.

For Smooth-Fruited Horse-Chestnut see Pavia.

AILANTUS. Tree of Heaven. GÖTTERBAUM, *Ger.* AILANTHE, *Fr.*

A. glandulosa. From Japan. A lofty, rapid growing tree, with long elegant feathery foliage, exempt from all diseases and insects. One of the most distinct of ornamental trees with pinnate foliage. Useful to produce tropical effects.

ALNUS. Alder. ERLE, *Ger.* AULNE, *Fr.*

The cut leaved varieties in this family are particularly elegant and ornamental; being rapid and robust growers, they should be pruned every year in order to form handsome specimens.

A. firma. A distinct species from Japan. In foliage and general appearance the tree resembles a Morello Cherry. \$1.00.

***A. glutinosa.** EUROPEAN OR COMMON ALDER. A remarkably rapid growing tree, attaining a height of from thirty to sixty feet. Foliage roundish, wedge-shaped and wavy. This species is specially adapted to moist situations.

var. laciniata. CUT-LEAVED ALDER. From Northern France. A very ornamental variety, with dark green and deeply serrated foliage. 75 cents.

var. laciniata imperialis. IMPERIAL CUT-LEAVED ALDER. A stately tree, of graceful growth, with large and deeply lacinated foliage; at the same time vigorous and perfectly hardy. Unsurpassed as a lawn tree. \$1.00.

A. incana laciniata. A distinct, handsome tree, with regularly lacinated foliage. \$1.00.

CUT-LEAVED WEEPING BIRCH.

A. tiliacea. LINDEN-LEAVED ALDER. An ornamental species of medium size, with large, handsome, cordate, dark green leaves; very distinct. \$1.00.

AMELANCHIER. *Mespilus.* AMELANCHIER, *Fr.*

A. Botryapium. An American species known as "June Berry," "Wild Pear," "Service Tree" and "Shad Blow." Grows 30 to 40 feet high. Of fastigate form. Flowers white, produced in great profusion early in April, succeeded by a small fruit of purplish color, ripe in July and pleasant to the taste. *One of the finest very early flowering trees*; not appreciated as it should be. \$1.00.

A. ovalis. OVAL-LEAVED AMELANCHIER. A native of North America. When grafted 5 or 6 feet high it makes a very handsome round-headed small tree; has bright scarlet berries in the fall. \$1.00.

For **A. vulgaris** see "*Ornamental Shrubs.*"

AMYGDALUS. Almond. MANDELBAUM, *Ger.* AMANDIER, *Fr.*

A. communis flore roseo pleno. LARGE DOUBLE-FLOWERING ALMOND. A vigorous, beautiful tree, covered in May with double rose-colored blossoms, like small roses.

A. communis striata. STRIPED-BARK ALMOND. An ornamental variety, with bark and foliage yellow striped.

For dwarf varieties see "*Ornamental Shrubs.*"

BETULA. Birch. BIRKE, *Ger.* BOULEAU, *Fr.*

This genus embraces a very popular and highly ornamental class of trees. Their elegant, graceful port, silvery bark, slender branches, and light and airy foliage, render them general favorites. As single specimens on the lawn, or employed as avenue trees, the upright varieties are very imposing and handsome. They thrive even in the poorest soils and in the most exposed situations.

B. alba. EUROPEAN WHITE WEEPING BIRCH. A graceful tree, of moderate size, with silvery bark and slender branches. Quite erect when young, but after four or five years' growth assumes an elegant drooping habit, rendering the tree very effective in landscapes.

var. fastigiata. PYRAMIDAL BIRCH. Of elegant pyramidal habit, like the Lombardy Poplar. Bark silvery white. Very distinct and ornamental. \$1.00.

var. atropurpurea. PURPLE LEAVED BIRCH. A variety possessing the vigorous habit of the Birches, and having purple foliage. \$1.00.

var. pendula laciniata. CUT-LEAVED WEEPING BIRCH. Beyond question one of the most popular of all weeping or pendulous trees. Its tall, slender, yet vigorous growth, graceful drooping branches, silvery white bark, and delicately cut foliage, present a combination of attractive characteristics rarely met with in a single tree. \$1.00.

var. pendula elegans. An elegant and unique drooping variety. When grafted standard high the branches bend directly towards the ground parallel with the stem. We have, however, observed that it occasionally sports, producing stiff, erect shoots, hence we cannot recommend it as strongly as heretofore. \$1.50

var. pendula Youngii. YOUNG'S WEEPING BIRCH. Found trailing on the ground in the neighborhood of Milford, England. When grafted on stems five to six feet high, it forms beautiful pendulous heads, and its slender shoots droop gracefully to the ground. One of the finest of the Weeping Birches, the beauty of which may be greatly enhanced by judicious pruning. \$1.50. See cut.

var. pubescens. DOWNY-LEAVED BIRCH. A native of Germany, resembling the *American White Birch*, but more vigorous, and branches slightly pendulous.

YOUNG'S WEEPING BIRCH.
(FROM A SPECIMEN IN OUR COLLECTION.)

B. a. var. tristis. A charming variety of the European; of pendulous habit. \$1.00.

var. urticifolia. NETTLE-LEAVED BIRCH. A fine tree, of rather slow growth, with irregularly cut foliage of a deep green color. 75 cents.

B. Bhojpaltra. INDIAN PAPER BIRCH. A fine, distinct species, of upright growth, with large heart shaped foliage. In its wild state, on the Himalayan Mountains, it forms a noble tree fifty to sixty feet high. 75 cents.

B. costata. A species from the Amour River, of fine, erect habit, and with cordate leaves. \$1.00.

B. nana. DWARF BIRCH. A bushy shrub, native of both Europe and America, seldom growing higher than twelve feet; leaves numerous, round, sharply crenated. Young wood downy. A charming miniature tree. \$1.00.

B. nigra. RIVER OR RED BIRCH. An American species of moderate growth, elegant habit, with fine foliage and reddish brown bark. 75 cents.

B. papyracea. PAPER OR CANOE BIRCH. Native of America; forms a large tree; bark brilliant white, leaves large and handsome. 75 cents.

B. populifolia. AMERICAN WHITE BIRCH. An American species of rapid growth, with triangular, taper pointed, smooth and glossy leaves.

CARPINUS. Hornbeam. HAINBUCHE, *Ger.* CHARME, *Fr.*

C. Americana. AMERICAN HORNBEAM. A native species, growing from fifteen to twenty feet high. In its mode of growth, quite similar to the *Beech*, but the foliage is thinner and more irregular in form. Makes a very ornamental and useful hedge.

CARYA. Hickory. NOYER, *Fr.*

C. alba. SHELL BARK OR SHAG BARK HICKORY. The most ornamental and valuable of the genus. The nuts are whiter and shell thinner than those of other species.

CASTANEA. Chestnut. ÆCHTE KASTANIEN, *Ger.* CHATAIGNIER, *Fr.*

C. vesca. SWEET OR SPANISH CHESTNUT. Originally introduced from Asia Minor into Europe. A valuable species both for ornament and fruit. It forms a handsome lawn tree, and produces much larger fruit than the American variety.

var. laciniata. A handsome variety having the margin of its leaves finely cut. A moderate grower. \$1.50.

var. Americana. AMERICAN CHESTNUT. The well known native variety. A stately tree, with broader leaves than the European, and producing smaller fruit. When in full bloom, one of the handsomest trees.

FLOWERS OF THE CATALPA.
($\frac{1}{2}$ NATURAL SIZE.)

CATALPA. Trompetenbaum, *Ger.* CATALPA, *Fr.*

The Catalpas flower in July, when few trees are in bloom. Their blossoms are large, very showy and quite fragrant. Leaves large, heart-shaped, and yellowish green. They are all effective, tropical-looking lawn trees.

C. Bungei. A species from China, of dwarf habit, growing only from three to five feet high. Foliage large and glossy; a shy bloomer. \$1.00.

C. bignonioides. syn. **C. syringæfolia.** Native of the Southern States. A showy, rapid growing, spreading, irregular tree, with very large, heart-shaped leaves, and pyramidal clusters, a foot long, of white and purple fragrant flowers. Blooms latter end of July, when few trees are in blossom, and, therefore, very desirable.

var. aurea variegata. GOLDEN CATALPA. A medium-sized tree of rapid growth, having large heart-shaped leaves which are of a beautiful golden color in spring and early summer, but later in the season become green. 75 cents.

var. speciosa. A variety which is said to have originated in the West. It is represented to be finer and harder than the common, hence better adapted to forest and ornamental planting. Its blossoms are said to open two or three weeks earlier than those of bignonioides.

C. Kämpferi. Introduced from Japan by Siebold. A species of medium growth, with deep green glossy foliage. Flowers fragrant, cream-colored, speckled with purple and yellow; not so large as those of syringæfolia, panicle also, is smaller and more loose; seed pods long and very narrow; flowers two weeks later than syringæfolia.

CELTIS. Nettle Tree. ZURGELBAUM, *Ger.* MICOCOULIER, *Fr.*

C. occidentalis. AMERICAN NETTLE TREE. A rare native tree, with numerous slender branches, which spread out horizontally and thick, rough bark. Leaves about the size and form of those of the apple, but more pointed, and a bright shiny green.

CERASUS. Cherry. KIRSCHKE, *Ger.* CERISIER, *Fr.*

A very ornamental family of trees. The drooping varieties are especially adapted to beautifying small grounds. As single specimens on the lawn they are unique and handsome and require only to be better known in order to be extensively planted. Now that the Kilmarnock Weeping Willow is no longer rare, its place may well be filled with the Japan Weeping Cherry, which is equally ornamental, and is unquestionably destined to become just as popular.

C. acida var. humilis flore pleno. DWARF DOUBLE FLOWERING CHERRY. A variety of the *Morello*, with double white flowers.

C. acida var. semperflorens pendula. EVER-FLOWERING WEEPING CHERRY. A fine drooping variety that bears fruit and flowers all summer. \$1.00.

C. avium var. flore alba plena. LARGE DOUBLE FLOWERING CHERRY. At the period of flowering in May, a remarkably beautiful and attractive tree. The flowers are so numerous as to conceal the branches, and present to the eye nothing but a mass of bloom, each flower resembling a miniature rose. A valuable variety, deserving of wide dissemination. See cut. 75 cents.

C. avium pendula. A pretty variety, with drooping branches. \$1.00.

C. caproniana ranunculiflora. An upright grower, producing large, double white flowers, resembling those of a *Ranunculus*. An important addition. \$1.50.

C. Japonica rosea pendula. Brought from Japan by Von Siebold, and is certainly one of the finest pendulous trees for the lawn or small grounds. The branches are slender, and fall gracefully to the ground, and the flowers are rose-colored. Undoubtedly one of the finest Weeping Cherries. \$1.50.

C. pumila pendula. DWARF WEEPING CHERRY. Grafted standard high, this makes a curious and beautiful little round-headed, drooping tree. \$1.00.

C. Sieboldii alba plena. SIEBOLD'S DOUBLE-FLOWERING CHERRY. Semi-double white flowers.

C. Sieboldii rubra plena. SIEBOLD'S DOUBLE RED-FLOWERING CHERRY. Semi-double flowers, white tinged with red.

FLOWERS OF THE LARGE DOUBLE FLOWERING CHERRY.

($\frac{1}{2}$ NATURAL SIZE.)

CERCIDIPHYLLUM.

C. Japonicum. Lately introduced from Northern Japan, where it becomes a large tree. Form pyramidal, foliage small, heart-shaped, resembling somewhat that of the Judas Tree; leaf stalks tinted with red, and young growth slender, with reddish brown bark; flowers inconspicuous. In our grounds young plants have stood out uninjured the last three winters, and we believe this beautiful tree to be perfectly hardy. \$2.00.

AMERICAN JUDAS TREE.

VIRGILEA LUTEA. (Yellow Wood.)

CERCIS. Judas' Tree, or Red Bud. JUDAS BAUM, *Gr.* GANIER, *Fr.*

C. Canadensis. AMERICAN JUDAS TREE. A very ornamental native tree, of medium size, irregular rounded form, with perfect heart-shaped leaves of a pure green color, glossy surface above, and grayish green beneath. The tree derives the name *Red Bud* from the profusion of delicate pink flowers with which it is covered before the foliage appears. Flowering at the same time with the *Chinese Magnolias*, it may be planted among them in groups with fine effect. Grown as single specimens they are also beautiful and attractive, and deserve to be classed among our *finest ornamental trees*. See cut. \$1.00.

C. Japonica. JAPAN JUDAS TREE. Of medium size, rounded form, foliage deep shining green, and heart-shaped; flowers larger than those of *Canadensis*, and of a rich rosy pink color; a valuable addition to the list of choice small trees. \$1.00.

FLOWERS OF THE WHITE-FLOWERING DOGWOOD.
(NATURAL SIZE.)

CHIONANTHUS. Fringe Tree. SCHNEEFLOCKENBAUM, *Ger.*
CHIONANTHE, *Fr.*

C. Virginica. WHITE FRINGE. A small native tree or shrub, of roundish form, with large glossy leaves and drooping racemes of pure white flowers, having narrow fringe like petals; blossoms in May or June. A superb lawn tree.

CLADASTRIS. VIRGILIE, *Ger.* VIRGILIER, *Fr.*

C. tinctoria, syn. **Virgilea lutea.** YELLOW WOOD. One of the finest American trees. Of moderate growth, broadly rounded head, foliage compound like that of the *Robinia*, and of a light green color turning to a warm yellow in autumn; flowers pea-shaped, white, sweet scented, appearing in June in great profusion, in long drooping racemes covering the tree. See cut. \$1.00.

CORNUS. Dogwood. HARTRIEGEL, *Ger.* CORNOUILLIER, *Fr.*

C. florida. WHITE-FLOWERING DOGWOOD. An American species, of spreading irregular form, growing from 16 to 25 feet high. The flowers produced in Spring before the leaves appear, are from 3 to 3½ inches in diameter, white and very showy. They begin to appear just as the *Magnolia* flowers are fading, and are invaluable for maintaining a succession of bloom in the garden border or on the lawn. They also are very durable, lasting in favorable weather more than two weeks. Besides being a tree of fine form, its foliage is of a grayish green color, glossy and handsome, and in the autumn turns to a deep red, rendering the tree one of the most showy and beautiful objects at that season. We regard it, all things considered, as one of the most valuable trees for ornamental planting, ranking next to the *Magnolia* among flowering trees, and only second to the Scarlet Oak (which it almost equals) in brilliant foliage in autumn. See cut. \$1.00.

FLOWERS OF THE DOUBLE-FLOWERING THORN.
(NATURAL SIZE.)

CRATÆGUS. Thorn. WEISDORN, *Ger.* EPINE, *Fr.*

The Thorns justly deserve to be classed among the most beautiful flowering trees. They are generally dense, low growers, occupying comparatively little space and well adapted to beautify small grounds. If judiciously pruned, they can also be trained to assume picturesque tree forms. The foliage is varied and attractive, flowers very showy and often highly perfumed. The fruit is ornamental. There are numerous varieties, all of which are hardy and will thrive in any dry soil. We have endeavored to select the best and most distinct. They flower in May and June.

C. Azarolus. From Southern France. A tree with a round spreading head; foliage large and handsome; fruit scarlet, very ornamental. \$1.00.

C. Crus-galli var. pyracanthifolia. PYRACANTHA-LEAVED THORN. A beautiful variety with narrow, bright green, glossy foliage. \$1.00.

C. Crus-galli var. lucida odorata. GLOSSY-LEAVED THORN. Leaves bright shining green; white fragrant flowers in June. A tree of vigorous growth and fine effect. One of the best. \$1.00.

C. Crus-galli var. hybrida. HYBRID SMOOTH-LEAVED THORN. Smooth shining leaves; white flowers; very handsome. \$1.00.

C. mespilus. MEDLAR-LEAVED THORN. Medlar like leaves; distinct. \$1.00.

C. nigra. BLACK-FRUITED THORN. A native of Hungary, where it grows fifteen to twenty feet high. It is upright in growth, with medium-sized lobed leaves. Fruit black. \$1.00.

C. orientalis, erroneously **C. apiifolia.** A fine distinct species; foliage grayish, and deeply lobed. \$1.00.

C. Oxyacantha. COMMON HAWTHORN. *Quick.* The celebrated English hedge-plant.

C. O. var. coccinea flore pleno. DOUBLE SCARLET THORN. A tree of fine habit, with rich luxuriant foliage. Flowers unusually large, much larger than the double red, of a deep crimson color, with scarlet shade, and very double. A charming variety. \$1.00.

var. coccinea flore pleno Paulii. PAUL'S DOUBLE SCARLET THORN. Flowers bright carmine red. Superior to any of its color. \$1.00.

var. flore pleno. DOUBLE WHITE THORN. Has small, double white flowers. A highly ornamental variety, on account of both foliage and flowers. Makes a striking contrast when planted with the double scarlet. \$1.00.

var. punicea. SINGLE SCARLET THORN. Of moderate growth and fine habit; flowers single scarlet and highly perfumed. \$1.00.

var. flore punicea pleno. DOUBLE RED OR SUPERB THORN. Bright double red flowers. \$1.00.

var. Gumperti bicolor. GUMPPER'S THORN. Flowers white, edged with rose. A charming variety. \$1.00.

var. coccinea pendula. WEEPING SCARLET THORN. This variety grafted standard high forms pretty drooping heads. The branches are slender and hang gracefully towards the ground; flowers crimson; unique and beautiful. \$1.50.

var. pyramidalis. PYRAMIDAL THORN. Flowers white, single. \$1.00.

C. tanacetifolia. TANSY-LEAVED THORN. A fine, large, vigorous tree, with beautiful, deep green, distinct foliage and yellow fruit. \$1.00.

C. tomentosa, erroneously **C. glabra.** A vigorous species with large dark green foliage; fruit red. \$1.00.

var. mollis, erroneously **C. acerifolia.** A close, compact-headed tree with distinct and ornamental foliage. \$1.00.

CYTISUS. Golden Chain. GEISKLEE, *Ger.* CYTISE, *Fr.*

C. Laburnum. COMMON LABURNUM OR GOLDEN CHAIN. A native of Europe, with smooth and shining foliage, and attaining the height of twenty feet. The name "Golden Chain" alludes to the length of the drooping racemes of yellow flowers, which appear in June.

var. alpinus. ALPINE OR SCOTCH LABURNUM. A native of the Alps of Jura. Also said to be found wild in Scotland. In good soil grows from thirty to forty feet in height. Of irregular, picturesque shape, smooth, shining foliage, which is larger than the English, and yellow flowers in long racemes. Blooms later than the English.

var. Parksii. Large shining leaves and long racemes of golden yellow flowers. \$1.00.

var. purpureus. PURPLE-FLOWERED LABURNUM. Produces long racemes of purple flowers. \$1.00.

FAGUS. Beech. BUCHE, *Ger.* HETRE, *Fr.*

The Beeches are noted for their rich glossy foliage and elegant habit. The Purple-leaved, Fern-leaved, and Weeping Beeches are three remarkable trees, beautiful even while very young, but magnificent when they acquire age. As single specimens upon the lawn, they exhibit an array of valuable and attractive features not to be found in other trees.

F. sylvatica. EUROPEAN BEECH. A beautiful tree attaining a height of sixty to eighty feet.

FERN-LEAVED BEECH

A LEAF OF THE FERN-LEAVED BEECH.
(NATURAL SIZE.)

WEEPING BEECH.

RIVER'S PURPLE-LEAVED BEECH.
(FROM A SPECIMEN IN OUR COLLECTION.)

F. s. var. cristata. CRESTED or CURLED-LEAVED BEECH. A singular, but very ornamental variety of the European; of medium size, with small and almost sessile leaves, crowded into small, dense tufts. \$1.50 to \$3.00.

var. heterophylla. FERN-LEAVED BEECH. A tree of elegant, round habit, and delicately cut fern-like foliage. During the growing season its young shoots are like tendrils, giving a graceful, wavy aspect to the tree. One of the finest lawn trees. See cut. \$1.50 to \$2.00.

F. s. var. incisa. CUT-LEAVED BEECH. A fine, erect, free growing tree, with deeply incised foliage. Like the fern-leaved, a variety of rare beauty and excellence. \$1.50 to \$2.00.

var. macrophylla. BROAD-LEAVED BEECH. A vigorous variety, with very large foliage. Distinct and fine. \$1.50 to \$2.00.

var. pendula. WEeping BEECH. Originated in Belgium. A remarkably vigorous, picturesque tree of large size. Its mode of growth is extremely curious. The trunk or stem is generally straight, with the branches tortuous and spreading; quite ungainly in appearance, divested of their leaves, but when covered with rich, luxuriant foliage, of wonderful grace and beauty. See cut. \$1.50 to \$3.00.

var. purpurea. PURPLE-LEAVED BEECH. Discovered in a German forest. An elegant, vigorous tree, growing 40 to 50 feet high. The foliage in spring is deep purple, and later in the season changes to crimson, and again to a dull purplish green in the fall. \$1.50 to \$2.00.

var. purpurea major. An erect, rapid grower; leaves large, shining and very dark purple. \$2.00.

var. purpurea Riversii. RIVER'S SMOOTH-LEAVED PURPLE BEECH. This variety, which we procured of Mr. Rivers, differs from the ordinary Purple-leaved Beech by its compact, symmetrical habit of growth, and crimson foliage early in the spring, changing to a dark purple in summer. *The finest of all purple-leaved trees.* \$1.50 to \$3.00.

var. quercifolia. OAK-LEAVED BEECH. Dwarf habit; distinct, fine foliage. \$2.00.

FRAXINUS. Ash. ESCHÉ, *Ger.* FRENE, *Fr.*

This is a large family, and comprises many species and varieties of great beauty and value.

F. Americana var. aucubæfolia. AUCUBA-LEAVED ASH. A beautiful variety, with gold blotched leaves like the Japan Aucuba. As the variegation is permanent, the tree is valuable for grouping with purple-leaved trees. *Punctata* resembles this so closely, that we do not deem it necessary to grow both. \$1.00. See cut.

F. A. var. Bosci. BOSCI'S ASH. A scarce American variety, with dark, glossy foliage, and brown woolly shoots; distinct and fine. \$1.00.

F. A. var. juglandifolia. WALNUT LEAVED ASH. A native tree, growing from 30 to 50 feet high; flowers in May. \$1.00

F. A. var. pannosa. CLOTH-LIKE-LEAVED ASH. A native of Carolina. Resembles Bosci, but more downy, and foliage much larger. \$1.00.

F. A. var. rufa. RUFOUS HAired ASH. An American variety, of upright habit, with dark green single leaves, occasionally in threes. \$1.00.

F. A. var. sambucifolia. AMERICAN BLACK ASH. A small or medium-sized tree, with fine foliage. \$1.00.

F. excelsior. EUROPEAN ASH. A lofty tree, of rapid growth, with spreading head and gray bark, pinnate leaves and black buds.

var. atrovirens. (crispa). DWARF CRISPED-LEAVED ASH. A variety of dwarf habit, with very dark green curled foliage. \$1.00.

var. aurea. GOLDEN-BARKED ASH. A conspicuous tree at all times, but particularly in winter, on account of its yellow bark and twisted branches. \$1.00.

var. aurea pendula. GOLDEN-BARKED WEeping ASH. An elegant weeping tree. Bark in winter yellow as gold. \$1.00.

var. cucullata. HOODED-LEAVED ASH. An odd looking tree, of erect, pyramidal growth, with the foliage twisted and curled in a singular manner; novel and distinct. \$1.00.

var. globosa. DWARF GLOBE-HEADED ASH. A seedling of ours; of delicate globular growth and small, myrtle-like foliage; worked 6 to 8 feet high it makes a very pretty tree. \$1.00.

LEAVES OF THE AUCUBA-LEAVED ASH.
($\frac{1}{4}$ NATURAL SIZE.)

F. e. var. monophylla. SINGLE-LEAVED ASH. A fine tree, with single broad leaves, instead of pinnate foliage such as the Ash generally have. \$1.00.

var. monophylla laciniata. A very handsome variety, with single leaves, having the margins finely cut; distinct and valuable. \$1.00.

var. pendula. The common, well known sort; one of the finest lawn and arbor trees. Covers a great space and grows rapidly. \$1.00.

var. salicifolia. WILLOW-LEAVED ASH. A beautiful variety, of fine habit, rapid growth, with narrow, wavy leaves. \$1.00.

F. Oregona. OREGON ASH. Forms a large tree in Oregon and Washington Territory. \$1.00.

F. Ornus. EUROPEAN FLOWERING ASH. A native of the south of Europe; grows from 20 to 30 feet high; flowers greenish white, fringe-like, produced early in June in large clusters on the end of the branches. \$1.00.

F. potamophila. Of spreading habit, dark green foliage and reddish brown bark. \$1.00.

GLEDITSCHIA. GLEDITSCHIE, *Ger.* FEVIER, *Fr.*

G. Caspica. CASPIAN GLEDITSCHIA. From Persia. A strong, irregular, thornless tree, with large foliage.

G. Sinensis inermis. Globe-headed, elegant foliage, thornless. \$1.00.

G. triacanthos. THREE-THORNED GLEDITSCHIA OR HONEY LOCUST. A rapid growing, native tree, with powerful spines and delicate foliage. Used for hedges.

var. Bujoti pendula. BUJOT'S WEEPING HONEY LOCUST. An elegant tree, with drooping branches, not entirely hardy here until the tree is well established. \$2.00.

GLYPTOSTROBUS.

G. Sinensis pendula. CHINESE WEEPING DECIDUOUS CYPRESS. A deciduous conifer of medium size and erect, conical habit. Branches horizontal, slender and drooping, foliage light green and tufted. Very distinct, novel and ornamental. \$1.00.

GYMNOCLADUS.

G. Canadensis. KENTUCKY COFFEE TREE. A fine native tree, of secondary size, rapid upright growth, with rough bark, stiff, blunt shoots, and feathery foliage, of a bluish green color. 75 cents.

JUGLANS. Walnut. WALNUSS, *Ger.* NOYER, *Fr.*

J. cinerea. BUTTERNUT. A native tree, of medium size, spreading head, grayish-colored bark, and foliage resembling that of the Ailantus. Nut oblong and rough.

J. nigra. BLACK WALNUT. Another native species, of great size and majestic habit. Bark very dark and deeply furrowed. Foliage beautiful, each leaf being composed of from thirteen to seventeen leaflets. Nut round.

J. regia. EUROPEAN WALNUT or MADEIRA NUT. A native of Persia. Loftier and larger than our Butternut. Nut oval and very fine.

var. preparturiens. A dwarf variety that bears when quite small. \$1.00.

KOLREUTERIA. SAVONNIER, *Fr.*

K. paniculata. From China. A hardy, small, round-headed tree, with fine lobed leaves and large panicles of showy golden yellow flowers, in the latter end of July; leaves change in autumn to a fine yellow. One of the most desirable trees, particularly valuable for its brilliant, golden blossoms, which are produced so late in the season when few, if any, trees are in bloom.

LARIX. Larch. LARCHE, *Ger.* MELEZE, *Fr.*

***L. Europæa.** EUROPEAN LARCH. A native of the Alps of the south of Europe. An elegant, rapid growing, pyramidal tree; valuable for timber; small branches drooping.

var. pendula. WEEPING EUROPEAN LARCH. One of the most picturesque weeping trees. The branches spread and droop irregularly, assuming curious forms. \$2.00.

L. Kœmpferi. From Japan. Foliage, when young, of a light green, changing to a fine golden yellow in the fall. \$1.00.

L. leptoclada. A slender growing tree, with reddish brown shoots; leaves turn to a golden color in autumn. \$1.00.

LIQUIDAMBAR. AMBERBAUM, *Ger.* COPALME, *Fr.*

L. styraciflua. SWEET GUM or BILSTEAD. One of the finest American trees. Of medium size and moderate growth; form round-headed or tapering; leaves resemble somewhat those of the Maple, but are star-shaped, and of a beautiful glossy green color in summer, turning to a deep purplish crimson in autumn; bark corky. Beautiful in all stages of growth, it is particularly handsome and striking in autumn. \$1.00.

LIRIODENDRON. TULPENBAUM, *Ger.* TULIPIER, *Fr.*

***L. tulipifera.** TULIP TREE or WHITEWOOD. A magnificent native tree, of tall, pyramidal habit, with broad, glossy, fiddle-shaped leaves of a light green color, and beautiful tulip-like flowers; allied to the Magnolias, and like them, difficult to transplant, unless of small size. 75 cents.

MACLURA. MACLURE, *Fr.*

M. aurantiaca. ORANGE-LIKE-FRUITED MACLURA or OSAGE ORANGE. A native tree of medium size and spreading habit. Leaves bright shining green, broad and sharp pointed. The fruit resembles an orange. Valuable and very extensively used for farm and garden hedges. For price see "*Hedge Plants.*"

MAGNOLIA. MAGNOLIER, *Fr.*

Their superior stateliness of form and splendor of growth, the size and richness of their foliage, and lavish yield of fragrant flowers, all tend to place them in the foremost rank among hardy ornamental trees and shrubs. Their proper place is on the lawn, where they show to fine advantage in contrast with the green; or they may be planted effectively on the border of lawns, with an evergreen in the background to heighten the contrast. Planted in groups, they yield to no rival, and their effect in the early spring is grand beyond description, illuminating the whole landscape and filling the atmosphere with their rich perfume.

To insure success in their transplanting, they should be moved in the spring, never in the fall, and the Chinese varieties at that period when they are coming into bloom, and, consequently, before the leaves have made their appearance. Great care should be exercised in their removal, the fibrous roots being preserved as nearly as possible, and carefully guarded from any exposure to wind or sun. While almost any good soil is sufficient to insure their growth, they succeed best in a soil which is warm, rich and dry.

American Species and Varieties.

M. acuminata. CUCUMBER MAGNOLIA. A beautiful, pyramidal growing tree, attaining from 60 to 90 feet in height. Leaves 6 to 9 inches long, and bluish green; flowers yellow, tinted with bluish purple; fruit, when green, resembling a cucumber, hence the name. June. \$1.00.

M. cordata. HEART-LEAVED MAGNOLIA. A native of the Carolinas. Tree small, of ovate form, with glossy cordate leaves, and yellow, fragrant flowers, three to four inches in diameter, in May and August. \$1.00.

M. glauca. GLAUCOUS-LEAVED MAGNOLIA, OR SWAMP LAUREL, SWEET BAY. A small tree, indigenous to New Jersey; leaves shining above, glaucous or whitish beneath. Flowers white with a very sweet and pleasant odor. May and June. \$1.00.

var. longifolia. LONG LEAVED SWAMP LAUREL. Leaves longer than those of the above. Flowers fragrant. \$1.00.

M. macrophylla. GREAT-LEAVED MAGNOLIA. A superb species, of medium size. Leaves two feet in length, pubescent and white beneath. Flowers white, of immense size; when fully blown, 8 to 10 inches in diameter, and appear in June. Very rare. \$2.00 to \$3.00.

M. tripetala. UMBRELLA TREE. A hardy, medium-sized tree, with immense leaves, and large white flowers 4 to 6 inches in diameter, appearing in June. \$1.00.

M. Thompsoniana. THOMPSON'S MAGNOLIA. A hybrid between *M. glauca* and *M. tripetala*. Tree of medium size, spreading habit, with large, fine foliage. The flowers, which appear in June, and continue during the summer, are large, creamy-white and very fragrant. A charming species, requiring some protection in this latitude in winter. \$2.00.

Chinese Species and their Hybrids.

(Flowering in May before the leaves appear.)

M. conspicua. CHINESE WHITE MAGNOLIA. CHANDELIER, OR YULAN MAGNOLIA. A Chinese species of great beauty. The tree is of medium size, shrub-like in growth while young, but attains the size of a tree in time. The flowers are large, pure white, very numerous, and appear before the leaves. \$1.50 to \$2.00.

M. Norbertiana. NORBERT'S MAGNOLIA. A hybrid between *M. conspicua* and *M. obovata*. Tree vigorous and of regular outline; foliage showy; flowers white and dark purple. One of the best. \$2.00.

M. Soulangeana. SOULANGE'S MAGNOLIA. Another hybrid raised from seed, at Fromont, near Paris. In habit it closely resembles *M. conspicua*. Shrubby and branching while young, but becoming a fair sized tree. Flowers white and purple, cup shaped, and 3 to 5 inches in diameter. Foliage large, glossy and massive. It forms a handsome tree worked upon the *M. acuminata*. One of the hardiest and finest of the foreign Magnolias. Blooms later than *conspicua*. \$1.50 to \$2.00.

M. speciosa. SHOWY-FLOWERED MAGNOLIA. Resembles the *M. Soulangeana* in growth and foliage, but the flowers are a little smaller and of a lighter color, fully a week later, and remain in perfect condition upon the tree longer than those of any other Chinese variety. These qualities combined with its hardiness, render it, in our estimation, one of the most valuable sorts. \$1.00 to \$1.50. See cut.

M. superba. Origin same as that of the above varieties; differs little from *Soulangeana*; flowers a trifle darker. \$2.00.

FLOWERS OF THE MAGNOLIA SPECIOSA.

(ONE-HALF NATURAL SIZE.)

M. Lennei. LENNES MAGNOLIA. A seedling of *M. purpurea*. Foliage large, flowers dark purple. A superb variety, and quite rare. \$2.00.

M. obovata. (*purpurea*.) CHINESE PURPLE MAGNOLIA. A dwarf species, with showy purple flowers in May and June. Being a little tender, it requires protection. \$1.00.

var. rubra. CHINESE RED MAGNOLIA. A variety of the *M. obovata*. Branches more slender, of more erect habit; flowers much larger and a deep purple. \$2.00.

M. stellata, syn. Halleana. HALL'S JAPAN MAGNOLIA. Introduced by Dr. Hall from Japan. It is of dwarf habit and produces its pure white semi-double fragrant flowers in April, earlier than any other Magnolia. \$2.00.

MORUS. Mulberry. MAULBEERE, *Ger.* MURIER, *Fr.*

M. alba. WHITE MULBERRY. A native of China. Tree small, and of slender rapid growth. Fruit pinkish white.

var. fastigiata. A very compact pyramidal grower; leaves large; fruit dark brown; sweet.

M. a. var. multicaulis. DOWNING'S EVERBEARING. Raised from the seed of the *multicaulis*. A fine rapid growing tree, which bears fine fruit. \$1.00.

var. multicaulis. THORBURN'S MULBERRY. Fruit of medium size; black; of good quality. 75 cents.

var. multicaulis. TROWBRIDGE'S MULBERRY. Fruit black; medium size; good. 75 cents.

NEGUNDO. [*Acer Negundo.*] NEGUNDO MAPLE. NEGUNDO, *Fr.*

N. fraxinifolium. ASH LEAVED MAPLE. BOX ELDER. A small, native tree, maple-like in its seeds, and ash-like in foliage; of spreading habit, and rapid growth.

var. crispum. CURLED ASH-LEAVED NEGUNDO. Foliage curiously curled and somewhat cut. Very distinct. \$1.00.

PAULOWNIA.

P. imperialis. A magnificent tropical looking tree from Japan, of extremely rapid growth, and surpassing all others in the size of its leaves, which are twelve to fourteen inches in diameter. Blossoms trumpet-shaped, formed in large upright panicles, and appear in May. Quite hardy here, but the flower buds are killed during severe winters. 75 cents.

PAVIA. (*Æsculus*.) Smooth-fruited Horse Chestnut.

PAVIER, *Fr.*

P. flava. THE BIG OR OHIO BUCKEYE OR YELLOW HORSE CHESTNUT. A fine native tree, having pale green, downy leaves and yellow flowers. The tree when it acquires age forms a globular head twenty to forty feet in height. \$1.00.

P. rubra. THE SMALL BUCKEYE. Grows wild in Virginia and North Carolina. A small-sized tree, with more slender branches than the *flava*, and brownish red flowers. \$1.00.

var. atrosanguinea. Of dwarf habit; young wood and foliage quite smooth. Flowers dark red. \$1.00.

var. carnea pubescens. A variety of the *rubra*, with flesh colored flowers. \$1.00.

var. carnea superba. A very distinct and dwarf variety, with dark flowers. \$1.00.

var. purpurea. A variety of the *rubra*, with purplish red flowers, and of dwarf habit. \$1.00.

var. Whitleyii. One of the most beautiful varieties, on account of its handsome foliage and brilliant red flowers. \$1.00.

PERSICA. Peach. PFIRSICH, *Ger.* PECHER, *Fr.*

The double flowering varieties are distinguished for their showy and beautiful blooms. At the blossoming season every branchlet is covered with a mass of beautifully formed, highly colored flowers, rendering the tree a most interesting object and attracting notice from a distance. The double red, double rose, and double white varieties planted in a group, produce a charming effect. We cannot too highly recommend these superb flowering trees.

P. vulgaris fl. alba plena. DOUBLE WHITE-FLOWERING PEACH. Very ornamental. Flowers pure white, and double; superb. Perfectly hardy. May.

P. vulgaris fl. rosea plena. DOUBLE ROSE-FLOWERING PEACH. Flowers double, pale rose colored, like small roses. Very pretty. May.

P. vulgaris fl. sanguinea plena. DOUBLE RED-FLOWERING PEACH. Flowers semi-double, bright red, superb. May.

P. vulgaris fl. versicolor plena. The most singular of all our flowering trees. Flowers variously white and red or variegated on the tree at the same time. Flowers early, and perfectly hardy.

P. vulgaris foliis purpureis. PURPLE OR BLOOD-LEAVED PEACH. Found on the battlefield of Fort Donelson, in Kentucky. Foliage of a deep blood-red color in Spring, fading to a dull green as the season advances, but the young growth preserves its dark color the entire Summer. Very valuable on account of its rapid growth and handsome foliage. The tree should be severely cut back every Spring.

PHELLODENDRON.

P. Amurense. CHINESE CORK TREE. A hardy tree from Manchuria, growing 60 feet high in its native country, with thick corky bark and elegant pinnate foliage three or four feet long. In general appearance and rapidity of growth it resembles the *Ailantus*. \$1.00.

PLANERA.

P. acuminata. From Japan. Medium size, resembling the Elm, slender branches and branchlets; leaves medium size, oblong ovate, smooth, bright green. This is the *Ulmus Keaki* of Siebold. \$1.00.

POPULUS. Poplar. POPPEL, Ger. PEUPLIER, Fr.

***P. alba.** WHITE OR SILVER POPLAR, OR SILVER ABELE. From Europe. A tree of wonderfully rapid growth, and wide spreading habit. Leaves large, lobed, glossy green above and white as snow beneath. Prefers a moist soil, but flourishes anywhere.

var. canescens. GRAY OR COMMON WHITE POPLAR. A native of Great Britain. Branches upright and compact. Leaves roundish, waved and toothed, downy beneath. A fine tree for marshy soils.

var. nivea. Foliage larger than that of the species, white and very downy underneath. Produces a fine contrast with the green foliage of other trees.

P. angustifolia. A native tree of medium size, pyramidal habit with narrow leaves.

***P. balsamifera.** BALSAM POPLAR OR TACAMAHAC. A native species of remarkably rapid, luxuriant growth, with large glossy foliage.

P. Canadensis. COTTONWOOD OR CANADIAN POPLAR. A tall native tree growing 80 feet high, with broadly deltoid, glabrous shining serrate leaves.

var. aurea Van Geertii. Has fine golden yellow foliage, retain ing its brilliancy throughout the season; effective in masses. 75 cents.

P. certinensis. ASIATIC POPLAR. A rapid growing tree of pyramidal habit; leaves medium to large, cordate, light green, changing to dark green.

P. crispa. LINDLEY'S CRISPED OR CURLED-LEAVED POPLAR. A singular variety, the bark on the young wood being raised in furrows.

P. elegans. Of upright growth, brownish wood and fine foliage.

P. Eugenie. Of pyramidal habit, very rapid growth, and handsome yellowish green foliage.

***P. fastigiata or dilatata.** LOMBARDY POPLAR. A native of Italy. Attains a height from 100 to 150 feet. Well known and remarkable for its erect, rapid growth, and tall, spiry form. Indispensable in landscape gardening, to break the ordinary and monotonous outlines of most other trees.

P. grandidentata pendula. WEEPING TOOTH-LEAVED POPLAR. A variety of rapid growth, with long, slender branches, drooping gracefully to the ground; foliage large and deeply serrated. A fine weeper. \$1.00.

P. Nolestii. Asiatic species. A strong grower, rather spreading; leaves medium to large, cordate and dark green.

P. "Parasol de St. Julien." A variety from France, of fine drooping habit. \$1.00.

P. pyramidalis suaveolens. A compact pyramidal grower, leaves ovate lanceolate, smooth dark green above, pale green underneath; resembles Lindley's.

P. rotundifolia. ROUND-LEAVED POPLAR. A distinct species from Japan. Tree of spreading habit with large, nearly round leaves, dark green above and downy underneath.

PRUNUS. Plum and Cherry.

P. domestica var. foliis variegatis. VARIEGATED-LEAVED PLUM. A variety with yellow variegated foliage. Bears good fruit.

P. Padus. EUROPEAN BIRD CHERRY. A rapid growing, beautiful tree, with glossy foliage, and long bunches of white, fragrant flowers in May, succeeded by clusters of fruit like black currants.

var. aucubæfolia. AUCUBA-LEAVED BIRD CHERRY. A variety with large foliage, sprinkled with white blotches.

var. fl. pl. DOUBLE-FLOWERED BIRD CHERRY. A rapid, pyramidal grower, said to produce double flowers.

var. variegata. VARIEGATED-LEAVED BIRD CHERRY. A handsome variety with variegated foliage; young growth, slender and drooping.

P. Simonii. A distinct species from China. Growth erect; flowers small, white, appearing early in spring; fruit small, flattened, of the size and appearance of a nectarine, and of a brick red color; flesh yellow and has a peculiar aromatic flavor.

P. spinosa var. flore pleno. DOUBLE-FLOWERED SLOE. A beautiful small tree or large shrub from Japan, covered in spring with small, double daisy-like white flowers, succeeded by small, dark purple fruit.

PTEROCARYA.

P. fraxinifolia. An ornamental tree of medium size and rapid growth, with pinnate, very dark green leaves which persist later in the autumn than those of the European Elm. The foliage of this tree is remarkably dense and rich, and its habit neat and compact; not entirely hardy. \$1.50.

PYRUS. Crab and Mountain Ash.

We invite special attention to the Double-flowering Crabs; their beauty and value seem to have been overlooked.

Pyrus arbutifolia. CHOKEBERRY. Grafted standard high upon the Mountain Ash, this forms a very pretty ornamental tree. \$1.00.

Pyrus communis salicifolia. WILLOW-LEAVED PEAR. Of slow growth, rather spreading habit, leaves lanceolate, silvery. 75 cents.

Pyrus malus baccata var. carnea pleno. A Crab with delicate flesh-colored double flowers; very fine.

P. m. communis aucubæfolia. An Apple with spotted foliage; flowers white, shaded pink.

P. m. coronaria odorata. FRAGRANT GARLAND-FLOWERING CRAB. Single blush flowers, with the fragrance of sweet violets. Blossoms appear about a week after those of the Double Rose-flowering; very desirable. May.

P. m. spectabilis var. flore alba pleno. CHINESE DOUBLE WHITE-FLOWERING CRAB. Double white fragrant flowers in clusters. May.

CHINESE DOUBLE ROSE-FLOWERING CRAB.

(NATURAL SIZE.)

P. m. s. var. flore roseo pleno. CHINESE DOUBLE ROSE-FLOWERING CRAB. Has beautiful double, rose-colored, fragrant flowers nearly two inches in diameter in May. The best of all the Crabs for ornamental planting; should be in every collection. See cut.

var. Riversii. RIVER'S SEMI-DOUBLE-FLOWERING CRAB. Rose-colored, semi-double flowers.

SORBUS. MT. ASH, and their allied species.

Our collection of Mountain Ash is very large and complete, and embraces several sorts of more than ordinary merit.

***P. Americana.** AMERICAN MOUNTAIN ASH. A tree of coarser growth and foliage than the European, and producing larger and lighter colored berries.

var. nana. DWARF MOUNTAIN ASH. A dwarf variety, making a handsome small tree. \$1.00.

P. aria (vestita). WHITE BEAM TREE. A vigorous growing tree, with broad, distinct, fine foliage, young wood downy; fruit grayish brown. One of the best. \$1.00.

var. macrophylla laciniata. A vigorous grower, with medium to large handsome lobed leaves; a very promising new sort. \$1.00.

***P. aucuparia.** EUROPEAN MOUNTAIN ASH. A fine hardy tree, head dense and regular; covered from July till winter with great clusters of bright scarlet berries.

var. pendula. WEEPING EUROPEAN MOUNTAIN ASH. A beautiful variety of rapid growth and decidedly pendulous and trailing habit. One of the most desirable lawn trees. \$1.00.

var. quercifolia floribunda nana. DWARF PROFUSE-FLOWERING MOUNTAIN ASH. A remarkable dwarf variety, with oak-shaped leaves. When worked 4 to 6 feet high makes a handsome small tree. \$1.00.

var. quercifolia hybrida nana. DWARF HYBRID MOUNTAIN ASH. A dwarf variety of upright growth, and deep green foliage. Distinct and fine. \$1.00.

P. aurea striata. GOLD-STRIPED MOUNTAIN ASH. A slow grower, with medium sized leaves, silvery white on the under side and glossy green above. \$1.00.

P. aurea hybrida. GOLDEN HYBRID MOUNTAIN ASH. A vigorous grower, with large cordate leaves, very white and downy; fruit large, yellowish brown and spotted. One of the most distinct and beautiful of all the Mountain Ash. \$1.00.

P. domestica. TRUE SORB OR SERVICE TREE. Foliage like the American, but more serrated; large brown fruit.

P. hybrida. HYBRID MOUNTAIN ASH. A fine tree, with beautiful, large foliage; distinct and valuable. \$1.00.

var. quercifolia or pinnatifida. OAK-LEAVED MOUNTAIN ASH. A hardy tree of fine pyramidal habit. Height and breadth from 20 to 30 feet. Foliage simple and deeply lobed, bright green above and downy beneath. One of the finest lawn trees.

P. sambucifolia. ELDER-LEAVED MOUNTAIN ASH. An American species, with fine foliage.

QUERCUS. Oak. EICHE, Ger. CHENE, Fr.

The Oaks, when they attain size are our most picturesque trees. The species and varieties are numerous, and the majority are adapted to ornament large grounds where they can have an abundance of room. Some kinds, however, are moderate growers, and suitable for small places, especially if kept in good shape by a judicious use of the knife. Our collection embraces a variety of forms and includes the finest.

Those preceded by a † are either new or rare, and only to be had of small size.

Q. alba. AMERICAN WHITE OAK. One of the finest American trees, of large size, and spreading branches; leaves lobed, pale green above and glaucous beneath.

Q. bicolor. A native species, with handsome, large sinuate toothed leaves, which turn to a bright scarlet in autumn. \$1.00.

Q. cerris. TURKEY OAK. A very handsome South European species, of rapid, symmetrical growth; foliage finely lobed and deeply cut; leaves change to brown in autumn, and persist during a great part of the winter. Fine for the lawn. \$1.00.

Q. coccinea. SCARLET OAK. A native tree of rapid growth, pyramidal outline and especially remarkable in autumn, when the foliage changes to a bright scarlet. \$1.00.

†**Q. Daimio.** JAPAN OAK. A distinct and remarkable tree; foliage very large, leathery, of a glossy dark green color. \$1.50.

†**Q. dentata.** A fine Japanese species. Foliage deeply dentated. \$1.00.

Q. flex var. Fordii fastigiata. PYRAMIDAL EVERGREEN OAK. A variety of the European Evergreen Oak, of very upright growth. A beautiful tree. \$1.00.

Q. macrocarpa. MOSSY CUP or BURR OAK. A native tree of spreading form. Foliage deeply lobed, and the largest and most beautiful among oak leaves. Cup-bearing, acorn-fringed and burr-like. Bark corky. One of the noblest of the family. 75 cents.

†Q. nobilis. A superb, rapid growing tree, with very large leaves, lobed at the apex, each lobe terminating with a bristle-like point. \$1.00.

†Q. prinus. CHESTNUT-LEAVED OAK. One of the finest species; leaves resemble those of the Chestnut. 75 cents.

Q. robur. ENGLISH OAK. The Royal Oak of England, a well known tree of spreading slow growth. \$1.00.

†Q. rob. ped. var. argentea pictus. SILVER VARIEGATED-LEAVED OAK. The old leaves are of a shining dark green color, and the younger ones are blotched and spotted with silver, making a very pleasing contrast. \$1.50.

†Q. rob. ped. var. asplenifolia. FERN-LEAVED OAK. A handsome variety, of moderate growth, with very pretty, deeply cut leaves. \$1.50.

†Q. rob. ped. var. atropurpurea. PURPLE-LEAVED OAK. A magnificent variety, with dark purple leaves, which retain their beautiful tint the entire summer. \$2.00.

†Q. rob. ped. var. comptoniaefolia. A slender grower with delicately cut leaves. \$1.50.

†Q. rob. ped. var. concordia. GOLDEN OAK. A superb variety, with orange-yellow leaves, which retain their golden tint throughout the season; of slow growth. \$1.50.

†Q. rob. ped. var. contorta. CONTORTED-LEAVED OAK. A moderate grower, with curled and twisted leaves. \$1.50.

†Q. rob. ped. var. Dauvessei pendula. DAUVESSE'S WEeping OAK. A vigorous variety, with drooping branches. Forms a fine weeping tree. \$1.50.

Q. rob. ped. var. laciniata. CUT-LEAVED OAK. Tree of fine habit and elegant, deeply cut foliage. One of the best cut-leaved trees. \$1.50.

†Q. rob. ped. var. nigra. A vigorous grower, with large leaves of a purple color when young, changing to a dark green as the season advances. \$1.50.

†Q. rob. ped. var. pulverulenta. The leaves of the second growth are marbled with silver, and contrast finely with the deep green foliage of the first growth. \$1.50.

†Q. rob. sessiliflora purpurea. \$2.00.

Q. imbricaria. A native species, with laurel like, oblong leaves which assume a superb carmine tint in autumn. \$1.00.

Q. rubra. RED OAK. An American species, of large size and rapid growth, foliage purplish red in the fall.

ROBINIA. Locust or Acacia. AKAZIE, *Ger.* ROBINIER, *Fr.*

R. hispida. ROSE or MOSS LOCUST. A native species, of spreading, irregular growth, with long, elegant clusters of rose-colored flowers in June, and at intervals all the season. 75 cents.

var. grandiflora. Has much larger flowers and foliage than the preceding; superb. \$1.00.

***R. Pseud-acacia.** BLACK or YELLOW LOCUST. A native tree, of large size, rapid growth, and valuable for timber, as well as quite ornamental. The flowers are disposed in long, pendulous racemes, white or yellowish, very fragrant, and appear in June.

R. P. var. aurea. GOLDEN LOCUST. A beautiful tree, with bright golden yellow foliage. \$1.50.

var. Bessoniana. A variety of strong growth, without thorns; foliage dark green, heavy and luxuriant. We regard it as the most ornamental of all this family. \$1.00.

var. bella rosea. A vigorous grower, fine dark foliage; no thorns. Flowers flesh-colored, tinged with yellow. \$1.00.

var. bullata. A variety of *Bessoniana*, more compact; dark, glossy foliage; hardy. \$1.00.

var. Decaisneana. A fine variety, with delicate pink flowers. \$1.00.

var. fastigiata. A very distinct sort, of erect habit, like that of the Lombardy Poplar. \$1.00.

var. inermis, or umbraculifera. GLOBE or PARASOL ACACIA. Thornless. A remarkable and pretty tree, with a round, regular, dense head, like a ball. \$1.00.

var. inermis rubra monstrosa. Elegant dwarf grower. Flowers bluish. \$1.00.

var. inermis rubra. Forms a globe-headed tree; flowers white slightly shaded with pink. \$1.00.

var. inermis stricta. Another globe-headed variety. \$1.00.

var. spectabilis. A variety producing straight, vigorous, thornless shoots, with large leaves. \$1.00.

var. splendens. A slender growing variety. \$1.00.

R. viscosa, or glutinosa. GUM or ROSE-FLOWERED ACACIA. A small, native species, young shoots clammy. Produces beautiful rose-colored flowers in short racemes. Very desirable for small places. 75 cents.

SALISBURIA. Maiden Hair Tree or Ginkgo.

S. adiantifolia. A remarkable tree from Japan, combining in its foliage characteristics of the conifer and deciduous tree. The tree is of medium size, rapid growth, with beautiful, fern-like foliage. Rare and elegant. \$1.00 to \$2.00.

SALIX. Willow. WEIDE, *Ger.* SAULE, *Fr.*

The Willows are a most useful and ornamental class of trees. Of rapid growth, fine habit, hardy, adapted to a great variety of soils, and easily transplanted, they can be used by planters to great advantage. Several sorts are well known; others have not received the attention they deserve, for example, the Royal Willow, with its silvery foliage, is a striking tree, and most effective in landscapes; the Laurel-leaved, with handsome, shining, laurel-like leaves and bright green bark in winter; the Palm-leaved, with glossy, beautiful leaves and bright red bark in winter; the Golden, with bright yellow bark in winter, and the Rosemary, with silvery foliage, are all meritorious. The ease with which they can be transplanted and the brief time they require to attain to good sized trees, are strong arguments in favor of their employment.

S. Babylonica. BABYLONIAN or WEEPING WILLOW. A native of Asia. Our common and well known weeping willow.

var. Salamonii. From France. More vigorous and upright than the species, while it retains its weeping habit.

S. caprea var. pendula. KILMARNOCK WEEPING WILLOW. A variety of the Goat Willow or common Sallow. Grafted five to seven feet high upon the Comewell stock, it forms, without any trimming, an exceedingly graceful tree, with glossy foliage and perfect umbrella head, unique in form. Vigorous and thriving in all soils, it is probably more widely disseminated than any of the finer ornamental trees. \$1.00

WHITE-LEAVED LINDEN.

S. c. var. tricolor. THREE COLORED GOAT WILLOW. Worked four or five feet high it forms a very pretty round-headed tree, with distinct, tri-colored foliage. 75 cents.

S. laurifolia. LAUREL-LEAVED WILLOW. A fine ornamental tree, with very large, shining leaves.

S. palmæfolia. PALM LEAVED WILLOW. A vigorous growing variety foliage deep green. Young wood reddish purple.

S. pentandra. A distinct and handsome species, with broad, thick, shining foliage.

S. purpurea pendula. AMERICAN WEeping or FOUNTAIN WILLOW. A dwarf slender species from Europe. Grafted five or six feet high it makes one of the most ornamental of small weeping trees, hardier than the *Babylonica*. \$1.00.

S. regalis. ROYAL WILLOW. An elegant tree, with rich, silvery foliage. Very effective in groups.

S. rosmarinifolia, or petiolaris. ROSEMARY-LEAVED WILLOW. When worked five to seven feet high, a very striking and pretty round-headed small tree. Branches feathery: foliage silvery.

S. vitellina aurantiaca. GOLDEN WILLOW. A handsome tree. Conspicuous at all seasons, but particularly in winter on account of its yellow bark.

S. Wisconsin Weeping. Of drooping habit, and hardier than *Babylonica*. Valuable on account of its ability to resist severe cold.

S. Wolseyana pendula. WOLSEY'S WEeping WILLOW. A dwarf variety, with slender branches and small, privet-like foliage; grafted standard high it forms pretty heads. \$1.00.

TAXODIUM. Deciduous Cypress.

T. distichum. DECIDUOUS or SOUTHERN CYPRESS. A beautiful, stately tree, with small, delicate feathery, light green foliage. 75 cents.

var. pendulum. A fine weeping variety, with light green foliage in spring and summer, turning to a reddish brown in autumn. \$1.50.

TILIA. Linden or Lime Tree. LINDE, *Ger.* TILLEUL, *Fr.*

The Lindens are all beautiful and merit more notice than they receive. In addition to many other valuable qualities which they possess, their flowers yield a delicate perfume. Of those named below, a few possessing special merit might be mentioned, viz. *Gold-barked, Red Fern-leaved, White-leaved, White-leaved Weeping* and *dasytyle*.

***T. Americana.** AMERICAN LINDEN or BASSWOOD. A rapid growing, large-sized, beautiful native tree, with very large leaves and fragrant flowers.

***var. macrophylla.** BROAD-LEAVED BASSWOOD. Has immense leaves.

T. Europæa. EUROPEAN LINDEN. A very fine pyramidal tree of large size, with large leaves and fragrant flowers.

var. alba. (argentea.) WHITE-LEAVED EUROPEAN LINDEN. From Hungary. A vigorous growing tree, of medium size and pyramidal form, with cordate acuminate leaves, downy beneath and smooth above. It is particularly noticeable among trees by its white appearance. Its handsome form, growth and foliage render it worthy, in our opinion, to be classed among the finest of our ornamental trees. See cut. \$1.00.

var. alba. pendula. WHITE-LEAVED WEeping LINDEN. A beautiful tree with large foliage and slender, drooping shoots. One of the finest of the Lindens. See cut. \$1.00.

var. alba. pend. var. variegata. A weeping variety, with its leaves variously blotched with white and greenish yellow. \$1.00.

var. alba. spectabile. A new and distinct variety of the white-leaved; growth rapid, tree attains large size; form upright, pyramidal; foliage very large, of fine cordate shape, of a shining dark green on the upper side and whitish green underneath. It differs from the white-leaved in having larger leaves, which are not so downy underneath. \$1.00.

var. aurea. GOLDEN-BARKED LINDEN. A variety of medium size, with golden yellow twigs. Very conspicuous in winter. \$1 00.

var. aurea platiphylla. GOLDEN-BARKED BROAD-LEAVED LINDEN. A very distinct and handsome variety, remarkable in winter on account of its yellow twigs.

WHITE-LEAVED WEEPING LINDEN.

T. E. var. laciniata. CUT OR FERN-LEAVED LINDEN. A medium sized tree, of fine habit, with smaller leaves than those of the *common*, and deeply and irregularly cut and twisted. Very ornamental. \$1.00.

var. laciniata rubra. RED FERN-LEAVED LINDEN. An elegant tree, of pyramidal compact habit. Bark on young wood rose-colored, and foliage deeply cut. One of the finest trees for the lawn. \$1.00.

***var. platiphylla.** BROAD-LEAVED EUROPEAN LINDEN. A tree of about same size as *T. Europæa*, but readily distinguished from it by its larger and rougher leaves and more ragged bark.

T. E. var. pyramidalis. A rapid pyramidal growing tree, with reddish shoots. \$1.00.

var. rubra. RED-TWIGGED EUROPEAN LINDEN. A fine variety, of medium size, with branches as red as blood. 75 cents.

var. vitifolia. GRAPE-LEAVED EUROPEAN LINDEN. A vigorous growing variety, with very large foliage. Young wood bright red.

T. dasystyla. A vigorous tree, with cordate, dark green glossy leaves, and bright yellow bark in winter. A superb tree, destined to supersede the old Gold-barked. \$1.00.

ULMUS. Elm. ULME, *Ger.* ORME, *Fr.*

Many of the Elms are so well known that it is unnecessary to refer to their beauty and value for ornamental planting. But several very desirable kinds fail to receive due recognition, and we therefore invite the attention of planters to them as follows. Berardi and yiminalis are unique miniature varieties. The Nettle-leaved has beautiful and curious leaves. The Monumental is of dwarf, conical habit, novel and distinct. The Variegated has beautiful blotched foliage, of which the variegation is constant. The Weeping Small-leaved, Purple-leaved, Pyramidal, Oxoniense and Webbiana, are all choice sorts. Dovai is a very erect rapid growing sort, with smooth bark and large dark-green leaves; valuable for avenue planting. Belgica and Huntingdon are also suited to the same purpose. We, of course, grow the American, than which there is no finer tree, on an extensive scale, for street and park planting.

***U. Americana.** AMERICAN WHITE OR WEEPING ELM. The noble spreading and drooping tree of our own forests. 50 cents to \$1.00.

***U. campestris.** ENGLISH ELM. An erect, lofty tree, of rapid, compact growth, with smaller and more regularly cut leaves than those of the American, and darker colored bark. The branches project from the trunk almost at right angles, giving the tree a noble appearance. \$1.00.

var. Belgica. A fine variety, of large size, rapid growth, and fine spreading shape. Valuable for street planting. \$1.00.

var. Berardi. A miniature variety of the Elm. Tree of small size, slender growth, pyramidal habit, with deeply and delicately cut foliage; beautiful and distinct. \$1.50.

var. Clemmeri. Of medium size, moderate growth and fine form, Much used in Belgium for planting along avenues. \$1.00.

var. cornubiensis. CORNISH ELM. A fine, upright branched variety of the English, of more vigorous growth. \$1.00.

var. corylifolia purpurea. PURPLE FILBERT-LEAVED ELM. A new purple-leaved variety; small plants. \$1.50.

var. macrophylla punctata. (New.) Foliage handsomely and distinctly variegated with silvery blotches and stripes; small plants. \$1.50.

var. microphylla pendula. WEEPING SMALL-LEAVED ELM. A handsome variety, with slender, drooping branches, and small foliage; grafted standard high it becomes an elegant tree, well adapted for small lawns. \$2.00.

var. monumentalis. MONUMENTAL ELM. A slow growing dwarf variety, forming a sort of straight and dense column; distinct and beautiful. \$1.00.

var. myrtifolia purpurea. PURPLE MYRTLE LEAVED ELM. (New.) Small, elegant foliage, of beautiful purple color; small plants. \$1.50.

var. serratifolia. SERRATED-LEAVED ELM. A beautiful, compact grower, with dark foliage. \$1.00.

var. stricta purpurea. PURPLE LEAVED ENGLISH ELM. A striking variety, with erect branches and purple leaves. \$1.00.

var. urticifolia. NETTLE-LEAVED ELM. A rapid growing, handsome variety, with long serrated and undulating leaves; unique and beautiful. \$1.00.

var. variegata argentea. VARIEGATED ENGLISH ELM. Small leaves, sprinkled over with silvery spots; variegation constant. Very fine. \$1.00.

U. c. var. viminalis. A distinct, slender-branched, small-leaved variety; somewhat pendulous. \$1.50.

var. Webbiana. WEBB'S ELM. A handsome variety, of dwarf habit, with small, curled leaves. Fine. \$1.00.

U. cinerea. ASH-COLORED ELM. A vigorous grower, with fine, large, rich foliage. \$1.00.

U. Dovæi. An upright, vigorous-growing variety, remarkably well adapted for street planting. \$1.00.

CAMPERDOWN WEEPING ELM.

U. fulva. RED, OR SLIPPERY ELM. Of medium size, and straggling open head. 75 cents.

var. fulva pendula. WEEPING SLIPPERY ELM. A variety, of luxuriant growth and elegant drooping habit. Its branches shoot upwards at first, then bend in graceful curves toward the ground. It also retains its foliage much longer than other Elms. \$1.50.

***U. montana.** SCOTCH, OR WYCH ELM. A fine spreading tree, of rapid growth and large foliage. \$1.00.

var. camperdown pendula. CAMPERDOWN WEEPING ELM. Grafted 6 to 8 feet high, this forms one of the most picturesque drooping trees. It is of rank growth, the shoots often making a zigzag growth outward and downward of several feet in a single season. The leaves are large, dark green and glossy, and cover the tree with a luxuriant mass of verdure. See cut. \$1.50.

***U. m. var. Huntingdoni.** HUNTINGDON ELM. Of very erect habit, and rapid, vigorous growth. Bark clean and smooth. One of the finest Elms for any purpose. \$1.00.

var. pendula. SCOTCH WEEPING ELM. A vigorous, graceful, weeping tree. Branches sometimes marked with a persistent, horizontal growth, and again growing perpendicularly downwards. Foliage large and massive. \$1.00.

var. pyramidalis de Dampierre. DAMPIERRE'S PYRAMIDAL ELM. An elegant, pyramidal growing variety. \$1.00.

var. rugosa pendula. ROUGH-LEAVED WEEPING ELM. A fine, pendulous variety, with large, rough leaves. \$1.00.

var. superba. BLANDFORD ELM. A noble tree, of large size and quick growth. Foliage large, and dark green; bark smooth and grayish. A superb shade tree, and highly ornamental. \$1.00.

var. stricta (oxoniense). A dwarf, pyramidal grower, with small leaves, the margins of which are finely cut; distinct and fine. \$1.00.

U. suberosa. ENGLISH CORK-BARKED ELM. Young branches very corky; leaves rough on both sides. \$1.00.

var. suberosa pendula. WEEPING CORK-BARKED ELM. A very ornamental weeping variety. \$1.00.

CLASS II.—A LIST OF DECIDUOUS WEEPING OR DROOPING TREES.

Described in their Respective Places in the Catalogue.

For the purpose of enabling purchasers the more readily to make selections, we append the following list, comprising the most graceful drooping trees known:

Acer, DASYCARPUM VAR. WIERII LACINIATUM, (*Wier's Cut-leaved Silver Maple.*)

Betula, ALBA PENDULA, (*European White Weeping Birch.*)

“ “ “ ELEGANS.

“ “ “ LACINIATA, (*Cut-leaved Weeping Birch.*)

“ “ “ “YOUNGI,” (*Young's Weeping Birch.*)

“ “ “ TRISTIS.

Cerasus ACIDA, SEMPERFLORENS PENDULA, (*Ever-flowering Weeping Cherry.*)

“ AVIUM PENDULA.

“ PUMILA “ (*Dwarf Weeping Cherry.*)

“ JAPONICA ROSEA PENDULA.

Cratægus, OXYACANTHA VAR. COCCINEA PENDULA.

Fagus, SYLVATICA PENDULA, (*Weeping Beech.*)

Fraxinus, EXCELSIOR PENDULA, (*European Weeping Ash.*)

“ AUREA. “ (*Gold-barked Weeping Ash.*)

Gleditschia, BUJOTI “ (*Bujot's Weeping Honey Locust.*)

Glyptostrobilus, SINENSIS PENDULA.

Larix, EUROPÆA PENDULA, (*Weeping European Larch.*)

Pyrus Sorbus, AUCUPARIA PENDULA, (*Weeping Mountain Ash.*)

Populus, GRANDIDENTATA “ (*Weeping Tooth-leaved Poplar.*)

“ PARASOL DE ST. JULIEN.

Quercus ROBUR PEDUNCULATA VAR. DAUVESSEI PENDULA.

Salix, BABYLONICA, (*Babylonian Weeping Willow*.)

“ VAR. SALOMONII, (*Salomon's Weeping Willow*.)

“ CAPREA PENDULA, (*Kilmarnock Weeping Willow*.)

“ PURPUREA “ (*American Weeping Willow*.)

Taxodium DIS. VAR. PENDULUM, (*Weeping Deciduous Cypress*.)

Tilia, ALBA PENDULA, (*White-leaved Weeping Linden*.)

“ “ “ VAR. VARIEGATA.

Ulmus, FULVA PENDULA, (*Weeping Slippery Elm*.)

“ CAMPESTRIS MICROPHYLLA PENDULA, (*Small-leaved Weeping Elm*.)

“ SUBEROSA “ (*Cork-barked Weeping Elm*.)

“ MONTANA CAMPERDOWN PENDULA, (*Camperdown Weeping Elm*.)

“ “ PENDULA, (*Scotch Weeping Elm*.)

“ “ RUGOSA PENDULA, (*Rough-leaved Weeping Elm*.)

CLASS III.—TREES POSSESSING REMARKABLE CHARACTERISTICS OF FOLIAGE.

Described in their Respective Places in the Catalogue.

IN THREE SECTIONS.

SEC. I.—CUT-LEAVED TREES, COMPRISING THOSE WITH CURIOUSLY LOBED OR SERRATED FOLIAGE.

Acer, DASYCARPUM VAR. CRISPUM, (*Crisped-leaved Maple*.)

“ “ “ HETEROPHYLLUM LACINIATUM, (*New Cut-leaved Maple*.)

“ “ “ TRIPARTITUM.

“ WIERII LACINIATUM, (*Wier's Cut-leaved Silver Maple*.)

“ JAPONICUM.

“ MONSPESSULANUM.

“ PLATANOIDES VAR. CUCULLATUM, (*Curled-leaved Norway Maple*.)

“ “ “ DISSECTUM, (*Cut-leaved Norway Maple*.)

“ “ “ LACINIATUM, (*Eagle Claw Norway Maple*.)

“ “ “ LORBERGI, (*Lorberg's Cut-leaved Norway Maple*.)

“ POLYMORPHUM.

“ “ DISSECTUM ATROPURPUREUM, (*Cut-leaved Purple Japan Maple*.)

“ TARTARICUM.

“ “ VAR. GINNALA.

Æsculus, H. HETEROPHYLLUM DISSECTUM, (*Cut-leaved Horse Chestnut*.)

Alnus, GLUTINOSA VAR. LACINIATA, (*Cut-leaved Alder*.)

“ “ “ IMPERIALIS, (*Imperial Cut-leaved Alder*.)

“ INCANA LACINIATA.

Betula, ALBA PENDULA LACINIATA, (*Cut-leaved Weeping Birch*.)

Castanea, VESCA VAR. LACINIATA.

Cratægus, ORIENTALIS.

“ TANACETIFOLIA, (*Tansy-leaved Thorn*.)

Fagus, SYLVATICA CRISTATA, (*Crested-leaved Beech*.)

“ “ VAR. HETEROPHYLLA, (*Fern-leaved Beech*.)

“ “ INCISA, (*Cut-leaved Beech*.)

- Fraxinus**, CUCULLATA, (*Hooded-leaved Ash.*)
Negundo, FRAXINIFOLIUM VAR. CRISPUM, (*Curled Ash-leaved Negundo.*)
Pyrus, ARIA VAR. MACROPHYLLA LACINIATA.
Pyrus sorbus, AUCUPARIA VAR. QUERCIFOLIA, (*Oak-leaved Mountain Ash.*)
Quercus, ROBUR PEDUNCULATA LACINIATA, (*Cut-leaved Oak.*)
 " " " VAR. ASPLENIFOLIA.
 " " " " COMPTONIEFOLIA.
Tilia, EUROPÆA LACINIATA, (*Cut-leaved Linden.*)
 " " RUBRA LACINIATA, (*Red Fern-leaved Linden.*)
Ulmus, BERARDI.
 " CAMPESTRIS VAR. URTICÆFOLIA. (*Nettle-leaved Elm.*)

SEC. II.—TREES HAVING CURIOUSLY VARIEGATED FOLIAGE.

- Acer**, PSEUDO PLATANUS AUREA VARIEGATA, (*Golden-leaved Sycamore Maple.*)
 " " " VAR. TRICOLOR, (*Tricolor-leaved Sycamore Maple.*)
 " " " " WOORLEI.
Æsculus, HIPPOCASTANUM MEMMINGERI.
 " RUBICUNDA FOLII AUREO VARIEGATIS.
Catalpa, BIGNONIODES VAR. AUREA VAR., (*Golden Catalpa.*)
Fraxinus, AMERICANA AUCUBÆFOLIA, (*Aucuba-leaved Ash.*)
Populus, AUREA VANGEERTI, (*VanGeert's Golden Poplar.*)
Prunus, PADUS AUCUBÆFOLIA, (*Aucuba-leaved Bird Cherry.*)
 " " VAR. VARIEGATA, (*Variegated-leaved Bird Cherry.*)
 " DOMESTICA FOLII VARIEGATIS, (*Variegated-leaved Plum.*)
Pyrus, AUREA HYBRIDA.
 " HYBRIDA.
Quercus, ROBUR VAR. ARGENTEA PICTUS.
 " " " CONCORDIA.
 " " " PULVERULENTA.
Salix, CAPREA TRICOLOR, (*Tricolor-leaved Willow.*)
 " REGALIS.
 " ROSMARINIFOLIA.
Ulmus, CAMPESTRIS VAR. MACROPHYLLA PUNCTATA.
 " " " VARIEGATA ARGENTEA.

SEC. III.—TREES WITH PURPLE OR VIOLET COLORED FOLIAGE.

- Acer**, POLYMORPHUM ATROPURPUREUM.
 " " DISSECTUM ATROPURPUREUM.
 " " SANGUINEUM.
 " PSEUDO PLATANUS PURPUREA, (*Purple-leaved Sycamore.*)
 " PLATANOIDES REITENBACHII.
 " " SCHWEDLERII.
Betula, ALBA FOLII PURPUREIS, (*Purple-leaved Birch.*)
Fagus, SYLVATICA PURPUREA, (*Purple-leaved Beech.*)
 " " " MAJOR.
 " " " RIVERSI, (*Rivers' Smooth-leaved Purple Beech.*)
Persica, VULGARIS FOLII PURPUREIS, (*Purple or Blood-leaved Peach.*)
Quercus, ROBUR ATROPURPUREA, (*Purple-leaved Oak.*)

Ulmus,	CAMPESTRIS	VAR. STRICTA PURPUREA, (<i>Purple-leaved Elm.</i>)
"	"	" CORYLIFOLIA PURPUREA.
"	"	" MYRTIFOLIA PURPUREA.

FLOWERING TREES.

Named in the order in which they flower; embracing some of the choicest species:

MAY.

Amelanchier.
Cherry, Large Double-flowering.
Judas Tree.
Chinese Magnolia, in-variety.
Almonds, Large Double-flowering
Cornus, florida.
Horse Chestnuts.
Crabs, Flowering.
Bird Cherry.

JUNE.

Mountain Ash.
Thorns, in variety.
Laburnum.
White Fringe.
Locust, White.
Virgilia lutea.
Catalpas
Lindens, in variety.

JULY.

Chestnut, American.

Kolreuteria.

TREES WHICH PRODUCE ORNAMENTAL FRUIT SUCCEEDING THE FLOWERS.

Amelanchier ovalis. Purple fruit in June.
Celtis occidentalis. Dull red fruit as large as Peas.
Cornus florida. Oval fruit in a head.
Cratægus. Scarlet and yellow fruit in September and October.
Pyrus Sorbus (Mountain Ash). Scarlet fruit in September and October.

TREES HAVING BRIGHT COLORED BARK IN WINTER.

Betula alba, White bark.
 " " VAR. LACINIATA, White bark.
Fraxinus AUREA, Yellow bark.
Salix PALMÆFOLIA, Red bark.
 " VITELLINA AUREA, Yellow bark.
Tilia AUREA, " "
 " " PLATIPYHLLA, " "
 " RUBRA, Red bark.
 " DASYSTYLA, Yellow bark.

SELECT ASSORTMENTS OF HARDY ORNAMENTAL TREES.

AT REDUCED PRICES.

We cannot agree to make any changes in the lists.

Fifty of the Most Desirable Species and Varieties for the Decoration of Parks, Gardens or Lawns, as follows, for \$35.00:

Alder, Cut-leaved.	Linden, Gold-barked, Broad Leaved.
Almond, Large Double-flowering.	“ Silver.
Ash, Aucuba-leaved.	Laburnum,
“ Single-leaved.	Larch, European.
“ Walnut-leaved.	Magnolia, Soulangeana.
“ Weeping.	“ speciosa.
Apple, coronaria odorata.	Mountain Ash, European.
Birch, fastigiata.	“ “ Oak-leaved.
“ Cut-leaved Weeping.	“ “ European Weeping.
Beech, Cut-leaved.	Maple, Norway.
“ Oak-leaved.	“ Sugar.
“ Purple-leaved.	“ Sycamore.
Bird Cherry.	“ Wier's Cut-leaved.
“ “ aucuba-leaved.	Negundo, fraxinifolia,
Catalpa, syringefolia.	Oak, English.
Crab, Double Rose-flowering.	“ macrocarpa.
Cherry, Ever-flowering Weeping.	Peach, Double White-flowering.
Elm, Dovaei.	“ “ Rose “
“ Huntingdon.	Poplar, crispa.
“ Purple-leaved.	“ Weeping.
“ rugosa pendula.	Thorn, Double Scarlet.
“ superba.	“ Double White.
Horsechestnut, Double White-flowering.	Willow, American Weeping.
“ White-flowering.	“ Laurel-leaved.
Linden, European.	“ Rosemary-leaved.

Twenty-five of the Most Desirable Species and Varieties for the Decoration of Parks, Gardens or Lawns, as follows, for \$18.00:

Almond, Large Double-flowering.	Larch, European.
Ash, Weeping.	Maple, Wier's Cut-leaved.
Birch, Cut-leaved Weeping.	“ Sugar.
“ fastigiata.	Magnolia, speciosa.
Beech, Cut-leaved.	Mountain Ash, European.
“ Purple-leaved.	“ “ Oak-leaved.
Crab, Double Rose-flowering.	“ “ Weeping.
Elm, Huntingdon.	Negundo, fraxinifolia.
“ superba.	Oak, macrocarpa.
Horsechestnut, Double White-flowering.	Peach, Double White-flowering.
“ Red-flowering.	Poplar, Weeping.
Linden, European.	Willow, Rosemary-leaved.
“ Red Fern-leaved.	

Twelve of the Most Desirable Species and Varieties for the Decoration of Parks, Gardens or Lawns, for \$9.00:

Ash, aucuba-leaved.	Elm, superba.
“ Weeping.	Linden, Silver.
Beech, Cut-leaved.	Mountain Ash, European.
Birch, Cut-leaved Weeping.	Magnolia, speciosa.
Crab, Double Rose-flowering.	Maple, Wier's Cut-leaved.
Elm rugosa pendula.	Negundo, fraxinifolia.

WHITE SPRUCE.

CLASS IV.—CONIFERÆ. (Evergreens.)

NOTE.—Many fine conifers are entirely too tender to be cultivated successfully at the North, and we have therefore dropped them from our list. A few valuable half-hardy evergreens, which can hardly be dispensed with, and which can be grown, when planted in sheltered positions, have been retained.

We are now giving special attention to the propagation and culture of perfectly hardy species and varieties, such as are most useful for the general planter.

We recommend Spring planting for Conifers.

PRICE.—50 cents each, \$5 per dozen [except otherwise noted], for trees of the usual size. Extra sized specimens charged for in proportion. Those preceded by a * are not quite hardy in this section.

Those preceded by a † are either new or rare, and only to be had of small sizes.

ABIES [including *Picea* and *Tsuga*], SPRUCE, FIR AND HEMLOCK.**Section 1. Abies. SPRUCE AND HEMLOCK.**

Leaves needle shaped, scattered all around shoots, including *Tsuga*—the Hemlocks, with flat leaves mostly two ranked.

A. alba. WHITE SPRUCE. A native tree of medium size, varying in height from 25 to 50 feet, of fine pyramidal form. Foliage silvery gray, and bark light colored. Very hardy and valuable. See cut.

†**var. alba coerulea.** THE GLAUCCOUS SPRUCE. A small and beautiful variety, of rather loose spreading habit, with bluish green foliage; very hardy and valuable. \$1.00 to \$1.50.

†**var. nana.** A moderate grower, foliage light glaucous green. As the plant increases in age the branches droop. \$1.50.

†**A. Alcocquiana.** ALCOCK'S SPRUCE. From Japan. It forms a beautiful tree of close habit. Foliage pale green, silvery underneath and glaucous above. Valuable. \$2.00.

A. Canadensis. HEMLOCK SPRUCE. A remarkably graceful and beautiful native tree, with drooping branches, and delicate dark foliage, like that of the Yew; distinct from all other trees. It is a handsome lawn tree, and makes a highly ornamental hedge.

†**var. densata.** DENSE HEMLOCK SPRUCE. A handsome dwarf, dense, growing variety. \$1.50.

†**var. microphylla.** SMALL-LEAVED HEMLOCK SPRUCE. A pretty variety with small foliage. \$1.50.

Abies excelsa. NORWAY SPRUCE. From Europe. An elegant tree, extremely hardy, of lofty, rapid growth, and pyramidal form. The branches assume a graceful, drooping habit, when the tree attains 15 or 20 feet in height. One of the most popular evergreens for planting, either as single specimen trees, or in masses for effect or shelter. It is one of the best evergreen hedge plants. 50 cents to \$1.00.

var. Barryii. BARRY'S SPRUCE. A handsome variety of the preceding, which originated in our nurseries some years ago, from seed. To all the desirable and valuable characteristics of its parent, it adds gracefulness of outline, elegance of form, a moderate compact growth, and rich deep green foliage. \$2.00.

†**var. compacta.** A dense grower, with light green foliage. \$1.00 to \$2.00.

†**var. conica.** CONICAL SPRUCE. A dwarf variety, of compact, conical habit; becomes perfectly symmetrical without pruning. One of the best. \$1.00 to \$2.00.

†**var. elegans.** A pyramidal growing plant, of moderate size. Fine for the lawn. \$1.00 to \$2.00.

var. Ellwangerii. ELLWANGER'S SPRUCE. A very distinct and novel dwarf variety of Norway Spruce, which originated from seed in our nurseries several years since. It possesses all the desirable and valuable qualities of its parent, such as hardiness, vigor, adaption to soils generally, and at the same time is a dwarf, compact grower, of handsome form, with rich, deep green foliage, and peculiarly adapted for small grounds. Its leaves are short, stiff, sharp pointed, and instead of lying closely to the branches, as is the case with the most of Spruces, they project outward, bristle like, giving the tree quite a novel and distinct appearance.

PRICE. For plants 12 to 18 inches, \$1.00 each; 18 to 24 inches, \$2.00 each.

†**var. Finedonensis.** THE FINEDON SPRUCE. A striking variety of compact habit, having the young leaves on the upper sides of the shoots first, of a pale yellow color, then changing to a bronzy brown, and finally to a light green. The leaves on the underside, green from the first. \$2.00.

A. e. †var. inverta. PENDULOUS-BRANCHED SPRUCE. A pendulous variety of the Norway Spruce, with larger and brighter foliage than that of the species. The lateral branches of large trees are as drooping as a willow \$2.00.

†**var. parviformis.** SMALL-FORMED SPRUCE. An interesting dwarf variety with small foliage and of slow growth. \$1.00 to \$2.00.

†**var. pumila compacta.** A dwarf variety growing 5 to 6 feet in height; foliage dark green; habit compact. \$1.00 to \$2.00.

var. tortuosa compacta. TORTUOUS COMPACT SPRUCE FIR. A dwarf spreading tree, with the young branches curiously twisted. \$1.00 to \$2.00.

A. Morinda or Smithiana. HIMALAYAN OR SMITH'S SPRUCE. A noble and elegant tree, having the character of the *Deodar Cedar* in foliage, and is distinguished by a striking and graceful drooping habit in all stages of its growth. Our stock is propagated from a particularly hardy specimen growing on our grounds. \$1.00 to \$2.00.

A. nigra. BLACK SPRUCE. A fine native tree of compact growth, with smooth, blackish bark and bluish leaves; very hardy.

†**var. Doumetti.** A handsome dwarf-variety of compact growth, with bluish green leaves; very pretty. \$2.00.

†**var. pumila.** DWARF BLACK SPRUCE. A fine variety growing from 2 to 3 feet in height, and 3 to 4 feet in breadth. Foliage dark colored. \$1.50.

†**A. orientalis.** EASTERN SPRUCE. From the shores of the Black Sea, A handsome tree, tall and compact, and remarkable for its graceful habit and slender foliage. Needs protection here while young. \$1.00 to \$2.00.

†**A. polita.** A distinct Japanese species. It is of erect habit, and has rigid, sharply pointed leaves of a bright green color; seems to be perfectly hardy. \$2.00.

†**A. pungens.** COLORADO BLUE SPRUCE. Known for a time under the following names, *Abies Menziesii*, *Abies Menziesii Parryana* and *Abies Engelmanni*. One of the hardiest and most beautiful of all the Spruces; in form and habit similar to the White Spruce; foliage of a rich blue or sage color; an important acquisition. Small plants \$2.00.

Section 2. *Picea*. SILVER FIR.

With linear flat leaves, somewhat two ranked.

A. balsamea. BALSAM FIR. A very erect, regular pyramidal tree, with dark green sombre foliage. Grows rapidly and is very hardy.

†**A. Cephalonica.** CEPHALONIAN SILVER FIR. From Europe. A very remarkable and beautiful species, very broad for its height. Leaves silvery and dagger-shaped, with a spine on the point. Quite hardy and vigorous. \$1.00 to \$3.00.

†**var. Reginae Amaliae.** Leaves stiff, sharp pointed, dark green above, glaucous underneath. \$2.00.

†**A. Cilicica.** CILICIAN SILVER FIR. A distinct and beautiful species from the mountains of Asia Minor. It is a compact grower, the branches being thickly set on the stems; foliage dark green; quite hardy. One of the best of the Silver Firs. \$1.00 to \$2.00.

†**A. nobilis.** NOBLE FIR. A noble tree of symmetrical growth, from Northern California, where it attains a height of 200 feet. Branches regular and spreading, and thickly covered with foliage of a rich bluish green color on both sides. \$3.00.

A. Nordmanniana. NORDMANN'S SILVER FIR. This majestic Fir from the Crimean Mountains, is of symmetrical form, vigorous and quite hardy. Its foliage is massive, dark green, shining above and slightly glaucous below, rendering it a very handsome tree throughout the year. Considered here and in Europe as one of the finest of the Silver Firs. \$1.00 to \$3.00. See cut.

†**A. pectinata.** EUROPEAN, OR COMB-LIKE SILVER FIR. A noble tree with spreading, horizontal branches and broad silvery foliage; young shoots somewhat tender except when well ripened. \$1.00.

NORDMANN'S SILVER FIR.

†**A. Pichta.** PITCH SILVER FIR. From the mountains of Siberia. A medium sized tree, of compact, conical growth, with dark green foliage. Fine and hardy. \$1.00 to \$3.00.

BIOTA. Oriental or Eastern Arbor Vitæ. THUYA, Fr.

All of the Biotas are quite tender here and require to be well protected in winter. On this account we are often tempted to omit the genus from our catalogue. In milder climates they are the most ornamental of evergreens.

†**B. orientalis.** CHINESE ARBOR VITÆ. From China and Japan. A small, elegant tree, with erect branches, and dense, flat, light green foliage; becomes brown in winter. \$1.00.

var. aurea. GOLDEN ARBOR VITÆ. A variety of the Chinese, nearly spherical in outline, and with bright yellow tinged foliage. Beautiful. \$1.00.

*†**var. elegantissima.** ROLLINSON'S GOLDEN ARBOR VITÆ. A beautiful variety, of upright, pyramidal form, with the young foliage prettily tipped with golden yellow, which tint is retained the entire summer. \$1.00 to \$2.00.

*†**var. semper aurea.** EVER GOLDEN ARBOR VITÆ. A variety of the *aurea*; of dwarf habit but free growth. It retains its golden tint the year round. One of the best golden variegated Evergreens. \$1.00 to \$2.00.

CUPRESSUS. Cypress. CYPRES, Fr.

***C. Lawsoniana.** LAWSON'S CYPRESS. From California, where it forms a very large tree. It has elegant drooping branches, and very slender, feathery branchlets. Leaves dark glossy green, tinged with a glaucous hue. One of the finest Cupresses. See cut. 75 cents to \$2.00.

*†**var. pyramidalis.** LAWSON'S PYRAMIDAL CYPRESS. A variety of the above, but more dense and upright. \$1.00 to \$2.00.

*†**var. stricta.** LAWSON'S ERECT CYPRESS. A seedling of ours; erect and compact. \$1.50.

*†**C. Nutkænsis** syn. **Thujopsis borealis.** NOOTKA SOUND CYPRESS. A desirable species from Nootka Sound. It is a pyramid in habit with light, glossy green foliage, sometimes with a bluish shade. \$1.50.

JUNIPERUS. Juniper. GENEVIER. Fr.

†**J. Chinensis.** CHINESE JUNIPER. Native of China and Japan. A handsome, dense shrub, with dark green foliage, and somewhat drooping branches. \$1.50.

†**var. Reevesi.** A beautiful form of the Chinese. Tree of fine habit, with the branches somewhat drooping and spreading. Exceedingly hardy and very ornamental. \$1.50.

J. communis vulgaris. ENGLISH JUNIPER. A handsome, compact small tree.

J. c. var. Alpina nana. DWARF JUNIPER. Of spreading, dense habit. \$1.50.

J. c. var. Hibernica. IRISH JUNIPER. A distinct and beautiful variety, of erect, dense conical outline, resembling a pillar of green; very desirable. \$1.00.

J. c. var. Hibernica robusta. ROBUST IRISH JUNIPER. More vigorous than the preceding, and no doubt hardier, but not quite so regular in form, nevertheless handsome. 75 cents.

J. c. var. Suecica. SWEDISH JUNIPER. A small sized, handsome pyramidal tree, with yellowish green foliage. It is quite hardy. 75 cents.

LAWSON'S CYPRESS.

†**J. c. var. Suecica nana.** DWARF SWEDISH JUNIPER. A dwarf, hardy variety. \$1.00.

†**J. Japonica.** JAPAN JUNIPER. Native of China and Japan. A dwarf, dense, bushy evergreen, with light, lively green foliage. \$1.00.

†**var. aurea.** GOLDEN JAPAN JUNIPER. An attractive variety of moderate growth and spreading habit; foliage of a beautiful golden color which it retains throughout the summer. \$1.50.

†**var. variegata alba.** SILVER-VARIEGATED JAPAN JUNIPER. Similar to species in habit of growth, but foliage is of a glaucous green color, interspersed with branchlets of a pure white tint. Very hardy. \$1.50.

†**J. prostrata. syn. repens.** PROSTRATE JUNIPER. A beautiful native species, trailing and densely branched, foliage delicate and shining dark green. Well adapted for covering rock work. One of the best. \$1.50.

J. Sabina. SAVIN JUNIPER. A dwarf, spreading shrub, with trailing branches. Thrives in the poorest soils. Very suitable for rockwork. \$1.00.

- J.S.†var. Alpina.** A low, spreading, trailing shrub, quite unique. \$1.00.
- †**var. tamariscifolia.** TAMARISK-LEAVED SAVIN. A trailing variety with distinct and handsome foliage. Valuable for rockwork and edges of groups and borders. \$1.00.
- †**J. squamata.** SCALED JUNIPER. A low and spreading species, from the Himalayas, suitable for rockwork. \$1.00.
- †**J. venusta.** A rapid grower, of erect habit and fine silvery foliage. Very ornamental and perfectly hardy. \$1.00 to \$2.00.
- J. Virginiana.** RED CEDAR. A well-known American tree, varies much in habit and color of foliage, some being quite stiff, regular and conical, and others loose and irregular. It makes a fine ornamental hedge plant.
- var. glauca.** GLAUCCUS RED CEDAR. The compact, conical habit of this variety, combined with its silvery foliage, render it very distinct and desirable. \$1.00 to \$2.00.
- †**var. Schottii.** Forms a dense bush; foliage of a light green color. Hardy and beautiful. \$1.50.

PINUS. Pine. PIN, *Fr.*

For this and similar climates, the Pines are of the greatest value.

SEC. I. Usually with two leaves in a sheath.

- P. Austriaca.** *syn. nigricans.* AUSTRIAN OR BLACK PINE. A native of the mountains of Syria. Tree remarkably robust, hardy and spreading; leaves long, stiff and dark green; growth rapid. The most valuable for this country. 50 cents to \$1.00.
- P. Mugho.** DWARF MUGHO PINE. An upright, small pine found on the Pyrenees and Alps. Its general form is that of a pine bush, but it has been found growing as high as 40 feet. \$1.00.
- †**var. rotundata.** Of more upright growth than the dwarf, and with roundish cones. Is a native of Tyrol, where it forms a small tree. \$1.00 to \$2.00.
- †**P. Monspeliensis.** SALZMANN'S PINE. From Europe. A noble tree; leaves six to seven inches long and of a bright green color; branches are stout, numerous, and thickly covered with foliage. As vigorous a grower as the Austrian, and of much more picturesque form. A specimen on our grounds is 40 feet high. \$1.00 to \$2.00.
- P. Pallasiana.** A large pyramidal tree with shining dark-green leaves, perfectly hardy. Valuable. \$1.00 to \$2.00.
- P. sylvestris.** SCOTCH PINE OR FIR. A native of the British Islands. A fine robust, rapid growing tree, with stout, erect shoots, and silvery green foliage. Very hardy; valuable for protection.

SEC. II. Usually with three leaves in a sheath.

- P. horizontalis.** A vigorous tree of conical form, with leaves 6 to 8 inches long and of a light green color. \$1.00 to \$2.00.
- †**P. Jeffreyi.** JEFFREY'S PINE. This is a noble Pine, with deep bluish green leaves. It grows 150 feet high in North California. Hardy and very valuable. \$1.00 to \$2.00.
- †**P. ponderosa.** HEAVY WOODED PINE. This also is a noble tree, attaining the height of 100 feet, found abundantly on the northwest coast of America and California. It is perfectly hardy here. Specimens in our grounds are upwards of 40 feet in height. It is a rapid grower; the leaves 8 to 10 inches in length, and of a silvery green color. See cut. \$1.50 to \$3.00.

PINUS PONDEROSA.

SEC. III. *Usually with five leaves in a sheath.*

†**P. Cembra.** SWISS STONE PINE. A handsome and distinct European species, of a compact, conical form; foliage short and silvery. Grows slowly when young. \$1.00 to \$2.00.

†**P. excelsa.** LOFTY BHOTAN PINE. A native of the mountains of Northern India. A graceful and elegant tree, with drooping silvery foliage, resembling that of the White Pine, but longer and more pendulous. Hardy and vigorous. \$1.50.

P. Strobus. WHITE OR WEYMOUTH PINE. The most ornamental of all our native Pines; foliage light, delicate or silvery green. Flourishes in the poorest light sandy soils. Very valuable.

PODOCARPUS. Long-stalked Yew.

*†**P. Japonica.** Native of Japan. An erect, slow-growing shrub, resembling the Irish Yew; requires protection.

RETINISPORA. Japan Cypress.

A beautiful and valuable genus from Japan; require protection here.

*†**R. plumosa.** PLUME LIKE RETINISPORA. A dwarf shrub, with dense, slender, feathery branchlets; very ornamental. \$1.50.

*†**var. argentea.** SILVER-SPOTTED PLUME-LIKE RETINISPORA. Soft, silvery, pale green foliage. \$1.00 to \$2.00.

*†**var. aurea.** GOLDEN PLUME-LIKE RETINISPORA. Beautiful, golden-tipped foliage; preserves its color throughout the year. \$1.00 to \$2.00.

TAXUS. Yew. If, Fr.

Nearly all the Yews require protection here.

***T. adpressa.** JAPAN YEW. Native of the mountains of Japan. A low spreading shrub, with short acute dark green leaves, and pale pink berries. 50 cents to \$1.00.

***T. baccata.** ENGLISH YEW. A large bush or tree, 30 to 40 feet high when fully grown. It is densely branched and can be trimmed into any shape. 50 cents to \$1.00.

***var. ericoides.** A small, slender growing variety, of erect habit, and with small foliage; somewhat tender. 50 cents to \$1.00.

var. erecta. (*stricta*.) ERECT YEW. An erect, dense growing variety, with small, dark, shining leaves, thickly set on the branches. One of the hardiest and finest. 50 cents to \$1.00.

var. elegantissima. BEAUTIFUL VARIEGATED YEW. One of the most valuable golden-leaved evergreens which we have. In June and July the leaves of the new growth are of a bright straw color, rendering the plant highly effective, either by itself or in connection with other conifers. One of the hardiest of the Yews. 50 cents to \$1.00.

***var. fastigiata.** IRISH YEW. Of close, erect habit, and dark green foliage; tender. 50 cents to \$1.00.

***var. fastigiata aurea variegata.** GOLD STRIPED IRISH YEW. An effective variety of upright growth; foliage margined with yellow. 75 cents.

var. Fisherii. FISHER'S VARIEGATED YEW. A variety of spreading habit having some of its branches of a deep yellow color, quite hardy. 50 cents to \$1.00.

var. fructu luteo. YELLOW-FRUITED YEW. Only differs from the common in the color of the berries, which are yellow. It is quite hardy. \$1.00.

var. glauca, OR SEA GREEN YEW. A very distinct variety; foliage dark green on the upper surface, and bluish gray underneath; vigorous grower; quite hardy. \$1.00.

***var. nana.** DWARF YEW. A dwarf kind; tender. \$1.00.

***var. pyramidalis.** PYRAMIDAL YEW. Of erect habit; tender. 50 cents to \$1.00.

*† **var. Washingtonii.** WASHINGTON'S GOLDEN YEW. Foliage handsomely variegated with yellow spots and stripes. \$1.00.

T. cuspidata. One of the hardiest; habit spreading, foliage light green. 50 cents to \$1.00.

*†**var. brevifolia.** Short, petiolate, mucronate leaves. A very handsome variety. \$1.00.

THUJA. Western Arbor Vitæ.

T. occidentalis. AMERICAN ARBOR VITÆ. A beautiful native tree, commonly known as the *White Cedar*; especially valuable for screens and hedges.

SIBERIAN ARBOR VITÆ.

T. o. †var. aurea. (Douglas' New Golden Arbor Vitæ.) Golden foliage. \$1.00.

var. Brightiana. Of erect somewhat loose growth; foliage bright golden yellow in spring. \$1.00.

var. Brinckerhoffi. BRINCKERHOFF'S GOLDEN ARBOR VITÆ. Golden yellow foliage, dwarf compact habit; pretty. \$1.00.

var. Burrowii. BURROW'S ARBOR VITÆ. Originated on the Hudson River. A handsome variety of fine habit, with golden yellow foliage. \$1.00.

var. compacta. PARSONS' ARBOR VITÆ. Of dwarf, compact habit, and yellowish green foliage; fine. \$1.00.

†**var. compacta.** Another dwarf compact form. 50 cents to \$1.00.

T. o. †var. Geo. Peabody. Of dwarf compact growth, foliage bright golden color, which it retains throughout the summer; the best golden variety. \$1.50.

var. globosa. GLOBE-HEADED ARBOR VITÆ. Originated at Philadelphia. Forms a dense, round shrub. Very desirable. 50 cents to \$1.00.

var. Hoveyi. HOVEY'S GOLDEN ARBOR VITÆ. A seedling from the American; of dwarf habit, globular outline, and bright green foliage. Fine and hardy. 50 cents to \$1.00.

†var. intermedia. A perfectly hardy variety of dwarf, compact habit; valuable. 50 cents to \$1.00.

†var. Little Gem. (Douglas.) New, very dwarf, and compact; foliage a beautiful dark green. \$1.50.

†var. pendula. WEEPING ARBOR VITÆ. A variety of drooping habit. \$1.00 to \$2.00.

var. plicata. NEE'S PLICATE ARBOR VITÆ. A handsome hardy variety from Nootka Sound. Foliage plaited, massive and of a rich, dark green color. \$1.00 to \$2.00.

†var. plicata minima. PLICATE SMALL-LEAVED ARBOR VITÆ. Small, plicate foliage; of dwarf habit. \$2.00.

†var. pyramidalis. PYRAMIDAL ARBOR VITÆ. Of upright, compact habit, like the Irish Juniper; very desirable. \$1.50.

†var. pyramidalis. DOUGLAS PYRAMIDAL ARBOR VITÆ. (New.) Pyramidal in form; foliage distinct, somewhat resembling a Retinispora. \$1.00.

var. Siberica. SIBERIAN ARBOR VITÆ. The best of all the genus, for this country; exceedingly hardy, keeping color well in winter; growth compact and pyramidal, makes an elegant lawn tree; of great value for ornament, screens and hedges. See cut. 50 cents to \$1.00.

var. Tom Thumb. A dwarf variety of the *American Arbor Vitæ*, which originated on our grounds. It is remarkable for its slow growth and compact, symmetrical habit. Valuable for the decoration of gardens, lawns or cemeteries, where large trees may not be admissible. Will be found useful for small evergreen hedges.

var. Vervæneana. VERVÆNE'S ARBOR VITÆ. A distinct and handsome yellow marked variety. 50 cents to \$1.00.

†var. White-tipped. (DOUGLAS.) (New.) Ends of branches tipped with white from the last of June till the following spring. \$1.00.

THUJOPSIS Japan Arbor Vitæ.

T. borealis. (See *Cupressus Nutkaensis*.)

ORNAMENTAL SHRUBS.

IN FOUR CLASSES.

CLASS I.—Deciduous Shrubs.

CLASS II.—Variegated-leaved Shrubs.

CLASS III.—Evergreen Shrubs.

CLASS IV.—Climbing and Trailing Shrubs.

CLASS I.—DECIDUOUS SHRUBS.

PRICE, 35 cents each, \$3 per dozen except otherwise noted.

AMELANCHIER. Mespilus. AMELANCHIER, *Fr.*

A. vulgaris. Native of Europe. A medium sized shrub, 5 or 6 feet high, with glossy leaves, flowers white, blossoms in May, succeeded by small purple fruit. 50 cents.

AMORPHA. Bastard Indigo. AMORPHE, *Fr.*

These are fine large shrubs, with small purple or white flowers in dense terminal panicles in July.

A. fragrans. FRAGRANT AMORPHA. A hairy shrub. Flowers a dark purple, June and July.

A. fruticosa. SHRUBBY AMORPHA, or WILD INDIGO. Native of Carolina and Florida. Flowers dark bluish purple in June and July.

ARALIA. Angelica Tree. ARALIE, *Ger.* ANGELIQUE, *Fr.*

The following species form small trees, and are very useful to give a tropical appearance to gardens. They require slight protection with straw or evergreen boughs in winter.

A. Japonica. A handsome and distinct shrub, from Japan, with large tripinnate leaves, and spiny stems; flowers white, in large spikes in September. 50 cents.

A. Mandshurica. Native of North China. A species with very hairy and prickly bipinnate leaves. \$1.00.

A. pentaphylla. A pretty Japanese shrub, of medium size and rapid growth; branches furnished with spines; leaves palmate, five lobed, and pale green; requires protection. \$1.00.

AZALEA. AZALEE, *Fr.*

A. mollis. A splendid half hardy species from Japan. Flowers large, like those of the Rhododendron, in fine trusses and of various colors. Choice seedling varieties, \$2.00 each.

A. nudiflora. PINK-FLOWERING AMERICAN HONEYSUCKLE, or SWAMP PINK. A native species with pink flowers. 50 cents.

A. Pontica. PONTIC AZALEA. GHENT VARIETIES. Native of Asia Minor. A species growing 3 to 4 feet high, with small, hairy leaves, and yellow, orange and red flowers. The Ghent hybrid varieties which we offer combine nearly all colors and possess a delightful perfume. They rank next to the *Rhododendron* for the decoration of lawns and pleasure grounds. The blooming season continues through the months of May and June. Being half hardy they require protection in this latitude. \$1.00 to \$2.00.

BERBERIS. Berberry. BERBERITZE, *Ger.* EPINE VINETTE, *Fr.*

The Berberries are a most interesting family of shrubs, varying in size from 2 to 6 feet high, rich in variety of leaf, flower and habit. Their showy orange and yellow flowers in May or June, are succeeded by bright and various colored fruit; very ornamental in the autumn and winter.

B. Canadensis. AMERICAN BERBERRY. A native species, forming a shrub or low tree, with handsome distinct foliage and yellow flowers from April to June, succeeded by red berries.

B. Fortuneii. Of dwarf habit, small pale green foliage.

B. Thunbergii. THUNBERG'S BERBERRY. From Japan. A pretty species of dwarf habit; small foliage, changing to red in autumn.

B. vulgaris. EUROPEAN BERBERRY. A handsome deciduous shrub, with yellow flowers in terminal drooping racemes in May or June, followed with orange scarlet fruit.

var. fructu violacea. VIOLET-FRUITED BERBERRY. This variety produces violet-colored fruit.

var. purpurea. PURPLE-LEAVED BERBERRY. An interesting shrub growing 3 to 5 feet high, with violet purple foliage and fruit; very effective in groups and masses, or planted by itself.

CALYCANTHUS. Sweet-scented Shrub. CALYCANTHE, *Fr.*

The species and varieties of the *Calycanthus* are very desirable. The wood is fragrant, foliage rich, flowers of a rare chocolate color, and have a peculiar agreeable odor. They blossom in June, and at intervals afterwards.

C. floridus. CAROLINA ALLSPICE. A native species growing 6 to 8 feet high, with double purple very fragrant flowers.

C. occidentalis, erroneously **macrocarpa.** LARGE-FRUITED CALYCANTHUS. 75 cents.

COLUTEA. Bladder Senna. BLASENSTRACH, *Ger.* BAGUENAUDIER, *Fr.*

C. arborescens. TREE COLUTEA. Native of the south of Europe. A large shrub, with small delicate foliage, and yellow pea-blossom-shaped flowers in June, followed by reddish pods or bladders.

CORNUS. Dogwood. HARTRIEGEL, *Ger.* CORNOUILLIER, *Fr.*

Valuable shrubs when planted singly or in groups or masses, some distinguished by their elegantly variegated foliage, others by their bright colored bark.

C. circinata. ROUND-LEAVED DOGWOOD. A native species, with round leaves, downy beneath. Flowers small, white, in flat cymes in June and July; fruit light blue. 50 cents.

C. mascula. CORNELIAN CHERRY. A small tree, native of Europe, producing clusters of bright yellow flowers early in Spring, before the leaves.

C. mascula variegata. VARIEGATED CORNELIAN CHERRY. Differs only from the preceding in having the foliage beautifully variegated with white; decidedly the prettiest variegated shrub in cultivation. See cut. 50 cents.

C. sanguinea. RED BRANCHED DOGWOOD. A native species. Very conspicuous and ornamental in winter, when the bark is blood red.

C. Siberica foliis albo-marginatis. RED SIBERIAN DOGWOOD. A rare and remarkable variety with silver margined foliage and bright red bark in winter. This and *sanguinea* make a very effective contrast when planted together. It is a shrub destined to rank high in popular estimation as soon as known. 75 cents.

C. variegata. VARIEGATED-LEAVED DOGWOOD. Desirable for its variegated foliage. This and the *sanguinea* have white flowers in June, and make large spreading shrubs. 50 cents.

CORYLUS. Filbert.
NOISETTIER, *Fr.*

C. avellana var. atropurpurea. PURPLE-LEAVED FILBERT. A very conspicuous shrub, with large, dark purple leaves. Distinct and fine. 75 cents.

var. laciniata. CUT-LEAVED FILBERT. A very ornamental shrub, with deeply cut foliage. 75 cents.

COTONEASTER.
MISPEL, *Ger.*

C. affinis. DOWNY NEPAL. A beautiful shrub, five or six feet high, with smooth, soft leaves, and elegant white flowers in profusion in May. 50 cents.

C. nummularia. Worked 4 to 6 feet high on the Mountain Ash, it makes a very handsome small lawn tree. 50 cts.

VARIEGATED CORNELIAN CHERRY.

CYDONIA. Quince.

The flowering varieties of the Japan Quince rank among our choicest shrubs. Although of straggling growth, they bear the knife well, and with proper pruning may be grown in any form. As single shrubs on the lawn, they are very attractive, and for the edges of borders or groups of trees they are specially adapted. Their large, brilliant flowers are among the first blossoms in Spring, and they appear in great profusion, covering every branch, branchlet and twig, before the leaves are developed. Their foliage is bright green and glossy, and retains its color the entire Summer, which renders the plants very ornamental. Special attention is invited to this plant for ornamental hedges. It is sufficiently thorny to form a defense, and at the same time makes one of the most beautiful flowering hedges. See *Hedge Plants*.

C. Japonica. SCARLET JAPAN QUINCE. Has bright scarlet crimson flowers in great profusion in the early Spring. One of the best hardy shrubs in the Catalogue.

var. alba. BLUSH JAPAN QUINCE. A very beautiful variety of the Scarlet, with delicate white and blush flowers.

FLOWERS OF THE JAPAN QUINCE.
(NATURAL SIZE.)

var. semi-pleno. DOUBLE-FLOWERING JAPAN QUINCE. A variety of the Scarlet, with semi-double flowers.

var. umbelicata. Flowers brilliant rosy-red, succeeded by large, showy fruit; forms a large shrub. One of the finest.

DAPHNE. *Daphne.* DAPHNE, *Fr.*

D. Mezereum. COMMON MEZEREON. A native of Northern Europe. Shrub with small, erect branches, and clusters of pink flowers, in March. The earliest flowering shrub we have. 50 cents.

DEUTZIA. *Deutzia.* DEUTZIA, *Fr.*

We are indebted to Japan for this valuable genus of plants. Their hardihood, fine habit, luxuriant foliage, and profusion of attractive flowers, render them the most beautiful and deservedly the most popular of flowering shrubs at the present time. The flowers are produced the latter part of June in racemes four to six inches long.

D. crenata var. flore pleno. DOUBLE-FLOWERING DEUTZIA. Flowers double white, tinged with rose. One of the most desirable flowering shrubs in cultivation. See cut.

DEUTZIA CRENATA FLORE PLENO—DOUBLE-FLOWERED DEUTZIA.

DEUTZIA—"PRIDE OF ROCHESTER."
($\frac{1}{3}$ NATURAL SIZE.)

D. c. var. flore alba pleno. Similar in habit to the preceding, but pure white and double.

var. "Pride of Rochester." A variety raised from *Deutzia crenata flore pleno*, and producing large double white flowers; the back of the petals being slightly tinged with rose. It excels all of the older sorts in size of flower, length of panicle, profuseness of bloom and vigorous habit; blooms nearly a week earlier than *Deutzia crenata flore pleno*. See cut. 50 cents.

D. gracilis. SLENDER-BRANCHED DEUTZIA. A charming species of dwarf habit introduced from Japan by Dr. Siebold. Flowers pure white. Fine for pot-culture, as it flowers freely in a low temperature in the winter. The first to flower, about the middle of June.

D. parviflora. Of dwarf habit, flowers medium size in short racemes; valuable for forcing. 50 cents.

D. scabra. ROUGH-LEAVED DEUTZIA. One of the most beautiful, profuse white-flowering shrubs; flowers single. June.

DIERVILLA. Weigela. WEIGELIE, Fr.

Another valuable genus from Japan, introduced as late as 1843. Shrubs of erect habit while young, but gradually spreading and drooping as they acquire age. They produce in June and July superb large trumpet-shaped flowers, of all shades and colors, from pure white to red. In borders and groups of trees they are very effective, and for margins the variegated-leaved varieties are admirably suited, their gay colored foliage contrasting finely with the green of other shrubs. They flower after the lilacs in June.

D. arborea grandiflora. A variety of vigorous habit and erect growth; foliage very large; flowers long and tube shaped; of a sulphur white or pale yellow, changing to pale rose. Flowers about two weeks after the others.

D. candida. WHITE-FLOWERED WEIGELA. A valuable new variety. All white varieties heretofore known have been lacking some important characteristic. *Hortensis nivea*, the best and only really white sort, is a poor grower and difficult to propagate. Other so-called white sorts have flesh-colored flowers; so that the introduction of *candida* supplies a long felt want. It is of vigorous habit, an erect grower, becoming in time a large-sized shrub; flowers pure white and produced in great profusion in June, and the plants continue to bloom through the summer, even until autumn. \$1.00.

D. hortensis nivea. WHITE-FLOWERED WEIGELA. Of dwarf spreading habit and slow growth. Flowers pure white, retaining their purity the whole time of flowering; foliage large. A profuse bloomer; difficult to propagate. \$1.00.

D. hortensis rubra. Flowers deep red when in bud, and nearly white inside when fully open.

D. hortensis A. Carriere. Rose-colored. 75 cents.

D. hybrida Edward Andre. A hybrid between arborea and Lavallei; flowers brownish black. 75 cents.

D. hybrida Hendersoni. Of fine compact habit, rather slender erect growth, flowers medium size, outside of petals red, interior a lighter shade. 75 cents.

D. hybrida John Standish. Flowers large, red. 75 cents.

D. hybrida Lavallei. A fine variety producing dark reddish purple flowers; the darkest variety; habit straggling. 50 cents.

D. hybrida P. Duchartre. A hybrid between rosea and Lavallei; branches erect, flowers clear amaranth color. 75 cents.

D. hybrida Pecheur Fils. Violet-red flowers; profuse bloomer. 75 cents.

D. rosea. ROSE-COLORED WEIGELA. An elegant shrub, with fine rose-colored flowers, introduced from China by Mr. Fortune, and considered one of the finest plants he has discovered; of erect, compact growth; blossoms in June. See cut.

var. amabilis, or splendens. LOVELY WEIGELA. Of robust habit, large foliage and pink flowers; blooms freely in the autumn; distinct and beautiful.

var. Desboisi. A beautiful variety, with deep rose-colored flowers, resembling *rosea*, but flowers much darker. One of the best.

var. Grœnewegenii. Has rose-colored flowers, sometimes streaked with a deep red.

var. Gustave Mallet. Flowers deep red; habit good; very free flowering.

var. Kosteriana foliis variegatis. Of dwarf, compact growth; leaves bordered with yellow; flowers deep rose; fine.

var. Madame Teillier. Of robust habit, erect growth, foliage tomentose beneath; large pale rose flowers.

var. Monsieur Lemoine. Flowers pale flesh, then rose, then deep red; a superb sort.

var. nana foliis variegatis. VARIEGATED LEAVED DWARF WEIGELA. Of dwarf habit, and possessing clearly defined, silvery variegated leaves. Flowers nearly white. It stands the sun well, and is the best dwarf variegated-leaved shrub.

var. Steltznerii. Flowers dark red; a profuse bloomer.

var. Symondsii. Rose and white flowers, forming a beautiful contrast; a distinct and beautiful variety.

ELÆAGNUS. CHALEF, Fr.

E. argentea. SILVER-LEAVED OLEASTER. A native species of erect growth and beautiful silvery foliage. Flowers small, yellow, in July and August.

ROSE-COLORED WEIGELA.

FORTUNE'S FORSYTHIA.
(NATURAL SIZE.)

E. hortensis. GARDEN ELÆAGNUS or OLEASTER. Native of southern Europe. A shrub of quite striking appearance, on account of the silvery whiteness of its foliage. Fine in masses of trees.

EUONYMUS. Strawberry, or Spindle Tree. SPINDELBAUM, *Ger.*
FUSAIN, *Fr.*

The Euonymus are all highly ornamental in autumn, when covered with showy fruit.

E. Europæus. EUROPEAN EUONYMUS. Forms a tree sometimes 30 feet in height. Fruit rose-colored. 50 cents.

var. fructu alba. WHITE-FRUITED EUONYMUS. A variety with white fruit. 50 cents.

E. latifolius. BROAD-LEAVED EUONYMUS. Forms a tree 10 to 20 feet high, with fine broad, glossy green leaves, which turn to a purplish red color in autumn. Fruit large and of a deep blood red color. A very ornamental species. 50 cents.

E. nanus. A pretty shrub of dwarf habit; foliage narrow becoming purple in autumn, fruit red. 50 cents.

EXOCHORDA.

E. grandiflora. From north China. A fine shrub, producing large white flowers in May. Difficult to propagate and always scarce. \$1.00.

FORSYTHIA. Golden Bell. FORSYTHIE, *Fr.*

These are pretty shrubs, of medium size. All natives of China and Japan. The flowers are drooping, yellow, and appear very early in spring before the leaves. The best very early flowering shrubs.

F. Fortuneii. FORTUNE'S FORSYTHIA. Growth upright, foliage deep green, flowers bright yellow. See cut.

F. suspensa. WEEPING FORSYTHIA. Native of Japan. A shrub resembling Fortuneii in its flowers, but the growth is somewhat drooping.

F. viridissima. A fine hardy shrub, introduced by Mr. Fortune, from China. Leaves and bark deep green, flowers deep yellow, very early in spring.

HALESIA. Silver Bell. HALÉSIE, *Fr.*

H. tetraptera. COMMON SNOWDROP TREE. A beautiful large shrub, with pretty white, bell-shaped flowers in May. It is distinguished by its four-winged fruit, which is from one to two inches long. One of the most desirable shrubs. See cut. \$1.00.

HIBISCUS. Althæa, or Rose of Sharon. EIBISCH, *Ger.* ALTHÆA, *Fr.*

The Althæas are fine, free growing, flowering shrubs, of the easiest cultivation. Very desirable on account of blooming in August and September, when scarcely any other tree or shrub is in blossom.

H. Syriacus. var. Boule de Feu. Large, very double, well-formed flowers, of a beautiful violet red color. Plant vigorous; flowers late.

var. Duc de Brabant. Flowers large, very double, and of a reddish lilac color. A very free bloomer, and one of the best varieties.

var. flore pleno fol. variegatis. VARIEGATED-LEAVED DOUBLE PURPLE-FLOWERED ALTHÆA. A conspicuous variety, with the foliage finely marked with light yellow, and producing double purple flowers. One of the finest variegated-leaved shrubs. 50 cents.

HALESIA TETRAPTERA.—SILVER BELL.

(NATURAL SIZE.)

H. S. var. Leopoldii flore pleno. Large flowers, very double, flesh color shaded rose; leaves laciniated; fine.

var. pæoniflora. Rosy purple flowers; dwarf grower and very free flowering.

var. purpurea. SINGLE PURPLE ALTHÆA.

var. purpurea flore pleno. DOUBLE PURPLE ALTHÆA.

var. rubra pleno. DOUBLE RED ALTHÆA. Clear color, one of the best.

H. S. var. totus albus. Single, pure white, very fine.

var. variegatis flore pleno. DOUBLE VARIEGATED, or PAINTED LADY ALTHÆA. White, with purple outside. Petals shaded pink.

var. violacea flore pleno. Flowers medium size, double, of violet lilac color, free flowering, one of the best.

HYDRANGEA. HORTENSIE, *Ger.* HYDRANGEE, *Fr.*

The native species are handsome shrubs of medium size, with fine large leaves, generally of a light green color, and perfectly hardy. The introductions from Japan and China, are particularly interesting and valuable. *H. paniculata grandiflora* is remarkable in foliage and flower, and being perfectly hardy, is of great value. The other Japanese varieties, like the *H. hortensia*, require protection in winter. They should be grown in pots or boxes, and wintered in the cellar, and in summer placed along walks under the shade of trees. *H. Otaksa* is specially adapted for this purpose.

H. Hortensia. GARDEN, or CHANGEABLE HYDRANGEA. Native of Japan, introduced in 1790. An elegant, well-known plant, with large leaves and large globular heads of rose-colored flowers; usually grown in pots or boxes; in the north requires protection out of doors in winter.

HYDRANGEA OTAKSA.

H. H. var. Thomas Hogg. It belongs to the Hortensia section of the family, but is a far more free and abundant bloomer than any other; for the florist, and for all decorative purposes it is invaluable; the flowers are of the purest white, of very firm texture, and are produced from July to September. It is as hardy as the old Hortensia; requires some protection in winter. Price 30 cents to \$1.00 each.

var. Otaksa. Foliage a beautiful deep green color. The plant produces immense trusses of rose colored flowers in profusion in July; free bloomer. See cut. 30 cents to \$1.00.

H. paniculata grandiflora. LARGE PANICLE-FLOWERED HYDRANGEA. A fine shrub, growing from 8 to 10 feet high; flowers white, in great pyramidal panicles a foot long, and produced in August and September, when very few shrubs are in flower; one of the finest flowering shrubs. This is the *Hydrangea Deutzia-folia* of some nurseries. 50 cents to \$1.00.

H. quercifolia. OAK-LEAVED HYDRANGEA. A hardy native shrub, remarkable for its large leaves, which are lobed like those of the Oak, and downy beneath; flowers cream-colored in medium sized panicles; August; very desirable. 75 cents.

HYPERICUM. St. John's Wort. HARTHEU, *Ger.* MILLEPERTUIS, *Fr.*

H. Kalmianum. KALM'S ST. JOHN'S WORT. A fine native, low spreading shrub, with gay, bright yellow flowers in August. Succeeds well in the shade. 50 cents.

H. patulum. SPREADING ST. JOHN'S WORT. From Japan. Of medium size; flowers large, bright yellow, and appear late in summer. 50 cents.

KERRIA. Corchorus. CORÉTE, *Fr.*

K. Japonica. JAPAN CORCHORUS. A slender, green branched shrub, 5 or 6 feet high, with globular, yellow flowers from July to October.

var. flore pleno. DOUBLE-FLOWERING CORCHORUS. Of medium size; double yellow flowers.

var. argentea variegata. SILVER VARIEGATED-LEAVED CORCHORUS. A dwarf variety from Japan, with small, green foliage, edged with white; very slender grower. One of the prettiest and most valuable of dwarf shrubs. 50 cents.

var. ramulis var. aureis. A curious dwarf variety, having its stem striped with yellow and green; very pretty in winter when the plant is divested of its leaves. 50 cents.

LIGUSTRUM. Privet. RAINWEIDE, *Ger.* TROÉNE, *Fr.*

The *Privet* in all its varieties, deserves attention as an ornamental plant. It is almost evergreen, and grows freely in all soils; is compact and regular in its form, and bears shearing to any extent. The whole collection which we offer makes a very interesting group on the lawn; the flowers appear in June and July.

L. vulgare. COMMON PRIVET, or PRIM. From Europe. A pretty shrub with smooth, shining green leaves, and spikes of white flowers, succeeded by bunches of black berries like currants. Makes beautiful hedges. 25 cents.

var. buxifolium. BOX-LEAVED PRIVET. A variety of erect habit, with short, thick, dark green leaves, which remain upon the plant till very late in the autumn. One of the best. 25 cents.

var. fructo albo. WHITE-BERRIED PRIVET. A variety with white berries. 25 cents.

L. laurifolium. LAUREL-LEAVED PRIVET. Has the largest leaves of any. Distinct and fine. 25 cents.

L. ovalifolium aureum. CALIFORNIA PRIVET. A vigorous, hardy variety, of fine habit and foliage; valuable for hedges. 25 cents.

LONICERA. Upright Honeysuckle. HECKENKIRSCH, *Ger.*
CHAMÉCÉRISIER, *Fr.*

The following species and varieties are of erect, shrubby habit. The climbing sorts will be found under the head of "Climbing Shrubs."

L. Ledebouri. LEDEBOUR'S HONEYSUCKLE. From California. A distinct species with red flowers in May.

L. Standishii. STANDISH'S HONEYSUCKLE. Native of China. Flowers creamy white, fragrant, and appear in May before the leaves; one of the earliest flowering shrubs.

L. Tartarica var. alba. WHITE TARTARIAN HONEYSUCKLE. Forms a high bush, with white flowers and fruit. May and June.

var. fragrantissima. FRAGRANT UPRIGHT HONEYSUCKLE. A spreading shrub, with deep green foliage and very fragrant small flowers, which appear before the leaves; foliage almost evergreen; a most desirable shrub.

var. grandiflora. PINK FLOWERING HONEYSUCKLE. A beautiful shrub, very vigorous, and producing large, bright red flowers striped with white, in June, superseding the old Red Tartarian.

var. grandiflora alba. A variety of upright habit, with large white flowers. 50 cents.

PAVIA. Smooth-fruited Horse Chestnut. PAVIER, *Fr.*

P. macrostachya. DWARF WHITE HORSE CHESTNUT. A beautiful spreading shrub producing numerous large showy spikes of flowers late in June; very valuable. \$1.00.

PHILADELPHUS. Syringa, or Mock Orange. WILDER JASMIN, *Ger.* SERINGA, *Fr.*

The Syringa is an invaluable shrub. Of vigorous habit, very hardy, with large handsome foliage, and beautiful white flowers, produced in the greatest profusion at the blossoming season; it merits a prominent place in all collections of shrubbery. Most of the varieties, except those of dwarf habit, form large sized shrubs, twelve to fifteen feet high. They can of course be kept smaller by pruning. The dwarf sorts do not yield many flowers, but are such pretty, compact plants as to be very useful where small shrubs are desired. All of the varieties flower in June, after the Weigela. By planting the late flowering sorts, the season may be considerably extended.

Ph. coronarius. GARLAND SYRINGA. A well-known shrub, with pure white, highly-scented flowers. One of the first to flower.

var. flore pleno. DOUBLE-FLOWERING SYRINGA. A variety with partially double, very fragrant flowers.

var. nana. DWARF SYRINGA. Of low habit, makes a dense, compact bush, rarely produces flowers; useful as a dwarf shrub.

var. Zeyheri. ZEHR'S SYRINGA. A large-flowered, odorless variety, flowers very late.

Ph. dianthiflorus flore pleno. A dwarf variety, with double cream-colored fragrant flowers; forms a handsome low shrub; does not flower much.

Ph. foliis aureis. GOLDEN-LEAVED SYRINGA. A very pretty plant of medium size with golden yellow foliage. It keeps its color the entire season, and will be found valuable for creating pleasing and striking contrasts with purple-leaved shrubs. 50 cents.

Ph. Gordonianus. GORDON'S SYRINGA. A vigorous grower and profuse bloomer; flowers slightly fragrant, and blooms late, and valuable on that account.

Ph. grandiflorus. LARGE-FLOWERING SYRINGA. Has very showy, large flowers, slightly fragrant; branches somewhat straggling.

var. speciosissimus. (New.) Described as follows: "Of dwarf habit, forming bushes about 3 feet in height and covered with white, sweet-scented flowers." 50 cents.

Ph. laxis. Very large, white fragrant flowers, upright habit, very free flowering; a valuable sort. See cut.

Ph. multiflorus plenus. (New.) Described as follows: "Flowers almost double, fragrant, creamy white, in long racemes; habit elegant; profuse bloomer." 50 cents.

Ph. nivalis. The stamens of this variety are cream-colored, thus rendering the whole flower snowy white. Flowers inodorous.

PRUNUS TRILOBA.
(DOUBLE-FLOWERING PLUM.)

PHILADELPHUS LAXUS.
(NATURAL SIZE.)

Ph. primulæflorus. (New.) Flowers almost double; pure white. 50 cents.

Ph. pubescens. HOARY-LEAVED SYRINGA. A beautiful shrub, with large, downy leaves and large, white flowers; late flowering.

Ph. speciosus. Very showy flowers, late; distinct habit.

Ph. Yokohama. A white and very fragrant species from Japan, of upright compact habit; foliage plaited; makes a beautiful shrub.

PHILADELPHUS GORDONIANUS.
($\frac{1}{2}$ NATURAL SIZE.)

RHODOTYPUS KERRIOIDES.

PRUNUS. Plum.

Under this heading are embraced some of the most charming early spring flowering shrubs. *Prunus triloba* or the Double-flowered Plum, as it is commonly called, and the Double-flowered Almonds produce in remarkable profusion, perfectly double, finely formed flowers of most attractive colors. At the blossoming season each little tree appears like one mass of bloom, forming a most beautiful and interesting object, whether planted singly upon the lawn or in groups. As the Almond and Plum flower at the same time, they can be massed very effectively. Both are hardy and of fine habit.

P. Japonica flore alba pleno. (*Erroneously Amygdalus pumila alba.*) DWARF DOUBLE-WHITE-FLOWERING ALMOND. Produces beautiful double-white flowers in May. 50 cents.

P. Japonica flore rubro pleno. (*Erroneously Amygdalus pumila.*) DWARF DOUBLE RED-FLOWERING ALMOND. A beautiful small shrub, bearing in May, before the leaves appear, an abundance of small double rose-like flowers closely set upon the twigs. 50 cents.

P. tomentosa. A very pretty species from Japan. It has beautiful plaited leaves, and bears in May, small, inconspicuous flowers, which are followed by small red fruits resembling currants. Forms a very handsome dwarf shrub. 50 cents.

P. triloba. DOUBLE-FLOWERING PLUM. Native of China. A highly interesting and desirable addition to hardy shrubs; flowers double, of a delicate pink, upwards of an inch in diameter, thickly set on the long slender branches; flowers in May. See cut. 50 cents.

RHUS GLABRA VAR. LACINIATA—CUT-LEAVED SUMACH.

P. virgata flore rosea pleno. Flowers double, rose colored; not so full as those of *P. triloba*, but they appear three or four days earlier. 50 cents.

PTELEA. Hop Tree, or Shubby Trefoil. LEDERBLUME, *Ger.*
PTELEA, *Fr.*

P. trifoliata. A large shrub or small tree, of rapid growth and robust habit. Fruit winged, and in clusters; flowers in June.

RHAMNUS. Buckthorn. WEGEDORN, *Ger.* NERPRUN, *Fr.*

R. catharticus. PURGING BUCKTHORN. The popular hedge plant. A fine robust, hardy shrub of European origin, with dark green foliage, white flowers and small black fruit.

RHODOTYPUS.

Rh. kerrioides. From Japan. A very ornamental shrub of medium size, with handsome foliage and large single white flowers latter part of May, succeeded by numerous small fruits. See cut. 50 cents.

RHUS. Sumach. ESSIGBAUM, *Ger.* SUMAC, *Fr.*

R. Cotinus. PURPLE FRINGE TREE, OR VENETIAN SUMACH. From the south of Europe. A much admired shrub, for its curious fringe or hair-like flowers, that cover the whole surface of the plant in mid-summer. It grows 10 to 12 feet high, and spreads so as to require considerable space. 50 cents.

R. glabra var. laciniata. CUT-LEAVED SUMACH. A very striking plant of moderate size, with deeply cut leaves resembling fern leaves; dark green above and glaucous below, and turning to a rich red in autumn. See cut. 75 cents.

R. Osbecki. A beautiful species from China, of large size, with remarkable and very ornamental foliage, assuming a beautiful autumnal color. 75 cents.

RIBES. Currant. JOHANNISBEERE, *Ger.* GROSEILLIER, *Fr.*

The flowering currants are gay, beautiful shrubs in early spring, and of the easiest culture.

R. aureum. YELLOW-FLOWERING CURRANT. A native species, with glabrous, shining leaves, and yellow flowers.

R. Gordonianum. GORDON'S CURRANT. A hybrid between *aureum* and *sanguineum*. Hardy and profuse blooming shrub. Flowers crimson and yellow in pendant bunches in May.

R. sanguineum. CRIMSON-FLOWERING CURRANT. An American species, with deep red flowers, produced in great abundance in early Spring.

var. albidum. This is a beautiful variety, with pinkish white flowers; contrasts well with the type. 50 cents.

var. flore pleno. DOUBLE CRIMSON-FLOWERING CURRANT. A variety of the Crimson, with double flowers in July; a most beautiful flowering shrub. \$1.00.

RUBUS. Bramble. BROMBEERE, *Ger.* RONCE, *Fr.*

These are rather coarse looking shrubs, but can often be employed to great advantage especially in the wild garden to produce certain effects.

R. crataegifolius. An ornamental species, introduced from Manchuria; habit robust and erect, foliage large, deep green turning to a dark red color in autumn. In July the plant is covered with bright red fruit of an agreeable flavor.

R. fruticosus laciniatus. CUT-LEAVED, or PARSLEY-LEAVED BRAMBLE. Of low trailing habit, foliage deeply cut and quite ornamental; produces palatable fruit.

R. phoenicolasius. A species with foliage resembling that of the Raspberry, leaves downy and of a silvery white color underneath; flowers followed with hairy fruit of a scarlet color.

SAMBUCUS. Elder. HOLLUNDER, *Ger.* SUREAU, *Fr.*

These are showy large shrubs, quite ornamental in flowers, fruit and foliage. They blossom in June.

S. nigra. BLACK-BERRIED ELDER. A native of Europe, of medium size, with purplish black berries in September.

var. aurea. GOLDEN ELDER. A handsome variety, with golden yellow foliage. A valuable plant for enlivening shrubberies. 75 cents.

var. heterophylla. FERN-LEAVED ELDER. Luxuriant grower, with deeply and delicately cut foliage, fine. 50 cents.

var. laciniata. A valuable variety with elegantly divided leaves; one of the best cut-leaved shrubs. 75 cents.

var. variegata. VARIEGATED-LEAVED ELDER. Of strong healthy growth; foliage mottled with white and yellow. One of the best variegated-leaved shrubs.

SPIRÆA EXIMIA.

SPIRÆA. Meadow Sweet.

SPIERSTRAUCH, *Ger.* SPIREE, *Fr.*

The Spireas are all elegant, low shrubs, of the easiest culture, and their blooming extends over a period of three months.

S. arizefolia. WHITE-BEAM TREE-LEAVED SPIRÆA. An elegant species from North West America; habit dense and bushy; plant entirely covered with greenish white blossoms in July. 50 cents.

S. Billardi. BILLARD'S SPIRÆA. Rose colored. Blooms nearly all summer.

S. crenata. Dwarf habit. Flowers dull white. Free bloomer, in June.

S. callosa. FORTUNE'S SPIRÆA. Has large panicles of deep rosy blossoms; grows freely and blossoms nearly all summer; fine.

var. callosa alba. FORTUNE'S DWARF WHITE SPIRÆA. A white flowering variety, of dwarf, bushy, symmetrical form. Keeps in flower all summer. A valuable small shrub.

var. callosa superba. Of dwarf habit, greenish white flowers, in August. Seems to be distinct. 50 cents.

var. semperflorens. Habit dwarf; red flowers in corymbs. Continuous bloomer. 50 cents.

S. chamædrifolia. GERMANDER-LEAVED SPIRÆA. A beautiful species, with small wiry branches, covered in June with clusters of white flowers.

S. crispifolia. From Japan. Very dwarf, about 12 inches; rounded form, leaves crisped, flowers pink. Blooms nearly all summer. Too small to be of much use. 50 cents.

S. cratægifolia. HAWTHORN-LEAVED SPIRÆA. A handsome sort, resembling somewhat the lance-leaved, nevertheless distinct. Flowers greenish white in July; appears to be very hardy.

S. Douglasi. DOUGLAS' SPIRÆA. Has spikes of beautiful deep rose-colored flowers in July and August.

S. eximia. Of dwarf habit; flowers bright rose-color. July. One of the best. See cut.

S. floribunda. FREE-BLOOMING SPIRÆA. Flowers white, abundant bloomer. 50 cents.

S. Fontenaysii. Vigorous and very free bloomer. Large panicles of greenish white flowers. Latter part of June.

S. Hookeri. HOOKER'S SPIRÆA. Resembles *opulifolia aurea*, foliage golden.

S. Niconderti. NICONDERT'S SPIRÆA. Small, smooth, soft leaves; small spikes; white flowers; one of the first to flower. May.

S. opulifolia aurea. GOLDEN-LEAVED NINE BARK. An interesting variety, with golden-yellow tinted foliage, and double white flowers in June. Very conspicuous.

S. prunifolia flore pleno. DOUBLE-FLOWERING PLUM-LEAVED SPIRÆA. A beautiful shrub from Japan, with pure white flowers like white daisies, in May. Keeps in flower a long time and justly merits to be placed in the front rank among flowering shrubs.

S. Reevesii, or lanceolata. LANCE-LEAVED SPIRÆA. A charming shrub with narrow, pointed leaves, and large, round clusters of white flowers, that cover the whole plant, and render it exceedingly effective. Blooms in June. See cut.

var. flore pleno, or lanceolata flore pleno. LANCE-LEAVED DOUBLE SPIRÆA. A beautiful double flowering variety. See cut.

var. robusta. A superior variety of the *lanceolata*. Of more vigorous growth, and flowers much larger, and hardier. Blooms in June and September.

S. salicifolia. WILLOW-LEAVED SPIRÆA. Long narrow pointed leaves, and rose-colored flowers in June and July.

S. sorbifolia. SORB-LEAVED SPIRÆA. A vigorous species with leaves like those of the Mountain Ash, and long, elegant spikes of white flowers in July. One of the best.

S. Species Japonica. A very handsome new species from Japan. Habit dwarf but vigorous, foliage narrow, flowers rose-colored, appearing in great profusion during mid-summer and autumn. The plant grows larger than *crispifolia*. It promises to be a variety of great value, especially where small shrubs are desired. See cut, page 84. \$1.00.

S. Thunbergii. THUNBERG'S SPIRÆA. Of dwarf habit and rounded, graceful form, branches slender and somewhat drooping, foliage narrow and yellowish green, flowers small, white, appearing early in spring, being the first Spiræa to flower. Esteemed on account of its neat, graceful habit. 50 cents.

S. ulmifolia. ELM-LEAVED SPIRÆA. Leaves somewhat resembling those of the Elm, and large, round clusters of white flowers, in June.

The Spiræas flower in the following order, from the middle of May to the middle of August: (1.) *prunifolia fl. pl.*, *Thunbergii*. (2.) *Niconderti*. (3.) *chamedrifolia*. (4.) *cratægifolia*, *lanceolata*, *lanceolata fl. pl.*, *lanceolata robusta*. (5.) *ulmifolia*. (6.) *opulifolia aurea*, *crenata*. (7.) *Fontenaysii*, *salicifolia*, *sorbifolia*. (8.) *Billardi*. (9.) *ariaefolia*. (10.) *callosa* and *callosa alba*, *callosa superba*.

SPIRÆA LANCEOLATA.

STAPHYLEA. Bladder Nut. PIMPERNUSS, Ger. STAPHYLEE, Fr.

S. Colchica. One of the finest early flowering shrubs. Flowers white, fragrant, disposed in clusters. Flowers at the same time as the lilacs. 50 cents.

DOUBLE-FLOWERED LANCE-LEAVED SPIRÆA.

SYMPHORICARPUS. St. Peter's Wort, or Waxberry.

SCHNEEBEEREN, *Ger.* SYMPHORINE, *Fr.*

S. racemosus. SNOWBERRY. A well-known shrub, with small, pink flowers, and large white berries that hang on the plant through part of the winter.

S. vulgaris. RED-FRUITED or INDIAN CURRANT. A shrub of very pretty habit. Foliage, flowers and fruit small. Fruit purple; hangs all winter.

var. variegatis. VARIEGATED ST. PETER'S WORT. A variegated form of the above.

SYRINGA. Lilac. FLIEDER, *Ger.* LILAS, *Fr.*

Well known, beautiful shrubs, indispensable in every collection. They flower in May.

S. Josikæa. JOSIKA'S or CHIONANTHUS-LEAVED LILAC. From Transylvania. A fine, distinct species, of tree-like growth, with dark, shining leaves and purple flowers in June, after the other Lilacs have done flowering. Esteemed particularly for its fine habit and foliage.

SPIRÆA, SPECIES JAPONICA.

S. Persica. PERSIAN LILAC. Native of Persia. From 4 to 6 feet high, with small foliage and bright purple flowers.

var. alba. WHITE PERSIAN LILAC. Delicate white fragrant flowers shaded with purple. A superb variety. 50 cents.

S. rothomagensis var. rubra. ROUEN LILAC. A distinct hybrid variety, with reddish flowers: panicles of great size, and very abundant. One of the finest lilacs. 50 cents.

S. Siberica alba. SIBERIAN WHITE LILAC. A vigorous grower, foliage small and narrow, flowers white with a bluish tint; fragrant and handsome.

S. Verschaffeltii. VERSCHAFFELT'S LILAC. Dark red in bud, lilac when open, large compact panicle; distinct.

S. vulgaris. COMMON LILAC. Bluish purple flowers.

var. alba. COMMON WHITE LILAC. Cream-colored flowers. 50 cents.

var. alba grandiflora. LARGE-FLOWERED WHITE LILAC. Very large pure white trusses of flowers. The finest white. 75 cents.

var. Beranger. A seedling from *Gloire de Moulins*. Has large panicles of a purplish lilac red color. 50 cents.

var. Charlemborg. A distinct variety; flowers very small, light purple shaded with pink. Compact truss.

var. Charles X. A strong, rapid growing variety with large, shining leaves, trusses large, reddish purple.

VIBURNUM PLICATUM.
($\frac{1}{2}$ NATURAL SIZE.)

S. v. var. Colmariensis. COLMAR'S LILAC. Very large, pale blue flowers, and fine glossy foliage.

var. cœrulea superba. E. & B. SEEDLING. Flowers light purple in bud, but when fully open a clear blue; truss very large. One of the best varieties. 50 cents.

var. de Croncels. Carmine red in bud, lilac when open; truss large; fine. 50 cents.

var. flore pleno. DOUBLE PURPLE LILAC. Similar to the common, but has a double row of petals; valuable for cut flowers; very neat and pretty.

var. gigantea. GIANT LILAC. A vigorous, erect grower, with large leaves and spikes. Flowers blue.

var. Gloire de Moulins. Large panicle; individual flowers very large, rosy-lilac in color. One of the best. 50 cents.

var. nana. DWARF LILAC. Distinct, large and compact spike of dark reddish purple flowers; one of the best.

var. Noisettiana alba. Large trusses of white flowers. 75 cents.

var. President Massart. Red in bud, purple when open; large panicle; fine. 50 cents.

var. Prince Nottger. PRINCE NOTTGER'S LILAC. Delicate bluish purple. Early.

var. Prof. E. Stockhardt. Lavender colored flowers, large truss; fine. 50 cents.

var. rubra insignis. Dark red in bud, purple or lilac when open; large truss; superb. 50 cents.

var. Ville de Troyes. A fine variety, with large panicles of dark purple flowers. 50 cents.

var. virginalis. Flowers pure white, more delicate than the common. 75 cents.

VIBURNUM OPULUS VAR. STERILIS—($\frac{1}{3}$ NATURAL SIZE.)
(SNOWBALL.)

TAMARIX. Tamarisk. TAMARISKE, *Ger.*

These are very beautiful shrubs, with small leaves, somewhat like those of the Juniper, and delicate small flowers in spikes. They are invaluable for planting by the seaside, where scarcely anything else will grow.

T. Africana. Handsome foliage, upright habit; flowers in May.

T. Chinensis. A vigorous, upright grower, with delicate foliage of a lively green color; flowers rose-colored in September.

T. Narbonne. Of straggling habit. Foliage glaucous green; flowers in May before the leaves appear.

VIBURNUM. Arrow Root. SCHLINGE, OR SCHNEEBALL, *Ger.* VIORNE, *Fr.*

V. lantanoides. EARLY WHITE LANTANA-LEAVED VIBURNUM. A large, robust shrub, with soft, hoary leaves, and large clusters of white flowers in May, succeeded with red fruit; retains its foliage very late; very ornamental in flower, foliage and fruit.

V. nepalense. A robust growing shrub, with cymes of white flowers, which appear later than those of the other Viburnums. 75 cents.

V. Opulus. HIGH, OR BUSH CRANBERRY. Both ornamental and useful. Its red berries, resembling cranberries, esteemed by many, hang until destroyed by frost late in the fall; resembles the *Snowball* in wood and foliage.

var. nana. A very dwarf variety, forming a small bush two feet in height; does not produce any flowers; a pretty dwarf plant. 75 cents.

var. sterilis. GUELDER ROSE. SNOWBALL TREE. A well-known, favorite shrub, of large size, with globular clusters of pure white sterile flowers the latter part of May. See cut.

V. Plebotrychium. From the Island of Yesso, Japan. Attains the size of a large tree. The branches are said to have a peculiar appearance, especially when in flower; they form long, broad arms, and sometimes look like a Fir Tree covered with white flowers. The climate of the Island where this tree is a native, is said to be quite severe in winter, quite as cold as in the State of New York. It is described as a gigantic representation of the Snowball family. 75 cents.

V. plicatum. PLICATE VIBURNUM. From North China. Of moderate growth; handsome, plicated leaves, globular heads of pure white neutral flowers, early in June. It surpasses the common variety in several respects. Its habit is better, foliage much handsomer, flowers whiter and more delicate. One of the most valuable flowering shrubs. See cut. 75 cents to \$1.00.

V. prunifolium. PLUM TREE-LEAVED VIBURNUM. Has smooth, glossy foliage, and white flowers in May and June. \$1.00.

V. pyrifolium. PEAR TREE-LEAVED VIBURNUM. A native shrub; flowers white; fragrant; the last of all to flower, being about ten days later than the others. \$1.00.

V. rugosum. ROUGH-LEAVED VIBURNUM. Has larger and rougher leaves than *lantanoides*, and terminal cymes of white flowers in May. Very ornamental in foliage and fruit.

XANTHOCERAS.

X. sorbifolia. From Central China. One of the most important introductions of the last few years; forms a shrub or small tree, foliage resembling that of the service tree or Mt. Ash; flowers five-petalled, white, reddish copper colored at base, disposed in racemes about 8 inches long; flowers expand in April or May with the leaves. Plants have stood out in our grounds two winters uninjured, so that we consider the tree hardy. It is very floriferous, young plants flowering freely. Small plants \$1.50.

CLASS II—FLOWERING SHRUBS WITH VARIEGATED FOLIAGE.

Described in their Respective Places in the Catalogue:

Cissus variegata. VARIEGATED-LEAVED CISSUS.

Cornus mascula variegata. VARIEGATED CORNELIAN CHERRY.

Cornus variegata. VARIEGATED-LEAVED DOGWOOD.

Diervilla rosea var. Kosteriana fol. var.

Diervilla rosea var. nana. fol. var. VARIEGATED-LEAVED DWARF WEIGELA.

Hibiscus Syriacus var. fl. pl. fol. variegatis. VARIEGATED-LEAVED PURPLE DOUBLE-FLOWERED ALTHEA.

Kerria Japonica argentea variegata. SILVER VARIEGATED-LEAVED CORCHORUS.

Philadelphus foliis aureis. GOLDEN-LEAVED SYRINGA.

Sambucus nigra variegata. GOLDEN VARIEGATED-LEAVED ELDER.

Symphoricarpus vulgaris variegatis. VARIEGATED-LEAVED ST. PETER'S WORT.

FLOWERING SHRUBS.

Named in the order in which they flower, embracing some of the choicest species.

APRIL.

Daphne Mezereon.

MAY.

Forsythia, in variety.

Japan Quince, in variety.

Prunus triloba.

Almond, dwarf double-flowering.

Pæony tenuifolia.

Spiræa prunifolia flore pleno.

Lilacs, in variety.

Spiræa Nicorderti.

Viburnum lantanoides and
rugosum.

Honeysuckle Tartarian.

Wistaria.

Tree Pæony Banksii, and others.

JUNE.

Halesia tetraptera.

Deutzia gracilis.

Spiræa lanceolata.

“ “ *robusta.*

Viburnum Opulus var. *sterilis.*

“ *plicatum.*

“ *pyrifolium.*

Weigela, in variety.

Cornus sanguinea.

White Fringe.

Lilac Josikæa.

Syringa, in variety.

Rhododendrons, in variety.

Pæonies Herbaceous.

Clematis Jackmanni, and others.

Elder.

Deutzia crenata flore pleno.

JULY.

Spiræa Billardi.

“ *callosa alba.*

“ *callosa.*

AUGUST and SEPTEMBER.

Althæa, in variety.

Hydrangea paniculata grandiflora.

SHRUBS WHICH PRODUCE ORNAMENTAL FRUIT
SUCCEEDING THE FLOWERS.

Berberry. Scarlet and violet fruit in September.

Cornus sanguinea. White berries in September.

Cotoneaster nummularia. Red fruit, changing to dark purple in August.

Euonymus. Red fruit.

“ White fruit.

“ *latifolia.* Red fruit.

Cornus mascula. Fruit red, very large and showy in August.

Rubus crataegifolius.

“ *phoenicolasius.*

Sambucus. Purple fruit, changing to black in August and September.

Symphoricarpus racemosa. White berries all winter.

Viburnum lantanoides. Dark purple, nearly black, in September.

Viburnum Opulus. Red fruit. Very ornamental.

Viburnum rugosum. Very showy fruit in September.

Mahonia. Bluish berries in July.

SELECT ASSORTMENTS OF HARDY FLOWERING SHRUBS.

AT REDUCED PRICES.

We cannot agree to make any changes in the Lists.

Fifty of the Most Desirable Species and Varieties for \$12.00.

Althæa, Double Variegated.	Privet, California.
“ Double Red.	Prunus, triloba.
Amorpha, fragrans.	Purple Fringe.
Berberry, Common.	Quince, Japan Scarlet.
“ Purple.	“ “ atrosanguinea.
Calycanthus, florida.	“ “ umbellicata.
Colutea, arborescens.	Ribes, aurea.
Cornelian Cherry, Variegated.	Spiræa, Billardi.
Deutzia crenata flore pleno.	“ callosa.
“ gracilis.	“ “ alba.
“ scabra.	“ lanceolata.
Dogwood, Red-branched.	“ ulmifolia.
Elder, Variegated.	Symphoricarpus, racemosa.
Euonymus, European.	Syringa, coronarius.
Forsythia Fortuneii.	“ grandiflora.
“ viridissima.	“ nivalis.
Honeysuckle, Red Tartarian.	Tamarix, African.
“ grandiflora.	Viburnum, lantanoides.
“ fragrantissima.	“ Snowball.
Hydrangea, paniculata grandiflora.	“ High Bush.
Kerria, Japonica argentea var.	“ rugosa.
Lilac, Josikæa.	Weigela, rosea.
“ Rothomagensis.	“ amabilis.
“ Charlemborg.	“ Desboisii.
“ Double-flowering.	“ Dwarf, Variegated.

Twenty-five of the Most Desirable Species and Varieties for \$7.00.

Althæa, Double Variegated.	Deutzia crenata flore pleno.
“ Double Red.	“ gracilis.
Berberry, Purple.	Elder, Variegated.
Calycanthus, florida.	Forsythia Fortuneii.
Cornelian Cherry, Variegated.	Spiræa, callosa.
Honeysuckle, Red Tartarian.	“ lanceolata.
“ fragrantissima.	Snowball.
Hydrangea, paniculata grandiflora.	Syringa, grandiflora.
Lilac, Josikæa.	“ coronarius.
Lilac, Rothomagensis.	Tamarix, African.
Ptunus, triloba.	Weigela, rosea.
Quince, Japan Scarlet.	“ Desbois.
“ “ umbellicata.	

Twelve of the Most Desirable Species and Varieties for \$3.50.

Althæa, Double Red.	Lilac, Rothomagensis.
Calycanthus, florida.	Prunus, triloba.
Cornelian Cherry, Variegated.	Quince, Japan.
Deutzia crenata flore pleno.	Spiræa, lanceolata.
Forsythia Fortuneii.	Syringa, grandiflora.
Honeysuckle, Red Tartarian.	Weigela, rosea.

CLASS III.—EVERGREEN SHRUBS.

PRICE 35 cents each, \$3 per dozen, except where noted.

ANDROMEDA.

A. floribunda. A very pretty evergreen plant, of dwarf compact habit, with rich dark green foliage and pure white flowers in great abundance in spring; requires same treatment as the Rhododendron. \$1.50 to \$2.00 each.

BUXUS. Box. BUXBAUM, *Ger.* BUIS, *Fr.*

The species and varieties of the *Tree Box* are beautiful lawn shrubs or small trees, well adapted to small places. They flourish best when partially shaded. In this climate they require protection.

B. sempervirens. COMMON TREE BOX. From England. A handsome shrub with deep green foliage.

var. argentea. SILVER STRIPED-LEAVED BOX.

var. aurea. GOLD STRIPED-LEAVED BOX.

var. Handsworthi. HANDSWORTH'S BOX. An upright, vigorous variety, with oval leaves; very hardy and ornamental; one of the best.

var. Jacksoni. JACKSON'S WEEPING. A pendulous variety; leaves blotched with yellow.

var. latifolia. BROAD-LEAVED BOX. Broad foliage; distinct.

var. rosmarinifolia. Forms a beautiful small bush; foliage glaucous.

var. suffruticosa. DWARF BOX. The well-known sort used for edging. 30 cents per yard.

COTONEASTER. MISPEL, *Ger.* COTONEASTER, *Fr.*

C. microphylla. SMALL-LEAVED COTONEASTER. Of trailing habit: leaves small, crowded, orbiculate, dark green and shining above; hairy beneath. Fine for covering walls, banks, etc. 50 cents.

C. rotundifolia. ROUND-LEAVED COTONEASTER. A beautiful, low spreading shrub, with small foliage, white flowers and red berries. 50 cents.

CRATÆGUS. Thorn.

C. pyracantha. EVERGREEN THORN, OR BURNING BUSH. Native of South of Europe. A low, bushy plant, retaining its foliage all winter. Has pinkish, or white flowers, succeeded by dense clusters of orange scarlet berries.

var. alba. WHITE-FRUITED PYRACANTHA. A variety with pure white fruit. Used for hedges.

var. Lalandii. A variety with larger leaves than the type 50 cents.

KALMIA.

K. latifolia. MOUNTAIN LAUREL, OR CALICO BUSH. A beautiful native evergreen shrub, with shining foliage and dense clusters of pink or nearly white flowers in spring. Requires same treatment as the Rhododendron. \$1.00 to \$2.00 each.

MAHONIA. Ashberry. MAHONIE, Fr.

M. aquifolium. HOLLY-LEAVED MAHONIA. A native species of medium size, with purplish shining, prickly leaves, and showy, bright yellow flowers in May, succeeded by bluish berries. Its handsome, deep green, glossy foliage, and neat habit render it very popular for decorative planting.

RHODODENDRON. Rosebay.

The Rhododendrons are magnificent flowering Evergreen Shrubs. All prefer a peaty soil and a somewhat shaded situation. The Catawbiense varieties are the most hardy and succeed in our climate better than any other. In this latitude they require to be protected in winter.

Rh. Catawbiense. CATAWBA ROSEBAY. A bushy shrub, with broadly oval leaves, and compact round clusters of lilac and violet flowers in June. We have a large collection, embracing the best varieties of this hardy species. Plants with flowering buds, about 18 to 24 inches, \$1.50 to \$2.00 each.

CLASS IV.—CLIMBING AND TRAILING SHRUBS.

PRICE, **35** cents each; **\$3** per dozen except otherwise noted.

A most useful class of plants for this country, for covering cottages, verandas, walls, trellises, etc.

ACTINIDIA.

A. polygama (round fruit). A climbing plant from Japan, and said to be most beautiful when in full flower. The flowers are white with a purple center, and sometimes cover the whole vine. The fruit is edible, and has a fine flavor.

A. var. polygama. A variety of the above with long fruit.

AKEBIA. AKEBIE, Fr.

A. quinata. A singular Japanese climbing shrub, with fine foliage, purple flowers and ornamental fruit.

AMPELOPSIS. JUNGFERNWEIN, Ger. VIGNE-VIERGE, Fr.

A. bipinnati. PEPPER VINE. A species with compound pinnate leaves.

A. quinquefolia. AMERICAN IVY, OR VIRGINIAN CREEPER. Has beautiful digitate leaves that become rich crimson in autumn; a very rapid grower. Like the Bignonia and Ivy, it throws out tendrils and roots at the joints, by which it fastens itself to anything it touches. One of the finest vines for covering walls, verandas or trunks of trees; affords shade quickly.

A. Roylei. From Japan. Resembles the American, but is more vigorous; foliage larger, and remarkably high colored in autumn.

A. tricuspidata. Leaves deeply three-lobed; lobes long and pointed; hardy and distinct.

CLEMATIS.

A. Veitchii. JAPAN CREEPER. Leaves smaller than those of the American, and overlap one another, forming a dense sheet of green. The plant is a little tender while young, and requires protection the first winter; but once established, there is no further risk. It grows rapidly and clings to wall or fence with the tenacity of Ivy; the foliage is very handsome in summer, and changes to crimson scarlet in autumn. For covering walls, stumps of trees, rockeries etc., no plant is so useful. For the ornamentation of brick and stone structures, it can be specially recommended.

ARISTOLOCHIA. OSTERLUZEL, *Ger.* ARISTOLOCHE, *Fr.*

A. Siph. DUTCHMAN'S PIPE. A native species of climbing habit and rapid growth, with magnificent light green foliage; 10 to 12 inches in diameter, and curious, pipe-shaped, yellowish brown flowers. 75 cents.

A. tomentosa. A slender grower; leaves glaucous and downy beneath; purple flowers in July. 75 cents.

CELASTRUS. Staff Tree. CELASTRE, *Fr.*

C. scandens. CLIMBING CELASTRUS. A native climbing or twining plant, with fine large leaves, yellow flowers, and clusters of orange capsuled fruits. It grows 10 to 12 feet in a season.

CISSUS.

C. variegata. VARIEGATED-LEAVED CISSUS. A handsome running vine like a grape, with handsomely variegated three lobed leaves, and small clusters of dark colored fruit.

CLEMATIS. Virgin's Bower. WALDREBE, *Ger.* CLEMATITE, *Fr.*

The Clematis are elegant, slender branched shrubs, of rapid growth, handsome foliage and beautiful large flowers of all colors. Either in the open ground as pillar plants, bedding plants, single plants in masses or about rock-work, or cultivated in pots or tubs, the Clematis cannot be excelled.

They will stand the severest winters if the roots are slightly covered.

The following classification is taken from Jackman's work on the Clematis—entitled, "The Clematis as a Garden Flower."

Section I.—Patens Type.

Varieties which bloom in the spring (May and June) from the old or ripened wood.

C. Fair Rosamond (Jackman). Blush white, with an indistinct wine red bar. *Fine.* \$1.00.

C. Lady Londesborough (Noble). Silver gray; pale bar. \$1.00.

C. Miss Bateman (Noble). White; chocolate red anthers. \$1.25.

C. Stella (Jackman). Light violet; distinct reddish plum bar. \$1.00.

C. Sir Garnet Wolseley (Jackman). Bluish ground; distinct bar of plum red. \$1.00.

Section 2. Florida Type.

Varieties which flower in summer from the old or ripened wood.

C. Fortuneii (Moore). Double; rosette formed; creamy white; fragrant. \$1.50.

C. John Gould Veitch (Veitch). Double; lavender blue. \$1.50.

C. Lucie Lemoine (Lemoine). Double white; fine. \$1.50.

Section 3. Lanuginosa Type.

Varieties flowering during the summer and autumn, successionally, on short lateral summer shoots; flowers dispersed.

C. Henryi (Anderson—Henry). Very large fine form, creamy white. \$1.50.

FLOWER OF CLEMATIS JACKMANNI.

(½ NATURAL SIZE.)

- C. Lady Caroline Neville** (Cripps). French white, with mauve bars. \$1.50.
- C. lanuginosa candida** (Lemoine). Grayish white; fine. \$1.50.
- C. Lawsoniana**. Large, rosy purple, darker veins. \$1.50.
- C. Otto Fröbel** (Lemoine). Grayish white; very large. \$2.00.

Section 4. Viticella Type.

Varieties which flower in the summer and autumn, successionally, in masses, on summer shoots.

- C. Mrs. James Bateman** (Jackman). Pale lavender. \$1.50.
- C. viticella modesta** (Modeste Guérin). Large, reddish violet, changing to blue; free growing and free flowering. *One of the best.* \$1.00.
- C. viticella rubra grandiflora** (Jackman). Bright claret red; \$1.25.
- C. viticella venosa**. Reddish purple; veined; one of the finest. \$1.25.

Section 5. Jackmanni Type.

Varieties flowering during the summer and autumn in continuous masses on summer shoots.

C. flammula. EUROPEAN SWEET CLEMATIS. Flowers small, white, and very fragrant.

C. Jackmanni (Jackman). Large, intense violet purple; remarkable for velvety richness; free in growth and an abundant and successive bloomer. *A great acquisition.* 75 cents to \$1.00.

C. Lady Stratford de Redcliffe (Jackman). Delicate mauve. \$1.00.

C. Madame Grange (Lemoine). Crimson violet, red bar in center. \$1.50.

C. magnifica (Jackman). Reddish purple, with red bars. \$1.25.

C. rubella (Jackman). Rich claret purple. \$1.00.

C. Star of India (Cripps). Reddish plum with red bars. \$1.50.

C. velutina purpurea (Jackman). Blackish mulberry; fine. \$1.00.

Section 6.

C. Virginiana. AMERICAN WHITE CLEMATIS. A remarkably rapid climbing plant, growing to the height of twenty feet, producing an immense profusion of flowers in August.

HEDERA. Ivy. EPHEU, *Ger.* LIERRE, *Fr.*

The Ivies are evergreens, and frequently suffer from exposure to the sun in winter. For this reason, the north side of a wall or building is a better situation than the south.

H. Canariensis, or Hibernica. IRISH IVY. The well-known old sort.

H. digitata. Palmately-divided leaves; pretty.

H. picta. Small leaves, five lobed.

H. poetica. A handsome sort with medium sized, obovate leaves.

H. rhombea variegata. Small leaves, prettily variegated.

H. Rœgneriana, or Colchica. GIANT IVY. A very hardy sort, with very large, thick, leathery leaves.

H. saggitæfolia. ARROW-LEAVED IVY. Arrow-shaped leaves.

H. Taurica. TAURIAN IVY. Small leaves, three-lobed.

LONICERA. Honeysuckle, or Woodbine. CHEVREFEUILLE, *Fr.*

L. brachypoda aureo reticulata. JAPAN GOLDEN-LEAVED HONEYSUCKLE. A handsome and very desirable variety, with the foliage beautifully netted or variegated with yellow.

L. Canadensis. CANADIAN HONEYSUCKLE. A very robust, rapid grower, with large, glaucous leaves, and yellow flowers.

L. flava. YELLOW TRUMPET HONEYSUCKLE. A well-known native vine, with yellow trumpet flowers.

L. Halleana. HALL'S JAPAN HONEYSUCKLE. A strong, vigorous, almost evergreen sort, with pure white flowers, changing to yellow. Very fragrant, and is covered with flowers from July to December; holds its leaves till January. *The best of all.* See cut.

HALL'S JAPAN HONEYSUCKLE.

L. Japonica. CHINESE TWINING HONEYSUCKLE. A well-known vine, holding its foliage nearly all winter. Blooms in July and September, and is very sweet.

L. pallida. White and straw colored fragrant flowers, shining, deep green leaves.

L. Periclymenum. COMMON WOODBINE. A strong, rapid grower, with very showy flowers, red outside, buff within. June and July.

var. Belgicum. MONTHLY FRAGRANT, OR DUTCH HONEYSUCKLE. Blooms all summer. Red and yellow, very fragrant flowers.

L. sempervirens. SCARLET TRUMPET HONEYSUCKLE. This and its varieties are the handsomest in cultivation. It is a strong, rapid grower, and produces scarlet inodorous flowers all summer.

var. Brownii. BROWN'S SCARLET TRUMPET HONEYSUCKLE. Large, dark scarlet flowers.

MENISPERMUM. Moonseed. MENISPERME, *Fr.*

M. Canadense. CANADIAN MOONSEED. A pretty, native, twining, slender-branched shrub, with small, yellow flowers, and black berries.

PERIPLOCA. Silk Vine. SCHLINGE, *Ger.*

P. Græca. Native of Southern Europe. A rapid growing, beautiful climber. Will twine around a tree or other support to the height of 30 or 40 feet. Foliage glossy, and purple brown axillary clusters of flowers.

TRUMPET FLOWER.
($\frac{1}{4}$ NATURAL SIZE.)

TECOMA. Trumpet Flower. BIGNONE, *Fr.*

T. radicans. AMERICAN CLIMBING TRUMPET VINE. A splendid, hardy, climbing plant, with large trumpet-shaped scarlet flowers in August.

var. atrosanguinea. DARK RED, OR PURPLE TRUMPET FLOWER. A vigorous shrub with purplish crimson flowers.

CHINESE WISTARIA.

($\frac{1}{4}$ NATURAL SIZE.)**WISTARIA.** GLYCINE, *Fr.*

W. brachybotrys. From Japan. Flowers light blue and fragrant; clusters short.

W. Chinensis. CHINESE WISTARIA. One of the most elegant and rapid growing of all climbing plants; attains an immense size, growing at the rate of 15 or 20 feet in a season. Has long pendulous clusters of pale blue flowers in May and June, and in autumn. See cut. 75 cents.

var. alba. CHINESE WHITE WISTARIA. Pure white flower. Introduced by Mr. Fortune, from China, and regarded as one of his greatest acquisitions. \$1.00.

W. frutescens. SHRUBBY, OR CLUSTER-FLOWERED WISTARIA. America. In habit less vigorous than the Chinese. Flowers pale blue in short clusters.

var. alba. WHITE AMERICAN WISTARIA. Flowers clear white. Bunches short. Free bloomer. \$1.00.

W. magnifica. Flowers in dense drooping racemes of the same size as the Chinese, and of a pale lilac color; vigorous and perfectly hardy.

W. multijuga. From Japan. Said to produce dark blue double flowers. \$1.00.

HEDGE PLANTS.

WHICH MAY BE EMPLOYED

FOR ORNAMENT, SHELTER, SCREENS AND DEFENSE.

For these purposes we recommend Evergreens like the *American* and *Siberian Arbor Vitæ*, *Norway Spruce*, *Hemlock*, *Austrian* and *Scotch Pines*, and many of the Deciduous and Evergreen shrubs, such as the *Japan Quince*, *Tamarix*, *Deutzias*, *Spiræas*, *Muhonias*, &c., and for defensive hedges, the *Honey Locust* and *Osage Orange*.

FOR ORNAMENT.

The *Siberian Arbor Vitæ*, in our opinion, takes the precedence among Evergreens, as an Ornamental Evergreen Hedge Plant. Its thrifty, compact growth, fine form, great hardihood and deep green color which its foliage retains throughout the year, adapt it specially for dividing lines between lawns or gardens, or for hedges along streets or avenues.

The *American Arbor Vitæ*, though not quite so ornamental in character, being less dense in growth, and spreading in habit, forms a handsome hedge. It may be obtained at less cost than any other evergreen hedge plant.

For a low, ornamental hedge, the *Tom Thumb ARBOR VITÆ* is useful.

With careful pruning the *Norway Spruce* may be kept low and in good shape, and grown in this manner is highly ornamental.

The *Hemlock*, being of extremely graceful habit and fine foliage, is very popular, though not so hardy, nor so well adapted to all soils as the *Arbor Vitæ*.

The flowering shrubs are ornamental hedge plants *par excellence*; among them, the *Japan Quince* is particularly desirable, on account of its good habit and handsome foliage: We are growing it largely for hedges.

FOR SHELTER AND SCREENS.

For planting in belts to afford shelter from violent winds, or for concealing unsightly objects or views, or for boundary lines, we recommend the *Norway Spruce* and *Austrian* and *Scotch Pines*. Their robust habit, rapid dense growth and entire hardiness are characteristics not easily to be found in other evergreens.

The *American Arbor Vitæ* also is particularly valuable, either for shelter or screens.

DEFENSIVE HEDGES.

For turning cattle and as a farm hedge for general purposes, the *Honey Locust*, in this locality, and farther North, is the most valuable. It is of vigorous growth, perfectly hardy, and thrives with ordinary care, and is sufficiently thorny to be impenetrable. It bears the shears with impunity, and can be grown in any desired form. South of us, the *Osage Orange* is in great favor, but it is not hardy enough to be serviceable here.

DIRECTIONS FOR SETTING.

Evergreens must be handled with care; so as not to allow the roots to become dried by the wind. Plants for hedges being generally set when quite small, should be placed about 9 inches apart—larger sized plants will require more space.

Honey Locust and *Osage Orange* are generally planted in double rows, about 9 inches apart.

PRUNING.

Evergreens should be pruned in spring, just before they commence growing. Summer pruning may be practiced on the *Arbor Vitæ* should the growth be too rapid.

EVERGREEN.

	Per 100.
Arbor Vitæ, American, 9 to 12 inches, - - - - -	\$8 00
“ “ “ 12 to 18 inches, - - - - -	10 00
Arbor Vitæ, American, Dwarf, TOM THUMB, 6 to 9 inches, (bushy plants), - - - - -	12 00
Tree Box, in variety, 12 to 18 inches, - - - - -	12 00

DECIDUOUS.

Privet, Aureum, 1 year.....	\$ 5 00	per 100
Tamarix,	12 00	“
Spiræas, assorted varieties, our selection.....	15 00	“
Japan Quince,	\$10.00 to \$20 00	“
Honey Locust, 1 year.....	5 00	per 1,000
“ “ 2 years.....	6 00	“
Osage Orange, 1 year.....	5 00	“
“ “ 2 years.....	7 00	“
Buckthorn, 2 years.....	10 00	“

PÆONIA.

Pæony. PIVOINE EN ARBRE, *Fr.*

Class I.—PÆONIA MOUTAN. TREE PÆONIES.

P. Moutan, the parent species, is a native of China. The varieties are handsome flowering shrubs, attaining from 6 to 8 feet in height, in about 10 years, with proper care. The flowers are remarkably striking, of gorgeous colors, very numerous, and enormous in size, often measuring 6 to 9 inches across, and appear in May. All are very effective amongst shrubs, or on the margins of borders. Although hardy, the plants are greatly improved by slight protection in winter.

PRICE, \$1.00 each; extra size, \$2.00.

P. Banksii. CHINESE DOUBLE BLUSH PÆONY. Very large, fragrant flower, rosy blush, with purple center. One of the finest.

Select Varieties of *P. Montan.*

PRICE, \$1.50 each, unless otherwise noted; 12 varieties, our choice, \$12.00.

- P. alba plena.** Double white, shaded with purple at the center.
- P. Arethusa.** Light rose, shaded with purple; large and fragrant. \$1.00.
- P. Blanche Noisette.** Superb; flowers very double, and white. \$3.00.
- P. Cornelia.** Semi-double flowers, brilliant light red, back of petals marked with white; fragrant.
- P. Extensa.** Very large; rose, clouded with purple.
- P. Josephine Imperatrice.** Dark rose, with a purple shade; distinct. \$1.00.
- P. Kochlerii.** Dark rose turning to purple. \$1.00.
- P. Pride of Hong Kong.** Cherry red, with purple center; semi-double, large and distinct.
- P. Reine Elizabeth.** Rosy-crimson in center, shaded off to a light rose towards the margin; full and of immense size; extra. \$3.00.
- P. Roi des Cerises.** Pink or flesh colored changing to creamy white, purple at base of petals; full and fine. \$1.00.
- P. rosea fl. pl. minor.** Deep rose, becoming purple; medium size; compact and fine.
- P. rosea superba plena.** Dark rosy-violet; fine.
- P. rubra plena.** Bright rose, almost single but fine.

Class II.—HERBACEOUS PÆONIES.

It is surprising that so noble a flower, almost rivaling the rose in brilliancy of color and perfection of bloom, and the Rhododendron in stately growth, should be so neglected. Amateurs seem to have entirely lost sight of the many improved varieties introduced within the last few years, and our finest gardens, perfect in other respects, are singularly deficient in specimens of the newer kinds. The first point in their favor is hardiness. It may be truly said of them that they are "hardy as an oak." In the severest climates the plants require no other protection than that which they afford themselves. Then their vigorous habit and healthy growth, freedom from all diseases and insects, are important arguments in favor of their cultivation. Growers of roses know well that their flowers are obtained by great vigilance and care. Not so with the Pæony, which, when once planted, all is done. Each succeeding year adds to their size and beauty. The foliage is rich and glossy and of a beautiful deep-green color, thus rendering the plants very ornamental even when out of flower. The newer varieties produce very large, handsome, regularly-formed cupped blooms, resembling large roses. No other flower is so well adapted for large, showy bouquets. The Pæony may be planted either singly on the lawn or in borders. Where the lawn is extensive a large bed makes a grand show, surpassing a bed of Rhododendrons. It is really a flower for the millions. We place them in three divisions; first the *Officinalis* and its hybrids; second, *Paradoxa*. These are European, and bloom from the middle to the end of May. The third is *Chinese*, and blooms through June and July. A selection from the three divisions will give a fine display of flowers during three months. Our collection has been made with great care and includes the best and most distinct varieties.

PRICE, 35 cents each; 12 varieties, our choice, \$3.00.

FIRST DIVISION—PÆONIA OFFICINALIS.

- P. maxima.** Double red, changing to blush; large and double.
- P. rosea.** Double crimson, changing to rose; fragrant; fine.
- P. rubra.** Double crimson; of large size; fragrant.
- P. tenuifolia.** Single, dark crimson; very rich fern-like foliage, and flowers distinct; the earliest flowering.
- P. tenuifolia flore pleno.** Double, fennel-leaved; flowers of a bright scarlet crimson and quite double and globular; rare and fine. \$1.00.

SECOND DIVISION—PARADOXA PÆONIES.

P. amaranthescens spherica. Dark crimson, very double.

P. pulcherrima plena. Crimson, with purple shade; center petals small and compact.

THIRD DIVISION—CHINESE PÆONIES.

P. Ambroise Verschaffelt (Calot). Purplish crimson; very full flower; fragrant.

P. Auguste Lemonnier (Calot). Velvety red; large, full and beautiful.

P. Baron James Rothschild. Outside petals rose, center salmon; very large and fine.

P. carnea elegans. Flesh color, with a few carmine marks in the center.

P. carnea striata (E. & B.). Flesh color striped with red; very fine.

P. Charles Morel. Violet purple.

P. Charles Verdier. Light lilac rose; very large, and of perfect form; superb variety.

P. Constant Devred. Soft clear purple, imbricated like a rose.

P. Daniel d' Albert. Deep rose, shaded purple; large globular flower.

P. delicatissima. Delicate fine rose; very large, full and sweet.

P. Delachii. Dark purplish crimson, shaded violet.

P. Dr. Bretonneau (Verdier). Rosy violet; very large and fine; fragrant.

P. Duchesse d' Amaule. Light rose, center straw color, tipped with red; beautiful.

P. edulis, or fragrans. Violet rose; all of one color; very full and sweet.

P. festiva. Pure white, with a few marks of carmine in the center; perfectly globular, beautiful and sweet.

P. festiva maxima. Resembles the preceding, but flowers are much larger and in clusters.

P. fulgida. Crimson; profuse flowering; extra fine.

P. Gen. Bertrand (Guerin). Rosy violet; center salmon; large and showy, very fine.

P. globosa. Pure white; full, globular and large; beautiful.

P. globosa grandiflora. White, large globular flowers; sweet.

P. grandiflora carnea plena (Lemon). Very large; outside petals delicate blush; center fringed, yellowish; sweet and fine.

P. Henri Demay (Calot). Violet purple; very large and full.

P. Hericartiana, or Reine Hortense. Outside petals rose; inside rose and salmon; fine.

P. Humei. Purplish rose; very full and double; has no stigma, and never produces seed; very large and showy, and one of the latest in bloom, as much as three weeks later than the earliest of the Pæonies.

P. Jules Lebon (Calot). Bright carmine red.

P. latipetela. Outside petals flesh color; center ones yellowish white; very large and fine.

P. Louis Van Houtte. Dark crimson; very compact.

P. Louis Van Houtte (Calot). Bright purple cherry; large, globular and full.

- P. Marechal Vaillant.** Dazzling purple violet; fine form.
- P. Mad. Victor Verdier.** Crimson rose, with light violet; very large and full.
- P. Modeste** (Guerin). Deep rose; bright, showy; very large, distinct and fine shaped; fragrant; a superb variety.
- P. Monsieur Boucharlat.** Bright rosy lilac; large and full flower, imbricated like a rose; very late; fragrant; superb.
- P. papaveriflora.** White, lightly tinged with yellow, and marked with red in center; very fine.
- P. papillionacea.** Outside petals rose, center ones yellow, changing to white; superb.
- P. purpurea superba.** Very large, purplish crimson flower; outside petals large; center small and compact; tall and showy.
- P. President Wilder.** (E. & B.) Flowers large and double; color delicate blush, with an occasional red spot; of dwarf habit; best of its color.
- P. Rosa Barry.** (E. & B.) Flowers pure white, with red stripes; large and double; a profuse bloomer; sweet.
- P. rubra triumphans.** (Delachi.) Dark purplish crimson; petals large; very sweet.
- P. Triomphe du Nord.** Violet rose, shaded with lilac; beautiful.
- P. Victoria tricolor.** Outer petals pale rose, mottled with pink; center ones yellowish white, with a few red marks; very large and full; sweet.
- P. Vicomtesse de Belleval.** Blush; center creamy white, beautifully fringed; fragrant.
- P. violacea.** Deep violet purple; very large and full; superb.
- P. Whittleji.** White; center slightly yellowish; very large; clusters large; sweet.

PHLOX.

This, when properly grown, is unquestionably one of the finest of autumn flowers—like the Pæony, a flower for the million. It is of vigorous habit, easy culture, and produces in great profusion during a long season, flowers of fine form and substance, and of bright and varied colors. Just as the Roses are fading, the Phlox puts forth her first flowers, producing a fine succession of bloom, and prolonging an interesting season at least six weeks. As regards their culture, it may be briefly stated that they succeed in any good garden soil, but they are greatly improved by being liberally manured, and an occasional supply of liquid manure during the growing season will greatly increase the size of their trusses. When in flower they should be watered freely every evening. The Phlox usually flowers in July and August, and in order to render it autumnal flowering, it is necessary to pinch the shoots about the first of June, and again in July. The plants will then flower in September. For early flowers some of the plants may be left unpinched. When two years old the finest trusses are produced. The third year the plants flower tolerably well, but they will not keep healthy and thrifty after that. The old plants should then be lifted in the fall, divided and transplanted. But the better plan is to keep up a succession of young plants from cuttings by securing a fresh collection every year. We annually introduce all new and desirable varieties of home and foreign production.

PHLOX DECUSSATA.

With erect flower stems growing 3 to 4 feet high. Price 25 cents each, \$2.00 per dozen; except otherwise noted.

Choice distinct varieties selected from among 100 sorts.

Andre Leroy (Lemoine). Clear rose, with a lively red center, covering half of the flower; panicle large; distinct and fine; tall.

Coccinea (Malet, '74). Deep fiery scarlet, dark center; large, fine truss; dwarf habit.

Darwin (Lemoine). Large, perfect flowers, reddish violet. 30 cents.

Emperor of the Russians. Bright rosy lilac; edges of petals fringed; distinct and fine; medium height.

Francois Coppee (Lemoine, '76). Large, creamy white flower, with a carmine rose center; tall.

Gambetta (Lemoine). Rose; vivid red eye; a splendid sort; tall.

Gloire de Puteaux. Rosy lilac; distinct white center.

L'Avenir (Fontaine). Salmon red; very fine; tall.

Lothair. Rich salmon color; crimson eye; large flower and spreading spike; the finest variety we have seen.

Madame Audry. Crimson purple; medium height.

Madame Kæmpler. Red; large truss.

Madame Lechurval. Silvery rose; crimson eye; very fine. 30 cents.

Norma. Lilac, with distinct scarlet eye; large truss; tall.

Oberon (Malet). Coppery red; beautiful.

Phoeon (Malet, '74). Lilac rose, with carmine eye; large panicles and large flowers; a superb variety.

Premier Ministre (Lemoine). Rosy white, center deep rose; very fine. 30 cents.

President Payen. Vermilion touched with lilac; deep scarlet center

Princess Louise. White, suffused with crimson; carmine eye.

Queen. Pure white; fine; medium height.

Queen of Whites. White flowers; dwarf; fine.

Reve d'Or (Fontaine). Brilliant cerise salmon; cerise eye; tall.

Richard Wallace. White, with violet center; very large flower; tall.

Vierge Marie (Debauvais). Pure white; very large, and of a beautiful waxy texture; tall.

A. macrophylla. White; attractive foliage.

A. Millefolium roseum. ROSE-FLOWERED YARROW Rosy lilac flowers; 15 inches. June to August.

A. Millefolium rubrum. RED-FLOWERED YARROW. Deep red flowers; ornamental foliage; 2 feet. June to August.

A. Ptarmica, var. fl. pl. DOUBLE-FLOWERING SNEEZEWORT. Of dwarf spreading habit, with small pure white double daisy-like flowers; profuse bloomer; invaluable for cutting. One of the most useful border plants. August.

ACONITUM. Monkshood, or Wolfsbane.

Erect growing plants, with palmately divided foliage. Flowers in racemes, blue, purple, yellowish or white.

A. Californicum. CALIFORNIA MONKSHOOD. Pale blue veined with purple; robust; 2 to 3 feet. September to October.

A. Napellus. COMMON MONKSHOOD. Pale azure, tipped with yellow; 18 inches. June.

A. tenuifolium. Deep azure; 12 inches. July.

ACORUS. Sword Grass.

Marshy plants of easy culture.

A. graminea variegata. VARIEGATED SWORD GRASS. Foliage distinctly striped with white.

ADONIS.

A. vernalis. One of the finest early spring-flowering plants, with finely divided leaves, and growing about six inches high. Flowers bright yellow, about two inches in diameter. May. 50 cents.

AIRA.

A. foliis variegatis. A distinct yellow striped grass. One of the finest hardy grasses; useful for edging.

AJUGA. Bugle.

Pretty dwarf plants, with flowers in whorls in the axils of the leaves.

A. pyramidalis. Fine blue flowers, 3 inches. May and June.

A. reptans var. rubra. RED-LEAVED BUGLE. Flowers blue, foliage purple spreading. May.

A. reptans var. fl. alba. White flowers. May.

ADONIS.

ALSTROEMERIA.

A. aurantiaca. A vigorous species, flowering in summer and autumn, in umbels. Flowers lily-like, orange; 2 to 4 feet.

ANCHUSA. Alkanet.

A. Italica. A fine species, with rough leaves and stems, and fine blue flowers; 4 to 5 feet. June, July and August.

ANEMONE. Wind-flower.

A. Japonica. A distinct and beautiful species, with trifoliate leaves; flowers $2\frac{1}{2}$ inches in diameter; bright purplish rose, with golden yellow centers, borne in great profusion from September to November. Height $2\frac{1}{2}$ feet; habit neat and compact. Very desirable and effective as a pot plant, and in lines or masses in beds or mixed borders. Price, 30 cents each.

var. alba. (Honorine Jobert.) A distinct and beautiful variety of the preceding; flowers $2\frac{1}{2}$ inches in diameter; pure white, center golden yellow, borne in great profusion from September to November; height $2\frac{1}{2}$ feet; habit neat and compact; very desirable and effective as a pot plant, and in lines or masses in beds or mixed borders. Price 30 cents each.

ANTENNARIA.

A. dioica. MOUNTAIN EVERLASTING. A dwarf plant with creeping stems, and silvery foliage, producing small, white flowers in summer, on stems six inches high.

ANTHERICUM.

A pretty genus with white flowers.

A. liliastrum. ST. BRUNO'S LILY. A beautiful plant with narrow grass-like foliage and spikes of small, white, fragrant, lily-like flowers; valuable. May to August.

A. ramosum. White flowers; 18 inches. June.

AQUILEGIA. Columbine.

A. Olympica. Flowers red and yellow.

ARABIS. Rock Cress.

Dwarf, early, free-flowering perennials.

A. alpina. ALPINE ROCK CRESS. Flowers white, in small racemes in early spring. 6 to 8 inches.

var. variegata. Of low habit and finely variegated foliage. Very ornamental in rock-work.

ARMERIA.

A. formosum. Narrow grass-like leaves; white flowers in heads on long stems.

ARTEMISIA. Wormwood.

A. Pontica. An interesting plant, with handsome silvery foliage.

A. stellaris. A distinct plant with silvery gray foliage; desirable for lines, edgings, rock-work or mounds.

A. vulgaris. Common Wormwood.

ARUM.

Erect or dwarf perennials, with tuber-like roots, and pedate or hastate leaves. Flowers clustered on a spadix, surrounded by a large spathe, as in the Caladium, Calla, etc.

A. Dracunculus. Stems covered with dark purplish blotches. Spathe green outside, and purplish within. May; 1 foot. 50 cents.

A. Italicum. Attains 12 to 18 inches in height; leaves saggitate, striped with yellow; June. 50 cents.

ARUNDINARIA. Ribbon Grass.

A. foliis variegatis. VARIEGATED RIBBON GRASS. One of the prettiest hardy grasses, with handsomely striped foliage.

ARUNDO. The Reed.

Invaluable for creating tropical aspects in a garden.

A. Donax. A handsome Reed, growing from 10 to 15 feet high. Its attractive foliage renders it very effective on lawns.

var. foliis variegatis. VARIEGATED ARUNDO. A magnificent variety of the preceding; leaves beautifully striped with white; 6 to 8 feet. \$1.00.

ASCLEPIAS. Milkweed.

Fine native plants; flowers in terminal umbels of various colors.

A. incarnata. Flowers flesh-colored; 3 to 4 feet. July.

A. tuberosa. Bright orange flowers; 2 feet. July.

ASPERULA.

A. odorata. WOODRUFF. A very pretty dwarf plant, with whorled leaves and small, white, fragrant flowers in summer. May be used for edgings. The Germans use it in their Maitrank.

ASTER.

Tall, leafy perennials, blooming in the Fall when flowers are scarce.

A. Amellus. ITALIAN STARWORT. Light blue; 3 feet; September.

A. coccineus. Rosy crimson; showy; 4 feet. September.

A. coccineus Nevadensis.

A. Himalayensis. Small white flowers; 2 feet. September.

A. horizontalis. 2 feet.

A. lancifolium Californicum. Azure blue; 3 to 4 feet. September.

A. lilacinus Nevadensis. Lilac; 4 feet. September.

ASPERULA ODORATA.

A. longifolius var formosus. A distinct sort; suitable for borders. 2 to 3 feet.

A. Novæ Angliæ. Bluish purple. 4 feet.

A. Novæ Belgii. Blue. 3 to 5 feet.

A. nova cæruleus. Bluish purple. 4 to 5 feet.

A. oblongifolius Purple; 2 to 3 feet. September.

ASTILBE JAPONICA.

ASTILBE. Japan Spiræa.

A. Japonica. Known generally as *Spiræa Japonica* or *Hoteia Japonica*. A handsome plant, with small, pure white flowers, in large, branching panicles. Blooms in May, in the open air, but is cultivated chiefly for forcing in winter. 30 cents to 50 cents.

AUBRETIA.

A. deltoidea. Of dwarf habit; purple flowers, produced very abundantly; 3 inches. April or May.

var. variegata. Silver variegated foliage; a handsome plant.

BAPTISIA. False Indigo.

B. australis. BLUE FALSE INDIGO. Lupin-like flowers in racemes. 2 to 5 feet.

B. cærulea. Fine blue Lupin-shaped flowers; 2 feet. June and July.

BELLIS. Daisy.

Very popular spring flowers. The handsome, double-flowered varieties are very effective plants, and suitable for edging.

B. perennis. Red, white and pink; double. 25 cents each; \$1.50 per dozen.

BETONICA.

B. officinalis. Flowers purple; spikes crowded. July. 2 feet.

BOCCONIA.

Beautiful hardy plants, with large foliage, which produces a picturesque effect.

DAISY.

B. cordata. An attractive plant, growing 6 to 8 feet high, with large foliage, and long spikes of white flowers in August. Well adapted for single lawn specimens, or for the sub-tropical garden.

BUPTHALMUM.

B. cordifolium. Very showy and ornamental; large foliage and yellow flowers; 2 feet. June and July.

CAMPANULA. Bellflower. Harebell.

An elegant genus of plants, rich in color, profuse in bloom, and of easy culture,

- C. Grosseckii.** Purplish blue; 3 feet. July.
- C. Lamarqueii.** Pale azure; 3 feet. June and July.
- C. latifolia.** Purplish blue; large leaved; 1 foot 6 inches, July and August.
- C. macrantha.** Rich purple flowers; 2 to 3 feet. June.
- C. nobilis.** Purple, semi-double; 2 to 2½ feet. June.
- C. persicifolia alba.** Single white; 2 to 3 feet. June.
- C. persicifolia cærulea plena.** Double blue; 2 feet. June.
- C. rutanica.** Blue; 3 feet. June.
- C. sarmatica.** Bluish purple; compact; 2 to 3 feet. July.
- C. Trachelium.** Large, heart-shaped foliage, and double blue flowers; 2 feet. July and August.
- C. urticifolia.** Nettle-leaved; pale purple flowers; 3 feet. July.
- C. urticifolia alba.** White; 2 to 3 feet. June.
- C. urticifolia alba pleno.** Double white; 3 feet. July.
- C. versicolor.** Purple, tinged with white; 2 feet. July.

CAMPION.

C. rosea alba. Rose and white flowers; 2 feet. June.

CASSIA.

C. Marilandica. AMERICAN SENNA. Flowers pea-shaped, bright yellow, in axillary clusters. A splendid herbaceous plant; 3 to 4 feet. July and August.

C. Schraderii. Yellow, dark spotted flowers in racemes; 2 to 3 feet. July and August.

CATANANCHE.

C. cærulea. BLUE CUPIDONE. Pale blue; aster-like flowers; 12 inches. July and August.

CATANANCHE.

CENTAUREA.

Very showy border plants.

- C. atropurpurea.** Purplish crimson; 3 feet. June.
- C. dealbata.** Clear lilac; silvery foliage; 2 feet. June.
- C. macrocephala.** Large, bright yellow flowers; 3 feet. June.
- C. montana.** A handsome border plant; flowers blue; 12 inches. June.

CENTRANTHUS.

Very showy, free-flowering perennials, with flowers in handsome corymbose panicles.

C. ruber. RED VALERIAN. Flowers red, in dense cymes; two feet. June.

C. r. var. alba. WHITE VALERIAN. A variety with white flowers; 2 feet. June.

CENTAUREA MONTANA.

var. foliis striatis. Beautifully striped foliage. 30 cents.

COREOPSIS.

C. auriculata. A showy perennial; flowers solitary, on long stalks; yellow; 2 to 3 feet. June.

C. lanceolata. Large golden yellow flowers; profuse bloomer; 1 to 3 feet; very handsome. June.

C. præcox. Yellow flowers; makes a showy plant; 3 to 4 feet. August.

CORONILLA.

C. varia. A handsome perennial, of trailing habit; flowers blush and white, often varying from deep rose to white; 2 to 3 feet. June.

CONVALLARIA.

CRUCIANELLA.

C. stylosa. A dwarf perennial; flowers pale rose in terminal heads; very fine all summer.

DACTYLIS.

D. glomerata var. A striped-leaved grass.

DAPHNE.

D. Cneorum. A pretty, dwarf evergreen shrub, bearing a profusion of rosy lilac flowers in May; fine for rockwork; not entirely hardy here. 50 cents.

DELPHINIUM. Larkspur.

A remarkably showy class of plants, producing magnificent spikes of flowers, in mid-summer. We know of no plants which will afford greater satisfaction than these. They merit the highest recommendation.

Pyramidal, or Tall Growers.

D. azureum plenum. Dark blue, purple center, double; four to five feet. June.

D. bicolor semi-plenum. Blue with white center; four to five feet. June.

D. cœlestinum. Very pale blue, double; four to five feet; superb. June.

D. elatum. Blue, buff center, single; two to three feet. June.

D. Flora. Light blue, lavender center, semi-double; very attractive and beautiful; five feet.

D. formosum. Rich, dark blue, tinged with purple, white eye.

D. hyacinthiflorum. Blue hyacinth flowers.

D. Ivanhoe. Bright blue; double; very fine; four feet. June.

D. Louis Agassiz. Bright blue with purple center; striking and beautiful; four to five feet; one of the finest. June.

D. Messoleucum. Blue with pale yellow center; four to five feet. July.

D. Mrs. Lyman.

D. Prof. Goodell. Dark blue, purple center; three feet. July.

D. pyramidalis. Blue; four to five feet. June.

D. Vicomte de Pulligny. Flowers double, rich blue with purple center, striped white; distinct and fine.

D. Wheelerii. Light blue, buff center; five feet; beautiful. July.

DIANTHUS. Pink.

D. White Fringed. A fine variety. May and June.

DICENTRA, or DIELYTRA.

D. eximea. Rose color; foliage fern-like; flowers all summer; valuable. Twelve inches.

D. spectabilis. A handsome, most curiously formed, rosy crimson flower, with white and blue tinged protruding stamen; one of the finest border plants; is quite hardy; well adapted for blooming in the winter; one to two feet. May and June.

DICTAMNUS, or FRAXINELLA.

A choice perennial, forming a bush about two feet high, and bearing spikes of curious red and white flowers, which are fragrant.

D. alba. White, twelve to eighteen inches. June.

D. rubra. Red, twelve to eighteen inches. June.

DORONICUM.

D. Caucasicum. A fine perennial, about one foot high; flowers yellow, solitary, in spring.

ECHINACEA. Hedgehog Cone-flower.

E. intermedia. Very pretty pink flowers; a showy plant; three to four feet. August.

ELYMUS.

E. arenarius. A long, narrow, gray colored grass; quite ornamental; eighteen inches.

EPIMEDIUM.

E. pinnatum elegans. A fine species, with bright yellow flowers. 50 cts.

ERIANTHUS.

E. Ravennæ. Resembles the *Pampas Grass*, but blooms more abundantly. Attains a height of from nine to twelve feet. Being perfectly hardy, is a valuable grass for the decoration of lawns. 30 cents.

ERIGERON. Fleabane.

E. macrantha. A pretty species, two feet high; flowers large, rosy purple; valuable. July.

ERYNGIUM.

E. amethystinum. Flowers in heads, amethystine blue; foliage spiny and laciniated; three feet. July and August.

EULALIA.

E. Japonica. The type, a vigorous grower with large plumes; three feet. \$1.00.

var. variegata. Handsomely variegated leaves. 75 cts. to \$1.00.

var. Zebrina. ZEBRA-STRIPED EULALIA. One of the most beautiful of ornamental grasses, foliage marked crosswise with bands of white and green. 75 cents to \$1.00.

FUNKIA. Day Lily.

A very interesting and beautiful genus, with luxuriant foliage and handsome lily-like flowers.

F. cærulea. Light blue, with dark green, glossy foliage; one foot. June and July.

F. Fortunei maculata. Foliage broadly marked with golden yellow; distinct and fine; six to nine inches. 50 cents.

F. grandiflora.

var. alba. White flowers. 50 cents.

var. fol. aureo var. Leaves variegated with yellow.

ERIANTHUS RAVENNÆ.

F. Japonica. Lavender; two feet. August and September.

F. Sieboldiana. Silver gray foliage; one of the most distinct, light purple flowers.

F. undulata media picta. One of the best variegated-leaved plants; fine for edgings; lavender flowers.

GERANIUM. (*Not Pelargonium or Scarlet Geranium.*)

G. Armerium. Purplish red, black center; one foot. May.

G. Ibericum. Bluish purple; one foot. July and August.

G. prætense. Lilac purple; crow-foot leaved; one foot. July and August.

G. prætense pleno. Crow-foot leaved; double flowering; one foot. July and August.

G. sanguineum. Purplish red; spreading; 6 inches. June.

GENISTA. Whin.

G. sagittalis. ARROW-POINTED BROOM. A fine, dwarf perennial; flowers pea shaped, yellow in a terminal spike. 50 cents.

GILLENIA. Indian Physic.

G. trifoliata. BOWMAN'S ROOT. White, rosy tinged; bell-shaped flowers; two to three feet. July.

GYNERIUM.

G. argenteum. PAMPAS GRASS. The finest ornamental grass in cultivation; superb on the lawn, as a single specimen, or in the center of a bed; requires protection in this latitude. 75 cents.

GYPSOPHILA.

G. acutifolia. Small white flowers, in large panicles; four feet. July.

G. paniculata. A fine herbaceous plant, forming a compact bush, about four feet high; flowers small, white, in large, loose panicles. Valuable for bouquets. July.

HARPALIMUM.

H. rigidum. (*Helianthus.*) Flowers large, golden yellow, produced abundantly; a showy plant; three to five feet. August.

HELIANTHUS. Sunflower.

H. orgyalis. GRACEFUL SUNFLOWER. Tall and graceful, flowers 3 to 4 inches in diameter; produced abundantly in September; 6 to 8 feet.

HELLEBORUS. Christmas Rose.

The following are all evergreen, and bloom in March or April.

H. albus. Greenish white. 50 cents.

H. atrorubens. Flowers purplish red in clusters. April. 50 cents.

H. olympicus. A handsome species, 12 to 15 inches high; flowers purple. April. 50 cents.

H. purpurascens. A dwarf species with purplish red flowers. April. 50 cents.

HEMEROCALLIS. Day Lily.

Fine, tall growing plants, with large, lily shaped, sweet scented flowers.

H. fulva. Orange flowers in large clusters; 2 feet. July.

H. fulva. fl. pl. Double flowers.

H. graminea. Deep yellow: 2 feet. June.

H. Kwanso. fl. pl. Double flowers, of a rich, orange copper color.

H. Kwanso. fol. var. Handsomely variegated foliage.

HEPATICA. Liver Leaf.

Very effective and charming spring flowering perennials.

H. triloba. ROUND-LOBED HEPATICA. Flowers blue, purple, or almost white.

HESPERIS.

H. matronalis fl. albo pleno. DOUBLE-FLOWERING ROCKET. One of the finest hardy herbaceous plants, with spikes of clear white flowers from 10 to 18 inches long; very fragrant. June. 30 cents.

HEPATICA TRILOBA.

HIERACIUM. Hawkweed.

H. aurantiacum. Deep orange red flowers; 1 foot. June.

HIBISCUS.

The Hibiscus are among the largest and most showy of herbaceous plants.

H. grandiflorus albus. Large, showy, white flowers in August; 4 to 5 feet.

H. grandiflorus roseus. Large, showy, rose flowers in August; 4 to 5 feet.

HYPERICUM.

H. calycinum. A very showy trailing shrub; flowers bright yellow; all summer; 12 inches. 50 cents.

HYSSOPUS. Hyssop.

H. officinalis. Blue flowers in a terminal spike.

H. officinalis alba. White flowers in a terminal spike.

IBERIS SEMPERVIRENS.

IBERIS. Perennial Candytuft.

Profuse blooming little plants, well suited for rockeries, stumps, edgings, etc.

I. corifolia. A dwarf form; compact heads of pure white flowers in early spring. 30 cents.

I. Gibraltarica. Flowers large, white, tinted with red; fine.

I. sempervirens. EVERGREEN CANDYTUFT. Of spreading habit; flowers pure white, completely covering the plant with bloom; one of the finest border plants. Valuable for forcing. April or May.

IRIS. Iris or Fleur de Lis.

I. Apollon. Golden yellow, striped with plum color; 18 inches. June.

I. Arlequin Milanais. White, with blue and rose; 18 inches. June.

I. Bougere. Lilac and velvety purple; 18 inches. June.

I. Deloismison. White tinged with purple and purple stripes; 18 inches. June.

I. Eugene Sue. Creamy white, with purple spots and stripes; 18 inches. June.

I. falcata. Yellow, tinged with purple and purple stripes; 18 inches. June.

I. flava. Pale yellow, with dull green stripes; 18 inches. June.

I. Florentina. White, tinged with blue and yellow, 18 inches. May.

I. Jacquesiano. Deep maroon velvet, tinged with bronze and crimson; a rare and remarkable color; 2 feet. June.

I. Kämpferi. JAPAN IRIS. Flowers differing from the ordinary kinds, in being broad and flat, and exhibiting a wonderful variety of colors and shades. Promises to rank among the most popular of hardy plants. \$1.00.

I. La Pactole. Golden yellow, tipped with blue, striped with purple; 18 inches. June.

I. Louis Van Houtte. Salmon, tinged and striped with purple; 2 feet. June.

I. Lemon. White, spotted with purple, and deep purple stripes; 18 inches. June.

I. ochroleuca. Golden yellow; 2 feet. June.

IRIS.

I. pumila. Bluish purple; 3 to 6 inches.
April and May.

I. reticulata superba. June.

Mixed Varieties 20 cents each.

IRIS PUMILA.

LAMIUM. Dead Nettle.

Excellent for rockwork.

L. album fol. var. White flowers, variegated foliage; spreading. May.

L. purpureum fol. var. Purple flowers.
May.

LATHYRUS. Perennial Pea.

L. latifolius albus. Pure white flowers, in clusters; valuable for cut flowers all summer. 50 cents.

L. grandiflorus. EVER-BLOOMING PEA. Clusters of rose-colored flowers; trailing; 3 to 4 feet; a charming plant; valuable for cut flowers. June to September. 30 cents.

LIATRIS. Button-Snake Root or Blazing Star.

Showy plants with long spikes of purple and pink flowers.

L. blanche nova. Clear lilac; 1 foot. July and August.

L. elegans. Bluish purple; in habit like pumila; 1 foot. August.

L. pumila. With a compact spike of purple flowers; has root of a bulbous nature; 6 inches. July.

L. spicata. Large purple spikes. Very compact.

LINUM PERENNE.

LINOSYRIS.

L. vulgaris. A showy perennial; flowers pale yellow in terminal panicles, in autumn. 3 feet.

LINUM. Flax.

L. perenne. PERENNIAL FLAX. Fine blue flowers. July.

LOPHANTHUS. Giant Hyssop.

L. anisatus. Lavender-blue flowers; anise scented leaves; 2 feet. June.

LOTUS. Bird's Foot Trefoil.

L. corniculatus. A trailing plant, with bright yellow pea-shaped flowers.

LYCHNIS.

Very effective plants in the mixed border.

L. Chalcedonica. SCARLET LYCHNIS. Brilliant scarlet; large truss; three feet. July and August.

L. viscaria fl. pl. Double, bright red colored flowers. Twelve to eighteen inches.

LYSIMACHIA. Loosestrife.

L. nummularia. MONEYWORT. Creeping habit; small, yellow, bell-shaped flowers in June; fine for hanging baskets and covering rock-work.

L. thyrsiflora. Yellow flowers, smaller than those of *L. vulgaris*; three feet. July.

L. vulgaris. Yellow, bell-shaped flowers; two to three feet. June.

LYTHRUM. Loosestrife.

L. roseum. Long, branching spikes of pink flowers; two to three feet. July and August.

L. Salicaria. SPIKED LOOSESTRIFE. Reddish purple flowers; very showy; two to three feet. July and August.

MALVA. Mallow.

M. Morenii. Rosy blush flowers, two and one-half inches across; leaves resemble those of the Oak; two to three feet. June or July.

M. multifida alba. White flowers; two feet. July.

MONARDA. Horse-mint or Balm.

Pretty plants producing bright red flowers.

M. didyma. BEE-BALM or OSWEGO TEA. Scarlet flowers; two to three feet; a very showy plant in the garden. June to August.

MYOSOTIS. Forget-me-Not, or Scorpion Grass.

Very pretty plants, producing star-like flowers in great profusion.

M. dissitiflora. Lovely sky-blue flowers; blooms in May. The finest species of Forget-me-Not.

NEPETA.

N. Mussini. Small azure blue flowers; plant downy, and having a powerful, aromatic odor; one foot. June.

FORGET-ME-NOT.

OROBUS. Bitter Vetch.

O. vernus. SPRING BITTER VETCH. Dark purple flowers; early; the most beautiful of its family.

PAPAVER. Poppy.

Showy perennials with large flowers, of rich and striking colors.

P. bracteatum. Scarlet; eighteen inches. June.

P. orientale. Deep scarlet; large; very showy; eighteen inches. June.

PENTSTEMON.

PAPAVER.

Very ornamental plants, producing long spikes of flowers in great abundance.

P. coccineus. Deep scarlet; two feet. June and July.

P. gracilis. Fine white, from the Rocky Mountains; three feet. June.

P. pubescens. Pale lilac or white flowers; two to three feet.

P. Torreyi. Bright scarlet; two to three feet. June.

PHLOX.

Regarded as the finest of herbaceous plants.

P. procumbens. Lilac, with violet marks near the eye; three inches. May.

P. subulata. MOSS PINK. Spreading stems, and narrow moss-like leaves; flowers pinkish purple, with a darker center, and produced in wonderful profusion in April or May.

var. alba. A white flowering variety of the above. Very showy when in flower, presenting to the eye masses of bloom like sheets of snow. The above and this are our two most valuable hardy plants.

var. A variety from Southern Georgia, with fine purple flowers.

PLATYCODON. (Campanula.)

P. grandiflora. Large, fine blue flowers; one to two feet. June and July.

P. grandiflora alba semipleno. White; eighteen inches to two feet.

PHLOX SUBULATA.

POLEMONIUM. Greek Valerian.

P. cæruleum. JACOB'S LADDER. Blue; in terminal panicles; one foot July.

P. reptans. A low, spreading plant; blue; six inches. June.

POLYGONUM.

P. cuspidatum. GIANT KNOTWEED. Flowers white, in clusters late in summer, followed by handsome pale rosy fruit; three and one-half to eight feet.

POTENTILLA. Cinquefoil.

P. insignis. Pale yellowish; eighteen inches. June.

P. O'Briana. Blush and salmon; fine; two feet. July and August.

P. pyrenaica. Yellow; dwarf. May.

P. Russelliana. Deep red, shaded with maroon; two feet. July and August.

POLEMONIUM CÆRULEUM.

PRIMULA. Primrose.

P. acaulis. COMMON EUROPEAN PRIMROSE. A fine collection.

P. auricula. All colors, mixed.

P. cortusoides. A pretty little plant, six to nine inches high, with lilac flowers.

P. elatior. OX-LIP PRIMROSE.

P. veris. COWSLIP. Flowers bright yellow in terminal umbels, in spring and early summer.

PULMONARIA. Lungwort.

P. angustifolia. Fine violet flowers; one foot. April.

P. maculata. Distinct, blotched foliage; very fine border plant.

PYRETHRUM.

A most valuable class of hardy plants. Flowers of good size and form, double like an aster; very useful for bouquets or cut flowers. The plants make showy specimens in the garden. Flower May or June.

P. Beaute de Laken. Dark velvety scarlet.

P. delicatissima. Delicate blush.

P. fulgens plenissima.

P. Gustave Hietz. Dull brick.

P. Herman Stenger. Rosy blush.

P. J. N. Tiordy. Amaranth, shaded yellow.

P. Iveryanum. Rosy carmine.

P. Madame Billiard. Pale rose.

P. Madame M. Lowitz. Rose.

P. Michael Buckner. Rosy crimson.

P. Mr. Pell. Dark crimson.

P. Rose Pompone. Fine rose.

P. Wilhelm Kempler. Purplish rose.

PRIMULA AURICULA.

RANUNCULUS. Crowfoot.

R. aconitifolius luteo pleno. Double yellow crowfoot; 1 foot. May and June.

R. bulbosus. Pale yellow; double. May.

RHEUM.

R. officinale. One of the Rhubarbs; leaves large and quite ornamental; stems branching, flowers greenish; 5 to 6 feet.

RUDBECKIA. Cone-flower.

R. hirta. Large yellow flowers, with dark center; 1 to 2 feet; a valuable summer flowering plant. June and July.

SALVIA. Sage.

S. afasea. Fine blue; 2 feet. July and August.

S. bicolor. Blue and white.

S. officinalis. Garden sage.

S. rubicunda. Rosy purple flowers; 1 foot. June.

S. spelmia. Deep blue; 2 feet. July.

S. verticillata. Lilac blue; 2 feet; July.

SEDUM ACRE.

SAPONARIA. Soapwort.

S. ocymoides. ROCK SOAPWORT. A beautiful dwarf perennial, completely covered in summer with rosy pink flowers.

SANGUINARIA. Bloodroot.

S. Canadensis. A handsome native plant with roundish palmate lobed leaves; flowers pure white in April or May.

SAXIFRAGA.

These are all of luxuriant foliage, frequently used for rock-work.

S. cordifolia. Blush, heart-shaped foliage; 6 inches. April and May.

SEDUM ALBUM.

S. cuneifolia.

S. lingulata rosea.

S. lingulata rubra. Red, with dark red foliage; earliest; 6 inches. April and May

S. Siberica. 6 inches. April and May.

SEDUM. Stone-Crop.

The Sedums are of spreading habit, and are valuable for rockeries, baskets, etc. The collection embraces the finest varieties.

S. acre. Good for edging; yellow flowers; 3 inches.

S. aizoon. Flat heads of yellow flowers; long, narrow leaves; 18 to 24 inches.

S. album. White, with small foliage; 3 inches; very pretty. June.

S. anacampseros.

S. atropurpureum. Dark red foliage and flowers

S. cruceatum. White, cross-shaped foliage; 6 inches. July.

S. hybridum. Pale yellow, small foliage; 6 inches; June.

S. Kamtschaticum. Golden yellow, lance-leaved; 6 inches. July.

S. Maximowiczii. Yellow; 1 foot. July.

S. oppositifolium. White, opposite-leaved; 3 inches. July.

S. populifolium. Poplar-leaved, creamy white; 6 inches. August.

S. pulchellum. Pink; 6 inches. July. one of the best.

S. purpurascens. Purple; coarse habit; 1 foot. July.

S. robustum, or monstrosum. Young growth sometimes flattened, giving it a fan-shaped appearance; curious; three inches. June.

S. Rodigasi. Dark and luxuriant foliage.

S. Sieboldii. Trailing; flowers rose-purple, late in autumn.

S. Sieboldii medium pictum. Leaves distinctly margined with yellow, very effective for edgings of beds, baskets and vases.

S. spectabile (S. *Fabaria*). A splendid fall-flowering species; 12 to 18 inches high, and bearing showy clusters of rosy purple flowers.

S. spurium. White; 6 inches. July.

S. Telephium hybridum. Dark purple foliage, contrasting finely with album; distinct.

S. Telephium purpureum. Purple flowers and foliage; 1 foot. August,

S. villosum. White; very dwarf; 2 inches. June.

SEMPERVIVUM. House-Leek.

S. tectorum. A splendid rock plant.

SILENE. Catchfly.

S. alpestris. ALPINE CATCHFLY. Flowers large, white, in panicles; 3 to 6 inches.

SEMPERVIVUM TECTORUM.

SEDUM PULCHELLUM.

S. maritima. SEA CATCHFLY. A dwarf plant, two to 4 inches high; flowers white, about 1 inch across; 6 inches. June.

S. Vallesii. SWISS CATCHFLY. White flowers in summer; 6 to 8 inches. June.

S. viscosa plena. Bright rose and double; 1 foot. June.

SILPHIUM.

S. perfoliatum. CUP PLANT. A stout species, 3 to 4 feet high; yellow flowers in July.

SOLIDAGO. Golden Rod.

S. Missouriensis. A beautiful dwarf sort with yellow flowers; 20 inches. July.

SPIRÆA. Meadow Sweet.

Among the most ornamental and valuable of Herbaceous Plants.

S. Aruncus. Slender spikes of greenish white flowers; one of the best border plants.

S. filipendula. White; fine foliage; 1 to 2 feet. June.

S. Humboldtii. White. June.

S. lobata. Flowers deep rose; of a robust habit; contrasts finely with ulmaria. fl. pl.; 1 foot. June.

S. Ulmaria. fl. pl. Double white, elm-leaved; a very desirable hardy plant; 2 feet. June.

var. fol. var. Golden variegated foliage; a remarkably handsome plant, not appreciated as it should be.

S. venusta. Branching, feathery plumes of soft rose color; one of the finest of the Spiræas.

STACHYS.

S. lanata. Purple spikes with soft and silvery foliage; 1 foot. July.

STATICE.

S. alba. 50 cents.

S. grandiflora.

S. latifolia. Broad, luxuriant foliage; large trusses of lilac flowers; very fine for bouquets when dried. See cut.

S. maritima. (*Sea Pink or Thrift*). Rosy lilac; one of the best for edging; 6 in. June and July.

S. undulata. Wavy-leaved; large trusses of pale lilac flowers; 10 inches. August and September. 30 cents.

STATICE LATIFOLIA

STOKESIA.

S. cyanea. Flowers blue, showy, resembling somewhat those of an aster; 2 feet. September. A fine, showy, late flowering perennial.

SYMPHYTUM. Comfrey.

S. asperrium. A tall, vigorous species with rough leaves, and covered with prickles; flowers blue, in terminal racemes; two to three feet. May.

S. officinale. COMFREY. A branching, rough-leaved plant, one to two feet high; flowers yellowish white. May.

var. fol. var. One of the finest variegated-leaved plants, enduring the hottest suns. 30 cents.

TANACETUM.

T. Balsamita. Small, pale yellow flowers in autumn; foliage pleasantly scented.

THYMUS. Thyme.

T. citriodorus. Lemon-scented.

T. vulgaris. COMMON THYME. Small lilac flowers, with a robust habit, of exceedingly aromatic flavor and fragrance; six inches. June and July.

TRADESCANTIA. Spiderwort.

Showy native plants, forming erect bushes eighteen to twenty-four inches in height; flowers produced in the greatest profusion all summer.

TUNICA SAXIFRAGA.

T. Virginica. Blue; eighteen to twenty-four inches. May.

var. alba. White; eighteen to twenty-four inches. May.

TRICYRTIS.

T. grandiflora. Flowers resemble those of an orchid; are quite fragrant, and being produced in October and November, make the plant valuable.

TRILLIUM. Wake Robin.

Very effective and showy, early flowering native plants, deserving a place in every garden.

T. erectum. Maroon; six to nine inches. April.

T. grandiflorum. White; six to nine inches. April.

TRITOMA. (Kniphofia.) Uvaria. Flame-flower.

Splendid late blooming plants; flower stems three to five feet in height, with racemes of rich pendant orange red and scarlet tubulous flowers, a foot or more in length. Requires a slight covering in winter. See cut. 30 cents each; \$3.00 per dozen.

- T. U. glauca.**
- T. U. glaucescens.**
- T. U. grandis.**
- T. U. serotina.**

VIOLA ODORATA—SWEET VIOLET.

TUNICA.

T. saxifraga. Small rose colored flowers; blooms all the summer; of dwarf habit; delicate foliage; fine for edging.

UVULARIA. Bellwort.

U. grandiflora. Pale yellow, bell-shaped flowers, from the axils of the leaves. April.

VALERIANA. Valerian.

V. officinalis. Blush white, in large trusses; three feet. June.

VERATRUM.

V. viride. Handsome foliage; flowers in long clusters; green. 50 cents.

VERBENA. Vervain.

V. Montana. Flowers bright rose, changing to lilac. Perfectly hardy, and blooms all summer. 30 cents.

PANSY.

VERONICA. Speedwell.

V. amethystina. Amethyst blue; twelve to eighteen inches. June.

V. gentianoides. Pale blue, with azure; one to two feet. May and June.

V. verbenacea. A trailing species; blue flowers.

V. Virginica. White spikes; three to five feet. August and September.

VINCA. Periwinkle.

V. cærulea minor. Blue flowering, trailing evergreen.

V. elegantissima alba. White flowers and glossy green oval foliage.

V. herbacea. Blue flowers; early.

V. major variegata. Trailing habit, leaves broadly margined with yellow. Fine basket plant.

V. minor aurea variegata.

V. purpurea pleno. Double purple flower.

PANSY—NATURAL SIZE.

VIOLA ODORATA. Sweet Violet.

V. Belle de Chatenay (Paillet '77). Flowers large, double, very fragrant, pure white, tinted with lavender.

V. cornuta. Lavender flowers.

var. alba. White flowers.

V. Marie Louise. Very large, double fragrant flowers, lavender blue and white; forces well.

V. Marie de Savoie. Flowers very large, double; blue; very fragrant. 50 cents.

V. Neapolitana. Lavender blue, large double fragrant flowers; a fine winter bloomer.

V. odoratissima. Single, dark blue.

V. obliqua striata. Flowers dark blue, striped with white.

V. Queen Victoria. Large, violet-blue flowers, single; very fragrant.

VIOLA TRI-COLOR. Heart's-ease, or Pansy.

A very large collection of the most approved varieties. \$1.50 per dozen.

YUCCA FILAMENTOSA.

YUCCA. Spanish Bayonet.

These have a fine appearance; the stem is two feet above the ground, covered with large bell-shaped flowers on laterals, forming a perfect pyramid; all valuable for rock-work.

Y. angustifolia. NARROW-LEAVED YUCCA. A native species, with long, narrow leaves and a large panicle of white flowers. 50 cents.

Y. filamentosa. ADAM'S NEEDLE. Thread leaved, creamy white; three to four feet. July. 50 cents.

Y. tomentosa. Creamy white; three to four feet. July. 50 cents.

SUMMER AND AUTUMN FLOWERING BULBS.

To be planted in Spring, taken up in Autumn, and kept from freezing in a dry cellar.

AMARYLLIS.

A. formosissima. JACOBÆAN LILY. Flowers large and deep red. 25 cents.

A. longiflora alba. White, of medium size, in clusters. 50 cents.

A. longiflora rosea. Rose colored. 50 cents.

BOUSSINGAULTIA.

B. baselloides. MADEIRA VINE. A rapid climber, suitable for screens, arbors, etc., with white flowers; blooms profusely; fragrant. 10 cents each.

LILY.

GLADIOLI.

New and beautiful Hybrid Varieties. 30 cents each, \$3 per dozen and upwards.

Brenchleyensis. Rich scarlet. \$1.00 per dozen.

POLIANTHES TUBEROSA. Double Tuberose.

One of the choicest summer-flowering bulbs. The flowers are white, very fragrant and produced on spikes 2 to 4 feet high; indispensable for making bouquets. Plant about first of May. 10 cents each \$1.00 per dozen.

TRITONIA.

T. aurea. Pretty flowering bulb. 10 cents each; \$1.00 per dozen.

BULBOUS FLOWERING ROOTS.**HARDY.**

The following should be planted in the fall. They can be planted in the spring but are not so certain to bloom.

AMARYLLIS.

A. lutea. A hardy bulb with yellow crocus like flowers in September. 20 cents each. \$2.00 per dozen.

LILIUM. Lily.

L. auratum, or Golden Banded Lily. Universally acknowledged to be the finest of all lilies. 50 cents.

L. candidum. The well-known white Lily; beautiful in the garden; forces well. 25 cents each.

L. excelsum. Delicate buff color, very fragrant; grows 5 to 6 feet high. \$1.00.

L. eximeum. From Japan. Flowers snowy white. 75 cents.

L. Japonicum longiflorum. From Japan. Snowy white, trumpet-shaped flowers; fragrant. 25 cents.

L. lancifolium album. Pure white. 50 cents.

LILIUM CANDIDUM.

LILIUM LONGIFLORUM.

L. lancifolium rubrum. White, spotted with crimson. 25 cents.

L. tigrinum. TIGER LILY. Orange salmon, spotted black. 20 cents.

L. tigrinum flore pleno. Flowers double, orange red, spotted with black. 25 cents.

L. tigrinum splendens. Larger and finer than those of the type. 25 cents.

L. umbellatum. Vivid orange, spotted. 15 cents.

var. atrosanguineum. 15 cents.

MISCELLANEOUS BULBS.

FOR FALL PLANTING.

ALLIUM.

A. Moly. GOLDEN GARLIC. Fine yellow flowers in large clusters; six inches. June. 10 cents each; \$1.00 per dozen.

A. Moly alba. Fine white flowers, large and conspicuous truss. 10 cents each, \$1.00 per dozen.

AUTUMNAL CROCUS.

COLCHICUM AUTUMNALE. Autumnal Crocus.

C. a. var. album. White flowering. \$1.50 per dozen.

C. a. var. roseum. Rose flowers. \$1.50 per dozen.

C. a. var. variegatum. Variegated flowers. \$1.50 per dozen.

CROCUS.

In 25 named varieties, 35 cents per dozen; \$2.50 per 100.

Unnamed, but colors separate, blue, white, striped and yellow. 20cts. per doz. \$1.25 per 100.

FRITILLARIA. Crown Imperial.

F. imperialis. Four fine varieties. 60 cents each.

F. imperialis. Mixed. 50 cents each.

GALANTHUS. Snow Drop.

G. nivalis flore pleno. DOUBLE SNOW DROP. 60 cents per dozen.

G. nivalis simplex. SINGLE SNOW DROP. 30 cents per dozen.

TIGER LILY.

HYACINTHUS. Hyacinth.

Finest named sorts, double and single, 25 cents to 40 cents each; \$3.00 to \$5.00 per dozen.

Unnamed but colors separate, 15 cents each; \$1.50 per dozen.

JONQUILS.

J. Double. 10 cents each, \$1.00 per dozen.

J. Single. 5 cents each; 50 cents per dozen.

NARCISSUS.

Double and Single. Named. 10 cents each, \$1.00 per dozen. Mixed, 75 cents per dozen.

ORNITHOGALUM.

O. umbellatum. STAR OF BETHLEHEM. 5 cents each; 50 cents per dozen.

POLYANTHUS NARCISSUS.

Varieties, \$1.50 to \$2.00 per dozen. Mixed, \$1.00 per dozen.

SNOWDROP.

TULIPA. Tulip.

T. Bizarres. Named varieties. 8 cents each; 75 cents per dozen.

T. Bybloems. Named varieties. 8 cents each; 75 cents per dozen.

T. Bybloems and Bizarres. Mixed and without names. 5 cents each; 50 cents per dozen.

T. Double. Early flowering named varieties; 10 cents each, \$1.00 per dozen. Mixed, without names, 50 cents per dozen. Late flowering, in 20 named varieties; 10 cents each, \$1.00 per dozen.

T. Duc Van Thol. Red; early. 75 cents per dozen.

T. Duc Van Thol. White. 20 cents each. \$2.00 per dozen.

T. Duc Van Thol. Yellow. 15 cents each; \$1.50 per dozen.

T. Parrots. In 6 named varieties. 10 cents each; \$1.00 per dozen.

T. Single. Early flowering; 50 named varieties. Our choice, 10 cents each; \$1.00 per dozen.

T. Tournesol. Orange and red; double; early. 10 cents each, \$1.00 per dozen.

ERRATA.

On page 32 *KOLREUTERIA* should read *KÆLREUTERIA*.

On page 75 *LONICERA FRAGRANTISSIMA* appears erroneously as a variety of *Tartarica*. It is a distinct species.

On page 111 the price of *DICTAMNUS ALBA* should read 30 cents each.

INDEX

—TO—

NEW AND RARE TREES AND SHRUBS.

DECIDUOUS TREES.

	PAGE.
<i>Acer dasycarpum</i> crispum,	9
“ “ heterophyllum laciniatum,	9
“ “ tripartitum,	11
“ “ Wierii laciniatum,	11
“ Japonicum,	11
“ Monspessulanum,	11
“ platanoides cucullatum,	11
“ “ digitatum foliis aureo marginatis,	11
“ “ dissectum,	11
“ “ Lobergi,	11
“ “ Reitenbachii,	12
“ “ Schwedleri,	12
“ polymorphum,	12
“ “ atropurpureum,	12
“ “ dissectum atropurpureum,	12
“ “ sanguineum,	12
“ pseudo platanus purpurea,	12
“ “ “ tricolor,	12
“ “ “ Woorleii,	12
“ Tartaricum,	14
“ “ ginnala,	14
“ velutinum,	14
<i>Æsculus Hippocastanum</i> flore pleno,	15
“ “ rubicunda,	15
<i>Alnus</i> tiliacea,	17
<i>Betula alba</i> fastigiata,	17
“ “ pendula “ Youngii,”	17
<i>Catalpa syringaefolia</i> aurea,	20
<i>Cerasus Japonica</i> rosea pendula, and others,	20
<i>Cercidiphyllum Japonicum</i> ,	21
<i>Cercis Japonica</i> ,	23
<i>Fraxinus</i> (in variety),	30
<i>Gleditschia</i> Bujoti pendula,	31
<i>Magnolia</i> (in variety),	33
<i>Persica</i> , Double flowering,	35
<i>Phellodendron Amurense</i> ,	36
<i>Planera acuminata</i> ,	36
<i>Populus aurea</i> VanGeertii, and others,	36
<i>Pterocarya fraxinifolia</i> ,	37
<i>Pyrus Sorbus</i> (in variety),	39
<i>Quercus</i> (in variety),	39
<i>Robinia</i> (in variety),	40
<i>Salix Wolseyana</i> pendula,	43
<i>Tilia alba</i> spectabile,	43
“ dasystyla,	45
<i>Ulmus</i> (in variety),	45

CONIFERÆ.

	PAGE.
Abies (in variety),	53
Juniperus (in variety),	56

SHRUBS.

Azalea,	63
Cornus Siberica foliis albo marginatis,	65
Deutzia "Pride of Rochester,"	68
" parviflora,	68
Diervilla candida (New White Weigela),	68
" (in variety),	69
Hypericum patulum,	74
Philadelphus (in variety),	75
Rhodotypus kerrioides,	79
Rubus (in variety),	80
Spiræa, species Japonica, and others,	82
Syringa Lilac (in variety),	84
Viburnum plicatum,	87
Xanthoceras,	87

CLIMBING SHRUBS.

Actinidia,	91
Ampelopsis Veitchii,	92
Clematis (in variety),	93
Lonicera Halleana,	95

MISCELLANEOUS.

Phlox, choice varieties,	102
Pæonies, " "	99

GENERAL INDEX.

	PAGE.		PAGE.		PAGE.
Abies	53-54	Arundo	107	Campion	109
Acacia	40-41	Asclepias	107	Carolina Allspice	64
Acer	8-15	Ash	30-31	Candytuft	115
Achillea	104	“ Flowering	31	Carpinus	19
Aconitum	105	“ Mountain	38	Carya	19
Acorus	105	Ash-leaved Maple	35	Castanea	19
Actinidia	91	Ashberry	91	Cassia	109
Adams Needle	125	Asperula	107	Catalpa	19-20
Adonis	105	Aster	107	Catch-fly	121
Advice to Correspond-		Astilbe	108	Catananche	109
ents	7	Aubretia	108	Celastrus	93
Æsculus	15, 35	Autumn Crocus	127	Celestial Tree	15
Ailantus	15	Azalea	63-64	Celtis	20
Aira	105			Centaurea	109
Ajuga	105	Balm	117	Centranthus	110
Akebia	91	Baptisia	108	Cerasus	20
Alder	15	Bastard Indigo	63	Cereidiphyllum	21
Alkanet	106	Beech	26-31	Cercis	23
Allium	127	Bellflower	109	Cherry	20, 37
Almond	17, 78	Bellwort	124	Chestnut	19
Alnus	15	Bellis	108	Chionanthus	24
Alstroemeria	105	Berberis	64	Choke Berry	37
Althæa	71	Berberry	64	Christmas Rose	113
“ rosea	104	Betula	17	Cinquefoil	119
Amaryllis	125-126	Betonica	108	Cissus	93
Amelanchier	17, 63	Biota	56	Cladastris	24
American Ivy	91	Birch	17	Clematis	93, 110
Amorpha	63	Bird-Cherry	37	Columbine	106
Ampelopsis	91	Bird's-foot Trefoil	116	Colchicum	127
Amygdalus	17	Bitter Vetch	118	Colutea	64
Anchusa	106	Bladder Senna	64	Common Snow Drop	
Andromeda	90	“ Nut	82	Tree	71
Anemone	106	Blazing Star	116	Comfrey	123
Angelica Tree	63	Blood Root	120	Cone-flower	120
Antennaria	106	Blue Cupidone	109	Coniferæ	52-63
Anthericum	106	Bocconia	108	Convallaria	110
Apple	37	Box	90	Corchorus	74
Aquilegia	106	“ Elder	35	Coreopsis	110
Arabis	106	Boussingaultia	125	Cornus	24, 64
Aralia	63	Bramble	80	Coronilla	110
Arbor Vitæ, Oriental,		Buckthorn	79	Corylus	65
Eastern	56	Bugle	105	Cotoneaster	65, 90
Arbor Vitæ, Japan	62	Bulbs	125-127	Cowslip	119
“ Western,	60-63	Bupthalmum	109	Crab, Flowering	37-38
Aristolochia	93	Burning Bush	90	Cratægus	25-26, 90
Armeria	106	Butternut	32	Crocus	127
Arrow Root	86	Button Snake Root	116	Crowfoot	120
Artemisia	106	Buxus	90	Crown Imperial	127
Articles by Mail	7			Crucianella	110
Arum	107	Calycanthus	64	Cupressus	56
Arundinaria	107	Campanula	109, 118	Cup Plant	122

	PAGE.		PAGE.		PAGE.
Currant.....	80	Gingko.....	41	Juglans.....	32
Cydonia.....	65-66	Gladioli.....	126	June Berry.....	17
Cypress.....	56	Gleditschia.....	31	Juniper.....	56-58
" Chinese Weep-		Glyptostrobos.....	31	Juniperus.....	56-58
ing Deciduous	31	Golden Bell.....	71		
" Deciduous.....	43	" Chain.....	26	Kalmia.....	90
" Japan.....	60	" Rod.....	122	Kentucky Coffee Tree.....	32
Cytisus.....	26	Greek Valerian.....	118	Kerria.....	74
		Gymnocladus.....	32	Kniphofia.....	123
Dactylis.....	110	Gynerium.....	113	Kœlreuteria.....	32
Daisy.....	108	Gypsophila.....	113		
Daphne.....	66, 110			Laburnum.....	26
Day Lily.....	112, 114	Halesia.....	71	Lamium.....	116
Dead Nettle.....	116	Hardy Herbaceous		Larch.....	32
Delphinium.....	111	Plants.....	104	Larkspur.....	111
Deutzia.....	67-68	Harebell.....	109	Larix.....	32
Dicentra.....	111	Harpalium.....	113	Lathyrus.....	116
Dictamnus.....	111	Hawkweed.....	114	Liatris.....	116
Dianthus.....	111	Hedera.....	95	Ligustrum.....	74
Dielytra.....	111	Heartsease.....	125	Lilac.....	83-86
Diervilla.....	68-69	Hedge Plants.....	98	Lilium.....	126
Dogwood.....	24	Hedgehog Cone-flower.....	112	Lily.....	126
Doronicum.....	111	Helianthus.....	113	Lily, Day.....	112, 114
Double Rocket.....	114	Helleborus.....	113	" of the Valley.....	110
Dutchman's Pipe.....	93	Hemerocallis.....	114	Linden or Lime.....	43-44
		Hemlock.....	53	Linoyris.....	116
Echinacea.....	112	Hepatica.....	114	Linum.....	116
Elder.....	80	Hesperis.....	114	Liquidambar.....	32
Elæagnus.....	69-71	Hibiscus.....	71, 114	Liriodendron.....	32
Elm.....	45-47	Hickory.....	19	Liver-leaf.....	114
Elymus.....	112	Hieraceum.....	114	Locust.....	40-41
Epimedium.....	112	Hollyhock.....	104	Lonicera.....	74, 95
Erianthus.....	112	Honey Locust.....	31	Loosestrife.....	117
Erigeron.....	112	Honeysuckle (climbing).....	95	Lophanthus.....	116
Eryngium.....	112	" (upright).....	74	Lotus.....	116
Eulalia.....	112	Hop Tree.....	79	Lychnis.....	117
Euonymus.....	71	Hornbeam.....	19	Lysimachia.....	117
Evergreens.....	52-63	Horse Chestnut.....	15	Lythrum.....	117
Evergreen Thorn.....	90	" " (dwarf).....	75	Lungwort.....	119
Exochorda.....	71	" " (smooth			
		fruited).....	35	Maclura.....	32
Fagus.....	26-31	Horse Mint.....	117	Madeira Nut.....	32
False Indigo.....	108	Hoteia Japonica.....	108	" Vine.....	125
Filbert.....	65	House Leek.....	121	Magnolia, American spe-	
Firs.....	54	Hyacinthus.....	128	cies and varieties.....	33
Flax.....	116	Hyacinth.....	128	Magnolia, Chinese spe-	
Flame-flower.....	124	Hydrangea.....	73	cies and their hy-	
Fleabane.....	112	Hypericum.....	74, 114	brids.....	33-34
Fleur de Lis.....	115	Hyssop.....	114	Mahonia.....	91
Forget-me-not.....	117	Hyssopus.....	114	Maiden Hair Tree.....	41
Forsythia.....	71			Mallow.....	117
Fraxinella.....	111	Iberis.....	115	Malus.....	37
Fraxinus.....	30-31	Indian Physic.....	113	Malva.....	117
Fringe Tree (purple).....	79	Indigo, Bastard.....	63	Maple.....	8-15
" (White).....	24	" False.....	108	Meadow Sweet.....	81, 122
Fritillaria.....	127	Iris.....	115	Menispermum.....	96
Funkia.....	112	Ivy.....	95	Mespilus.....	17, 63
				Mezereon, common.....	66
Galanthus.....	127	Jacob's Ladder.....	118	Milfoil.....	104
Genista.....	113	Japan Creeper.....	92	Milkweed.....	107
Geranium.....	113	" Quince.....	66	Mock Orange.....	75
Giant Hyssop.....	116	" Spiræa.....	108	Monarda.....	117
" Knot Weed.....	119	Jonquils.....	128	Moneywort.....	117
Gillenia.....	113	Judas Tree.....	23	Moonsed.....	96

PAGE.		PAGE.		PAGE.	
Monkshood.....	105	Quercus.....	39-40	Speedwell.....	124
Morus.....	34-35	Quince, Japan.....	66	Spiderwort.....	123
Moss Pink.....	118			Spindle Tree.....	71
Mountain Ash.....	38-39	Ranunculus.....	120	Spiraea.....	81, 122
“ Everlasting.....	106	Reed.....	107	Spiraea, Japan.....	108
“ Laurel.....	90	Red Bud.....	23	Spruces.....	53-54
Mulberry.....	34-35	Red Cedar.....	58	Stachys.....	122
Myosotis.....	117	Retinispora.....	60	Staff Tree.....	93
		Rhamnus.....	79	Staphylea.....	82
Narcissus.....	128	Rheum.....	120	Statice.....	122
Negundo.....	35	Rhododendron.....	91	Star of Bethlehem.....	128
“ Maple.....	35	Rhodotypus.....	79	Stokesia.....	123
Nepeta.....	117	Rhus.....	79	Stone-crop.....	121
Nettle Tree.....	20	Ribbon Grass.....	107	Strawberry Tree.....	71
		Ribes.....	80	Sumach.....	79
Oak.....	39-40	Robinia.....	40-41	Sun-flower.....	113
Oleaster.....	69-71	Rocket D'ble flowering.....	114	Swamp Pink.....	63
Orobis.....	118	Rock Cress.....	106	Sweet Gum.....	32
Ornithogalum.....	128	Rosebay.....	91	“ Scented Shrub.....	64
Osage Orange.....	32	Rose of Sharon.....	71	“ Violet.....	124
		Rubus.....	80	Sword Grass.....	105
Pæonia Tree.....	99	Rudbeckia.....	120	Symphytum.....	123
“ Herbaceous.....	100			Symphoricarpus.....	83
Pampas Grass.....	113	Sage.....	120	Syringa.....	75, 83
Pansy.....	125	Saint John's Wort.....	74		
Papaver.....	118	“ Peter's Wort.....	83	Tamarisk.....	86
Paulownia.....	35	Salisburia.....	41	Tamarix.....	86
Pavia.....	35, 75	Salix.....	41-43	Tanacetum.....	123
Peach.....	35	Salvia.....	120	Taxodium.....	43
Pear.....	37	Sambucus.....	80	Taxus.....	60
Pentstemon.....	118	Sanguinaria.....	120	Tecoma.....	96
Perennial Pea.....	116	Saponaria.....	120	Thorn.....	25-26
Periploca.....	96	Saxifraga.....	120	Thuja.....	60-63
Persica.....	35	Scorpion Grass.....	117	Thujopsis.....	56
Periwinkle.....	124	Sea Pink.....	122	Thyme.....	123
Phellodendron.....	36	Sedum.....	121	Thymus.....	123
Philadelphus.....	75	Sempervivum.....	121	Thrift.....	122
Phlox.....	102, 118	Service Tree.....	17	Tilia.....	43
Picea.....	54	Shad Blow.....	17	Tradescantia.....	123
Pine.....	58-59	Shrubs, Deciduous.....	63	Tree of Heaven.....	15
Pink.....	111	“ Evergreen.....	90	Trees, Cut-leaved.....	48
Pinus.....	58-59	“ Climbing and.....		“ Deciduous.....	8
Planera.....	36	“ Trailing.....	91	“ Evergreen.....	52-63
Platycodon.....	118	“ Flowering.....	63	“ Flowering.....	50
Plum.....	37, 78	“ Select assort-.....		“ Purple-leaved.....	49
Podocarpus.....	59	ments.....	89	“ Sel'ct ass'rtm'nts.....	51
Polemonium.....	118	“ which produce.....		“ Variegated.....	
Polianthes.....	126	ornam'nt'l fruit,.....	88	“ leaved.....	49
Polyanthus Narcissus.....	128	“ with variegated.....		“ Weeping or.....	
Polygonum.....	119	foliage.....	87	“ Drooping.....	47-48
Poplar.....	86	Silene.....	121	“ which produce or-.....	
Poppy.....	118	Silk Vine.....	96	“ namental fruit,.....	50
Populus.....	36	Silphium.....	122	“ with bright col-.....	
Potentilla.....	119	Silver Bell.....	71	“ ored bark in.....	
Primrose.....	119	Silver Firs.....	54	winter.....	50
Primula.....	119	Sloe, Double-flowering,.....	37	Trefoil, Shrubby.....	79
Privet.....	74	Snowberry.....	83	Trillium.....	123
Prunus.....	37, 78	Snowball Tree.....	86	Tritoma.....	123
Ptelea.....	79	Snowdrop.....	127	Tritonia.....	126
Pterocarya.....	37	Solidago.....	120	Trumpet Flower.....	96
Pulmonaria.....	119	Sorbus.....	38	Tricyrtis.....	123
Purple Fringe.....	79	Spanish Bayonet.....	125	Tuberose, Double.....	126
Pyrethrum.....	119	“ Chestnut.....	19	Tulip.....	128
Pyrus.....	37			Tulipa.....	128

	PAGE.		PAGE.		PAGE.
Tulip Tree.....	32	Viola tricolor.....	125	Wind-flower.....	106
Tunica.....	124	Virgilea.....	24	Wistaria.....	97
Ulmus.....	45-47	Virginian Creeper.....	91	Wolfsbane.....	105
Uvularia.....	124	Virgin's Bower.....	93	Woodbine.....	95
Valerian.....	124	Wake Robin.....	123	Woodruff.....	107
Valeriana.....	124	Walnut.....	32	Wormwood.....	106
Veratrum.....	124	Waxberry.....	83	Xanthoceras.....	87
Verbena.....	124	Weigela.....	68-69	Yarrow.....	104
Veronica.....	124	White Fringe.....	24	Yellow Wood.....	24
Vervain.....	124	“ Wood.....	32	Yew.....	60
Viburnum.....	86	Whin.....	113	“ Long-stalked.....	59
Vinca.....	124	Wild Pear.....	17	Yucca.....	125
Viola odorata.....	124	Willow.....	41-43		

BARRY'S FRUIT GARDEN.

BY P. BARRY.

A Treatise intended to illustrate and explain the Physiology of Fruit Trees; the Theory and Practice of all operations connected with the Propagation, Transplanting, Pruning and Training of Orchard and Garden Trees, as Standards, Dwarfs, Pyramids, Espaliers, &c.; the laying out and arranging different kinds of Orchards and Gardens; the selection of suitable varieties for different purposes and localities; Gathering and Preserving Fruits; treatment of Diseases and Destruction of Insects; Description and Use of Implements, &c.; illustrated with numerous wood cuts, representing different parts of trees, practical operations, forms of trees, designs for plantations, implements, &c. Price, post-paid, \$2.50.

A NEW BOOK ON ROSES.

THE ROSE.

A TREATISE ON THE CULTIVATION, FAMILY CHARACTERISTICS, ETC., OF THE VARIOUS GROUPS OF ROSES. WITH ACCURATE DESCRIPTIONS OF THE VARIETIES NOW GENERALLY GROWN.

BY H. B. ELLWANGER,

Of Mount Hope Nurseries, Rochester, N. Y.,

One handsome volume, 16mo., cloth, \$1.25. Sent post-paid on receipt of price.

BRIEF ESSAYS ON NEW FRUITS, ORNAMENTAL TREES AND PLANTS.

By WILLIAM C. BARRY.

The following Interesting Subjects are Treated Upon :

New Fruits in 1879; Midsummer and Autumn Flowering Shrubs and Plants for the Decoration of Gardens; Vines and Creepers; the Newer Strawberries in 1879; Raspberries—Old and New Varieties; Weeping Trees; Herbaceous Pæonies; Native Fruits in 1880; Notes on Peaches; Notes on some Desirable Fruits; Wier's Cut-leaved Maple; Double white-flowered Horse Chestnut; Some of the best Hardy Roses, with brief Hints as to Culture; American Grapes; Native Fruits in 1881; Ornamental Planting (an Essay read before the Nurserymen's Association, Dayton, O., June 1881).

The above Essays will be mailed to any address, post-paid, on receipt of 30 cen ts

CATALOGUES.

The following Catalogues are published, some annually and some at intervals of two or three years as becomes necessary, and are sent to all customers whose names are on our books, as soon as issued, free of charge, and to all new applicants who remit the amounts named below, to cover postage and labor:

No. 1.—DESCRIPTIVE PRICED CATALOGUE OF FRUITS, containing brief hints on transplanting, distances for planting the various classes of trees, and descriptions of all the most valuable varieties of fruits in cultivation; 10 cents.

No. 2.—DESCRIPTIVE AND ILLUSTRATED PRICED CATALOGUE OF ORNAMENTAL TREES, containing descriptions of all the most desirable *Ornamental Deciduous Trees*, *Weeping or Drooping Trees*, *Trees with Ornamental or Remarkable Foliage*, *Evergreen Trees*, *Climbing Shrubs*, *Pæonies*, *Phloxes*, *Hardy Herbaceous Flowering Plants*, *Hedge Plants*, etc.; illustrated with numerous wood cuts of the most popular and valuable trees, etc.; 134 pp.; 20 cts.; ditto, with colored plate, 25 cts.

No. 3.—CATALOGUE OF STRAWBERRIES AND OTHER SMALL FRUITS. Free.

No. 4.—WHOLESALE CATALOGUE, semi-annually. Free.

No. 5.—DESCRIPTIVE PRICED CATALOGUE OF ROSES, Free.

No. 6.—ABRIDGED CATALOGUE OF SELECT FRUIT AND ORNAMENTAL TREES, SHRUBS, ROSES, etc. Free.

N. B.—Correspondents and Patrons desiring to visit our grounds are informed that the business office and home grounds are situated in the south part of the City of Rochester, about one mile from the center of the City, on Mount Hope Avenue, and may be reached by Horse Cars from all the Railroads centering here.