Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

A423
R316Co

Cooperative

ECONOMIC INSECT REPORT

DISTRIBUTION MAPS

Issued 1959 by
PLANT PEST CONTROL DIVISION
AGRICULTURAL RESEARCH SERVICE
UNITED STATES DEPARTMENT OF AGRICULTURE

AGRICULTURAL RESEARCH SERVICE

PLANT PEST CONTROL DIVISION

SURVEY AND DETECTION OPERATIONS

The Cooperative Economic Insect Report is issued weekly as a service to American Agriculture. Its contents are compiled from information supplied by cooperating State, Federal, and industrial entomologists and other agricultural workers. In releasing this material the Division serves as a clearinghouse and does not assume responsibility for accuracy of the material.

Reports and inquiries pertaining to this release should be mailed to:

Survey and Detection Operations
Plant Pest Control Division
Agricultural Research Service
United States Department of Agriculture
Washington 25, D. C.

985896

DISTRIBUTION MAPS OF SOME INSECT
PESTS IN THE UNITED STATES*

Special distribution maps on important insect pests, mostly introduced species, have been carried in the Cooperative Economic Insect Report since 1954. The records for most of these maps were obtained from special state reports, survey and detection files and the U. S. National Museum.

In answer to many requests, the maps have been assembled in a single compilation. Included with the special series are maps on certain Plant Pest Control Division programs and several major pests of perennial interest such as European corn borer and alfalfa weevil. Insofar as possible, the material issued earlier has been brought up to date, mainly through use of survey and detection files. Additional records on these species are welcomed, and, if such are received, will be included in revisions.

The grasshopper maps are from the series on rangeland grasshoppers, which was carried in the Report in 1956-1957. A. B. Gurney, coauthor of that series, has realigned the maps on the Melanoplus mexicanus complex according to findings of recent research in this group. (A. B. Gurney and A. R. Brooks, U. S. Nat. Mus. Proc. 110(3416):1-93, 1959).

The maps are arranged alphabetically under subject categories. Copies of this compilation are available from the address shown on the inside front cover.

Survey and Detection Operations
PPC, ARS
December 1959

*Excluding Hawaii and Alaska

CEREAL AND FORAGE INSECTS

Ageneotettix deorum (a grasshopper)

Aulocara ellioti (a grasshopper)

CEREAL AND FORAGE INSECTS

Bruchus brachialis (vetch bruchid)

Camnula pellucida (clear-winged grasshopper)

CEREAL AND FORAGE INSECTS

Cephus cinctus (wheat stem sawfly)

Chorizagrotis auxiliaris (army cutworm)

CEREAL AND FORAGE INSECTS

Diabrotica longicornis (northern corn rootworm)

Diabrotica undecimpunctata howardi (southern corn rootworm)

CEREAL AND FORAGE INSECTS

Diabrotica virgifera (western corn rootworm)

Dissosteira carolina (Carolina grasshopper)

CEREAL AND FORAGE INSECTS

Dissosteira longipennis (High Plains grasshopper)

Drepanopterna femoratum (a grasshopper)

CEREAL AND FORAGE INSECTS

Euethiola rugiceps (sugarcane beetle)

Hypera nigrirostris (lesser clover leaf weevil)

CEREAL AND FORAGE INSECTS

Hypera postica (alfalfa weevil)

Melanoplus bilituratus bilituratus (migratory grasshopper)

CEREAL AND FORAGE INSECTS

Melanoplus bilituratus defectus (a grasshopper)

Melanoplus bilituratus vulturinus (a grasshopper)

CEREAL AND FORAGE INSECTS

Melanoplus bivittatus (two-striped grasshopper)

Melanoplus devastator (devastating grasshopper)

CEREAL AND FORAGE INSECTS

Melanoplus differentialis (differential grasshopper)

Melanoplus femur-rubrum (red-legged grasshopper)

CEREAL AND FORAGE INSECTS

Melanoplus packardii (Packard grasshopper)

Melanoplus rugglesi (Nevada sage grasshopper)

CEREAL AND FORAGE INSECTS

Therioaphis riehmii (sweetclover aphid)*

Nezara viridula (southern green stink bug)

*Formerly known as Myzocallidium riehmii

CEREAL AND FORAGE INSECTS

Oedaleonotus enigma (a grasshopper)

Petrobia latens (brown wheat mite)

CEREAL AND FORAGE INSECTS

Philaenus leucophthalmus (meadow spittlebug)

Philibostroma quadrimaculatum (a grasshopper)

CEREAL AND FORAGE INSECTS

Phytophaga destructor (hessian fly)

Pyrausta nubilalis (European corn borer)

CEREAL AND FORAGE INSECTS

Schistocerca americana (American grasshopper)

Sitona cylindricollis (sweetclover weevil)

CEREAL AND FORAGE INSECTS

Therioaphis maculata (spotted alfalfa aphid)

Trimerotropis pallidipennis (a grasshopper)

CEREAL AND FORAGE INSECTS

Zeadiatraea grandiosella (southwestern corn borer)

FRUIT INSECTS

Grapholitha molesta (oriental fruit moth)

Hoplocampa testudinea (European apple sawfly)

FRUIT INSECTS

Panonychus ulmi (European red mite)

Psylla pyricola (pear psylla)

FRUIT INSECTS

Rhagoletis pomonella (apple maggot)

TRUCK CROP INSECTS

Autoserica castanea (Asiatic garden beetle)

Diabrotica balteata (banded cucumber beetle)

TRUCK CROP INSECTS

Epilachna varivestis (Mexican bean beetle)

Epitrix tuberis (tuber flea beetle)

TRUCK CROP INSECTS

Listroderes costirostris obliquus (vegetable weevil)

Zonosemata electa (pepper maggot)

FOREST INSECTS

Calomycterus setarius (a Japanese weevil)

Cyrtopistomus castaneus (Asiatic oak weevil)

FOREST INSECTS

Fenusa pusilla (birch leaf miner)

Galerucella xanthomelaena (elm leaf beetle)

FOREST INSECTS

Homadaula albizziae (mimosa webworm)

Neodiprion sertifer (European pine sawfly)

FOREST INSECTS

Pseudocneorhinus bifasciatus (a Japanese weevil)

Rhyacionia buoliana (European pine shoot moth)

Colorado records undergoing
further study.

FOREST INSECTS

Scolytus multistriatus (smaller European elm bark beetle)

Thyridopteryx ephemeraeformis (bagworm)

INSECTS AFFECTING MAN AND ANIMALS

Hypoderma spp. (cattle grubs)

Supella supellectilium (brown-banded roach)

STORED-PRODUCT INSECTS

Rhyzopertha dominica (lesser grain borer)

MISCELLANEOUS INSECTS

Hylotrupes bajulus (old-house borer)

Iridomyrmex humilis (Argentine ant)

MISCELLANEOUS INSECTS

Platynota flavedana (a leaf roller)

Platynota idaeusalis (a leaf roller)

MISCELLANEOUS INSECTS

Platynota nigrocervina (a leaf roller)

Platynota rostrana (a leaf roller)

MISCELLANEOUS INSECTS

Platynota stultana (a leaf roller)

Vespa crabro germana (giant hornet)

SOME INSECTS AND NEMATODES UNDER STATE
OR FEDERAL REGULATION

Amphimallon majalis (European chafer)

Anastrepha ludens (Mexican fruit fly)

SOME INSECTS AND NEMATODES UNDER STATE
OR FEDERAL REGULATION

Cylas formicarius elegantulus (sweetpotato weevil)

Graphognathus spp. (white-fringed beetles)

SOME INSECTS AND NEMATODES UNDER STATE OR FEDERAL REGULATION

Heterodera glycines (soybean cyst nematode)

Heterodera rostochiensis (golden nematode)

*Commercial potato producing areas

June 30, 1959

75

SOME INSECTS AND NEMATODES UNDER STATE
OR FEDERAL REGULATION

Pectinophora gossypiella (pink bollworm)

Popillia japonica (Japanese beetle)

SOME INSECTS AND NEMATODES UNDER STATE
OR FEDERAL REGULATION

Porthetria dispar (gypsy moth)

Solenopsis saevissima richteri (imported fire ant)

SOME INSECTS AND NEMATODES UNDER STATE
OR FEDERAL REGULATION

Trogoderma granarium (khapra beetle)

SCIENTIFIC NAMES INDEX

<u>Ageneotettix deorum</u>	2	<u>Melanoplus differentialis</u>	12
<u>Amphimallon majalis</u>	38	<u>Melanoplus femur-rubrum</u>	12
<u>Anastrepha ludens</u>	38	<u>Melanoplus mexicanus</u>	9
<u>Aulocara ellioti</u>	2	<u>Melanoplus packardii</u>	13
<u>Autoserica castanea</u>	24	<u>Melanoplus rugglesi</u>	13
<u>Bruchus brachialis</u>	3	<u>Neodiprion sertifer</u>	29
<u>Calomycterus setarius</u>	27	<u>Nezara viridula</u>	14
<u>Camnula pellucida</u>	3	<u>Oedaleonotus enigma</u>	15
<u>Cephus cinctus</u>	4	<u>Panonychus ulmi</u>	22
<u>Chorizagrotis auxiliaris</u>	4	<u>Pectinophora gossypiella</u>	41
<u>Cylas formicarius elegantulus</u>	39	<u>Petrobia latens</u>	15
<u>Cyrtepidomus castaneus</u>	27	<u>Philaenus leucophthalmus</u>	16
<u>Diabrotica balteata</u>	24	<u>Phliobostroma quadrimaculatum</u>	16
<u>Diabrotica longicornis</u>	5	<u>Phytophaga destructor</u>	17
<u>Diabrotica undecimpunctata howardi</u>	5	<u>Platynota flavedana</u>	35
<u>Diabrotica virgifera</u>	6	<u>Platynota idaeusalis</u>	35
<u>Dissosteira carolina</u>	6	<u>Platynota nigrocervina</u>	36
<u>Dissosteira longipennis</u>	7	<u>Platynota rostrana</u>	36
<u>Drepanopterna femoratum</u>	7	<u>Platynota stultana</u>	37
<u>Epilachna varivestis</u>	25	<u>Popillia japonica</u>	41
<u>Epitrix tuberis</u>	25	<u>Porthetria dispar</u>	42
<u>Euetheola rugiceps</u>	8	<u>Pseudocnecorhinus bifasciatus</u>	30
<u>Fenusa pusilla</u>	28	<u>Psylla pyricola</u>	22
<u>Galerucella xanthomelaena</u>	28	<u>Pyrausta nubilalis</u>	17
<u>Graphognathus spp.</u>	39	<u>Rhagoletis pomonella</u>	23
<u>Grapholitha molesta</u>	21	<u>Rhyacionia buoliana</u>	30
<u>Heterodera glycines</u>	40	<u>Rhyzopertha dominica</u>	33
<u>Heterodera rostochiensis</u>	40	<u>Schistocerca americana</u>	18
<u>Homadaula albizziae</u>	29	<u>Scolytus multistriatus</u>	31
<u>Hoplocampa testudinea</u>	21	<u>Sitona cylindricollis</u>	18
<u>Hylotrupes bajulus</u>	34	<u>Solenopsis saevissima richteri</u>	42
<u>Hypera nigrirostris</u>	8	<u>Supella supellectilium</u>	32
<u>Hypera postica</u>	9	<u>Therioaphis maculata</u>	19
<u>Hypoderma spp.</u>	32	<u>Therioaphis riehi</u>	14
<u>Iridomyrmex humilis</u>	34	<u>Thyridopteryx ephemeraeformis</u>	31
<u>Listroderes costirostris obliquus</u>	26	<u>Trimerotropis pallidipennis</u>	19
<u>Melanoplus bilituratus bilituratus</u>	9,10	<u>Trogoderma granarium</u>	43
<u>Melanoplus bilituratus defectus</u>	10	<u>Vespa crabro germana</u>	37
<u>Melanoplus bilituratus vulturinus</u>	10	<u>Zeadiatraea grandiosella</u>	20
<u>Melanoplus bivittatus</u>	11	<u>Zonosemata electa</u>	26
<u>Melanoplus devastator</u>	11		

COMMON NAME INDEX

alfalfa weevil	9	leaf rollers	35,36,37
American grasshopper	18	lesser clover leaf weevil	8
apple maggot	23	lesser grain borer	33
Argentine ant	34	meadow spittlebug	16
army cutworm	4	Mexican bean beetle	25
Asiatic garden beetle	24	Mexican fruit fly	38
Asiatic oak weevil	27	migratory grasshopper	9
bagworm	31	mimosa webworm	29
banded cucumber beetle	24	Nevada sage grasshopper	13
birch leaf miner	28	northern corn rootworm	5
brown-banded roach	32	old-house borer	34
brown wheat mite	15	oriental fruit moth	21
Carolina grasshopper	6	Packard grasshopper	13
cattle grubs	32	pear psylla	22
clear-winged grasshopper	3	pepper maggot	26
devastating grasshopper	11	pink bollworm	41
differential grasshopper	12	red-legged grasshopper	12
elm leaf beetle	28	smaller European elm bark beetle	31
European apple sawfly	21	southern corn rootworm	5
European chafer	38	southern green stink bug	14
European corn borer	17	southwestern corn borer	20
European pine sawfly	29	soybean cyst nematode	40
European pine shoot moth	30	spotted alfalfa aphid	19
European red mite	22	sugarcane beetle	8
giant hornet	37	sweetclover aphid	14
golden nematode	40	sweetclover weevil	18
grasshoppers	2,3,6,7,9,10,11 12,13,15,16,18,19	sweetpotato weevil	39
gypsy moth	42	tuber flea beetle	25
hessian fly	17	two-striped grasshopper	11
High Plains grasshopper	7	vegetable weevil	26
imported fire ant	42	vetch bruchid	3
Japanese beetle	41	western corn rootworm	6
Japanese weevils	27,30	wheat stem sawfly	4
khapra beetle	43	white-fringed beetles	39