Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

Catalogue

No. 1

1894

Fruitland Nurseries

- Augusta, Ga. -

P. J. BERCKMANS, Prop'r.

Fruit and Ornamental Trees,
Roses, Etc.

TO OUR PATRONS--GREETING.

We take especial pleasure in presenting to our numerous friends our *General Catalogue of Fruit and Ornamental Trees, Roses, etc.*, for 1894, and gratefully acknowledge the liberal and increased patronage bestowed upon our firm during the past 37 years.

The following brief description of our establishment may interest those not personally acquainted with us:

At the beginning of our business career in 1857 the area then planted in Nursery stock covered less than 15 acres. Our venture was considered a hazardous experiment because everything relating to Southern Fruit culture was a problem which must be solved by practical test. There was little of Horticultural material here to draw upon, but from what did exist we were satisfied that many fruits and plants from other portions of the world could be grown here with successful results. At large outlay of money and under great difficulties we began the formation of extensive collections of Fruit and Ornamental trees. After the second year our test grounds contained upwards of 1,800 varieties of Fruits, 500 varieties of Foreign and Native Grapes, and more than 1,000 varieties of Ornamental Trees, Shrubs and Roses.

These experimental collections have been annually enlarged with the addition of new varieties of fruits and plants appearing in this and foreign countries; and while these additions have during some years been very numerous, still the number of varieties of Fruits retained at this date is less than were planted during 1857 and 1858—all doubtful or undesirable sorts having been gradually eliminated.

Our facilities for testing innumerable varieties of fruits and plants enables us to recommend the fruits best adapted to the various sections and soils of this country, and we offer in this catalogue such varieties as will give the best results. From the 15-acre Nursery area in 1857 our business has gradually increased until upwards of 300 acres are now used for Nursery and Orchards.

The "FRUITLAND NURSERIES" are located west of and adjoining the limits of the city of Augusta, on the Washington road (continuation of Broad street.) In the home tract of 400 acres are soils of every texture found in this section of the State, thus enabling every class of products to be grown under the most favorable conditions.

The Nurseries have been owned and conducted by the same management since 1857.

The Nursery Department

Is divided as follows: Roses, 25 acres; Shrubs, 10 acres; Fruit Trees, 200 acres; Grape Vines, 15 acres; Evergreens and Deciduous Trees, 10 acres; Small Fruits, 15 acres; Orchard and test grounds, 40 acres.

The Greenhouse and Plant Department

Now covers 45,000 square feet of glass, and consists of five propagating houses, each 11x160 feet, four plant houses ranging from 60 to 100 feet, and two new twin Palm houses 40x140 feet. Every modern improved appliances tending to economy in labor and healthy products have been added, and in addition to the plant houses a large quantity of cold frames allow us to safely carry through the winter an immense stock of plants, which in our mild climate do not require artificial heat. With the numerous additions and improvements added to this Department, we are prepared to offer plants at such prices as are in keeping with Horticultural progress and the times.

Our foreign trade has of late years increased rapidly. We refer with pleasure to this feature of our business, as our products are sent to Australia, China, Japan, Africa, the East Indies, Brazil, Bermudas, the West Indies, and every section of Europe and the United States.

We may, therefore, claim that the stock of *Trees and Plants, in point of quality, variety and perfect adaptability to the Southern climate and Southern fruit growers, together with healthy growth and large size*, is equal to that of any similar establishment in the United States.

SHIPPING FACILITIES.

OUR PACKING HOUSES cover an area of 4,300 square feet, and are supplied with every appliance tending to economize labor and reach as near perfection in packing as possible. A thorough trained set of men, many having been twenty-five years in our employ, are entrusted with this labor.

Augusta has seven trunk lines of railroad and their connections; other railroads are now in course of construction. This, in connection with several lines of steamboats plying the Savannah River, afford us unsurpassed shipping facilities. The low rate of freight which we have secured from these transportation companies enable us to lay down our products at a trifling advance upon catalogue rates in the most distant sections of the United States. At an additional cost of from one and a half to two and a half cents per tree, the latter can be laid down in the most remote sections of Texas, and at New Orleans, at from one-half to one cent above first cost.

RESPONSIBILITY.

We desire it to be distinctly understood that *we have no connection whatever with any other Nursery, or employ AGENTS or SALESMEN*, and that our RESPONSIBILITY for any business transaction extends only to **persons purchasing direct from the Nursery**. Dealers purchasing from us sell upon their own responsibility. We likewise disclaim any liability for results arising from defective planting or at improper seasons, or from subsequent faulty treatment and cultivation, and are not in any respect responsible for any loss or damage arising from any failure thereof. While we exercise the greatest care to have all our trees and plants true to name, well grown, and packed in the best possible manner, and hold ourselves in readiness, on proper proof, to replace all trees or plants that may accidentally prove untrue to label, free of charge, or refund the amount paid therefor, it is mutually understood and agreed to between the purchaser and ourselves that our guarantee of genuineness shall in no case make us liable for any sum greater than originally received for said trees or plants that prove untrue. Our reputation for upright dealing, and the uniform high standard of quality of our products, the results of a thirty-seven years' business career, is our only guarantee to our customers.

The firm consists of P. J. Berckmans, who retains the ownership of the Fruitland Nurseries, and all property connected therewith, as well as the former firm name, and his sons, Louis A., Robert C., and Prosper J. A. Berckmans, Jr., under whose management every branch of the business is carefully conducted.

PRICE AND COST OF PRODUCTION.

Few persons outside of those engaged in the Nursery pursuit are in a position to form a correct estimate of the cost of production of strictly first-class trees and plants; are seldom posted as to the various grades, *only consider prices*, and purchase what is offered at lowest quotation regardless of the value of a tree or suitability of a variety. Within the past few years the cost of labor and materials for producing stock have advanced from 20 to 40 per cent., while the prices of trees have declined at the same rate. First-class stock of every description is now too low to scarcely leave a legitimate profit, because the enormous quantities of inferior trees thrown on the market have caused a depreciation in prices. We believe, therefore, that all discriminating purchasers will concede that the quotations in this catalogue are exceedingly low for the quality of the products.

REPLACING TREES.

Some persons so neglect or badly plant their trees as to cause their loss, still they believe that the Nurseryman should be responsible and replace them. We desire to say that if our suggestions for planting, pruning and cultivating are followed, little or no loss will result. But we cannot be held responsible for unfavorable seasons or other causes beyond man's control, and the purchaser must take the same risk that we do in that respect. We guarantee trees to be healthy, fully up to grade, true to name, and carefully packed, but do not insure their living after having passed out of our hands and care.

PLEASE READ THIS BEFORE ORDERING.

Ordering.—Write your orders plainly upon the Order Sheet attached to this Catalogue. A lady should always sign herself Miss or Mrs., to enable us to direct our answers properly. The same name should always be used.

Order Early.—Orders are often sent in too late to enable us to fill them, or to notify parties in time to allow them to get supplied elsewhere. We, therefore, solicit early orders, which are filed as received, and filled in rotation. Usually we commence taking up trees by the 5th of November, and the forwarding season lasts until the middle of March. Plants grown in pots can be forwarded at almost any time of the year; Strawberry plants from October to March.

Don't Wait Until Ground is Ready.—While we desire to serve all our friends as promptly as possible after the reception of their order, we beg to say to all who order late that we often have a large unfilled order list which must be filled first, that all orders must take their turn, and consequently some days may elapse before they can be reached.

Substitution.—In ordering, state whether standard or dwarf trees are desired, and if the age, or style, or varieties cannot be supplied, state whether, and to what extent, other varieties, sizes, etc., may be substituted. *We never substitute unless authorized to do so.* In case our supply of any particular variety is exhausted—which will happen in the most extensive establishments—we make it a rule to return the money, unless authorized to fill out the order with other varieties.

Shipping Directions.—Give plain and particular directions for marking and shipping packages. When no directions are given, we shall use our best judgment in forwarding, but in all cases the articles are at the risk of the purchaser after proper shipment, and if delay or loss occurs, the forwarders alone must be held responsible. Carriers' receipts will be taken and sent to our customers in all possible cases.

Prepayment of Freight.—This being required by railroad companies here when shipping to points beyond their lines, a remittance sufficient to cover freight charges must be made in every instance before orders are forwarded. Freight charges on trees or plants forwarded by express need not be prepaid. (For rates of railroad and express freight, see cover page.)

Packing.—Trees and plants are packed with the utmost care, so as to insure their safe carriage to great distances. Orders to the amount of \$5 are packed free of charge. Cost of boxes or bales will be charged on orders below that amount. The charge is from 25 to 50 cents, according to size of box or bale.

Limit of Shipper's Risk.—We guarantee every tree or plant to be in a perfectly healthy condition and fully graded to standard when leaving our hands, but after delivery in the hands of forwarders all losses resulting from delays in transit are at the risk of purchaser. All orders are delivered free of charge at the express office or railroad depots in Augusta.

Terms and C. O. D. Orders.—Cash with the order, or C. O. D. (collect on delivery) by Express, collecting charges to be paid by the consignee. Large orders can be forwarded by ordinary freight lines, and will be consigned to ourselves. The Bill of Lading endorsed to parties ordering will be sent C. O. D. by Express, thus reducing heavy Express charges and facilitating collections. C. O. D. orders must invariably be accompanied with a remittance for half the amount of the order. The Express and Railroad Companies hold us responsible for freight charges on all such shipments, hence our friends will recognize the necessity of this rule.

Remittances.—Preferred in drafts on New York or Augusta, payable to our order, or, wherever convenient, by Postal Order. Money sent through the mail or by Postal Note is in all cases at sender's risk. When Postal Orders cannot be procured, send the money in a Registered Letter.

Enclosing Money.—Count everything you put in your letter, checks, money orders, stamps, or whatever it is in, and state fully what the amount is.

Trees and Plants in Large Quantities and Special Varieties.—Estimates for such will be given on application. Orders for 100 or 1,000 trees in the aggregate, but comprising several classes, will be billed as follows: 50 trees of a class at 100 rates; less than 50 at 10 rates; 500 at 1,000 rates; less than 500 at 100 rates.

Reserving Trees.—Orders for trees to be reserved for weeks or months after the opening of the shipping season must in every instance be paid for in full at the time of ordering. We trust that the necessity of this rule will be obvious to all our friends.

No Trees or Plants Sent by Mail.—The labor and time required to properly prepare trees for mailing during our busy season, together with frequent insufficient remittances for postage, are inadequate to the returns, and compel us to respectfully decline this class of orders.

Attention to Customers.—It is our earnest desire that all the requirements and directions of our customers be scrupulously attended to by our assistants, and we practice the utmost personal supervision to see that it is carried out. We would therefore respectfully request that we be informed if at any time there is cause of dissatisfaction, that we may have it rectified at the earliest possible moment.

Errors.—While exercising the utmost care in filling orders, usually doing more than we offer, accidental errors will sometimes occur in the press of business, prompt and satisfactory correction will be made when notified. Patrons are earnestly requested to keep copies of their order for comparison.

WHAT WE CANNOT SUPPLY.—Bouquets, Cut Flowers, Flower Vegetable or Tree Seeds, Horticultural Implements, Flower Pots, Books, Labels, Wire, Rustic Work, Hyacinths, Tulips, Crocus, Gladioli, Lilies, Pansies, Violets, and other plants which can be kept in stock but a short time.

Orders for some of the above named articles are received almost daily, and much needless correspondence may be avoided if our friends will kindly omit such items from their orders.

Answers to Correspondents.—We are constantly in receipt of numerous letters asking for information on horticultural subjects. These we cheerfully answer personally so far as time will permit; but as the demands upon our time are numerous, especially at certain seasons of the year, we earnestly request correspondents to state each question plainly and separately, leaving a blank space after each query sufficient for an answer. A stamp, to prepay postage, is expected with such letters.

Publications.—To persons seeking information upon horticultural subjects, we cheerfully recommend the following publications:

"The Rural New Yorker," \$2 per annum, weekly; 34 Park Row, New York.

"The American Agriculturist," \$1.50 per annum, monthly; 52 LaFayette Place, New York.

"American Gardening," \$2 per annum, semi-monthly; 170 Fulton Street, New York.

"Garden and Forest," conducted by Prof. C. S. Sargent; weekly, \$4 per annum; Tribune Building, New York.

"The Southern Cultivator," \$1.50 per annum, monthly; Atlanta, Ga.

"The Florida Agriculturist," \$2 per annum, weekly; DeLand, Fla.

"The Florida Farmer and Fruit Grower," \$2 per annum; Jacksonville, Fla.

"The American Florist," \$1 per annum, semi-monthly; Chicago.

"Gardening," \$1 per year; Monon Building, Chicago.

"Meehan's Monthly," \$2 per year; Thos. Meehan & Sons, Germantown, Philadelphia.

Georgia State Horticultural Society.—Special attention of fruit growers and amateurs is called to the Catalogue of the GEORGIA STATE HORTICULTURAL SOCIETY. This Catalogue gives lists of the most valuable varieties of fruits susceptible of being successfully cultivated in each main geographical region of the State, and is annually corrected and revised by the Society. The transactions of the Society's Annual Session are furnished to the members of the Association. Annual membership fee, \$2. We will supply the transactions when accompanied with the membership fee.

NUMBER OF TREES OR PLANTS ON AN ACRE AT GIVEN DISTANCES APART.

Distances Apart Each Way.	No. of Plants.	Distances Apart Each Way.	No. of Plants.	Distances apart Each Way.	No. of Plants
1 foot.....	43,560	8 feet.....	680	16 feet.....	170
2 feet.....	10,890	9 ".....	537	18 ".....	134
3 ".....	4,840	10 ".....	435	20 ".....	108
4 ".....	2,722	12 ".....	302	25 ".....	69
5 ".....	1,742	14 ".....	222	30 ".....	48
6 ".....	1,210	15 ".....	193	35 ".....	35
7 ".....	888			40 ".....	27

CATALOGUES.

The following Catalogues will be mailed free on application.

No. 1.—**DESCRIPTIVE CATALOGUE** of Fruit Trees, Grape Vines, Strawberry Plants, Evergreens, Roses, Flowering Shrubs, etc., issued in August.

No. 1.—**SPRING CATALOGUE** of Bedding and Green house Plants, etc., issued in February.

No. 3.—**WHOLESALE CATALOGUE** for Nurserymen and Dealers only, issued in July.

Special lists are issued during the year, giving descriptions and quotations of specialties for Nurserymen.

Address

P. J. BERCKMANS, Augusta, Ga.

Telegraphic and Cable Address: BERCKMANS, Augusta, Ga.

GENERAL INFORMATION.

PREPARATION OF THE SOIL.

The most desirable soil for fruit trees is a rich loam, naturally dry, or made so by drainage. Before planting prepare the land by thorough plowing and subsoiling, first using a two-horse plow, followed by a subsoil plow. Lay off the rows at required distances, and dig holes at least two feet wide and two feet deep; fill the holes by breaking in the sides, commencing at the bottom and going upwards. Use surface soil in filling up, and with this mix a shovelful or two of cotton seed and stable manure compost well decomposed, or bone meal. Avoid the contact of the roots with heating manures.

SELECTION OF TREES.

For this climate experience has taught us that one and two-year old trees, of thrifty growth, are the most desirable. Purchasers should bear in mind that such trees can be removed from the nursery with all their roots; whereas a four or five-year-old tree cannot be taken up without cutting away a large portion of them. Success in transplanting is increased according as attention is paid in selecting well rooted trees, instead of heavily branched ones. Give as many sound roots to a tree and as little head as possible.

PREPARATION OF THE TREE.

Before planting remove all broken roots. Cut back *one-year Peach or Apple trees* to a naked stem two or three feet high—leave no side branches. *Two-year-old trees* should have their branches cut back to half their length or more, the lower less than those above, cutting in shorter as you go upward, and leave the leader the longest. Plant as deep as the tree was standing in the nursery row, except Dwarf Pears and Cherries, which should be planted sufficiently deep to cover the stock from two to three inches. Bear in mind that it is best to allow the tree to form its head in *its permanent place*, rather than in the nursery row.

To insure the earliest crop of fruit after transplanting, always select one or two-year-old trees.

TIME OF PLANTING.

In this climate vegetation, although inactive in winter for the formation of leaves and new wood, is never so as to new roots. A tree transplanted in November or December will, by the ensuing spring, have formed sufficient new roots to give it a firm hold in the ground, and will grow off rapidly when active vegetation commences. Plant as early after the first killing frost as practicable, and do not delay it until the spring months. Apple trees can be transplanted as late here as March, and in some seasons until the first of April, but success is increased if the planting has been done in the fall or early winter.

AFTER CULTURE.

For Gardens.—Keep the soil free from grass and weeds, and stir frequently during the summer. Remove all suckers or branches which start below the head of the tree. *Mulching* is advisable for trees planted late in spring.

For Orchards.—Sow cow peas broadcast in May—one to one and a half bushels per acre; but owing to the rapid increase of Root Knot (*Angulola*) in lands sown in cow peas, the use of this crop in orchards is not advisable in Florida. Keep the ground planted in cotton, melons or vegetables. Avoid corn and small grain crops. For stiff soils devoid of vegetable matter, sow rye or scarlet clover or barley in fall, using fifty bushels of crushed cotton seed per acre, and plow the green crops under in April. If devoid of lime or potash, supply deficiency by a top dressing of bone meal, plaster, or good commercial fertilizers.

Remember, that to ensure a healthy growth of fruit trees, the land should be kept well supplied with plant food. Lands exhausted by years of cropping cannot return a crop of fruit unless the trees are well cultivated and regularly fertilized. Wherever stable manure is obtainable, use it liberally.

INSECTS.

The rapid increase of insects injurious to fruit and fruit trees necessarily compels the horticulturist to obtain a knowledge of their habits, that he may provide means to oppose their ravages, otherwise he must remain at their mercy, and find that paying crops become more and more uncertain. The limits of this Catalogue allow only space for the enumeration of the most destructive and abundant species which infest the orchards and vineyards, and best remedies as suggested by leading entomologists.

APPLES.

Borer (*Saperda Bivittata*)—Examine trees in spring and again in June, and dig out the grubs with barbed wire. Then wash the collar of roots and part of the body with a mixture of lime and sulphur.

Caterpillar (*Clisiocampa Americana*)—Destroy nests as soon as they appear in spring.

Apple Worm (*Carpocapsa Pomonella*) or *Codling Moth*—Spray with London Purple or Paris Green. (For proportion, see under head of "Solutions") so soon as blossoms have fallen; a second application with Bordeaux mixture and arsenites may be made 8 to 12 days later.

Aphis, Woolly (*Aphis Lanigera*)—Wash trees with solution of whale oil soap or kerosene emulsion.

Aphis, Root (*Pemphigus Pyri*)—Scrape the earth away and wash with soap suds or kerosene emulsion.

Canker Worm (*Anisopteryx Veruata*)—Encircle the tree with a canvass belt coated with tar and train oil.

PEACHES AND PLUMS.

Curculio (*Rynchænus Nenuphar*)—Spray the trees when the blossoms fall with solution of Paris Green; repeat in two weeks if necessary.

Borer (*Aegeria Exitiosa*)—During November or December scrape the earth from the collar of roots, carefully examine the bark for larvae or grubs; apply a wash of lime and sulphur. Early in February apply a handful of unleached ashes and earth up the tree, forming a cone six inches above the surface.

Black Knot in Plums.—Cut off all affected branches below affected parts, and burn to prevent its spreading. Spray with Bordeaux mixture.

Rosette.—This dreadful enemy to Peach and Plum trees has of late years appeared throughout many sections of the South, and unless the utmost vigilance is practiced disastrous results to the Peach-growing industry will result. The disease appears in spring, and in affected trees the leaves assume a yellow and sickly appearance, are small and crowded in a bunch. The tree seldom survives the first summer, and to prevent the rapid contamination of other trees, immediate uprooting and burning must be resorted to. The disease is violently contagious, and no preventive so far discovered. All *wild Plums* should be destroyed, as the disease often first appears among these, and is thus rapidly carried to cultivated trees.

JAPAN PERSIMMONS, WALNUTS, PECANS.

Twig Girdler (*Oncideres Cingulatus*)—All limbs that have been girdled and fallen must be burned at once, thus destroying prospective broods of sawyers.

Borer (*Prionus*), which bore through the roots and usually destroy the tree, must be carefully removed. Carefully examine collar of trees in winter and mid-summer, and apply lime and sulphur wash.

GRAPE VINES.

Phylloxera—Various insecticides are recommended, but must be applied below the ground with the aid of specially constructed apparatus.

Leaf Hopper (*Erythroneura Vitis*)—Passing with a torch between the rows in the evening, and shaking the vines to disturb the insects.

Leaf Folder (*Desmia Maculatis*)—Kerosene emulsion or London purple as a spray.

Borer (*Prionus*)—Its presence is detected by the unhealthy appearance of the vine. Search must be made at the roots, and the grub destroyed.

Flea Beetle (*Haltica Chalybea*)—Dust leaves with dry lime.

Grape Curculio (*Cæliodes Inæqualis*)—London purple solution as a spray so soon as fruit is set.

STRAWBERRIES.

Beetle (*Haltica Ignita*)—Dust leaves with dry lime.

FUNGUS DISEASES.

Pear Blight.—The following preventive measures are recommended: As buds are swelling spray with copper sulphate solution; as blossoms open spray with Bordeaux mixture; as blossoms fall Bordeaux mixture and arsenites; 8 to 12 days later repeat latter application and use Bordeaux mixture 10 to 14 days and again 10 to 14 days later if necessary. If blight has occurred cut off and burn all affected limbs to prevent spreading.

Apple Tree Blight may be treated similarly as for Pears, but fewer applications are required.

Black Rot in Grapes.—Spray with copper sulphate solution in spring before buds swell. When leaves appear spray with Bordeaux; repeat twice at intervals of 10 to 14 days. Dusting with flowers of sulphur as soon as fruit is set and repeated every 10 days until coloring, is advisable for *mildew*, but if Bordeaux mixture is used early, it will lessen the appearance of the latter.

Rot in Peaches and Nectarines.—Spray with copper sulphate before buds swell, and with Bordeaux before flowers open and again with Bordeaux when fruit is well set. Repeat this at intervals of 10 to 14 days. Dusting with flowers of sulphur when fruit is half grown and repeated every 10 to 14 days is advisable if Bordeaux mixture is not used.

Rust on Raspberries and Blackberries.—Spray with copper sulphate solution before buds break. Use Bordeaux mixture if rust appears in spring or summer.

SPRAYING.

We earnestly urge the careful spraying of all fruit trees and grape vines if sound fruit is expected. Unless great attention is given to this, disastrous results must follow from insect depredations and fungous diseases. Many excellent apparatuses are now manufactured, and every fruit grower should own one of a size commensurate with the area of his orchard. In the use of the various solutions, much care should be given to their proper strength, and especially that while being used they be kept continually stirred in order to keep them uniform in their effects, and nearly all should be used during cloudy weather or late in the afternoon.

FUNGICIDE AND INSECTIDE SOLUTIONS AND FORMULAS.

Tobacco, 1 pound; boiling water, 3 gallons; strain when cool. Very effective when used as a spray against flea beetles, lice, aphides (plant lice).

Quassia Chips, 1 pound; boiling water, 3 gallons. This very bitter solution is good for prevention rather than cure. Apply as a spray to rose bushes and to kill plant lice.

Pyrethrum.—1 ounce of the "Buhach" powder added to 2 gallons of cold water on any plant used for food, as this is not poisonous.

Bordeaux Mixture.—Copper sulphate 6 pounds, quick lime 4 pounds, water 40 gallons. Dissolve the copper sulphate by putting it in a bag and hanging it in a wooden or earthen vessel holding at least 4 gallons, slake the lime in an equal quantity of water. Mix and add sufficient quantity of water to make 40 gallons.

Copper Sulphate Solution.—Dissolve 1 pound of copper sulphate in 15 gallons of water. Do not apply this solution to foliage, it must be used before buds break on Grapes and Peach Trees. For the latter use 25 gallons of water.

Paris Green.—Actively poisonous. 1 pound to 250 gallons of water. If used upon peach trees, add 1 pound of quick lime, otherwise it will injure the foliage. Paris green and Bordeaux mixture may be applied together without the action of either being weakened.

London Purple.—Use same proportions as for Paris green, but being very caustic, it should be applied with the lime. Not suited for Plum or Peach trees, and only for insects that chew.

Kerosene Emulsion.—4 pounds of soap dissolved in 1 gallon of water; add to this while hot 2 gallons of kerosene. Churn violently with a spray pump or garden syringe until the mass becomes of the consistency of butter. Add 30 gallons of water before using as a spray. Sour milk may be used instead of soap.

White Hellebore, 1 ounce; water, 3 gallons. Effective as a spray for rose slugs.

POWDERS.

Fifty pounds of land plaster; mix 1 pint of crude carbolic acid. Sprinkle over vines for beetles and aphidæ.

APPLES.

For reliability no fruit excels this. A full crop is certain every alternate year, with a fair return in the intermediate period. Lime and ashes must be given the soil if naturally deficient in these requisite constituents.

Summer and early *fall* varieties of Northern or European origin succeed equally as well as *Southern Seedlings*, but the latter are the only reliable varieties for *late fall and winter*. Northern winter varieties seldom retain their fruit well here after August, as it decays and falls from the tree during that month.

Some native varieties that keep well, when grown in the upper sections of Georgia and Alabama, fail to retain their keeping qualities when cultivated in the lower or middle sections of these States.

For orchards and long-lived trees, plant only *standards*, grown by either being budded or grafted upon *whole seedling stocks*. We do not propagate Apple trees by grafting upon pieces of roots. Compare the results of whole root and piece root propagated trees as represented by this cut. We have advocated planting whole seedling propagated trees for thirty-seven years past, and hold to same advice now.

PRICES OF TREES.

	Each.	Per 10	Per 100
Standard, one year old, 4 and 5 feet, single stem.....	10c.	\$1 00	\$8 00
Standard, two years old, well branched....	15c.	1 50	12 00

DISTANCES FOR PLANTING.

Standards, 20 to 35 each way, according to soil.

1-2—Two years' piece root graft
As we do not grow.

3—Two years' bud on whole seedling stock
As we do grow.

SUMMER VARIETIES.

Varieties for Market Orchards in Large Type.

ASTRACHAN RED—Large, yellow, nearly covered with crimson, and fine bloom, juicy, crisp, acid; beautiful fruit. Ripens end of May and continues through June. Tree a thrifty and fine grower; excellent and profitable.

Carolina Watson—Very large, oblate conical, green, striped with dull red and a dull red cheek; sweet, crisp and perfumed. Beginning of July; exceedingly prolific and a good market fruit.

EARLY HARVEST—Medium to large, bright yellow, tender, juicy, well flavored. A fine market apple, but, as most yellow apples, is soon bruised and turns black; invaluable in any orchard. June 5, and lasts two or three weeks.

EARLY RED MARGARET—Synonym: *Southern Striped June*. Small to medium, rather flat, skin yellow with dark red stripes, sub-acid and high flavor. June 20, and lasts until July 20.

FAMILY—Medium, conical, brown-red and narrow stripes, juicy and high flavored. Middle of July, and keeps ripening for six weeks; very productive and beautiful tree.

Gravenstein—Large, striped, juicy, sub-acid. June and July.

Homony, or Sops of Wine—Medium, red, very juicy, sub-acid. July.

HORSE—Synonyms: *Haas, Summer Horse, Yellow, Red or Green Horse*, etc. Large, green, acid; good for cooking and drying; everywhere known. July and August; very productive.

Jewett's Best—Large, flat or oblate, yellow with red cheek; sub-acid, with a rich flavor; very good; tree good grower. End of July.

Julian—Medium, conical, yellow, with bright crimson stripes, crisp, juicy, sub-acid and highly flavored; a beautiful fruit. Ripe middle of July; productive and a thrifty grower.

Kansas Queen Large, yellow, nearly covered with crimson; good quality. August; a very attractive variety.

May Pippin—Small, yellow, good quality. Ripens first of the season.

Nantahalee—Large, yellow, highly flavored. July 15.

OLDENBURG—Large, striped, juicy, sub-acid; good grower; prolific. June 25 to July 15.

Pear, or Palmer—A native variety, which has been cultivated in Washington and Hancock counties, Ga., for seventy-five years. The fruit resembles Rhodes' Orange, but matures a month earlier, or about the middle of June. Flesh yellowish, coarse grained, sugary and of fair flavor; quality good. Tree of rather slow growth. This is entirely distinct from the Pear Apple of Pennsylvania.

RED JUNE—Medium, conical, deep red, juicy and very productive. June 15 to end of July.

Rhodes' Orange—Large, conical, red on orange ground, thickly dotted with russet, sugary and high aroma. July 15.

Summer Golden Pippin—Medium, yellow, flesh yellowish, juicy, pleasantly acid. July to August. Tree bears young. An excellent summer apple, extensively cultivated in Western North Carolina. This resembles *Keswick Coblin*, and may prove a seedling of that old variety.

Summer Queen—Large, yellow, striped and clouded with red, aromatic, sugary; good. July.

Sweet Bough—Large, yellow, very sweet. Ripe end of June; slow grower.

Washington Strawberry—Large, yellow, mottled carmine, flesh yellow, sub-acid; very good. July.

Yellow Transparent—Medium, yellow, good quality. June. A productive and excellent variety, but trees are of dwarfish habit.

AUTUMN VARIETIES.

Varieties for Market Orchards in Large Type.

BONUM—Medium, deep crimson, firm, tender, juicy, mild, sub-acid. September to October.

BUNCOMBE—Synonyms: *Meigs, Red Fall Pippin, Jackson Red, Robertson's Pearmain, Red Lady Finger, Red Winter Pearmain*. A famous North Carolina Apple. Large, oblong, greenish-yellow, nearly covered with deep carmine, tender, juicy, well flavored. Ripe end of September, and can be kept until New Year. Tree upright grower and prolific; an excellent fruit.

CARTER'S BLUE—Synonym: *Lady Fitzpatrick*. Very large, green, washed dull brown red and a thick blue bloom, crisp, sugary, with a very rich aroma. Ripe in September; tree vigorous grower and fine shape; excellent and desirable fruit.

CAROLINA GREENING—Synonyms: *Southern Greening, Yellow or Green Crank, Southern Golden Pippin, Green Cheese*, etc. Medium, green or yellow, crisp, sub-acid, fine flavor. Ripe end of September, and will last until January; compact grower and prolific.

Disharoon—Medium to large, yellowish and green, crisp, sweet and good flavor. Ripe end of September and during October; compact grower.

Elgin Pippin—Large, oblate, bright, yellow, sub-acid, very rich; an excellent and showy fruit. Ripe in August; tree a thrifty grower.

EQUINETELEE—Synonyms: *Bachelor, King, Iola, Ne Plus Ultra, Byers, Buckingham, Kentucky Queen*, etc. Very large, oblate, yellow, with bright red cheek and crimson stripes, flesh yellow, sub-acid, very rich and juicy; a magnificent fruit. Ripe end of September and lasts until November; tree compact and a vigorous grower; bears young.

Fall Pippin—Large, green, sub-acid, quality best. August and September.

Grimes' Golden—Medium, round, oblate, skin yellow with small dots, flesh yellow, crisp, rich, sub-acid; very good. October to December.

Haywood—Large, usually flat, yellow, covered with crimson, with darker cheek and stripes. Flesh white, brittle, sub-acid, quality good. September and October. A seedling of Hoover. Tree very vigorous and very prolific. Origin, Haywood Co., N. C.

Hargrove—This apple, which originated in Haywood county, N. C., combines remarkable qualities, and received the unusual distinction of being illustrated in the "American Agriculturist." Size above medium to large, oblate, golden yellow, with a bright carmine cheek. Flesh crisp, white, with Pearmain flavor, sub-acid;

quality best. Maturity, October and November. Of the many scores of new varieties brought to our notice within the past few years, the *Hargrove* possesses such exceptional merits that we believe in offering it; a valuable addition is made to our best fall apples.

HOOVER—Synonym, *Wattaugah*. Large, oblate, dark red, juicy, acid, crisp and good flavor. Ripens September and October; tree vigorous, short-jointed grower, very distinct.

Mamma—Large, bright red, crisp, juicy and high flavor. Ripe October; a very distinct and vigorous grower, prolific and fine fruit.

Moon—Above medium, oblong, yellow, washed crimson, flesh white, brittle, rather coarse, sub-acid, quality good; a showy fruit, which commences to ripen June 1st, and yields a succession of ripe fruit until October. Origin, Walton county, Ga., about 1870.

Mrs. Bryan—Origin, Walker county, Ga. Very large, orange red; quality best. Maturity September and October. An exceedingly handsome fruit.

PINE STUMP—Large, oblate, dark crimson; flesh yellow, crisp, sugary, good flavor. August and September. A very showy fruit. Tree spreading, vigorous and productive. Origin, Granville county, N. C. One of the best varieties for the Piedmont section of Ga., S. C. and N. C.

Rawls' Jennet—Large, oblate, yellowish, shaded red and striped crimson; flesh tender, juicy, sub-acid, very good. Late fall and early winter here; fine keeper in Upper Georgia.

Rome Beauty—Large, yellow and bright red,

good; very handsome. Valuable for the mountain districts.

Shannon—Large, yellow, of excellent quality. October and November. Much esteemed in Arkansas and N. W. Texas. Probably identical with Ohio Pippin. Dwarfish habit.

SIMMONS' RED—Large, orange, nearly covered with red, flesh yellow, sugary, good flavor; quality very good. Matures June to September.

TAUNTON—Large, conical, yellow, with dark red cheek, flesh yellow, crisp, high flavored; very acid in rich clay soils, but in sandy loams, it is unsurpassed in flavor. Ripe beginning of September; tree productive, vigorous, but very open grower, and requires close pruning.

Tuscaloosa—Medium, roundish, yellow, shaded, striped and marbled with red and russet, flesh yellow, juicy, sub-acid; very good. October to November.

WALLACE HOWARD—Very large, conical, deep orange red, with a few crimson stripes; flesh brittle, sugary and highly flavored; quality best. Maturity October. This variety, also Mrs. Bryan, were grown from seed by Mr. Robert Boatman, near Dillon, Walker county, Ga., and named in honor of the Rev. Wallace Howard by the Atlanta Pomological Society. First exhibited at the Georgia State Fair in 1881, where its uncommonly fine appearance attracted much attention.

Yopp's Favorite—Large, round, conical, greenish yellow, flesh white, tender, juicy, sub-acid; excellent. Ripe September and October; compact grower and productive.

WINTER VARIETIES.

Varieties for Market Orchards in Large Type.

BLACK WARRIOR—Above medium, green, quality best, a fine keeper and a first-class fruit in every respect; prolific. October to March.

BEN DAVIS—Synonyms: *New York Pippin* and *Thornton of Southern Alabama*. Origin, Kentucky. Medium, oblate, greenish yellow with a crimson cheek, sub-acid, fair quality; keeps remarkably well.

Cannon Pearmain—Medium, greenish yellow, shaded red, sub-acid, good, a fine bearer and an excellent keeping apple.

CHATTAHOOCHEE—Large, greenish, with a red cheek, sub acid, very good. November to January.

Cullasaga—Large, dark red, crisp, sugary; in sandy soils is apt to be too mealy. Ripens from November to January.

Etowah or Cooper's Red—Doubtless a seedling of Shockley, which it resembles in shape, but more highly colored; flesh crisp, sweet and well flavored; quality good. November to March; a fine keeper.

HILEY'S EUREKA—Deep red, flesh white, vinous; quality best. December.

Horn—Synonym: *N. C. Vandevere*. Medium, flat or conical; here and further South dark crimson; further North green with red cheek, juicy, rich. Ripens in November, and has been kept until March; tree open grower; productive.

Hockett's Sweet—Large, red, striped and dotted with darker red, flesh juicy, crisp, sweet; a very good fruit. October to November.

Kittageskee—Medium, yellow, with small black specks, flesh firm, pale yellow, highly flavored, spicy and juicy. Ripens November, and keeps well; very prolific; tree a luxuriant grower; rather open when young.

Mangum—Synonyms: *Carter, Gully*. Medium, red striped, flesh firm, juicy and well flavored. Ripe in October, and keeps well; productive; tree a vigorous compact grower.

Maverack Sweet—Large, oblate, green, with dark red cheek and much bloom; flesh crisp, very sugary and of high aroma; a fine fruit. Ripens October, and keeps well; tree good grower.

Moultrie's—Large, very flat, green, with red stripes, crisp, juicy, sub-acid. October to January.

Nickajack—Very large, striped, sub-acid: good. An excellent variety in some sections; fails in others.

Pryor's Red—Large, red, russety, tender, juicy, sub-acid, rich. November to March; a good fruit and thrifty tree.

RED LIMBERTWIG—Medium, dull, rusty red, flesh yellow, firm, sub-acid; very good; tree thrifty but open grower.

ROYAL LIMBERTWIG—Large, oblate, pale yellow, striped red, flesh yellow, rich, juicy.

ROMANITE—Fruit similar to Shockley; tree of a more open growth; branches slender and very distinct in foliage and in appearance; possesses all the bearing and keeping qualities of the Shockley.

SAUTA—Large, greenish yellow and russet; quality good; a good keeper. October to March.

SHOCKLEY—Synonyms: *Waddell Hall*, *Sweet Romanite*. Medium, conical, always regular, yellow with a bright crimson cheek, flesh firm, sweet or sub-acid, with some flavor. Tree very erect, vigorous; exceedingly productive. Ripens in October, and has been kept until following August. Although this apple cannot be classed as of first quality, it is yet the most popular winter variety we cultivate. It produces large and regular crops, the fruit is uniformly of fine size, beautiful in appearance, and the tree bears very young. Best in sandy loam.

STEVENSON'S—Medium to large, green, covered with brown, flesh firm, juicy and spicy; a regular bearer, and keeps until April; tree a fine grower.

Terry—Medium, oblate, dull crimson, flesh yellowish, brittle, sub-acid, high flavor; quality best. November to January. Resembles Pryor's Red, but tree is of different habit. Said to have originated in Spalding county, Ga. Not a showy fruit, but an excellent keeper and very productive.

WINE SAP—Small to medium, red, vinous; quality very good; a good keeping apple.

Yates—Synonym: *Red Warrior*. Small, dark red, dotted with small white dots; flesh yellow, firm, juicy, and very aromatic; immense bearer and good keeper.

N. B.—Nearly all winter apples commence to be in eating condition here in October, and if properly taken care of in a cool, dry room, free from frost, the larger number can be kept through the winter.

CIDER APPLES.

Hewes' Virginia Crab—Small, dark red; regular and profuse bearer. October to March.

Waugh's Crab—Small, yellow, with red cheek; profuse bearer.

Yates—See description above.

APPLES FOR ORNAMENT OR PRESERVING.

Double Flowering Crab—Flowers double, very fragrant, fruit very small.

Siberian Crabs—These produce large crops of small fruit, much esteemed for preserving; trees are also very ornamental. The best varieties are **Golden Beauty**, **Red** and **Transcendent**.

APRICOTS.

Price, 25 cents each, \$2 per 10, \$18 per 100.

Apricots are best adapted for planting in city gardens, or where the trees are protected by surrounding buildings. They are among the most delicious of fruits, and therefore a little extra care should be given in protecting the flowers from late spring frosts. The trees when planted in orchards seldom last long, unless protected by surrounding timber or tall growing fruit trees.

The period of maturity extends from beginning of June to end of July. The best varieties are as follows: **Breda**, **Early Golden**, **Eureka**, **Gloire de Pourtales**, **Jamucett**, **Luizet**, **Moorpark**, **Roman**, **Royal**, **St. Ambrose**. The **Russian** varieties are recommended for cold climates where the other varieties are frequently winter-killed. The best of this section are **J. T. Budd** and **Nicholas**.

CHERRIES.

Prices of trees, 25 cents each, \$2 per 10, \$18 per 100.

The Cherry is rather uncertain in this climate, and still more unreliable farther South, but in the upper sections of Georgia, Alabama and Mississippi it succeeds well. Trees grafted upon the Mahaleb are only possible here; this stock adapts itself to more varieties of soil than the Mazzard or Standard stock. All ripen here from May to middle of June.

HEART AND BIGARREAU CHERRIES.

Five to six feet. Fruit heart-shaped, flesh tender, sweet. Trees vigorous, with spreading branches and luxuriant foliage, leaves drooping.

Black Tartarian—Large, black.

Buttner's Yellow—Clear yellow, early.

Cleveland Bigarreau—Amber, shaded red.

Coe's Transparent—Amber and pale red.

Early Lamaurie—Large, dark purple.

Governor Wood—Large, light red.

Luelling—Very large, black; very fine.

Werder's Early Black—Black, early.

DUKE AND MORELLO CHERRIES.

Four to five feet. Flesh usually acid or sub-acid, tender, melting and pleasant. Trees of more bushy and compact habit, and of smaller growth.

Belle et Magnifique—Bright red.

Early Richmond, or Kentish—Deep red; valuable.

May Duke—Dark red; a popular sort.

Olivet—Large red; a valuable new sort; sub-acid.

Royal Duke—Dark red.

FIGS.

Price, one year old, 20c. each, \$1.50 per 10, \$10 per 100. Two years old, 25c. each, \$2 per 10.

Best Varieties for General Cultivation in Large Type.

Angelique, or Early Lemon—Small, greenish yellow, early.
BRUNSWICK, or MADONNA—Very large, violet; good and productive.
BLACK ISCHIA—Medium, blue-black; good.
BROWN TURKEY—Medium, brown, very sweet and excellent; very prolific and hardy. The most reliable for open field culture.

Blue Genoa—Medium, bluish black.
CELESTIAL—Small, pale violet, with bloom; very sweet, prolific and hardy.
GREEN ISCHIA—Green, with crimson pulp; very good and prolific.
Lemon—Large, yellow, sweet.
Madeleine—Small, white.
White Marseilles—White.

In addition to the above, we can supply a number of varieties which are desirable for sections farther South, viz: **Black Havana, White Nerii, White Smyrna**, etc., etc.

The **San Pedro** and **White Adriatic** have proven to be too tender for sections where the Orange is not perfectly hardy.

PEARS.

Our list of select varieties is reduced to such as have been well tested and proved valuable throughout the largest section of the South. These will ripen through the season, and doubtless give satisfaction generally.

We grow Pear trees mainly as standard, but can also supply dwarf trees of such varieties that are well suited to the Quince stock. The prefix S refers to Standard trees, the letter D for Dwarf.

Standard trees are propagated upon seedling Pear trees. *Dwarf trees* are budded upon Quince stocks.

PRICES OF TREES, EXCEPT WHERE NOTED.

	Each.	Per 10.	Per 100		Each.	Per 10.	Per 100
Standard, two years old.....	40c.	\$3 00	\$25 00	Dwarf, two years old.....	30c.	\$2 50	\$20 00
Standard, 1 year old, very fine.....	25c.	2 00	15 00	Dwarf, one year old.....	20c.	1 75	15 00

SUMMER PEARS.

S. D. **Bartlett**—Large, buttery, melting, rich flavor, very popular. Ripens end of July and during August.
 S. **Belle Lucrative**—Synonyms: *Seigneur d'Esperen, Fondante d'Automne*. Large, melting, delicious, fine grower; bears abundantly and regularly. End of July and August.
 S. D. **Beurre Giffard**—Medium, juicy. Middle of June; tree a straggling grower.
 S. **Clapp's Favorite**—Large, of very good quality, showy and becoming quite popular. Ripens before the Bartlett.
 S. D. **Doyenne d'Ete**—Small, melting, very good; tree a moderate grower. Beginning of June.
 S. **Flemish Beauty**—Large, melting, sweet, handsome. August.
 S. D. **Howell**—Medium, very rich and juicy, a good bearer and fine fruit; tree an open grower. Beginning of August.
 S. **Hardy** (Beurre Hardy)—Russet, melting, very good. August.

S. **Madeleine**—Small, melting, sweet, very early. About June 5th.
 D. **Osband's Summer**—Small, very good. Beginning of July; fine grower.
 S. **Ott**—Small, highly flavored; excellent grower; seedling of Seckle. Middle of July.
 S. **Petite Marguerite**—Small, very early; an improvement upon Doyenne d'Ete. Beginning of June.
 S. **Philadelphia**—Large, melting, very good. Middle of July.
 S. D. **Seckle**—Small, but exquisite; tree a stout, slow grower. August.
 S. **Sheldon**—Large, round, russet, very good. August.
 S. D. **St. Michael Archangel**—Large, melting, very good; beautiful pyramidal tree. August.
 S. D. **Stevens' Genesee**—Large, round, melting; vigorous grower.
 S. D. **Urbaniste**—Large, buttery, very good; moderate grower.

AUTUMN AND WINTER PEARS.

S. D. **Beurre d'Anjou**—Large, juicy, melting; sometimes a little astringent; fine tree and regular bearer. September.
 S. **Beurre Bose**—Large, long, russet, melting; best quality. September. Tree of rather irregular growth.
 S. **Beurre Clairgeau**—Large, melting, sweet; a reliable variety; regular bearer; tree of stout growth; best on Standard. Sept. and October.
 S. D. **Beurre Diel**—Very large, buttery, rich; vigorous grower. September.
 S. **Beurre Easter**—Large, melting; very good; good grower. Ripe in November, and can be kept until spring.

S. **Beurre Langelier**—Medium, juicy, vinous and good. October and November.
 S. D. **Beurre Superfin**—Large, melting, sub-acid; fine tree and regular bearer. August.
 S. D. **Doyenne Sieulle**—Medium, very good; quite late.
 D. **Duchesse d'Angouleme**—Very large, melting, juicy and well flavored; best on quince; tree vigorous grower, and the most reliable bearer of all our good pears. Middle of August and September.
 S. **Hebe**—Very large, rather coarse, juicy and of fair quality; keeps well. Originated in South Carolina, and is supposed to be a seedling of Easter Beurre. Tree thrifty.

- S. **Lawrence**—Very large, melting, rich; tree a remarkable fine grower; best on Standard. September and October.
- S. **Onondaga**—Large, melting and well flavored; tree vigorous. September.
- S. **Winter Nelis**—Medium to large, buttery, juicy and good flavor; tree slender and somewhat straggling grower. October to December.

NEWER VARIETIES.

One-year-old 25c. each.

- S. D. **Bijou**—Medium, oblong, clear yellow and red cheek, melting, of good flavor; very good. August. A showy variety.
- S. D. **Beurre Perpetuel**—Medium, yellow, melting, juicy; very good. Blooms twice; fruit of the first blooms ripens in August; of the last blooming in September.
- S. **Col. Wilder** (origin, B. S. Fox)—Medium to large, obtuse pyriform, yellow, with red in the sun, flesh yellowish; a little coarse around the

core, juicy, melting, very sweet and aromatic; quality very good to best. September, October.

S. D. **Dr. Jules Guyot**—Large, yellow, melting; very good. July.

S. **Idaho**—A chance seedling originated near Lewiston, Idaho. Very large and handsome, irregularly globular, pale yellowish green at maturity. Flesh melting, juicy, vinous; quality best. Season September to October in its place of origin; probably August in Middle Georgia.

Fruit has not been produced at this date outside of its locality of origin, but specimens received from the original grower, in October, 1887 and 1891, were remarkably large and of best quality.

S. **Wilder**—Disseminated by C. A. Green, Rochester, N. Y., and described as one of the earliest to ripen, about with Doyenne d'Ete and Alexander peach. Not fruited South at this date. The following good points are claimed for it: Earliness, superior quality, does not rot at the core, handsome appearance and vigor of the tree.

ORIENTAL VARIETIES.

This class is conspicuous for its remarkable vigor of growth and perfect adaptability to the Southern States. While less liable to blight than the older varieties of the European type, they are by no means impervious to its attacks, as the rapidly increasing cases of blight in every section of this and other States testify, and a tree grown from cuttings is no more blight-proof than a grafted one.

It is asserted that grafted trees are worthless, because their blight-proof properties are then lost. An experience of eighteen years in cultivation of the LeConte, and one of thirty-nine years with several of the Chinese and Japanese varieties, should have some weight in differing with this assertion.

Blight is the result of the appearance of a fungus upon the bark of a tree; this penetrates the tissues and brings death to the affected parts. Its influence upon the circulation of the sap is thus from an external source, and not by absorption through the roots. LeConte trees grafted upon thrifty seedling pear stocks show, after eighteen years trial, as healthy growth as trees grown from cuttings, and under similar conditions of culture, with, however, one advantage here in favor of grafted trees in arriving sooner at the bearing age, and yielding on an average larger fruit.

Within the past seventeen years we have disseminated upwards of 500,000 grafted trees, with the most satisfactory results to purchasers, as their numerous reports of abundant crops and health of trees evidence. Our own orchard trees, ranging from six to sixteen years of age, refute every assertion condemning grafted trees. Many trees have doubtless been grown by being grafted upon pieces of apple or quince roots or pear suckers, and as such trees have proven to be worthless from lack of affinity between stock and graft, their failure should be assigned to the proper causes, and not to theoretical assertions, which are as untenable as they are unscientific.

Another fallacy is the *Pedigree theory*. Some growers contended a few years ago that unless a tree had been regularly pro-

FOUR YEARS OLD KIEFFER—Yield $2\frac{1}{4}$ Bushels.
[From a Photograph on our grounds.]

pagated by cuttings from one generation to another, it was worthless, because a cutting taken from a grafted tree would be contaminated to such an extent as to cause it to blight. We would ask those who hold to that idea, why blight has lately destroyed thousands of *Pedigree* trees throughout Southern Georgia, and why grafted trees in other sections are still but little affected?

Furthermore, it is unquestionable that in nearly every section of the country where the LeConte has been used as a stock for grafting other varieties upon, Blight is doing more damage to such trees than all others combined.

PRICES OF TREES.

	Each.	Per 10	Per 100
One-year-old Standard, single stem.....	25c.	\$2 00	\$15 00
Two-year-old Standard, heavily branched...	40c.	3 00	25 00

Trees are all grafted upon either *Japan or European Pear Seedlings*, and unusually well rooted. We can also supply a limited quantity of LeConte trees upon their own roots. We do not use the LeConte as a stock, because of its deficiency in roots, which makes its undesirable for average soils.

Daimio—Medium, acute, pyriform, pale green, washed brown, flesh brittle, sub-acid; inferior as a dessert fruit, but excellent for canning; very prolific. Matures during September. Trees exceedingly vigorous, and with leaves of extraordinary size.

Garbers—A seedling of China Sand, raised by Dr. J. B. Garber, of Pennsylvania. Resembles the Kieffer in size, appearance and quality, but matures here during August, and between the LeConte and Kieffer. A very thrifty grower and valuable variety.

Hawaii, or Sandwich Island—Medium, round, bergamot shape; good for cooking or canning; very prolific; foliage luxuriant; fine tree. October to December.

Kieffer—Origin near Philadelphia, where the original tree, now twenty-four years old, has not failed to yield a large crop of fruit for seventeen years past. It is a seedling of China Sand Pear, supposed to have been crossed with Bartlett. Fruit large to very large, skin yellow, with a bright vermilion cheek; flesh brittle, very juicy, with a marked musky aroma; quality good. Matures from September to October. Tree very vigorous and very prolific. Begins to bear when four years old. As a fall Pear, there is no variety as yet disseminated which has given such profitable returns, and the wonderful fertility of the trees is surprising. Many of our trees four years after planting, have yielded as high as three bushels of perfect fruit.

It is unfortunate that the merits of this fruit have been underestimated, from the haste in which it is hurried to market in an immature condition, and often before it has attained proper size. When allowed to hang upon the tree until the beginning of October, and then carefully ripened in a cool, dark room, there are few pears which are more attractive, and in point of quality combine extreme juiciness with a sprightly sub-acid flavor and the peculiar aroma of the Bartlett; it is then an excellent dessert fruit. As to its value as a market fruit, it commands on an average \$1.00 per bushel when shipped in an immature stage, and is then only a second-class cooking fruit. If marketed after being house-ripened, \$3.00 per bushel has been realized if sold in quantities, and at retail it readily commands from 75c. to \$1.00 per dozen at the city fruit stands. Our stock consists of upwards of 50,000 trees; last year we could not supply the immense demand. Early orders for large quantities are respectfully solicited.

LeConte or Chinese Pear—Supposed to be a cross between the old Chinese Sand Pear and a cultivated variety. Fruit large, pyriform, skin smooth, pale yellow, quality very variable; usually of second quality, but if allowed to mature slowly in a cool, dark room or in drawers, its quality improves remarkably. Maturity from July 20 to end of August. The tree is of remarkable vigor and rapid growth; foliage dense and luxuriant; hardly everywhere; but of greatest value South. Trees begin to bear fruit when five years old, and should be planted at least twenty feet apart.

Mme. Von Seibold—Large, round, russet, similar in shape to the old China Sand. Flesh brittle, juicy, with a peculiar spicy aroma. Quality inferior for table use, unless ripened slowly, when it is better; excellent for canning. Prolific and good grower.

Mikado—Resembles Daimio in quality and maturity, but of bergamot shape. Excellent for canning. Prolific and good grower.

Smith's—Almost identical with LeConte in size, shape and quality, but a little earlier.

PEACHES.

PRICES OF TREES.

Purchasers' selection.....	15c. each; \$1.25 per 10; \$10.00 per 100
First size, where selection is partly left to us.....	\$75.00 per 1,000

All our Peach trees are budded upon Peach seedlings. We do not grow this class of trees upon Marianna plum stocks, as it is now well proven that *except in a few isolated instances*, trees so propagated are very short lived. Their first year's growth in nursery is exceedingly vigorous, the roots are abundant and healthy, still few trees make a satisfactory growth the second year and few survive their first production of fruit.

A sandy loam is most suitable for the Peach, still it will adapt itself to almost any soil, provided it is well drained. Plant one-year-old trees cut back to three feet. Prune every year by cutting off one-half of the previous year's growth. To prevent the attack of the borer, see page 6. Plant trees 20x20 feet in ordinary soils, but increase distance in lands rich in plant food.

Peach trees should never be planted in newly cleared pine wood lands. Such lands should be cultivated in corn or cotton for at least one year before planting in fruit trees.

SELECT LIST.

FREESTONES.

Amelia—Synonyms: *Stroman's Carolina*, *Orangeburg*, *Rayzer's June*, etc. Very large, conical, white, nearly covered with crimson, juicy, melting, vinous, sweet and of high flavor. Too tender to stand long carriage, but as a peach for home consumption is truly magnificent. July 1 to 10.

Alexander—Above medium, highly colored in clay soils, less in light soils; flesh greenish white, very juicy, vinous and of good quality; adheres to the stone. Matures from May 20 to June 15 in Augusta. Trees are remarkably prolific and bear very young; a most valuable market fruit, and is the earliest to ripen. Trees may be planted 15x15 feet, as they are of medium growth.

The following are either synonyms, or resemble Alexander very closely: *Alpha*, *Amsden*, *Arkansas Traveler*, *Brice's Early*, *Brigg's May*, *Cumberland*, *Gov. Garland*, *Honeywell*, *Hyne's Surprise*, *Musser*, *Saunders*, *Waterloo*, *Wilder*, etc.

Baldwin's Late—Large, oblong, greenish white, with red cheek, juicy and well flavored. October 10.

Berenice (China strain)—Large, yellow, mottled with dark crimson; flesh yellow, melting, juicy; excellent. Maturity end of July to middle of August.

Crawford's Early—Large, yellow, with red cheek; flesh yellow, juicy and rich; a standard market variety. Ripe from 5th to 15th of July.

Crawford's Late—Similar to the above, but usually larger and two weeks later.

Cora—Above medium, white, with a pale red cheek; flesh white, juicy and well flavored. Middle to end of September. An improved seedling of Lady Parham.

Early Beauty—Large, yellow, very showy, good quality. Follows Fleitas St. John, or about July 1 to 5.

Early Louise—Larger than Early Beatrice, which it succeeds in immediate maturity; very thin skin and delicate aroma; excellent variety for home consumption only, as it is too tender to carry great distances. Maturity from June 8 to 15; tree very prolific.

Early Rivers—Large to very large, pale greenish white; flesh white, sub-acid, very vinous and very juicy, of exceedingly delicate flavor, skin very thin. Maturity June 10 to 20; unfit to carry great distances; very prolific.

Early Tillotson—Medium, white, covered with red, melting, good; very prolific; a favorite market variety; stands shipping well. Ripe from June 20 to 25.

Elberta—Large, yellow, with red cheek, juicy and high flavor; flesh yellow; supposed to be a seedling of Chinese Cling. Ripe middle of July; an excellent shipping variety. No other peach has made such a name for shipping, and none is cultivated more extensively for the supply of Northern and Western markets. Orchards containing from 25,000 to 80,000 trees of this variety alone are now planted in Georgia; this is sufficient evidence of its value.

Dr. Berckmans—One of the last series of pedigree seedling Peaches of the late Dr. L. E. Berckmans and fruited in 1880. During the past 10

years it has sustained the excellent qualities which were noted at its first season of fruiting, and is worthy of being dedicated to its originator. It is a seedling of a seedling of Chinese Cling. Size large, creamy white, with a bluish cheek and crimson mottlings at base. Flesh white, slightly red near the stone; melting, juicy, vinous and of highest flavor. It surpasses any of the varieties of same parentage maturing at the same season. Freestone; maturity middle to end of July, and immediately follows Thurber, of which it is a fit companion. Stock of trees limited. Price, 50c. each.

Fleitas, or Yellow St. John—Synonym, *May Beauty*. Large, roundish, orange yellow, with a deep red cheek, juicy, sweet and highly flavored; flesh yellow. Ripens with Early Tillotson and lasts longer.

Globe—Very large, yellow, of excellent quality. Follows Elberta; desirable shipping peach.

Great Eastern—Very large, greenish-white; flesh juicy and sweet, sometimes a little coarse; a showy fruit. July 20th.

Hale's Early—Above medium, white, with red cheek; flesh white, melting, vinous and very good; very productive. Maturity from June 5th to 15th, and continues until the 24th to the 30th. In some localities this variety is predisposed to decay, and therefore almost worthless. In others, however, it has proven to be an early and good flavored variety, and more free from decay than the varieties ripening immediately after it. Whenever it is successful it has given large profits.

Lady Ingold—Resembles Early Crawfords but of better quality and a few days later; superior for canning.

Mountain Rose—Large, white, washed with carmine; flesh tinged pink, juicy, vinous, sub-acid and good flavor; very good. Ripens June 25th, or immediately after Early Tillotson; an excellent early market variety, and superior to Early York.

Muscogee—A variety of the Columbia, with white flesh; size large, skin dingy yellow, nearly covered with crimson, red and dark brown cheek, spotted and somewhat striped like the Columbia; flesh white, with some red veins around the stone; melting, juicy and very good. Maturity beginning of August.

Mystery—Medium, yellow, with red cheek; quality best. Follows Early Beauty, or about July 10.

Osceola—Large, golden yellow, with orange cheek, and a few red veins; flesh golden yellow, sweet, buttery, and with an apricot flavor; belongs to the Indian type. Beginning of September.

Pallas (Seedling from Honey)—This is the only seedling out of many hundreds of the Honey Peach which has varied from the parent. It was originated by the late Dr. L. E. Berckmans and first fruited in 1878. The fruit resembles the parent, but is much larger and more round in shape; flesh white, melting, with a rich, vinous aroma. Maturity July 10; blooms two to three weeks later than the Honey, and is therefore more successful.

Picquet's Late—Very large, yellow, with a red cheek; flesh yellow, buttery, rich, sweet and of the highest flavor. Maturity from end of August to middle of September. Originated by Antoine Picquet, Esq., Belair, Ga. First trees disseminated by us in 1860. This variety seldom fails to produce a crop of fruit, and after thirty years test is considered one of the most profitable late yellow peaches South and West.

Reeves' Favorite—Large, oblong; skin deep yellow, with orange cheek; flesh juicy and buttery; very sweet; good. Ripeus July 15th.

Robert (Rareripe strain)—Large, creamy white and crimson cheek; flesh white, slightly veined pink, melting, juicy and vinous; quality best. Freestone. Middle of August.

Stump the World—Very large, white, with bright cheek; flesh white, juicy and of good flavor; stands carriage well, and is a fine market variety. July 20th, and lasts three weeks.

Susquehannah—Very large, yellow, with red cheek; flesh yellow, rich, juicy and of high fla-

vor; superior to Late Crawford. End of July. Unsurpassed for canning.

Spottswood—Similar to Chinese Cling, but freestone; very large and of best quality. Middle of July.

Thurber—Large to very large; skin white, with light crimson mottlings; flesh very juicy, vinous and delicate aroma; of exceedingly fine texture. Maturity middle to end of July. A seedling of Chinese Cling, which it resembles in size and beauty, but perfectly free. This variety has not failed to yield a crop of fruit during a period of seventeen years, and is highly prized as a market sort by Western growers.

Sallie Worrell—Very large, white; very good. September.

Wonderful (N. J.)—Very large, deep yellow, with carmine blush; flesh yellow, firm; good. End of August. Good for late marketing. Of the "Smock" strain, of which it may be said to be a large sub-variety.

CLINGSTONES.

Annie Wylie—Large, white, with red cheek; flesh very juicy, vinous and best quality. Maturity September 1st to 10th.

Chinese—This type has of late years produced several improved seedlings, which, although not all attaining the enormous size of the original variety, are, however, of better flavor and less predisposed to decay, and of less straggling habit of growth. The best sub-varieties are:

GENERAL LEE—Above medium, oblong, creamy white, with carmine wash; flesh very finely grained, melting, very juicy and of high flavor; quality best. July 1st to 10th.

ORIOLE—Large, yellow, rich, buttery. Middle of August.

STONEWALL JACKSON—Almost similar to General Lee in size and quality, but a week later and tree a more compact grower. July 15th to 25th.

SYLPHIDE—Similar to Chinese Cling, but maturing one month later.

Croft's Golden—Very large, deep yellow and crimson cheek; flesh yellow, sub-acid, vinous and well flavored. End of July to August 10th.

Darby—Large, round, skin creamy white, with pale white blush on one side, flesh pure white to the stone, juicy, sweet and of good aroma; quality very good. Maturity middle to end of October; an excellent late peach; origin, Newberry, S. C.

Demming's September—Large, oblong, with a protuberance; yellow, with red cheek; flesh yellow, red near the stone; juicy, vinous and good; resembles Lemon Cling, but one month later.

Eaton's Golden—Medium, skin golden yellow, with occasionally a few pink spots; flesh yellow, sweet, juicy, with apricot flavor. Middle of September. A superior variety for canning.

General Taylor—Medium, round; skin white, nearly covered with red; flesh juicy, sweet. Ripens July 1st; origin, Mississippi.

Goode's October—Large, skin white, washed and veined pale red; flesh white, with red veins; juicy, vinous and well flavored; of the Indian type. Beginning of October.

Heath Red—Large, oblong; skin creamy white, with red wash; flesh juicy, vinous and well flavored; red near the stone. August 25th.

Heath Late White—Synonyms: *White English, Eliza Thomas, Potter's September, Ravy Peach, White Globe, Henrietta, etc.* Large, oval, with sharp apex; skin creamy white, very seldom with any red; flesh pure white to the stone, juicy, sweet and good aroma; very popular for preserving; ripens beginning of September. There are numberless local names for this peach, which reproduces itself from the seed with slight variations.

Indian Blood—Large, dark claret, with deep red veins; downy; flesh deep red; very juicy, vinous and refreshing. Middle of August.

Juno (China and Picquet strains)—Very large, deep yellow, mottled orange crimson; flesh yellow, fine grained, very juicy, vinous, sub-acid; quality best. August 10th to 20th.

Old Mixon—Synonym: *Congress Cling*. Large, oblong, creamy white, with much red; juicy, sweet and well flavored. End of July.

Pine Apple—Synonyms: *Lemon, Kennedy's Carolina, Allison, Early Lemon Cling, etc.* Large, oblong, with a protuberance like a lemon; skin golden yellow, tinged with dark red; flesh yellow, slightly red at the stone; juicy, sub-acid, excellent; reproduces from the seed with slight variations. Middle of August.

Tinley's October—Medium, white, with a wash of red; flesh white, juicy, vinous and of high flavor. Middle of October.

Tuskena—Above medium, oblong; skin yellow and deep orange red; flesh sub-acid, vinous; good. Ripens end of June; origin, Mississippi.

LEADING VARIETIES FOR MARKET.

IN ORDER OF MATURITY.

Freestones—Alexander, Hale's, Tillotson, Fleitas St. Johu, Early Beauty, Mystery, Mountain Rose, Crawford's Early and Late, Old Mixon Free, Susquehannah, Thurber, Elberta, Stump the World, Globe, Picquet's, Cora, Wonderful, Baldwin's Late.

Cling—Tuskena, General Taylor, General Lee, Stonewall Jackson, Old Mixon, Croft's Golden, Pine Apple, Indian Blood, White Heath, Eaton's Golden, Tinley's, Darby.

ORNAMENTAL PEACHES.

15 Cents Each.

Double Flowering—Crimson, Pink and White.
Beautiful in early spring.

Italian Dwarf—Grows five feet high; makes a bush; leaves very large; fruit large, green; flesh white, juicy, with almond flavor; free. Ripens end of August.

Pyramidal—Grows to a height of twenty feet in a compact form, like the Lombardy Poplar. Fruit a white freestone of second quality.

Van Buren's Golden Dwarf—Grows six to eight feet high, of a compact habit; fruit very large, similar to Lemon Cling, and of good quality; suitable for city gardens, or where space is limited.

Weeping—Curious weeping habit; fruit hardly good.

NEW DOUBLE FLOWERING PEACH, CHRYSANTHEMUM.

An accidental seedling originated in South Carolina. Flowers light rose, outer petals broad, centre petals beautifully quilled like a Chrysanthemum. It is a most remarkable flower, as will be seen from the annexed cut.

We offer a limited number of trees, and feel assured that this novelty will make a valuable addition to our list of early spring flowering trees.

One year old trees, 50c. each.

NEW DOUBLE FLOWERING PEACH CHRYSANTHEMUM.

NECTARINES.

Price 15 cents each; \$1.50 per 10.

Require the same culture as the peach. The fruit having a smooth skin, is very liable to the attacks of the curculio, and must be sprayed so soon as blossoms fall, and again every two weeks during May and June. They ripen through July and part of August.

Coosa—Very large, red; flesh white; a new seedling from Upper Georgia.

Early Violet—Small, green, nearly covered with purple; good.

Golden Cling—Medium, yellow; good; cling.

New White—Large, pure white; flesh tender, juicy, vinous; very good; early, free.

Stanwix—Green, with violet cheek; juicy, sweet and very good.

Victoria—Medium, purple, brown cheek. July.

PLUMS. (*Native Varieties*).

PRICES OF TREES, UNLESS NOTED.

1 year, very fine, 25c. each, \$2 per 10, \$15 per 100.

IMPROVED CHICKASAW TYPE.

Varieties of this type are less liable to attacks of curculio than those of European origin, and combine vigor of growth with great productiveness.

All our trees are grafted upon Marianna stocks, which is superior to any other we have ever tested.

Cumberland—Originated near Augusta from seeds collected upon the Cumberland Mountains in 1864. Large, yellow, juicy, sweet; good. Maturity August and September.

DeCaradeuc—Medium, round, yellow with brown red cheek; juicy, sweet and of fine flavor. Beginning of June. This variety is doubtless a hybrid between the Chickasaw and an European variety, and is remarkably fine.

Marianna—After fruiting this variety quite extensively, we find it not as profitable as Wild Goose, being smaller, later and not equal in quality, but in some sections it is quite prolific and good. The tree is of a remarkable healthy and thrifty habit, and so far seems to be less liable to die back than the Wild Goose. We grow this variety upon its own roots.

Pottawottamie—A new Western variety; resembles Wild Goose, but smaller and maturing immediately after it; exceedingly productive and valuable for shipment.

Wild Goose—Large, somewhat oblong; bright vermilion red, juicy, sweet; good quality; cling. Ripens middle of June; a very showy and fine market fruit; prolific bearer. Most profitable for early shipments.

N. B.—All these Plums should be picked when they commence coloring and ripened in the house. In three days time they will acquire a brilliant color. If left on the tree too long the fruit drops and never attains the quality of that which is house-ripened. This gradual ripening allows these varieties to carry perfectly to distant markets.

PEACH-LEAVED TYPE.

Kanawha—Medium, oblong; bright vermilion; juicy, fine flavored, quality very good. Ripens in September. Although it colors as early as July, it is not fit for use until it ripens upon the tree. An excellent late variety.

Miner—Large, roundish, deep red; very juicy, rich and high flavor. Ripens in August. Tree of upright growth and very prolific. Fruit should not be gathered until well colored.

NEW NATIVE VARIETIES.

One year old trees, 25c. each.

Forest Rose (Peach-leaved type)—Large to very large, round, dark red, with delicate bloom and very good quality. A very profuse bearer and tree of rapid growth.

Illinois Ironclad (Peach-leaved type)—From Northern Illinois. Large, dark red, skin thick and seems uninjured when stung by curculio. Flesh firm and of good quality; a promising variety.

Poole, or Poole's Pride (Chickasaw type)—Large, round, bright red with bloom, sweet and of good quality. Enormous and regular bearer; blooms stand considerable more cold than most other varieties of this type.

EUROPEAN TYPE. (*Prunus Domestica*.)

One year old trees 25c. each.

This type is only successful in a few sections, and cannot therefore be recommended for general cultivation. The best results have usually been where trees are planted in a poultry yard or near dwellings, where the ground, although regularly supplied with plant food, from either the poultry droppings or kitchen slops, is left undisturbed. All varieties are subject to the attacks of the *curculio* and should be carefully sprayed. Trees are also often affected by a disease known as *Black Knot*. All branches showing this disease should be cut off and burned. By following these suggestions a large crop of excellent fruit will often follow.

Blue Damson—A well known and desirable old variety which succeeds almost anywhere. Fruit medium, purple, covered with thick bloom. Flesh juicy, rather tart; a valuable cooking plum.

Clyman—A California seedling, where it is much esteemed for its early maturity, good size and excellent quality. Large, reddish purple, firm, very good; freestone; an excellent shipper and enormous bearer. Maturity middle of June.

Imperial Gage—Large to very large; an excellent and showy fruit.

Lincoln—Reddish purple, large and of good quality; seedling of Green Gage.

Lombard—Large, violet red, flesh yellow, juicy, very good, very productive.

Missouri Green Gage—Valued West as a better bearer and larger fruit than the old Green Gage, and of best quality.

Shippers' Pride—Large, round, dark purple, flesh firm, of the Damsou type, and valuable for its shipping qualities in sections where the European type is successful.

Stark Green Gage—A seedling of Missouri Green Gage, which it resembles, but larger and more productive, although of not quite so high quality.

Persian Purple-leaved Plum, or Prunus Pissardii—Fruit medium, dark purple, flesh deep red, juicy, sub-acid; ripens here end of May; a good cooking fruit. Foliage deep purplish red, retained throughout our warmest weather and until mid-winter. Its great value is as an ornamental tree. (*Prunus Mirobolana* type.)

JAPAN PLUMS.

BEARING TREE OF KELSEY PLANTED IN 1883.
Yield Three Bushels in 1892. [From a Photograph]

THIS race is as distinct from our native varieties as is the LeConte Pear from the Bartlett. The trees resemble somewhat our vigorous varieties of the Chickasaw type, but the foliage is larger and quite distinct. Some are hardy as far north as where the Wild Goose succeeds, and for our Southern States they open a new era in Plum culture. We have fruited sixteen varieties of this type, and find many of decided value for market and for family use. The confusion existing in the nomenclature as given by the importers of Japanese fruits is such that scarcely two invoices received under similar names contain the same varieties. Some of the synonyms given in our Catalogue of 1888, and which were taken from those of the Japanese growers, do not correspond with the descriptions of the latter, as we found upon fruiting these varieties; but, after lengthy correspondence with the Director of the Agricultural Bureau at Tokio, Japan, whose visit to the United States familiarized him with the various types of our Plums, we believe that the classification herein given is as near correct as based upon many years of fruiting the various varieties and the aid received from Mr. Kizo Tamari, of Tokio.

PRICES OF TREES.

All are Budded upon Marianna stocks.

One year, 4 to 5 feet, 25c.; \$2 per 10;
\$15 per 100.

SECTION I—PRUNUS JAPONICA.

HATANKIO GROUP.

As the varieties of this group appear to be less hardier in the Northern States, we would recommend these for sections below the thirty-fourth degree of latitude north.

Hatankio—Variable in shape, usually pointed, $1\frac{3}{4}$ by $1\frac{1}{2}$ inches, but perfectly round specimens are often produced upon the same tree. The pointed form is the *Hatankio-Togari* (Togari means pointed); the round form is sometimes called *Hatankio-Maru* (Maru means round). Skin bright yellow, flesh yellow, juicy, sub-acid, gage flavor; quality very good. Clingstone. Maturity from June 10 to 20. Very prolific and an excellent early market as well as dessert fruit.

Kelsey—This we consider the most remarkable variety of this section. It sustains every point of excellence claimed for it by the introducers. Size large to very large, often 7 to 9 inches in circumference; heart-shaped; color greenish yellow, overspread with reddish purple and blue bloom; flesh very solid, yellow, rich and juicy, and with excellent flavor; pit very small; adheres slightly to the flesh. For canning or evaporating it is also most valuable. Experiments resulted in yielding $19\frac{1}{2}$ pounds of dried fruit to 100 pounds of fresh fruit. Maturity middle of July to end of August.

NOTE.—The abundant yield of 1892 was extraordinary, many trees three years old producing a bushel of fruit, and our oldest trees, grafted in 1883, yielding from two to three bushels each. In many cases the fruit decayed to some extent during the continued rainy season in July. This was more apparent where trees had been kept cultivated after the middle of June. Upon clay soils, and where the surface was left undisturbed a month or six weeks before maturity, the fruit was almost entirely free from decay, and kept sound until the middle of September.

As an instance of its remarkable shipping qualities, in 1888 we made several shipments to France, which arrived there in perfect condition. The specimens were exhibited at the "Paris World's Exposition," and remained sound for more than a week.

SMOMO GROUP.

This type seems to belong to the hardier or Northern group, and has given good results in Northern and Western States.

Botan, Yellow Fleshed—Synonym: *Abundance*. Round, with pointed apex, but varies from quite round to sharply pointed. Skin yellow, ground heavily washed, purplish carmine and a darker cheek. Flesh yellow, very juicy, sub-acid, with apricot flavor; quite firm; skin tough; clingstone; quality best; pit large. Maturity June 25 to July 5. We also have this variety under several numbers as received from Japan, all proving identical. One of the best early varieties, and valuable for Northern and Middle States. Carries well to distant markets.

Burbank—In general characteristics resembles Yellow Fleshed Botan. Color cherry red, mottled yellow; shape usually more globular; flesh, flavor and quality are identical, but its period of maturity here is from three to four weeks later, or middle to last of July. The tree is of very vigorous habit, slightly differing in foliage. Valuable also for Northern States.

Chabot— $2\frac{1}{4}$ inches long by 2 inches broad; yellow ground, nearly covered with carmine red, flesh orange yellow, very solid, sub-acid; quality very good; clingstone. Maturity end of July.

Ogon (Shiro-Smomo, or the White Plum)—Medium to large, round, golden yellow; flesh yellow, firm, sub-acid; quality good; freestone. June 15; tree of vigorous growth.

Maru—Of medium size, slightly pointed, light red; flesh yellowish, melting, juicy, sub-acid; nearly freestone; second quality, but showy. Maturity end of June.

Red Nagate— $1\frac{3}{4}$ by $1\frac{1}{2}$ inches, pointed; skin thick, purplish red, with blue bloom. Flesh yellow, solid, somewhat coarse grained, juicy, sub-acid with Damson flavor; clingstone; quality good. Maturity middle to end of June. Very prolific, showy and good market variety.

UCHI-BENI, OR BENI-SMOMO GROUP, (OR RED FLESHED).

Satsuma, or Blood Plum—Synonym: *Yonemomo*. Large, skin dark purplish red, mottled with bluish bloom; shape globular or with sharp point; flesh firm, juicy, dark red or blood color, well flavored, firm; quality very good, pit small. Maturity middle of July; tree very vigorous. One of the most valuable varieties of this section, and adapted to the Middle and Northern States.

Blood Plum No. 3—Fruit somewhat smaller than Satsuma, flesh very deep red and juicy, sweet; middle of July; tree of very open growth.

Blood Plum No. 4—This corresponds with the description of *Honsmomo* of the Agricultural Bureau of Tokio. Fruit medium, dark red flesh; sub-acid; July 10th to 25th; tree of erect growth.

SECTION II—PRUNUS MUME.

THE APRICOT PLUM.

This type is worthless outside of the Orange zone; it will not succeed where the Peen-To peach fails. Several varieties have been introduced; some produce small double rose colored flowers, others small single white blooms; all bloom here during February or early in March, hence fruit sets very seldom unless some flowers expand unusually late, when a crop of fruit follows. Fruit is small, oblong, orange yellow, with apricot flavor, but of poor quality. Ripened here middle of May. Thirteen varieties are described by Japanese growers. We have tried *Bungo* and other unnamed sorts, but cannot recommend these for the middle sections of Georgia.

SECTION III—PRUNUS SIMONI.

Simon's Chinese Apricot Plum.

A remarkable fruit indeed. This was introduced 24 years ago from China. The tree is of attractive, erect and compact habit; flowers very small; fruit large, flattened, two and one-half to two and three-quarter inches broad, by one and three quarters to two inches through, and very much resembles a tomato; flesh yellow, fine grained, and exceedingly firm; juicy, acid, and combining the most remarkable flavors of pear, apple, pineapple and muskmelon; quality best; begins to ripen June 15 and lasts until July 15; a shy bearer. Not desirable as an orchard fruit.

JAPANESE PERSIMMONS.

DIOSPYROS KAKI.

After having fruited many varieties for the past fifteen consecutive years, the question as to the value of this fruit for the cotton growing belt of the Southern States is satisfactorily settled. In the middle sections of Georgia, South Carolina and other Southern States, the trees are perfectly hardy, and instances are given of their hardiness in Southern New Jersey. The merits of this fruit are the early bearing age of the trees, as well as their wonderful fertility, as it is quite common to see one-year-old trees planted in spring produce a crop of from twenty to fifty well developed Persimmons the following year. The tendency to overbearing should be checked by removing the largest proportion of its fruit when fully set in April or May, and leaving only a number commensurate with the age and size of the tree. Otherwise the trees will retain a very dwarf growth. The fruit is usually of a bright orange red or light vermilion color; the shape varies from a perfectly flat one, resembling a large smooth to-

JAPANESE PERSIMMON TSURO-NO-KO—3 years old, from a photograph.

upon seedling stocks of our native type. They are exceedingly well rooted, and in every way far superior to the imported trees, which are usually deficient in roots. Seedlings seldom give good results, as but a small proportion prove to have perfect flowers, the majority being male, and thus barren. Many of our two-year-old nursery trees are bearing a heavy crop of fruit. The growth varies as to varieties. Some assume a dwarf habit when two years old, and seldom grow beyond six to eight feet in height; others attain a growth of four to six feet at one year from graft. The best soil is a clay loam, or gravelly, and not retentive of moisture. The tree fails in wet lands.

PRICE OF TREES.

	Each.	Per 10	Per 100
One year grafts, 3 to 4 feet.....	25c.	\$2.00	\$15.00
Two-year-old grafts, 3 to 6 feet, according to variety, well branched.....	35c.	3.00	25.00

Among, or Yemon (name of a Japanese ornament)—Round, flattened, deeply ribbed, dark, orange red and sometimes yellowish red; $2\frac{1}{2}$ to 3 inches in diameter, average weight 6 ounces, and occasionally a specimen weighing 16 ounces is produced. Very sweet, flesh red, and is edible while still solid, but quality improves as it becomes soft. Maturity September to end of November. Tree of moderate height.

mato, to sharply pointed forms. The flesh varies also in color; in the pointed varieties it is usually deep orange; in these varieties it remains solid and quite astringent until November or December, but becomes soft after being house-ripened. In the round varieties, those having dark brown flesh are edible while still solid, while most of those with orange flesh should be allowed to become soft before being eaten. The fruit of nearly every variety begins to color when half grown, but should be allowed to hang on the tree until just before a frost is expected, or in the case of the early ripening varieties when fully soft. If gathered before a frost, there is a slight astringency next to the skin, but this disappears after being kept in the house a few days or weeks. If allowed to be slightly touched by frost the flavor is much improved, but the fruit will then not keep many days. It is therefore desirable to gather the fruit before frost if intended for keeping, and then some varieties will remain sound until January or February. The flesh is soft, rich and sweet, and a slight apricot flavor. Some varieties will be perfectly seedless during one or more years, and again every specimen will contain more or less seeds the following season.

The list which we give includes the best and most distinct varieties, with their meaning in Japanese.

All our trees, of which we have upwards of 20,000 in Nursery, are grafted

- Hachiya** (beehive in Japanese)—Synonyms: *Costata*, *Imperial*, *Yomato*, etc. Oblong, with a blunt apex, slightly ribbed, $2\frac{1}{2} \times 3$ inches; average weight 5 ounces. Flesh deep orange red, astringent while solid, but sweet and very good when soft. Should be house-ripened, and can be kept until March. Tree of vigorous and tall growth.
- Hiyakume** (weighs 100 "me." a unit of Japanese weight)—This is perhaps the most desirable of all the round, red fleshed varieties, and as the fruit affects various shapes, it is known under many names, such as *Pound*, *Tane-nashi*, or *Seedless*, etc. The Agricultural Bureau of Tokio gives the latter name to a variety with black mottled apex, but we find both round and elongated forms upon the same tree, as also uniformly orange and orange yellow colored specimens, while many are heavily tipped with black. This variation of forms and colors has doubtless led to its array of synonyms. Fruit large, average 3 inches in diameter and 5 ounces in weight; usually flattened, but elongated forms are quite common upon the same branch. Flesh bright orange red. Keeps very late. Must be soft before being edible. Tree of moderate height; apt to be of dwarf growth.
- Kurokume** (this may possibly be *Goshiyo-hira*, or *Palace Persimmon*)—Very large, round, somewhat flattened; 3 to $3\frac{1}{2}$ inches in diameter; average weight 10 ounces, and sometimes yields specimens of 16 ounces in weight; keeps late. Flesh red. Tree erect grower.
- Miyotan**—Synonym: *Mazelli*. Round or slightly oblong; $2\frac{1}{2}$ inches in diameter; average weight $5\frac{1}{2}$ ounces; slightly ribbed; skin deep orange red; flesh usually deep brown red, but bright red or half brown flesh specimens are often produced upon the same tree, the result of cross fertilization by other varieties. Tree of medium or dwarf growth; exceedingly prolific. Fruit keeps very late. The brown fleshed specimens are edible while solid, and as early as October 1.
- Tsuru-no-ko** (Stork Egg)—Synonym: *Minokaki* (Persimmon from Mino, a locality). Large, oblong, pointed, $2\frac{1}{2} \times 3\frac{1}{2}$ inches; weight 4 to 5 ounces, sometimes 10 ounces. Skin bright red; some specimens covered with black at apex. Flesh red, very good. Keeps late; edible only when soft. Foliage long and shiny; tree compact and vigorous grower.
- Yedo-Ichi** (No. 1, or best in Yedo, latter being the old name of Tokio)—Synonym: *Maru-Guta* (round shape). Medium, round, some specimens slightly oblong, flattened at base and narrowing at apex; skin dark red, often with black mottlings near apex; flesh mahogany brown, with darker spots, brittle, and is edible while solid as early as October 1. Very prolific, and bears fruit in large clusters. Tree an upright grower.
- Zenji, or Zingi** (name of Japanese villages)—Small, $1\frac{1}{4} \times 2$ inches; weight 3 to 4 ounces. Flesh dark brown, with darker spots; very sweet. Edible as early as middle of September while still solid, and lasts throughout October.

QUINCES.

Price, 25c. each, \$2 per 10. All grafted unless noted.

- Angers**—Large, pear-shaped; thrifty grower; on own roots.
- Apple, or Orange**—Large, round; most esteemed for preserving.
- Chinese**—A most extraordinary fruit; oblong, of immense size, often weighing from 2 to $2\frac{1}{2}$ pounds. Growth rapid and distinct. Blooms very early in spring, but withal seldom fails to produce a crop. Fruit rather coarser in texture than the preceding.
- Champion**—Claimed to be superior to the Apple or Orange.
- Meech**—Not fruited here, but has a good record where tried; fruit large.
- Rae's Mammoth**—Fruit very large.

NOTE —Quince trees need little or no pruning besides removing the dead wood. They succeed best in a strong, rich clay soil, except the Chinese, which thrives equally well in good light soils.

NUT-BEARING TREES.

ALMONDS.

Price of Trees—One year from bud, 4 to 5 feet, 25c. each; \$2 per 10; \$18 per 100.

- Princesse and Sultana**—Both are prolific, soft-shelled and very good. These are the varieties mostly cultivated in Europe, and produce the bulk of the almonds of commerce.
- Pistache**—A half soft-shelled variety, with very small pointed fruit, and kernel of a delicate sweet flavor; highly esteemed in Southern Europe.
- Almonds are unreliable for the middle sections of the South, but more successful in Florida.

CHESTNUTS.

American, Seedling trees, 3 feet, 25c. each, \$2 per 10.

Numbo—An early bearing variety; nuts very large and of good quality. 1 year grafted trees, 50c. each.

Large Spanish—2 to 3 feet, 25c. each, \$2 per 10; 4 to 5 feet, 50c. each. Yields very large nuts, not as sweet as the American, but their size commands ready sale.

AMERICAN CHESTNUT

SPANISH CHESTNUT

One year grafted trees, 50c. each.

Japan—This is an acquisition for the section of the United States where the native species flourish. There are many sub-varieties cultivated in Japan, and, like the Persimmon, their nomenclature is badly confused. Seedlings vary in size and shape as well as habit of growth and productiveness, and are therefore more unreliable as to products than the grafted trees. We have grown these Chestnuts nine years, and trees of 3 years of age have yielded fruit. Fruit very

JAPAN CHESTNUT.

large, burrs containing at times as many as five large nuts; quality similar to the native variety. In habit the trees are dwarf. The trees which we offer are all grown in our nurseries. Imported trees from Japan are, as a rule, worthless; they are badly grown, with scarcely any roots. We cultivate two varieties:

Large—Nut very large, early and good.

Prolific—Nut of medium size, very early and very prolific.

WALNUTS OR MADEIRA NUTS.

All our trees are grown from seed. Some varieties are imported from France from reliable growers; others are grown from nuts produced in our orchards. The varieties as offered, although seedlings, usually come true, or with slight variations. Grafted trees are always scarce and high-priced, owing to the difficulty of this method of propagation. The best soil for Walnuts is a strong clay, rich and somewhat stony; hence many acres of land which are difficult to cultivate in ordinary crops are available for Walnuts.

Price of trees, unless specially noted, 2 to 3 feet, 25c., \$2 per 10.

EARLY BEARING WALNUT

Chaberte—Nuts oval, medium; very prolific; blooms late.

Franquette—Large, oblong, half hard-shell; very good.

Mayette—Nuts produced in pairs; oblong, somewhat flattened; best quality; half-hard shell.

Thin-Shelled—Nuts large, oblong, shell very thin, of excellent quality, and keeps sweet a long time. We grow this variety very extensively, and can supply trees 2 to 3 feet at \$15 per 100.

MAYETTE WALNUT.

WALNUT EARLY BEARING OR PRÆPARTURIENSIS.

PRICES OF TREES.

One year old, 10 to 12 inches, 25c. each; \$2 per 10; \$18 per 100.

The most desirable variety of this class. Tree of low growth; begins to produce a few nuts when four years old; nuts are of good quality and mature early in fall. We have trees now fifteen years old, which at eight years old yielded one bushel of nuts, and at twelve years produced three and a half bushels. They have never failed to yield a crop during the past ten years. Trees are all grown from seed produced in our grounds, and from many years experience they usually come true from seed.

JAPAN WALNUT—*Juglans Sieboldiana*.

Nuts are produced in clusters. Shell very thick, kernel sweet. Tree is very attractive, with large foliage. Our trees now 5 years old are very vigorous and bearing the first crop of fruit produced South. The value of the nut commercially compared with Pecans has yet to be decided. As an ornamental tree it is very desirable. One year old trees, grown from seed planted here, 25c. each.

FILBERTS.

Of easy culture; they are of bushy habit of growth, and require to be trained with single stems to ensure fruitfulness. Dry, ordinary soil is suitable. Require but little space to grow, but suckers must be removed as they appear.

The **Common White** is perhaps the most desirable. Nut oblong, very sweet.

Two year old plants trained to single stems, 25c. each; \$2 per 10; \$15 per 100.

Three year old plants trained to single stems, 30c. each; \$2.50 per 10.

Purple Leaved—Leaves and fruit purple. 30c. each.

PECANS.

Pecan culture is rapidly increasing, there being few trees that yield as regular and larger income after they attain the bearing age, which is at 8 to 10 years after planting. Any soil where the hickory grows is suitable to Pecans, but trees grown in rich alluvial soils produce larger crops. The Pecan tree is difficult to graft, but as the sub-varieties, of which there are many, reproduce themselves at the rate of 60 to 70 per cent., and thus the variation being small, we offer mainly seedling trees grown from the largest Paper-Shell nut obtainable in Louisiana. These vary in number from 60 to 70 nuts to the pound, and retail at from 50c. to \$1 per pound, extra sizes sometimes commanding \$1.50 per pound. The small hard-shelled nuts can be purchased at from 5 to 6 cents per pound. Owing to the excessive length of the tap-root, large trees transplant with difficulty; hence one or two-year-old trees should always be selected, as less liable to fail. Pecan trees are found growing in rich alluvial soils from Texas to Illinois, and are therefore hardy throughout the Middle States. Nuts may be planted in the place where trees are to grow permanently, but experienced Pecan growers of Louisiana advise raising the trees in nursery 1 to 2 years before planting in orchard. As a rule, the larger the nuts the smaller the percentage of germinating. We prefer to plant 1 or 2 years' seedlings for our own groves.

Extra large Louisiana Paper-Shell, grown from nuts averaging 50 to 60 to the pound—1 year old, 8 to 12 inches high, 20c. each, \$1.50 per 10, \$10 per 100.

No. 1, very large Paper-Shell, from round to oblong nuts, 60 to 70 to the pound—1 year, 8 to 12 inches high, 15c. each, \$1 per 10, \$8 per 100.

ELÆAGNUS—Japan Oleaster.

(Gumi Fruit of the Japanese).

Pot grown Plants, 25c. each; \$2 per 10.

Medium-sized shrubs, with leaves green above and silvery beneath. Flowers axillary, small, fragrant; produced in early spring, and followed by reddish colored berries, which are sprightly sub-acid, pleasant and make a palatable sauce. The shrubs are very ornamental, with clean, silvery hued foliage, fragrant flowers, and yield a profusion of fruit. Plants do not transplant readily from open ground. We therefore offer all pot-grown.

Elæagnus Longipes (long-stalked Oleaster)—Nearly deciduous here, holds its foliage very late. Fruit matures early in May.

Elæagnus Simonii (Simon's Oleaster)—Evergreen. Fruit matures here in March.

ERYOBOTHRYA—Japan Medlar—Loquat.

(Biwa of the Japanese).

One-year-old plants (all pot grown) \$1.25 per 10; \$10 per 100.

Two-year-old plants (all pot grown) 25 cts. each; \$2 per 10.

The loss in transplanting open ground grown plants is always large; this is trifling in using pot grown plants.

This fruit is well adapted to the coast belt, and is being cultivated there with profitable results

Trees of medium height, with long glossy leaves, which are evergreen; flowers white in spikes and produced in winter; fruit of the size of a wild goose plum, round or oblong, bright yellow, and produced in clusters; sub-acid and refreshing. Maturity from end of February to April; not fruitful north of Charleston, but tree otherwise perfectly hardy here.

Giant—This differs from the above in its foliage, which is quite distinct. Fruit is said to be also much larger, but so far has not fruited here.

Grafted plants from imported trees. one year pot grown, 50c.

Seedling plants from imported seed. one year pot grown, 25c. each; \$2 per 10.

LIMONIUM TRIFOLIATUM—*Citrus Trifoliata* or *Ægle Sepiaria*.

A hardy species of lemon, which withstands a cold of zero; of bushy and very thriving habit; leaves trifoliate, dark glossy green. Flowers large white, the first appearing in March, and others following less profusely during May and June. Fruit similar in shape and size to limes; very acid and unfit to eat. We received the first plant from Japan in 1873, and have now a large stock of plants to offer as our trees are bearing fruit. As a hedge plant it is destined to become very popular; it will grow in almost any soil, and will stand great extremes of temperature, moisture and dryness without injury. As a stock (it being deciduous) for grafting the *Satsuma Orange* it has proven valuable, but its great merit is as a hedge plant, as it forms an impenetrable barrier to man and beast, and can be easily kept in shape. It is hardy as far North as New York City.

One-year-old plants, 10 cents each; 75 cents per 10; \$5 per 100.

Two-years-old plants, 25 cents each, \$1.50 per 10.

Special prices for large quantities.

MULBERRIES.

Each 25 cents, \$2 per 10, \$18 per 100.

Hicks' Everbearing—Wonderfully prolific; fruit sweet, insipid; excellent for poultry and hogs; fruit produced during four months.

The value of Mulberries as an economic food for hogs is beginning to be appreciated by many farmers, who have planted large orchards of the *Hicks* for that purpose.

Downing's—Fruit of a rich, sub-acid flavor; stands the winters of the Western and Middle States.

Stubbs'—This is a form of the native red Mulberry, and was discovered in Laurens County, Ga., some twenty years ago. Tree very vigorous, and with broad foliage. Fruit very large, from 1½ to 2 inches long, black, vinous and of excellent quality; greatly superior to any of the cultivated varieties. It is a wonderfully prolific bearer; fruit lasts nearly two months. Stock of trees is limited this year.

STUBBS' MULBERRY.

ORANGE.

One-year-old plants from 4-inch pots, 50 cents.

Satsuma or Oonshiu—A seedless variety of the *Mandarin* or *Kid Glove* class, of dwarf habit, and has withstood a cold of 20 degrees below freezing here. Plants are all grafted upon *Citrus Trifoliata*, and may be said to be hardy in this latitude. Flowers are produced freely, but fruit does not set profusely.

POMEGRANATES.

Two-year-old plants 25 cents each; \$2 per 10.

Purple Seeded, or Spanish Ruby—Large, yellow, with crimson cheek; meat purplish crimson, sweet, and of best quality.

Sub-acid—Medium to large, dull red on yellow ground; meat sub-acid, and much esteemed in the preparation of cooling beverages.

OLIVES.

Plants 12 to 15 inches high, pot grown, 25 cents each.

Picholine—Synonyms: *Lechin*, *Collasse*, *Piquette*, *Saurin*, *Plant d'Istres*, *Coias*, *Coiasse*, etc. A variety much esteemed in California for its rapid growth and early bearing. The tree is also less subject to damages by insects than most other varieties, and ripens its fruit in 12 months, thus bearing a crop annually; makes excellent oil, and stands as the best for pickling.

Olives have been cultivated on the coast of Georgia and South Carolina for many years, and an excellent quality of oil has been produced. A peculiarity of the Olive is that it flourishes and bears abundant crops on rocky and barren soils where no other fruit trees are successful. Olive trees begin to bear fruit at from 8 to 10 years of age, but should not be planted farther north than this section, where they are sometimes injured by excessive cold.

RASPBERRIES.

Price, 50 cents per 10; \$2 per 100; \$15 per 1,000.

Plants cannot be supplied before November 15th.

Cuthbert—After several years' trial, this proves perhaps the best and most reliable of all the red fruited varieties. Its introduction has made Raspberry culture quite profitable in sections of the Southern States where the product had been unreliable. Fruit red, large, of excellent quality; yield very prolific; ripens middle of May, and continues for several weeks.

CUTHBERT.
(Average size.)

Golden Queen—Fruit golden yellow, similar in quality to Cuthbert.

Gregg—The largest and best of all the Black Caps that we have tried. Fruit firm, dark purple, with heavy bloom; ripens a week before the Cuthbert.

Shaffers—Of vigorous and rampant growth. An excellent market berry. Berry large and good, but of an unattractive reddish color. Prolific and hardy. Of the Cap class; ripens late. Plants stand our driest summer to perfection.

GREGG.
(Average size.)

CULTURAL DIRECTIONS.

Upright Growing Varieties, or Red—The soil should be rich and well worked.

For Field Culture—Plant in rows 6 feet apart and 4 feet in the row, or 5 feet apart each way. In July, after the crop is harvested, remove all the canes which have produced fruit, and cut back the new canes to 2 feet; this will cause them to branch and become self-supporting. During winter give a liberal manuring, and keep the ground well worked.

Caps—Plant further apart in the row, as they propagate from the tips of the canes, bent down. They should not be pruned until winter, and cut at the bend of the cane. The old canes must be entirely removed, as in the red varieties.

For Garden Culture—Plant the red varieties 4 feet apart and the caps 6 feet, and train to stakes. The summer pruning of the red varieties may be done if stakes are not used; otherwise omitted. Large yield of fruit can be expected only if the plants are well manured, and thoroughly cultivated. Cotton seed compost, cotton seed meal, or pure ground bone are all desirable fertilizers, and should be applied during winter or early spring.

BLACKBERRIES.

Root Cutting Plants.

CULTURE—The same as for red Raspberries.

Early Harvest—Medium, long, very sweet; Ripens two weeks before Wilson's, and is enormously productive. Valuable for an early crop. Price 50 cents per 10; \$2 per 100.

Minnewaski—Large, oblong and of good quality; a very profuse bearer and canes exceedingly vigorous. 50 cents per 10.

Wilson's Early—Growth somewhat trailing; berry very large, sweet, very good; very prolific bearer; early; begins to ripen end of May. 50 cents per 10; \$2 per 100.

WILSON'S BLACK-
BERRY.
(Average size.)

EARLY HARVEST BLACKBERRY.
(One-quarter size.)

STRAWBERRIES—Cultural Directions.

A deep, rich, sandy loam is the most desirable; still, with proper work and manure, any soil not too wet may be made to yield large crops. **FOR FIELD CULTURE** we use a compost of 100 bushels of cotton seed to ten two-horse loads of manure per acre. This should be well ploughed under and the soil well pulverized before planting. Plants set out after the fall rains will yield a fair crop of fruit during the spring following, but a large crop is only certain the second year. It is undesirable to let the plants remain after the second year, and more profitable to plant every year, that one field may take the place as the other is ploughed up. Plants may be set in rows 3 feet by 1, and this will require 14,520 plants for one acre.

FOR FAMILY USE the plants can be cultivated in hills, with the rows sufficiently apart to cultivate the ground thoroughly, or along garden walks. Manure the ground well and plough deep before planting. Nothing equals a compost of cotton seed and stable manure well mixed with the soil, and a top dressing of cotton seed between the plants so soon as set in fall. Leave this all winter and fork it slightly in March. Ashes are also very good as a top dressing. After the crop is gathered, keep the soil well stirred and always free from weeds. If you expect a large yield of fruit give the soil liberal manuring, and cut off the runners as fast as they appear. This will increase the size of the plants, and from these large stools or bushes fine berries may be expected.

We have tested hundreds of varieties, and find but few that will give general satisfaction. Locality influences this fruit more than any other cause, and we cannot, therefore, depend upon the same variety thriving equally well in different soils. The following varieties, however, will be found suitable to most soils. All have perfect blossoms, unless marked P, meaning pistillate. These latter should be planted near perfect flowering sorts, when they are usually very productive. Where *pistillate* varieties are planted, every third row should consist of a *staminate* or perfect blossomed variety. *Hoffman*, *Michell* and *Wilson's Albany* are good varieties for that purpose, but care must be taken to keep the runners of each variety from encroaching upon the others.

RIGHT WAY OF PLANTING.

LEADING MARKET VARIETIES.

Price, 50c. per 100; \$4 per 1,000, after October 15th.

Bubach—Medium to large, dark crimson; firm, sweet and perfumed, very good. Mid season. Foliage healthy, but of low growth.

Crescent (P)—Large, bright scarlet; of good flavor and very prolific, if cultivated near other varieties, as its flowers are pistillate; a very vigorous grower, and under favorable circumstances, a very valuable market sort.

Hoffman—Large to very large; ripens earliest of all berries; colors evenly and carries well; quality very good; very vigorous and stands the summer well. Origin, Charleston, S. C. It is greatly superior to the *Nunan* as an early shipping berry, and is remarkably successful in the coast region. We can supply this variety in very large quantities. We consider this the most profitable early variety for this section. Matures two weeks ahead of *Wilson's*.

Haverland (P)—Very large, long, handsome; always regular in shape, flesh deep red, flavor good; foliage healthy, stands the summer well; mid season to late. Although not of strictly first quality, its large size and attractive appearance makes it a very profitable variety for home market. It is rather soft to stand distant carriage.

Gandy—Large and regular; bright crimson; firm, sprightly, sub-acid, flavor best, prolific; ripens late; foliage healthy. Calyx very large; excellent shipping variety.

Michel—Medium, regular and globular, colors evenly, dark red, quality very good; very prolific and ripens very early. In some sections it is the earliest of all varieties. Foliage healthy, plants of robust growth. A very valuable early variety for shipping.

Sharpless—Very large, irregular, deep red, sweet and of very good flavor; vigorous grower and prolific. A valuable market variety, as the berries are uniformly large.

Wilson's Albany—Large, always regular, high flavor, sub-acid, prolific, vigorous grower. No variety combines more qualities. After 37 years' trial everywhere, it stands unsurpassed for market or family use.

Warfield (P)—Medium, deep crimson, sub-acid, quality good; season medium to late; foliage healthy. Resembles *Crescent*, but is an improvement upon that variety, and in some soils is very productive.

HOFFMAN.

WILSON'S ALBANY.

HAVERLAND.

VARIETIES FOR AMATEUR CULTURE.

Price 50c. per 100, unless noted.

SHARPLESS.

- Belmont**—Large, crimson, flesh firm, sub-acid, rich, high flavored, quality best; productive under high cultivation.
Big Bob—Very large, deep red, sweet; best in rich sandy land.
Eureka—Medium, round, light red, flesh pale, soft, sweet. An attractive berry; suitable to some soils.
May King—Berry medium, bright scarlet, firm; early and of best quality. We consider this one of the most promising new varieties.

Parker Earle—Large, good quality, but soft; needs high culture; mid season.

Parry—Large, good color and good quality; flesh quite firm; late.

Prince of Berries—Large, colors well; deep red, rich; quality best.

MAY KING.

TIME OF ORDERING PLANTS.

Plants cannot be supplied at the prices quoted until October, and providing the condition of the soil admits of being dug. To fill orders for plants before the last runners are well rooted entails the loss of three plants where one is secured. We therefore request our patrons not to have plants shipped until they are well rooted and the weather sufficiently cool to plant with safety. No large orders filled until after October 15th.

GRAPES.

NATIVE VARIETIES.

We have in our test vineyards upwards of 100 native varieties, and have discarded fully as many more. There is too little difference between many sorts, or merit, to entitle them to further trial. Nothing but varieties that have stood severe test are included in the following lists.

PRICE OF ASSORTMENTS—OUR SELECTION OF VARIETIES.

10 Strong Vines in 10 best varieties for table use.....	\$1 00
100 Strong Vines in 10 or 25 best varieties for table use.....	8 00

The prices quoted are for very strong and healthy vines. Special quotations will be given for lots of 1,000 and upwards.

SECTION I.

VARIETIES BELONGING TO VITIS LABRUSCA OR FOX GRAPE.

LEADING MARKET AND WINE GRAPES.

All these varieties have more or less pulp or foxiness, although in some varieties it is scarcely perceptible. Bunches generally large, berries large.

BRIGHTON—Bunches medium, berries large, reddish, skin thin; quality best; an excellent early table or market variety; vigorous. Each, 15c.; per 10, \$1; per 100, \$8.

CATAWBA—Bunches and berries large, deep red, with lilac bloom; juicy, vinous and musky flavor. Failed to yield good crops for many years, but of late seems to do better in some localities. Each, 10c.; per 10, 80c.; per 100, \$3.

CONCORD—Bunches and berries very large, blue-black, with bloom; skin thin, cracks easily; flesh sweet, pulpy, tender; quality good. Very prolific and vigorous grower. One of the most reliable and profitable varieties for general cultivation, and, next to Delaware, the most popular of native grapes. Each, 10c.; per 10, 80c.; per 100, \$3.

DELAWARE—Bunch medium, compact; berries medium; skin thin but tenacious; light red; pulp tender, vinous and sprightly; quality best; moderate grower, but vine very healthy; very prolific, and more free from disease than any variety grown; unsurpassed for table and white wine. This variety ranks as the standard of excellence. Each, 15c.; per 10, \$1.25; per 100, \$8.

DIANA—Bunches large, compact; berries large, reddish lilac, little pulp and little foxiness; sweet, very productive; ripens late, or about August 15th to 25th. Each, 15c.; \$1.25 per 10; \$8 per 100.

- IVES**—Bunches very large, berries large blue, skin thick; flesh pulpy, sweet, very musky; very vigorous grower and prolific bearer. This variety is most hardy and very popular as a wine grape. Each, 10c.; per 10, 80c.; per 100, \$3.
- MARTHA**—A white seedling of Concord; bunch and berry smaller than the parent; flesh tender, very sweet, foxy, productive, and a good market and wine grape. Each, 10c.; per 10, 80c.
- MOORE'S DIAMOND**—Large, greenish white, juicy, little pulp and of very good quality. For the past three years this variety has yielded abundantly; fruit perfect and showy. It begins to ripen very early in July, and is so far the best very early white variety we have. Exceedingly prolific. Each, 15c.; \$1.25 per 10; \$8 per 100.
- MOORE'S EARLY**—Bunch small; berry very large, round, blue-black; flesh pulpy, sweet; quality good; very early, or two weeks before the Concord. Valuable for market. Each, 15c.
- NIAGARA**—Bunch and berry large, greenish yellow; flesh pulpy, sweet, foxy. Although not of the best quality, its remarkable size and fine appearance give it much popularity as a market variety; vigorous and prolific. Each, 10c.; per 10, 80c.; per 100, \$4.
- POCKLINGTON**—Bunch and berry very large, yellow, sweet, pulpy; quality variable. In some sections it is almost worthless; in others it is of good quality, very showy, and an excellent market sort. Each, 10c.; 80c. per 10.
- WORDEN**—Seedling of Concord, which it resembles. Berries larger and ripens a little earlier. Quality very good. Each, 10c.; per 10, 80c.

SECTION II.

VARIETIES BELONGING TO VITIS COTIVALLIS or SUMMER GRAPE and VITIS RIPARIA or RIVER GRAPE.

- The varieties belonging to these classes have little or no pulp, no foxiness; berries generally small or medium, and are all excellent wine grapes.
- ELVIRA**—Pale green; skin thin; sweet and juicy; one of the most reliable grapes for the mountain regions of Georgia and South Carolina. Each, 10c.; per 10, \$1; per 100, \$3.
- GREIN'S No. 1, or MISSOURI RIESLING**—Greenish white, with a pale red tint at maturity; very tender; juicy, sweet; good quality; excellent for white wine. Each, 15c.
- HUMBOLDT**—Bunches medium, compact; berry medium, round, pale green or yellowish, sweet, juicy and good flavor; promises to become a popular variety for white wine; vine very vigorous. Each, 15c.
- RULANDER, or ST. GENEVIEVE**—Bunch small, very compact; berries small, reddish purple, very sweet; of fine quality; an excellent wine grape; vine compact and short jointed grower. Each, 15c.

SECTION III.

VITIS ROTUNDIFOLIA or VULPINA—Bullace or Muscadine Type.

This type is purely Southern, ranging from North Carolina to Texas, and of no value for the Northern or Western States. Although the Scuppernong has been known for upwards of three hundred years, it is only within a short period that its improved varieties of this type have been largely cultivated. The product is very large, and the cultivation reduced to the simplest form. Vines should be planted from 20 to 30 feet in the row, trained on arbor or trellis, and never trimmed. *All two years old, once transplanted.*

- FLOWERS**—Bunches composed of from 15 to 25 berries, which are dark black and of sweet vinous flavor. Matures end of September to end of October, or from 4 to 6 weeks later than the Scuppernong. Each, 15c.; per 10, \$1.25; per 100, \$8.
- SCUPPERNONG**—Bunches seldom ever composed of more than 8 or 10 berries; berries large, round, of a bronze color when fully ripe; skin thick; flesh pulpy, very vinous, sweet and of a peculiar musky aroma, exceedingly pleasant. A certain crop may be had annually. Vine is free from all diseases and attacks of insects, and fruit has never been known to decay before maturity. It is wonderfully prolific, and is rapidly becoming popular as a very profitable wine grape. Makes a very good sweet wine, resembling Muscat, and when properly manipulated produces an excellent sparkling wine. Each, 15c.; per 10, \$1.25; per 100, \$8.
- THOMAS**—Bunches from 6 to 10 berries; berries slightly oblong, large, of a slight violet color, quite transparent; pulp tender, sweet, of a peculiar vinous flavor; quality superior to any of the type. Maturity middle to end of August. Has but little musky aroma, and makes a superior red wine. Each, 15c.; per 10, \$1.25; per 100, \$8.

SECTION IV.

CROSSED VARIETIES.

Comprising varieties of native types crossed with European varieties of *Vitis Vinifera*, and others of crossed native types. Some of these varieties are valuable for market and extensive cultivation; others are suited to amateur collections only. *The best varieties are in large type.*

- Agawam** (Rogers' No. 15)—Large, dark red. Each, 15c.; per 10, \$1.25; per 100, \$6.

- BLACK EAGLE**—Very large, black, and of superior quality; suited for amateur culture. Each, 15c.
- BERCKMANS**—Parentage, Clinton and Delaware; first fruited in 1870. Vine as vigorous as Clinton, which it much resembles. Holds its foliage until frost. Bunch larger than Delaware, shouldered, and not as compact as those of either parent; berry one-third larger than Delaware, of same color; quality equal to that favorite variety. Maturity middle to end of July. Has seldom mildewed in our grounds since we fruited it in 1873. It has the rare and desirable combination of the extreme vigor and fertility of the Clinton with the excellence of the fruit of the Delaware. Dr. Wylie always considered this variety as one of the most promising of his seedlings. Vines have been growing and fruited in several localities North and South, and it fully sustains all what was expected from it. Each, 25c.; per 10, \$2.
- Empire State**—(Labrusca X, Riparia) (Rickett's)—Bunch large, berry medium, white, tinged yellow; flesh tender, juicy, rich, sweet, quality good. Moderate grower; very early; showy. Each, 15c.; per 10, \$1.25.
- LINDLEY** (Rogers' No. 9)—Large, red; very good. Each 10c.; per 10, \$1; per 100, \$6.
- Massasoit** (Rogers' No. 3)—Large, dark red, early. Each 15c.
- Merrimack** (Rogers' No. 16)—Large, black, very good. Each, 15c.
- Mrs. McClure**—A cross between Clinton and Peter Wylie, foliage and growth resembling the Clinton, bunch and berry medium, white and of excellent quality. Each, 20c.; per 10, \$1.50.
- Pearl**—Berry medium, white, very good. 25c.
- Rockwood**—Black, excellent quality. 25c.
- SALEM** (Rogers' 53)—Large, dark chestnut, sweet, very good. Each, 15c.; per 10, \$1.25.
- Wilder** (Rogers' No. 4)—Bunches and berries large, blue-black, good quality, good grower. Each, 15c.; per 10, \$1.25.
- Welcome** (Vinifera type)—Bunch and berry large, white, flesh tender, juicy, sweet, excellent. Each, 25c.; per 10, \$2.

FOREIGN VARIETIES FOR GLASS CULTURE.

These will be occasionally successful in the open air, but this class is unreliable. To bring them to perfection, vines must be planted and trained against a wall, or on trellis covered with a board coping, or, best of all, under glass.

Price, 1 year old, 25 cents.

- Black Hamburg**—Large, black, excellent; the standard variety for glass culture. If carefully sprayed with Bordeaux mixture as suggested on page 7, and bagged when the fruit has attained half size (giving a liberal dusting of Flowers of Sulphur before putting the bags on), we usually succeed in producing perfect bunches in open field.
- Muscat of Alexandria**—Bunches and berries very large, white, firm, with a delicious flavor. Unsuitable for open ground culture.
- Zante**—Bunch compact, large, berries large, black, excellent. Treated like Black Hamburg, a good crop of fruit is often produced.

Ornamental Department.

DECIDUOUS SHRUBS.

LIST REDUCED TO DESIRABLE VARIETIES ONLY.

We will supply 10 shrubs in 10 varieties, our selection.....\$ 1 50

We will supply 100 shrubs in 50 varieties, our selection..... 10 00

ALTHÆA FRUTEX (Rose of Sharon).

These are among our most desirable flowering shrubs, and deserve to be more extensively cultivated, as they produce their flowers in the greatest profusion during three months. The new European varieties lately introduced are nearly all of dwarf growth, and their flowers are greatly superior to the old sorts. Their colors include white, pink, purple, blue, red, violet, mottled, etc. The following are the most striking out of our very large collection. 25c. each; 10 varieties, our selection, \$2.

Amaranthus, Ardens, Amplissima, Bicolor, Boule de Feu, Cælestis, Carneæ Plœna, Comte de Hainaut, De la Reine, De la Veuve, Fastuosa, Leopoldii, Mexicana Alba, Monstruosa, Pompon Rouge, Pulcherrima Plœna, Puniceus, Pœoni-flora, Ranunculiflora, Totus Albus, Violet Clair, Buistii—With variegated leaves, small double purple flowers.

Variegata—Leaves variegated. Flowers lilac, large.

AMYGDALUS (Chinese Almond).

Sinensis Alba—White, double flowering. An exquisite shrub, covered in early spring with a profusion of snow-white flowers. 25c.

Sinensis Rosea—Flowers pink. 25c.

BERBERIS (Barberry).

Purpurea—Leaves and fruit purple. 25c.

Thunbergii—A dwarf Japanese variety, small foliage, changing to red in fall. 25c.

BUDLEYA.

Lindleyana—Profuse flowering shrub; flowers dark blue, in long spikes. 25c.

CALYCANTHUS (Sweet Shrub).

Floridus—A native species; fragrant and profuse bloomer. 25c.

Præcox, or Chimonanthus Fragens—A Japanese variety; flowers yellowish white; very early in spring; very fragrant. 25c.

Occidentalis, or Western—Flowers large, brick red. 25c.

CEANOTHUS (Jersey Tea).

Half evergreen shrubs, bearing a profusion of flowers in racemes from May until fall. Several varieties and colors. 25c. each.

CHAMÆCERASUS (Upright Honeysuckles).

Medium-growing shrubs, flowering profusely during March and April. In some varieties the flowers are succeeded by bright colored berries. 25c. each.

Fragrantissima—Flowers white or pale pink; very fragrant; blooms in February and March.

Grandiflora Roseus—Flowers pink; in April.

Ledebourii—Flowers yellow; tinted red; April; berries black.

Sempervirens—Flowers light pink.

CHILOPSIS LINEARIS (Flowering Willow).

Tall growing shrub from Southwest Texas, and which is well adapted to this climate. Leaves linear, flowers very showy in terminal racemes. Each flower is composed of a corolla-like tube divided at the end into five lobes, nicely crimped. Tube lilac; end of corolla mottled deep lilac, and two yellow stripes in centre of tube. A most valuable shrub, which blooms almost continually throughout the summer. Price 25c.

Linearis Alba—A new white flowering variety lately discovered near Laredo, Texas. 25c.

Linearis Lilacina—Tube white and lilac, lobes clear lilac, mottled and striped darker lilac, inside pure white with two yellow stripes. 25c.

Linearis Grandiflora—Upper part of tube pinkish purple; lobes suffused with white and purple blotches with yellow stripes in centre of tube. 25c.

CLERODENDRON.

Fragrans—A low-growing shrub, foliage emitting an unpleasant color when bruised; flowers pure white, like a miniature double rose; very fragrant; stems die back during winter. Blooms from July until frost. 25c.

Trichotomum, or Viscosissimus—A tall growing shrub, profuse bloomer, flowers pink, followed by dark blue berries. 25c.

CORCHORUS (Japan Kerria.)

A favorite shrub, producing double yellow flowers during spring, and often through the summer. 25c.

CRATÆGUS (Hawthorn).

Tall shrubs or small trees, producing a profusion of double flowers in April. Grafted plants 50c.

Coccinea Plœna—Paul's double crimson.

Flora Plœna—Double white.

CYDONIA JAPONICA (Japan Quince).

These are among the first spring blooming shrubs, flowers appearing before the leaves. Some varieties are of straggling growth and should be kept pruned in any form desired. Some of these produce medium size fruit which makes good jellies. 25c. each; \$2 per 10.

Aurora—Red.

Candida—White.

Cardinal—Dark red.

Japonica—Red (type).

Macrocarpa—Pale pink.

Rosea Plœna—Semi-double pink.

Versicolor Lutescens—Yellowish white.

DEUTZIA.

Crenata Fl. Pl.—Double flowering, an exceedingly handsome variety; flowers white, tinged rose. 25c.

Crenata Fl. Pl. Alba—Flowers pure white; double. 25c.

Gracilis—Flowers pure white, bell shaped, quite dwarf; is also valuable as a pot plant for winter blooming in conservatory. 25c.

ELÆAGNUS.

Edulis—A Japanese shrub, with under surface of leaves silvery. Produces edible berries. 25c.

Parviflora—From India; erect growing, leaves silvery, flowers very small, fragrant and followed with innumerable pink colored berries. 25c.

EXOCHORDA (Spirœa Grandiflora.)

A tall shrub from North China. Flowers pure white, large and produced profusely. Blooms in April. A handsome, but rather rare shrub. 25c.

FORSYTHIA (Golden Bells).

Fortune's—Grows upright; flowers bright yellow. 25c.

Viridissima—Flowers golden yellow; produced in greatest profusion early in March. 25c.

GENISTA ANDREANA.

This plant has created a sensation in Europe, where it was offered in 1892 for the first time. It is a Scotch Broom with red flowers, and has already become very popular for forcing, although the

plant is hardy here. Flowers in long bunches; ground color of corolla is golden yellow; lower petals with a deep purple border and lateral petals, crimson red. The appearance of this plant when in full bloom during April is most attractive. Strong imported plants 50c. each.

GENISTA JUNCEA (Spanish Broom).

Flowers yellow, fragrant, showy. A rush-like shrub and often leafless branches. Very ornamental. Pot grown plants 25c.

HYDRANGÆA.

HYDRANGÆA.

Strong plants 25c. each; \$2 per 10.

Section I—Hortensis Group.

(With Globose Heads).

All require a shady, and, where practicable, a rich, moist situation. The color is changeable according to soils, and varies from blue to rose color.

Hortensis Variegata—With leaves beautifully blotched white; suitable for pot culture in shade.

Otaksa—An improved variety of Hortensis; flower heads very large; pale rose or blue, according to soil.

Ramis Pictis, or Red Branched—With dark purple stems, and large heads of rose or pale blue flowers, with lighter centre. We can recommend this after 12 years' trial as a most valuable variety.

Rosea—Vigorous habit, flower heads shaped like those of Thomas Hogg, and as freely produced; color bright rosy red.

Thomas Hogg—Best white flowering variety of this group. Flowers last several weeks.

Section II—Japanese Group.

(With Cymose, or Flat Heads).

Fimbriata—With white fringed flowers.

Japonica—Outer florets pale blue, inner dark blue.

Imperatrice Eugénie—Pale blue.

Stellata Prolifera—Outer florets pale rose, centre darker.

Section III—Japanese Group.

(With Heads in Panicles).

Paniculata Grandiflora—Produces immense panicles of pure white flowers, which last for several weeks.

HYPERICUM (St. Johnsworth.)

Low spreading shrubs, with bright yellow flowers. 25c. each.

Androsenum—Blooms early.

Multiflorum—Very profuse bloomer.

Patulum—A profuse blooming Japanese variety.

INDIGOFERA DOSUA.

Low growing shrub, with pinnated leaves; flowers small, in purplish spikes. 25c.

LAGERSTREMIA (Crape Myrtle.)

Indica Alba—White; a desirable variety; blooms when 18 inches high. 25c.

New Crimson—Vivid crimson. 25c.

LILAC.

See Syringa.

LONICERA BELGICA.

Belgian honeysuckle, of bushy growth, flowers pink, profuse bloomer, excellent. 25c.

LYCIUM (Matrimony Vine).

Barbarum—A shrub with slender branches and small purplish flowers. In autumn it is covered with bright orange red berries. 25c.

Chinense—Differs from above in stronger growth. 25c.

MAAKIA AMURENSE.

A new shrub from the north of Asia, resembling "Yellow Wood" or "Virgilia Lutea" in general characteristics. Flowers white. 50c.

NEVIUSIA ALABAMENSIS.

A very scarce native shrub, with alternate leaves and spreading branches. Belongs to the rose family; flowers white, showy in April. 25c.

PHILADELPHUS (Syringa, or Mock Orange.)

Coronarius—White, fragrant. 25c.

Primulæflora—Flowers white, semi-double. 25c.

POINCIANA GILLESSII.

Produces large heads of lemon colored flowers, with long scarlet stamens; free bloomer; grows ten feet. 25c.

PRUNUS MUME—*Japan Apricot Plum.*

Produces an abundance of small double rose colored flowers in February and March. 25c.

PRUNUS TRILOBA—*Double Flowering Chinese Plum.*

Flowers very double, of bright pink, thickly set on long slender branches. Blooms in April. 25c.

PUNICA GRANATUM (Pomegranate.)

25c. each.

Alba—Double white.

Legrelli, or Variegata—Double flowering, variegated; very handsome.

Nana—Dwarf, single flowering; fruit acid.

Rubra—Double red.

PYRUS SALICIFOLIUS (Willow-leaved Pear.)

Of medium growth and weeping habit; leaves narrow, silvery, very ornamental. Trees grafted on three feet stems. 50c. each.

RHODOTYPUS KERRIOIDES.

A Japanese shrub, growing 6 to 10 feet, with single white flowers; profuse bloomer. 25c.

RHUS COTINUS (Venetian Sumac, or Smoke Tree).

A tall growing shrub, producing curious hair-like flowers, resembling mist. 25c.

STAPHYLEA PENNATA (Bladder Nut).

A tall growing shrub, with panicles of white flowers in spring, followed with bladder-like pods. 25c.

SPIRÆA.

Very desirable shrubs, of medium or dwarf growth. 25c. each, \$2 per 10.

SPRING BLOOMERS.

Prunifolia (Ladies' Wreath)—Flowers small, pure white, very double; produced in great profusion upon long, slender branches; blooms very early in spring.

Reevesii Fl. Pl. (Reeves' Double)—Large, round clusters of double white flowers covering the whole plant. Follows the Prunifolia.

Thunbergii—Dwarf, flowers white; very early in spring. This variety is suitable for a low hedge for cemetery lots. \$10 per 100.

Van Houttei—Large white flowers.

PERPETUAL BLOOMERS.

Billardii—Flowers in spikes, deep pink.

Bumalda—Of very dwarf growth; flowers deep pink in umbells and variegated foliage.

Callosa Alba—Flowers white, of dwarf growth; very neat and desirable.

Callosa Macrophylla—Leaves very large, growth robust, flowers red in umbells.

Callosa Superba—Flowers pale pink in umbells.

Fontenaysi Alba—Resembles Billardii, but with spikes of white flowers.

Lindleyana—Flowers white in umbells.

STEPHANANDRA FLEXUOSA.

A Japanese shrub allied to Spiræa; flowers white, in panicles; blooms in May. 50c.

STYRAX VIRGINICA.

Flowers white, bell shaped in spring. 25c.

SYMPHORICARPOS.

25c. each.

Glomerata Texana—A form of the Indian Currant, of more compact growth; berries larger.

Glomerata Variegata—Leaves finely variegated.

Racemosa (Snowberry)—Produces large white berries, hanging on the plant throughout part of winter.

SYRINGA (Lilac).

25 cents each, \$2 per 10.

Among our most valuable early spring blooming shrubs; succeeds best in strong soils. The following are all desirable and distinct sorts:

Charles X—Reddish purple; best sort for forcing.

Colmarensis—Pale blue.

Common Purple.

Common White.

De Croncels—Carmine red while in bud, opens lilac.

Gloire de Moulins—Rosy lilac, long panicles.

Rouge de Trianon—Reddish lilac.

Rouge de Marly—Red.

Rubra Major—Reddish lilac, large panicles.

Ville de Troyes—Dark purplish lilac.

Virginalis—Pure white.

NEW DOUBLE VARIETIES.

All grafted plants at 25c. each.

La Tour d'Auvergne—Violet purple.

Lemoneii—Reddish purple.

Le Gaulois—Dark peach color.

Mathieu de Dombasle—Reddish mauve.

The new double varieties are especially desirable, both for their beautiful flowers and the length of their blooming period.

SYRINGA JAPONICA (Japanese Lilac).

A new species from Japan, and found there in the Northern Islands. It grows to a tree of 15 to 20 feet in height. Flowers creamy white, in long thyrses, flowering during mid-summer. 25c. each.

SYRINGA VILLOSA.

Another new species from Japan; foliage resembling our native *White Fringe*, or *Father Grey-beard*. Flowers rosy pink, free bloomer; blooms later than the ordinary European sorts. 25c. each.

SYMPLOCOS CRATÆGEOIDES.

A Japanese shrub, bearing white flowers in panicles; blooms early in the spring. 25c.

TAMARIX.

Tall growing shrubs, with slender branches and small delicate leaves, which resemble the Cypress. Flowers small, pink, produced in great abundance. 25c. each.

Gallica—Foliage light, glaucous green; flowers pink in summer.

Plumosa or Japonica—Of medium height; foliage very graceful and feathery; a fine new plant.

VIRGILIA LUTEA or CLADRASTIS TINC-TORIA (Yellow Wood).

A native shrub of tall growth, but quite rare; flowers white in paniced racemes; produced during May. 50c.

VIBURNUM (Snowball).

Dilatatum—A new Japanese sort, with cymes 4 to 6 inches in diameter; flowers white in spring. 50c.

Lantana—Tall growing shrub, with downy leaves; flowers white, followed by clusters of dark colored berries. 25c.

Opulus—Produces large globular clusters of white flowers; a favorite old shrub. 25c.

Plicatum—Of dwarf habit; flowers very large, white, with salmon pink tint; foliage distinct; very desirable. 50c.

VITEX.

Agnus Castus Latifolia (Chaste or Sage Tree)—Grows 20 feet in height; forms a good shade tree; flowers dark blue, in spikes, of a spicy fragrance. South of Europe. 2 to 3 feet, 25c.; 6 and 8 feet, 50c.

Alba—With pure white flowers. 25c.

WEIGELIA.

Profuse blooming shrubs; very desirable. 25c. each.

WEIGELIA.

Abel Carriere—Red.

Amabilis Alba—Flowers white; turns pink soon after opening; blooms in spring and fall.

Candida—Pure white, excellent.

Dr. Baillon—Dark red.

Rosea Variegata—With variegated foliage; dwarfish habit, and an exquisite bloomer.

DECIDUOUS TREES.

We carry in stock a large assortment of trees suitable for shade, streets, parks, avenues, etc. Special quotations will be given for large quantities.

ACER (Maple).

Dasycarpum (*White or Silver Maple*)—A native species from the Northern States, but succeeding admirably South. One of our most desirable and rapid growing shade trees. Foliage bright green and silvery white beneath; comparatively free from insect depredations. It attains a height of 40 to 50 feet.

Trees 4 feet high, 25c. each, \$2 per 10.

Trees 6 to 7 feet high, 50c. each, \$4 per 10.

Trees 10 to 12 feet high, \$1 each.

Weir's Cut leaved—A distinct variety of the Silver Maple, with leaves finely cut. Rapid growth and slender drooping shoots. Grafted trees 75c. each.

NEGUNDO, or *Negundo Fraxinifolium* (*Ashleaved Maple* or *Box Elder*.)

Of rapid growth and irregular spreading habit; foliage resembling the Ash. 4 to 5 feet, 50c.; 6 to 7 feet, 75c.

Platanoides (*Norway Maple*)—An European species, of compact and rapid growth; foliage deep green, shining; a most desirable shade tree. 4 to 5 feet, 50c.; 6 to 7 feet, 75c.

NOTE.—The above four varieties are the most desirable of the genus. We have tried upwards of 20 other sorts, but all proved undesirable. The variegated leaved varieties are beautiful in early spring, but soon lose their yellow and red markings, and usually drop their foliage in May. The Japan Maples seldom retain the exquisite colors of their foliage after May, and unless planted in a rich, moist and partly shaded situation, soon change to a dull green tint. These handsome small trees are undesirable for the Southern States, but give better results in the mountains of North Carolina.

BETULA (Birch).

Cutleaved Weeping—A conspicuous variety, with finely cut leaves and graceful drooping branches. Grafted trees, 4 feet, 50c.

Nettleleaved (*Urticifolia*)—Of slender growth and irregularly cut leaves; a handsome tree. 50c.

FRAXINUS (Ash).

American White—A desirable native shade tree. 4 to 6 feet, 50c.

European White—A lofty tree of rapid growth, with spreading head. 4 to 6 feet, 50c.

IDESIA POLYCARPA.

A large and rapid growing Japanese tree; foliage broad and handsome. Valuable. 50c.

MAGNOLIAS.

CHINESE VARIETIES.

All the Chinese varieties produce their flowers in early spring, before the leaves appear.

Conspicua, or Yulan (Chinese White)—Flowers pure white. \$1.50 to \$2.

Lennei—A seedling of *M. Purpurea*, producing very large, dark purple flowers in spring and sometimes during summer and fall; very handsome. \$2 each.

Purpurea (Chinese Purple)—Of bushy growth; flowers purple. 50c.

Soulangeana (Chinese Hybrid)—Flowers white and purple; very fine. \$1.50 to \$2 each.

AMERICAN VARIETIES.

Acuminata (Cucumber Tree)—Of rapid growth and fine shape. 50c.

Macrophylla—Immense leaves, flowers white, fragrant. 50c.

Tripetela (Umbrella Tree)—Leaves large, flowers white. 50c.

TEXAS UMBRELLA.

PAWLONIA IMPERIALIS.

A rapid growing tree, with very large leaves, and in early spring bears large panicles of light blue flowers; very fragrant; an excellent shade tree. 50c.

PEACH DOUBLE FLOWERING.

Beautiful in early spring. Trees attain a height of 12 to 15 feet.

Double Crimson, }
Double Pink, } Each 15c.
Double White, }

NEW DOUBLE FLOWERING PEACH "CHRYSANTHEMUM."

See page 17. 50c.

PYRUS SPECTABILIS (Chinese Crab Apple).

A small size tree, producing double pink flowers. 20c.

PRUNUS PISSARDII (Persian Purple Leaf Plum).

The most valuable of all purple leaved trees. It retains its deep color throughout our warmest weather and its leaves until mid-winter. We cannot too highly endorse it. 25c.

SAPINDUS MARGINATUS (Soap Berry.)

A native tree from the Southern coast belt; of rapid growth and with pinnate leaves; flowers white, followed by bright yellow berries, which are retained through the winter. 50c.

SALISBURIA.

SALISBURIA ADIANTIFOLIA (Maiden Hair Tree).

A rapid growing tree, with curious fan-like foliage, erect habit; valuable for avenues and streets. Several sizes, from 25c. to \$1 each.

SALIX (Willow).

Annularis, or Ring Leaved—Of rapid growth, erect, and with leaves singularly curled like a ring. 25c.

Babylonica (Common Weeping)—A valuable tree. 25c.

SOPHORA JAPONICA.

A medium sized tree, with pinnated foliage, yellow flowers, bark glossy green. A desirable tree. 3 to 4 feet, 25c.; 6 to 7 feet, 50c.

TEXAS UMBRELLA TREE.

Melia Azedarach Umbraculiformis—A sub-variety of the China Tree. It assumes a dense spreading head, resembling a gigantic umbrella and of unique appearance, and a most desirable shade tree of rapid growth.

1 year, 3 feet, 15c. each; \$1.25 per 10.

2 years, 4 feet, 25c. each; \$2 per 10.

VITEX AGNUS CASTUS (Sage Tree).

An excellent and handsome medium size tree; 6 to 8 feet, 50c.

Broad Leaved Evergreen Trees and Shrubs.

10 Plants, our selection of varieties.....	\$ 4 00
100 " " 50 varieties.....	25 00

With but few exceptions all the plants are grown in pots, thereby securing safety in transplanting, and enabling us to ship with less danger of loss from removal.

ABELIA RUPESTRIS.

A small shrub, with numerous pale pink tubular flowers. 25 to 50c.

ANDROMEDA JAPONICA.

A new compact variety, attaining a height of 4 to 5 feet. Flowers in racemes, white slightly tinted pink. Early in spring the plant is literally covered with flowers and is most striking in appearance. It thrives best in rich moist soil and is very hardy. It is also very valuable for forcing under glass, as its flowers are exceedingly desirable for floral decorations. Imported plants, large sizes, \$1.

ARBUTUS UNEDO (Strawberry Tree).

Attains a height of 15 feet. Foliage dark glossy green, flowers white, bell-shaped, blooms early in the spring, and produces bright scarlet, edible fruit. 25 to 50c.

ARDISIA CRENATA.

A dwarf growing shrub, with dark shining leaves. Its beauty consists in a profusion of very showy berries, which are retained during winter and until May. Succeeds best in a shady situation near a building. Is hardy here and southward.

Rubra—With red berries, 50c.; without berries, 25c.
Alba—With white berries, 50c. each; without berries, 25c.

AUCUBA (Gold Dust Tree).

This genus contains both male and female plants; if latter are planted near the male plants they produce a profusion of red berries which make these plants very attractive; succeeds best in a shady situation. 25c. each; 5 varieties, our selection, \$1.

Hymalaica—Leaves green, sinuated.

Japonica (male)—Leaves spotted yellow.

Longifolia (female)—Leaves narrow, green.

Macrodontha (male)—Leaves broad, green.

Picta (female)—Leaves broadly variegated.

BERBERIS.

Fortunii (Fortune's Barberry)—Foliage long, flowers yellow; a low growing shrub. 25 and 50c.

Japonica—This splendid plant thrives best in a shady situation, as on the north side of a house; foliage very broad, with five pairs of leaflets, flowers yellow, in long spikes during February and March, followed with dark purple berries; a magnificent shrub. 25c.; large plants, 50c.

BUXUS (Tree Box).

25 to 50c., according to size.

Argentea—Silver leaved.

Argentea Elegantissima—Silver leaved, tall growth.

Communis—Common; one of the best for hedges. \$10 and \$15 per 100.

Japonicum Aureum—New Japan Gold leaved.

Japonicum Argenteum—Japan Silver leaved.

Olæfolia—Long narrow leaves.

Pyramidalis Aurea—Upright.

The Tree Box requires clay; they will not thrive well in a sandy soil.

CHAMÆROPS FORTUNII.

CHAMÆROPS FORTUNII (Chinese Fan Palmetto).

This is the hardiest of all exotic Palms, and can stand a cold of several degrees below freezing. It

is of graceful habit and very ornamental. No garden should be without it. Thrives best in rich soil, and if planted where partly shaded from the mid-day sun its foliage assumes a brighter tint. Few Palms are more desirable for decorating apartments or piazzas, as it can stand more rough handling than any other variety. Our stock of plants is very large. We believe that its introduction as a garden tree will soon become general throughout the cotton belt.

	Each.	Per 10
Plants 10 to 12 inches high....	25	\$2 00
Plants 15 to 18 inches high....	50	4 00
Plants 24 inches high.....	\$1 00	7 50
Plants 3 feet high	2 00	

CLEYERA JAPONICA.

A shrub of medium height; foliage very glossy, flowers creamy white; produced in greatest profusion during June, and delightfully fragrant, rivaling in this the popular *Tea Olive*. The flowers are followed by red berries, which are retained all winter. 25 and 50c.

COTTONEASTER.

Simondsii—Grows 4 to 6 feet high; foliage small, glossy; flowers white, followed by red berries, which are retained during winter. 25c.

Wheelerii—Low growing variety of trailing habit; desirable for rock work, slopes, etc.; produce a profusion of berries. 25c. each.

ELÆAGNUS (Japan Oleaster).

Frederici Variegata—A dwarf shrub with undulated leaves, bright yellow centre, margined green; quite new. 50c.

Japonica Macrophylla—Leaves very large, undulated, clear green on upper side, silvery white on underside; a showy shrub. 50c.

Pungens Variegata—Leaves margined white. 50c.

Pungens Maculata—Leaves with broad yellow blotches. 50c.

Reflexa—Rapid growing shrub, with long, flexible branches, suitable for training in various shapes, as arbors, etc.; foliage glossy, flowers small, fragrant. 25c.

Reflexa Aurea—With golden variegated leaves, and of more bushy habit of growth. 50c.

Simoni—Foliage elongated; silvery on underside, of compact growth. 25c.

ERYOBOTHRYA JAPONICA (Japan Medlar or Loquat).

A highly ornamental tree, with broad leaves; blooms during February; seldom perfects fruit here; productive on the coast and in Florida. Two-years-old plants, 25c.

Giant—This differs from the above in its foliage, which is quite distinct. Fruit is said to be also much larger, but so far has not fruited here.

Grafted plants from imported trees, one year, pot grown, 50c.

Seedling plants from imported seed, one year, pot grown, 25c. each; \$2 per 10.

ESCALLONIA MONTEVIDENSIS.

Profuse blooming shrub, flowers white in umbels; produced during summer; a showy shrub. 50c.

GARDENIA (Cape Jasmin).

All pot grown. 25c. each; \$2 per 10.

Florida—Flowers very large, white and very fragrant; foliage glossy.

Fortunii—Flowers larger than Florida.

Radicans—Dwarf, trailing, foliage smaller than above, flowers white; very fragrant.

Radicans Marginata—Very dwarf, leaves edged silver.

Japonica—Similar to Florida, but with single flowers, which are succeeded with scarlet fruit, which is retained all winter.

Japonica Variegata—A distinctly variegated variety, introduced from Japan by ourselves.

HELIANTHEMUM, or CISTUS ALGARVENSE (Rock or Sun Rose).

A fine compact evergreen shrub, thriving in any soil. During May and June it produces a great profusion of large white flowers, with a dark purple spot upon each petal; one of the most showy and desirable shrubs. 25c. each.

ILEX (Holly).

We have a large collection of these desirable plants, which are conspicuous by the various forms and coloring of their foliage. Any ordinary soil suits these, and a group of a few of the most distinct sorts forms a pleasing feature in a garden. We offer 10 varieties, all grafted and imported plants, 8 to 10 inches high, at 50c. each, or \$4.50 per 10.

ILICIIUM ANISATUM (Anis Tree).

The leaves, when bruised, give a pungent anis odor; fine ornamental tree. 25 and 50c. each.

JASMINUM.

Fruticans—Large spreading shrub, with yellow flowers. Further south it grows to a small tree. 25c.

Reevisii } Shrubs with fragrant yellow
Triumphans, } flowers. 25c.

LAURO-CERASUS (English Laurel).

	Each.	Per 10.
2 years old, from open ground.....	25c.	\$2
3 and 4 years old, from open ground	50c.	\$4

These are valuable shrubs; their principal merits are great vigor, beautiful broad shiny foliage, of easy cultivation and thriving in any ordinary good soil. For massing or single specimens few plants possess more advantages.

Laurocerasus (English Laurel)—Foliage broad; light green.

Bertini—Foliage very broad.

Colchica—Foliage dark green.

Cameliæfolia—Leaves recurved.

Rotundifolia—Leaves broad, round.

LAURO-CERASUS LUSITANICA (Portugal Laurel).

With narrow leaves and compact growth; a very desirable plant. All pot grown, 3 years, 25c.; 4 years, 50c.

LAURUS (Laurel).

Nobilis—Apollo's or Spice Laurel; leaves very aromatic. 50c.

Regalis (*Oreodaphne Californica*, or California Laurel)—Leaves narrow, glossy, and with a spicy fragrance. 50c.

LIMONIUM TRIFOLIATUM.

LIGUSTRUM (Privet).

Amurense—From Amoor river; very rapid and compact grower; foliage small; no finer hedge plant is grown. Plants are also desirable for single specimens or for wind breaks; for latter, plant 8 to 10 feet apart. 25c. each. [See under head of "Hedge Plants," page 43.]

Coriaticum Volutum—A variety with broad recurved leaves, of dwarf and unique growth. Grafted plants 50c.

Ibota—New Japan Privet, with glossy orange-like leaves. 25c.

Italicum—With erect branches and broad leaves; compact growth. Blooms from April till mid-summer. 25c.

Nepalensis (Nepaul)—Dwarf habit, leaves more oval than Japonica, panicles of white flowers, berries purple brown, long. 25c.

Robustum Aureum—Of very vigorous and compact growth; leaves large, handsomely variegated yellow. 25c.

LIMONIUM TRIFOLIATUM, or CITRUS TRIFOLIATA.

A hardy variety of Lemon. [See under head of "Miscellaneous Fruits,"] As an ornamental flowering plant, few are more desirable. The plant grows to a height of 10 to 15 feet, is very bushy and thorny, foliage trifoliate, retained quite late, but here not an evergreen. Flowers appear in great profusion early in spring, and a second and third crop is produced during summer. The bright golden fruit is retained during winter, and makes this plant a showy garden feature. 25c.

MAGNOLIAS.

ALL POT GROWN.

Grandiflora—The king of the Southern broad-leaved evergreen trees; needs no description. 1 foot, 50c.; 2 feet, 75c. We can also supply

plants from open ground. 12 inches, 25c.; 24 inches, 50c.; 36 inches, 75c. each. To lessen liability of loss from transplanting, all leaves should be cut off.

Grandiflora Gloriosa—A variety of Grandiflora, with flowers of immense size, often 12 inches in diameter; foliage large and bronze underneath; a magnificent tree. 2 years grafted plants, \$1; 1 year, 50c.

Fuscata (Banana Shrub)—Dwarf growing; in April or May it is covered with a profusion of small flowers, exhaling a most exquisite fragrance, similar to a ripe Banana; a great favorite. 8 to 10 inches, 25c.; larger plants from 50 to 75c.

MESPILUS (Cratægus).

Pyracantha Lalandi—A new sub-variety of the Evergreen Thorn, or Burning Bush. Its merit consists in producing a great profusion of bright orange berries, which are retained during winter; a conspicuous plant. 25c.

METROSIDEROS SPECIOSA (Bottle Brush).

A handsome shrub; flowers scarlet in crowded spikes; blooms more or less during the summer. Should be planted where protected from cold winter winds. Small plants 25c.

MYRICA RUBRA (Japan Mountain Peach).

(Seibold and Zuccarini).

A small evergreen tree with oblong lanceolate and serrated dark green leaves; grows especially in the mountains of Southern Japan, where it is named *Yamamomo* or *Mountain Peach*. Fruit blossoms appear in early spring and the fruit ripens in July. Fruit resembles in shape a firm blackberry, 1 inch long by $\frac{3}{4}$ inch in diameter, and contains a single hard seed or stone. When fully ripe it is pleasantly acidulated and juicy. It is used as a dessert fruit or for jellies and for making a fermented drink. There are dark red and light rose fruited varieties. The bark is used for dyeing a fawn color. Altogether this is said to be an exceedingly ornamental tree, extensively planted in Japan both for ornament and fruit, and will doubtless prove a desirable addition to our hardy evergreens. Plants seem to be difficult to obtain in Japan, because they are seldom propagated, and chance seedlings are depended upon. We have succeeded in growing a limited quantity of plants which we offer from 3-inch pots. 50 cents each.

NERIUM (Oleander).

Plants from 2½ inch pots, 25c. each; \$2 per 10. Larger, 50c. each; \$4 per 10.

Double White—Flowers semi-double in young plants, becoming more double in proportion as plants grow older.

Cardinal—Dark red, semi-double.

Single White—One of the most valuable of the genus. Flowers pure white, produced in great profusion, and during nearly the whole summer. Plant of more hardy constitution and stands more cold than the double sorts.

Splendens—Old double pink, best of its color.

NERIUM, with Double and Treble Corollas.

25c. each; \$2 per 10.

The flowers differ in shape from the above in having two or three funnel-shaped Corollas inserted, one within the other. The great advantage of these varieties consists in the flowers falling off when passed through their freshness and thus relieving the plant from unsightly dried flowers, as in the older varieties.

Gilbert Bravy (Treble Corolla)—Lilac rose, white stripe, lower corolla earmine.

Henri Mares (Treble Corolla)—Delicate rose, edged lilac and white stripe.

Marcel (Treble Corolla)—Rose, washed deeper rose and white stripes.

Mme. Leon Brun (Double Corolla)—Lilac rose, lower corolla carmine.

Savort (Double Corolla)—Deep lilac carmine.

Neriums are not hardy in this latitude unless planted in exceptionally favorable situations. Plants should be either grown in tubs or lifted from open ground before very cold weather.

OLEA FRAGRANS (Tea Olive.)

One of our most desirable and popular shrubs; flowers white, small, but of exquisite fragrance, and blooms nearly all winter. Several sizes. 25 and 50c.

OLEARIA.

Dentata—An Australian evergreen shrub, with cordate crenate leaves. Flowers rosy white in terminal corymbs and densely tomentose; blooms in spring. 50c.

Haasti—From New Zealand. Flowers white, numerous, in sub-terminal corymbose hoary cymes. Blooms in summer; leaves one inch long, ovate-oblong; branches more or less hoary. A newly introduced shrub, which is quite hardy here. 50c.

OSMANTHUS.

Plants allied to *Olea Fragrans*, but with prickly toothed leaves.

Aquifolium (Holly-leaved)—Leaves dark green; grows 12 to 15 feet; flowers white like *Olea Fragrans*, but produced upon old plants only. 25 and 50c.

Aquifolium Aureum—Foliage mottled gold, of dwarfer growth than those above. 25 and 50c.

Aquifolium Argenteum—Leaves beautifully variegated silvery white; a fine plant. 25 and 50c.

PHOTINIA SERRULATA.

Dark glossy leaves, flowers white, in large heads; makes a showy, tall growing shrub, or medium sized tree; blooms in spring. 25 and 50c.

PITTOSPORUM TOBIRA.

A fine shrub, which is well adapted for trimming in fanciful shapes; flowers fragrant. 1 foot, 25c.; 2 to 3 feet, 50c.

Variegata—Variegated leaves; a most showy and desirable shrub. 25c.; larger 50c.

QUERCUS SUBER (Cork Oak).

A valuable shade tree, growing in comparatively poor soil. Trees grown in open ground do not transplant successfully. Our trees produced acorns for the first time in 1890. We offer 2 years old plants from 4-inch pots at 50c. each.

RUSCUS ACULEATUS (Butcher's Broom).

A dwarf evergreen, with acute or spiny leaves, and producing numerous red berries, which are retained during winter. 25c.

THEA BOHEA (Chinese Tea Plant).

A beautiful shrub, with large white flowers and yellow anthers, giving it much resemblance to Single Camellia. 25c.

THEA BOHEA.

VIBURNUM.

Odoratissimum (Chinese)—Fragrant; broad leaves and compact shrub; flowers white. 25c.

Tinus, or Laurustinus—A popular white flowering shrub; blooms profusely. 25c.

Suspensum—Flowers creamy white, resemble the *Trailing Arbutus*; blooms early in spring; of low growth. 25c.

AZALEA INDICA.

These beautiful shrubs are perfectly hardy in this latitude; but succeed best in a somewhat shady situation, and in a light soil containing an abundance of leaf mould. They are of the greatest value for all purposes, either for massing or as single specimens in open ground, or for the decorating of conservatories or rooms.

If plants are grown in pots they should be re-potted after flowering and before the new growth begins. Keep the plants sheltered for a few days and then plunge the pots in open ground in a shady situation, or they may be planted in an open border and kept shaded.

If plants are required for winter blooming in conservatory, they should be lifted and re-potted before very cold weather and kept in a cool greenhouse. By judiciously selecting the varieties a continuous supply of flowers may be had from January until May.

Azaleas are liable to attacks of red spider and thrips, especially if plants are allowed to suffer from want of proper watering. Daily syringing plants kept under glass will aid in eradicating these pests.

Potting soil should be composed of half peat and part leaf mould and good loam; abundant drainage must be given.

We have upwards of one hundred varieties in our collection. The colors include pure white, all shades of crimson, scarlet, purplish, salmon, and with exquisite variegations, mottlings, stripes, blotches, etc., etc. Single and double flowers.

We grow Azaleas in very large quantities, and annually add all the new European varieties. All our plants are grown in open ground during summer, and lifted in October, when they are in most healthy condition. Plant in March if intended for open ground.

PRICES OF PLANTS. HOME GROWN.

- 8 to 10 inches high, with flower buds, 25c. each; \$2 per 10.
- 12 to 15 inches high, with flower buds, 50c. each; \$4 per 10.
- Collections of 50 plants in 50 varieties, 8 to 10 inches. \$9.
- Collections of 50 plants in 50 varieties, 12 to 15 inches, \$15.

IMPORTED PLANTS.

We can also supply *Plants imported from Europe*. These are all grafted, are trained to heads and well set with flower buds.

Colors range from pure white to all the shades of red, with variegations and peuciliings. Single and double.

Prices, 10 to 12 inches high, \$1 to \$1.50 each.

CAMELLIA JAPONICA.

We have in stock upwards of 15,000 plants from two to three years old. All are in thrifty condition and include the best varieties in the trade. Our specimen plants, which are all grown in open ground, are from 3 to 12 feet high, and consist of 150 varieties. We have therefore excellent opportunities of testing their relative merits. For *open ground* we cannot too highly recommend the *semi-double* varieties, which produce a wealth of flowers and are of vigorous habit. For growing in conservatories the *Imbricated* and *Ranunculeiform* varieties contain the most perfect flowers.

Camellias are hardy in this section, but much further north they should be treated as conservatory plants.

For open ground. A partially shaded situation, especially where protected from the cold winds of winter, is the most desirable. Any good garden soil is suitable, but if mixed with leaf mould better results may be expected.

The best seasons for transplanting are from early October to beginning of November, and from end of February to end of March.

For Conservatories. Use a potting compost of peat, leaf mould and good loam, give ample drainage; when in growth they require an abundance of water, and frequent syringing of the foliage. When dormant, water sparingly and keep in cool temperature. Fire heat is not needed except during excessive cold weather, which would injure expanding buds. *Dropping* of buds is caused from plants becoming too dry and overwatering, or being kept under high temperature under glass.

The colors range from pure white to all shades of red, from a very pale pink to darkest crimson, and with flowers combining exquisite variegations, peucillings, mottlings, etc.

☞ Plants with flower buds are usually in stock until January 1; after that date only a portion of the varieties can be supplied with buds.

For distant carriage there is more or less risk of losing the buds while in transit.

PRICES OF PLANTS. HOME GROWN.

	10 Inches, single stem, without buds.	12 In., branched, with and without buds.
Double White.....	50	\$1 00
Colored Varieties.....	30	50
Collection of 10 varieties, our selection.....	\$2 50	4 00

IMPORTED PLANTS.

	12 inches high.	18 inches high.	20 inches.
Double White.....	\$1 00	\$1 50	\$2 00
Colored Varieties.....	1 00	1 25	1 50

We can supply a limited number of specimen plants at from \$3 to \$5 each.

CLIMBERS.

Price, except where noted, 25c. each; 10 varieties, our selection, \$2.

ABUTILON VEXILLARUM.

A good climber, flowers red and yellow; profuse bloomer and quite hardy. 15c.

AKEBIA QUINNATA (Five-leaved Akebia).

A Japanese climber with reddish brown flowers in early spring.

AMPELOPSIS JAPONICA (Japan Ivy). 15c. each.

Beautiful deciduous climber of very rapid growth; eminently suitable for covering brick walls, stumps, etc.

Royalii—A sub-variety with larger leaves.

AMPELOPSIS BIPINNATA TRICOLOR.

A handsome form of our native variety with variegated leaves.

ARISTOLOCHIA ELEGANS.

One of the best summer climbers; of rapid and dense growth. It bears profusely from July until frost, has handsome and elegant flowers of a rich dark color. Stems die back in winter, and roots should be covered with straw during excessive cold weather.

BIGNONIA (Japan Trumpet Vine).

Grandiflora—Superb climbers, flowers very showy, deep orange; blooms nearly all summer.

Atrosanguinea—Dark blood red flowers.

HEDERA (Ivy).

Algeriensis—With very large leaves.

Hibernica—Irish. 15c.

Conglomerata—New, with narrow leaves and compact growth.

Aurantia—Leaves triangular and three-lobed; greyish green with lighter shade; yellow berries.

The above succeed quite well here, while few of the varieties cultivated further North are of any value for this climate.

WISTARIAS—Purple, white and double blue.

JASMINUM.

Officinalis—Flowers white, fragrant.

Reevesii—Yellow.

JASMINE DOUBLE CAROLINA (Gelseminum).

See heading.

A sub-variety of the native species with double flowers, which are produced in great profusion in early spring and more sparingly in the fall. If grown in a conservatory flowers are produced nearly all winter. Strong plants 25c. each; \$2 per 10.

ARISTOLOCHIA ELEGANS.

LONICERA (Honeysuckle.)

Aurea Reticulata—Golden netted; a remarkable variety; leaves bright green, beautifully netted all over with golden veins, leaves and stems changing to bright crimson in the autumn; a beautiful plant.

Belgica (Belgian)—Pink flowers, very sweet, profuse, and almost perpetual bloomer. Can also be trained as a bush.

Coccinea Brownii—Scarlet trumpet.

Sinensis (Chinese)—Evergreen, flowers white, turning yellow; very fragrant.

MATSEA GLABRA, or MANETIA.

A rapid growing climber, with scarlet tubular flowers, produced in great profusion. The stems are killed every winter; the roots require a covering of leaves in winter. 15c. each.

PASSIFLORA.

Arc-en-Ciel—Flowers large, centre white and citron colored, with outer circle dark; a rapid grower; an excellent plant.

Constance Elliott—Similar in habit to above, but flowers pure white.

PERIPLOCA GRÆCA (Grecian Silk Vine).

Rapid grower, flowers purple.

RHYNCOSPERMUM.

Jasminoides (African Jasmine)—Evergreen, with white fragrant flowers in April and May; a valuable, hardy climber. 25c.

Variegatum—With variegated leaves. 25c.

ROSES.

Several varieties of Noisette. 25c. (See under head of "Roses.")

SOLANUM JASMINOIDES (Potato Vine).

Free blooming and rapid grower; flowers white; evergreen.

Grandiflorum—A new variety of more bushy habit; flowers larger, and produced in numerous large racemes.

WISTARIA. (See cat, page 41).

Sinensis Purpurea—A beautiful climber, producing in early spring large clusters of purple pea-shaped flowers; a vigorous grower.

Sinensis Alba—A white flowered variety; beautiful.

Sinensis Fl. Pl. (Double Purple)—A double variety; rather shy bloomer.

Frutescens Magnifica—Flowers in long tassels, pale blue; blooming later than the Chinese varieties, and also producing flowers during the summer; extremely vigorous.

Multijuga—Light purple flowers; racemes from 18 to 24 inches long; loose.

RHODODENDRONS.

[Mountain Laurel].

IMPORTED PLANTS.**HYBRID VARIETIES OF CATAWBIENSE.**

These shrubs are perfectly hardy, as the type is indigenous to the mountains of Georgia and North Carolina. They require a shady situation and a soil rich in leaf mould. Never plant these in places where exposed all day to direct sunshine. We offer only grafted plants, which we import annually from Europe. These plants are much superior to the seedlings in the size of clusters and the greater variety of colors, which range from pure white to pink, crimson and purple; 25 varieties. Price of grafted plants, 2 and 3 years, with flower buds, \$1 to \$1.50 each; without flower buds, 75c. to \$1.50.

Ponticum (Seedlings)—From Asia-Minor, and can be grown more successfully further south than the Catawbiense class. Flowers vary more or less in shade of color, and range from pink to purple. 3 years old, 50c. each; \$4 per 10. Blooming size, \$1 each; \$7.50 per 10.

RHODODENDRON.

HEDGE OF AMOOR RIVER PRIVET AT FRUITLAND.

ORNAMENTAL HEDGE PLANTS.

ARBOR VITÆ.

Intermedia—Seedling of Chinese Golden, 3 years; once transplanted, per 10, \$1; per 50, \$4; per 100, \$8.

BUXUS COMMUNIS (Tree Box).

10 to 12 inches, \$5 per 50; \$10 per 100.

CAPE JASMINE.

8 to 10 inches, from 3 inch pots, per 50, \$5; per 100, \$10.

12 to 15 inches, from 4 inch pots, per 50, \$7.50; per 100, \$15.

CITRUS, or LIMONIUM TRIFOLIATUM (Japan Hardy Lemon.)

This is the coming hedge plant for defensive as well as ornamental purposes. It is hardy as far north as New Jersey, and if planted in good soil an impenetrable hedge can be had three years from planting. Requires but little trimming after the third year. So far it has been free from insect depredations. In early spring, when covered with myriads of white flowers, nothing is more attractive, and while not an evergreen, the vivid green wood makes it appear bright during winter. Plants may be set two feet apart. One-year-old plants, \$5 per 100, \$35 per 1,000.

LIGUSTRUM AMURENSE (Amoor River Privet.)

The most desirable of all broad-leaved evergreens where a tall hedge is desired. Growth very rapid; adapts itself to any soil not too arid or a swamp. If properly treated a good hedge may be expected in two years after planting. Our hedges of this plant are noted for their perfect shape and appearance. Set plants 12 inches apart in ordinary soil, but in very rich land 18 to 24 inches distance may be given. \$4 per 100; \$30 per 1,000.

POLYANTHA ROSES.

These make very ornamental hedges of low growth. Well adapted for cemetery lots, as they are in constant bloom from early spring until frost. Per 50, \$5; per 100, \$10.

Clothilde Soupert—White with rose centre. Flowers $1\frac{1}{2}$ inches in diameter, beautifully formed.

Marie Pavie—Pale rose, changing to white. Flowers 1 inch in diameter.

Mignonette—Delicate rose, changing to blush. Flowers very small.

These roses may be planted two feet apart.

SPIRÆA THUNBERGII.

Dwarf, profuse bloomer in early spring; flowers white; strong plants, \$5 per 50; \$10 per 100.

Coniferous Evergreens.

We believe that we may claim to grow the largest and most varied stock of these plants in the Southern States, and especially of such varieties as are best adapted to this climate. The collections of *Biotas* and *Cupressine*, etc., comprise many new and valuable varieties.

The largest number of these plants are grown in pots from the time they are propagated, or during part of the year in open ground, and potted off in fall.

Biotas, which always form a mass of fibrous roots, are grown in open ground, but lifted for shipment with the roots in a ball of earth, which reduces the loss in transplanting. We would again urge the necessity of planting small, healthy pot-grown plants in preference to larger specimens, which can only be furnished from open ground, and with these there is always connected some risk in transplanting. We append the height the different varieties may be expected to attain. The best seasons for transplanting are from November to December, and from February to March.

Price for plants grown in 4 and 6 inch pots, unless noted	50c.
10 plants, our selection of varieties	\$4
Larger specimens, from 8 to 10 inch pots and open ground	\$1 to \$2

ARAUCARIA IMBRICATA (Chili Pine—Monkey puzzle).

A tree of remarkable aspect. Branches horizontal, leaves stiff and sharp at apex; of a deep green. This tree does not thrive in the middle sections of the South, but is eminently suited to the mountain region. Imported plants from \$2 to \$3 each.

ARBOR VITÆ.

ASIATIC SECTION.

Plants from open ground.

Biota Aurea—Golden; a beautiful compact tree of golden hue; most desirable; a popular and well known variety.

12 inches	35c. each; \$3 per 10
24 inches	50c. each; \$4 per 10
3 feet	\$1 each

Attains a height of 8 to 10 feet.

BIOTA AUREA NANA—A new variety which originated in our grounds. Of very dwarf and compact habit; a perfect gem for small gardens or cemetery lots. The original plant, now 8 years old, measures only 30 inches in height, and is perfect in every respect. It far surpasses the old *Biota Aurea* where a very dwarf tree is desired. Plants 10 to 12 inches high. 50c. each; \$4 per 10.

BIOTA AUREA CONSPICUA—Another new variety of similar origin. Growth more erect than the *Aurea*; foliage intense gold, some of its branches being of a solid metallic tint, others suffused with green. Plants 12 to 15 inches high, 50 cents; larger sizes \$1.

Biota Semper Aurea—A beautiful variety, more golden than *Aurea*; it retains its bright golden hue longer. 35, 50 and 75c.; 6 to 8 feet.

Biota Japonica Filiformis—A new Japanese variety, with thread-like foliage, but of more rapid and compact habit than the last mentioned. We consider this one of the most distinct and desirable novelties, well suited for cemeteries. Will probably attain a height of 12 to 15 feet. Grafted plants 12 inches high, 50c; larger trees \$1 to \$2.

AMERICAN SECTION.

Thuya Ericoides—With heath-like foliage; very compact. 3 to 4 feet. 25 and 50c.

Thuya Gigantea, or Lobbii—From California; rapid growth, deep green foliage; an excellent variety. 15 to 20 feet. 50c.

BIOTA AUREA NANA.

Thuya Globosa—Of spherical and compact growth. 4 to 6 feet. 25 to 50c.

Thuya Peabody—With foliage of a golden hue, which it retains through the year. 50c.

Thuya Pumila (Booth's Dwarf)—Of dense, rounded habit. 2 to 3 feet. 25 and 50c.

CEDRUS ARGENTEA.

Thuya Queen Victoria—Ends of branches tipped with silver. Small plants, 50c.

Thuya Tom Thumb—A dwarf variety of slow growth and compact habit. 25c.

All the Arbor Vitæ have abundant small roots, and transplant well from open ground.

CEDRUS ARGENTEA (African Cedar).

Thrives well, and forms a fine tree of compact habit. Foliage of a beautiful glaucous tint. 25 to 30 feet. 50c. and \$1.

CEDRUS DEODORA (The Great Cedar of the Himalayan Mountains).

A stately tree, attaining a height of 50 to 75 feet; foliage glaucous green, branches feathery and spreading. Perfectly adapted to this climate. We grow an immense stock. 12 to 18 inches, 50c.

CEPHALOTAXUS FORTUNII (Fortune's Yew).

Broad-leaved, moderate grower. 10 to 12 feet.

CHAMÆCYPARIS VARIEGATA (Variegated Cypress).

A medium sized tree, with a portion of the branches and trees marked with white and yellow. Height 8 to 10 feet.

CEDRUS DEODORA.

CUNNINGHAMIA SINENSIS (

A tree somewhat like the Araucaria, with lance like leaves and horizontal branches, rapid grower and very beautiful. 75 feet.

CUPRESSUS (The Cypress).

Of this section we grow many varieties, which are remarkably well adapted to the middle and sub-tropical sections of the South. All are graceful trees, varying in habit of growth from feathery drooping branches to others of a more erect and formal shape. We cannot too highly recommend these beautiful trees.

CUPRESSUS KNIGHTIANA.

Braziliensis—Compact growth, bright green. 25 feet.

Excelsa—Erect growth, ashy hue. 25 feet.

Ericoides—Heath leaved; very compact, of moderate height; foliage quite distinct; turns purple in winter. 25 to 50c.

Funerbris—Funeral cypress; rapid growth and graceful habit. 50 feet.

Glandulosa—Thrifty grower, foliage green and bark of branches red. Attains a height of 50 feet.

Gracilis—Ashy green foliage, delicate and graceful habit.

Goveniana—Of rapid open growth, foliage dark green. 50 feet.

Knightiana Elegans—Foliage of glaucous hue, exceedingly graceful and of rapid growth. 30 to 50 feet.

Lawsoniana—Fine compact habit, foliage feathery; varies from a vivid green to a silvery tint, according to sub-varieties. It sports from seed. 10 to 20 feet. 25 and 50c.

Macrocarpa, or Lambertina—A rapid open grower, foliage bright green. 30 to 50 feet.

Majestica—Foliage ashy green, of rapid growth, branches somewhat pendulous.

Nutkaensis (*Thuopsis borealis*)—Or Nootka Sound Cypress; of dwarf compact habit. 6 to 8 feet.

Sempervirens Horizontalis—Rapid grower, and branches spreading. 50 to 60 feet. 25 and 50c. Large trees, \$1.

Sempervirens Pyramidalis—Oriental or Pyramidal Cypress; of very compact and shaft-like habit. From 25 to 50c. each; large specimens, \$1 to \$2.

Sempervirens Roylii, or Whitleyana—The most shaft-like of the group; forms a main stem, from which very short and small branches radiate; plants are all propagated from cuttings, and are true. 25c., 50c. and \$1. Grows to a height of 50 feet.

JUNIPERUS (The Juniper Tree).

Communis Hibernica—Irish; of fine pyramidal growth. 8 to 10 feet. 25 and 50c.

Communis Suecica—Sweedish; yellowish cast. 10 feet. 25 and 50c.

Japonica—Japanese; bright green, very good. 8 to 10 feet. 50c.

Japonica Variegata—With variegated foliage; of dwarf growth. 50c.

Oblonga—Nepaul; of spreading habit. 10 to 15 feet. 50c.

Oblonga Pendula—Nepaul Weeping; the finest of its class. 20 feet. Plants 1 foot high, grafted, \$1.

Sabina—Sabin; male and female; a low spreading, dark-leaved shrub. 25 and 50c.

Squamata—Scaly; a trailing shrub of great beauty, and the finest of the trailing section. 25 and 50c.

LIBOCEDRUS DECURRENS (California Arbor Vitæ).

A magnificent and rapid growing tree; foliage in form of fans. 50 to 75 feet. All our trees are from seed, and very handsome. 12 to 15 inches, 50c.; 2 to 3½ feet, \$1.

PINUS (The Pine).

Massoniana—A Japanese variety, attaining a height of 40 to 50 feet; leaves long, glaucous green. Promises to become a valuable tree for the South. Small plants, 25c., larger, 50c.

CUPRESSUS LAWSONIANA.

Strobis Excelsa (Bhotan Pine)—Resembles the white pine, but with much longer and more glaucous leaves, and of a much more graceful habit. It is known in India as "Drooping Fir." Small plants, 50c.

PODOCARPUS (Japan Yew).

Japonica—A medium sized tree of compact and rather bushy habit, leaves broad, dark green. 10 to 15 feet. 50c.

Koraensis—Of bushy habit, foliage narrow, dark green. A valuable variety. 6 to 8 feet. 50c.

PSEUDOLARIX KEMPFFERI (False Larch).

The Golden Pine of the Chinese; from the rich golden tint which this tree assumes during the autumn. Of medium height here, but may grow much taller in the Piedmont region. A most strikingly beautiful plant. It is very scarce, owing to the rapid germination of its seeds, which makes it difficult to carry them to any great distance. Small plants, 50c.

RETINISPORA (Japan Cypress).

A valuable genus of small trees or shrubs from Japan; very hardy and desirable for small gardens or cemetery lots.

Filifera—Of medium height, branches very slender and thread-like. 50c.

Filifera Aurea—Foliage marked gold, quite dwarf. 2 to 4 feet. 50c.

Leptoclada—A bush from 3 to 4 feet high, foliage bright glaucous green, imbricated. 50c.

Lycopodoides—Of very dwarf growth, with spreading branches and leaves resembling dark green scales. 50c.

Obtusa Keteleerii—With foliage blotched silver; dwarf habit. 50c.

Obtusa Nana—Exceedingly dwarf and distinct foliage. 50c.

Pisifera, or Pea Fruited—Dwarf growth, with slender branches and sharp pointed glaucous leaves. 50c.

Pisifera Argentea—With foliage tipped light yellow. Very dwarf. 50c.

Plumosa, or Plume Like—A rapid growing variety, with exquisite foliage and slender branches; very handsome. 50c. to \$2. 10 to 12 feet.

Plumosa Aurea—Similar in habit to Plumosa, but with foliage tipped with gold. 50c. to \$2 each. 10 to 15 feet.

Plumosa Alba Pieta—With foliage distinctly blotched with silvery white; of dwarf habit, and requires shade to prevent sun scorching. 50c.

Squarrosa—Rapid grower, foliage light bluish green, very handsome; one of the best of the genus. 50c. to \$2. 15 to 25 feet.

Tetragona Aurea—Of very dwarf growth, foliage imbricated of a golden tint. Small grafted plants, 50c.

SCIADOPYTIS VERTICILLATA (Umbrella Pine of Japan).

A most striking tree with leaves in whorls, giving the ends of its branches the appearance of small umbrellas. It is as yet quite rare, and we are not determined as to the most suitable locality for its success; but it is hardy in the Middle States, and will doubtless prove best in the Piedmont region. Imported plants, \$1 to \$2 each.

THUJOPSIS (Japan Arbor Vitæ).

Dolobrata—Axe-leaved, branches drooping, dark green leaves, of dwarf growth; thrive best in partial shade. 50c.

Standishii—A rapid and handsome growing tree, with slightly pendulous branches, foliage bright green. Stands the sun better than the preceding. 15 to 20 feet. 50c.

ORNAMENTAL GRASSES.

ALL HARDY IN THIS LATITUDE.

ERIANTHUS RAVENÆ.

Attains a height of ten to twelve feet, throwing up numerous flower spikes of greyish white; blooms profusely, and remains in bloom a long time; needs space to show its merits. 25c.

EULALIA.

Japonica Variegata—A variegated hardy grass from Japan. In appearance it somewhat resembles the Ribbon Grass while in a young state. It forms compact clumps six feet in diameter. Its flower stalks are very graceful and numerous, and after several years trial in our grounds we highly commend it as a very ornamental grass. 25c.

Japonica Zebrina—Similar in habit to above, but with its leaves blotched with gold. The stripe, instead of running longitudinally like the former, runs across the leaf. 25c.

Univittata—With narrow foliage and a narrow stripe running the entire leaf. 25c.

GYNERIUM (Pampas Grass.)

Argenteum—A most ornamental plant, with silvery plume-like spikes of flowers; very hardy and thrives in ordinary rich soil. 25c.

Aurea Linearis—Foliage beautifully lined with gold, of compact and dwarf habit. 25c.

Elegans—Plumes silvery white, produced upon very long stems; blooms early; a graceful new variety. 25c.

Purpureum, or Purple-Colored—Of very robust habit and producing plumes of great length and substance; of a light purple tint. 25c.

Roi des Roses—Plumes very compact, of a delicate rose color; very free blooming and compact growing new variety. 25c.

Roseum, or Rose Colored—Flowers of a light rose and light purplish color. The plumes are also very large and silky. When just appearing they are of a purple tint; this gradually fades until a soft rose tint is retained. Plants are all propagated by division. 25c.

RED CEYLON PEACH.

⇒ SUB-TROPICAL DIVISION. ⇐

Fruit Department.

Varieties included in this division have given successful results in the *Southern Coast Belt and Florida* and in *sub-tropical countries* where Apples, Pears, Plums and Peaches can be cultivated. The periods of maturity will vary more or less according to localities. For description, see pages 8 to 30.

APPLES.

Early ripening varieties are preferable for extreme Southern sections.

PRICES OF TREES.

	Each.	Per 10.	Per 100.
Standard Trees, 2 and 3 years old, well branched.....	15c.	\$1.50	\$12.00
Standard Trees, 1 year old, 4 to 5 feet, single stem.....	10c.	1.00	8.00
Astrachan Red,	Family,	May Pippin,	Red June,
Carolina Watson,	Hominy,	Nantahalee,	Rhodes' Orange.
Early Harvest,	Horse,	Oldenberg,	Sweet Bough,
Early Red Margaret,	Julian,	Pear, or Palmer,	Washington Strawberry.

APRICOTS.

Price, 25 cents each; \$2 per 10; \$18 Per 100.

They ripen from beginning of May to June. The best varieties are:

Breda,	Early Golden (Dubois),	Moorpark, or Peach,	Royal.
Gloire de Pourtales,	Jamucett,	Red Roman,	

FIGS.

1 year old.....20 cents each; \$1.50 per 10; \$10 per 100.

2 years old.....25 cents each; 2.00 per 10.

For description, see page 12.

PEARS---Oriental Varieties.

PRICES OF TREES.

One year old standard single stem.....each, 25c.; per 10, \$2; per 100, \$15.
 Two years old, well branchedeach, 40c.; per 10, \$3; per 100, \$25.
 Garbers, Kieffer, LeConte, Smith's.

PEARS—European Type.

Standard trees are best for the sandy soils of Florida and the coast, and early or mid-summer varieties are preferable. For descriptions, see pages 12, 13 and 14.

Bartlett, Madeleine, St. Michael,	Howell, Beurre Giffard, Ott,	Seckle, Philadelphia, Beurre Superfin.	Belle Lucrative, Duchesse d'Angouleme, Clapp's Favorite,
---	------------------------------------	--	--

PEACHES.

PRICES OF TREES.

Purchasers' selectioneach, 15c.; per 10, \$1.25; per 100, \$10.00.

SELECT LIST OF COMMON OR PERSIAN TYPE.

The following have given excellent results in sections of West Florida:

FREESTONES.

Alexander, Amelia, Columbia,	Elberta, Florida Crawford, Fleitas St. John,	Foster, Louise, Mountain Rose,	Muscogee, Osceola,	Rivers, Tillotson.
------------------------------------	--	--------------------------------------	-----------------------	-----------------------

CHINESE TYPE.

Varieties of this type are more reliable than those of the Persian type, and will give good results much further south, but are best adapted to the higher lands of West Florida. Several of these varieties originated near Pensacola.

Albert Sidney, Freestone.
 Berenice, Freestone.
 Ford, Freestone.
 General Lee, Clingstone.
 Juno, Clingstone.

Oriole, Clingstone.
 Spottswood, Freestone.
 Stonewall Jackson, Clingstone.
 Sylphide, Clingstone.
 Thurber, Freestone.

HONEY PEACH.

Medium, oblong, with a sharp recurved point; creamy white, washed and mottled carmine; flesh of a peculiar fine texture, and a honey sweetness; tree very thrifty, distinct grower and prolific. Ripe about May 25. The fruit is apt in some soils to be devoid of flavor. Originated by Charles Downing, Esq., about 1854, from pits sent from China. First trees sent out by us in 1858.

KITE, OR KITE'S HONEY.

Creamy white, with a bright carmine cheek and mottled deeper carmine, shape irregular, one side usually swelling. Flesh very fine grained, melting, juicy, very sweet and rich; quality best. Freestone. Maturity at Waldo middle of June. Of the Honey strain; tree very thrifty. Origin, T. K. Godbey, Waldo, Fla., who states that it is a good shipper and has brought good prices.

PALLAS—Seedling of Honey.

This is the only seedling, out of many hundred, of the Honey Peach, made in 1876, which has varied from the parent. It was originated by the late Dr. L. E. Berckmans, and first fruited in 1878. The fruit resembles the parent in size, but is more round in shape; flesh white, melting and vinous. Maturity two weeks later than Honey. Tree retains the habit of the parent, except that it blooms two weeks later.

Waldo (Origin, T. K. Godbey, Waldo, Fla.)—A seedling of the Peen-To crossed with Honey; above medium, round or slightly elongated, with the recurved point of the Honey; flesh melting, very fine grained, juicy, sweet; of better quality and more sprightly than Honey; perfectly freestone. End of May or beginning of June. Tree a thrifty and upright grower, and blooms three weeks later than the Peen-To.

JAPAN DWARF BLOOD.

Of the size of the Alexander, but a little more oblong. Skin creamy white, washed carmine. Flesh white on one side and marbled deep red on the other; somewhat dry; sweet. Ripens with Alexander. Tree of compact and dwarfish growth.

PEEN-TO, or FLAT PEACH OF CHINA.

This remarkable Peach originated in our Nursery from pits sent from Australia in 1869. Although very hardy here, the tree has produced fruit very seldom, owing to its habit of blooming in January. In Pensacola it produced the enormous amount of 1,200 peaches upon a three-year-old tree. In Florida this peach, together with the Honey, succeeds where the other varieties of the common or Persian strain prove of little or no value. Fruit 2 to 2½ inches in diameter, very flat; skin pale greenish white, with a beautiful mottled red cheek; peels readily at maturity; flesh very finely grained, juicy and dissolving, with a delicate almond aroma; quality best; clingstone. Maturity in Florida from April 1st to May 10th.

This Peach colors a long time before maturing or full development, and is therefore often gathered prematurely, which renders it unfit for use. It should be allowed to hang upon the tree until approaching full maturity, when it shows its excellent quality, and can then be shipped safely to distant markets.

NEW VARIETIES OF THE PEEN-TO TYPE.

These originated in Florida, and have been reported by the Standing Committee on Fruits of the Florida Horticultural Society from April 10, 1888, to May 1, 1889. The descriptions of most of the varieties are made by us from specimens received from the originators.

Price, 15c. each; \$1.25 per 10.

Angel (origin, near Waldo, Fla.)—Large; round; flesh white, melting juicy, rich sub-acid flavor: free-stone. Is entirely devoid of the noyau flavor of its parent. Tree blooms fully one month later than the Peen-To.

Arlington—Of the shape and size of Early Crawford; flesh rich and melting, vinous, free from noyau flavor; clingstone; quality very good; early.

Bidwell's Early—Medium, round, with a sharp apex; creamy white, with a pale carmine wash; skin thin, peeling at maturity; flesh white; slightly red near the stone; juicy, melting, fine grained, sweet; not very high flavored and some astringency, unless fully matured upon the tree; clingstone. Ripe in Orange County, Florida, end of May.

Bidwell's Late—Similar to above, but three weeks later, and a heavy bearer.

Red Ceylon—Medium, yellow washed with red; flesh yellow, blood red from one-eighth to one-fourth of an inch from pit; tender, melting and of good quality; sub-acid; freestone. Ripe in Florida middle of May. This variety originated from pits sent from Ceylon.

PLUMS.

Prices of Trees—1 year, on Marianna stocks, 25c. each; \$2 per 10; \$15 per 100.

JAPANESE VARIETIES.

(For description, see page 19.)

These varieties succeed admirably in Middle and West Florida and sub-tropical countries.

Botan, **Burbank**, **Chabot**, **Hatankio**, **Maru**, **Ogon**, **Red Nagate**, **Satsuma**.

Bungo (*Prunus Mume*)—Or Apricot Plum. Suitable only for Middle or South Florida.

Prunus Simoni—Or Chinese Apricot Plum. (See Page 19).

JAPANESE PERSIMMONS.

[DYOSPYROS KAKI.]

PRICES OF TREES—ALL HOME GROWN ON NATIVE STOCKS.

One-year grafts, 3 to 4 feet.....25c. each; per 10, \$2; per 100, \$15.

Two-year grafts, 3 to 6 feet.....35c. each; per 10, \$3; per 100, \$25.

(For descriptions, see pages 21 and 22).

Among, **Hachiya**, **Hiyakume**, **Kurokume**, **Miyo-tan**, **Tsuru-no-ko**, **Yedo-Ichi**, **Zenji**.

QUINCE.

Chinese—This variety seems best suited to light soils. 25c. each; per 10, \$2.

NUT-BEARING TREES.

ALMONDS.

Price of Trees—1 year from bud, 4 to 5 feet, 25c. each; \$2 per 10; \$18 per 100.

Princess and Sultana—Both are prolific, soft-shelled and very good. These are the varieties mostly cultivated in Europe, and produce the bulk of the almonds of commerce.

CHESTNUTS.

Japan—1 year grafts, 50c.

WALNUTS, or MADEIRA NUTS.

Price of trees, unless specially noted, 2 to 3 feet, 25c.; \$2 per 10.

Chaberte,

Mayette,

Thin Shelled.

Early Bearing, or Præparturiensis—Of dwarf growth; produces nuts when 4 years old. Nuts of good quality and size. One year old, 10 to 12 inches, 25c.; \$2 per 10; \$18 per 100.

PECANS.

Extra large Louisiana Paper Shell, 1 year, 8 to 12 inches high, 25c. each; \$2 per 10; \$12 per 100.

(For descriptions and prices of other varieties, see page 24).

SMALL FRUITS.**STRAWBERRIES.**

Prices of plants after October 15, per 100, 50c.; per 1,000, \$4. For larger quantities, prices on application.

Gandy, Hoffman, Haverland, Michel, Crescent, Sharpless, Warfield, Wilson's. (For cultural directions, see pages 26 and 27).

BLACKBERRIES.

Root cutting plants. Price, 50c. per 10; \$3 per 100.

Harvest,

Wilson's Early.

GRAPES.

(For prices, see pages 28, 29 and 30).

Brighton, Delaware, Niagara, Flowers, Berckmans, Ives, Scuppernong, Thomas, Concord, and Moore's Diamond.

MISCELLANEOUS FRUITS.

Elæagnus Edulis (Japan Oleaster)—25c. each.

Eryobothrya, or Japan Medlar—25c. each; \$1.25 per 10.

Eryobothrya, Giant—1 year seedlings, 25c. each.

Eryobothrya, Giant—1 year grafts, 50c. each.

Mulberries (Everbearing)—25c. each; \$2 per 10.

Olives—25c. each; \$2 per 10.

Pomegranates—25c. each; \$2 per 10.

ORANGES AND LEMONS.

Plants 1 year from graft, 8 to 10 inches high, 50c. each; \$4 per 10. 2-year-old plants from graft, 12 to 15 inches high, well formed, at \$1 each.

All our plants are pot-grown, grafted upon the Otaheiti and Limonium Trifoliatum, which dwarfs the tree in the same manner that the Paradise stock dwarfs the apple. These plants are thus better adapted for growing in conservatories than those grafted upon the ordinary seedling stock. This class of trees commends itself to amateurs, but it is not intended for cultivating in groves.

We cannot too highly recommend these dwarf Orange trees. They begin to yield fruit when three years old, and are very desirable for growing in tubs or city gardens where space is limited.

ORANGES—Homosassa, Mediterranean Sweet, Nonpareil, Navel, Magnum Bonum, Maltese Blood, Mandarin, Jaffa, Satsuma, etc.

LEMONS—Belair, Eureka, Villafranca, etc.

ORANGE KIN-KAN or KUM-KWAT.

The plant is of dwarf growth, seldom exceeding 6 to 8 feet and very compact. Fruit about the size of a small plum, rind sweet, juice acid. It can be eaten whole, and is very refreshing. Excellent preserves are made from this variety. Exceedingly productive and an excellent plant for growing in pots. One year grafts, 50c.

POT-GROWN TWO YEARS OLD DWARF ORANGE.

MUSA—Bananas.

Hart's Choice—Medium-growing plant; fruit of Fig Banana class; bunches large; an excellent variety. 50c. each.

Sinensis, or Cavendishii—Of dwarf growth; produces very good fruit. Plants seldom grow above 6 or 7 feet. 25c.; large, 50c.

Daca—Of medium height; fruit small, but of excellent quality. 50c.

Silk—Delicate foliage; underside of leaves of a silky gloss. 50c.

Zebrina—A dwarf or ornamental variety; underside of leaves purple, upperside green, striped purple. 50c.

Baracoa, or Red Skin—Red fruited. 50c.

PINEAPPLE.

Pot-grown plants, 50c. each.

Black Antigua,	Black Prince,
Egyptian Queen,	Porto Rico,
Red Spanish, or Cayenne.	

PSIDIUM (Guava).

P. Catleyanum (Red Catley)—A small tree or tall bush, producing the well known Red Catley Guava. Plants from 3 inch pots 20c. each; \$1.50 per 10; \$12 per 100. Larger plants 50c. each; \$4 per 10; \$25 per 100.

P. Lucidum (Yellow Catley)—Fruit a little larger than the Red Catley; sweeter and of much better quality. It is a refreshing fruit eaten raw, and makes the best of all the "Guava Jellies." It is wonderfully prolific. 1 year old, 25c. each.

P. Pyriferum (Common Guava)—Attains a height of 8 to 10 feet. Fruit varies in color of skin and flesh; white, yellow and pink. Several varieties. 25c. each; \$2 per 10.

Economic Sub-Tropical Trees and Plants.**CAPPARIS SPINOSA (Caper Plant).**

A very ornamental shrub, with large axillary white flowers and purplish stems during summer. The buds preserved in vinegar are the Capers of Commerce. The plant succeeds best if planted in a dry and gravelly soil, but well enriched. Of slow growth, and stem usually die off in winter.

One year old pot-grown plants, 25c.

CINNAMONUM CAMPHORA.

(The Camphor Tree).

This tree is hardy where the orange thrives. It is valuable as an ornamental evergreen shade tree as well as for the camphor gum which it produces. It is of rapid growth. A tree planted in New Orleans ten years ago has now reached a height of 30 feet. Few trees are more desirable for street planting. We have an immense stock, and will give special rates for quantities of 500 or 1,000. All pot grown.

One year old plants from 3 inch pots, 25c.; \$2 per 10; \$15 per 100.

Two year old plants from 4 and 5 inch pots, 50c. each; \$4 per 10.

CINNAMONUM ZEYLANICUM.

(The True Cinnamon Tree).

A broad-leaved evergreen shrub, producing the cinnamon bark of commerce. Much attention is paid to this tree as being likely to become one of the most valuable products of South Florida.

Two years old trees from 5 inch pots, 50c. each; \$4 per 10. One year old trees from 3 inch pots, 25c. each; \$2 per 10. Special rates per 100.

CAMPHOR TREE.

Varieties marked * are adapted to sections of South Florida and sub-tropical sections only. The others are hardy in the Southern coast belt.

ACACIA.

A genus of medium sized trees, most desirable for the elegance of their foliage and the profusion of blooms, which are produced during winter and early spring. Some varieties will stand several degrees of frost, but all are hardy where the banana will thrive. Plants from 3 inch pots, 25c. each.

Dealbata—Perhaps the handsomest of the genus, attaining a height of 30 to 40 feet; branches diffuse, covered with whitish bloom; foliage of a glaucous green; flowers bright yellow, fragrant, in small balls, and forming a long panicle. Blooms profusely. Hardy in Savannah.

***Decurrens**—With winged ramifications and slightly pubescent while young, flowers yellow in axillary bunches.

Farnesiana (Popinac)—A well known and popular variety, branches thorny, foliage with minute leaflets, flowers in round yellow balls, very fragrant. Profuse bloomer.

***Lophantha**—Height 10 to 15 feet, foliage bi-pinnate, flowers small, sulphur yellow in elongated heads, slightly fragrant.

***Lophantha Neumanii**—A sub-variety of the above, with flowers varying from pale to deep red.

***Speciosa, Superba and Nana Compacta** are sub-varieties of **Lophantha**.

*ACALYPHA.

Foliage mottled and blotched crimson and scarlet; attain a height of 6 to 7 feet in South Florida. Most brilliant foliage plants. Three varieties—*Marginata*, *Obovata* and *Tricolor*. 15 cents each; \$1.25 per 10.

AGAVE (Century Plant).

Americana Millerii *Picta*—Golden yellow on both sides, bordered with dark green. 50c. to \$5.

Americana Recurvata—With recurved leaves; a beautiful variety. 50c. to \$3.

Americana Variegata—Margined yellow. 50c. to \$1.

Rigida Dentata—Leaves erect; pale green. 50c. to \$1.

***Sisalina** (Sisal Hemp)—Upright; glaucous green; a rapid grower. 50c. to \$1.

ALLAMANDA.

Cathartica—Shrubby plant, flowers yellow, profuse bloomer. 25c.

***Hendersonii**—Flowers golden yellow; a beautiful climber, almost perpetual bloomer. 25c.

*ARAUCARIA EXCELSA.

(Norfolk Island Pine).

This noble conifer has succeeded in South Florida, and may be considered hardy in sections free from frost. There are few trees as beautiful. Foliage bright green and dense on slightly pendulous branches; grows to a great height, but is at its best when of moderate size. Fine plants from \$3 to \$5 each.

ACALYPHA.

*CALODENDRON CAPENSIS.

(The Cape Chestnut).

This is considered the finest evergreen tree of Natal, South Africa, and although introduced in Europe in the last century it is but seldom seen in cultivation. As its name indicates (from Kalos, beautiful, and Dendron, a tree), it is of handsome appearance. The flesh colored or creamy white flowers, composed of linear oblong petals, are produced in immense terminal panicles; stems and

leaves pubescent; latter are large opposite, simple, crenated; branches opposite or three in a whorl. In England it is valued as a handsome greenhouse evergreen tree, and will doubtless become popular in South Florida, where it is reported to be of a deciduous habit. We offer well grown young plants from 4 and 5 inch pots at 50c. each.

ARAUCARIA EXCELSA.

NEW CANNAS (Indian Shot).

The remarkable improvements which have lately been made in these plants have brought them to the front rank of the ornamental foliage class. Among the best new sorts of late introduction which we selected from the best collections exhibited at the World's Fair are the following:

Alphonse Bouvier—Foliage green, habit compact and dwarf; flowers of a brilliant crimson, very large, and produced in large branching stems. Begins to bloom early in spring and lasts throughout the whole summer; a grand novelty. Price 25c. each.

Charles Henderson—Flowers very large, brilliant red. 25c.

Florence Vaughan—Flowers very large and broad, yellow spotted, bright scarlet, free blooming and strong habit. This is conceded to be the best yellow variety in cultivation. 25c.

J. D. Cabos—4 feet; foliage dark; flowers rich apricot with deeper shadings. 25c.

Paul Bruant—Dwarf habit, foliage green, edged purple; flowers orange scarlet. 25c.

Paul Marquant—Foliage green, flowers salmon with long petals. 25c.

Explorateur Crampbell—4 feet; foliage green; flower large, vermilion tinted, with crimson spots. 25c.

CASUARINA (Beefwood of Australia).

Very graceful tree. Foliage feathery and thread-like. Valuable for decorative purposes. 50c.; larger specimens, \$1. Two varieties.

CESTRUM NOCTURNUM.

(Night-blooming Jasmine).

Free-blooming shrub. Very fragrant at night. 15c. each; \$1.25 per 10.

*COFFEA ARABICA (The Coffee Tree).

An evergreen shrub with glossy leaves and white flowers. 50c.

CORDYLINE.

Palm-like plants allied to the *Dracœna*, with a tuft of drooping leaves at the summit of the trunk.

Australis—Leaves 2 to 3 feet long and 2 to 4 inches broad; flowers white, sweet, in panicles. Excellent for sub-tropical gardening, and of robust and hardy habit. 10 to 20 feet. 25c. to \$1.00.

Indivisa—Leaves 2 to 4 feet long, narrow, dark green, very graceful. 25c. to \$1.

DATURA, or Brugmansia Suavolens.

A shrubby plant, growing to a height of 6 to 8 feet in rich ground; flowers white, very large, trumpet-shaped and fragrant; a most excellent plant for effect. 15c.

*DRACÆNA (Dragon Tree).

Handsome ornamental plants, attaining large size; foliage colored in many varieties.

***Fragrans**—Broad green leaves, flowers very fragrant; a desirable variety of easy culture. 50c. to \$1.

***Terminalis**—Bronzy green, flaked crimson. 50c. to \$1.

DURANTA PLUMIERI.

Tall growing shrub, flowers blue, succeeded by yellow berries, which are retained all winter. 25c.

*EUCALYPTUS (Australian Gum Tree).

Exceedingly rapid growing and ornamental tree; thrive in almost any soil. Suitable to South Florida only. Three varieties, all pot grown. 25c. each; \$2 per 10.

NEW CANNAS.

CROTON.

***CROTONS.**

Plants with beautiful leaf variegations; indispensable in any collection; require high temperature in winter.

† We offer a superb collection of forty varieties.

Prices, from 3-inch pots, 25c.; from 4 and 5-inch pots, 50c. and \$1. Ten varieties, our selection, from 3-inch pots, \$2; ten varieties, our selection, from 4 and 5-inch pots, \$4.

***EUGENIA (Rose Apple).**

Jambos—An evergreen shrub; flowers large, globular, brush-like head, succeeded by white fruit, with a strong attar of rose perfume. Makes a delicate jelly. 25c. each; \$2 per 10.

Ugni (Chilian Myrtle)—Hard wood evergreen shrub, with small foliage. Flowers white or pale pink. Fruit aromatic. 25c., 50c. and \$1.

Mitchelli (Surinam Cherry)—A small tree, producing a small cherry-like fruit. 25c.; \$2 per 10. Large plants 50c. to \$1.

***EUPHORBIA.**

Splendens—A thorny shrub, with bright red flowers; continuous bloomer. 25c.

Sanguinea—Foliage brown carmine, veins carmine, fine bedder. 25c.

Jacquiniaefolia—Flowers bright orange; a fine winter bloomer. 25c.

FICUS.

***Elastica** (India Rubber Tree)—With broad leaves; very ornamental. 50c. to \$1.

***Australis** (Australian Gum Tree)—Foliage smaller. 50c. to \$1.

***Parcellii**—A white variegated plant; rapid grower. 50c. to \$1.

***GREVILLEA ROBUSTA, or Australian Silk Oak.**

One of the most conspicuous of all shade trees. It has found a congenial zone in South Florida, where trees planted seven years ago have attained a height of 25 feet and 3 feet in circumference 1 foot above the ground. Foliage delicately cut, like fern leaves, remaining dark green all the year. Add to this blossoms like a Bottle Blush, of a creamy pink, forming a most beautiful tree. Several sizes, all pot grown, from 25 to 50c.

***HABROTHAMNUS ELEGANS.**

Flowers tubular, carmine, of easy culture; constant bloomer. 25c.

***HIBISCUS ROSA SINENSIS.**

(Chinese Hibiscus).

Valuable free blooming plants for all sub-tropical regions. Many attain a height of 15 to 18 feet, and when covered with their brilliant flowers are most conspicuous in gardens. Twelve varieties, double and single. Colors include crimson, red, yellow and salmon. From 3-inch pots, 25c.; \$2 per 10. From 4-inch pots, 50c.; \$4 per 10.

DRACENA TERMINALIS.

JACARANDA MIMOSÆFOLIA.

A graceful tree, with leaves resembling an *Acacia*. Flowers blue in large panicles in spring; a showy plant, but requires to be 3 to 4 years old before blooming. 50c.

JASMINUM.

Fragrant flowering shrubs.

Sambac (Arabian Jasmine)—Flowers white; very profuse bloomer. 25c.; large plants, 50c.

Grand Duke of Tuscany—Very double; white. 25 and 50c.

Multiflorum (Star Jasmine)—Flowers white, star-shaped. 25c.

GREVILLEA ROBUSTA.

***MEYENIA ERECTA.**

Cœrulea—A large shrub, flowers large, of intense violet, with rich orange throat. Almost perpetual bloomer, and in Middle Florida attains a height of 10 to 15 feet. A most striking and beautiful plant. 25c.; larger size, 50c.

Alba—Flowers white. 25c.

***MURRAYA EXOTICA.**

A rare shrub of the orange tribe; flowers white, very fragrant. 25c., 50c. and \$1.

***PHYLLANTHUS ROSEA PICTUS.**

A very striking plant; leaves colored with rose, bronze, green and white; beds out and stands the sun well. 25 to 50c.

FICUS ELASTICA.

***PLEROMA BENTHAMIANA.**

(Lasiandra).

Flowers purple; winter bloomer; attains a height of 8 to 10 feet, and is a strikingly handsome plant. 25 cents.

POINSETTIA PULCHERRIMA.

Tall growing plants; valuable for decorative purposes in winter; leaves preceding the insignificant flowers are bright crimson. 25c.; large plants, 50c. and \$1.

***SOLANUM AZUREUM, or SEAFORTHIANUM**

Of the same habit of growth as the Solanum Jasminoides, but producing numerous branches of delicate blue flowers with golden anthers and fragrant. This is one of the handsomest climbing plants for extreme Southern sections. Price 25c.

***SPARMANNIA AFRICANA.**

A tall growing shrub, producing a profusion of white flowers during winter. Flowers large, white, with four petals and four sepals, and numerous carmine stamens with yellow anthers, giving a handsome appearance to the plant. 25c.

***TABERNAMONTANA CAMASSA.**

Evergreen shrub; flowers white; very fragrant, resembling the Grand Duke Jasmine; of a dwarf habit of growth and very free bloomer during several months. 25 and 50c.

PALMS.

We carry in stock an immense quantity of all the leading varieties, which are now considered indispensable for decorating conservatories, apartments, tables, or for outdoor cultivation during summer. The varieties marked with an asterisk (*) are the most hardy, and are suitable for Middle Florida; the others for conservatory or tropical countries.

The lowest prices as quoted refer to two years old plants ranging from 10 to 12 inches, according to variety. We can supply plants of the leading varieties in various sizes and at different prices. Special prices for large specimens on application.

CULTURAL DIRECTIONS.

Use a compost of equal parts of leaf mould, rich garden soil and well decayed cow dung. Give ample drainage and keep plants in open air, but in shade during summer. Water regularly during summer. Keep soil moist only during winter and foliage free from dust. Repot large plants in February, and small sizes twice during summer.

LATANIA BORBONICA.

SECTION I.

PALMATE OR FAN SHAPED LEAVES.

***CHAMÆROPS Fortunii, or Excelsa** (Chusan Fan Palm)—The hardiest of all exotic palms, suitable for either conservatory or open ground. Plants of various sizes by the single or hundred. 25c. to \$2 each.

***CHAMÆROPS Canariensis**—Of low growth, leaves deeply cut. Hardy at Savannah; a graceful and desirable palm. 50c. to \$1.

***CHAMÆROPS Elata, Elegans, Gracilis and Nivea** are all beautiful varieties, varying more or less in leaves and length of petioles. 50c. to \$1.

***CHAMÆROPS Martiana**—A scarce variety from Nepaul, with glaucous leaves. 50c. to \$1.

CHAMÆROPS Hystrix (Needle or Blue Palmetto) A hardy variety from lower Georgia. Large leaves and numerous spines at base of petals. 50c. to \$1.

***CORYPHA Australis**—Of tall and robust growth. Dark green leaves; can stand a low temperature. 50c. to \$1.

***LATANIA Borbonica** (Chinese Fan Palm)—The most popular of this section. Desirable for all decorative purposes. Large stock, all sizes from 50c. to \$10 each.

***SABAL Blackburniana** (Bermuda Fan Palm)—Leaves of a bluish green color, of robust habit. 50c. to \$1.

***SABAL Longipedunculata**—A stemless variety, with glaucous green leaves. 50c.

SECTION II.

LEAVES PINNATE.

ARECA Lutescens—One of the most beautiful and valuable Palms of this section. Foliage graceful, bright green and rich golden yellow stems. 50c. to \$5.

ARECA Rubra—Stems red; foliage reddish green in young plants. 50c. to \$1.

ARECA Sapida—Of dwarf, compact habit. Foliage dark green, arched. \$1 to \$3.

ARECA VERSCHAFFELTII—Dark green leaves, light yellow band through centre of middle rib. Requires high temperature in winter. \$1 to \$3.

CARYOTA URENS (Fish Tail Palm)—Leaves with broad pinnules, the ultimate divisions have the shape of the tail of a fish. 50c. to \$1.

***COCOS Alphonsi**—Known in South Florida as the Belair Palm; a tall growing tree, leaves bright green. 50c. to \$1.

***COCOS Plumosa**—Leaves very long drooping, pinnae 1 to 2 feet, in bunches. Flowers waxy. 50c. to \$1.

COCOS Bonetti and Cocos Yatai—Resemble *Cocos Plumosa*. 50c. and \$1.

COCOS WEDDELLIANA.

COCOS Weddelliana—Unquestionably the most graceful of the smaller growing class; stems slender, erect; leaves long and narrow, of a rich green; gracefully arched. A valuable variety for decorating apartments. 8 to 10 inches, 50c.; 12 to 15 inches, \$1.

***EUTERPE Edulis** (Para Palm)—Attains a height of 40 to 60 feet with delicate feathery heads and with clean and naked stems. 50c. to \$1.

GEONOMA Gracilis—A dwarf-growing variety, resembling somewhat Cocos Weddelliana; requires a moist and warm temperature. \$1.

KENTIA Belmoreana (Howea, or Curly Leaf Palm)—A graceful variety, with leaves which have the appearance of being curled; a robust growing variety. 50c. to \$2.

KENTIA Forsteriana (Thatch Leaf Palm)—The most robust of the genus; leaves broader and stem of darker color. 50c. to \$2.

(The **Kentias** are exceedingly desirable varieties. They hold their lower leaves well and retain a bright color).

MARTINEZIA CARYOTÆFOLIA, or **Caryota Spinosa**—A handsome species with broad foliage like the Fishtail Palm; the petioles and veins are armed with black spines. \$1.

KENTIA BELMOREANA.

OREODOXA REGIA (Royal Palm)—Of very tall and slender habit. Plants 18 inches. 50c. 2 to 3 feet. 75c. 4 feet, \$1.

PHENIX (The Date Palm)—A most valuable section for cultivation in greenhouses and apartments. They are of robust constitution, grow rapidly, are very handsome and can stand quite a low temperature. Prices 50c. to \$2.

***P-Canariensis**—Foliage narrow and graceful. Very desirable for open ground in Middle and South Florida.

***P-Farinifera**—A compact growing species and of quite hardy habit. Foliage deep green.

P-Leonensis, or **Spinosa**—With sharp pointed pinnae: a beautiful variety, but somewhat tender.

***P-Paludosa** (Marsh Palm)—Of medium height, with very long leaves gracefully spreading.

***P-Pumila**—Of rapid growth and graceful foliage.

***P-Reclinata**—A valuable variety of robust and compact growth, and of great decorative merit.

***P-Rupicola** (Rock-loving)—A species of recent introduction, and of graceful habit. Leaves arching and wide-spreading.

P-Sahariensis Picta Nigra—A form of the common Date, with dark green leaves.

PHENIX RUPICOLA.

***P-Sylvestris** (Sylvan or Wild Palm of Bengal, or East Indian Wine Palm)—Leaves very long, greyish-green, pinnae numerous. One of the hardiest of the genus and a most valuable variety.

***P-Tenuis** (Narrow)—Of recent introduction, resembling the common Date Palm, but more slender and finer in all its parts.

PINANGA Kuhlii (Ptychosperma Kuhlii)—A beautiful species from Java, with leaves unequally cut and recurved at base. \$1.

PTYCHOSPERMA Alexandræ (Australian Feather Palm)—Leaves beautifully arched; an exceedingly desirable variety. 50c. to \$3.

SEAFORTHIA Elegans, or **Ptychosperma Cunninghamiana** (Illawarra Palm)—An elegant species of graceful habit and rapid growth; leaves very long, dark green; valuable for decorative purposes, and well known. We grow this variety extensively, and can supply plants from 50c. to \$3 each.

SECTION III. CYADS, Etc.

PANDANUS UTILE.

***Cycas Revoluta** (Sago Palm)—Highly ornamental plant, with a crown of dark green pinnated leaves. Hardy at Savannah. We can supply several sizes from 50c. to \$5 each.

Pandanus Utile (Screw Pine)—A valuable plant for the centre of vases. Foliage spiny. 50c. to \$5.

Pandanus Veitchii—With leaves beautifully striped with pure white; a very thorny plant. requires high temperature in winter. \$1 to \$3.

SPECIAL COLLECTIONS OF PALMS.

We will supply the following collections of Palms, selections to be left to us:

10 varieties, 2-year old plants.....	\$ 3.00
10 varieties, 3-year old plants.....	6.00
10 varieties, 4 to 5-year old plants.....	12.00

SAGO PALM.

WE have for years past made the growing of Roses on a large scale one of the main features of our establishment, and annually added every good new Rose to our collection, proving their qualities before sending them out, so that our customers can rely fully upon our selection. We have within the past thirty-three years tested the relative merits of upwards of fifteen hundred varieties, and in our specimen Rosary can be seen in bloom during Spring and Autumn upwards of *one thousand varieties*.

Many types of Roses, produced by the crossing of several species, are of such weak constitution and delicate growth as to prove unsuited for open ground culture. The enormous proportions which Rose growing has of late assumed for the supply of cut flowers has also caused the annual introduction of varieties that are eminently suited for *cultivating under glass and the forcing system*, but when planted open ground fail to give satisfaction and bring disappointment. Out of several hundred new Tea Roses introduced within the past ten years very few have stood the test of our climate. An evidence of weak constitution is that very few of the most valuable flowering varieties cannot be made to give good results unless budded upon stocks that invigorate their growth.

The demand for novelties is increasing and compels us to keep abreast of the times. We therefore grow *Roses on their own roots*, of the old favorite or new strong growing varieties, and *Plants budded upon Manetti stocks* of the newest or some old sorts which succeed better when propagated in that way.

We have *twenty acres* closely planted in Roses. The plants which we send out *are grown in open ground*, are very strong and healthy. The usual average height of Hybrids is four feet, and many varieties attain six feet in height. The tea and other dwarf sorts are from one to two feet high. Plants are cut back eighteen inches or two feet to reduce bulk in packing.

PLANTING, PRUNING AND FERTILIZING.

Any good garden soil is suitable, but should be fertilized with stable manure. Keep the soil free of weeds during summer, and stir it frequently. Mulching in fall with stable manure is advisable. A top dressing in winter of bone meal or some good commercial fertilizer will add to the growth and size of flowers.

In Planting, select two or three of the strongest branches, cut these back to 2 or 3 inches each, and remove all the smaller ones. Each new shoot will produce finer flowers than if the old wood is left, and plants thus cut back will stand transplanting better.

Annually, after the first killing frost, prune back the bush to 8 or 10 inches above ground. Climbing Roses excepted; those require only the shortening in of side branches without disturbing the main stem. *Complaints* are frequently received from persons, who order late in the spring, stating that the flowers produced are very inferior and cause disappointment. We desire to say that no *perfect flowers* can be reasonably expected from plants set out late in February or March before they can have time to become well established, but if allowed to grow until following fall, such *causes for complaint* will be removed.

ROSES ON THEIR OWN ROOTS.

For Open Ground Cultivation.

All the Roses in this class are ever-blooming, except those specially noted in separate lists.

PRICES—GENERAL COLLECTION OF BEST VARIETIES.

Purchasers' selection.....each, 25c.; per 10, \$2.50; per 100, \$20.

Our selection, one of a variety.....per 10, \$2; per 100, \$15.

CHINA ROSES.

The Roses belonging to this class are among the best bloomers for this climate. Their flowers are produced in great abundance, though not equal in beauty of shape or variety of color to the other classes.

Archiduc Charles—Variable, light pink to deep crimson.

Mme. Jean Sisley—White, slightly tinged pink.

Nemesis—Dark crimson.

Souvenir de David—Light crimson.

TEA ROSES.

Varieties of bushy and dwarf habit, of delicate structure, profuse bloomers, very fragrant and desirable. The climbing section is of vigorous growth.

Azelie Imbert, or Perfection de Montplaisir—Canary yellow.

Bon Silene—Rosy carmine, shaded salmon, fine in bud.

Caroline—Blush Rose.

Charles de Legrady—Carmine red, changing to rosy salmon.

Coquette de Lyon—Pale yellow, free bloomer, of dwarf habit.

Duchesse de Brabant, or Comtesse de Labarthe—Salmon pink.

Duchesse Marie Salviati—Buff yellow, shaded lilac rose.

Edmond de Biazat—Lilac carmine, darker edge.

Etoile de Lyon—Large, full, canary yellow.

Gustave Nabonnand—Tender rose, shaded yellow.

Isabella Sprunt—A sport of *Saffrano*; light yellow.

Louis Richard—Coppery rose, deeper centre; excellent.

Mme. Camille—Rosy salmon, large, very fine.

Mme. Caro—Salmon pink.

Mme. Caroline Kuster—White, orange yellow centre.

Mme. Dubrocca—Pink, apricot centre.

Mme. Damaizin—Salmon pink.

Mme. Francisca Kruger—Blush salmon centre.

Mme. Philippe Kuntz—Dark purple carmine, base of petals yellow.

Mme. Scipion Cochet—Yellowish, suffused rose, and with a darker centre.

Marie Guillot—Pure white dwarf.

Marie Lambert—White; medium sized flower.

Marie Van Houtte—Light yellow, outer petals tinged pink.

Marquise de Vivens—Cherry rose, shaded light yellow.

May Rivers—Yellowish centre, outer petals shaded rosy carmine.

Princess Vera—Cream.

Souvenir de L. X. Granger—Dark rosy carmine.

Vicomtesse de Wautier—Bright rose tinted, white and dark rose centre. 1888.

Zelia Pradel—White with a yellowish centre; half climbing habit. Excellent.

BOURBON ROSES.

Roses belonging to this class are generally of a vigorous dwarf habit.

Gloire de France—Pink.

Imperatrice Eugenie—Large, very full, beautifully cupped, delicate rose; an extra good flower.

Hermosa—Pale pink.

NOISETTE AND OTHER PERPETUAL CLIMBERS.

America—Salmon yellow.

James Sprunt—A climbing China; dark crimson.

Jules Jurgensen—Magenta, centre shaded violet.

Lamarque—White.

Octavie—Deep crimson; very vigorous.

Reine Marie Henriette—Bright cherry red, good form and of vigorous habit.

Reve D'Or, or Climbing Saffrano—Deep coppery yellow.

Souvenir de Mme. J. Metral—Dark cherry red, shaded crimson.

Woodland Margaret—White, vigorous.

HYBRID REMONTANT.

This class comprises the most perfect forms and colors. They are nearly all of vigorous growth. Some varieties bloom only during spring and again in fall, with an intermission of two months; others are as free bloomers as Tea Roses. First-class varieties only are here described, and which give satisfactory results on their own roots.

- Abel Carriere**—Velvety crimson, fiery centre.
Achille Gonod—Lilac rose.
Alphonse Soupert—Bright pink.
Bessie Johnson—Light blush.
Blanche de Meru—Light flesh, changing white.
Boieldieu—Bright cherry red.
Charles Lefebvre—Dark cherry carmine.
Charles Boissieres—Dark red shaded crimson.
Charles Margottin—Red, shaded crimson.
Cheshunt Hybrid—Cherry carmine, shaded violet, of vigorous growth and free spring bloomer.
Comtesse de Camando—Rich deep crimson.
Crown Prince—Purplish crimson.
Deuil du Colonel Denfert—Dark purple, velvety.
Dr. Hogg—Deep violet red.
Dr. Sewell—Crimson scarlet, shaded purple; free bloomer.
Duc de Cazes—Purplish red, shaded violet, dwarf growth.
Duke of Connaught—Deep crimson, velvety, dwarf; a free bloomer.
Duke of Edinburg—Crimson, shaded dark carmine.
Fanny Petzold—Clear satin rose.
Gen. Jacqueminot—Fiery red; an old standard sort, not very double.
Gloire de l'Exposition de Bruxelles—Very large, fine form; deep amaranth purple; free bloomer and vigorous; one of the best new dark roses.
Gloire Lyonnaise—Very large, white when fully expanded, but canary yellow while in bud; vigorous grower.
Gloire de Bourg la Reine—Light red.
Gloire de Margottin—Deep brilliant, scarlet and semi-double.
John Hopper—Bright rose, darker centre.
Lady Helen Stewart—Brilliant scarlet crimson.
Longfellow—Rich violet crimson.
Mme. Alfred Carriere—Pure white, sometimes slightly tinged flesh; very free and constant bloomer and vigorous grower.
Mme. Auguste Van Geert—Light pink.
Mme. Gabriel Luizet—Bright pink, very handsome shape.
Mme. Furtado Heine—Bright rose, shaded carmine.
Mme. Jules Grevy—Blush pink, tinted salmon.
Mme. Moreau—Deep brilliant carmine; perpetual bloomer and best of its color.
Marechal Canrobert—Bright pink.
Marechal Suchet (Damaizin)—Deep carmine pink.
Magna Charta—Bright pink, large.
Marshall P. Wilder—Cherry carmine, free bloomer.
Paul Neyron—Deep pink, very large; an extra fine rose and very free bloomer.

Ponia—Crimson red, very free bloomer.

Prince Camille de Rohan—Very dark brownish crimson; velvety.

Princess Mathilde—Dark crimson, shaded purple.

Princesse Louise Victoria—Deep carmine, changing lighter; half climbing.

Sidonie—Light pink.

Souvenir de Victor Landau—Bright rose, shaded carmine.

Souvenir de William Wood—Dark purplish crimson, shaded dark violet.

Ulrich Brunner—Cherry crimson.

Vicks Caprice—White striped rose.

Yolande d'Aragon—Pale pink.

ROSA POLYANTHA.

The varieties of this class, which have only been introduced within a few years, are crosses between the Japan type and Teas. They are ever blooming, producing a profusion of clusters of very small but very double flowers. Growth slender, dwarf; very desirable.

Cecile Brunner—Flowers $1\frac{1}{2}$ inches in diameter, salmon pink, deeper centre, beautifully formed.

Clothilde Soupert—Flowers $1\frac{1}{2}$ inches in diameter, beautifully formed; white, with rose or light carmine centre; a constant bloomer; a desirable variety for cemeteries.

Marie Pavie—Pale rose.

Mignonette—Delicate rose, changing to blush; flowers very small.

Perle d'Or—Not yellow, as its name indicates, but of a light buff shade, good form.

MOSS ROSES.

SPRING BLOOMERS.

Berangere—Rose carmine.

Eugene de Savoie—Pink.

Glory of Moss—Light pink; dwarf.

Henri Martin—Dark pink.

Mme. de la Rochelambert—Bright red.

Precoce—Dark red carmine.

White—White.

Zobeide—Pink.

MISCELLANEOUS ROSES.

SPRING BLOOMERS.

Banksia Alba (White Banksia)—Flowers small in clusters; climber.

Banksia Lutea (Yellow Banksia)—Flowers small in clusters; climber.

Banksia Fortunii—White; flowers larger than Banksia Alba; climber.

Baltimore Belle—Pale blush; climber.

Blairii No. 1—Delicate satin Rose; climber.

Mme. Plantier—Pure white, spring bloomer; flowers produced in profusion; excellent for massing or hedges. \$1.50 per 10; \$10 per 100.

Persian Yellow—Very double, of intense chrome yellow. Plants are all budded, as it is of no value on its own roots. 35c.

Queen of the Prairies—Rosy red; climber.

Vicomtesse D'Avesnes—Pink, climber.

ROSES BUDDED UPON MANETTI and MADAME PLANTIER.

Please Read Carefully Before Ordering.

It is impossible to propagate some varieties of Roses upon their own roots, and unless these are budded upon Manetti stocks their cultivation would have to be discontinued. *Budded Roses* in the hands of careful culturists will yield more perfect flowers than could be expected from the same varieties if upon their own roots; *they are especially desirable for Florida and all warm climates*, as their roots penetrate the soil to a great depth.

ALL BUDDED ROSES must be carefully watched, and all suckers or shoots which appear below the place where the bud is inserted must be removed, otherwise the stock will outgrow the bud and failure follow. Plant sufficiently deep to place the junction of the bud with the stock from two to three inches below the surface of the soil.

We therefore CAUTION persons inexperienced in cultivating *Budded Roses* not to purchase such plants, because the neglect in removing suckers will bring disappointment, and create the impression entertained by some purchasers that they have received plants incorrectly named. If the suckers are allowed to grow the budded portion will often be starved, and instead of a perfect flower, answering the description, a small, insignificant flower will be produced. We must decline to entertain any claim for the failure in BUDDED ROSES from neglect in giving such plants the proper attention.

We have a limited quantity of plants on own roots of a few varieties described in this list. Should we be unable to supply budded plants as ordered, please state whether plants on own roots may be sent, allowing purchasers the difference in price.

Price of plants, budded low.....35c. each, \$3 per 10.

When selection is left to us.....\$25 per 100 plants, all distinct.

This section includes the most promising of the new varieties of 1892 and 1893, in addition to older varieties which are not readily propagated upon their own roots, and give good results only when budded upon strong growing stocks.

Since the last edition of our General Catalogue was issued in 1893, we have added to our collection every new rose that was offered by American and European growers. Out of upwards of *two hundred* new sorts, very few have shown sufficient merits to entitle them to the attention of amateur growers. There is too much similarity among the larger number, which in the end add new names to the lists, but not always new varieties. All new Roses offered have, after test in our grounds, shown valuable characteristics, and most will doubtless prove acquisitions for open ground cultivation.

HYBRID PERPETUAL.

A. K. Williams—Bright reddish crimson.

American Beauty—Resembles *La France* in shape and size, but its color is of a deep shade of rose; an excellent flower. Plant is of dwarf habit and slow growth.

Anna de Diesbach—Fine satin rose, large.

Antoine Mouton—Bright rose, tinted pale lilac.

Baronne de Rothschild—Rosy pink, beautiful form.

Cardinal Patrizzi—Deep purplish red.

Charles Dickens—Large and very full; dark rose; free bloomer.

Comtesse Branicka—Large and full; soft, silvery rose.

Caroline d'Arden—Large, light rose.

Ciceron—Dwarf, white centre, with crimson edge.

Docteur Henon—Pure white, thornless.

Duchesse de Dino—Very large, imbricated; dark crimson, shaded carmine.

Earl of Dufferin—Very large, crimson, shaded maroon.

Eliza Boelle—White, slightly tinted flesh; very dwarf.

Emile Bardiaux—Very large, fine form; carmine red, shaded purple; vigorous habit.

Eugene Appert—Dark fiery red, shaded maroon.

Empereur de Maroc—Dark crimson, shaded dark purple; best in spring.

E. Y. Teas—Dark cherry red.

Gustave Piganeau—Large, cupped, carmine red; of brilliant color and free bloomer; of dwarf, compact habit.

Helen Paul—Light flesh, changing to white.

Henrich Schultheis—Lilac rose.

Her Majesty—Flowers of immense size, exquisitely imbricated, of a bright silvery rose, as near perfection as could be desired. A shy bloomer, seldom giving many flowers after June. Growth exceedingly vigorous.

James Bougault, or White La Reine—Large, full; white tinted rose; free bloomer.

James Brownlow—Brilliant carmine.

Jules Finger—Blush, pink centre.

Julie de Schulenberg—Large, purplish red, with darker centre.

Lady Arthur Hill—Large, carmine rose, good form.

Lord Raglan—Deep crimson, shaded purple.

Louis Chaix—Brilliant carmine, fine form.

Louis Van Houtte—Crimson maroon.

Leon Renault—Light crimson.

Mabel Morrison—A white form of *Baronne de Rothschild*.

Mme. Charles Wood—Reddish crimson, large.

Mme. Dr. Wettstein—Brilliant crimson; globular.

Mme. Lemesle—Large, purple red, shaded violet.

Mme. Lucien Chauré—Cherry red.

Marguerite de Roman—Salmon flesh.

Marie Finger—Rosy salmon.

Marshall P. Wilder—Cherry carmine, a free bloomer.

Monte Christo—Purple maroon, very dwarf.

Merveille de Lyon—White, lightly tinted flesh, large flower.

Mrs. John Laing—Soft pink, large.

Mrs. Paul—Large, white shaded rose.

Ornement des Jardins—Vivid crimson, finely imbricated, compact growth.

Pride of Reigate—Crimson, handsomely striped white and sometimes half crimson and half white. This variety sustains its excellent qualities of a variegated perpetual bloomer, the proportion of well-striped flowers being about 75 per cent. A few pale rose colored flowers are occasionally produced. As with all roses produced from sports, some flowers will at times revert to the original variety. The same fault may be expected with other sports, such as *Bride*, *Sunset*, *White Bon Silene*, etc.

Prince Charles d'Arenberg—Carmine rose, satin sheen.

Queen of Queens—Light rose with darker edge. Dwarf, free bloomer.

Rev. J. B. M. Camm—Carmine rose, large.

Rosy Morn—Bright lilac rose.

Victor Verdier—Bright rose, fine form.

Violet Bouyer—White, tinted flesh.

White Baronne—Pure white, forms of *Baronne de Rothschild*.

Xavier Olibo—Scarlet, shaded purple maroon.

BOURBON.

Gloire d'Olivet—Lilac rose, globular, free bloomer. 1889.

Lea Leveque—Large, white washed carmine.

Mme. Baron Veillard—Large, cupped, light rose; lighter edge.

Mme. Dubost—Medium flesh, bright rose centre.

Mr. A. Maille—Large, brilliant carmine red.

Melle Berger—Delicate rose, medium size flowers.

Princess Imperial Victoria—A sport from *Malmaison*, flowers white, tinted yellow.

Queen of Bedders—Dark, crimson, dwarf, very free bloomer.

Red Malmaison—Brilliant carmine, profuse bloomer; dwarf, smaller than the old *Souvenir de la Malmaison*.

Souvenir de la Malmaison—Large, very full, flesh; magnificent.

NOISETTE.

L'Abondance—Medium, white tinted rose.

L'Ideal—Yellow, tinted darker yellow.

Heroriade—Buff, pink centre.

Mme. Carnot—Globular, golden yellow, with darker centre.

HYBRID TEA.

Angelique Veyssset, or Striped La France—Similar to *La France*, but with flowers striped and shaded white.

Augustine Guinoiseau, or White La France—Large, white tinted rose.

Beaute de l'Europe—Buff yellow, coppery hue.

Beaute de Grange de Heby—White, yellow centre.

Camœns—Rose, yellowish centre.

Comte Henri Rignon—White, salmon centre; dwarf.

Dr. Pasteur—Bright rosy carmine, bud long.

Duchess of Albany—Resembles *La France*, but of deeper color.

Fanny de Forest—White, light salmon centre.

Grace Darling—White, shaded pink.

Gustave Regis—Light yellow, centre saffron yellow; half climber.

Henri Brichard—Rosy carmine centre, white edge.

Kaiserin Augusta Victoria—White with slightly creamy centre.

Lady Mary Fitzwilliams—Blush, sometimes pure white.

La France—Silvery peach, excellent, but a poor grower, and apt to die back.

La France of 1889—Very large, brilliant red.

La Fraicheur—Bright satin rose.

Mme. Caroline Testout—One of the best new Roses of 1891. Of the *La France* type, but clear pink, large and very free bloomer.

Mme. de la Collonge—Large, full, bright lilac pink.

Mme. Moser—Very large, globular, silvery white, pink centre.

Maid of the Mist—Sport of *Lady Mary Fitzwilliams*. Large, white, reverse of petals rose; dwarf.

May Paul—Red inside, lilac outside.

Peirre Guillot—Dark carmine; a most profuse and constant bloomer; dwarf habit.

Princess Bismark—Rose, changeable to pale rose or cherry red.

Reine Nathalie de Serbie—Very double and finely shaped flower; color a soft pink; very dwarf.

Viscountess Folkestone—Outer petals creamy, centre salmon pink; flowers large, full and free blooming.

White Lady—Of same parentage as *Maid of the Mist*; creamy white; dwarf.

Souvenir de Wooten—Lilac red, a good forcing rose.

Triomphe de Pernet Pere—Bright red carmine, long bud; very profuse bloomer.

MOSS.

Œillet Panache—Medium, white ground, striped with bright red; very distinct.

TEA.

Annette Seaut—Orange yellow.

Adele de Bellabre—Pink, shaded carmine and salmon.

Baronne Henriette de Lœw—Soft rose, of white salmon centre.

Bridesmaid—A sport of *Catherine Mermet*, but of deeper color.

Capitaine Lefort—Rosy carmine.

Carmen—Deep rose.

Claudius Levet—Carmine rose, shaded purple.

Comtesse Anna Thun—Large cupped, yellowish orange, tinted saffron.

Comtesse de Frigneuse—Canary yellow.

Ernest Metz—Large, carmine pink.

Esmeralda—Soft pale rose; dwarf.

Exadelphe—Yellowish white.

Francisca Pries—Rosy lilac, coppery centre.

Gustave Nadaud—Light red, shaded carmine.

J. B Varonne—China rose, changing to carmine.
Jeanne Cuvier—White, lilac rose centre, washed pale lilac.
Jeanne Guillaumez—Reddish coppery centre, yellow edge.
Joseph Metral—Violet carmine; dwarf.
Lady Castlereigh—Pale rose, lighter edge.
Luciole—Bright carmine, shaded saffron yellow.
Mme. Adolphe de Tarle—White, yellowish centre.
Mme. Elie Lambert—Creamy white, tinted pale yellow and bordered soft rose.
Mme. de Watteville—Pale yellow, margined pink.
Mme. Joseph Godier—Pale flesh, dark apricot centre.
Mme. Honore Defresne—Resembles *Perle des Jardins*. Very fine.
Mme. Hoste—Light yellow, shaded buff.
Mme. Margottin—Yellow, apricot centre.
Mme. Marguerite de Sora—Large, chrome yellow, shaded darker.
Mme. Sadi Carnot—White, salmon centre.
Mme. Simon—Flesh, changing to white, centre tinted yellow.
Medea—Lemon yellow, darker centre.
Papa Gontier—Bright red, reverse of petals purple.
Perle des Jardins—Bright yellow, best when budded.
Rainbow—A sport of *Papa Gontier*. Ground color, dark pink, striped dark carmine. It is desirable while in bud, otherwise a poor flower.
Souvenir d'Auguste Legros—Dark purple carmine, shaded red.

Souvenir de Fr. Gaulain—Magenta red, shaded violet.

Souvenir du Dr. Passot—Deep red, changing to lighter red.

Souvenir de Clairvaux—Bright china rose, base of petals nankeen yellow.

Sunset—A sport of *Perle des Jardins*, of a rich tawny yellow.

The Queen—Pure white.

CLIMBING NOISETTE and CLIMBING TEA.

Chromatella, or Cloth of Gold—Deep yellow; an old and favorite variety; shows its deep color best when budded.

Climbing Captain Christie—Similar to the bush form, but of climbing habit; apt to revert to the bush form.

Devoniensis (Climbing)—White, flesh centre.

Elie Beauvilain—Soft rose, salmon centre.

Emily Dupuy—Pale fawn, in the style of **Wm. Allen Richardson**, but better.

La France (Climbing)—Similar to the bush form, but of climbing habit; apt to revert to the bush form.

Marechal Niel—Deep chrome yellow; always deeper in color and better grower when budded.

Niphetos (Climbing)—A sport from the bush form, habit very vigorous; flowers pure white, buds long; a great acquisition.

Perle des Jardins (Climbing)—A climbing form of the *Perle des Jardins*. Does not always show its climbing habit until the second year.

Wm. Allen Richardson—Orange yellow, centre coppery yellow.

This branch of our establishment is now the largest and most complete in the South. For this department a special Catalogue (No. 2) is published on the 1st of February of each year. The increasing demand for Greenhouse Plants has enabled us to keep up with the march of progress, and induced us to cultivate a very large and varied stock of Plants, not only of the favorite classes usually found in greenhouses, but also plants of the newest introduction. Our facilities for propagating large quantities of healthy stock, and the saving of fuel, enable us to offer Plants at unusually low prices.

Special attention is called to our very large stock of *Winter Blooming Plants*, as described in Catalogue No. 2, which will be mailed free upon application.

RATES OF FREIGHT ON TREES AND PLANTS.

PLEASE NOTICE.—All freight shipped by railroad to points marked with a star (*) must be *Prepaid and Released*. Remittances to cover charges must be made before shipment. For other railroad points, shipments can be forwarded *Released and Guaranteed* and payable at destination. These rates refer to trees packed in *Boxes*; if packed in *Bales*, from 5 to 10 per cent. additional must be added. As they are also liable to change, we decline all responsibility for any alterations by the various railroad lines. Rates for points not named in this list given on application. *Express freight need not be prepaid.*

FROM AUGUSTA TO	EXPRESS.			R. R. 100 lbs.	VIA Railroad	FROM AUGUSTA TO	EXPRESS.			R. R. 100 lbs.	VIA Railroad
	25 lbs.	50 lbs.	100 lbs.				25 lbs.	50 lbs.	100 lbs.		
Albany, Ga.	45	55	75	31	Georgia	Kissimmee, Fla.	60	1 15	2 25	1 07	Georgia
Anguilla, Miss.				1 16	"	Knoxville, Tenn.	50	1 00	2 00	51	"
Athens, Ga.	30	35	50	20	"	LaGrange, Ga.	55	65	90	37½	"
Atlanta, Ga.	35	40	60	25	"	*Lake Charles, La.	1 00	2 00	4 00	84	"
Americus, Ga.	40	50	70	31	"	Lakeland, Fla.	60	1 15	2 25	1 09	"
Anniston, Ala.	40	75	1 50	43	"	*Laredo, Tex.	1 85	3 35	7 25	1 24	"
*Austin, Tex.	1 40	2 80	5 60	1 06	"	Leesburg, Fla.	50	1 00	2 00	1 04	"
Asheville, N. C.	35	65	1 25	64	R & D	Live Oak, Fla.	50	1 00	2 00	75	"
*Alexandria, La.	1 00	2 00	4 00	1 06	Georgia	*Little Rock, Ark.	1 00	1 70	3 40	1 35	"
Baldwin, Fla.	50	1 00	2 00	69	"	Louisville, Ky.	70	1 40	2 80	81	"
Bartow, Fla.	60	1 15	2 25	72	"	*Luling, Tex.	1 45	2 95	5 75	1 06	"
Birmingham, Ala.	40	75	1 50	47	"	Macon, Ga.	30	35	50	21	"
Baltimore, Md.	75	1 50	3 00	65	R & D	Memphis, Tenn.	60	1 15	2 25	77	"
*Baton Rouge, La.	75	1 50	3 00	80	Georgia	Meridian, Miss.	60	1 15	2 25	61	"
Bolivar, Tenn.	70	1 35	2 70	1 02	"	*Mexico, Mexico	6 70	10 75	21 50	2 38	Central
Boston, Mass.	95	1 90	3 80	70	Central	Mobile, Ala.	60	1 15	2 25	61	Georgia
Brownsville, Tenn.	65	1 25	2 50	1 11	Georgia	Mt. Dora, Fla.	60	1 15	2 25	1 04	"
*Brenham, Tex.	1 35	2 65	5 30	1 06	"	Montgomery, Ala.	50	1 00	2 00	61	"
*Brookhaven, Miss.	80	1 60	3 20	1 10	"	*Monticello, Ark.	1 00	2 03	4 00	1 39	"
Brunswick, Ga.	55	70	1 00	30	P R & A	Nashville, Tenn.	50	1 00	2 00	58	"
Camden, S. C.	35	40	75	50	S C	Natchez, Miss.	75	1 50	3 00	80	"
Canton, Miss.	75	1 50	3 00	1 09	Georgia	New Orleans, La.	65	1 25	2 50	80	"
Chattanooga, Tenn.	40	75	1 50	43	"	New York, N. Y.	80	1 60	3 20	70	Central
Chattahoochee, Fla.	45	90	1 75	55	"	Orange Park, Fla.	45	90	1 75	62	Georgia
Charlotte, N. C.	35	40	80	47	R & D	Ocala, Fla.	50	1 00	2 00	98	"
Charleston, S. C.	35	35	65	28	S C	Orlando, Fla.	50	1 00	2 00	1 05	"
Cedar Keys, Fla.	50	1 00	2 00	87	Georgia	Oakland, Fla.	60	1 15	2 25	1 04	"
Chicago, Ill.	95	1 90	3 80	1 06	"	Palatka, Fla.	45	90	1 75	62	"
Cincinnati, Ohio.	70	1 40	2 80	81	"	*Paris, Tex.	1 35	2 75	5 50	1 06	"
Chester, S. C.	35	35	65	42	R & D	Pensacola, Fla.	60	1 15	2 25	61	"
*Corinth, Miss.	60	1 15	2 25	80	Georgia	Philadelphia, Pa.	70	1 40	2 80	70	Central
Columbia, S. C.	35	35	45	31	R & D	*Pine Bluff, Ark.	1 00	1 90	3 80	1 35	Georgia
Columbus, Miss.	50	1 00	2 00	53	Georgia	Raleigh, N. C.	40	75	1 50	56	R & D
Columbus, Ga.	45	55	75	27	"	Richmond, Va.	50	1 00	2 00	56	"
*Corsicana, Tex.	1 40	2 75	5 50	1 06	"	Rockledge, Fla.	50	1 00	2 00	1 00	Georgia
*Corpus Christi, Tex.	1 60	3 15	6 25	1 03	"	Rome, Ga.	55	65	90	24	"
*Dallas, Tex.	1 40	2 75	5 50	1 06	"	Sanford, Fla.	50	1 00	2 00	73	"
Daytona, Fla.	60	1 15	2 25	90	"	*San Antonio, Tex.	1 45	2 90	5 80	1 06	"
DeLand, Fla.	50	1 00	2 00	75	"	*San Diego, Tex.	1 95	3 65	6 95	1 24	"
*Denison, Tex.	1 50	3 00	6 00	1 06	"	St. Augustine, Fla.	50	1 00	2 00	67	"
*Donaldsonville, La.	85	1 65	3 25	1 09	"	Savannah, Ga.	30	40	55	28	Central
*El Paso, Tex.	1 85	3 70	7 40	1 24	"	St. Louis, Mo.	85	1 70	3 40	1 01	Georgia
Eufaula, Ala.	40	75	1 50	50	Central	Selma, Ala.	45	90	1 75	61	"
Eustis, Fla.	50	1 00	2 00	1 04	Georgia	*Shreveport, La.	75	1 50	3 00	84	"
Fayetteville, Tenn.	50	1 00	2 00	86	"	Somerville, Tenn.	60	1 15	2 25	86	"
Fernandina, Fla.	50	1 00	2 00	50	P R & A	Spartanburg, S. C.	35	40	80	37	P R & WC
Forsyth, Ga.	35	45	65	32	Central	*State Line, Miss.	65	1 25	2 50	1 00	Georgia
Fort Valley, Ga.	35	45	65	31	Georgia	Sumter, S. C.	35	50	1 00	55	S C
*Fort Worth, Tex.	1 25	2 40	4 80	1 05	"	Tallahassee, Fla.	50	1 00	2 00	95	Georgia
Fruitland Park, Fla.	50	1 00	2 00	1 04	"	Tallahassee, Ala.	50	1 00	2 00	43	"
Gainesville, Fla.	45	90	1 75	94	"	Tampa, Fla.	60	1 15	2 25	1 12	"
*Galveston, Tex.	1 15	2 35	4 70	89	"	*Texarkana, Ark.	1 05	2 10	4 20	1 01	"
Glen St. Mary, Fla.	50	1 00	2 00	63	"	Thomasville, Ga.	60	75	1 10	47	Central
Green Cove Sps, Fla.	45	90	1 75	62	"	Tuscaloosa, Ala.	70	1 05	2 10	76	"
Greenville, S. C.	35	50	1 00	37	P R & WC	Vicksburg, Miss.	75	1 50	3 00	80	Georgia
Griffin, Ga.	40	50	70	35	Central	*Waco, Tex.	1 40	2 75	5 50	1 06	"
Grand Junc., Tenn.	60	1 15	2 25	80	Georgia	Waldo, Fla.	50	1 00	2 00	72	"
*Helena, Ark.	75	1 50	3 00	1 15	"	Waycross, Ga.	50	65	90	58	"
Hendersonville, N. C.	35	50	1 00	64	R & D	Waynesville, N. C.	35	65	1 25	76	R & D
*Hot Springs, Ark.	1 15	2 30	4 60	1 75	Georgia	Winter Park, Fla.	60	1 15	2 25	1 03	Georgia
*Houston, Tex.	1 00	2 00	4 00	89	"	Wilmington, N. C.	40	75	1 50	38	R & D
Huntsville, Ala.	50	1 00	2 00	76	"	Winchester, Tenn.	50	1 00	2 00	77	Georgia
Jacksonville, Fla.	40	75	1 50	50	P R & A	*Yoakum, Tex.	1 40	2 80	5 60	1 06	"
*Jeanerette, La.	95	1 90	3 75	89	Georgia