Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

1847
CATALOGUE
OF
SEEDS, ROOTS,
AND
Shrubs,

SOLD BY
DUNLAP & THOMSON,

SEEDSMEN AND FLORISTS,
No. 635 BROADWAY,
NEW YORK.

1847.

J. W. BELL, PRINTER,
CORNER OF ANN AND NASSAU STREETS, N. Y.

CATALOGUE
OF
SEEDS, ROOTS, & SHRUBS,

SOLD BY

DUNLAP & THOMSON,

Seedsmen and Florists,

No. 635 BROADWAY,

NEW YORK.

1847.

J. W. BELL, PRINTER,
CORNER OF ANN AND NASSAU STREETS, NEW YORK.

Botanical, Horticultural, and Agricultural Publications,
supplied as published.

Strawberry, Raspberry, Currant, Gooseberry, and Fruit-Tree Seeds, of the
most choice varieties, selected and packed for exportation.

*Garden Seeds of the most approved kinds and varieties,
carefully assorted and packed for all Climates.*

Flower Seeds of the most choice sorts, selected and systematically arranged
for the purpose of Botanical or Floral cultivation.

DUTCH BULBS AND FLOWER ROOTS.

Flowering Shrubs, Fruit Trees, Greenhouse and
Herbaceous Plants.

TREE, SHRUB, AND FLOWER SEEDS IMPORTED,
From the best Houses in Europe.

*Bird Seeds, Russian Mats, Split Peas, Flour of Mustard, Birds and
Bird Seed, Gold Fish and Globes, Garden Tools, Pruning Knives,
Iron Settees, Chairs, and Flower Stands.*

Grass Seeds assorted and mixed for Lawns, for the purpose of permanent
Pasturage and alternate Culture, as may be adapted to Soil and Situation.

CATALOGUE.

GARDEN SEEDS.

PEAS.

*Early May or Kent, *earliest grown*
 *Cormack's Prince Albert
 *Shilling's new early Grotto
 Bishop's early dwarf
 Early single Blossom Frame
 Early Nimble ditto
 Early Warwick ditto
 Early Charlton ditto
 Dwarf Marrow
 Groom's superb Dwarf
 Large tall Marrow
 New Green Marrow
 Dwarf Sugar
 Tall Sugar
 Spanish Dwarf or Fan
 Improved " "
 Prolific or White Prussian
 Blue Prussian
 Royal Dwarf
 Dwarf Blue Imperial
 Bedman's Imperial
 Long-podded Imperial

Knight's Tall Marrow
 ——— Dwarf do.
 ——— Tall Green
 ——— Dwarf Green
 Knight's *New early Improved
 ——— Victoria, *fine*
 New Matchless
 Waterloo Blue
 Sickle or Cimeter
 Wellington, tall fine
 Nonsuch or Woodford Marrow
 Victoria Marrow

BEANS.

Early Mazagan
 Early long pod
 Sword long pod
 *Hangdown long pod
 Green eared pod or *Nonpareil*
 Common Windsor
 Scarlet Blossom'd
 Fan, Bog, or Cluster
 Green Fan, or Bog
 New Royal Cluster
 White Blossom

*These are
 recommend-
 ed for small
 Gardens.*

* Those marked by an Asterisk are of recent introduction and of superior quality.

KIDNEY BEANS.

New Royal Dwarf	Dark Dun or liver colored
Pale Dun Forcing Dwarf	Mohawk or early Six-week
Early Rachael	Dwarf Cranberry
Chinese	Refugee or Prolific Six-week
Negro	Yellow “
Canterbury	Dwarf Cluster “
White Dutch	Scarlet Runners “
Black Speckled	White Dutch “
Red Speckled	Lima Pole “
Purple Speckled	Asparagus Pole “
	Cranberry Pole “ in sorts.

CABBAGE, CAULIFLOWER, CARROTS,
CELERY, CUCUMBERS, LEEKS, LETTUCE, MELON, MUSTARD,
ONION, PARSLEY, PARSNIP,
RADISH AND TURNIP, SWEET AND POT HERBS,

With a general assortment of GRASS AND OTHER SEEDS, all warranted
as represented.

✂ A liberal discount to those who purchase to retail.

GOLD FISH AND GLOBES, BIRDS AND BIRD SEEDS, BUDDING
AND PRUNING KNIVES,
AND A GENERAL ASSORTMENT OF GARDEN TOOLS.

MISCELLANEOUS.

Artichoke, Globe	Beet, Silver or Sea Kail
—————green	Borecole tall green or Scotch Kail
Asparagus, Reading	—————dwarf green or ditto
—————Battersea,	—————red or brown
—————Giant	Egyptian Kail
—————Grayson's	Brussels' Sprout tall
Beet, Blood Red	—————dwarf
—— white	Cesarean Kail or Cow Cabbage
—— green	Brocoli, early green
—— Turnip rooted	

Brocoli, early purple
 ——— large purple
 ——— dwarf purple
 ——— early white
 ——— late white
 ——— invisible white
 ——— brimstone or Portsmouth
 ——— white Cape or Cauliflower
 ——— early purple Cape
 ——— Bowle's New Sulphur ditto
 ——— Somer's late white
 ——— late dwarf Cape
 ——— white Portsmouth
 Cabbage, early Nonpareil
 ——— American heart-shaped
 ——— Imperial early
 ——— early Vanac
 ——— early Emperor
 ——— early dwarf
 ——— fine screw
 ——— Wellington
 ——— early York
 ——— large York
 ——— early heart-shaped
 ——— London Battersea
 ——— early sugar-loaf
 ——— flat Battersea or harves
 ——— late flat Battersea
 ——— large Drumhead or Scotch
 ——— late dwarf Drumhead
 ——— 1000-headed
 ——— Turnip-rooted above gro'nd
 ——— Turnip-rooted under gro'nd
 ——— Purple Turnip rooted
 ——— Kohl Rabi
 ——— green Rabi
 Carrot, long Orange
 ——— short Orange
 ——— Altringham
 ——— early horn
 ——— scarlet horn
 ——— Dutch horn, *for forcing*

Carrot, French white
 ——— long purple
 ——— white, for gardens
 ——— white, agricultural
 Cauliflower, early
 ——— late
 ——— London particular
 ——— New German
 ——— large Asiatic
 Celery, Italian
 ——— solid white
 ——— red
 ——— new silver
 ——— dwarf curled
 ——— Manchester giant red
 ——— rose
 ——— white
 ——— Lion's paw
 ——— Seymour's superb
 Celeriac or turnip rooted
 Cardoon, Spanish
 Chervil, curled
 Corn Salad
 Cress, common
 ——— fine curled
 ——— golden
 ——— broad leaved
 ——— American
 Cucumber, early frame
 ——— long frame
 ——— fine Southgate
 ——— ridge or hand-glass
 ——— long prickly
 ——— short prickly
 ——— early cluster
 ——— green prickly
 ——— white Turkey
 ——— green Turkey
 ——— white spined
 ——— Manchester prize
 ——— Windsor prize
 Endive, green curled

Endive, white curled

—— green broad-leaved Batavian

—— white do.

—— fine new do, *for stewing*

Gourds, various

Leek, London flag

—— common

Lettuce, white coss

—— hardy white coss

—— green coss

—— hardy green coss

—— Egyptian coss

—— brown coss

—— Bath coss

—— Block seed, *hardy*

—— blood coss

—— Brighton coss

—— Imperial coss

—— Cape coss

—— white Silesia

—— brown Silesia

—— common white cabbage

—— grand admirable

—— brown Dutch

—— Hammersmith hardy

—— green

—— royal cabbage or union

—— Victoria cabbage

—— Drumhead or Malta

—— Marseilles

—— Tennis Ball

—— Saxony

—— Texter

—— Hampton Court cabbage

Love Apple, large red

—— yellow

—— pear shaped

—— cherry or cluster

—— for preserving

—— new fig-shaped

Melon, green netted

—— green citron

Melon, early smooth cantaloup

—— netted Romana

—— large black rock

—— silver rock

—— scarlet-fleshed

—— green-fleshed

—— large water

—— American pine apple

—— American vars, fine

—— New Persian, *in varieties*

Mustard white

—— brown

Nasturtium, tall

—— dwarf

Orach, white

—— red

Onion, Deptford

—— Strasburgh

—— white Spanish or Portugal

—— brown Spanish

—— large TRIPOLI, flat and globe

—— silver-skin'd pickling

—— yellow or straw-coloured

Parsley, plain

—— curled

—— Hamburg or long-rooted

Parsnip, hollow-crowned

—— Guernsey

Radish, early frame¹

—— scarlet short top

—— salmon

—— white turnip

—— yellow turnip

—— red turnip

—— new scarlet transparent do.

—— black Spanish

—— white Spanish

—— long white

Rampion

Rhubarb, Turkey

—— red or tart

—— new early red

Rhubarb, giant or Hybrid

——— Myatt's Victoria

Squash

——— early bush

——— fine custard

——— new warted

——— coacoa nut

——— American vars.

*Used in
preference
to vegeta-
ble mar-
row.*

Vegetable Marrow, white

——— green

Salsafy

Scorzonera

Skirret

Savoy, green-curled

——— Drumhead

——— yellow

——— globe

——— early dwarf

——— late green

Sorrel, French or broad-leaved

——— English, or narrow-leaved

Spinach, round or spring

——— prickly or winter

——— Tetragonia expanse, or
New Zealand

Sea Kail

Turnip, early Dutch

——— early Stone

——— six weeks yellow, or stone

——— red ditto or stone

——— yellow garden

——— early Snowball, fine

Imported from Germany.

Turnip long yellow

——— long white

——— small yellow

Strawberry, White Alpine

——— Red

*These, sown in the Autumn, in
a frame, and transplanted in-
to beds in the Spring, continue
bearing the whole summer.*

ROOTS, &c.

Artichokes

Asparagus

——— Grayson's Giant

Garlic

Mushroom Spawn

Potatoes, early forcing

——— kidney

——— ash-leaved

——— Fox's seedlings

——— Taylor's forty-fold

——— Nevill's defiance, *new*

Rhubarb, Myatt's Victoria

——— all the best known varieties

Sea Kail

Shallots, English

——— Russian

Strawberries, all the best known
varieties

Tarragon

Underground Onions

Capsicum

——— long red

——— heart-shaped

——— long yellow

——— bird pepper

——— fine Chili

——— En Tomato

SWEET & POT-HERBS.

Angelica

Anise

Balm

Borage

Burnet

Basil, large or sweet

——— bush or dwarf

Carraway

Clary

Coriander

Cummin

Dill

Fennel
 Hyssop
 Lavender
 Marjoram, sweet
 ——— pot or winter
 Marygold, pot
 Purslane, green .

Purslane, golden
 Rosemary
 Savory, summer
 ——— winter
 Scurvy grass
 Sage
 Thyme

AGRICULTURAL SEEDS.

Buck Wheat
 Burnet
 Broom
 Furze
 Canary
 Clover, red
 ——— white Dutch
 ——— yellow or trefoil
 ——— Marl or cow-grass
 Linseed, English
 Grass, Ray or Bents
 ——— New Italian
 ——— Pacey's perennial
 ——— smooth-stalked meadow
 ——— rough-stalked "
 ——— Timothy or oat's-tail
 ——— crested dog's-tail
 ——— fine or heath ditto
 ——— cock's foot or orchard
 Trifolium incarnatum
 Hemp
 Lucerne
 Rape or Cole Seed
 St. Foin
 Tares, winter
 ——— spring
 Turnip, green round
 ——— white "
 ——— red "
 ——— white globe
 ——— purple "

Turnip, green globe
 ——— large yellow Scotch
 ——— purple Scotch
 ——— white tankard
 ——— red "
 ——— green "
 ——— yellow "
 ——— yellow Swedish
 ——— red-top't Swedish
 ——— Laing's improved Swedish
 ——— Skirving's " "
 ——— Dale's Hybrid
 ——— Hood's yellow globe
 Madia Sativa, *for extracting oil*
 Mangold Wortzel or root of scarcity
 ——— yellow
 ——— white or sugar
 ——— yellow Turnip-rooted
 ——— red " "
 Oats, fine potato
 Wheat, white
 ——— red
 ——— spring
 ——— Talavera
 ——— Egyptian
 ——— Ely's gigantic
 Barley, common
 ——— winter
 ——— spring
 ——— black Russian

FLOWER SEEDS.

HARDY ANNUALS,

Which may be sown in open Borders, from the middle of February to the end of April.

Adonis vernalis flos	Candytuft, white rocket
——— æstivalis	——— small rocket
Agrostemma Coeli rosa	——— sweet scented
——— githago	——— new crimson
Alyssum, white or sweet	Caterpillars
Alkekengi	Catchfly, Lobel's
Anchusa versicolor	——— red
Antirrhinum bipunctatum	——— white
——— medium	Centaurea cyanus
——— speciosum	——— double dwarf
——— spartea	——— crupina major
——— latifolia	——— crocodilium
——— tripartitum	——— elongata
——— viscosa	Cerinthe, major
——— triphylla	——— minor
——— versicolor	Catananchea lutea
Anthericum annuum	Chrysanthemum carinatum, or tri-
Androsace lactiflora	color
Aster tenella	——— coronaria, double white
Balm, Moldavian white	——— yellow
——— blue	——— quilled
Belvidere, or summer cypress	——— var. Siphthorpii
Bladder Ketmia	——— var. latifolium
Briza, maxima	Chryseis compacta
Calendula Hybrida	——— crocea
——— pluvialis	——— Californica
——— stellata	Clary, red and purple topped
——— lutea	Clarkia pulchella
Campanula Loreii	——— fimbriata
——— pentagonia	——— var. alba
——— speculum	——— elegans
——— dichotoma	——— elegans var. rosea
Candytuft, new white	——— gauroides
——— Normandy	——— rhomboidea
——— purple	Collomia grandiflora
——— dark purple	——— coccinia

- Collomia lateritia*
Convolvulus minor or *tricolor*
 ————— *alba*
 ————— new. var.
 ————— major *Ipomea purpurea*
 ————— fine striped
 ————— spotted flowered
 ————— indistinct colors
Coreopsis diversifolia
 ————— *picta*
 ————— *Drummondii*
 ————— *elegans*
 ————— *coronata*
 ————— *tinctoria*
 ————— *atro sanguinea*
 ————— *Atkinsonia*
Dracocephalum, canescens
Dianthus prolifer
 ————— *Armeria*
Echium violaceum
 ————— *plantagineum*
 ————— *Australe*
Elsholtzia cristata
Gilia capitata
 — var. *alba*
 — *bicolor*
 — *aggregata*
Godetia rubicunda
 ————— *vinosa*
 ————— *lepida*
 ————— *concinna*
 ————— *Wildenova*
 ————— *albescens*
 ————— *grandiflora*
Gypsophila elegans
 ————— *viscosa*
Glaucium tricolor
 ————— *Persicum*
 ————— *Pheniceum*
 ————— *Violacea*
Hawkweed, yellow
 ————— *silver*
- Hawkweed, red*
 ————— new white
Hedgehogs and Horns
Helianthus petiolaris
 ————— *tubiformis*
 ————— *californica*
Hyoscyamus pictus
 ————— *agrestis*
 ————— *pallidus*
 ————— *albus*
Iberis odorata
 ————— *amara*
 ————— *umbellata* spes. nova
 ————— *coronaria*
Jacoea, purple
 ————— fine double
 ————— white
 ————— yellow
Kaulfussia amelloides
Larkspur, dwarf rocket
 ————— tall rocket
 ————— fine rose
 ————— branching
 ————— German 10 distinct var. fine
 ————— Neapolitan
 ————— unique
 ————— in distinct colors
Lasthenia Californica
 ————— *glabrata*
Lathyrus alatus
 ————— *azureus*
 ————— *annuus*
Linaria reflexa
 ————— *canadense*
 ————— *Prezii*
Lobelia, erinoides
 ————— *gracilis*
 ————— *ramosus*
 ————— *erinus grandiflora*
Love lies bleeding
Lychnis, læta
 ————— dwarf

Lupins, yellow
 ——— large blue
 ——— rose
 ——— white
 ——— straw-colored
 ——— small blue
 ——— Dutch blue
 Lupinus, micranthus
 ——— elegans
 ——— bicolor
 ——— lanceolata
 ——— nanus
 Lythrum thymifolium
 ——— hyssopifolium
 Madia splendens
 Malesherbia coronata
 Mallow, scarlet
 ——— curled
 ——— Venetian
 ——— zebra
 Malva Mauritana
 ——— miniata
 ——— Munroana
 Malope trifida et alba
 ——— grandiflora
 ——— viscosa
 Mathiola quarantine rouge
 ——— blanche
 ——— violette
 ——— Grecque rouge
 ——— violette, &c. &c.

40 varieties.

Marygold, Cape
 Migninonette, sweet
 ——— upright or reseda
 Nasturtium, tall
 ——— dwarf
 ——— new dark
 Nigella Romana
 ——— double dwarf
 ——— orientalis
 ——— Spanish
 Nolana prostrata
 ——— paradoxa

Nolana atriplicifolia
 ——— alba grandiflora
 Oenothera purpurea
 ——— tenuifolia
 ——— linearis
 ——— salicifolia
 ——— viminea
 ——— decumbens
 ——— micrantha
 ——— grandiflora
 ——— striata
 ——— rosea alba
 ——— stricta
 ——— Romanzovii
 ——— tenella
 ——— Lindleyana
 ——— quadrivulnera
 ——— bifrons
 ——— densiflora
 ——— concinna
 ——— humifusa
 Oxyura chrysanthemoides
 Papaver persicum
 ——— amœna
 Peas, sweet purple
 ——— scarlet
 ——— scarlet striped
 ——— white
 ——— yellow
 ——— black
 ——— striped
 ——— painted lady
 ——— top-knot
 ——— scarlet Tangier
 ——— painted lady Tangier
 ——— yellow-winged
 ——— red-winged
 ——— Lord Anson's
 ——— ditto, white variety
 Persicaria, red
 ——— white
 ——— large American
 Phacelia tanacetifolia

Phacelia congesta
 ——— bipinnatifida
 Poppy, carnation
 ——— Picotee
 ——— new fringed
 ——— double white
 ——— Ranunculus
 ——— white-edged
 ——— dwarf Chinese
 ——— new Dutch varieties
 Prince's Feather
 Roman Nettle
 Rœmeria Hybrida
 Rudbeckia, amplexicaulis
 Scabiosa stellata
 ——— prolifera
 Sanvitalia procumbens
 Snails
 Snapdragon
 Stock, Virginian
 ——— white do.
 Soapwort, scarlet
 Sunflower, tall
 ——— dwarf
 ——— extra double
 ——— large American
 Strawberry, spinach

Silene atocion
 ——— trinerva
 ——— conoidea
 ——— picta
 ——— pendula
 ——— rubella
 ——— vespertina
 ——— Nyctantha
 ——— Noctiflora
 ——— regia
 ——— reticulata
 ——— colorata
 Trifolium incarnatum
 ——— cœruleum
 Tropeolum majus
 ——— var. atrosanguinea
 ——— peregrina
 ——— aureum
 ——— Minus
 Venus's Looking-glass
 ——— white “
 ——— new purple “
 ——— navel-wort
 Veronica filiformis
 Vesicaria gracilis
 ——— grandiflorus

N. B.—Many of the varieties enumerated in this and the following lists are of very recent introduction—particularly showy and handsome, and well worthy of attention.

HALF HARDY,

Which should be sown in March, under Hand-glasses, or on a very moderate Hot-bed, and transplanted into the Borders in the middle of April or beginning of May.

Ageratum Mexicanum
 ——— odoratum
 Anagallis indica
 ——— grandiflora
 ——— Monelli
 ——— Webbiana

Anagallis arvensis
 ——— Phillipsii
 Argemone Mexicana
 ——— alba
 ——— speciosa
 ——— ochroleuca

- Argemone grandiflora*
Aster, Chinese
 ——— in 20 varieties, imported
 from Germany.
 ——— dwarf, 10 var.
 ——— red
 ——— purple
 ——— white
 ——— bonnet
 ——— new early dwarf
 ——— superb red
 ——— new black stem'd
 ——— fine quilled blue
 ——— white quilled
 ——— red quilled
 ——— striped red
 ——— striped purple
 ——— *Pyramidalis*
Bartonia aurea
Blumenbachia insignis
 ——— *multifida*
Cacalia coccinea
 ——— *souchiflora*
Calandrinia discolor
 ——— *speciosa*
 ——— *grandiflora*
Campanula divergens
Carthamus tinctoria
Centaurea Americana
 ——— *depressa*
 ——— *pulchra*
Calceolaria pinnata
Clintonia elegans
 ——— *pulchella*
Collinsia verna
 ——— *parviflora*
 ——— *grandiflora*
 ——— *bicolor*
 ——— *heterophylla*
Claytonia alsinoides
Coix lachryma
Cosmanthus fimbriatus
- Cuphea viscocissima*
 ——— *procumbens*
 ——— *silenoides*
Datura ceratocaulon
 ——— *Guayaquilensis*
 ——— *tatula*
 ——— *quercifolia*
Dahlia, Mexican, 2 var.
Dolichos lablab
 ——— *purpurea*
Erysimum Perowskianum
Eutoca multiflora
 ——— *viscida*
 ——— *Wrangleana*
 ——— *Menziesii*
Eucharidium concinum
 ——— *grandiflorum*
Euphorbia variegata
Galinsogea trilobata
Gilia tricolor
 ——— *achillæfolia*
 ——— *pulchella*
 ——— *coronopifolia*
 ——— *aggregata*
 ——— *tenuifolia*
Gnaphalium fœtidum
Helichrysum macranthum
 ——— *bracteatum alba*
Hollyhock, Chinese
Heliophila, araboides
Hibiscus Africanus, minor
 ——— *vesicarius*, major
Hypecoum procumbens
Impatiens parviflora
 ——— *biflora*
 ——— *tricornis*
 ——— *glanduligula*
Impatiens acornis alba
Ipomea hederacea
 ——— *Michauxii*
 ——— *discolor*
 ——— *hepaticæfolia*

Ipomea striata
Leptosiphon androsaceus
 ——— densiflorus
Limnanthus Douglassii
Loaza nitida
 ——— acanthifolia vel Placeii
 ——— brionifolia
 ——— alba
 ——— aurantiaca
 ——— Herbertii
 ——— Pentlandica
Lupinus mutabilis
 ——— var. Cruikshanksii
 ——— Hartwigii
 ——— leptophyllus
 ——— densiflorus
Malesherbia humilis
 ——— coronata
Marvel of Peru, red
 ——— yellow
 ——— white
 ——— long tub'd, or
 sweet-scented
 ——— gold-striped
 ——— red-striped
 ——— bicolor
 ——— new scarlet
 ——— new tricolor
Marigold, orange African
 ——— lemon “
 ——— quilled “
 ——— dwarf French
 ——— tall “
 ——— unique “
 ——— striped “
 ——— new early dwarf
 ——— sweet-scented
Mesembryanthemum crystallinum
 ——— glabrum
 ——— caudatum
 ——— tricolor
 ——— alba

Nemophila phaceloides
 ——— insignis
 ——— aurita
 ——— atomaria
 ——— discoidalis, new black
Nicotiana augustifolia
 ——— glutinosa
 ——— quadrivalvis
 ——— rustica, or Maryl'd tobacco
 ——— tabacum, or Virginian “
 ——— undulata
 ——— macrophylla
 ——— paniculata
 ——— longiflora
 ——— Persica
Pink, Indian double
 ——— broad leaved
Petunia nyctagyniflora
 ——— intermedia
 ——— violacea
 ——— Atkinsianum
 ——— hybrid var.
Phlox Drummondii
Platystemon Californica
Podolepsis gracilis
Ricinus, palma Christi
 ——— major
 ——— minor
Schizanthus pinnatus
 ——— porrigens
 ——— var. humilis
 ——— retusus
 ——— Hookerii
 ——— Grahamii
 ——— venustus
 ——— Preistii
 ——— candidus
Streptanthus obtusifolius
 ——— hyacinthoides
Schizopetalon Walkerii
Shortia californica
Sphænogyne anthemoides

Sphænogyne speciosa	Tagetes corymbosa
Stock, new Prussian in colors	——— tenuifolia
——— new German, in 40 varieties	Trachymene cerulea
——— new Russian	Xeranthemum lucidum
——— giant 10-week	——— white
——— fine scarlet	——— purple
——— purple	Zinnia, violacea et elegans
——— white	——— coccinea, et alba
——— white wall-leaved	——— atrococcinea
——— purple “	——— rosea et purpurea
——— scarlet “	——— multiflora, red
——— Buck's intermediate scarlet	——— yellow
——— Victoria intermediate purple	——— var. grandiflora
Sultan, sweet purple	——— revoluta
——— white	——— tenuiflora
——— yellow	——— verticillata

TENDER ANNUALS,

Requiring more than one Hot-bed to bring them to perfection, must be sown in the month of February and March.

Amaranthus, purple globe	Cleome rosea
——— white	——— spinosa
——— tricolor	——— lutea
——— bicolor	Cosmea bipinnata
Balsam, fine double	Canna angustifolia
——— French varieties	——— coccinea
——— panaché rouge	——— Indica
——— blanche	——— lutea
——— couleur de feu	——— flaccida
——— de chair	Celosi a castrensis
——— mottled	——— cristata or coxcomb
——— gris de Lin	——— tall red
——— fine scarlet	——— dwarf red
——— rose-coloured	——— branching
——— purple	——— pyramidal
——— scarlet mottled	——— yellow or buff
——— violet	——— Chinese or golden-crested
Browallia elata, blue	Capsicum, long red
——— white	——— long yellow
——— grandiflora	——— large ox-heart
——— demissa	——— cayenne
Cleome pentaphylla	——— en Tomato

Capsicum, bird pepper
 Cleome lutea
 Colutea, scarlet
 Egg-plant, white
 ————— purple
 Ice-plant
 Ipomea coccinea
 ——— quamoclit
 ——— rubra cerulea
 Martynia annua
 ——— proboscidea
 ——— fragrans
 Mimosa pudica
 ——— sensitiva

Pentapetes Phœnicea
 Portulaca splendens
 ——— Gillesii
 ——— Thellusonia
 Rhodanthe Manglessii
 Stramonium, double purple
 ————— white
 Salpiglossus picta
 ——— staminea
 ——— atropurpurea
 ——— Barclayani
 ——— integrifolia
 ——— linearis

BIENNIAL AND PERENNIAL FLOWER SEEDS,

To be sown from the beginning of April to the middle of June.

Aconitum album
 ——— variegatum
 ——— elatum
 ——— squarrosum
 ——— ochroleucum
 ——— Sprengelli
 ——— pyramidale
 ——— exaltatum
 ——— chinense
 Agrostemma flos Jovis
 Alonsoa linearis
 ——— grandiflora
 ——— incisa
 Alstrœmeria pulchella
 ——— Simsii
 ——— Pelegrina
 ——— tricolor
 ——— Psittacina
 ——— ovata
 ——— acutifolia
 ——— Hookerii
 ——— aurea
 ——— oculata

Alstrœmeria hæmantha
 ——— Flos Martini
 Alyssum saxatile
 ——— utriculatum
 Ammobium alatum
 Anagallis Monelli
 ——— latifolia
 ——— Webbii
 ——— azurea grandiflora
 Anchusa sempervirens
 ——— incarnata
 ——— Hybrida
 ——— rosea
 ——— violacea
 Anemone coronaria
 ——— Pennsylvanica
 ——— sulphurea
 ——— narcissiflora
 ——— vitifolia
 Argemone grandiflora
 ——— hybrida
 Aster acris major
 ——— alpinus

- Aster pulcherrimus
 Atropa belladonna
 Auricula, alpine
 ———— show flowers
 Antirrhinum, majus
 ———— bicolor
 ———— new scarlet
 Aquilegia glandulosa
 ———— atropurpurea
 ———— Sibirica
 ———— alpina
 ———— canadense
 ———— Skinnerii
 ———— glauca
 Baptisia exaltata
 Balm of Gilead
 Barbarea taurica
 ———— Iberica
 Calampelis scabra
 Calceolaria scabiosæfolia
 ———— arachnoidea
 ———— corymbosa
 ———— pendula
 ———— suberecta
 ———— integrifolia
 ———— shrubby } *from fin-*
 ———— herbaceous } *est flowers*
 Campanula azurea
 ———— latifolia
 ———— alba
 ———— pyramidalis
 ———— alba
 ———— versicolor
 ———— gracilis
 ———— pulcherima
 ———— Americana
 ———— macrantha
 ———— grandis
 ———— divergens
 ———— urticifolia
 Canterbury Bells, blue
 ———— white
 Canterbury Bells, double lilac
 Carnation, fine double German
 ———— seedling varieties
 Catananche, cerulea
 ———— var. alba
 ———— bicolor
 Cheiranthus fruticosus
 Chelone pubescens
 ———— pulchella
 ———— Lyonii
 Chrysanthemum Monspeliense
 Cineraria gigantea
 ———— fine mixed
 Cobæa stipularis
 ———— macrostema
 ———— scandens
 Columbine
 Comelina cœlestis
 ———— tuberosa
 Cowslip in colours
 Coronilla Iberica
 Cynoglossum glochiatum
 ———— pictum
 ———— Dioscoroides
 ———— longiflorum
 ———— anchusoides
 Delphinium pictum
 ———— Reiquenii
 ———— discolor
 ———— elatum
 ———— grandiflorum
 ———— fine var.
 ———— intermedium
 ———— discolor
 ———— ucranicum
 ———— sinensis
 ———— amænum
 ———— urceolatum
 ———— speciosum
 ———— decorum
 ———— montanum
 ———— revolutum

Delphinium fissum
 ——— Hybridum

Dianthus montanus
 ——— collinus
 ——— giganteus
 ——— Hispanicus
 ——— capitatus
 ——— caucasicus
 ——— Fischerii
 ——— atrorubens
 ——— superbus
 ——— pallidiflorus
 ——— majus
 ——— Virginicus
 ——— hyssopifolius
 ——— aggregatus
 ——— Sternbergii

Digitalis aurea
 ——— ferruginea
 ——— lutea
 ——— lævigata
 ——— ochroleuca
 ——— parviflora
 ——— minor
 ——— grandiflora
 ——— vars. *from Germany*
 ——— alba
 ——— purpurea
 ——— var. *superba*

Dracocephalum Sibericum
 ——— speciosum
 ——— nutans
 ——— argunense

Echium Italicum
 ——— asperimum
 ——— rubrum
 ——— undulatum

Erysimum perfoliatum
 ——— Marshallianum
 ——— longifolium
 ——— lanceolatum

Eupatorium purpureum

Foxglove, red
 ——— white

Francoa appendiculata
 ——— sonchifolia

Galardia bicolor
 ——— Richardsonii
 ——— picta
 ——— coccinea

Galardia Drummondii

Geum Quellyon
 ——— coccineum
 ——— superbum
 ——— hirsutum
 ——— album

——— pyrenaicum
 ——— heterophyllum

Geranium fine, *in sorts*

Gentiana acaulis
 ——— asclepiadea
 ——— cruciata
 ——— lutea
 ——— macrophylla
 ——— saponaria

Glaucium fulvum

Globe Thistle

Gloxinia, species
 ——— rubra

Gnapalium foetidum

Gypsophilla paniculata

Hesperis matronalis

Heart's-ease

Hedysarum elegans

Hedysarum caucasicum
 ——— coronaria

Helianthus trachelifolius
 ——— strumosus

Helianthemum glomeratum

Hemerocallis cœrulea
 ——— graminea

Helychrysium niveum

Hibiscus Manihot

Cameronia

- Honesty, or Lunaria, red and white
 Honeysuckle, red French
 ————— white
 Horned Poppy
 Humea elegans
 ————— nanus
 Hollyhocks, Antwerp
 ————— double
 ————— brown
 ————— yellow
 ————— rose
 ————— buff
 ————— purple
 ————— black
 ————— red
 ————— white
 ————— 12 var. 2 feet high,
double flowered and very curious.
 Hunnemannia furmarifolia
 Ipomea Insignis, H. C.
 ————— Mexicanus, H C.
 Iris Siberica
 Latana Sellowii
 Lathyrus latifolius
 ————— albus
 ————— ensifolius
 ————— heterophyllus
 ————— grandiflorus
 ————— nervosus
 Lavatera solvitletina
 Liatris spicata
 ————— scariosa
 ————— gracillis
 ————— squarrosa
 ————— elegans
 Linaria genistifolia
 ————— tristis
 ————— dalmatica
 ————— pupurea
 Linum monogynum
 ————— Berenderii
 ————— perenne
- Linum Sibiricum
 ————— Anglicum
 Lisianthus Russelliana
 Lobelia cardinalis
 ————— secunda
 ————— syphilitica
 ————— heteromalla
 ————— colorata
 ————— pupurea
 ————— syphilitica purpurescens
 ————— cardinalis splendens
 ————— Millerii
 ————— heterophylla
 Lophospermum erubescens
 ————— scandens
 ————— Rhodochiton
 ————— Hendersonia
 Lupinus nootkatensis
 ————— arboreus
 ————— polyphyllus
 ————— var. albus
 ————— Mexicanus
 ————— leucophyllus
 ————— lepidus
 ————— rivularis
 ————— pulchellus
 ————— tomentosus
 ————— lucidus
 ————— tristis
 ————— littoralis
 ————— versicolor
 ————— frutescens
 ————— ornatus
 ————— Marshallianus
 ————— incanus
 ————— albifrons
 ————— latifolius
 ————— macrophyllus
 ————— leptocarpus
 Madia stavia
 Malva arborea
 ————— moschata

- Malva hybrida*
 ——— *Borbonica*
 ——— *umbellata*
 ——— *purpurata*
 ——— *lateritia*
 ——— *campanulata*
Marica Californica
 ——— *Bermudiana*
 ——— *anceps*
Maurandya Barclayana
 ——— *semperflorens*
 ——— *antirrhiniflora*
 ——— *alba*
Mimulus Cardinalis
 ——— *guttatus*
 ——— *rivularis*
 ——— *moschatus*
 ——— *roseus*
 ——— *variegatus*
 ——— *Smithii*
 ——— *new vars.*
Monkshood
Nepeta violacea
 ——— *colorata*
 ——— *Italica*
 ——— *nepetella*
 ——— *melissæfolia*
 ——— *grandiflora*
 ——— *ucranica*
Nierembergia intermedia
 ——— *gracillis*
Ænothera biennis
 ——— *grandiflora*
 ——— *acaulis*
 ——— *fruticosa*
 ——— *taraxifolia*
 ——— *pumila*
 ——— *sticta*
 ——— *macrocarpon*
 ——— *Missouriensis*
 ——— *Fraserii*
 ——— *glauca*
- Ænothera Drummondii*
Papaver bracteatum
 ——— *alpina*
 ——— *Orientale*
 ——— *nudicaule*
Peony, in sorts
Ptaria aliacea
Phlomis Samia
Penstemon atropurpureus
 ——— *pulchellum*
 ——— *Richardsonii*
 ——— *digitalis*
 ——— *argutum*
 ——— *pubescens*
 ——— *diffusum*
 ——— *angustifolium*
 ——— *elegans*
 ——— *gentianoides*
 ——— *coccinea*
 ——— *speciosum*
 ——— *glandulosum*
 ——— *ovatum*
 ——— *Campunalatum*
 ——— *Cobæa*
Polygonum cymosum
Phlox cordata
 ——— *corymbosa*
 ——— *scabra*
Pink, Pheasant-eyed
 ——— *mountain*
 ——— *Spanish*
Polemonium, ceruleum
 ——— *gracile*
 ——— *grandiflorum*
 ——— *Mexicanum*
Polyanthus, fine
Primula prænitans
 ——— *var. albus*
Potentilla formosa
 ——— *arguta*
 ——— *astrosanguinea*
 ——— *pedata*

Polentilla splendens

———— *hirta*

———— *chrysantha*

———— *Gesneriana*

———— *georides*

———— *intermedia*

———— *Americana*

———— *rupestris*

———— *strigosus*

———— *caneseens*

———— *adscendens*

———— *Monspeliensis*

———— *pallida*

———— *Thomasii*

———— *insignis*

Pyrethrum uliginosum

———— *roseum*

Ranunculus Cassubicus

———— *aconitifolius*

Rhodochiton volubile

Rocket, sweet

Rudbeckia Newmanii

———— *digitata*

———— *hirta*

———— *laciniata*

Salvia Æthiopica

———— *patula*

———— *Tenorii*

———— *grandiflora*

———— *Sibthorpii*

———— *multifida*

———— *clandestina*

———— *laciniata*

———— *campestris*

———— *nutans*

———— *patens*

———— *hians*

———— *bicolor*

Saponaria glutinosa

Scabiosa Alpina

———— *Caucassica*

———— *moschata* or sweet

Scutellaria altissima

———— *albida*

———— *Columnnea*

———— *lateriflora*

Senecio, lilacinus

———— *abrotanfolius*

———— *delphinoides*

———— *valerianæfolius*

Silene nemoralis

———— *Siberica*

———— *fimbriata*

———— *Catholica*

———— *livida*

———— *longiflora*

———— *compacta*

———— *speciosa*

Sisyrinchium mucronatum

———— *Iridiolum*

Snapdragon, white

———— purple or white

Streptanthus obtusifolius

Sweet William, scarlet

———— mixed

Stock, scarlet Brompton

———— white “

———— purple “

———— *Twickenham*

———— *scarlet queen*

———— white “

———— purple “

Tagetes lucida

———— *florida*

Thunbergia alata

———— *alba*

———— *leucantha*

———— *aurantiaca*

Tetragonolobus siliquosus

Tradescantia recta

Tropæolum tricolor

———— *brachyseras*

———— *pentaphyllum*

Valerian, scarlet

Valerian wite garden	Viola montana
——— Greek	——— multifida
——— white and red	——— pulmanense
Verbena bracteosa	Veronica longibracteata
——— alata	——— orchidea
——— urticifolia	——— laciniata
——— venosa	——— saxatillis
——— aubletia	——— gentianoides
——— sulphurea	——— latifolia
——— aubletia, var. Drummondii	——— azurea
——— pulchella	——— Australis
——— Sweedinia	——— incisa
——— Niviana	——— Caucasica
——— incisa	——— urticifolia
——— Araniana	——— polymorpha
Vesicaria utriculata	Wallflower, bloody
——— sinuata	——— yellow
Viola odorata	——— German purple
——— Ruppi	

ROOTS.

Achimenes Rosea	Lilium speciosum
——— longiflora	——— testaceum
——— pedunculata	——— lancifolium album
——— hirsuta	——— punctatum
——— multiflora	——— eximium
——— grandiflora	——— superbum
Alstrœmeria acutifolia	——— et vars.
——— salsilla	Liatrus elegans
——— et vars.	——— scariosa
Asclepias tuberosa	——— spicata
Batatas Bonariensis	Oxalis, in vars.
Cypripedium spectabilis	Pœonia moutan
——— pubescens	——— papaveracea
——— calceolus	——— herbaceous, in 40 vars.
Gladiolus Psittacinus	Scilla præcox
——— floribundus	——— bifolia
——— splendid hybrids	——— verna
——— et vars.	——— et vars.
Gloxinia rubra	Tropeolum azureum
——— speciosa	——— edule
Iris Herbaceosus, in 40 vars.	——— brachyseras

Tropeolum tricolor
 ————— tuberosum
 ————— Moritzianum
 Trigridia pavonia

Tigridia chonchiflora
 Zephyranthus atomasco
 ————— rosea
 ————— grandiflora

Together with a Large Collection of

HYACINTHS, NARCISS, JONQUILS, TULIPS, CROCUS,
 AMARYLLUS, AND OTHER BULBS,

Of which a separate Catalouge is published. A superb collection of the
 MOST CHOICE DOUBLE DAHLIA ROOTS,

TO BE DELIVERED EARLY LAST WEEK IN APRIL.

HARDY TREES AND SHRUB SEEDS.

Acacia of sorts
 Arbor Vitæ. of sorts
 Ash, English
 ——— mountain
 Arbutus
 Andromeda Mariana
 ————— paniculata
 ————— racemosa
 Alder
 Bay, sweet
 Broom, English
 ——— Spanish
 ——— white Portugal
 ——— striated
 ——— Lucca
 Bladder senna
 Betula excelsa
 ——— Lenta
 ——— nigra
 ——— populifolia
 Bignonia radicans
 Birch common
 ——— weeping
 Briar, sweet
 Catalpa cordifolia
 Cedar, red Virginian
 ——— white “
 ——— of Lebanon
 Cytisus purpurea
 ——— capita

Chesnuts, Spanish
 ——— horse
 ——— Chinguapin
 Cypress upright
 ——— spreading
 ——— deciduous
 Chionanthus Virginicus
 Cercis or Judas Tree
 Cistus, of sorts
 Ceanothus, Americanus or button
 wood
 Clethra alnifolia
 Clematis, sweet-scented
 Candleberry, Myrtle
 ——— evergreen
 Colutea, Oriental
 ——— common
 Elder, red-berried
 Elm, English
 ——— Scotch
 ——— American
 ——— white
 Euonymous, common
 ——— evergreen
 Fir, Norway Spruce
 — red American
 — white and black
 — Hemlock “
 — silver
 — Balm of Gilead

Fire Scotch
 Filberts
 Furze
 Gleditschia, triacanthos
 Gerardia, quercifolia
 ——— flava
 Halesia, tetraptera
 Hawthorn, English white
 ——— American scarlet "
 Holly
 Hornbeam, English
 Hypericum, Kalmianum
 Hibiscus, of sorts
 Hazel Nuts
 ——— Spanish ditto
 Ilex, opaca
 ——— Dahoon
 Juniper
 ——— Sweedish
 Juniperus Virginiana
 Kalmia, in sorts
 Laburnum, English
 ——— Scotch
 Laurel common
 ——— Portugal
 Lauras, sassafras
 Lime
 Liriodendron, tulipiferum
 Maple, common
 ——— Norway
 ——— scarlet
 ——— American
 Magnolia glauca
 ——— grandiflora
 ——— umbellata
 ——— tripetala
 ——— Macrophylla
 Mezereon
 Mulberry, red

Mulberry, white
 ——— black
 Oak, common
 ——— Cork
 ——— evergreen
 ——— American
 ——— swamp
 ——— quercitron
 ——— scarlet
 ——— Chesnut-leav'd
 Ostrya Virginica
 Pine, Weymouth
 ——— Cluster
 ——— pine aster
 ——— stone
 ——— Siberian
 ——— Jersey
 ——— blue and white
 ——— frankincense
 Platanus orientalis
 ——— occidentalis
 Privet
 Prunus, Virginiana
 Pyracantha
 Rhododendron maximum
 ——— ponticum
 ——— punctatum
 Robinia, pseud Acacia
 ——— American
 ——— European
 Spiræa
 Sumach
 Virbunum, in species
 Walnut, black American
 ——— white "
 ——— English or common
 ——— thin shell'd hickory ditto
 ——— thick shell'd
 Yew

D. & T. beg to state, that from their general connexion with the Seedsmen and Florists in England, France, and Germany, they are enabled to offer, with the most perfect confidence, Collections of GERMAN STOCKS and ASTERS, with FRENCH CARNATIONS, and other choice Seeds, at such moderate prices, and put up in such limited quantities, as to suit the convenience and tastes of all private Cultivators, Florists, and Gardeners.

GERMAN TEN-WEEK STOCKS, in collections of from 10 to 100 varieties, at 3d., 6d., and 1s. per packet, varying only in quantity.

GERMAN, BROMPTON, or WINTER STOCKS, in 12 varieties, from 5s. to 15s. each.

WALL FLOWERED LEAVE do. do, in 20 or 30 varieties, from 5s. to 7s. 6d.

GIANT TEN-WEEK STOCKS, Purple and Scarlet, in packets of 100 seeds, 1s. each.

FINEST GERMAN ASTERS, in collections of from 8 to 24 varieties.

EARLY DWARF do. do.

GLOBE FLOWERED and PYRAMIDAL do.

GERMAN and FRENCH WALL-FLOWERS, BALSAMS, CARNATIONS, PICOTEES, in small or large packets, from 6d. to 2s. 6d. each.

HOLLYHOCKS, in 12 distinct varieties.

*With all the newest and most recently introduced varieties of
Flower Seeds, which can possibly be obtained.*