Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

A 99.7
F 76406 exp. 3

United States
Department of
Agriculture

Forest Service

Intermountain
Forest and Range
Experiment Station

Resource Bulletin
INT-25

October 1981

Forest Area and Timber Resource Statistics for State and Private Lands in Bernalillo, Sandoval, and Torrance Counties, New Mexico, 1978

Dorothy G. Felt

EXTRA COPY

U.S. DEPT. OF AGRICULTURE
FOREST SERVICE
INTERMOUNTAIN FOREST AND RANGE
EXPERIMENT STATION
SANDOVAL COUNTY, NEW MEXICO
OCT 1981

U.S. DEPT. OF AGRICULTURE
FOREST SERVICE
INTERMOUNTAIN FOREST AND RANGE
EXPERIMENT STATION
SANDOVAL COUNTY, NEW MEXICO
OCT 1981

U.S. DEPT. OF AGRICULTURE
FOREST SERVICE
INTERMOUNTAIN FOREST AND RANGE
EXPERIMENT STATION
SANDOVAL COUNTY, NEW MEXICO
OCT 1981

THE AUTHOR

DOROTHY G. FELT is a Supervisory Statistical Assistant with the Resources Evaluation research work unit at the Intermountain Forest and Range Experiment Station, Ogden, Utah.

ACKNOWLEDGMENT

The Intermountain Station gratefully acknowledges the cooperation of the New Mexico Department of State Forestry and State and Private Forestry (USDA Forest Service, Southwestern Region). Appreciation is also expressed for the cooperation of other public agencies and private landowners in providing information and access to the sample locations.

RESEARCH SUMMARY

Presents land area, commercial timberland area, timber inventory, growth, and mortality data based on Resources Evaluation standards.

CONTENTS

	Page
INTRODUCTION	1
HIGHLIGHTS	3
Area.	3
Inventory	3
Growth and Mortality.	3
HOW THE INVENTORY WAS CONDUCTED.	4
DATA RELIABILITY	4
TERMINOLOGY AND DATA TABLES.	5
TERMINOLOGY.	5
Land.	5
Water	5
Land Use Classes.	5
Public Ownership Classes.	5
Private and Other	6
Forest Type and Tree Species.	6
Area Condition Classes.	6
Class of Timber	7
Tree Size Classes	7
Volume.	8
Growth and Mortality.	8
Site.	8
Stand-Size Classes.	8
FOREST SURVEY TABLES	9

TABLES

Page

FOREST SURVEY TABLES

1	Area of forest land in Bernalillo, Sandoval, and Torrance Counties, with percent standard error, 1978.	4
2	Net volume, net annual growth, and annual mortality of growing stock and sawtimber on commercial timberland in Bernalillo, Sandoval, and Torrance Counties, with percent standard error, 1978.	4
3	Total land and water area in Bernalillo, Sandoval, and Torrance Counties, by ownership class, 1978.	9
4	Total land area in Bernalillo, Sandoval, and Torrance Counties, by major land class and ownership class, 1978.	9
5	Area of commercial timberland in Bernalillo, Sandoval, and Torrance Counties, by forest type, stand-size class, and site class, 1978.	10
6	Area of State-owned commercial timberland in Bernalillo, Sandoval, and Torrance Counties, by forest type, stand-size class, and site class, 1978.	11
7	Area of privately owned commercial timberland in Bernalillo, Sandoval, and Torrance Counties, by forest type, stand-size class, and site class, 1978.	12
8	Area of commercial timberland in Bernalillo, Sandoval, and Torrance Counties, by stand volume and ownership class, 1978.	13
9	Area of commercial timberland in Bernalillo, Sandoval, and Torrance Counties, by forest type and area condition class, 1978.	13
10	Area of unproductive reserved and unproductive nonreserved forest land in Bernalillo, Sandoval, and Torrance Counties, by land class, ownership class, and forest type, 1978.	14
11	Number of growing stock trees on commercial timberland in Bernalillo, Sandoval, and Torrance Counties, by species and diameter class, 1978.	14
12	Number of cull and salvable dead trees on commercial timberland in Bernalillo, Sandoval, and Torrance Counties, by ownership class, and softwoods and hardwoods, 1978.	15
13	Net volume of growing stock on commercial timberland in Bernalillo, Sandoval, and Torrance Counties, by ownership class, forest type, and stand-size class, 1978.	16
14	Net volume of sawtimber on commercial timberland in Bernalillo, Sandoval, and Torrance Counties, by ownership class, forest type, and stand-size class, 1978.	17

TABLES

Page

FOREST SURVEY TABLES (con.)

15	Net volume of growing stock on commercial timberland in Bernalillo, Sandoval, and Tarrant Counties, by species and diameter class, 1978 . . .	18
16	Net volume of sawtimber on commercial timberland in Bernalillo, Sandoval, and Tarrant Counties, by species and diameter class, 1978	18
17	Net volume of growing stock and sawtimber on commercial timberland in Bernalillo, Sandoval, and Tarrant Counties, by ownership class and species, 1978	19
18	Net volume of timber on commercial timberland in Bernalillo, Sandoval, and Tarrant Counties, by class of timber, and softwoods and hardwoods, 1978.	19
19	Net volume of growing stock on commercial timberland in Bernalillo, Sandoval, and Tarrant Counties, by forest type and species, 1978. . . .	20
20	Net volume of sawtimber on commercial timberland in Bernalillo, Sandoval, and Tarrant Counties, by forest type and species, 1978.	20
21	Net annual growth of growing stock and sawtimber on commercial timberland in Bernalillo, Sandoval, and Tarrant Counties, by ownership class and species, 1978	21
22	Annual mortality of growing stock and sawtimber on commercial timberland in Bernalillo, Sandoval, and Tarrant Counties, by ownership class, and softwoods and hardwoods, 1978	21
23	Annual mortality of growing stock and sawtimber on commercial timberland in Bernalillo, Sandoval, and Tarrant Counties, by cause of death and species, 1978	22

FIGURE

1	Bernalillo, Sandoval, and Tarrant Counties, New Mexico.	2
---	---	---

United States
Department of
Agriculture

Forest Service

Intermountain
Forest and Range
Experiment Station

Resource Bulletin
INT-25

October 1981

Forest Area and Timber Resource Statistics for State and Private Lands in Bernalillo, Sandoval, and Torrance Counties, New Mexico, 1978

Dorothy G. Felt

INTRODUCTION

This resource bulletin presents the principal findings of the second forest inventory of State and private lands in Bernalillo, Sandoval, and Torrance Counties, New Mexico (fig. 1). Fieldwork began in September 1977 and was completed in November 1978. This bulletin does not note changes and trends since the Statewide inventory in 1966. The 1966 inventory did not sample these counties intensively and did not report findings at the working circle level.

The primary objective of Resources Evaluation, a continuing nationwide undertaking conducted by the USDA Forest Service, is to provide an assessment of the renewable resource situation on the Nation's forest and range lands. Fundamental to the accomplishment of this objective are the periodic State-by-State resource inventories. Originally, Resources Evaluation--formerly Forest Survey--was authorized by the McSweeney-McNary Act of 1928. The current authorization is through the Renewable Resources Research Act of 1978.

The resource inventories for the Rocky Mountain States of Arizona, Colorado, Idaho, Montana, New Mexico, Nevada, Utah, Wyoming, and western South Dakota are administered by the Intermountain Forest and Range Experiment Station with headquarters in Ogden, Utah. These inventories provide information on the extent and condition of State and privately owned forest lands, volume of timber, and rates of timber growth and mortality. These data, when combined with similar information on Federal lands, provide a basis for the formulation of forest policies and programs and for the orderly development and use of the resources.

The three-county area covered by this report is one of 11 working circles in New Mexico. Similar reports have been issued for Colfax, Santa Fe, San Miguel, and Taos-Rio Arriba Working Circles. Comparable reports will be issued as the State-wide inventory continues.

NEW MEXICO

Figure 1.--Bernalillo, Sandoval, and Torrance Counties, New Mexico.

The total land area in Bernalillo, Sandoval, and Torrance Counties is 5,266,560 acres (2 131 310 hectares). The Forest Service, Bureau of Land Management, Bureau of Indian Affairs, and the National Park service together manage 2,169,649 acres (878 029 hectares), or 41 percent of this land. The remaining 3,096,911 acres (1 253 281 hectares) are in State, private, and other ownerships. THE DATA PRESENTED HERE ARE FOR STATE, PRIVATE, AND MISCELLANEOUS FEDERAL LANDS ONLY.

Highlights show the area of commercial timberland in comparison to total forest land area, and the distribution of this area by forest type, stand-size class, and site class. Discussions of the data reliability and terminology are included. These two items should be reviewed carefully when using this information.

HIGHLIGHTS

Area

- The forest land area is 692 thousand acres (280 thousand hectares), or 22 percent of the total State and private land area in Bernalillo, Sandoval, and Torrance Counties.
- Of the forest land, 82.8 thousand acres (33.5 thousand hectares), almost 12 percent, is classified as commercial timberland.
- Private ownership accounts for 82.2 thousand acres (33.3 thousand hectares), 99 percent of the commercial timberland.
- Ponderosa pine, Douglas-fir, aspen, and Engelmann spruce are the predominant types and occupy 86 percent of the commercial timberland. White fir, spruce-subalpine fir, southwestern white pine, cottonwood, and pinyon-juniper¹ cover the remaining area.
- Over 60 percent of the commercial timberland is in the 50 to 84 cubic foot productivity class, 99 percent of this is privately owned.

Inventory

- Growing stock volume amounts to 128.5 million cubic feet (3.6 million cubic meters) and sawtimber volume totals 505.2 million board feet.²
- Rough, rotten, and salvable dead trees comprise 10.8 million cubic feet (306 thousand cubic meters), nearly 8 percent of the total sound wood volume.
- The largest share of the total growing stock volume is made up of Douglas-fir (27 percent), aspen (23 percent), and ponderosa pine (18 percent). Engelmann spruce, white fir, southwestern white pine, subalpine fir, pinyon/juniper, and cottonwood account for the remaining volume.
- Private owners control 99 percent of both the total growing stock and the sawtimber volume.

Growth and Mortality

- Net annual growth totals 3,124 thousand cubic feet (88 thousand cubic meters). Growth and mortality were not measured for pinyon and juniper trees.
- Ninety-nine percent of the total net growth is on private lands.
- The annual mortality of 138 thousand cubic feet (4 thousand cubic meters) offsets 4 percent of the gross annual growth.

¹The area occupied by pinyon-juniper forest type classified as commercial is so classified because the site index for other associated species in these stands (usually ponderosa pine or Douglas-fir) was high enough to produce 20 cubic feet per acre per year average annual growth, and nonstockable indicators were not present in sufficient quantities to lower yield capability below 20 cubic feet per acre per year. Although pinyon/juniper usually occurs on unproductive forest land, when it occurs in mixtures with other species on productive sites, it is reported in the commercial timber land statistics.

²International 1/4-inch rule.

HOW THE INVENTORY WAS CONDUCTED

The inventory was designed to provide reliable statistics primarily at the State and working circle levels. Procedures were as follows:

1. Initial area estimates were based on the classification of 10,383 sample points systematically placed on the latest aerial photographs available. The sample points were summarized and grouped into strata for subsequent field sampling. The photo points, adjusted to meet known land areas, were used to compute area expansion factors for the field stratum means.

2. Land classification and estimates of timber characteristics and volume were based on observations and measurements recorded at 349 ground sample locations. Sample trees were selected using a 10-point cluster which includes fixed plots (1/300 acre) for trees less than 5.0 inches d.b.h. and variable plots (40 BAF [basal area factor]) for trees 5.0 inches d.b.h. or larger.

3. Equations prepared from detailed measurements collected on standing trees throughout the Southwest were used to compute the volume and defect of individual tally trees.

4. All photo and field data were sent to Ogden, Utah, for editing and were punched onto cards and stored for machine computing, sorting, and tabulation. Final estimates were based on statistical summaries of the data.

DATA RELIABILITY

Individual cells within tables should be used with caution. Some are based on very small sample sizes, and so result in high sampling errors. The standing error percents shown in tables 1 and 2 were calculated at the 67 percent confidence level.

Table 1.--Area of forest land in Bernalillo, Sandoval, and Torrance Counties, with percent standard error, 1978

Item	Softwood types		Hardwood types		All types	
		Percent		Percent		Percent
	Acres	standard	Acres	standard	Acres	standard
		error		error		error
Commercial timberland	68,034	6.1	14,766	18.0	82,800	4.8
Other forest land:						
Unproductive nonreserved	574,790	2.0	3,863	38.3	578,653	2.0

Table 2.--Net volume, net annual growth, and annual mortality of growing stock and sawtimber on commercial timberland in Bernalillo, Sandoval, and Torrance Counties, with percent standard error, 1978

Item	Softwoods		Hardwoods		All species	
		Percent		Percent		Percent
	Volume	standard	Volume	standard	Volume	standard
		error		error		error
Net volume:						
Growing stock (M cubic feet)	99,094	7.6	29,407	18.3	128,501	7.4
Sawtimber (M board feet ¹)	409,569	8.6	95,620	21.3	505,189	8.3
Net annual growth:						
Growing stock (cubic feet)	2,435,971	8.3	687,846	17.1	3,123,817	7.7
Sawtimber (board feet ¹)	9,389,088	10.2	2,423,866	31.7	11,812,954	10.4
Annual mortality:						
Growing stock (cubic feet)	137,702	44.6	--	--	137,702	44.6
Sawtimber (board feet ¹)	685,120	46.7	--	--	685,120	46.7

¹International 1/4-inch rule.

TERMINOLOGY AND DATA TABLES

The following section contains definitions that are relevant to the timber resource data presented in this resource bulletin. Forest area and timber resource data for Bernalillo, Sandoval, and Tarrant Counties in New Mexico are displayed in tables 3 through 23.

TERMINOLOGY

Land

Bureau of the Census.--Area of dry land and land temporarily or partly covered by water, such as marshes, swamps, and river flood plains; streams, sloughs, estuaries, and canals less than one-eighth of a statute mile in width; and lakes, reservoirs, and ponds less than 40 acres in area. Includes noncensus water. See definition below.

Water

Census water.--As defined by the Bureau of the Census, streams, sloughs, estuaries, and canals more than one-eighth of a statute mile in width; and lakes, reservoirs, and ponds more than 40 acres in area.

Noncensus water.--The same as defined by the Bureau of the Census, except minimum width of streams, sloughs, estuaries, and canals is 120 feet and minimum size of lakes, reservoirs, and ponds is 1 acre.

Land Use Classes

Forest land.--Land at least 16.7 percent stocked by forest trees of any size, or formerly having had such tree cover, and not currently developed for nonforest use.

Commercial timberland.--Forest land producing or capable of producing crops of industrial wood and not withdrawn from timber utilization. (Areas qualifying have the capability of producing in excess of 20 cubic feet per acre per year of industrial wood under management. Currently inaccessible and inoperable areas are included, except when the areas involved are small and unlikely to become suitable for production of industrial wood in the foreseeable future.)

Productive-reserved forest land.--Forest land sufficiently productive to qualify as commercial timberland, but withdrawn from timber utilization through statute, administrative designation, or exclusive use for Christmas tree production.

Other forest land.--Forest land incapable of producing 20 cubic feet per acre of industrial wood under management, because of adverse site conditions; includes both reserved and nonreserved forest land.

Nonforest land.--Land that has never supported forests and lands formerly forested where use for timber management is precluded by development for other uses.

Public Ownership Classes

National Forest lands.--Federal lands legally designated as National Forest or purchase units and other lands under the administration of the Forest Service, including experimental areas and Bankhead-Jones Title III lands.

Bureau of Land Management lands.--Federal lands administered by the Bureau of Land Management.

Indian lands.--Tribal lands held in fee by the Federal Government, but administered for Indian tribal groups and Indian trust allotments.

State lands.--Lands owned by States, or lands leased to these governmental units for 50 years or more.

Private and Other

County and municipal lands.--Lands owned by counties and local public agencies or municipalities, or lands leased to these governmental units for 50 years or more.

Forest industry lands.--Lands owned by companies or by individuals operating wood-processing plants.

Farmer-owned lands.--Lands owned by farm operators. (These exclude lands leased by farm operators from such nonfarm owners as railroad companies and States.)

Miscellaneous Federal lands.--Federal lands other than the following: (1) National Forest lands; (2) lands administered by the Bureau of Land Management; and (3) Indian lands.

Miscellaneous private lands.--Privately owned lands other than forest industry and farmer-owned lands.

Forest Type and Tree Species

Forest types.--A classification of forest land based upon the species forming a plurality of live-tree stocking.

Forest trees.--Woody plants having a well-developed stem and usually more than 12 feet in height at maturity.

Commercial species.--Tree species presently or prospectively suitable for industrial wood products.

Softwoods.--Coniferous trees, usually evergreen, having needles or scalelike leaves.

Hardwoods.--Dicotyledonous trees, usually broad-leaved and deciduous.

Area Condition Classes

Stocking.--Stocking is an effort to express the extent to which growing space is effectively utilized by present or potential growing stock trees of commercial species. "Percent of stocking" is synonymous with "percentage of growing space occupied" and means the ratio of actual stocking to full stocking for comparable sites and stands. Basal area is used as a basis for measuring stocking.

"Stocking percentages" express current area occupancy in relation to specified standards for full stocking based on number, size, and spacing of trees considered necessary to fully utilize the forest land.

Full utilization of the site is assumed to occur over a range of basal area. As an interim guide, 60 percent of the normal yield table values has been used to establish the lower limit of this range which represents full-site occupancy. This is called 100-percent stocking. The upper limit of full stocking has been set at 132 percent. Sites with less than 100-percent stocking represent understocking with less than full-site occupancy. Overstocking is characterized by sites with over 133-percent stocking.

Class 10.--Areas fully stocked (100 to 132 percent) with desirable trees and not overstocked (133 percent or more).

Class 20.--Areas fully stocked with desirable trees, but overstocked with all live trees.

Class 30.--Areas medium to fully stocked (60 to 99 percent) with desirable trees and with less than 30 percent of the area controlled by other trees and/or inhibiting vegetation or surface conditions that will prevent occupancy by desirable trees.

Class 40.--Areas medium to fully stocked with desirable trees and with 30 percent or more of the area controlled by other trees and/or conditions that ordinarily prevent occupancy by desirable trees.

Class 50.--Areas poorly stocked (16.7 to 59 percent) with desirable trees, but fully stocked with growing stock trees.

Class 60.--Areas poorly stocked with desirable trees, but with medium to full stocking of growing stock trees.

Class 70.--Areas nonstocked (less than 16.7 percent) or poorly stocked with desirable trees, and poorly stocked with growing stock trees.

Class 80.--Low-risk old-growth stands.

Class 90.--High-risk old-growth stands.

Nonstocked.--Areas less than 16.7 percent stocked with growing stock trees.

Class of Timber

Growing stock trees.--Live trees of commercial species qualifying as desirable or acceptable trees. (Excludes rough, rotten, and dead trees.)

Desirable trees.--Growing stock trees (1) having no serious defect in quality limiting present or prospective use for timber products; (2) of relatively high vigor; and (3) containing no pathogens that may result in death or serious deterioration before rotation age.

Acceptable trees.--Growing stock trees meeting specified standards of size and quality, but not qualifying as desirable trees.

Rough trees.--(1) Live trees that do not contain at least one 12-foot saw log or two noncontiguous saw logs, each 8 feet long or longer, now or prospectively, and/or do not meet Rocky Mountain regional specifications for freedom from defect primarily because of roughness or poor form; and (2) all live trees of noncommercial species.

Rotten trees.--Live trees that do not contain at least one 12-foot saw log or two noncontiguous saw logs, each 8 feet long or longer, now or prospectively, and/or do not meet Rocky Mountain regional specifications for freedom from defect primarily because of rot; that is, when more than 50 percent of the cull volume (cubic-foot basis) in a tree is rotten.

Salvable dead trees.--Standing or down dead trees that are considered merchantable by Rocky Mountain regional standards.

Saw-log portion.--That part of the bole of sawtimber trees between the stump and the saw-log top. A 1-foot stump is used.

Upper-stem portion.--That part of the bole of sawtimber trees above the saw-log top to a minimum top diameter of 4.0 inches outside bark or to the point where the central stem breaks into limbs, whichever occurs first.

Tree Size Classes

Seedlings.--Live trees less than 1.0 inch in diameter at breast height.

Saplings.--Trees 1.0 to 4.9 inches in diameter at breast height.

Poletimber trees.--Trees at least 5.0 inches in d.b.h., but smaller than sawtimber size.

Sawtimber trees.--Trees exceeding poletimber size. In the Intermountain States, the minimum d.b.h. for softwood sawtimber is 9.0 inches and for hardwoods, 11.0 inches.

Volume

Cull volume.--Portions of a tree's volume that are not usable for industrial wood products because of rot, form, or other defect.

Net volume.--Gross volume less deductions for cull.

Growing stock volume.--Net volume in cubic feet of live sawtimber trees and live poletimber trees from stump to a minimum 4.0-inch top (of central stem) outside bark. Net volume equals gross volume less deduction for rot and missing bole sections.

Sawtimber volume.--Net volume in board feet of sawtimber trees of commercial species. Net volume equals gross volume less deduction for rot, sweep, crook, and other defects that affect use for lumber.

Growth and Mortality

Net annual growth.--The increase in net growing stock volume of a specified size class for a specific year. (Components of net annual growth include the increment in net volume of trees at the beginning of the specific year and surviving to its end, plus the net volume of trees reaching the size class during the year, minus the net volume of trees that died during the year, minus the net volume of trees that became rough or rotten trees during the year.)

Mortality.--Number or sound-wood volume of growing stock trees dying from natural causes during a specified period, usually annually.

Site

Site class.--A classification of forest land in terms of inherent capacity to grow crops of industrial wood.

Site classifications are based upon the mean net annual growth of growing stock (not including thinnings or mortality loss) attainable at culmination of mean net annual growth over age. Height-age relationships are usually used as indicators of the specified volume-site class.

Stand-Size Classes

Sawtimber stands.--Stands at least 16.7 percent stocked with growing stock trees, with half or more of total stocking in sawtimber or poletimber trees, and with sawtimber stocking at least equal to poletimber stocking.

Poletimber stands.--Stands at least 16.7 percent stocked with growing stock trees in which half or more of this stocking is in poletimber and/or sawtimber trees, and with poletimber stocking exceeding that of sawtimber.

Sapling-seedling stands.--Stands at least 16.7 percent stocked with growing stock trees in which more than half of the stocking is saplings and/or seedlings.

Nonstocked land.--Commercial timberland less than 16.7 percent stocked with growing stock trees.

FOREST SURVEY TABLES

Table 3.--Total land and water area in Bernalillo, Sandoval, and Tarrant Counties, by ownership class, 1978

Ownership class	Acres	Hectares
National Forest	626,010	253 338
Bureau of Land Management	619,581	250 737
National Park Service ¹	29,902	12 101
Bureau of Indian Affairs	894,156	361 853
State	394,154	159 509
Private and other	2,702,757	1 093 772
Total land area	5,266,560	2 131 310
Census water	7,872	3 186
Gross area ²	5,274,432	2 134 496

¹Not included with miscellaneous Federal ownership (a category of the Private and other ownership class) for purposes of clarity.

²U.S. Bureau of the Census, land and water area of the United States, 1970.

Table 4.--Total land area in Bernalillo, Sandoval, and Tarrant Counties, by major land class and ownership class, 1978

Land class	Ownership class					
	State		Private ¹		Total	
	Acres	Hectares	Acres	Hectares	Acres	Hectares
Commercial timberland	599	242	82,201	33 266	82,800	33 508
Other forest land:						
Unproductive reserved	300	121	29,902	12 101	30,202	12 222
Unproductive nonreserved	99,926	40 439	478,727	193 735	578,653	234 174
Total forest land	100,825	40 802	590,830	239 102	691 655	279 904
Nonforest land	293,329	118 707	2,141,829	866 771	2,435,158	985 478
Total land area	394,154	159 509	2,732,659	1 105 873	3,126,813	1 265 382

¹On this and all following tables, the private ownership category includes a small portion of miscellaneous Federal, and county and municipal ownership.

Table 5.--Area of commercial timberland in Bernalillo, Sandoval, and Torrance Counties, by forest type, stand-size class, and site class, 1978

Forest type and stand-size class	Site class				All classes
	120+	85-119	50-84	20-49	
Acres					
Douglas-fir:					
Sawtimber	--	1,341	15,899	5,074	22,314
Poletimber	--	--	--	611	611
Sapling and seedling	--	--	--	--	--
Nonstocked	--	--	--	--	--
Total	--	1,341	15,899	5,685	22,925
Ponderosa pine:					
Sawtimber	--	--	13,314	3,691	17,005
Poletimber	--	--	1,323	1,967	3,290
Sapling and seedling	--	--	1,254	1,820	3,074
Nonstocked	--	--	--	--	--
Total	--	--	15,891	7,478	23,369
Southwestern white pine:					
Sawtimber	--	--	670	--	670
Poletimber	--	--	--	--	--
Sapling and seedling	--	--	--	--	--
Nonstocked	--	--	--	--	--
Total	--	--	670	--	670
Spruce-subalpine fir:					
Sawtimber	--	--	671	670	1,341
Poletimber	--	--	670	--	670
Sapling and seedling	--	--	--	607	607
Nonstocked	--	--	--	--	--
Total	--	--	1,341	1,277	2,618
White fir:					
Sawtimber	--	592	1,975	3,194	5,761
Poletimber	--	--	644	--	644
Sapling and seedling	--	--	--	--	--
Nonstocked	--	--	613	--	613
Total	--	592	3,232	3,194	7,018
Engelmann spruce:					
Sawtimber	--	611	3,785	--	4,396
Poletimber	--	670	2,454	--	3,124
Sapling and seedling	--	--	661	1,929	2,590
Nonstocked	--	--	--	662	662
Total	--	1,281	6,900	2,591	10,772
Pinyon-juniper:					
Sawtimber	--	--	--	662	662
Poletimber	--	--	--	--	--
Sapling and seedling	--	--	--	--	--
Nonstocked	--	--	--	--	--
Total	--	--	--	662	662
Aspen:					
Sawtimber	--	661	5,852	1,253	7,766
Poletimber	611	--	662	--	1,273
Sapling and seedling	--	--	1,829	3,237	5,066
Nonstocked	--	--	--	--	--
Total	611	661	8,343	4,490	14,105
Cottonwood:					
Sawtimber	--	--	--	--	--
Poletimber	--	--	--	--	--
Sapling and seedling	--	--	--	--	--
Nonstocked	--	--	--	661	661
Total	--	--	--	661	661
All types:					
Sawtimber	--	3,205	42,166	14,544	59,915
Poletimber	611	670	5,753	2,578	9,612
Sapling and seedling	--	--	3,744	7,593	11,337
Nonstocked	--	--	613	1,323	1,936
Total	611	3,875	52,276	26,038	82,800

Table 6.--Area of State-owned commercial timberland in Bernalillo,
Sandoval, and Torrance Counties, by forest type, stand-
size class, and site class, 1978

Forest type and stand-size class	:	Site class				:	All		
	120+	:	85-119	:	50-84	:	20-49	:	classes
- - - - - Acres - - - - -									
Douglas-fir:									
Sawtimber	--		11		84		27		122
Poletimber	--		--		--		--		--
Sapling and seedling	--		--		--		--		--
Nonstocked	--		--		--		--		--
Total	--		11		84		27		122
Ponderosa pine:									
Sawtimber	--		--		100		28		128
Poletimber	--		--		38		39		77
Sapling and seedling	--		--		19		13		32
Nonstocked	--		--		--		--		--
Total	--		--		157		80		237
Southwestern white pine:									
Sawtimber	--		--		6		--		6
Poletimber	--		--		--		--		--
Sapling and seedling	--		--		--		--		--
Nonstocked	--		--		--		--		--
Total	--		--		6		--		6
Spruce-subalpine fir:									
Sawtimber	--		--		6		5		11
Poletimber	--		--		6		--		6
Sapling and seedling	--		--		--		4		4
Nonstocked	--		--		--		--		--
Total	--		--		12		9		21
White fir:									
Sawtimber	--		--		12		29		41
Poletimber	--		--		--		--		--
Sapling and seedling	--		--		--		--		--
Nonstocked	--		--		--		--		--
Total	--		--		12		29		41
Engelmann spruce:									
Sawtimber	--		--		16		--		16
Poletimber	--		5		4		--		9
Sapling and seedling	--		--		6		17		23
Nonstocked	--		--		--		7		7
Total	--		5		26		24		55
Pinyon-juniper:									
Sawtimber	--		--		--		19		19
Poletimber	--		--		--		--		--
Sapling and seedling	--		--		--		--		--
Nonstocked	--		--		--		--		--
Total	--		--		--		19		19
Aspen:									
Sawtimber	--		6		43		6		55
Poletimber	--		--		7		--		7
Sapling and seedling	--		--		4		26		30
Nonstocked	--		--		--		--		--
Total	--		6		54		32		92
Cottonwood:									
Sawtimber	--		--		--		--		--
Poletimber	--		--		--		--		--
Sapling and seedling	--		--		--		--		--
Nonstocked	--		--		--		6		6
Total	--		--		--		6		6
All types:									
Sawtimber	--		17		267		114		398
Poletimber	--		5		55		39		99
Sapling and seedling	--		--		29		60		89
Nonstocked	--		--		--		13		13
Total	--		22		351		226		599

Table 7.--Area of privately owned commercial timberland in Bernalillo, Sandoval, and Torrance Counties, by forest type, stand-size class, and site class, 1978

Forest type and stand-size class	Site class				All classes
	120+	85-119	50-84	20-49	
----- Acres -----					
Douglas-fir:					
Sawtimber	--	1,330	15,815	5,047	22,192
Poletimber	--	--	--	611	611
Sapling and seedling	--	--	--	--	--
Nonstocked	--	--	--	--	--
Total	--	1,330	15,815	5,658	22,803
Ponderosa pine:					
Sawtimber	--	--	13,214	3,663	16,877
Poletimber	--	--	1,285	1,928	3,213
Sapling and seedling	--	--	1,235	1,807	3,042
Nonstocked	--	--	--	--	--
Total	--	--	15,734	7,398	23,132
Southwestern white pine:					
Sawtimber	--	--	664	--	664
Poletimber	--	--	--	--	--
Sapling and seedling	--	--	--	--	--
Nonstocked	--	--	--	--	--
Total	--	--	664	--	664
Spruce-subalpine fir:					
Sawtimber	--	--	665	665	1,330
Poletimber	--	--	664	--	664
Sapling and seedling	--	--	--	603	603
Nonstocked	--	--	--	--	--
Total	--	--	1,329	1,268	2,597
White fir:					
Sawtimber	--	592	1,963	3,165	5,720
Poletimber	--	--	644	--	644
Sapling and seedling	--	--	--	--	--
Nonstocked	--	--	613	--	613
Total	--	592	3,220	3,165	6,977
Engelmann spruce:					
Sawtimber	--	611	3,769	--	4,380
Poletimber	--	665	2,450	--	3,115
Sapling and seedling	--	--	655	1,912	2,567
Nonstocked	--	--	--	655	655
Total	--	1,276	6,874	2,567	10,717
Pinyon-juniper:					
Sawtimber	--	--	--	643	643
Poletimber	--	--	--	--	--
Sapling and seedling	--	--	--	--	--
Nonstocked	--	--	--	--	--
Total	--	--	--	643	643
Aspen:					
Sawtimber	--	655	5,809	1,247	7,711
Poletimber	611	--	655	--	1,266
Sapling and seedling	--	--	1,825	3,211	5,036
Nonstocked	--	--	--	--	--
Total	611	655	8,289	4,458	14,013
Cottonwood:					
Sawtimber	--	--	--	--	--
Poletimber	--	--	--	--	--
Sapling and seedling	--	--	--	--	--
Nonstocked	--	--	--	655	655
Total	--	--	--	655	655
All types:					
Sawtimber	--	3,188	41,899	14,430	59,517
Poletimber	611	665	5,698	2,539	9,513
Sapling and seedling	--	--	3,715	7,533	11,248
Nonstocked	--	--	613	1,310	1,923
Total	611	3,853	51,925	25,812	82,201

Table 8.--Area of commercial timberland in Bernalillo, Sandoval, and Torrance Counties, by stand volume and ownership class, 1978

Stand volume per acre ¹	Ownership class		
	State	Private	State and private
	Acres		
Less than 1,500 board feet	162	15,730	15,892
1,500 to 4,999 board feet	216	29,540	29,756
5,000 to 9,999 board feet	120	22,154	22,274
10,000 board feet or more	101	14,777	14,878
All classes	599	82,201	82,800

¹ International 1/4-inch rule.

Table 9.--Area of commercial timberland in Bernalillo, Sandoval, and Torrance Counties, by forest type and area condition class, 1978

Forest type	Area condition class										Nonstocked	All classes
	10	20	30	40	50	60	70	80	90			

Table 10.--Area of unproductive reserved and unproductive nonreserved forest land in Bernalillo, Sandoval, and Torrance Counties, by land class, ownership class, and forest type, 1978

Land class	Forest type						All types	
	Ponderosa pine	White fir	Juniper	Mixed softwoods	Aspen	Mixed hardwoods	Total softwoods	Total hardwoods
Other forest land area:								
Unproductive reserved:								
State	4	--	292	4	--	--	--	300
Private	10,385	--	15,065	4,452	--	--	29,902	12 101
Total	10,389	--	15,357	4,456	--	--	30,202	12 222
Unproductive nonreserved:								
State	1,217	6	97,520	1,160	6	17	99,903	23 439
Private	9,150	665	459,669	5,403	655	3,185	474,887	3,840 478,727
Total	10,367	671	557,189	6,563	661	3,202	574,790	3,863 578,653
Total all areas:								
State	1,221	6	97,812	1,164	6	17	100,203	23 40 560
Private	19,535	665	474,734	9,855	655	3,185	504,789	3,840 508,629
Total acres	20,756	671	572,546	11,019	661	3,202	604,992	3,863 608,855
Total hectares	8 400	272	231 702	4 459	267	1 296	244 833	1 563 246 396

Table 11.--Number of growing stock trees on commercial timberland in Bernalillo, Sandoval, and Torrance Counties, by species and diameter class, 1978

Species	Diameter class (inches at breast height)																All classes
	1.0-2.9	3.0-4.9	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-22.9	23.0-24.9	25.0-26.9	27.0-28.9	29.0+		
	Thousand trees																
Douglas-fir	947	1,373	724	414	362	236	176	92	85	52	39	33	17	10	24	4,584	
Ponderosa pine	1,131	1,733	1,070	814	360	219	101	65	42	37	25	19	11	7	15	5,649	
Southwestern white pine	185	96	113	51	27	16	22	13	9	6	3	--	1	1	(1)	543	
Subalpine fir	545	238	110	41	32	15	5	7	5	1	--	--	--	--	(1)	999	
White fir	990	917	426	337	221	165	89	40	24	19	21	13	12	9	16	3,299	
Engelmann spruce	1,505	1,004	813	625	276	135	77	59	24	19	11	4	5	1	2	4,560	
Pinyon/juniper	405	326	123	62	--	7	9	6	5	--	--	--	--	--	--	943	
Total softwoods	5,708	5,687	3,379	2,344	1,278	793	479	282	194	134	99	69	46	28	57	20,577	
Aspen	2,740	2,104	1,077	517	451	254	227	69	46	15	4	3	1	--	--	7,508	
Cottonwood	--	--	--	--	--	--	--	--	--	1	--	1	2	--	--	4	
Total hardwoods	2,740	2,104	1,077	517	451	254	227	69	46	16	4	4	3	--	--	7,512	
All species	8,448	7,791	4,456	2,861	1,729	1,047	706	351	240	150	103	73	49	28	57	28,089	

¹Less than 500 trees.

Table 12.--Number of cull and salvable dead trees on commercial timberland in Bernalillo, Sandoval, and Tarrant Counties, by ownership class, and softwoods and hardwoods, 1978

Ownership class and species group	:	Cull trees			:	Salvable dead trees
	:	Sound	:	Rotten	:	Total
- - - - - Thousand trees - - - - -						
State:						
Softwoods		2		(¹)		2
Hardwoods		(¹)		3		3
Total		2		3		5
Private:						
Softwoods		252		19		271
Hardwoods		15		465		480
Total		267		484		751
State and private:						
Softwoods		254		19		273
Hardwoods		15		468		483
Total		269		487		756

¹Less than 500 trees.

Table 13.--Net volume of growing stock on commercial timberland in Bernalillo, Sandoval, and Torrance Counties, by ownership class, forest type, and stand-size class, 1978

Ownership class:	Forest type	Stand-size class				All classes
		Sawtimber	Poletimber	Sapling/seedling	Nonstocked	
----- Thousand cubic feet -----						
State:						Thousand cubic meters
	Douglas-fir	281	--	--	--	281 8
	Ponderosa pine	143	47	5	--	195 6
	Southwestern white pine	5	--	--	--	5 (1)
	Spruce-subalpine fir	32	6	1	--	39 1
	White fir	53	--	--	--	53 2
	Engelmann spruce	39	15	13	(2)	67 2
	Pinyon-juniper	11	--	--	--	11 (1)
	Aspen	177	7	8	--	192 5
	Cottonwood	--	--	--	2	2 (1)
	All types	741	75	27	2	845 24
Private:						
	Douglas-fir	50,132	684	--	--	50,816 1 439
	Ponderosa pine	17,399	1,699	629	--	19,727 558
	Southwestern white pine	668	--	--	--	668 19
	Spruce-subalpine fir	3,890	745	98	--	4,733 134
	White fir	8,612	478	--	233	9,323 264
	Engelmann spruce	10,112	4,280	1,341	53	15,786 447
	Pinyon-juniper	384	--	--	--	384 11
	Aspen	21,792	2,332	1,923	--	26,047 738
	Cottonwood	--	--	--	172	172 5
	All types	112,989	10,218	3,991	458	127,656 3 615
State and private:						
	Douglas-fir	50,413	684	--	--	51,097 1 447
	Ponderosa pine	17,542	1,746	634	--	19,922 564
	Southwestern white pine	673	--	--	--	673 19
	Spruce-subalpine fir	3,922	751	99	--	4,772 135
	White fir	8,665	478	--	233	9,376 266
	Engelmann spruce	10,151	4,295	1,354	53	15,853 449
	Pinyon-juniper	395	--	--	--	395 11
	Aspen	21,969	2,339	1,931	--	26,239 743
	Cottonwood	--	--	--	174	174 5
	All types	113,730	10,293	4,018	460	128,501 3 639

¹Less than 0.5 thousand cubic meters.

²Less than 0.5 thousand cubic feet.

Table 14.--Net volume of sawtimber on commercial timberland in Bernalillo, Sandoval, and Torrance Counties, by ownership class, forest type, and stand-size class, 1978

Ownership class:	Forest type	Stand-size class				All classes
		Sawtimber	Poletimber	Sapling/seedling	Nonstocked	
----- Thousand board feet ¹ -----						
State:						
	Douglas-fir	1,263	--	--	--	1,263
	Ponderosa pine	572	101	13	--	686
	Southwestern					
	white pine	24	--	--	--	24
	Spruce-subalpine fir	129	10	--	--	139
	White fir	220	--	--	--	220
	Engelmann spruce	182	23	39	3	247
	Pinyon-juniper	48	--	--	--	48
	Aspen	631	16	15	--	662
	Cottonwood	--	--	--	9	9
	All types	3,069	150	67	12	3,298
Private:						
	Douglas-fir	218,676	1,603	--	--	220,279
	Ponderosa pine	72,347	3,605	2,415	--	78,367
	Southwestern					
	white pine	2,928	--	--	--	2,928
	Spruce-subalpine fir	15,629	1,224	--	--	16,853
	White fir	33,571	904	--	963	35,438
	Engelmann spruce	43,312	7,634	4,041	271	55,258
	Pinyon-juniper	1,609	--	--	--	1,609
	Aspen	80,452	3,623	6,173	--	90,248
	Cottonwood	--	--	--	911	911
	All types	468,524	18,593	12,629	2,145	501,891
State and private:						
	Douglas-fir	219,939	1,603	--	--	221,542
	Ponderosa pine	72,919	3,706	2,428	--	79,053
	Southwestern					
	white pine	2,952	--	--	--	2,952
	Spruce-subalpine fir	15,758	1,234	--	--	16,992
	White fir	33,791	904	--	963	35,658
	Engelmann spruce	43,494	7,657	4,080	274	55,505
	Pinyon-juniper	1,657	--	--	--	1,657
	Aspen	81,083	3,639	6,188	--	90,910
	Cottonwood	--	--	--	920	920
	All types	471,593	18,743	12,696	2,157	505,189

¹International 1/4-inch rule.

Table 15.--Net volume of growing stock on commercial timberland in Bernalillo, Sandoval, and Torrance Counties, by species and diameter class, 1978

Species	Diameter class (inches at breast height)														All classes
	5.0- 6.9	7.0- 8.9	9.0- 10.9	11.0- 12.9	13.0- 14.9	15.0- 16.9	17.0- 18.9	19.0- 20.9	21.0- 22.9	23.0- 24.9	25.0- 26.9	27.0- 28.9	29.0+ :		
	- - - - - Thousand cubic feet - - - - -														
Douglas-fir	1,163	1,827	3,130	3,584	3,935	2,873	3,445	2,795	2,722	2,660	1,599	1,074	4,432	35,239	
Ponderosa pine	1,273	2,884	2,251	2,550	1,890	1,628	1,511	1,696	1,488	1,373	980	1,734	2,358	22,616	
Southwestern white pine	287	238	229	228	453	395	330	263	122	--	73	57	33	2,708	
Subalpine fir	240	225	307	250	144	258	206	73	--	--	--	--	69	1,772	
White fir	718	1,526	1,826	2,107	1,889	1,170	914	927	1,325	1,015	992	881	2,444	17,734	
Engelmann spruce	1,526	3,252	2,885	2,116	1,990	2,182	1,129	1,193	882	383	532	163	312	18,545	
Pinyon/juniper	53	91	--	44	113	118	61	--	--	--	--	--	--	480	
Total softwoods	5,260	10,043	10,628	10,879	10,414	8,624	7,596	6,947	6,539	5,431	4,176	2,909	9,648	99,094	
Aspen	2,447	3,486	6,050	5,127	6,208	2,627	2,136	730	223	151	48	--	--	29,233	
Cottonwood	--	--	--	--	--	--	--	40	--	32	102	--	--	174	
Total hardwoods	2,447	3,486	6,050	5,127	6,208	2,627	2,136	770	223	183	150	--	--	29,407	
All species	7,707	13,529	16,678	16,006	16,622	11,251	9,732	7,717	6,762	5,614	4,326	2,909	9,648	128,501	

Table 16.--Net volume of sawtimber on commercial timberland in Bernalillo, Sandoval, and Torrance Counties, by species and diameter class, 1978

Species	Diameter class (inches at breast height)												All classes
	9.0- 10.9	11.0- 12.9	13.0- 14.9	15.0- 16.9	17.0- 18.9	19.0- 20.9	21.0- 22.9	23.0- 24.9	25.0- 26.9	27.0- 28.9	29.0+ 		
Thousand board feet, International 1/4-inch rule													
Douglas-fir	9,902	15,302	19,070	14,881	18,649	15,554	15,450	15,273	9,240	6,230	25,955	165,506	
Ponderosa pine	7,508	11,681	9,504	8,840	8,593	9,560	8,663	8,018	5,764	4,349	14,039	96,519	
Southwestern white pine	772	975	2,114	1,962	1,675	1,362	649	--	406	324	191	10,430	
Subalpine fir	1,057	1,211	735	1,329	1,061	372	--	--	--	--	375	6,140	
White fir	6,205	9,248	8,643	5,301	4,020	3,920	5,355	4,010	3,883	3,455	9,736	63,776	
Engelmann spruce	10,477	10,305	10,251	11,325	5,846	6,162	4,556	1,990	2,787	865	1,667	66,231	
Pinyon/juniper	--	133	328	337	169	--	--	--	--	--	--	967	
Total softwoods	35,921	48,855	50,645	43,975	40,013	36,930	34,673	29,291	22,080	15,223	51,963	409,569	
Aspen	XXXX	27,223	34,643	14,770	11,845	3,980	1,193	791	255	--	--	94,700	
Cottonwood	XXXX	--	--	--	--	220	--	169	531	--	--	920	
Total hardwoods	XXXX	27,223	34,643	14,770	11,845	4,200	1,193	960	786	--	--	95,620	
All species	35,921	76,078	85,288	58,745	51,858	41,130	35,866	30,281	22,866	15,223	51,963	409,569	

Table 17.--Net volume of growing stock and sawtimber on commercial timberland in Bernalillo, Sandoval, and Torrance Counties, by ownership class and species, 1978

Ownership class	Species									
	Ponderosa: Douglas-fir: pine	South- western: fir	Subalpine: fir	White fir: spruce	Engelmann: pinyon/ juniper	Total softwoods	Aspen	Cottonwood:	Total hardwoods	All species
GROWING STOCK										
	Thousand cubic feet									
State	206	15	14	95	97	9	198	1	199	845
Private	35,033	22,406	1,758	17,639	18,448	471	29,035	173	29,208	127,656
Total	35,239	22,616	1,772	17,734	18,545	480	29,233	174	29,407	128,501
GROWING STOCK										
	Thousand cubic meters									
State	6	(¹)	(¹)	3	3	(¹)	18	(¹)	6	24
Private	992	634	50	499	522	14	2,788	822	5	3,615
Total	998	640	50	502	525	14	2,806	828	5	3,639
SAWTIMBER										
	Thousand board feet, International 1/4-inch rule									
State	983	788	60	48	349	365	17	2,610	679	9
Private	164,523	95,731	10,370	6,092	63,427	65,866	950	406,959	94,021	911
Total	165,506	96,519	10,430	6,140	63,776	66,231	967	409,569	94,700	920
										505,189

¹ Less than 500 cubic meters.

Table 18.--Net volume of timber on commercial timberland in Bernalillo, Sandoval, and Torrance Counties, by class of timber, and softwoods and hardwoods, 1978

Class of timber	Softwoods	Hardwoods	All classes
Sawtimber trees:			
Thousand cubic feet			
Saw log portion	79,834	16,703	96,537
Upper-stem portion	3,957	721	4,678
Total	83,791	17,424	101,215
Poletimber trees	15,303	11,983	27,286
All growing stock trees	99,094	29,407	128,501
Sound cull trees	2,572	193	2,765
Rotten cull trees	236	1,867	2,103
Salvable dead trees	4,648	1,292	5,940
All timber	106,550	32,759	139,309

Table 19.--Net volume of growing stock on commercial timberland in Bernalillo, Sandoval, and Torrance Counties, by forest type and species, 1978

Forest type	Species											All species
	Douglas-fir:	Ponderosa pine	Southwestern white pine:	Subalpine fir	White fir:	Engelmann spruce	Pinyon-juniper	Total softwoods:	Aspen	Cottonwood	Total hardwoods:	
Thousand cubic feet												
Douglas-fir	28,925	3,005	1,780	--	10,186	1,977	176	46,049	5,048	--	5,048	1 447
Ponderosa pine	963	16,935	80	--	1,153	272	133	19,536	386	--	386	564
Southwestern white pine	267	--	377	--	29	--	--	673	--	--	--	19
Subalpine fir	58	--	--	1,198	--	3,374	--	4,630	142	--	142	135
White fir	1,046	702	173	--	5,546	292	--	7,759	1,617	--	1,617	266
Engelmann spruce	1,736	711	231	275	359	10,104	--	13,416	2,437	--	2,437	449
Pinyon-juniper	--	224	--	--	--	--	171	395	--	--	--	11
Aspen	2,244	1,039	67	299	461	2,526	--	6,636	19,603	--	19,603	743
Cottonwood	--	--	--	--	--	--	--	--	--	174	174	5
All types	35,239	22,616	2,708	1,772	17,734	18,545	480	99,094	29,233	174	29,407	128,501
Thousand cubic meters												
All types	998	640	77	50	502	525	14	2 806	828	5	833	3 639

Table 20.--Net volume of sawtimber on commercial timberland in Bernalillo, Sandoval, and Torrance Counties, by forest type and species, 1978

Forest type	Species											All species
	Douglas-fir:	Ponderosa pine	Southwestern white pine:	Subalpine fir	White fir:	Engelmann spruce	Pinyon-juniper	Total softwoods	Aspen	Cottonwood:	Total hardwoods	
Thousand board feet, International 1/4-inch rule												
Douglas-fir	134,086	15,697	6,810	--	38,073	8,571	482	203,719	17,823	--	17,823	221,542
Ponderosa pine	4,837	69,043	399	--	3,421	1,038	108	78,846	207	--	207	79,053
Southwestern white pine	1,344	--	1,475	--	133	--	--	2,952	--	--	--	2,952
Subalpine fir	290	--	--	3,334	--	13,368	--	16,992	--	--	--	16,992
White fir	5,111	3,251	741	--	19,239	977	--	29,319	6,339	--	6,339	35,658
Engelmann spruce	9,180	3,090	767	1,409	1,190	31,400	--	47,036	8,469	--	8,469	55,505
Pinyon-juniper	--	1,280	--	--	--	--	377	1,657	--	--	--	1,657
Aspen	10,658	4,158	238	1,397	1,720	10,877	--	29,048	61,862	--	61,862	90,910
Cottonwood	--	--	--	--	--	--	--	--	--	920	920	920
All types	165,506	96,519	10,430	6,140	63,776	66,231	967	409,569	94,700	920	95,620	505,189

Table 21.--Net annual growth of growing stock and sawtimber on commercial timberland in Bernalillo, Sandoval, and Torrance Counties, by ownership class and species, 1978

Ownership class	Species									
	Douglas-fir:	Ponderosa pine	Southwestern white pine	Subalpine fir	White fir	Engelmann spruce	Total softwoods	Aspen	Cottonwood	All species
GROWING STOCK										
Cubic feet										
State	3,821	8,583	204	317	1,708	2,535	17,168	3,801	48	21,017
Private	656,729	707,739	43,654	39,079	354,372	617,230	2,418,803	679,063	4,934	3,102,800
Total	660,550	716,322	43,858	39,396	356,080	619,765	2,435,971	682,864	4,982	3,123,817
GROWING STOCK										
Cubic meters										
State	108	243	6	9	48	72	486	108	1	595
Private	18,597	20,041	1,236	1,106	10,035	17,478	68,493	19,229	140	87,862
Total	18,705	20,284	1,242	1,115	10,083	17,550	68,979	19,337	141	88,457
SAWTIMBER										
Board feet, International 1/4-inch rule										
State	15,500	31,760	703	776	6,159	5,759	60,657	16,551	243	77,451
Private	2,775,097	2,807,855	138,651	98,069	1,535,330	1,973,429	9,328,431	2,382,235	24,837	11,735,503
Total	2,790,597	2,839,615	139,354	98,845	1,541,489	1,979,188	9,389,088	2,398,786	25,080	11,812,954

Table 22.--Annual mortality of growing stock and sawtimber on commercial timberland in Bernalillo, Sandoval, and Torrance Counties, by ownership class, and softwoods and hardwoods, 1978

Species group and ownership class	Growing stock		Sawtimber	
	Cubic feet	Cubic meters	Board feet ¹	Board feet
Softwoods:				
State	1,109	31	5,499	
Private	136,593	3,868	679,621	
Total	137,702	3,899	685,120	
Hardwoods:				
State	--	--	--	
Private	--	--	--	
Total	--	--	--	

¹ International 1/4-inch rule.

Table 23.--Annual mortality of growing stock and sawtimber on commercial timberland in Bernalillo, Sandoval, and Torrance Counties, by cause of death and species, 1978

Cause of Death	Species						
	Douglas-fir:	Ponderosa pine	Southwestern: white pine	Subalpine: fir	White fir	Engelmann spruce	Total : softwoods : Cottonwood : aspens : Total : hardwoods : All species
GROWING STOCK							
						Cubic feet	
Insects	--	--	--	--	--	24,843	24,843
Disease	--	--	--	--	13,473	--	13,473
Weather	--	13,608	11,642	--	--	25,250	25,250
Unknown	16,899	--	--	--	--	57,237	74,136
Total	16,899	13,608	11,642	--	13,473	82,080	137,702
GROWING STOCK							
						Cubic meters	
Insects	--	--	--	--	--	703	703
Disease	--	--	--	--	382	--	382
Weather	--	385	330	--	--	715	715
Unknown	478	--	--	--	--	1 621	2 099
Total	478	385	330	--	382	2 324	3 899
SAWTIMBER							
						Board feet, International 1/4-inch rule	
Insects	--	--	--	--	--	128,443	128,443
Disease	--	--	--	--	58,880	--	58,880
Weather	--	82,099	45,212	--	--	127,311	127,311
Unknown	72,110	--	--	--	--	298,376	370,486
Total	72,110	82,099	45,212	--	58,880	426,819	685,120

Felt, Dorothy G.

1981. Forest area and timber resource statistics for State and private lands in Bernalillo, Sandoval, and Torrance Counties, New Mexico, 1978. USDA For. Serv. Resour. Bull. INT-25, 22 p. Intermt. For. and Range Exp. Stn., Ogden, Utah 84401.

Presents land area, commercial timberland area, timber inventory, and growth and mortality data based on Resources Evaluation standards.

KEYWORDS: forest survey (regional), forest area classification, stand volume.

The Intermountain Station, headquartered in Ogden, Utah, is one of eight regional experiment stations charged with, providing scientific knowledge to help resource managers meet human needs and protect forest and range ecosystems.

The Intermountain Station includes the States of Montana, Idaho, Utah, Nevada, and western Wyoming. About 231 million acres, or 85 percent, of the land area in the Station territory are classified as forest and rangeland. These lands include grasslands, deserts, shrublands, alpine areas, and well-stocked forests. They supply fiber for forest industries; minerals for energy and industrial development; and water for domestic and industrial consumption. They also provide recreation opportunities for millions of visitors each year.

Field programs and research work units of the Station are maintained in:

Boise, Idaho

Bozeman, Montana (in cooperation with Montana State University)

Logan, Utah (in cooperation with Utah State University)

Missoula, Montana (in cooperation with the University of Montana)

Moscow, Idaho (in cooperation with the University of Idaho)

Provo, Utah (in cooperation with Brigham Young University)

Reno, Nevada (in cooperation with the University of Nevada)