Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Research Administration
Bureau of Agricultural and Industrial Chemistry

X
SELECTED PUBLICATIONS

of the

Naval Stores Research Division

on

PRODUCTION, PROPERTIES, and USES of NAVAL STORES
(Turpentine, rosin, pine-gum, etc.)

Naval Stores Research Division
2100 Robert E. Lee Boulevard
New Orleans 19, Louisiana

December 1946

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Research Administration
Bureau of Agricultural and Industrial Chemistry

SELECTED PUBLICATIONS

of the

Naval Stores Research Division

on

PRODUCTION, PROPERTIES, and USES of NAVAL STORES
(Turpentine, rosin, pine gum, etc.)

The publications selected for inclusion in this list relate to production, uses, and composition of naval stores, including specifications, analytical methods, chemical and physical properties, and scientific and technical information concerning turpentine and rosin and some of their components and derivatives. Statistical reports and patents are also included. The author of each of the publications listed was associated with the Naval Stores Research Division when the publication was issued. Only those publications believed to be of current interest are included.

In general, the publications marked "x" may be obtained from the Naval Stores Research Division, 2100 Robert E. Lee Boulevard, New Orleans 19, Louisiana. The supply of some of these publications, however, is insufficient to permit general distribution. Publications not marked "x" can generally be consulted in large public libraries. Photostat copies of any of these publications can be obtained from the U. S. Department of Agriculture Library, Washington, D. C., at a nominal cost. Copies of the United States patents can be obtained from The Commissioner of Patents, Washington 25, D. C., at a cost of 25 cents each (stamps are not accepted).

For the compilation and careful checking of this list of publications, acknowledgment is made to Hazel H. Fort, Mario M. Horner, and Dorothy B. Skau.

<u>PRODUCTION</u>	<u>Reference Number</u>
x Rusty cups stain your dip, degrade your rosin. U. S. Bur. of Chem. and Soils. Mimeographed. 1 p. (1929).	116
x Improved naval stores made with steam still. F. P. Veitch and J. O. Reed. Chem. and Metall. Engin. <u>36</u> : 677-8 (1929).	121
x Gluing turpentine barrels. G. P. Shingler and W. C. Smith. Mimeographed. 6 pp. (1931). Naval Stores Rev. <u>41</u> (19): 13, 17 (1931).	134
Outage calculation for horizontal tanks and tank cars. F. P. Veitch, V. E. Grotlich, and B. A. Brice. Food and Drug Admin. (1932).	147
x Rosin strainers [drawing]. J. O. Reed. NS-56. (1932).	152
x Turpentine dehydrator [drawing]. J. O. Reed. NS-52. (1933).	157
Component distribution trend in commercial turpentine still operation. S. Palkin. Indus. and Engin. Chem. <u>25</u> : 95-7 (1933).	158
x Turpentine separator [drawing]. J. O. Reed. NS-72. (1933).	163
Naval Stores Station cleans dip barrels with steam. G. P. Shingler. Naval Stores Rev. <u>43</u> (27): 4 (1933).	167
Preparation of special rosins. S. Palkin and C. K. Clark. Indus. and Engin. Chem. <u>26</u> : 720-2 (1934).	182
x Retarding changes in turpentine during storage. W. C. Smith and H. P. Holman. Indus. and Engin. Chem. <u>26</u> : 716-8 (1934).	183
x Rosin trough [drawing]. E. L. Patton. NS-125. (1935).	198
x Summary of the 1934 distillation work at the Naval Stores Station, Olustee, Fla. G. P. Shingler and F. P. Veitch. Mimeographed. 4 pp. (1935).	201
x The outturn from several grades of gum containing small, medium and large quantities of chips and trash. G. P. Shingler. Mimeographed. 3 pp. (1936).	213

<u>PRODUCTION (continued)</u>	<u>Reference Number</u>
Care of government type still settings. K. S. Trowbridge and G. P. Shingler. Naval Stores Rev. <u>45</u> (49): 4, 15 (1936).	216
Production of clean gum rosin. W. C. Smith. Indus. and Engin. Chem. <u>28</u> : 408-13 (1936).	220
x Rosin barrels, loss of moisture from filled barrels of rosin. G. P. Shingler and F. P. Veitch. Mimeographed. 3 pp. (1936).	221
x Cooper's winch [drawing]. NS-144. (1936).	227
x Dehydration of turpentine. Sci. Amer. <u>154</u> : 353 (1936).	229
x Turpentine farmers lose by not removing chips from gum. Press Release. Mimeographed. 2 pp. (1937). Naval Stores Rev. <u>47</u> (2): 14 (1937).	249
x Rosin lost in chips, rock dross and batting dross. G. P. Shingler, C. K. Clark, and N. C. McConnell. U. S. Bur. of Chem. and Soils. Mimeographed. MC-1. 4 pp. (1937).	250
x Cross-sectional view of turpentine fire still layout at the Naval Stores Station. U. S. Bur. of Chem. and Soils. Mimeographed. MC-12. 4 pp. (1937).	257
x Government-type turpentine fire still setting, drawing and bill of materials. U. S. Bur. of Chem. and Soils. Mimeographed. MC-13. 4 pp. (1937).	260
x Directions for decolorizing turpentine by distillation. G. P. Shingler, E. L. Patton, and N. C. McConnell. U. S. Bur. of Chem. and Soils. Mimeographed. MC-17. 2 pp. (1937).	261
x Rerunning rosin on a fire still. E. L. Patton and N. C. McConnell. U. S. Bur. of Chem. and Soils. Mimeographed. MC-18. 1 p. (1937).	262
Gum grades and standards should be established. G. P. Shingler. Naval Stores Rev. <u>48</u> (18): 14 (1938).	285
One and one-half pieces of cotton batting effect a saving to producers. G. P. Shingler. Naval Stores Rev. <u>48</u> (20): 21 (1938).	286
x Packing is important in naval stores products. J. O. Boynton. AT-FA Jour. <u>1</u> (9): 14 (1939).	310

<u>PRODUCTION (continued)</u>	<u>Reference Number</u>
x Rosin straining. C. P. Shingler and E. L. Patton. U. S. Bur. of Agr. Chem. and Engin. Processed. ACE-1. 3 pp. (1939). Also under title: "The Vital Importance of Rosin Straining." Naval Stores Rev. <u>49</u> (20): 10 (1939).	312
x Grades and yields of rosin and turpentine from crude gum. A. R. Shirley. U. S. Bur. of Agr. Chem. and Engin. Mimeographed. ACE-5. 3 pp. (1939). Naval Stores Rev. <u>49</u> (15): 4 (1939).	314
x An experimental turpentine still. E. L. Patton. U. S. Bur. of Agr. Chem. and Engin. Processed. ACE-2. 4 pp. (1939). Naval Stores Rev. <u>49</u> (28): 4, 13 (1939).	315
x Government-style fire still operated twenty-four hours a day. Naval Stores Rev. <u>49</u> (29): 22 (1939).	317
x Turpentine still buildings and equipment. U. S. Bur. of Agr. Chem. and Engin. U. S. Dept. of Agr. Misc. Pub. 387. <u>44</u> pp. (1940).	325
x Value of covering turpentine cups. R. V. Lawrence. Naval Stores Rev. <u>49</u> (49): 4 (1940).	329
x How to discharge a turpentine still [Revised]. U. S. Bur. of Agr. Chem. and Engin. Mimeographed. ACE-52. 2 pp. (1940).	336
x How to charge a turpentine still [Revised]. U. S. Bur. of Agr. Chem. and Engin. Mimeographed. ACE-53. 2 pp. (1940).	337
x Directions for running crude gum on a turpentine fire still. U. S. Bur. of Agr. Chem. and Engin. Mimeographed. ACE-54. 5 pp. (1940).	338
A study of the cost of production of naval stores. H. D. High. U. S. Bur. of Agr. Chem. and Engin. Mimeographed. ACE-59. 6 pp. (1940).	340
Suggests gum buying on new weight basis. J. O. Boynton. Naval Stores Rev. <u>50</u> (31): 8 (1940).	346
Avoid cracked still crowns. J. O. Boynton. AT-FA Jour. <u>3</u> (3): 10 (1940). Naval Stores Rev. <u>50</u> (35): 15 (1940).	348
Protect your still plant from fire. J. O. Boynton. AT-FA Jour. <u>3</u> (3): 10 (1940). Naval Stores Rev. <u>50</u> (36): 13 (1940).	349

PRODUCTION (continued)

Reference
Number

- How to stop leaks from the side sampler in a metal rosin drum.
E. L. Patton. U. S. Bur. of Agr. Chem. and Engin. Mimeo-
graphed. ACE-72. 3 pp. (1941). 355
- Comments on the buying and selling of gum. G. P. Shingler and
H. D. High. Naval Stores Rev. 50 (47): 8, 13 (1941). 361
- x Rosin cleanliness. G. P. Shingler and E. L. Patton. Oil and
Soap 18: 133 (1941). Also under title: "The Importance of
Rosin Cleanliness and the Absence of Foreign Matter." Naval
Stores Rev. 50 (52): 8 (1941). Also under title: "Careful
Handling Produces Cleaner Gum Rosin." [Rewrite]. Paint, Oil
and Chem. Rev. 105 (8): 16 (1941). 364
- x Comparative summary of results with crude and cleaned gum in
distillation work at the Naval Stores Station, Olustee, Fla.
G. P. Shingler. U. S. Bur. of Agr. Chem. and Engin. Mimeo-
graphed. ACE-88. 2 pp. (1941). Naval Stores Rev. 51 (5):
16 (1941). 365
- x Studies in the storage of turpentine gum for distillation.
G. P. Shingler. Naval Stores Rev. 51 (6): 13 (1941). U. S.
Bur. of Agr. Chem. and Engin. Mimeo-graphed. ACE-89. (1941). 368
- x A comparison of the effects of slash and longleaf gums on cup
materials.. R. V. Lawrence. U. S. Bur. of Agr. Chem. and Engin.
Mimeo-graphed. ACE-101. 2 pp. (1941). Naval Stores Rev. 51 (21):
13 (1941). 372
- x Cleaning and painting turpentine cups -- revised. G. P. Shingler,
R. V. Lawrence, and N. C. McConnell. U. S. Bur. of Agr. Chem.
and Engin. Mimeo-graphed. ACE-110. 3 pp. (1941). 373
- x Upgrading oleoresin by a new process. J. O. Reed. Chem. and
Metall. Engin. 48 (12): 68-70 (1941). 379
- The adoption of the cup system by the naval stores industry.
G. P. Shingler. Naval Stores Rev. 51 (36): 16, 20 (1941). 381
- x Production of naval stores. U. S. Bur. of Agr. Chem. and Engin.
U. S. Dept. of Agr. Misc. Pub. 476. 10 pp. (1942). 386
- x Salvaging turpentine cups and accessories in the light of
national defense requirements for metals. G. P. Shingler.
U. S. Bur. of Agr. Chem. and Engin. ACE-136. (1942). 387

<u>PRODUCTION (continued)</u>	<u>Reference Number</u>
Turpentine distillation equipment and methods and the development of central stills. G. P. Shingler. Naval Stores Rev. <u>51</u> (40): 10, 16, 20 (1942).	388
Cup cleaning and painting method is demonstrated. Naval Stores Rev. <u>51</u> (43): 14 (1942).	389
Quart oil cans serve as turpentine cups and gutters. Naval Stores Rev. <u>51</u> (45): 12 (1942).	391
x Removal of metallic contaminants from pine oleoresin, washing with mineral acid. R. V. Lawrence. Indus. and Engin. Chem. <u>34</u> : 984-7 (1942).	408
x Operation of the Olustee, Fla., Naval Stores Station process of gum refining. E. L. Patton and R. A. Feagan, Jr. Naval Stores Rev. <u>52</u> (41): 12 (1943). AT-FA Jour. <u>5</u> (4): 7 (1943).	418
x Preliminary results of tests on rosin and turpentine from gum produced by trees treated with chemical stimulants. Naval Stores Rev. <u>53</u> (47): 8 (1944). Also under title: "Spirits and Rosin from Treated Trees Tested in Olustee (Florida)." Jour. Amer. Farmers Assoc. <u>6</u> (5): 6 (1944).	436
Equipment for gum refining process. I. E. Knapp, G. P. Shingler, L. W. Mims, N. C. McConnell, and S. W. Solera. U. S. Bur. of Agr. and Indus. Chem. Mimeographed. AIC-72. 3 pp. plus drawings. (1945).	454
x Further information on the effect of chemical stimulation on grades and cloudiness of rosin. Naval Stores Rev. <u>55</u> (4): 8, 10 (1945). AT-FA Jour. <u>7</u> (9): 12-3 (1945).	458
Working trees for naval stores. A. R. Shirley. Georgia Univ. Georgia Agr. Ext. Serv. Bul. 532. 46 pp. (1946).	473
x Diagrammatic sketch of continuous still for pine gum and auxiliary equipment, Naval Stores Station, Olustee, Florida [drawing]. U. S. Bur. of Agr. and Indus. Chem. (1946).	478

USES	Reference Number
x Symposium on rosin, a discussion of the uses of rosin in the industries and the production and properties of gum rosin and wood rosin. A. S. T. M. Proc. <u>26</u> (II): 493-534 (1926).	81
A new non-crystallizing gum rosin. S. Palkin and W. C. Smith. Oil and Soap <u>15</u> : 120-2 (1938).	276
x Gum and wood rosin - their service in great consuming industries - as physical and chemical properties are better known uses in industry should increase. U. S. Bur. of Chem. and Soils.. Gamble's International Naval Stores Year Book <u>1938-39</u> pp. 126-8 (1938).	282
x Uses of turpentine and rosin. U. S. Bur. of Agr. Chem. and Engin. Mimeographed. MC-40. 5 pp. (1938).	293
x The use of copper resinate as a treatment for paper pots. M. Leathernan and V. R. Boswell. Amer. Soc. Hort.: Sci. Proc. <u>37</u> : 951-5 (1939).	301
x Utilization of naval stores. C. F. Spoh. Indus. and Engin. Chem. <u>31</u> : 166-8 (1939).	305
x Rosin...its possible use in the present emergency as a partial replacement for coconut oil. W. D. Pohle. U. S. Bur. of Agr. Chem. and Engin. Mimeographed. ACE-162. 2 pp. (1942). Soap Sanit. Chem. <u>18</u> (2): 29, 69 (1942).	390
<u>COMPOSITION, SPECIFICATIONS, AND ANALYTICAL METHODS</u>	
The detection and estimation of coal-tar oils in turpentine. V. E. Grotlisch and W. C. Smith. Indus. and Engin. Chem. <u>13</u> (9): 791-3 (1921).	42
Changes in powdered rosin stored in closed containers. F. P. Veitch and W. F. Sterling. Indus. and Engin. Chem. <u>15</u> (6): 576 (1923).	55
Tentative method of test for determination of toluol insoluble matter in rosin (chiefly sand, chips, dirt and bark). D269-27T. A. S. T. M. Proc. <u>27</u> (I): 895 (1927). [See A. S. T. M. Standards <u>44</u> (III): 1003 (1944)].	86
Proposed method for determination of softening and fluid temperatures of rosin (capillary tube method). A. S. T. M. Proc. <u>28</u> (I): 608-9 (1928). [For ball and ring method of determining softening point of rosin, see A. S. T. M. Standards <u>44</u> (III): 2119 (1944)].	98

COMPOSITION, SPECIFICATIONS, AND ANALYTICAL METHODS (continued)	Reference Number
Proposed method of test for softening temperature of rosin (ring-and-ball method). A. S. T. M. Proc. <u>28</u> (I): 610-12 (1928).	99
x Determination of small quantities of sulfur and chlorine when present in turpentine. W. C. Smith. Indus. and Engin. Chem., Analyt. Ed. <u>3</u> : 354-5 (1931).	135
x The fractionation of American gum spirits of turpentine and evaluation of its pinene content by optical means. S. Palkin. U. S. Dept. of Agr. Tech. Bul. 276. 13 pp. (1932).	139
Specific gravity of gum spirits turpentine. W. C. Smith and G. P. Shingler. Naval Stores Rev. <u>42</u> (12): 14 (1932).	145
Standard methods of sampling and testing turpentine. D233-33. A. S. T. M. Standards <u>33</u> (II): 668-75 (1933). [See A. S. T. M. Standards <u>44</u> (II): 1501 (1944)].	155
Standard specifications for spirits of turpentine. D13-34. A. S. T. M. Standards <u>34</u> : 111-2 (1934). [See A. S. T. M. Standards <u>44</u> (II): 963 (1944)].	172
Acidity titration of low-grade rosins. W. C. Smith. Indus. and Engin. Chem., Analyt. Ed. <u>6</u> : 122-3 (1934).	176
Analytical methods for rosin. F. P. Veitch. Assoc. Off. Agr. Chem. Jour. <u>18</u> : 66-9 (1935).	192
x The acids of pine, oleoresin and rosin. S. Palkin. Jour. Chem. Ed. <u>12</u> : 35-40 (1935).	193
x The specific gravity and weight per gallon of fresh gum spirits of turpentine. U. S. Bur. of Chem. and Soils. Mimeographed. 1 p. (1935).	200
Total neutral and unsaponifiable matter in rosin with data relative to mechanical methods for their determination. M. B. Matlack and S. Palkin. Assoc. Off. Agr. Chem. Jour. <u>18</u> : 466-71 (1935).	210
Report on naval stores. F. P. Veitch. Assoc. Off. Agr. Chem. Jour. <u>19</u> : 390-2 (1936).	231
x The composition of American steam-distilled wood turpentine and a method for its identification. T. C. Chadwick and S. Palkin. A. S. T. M. Proc. <u>37</u> (II): 574-81 (1937).	240
x Influence of solvent on the saponification number of rosin. W. C. Smith. Indus. and Engin. Chem., Analyt. Ed. <u>9</u> : 469-71 (1937).	263

COMPOSITION, SPECIFICATIONS, AND ANALYTICAL METHODS (continued)	Reference Number
x Composition and fractionation of American steam-distilled wood turpentine. S. Palkin, T. C. Chadwick, and M. B. Matlack. U. S. Dept. of Agr. Tech. Bul. 596. 29 pp. (1937).	268
x Titre of rosin-fatty acid mixtures. W. D. Pohle. Soap <u>16</u> (3): 61 (1940).	330
x Hydrometer for turpentine indicating pounds per gallon. W. C. Smith. Indus. and Engin. Chem., Analyt. Ed. <u>13</u> : 112-4 (1941).	359
x Composition of American gum turpentine exclusive of the pinenes. T. C. Chadwick and S. Palkin. U. S. Dept. of Agr. Tech. Bul. 749. 16 pp. (1941).	362
x Determination of unsaturation in the terpeno series. L. M. Joshel, S. A. Hall and S. Palkin. Indus. and Engin. Chem., Analyt. Ed. <u>13</u> : 447-9 (1941).	371
x Content of l-pimaric acid in pine oleoresin, improved methods for its determination. E. E. Fleck and S. Palkin. Indus. and Engin. Chem., Analyt. Ed. <u>14</u> : 146-7 (1942).	393
x l-Pimaric acid content of longleaf and slash pine oleoresins. B. L. Davis and E. E. Fleck. Indus. and Engin. Chem. <u>35</u> : 171-2 (1943).	420
<u>SCIENTIFIC AND TECHNICAL</u>	
x Improved gauze-plate laboratory rectifying column. S. Palkin. Indus. and Engin. Chem., Analyt. Ed. <u>3</u> : 377-8 (1931).	137
The rosin acids of American turpentine gum. The preparation of the pimaric acids from pinus palustris. S. Palkin and T. H. Harris. Amer. Chem. Soc. Jour. <u>55</u> : 3677-84 (1933).	168
x Oleoresin from individual trees of slash and longleaf pine. A. P. Black and S. M. Thronson. Indus. and Engin. Chem. <u>26</u> : 66-9 (1934).	173
x A differential pressure control mechanism for vacuum distillation. S. Palkin and O. A. Nelson. Indus. and Engin. Chem., Analyt. Ed. <u>6</u> : 386-7 (1934).	186
x The preparation of l-abietic acid (Schulz) and properties of some of its salts. S. Palkin and T. H. Harris. Amer. Chem. Soc. Jour. <u>56</u> : 1935-7 (1934).	188
x A precision oil gage. S. Palkin. Indus. and Engin. Chem., Analyt. Ed. <u>7</u> : 434-5 (1935).	207

SCIENTIFIC AND TECHNICAL (continued)	Reference Number
x Improvements in design of pressure control assembly. S. Palkin. Indus. and Engin. Chem., Analyt. Ed. <u>7</u> : 436 (1935).	209
A catalytic method for the preparation of α -pyroabietic acid. E. E. Fleck and S. Palkin. Science <u>85</u> (2196): 126 (1937).	243
Catalytic isomerization of the acids of pine oleoresin and rosin. E. E. Fleck and S. Palkin. Amer. Chem. Soc. Jour. <u>59</u> : 1593-5 (1937).	259
On the nature of pyroabietic acids. E. E. Fleck and S. Palkin. Amer. Chem. Soc. Jour. <u>60</u> : 921-5 (1938).	275
x A simplified precision oil manometer. T. C. Chadwick and S. Palkin. Indus. and Engin. Chem., Analyt. Ed. <u>10</u> : 399-400 (1938).	284
x The dihydroabietic acids from so-called pyroabietic acids. E. E. Fleck and S. Palkin. Amer. Chem. Soc. Jour. <u>60</u> : 2621-2 (1938).	289
x The composition of so-called pyroabietic acid prepared without catalyst. E. E. Fleck and S. Palkin. Amer. Chem. Soc. Jour. <u>61</u> : 247-9 (1939).	304
x The presence of dihydroabietic acid in pine oleoresin and rosin. E. E. Fleck and S. Palkin. Amer. Chem. Soc. Jour. <u>61</u> : 1230-2 (1939).	307
x A device to prevent bumping and promote boiling. S. Palkin and T. C. Chadwick. Indus. and Engin. Chem., Analyt. Ed. <u>11</u> : 509-10 (1939).	316
x Lactonization of dihydro-1-abietic and dihydro-1-pimaric acids. E. E. Fleck and S. Palkin. Amer. Chem. Soc. Jour. <u>61</u> : 3197-9 (1939).	319
x A study of factors influencing the color contributed to soap by gum rosin. W. D. Pohle and C. F. Speh. Oil and Soap <u>17</u> : 100-6 (1940).	333
x Surface tension of rosin soap solutions. W. D. Pohle. Oil and Soap <u>17</u> : 150-1 (1940).	341

SCIENTIFIC AND TECHNICAL (continued)	Reference Number
x A hydroxy-lactone from d-pimaric acid. E. E. Fleck and S. Palkin. Amer. Chem. Soc. Jour. <u>62</u> : 2044-7 (1940).	342
x Detergent action of rosin soaps and fatty acid -- rosin soaps. W. D. Pohle and C. F. Speh. Oil and Soap <u>17</u> : 214-6 (1940).	344
x The germicidal action of cleaning agents - a study of a modification of Price's procedure. W. D. Pohle and L. S. Stuart. Jour. Infect. Dis. <u>67</u> : 275-81 (1940).	350
x The germicidal activity of rosin soap and fatty acid-rosin soap as indicated by hand-washing experiments. W. D. Pohle and L. S. Stuart. Oil and Soap <u>18</u> : 2-7 (1941).	356
x Germicidal activity of soaps. L. S. Stuart and W. D. Pohle. Soap and Sanit. Chem. <u>17</u> (2): 34-7, 73-4; <u>17</u> (3): 34-7, 73-4 (1941).	363
Heat transfer coefficients for the condensation of mixed vapors of turpentine and water on a single horizontal tube. E. L. Patton and R. A. Feagan, Jr. Indus. and Engin. Chem. <u>33</u> : 1237-9 (1941).	375
A method of installing tube wall thermocouples. E. L. Patton and R. A. Feagan, Jr. Indus. and Engin. Chem., Analyt. Ed. <u>13</u> : 823-4 (1941).	376
Heat requirements for steam distillation of turpentine gum. E. L. Patton and R. A. Feagan, Jr. Indus. and Engin. Chem. <u>33</u> : 1380-1 (1941).	377
x Vapor phase thermal isomerization of α - and β -pinene. L. A. Goldblatt and S. Palkin. Amer. Chem. Soc. Jour. <u>63</u> : 3517-22 (1941).	380
x Foaming properties of rosin soap and their comparison with those of fatty acid soaps. W. D. Pohle. Oil and Soap <u>18</u> : 247-8 (1941).	382
x Solubility of calcium soaps of gum rosin, rosin acids and fatty acids. W. D. Pohle. Oil and Soap <u>18</u> : 244-5 (1941).	383
x The oxidation of β -pinene with selenium dioxide. L. M. Joshel and S. Palkin. Amer. Chem. Soc. Jour. <u>64</u> : 1008 (1942).	398

SCIENTIFIC AND TECHNICAL (continued)	Reference Number
x Ester gums from rosin and modified rosins. W. D. Pohle and W. C. Smith. Indus. and Engin. Chem. <u>34</u> : 849-52 (1942).	406
An oil manometer-manostat to control column throughput. S. A. Hall and S. Palkin. Indus. and Engin. Chem., Analyt. Ed. <u>14</u> : 652-4 (1942).	409
x An efficient column suitable for vacuum fractionation, concentric tube type. S. A. Hall and S. Palkin. Indus. and Engin. Chem., Analyt. Ed. <u>14</u> : 807-11 (1942).	412
x A tilting arc flow divider suitable for reflux ratio control. S. Palkin and S. A. Hall. Indus. and Engin. Chem., Analyt. Ed. <u>14</u> : 901-2 (1942).	413
A light-and-shadow box as a visual aid in measuring spectra. J. J. Hopfield. Optical Soc. Amer. Jour. <u>33</u> : 113-4 (1943).	421
x Raman spectra of two forms of allo-ocimene. J. J. Hopfield, S. A. Hall, and L. A. Goldblatt. Amer. Chem. Soc. Jour. <u>66</u> : 115-8 (1944).	435
x The production of α - and β -pyrenene from allo-ocimene. L. A. Goldblatt and S. Palkin. Amer. Chem. Soc. Jour. <u>66</u> : 655-6 (1944).	439
x The continuous thermal isomerization of α -pinene in the liquid phase. T. R. Savich and L. A. Goldblatt. Amer. Chem. Soc. Jour. <u>67</u> : 2027-31 (1945).	463
x Production of isoprene from turpentine derivatives. B. L. Davis, L. A. Goldblatt, and S. Palkin. Indus. and Engin. Chem. <u>38</u> : 53-7 (1946).	465
x Di- and triethylene glycols as manostat fluids. W. J. Runckel and D. M. Oldroyd. Indus. and Engin. Chem., Analyt. Ed. <u>18</u> : 80-1 (1946).	466
x Synthesis of the monoacid chloride and the monoalkyl esters of the maleic acid anhydride addition product of 1-pimaric acid. M. M. Graff. Amer. Chem. Soc. Jour. <u>68</u> : 1937-8 (1946).	476
x Effect of uniform versus intermittent product withdrawal from distillation columns. D. M. Oldroyd and L. A. Goldblatt. Indus. and Engin. Chem., Analyt. Ed. <u>18</u> : 761-3 (1946).	480

GENERAL AND MISCELLANEOUS	Reference Number
The Federal Naval Stores Act. F. P. Veitch. Indus. and Engin. Chem. <u>16</u> : 640-1 (1924).	67
x What's ahead in naval stores. H. G. Knight. Mfrs. Rec. <u>105</u> (8): 34-5, 62 (1936).	230
Naval store's greatest need - scientific research. C. F. Speh. Fla. Chemurg. Conf. Proc. <u>57</u> : 49-54 (1937).	246
x The Naval Stores Research Division, its objectives, program and progress. F. P. Veitch and C. F. Speh. U. S. Bur. of Chem. and Soils. Mimeo-graphed. MC-21. 28 pp. (1937).	267
Some interesting facts about the marketing of gum naval stores. G. P. Shingler and J. O. Boynton. Naval Stores Rev. <u>48</u> (7): 4, 15 (1938).	277
x Naval stores studies. C. F. Speh. Mfrs. Rec. <u>109</u> (2): 30-1, 54 (1940).	327
The Naval Stores Research Division and the Naval Stores Industry. C. F. Speh. Gamble's International Naval Stores Yearbook <u>1940-41</u> , pp. 129-32 (1940).	339
The work of the Naval Stores Cooperative Agents of Georgia and Florida. C. F. Speh. Naval Stores Rev. <u>50</u> (21): 8, 13 (1940).	343
x Some publications relating to production, properties, examination, marketing and uses of naval stores [Revised]. U. S. Bur. of Agr. Chem. and Engin. Mimeo-graphed. ACE-74. 5 pp. (1941).	357
x Turpentine in the war effort. S. Palkin. Mfrs. Rec. <u>112</u> (5): 30-1, 62, 64, 66 (1943).	425
Contributions of Naval Stores Research Division to the processing of pine oleoresin. G. P. Shingler. AT-FA Jour. <u>8</u> (6): 8-9, 20 (1946).	469
x Viscosity of pine gum. W. J. Runckel and I. E. Knapp. Indus. and Engin. Chem. <u>38</u> : 555-6 (1946).	472
x Inhibition of myrcene polymerization during storage. W. J. Runckel and L. A. Goldblatt. Indus. and Engin. Chem. <u>38</u> : 749-51 (1946).	474

<u>PATENTS</u>	<u>Reference Number</u>
Method for making varnish materials. W. F. Sterling, V. E. Grotlisch, and F. P. Veitch. U. S. Patent No. 1,395,874. November 1, 1921.	43
Steam turpentine still. J. O. Reed. U. S. Patent No. 1,667,168. April 24, 1928.	104
Turpentine gum sampler. N. C. McConnell. U. S. Patent No. 1,953,886. April 3, 1934.	178
Gauge for measurement of gas pressures. S. Palkin. U. S. Patent No. 2,051,740. August 18, 1936.	232
Turpentine dip barrel head lock and remover. L. Evans. U. S. Patent No. 2,052,223. August 25, 1936.	233
Process for separating pine gum into fractions. S. Palkin and T. H. Harris, Jr. U. S. Patent No. 2,086,777. July 13, 1937.	256
Gauge for measurement of gas pressures. S. Palkin and T. C. Chadwick. U. S. Patent No. 2,169,812. August 15, 1939.	313
Noncrystallizing gum rosin. S. Palkin and W. C. Smith. U. S. Patent No. 2,176,660. October 17, 1939.	318
Multiple filter device. S. Palkin. U. S. Patent No. 2,198,175. April 23, 1940.	332
Stable rosin acid, rosin ester, and rosin product containing them and a method for their production. E. E. Fleck and S. Palkin. U. S. Patent No. 2,239,555. April 22, 1941.	367
Process for gum refining. W. C. Smith, J. O. Reed, F. P. Veitch, and G. P. Shingler. U. S. Patent No. 2,254,785. September 2, 1941.	374
Filtering apparatus. J. O. Reed. U. S. Patent No. 2,272,583. February 10, 1942.	392
Thixotropic composition of matter. M. Leatherman. U. S. Patent No. 2,277,048. March 24, 1942.	395
Process for stabilizing rosin and pine oleoresin. W. D. Pohle and W. C. Smith. U. S. Patent No. 2,277,351. March 24, 1942.	396
Filter apparatus. S. Palkin. U. S. Patent No. 2,285,048. June 2, 1942.	403

<u>PATENTS (continued)</u>	<u>Reference Number</u>
Process for producing rosin. J. O. Reed. U. S. Patent No. 2,295,235. September 8, 1942.	410
Process for refining oleoresin. J. O. Reed. U. S. Patent No. 2,307,078. January 5, 1943.	417
Process for refining turpentine. J. O. Reed. U. S. Patent No. 2,308,715. January 19, 1943.	419
Hanger. J. O. Reed. U. S. Patent No. 2,316,103. April 6, 1943.	424
Fractionating apparatus. J. O. Reed. U. S. Patent No. 2,319,365. May 18, 1943.	426
Apparatus for washing oleoresin. J. O. Reed. U. S. Patent No. 2,322,252. June 22, 1943.	428
Fireproofing composition. M. Leatherman. U. S. Patent No. 2,326,233. August 10, 1943.	429
Fractionating column and scrubbing tower. S. Palkin and S. A. Hall. U. S. Patent No. 2,344,560. March 21, 1944.	438
Apparatus for melting and processing crude oleoresin. J. O. Reed. U. S. Patent No. 2,356,798. August 29, 1944.	445
Process for refining pine oleoresin. E. E. Fleck. U. S. Patent No. 2,359,980. October 10, 1944.	447
Coker and dehydrator. J. O. Reed. U. S. Patent No. 2,361,151. October 24, 1944.	448
Production of rosin and turpentine. J. O. Reed. U. S. Patent No. 2,363,692. November 28, 1944.	450
Process for treating crude pine tars. W. C. Smith. U. S. Patent No. 2,364,104. December 5, 1944.	451
Apparatus for precision control of flow division for fractionating columns and the like. S. Palkin and S. A. Hall. U. S. Patent No. 2,369,913. February 20, 1945.	455
Dehydrator. J. O. Reed. U. S. Patent No. 2,370,422. February 27, 1945.	456
Method for refining and distilling oleoresin. J. O. Reed. U. S. Patent No. 2,377,183. May 29, 1945.	457

PATENTS (continued)

Reference
Number

Process for treating crude pine tar. W. C. Smith. U. S. Patent No. 2,379,662. July 3, 1945.	460
Process for refining crude oleoresin. R. V. Lawrence. U. S. Patent No. 2,395,190. February 19, 1946.	468
Process for refining oleoresin. R. V. Lawrence. U. S. Patent No. 2,411,925. December 3, 1946.	479

STATISTICS

- x Annual reports on the production, distribution, consumption, and stocks of naval stores. Mimeographed cir. Beginning in 1935, these reports have been issued in May of each year, covering the preceding naval stores crop year, i.e. from April 1 through March 31.
- x Semi-annual reports on the production, distribution, consumption, and stocks of naval stores. Mimeographed cir. Beginning in 1936, these reports have been issued in November of each year, covering the first six months of the naval stores crop year, i.e. from April 1 through September 30.
- x Quarterly reports on the production, distribution, consumption, and stocks of naval stores. Mimeographed cir. Beginning in 1942, these reports have been issued twice each year, one in August covering the preceding quarter (April 1 through June 30), and one in February covering the preceding quarter (October 1 through December 31).