Pflanzen-Sammlung
des
Leichtlin'schen Gartens
in
BADEN-BADEN.

1873.

Karlsruhe.

Druck der G. Braun'schen Hofbuchdruckerei.

1873.

Briefe an den Inhaber des Gartens **Max Leichtlin** in Karlsruhe (Baden) zu richten.

MISSOURI BOTANICAL
GARDEN LIBRARY

THE UNIVERSITY OF CHICAGO

PHYSICS DEPARTMENT

RESEARCH REPORT

NO. 100

BY

JOHN H. SCHUBERT

CHICAGO, ILL.

1950

UNIVERSITY OF CHICAGO

PHYSICS DEPARTMENT

Acer Ginnala.

Adamsia scilloides Willd.

Aethionema grandiflorum Kotschy.

Agapanthus umbellatus major.

„ „ maximus.

Agave filifera.

„ lophanta.

„ Salmiana.

„ striata.

Ajuga pyramidalis L.

Allium Schuberti Zucc.

„ sphaerocephalum.

„ Wallichianum.

Amaryllis pardina Hook. fil.

„ Belladonna var. rosea perfecta.

„ „ spectabilis bicolor.

„ „ speciosa purpurea.

Ammolirion Stevenii Kar. & Kir.

Amorphophallus Rivierii DR.

Anemone japonica.

„ „ alba.

„ palmata.

„ vernalis.

Anemonopsis japonica.

„ „ macrophylla.

Anthericum trichiopetalum.

Arthropodium laxum.

Arum crinitum.

„ *species Idaho*.

„ „ *Turkestan*.

„ *spectabile Schott*.

Asarum albivenium Rgl.

„ *intermedium*.

„ *Thunbergii*.

Aspidium fragrans.

Aster peregrinus.

Blandfordia aurea Hook. fil.

Brodiaea coccinea A. Gray.

„ *congesta Smith*.

„ *multiflora Benth*.

Bulbocodium soboliferum.

„ *species Punjab*.

Bulbi non descripti

Nr. 264. 265. 270. 271. 275. 277. 281. 285.

461. 477. 526—529. 539—543. 568. 626—633.

635.

Calceolaria violacea.

Callipsyche mirabilis.

Calochortus elegans Pursh.

„ „ *var. luteus*.

„ *Leichtlinii Hook. fil.*

„ *macrocarpus Dougl.*

Camassia esculenta atrocoerulea.

„ „ *alba gigantea*.

Camellia reticulata fl. pleno.

Campanula Trachelium L. fl. albo pleno.

Candollea candidissima.

Caragana jubata.

Carlina acanthifolia All.

Cheiranthus Delahayanus.

„ *longifolius* Vent.

„ *mutabilis* Ait.

Cineraria argentea.

Claytonia spec.

Colchicum autumnale violaceum.

„ *Bivonae* Guss.

„ *maculatum*.

„ *persicum*.

„ *species, Chana*. Purdie.

„ *Stevenii*.

„ *variegatum* L.

Cooperia Drummondii Herb.

Corydalis angustifolia.

Crocus iridiflorus Heuff.

„ *stellaris* Haw.

Cummingia trimaculata Don.

Cyclamen cyprium Kotschy.

„ *ibericum* Stev.

„ *persicum* var.

Cyrthanthus collinus Burch.

„ *longiflorus*.

Cystopteris montana Link.

Daphne Cneorum L. maximum.

„ *indica* L. elegantissima.

„ *rupestris*.

Delphinium species Baikal.

Dianthus alpinus L. fl. pleno.

Diposis bulbocastanum D.C.

Dodecatheon Jeffreyi.

Dorema assafoetida.

Dracocephalum fragile.

„ grandiflorum L.

Epilobium obcordatum.

Erythronium giganteum Lindl.

„ Nuttallianum Roem. & Schult.

„ species 425.

Eucomis species 562.

Eugenia Ugni Hook. & Arn.

„ „ var.

Eurya latifolia fol. var.

Euryangium Sumbul Kauffm.

Eurybia ramulosa.

Evonymus Maakii.

Ferraria spec. Novara.

Fraxinus mandschuricus.

Fremontia californica Torrey.

Fritillaria aurea Schott.

„ lutea M. B.

„ „ var. glaucescens Wild.

„ meleagris grandiflora.

„ messanensis Raf.

„ pallidiflora Schrk.

„ „ pluriflora Semenz.

„ persica.

„ praecox K. Koch.

„ pudica Spreng.

„ recurva Benth.

„ ruthenica Wickst.

Fritillaria species 333. 342. 531. 657.

„ tricolor.

„ verticillata Willd.

Galanthus nivalis L.

„ „ Redoutei (non plicatus).

„ „ plicatus.

Gastronema sanguineum Lindl.

„ „ flammeum.

Gaultheria spec. Andes.

Gladiolus cruentus Moore.

„ gandavensis hybr.

„ purpureo-auratus Hook. fil.

„ Saundersii Hook. fil.

Habranthus Andersoni Herb.

„ texanum.

„ species.

Helleborus niger grandiflorus.

„ species fol. varieg.

Henningia Olgae Rgl.

„ robusta Rgl.

Hepatica angulosa D. C.

„ triloba var.

Heterotropa asaroides Morr & Dec.

„ „ macrophylla.

Hyacinthus candicans Baker.

Hydrocotyle sibthorpioides.

Hymenocallis angustum.

Iberis gibraltarica L.

„ jucunda Schott.

Idesia polycarpa.

- Iris amoena* Red.
 „ *aurea* Lindl.
 „ *Bloudowii* Ledeb.
 „ *cuprea*.
 „ *desertorum* Balb.
 „ *foetidissima* fol. var.
 „ *formosa*.
 „ *Heylandiana* Boiss & Reut.
 „ *iberica* Hoff.
 „ *Junonia* Schott.
 „ *japonica* var. *Colonia*.
 „ „ „ *Leona*.
 „ „ „ *Lutetia*.
 „ „ „ *Psyche*.
 „ *Kaempferi* (*setosa* ? Pall.) Alex. v. Siebold.
 „ „ „ *Blumei*.
 „ „ „ *De Vriese*.
 „ „ „ *Duchesse de Belcourt*.
 „ „ „ *E. M. Arndt*.
 „ „ „ *Krelagei*.
 „ „ „ *Mad. Helene* v. Siebold.
 „ „ „ *Reinwardtii*.
 „ „ „ *Souvenir*.
 „ *laevigata* Fisch.
 „ *nepalensis* Don.
 „ *nudicaulis* Lam.
 „ *Saarii*.
 „ *Susiana* L.
 „ *Swertii* Lam.
 „ *species* Maw 5.
 „ „ 451—460. 517—519. 530. 531. 564.
 „ *tectorum* Maxim.

Iris tenax Dougl.

„ *tomiolopha* Hance.

„ *venusta*.

„ *violacea* Klatt.

„ *Wittmanniana*.

Ixia viridiflora.

Kniphofia praecox Baker.

Lachenalia quadricolor.

„ *tricolor* var. *aurea*.

Lapageria rosea Ruiz & Pav.

Leucocoryne ixioides Lindl.

Leucoyum aestivum L.

„ *hyemale*.

„ *praecox*.

„ *vernum* L.

Lewisia rediviva.

Ligustrina amurensis Rupr.

Lilium auratum Lindl.

„ „ *major*.

„ „ *rubro-vittatum*.

„ *bulbiferum formosum*.

„ *Buschianum* Lodd.

„ *californicum* Hort.

„ *callosum* Sieb. & Zucc.

„ *canadense* L.

„ „ *Walkeri*.

„ *candidum* L.

„ „ *Baumannii*.

„ „ *splendens*.

„ *chalcedonicum* L.

„ „ *major*.

- Lilium columbianum Hort. Leichtl.
 „ concolor Salisb.
 „ „ angustifolium.
 „ Coridion Sieb.
 „ croceum Fuchs.
 „ „ fl. saturato.
 „ dauricum hybr.
 „ eximeum Curt.
 „ formosum Hort. Versch.
 „ giganteum Wall.
 „ Hansonii Hort. Leichtl.
 „ Jeffersoni.
 „ Leichtlinii Hook.
 „ „ major.
 „ lilacinum.
 „ Martagon album.
 „ „ rubro-punctatum.
 „ „ atropurpureum punctatum.
 „ „ atrovioleaceum striatum.
 „ „ Catanii Vis.
 „ „ dalmaticum Màly.
 „ „ „ roseum Hort. Leichtl.
 „ „ fl. pleno.
 „ „ maculatum splendens.
 „ „ „ „ hybr. alb.
 „ „ pallidum.
 „ „ „ punctatum.
 „ „ punctatum elegans.
 „ „ „ plenum.
 „ „ „ puserbum.
 „ „ purpureum.
 „ „ „ striatum.

- Lilium Martagon roseum Allen.
 „ „ striatum punctatum.
 „ „ „ „ grandiflorum.
 „ „ superbum.
 „ „ species e Japonia.
 „ Maximowiczii Rgl.
 „ „ forma tigrina.
 „ Michauxii Poir.
 „ monadelphum Bieb.
 „ neilgherrense Wight.
 „ pardalinum Kellog.
 „ parvum Kellog.
 „ peregrinum Mill.
 „ philadelphicum andinum Hook.
 „ polyphyllum Royle.
 „ ponticum Koch.
 „ puberulum Torr.
 „ pumilum Red.
 „ punctatissimum.
 „ pseudo-tigrinum Carr.
 „ pygmaeum.
 „ sinicum Lindl.
 „ speciosum Thbg.
 „ superbum elegans.
 „ „ luteum grandiflorum.
 „ „ pyramidale.
 „ „ sanguineum.
 „ Szovitsianum Fisch.
 „ „ 227. 228.
 „ „ punctatissimum.
 „ tenuifolium Fisch.
 „ Thomsonianum Lindl.

Lilium tigrinum fl. pleno.

„ „ splendens.

„ „ forma nova.

„ *Thunbergianum* formosissimum.

„ „ *Leichtlinii* (14).

„ „ var. 160. 165. 336.

„ tricolor.

„ *Wallichianum* 1 Roem. & Schult.

„ „ 2.

„ *Wilsonii* Hort.

„ *Washingtonianum* Wood.

„ species e Japonia et California.

Nr. 18. 24. 131. 201. 213. 214. 217.

280. 341. 449. 523. 598. 599.

Littonia modesta Hook. fil.

Lychnis alpina.

„ *coronata* Thnbg.

Massonia odorata Hook. fil.

Milla capitata Baker.

„ *laxa* Baker.

„ *porrifolia* Baker.

„ *uniflora* Graham var. *coerulescens*.

„ „ „ „ *conspicua*.

Narthex assafoetida.

Neillia thyrsiflora.

Nemastylis geminiflora Nutt.

Nerine coruscans major.

„ *curvifolia*.

„ *flexuosa*.

„ *Fothergillii*.

„ „ major.

Nerine humilis Herb.

„ *Plantii*.

„ *pudica* Hook. fil.

„ *sarniensis*.

„ *venusta*.

Nerium Oleander Madoni *grandiflorum*.

Nertera depressa Banks & Sol.

Nothoscordum flavescens.

Omphalodes Luciliae Boiss.

„ *verna* Moench.

Opuntia species.

Ornithogalum acuminatum.

„ *capitatum* Hook.

„ *chloroleucum*.

„ *prasinum*.

Oxalis species.

Oxytropis microphylla.

Paeonia Moutan var.

„ *tenuifolia* fl. pleno.

Paradisica Liliastrum.

Paranephelius uniflorus Poepp & Endl.

Parochaetus communis Hamilt.

Phormium tenax fol. var.

Pelargonium glauciifolium Sweet.

„ *betulinum* Ait.

Polygala Balansae.

„ *grandiflora* major.

Primula acaulis Jacq. *amarantina* plena.

„ „ „ *Arthur de Smet*.

„ „ „ *chromatella rubro-cincta*.

Primula acaulis Jacq. citrina violacea plena.

„ „ „ lilacina plena.

„ „ „ nigra plena.

„ „ „ sulfurea plena.

„ auricula alba grandiflora.

„ „ nigra plena.

„ cortusoides grandiflora.

„ „ „ lilacina.

„ decora.

„ elatior Jacq. coerulea.

„ Fortunei.

„ japonica Asa Gray.

„ intermedia Hort. angl.

„ nivalis.

„ Palinuri Petagna.

„ purpurea Royle.

„ scotica.

„ viscosa All. major.

„ vulgaris Sm. rubra Sibth.

Ramondia pyrenaica L. C. Rich.

Rheum palmatum L.

Rhododendron Countess of Haddington.

Rigidella flammea Lindl.

„ immaculata Herb.

„ orthantha Ch. Lem.

Rochea falcata DC.

„ „ major.

„ „ minor.

„ perfoliata.

„ species fl. albo.

Rosa berberifolia Hardii.

Ruta albiflora.

Sandersonia aurantiaca Hook. fil.

Saxifraga florulenta.

„ *Guthricana* varieg.

„ *Maweana.*

„ *Willkommiana.*

Scilla gigantea.

Sedum ibericum.

Sparaxis pulcherrima Hook.

„ *Thubertii.*

Spiraea palmata Thbg.

Strumaria gemmata Gawl.

Symea gilliesioides.

Tecophylaea cyanocrocus.

Tigridia Van Houttei.

Trifolium uniflorum L.

Trillium poecile.

„ *discolor* Wray.

Triteleia juncea.

„ *liliacea* Gawl.

Tritoma grandis.

„ *Uvaria glaucescens.*

„ „ *grandiflora.*

„ „ *varietas Kewensis.*

Trollius aureus.

Tropaeolum albiflorum.

„ *azureum* Wiers.

„ *polyphyllum* Cav.

„ „ *gracile.*

„ *tricolorum* Sweet *grandiflorum.*

Tropaeolum tricolorum varietas.

Tulipa Biebersteiniana.

„ *biflora* L.

„ *tricolor* Ledeb.

Umbilicus sempervivum D. C.

Urceolina pendula Herb.

Uropetalum serotinum Ker.

Veratrum Maakii.

„ species 405.

Veronica Guthrieana.

„ *pinguifolia*.

„ *spicata* L. *corymbosa*.

Xanthorrhoea hastilis R. Br.

Xiphion caucasicum.

„ *filifolium* Klatt.

„ (*Iris*) *fumosum* Boiss.

„ *junceum* Klatt.

„ *latifolium* Mill. var. *violaceum*.

„ *lusitanicum* Ahlef.

„ *reticulatum* Klatt.

„ *tingitanum* Baker.

Zephyranthes species 371.

5. —

Pflanzen-Sammlung
des
Leichtlin'schen Gartens
in
BADEN-BADEN.

1874.

Karlsruhe.

Druck der G. Braun'schen Hofbuchdruckerei.

1874.

Briefe an den Inhaber des Gartens **Max Leichtlin** in Karlsruhe (Baden) zu richten.

Bäume und Gesträuche.

- ~~Abies concolor~~
~~Abelia floribunda.~~
~~Acacia tenu~~
 Acer tataricum Ginnala.
 Amygdalus mandschuricus.
 Candollea candidissima.
 Caragana jubata.
 Ceanothus Veitchianus.
~~Corylus mandschurica.~~
 Crataegus pinnatifida Bnge.
 " ^{crenatus} nubigenus.
 Daphne ^{Blagayana} ~~indica~~ ^{elegantissima.}
 " Mazeli.
 " ^{mezerium} rupestris.
 " ^{Lophical} ~~Van Houttei.~~
 " ^{ambotrium coccineum}
 Evonymus ~~Maackii~~ ^{alatus fol. var.}
 Fraxinus mandschuricus.
 Fremontia californica Torrey.
^{Senista actensis} ~~Gleditschia spec.~~ ^{Japan}
 Idesia polycarpa.
^{asminum nudiflorum}
 Ligustrina ^{officinale} amurensis Rupr.
 Maackia amurensis.
 Maximowiczia chinensis Rupr.
~~Neillia thyrsiflora.~~
 Parrotia persica C. A. Mey.
 Phellodendron amurensis.
- Aralia cordata*
Aralia spec. Japan
Catycanthus praecox
" grandiflorus
Cercocarpus ledifolius
Laureola
Dentzia parviflora
Barrya elliptica
Kalmia hirsuta
Prunus Simonii
Pyrus Maulei
Quercus spec. Japan
Pinus spec. Japan
 " 2

Rhododendron chrysanthum.

" davuricum L.

" hybr. Countess of Haddington.

" parvifolium.

Rosa berberifolia Hardii.

" centifolia alba

" dijonensis minor

Stauden.

Rosa muscosa alba
" rugosa fl. pl
" fl. alba

Abronia umbellata

Aconitum Anthora L.

Actinella ~~capensis~~ ferox Wall longigaleatum

Aethionema grandiflorum Boiss.

Alopecurus lanatus.

~~Anemone~~ ansonia spec.

~~Anemone~~ capensis.

Anemone Hepatica americana.

" " angulosa Lam.

" " Barlowi.

" " triloba alba.

" " ~~atropurpurea~~ fl. pleno

" " " coerulea.

" " " fl. pleno.

" " " elegans.

" " " lilacina maxima.

" " " rubra.

" " " fl. pleno.

" japonia alba. species nova. Am. borealis

" " elegans.

" palmata fl. albo.

" " fl. luteo.

" pavonina fl. pl.

" vernalis.

Anemonopsis japonica. folius

Apios tuberosa.

Aquilegia chrysantha A. Gray.

coerulea vulgaris A. Gray

flavescens

Stuartia grandifl.
Y. tis in quina

Actaea alba

fremontii

Aquilegia glandulosa.

" "

var.

Alpe Uluk Hutul

species Colorado.

~~Arctostaphylos~~ bulbosa

Aristolochia contorta

~~Artemisia~~ caespitosa

Arnebia echinoides.

~~Arundo~~ 3 spec nov. Japan.

Asarum ~~albiventum~~ Rgl.

~~Astragalus~~

" ~~intermedium~~.

~~Podanthus~~

" Thunbergii.

~~Lentiginosa~~

Asphodelus ~~cerasiferus~~.

"

~~ramosus~~.

"

spec. nov. Olymp.

~~Aspidium~~ fragrans.

Aster formosissimus.

" ~~grandiflorus~~ longifolius formosus.

" peregrinus Pursh.

~~Asterias~~ ~~lutea~~

~~Asteroccephalus~~ caucasiensis.

Aubrietia Campbelliae.

~~Butera~~ ~~calabrica~~

~~Calopogon~~ ~~pulchellus~~ ~~croaticus~~ columnae coelestis.

~~Calystegia~~ ~~pubescens~~ fl. pt. tauricola Kotschy.

Campanula laciniata.

"

~~Trachelium~~ fl. albo pleno.

"

Sartorii. ~~nobilis~~ ~~alba~~ ~~punctata~~

~~Carlina~~ ~~acanthifolia~~ All.

~~involuta~~ Poir.

~~Clintonia~~ ~~borealis~~

Celsia betonicaefolia.

~~Ceanothus~~ ~~phoeniceus~~ ~~Engelm.~~

" ~~viridis~~ ~~Cochloselinum~~ coelestinum.

Cyananthus lobatus

~~Dahlia~~ ~~Cervantesii~~

~~glabrata~~.

Delphinium ~~formosum~~ grandiflorum L.

~~Hendersonii~~

~~hybr.~~ ~~Maestadonte~~

Argemone ~~haopida~~

Arundinaria ~~falcata~~

Asclepias ~~speciosa~~

Astoria ~~lutea~~

Mad. Loynuce

New England fl. rubr. viol.

deltoidea var. orientalis forma inter

Barbarea vulgaris fl. pl. Bellis rotundifol. var. coerulea. Pletia spec. Japan.

Clematis Douglasii

Cypripedium ~~arcticum~~ ~~acule~~ ~~parviflorum~~ ~~pubescens~~ ~~spectabile~~

Delphinium nudicaule Torr & Gr.

~~elatum.~~

species Ragusa

~~triste.~~

Dianthus ~~alpinus fl. pleno.~~ *barbatus magnificus*

Dicentra spectabilis

Dictamnus angustifolius.

multiflorus

Fraxinella Pers. var. *Dig*

~~fl. albo.~~

Digitalis laevigata

Dodecatheon Jeffreyi.

Diplopappus Parryi

Dolomiaea lucida.

chrysophylla

~~Dorema assafoetida.~~ *Des*

~~Draba violacea D.C.~~

Draba spec. Pancocks

Dracocephalum altaicum.

~~fragile.~~

grandiflorum L.

~~palmatum.~~

Regeli

Epilobium obcordatum.

Eremurus Olgaе Rgl.

robustus Rgl.

spec. nov. 965. Kaufmanni

spec. nov. 965. Kaufmanni

tauricola.

Erigeron ~~asteroides.~~

glaucum.

speciosum pallidum

Erinus alpinus albus.

umbellatum 3 var.

Eriogonum spec. 818. 819. 820.

Eryngium aquifolium.

Euphorbia corollata

Euryangium Sumbul Kaufm.

eburneum

Lassauxii

pandaniifolium

platyphyllum

Falkia repens.

farfugium spec.

Ferula conspicua.

Galax aphylla.

Glossocoma lanceolata.

Synierium argenteum

carminum pendatleri

Halenaria dilatata
psychodes

Helleborus niger maximus.

spec. fol. var. *Hemerocallis* new spec.

Hesperis matronalis fl. albo pleno.

" " " " carnoso pleno.

" " " " french white.

" " " " rubro pleno.

" " " " violaceo pleno.

Heterotropa asaroides Morr & Dec.

" " " " macrophylla.

~~Hylomecon vernalis~~ Maxim.

Houttuynia repens.

Hydrocotyle sibthorpioides.

Hydrophyllum canadense L.

Iberis carnosa.

" " gibraltarica L.

" " jucunda Schott.

~~amoena~~
Iris aurea Lindl.

" " aurea Link.

" " Bloudowii.

" " cuprea.

" " desertorum Balb.

" " foetidissima fol. var.

~~formosa~~
" " japonica? var. ~~Colonia~~.

" " " " Leona.

" " " " Lutetia.

" " " " Psyche.

" " Junonia Schott.

" " laevigata Fisch. syn. violacea Klatt.

" " Monnieri D. C.

" " nepalensis Wall.

~~sanguinea~~
" " setosa Pall. var. Alexander von Siebold.

Helianthus
orgyalis

Hedonias species

Helictropis new
calyptropis

" *virginum*

Hibiscus palustris

Hypericum cuneatum
Poir.

Ipomoea *Michauxii*

Leptophylla

Reichardtiana

Humboldt

Iris setosa Pall. var. Blumei *de Vries*
 " " " " Duchesse de Belcourt.
 " " " " E. G. Henderson.
 " " " " E. M. Arndt.
 " " " " *Alymii*
 " " " " Henri von Siebold.
 " " " " *Mathilde*
 " " " " Krelagei.
 " " " " Mad. Helene von Siebold.
 " " " " Reine des Pays-bas.
 " " " " *Rutherford* *alcock*
 " " " " Reinwardtii.
 " " " " *Souvenir*.
 " spectabilis D. C.
 " subbiflora Brotero.
 " *stylasa*
 " tectorum Maxim.
 " tenax Dougl. *Tolmiana*
 " *tinnei*
 " tomiolopha Hance.
 " *violacea*
 " species ~~451-500~~ 517-519. ~~530~~ ~~531~~ ~~504~~ 966.
~~507~~ ⁴⁵²⁻⁴⁵⁵ 664: 629. 1129

venusta
spec. Utah

Trideae
 14 diff spec. Japan

Kniphofia aloides Moench.

" " glaucescens.
 " " grandiflora.
 " " grandis.
 " " ~~kewensis~~.

" Burchellii.

" Mac Owanii.

" praecox.

" species Abyssinia.

Lathyrus grand. frederici

Lewisia rediviva

Lepidium alynoides

~~Liatris spec.~~

Leonotis Leonurus
ovata

Liparis
restrata

Linaria spec. climbing. *sagittata Hook*

~~Lobelia pumila coccinea plena~~

Lychnis alpina.

Lamellia aurea

chalcidonica⁹ fl. pl. Milleri

Lychnis coronata Thbg.

„ flos cuculi fl. albo pleno. *fulgens fl. r. pleno*

„ *Campi.*

„ speciosa cinnabarina.

„ *miniata.*

Lysimachia barystachys. splendens fl. pl.

Malva campanulata.

Mandragora vernalis.

Medicago marina.

Meconopsis aculeata Royle.

Monarda didyma

Morina longifolia

Narthex assafoetida.

Nertera depressa Banks & Sol.

„ ? species India.

Omphalodes Luciliae Boiss.

Onosma taurica verna Moench.

Ophiopogon species.

Opuntia species.

Oreocome Candollei.

Oxybaphus angustifolius

Paeonia tenuifolia fl. pl.

Papaver alpinum.

„ „ var. aurantiacum.

„ „ nudicaule.

„ „ var. aurantiacum.

Paranephelium uniflorum Poepp & Endl.

Patersonia sericea.

Pentstemon Palmeri A. Gray.

„ *glandulosum* grandiflorum.

Phlox setacea var. violacea.

Phygellus capensis.

Plumbago capensis

Platycodon autumnale fl. alb. pl.

„ grandiflorum fl. alb. pl.

Mitrania scandens

Orchis spectabilis

Medeola virginica
Meentzelia nuda ornata

longipes
Missouriensis leucospina DC.
humilis
bractyantha

spec. Japan
Montana
var.

cyranthus Brandy
varietus

spectabilis

Poa australis.

Polygonum Richardsoni fl. albo.

Polygala grandiflora major.

Polygonatum ^{biflorum} oppositifolium.

Polygonum vacciniifolium.

Potentilla ~~sikkimensis~~ *nepalensis* Wall.

Potentilla splendens.

Primula acaulis Jacq. amarantina plena.

" " ~~Arthur de Smet.~~

" " chromatella rubro-cincta.

" " ~~citrina violacea~~ plena.

" " Deans crimson.

" " ~~lilacina~~ plena.

" " ~~nigra~~ plena.

" " rubra plena.

" ~~auricula alba~~ grandiflora.

" cortusoides grandiflora.

" " ^{alba} lilacina.

" " ^{rosalba.}

" elatior Jacq. coerulea.

" ~~japonica~~ A. Gray.

" intermedia Hort. Angl.

" ~~luteola~~ P. Pr.

" ~~nivalis~~ *pulcherrima*

" ~~purpurea~~ Boyle.

" vulgaris Sm. var. rubra.

Pulsatilla sinensis.

Plantae non determin. 677. 678. 687

Ranunculus pyrenaica Rich.

Reaumuria hypericoides. 797. 1332

Rheum palmatum L.

Ruta albiflora.

Salvia taraxicifolia.

spec. Casa Blanca

splendens

Saxifraga ~~aretioides~~ Lap.

„ atropurpurea. Strnb.

„ Guthrieana varieg.

„ Maweana.

„ purpurasceus. Hook. fil.

„ Willkommiana.

„ ————— var.

Sedum brevifolium.

„ ~~cyaneum.~~

„ dasyphyllum.

„ ~~glandulosum.~~

„ ibericum.

„ roseum.

„ Wallichianum.

Silene ~~primulaeflora.~~

„ ~~maritima~~ fl. pleno.

„ Triwaldskyana.

Solanum rubetorum.

Spiraea ~~palmata.~~

Spraguea umbellata.

„ ~~Trifolium~~ uniflorum.

Trillium discolor Wray.

„ poecile.

Trollius ~~americanus.~~

„ aureus.

„ ~~blandus.~~

„ ~~giganteus.~~

„ ~~napellifolius.~~

„ ~~napellifolius.~~

„ ~~napellifolius.~~

Umbilicus ~~elymaeticus.~~

„ sempervivum DC.

friderici August. B. asch.

Sida Napaea

Symphoricarpha pendula

Smilacina racemosa

spec. Japan

Spiranthes gracilis

Stanleya pinnatifida

Streptopus roseus

Sternbergia Clusiana

Stylidium adnatum

Calochortus

Thymus crinitus

cernuum erectum

leucis

grandiflorum

nov. spec.

cytharocarpum

Japan

rhomboidum

Uch.

Lobbianum

Veratrum Maakii.

„ species 405.

Verbascum bugulaefolium.

Veronica Guthrieana.

„ Hulkeana F. Müll.

„ pinguifolia.

„ rupestris.

„ spicata L. corymbosa.

Vesicaria utricularioides. *Lam*

Viola delphinifolia.

Vittadenia triloba Gaud.

Yucca angustifolia.

filiifera arg. var.

Zygadenus *Muscal* canadensis.

Whippleyi

„ chloranthus.

glaberrimus

„ elegans.

Zwiebel- & Knollengewächse.

Acidantha bicolor Hochst.

Allium ~~monadelphum~~ *azurum*

„ ~~sphaerocephalum~~

„ ~~Wallichianum~~

urceolatum Regel.

„ species Sikkim 889, 891.

Alstroemeria spec. nova 1163

Amanthium *Nuttallii* white California.

Amaryllis Belladonna var. rosea perfecta.

„ „ „ spectabilis bicolor.

„ „ „ speciosa purpurea.

„ ~~pardina Hook fil.~~ *spec. Chili*

Amorphophallus Rivierii Dr.

Androstaphium violaceum Nutt.

Anthericum trichiopetalum.

Antholyza spec.

~~Arthropodium laxum.~~

Arum crinitum.

„ spectabile Schott.

„ species Idaho.

„ „ Turkestan.

Bomarea species 1019.

Brodiaea coccinea A. Gray.

„ ^{graciliflora} multiflora Benth.

Bulbocodium ^{vulvulid} soboliferum.

„ spec. Punjaub.

„ „ Sikkim.

Bulbi non descripti ^{225.} ~~264.~~ 265. 270. 271. 275. 277.

~~281.~~ ~~285.~~ ~~401.~~ ~~477.~~ ~~526.~~ ~~529.~~ 539. ~~42.~~ 568.

^{770. 780. 965-66} 627. ~~628.~~ ~~625.~~ ~~962.~~ 964. 1008. 1010. 1012.

^{92.} ~~1051.~~ ~~1052.~~ ~~1147.~~ 1244. 1248. 1264. 1265.

1266. 1247. 1274. 1301 - 1305. 1309 - 1312.

Camassia esculenta atrocoerulea.

Colchicum ^{fraseri} autumnale violaceum.

„ Bivonae Guss.

„ ^{subtenuellatum} crociflorum maculatum.

„ persicum.

„ speciosum.

„ Stevenii.

„ variegatum L.

„ species Chana Purdie.

Cooperia Drummondii Herb.

Crocus ~~indiflorus~~ Heuff.

„ ~~major.~~

„ speciosus M. B.

„ stellaris Haw.

Cummingia trimaculata Don.

Cyclamen cilicium Boiss.

Abbyssinica

Calochortus spec. Utah

intens

Wardii

lactum

rubrum Barr

spec Taurus

longiflorus Raf

indiflorus
nivalis
pusillus

Byzanthinus Her
gargensis Raf
Kotschy

Cyclamen cyprium Kotschy.

" ibericum Stev.

" persicum var.

~~Cyrtanthus collinus.~~

Cypella Herbertii
" *new spec 1162*

" ~~longiflorus.~~

Cyrtanthus Mac Owanii

Diposis bulbocastanum D.C.

Eranthis hyemalis.

" sibirica.

Erythronium giganteum Lindl.

" " roseum.

" ~~grandiflorum.~~

" Nuttalianum Roem & Sch.

" ~~species 425. 845.~~

new species 472.

Ferraria spec. „Novara“.

Freesia Leichtliniana F. W. Klatt.

Fritillaria aurea Schott

Delphinensis Forbesi Baker
" *lutea*

lutea M. B.

odorata
refracta

" var. glaucescens Wild.

flischeri
graua

" *lycia* meleagris L. grandiflora.

" messanensis Raf.

" *minor* nervosa.

" pallidiflora Schrk.

" " pluriflora. Sem.

" praecox C. Koch.

" *pubica* recurva Benth.

" ruthenica Wickst.

" tricolor.

" verticillata Willd.

" species ~~333. 342. 531. 657. 753. 842.~~

" *Indica*

Asia minor
tristis *tenella*
tulipifolia

Galanthus Imperati.

Gastronema sanguineum Lindl.

„ „ flammmeum.

Gladiolus cruentus Moore.

„ dichotomus.

„ *dracoccephalus*

„ gandavensis hybr.

„ *gracilis*

„ maculatus.

„ purpureo-auratus Hook. fil.

„ Saundersii Hook. fil.

„ species 712. 859—866. 915.

„ „ Mexico 714.

Habranthus Andersonii Herb.

Haemanthus carneus.

Hesperantha falcata.

Homeria aurantiaca. *lineata Sweet*

Hyazinthus candicans Baker.

Notheca purpurascens Link

Iris acutiloba.

„ ~~Heylandiana~~ Boiss & Reut.

„ iberica Hoff.

„ var. Perryana.

„ *Korolkowii*

„ Saarii Schott.

„ Susiana L. *Honkhaus var.*

„ species 1002. *Scutari*

„ 1270.

Lachenalia quadricolor.

„ tricolor var. aurea.

„ *uniflora*

Leucocorype ixioides Lindl.

Leucocorype montanum

Leucorum aestivum L.

„ hyemale.

„ *pulchellum Salisb.*

„ vernum L.

Leontichia ovallei

Lilium albanum Grieseb.

„ auratum Lindl.

„ „ rubro-vittatum.

„ bulbiferum formosum.

„ Buschianum Lodd.

„ callosum Sieb. & Zucc.

„ canadense L.

„ „ parviflorum.

„ candidum L.

„ „ var. maculatum.

„ „ speciosum.

„ ~~Catalpa~~ chalcedonicum L.

„ „ major.

„ columbianum Hort Leichtl.

„ concolor Salisb.

„ Coridion Sieb.

„ croceum Fuchs.

„ davuricum Nr. 945.

„ „ hybr.

„ ~~disabellae~~ eximeum Court.

„ formosum Hort. Versch.

„ Fortunei.

„ giganteum Wall.

„ Hansonianum Hort. Leichtl.

„ Humboldtii Duchartre.

„ Jeffersoni.

„ ~~Kramerii~~ Leichtlinii Hook. fil.

„ „ major.

„ lilacinum.

„ Martagon album.

„ „ ~~album rubro punctatum.~~

„ „ Catanii Vis.

fr. Thunb.
335

fr. Thunb

carniolicum Maly
Luss

Vilmorinus var
Mac Nat var.

cordifolium

Horib.

1190.

gracile Shel
fr. Thunburgi

japonicum

1210

Lilium Martagon dalmaticum Maly.

" " " roseum H. L.

" " maculatum.

" " splendens.

" " " " hybr. alb.

" " ~~pallidum punctatum.~~

" " ~~punctatum elegans.~~

" " purpureum.

" " e Japonia.

" " Nr. 984.

" Maximowiczii Rgl.

" Michauxianum Poir.

" pardalinum Kellog.

" Partheneyon Sieb & De V.

" parvum Kellog.

" peregrinum Mill.

" polyphyllum Royle.

" ponticum C. Koch.

" pseudo-tigrinum Carr.

" puberulum.

" ~~punctatissimum.~~

" ~~purpureum.~~

" ~~pygmaeum.~~

" sinicum Lindl.

" speciosum album.

" " punctatum.

" " rubrum.

" " Melpomene.

" " ~~superbum elegans.~~

" " ~~lateum grandiflorum.~~

" " pyramidale.

" " ~~sanguineum.~~

" " ~~carolinianum~~

Lilium Szovitsianum Fisch.

" " punctatissimum.

" tenuifolium Fisch.

" " var. puniceum.

" Thomsonianum Lindl.

" tigrinum fl. pleno.

" " forma nova.

" " splendens.

" Thunbergianum formosissimum.

" " Leichtlinii.

" " var. 160. 165. 336. 660.

" tricolor.

" Wallichianum 1.

" " 2.

" " 3. 944. 1163.

" Washingtonianum Wood.

" Wilsonii Hort.

" spec. Japonia & Cal. 18. 24. 131. 201. 213.

" 214. 217. 280. 336. 449. 523. 598. 599. 705.

" 760. 892. 1006. 1007. 1011. 1013. 1048.

~~Liparis rostrata.~~

~~Lithanthus pusillus.~~

Littonia modesta Hook. fil.

Massonia odorata Hook. fil.

Milla ^{biflora} capitata Baker.

" laxa Baker.

" ~~porrifolia~~ Baker.

" uniflora Graham var. coerulescens.

" " conspicua.

Moraea chinensis

Narcissus polyanthos

Narcissus Ajax lorifolius maximus "Emperor".

Muscari

armenicum

latum

Tol.

660

643

642

1231

1174

1037

321

523

657

36

Narcissus Ajax bicolor maximus Empressita
~~bicolor~~ *Horsfieldii*
 Bulbocodium.

conspicuus princeps

Emodi. *cernuus plenus*
~~incomparabilis~~ *Stella*
 species 914.

Nectaroscordum bulgaricum Janka.

Nemastylis geminiflora Nutt.

Nerine coruscans major.

curvifolia.

~~flexuosa.~~

Fothergillii.

major.

humilis Herb.

~~japonica~~ *Plantii.*

pudica Hook. fil.

~~sarniensis.~~

venusta.

species 856.

Nothoscordum species.

Ornithogalum prasinum.

Priva laevis

Rigidella immaculata Herb.

orthantha Ch. Lem.

spec. 706. *Sinra Madra*

Romulea speciosa Tod.

~~Parona canthosatica~~ *Scilla bifol. rubr*

Sandersonia aurantiaca Hook. fil.

Sparaxis pulcherrima Hook. fil.

Sternbergia species. *Liban.*

~~Stramaria gemmata~~ *colchiciflora*

~~Symea gilliesoides.~~ *Clusiana*

Tecophylaea cyanocrocus.

Tigridia Van Houttei.

„ spec. 707. 1160. 1161.

Triteleia juncea.

„ liliacea Gawl.

Tropaeolum albiflorum.

„ azureum Wiers.

„ polyphyllum Cav.

„ speciosum.

„ tricolorum Sweet var. grandiflorum.

Tulipa ~~altaica~~.

„ Biebersteiniana.

„ biflora.

„ Greigi Rgl.

„ tricolor Ledeb.

~~Uropetalum serotinum~~ Ker.

Valotta purpurea elata.

„ „ eximea.

„ „ major.

Watsonia augusta.

„ spec. 858.

Xiphion caucasicum.

„ filifolium Klatt.

„ ~~fumosum~~ Boiss.

„ Histrio Reut & Boiss.

„ junceum Klatt.

„ latifolium Mill. var. violaceum.

„ lusitanicum Ahlef.

„ reticulatum.

„ tingitanum Baker.

spec. 457. 458. 459. 564.

spec. Grenau.

21
Yucca Whippley Engelm.

Verschiedene Gewächshaus-
pflanzen.

Abutilon Darwini Hook. *Agave filifera*
Agapanthus minor. *reticulata*
" multiflorus Herit. *Salviana?*
" praecox Willd. *virginica*
" umbellatus Herit. fl. albo.
" " maximus.
" " *nanus*
" species nova.

Alac species nova *aster argophyllus*
Blandfordia grandiflora.

" species 970, 971. *Camellia reticulata*
Candollea candidissima fl. pl.
Cereus grandiflorus major.

" " violaceus.

" " *ruber*
Dautwitzii
senilis

Lapageria rosea Ruiz & Pav.

" alba.

Mesembrianthemum nov. spec.
Mutisia decurrens.

Nerium Oleander *Madoni* grandiflorum.

Nycterinia Lychmidea

Phormium tenax fol. var. *Phyllocactus* *Denseliana*

Pilocereus Dautwitzii.

" senilis.

Pincenectitia gracilis.

Plumbago capensis.

Punica granatum fl. albo pleno.

" " Legrelliae.

" " Conte di Taverna.

Rochea falcata

Rochea falcata major.

" " minor.

" " perfoliata.

" " fl. albo.

Xanthorrhoea hastilis R. Br.

Talinum caprum

Tecoma undulata

Tecoma capensis
speciosa

Pflanzen-Liste
des
Botanischen Privat-Gartens
in
Baden-Baden.

Eigenthümer: Max Leichtlin.

1882.

Platanus L.f. 18
Monocotylea

Platanus L.f. 18

Platanus L.f. 18

Platanus L.f. 18

Platanus L.f. 18

Platanus L.f. 18

Platanus L.f. 18

Platanus L.f. 18

Platanus L.f. 18

Platanus L.f. 18

Platanus L.f. 18

Platanus L.f. 18

Platanus L.f. 18

Platanus L.f. 18

Platanus L.f. 18

Platanus L.f. 18

Platanus L.f. 18

Platanus L.f. 18

Platanus L.f. 18

Platanus L.f. 18

Platanus L.f. 18

Platanus L.f. 18

Platanus L.f. 18

Platanus L.f. 18

Monocotyleae.

- Âcis rosea Sweet.
Adamsia scilloides Willd.
Agapanthus minor Mooreanus Baker.
" umbellatus L'Herit var maximus.
Agave gracilispina Engelm.
" Palmeri "
" protuberans "
" Victoriae Reginae Mast.
" virginica L. var. tigrina.
" 3 spec. novae.
Albuca Nelsoni Bkr.
Allium grandiflorum Lam.
" Moly L. var.
" Nuttallii Wats.
" oreophilum C. A. Mey.
" pedemontanum Willd.
" rubellum M. B.
" serratum Wats.
" stipitatum Rgl.
" Wallichii Kunth.
" 7 spec. novae.
Alstroemeria pulchra Hook.
Amaryllis odoratissima.
" pardina Hook. fil.
" hybr. venusta marginata.
" 2 spec novae.
Apera arundinacea Hook. fil.
Aristea major Andr.
Aroideae 2 spec. noveae.
Bambusa nigra Lodd.
" quadrangularis.
" sulphurea.

- Bambusa viridi-glaucescens.*
Beschorneria Decosteriana Hort.
Bomarea acutifolia var. *Ehrenbergiana* Knth.
 " *Carderi* Mast.
 " *oligantha* Bkr.
 " *spec. nova.*
Brodiaea grandiflora Benth. major.
Chionodoxa Luciliae Boiss.
Chlorophytum macrophyllum Aschers.
Colchicum luteum Bkr.
 " *montanum* L.
 " *rubrum.*
 " *speciosum* Stev. *rubrum.*
Connanthera spec. Chili.
Convallaria quadrifolia.
Corbularia citrina.
Crinum australe Herb.
 " *spec. Abyssinia.*
Crococoma aurea Planch.
Crocus Gaillardotii Boiss.
 " *Imperati* Ten.
 " *Sieberi* Gay.
Cypripedium macranthum Sw.
 " *parviflorum* Sw.
 " *pubescens* Willd.
 " *spectabile* Sw.
Dasyllirion quadrangulatum Wats.
 " *Wheeleri* Wats.
 " *spec.*
Dietes tricolor.
Disporum sinense.
Drimiopsis perfoliata Bkr.
Eremurus himalaicus Bkr.
 " *Korolkowi* Rgl.
 " *robustus* Rgl.
 " 6 spec.
Erythronium giganteum Ldl.
 " " *roseum.*
 " *grandiflorum* Pursh.

- Erythronium Nuttallianum* Schult.
Eulalia japonica Trin.
Ferraria obtusifolia Sw.
 " spec.
Freesia aurea.
 " *Leichtlinii* Klatt.
Fritillaria atropurpurea Nutt.
 " *aurea* Schott.
 " *delphinensis Moggridgei* Boiss.
 " *leucantha*?
 " *lusitanica* Wikstr.
 " *messanensis* Rafin.
 " *oranensis*.
 " *pallidiflora* Schrk.
 " *racemosa* Knth.
 " *tulipifolia* M. B.
 " *Walujewi* Rgl.
 " 3 spec. novae.
Galanthus Elwesii Bkr.
 " *latifolius*.
 " *nivalis* L. forma *virescens*.
Gamochlamys heterandra.
Gladiolus Boucheanus Schlecht.
 " *brachyandrus* Bkr.
 " *Colvillei* Sw. *albus*.
 " *Saundersi* Hook fil. *superbus*.
 " spec. *Madeira*.
 " *hybr. Aureliae-Aquensis*.
Glyphosperma Palmeri.
Habranthus bifidus Herb.
 " *pratensis fulgens*.
Haemanthus spec.
Hedychium spec. *Simla*.
Helicophyllum Rauwolfii?
 " *Lehmanni* Rgl.
Herbertia pulchella Sw.
Hyacinthus leucophaeus Stev.
 " *Pouzolzii* Gay.
Iris Alberti Rgl.

- Iris arenaria* Waldst. *Leichtlinii*.
 " *aurea* Ldl.
 " *balkana* Janka.
 " *bicolor* Ingr.
 " *Bludowi* Led.
 " *Cengialti* Ambr.
 " *elbrucensis* ? Schott.
 " *erratica* Tod.
 " *Eulefeldti* Rgl.
 " *flavissima* Jacq.
 " *germanica* L. *forma orientalis*.
 " *gigantea* Carr.
 " *humilis* M. B.
 " *iberica* Hoffm. *Heylandiana* Boiss.
 " " *insignis*.
 " " *Van Houtteana*.
 " *Korolkowi* Rgl.
 " *Monnieri* D. C.
 " *nepalensis* Don.
 " " *Wall*.
 " *odoratissima* Jacq.
 " *olbiensis* Hen. *lutea*.
 " *orchioides* Carr. *splendens*.
 " *pumila affinis* Hort. *Vind*.
 " " *vars*.
 " *Robinsoniana* F. Muell.
 " *Saarii* Schott.
 " *spectabilis* Rgl.
 " *Stradellae* Tod.
 " *susiana* L.
 " *tectorum* Max.
 " *tenax* Dougl.
 " *violacea* Klatt. *major*.
 " 10 spec. nov.
Ixiolirion tataricum.
 " *Ledebouri* Rgl.
Kniphofia aloides Moench. *nobilis*.
 " " " *Saundersi*.
 " *comosa* Hochst.

- Kniphofia Leichtlinii Bkr.
 " Mac Owani Bkr.
 " Quartiniana Rich.
 " " flava.
 Korolkowia Sewerzowi Rgl.
 Lachenalia atrovioacea.
 " aurea Ldl.
 " Nelsoni Hort. Nels.
 " pallida Redouteana.
 " pendula Ait.
 " " carnea Nels.
 " " kermesina Nels.
 " " rosea Nels.
 Lapageria rosea Rz. u. P. superba.
 Leucocoryne ixioides Ldl.
 " " colorata.
 Lilium Hansonii Leichtl.
 " neilgherricum Wight.
 " nepalense Don.
 " oxypetalum Bkr.
 " Parryi Wats.
 Lycoris aurea Herb.
 " Sewerzowi Rgl.
 Marica coerulea Ker.
 Milla aurea Bkr.
 " biflora Cav.
 " peduncularis Bkr.
 " uniflora Grah. candida.
 Montbretia Pottsii Bkr.
 Muscari amplilobis Schott.
 " Argaei " "
 " armeniacum Bkr.
 " atlanticum Boiss.
 " azureum Fenzl.
 " flavum Lam.
 " Heldreichii Boiss.
 " leucocephalum.
 " lingulatum Bkr.
 " paradoxum C. Koch.

- Muscari Szovitsianum Fisch.
 " spec. Trebizond.
 Narcissus calathinus L.
 " poeticus L. elatior.
 " " " grandiflorus.
 " " " poëtarum.
 Nemastylus purpureus Herb.
 Nerine amabilis Hort. Leichtl.
 " curvifolia major.
 " profusa.
 " pudica Hook fil.
 " venusta Herb.
 " " pallida.
 " spec. Hankow.
 Orchis pseudo-sambucina Ten.
 Ornithogalum lacteum Jacq.
 " chloroleucum Lindl.
 Orthrosanthus multiflorus Sw.
 Peliosanthes spec.
 Phaedranassa schizantha Bkr.
 Phaeosperma globosum Munr.
 Polygonatum giganteum.
 " maculatum.
 " oppositifolium Wall.
 Pourretia pyramidata Rz. & Pav.
 Pseudolarix spec.
 Puschkinia scilloides Adams.
 " libanotica Zucc.
 " " compacta.
 Puya paniculata.
 Rhodostachys andina Phil.
 " littoralis Phil.
 Romulea Macowani Bkr.
 Sandersonia aurantiaca Hook.
 Scilla amoena L.
 " bicolor Bkr.
 " bifolia L. alba.
 " " grandiflora.
 " " rubra.

- Scilla bifolia taurica* Rgl.
 " *Hohenackeri* Fisch & Mey.
 " *nivalis* Boiss.
 " *sibirica* Andr.
 " *verna* Huds.
 " spec. Kotschy.
Sisyrinchium odoratum.
 " spec. Philippi.
Sparaxis Thunbergi varieg.
 " *pendula* Ker.
Spiranthes convallarioides Link & Kl.
Spreckelia glauca.
Sternbergia angustifolia.
 " *Clusiana* Ker.
 " spec. Libanon.
Tecophylaea cyanocrocus Leyb.
 " " *Leichtlinii*.
 " *violaeflora* Bert.
 " spec.
Thamnocalamus Falconeri.
 " *spathiflorus*.
Tigridia lutea Lk.
Trillium discolor Wray.
 " *grandiflorum* Salisb. maximum.
Tulipa altaica Pall.
 " *Greigi* Rgl.
 " " *aurea*.
 " *saxatilis* Sieb.
 " 6 spec. novae.
Urginea fugax Steinh.
Vallota purpurea Herb. major.
 " " " *eximia*.
Vieusseuxia tripetaloides D. C.
Watsonia humilis Mill.
 " *mexicana*?
Xiphion caucasicum Bkr. major.
 " *Danfordiae* Bkr.
 " *Histrio* Boiss & Reut.
 " *junceum* Klatt.

- Xiphion lusitanicum* Alef.
 " " sordidum.
 " reticulatum Klatt.
 " " Krelagei Rgl.
 " 5 div. spsc.
Yucca albo-marginata Engelm.
 " angustifolia Pursh.
 " " elata Engelm.
 " " maxima Hort. Leichtl.
 " baccata Torr.
 " Chinae.
 " filamentosa var, bracteata Engelm.
 " gloriosa L. variegata.
 " " " Ellacombei.
 " macrocarpa Engelm.
 " pendula varieg.
 " quadricolor Hort.
 " rupicola Scheele.
 " " var. rigida Engelm.
 " " variegata.
 " Stokesii.
 " Whipplei Torr.
 " spec.

Dicotyleae.

- Acantholimon* Androsace.
 " glumaceum Boiss.
 " venustum.
Aciphylla squarrosa Forst.
Aconitum carolinianum.
 " spec. Sikkim.
Aethionema chloraefolium Boiss.

- Aethoinema grandiflorum* Boiss.
 " *pulchellum* Boiss & Heldr.
Amphicome Emodi Ldl.
Andromeda japonica Thunb. fol. var.
Androsace carnea L. *eximia* Hook fil.
 " *incisa* Wall.
 " *sarmentosa* Wall.
Anemone blanda.
 " *fulgens* Gay.
 " *fulgens grandiflora*.
 " " *oculata*.
 " *japonica*.
 " " *Sieb & Zucc. alba*.
 " *muttifida* Poir. *purpurea*.
 " *nemorosa* L. *asteriflora*.
 " " *coerulea*.
 " " *grandiflora*.
 " *palmata* L. *alba*.
 " *stellata* Lam. *alba*.
Aquilegia Rauwolfii aurea.
Arabis androsacea.
Archangelica songarica.
Arctotis aureola Ker.
Aristolochia californica.
Armeria grandiflora.
 " *plantaginea* Willd. *alba*.
Arnebia echiioides D. C.
Aster alpinus L. *albus*.
 " " *altaicus*.
 " *concolor* L.
 " *grandiflorus* L.
 " *ibericus* Stev.
 " 2 spec. Cashmir.
Asragalus sericeo-albus.
 " 4 spec. nov.
Aubrietia deltoidea D. C. *Bougainvillea*.
 " " *Eyrei*.
 " " *Hendersoni*.
 " " *Leichtlinii*.

- Aubrietia deltoidea D. C. violacea.
 " gracilis Splum.
 " olympica Boiss.
 " tauricola Boiss.
 Azalea arborescens. Pursh.
 Baldwinia uniflora Ell.
 Ballota spinosa.
 Begonia gracilis var. Martiana.
 " Satrapis.
 Berberis heteropoda Rgl.
 " 4 spec. nov.
 Berchemia volubilis D. C.
 Bignonia spec. Cashmir.
 Boltonia latisquama A. Gray alba.
 Buddleya spec. Afghania.
 Calceolaria spec.
 Callirhoë macrorhiza.
 Campanula barbata L. alba.
 " Jacobaea Sm.
 " punctata Lam.
 " rotundifolia All. fl. pl.
 " Trachelium L. var. robusta.
 " Van Houttei Hort.
 Carmichaelia Monroi Hook. fil.
 Carpenteria californica.
 Cedrela sinensis A. Juss.
 Cedronella cordata Benth.
 Celmisia Lindsayi.
 " spectabilis Hook fil.
 Cercis spec. Cashmir.
 Chaerophyllum roseum M. B.
 Clematis coccinea Engelm.
 " " major.
 " Douglasii Hook.
 " eriostemon Dcne. var. Spachiana.
 Cocculus carolinianus L.
 Codonopsis ovata Benth.
 Coptis brachypetala Zucc.
 " occidentalis Max.

- Coptis spec. Japonia.
 Cornus stricta L'Her.
 Corydalis Sewerzowi Rgl.
 Cotoneaster nummularia Fisch.
 Coussinia amplissima Boiss.
 Cyananthus inflata.
 Cyrtotropis spec. Cashmir.
 Cytisus glabratus Link.
 Dalibarda repens L.
 Daphne altaica Pall.
 " Mezereon L. fl. albo pleno.
 " rupestris Facch.
 Darlingtonia californica Torr.
 Delphinium azureum Michx. fl. albo.
 " cardinale Hook fil.
 " cashmirianum Royle.
 " caschm. X nudicaule.
 " formosum.
 " glaciale?
 " grandiflorum L. fl, pl.
 " macranthum.
 " speciosum M. B.
 " hybr. Bella Donna.
 Dianthus japonicus Thunb.
 Digitalis ambigua Schk.
 " canariensis L.
 " media Roth.
 " Thapsi L.
 " tomentosa Lk. & H.
 Dodecatheon Jeffreyi.
 " Meadia L. splendens.
 Dolomiea macrocephala Royle.
 Dorema ammoniacum Don.
 Dracocephalum altaianse L.
 " grandiflorum L.
 " heterophyllum Benth.
 " Ruprechtii Rgl.
 " Ruyschiana L. japonicum.
 " speciosum Royle.

- Echium albicans* Lagasc.
Edraianthus pumiliorum.
Ephedra spec. Sikkim.
Eranthis hyemalis Salisb.
Erigeron aurantiacus Rgl.
Erinacea hispanica.
Erinus alpinus L. albus.
Eriogonum umbellatum Benth.
Erythraea diffusa Woods.
Erythrina tuberculata.
Eucalyptus ficifolius.
Eugenia Ugni Hook & Arn.
Euonymus tingens Wall.
Euryangium Sumbul Kaufm.
Exarrhena Lyallii.
Exochorda Korolkowi.
Fallugia paradoxa.
Fendlera rupicola.
Ferula alliacea.
 " *galbaniflua* Boiss.
Freyera bulbosa.
Gardenia japonica.
Gentiana algida frigida Rgl.
 " *crinita* Froel.
 " *oregona*.
 " *umbellata*.
Gorteria acaulis.
 " *pinnata* Thunb. *integrifolia*.
 " *ringens* L.
Gundelia Tourneforti L.
Gypsophila cerastioides Don.
Haberlea rhodopensis Friv. *robusta*.
Helianthella uniflora.
Helianthus angustifolius Willd.
Helichrysum anatolicum Boiss.
 " *frigidum* Willd.
Helleborus guttatus A. B. *splendens*.
 " *niger* L. *altifolius*.
 " " *fol. varieg.*

- Helleberus porphyromelos.*
Hesperis matronalis alba compacta.
 " " fl. albo pl.
 " " fl. albido pl.
 " " purpureo pl.
 " " purpureo-violaceo pl.
Hibiscus coccineus.
 " *grandiflorus* Salisb.
 " *palustris* L.
Hibiscus spec. Cashmir.
Hydrangea vestita Wall.
 " fl. coeruleo.
Hypericum cuneatum Poir.
 " *reptans.*
Iberis jucunda Schott & Kotsch.
 " *Pruitii.*
 " *superba.*
Lathyrus grandiflorus Sims.
 " *latifolius* L. albus.
 " " roseus.
 " " splendens.
 " " *Turneri.*
 " *rotundifolius* Willd.
 " *sanguineus* Haberl.
 " *Sibthorpi.*
 " *splendens.*
Leiophyllum buxifolium Ell.
Ligularia gigantea.
 " *macrophylla* Sieb. & Zucc.
Linaria pallida Ten.
Linum heterosepalum Rgl.
Lobelia Canbyi.
 " *pinifolia.*
Lychnis chalcedonia L. maxima pl.
 " *diurna* Sibth. alba pl.
 " " *rubra* pl.
 " *flos cuculi* L. alba pl.
 " " " *rubra* pl.
 " *nivalis.*

- Lychnis vespertina Sibth. alba pl.
 " " " rubra pl.
 " Viscaria L. fl. pl.
 Megasea afghanica Aitch.
 " ciliata Royle.
 " cordifolia L. purpurea.
 " orbicularis Host.
 " " rubra.
 " purpurascens Hook fil.
 " Schmidtii Rgl.
 " Stracheyi Hook fil.
 " thysanodes Ldl.
 Mentzelia tricuspis.
 Morina Coulteriana Royle.
 " longifolia Wall.
 " persica Tourn.
 " spec.
 Nepeta kokamirica Rgl.
 (Privateigenthum von Dr. Ed. von Regel.)
 Nepeta pinetorum Aitch.
 Ochna capensis Page.
 Omphalodes Luciliae Boiss.
 " verna L.
 Onosma echioides L.
 " tauricum Pall.
 Opuntia brachyacantha.
 " camanchica Engelm.
 " humilis H. Kew.
 " macrosperma Engelm.
 " missouriensis D. C. leucospina.
 " spec.
 Oreocome Candollei.
 Oresitrophe rupifraga Bge.
 Origanum Tourneforti Ait.
 Oxalis eneaphylla Cav.
 " lobata Sims.
 Pachystemma Canbyi.
 Paeonia Emodi Wall.
 " Moutan div. var.

- Paeonia Moutan japonica.*
 " *tenuifolia* L. fl. pl.
 " " *rosea.*
 " *Wittmanniana* Hartw.
Palimbia Salsa Bess.
Papaver orientale L. semipl.
Parnassia nubicola Wall.
Parrotia persica Mey.
Pelargonium Endlicherianum Fzl.
Pentstemon Cobaea Nutt. *purpureus.*
Perowskya abrotanoides.
Petagnia saniculaefolia Guss.
Philadelphus microphyllus.
Phlomis cashmiriana Royle.
 " *pungens* Willd.
 " *purpurea* L.
Phylliraea Vilmoriniana.
Pittosporum Buchanani.
 " *floribundum* Wight.
 " *Ralphii.*
Platycodon autumnalis Dcne.
 " *grandiflorus* D. C.
Polygala Chamaebuxus L. *purpurea.*
 " *virgata* L. *speciosa.*
Polygonum rubrum.
 " *vaciniifolium* Wall.
Populus alba var. *turkestanica* Rgl.
Potentilla 2 spec. *Cashmir.*
Prangos spec. *Persia.*
Primula amoena M. B.
 " *capitata* Hook.
 " *floribunda* Wall.
 " *nivalis* Pall.
 " *rosea* Royle.
 " " *semiplena.*
 " " *grandiflora.*
 " *speciosa.*
 " *Stuarti* Wall.
 " *aculis amaranthina* pl.

- Primula acaulis* Croussei pl.
 " " nigra pl.
 " " platypetala pl.
 " " purpurea pl.
 " " rubra pl.
 " " violacea pl.
 " " Brilliant.
 " " Crimson King.
 " " double Crimson.
 " " Scott Wilson.
 " elatior Jacq. coerulea.
 " " " Bonny Bess.
 " " " Cardinal.
 " " " Cheshire Favourite.
 " " " Cloth of Gold.
 " " " Lancer.
 " " " President.
 " " " Rex Theodore.
 " " " Superba.
Prunus prostrata Lab.
 " ursina.
Psoralea aculeata L.
 " subacaulis.
Pulmonaria davurica Sims.
Pyrus Maulei Mast. superba.
 " Simoni.
Ramondia Nataliae Panc.
 " pyrenaica Rich.
 " serbica Panc.
Rheum Ribes L.
Rhododendron spec. Sikkim.
Robinia neo-mexicana Gray.
Rosa belgradensis Panc.
 " bicolor Jacq. brunea, lutea, rubra.
 " berberifolia Pall.
 " " " Hardyi.
 " bracteata Wendl.
 " californica Schlecht. var. ultramontana.
 " centifolia L. alba.

Rosa centifolia cristata.

" " *japonica muscosa.*

" *champagnensis minor.*

" *dijonensis* Roess.

" *Ecae* Aitch.

" *Luciae.*

" *lutea* Mill. fl. pl.

" *minima.*

" *myriacantha* D. C.

" *rugosa* Thunb.

" 4 spec. novae.

" spec. yellow double Thibet.

Rubus phoenicolasius Maxim.

" spec. Cashmir.

Ruta patavina L.

Salvia aurea L.

" *confusa* Benth.

Samolus littoralis R. Br.

Sanguisorba spec. Cashmir.

Saponaria caespitosa Sibth.

" *pulvinaris.*

Saxifraga Caryana fol. var.

" *diversifolia* Wall.

" *virginiensis* Michx. fl. pl.

Scabiosa caucasica M. B. *heterophylla* Ledb.

Schizophragma hydrangeoides Zucc.

Scorodosma foetidum.

Scutellaria anthirrhinoides Benth.

" *canescens* Nutt.

" *macrantha* Fisch.

" *orientalis* L.

" *Wrightii.*

Sedum umbilicoides.

Sempervivum Moggridgei.

Senecillis carpathicus.

Senecio laxiflorus Viv.

" *leucophyllus* Dec.

" *pulcher* Hook & Arn.

" *saxifragoides* Hook. fil.

- Senecio spathulaefolius Dec,
 " speciosus D. C.
 Sheffieldia repens Forst.
 Solanum rubetorum.
 " Torreyi.
 Spiraea luxurians.
 " millefolium.
 Statice calicoma.
 " caspia Willd.
 " latifolia Sm. alba.
 " rosea.
 " tatarica L.
 Thalictrum Fendleri Engelm.
 Tropacolum albiflorum Lem.
 " azureum Miers.
 " brachyceras Hook & Arn.
 " edule Rz. & Pav.
 " polyphyllum Cav.
 " tricolorum Sweet grandifl.
 Umbilicus chrysanthus Boiss.
 Vancouveria hexandra.
 Veratrum Maakii Max.
 Verbascum olympicum Boiss.
 " speciosum Schrad.
 Veronica anomala Armst.
 " caespitosa.
 " carnosula Hook fil.
 " Colensoi Hook. fil.
 " glauco-coerulea Armst.
 " Lavaudiana Raoul.
 " ligustrifolia Cann.
 " macrocarpa.
 " pectinata.
 " rupestris.
 Viola Beckwithii.
 " suavissima.
 " spec. Cashmir.
-

Pflanzen - Liste
des
Botanischen
Privat-Gartens
in
Baden - Baden.

Eigenthümer: **Max Leichtlin,**

Correspondirendes Ehrenmitglied der k. k. Gartenbau-Gesellschaft zu Wien, der Royal Horticultural Society zu London, der Horticultural Hall of Massachusetts zu Boston.

1883.

Monocotyleae.

Agapanthus minor Mooreanus Bkr.

umbellatus fl. pl. l'Herit.

maximus.

” ” ” Krelagei.

Agave gracilispina Engelm.

Palmeri

protuberans

„ tetragona „

Victoriae Reginae Mast.

Albuca Nelsoni Bkr.

Allium atrosanguineum Schrenk.

„ *Bauerianum* Bkr.

„ giganteum Rgl.

oreophilum C. A. Mey.

„ Ostrowskyanum Rgl.

.. serratum Wats.

„ Suworowi Rgl.

Wallichii Knth.

Alstroemeria *Diazi*.

„ pelegrina alba.

revoluta.

spathulata.

tenuifolia.

Amaryllis Belladonna purpurea.

" " rubra.

major.

" " "
,, pardina Hook. fil.

Aristea major Andr.

Arum longifolium.

.. proboscideum Savi.

Bambusa nigra Lodd.

„ sulphurea.

viridi-glaucescens.

- Beschorneria Decosteriana Hort.
 Brodiaea grandiflora Benth. major.
 „ volubilis Bkr.
 Chionodoxa Luciliae Boiss.
 Colchicum luteum Bkr.
 „ maximum Hort. Ed.
 „ montanum L.
 „ rubrum
 „ speciosum Stev. rubrum.
 Convallaria quadrifolia.
 Corbularia citrina.
 Crocosma aurea Planch. major.
 Crocus Imperati Ten.
 „ longiflorus Rafin.
 „ Sieberi Gay.
 „ zonatus Gay.
 Cymbidium virens Lindl.
 Cyrtanthus Mackenii Hook fil.
 „ Macowani Bkr.
 Dasylirion quadrangulatum Wats.
 „ Wheeleri Wats.
 Dietes tricolor.
 Eremurus himalaicus Bkr.
 „ Korolkowi Rgl.
 „ robustus Rgl.
 Erythronium giganteum Ldl.
 „ Nuttalianum Schult.
 Freesia Leichtlinii Klatt.
 „ refracta Klatt.
 Fritillaria aurea Schott.
 „ Burnati Planch.
 „ delphinensis Gren.
 „ „ Moggridgei Boiss.
 „ leucantha Grah.
 „ lutea pallida M. B.
 „ lusitanica Wikstr.
 „ messanensis Rafin.
 „ oranensis.
 „ pallidiflora Schrk.
 „ racemosa Knth.

Fritillaria recurva Benth.

„ tenella M. B.

„ tulipifolia M. B.

Walujewi Rgl.

Galanthus Elwesii Bkr.

„ latifolius Rupr.

„ nivalis L. octobrensis.

“ “ poculiformis.

" " virescens Fzl.

,, plicatus M. B.

Redoutei.

Gamochlamys heterandra.

Geissorhiza secunda Ker.

Gladiolus brachyandrus Bkr.

Bouchéanus Schlecht.

Colvillei albus Sw.

cruentus Bkr.

Dracocephalus Bkr.

Ludovicae grandiflorus Jan.

Saundersi Hook fil. superbus.

.. sulphureus Hort.

viperatus Gawl.

Habranthus bifidus Herb.

pratensis Herb. var.

Helicophyllum Lehmanni Rgl.

Herbertia coerulea Herb.

„ pulchella Sw.

Hesperocallis undulata Gray.

Hexaglottis longifolia Vent.

Hippeastrum texanum Bkr.

Hyacinthus amethystinus L.

albus.

leucophaeus Stev.

Iris Alberti Rgl.

arenaria Waldst.

„ aurea Ldl.

„ balkana Janka.

„ Bartoni Foster.

„ Bludowi Led.

„ Cengialti Ambr.

- Iris Danfordiae Bkr. X.
 „ decora Wall.
 „ elbrucensis Schott.
 „ Eulefeldi Rgl.
 „ germanica var. orientalis L.
 „ gigantea Carr.
 „ Histrio Boiss & Reut. X.
 „ humilis M. B.
 „ iberica Heylandiana Boiss.
 „ „ insignis.
 „ „ Van Houtteana Hort. Leichtl.
 „ juncifolia Klatt. X.
 „ Korolkowi Rgl.
 „ lusitanica Alef. X.
 „ „ sordida.
 „ „ Thunderbolt.
 „ macrosiphon Torr.
 „ Monnieri D. C.
 „ nepalensis Don.
 „ „ Wall.
 „ olbiensis Hen. lutea.
 „ pumila affinis.
 „ reticulata Klatt X.
 „ „ Klatt. Krelagei Rgl.
 „ Robinsoniana F. Muell.
 „ Saarii Schott.
 „ Stocksii Bkr. X.
 „ subbarbata Joo.
 „ susiana L.
 „ tectorum Max
 „ tenax Dougl.
 „ versicolor var.

Ixiolirion tataricum Pall. [Rgl.

„ „ var. brachyantherum

„ „ var. Ledebouri Rgl.

Kniphofia aloides Moench. nobilis.

„ „ „ Saundersi.

„ Burchelli Herb.

„ comosa Hochst.

„ Leichtlinii Bkr.

- Kniphofia Macowani Bkr.
 " pumila Ker.
 " Quartiniana Rich. var.
 Lachenalia aurea Ldl.
 " Nelsoni Hort. Nels.
 " superba.
 Lapeyrousea Fabrici Ker.
 Leucocoryne ixioides Ldl.
 " " colorata.
 Leucoyum vernum L. fl. pl.
 Lilium nepalense Don.
 " Wallichianum Schult. fil.
 Littonia Keitii Hort. Leichtl.
 " modesta Hook.
 Milla biflora Cav.
 " uniflora Grah. candida.
 Muscari amplilobis Schott.
 " Argaei Schott.
 " armeniaceum Bkr.
 " atlanticum Boiss.
 " azureum Fzl.
 " flavum Lam.
 " Heldreichii Boiss.
 " leucocephalum.
 " lingulatum Bkr.
 " Maweanum Hort.
 " strigosum.
 " Szovitsianum Fisch.
 Narcissus Ajax „John Nelson“.
 " calathinus L.
 " cernuus fl. pl.
 " lorifolius „Emperor“.
 " Nelsoni aurantius.
 " poeticus L. elatior.
 " " grandiflorus.
 " " poetarum.
 Nerine amabilis Hort. Leichtl.
 " coruscans major.
 " curvifolia.
 " excellens Moore.

suaveolens
Fisch

Nerine humilis Herb.

„ „ *major*.

„ *japonica* Miq.

„ *O'Brieni*.

„ „ *lilacina*.

„ *Plantii*.

„ *profusa*.

„ *pudica* Hook. fil.

„ *pulchella*.

„ *rosea* Herb.

„ *undulata*.

„ *venusta*.

„ „ *alba?*

„ „ *pallida*.

„ „ *grandiflora*.

Nolina erumpens Wats.

Orchis pseudo-sambucina Ten.

Ornithogalum Aucheri Boiss.

„ *lacteum* Jacq.

Orthrosanthus, multiflorus Sw.

Phoenosperma globosum Munro.

Polygonatum maculatum.

„ *oppositifolium* Wall.

Puschkinia scilloides. Adams.

„ *libanotica* Zucc.

„ *sicula* Hort.

Puya paniculata.

Rhodostachys andina. Phil.

„ *littoralis* Phil.

Romulea Macowani Bkr.

Sandersonia aurantiaca Hook.

Scilla amoena L.

„ *bifolia* L.

„ „ *alba, rubra,*

„ „ *grandiflora, taurica.*

„ *Hohenackeri* Fisch & Mey.

„ *puschkinoides* Rgl.

„ *sibirica* Andr.

Sparaxis pulcherrima rosalba.

„ *Thunbergii variegata*.

Scilla ematun
abyssinicum

- Spiranthes convallarioides* Link & Kl.
Spreckelia glauca Ldl.
Sternbergia lutea Ker.
Tecophylaea cyanocrocus Leyb.
 " " *Leichtlinii*.
 " *Regeli* Bkr.
 " *violaeflora* Bert.
Thamnocalamus Falconeri.
 " *spathiflorus*.
Tigridia lutea Lk.
Trichonema Celsi Planch.
 " *grandiflorum*.
 " *speciosum* Ker.
Trillium discolor Wray.
 " *grandiflorum* Salisb. *maximum*.
Tulbaghia Ludwigiana Harv.
Tulipa Greigi Rgl.
 " " *aurea*.
 " *Kaufmanni* Rgl.
Vallota purpurea Herb. *major*.
Watsonia humilis Mill.
Yucca albo-marginata Engelm.
 " *albo-spica*.
 " *aloifolia quadricolor*.
 " *angustifolia elata* Engelm.
 " " *maxima*.
 " *baccata* Torr.
 " *Chinae*.
 " *Ellacombei* Hort.
 " *filamentosa bracteata* Engelm.
 " *gloriosa* L. *variegata*.
 " *macrocarpa* Engelm.
 " *recurva variegata*.
 " *rupicola* Scheele.
 " " *lutescens*.
 " " *variegata*.

Dicotyleae.

- Acantholimon androsaceum.
 " glumaceum Boiss.
 " venustum Boiss.
 Aconitum californicum.
 " carolinianum.
 Aciphylla squarrosa Forst.
 Adonis Waljiana? *Waljiana Link*
 Agrostemma coronaria var.
 Amphicome Emodi Ldl.
 Androsace carnea L.
 " grandifolia?
 " lanuginosa Wall.
 " sempervivoides Jacqt & Duby.
 Anemone appenina L.
 " blanda.
 " decapetala L.
 " fulgens Gay.
 " japonica alba.
 " nemorosa grandiflora.
 " obtusiloba Don.
 " palmata L. alba.
 " patens Nuttaliana.
 " pavonina vars. Lam.
 " polyantha Don.
 " Reginae De Riso.
 " stellata alba Lam.
 " sulphurea L.
 Aquilegia Rauwolfi aurea.
 Aralia cashmiriana Dcne.
 Arenaria Armeriastrum frigida.
 Arctotis aureola Ker.
 " speciosa Jacq.
 Armeria cephalotes Lk. grandiflora.
 " splendens Webb.
 Arnebia echiioides D. C.
 Aster alpinus L. albus.
 " " altaicus.

- Aster bessarabicus.
 " ibericus.
 " natalensis.
 " sikkimensis Hook fil.
 " Townshendi "
 " tricephalus.
 Astragalus lasiosemius Rgl.
 " sericeo-albus.
 Aubrietia deltoidea D. C. Eyrei.
 " " Leichtlinii.
 " " tauricola Boiss. *rubescens*
 Azalea arborescens Pursh. *Diob.*
 Baldwinia uniflora Ell.
 Begonia Listeri.
 " Martiana gracilis.
 Bellidiastrum Micheli Cass.
 Calceolaria Kellyana.
 " Sinclairii Hook.
 Campanula isophylla Mor. alba.
 " Jacobaea Sm.
 " macrorhiza.
 " tomentosa Lam.
 " sarmatica Ker.
 Carmichelia Monroi Hook fil.
 Catalpa speciosa.
 Cathcartia villosa Hook fil.
 Cedrela sinensis A. Juss.
 Centaurea pulcherrima Willd.
 Cephalaria speciosa Boiss.
 Clematis Catesbyana.
 " coccinea Engelm.
 " " major.
 " Douglasi Hook.
 " eriostemon Dce. Spachiana.
 Codonopsis ovata Benth.
 Convolvulus chrysorrhizus.
 Coptis brachypetala Zucc.
 Corydalis Cascana.
 " Sewerzowi Rgl.
 Crassula saxifraga.

Crawfurdia japonica Sieb. & Zucc.

Cyclamen cilicicum.

„ cyprium Kotschy.

Cydonia japonica nivea.

Cynanchum macrorrhizum.

Dalibarda repens L.

Daphne Mezereon fl. albo pl.

„ rupestris Facch.

Darlingtonia californica Torr.

Delphinium cardinale Hook fil.

„ cashmirianum Royle.

„ corymbosum Rgl.

„ dasyanthum Rgl.

„ grandiflorum L. fl. pl.

„ Macnabianum.

„ triste Fisch.

Dianthus alpinus $\times$ barbatus.

„ japonicus Thunb.

Digitalis ambigua Schk.

„ dubia.

„ media Roth.

„ nevadensis.

„ obscura.

„ Thapsus L.

Thapsi.

Dodecatheon Jeffreyi.

„ Meadia splendens.

Dorema ammoniacum Don.

Dracocephalum altaianse L.

„ grandiflorum L.

„ Ruprechtii Rgl.

„ Ruyschiana L. japonicum.

„ speciosum Royle.

Dumasia villosa D. C.

Edraianthus pumiliorum.

„ serpyllifolius.

Eranthis hiemalis Salisb.

Erigeron aurantiacus Rgl.

„ Roylei.

pulchellus DC.

Erinacea hispanica.

Eriogonum umbellatum Benth.

- Eriogonum compositum*.
Erythraea capitata v. *sphaerocephala*.
Euryangium Sumbul Kaufm.
Evonymus tingens.
Eysenhardtia amorphioides.
Fendlera rupicola.
Ferula alliacea.
 „ *galbanifera* Ldl.
Gazania pinnata Thunb v. *integrifolia*.
 „ *ringens* L.
 „ *splendens* fol. var.
Gazaniopsis stenophylla.
Gerbera aneudria?
Geranium Wallichianum Sw.
Gilia aggregata.
Globularia nudicaulis L.
Grindelia robusta Gray.
Haberlea rhodopensis robusta Friv.
Haplocarpha Leichtlini N. E. Br.
Helianthus angustifolius Willd.
 „ *radula*.
Hellichrysum nutans.
Helleborus abchasicus A. Br.
 „ *guttatus* A. B.
 „ *niger* L. *laxus*.
 „ „ *maximus*.
 „ „ *minor*.
 „ „ *variegatus*.
 „ *porphyromelos* A. B.
Hesperis matronalis albo pl.
 „ „ albido pl.
 „ „ purpureo pl.
 „ „ rubro pl.
Heuchera himalaica Dcne.
Hibiscus cardiophyllus.
Hieracium gymnocephalum.
Hydrangea vestita Wall.
Hypericum reptans.
 „ *tomentosum* L.
Iberis jucunda Schott.

- Incarvillea compacta Rgl.
 Indigofera azurea.
 Knautia magnifica Boiss.
 Lathyrus grandiflorus Sims.
 „ sanguineus Haberl.
 „ Sibthorpi.
 „ splendens.
 Leiophyllum buxifolium Ell.
 Leontice Alberti Rgl.
 Lespedeza sericea.
 Linum heterosepalum Rgl.
 Lobelia cardinalis L.
 „ inflata L.
 „ pinifolia L.
 „ Wallichiana.
 Lychnis diurna pl. Sibth.
 „ flos cuculi rubro pl. L.
 „ „ „ albo pl.
 „ nivalis.
 „ vespertina pl. Sibth.
 „ viscaria pl. L.
 „ „ splendens pl.
 Magnolia Soulangeana nigra.
 Meconopsis horridula.
 Morina longifolia Wall.
 „ „ var.
 Neogaya mucronata. *Schrenk*
 Nepeta kokamirica Rgl.
 Olearia insignis.
 Omphalodes Krameri Hort.
 „ Luciliae Boiss.
 „ „ alba.
 Onosma echioides L.
 „ tauricum Pall.
 Oresitrophe rupifraga Bge.
 Oxalis eneaphylla Cav.
 „ lobata Sims.
 „ violacea alba.
 Paeonia arborea varietates.
 „ „ japonica.

- Paeonia corallina* Retz.
 „ *Wittmanniana* Stev.
Pachystemma Canbyi.
Papaver bracteatum sanguineum.
 „ *involutum maximum*.
 „ *orientale* L. *sempino*.
 „ *speciosum*
Paranephelus uniflorus Poepp. & Endl.
Parrotia Jacquemontiana.
Pelargonium ardens.
 „ *Endlicherianum* Fzl.
 „ *melananthon*.
 „ *sarmentosum*.
 „ *Schottii*.
Petagnia saniculaefolia Guss.
Philadelphus microphyllus.
Phlomis armeniaca Willd.
 „ *cashmiriana* Royle
 „ *pungens* Willd.
 „ *purpurea* L.
Phylliraea Vilmoriniana.
Pinguicula caudata Schlecht.
Pittosporum floribundum Wight.
Plantago communis monstrosus.
Platycodon grandiflorus D. C.
 „ „ *albus*.
Podophyllum Emodi Wall.
Polygala virgata L. *speciosa*.
Potentilla Wrangeliana.
Primula amoena M. B.
 „ *cashmiriana* Hook fil.
 „ *Henryi* (cashm. $\times$ *rosea*).
 „ *capitata* Hook fil. *coerulea*.
 „ „ *grandiflora*.
 „ „ *violacea*.
 „ *ciliata* Schrank. var.
 „ *denticulata* Sm. *alba*.
 „ *elliptica*? Royle.
 „ *floribunda* Wall.
 „ *involuta* Wall.

- Primula mollis* Nutt.
 „ *Sieboldii* Morr.
 „ *sikkimensis* Hook.
 „ *Stuartii* Wall.
 „ „ var. *purpurea* Watt.
 „ *rosea* Royle.
 „ „ *grandiflora*.
 „ hybr.: *amaranthina* pl.
 „ „ *Brilliant*.
 „ „ *Cardinal*.
 „ „ *Cheshire favourite*.
 „ „ *coerulea*.
 „ „ *dble Crimson*.
 „ „ *Croussei* fl. pl.
 „ „ *Neill Fraser*.
 „ „ *nigra* fl. pl.
 „ „ *old Scotch Crimson*.
 „ „ *platypetala plena*.
 „ „ *President*.
 „ „ *rubra* pl.
 „ „ „ *albo-marginata* pl.
 „ „ *Scott Wilson*.
 „ „ *violacea*.
Prunella Webbiana.
Pulmonaria dahurica Sims.
Pyrethrum pulchrum Rgl.
Pyrus Maulei Mast.
 „ „ *superba*.
Ramondia Nataliae Panc.
 „ *pyrenaica* Rich.
 „ *serbica* Panc.
Renarda astrantiiflora Rgl.
Rheum Ribes L.
Ribes bracteosum.
Rosa belgradensis Panc.
 „ *bicolor lutea* Jacq.
 „ „ *rubra*.
 „ *berberifolia* Pall.
 „ „ *Hardii*.
 „ *californica* Schlecht. *ultramontana*.

Rosa centifolia L. alba.

„ „ cristata.

„ Ecae Aitch.

Luciae.

„ lutea fl. pl.

Mundi.

.. minima.

„ muscosa dijonensis.

“ „ japonica.

myriantha D. C.

rugosa Thunb.

“ „ alba.

Rubus phoenicolasius Maxim.

„ spectabilis? Pursh.

Ruta patavina L.

Salvia Greggi.

himalaica.

hians Royle.

interrupta Schousb.

phlomoides Cav.

sclareoides Brot.

Saxifraga ciliata Royle.

„ cordifolia L. purpurea.

diversifolia Wall.

ligulata speciosa.

Milesi Bkr.

orbicularis Host.

purpurascens Hook fil.

speciosa Hort. Leichtl.

Strachevi Hook fil.

thysanodes Ldl.

virginiensis fl. pl.

Scabiosa caucasica M. B. var.

“ “ heterophylla.

vestina.

Scorodosma foetidum Bge.

Scutellaria macrantha Fisch.

Wrightii.

Senecillis carpathica ~~Kotschy~~ Schott

Senecio laxiflorus Viv. *arizonicus*

- Senecio leucophyllus* Dec.
 " *pulcher* Hook & Arn.
 " *retusus*.
 " *rufinervis*.
Silene Campanula.
Sisymbrium rupestre.
Soldanella minima alba Hoppe.
Spiraea bullata.
 " *luxurians*.
 " *millefolium*.
Statice rosea.
Symphandra armena.
Thalictrum anemonoides fl. pl.
Thermopsis nepalensis.
Tradescantia virginica Miss Hope.
Tripleurospermum ambiguum Ledbr.
Tropaeolum albiflorum Lem.
 " *azureum grandiflorum* Miers.
 " *edule* Rz. & Pav.
 " *tricolor* var. Sweet.
Vaccinium Mortoni.
Vanconveria hexandra.
Veratrum Maakii Maxim.
Veronica anomala Armst.
 " *caespitosa*.
 " *carnosula* Hook fil.
 " *Colensoi* Hook fil.
 " *Lavaudiana* Raoul.
 " *ligustrifolia* Cann.
 " *macrocarpa*.
 " *rupestris*.
Viburnum cotinifolium.
 " *nudum cassinoides*.
 " *obovatum*.
 " *plebotrichum*.
Vicia kokanica Rgl.
Viola Beckwithii.
Wulfenia Amherstiae.
 " *Wallichii*.
Zanthoxylon Bungei.

Hier nicht aufgeführte Pflanzen neuer Einführung, welche, theils generell, theils speciell, noch unbestimmt sind, weil sie in Europa noch nicht geblüht haben, werden in Menge in diesem Garten erzogen. Interessenten erhalten hierüber mit Vergnügen brieflich Auskunft.

Leichtlin

Year?

Lilien:

- abschasicum?
- aurantiacum.
- auratum Lindl.
- avenaceum Fisch.
- Belladonna H. H. & Leichtl.
- Brownii Hort.
- bulbiferum L.
- bulbiferum formosum?
- Buschianum Lodd.
 - « grandiflorum?
- californicum Hort.
- camtchatcense.
- canadense L.
 - « flavum.
 - « superbum - penduliflorum.
- candidum L.
 - « fol. arg. var.
 - « var. e California.
- carniolicum Bernh.
- carolinianum Michx.
- Catesbaei Walt.
- chalcedonicum L.
 - « fl. luteo?
 - « major.
 - « punctatum.
- columbianum Hort. H. & Leichtl.
- concolor Salisb.

cordifolium Thunb.
 Coridion Sieb & De Vr.
 croceum Fuchs & Chaix.
 « fl. saturato.
 davuricum Gawl.
 eximium Court.
 formosum Hort Versch.
 fulgens var. Leichtlinii Hort H.
 giganteum Wall.
 Hansonii Hort. Leichtl.
 Humboldtii Roezl.
 japonicum Thunb?
 Jeffersoni?
 Leichtlinii Hooker.
 « splendens Hort H.
 lilacinum?
 Loddigesianum?
 longiflorum Thnbg.
 « e Liukiu.
 « « praecox.
 « eximium?
 « Takesimae.
 « Wilsonii?
 Martagon L.
 « album.
 « « rubr. punctatum.
 « atroviolaceum striatum.
 « La Blauchisseuse.
 « Catania Vis.
 « dalmaticum Màly.
 « « roseum Hort Leichtl.
 « fol. albo varieg.
 « flore albo.
 « « « pleno.
 « « luteo.
 « « pleno.
 « luteum.
 « maculatum.
 « « splendens.

Martagon pallidum.

« « punctatum.

« praecox.

« punctatum elegans.

« « fl. pleno.

« « superbum.

« purpureum.

« « striatum.

« « fl. pleno.

« striatum punctatum.

« « « grandifl.

« superbum.

« tigrinum tardivum.

Maximowiczii Regel.

Michauxii Poir.

monadelphum Bieberst.

neilgherricum Wght.

pardalinum Kellog.

Partheneion Sieb & De Vr.

pennsylvanicum.

peregrinum Mill.

philadelphicum Linn.

« andinum.

« var.

pinifolium?

pomponium L.

« majus.

« flavum?

« Moggridge var.

« var. Hort. angl.

ponticum C. Koch.

pseudo-tigrinum Carr.

puberulum Torr.

pubescens Bernh.

pumilum Red.

punctatissimum?

puniceum Sieb & De Vr.

pygmaeum?

Sieboldi?

sinicum Lindl.

speciosum atropurpureum Kaempferi Zucc.

« punctatum.

« « late-maculatum Rod.

« rubrum.

« « sanguineum Bod.

« « superbum Liebig.

« Schrymakersii.

spectabile Fisch.

« bicolor?

« maculatum?

superbum L.

« var.

Szovitsianum Fisch.

tenuifolium Fisch.

testaceum Lindl.

Thunbergianum Roem & Sch.

« Allen's var.

« alternans.

« atrosanguineum.

« « maculatum.

« aurantiacum multiflorum.

« aureum.

« bicolor.

« coronatum.

« fl. pleno.

« formosissimum.

« latemaculatum.

« pictum.

« Prince d'Orange.

« roseum.

« sanguineum.

« scarlatinum.

« variegatum.

« Wilsonii.

« var. Nr. 60. 165 292.

Thomsonianum Lindl.

tigrinum Gawl.

« Fortunei.

tigrinum erectum.

« fol. var.

« fl. pleno.

« splendens Hort Leichtl.

« var. Admiral Greig.

« « Hort Kew.

tricolor?

tubiflorum Wight.

venustum Hort. Berol.

Wallichianum Roem & Sch.

Washingtonianum Kellog

Wilsonii Hort.

spectabile var 215.

Szovitsianum var. 132.

« « 216.

species nov. California 18. 201. 202. 353. 203. 222.

« « Japonia 24. 213. 214. 358.

« « Oregon 273. 280.

« « Nova Scotia 274.

« « 131. 164. 166. 187. 217.

« « 221. 223. 341.

1870

1871

1872

1873

1874

1875

1876

1877

1878

1879

1880

1881

1882

1883

1884

1885

1886

1887

1888

1889

1890

1891

1892

Leichtlin

Stauden:

Aconitum Kusnezoffii.

Aethionema grandiflorum.

— Anandria Bellidiasstrum.

Anemone japonica.

« « Honorine Jobert.

« Hepatica var.

« « angulosa.

Anemonopsis japonica.

« macrophylla.

— Aquilegia Bürgeriana.

Aubrietia Campellii.

— Biebersteinia Orphanidis.

Daphne rupestris.

Dodecatheon integrifolium.

« varietates.

Dictamnus elegans.

« Fraxinella fl. albo.

« « grandiflorus.

« giganteus.

Dorema assafoetida.

— Dracocephalum grandiflorum.

Eremurus caucasicus.

Erythraea Mühlenbergii.

Erythrochaete palmatifida.

Funkia Fortunei.

« « coerul. var.

« grandiflora.

« « fol. var.

« liliiflora.

« univittata.

Godetia Whitneyi (einjährig.)

Helleborus atropurpureus.

Hemerocallis disticha fl. pl.

« graminea.

Iberis jucunda.

n.c

Michauxia campanuloides.

« laevigata.

Opuntia Rafinesquiana.

Platycodon grandiflorum.

« « fl. albo. pl.

— Paeonia Brownii.

Primula cortusoides.

« « amoena grandiflora.

« « « alba.

« japonica.

Romanzoffia sitchensis.

Spiraea palmata.

Trollius japonicus fl. pl.

« patens.

Knollen- & Zwiebel-Gewächse.

Adonis vernalis.

Anthericum trichiopetalum.

— Arum spectabile.

— Brodiaea coccinea.

« grandiflora.

— Calochortus Leichtlinii.

« uniflorus.

Chlidanthus fragrans.

Coburgia coccinea.

Colchicum autumnale violaceum.

« Chana.

Cooperia Drummondii.

Crocus cyprius.

« iridiflorus major.

— Cyclamen cilicicum.

« cyprium.

« ficariaefolium.

« ibericum.

« « albam.

« persicum.

« verum.

Diasia iridiflora.

Diposis bulbocastanum.

Eranthis hyemalis.

Erythronium giganteum.

Erythronium grandiflorum.

Ferraria spec. Novara.

Fritillaria aurea.

« *involuta.*

« *graeca.*

« *lutea.*

« *pallidiflora.*

« « *pluriflora.*

« *pudica.*

« *recurva.*

« *tenella.*

« *species 342.*

« « *from Devils Gate.*

« « « *Sciad Valley.*

Gladiolus cruentus.

« *gandavensis hybr. superb.*

Hyacinthus candicans.

Hymenocallis augustum.

Imhofia spec. from Port Natal.

Ismene Calathinum.

Iris agnularis.

« *arenaria var. Leichtlinii.*

« *californica.*

« *elbrucensis.*

« *foetidissima fol. var.*

« *Helena.*

« *iberica.*

« *japonica.*

« *japonica: Colonia.*

« « *Lutetia.*

« « *Leona.*

« « *Thalia.*

« « *Psyche.*

« *Junonia.*

« *Kaempferi Alex. v. Humboldt.*

« « « *Siebold.*

« « *Blumei.*

« « *De Vriese.*

« « *Duchesse de Belcourt.*

« « *Ernst Moritz Arndt.*

« « *Glymmii.*

« « *Krelagei.*

Iris Kaempferi Le Souvenir.

« « Mad. Helene v. Siebold.

« « Mad. Le Grelle d'Hanis.

« « Nippon.

« « Reinwardtii.

« « Rutherford Alcock.

— « *laevigata*.

« *scorpioides*.

— « *superba*.

« *Susiana*.

« *tenax*.

« *violacea*.

Lachenalia aurea.

Leontice leontopetalum.

Leucojum hyemale.

« *vernum*.

Marica californica.

Montbretia species?

Nothoscordum fragrans.

Ornithogalum capitatum.

« *chloroleucum*.

Phaedranassa obtusa.

Phycella corusca.

« *ignea*.

Romulea Columnae.

Sandersonia aurantiaca.

Sarana camtschatica.

Scilla parviflora.

— *Seubertia laxa*.

Sparaxis Thuberti.

Stenomesson suspensum.

Symea gillesioides.

— *Tulipa pulcnella*.

Triteleia Murrayana.

— « *porrifolia*.

— « *uniflora*.

Tropaeolum polyphyllum gracile.

« *tricolor*.

« « var.

Zephyranthes carinata rosea.

« *verecunda*.

Nr. 264—285 bulbi spec. ignot.

1904

1st LIST OF BULBS & PLANTS

offered by

Max Leichtlin — Baden-Baden.

Conditions:

All invoices of plants furnished during 1904 are due and payable in January 1905.

Orders booked in strict rotation.

No obligation to fill any order if crop be insufficient, wanting, or destroyed by vermin or weather.

	Quantity	Mark		Quantity	Mark
<i>Acer Van Volxemi</i> the largest and most beautiful tree of the Caucasus; yearlings	ea	2	<i>Draba grandiflora</i>	12	6
<i>Agapanthus minor Leichtlinii</i> , yearlings	12	3	<i>Frasera speciosa</i>	12	24
strong plants	12	24	<i>Gentiana dahurica</i>	12	36
, <i>Saintpaulii</i> dwarf and compact growing, very large umbels of pure white fl.	ea	8	„ <i>macrophylla</i>	12	24
			„ <i>scabra v. Bürgeriana</i>	12	6
			„ <i>syphonantha</i>	12	48
<i>Aster diplostephioides</i>	12	48	<i>Gerbera Elsae</i>	ea	10
„ <i>Fremontii</i>	12	3	„ <i>Jamesonii</i>	ea	5
„ <i>subcaeruleus</i>	12	3	<i>Gladiolus princeps</i> spawn	1000	10
<i>Berberis Thunbergii fol. var.</i> very striking	ea	6	„ <i>psittacinus</i>	12	6
<i>Betonica grandiflora robusta</i> sturdy growing	12	24	„ <i>sulphureus</i>	12	24
<i>Bomarea aculeata</i> crimson fl. hardy	ea	3	„ <i>hybrids</i> :		
<i>Campanula punctata alba</i> seedlings	12	6	<i>No. 349 American flag</i> of the Lemoini section very elegant, small flowered, colour rose, white, sulphur, maroon blotch	12	60
„ <i>rupestris</i>	12	24			
„ <i>versicolor</i>	12	18	<i>The following are the very best of my own raisings and only one bulb can be disposed of; descriptions furnished to intending purchasers</i>		
<i>Codonopsis grandiflora</i>	12	6	<i>No. 320. 329. 333. 372. 395. 391. 412. 416. 417. 424.</i>	ea	15
„ <i>ovata</i>	12	48			
<i>Crataegus durobrivensis</i>	12	24	<i>No. 309. 310. 363. 364. 382. 383. 384. 385. 391. 416. 442.</i>	ea	5
<i>Delphinium Duhmbergii</i>	12	12			
„ <i>Brunonianum</i>	12	12			
„ <i>tatienense</i> fl. pure white	12	18			

	Quantity	Mark		Quantity	Mark
<i>Habranthus sp. e. Mexico</i> new . . .	12	36	<i>Paeonia arborea Isis</i> } raised here from seed large plants fl. deep magenta	ea	40
<i>Hepatica angulosa nirea</i> superior to alba	ea	10	„ „ <i>Osiris</i> }		
„ „ <i>lilacina</i> new, very free and large flowers	ea	12	„ <i>obovata</i>	12	24
<i>Iris bosniaca</i>	12	6	„ <i>lutea</i> extra strong	ea	70
„ <i>cashmiriana</i>	12	6	<i>Patrinia rupestris</i>	12	8
„ <i>Clarkei</i>	12	18	„ <i>scabiosaefolia</i>	12	8
„ <i>decora</i>	12	30	<i>Pelargonium Endlicherianum</i> hardy	12	60
„ <i>Delavayi</i>	12	4	<i>Pentstemon barbatus Torreyi</i> . . .	12	12
„ <i>gracilipes</i> clumps	12	24	„ <i>caeruleus</i>	12	18
„ <i>Purdyi</i>	12	12	„ <i>glaber alpinus</i>	12	12
„ <i>tectorum alba</i>	12	72	„ <i>gracilentus</i>	12	8
„ „ <i>atrocoerulea</i>	ea	7	<i>Phlomis cashmiriana</i>	12	6
„ „ <i>lilacina</i>	ea	7	<i>Platycodon Mariesi majus</i>	12	6
„ <i>tenax</i>	12	6	<i>Podophyllum Emodi majus</i>	ea	6
„ <i>sp. Chittral</i>	12	24	„ <i>versipelle orn. sp</i> striking	ea	10
<i>Inula, grandiflora floribunda</i> . . .	12	12	<i>Primula capitellata</i>	12	36
„ <i>Royleana</i>	12	8	<i>Przewalskya tangutica</i>	12	12
<i>Incarvillea grandiflora</i> yearlings	12	40	<i>Pulsatilla Regeliana</i>	ea	8
fl. larger and deeper in colour „	25	70	<i>Ramondia pyrenaica alba-rosea</i>		
than those of Delavayi; „	50	130	very strong, handsome variety	ea	8
also more floriferous. „	100	250	<i>Richardia Pentlandii</i> strong	ea	5
<i>Lavatera cashmiriana</i> fl. bright rose	ea	3	„ <i>intermedia</i> robust and sturdy, stalk marbled, leaves speckled, large yellow fl. small spot	ea	5
<i>Lilium albanicum</i> new	12	18	<i>Solidago rigidiscula</i>	12	6
„ <i>Glehni</i> small	12	8	„ <i>spectabilis</i>	12	6
„ <i>giganteum yunnanense</i> smaller than type, hardy	12	24	<i>Statice Gmelini</i>	12	8
„ <i>polyphyllum</i> 2 years old . . .	12	8	<i>Townsendia grandiflora</i>	12	24
<i>Liriope graminifolia</i>	12	24	<i>Tigridia hybrida</i> Luther Burbanks, new, yearlings	12 100	8 60
<i>Lysimachia japonica</i>	12	6			
<i>Mirabilis Froebelii</i> fl. purple, new	12	24			
<i>Opulaster intermedius</i>	12	12			

1904

3^d LIST OF BULBS & PLANTS

offered by

Max Leichtlin — Baden-Baden.

Conditions:

All invoices of plants furnished during 1904 are due and payable in January 1905

Ordres booked in strict rotation.

No obligation to fill any order if crop be insufficient, wanting, or destroyed by vernin or weather.

	Quantity	Mark		Quantity	Mark
<i>Adenophora polymorpha</i> beautiful rich and free flowering Campanula, very desirable	12	24	<i>Bomarea oculata</i> fl. crimson, hardy . .	5	—
<i>Agapanthus minor Leichtlinii</i> numerous small blue flowers, hardy	12	36	<i>Campanula amabilis</i> charming n. sp. flowerstem 2—3 feet, many branched, fl. large, numerous of a lovely blue	ea	10
„ <i>Saintpaulii</i> compact umbels of 50—200 white flowers . .	12	72	„ <i>mirabilis</i>	ea	2
<i>Anemone nemorosa Allenti Allen</i> very showy large purple fl.	12	48	„ <i>punctata alba</i>	12	6
„ „ <i>purpurea Allen</i> .	12	24	„ <i>versicolor</i>	12	15
„ „ <i>Vestal Allen</i> . .	12	24	<i>Chrysanthemum sinense var. japonicum</i>	12	12
„ <i>globosa</i> small crimson flowers	12	6	<i>Cnicus involucratus</i>	12	24
<i>Arabis Ferdinandi Coburgi</i> small alpine	ea	2	<i>Delphinium Brunonianum</i>	12	6
<i>Arisaema amurense</i> fl. green striped white	ea	2	„ <i>cashmirianum nobile</i> a variety raised here, very showy and of striking beauty, entire edition 10 plants . .	—	250
„ <i>n. sp. Hazara</i> very distinct .	ea	2	„ <i>dictyocarpum</i>	12	6
<i>Aster diplostephioides</i> large well coloured fl.	12	30	„ <i>grandiflorum fl. pleno</i> .	12	24
„ <i>subcaerulens</i>	12	4	<i>Draba elegans</i>	12	12
<i>Aubrietia tauricola</i> clumps	ea	3	„ <i>grandiflora</i>	12	6
„ „ <i>alba</i> . . clumps	ea	4	<i>Eremurus Elwesianus</i>	ea	6
<i>Berberis Thunbergii variegata</i> . .	ea	5	„ <i>himalaicus</i>	ea	4
<i>Betonica grandiflora robusta</i> a sturdy variety, very free and showy . . .	12	12	„ <i>Bungei</i> fl. size	ea	7
„ „ <i>superba</i> a fortnight earlier than above, whorls lighter, distinct	12	12	„ „ 2 years	100	20
			„ „ <i>praecox</i> 4 weeks earlier than above fl size. . . .	ea	10—15

	Quantity	Mark		Quantity	Mark
<i>Eremurus Bungei praecox</i> yearlings .	12	24	<i>Iris tenax</i>	12	6
„ <i>Warei</i> a most distinct stately plant, true to name, flowers yellow. yearlings	100	200	<i>Lathyrus Davidii</i>	12	30
„ „ 2 years old	12	36	„ <i>grandiflorus floribundus</i> a free flowering variety	12	36
„ „ 3 „ „	ea	8	„ <i>latifolius albus grandiflorus</i> (<i>Hobbies</i>) a first class novelty flowers very full and large . . .	12	60
<i>Frasera speciosa</i> fl. lilac, pentstemon like	12	12	„ <i>Mulkak</i> n. sp. similar to lati- folius but 4 weeks earlier fl. deeper in colour and fragrant	12	90
<i>Gentiana Andrewsii</i>	12	12	<i>Lavatera cashmiriana</i> numerous rose fl.	12	36
„ <i>dahurica</i> very striking . .	12	24	<i>Liatris scariosa early var.</i>	12	12
„ <i>Olivieri var. glomerata</i> one of the handsomest; fl. in big clusters of glistening blue . .	12	48	„ „ <i>late var.</i>	12	18
<i>Gerbera Jamesoni</i> strong	ea	4	<i>Lilium albanicum</i>	12	15
„ <i>Elsae</i> „	ea	8	„ <i>cordifolium</i> 2 years	12	12
<i>Hepatica angulosa nivea</i>	ea	6	„ <i>giganteum yunnanense</i> strong	12	36
„ „ <i>lilacina</i>	ea	5	„ <i>Glehni</i> 3 years	12	18
<i>Inula acaulis</i> a pretty alpine	ea	5	„ <i>philippinense</i>		
„ <i>grandiflora floribunda</i>	12	10	„ <i>polyphyllum</i> 3 years	12	18
„ <i>Royleana</i>	12	10	<i>Linaria pallida</i> fl. larger than cymbalaria	12	6
<i>Incarvillea grandiflora</i> fl. larger and deeper in colour than Delavayi 2 years old to flower in 1905	12	48	<i>Liriope graminifolia</i> very showy . .	12	24
2 „ „ smaller	12	36	<i>Lychnis Sartorii</i>	12	18
yearlings	12	24	<i>Lysimachia Fortunei</i> fl. white . . .	12	12
„ <i>compacta</i> 2 years	12	96	„ <i>japonica</i> fl. large yellow .	12	6
yearlings	12	48	<i>Macrotomia echioides (Arnebia)</i> . .	100	80
<i>Iris asiatica</i>	12	4	<i>Mertensia primuloides</i>	ea	5
„ <i>Bludowi</i>	12	4	<i>Omphalodes Luciliae</i>	ea	5
„ <i>bosniaca</i>	12	4	<i>Opulaster intermedius</i>	12	12
„ <i>bracteata</i>	12	12	<i>Paeonia obovata</i> flowers white, stamens red	12	24
„ <i>cashmiriana</i>	12	4	<i>Papaver bracteatum praecox</i> . . .	12	6
„ <i>decora</i>	12	18	<i>Parrya Menziesii</i>	12	24
„ <i>Delavayi</i>	12	6	<i>Pelargonium Endlicherianum</i> clumps	12	36
„ <i>gracilipes</i>	12	30	<i>Patrinia hispida</i> } „ <i>rupestris</i> } umbellate, „ <i>scabiosaefolia</i> } very showy yellow fl.	12	24
„ „ <i>lilacina</i>	12	18	<i>Pentstemon Jamesii</i>	12	10
„ „ <i>alba</i> beautiful snow white variety	12	36	„ <i>caeruleus</i> very handsome turquoise blue	12	18

	Quantity	Mark		Quantity	Mark
<i>Pentstemon glaber alpinus</i> bright azure-blue large flowers, plant dwarf	12	12	<i>Pulsatilla Bungeana</i> fl. greenisch	12	24
" <i>gracilentus</i>	12	12	" <i>Regeliana</i> fl. violet	12	36
" <i>gracilis</i>	12	18	" <i>patens ochroleuca</i> fl. yellow	ea	3
<i>Philadelphus sp. Yunnan</i> fl. pure white very free	12	12	<i>Pyrethrum hololeucum</i>	12	12
<i>Physioptychis gnaphalioides</i>	12	24	<i>Rheum Ribes</i>	ea	3
<i>Physalidium stylosum</i>	12	12	" <i>palmatum fl. rubris</i>	12	24
<i>Plantago maxima</i>	12	12	<i>Sandersonia aurantiaca</i>	ea	5
<i>Platycodon autumnale glaucum</i>	12	12	<i>Scabiosa japonica</i> pretty large lilac fl.	12	12
" <i>Mariesii macranthum</i>	12	6	<i>Silene Hookeri</i> fl. rose large deeply cut a splendid alpine fig. Bot Mag.	12	60
" " <i>maximum</i> fl. three times as large as those of type a splendid acquisition. Edition	—	200	<i>Solidago rigidiscula</i>	12	6
<i>Podophyllum Emodi majus</i>	ea	5	" <i>spectabilis</i>	12	6
, <i>n. sp. perhaps versipelle</i>	ea	5	<i>Stachys lavandulaefolia</i>	12	6
<i>Polygonum sphaerostachyum</i>	12	18	<i>Statice Gmelinii</i>	12	12
<i>Primula acanthis and elatior blue selected strain</i>	12	6	<i>Trillium Wrayi</i> fl. large, white, leafes mottled	ea	3
" <i>capitellata</i>	12	18	<i>Zelkova Davidii</i>	ea	2
<i>Przewalskyia tangutica</i>	12	12			
<i>Pulsatilla albana</i>	12	24	<i>Seeds:</i>		
			<i>Paeonia lutea</i>	ea	1

	Quantity	Mark		Quantity	Mark
<i>Psoralea macrostachya</i>	12	12	<i>Salvia Przewalskyi</i>	—	—
„ <i>subacaulis</i>	12	4	„ <i>n. sp.</i> very large blue flowers .	ea	4
<i>Pulsatilla cernua</i>	12	12	<i>Sandersonia anrantiaca</i>	12	48
„ <i>Regeliana</i>	12	12	<i>Silene Hookeri</i>	12	48
<i>Rheum Ribes</i>	ea	4	<i>Symphitum albiflorum</i>	ea	5
<i>Rodgersia tabularis</i> n. sp. looks pro- mising only small plants. . .	12	96	<i>Senecio Clifforum</i>	12	6
			<i>Tropacolum Leichtlinii</i>	12	4

Curtis's Botanical Magazine
a clean complete set from the beginning to 1906 M 3000.—
= £ 150.—

1871

1872

1873

1874

1875

1876

1877

1878

1879

1880

1905

1st LIST OF BULBS & PLANTS

offered by

Max Leichtlin — Baden-Baden.

Conditions:

All invoices of plants furnished during 1905 are due and payable in January 1906.

Orders booked in strict rotation.

No obligation to fill any order if crop be insufficient, wanting, or destroyed by vermin or weather.

	Quantity	Mark		Quantity	Mark
<i>Adenophora polymorpha</i> , beautiful rich and free flowering Campanula . . .	12	12	<i>Gentiana sp.</i> fl. white	12	24
<i>Agapapthus minor Leichtlinii</i> numerous small blue flowers, hardy . .	12	18	<i>Gerbera Jamesonii</i>	12	24
<i>Anemone patens</i>	12	12	„ <i>Elsae</i>	ea	6
„ „ <i>Nuttalliana alba</i>	12	12	<i>Hepatica angulosa lilacina</i> clumps .	ea	2
<i>Aquilegia vulgaris var. pubiflora</i> .	12	4	„ „ <i>nivea</i> better than alba, 2 years seedlings .	12	24
<i>Aster diplostaphioides</i> large well coloured fl.	12	6	„ „ „ stronger	12	30-60
<i>Aubrieta tauricola</i> clumps	ea	2	<i>Inula grandiflora floribunda</i> . . .	12	8
„ „ <i>alba</i> clumps	ea	3	„ <i>Royleana</i>	12	8
„ <i>deltoidea lavender</i> large fl. clumps	ea	2	<i>Incarvillea grandiflora</i> fl. larger and deeper coloured than Delavayi, yearlings . . .	not less than 100	80
<i>Berberis Thunbergii variegata</i> very pretty, strong	ea	5	„ „ selected yearlings	12	18
<i>Betonica grandiflora robusta</i> . . .	12	6	„ „ 2 years old	12	30
„ „ <i>superba</i>	12	6	„ „ 3 „ old	12	42
<i>Campanula phytidocalyx syn. amabilis</i>	ea	10	„ <i>compacta</i> new, 2 years old .	12	60
„ <i>versicolor</i>	12	12	<i>Iris bracteata</i>	12	6
<i>Codonopsis ovata</i>	12	6	„ <i>Delavayi</i>	12	4
<i>Delphinium dictyocarpum</i>	12	4	„ <i>decora</i>	12	12
<i>Gentiana Andrewsii</i>	12	6	„ <i>gracilipes</i>	12	30
„ <i>dahurica</i> very striking	12	12	„ <i>Hookeriana</i>	12	—
„ <i>Olivieri glomerata</i> one of the handsomest, flowers in big clusters of glistening blue . .	12	24	„ <i>Kingiana</i>	12	—
„ <i>sp.</i> fl. turquoise blue, splendid	12	36	„ <i>setosa</i> original	12	12
			„ <i>Sintenisii</i>	12	12
			„ <i>tenax</i>	12	4

	Quantity	Mark		Quantity	Mark
<i>Iris tectorum lilacina</i>	12	12	<i>Przewalskia tangutica</i>	12	12
„ „ <i>alba</i> very good	12	24	<i>Platycodon glaucum</i> <i>n. sp.</i> , very		
<i>Lilium giganteum yunnanense</i> strong	12	24	elegant & floriferous	12	8
„ <i>Glehni</i> 3 years	12	12	<i>Podophyllum Emodi majus</i>	ea	5
<i>Liatris scariosa</i> early var.	12	8	„ <i>n. sp.</i>	ea	5
„ „ late var.	12	8	<i>Polygonum sphaerostachyum</i>	12	12
<i>Littonia modesta</i>	12	12	<i>Psoralea subacaulis</i>	12	6
<i>Lychnis Sartorii</i>	12	9	<i>Primula capitellata</i>	12	12
<i>Lysimachia japonica</i> fl. large yellow .	12	4	„ <i>deorum</i> new from Bulgaria fl.		
„ <i>Fortunei</i> fl. white	12	4	large violett	12	18
<i>Mirabilis Froebelii</i>	ea	3	„ <i>blue, veris & elatior</i> finest		
<i>Omphalodes Luciliae</i>	ea	5	strain	12	3
<i>Paeonia obovata</i> yearlings	12	12	<i>Pulsatilla Regeliana</i> fl. violett . . .	12	24
„ <i>Mloosewitschi</i>	12	24	<i>Rodgersia</i> piunata, clump	ea	25
<i>Parrya Menziesii</i>	12	24	<i>Sandersonia aurantiaca</i> this has become		
<i>Patrinia rupestris</i>	12	12	rather rare	12	60
„ <i>scabiosaefolia</i>	12	4	<i>Solidago spectabilis</i>	12	4
<i>Pelargonium Endlicherianum</i> hardy,			<i>Stachys lavandulaefolia</i>	12	4
clumps	12	36	<i>Gladiolus hybr. American Flag</i> of the		
<i>Pentstemon coeruleus</i>	12	12	Lemoinei section, large spikes of small		
„ <i>glaber alpinus</i>	12	12	very numerous fl., rose, white yellow		
„ <i>gracilentus</i>	12	12	and maroon; very useful for arrange-	12	12
			ments		

1906

LAST LIST OF PLANTS

offered by

Max Leichtlin — Baden-Baden.

Conditions:

All invoices of plants furnished during 1906 are due and payable in January 1907 at Baden-Baden.

Orders booked in strict rotation.

No obligation to fill any order if crop be insufficient, wanting, or destroyed.

	Quantity	Mark		Quantity	Mark
<i>Abronia latifolia</i> n. sp.	12	12	<i>Aquilegia flabellata forma stellata</i>	12	4
<i>Aconitum</i> n. sp. from Lake Baikal fl. purple	ea	2	„ <i>pubiflora</i>	12	6
„ 5167 from Szetchuen, China	12	9	„ <i>sp. 5170 from China</i>	12	4
„ 5170 „ „ „ fl. wooly blue purple	12	6	<i>Arisaema sp. fr. Hazara</i>	12	4
<i>Actaea eburnea</i>	12	9	<i>Arnebia echiodides</i> young plants	100	20
			„ „ strong	100	40
<i>Adenophora polymorpha</i>	12	4	<i>Arum</i> n. sp. China 5106	12	6
„ „ <i>alba</i> seedlings	12	6	„ „ „ „ 5112	12	6
„ <i>Potanini alba</i> seedlings	12	12	<i>Aster subcaeruleus</i>	12	3
<i>Agapanthus minor Leichtlinii</i> hardy	12	6	„ „ <i>variegatus</i> 2 plants only a very striking novelty, the prettiest variegation ever seen		25
„ <i>St. Pauli</i> sturdy growing, compact umbellas of white flowers, up to 60 in one umbella, hardy	12	18	<i>Astilbe Davidii</i>	12	6
<i>Anemone 5119 & 5121</i> from China	12	12	„ n. sp.	12	12
„ <i>elongata</i>	12	4	<i>Aubrietia deltoidea rosea</i> purest rose coloured	12	12
„ <i>intermedia</i> fl. sulphur yellow in early spring	12	12	„ „ <i>Lilac Queen</i>	12	12
„ <i>nemorosa purpurea</i>	12	8	„ <i>tauricola alba</i>	12	6
„ „ <i>Alleni</i>	12	12	<i>Bellis rotundifolia caerulea</i>	12	4
„ „ „ <i>Vestal</i> “ all three very handsonne additions to the springflora	12	6	<i>Betonica grandiflora superba</i>	12	4
„ <i>nikkoensis</i>	ea	1	<i>Bomarea Salsilla</i> fl. crimson quite hardy	12	24
„ <i>vitifolia</i>	12	4	<i>Campanula phytidocalyx</i>	12	4
<i>Aplopappus Parryi</i> fl. yellow	12	4	„ „ <i>alba</i>	ea	5
			„ <i>alaskana</i> n. sp.	12	6
			„ <i>Beauverdiana</i> n. sp.	12	6
			„ „ <i>pruinosa</i>	12	6
			„ n. sp. Szetchuen	12	12

	Quantity	Mark		Quantity	Mark
<i>Clematis Douglasii</i>	12	6	<i>Eremurus Kaufmanni</i> 3 2 years old .		6
„ <i>Fremontii superba</i>	12	4	„ <i>lactiflorus n. sp.</i> 8 yearlings		30
„ <i>coccinea</i>	12	6	„ <i>Olgae</i> × <i>Bungei</i> 10 3 years old		30
<i>Colchicum autumnale albo pl.</i>	12	36	„ <i>spectabilis marginatus</i> 40 yearlings		10
<i>Centaurea n. sp.</i> large grey leaves, dwarf fl. 2 inches across white and rose striking	12	24	„ <i>Warei</i> 2 years old fl. yellow	12	12
<i>Composite n. sp. Szetchuan</i>	12	6	„ „ 3 years old	12	30
<i>Coussinia Thomsoni</i> n. sp. Chamaepence like	ea	2	„ „ 4 years old	12	48
<i>Crambe Kotschyana</i> large plant highly decorative	12	18	„ „ <i>white</i> 4 years	12	60
<i>Crococoma spec.</i> hardy	12	12	„ „ <i>fleshcoloured</i> 3 years	12	36
<i>Cynoglossum cheirifolium</i>	12	6	„ „ <i>chamois</i> 3 years	12	36
„ <i>furcatum var. amabile</i> fl. larger than type flowering 6 weeks	12	6	<i>Erigeron salsuginosus</i> said to be the most showy of this family	12	8
<i>Daphne n. sp.</i> flowers yellow from China	ea	5	<i>Fritillaria Hookeri</i>		10
<i>Delphinium Belladonna grandiflorum</i> flowers much larger of perfect form a first class plant; clumps	12	48	<i>Gentiana alba</i>	12	6
„ <i>decorum stachydeum</i> perennial rootstock, fl. large and numerous of a glistening blue, good for bouquets	12	24	„ <i>dahurica</i>	12	6
„ <i>divaricatum</i>	12	6	„ <i>elegans</i>	12	6
„ <i>Geyeri</i> shining dwarf	12	12	„ <i>Kurroo</i> this seems to be a better and more floriferous sp. it has 6 whorls of numerous flowers shining blue and white inside a few plants only	ea	3
„ <i>grandiflorum sibiricum</i>	12	6	„ <i>Olivieri</i>	12	6
„ <i>tatienense</i>	12	4	„ <i>Przewalskyi</i>	12	6
<i>Draba grandiflora</i>	12	12	„ <i>sp. Baikal Sea</i>	12	4
<i>Eremurus altaicus</i> 80 yearlings		8	„ „ <i>4998. 5164 Szetchuan</i>	12	12
„ <i>Bungei praecox</i> 12 2 years old		36	„ „ <i>fl. white</i>	12	6
„ „ „ flowering	ea	7	„ <i>straminea</i>	12	6
„ „ <i>perfectus</i> 25 yearlings		10	„ <i>syphonantha</i>	12	6
„ „ „ flowering	ea	10	<i>Geranium polyanthes</i>	ea	2
„ <i>Elwesianus</i> 16 3 years old		5	<i>Gladiolus primulinus</i>		
„ <i>isabellinus</i> 20 yearlings		30	<i>Habranthus luteus</i>	12	12
			„ <i>sp. St. Paul</i>	12	6
			<i>Hedera helix fol. variegatis</i>	12	4
			<i>Hepatica angulosa nivea</i> better than <i>alba</i>	12	6
			<i>Incarvillea compacta</i> strong	12	18
			„ <i>grandiflora</i> strong	12	12

	Quantity	Mark		Quantity	Mark
<i>Incarvillea n. sp.</i> 4 small and 2 stronger roots it is likely to be either Principis or lutea		36	<i>Lilium giganteum yunnanense</i> . .	12	12
„ <i>sinensis</i>	12	6	<i>Littonia modesta</i>	„	4
<i>Inula grandiflora floribunda</i> . . .	12	6	<i>Lychnis fulgens</i>	„	3
„ <i>Montbretii</i>	12	6	„ „ <i>alba</i>	ea	2
„ <i>Royleana</i>	12	4	„ „ <i>aurantiaca</i>	ea	3
<i>Iris albo purpurea</i>	12	12	„ <i>Sartorii</i>	12	3
„ <i>asiatica</i>	„	4	<i>Lysimachia japonica</i>	„	4
„ <i>bracteata</i>	„	6	<i>Macrotomia (Arnebia) cephalotes</i> a very rare and most beautiful plant from the heights of Asia minor, offered for the first time; it is a giant Arnebia heads 1 foot through	ea	8
„ <i>Delavayi</i>	„	4	<i>Mertensia echioides</i> clumps	ea	5
„ <i>Clarkei</i>	„	4	„ <i>primuloides</i> „	12	24
„ <i>decora</i>	„	4	„ <i>sp.</i> fl. deeper in colour, plant larger	„	24
„ <i>Bungei</i>	„	3	<i>Onosma bracteatum</i>	ea	3
„ <i>Hookeriana</i>	„	30	<i>Paeonia decorata</i>	12	4
„ <i>Lamancei</i>	„	3	„ <i>Emodi</i>	ea	2
„ <i>setosa</i>	„	3	„ <i>lutea</i> ea 2.50. 5. and 7.50		
„ <i>Strausii</i>	„	3	„ <i>Makosewitsii</i> fl. sulphur yellow n. sp.	ea	21
„ <i>suaveolens</i>	„	3	„ <i>obovata</i> fl. white, stamens crimson	12	6
„ <i>tectorum alba</i>	„	8	„ <i>Moutan „Gloria Belgarum“</i>	ea	21
„ „ „ <i>semit pleno</i>	„	24	„ <i>sp. Taygetos n. dwarf</i> . .	12	6
„ <i>tenax</i>	„	3	„ <i>Wittmanniana</i>	„	30
„ <i>sp. fr. Hazara</i> one clump; new sp. in form as well as colour a beauty .		10	<i>Patrinia hispida</i>	„	6
<i>Kniphofia Northiae</i> the largest flowered of all K. figured in Bot. Mag.	12	8	„ <i>heterophylla</i> flowers white .	„	4
<i>Lathyrus grandiflorus</i>	„	6	„ <i>rupestris</i>	„	6
„ <i>Mulkak</i>	„	12	<i>Pelargonium Endlicherianum</i> . . .	„	6
„ <i>montanus var. orientalis</i> .	„	6	<i>Pentstemon caeruleus</i>	„	4
„ <i>splendens</i>	„	12	„ <i>glaber alpinus</i>	„	4
„ <i>pubescens</i>	ea	2	„ <i>gracilis</i>	„	4
„ <i>undulatus</i>	12	12	„ <i>Jamesii</i>	„	4
<i>Liatris scariosa late var.</i>	„	4	<i>Platycodon Mariesii majus</i>	„	6
„ „ <i>early var.</i>	„	4	„ <i>glaucus</i> distinct elegant .	„	6
„ <i>graminifolia var. pilosa</i> . .	„	24	<i>Polygonum sphaerostachyum</i> . . .	„	9
<i>Lilium Yoshidaii</i> n. sp. a striking beauty	„	24			
„ <i>cordifolium</i>	„	3			

	Quantity	Mark		Quantity	Mark
<i>Podophyllum n. sp. from China</i> . . .	12	12	<i>Sandersonia aurantiaca</i>	12	24
<i>Primula „Evelyn Arkwright“</i> . . .	„	6	<i>Scabiosa Olgae</i>	„	12
<i>Psoralea subacaulis</i>	„	4	<i>Senecio Clivorum</i>	„	6
<i>Pulsatilla albana</i>	„	12	„ <i>erubescens</i>	„	4
„ <i>cernua</i>	„	4	<i>Silene Fortunei</i>	„	12
„ <i>patens lutea</i>	„	6	„ <i>Hookeri</i>	„	36
„ <i>Regeliana</i>	„	4	<i>Sternbergia lutea Plattensee var.</i> . .	„	10
<i>Rheum Ribes</i>	ea	5	<i>Solidago nana</i> very good, dwarf . . .	„	9
„ <i>palmatum flor. rubris</i> . . .	12	12	<i>Tropaeolum Leichtlinii</i>	„	4
<i>Rodgersia pinnata</i>	„	12	„ <i>polyphyllum</i>	„	4
„ <i>tabularis</i> a very decorative plant	„	30	<i>Verbascum glomeratum n. sp.</i> . . .	-	6
<i>Salvia sp. large blue</i>	ea	3			

72