Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

EDWARD GILLETTS

Fifth Annual Catalogue

OF

NORTH AMERICAN

Perennial Plants,

ORCHIDS, SHRUBS, CLIMBERS,

Alpine, Aquatic, and Bog Plants,

RARE FERNS, &c.,

FOR

1882.

SOUTHWICK, MASS.,

United States of America.

Clark & Story, Printers, Westfield, Mass.

Introduction.

N presenting my Catalogue of NORTH AMERICAN PERENNIAL PLANTS for 1882, I wish to thank my patrons for past favors, and trust that the pleasure derived from the cultivation of our Wild Flowers and Ferns will induce you to extend to me a share of your patronage this season. It is difficult to get all plants of the Far West collected, either in small or large quantities, late in the season; therefore, orders for them should be sent in as early as possible. The Common Names are given to help those in selecting, who are unacquainted with the Botanical Names; yet, in ordering, please give the Botanical Name, only.

Parties wishing for any North American Plants not found in this list should make their wishes known, and their interests shall be properly looked after. Under the heading of "Locality," plants found at the South more commonly than elsewhere, read S. S.; N. S., Northern States; E. S., Eastern States, &c.

COLLECTORS of Native Perennial Plants are invited to put themselves in communication with me.

TERMS.

All bills will be due on receipt of the plants, unless by special agreement. Small orders should be accompanied by cash.

Money may be sent in Registered Letters to Southwick, Hampden Co., Mass., or by Post-Office Orders upon the Postmaster at Westfield, Hampden Co., Mass. Larger amounts can be sent by Draft on New York or Boston, payable to my order.

Foreign Remittances may be sent by International Post-Office Orders, payable at Westfield, Mass., U. S. A., or by Drafts on New York or Boston.

The prices quoted are for 12 and 100 roots. Parties wishing for more or less quantities will be furnished prices on application. *The Trade* furnished in quantity at lower rates.

All plants sent out are securely packed and properly labeled. No charge for packing.

HERBARIUM SPECIMENS OF FERNS.

I will send to any address in the United States, postpaid, Herbarium Specimens of over 40 species, including the Florida and California Ferns, for \$4.50.

SPHAGNUM MOSS for packing, furnished in barrels.

This List cancels all former quotations.

All communications should be addressed,

EDWARD GILLETT,

SOUTHWICK,

HAMPDEN COUNTY, MASS.

HERBACEOUS PERENNIAL PLANTS.

BOTANICAL NAME.	COMMON NAME.	Local-ity.	PRICE.	
			Per 12 Per 100.	
Achlys triphylla, - - -	Oregon May-apple,	Or.	\$0 75	\$4 00
Actæa alba, - - -	White Baneberry,	E. S.	75	4 00
“ spicata, var. rubra, - -	Red Baneberry,	“	75	4 00
Adenostylus nardosmia, - -		Or.	1 50	8 00
Aletris farinosa, - - -	Colic-Root,	E. S.	50	3 00
Allium acuminatum, - - -	Red flowered A.,	Cal.	1 25	7 50
“ reticulatum, - - -	Netted A.,	Kan.	1 00	5 00
“ tricoecum, - - -	Wild Leek,	E. S.	50	3 00
“ unifolium, - - -	Rose-colored A.,	Cal.	1 25	7 50
Anemone deltoidea, - - -	Oregon Wind Flower,	Or.	1 00	6 00
“ nemorosa (white), - -	Wood Anemone,	E. S.	50	3 00
“ “ (blue), - - -		Or.	1 00	6 00
“ patens L. var. Nuttalliana,	Am. Pasque Flower,	W. S.	1 00	6 00
“ Pennsylvanica, - - -	Penn. Anemone,	N. S.	75	4 00
Antennaria diuorpha, - - -		Or.	1 00	6 00
“ margaritacea, - - -	Pearly Everlasting,	N. S.	75	4 00
Apios tuberosa, - - -	Ground Nut,	E. S.	50	3 00
Apocynum androsæmifolium, -	Spreading Dogbane,	“	75	4 00
Aquilegia Canadensis, - -	Wild Columbine,	N. S.	75	4 00
“ flavescens, - - -	Yellow Columbine,	Utah,	2 50	12 00
“ formosa, - - -		Or.	1 25	7 00
Aralia Californica, - - -		Cal.	2 00	10 00
“ hispida, - - -	Bristly Sarsaparilla,	N. S.	75	4 00
“ nudicaulis, - - -	Wild Sarsaparilla,	“	75	4 00
“ quinquefolia, - - -	Ginseng,	“	1 00	6 00
“ trifolia, - - -	Dwarf Ginseng,	“	50	3 00
Arenaria Grœnlandica, - -	Mountain Sandwort,	“	3 00	15 00
Arisæma triphyllum, - - -	Indian Turnip,	“	50	3 00
Artemisia tridentata, - - -	Sage-brush,	Or.	1 00	6 00
Asarum Canadense, - - -	Canada Snakeroot,	N. S.	50	3 00
“ caudatum, - - -	Tailed Snakeroot,	Or.	75	4 50
“ Hartwegii, - - -		Cal.	1 25	7 00
“ Virginicum, - - -	Heart Snakeroot,	S. S.	75	4 00
Aselepias incarnata, - - -	Swamp Milkweed,	N. S.	75	4 00
“ tuberosa, - - -	Pleurisy-root,	E. S.	1 00	6 00
Aseyrum Caux-Audræ, - - -	St. Andrew's Cross,	S. S.	75	4 00
“ stans, - - -	St. Peter's-wort,	“	75	4 00
Aster Tradescanti, - - -	Small White A.,	N. S.	75	4 00
Balsamorhiza Hookeri, - -		Or.	1 00	6 00
Baptisia alba, - - -		S. S.	2 00	12 00
“ lanceolata, - - -	Small White B.,	“	2 00	12 00
“ leucantha, - - -	White Baptisia.	W. S.	1 00	5 00
“ leucophæa, - - -	Cream colored B.,	“	1 00	5 00
“ tinctoria, - - -	Wild Indigo,	E. S.	1 00	5 00
Bolandra Oregana, - - -		Or.	2 00	10 00
Brodiaea congesta, - - -	Tall Brodiaea.	Cal.	1 00	6 00
“ gracilis, - - -	Yellow colored B.,	“	2 00	10 00
“ grandiflora, - - -		“	1 00	6 00
“ Howellii, - - -		Or.	1 00	6 00
“ ixioides, - - -	Yellow colored B.,	Cal.	1 00	5 00
“ laeta, - - -	White colored B.,	Cal.	1 00	6 00
“ Minor, - - -		Cal.	1 50	8 00
“ multiflora, - - -		Or.	1 25	7 00
Callirrhoe involucrata, - -	Crimson Callirrhoe,	Tex.	1 00	6 00
Calochortus elegans, - - -	Butterfly Tulip,	Cal.	1 25	7 00
“ flexuosus, - - -	Lilae colored C.,	Utah,	1 50	8 00
“ Greenei, - - -	Lilae colored C.,	Or.	1 00	6 00
“ luteus, - - -	Orange colored C.,	Cal.	1 00	6 00
“ Maweanus, - - -	White colored C.,	“	2 00	10 00

HERBACEOUS PERENNIAL PLANTS.—Continued.

BOTANICAL NAME.	COMMON NAME.	Local-ity.	PRICE.	
			Per 12.	Per 100.
<i>Calochortus nudus</i> , - -	White colored C.,	Cal.	\$1 50	\$8 00
" <i>Nuttallii</i> , - -	Greenish Yellow C.,	"	2 00	10 00
" <i>splendens</i> , - -	Lilac colored C.,	"	2 00	10 00
" <i>venustus</i> , - -	Mariposa Lily,	"	1 25	7 00
<i>Campanula rotundifolia</i> , - -	Harebell,	N. S.	75	4 00
" <i>Seouleri</i> , - -		Or.	1 00	6 00
<i>Cardamine angulata</i> , - -		"	1 25	7 00
<i>Cassia marilandica</i> , - -	American Senna,	N. S.	75	4 00
<i>Caulophyllum thalictroides</i> , - -	Blue Cohosh,	"	75	4 00
<i>Cheiranthus Menziesii</i> , - -	Purple colored C.,	Or.	1 25	7 00
<i>Chelone glabra</i> , - -	Snake-head.	E. S.	75	4 00
<i>Chimaphila maculata</i> , - -	Spotted Wintergreen.	"	75	4 00
" <i>umbellata</i> , - -	Prince's Pine,	"	75	4 00
<i>Chiogenes hispidula</i> , - -	Creeping Snowberry,	"	1 00	6 00
<i>Claytonia parvifolia</i> , - -		Or.	1 00	5 00
" <i>Virginica</i> , - -	Spring Beauty,	E. S.	60	3 00
<i>Clematis Douglasii</i> , - -	Brownish Purple C.,	Utah,	2 50	12 00
<i>Clintonia borealis</i> , - -	Northern Clintonia,	N. S.	50	3 00
" <i>uniflora</i> , - -	One flowered C.,	Or.	1 00	6 00
<i>Collinsonia Canadensis</i> - -	Collinson's Flower.	E. S.	60	4 00
<i>Convallaria majalis</i> , - -	Lily of the Valley,	S. S.	75	4 00
<i>Coptis trifolia</i> , - -	Goldthread,	N. S.	50	3 00
<i>Coreopsis tripteris</i> , - -	Tall Coreopsis,	W. S.	75	4 00
<i>Cornus Canadensis</i> , - -	Dwarf Cornel,	N. S.	50	3 00
<i>Corydalis scouleri</i> , - -		Or.	1 25	6 00
<i>Cynthia Virginica</i> , - -	Yellow C.,	S. S.	60	3 00
<i>Dalibardia repens</i> , - -	False Violet,	N. S.	75	4 00
<i>Delphinium cardinale</i> , - -		Cal.	2 50	12 00
" <i>simplex</i> , - -	Simple Larkspur,	Or.	1 00	6 00
<i>Dentaria diphylla</i> , - -	Toothwort.	N. S.	50	3 00
" <i>laeiniata</i> , - -	Pale Purple D.,	E. S.	1 00	5 00
" <i>maxima</i> , - -	Pink colored D.,	N. S.	1 25	7 00
" <i>tenella</i> , - -		Or.	1 00	5 00
<i>Dicentra Canadensis</i> , - -	Squirrel Corn,	N. S.	60	3 00
" <i>cucullaria</i> , - -	Dutchman's Breeches,	"	60	3 00
" <i>formosa</i> , - -		Or.	1 50	7 00
<i>Dioseorea villosa</i> , - -	Wild Yam-Root,	S. S.	75	4 00
<i>Dodocatheon Meadia</i> . - -	Shooting Star.	W. S.	75	4 00
<i>Echinacea purpurea</i> , - -	Purple Cone flower,	"	75	4 00
<i>Epigæa repens</i> . - -	Trailing Arbutus,	E. S.	1 00	5 00
<i>Erigenia bulbosa</i> , - -	Harbinger of Spring,	W. S.	75	4 00
<i>Erigeron bellidifolium</i> . - -	Robin's Plantain.	E. S.	50	3 00
<i>Eryngium yuccafolium</i> , - -	Button Snakeroot.	W. S.	60	3 00
<i>Erythronium albidum</i> , - -	White Dog's tooth Vi-			
	olet,	"	75	4 00
" <i>Americanum</i> , - -	Yellow D. V.,	E., S.	50	3 00
" <i>gigantea</i> , - -	Large White D. V.,	Or.	1 50	8 00
" <i>grandiflorum</i> , - -	Large Flowered D. V.,	"	1 00	5 00
" <i>purpureum</i> , - -	Purplish D. V.,	Cal.	2 50	12 00
<i>Eupatorium ageratoides</i> , - -	White Snakeroot,	E. S.	75	4 00
" <i>perfoliatum</i> , - -	Boneset,	"	75	4 00
<i>Euphorbia corollata</i> , - -	Flowering Spurge,	"	75	4 00
<i>Ferula dissolata</i> , - -		Or.	2 50	15 00
" <i>multifida</i> , - -	Yellowish Brown F.,	"	2 50	15 00
<i>Fritillaria atropurpurea</i> , - -	Dark Purple F.,	Utah,	2 00	10 00
" <i>laneeolata</i> , - -	Lance-leaved F.,	Cal.	2 00	10 00
" <i>parviflora</i> , - -	Yellowish Purple F.,	"	2 25	12 00
" <i>pudica</i> , - -	Modest F.,	"	2 00	10 00
" <i>recurva</i> , - -	Tinged Purple F.,	"	4 00	20 00

HERBACEOUS PERENNIAL PLANTS.—Continued.

BOTANICAL NAME.	COMMON NAME.	Local-ity.	PRICE.	
			Per 12.	Per 100.
<i>Gentiana alba</i> , - - -	White Gentian.	W. S.	\$1 00	\$6 00
" <i>Andrewsii</i> , - - -	Purple Closed G.,	E. S.	75	4 00
" <i>angustifolia</i> , - - -	Narrow leaved G.,	S. S.	1 50	8 00
" <i>quinqueflora</i> , - - -	Five flowered G.,	W. S.	1 00	6 00
" <i>Saponaria</i> , - - -	Soapwort G.,	E. S.	1 00	6 00
<i>Geranium incisum</i> , - - -		Or.	75	5 00
" <i>maculatum</i> , - - -	Wild Cranesbill,	E. S.	50	3 00
" <i>Richardsonii</i> , - - -	Purple G.,	Utah,	3 00	15 00
" <i>Roberterianum</i> , - - -	Herb Robert,	E. S.	50	3 00
<i>Gerardia integrifolia</i> , - - -	False Foxglove,	W. S.	50	3 00
" <i>pedicularia</i> , - - -	Fern-leaved False Fox-			
" <i>quercifolia</i> , - - -	glove,	E. S.	50	3 00
<i>Geum rivale</i> , - - -	Smooth F. F.,	S. S.	75	4 00
<i>Gratiola aurea</i> , - - -	Purple Avena,	N. S.	50	3 00
<i>Helonias bullata</i> , - - -	Hedge Hyssop,	E. S.	50	3 00
<i>Hepatica acutiloba</i> , - - -	Star-Flower,	N. J.	2 00	12 00
" <i>triloba</i> , - - -	Sharp Lobed H.,	N. S.	75	4 00
<i>Hieracium venosum</i> , - - -	Round Lobed H.,	"	50	3 00
<i>Houstonia cærulea</i> , - - -	Rattlesnake-weed.	"	50	3 00
" <i>purpurea</i> , - - -	Blues.	"	50	3 00
<i>Hydrastis Canadense</i> , - - -	Pure White H.,	"	75	4 00
<i>Hydrophyllum Canadense</i> , - - -	Orange Root,	S. S.	1 00	5 00
" <i>capitatum</i> , - - -	Waterleaf.	E. S.	1 00	6 00
" <i>Virginicum</i> , - - -		Or.	1 00	6 00
<i>Hypericum corymbosum</i> , - - -		E. S.	75	4 00
<i>Hypoxis erecta</i> , - - -	St. John's-wort,	"	50	3 00
<i>Ipomœa pandurata</i> , - - -	Star-grass,	"	50	3 00
<i>Iris Hartwegii</i> , - - -	Man of the Earth,	"	75	4 00
" <i>tenax</i> , - - -		Cal.	1 50	8 00
" <i>versicolor</i> , - - -	Tough-leaved I.,	Or.	1 25	6 00
" <i>Virginica</i> , - - -	Large Blue Flag,	E. S.	75	4 00
<i>Lathyrus ornatus</i> , - - -	Slender B. F.,	"	75	4 00
<i>Lewisia rediviva</i> , - - -	Bright Purple L.,	Or.	1 00	6 00
<i>Liatris scariosa</i> , - - -	Spatium,	"	1 00	6 00
" <i>spicata</i> , - - -	Button Snakeroot,	E. S.	50	3 00
<i>Lilium Canadense</i> , - - -	Spiked Blazing Star,	W. S.	50	3 00
" <i>Catesbæi</i> , - - -	Wild Yellow Lily,	N. S.	1 00	5 00
" <i>Columbianum</i> , - - -	Southern Red L.,	S. S.	2 00	10 00
" <i>Humboldtii</i> , - - -	Reddish-Orange L.,	Or.	2 00	10 00
" <i>maritimum</i> , - - -	California Orange L.,	Cal.	4 00	21 00
" <i>pardalinum</i> , - - -	Spotted reddish-orange			
" <i>Parryi</i> , - - -	L.,	"	7 00	
" <i>parvum</i> , - - -	Orange-red L.,	"	3 00	15 00
" <i>Philadelphicum</i> , - - -	Pale Yellow L.,	"	10 00	
" <i>superbum</i> , - - -	Small Flowered L.,	"	5 00	25 00
" <i>Washingtonianum</i> , - - -	Wild Orange Red L.,	E. S.	1 00	5 00
<i>Lithospermum canescens</i> , - - -	Turk's Cap L.,	"	1 00	5 00
" <i>hirtum</i> , - - -	Washington L.,	Cal.	5 00	25 00
" <i>pilosum</i> , - - -	Hoary Puccoon,	W. S.	75	4 00
<i>Lobelia cardinalis</i> , - - -	Hairy Puccoon,	S. S.	75	4 00
" <i>splendens</i> , - - -		Or.	1 00	6 00
<i>Lupinus perennis</i> , - - -	Cardinal Flower.	E. S.	75	4 00
<i>Lysimachia longifolia</i> , - - -	Red colored L.,	Cal.	1 25	6 00
" <i>quadrifolia</i> , - - -	Wild Lupine,	E. S.	75	4 00
" <i>stricta</i> , - - -	Loosestrife,	W. S.	50	3 00
<i>Medeola Virginica</i> , - - -		E. S.	50	3 00
<i>Mertensia oblongifolium</i> , - - -	Indian Cucumber Root.	"	50	3 00
	Obl'ng-lea'd Lungwort,	Or.	1 00	6 00

HERBACEOUS PERENNIAL PLANTS.—Continued.

BOTANICAL NAME.			COMMON NAME.	Local-ity.	PRICE.	
					Per 12.	Per 100.
Mertensia Sibirica,	-	-		Utah,	\$3 00	\$15 00
Micromeria Douglasii,	-	-	Yerba Buena,	Or.	1 50	8 00
Mikania scandens,	-	-	Climbing Boneset,	E. S.	1 00	5 00
Mimulus ringens,	-	-	Monkey Flower,	"	50	3 00
Mitchella repens,	-	-	Partridge-berry,	"	50	3 00
Mitella diphylla,	-	-	Mitre-wort,	"	50	3 00
" nuda,	-	-	Small Greenish M.,	"	75	4 00
" trifida,	-	-	White colored M.,	Or.	1 00	6 00
Monarda didyma,	-	-	Oswego Tea,	W. S.	75	4 00
Nardosmia palmata,	-	-	Sweet Colt's-foot,	"	1 00	6 00
Oxalis Acaetosella,	-	-	Wood Sorrel,	E. S.	50	3 00
" Oregana,	-	-	Oregon W. S.,	Or.	1 00	5 00
Osmorhiza nuda,	-	-		"	1 00	6 00
Parnassia Caroliana,	-	-	Grass of Parnassus,	E. S.	50	3 00
" fimbriata,	-	-		Or.	1 00	5 00
Pedicularis Canadensis,	-	-	Wood Betony.	N. S.	75	4 00
Phlox divaricata,	-	-	Spreading Phlox,	W. S.	75	4 00
" reptans,	-	-	Creeping Phlox,	S. S.	75	4 00
Physostegia Virginica,	-	-	False Dragon Head,	"	75	4 00
Podophyllum peltatum,	-	-	May Apple,	"	75	4 00
Podostigma pubescens,	-	-	Yellowish-green P.,	"	1 00	6 00
Polemonium reptans,	-	-	Greek Valerian,	W. S.	75	4 00
Polygala pauciflora,	-	-	Fringed Polygala,	E. S.	75	4 00
Polygonatum biflorum,	-	-	Smaller Solomon's Seal	"	75	4 00
Primula Mistassinica,	-	-	Primrose (small white),	N. S.	2 00	10 00
Prosartes Menziesii,	-	-	Prosartes,	Or.	1 00	6 00
Psoralea physoides,	-	-	Bladdery Psoralea,	"	1 00	6 00
Pyrola elliptica,	-	-	Shin-Leaf,	E. S.	50	3 00
" picta,	-	-		Or.	1 00	6 00
" rotundifolia,	-	-	Round-Leaved P.,	E. S.	50	3 00
" secunda,	-	-	Greenish-White P.,	"	75	4 00
Ranunculus adoneus,	-	-		Utah,	3 00	15 00
Rhexia Virginica,	-	-	Meadow Beauty,	E. S.	50	3 00
Rudbeckia hirta,	-	-	Cone-flower,	"	50	3 00
Sabbatia chloroides,	-	-	American Centaury,	"	1 00	5 00
" lanceolata,	-	-	Lance-leaved C.,	"	1 50	8 00
Sanguinaria Canadensis,	-	-	Blood-Root,	"	75	3 00
Sanicula Marilandica,	-	-	Black Snakeroot,	"	75	4 00
Saxifraga peltata,	-	-		Cal.	2 00	12 00
" Virginicensis,	-	-	Early Saxifraga,	N. S.	50	3 00
Scilla Fraseri,	-	-	Wild Hyacinth,	W. S.	75	4 00
Scutellaria galericulata,	-	-	Skull-cap,	N. S.	50	3 00
" lateriflora,	-	-	Mad-dog S.,	"	75	4 00
" Wrightii,	-	-	Wright's S.,	Kan.	1 00	6 00
Sedum debile,	-	-	Yellow Sedum,	Utah,	1 25	7 00
" Nevii,	-	-	Nevin's S.,	S. S.	1 00	5 00
" Oregana,	-	-	Oregon S.,	Or.	75	4 00
" pulchellum,	-	-	Beautiful S.,	S. S.	75	4 00
" spathulifolium,	-	-	Spatula-leaved S.,	Or.	75	4 00
" stenopetalum,	-	-	Narrow-petaled S.,	"	75	4 00
" ternatum,	-	-	Three-leaved S.,	S. S.	75	4 00
Senecio aureus,	-	-	Golden Ragwort,	E. S.	50	3 00
" Bolanderi,	-	-	Bolander's Groundsel,	Or.	1 00	6 00
Sidalcea Malvaeflora,	-	-	Mallow-flowered S.,	"	1 00	6 00
Silene Menziesii,	-	-	White-flowered S.,	"	1 25	7 00
" Pennsylvanica,	-	-	Wild Pink,	E. S.	75	4 00
" Scouleri,	-	-	Pink-flowered S.,	Or.	1 00	6 00
" stellata,	-	-	Starry Campion,	S. S.	75	4 00
" Virginica,	-	-	Fire Pink,	"	1 00	5 00

HERBACEOUS PERENNIAL PLANTS.—Continued.

BOTANICAL NAME.	COMMON NAME.	Local-ity.	PRICE.	
			Per 12	Per 100.
<i>Silphium integrifolium</i> , - -	Rosin Plant,	W. S.	\$1 00	\$5 00
“ <i>lacinatum</i> , - -	Compass Plant,	“	1 00	5 00
<i>Sisyrinchium Bermudiana</i> , -	Blue-eyed Grass,	E. S.	50	3 00
“ <i>grandiflorum</i> , - -	Purple flowered S.,	Or.	1 00	6 00
<i>Smilacina bifolia</i> , - -	Sweet White Smilacina,	E. S.	50	3 00
“ <i>racemosa</i> , - -	False Spikenard,	“	75	4 00
“ <i>sessilifolia</i> , - -		Or.	1 00	6 00
“ <i>stellata</i> , - -		E. S.	50	3 00
<i>Solidago odora</i> , - -	Sweet Golden-rod,	“	75	4 00
<i>Spraguea umbellata</i> , - -		Or.	1 00	6 00
<i>Streptopus roseus</i> , - -	Twisted Stalk,	N. S.	75	4 00
<i>Sulavautia Oregana</i> , - -		Or.	1 50	8 00
<i>Thalictrum anemonoides</i> ,	Rue-Anemone,	E. S.	50	3 00
“ <i>Cornuti</i> , - -	Tall Meadow-Rue,	“	75	4 00
“ <i>occidentale</i> , - -		Or.	1 00	6 00
<i>Tiarella cordifolia</i> , - -	False Mitre-wort,	E. S.	50	3 00
“ <i>trifoliata</i> , - -		Or.	1 00	6 00
“ <i>unifoliata</i> , - -		“	1 00	6 00
<i>Tradescantia Virginica</i> , - -	Common Spider-wort,	S. S.	75	4 00
<i>Trientalis Americana</i> , - -	Star Flower.	E. S.	50	3 00
<i>Trillium cernuum</i> , - -	Nodding Trillium,	“	75	4 00
“ <i>erectum</i> , - -	Purple T.,	“	1 00	5 00
“ “ <i>var. Album</i> ,	White T.,	“	1 50	8 00
“ <i>erythrocarpum</i> , - -	Painted T.,	“	1 50	5 00
“ <i>grandiflorum</i> , - -	Large White T.,	“	1 00	5 00
“ <i>nivale</i> - -	Dwarf White T.,	“	1 50	8 00
“ <i>ovatum</i> , - -	White T.,	Or.	1 50	8 00
“ <i>petiolatum</i> , - -	Long-petioled T.,	“	1 25	7 00
“ <i>recurvatum</i> , - -	Recurved T.,	W. S.	1 00	5 00
“ <i>sessile</i> , - -	Sessile-leaved T.,	“	1 25	7 00
<i>Triteleia laxa</i> , - -	Blue colored Brodiaea.	Cal.	1 00	5 00
<i>Uvularia grandiflora</i> , - -	Large fl. Bell-wort,	E. S.	75	4 00
“ <i>perfoliata</i> , - -	Perfoliate-leaved B.,	“	50	3 00
<i>Vancouveria hexandra</i> , - -	Am. Barren-wort,	Or.	1 25	7 00
<i>Veronica Americana</i> , - -	Am. Brooklime,	E. S.	50	3 00
<i>Vicia Americana</i> , - -	Vetch.	“	50	3 00
“ <i>gigantea</i> , - -	Giant V.,	Or.	1 00	6 00
<i>Viola aurea</i> , - -		“	1 00	6 00
“ <i>Beckwithii</i> , - -	Beckwith's Violet,	“	1 00	6 00
“ <i>blanda</i> , - -	Sweet White V.,	E. S.	50	3 00
“ <i>Canadensis</i> , - -	Canada V.,	N. S.	75	4 00
“ <i>canina</i> , <i>var. sylvestris</i> ,	Dog V.,	“	50	3 00
“ <i>enculata</i> , - -	Common Blue V.,	“	50	3 00
“ <i>glabella</i> , - -	Smoothish V.,	Or.	1 00	5 00
“ <i>lanceolata</i> , - -	Lance-leaved V.,	E. S.	50	3 00
“ <i>Nuttallii</i> , - -	Nuttall's V.,	Or.	75	4 00
“ <i>palmata</i> , - -	Hand-leaf V.,	S. S.	75	4 00
“ <i>pedata</i> , - -	Birds-foot V.,	E. S.	50	3 00
“ “ <i>var. bicolor</i> ,		“	1 25	7 00
“ <i>primulæfolia</i> , - -	Primrose-leaved V.,	“	75	4 00
“ <i>pubescens</i> , - -	Downy Yellow V.,	“	50	3 00
“ <i>rostrata</i> , - -	Long Spurred V.,	“	75	4 00
“ <i>rotundifolia</i> , - -	Round-leaved V.,	“	50	3 00
<i>Zygadenus venenosus</i> , - -		Or.	1 00	6 00

SHRUBS.

BOTANICAL NAME.	COMMON NAME.	Local-ity.	PRICE.	
			Per 12.	Per 100.
Andromeda Mariana, - -	Stagger-bush,	S. S.	\$1 50	\$8 00
“ nitida, - -	Sorrel Tree,	“	1 50	8 00
“ polifolia, - -	Marsh Andromeda,	N. S.	1 00	6 00
Azalea calendulacea, - -	Flame colored A.,	S. S.	1 25	7 00
“ viscosa - -	White Swamp Honey-suckle,	N. S.	1 00	6 00
Bezaria racemosa, - -	White B.,	S. S.	1 50	8 00
Berberis nervosa, - -	Oregon Grape,	Or.	1 00	6 00
Cassandra calyeulata, - -	Leather Leaf,	N. S.	75	5 00
Ceanothus Americæus, - -	New Jersey Tea,	E. S.	1 00	6 00
“ velutinus, - -	White-flowered C.,	Or.	1 50	8 00
Comptonia asplenifolia, - -	Sweet Fern,	E. S.	1 00	5 00
Diervilla trifida, - -	Bush Honeysuckle,	“	1 00	5 00
Direa palustris, - -	Leatherwood,	N. S.	1 00	6 00
Ilex verticillata, - -	Blaek Alder,	“	1 00	6 00
Kalmia angustifolia, - -	Sheep Laurel.	“	75	4 00
“ latifolia, - -	Calico-bush,	“	1 00	6 00
Lindera Benzoinæ, - -	Spice Bush,	“	1 00	6 00
Lonicera grata, - -	American Woodbine,	“	1 00	6 00
Philadelphus Lewisii, - -	Lewis Moek Orange,	Or.	1 25	7 00
Rhododendron Catawbiens, - -	Catawba Rose Bay,	S. S.	1 25	7 00
Rhodora Canadensis, - -	Rhodora,	N. S.	1 50	8 00
Rosa pisocarpa, - -	Pea Fruited R.,	Or.	1 25	7 00
Rubus Odoratus, - -	Purple fl. Raspberry,	N. S.	1 00	6 00
Sambucus pubens, - -	Red-berried Elder,	“	1 00	6 00
Spiræa arifolia, - -	Meadow Sweet.	Or.	1 00	6 00
“ betulifolia, - -	“	“	1 25	7 00
“ discolor, - -	“	“	1 25	7 00
“ tomentosa, - -	Steeple Bush,	E. S.	75	4 00
Vaccinium ovalifolium, - -	“	W. S.	1 00	6 00
“ parvifolium, - -	“	Or.	1 00	6 00

VINES.

Adlumia eirrhosa, - -	Climbing Fumitory,	E. S.	1 00	5 00
Ampelopsis quinquefolia, - -	Virginian Creeper,	“	1 00	5 00
Ceanothus prostratus, - -	Blue-flowered C.,	Or.	1 00	6 00
Clematis ligusticifolia, - -	White-flowered C.,	Utah,	2 00	10 00
“ verticillaris, - -	Purple Mountain C.,	E. S.	1 50	8 00
“ viorna, - -	Leather Flower,	S. S.	1 25	7 00
“ Virginiana, - -	Virgin's Bower.	N. S.	1 00	5 00
Gelsemium sempervirens, - -	Yellow Jessamine,	Fla.	1 50	8 00
Lonicera ciliosa, - -	“	Or.	1 25	7 00
“ hispida - -	“	“	1 25	7 00
Menispermum Canadense, - -	Canadian Moonseed,	N. S.	1 00	5 00
Rubus ursinus, - -	Oregon Blackberry,	Or.	1 25	7 00
Whipplea modesta, - -	Modest Whipplea.	“	1 50	8 00

BOC PLANTS.

Acorus Calamus, - -	Sweet Flag,	E. S.	50	3 00
Calla palustris, - -	Water Arum,	N. S.	75	5 00
Caltha biflora, - -	“	Or.	1 00	6 00
“ palustris, - -	Marsh Marigold,	N. S.	50	3 00
Darlingtonia Californica, - -	Cal. Pitcher Plant,	Cal.	3 00	17 00
Drosera filiformis, - -	Thread-leaved Sundew,	E. S.	75	4 00
“ longifolia, - -	Oblong-leaved Sundew,	“	50	3 00
“ rotundifolia, - -	Round-leaved Sundew,	“	50	3 00
Elodes Virginica, - -	Marsh St. John's-wort,	“	50	3 00

BOG PLANTS.—Continued.

BOTANICAL NAME.	COMMON NAME.	Local-ity.	PRICE.	
			Per 12.	Per 100.
<i>Menyanthes trifoliata</i> , - - -	Buckbean,	N. S.	\$0 75	\$4 00
<i>Sagittaria variabilis</i> , - - -	Arrow-head,	"	1 00	5 00
<i>Sarracenia flava</i> , - - -	Trumpet-leaf,	S. S.	2 00	10 00
" <i>purpurea</i> , - - -	Huntsman's Cap,	N. S.	1 00	5 00
" <i>rubra</i> , - - -	Red fl. T.,	S. S.	2 00	10 00
" <i>variolaris</i> , - - -	Spotted T.,	"	2 00	10 00
<i>Saururus cernus</i> , - - -	Lizards-tail,	E. S.	50	3 00
<i>Vaccinium macrocarpon</i> , - - -	Am. Cranberry,	"	50	3 00

AQUATIC PLANTS.

<i>Brasenia peltata</i> , - - -	Water-Shield,	E. S.	75	5 00
<i>Limnanthemum lacunosum</i> , - - -	Floating Heart,	"	75	5 00
<i>Nelumbium luteum</i> , - - -	Sacred Bean,	W. S.	2 00	12 00
<i>Nuphar advena</i> , - - -	Common Yellow Lily,	N. S.	1 00	6 00
" <i>pumilum</i> , - - -	Small Yellow Lily,	"	1 25	7 00
<i>Nymphaea odorata</i> , - - -	White Water Lily,	"	1 00	6 00
" " <i>var. minor</i> ,	Small W. L.,	"	1 25	7 00
" <i>tuberosa</i> , - - -	Tuber-bearing L.,	"	2 00	10 00
<i>Orontium aquaticum</i> , - - -	Golden Club,	"	1 00	5 00
<i>Peltandra Virginica</i> , - - -	Arrow Arum,	"	1 50	8 00
<i>Pontederia cordata</i> , - - -	Pickereel Weed,	"	1 00	6 00

ORCHIDS.

In this list will be found nearly all the rare and desirable Orchids of the United States; and I trust that all who have cultivated them are convinced that, for beauty and peculiar structure, no other order of Plants can surpass them. While a few are more desirable for botanical study, others, like the *Cypripediums*, when planted in masses, give gorgeous colors and markings, which must be seen to be appreciated. Those marked with a * seem to be better adapted for cultivation in this locality.

* <i>Aplectrum hyemale</i> , - - -	Adam and Eve,	E. S.	1 00	6 00
* <i>Arethusa bulbosa</i> , - - -	Arethusa,	"	2 00	10 00
<i>Bletia vescunda</i> , - - -	Greenish B.,	Fla.	4 00	20 00
* <i>Calopogon pulchellus</i> , - - -	Grass-Pink,	E. S.	75	4 00
* <i>Calypso borealis</i> , - - -	Northern Calypso.	W. S.	1 00	6 00
<i>Corallorhiza mertinsiana</i> , - - -	Coral-root,	Or.	1 00	6 00
* " <i>multiflora</i> , - - -	Purplish C.,	E. S.	75	5 00
* <i>Cypripedium acaule</i> , - - -	Stemless Lady's Slip- per,	"	1 00	5 00
* " <i>arietinum</i> , - - -	Ram's Head L. S.,	"	3 50	18 00
" <i>Californicum</i> , - - -		Cal.	5 00	25 00
* " <i>candidum</i> , - - -	Small White L. S.,	W. S.	2 00	10 00
* " <i>montanum</i> , - - -		Or.	2 00	10 00
" <i>occidentale</i> , - - -		Cal.	4 00	20 00
* " <i>parviflorum</i> , - - -	Smaller Yellow L. S.,	E. S.	1 50	8 00
* " <i>pubescens</i> , - - -	Larger Yellow L. S.,	"	1 00	6 00
* " <i>spectabile</i> , - - -	Showy L. S.,	N. S.	2 00	10 00
<i>Epidendrum conopseum</i> , - - -	Tree Orchis,	Fla.	1 25	7 00
" <i>venosum</i> , - - -	Tree Orchis,	"	2 00	10 00
<i>Goodyera Menziesii</i> , - - -		Or.	2 00	10 00
* " <i>pubescens</i> , - - -	Rattlesnake Plantain,	E. S.	75	4 00
" <i>quercicola</i> , - - -	White G.,	S. S.	2 00	10 00
* " <i>repens</i> , - - -	Creeping Goodyera,	N. S.	1 00	5 00
* <i>Habenaria blepharaglottis</i> , - - -	Wh. Fringed Orchis,	"	1 50	8 00
* " <i>ciliaris</i> , - - -	Yellow Fringed Orchis,	E. S.	1 00	6 00
" <i>cristata</i> , - - -	Small Yellow F. O.,	S. S.	2 00	10 00

ORCHIDS.—Continued.

BOTANICAL NAME.	COMMON NAME.	Local-ity.	PRICE.	
			Per 12.	Per 100.
*Habenaria dilatata, - -	White-flowered O.,	N. S.	\$1 50	\$8 00
* " fimbriata, - - -	Great Fringed O.,	E. S.	1 00	6 00
* " Hookeri, - - -	Two-leaved O.,	"	1 00	6 00
* " hyperborea, - - -	Greenish-flowered O.,	"	1 25	7 00
* " lacera, - - -	Ragged Fringed O.,	"	1 00	6 00
* " leucophæa, - - -	White Prairie O.,	W. S.	1 00	6 00
" leucostachys, - - -		Or.	1 25	7 00
* " obtusata, - - -	Greenish White O.,	N. S.	3 00	16 00
* " orbiculata, - - -	Large-leaved O.,	"	1 25	7 00
* " psychodes, - - -	Purple Fringed O.,	E. S.	1 00	6 00
* " rotundifolia, - - -	Rose Purple O.,	"	1 50	8 00
* " tridentata, - - -	Greenish White O.,	"	75	5 00
" unalaskensis, - - -		Or.	1 50	8 00
* " virescens, - - -	Greenish O.,	E. S.	75	5 00
* " viridis, - - -	Greenish O.,	"	1 00	6 00
*Liparis liliifolia, - - -	Purple Twayblade,	N. S.	1 00	6 00
* " Loeselii, - - -	Green Twayblade,	"	1 00	6 00
Listera comallarioides, - - -	Twayblade,	"	1 50	8 00
" cordata, - - -		"	1 00	6 00
*Orchis spectabilis, - - -	Showy O.,	"	1 00	6 00
Pogonia divaricata, - - -	Pogonia,	Fla.	1 50	8 00
* " ophioglossoides, - - -	Pale-rose colored P.,	N. S.	1 00	5 00
" pendula, - - -	Three-Birds,	W. S.	1 00	6 00
* " verticillata, - - -	Dusky Purplish P.,	E. S.	1 00	6 00
Ponthieva glandulosa, - - -	Greenish-flowered P.,	S. S.	1 50	8 00
*Spiranthes cernua, - - -	Lady's Tresses,	E. S.	75	5 00
* " gracilis, - - -	White S.,	"	75	5 00
* " latifolia, - - -	White S.,	"	1 25	7 00
Tipularia discolor, - - -	Crane-fly Orchis,	"	5 00	20 00

FERNS.

Most of the Ferns of this list are very easy of culture, requiring but little care after once established. About 60 species and varieties are perfectly hardy in this locality; over 30 species are dug in Hampden County. The graceful green foliage of the different species is a constant beauty through the Summer months. They are graceful on the lawn, and help to show off the bright markings of Flowers, and when brought into our dwellings, give a cool, refreshing beauty to the surroundings there. Those marked with a † are smaller and well adapted for a small Rockery. Those marked with a * are evergreens. Those marked with an H. after Botanical Name are hardy in this locality.

Acrostichum aureum, - - -	Golden Acrostichum,	Fla.	10 00	
Adiantum Capillus-Veneris, - - -	Venus-Hair,	S. S.	1 25	6 00
" emarginatum, - - -	Cal. Maiden Hair,	Cal.	1 50	8 00
" pedatum, - - - H.,	Maiden Hair Fern,	E. S.	1 00	5 00
*Aspidium acrostichoides, - - - H.,	Christmas F.,	"	75	4 00
" aculatum, var. Braunii, - - - H.,	Prickly Shield F.,	N. S.	2 50	14 00
" argutum, - - - H.,	Rigid Wood F.,	Cal.	2 00	10 00
* " cristatum, - - - H.,	Crested Wood F.,	N. S.	1 00	5 00
" " var. Clintonianum, - - - H.,	Larger C. W. F.,	"	1 50	9 00
" cristatum var. Florida-num, - - -		Fla.	1 25	7 00
* " Felix-mas, - - - H.,	Male Fern,	N. S.	3 50	18 00
† " fragrans, - - - H.,	Fragrant Wood Fern,	"	3 00	16 00
" Goldianum, - - - H.,	Goldie's Wood F.,	"	1 50	9 00

FERNS.—Continued.

BOTANICAL NAME.			COMMON NAME.	Local-ity.	PRICE.	
					Per 12.	Per 100.
†*Aspidium	Lonchitis,	-	Il., Holly Fern,	N. S.	\$2 00	\$10 00
*	"	marginale,	-	Il., Evergreen Wood F.,	"	75 4 00
"	"	Nevadense,	-	-	Cal.	3 00 16 00
*	"	montanum,	-	Il., Chamisso's Shield F.,	Or.	1 25 6 00
"	"	Novboracense,	H., N. Y. Shield F.,	E. S.	75 4 00	
"	"	patens,	-	-	S. S.	1 25 7 00
*	"	spinulosum,	-	Il., Spinulose Wood F.,	E. S.	1 25 7 00
*	"	"	var. dilata-			
		tum,	-	Il.,	"	1 50 8 00
*	"	spinulosum,	var. inter-			
		medium,	-	Il.,	"	1 00 5 00
"	"	Thelypteris,	-	Il., Marsh Shield F.,	"	75 4 00
Asplenium	angustifolium,	-	Il., Narrow-leaved Spleen-			
			wort,	W. S.	1 25 7 00	
†*	"	ebeneum,	-	Il., Ebony Spleenwort,	E. S.	75 4 00
†*	"	ebenoides,	-	-	S. S.	3 00 15 00
"	"	Felix-femina,	-	Il., Lady Fern,	N. S.	1 00 5 00
"	"	firmum,	-	-	Fla.	2 00 12 00
"	"	myriophyllum,	-	-	"	2 00 12 00
†*	"	parvulum,	-	Il., Little Ebony S.,	S. S.	1 00 5 00
†*	"	pinnatifidum,	-	-	"	3 00 12 00
†*	"	Ruta-Muraria,	Il., Wall-Rue,	"	1 00 5 00	
"	"	thelypteroides,	-	Il., Silvery Spleenwort,	N. S.	75 4 00
†*	"	Trichomanes,	H., Maiden-hair S.,	"	50 3 00	
†*	"	viride,	-	Il., Green S.,	"	3 00 15 00
Blechnum	surrulatum,	-	-	Florida Blechnum,	Fla.	2 00 12 00
†Botrychium	lanceolatum,	-	Il., Lanceolate Grape Fern,	N. S.	75 4 00	
†	"	matricariæfolium,	H., Matricary G. F.,	"	1 20 8 00	
†	"	simplex,	-	Il., Hitchcock's Moonwort,	"	1 50 10 00
†	"	ternatum,	-	H., Ternate Grape Fern,	"	75 4 00
†	"	"	var. dissec-			
		tum,	-	H., Cut-leaved M.,	"	1 25 7 00
†	"	ternatum,	var. obli-			
		quum,	-	Il.,	"	1 25 7 00
"	"	Virginicum,	-	H., Virginian Grape Fern,	"	1 00 5 00
†*Camptosorus	rhizophyllus,	-	H., Walking-leaf,	E. S.	1 00 5 00	
†Cheilanthes	Californica,	-	-	Cal. Lip Fern,	Cal.	2 00 10 00
†	"	Clevelandii,	-	-	"	2 00 10 00
†	"	Cooperæ,	-	-	"	2 25 12 00
†	"	Fendleri,	-	-	"	1 50 8 00
†	"	gracillima,	-	-	Or.	2 00 10 00
†	"	microphylla,	-	-	S. S.	1 75 9 00
†	"	viscida,	-	-	Cal.	2 00 12 00
†*Cryptogramme	acrostichoides,	H., American Rock Brake,	Or.	1 25 7 00		
†Cystopteris	bulbifera,	-	Il., Bulblet Cystopteris,	E. S.	75 4 00	
†	"	fragilis,	-	Il., Brittle Fern,	"	75 4 00
Dicksonia	pilosiuscula,	-	Il., Hay-scented Fern,	"	75 4 00	
†Gymnogramme	hispida,	-	-	Hispid G.,	N. M.	3 00 16 00
†	"	triangularis,	-	-	Cal.	2 00 10 00
*Lomaria	spieant,	-	Il., Deer Fern,	Or.	1 00 6 00	
*Lygodium	palmatum,	-	H., Climbing Fern,	N. S.	1 25 7 00	
†Notholaena	Newberryi,	-	-	Newberry's Notholaena,	Cal.	1 50 8 00
†	"	Parryi,	-	-	"	1 75 10 00
Onoclea	sensibilis,	-	Il., Sensitive Fern,	E. S.	75 4 00	
†Ophioglossum	vulgatum,	-	Il., Adder's Tongue,	"	50 3 00	
Osmunda	cinnamomea,	-	Il., Cinnamon Fern,	"	1 25 6 00	
"	Claytoniana,	-	Il., Flowering Fern,	"	1 25 6 00	
"	regalis,	-	Il., Royal Fern,	"	1 00 5 00	
†Pellaea	atropurpurea,	-	Il., Clayton's Cliff Brake,	"	1 00 5 00	

FERNS.—Continued.

BOTANICAL NAME.	COMMON NAME.	Local- ity.	PRICE.	
			Per 12.	Per 100.
†Pellæa densa, - - -	Oregon Cliff Brake,	Or.	\$2 50	\$12 00
† " flexuosa, - - -	Zigzag Cliff Brake,	N. M.	4 00	20 00
† " gracilis, - - -	Slender Cliff Brake,	N. S.	1 75	10 00
†Phegopteris Dryopteris, H.,	Oak Fern,	"	75	4 00
† " hexagonoptera, H.,	Hexagon Beech F.,	"	75	4 00
† " polypodioides, - H.,	Common Beech F.,	"	1 00	5 00
Pteris aquilina, - - -	Bracken,	"	75	4 00
" critica, - - -	Cretan Brake,	Fla.	1 50	8 00
†Schizæa pusilla, - - -	New Jersey Schizæa,	N. J.	2 00	10 00
†*Scolopendrium vulgare, - H.,	Hart's Tongue,	E. S.	3 00	15 00
Selaginella rupestris, - H.,	Dwarf Club Moss,	"	1 00	5 00
Struthiopteris Germanica, - H.,	Ostrich Fern,	N. S.	1 50	8 00
Trichomanes Petersii, - -	Peter's Bristle Fern,	Ala.	3 00	16 00
" radicans, - - -	Ala. Bristle Fern,	"	3 00	16 00
Vittaria lineata, - - -	Ribbon Fern,	Fla.	1 50	8 00
†Woodsia glabella, - - -	Smooth Woodsia,	N. S.	2 50	14 00
† " hyperborea, - - -	Northern Woodsia,	"	3 00	15 00
† " ilvensis, - - -	Rusty Woodsia,	"	50	3 00
† " obtusa, - - -	Obtuse-leaved W.,	"	75	4 00
† " Oregana, - - -	Oregon Woodsia,	Or.	1 50	8 00
† " scopulina, - - -	Rocky Mountain W.,	"	1 50	8 00
Woodwardia angustifolia, - H.,	Netted Chain Fern,	E. S.	1 00	5 00
" radicans, - - -	Great Chain Fern,	Cal.	2 00	10 00
" Virginica, - - -	Virginia Chain Fern,	E. S.	1 00	5 00