Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

62,59
EDWARD GILLETTS RECEIVED

U. S. Department of Agriculture

Fourth Annual Catalogue

OF

NORTH AMERICAN

PERENNIAL PLANTS,

ORCHIDS, SHRUBS, CLIMBERS,

Alpine, Aquatic, and Bog Plants,

RARE FERNS, &c.,

FOR 1881.

SOUTHWICK, MASS.

UNITED STATES OF AMERICA.

Clark & Story, Printers, Westfield, Mass.

Introduction.

N presenting my Catalogue of NORTH AMERICAN PERENNIAL PLANTS for 1881, I wish to thank those who have favored me with their orders, and for the interest they have shown in extending the circulation of my Catalogue. A large number of desirable species have been added this year. Some of them are rare, requiring of the collectors a journey of 200 miles or more into the mountains to obtain them; and as all of these cannot be collected at the same season of the year, it is difficult to get them collected either in small or large quantities late in the season; therefore, orders should be sent in as early as possible. My facilities are greatly increased for obtaining rarities from little unexplored regions of the great mountain chains west of the Mississippi.

Parties wishing for any North American Plants not found in this List should make their wishes known, and their interests shall be properly looked after.

The common names are omitted this year, as but few of the new ones have a common or local name.

TERMS.

All bills will be due on receipt of the plants, unless by special agreement. Small orders should be accompanied by cash.

Money may be sent in Registered Letters to Southwick, Hampden Co., Mass., or by Post-Office Orders upon the Postmaster at Westfield, Hampden Co., Mass. Larger amounts can be sent by Draft on New York or Boston, payable to my order.

Foreign Remittances may be sent by International Post-Office Orders, payable at Westfield, Mass., U. S. A., or by Drafts on New York or Boston.

The prices quoted are for 12 and 100 roots. Parties wishing for more or less quantities will be furnished prices on application. *The Trade* furnished in quantity at lower rates.

All plants sent out are securely packed and properly labeled. No charge for packing.

HERBARIUM SPECIMENS OF FERNS.

I will send to any address in the United States, postpaid, Herbarium specimens of those marked by a star, 1 *Polypodium* from Florida, and 1 other from California, not in my List, 40 odd species in all, on receipt of \$4.50.

This List cancels all former quotations.

All communications should be addressed,

EDWARD GILLETT,

SOUTHWICK,

HAMPDEN COUNTY, MASS.

HERBACEOUS PERENNIAL PLANTS.

NAME.	LOCALITY.	PRICE.	
		Per 12.	Per 100.
<i>Abrona millifra</i> , - - - <i>Dongl.</i> , Oregon,		\$1 00	\$6 00
<i>Achlys triphylla</i> , - - - <i>D. C.</i> , "		75	4 00
<i>Actæa alba</i> , - - - <i>Bigel.</i> , Eastern States,		75	4 00
" <i>spicata</i> , var. <i>arguta</i> , - - - <i>Torr.</i> , Oregon,		1 00	6 00
" " <i>rubra</i> , - - - <i>L.</i> , Eastern States,		75	4 00
<i>Adenostylus nardosmia</i> , - - - <i>Gray</i> , Oregon,		1 50	8 00
<i>Aletris farinosa</i> , - - - <i>L.</i> , Eastern States,		50	3 00
<i>Allium acuminatum</i> , - - - <i>Hook.</i> , California,		1 25	7 50
" <i>anceps</i> , - - - <i>Kellogg</i> , "		2 00	10 00
" <i>Bidwelliæ</i> , - - - <i>Watson</i> , "		2 00	10 00
" <i>reticulatum</i> , - - - <i>Nutt.</i> , Kansas,		1 00	5 00
" <i>tricoccum</i> , - - - <i>Ait.</i> , Eastern States,		50	3 00
" <i>unifolium</i> , - - - <i>Kell.</i> , California,		1 25	7 50
<i>Anemone deltoidea</i> , - - - <i>Hook.</i> , Oregon,		1 00	6 00
" <i>nemorosa</i> , (white) - - - <i>L.</i> , Eastern States,		50	3 00
" " (blue) - - - Oregon,		1 00	6 00
" <i>patens</i> L. var. <i>Nuttalliana</i> , Western States,		1 00	6 00
" <i>Pennsylvanica</i> , - - - <i>L.</i> , Northern States,		75	4 00
<i>Antennaria alpina</i> , - - - <i>Gærtn.</i> , California,		1 25	7 00
" <i>dimorpha</i> , - - - <i>T. & G.</i> , Oregon,		1 00	6 00
" <i>Geyerii</i> , - - - California,		1 00	6 00
" <i>margaritacea</i> , - - - <i>R. Br.</i> , Northern States,		75	4 00
" <i>racemosa</i> , - - - California,		1 00	6 00
<i>Apios tuberosa</i> , - - - <i>Mœnch</i> , Eastern States,		50	3 00
<i>Apocynum androsæmifolium</i> , - - - <i>L.</i> , " "		50	3 00
<i>Aquilegia caerulea</i> , - - - <i>James</i> , Utah,		2 50	14 00
" <i>Canadensis</i> , - - - <i>L.</i> , Northern States,		75	4 00
" <i>flavescens</i> , - - - <i>Watson</i> , Utah,		2 50	12 00
" <i>formosa</i> , - - - <i>Fisch.</i> , Oregon.		1 25	7 00
" <i>truncata</i> , - - - <i>F. & Meg.</i> , California,		2 00	10 00
<i>Aralia Californica</i> , - - - <i>Watson</i> , "		2 00	10 00
" <i>hispida</i> , - - - <i>Michx.</i> , Northern States,		75	4 00
" <i>nudicaulis</i> , - - - <i>L.</i> , " "		50	3 00
" <i>quinquefolia</i> , (<i>Ginseng</i>) - - - " "		1 00	6 00
" <i>trifolia</i> , - - - " "		50	3 00
<i>Arenaria Franklinii</i> , - - - <i>Doug.</i> , Oregon,		1 00	6 00
" <i>macrophylla</i> , - - - <i>Hook.</i> , "		1 00	6 00
<i>Arisæma Dracontium</i> , - - - <i>Schott</i> , Northern States,		75	4 00
" <i>triphyllum</i> , - - - <i>Torr.</i> , " "		50	3 00
<i>Arnica amplexicaulis</i> , - - - <i>Nutt.</i> , Oregon,		1 00	6 00
" <i>cordifolia</i> , - - - <i>Hook.</i> , "		1 00	6 00
" <i>foliosa</i> , - - - <i>Nutt.</i> , "		1 00	6 00
" <i>latifolia</i> , - - - <i>Bang.</i> , "		1 00	6 00
<i>Artemisia tridentata</i> , - - - <i>Nutt.</i> , "		1 00	5 00
<i>Asarum Canadense</i> , - - - <i>L.</i> , Northern States,		50	3 00
" <i>caudatum</i> , - - - <i>Lindl.</i> , Oregon,		75	5 00
" <i>Hartwegii</i> , - - - California,		1 25	7 00
" <i>Lemmoni</i> , - - - "		1 25	7 00
" <i>Virginicum</i> , - - - <i>L.</i> , Southern States,		75	4 00
<i>Asclepias amplexicaulis</i> , - - - <i>Michx.</i> , " "		1 00	6 00
" <i>eriocarpa</i> , - - - <i>Benth.</i> , California,		2 50	10 00
" <i>fascicularis</i> , - - - <i>Decne.</i> , "		1 25	7 00
" <i>incarnata</i> , - - - <i>L.</i> , Northern States,		75	4 00
" <i>Mexicana</i> , - - - California,		2 00	10 00
" <i>speciosa</i> , - - - <i>Torr.</i> , "		1 25	7 00
" <i>tuberosa</i> , - - - <i>L.</i> , Eastern States,		1 00	6 00
<i>Ascyrum Caux-Andræ</i> , - - - <i>L.</i> , " "		75	4 00

HERBACEOUS PERENNIAL PLANTS.—Continued.

NAME.	LOCALITY.	PRICE.	
		Per 12.	Per 100.
<i>Aseylum stans</i> , - - - - <i>Michx.</i>	Eastern States,	\$0 75	\$4 00
<i>Aster Andersonii</i> , - - - - <i>Gray</i> ,	California,	2 00	10 00
“ <i>canescans</i> , - - - - <i>Nutt.</i> ,	Oregon,	1 00	6 00
“ <i>Carolinianus</i> , - - - - <i>Watt.</i> ,	Southern States,	1 25	7 00
“ <i>Chamissonis</i> , - - - - <i>Gray</i> ,	California,	1 50	8 00
“ <i>concolor</i> , - - - - <i>L.</i> ,	Eastern States,	75	4 00
“ <i>Douglasii</i> , - - - - <i>Lindl.</i> ,	California,	1 50	8 00
“ <i>Falcatus</i> , - - - - <i>Lindl.</i> ,	“	1 50	8 00
“ <i>integrifolius</i> , - - - - <i>Nutt.</i> ,	“	1 50	8 00
“ <i>Menziesii</i> , - - - - <i>L.</i> ,	“	2 00	10 00
“ <i>nemoralis</i> , - - - - <i>Ait.</i> ,	Eastern States,	75	4 00
“ <i>radulinus</i> , - - - -	California,	1 50	8 00
“ <i>Tradescanti</i> , - - - - <i>L.</i> ,	Northern States,	75	4 00
<i>Bahia lanata</i> , - - - - <i>Nutt.</i> ,	Oregon,	1 00	6 00
<i>Balsamorhiza Hookeri</i> , - - - - <i>Nutt.</i> ,	“	1 00	6 00
<i>Baptisia alba</i> , - - - - <i>R. Br.</i> ,	Southern States,	2 00	12 00
“ <i>lanceolata</i> , - - - - <i>Ell.</i> ,	“	2 00	12 00
“ <i>leucantha</i> , - - - - <i>T. & G.</i> ,	Western “	1 00	5 00
“ <i>leucophæa</i> , - - - - <i>Nutt.</i> ,	“	1 00	5 00
“ <i>tinctoria</i> , - - - - <i>R. Br.</i> ,	Eastern States,	1 00	5 00
<i>Berlandiera tomentosa</i> , - - - - <i>T. & G.</i> ,	Southern “	1 00	6 00
<i>Bloomeria aurea</i> , - - - - <i>Kell.</i> ,	California,	2 00	10 00
<i>Bolandra Oregana</i> , - - - - <i>Watson</i> ,	Oregon,	2 00	10 00
<i>Brodiaea congesta</i> , - - - - <i>Smith</i> ,	California,	1 00	5 00
“ <i>gracilis</i> , - - - - <i>Watson</i> ,	“	2 00	10 00
“ <i>grandiflora</i> , - - - - <i>Smith</i> ,	“	1 00	6 00
“ <i>Howellii</i> , - - - - <i>Watson</i> ,	Oregon,	1 00	5 00
“ <i>ixioides</i> , - - - - “	California,	1 50	8 00
“ <i>lactea</i> , - - - - “	Oregon,	1 00	6 00
“ <i>Minor</i> , - - - - “	California,	1 50	8 00
“ <i>multiflora</i> , - - - - <i>Benth.</i> ,	Oregon,	1 25	7 00
“ <i>terrestris</i> , - - - - <i>Kell.</i> ,	California,	1 25	7 00
<i>Calamagrostis brevipilis</i> , - - - - <i>Gray</i> ,	New Jersey,	75	4 00
<i>Calliprora lutea</i> , - - - - <i>Lindl.</i> ,	California,	1 00	5 00
<i>Calochortus albus</i> , - - - - <i>Dougl.</i> ,	“	2 00	10 00
“ <i>Benthami</i> , - - - - <i>Baker</i> ,	“	2 00	10 00
“ <i>elegans</i> , - - - - <i>Pursh.</i> ,	“	1 25	7 00
“ “ <i>var. nannus</i> , - - - - <i>Wood</i> ,	Oregon,	1 00	6 00
“ <i>flexuosus</i> , - - - - <i>Watson</i> ,	Utah,	1 50	8 00
“ <i>Greenei</i> , - - - - “	Oregon,	1 00	6 00
“ <i>lutens</i> , - - - - <i>Dougl.</i> ,	California,	1 00	5 00
“ <i>macrocarpus</i> , - - - - “	“	1 50	8 00
“ <i>Maweanus</i> , - - - - <i>Leichtl.</i> ,	“	2 00	10 00
“ <i>nudus</i> , - - - - <i>Watson</i> ,	“	1 50	8 00
“ <i>Nuttallii</i> , - - - - <i>T. & G.</i> ,	“	2 00	10 00
“ <i>splendens</i> , - - - - <i>Dougl.</i> ,	“	2 00	10 00
“ <i>venustus</i> , - - - - <i>Benth.</i> ,	“	1 25	6 00
<i>Camassia Fraseri</i> , - - - - <i>Torr.</i> ,	Western States,	75	4 00
<i>Campanula rotundifolia</i> , - - - - <i>L.</i> ,	Northern States,	75	4 00
“ <i>Scoulerii</i> , - - - - <i>Hook.</i> ,	Oregon,	1 00	6 00
<i>Cardamine angulata</i> , - - - - “	“	1 25	7 00
<i>Carum Gairdnerii</i> , - - - - <i>Benth. & Hook.</i> ,	“	1 00	6 00
<i>Cassia marilandica</i> , - - - - <i>L.</i> ,	Western States,	60	3 00
<i>Caulophyllum thalictroides</i> , - - - - <i>Michx.</i> ,	“	75	4 00
<i>Centrosema Virginiana</i> , - - - - <i>Benth.</i> ,	Southern “	1 00	6 00
<i>Chenactis Douglasii</i> , - - - - <i>Hook. & Arn.</i> ,	Oregon,	1 00	6 00
<i>Chaptalia tomentosa</i> , - - - - <i>Vent.</i> ,	Southern States,	1 25	7 00

HERBACEOUS PERENNIAL PLANTS.

NAME.		LOCALITY.	PRICE.	
			Per 12.	Per 100.
Cheiranthus Menziesii,	<i>Benth. & Hook.</i> ,	Oregon,	\$1 25	\$7 00
Clelone glabra,	- - - <i>L.</i> ,	Eastern States,	50	3 00
" nemonsa,	- - - <i>Dougl.</i> ,	Oregon,	1 00	5 00
Chimaphila maculata,	- - - <i>Pursh.</i> ,	Eastern States,	75	4 00
" umbellata,	- - - <i>Nutt.</i> ,	" "	75	4 00
Chiogenes hispidula,	- - - <i>T. & G.</i> ,	" "	1 00	6 00
Circæa Pacifica,	- <i>Asch. & Mag.</i> ,	Oregon,	1 25	7 00
Claytonia Caroliniana,	- - <i>Michx.</i> ,	Southern States,	60	3 00
" " var. sessilifolia,	<i>Torr.</i> ,	Oregon,	1 00	5 00
" parvifolia,	- - - <i>Moq.</i> ,	" "	1 00	5 00
" Virginica,	- - - <i>L.</i> ,	Eastern States,	60	3 00
Clematis Douglasii,	- - - <i>Hook.</i> ,	Utah,	2 50	12 00
Clintonia Andrewsiana,	- - - <i>Torr.</i> ,	California,	4 50	
" borealis,	- - - <i>Raf.</i> ,	Northern States,	50	3 00
" uniflora,	- - - <i>Kunth.</i> ,	Oregon,	1 00	6 00
Clitoria Mariana,	- - - <i>L.</i> ,	Southern States,	1 25	6 00
Collinsonia Canadensis,	- - - <i>L.</i> ,	Eastern States,	75	4 00
Convallaria majalis,	- - - <i>L.</i> ,	Southern "	75	4 00
Convolvulus occidentalis,	- - - <i>Gray.</i> ,	Oregon,	1 50	8 00
Coptis trifolia,	- - - <i>Salisb.</i> ,	Northern States,	50	3 00
Coreopsis tripteris,	- - - <i>L.</i> ,	Western "	75	4 00
Cornus Canadensis,	- - - <i>L.</i> ,	Eastern "	50	3 00
Corydalis scoulerii,	- - - <i>Hook.</i> ,	Oregon,	1 25	6 00
Cynoglossum grande,	- - - <i>Dougl.</i> ,	" "	1 00	6 00
Cynthia Virginica,	- - - <i>Don.</i> ,	Southern States,	60	3 00
Dalibardia repens,	- - - <i>L.</i> ,	Northern "	75	4 00
Delphinium decorum,	- <i>Fisch. & May.</i> ,	California,	1 25	7 00
" cardinale,	- - - <i>Hook.</i> ,		2 50	12 00
" Menziesii,	- - - <i>D. C.</i> ,	Oregon,	1 00	6 00
" simplex,	- - - <i>Dougl.</i> ,	" "	1 00	6 00
" trollifolium,	- - - <i>Gray.</i> ,	" "	1 00	6 00
Dentaria Californica,	- - -	California,	1 00	6 00
" diphylla,	- - - <i>L.</i> ,	Northern States,	50	3 00
" laciniata,	- - - <i>Muhl.</i> ,	Eastern "	1 00	5 00
" tenella,	- - - <i>Pursh.</i> ,	Oregon,	1 00	5 00
Dicentra Canadensis,	- - - <i>D. C.</i> ,	Northern States,	60	3 00
" chrysantha,	- - - <i>H. & A.</i> ,	California,	2 00	10 00
" cucullaria,	- - - <i>D. C.</i> ,	Northern States,	60	3 00
" formosa,	- - - <i>D. C.</i> ,	Washington Ter.	1 50	7 00
Dioscorea villosa,	- - - <i>L.</i> ,	Southern States,	75	4 00
Dodocatheon Meadia,	- - - <i>L.</i> ,	Western "	75	4 00
Echinacea purpurea,	- - - <i>Mench.</i> ,	" "	50	3 00
Epigæa repens,	- - - <i>L.</i> ,	Eastern States,	1 00	5 00
Erigenia bulbosa,	- - - <i>Nutt.</i> ,	Western "	75	4 00
Erigeron bellidifolium,	- - - <i>Muhl.</i> ,	Eastern "	50	3 00
" ochroleucum,	- - - <i>Nutt.</i> ,	Oregon,	75	5 00
Eriogonum compositum,	- - - <i>Dougl.</i> ,	" "	1 00	6 00
" haracleoides,	- - - <i>Nutt.</i> ,	" "	1 00	6 00
" incanum,	- - - <i>T. & G.</i> ,	" "	1 00	6 00
" niveum,	- - - <i>Dougl.</i> ,	" "	1 00	6 00
" nudum,	- - - <i>Dougl.</i> ,	" "	1 00	6 00
" sphærocephalum,	- - - <i>Dougl.</i> ,	" "	1 00	6 00
Eritrichium glomeratum,	- - - <i>D. C.</i> ,	" "	1 00	6 00
Eryngium yuccæfolium,	- - - <i>Michx.</i> ,	Western States,	60	3 00
Erythronium albidum,	- - - <i>Nutt.</i> ,	" "	75	4 00
" Americanum,	- - - <i>Smith.</i> ,	Eastern States,	50	3 00
" gigantea, (White),		Oregon,	1 50	8 00

HERBACEOUS PERENNIAL PLANTS.—Continued.

NAME.			LOCALITY.	PRICE.	
				Per 12.	Per 100.
<i>Erythronium grandiflorum</i> ,	-	<i>Pursh.</i> ,	Oregon,	\$1 00	\$5 00
“ <i>purpureum</i> ,	-	<i>Watson</i> ,	California,	2 50	12 00
<i>Eupatorium ageratoides</i> ,	-	<i>L.</i> ,	Eastern States,	75	4 00
“ <i>album</i> ,	-	<i>L.</i> ,	“ “	75	4 00
<i>Euphorbia corollata</i> ,	-	<i>L.</i> ,	“ “	75	4 00
“ <i>Painmeri</i> ,	-	<i>Engelm.</i> ,	California,	2 00	10 00
<i>Ferula dissolata</i> ,	-	<i>Watson</i> ,	Oregon,	2 50	15 00
“ <i>multifida</i> ,	-	<i>Gray</i> ,	“	2 50	15 00
<i>Fritillaria atropurpurea</i> ,	-	<i>Nutt.</i> ,	Utah,	2 00	10 00
“ <i>lanceolata</i> ,	-	<i>Pursh.</i> ,	California,	2 00	10 00
“ <i>parviflora</i> ,	-	<i>Torr.</i> ,	“	2 25	12 00
“ <i>pudica</i> ,	-	<i>Spreng.</i> ,	“	2 00	10 00
“ <i>recurva</i> ,	-	<i>Benth.</i> ,	“	4 00	20 00
<i>Gaillardia aristata</i> ,	-	<i>Pursh.</i> ,	Oregon	1 00	6 00
<i>Galactia Elliottii</i> ,	-	<i>Nutt.</i> ,	Southern States,	1 00	6 00
“ <i>glabella</i> ,	-	<i>Michx.</i> ,	“ “	1 00	6 00
<i>Gentiana alba</i> ,	-	<i>Muhl.</i> ,	Western States,	1 00	6 00
“ <i>Andrewsii</i> ,	-	<i>Griseb.</i> ,	Eastern “	75	4 00
“ <i>angustifolia</i> ,	-	<i>Michx.</i> ,	Southern “	1 50	8 00
“ <i>calycasa</i> ,	-	-	California,	1 50	8 00
“ <i>linearis</i> ,	-	<i>Wood.</i> ,	Northern States,	1 00	6 00
“ <i>Newberyi</i> ,	-	-	California,	1 50	8 00
“ <i>quinqueflora</i> ,	-	<i>Lam.</i> ,	Western States,	1 00	6 00
“ <i>Saponaria</i> ,	-	<i>L.</i> ,	Eastern “	1 00	6 00
<i>Geranium incisum</i> ,	-	<i>Nutt.</i> ,	Oregon,	75	5 00
“ <i>maculatum</i> ,	-	<i>L.</i> ,	Eastern States,	50	3 00
“ <i>Richardsonii</i> ,	-	<i>Fisch. & Mey.</i> ,	Utah,	3 00	15 00
“ <i>Roberterianum</i> ,	-	<i>L.</i> ,	Eastern States,	50	3 00
<i>Gerardia integrifolia</i> ,	-	<i>Gray</i> ,	Western “	50	3 00
“ <i>pedicularis</i> ,	-	<i>L.</i> ,	Eastern “	50	3 00
“ <i>quercifolia</i> ,	-	<i>Pursh.</i> ,	Southern “	75	4 00
<i>Geum rivale</i> ,	-	<i>L.</i> ,	Northern “	50	3 00
<i>Glycosma occidentalis</i> ,	-	<i>Nutt.</i> ,	Oregon,	1 00	6 00
<i>Gratiola aurea</i> ,	-	<i>Muhl.</i> ,	Eastern States,	50	3 00
<i>Helianthus angustifolius</i> ,	-	<i>L.</i> ,	“ “	75	4 00
“ <i>trachelifolius</i> ,	-	<i>Willd.</i> ,	Western “	75	4 00
<i>Helonias bullata</i> ,	-	<i>L.</i> ,	New Jersey,	2 00	12 00
<i>Hepatica acutiloba</i> ,	-	<i>D. C.</i> ,	Northern States,	75	4 00
“ <i>triloba</i> ,	-	<i>Chaix.</i> ,	“ “	50	3 00
<i>Hesperochiron Californicus</i> ,	-	<i>Eaton</i> ,	Oregon,	1 00	6 00
“ <i>pumilus</i> ,	-	<i>T. G. Porter</i> ,	“	1 00	6 00
<i>Heuchera cylindrica</i> ,	-	<i>Dougl.</i> ,	“	1 00	6 00
“ <i>micrantha</i> ,	-	<i>Dougl.</i> ,	“	1 00	6 00
“ <i>rubescens</i> ,	-	<i>Torr.</i> ,	California,	1 50	8 00
<i>Hieracium albitlorum</i> ,	-	<i>Hook.</i> ,	Oregon,	1 25	7 00
“ <i>Scoulerii</i> ,	-	<i>Hook.</i> ,	“	1 25	7 00
“ <i>trista</i> ,	-	<i>Willd.</i> ,	“	1 25	7 00
“ <i>venosum</i> ,	-	<i>L.</i> ,	Northern States,	50	3 00
<i>Hosackia bicolor</i> ,	-	<i>Dougl.</i> ,	Oregon,	1 00	6 00
“ <i>crassifolia</i> ,	-	<i>Benth.</i> ,	“	1 00	6 00
“ <i>decumbens</i> ,	-	<i>Benth.</i> ,	“	1 00	6 00
<i>Houstonia cærulea</i> ,	-	<i>L.</i> ,	Northern States,	50	3 00
“ <i>purpurea</i> ,	-	<i>L.</i> ,	“ “	75	4 00
<i>Hydrastis Canadensis</i> ,	-	<i>L.</i> ,	Southern “	85	5 00
<i>Hydrophyllum Canadense</i> ,	-	<i>L.</i> ,	Eastern “	1 00	6 00
“ <i>capitatum</i> ,	-	<i>Dougl.</i> ,	Oregon,	1 00	6 00
“ <i>Virginicum</i> ,	-	<i>L.</i> ,	Eastern States,	75	4 00

HERBACEOUS PERENNIAL PLANTS.—Continued.

NAME.				LOCALITY.		PRICE. Per 12. Per 100.	
Hypericum corymbosum,	-	-	Muhl.,	Eastern States,	\$0 50	\$3 00	
" Scouleri,	-	-	Hook.,	Oregon,	1 00	6 00	
Hypoxis erecta,	-	-	L.,	Eastern States,	50	3 00	
Ipomœa pandurata,	-	-	Meyer,	" "	75	4 00	
Iris Hartwegii,	-	-		California,	1 50	8 00	
" Missouriensis,	-	-		" "	2 00	10 00	
" tenax,	-	-	Dougl.,	Oregon,	1 25	6 00	
" Tolmieana,	-	-	Herb.,	Utah,	1 25	6 00	
" versicolor,	-	-	L.,	Eastern States,	75	4 00	
" Virginica,	-	-	L.,	" "	50	3 00	
Ivesia Gordonii,	-	-	T. & G.,	Utah,	5 00	25 00	
Lathyrus ornatus,	-	-	Nutt.,	Oregon,	1 00	6 00	
Lewisia rediviva,	-	-	Pursh.,	" "	1 25	7 00	
Liatris graminifolia,	-	-	Willd.,	Southern States,	75	4 00	
" odoratissima,	-	-	Willd.,	" "	1 00	6 00	
" scariosa,	-	-	Willd.,	Eastern "	50	3 00	
" spicata,	-	-	Willd.,	Western "	50	3 00	
Liliorhiza lanceolata,	-	-	Kell.,	California,	2 25	12 00	
Lilium Canadense,	-	-	L.,	Northern States,	75	4 00	
" Catesbæi,	-	-	Walt.,	Southern "	2 00	10 00	
" Columbianum,	-	-	Hans.,	Oregon,	2 00	10 00	
" Humboldtii,	Roezl. & Leichtlin,			California,	4 00	21 00	
" maritimum,	-	-	Kell.,	" "	7 00		
" pardalinum,	-	-	Kell.,	" "	3 00	15 00	
" Parryi,	-	-	Watson,	" "	10 00		
" parvum,	-	-	Kell.,	" "	5 00	25 00	
" Philadelphicum,	-	-	L.,	Eastern States,	1 00	5 00	
" superbum,	-	-	L.,	" "	1 00	5 00	
" Washingtonianum,	-	-	Kell.,	California,	5 00	25 00	
Lithospermum canescens,	-	-	Lehm.,	Western States,	75	4 00	
" hirtum,	-	-	Lehm.,	Southern "	75	4 00	
" pilosum,	-	-	Nutt.,	Oregon,	1 00	6 00	
Lobelia cardinalis,	-	-	L.,	Eastern States.	75	4 00	
" splendens,	-	-		California,	1 25	6 00	
" syphilitica,	-	-	L.,	Eastern States,	75	4 00	
Ludwigia alternifolia,	-	-	L.,	" "	75	4 00	
Lupinus albicaulis,	-	-	Dougl.,	Oregon,	1 00	6 00	
" bucephallus,	-	-	Dougl.,	" "	1 00	6 00	
" Chamissonis,	-	-	Esch.,	" "	1 00	6 00	
" diffusus,	-	-	Nutt.,	Southern States,	1 50	8 00	
" lepidus,	-	-	Dougl.,	Oregon,	1 00	6 00	
" ornatus,	-	-	Dougl.,	" "	1 00	6 00	
" perennis,	-	-	L.,	Eastern States,	75	4 00	
" polyphyllus,	-	-	Lindl.,	Oregon,	1 00	6 00	
Lysimachia longifolia,	-	-	Pursh.,	Western States,	50	3 00	
" quadrifolia,	-	-	L.,	Eastern "	50	3 00	
" stricta,	-	-	Ait.,	" "	50	3 00	
Madia Nuttallii,	-	-	Gray,	Oregon,	1 00	6 00	
Medeola Virginica,	-	-	L.,	Eastern States,	50	3 00	
Mertensia oblongifolium,	-	-	Dougl.,	Oregon,	1 00	5 00	
" Sibirica,	-	-	Don.,	Utah,	3 00	15 00	
Micromeria Douglasii,	-	-	Benth.,	Oregon,	1 50	8 00	
Mikenia scandens,	-	-	Willd.,	Eastern States,	1 00	5 00	
Mimulus alatus,	-	-	Ait.,	Southern "	50	3 00	
" Californica,	-	-		California,	1 50	8 00	
" cardinalis,	-	-	Doug.,	" "	2 00	12 00	
" glutinosus,	-	-	Wendl.,	" "	2 00	12 00	

HERBACEOUS PERENNIAL PLANTS.—Continued.

NAME.	LOCALITY.	PRICE.	
		Per 12.	Per 100.
Mimulus Lewesii, - - - Parsh.,	Oregon,	\$1 50	\$8 00
“ ringens, - - - L.,	Eastern States,	50	3 00
Mirabilis Californica, - - - Gray,	California,	1 50	8 00
“ multiflora, - - - Gray,	“	1 50	8 00
Mitchella repens, - - - L.,	Eastern States,	50	3 00
Mitella caulescens, - - - Nutt.,	Oregon,	1 00	5 00
“ diphylla, - - - L.,	Eastern States,	50	3 00
“ nuda, - - - L.,	Northern “	75	4 00
“ trifida, - - - Graham,	Oregon,	1 00	6 00
Monarda didyma, - - - L.,	Western States,	75	4 00
Monardella macrantha, - - - Gray,	California,	1 50	8 00
“ odoratissima, - - - Benth.,	Oregon,	1 50	8 00
Nardosmia palmata, - - - Hook.,	Western States,	1 00	6 00
Oenothera linearis, - - - Michx.,	Southern “	75	4 00
“ Californica, - - - Watson,	California,	1 25	6 00
Opuntia Rafinesquii, - - - Engelm.,	Southern States,	1 00	6 00
Oxalis Acetosella, - - - L.,	Northern “	50	3 00
“ Oregana, - - - Nutt.,	Oregon,	1 00	5 00
Osmorhiza nuda, - - - Torr.,	“	1 00	6 00
Paeonia Brownii, - - - Dougl.,	California,	1 50	9 00
Palmarilla debilis, var. serrata, - - - Gray,	“	3 00	14 00
Parnassia Caroliana, - - - Michx.,	Northern States,	50	3 00
“ fimbriata, - - - Banks,	Oregon,	1 00	5 00
Pedicularis Canadensis, - - - L.,	Northern States,	75	4 00
“ racemosa, - - - Dougl.,	California,	2 00	12 00
Pentstemon azureus, - - - Benth.,	“	1 50	8 00
“ centranthifolius - - - Benth.,	“	2 50	14 00
“ cordifolius, - - - Benth.,	“	2 50	14 00
“ deustus, - - - Dougl.,	“	1 50	8 00
“ glandulosus, - - - Lindl.,	Oregon,	1 50	8 00
“ gracilentus - - - Gray,	California,	1 25	7 00
“ lætus, - - - Gray,	“	2 00	12 00
“ Lemmoni, - - -	“	1 50	8 00
“ Menziesii, - - - Hook.,	Oregon,	1 25	7 00
“ “ var. Newberryi, Gray,	“	1 50	8 00
“ ovatus, - - - Dougl.,	“	1 25	7 00
“ Palmeri, - - - Gray,	California,	2 50	14 00
“ puniceus, - - - Gray,	Utah,	2 00	12 00
“ Richardsonii, - - - Dougl.,	Oregon,	1 25	7 00
“ spectabilis, - - - Thurb.,	California,	1 50	8 00
“ venustus, - - - Dougl.,	Oregon,	1 00	6 00
Peucedanum dosycarpum, T. & G.,	“	1 00	6 00
“ Hallii, - - - Watson,	“	1 00	6 00
“ leiocarpum, - - - Nutt.,	“	1 00	6 00
“ Simplex, - - - Nutt.,	“	1 00	6 00
“ triturnatum, - - - Nutt.,	“	1 00	6 00
Phlox Californica, - - - L.,	California,	1 50	8 00
“ divaricata, - - - L.,	Western States,	75	4 00
“ Douglasii, - - - Hook.,	California,	1 50	8 00
“ reptans, - - - Michx.,	Southern States,	75	4 00
“ speciosa, - - - Pursh.,	California,	1 50	8 00
Physostegia Virginiana, - - - Benth.,	Southern States,	75	4 00
Podophyllum peltatum, - - - L.,	“ “	75	4 00
Podostigma pubescens, - - - Ell.,	“ “	1 00	6 00
Polemonium reptans, - - - L.,	Western “	75	4 00

HERBACEOUS PERENNIAL PLANTS.—Continued.

NAME.	LOCALITY.	PRICE.	
		Per 12.	Per 100.
<i>Polygala paucifolia</i> , - - - <i>Willd.</i> , Eastern States,		\$0 75	\$4 00
<i>Polygonatum biflorum</i> , - - - <i>Ell.</i> , " "		75	4 00
<i>Potentilla glandulosa</i> , - - - <i>Lindl.</i> , Oregon,		1 00	5 00
" <i>gracilis</i> , - - - <i>Dougl.</i> , " "		1 00	5 00
<i>Prosartes Menziesii</i> , - - - <i>Don.</i> , " "		1 00	6 00
" <i>Oregana</i> , - - - <i>Watson</i> , " "		1 00	6 00
<i>Psoralea lanceolata</i> , - - - <i>Pursh.</i> , " "		1 00	6 00
" <i>physoides</i> , - - - <i>Dougl.</i> , " "		1 00	6 00
<i>Pyrola elliptica</i> , - - - <i>Nutt.</i> , Eastern States,		50	3 00
" <i>picta</i> , - - - <i>Smith</i> , Oregon,		1 00	6 00
" <i>rotundifolia</i> , - - - <i>L.</i> , Eastern States,		50	3 00
" <i>secunda</i> , - - - <i>L.</i> , " "		75	4 00
<i>Pyxidantha barbulata</i> , - - - <i>Michx.</i> , " "		1 00	6 00
<i>Ranunculus adoneus</i> , - - - <i>Gray</i> , Utah,		3 00	15 00
" <i>Californicus</i> , - - - <i>Benth.</i> , California,		2 00	10 00
<i>Rhexia lutea</i> , - - - <i>Walt.</i> , Southern States,		1 00	5 00
" <i>Mariana</i> , - - - <i>L.</i> , " "		1 00	6 00
" <i>Virginica</i> , - - - <i>L.</i> , Eastern " "		50	3 00
<i>Rudbeckia hirta</i> , - - - <i>L.</i> , " "		50	3 00
<i>Rumex occidentalis</i> , - - - <i>Watson</i> , Oregon,		1 00	6 00
" <i>venosus</i> , - - - <i>Pursh.</i> , " "		1 00	6 00
<i>Sabbatia chloroides</i> , - - - <i>Pursh.</i> , Eastern States,		1 00	5 00
" <i>lanceolata</i> , - - - <i>T. & G.</i> , " "		1 50	8 00
<i>Sanguinaria Canadensis</i> , - - - <i>L.</i> , " "		75	3 00
<i>Sanicula bipinatifida</i> , - - - <i>Dougl.</i> , Oregon,		1 00	6 00
" <i>Marilandica</i> , - - - <i>L.</i> , Eastern States,		60	4 00
" <i>Menziesii</i> , - - - <i>Hook.</i> , Oregon,		1 00	6 00
<i>Saxifraga bronchitis</i> , var. <i>cherleroides</i> , <i>Gray</i> , " "		1 25	7 00
" <i>cæspitosa</i> , - - - <i>L.</i> , " "		1 00	6 00
" <i>heterantha</i> , - - - <i>Hook.</i> , " "		1 00	6 00
" <i>integrifolia</i> , - - - <i>Hook.</i> , " "		1 00	6 00
" <i>peltata</i> , - - - " California,		2 00	12 00
" <i>Virginienensis</i> , - - - <i>Michx.</i> , Northern States,		50	3 00
<i>Scutellaria angustifolia</i> , - - - <i>Pursh.</i> , California,		1 25	6 00
" <i>antirrhinoides</i> , - - - <i>Benth.</i> , Oregon,		1 00	5 00
" <i>galericulata</i> , - - - <i>L.</i> , Northern States,		50	3 00
" <i>luteiflora</i> , - - - <i>L.</i> , " "		75	4 00
" <i>Wrightii</i> , - - - <i>Gray</i> , Kansas,		1 00	6 00
<i>Sedum debile</i> , - - - <i>S. Watson</i> , Utah,		1 25	7 00
" <i>Douglasii</i> , - - - <i>Hook.</i> , Oregon,		75	4 00
" <i>Nevii</i> , - - - <i>Gray</i> , Southern States,		1 00	5 00
" <i>obtusatum</i> , - - - " California,		75	4 00
" <i>Oregana</i> , - - - <i>Nutt.</i> , Oregon,		75	4 00
" <i>pulchellum</i> , - - - <i>Michx.</i> , Southern States,		75	4 00
" <i>spathulifolium</i> , - - - <i>Hook.</i> , Oregon,		75	4 00
" <i>stenopetalum</i> , - - - <i>Pursh.</i> , " "		75	4 00
" <i>ternatum</i> , - - - <i>Michx.</i> , Southern States,		75	4 00
<i>Senecio aureus</i> , - - - <i>L.</i> , Eastern " "		50	3 00
" <i>Bolanderi</i> , - - - <i>Gray</i> , Oregon,		1 00	6 00
" <i>fastigiatus</i> , - - - <i>Nutt.</i> , " "		1 00	6 00
" <i>lugens</i> , - - - <i>Rich.</i> , " "		1 00	6 00
" " var. <i>exaltatus</i> , - - - <i>Watson</i> , " "		1 00	6 00
<i>Sericacarpus, rigidus</i> , - - - <i>Lindl.</i> , " "		1 00	6 00
<i>Sida Elliottii</i> , - - - <i>T. & G.</i> , Southern States,		1 00	5 00
<i>Sidalcea humilis</i> , - - - <i>Gray</i> , Oregon,		1 00	6 00
" <i>malvæiflora</i> , - - - <i>Gray</i> , " "		1 00	6 00

HERBACEOUS PERENNIAL PLANTS.—Continued.

NAME.	LOCALITY.	PRICE.	
		Per 12.	Per 100.
<i>Silene Californica</i> , - - - <i>Dur.</i> , California,		\$1 50	\$8 00
" <i>Douglasii</i> , - - - <i>Hook.</i> , "		1 50	8 00
" <i>Lyallii</i> , - - - <i>Watson</i> , Oregon,		1 25	7 00
" <i>Menziesii</i> , - - - <i>Hook.</i> , "		1 25	7 00
" <i>Pennsylvanica</i> , - - - <i>Michx.</i> , Eastern States,		75	4 00
" <i>Scouleri</i> , - - - <i>Hook.</i> , Oregon,		1 00	6 00
" <i>stellata</i> , - - - <i>Alt.</i> , Southern States,		75	4 00
" <i>Virginica</i> , - - - <i>L.</i> , " "		1 00	5 00
<i>Silphium integrifolium</i> , - - <i>Michx.</i> , Western "		1 00	5 00
" <i>lacinatum</i> , - - - <i>L.</i> , " "		1 00	5 00
" <i>terebinthaceum</i> , - - - <i>L.</i> , " "		1 00	5 00
<i>Sisyrinchium bellum</i> , - - <i>Watson</i> , Oregon,		1 00	5 00
" <i>Bermudiana</i> , - - - <i>L.</i> , Eastern States,		50	3 00
" <i>grandiflorum</i> , - - <i>Dougl.</i> , Oregon,		1 00	6 00
" <i>mucronatum</i> , - - <i>Michx.</i> , Western States,		50	3 00
<i>Smilacina bifolia</i> , - - - <i>Ker.</i> , Eastern "		50	3 00
" <i>racemosa</i> , - - - <i>Desf.</i> , " "		75	4 00
" <i>sessilifolia</i> , - - - <i>Nutt.</i> , Oregon,		1 00	6 00
" <i>stellata</i> , - - - <i>Desf.</i> , Eastern States,		50	3 00
<i>Solidago elongata</i> , - - - <i>Nutt.</i> , Oregon,		1 00	5 00
" <i>humilis</i> , var. <i>confertiflora</i> , - - - "		1 25	7 00
" <i>occidentalis</i> , - - - <i>Nutt.</i> , " "		1 25	7 00
" <i>odora</i> , - - - <i>Alt.</i> , Eastern States,		75	4 00
<i>Sorghum nutans</i> , - - - <i>Gray</i> , Southern "		1 00	6 00
<i>Spraguea umbelata</i> , - - - <i>Torr.</i> , Oregon,		1 00	6 00
<i>Streptopus amplexifolius</i> , - - <i>D. C.</i> , Northern States,		75	4 00
" <i>roseus</i> , - - - <i>Michx.</i> , " "		75	4 00
<i>Suksdorfia violaceæ</i> , - - - <i>Gray</i> , Oregon,		1 00	6 00
<i>Sulavantia Oregana</i> , - - - <i>Watson</i> , "		1 50	8 00
<i>Synthyris reniformis</i> , - - - <i>Benth.</i> , " "		1 00	6 00
" <i>rotundifolia</i> , - - - <i>Gray</i> , " "		1 00	6 00
<i>Talmiea Menziesii</i> , - - - <i>T. & G.</i> , " "		1 00	6 00
<i>Tellima grandiflora</i> , - - - <i>R. Br.</i> , " "		1 00	5 00
" <i>parviflora</i> , - - - <i>Hook.</i> , " "		1 00	5 00
<i>Tephrosia Virginiana</i> , - - - <i>Pres.</i> , Southern States,		75	4 00
<i>Tetradymia canescens</i> , - - - <i>D. C.</i> , Oregon,		1 00	6 00
<i>Thalictrum anemonoides</i> , - - <i>Michx.</i> , Eastern States,		50	3 00
" <i>Cornuti</i> , - - - <i>L.</i> , " "		75	4 00
" <i>Fendleri</i> , - - - <i>Eng.</i> , Utah,		3 00	15 00
" <i>occidentale</i> , - - - <i>Gray</i> , Oregon,		1 00	6 00
" <i>paleocarpum</i> , - - - <i>Watson</i> , " "		1 00	6 00
" <i>sparsiflorum</i> , - - - <i>Turez.</i> , California,		1 50	8 00
<i>Tiarella cordifolia</i> , - - - <i>L.</i> , Eastern States,		50	3 00
" <i>trifoliata</i> , - - - <i>L.</i> , Oregon,		1 00	6 00
" <i>unifoliata</i> , - - - <i>Hook.</i> , " "		1 00	6 00
<i>Tradescantia Virginica</i> , - - - <i>L.</i> , Southern States,		75	4 00
<i>Trautvetteria palmata</i> , var. <i>occidentale</i> , - - - <i>Gray</i> , Oregon,		1 50	8 00
<i>Trientalis Americana</i> , - - - <i>Pursh.</i> , Eastern States,		50	3 00
" <i>Europæa</i> , var. <i>arctica</i> , <i>Leb.</i> , Oregon,		1 00	6 00
" " <i>latifolia</i> , <i>Torr.</i> , " "		1 00	6 00
<i>Trillium cernuum</i> , - - - <i>L.</i> , Eastern States,		75	4 00
" <i>erectum</i> , - - - <i>L.</i> , " "		1 00	5 00
" " var. <i>Album</i> , - - <i>Pursh.</i> , " "		1 50	8 00
" <i>erythrocarpum</i> , - - - <i>Michx.</i> , " "		1 00	5 00
" <i>grandiflorum</i> , - - - <i>Salisb.</i> , Northern "		1 00	5 00
" <i>nivale</i> , - - - <i>Ridell</i> , Western "		1 50	8 00

HERBACEOUS PERENNIAL PLANTS.—Continued.

NAME.				LOCALITY.	PRICE.	
					Per 12.	Per 100.
Trillium ovatum,	-	-	Pursh.,	Oregon,	\$1 50	\$8 00
“ petiolatum,	-	-	Pursh.,	Washington Ter.	1 25	7 00
“ recurvatum,	-	-	Beck.,	Western States,	1 00	5 00
“ sessile,	-	-	L.,	“ “	1 25	6 00
Triteleia laxa,	-	-	-	California,	1 00	5 00
Uvularia grandiflora,	-	-	Smith,	Eastern States,	75	4 00
“ perfoliata,	-	-	L.,	“ “	50	3 00
Vancouveria hexandra,	-	-	Morr. & Dec.,	Oregon,	1 25	7 00
Veronica Americana,	-	-	- Schwe.,	Eastern States,	50	3 00
“ Virginica,	-	-	L.,	Southern “	50	3 00
Vicia Americana,	-	-	- Muhl.,	Eastern “	50	3 00
“ Caroliniana,	-	-	- Walt.,	“ “	60	3 00
“ Cracca,	-	-	- L.,	“ “	60	3 00
“ gigantea,	-	-	- Hook.,	Oregon,	1 00	6 00
Viola aurea,	-	-	- Kell.,	“	1 00	6 00
“ Beckwithii,	-	-	- T. & G.,	“	1 00	6 00
“ blanda,	-	-	- Willd.,	Eastern States,	50	3 00
“ Canadensis,	-	-	- L.,	Northern “	75	4 00
“ canina, L., var. adunca,	-	-	- Gray,	Oregon,	75	4 00
“ “ “ sylvestris,	-	-	- Regel.,	Northern “	50	3 00
“ cuculata,	-	-	- Ait.,	“ “	50	3 00
“ glabella,	-	-	- Nutt.,	Oregon,	1 00	5 00
“ lanceolata,	-	-	- L.,	Eastern States,	50	3 00
“ lobata,	-	-	- Benth.,	California,	1 00	6 00
“ Nuttallii,	-	-	- Pursh.,	Oregon,	75	4 00
“ palmata,	-	-	- L.,	Southern States,	75	4 00
“ pedata,	-	-	- L.,	Eastern “	50	3 00
“ pedunculata,	-	-	- T. & G.,	California,	1 50	8 00
“ primulæfolia,	-	-	- L.,	Eastern States,	75	4 00
“ pubescens,	-	-	- Ait.,	“ “	50	3 00
“ rostrata,	-	-	- Pursh.,	“ “	75	4 00
“ rotundifolia,	-	-	- Michx.,	“ “	50	3 00
“ sarmentosa,	-	-	- Dougl.,	Oregon,	1 00	5 00
“ Selkirkii,	-	-	- Pursh.,	Northern States,	1 00	6 00
“ Sheltoni,	-	-	-	California,	1 00	6 00
Xyrophyllum tenax,	-	-	- Nutt.,	Oregon,	2 00	10 00
Zauschneria Californica,	-	-	- Presl.,	California,	1 50	8 00
Zygadenus venenosus,	-	-	- Watson,	Oregon	1 00	6 00

SHRUBS.

Andromeda ligustrina,	-	-	Muhl.,	Southern States	1 50	8 00
“ Mariana,	-	-	L.,	“ “	1 50	8 00
“ nitida,	-	-	- Bartr.,	“ “	1 50	8 00
“ polifolia,	-	-	- L.,	Eastern “	1 00	6 00
Arctostaphylos Navadensis,	-	-	- Gray,	Oregon.	1 25	7 00
“ tomentosa,	-	-	- Dougl.,	“	1 25	7 00
Asimina grandiflora,	-	-	- Dunal.,	Southern States,	1 50	9 00
Azalea calendulacea,	-	-	- Michx.,	“	1 25	7 00
“ viscosa,	-	-	- L.,	Northern “	1 00	6 00
Bezaria racemosa,	-	-	- Vent.,	Florida,	1 50	8 00
Berberis aquifolium,	-	-	- Pursh.,	Oregon,	1 25	7 00
“ nervosa,	-	-	- Pursh.,	“	1 00	6 00
Cassandra calyculata,	-	-	- Don.,	Northern States,	75	5 00
Ceanothus Americanus,	-	-	- L.,	Eastern “	1 00	6 00
“ cuneatus,	-	-	- Nutt.,	Oregon,	1 50	8 00
“ integerrimus,	-	-	- Hook & Arn.,	“	1 50	8 00

SHRUBS.—Continued.

NAME.	LOCALITY.	PRICE.	
		Per 12	Per 100.
Ceanothus sanguineus - - - Pursh.,	Oregon	\$1 50	\$8 00
" velutinus. - - - Dougl.	"	1 50	8 00
Ceratiola ericoides. - - - Michx.	Florida	1 25	7 00
Cercis Canadensis, - - - L.	Southern States,	1 25	7 00
Chiococca racemosa - - - Jacq.	Florida	1 50	8 00
Comptonia asplenifolia, - - - Ait.,	Eastern States,	75	4 00
Cyrilla racemiflora - - - Walt.,	Southern "	2 00	12 00
Decumaria barbara - - - L.	Florida.	1 00	6 00
Diervilla trifida - - - Mærch.,	Northern States	1 00	6 00
Dirca palustris - - - L.	" "	1 00	6 00
Euonymus Am. var. obovatus - - - T. & G.	Southern "	1 00	6 00
" occidentalis. - - - Nutt.,	Oregon,	1 25	7 00
Gaultheria myrsinites, - - - Hook.,	"	1 00	6 00
" shallon, - - - Pursh.,	"	1 00	6 00
Ilex Cassine, - - - L.	Florida	2 00	10 00
" glabra - - - Gray	Southern States	1 00	6 00
" verticillata - - - Gray	Eastern "	1 00	6 00
Kalmia angustifolia, - - - L.	Northern "	75	4 00
" glauca - - - Ait.,	" "	1 50	8 00
" latifolia - - - L.	" "	1 00	6 00
Lindera Benzoin - - - Meismr.,	" "	1 00	6 00
Lonicera ciliata, - - - Mohl.,	" "	1 00	6 00
" flava, - - - Sims,	Western "	1 00	6 00
" grata - - - Ait.,	Eastern "	1 00	6 00
" involucrata - - - Banks	Western "	1 00	6 00
Menziesia ferruginea, - - - Smith	Oregon,	1 25	7 00
Nuttallia cerasiformis - - - T. & G.,	"	1 25	7 00
Pachystima, Myrsinites, - - - Raf.,	"	1 25	7 00
Philadelphus Lewisii - - - Pursh.	"	1 25	7 00
Polygonella parviflora - - - Michx.,	Florida,	1 00	6 00
Prunus dimissa, - - - Walt.,	Oregon,	1 00	7 00
Purshia tridentata, - - - D. C.,	"	1 25	7 00
Rhododendron Californicum, - - - Hook.,	"	2 00	10 00
" Catawbiense, - - - Michx.,	Southern States,	1 25	7 00
Rhodora Canadensis, - - - L.,	Eastern "	1 50	8 00
Rhus. diversiloba, - - - T. & G.,	Oregon,	1 25	7 00
Ribes cereum - - - Dougl.,	"	1 00	6 00
" lacustra var. parvulum, - - - Gray,	"	1 00	6 00
" Lobii - - - Gray,	"	1 25	7 00
" viscosissimum, - - - Pursh.,	"	1 25	7 00
Rivina humilis - - - L.,	Florida,	1 00	6 00
Rosa gymnocarpa, - - - Nutt.,	Oregon,	1 25	7 00
" Nutkana. - - - Presl.,	"	1 25	7 00
" pisocarpa - - - Gray.	"	1 25	7 00
Rubus leucodermis, - - - Dougl.,	"	1 25	7 00
" Nutkanus, - - - Mcq.,	"	1 25	7 00
" Odoratus. - - - L.	Northern States,	1 00	6 00
" spectabilis, - - - Pursh.,	Oregon.	1 25	7 00
Sambucus pubens, - - - Michx.,	Northern States,	1 00	6 00
Spiræa ariæfolia, - - - Wat.,	Washington Ter.	1 00	6 00
" betulifolia, - - - Pall.,	Oregon,	1 25	7 00
" Douglasii - - - Hook.,	"	1 25	7 00
" discolor - - - Pursh.,	"	1 25	7 00
" tomentosa. - - - L.	Eastern States,	75	4 00
Vaccinium arboreum, - - - Michx.,	Southern "	2 00	10 00
" ovalifolium - - - Smith,	Western "	1 00	6 00
" parvifolium, - - - Smith.	Oregon,	1 00	6 00

SHRUBS.—Continued.

NAME.	LOCALITY.	PRICE.	
		Per 12.	Per 100.
Viburnum ellipticum, - -	Hook., Oregon,	\$1 00	\$6 00

VINES.

Addumia cirrhosa - -	Raf., Eastern States,	1 00	5 00
Ampelopsis quinquefolia -	Michx., " "	1 00	5 00
Ceanothus prostratus, -	Benth., Oregon,	1 00	6 00
Clematis ligusticifolia, -	Nutt., Utah,	2 00	10 00
" Montana, - -	" "	2 00	10 00
" verticillaris, - -	D. C., Eastern States,	1 50	8 00
" viorna, - -	L., Southern "	1 25	7 00
" Virginiana, - -	L., Northern "	1 00	5 00
Gelsemium sempervirens, -	Ait., Florida,	1 50	8 00
Lonicera ciliosa, - -	Pair., Oregon,	1 25	7 00
" hispidula, - -	Dougl., "	1 25	7 00
Menispermum Canadense, -	L., Western States,	75	4 00
Rubus ursinus, - -	Cham. & Sch., Oregon,	1 25	7 00
Whipplea modesta, - -	Torr., "	1 25	7 00

BOG PLANTS.

Acorus Calamus, - - -	L., Eastern States,	50	3 00
Calla palustris, - - -	L., Northern "	75	5 00
Caltha biflora, - - -	D. C., Oregon,	1 00	6 00
" palustris, - - -	L., Northern States,	50	3 00
Darlingtonia Californica,	California,	3 00	17 00
Drosera filiformis, - -	Raf., Eastern States,	75	4 00
" longifolia, - - -	L., Northern "	50	3 00
" rotundifolia, - - -	L., " "	50	3 00
Elodes Virginica, - - -	Nutt., Eastern "	50	3 00
Menyanthes trifoliata, -	L., Northern "	75	4 00
Sagittaria variabilis, -	Engelm., " "	1 00	5 00
Sarracenia flava, - - -	L., Southern "	2 00	10 00
" purpurea, - - -	L., Northern "	1 00	5 00
" rubra, - - -	Walt., Southern "	2 00	10 00
" variolaris, - - -	Michx., " "	2 00	10 00
Saururus cernus, - - -	L., Eastern "	50	3 00
Vaccinium macrocarpon, -	Ait., " "	50	3 00

AQUATIC PLANTS.

Brasenia peltata, - - -	Pursh., Eastern States,	75	5 00
Limnanthemum lacunosum, -	" "	75	5 00
Nymphaea odorata, - - -	Ait., " "	1 00	6 00
" " var. minor, - - -	Sims., " "	1 25	7 00
Nuphar advena, - - -	Ait., " "	1 00	6 00
Nelumbium luteum, - - -	Willd., Western "	2 00	12 00
Orontium aquaticum (small), -	L., Eastern "	75	4 00
Pontederia cordata, - - -	L., " "	1 00	6 00

ORCHIDS.

Aplectrum hyemale, - - -	Nutt., Eastern States,	1 00	6 00
Arethusa bulbosa, - - -	L., " "	2 00	10 00
Bletia vesunda, - - -	Swartz., Florida,	4 00	20 00
Calopogon pulchellus, - - -	Br., Eastern States,	75	4 00
Calypso borealis, - - -	Salisb., Western "	1 00	5 00

ORCHIDS.—Continued.

NAME.				LOCALITY.		PRICE.	
						Per 12.	Per 100.
Corallorhiza mertinsiana,	-	-	Nutt.,	Oregon,		\$1 00	\$6 00
“ multiflora,	-	-	Nutt.,	Eastern States,		75	5 00
Cypripedium acaule,	-	-	Ait.,	“		1 00	5 00
“ arietinum,	-	-	Br.,	Northern “		3 50	18 00
“ Californicum,	-	-		California,		5 00	25 00
“ candidum,	-	-	Muhl.,	Western States,		2 00	10 00
“ montanum,	-	-	Dougl.,	Oregon.		2 00	10 00
“ occidentale,	-	-		California,		4 00	18 00
“ (new sp.)	-	-		“		6 00	25 00
“ parviflorum,	-	-	Salisb.,	Eastern States,		1 50	8 00
“ pubescens,	-	-	Wild.,	“		1 25	6 00
“ spectabile,	-	-	Swartz.,	Western “		2 00	10 00.
Epidendrum conopseum,	-	-	Ait.,	Florida		1 25	6 00
“ venosum,	-	-	Lind.,	“		2 00	10 00
Goodyera Menziesii,	-	-	Lind.,	Oregon		2 00	10 00
“ pubescens,	-	-	R. Br.,	Eastern States.		75	4 00
“ quercifolia,	-	-	Lind.,	Southern “		2 00	10 00
“ repens,	-	-	R. Br.,	Northern “		1 00	5 00
Habenaria blepharaglottis,	-	-	Hook.,	“ “		1 50	8 00
“ ciliaris,	-	-	R. Br.,	“		1 00	6 00
“ cristata,	-	-	R. Br.,	Southern States,		2 00	10 00
“ elegans,	-	-	Balander,	California.		3 00	15 00
“ fimbriata,	-	-	R. Br.,	Eastern States,		1 00	6 00
“ Hookeri	-	-	Torr.,	“ “		1 00	6 00
“ hyperborea,	-	-	R. Br.,	“ “		1 25	7 00
“ lacera,	-	-	R. Br.,	“ “		75	5 00
“ leucophæa,	-	-	Gray,	Western “		1 00	6 00
“ leucostachys,	-	-	Watson,	Oregon,		1 25	7 00
“ obtusata,	-	-	Rich.,	Northern States,		3 00	16 00
“ orbiculata,	-	-	Rich.,	“ “		1 25	7 00
“ psycodes,	-	-	Gray,	Eastern “		1 00	6 00
“ rotundifolia,	-	-	Rich.,	“ “		1 50	8 00
“ tridentata,	-	-	Hook.,	“ “		75	5 00
“ unalaskensis,	-	-	Spring,	Oregon.		1 50	8 00
“ virescens,	-	-	Spring,	Eastern States		75	5 00
“ viridis,	-	-	-	“ “		1 00	6 00
Liparis liliifolia.	-	-	Rich.,	Northern “		1 00	6 00
“ Loesellii,	-	-	Rich.,	“ “		1 00	6 00
Orchis spectabilis,	-	-	L.,	“ “		1 00	5 00
Pogonia divaricata,	-	-	R. Br.,	Florida		1 50	8 00
“ ophioglossoides,	-	-	Nutt.,	Northern States		1 00	5 00
“ pendula,	-	-	Lindl.,	Western “		1 00	5 00
“ verticillata,	-	-	Nutt.,	Eastern “		1 00	5 00
Ponthieva glandulosa,	-	-	R. Br.,	Southern “		1 50	8 00
Spiranthes cernua,	-	-	Rich.,	Eastern “		75	4 00
“ gracilis,	-	-	Bigelow,	“ “		75	4 00
“ latifolia,	-	-	Torr.,	“ “		1 25	7 00
Tipularia discolor,	-	-	Nutt.,	“ “		5 00	20 00

FERNS.

*Acrostichum aureum,	-	-	L.,	Florida.		10 00	
Adiantum Capillus-Veneris,	-	-	L.,	Southern States.		1 25	6 00
* “ emarginatum,	-	-	Hook.,	California.		1 50	8 00
* “ pedatum,	-	-	L.,	Eastern States,		1 00	5 00
Aspidium acrostichoides,	-	-	Swz.,	“ “		75	4 00
“ aculeatum, var. Braunii,	-	-	Koch.,	Northern “		2 50	14 00

FERNS.—Continued.

NAME.	LOCALITY.	PRICE.	
		Per 12.	Per 100.
<i>Aspidium argutum</i> , - - - <i>Kf.</i> , California,		\$1 50	\$8 00
" <i>cristatum</i> , - - - <i>Swz.</i> , Northern States,		1 00	5 00
* " " var. <i>Clintonianum</i> , <i>Eaton</i> , " "		1 50	9 00
* " " " <i>Floridanum</i> , <i>Hook.</i> , Florida		1 25	7 00
" <i>Felix-mas</i> , - - - <i>Swz.</i> , Northern States,		3 50	18 00
" <i>fragrans</i> , - - - <i>Swz.</i> , " "		3 00	16 00
" <i>Goldianum</i> , - - - <i>Hook.</i> , " "		1 50	9 00
" <i>Lonchitis</i> , - - - <i>Swz.</i> , " "		2 00	10 00
" <i>marginale</i> , - - - <i>Swz.</i> , Eastern " "		75	4 00
" <i>munitum</i> , - - - <i>Kf.</i> , Washington Ter.		1 25	6 00
* " <i>Nevadense</i> , - - - <i>Eaton</i> , California,		3 00	16 00
" <i>Noveboracense</i> , - - - <i>Swz.</i> , Eastern States,		75	4 00
" <i>patens</i> , - - - <i>Swz.</i> , Southern "		1 00	6 00
" <i>rigidum</i> var. <i>argutum</i> , <i>Eaton</i> , Oregon,		2 00	10 00
" <i>spinulosum</i> , - - - <i>Swz.</i> , Eastern States,		1 25	7 00
" " var. <i>dilatatum</i> , <i>Gray</i> , " "		1 50	9 00
" " " <i>intermedium</i> , <i>Willd.</i> , " "		1 00	5 00
" <i>Thelypteris</i> , - - - <i>Swz.</i> , " "		75	4 00
<i>Asplenium angustifolium</i> - - - <i>Mx.</i> , Western " "		1 25	7 00
" <i>ebeneum</i> , - - - <i>Ait.</i> , Eastern States,		75	4 00
* " <i>ebenoides</i> , - - - <i>Scott</i> , Alabama,		3 00	15 00
" <i>Felix-foemina</i> , - - - <i>Bernh.</i> , Northern States,		1 00	5 00
" <i>firmum</i> , - - - <i>Kze.</i> , Florida,		1 75	12 00
* " <i>myriophyllum</i> , - - - <i>Pres.</i> , " "		2 00	12 00
" <i>parvulum</i> , - - - <i>Mart.</i> , Southern States,		1 00	5 00
* " <i>pinnatifidum</i> , - - - <i>Nutt.</i> , " "		3 00	15 00
" <i>Ruta-Muraria</i> , - - - <i>L.</i> , " "		75	4 00
" <i>thelypteroides</i> , - - - <i>Mx.</i> , Northern " "		75	4 00
* " <i>Trichomanes</i> , - - - <i>L.</i> , " "		50	3 00
" <i>viride</i> , - - - <i>Huds.</i> , " "		3 00	15 00
* <i>Blechnum serrulatum</i> , - - - <i>Mch.</i> , Florida,		2 00	12 00
<i>Botrychium lanceolatum</i> , - - - <i>Ang.</i> , Northern States,		75	4 00
* " <i>matricariæfolium</i> , <i>A. Br.</i> , " "		1 50	10 00
" <i>simplex</i> , - - - <i>Hitch.</i> , " "		1 50	10 00
" <i>ternatum</i> , - - - <i>Swz.</i> , " "		75	4 00
" " var. <i>australe</i> , " "		1 50	10 00
" " " <i>dissectum</i> , " "		1 25	7 00
" " " <i>intermedium</i> , " "		1 25	7 00
" " " <i>obliquum</i> , " "		1 25	7 00
" <i>Virginicum</i> , - - - <i>Swz.</i> , " "		1 00	4 00
* <i>Camptosorus rhizophyllum</i> , - - - <i>Link.</i> , Eastern "		1 00	5 00
* <i>Cheilanthes Californica</i> , - - - <i>Mett.</i> , California,		2 00	10 00
* " <i>Clevelandii</i> , - - - <i>Eaton</i> , " "		2 00	10 00
* " <i>Cooperæ</i> , - - - <i>Eaton</i> , " "		2 00	12 00
* " <i>Fendleri</i> , - - - <i>Hook.</i> , " "		1 50	8 00
" <i>gracillima</i> , - - - <i>Eaton</i> , " "		2 00	10 00
" <i>microphylla</i> , - - - <i>Swz.</i> , Southern States,		1 75	9 00
" <i>viscida</i> , - - - <i>Davenport</i> , California,		2 00	12 00
<i>Cryptogramme acrostichoides</i> , <i>R. Br.</i> , Oregon,		1 25	7 00
* <i>Cystopteris bulbifera</i> , - - - <i>Bernh.</i> , Eastern States,		75	4 00
" " <i>fragilis</i> , - - - <i>Bernh.</i> , " "		75	4 00
<i>Dicksonia pilosiuscula</i> , - - - <i>Willd.</i> , " "		75	4 00
<i>Gymnogramme hispida</i> , - - - <i>Mett.</i> , New Mexico.		3 00	16 00

FERNS.—Continued.

NAME.		LOCALITY.		PRICE.	
				Per 12.	Per 100.
*Gymnogramme triangularis,	-	<i>Kf.</i> , California,		\$2 00	\$10 00
Lomaria spicant,	-	<i>Desv.</i> , Washington Ter.		1 00	6 00
Lygodium palmatum,	-	<i>Swz.</i> , Northern States		1 25	7 00
Nephrolepis exaltata,	-	<i>Schott.</i> , Florida,		2 00	12 00
*Notholana Newberryi,	-	<i>Eaton</i> , California,		1 50	8 00
* " Parryi,	-	<i>Eaton</i> , "		1 75	10 00
" tenera,	-	<i>Gillies</i> , Utah,		2 00	12 00
Onoclea sensibilis,	-	<i>L.</i> , Eastern States,		75	4 00
*Ophioglossum, vulgatum,	-	<i>L.</i> , " "		50	3 00
*Osmunda cinnamomea,	-	<i>L.</i> , " "		1 25	6 00
" Claytoniana,	-	<i>L.</i> , " "		1 25	6 00
" regalis,	-	<i>L.</i> , " "		1 00	5 00
*Pellaea andromedæfolia,	-	<i>Fec.</i> , California,		1 50	8 00
" atropurpurea,	-	<i>Link.</i> , Eastern States,		75	4 00
" Breweri,	-	<i>Eaton</i> , Utah,		3 00	15 00
* " densa,	-	<i>Hook.</i> , California,		2 50	12 00
" flexuosa,	-	<i>Link.</i> , New Mexico,		4 00	20 00
" gracilis,	-	<i>Hook.</i> , Northern States		1 75	10 00
* " Ornithopus,	-	<i>Hook.</i> , California		1 25	7 00
" Wrightiana,	-	<i>Hook.</i> , "		1 50	8 00
Phegopteris Dryopteris,	-	<i>Fec.</i> , Northern States,		75	4 00
* " hexagonoptera,	-	<i>Fec.</i> , " "		75	4 00
" polypodioides,	-	<i>Fec.</i> , " "		1 00	5 00
*Polypodium Californicum,	-	<i>Kf.</i> , California,		1 50	8 00
" falcatum,	-	<i>Kelg.</i> , Oregon,		1 00	5 00
* " incanum,	-	<i>Swz.</i> , Southern States		1 00	6 00
* " pectinatum	-	<i>L.</i> , Florida,		2 25	12 00
* " vulgare,	-	<i>L.</i> , Northern States,		50	3 00
Pteris aquilina, <i>L.</i> , var. lanuginosa,		<i>Bong.</i> , Oregon,		1 50	8 00
" cretica,	-	<i>L.</i> , Florida,		1 50	8 00
Schizæa pusilla,	-	<i>Pursh.</i> , New Jersey,		2 00	10 00
*Scolopendrium vulgare,	-	<i>Smith.</i> , Eastern States,		3 00	15 00
Selaginella Douglasii,	-	<i>Spring</i> , Oregon,		1 00	6 00
" rupestris,	-	<i>Spring</i> , California,		1 00	5 00
Struthiopteris Germanica,	-	<i>Willd.</i> , Northern States,		1 50	8 00
*Trichomanes Petersii,	-	<i>Gray</i> , Alabama,		3 00	16 00
* " radicans,	-	<i>Swartz.</i> , "		3 00	16 00
*Vittaria lineata,	-	<i>Swz.</i> , Florida,		1 50	8 00
Woodsia glabella,	-	<i>R. Br.</i> , Northern States,		2 50	14 00
* " Ilvensis,	-	<i>R. Br.</i> , " "		50	3 00
" obtusa,	-	<i>Torr.</i> , " "		75	4 00
" Oregana,	-	<i>Eaton</i> , Oregon,		1 50	8 00
" scopulina,	-	<i>Eaton</i> , "		2 00	10 00
Woodwardia angustifolia,	-	<i>Smith.</i> , Eastern States,		1 00	5 00
* " radicans, var. Am.,		<i>Hook.</i> , California,		2 00	10 00
* " Virginica,	-	<i>Smith</i> , Eastern States,		75	4 00