Missouri Botanical Garden
2315 Tower Grove Ave.
St. Louis, Mo, U. S. A.
PALMENGARTEN DER STADT FRANKFURT A.M.

Oct
checked
343

11/69 Samentauschliste 1935/36 ✓

Gesamtansicht des großen Palmenhauses

Handwritten text in red ink, possibly a title or header.

Handwritten text in red ink, possibly a date or reference.

Handwritten text in red ink, possibly a section header.

Handwritten text in red ink, possibly a list or table of contents.

Handwritten text in red ink, possibly a signature or name.

Handwritten text in red ink, possibly a footer or page number.

GEHÖLZE.

Amelanchier botryapium Borkh.

— spicata Dcsne.

Andromeda Catesbai Walt.

— floribunda Pursh

— japonica Thunb.

— ligustrina Muhl.

— pulverulenta Bartr.

Berberis Coryi Veitch

— Gagnepainii C. S.

— Julianae C. S.

— Thunbergii DC.

— Veitchii C. S.

— Wilsonae Hemsl.

Citrus trifoliata L.

Clethra alnifolia L.

— alnifolia L.

var. tomentosa Mchx.

— Fargesii Franch.

Cornus Hessei Koehne

Cotoneaster buxifolia Ldl.

— Dammeri C. S.

— horizontalis Dcne.

— microphylla Wall.

— microphylla Wall.

var. thymifolia Koehne

— praecox Vilm.

— rubens hort.

Cotoneaster salicifolia Franch.

var. floccosa R. et W.

— species C. Schneider

Cytisus capitatus Jacq.

Daphne mezereum L.

Gaultheria procumbens L.

Ligustrum Delavayanum Hariot

Mahonia japonica DC.

Pernettya mucronata Gaud.

Potentilla fruticosa L.

Rosa acicularis Ldl.

— blanda Ait.

Rosa calcutensis hort.

— coriifolia Fries

var. Froebelii Fries

— coruscans Lk.

— dahurica Pall.

— dorpatensis hort.

— dumetorum Thuill.

— Fendleri Crep.

— Gmelinii Rgl.

— haematodes Boiss.

— Helenae R. et W.

— hibernica Sm.

— kamtschatica Vent.

— manca Greene

— multibracteata Hemsl. et Wils.

— nitida Willd.

— nutkana Presl.

— oxyacantha Bieb.

— pisocarpa A. Gray

— Prattii Hemsl.

— pubescens Roxb.

— setigera Mchx.

var. inermis hort.

— setipoda Hemsl. et Wils.

— Soulieana Crép.

— spinulifolia Dem.

— species Kaukasus

— species Turkestan

— tomentosa Sm.

— tuschetica Boiss.

— virginica Mill.

Stranvaesia Davidiana Decne.

— undulata Decne.

Vaccinium corymbosum L.

var. amoenum Gray

var. pallidum Gray

— hirsutum Buckl.

Veronica Catarractae Forst.

AUSDAUERNDE KRAUTIGE PFLANZEN.

Allium atropurpureum W. et K.

— *cyaneum* Rgl.

— *flavum* L.

— *karataviense* Rgl.

— *pilosum* S. et S.

Alyssum argenteum Boiss.

— *spinosum* L. var. *roseum*

Andryala Aghardii Haensel

Anemone blanda S. et K.

— *Pulsatilla* L.

— *sylvestris* L.

Anthyllis aurea Visian.

Antirrhinum asarina L.

Arabis Allionii DC.

— *Ferdinandii-Coburgii* K. et S.

— *Lyallii* Wats.

— *Sündermannii* Kell.

Arenaria cephalotes Bieb.

— *Ledebouriana* Fenzl.

— *rupestris* Labil.

Asclepias purpurea Pall.

Bupleurum ranunculoides L.

Camassia Cusickii Wats.

— *Quamasch* Greene

Campanula carpatica Jacq.

var. *turbinata* hort.

— *Kolenatiana* C. A. M.

— *Raddeana* Trautv.

— *speciosa* Pourr.

— *versicolor* Andrews

Cerastium tomentosum L.

Crocus Tomassianus Herb.

Dianthus deltoides L.

— *Noeanus* Boiss.

Diphylleia cymosa Mchx.

Dodecatheon meadia L.

Draba aizoides L.

— *alpina* L.

— *aurea* Vahl

— *Dedeana* B. et R.

Drosera rotundifolia L.

Edraianthus caudatus Rchb.

— *dinaricus* Wettst.

— *serbicus* Petrov.

Eranthis hiemalis Salisb.

Erinus alpinus L.

Erysimum Kotschyanum Gay

Farsetia clypeata R. Br.

Fritillaria meleagris L.

Geranium nepalense Sw.

Helleborus corsicus Willd.

Hieracium villosum Jacq.

Hypericum Degenii Borum.

— *empetrifolium* Willd.

— *fragile* H. et S.

— *reptans* H. et T.

Iris reticulata Bieb.

Linaria macedonica Griseb.

Lobelia syphilitica L.

Meconopsis cambrica Vig.

Mimulus luteus L.

Myosotis Rehsteineri Wartm.

Oenothera pumila L.

Orobis vernus L.

Papaver rupifragum B. et R.

Petrophytum caespitosum Rydb.

Physostegia virginiana Bth.

Phyteuma Charmelii Vill.

— *orbiculare* L.

Pinguicula vulgaris L.

Potentilla argyrophylla Wall.

— *aurea* L.

— *frigida* Vill.

Pterocephalus Parnassii Spreng.

Primula auricula L.

Puschkinia libanotica Boiss.

Rosularia pallida Stapf

Saponaria caespitosa DC.

Sedum alpestre Vill.

— *pilosum* Bieb.

Senecio abrotanifolius L.

Seseli caespitosum S. et S.
 Sideritis euboea Heldr.
 Silene petraea Adams.
 — schafta Gmel.
 Teucrium orientale L.
 Thlaspi stylosum Rchb.
 Tofieldia calyculata Wlbg.

Trachelicum rumelicum Hampe
 Tulipa chrysantha Boiss.
 Tunica saxifraga Scop.
 Umbilicus sempervivum DC.
 Veronica austriaca L.
 — fruticans Jacq.
 — Lyallii Hook.

GEWÄCHSHAUS-PFLANZEN.

Abroma mollis DC.
 Acrostichum aureum L.
 Aechmea candida E. Morr.
 — Drakeana André
 — Schiedeana Schdl.
 Agathaea coelestis Cass.
 Agave heteracantha Berg.
 Albizzia lophantha Benth.
 Alloplectus capitatus Hook.
 Aloe aristata Haw.
 — Rossii Tod.
 — spuria Berg.
 — striata Haw.
 Alpinia calcarata Rosc.
 Anacampseros arachnoides Sims.
 — rufescens DC.
 Aristolochia elegans Mast.
 — fimbriata Cham.
 Arthropodium candidum Raoul
 — cirrhatum R. Br.
 — paniculatum R. Br.
 Asclepias curassavica L.
 — Michauxii Decne.
 Begonia Bismarckii hort.
 — heracleifolia Ch. et S.
 var. nigricans Hook.
 — Pearcei Hook.
 — pseudophyllomaniaca A. Lange
 — Schmidtiana Rgl.
 Beloperone violacea Pl. et Lind.
 Benincasa hispida Cogn.

Bertolonia maculata DC.
 — marmorata Naud.
 — pubescens hort.
 Billbergia Canterae Andr.
 Burbidgea schizocheila hort. Buitenz.
 Caladium Humboldtii Schott (tub.)
 — hybridum hort. (tub.)
 Canna flaccida Salisb.
 — indica L.
 var. robusta grandifolia hort.
 Carmichaelia australis R. Br.
 Chirita lavendulacea Stapf
 Chlorophytum amaniense Engl.
 — inornatum Ker-Gawl.
 Chrysocoma Coma-aurea L.
 Citrullus vulgaris Schrad.
 Clerodendron fallax Vent.
 Cneorum tricoccum L.
 Coleonema album Bartl. et Wendl.
 Colletia cruciata Hook. et Arn.
 Columnea flava Mart.
 — gloriosa Sprague
 — hirta Kl. et Hanst.
 — kewensis
 Cotyledon undulata Haw.
 Crossandra undulifolia Salisb.
 Cytisus canariensis Comm.
 Dahlia Merckii Lehm.
 Desmodium gyrans DC.
 Dioscorea bulbifera L. (tub.)
 — japonica Thunb. (tub.)

Dioscorea macroura Harms (tub.)
 — *reticulata* Gay (tub.)
 — *sativa* L. (tub.)
Dissotis plumosa Hook. f.
Dodonaea viscosa L.
Dorstenia Contrajerva L.
 var. *maculata* hort.
 — *nervosa* Desv.
Drosera capensis L.
Dyckia remotiflora O. et D.
 — *sulfurea* C. Koch
Echeveria agavoides Lem.
 — *Derenbergii* J. A. Purp.
 — *gibbiflora* DC.
 var. *metallica* Lem.
Echinocactus cataphractus Dams.
 — *minuscule* Web.
Eremophila Brownii F. Muell.
Eryngium bromeliifolium Laroche
Euphorbia bubalina Boiss.
Euryale ferox Salisb.
Faucaria Bosscheana Schw.
 — *Jamesii*
 — *tigrina* Schw.
Fuchsia alpestris Gardn.
 — *corymbiflora* R. et P.
 — *procumbens* A. Cunn.
Globba heterobracteata K. Schum.
 — *Schomburgkii* Hook
Gloriosa superba L.
Glottiphyllum latum N. E. Br.
Gossypium herbaceum L.
Guzmania tricolor R. et P.
Haemanthus albiflos Jacq.
 — *hybridus* hort. „König Albert“
 — *Katharinae* Bak.
Hedychium carneum Rosc.
Hereroa Stanleyi
Homalanthus populifolius Grah.
Isotoma longiflora Presl.
Jasminum odoratissimum L.
Jatropha podagrica Hook.
Jussieua grandiflora R. et P.

Kalanchoe Blossfeldiana v. Poelln.
Koellikeria argyrostigma Rgl. (rhiz.)
Lavandula pinnata L.
Leptospermum attenuatum Sm.
Lindmannia penduliflora Stapf
Luffa cylindrica (L.) Roem.
Malvastrum capense Garcke
 — *limense* Ball
 — *tricuspidatum* A. Gray
Mamillaria pusilla P. DC.
 — *Schiedeana* Schlecht.
Maurandia Purpusii Brandeg.
Melia Azedarach L.
Mimosa pudica L.
Momordica Charantia.
Nephtytis Afzelii Schott
Nymphaea gigantea Hook.
 — *Lotus* L.
 — *Lotus* L. *dentata* Rehn.
Ochna multiflora DC.
Oryza sativa L.
Oscularia caulescens Schw.
Peperomia grandifolia Dietr.
 — *velutina* Lind.
Phygelius capensis E. Mey.
Phyllica ericoides L.
Pittosporum heterophyllum Franch.
Plectranthus Oertendahlii Th. Fries jr.
Pleiospilos Hilmarii
Polygonum capitatum Don
Primula kewensis hort.
 — *verticillata* Forsk.
Pritchardia lanigera Becc.
Ptychosperma elegans Bl.
Quamoclit pinnata Bojer
Rhopalostylis sapida Wendl. et Dr.
Rivina laevis L. var. *humilis* L.
Ruellia solitaria Vell.
 — *subsessilis* Lind.
Sabal Blackbourniana Glazeb.
Sagittaria lancifolia L.
Salvia Heerii Rgl.
 — *farinacea* Benth.

Schaueria calycotricha Nees
Sinocrassula yunnanensis F. et B.
Solanum Hendersonii hort.
Sparmannia palmata E. Mey.
Stapelia gigantea N. E. Br.
— variegata L.
Strobilanthes rosea Nees
Stylidium adnatum R. Br.

Tacca Chantrieri Andr.
Tetranema mexicanum Benth.
Thalia dealbata Fraser
Tinantia fugax Scheidw.
var. erecta Drumm.
Trithrinax brasiliensis Mart.
Victoria Cruciana D'Orbigny
Washingtonia robusta Wendl.

FRANKFURT A. M., im Dezember 1935.

M. Bromme
Gartenbaudirektor

F. Encke
Garteninspektor

Br

Missouri Botanical Garden
2315 Tower Grove Ave., St. Louis, Mo. U. S. A.

Ac 343
Chen

103/
88

PALMENGARTEN
DER STADT FRANKFURT AM MAIN

Samentauschliste

1936/37

Doritis taenialis Benth. et Hook.

P. 05

GEHÖLZE.

Andromeda Catesbai Walt.

- floribunda Pursh
- japonica Thunb.
- ligustrina Muhl.
- polifolia L.

var. major

- pulverulenta Bartr.

Aucuba japonica Thunb.

Berberis aggregata C. S.

- Beaniana C. S.
- brevipaniculata C. S.
- buxifolia Lam.
- Coryi Veitch
- Gagnepainii C. S.
- subcaulialata C. S.
- Thunbergii DC.

var. atropurpurea hort.

var. Maximowiczii Franch.
et Sav.

var. minor Rehd.

- Wallichiana DC.

- Wilsonae Hemsl.

Bruckenthalia spiculiflora Rchb.

Chamaedaphne calyculata Mnch.

Clethra alnifolia L.

var. tomentosa Mchx.

Cornus Hessei Koehne

- mas L.

Cotoneaster acutifolia Turcz.

var. villosula Rehd. et Wils.

- adpressa Boiss.
- apiculata Rehd. et Wils.
- Dammeri C. S.
- foveolata Rehd. et Wils.
- Franchetii Boiss.
- Henryana Rehd. et Wils.
- hupehensis Rehd. et Wils.
- moupinensis Franch.
- obscura Rehd. et Wils.
- pannosa Franch.

Cotoneaster rosea Edgew.

- rubens hort.
- rupestris Hort. Gibbs.
- salicifolia Franch.
- var. floccosa Rehd. et Wils.
- var. rugosa Rehd. et Wils.

- species C. Schneider

- tomentosa Ldl.

Erica arborea L. var. alpina W. L. Beau

- ciliaris L.

Evonymus alata Maxim.

- Bungeana Maxim.

- nana M. B.

- pauciflora Maxim.

Evonymus radicans Mig.

var. variegata hort.

var. vegata Rehd.

Exochorda Albertii Rgl.

Fumana procumbens Godr.

Gaultheria procumbens L.

- Shallon Pursh

var. acutifolia

Genista prostrata Lam.

Hydrangea arborescens L.

var. urticifolia hort.

- radiata Walt.

- Sargentiana Rehd.

Hypericum androsaemum L.

- patulum Thunb.

var. Henryi Veitch

Ilex aquifolium L.

- verticillata A. Gray

Kalmia latifolia L.

Kolkwitzia amabilis Graebn.

Ledum palustre L.

Leiophyllum buxifolium Ell.

Ligustrum amurense Carr.

Mahonia repens Don

var. macrocarpa Jouin

Microglossa albescens Clarke

Myrica gale L.
Pernettya mucronata Gaud.
Pyracantha coccinea Roem.
Rhododendron canadense Zbl.
— *ferrugineum* L.
— *hirsutum* L.
— *racemosum* Franch.
Rhus glabra L.
Rosa acicularis Ldl.
— *arkansana* Port.
— *calcutensis* hort.
— *coriifolia* Fries
 var. *Froebelii* Fries
— *coruscans* Lk.
— *dahurica* Pall.
— *dumetorum* Thuill.
— *Fendleri* Crép.
— *Gmelinii* Rgl.
— *haematodes* Boiss.
— *Helenae* Rehd. et Wils.
— *hibernica* Sm.
— *multibracteata* Hemsl. et Wils.
— *nitida* Willd.
— *nutkana* Presl.
— *oxyacanta* M. B.

Rosa pisocarpa A. Gray
— *Prattii* Hemsl.
— *pubescens* Roxb.
— *setigera* Mchx.
— *setipoda* Hemsl. et Wils.
— *Soulieana* Crép.
— *species Kaukasus*
— *species Turkestan*
— *spinulifolia* Dem.
— *tomentosa* Sm.
— *virginica* Mill.
Rubus illicebrosus Focke
Senecio Greyi Hook.
Spartium junceum L.
Stranvaesia Davidiana Decne.
— *undulata* Decne.
Symphoricarpus acutus Dipp.
Syringa Adamiana Balf. f. et W.W. Sm.
Ulex europaeus L.
Vaccinium corymbosum L.
 var. *amoenum* Gray
 var. *pallidum* Gray
— *hirsutum* Buckl.
— *macrocarpum* Ait.

AUSDAUERENDE KRAUTIGE PFLANZEN.

Acaena sanguisorbae Tahl.
Adonis vernalis L.
Alchemilla alpina L.
Allium atropurpureum W. et K.
— *Farreri*
— *flavum* L.
— *karataviense* Rgl.
— *Moly* L.
— *pilosum* S. et S.
— *Ostrowskianum* Rgl.
Alyssum argenteum Boiss.
— *gemonense* L.
— *montanum* L.
 var. *diffusum* Bth.

Alyssum spinosum L.
 var. *roseum*
Androsace lanuginosa Wallr.
— *yunnanensis*
Anemone blanda Sch. et K.
— *nemorosa* L.
— *pulsatilla* L.
— *silvestris* L.
Antennaria aprica Greene
Anthyllis montana L.
— *Webbiana* Hook.
Antirrhinum asarina L.
Arabis alpina L.
— *bellidifolia* Jacq.

Arabis Ferdinandii-Coburgii K. et S.
 — *hirsuta* Scop.
 — *Lyallii* Wats.
 — *Sündermannii* Kell.
Arenaria rupestris Labil.
Arum italicum Mill.
Asclepias purpurea Pall.
Aster alpinus L.
Astragalus purpureus Lam.
Bellium minutum L.
Bulbocodium vernum L.
Bupleurum ranunculoides L.
Caltha palustris L.
Camassia Cusickii Wats.
 — *squamash* Greene
Campanula garganica Ten.
 var. *istriaca* Teer.
 — *mollis* L.
 — *Piperi* How.
Cerastium alpinum L. var. *lanatum*
 — *Lerchenfeldianum* Schur.
Chrysanthemum oreades Whn.
Chrysopsis villosa Nutt.
 var. *Rutteri* Rothr.
Codonopsis clematidea Schr.
Comarella multifida
Cornus canadensis L.
Corydalis lutea DC.
Crocus Imperatii Ten.
 — *Tomassianus* Herb.
 — *versicolor* Ker.
Desmodium canadense DC.
Dianthus brevicaulis Fenzl
Diphylleia cymosa Mchx.
Dodecatheon Clevelandii Greene
 — *meadia* L.
Draba aizoides L.
 — *alpina* L.
 — *aurea* Vahl
 — *Kotschyi* Stur.
 — *lasiocarpa* Adams.
 var. *demissorum*
 — *rupestris* R. Br.

Drosera rotundifolia L.
Dryas octopetala L.
Edraianthus caudatus Rchb.
 — *dinaricus* Wettst.
Epilobium Hectorii Hausskn.
Eranthis hiemalis Salisb.
Erinus alpinus L.
Erysimum Kotschyanum Gay
Euphorbia lathyris L.
 — *myrsinites* L.
Farsetia clypeata R. Br.
Fritillaria meleagris L.
Galtonia candicans Decne.
Gaya pyrenaica Gaud.
Geranium nepalense Sw.
Geum montanum L.
Gypsophila cerastioides D. Don
Hieracium aurantiacum L.
 — *glaciale* Lach.
 — *villosum* Jacq.
Horminum pyrenaicum L.
Houstonia coerulea L.
Hypericum Degenii Bornm.
 — *empetrifolium* Willd.
 — *Kotschyanum* Boiss.
 — *reptans* H. et T.
Inula acaulis Schott et Ky.
Iris caespitosa Pall.
 — *reticulata* M. B.
Linaria alpina DC.
 — *macedonica* Griseb.
 — *supina* Desf. var. *nevadense*
Linum flavum L.
Lobelia syphilitica L.
Lychnis alpina L.
 — *Lagascae* Hook.
Meconopsis cambrica Vig.
Mimulus cardinalis Dougl.
 — *luteus* L.
Muscari bortyoides Mill.
Myosotis Rehsteineri Warm.
Orobus vernus L.
Oxalis Acetosella L.

Papaver alpinum L.
 — *rupifragum* B. et R.
Pentstemon pubescens Ait.
 var. *pygmaeus*
Phyteuma Charmelii Vill.
 — *orbiculare* L.
Plantago alpina L.
 — *cynops* L.
Podanthum alpinum
Potentilla alpestris Hall. f.
 — *argyrophilla* Wall.
 var. *insignis* Lehm.
 — *Drummondii* Lehm.
 — *fragiformis* Willd.
 — *frigida* Vill.
 — *gracilis* Dougl.
 — *minima* Hall. f.
 — *nepalensis* Hook.
 var. *Willmottiae*
 — *nivea* Lapeyr.
 — *ternata* C. Koch
 — *Wrangeliana*
Primula arctotis Kern. var. *hybrida*
 — *denticulata* Sm.
 var. *cashemiriana* Hook.
 — *frondosa* Janka
 — *leucophylla* Pax
 — *longiflora* All.
 — *marginata* Curt.
 — *rosea* Royle
Pterocephalus Parnassii Spreng.
Puschkinia scilloides Adams.
 var. *libanotica* Boiss.
Ranunculus millefoliatus Vahl
Roscoea alpina Royle
Saxifraga aizoides Jacq.
 — *crustata* Vest.
 — *Hostii* Tausch
 var. *altissima* E. et J.

Saxifraga pennsylvanica L.
Schievereckia Bornmuellerii Prantl
Scilla sibirica Andr.
Scrophularia vernalis L.
Scutellaria alpina L.
 — *amana* Bornm.
Sedum acre L.
 — *drymarioides* Hance
 — *gracile* C. A. Mey.
 — *Hartmannii*
 — *Jaccardianum* Maire
 — *Karjinae*
 — *magellense* Ten.
 — *sempervivum* Ledeb.
 — *spathulifolium* Hook.
Senecio abrotanifolius L.
Seseli caespitosum S. et S.
Silene alpestris Jacq.
 — *caucasica* Boiss.
 — *petraea* Adams.
 — *schafta* Gmel.
Sodanella hungarica Simonkn.
Statice Gougetiana Gir.
Sweertia perennis L.
Teucrium orientale L.
Thymus serpyllum L.
Trachelium rumelicum Hampe
Tricyrtis macropoda Ait.
Trollius chinensis Bge.
Tulipa Kaufmanniana Rgl.
Umbilicus chrysanthus Boiss.
 — *pendulinus* DC.
 — *sempervivum* DC.
Veronica austriaca L.
 — *fruticans* Jacq.
 — *incana* L.
Vicia pyrenaica Pourr.
Wulfenia carinthiaca Jacq.

GEWÄCHSHAUS-PFLANZEN.

Abroma mollis DC.
Abutilon Darwinii Hook. f.
Acacia juniperina Willd.
Acrostichum aureum L.
Aechmea coerulescens Bak.
Aeginetia indica L.
Agathaea coelestis Cass.
Agave heteracantha Berg.
Albizzia lophantha Benth.
Albuca Nelsonii N. E. Br.
Alloplectus capitatus Hook.
Alpinia calcarata Rosc.
Alstroemeria aurantiaca D. Don
Anacampseros densifolia Dinter
 — *filamentosa* Sims.
 — *rufescens* DC.
Aristolochia elegans Mast.
Arthropodium candidum Raoul
 — *cirrhatum* R. Br.
 — *paniculatum* R. Pr.
Asclepias curassavica L.
 — *Michauxii* Decne.
Begonia Bismarckii hort.
 — *Frankonis* Liebm.
 — *Froebelii* A. DC.
 — *heracleifolia* Ch. et S.
 var. longipila Hook.
 var. nigricans Hook.
 — *hirtella* Lk.
 — *Schmidtiana* Rgl.
 — *subvillosa* Klotzsch
 — *undulata* Schott
 — *venosa* Skan.
Beloperone violacea Pl. et Lind.
Benincasa hispida Cogn.
Bertolonia maculata DC.
 — *marmorata* Naud.
 — *pubescens* hort.
Billbergia Canterae Andr.
Biophytum dendroides Dec.

Caladium Humboldtii Schott (tub.)
 — *hybridum* hort. (tub.)
Campanula Vidalii Wats.
Canna flaccida Salisb.
 — *indica* L.
 var. robusta grandifolia hort.
Cardiospermum Halicabum L.
Cedronella canariensis W. et B.
Ceratopteris thalictroides Brgn.
Cereus Dayamii Speg.
 — *flagelliformis* Mill.
Cestrum elegans Schlecht.
Clorophytum amaniense Engl.
 — *inornatum* Ker-Gawl.
 — *nepalense* Bak.
Chrysocoma Coma-aurea L.
Citriobatus multiflorus A. Cunn.
Citrullus colocynthis Schrad.
 — *vulgaris* Schrad.
Clerodendron fallax Vent.
Clianthus puniceus Soland.
Cneorum tricoccum L.
Columnnea gloriosa Sprague
 — *hirta* Kl. et Hangst.
 — *kewensis*
Cotyledon undulata Haw.
 — *teretifolia* Thunb.
Cyclamen africanum Boiss. et Reut.
Cytisus canariensis Comm.
Desmodium gyrans DC.
Dianella tasmanica Hook.
Dioscorea bulbifera L. (tub.)
 — *japonica* Thunb. (tub.)
 — *macroura* Harms (tub.)
 — *reticulata* E. Gay (tub.)
 — *sativa* L. (tub.)
Distylium racemosum S. et Z.
Dorstenia argentata Hook. f.
 — *Contrajerva* L.
 var. maculata hort.
 — *nervosa* Desv.

Drosera binata Labill.
 — *capensis* L.
Echeveria agavoides Lem.
 — *Derenbergii* J. A. Purp.
Echinocactus cataphractus Dams.
 — *deminutus* Gürke
 — *horizonthalonius* Lem.
 — *Ottonis* Lk. et Otto
 — *Williamsii* Lem.
Encholirion corallinum Linden
Eryngium bromeliifolium Laroche
Erythroxylon Coca Lam.
Eupatorium atrorubens Nichols.
 — *janthinum* Hemsl.
Euphorbia bubalina Boiss.
 — *Fournieri* hort.
 — *meloformis* Ait.
Fuchsia alpestris Gardn.
 — *procumbens* A. Cunn.
Gasteria verrucosa Haw.
Gerbera Jamesonii Bol.
Gesneria cardinalis Lehm.
Gossypium herbaceum L.
Guzmania Peacockii Mez
 — *tricolor* R. et P.
Haemanthus albiflos Jacq.
 — *Katharinae* Bak.
Hakea nodosa R. Br.
Hedychium carneum Rosc.
Heimia myrtifolia Schlecht.
Hemigraphis primulaefolia Vill.
Hermannia candicans Ait.
 var. discolor
Hippeastrum aulicum Herb.
 — *auritum*
Homalanthus populifolius Grah.
Hymenanchera crassifolia Hook.
Isotoma longiflora Presl
Jasminum odoratissimum L.
Jatropha podagrica Hook.
Jussieua grandiflora R. et P.
Kalanchoe Blossfeldiana v. Poelln.
Klugia Notoniana A. DC.

Koellikeria argyrostygma Rgl. (rhiz.)
Lavandula pinnata L.
Leucophaea macrostachyos Poir.
Luffa acutangula Roxb.
 — *cylindrica* (L.) Roem.
Malvastrum limense Ball
 — *tricuspidatum* A. Gray
Mamillaria Kunzeana Boed.
 — *pusilla* P. DC.
Maurandia Purpusii Brandeg.
Mesembrianthemum calamiforme L.
Mimosa pudica L.
Momordica Charantia L.
Nephtytis Afzelii Schott
 — *Poissonii* N. E. Br.
Nymphaea gigantea Hook.
 — *Lotus* L.
 var. dentata Rehn.
Ochna multiflora DC.
Ophiopogon Jaburan Lodd.
 var. variegatus hort.
 — *japonicus* Ker.
Ornithogalum longibracteatum Jacq.
Oryza sativa L.
Pachira insignis Sav.
Palisota Barteri Hook. f.
Passiflora cheiroptera
Pelargonium alchemilloides Ait.
 — *ovale* Herit.
Peperomia calvicaulis C. DC.
 — *grandifolia* Dietr.
 — *pereskiaefolia* H. B.
 — *velutina* Lind.
Phygelius capensis E. Mey.
Phyllica oleifolia Vent.
Pitcairnia heterophylla Beer
 — *maidifolia* Desm.
Pittosporum heterophyllum Franch.
Plectranthus Oerthendahlii Th. Fries jr.
 — *parviflorus* Willd.
Polygonum capitatum Don
Primula verticillata Forsk.
Pritchardia lanigera Becc.

Ptychosperma elegans Bl.
Rhoeo discolor Hance
Rhopalostylis sapida Wendl. et Dr.
Rivina laevis L. var humilis L
Ruellia amoena Nees
— solitaria Vell.
— squarrosa Fenzl
Sabal Blackbourniana Glazebr.
Schaueria calycotricha Nees.
Scutellaria Ventenatii Hook.
— violacea Heyne
Siderites dasygnaphala Glos.
Solanun Hendersonii hort.
Sparmannia palmata E. Mey.
Sprekelia formosissima Herb.
Stapelia gigantea N. E. Br.
— hirsuta L.
— variegata L.

Stylidium adnatum R. Br.
— caespitosum R. Br.
Swainsonia coronillifolia Salisb.
var. hybrida hort.
Tacca Chantrieri Andr.
Tetranema mexicanum Benth.
Thalia dealbata Fraser
Tillandsia Graebneri Mez
Tinantia fugax Scheidw.
var. erecta Drumm.
Torenia Fournieri Lind.
Trachelium coeruleum L.
Tradescantia amplexicaulis Klotzsch
— geniculata Jacq.
Victoria Cruciana D'Orbigny
Vriesia splendens Lem.
Zantedeschia albomarginata Baill.

FRANKFURT A. M., im Dezember 1936.

M. Bromme
Gartenbaudirektor

F. Encke
Gartenoberinspektor

2
PALMENGARTEN DER STADT FRANKFURT A. M.

ae 343

Samentauschliste 1937/38

Echinocactus Grusonii, Cereus geometrizans,
Cereus Strausii, Cephalocereus senilis.

JAN 12 1938

GARDEN LIBRARY.

GEHÖLZE.

Acanthopanax Simonii C. S.
Ampelopsis heterophylla S. et Z.
 var. *elegans* C. Koch
Andromeda floribunda Pursh
 — *japonica* Thunb.
 — *pulverulenta* Batr.
Alnus cordata Desf.
Aucuba japonica Thunb.
Berberis aggregata C. S.
 — *Beaniana* C. S.
 — *brevipaniculata* C. S.
 — *Coryi* Veitch
 — *Gagnepainii* C. S.
 — *Thunbergii* DC.
 var. *atropurpurea* hort.
 — *Veitchii* C. S.
 — *Wilsonae* Hemsl.
Chaenomeles Maulei C. S.
Chamaedaphne calyculata Mnch.
Citrus trifoliata L.
Clethra alnifolia L.
 var. *tomentosa* Mchx.
Colutea arborescens L.
Cotoneaster acutifolia Turcz.
 var. *villosula* R. et W.
 — *adpressa* Boiss.
 — *amoena* Wils.
 — *apiculata* Rehd. et Wils.
 — *Dammeri* C. S.
 — *Franchetti* Boiss.
 — *Henryana* Rehd. et Wils.
 — *microphylla* Wall.
 var. *thymifolia* Koehne
 — *nanchuanica* Rgl.
 — *obscura* Rehd. et Wils.
 — *pannosa* Franch.
 — *rosea* Edgew.

Cotoneaster rubens hort.
 — *salicifolia* Franch.
 var. *floccosa* R. et W.
 var. *rugosa* R. et W.
 — *species* C. Schneider
Cytisus capitatus Jacq.
 — *nigricans* L.
Daphne mezereum L.
Erica cinerea L.
 — *tetralix* L.
Evonymus nana M. B.
 — *radicans* Mig.
 var. *vegeta* Rehd.
Exochorda Albertii Rgl.
Fumana procumbens Godr.
Gaultheria procumbens L.
 — *pyrolaefolia* Hook. f.
 — *Shallon* Pursh
 var. *acutifolia* —
Halimodendron argenteum Fisch.
Hedera helix L.
Helianthemum macedonicum —
Hypericum androsaemum L.
 — *patulum* Thunb.
 var. *Henryi* Veitch
Ilex aquifolium L.
Ledum groenlandicum Oeder
 — *palustre* L.
Leycesteria formosa Waltr.
Ligustrum Delavayanum Hariot
 — *ionandrum* Diels
 — *lucidum* Ait.
Lonicera pileata Oliv.
Menziesia globularis Salisb.
Microglossa albescens Clarke
Myrica gale L.
Pernettya mucronata Gaud.

GEHÖLZE.

Acanthopanax Simonii C. S.
Ampelopsis heterophylla S. et Z.
 var. *elegans* C. Koch
Andromeda floribunda Pursh
 — *japonica* Thunb.
 — *pulverulenta* Batr.
Alnus cordata Desf.
Aucuba japonica Thunb.
Berberis aggregata C. S.
 — *Beaniana* C. S.
 — *brevipaniculata* C. S.
 — *Coryi* Veitch
 — *Gagnepainii* C. S.
 — *Thunbergii* DC.
 var. *atropurpurea* hort.
 — *Veitchii* C. S.
 — *Wilsonae* Hemsl.
Chaenomeles Maulei C. S.
Chamaedaphne calyculata Mnch.
Citrus trifoliata L.
Clethra alnifolia L.
 var. *tomentosa* Mchx.
Colutea arborescens L.
Cotoneaster acutifolia Turcz.
 var. *villosula* R. et W.
 — *adpressa* Boiss.
 — *amoena* Wils.
 — *apiculata* Rehd. et Wils.
 — *Dammeri* C. S.
 — *Franchetti* Boiss.
 — *Henryana* Rehd. et Wils.
 — *microphylla* Wall.
 var. *thymifolia* Koehne
 — *nanchuanica* Rgl.
 — *obscura* Rehd. et Wils.
 — *pannosa* Franch.
 — *rosea* Edgew.

Cotoneaster rubens hort.
 — *salicifolia* Franch.
 var. *floccosa* R. et W.
 var. *rugosa* R. et W.
 — *species* C. Schneider
Cytisus capitatus Jacq.
 — *nigricans* L.
Daphne mezereum L.
Erica cinerea L.
 — *tetralix* L.
Evonymus nana M. B.
 — *radicans* Mig.
 var. *vegeta* Rehd.
Exochorda Albertii Rgl.
Fumana procumbens Godr.
Gaultheria procumbens L.
 — *pyrolaefolia* Hook. f.
 — *Shallon* Pursh
 var. *acutifolia* —
Halimodendron argenteum Fisch.
Hedera helix L.
Helianthemum macedonicum —
Hypericum androsaemum L.
 — *patulum* Thunb.
 var. *Henryi* Veitch
Ilex aquifolium L.
Ledum groenlandicum Oeder
 — *palustre* L.
Leycesteria formosa Waltr.
Ligustrum Delavayanum Hariot
 — *ionandrum* Diels
 — *lucidum* Ait.
Lonicera pileata Oliv.
Menziesia globularis Salisb.
Microglossa albescens Clarke
Myrica gale L.
Pernettya mucronata Gaud.

Pernettya tasmanica Hook. f.
Rhamnus Frangula L.
Rhododendron caucasicum Pall.
— *ferrugineum* L.
— *hippophaeoides* Balf. et W.W. Sm.
— *impeditum* Franch.
Rhus glabra L.
Rosa acicularis Ldl.
— *blanda* Ait.
— *calcutensis* hort.
— *cinnamomea* L.
— *coriifolia* Fries
— var. *Froebelii* Fries
— *coruscans* Lk.
— *dahurica* Pall.
— *dorpatensis* hort.
— *dumetorum* Thuill.
— *Fendleri* Crép.
— *Gmelinii* Rgl.
— *haematodes* Boiss.
— *Helenae* Rehd. et Wils.
— *hibernica* Sm.
— *manca* Greene
— *microphylla* Roxb.
— *multibracteata* Hemsl. et Wils.

Rosa nitida Willd.
— *oxyacantha* M. B.
— *pisocarpa* A. Gray
— *Prattii* Hemsl.
— *pubescens* Roxb.
— *setigera* Mchx.
— *setipoda* Hemsl. et Wils.
— *Soulieana* Crép.
— *tomentosa* Sm.
— *virginica* Mill.
Skimmia japonica Thunb.
Solanum Dulcamara L.
Spartium junceum L.
Staphylea colchica Stev.
— *pinnata* L.
Stephanandra Tanakae Franch et Sav.
Stranvaesia Davidiana Dcne.
— *undulata* Dcne.
Symphoricarpus acutus Dipp.
— *Heyeri* Dipp.
Ulex europaeus L.
Vaccinium hirsutum Buckl.
— *macrocarpum* Ait.
Viburnum alnifolium Marsh.
— *Henryi* Hemsl.

AUSDAUERENDE KRAUTIGE PFLANZEN.

Adenostylis alpina Bluff. et Fingerh.
Allium atropurpureum W. et K.
— *cyaneum* Rgl.
— *Farreri* —
— *flavum* L.
— *karataviense* Rgl.
— *Ostrowskianum* Rgl.
— *pilosum* S. et S.
— *tibeticum* Rendle
Alyssum anamense Velen
— *gemonense* L.

Alyssum montanum L.
— *saxatile* L.
— *spinosum* L.
— var. *roseum*
Anacyclus depressus Ball
Androsace carnea L.
— var. *brigantiaca* R. Kn.
— *yunnanensis* —
Anemone blanda Sch. et K.
— *caroliniana* Walt.
— *nemorosa* L.

Anemone silvestris L.
 — *virginiana* L.
Anthyllis Webbiana Hook.
Antirrhinum Asarina L.
 — *glutinosum* Boiss. et Reut.
 — *molle* L.
Arabis Allionii DC.
 — *alpina* L.
 — *bellidifolia* Jacq.
 — *blepharophylla* Hook. et Arn.
 — *coerulea* All.
 — *hirsuta* Scop.
Arenaria Ledebouriana Fenzl
 — *rupestris* Labil.
Arisaema consanguineum Schott
Asclepias purpurea Pall.
Asperula odorata L.
Aster alpinus L.
Astragalus alpinus L.
Bupleurum ranunculoides L.
Caltha polypetala Hochst.
Camassia Cusickii Wats.
 — *squamash* Greene
Campanula collina M. B.
 — *Kolenatiana* C. A. M.
 — *mollis* L.
 — *Piperi* How.
 — *versicolor* Andr.
Cerastium tomentosum L.
Chrysanthemum oreades Whn.
Chrysopsis villosa Nutt.
 var. Rutteri Rothr.
Codonopsis clematidea Schrad.
Comarella multifoliata Rydb.
Comellina dianthifolia Delile
Corydalis lutea DC.
Crocus Tomassianus Herb.
Dentaria digitata Lam.
Desmodium canadense DC.
Dianthus pelviiformis Heuff.

Draba aizoides L.
 — *lasiocarpa* Adams.
 var. demissorum
Dryas Drummondii Richards.
 — *octopedala* L.
Edraianthus caudatus Rchb.
Epilobium Hectori Hausskn.
Eranthis hiemalis Salisb.
Erinus alpinus L.
Eriophyllum caespitosum Dougl.
Erythraea chloodes Green. et Godr.
Fritillaria meleagris L.
Galtonia candicans Decne.
Gaya pyrenaica Gaud.
Geranium nepalense Sw.
Geum montanum L.
Globularia trichosantha F. et M.
 — *Willkommii* Nym.
Gypsophila cerastioides D. Don
Helleborus foetidus L.
Hieracium aurantiacum L.
 — *glaciale* Lach.
Horminum pyrenaicum L.
Hypericum Degenii Bornm.
 — *empetrifolium* Willd.
 — *repens* L.
 — *reptans* H. et T.
Lavandula vera DC.
Leontopodium alpinum Cass.
Lilium Martagon L.
Linaria alpina DC.
 — *macedonica* Griseb.
Linum capitatum Kit.
 — *flavum* L.
Lobelia syphilitica L.
Lychnis Lagascae Hook.
Meconopsis cambrica Vig.
Meum athamanticum Jacq.
Mulgedium alpinum Less.
Muscari botryoides Mill.

Oenothera linearis Mchx.
 — *missouriensis* Sims.
 — *pumila* L.
Onosma stellulatum Waldst. et Kit.
 var. *tauricum* Pall.
Orobis vernus L.
Oxalis acetosella L.
Papaver alpinum L.
 — *rupifragum* B. et R.
Paris quadrifolia L.
Pelargonium Endlicherianum Fenzl
Pentstemon pubescens Ait.
 var. *pygmaeus*
Phyteuma Charmelii Vill.
Plantago alpina L.
 — *cynops* L.
Polygonatum multiflorum All.
Potentilla alpestris Hall. f.
 — *argyrophilla* Wall.
 var. *insignis* Lehm.
 — *Drummondii* Lehm.
 — *fragiformis* Willd.
 — *frigida* Vill.
 — *gracilis* Dougl.
 — *speciosa* Willd.
 — *Wrangeliana* Fisch. et Mey.
Primula arctotis Kern.
 var. *hybrida*
 — *denticulata* Sm.
 var. *cashmeriana* Hook.
 — *Florindae* Ward
 — *japonica* A. Gray
 — *leucophylla* Pax
 — *pulverulenta* Duthie
 — *rosea* Royle
 — *saxatilis* Kom.
Puschkinia scilloides Adams.
 var. *libanotica* Boiss.

Ranunculus gramineus L.
Roscoea alpina Royle
Ruta patavina L.
Salvia nevadensis —
Sanicula europaea L.
Saponaria caespitosa DC.
Saxifraga crustata Vest.
 — *irrigua* M. B.
 — *rotundifolia* L.
Scabiosa graminifolia L.
Scrophularia vernalis L.
Scutellaria alpina L.
 — *amana* Bornm.
Sedum gracile C. A. Mey.
 — *hybridum* L.
 — *portulacoides* Willd.
 — *spathulifolium* Hook.
Senecio abrotanifolius L.
Seseli caespitosum S. et S.
Sideritis euboea Heldr.
Silene alpestris Jacq.
 — *petraea* Adams.
 — *schafta* Gmel.
Soldanella alpina Willd.
Statice Gougetiana Gir.
Teucrium orientale L.
Trachelium rumelicum Hampe
Tricyrtis macropoda Ait.
Tulipa Kaufmanniana Rgl.
Umbilicus pendulinus DC.
 — *sempervivum* DC.
Veronica fruticans Jacq.
 — *fruticulosa* L.
 — *incana* L.
Viola palmata L.
Wulfenia carinthiaca Jacq.

GEWÄCHSHAUS-PFLANZEN.

<p> <i>Acanthostachys strobilacea</i> Lk.
 <i>Achimenes lanata</i> Hanst. (rhiz.)
 <i>Acrostichum aureum</i> L.
 <i>Aechmea bromeliaefolia</i> Bak.
 — <i>coerulescens</i> Bak.
 — <i>Schiedeana</i> Schdl.
 — <i>tinctoria</i> Mez
 <i>Aeschynanthus grandiflora</i> Spreng.
 <i>Aglaonema Haenkii</i> Schott
 <i>Albizzia lophantha</i> Benth.
 <i>Alloplectus capitatus</i> Hook.
 — <i>sanguineus</i> Mart.
 <i>Aloe spuria</i> Berg.
 <i>Amaryllis Belladonna</i> L.
 <i>Anthurium obtusilobum</i> Schott
 <i>Aristolochia elegans</i> Mast.
 <i>Arthropodium candidum</i> Raoul
 — <i>cirrhatum</i> R. Br.
 — <i>paniculatum</i> R. Br.
 <i>Asclepias curassavica</i> L.
 — <i>Michauxii</i> Decne.
 <i>Asparagus Sprengeri</i> Rgl.
 <i>Babiana hybrida</i> hort.
 <i>Basella rubra</i> L.
 <i>Bauhinia monandra</i> Kurz
 <i>Begonia Engleri</i> Gilg
 — <i>Rajah</i> Ridley
 — <i>Schmidtiana</i> Rgl.
 — <i>venosa</i> Skan.
 <i>Benincasa hispida</i> Cogn.
 <i>Bertolonia maculata</i> DC.
 — <i>marmorata</i> Naud.
 — <i>pubescens</i> hort.
 — <i>species</i>
 <i>Biophytum dendroides</i> Dec.
 <i>Brunfelsia Hopeana</i> Benth.
 <i>Caladium Humboldtii</i> Schott (tub.)
 — <i>hybridum</i> hort. (tub.) </p> | <p> <i>Calvoa orientalis</i> Taub.
 <i>Campanula Vidalii</i> Wats.
 <i>Canna flaccida</i> Salisb.
 <i>Ceratopteris thalictroides</i> Brgn.
 <i>Centaurea Cineraria</i> L.
 <i>Cestrum elegans</i> Schlecht.
 <i>Chlorophytum amaniense</i> Engl.
 — <i>inornatum</i> Ker-Gawl
 <i>Chorizema diversifolium</i> DC.
 <i>Chrysocoma Coma-aurea</i> L.
 <i>Citriobatus multiflorus</i> A. Cunn.
 <i>Citrullus colocynthis</i> Schrad.
 — <i>vulgaris</i> Schrad.
 <i>Clerodendron fallax</i> Vent.
 — <i>splendens</i> G Don
 <i>Clanthus puniceus</i> Soland.
 <i>Cneorum tricoccum</i> L.
 <i>Coleonema album</i> Bartl. et Wendl.
 <i>Colletia cruciata</i> Hook. et Arn.
 <i>Columnnea flava</i> Mart.
 <i>Costus igneus</i> N. E. Br.
 <i>Cotyledon teretifolia</i> Thunb.
 <i>Cyanotis cristata</i> Schult.
 — <i>somaliense</i> C. B. Clarke
 <i>Cylindrophyllum calamiforme</i>
 Schwant.
 <i>Cytisus canariensis</i> Comm.
 <i>Desmodium gyrans</i> DC.
 <i>Dioscorea sativa</i> L. (tub.)
 — <i>reticulata</i> E. Gay (tub.)
 <i>Dorstenia Contrajerva</i> L.
 var. <i>maculata</i> hort.
 <i>Dracaena phrynioides</i> Hook. f.
 <i>Dracophyllum secundum</i> R. Br.
 <i>Drosera binata</i> Labill.
 — <i>capensis</i> L.
 <i>Echeveria alpina</i> —
 <i>Echinocactus cataphractus</i> Dams. </p> |
|---|---|

Echinocactus Grahlianus Hge. jr.
 — *minuscus* Web.
 — *pumilus* Lem.
Eremophila Brownii F. Muell.
Euphorbia bubalina Boiss.
Euryale ferox Salisb.
Fuchsia alpestris Gardn.
Guzmania Peacockii Mez
 — *tricolor* R. et P.
Haemanthus albiflos Jacq.
 — *Katharinae* Bak.
Haworthia setata Haw.
Hedychium carneum Rosc.
Hermannia candicans Ait.
 var. discolor
Hippeastrum aulicum Herb.
 var. robustum Voss
 — *auritum* —
Homalanthus populifolius Grah.
Isotoma axillaris Ldl.
 — *longiflora* Presl
Jasminum odoratissimum L.
Jatropha podagrica Hook.
Kalanchoe Blossfeldiana v. Poelln.
Koellikeria argyrostigma Rgl. (rhiz.)
Lavandula pinnata L.
Lavatera arborea L.
 var. variegata hort.
Leptospermum scoparium Forst.
Lindmannia penduliflora Stapf
Lisianthus Russelianus Hook.
Mackaya bella Harv.
Mamillaria elongata P. DC.
 — *pusilla* DC.
 — *surculosa*
 — *Wildii* A. Dietr.
Marica coerulea Ker-Gawl
Maurandia Purpusii Brandeg.
Miconia species
Mimosa pudica L.

Momordica Charantia L.
Moraea bicolor Steud.
 — *iridioides* L.
Nemopanthus mucronata Trelease
Nephtytis Afzelii Schott
 — *Poissonii* N. E. Br.
Neptunia oleracea Lour.
Nymphaea gigantea Hook.
 — *Lotus* L.
 var. dentata Rehn.
Ochna multiflora DC.
Ornithogalum longibracteatum Jacq.
Oxalis carnea Mol.
Oryza sativa L.
Palisota bracteosa Clarke
Parochetus communis Hamilt.
Passiflora suberosa L.
Pelargonium grossularioides Ait.
 — *inquinans* Ait.
Pentas carnea Benth.
Peperomia grandifolia Dietr.
 — *major* DC.
 — *pereskiaefolia* H. B.
Phyllis oleifolia Vent.
 — *paniculata* Willd.
Plectranthus parviflorus Willd.
Polygonum capitatum Don
Pritchardia lanigera Becc.
Psidium Guajava L.
Rivina laevis L.
 var. humilis L.
Ruellia squarrosa Fenzl
 — *subsessilis* Lind.
Sabal Blackburniana Glazeb.
Schaueria calycotricha Nees
Schizocapsa plantaginea Hance
Scutellaria Ventenatii Hook.
Senecio grandifolius Less.
Sideritis dasygnaphala Glos.
Solanum Hendersonii hort.

Streptocarpus caulescens Vatke
Stylidium adnatum R. Br.
Tacca Chantrieri Andr.
Tetranema mexicanum Benth.
Thalia dealbata Fraser
Tibouchina semidecandra Cogn.
Tigridia Pavonia Ker-Gawl
Tillandsia fasciculata Sw.
— Saundersii K. Koch

Tillandsia streptophylla Sch.
Torenia Baillonii Andr.
— Fournieri Lind.
Trachelium coeruleum L.
Trachycarpus excelsa H. Wendl.
Tradescantia geniculata Jacq.
Vallota purpurea Herb.
Zephyranthes rosea Ldl.

FRANKFURT A. M., im Dezember 1937.

M. Bromme
Gartenbaudirektor

F. Encke
Gartenoberinspektor

Blütenstand von *Agave americana*

ae 343

PALMENGARTEN DER STADT FRANKFURT A. M.

Samentauschliste 1938/39 ✓

Euanthe Sanderiana Schlecht.

GEHÖLZE

Acanthopanax Henryi Harms
Alnus cordata Desf.
Andromeda floribunda Pursh
 — *japonica* Thunb.
 — *ligustrina* Muhl.
 — *pulverulenta* Bartr.
Aucuba japonica Thunb.
Berberis aggregata C. S.
 — *Beaniana* C. S.
 — *brevipaniculata* C. S.
 — *Coryi* Veitch
 — *Gagnepainii* C. S.
 — *Hookeri* Lem.
 — *Thunbergii* DC.
 var. *atropurpurea* hort.
 — *Veitchii* C. S.
 — *Wilsonae* Hemsl.
Callicarpa Giralddiana Hesse
Cercis Siliquastrum L.
Chaenomeles Maulei C. S.
Chamaedaphne calyculata Mch.
Citrus trifoliata L.
Clethra acuminata Mchx.
 — *alnifolia* L.
 var. *tomentosa* Mchx.
Colutea arborescens L.
Cornus Purpusii Koehne
Cotoneaster acuminata Ldl.
 — *adpressa* Boiss.
 — *apiculata* Rehd. et Wils.
 — *buxifolia* Ldl.
 — *Dammeri* C. S.
 — *Franchetii* Boiss.
 — *Henryana* Rehd. et Wils.
 — *horizontalis* Dcne.
 — *microphylla* Wall.
 var. *thymifolia* Koehne
 — *moupinensis* Franch.
 — *nanchuanica* Rgl.
 — *obscura* Rehd. et Wils.
 — *pannosa* Franch.
 — *pekinensis* Zab.

Cotoneaster racemiflora K. Koch
 var. *Veitchii* Rehd.
 — *rosea* Edgew.
 — *rubens* hort.
 — *salicifolia* Franch.
 var. *floccosa* Rehd. et Wils.
 var. *rugosa* Rehd. et Wils.
 — *tomentosa* Ldl.
 — *Zabelii* C.S.
Cytisus capitatus Jacq.
 — *nigricans* L.
Daphne acutiloba Red.
 — *mezereum* L.
Dryas Drummondii Richards.
 — *octopetala* L.
Erica cinerea L.
 — *tetralix* L.
Evonymus nana M. B.
Exochorda Albertii Rgl.
Fumana procumbens Godr.
Gaultheria pyrolaefolia Hook. f.
 — *Shallon* Pursh
 var. *acutifolia*
Halimodendron argenteum Fisch.
Hedera helix L.
Helianthemum macedonicum
 — *nitidum* Clem.
Hypericum androsaemum L.
 — *patulum* Thunb.
 var. *Henryi* Veitch
Ilex aquifolium L.
 — *perado* Ait.
Kalmia angustifolia L.
Kolkwitzia amabilis Graebn.
Ledum palustre L.
Leycesteria formosa Waltr.
Ligustrum Delavayanum Hariot
 — *ionandrum* Diels
 — *lucidum* Ait.
Microglossa albescens Clarke
Myrica gale L.

Pernettya mucronata Gaud.
 — *tasmanica* Hook f.
Prunus Laurocerasus L.
 f. *Zabeliana* Spaeth
Ptelea Baldwinii Torr. et Gray
 — *trifoliata* L.
Pyracantha coccinea Roem.
Raphiolepis japonica S. et Z.
Rhamnus Frangula L.
Rhododendron ferrugineum L.
 — *hippophaeoides* Balf. et W. W. Sm.
Rhodotypus kerrioides S. et Z.
Rosa arkansana Port.
 — *blanda* Ait.
 — *calcutensis* hort.
 — *carelica* Fries
 — *coriifolia* Fries var. *Froebelii* Fries
 — *coruscans* Lk.
 — *dorpatensis* hort.
 — *dumetorum* Thuill.
 — *Fendleri* Crép.
 — *Gmelinii* Rgl.
 — *haematodes* Boiss.
 — *Helenae* Rehd. et Wils.
 — *hibernica* Sm.
 — *microphylla* Sm.
 — *multibracteata* Hemsl. et Wils.
 — *nitida* Willd.

Rosa oxyacantha M. B.
 — *pisocarpa* A. Gray
 — *Prattii* Hemsl.
 — *pubescens* Roxb.
 — *setigera* Mchx.
 var. *inermis* hort.
 — *setipoda* Hemsl. et Wils.
 — *Soulieana* Crép.
 — *spinulifolia* Dem.
 — *tomentosa* Sm.
 — *tuschetica* Boiss.
 — *virginica* Mill.
Rubus illicebrosus Focke
Solanum Dulcamara L.
Spartium junceum L.
Staphyllea colchica Stev.
 — *pinnata* L.
 — *elegans* Zab. var. *Hessei* Zab.
Stephanandra Tanakae Franch. et Sav.
Stranvaesia Davidiana Dcne.
 — *undulata* Dcne.
Symphoricarpus acutus Dipp.
 — *Heyeri* Dipp.
Ulex europaeus L.
Vaccinium hirsutum Buckl.
 — *macrocarpum* Ait.
Viburnum alnifolium Marsh.
 — *rhytidophyllum* Hemsl.

AUSDAUERENDE KRAUTIGE PFLANZEN

Achillea chrysocoma Friv.
 — *tomentosa* L.
Adenostyles alpina Bluff. et Fingerh.
Allium atropurpureum W. et K.
 — *coeruleum* Pall.
 — *Farreri* Stearn.
 — *flavum* L.
 — *karataviense* Rgl.
 — *Ostrowskianum* Rgl.
 — *pskemense* Fedtsch.
 — *tibeticum* Rendle
Alyssum anamense Velen
 — *argenteum* Boiss.

Alyssum gemonense L.
 — *Moellendorffianum* Aschers.
 — *saxatile* L.
 — *spinosum* L. var. *roseum*
Anemone blanda Sch. et K.
 — *caroliniana* Walt.
 — *Halleri* Spreng.
 — *nemorosa* L.
 — *pulsatilla* L.
 — *silvestris* L.
Anthyllis Webbiana Hook.
Antirrhinum glutinosum Boiss. et Reut.
 — *molle* L.

Arabis Allionii DC.
 — *albida* Stev.
 — *alpina* L.
 — *aubrietoides* Boiss.
 — *bellidifolia* Jacq.
 — *coerulea* All.
 — *hirsuta* Scop.
Arenaria cephalotes Bieb.
 — *Ledebouriana* Fenzl
 — *rupestris* Labil.
Arisaema consanguineum Schott
Arnica montana L.
Asclepias purpurea Pall.
Asperula odorata L.
Asphodeline liburnica Rchb.
Aster alpinus L.
Bulbocodium vernum L.
Bupleurum ranunculoides L.
Caltha palustris L.
 — *polypetala* Hochst.
Camassia squamash Greene
Campanula carpathica Jacq.
 var. *turbinata* hort.
 — *Kolenatiana* C. A. M.
 — *lanata* Friv.
 — *mollis* L.
 — *Piperi* How.
 — *speciosa* Pourr.
 — *versicolor* Andr.
Cerastium alpinum L.
 — *banaticum* Kit.
 — *tomentosum* L.
Chrysanthemum oreades Whn.
Chrysopsis villosa Nutt. var. *Rutteri*
 Rothr.
Codonopsis clematidea Schrad.
Colobanthus quitensis Bartl.
Comarella multifoliata Rydb.
Corydalis lutea DC.
Crepis aurea Rchb.
Crocus Sieberi J. Gray
 — *Tomassianus* Herb.
Cyclamen repandum Sibth. et Sm.

Dentaria bulbifera L.
 — *digitata* Lam.
Desmodium canadense DC.
Dianthus Noeanus Boiss.
 — *pelviformis* Heuff.
 — *spiculifolius* Schur.
Diphylleia cymosa Mchx.
Dodecatheon meadia L.
Draba aizoides L.
 — *aurea* Vahl
 — *Dedeana* B. et R.
 — *lasiocarpa* Adams. var. *demissorum*
Drosera rotundifolia L.
Eranthis hiemalis Salisb.
Erinus alpinus L.
Erigeron compositus Pursh
 — *trifidus* Hook.
Eriogonum Jamesii Benth.
Eriophyllum caespitosum Dougl.
Erodium macradenum L'Herit.
Erysimum Kotschyanum Gay
Erythraea chloodes Green. et Godr.
Euphorbia Wulfenii Hoppe
Fritillaria meleagris L.
Galtonia candicans Decne.
Geranium nepalense Sw.
Geum Kolbianum Stein.
 — *montanum* L.
Globularia cordifolia L.
 — *trichosantha* F. et M.
 — *Willkommii* Nym.
Gypsophila cerastioides D. Don
 — *petraea* Rchb.
Helleborus foetidus L.
Hieracium aurantiacum L.
 — *glaciale* Lach.
 — *villosum* Jacq.
Horminum pyrenaicum L.
Hypericum Degenii Bornm.
 — *Richeri* Vaill.
 — *tomentosum* L.
Inula ensifolia L.
Iris reticulata M. M.
Ixiolirion Pallasii Fisch. et Mey.

Lavandula vera DC.
Leontopodium alpinum Cass.
Lilium martagon L.
Linaria alpina DC.
— *macedonica* Griseb.
Linum capitatum Kit.
— *flavum* L.
— *salsoloides* Lam.
Lobelia syphilitica L.
Lychnis alpina L.
— *flos-jovis* Desr.
— *Lagascae* Hook.
Marrubium Kotschyi Boiss. et Hohenh.
Meconopsis cambrica Vig.
Moltkia petraea Boiss.
Mulgedium alpinum Less.
Muscari botryoides Mill.
Oenothera lincearum Mchx.
— *pumila* L.
Orobis vernus L.
Papaver alpinum L.
— *rupifragum* B. et R.
Paris quadrifolia L.
Pelargonium Endlicherianum Fenzl
Pentstemon pubescens Ait.
— *pygmaeus*
Petrophytum caespitosum Rydb.
Phyteuma Chamaejasme Vill.
Plantago alpina L.
— *cynops* L.
Platycodon grandiflorum DC.
Podophyllum Emodi Wall.
Polygonatum multiflorum All.
Potentilla alba L.
— *alpestris* Hall, f.
— *argentea* L.
— *Drummondii* Lehm.
— *fragiformis* Willd.
— *frigida* Vill.
— *gracilis* Dougl.
— *minima* Hall, f.
— *nepalensis* Hook.
— *var. Wilmottiae*
— *Richardii* Lehm.

Potentilla speciosa Willd.
— *villosa* Pall.
— *Wrangeliana* Fisch. et Mey.
Primula cortusoides L.
— *denticulata* Sm.
— *var. cashmeriana* Hook.
— *darialica* Rupr.
— *Florindae* Ward
— *japonica* A. Gray
— *leucophylla* Pax
— *Mooreana* Balf. et W. W. Sm.
— *saxatilis* Kom.
Pterocephalus Parnassii Spreng.
Puschkinia scilloides Adams.
— *var. libanotica* Boiss.
Ramondia pyrenaica Rich.
Ranunculus gramineus L.
— *millefoliatus* Vahl
— *parnassifolius* L.
— *rutaefolius* L.
Roscoea alpina Royle
Salvia nevadensis
— *officinalis* L.
Sanicula europaea L.
Saponaria caespitosa DC.
Saxifraga rotundifolia L.
Scabiosa graminifolia L.
Schieverackia Bornmuelleri Prantl
Scutellaria alpina L.
— *amana* Bornm.
Scleranthus biflorus Hook.
Sedum gracile C. A. Mey.
— *hispanicum* L.
— *hybridum* L.
— *portulacoides* Willd.
— *spathulaefolium* Hook.
Senecio abrotanifolius L.
Seseli caespitosum S. et S.
Sideritis euboea Heldr.
Silene alpestris Jacq.
— *petraea* Adams.
— *schafta* Gmel.
Teucrium orientalis L.
Thlaspi densiflorum Boiss.

Thlapsi violaceum S. et K.
Tofieldia calyculata Whlbg.
Trachelium rumelicum Hampe
Tricyrtis dilatata Hakai
 — *macropoda* Ait.
Tulipa Kaufmanniana Rgl.
 — *turcestanica* Rgl.

Umbilicus sempervivum DC.
Veronica fruticans Jacq.
 — *fruticulosa* L.
 — *repens* DC.
Vesicaria utriculata DC.
Viola odorata L.
Wulfenia carinthiaca Jacq.

GEWÄCHSHAUS-PFLANZEN

Abutilon Darwinii Hook. f.
Achimenes lanata Hanst. (rhiz.)
Aeschynanthus Boschiana Paxt.
 — *grandiflora* Spreng.
Aeschynomene indica L.
Aglaonema Haenkii Schott
Albizzia lophantha Benth.
Alloplectus capitatus Hook.
 — *sanguineus* Mart.
Aloe spuria Berg.
Alpinia calcarata Rosc.
Aneilema papuanum Warb.
Aphelandra aurantiaca Ldl.
 var. *Roetzlii* Nichols.
Ardisia crenulata Lodd.
Aristolochia elegans Mast.
Arthropodium candidum Raoul
 — *cirrhatum* R. Br.
 — *paniculatum* R. Br.
Asclepias curassavica L.
 — *Michauxii* Decne.
Asparagus madagascariensis Bak.
 — *Sprengeri* Rgl.
Babiana hybrida hort.
Basella rubra L.
Begonia Evansiana Andr.
 — *Frankonis* Liebm.
 — *Froebelii* A. DC.
 — *fulgens* Lem.
 — *heracleifolia* Ch. et Schl.
 var. *nigricans* Hook.
 — *incana* Ldl.
 — *Pearcei* Hook.
 — *X Reichenheimii*
 (= *B. rubella* x *heracleifolia*)

Begonia Rajah Ridl.
 — *Schmidtiana* Rgl.
 — *undulata* Schott
 — *venosa* Skan.
Benincasa hispida Cogn.
Bertolonia maculata DC.
 — *marmorata* Nand.
 — *pubescens* hort.
 — *Wentii* hort.
Biophytum dendroides Dec.
Blechnum auriculatum Cav.
Brachychilus Horsfieldii G. O. Peters
Brunfelsia Hopeana Benth.
Caladium Humboldtii Schott (tub.)
 — *hybridum* hort. (tub.)
Calvoa orientalis Taub.
Campanula Vidalii Wats.
Canna flaccida Salisb.
 — *indica* L.
 var. *robusta grandifolia* hort.
Carmichaelia stricta Lehm.
Cedronella canariensis W. et B.
Cereus grandiflorus Mill.
 — *Strausii* Vaup.
Centaurea Cineraria L.
Ceratopteris thalictroides Brgn.
Ceropegia bulbosa Roxb.
 var. *Luishii* Gray
 — *hastata* N. E. Br.
Cestrum elegans Schlecht.
Chlorophytum amaniense Engl.
 — *Hoffmannii* Engl.
 — *inornatum* Ker-Gawl
 — *nepalense* Bak.
Chorizema varium Benth.

- Chrysocoma Coma-aurea* L.
Citrullus colocynthis Schrad.
— *vulgaris* Schrad.
Clerodendron fallax Vent.
Cneorum tricoccum L.
Coleus lanuginosus Hochst.
Colletia cruciata Hook. et Arn.
Columnnea flava Mart.
Convolvulus Cneorum L.
Costus igneus N. E. Br.
Cotyledon teretifolia Thunb.
Cyanotis cristata Schult.
Cyclamen africanum Boiss. et Reut.
Cytisus canariensis Comm.
Dahlia Merckii Lehm.
Desmodium gyrans DC.
Dianella ensifolia DC.
— *tasmanica* Hook.
Dioscorea reticulata E. Gay (tub.)
— *sativa* L. (tub.)
Dorstenia Contrajerva L.
var. *maculata* hort.
Dracaena phrynioides Hook. f.
Dracocephalum secundum R. Br.
Drosera capensis L.
Duchesnea indica Focke
Echinocactus cataphractus Dams.
— *ebenacanthus* Monv.
— *Grahlianus* Hge. jr.
— *Grusonii* Hildm.
— *Haselbergii* Hge. jr.
— *minusculus* Web.
— *myriostigmus* S.-D.
— *Ottonis* Lk. et Otto
var. *paraguayensis* Hge. jr.
— *pumilus* Lem.
— *submammillosus* Lem.
— *Vorwerkianus* Werd.
— *Williamsii* Lem.
Eremophila Brownii F. Muell.
Erythroxylon Coca Lam.
Euphorbia bubalina Boiss.
— *Fournieri* hort.
— *meloformis* Ait.
Euphorbia splendens Bojer
Fuchsia alpestris Gardn.
— *splendens* Zucc.
Gossypium herbaceum
Guzmania tricolor R. et P.
Haemanthus albiflos Jacq.
— *Katharinae* Bak.
Hedychium carneum Rosc.
Hermannia candicans Ait.
var. *discolor*
Heurnia Schneideriana Berg.
Hippeastrum aulicum Herb.
var. *robustum* Voss.
Homalanthus populifolius Grah.
Isotoma axillaris Ldl.
— *longiflora* Ldl.
Jasminum arborescens Roxb.
— *flexile* Vahl
— *odoratissimum* L.
Jatropha podagrica Hook.
— *multifida* L.
Kalanchoe Blossfeldiana v. Poelln.
— *laciniata* Haw.
Lapeyrousia cruenta Benth.
Lavandula pinnata L.
Lavatera arborea L.
var. *variegata* hort.
Leptospermum scoparium Forst.
Lindmannia penduliflora Stapf
Lisianthus Russelianus Hook.
Malpighia urens L.
Malvastrum capense Garcke
Mammillaria elongata P. DC.
— *hidalgensis* Purp.
— *mutabilis* Scheidw.
— *Parkinsonii* Ehrb.
— *pusilla* P. DC.
var. *albida*
var. *texana*
— *surculosa* Boed.
— *Wildii* A. Dietr.
Maurandia Purpusii Brandeg.
Melia Azedarach L.
Miconia species

Mimosa pudica L.
Momordica Charantia L.
Moraea bicolor Steud.
— *iridioides* L.
Myrtus communis L.
Nephtytis Afzelii Schott
— *Poissonii* N. E. Br.
Nymphaea Lotus G. var. *dentata* Rehn.
— *Ortgiesiana* Planch.
Ochna multiflora DC.
Oryza sativa L.
Osteomelis anthyllidifolia Ldl.
Oscularia caulesens Schw.
Oxalis carnosa Mol.
Palisota bracteosa Clarke
Passiflora cinnabarina Ldl.
— *suberosa* L.
Pelargonium inquinans Ait.
Pentas carnea Benth.
Peperomia arifolia Miq.
— var. *argyraea* hort.
— *blanda* H. B. K.
— *grandifolia* Dietr.
— *major* DC.
— *pereskiaefolia* H. B.
— *puberulispica* C. DC.
— *species*
Phormium Cookianum Lej.
— var. *variegatum* hort.
Phygelius capensis E. Mey.
Phyllica oleifolia Vent.
— *paniculata* Willd.
Pittosporum heterophyllum Franch.
Plectranthus Oertendahlii Th. Fries jr
— *parviflorus* Willd.
Pritchardia lanigera Becc.
Psidium Guajava L.

Ptychosperma elegans Bl.
Rhipsalis gibberula Web.
— *trigona* Pfeiff.
Rhoeo discolor Hance
Rivina laevis L. var. *humilis* L.
Ruellia squarrosa Fenzl
— *subsessilis* Lind.
Sabal Blackburniana Glazabr.
Salvia argentea L.
Schaueria calycotricha Nees
Schizocapsa plantaginea Hance
Scutellaria Ventenatii Hook.
— *violacea* Heyne
Senecio Cineraria DC.
— *grandifolius* Less.
— *petasites* DC.
Sideritis dasygnaphala Glos.
Solanum Hendersonii hort.
Streptocarpus caulescens Vatke
Stylidium adnatum R. Br.
— *caespitosum* R. Br.
— *graminifolium* Sw.
Tacca Chantrieri Andr.
Tetranema mexicanum Benth.
Thalia dealbata Fraser
Tigridia Pavonia Ker-Gawl
Torenia Fournieri Lind.
Trachelium coeruleum L.
Tradescantia amplexicaulis Klotzsch
— *Blossfeldiana* Mildbr.
Trachycarpus excelsa H. Wendl.
Urera baccifera Gaud.
Vallota purpurea Herb.
Veltheimia capensis Red.
Visnea mocanera L.
Zephyranthes Andersonii Bak.
— *rosea* Ldl.

Frankfurt a. M., im Dezember 1938.

M. Bromme
Gartenbaudirektor.

F. Encke
Gartenoberinspektor.

Cereus Strausii Vaup. var. *cristatus* hort.

22343

PALMENGARTEN DER STADT FRANKFURT A. M.

Samentauschliste 1939/40 ✓

Phalaenopsis × Gilles Gratiot

GEHÖLZE

<p> <i>Acanthopanax henryi</i> Harms
 <i>Andromeda floribunda</i> Pursh
 — <i>japonica</i> Thunb.
 — <i>polifolia</i> L. var. <i>major</i>
 — <i>pulverulenta</i> Bartr.
 <i>Arcteria nana</i> — (Ericaceae)
 <i>Berberis brevipaniculata</i> C. S.
 — <i>coryi</i> Veitch
 — <i>thunbergii</i> DC.
 — <i>thunbergii</i> var. <i>atropurpurea</i> hort.
 — <i>wilsonae</i> Hemsl.
 <i>Cercis siliquastrum</i> L.
 <i>Chaenomeles maulei</i> C. S.
 <i>Chamaedaphne calyculata</i> Mchx.
 <i>Citrus trifoliata</i> L.
 <i>Clethra acuminata</i> Mchx.
 — <i>alnifolia</i> L.
 <i>Cornus stolonifera</i> Mchx.
 <i>Cotoneaster acutifolia</i> Turez.
 var. <i>villosula</i> Rehd. et Wils.
 — <i>apiculata</i> Rehd. et Wils.
 — <i>dammeri</i> C. S.
 — <i>dielsiana</i> Pritz
 — <i>franchetii</i> Boiss.
 — <i>horizontalis</i> Dcne.
 — <i>nanchuanica</i> Rgl.
 — <i>rosea</i> Edgew.
 — <i>salicifolia</i> Franch.
 var. <i>floccosa</i> R. et W.
 var. <i>rugosa</i> R. et W.
 — <i>zabelii</i> C. S.
 <i>Daphne mezereum</i> L.
 var. <i>album</i>
 <i>Dryas drummondii</i> Richards.
 <i>Enkyanthus campanulata</i> Nichols.
 <i>Erica cinerea</i> L.
 <i>Evonymus nana</i> M. B.
 — <i>sanquinea</i> Loes.
 <i>Gaultheria procumbens</i> L.
 — <i>pyrolaefolia</i> Hook. f.
 — <i>trichophylla</i> Royle </p> | <p> <i>Hamamelis japonica</i> Sieb. et Zucc.
 — <i>mollis</i> Oliv.
 — <i>vernalis</i> Sarg.
 <i>Helianthemum canum</i> Baumg.
 <i>Hypericum androsaemum</i> L.
 <i>Ilex aquifolium</i> L.
 <i>Kalmia latifolia</i> L.
 <i>Kolkwitzia amabilis</i> Graebn.
 <i>Ledum palustre</i> L.
 <i>Ligustrum amurense</i> Carr.
 — <i>regelianum</i> Koehne
 <i>Menziesia globularis</i> Salisb.
 <i>Myrica gale</i> L.
 <i>Pernettya tasmanica</i> Hook. f.
 <i>Prunus laurocerasus</i> L.
 f. <i>zabeliana</i> Spaeth
 <i>Ptelea trifoliata</i> L.
 <i>Pyracantha coccinea</i> Roem.
 <i>Quercus rubra</i> L.
 <i>Rhododendron ferrugineum</i> L.
 — <i>hirsutum</i> L.
 <i>Rhodotypus kerrioides</i> S. et Z.
 <i>Rosa blanda</i> Ait.
 — <i>coruscans</i> Lk.
 — <i>dumetorum</i> Thuill.
 — <i>fendleri</i> Crép.
 — <i>gmelinii</i> Rgl.
 — <i>haematodes</i> Boiss.
 — <i>helenae</i> Rehd. et Wils.
 — <i>hibernica</i> Sm.
 — <i>microphylla</i> Sm.
 — <i>multibracteata</i> H. et W.
 — <i>nitida</i> Willd.
 — <i>oxyacantha</i> M. B.
 — <i>setigera</i> Mchx.
 — <i>setipoda</i> H. et W.
 — <i>spinulifolia</i> Dem.
 — <i>tomentosa</i> Sm.
 — <i>tuschetica</i> Boiss.
 <i>Rubus illecebrosus</i> Focke
 <i>Solanum dulcamara</i> L. </p> |
|---|--|

Spartium junceum L.
Staphyllea pinnata L.
Symphoricarpus acutus Dipp.
 — *heyeri* Dipp.
Symplocos paniculata Wall.
Syringa villosa Vahl.

Syringa yunnanensis Franch.
Vaccinium bracteatum Thunb.
 — *corymbosum* L.
 — *hirsutum* Buckl.
 — *macrocarpum* Ait.

AUSDAUERENDE KRAUTIGE PFLANZEN

Achillea argentea Law.
 — *canescens* Form.
 — *chrysocoma* Friv.
Allium atropurpureum W. et K.
 — *farreri* Stearn.
 — *flavum* L.
 — *karataviense* Rgl.
 — *ostrowskianum* Rgl.
Alyssum anamense Velen
 — *argenteum* Boiss.
 — *gemonense* L.
 — *moellendorffianum* Aschers.
 — *spinosum* L. var. *roseum*
Androsace lactea L.
Anemone blanda Sch. et K.
 — *nemorosa* L.
 — *pulsatilla* L.
 — *silvestris* L.
Anthyllis jacquinii Kern.
 — *webbiana* Hook.
Arabis allionii DC.
 — *alpina* L.
 — *bellidifolia* Jacq.
 — *cebenensis* DC.
 — *coerulea* All.
 — *ferdinandi-coburgii* K. et S.
 — *hirsuta* Scop.
 — *procurrens* W. et R.
 — *pumila* Wulf.
 — *rosea* Dec.
Arenaria cephalotes M. B.
 — *ledebouriana* Fenzl
 — *rupestris* Labil.
Arisaema consanguineum Schott

Armeria caespitosa Boiss.
Artemisia laxa Lam.
Arum italicum Mill.
Asclepias purpurea Pall.
Asperula neilreichii Beck
 — *odorata* L.
Aster alpinus L.
Bupleurum ranunculoides L.
Calamintha alpina Lam.
Camassia squamash Greene
Campanula bellidifolia Ad.
 — *caespitosa* Scop.
 — *fenestrellata* Feer
 — *scheuchzeri* Vill.
 — *speciosa* Pourr.
 — *versicolor* Andr.
Cerastium banaticum Kit.
Chionodoxa luciliae Boiss.
Chrysopsis villosa Nutt.
 var. *rutleri* Rothr.
Circaea lutetiana L.
Coronilla vaginalis L.
Corydalis lutea DC.
Crocus korolkowii Maw.
 — *tomassianus* Herb.
Dianthus deltoides L.
 — *noeanus* Boiss.
Dianthus spiculifolius Schur.
Diphylleia cymosa Mchx.
Dodecatheon meadia L.
Draba aizoides L.
 — *alpina* L.
 — *lasiocarpa* Adams.
 var. *demissorum*

Dracocephalum botryoides Stev.
 — *nutans* L. var. *alpinum* Kar. et Kir.
Epilobium hectori Hausskn.
Eranthis hiemalis Salisb.
Erigeron compositus Pursh
 — *trifidus* Hook.
Erysimum kotschyanum Gay
Erythraea chloodes Green. et Godr.
 — *massonii* Sw.
Gentiana pneumonanthe L.
 — *septemfida* Pall. var. *lagodechiana*
Geranium nepalense Sw.
Hieracium aurantiacum L.
 — *villosum* Jacq.
Horminum pyrenaicum L.
Iberis saxatilis L. var. *coriifolia* DC.
Iris graminea L.
Laurentia tenella DC.
Lilium regale Wils.
Linaria alpina DC.
 var. *rosea*
 — *macedonica* Griseb.
 — *supina* Desf. var. *nevadense*
Linum alpinum Jacq.
Lobelia syphilitica L.
Lychnis alpina L.
 — *lagascae* Hook.
Meconopsis cambrica Vig.
Mimulus luteus L.
Moltkia petraea Boiss.
Narzissus minor L.
Oenothera linearis Mchx
 — *missouriensis* Sims.
 — *pumila* L.
Papaver alpinum L.
 — *rupifragum* B. et R.
Parrya menziesii Greene
Pentstemon pubescens Ait. var.
 pygmaeus
Petrophytum caespitosum Rydb.
Plantago alpina L.
 — *cynops* L.
Platycodon grandiflorum DC.
Podanthum alpinum —

Podophyllum emodii Wall.
Polemonium boreale Adams.
Polygonatum multiflorum All.
Potentilla alpestris Wall. f.
 — *argentea* L.
 var. *calabra* Ser.
 — *villosa* Pall.
Primula arctotis Kern. var. *hybrida*
 — *auricula* L. var. *ciliata* Koch
 — *burmanica* Balf. f.
 — *cortusoides* L.
 — *darialica* Rupr.
 — *denticulata* Sm.
 — *farinosa* L.
 — *florindae* Ward
 — *japonica* A. Gray
 — *leucophylla* Pax
 — *prionotes* Balf. f. et Watt
 — *rosea* Royle
 — *vittata* Bur. et Franch
Pterocephalus parnassii Spreng.
Puschkinia scilloides Adams.
 var. *libanotica* Boiss.
Ramondia pyrenaica Rich.
 — *serbica* Panc.
Ranunculus garganicus Ten.
 — *gramineus* L.
 — *rutaefolius* L.
Rhexia virginica L.
Roscoea alpina Royle
Rosularia sempervivum Berg.
Salvia officinalis L.
Saponaria caespitosa DC.
Scabiosa graminifolia L.
Schieverackia bornmuelleri Prantl.
Scutellaria alpina L.
Sedum hispanicum L.
Seseli caespitosum S. et S.
Sideritis spinosa Lam.
Silene alpestris Jacq.
 — *petraea* Adams.
 — *saxifraga* L.
Stokesia laevis Greene
Teucrium orientalis L.

Tofieldia calyculata Whlbg.
Trifolium alpinum L.
Tunica saxifraga Scop.
Umbilicus pendulinus DC.

Veronica alpina L.
— *fruticulosa* L.
— *surculosa* Boiss.

GEWÄCHSHAUSPFLANZEN

Abutilon darwinii Hook. f.
— *regnellii* Miq.
Acanthostachys strobilacea Lk.
Achimenes lanata Hanst. (rhiz.)
Acrostichum aureum L.
Aechmea bernoulliana Wittm.
— *coerulescens* Bak.
— *melanacantha* De Fries
— *schiedeana* Schlecht.
Aeonium arboreum Webb. et Berth.
Aechynomene indica L.
Agapetes buxifolia Nutt.
Alocasia odora C. Koch
Aloe spuria Berg.
Alonsoa warscewiczii Rgl.
Amaryllis belladonna L.
Amorphophallus bulbifera Bl.
Anacampseros densifolia Dint.
— *filamentosa* Sims.
— *lanceolata* DC.
— *rufescens* DC.
Aneilema papuanum Warb.
Aphelandra aurantiaca Ldl.
 var. *roetzlii* Nichols.
Ardisia colorata Roxb.
Aristolochia elegans Mast.
— *fimbriata* Cham. var. *argentea*
Arthropodium paniculatum R. Br.
Asclepias curassavica L.
Asparagus sprengeri Rgl.
Basella rubra L.
Begonia evansiana Andr.
— *heracleifolia* Cham. et Schl.
 var. *nigricans* Hook.
— *lindleyana* Walp.
— *subvillosa* Klotzsch

Begonia undulata Schott
— *venosa* Skan.
— *wallichiana* Steud.
Belamcanda chinensis DC.
Benincasa hispida Cogn.
Bertolonia maculata DC.
— *marmorata* Naud.
— *pubescens* hort.
— *wentii* hort.
Billbergia canterae Andr.
Biophytum dormiens Mart. et Zucc.
Brachychilus horsfieldii G. O. Peters
Browallia speciosa Hook.
Bryophyllum proliferum Bowie
Caladium humboldtii Schott (tub.)
— *hybridum* hort. (tub.)
Calvoa orientalis Taub.
Campanula vidalii Wats.
Canna flaccida Salisb.
— *indica* L. cult. *robusta grandifolia*
 hort.
Ceratopteris thalictroides Brgn.
Cereus grandiflorus Mill.
— *straussii* Vaup.
— *tetragonus* Mill.
— *tortuosus* Forbes
Chamaedorea ernesti-augustii Wendl.
Chlorophytum madagascariensis Bab.
Chrysocoma coma-aurea L.
Cissus juttae Dint. et Gilg
Citriobatus multiflorus A. Cunn.
Citrullus colocynthis Schrad.
Clerodendron fallax Vent.
Clanthus puniceus Soland.
Cneorum tricoccum L.
Coleonema album Bartl. et Wendl.

Coleus arabicus Benth.
 — *hybridus* hort.
 — *lanuginosus* Hochst.
Costus igneus N. E. Br.
Cotyledon undulata Haw.
Crassula lactea Ait.
Crossandra nilotica Oliv.
Cyanotis cristata Schult.
Cyclamen africanum Boiss. et Reut.
Cyperus natalensis Hochst.
Cytisus canariensis Comm.
 — *racemosus* Nichols.
Dahlia merckii Lehm.
Dalechampsia roetzliana Muell.
Dianella ensifolia DC.
Dioscorea reticulata E. Gay (tub.)
 — *sativa* L. (tub.)
Dorstenia contrajerva L. var.
 maculata hort.
Dracaena phrynioides Hook. f.
Dracophyllum secundum R. Br.
Dracunculus vulgaris Schott
Drosera capensis L.
Dyckia sulphurea Koch
Echeveria agavoides Lem.
Echinocactus grusonii Hildm.
 — *minusculus* Web.
 — *myriostigmus* S.-D.
 — *ottonis* Lk. et Otto
 var. *paraguayensis* Hge. jr.
 var. *tenuispinus* K. Sch.
 — *platensis* Speg.
 — *setipinus* Engelm.
 — *vorwerckianus* Werd.
 — *williamsii* Lem.
Erythroxylon coca Lam.
Euphorbia bubalina Boiss.
 — *piscatoria* Ait.
 — *splendens* Bojer
Fremontia californica Torr.
Fuchsia alpestris Gardn.
 — *minimiflora* Hemsl.
 — *thymifolia* H. B. K.
Haemanthus albiflos Jacq.

Haemanthus katharinae Bak.
Hemigraphis drymophila Diels
 — *primulaefolia* Vill.
Hemiphragma heterophyllum Wall.
Hermannia candicans Ait.
 var. *discolor*
Heurnia schneideriana Berg.
Hippeastrum aulicum Herb.
 var. *robustum* Voss
 — *auritum* —
Homalanthus populifolius Grah.
Hyppoestes phyllostachya Bak.
Isotoma axillaris Ldl.
Jasminum odoratissimum L.
Kalanchoe blossfeldiana v. Poelln.
Kennedya rubicunda Vent.
Klugia notoniana A. DC
Koellikeria argyrostigma Rgl. (rhiz.)
Lavandula pinnata L.
Leucophaea macrostachyos Poir.
Libertia formosa Grah.
Lindmannia penduliflora Stapf
Lobelia fulgens Willd.
Mammillaria elongata P. DC.
 — *camptotricha* E. Dams.
 — *gracilis* Pfeiff.
 — *hahniana* Werd.
 — *hidalgensis* Purp.
 — *meiacantha* Engelm.
 — *mutabilis* Scheidw.
 — *pusilla* P. DC.
 var. *albida*
 — *rhodantha* Lk. et Otto
 — *schiedeana* Ehrenbg.
 — *spinosissima* Lem.
 var. *sanguinea* Hge
Maurandia purpusii Brandeg
Miconia species
Mimosa pudica L.
Momordica charantia L.
Oryza sativa L.
Oxalis carnosa Mol.
Oxypetalum coeruleum Decne.
Pelargonium alchemilloides Willd.

Pelargonium multibracteatum Hochst.
— *stenopetalum* Ehrh.
Peperomia grandifolia A. Dtrch.
— *major* DC.
— *pereskiaetolia* C. DC.
— *velutina* Linden
Phyllica oleifolia Vent.
Pitcairnia sulphurea Andr.
Pittosporum crassifolium Banks
— *heterophyllum* Franch.
Platynerium grande J. Sm.
Plectranthus oertendahlii Th. Fries jr.
Pritchardia lanigera Becc.
Psidium araca Raddi
Ptychosperma elegans Bl.
Quamoclit coccinea Moench
Rivina laevis L. var. *humilis* L.
Ruellia squarrosa Fenzl
Sabal blackburniana Glazebr.
Saintpaulia ionantha Wendl.

Schizocapsa plantaginea Hance
Senecio petasites DC.
Sinningia speciosa Hiern.
Solanum hendersonii hort.
Spathiphyllum floribundum N. E. Br.
Sprekelia formosissima Herb.
Stapelia hirsuta L.
— *variegata* L. var. *bufonia* N. E. Br.
— *verrucosa* Mass.
Streptocarpus rexii Ldl.
Stylidium adnatum R. Br.
Tetranema mexicanum Benth.
Thalia dealbata Fraser
Tinantia fugax Scheidw.
Torenia baillonii Andr.
Tradescantia blossfeldiana Mildbr.
Urera baccifera Gaud.
Vallota purpurea Herb.
Visnea mocanera L.

Frankfurt a. M., im Dezember 1939

M. Bromme
Gartenbaudirektor

F. Encke
Gartenbauamtman

Platycerium grande

ac 343
PALMENGARTEN DER STADT FRANKFURT A. M.

Samentauschliste 1940/41 ✓

300. 11. 40. 1901/40. 01233.

Araceen-Haus

GEHÖLZE

Andromeda catesbai Walt.

— *japonica* Thunb.

— *ligustrina* Muhl.

— *polifolia* L. var. *major*

— *pulverulenta* Bartr.

Arctericia nana Mak.

Atraphaxis frutescens K. Koch

Berberis thunbergii DC.

Chamaedaphne calyculata Mch.

Chaenomeles maulei C. S.

Clethra acuminata Mchx.

— *alnifolia* L.

— *barbinervis* S. et Z.

— *fargesii* Franch.

Cornus hessei Koehne

Cotoneaster acutifolia Turcz.

var. *villosula* R. et W.

— *adpressa* Boiss.

— *foveolata* R. et W.

— *horizontalis* Dcne.

— *microphylla* Wall. var. *cochleata*

— *zabelii* C. S.

Cytisus capitatus Jacq.

Daphne mezereum L.

var. *album*

Evonymus nana M. B.

Gaultheria procumbens L.

— *pyrolaefolia* Hook. f.

— *trichophylla* Royle

Genista sagittalis L.

Hamamelis japonica S. et Z.

var. *rubra* Hesse

var. *zuccariniana* Arb. Kew

— *mollis* Oliv.

— *vernalis* Sarg.

Hypericum androsaemum L.

Ilex aquifolium L.

Kalmia angustifolia L.

— *latifolia* L.

Lavandula vera DC.

Ledum groenlandicum Oeder

— *palustre* L.

Menziesia globularis Salisb.

Ononis fruticosa L.

Pernettya mucronata Gaud.

— *tasmanica* Hook. f.

Pyracantha coccinea Roem.

Quercus rubra L.

Rhododendron canadense Zbl.

— *ferrugineum* L.

— *hirsutum* L.

Rosa arkansana Port.

— *blanda* Ait.

— *calcutensis* hort.

— *coriifolia* Fries jr.

var. *froebelii* Fries

— *coruscans* Lk.

— *dumetorum* Thuill.

— *fendleri* Crep.

— *gmelinii* Rgl.

— *haematodes* Boiss.

— *hibernica* Sm.

— *microphylla* Sm.

— *moyesii* Hemsl. et Wils.

— *multibracteata* H. et W.

— *nitida* Willd.

— *oxyacantha* M. B.

— *pisocarpa* A. Gray.

— *pubescens* Roxb.

— *setigera* Mchx.

var. *inermis* hort.

— *setipoda* H. et W.

— *spinulifolia* Dcne.

— *tomentosa* Sm.

— *tuschetica* Boiss.

Stephanandra tanakae F. et S.

Vaccinium bracteatum Thunb.

— *corymbosum* L.

— *hirsutum* Buckl.

— *macrocarpum* Ait.

Xolisma lucida Rehd.

AUSDAUERND E KRAUTIGE PFLANZEN

Acanthophyllum spinosum C. A. Mey.
Achillea canescens Form.
Adonis vernalis L.
Agave virginica L.
Allium atropurpureum W. et K.
 — *farreri* Stearn.
 — *flavum* L.
 — *karataviense* Rgl.
 — *ostrowskianum* Rgl.
 — *pskemense* Fedtsch.
Alstroemeria aurantiaca D. Don
Alyssum alpestre L.
 — *spinosum* L. var. *roseum*
Androsace carnea L.
 — var. *brigantiaca* R. Kn.
 — *lactea* L.
Andryale aghardii Haensel.
Anemone blanda Sch. et K.
 — *caroliniana* Walt.
 — *halleri* Spreng.
 — *nemorosa* L.
 — *pulsatilla* L.
 — *sylvestris* L.
Anthyllis jacquinii Kern.
 — *montana* L.
Aposeris foetida Less.
Arabis aubrietoides Boiss.
 — *auriculata* Lam.
 — *cebenensis* DC.
 — *ferdinandi-coburgii* K. et S.
 — *lyallii* Wats.
Arabis procurrens W. et R.
 — *pumila* Wulf.
Arenaria cephalotes M. B.
 — *ledebouriana* Fenzl.
 — *rupestris* Labil.
Artemisia laxa Lam.
Asclepias purpurea Pall.
Asperula glauca Bess.
 — *odorata* L.

Bupleurum ranunculoides L.
Caltha palustris L.
 — *polypetala* Hochst.
 — *holubyi* Beck.
Camassia cusickii Wats.
 — *squamash* Greene.
Campanula barbata L.
 — *bellidifolia* Ad.
 — *caespitosa* Scop.
 — *collina* M. B.
 — *kolenatiana* C. A. M.
 — *punctata* Lam.
 — *pusilla* Haenke var. *tiro'ensis*
 — *sarmatica* Ker-Gawl
 — *saxifraga* M. B.
 — *speciosa* Pourr.
Cerastium alpinum L.
 — *banaticum* Kit.
Cheiranthus alpinus L.
Chrysopsis villosa Nutt.
 — var. *rutleri* Rothr.
Circaea lutetiana L.
Coronilla vaginalis L.
Cortusa matthioli L.
Corydalis lutea DC.
Crepis aurea Rchb.
Cyclamen europaeum L.
Dentaria digitata Lam.
Dianthus alpinus L.
 — *caesius* Sm.
 — *capitatus* Balb.
 — *deltoides* L. var. *splendens* hort.
 — *knappii* Asch. et Kan.
 — *noeanus* Boiss.
 — *scardicus* Wettst.
 — *spiculifolius* Schur.
 — *tatrae* Boxb.
Diphyllea cymosa Mchx.
Dodecatheon meadia L.

Primula saxatilis Kom.
Pterocephalus parnassii Spreng.
Puschkinia scilloides Adams.
 var. *libanotica* Boiss.
Ramondia nathaliae Panc. et Petr.
 — *pyrenaica* Rich.
 — *serbica* Panc.
Ranunculus gramineus L.
 — *rutaefolius* L.
Rhexia virginica L.
Roscoea alpina Royle
Rubus illicebrosus Focke
Ruta patavina L.
Saponaria caespitosa DC.
Saxifraga chrysosplenifolia Boiss.
Scabiosa graminifolia L.
Schieverackia bornmuelleri Prantl
 — *podolica* DC.
Scutellaria alpina L.
Sedum hispanicum L.
 — *kirilowii* Rgl. var. *rubrum*
 Praeg.
 — *middendorffianum* Maxim.
 — *stephanii* Cham.

Seseli caespitosum S. et S.
Sideritis spinosa Lam.
Silene alpestris Jacq.
 — *ciliata* Pourr.
 — *maritima* With.
 — *petraea* Adams.
 — *saxifraga* L.
 — *schafta* Gmel.
 — *zawadzkii* Herbich
Simbuleta bellidifolia Wettst.
Stokesia laevis Greene
Symphandra wanneri Heuff.
Tofieldia calyculata Whlbg.
Tricyrtis dilatata Hakai
Trifolium alpinum L.
Tulipa kaufmanniana Rgl.
Tunica saxifraga Scop.
Veronica alpina L.
 — *fruticans* Jacq.
 — *gentianoides* Vahl.
Vesicaria utriculosa DC.
Viola jooi Janka
Wulfenia carinthiaca Jacq.

GEWÄCHSHAUSPFLANZEN

Abroma mollis DC.
Abutilon darwinii Hook. f.
Acacia longifolia Willd.
 var. *sophorae* R. Br.
Achimenes lanata Hanst. (rhiz.)
Acrostichum aureum L.
Aeginetia indica L.
Aeschynanthus lobbiana Hook.
Aeschynomene indica L.
Albuca nelsonii N. E. Br.
Amorphophallus bulbifera Bl. (tub.)
Anacampseros lanceolata DC.
 — *rufescens* DC.
Aneilema forskalei Kunth
 — *papuanum* Warb.

Anthurium magnificum Lind.
Aristolochia elegans Mast.
 — *fimbriata* Cham. var. *argentea*
Asclepias curassavica L.
Asparagus sprengeri Rgl.
Arthropodium paniculatum R. Br.
Basella rubra L.
Begonia heracleifolia Cham. et Schl.
 — *humilis* Dryand.
 var. *portiana* Fisch.
 — *subvillosa* Klotzsch
 — *undulata* Schott
 — *venosa* Skan.
 — *wallichiana* Steud.

- Belamcanda chinensis* DC.
Benincasa hispida Cogn.
Bertolonia maculata DC.
— *marmorata* Naud.
— *pubescens* hort.
— *wentii* hort.
Biophytum dormiens Mart. et Zucc.
Brachychilus horsfieldii G. O. Pet.
Browallia speciosa Hook.
Caladium humboldtii Schott (tub.)
— *hybridum* hort. (bulb.)
Calathea picturata K. Koch
Calvoa orientalis Taub.
Campanula vidalii Wats.
Canna flaccida Salisb.
— *indica* L. cult. robusta grandifolia hort.
Carmichaelia flagelliformis Colenso
Cautleya lutea Royle
Ceratopteris thalictroides Brgn.
Cereus strausii Vaup.
Chamaedorea ernesti-augustii Wendl.
— *hybrida* hort.
Chlorophytum amaniense Engl.
— *inornatum* Ker-Gawl
Chorizema varium Benth.
Chrysocoma coma-aurea L.
Cissus juttae Dint. et Gilg
Citriobatus multiflorus A. Cunn.
Clerodendron fallax Vent.
Cneorum tricoccum L.
Coffea arabica L.
Coleus arabicus Benth.
— *fredericii* G. Taylor
— *hybrius* hort.
— *mahonii* Bak.
Colletia cruciata Hook. et Arn.
Costus igneus N. E. Br.
Crossandra nilotica Oliv.
Ctenanthe compressa Eichl.
— *var. luschnatiana* Schum.
Cyclamen africanum Boiss. et Reut.
Cyperus esculentus L. (tub.)
— *natalensis* Hochst.
Cytisus pendulinus L.
— *var. welwitschii*
Dahlia merckii Lehm.
Dalechampsia roetziana Muell.
Darlingtonia californica Torr.
Dianella ensifolia DC.
— *laevis* R. Br.
Dioscorea macroura Harms (tub.)
— *reticulata* E. Gay (tub.)
— *sativa* L. (tub.)
Dorstenia arifolia Lam.
— *contrajerva* L.
— *var. maculata* hort.
Dracaena phrynioides Hook. f.
Dracophyllum secundum R. Br.
Drosera capensis L.
Drymonia spectabilis Mart.
Echinocactus submammillosus Lem.
Eranthemum beyrichii Rgl.
— *eburneum* hort.
Erythroxylon coca Lam.
Euphorbia fournieri hort.
Fremontia californica Torr.
Fuchsia alpestris Gardn.
— *magellanica* Lam. *var. gracilis* Bailey
— *thymifolia* H. B. K.
Haemanthus katharinae Bak.
Hemigraphis drymophila Diels
— *primulaefolia* Vill.
Hemiphragma heterophyllum Wall.
Hippeastrum aulicum Herb.
— *var. robustum* Voss
— *auritum* —
Homalanthus populifolius Grah.
Isotoma axillaris Ldl.
Jatropha podagrica Hook.
Kalanchoe blossfeldiana v. Poelln.
— *laciniata* Haw.

Kennedya prostrata R. Br.
 var. *major*
 — *rubicunda* Vent.
Lavatera arborea L.
Leea rubra Bl.
Leptospermum scoparium Forst.
Lobelia fulgens Willd.
Luffa acutangula Roxb.
 — *cylindrica* Roem.
Mammillaria elongata P. DC.
 — *pusilla* P. DC.
Maranta noctiflora Rgl.
Marica coerulea Ker-Gawl
Mimosa pudica L.
Momordica charantia L.
Myrica aethiopica L.
Nymphaea ortgiesiana Planch.
Oryza sativa L.
Ottelia alismoides Pers.
Oxalis carnosa Mol.
Pachira insignis Sav.
Palisota bracteosa Clarke
Passerina filiformis L.
 var. *pectinata* Loud.
Passiflora edulis Sims.
Pelargonium bicolor Ait.
 — *inodorum* Willd.
 — *inquinans* Ait.
 — *multibracteatum* Hochst.
 — *saniculaefolium* Willd.
 — *stenopetalum* Ehrh.
 — *tomentosum* Jacq.
Peperomia arifolia Miq.
 var. *argyraea* hort.
 — *grandifolia* Dietr.
 — *langsдорffii* Miq.
 — *maculosa* Dietr.
 — *major* DC.
 — *pereskiaefolia* H. B.
 — *puberulispica* C. DC.

Pittosporum crassifolium Banks
 — *tobira* Ait.
Plectranthus fruticosus L'Herit.
 — *oertendahlii* Th. Fries jr.
 — *parviflorus* Willd.
Plumbago zeylanica L.
Pogostemon patchouli Pellet
Primula mollis Hook.
Pritchardia lanigera Becc.
Psidium araca Raddi
Ptychosperma elegans Bl.
Relbunium hypocarpium Hemsl.
Rhipsalis gibberula Web.
 — *pilocarpa* Loefgr.
Rhoeo discolor Hance
Rivina laevis L. var. *humilis* L.
Ruellia amoena Nees
 — *squarrosa* Fenzl
 — *subsessilis* Lind.
Sabal blackburniana Glazebr.
Salvia patens Cav.
Schizocapsa plantaginea Hance
Sedum bellum —
Sinningia speciosa Hiern.
Solanum hendersonii hort.
Spatiphyllum floribundum N. E. Br.
Sprekelia formosissima Herb.
Stapelia variegata L.
Stylidium adnatum R. Br.
Tacca chantrieri Andr.
Thalia dealbata Fraser
Thibaudia acuminata DC.
Tillandsia filifolia Cham. et Schl.
Tinantia fugax Scheidw.
Torenia baillonii Andr.
Trithrinax brasiliensis Mart.
Typhonium giganteum Engl. (tub.)
Wallichia densiflora Mart.

Frankfurt a. M., im Dezember 1940

M. Bromme, Gartenbaudirektor.

F. Encke, Gartenbauamtman.

Blick in den Steingarten

Samentauschliste 1935 ✓

Gehölze

Andromeda pulverulenta Bartr.
Berberis acuminata Franch.
 Coryi Veitch
 Gagnepainii C. S.
 Hookeri Lem.
 Thunbergii DC.
 Wilsonae Hemsl.
Chamaedaphne calyculata Mch.
Clethra alnifolia L.
 var. tomentosa Mchx.
 Fargesii Franch.
Cornus Hessei Koehne
Contoneaster buxifolia Ldl.
 Dammeri C. S.
 horizontalis Decne.
 microphylla Wall.
 praecox Vilm.
 salicifolia Franch.
 var. floccosa R. et W.
 species nova C. Schneider
Daphne mezereum L.
Hedysarum multijugum Maxim.
Indigofera Dosua Ldl.
Lonicera pileata Oliv.
Pernettya mucronata Gaud.
Potentilla dahurica Nestl.
 fruticosa L.
Rosa acicularis Ldl.
 arcansana Porter
 blanda Ait.
 carelica Fries
 cinnamomea L.
 var. oxyodon
 coriifolia Fries
 var. Froebelii Fries

Rosa coruscans Lk.

 dahurica Pall.
 dorpatensis hort.
 dumetorum Thuill.
 Fendleri Crep.
 haematodes Boiss.
 Helenae R. et W.
 hibernica Sm.
 kamtschatica Vent.
 manca Greene
 multibracteata Hemsl. et Wils.
 nitida Willd.
 oxyacantha Bieb.
 pisocarpa A. Gray
 Prattii Hemsl.
 pubescens Roxb.
 ruga Lamp.
 seligera Mchx.
 var. inermis hort.
 setipoda Hemsl. et Wils.
 species Kaukasus
 species Turkestan
 spinulifolia Dem.
 tomentosa Sm.
Stranvaesia Davidiana Decne.
Vaccinium corymbosum L.
 hirsutum Buckl.
Veronica pinguifolia Hook.

Ausdauernde krautige Pflanzen

Allium atropurpureum W. et K.
 cyaneum Rgl.
 karataviense Rgl.
 Moly L.
 pulchellum Don

Alyssum sinuatum L.
 spinosum L.
 var. roseum
 Anemone Pulsatilla L.
 Anthyllis aurea Visian.
 Arabis Allionii DC.
 bellidifolia Jacq.
 Asclepias purpurea Pall.
 Bulbocodium vernum L.
 Camassia Quamasch Greene
 Campanula speciosa Pourr.
 thyrsoides L.
 velutina Desf.
 Corydalis lutea DC.
 Crocus Korolkowii Maw.
 Desmodium canadense DC.
 Draba aizoides DC.
 aura Vahl
 Dedeana Boiss. et Reut.
 repens Bieb.
 Drosera rotundifolia L.
 Edraianthus caudatus Rehb.
 Erinus alpinus L.
 Euphorbia lathyris L.
 myrsinites L.
 Fritillaria meleagris L.
 Heliosperma alpestre Rehb.
 Helleborus foetidus L.
 Hieracium villosum Jacq.
 Horminum pyrenaicum L.
 Houstonia coerulea L.
 Hypericum fragile Heldr. et Sar.
 Iris bucharica Foster
 Korolkowii Rgl.
 Ixiolirion Pallasii Fisch. et Mey.
 Lavendula vera DC.
 Linaria alpina DC.
 Linum perenne L.
 Lobelia syphilitica L.
 Lychnis flos cuculi L.
 Malva moschata L.
 var. alba hort.
 Meconopsis cambrica Vig.

Mimulus luteus L.
 Muscari botryoides Mill.
 Orobus vernus L.
 Oxalis Acetosella L.
 Papaver rupifragum Boiss. et Reut.
 Phyteuma orbiculare L.
 Potentilla minima Hall. f.
 Primula arctotis Kern. var. hybrida
 denticulata Sm.
 Florindae Ward
 frondosa Janka
 japonica A. Gray
 leucophylla Pax
 microdonta Franch. et Petitm.
 var. alpicola W. Sm.
 pulverulenta Duthie
 rosea Royle
 saxatilis Kom.
 Veitchii Duthie
 viscosa All.

Ranunculus gramineus L.
 Saxifraga pedemontana All.
 Schievereckia Bornmuelleri Prantl.
 Scutellaria alpina L.
 Silene caucasica Boiss.
 Saxifraga L.
 Tofieldia calyculata Whlbg.
 Tulipa chrysantha Boiss.
 Didieri Jord.
 Kaufmanniana Rgl.
 Tunica Saxifraga Scop.
 Veronica fruticans Jacq.
 incana L.
 repens DC.
 Vicia pyrenaica Pourr.
 Wulfenia carinthiaca Jacq.

Gewächshauspflanzen

Acrostichum aureum L.
 Adromischus maculatus Lem.
 Aechmea bromeliifolia Bak
 candida E. Morr.

Agathaea coelestis Cass.
 Albizzia lophantha Benth.
 Alpinia calcarata Rosc.
 Amaryllis Belladonna L.
 Anacampseros filamentosa Sims.
 rufescens DC.
 species Kapstadt
 Aphelandra aurantiaca Ldl.
 var. Roetzlii Rgl.
 Aptenia cordifolia Schwant.
 Aristolochia elegans Mast.
 Arthropodium cirrhatum R. Br.
 Asclepias curassavica L.
 Michauxii Decne.
 Basella rubra L.
 Begonia incana Ldl.
 Schmidtiana Rgl.
 venosa Skan.
 Beleperone violacea Planch. et Lind.
 Benincasa hispida Cogn.
 Bertolonia aenea Naud.
 Billbergia Cantherae Andr.
 Biophytum sensitivum DC.
 Browallia speciosa Hook.
 Burbridgea schizocheila hort. Buitenz.
 Caladium Humboldtii Schott. (tub.)
 Canna flaccida Salisb.
 indica L.
 f. robusta grandifolia hort.
 Cardiospermum Halicabum L.
 Ceratopteris thalictroides Brgn.
 Chasmatophyllum musculinum Dtr.
 et Schw.
 Chirita lavendulacea Stapf
 Chlorophytum amaniense Engl.
 Chrysocoma Coma-aurea L.
 Cneorum tricoccum L.
 Columnea flava Mart.
 hirta Kl. et Hanst.
 Commelina benghalensis L.
 Delosperma Ecklonis Schwant.
 Dioscorea Fargesii Franch. (tub.)
 macroura Harms (tub.)

Dioscorea reticulata C. Gay (tub.)
 rupicola Knuth. (tub.)
 Dodonaea viscosa L.
 Dorstenia Contrajerva L.
 Contrajerva L.
 var. maculata hort. ?
 Dracaena arborea Lk.
 phrynioides Hook.
 Dracophyllum secundum R. Br.
 Drosera capensis L.
 Echeveria elegans Bgr.
 Echinocactus minuscule Web.
 pumilus Lem.
 tenuispinus Lk. et Otto
 Euphorbia bubalina Boiss.
 Fournieri hort.
 Euryale ferox Salisb.
 Fuchsia alpestris Gardn.
 procumbens R. Cunn.
 Gloriosa superba L.
 Gossypium herbaceum L.
 Haemanthus Katherinae Bak.
 Hedychium carneum Rosc.
 Hemigraphis primulaefolia Vill.
 reptans T. Ander.
 Homalanthus populifolius Grah.
 Isotoma longiflora Presl.
 Isotypus onoseroides H. B. K.
 Jasminum odoratissimum L.
 Jatropha podagrica Hook.
 Jussieua grandiflora R. et P.
 Kalanchoe Blossfeldiana v. Poelln.
 Klugia Notoniana A. DC.
 Koellikeria argyrostigma Rgl. (rhiz.)
 Lindmannia penduliflora Stapf
 Lourea vespertilionis Desv.
 Luffa cylindrica (L.) Roem.
 Malvastrum capense Garcke
 Mamillaria Schiedeana Schlecht.
 Maurandia Purpusii Brandeg.
 Mimosa pudica L.
 Momordica Charantia L.

Nymphaea Lotus L.
 var. *dentata* Rehn.
 O'marana hort.
Ochna multiflora DC.
Odontospermum sericeum Sch. Bip.
Ophiorrhiza mungos L.
Pachyphytum bracteosum Bk., Kl. et Otto
Peperomia blanda H. B. K.
Palisota Barteri Hook. f.
Phormium tenax Forst.
Phygelius capensis E. Mey.
Pittosporum heterophyllum Franch.
 Tobira Ait.
Plectranthus Oertendahlii Th. Fries jr.
Pritchardia lanigera Becc.
Ptychosperma elegans Bl.
Quamoclit pinnata Bojer
Rhipsalis pilocarpa Loefgr.
Rhoeo discolor Hance
Rhopalostylis sapida Wendl. et Dr.
Rivina laevis L. var. *humilis* L.
Rochea coccinea DC.
Ruellia amoena Nees
 solitaria Vell.
 squarrosa Fenzl.
Sabal Blackbourniana Glazebr.

Frankfurt a. M., Dezember 1934.

M. Bromme
 Gartenbaudirektor

Sagittaria lancifolia L.
Salvia Heerii Rgl.
 patens Cav.
Schizocapsa plantaginea Hance
Scutellaria Ventenatii Hook.
Senecio tropaeolifolius Mac Oven
Solanum Capsicastrum Lk.
 Hendersonii hort.
Sparmannia palmata E. Mey.
Stapelia gigantea N. E. Br.
 mutabilis Jacq.
 variegata L.
Stylidium adnatum R. Br.
Swainsonia coronillifolia Salisb.
Tacca Chantrieri Andr.
Tetranema mexicanum Benth.
Thalia dealbata Fraser
Torenia flava Ham.
 Fournieri Lind.
Trithrinax brasiliensis Mart.
Turnera salicifolia St. Hil.
Urera baccifera Gaud.
Veltheimia capensis Red.
Washingtonia robusta Wendl.
Zantedeschia Elliottiana Engl.
Zephyranthes sulphurea hort.?

F. Encke
 Garteninspektor

SAMENTAUSCHLISTE 1934.

G e h ö l z e.*Berberis Coryi* Veitch*Thunbergii* DC*Wilsonae* Hemsl*Chamaedaphne calyculata* Mnech.*Cofoneaster Dammeri* C. S.*microphylla* Wall.
var *thymifolia* H.*praecox* Vilm*salicifolia* Franch.
var. *floccosa* R et W.*Cytisus capitatus* Jacq*Evonymus nana* M. B.*Genista pilosa* L.*Lavandula vera* DC*Microglossa albescens* Clarke*Rosa blanda* Ait.*dumetorum* Thuill.*Fendleri* Crép*haematodes* Boiss.*Helenae* R. et W.*nuthana* Presl.*oxyacantha* Bieb.*pisocarpa* A. Gray*pubescens* Roxb*setipoda* Hemsl. et W.*virginiana* Mill.*Willmottiae* Hemsl.*Rubus illecebrosus* Focke*Stranvaesia Davidiana* Decne.*Vaccinium hirsutum* Buckl.Ausdauernde krautige Pflanzen.*Allium flavum* L.*karataviense* Rgl.*Androsace chamaejasme* Host.*lactea* L.*Anemone blanda* Schott. et Kotsch.*nemorosa* L.*Pulsatilla* L.*sylvestris* L.*Arabis bellidifolia* Jacq.*pumila* Wulf.*Sündermannii* Kell.*Arenaria Ledebouriana* Fenzl.*Arnica montana* L.*Asclepias purpurea* Pall.*Asperula odorata* L.*Caltha palustris* L.*Corydalis lutea* DC.*Crepis aurea* Rchb.*Crocus Korolkowii* Maw*Tommasinianus* Herb.*Desmodium canadense* DC.*Dodecatheon Meadia* L.

Draba borealis DC.
 aizoides L.
Epilobium *Hectori* Hausskn.
Eremurus robustus Rgl.
Erinus alpinus L.
Euphorbia *Lathyris* L.
 myrsinites L.
Fritkillaria Meleagris L.
Helleborus foetidus L.
Hieracium villosum Jacq.
Hyazinthus azureus Bak.
Hypericum *Degenii* Borum.
 polyphyllum Boiss et Bal.
Ixiolirion Pallasii F. et M.
Linaria alpina DC.
Lobelia syphilitica L.
Lychnis alpina L.
 flos cuculi L.
Meconopsis cambrica Vig.
Mimulus luteus L.
Muscari botryoides Mill.
Orobis vernus L.
Oxalis acetosella L.
Papaver alpinum L.
 rupifragum Boiss et Reut.
Parnassia mysorensis Heyne
Phyteuma orbiculare L.
Pinguicula vulgaris L.
Primula Beesiana Forr.
 chungensis Balf. et Ward

Primula denticulata Sm.
 Florindae Ward
 frondosa Janka
 japonica A. Gray
 leucophylla Pax
 pulverulenta Duthie
 rosea Royle
 saxatilis Kom.
 sibirica Jacq.
 Veitchii Duthie
Ranunculus gramineus L.
Raoulia australis Hook. f.
Schieverackia Bornmuelleri Prantl
Scutellaria alpina L.
Silene caucasica Boiss.
Tofieldia calyculata Whlbg.
Trollius pumilus Don.
Tunica saxifraga Scop.
Veronica fruticans Jacq.
 incana L.
 repens DC.

Gewächshauspflanzen.

Abroma mollis DC.
Aechmea coerulescens Bak.
 Schiedeana Schdl.
Agathaea coelestis Cass.
Albizzia lophantha Benth.
Alpinia calcarata Rosc.
Aphelandra aurantiaca Ldl.
 var. *Roetzlii* Rgl.

Aristolochia elegans Mast.

Asclepias Michauxii Decne.

Basella rubra L.

Begonia incana Ldl.

venosa Skan.

Benincasa hispida Cogn.

Bertolonia aenea Naud.

Biophytum sensitivum DC.

Calvoa orientalis Taub.

Canna flaccida Salisb.

indica L.

var. robusta grandifolia hort.

Cardiospermum Halicabum L.

Ceratopteris thalictroides Brgn.

Chlorophytum amaniense Engl.

Citrullus Colocynthis Schrad.

Clerodendron fallax Vent.

Cneorum tricoccon L.

Dracaena phrynioides Hook.

Drosera capensis L.

Dyckia sulphurea C. Koch.

Echinocactus cataphractus Dams.

denudatus Lk. et Otto.

minusculus Web.

pumilus Lem.

Eupatorium megalophyllum Klatt.

Euphorbia bubalina Boiss.

Gossypium herbaceum L.

Hedychium carneum Rose.

Kalanchoe globulifera Perr. de la B.
f. coccinea hort.

Mimosa pudica L.

Momordica Charantia L.

Cehna multiflora DC.

Ottelia alismoides Pers.

Phormium tenax Forst.

Pinanga latisecta Bl.

Pitcairnea spicata Mez.

Ptychosperma elegans Bl.

Rhopalostylis sapida Wendl. et Dr.

Rivina laevis L. *var. humilis* L.

Ruellia amoena Nees.

subsessilis Lind.

Sabal Blackbourniana Glazebr.

Sagittaria lancifolia L.

Salvia patens Cav.

Senecio Ghiesbreghtii Less.

Stapelia gigantea N.E.Br.

Tacca Chantrieri Andr.

Tetranema mexicanum Benth.

Thalia dealbata Fraser.

Trithrinax brasiliensis Mart.

M. B r o m m e

Gartenbaudirektor.

F. E n c k e

Garteninspektor.

 

Samenzauschiefe 1933.

Ausdauernde krautige Pflanzen:

<i>Acanthus longifolius</i> Poir.	<i>Orobanchaceae</i> <i>vernus</i> L.
<i>Alliaria</i> <i>Plantago</i> L.	<i>Papaver</i> <i>alpinum</i> L.
<i>Allium</i> <i>flavum</i> L.	<i>Parnassia</i> <i>palustris</i> L.
<i>Androsace</i> <i>brigiata</i> R. Kn. v. <i>carnea</i>	<i>Primula</i> <i>Beesianae</i> Forr.
<i>Anemone</i> <i>Pulsatilla</i> L.	<i>chungensis</i> Balf. f. et Ward.
<i>silvestris</i> L.	<i>farinosa</i> L.
<i>Antirrhinum</i> <i>Asarina</i> L.	<i>florindae</i> Ward.
<i>Arabis</i> <i>pumila</i> Wulf.	<i>frondosa</i> Janka.
<i>Suendermannii</i> Kell.	<i>japonica</i> A. Gr.
<i>Asphodeline</i> <i>lutea</i> Schb.	<i>leucophylla</i> Pax.
<i>Bellium</i> <i>minus</i> L.	<i>lichiangensis</i> Forr.
<i>Bulbocodium</i> <i>vernum</i> L.	<i>pulverulenta</i> Duthie.
<i>Campanula</i> <i>cochliariaefolia</i> Lam.	<i>rosea</i> Royle.
<i>Dianthus</i> <i>inodorus</i> Kern.	<i>saxatilis</i> Kom.
<i>Draba</i> <i>Haynaldii</i> Stur.	<i>secundiflora</i> Franch.
<i>Dracocephalum</i> <i>moldavicum</i> L.	<i>sikkimensis</i> Hook.
<i>Ruyschianum</i> L.	<i>Veitchii</i> Duthie.
<i>Hypericum</i> <i>polyphyllum</i> Boiss. et Bal.	<i>Wardii</i> Balf. f.
<i>Linaria</i> <i>alpina</i> DC.	<i>Scilla</i> <i>sibirica</i> Andr.
<i>Lychnis</i> <i>viscaria</i> L.	<i>Sedum</i> <i>magellense</i> Ten.
<i>Meconopsis</i> <i>cambrica</i> Vig.	<i>Thlaspi</i> <i>stylosum</i> Nym.
<i>Mimulus</i> <i>luteus</i> L.	<i>Tulipa</i> <i>Eichleri</i> Rgl.
<i>Onosma</i> <i>stellulatum</i> W. K.	<i>Verbascum</i> <i>pannosum</i> Vis. et Pano.
	<i>Veronica</i> <i>fruticans</i> Jacq.

Siehe Rücke

Gewächshauspflanzen:

Aechmea Schiedeana Schdl

Aristolochia elegans Mast.

Asclepias Michauxii Dene

Garex scaposa C. B. Cl

Chlorophytum amaniense Engl

Glerodendron fallax Vent.

Gasteria maculata Haw.

nigricans Haw.

Pinanga latisecta Bl

Pritchardia pacifica Seem. et Wendl.

Rhopalostylis sapida Wendl. et D

Sabal Blackburniana Glazeb.

Sempervivum annuum C. Smith

Stapelia hirsuta L.

Tacca Chantrieri André

Trithrinax brasiliensis Mart.

M. B r o m m e

Gartenbaudirektor

F. E n c k e

Garteninspektor.