Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.39

LIBRARY
RECEIVED
★ SEP 19 1923 ★
U. S. Department of Agriculture.

EDWARD GILLETTE & SONS

EIGHTH ANNUAL CATALOGUE

—OF—

North American

PERENNIAL PLANTS,

ORCHIDS,

ALPINE,

SHRUBS,

Aquatic,

AND

Climbers,

BOG PLANTS,

RARE FERNS, &c.,

—FOR—

1885.

SOUTHWICK, MASS.,

United States of America.

Clark & Story, Printers, Westfield, Mass.

Introduction.

N presenting my Catalogue of North American Perennial Plants for 1885, I wish to thank those who have given me a share of their patronage, and for the interest they have shown in circulating my Catalogue, both at home and abroad, and I trust that our dealings have been such as to merit a continuance of your favors. Each year shows an advanced interest in the cultivation of our hardy perennial wild flowers and ferns, and no better evidence of this fact can be given than the increasing orders of my old patrons.

The mode of culture most popular is to copy after nature. If it be a moist, shady place to be beautified, native Perennials are planted, naturally found in such situations. If it be a small lake we wish to improve, we have a fine collection of Native Aquatic Plants to select from, like the pure white Water Lily (*Nymphæa odorata*), *Orontium aquaticum*, with its large green velvety leaves floating on the surface, *Pontedera cordata*, &c., &c.; and on the border we put *Lobelia cardinalis*, *Gentiana Andrewsii*, *Gratiola aurea*, *Trilliums*, *Andromeda polifolia*, *Azalea viscosa*, *Ilex verticillata*, *Cassandra calyculata*, &c. If it be a shady, moist, rocky hillside we wish to beautify, we have only to plant Mountain Flowering Plants and Ferns to have a large, natural rockery. For a dry, shady place, plant *Epigæa repens*, *Gaultheria procumbens*, &c. I shall be pleased to make selections for parties who wish our Native Plants for small or large Rockeries, Ferneries, open sun or shade culture. I offer a few collections for Rockeries, &c., which are well adapted for this mode of culture.

I have had collected the past season seed of some of the most beautiful of our Wild Flowers, which I offer in separate packets. I also offer seed of a few of the most beautiful of the Garden Pansies and Roots of the same for winter blooming. Seed of a few Garden Vegetables of my own growing, from the finest plants. Also Strawberry Plants.

I have had so many calls for single plants of a species of our Wild Flowers, that I have concluded to offer them in this way, and they will be sent by mail, postpaid, to any address in the United States, for the price given for single plants, but at the 12 and 100 rates, postage or express to be paid by the purchaser. Collectors of Native Perennial Plants and Seeds are invited to put themselves in communication with me.

TERMS.

All bills will be due on receipt of the plants, unless by special agreement. Orders from unknown parties should be accompanied by cash, or good references given.

Money may be sent in Registered Letters to Southwick, Hampden County, Mass., or by Post-Office Orders upon the Postmaster at Westfield, Hampden County, Mass. Larger amounts can be sent by Drafts on New York or Boston, payable to my order.

Foreign Remittances may be sent by International Post-Office Orders, payable at Westfield, Mass., U. S. A., or by Drafts on New York or Boston.

The trade furnished in quantity at lower rates. All plants sent out are securely packed and properly labeled. No charge for packing.

This List cancels all former quotations.

All communications should be addressed,

EDWARD GILLET,
(HAMPDEN COUNTY), SOUTHWICK, MASS.

\$1.00 Collections for Rockeries.

No. 1. I will send by mail, postpaid, to any part of the United States, one each of the following small Orchids and Ferns on receipt of \$1.00. They are well adapted for a miniature Rockery, perfectly hardy, and easy of culture. The Liverwort should be set at base of Rockery, and will soon spread and make a beautiful green covering to the soil. *Calypso borealis*, *Goodyera pubescens*, *Liparis liliifolia*, *Asplenium ebenum*, *Asplenium Trichomanes*, *Camptosorus rhizophyllus*, *Cystopteris bulbifera*, *Pellaea gracilis*, *Woodsia ilvensis*, *Woodsia obtusa*, and a Liverwort.

No. 2. The plants of No. 2 Collection are larger and well adapted for a larger Rockery. Will send the following by mail, postpaid, to any part of the United States for \$1.00: *Aplectrum hyemale*, *Orchis spectabilis*, *Adiantum pedatum*, *Botrychium Virginicum*, *Phegopteris hexagonoptera*, *Phegopteris polypodioides*, *Dicksonia pilosiuscula*, *Onoclea sensibilis*, *Aspidium acrostichoides*, and a Liverwort.

No. 3. This list is made of small Herbaceous plants well adapted for a Rockery; all flowering plants. Sent by mail, postpaid, for \$1.00. *Coptis trifolia*, *Cornus Canadensis*, *Dalibarda repens*, *Erigenia bulbosa*, *Erythronium Americanum*, *Hepatica triloba*, *Mitchella repens*, *Rhexia Virginica*, *Sanguinaria Canadensis*, *Thalictrum anemonoides*, and *Tiarella cordifolia*.

WHITE FLOWERS.

No. 4. A beautiful collection of small growing plants with pure white flowers. Will send one each of the following by mail, postpaid, to any part of the United States, on receipt of \$1.00: *Anemone Pennsylvanica*, *Coptis trifolia*, *Convallaria majalis*, *Erythronium albidum*, *Houstonia purpurea*, *Smilacina bifolia*, *Sanguinaria Canadensis*, *Thalictrum anemonoides*, *Tiarella cordifolia*, and *Mitella diphylla*.

YELLOW FLOWERS.

No. 5. Collection of plants with yellow flowers. Will send one each of the following by mail, postpaid, for \$1.00, to any part of the United States: *Erythronium Americanum*, *Gratiola anrea*, *Hypoxis erecta*, *Lilium Canadense*, *Uvularia perfoliata*, *Viola rotundifolia*, *Caltha palustris*, *Cypripedium parviflorum*, *Habenaria ciliaris*.

RED FLOWERS.

No. 6. Collection of plants with red flowers. Will send one each of the following by mail, postpaid, on receipt of \$1.00, to any part of the United States: *Aquilegia Canadensis*, *Liatris scariosa*, *Liatris spicata*, *Lilium Philadelphicum*, *Lobelia cardinalis*, *Rhexia Virginica*, *Trillium erectum*, and *Helonias bullata*.

\$2.00 Collection.

NO. 7. This list is made up of larger flowering plants, adapted to moist garden soil. Will send two each of the following by mail, postpaid, to any part of the United States for \$2.00: *Aquilegia Canadensis*, *Arisæma triphyllum*, *Convallaria majalis*, *Gentiana Andrewsii*, *Hepatica acutiloba*, *Lilium Canadense*, *Lobelia cardinalis*, *Parnassia Caroliniana*, *Scilla Fraseri*, and *Calopogon pulchellus*.

\$5.00 Collection.

NO. 8. Will send six each of the following beautiful Herbaceous Perennial Plants by mail, postpaid, to any part of the United States, on receipt of \$5.00. They are well adapted for growing under evergreens, and make a beautiful display. *Dicentra Canadensis*, *Dodecatheon Meadia*, *Epigæa repens*, *Erythronium grandiflorum*, *Gentiana Saponaria*, *Lilium Philadelphicum*, *Podophyllum peltatum*, *Silene Virginica*.

\$10.00 Collection.

NO. 9. This is a beautiful collection of the larger growing Ferns, and makes a fine display when grown in the shade of evergreens. This collection will be delivered at express office on receipt of \$10.00: twelve plants of each species: *Adiantum pedatum*, *Aspidium acrostichoides*, *Aspidium cristatum*, *var. Clintonianum*, *Aspidium marginale*, *Aspidium spinulosum*, *var. intermedium*, *Asplenium Filix-fœmina*, *Botrychium Virginicum*, *Dicksonia pilosiuscula*, *Lygodium palmatum*, and *Struthiopteris Germanica*.

Persons ordering any of the above collections need only to give the number of collection.

HERBACEOUS PERENNIAL PLANTS.

BOTANICAL NAME.	COMMON NAME.	Local-ity.	PRICE.		
			Each.	Per 12.	Per 100.
<i>Actaea alba</i> ,	White Baneberry,	E. S.	.15	80 75	\$4 00
" <i>spicata</i> var. <i>rubra</i> ,	Red Baneberry,	"	.15	75	4 00
<i>Aletris farinosa</i> ,	Colic Root,	"	.15	50	3 00
<i>Allium acuminatum</i> ,	Red-flowered A.,	Cal.	.15	1 25	7 50
" <i>reticulatum</i> ,	Netted A.,	Kan.	.15	1 00	5 00
" <i>triccoccum</i> ,	Wild Leek,	E. S.	.15	50	3 00
" <i>unifolium</i> ,	Rose-colored A.,	Cal.	.15	1 25	7 50
<i>Amaryllis Atamasco</i> ,	Atamasco lily,	S. S.	.15	1 00	6 00
<i>Anemone deltoidea</i> ,	Oregon Wind Flower,	Or.	.15	1 00	6 00
" <i>nemorosa</i> (white),	Wood Anemone,	E. S.	.15	50	3 00
" " (blue),	"	Or.	.15	1 00	6 00
" <i>patens</i> Nuttalliana,	Am. Pasque Flower,	W. S.	.15	1 00	6 00
" <i>Pennsylvanica</i> ,	Penn. Anemone,	N. S.	.15	1 00	5 00
<i>Antennaria margaritacea</i> ,	Pearly Everlasting,	"	.15	75	4 00
<i>Apios tuberosa</i> ,	Ground Nut,	E. S.	.15	50	3 00
<i>Apocynum androsæmifolium</i> ,	Spreading Dogbane,	"	.20	1 00	5 00
<i>Aquilegia carnlea</i> ,	White Columbine,	Utah,	.20	1 50	8 00
" " <i>Jamesii</i> ,	Pure White C.,	R Mt.	.20	1 50	8 00
" <i>Canadensis</i> ,	Wild Columbine,	N. S.	.20	1 00	5 00
" <i>chrysantha</i> ,	Golden spurred C.,	R Mt.	.20	1 50	8 00
" <i>flavescens</i> ,	Yellow Columbine,	Utah,	.30	2 50	12 00
" <i>formosa</i> ,	"	Or.	.20	1 25	7 00
<i>Aralia hispida</i> ,	Bristly Sarsaparilla,	N. S.	.25	75	4 00
" <i>nudicaulis</i> ,	Wild Sarsaparilla,	"	.20	75	4 00
" <i>quinquefolia</i> ,	Ginseng,	"	.20	1 00	6 00
" <i>trifolia</i> ,	Dwarf Ginseng,	"	.15	50	3 00
<i>Arenaria Grœnlandica</i> ,	Mountain Sandwort,	"	.35	3 00	15 00
<i>Arisæma triphyllum</i> ,	Indian Turnip,	"	.15	50	3 00
<i>Artemisia tridentata</i> ,	Sage-brush,	Or.	.20	1 00	6 00
<i>Asarum Canadense</i> ,	Canada Snakeroot,	N. S.	.15	75	4 00
" <i>caudatum</i> ,	Tailed Snakeroot,	Or.	.15	1 00,	5 50
" <i>Hartwegii</i> ,	"	Cal.	.20	1 25	7 00
" <i>Virginicum</i> ,	Heart Snakeroot,	S. S.	.15	1 00	5 00
<i>Asclepias incarnata</i> ,	Swamp Milkweed,	N. S.	.20	75	4 00
" <i>quadrifolia</i> ,	Four-leaved M.,	"	.20	1 00	6 00
" <i>tuberosa</i> ,	Pleurisy-root,	E. S.	.25	1 00	6 00
" <i>verticillata</i> ,	Whorled M.,	S. S.	.20	1 00	6 00
<i>Aster Tradescanti</i> ,	Small White A.,	N. S.	.15	1 00	5 00
<i>Baptisia leucantha</i> ,	White Baptisia,	W. S.	.20	1 00	5 00
" <i>leucophæa</i> ,	Cream colored B.,	"	.20	1 00	5 00
" <i>tinctoria</i> ,	Wild Indigo,	E. S.	.25	1 00	5 00
<i>Brodiaea congesta</i> ,	Tall Brodiaea,	Cal.	.15	1 00	6 00
" <i>gracilis</i> ,	Yellow colored B.,	"	.25	2 00	10 00
" <i>grandiflora</i> ,	"	"	.15	1 00	6 00
" <i>Howellii</i> ,	"	Or.	.15	1 00	6 00
<i>Callirrhoe involucrata</i> ,	Crimson Callirrhoe,	Tex.	.20	1 00	6 00
<i>Calochortus elegans</i> ,	Butterfly Tulip,	Cal.	.20	1 25	7 00
" <i>Greeni</i> ,	Lilac colored C.,	Or.	.15	1 00	6 00
" <i>Nuttallii</i> ,	Greenish Yellow C.,	"	.25	2 00	10 00
" <i>splendens</i> ,	Lilac colored C.,	"	.25	2 00	10 00
" <i>venustus</i> ,	Mariposa Lily,	"	.20	1 25	7 00
<i>Campanula rotundifolia</i> ,	Harebell,	N. S.	.15	75	4 00
<i>Cassia Marilandica</i> ,	American Senna,	"	.15	75	4 00
<i>Caulophyllum thalictroides</i> ,	Blue Cohosh,	"	.20	75	4 00
<i>Chelone glabra</i> ,	Snake-head,	E. S.	.15	75	4 00
<i>Chimaphila maculata</i> ,	Spotted Wintergreen,	"	.25	75	4 00
" <i>umbellata</i> ,	Prince's Pine,	"	.25	75	4 00
<i>Chiochenes hispidula</i> ,	Creeping Snowberry,	"	.15	1 00	6 00
<i>Claytonia parvifolia</i> ,	"	Or.	.15	1 00	5 00

HERBACEOUS PERENNIAL PLANTS.—Continued.

BOTANICAL NAME.	COMMON NAME.	Local-ity.	PRICE.		
			Each.	Per 12.	Per 100.
Claytonia Virginica, . . .	Spring Beauty,	E. S.	.15	\$0 75	\$4 00
Clematis Douglasii, . . .	Brownish Purple C.,	Utah.	.30	2 50	12 00
" oehroleuca, . . .	Greenish C.,	Va.	.20	1 25	7 00
Clintonia borealis, . . .	Northern Clintonia,	N. S.	.15	50	3 00
Collinsonia Canadensis, . . .	Collinson's Flower,	E. S.	.15	60	4 00
Convallaria majalis, . . .	Lily of the Valley,	S. S.	.20	1 00	5 00
Coptis trifolia, . . .	Goldthread,	N. S.	.15	50	3 00
Coreopsis tripteris, . . .	Tall Coreopsis,	W. S.	.20	75	4 00
Cornus Canadensis, . . .	Dwarf Cornel,	N. S.	.15	1 00	5 00
Cynthia Virginica, . . .	Yellow C.,	S. S.	.15	1 00	5 00
Dalibarda repens, . . .	False Violet,	N. S.	.15	1 00	5 00
Dentaria diphylla, . . .	Toothwort,	"	.15	50	3 00
" laeiniata, . . .	Pale Purple D.,	E. S.	.15	1 00	5 00
" maxima, . . .	Pink colored D.,	N. S.	.20	1 25	7 00
Dicentra Canadensis, . . .	Squirrel Corn,	"	.15	1 00	5 00
" Cucullaria, . . .	Dutchman's Breeches,	"	.15	1 00	5 00
" formosa, . . .	"	Or.	.20	1 50	7 00
Dioscorea villosa, . . .	Wild Yam-Root,	S. S.	"	1 00	5 00
Dodecatheon Meadia, . . .	Shooting Star,	W. S.	.15	1 00	5 00
Echinacea purpurea, . . .	Purple Cone flower,	"	.20	1 00	5 00
Epigæa repens, . . .	Trailing Arbutus,	E. S.	.20	1 00	6 00
Equisetum arvense, . . .	Common Horsetail,	"	.15	75	4 00
" hyemale, . . .	Scouring Rush,	"	.15	75	4 00
Erigenia bulbosa, . . .	Harbinger of Spring,	W. S.	.15	1 00	5 00
Erigeron bellidifolium, . . .	Robin's Plantain,	E. S.	.15	50	3 00
Eryngium yuccæfolium, . . .	Button Snakeroot,	W. S.	.15	60	3 00
Erythronium albidum, . . .	White Dog's Tooth Vi-	"	.15	1 00	5 00
" Americanum, . . .	olet, Yellow D. V.,	E. S.	.15	75	4 00
" giganteum, . . .	Large White D. V.,	Or.	.20	1 50	8 00
" grandiflorum, . . .	Large Flowered D. V.,	"	.15	1 00	5 00
" purpureum, . . .	Purplish D. V.,	Cal.	.30	2 50	12 00
Eupatorium ageratoides, . . .	White Snakeroot,	E. S.	.15	1 00	5 00
" perfoliatum, . . .	Boneset,	"	.20	1 00	5 00
Euphorbia corollata, . . .	Flowering Spurge,	"	.15	1 00	5 00
Fritillaria lanceolata, . . .	Lance-leaved F.,	Cal.	.25	2 00	10 00
" parviflora, . . .	Yellowish Purple F.,	"	.30	2 25	12 00
" recurva, . . .	Tinged Purple F.,	"	.40	4 00	20 00
Gaultheria procumbens, . . .	Aromatic Wintergreen,	"	.20	1 00	6 00
Gentiana alba, . . .	White Gentian,	W. S.	.20	1 00	6 00
" Andrewsii, . . .	Purple Closed G.,	E. S.	.20	1 00	5 00
" Saponaria, . . .	Soapwort G.,	"	.15	1 00	6 00
Geranium incisum, . . .	"	Or.	.25	1 00	5 00
" maculatum, . . .	Wild Cranesbill,	E. S.	.15	50	3 00
" Robertianum, . . .	Herb Robert,	"	.15	50	3 00
Geum rivale, . . .	Purple Avens,	N. S.	.20	50	3 00
Gratiola aurea, . . .	Hedge Hyssop,	E. S.	.15	50	3 00
Helonias bullata, . . .	Stud-Flower,	N. J.	.30	2 00	12 00
Hepatica acutiloba, . . .	Sharp Lobed H.,	N. S.	.20	75	4 00
" triloba, . . .	Round Lobed H.,	"	.20	75	4 00
" alba, . . .	White H.,	"	.20	1 00	6 00
Hesperochiron Californicus, . . .	"	Or.	.20	1 25	7 00
Hibiscus Mosecheutos, . . .	Swamp Rose Mallow,	N. J.	.25	1 00	6 00
Hieracium venosum, . . .	Rattlesnake-weed,	"	.15	50	3 00
Houstonia ærulea, . . .	Bluets,	"	.15	50	3 00
" purpurea, . . .	Pure White H.,	"	.15	1 00	5 00
Hydrastis Canadensis, . . .	Orange Root,	S. S.	.15	1 00	5 00
Hydrophyllum Canadense, . . .	Waterleaf,	E. S.	.15	1 00	6 00
" Virginicum, . . .	"	"	.15	75	4 00

HERBACEOUS PERENNIAL PLANTS.—Continued.

BOTANICAL NAME.	COMMON NAME.	PRICE.	
		Local-ity.	Each. Per 12. Per 100.
<i>Hypericum corymbosum</i> ,	St. John's-wort,	E. S.	.15 80 50 83 00
<i>Hypoxis erecta</i> ,	Star-grass,	"	.15 50 3 00
<i>Iris tenax</i> ,	Tough-leaved I.,	Or.	.20 1 25 6 00
" <i>versicolor</i> ,	Large Blue Flag,	E. S.	.20 75 4 00
" <i>Virginica</i> ,	Slender B. F.,	"	.20 75 4 00
<i>Jeffersonia diphylla</i> ,	Twin Leaf,	W. S.	.15 1 00 6 00
<i>Lewisia rediviva</i> ,	Spatium,	Or.	.20 1 00 6 00
<i>Liatris scariosa</i> ,	Button Snakeroot,	E. S.	.15 75 4 00
" <i>spicata</i> ,	Spiked Blazing Star,	W. S.	.15 75 4 00
<i>Lilium Canadense</i> ,	Wild Yellow Lily,	N. S.	.15 1 00 5 00
" <i>Catesbaei</i> ,	Southern Red L.,	S. S.	.25 2 00 10 00
" <i>Columbianum</i> ,	Reddish-Orange L.,	Or.	.25 2 00 10 00
" <i>Humboldtii</i> ,	California Orange L.,	Cal.	.45 4 00 21 00
" <i>pardifolium</i> ,	Orange-red L.,	"	.35 3 00 15 00
" <i>Parryi</i> ,	Pale Yellow L.,	"	.90 10 00
" <i>parvum</i> ,	Small Flowered L.,	"	.50 5 00 25 00
" <i>Philadelphicum</i> ,	Wild Orange Red L.,	E. S.	.15 1 00 5 00
" <i>superbum</i> ,	Turk's Cap L.,	"	.15 1 00 5 00
" <i>Washingtonianum</i> ,	Washington L.,	"	.50 5 00 25 00
<i>Linnaea borealis</i> ,	Twin Flower,	N. S.	.20 1 00 6 00
<i>Lithospermum canescens</i> ,	Hoary Puccoon,	W. S.	.20 1 00 5 00
" <i>hirtum</i> ,	Hairy Puccoon,	S. S.	.20 1 00 5 00
<i>Lobelia cardinalis</i> ,	Cardinal Flower,	E. S.	.15 75 4 00
" <i>syphilitica</i> ,	Great Lobelia,	"	.15 1 00 5 00
<i>Lupinus perennis</i> ,	Wild Lupine,	"	.20 75 4 00
<i>Lysimachia quadrifolia</i> ,	"	"	.15 50 3 00
" <i>stricta</i> ,	"	"	.15 50 3 00
<i>Medeola Virginica</i> ,	Indian Cucumber Root,	"	.15 50 3 00
<i>Mertensia Virginica</i> ,	Virginian Lungwort,	Va.	.20 1 00 6 00
<i>Mikania scandens</i> ,	Climbing Boneset,	E. S.	.20 1 00 6 00
<i>Mimulus ringens</i> ,	Monkey Flower,	"	.15 75 4 00
<i>Mitchella repens</i> ,	Partridge-berry,	"	.15 75 4 00
<i>Mitella diphylla</i> ,	Mitre-wort,	"	.15 50 3 00
" <i>nuda</i> ,	Small Greenish M.,	"	.15 1 00 5 00
<i>Nardosmia palmata</i> ,	Sweet Colt's-foot,	W. S.	.15 1 00 6 00
<i>Oxalis Acetosella</i> ,	Wood Sorrel,	E. S.	.15 75 4 00
" <i>Oregana</i> ,	Oregon W. S.,	Or.	.15 1 00 5 00
" <i>violacea</i> ,	Violet W. S.,	Va.	.15 1 00 5 00
<i>Parnassia Caroliniana</i> ,	Grass of Parnassus,	E. S.	.15 75 5 00
<i>Pedicularis Canadensis</i> ,	Wood Betony,	N. S.	.15 75 4 00
<i>Pentstemon pubescens</i> ,	Purple P.,	W. S.	.15 1 00 5 00
<i>Phlox Carolina</i> ,	Pink Purple P.,	"	.15 1 00 6 00
" <i>divaricata</i> ,	Spreading Phlox,	"	.15 1 00 5 00
" <i>pilosa</i> ,	Hairy P.,	S. S.	.15 1 00 5 00
" <i>reptans</i> ,	Creeping Phlox,	"	.15 1 00 5 00
" <i>subulata</i> ,	Moss Pink,	W. S.	.15 1 00 6 00
<i>Phytolacca decandra</i> ,	Common Poke,	N. S.	.25 1 50 8 00
<i>Podophyllum peltatum</i> ,	May Apple,	S. S.	.20 75 4 00
<i>Polygala paucifolia</i> ,	Fringed Polygala,	E. S.	.20 1 00 6 00
" <i>Senega</i> ,	Seneca Snakeroot,	W. S.	.15 1 00 5 00
<i>Polygonatum biflorum</i> ,	Smaller Solomon's Seal,	E. S.	.15 75 4 00
<i>Primula Mistassinica</i> ,	Primrose (small white),	N. S.	.20 2 00 10 00
<i>Pyrola elliptica</i> ,	Shin-Leaf,	E. S.	.20 1 00 6 00
" <i>rotundifolia</i> ,	Round-leaved P.,	"	.20 1 00 6 00
" <i>secunda</i> ,	Greenish-White P.,	"	.20 1 00 6 00
<i>Ranunculus adoneus</i> ,	"	Utah,	.30 3 00 15 00
<i>Rhexia Virginica</i> ,	Meadow Beauty,	E. S.	.15 75 4 00
<i>Rudbeckia hirta</i> ,	Cone-flower,	"	.15 50 3 00
<i>Sabbatia chloroides</i> ,	American Centaury,	"	.15 1 00 5 00

HERBACEOUS PERENNIAL PLANTS.—Continued.

BOTANICAL NAME.	COMMON NAME.	Local-ity.	PRICE.		
			Each.	Per 12.	Per 100.
<i>Sanguinaria Canadensis</i> , . . .	Blood-Root,	E. S.	.20	\$1 00	\$5 00
<i>Sanicula Marilandica</i> , . . .	Black Snakeroot,	"	.15	75	4 00
<i>Saxifraga Virginensis</i> , . . .	Early Saxifraga,	N. S.	.15	50	3 00
<i>Scilla Fraseri</i> , . . .	Wild Hyacinth,	W. S.	.15	1 00	5 00
<i>Scutellaria galericulata</i> , . . .	Skull-cap,	N. S.	.15	50	3 00
" <i>lateriflora</i> , . . .	Mad-dog S.,	"	.15	75	4 00
<i>Sedum Nevii</i> , . . .	Nevin's S.,	S. S.	.15	1 00	5 00
" <i>Oreganum</i> , . . .	Oregon S.,	Or.	.15	75	4 00
" <i>pulchellum</i> , . . .	Beautiful S.,	S. S.	.15	75	4 00
" <i>ternatum</i> , . . .	Three-leaved S.,	"	.15	75	4 00
<i>Senecio aureus</i> , . . .	Golden Ragwort,	E. S.	.15	50	3 00
" <i>Bolanderi</i> , . . .	Bolander's Groundsel,	Or.	.15	1 00	6 00
<i>Silene Pennsylvanica</i> , . . .	Wild Pink,	E. S.	.15	75	4 00
" <i>stellata</i> , . . .	Starry Campion,	S. S.	.15	75	4 00
" <i>Virginica</i> , . . .	Fire Pink,	"	.15	1 00	6 00
<i>Silphium integrifolium</i> , . . .	Rosin Plant,	W. S.	.20	1 00	5 00
" <i>laciniatum</i> , . . .	Compass Plant,	"	.20	1 00	5 00
<i>Sisyrinchium Bermudiana</i> , . . .	Blue-eyed Grass,	E. S.	.15	50	3 00
" <i>grandiflorum</i> , . . .	Purple flowered S.,	Or.	.15	1 00	6 00
<i>Smilacina bifolia</i> , . . .	Sweet White Smilacina,	E. S.	.15	50	3 00
" <i>racemosa</i> , . . .	False Spikenard,	"	.15	75	4 00
" <i>sessilifolia</i> , . . .		Or.	.15	1 00	6 00
" <i>stellata</i> , . . .		E. S.	.15	50	3 00
<i>Solidago odora</i> , . . .	Sweet Golden-rod,	"	.15	75	4 00
<i>Streptopus roseus</i> , . . .	Twisted Stalk,	N. S.	.20	75	4 00
<i>Stylophorum diphyllum</i> , . . .	Calandine Poppy,	Va.	.20	1 00	6 00
<i>Sulavantia Oregana</i> , . . .		Or.	.25	1 50	8 00
<i>Taraxacum Dens-Leonis</i> , . . .	Common Dandelion,	N. S.	.20	75	4 00
<i>Thalictrum anemonoides</i> , . . .	Rue-Anemone,	E. S.	.15	75	4 00
" <i>Cornuti</i> , . . .	Tall Meadow-Rue,	"	.15	75	4 00
<i>Tiarella cordifolia</i> , . . .	False Mitre-wort,	"	.15	50	3 00
<i>Tradescantia Virginica</i> , . . .	Common Spider-wort,	S. S.	.20	1 00	5 00
<i>Trientalis Americana</i> , . . .	Star Flower,	E. S.	.15	50	3 00
<i>Trillium cernuum</i> , . . .	Nodding Trillium,	"	.15	1 00	5 00
" <i>crectum</i> , . . .	Purple T.,	"	.15	1 00	5 00
" " <i>var. album</i> , . . .	White T.,	"	.20	1 50	8 00
" <i>erythrocarpum</i> , . . .	Painted T.,	"	.15	1 00	5 00
" <i>grandiflorum</i> , . . .	Large White T.,	"	.15	1 00	5 00
" <i>nivale</i> , . . .	Dwarf White T.,	"	.20	1 50	8 00
" <i>recurvatum</i> , . . .	Recurved T.,	W. S.	.15	1 00	5 00
" <i>sessile</i> , . . .	Sessile-leaved T.,	"	.15	1 25	7 00
<i>Trollius laxus</i> , . . .	Globe flower,	E. S.	.15	1 00	5 00
<i>Uvularia grandiflora</i> , . . .	Large fl. Bell-wort,	"	.15	1 00	5 00
" <i>perfoliata</i> , . . .	Perfoliate-leaved B.,	"	.15	75	4 00
" <i>sessilifolia</i> , . . .	Sessile "	"	.15	75	4 00
<i>Veronica Americana</i> , . . .	Am. Brooklime,	"	.15	50	3 00
" <i>officinalis</i> , . . .	Common Speedwell,	"	.15	50	3 00
<i>Vicia Americana</i> , . . .	Vetch,	"	.20	50	3 00
<i>Viola blanda</i> , . . .	Sweet White V.,	"	.15	50	3 00
" <i>Canadensis</i> , . . .	Canada V.,	N. S.	.20	1 00	5 00
" <i>canina</i> , <i>var. sylvestris</i> , . . .	Dog V.,	"	.15	50	3 00
" <i>cueullata</i> , . . .	Common Blue V.,	"	.15	50	3 00
" " <i>var. sagittata</i> , . . .	Arrow leaved V.,	E. S.	.15	1 00	5 00
" <i>glabella</i> , . . .	Smoothish V.,	Or.	.15	1 00	5 00
" <i>lanceolata</i> , . . .	Lance-leaved V.,	E. S.	.15	50	3 00
" <i>Muhlenbergii</i> , . . .		W. S.	.15	1 00	5 00
" <i>pedata</i> , . . .	Birds-foot V.,	E. S.	.15	75	4 00
" " <i>var. bicolor</i> , . . .		"	.20	1 25	7 00
" <i>primulæfolia</i> , . . .	Primrose-leaved V.,	"	.15	75	4 00

HERBACEOUS PERENNIAL PLANTS.—Continued.

BOTANICAL NAME.	COMMON NAME.	Local-ity.	PRICE.		
			Each.	Per 12.	Per 100.
<i>Viola pubescens</i> ,	Downy Yellow V.,	E. S.	.15	\$0 75	\$4 00
" <i>rostrata</i> ,	Long Spurred V.,	"	.15	75	4 00
" <i>rotundifolia</i> ,	Round-leaved V.,	"	.15	75	4 00
<i>Zygadenus venenosus</i> ,		Or.	.15	1 00	6 00

SHRUBS.

<i>Abies Canadensis</i> ,	Hemlock Spruce,	N. S.	.25	2 00	10 00
<i>Andromeda Mariana</i> ,	Stagger-bush,	S. S.	.25	1 50	8 00
" <i>polifolia</i> ,	Marsh Andromeda,	N. S.	.20	1 00	6 00
<i>Azalea calendulacea</i> ,	Flame colored A.,	S. S.		1 25	7 00
" <i>viscosa</i> ,	White Swamp Honey-suckle,	N. S.	.20	1 00	6 00
<i>Cassandra calyculata</i> ,	Leather Leaf,	"	.20	1 00	5 00
<i>Ceanothus Americanus</i> ,	New Jersey Tea,	E. S.	.25	1 00	6 00
<i>Comptonia asplenifolia</i> ,	Sweet Fern,	"	.20	1 00	5 00
<i>Diervilla trifida</i> ,	Bush Honeysuckle,	"	.20	1 00	5 00
<i>Dirca palustris</i> ,	Leatherwood,	N. S.	.25	1 00	6 00
<i>Hex verticillata</i> ,	Black Alder,	"	.25	1 00	6 00
<i>Kalmia angustifolia</i> ,	Sheep Laurel,	"	.20	75	4 00
" <i>latifolia</i> ,	Calico-bush,	"	.25	1 00	6 00
<i>Lindera Benzoin</i> ,	Spice Bush,	"	.20	1 00	6 00
<i>Lonicera ciliata</i> ,	Fly Honeysuckle,	"	.25	1 00	6 00
" <i>grata</i> ,	American Woodbine,	"	.25	1 00	6 00
<i>Pinus resinosa</i> ,	Red Pine,	"	.30	2 50	
<i>Rhodora Canadensis</i> ,	Rhodora,	"	.20	1 50	8 00
<i>Rosa pisocarpa</i> ,	Pea Fructed R.,	Or.	.20	1 25	7 00
<i>Rubus odoratus</i> ,	Purple fl. Raspberry,	N. S.	.25	1 00	6 00
<i>Sambucus pubens</i> ,	Red-berried Elder,	"	.25	1 00	6 00
<i>Spiraea tomentosa</i> ,	Steeple Bush,	E. S.	.20	75	4 00

VINES.

<i>Adlumia cirrhosa</i> ,	Climbing Fumitory,	E. S.	.20	1 00	5 00
<i>Ampelopsis quinquefolia</i> ,	Virginian Creeper,	"	.20	1 00	5 00
<i>Aristolochia Sipho</i> ,	Dutchman's Pipe,	S. S.	.25	2 00	10 00
<i>Celastrus scandens</i> ,	Wax-work,	N. S.	.20	1 00	6 00
<i>Clematis verticillaris</i> ,	Purple Mountain C.,	E. S.	.20	1 50	8 00
" <i>Viorna</i> ,	Leather Flower,	S. S.	.25	1 25	7 00
" <i>Virginiana</i> ,	Virgin's Bower,	N. S.	.15	1 00	5 00
<i>Menispermum Canadense</i> ,	Canadian Moonseed,	"	.15	1 00	5 00
<i>Rubus ursinus</i> ,	Oregon Blackberry,	Or.	.20	1 25	7 00
<i>Whipplea modesta</i> ,	Modest Whipplea,	"	.25	1 50	8 00

BOG PLANTS.

<i>Acorus Calamus</i> ,	Sweet Flag,	E. S.	.20	1 00	5 00
<i>Calla palustris</i> ,	Water Arum,	N. S.	.20	75	5 00
<i>Caltha palustris</i> ,	Marsh Marigold,	"	.20	1 00	5 00
<i>Darlingtonia Californica</i> ,	Cal. Pitcher Plant,	Cal.	.35	3 00	17 00
<i>Drosera filiformis</i> ,	Thread-leaved Sundew,	E. S.	.15	75	4 00
" <i>longifolia</i> ,	Oblong-leaved Sundew,	"	.15	50	3 00
" <i>rotundifolia</i> ,	Round-leaved Sundew,	"	.15	50	3 00
<i>Elodea Virginica</i> ,	Marsh St. John's-wort,	"	.15	50	3 00
<i>Menyanthes trifoliata</i> ,	Buckbean,	N. S.	.15	75	4 00
<i>Sagittaria variabilis</i> ,	Arrow-head,	"	.15	1 00	5 00
<i>Sarracenia Drummondii</i> ,		S. S.	.25	2 00	10 00
" <i>flava</i> ,	Trumpet-leaf,	"	.25	2 00	10 00
" <i>psitticina</i> ,		"	.25	2 00	10 00
" <i>purpurea</i> ,	Humtman's Cap,	N. S.	.20	1 00	5 00

BOG PLANTS.—Continued.

BOTANICAL NAME.	COMMON NAME.	Local-ity.	PRICE.		
			Each.	Per 12.	Per 100.
<i>Sarracenia rubra</i> , . . .	Red fl. T.,	S. S.	.25	\$2 00	10 00
“ <i>variolaris</i> , . . .	Spotted T.,	“	.25	2 00	10 00
<i>Saururus cernuus</i> , . . .	Lizards-tail,	E. S.	.15	50	3 00
<i>Symplocarpus fœtidus</i> , . .	Skunk Cabbage,	“	.30	1 00	6 00
<i>Vaccinium macrocarpon</i> , . .	Am. Cranberry,	“	.15	50	3 00

AQUATIC PLANTS.

<i>Brasenia peltata</i> , . . .	Water-Shield,	E. S.	.15	1 00	5 00
<i>Limnanthemum lacunosum</i> , . .	Floating Heart,	“	.15	1 00	5 00
<i>Nelumbium luteum</i> , . . .	Sacred Bean,	W. S.	.30	2 00	12 00
<i>Nuphar advena</i> , . . .	Common Yellow Lily,	N. S.	.30	1 00	6 00
“ <i>pumilum</i> , . . .	Small Yellow Lily,	“	.25	1 25	7 00
<i>Nymphaea odorata</i> , . . .	White Water Lily,	“	.25	1 00	6 00
“ “ <i>var. minor</i> , . . .	Small W. L.,	“	.25	1 25	7 00
“ <i>tuberosa</i> , . . .	Tuber-bearing L.,	“	.25	2 00	10 00
<i>Orontium aquaticum</i> , . . .	Golden Club,	“	.20	1 00	5 00
<i>Peltandra Virginica</i> , . . .	Arrow Arum,	“	.30	1 50	8 00
<i>Pontederia cordata</i> , . . .	Pickereel Weed,	“	.30	1 00	6 00
<i>Utricularia vulgaris</i> , . . .	Yellow Bladderwort,	“	.15	1 00	6 00

ORCHIDS.

In this list will be found nearly all the rare and desirable Orchids of the United States; and I trust that all who have cultivated them are convinced that, for beauty and peculiar structure, no other order of Plants can surpass them. While a few are more desirable for botanical study, others, like the *Cypripediums*, when planted in masses, give gorgeous colors and markings, which must be seen to be appreciated. Those marked with a * seem to be better adapted for cultivation in this locality.

* <i>Aplectrum hyemale</i> , . . .	Adam and Eve,	E. S.	.15	1 00	6 00
* <i>Arethusa bulbosa</i> , . . .	Arethusa,	“	.25	2 00	10 00
* <i>Calopogon pulchellus</i> , . . .	Grass-Pink,	“	.15	1 00	5 00
* <i>Calypso borealis</i> , . . .	Northern Calypso,	W. S.	.15	1 00	6 00
<i>Corallorhiza multiflora</i> , . .	Purplish C.,	E. S.	.15	1 00	5 00
* <i>Cypripedium acaule</i> , . . .	Stemless Lady's Slipper,	“	.25	1 00	5 00
* “ <i>arietinum</i> , . . .	Ran's Head L. S.,	“	.35	3 50	18 00
* “ <i>candidum</i> , . . .	Small White L. S.,	W. S.	.25	2 00	10 00
* “ <i>parviflorum</i> , . . .	Smaller Yellow L. S.,	E. S.	.25	1 50	8 00
* “ <i>pubescens</i> , . . .	Larger Yellow L. S.,	“	.25	1 00	6 00
* “ <i>spectabile</i> , . . .	Showy L. S.,	N. S.	.50	2 00	10 00
<i>Epidendrum conopseum</i> , . .	Tree Orchis,	Fla.	.20	1 25	7 00
“ <i>venosum</i> , . . .	Tree Orchis,	“	.20	2 00	10 00
<i>Goodyera Menziesii</i> , . . .	Or.	Or.	.25	2 00	10 00
* “ <i>pubescens</i> , . . .	Rattlesnake Plantain,	E. S.	.15	1 00	5 00
* “ <i>repens</i> , . . .	Creeping Goodyera,	N. S.	.15	1 00	5 00
* <i>Habenaria blephariglottis</i> , . .	White Fringed Orchis,	“	.20	1 50	8 00
* “ <i>ciliaris</i> , . . .	Yellow Fringed Orchis,	E. S.	.20	1 00	6 00
* “ <i>dilatata</i> , . . .	White-flowered O.,	N. S.	.20	1 50	8 00
* “ <i>finbriata</i> , . . .	Great Fringed O.,	E. S.	.20	1 00	6 00
* “ <i>Hookeri</i> , . . .	Two-leaved O.,	“	.20	1 00	6 00
* “ <i>hyperborea</i> , . . .	Greenish-flowered O.,	“	.20	1 25	7 00
* “ <i>lacera</i> , . . .	Ragged Fringed O.,	“	.20	1 00	6 00

ORCHIDS.—Continued.

BOTANICAL NAME.	COMMON NAME.	Local-ity.	PRICE.		
			Each.	Per 12	Per 100.
*Habenaria leucophæa, . . .	White Prairie O.,	W. S.	.20	\$1 00	\$6 00
* " obtusata, . . .	Greenish White O.,	N. S.	.35	3 00	16 00
* " orbiculata, . . .	Large-leaved O.,	"	.20	1 25	7 00
* " psycodes, . . .	Purple Fringed O.,	E. S.	.20	1 00	6 00
* " rotundifolia, . . .	Rose Purple O.,	"	.20	1 50	8 00
* " tridentata, . . .	Greenish White O.,	"	.15	75	5 00
* " virescens, . . .	Greenish O.,	"	.15	75	5 00
* " viridis, . . .	Greenish O.,	"	.15	1 00	6 00
*Liparis liliifolia, . . .	Purple Twayblade,	N. S.	.15	1 00	6 00
* " Loeselii, . . .	Green Twayblade,	"	.15	1 00	6 00
Listera convallarioides, . . .	Twayblade,	"	.20	1 50	8 00
" cordata, . . .	"	"	.20	1 00	6 00
*Orchis spectabilis, . . .	Showy O.,	"	.20	1 00	6 00
Pogonia ophioglossoides, . . .	Pale-rose colored P.,	"	.15	1 00	5 00
* " verticillata, . . .	Dusky Purplish P.,	E. S.	.20	1 00	6 00
*Spiranthes cernua, . . .	Lady's Tresses,	"	.15	1 00	5 00
* " gracilis, . . .	White S.,	"	.15	1 00	5 00

FERNS.

Most of the Ferns of this list are very easy of culture, requiring but little care after once established. About 60 species and varieties are perfectly hardy in this locality; over 30 species are dug in Hampden County. The graceful green foliage of the different species is a constant beauty through the Summer months. They are graceful on the lawn, and help to show off the bright markings of Flowers, and when brought into our dwellings, give a cool, refreshing beauty to the surroundings there. Those marked with a † are smaller and well adapted for a small Rockery. Those marked with a * are Evergreens. Those marked with an H., after Botanical Name, are hardy in this locality.

Adiantum pedatum, . . .	H., Maiden Hair Fern.	E. S.	.20	1 00	5 00
*Aspidium acrostichoides, . . .	H., Christmas F.,	"	.25	1 00	5 00
" aculeatum, var. Bran-					
nil, . . .	H., Prickly Shield F.,	N. S.	.30	2 50	14 00
" argutum, . . .	Rigid Wood F.,	Cal.	.25	2 00	10 00
* " cristatum, . . .	H., Crested Wood F.,	N. S.	.20	1 00	5 00
" " var. Clinto-					
nianum, . . .	H., Larger C. W. F.,	"	.25	1 50	9 00
* " Filix-mas, . . .	H., Male Fern,	"	.40	3 50	18 00
† " fragrans, . . .	H., Fragrant Wood Fern,	"	.35	3 00	16 00
" Goldianum, . . .	H., Goldie's Wood Fern,	"	.30	1 50	9 00
†* " Lonicitris, . . .	H., Holly Fern,	"	.30	2 00	10 00
* " marginale, . . .	H., Evergreen Wood F.,	"	.20	1 00	5 00
* " munitum, . . .	H., Chamisso's Shield F.,	Or.	.20	1 25	6 00
" Noveboracense, . . .	H., N. Y. Shield F.,	E. S.	.20	1 00	5 00
" spinulosum, . . .	H., Spinnulose Wood F.,	"	.25	1 25	7 00
* " " var. dila-					
tatum, . . .	H.,	"	.25	1 50	8 00
* " spinulosum, var. in-					
termedium, . . .	H.,	"	.20	1 00	5 00
" Thelypteris, . . .	H., Marsh Shield F.,	"	.20	1 00	5 00
Asplenium angustifolium, . . .	H., Narrow-leaved Spleen-				
	wort,	W. S.	.25	1 25	7 00
†* " ebeneum, . . .	H., Ebony Spleenwort,	E. S.	.15	1 00	5 00
†* " ebenoides, . . .	Scott's Spleenwort,	S. S.	.30	3 00	15 00
" Filix-fœmina, . . .	H., Lady Fern,	N. S.	.20	1 00	5 00

FERNS.—Continued.

BOTANICAL NAME.		COMMON NAME.	Local-ity.	PRICE.		
				Each.	Per 12.	Per 100.
†*Asplenium	Ruta-muraria.	H., Wall-Rue,	N. S.	.15	\$1 00	\$5 00
†*	thelypteroides.	H., Silvery Spleenwort,	"	.20	1 00	5 00
†*	Trichomanes.	H., Maiden-hair S.,	"	.20	1 00	5 00
†*	viride.	H., Green S.,	"	.35	3 00	15 00
†Botrychium	lanceolatum.	H., Lanceolate Grape Fern,	"	.15	.75	4 00
†	matricariaefolium.	H., Matricary G. F.,	"	.20	1 20	8 00
†	ternatum.	H., Ternate Grape Fern.	"	.15	1 00	5 00
†	ternatum, var. dis-					
	sectum.	H., Cut-leaved M.,	Cal.	.15	1 25	7 00
*	ternatum, var. obli-					
	quum.	H.,	"	.15	1 25	7 00
	Virginicum.	H., Virginian Grape Fern,	"	.20	1 00	5 00
†*Camptosorus	rhizophyllus.	H., Walking-leaf,	E. S.	.20	1 00	5 00
†Cheilanthes	Californica.	Cal. Lip Fern,	Cal.	.25	2 00	10 00
†	gracillima.	Lace Fern,	Or.	.25	2 00	10 00
†	vestita.	Clothed Lip Fern,	E. S.	.20	1 50	8 00
†*Cryptogramme	acrostichoi-					
	des.	H., American Rock Brake,	Or.	.20	1 25	7 00
†Cystopteris	bulbifera.	H., Bulblet Cystopteris,	E. S.	.15	1 00	5 00
†	fragilis.	H., Brittle Fern,	"	.15	1 00	5 00
Dicksonia	pilosiuscula.	H., Hay-scented Fern,	"	.20	1 00	5 00
†Gymnogramme	triangularis.	Cal. Gold Fern,	Cal.	.25	2 00	10 00
*Lomaria	spicant.	H., Deer Fern,	Or.	.25	1 00	6 00
*Lygodium	palmatum.	H., Climbing Fern,	N. S.	.25	1 25	7 00
Onoclea	sensibilis.	H., Sensitive Fern.	E. S.	.20	1 00	5 00
†Ophioglossum	vulgatum.	H., Adder's Tongue.	"	.15	1 00	5 00
Osmunda	cinnamomea.	H., Cinnamon Fern,	"	.30	1 25	6 00
"	Claytoniana.	H., Flowering Fern,	"	.30	1 25	6 00
"	regalis.	H., Royal Fern,	"	.30	1 25	6 00
†Pellaea	atropurpurea.	H., Clayton's Cliff Brake,	"	.15	1 00	5 00
†	densa.	Oregon Cliff Brake,	Or.	.25	2 50	12 00
†	gracilis.	H., Slender Cliff Brake,	N. S.	.20	1 75	10 00
†Phegopteris	Dryopteris.	H., Oak Fern,	"	.20	1 00	5 00
†	hexagonoptera.	H., Hexagon Beech F.,	"	.20	1 00	5 00
†	polypodiodes.	H., Common Beech F.,	"	.20	1 00	5 00
†*Polypodium	falcatum.	H., Kellogg's P.,	Or.	.20	1 00	6 00
†*	incanum.	Gray P.,	S. S.	.20	1 00	6 00
†*	vulgare.	H., Common P.,	N. S.	.20	.75	4 00
Pteris	aquilina.	H., Bracken.	"	.25	1 00	6 00
†Schizaea	pusilla.	New Jersey Schizaea,	N. J.	.25	2 00	10 00
†*Scolopendrium	vulgare.	H., Hart's Tongue,	E. S.	.35	3 00	15 00
Struthiopteris	Germanica.	H., Ostrich Fern,	N. S.	.35	1 50	8 00
Trichomanes	Petersii.	Peter's Bristle Fern,	Ala.	.30	3 00	16 00
"	radicans.	Ala. Bristle Fern,	"	.30	3 00	16 00
†Woodsia	glabella.	H., Smooth Woodsia,	N. S.	.30	2 50	14 00
†	hyperborea.	H., Northern Woodsia,	"	.35	3 00	15 00
†	ilvensis.	H., Rusty Woodsia,	"	.25	.75	4 00
†	obtus.	H., Obtuse-leaved W.,	"	.20	1 00	5 00
†	Oregana.	H., Oregon Woodsia,	Or.	.20	1 50	8 00
†	scopulina.	H., Rocky Mountain W.,	"	.20	1 50	8 00
Woodwardia	angustifolia.	H., Netted Chain Fern,	E. S.	.25	1 00	5 00
"	Virginica.	H., Virginia Chain Fern,	"	.25	1 00	5 00

CLUB MOSSES.

Lycopodium	dendroidem.	Ground Pine,	E. S.	.35	1 50	8 00
"	lucidulum.	Shining Club Moss,	"	.20	1 00	6 00
Selaginella	apns.	"	"	.15	.75	4 00
"	rupestris.	Dwarf Club Moss,	"	.15	1 00	6 00
Marchantia	(Liverwort),	For Rockeries, &c.,	"	.15	1 00	6 00

Seed of our Wild Flowers.

I offer seed of the following desirable Wild Flowers, in separate packets, by mail, postpaid, to any part of the United States, or any other country belonging to the Universal Postal Union, at prices given:

AQUILEGIA CHIRYSANTHA (*Golden-spurred Columbine.*)

From Rocky Mountains; a fine thrifty plant, with golden yellow flowers and long spurs. Per pkt., 10 cts.

AQUILEGIA FORMOSA.

From Oregon. Flowers, reddish-yellow; plant 1 to 2 feet high. Per pkt., 10 cts.

ASCLEPIAS TUBEROSA (*Pleurisy-root.*)

Wild through New England, Middle, Western and Southern States, in light, sandy soil; plant 1 to 2 feet high; flowers, bright orange, in umbels, very fine. Per pkt., 10 cts.

ASCLEPIAS VERTICILLATA (*Whorled Milkweed.*)

Dry soils, southward; delicate small white flowers all summer. Per pkt., 10 cts.

CASSIA MARILANDICA (*American Senna.*)

Flowers yellow with a dark centre; plant 2 to 5 feet high; leaves similar to locust-tree. Per pkt., 10 cts.

CAULOPHYLLUM THALICTROIDES (*Blue Cohosh.*)

Plant a foot high, terminated by a small raceme of yellowish-green flowers, followed by the black seed, which are as large as peas. Per pkt., 10 cts.

DODOCATHEON MEADIA (*Shooting Star.*)

A beautiful plant 8 to 20 inches high, with rose or white flowers with maroon and yellow centres; from the west and south. Per pkt., 10 cts.

HIBISCUS MOSCHEUTOS (*Straw Rose Mallow.*)

Plant from 1 to 4 feet, with large rose-colored flowers. Per pkt., 10 cts.

LILIUM COLUMBIANUM (*Reddish-Orange Lily.*)

A fine lily from Oregon, with reddish-orange flowers with purple dots, 2 to 5 flowered. Per pkt., 10 cts.

LILIUM CANADENSE (*Wild Yellow Lily.*)

Eastern States; flowers yellow with dark spots; 1 to 10 flowered; plant 1 to 5 feet high. Per pkt., 10 cts.

LILIUM PHILADELPHICUM (*Wild Orange Red Lily.*)

Eastern States; 1 to 3 feet, with orange-red flowers. Per pkt., 10 cts.

SANGUINARIA CANADENSIS (*Blood-Root.*)

Eastern States; comes out very early in spring; flowers pure white, 2 inches in diameter; very showy. The leaves which come out later are large and beautiful. Per pkt., 10 cts.

SILENE VIRGINICA (*Fire Pink.*)

From N. Y. and southward; flowers deep crimson, large and showy; a beautiful plant. Per pkt., 10 cts.

STYLOPHIUM DIPHYLLUM (*Calendine Poppy.*)

Flowers deep yellow; 2 inches broad, leaves lobed and fine. Per pkt., 10 cts.

ABIES DOUGLASH.

A tall tree from the Rocky Mountains, with horizontal drooping branches. Per pkt., 15 cts.

PRUNUS SEROTINA (*Wild Black Cherry.*)

A fine grained tree, with a profusion of white flowers in racemes; a thrifty grower; fruit black and good to eat. Per pkt., 10 cts.

Garden Seed.

The following are of my own growing, fresh, and of good quality. Seed in pkts., sent postpaid, at prices given, but add 15 cents per pt., or 30 cts. per qt., if ordered to be sent by mail:

BEANS—CHINA RED EYE.

Dwarf; one of the very best for general use; prolific; seed white with a red eye. Per pkt., 10 cts.; per pt., 20 cts.; per qt., 30 cts.

BEANS—GOLDEN WAX.

Dwarf; pods large and stringless, golden color, very tender and excellent flavor; seeds nearly round, purple and white; one of the very best for a string bean. Per pkt., 10 cts.; per pt., 25 cts.; per qt., 40 cts.

BEANS—LARGE LIMA.

Running or pole; one of the very best as a shelled bean, delicious flavor, and great bearer. Per pkt., 10 cts.; per pt., 25 cts.; per qt., 40 cts.

BEANS—CRANBERRY.

Running or pole; seeds nearly round with red streaks; quality good. Per pkt., 10 cts.; per pt., 25 cts.

CORN—SWEET EVERGREEN.

One of the very best for table use; also grown extensively for stock. Per pkt., 10 cts.; per pt., 15 cts.

CUCUMBER—EARLY GREEN CLUSTER.

Extra for pickeling, crisp and tender. Per pkt., 5 cts.; per oz., 15 cts.

SQUASH—SUMMER CROOKNECK.

Very productive, and good flavored; yellow warty skin. Per pkt., 5 cts.; per oz., 15 cts.

SQUASH—WINTER CROOKNECK.

Neck long and solid; pale yellow, fine quality, and good keeper. Per pkt., 5 cts.; per oz., 15 cts.

Pansy Seed.

I offer seed of the following beautiful Pansies, saved from the finest specimens. Sow in hot-bed or open ground in early spring; transplant to 12 inches apart in rich, moist soil; proteet from hot sun. Sent postpaid, at prices given:

	Per Pkt.
SIEBRECHT'S PROLIFIC, fine shades, - - - - -	15 cts.
AZURE BLUE, fine, - - - - -	15 cts.
LARGE BELGIAN, large and fine, - - - - -	10 cts.
INDIGO BLUE, - - - - -	10 cts.
GOLD MARGINED, very showy and prolific, - - - - -	10 cts.
PURE WHITE, large and beautiful, - - - - -	15 cts.
GOLDEN YELLOW, - - - - -	10 cts.
PURE BLACK, - - - - -	10 cts.
MAHOGANY, beautiful shades, - - - - -	10 cts.
PURPLE AND YELLOW, good, - - - - -	10 cts.
BEAUTIFUL VARIEGATED, - - - - -	20 cts.
ODIER, - - - - -	10 cts.
BRONZE, REDDISH-BROWN FLOWERS, - - - - -	10 cts.
LIGHT BLUE, YELLOW CENTRE, large and showy, - - - - -	10 cts.

Pansy Plants.

Plants of the above ready in autumn for winter blooming, sent to any address in the United States, postpaid, for 10 cts. each; 75 cts. per dozen; \$5.00 per 100.

Strawberry Plants.

Strawberries can be grown on any soil that will produce corn or potatoes; they need clean culture and plenty of well-rotted manure to get the best results. The varieties marked (P) are pistillate, and require to be fertilized, by setting every fourth or fifth row with some strong-growing and perfect-flowering variety, such as Sharpless, Old Iron Clad, Bidwell, &c. Plants at the dozen rate, will be mailed to any Post-Office in the United States, at prices named. At the fifty or hundred rate, if ordered to be sent by mail, 50 cts. additional is asked for each hundred plants, to cover postage. Plants ready in autumn:

CHARLES DOWNING:

An old established kind, plants very vigorous and productive, fruit large and firm, juicy and sweet; season medium. 50 cts. per dozen; 75 cts. per 50; \$1 per 100.

SHARPLESS:

Plant vigorous, hardy, and productive; fruit very large, flesh firm and sweet; excellent quality; season medium to late. 50 cts. per dozen; 75 cts. per 50; \$1 per 100.

CAPTAIN JACK:

A strong grower, healthy and productive; berries large, handsome, and solid; season late. 50 cts. per dozen; 75 cts. per 50; \$1 per 100.

WINDSOR CHIEF, (P.):

Plant vigorous, and very productive; fruit large, globular, dark crimson; flesh firm; one of the best late varieties for market. 50 cts. per dozen; 75 cts. per 50; \$1 per 100.

BIDWELL:

A very strong grower, hardy and productive; fruit very large, regular, and handsome in shape; color bright and showy; flesh firm, quality good; succeeds well on all soils. 50 cts. per dozen; 75 cts. per 50; \$1 per 100.

MANCHESTER, (P.):

A great bearer, over 200 berries have been counted on one plant; firm, very uniform in shape, keeping its color and flavor a long time, which is excellent; berries large, ripening all over at once; commencing to ripen with Charles Downing. 50 cts. per dozen; 75 cts. per 50; \$1 per 100.

WILSON'S ALBANY:

An old variety, yields large crops, plant very hardy, fruit large, conical, deep crimson, tender; early to ripen and continuing until late. 50 cts. per dozen; 75 cts. per 50; \$1 per 100.

CRESCENT SEEDLING, (P.):

A wonderful bearer, medium in size, color bright scarlet, plant very vigorous and hardy, flavor not extra good. It is claimed that over 450 bushels have been gathered in one season from one acre. 50 cts. per dozen; 75 cts. per 50; \$1 per 100.

JAMES VICK:

Plant vigorous, with heavy, dark green foliage; fruit bright scarlet, very productive, firm and of good form, keeps well on the vines after ripening. 50 cts. per dozen; 75 cts. per 50; \$1 per 100.

JERSEY QUEEN, (P.):

One of the best late varieties; fruit large, handsome, and of fine quality; very hardy, and a good keeper. 50 cts. per dozen; 75 cts. per 50; \$1 per 100.

BIG BOB, (P.) :

Fruit large and handsome; first fruit ripens as early as the Wilson, but holds out longer; quality good. 50 cts. per dozen; 75 cts. per 50; \$1 per 100.

OLD IRON CLAD :

Very hardy, vigorous, and productive; berries light scarlet; season early. 50 cts. per dozen; 75 cts. per 50; \$1 per 100.

CHAMPION :

50 cts. per dozen; 75 cts. per 50; \$1 per 100.

DANIEL BOONE, (P.) :

Plant of large size, and strong and vigorous grower; fruit-stalks strong; fruit very large; color clear red; flesh firm, and of good quality. 75 cts. per dozen; \$1.50 per 50; \$2.50 per 100.

JUMBO :

Said to be the very latest berry grown; berries very large and firm; keeps well; color light red and glossy. 75 cts. per dozen; \$1.50 per 50; \$2.50 per 100.

If you are not interested in our Native Plants, please hand this Catalogue to a friend who is.

Note the Collections which I offer by mail, postpaid, and pkt. of Mixed Native Flower Seed.

EDWARD GILLETT.