Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

JUL 19 1892

U.S. Department of Agriculture.

EDWARD * GILL
ET * S

NINTH ANNUAL CATALOGUE

—OF—

NORTH AMERICAN

Wild Flowers,

ORCHIDS,

ALPINE,

Shrubs,

Aquatic,

AND

CLIMBERS,

BOG PLANTS

—RARE * FERNS, * & C.,—

—FOR—

1886.

SOUTHWICK, MASS.,

United States of America.

Clark & Story, Printers, Westfield, Mass.

INTRODUCTION.

IN presenting my Catalogue of North American Wild Flowers and Ferns for 1886, I am pleased to note the increasing interest shown for the wild beauties of our lakes, marshes, fields, and woods. Many calls are for the more common woodland plants of New England from persons who gathered them here in their childhood. The plants die down in autumn, are mulched through the winter with a covering of leaves and snow, and in early spring we find some showing flower even before the frost is gone, and as they fade others take their places, and thus we have a continual bloom of wild flowers from early spring to late autumn.

The mode of culture most popular is to copy after nature. If it be a moist, shady place to be beautified, native Perennials are planted, naturally found in such situations. If it be a small lake we wish to improve, we have a fine collection of Native Aquatic Plants to select from, like the pure white Water Lily (*Nymphæa odorata*), *Orontium aquaticum*, with its large green velvety leaves floating on the surface, *Pontedera cordata*, &c., &c.; and on the border we put *Lobelia cardinalis*, *Gentiana Andrewsii*, *Gratiola aurea*, *Trilliums*, *Andromeda polifolia*, *Azalea viscosa*, *Ilex verticillata*, *Cassandra calyculata*, &c. If it be a shady, moist, rocky hillside we wish to beautify, we have only to plant Mountain Flowering Plants and Ferns to have a large, natural rockery. For a dry, shady place, plant *Epigæa repens*, *Gaultheria procumbens*, &c. I shall be pleased to make selections for parties who wish our Native Plants for small or large Rockeries, Ferneries, open sun or shade culture. I offer a few collections for Rockeries, &c., which are well adapted for this mode of culture.

I have had collected the past season seed of some of the most beautiful of our Wild Flowers, which I offer in separate packets. I have added to my Catalogue the beautiful sweet-scented Pearl Tuberose. I also offer fresh Sage by mail. Single Plants of a species will be sent by mail, postpaid, to any address in the United States, on receipt of Catalogue prices; but at the 12 or 100 rates, postage or express charges paid by the purchaser.

COLLECTORS of Native Plants and Seeds are invited to put themselves in communication with me.

TERMS.

All bills will be due on receipt of the plants, unless by special agreement. Orders from unknown parties should be accompanied by cash, or good references given.

Money may be sent in Registered Letters to Southwick, Hampden County, Mass., or by Post-Office Orders upon the Postmaster at WESTFIELD, Hampden County, Mass. Larger amounts can be sent by Drafts on New York or Boston, payable to my order.

Foreign Remittances may be sent by International Post-Office Orders, payable at WESTFIELD, MASS., U. S. A., or by Drafts on New York or Boston.

The Trade furnished in quantity at lower rates. All plants sent out are securely packed and properly labeled. No charge for packing.

This List cancels all former quotations.

All communications should be addressed,

EDWARD GILLET,

(HAMPDEN COUNTY),

SOUTHWICK, MASS.

\$1.00 Collections for Rockeries.

No. 1. I will send by mail, postpaid, to any part of the United States, one each of the following small Orchids and Ferns on receipt of \$1.00. They are well adapted for a miniature Rockery, perfectly hardy, and easy of culture. The Liverwort should be set at base of Rockery, and will soon spread and make a beautiful green covering to the soil. *Goodyera pubescens*, *Liparis liliifolia*, *Asplenium ebeneum*, *Asplenium Trichomanes*, *Camptosorus rhizophyllus*, *Cystopteris bulbifera*, *Pellaea gracilis*, *Woodsia ilvensis*, *Woodsia obtusa*, and a Liverwort.

No. 2. The plants of No. 2 Collection are larger and well adapted for a larger Rockery. Will send the following by mail, postpaid, to any part of the United States for \$1.00. *Orchis spectabilis*, *Adiantum pedatum*, *Botrychium Virginicum*, *Phegopteris hexagonoptera*, *Phegopteris polypodioides*, *Dicksonia pilosiuscula*, *Onoclea sensibilis*, *Aspidium acrostichoides*, and a Liverwort.

No. 3. This list is made of small Herbaceous plants, well adapted for a Rockery; all flowering plants. Sent by mail, postpaid, for \$1.00. *Coptis trifolia*, *Cornus Canadensis*, *Dalibarda repens*, *Erigenia bulbosa*, *Erythronium Americanum*, *Hepatica triloba*, *Mitchella repens*, *Rhexia Virginica*, *Sanguinaria Canadensis*, *Thalictrum anemonoides*, and *Tiarella cordifolia*.

WHITE FLOWERS.

No. 4. A beautiful collection of small growing plants with pure white flowers. Will send one each of the following by mail, postpaid, to any part of the United States, on receipt of \$1.00: *Anemone Pennsylvanica*, *Coptis trifolia*, *Convallaria majalis*, *Erythronium albidum*, *Houstonia purpurea*, *Smilacina bifolia*, *Sanguinaria Canadensis*, *Thalictrum anemonoides*, *Tiarella cordifolia*, and *Mitella diphylla*.

YELLOW FLOWERS.

No. 5. Collection of plants with yellow flowers. Will send one each of the following by mail, postpaid, for \$1.00, to any part of the United States: *Erythronium Americanum*, *Gratiola aurea*, *Hypoxis erecta*, *Lilium Canadense*, *Uvularia perfoliata*, *Viola rotundifolia*, *Caltha palustris*, *Cypripedium parviflorum*, *Habenaria ciliaris*.

RED FLOWERS.

No. 6. Collection of plants with red flowers. Will send one each of the following by mail, postpaid, on receipt of \$1.00, to any part of the United States: *Aquilegia Canadensis*, *Liatris scariosa*, *Liatris spicata*, *Lilium Philadelphicum*, *Lobelia cardinalis*, *Rhexia Virginica*, *Trillium erectum*, and *Helonias bullata*.

\$2.00 Collection.

No. 7. This list is made up of larger flowering plants, adapted to moist garden soil. Will send two each of the following by mail, postpaid, to any part of the United States for \$2.00: *Aquilegia Canadensis*, *Arisæma triphyllum*, *Convallaria majalis*, *Gentiana Andrewsii*, *Hepatica acutiloba*, *Lilium Canadense*, *Lobelia cardinalis*, *Parnassia Caroliniana*, *Scilla Fraseri*, and *Calopogon pulchellus*.

\$5.00 Collection.

No. 8. Will send six each of the following beautiful Herbaceous Perennial Plants by mail, postpaid, to any part of the United States, on receipt of \$5.00. They are well adapted for growing under evergreens, and make a beautiful display. *Dicentra Canadensis*, *Dodecatheon Meadia*, *Epigæa repens*, *Erythronium grandiflorum*, *Gentiana Saponaria*, *Lilium Philadelphicum*, *Podophyllum peltatum*, *Silene Virginica*.

\$10.00 Collection.

No. 9. This is a beautiful collection of the larger growing Ferns, and makes a fine display when grown in the shade of evergreens. This collection will be delivered at express office on receipt of \$10.00; twelve plants of each species: *Adiantum pedatum*, *Aspidium acrostichoides*, *Aspidium cristatum*, *var. Clintonianum*, *Aspidium marginale*, *Aspidium spinulosum*, *var. intermedium*, *Asplenium Filix-fœmina*, *Botrychium Virginicum*, *Dicksonia pilosiuscula*, *Lygodium palmatum*, and *Struthiopteris Germanica*.

Persons ordering any of the above collections need only to give the number of collection.

HERBACEOUS PERENNIAL PLANTS.

BOTANICAL NAME.	COMMON NAME.	Local-ity.	PRICE.		
			Each.	Per 12.	Per 100.
<i>Actæa alba</i> ,	White Baneberry,	E. S.	.15	\$1 00	\$6 00
“ <i>spicata</i> var. <i>rubra</i> ,	Red Baneberry,	“	.15	1 00	6 00
<i>Alettris farinosa</i> ,	Colic Root,	“	.15	75	4 00
<i>Allium acuminatum</i> ,	Red-flowered A.,	Cal.	.15	1 25	7 50
“ <i>reticulatum</i> ,	Netted A.,	Kan.	.15	1 00	5 00
“ <i>tricoccum</i> ,	Wild Leek,	E. S.	.15	75	4 00
“ <i>unifolium</i> ,	Rose-colored A.,	Cal.	.15	1 25	7 50
<i>Amaryllis Atamasco</i> ,	Atamasco Lily,	S. S.	.15	1 00	6 00
<i>Anemone deltoidea</i> ,	Oregon Wind Flower,	Or.	.15	1 00	6 00
“ <i>nemorosa</i> (white),	Wood Anemone,	E. S.	.15	1 00	5 00
“ “ (blue),	“	Or.	.15	1 00	6 00
“ <i>patens</i> Nuttalliana,	Am. Pasque Flower,	W. S.	.15	1 00	6 00
“ <i>Pennsylvanica</i> ,	Penn. Anemone,	N. S.	.15	1 00	5 00
<i>Antennaria margaritacea</i> ,	Pearly Everlasting,	“	.15	75	4 00
<i>Apios tuberosa</i> ,	Ground Nut,	E. S.	.15	75	5 00
<i>Apocynum androsæmifolium</i> ,	Spreading Dogbane,	“	.20	1 00	6 00
<i>Aquilegia cærulea</i> ,	White Columbine,	Utah,	.20	1 50	8 00
“ <i>Canadensis</i> ,	Wild Columbine,	N. S.	.20	1 00	5 00
“ <i>chrysantha</i> ,	Golden spurred C.,	R Mt.	.20	1 50	8 00
“ <i>flavescens</i> ,	Yellow Columbine,	Utah,	.30	2 50	12 00
“ <i>formosa</i> ,	“	Or.	.20	1 25	7 00
<i>Aralia hispida</i> ,	Bristly Sarsaparilla,	N. S.	.25	1 00	6 00
“ <i>nudicaulis</i> ,	Wild Sarsaparilla,	“	.20	1 00	6 00
“ <i>quinquefolia</i> ,	Ginseng,	“	.20	1 25	7 00
“ <i>trifolia</i> ,	Dwarf Ginseng,	“	.15	1 00	5 00
<i>Arenaria Grœnlandica</i> ,	Mountain Sandwort,	“	.35	3 00	15 00
<i>Arisæma triphyllum</i> ,	Indian Turnip,	“	.15	1 00	5 00
<i>Aristolochia Serpentaria</i> ,	“	W. S.	.15	1 00	6 00
<i>Artemisia tridentata</i> ,	Sage-brush,	Or.	.20	1 00	6 00
<i>Asarum Canadense</i> ,	Canada Snakeroot,	N. S.	.15	1 00	6 00
“ <i>caudatum</i> ,	Tailed Snakeroot,	Or.	.15	1 00	6 00
“ <i>Virginicum</i> ,	Heart Snakeroot,	S. S.	.15	1 00	5 00
<i>Asclepias incarnata</i> ,	Swamp Milkweed,	N. S.	.20	1 00	6 00
“ <i>quadrifolia</i> ,	Four-leaved M.,	“	.20	1 00	6 00
“ <i>tuberosa</i> ,	Pleurisy-root,	E. S.	.25	1 00	6 00
“ <i>verticillata</i> ,	Whorled M.,	S. S.	.20	1 00	6 00
<i>Aster Tradescanti</i> ,	Small White A.,	N. S.	.15	1 00	5 00
<i>Baptisia leucantha</i> ,	White Baptisia,	W. S.	.20	1 25	7 00
“ <i>tinctoria</i> ,	Wild Indigo,	E. S.	.25	1 00	5 00
<i>Brodiaea Howellii</i> ,	“	Or.	.15	1 00	6 00
<i>Callirrhoe involucreta</i> ,	Crimson Callirrhoe,	Tex.	.20	1 00	6 00
<i>Calochortus elegans</i> ,	Butterfly Tulip,	Cal.	.20	1 25	7 00
“ <i>Greenii</i> ,	Lilac-colored C.,	Or.	.15	1 00	6 00
<i>Campanula rotundifolia</i> ,	Harebell,	N. S.	.15	1 00	5 00
<i>Cassia Marilandica</i> ,	American Senna,	“	.15	1 00	6 00
<i>Caulophyllum thalictroides</i> ,	Blue Cohosh,	“	.20	1 00	6 00
<i>Chelone glabra</i> ,	Snake-head,	E. S.	.15	1 00	5 00
<i>Chimaphila maculata</i> ,	Spotted Wintergreen,	“	.25	1 00	6 00
“ <i>umbellata</i> ,	Prince's Pine,	“	.25	1 00	6 00
<i>Chiogenes hispidula</i> ,	Creeping Snowberry,	“	.15	1 00	6 00
<i>Claytonia parvifolia</i> ,	“	Or.	.15	1 00	6 00
“ <i>Virginica</i> ,	Spring Beauty,	E. S.	.15	1 00	6 00
<i>Clematis Douglasii</i> ,	Brownish Purple C.,	Utah.	.30	2 50	12 00
“ <i>ochroleuca</i> ,	Greenish C.,	Va.	.20	1 25	7 00
<i>Clintonia borealis</i> ,	Northern Clintonia,	N. S.	.15	1 00	5 00
<i>Collinsonia Canadensis</i> ,	Collinson's Flower,	E. S.	.15	75	4 00
<i>Convallaria majalis</i> ,	Lily of the Valley,	S. S.	.20	1 00	5 00
<i>Coptis trifolia</i> ,	Goldthread,	N. S.	.15	75	4 00

HERBACEOUS PERENNIAL PLANTS.—Continued.

BOTANICAL NAME.	COMMON NAME.	Local-ity.	PRICE.		
			Each.	Per 12.	Per 100.
Coreopsis tripteris, . . .	Tall Coreopsis,	W. S.	.20	\$1 00	\$5 00
Cornus Canadensis, . . .	Dwarf Cornel,	N. S.	.15	1 00	6 00
Gynthia Virginica, . . .	Yellow C.,	S. S.	.15	1 00	6 00
Dalibarda repens, . . .	False Violet,	N. S.	.15	1 00	6 00
Dentaria diphylla, . . .	Toothwort,	"	.15	1 00	5 00
" laciniata, . . .	Pale Purple D.,	E. S.	.15	1 00	5 00
" maxima, . . .	Pink colored D.,	N. S.	.20	1 25	7 00
Dicentra Canadensis, . . .	Squirrel Corn,	"	.15	1 00	6 00
" Cucullaria, . . .	Dutchman's Breeches,	"	.15	1 00	6 00
" formosa, . . .		Or.	.20	1 50	7 00
Dioscorea villosa, . . .	Wild Yam-Root,	S. S.	"	1 00	6 00
Dodecatheon Meadia, . . .	Shooting Star,	W. S.	.15	1 00	6 00
Echinacea purpurea, . . .	Purple Cone Flower,	"	.20	1 25	7 00
Epigæa repens, . . .	Trailing Arbutus,	E. S.	.20	1 00	6 00
Equisetum arvense, . . .	Common Horsetail,	"	.15	75	4 00
" hyemale, . . .	Scouring Rush,	"	.15	75	4 00
Erigenia bulbosa, . . .	Harbinger of Spring,	W. S.	.15	1 00	5 00
Erigeron bellidifolium, . . .	Robin's Plantain,	E. S.	.15	75	4 00
Eryngium yuccafolium, . . .	Button Snakeroot,	W. S.	.15	60	3 00
Erythronium albidum, . . .	White Dog's Tooth Vi-	"	.15	1 00	6 00
" Americanum, . . .	olet, Yellow D. V.,	E. S.	.15	1 00	5 00
" giganteum, . . .	Large White D. V.,	Or.	.20	1 50	8 00
" grandiflorum, . . .	Large Flowered D. V.,	"	.15	1 00	6 00
" purpureum, . . .	Purplish D. V.,	Cal.	.30	2 50	12 00
Eupatorium ageratoides, . . .	White Snakeroot,	E. S.	.15	1 00	6 00
" perfoliatum, . . .	Boneset,	"	.20	1 00	6 00
Euphorbia corollata, . . .	Flowering Spurge,	"	.15	1 00	6 00
Gaultheria procumbens, . . .	Aromatic Wintergreen,	Cal.	.20	1 00	6 00
Gentiana alba, . . .	White Gentian,	W. S.	.20	1 00	6 00
" Andrewsii, . . .	Purple Closed G.,	E. S.	.20	1 00	5 00
" crinita, . . .	Fringed G.,	"	.20	1 00	6 00
" Saponaria, . . .	Soapwort G.,	"	.15	1 00	6 00
Geranium incisum, . . .		Or.	.25	1 00	5 00
" maculatum, . . .	Wild Cranesbill,	E. S.	.15	75	4 00
" Robertianum, . . .	Herb Robert,	"	.15	75	4 00
Geum rivale, . . .	Purple Avens,	N. S.	.20	75	4 00
Gratiola aurea, . . .	Hedge Hyssop,	E. S.	.15	75	4 00
Helonias bullata, . . .	Stud-Flower,	N. J.	.30	2 00	12 00
Hepatica acutiloba, . . .	Sharp Lobed H.,	N. S.	.20	1 00	5 00
" triloba, . . .	Round Lobed H.,	"	.20	1 00	5 00
" alba, . . .	White H.,	"	.20	1 00	6 00
Hesperochiron Californicus, . . .		Or.	.20	1 25	7 00
Hibiscus Moscheutos, . . .	Swamp Rose Mallow,	N. J.	.25	1 00	6 00
Hieracium venosum, . . .	Rattlesnake-weed,	"	.15	75	4 00
Houstonia cærulea, . . .	Bluets,	"	.15	1 00	6 00
" purpurea, . . .	Pure White H.,	"	.15	1 00	6 00
Hydrastis Canadensis, . . .	Orange Root,	S. S.	.15	1 00	5 00
Hydrophyllum Canadense, . . .	Waterleaf,	E. S.	.15	1 00	6 00
" Virginicum, . . .		"	.15	75	4 00
Hypericum corymbosum, . . .	St. John's-wort,	"	.15	50	3 00
Hypoxis erecta, . . .	Star-grass,	"	.15	75	4 00
Iris tenax, . . .	Tough-leaved I.,	Or.	.20	1 25	6 00
" versicolor, . . .	Large Blue Flag,	E. S.	.20	75	4 00
" Virginica, . . .	Slender B. F.,	"	.20	75	4 00
Jeffersonia diphylla, . . .	Twin Leaf,	W. S.	.15	1 00	6 00
Liatris scariosa, . . .	Button Snakeroot,	E. S.	.15	1 00	6 00
" spicata, . . .	Spiked Blazing Star,	W. S.	.15	1 00	6 00

HERBACEOUS PERENNIAL PLANTS.—Continued.

BOTANICAL NAME.	COMMON NAME.	Local-ity.	PRICE.		
			Each.	Per 12.	Per 100.
Lilium Canadense, . . .	Wild Yellow Lily,	N. S.	.15	\$1 00	\$6 00
“ Catesbaei, . . .	Southern Red L.,	S. S.	.25	2 00	10 00
“ Columbianum, . . .	Reddish-Orange L.,	Or.	.25	2 00	10 00
“ pardilinum, . . .	Orange-red L.,	Cal.	.35	3 00	15 00
“ parvum, . . .	Small Flowered L.,	“	.50	5 00	25 00
“ Philadelphicum, . . .	Wild Orange Red L.,	E. S.	.15	1 00	6 00
“ superbum, . . .	Turk's Cap L.,	“	.15	1 00	6 00
Linnæa borealis, . . .	Twin Flower,	N. S.	.20	1 00	6 00
Lithospermum canescens,	Hoary Puccoon,	W. S.	.26	1 00	6 00
Lobelia cardinalis, . . .	Cardinal Flower,	E. S.	.15	1 00	6 00
“ syphilitica, . . .	Great Lobelia,	“	.15	1 00	6 00
Lupinus perennis, . . .	Wild Lupine,	“	.20	1 00	6 00
Lysimachia quadrifolia,	“	“	.15	50	3 00
“ stricta, . . .	“	“	.15	50	3 00
Medeola Virginica, . . .	Indian Cucumber Root,	“	.15	1 00	6 00
Mertensia Virginica, . . .	Virginian Lungwort,	Va.	.20	1 00	6 00
Mikania scandens, . . .	Climbing Boneset,	E. S.	.20	1 00	6 00
Mimulus ringens, . . .	Monkey Flower,	“	.15	75	4 00
Mitchella repens, . . .	Partridge-berry,	“	.15	1 00	6 00
Mitella diphylla, . . .	Mitre-wort,	“	.15	75	5 00
“ nuda, . . .	Small Greenish M.,	“	.15	1 00	6 00
Nardosmia palmata, . . .	Sweet Colt's-foot,	W. S.	.15	1 00	6 00
Oxalis Acetosella, . . .	Wood Sorrel,	E. S.	.15	1 00	6 00
“ Oregana, . . .	Oregon W. S.,	Or.	.15	1 00	5 00
“ violacea, . . .	Violet W. S.,	Va.	.15	1 00	6 00
Parnassia Caroliniana, . . .	Grass of Parnassus,	E. S.	.15	1 00	5 00
Pedicularis Canadensis, . . .	Wood Betony,	N. S.	.15	75	4 00
Pentstemon pubescens, . . .	Purple P.,	W. S.	.15	1 00	6 00
Phlox Carolina, . . .	Pink Purple P.,	“	.15	1 00	6 00
“ divaricata, . . .	Spreading Phlox,	“	.15	1 00	6 00
“ pilosa, . . .	Hairy P.,	S. S.	.15	1 00	6 00
“ reptans, . . .	Creeping Phlox,	“	.15	1 00	6 00
“ subulata, . . .	Moss Pink,	W. S.	.15	1 00	6 00
Phytolacca decandra, . . .	Common Poke,	N. S.	.25	1 50	8 00
Podophyllum peltatum, . . .	May Apple,	S. S.	.20	1 00	6 00
Polygala paucifolia, . . .	Fringed Polygala,	E. S.	.20	1 00	6 00
“ Senega, . . .	Seneca Snakeroot,	W. S.	.15	1 00	5 00
Polygonatum biflorum, . . .	Smaller Solomon's Seal,	E. S.	.15	75	5 00
Primula Mistassinica, . . .	Primrose (small white),	N. S.	.20	2 00	10 00
Pyrola elliptica, . . .	Shin-Leaf,	E. S.	.20	1 00	6 00
“ rotundifolia, . . .	Round-leaved P.,	“	.20	1 00	6 00
“ secunda, . . .	Greenish-White P.,	“	.20	1 00	6 00
Ranunculus adoneus, . . .	“	Utah,	.30	3 00	15 00
Rhexia Virginica, . . .	Meadow Beauty,	E. S.	.15	1 00	5 00
Rudbeckia hirta, . . .	Cone-flower,	“	.15	1 00	5 00
Sabbatia chloroides, . . .	American Centaury,	“	.15	1 00	6 00
Sanguinaria Canadensis,	Blood Root,	“	.20	1 00	6 00
Sanicula Marilandica, . . .	Black Snakeroot,	“	.15	75	4 00
Saxifraga Virginienensis, . . .	Early Saxifraga,	N. S.	.15	75	4 00
Scilla Fraseri, . . .	Wild Hyacinth,	W. S.	.15	1 00	5 00
Scutellaria galericulata,	Skull-cap,	N. S.	.15	75	4 00
“ lateriflora, . . .	Mad-dog S.,	“	.15	1 00	6 00
Sedum Nevii, . . .	Nevin's S.,	S. S.	.15	1 00	5 00
“ Oreganum, . . .	Oregon S.,	Or.	.15	1 00	5 00
“ pulchellum, . . .	Beautiful S.,	S. S.	.15	1 00	5 00
“ ternatum, . . .	Three-leaved S.,	“	.15	1 00	5 00
Senecio aureus, . . .	Golden Ragwort,	E. S.	.15	75	4 00
“ Bolanderi, . . .	Bolander's Groundsel,	Or.	.15	1 00	6 00

HERBACEOUS PERENNIAL PLANTS.—Continued.

BOTANICAL NAME.	COMMON NAME.	Local-ity.	PRICE.		
			Each.	Per 12.	Per 100.
<i>Silene Penasylvanica</i> , . . .	Wild Pink.	E. S.	.15	\$1 00	\$5 00
“ <i>stellata</i> , . . .	Starry Campion,	S. S.	.15	1 00	5 00
“ <i>Virginica</i> , . . .	Fire Pink.	“	.15	1 00	6 00
<i>Silphium integrifolium</i> , . . .	Rosin Plant,	W. S.	.20	1 00	5 00
“ <i>laciniatum</i> , . . .	Compass Plant,	“	.20	1 00	5 00
<i>Sisyrinchium Bermudiana</i> , . . .	Blue-eyed Grass,	E. S.	.15	75	4 00
“ <i>grandiflorum</i> , . . .	Purple-flowered S.,	Or.	.15	1 00	6 00
<i>Smilacina bifolia</i> , . . .	Sweet White Smilacina,	E. S.	.15	75	4 00
“ <i>racemosa</i> , . . .	False Spikenard,	“	.15	1 00	6 00
“ <i>sessilifolia</i> , . . .		Or.	.15	1 00	6 00
“ <i>stellata</i> , . . .		E. S.	.15	75	4 00
<i>Solidago odora</i> , . . .	Sweet Golden-rod,	“	.15	75	4 00
<i>Streptopus roseus</i> , . . .	Twisted Stalk,	N. S.	.20	75	4 00
<i>Stylophorum diphyllum</i> , . . .	Calandine Poppy,	Va.	.20	1 00	6 00
<i>Sulavantia Oregana</i> , . . .		Or.	.25	1 50	8 00
<i>Taraxacum Dens-Leonis</i> , . . .	Common Dandelion,	N. S.	.20	75	4 00
<i>Thalictrum anemonoides</i> , . . .	Rue-Anemone,	E. S.	.15	75	4 00
“ <i>Cornuti</i> , . . .	Tall Meadow-Rue,	“	.15	75	4 00
<i>Tiarella cordifolia</i> , . . .	False Mitre-wort,	“	.15	75	4 00
<i>Tradescantia Virginica</i> , . . .	Common spider-wort,	S. S.	.20	1 00	5 00
<i>Trientalis Americana</i> , . . .	Star Flower,	E. S.	.15	75	4 00
<i>Trillium cernuum</i> , . . .	Nodding Trillium,	“	.15	1 00	6 00
“ <i>erectum</i> , . . .	Purple T.,	“	.15	1 00	6 00
“ “ <i>var. album</i> , . . .	White T.,	“	.20	1 50	8 00
“ <i>erythrocarpum</i> , . . .	Painted T.,	“	.15	1 00	6 00
“ <i>grandiflorum</i> , . . .	Large White T.,	“	.15	1 00	6 00
“ <i>nivale</i> , . . .	Dwarf White T.,	“	.20	1 50	8 00
“ <i>recurvatum</i> , . . .	Recurved T.,	W. S.	.15	1 00	5 00
“ <i>sessile</i> , . . .	Sessile-leaved T.,	“	.15	1 25	7 00
<i>Trollius laxus</i> , . . .	Globe Flower,	E. S.	.15	1 00	5 00
<i>Uvularia grandiflora</i> , . . .	Large fl. Bell-wort,	“	.15	1 00	6 00
“ <i>perfoliata</i> , . . .	Perfoliate-leaved B.,	“	.15	75	4 00
“ <i>sessilifolia</i> , . . .	Sessile “	“	.15	75	4 00
<i>Veronica Americana</i> , . . .	Am. Brooklime,	“	.15	75	4 00
“ <i>officinalis</i> , . . .	Common Speedwell,	“	.15	75	4 00
<i>Vicia Americana</i> , . . .	Vetch,	“	.20	75	4 00
<i>Viola blanda</i> , . . .	Sweet White V.,	“	.15	75	5 00
“ <i>Canadensis</i> , . . .	Canada V.,	N. S.	.20	1 00	6 00
“ <i>canina</i> , <i>var. sylvestris</i> , . . .	Dog V.,	“	.15	75	5 00
“ <i>cucullata</i> , . . .	Common Blue V.,	“	.15	1 00	5 00
“ “ <i>var. sagittata</i> , . . .	Arrow-leaved V.,	E. S.	.15	1 00	5 00
“ <i>glabella</i> , . . .	Smoothish V.,	Or.	.15	1 00	5 00
“ <i>lanceolata</i> , . . .	Lance-leaved V.,	E. S.	.15	1 00	5 00
“ <i>Muhlenbergii</i> , . . .		W. S.	.15	1 00	5 00
“ <i>pedata</i> , . . .	Birds-foot V.,	E. S.	.15	1 00	6 00
“ “ <i>var. bicolor</i> , . . .		“	.20	1 25	7 00
“ <i>primulæfolia</i> , . . .	Primrose-leaved V.,	“	.15	1 00	5 00
“ <i>pubescens</i> , . . .	Downy Yellow V.,	E. S.	.15	1 00	6 00
“ <i>rostrata</i> , . . .	Long Spurred V.,	“	.15	1 00	5 00
“ <i>rotundifolia</i> , . . .	Round-leaved V.,	“	.15	1 00	5 00
<i>Zygadenus venenosus</i> , . . .		Or.	.15	1 00	6 00

SHRUBS.

<i>Abies Canadensis</i> , . . .	Hemlock Spruce,	N. S.	.25	2 00	10 00
<i>Andromeda Mariana</i> , . . .	Stagger-bush,	S. S.	.25	1 50	8 00
“ <i>polifolia</i> , . . .	Marsh Andromeda,	N. S.	.20	1 00	6 00
<i>Azalea calendulacea</i> , . . .	Flame colored A.,	S. S.		1 25	7 00

SHRUBS.—Continued.

BOTANICAL NAME.	COMMON NAME.	Local-ity.	PRICE.		
			Each.	Per 12.	Per 100.
Azalea viscosa, . . .	White Swamp Honey-suckle,	N. S.	.20	\$1 00	\$6 00
Cassandra calyculata, . . .	Leather Leaf,	"	.20	1 00	5 00
Ceanothus Americanus, . . .	New Jersey Tea,	E. S.	.25	1 50	8 00
Comptonia asplenifolia, . . .	Sweet Fern,	"	.20	1 25	7 00
Cornus alternifolia, . . .	Alternate-leaved C.,	"	.25	1 00	6 00
Diervilla trifida, . . .	Bush Honeysuckle,	"	.20	1 00	6 00
Dirca palustris, . . .	Leatherwood,	N. S.	.25	1 00	6 00
Fraxinus Americana, . . .	White Ash,	E. S.	.25	1 00	6 00
Ilex verticillata, . . .	Black Alder,	N. S.	.25	1 00	6 00
Kalmia angustifolia, . . .	Sheep Laurel,	"	.20	75	4 00
" latifolia, . . .	Calico-bush,	"	.25	1 00	6 00
Lindera Benzoin, . . .	Spice bush,	"	.20	1 00	6 00
Lonicera ciliata, . . .	Fly Honeysuckle,	"	.25	1 00	6 00
" grata, . . .	American Woodbine,	"	.25	1 00	6 00
Philadelphicus grandiflorus, . . .	Mock' Orange,	S. S.	.25	1 25	7 00
Pinus resinosa, . . .	Red Pine,	N. S.	.30	2 50	
Rhodora Canadensis, . . .	Rhodora,	"	.20	1 50	8 00
Rosa pisocarpa, . . .	Pea Fruited R.,	Or.	.20	1 25	7 00
Rubus odoratus, . . .	Purple fl. Raspberry,	N. S.	.25	1 00	6 00
Sambucus Canadensis, . . .	Common Elder,	"	.25	1 00	6 00
" pubens, . . .	Red-berried Elder,	"	.25	1 00	6 00
Spiræa tomentosa, . . .	Steeple Bush,	E. S.	.20	1 00	5 00

VINES.

Adlumia cirrhosa, . . .	Climbing Fumitory,	E. S.	.20	1 00	5 00
Ampelopsis quinquefolia, . . .	Virginian Creeper,	"	.20	1 00	6 00
Aristolochia Siphon, . . .	Dutchman's Pipe,	S. S.	.25	2 00	10 00
Celastrus scandens, . . .	Wax-work,	N. S.	.20	1 00	6 00
Clematis verticillaris, . . .	Purple Mountain C.,	E. S.	.20	1 50	8 00
" Viorna, . . .	Leather Flower,	S. S.	.25	1 25	7 00
" Virginiana, . . .	Virgin's Bower,	N. S.	.15	1 00	6 00
Menispermum Canadense, . . .	Canadian Moonseed,	"	.15	1 00	6 00
Rubus ursinus, . . .	Oregon Blackberry,	Or.	.20	1 25	7 00
Whipplea modesta, . . .	Modest Whipplea,	"	.25	1 50	8 00

BOG PLANTS.

Acorus Calamus, . . .	Sweet Flag,	E. S.	.20	1 00	6 00
Calla palustris, . . .	Water Arum,	N. S.	.20	1 00	6 00
Caltha palustris, . . .	Marsh Marigold,	"	.20	1 00	6 00
Darlingtonia Californica, . . .	Cal. Pitcher Plant,	Cal.	.35	3 00	17 00
Drosera filiformis, . . .	Thread-leaved Sundew,	E. S.	.15	1 00	5 00
" longifolia, . . .	Oblong-leaved Sundew,	"	.15	1 00	5 00
" rotundifolia, . . .	Round-leaved Sundew,	"	.15	1 00	5 00
Elodes Virginica, . . .	Marsh St. John's-wort,	"	.15	50	3 00
Menyanthes trifoliata, . . .	Buckbean,	N. S.	.15	1 00	5 00
Sagittaria variabilis, . . .	Arrow-head,	"	.15	1 00	6 00
Sarracenia Drummondii, . . .		S. S.	.25	2 00	10 00
" flava, . . .	Trumpet-leaf,	"	.25	2 00	10 00
" pscitticina, . . .		"	.25	2 00	10 00
" purpurea, . . .	Huntsman's Cap, .	N. S.	.20	1 00	6 00
" rubra, . . .	Red fl. T.,	S. S.	.25	2 00	10 00
" variolaris, . . .	Spotted T.,	"	.25	2 00	10 00
Symplocarpus foetidus, . . .	Skunk Cabbage,	E. S.	.30	1 00	6 00
Typha latifolia, . . .	Cat-tail,	"	.25	1 00	6 00
Vaccinium macrocarpon, . . .	Am. Cranberry,	"	.15	1 00	5 00

AQUATIC PLANTS.

BOTANICAL NAME.	COMMON NAME.	Local-ity.	PRICE.		
			Each.	Per 12.	Per 100.
<i>Brasenia peltata</i> , . . .	Water-Shield,	E. S.	.15	\$1 00	\$5 00
<i>Limnanthemum lacunosum</i> , . . .	Floating Heart,	"	.15	1 00	5 00
<i>Nelumbium luteum</i> , . . .	Sacred Bean,	W. S.	.30	2 00	12 00
<i>Nuphar advena</i> , . . .	Common Yellow Lily,	N. S.	.30	1 00	6 00
" <i>pumilum</i> , . . .	Small Yellow Lily,	"	.25	1 25	7 00
<i>Nymphaea odorata</i> , . . .	White Water Lily,	"	.25	1 00	6 00
" " <i>var. minor</i> , . . .	Small W. L.,	"	.25	1 25	7 00
" <i>tuberosa</i> , . . .	Tuber-bearing L.,	"	.25	2 00	10 00
<i>Orontium aquaticum</i> , . . .	Golden Club,	"	.20	1 25	7 00
<i>Peltandra Virginica</i> , . . .	Arrow Arum,	"	.30	1 50	8 00
<i>Pontederia cordata</i> , . . .	Pickereel Weed,	"	.30	1 25	7 00
<i>Utricularia vulgaris</i> , . . .	Yellow Bladderwort,	"	.15	1 00	6 00

ORCHIDS.

In this list will be found nearly all the rare and desirable Orchids of the United States; and I trust that all who have cultivated them are convinced that, for beauty and peculiar structure, no other order of Plants can surpass them. While a few are more desirable for botanical study, others, like the *Cypripediums*, when planted in masses, give gorgeous colors and markings, which must be seen to be appreciated. Those marked with a * seem to be better adapted for cultivation in this locality.

* <i>Aplectrum hyemale</i> , . . .	Adam and Eve,	E. S.	.15	1 00	6 00
* <i>Arethusa bulbosa</i> , . . .	Arethusa,	"	.25	2 00	10 00
* <i>Calopogon pulchellus</i> , . . .	Grass-Pink,	"	.15	1 00	6 00
* <i>Calypso borealis</i> , . . .	Northern Calypso,	W. S.	.15	1 00	6 00
<i>Corallorhiza multiflora</i> , . . .	Purplish C.,	E. S.	.15	1 00	6 00
* <i>Cypripedium acaule</i> , . . .	Stemless Lady's Slipper,	"	.25	1 00	6 00
* " <i>arietinum</i> , . . .	Ram's Head L. S.,	"	.35	3 50	18 00
* " <i>candidum</i> , . . .	Small White L. S.,	W. S.	.25	2 00	10 00
* " <i>parviflorum</i> , . . .	Smaller Yellow L. S.,	E. S.	.25	1 50	8 00
* " <i>pubescens</i> , . . .	Larger Yellow L. S.,	"	.25	1 25	7 00
* " <i>spectabile</i> , . . .	Showy L. S.,	N. S.	.50	2 00	12 00
<i>Epidendrum conopseum</i> , . . .	Tree Orchis,	Fla.	.20	1 25	7 00
" <i>venosum</i> , . . .	Tree Orchis,	"	.20	2 00	10 00
<i>Goodyera Menziesii</i> , . . .		Or.	.25	2 00	10 00
* " <i>pubescens</i> , . . .	Rattlesnake Plantain,	E. S.	.15	1 00	6 00
* " <i>repens</i> , . . .	Creeping Goodyera,	N. S.	.15	1 00	6 00
* <i>Habenaria blephariglottis</i> , . . .	White Fringed Orchis,	"	.20	1 50	8 00
* " <i>ciliaris</i> , . . .	Yellow Fringed Orchis,	E. S.	.20	1 00	6 00
* " <i>dilatata</i> , . . .	White-flowered O.,	N. S.	.20	1 50	8 00
* " <i>fimbriata</i> , . . .	Great Fringed O.,	E. S.	.20	1 00	6 00
* " <i>Hookeri</i> , . . .	Two-leaved O.,	"	.20	1 00	6 00
* " <i>hyperborea</i> , . . .	Greenish-flowered O.,	"	.20	1 25	7 00
* " <i>lacera</i> , . . .	Ragged Fringed O.,	"	.20	1 00	6 00
* " <i>leucophæa</i> , . . .	White Prairie O.,	W. S.	.20	1 00	6 00
* " <i>obtusata</i> , . . .	Greenish White O.,	N. S.	.35	3 00	16 00
* " <i>orbiculata</i> , . . .	Large-leaved O.,	"	.20	1 25	7 00
* " <i>psycodes</i> , . . .	Purple Fringed O.,	E. S.	.20	1 00	6 00
* " <i>rotundifolia</i> , . . .	Rose Purple O.,	"	.20	1 50	8 00

ORCHIDS.—Continued.

BOTANICAL NAME.	COMMON NAME.	Local-ity.	PRICE.		
			Each.	Per 12.	Per 100.
*Habenaria tridentata, . . .	Greenish White O.,	E. S.	.15	\$1 00	\$5 00
* " virescens, . . .	Greenish O.,	"	.15	1 00	5 00
* " viridis, . . .	Greenish O.,	"	.15	1 00	6 00
*Liparis liliifolia, . . .	Purple Twayblade,	N. S.	.15	1 00	6 00
* " Loeselii, . . .	Green Twayblade,	"	.15	1 00	6 00
Listera convallarioides, . . .	Twayblade,	"	.20	1 50	8 00
" cordata, . . .	"	"	.20	1 00	6 00
*Orchis spectabilis, . . .	Showy O.,	"	.20	1 00	6 00
Pogonia ophioglossoides, . . .	Pale-rose colored P.,	"	.15	1 00	5 00
* " verticillata, . . .	Dusky Purplish P.,	E. S.	.20	1 00	6 00
*Spiranthes cernua, . . .	Lady's Tresses,	"	.15	1 00	5 00
* " gracilis, . . .	White S.,	"	.15	1 00	5 00

FERNS.

Most of the Ferns of this list are very easy of culture, requiring but little care after once established. About 60 species and varieties are perfectly hardy in this locality; over 30 species are dug in Hampden County. The graceful green foliage of the different species is a constant beauty through the summer months. They are graceful on the lawn, and help to show off the bright markings of Flowers, and when brought into our dwellings, give a cool, refreshing beauty to the surroundings there. Those marked with a † are smaller and well adapted for a small Rockery. Those marked with a * are Evergreens. Those marked with an H., after Botanical Name, are hardy in this locality.

Adiantum pedatum, . . .	H.,	Maiden Hair Fern,	E. S.	.20	1 00	6 00
*Aspidium acrostichoides, . . .	H.,	Christmas F.,	"	.25	1 00	6 00
" aculeatum, var. Brau-						
nii, . . .	H.,	Prickly Shield F.,	N. S.	.30	2 50	14 00
" argutum, . . .		Rigid Wood F.,	Cal.	.25	2 00	10 00
* " cristatum, . . .	H.,	Crested Wood F.,	N. S.	.20	1 00	6 00
" " var. Clin-						
tonianum, . . .	H.,	Larger C. W. F.,	"	.25	1 50	9 00
* " Filix-mas, . . .	H.,	Male Fern,	"	.40	3 50	18 00
† " fragrans, . . .	H.,	Fragrant Wood Fern,	"	.35	3 00	16 00
" Goldianum, . . .	H.,	Goldie's Wood Fern,	"	.30	1 50	9 00
†* " Lonchitis, . . .	H.,	Holly Fern,	"	.30	2 00	10 00
* " marginale, . . .	H.,	Evergreen Wood F.,	"	.20	1 00	6 00
* " munitum, . . .	H.,	Chamisso's Shield F.,	Or.	.20	1 25	6 00
" Noveboracense, . . .	H.,	N. Y. Shield F.,	E. S.	.20	1 00	5 00
* " spinulosum, . . .	H.,	Spinulose Wood F.,	"	.25	1 25	7 00
" " var. dila-						
tatum, . . .	H.,		"	.25	1 50	8 00
* " spinulosum, var. in-						
termedium, . . .	H.,		"	.20	1 00	6 00
" Thelypteris, . . .	H.,	Marsh Shield F.,	"	.20	1 00	6 00
Asplenium angustifolium, . . .	H.,	Narrow-leaved Spleen-				
		wort,	W. S.	.25	1 25	7 00
†* " ebeneum, . . .	H.,	Ebony Spleenwort,	E. S.	.15	1 00	6 00
" Filix-foemina, . . .	H.,	Lady Fern,	N. S.	.20	1 00	5 00
†* " Ruta-muraria, . . .	H.,	Wall-Rue,	"	.15	1 00	6 00
" thelypteroides, . . .	H.,	Silvery Spleenwort,	"	.20	1 00	6 00
†* " Trichomanes, . . .	H.,	Maiden-hair S.,	"	.20	1 00	6 00
†* " viride, . . .	H.,	Green S.,	"	.35	3 00	15 00
†Botrychium lanceolatum, . . .	H.,	Lanceolate Grape Fern,	"	.15	1 00	5 00

FERNS.—Continued.

BOTANICAL NAME.	COMMON NAME.	Local-ity.	PRICE.		
			Each.	Per 12.	Per 100.
† <i>Botrychium matricariæfolium</i> ,	H., Matricary Grape Fern,	N. S.	.20	\$1 20	\$8 00
† " <i>ternatum</i> ,	H., Ternate Grape Fern,	"	.15	1 00	5 00
† " <i>ternatum</i> , var. <i>dis-</i> <i>sectum</i> ,	H., Cut-leaved M.,	Cal.	.15	1 25	7 00
* " <i>ternatum</i> , var. <i>obli-</i> <i>quum</i> ,	H.,	"	.15	1 25	7 00
" <i>Virginicum</i> ,	H., Virginian Grape Fern,	"	.20	1 00	6 00
†* <i>Camptosorus rhizophyllus</i> ,	H., Walking-leaf,	E. S.	.20	1 00	6 00
† <i>Cheilanthes gracillima</i> ,	Lace Fern,	Or.	.25	2 00	10 00
" <i>vestita</i> ,	Clothed Lip Fern,	E. S.	.20	1 50	8 00
†* <i>Cryptogramme acrostichoi-</i> <i>des</i> ,	H., American Rock Brake,	Or.	.20	1 25	7 00
† <i>Cystopteris bulbifera</i> ,	H., Bulblet Cystopteris,	E. S.	.15	1 00	6 00
† " <i>fragilis</i> ,	H., Brittle Fern,	"	.15	1 00	6 00
<i>Dicksonia pilosiuscula</i> ,	H., Hay-scented Fern,	"	.20	1 00	6 00
* <i>Lomaria spicant</i> ,	H., Deer Fern,	Or.	.25	1 00	6 00
* <i>Lygodium palmatum</i> ,	H., Climbing Fern,	N. S.	.25	1 25	7 00
<i>Onoclea sensibilis</i> ,	H., Sensitive Fern,	E. S.	.20	1 00	6 00
† <i>Ophioglossum vulgatum</i> ,	H., Adder's Tongue,	"	.15	1 00	6 00
<i>Osmunda cinnamomea</i> ,	H., Cinnamon Fern,	"	.30	1 25	7 00
" <i>Claytoniana</i> ,	H., Flowering Fern,	"	.30	1 25	7 00
" <i>regalis</i> ,	H., Royal Fern,	"	.30	1 25	7 00
† <i>Pellaea atropurpurea</i> ,	H., Clayton's Cliff Brake,	"	.15	1 00	5 00
† " <i>densa</i> ,	Oregon Cliff Brake,	Or.	.25	2 50	12 00
† " <i>gracilis</i> ,	H., Slender Cliff Brake,	N. S.	.20	1 75	10 00
† <i>Phegopteris Dryopteris</i> ,	H., Oak Fern,	"	.20	1 00	6 00
† " <i>hexagonoptera</i> ,	H., Hexagon Beech F.,	"	.20	1 00	6 00
† " <i>polypodiodes</i> ,	H., Common Beech F.,	"	.20	1 00	6 00
†* <i>Polypodium falcatum</i> ,	H., Kellogg's P.,	Or.	.20	1 00	6 00
†* " <i>vulgare</i> ,	H., Common P.,	N. S.	.20	1 00	5 00
<i>Pteris aquilina</i> ,	H., Bracken,	"	.25	1 00	6 00
† <i>Schizaea pusilla</i> ,	New Jersey Schizæa,	N. J.	.25	2 00	10 00
†* <i>Scolopendrium vulgare</i> ,	H., Hart's Tongue,	E. S.	.35	3 00	15 00
<i>Struthiopteris Germanica</i> ,	H., Ostrich Fern,	N. S.	.35	1 50	8 00
<i>Trichomanes Petersii</i> ,	Peter's Bristle Fern,	Ala.	.30	3 00	16 00
" <i>radicans</i> ,	Ala. Bristle Fern,	"	.30	3 00	16 00
† <i>Woodsia glabella</i> ,	H., Smooth Woodsia,	N. S.	.30	2 50	14 00
† " <i>hyperborea</i> ,	H., Northern Woodsia.	"	.35	3 00	15 00
† " <i>ilvensis</i> ,	H., Rusty Woodsia,	"	.25	1 00	5 00
† " <i>obtusa</i> ,	H., Obtuse-leaved W.,	"	.20	1 00	6 00
† " <i>Oregana</i> ,	H., Oregon Woodsia,	Or.	.20	1 50	8 00
† " <i>scopulina</i> ,	H., Rocky Mountain W.,	"	.20	1 50	8 00
<i>Woodwardia angustifolia</i> ,	H., Netted Chain Fern,	E. S.	.25	1 00	6 00
" <i>Virginica</i> ,	H., Virginia Chain Fern,	"	.25	1 00	6 00

CLUB MOSSES.

<i>Lycopodium dendroideum</i> ,	Ground Pine,	E. S.	.35	1 50	8 00
" <i>lucidulum</i> ,	Shining Club Moss,	"	.20	1 00	6 00
<i>Selaginella apus</i> ,	"	"	.15	1 00	5 00
" <i>rupestris</i> ,	Dwarf Club Moss,	"	.15	1 00	6 00
<i>Marchantia</i> (Liverwort),	For Rockeries, &c.,	"	.15	1 00	6 00

Seed of our Wild Flowers.

I offer seed of the following desirable Wild Flowers, in separate packets, by mail, postpaid, to any part of the United States, or any other country belonging to the Universal Postal Union, at prices given.

Seed of our Wild Flowers should be sown in a finely prepared bed, moderately enriched with leaf mould and well decayed manure, in a moist, shady place, and never allow the surface of the soil to become dry, but at the same time give the bed good drainage, so that the soil will not become saturated with water; keep the weeds out, and cultivate the soil as for other seed. Transplant to permanent bed when plants are one or two years old. Some kinds, like the Lilies, require two years, while the Aquilegias require only one.

ACTÆA SPICATA VAR. RUBRA (RED BANEBERRY.)

Herbaceous Perennials, 2 ft. high, with white flowers in terminal racemes, followed by cherry-red berries. Found in moist, rich shades; blossoms in April and May. Per pkt., 10 cts.

ANEMONE PATENS VAR. NUTTALLIANA (AMERICAN PASQUE FLOWER.)

Herbaceous Perennials, 6 inches high, with large purplish or white flowers in early spring in open dry places. A pretty plant. Per pkt., 10 cts.

ANEMONE PENNSYLVANICA (PENNSYLVANIA ANEMONE.)

Herbaceous Perennials, 8—12 inches high, with large white flowers all summer, in moist open places. A pretty plant. Per pkt., 10 cts.

AQUILEGIA CANADENSIS (WILD COLUMBINE.)

Herbaceous Perennials, 1—2 ft. high, with nodding scarlet flowers, yellow within, garden soil, sun or shade. Per pkt., 10 cts.

AQUILEGIA CHRYSANTHA (GOLDEN-SPURRED COLUMBINE.)

A fine thrifty Perennial from the Rocky Mountains, with golden yellow flowers with spurs 2 inches long, very fine, easily cultivated in moist garden soil; flowers all summer. Per pkt., 10 cts.

AQUILEGIA FORMOSA.

Herbaceous Perennials from Oregon, with reddish yellow flowers all summer, 1—2 ft high, in moist garden soil. Per pkt., 10 cts.

ARALIA HISPIDA (BRISTLY SASSAPARILLA.)

Tall Herbaceous Perennials, found in rocky places, with white flowers in umbels; shades. Per pkt., 10 cts.

ARENARIA GRÆNLANDICA (MOUNTAIN SANDWORT.)

Densely tufted Perennials, from slender roots, 2—4 inches high, with rather large white flowers. A beautiful plant for the rockery. Per pkt., 15 cts.

ASCLEPIAS TUBEROSA (PLEURISY ROOT.)

Herbaceous Perennials, 1—2 ft. high, with bright orange flowers in umbels, very fine. Found in dry open places. Per pkt., 10 cts.

ASCLEPIAS VERTICILLATA (WHORLED MILKWEED.)

Herbaceous Perennials, 6—12 inches high, with small delicate white flowers all summer, in dry places. Per pkt., 10 cts.

BAPTISIA LEUCANTHA (WHITE BAPTISIA.)

Herbaceous Perennials, 1—3 ft. high, with large white flowers in July. Found in rich soil westward. Per pkt., 10 cts.

CALLIRRHÆE INVOLUCRATA (CRIMSON CALLIRRHÆE.)

Prostrate spreading Perennials, 1—3 ft. long, with large showy crimson flowers all summer, in well-drained soil. Per pkt., 10 cts.

CAMPANULA ROTUNDIFOLIA (HAREBELL.)

A beautiful Perennial, 6—18 inches high, with deep blue flowers; fine for rockwork. Per pkt., 10 cts.

CASSIA MARILANDICA (AMERICAN SENNA.)

Thrifty Perennials, 2—5 ft. high, yellow flowers with a dark center, forms large and showy clumps in moist garden soil, in open sun. Per pkt., 10 cts.

CAULOPHYLLUM THALICTROIDES (BLUE COHOSH.)

Herbaceous Perennials, 1 foot high, terminated by a small raceme of yellowish green flowers; followed by the black seed, which are as large as pease. Per pkt., 10 cts.

CLEMATIS OCHROLEUCA (GREENISH CLEMATIS.)

Herbaceous Perennials, 6—12 inches high, with single large leathery greenish nodding flowers in spring; garden soil. Per pkt., 10 cts.

CYNTHIA VIRGINICA (YELLOW CYNTHIA.)

Herbaceous Perennials, a foot high, with showy yellow flowers in heads in June, moist sun or shade. Per pkt., 10 cts.

DODOCATHEON MEADIA (SHOOTING STAR.)

A beautiful Perennial, a foot high or more, with rose or white flowers, with maroon and yellow centers, from the west and south, in rich, moist soil. Per pkt., 10 cts.

ECHINACEA PURPUREA (PURPLE CONE FLOWER.)

Herbaceous Perennials, 2-3 ft. high, heads of flowers reddish with ray flowers rose-purple. A fine plant in rich soil. Per pkt., 10 cts.

EUPATORIUM AGERTOIDES (WHITE SNAKEROOT.)

Smooth branching Perennials, 3 ft. high, with a profusion of small white flowers in heads. Found in rich soil. Per pkt., 10 cts.

EUPATORIUM PERFOLIATUM (BONESET.)

Herbaceous Perennials, with stout stems, 2-4 ft. high, with pink-white flowers. Found in low wet places. Per pkt., 10 cts.

EUPHORBIA COROLLATA (FLOWERING SPURGE.)

Herbaceous Perennials, 2-3 ft. high, conspicuous for the showy white false lobes of the involucre, which appear like five white petals; rich soil, sun or shade. Per pkt., 10 cts.

GENTIANA ALBA (WHITE GENTIAN.)

Upright smooth Perennials, 1-2 ft. high, with greenish white flowers in July; low grounds. Per pkt., 10 cts.

GENTIANA ANDREWSII (CLOSED GENTIAN.)

A fine Perennial, found in moist shady woods, with dark blue closed flowers in axillary clusters. Per pkt., 10 cts.

GENTIANA CRINITA (FRINGED GENTIAN.)

A biennial Plant, 1-2 ft. high, with large blue beautifully fringed flowers in autumn, in moist open places; flowers the second year from the seed. Per pkt., 10 cts.

EPILOBIUM ANGUSTIFOLIUM (GREAT WILLOW HERB.)

Herbaceous Perennials, 4-7 ft. high, flowers pink-purple, very showy; low grounds. Per pkt., 10 cts.

HIBISCUS MOSCHEUTOS, ALBA (SWAMP ROSE MALLOW.)

A fine Herbaceous Perennial, 1-3 ft. high, with white flowers 3-5 inches in diameter, perfectly hardy in moist soil, sun or shade. Per pkt., 10 cts.

HIBISCUS MOSCHEUTOS, ROSA (SWAMP ROSE MALLOW.)

Like the above, only the flowers are light rose. Per pkt., 10 cts.

HELENIUM AUTUMNALE (SNEEZE SEED.)

Branching Perennials, 1-3 ft. high, with yellow flowers in heads with rays; flowers in autumn. Per pkt., 10 cts.

IRIS VERSICOLOR (LARGE BLUE FLAG.)

Perennials, with large showy violet-blue flowers streaked with white, flowers 2-3 inches long. Per pkt., 10 cts.

LIATRIS CYLINDRACEA.

Smooth Perennials, 6-18 inches high, heads few, with rose-purple flowers, in dry soils. Per pkt., 10 cts.

LIATRIS SCARIOSA (BUTTON SNAKEROOT.)

Herbaceous Perennials, 2-5 ft. high, with large heads of rose-purple flowers, in summer; dry soils. Per pkt., 10 cts.

LIATRIS SPICATA (SPIKED BLAZING STAR.)

Smooth Herbaceous Perennials, 2-5 ft. high, heads crowded in a long spike, flowers rose-purple in summer. Found in moist open ground. Per pkt., 10 cts.

LILIUM CANADENSE (WILD YELLOW LILY.)

Herbaceous Perennials, 2-5 ft. high, with 1-10 nodding yellow flowers, with black dots; moist soil. Per pkt., 10 cts.

LILIUM COLUMBIANUM (REDDISH ORANGE LILY.)

A hardy Lily from Oregon, flowers reddish orange with purple dots; thrives in rich garden soil. Per pkt., 10 cts.

LILIUM PHILADELPHICUM (WILD ORANGE RED LILY.)

A beautiful New England Lily, a foot high, with 1 or 2 upright orange-red flowers, in moist open soil. Per pkt., 10 cts.

LILIUM SUPERBUM. EARLY. (TURK'S CAP LILY.)

Flower stalks 3-6 ft. high, with from 3-30 flowers, bright orange, with numerous dark purple spots; rich garden soil. Early.

LILIUM SUPERBUM. LATE. (TURK'S CAP LILY.)

Similar to the last, only the flowers come out later in the season. Per pkt., 10 cts.

LOBELIA CARDINALIS (CARDINAL FLOWER.)

This is a Perennial by forming new plants around the old flower stalk, 2—4 ft. high, with large and very showy deep red flowers all summer, in moist open places. Per pkt., 10 cts.

LOBELIA SYPHILITICA (GREAT BLUE LOBELIA.)

Perennials, 2—4 ft. high, with large blue flowers variegated with white, all summer; very fine. Found in moist places. Per pkt., 10 cts.

MIKENIA SCANDENS (CLIMBING BONESET.)

Twining Perennials, climbing over bushes; flowers flesh color. A beautiful plant, found growing in or near water. Per pkt., 10 cts.

MIMULUS RINGENS (MONKEY FLOWER.)

A Perennial square-stemmed plant, with blue flowers from the axils of the opposite leaves; wet grounds. Per pkt., 10 cts.

MITELLA DIPHYLLA (MITRE-WORT.)

Low and slender Perennials, with small but beautifully-fringed white flowers; fine for the rock garden. Per pkt., 10 cts.

PARNASSIA CAROLIANA (GRASS OF PARNASSUS.)

Smooth Perennials, with a tuft of thick leaves at the ground; flower stalk 6—12 inches high, with large white petals with greenish veins; wet places. Per pkt., 10 cts.

PENTSTEMON PUBESCENS (PURPLE PENTSTEMON.)

Branching Perennials, 1—3 ft. high, with purple showy flowers all summer. Found in dry open places. Per pkt., 10 cts.

PHLOX DIVARICATA (SPREADING PHLOX.)

Low Perennials, with large blue flowers in early spring. Found in rocky damp woods. Per pkt., 10 cts.

SANGUINARIA CANADENSIS (BLOOD ROOT.)

Low Perennials, with very large pure white flowers in early spring; the leaves which come out later are large and fine; rocky shades. Per pkt., 10 cts.

SILENE PENNSYLVANICA (WILD PINK.)

Low Perennials, found in dry soils, with rather large pink flowers in spring. Per pkt., 10 cts.

SILENE VIRGINICA (FIRE PINK.)

A beautiful large deep crimson-flowered Perennial from New York and southward, plant a foot high; easily cultivated in moist garden soil. Per pkt., 10 cts.

STYLOPHORUM DIPHYLLUM (CALANDINE POPPY.)

Herbaceous Perennials, with beautiful lobed leaves and deep yellow flowers, which are two inches in diameter; easily cultivated in moist garden soil. Per pkt., 10 cts.

TRILLIUM ERECTUM (PURPLE TRILLIUM.)

Herbaceous Perennials, a foot high, with 3 large green leaves, from the center of which appears in early spring a single large purple flower; easily cultivated in moist shades. Per pkt., 10 cts.

TRILLIUM GRANDIFLORUM (LARGE WHITE TRILLIUM.)

Herbaceous Perennials, a foot high, with 3 large green leaves from the center of which appears in early spring a beautiful large pure white blossom, which turns to deep rose color with age; easily grown in moist shades. Per pkt., 10 cts.

TROLLIUS LAXUS (GLOBE FLOWER.)

A low Perennial, with flowers similar in appearance to a buttercup, but larger; delights in a mucky soil, deep shades. Per pkt., 10 cts.

TRIOSTEUM PERFOLIATUM (HORSE GENTIAN.)

Herbaceous Perennials, 2—4 ft. high, with brownish purple flowers clustered in the axils of the leaves, followed by the orange-colored fruit; blossoms in June, in dry soils. Per pkt., 10 cts.

VIOLA CANADENSIS (CANADA VIOLET.)

Upright Perennials, 1—2 feet high, with white flowers tinted with violet. A beautiful plant for the rock garden; moist shades. Per pkt., 10 cts.

VIOLA PEDATA (BIRD'S FOOT VIOLET.)

Small Perennials, 3—6 inches high, with finely cut leaves, and large handsome pale or deep lilac purple or blue flowers in summer; delights in a pure sandy soil in open sun. Per pkt., 10 cts.

TILIA AMERICANA (BASSWOOD.)

A fine shade Tree, with soft and white wood. Flowers cream color, honey bearing, fragrant; beautiful for the lawn. Per pkt., 10 cts.

PYRUS AMERICANA (AMERICAN MOUNTAIN ASH.)

A small Tree, with bright green leaves. Prized in cultivation for the autumnal clusters of bright red berries. Per pkt., 10 cts.

ILEX LEVIGATA (SMOOTH WINTERBERRY.)

A Shrub found in wet ground, 3—6 ft. high, flowers small, but the large red berries are very fine. Per pkt., 10 cts.

ILEX VERTICILLATA (BLACK ALDER.)

A Shrub, 2—8 ft. high, found in moist grounds, with oval leaves and a profusion of bright red berries; very showy after the leaves have fallen. Per pkt., 10 cts.

CORNUS ALTERNIFOLIA (ALTERNATE-LEAVED CORNEL.)

Tall Shrubs, with greenish branches streaked with white, top flattish, flowers white, in broad open cymes; fruit deep blue. One of the handsomest of our Native Shrubs. Per pkt., 10 cts.

RUBUS ODORATUS (PURPLE FLOWERED RASPBERRY.)

Stem Shrubby, 3—5 ft. high, petals rounded, purple rose color, fruit red; flowers showy, 2 inches broad. Found in rocky places. Per pkt., 10 cts.

SAMBUCUS CANADENSIS (COMMON ELDER.)

A Shrub, 5—10 ft. high, with numerous small white flowers in compound cymes, fruit black, easily cultivated. Per pkt., 10 cts.

SAMBUCUS PUBENS (RED-BERRIED ELDER.)

A Shrub, 2—18 ft. high, with numerous small white flowers in compound cymes, fruit bright red, pith brown. A pretty shrub, easily cultivated in rocky shades. Per pkt., 10 cts.

ADLUMIA CIRRHOSA (CLIMBING FUMITORY.)

A handsome biennial Vine, with fine leaves, and a profusion of drooping white or purple flowers all summer; desirable for covering old walls, &c. Per pkt., 10 cts.

ARISTOLOCHIA SIPHO (DUTCHMAN'S PIPE.)

A fine thrifty Perennial Vine, 20 ft. long or more, with leaves 5—12 inches broad, flowers purple, calix tube strongly curved, resembling a Dutchman's pipe; easily cultivated in rich shades. Per pkt., 10 cts.

CELASTRUS SCANDENS (WAX-WORK.)

Twining Shrubs, climbing tall trees, flowers small, greenish, in raceme-like clusters, the opening orange-colored pods displaying the scarlet covering of the seeds; very ornamental in autumn. Per pkt., 10 cts.

CLEMATIS VIRGINIANA (VIRGIN'S BOWER.)

A well-known Vine, easy of culture in moist soils, having a fine display of white flowers, followed by the white feathery fruit; handsome. Per pkt., 10 cts.

SARRACENIA PURPUREA (PITCHER PLANT.)

A curious Perennial, found in bogs, flower stalks a foot high, with a deep purple flower at the top, leaves pitcher-shaped, usually half filled with water and dead insects. Per pkt., 10 cts.

NELUMBIUM LUTEUM (SACRED BEAN.)

A fine Aquatic Plant, with large yellow flowers 5—10 inches broad, leaves usually raised high out of the water, circular in outline, 1—2 ft. in diameter. Sow seed in pots, and sink in water 4 or 5 inches; transplant when a year old. Per pkt., 10 cts.

Pearl Tuberoses.

The Pearl is a dwarf tuberose, but the flowers are twice the size of any others. For fragrance, it has no equal. They produce long spikes of pure white wax-like double flowers of great beauty. They should be set in a rich soil, 3 or 4 inches deep. 10 cts. each by mail, postpaid; \$1.00 per dozen, or 100 by express for \$4.00.

Sage.

I have a fine crop of Sage, of which I will send by mail, postpaid, $\frac{1}{2}$ lb. for 25 cts.; 1 lb., 45 cts.; or 4 lbs. by express for \$1.00.

If you are not interested in our Native Plants, please hand this Catalogue to a friend who is.

Note the Collections which I offer by mail, postpaid, and pkts. of Native Flower Seed.

EDWARD GILLETT.