Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

6241 1888
For
MDCCCLXXXVII

Ferry

SEED ANNUAL

1888

D.M. FERRY & CO.
DETROIT,
MICH.

PAGE.	PAGE.	PAGE.	PAGE.	PAGE.
..... 70	Caraway 59	Formation of Gar-	Lupin 97	Quantity of seed
..... 70	Cardiospermum... 75	dens 8	Lychnis..... 97	for a given num-
..... 70	Carnation 75	Four O'Clock. . 88	Lythrum..... 97	ber of plants.... 12
..... 70	Carrot 22	Foxglove 88	Madeira Vine... 118	Quince Seed..... 61
..... 70	Castor Beans. . 80	Fragraria 88	Management of	Radish..... ix, 47
..... 70	Catalpa 62	French Hone y-	Gardens..... 8	Red Hot Poker... 118
..... 70	Catananche 80	suckle 89	Mangel Wurzel... 19	Rape 50
..... 70	Catchfly 80	Fruit Tree Seeds. 61	Marigold..... 97	Rhodanthe 108
..... 70	Catnip 59	Fuchsia 89	Marjoram, Sweet.. 60	Rhubarb..... 50
..... 71	Cauliflower..... 24	Gaillardia..... 89	Martynia 36, 98	Rice, Wild..... 51
..... 71	Cedronella 80	Garlic 32	Marvel of Peru .. 88	Ricinus 80
..... 71	Celastrus 80	Geranium 89	Matricaria 98	Rocket 108
..... 72	Celery v, 25	Gherkin 32	Maurandia 98	Rosemary 60
..... 72	Celosia 81	Gilia 89	Melon vi, 36	Rue 66
..... 72	Centaurea 81	Gladiolus..... 89, 117	Mesembryanthe-	Ruta Baga..... 58
..... 72	Cherry Stones.. 61	Glaucium 90	mum..... 98	Rye..... 67
..... 72	Chicory 26	Globe Amaranth.. 90	Mignonette 98	Saffron..... 60
..... 72	Chinese Straw-	Gloxinia 90	Mimosa 109	Sage 60
..... 72	berry..... 83	Gnaphalium 91	Mimulus 99	Salpiglossis..... 108
..... 72	Chrysanthemum. 81	Godetia 91	Mina xi	Salsify 51
..... 72	Cineraria 82	Gomphrena..... 90	Molucca Balm... 99	Salvia..... 109
..... 72	Clarkia 82	Gourd 33, 91	Momordica 99	Sanvitalia..... 109
..... 72	Clematis 82	Grammanthes .. 92	Monkey Flower.. 99	Savory, Summer.. 60
..... 72	Clianthus..... 83	Grass Seeds 64	Moon Flower xi	Scabiosa..... 99
..... 72	Clintonia 83	Gynerium 102	Morning Glory... 99	Scarlet Flax..... 95
..... 72	Clover 63	Gypsophila 92	Mourning Eride.. 99	Seed for an Acre.. 12
..... 72	Cobaea 83	Hedge Seeds 61	Mulberry 63	Sedum 109
..... 72	Cockscomb 83	Hedysarum..... 89	Mushroom..... 39	Sensitive Plant .. 109
..... 72	Coix Lachryma. 94	Helianthus..... 110	Musk Plant..... 99	Smilax 109
..... 72	Cold Frames 11	Helichrysium .. 92	Mustard 39	Snapdragon 110
..... 72	Coleus 84	Heliotrope..... 92	Myosotis..... 87	Solanum 110
..... 72	Collards 27	Helipterum..... 92	Nasturtium..... 39, 99	Spinage 51
..... 72	Columbine 84	Hemlock 62	Nemophila 96	Spruce, Norway.. 62
..... 72	Commelina 84	Hemp 67	Nierembergia... 100	Squash 52
..... 72	Convolvulus... 84	Herbs 59	Nigella 97	Stipa 87
..... 72	Coriander..... 51	Hibiscus 92	Nolana 100	Stock..... 110
..... 72	Corn v, 27	Hints on the cul-	Number of plants	Sugar Cane..... 54
..... 72	Corn, Broom 30	ture of Flowers 68	to an acre..... 12	Summer Cypress.. 76
..... 72	Corn Salad 30	Horehound 60	Nycterinia 100	Summer Savory.. 60
..... 72	Cosmos x	Hollyhock 93	Nymphæa..... 100	Sunflower 54, 110
..... 72	Cress 30	Honesty 93	Okra 40	Swan River Daisy.. 77
..... 72	Crucianella 84	Hordeum 91	Oleander 101	Sweet Peas..... 111
..... 72	Cucumber vi, 30	Horse Radish 33	Onion 40	Sweet Sultan..... 111
..... 72	Cuphea 85	Hot Beds 10	Osage Orange... 63	Sweet William... 111
..... 72	Cyclamen 35	Humea 93	Oxalis..... 101	Tagetes 97
..... 72	Cyress Vine..... 85	Hyacinth Bean... 93	Pæonies..... 101	Tansy 60
..... 72	Dahlia 85, 116	Hyssop 60	Palm..... 101	Tarragon 60
..... 72	Daisy 86	Iberis 79	Pampas Grass .. 102	Tassel Flower... 111
..... 72	Dandelion 59	Ice Plant 98	Pansy 102	Thyme..... 61
..... 72	Datura 86	Impatiens 94	Papaver 106	Tobacco 54
..... 72	Day Flower 84	Indian Shot 79	Parsley 43	Tomato x, 54
..... 72	Delphinium 94	Introductory 1	Parsnip 43	Torenia 111
..... 72	Dianthus 135	Ipomea 94	Passion Flower.. 103	Tree Cypress 111
..... 72	Dielytra 116	Ipomopsis..... 111	Peach Stones..... 61	Tree Seeds 61
..... 72	Digitalis 88	Jacobæa 94	Pear Seed 61	Tritoma 111, 118
..... 72	Dill 63	Jasmine 94	Peas, Flower g 103, 111	Tropæolum..... 78, 99
..... 72	Dolichos 93	Job's Tears 94	Peas, Garden. viii, 43	Trumpet Vine 77
..... 72	Dusty Miller 81	Joseph's Coat 72	Pennisetum..... 103	Tuberose 113
..... 72	Dutchman's Pipe. 73	Kale 33	Pentstemon..... 103	Turnip 56
..... 72	Edelweiss 91	Kaulfussia 94	Pepper 46	Valerian 112
..... 72	Egg Plant 32	Kohl Rabi 33	Peppergrass..... 30	Vegetable Oyster. 51
..... 72	Endive vi, 32	Lantana 95	Perilla 103	Verbena 112
..... 72	Erianthus..... 86	Larch, European.. 62	Petunia 104	Vetches, or Tares. 67
..... 72	Erica 86	Larkspur 95	Phacelia 104	Vinca 112
..... 72	Eschscholtzia.. 86	Lavender 60	Phasant's Eye.. 70	Violet 112
..... 72	Eulalia 87	Lawn Grass 66	Phlox 104	Virginia Creeper.. 113
..... 72	Euphorbia 87	Leek 34	Picotee 79	Virginia Stock... 113
..... 72	Eutoca 87	Leptosiphon..... 95	Pie Plant 50	Wallflower..... 113
..... 72	Farm Seeds 66	Lettuce vi, 34	Pine 62	Water Lily..... 100
..... 72	Feather Grass .. 87	Lilies 118	Pink 105	Weights of various
..... 72	Fennel, Sweet .. 60	Linnanthus 95	Plant Food xv	articles..... 12
..... 72	Ferns 87	Linnaria 95	Plum Stones..... 61	Wheat 66
..... 72	Feverfew 98, 108	Linden, European. 62	Poppy 106	Whitlavia 113
..... 72	Fir, Silver 62	Linum 95	Portulaca 106	Wigandia 113
..... 72	Flax 67	Lobelia 96	Primrose..... 107	Wistaria 113
..... 72	Flower Seeds,	Locust 62	Primula 107	Wormwood..... 61
..... 72	Culture of 68	London Pride..... 97	Pumpkin 47	Xeranthemum 114
..... 72	Flower Seeds by	Lophospermum .. 96	Pyrethrum 108	Zea Maize..... 114
..... 72	Weight..... 115	Love Grass 96	Quaking Grass .. 77	Zinnia 114
..... 72	Forest Tree Seeds. 61	Love Grove 96	Quantity of seed	
..... 72	Forget-me-not... 87	Love-in-a-mist.. 97	per acre 12	

For Vegetable Price List, see Page 121.

For Farm and Garden Implements, see Page xii of Supplement.

For Tree and Hedge Seeds, see Page 61.

For Terms of Vegetable and Flower Seeds, see Page 120.

SUPPLEMENT.

ALTHOUGH we have always been very conservative, not only in offering new sorts, but in our claims for them when offered, we have taken great pains to inform ourselves fully as to the true character of everything offered as new or superior, either in this country or in Europe. We have secured samples as early as possible of everything we could hear of that was at all promising, and planted and compared them with others at trial grounds, have carefully noticed the results of similar tests at the various State Experimental Stations, and whenever it was possible for us to do so, have visited fields of them as sown by the originator or introducer. Our readers can rest assured that if they fail to find our Annual any much-lauded new or improved sort the probability is much greater that we have tested it and found it of no value, than that it is unknown to us. We have also spent a great deal of time and money in selection and other efforts to improve our stocks of the older sorts, and as a result in many cases the stocks we offer of standard sorts are as much an improvement on the ordinary ones as are those offered by many seedsmen as distinct varieties. With this explanation, we call attention to the following list of new or particularly valuable sorts we have to offer.

NEW WAX BEANS.

SCARLET FLAGEOLET WAX	WARDWELL'S KIDNEY WAX	D.M. FERRY & CO'S DETROIT WAX	BLACK EYED WAX
--------------------------------------	----------------------------------	--	---------------------------

For Descriptions and Prices, see next page.

NEW WAX BEANS.

(SEE CUT ON PRECEDING PAGE).

Among our cultivated vegetables there are none which have developed more new and distinct varieties during the past few years than the Bush Beans. It is also true that there is no vegetable where it is more difficult to ascertain the true character of a variety. A sample planted in the garden, even if in similar soil and climate, may develop very differently from the same stock planted in the field, or a sort may prove the best of all the first season and quite inferior ever after. For these reasons we have taken especial pains to ascertain the real value of the many new varieties which have been developed within the past five years, and as a result offer five new sorts, each of which, while good in all points, is superior in some.

D. M. Ferry & Co's Detroit Wax.

THE BEST IN QUALITY AND MOST RUST PROOF.

This is an early variety, the vine being very vigorous and upright in growth, very productive, with the pods near the center of the plant, and both the vine and pod free from rust even under conditions so unfavorable that other sorts would fail completely. The pods are fit for use about the same time as the Golden Wax, but resemble those of the White Wax in shape, although much larger and of a warmer and deeper yellow color. They have the remarkable quality of standing a long time after picking without rusting or other deterioration. They are very fleshy, and when cooked are very tender and of good flavor. We recommend this as particularly desirable, FIRST, for those market gardeners who have to ship some distance. SECONDLY, to those who have a special trade that demands the best quality. THIRDLY, to all growers who from unfavorable soil or climate have not succeeded well with other sorts.

Per packet, 25 cents; five packets for \$1.00.

Black-Eyed Wax.

THE EARLIEST AND THE WHITEST PODDED SORT.

We have watched this bean for several years, and are sure that it is the *earliest wax bean* in cultivation. The plant is very productive and vigorous, and the pods are similar to those of the Black Wax in shape, but are decidedly clearer and more beautiful in color, and are of good quality, although not equal to our Detroit Wax in this respect. It not only matures fit for string beans the earliest, but comes to full maturity quicker than any sort we have tried, and we recommend it to those to whom earliness and beauty of pod are most essential.

Per packet, 25 cents; five packets for \$1.00.

Wardwell's Kidney Wax

THE MOST PRODUCTIVE.

This has given satisfaction wherever it has been tried. The vines are remarkably vigorous, hardy and productive. The pods are very large and showy, and will sell when other varieties will be refused. They are tender and of good quality. It has been claimed that this was the earliest of the new beans, but with us, while very early, it was not equal to our Black-Eyed Wax in this respect. The pods are, however, decidedly larger and very handsome both in form and color. Recommended for general crop.

Per packet, 20 cents, pint, 35 cents; quart, 60 cents; 4 quarts, \$2.00; bushel, \$12.00.

If by mail or express, prepaid, 15 cents per pint, 30 cents per quart, must be added for charges.

Scarlet and Violet Flageolet Wax.

THE LARGEST AND MOST TENDER PODDED SORTS.

As grown in Germany, the Flageolet Wax consists of a mixture of two distinct varieties—one with light red or scarlet beans, while those of the other are much darker red, or violet colored. In character of growth of vine and pod they do not differ very materially. Both have very vigorous, strong-growing vines, bearing *very* long, flat, exceedingly wax-like pods. When young, the pods are, we think, the most tender and brittle of any beans in cultivation, and their immense size and beautiful color make them the most attractive of all in the market. For some years a few of these beans have been offered in the market, and have always commanded nearly double the price of common wax beans, and although not quite so early as the preceding sorts, they mature in good season. The Scarlet Flageolet is, we think, a little the earlier and more productive, but the Violet has larger pods. These two varieties as offered by us are quite distinct, and have been established by years of selection. They are offered by some seedsmen under other names, as "Scarlet" and "Perfection" Wax. We recommend them as the largest and most showy dwarf wax beans in cultivation.

Scarlet Flageolet Wax, per packet, 25 cents, five packets for \$1.00.

Violet Flageolet Wax, per packet, 25 cents, five packets for \$1.00.

One packet each of the above five splendid new varieties of Wax Beans—for trial—\$1.00. postpaid.

POLE BEANS.

Southern Prolific (True).

There has been much confusion about this variety owing to there having been two very distinct beans sent out under this name, which, although alike in the appearance of the dry beans and some other respects, were very different in others. One was very early, with flat pods; the other, quite late, but with very round, exceedingly brittle and tender pods. The stock we offer is this latter variety, and our southern customers will find this one of the best of all pole beans for their climate, furnishing a continuous supply of the very best quality of snap beans from summer until late in the fall. The vines are so enormously productive that two or three hills will give an ordinary family an abundant supply.

Per packet, 10 cents; pint, 25 cents; quart, 40 cents; 4 quarts, \$1.50; bushel, \$3.00.

If by mail or express, prepaid, 15 cents per pint, 30 cents per quart, must be added for charges.

Rhode Island Grease Back.

This is among shell beans what the Southern Prolific is among the snaps, the best for the south. The vines are vigorous, very productive, continue long in bearing, and the beans are of the best quality either as green shelled or as dry beans. While we recommend this especially for the south, it is also an excellent sort for the north, and furnishes a long continued supply of green shelled beans, which are nearly equal to the Horticultural Pole in quality.

Per packet, 15 cents; pint, 35 cents; quart, 60 cents; 4 quarts, \$2.00; bushel, \$12.00.

If by mail or express, prepaid, 15 cents per pint, 30 cents per quart, must be added for charges.

White Grease Back.

The chief merits of this pole bean are its extreme earliness and productiveness, and its habit of perfecting the entire crop at nearly the same time. The whole crop may often be picked as snap beans before those of other varieties are fit for use. The pods are of the best quality as snaps, and bear shipping long distances. This variety does not stand the sun very well, but it has no equal for planting at the south for early snaps for shipping north.

Per packet, 15 cents; pint, 35 cents; quart, 60 cents; 4 quarts, \$2.00; bushel, \$12.00.

If by mail or express, prepaid, 15 cents per pint, 30 cents per quart, must be added for charges.

SOUTHERN PROLIFIC.

BEET.

Early Eclipse.

The reputation of this excellent variety has been greatly injured by the sale of mixed and inferior stock, but when pure it is unquestionably the best variety for forcing, having a very small top, transplanting very easily, and has peculiarly handsome roots, especially when young. It is also a very good sort for out-door planting, both for summer and fall use.

Per packet, 5 cents; oz., 10 cents; 2 oz., 15 cents; ¼ lb., 25 cents; lb., 80 cents.

French White Sugar (Red Top).

We have no doubt but that this is by all means the most profitable variety for stock feeding. It does not yield so bulky a crop as the larger mangels, but is very much richer and more nutritious, so that the same amount of food can be handled much cheaper. It is also hardier and more easily grown, and will make a good crop under circumstances where the mangels would utterly fail. We recommend it to all who grow beets for cattle food, and also recommend it for trial by those who have failed to get satisfactory crops with the common varieties—as we think they could hardly fail to get good returns if they used this sort.

Per packet, 5 cents; oz., 10 cents; 2 oz., 15 cents; ¼ lb., 20 cents; lb., 50 cents.

CAULIFLOWER.

TRUE EARLY SNOWBALL.

There is no vegetable in which the quality of the seed is of more vital importance than the Cauliflower, and none in which it is more difficult to secure the best. During the past six years we have had samples from the best growers of this country and Europe planted on our trial grounds, and have carefully studied them all. As a result we present our stock of Snowball Cauliflower as *the very best in existence*. The plants are dwarf and compact, and with fair treatment every one will form a good head. Select heads of this variety are sold in New York market at very high prices as *Stone Cauliflower*. Our customers can plant this seed with the assurance of getting as good heads and as early as from any sort that is offered, for we have spared no pains to discover and secure the best without regard to cost. *See cut on page 25.*

Per packet, 25 cents; ¼ oz., \$2.25; 1 oz., \$4.00.

CABBAGE.

Early Jersey Wakefield.

Of late years this old and tried American sort has found rivals in some of the new French sorts, but this rivalry seems to have stirred it to greater improvement, and last season it outstripped all competitors. It is the hardest of all, and so can be set out earlier or wintered over easier than any other. It is a difficult sort to seed and consequently the seed is usually scarce and high, but we are able to offer this year at a moderate price a crop grown from selected heads which we think were the finest lot of this variety ever set for seed. We have no hesitation in offering this stock as the best in the country. If you want to be sure of a crop, every head of which is fit for market as early as the very earliest, try our Early Jersey Wakefield.

Per packet, 5 cents; oz., 30 cents; 2 oz., 55 cents; ¼ lb., \$1.00; lb., \$3.00.

ALL SEASONS CABBAGE

The Best Variety in Cultivation.

This is not a first early cabbage, but if all the sorts were planted at the same time, and cared for in the same way, this would mature just after the earliest of the Henderson's Early Summer. It is, however, so hardy and vigorous that it can be set much earlier than the Summer, so that we would be willing to undertake to produce in the open air merchantable heads of this sort earlier than could be done with the Summer or any other round or flat-headed variety, and would guarantee that we could commence cutting before all the Wakefield were fit to use. On the other hand, planted for fall crop and stored for winter and spring use, we have had no variety which has gone through the winter so well and been in so salable a condition late in the spring. Again, there is no cabbage which stands the summer sun after maturity better. We have found no sort, not excepting the Winningstadt, which was so sure to head as this. In quality it is equal to the very best, and it is also one of the handsomest cabbages grown.

Now, if to these qualities of the sort we add the fact that we never have seen so fine a lot of cabbages set for seed as those which produced the seed we offer—the entire lot, just as it run, having been so good that they averaged better than the best heads we could find in the market at that time—our customers will see that we have perfect confidence that this seed, if given half a chance, will produce a crop which will please them and make them as enthusiastic in their praise of the sort as we are.

Try some of the Best Seed of the Best Variety in Cultivation.

Per packet, 10 cents; oz., 40 cents; 2 oz., 75 cents; $\frac{1}{4}$ lb., \$1.25; lb., \$4.00.

GOLDEN YELLOW LARGE SOLID.

Early Boynton.

Unfortunately we lost the stock of this variety, which was originally introduced by us, and have been unable to offer it for several years, but those who are acquainted with it will be pleased to know that we have obtained a stock which is not only equal to that first sent out, but greatly improved in earliness and sweetness, and we offer this as the *earliest of the white cob sorts*, and fully as *early* as any variety in cultivation, while in quality it is greatly superior to any other early kind, and fully equal to the best late varieties.

Per packet, 10 cents; pint, 15 cents; quart, 25 cents; 4 quarts, 75 cents; bushel, \$4.50.

If by mail or express, prepaid, 15 cents per pint, 30 cents per quart, must be added for charges.

CELERY.

Golden Yellow Large Solid.

While the quality of Celery is largely the result of favorable conditions of growth, yet there is a difference in varieties, and among them all we think there is none more beautiful nor of better quality than this sort, and it is as self-blanching as any good Celery can be. The leaves are yellowish-green and the stalks blanch very quickly to a beautiful yellowish-white with yellow tips, and are of fine quality. It was frequently remarked by those who tested this sort from our grounds, "Why, I didn't know that celery could be so good." Those who plant this will have stems fully as handsome and much better in quality than the White Plume.

Per packet, 10 cents; oz., 30 cents; 2 oz., \$1.50; ½ lb., \$2.50; 1 lb., \$8.00.

CORN.

As in the case of Beans there has been within the past few years a great increase in the number of recognized varieties of Sweet Corn, but in this case the new sorts have come more from selections than from crossing. We have carefully watched these new sorts and present the following as the best.

Cory.

We think this as early as any variety in cultivation, and the ears are of good size and quality. Exceedingly popular both with market gardeners and amateurs. It is a selection from the marble-head and like that, has a red cob and dark grain when ripe, but when in boiling condition is very white.

Per packet, 10 cents; pint, 15 cents; quart, 25 cents; 4 quarts, 75 cents; bushel, \$4.50. If by mail or express, prepaid, 15 cents per pint, 30 cents per quart, must be added for charges.

CORY.

BOYNTON.

LEE'S EARLY.

EARLY SOUTHERN SWEET.

NE PLUS ULTRA.

OLD COLONY.

Leet's Early.

This is the best large-eared early sort, and was awarded the first prize as the best Sweet Corn at the Chicago Corn Show. It is a second early, with very large ears, and will be a very popular sort with market gardeners. Per packet, 10 cents; pint, 15 cents; quart, 25 cents; 4 quarts, 75 cents; bushel, \$4.50.
If by mail or express, prepaid, 15 cents per pint, 30 cents per quart, must be added for charges.

Early Southern Sweet.

We believe this is the only true hybrid corn in cultivation. We originated it by crossing the Cuzco, or Giant Mexican Maize, with our Sweet Corn, and then fixing the sweet character by crossing again and again with Minnesota. It is distinct in growth of stalk and blade, and we believe from careful tests that it will prove valuable for shipping, and at the South, where we think it will succeed in places where no other sweet corn can be grown. The skin is thick, but when cooked the ears are very sweet and good-flavored.

Per packet, 10 cents; pint, 20 cents; quart, 30 cents; 4 quarts, \$1.00; bushel, \$6.00.
If by mail or express, prepaid, 15 cents per pint, 30 cents per quart, must be added for charges.

No Plus Ultra (Little Gem, Hawaii, and many other Names).

Where size is not the most important consideration, this is one of the best of the late sorts. It keeps in condition for table use longer than any other; it is very productive, often bearing four and five good ears on a single stalk, and in quality it has no equal. The grain is so small and sweet that it is very hard to secure seed of good vitality, but ours has been so carefully grown that it is of high vitality, and we think cannot fail to give the most satisfactory results. Per packet, 10 cents; pint, 15 cents; quart, 25 cents; 4 quarts, 75 cents; bushel, \$4.50.

If by mail or express, prepaid, 15 cents per pint, 30 cents per quart, must be added for charges.

Old Colony.

Although this is one of the oldest varieties of Sweet Corn, yet it was lost to cultivation for many years, and has only recently been re-established, the ears are very large, and the grain is also large, very sweet and tender. The best late sort for a market where large size combined with the highest quality is demanded.

Per packet, 10 cents; pint, 15 cents; quart, 25 cents; 4 quarts, 75 cents; bushel, \$5.00.
If by mail or express, prepaid, 15 cents per pint, 30 cents per quart, must be added for charges.

CUCUMBER.

Chicago Pickling.

This is an exceedingly prolific variety with small well formed fruit, well covered with prickles and of unusually deep color. It is the most popular of any in the Chicago market.

Per packet, 5 cents; oz., 15 cents; 2 oz., 25 cents; ¼ lb., 40 cents; lb., \$1.25.

CHICAGO PICKLING.

ENDIVE.

Ever White Curled.

This sort is fully equal in quality to the green sorts, and it is so strikingly beautiful that it will outsell any other sort; a well grown plant of it being one of the most beautiful of vegetables. All who grow Endive should try it. Price, per packet, 5 cents; oz., 20 cents; 2 oz., 35 cents; ¼ lb., 60 cents; lb., \$2.00.

LETTUCE.

Buttercup.

In this new foreign sort, the leaves are of a beautiful yellow color making the plant very distinct and attractive. In addition to its beauty, it is of the best quality, and although a good forcing sort, still it stands the sun well; and is in useable condition longer than most varieties. We recommend it for trial. Price, per packet, 10 cents; oz., 30 cents; 2 oz., 55 cents; ¼ lb., \$1.00; lb., \$3.00.

Deacon.

For those who like a very thick-leaved, rich lettuce, this is the best of all, as the leaves are almost as thick as cabbage, but very tender and of good flavor. The inner ones are of a beautiful yellow color, making it very attractive.

Per packet, 5 cents; oz., 20 cents; 2 oz., 35 cents; ¼ lb., 60 cents; lb., \$2.00.

MUSK MELON.

Baltimore.

It is very difficult to secure a stock of Melon which will be uniformly good in quality, but we think this has been accomplished in this variety, and that our customers will find that if well cared for, every melon will not only be true in shape and color, but will be of excellent flavor. We recommend it as the best medium-sized, netted, green-fleshed sort for market or private gardens. Wherever a gardener planted this variety last season he soon had control of the market, as the fruit was uniformly good.

Per packet, 5 cents; oz., 10 cents; 2 oz., 15 cents; ¼ lb., 25 cents; lb., \$1.00

ENDIVE, EVER WHITE CURLED.

Hackensack.

We have been able by careful selection to secure a strain of this variety which is uniform in shape, size and quality. It is one of the largest and most showy sorts grown, and in this case size has not been gained at the expense of quality, the deep green flesh being quite equal to that of the smaller sorts.

Per packet, 5 cents; oz., 15 cents; 2 oz., 25 cents; $\frac{1}{4}$ lb., 40 cents; lb., \$1.25.

Montreal.

This is even larger than the Hackensack, and the flesh is sweeter although not so highly flavored. Our crop was grown from seed of selected melons

BALTIMORE.

grown under glass, and is much superior to that usually offered under this name.

Per packet, 5 cents; oz., 15 cents; 2 oz., 25 cents; $\frac{1}{4}$ lb., 40 cents; lb., \$1.25.

Surprise.

This melon is an illustration of the disadvantage of placing on the market a variety before it has become well established. As first sent out, it contained some of the finest flavored melons ever grown, but was uneven in character. By careful selection and fertilization we have been able to establish a stock which is uniform in color of skin and flesh, as well as in quality. Per packet, 5 cents; oz., 10 cents; 2 oz., 15 cents; $\frac{1}{4}$ lb., 25 cents; lb., \$1.00.

Vandalia.

This is an improvement on the old Long Yellow, or rather is between that and the Surprise in character, and will be welcomed by those who like the old-fashioned Cantalope of forty years ago.

Per packet, 5 cents; oz., 15 cents; 2 oz., 25 cents; $\frac{1}{4}$ lb., 40 cents; lb., \$1.50.

HACKENSACK.

MONTREAL.

VANDALIA.

WATER MELON.

Phinney's Early.

We are confident that this is the earliest, hardiest and surest cropper of all the melons. It is also of fine quality, with light pink flesh. We recommend it for gardens at the north, and for all locations where it is difficult to ripen melons well. Our stock is of exceptional purity and evenness.

Per packet, 5 cents; oz., 10 cents; 2 oz., 15 cents; $\frac{1}{4}$ lb., 25 cents; lb., 90 cents.

D. M. Ferry & Co's Peerless.

This old variety, originally introduced by us, still stands at the head of light rind melons for the family garden. It is so tender that it cannot be shipped long distances, but through the north it is so well and favorably known that the smaller home grown fruits of this variety are taken in preference to the larger melons brought from a distance. We offer seed saved from choice melons of our own selection and of very superior quality.

Per packet, 5 cents; oz., 10 cents; 2 oz., 15 cents; $\frac{1}{4}$ lb., 25 cents; lb., \$1.00.

Kolb's Gem.

This is essentially a southern shipping melon, and as such has no equal. Prominent commission merchants in New York, Chicago and other large cities, report that this is the favorite variety in their markets, always arriving in good condition and selling freely at an advance of five to ten dollars per hundred over other varieties. Melons from one of our forty acre fields were pronounced by good judges to be the best they had ever tasted, and the entire field was said to be the best in a section where the water melon is the principal crop. We can recommend it as of unequalled purity and excellence.

Per packet, 5 cents; oz., 10 cents; 2 oz., 15 cents; $\frac{1}{4}$ lb., 25 cents; lb., 90 cents.

— TWO —

Magnificent New Peas.

Nowhere do we exercise more care to secure purity and uniformity to the type which we find to be the most desirable than we do in our peas, and we believe that all our stocks of the various sorts are *unequaled*. We would call especial attention to two new sorts of the *early blue class* which has deservedly become so popular.

EARLIEST OF ALL.

We believe this to be the most uniform ripening extra early pea in existence, and that green peas can be picked from it earlier than from any other variety, except our First and Best, and as early as from that, with the advantage that the Earliest of All being a blue and semi-wrinkled sort is better in quality. In addition we make the claim based on careful examination of our seed crops as grown in the field, that a larger proportion of the pods can be gathered at the first picking than from any other pea offered. We have carefully compared this with the much-lauded Alaska and do not hesitate to say that our Earliest of All is earlier, more uniform, both in habit of vine and ripening, and in every way superior to any Alaskas, whether in sealed bags or in open bins, and can recommend it to the market gardener as the *earliest, most uniform, and the best* extra early blue pea ever offered.

Per packet, 10 cents; pint, 15 cents; quart, 25 cents; 4 quarts, 75 cents; bushel, \$5.00.

If by mail or express, prepaid, 15 cents per pint, 30 cents per quart, must be added for charges.

McBETH'S PRIDE.

This is a stronger growing sort than the Earliest of All, and is as early, *more productive*, with larger pods and peas of equal quality, but it is not so uniform in ripening. Where it is not of importance to get the ground cleared for a following crop at the earliest possible date, this sort is preferable on account of its greater productiveness. The originator maintains that careful comparison in the field has proved this to be decidedly earlier and better than the Alaska, and our observations in his fields and our own, and on our trial grounds, lead to the same conclusion. Its wonderful hardiness and productiveness giving us a larger return from the same amount of seed, enables us to offer it at a little lower price than the Earliest of All, but the stock is of equal purity and uniformity of type, and is only inferior to the Earliest of All in the single point of uniformity of ripening. We wish that every garden in the country might contain at least one row of McBeth's Pride, confident that wherever tested it will prove its superiority and become permanently popular.

Per packet, 10 cents; pint, 15 cents; quart, 25 cents; 4 quarts, 75 cents; bushel, \$4.50.

If by mail or express, prepaid, 15 cents per pint, 30 cents per quart, must be added for charges

EARLY DEEP SCARLET OLIVE SHAPED, SHORT LEAF.

RADISH.

Early Deep Scarlet Olive Shaped Short Leaf.

The tops of this exceedingly beautiful Radish are little if any larger than those of the turnip-rooted kinds, and the roots are considerably larger and of very deep, handsome color. They commence to form in from twenty to twenty-two days, and are not only handsome, but very crisp and tender. The gardener who first secures this sort will be able to get an extra price, as the color is deeper and more beautiful than that of any other variety. Per packet, 5 cents; oz., 10 cents; 2 oz., 15 cents; ¼ lb., 25 cents; ½ lb., 50 cents.

Non Plus Ultra, Scarlet Turnip.

This is probably the earliest Radish yet produced, the crop under favorable circumstances being fit for use in three weeks from time of sowing. The root is of fine, round form, bright scarlet in color, and the flesh is very tender and delicate in flavor. The top is very short, with but few leaves.

Per packet, 5 cents; oz., 15 cents; 2 oz., 25 cents; $\frac{1}{4}$ lb., 40 cents; lb., \$1.25

Long White Vienna.

We consider this the handsomest of all the White Radishes. In shape and size it resembles the Long Scarlet, and a few roots mixed with those of that variety add greatly to the beauty of the display either in the market or on the table.

Per packet, 5 cents; oz., 10 cents; 2 oz., 15 cents; $\frac{1}{4}$ lb., 25 cents; lb., 75 cents.

White Strasburg.

We have found this by far the best of the large white summer or fall sorts, and it has the advantage over most of them in that one may commence to use the roots in four or five weeks from planting, while they will continue to increase in size without deterioration in quality for a month or six weeks longer.

Per packet, 5 cents; oz., 10 cents; 2 oz., 15 cents; $\frac{1}{4}$ lb., 25 cents; lb., 80 cents.

NON PLUS ULTRA

TOMATO.

D. M. Ferry & Co's Optimus.

We are proud of being the introducers of this Tomato, for we believe it the best variety for general purposes in existence, and our stock is so pure that we went over a large field of it row by row without finding a single plant we cared to remove. The most experienced and careful of all German seedsmen, after comparing it with some eighty other varieties, pronounced it the best of all. The past season it has been thoroughly and carefully tested for canning, and it has proved to be the best canning tomato yet introduced. We could fill our Annual with unsolicited testimonials of its good qualities, but we do not care to say more. If you have tried it and been disappointed, it has been either because it did not have a fair chance, or because you had spurious seed, of which there has been unfortunately a large quantity sold, and we ask you to try our stock. If you have had the true sort you will want it again. If you have not tried it you need to do so if you wish to grow the best.

Per packet, 5 cents; oz., 35 cents; 2 oz., 60 cents; $\frac{1}{4}$ lb., \$1.00; lb., \$3.50.

White Apple and Golden Queen.

We think that the beauty of the Tomato as a fruit has not been appreciated, and we believe that any one who will try these two sorts will agree with us. The first is perfectly round and white, or a very light yellow color, and the most delicate and fruit-like in flavor of all. The second is round, of a rich yellow color, with a bright red cheek on the sunny side, and intrinsically as beautiful as the handsomest peach or plum.

Each of the above sorts, per packet, 5 cents; oz., 40 cents.

TOMATOES FOR PRESERVING.

HUSK.—This is the true ground cherry from which the most delicious preserves are made.

RED PEAR SHAPED.—The true Pear Shaped. Excellent for pickles or preserves.

RED AND YELLOW CHERRY.—The small, round fruit is much better for pickles than that of the larger sorts.

YELLOW PLUM.—Probably the best of all for preserving.

Each of the above five sorts, per packet, 5 cents; oz., 30 cents.

FLOWERS—NOVELTIES and SPECIALTIES.

ASTER TRIUMPH (Deep Scarlet).—The plant is quite dwarf, the individual flower stems are long and graceful, and bend with the weight of the very large flowers, which are of faultless pæony form, thus giving the plant when in full bloom a peculiarly graceful beauty which is found in no other variety. The flowers when first expanding are a pure scarlet, but change to a deep rich scarlet at full maturity. We consider it in habit of plant and beauty of flower the finest Dwarf Aster yet produced. Per Packet, 25 cents.

COSMOS BIPINNATA HYBRIDA.—This is one of the most effective of all the autumn flowering plants. They are quite hardy, grow rapidly, often forming bushes four feet or more high, and covered with a profusion of large, single, daisy-like flowers two to three inches round, and of a great variety of colors, but always bright and attractive. The seeds should be started early and the plants transplanted as soon as large enough. Per packet, 25 cents.

DELPHINIUM ZALIL.—This new larkspur is a real acquisition, and is the only really handsome yellow flowered variety. The flowers are about an inch in diameter, and are produced in spikes eight to sixteen inches long, nearly the whole of which is in full flower at once. The plant is similar to the Rocket Larkspur, having an abundance of deep green finely cut leaves, and blooms freely from May until August. Although a perennial, it will bloom freely the first year if started early. Per Packet, 25 cents.

HOLLYHOCK, CHOICEST DOUBLE.—We have grown the past season some of the finest double Hollyhocks we have ever seen, and offer the following shades as really superior to anything procurable elsewhere:

Double Pure White.—Beautiful clear white. Per packet, 15 cents.

Double Rose.—Very double; beautiful clear pink color. Per packet, 15 cents.

Double Lemon Yellow.—Very perfect in form and very double. Per packet, 15 cents.

Double Salmon.—Flowers very large and double; salmon suffused with pink at edge. Per packet, 15 cents.

Double Crimson.—Blooms very large, exceedingly double, and of a rich, deep crimson color. Per Pkt., 15c.

One packet each of the above five choice colors, 60 cents.

MINA LOBATA.—This has proved one of the most useful and beautiful of the summer climbers. The plants grow as rapidly as the Cobaea, and will cover nearly as much surface. They delight in the hottest sunshine, and will be fresh and bright when most plants are wilting. In the latter part of summer the plant covers itself with its peculiar long two-pointed racemes of beautiful flowers, there frequently being 100 to 150 on a single stem. Very desirable. Seed should be started early, but the plants should not be set out of doors until settled warm weather.

Per packet, 25 cents.

MOON FLOWER—Calonyction Grandiflora.—Few plants have suffered so much in reputation from the sale of an inferior one under the same name as has this. There are a number of Ipomoeas which are night-blooming, and are popularly called Moon Flowers, but they are all rather shy bloomers. While the plant we offer is a very free bloomer, and the flowers are larger, open earlier in the evening, are much firmer in texture, and remain open much longer. Last season the demand created by the beauty of the flowers and its extensive advertising, soon exhausted the supply of the true Moon Flower (*Calonyction Grandiflora*), and many seedsmen substituted *Ipomoea*, *Bona Nox*, and other varieties, for it, and disappointment was the result. The true Moon Flower is the most vigorous of all summer climbers; a single plant can easily be made to cover, by August 15th, a trellis thirty to fifty feet high and six feet broad, with a dense mass of leaves, studded every night or cloudy day with hundreds of beautifully white and wax-like flowers four to six inches in diameter, and of the shape shown in our cut, and it will continue to bloom freely until killed by severe frosts. We can recommend this as the best and most vigorous summer climber in cultivation, and urge every one of our readers to try it, even if they have been disappointed in plants or seeds procured from other sources under the same name.

Per packet, 25 cents.

HOLLYHOCK, DOUBLE.

MOON FLOWER.

ated by the beauty of the flowers and its extensive advertising, soon exhausted the supply of the true Moon Flower (*Calonyction Grandiflora*), and many seedsmen substituted *Ipomoea*, *Bona Nox*, and other varieties, for it, and disappointment was the result. The true Moon Flower is the most vigorous of all summer climbers; a single plant can easily be made to cover, by August 15th, a trellis thirty to fifty feet high and six feet broad, with a dense mass of leaves, studded every night or cloudy day with hundreds of beautifully white and wax-like flowers four to six inches in diameter, and of the shape shown in our cut, and it will continue to bloom freely until killed by severe frosts. We can recommend this as the best and most vigorous summer climber in cultivation, and urge every one of our readers to try it, even if they have been disappointed in plants or seeds procured from other sources under the same name.

Per packet, 25 cents.

PHLOX DRUMMONDII GRANDIFLORA ALBA.

PANSY, Red Flowered, Victoria.—This is a new color among pansies. The large blooms are of good substance and form, and deep claret-red similar to that of the blood-red variety of single wall flowers. They come very true from seed, and cannot fail to please the pansy fancier. Per packet, 25 cents.

PANSY, Bugnot's Very Large Stained, Mixed.—This is a very large flowering race in which the plants are vigorous, with short stalks bearing well above the foliage large flowers which are at the same time of fine form and substance and very brilliant and varied in coloring. Very desirable. Per packet, 50 cents.

PHLOX DRUMMONDII, Grandiflora Alba.—We never have seen a stock of large-flowered White Phlox at all approaching this in purity or beauty. It is of our own growth, and will be found superior to any White Phlox hitherto offered. Per packet, 15 cents.

VERBENA, Hybrida Compacta, Mixed.—This is a new departure in Verbenas, and quite distinct from anything now in cultivation. The plant forms a compact bush about five inches high and eighteen across, covered throughout the season with large trusses of flowers fully equal in form to the best of the old bedding or creeping sorts. As first sent out, white was the only color, but now we have scarlet and violet as well. Per packet, 25 cents.

VERBENA, Mammoth, Mixed.—We have succeeded, after raising thousands of seedlings and propagating by cuttings all the named varieties of Mammoth Verbena we could procure, in raising a crop of seed of this variety, and offer it to our customers, confident that they will be able to raise from it verbenas quite equal in size of flower and beauty of color to those propagated from cuttings of named varieties. This seed is of our own growing, embraces a wide range of beautiful colors, and will please all who give it a trial. Per packet, 25 cents.

Farm and Garden Tools.

This very complete line of Tools is very popular, and very deservedly so. They are reliable and very accurate and do not get out of order. All of them have been either entirely remodeled or greatly improved for the coming season's work. SEND FOR THE 1888 CATALOGUE, 40 Illustrations, Full Descriptions. FREE.

THE "PLANET JR." NO. 2 SEED DRILL.

Sows all garden seeds accurately at any desired thickness or depth, opening, dropping, covering, rolling down and marking the next row all at one passage in the most perfect and reliable manner. It holds $2\frac{1}{2}$ quarts. It has no cams, levers, brushes, cogs, springs or shakers to get out of order; it is noiseless, automatic, self-cleaning and accurate; it is remarkable for simplicity, strength and for ease and perfection of work in the field. No one having use for a Seed Drill can afford to buy any other; it is the best.

Price, boxed and delivered at Depot or Express Office, \$9.00.

Truckers, market gardeners, onion growers and all who raise vegetables in quantity should supply themselves also with the "Planet Jr." Double Wheel Hoe. (Described below).

THE "PLANET JR." COMBINED DRILL,

Wheel Hoe, Cultivator, Rake and Plow.

This tool is unrivaled in beauty of design, perfection of finish, convenience and capacity for work; it is suitable for either the farm or the garden. As a Seed Drill it is the same as the No. 2 (see description above), except in size. It holds one quart. For after care of the crop it is supplied with a pair of rakes, a pair of long hoes, three reversible cultivator teeth and a large garden plow. As a Rake, it is invaluable in preparing the garden for planting, and also for delicate after cultivation of the crop and for covering seeds, etc., etc. As a Hoe, it works safely and closely both sides of the row at once when plants are small: between rows when plants are large, working all rows up to 16 inches wide at one passage. As a Plow, it opens furrows, covers them, hills, plows to and from, etc. As a Cultivator, it is admirably adapted to deep mellowing of the soil. All the blades are tempered and polished steel.

Price, boxed
and delivered
at Depot or
Express Office,
\$12.00.

The "Fire-Fly" Wheel Garden Plow.

Makes the care of a vegetable garden a pleasure, and 10,000 families who could not find time to keep a garden, if attempting cultivation with the ordinary hand hoe, can raise their own vegetables successfully with the "Fire-Fly." It takes the place of the horse plow, or cultivator, requiring no wide headlands to turn on, and is invaluable during all the gardening season.

Price, Delivered at Depot or Express Office, \$2.50

The "Planet Jr." Double Wheel Hoe, Cultivator, Rake and Plow.

This very popular tool has been *completely remodeled*; is greatly simplified, strengthened, improved, and merits the thorough admiration of every practical gardener. Each tool is sent out with a pair of rakes (new this season), a pair of hoes, four cultivator teeth and a pair of plows. The wheels are adjustable in height, and the arch is 14 inches high; thus enabling the operator to work both sides of the row at once, unless the plants grow over 18 inches high; then the wheels can be set to run close together and the tool used between the rows. Leaf guards, new this season (detachable), go with each machine, to be used when plants extend into a wide row. This tool is light, very simple, made of the best material and highly finished, and nothing can exceed the perfection and variety of work it performs. Price, boxed and delivered at Depot or Express Office, \$8.00.

PLAIN DOUBLE WHEEL HOE.

To meet a demand from some sections of the country, we offer the "Planet Jr." Double Wheel Hoe, just described, with only one pair of *Hoes*, and without leaf guards, under the name of "Planet Jr." Plain Double Wheel Hoe. This will make a very effective and cheap tool for parties who have limited work.

Price, boxed and delivered at Depot or Express Office, \$4.50.

"Planet Jr." Single Wheel Hoe, Cultivator and Plow.

In improving this tool care has been taken to combine extreme lightness, strength, variety of tools, and great adjustability. It has *one pair of long and one pair of short exchangeable hoes, three reversible cultivator teeth, and a steel garden plow*. All the blades are tempered and polished steel. This tool is pronounced by practical men as without an equal in beauty of design and finish, ease of operation, quality of work and variety of adjustment, and in this improved form is, unquestionably, the lightest running, the most convenient and practical Single Wheel Hoe known.

The form of the blades has proved superior to all othershapes insuring a forward slanting cut next to the plants and consequent close work *without danger*, and at the same time thorough *cultivation of the soil*. The cultivator teeth, in combination with the hoes, enable the operator to perform almost every variety of work, either in the field or garden.

All rows, from *six to eighteen inches* apart, can be perfectly hoed *at one passage*. The frame allows every desirable adjustment, is quickly raised or lowered to regulate depth, and the wheel can be attached centrally or to *either side of the machine*, giving the operator the *important advantage* of hoeing both sides of the row at one passage when desired. Price, boxed and delivered at Depot or Express Office, \$6.00.

The "Fire-Fly" Single Wheel Hoe, Cultivator and Plow.

This convenient tool has rapidly convinced practical gardeners of its high merits. It is also remodeled, and has the broad-faced wheel. It combines lightness and strength with the greatest adjustability, while its highly polished and tempered steel tools make gardening comparatively a pleasure. The tools are all made after the most perfect models, and are, first, a *pair of admirable hoes* which can be set to work to or from the row and to any desired depth. Next, a set of *three reversible cultivator teeth* to be used together or singly in conjunction with the hoes. Third, a

large, excellent garden plow. The whole tool is light and strong, attractive in appearance, and capable of standing hard usage for years, while the price is its final recommendation. Price, boxed and delivered at Depot or Express Office, \$5.00.

Same tool as preceding, with Iron Handle, 1887 pattern, price, boxed and delivered at Depot or Express Office, \$4 50.

MATTHEWS' GARDEN SEED DRILLS AND CULTIVATORS.

MATTHEWS' GARDEN SEED DRILL.—We know of no hand Garden Drill, for sowing vegetable seeds, etc., which has met with more popularity than the Matthews Garden Seed Drill among market gardeners everywhere.

It is designed for use in field and garden. When in operation it opens the furrow, drops the seed accurately at the desired depth, covers it, and lightly rolls the earth down over it, and at the same time marks the next row. It will sow *Beet, Carrot, Onion, Turnip, Parsnip, Sage, Spinage, Sorghum, Peas, Beans, Fodder Corn, Broom Corn, etc.*, with a certainty, regularity and rapidity, impossible for the most skillful hand.

A valuable feature in this Drill is its patent INDICATOR, with names of different seeds on it, for adjusting the Drill to sow different kinds of seed, which is done by simply turning the Indicator until the name of the seed you want to sow comes to the top. No other drill is furnished with this ingenious device.

The drill is made of the best material throughout and is complete in all its arrangements.

Price, Boxed and Delivered at Depot or Express Office, - - - \$10.00.

MATTHEWS' IMPROVED DRILL AND CULTIVATOR COMBINED.

—The Matthews Drill and Cultivator Combined has been greatly changed and improved. As a drill it now possesses all the features of the Matthews' Garden Seed Drill of a smaller size. It has the same patent Indicator as that. The Cultivator attachment has also been greatly improved by providing it with a new set of teeth of an improved pattern, with STEEL BLADES of the best quality, so that as a Cultivator it is now similar to the Matthews Improved Hand Cultivator. This machine is very efficient, either as a Drill or a Cultivator, and will be found to be adapted to any kind of soil.

Price, Boxed and Delivered at Depot or Express Office, - - - \$12.00

We can furnish for the Matthews Improved Drill and Cultivator Combined, if desired, a pair of superior style *Hoes, with long*

Steel Blades, for use in exchange with the cultivator teeth, which are easily and quickly adjusted. Price per pair, complete, delivered at Depot or Express Office, **\$1.50.**

MATTHEWS' IMPROVED HAND CULTIVATOR.—The Matthews Hand Cultivator has been greatly improved. It is now made with a larger wheel, and with a larger flange to it. It is also provided with a new set of teeth of an improved pattern, having STEEL BLADES of the best quality, and as now constructed is greatly superior to what it was before, and is perfectly adapted for use in any kind of soil.

It is thoroughly constructed throughout, very durable and easy to operate. A boy can do as much with it as six men with hoes. It spreads from six to fourteen inches, and will cut all the ground covered, even when spread to its greatest extent. The depth of the cultivation may be accurately gauged by raising or lowering the wheel, which is quickly done.

Price, Boxed and Delivered at Depot or Express Office, \$5.00

We can furnish for the Matthews Improved Hand Cultivator, if desired, a pair of superior style *Hoes, with long Steel Blades*, for use in exchange with the cultivator teeth, which are easily and quickly adjusted. Price per pair, complete, delivered at Depot or Express Office, **\$1.50.**

GEM OF THE GARDEN.

Hand Wheel Hoe and Cultivator.

This implement is offered to gardeners and others with the assurance that it is the most effective and convenient tool of the kind yet invented. Its working parts are: two Scuffle or Cutting Blades, one $4\frac{1}{2}$, and one 9 inches wide; two Plows, right and left hand; five Stirring Teeth; all made of best steel.

The wheels and handles of the "GEM" are both adjustable in height, while the frame is so slotted that the hoes, teeth and plows can be set in almost any position or angle. The Scuffle hoe makes a clean cut and is followed by the teeth—five or less—which thoroughly pulverize the soil, and drag out and expose to the sun the roots of the weeds cut by the hoe. In use, keep the tooth on the right, quite as far out as the end of the hoe, using it as a guard; being of

such slender shape it will not throw dirt enough to cover small plants. The hoes, of thin steel, and presenting nearly a straight line to the work, avoid the "dodging" so common to tools of this kind.

Price, Boxed and Delivered at Depot or Express Office, - - - \$5.00

**IT WILL PAY ALL OUR CUSTOMERS THIS SEASON
TO TRY OUR**

**New Wax Beans, All Seasons Cabbage, our Two New Peas
AND ALL THE FLORAL NOVELTIES
DESCRIBED ON PAGES 10 AND 11 OF THIS SUPPLEMENT.**

THE WEED SLAYER.

In offering this tool we are confident from our experience with it that it is a very superior tool for use in the garden among onions, turnips, corn, potatoes, strawberries, etc., and for weeding among flowers and in gravel walks. It is light, weighing but 7 lbs.; strong, made of the best steel and iron; adjustable to any height of person, and cutting from one-half inch to one and one-half inches under ground and 7 inches wide.

TESTIMONIALS.

"Will pay for itself every day."—*Rural New Yorker*.
 "There is some pleasure and profit in raising onions now."—*J. L. Elmendorf*.

Price, packed and delivered at Depot or Express Office, \$2.00 each.
 Three in one shipment, \$5.00.

THE "PLANET JR." HOLLOW STEEL STANDARD HORSE HOE AND CULTIVATOR COMBINED.

No tool which has ever been offered to the American public has so rapidly gained in favor as the "Planet Jr." HOLLOW STEEL STANDARD HORSE HOE AND CULTIVATOR COMBINED. This is due to the fact that for the cultivation of all farm crops none equals it in ease of handling, variety and quality of work done, and lightness of draft.

It is made entirely of iron and steel, except the handles; has an expanding frame, which can be closed to five inches or opened to twenty-four, and is provided with such a variety of adjustable teeth as enables it to do all kinds of one-horse cultivation. The front two teeth are three inches wide, and of such a form as is best adapted to enter the soil, cut off the roots of growing weeds, and turn them upside down while preparing for the easy working of the rear blades. The cultivator teeth can be set to work deep or shallow, as desired. The patent side steels are five inches wide, and by means of the patent side standards can be turned at any angle desired, or completely reversed. This feature is

PRICE:

Including Wheel, delivered at Depot or Express Office, \$11.00.
 Without Wheel, delivered at Depot or Express Office, \$10.00.

found on the "Planet Jr." Horse Hoe alone. The rear steel is seven inches wide, and designed to fill in the furrows made by the side steels, leaving a finely shaped bed around the plants. The tool is also furnished with three extra cultivator steels which can be placed on the three rear standards when desired, thus making it a plain cultivator. All the standards now used on the "Planet Jr." Horse Hoe are made from heavy sheet steel, struck up into the proper shape by special machinery. These HOLLOW STEEL STANDARDS are far superior to any other ever before offered to the public, and are a distinguishing feature of the Improved "Planet Jr." Horse Hoe.

ONION HOE.—To supply the demand for a tool exactly adapted to Onion culture, we have placed in stock the **Crescent Scuffle Hoe**, which we consider equal

to anything we have ever seen for the purpose. The shape of the blade makes it work rapidly, easily and with great efficiency. It cuts both backward and forward, and leaves the surface of the soil smooth. It is also useful for cutting runners from strawberry vines and trimming lawn edges.

Price: Hoe (with handle), delivered at express office, 75 cents, the purchaser paying express charges. Hoe (without handle), by mail, postage paid, 75 cents.

EXCELSIOR WEEDING HOOK.

EXCELSIOR WEEDING HOOK.

For weeding flower beds or vegetable gardens. It will work well among rows of seedlings, among ornamental plants, or in any place where freedom from weeds is desired. It removes the weeds with far greater rapidity than in the usual manner, without injury to the plants, and will pay for itself in one day's use. **Price, postpaid, 25 cents.**

HASELTINE HAND WEEDER.

Haseltine Hand Weeder and Scraper.—The latest and best hand weeder for use either in the flower or vegetable garden. For Onions and Strawberries it is simply indispensable. It is rapid, easy, and thorough in its work. The blade is $\frac{3}{4}$ inch wide, $\frac{1}{4}$ inch thick, solid steel, oil tempered, and has five sharp edges. The cut is one-sixth full size. **Price, postpaid, 30 cents.**

GUY'S GERMAN PLANT FOOD.—For Flowers, Foliage Plants, Palms, Ferns, Bulbs, etc. Composed of nitrogen, ammonia, and other chemicals essential to the growth of plants, producing a luxuriant growth and generous blooming. Plants fed with it are not often troubled with insects. Put up in wooden boxes with full directions for use. **Price, small size box, for testing, by mail, postpaid, 15 cents; larger sized box, containing five times the quantity, by mail, prepaid, 40 cents.**

THE CONCAVE AND CURVED SEED POTATO KNIFE.

Cut with a thin straight knife a slice lengthways about $\frac{1}{8}$ inch thick from the center of a potato and hold it between you and the light. Feeders from the eyes will be shown as in Fig. 1.

If these feeders are interfered with, either by cutting them off or shaving too close to them, the vitality will be greatly reduced.

It is evidently desirable then, in cutting potatoes for seed, to conform to the structure of the tuber. With the common straight knife this is impossible.

The Concave and Curved Seed Potato Knife meets these requirements fully. It will cut two or three eyes in a piece better than any other knife, and will cut to single eyes without coming in contact with feeders, leaving the pieces in good shape to handle either by hand or with machine.

The great superiority of this knife lies, not so much in the saving of seed as in the increase in yield, for it is a recognized fact that potatoes cut to single eyes and planted in drills will produce the largest crop, and this is the only knife that will cut them to single eyes without injuring the vitality. Full directions for using accompany each knife. **Price, postpaid, 35 Cents.**

LADIES' FLORAL TOOLS.

These Floral Sets are now so universally known that they need no description. They have steadily increased in public favor ever since their introduction several years ago, and have received the unqualified approval of all, we believe, of the leading florists of the country, and will be appreciated by every lady in the land who cultivates flowers.

Sets of four pieces. price per set, \$1.25, postpaid.

"PERFECTION" REVOLVING LAWN AND GARDEN SPRINKLER AND FOUNTAIN.

Guaranteed to do as much as any Sprinkler made.—The Perfection is warranted to accomplish as much as any Sprinkler in the market at the same pressure, and its superiority is shown by its simplicity, ease with which it can be cleared of any obstruction, effectiveness while working in a strong wind; also the circle watered can be reduced to any desired size, by turning the supply partly off. By its simple construction it can be used on hill side or terrace. In connection with a force pump, it can be used with good effect in green-houses, hot-beds, etc. The bearings and working parts are made of brass, and it is complete in itself; it has only to be screwed to the hose, and the pin stuck into the ground to be used. **Price, postpaid, \$1.25.**

BRASS GREEN-HOUSE AND GARDEN SYRINGES.

These Syringes are useful for all horticultural purposes, and are fitted with caps or roses for ejecting water in one stream, or dispersing it in the most gentle manner, or with great force, when required. They are specially adapted for cleansing plants and flowers from those destructive insects which are so injurious to them by means of whale oil soap, tobacco juice, etc. They are very strongly made from the best quality of brass, finely polished, elegant in appearance, not liable to dent or become injured, strong in all their parts, and if properly cared for, will last a lifetime. *Sent only by express at expense of purchaser.*

No. A, one stream and one spray rose.....	\$2 25	No. 0, one spray rose, holes of large size.....	\$2 50
No. B, " " " ".....	2 75	No. 00, " " " ".....	3 00
No. C, " " " ".....	3 50	No. 1, one spray rose, and one stream rose....	3 00
No. D, " " " ".....	4 50		

THE IMPROVED HYDRONETTE PUMP.

The Improved Hydronette is an invaluable implement for sprinkling flowers, watering lawns, washing windows, carriages, etc., and for extinguishing fires. It is made in a very durable manner, and cannot easily get out of order. The pump has a sprinkler and rubber hose attached, it will sprinkle your flowers, wash your windows, destroy worms on grape vines, tobacco plants and potato vines, and commends itself to every gardener, farmer and householder. Throws a stream 20 to 30 feet.

Price, delivered free at Express Office here, \$8.00. On receipt of **\$8.75** we will deliver **free** anywhere in the United States.

D. M. FERRY & CO.'S

—1888—

Seed • Annual.

FEW things give the average American greater delight than to look back upon a big day's work well done, and to see that every stroke has told for the advancement of his object. In such cases, tired, aching limbs only add to the pleasure. It is with some such feeling that we look back upon the year's work, and it is a pleasure for us to give our readers some account of it and its results.

When we realized in January, 1886, that much of the stock seed, to produce which we had expended so much thought, time and money, and from which we had hoped to grow in 1886 the finest crops of Vegetable Seeds that had ever been produced in America, was gone, the first feeling was one of despair; but the encouraging words and kindly offers of help from our customers and friends forbade that we should give up, and our entire force, from the head of the house to the humblest employee, threw themselves into the labor of re-establishment with an

SCENE ON D. M. FERRY & CO'S GREENFIELD SEED FARMS--HOEING BEETS.

energy, industry and earnestness which could not fail of success. We found in many cases that small quantities of many of our choicest stocks were preserved on our farms, in our other warehouses, or in the hands of our growers, and were available in starting a new stock. Where this was not the case, we secured from every available source—including the originator of the variety, wherever this was possible—new stocks, which were all carefully planted and compared. Many of these, from the most reputable sources, and some even from the originators themselves,

View on D. M. Ferry & Co's Trial Grounds—Looking North.

SCENE ON D. M. FERRY & CO'S GREENFIELD SEED FARMS--CURING ONION SEED.

proved quite inferior. From among them all, however, we were able to select very choice stock seeds, and with these we entered upon the season of 1887, full of determination that if labor and care, directed by experience, could secure it, our 1887 crops should be superior to anything ever grown in this country. To secure this result we have not spared labor or money, and we feel satisfied with the result.

It is not in seed growing alone that this has been an unusually busy year. In every department there has been the same earnest, incessant labor; and in the planning and building of our new warehouse everything that the most careful thought and long experience could suggest has been done to make it the most perfect possible. January 1st, 1888, finds us with the choicest

View on D. M. Ferry & Co's Trial Grounds — Looking East.

crops of seeds ever harvested, stored in the largest, best arranged and most complete seed warehouse in the world, and with the most perfectly organized, well trained and complete corps of seedsmen to handle them. It is with the assurance of knowledge, and not of conceit, that we say to all who use seeds of any kind, "You cannot have your orders filled more promptly and accurately with better goods than by us."

We ask that you will look for a moment at some of the facts on which we base this assurance. First,

OUR GREENFIELD SEED FARMS.

These are near Detroit, on the East Boulevard and Grand River Avenue, and some idea of their extent can be formed from the fact that on them we often have unbroken rows of Onions nearly one mile long. We do not pride ourselves, however, on their extent so much as upon their perfect condition and remarkable productiveness, resulting from rich soil, good drainage, and thorough and skillful cultivation. How thorough and skillful the cultivation is may be judged from the fact that even with so precarious a crop as Onion seed we have not failed to secure good returns every season for twelve years. Besides Onions, we grow large crops of Beet and other seeds, in the production of which the utmost pains is taken in the selection of the most perfect roots, rejecting everything that does not come up to a high standard. The labor is mostly performed by women, 150 of which are sometimes at work at once. An illustration of a group of them hoeing Beets may be seen on page 1.

Some of the energy and vim with which the work is pushed may be gained from the fact that the entire root setting of Beets, uncovering of seed Onions, and planting for the next year's crop, is generally accomplished in ten days, thus doing everything at just the right time, which is the key to success in all agricultural operations. Anyone who has attempted to grow seed knows that the raising of the seed is not all. It must be properly harvested and cured, and for this work we have the most complete and perfect buildings and machinery that money and experience can construct. A view of one of our seed houses filled with Onion seed in the ball and curing is shown on page 3.

It would be impossible to grow all our seeds in one locality, much less on a single farm, so we have many of them grown for us on contracts with experienced growers in all parts of the world. They are, however, grown under our direction, from our own select stock seeds, and we visit and carefully inspect the fields, so that the crops are just about as completely under our control as if on the home farm.

OUR TRIAL GROUNDS

are also an important part of our system. They are located within the city, on Ferry Street, and occupy some ten acres.

Here each of the thousands of different lots of seed we handle is tested as to vitality and purity, and samples of the stocks of other growers and of any new varieties that may be offered are grown for comparison. These grounds are in charge of an experienced and competent superintendent, and the work is done in a thorough and careful manner, so that the results obtained are very much more valuable and reliable than those obtained in the usual method, which consists in the seedsmen's contracting with some local gardener to test his samples at so much a piece.

TRIAL GROUNDS--OFFICE AND GREENHOUSE.

One point in which they differ from most trial grounds is in the quantity of the samples planted. In 1887 we set ten plants each of 104 samples of Tomatoes, one rod of drill each of 200 samples Bush Beans, twenty-five feet of drill each of 146 samples of Corn, and other

D. M. FERRY & CO'S NEW CENTRAL SEED WAREHOUSE.

ERECTED BY THEM IN 1897.

vegetables in proportion. Each sample of the Tomatoes was picked, described, counted and weighed every week after they commenced ripening. Those of the Beans and Corn were picked, described, and the pods and ears counted as fast as they matured. That these quantities are much larger than those usually planted by seedsmen, even where they have their own grounds, is evident by the exclamation of one who is familiar with most of the Trial Grounds in this country: "Why, I don't call this a Trial Ground; I call it a Seed Farm." We present three different views of these grounds, including a view of the Office and Greenhouse, where a sample of every lot of seed we offer is first tested as to vitality.

Finally, we would call attention to our

NEW CENTRAL SEED WAREHOUSE.

This occupies the site of the one destroyed by fire, and covers one-half a city square, extending 300 feet on Brush and 120 feet each on Croghan and Lafayette Streets. It is six stories high, with a deep and light basement under the whole, giving an aggregate of nearly six acres of floor space. It is built after the mill construction or slow burning plan, with heavy exterior walls of brick and stone, which, with the very thick division walls, extend well above the roof, so that while seemingly a single building, it is in effect five distinct buildings. The floors are formed by thoroughly spiking together 2x8 joists laid side by side, and on this a wearing floor of maple; thus forming a solid floor nine inches thick, and capable of supporting almost any weight. This, in case of fire, will burn but very slowly, and has the additional advantage of offering no hiding place for rats and mice. The floors are supported by very heavy beams resting on solid oak pillars. A great deal of thought has been expended upon the arrangement of the interior, and we believe it to be the most perfectly arranged and most convenient seed house in existence.

We have also spared no pains or expense in securing the comfort and complete security to life of the hundreds who find employment here. In addition to the principal stair-case leading to the main entrance on Brush Street, shown in cut, there are two other stair-cases to be used in case of fire or other emergency, and three powerful hydraulic elevators each running from basement to top floor. Both the elevators and stair-cases communicate through corrugated iron doors with each floor, and are completely enclosed by substantial brick walls, rendering egress from every floor easy and safe under all circumstances. The building is lighted throughout by electricity, something over 800 Edison incandescent lamps being used. We have adopted this system, after the most careful consideration of the subject, as the safest and best means of lighting to be had. Fire is further guarded against in every part of the building by automatic sprinklers, one or more of which would be set going by the heat generated by an incipient fire, and which would be sure to extinguish it or at least hold it in check until help could arrive. In short, we have done everything that experience could suggest or money procure to make this the most perfect seed house in the world, and believe we have succeeded. Directly opposite our Central Seed Warehouse, is

OUR BOX FACTORY.

It is a three-story building, in the same architectural style as the warehouse, and especially adapted to the manufacture and repair of our boxes, of which we have in use over 250,000. Here, in the busy season, 100 men are at work with various machines designed especially for us, and capable of doing everything from the sawing of the lumber to the sand-papering of the finished boxes. We annually manufacture over 700,000 feet of lumber, much of it black walnut, into about 35,000 boxes.

OUR CANADIAN BRANCH.

For the accommodation of our Canadian friends we have a branch establishment at Windsor, Ontario, opposite Detroit. Although connected by telephone, and but a few minutes' ride from our central store, this is an entirely distinct establishment. The stocks, which are essentially duplicates of those used in the States, are imported directly into Canada. By this arrangement we are enabled to execute promptly all Canadian orders in large or small quantities, by express or freight, without the vexatious delays and expensive processes of entering and paying duties on small parcels.

FORMATION AND MANAGEMENT

— OF —

Vegetable Gardens

SITUATION AND EXPOSURE.—One of the most frequent causes of failure of the vegetable garden is the attempt to combine it with the orchard and small fruits. Good vegetables cannot be grown in the shade, and even if the space is limited it is better to have a very small vegetable garden unshaded than to attempt to grow them in an orchard. A second cause of failure is so arranging the garden that a horse cannot be used in cultivation. On the farm especially, it should be placed so as to be easily reached from the barn. Abrupt slopes in any direction are to be avoided. A gentle inclination to the south and east is the warmest, will give the earliest vegetables, and be best for Corn, Melons, Tomatoes, etc., but it suffers more from a spring or early fall frost, because of receiving the direct rays of the morning sun. An inclination to the north and west is later, suffers less in a drought, and is the best for Peas, Cabbage, Lettuce, etc. So it is an advantage in a large garden to have both these exposures, but for small gardens a gentle inclination to the south and east, or a level surface, is the best.

SOIL.—A good garden *can* be made on *any soil*, but that best suited to the purpose is a deep, rich, friable loam, resting on a sand or gravelly subsoil; and the more nearly other soils can be made to approach this the better. This may be accomplished in tenacious clays (and must be for a good garden) by good drainage, deep and judicious cultivation, use of coarse manure, and liberal applications of leached ashes, sand, and in some cases of peat. If the soil is naturally too light and sandy, it may be improved by rolling and the use of large quantities of well composted manure and muck and by dressings of clay.

SIZE AND FORM.—A single bed ten feet square, well manured, well spaded, and thoroughly cultivated and cared for, will produce more *good* vegetables, be more profitable, and give better satisfaction, than an acre unmanured, half prepared, and poorly cared for. Our golden rule for size is, make your garden *no larger* than you can prepare and care for in the best possible manner. If it all has to be done by hand, it will take the entire time of one man to keep in good order a garden of one acre, but if it is so arranged that the horse cultivator can be used, he can care for four times that area. In village gardens, the form is usually determined by that of the lot, but where there is a choice, a rectangle several times longer than wide, the sides running from north to south, is the most economical; if this can be so placed that a space of eight feet wide at both ends or along both sides can be left for a horse to turn in, it will be a great advantage.

DRAINAGE.—Nothing is more essential for a good garden than good drainage. It is impossible to raise a supply of fine vegetables without it. If the soil is at all wet, it should be well drained with tile, but if this is not possible, something can be gained by ploughing or throwing the soil up into beds from six to thirty feet wide, with smooth bottom trenches between them to collect and carry off the surface water.

MANURES.—For garden purposes there is nothing better than well rotted stable manure, with which tobacco stems, bones, leaves, or any refuse vegetable or animal matter may be composted with advantage. It should be applied at the rate of one ton or an ordinary wagon load for every 500 square feet. This should be ploughed in unless the soil is quite sandy and the manure very fine, when it may be applied on the surface, and simply harrowed or raked in. Plaster, salt, wood ashes, guano, ground bone, all are valuable and can be used to advantage in connection with the stable manure. Plaster should not be applied until the plants are well up. Ashes should not be mixed with the other manures, and may be sown broadcast and raked in just before planting: Guano, ground bone, and superphosphate should be applied to the surface just before planting, spreading it about as thick as saw dust is usually spread on a floor, or using 1,800 to 2,500 lbs. to the acre, and carefully raked into the surface soil, for if it comes in contact with the seed or starting roots it will kill them. In some cases sand, leached ashes and peat on clay soils, and clay and muck on sandy soils, will prove as valuable as manures. Occasionally a spot which has been used for a garden for many years will become unproductive in spite of liberal manurings. We know of no other remedy than to abandon it for a garden, seed down to clover and allow it to remain two years when it may be ploughed under, and the garden will be found to have regained its original fertility.

PREPARATION OF THE GROUND.—Thorough preparation of the ground is of vital importance in raising good vegetables; if this work is well done, all that follows will be easier. The garden should be *well* ploughed or spaded, taking care if it is a clay soil that the work is not done when it is too wet. If a handful from the bottom of the furrow moulds with slight pressure into a ball which cannot be easily crumbled into fine earth again, the soil is too wet, and if plowed then will be hard to work all summer. The surface should be made as fine and smooth as possible with the harrow or rake, and in case of sandy soils, it should be rolled with a heavy roller. It is generally necessary to plow the whole garden at once, and to do this in time for the earliest crops, but the part which is not planted for some weeks should be kept mellow by frequent cultivation. Stiff clay soils are frequently wonderfully improved by trenching, that is spading two feet deep in such a way as to leave the surface soil on top. This is accomplished by digging a trench two feet wide across one side, and a second one adjoining

and parallel with it one spade deep. The remaining earth of the second trench is then thrown into the first and covered with the surface soil from a third trench; the balance of the third is then thrown into the second and covered with the surface of the fourth; and so on until all is worked over, when the soil from the first trench is used to fill the last. This is quite expensive, but frequently changes a soil upon which nothing can be grown, into one producing the finest vegetables, and its effects last for several years.

ARRANGEMENT.—In the city gardens, or where most of the work is done by hand, this may be entirely a matter of taste, but it is quite important to have the garden so arranged that most of the work can be done by horse power. We can best point out the things to be considered in the arrangement by means of the accompanying illustration. The points gained by this plan are:—

First.—Ability to cultivate the ground. All but a strip seven and one-half feet wide between the Beets and Bush Beans can be worked by any common one-horse cultivator.

Second.—Placing those vegetables which may stay out all winter side by side, where they will not interfere with next season's ploughing.

Third.—Arranging the vegetables very nearly in the order in which they should be planted or set out in the spring. This would be nearly perfect, except in case of the Cucumbers, if the Late Cabbage were to follow the Tomatoes.

Fourth.—Providing for easy rotation of crops by simply reversing (with the exception of the permanent row of Asparagus and that of the Parsnip and Salsify) the plan.

The number of rows of each vegetable and the relative proportion of each may be varied according to the wants of the family, but the proportion given here will be found to suit most families who depend upon the garden for both winter and summer vegetables.

If necessary, the turning ground at both ends may be filled with Winter Squashes, as these are planted so late and at such a distance apart that they would not seriously hinder the turning of a steady horse with a careful driver. Whatever the arrangement followed may be, we earnestly urge that every effort be made to secure straight and perfect rows. There is perhaps no one thing that will make the subsequent cultivation easier, or contribute more to the owner's satisfaction in his garden than this, and a little extra effort in this respect at the first will give pleasure all through the season.

EAST.

Asparagus.	Rhubarb.	Artichoke.	6 feet.
Parsnip.	Salsify.	Cucumbers, followed by Fall Spinach.	6 feet.
Peas.			4 ft.
Early Potatoes or Peas, followed by Celery.			4 ft.
Early Cabbage and Cauliflower.			3 ft.
Beets.	Turnips.		3 ft.
Lettuce, early and late.	Winter Radish.	Endive.	2½ ft.
Onions, with early Radish, sown in row.			2½ ft.
Bush Beans.			2½ ft.
Late Cabbage.			4 ft.
Early Corn and Summer Squash.			4 ft.
Late Corn.			4 ft.
Tomatoes and Pole Beans.			4 ft.
Musk and Water Melons.			6 feet.
Winter Squash.			8 feet.

WEST.

SOWING THE SEED.—There is no more prolific source of disappointment and failure among amateur gardeners than hasty, careless or improper sowing of the seed. A seed consists of a minute plant minus the roots; with a sufficient amount of food stowed in or around it to sustain it until it can expand its leaves, form roots, and provide for itself, the whole enclosed in a hard and more or less impervious shell. To secure germination, moisture, heat, and a certain amount of air are necessary. The first steps are the softening of the hard, outer shell, the developing of the leaves of the plant from the absorption of water, and the changing of the plant food from the form of starch to that of sugar. In the first condition the food was easily preserved unchanged, but the plant with its undeveloped leaves and no root was incapable of using it, while in its sugary condition it is easily appropriated; but if not used it speedily decays itself and induces decay in the plant. A seed then may retain its vitality and remain unchanged for years, while after germination has commenced, a check of a day or two in the process may be fatal. There is no time from that when the seed falls from the parent plant until it in turn produces seed, ripens and dies, when the plant is so susceptible of fatal injury from the overabundance or want of heat and moisture, as at that between the commencement of germination and the formation of the first true leaves, and it is just then that it needs the aid of a gardener to secure favorable conditions. These are:—

First.—A proper and constant degree of moisture without being soaked with water. This is secured by making the surface of freshly dug soil so fine that the smallest seeds may come in immediate contact on all sides with the particles from which they are to absorb the required moisture and the pressing of the soil over the seeds so firmly with the feet or the back of the hoe that the degree of moisture may remain as nearly as possible the same until the plants are up.

Second.—A proper degree of heat, secured by sowing each variety of seed when the average temperature of the locality is that most favorable for its germination. This may be learned from a careful study of the following pages and the experience of the most successful gardeners of your vicinity.

Third.—Covering the seed to such a depth that while it is preserved at a uniform degree of heat and moisture, the necessary air can readily reach it, and the tiny stem push the forming leaves into the light and air. This depth will vary with different seeds and conditions of the soil, and can be learned only from practical experience. In general, seeds of the size of the Turnip should be covered with half an inch of earth pressed down, while Corn may be an inch, Beans two or three, and Peas two to six inches deep.

Fourth.—Such condition of soil that the ascending stem can easily penetrate it, and the young roots speedily find suitable food. We can usually secure this by thorough preparation of the ground, and taking care *never to sow fine seeds when the ground is wet*. Occasionally a heavy or long continued rain followed by a bright sun will so bake and crust the surface that it is impossible for the young plant to find its way through it, or a few days of strong wind will so dry the surface that no seed can germinate. In such cases our only remedy is to plant again.

CULTIVATION.—Every weed should be removed as soon as it appears, especially while the plants are young; this will require almost daily attention, but if well done early in the season, the later work will be light, but mere destruction of weeds is by no means the only object of cultivation. A. J. Downing, who was perhaps the best horticulturist America has known, said: "If I were to preach a sermon on horticulture, I should take as my text, 'STIR THE SOIL,' " and certainly the text would contain much of the gospel of successful gardening; frequent and deep stirring will enable one to grow fine vegetables on comparatively poor and slightly manured soil, while without it one fails to gain much advantage from the richest and finest soil. Care should be taken that the cultivation is not done when the soil is wet, or Peas, Beans and Melons stirred when the leaves are wet with dew, as such disturbance is liable to injure the leaves, and make them susceptible to injury from rust. With this exception, cultivate as often and as thoroughly as possible.

HOT-BEDS.

For early vegetables, some provision for starting certain plants earlier than can be done in the open air is necessary; for this purpose nothing is better than a good hot-bed, and its construction is so simple and the expense so light that every garden should have one. A hot-bed proper not only protects the plants from the cold, but supplies *bottom heat*. By this term the gardener means that the soil is constantly kept several degrees warmer than the air above, that being the condition so far as heat is concerned which is most favorable for rapid and vigorous growth. It is evident that to produce this we must in some way apply our heat below the surface, and it is usually done by making a compact pile of some fermenting material and covering it with the earth in which the plants are to grow.

HEATING MATERIAL.—The best heating material that is easily available is *fresh* horse manure, containing a liberal quantity of bedding, which may be straw, shavings, or best of all, leaves. Such manure, if thrown into a loose pile, will heat violently and unevenly and will soon become cold. What is wanted in the hot-bed is a steady and moderate but lasting heat. To secure this, the manure should be forked over and thrown into a loose pile, which should remain undisturbed for a few days and then be forked over again, piled and allowed to heat a second time, when after a few days more it will be ready for use. The object of this repeated forking over and piling is to get the whole mass into a uniform degree of fermentation.

SASH.—Gardeners commonly use sash made especially for hot-beds and glazed with small lights cut from odds and ends and so furnished at very low rates. Such sash can usually be procured in any of our large cities and cost much less than if made to order. For garden use, however, we much prefer a small size that can be easily handled and the use of larger and better glass. We would recommend that the sash be three by five feet, and that the glass be not less than 10 x 14, laid with not more than one-quarter inch lap. In giving the order to one unaccustomed to the work, it would be well to state what they are to be used for, and that they need to be made like sky-light sash.

THE FRAME.—This may be made of sound one-inch lumber, the back twelve to fourteen inches high, the front ten to twelve. It should be well fitted to the sash so as to leave as little opening as possible and yet allow the sash to be easily slid up and down, even when the frame is quite wet.

THE SOIL.—This should be *light, rich, friable*. Any considerable amount of clay in it is very objectionable. If possible, it should be quite dry and unfrozen when put into the bed; for this reason it is much better to prepare it the fall before and cover the pile with enough coarse manure or straw to keep out frost.

MAKING THE BED.—This requires careful attention, as future success depends largely upon the manner in which this work is done. Having cleared away all snow and ice, build a rectangular bed one foot larger each way than the frame to be used, carefully shaking out and spreading each forkful, and repeatedly treading down the manure so as to make the bed as uniform as possible in solidity, composition and moisture; unless this is done, one portion will heat quicker than the others, and the soil will settle unevenly, making it impossible to raise good plants. The proper depth of the bed will vary with the climate, season, and the kind of plants to be raised. A shallow bed will give a quick sharp heat and soon subside; a deeper one, if well made, will heat more moderately but continue much longer. For general purposes, a bed one and a half to two feet deep will be best.

The bed completed, the frame and sash may be put on, and fresh manure carefully packed around the outside to the very top (if the weather is at all severe, this outside banking should be replenished as it settles). The bed should then be allowed to stand with the sash partially open for a day or two to allow the steam and rank heat to pass off. The earth should then be put on and carefully leveled. Care should be taken that the soil is dry and friable. If wet or frozen soil must be used, it should be placed in small piles until well dried out before spreading. The heat at first will be quite violent, frequently rising to 120°, but it soon subsides, and when it recedes to 90° the seed may be planted. The importance of using dry soil and allowing the first rank heat to pass off is very great. Every season thousands of hot-beds fail of good results from these causes, and seedsmen are blamed for failure resulting from over heat or wet, soggy soil.

MANAGEMENT OF THE BED.—The essentials for success are a steady, uniform degree of heat and moisture; keeping the soil at all times a few degrees warmer than the air, and the careful "hardening off" (by exposure to the air and diminishing the supply of water) of the plants before transplanting into the open air. Simple as these seem to be, there are many difficulties in the way of securing them, prominent among which are overheating the air under a bright sun. Without experience one would scarcely believe how quickly the temperature inside of a well built hot-bed will rise to 90 or 100 degrees upon a still, sunny day, even when the temperature outside is far below freezing, or how quickly the temperature will fall to that outside, if upon a windy, cloudy day the sash is left open ever so little; besides, such a rush of cold air driven over the plants is far more injurious than the same temperature when the air is still. Again, a bed will go several days without watering when kept closed during cloudy weather, but will dry up in an hour when open on a sunny day. The details of management, however, must be learned by experience, but may easily be acquired by one who gives the matter careful attention, keeping constantly in mind the essentials given above.

A COLD FRAME is a simple construction of boards for wintering cabbage, lettuce, cauliflower, broccoli, etc., for planting out early in the spring.

Select a dry, southern exposure; form a frame from four to six feet wide and as long as required. The back should be fourteen and the front six inches high, with a cross tie every three feet. Seeds of the above named vegetables, sown in open border early in September, will be ready to plant in cold frames about the last of October. The soil should be well prepared and smoothly raked before planting. Admit air freely on all pleasant days, but keep close in severe weather.

These frames are particularly useful at the south, and may be covered more cheaply with cloth shades than by sash. The shades are made as follows: Make light but strong wooden frames to fit over the bed, and of a width to receive some common brand of cotton cloth. The cloth may be unbleached, and should be stretched over and securely tacked to the frames. Coating the cloth with oil, as is sometimes recommended, we find is of no advantage, but we have found the Plant Bed Cloth prepared by the U.S. Waterproofing Fiber Co., of New York, to be superior to ordinary cloth for this purpose.

SHADES.—At the south it is frequently desirable to shade beds of seedlings. This can best be done by shades made as follows: Make light frames the length of the width of your bed and four feet wide; to these tack common lath so as to leave from one to three inches between them. Support them about eight inches above the plants by tacking the frames to short stakes or securing them by easily removed pins. They are more effective if the beds are so placed that the lath will run north and south.

TRANSPLANTING.—In transplanting, the main points to be regarded are, care in taking up the plants so as to avoid injury to the roots, planting firmly so as to enable the plant to take a secure hold of the soil, reducing the top to prevent evaporation, and shading to prevent the hot sun from withering and blighting the leaves. In transplanting from a hot-bed, harden the plants by letting them get quite dry a day or two before, but give an abundance of water a *few hours* before they are taken out. It is most apt to be successful if done just at evening, or immediately before or during the first part of a rain, about the worst time being just *after* a rain, when the ground being wet it is impossible to sufficiently press it about the plant without its baking hard. If water is used at all, it should be used freely and the wet surface immediately covered with dry soil.

WATERING.—The best time to water plants is at sunrise or just at evening, and always use rain water when it is to be had. If well water is to be used it should be exposed to the sun until it is of the temperature of the air, before it is applied. Water may be given to the roots at any time, but should never be sprinkled over the leaves in the hot sun, for it will make them blister and cover them with brown spots wherever it touches. If watering a plant has been commenced, keep on until the necessity ceases, or more injury than good will result from it; one copious watering is better than a little and often. The use of the hoe should always follow the watering pot as soon as the ground becomes dry.

VALUABLE TABLES.

Quantity of Seed requisite to produce a given number of plants and sow an acre of ground.

	Quantity per acre.		Quantity per acre.
Artichoke, 1 oz. to 500 plants.....	½ lb.	Hemp 1 oz. to 3,000 plants.....	½ bu.
Asparagus, 1 oz. to 200 plants.....	5 lbs.	Kale, 1 oz. to 3,000 plants.....	4 oz.
Barley.....	2½ bu.	Kohl Rabi, 1 oz. to 200 feet of drill.....	1½ lbs.
Beans, dwarf, 1 quart to 150 feet of drill.....	1½ "	Leek, 1 oz. to 250 feet of drill.....	4 "
Beans, pole, 1 quart to 200 hills.....	½ "	Lettuce, 1 oz. to 250 feet of drill.....	3 "
Beet, garden, 1 oz. to 100 feet of drill.....	10 lbs.	Martynia, 1 oz. to 50 feet of drill.....	10 "
Beet, Mangel, 1 oz. to 150 feet of drill.....	6 "	Melon, Musk, 1 oz. to 100 hills.....	1½ "
Broccoli, 1 oz. to 3,000 plants.....	5 oz.	Water, 1 oz. to 25 hills.....	1½ "
Broom Corn.....	10 lbs.	Nasturtium, 1 oz. to 50 feet of drill.....	10 "
Brussels Sprouts, 1 oz. to 3,000 plants.....	5 oz.	Oats.....	2½ bu.
Buckwheat.....	½ bu.	Okra, 1 oz. to 50 feet of drill.....	10 lbs.
Cabbage, 1 oz. to 3,000 plants.....	5 oz.	Onion Seed, 1 oz. to 200 feet of drill.....	4 to 5 "
Carrot, 1 oz. to 150 feet of drill.....	2½ lbs.	for Sets.....	30 to 50 "
Cauliflower, 1 oz. to 3,000 plants.....	5 oz.	Onion Sets, 1 quart to 20 feet of drill.....	8 bu.
Celery, 1 oz. to 10,000 plants.....	4 "	Parsnip, 1 oz. to 250 feet of drill.....	5 lbs.
Clover, Alsike and White Dutch.....	6 lbs.	Parsley, 1 oz. to 250 feet of drill.....	8 "
Lucerne, Large Red & Crimson Trefoil.....	8 "	Peas, garden, 1 quart to 150 feet of drill.....	1½ bu.
Medium.....	10 "	field.....	2½ "
Collards, 1 oz. to 2,500 plants.....	6 oz.	Pepper, 1 oz. to 1,500 plants.....	4 oz.
Corn, sweet, 1 quart to 500 hills.....	8 qts.	Potatoes.....	8 bu.
Cress, 1 oz. to 150 feet of drill.....	8 lbs.	Pumpkin, 1 quart to 300 hills.....	4 qts.
Cucumber, 1 oz. to 80 hills.....	1½ "	Radish, 1 oz. to 150 feet of drill.....	8 lbs.
Egg Plant, 1 oz. to 2,000 plants.....	8 oz.	Rye.....	1½ bu.
Endive, 1 oz. to 300 feet of drill.....	3 lbs.	Salsify, 1 oz. to 60 feet of drill.....	8 lbs.
Flax, broadcast.....	½ bu.	Spinage, 1 oz. to 150 feet of drill.....	10 "
Garlic, bulbs, 1 lb. to 10 feet of drill.....	3 lbs.	Summer Savory, 1 oz. to 500 feet of drill.....	2 "
Gourd, 1 oz. to 25 hills.....	2½ lbs.	Squash, Summer, 1 oz. to 40 hills.....	2 "
Grass, Blue Kentucky.....	2 bu.	Winter, 1 oz. to 10 hills.....	3 "
Blue English.....	1 "	Tomato, 1 oz. to 3,000 plants.....	3 oz.
Hungarian and Millet.....	½ "	Tobacco, 1 oz. to 5,000 plants.....	2 "
Mixed Lawn.....	3 to 5 "	Turnip, 1 oz. to 250 feet of drill.....	1½ lbs.
Orchard, Perennial Rye, Red Top, Fowl Meadow and Wood Meadow.....	2 "	Vetches.....	2 bu.
Timothy.....	¾ "	Wheat.....	1 to 2 "

Number of Plants or Trees to the Acre at given distances.

Dis. apart.	No. plants.	Dis. apart.	No. plants.
¼ foot.....	174,240	6 feet.....	1,210
1 ".....	43,560	7 ".....	889
1½ feet.....	19,360	8 ".....	680
2 ".....	10,890	9 ".....	573
2½ ".....	6,999	10 ".....	435
3 feet by 1 foot.....	14,520	11 ".....	360
3 " 2 feet.....	7,260	12 ".....	302
3 " 3 ".....	4,840	15 ".....	193
4 " 1 foot.....	10,838	18 ".....	134
4 " 2 feet.....	5,444	20 ".....	108
4 " 3 ".....	3,629	25 ".....	69
4 " 4 ".....	2,722	30 ".....	49
5 " 5 ".....	1,742		

Weight of Various Articles in the State of Michigan.

	per bush.		per bush.
Apples.....	48 lbs.	Onions.....	54 lbs.
dried.....	22 "	Peas.....	60 "
Barley.....	48 "	Plastering Hair.....	8 "
Beans.....	60 "	Rape.....	50 "
Buckwheat.....	48 "	Rye.....	56 "
Broom Corn.....	46 "	Red Top Seed.....	14 "
Blue Grass, Kentucky.....	14 "	Salt, Coarse.....	50 "
English.....	24 "	Michigan.....	56 "
Bran.....	20 "	Sweet Potatoes.....	56 "
Canary Seed.....	60 "	Timothy Seed.....	45 "
Castor Beans.....	46 "	Turnips.....	58 "
Clover Seed.....	60 "	Wheat.....	60 "
Corn, shelled.....	56 "	Beef and Pork, per bbl., net.....	200 "
on ear.....	70 "	Flour, per bbl., net.....	196 "
Corn Meal.....	50 "	White Fish and Trout, per bbl., net.....	200 "
Charcoal.....	22 "	Salt, per bbl.....	280 "
Coal, Mineral.....	80 "	Lime.....	220 "
Cranberries.....	40 "	Hay, well settled, per cubic foot.....	4½ "
Dried Peaches.....	28 "	Corn, on cob, in bin.....	22 "
Flax Seed.....	56 "	shelled, ".....	45 "
Hemp Seed.....	44 "	Wheat, ".....	48 "
*Hungarian Grass Seed.....	30 "	Oats, ".....	25½ "
Irish Potatoes, heaping measure.....	60 "	Potatoes, ".....	38½ "
Millet.....	50 "	Sand, dry, ".....	95 "
Malt.....	38 "	Clay, compact, ".....	135 "
Oats.....	32 "	Marble.....	160 "
Osage Orange.....	34 "	Seasoned Beech Wood, per cord.....	5,616 "
Orchard Grass.....	14 "	Hickory, ".....	6,960 "

*In Chicago and all the other large seed markets of the country Hungarian is sold at 48 lbs. per bushel, so we are compelled to conform, and we buy and sell 48 lbs. per bushel.

Illustrated and Descriptive Catalogue

- OF -

Vegetable Seeds

WITH GENERAL DIRECTIONS FOR CULTIVATION.

::

As usual we have endeavored to cultivate only the best varieties, and to present their claims faithfully with accurate descriptions.

The Terms and Prices of Vegetable Seeds will be found in the Price List, in the back part of this Catalogue.

Artichoke.

French, *Artichaut*. German, *Artischoke*.

CULTURE.—Sow in hot beds and transplant into pots, or so as to give plenty of room until danger of frost is over, and then set in very rich ground, four feet apart; or the plants can be raised in seed beds out of doors, but in that case will not be likely to produce heads the first year. The edible portion

ARTICHOKE.

is the undeveloped flower heads, which will be produced about September first, and until frost. Late in the fall cut off the old tops and protect the crowns with leaves enough to prevent severe freezing, and cover so as to prevent their blowing off. The second year they will commence to form heads about July first. The plants may also be blanched like Cardoons, which is accomplished by cutting the plants in July, tying up and blanching the rapidly growing shoots like celery.

Large Globe.—The best sort for general use. Buds large, nearly round; scales deep green, shading to purple, very thick and fleshy.

Asparagus.

French, *Asperge*. German, *Spargel*.

Asparagus is one of the earliest spring vegetables, and would be in universal use were it not for the prevalent idea that it is difficult to grow it. We think this is a mistake, and that there is no vegetable on our list that can be produced so cheaply and easily as this. It delights in a moist, sandy soil, but can be grown in any garden by following the directions given below. A bed 12 x 40 feet, requiring 75 to 100 plants, should give an abundant supply for an ordinary family.

CULTURE.—Beds are usually formed by setting plants one or two years old, which can be procured of us; but

if you wish to grow them yourself, prepare a light, rich spot as early as possible in the spring, and after soaking the seed twenty-four hours in warm water, sow in drills one foot apart. When the plants are well up, thin to two or three inches in the row, and give frequent and thorough cultivation during the summer. If this has been well done, the plants will be fit to set the next spring. The permanent beds should be prepared by deep spading, working in a large quantity of rotted manure—the more the better. Dig trenches four feet apart and twelve to eighteen inches deep, and spade in at least four inches of well rotted manure in the bottom, cover with six or eight inches of rich soil, and set the plants about two feet apart in this trench and cover with about two inches of fine soil. After the plants are well started, give frequent and thorough cultivation, and draw a little earth into the trenches at each hoeing until they are filled. Early the next spring spade in a heavy dressing of manure, and one quart of salt to each square rod, and cultivate well until the plants begin to die down. The next season the bed may be cut over two or three times, but if this is done *all* the short shoots above the surface should be cut, and after the final cutting, give a good dressing of manure, ashes and salt. The next season, and ever after that, the bed should give a full crop and be annually dressed with manure, ashes and salt, after the last cutting, and well cultivated until the plants occupy the whole space. In the fall, as soon as the tops are ripe and yellow, they should be cut and burned.

The plants may also be set in the fall, if the ground is so well drained that water will not stand in the trenches, which should be filled to the surface with leaves or coarse litter, which should be removed in the spring.

Conover's Colossal.—A mammoth sort, frequently sending up fifteen to thirty sprouts from one to one and a half inches in diameter from a single plant, and spreading less than most sorts. Color deep green; quality good.

ASPARAGUS.

Giant.—An old and popular variety, producing green

or purple shoots, according to the soil it is grown in. Very hardy, but not so large, or the plants as compact as the last.

Beans.

DWARF, BUSH, OR SNAP.

Fr., *Haricot*. Ger., *Bohne*.

Under this name are classed all the low growing sorts, called in different catalogues *Bush*, *Bunch*, *Snap*, *String*, or *Dwarf Beans*.

BLACK-EYED WAX.

CULTURE.—No crop responds more readily to good soil and cultivation than this; that best adapted to them being a light, rich, well drained loam, which was manured for the previous crop. If too rank manure is used it is apt to make them grow too much to vine. They are all extremely sensitive to frost and wet, and it is useless to plant them before the ground has become warm and light. The largest return will result from planting in drills about three feet apart and the plants two to eight inches apart in the row. Up to the time of blossoming they should be frequently cultivated, but this should never be done when the ground or plants are wet with rain or dew, as it would be sure to injure them; nor should they be disturbed after they commence to bloom, as it would prevent their setting well.

In the following descriptions the varieties are placed about in the order of ripening, and it is assumed that they are grown on rich, light soil, as different soils produce quite a variation in vines, pods and beans, and it is useless to expect good results from the finer garden sorts on poor or cold and wet soils. From one pint to two quarts will be sufficient to furnish a supply for an ordinary family, and varieties should be selected so as to give a succession both of string and of green shelled beans.

Black-Eyed Wax.—The earliest wax bean we have tested. Vines medium size, erect, bearing its pods near the center. Leaves large, thin, quite dark green in color. Pods long, straight, proportionately narrow, and rounder than those of the Golden Wax, and of a lighter color, with a medium length light green point. They cook quickly, both as snap and as shell beans. Dry beans, medium size, long, round, white, with black spot around the eye. Earlier, with handsomer pods than the Golden Wax, and of very good quality.

D.M. Ferry & Co's Detroit Wax.—The handsomest and hardest of all the wax beans. Plants erect, bearing their pods near the center, often throwing them above the foliage. Very productive and hardy; leaves large, dark green; blossoms small, white; pods straight, flat, but thick to edge; distinctly broader than the Golden Wax, and a little longer. They do not turn to wax color so early, but when well grown and fit for use they are of a beautiful golden wax color and of the finest texture. Quality when cooked, the very best. We have never seen a pod of this variety which had rusted, and when picked and placed by the side of Golden Wax and others they have remained bright, crisp and clear when all the rest were unusable. It is also one of the very best green shelled beans, and excellent dry, being very much like the White Marrow when baked. Dry beans the shape of the White Marrow, white with large patch of chocolate brown about the eye. We think this is to be the most popular of all the early market beans.

D. M. Ferry & Co's Golden Wax.—Introduced by us, and it has been for many years the best bean for general use in cultivation, and even now it is a competitor with the newer sorts for first place. Vines medium size, erect, moderately spreading, hardy and productive, with small, smooth leaves, and small, white blossoms. Pods long, nearly straight, broad, flat, golden yellow, very fleshy and wax-like, with short, fleshy, green point, cooking quickly as snaps, and shelling well when green, and of the highest quality in both conditions. Beans medium size, oval, white, more or less covered with two shades of purplish red.

German Wax, Black Seeded.—This is very popular with market gardeners for use as snaps, nearly all the pods being fit for use at the same time. Vines medium sized, with light green leaves and reddish-white or purple flowers; pods short, curved, round, nearly white, thick fleshed and wax-like, with long, slightly curved point, remaining a long time in condition for use as snaps. Beans small, oblong, jet black.

D. M. F. & Co's
GOLDEN WAX.

Scarlet Flageolet Wax.—The Flageolet Wax, as grown in Europe, consists of two stocks, one with beans of a scarlet color and the other with beans of similar form, but deep violet or purple shade. We have separated and fixed the lighter colored bean by careful selection for many years, and now present it under the above name rather than to follow the example of others and call it Ferry's Scarlet. Vines large, branching, but erect; productive. Leaves large, very light color; blossoms white; pods very long, flat, often curved and twisted, of a golden wax color, but rough surface, point projecting from back side of pod, and very long, the pod gradually tapering into the point. We think the

most showy of all the wax beans. Quality sweet, crisp, tender, but coarse. Dry beans; large, flat, bright red.

Violet Flageolet Wax.—Plant very large, with large, light green leaves. Pods very long and large, being longer than those of the Scarlet Flageolet Wax, and they are also more twisted. When well grown, one of the most showy possible of wax beans. The pods are a little later in coming to use than the Scarlet, but are distinctly larger.

This is also sold as Perfection Wax, and by other names.

German Wax, White Seeded.—Vines small, stout, erect, with large, light-colored leaves and white blossoms. Pods short, broad, flat, white, fleshy and wax-like, of medium quality, but very handsome. Beans medium size, oval, white.

Crystal White Wax.—New and distinct, but not strictly a wax bean. Very desirable for snaps or for pickles. Vines large spreading, very productive, having many runners, producing pods in pairs throughout their whole length; blossoms small, yellowish-white, pods greenish-white, short, curved, round, or thicker than wide, with crease in the back, very fleshy and brittle. Ripe

GERMAN WAX,
BLACK SEEDED.

beans small, oval, white.

GERMAN
WAX, WHITE
SEEDED.

Lemon Pod Wax.—An acquisition, in that it is very late and prolongs the season for dwarf wax beans at least two weeks. Vines less productive, but similar to Crystal White Wax, with more and longer runners, and the leaves are irregular in size and color; blossoms large, white; pods long, broad, flat, wavy in outline, very wax-like, a beautiful golden color, and of best quality. Dry beans white, variable in size and shape.

The wax podded beans are particularly liable to run "off" into green podded plants, and it requires constant attention and skillful culture to keep them pure. The stocks of Golden, Black and White Wax which we offer this year are exceptionally good, and, we believe, the best ever offered in the country.

The following are green podded varieties, and are named about in the order of ripening, although this varies in different seasons. The earliest are about one week later than the Golden Wax.

China Red Eye.—Vines medium, stout, erect, healthy, with large leaves and white blossoms; pods short, straight, flat, and if picked young, of good quality as snaps; beans medium size, oblong, white, with reddish-purple blotch about the eye. When green they are thin skinned, mealy and excellent, and when dry are one of the best for baking.

Dwarf Horticultural.—Vines compact, upright, with large leaves, and they are very productive and furnish green shelled beans the earliest of any. Pods medium length, round, curved, with splashes of bright red on a yellowish ground. The ripe beans are large, oval, plump, and nearly covered with splashes of bright red. This is undoubtedly the best variety as a green

shelled, and when in this condition the beans are very large, easily shelled, and although quite different form, are about equal to the Lima in quality. There are several new varieties offered as superior to this, but we, after most careful testing, think that such a stock as we offer of Dwarf Horticultural is really better both for market gardeners and for the home garden than any of them.

Early Yellow Kidney, Six Weeks.—Vines large, vigorous, branching, productive, with large leaves and lilac blossoms; pods long, straight, narrow, handsome, and when young, of good quality; beans long, kidney shaped, yellowish-drab with darker marks about the eye.

Early Red Valentine.—One of the finest of the green podded varieties for snaps, and by some preferred to the wax sorts. Vines erect, with coarse, dark green leaves, and large, white blossoms; pods medium length, curved, round, being thicker than broad, with crease in back, very fleshy, crisp and tender; beans medium sized; long, irregular, pink, marbled with red. Our stock is all of the improved type and fully equal to any of the "Improved Round Pod" offered at fancy prices, and has proved on trial to be much superior to many of them.

Early Mohawk.—The hardest of any and the best to plant on poor land, and it can frequently be planted so as to afford beans earlier than the above more tender sorts. Vines large, stout, with large, coarse leaves, which will stand a slight frost; blossoms large, purple; pods long, straight, coarse, with long, tapering point; beans long, kidney shaped, variegated with drab, purple and brown.

Refuge, or Thousand to One.—Vines large, spreading, with small, smooth leaves, and large lilac flowers, very late and esteemed for late planting and for use as pickles; pods long, cylindrical, green, becoming white, streaked with purple, of good quality as snaps; beans long, light drab, dotted and splashed with purple.

The following sorts are planted as field beans:

Royal Dwarf Kidney.—Not as productive as some of the following, but of very superior quality. Plant large, branching, with large, broad leaves and white flowers; pods medium sized, variable in shape, dark green, coarse; beans large, kidney shaped, slightly flattened, and of excellent quality, green or dry.

Large White Marrow, or Mountain.—Vines large, slender, spreading, with short runners, small leaves, and small, white blossoms; very prolific; pods medium, broad, green, changing to yellow; beans large, clear white, ovoid, cooking very dry and mealy.

Early Marrow Pea, or Dwarf White Navy.—A comparatively new variety developed in western New York, and not only a surer cropper and much more

CRYSTAL
WHITE WAX.

EARLY RED
VALENTINE.

prolific, but of better quality than the common white bean, and the beans are so hard as to resist the attacks of the bean weevil. Vines large, spreading, with occasional runners and small, thin leaves, and small, white flowers; very prolific, ripening its crop early and all at once; pods short, straight, small, but containing six beans; beans small, oval, white, handsome, and of superior quality.

Prolific Tree Bean.—A new variety often sold at a very high price with extravagant claims of its productiveness, but it is an uncertain cropper, and the claims

will only be realized when one happens to have suitable soil and gives it good culture. Under these conditions it has been known to yield as high as sixty bushels per acre. Vines large, spreading, slender, with many runners having pods to the end; beans small, oval, dull white, of good quality.

Beans.

POLE, OR RUNNING.

Fr. Haricots a rames
Ger. Stangenbohne.

CULTURE.—These are even more sensitive to cold and wet than the dwarf varieties, but are of superior quality and productiveness. After settled warm weather

set poles six to eight feet long in rows north and south four feet apart, the poles being three feet apart in the row, and set leaning to the north at an angle of about

WHITE CREASE BACK.

RHODE ISLAND CREASE BACK.

thirty-five degrees. Set in this way, the vines climb better, bear earlier, and the pods are straighter and more

easily seen. Around each hill plant from six to ten beans, taking care to place the eye down in the case of Lima or other flat varieties. When well started, thin to four plants, and start any that fail to climb around the pole in the same direction as the others, for they will not grow if tied up in the opposite direction. When the vines reach the top of the poles pinch them off or train them along strings stretched on the tops of the poles. A pint or single packet of each of four or five varieties will be sufficient for a large family.

White Crease Back.—Vines small to medium, but healthy, and in good soil wonderfully productive, bearing pods in clusters of from four to twelve. Pods medium length, round, of the best quality as snaps, and stand shipping better than most sorts. The beans are too small to be of much value when shelled green, but are of very superior quality baked. When dry they

LONDON HORTICULTURAL.

SOUTHERN PROLIFIC.

are small, oval, very white and hard. This variety is especially valuable for its extreme earliness and its habit of perfecting all of its pods at the same time.

Dutch Case Knife.—Vines moderately vigorous, climbing well but not twining so tightly as some, and so may be used for a corn hill bean. Leaves large, crumpled; blossoms white; pods very long, flat, irregular, green, but becoming cream white; beans broad, kidney-shaped, flat, clear white, and of excellent quality green or dry.

Rhode Island Crease Back.—Vines large, vigorous and strong climbers, continuing in bearing a long time. Pods large, flat, of medium quality as snaps, but easily shelled for green beans, which are large, long, flattened and equal in quality to the Horticultural. The dry beans are mottled brown in color and of good quality baked. The strong points of this variety are the vigor and long sustained productiveness of the vines and the fine quality of the green shelled beans.

London Horticultural.—Vines moderately vigorous with large, light-colored leaves and purple blossoms; pods short, broad, pale green, but becoming streaked with bright red; beans large, ovate, splashed and spotted with wine red, and of the highest quality either green or dry, many people esteeming them better than the Limas.

Indian Chief, or Tall Black Wax.—Vines large, but frequently not climbing well, with rough leaves and

light purple blossoms; pods short, broad, flat, fleshy, white, very wax-like, and of superior quality as snaps, remaining in suitable condition longer than most varieties; beans indigo blue, medium sized, oblong, shortened abruptly at the ends.

Southern Prolific.—A very prolific sort, and popular at the south for snaps. Vines vigorous, with large, thin, smooth leaves; blossoms white, growing in fours; pods green, round, or thicker than broad, long, fleshy, crisp and excellent; beans small, oval, dun-colored, veined with a darker shade.

RED SPECKLED CUT SHORT, OR CORN HILL. LARGE WHITE LIMA.

Kentucky Wonder.—Vines vigorous, climbing well and very productive, bearing its pods in large clusters; blossoms white; pods green, very long, often reaching nine or ten inches, nearly round when young, and very crisp, becoming very irregular and spongy as the beans ripen. Dry beans, long, oval, dun-colored. A very prolific sort, with very showy pods.

Giant Red Wax.—Vines large, with large, broad, deeply veined leaves and large, white blossoms; pods large, long, broad, flat, irregular, fleshy, and of beautiful golden wax color, very handsome but not of superior quality; beans small, red, irregular.

Red Speckled Cut Short, or Corn 'Hill.—An old variety, very popular for planting among corn, and it will give a good crop without the use of poles; vines medium, not twining tightly, with dark colored, smooth leaves and white blossoms in small clusters; pods short, round and tender; beans nearly oblong, cut off diagonally at the ends, white, covered at one end and partially over the whole surface with reddish-brown dots.

Extra Early Lima.—A decided acquisition, with beans as large and good as the late Limas, and as early as the small Lima. For general planting, particularly at the north, this is the best variety and it is fully equal to any of the new varieties offered at high prices as new and distinct. Vines vigorous and very productive; leaves large, pointed, whitish-green; blossoms white; pods borne in fours, large, broad, flat, curved to a sharp

point, smoother than the large Lima; beans large, flat, greenish-white.

Small White Lima, Carolina, or Sieva.—Vines vigorous but short, with many short branches, so that they are sometimes grown without poles; very early and productive, with small, smooth, dark green leaves and small yellowish-white blossoms; pods short, curved, thin, flat; beans white, small, broad, kidney shaped, but inferior in quality to the other Limas.

Dreer's Improved Lima.—Vines vigorous and productive, with pointed leaves and white blossoms in racemes; pods short, broad, straight, coarse, and thicker than the other Limas; beans large, broad, but much thicker than the other sorts of Lima beans.

Large White Lima.—Too late for the extreme north, but the standard for quality. Vine tall growing, vigorous but slender; leaves medium sized, smooth, light green; blossoms small, white; pods borne in clusters, long, broad, very thin, dark green; beans large, ovoid, kidney shaped, greenish-white, flat.

White Runner.—Cultivated chiefly for its beauty. Vines and leaves large and coarse; blossoms in long racemes, large, pure white; pods large, broad, coarse; beans large, kidney shaped, thick, white, fair quality.

Scarlet Runner.—Similar to the last, but with scarlet blossoms, and the beans are lilac purple, variegated with black.

Beet.

Fr. Betterave.—*Ger. Runkel Rube.*

CULTURE.—The best results are obtained on a deep, rich, sandy loam. If wanted very early, sow in hot-beds and transplant, cutting off the outer leaves; or for general crop, sow as soon as the ground will permit in drills eighteen inches apart and thin out to three inches in the row. For winter use, the turnip varieties may be sown in June. If possible, always sow in freshly prepared soil, which should be pressed firmly over the seed, one or two ounces or single packets of four or five sorts will give a good supply.

Extra Early Egyptian Blood Turnip.—By many considered the best variety for forcing, being very early, with small top; leaf stems and veins dark red, leaf dark green, dotted with red; roots very

EXTRA EARLY EGYPTIAN BLOOD TURNIP.

ECLIPSE.

dark red, flat on top but rounded beneath, with very small tap roots; flesh dark red, zoned with lighter shade, hard, crisp and tender when young, but becoming woody with age.

Eclipse.—An improved extra early sort. Tops small, dark red shading to green on outside of the leaves. Roots nearly round with a small tap root and very small collar. Flesh dark red, zoned with a lighter red, very sweet, crisp and tender, especially when young. One of the most desirable sorts for bunching.

Improved Early Blood Turnip.—Excellent either for forcing or for early planting. Tops small; leaf stems and veins dark red; leaves green; roots round or ovoid with small tap, dark red; flesh marbled, bright and light red, which color it retains when cooked; crisp, tender and sweet, and continuing so until full grown. A good keeper.

Dewing's Early Blood Turnip.—Tops medium sized; leaf stems and veins dark red; leaves green; roots dark

BASTIAN'S EARLY BLOOD TURNIP. **IMPROVED EARLY BLOOD TURNIP.**

red, turnip shaped, with large tap; flesh carmine red, zoned with lighter shade, tender, sweet and good.

Bastian's Early Blood Turnip.—Tops small, stems red, leaves green, roots turnip shaped with medium sized tap, bright red. Flesh purplish red, zoned with white, crisp, tender and of good quality.

Early Blood Turnip.—Tops and necks medium sized; leaf stems and veins red with green or red leaves; roots turnip-shaped, deep purple, flesh blood red, zoned with lighter color, crisp, tender and sweet.

Early Turnip Bassano.—Not maturing as early as the above, but growing to a large size, may be used early, and is the best variety to sow for greens. Tops large; leaf stems light red; leaves light green; roots large, round, turnip-shaped; flesh pink, zoned with white, very sweet and tender when young, becoming woody and tasteless with age.

EARLY TURNIP BASSANO.

Henderson's Pine Apple.—Tops medium; leaf stems and veins red; leaves dark green or red; roots long, top-shaped, small, dark red; flesh dark red, tender, crisp and sweet.

Improved Long Dark Blood.—The most popular variety for winter use. Tops large; neck small; leaf stems and veins red; leaf green; roots large, tapering

SWISS CHARD.

toward both ends, growing even with the surface, dark red; flesh dark red, zoned with lighter shade, very tender and sweet, and remaining so when kept till spring.

Long Dark Blood.—Tops large; neck large; leaf stems and veins red; leaves red; roots very long, cylindrical, smooth, growing one-half out of the ground, brown above, dark red beneath; flesh dark red, crisp, tender and keeps well.

Swiss Chard, Silver, or Sea Kale Beet.—A distinct vegetable, and much superior to the common beet for greens. If sown at the same time it will be fit for use before them. Later, the plants form broad, flat, beautiful white and wax-like stems to the leaves which are very delicious cooked as beets, or pickled. We recommend all of our customers to try it.

The following varieties are used for stock feeding. They are easily grown and harvested, keep well through the winter, and give an immense amount of cattle food, at a small cost, but need a rich, well prepared soil. Sow in drills thirty inches apart, as early as the ground can be got in condition. Cultivate well when young, and thin out the plants to one foot apart in the row. If these thinnings are carefully handled and the larger leaves cut off they can easily be reset to fill vacancies, and will make the largest roots. Care should be taken not to break or bruise the roots in harvesting.

French White Sugar, Red Top.

—This variety is the result of the careful selection and culture of one of the most extensive and scientific cultivators in Europe. It unites capacity for a large yield with an exceedingly rich flesh, making

FRENCH WHITE SUGAR, RED TOP.

it the best for cattle feeding. We think that for this

purpose it is much superior to the larger and coarser Mangel Wurzel, and we urge our customers to try it, believing that they will find it superior to any field beet they have cultivated. Tops medium sized; roots above medium size, long, top-shaped, growing slightly above the surface; white, washed with red at top; flesh fine grained and very sweet.

French White Sugar, Green Top.—Grown as a field beet, but liked by some for table use. Tops large, bright green; roots large, broad top-shaped, white, washed with green or brown; flesh tender and very sweet.

French Yellow Sugar.—Grows to a large size, much above ground; roots half long; yellow; grown in this country for feeding stock. In France it is cultivated extensively for the extraction of sugar.

Vilmorin's Improved Imperial Sugar.—An improved variety from France. It affords the largest percentage of sugar of any known variety.

Long Red Mangel Wurzel.—A large, long variety, grown for stock feeding. It stands a good deal out of ground; color light red; flesh white and rose-colored.

D. M. Ferry & Co's Improved Mammoth Long Red Mangel Wurzel.—An improvement on the old variety.

The roots are uniformly straight and well formed and deeper colored than the common sort. Highly recommended for stock feeding.

Norbitan Giant Long Red Mangel Wurzel.—Very large, growing well out of ground. The roots are well formed, straight, smooth, and of a fine scarlet color with comparatively small top and neck.

Yellow Globe Mangel Wurzel.—A large, round orange-colored variety, of excellent quality, which keeps better than the Long Red, and produces better crops on shallow soil.

Carter's Warden Prize Yellow Globe Mangel Wurzel.—A most excellent, yellow-fleshed, globe variety.

The tops are small, and the roots, although large, are of excellent quality. Average weight, fifteen to eighteen pounds. Highly recommended for shallow soil.

Yellow Ovoid Mangel Wurzel.—Root ovoid, intermediate between the long and globe varieties; flesh solid, usually white, zoned with yellow; hardy, vigorous and productive.

Golden Tankard Mangel Wurzel.—Tops comparatively small, with yellow stems and midribs; neck very

D. M. FERRY & CO'S IMPROVED MAMMOTH LONG RED MANGEL WURZEL.

YELLOW GLOBE MANGEL WURZEL

VILMORIN'S IMPROVED IMPERIAL SUGAR.

YELLOW OVOID MANGEL WURZEL.

GOLDEN TANKARD MANGEL WURZEL.

small; roots large, ovoid, but filled out at top and bottom so as to approach a cylindrical form. Flesh yellow, zoned with white. A great improvement and worthy of trial on every farm.

Red Globe Mangel Wurzel.—Similar to Yellow Globe, except in color, which is a light red or pink.

Brocoli.

Fr., *Chou Brocoli*. Ger., *Spargel Kohl*.

Although originating from a very distinct type, the modern improved sorts of Brocoli can scarcely be distinguished from Cauliflower; the points of difference being that it is generally taller and the heads more divided. By some considered more delicate than the Cauliflower.

CULTURE.—The same as that given for Cauliflower.

Early Purple Cape.—This is the best variety for our climate. It produces large heads, of a brownish purple color, very close and compact, and of excellent flavor.

Brussels Sprouts.

Fr., *Chou de Bruxelles*. Ger., *Sprossen Kohl*.

CULTURE.—The plant grows two or three feet high, and produces from the sides of the stalk numerous little sprouts one or two inches in diameter, resembling cabbages. The leaves should be broken down in the fall, to give the little cabbages more room to grow. They should be treated in all respects like winter cabbage or kale.

Cabbage.

Fr., *Choux Pommes*. Ger., *Kopfkohl*.

There is no vegetable which is more universally cultivated than

BRUSSELS SPROUTS. this. It is found in the poorest and smallest garden, and it responds so readily to better care that it claims a place in the finest garden, and the attention of the most skillful gardener.

CULTURE.—The requisites for complete success are: *First*, good seed; there is no vegetable where the seed has more influence on the quality of the product than in this, and gardeners should invariably select the best procurable. *Second*, rich, well prepared ground. *Third*, frequent and thorough cultivation. A heavy, moist and fresh loam is most suitable, which should be highly manured and worked deep. The early sorts should be sown very early in hot-beds, hardened off by gradually exposing them to night air, and transplanted eighteen to twenty-four inches apart early in the spring. At the south, sow from the middle of September to middle of October, and transplant into cold frames to preserve through winter, setting into open ground as early as possible.

The late autumn and winter varieties may be sown from the middle to the last of spring, and transplanted when about six inches high, three feet apart each way.

VERY EARLY ETAMPES.

Shade and water the late sowings in dry weather to get them up. It is important that the plants should stand thinly in the seed bed, or they will run up weak and slender, and be likely to make long stumps. In transplanting they must be set into the ground up to the first leaf, no matter how long the stem may be.

Cabbages should be hoed every week, and the ground stirred deeper as they advance in growth, drawing up a

EARLY JERSEY WAKEFIELD.

little earth to the plant each time until they begin to head, when they should be thoroughly cultivated and left to mature. Loosening the roots will sometimes retard the bursting of full grown heads.

Of late years many crops of early cabbage have been destroyed by maggots at the roots. The best remedy seems to be to remove the earth from around the stem

HENDERSON'S EARLY SUMMER.

and apply an emulsion of kerosene oil made as follows: Add one quart of kerosene oil to two quarts of boiling soft soap which has been thinned to the consistency of cream. Stir the oil thoroughly by churning or other method until it has united with the soap and forms a sort of butter-like substance. Then dilute with five times as much water.

This remedy has always succeeded in sandy soil, but may not be so effective on clay lands. On such soils we have had good success

from surrounding the plants with squares of cloth cut about six inches square, with a small hole in the center and a slit from this to the edge so that the cloth can be put around the plant. This prevents the fly from laying its eggs. The cloth will need to be held to the ground by a little earth or a few small stones.

FOTTLER'S EARLY DRUMHEAD, OR BRUNSWICK SHORT STEM.

The cabbage worms which destroy the plants later may be killed by sprinkling the plants with the emulsion of soft soap and kerosene oil, or by dusting with pyrethrum powder.

To preserve cabbage during the winter, pull them on a dry day, and turn them over on the heads a few hours to drain. Set them out in a cool cellar, or bury them, with the heads downwards, in long trenches, in a dry situation. In the Middle States, bury the head and part of the stump in the open ground, and place over them a light covering of straw or boards, to protect them in severe weather.

Very Early Etampes.—Similar to the well-known Jersey Wakefield, but repeated tests both on our grounds and at the various Experimental Stations have shown that it will produce heads fit for use a little earlier. The plants are lighter colored, but not quite so

EARLY LARGE SCHWEINFURT.

hardy. The heads are fully as large, not quite so pointed, and are of excellent quality, and we recommend it as the best for private gardens and sheltered situations. This variety is often sold under other names, as the "earliest of all," but we assure our customers that they cannot buy a better cabbage of this type than our carefully grown and selected stock of this variety.

Early Jersey Wakefield.—Heads very compact, of medium size, conical. An early, sure heading sort; very popular with market gardeners. Its thick, stout leaves combined with its very compact growth, make it the

RED DUTCH DRUMHEAD.

best for wintering over in cold frames, or for very early setting in the spring. Unfortunately the great demand for this sort has brought upon the market large quantities of coarse and inferior stock, which has tended to diminish the popularity of the sort; but when pure and good stock, such as we offer, is used it cannot fail to give perfect satisfaction as the best first early cabbage for market gardeners.

Early York.—An early variety. Heads small, heart-shaped, firm and tender; of very dwarf growth, and may be transplanted fifteen or eighteen inches apart.

Early Large York.—Succeeds the Early York. It is of large size, about ten days later, more robust, and bears the heat better.

EARLY DEEP RED ERFURT.

Handerson's **Early Summer.**—The earliest, large heading cabbage; growth compact, so that it may be set as close as the smaller sorts. Heads large, flat, or slightly conical, handsome, and they keep longer without bursting than most of the early sorts. Valuable for both family and market. This may be called an improvement on the Newark Flat Dutch, which it has superseded.

All Seasons.—A greatly improved strain of Early Flat Dutch. Heads very large, round, often nearly spherical, but usually somewhat flattened; very solid, and of the best quality, keeping as well as the winter sorts. Plant very vigorous but sure heading; leaves large, smooth, with dense bloom. One of the very best sorts for general cultivation.

Early Dwarf Flat Dutch.—An excellent second early sort which does particularly well in the Southern

States. Head of medium size, solid, flat, grows low on the stump and is of good flavor.

D.M. FERRY & CO'S PREMIUM LATE FLAT DUTCH.

Early Winnigstadt.—One of the best for general use, being a very sure header, and will grow a hard head under circumstances where most sorts would fail, and we think those who have failed with other sorts could hope to succeed with this. It seems to suffer less from the cabbage worm than any other sort. Heads regular, conical shape, very hard, and keep well both summer and winter.

EARLY DWARF ULM SAVOY.

crop, and succeeds particularly well on rich prairie soils.

Fottler's Early Drumhead, or Brunswick Short Stem.—In many sections, particularly at the east, this is the only Cabbage grown, and it certainly is one of the very best second early sorts in cultivation. Plants have very short stems and large leaves which start from the stem horizontally, but turn upward beyond the head, making it remarkably compact. Head large, very flat, compact and solid, and of fine quality. We have taken pains to have our stock free from the longer stemmed coarse plants often seen in inferior stocks of this variety.

Early Drumhead.—Plants compact, with very thick, dark green leaves covered with a dense bloom which protects them in a measure from the worms. Heads flat, very solid, and of good quality.

Early Large Schweinfurt.—Forms a *very large*, showy head of excellent quality, but does not stand the heat well. When grown in perfection, one of the handsomest of the second early sorts.

Red Dutch Drumhead, for Pickling.—Excellent for pickling or for eating raw. Forms very hard, oblong heads, round at top, of a dark red, or purple color.

Early Deep Red Erfurt.—Plants smaller and more compact and shorter stemmed than the above, and the head is smaller, nearly round or sometimes oval, very hard and of exceedingly deep color, and one of the best keepers. Very desirable.

Stone Mason Marblehead.—Characterized by its sweetness and delicacy of flavor and by its reliability in

IMPROVED AMERICAN SAVOY.

forming a large head. Very hardy and will endure the cold of extreme northern climates.

Late Flat Dutch.—A low-growing variety; heads large, bluish green, round, solid, broad and flat on the top, and often tinted with red and brown. An excellent fall and winter variety and a good keeper.

D. M. Ferry & Co's Premium Late Flat Dutch.—This we consider superior to any late cabbage in cultivation. It possesses all the good qualities of the Late Flat Dutch, and is a sure header. Our stock of this variety is of our own raising from carefully selected

heads, and we think it superior to any other strain of this popular variety.

Large Drumhead.—The Drumhead Cabbage is a large fall or winter variety, with a broad, flat or round head, short stump, tender and good flavored, and an excellent keeper; grown extensively for shipping purposes.

D. M. Ferry & Co's Premium Late Drumhead.—We recommend this sort to market gardeners and growers for shipping purposes. In good rich soil, and with a favorable season, the heads will grow to an enormous size; very compact and solid, and of excellent flavor.

Marblehead Mammoth Drumhead.—The largest cabbage known, weighing in some instances over *fifty pounds*. Under good cultivation, acres have been grown where the heads would *average* thirty pounds each.

Quintal Drumhead.—A French variety corresponding to our Flat Dutch, and one of the best of the foreign sorts. Heads quite flat on the top, with few side leaves; solid, firm, hard, and of good flavor.

Green Glazed.—A standard late variety in the south, as it is not affected by the heat. Heads large, but rather loose and open. Very desirable from the comparative immunity it enjoys from the attacks of insects.

Our English friends think the Savoy's alone are fit for the table, and they are certainly of much better flavor than the smooth sorts.

Early Dwarf Ulm Savoy.—One of the earliest and sweetest of the Savoy's. Heads round, solid; leaves small, thick, fleshy, of fine, deep green color, and of most excellent quality.

Green Globe Savoy.—This does not make a firm head, but the whole of it being very tender and pleasant flavored, is used for cooking; leaves wrinkled and dark green; is very hardy and improved by frost.

Improved American Savoy.—Closely approaching the Cauliflower in delicacy and delicious flavor. The best of all the Savoy's for general market or home use. It has a short stump, grows to a large size, is compact and solid, and is a sure header.

Drumhead Savoy.—Grows to a large size. Heads nearly round, a little flattened on the top, color dark green.

Carrot.

Fr. Carotte. Ger. Moehren.

The Carrot is one of the most healthful and nutritious of our garden roots, and deserves to be more extensively used both for culinary and stock feeding purposes. We urge our readers to give some of the early table sorts a trial. As an agricultural root, the Carrot is not surpassed for feeding horses and milch cows, and every farmer should plant a few for this purpose.

CULTURE.—The Carrot succeeds best on a light, sandy loam, made rich by manuring the previous year. In freshly manured land, the roots often grow pronged and ill-shaped. The secret of success is to secure the quick germination and rapid growth of the young plants, which may be accomplished by rich, well

EARLIEST SHORT HORN.

prepared soil, covering the seed from one-half to one inch in depth, and *pressing the soil firmly over the seed with the feet or a roller.* It is better to sow as early in the spring as the ground can be made ready, but if planting is necessarily delayed until late in the season, soak the seed twenty-four hours in tepid water, then dry the surface by mixing in sifted coal ashes or plaster, and sow on freshly prepared soil.

EARLY SCARLET HORN.

Earliest Short Horn (FOR FORCING).—The earliest variety in cultivation, and best suited for forcing.

Tops small, finely divided; root dark, or reddish orange, round, two inches in diameter, with slender tap, and grooved at the crown.

Early Scarlet Horn.—Best for early planting out of doors. Tops small, coarsely divided; roots top-shaped, but tapering abruptly to a small tap; surface dented, orange red; flesh thick, with indistinct yellow core.

Early Half Long Scarlet Carentan.—Tops very small, roots almost cylindrical with a remarkably small neck; very handsome, deep orange in color, scarcely any core, and of the best quality. They can be sown very thick and are well adapted for forcing.

EARLY HALF LONG SCARLET CARENTAN.

EARLY HALF LONG SCARLET, STUMP ROOTED.

HALF LONG SCARLET NANTES, STUMP ROOTED.

Half Long Scarlet Nantes, Stump Rooted.—Tops medium, cylindrical, smooth, bright orange; flesh orange, becoming yellow in center, but with no distinct core; of the finest quality. This and the preceding are the varieties so extensively used in France for culinary

GUERANDE, OR OX HEART.

purposes, and only need to be known to supersede the coarser sorts for garden culture.

Early Half Long Scarlet, Stump Rooted.—Excellent for early market or for field culture on *shallow soils.* Of medium size, flesh bright scarlet, brittle and of fine flavor.

Guerande, or Ox Heart.—Tops small for the size of the root, specimens of which have been grown which were over seven inches across. They are broad, top-shaped, the diameter often exceeding the length, and terminate abruptly in a small tap root, and by reason of

DANVERS.

their shape, very easily dug. Flesh bright orange, fine grained and sweet. Good enough for the table, although large enough to be profitably grown for stock. Although introduced as a late carrot, this has been found very desirable when young for early market.

Danvers.—One of the most productive and best for field culture. Tops medium, roots dark-colored, large, but of medium length, tapering abruptly at the point,

very uniform and handsome; flesh, deep orange with yellow center sweet and tender.

Long Orange.—A well-known standard sort. Roots long, thickest near the crown, tapering regularly to a point; color, deep orange. It requires a deep soil, and the plants should stand eight inches apart, in eighteen inch drills, for the roots to attain their full size.

Improved Long Orange.—An improvement on the preceding, obtained by careful selection for years of the best formed and deepest colored roots. Roots proportionately

LARGE WHITE
BELGIAN.

IMPROVED LONG ORANGE.

shorter than the Long Orange, and smoother, but so uniform and true that the bulk of crop will be greater. The most desirable sort for farm use on mellow soils.

Large White Vosges.—Roots very large, similar in shape, although more pointed than the Guerande. Skin and flesh white, and the latter is of much better quality than that of the other white varieties, so that it is often used for the table. Easily dug, and a very distinct, valuable variety.

Large White Belgian.—Grows one-third out of the ground. Root pure white, green above ground, with small top. Flesh rather coarse, but the roots on light, rich ground grow to a large size, and are extensively grown for stock feeding.

Cauliflower.

Fr. *Chou-fleur*. Ger. *Blumen-Kohl*.

The Cauliflower, although one of the most delicious of vegetables, is little known outside of our large cities. It needs, to bring it to perfection, a cool, moist atmosphere, and if this condition occurs when the plant is about to head, fine, large heads will result, while if the air is hot and dry, failure will result in spite of the best of seed and cultivation. The seed we offer is the finest procurable, and is obtained from the most careful growers in Europe.

CULTURE.—For the spring and summer crop, sow the early varieties about the last of winter, in a hot-bed, and transplant into the open air as soon as the ground can be worked. For the late, autumn crop, sow the late kinds about the middle of spring, and transplant like winter cabbages. In dry weather water freely, and as they advance in growth, hoe deep, and draw earth to the stems. After they begin to head, they should be watered every other day, and the leaves gathered and pinned together over the heads to protect them from the sun and keep them white. On the approach of frost, those plants which have not headed may be set out in a cellar, where they can be aired in mild weather. In two or three weeks the strongest will begin to form flower heads, which should be cut for use while the "curd" is close and compact. It is then tender and delicious, but later the head opens, separates into branches, and soon becomes coarse, fibrous, strongly flavored and unfit for use.

Early Snowball.—Highly esteemed by market gardeners for its earliness and reliability as a sure header. Tested with several other varieties, it has proved to be as early, if not earlier, than any other sort. Its hardiness, sure heading and compact growth make it one of the best for forcing or wintering over.

In Cauliflowers very much depends upon the quality of the seed, and we have expended a great deal of time and money to satisfy ourselves where we could obtain the best, and believe the seed we offer this year to be the best in the world. It is the product of very carefully selected heads, and grown in the section where the best cauliflowers in the world are produced, and consequently is high-priced, but we think it really the most economical and best to buy, as every plant with good culture will produce a good head.

Extra Early Dwarf Erfurt.—An extra early variety, much prized in Germany for early market use. It is of dwarf habit, compact growth, short outside leaves, and can be planted twenty inches apart each way. We think this stock can be entirely relied upon, as the seed is selected with extra care by one of the most careful growers in Germany.

Extra Early Paris.—Heads large, white, compact and solid, of excellent flavor, tender and delicious. Leaves large, stalk short. Being so early, it must always be a favorite, especially with market gardeners.

Early Erfurt.—One of the best for general cultivation. Heads large, close, compact and very white.

Early London.—This is a standard variety; very tender and quite early; heads compact, solid, and of delicious flavor; good for general use.

Early Paris, or Nonpareil.—A most excellent French variety with good sized, uniform, close heads, which are tender and delicious. Planted at same time with the Extra Early Paris, it will afford a succession.

Le Normand's Short Stem.—Considered by the French one of the very best sorts. Plant hardy, semi-dwarf, sure heading, and producing many leaves, which protect the close, solid curd, keeping it well blanched.

Large Algiers.—A valuable late sort, sure to head, of the best quality, and very popular with market gardeners everywhere. One of the very best.

Late London.—A fine, large, white, compact variety, taller, with larger leaves, and somewhat later than the Early London. Sown at the same time it will afford a succession.

Veitch's Autumn Giant.—A distinct and valuable late variety. The heads are very large, beautifully white, firm and compact, and being well protected by foliage, remain a long time fit for use. The plants should be started and transplanted early in the season, to insure their full development.

Celery.

Fr. *Celery*. Ger. *Sellerie*.

This is becoming more and more popular, and whole farms are given up to its production. It delights in a

GOLDEN HEART.

rich, friable, well drained muck soil, but can be grown of excellent quality in any good garden, although an abundance of water while growing, and cool, moist weather when blanching, are essential for good celery.

CULTURE.—Sow the seed (which is slow to germinate) in shallow boxes, or in a finely prepared seed bed out of doors, in straight rows, so that the small plants may be kept free from weeds. When about two inches high, thin out and transplant so that they may stand two inches apart, and when the plants are four inches high, cut off the tops, which will cause them to grow stocky. The crop is usually made to succeed

an earlier one, and if good plants are used they may be set out as late as the middle of August, but the best results are usually obtained from setting about the middle of June or first of July. The most desirable time will depend upon local climate, and is that which will bring the plants to maturity during cool, moist weather. In setting, prepare broad, shallow trenches about six

inches deep, and four feet apart, in which the plants should be set six inches apart, cutting off the outer leaves and *pressing the soil firmly about the roots*. When the plants are nearly full grown they should be “handled,” which is done by one man’s gathering the leaves together, while a second draws the earth about the plant to one-third its height, taking care that none of the earth falls between the leaves, as it would be likely to cause them to rust or rot. After a few days draw more earth about them and repeat the process every few days until only the tops of the leaves are visible, or the leaves may be pressed together by two wide boards held firmly a few inches apart by cross ties and stakes, when in a few days more it will be fit for use. Care should be taken that the plants are not disturbed while they or the ground is wet, as it would be sure to injure them. A part of the crop may be simply “handled” and then at the approach of severe freezing weather taken up and set out compactly so that all but the tops of the leaves can be covered with sand, in a light cellar or an unused cold frame, which can be kept just above the freezing point, and it will then gradually blanch so that it may be used throughout the winter.

Golden Heart.—A distinct variety, of sturdy, dwarf habit. It is solid, an excellent keeper, and of fine, nutty flavor. When blanching, the heart, which is large and full, is of a light yellow, making this an exceedingly showy and desirable variety for both market and private use, and most of the extensive cultivators after trying other varieties return to this for their general crop.

Perfection Heartwell.—Stronger growing than the last and not so popular with celery growers, but certainly a desirable sort for general culture, the hearts being large and of the best quality.

Crawford’s Half Dwarf.—The favorite variety with New York City market gardeners. When blanching it is of rather a yellowish white, and is entirely solid, possessing the nutty flavor peculiar to the dwarf kinds, while it has much more vigor of growth, surpassing most of the large growing sorts in weight of bunch.

EARLY SNOWBALL CAULIFLOWER.

Dwarf White Solid.—Dwarf White, of stiff, close habit; solid, crisp and juicy. Said to keep in good order later in the season than any other variety.

Boston Market.—The most popular sort in the markets of Boston, and the only one planted by the market gardeners of that vicinity. It forms a cluster of heads, instead of a single large one, and is remarkably tender and crisp. The best variety for light soils.

Golden Yellow Large Solid.—This is sometimes sold as Golden Self-Blanching, and it is quite as self-blanching as White Plume, or any other kind. The entire plant is of a yellowish green color, and as it approaches maturity the inner stems and leaves become a beautiful yellow color, adding much to its beauty, but by no means dispensing with the necessity of blanching. It grows to a good size, and when well grown and blanched it is of excellent quality and *very* beautiful. It does not keep very well, nor is it a sure cropper; but it should find a place in the gardens of those who are willing to give it extra care because of its beauty.

White Plume.—Introduced with the claim that it was entirely self-blanching and needed no earthing up; but no good celery can be grown without earthing up or some substitute for it. The inner leaves are white and the blanched celery is quite handsome and attractive, and it comes to maturity earlier than most sorts. We think it is not superior in any particular to the Golden Yellow Large Solid, and inferior both in quality and beauty.

Seymour's White Solid.—A large sized, vigorous growing variety; stalks white, round, very crisp, perfectly solid, and of superior flavor.

Incomparable Dwarf Crimson.—The red varieties keep better through the winter, and are generally considered to be of superior flavor, and they are yearly becoming more popular. This is a dwarf sort of deep, rich color, very crisp, and of the highest flavor.

Celeriac, or Turnip Rooted.—The root of this variety is turnip-shaped, tender and marrow-like, having a sweeter taste and stronger odor than other varieties. It is used principally for seasoning meats and soups.

Celeriac, Large Smooth Prague.—An improved form of turnip-rooted celery, producing larger and

GOLDEN YELLOW LARGE SOLID.

smoother roots which are almost round and with very few side roots. Plants vigorous, with large, deep green foliage.

Chervil.

Fr. *Cerfeuil*. Ger. *Gartenkerbel*.

By many this is preferred to Parsley for garnishing, and its aromatic leaves are much used for seasoning and in salads.

CULTURE.—Sow in early spring in rich, well prepared sandy soil, and when plants are well established transplant to about one foot apart.

Curled.—A variety with crisp and curled leaves, and very much handsomer and in all respects superior to the common sort.

Chicory.

Fr. *Chicoree*. Ger. *Cigorien*.

Large Rooted, or Coffee.—Much used in Europe as a substitute for coffee, and large quantities of the prepared root are annually exported to this country for similar use. Sow as early in the spring as the ground

CHICORY.

CELERIAC, LARGE SMOOTH PRAGUE.

CHERVIL, CURLED.

can be prepared in rich, friable soil in drills eighteen inches apart in garden, and two and one-half feet apart in field culture. Cultivate well and thin the young plants to about eight to ten feet. In the fall, dig the roots and cut into small pieces and dry like dried apples.

Collards.

A species of cabbage known in different sections as "Cole" and "Colewort." It is almost universally used in the South for "greens," where it continues in luxuriant growth all winter.

GEORGIA COLLARDS.

Georgia, or Southern.—This is the variety so extensively used in the South, where it furnishes an abundance of food for both man and beast. Forms a large, loose, open head, or a mass of leaves on a tall stem. Freezing improves their quality. Sow thick, in drills, in rich ground, transplanting when four inches high. In the South, sow from January to May and August to October.

Corn.

Fr. *Mais*. Ger. *Mais*.

CULTURE—A rich, warm, alluvial soil is best, and immediately before planting this should be as deeply and thoroughly worked as possible. Cultivate deeply and thoroughly as soon as possible after the plants appear, and every few days until it tassels. Thorough cultivation and warm, rich soil are the keys to success.

Cory.—A new sort resembling the Marblehead, but of stronger growth, with larger, lighter colored ears, and by far the largest of the early sorts. The plant does not sucker so much as the Marblehead, and it will mature a full crop earlier than that variety. All the red cobbled corns should be cooked quickly by dropping the ears into boiling water to which a little salt has been added, for if simmered over a slow fire, or allowed to stand in the water after cooking, the red cob will discolor the kernels.

CORY.

EARLY MARBLEHEAD.

BOYNTON.

considered the earliest sort, but clearly later than the Cory.

Boynton.—Introduced by us in 1877, and for many years recognized as the best extra early sort, but unfortunately we lost the true stock, and have been unable to offer it for some years. We have now a stock fully equal to that first sent out, and recommend it as the earliest white cob sweet corn. Stalk short, without suckers; ears eight-rowed similar to the Minnesota, and of the best quality of any of the extra early sorts.

White Cob Marblehead.—A selection from the Marblehead, but with white cob, gained at the expense of a slight falling off in earliness. Those who like the Cory and Marblehead, but object to the red cob, will find this a fine variety.

Extra Early Adams.—Nearly as early as the last, but inferior in quality. It will, however, succeed at the South where other sorts fail. Stalks very short, with no suckers, bearing a single, very full, round, short ear, well covered with husks; kernels white, smooth.

Early Minnesota.—Very little later than the above, but an old and deservedly popular market sort. Stalks short and not suckering, bearing one or two ears well covered with husks; ears long, eight-rowed; kernels very broad, sweet and tender, not shrinking much in drying. By

EXTRA EARLY ADAMS.

careful selection we have developed a stock of this standard variety which is remarkably uniform, and in which all the good qualities which have made this variety so popular are intensified.

EARLY
MINNESOTA.

EARLY SOUTH-
ERN SWEET.

EARLY RED
NARAGANSETT.

Lect's Early.—The earliest large-eared corn. Stalk a little taller than the Minnesota, generally red; ears larger, generally ten-rowed, but sometimes with only eight; usually white cob, but occasionally red. Although not very fixed in type, this is a very desirable corn for those markets where an early, larger eared corn is wanted. Quality is quite uniformly good. This variety took the first premium at the great Corn Show in Chicago last fall as the best early sweet corn.

Early Southern Sweet.—This is a true hybrid corn, being the result of a crossing of the Minnesota on the Cuzco, a Mexican species with very tall stalks and short, thick ear,

CROSBY'S
EARLY.

EARLY SWEET,
OR SUGAR.

MOORE'S EARLY
CONCORD SWEET.

bearing grains as large as chestnuts. We made the cross in 1882, and have been selecting and fixing the sort since. Stalks about the height of Minnesota, very stiff, with broad, stiff foliage, and bearing medium

length ten-rowed ears covered with thick, coarse husks. Grain large, with a thick skin, but sweet and good. The ears are fit for use about as soon as the Minnesota, and *remain in condition until late in the fall*. From tests we have made, we believe that this corn can be grown successfully at the extreme south, where all other sweet corns fail.

Early Red Naragansett.—We think this the best *red* variety of sugar corn grown. It is early, following the Minnesota. The kernels are much shriveled, and exceedingly sweet and tender. A good table variety, and many prefer it to any other sort.

Crosby's Early.—A most excellent variety, and remarkably early. Ears of good size, twelve-rowed, medium length, grain very thick, sweet, rich and delicate. This

EXCELSIOR,

BLACK MEXICAN.

TRIUMPH.

is the sort grown in Maine, and it is the use of this variety rather than any peculiarity of soil that has given Maine sweet corn its reputation for quality.

Early Sweet, or Sugar.—Ears good size, eight-rowed, tender and sugary; plant productive, hardy and quite early. An excellent table sort.

Moore's Early Concord Sweet.—Produces its very large, handsome, ten-rowed ears very low on the stalk, and comes into use after Crosby's Early. The quality is unexceptionable, and it is valuable as an intermediate variety.

Black Mexican.—Although the ripe grain is black or bluish black, the corn, when in condition for the table, cooks remarkably white, and is surpassed by none in tenderness. This by many is considered the most desirable for family use of the second early sorts.

Excelsior.—The best quality of the second early sorts, and the best for general crop. Stalks medium, bearing from three to six small, curved ears, which are filled out to the end with broad, white kernels that cook exceedingly sweet and tender.

Triumph.—Stalks large, with large, eight-rowed ears and very broad grains of fine quality. The earliest of the very large sorts, and in form and general character like the Minnesota; highly esteemed by canners.

Ne Plus Ultra.—A new late variety which promises to become very popular.

NE PLUS
ULTRA.

Stalks of medium height, being very short between joints, without suckers, dark green with some marking of red; bearing from two to five ears, well covered with tassels and red silk. Leaves numerous; husks, which are gathered into a point, broad, dark green. Ears short, tapering, always well filled out. Kernels

HICKOX
HYBRID.

STOWELL'S
EVERGREEN
SWEET

EARLY ADAMS,
OR
BURLINGTON.

not in rows, small, very long, white and exceedingly tender and sweet. One of the best late varieties, particularly for amateur use.

Old Colony.—A very old sort which has been revived and sold under the name of Landreth's Sugar, and other names. It is similar to the above, but with much larger ears, which are quite uniform, and have an oval rather than a round cob. Many who tasted it at our trial grounds pronounced it the best of any of the forty-eight kinds grown by us this summer. Stalks six feet high; very productive; ear large, oval, with sixteen to twenty irregular rows; grain small, long, compressed and crowded on the white cob; quality the very best.

Egyptian Sweet.—A variety noted for its productiveness—the stalks having from two to four ears each—the large size of its ears, its sweetness and tenderness. It is peculiarly adapted for canning purposes, and the superiority of the canned green corn of this variety is noticeable.

Hickox Hybrid.—A very popular variety at the east. Ears longer than the Evergreen but not quite so large; grain very white and retains this color when cooked, and until quite mature. A very desirable sort for canners who wish a late corn.

Stowell's Evergreen Sweet.

Mammoth Sweet.—This variety is intermediate in its

season, and if planted at the same time with earlier kinds, will keep the table supplied till October. It is hardy and productive, very tender and sugary, remaining in a condition suitable for boiling a long time. Our stock has been carefully grown and selected to avoid the tendency to a shorter grain and deterioration in the Evergreen character of this best of all late sorts.

Mammoth Sweet.—This variety produces the largest ears of any sort with which we are acquainted, a single ear sometimes weighing two or three pounds. The quality is excellent—sweet, tender and delicious, and its only fault is the immense size of the ear.

Early Adams, or Burlington.—An excellent early field variety, and often used for table, particularly at the south. Ears about eight inches long, twelve or fourteen rows; kernels white, rounded, somewhat deeper than broad, and indented at the outer end, which is whiter and less transparent than the inner.

Early Red Blazed.—The experience of 1883 demonstrated that this is the hardiest field corn in cultivation. It is not only early, but will endure uninjured a degree of cold and wet that would be fatal to other sorts. Stalks medium height, without suckers, dark green, with red or bronze markings. Leaves broad, green at base, but bronze at top, particularly while the plant is young. Ears long, eight-rowed, well filled, small at base. Grain flinty and of fine quality, bright yellow at base of ears, but red at the tips.

Early Golden Dent, or Pride of the North

—A very early Dent variety, ripening with the Flint sorts, and can be successfully grown further north than any other variety of Dent corn. Stalks small, with broad leaves. Ears short, twelve to sixteen-rowed, well filled. Grain long, yellow, making an extra quality of meal.

Early Golden Lenawee Dent.—Plant

medium size, stout, with very broad leaves, producing two ears, which are large, cylindrical, sixteen to eighteen rowed, with very deep yellow grain and an exceedingly small cob. It matures very early and surely, and has repeatedly made a crop when other sorts failed.

Early Yellow Hathaway Dent.—Stalks above medium, stout, with many broad leaves and bearing two ears on long foot stalks so that they hang point downwards, thus protecting the grain from rain. Ears medium

EARLY GOLDEN LENAWEE
DENT.

size, with very small cob, especially at the base; sixteen to twenty rows, grain yellow, dented with small projecting point, very long, and wedge shaped.

Rice, for Parching.—A very handsome variety. Ears short; kernels long, pointed and resemble rice; color white; very prolific; used entirely for parching, for which purpose it has no superior.

Corn, Broom.

There are many farmers who might make this a very profitable crop, as an acre will give about five hundred weight of broom and nearly forty bushels of seed, worth nearly as much as oats for feed.

CULTURE.—It requires similar soil and culture to corn, but should be planted later. It is frequently planted in drills three and a half feet apart, leaving the plants six inches apart.

Dwarf.—Grows from three to five feet high, and produces short, fine brush, suitable for whisk brooms and brushes. Our stock is very pure and true.

Improved Evergreen.—Grows to a height of seven to nine feet; early and produces a very fine brush of good length and of green color. Our stock is choice, having been established by a careful selection for many years of the finest plants.

Corn Salad, Fatticus, or Lamb's Lettuce.

Fr. *Mache*, *Salade*, *de ble*.—Ger. *Ackersalat*, *Lammarsalat*.

This small salad is used during the winter and spring months as a substitute for lettuce, and is also cooked and used like spinach. In warm weather the plants will mature in from four to six weeks.

CORN SALAD.

CULTURE.—Sow the seed in shallow drills about one foot apart, during August and September. If the soil is dry, it should be firmly pressed over the seed, in order to secure prompt germination. On the approach of severely cold weather, cover with straw or coarse litter. The plants will also do well if the seed is sown very early in the spring, and like most salad plants, are greatly improved if grown on very rich soil, indeed, the ground can scarcely be made too rich for them.

Cress, or Pepper Grass.

Fr. *Cresson*. Ger. *Kresse*.

Curled.—This small salad was formerly much used with lettuce, to which its warm, pungent taste makes a most agreeable addition.

CULTURE OF THE CURLED VARIETIES.—The seed should be sown in drills about eighteen inches apart, on very rich ground, and the plants well cultivated. Keep off insects by dusting with Pyrethrum Powder. It may

be planted very early, but repeated sowings are necessary to secure a succession.

Water.—This is quite distinct from the last, and only thrives when its roots and stems are submerged in water. It is one of the most delicious of small salads and should be planted wherever a suitable place can be found.

WATER CRESS.

CULTURE.—The seed should be sown and lightly covered, in gravelly, mucky lands along the borders of small, rapid streams, and the plants will need no subsequent culture, as in favorable condition they increase very rapidly by self-sown seed and extension of the roots.

Cucumber.

Fr. *Concombre*. Ger. *Gurken*.

This is one of those vegetables which can be grown to perfection by anyone who can control a few square yards of soil which is fully exposed to the sun, and the fruit is so much better when gathered fresh from the vines than it is when obtained in the market, that every family should be supplied from its own yard.

CULTURE.—The plants are tender, and planting should be delayed until settled warm weather, or ample facilities should be provided for protecting them from frosts and during cold storms. Form low, flat hills six feet apart each way, of rich soil, by mixing in a quantity of thoroughly decomposed manure, stirring the soil to a depth of sixteen inches or more; or open shallow trenches six to eight feet apart and mix with the bottom earth a quantity of similar manure and replace the surface soil. Scatter on each hill fifteen or twenty seeds, or one every inch along the rows, and cover one inch deep, pressing the soil firmly over them.

As soon as the plants are up, they will be liable to attack by the striped cucumber beetle. These may be kept off by frequent dusting with air-slacked lime, soot, or sifted ashes diluted with fine road earth; care should be taken not to use too much, for if too strong any of the above materials will kill the vines. When the plants are well established, thin to three plants to each hill. In gathering, pick all the fruit before it begins to ripen, as the vines will cease setting fruit as soon as any seed commences to mature. In field culture, plow furrows four feet apart across the field, and similar ones, but omitting every fourth furrow, at right angles to the first; this will form paths for the distribution of manure and the gathering of the fruit. At each intersection drop a shovelful or more of well rotted manure, which should be well mixed with the soil, so as to form a low, flat hill. In gathering for pickles, cut the stem, instead of pulling the fruit off, and be careful not to mar the fruit in any way, for if the skin is broken the pickles will not keep.

Early Russian.—Earliest and hardest. Vines vigorous and productive. Fruit three to four inches long, small, oval, pointed at each end, covered with fine small spines.

Early Cluster.—Vines vigorous, producing the bulk of the crop near the root and in clusters. Fruit short, holding full size to each end, dark green but paler at blossom end. Good for table use, but not adapted to pickling.

EARLY SHORT GREEN, OR EARLY FRAME.

Early Short Green, or Early Frame.—Plants very vigorous and productive. Fruit straight, handsome, smaller at each end, bright green, lighter at the blossom end, with crisp, tender flesh, and when young, makes excellent pickles.

There are a number of different strains of pickling cucumbers, each of which has distinct merit and is pop-

D. M. FERRY & CO'S PERFECTION PICKLING.

ular in some section. We offer carefully grown stocks of the following:

Chicago, or Westerfield Pickling.—Very popular with Chicago market gardeners, and extensively grown in that vicinity. Fruit medium length, pointed at each end, with very large and prominent spines; color deep green.

Jersey Pickling.—Very popular in New Jersey. Intermediate between the Long and Short Green, forming a long, slender, cylindrical pickle, which is very crisp and tender.

NICHOLS' MEDIUM GREEN.

D. M. Ferry & Co's Perfection Pickling.—This variety is not only the best for pickles, but is one of the best for the table. Vines vigorous, producing their fruit early and very abundantly; fruit distinctly three sided, tapering towards each end, of dark green color, which they retain as pickles; flesh very crisp and tender.

EARLY WHITE SPINE.

Boston Pickling, or Green Prolific.—A distinct variety very popular for pickles. Fruit short, nearly cylindrical, but pointed at each end, bright green, and a great producer.

Nichols' Medium Green.—A new variety, the result of careful selection. Fruit of medium length, nearly cylindrical, very uniform in shape, and of good color when young, but becomes yellow and bitter at an earlier

BISMARCK.

stage than most, and not at all suited for forcing or early planting.

Early White Spine.—One of the best sorts for table use. Vines vigorous, fruiting early and abundantly; fruit uniformly straight and handsome, light green with a few white spines; flesh tender and of excellent flavor.

Arlington.—A selection from the White Spine, being more pointed at each end, and the young fruits are

IMPROVED LONG GREEN.

unusually crisp and tender and are of a very dark green color, so that the variety is considered by many to be the best for small pickles.

Bismarck.—A cross between the White Spine and Long Green; established by careful selection. Fruit long, cylindrical, very handsome and constant in form and color; flesh very crisp and tender.

Improved Long Green.

—Produced by selection from the Long Green. Vines vigorous and productive, forming fruit fit for the table nearly as early as the shorter sorts; fruit about twelve inches long, firm and crisp, with very few

GHERKIN.

seeds. The young fruit makes one of the best of pickles, and when ripe is the best of any for sweet pickles.

Long Green.—Fruit shorter than the above, and makes a good pickle, but is less crisp and tender.

Gherkin, for Pickling.—A very small, oval shaped, prickly variety, quite distinct from all others, and only used for pickling. It is grown exclusively for pickling; is the smallest of all the varieties, and should always be pickled when young and tender. The seed is slow to germinate.

Egg Plant.

Fr. *Aubergine*. Ger. *Eierpflanze*.

The Egg Plant, when well grown and properly cooked, is a delicious vegetable, and it should find a place in every garden.

CULTURE.—The seed germinates slowly, and should be started in strong heat, for in this, as in all sub-tropical plants, it is of importance to secure a rapid and continuous growth from the first, the plants never recovering from a check received when young. When the plants have formed two rough leaves, transplant to three or four inches apart. Keep the bed closed and very warm, shading from the direct rays of the sun, and giving abundance of water until the ground is warm and all danger, not only from frost, but from cold nights, is past; then harden off the plants by gradual exposure to the sun and air, and decrease the supply of water, then carefully transplant into very

BLACK PEKIN.

warm, rich soil, setting the plants two and a half feet apart. If needed, shade the young plants and protect them from the potato bug, which is very fond of them, and if not prevented, will often destroy them.

Early Long Purple.—This is one of the earliest and most productive varieties; fruit long, dark rich purple, and of fine quality.

Black Pekin.—Nearly as early as the last, and

D. M. FERRY & CO'S IMPROVED LARGE PURPLE.

nearly as large as the later sorts. Very prolific, and desirable for market gardeners' use. Fruit nearly round;

skin smooth, black and glossy; flesh white, fine-grained and delicate.

Large New York Purple.—Large, round or oval, of excellent quality; later than the preceding, and highly esteemed in the New York market.

D. M. Ferry & Co's Improved Large Purple.—The best variety in cultivation, being early, a sure cropper, and of fine quality. Plants large, vigorous, with light green leaves; fruit very large, oval, deep purple, with occasional dash of green about the stem; flesh white, tender, and of superior quality.

Endive.

Fr. *Chicoree*. Ger. *Endivien*.

Endive in its natural state is very bitter, but when properly blanched its leaves make a fine salad, and maturing as it does after lettuce is past, it is very useful.

CULTURE.—Endive may be grown at any season of the year, but is more generally used late in the fall. Sow the seed during June or July, in drills fourteen inches apart, and when well established, thin the plants to one foot apart. When nearly full grown, tie the outer leaves together over the center in order to blanch the heart of the plant. This will usually be fit for the table in ten days, and continues in condition for use about one week, so that the tying up should be done every few days in order to secure a succession.

GREEN CURLED ENDIVE.

Green Curled.—Is the hardest variety, with beautifully curled, dark green leaves, which blanch white, and are very crisp and tender.

Ever White Curled.—By far the most beautiful variety. Plant moderately dense with divided leaves, coarser and less tender than those of the Green Curled, but the midrib is yellow, and the leaves frequently almost white, so that the plant is very attractive and always brings the highest price on the market.

Broad Leaved Batavian.—Has broad, thick, plain, or slightly wrinkled leaves, forming a large head which is preferred for stews and soups; but if the outer leaves are gathered and tied at the top, the whole plant will blanch nicely, and make an excellent salad for the table.

Garlic.

Fr. *Ail*. Ger. *Knoblauch*.

A bulbous rooted plant, with a strong, penetrating odor, but much esteemed by some for flavoring soups, stews, etc. We frequently receive orders for *garlic seed*, but we can supply the bulbs only.

CULTURE.—Prepare the ground the same as for onions, and plant the bulbs in drills eight inches apart, and four inches apart in the rows, and cover two inches deep. When the leaves turn yellow, take up the bulbs and dry in the shade, and lay them up in a dry loft, as you would onions.

GARLIC BULBS.

Gourd.

CULTURE.—The Gourd is a tender annual, and should not be planted till all danger of frost is over, and not less than six feet apart each way, in good, rich loam. Three plants in a hill will be sufficient to leave at the last hoeing.

Sugar Trough.—This variety grows to a very large size, and is valuable, when dry, for a variety of household purposes, such as baskets, buckets, cans, etc.

Japanese Nest Egg.—The fruit of this plant resembles an egg in size and appearance. They are pure white, do not crack, are not injured by heat or cold, and so make the very best nest eggs.

For Ornamental Varieties, see Flower Seeds.

HORSE RADISH.

Horse Radish.

The best Horse Radish is produced from small pieces of root; these are to be set small end down so that the top will be two inches below the surface. The soil should be very rich and well cultivated. It is also grown, but of inferior quality, from the crowns of the old plants. It is hardy and may be left in the ground until spring before digging. We frequently receive orders for the seed of this vegetable, but we can supply the roots only.

Kale.

Fr. Chou Vert. Ger. Blaetter Kohl.

Borecole, Kale, or German Greens, are general terms applied to those classes of cabbage which do not form heads, but are used in their open growth. Some of the varieties are the most tender and delicate of any of the cabbage tribe. They are hardy, and improved rather than injured by frost.

CULTURE.—As far north as New York they may be sown in September and treated like Spinage, although at the south they will live and grow throughout the winter without protection, or they may be planted and treated like winter cabbage, and will continue growing till very late. If cut when frozen, thaw out in cold water before boiling.

Tall Green Curled Scotch.—This is very hardy,

and improved by a moderate frost. About two feet high, with an abundance of dark green, curled and wrinkled leaves. It stands the winters in the Middle States without any protection.

Half Dwarf Moss Curled.—An intermediate form which seems to possess all the merits of both the tall and dwarf sorts. Forming a medium sized head of

HALF DWARF MOSS CURLED KALE.

nicely curled leaves, which are kept well off the ground, but at the same time so compact as not to suffer from frost.

German Dwarf Purple.—A dwarf, compact plant composed of a mass of large, finely frilled leaves of a deep purple color. Tender, and of excellent quality; so handsome that it is frequently grown for ornament.

Extra Curled German Dwarf Green.—Plant dwarf, compact. Leaves numerous, long, of deep bright green color, and a mass of frilling so that often they are as thick as wide, and are of the best quality.

GERMAN DWARF GREEN KALE.

German Dwarf Green.—A smooth leaved sort very popular at the South, where if sown in the fall, it needs no protection, growing vigorously all winter; but is not equal to the other sorts for use at the North.

Kohl Rabi.

Fr. Chou-rave. Ger. Kohlrabi.

The Kohl Rabi is a vegetable intermediate between the cabbage and turnip, and combines the flavor of both. The edible part is a turnip-shaped bulb formed by the swelling of the stem. When used for the table, this should be cut when quite small, as it is then very tender and delicate, but if allowed to reach its full size it becomes tough and stringy.

EARLY WHITE VIENNA.

LARGE GREEN KOHL RABI.

Leek.

Fr. *Poireau*. Ger. *Lanch*.

This is a branch of the onion family, is very hardy, and by some is preferred to the onion.

LEEK.

CULTURE.—Sow in light, rich soil, as early as possible, in drills sixteen inches apart, and when well established thin to six inches apart in the row. One or two plantings at intervals of ten days will give a succession until hot weather, when they fail to grow well; but plantings may be made the latter part of July for fall use.

Early White Vienna.—Very early, small, handsome, white bulb. Best early variety for table.

Early Purple Vienna.—Nearly identical with the last except in color, which is a bright purple, with the leaf stems tinged with purple.

Large Green.—Hardy, quite late, and used for feeding stock. Bulbs large, weighing eight to ten pounds, whitish green in color; leaves large and numerous.

London Flag.—Is the variety more cultivated in this country than any other. Is hardy and of good quality.

Lettuce.

Fr. *Laitue*. Ger. *Lattich-salat*.

There is no vegetable which is more universally used than this, and yet few people know how inviting and appetizing it is when brought to the table fresh and unwilted, a condition in which it is rarely, if ever, found in our markets, and which can only be secured by growing the plants in one's own garden. So we earnestly urge all of our readers who can possibly do so, to grow their own lettuce.

CULTURE.—The quality of lettuce depends largely upon rapid and vigorous growth, and to secure this we need *very rich, mellow soil*, frequent surface cultivation, and an abundant supply of water. For the earliest crop, sow under glass in March, and thin out the plants so as to prevent their becoming crowded. If it is intended to mature the plants under glass, keep the bed quite close, giving frequent and abundant watering with liquid manure, and shade during *very* sunny days; if the plants are to be set in the open ground, give all the air possible without freezing the plants, and "harden off" by full exposure and withdrawal of water before transplanting. The plants should be set out as soon as a warm spot can be made very rich and mellow. At the time the plants are set out, sow seed in drills four-

EARLY TENNIS BALL, BL'K SEEDED. The Cos varieties should be tied up seven to ten days before using, in order to blanch the inner leaves.

During the past five years we have had under cultivation and critical comparison hundreds of European and American varieties, including Oak-leaved, Perpetual, New York, Deacon, Satisfaction, etc., etc., and as a result present the following list as including the best of every valuable type:

Early Tennis Ball (BLACK SEEDED).—Where a thick and dark leaved head lettuce for forcing is desired this is the best for culture under glass, but it must have a low temperature and plenty of air. Plant small, very

BLACK SEEDED SIMPSON.

hardy, forming when well grown a compact round head, but a loose and open one, or none at all, and running

quickly to seed if planted so as to mature during warm weather. Leaves thick, crisp and tender, and blanch easily and finely.

Black Seeded Simpson.—For those who like a large, thin, exceedingly tender leaf, and for those markets which demand a large, loose head, this is the best variety either for forcing or early sowing out of doors. Plant large, forming a large, loose head, very light yellowish-green in color, so that a little wilting is not noticed. Leaves very large, thin, slightly ruffled and blistered, the inner ones nicely blanched, and even the

FERRY'S EARLY PRIZE HEAD.

large outside leaves are tender and of good quality. By far the most popular variety in Detroit markets, and one of the best for general market garden use, as it is very attractive, of excellent quality, and continues a long time in condition for use.

Simpson's Early Curled.—Similar to the last, but the plant is a little smaller and decidedly darker in color and the leaves are more frilled and blistered. Popular in New York markets.

Early Curled Silesia.—Although this does not come to maturity any sooner than many others, the young

HANSON.

plants when sown out of doors can be cut as bunch lettuce the earliest of any, and the leaves are thin and when full grown the sweetest of any. Plant above medium size, bright green in color, growing very erect, but without forming a distinct head. Leaves much longer than wide, and usually cupped like those of the Cos varieties, frilled at the edge and very sweet and tender.

Ferry's Early Prize Head.—Careful comparison for several years with scores of varieties of American and foreign lettuces convinces us that this is by far the best variety for those who like a thin, tender, sweet lettuce; but it is so tender that it is very difficult to market it in

good condition, and so has no place in market gardens unless it can be delivered directly to the consumer. Plant large, deep green, so washed with red as often to appear more red than green; forming a head of a dense

PHILADELPHIA BUTTER, OR EARLY WHITE HEAD.

mass of leaves rather than one like a cabbage, and very slow to run to seed; leaves large, nearly round, frilled at the edge and densely blistered. They are exceedingly crisp, tender and good flavored, and do not become bitter nearly as early as those of other varieties.

Hanson.—This is the best heading lettuce grown, and furnishes the best blanched leaves, fully equalling those of the Cos varieties. Unfortunately a great deal of spurious and inferior stock has been sold, thus diminishing its popularity, but when pure it cannot fail to give satisfaction, and we think we have perfectly pure and true stock. Plant large, forming a large, flat head resembling that of a cabbage, and so slow to run to seed that it often fails to form any seed stalk. Outer leaves bright green, with prominent, light-colored veins, inner leaves white and usually curved and twisted at the base, very tender and sweet.

Philadelphia Butter, or Early White Head.—Many prefer a thick leaved, smooth lettuce, and to meet this demand we present this sort. Plant dark green, with many nearly round, thick leaves formed into a very solid, round head, which stands a long time without running to seed. Leaves *very thick*, folded or puckered at the base, the inner ones blanched to a rich yellow color, and exceedingly rich and nutty in flavor.

Frankfort Head.—The best, light colored, smooth, thick leaved head lettuce. Plant light, bright green,

FRANKFORT HEAD.

with many broad, smooth leaves, nearly all of which are gathered into a dense, round head, which is slow to run to seed. Leaves very thick, tender, the inner ones blanched to a light yellow and of a rich flavor.

Buttercup.—A new German variety introduced last season. Plant medium size, with numerous round, smooth leaves, which are of a beautiful yellow color, and very sweet and tender. The plants are vigorous, but do not run to seed until very late, remaining in condition for use the longest of any variety we have tested.

Large Drumhead, or Victoria Cabbage.—The largest of the heading lettuces. Plant very large, forming an immense, loose head, bright green without and light green or white within. Leaves very large, strongly veined, coarse; but the inner ones are very crisp and tender.

Brown Dutch.—An old sort, noted for its hardness. Leaves large, thick, green, tinged with brown. It always forms a large, solid head, which is somewhat

GREEN FRINGED.

coarse looking, but the inner leaves are beautifully blanched, exceedingly sweet, tender and good flavored. Desirable because of its hardness and fine quality.

Early Boston Curled.—One of the most beautiful varieties in cultivation. Plant medium in size, deep, rich green in color, with many broad leaves which are so deeply frilled that the plant looks like a bunch of moss. When young the leaves are of good quality, but they soon become bitter and the plant quickly runs to seed.

Green Fringed.—An exceedingly ornamental variety. The inside of the leaves is white, the edges a delicate green, and beautifully fringed and crimped, making this the most beautiful variety on our list, and well worthy of cultivation for table decoration, although the quality is not the very best.

The Cos varieties of lettuce are of quite distinct habit of growth, and must be tied up or blanched under pots to develop their good qualities. The blanched leaves are exceedingly sweet and tender.

White Paris Cos.—The heads are long, upright, with oblong leaves. It is very hardy, of large size, and long in running to seed; tender, brittle, and high flavored. Considered in England to be far better than the other varieties.

Martynia.

A strong growing, hardy, annual plant, with curious shaped seed pods, which, when young and tender, are highly prized for pickling. The pods are produced in great abundance, and should be gathered when about half grown; after the hardening of the flesh they are worthless.

Proboscidea.—The common variety. Sow in rich, warm soil after corn is well up, in drills three feet apart, and thin the plants out to two feet in the row.

Melon, Musk.

Fr. Melon. Ger. Zucker-Melone.

The Musk Melon is too universally popular to need any special description.

CULTURE.—Cultivate as recommended for cucumbers, except that the hills should be six feet apart, but avoid

JENNY LIND.

planting near those plants, as they will mix with and injure the quality of the melons; this and heavy rains at the time of ripening will destroy the flavor of the finest stock. *Rich earth* for the young plants is far better than manure, but if the latter must be used, see that it is well rotted. If the plants grow very rank, more and finer fruit will be secured by pinching off the ends of the shoots when about three feet long.

Jenny Lind.—The earliest green-fleshed melon, and we think the sweetest variety in cultivation. Quite

small, round, much flattened at the ends, ribbed, finely netted. Flesh green and *very* sweet, but not high flavored.

SMALL GREEN NUTMEG.

Skillman's Fine Netted.—A very early melon of small size, varying in shape from almost oval to a flattened globe. Skin green until the fruit is over-ripe, when it becomes yellow, covered with fine netting. Flesh light green, very thick, sweet and of moderately high flavor.

Small Green Nutmeg.—Fruit of medium size, slightly ribbed, globular. Skin dark green, becoming yellow when over-ripe, and nearly covered with broad, shallow netting. Flesh green, very thick, a little coarse, but of fine flavor.

BALTIMORE.

Baltimore.—Fruit medium in size, oval, drawn to a point at stem, and slightly ribbed, covered when ripe with coarse netting. Flesh thick, green, very fine flavored and sweet. We think this one of the most

uniformly good melons we have on our list—indeed, we have never seen a poor flavored melon of this variety.

Improved Green-Fleshed Cantaloupe.—Fruit above medium size, oval, moderately ribbed, skin very dark green, partially covered with coarse netting. Flesh very thick, sweet, and of fine quality.

IMPROVED LARGE GREEN NUTMEG.

Improved Large Green Nutmeg.—We think we have by careful selection and growing secured in this a variety of the largest size, but having all the good qualities of the old Green Nutmeg. We consider this the best variety in cultivation for family use. Vines vigorous, hardy, productive; fruit very large, round, slightly flattened at both ends, ribbed, covered with coarse netting; flesh very thick, green and of the highest flavor.

Hackensack.—We have been unwilling to offer this as a distinct variety, for although we have tested a great many stocks we could find none which were of uniform type, but we have at last, by careful selection, secured a stock which is pure and true. Fruit of the largest size, much flattened, with large, irregular and deep ribs; covered with coarse netting; flesh thick, coarse, deep green color, and of the finest flavor.

MONTREAL.

Montreal.—Our stock of this variety, unlike most that is offered, is of distinct and uniform type. Fruit of the largest size, often measuring twelve to fourteen inches in diameter; spherical, or slightly oval in shape, with regular, shallow ribs, and sparsely

covered with netting; flesh firm, light green, sweet, and of excellent flavor.

Pine Apple.—Vines medium, very productive and hardy. Fruit oval, tapering to stem, medium size, slight ribs and dark green at first, but becoming covered with

PINE APPLE.

shallow gray netting. Flesh green, very thick, soft, delicate and exceedingly sweet and high flavored. One of the best of all the melons for home use.

Bay View.—Fruit large, often sixteen to eighteen inches long, and will ripen up finely if picked quite green, making it one of the best for shipping long distances, and this, combined with its great beauty, makes

the variety a favorite with market gardeners. Flesh thick, of rich green color, juicy and very sweet and rich.

Casaba, or Green Persian.

—One of the largest and best musk melons in cultivation. Fruit long, oval, a little pointed at each end; flesh green, very sweet, melting and delicious.

SURPRISE.

RED OR YELLOW-FLESHED SORTS.

Surprise.—Skin yellowish-white; vines hardy and productive; fruit not deeply ribbed, and the flesh a deep salmon color. Quality *the very best*, and not (as it is often described), variable—because after most careful culture, we have succeeded in securing a *pure* stock entirely free from the green rind and the inferior flavored melons so often found in what is sold as Surprise.

Japan Coral Flesh.—Developed by selection from the Surprise. It is of medium size, nearly round, slightly ribbed, with a little shallow netting on a green ground. The flesh is red, very thick, fine grained, and uniformly of fine flavor. Preferred by some to the Surprise on account of its green color, but we think it inferior in uniformity and quality to our improved strain of Surprise.

Vandalia.—A new variety the result of careful selection for many years, and combining the size of the old Long Yellow with the quality of the Coral Flesh. Fruit large, oval, slightly ribbed and netted; flesh very thick, yellowish-red, sweet and melting.

Long Yellow.—A large variety; long, oval shape, deeply ribbed; flesh thick, light salmon colored, and of a peculiar musky flavor. This variety is used in its green state for Mangoes.

Green-Fleshed Cavaillon.—In Europe they have a class of melons which is quite distinct from our musk

melons, having very thick flesh which is firm, very sweet, and by many is preferred to the softer, high flavored flesh of our American sorts. Most of the European kinds do not do well in this country; but we have secured one which seems to be an exception, and we have grown a fine crop in which the vines were exceptionally healthy and vigorous. Fruit very large, nearly round, dark green, very slightly netted; flesh very thick, firm, and a peculiar sweet and delicate flavor.

Melon, Water.

Fr. *Melon d'eau*. Ger. *Wasser-Melone*.

Although the Water Melon is a tropical fruit, and can be most easily grown at the South on a warm, rich, sandy soil, yet no one need abandon its culture because he has not these conditions, for one of the sweetest melons we ever ate was grown in Michigan and in the latitude 45° north, and Cuban Queens weighing 60 lbs. have been raised on cold clay soil in northern Ohio.

CULTURE.—The essential thing is to get a good, strong vine early in the season, which may be secured by forming a large, well drained hill of rich earth, avoiding using the manure in such a way as to cause the plant to dry out under the hot sun. On this hill plant the seed as soon as the ground is warm and dry, and carefully protect the young plants from insects, and hasten their growth by the use of liquid manure.

D. M. FERRY & CO'S PEERLESS.

Pinney's Early.—A valuable variety for use at the North; hardy and a sure cropper. Vine vigorous and productive, fruiting quite early; fruit oblong, smooth, marbled with two shades of green; rind thin; flesh pink, very sweet, tender and brittle.

D. M. Ferry & Co's Peerless.—The best melon for private gardens and for market gardeners who deliver direct to consumers, particularly at the North. Vine moderately vigorous, hardy, productive; fruit medium size, oval, finely mottled; rind thin; flesh bright scarlet, solid to the center, crisp and sweet. Our stock of this variety is most carefully selected.

Boss.—We do not think this name is in good taste, but we are not responsible for that, and so good a variety should not be neglected because poorly named. Vines small, but vigorous, with

small, finely divided leaves. Fruit above medium size, long, with rounded ends, very dark green skin, and exceedingly bright red flesh, which extends to within one-half inch of the surface, and is very sweet. Seeds small, dark brown. It is an excellent sort for home use, but of little value for shipping.

Boss.

Black Spanish.—Vine small, so that they may be planted closer than most sorts. Round, very dark green, with scarlet flesh and black seeds. It is not so large as some of the other sorts, but very sweet and of fine flavor.

Gypsy, or Georgia Rattlesnake.—One of the largest varieties, and stands shipment long distances. This sort is widely used at the south for northern shipments. Fruit cylindrical, square at the ends, smooth, distinctly striped and mottled light and dark green. Flesh bright scarlet and very sweet.

Cuban Queen.—One of the largest melons known, specimens having been grown that weighed *eighty-two pounds*. Vines vigorous; skin striped light and dark green. Rind medium thick; but the fruit stands shipment well. Flesh bright red, solid; very crisp and sugary.

Kolb's Gem.—The most profitable variety for growing for shipping long distances. Vines of medium size, but remarkably vigorous and healthy. Leaves of medium size, deeply cut with a peculiar frilled edge. Fruit of the largest size, round, or slightly oval, marked with irregular mottled stripes of dark and very light green in sharp contrast, which gives it a bright and attractive appearance. Outer rind or shell exceedingly hard and firm, resembling that of a winter squash. Flesh bright red, extending to within half an inch of the rind; always

GYPSY, OR GEORGIA RATTLESNAKE.

solid, very firm, a little coarse, but sweet and tender. An excellent keeper. Seeds dark gray.

BLACK SPANISH.

Iron Clad.—Similar in marking and in general character to the Kolb's Gem, possessing the same good qualities of the fruit, and quite as coarse grained, but differing in shape, this being long, cylindrical like the Rattlesnake. The vines are also very large and coarse, and are late in coming into bearing so that it does not succeed in heavy soils.

Mountain Sweet.—A large long, oval variety; flesh scarlet, and quite solid to the center; very sweet and delicious.

KOLB'S GEM.

Mountain Sprout.—A large, long, striped variety, with bright scarlet flesh and drab-colored seeds; it differs from the Mountain Sweet in color and shape, is rather late, and will keep longer in the fall.

Orange.—An oval melon, skin green; flesh scarlet, of good quality, and is peculiar in that the flesh may be easily separated from the rind like an orange.

Ice Cream.—Medium size, scarlet flesh, and very sweet; a good variety for main crop.

Dark Icing.—Fruit round, medium size, skin dark, without stripes; flesh deep scarlet,

CITRON.

very sweet and crisp, with few seeds. Rind thin but strong, making it a good shipping sort. Seems to be

more uniform in quality than most sorts, and is very popular in the Philadelphia markets.

Citron.—Employed in making preserves. Grows uniformly round and smooth, striped and marbled with light green. Flesh white and solid; seeds red.

Mushrooms.

The Mushroom is an edible fungus, of a white color, changing to brown when old. The gills are loose, of a pinkish red, changing to liver color. It produces no seed, but instead, a white, fibrous substance in broken threads, called spawn, which is preserved in horse manure, being pressed in the form of bricks. Thus prepared it will retain its vitality for years.

CULTURE.—Mushrooms can be grown in the cellar, in sheds, or in hot-beds in open air, on shelves, or out-of-the-way places. Fermenting horse manure, at a temperature of about 70 degrees, is made into beds the size required, eighteen inches deep. In this bed plant the broken pieces of spawn six inches apart, covering the whole with two inches of light soil, and protect from cold and severe rains. The mushrooms will appear in about six weeks. Water sparingly and with lukewarm water.

Mustard.

Fr. Moutard. Ger. Senf.

Mustard is not only used as a condiment, but the green leaves are used as a salad or cut and boiled like Spinage.

CULTURE.—Should be the same as that of Cress.

Southern Giant Curled.—This mustard is very highly esteemed in the South, where the seed is sown in

SOUTHERN GIANT CURLED.

the fall, and the plants used very early in the spring as a salad. The seed is brown and produces plants which grow about two feet high and form enormous bunches, six of which will fill an ordinary barrel.

White English.—The leaves are light green, mild and tender when young; seed light yellow.

Nasturtium.

Fr. Capucine.—Ger. Kapuziner Kress.

CULTURE.—Sow after the ground is warm, in drills one inch deep, by the side of a fence, trellis work, or some other support, to climb upon. They will thrive in good ground, in almost any situation, but are more productive in a light soil.

Tall Mixed.—Cultivated both for use and ornament. Its beautiful, orange-colored flowers serve as a garnish for dishes, and the young leaves are excellent for salads. The flower buds, scarcely formed, and the green seed pods preserved in vinegar, make a pickle greatly esteemed by many.

For other varieties see Flower Seeds.

Okra.

Fr. Gombo.—Ger. Ocher.

This is an annual from the West Indies, cultivated for its green seed pods, which are used in soups or stewed and served like asparagus. It is highly esteemed at the South for making gumbo soup. The pods when young and tender should be sliced in sections, strung on a thread and hung up in the shade to cure like dried apples; in this condition it can be used for soup at any time.

OKRA.

Dwarf White.—The best variety. Two and a half feet high, very productive; mature pods a foot long, very thick and fleshy.

Onion.

Fr. Oignon. Ger. Zwiebeln.

The Onion not only contains considerable nutriment and has valuable medicinal properties, but is most useful in counteracting the bad effects of sedentary life. The disagreeable odor it imparts to the breath may be avoided in a great measure by thorough cooking, or by eating a few leaves of parsley.

There is no vegetable where the quality of the seed exerts a greater influence upon the crop than in onions. On our trial grounds we have found a difference of over 400 per cent. in the marketable product of two rows of onions, planted the same day, side by side, thinned to the same number of plants to the rod, hoed and treated in every way precisely alike, the difference being entirely owing to the seed, which were samples of stock offered us by two growers. Here, then, if nowhere else, the greatest care should be taken to secure the best possible seed. Seed grown in the north will be pretty sure to produce better onions when sown in the Southern States than southern grown seed.

We make a specialty of onion seed, and grow and dis-

pose of many tons annually. The demand for our seed has increased so rapidly that we are yearly increasing our facilities for growing, so that we think we annually produce on our seed farms near Detroit the largest crop grown by any one firm in America. Our stock is all grown from choice, selected bulbs, under our own supervision, therefore those who order seed of us will be sure of getting new, choice seed of the best quality.

How to Raise Onions.

This is a question we are asked many times every year, and which we will try to answer from our experience in raising many thousands of bushels.

Soil.—A good crop of onions can be raised on any soil which will produce a full crop of corn, unless it be a stiff clay, very light sand or gravel, or certain varieties of muck or swamp lands. We prefer a rich, sandy loam, with a light mixture of clay. This is much better if it has been cultivated with hoed crops, kept clean of weeds and well manured for two years previous, because if a sufficient quantity of manure to raise an ordinary soil to a proper degree of fertility is applied at once, it is likely to make the onions soft. Large and fine crops of onions are often raised on black muck lands, but they must be "sweet" and well drained. Ordinary swamp land will not do, and even on the best of muck the first crop is apt to be soft and "necky."

Manure.—There is no crop where a liberal use of manure is more essential than in this. Even on the deep black muck onion lands of the Western Reserve, manure is essential to a good crop, and not only is the quantity, but the quality of the manure used of the greatest importance. If it is too rank it is quite sure to make soft onions, with many scullions. It should be well fermented and shoveled over at least twice during the previous summer to kill weed seeds. Of the commercial manures, we prefer fine ground bone to any other, but large crops are raised by the use of superphosphates. If these manures are used, one-half should be applied when the crop is sown, and the rest just before they begin to form bottoms.

Preparation.—In time to complete the work before the ground freezes up, remove all refuse of previous crops, and spread the composted manure evenly, at the rate of about fifty cart-loads to the acre. This should first be cultivated in, and then the ground ploughed a moderate depth, taking a narrow furrow, in order more thoroughly to mix the manure with the soil. Carefully avoid tramping on the ground during the

No. 1, Extra Early Red; No. 2, Large Red Wethersfield; No. 3, Yellow Globe Danvers; No. 4, White Portugal; No. 5, White Silverskin; No. 6, White Globe.

winter, and as early in the spring as it can be worked, cultivate or thoroughly drag it with a heavy harrow, and then in the opposite direction with a light one, after which the entire surface should be raked with steel hand rakes. It is impossible to cultivate the crop economically unless the rows are perfectly straight; to secure this, stretch a line along one side, fourteen feet from the edge, and make a distinct mark along it; then, having made a wooden marker something like a giant rake with five teeth about a foot long and standing fourteen inches apart, make four more marks by carefully drawing it with the outside tooth in, and the head at right angles to the perfectly straight mark made by the line. Continue to work around this line until on the third passage of the marker you reach the side of the field where you began; measure fifteen feet two inches from the last row, stretch the line again, and mark around in the same way. This is much better than to stretch a line along one side, as it is impossible to prevent the rows gradually becoming crooked, and by this plan we straighten them after every third passage of the marker.

Sowing the Seed.—This should be done as soon as the ground can be got ready, and can best be done by a hand seed drill. This should be carefully adjusted (testing it by running it over a barn floor), to sow the desired quantity of seed and about one-half inch deep. The quantity needed will vary with the soil, the seed used, and the kind of onions desired. Thin seeding gives much larger onions than thick. Four or five pounds

is the usual quantity needed to grow large onions. We use a drill with a roller attached, but if the drill has none, the ground should be well rolled with a *hand roller* immediately after the seed is planted.

Cultivation—As soon as the onions are up so they can be seen the length of the row, give them the first hoeing, just skimming the ground

between the rows. We use a hoe made expressly for this purpose. The blade is eight inches long and one and a half broad, with a long crooked shank set in a handle five feet long. The shape of the hoe allows the earth to pass over the blade without moving it out of its place. A few days after give them the second hoeing, this time close up to the plants, after which weeding must be continued. This operation requires to be carefully and thoroughly done; the weeder must get down to his work on his knees astride of the row, stirring the earth around the plants, in order to destroy any weeds that have just started and cannot be seen. In ten days or two weeks they will require another hoeing and weeding similar to the last; and two weeks later give them still another hoeing, and if necessary another weeding. If the work has been *thoroughly done, and at the proper time*, the crop will not need anything more until ready to gather.

Gathering.—As soon as the tops die and fall, the crop should be gathered by pulling four rows and laying them in a single one, the tops all one way, and then returning on the next four forming a similar row, but with the tops in the opposite direction; laying the tops in this way greatly facilitates the "topping." If the weather is fine they will need no attention while curing, but if it is not, they will need to be stirred by simply moving them slightly along the row. When the tops are perfectly dry, cut them off about half an inch from the bulb, and throw each pair of rows together forming

windrows about nine feet apart. After a few days more of bright weather, they will be fit to store.

For Pickles or Sets—Good ground should be used prepared as above, but the seed sown in broad drills and *very thick*, forty to sixty pounds per acre.

How to Keep Onions through Winter.—The essentials for the preservation of onions are dryness, thorough ventilation, coolness, and freedom from frost, or if frozen, they must not be permitted to thaw and freeze again.

One of the most popular methods of keeping onions, is to spread straw to the depth of eighteen inches upon

ROUND WHITE SILVERSKIN.

the barn floor, scaffold or garret; upon this spread the onions six to ten inches deep, and cover with two feet of straw. If in good condition and sufficient depth of covering is used, they will keep in fine condition till May.

A cool, dry cellar of some out-building, barn, or carriage-house will be found excellent for keeping onions, if it has windows for ventilation. The cellar of a dwelling house is usually too warm. They should be spread on scaffolds, about six inches deep, with room enough between the boards for the air to circulate. On approach of cold weather, close the doors and windows, and keep the temperature just above the freezing point. With proper care they can thus be kept without freezing at all, and will come out nice and sound in the spring.

Extra Early Red.—A medium sized, flat variety; an abundant producer, and very uniform in shape and size; moderately strong flavored, and comes into use nearly two weeks earlier than the Large Red Wethersfield; very desirable for early market use.

Early Red Globe.—A comparatively new variety, maturing as early as the flat sort. It is globe-shaped; skin deep red; flesh mild and tender. Very handsome in appearance.

Large Red Wethersfield.—This is the standard variety; and the favorite onion in the east, where immense crops are grown for shipment. Large size; skin deep purplish red; form round, somewhat flattened; flesh purplish white; moderately fine grained, and stronger flavored than any of the other kinds. Very productive, the best keeper, and one of the most popular for general cultivation. It is more inclined to form large necks if planted on unsuitable soil than the Danvers, but the best on poor and dry soils.

Large Yellow, or Yellow Dutch.—One of the oldest sorts. Flat, flesh white, fine grained, mild, and well flavored.

Yellow Danvers.—A fine variety of medium size, globular in form; skin yellowish-brown; flesh white,

comparatively mild and well flavored; productive, six hundred bushels per acre from seed being a not uncommon crop, but it requires rich and suitable soil and good cultivation to produce such crops. By careful selection we have improved the original shape of this variety, so that to distinguish it from the old stock many seedsmen catalogue it as *Yellow Globe Danvers*; but a true Danvers Onion never can be as full or globe-shaped as the *White Globe*, for it would be sure to lose some of the good qualities of the Danvers if changed in form to that extent.

White Portugal, or American Silverskin.—A large, flat onion; of mild flavor; fine for early winter use, and much esteemed for pickling. It is the best keeper of the white varieties.

White Silverskin.—This is small, silvery white, and, from its small size and handsome appearance, is often used for pickling.

Round White Silverskin.—This is uniformly small, round and handsome, with an opaque white skin which does not turn green upon exposure to the sun. They are also very compact and hard, but at the same time crisp and brittle, making them the best pickling onion ever introduced.

White Globe.—Yields abundantly, producing handsome and uniformly globe-shaped bulbs. The flesh is firm, fine-grained, and of mild flavor. Sometimes called *Southport White Globe*.

El Paso, or Large Mexican.—Grows in Mexico to a diameter of six inches, and to a weight of two or three pounds, and used in that region in preference to any other sort. Color variable from white to light red; flesh white, rather coarse-grained, but of very mild flavor. Resembles a mammoth *White Portugal*.

FOREIGN ONIONS.

The following varieties have been tested in this country, and have given perfect satisfaction. While we would not recommend the risking of a large crop of onions by sowing imported seed, we believe the following varieties will be found very desirable for early market and home garden use. The flavor of the Italian varieties is mild, and they seem every way well adapted to culinary purposes.

Giant Rocca.—An immense onion. Globular in form; skin light brown; flesh mild and tender. It will produce a large onion from seed the first season, but to attain the largest growth, the smallest bulbs should be set out the next spring, when they will continue increasing in size, instead of producing seed, as is the case with American onions.

Early Neapolitan Marzajola.—A beautiful, flat white-skinned variety, one of the earliest of all, and a

good keeper. It can be sown in February or March, and will mature a crop very early in the season; or sown in July, the crop will be matured the same season.

In the South the seed can be sown in the autumn, and large onions produced in March.

Giant White Italian Tripoli.—A large, beautiful, pure white, flat onion of mild and excellent flavor, and will produce a somewhat larger onion from seed than our *White Portugal*; but to attain the full size the plants should be started very early in a hot-bed and set out in rich soil.

QUEEN.

Queen.—A silver skinned variety, of quick growth and remarkable keeping qualities. If sown in early spring it will produce onions one to two inches in diameter early in summer, and if sown in July, with favorable weather be ready to pull late in autumn, and be sound and fit for use until the following summer. Particularly valuable for pickles, as if sown thickly they will mature perfect hard onions from one-half to three-quarters of an inch in diameter.

BULBS.

Top Sets, or Buttons.—Produce on the top of the stalk instead of seed, a number of small bulbs or onions, about the size of acorns, which, if planted, will produce a large onion, maturing earlier than from seed. The large onion produces the top onion, and the little top onion produces the large onion.

Red Bottom Sets.—Produced by sowing seed very thickly in the spring, and not thinning out. They mature under this method when about half an inch in diameter and are used precisely as top onions are, setting them out in the spring, instead of sowing seed.

Yellow Bottom Sets.—Identical with the preceding, except in color, and used in the same manner.

White Bottom Sets.—The seed of the *White Silverskin* or *White Portugal* varieties is used to produce the white set. They do not keep as well as the red or yellow, but produce beautiful white onions early in the season.

English Multiplier.—Esteemed by many as the best variety for early use. It is large-sized, of a mild, sweet, sugary flavor; very early, and a large producer. The large onion produces several small ones in clusters around the bulb, growing mostly on the top of the ground.

Potato Onion.—Produces a quantity of young bulbs on the parent root, which should be planted early in spring, in rows eighteen inches apart, six inches apart in the row, and covered one inch deep. With this and the preceding variety, the large bulbs produce the small and the small the large alternately.

Any of the preceding six varieties can be recommended as a small, early crop for family use and early home market, but not as a main crop, the increase of marketable onions over the seed being too small. Of all the various modes of propagation, sowing the seed for a main crop deserves the first rank. Its cheapness compared with other modes, the facility with which seed is sowed, and the superior bulbs which it produces, recommend it to general use.

GIANT WHITE ITALIAN TRIPOLI.

Parsley.

Fr. *Persil.* Ger. *Petersilie.*

A very useful vegetable for flavoring soups and stews, and for garnishing. For flavoring, the green leaves are used, or they may be dried crisp, rubbed to a powder, and kept in bottles until needed.

CULTURE.—It requires rich, mellow soil. The seed is even slower than Parsnip in germinating, and should be sown as early in the spring as possible, and the plants transplanted when they are two inches high. The oftener they are transplanted and cut back, the finer and more perfect the leaves will be. When well grown each plant will form a handsome rosette eighteen inches or more in diameter.

CARTER'S FERN LEAVED.

Plain.—This is the hardiest variety, and is preferred by some on this account and because the leaves are lighter and more graceful.

Carter's Fern Leaved.—A new variety of most beautiful form and coloring, and is well adapted for

FINE TRIPLE CURLED.

garnishing dishes on the table, and also makes a very ornamental plant in the flower garden.

Fine Triple Curled.—A fine, dwarfish, curled variety, which, when well grown, resembles a tuft of finely

TURNIP ROOTED, OR HAMBURG.

curled moss. It is hardy, and slow in running to seed, but liable to degenerate, as it constantly tends to increase in size, and to become less curled.

Myatt's Garnishing.—This variety is larger, and the plant of stronger habit than the preceding, with foliage as finely curled. The leaves are bright green above, paler beneath. Admirably adapted for garnishing purposes.

Turnip Rooted, or Hamburg.—The root, which resembles a small parsnip, is the edible portion of this variety which is extensively grown and used by Germans for flavoring soups, etc.

Parsnip.

Fr. *Panais.*—Ger. *Pastinake.*

The value of the Parsnip as a culinary vegetable is well known, but it is not generally appreciated at its full value for stock feeding. On favorable soil, it yields an immense crop of roots, which are more nutritious than carrots or turnips, and particularly valuable for dairy stock.

CULTURE.—They do best on a deep, rich, sandy soil, but will make good roots on any soil which is deep, mellow and moderately rich, but fresh manure is apt to make the roots coarse and ill-shaped. As the seed is sometimes slow to germinate, it should be sown as early as possible; cover one-half inch deep, and press the soil firmly over the seed; give frequent cultivation, and thin the plants to four to six to the foot. In digging field crops, they may be thrown out so as to be easily gathered, by running a subsoil plow along one side of the row.

Long White Dutch, or Sugar.—Roots very long, white, smooth, tender, sugary and most excellently flavored.

Very hardy, and will keep through winter without protection.

Hollow Crown.—Roots oblong, ending somewhat abruptly, with a small tap root; grows mostly below the surface; has a very smooth, clean skin, and is easily distinguished by the leaves arising from a cavity on the top or crown of the root.

HOLLOW CROWN.

Peas.

Fr. *Pois.* Ger. *Erbſen.*

In spite of the multitude of varieties now in cultivation, there are each year many new sorts brought out, each of which is claimed to be superior. We take great pains to secure and test on our trial grounds samples of all these new sorts, and present the following list as containing all which are really desirable.

CULTURE.—For early Peas, the soil should be light, warm and sheltered, but for general crop, a moderately heavy soil is better. Sow as early as possible a few of

the earliest variety on warm, quick soil, prepared the fall before. The general crop can be delayed until later, but we have met with better success from sowing all the varieties comparatively early, depending for succession upon selecting sorts that follow each other in ripening. The first sowing will be earlier if covered only one inch deep; the other sorts should be covered from two to six inches deep, the deep planting preventing mildew, and prolonging the season. Fresh manure, or wet, mucky soil should be avoided, as they cause the vine to grow too rank and tall.

The crop should be gathered as fast as it becomes fit for use. If even a few pods begin to ripen, young pods will not only cease to form, but those partly advanced will cease to enlarge.

ALL WRINKLED PEAS are superior to, more delicate in flavor and remain longer in season than the smooth sorts, for as in sugar corn, the wrinkled appearance indicates a greater amount of saccharine matter.

EXTRA EARLY SORTS.

Ferry's First and Best.—Complaint is sometimes made that the different seedsmen offer the same pea under different names, but careful comparison convinces us that the stock we offer as *First and Best* is, indeed, the first and the best as to earliness and uniformity of ripening and for market gardeners' use, maturing all the pods in about forty-five days, so that frequently the ground can be ready for a second crop in seven weeks from planting. Vine small, about eighteen inches high, bearing three to seven straight, handsome pods, each containing six to eight medium sized round peas of good quality.

D. M. Ferry & Co's Extra Early.—For family use this is probably equal to the preceding, though it

FERRY'S FIRST AND BEST.

does not ripen as evenly. Peas large enough to eat are afforded as early as from any variety, and the vines continue bearing for a week or ten days, which, for family

use is a desirable quality. The Rural New Yorker Pea which is offered at a high price has proved on our grounds, very similar, but in no way superior, to our Extra Early.

BLISS' AMERICAN WONDER.

Bliss' American Wonder.—A variety whose stout, branching vines grow only about nine inches high, and are covered with long, well-filled pods containing seven or eight large, exceedingly sweet, tender and well flavored peas, and are produced nearly as early as First and Best. We have taken particular pains in raising our stock, to be sure it was true and of the best quality, as some spurious stock is being offered.

Minimum.—Similar in general appearance of vine to the last, but with smaller leaves and finer stems. The pods are quite distinct, smaller, curved, compressed between the peas, green peas the sweetest of any sort in cultivation. The pods being small and thin the apparent yield is light, but this will furnish as many peas as any of the dwarf sorts and they are so fine in quality that we recommend it for the home garden.

Earliest of All.—This is one of the best of the early peas, but unfortunately there has been a great deal of spurious and inferior stock sold under the name and so it has not become so popular as it deserves. The stock we offer is true and is very uniform and even, ripening as early as most strains of Extra Early, maturing all of the crop for one picking, and the peas retaining their color after cooking. We have carefully compared this with the best stock of Alaska sold by the introducer and have found it to be earlier and more uniform, and we believe it to be the best extra early blue pea in cultivation. Vines eighteen inches high, bearing pods which are uniformly straight and handsome, and well filled with peas of the best quality.

McBeth's Pride.—An improved strain of Kentish Invicta. A little stronger growing and more productive than the Earliest of All, and not quite so uniform in ripening, but still a great improvement on the old Kentish Invicta, particularly in earliness and productiveness. The best extra early blue pea for canners and for general crop of market gardeners, and fully equal to the best stocks of Alaska.

Kentish Invicta.—Vines about two feet in height, with straight, handsome, well filled pods. Peas superior in flavor to the white sorts; when ripe of a dull blue color. Tested by the side of our Extra Early, it proved only a few days later.

Laxton's Alpha.—Vines about three feet high; seeds much indented and wrinkled, light blue, very tender and of delicious flavor; one of the best in every respect.

Ferry's Extra Early Tom Thumb.—Established by many years' selection from the common Tom Thumb. Vine dwarf, about nine inches high, so that it can be planted in rows ten inches apart. Peas small, round, and not of the very best quality.

Blue Peter.—Sometimes called Blue Tom Thumb. A blue pea of fine quality; as dwarf as the Tom Thumb and a great producer. An excellent pea in all respects, and one of the best of the dwarf varieties. Peas large, round, semi-wrinkled; dull blue in color.

McLean's Little Gem.—A very desirable early, dwarf, green, wrinkled variety, growing about fifteen inches high. When in a green state, it is very large, sweet, and of delicious flavor.

Premium Gem.—Somewhat like the last, but with a little shorter but heavier, more prolific vines and larger pods. This and the last fully equal the later sorts in quality, which with their earliness, dwarf habit and productiveness, make them the most desirable for private gardens of any on the list.

Bliss' Everbearing.—A new variety maturing soon after the Gems, and continuing a long time in bearing. Vine stout, about eighteen inches high, bearing at the top six to ten broad pods. If these are removed as they mature, and the season and soil are favorable, the plant will throw out from the axil of each leaf branches bearing pods which will mature in succession; thus prolong-

PREMIUM GEM.

ing the season. Peas wrinkled, large, cooking quickly and very tender, of superior flavor; on this account preferred by many to any other sort, although they are not quite so sweet as some.

Carter's First Crop.—This English variety has been grown in this country several years, but we fail to discover any superiority over our Extra Early. It grows from two to three and a half feet high, is prolific, and of good flavor.

McLEAN'S ADVANCER.

Caractacus.—Nearly identical with the preceding, though perhaps not quite so early.

Extra Early Kent.—This is a very early variety, growing about three feet high. Pods well filled with good-sized peas; productive, ripening nearly all at once. An early market variety, *when true*, but has greatly degenerated of late years. *Our stock is true.*

Improved Daniel O'Rourke.—By careful selection we have secured a stock of this old and popular variety, which has all the good qualities it originally possessed.

Extra Early Philadelphia.—A variety somewhat in demand in the vicinity of Philadelphia. We have failed to discover any merit in it over earlier and more prolific varieties.

McLean's Advancer.—A green, wrinkled variety, about two and a half feet high, with broad, long pods, which are abundantly produced and well filled to the end. Considered by some the best of its season, being of most excellent flavor.

Telephone.—This new pea has proved to be a valuable acquisition. Vines large, with large, coarse leaves. Pods very large, filled with immense peas, which although not as sweet as some, are of excellent flavor. Although an English sort, this does well here, the vine being hardy and productive, and we recommend all who like a large, handsome pod to try it.

Bliss' Abundance.—Vine of medium height and bearing along its entire length numerous well filled pods, each containing six to eight medium-sized, roundish, wrinkled peas which are of most superior flavor. Of the forty sorts tested on our trial grounds last summer this cooked the quickest and was considered one of the very best in quality.

LATE SORTS.

Yorkshire Hero.—Vines stout, about two feet high, bearing at the top a number of broad pods filled with large peas, which keep a long time in season, and never become as hard as most sorts. They are of fine quality and will be preferred to any other by those who like a rich, marrow-like pea.

CHAMPION OF ENGLAND.

Champion of England.—Universally admitted to be one of the richest and best flavored peas grown, and very productive. Height four or five feet; seed whitish green and much shriveled. We consider this equal in quality to any in cultivation, either for the amateur or market gardener, as it is always more salable than other sorts.

Stratagem.—An English variety which has become very popular in this country. Vine medium height, but very stout, with very large light green leaves, and having near the top a good number of very large, long pods, well-filled with large peas of good quality. The pods are the most showy of any of the varieties we offer.

Pride of the Market.—Vines medium height, stiff, with large dark green leaves and bearing at the top generally in pairs a fair crop of very large, dark green pods well filled with large peas of good flavor. This has become very popular on account of its handsome pods and is one of the few English peas which do well in this country.

Large Blue Imperial.—About three feet high, and very strong. Pods large, long, pointed, rather flat, containing eight or nine peas. Seed large, blue and a little flattened. A good bearer, and one of the best varieties for summer use, but requires to be planted early, or it will be apt to mildew.

Large White Marrowfat.—Cultivated more extensively for the summer crop than any of the others. About five feet high, of strong growth. Pods large, round, rough, light-colored and well filled; seed large, round and yellow or white, according to the soil in which they are grown. It is excellent for summer use, but

inferior in quality to the newer sorts, although undoubtedly the most productive of the garden varieties.

Large Black Eyed Marrowfat.—An excellent variety, growing about five feet high; pods large and full; a prolific bearer, and can be recommended as one of the very best Marrowfat sorts.

EDIBLE PODDED SORTS.

Dwarf Gray Sugar, Edible Pods.—Grows about two feet high and is remarkable for its earliness as well as its prolific character. The seeds are large, shriveled and indented, of a dark, brown color. The pods are broad, flat and crooked, and contain five or six peas.

Tall Sugar, Edible Pods.—About five feet in height; very sweet and tender. Designed only to be eaten with the pods.

FIELD SORTS.

The Golden Vine, Crown and Blue Prussian are, perhaps, the best varieties on the list for general cultivation, though large quantities of Creepers, Common White and Common Blue are used annually. The Golden Vine can be sown later than any other variety, and on lower land, as they are not liable to mildew. These varieties are used for field culture only. In their dry state they are used extensively for feeding stock, for making soups, and in the manufacture of coffee. It is highly essential to have them as free from bugs as possible, and for soups and coffee, absolutely necessary. We keep constantly on hand a large stock of all these varieties, obtained from the north, where the bugs do not infest them. Our customers may rely on having the seed pure and free from bugs.

Pepper.

Fr. *Piment.*—Ger. *Pfeffer.*

The Pepper is an essential ingredient of most pickles, catsup, etc., and is also of great value for feeding to fowls during winter, a few chopped up with their feed once a week having a marked influence in increasing the number of eggs.

CULTURE.—Should be the same as for egg plant, and the plants need quite as much heat to perfect them, but taking a shorter time to mature, the seed may be sown later, or even planted out of doors after warm weather has fairly set in. Guano, hen dung, or any other bird manure, hoed into the surface soil when the plants are about six

LONG RED CAYENNE.

inches high, will be found to increase the product wonderfully.

Chili.—Used in the manufacture of pepper sauce. Pods sharply conical, brilliant scarlet and exceedingly pungent when ripe. Requires a long, warm season, and plants should be started quite early in hot-bed.

Long Red Cayenne.—A long, slim, pointed pod, and when ripe, of a bright red color. Extremely strong and pungent.

Large Squash.—Fruit large, flat, tomato-shaped, more or less ribbed; skin smooth and glossy; flesh mild, thick meated, and pleasant to the taste, although possessing more pungency than the other large sorts; very productive, and the best variety for pickling.

SWEET MOUNTAIN.

Flesh thick, hard and less pungent than most other sorts, and one of the earliest varieties.

Sweet Mountain.—Plants very vigorous and productive, growing upright with moderately large leaves. Fruit very large, long, often eight inches or more in length, by two or three in diameter, very smooth and handsome, being when green of a bright deep green color, entirely free from any purple tinge, and when mature, of a rich red. Flesh very thick, sweet and mild flavored. Well suited to use as a stuffed pickle.

LARGE SQUASH.

Golden Dawn.—Plants quite dwarf but very prolific. Fruit about medium in size and of inverted bell shape, rich golden yellow color, with very thick, sweet, mild flavored flesh.

Pumpkin.

Fr. *Courge*. Ger. *Kuerbis*.

The pumpkin more properly belongs to the farm than the garden, especially as it readily mixes with and injures the quality of the finer squash.

LARGE YELLOW.

CULTURE.—Pumpkins are not so particular in regard to soil as melons or cucumbers, but in other respects are cultivated in a similar manner, though on a larger scale. They are generally raised on cultivated farms between hills of corn and may be planted with success in fields by themselves.

Large Yellow.—Grows to a large size, and is adapted for cooking purposes and feeding stock. It is irregular in shape and size; some being depressed and flattened at the ends, others round or elongated; of deep, rich yellow color; of fine grain and excellent flavor.

Sweet Cheese, or Kentucky Field.—By far the best variety for planting at the South. Large, oblong, mottled, light green and yellow, with very thick, sweet, tender yellow flesh.

Cushaw.—A great favorite in some sections because of its large size, frequently growing to weigh as much as seventy pounds. In form much resembling the Winter Crookneck Squash; color light cream, sometimes slightly striped with green; flesh salmon colored. Very productive.

CUSHAW.

Radish.

Fr. *Radis*. Ger. *Rettig*.

Cultivated for its roots, which should always be eaten when quite young, as they are apt to be pithy and tough when full grown. The young seed leaves are used as a small salad, and the green seed pods for a pickle.

CULTURE.—A warm, sandy loam, made rich and light by some good, well rotted manure and a liberal dressing of salt, will be most likely to afford them brittle and free from worms. Sow in twelve-inch drills as early as the

ground can be worked, and once in two weeks for succession, and thin to one or two inches apart as soon as the rough leaves appear.

It should be borne in mind that radishes must have plenty of room, and be grown quickly, or they will invariably be tough and wormy.

Early Scarlet, Turnip Rooted.—A small, round, red, turnip-shaped radish, with a small top, and of very quick growth. A very early variety, deserving general cultivation on account of its rich color, crisp and tender qualities; should be used while young. The white and red do well mixed.

EARLY SCARLET, TURNIP ROOTED.

Early Scarlet Turnip, White Tipped.—A beautiful variety, deep scarlet with white tip. It is very ornamental for table use, and is becoming very popular as a market variety. It is of same size and shape as the Early Scarlet Turnip.

EARLY SCARLET TURNIP, WHITE TIPPED.

and the roots bring the highest price because of their peculiarly brilliant color.

Early White, Turnip Rooted.—A little flatter in shape than the preceding and pure white in color, with a very small top; flesh pure white, and semi-transparent. It is a few days later than the last, and will bear the heat longer without becoming spongy.

Early Scarlet, Olive Shaped.—In the form of an olive, terminating in a very slim tap root. Skin fine, scarlet; neck small; flesh rose-colored, tender and excellent. Early, and well adapted for forcing or general crop.

EARLY ROUND DEEP SCARLET.

Short Leaved, Deep Scarlet, Olive Shaped.—This differs from the preceding in being deeper in color, terminating more abruptly at the tap, coming to maturity a little earlier, and in having fewer and shorter leaves, all of which qualities make it more desirable for forcing, and we think it the best of the intermediate sorts for this purpose.

French Breakfast.—A medium-sized radish, olive-shaped, small top, of quick growth, very crisp and tender, of a beautiful scarlet color, except near the root, which is pure white. A splendid variety for the table, not only on account of its excellent qualities, but for its beautiful color.

E. SCARLET, OLIVE SHAPED.

Early Long Scarlet, Short Top, Improved.—This is unquestionably

SHORT-LEAVED DEEP SCARLET, OLIVE SHAPED.

the best standard variety for private garden or market use, particularly for outdoor culture. It grows six or seven inches long, half out of the ground; is very brittle and crisp, and of quick growth; color bright scarlet; small top; and is uniformly straight and smooth. Highly recommended.

FRENCH BREAKFAST.

Wood's Early Frame.—A sub-variety of the preceding, a little shorter and thicker at the top, brilliant scarlet color, mild, brittle and fine flavor, and better adapted to forcing.

EARLY WHITE, OLIVE SHAPED.

Improved Chartist.

Although this new American variety is too strong growing to be profitably used for forcing, it is one of the very best for early sowing out of doors, the roots come to usable size very early and remain hard and crisp until they reach a diameter of one and one-half or two inches and so furnish good roots two or three times as long as any of the above. Roots scarlet rose above, shading into white at the tip. They are long and cylindrical for the upper two-thirds, and then gradually taper to the tip. Flesh white, crisp and mild flavored.

Long White Naples.

—Skin white, flesh fine grained, crisp, and very good flavored.

Long White Vienna.

—Earlier than the last, with straight, smooth white roots; flesh white, very tender, crisp and juicy.

E. LONG SCARLET, SHORT TOP, IMPROVED.

Large White Summer Turnip.

—One of the earliest of the summer varieties, coming to a usable size in forty days from sowing. Root round, smooth, very white and handsome. Flesh crisp, tender and rather pungent in flavor.

White Strassburgh.—Although this grows to the largest size, it is usable when quite small, and thus covers a long season. The mature roots are four to five inches long and about two inches thick, very white, and the flesh is exceedingly crisp and tender; is one of the best of the large summer sorts.

Early White Giant Stuttgart.

—Root large, often four inches in diameter, top-shaped. Skin white; flesh

white and crisp and not becoming strong or pithy until very late, so that those not used as a summer radish can be stored for winter use.

Golden Globe.—This variety is very popular in the

Southern States. It is of quick growth, tender and brittle, of perfect globe shape, and golden colored skin. It seems to produce tender radishes in the hottest climates.

Gray Summer Turnip.

—Round, turnip-shape, though often irregular in form. The skin of the upper part is mottled with greenish-brown, wrinkled and often marked with transverse white lines. Flesh mild, of greenish-white color, and tolerably solid. Half early, and a good variety for summer use.

LONG WHITE VIENNA.

WINTER VARIETIES.

CULTURE.—Sow about the same time as winter turnips, on light, rich soil, in drills eighteen inches apart; give frequent cultivation, and thin to two or three inches apart. For winter use, pull before severe frost, and store in damp sand in cellar.

Scarlet China, Winter.—Form cylindrical, or largest at the bottom, tapering abruptly to a small tap root. Skin very smooth and of a bright rose color; flesh firm like the Black Spanish, but more pungent.

California Mammoth White China, Winter.—First introduced into this country by the Chinese in California. It is pure white, about one foot long, and

LARGE WHITE SUMMER TURNIP.

IMPROVED CHARTIST.

two or three inches through, tapering regularly to the root. The flesh is tender and crisp, and it keeps perfectly well through the winter.

EARLY WHITE GIANT STUTTGART.

Large White Spanish, Winter.—Roots long, top-shaped, or sometimes fusiform, retaining their diameter for two-thirds their length, sharply conical at the base, and when full-grown, measuring seven or eight inches in length by about three inches in diameter. Skin white, slightly wrinkled, sometimes tinged with purple, where exposed to the sun. Flesh, white, solid and pungent, though milder than the Black Spanish.

Round Black Spanish, Winter.—Roots roundish, sometimes top-shaped, three or four inches in diameter; skin black, flesh white, very com-

GOLDEN GLOBE.

SCARLET CHINA, WINTER.

pact and highly flavored. An excellent sort for winter as the roots keep a long time.

Long Gray Laon, Winter. Roots long, tapering regularly to the point; skin gray; flesh white. Larger and more attractive than the Black Spanish, and keeping nearly as well.

Long Black Spanish, Winter.—One of the latest as well as the hardest of the radishes, and is

CALIFORNIA MAMMOTH WHITE CHINA.

LONG BLACK SPANISH, WINTER.

considered an excellent sort for winter use. Roots oblong, black, of very large size and firm texture.

Rape.

This plant is extensively cultivated in England, both for forage and for the seed, from which is manufactured rape seed oil. The seeds are also much used as food for canary birds. It is often used as a salad plant like mustard. As a forage plant, the yield is abundant, and fed green, it is very nutritious, and nearly all animals are very fond of it. Sow in May, either broadcast or in drills; if the former, ten pounds, and if the latter, four pounds per acre.

Rhubarb, or Pie Plant.

Fr. *Rhubarbe*. Ger. *Rhabarber*.

Rhubarb, familiarly known as Pie Plant or Wine Plant, is cultivated in gardens for its leaf stalks, which are used for pies and tarts. Immense quantities are now annually sold in all the large markets. No private garden should be without a bed of it.

CULTURE.—Rhubarb succeeds best in deep, somewhat retentive soil. The richer its condition, and the deeper

it is stirred, the better. Sow in drills an inch deep, and thin out the plants to six inches apart. In the fall, trench a piece of ground and manure it well; then transplant the young plants into it three feet apart each way. Cover with leaves or litter the first winter, and give a dressing of coarse manure every fall. The stalks should

RHUBARB STALKS.

not be plucked till the third year, and the plant never allowed to exhaust itself by running to seed. Our seed is saved from selected plants of Linnæus, Giant and other improved sorts. Like the seeds of fruit trees, seed cannot be relied upon to reproduce the same variety.

Rice, Wild

Zizania aquatica.

An annual which sows itself in the fall, about middle of September, lies dormant all winter, in spring commences to sprout as soon as the water gets warm, reaching the surface during the first half of June. It grows very rapidly, in one to eight feet of water, ripens late in August or early in September. It should be planted in the fall, before ice forms, broadcast, from a boat, in two or three feet of water, having a mud bottom. It has been successfully planted through the ice in winter and in the spring, but it succeeds best when planted in the fall. As an attraction for wild fowl, it cannot be equaled. In large ponds and lakes it purifies the water, affords a refuge for the small fry from the large fish, as well as furnishing the small fry plenty of food from the animalculæ upon its stalks; for planting in fish ponds it is especially desirable. It also does well along the shores of marshes, and makes a good hay. At the south two crops can be cut, and all cattle are very fond of it.

Salsify—Vegetable Oyster.

Fr. *Salsifis.* Ger. *Hafer-wurzel.*

The long, white, tapering root of Salsify resembles a small parsnip, and when cooked is a good substitute for oysters, having a very similar flavor.

CULTURE.—It succeeds best in a light, well enriched soil, which should be stirred to the depth of twelve of

fourteen inches. If it is necessary to use manure, it should be very fine and well rotted, for if it is fresh and coarse the roots will grow irregular and ill shaped. Sow early and quite deep, and give the general culture recommended for the parsnip. The roots are perfectly hardy, and may remain out all winter, but should be dug early in the spring, as they deteriorate rapidly after growth commences. Store a quantity for winter use in sand.

Spinage.

Fr. *Epinard.* Ger. *Spinat.*

The Spinage is very hardy, extremely wholesome and palatable, and makes a delicious dish of greens, retaining its bright green color after cooking.

CULTURE.—Should be planted in very rich ground, the richer the better. Sow in drills one foot apart, and commence thinning out the plants when the leaves are an inch wide, and all should be cut before hot weather,

SALSIFY.

or it will be tough and stringy. For early spring use, the seed should be sown early in autumn. In the Northern States, the plants will require a slight protection of leaves or straw, but in the Southern

SAVOY LEAVED.

States, no protection is necessary, and they will continue their growth most of the winter.

Savoy Leaved.—The earliest variety. Plant of upright growth with fine leaves, which are savoyed like those of a cabbage. It comes quickly to a suitable size for use, but soon runs up to seed.

Round Summer.—This variety is generally preferred for early spring sowing, and is the most popular with our market gardeners; the leaves are large, thick, and fleshy, and hardy as the Prickly, but stands the winter very well.

ROUND SUMMER.

IMPROVED THICK LEAVED.

Improved Thick Leaved.—An improvement on the preceding, with larger and thicker leaves, and of more substance. Particularly recommended for market garden use.

LONG STANDING.

Long Standing.—An improved strain of excellent merit, having all the good qualities of the ordinary sorts; what renders it especially desirable is the fact that it is much later in going to seed than any other variety. This valuable property will be appreciated by market gardeners.

PRICKLY WINTER.

Prickly Winter.—The hardest variety, and will withstand the severest weather, with only a slight protection of leaves or straw. The seed is prickly, leaves triangular, oblong or arrow-shaped. It is employed for fall sowing, which in this latitude is made about the first of September.

Squash.

Fr. Courge. Ger. Kuerbis.

The Squash is one of the most nutritious and valuable of all our garden vegetables. The summer varieties come to the table early in the season, and are very palatable, while the winter sorts can be had in perfec-

tion from August until the summer varieties are again in condition. Few farmers appreciate the value of winter squash as food for stock. We think an acre of squash, costing no more to cultivate, and much less to secure, will give twice as much food available for feeding stock as an acre of corn, and we strongly urge our readers to try a "patch" for this purpose.

SUMMER CROCKNECK.

CULTURE.—The plants are very tender and sensitive to cold, and planting must be delayed until settled warm weather. The general principles of culture are the same as those given for cucumbers and melons, but the plants are less particular as to soil. The summer varieties should be planted six feet apart each way, and the winter sorts eight feet. Three plants are sufficient for a hill, and care should be taken not to break the stems from those intended for winter use, as the slightest injury will increase the liability to decay.

Early Yellow Bush Scallop.—An early, flat, scallop-shaped variety; color yellow; flesh pale yellow and well flavored; very productive; used when young and tender.

Early White Bush Scallop.—Similar in form to the preceding, but with a clear, white skin, and the flesh is more tender and delicate. By many considered the best of the summer varieties.

Summer Crookneck.—One of the best; very early and productive. It is small, crooked neck, covered with warty excrescences; color bright yellow; shell very hard when ripe.

EARLY WHITE BUSH SCALLOP.

IMPROVED AMERICAN TURBAN.

Pine Apple.—Vine vigorous and hardy, not coming into bearing until late in the season, and then producing fruit at nearly every joint, making it one of the most productive kinds grown. The fruit is of peculiar shape, with projecting ribs in pairs. Skin creamy white; flesh very thick and with a peculiar flavor, on which account it is much liked for pies, although it is also used green like the summer squashes, and baked or stewed like the winter kinds.

Perfect Gem.—Vine coming into bearing late, but very productive. Fruit four inches in diameter, nearly round, ribbed white; flesh yellowish-white and cooking very sweet and well flavored. We think this is the best of the intermediate kinds, and many think it fully equal to the winter sorts.

BOSTON MARROW.

WINTER VARIETIES.

Early Prolific Marrow.—A new sort developed by selection from the Boston Marrow, but much earlier, and the earliest of the winter varieties. Fruit small, deep orange color, netted with cream; shape similar to Boston Marrow; flesh thick, deep yellow, of fine quality.

Improved American Turban (Essex Hybrid).—Developed by selection and crossing from the old American Turban, and differing from it in being of a richer color, having a hard shell, and in its remarkable keeping qualities. We kept a fruit of the growth of '83 in an ordinary cellar until new squashes were fit for use. It is of medium size, shaped like a polo cap, and

HUBBARD.

BUTMAN.

the skin is a rich orange red. Flesh deep, rich color, very thick, and of excellent quality.

Boston Marrow.—A fall and winter variety, very popular in the Boston market. Of oval form; skin thin; when ripe, bright orange mottled with light cream color; flesh rich salmon yellow, very dry, fine grained, and for sweetness and excellence, unsurpassed, but not as dry as the Hubbard. We have an unusually good stock of this sort. In a five-acre field we were unable to find a single fruit which gave the least indication of crossing or mixture.

Hubbard.—This is a superior variety, and the best winter squash known; flesh bright orange yellow, fine grained, very dry, sweet and rich flavored; keeps perfectly good throughout the winter; boils or bakes exceedingly dry, and is esteemed by many to be as good baked as the sweet potato. We have taken the utmost pains with this sort and can recommend our stock as in all probability the best in the country, and

MARBLEHEAD.

think our customers can plant it in perfect confidence that every fruit will be a pure Hubbard.

Butman.—This is a cross between the Yokohama and Hubbard. The flesh is between a salmon and a lemon color. It has all the qualities of a first-class squash, being very dry, fine grained, and of excellent flavor. Size medium; color light stone, distinctly striped and splashed with yellowish-white.

Marblehead.—It is unquestionably an excellent keeper, and is finer grained and drier than any sort we have seen. About the size of the Hubbard, with shell of bluish-green, and bright orange flesh. Requires the whole season to mature.

Mediterranean.—A new variety and quite distinct, being nearly round in shape, with smooth skin of a salmon-red color. Flesh very thick; in many samples

the seed cavity is so small that the squash seems to be solid. Quality very dry and sweet, and excellent for pies, having a peculiar, rich color. It is also one of the best keepers. Recommended for trial.

MEDITERRANEAN.

Winter Crookneck.—The most certain to produce a crop of any, the strong growing vines suffering less from insects than those of the other sorts. Color varying from dark green to clear yellow, frequently changing to the latter after being gathered. Flesh variable, affected by soil and weather, sometimes close grained and fine flavored, and in other cases coarse and stringy. If kept from cold and damp, they will keep the entire year.

Sugar Cane.

The recent successful experiments conducted by the U. S. Government at Fort Scott, Kansas, have demonstrated the feasibility of producing at a low cost the finest qualities of sugar from sorghum canes, making it certain that the sugar crop is going to be one of the most important ones in all the central Western States, and we recommend all farmers to experiment with it so as to be able to grow it profitably.

Early Amber.—This comparatively new variety is now being successfully grown in our extreme northern latitudes. It may be planted as late as the 15th of June, and will be ripe enough to manufacture in September. It is the earliest variety with which we are acquainted. The beautiful, amber-colored syrup it produces is thought to be superior in flavor to any other, and for sugar it is unsurpassed. There are many varieties that can be profitably grown where the seasons are long, but this can be grown wherever Indian corn will grow. It is useless to plant cane seed before the weather is warm in spring. Three or four pounds are required per acre.

Early Orange.—An exceedingly valuable variety. Very large, of strong and vigorous habit, and does not fall down. Its yield is twenty-five per cent. in excess of the Early Amber, and has a very pleasant flavor. It is an early cane, maturing only ten days later than the Early Amber. We recommend it highly to all desiring a superior article, for all localities, excepting the extreme north.

Sunflower.

Large Russian—Helianthus.—The Sunflower, during the past few years, has attracted considerable attention as a profitable field crop, its leaves being used for forage and its seeds as food for poultry and the manufacture of oil. It is also planted with satisfactory results on low, swampy grounds, to absorb miasma. This variety has larger heads and stalks, more seed, and is much more valuable than the common sort.

Tobacco.

Tobacco is an annual plant, and although it grows to greater size in the South, an equally good quality can be produced in the hot, dry summers of the North.

CULTURE.—The seed should be sown as early as possible after the danger of frost is over. A good plan is to burn a quantity of brush and rubbish in the spring, on the ground intended for the seed bed, then dig and thoroughly pulverize the earth and mix with the ashes, after which the seed may be sown and covered very lightly. When the plants are about six inches high, transplant into rows six feet apart each way, and cultivate thoroughly with plow and hoe.

Connecticut Seed Leaf.—Best adapted to the climate of the Middle and Northern States, as it is more hardy and endures the cold better than the tender varieties grown South. In many of the Northern States and in Canada, this variety is a staple crop.

Yellow Oronoko.—This variety has smaller leaves than the preceding, and is intermediate in size and vigor.

Silky Prior.—Used very largely in the manufacture of bright wrappers, for which purpose this variety and the preceding are unexcelled.

Havana.—From pure Cuban grown seed, raised in the famous district of Vuelta de Abajo. When grown in this country commands a high price for cigar stock.

Tomato.

Fr. *Pomme d'Amour*. Ger. *Liebesapfel*.

This vegetable is too well known to need any description. There has been a great improvement in it during the last few years, and the varieties now offered are greatly superior to those known a few years ago.

CULTURE.—Tomatoes do best on light, warm, not over-rich soil, and success depends upon securing a rapid, vigorous, unchecked growth during the early part of the season. Sow in hot-beds during March, or from six to eight weeks before they can be set out of doors; when the plants have four leaves, transplant into shallow boxes, setting them four or five inches apart; give plenty of air, and endeavor to secure a vigorous, but steady and healthy growth, so that at the time of setting in the open ground they will be strong and stocky, about as broad as high. A slight check while the plants are small, will materially diminish their productiveness. Set out of doors as soon as danger from severe frosts is over, but before doing so harden off the plants by gradually exposing them to the night air and the withdrawal of water until the wood becomes hard and the leaves thick and of a dark green color. Transplant carefully, and cultivate well as long as the vines will permit. The fruit is improved in quality if the vines are tied to a trellis or to stakes.

FIRST EARLY SORTS.

Early Conqueror.—This seems to be the earliest at the north, and is very popular. Vines medium size, vigorous, productive, bearing immense clusters of fruit, which is medium in size, irregular, flattened and slightly corrugated, scarlet crimson color, often dotted and splashed with gold color.

Hundred Day.—At the south this seems to be the earliest sort, and is largely used for shipping north. Vine medium, with few and small leaves, bearing small clusters of irregular shaped fruit of medium size, distinct bright scarlet vermillion color, flat with broad, shallow corrugations at the stem, but perfectly smooth and of a regular, wavy outline at center. Quality very good, and ripens well after picking.

Canada Victor.—Very early. Vines large, spreading, productive. Fruit of light scarlet color, round,

smooth, of medium size, solid, and ripening up well. A very popular variety.

RED VARIETIES FOR GENERAL CROP.

Optimus.—A variety introduced by us, and we believe the best table tomato in existence. Vines medium sized, but vigorous, healthy and productive, bearing its fruit in clusters of five. Although not presented as a first early sort many of our customers report that they have obtained ripe fruit from this as early as from any variety. Fruit medium size, oval, very smooth, exceedingly bright, rich, crimson-scarlet color; very free from cracks, and rotting less than any of the 70 varieties with which it has been compared. The flesh is of a crimson-scarlet color quite distinct from and more beautiful than that of any other sort, and is also the best in flavor and entirely free from the hard spots found in other large sorts. During the past season a large canning factory has used this variety exclusively, and as a result their goods have met with ready sale at quite an advance over the current price. As a result of this extensive trial, we now claim that the Optimus is not only the best for home use and for market, but is the best canning tomato in cultivation. We think that anyone who plants this sort either in a garden or for market will be satisfied that it is the most productive, the handsomest and best tomato in existence, and will not care to plant any other except for extremely early fruit.

Livingston's Favorite.—Vine medium, with large, dark green, healthy leaves, having numerous clusters of from three to seven very large, smooth tomatoes, which are a rich, dark red color, oval outline, exceedingly smooth; flesh very firm, but without green spots. This is a favorite variety on account of its smooth, handsome fruit.

Trophy.—Well known as one of the best. Vines of

medium size, but producing compact clusters of fruit in immense quantities; fruit large, smooth, of bright red color, solid and of good flavor. We have expended a great deal of labor on the improvement of this old sort, and think that the seed we offer is as good as can be grown.

Paragon.—Vine very large, vigorous and productive, and continuing so until killed by frost. Fruit large, round, of a very dark, rich crimson-scarlet color, with occasionally a purplish tinge. It ripens up evenly, and the flesh is thick and fine flavored.

Livingston's Perfection.—A new variety, similar to the last, but an improvement upon it, it being a little earlier, and invariably smooth and handsome. It is one of the handsomest tomatoes grown, and all who have tried it pronounce it of the highest quality.

Cardinal.—In size and shape of fruit and in general habit of vine this is like the Acme; but the fruit is an exceedingly brilliant cardinal color. The flesh is also brilliant in color, a little soft, but of good flavor. One of the handsomest varieties we have.

Queen.—A new sort, very popular at the east for canning. Vine very large and late, producing a large quantity of very large, solid, well ripened fruit of fine scarlet color, and which is so firm that it will stand rough usage better than other large sort.

Ferry's Improved Early Large Smooth Red.—A valuable variety for general crop. Vines vigorous and productive. Fruit medium size, oval form, light crimson color, and of excellent flavor.

PURPLE FRUITED SORTS.

Acme.—One of the most popular varieties, both with marketmen and consumers. Vines large, and continuing to produce abundantly until frost. Fruit in clusters of four or five, invariably round, smooth, and of good size, ripening evenly and without cracking, and stands

A CLUSTER OF OPTIMUS AS GROWN ON OUR TRIAL GROUNDS.

shipping well, color purplish pink; flesh solid and of good flavor.

Essex Hybrid.—Similar to the Acme, but with larger, darker colored fruit, which is always smooth and handsome. Quality among the best. An improved Acme.

Livingston's Beauty.—In shape like the Favorite, but we think it averages larger. Fruit very uniform and smooth, purplish-pink in color; flesh light pink, soft and well ripened, but not suitable for canning on account of its weak color; flavor good.

Cincinnati Purple.—Fruit very large, deep purple-red, solid and of good flavor. We have compared this with Surprise, Mikado and other large sorts and have found it as large as any and very much smoother. We picked this season fruits weighing one and one-half pounds which were as perfect and smooth as a Favorite.

Golden Queen.—The superior flavor of the yellow varieties is bringing them into favor as table fruit, and those who think of a yellow tomato as the rough fruit of the old yellow sorts will be surprised at this smooth, beautiful fruit, it being as smooth as the best of the red varieties, and of a fine and distinct flavor.

White Apple.—This old sort is often presented as a novelty as "Snowball," etc., but while no one should plant largely of it for market or home use, yet it is the best variety for eating from the hand as a fruit. The fruit is about one and one-half inches in diameter, round, perfectly smooth and of a yellowish-white color. Flesh very mild flavored and delicate. This variety is also sold as Ivory Ball and as Snowball.

Red Pear-Shaped.—Used for preserves and to make "tomato figs." Fruit bright red, distinctly pear-shape, and with a peculiar flavor. Our stock is the true pear-shaped, and not the larger Red Plum tomato which is often sold under this name.

Yellow Plum.—Fruit plum-shaped, clear deep yellow color; flesh yellow and fine flavored; much liked for preserves.

Red Cherry.—Fruit small, about five-eighths of an inch in diameter, perfectly round and smooth. Fine for pickles and preserves.

Yellow Cherry.—Differing from the above only in color.

Ground Cherry, or Husk Tomato.—This is much liked by many for preserves and for eating from the hand. The seed we offer is that of the true yellow ground cherry, and not the purple-fruited sort which is scarcely edible.

Turnip.

Fr. Navet. Ger. Rueben.

This wholesome and agreeable vegetable has been cultivated from time immemorial, as a field crop, and is one of the staple products of the farm. It is most easily affected in its form and flavor by soil, climate and mode of culture. There are a great many varieties, but we have selected the following as the best for the garden or farm.

CULTURE.—Sow in drills fourteen inches apart and half an inch deep, or they may be sown broadcast, but in either case be sure to have the ground freshly dug. Keep them perfectly free from weeds, and when the bottoms begin to enlarge, brush away the earth from about the roots to the depth of half an inch or more, and give them a light dressing of wood ashes. This is the surest mode of obtaining fair and smooth turnips in old gardens, where they are almost certain to grow wormy if the earth is allowed to remain in contact with the roots. For the spring and summer crops it is important to get them started very early, so that they may have time to

grow to sufficient size before hot weather, when they will soon become tough and strong.

FOR TURNIPS.—For the fall and main crop, sow in the Middle and Western States, from the middle of July to the last of August, as directed for the spring sowing. In the field, turnips are more generally sown broadcast, though much the larger crops are obtained by drill culture.

FOR RUTA BAGAS.—The Ruta Baga is usually sown from the 20th of June till the 15th of July, in two-foot drills, and thinned out to ten inches apart. It is necessary that the ground should be dry and made very rich.

To preserve turnips in good order for winter, store them in barrels placed alongside the wall of a cool cellar and cover them with sand or turf to keep them fresh. Another method is to put them in a cellar or dry pit, and cover with straw, and then earth over to the depth of eight or ten inches. Thus protected, they will keep well till spring.

For feeding stock in fall and winter, there is nothing superior to Turnips and Ruta Bagas, and they will yield a larger amount of food than almost anything else, on the same space of ground. We cannot too earnestly recommend farmers to increase their sowings largely, for we are sure no crop will prove more remunerative.

EXTRA EARLY PURPLE TOP MILAN.

Extra Early Purple Top Milan.—Tops very small, distinctly strap-leaved, and growing very erect and compact. This forms bulbs the earliest of any sort. The roots are very white, with clear purple top. The most desirable sort for forcing.

Early Purple Top Munich.—A very handsome early turnip. Color white, with bright purplish-red top; of fine quality when young, but becoming bitter with age; we can recommend this variety as one of the best for first crop out of doors.

White Egg.—A quick growing, egg-shaped, perfectly smooth, pure white variety, growing half out of the ground, with small top and rough leaves. Its smooth,

EARLY PURPLE TOP MUNICH.

white skin and quick growth make it particularly adapted for fall market purposes. The flesh is very sweet, firm and mild, never having the rank strong taste of some varieties.

Early White Flat Dutch.—A medium sized, white

flat turnip, of quick growth, juicy, and of excellent quality when young. Sow in spring or fall. It is designed for table use, and is spongy and inferior when overgrown.

Early White Flat Dutch, Strap Leaved.—A most excellent early garden variety, much used in the Southern States. Is sure to bottom; very early, sweet and tender, and grown for table use.

Early Purple Top, Strap Leaved.—This is very similar to the preceding, except in color, being purple, or dark red on the top. It is of good quality, and recommended highly as a garden turnip.

D. M. Ferry & Co's Improved Purple Top, Strap Leaved.—This is a very early variety, and is rapidly becoming the favorite for table use; form round, flat, medium size, very small top, with but few leaves, which are entire and of upright growth, resembling horse radish

leaves in shape; flesh fine grained and tender; a purely American variety.

Purple Top, White Globe.—A variety of the purple top flat turnip, from which it originated. It is globular in form, and nearly as large as the Pomeranean White Globe; of beautiful appearance, of most excellent quality, and equally desirable for table or stock. It keeps well, and is a fine market sort.

Cow Horn, or Long White.—This variety is carrot-like in form, growing nearly half out of the ground, and generally slightly crooked. It is pure white except a little shade of green near the top. It is delicate and well flavored, of very rapid growth, and has obtained considerable favor as a market sort for fall and early winter use. It is in increasing demand every year.

EARLY WHITE, FLAT DUTCH, STRAP LEAVED

Large White Flat Norfolk.—A standard sort for field culture, and is extensively grown all over the world for stock feeding. It is round, flat; color white; often attains a very large size. The seed should be sown a

little earlier than the table sorts. It is allowed to stand out during the winter at the south and south-west, where the tops are used for greens.

Red Top Flat Norfolk.—A handsome, flat-shaped root, purple above ground, with small top and tap root. An excellent variety, grown both for table use and stock, differing but little in shape from the Purple Top Strap Leaved, except in the form of the leaf, though not of so fine a quality.

Pomeranean White Globe.—Is one of the most productive kinds; in good, rich soil, the roots will frequently grow to twelve pounds in weight; it is of the most perfect globe shape; skin white and smooth, leaves dark green, and of strong growth.

Sweet German.—This variety is very popular in many sections, notably so in the New England States. It partakes largely of the nature of the ruta бага, and should be sown a month earlier than the flat turnips. The flesh is white, hard, firm and sweet, and it keeps nearly as well as the ruta бага. Highly recommended for winter and spring use.

Seven Top.—Cultivated extensively in the South for the tops, which are used for greens. It is very hardy, and will grow all winter, but does not produce a good root, and is only recommended for the tops.

POMERANEAN WHITE GLOBE.

YELLOW-FLESHED SORTS.

Early Yellow Montmagny.—An early sort; the most beautiful of the yellow-fleshed varieties. Leaves medium sized, green, stained with purple; bulb oval, medium sized, clear yellow, stained with bright purple at the top; flesh yellow, fine grained, sweet and tender. Among the earliest, and an exceedingly popular sort.

Large Amber Globe.—One of the best varieties, either for table use or for a field crop for stock. Flesh yellow, fine grained and sweet; color of skin yellow,

ORANGE JELLY, OR ROBERTSON'S GOLDEN BALL.

with green top. Hardy, keeps well, a good cropper, and grows to a very large size. Very popular south.

Orange Jelly, or Robertson's Golden Ball.—Undoubtedly among the most delicate and sweetest yellow-fleshed turnips yet introduced. Not of large size, but firm, hard and of most excellent flavor. Keeps well, and as a table variety is superior.

Purple Top Yellow Aberdeen.—Roots medium size, round form; flesh pale yellow, tender and sugary; hardy and productive, and keeps well. It is an old, esteemed variety, considered as approaching very nearly to the ruta бага in hardness and firmness of texture.

SWEET GERMAN

SWEDES, OR RUTA BAGAS.

Yellow Swede, or Ruta Baga.—This and the following form a distinct class, and should be sown at least a month earlier than the preceding. Shape oblong; dull

reddish color above ground, but yellow underneath; is harder than the common turnip, and will keep solid till spring.

Carter's Imperial Hardy Purple Top Yellow Ruta Baga.—A most excellent sort either for table use or feeding stock. Flesh yellow, solid, firm, sweet and rich. It is a hardy sort, yields heavily, with no tendency to long necks.

Large Ovoid Purple Top Swede.—This variety is the result of a long selection of roots to obtain the highest perfection of weight, quality, purity and permanence of type. In size it is mammoth, and is a very heavy cropper. It closely resembles D. M. Ferry & Co's celebrated Improved Purple Top Yellow Ruta Baga, except in shape and size, this variety being longer and more oblong. When a large Swede of superior quality is desired, we recommend this variety.

D. M. FERRY & CO'S IMPROVED PURPLE TOP YELLOW RUTA BAGA.

D. M. Ferry & Co's Improved Purple Top Yellow Ruta Baga.—The best variety of Swedish turnip in cultivation. Hardy and productive. Flesh yellow, of solid texture, sweet and well flavored; shape slightly oblong, terminating abruptly with no side or bottom roots; color deep purple above, and bright yellow under the ground; leaves small, light green, with little or no neck; the most perfect in form, the richest in flavor and the best in every respect.

Bangholm Ruta Baga.—A very superior variety, both in form and quality, and held in high estimation in many parts of England. Of large size, small neck, few or no side roots, and yields well. Flesh yellow, sweet and solid; skin yellow with purple top.

Sweet Russian, or White Ruta Baga.—This variety is a most excellent kind, either for the table or stock. It grows to a very large size; flesh white, solid, firm texture, sweet and rich; keeps better than any of the preceding, and is very popular.

AROMATIC, MEDICINAL AND POT

HERBS

GENERAL CULTURAL DIRECTIONS.—Most of the varieties thrive best on rich, sandy soil, which should be carefully prepared and well cultivated, as the young plants are for the most part delicate and easily choked out by weeds. Sow as early as the ground can be made ready, in drills sixteen to eighteen inches apart; or they may be planted as a second crop—the seed sown in beds in April, and the plants set out in June. Most of them should be cut when in bloom, wilted in the sun, and thoroughly dried in the shade.

Anise (*Pimpinella Anisum*). Fr. *Anis*. Ger. *Anis*. A well known annual herb whose seeds, which have an agreeable aromatic odor and taste, are used for dyspepsia and colic and as a corrective of griping and unpleasant medicines. Sow early and thin to three inches apart in the row.

Balm (*Melissa officinalis*). Fr. *Melisse*. Ger. *Melisse*.—A perennial herb. The leaves have a fragrant odor, similar to lemons, and are used for making balm tea for use in fevers, and a pleasant beverage called balm wine. Plant early and thin to ten inches apart.

Bene (*Sesamum Indicum*). Fr. *Bene*. Ger. *Bene*.—Much used at the south, but too tender at the north. The seeds are used for food, and furnish an oil which does not easily become rancid, and is used for softening and whitening the skin. The leaves, if immersed in a tumbler of water, will convert it into a mucilaginous drink very beneficial in cases of cholera infantum, diarrhoea, etc. Do not plant until settled warm weather, and allow the plants to stand two feet apart.

BALM.

Borage (*Borago officinalis*). Fr. *Bourrach*. Ger. *Boretsch*.—A hardy annual, used as a pot herb, and for bee pasturage. The leaves immersed in water, give it an agreeable taste and flavor. Sow in April, and thin to eight inches apart. In some places this becomes a troublesome weed.

Caraway (*Carum carvi*). Fr. *Carvi*. Ger. *Kümmel*.—Cultivated for its seeds, which are used in confectionery, cakes, etc., and the leaves are sometimes used in soups. If sown in August, the plants will give a fair crop of seed the next season. Plant in drills, and thin to six inches apart.

CATNIP.

Catnip (*Nepeta cataria*). Fr. *Nepeta*. Ger. *Katzenkraut*.—A hardy perennial, well known as a valuable mild nervine for infants. The plant should be pulled up by the roots when in full flower, and dried in the shade. The seed may be sown in drills twenty inches apart, either in fall or spring.

Coriander (*Coriandrum sativum*). Fr. *Coriandre*. Ger. *Koriander*.—A hardy annual, cultivated for its seeds, which have an agreeable taste, and are used in confectionery and to disguise the taste of medicines. Sow early in the spring, and gather on a dry day, bruising the stems and leaves as little as possible, as when injured they have a disagreeable odor, which they impart to the seed.

Dandelion (*Taraxacum dens-leonis*). Fr. *Pissen-lit*. Ger. *Löwenzahn*. Improved Thick Leaved.—Those who only know the Dandelion as the persistent weed of our roadsides and lawns, know no more of its real value than one who has only seen the poisonous wild parsnip or carrot knows of the value of these vegetables. The improved variety makes one of the earliest and best greens in cultivation. For this purpose sow early in the spring, on very warm, rich soil, in drills eighteen inches apart; thin the young plants to five inches in the row, and cultivate well, and they will be fit for cutting the next spring. It is also grown

extensively for its roots; for this purpose, sow in September, and cultivate well during the fall and the following season, and the roots will be fit to dig in October.

Dill (*Anethum graveolens*). Fr. *Aneth.* Ger. *Dill.*—An annual cultivated for its seeds, which have an aromatic odor, and a warm, pungent taste. They are good for flatulence and colic in infants, and are sometimes added to pickled cucumbers to heighten the flavor. Sow early in spring, and keep clear of weeds.

Horehound (*Marrubium vulgare*). Fr. *Marrube.* Ger. *Andorn.*—A perennial herb, with a strong, aromatic smell, and a bitter, pungent taste. It is a tonic, and enters largely into the composition of cough syrups and lozenges. Will thrive in any soil, but is stronger if grown on light, poor land.

Hyssop (*Hyssopus officinalis*). Fr. *Hyssope.* Ger. *Isop.*—A hardy perennial with an aromatic flavor, and warm, pungent taste. It is a stimulant and expectorant and is used in asthma and chronic catarrh. The flowering summits and leaves are the parts used. It likes a dry, sandy soil, and the plants should be thinned to eighteen inches apart.

Lavender (*Lavendula vera*). Fr. *Lavende.* Ger. *Wohlrtechende spicke.*—A hardy perennial. Its long spikes are used for the distillation of lavender water, or are dried and used to perfume linen. The flowers should be picked before fading, and dried quickly.

Rosemary (*Rosemarinus officinalis*). Fr. *Rosmarin.* Ger. *Rosmarin.*—A hardy perennial with fragrant odor, and a warm, aromatic, bitter taste. May be easily raised from seed, but does not reach a size fit for use until the second season. The dried leaves deteriorate rapidly by keeping.

Rue (*Ruta graveolens*). Fr. *Rue.* Ger. *Raute.*—A hardy perennial with a peculiar smell. The leaves are bitter, and so acrid as to blister the skin. It is a stimulant and anti-spasmodic, but must be used with great caution, as its use sometimes results in serious injury. It must not be suffered to run to seed, and does best on poor soil.

Saffron (*Carthamustinctorius*). Fr. *Saffran.* Ger. *Saffran.*—A hardy annual from Egypt, but which has become naturalized in many parts of the country. Cul-

TARRAGON.

tivated for its flowers, which are used in dyeing, and to make the cosmetic powder called *rouge*, also to adulterate the valuable European saffron, which is the flower of the *Crocus sativus*, and has strong medicinal properties. Sow early, and gather the leaves before fading, drying them in the shade.

Sage (*Salvia officinalis*). Fr. *Sauge.* Ger. *Salbei.*—A hardy perennial, possessing some medicinal properties, but cultivated principally for use as a condiment, it being used more extensively than any other herb for flavoring and dressing. Sow early in spring, on very rich ground, cultivate often, and thin the plants to sixteen inches apart. Cut the leaves and tender shoots just as the plant is coming into flower, and dry quickly in the shade. The plants will survive the winter, and may be divided, and will give a second crop of superior quality to the first.

Sweet Basil (*Ocimum basilicum*). Fr. *Basilic.* Ger. *Basilikum.*—A hardy annual from the East Indies. The seeds and stems are used in flavoring soups and sauces, and have the flavor of cloves.

Sweet Fennel (*Anethum feniculum*). Fr. *Fenouil.* Ger. *Fenchel.*—A hard perennial. The leaves are largely used in Europe in soups, fish sauces, garnishes and salads, the seed being sometimes used in confectionery. Sow and cultivate like Anise.

Sweet Marjoram (*Origanum marjoram*). Fr. *Marjolaine.* Ger. *Marjoram.*—A perennial plant, but not hardy enough to endure the winter at the north. The young, tender tops are used green for flavoring, or they may be dried for winter use. Sow in drills, as early as possible, and thin out the plants to ten inches.

Summer Savory (*Satureja hortensis*). Fr. *Sarriette annuelle.* Ger. *Bohnenkraut.*—A hardy annual, the dried stems, leaves and flowers of which are extensively used for flavoring, particularly in dressings and soups. Culture the same as that of Sweet Marjoram.

Tansy (*Tanacetum vulgare*). Fr. *Tanaisie.* Ger. *Wurmkraut.*—A hardy, perennial plant from Europe, but growing wild in many parts of the country. The leaves, when green, have a peculiar aromatic odor, which they lose in drying. Cultivated for its medicinal properties, which are those common to bitter herbs.

Tarragon (*Artemisia dracunculus*). Fr. *Estragon.*—Used in salads to correct the coldness of the other herbs. Its leaves are excellent when pickled. Poor, dry soil is essential to produce it to perfection.

To make Tarragon Vinegar, the Tarragon should be

SUMMER SAVORY.

WORMWOOD.

gathered before it blossoms; remove the larger stalks, using only the small and tender ones with the leaves; pull the leaves and stalks to pieces, bruising or rubbing them with your hands. If you have bottles in which Chow-Chow came, put the Tarragon into them, and cover the leaves and stalks with vinegar. After it has stood for nine or ten weeks drain and strain, and put into small bottles ready for use in meat sauces, soups, etc.

Thyme (*Thymus vulgaris*). Fr. *Thym*. Ger. *Thymian*.—This herb is perennial, and is both a medicinal and culinary plant. The young leaves and tops are used for soups, dressing and sauce, and a tea is made of the leaves, which is a great remedy in nervous headache. Sow as early as the ground will permit.

Wormwood (*Artemisia absinthium*). Fr. *Armoise*. Ger. *Wermuth*.—A perennial plant of strong and fragrant odor, and aromatic, but intensely bitter taste. The leaves are used as a tonic and vermifuge, and also for fresh bruises. It is raised from seed, and propagated by cuttings, or dividing the roots. A dry, poor soil is best adapted to bring out the peculiar virtues of this plant.

Fruit Tree Seeds.

Apple.—Apple seeds do not produce the same varieties, but generally give a hardy, though inferior sort, and upon these seedlings are grafted, or budded the finer varieties. The seeds may be planted in the fall, in rows two feet apart, or they may be planted in early spring, but in that case the seed must first be mixed with damp sand and frozen, after which care must be taken that they do not become dry before planting. As soon as the plants are up, they should be well cultivated, and every effort made to secure a vigorous growth the first season. As soon as the plants are large enough they may be budded in the summer or grafted in the spring.

Cherry, mazzard.—This is the stock used for standard trees. Success is much more certain if the seed is planted in the fall, as it is very difficult to keep it in good condition through winter. The general culture

should be the same as for the apple, except that budding should be employed instead of grafting.

Cherry, mahaleb.—Used as stocks when dwarf trees are wanted. Culture same as the above.

Pear.—Success will depend very largely upon having a deep, rich, moist soil, as this is essential to vigorous growth. Plant and cultivate like the apple, and bud when large enough. Every effort should be made to secure a rapid and vigorous growth from the first.

Peach.—Plant three inches deep in nursery rows three feet apart, in the fall, or if delayed until spring, crack the pits and plant the kernels only. They should be large enough to bud the first season, and may be profitably set in orchards two years from planting.

Plum.—The directions given for planting apples will also apply to plums, except the pits should be planted farther apart in the row. The varieties raised from seed will be hardy, vigorous stocks upon which to graft the choicer sorts.

Quince.—Quinces generally produce the same variety from seed, but occasionally vary. The general culture and requirements of soil are the same as for the pear, except that they are not budded.

Forest Tree and Hedge Seeds.

Few investments made by our farmers will return a larger profit in the course of a few years than the planting of land now uncultivated, or cultivated at a loss, to forest trees. The time is coming, not only surely, but rapidly, when a few acres covered with our best forest trees will constitute a handsome fortune. Forests are needed, not only for supplying us with timber, but for protection against winds and hurricanes. Grain fields and orchards are destroyed or parched by dry winds which were never known before the protecting forests were destroyed. The terrible cyclones so frequent in our Western States, and the beds of little streams in the East now long dried up, should admonish all who have a thought beyond the present, to the planting of forest trees.

EVERGREEN TREE SEEDS.

The seeds of evergreen trees should be kept till time of sowing in a dry, cool situation. As early in spring as the ground can be worked, the seeds should be sown thinly in beds of fine, sandy loam, raised about four inches above the general surface. The seeds can be raked in, or if very small, they may lie upon the surface and then be rolled in or patted with the back of the spade to firm the earth around the seeds. Then water very sparingly, and with a fine hose, as the young plants are very apt to damp off; and need to be shaded from the hot sun and drying winds. A good shade can be made of laths nailed two inches apart to a light frame. This should be supported about eight inches above the seed bed in such a way as to be easily removed to allow cultivation and weeding. Keep the young plants well weeded, and allow them to remain one or two years before transplanting where they are to remain.

American Arbor Vitæ (*Thuja occidentalis*).—Grows to a small size, seldom over thirty feet high. Grows well under cultivation, and is one of the best for a hedge as a screen and wind break. If planted in exposed places, along the country roads, would prove effectual in preventing snow drifts. Its wood, which has an agreeable odor and is easily split, is very durable. It is best grown from seeds, which should be sown and the seedlings transplanted, as directed above. They should be carefully watered when transplanted, and if a dry

summer ensues, watering should be continued until the plants are well rooted.

Silver Fir (*Abies pectinata*).—An important timber tree, and grows to a large size. While the timber is softer and less durable than pine, it is not liable to warp or shrink, and is valuable for shingles, cabinet work, boat building, etc. When young, the trees are tender and easily injured by frost, but as it grows larger, it is entirely hardy.

Hemlock (*Tsuga Canadensis*).—One of the most beautiful of our native evergreen trees. Of graceful habit, with light, elegant and delicate foliage. The timber is well known; coarse but strong. It is valuable for planks, bridge building, roof boards, etc., as it endures exposure to the weather for a long period. The bark is used to an immense extent for tanning leather. It requires a light, dry soil; and should never be planted on a stiff clay, which will make the tree tender, and liable to winter kill, though it is entirely hardy hundreds of miles north of our latitude. Planted singly or among deciduous trees, it is one of the most desirable varieties for ornamental planting.

Scotch Pine (*Pinus sylvestris*).—Very hardy, and growing surely and rapidly on nearly every variety of soil, forming a beautiful tree, and invaluable as a wind break. Prof. C. S. Sargent says: "It is the most valuable tree farmers can plant for screens and wind breaks about their fields and buildings."

White or Weymouth Pine (*Pinus Strobus*).—The most majestic and valuable of all our native pines, and has furnished immense quantities of the white pine lumber so well known throughout the country. It thrives best in a light sand with clay subsoil, and prefers plains and broad river valleys to higher lands. Except on high limestone soils, it should be planted largely where pine lumber is wanted.

Norway Spruce (*Abies excelsa*).—Well known as one of our most beautiful evergreen trees. It is hardy, of rapid growth, and forms a dense, close screen, or hedge. About 20,000 seeds to the pound.

DECIDUOUS TREE SEEDS.

With the seeds of deciduous trees, only a little care is required in sowing at the proper season to insure success. Those with hard shells like the locusts should be planted in the fall or placed in boxes with sand and exposed to frost before planting, otherwise they may lie in the ground from one to three years without sprouting. If too late in spring to expose them to the action of frost, pour boiling water over the seeds and let it stand till cool, when a portion of the seeds will have swollen; pick these out and scald the rest again, continuing until all have swollen.

The seeds of the other deciduous trees on our list should be planted from the middle of April to the middle of May, in drills about two feet apart, and covered to the proper depth; about twice the diameter of the seed.

White Ash (*Fraxinus Americana*).—Requires a moist, deep soil, on which it will grow very rapidly. It deserves special attention from those who wish to grow trees for timber, because its wood is very light, strong, elastic and durable, and is without an equal for making fork and rake handles and many other agricultural implements, besides being largely employed in carriage building, cooperage, and ornamental carpenter work. Succeeds best from seeds, which should be planted where the trees are to stand, like corn, but not over an inch in depth. When grown singly it is very ornamental, forming a large, round head.

European Ash (*Fraxinus excelsior*).—Succeeds best in rather a warm climate; thrives upon the plains

in deep soils, but does poorly on stiff clay or light sandy soils. Its timber is valuable in carriage making and manufactures.

White Birch (*Betula alba*).—Valuable for ornamental planting, and a favorite wood for shoe pegs, spools, bobbins, and similar small articles. The birch prefers a cool, humid climate, and is readily propagated from seed. Seeds thrive best on new ground. They scarcely admit of any covering, but if simply pressed into the ground with the feet they will grow. When one year old transplant into nursery rows. When two or three feet high, set out the young trees where they are to remain.

Box Elder, or Ash-Leaved Maple (*Acer negundo*).—This seems to succeed as well as any in the north-west. The trees are said to reach a diameter of seven inches in six years, and to be exceedingly hardy not only to resist cold, but drought and dry winds, and suffering less from insects than any other. One of the most desirable sorts for planting on timber claims.

Hardy Catalpa (*Catalpa speciosa*).—Quite distinct from and much harder than the common catalpa. Scarcely a tree on our list can be so strongly recommended as this for planting on the vast treeless prairies of our Western States. It is of very quick growth, has proven itself hardy as far north as Dakota, and is one of the most durable timbers known, lasting in many well authenticated instances nearly or quite a century.

Catalpa seeds can be sown dry on a still day, but the better way is to wet the seeds for a few hours before planting, and mix them with a little sifted soil to prevent their sticking together. They will germinate more promptly for the soaking they have received, and will not be so likely to be blown away while being sown. Sow in April or May, in well prepared loamy soil, in rows four feet apart, sowing seed thickly in the rows, covering half an inch deep and firming the soil well over the seeds. Thick sowing is desirable, as a dozen little plants together can force their way through the surface easier than singly, and if they are too thick they can be thinned and transplanted on a damp day as easily as cabbage plants. Cultivate well during the summer, keeping them free from weeds. In the fall or following spring, the seedlings can be transplanted where they are to remain. Four feet apart each way is the proper distance, and they should be cultivated about like corn for two seasons. There are from 16,000 to 20,000 seeds to the pound.

As an ornamental tree the Catalpa appears to the best advantage planted in small groves.

European Larch (*Larix Europaea*).—Grows to a large size, and makes excellent timber. Planted on lands of very little value for ordinary farming, it improves instead of impoverishing them, as the annual crop of leaves deposit more nutriment than the tree takes up; besides the yield of timber in a series of years would prove a very profitable investment. Seeds should be sown in a half-shady situation.

European Linden (*Tilia Europaea*).—A great favorite for ornamental planting in Europe. Its wood is very white, light, not liable to crack, and much prized for cabinet work, and the panels of carriages. It should be planted by all bee keepers, as no flower of its size yields better honey or in greater abundance.

Honey Locust (*Gleditsia triacanthos*).—On account of its rapidity of growth and durability of the timber, we regard this as one of the most valuable of our native trees. It is not so liable to injury by the borer as the common locust, and does not sprout from the root to a greater extent than do most of our forest trees. Without the preparation recommended above, the seeds may lie from one to three years in the ground without

sprouting. Take up and heel in or cover the plants in the fall, and set out the next spring. After the first season, they are perfectly hardy. One pound contains about 2,300 seeds.

Yellow Locust (*Robinia pseudo-acacia*).—This tree grows so rapidly that railroad ties may be cut ten years from the planting of the seed, while the durability of its timber is well known, fence posts of it having stood for sixty years. Culture same as the above. One ounce contains about 1,300 seeds.

White Mulberry (*Morus alba*).—Desirable for feeding silk worms. Grows readily and rapidly from seeds, which should not be covered too deep, as they are quite small. It delights in a warm, dry soil; and will succeed in almost any place that will produce a good corn crop.

Russian Mulberry.—Introduced into this country by the Mennonites, and by them extensively planted for silk worm culture. Of rapid growth, resembling the apple tree in habit, with a grayish bark and drooping branches. It is very easily cultivated, and kept in dwarf form makes a fine hedge and wind break. It bears very young and, it is said, every year. The fruit is similar to the blackberry, varying in flavor from sub-acid to sweet. In cold regions especially, this should prove a very valuable variety for its timber, shade and fruit. It is said to reproduce itself exactly from seed, and as our seed is direct from the Mennonite colony, it can be depended on as true and reliable.

Osage Orange (*Maclura aurantiaca*).—How to PLANT, CULTIVATE, AND MAKE A HEDGE.—The Osage Orange is a native of Texas, but can be grown and cultivated advantageously in most parts of the United States. The ground should be thoroughly pulverized by either plowing or spading, before the seed is planted. The surest way is to sprout the seed before planting, as it is very slow to germinate when put into the ground without being sprouted, sometimes taking a whole season to come up. To sprout the seed, put into a vessel and cover with warm (not hot) water. Keep the vessel in a warm place, and change the water once a day. Let the seed soak about five or six days, after which pour off the water and cover the vessel with a cloth. Keep in a warm room and stir the seed occasionally. In about one week more they will begin to sprout, and are ready for planting. A pound of seed, if properly managed, will produce five thousand (5,000) plants. The seed should be sown in April or May, with twelve good seeds to the foot, in drills twenty inches apart. They should be kept free from weeds, as the young plants are very tender and delicate until they are from three to five inches high. They can be set out in permanent hedges the following spring, in rows, placing them six inches apart in the row, but should be cut back to within an inch of the ground before they are set out; and to make a thick hedge, it will be necessary to cut back the first three years' growth, leaving only about eight inches of the season's growth. This system must be pursued every season until the hedge is of the desired height and form. Under proper treatment, a good hedge that will turn all kinds of stock can be grown from seed in from three to four years.

☐ Clover Seeds.

There are no plants so valuable for fertilizers as the Clovers. They have the faculty of absorbing nitrogen from the air, and also of rendering available much of the inert plant food of the soil. Their long, powerful tap roots penetrate to a great depth, loosen the soil, admit air, and by their decay add immensely to the fertility of the soil. The seed may be sown in fall or spring; which is the best season will depend upon local

climate and method of culture, but in the majority of cases, in the Eastern, Middle and Western States, the best results will come from sowing in the spring, and it is often sown on the late snows of April. In any case, it should be evenly distributed on a mellow, well prepared soil. Plaster will increase the growth remarkably, and should be sown broadcast the season following the seeding.

Mammoth, or Large Red (*Trifolium pratense*).—It grows five or six feet high, but its stalks are so coarse and large that stock will eat only the leaves, but by its judicious use, lands which have been exhausted can be reclaimed, as it will grow where the common clover will fail. Sow at the rate of about eight pounds per acre. Sixty pounds per bushel.

Medium Red, or June (*Trifolium pratense*).—This is by far the most important of all varieties for the practical purposes of agriculture. Sow in spring or fall; and when no other grasses are used, at the rate of eight to ten pounds per acre, more being required on old, stiff soils, than on new and lighter ones. Sixty pounds per bushel.

Alsike, or Swedish (*Trifolium hybridum*).—This valuable variety is fast gaining great popularity. It is the most hardy of all the clovers; perennial. On rich, moist soils it yields an enormous quantity of hay or pasture, and may be cut several times in a season, but its greatest value is for sowing with other clovers and grasses, as it forms a thick bottom, and greatly increases the yield of hay, and cattle prefer it to any other forage. The heads are globular, very sweet and fragrant, and much liked by bees, who obtain a large amount of honey from them. Sow in spring or fall, at the rate of six pounds per acre, where used alone. Sixty pounds per bushel.

LUCERNE.

RED CLOVER.

Crimson Trefoil, or Scarlet Italian (*Trifolium incarnatum*).—This is an annual variety, in common use in Italy and the south of France for feeding green. The yield in fodder is immense, and, after cutting, it at once commences growing again, and continues until severe, cold, freezing weather. It grows about one foot high; the roots are nearly black; leaves long; blossoms long, pointed and of a very deep red, or carmine color. Makes good hay. Sow in April or May, eight pounds of seed per acre.

White Dutch (*Trifolium repens*).—A small, creeping spreading, perennial variety, valuable for pasture and for lawns. It accommodates itself to a variety of soils, but prefers moist ground. In conjunction with blue grass, it forms the most nutritious food for sheep or cows. Sow in spring, at the rate of six pounds per acre; or when used with other grasses, half that amount will be sufficient.

Lucerne, or Alfalfa (*Medicago sativa*).—Where this succeeds, it is the most valuable of all the clovers. It is more difficult to secure a good stand, as it requires a very fine, mellow soil, and some protection the first year, but when once established, it will produce a profitable crop for from five to twelve years. It yields a prodigious amount of green fodder for cattle, and should be cut when first commencing to bloom, when it pushes out fresh shoots, and the aftergrowth is something wonderful. In the driest and most sultry weather, when every blade of grass withers, Lucerne is as fresh and green as in spring, because the roots go down to the moisture in the ground. Although such a prodigious yielder, it does not exhaust the soil, but rather improves it. It should not be sown on compact, clay soils, even with a light subsoil.

One of our customers writes us from Utah as follows: "I have had years of experience, both here and in California. We always sow broadcast, twenty-five pounds per acre; the thicker it is sown the finer your hay will be. If it is planted thin, it stools out, and the stalks are thick, and not relished by stock. It requires no hoeing whatever when sown as above. We cut four crops a year, and its yield is enormous. The fall is the best time for sowing here, as it will stand the winter and do much better the following season than when sown in the spring. The above is my experience for fifteen years."

In some sections it is sown in the spring, in drills, twelve inches apart, and hoed until it covers the surface. This process requires about eight pounds of seed per acre.

Bokhara (*Melilotus alba*) *Sweet Clover*.—This is exceedingly valuable as pasture for bees. It is occasionally found growing wild by the roadside, in company with the more common sweet clover (*Melilotus officinalis*), and may be distinguished from it by its white flowers and less coarse and more leafy stems.

Grass Seeds.

Timothy (*Phleum pratense*).—This is the most valuable of all the grasses for hay, especially at the north. Thrives best on moist, loamy soils of medium tenacity. It should be cut just when the blossom falls. Sow early in spring or fall, at the rate of twelve pounds per acre, if alone, but less if mixed with other grasses. Forty-five pounds per bushel.

Tall Meadow Oat Grass (*Avena elatior*).—This is sometimes sold at an exorbitant price as "Evergreen Grass." The young plants are very vigorous and grow rapidly, making it easier to get a "catch" with this than most sorts. It makes a very rapid growth in the spring, and is fit to cut earlier than orchard grass. The hay, if cut early, is of excellent quality, and the yield is very heavy. This seems to be the most promising grass for

KENTUCKY BLUE GRASS

hay for sowing at the west to take the place of the prairie grass, and it is being extensively used in Kansas for this purpose.

Orchard Grass, or Cock's Foot (*Dactylis glomerata*).—One of the most valuable grasses, on account of its quick growth and valuable aftermath. It is ready for grazing in spring two weeks sooner than most grasses, and when fed off is again ready for grazing in a week, and will continue green when other grasses are withered by dry weather. It is palatable and nutritious, and stock eat it greedily when green. It has a tendency to grow in tufts, and so does better if sown with clovers, and as it ripens at the same time, the mixed hay is of the best quality. For grazing it has no equal, and should be used more than it is. When sown alone, two bushels are required per acre; if sown with clover, half that amount. It is perennial, and will last for years, but its habit of growth unfits it for lawns. Fourteen pounds per bushel.

Red Top (*Agrostis vulgaris*).—In some sections this is called RHODE ISLAND BENT GRASS. In Pennsylvania and States farther south, it is known as HERD'S GRASS, a name applied in New England and New York to Timothy. It is a good, permanent grass, standing our climate well, and makes a good pasture when fed close. Is valuable for low, wet meadows, producing a large return in good hay. When sown alone, two bushels per acre are required, sown in spring or fall. Fourteen pounds per bushel.

Fowl Meadow, or False Red Top (*Poa serotina*).—It yields well when sown on low, moist land, and will not suffer if not cut at the exact time. It can be mowed almost any time from July to October. When three feet high it falls down, or lodges, and after a little time every joint puts forth new branches. The stalk is always sweet and tender, and cattle and sheep are fond of it. It thrives best when mixed with other grasses. Though resembling Red Top in some respects, it is distinct, and we think superior in every respect. Requires about the same amount of seed per acre as red top, sown in spring or fall. Twelve pounds per bushel.

Kentucky Blue Grass (*Poa pratensis*).—This is known in some sections as GREEN MEADOW GRASS, and JUNE GRASS, but should not be confounded with *Poa compressa*, called by some JUNE GRASS, or WIRE GRASS. This species produces the most nourishing food for cattle of any, and till a late period in winter, and at the south abundant food throughout the winter. In conjunction with white clover, it forms the finest and closest of lawns; for this purpose, an extra quantity of seed should be used, say four bushels of blue grass and six pounds of white clover per acre. If sown by itself for pasturage, two bushels will be required, sown early in the spring, or in October or November. Fourteen pounds per bushel.

Perennial Rye Grass (*Lolium perenne*). A very valuable variety for permanent pasture; very nutritious, and stock are very fond of it. Succeeds best on moderately moist land, for which it is peculiarly adapted. Large quantities are raised in England, and nearly all of Europe. It is also largely used for lawns, in conjunction with other grasses. One and a half to two bushels per acre, in the spring. Twenty pounds per bushel.

Meadow Fescue, or English Blue Grass (*Festuca pratensis*).—A perennial grass from two to four feet high, with flat, broad leaves. This is one of the standard European grasses, and cattle are very fond of it,

PERENNIAL RYE GRASS.

both green and dry. It needs rich ground, and it succeeds well on prairie soil and is an excellent pasture grass to take the place of the wild grasses, as it yields a large amount of early and late feed. It also makes excellent hay, and is certainly worthy of more general cultivation.

Wood Meadow Grass (*Poa nemoralis*).—Grows from one and a half to two feet high; has a perennial creeping root, and an erect, slender, smooth stem. Its chief value is in that it will produce a good crop of hay in moist, shady situations, where it frequently grows quite tall. Cattle are fond of it; it is succulent and nutritious, and is, perhaps, the best variety for sowing in orchards, under trees, and shaded situations, either for hay or pasturage, and for parks and pleasure grounds. About fourteen pounds per bushel. Two bushels per acre.

Sweet Vernal Grass (*Anthoxanthum odoratum*).—One of the earliest of grasses in spring, as well as the latest in autumn, and about the only grass that is fragrant. As a pasture grass, mixed with other species, it is valuable on account of its earliness, and mixed with blue grass and white clover, it is an invaluable adjunct for lawns, presenting a beautiful appearance, and exhaling a delightful fragrance when in blossom. Should form a part of the mixed grasses in every lawn and doorway. About ten pounds per bushel.

Common Millet (*Panicum miliaceum*).—Requires a dry, light, rich soil, and grows two and a half to four feet high, with a fine bulk of stalks and leaves, and is excellent for forage. For hay, sow broadcast, one-half bushel per acre, from May first to August first. For grain, sow in drills, one peck to the acre, and not later than June 20th. Fifty pounds per bushel.

German, or Golden Millet.—An improved variety, medium early, growing three to five feet high. The heads are closely condensed, though the spikes are very

numerous. The seeds are contained in rough, bristly sheaths, and are round, golden yellow, and beautiful in appearance.

From close observation during the past few years, the fact has been established beyond doubt, that seed of the German, or Golden, Millet grown in southern latitudes will produce a much larger yield of hay than from seed grown in northern or western sections of the country, and for that reason is far better for farmers to sow. We have a good stock of southern grown seed, and, knowing its value, confidently recommend it. Bear in mind that to the farmer, southern grown seed is worth double that of northern or western grown. Northern and western grown seed is degenerated and hybridized with other millets.

Johnson Grass (*Sorghum halapense*).—This is one of the most valuable forage plants of recent introduction, and is already very popular in the Southern States. It is perennial, a rapid grower, very nutritious, being eagerly devoured by all kinds of stock; comes early in the spring, grows until the frosts cut it down in the fall; stands the drought better than any grass, having long, cane-like roots which penetrate the soil for moisture; superior both as a grazing and hay grass; has abundance of roots which decay, thereby enriching the ground rather than exhausting it, as Timothy does; belonging to the Sorghum family, it contains much saccharine matter, which is an important factor in the food of stock. It will grow on any land where corn will grow. On lands that will produce a bale of cotton to the acre, four to six tons of hay can be cut per annum, cutting three and four times. Heavy fertilizing would produce greater results. The best results follow sowing the seed in August and September, enabling the seed to get a good root by fall, and forming a better turf the following season. Sow with clean seed, broadcast, at the rate of one bushel per acre, and cover with a light brush, or sow just before a heavy rain. Three good crops the following season will be the result if the season is favorable. Sowing in the spring does well, but the crop would not be as heavy the first year. The seed we offer is of this season's crop, and has been well re-cleaned. One bushel will sow an acre.

Hungarian Grass (*Panicum Germanicum*).—This is a species of millet, growing less rank, with smaller stalks, often yielding two or three tons of hay per acre. It is very popular and valuable with those who are clearing timber lands. Like the millet, it is an annual, and requires to be sown every season, but will produce a larger return than almost any other crop. Sow and cultivate like millet. Forty-eight pounds per bushel.

Extra Fine Mixed Lawn Grass (*Central Park Mixture*).—The essentials for a fine lawn are proper drainage, a careful preparation of the soil, which should be made as fine and light on the surface as possible, thorough rolling, and a selection of the seeds of such grasses as will present a luxuriant verdure from early spring till late in autumn; and then, frequent mowings with a lawn mower. However much care is bestowed on the soil and seed, no lawn will be beautiful without frequent mowing and rolling. Too much care cannot be bestowed upon the selection of grasses, as some varieties are the most luxuriant in spring, others in summer, others again in autumn, and a combination of the proper sorts is required for a perfect, carpet-like lawn. We have given much thought and made many experiments to secure the best mixture, and think our Central Park Mixture is the best possible mixture for permanent lawns, resisting the severe droughts of our climate better than any other. It may be planted early in spring, or fall, and should be sown at the rate of from sixty to eighty pounds to the acre, much more being required than for

MEADOW FESCUE, OR ENGLISH BLUE GRASS.

hay or pasture. If sown in the spring, sow as early as possible, making the surface very fine and smooth, then raking it over and sowing the seed just before a rain, which, if the surface has just been raked, will cover the seed sufficiently. If the expected rain does not come, cover by rolling with a light roller. If sown in the fall, sow before the autumn rains have ceased, and before very cold weather give the young grass a light dressing of manure. One pound of this mixture is sufficient to sow a space 30 x 20 feet, or 600 square feet. Kentucky Blue Grass in conjunction with White Clover forms one of the finest and closest of lawns. For this purpose, use four bushels of Blue Grass, and about six pounds of White Clover per acre.

Miscellaneous Farm Seeds.

MICHIGAN WINTER WHEAT.

One of the ways in which farmers allow the profits, which should come from their business, to slip through their fingers is in want of attention to the quality of their seed grain. Most farmers think that there is not enough difference in the different varieties of seed wheat to warrant the paying of an extra price for a variety, even if it was decidedly superior, and better suited to their soils, but the Missouri Agricultural College, in a test of thirty-eight varieties extending through three seasons,

found the average yield of all the sorts was $29\frac{3}{4}$ bushels, that of the poorest variety for the three years $22\frac{1}{4}$ bushels, while that of the highest was 38 bushels. Now, if a farmer could make a profit of five dollars per acre, when wheat was 80 cents per bushel, in growing the average variety, he would realize a profit of nine dollars per acre by purchasing and sowing the best sort, even if he had to pay double the price for the seed, and he would lose 90 cents per acre in growing the poorest sort, even if the seed cost him nothing. We could quote many similar experiments made at the various Experimental Stations and by private growers showing the same thing, so we feel that we are doing our customers a kindness in urging them carefully to study and experiment with the new and superior seed grains we offer.

Michigan Bronze (*Mediterranean Hybrid, or Diehl Mediterranean*).—We are gratified with our success in introducing this wheat, and in the uniformly favorable reports which come to us in regard to it. It certainly seems to be the farmers' wheat, and we believe it the most profitable sort in cultivation. It is a cross between the old Diehl and the Red Mediterranean, and the head is of the shape of the Diehl, but with short beards, while the plant retains the hardness and productiveness of the Mediterranean, and the grain cannot be equalled in milling qualities. The plants stool out well. The straw is of moderate length and size, but very stiff, and turns bronze at maturity; the berry is bright amber color, medium size, and handsome. We recommend this variety as the surest and best for ordinary farms and conditions.

Martin's Amber.—Some farmers will not plant a bearded wheat, no matter what its other qualities are, and for such, and those who demand a large, handsome berry, we would recommend this variety. It stools out remarkably well, requiring only about three-fourths of a bushel of seed per acre. The straw is tall and very stiff, standing up better than most varieties. The leaves are of medium size, dark green and very free from rust. It has a large, bald, smooth, well filled out head, containing from sixteen to eighteen breasts, and is rather late in ripening. The berry is of a light amber color, good size, very plump and handsome; has a very thin hull, makes but little bran, and yields a large return of flour of the very best quality. The Landreth wheat is very similar to it but not identical with this sort.

Saskatchewan Fife Spring Wheat.—This seed we offer is very pure and free from mixture, and we think that this is not only the hardest and most productive, but that it is the best milling spring wheat grown, and recommend it on account of its vigor of growth, earliness, productiveness, and its purity.

Barley, common.—Barley succeeds best on lands more sandy and lighter than those adapted to wheat. It is sown in the spring, and can be grown farther north than any other grain. Unless intended for seed, it should be cut before fully ripe, as it is then heavier, of better quality and less liable to shell. The land should always be rolled immediately after sowing; or perhaps a better method is to roll the ground when the plants are one or two inches high. The quantity of seed sown per acre is about two and a half bushels, sown broadcast. The weight per bushel is forty-eight pounds, though it is almost always sold by the 100 pounds. The product is from forty to sixty bushels per acre, according to cultivation.

Rye, Winter.—The time for sowing is from the middle of August to last of September. One plowing is given, and the seed sown broadcast at the rate of one and a half bushels per acre, and dragged in. Harrowing and rolling in the spring are recommended. If cut

before fully ripe, the grain makes better flour and more in quantity. If intended for seed, it should be fully ripe. Sow some rye among standing corn, hoeing it in, leaving the ground level as possible, and after the corn is removed, rolling the ground. It succeeds best on sandy soils.

Spring Rye.—Although this grain is often planted by farmers especially for the paper makers, who prefer it to any other, its principal value is as a "catch" crop, to sow where winter grain has failed. The straw is shorter and stiffer than that of the winter variety, and is always easily secured, while the grain, although smaller, is of equal value.

Buckwheat, common.—Buckwheat should be sown about the 20th of June, broadcast, at the rate of from one to three pecks per acre. The average yield is from twenty-five to thirty bushels per acre. It should be threshed as soon as dry, on the ground or barn floor. If allowed to stand in mass, it quickly gathers moisture.

Buckwheat, Silver Hull.—This improved variety is much better than the old sort. It is in bloom longer, matures sooner, and yields double the quantity per acre. The husk is thinner, the corners less prominent, and the grain of a beautiful light gray color. The flour is said to be better and more nutritious.

Buckwheat, European Silver Hull.—This is a recent introduction and seems to be a distinct improvement on the common Silver Hull. Not quite so rank in growth, but a sure cropper, and the berry although shorter is very plump, and gives a large proportion of flour of excellent quality.

Field Peas (*Pisum sativum*).—The varieties of field peas have never been very numerous, nor are they much increasing. The kinds mostly used are the Golden Vine, Blue Prussian, Common White and Common Blue. Field Peas, in general, may be sown broadcast or in drills, after the manner of field beans, about three bushels per acre.

Spring Vetches, or Tares (*Vicia sativa*).—A species of the pea, grown extensively in England, and to a considerable extent in Canada, for stock, but not much used in the States. Culture same as field peas, two bushels per acre.

Flax (*Linum usitatissimum*).—Sow late enough in the spring to avoid frost, and early enough to secure the early rains. A fair average quantity of seed to be sown on an acre is one-half bushel, when cultivated for seed; if for the fibre, a larger quantity should be sown. Cut before quite ripe, and, if the weather be dry, let it lie in the swath a few hours, when it should be raked, bound and secured from the weather; thresh early in the fall and in dry weather.

Hemp (*Cannabis sativa*).—If raised for manufacturing, must be sown broadcast, at the rate of one-half bushel to the acre; if for seed, should be planted in hills four feet apart, and the plants thinned out to three or four most vigorous stems in each hill.

Bird Seeds.

Canary Seed (*Phalaris canariensis*).

Hemp Seed (*Cannabis sativa*).

Maw (*Papaver rhoeas*).

Millet Seed (*Panicum miliaceum*).

Rape Seed (*Brassica napus*).

Lettuce Seed (*Lactuca sativa*).

A Select Descriptive List

OF CHOICE IMPORTED

FLOWER SEEDS

WITH

BRIEF HINTS ON SOWING AND CULTIVATING.

ANY who do not meet with the success they had expected in the culture of a general list of Flowers, attribute the difficulty solely to the seed, overlooking the important fact that nearly the entire range of Flower Seeds require careful and particular treatment, and the further fact that the treatment and conditions which with one variety will produce the most satisfactory results may utterly blight another.

To ensure success, the conditions and requirements of the several species as to soil, moisture, heat, light, etc., should be studied and then observed in culture. We feel sure that the pleasure resulting from a large and varied collection of Flowers will amply compensate for the time and care given to the subject.

Selection of Varieties.—Success in flower culture depends quite largely upon a judicious selection of varieties. Every sort we offer is, under certain conditions, attractive and desirable, but some of them, while exceedingly beautiful under favorable circumstances, will be most unsatisfactory and little better than weeds under others; we therefore urge our friends to study carefully the following pages before ordering, that they may select the sorts best suited to their wants.

The Soil.—Another great object to be considered is the soil into which flower seeds are to be sown. The soil best adapted to flowering plants generally, is a light, friable loam, containing a sufficient amount of sand to render it porous. A great many varieties will *live* in almost any kind of soil, except it be extremely dry, calcareous, or of a stiff, heavy character; still, to give them a fair chance for development, some little pains should be taken in adding to the soil, as much as possible, what may be wanting in it. Most flowers are better if produced on plants of most vigorous growth, so the greater portion of the garden should be prepared by deep digging, thorough pulverization, and liberal enriching with large quantities of *well rotted* manure. On the other hand, some sorts do best on very poor soil, so a portion of the garden should be left without enriching at all. As the process of germination is shorter or longer in the different kinds of seeds, the patience of the cultivator is often sorely tried with seeds of a slowly germinating character; the patience of a devoted florist, however, is never exhausted in these manipulations, and the certainty of his final success repays him fully for the trouble.

Duration and Hardiness.—For the purpose of giving general cultural directions, flowering plants may be divided into several classes based upon their duration and hardiness; but it is evident that such a division could only be correct for a certain latitude and for certain conditions, and while the classification we have followed applies generally to the Central and Northern States, yet some which are classed as half-hardy may be tender at the north or in unfavorable exposures, and quite hardy at the south or in exceptionally favorable situations.

Hardy Annuals include those plants which complete their growth the first season and then die, and which being native of the same latitude, or if native of a warmer climate, develop so rapidly that if the seed is sown in the open ground the plants will come to perfect maturity before they are liable to be killed by frost.

CULTURE.—Carefully study the descriptions and cultural directions of the variety, and select suitable soil, and note the distance apart the plants need to be for perfect development. Then make the ground very mellow, free from lumps, and smooth, and provide a board about one-half inch thick, and two or three feet long, and about three inches wide. Press the *edge* of this board into the soil so as to make a groove as deep as the seed is to be planted, remembering that more seeds of this class are lost through too deep planting than from any other cause, and that generally seeds should not be covered to a depth greater than two or three times their diameter. Scatter the seed along the groove, allowing from four to five of the larger to fifteen or twenty of the smaller seeds to the space each plant is to occupy. Cover by pinching the earth together over the seed, turn the board flatwise and *press the soil down firmly* and evenly. Mark each end of the row with a small stick, and repeat at a suitable distance. By this method the seed is covered to a uniform depth, and the young plants being in rows are more easily seen and less liable to be pulled up as weeds, while a little care in thinning will prevent any appearance of stiffness.

Half-Hardy Annuals include such annual plants as, from being natives of warmer climates or of slow development, need to be forwarded in the spring by means of artificial heat, either in greenhouses, hot-beds, or the dwelling house, in order to come to perfection.

CULTURE.—Notice in the description of the varieties the soil best suited to the sort. Fill shallow boxes to within one-half inch of the top with light, friable earth whose composition is suited to the wants of the particular plant, and which should be in such a condition of moisture that when pressed together in the hand it will form a ball which will retain its shape, but which will fall into fine earth again upon being pinched or struck. Press this down evenly and firmly, making the surface as smooth as possible, and then form grooves with a short, thin board in the same way as directed for hardy annuals, taking great pains that they are not too deep. Drop in the seed and cover with earth, which should be pressed evenly and firmly over the seed. Now water thoroughly, but carefully, so as not to wash out the seed, and keep in a warm place in full light, but not where the sun will shine directly upon them so as to dry off the surface too rapidly and necessitate too frequent watering. Watch them carefully, watering as seldom as possible, but keeping the soil *always moist and never wet*. As soon as the plants *begin* to appear place in full sunlight and give plenty of air, taking great care that the plants never suffer from a want of sufficient water or from an excess of it. When the plants have made three or four leaves, or begin to crowd each other, remove to other boxes or pots, and set in the open ground as soon as danger of frost is over. Most of the varieties of both hardy and half-hardy annuals mature so rapidly that better results will be obtained if several sowings at different dates are made, thus securing a succession of bloom.

Tender, or Green-House Annuals are such as being natives of hot climates not only require a longer season, but also need to be protected from the cold winds and rains which are so frequent in our climate, and so cannot be set out of doors except during the hot months.

CULTURE.—This is much the same as that for half-hardy annuals except that the seeds are often so fine that they cannot safely be covered with earth, but are simply pressed into the soil and the utmost pains must be taken that they do not become too dry, nor are over-watered. A single hour of bright sunshine will often so dry the surface as to kill the seeds which are just starting, and on the other hand a slight excess of water will cause them to rot, and it is to mistakes or neglect in watering that nine-tenths of the failures with this class of seeds are due.

Hardy Biennials and Perennials are such plants as do not bloom, or blossom imperfectly, the first season, but live through winter with little or no protection, and come into full bloom the second season, after which the biennials die, while the perennials continue to live and bloom from year to year. This class includes many of our finest flowering plants, but are often neglected because not blooming the first year from seed, but this long waiting for bloom may in many cases be avoided by treating the seed as half-hardy annuals and starting them sufficiently early to form large, strong plants by the time they can be set out in the spring. When this is not done they may be sown in beds as directed for hardy annuals, and the plants set out at suitable distances in the fall.

Half-Hardy and Tender Perennials are such as must be kept over winter in the cellar or green-house. The seeds may be treated like half-hardy or tender annuals.

Nine-tenths of the failures in flower culture come from improper treatment of the seeds and young plants, and we urge every purchaser of our seeds to study carefully the cultural directions printed on each package, and keep in mind the following golden rules for sowing flower seeds:

Make the surface as fine and smooth as possible.

Do not plant any of the seeds when the ground is at all wet.

Cover each lot of seed to a uniform depth, which should never be more than three or four times the diameter of the seed.

Press the soil firmly over the seed.

Plant in rows so that the young plants can be easily seen, and pull up all weeds which spring up between the rows the day they appear, but do not pull plants out of the row until you are sure they are weeds.

WE OFFER THE FOLLOWING LIBERAL INDUCEMENTS

To Clubs, or those who wish to purchase FLOWER SEEDS in quantity. These low rates apply only to SEEDS IN PACKETS, but the seeds will be sent by mail, post-paid.

Send us \$1.00, and select PACKETS to the value of \$1.15.

Send us \$2.00, and select PACKETS to the value of \$2.35.

Send us \$3.00, and select PACKETS to the value of \$3.60.

Send us \$4.00, and select PACKETS to the value of \$4.85.

Send us \$5.00, and select PACKETS to the value of \$6.15.

Send us \$10.00, and select PACKETS to the value of \$12.50.

Send us \$20.00, and select PACKETS to the value of \$26.00.

ALL FLOWER SEEDS SENT FREE BY MAIL ON RECEIPT OF PRICE.

The figures at the right opposite each variety denote the price, in cents, per packet.

ABOBRA.

A rapid growing and very beautiful climbing gourd. Foliage delicate and of a very dark green; fruit oval and bright scarlet, forming a striking contrast with the glossy foliage. Half-hardy perennial. Start in hot-bed. Abohra, viridiflora.....10

ABRONIA.

Charming trailer, with verberna-like flowers. Very fragrant, and a long time in bloom. The seeds are enclosed in a husky covering, which remove before planting, and transplant to one foot apart. Half-hardy annual. Start under glass.

ABRONIA, UMBELLATA.

Cover very lightly.

Abronia, umbellata, delicate lilac, white center....10
 — arenaria, waxy yellow; fragrant.....10
 — mixed, above mixed.....10

ABUTILON.

Very popular, perennial, green-house shrub, with bell-shaped, drooping flowers, which are borne in profusion nearly the entire year. Well adapted to house culture, and desirable for bedding out in the summer. There are several varieties, the flowers of which vary from pure white and yellow to deep orange and crimson, streaked with yellow. Can be propagated by cuttings, in sand, under glass, during summer. If seeds are sown before April, under glass, plants will bloom the first season. For winter flowering, sow in August or September. Abutilon, Darwini, grandiflorum, deep orange, tinted crimson, 2 ft.....25
 — finest mixed.....25

ACROCLINIUM—(Everlasting).

Very pretty, half-hardy annual, with rose and white daisy-like flowers. These are "Immortelles" which bloom in August and September, and are fine for winter bouquets and wreaths. The flowers should be gathered for drying when partially opened. They grow about one foot high, and

ACROCLINIUM, ROSEUM.

should be planted four inches apart.

Acroclinium album, pure white.....5
 — roseum, light rose; good for mixing.....5
 — double.....25
 — mixed.....5

ADLUMIA—(Climbing Fumitory).

A most beautiful and graceful climber, thriving in a sheltered situation. It is sometimes known as Mountain Fringe, Wood Fringe and Alleghany Vine. The beautiful pink and white flowers are produced in abundance during the three summer months. It is biennial, and makes but little growth the first season. Sow the seed in April, and the following autumn transplant to the place where they are to blossom. Hardy biennial climber; fifteen feet high. Adlumia, Cirrhosa, white and pink.....10

ADLUMIA, CIRRHOSA.**ADONIS FLOWER.**

Known as Pheasant's Eye. The flowers are very brilliant but not very freely produced. The foliage is pretty, delicate and many parted. Hardy annual; one foot high.

Adonis, Autumnalis, dark blood red.....5

AGAPANTHUS—(African Lily).

The Agapanthus is a tuberous rooted plant, with recurved leaves. The handsome blue flowers are produced at the top of the flower stems, which grow about three feet high, often bearing from twenty to thirty flowers. The seed produces small tubers which will require two season's growth to become of sufficient size to flower. Plant in sandy loam in greenhouse, and transplant to open ground when weather is warm. Secure the tubers from extreme cold. Agapanthus, umbellatus.....15

AGAPANTHUS, UMBELLATUS.**AGERATUM.**

A valuable plant, on account of the length of time it remains in bloom, and for contrast of color with the more brilliant varieties. It blooms constantly all sum-

mer in the garden, and if removed to the green-house, all winter. Desirable for cut flowers for bouquets. Colors light blue and pure white. Start the seeds under glass, and transplant. Hardy annual.

AGERATUM.

- Ageratum, Mexicanum*, light blue 5
 — *Imperial Dwarf White* 5
 — *Tom Thumb, dwarf blue, distinct variety*, desirable for edging. 5
 — *Lasseauxi, rose colored* 10
 — *conspicuum*, valuable for winter; white 5
 — mixed, seeds of the above varieties mixed ... 5

AGROSTEMMA.

Perfectly hardy plants producing pretty, pink-like blossoms on long, slender stems. Very useful for cutting for bouquets, and pretty in masses, in beds. The annual variety is known as *Rose of Heaven*; the perennial as *Rose Campion*. About one and a half feet high.

- Agrostemma, coronaria*, crimson; perennial 5
 — *cœli rosa*, rose, white center; annual 5

AGROSTEMMA, CORONARIA

AGROSTIS—(Ornamental Grass).

A hardy, ornamental grass, much used in connection with everlastings, for winter bouquets. Grows easily in any common garden soil. Hardy annual; about one and a half feet high.

- Agrostis, nebulosa*, fine and delicate 10
 — *pulchella*, exceedingly graceful 10

ALONSOA.

The flowers are remarkably brilliant, and are scarcely equaled among crimson and scarlet flowers. Properly green-house plants, but bloom finely in open ground when treated as tender annuals. Grow from one and a half to two feet high. Plants removed to green-house in autumn will bloom all winter.

- Alonsoa, grandiflora*, deep scarlet 5
 — *Warszewiczii*, bright crimson ... 5
 — mixed, seeds of the above varieties mixed 5

ALONSOA, GRANDIFLORA.

ALYSSUM.

Alyssum, sweet (Maritimum), A desirable hardy annual, flowering from early spring till killed by frost, and all winter in the green-house if sown in August. Flowers pure white, in racemes, and of a peculiar delicate fragrance. Most effective in masses, with plants one foot apart. Useful in all kinds of small bouquets. Grows one foot high. 5

ALYSSUM, SAXATILE.

Alyssum, Golden (Saxatile). Flowers brilliant golden yellow, completely hiding the foliage. Plants about one foot high; desirable for rock work, and quite showy in masses. Hardy perennial 5

AMARANTHUS. **AMARANTHUS, TRICOLOR.**

— tricolor, leaves yellow, red

AMARANTHUS, SALICIFOLIUS.

magnificent, bright colored plumes.....10

— Henderi, magnificent drooping foliage, richly colored in many shades.....10

Valuable for its variety of handsome foliage, whether grown in the conservatory or garden. The colors will be more brilliant if planted in moderately rich soil. It is a tender annual and should not be planted before May 15th in the north.

Amaranthus, melancholicus ruber, beautiful blood red foliage. Hardy annual; two and a half feet high..... 5

and green; well known as "Joseph's Coat." Very showy in beds alone. Hardy annual; two feet high.... 5

— **salicifolius**, two and a half to three feet high, pyramidal in form branching close to the ground. Leaves beautifully undulated, varying from green to bronze, and later to a bright orange red color, forming

AMMOBIUM—(Everlasting).

One of the hardiest of everlastings, and desirable for the garden, but more valuable for forming winter bouquets in connection with grasses and other everlastings. Grows two feet high. The flowers are rather small,

AMMOBIUM, ALATUM.

pure white, and should be gathered before fully opened, to preserve for winter. Hardy annual. Start under glass.

Ammobium, alatum..... 5

AMPELOPSIS.—(See Virginia Creeper).

A beautiful climber. It is a great favorite for covering houses. During the early part of summer the leaves are a dark purplish-green, changing in fall to the brightest tints of scarlet, crimson and orange color. It is exceedingly ornamental and conspicuous in October after the first frost.

Ampelopsis, Veitchii.....15

ANAGALLIS.

Interesting plants of easy culture, and remarkable for the beauty of their flowers. They are well adapted to rock work or borders. Planted under glass and transplanted into light rich soil, in a sunny situation, they will cover the ground all summer with a profusion of bright, rich colored flowers. Half-hardy annual; about six inches high.

Anagallis, mixed..... 10

ANCHUSA.

Peculiarly adapted to shady situations, succeeding where many plants would fail for want of sunshine. Two or three feet high.

Anchusa, italica, intense blue flowers freely produced; fine for bees. Hardy perennial..... 5

ANEMONE—(Wind Flower).

Among the earliest and brightest of our spring flowers.

ANEMONE.

The colors run through several shades and the eyes are frequently of a different color. Succeeds well in rich, light loam, in a sunny situation. Can be sown any time from April to August. Hardy perennial.

Anemone, coronaria, six inches..... 10

ANTIRRHINUM.—(See Snapdragon).**AQUILEGIA.—(See Columbine).**

ARABIS. **ARABIS, ALPINA.**

Among the earliest blooming plants, and very useful for rock work, edgings, etc. Culture same as for Anemone. Hardy perennial; nine inches high.

Arabis, alpina, pure white.....10

ARGEMONE.

Free blooming plants, sometimes called Prickly Poppy. The flowers are large, brilliant and resemble the single poppy. The leaves are armed with slender prickles, marked with white stripes, and are rather pretty. Hardy annual; two feet high.

Argemone, grandiflora, white; large..... 5

— *Mexicana*, bright yellow..... 5

— *Hunnemanni*, carmine and yellow..... 5

— mixed, all best colors..... 5

ARISTOLOCHIA—(Dutchman's Pipe).

A beautiful and rapid climber, with heart-shaped leaves and singular, siphon-shaped, rich purple flowers. As a covering for verandas, it is very effective. Start

under glass; cover thinly. Hardy perennial; thirty feet high.

Aristolochia, siphon..... 10

ARMERIA—(Thrift, or Sea Pink).

These handsome plants are well adapted for ornamenting rock work, and edging walks. May also be grown in pots in sandy loam. Start under glass. Hardy perennial; six inches high.

Armeria, maritima, pink..... 5

ASPERULA.

A profuse blooming annual of dwarf habit, only attaining a height of twelve inches. Flowers sweet scented, produced in clusters and of a delicate lavender blue color. Very beautiful in bouquets, and entirely hardy.

Asperula, azurea setosa..... 5

ASTER.

No family of plants bears such distinct marks of progress as the Aster, and none are more eagerly sought. An almost endless variety, always reliable, it is not strange that they should become a necessity. The seed may be sown during the months of March and April under a frame or in the green-house, and transplanted in May. However, as the Aster is essentially a fall flower and the later blossoms are the finest, it is better to sow the seed in a frame, thinly, early in May, and transplant when strong enough, setting the plants out from six inches to one and a half feet apart according to the size and habit of the variety. The Aster requires considerable water, and liquid manure may be applied, occasionally, with good results. The large flowering varieties should be supported with stakes.

ASTER, CHRYSANTHEMUM FLOWERED.

For the convenience of our customers we have arranged the Asters according to height, commencing with the dwarf and ending with the tall Asters.

Aster, Shakespeare mixed, a dwarf Aster, of wondrous beauty. The plants form a compact bush of ten or twelve inches in diameter, and six inches high. Flowers extra double, and well imbricated. Extremely full blooming, and keeps in flower till frost comes. All colors mixed..... 20

— new dwarf Bouquet, mixed, (Boltz), about eight inches high, very constant in height and habit of plant, which is a valuable quality. Extremely pretty and flowers freely. *Splendid mixed*.....10

ASPERULA

Aster, mixed dwarf *Chrysanthemum*, a dwarf variety, growing only about ten inches high; is also late, and valuable for succession. The flowers are very large, three or four inches in diameter, and freely produced. A single plant is a bouquet of itself. *All colors mixed*.....15

— **mixed dwarf** *Pyramidal Bouquet*, a magnificent dwarf variety, about one foot high. When well grown, a single plant forms a complete bouquet of pyramidal shape, and covers itself with blossoms, often numbering 150 to 200 flowers, and entirely hiding the foliage. Fine for edging and small beds. *A fine range of colors mixed*.....10

— **Diamond**, a novelty of the highest merit, especially recommended by the floral committee of the London Horticultural Society. Plants eighteen inches high, with very large flowers of the greatest perfection; constant in habit and color. *All colors mixed*.....25

— **mixed rose flowered**, flowers large, brilliant, very double, and regularly imbricated; they are oval in form, and somewhat resemble a double rose. Plants are one and a half feet high. *All colors mixed. One of the very best sorts*.....15

ASTER, IMBRICATED POMPON.

Aster, *Imbricated Pompon*, mixed, the flowers are of very perfect form, so double as to appear a sphere, and densely imbricated. Plants

ASTER, GERMAN QUILLED

are of pyramidal growth, and about one and a half feet high. *All colors mixed*.....10

— **mixed German Quilled**, very double, of oval form; the petals have the appearance of quills or tubes; the outer ring is sometimes slightly reflexed, so as to form a sort of guard petal. The mixture includes all colors. Flowers large, brilliant, and freely produced. One and a half to two feet high.....5

ASTER, PEONY FLOWERED.

Aster, *Truffaut's peony flowered*, *Perfection*, the highest and most perfect type of this class. Seed saved from the most perfect of this magnificent strain. One and a half feet high.

— — — — — *snow white*15
 — — — — — *light blue*15
 — — — — — *crimson*15
 — — — — — *mixed*, includes a large and fine range of colors15

— **mixed**, *peony flowered*, the flowers of this variety are remarkable for their perfect form and immense size, being four or five inches in diameter, oval in shape, not showing an open center till the last stages of growth, on account of the many closely set reflexed petals. The colors run through a large number of shades. Two feet high.....10

ASTER, VICTORIA.

Aster, *Victoria*, one of the most beautiful Asters in cultivation. Flowers very large, globular in form, and beautifully imbricated. Plants of pyramidal growth, one to two feet high. Single plants will often produce ten or twenty perfect flowers.

- Aster, Victoria, white, turning to azure blue...15
 — peach blossom.....15
 — violet.....15
 — mixed, including all colors.. 15

ASTER, CROWN.

- Aster, Cocardeau, or Crown, mixed, a very handsome variety, producing large flowers, the centers being pure white, surrounded with many bright colors; about two feet high.....10
 — Reid's Improved Quilled, mixed, remarkable for the globular form of its singular flowers. The single petals consist of tubes or quills, and the outer courses are blossom petals, which are slightly reflexed. Plants are one and a half to two feet high, and there are a number of distinct colors mixed.....10
 — Goliath, Mont Rose, splendid variety, with flowers a charming peach color. The blossoms are freely produced, of enormous size, and most perfect form. Plants of robust, branching habit20
 — Mont Blanc, similar to the Mont Rose, but having enormous white flowers.....20
 — Crimson, very brilliant and conspicuous. Its extremely large blossoms are valuable for florists25
 — Porcupine, or Hedgehog, mixed, the distinguishing feature of this variety is the quills or sharply pointed petals. The flowers are very curious in appearance, and quite showy. Plants grow about two feet high. A fine range of colors.....10
 — Giant Emperor, snow white, flowers very double, of enormous size, and good form. Good for bouquets; two feet.10
 — mixed Washington, a remarkably large variety, exceeding all the other varieties in size frequently measuring five to six inches across the blossom; of robust growth, and most perfect in form and color. The mixture includes a number of very delicate and beautiful colors. A valuable acquisition.....20

AURICULA—(Primula).

A favorite with florists, and much in demand in England and Scotland, where it is to be found in perfection, Does not bear well the extremes of heat and cold. The flowers all have various colored eyes; the light ones with dark ground colors are considered preferable. The best soil to grow them in is leaf mold and sand, enriched with decomposed manure. The seed should be sown early in spring in pots, in hot-bed, and transplanted one foot apart. Tender perennial.

- Auricula, Alpine, a native of the Alpine regions of Switzerland, improved by cultivation, and the most hardy variety.....15
 — finest prize, collection of the best sorts, embracing all choice known varieties; selfs, grey, white and green edged..20

AZALEA.

Spring flowering shrubs, universally admired for their beautiful flowers, which are invariably produced in great profusion. The flowers are of all conceivable colors, and for brilliancy, are unsurpassed. Need hot-house culture. Plant in April, in cold frame; prick out the seedlings the year following, in beds, four inches apart to remain till they flower. The plants should be covered in the fall, with straw or mulch, as the late frosts sometimes destroy the young, early shoots.

- Azalea, indica, finest mixed. Green-house evergreen shrubs; flowers very beautiful.... 25
 — pontica, finest varieties. Hardy, deciduous shrubs, producing flowers of surpassing beauty, and all conceivable colors.....25

BACHELOR'S BUTTON.

A perfectly hardy border plant, succeeding finely in any common garden soil, but the flowers are more brilliant if grown in gravelly ground. Under cultivation, it is really a handsome flower, sporting into varieties of white, purple, pink, parti-colored, etc. Hardy annual; two to three feet high.

BACHELOR'S BUTTON.

- Centaurea, cyanus, single mixed 5

BALLOON VINE—(Cardiospermum).

Remarkable for its inflated membranous capsules, and sometimes called Love-in-a-Puff. The flowers are insignificant, but the plant is a rapid and graceful climber. Sow in open ground, from 1st to 15th of May, and give plant support to run upon. Tender annual; six feet high.

- Cardiospermum, halicacabum, white; from India.10

BALSAM—(Impatiens).

The Balsam has been so much improved by cultivation as to be scarcely recognized. The blossoms are double, though some semi-double and single ones will be pretty certain to appear, and such plants should be removed. The flowers will be improved by planting in a hot-bed, and transplanting when two leaves have formed, one to

two feet apart. Pinch off a portion of the shoots, which will increase the size of the flower and vigor of the plant.

BALSAM, CAMELLIA.

- Balsam, double Solferino, satiny white, streaked and spotted with crimson and lilac. *Very choice* 10
- double Camellia, as double as a camellia, which they resemble; white blotched with various colors 10
- mixed double rose, the peculiarity of this variety is its perfectly double, rose-like blossoms of almost every shade and color 10
- double dark red, (*atrosanguinea plenissima*) a very double, dark red variety, highly recommended 10
- pure white, well adapted for florists, for bouquets; nearly every flower is perfectly double, and pure white 20
- mixed, double dwarf, grows only about one foot high 5
- double tall, grows about two feet high 5

BAPTISIA—False Indigo.

A very ornamental border plant, producing bright blue, pea-shaped flowers, borne on spikes six inches long. Hardy herbaceous perennial; three feet high.

Baptisia, Australis, blue 10

BARTONIA.

A very pretty flowering plant of the Gentian family,

BARTONIA.

BEGONIA, DOUBLE.

producing a profusion of fine, bright metallic yellow blossoms about two and a half inches across. Should have plenty of water. Tender annual; about one foot high.

Bartonia, aurea, golden yellow 5

BEGONIA—(Tuberous Rooted).

The tuberous rooted Begonias are resplendent with their beautiful flowers during the whole of the summer. Being as hardy as many of the plants used for bedding out, they constitute a valuable adjunct to them. The simplicity of their culture places them within the reach of almost every one. They require the same treatment as tender annuals. Sow in heat, in February, pot the young seedlings as soon as large enough, and re-pot when necessary. In three or four months the plants begin to display their splendid and continuous bloom. Dig up the bulbs after first severe frost, and keep them in a warm, dry place during winter.

Begonia, robusta perfecta, double blooming splendid new variety, remarkable for its robust and compact habit; succulent, dark green foliage, and large flowers, of brilliant cinnabar scarlet. 50

— Rex, mixed, (ornamental leaved varieties). Saved from the best hybrids; very choice. 25

— Tuberous Rooted varieties, mixed. These mixtures are the result of the most careful fecundation of all the most beautiful varieties. They include the loveliest shades of all colors, and the individual florets average from two to three inches in diameter.

Single mixed 25

Double " 50

BELVIDERE—(Summer Cypress).

An ornamental, cypress-like plant with inconspicuous green flowers, nearly hidden by the foliage. It is well adapted for growing in cemeteries. Hardy annual. Belvidere, (*Chenopodium scoparium*) 5

BIGNONIA—(Trumpet Vine).

A well known and much admired hardy, deciduous climber, perhaps the most showy of all the flowering climbers. The brilliant scarlet, trumpet-shaped flowers almost cover the vine. One of the best climbers for covering a wall, side of house or veranda. Sow in autumn or early in spring. Hardy perennial; 30 feet high. *Bignonia, radicans*..... 10

BOCCONIA.

Magnificent, stately, half-hardy, evergreen shrubs, with ornamental foliage; well adapted for lawns, either single or in groups. They will require some protection through the winter, by straw or mulch. Easily cultivated in loamy soil, and increased from seed, and cuttings in sand, in gentle heat, under glass.

Bocconia, Japonica, from Japan; quite hardy; from four to six feet high; splendid foliage, and clusters of pure white flowers; one of the finest 10

BRACHYCOME—(Swan River Daisy).

A dwarf growing plant flowering the greater part of the season. Very effective in edgings, beds, or rustic baskets. Requires light, rich soil. Half-hardy annual, one-half foot high. Flowers blue and white.

Brachycome, mixed..... 10

BRIZA—(Ornamental Grass).

Very useful ornamental grass, much sought for in forming winter bouquets and wreaths; one foot high.

Briza, maxima, large; attractive..... 5

— *gracilis*, slender; dwarf..... 5

BRACHYCOME.

BRIZA, MAXIMA.

BROWALLIA.

These handsome, profuse blooming plants are now used nearly as freely as *Coleus*. They are covered with pretty blue and white blossoms throughout the whole summer. Sow in hot-bed and transplant to border in June, one foot apart. The plants are quite minute when they first come up, and should be protected from the hot sun, or they will be destroyed. Half-hardy annual; one and a half feet high.

Browallia, Roezli, this variety makes a compact plant eighteen inches high, and produces pure white and blue flowers of twice the size of the older sorts..... 15

— *clata*, fine mixed..... 10

BYRONOPSIS.

An ornamental climber of the gourd family, bearing green fruits, which change in color as the season ad-

BYRONOPSIS.

vances, to bright scarlet striped with white. Very handsome, and of rapid growth. Tender annual.

Bryonopsis, laciniosa erythrocarpa, 10 feet..... 5

CACALIA—(See Tassel Flower).**CALANDRINIA.**

Fine dwarf plants for growing in masses. They produce an abundance of blossoms. They are well suited for edgings, rockeries, and clumps. The seed should be sown in hot-beds, early in spring, and planted out in June, in rich, sandy loam, in masses. Tender annual, but perennial if protected in winter; one-half to one foot high.

Calandrinia, grandiflora, rosy lilac..... 5

— *umbellata*, crimson..... 5

CALAMPELIS.

A beautiful, tender climber from Chili, with delicate foliage, and bright orange blossoms in racemes, freely produced late in the season. The plants should be started early in hot-bed, and potted when five leaves have formed, and planted out in June. Tender perennial; fifteen feet high.

Calampelis, (*Eccremocarpus*) *scaber*..... 10

CALAMPELIS.

CALCEOLARIA.

A favorite and universally admired genus, remarkable for their large, beautifully spotted blossoms, which are very showy, and from which an almost countless

number of hybrids have been raised. They are perennial, are grown in pots in the conservatory, greenhouse and garden; but few flowers are held in greater esteem. They prefer a turfy loam, a mixture of peat and sand, or a rich open garden mold, and are propagated from seed or cuttings. Some of them are herbaceous perennials, others shrubby evergreens.

CALCEOLARIA.

- Calceolaria**, hybrida grandiflora, flowers of immense size; seed saved from finest specimens. *Very choice*.....25
- *tigrina*, flowers of the largest dimensions; beautifully maculated or spotted. Seed saved from *choicest collection*.....25
- *rugosa*, bedding variety; shrubby; grown in and out of doors. Mixed seed, saved from the *finest shrubby sorts only*.....25
- *hybrida*, *pumila compacta tigrina*, a very dwarf variety; only ten inches high, and of compact growth. Flowers of *fine form and beautiful color*; desirable for contrast with taller sorts.....25
- *finest hybrids mixed*, seed saved only from the *most perfect flowers*, embracing many of recent introduction; all desirable.....25

CALENDULA. — (See Marigold).

CALLA.

An old and very desirable plant, either as an aquatic or for the ornamentation of the drawing room and conservatory. Thrives in any light, rich soil when plentifully watered. The seeds, which should be sown in greenhouse in early spring, produce small bulbs in the fall, which should be re-potted in rich soil. The production of large plants from seed takes some time, but the beautiful creamy white flowers are an ample reward for the care and patience bestowed. Half-hardy perennial.

Calla, æthiopica.....25

CALLIOPSIS, or COREOPSIS.

A very showy border plant, producing flowers in nearly every shade of yellow, orange, crimson, red, and brown. If the seed pods are removed as soon as they appear, the plant will remain in bloom much longer. Sow where they are to remain, and thin to two feet apart. Hardy annual; two feet high.

Calliopsis, fine mixed..... 5

CALLIRHOE.

A pretty plant, resembling the scarlet Linum, producing an abundance of rich violet-purple blossoms, each

blossom having a white eye, and the plant begins to flower when six inches high, and continues to yield a succession of its attractive blossoms till frost. Succeeds

CALLIRHOE, INVOLUCRATA.

better when planted in hot-bed and transplanted two feet apart. Hardy annual; one to two feet high.

Callirhoe, involucrata, trailing; purplish crimson.. 5

— *pedata*, purple, white eye..... 5

— *nana*, dwarf; one foot..... 5

CAMELLIA.

All species of Camellias are universally admired on account of their beautiful, rose-like flowers, and elegant dark green, shining, laurel-like leaves. They are hardy green-house shrubs of easy culture, requiring only to be protected from frost. The best soil for them is an equal quantity of good, sandy loam and peat. They are propagated by inarching, cuttings, grafting, and from seed, the latter being the only method of obtaining new varieties. When the plants are not growing, they should receive but little water, and when growing freely, can scarcely receive too much. A regular succession of flowers may be obtained from autumn till July, if attention be given to removing the potted and growing plants from a warm to a cooler atmosphere. When the growth is completed and flower buds formed, a cool, sheltered situation is best, for they will be seriously injured if exposed to the rays of the sun.

Camellia, Japonica, fine double mixed, seed saved from the *finest double varieties*, and will undoubtedly produce some very valuable kinds, of various colors.....25

CANARY BIRD FLOWER.

(*Tropeolum canariense*.)

A beautiful climber, the charming little canary colored blossoms bearing a fancied resemblance to a bird with its wings half expanded. The plant has a fine luxuriant, rambling character, and if the seeds are planted by the side of an arbor or trellis, to run upon, it will

CANARY BIRD FLOWER.

run twenty feet high, and blossom from July till frost comes. The flowers will be more numerous and brilliant in light, moderately rich soil. Tender annual; twenty feet high.

Canary Bird Flower..... 10

CANDYTUFT.

Universally known and cultivated, and considered indispensable for cutting. All the varieties look best in beds or masses. Seed sown in the autumn produces flowers early in spring; when sown in April, flowers from July to September, and some of the sorts till frost comes. All the varieties are hardy, and easy to cultivate. Single plants transplanted look well, and bloom profusely. Hardy annual; one foot high.

CANDYTUFT, ROCKET.

- Candytuft, purple..... 5
 — white..... 5
 — Rocket, white..... 5
 — fragrant, white..... 5
 — crimson, fine..... 5
 — carmine, of dwarf, compact habit. The plant presents one perfect mass of vivid and rich bloom..... 10
 — fine mixed..... 5
 — dwarf mixed hybrid, this class, recently introduced, grows only from four to six inches high. Sow the seed early and they will bloom from June until cut down by frost..... 10
 — perennial, (*Sempervirens*)..... 10

CANA WARSZEWICZII.

CANA.

Stately and highly ornamental plant, desirable not only for the beauty of its spikes of flowers, but for its elegant foliage.

The leaves are rich deep green, three feet long and six inches wide, very handsome as they unfold themselves. Start in hot-bed in pots, and transplant in June, and blossoms will appear in July or August. Soak the seed thoroughly before planting, and keep in a warm spot. The roots can be kept in the green-house from year to year and then it becomes perennial. Tender annual in open ground; four to six feet high.

Canna, Indica (Indian Shot), scarlet blossoms..... 10

— gaboniensis, yellow flowers; fine..... 15

— nigricans, orange blossoms..... 15

— Warszewiczii, bright red flowers; striped foliage; very beautiful..... 10

CANTERBURY BELL—(Campanula Medium.)

CANTERBURY BELL.

Handsome, hardy biennial, of stately growth, rich color, and profuse bloom. Succeeds best in light, rich soil, and should be transplanted two feet apart. Their large, bell-shaped flowers are freely produced throughout the summer, and are strikingly effective.

Canterbury Bell, double white..... 10

— double blue..... 10

— mixed, blue and white..... 10

— single, mixed..... 5

— calycanthema, mixed, one of the newer sorts; flowers large, of fine form, white, lilac, rose and purple. Hardy perennial..... 10

CARDIOSPERMUM—(See Balloon Vine).

CARNATION and PICOTEE—(*Dianthus Caryophyllus*).

No flower can surpass in delicacy of marking, form, or delicious fragrance, the rich hued Carnation. It has

CARNATION.

always been one of the most esteemed of the florist's collection, and there is no flower more desirable for the garden. The seed will not produce all double flowers, though a good percentage will be double, and of all shades and colors, many being very fragrant. Sow

under glass in green-house or hot-bed, and when of sufficient size, transplant two feet apart each way. New and choice varieties are obtained from seed. Half-hardy perennial; one and a half feet high.

Carnation, fine double selves, one color.....	15
— double striped.....	20
— double dwarf early flowered.....	20
— perpetual flowered, seed saved from choicest double flowers.....	25
— choicest white ground.....	30
— double Grenadin, a splendid variety for florists; very early, charming double scarlet flowers. Exceedingly valuable for making bouquets, as the color is so brilliant as to render it very conspicuous.....	25
— extra fine mixed double Picotee.....	25
— choice double mixed, seed saved from the choicest French, German, Italian and English stocks. A large proportion of this seed will produce double flowers, and will be appreciated by the florist.....	25
— double mixed, good seed, producing many double flowers of all shades and colors, many being very fragrant.....	10

CASTOR BEAN—*Ricinus*.

Tall majestic plants for lawns, with leaves of glossy green, brown, or bronzed metallic hue, and long spikes of prickly capsules of scarlet and green. An elegant plant for a lawn, and of very quick growth in rich soil. Plant in hot-bed, and transplant when three leaves have formed, or plant where they are required. Tender annual; eight to ten feet high.

<i>Ricinus, sanguineus</i> , splendid red fruit in clusters; blood red stalks.....	10
— tricolor, leaves spotted.....	10
— giganteus, leaves of large size, richly veined and marbled; ten feet high.....	10
— communis major (<i>Palma Christi</i>), the common Castor Oil Bean.....	5
— mixed.....	10

CASTOR BEAN.

CATANANCHE.

The flowers are white with a violet center, and blue with purple center, quite double, somewhat resembling

SILENE, ROSEA.

a pink, and extremely showy. It will blossom more freely in light, well drained soil, will begin to bloom in July or August from seed sown in April. Hardy perennial; one and a half to two feet high.

Catananche, cœrulea, blue, purple center.....	5
— bicolor, white, violet center.....	5
— mixed.....	5

CATCHFLY—(*Silene*).

An easy growing, free flowering plant, producing dense umbels of white, red and rose pink-like blossoms. The plant is covered with a glutinous moisture, from which flies cannot disengage themselves, hence the name Catchfly. After having been once grown, the seed will sow itself in the ground. Hardy annual one foot high.

<i>Silene, armeria, alba</i> , white.....	5
— rubra, red.....	5
— rosea, rose.....	5
— mixed.....	5

CEDRONELLA.

A beautiful, hardy herbaceous, perennial plant, having fragrant leaves, and producing long spikes of salvia-shaped, crimson blossoms, which remain a long time. Start in the house from January to March.

Cedronella cana,
3 feet..... 10

CELASTRUS— (Climbing Bitter-Sweet).

Hardy, deciduous climber, producing yellow blossoms early in the season, and later, ripened fruit, which is very ornamental, and remains on the vines nearly all winter. Grows about twenty feet high.

<i>Celastrus, scandens</i>	10
----------------------------------	----

CELOSIA.

CELOSIA.

Magnificent plants for green-house or conservatory decoration, producing elegant, plume shaped spikes of flowers; look well in vases out of doors in summer. Sow in good, rich soil, and transplant at proper period. Half-hardy annuals; one to three feet high.

- Celosia, pyramidalis, crimson feathered, crimson spikes; beautiful*.....10
 — *plumosa, mixed, beautiful long plumes; pyramidal in form, of red, yellow, violet, &c.; very striking*.....10
 — *Huttoni, bushy habit, pyramidal form, profusely branched, each leading branch being tipped with a small spike of bright crimson flowers. The upper side of the leaf is a deep claret color, while the under side is a bright crimson shade*.....15
 — *cristata, (see Cockscomb).*

CENTAUREA—(Dusty Miller).

An exceedingly interesting genus of plants, embracing annuals, biennials and perennials. Some of the varieties are magnificent foliage plants, indispensable for borders and edges of beds; while others are noted for their beautiful flowers. Sow under glass, covering the seed lightly; transplant in May. All the kinds named below are worthy careful cultivation.

CENTAUREA, GYMNOCARPA.

- Centaurea, gymnocarpa, silvery gray foliage; drooping habit; very graceful*.....15
 — *candidissima, fine, ornamental plant of great beauty. Silvery white, deeply cut foliage. Half-hardy perennial*.....25
 — *Clementei, foliage white, deeply cut, and altogether very beautiful. Half-hardy perennial*.....25
 — *Americana, hardy annual from Arkansas, two feet in height, and of strong, robust growth; flowers purplish red; very pretty*.....5
 — *cyanus, (see Bachelor's Button).*
 — *moschata atropurpurea, (see Sweet Sultan).*

CENTAUREA, CANDIDISSIMA.**CHAMÆROPS—(see Palm).****CHEIRANTHUS—(see Wall Flower).****CHRYSANTHEMUM.**

Chrysanthemums have deservedly become very popular during the last few years. They are showy and effective in the garden, and very desirable for cut flowers. Our list, including two very choice novelties added last year, viz., "*Carinatum Eclipse*" and "*Coronarium Sulphureum, fl. pl.*," affords a fine range for selection.

The following varieties are hardy annuals one and a half to two feet high.

- Chrysanthemum, carinatum Burridgeanum, crimson, white center; single*.....5
 — "*Eclipse*," pure golden yellow with a bright purplish scarlet ring or center on the ray florets, the disk being dark brown; very striking.....15
 — *coronarium, double white*.....5
 — *yellow*.....5

ECLIPSE. **CHRYSANTHEMUM, SULPHUREUM.**

Chrysanthemum, coronarium, Sulphureum flore pleno, produces charming double flowers of a delicate lemon or sulphur shade, very desirable for bouquets or general decorative purposes.....10

CHRYSANTHEMUM, CHINESE.

Chrysanthemum, coronarium, double mixed.... 5

— *frutescens, Marguerite, or Paris Daisy*.—

This variety, under the name of Marguerite, has obtained great popularity among florists.

The pretty, star shaped, white flowers are freely produced, and the plant will grow under almost any circumstances..... 10

☞ *The following varieties are for pot culture, for blooming in the house in winter, and for florists for cutting for bouquets.*

Chrysanthemum, Indicum, fl. pl., half-hardy perennial, very double; mixed colors.....25

CHRYSANTHEMUM, JAPONICUM.

Chrysanthemum, Japonicum, fl. pl., Japanese variety. Flowers of very peculiar form, and much beauty, combining numerous shades of color. Very interesting. Half-hardy perennial..25

— *superb mixed double*, seed from the finest Chinese and Japanese varieties extant, which we offer in mixture. The development in these classes has been marvelous. Those who are on the lookout for new varieties should not fail to secure some of this strain.....25

CINERARIA.

Green-house perennials, which can be planted out in summer. They thrive best in a mixture of loam and

CINERARIA, MARITIMA CANDIDISSIMA.

CINERARIA, HYBRIDA.

peat, and young cuttings root freely under glass. One to three feet high.

Cineraria, maritima, candidissima, extremely handsome, silvery white foliage; very ornamental as a decorative pot plant, or for bedding purposes.....10

— *hybrida, very dwarf*, dwarf variety, growing only four inches high. Plants globular in shape, and blossom profusely in many colors; very desirable25

— *flore pleno*, the flowers are perfectly and evenly double, being entirely made up of lingulate florets, as in double Jacobæa. The colors run through all the shades peculiar to Cinerarias...50

— *choicest mixed*, from the best named varieties. Flowers from this seed have obtained many first-class prizes. Extra choice.....25

CLARKIA.

The flowers are very pretty, and of many colors, double and single. It is better to sow the seed in September, and the plants will be large enough by spring to make good bloom. Hardy annual; one and a half feet high.

Clarkia, pulchella, flore pleno, double, beautiful, rich magenta color..... 5
— *integripetala*, rosy crimson..... 5
— *elegans, flore pleno*, double, rose..... 5
— *mixed*, best and finest varieties..... 5

CLEMATIS.

Well known and universally admired climbers, some of the varieties being remarkable for the beauty and fragrance of their blossoms. Fine for covering arbors, verandas, etc., as they cling readily to almost any object. Most of the kinds are hardy, herbaceous perennials, but some little protection in northern latitudes, through winter, is advised. Will do well in any good garden soil. Seed should be sown in fall or winter in shallow boxes. As they generally remain dormant a long time even in green-house. In the spring, when plants are 1 to 2 inches high, transplant into boxes or small pots before setting out in open ground in May.

Clematis, Virginiana (Virgin's Bower), a rapid climber, with white blossoms, growing twenty feet in a single season; is hardy, dying down

in winter, but starting up again in the spring. It is equally remarkable when in fruit, the long feathery tails of the fruit separating like tufts of wool10

Clematis, Verticillata, produces beautiful blue flowers from June to September, on long peduncles from the axis of the leaves; rather bell-shaped and nodding. Grows eight to ten feet in a season10

— **Flammula**, a luxuriant climber with clusters of small, white, fragrant flowers in August and September. Sometimes called Sweet Virgin's Bower.10

— **mixed**, a superb mixture including the most desirable kinds of clematis.10

CLIANTHUS.

Curious, green-house shrubs, with singularly beautiful foliage, and magnificent clusters of long drooping flowers, somewhat resembling a parrot's beak. About three feet high, and succeeds best in loam, peat and sand mixed; does well planted in a border of the conservatory, or will flourish against a south wall, if protected from cold and frost. Does not bear transplanting and should be kept rather dry. Among the most magnificent blooming plants in cultivation.

Clanthus, Dampieri, bright scarlet blossoms.20

CLIANTHUS DAMPERI.

CLINTONIA.

Charming little trailing plants, suitable for baskets, pots, or rock work. The flowers are somewhat like the Lobelia, blue, purple and spotted, about half an inch in diameter. The seed is exceedingly small, and should be sown with great care, covering very slightly with earth, and shading from the rays of the sun, till firmly established. Tender annual; six inches high.

Clintonia, elegans, light blue.5
 — **pulchella**, blue, yellow and white.10
 — **atropurpurea**, violet-purple, center yellow, margined with white.10
 — **fine mixed**10

COBÆA.

A fine, rapid growing climber, with handsome foliage and large, bell-shaped flowers, green at first, but rapidly changing to a beautiful, deep violet-blue. Seeds should be started in hot-bed, or by a warm window in the

COBÆA, SCANDENS.

house, with the edge down, in rather dry soil, as they are apt to rot in open ground. A well established plant will run fifty feet in a season, covering a large veranda with handsome foliage and beautiful flowers. Tender perennial.

Cobæa, scandens.10

COCKSCOMB—(Celosia).

Highly ornamental plants, producing crested heads of flowers, somewhat resembling a cock's comb. There are many colors and shapes, but the scarlet and crimson ones are the most brilliant and rich. The oftener they are transplanted or shifted, the larger and more beautiful they grow. Start under glass or in the house and transplant, setting the plants out three feet apart. Tender annual; one to three feet high.

Celosia, cristata, mixed tall, twelve of the most splendid tall varieties mixed.10
 — **dwarf crimson, brilliant**.10

CELOSIA, CRISTATA.

COLEUS.

- Celosia, cristata*, dwarf, rose, deep rose..... 10
 — — — yellow, fine..... 10
 — — — mixed..... 10
 — Glasgow Prize, a very fine, semi-dwarf variety;
 with large, brilliant crimson comb, and hand-
 some dark foliage..... 15
 — new Japan (*Celosia Japonica*), the comb is finely
 cut, delicate as lace, and wonderfully bril-
 liant..... 10
 — — variegated, variegated in branch, leaf, and
 comb; very handsome..... 10

COLEUS.

Probably there is no other kind of ornamental foliage plant so well known and universally admired as the Coleus. The leaves are of all shapes, shades and colors, and nearly all have a rich, velvety appearance of extraordinary beauty. No yard should be without these decorative plants. They should be planted in a greenhouse or a warm situation in-doors in a temperature of 70°, and can be bedded out as soon as danger of frost is over. They will continue to grow and thrive till cut down by frost in autumn. Slips should be taken from the finest, which will grow finely all winter, if potted and placed in green-house or conservatory.

- Coleus*, mixed, *twenty-five best named sorts*..... 25
 — new hybrids mixed..... 25

COLUMBINE—(Aquilegia).

The old single varieties of Columbine have been known and admired for centuries under the name of Honeysuckle. The new double sorts are very beautiful, and embrace a great variety of colors and forms. They are nearly all hardy, and seeds can be sown in open ground in spring or autumn; and they can also be increased by dividing the roots. Hardy perennial; two feet high.

- Aquilegia, alba plena*, double white..... 10
 — *caryophyllodes*, white, nicely striped with red-
 dish crimson; a beautiful double variety..... 10
 — Skinneri, crimson, scarlet and orange..... 10
 — *vervaeneana fol. variegatis*, one of the few
 striking variegated plants, reproduced with
 certainty from seed. Double rose colored
 blossoms; exceedingly beautiful..... 15
 — mixed double, *best and finest colors*..... 10

COMMELINA—(Day Flower).

The splendid white and blue flowers of this plant cannot be excelled, and its profusion of blossoms renders it worthy of cultivation. The roots can be taken up and kept in the cellar, like Dahlias, and replanted in spring, and will produce larger and more blossoms. Plant in any good garden soil, and thin to six inches apart. Tender perennial; one and a half to two and a half feet high.

- Commelina, celestis*, sky blue..... 5
 — alba, white..... 5
 — mixed..... 5

CONVOLVULUS.

A magnificent class of trailing annuals, some of which produce flowers of wondrous beauty. Useful for verandas, lattice, &c., and grows freely in any good garden soil.

- Convolvulus, aureus superbus*, very large, golden yellow flowers; grows six feet high.... 15
 — *mauritanicus*, trailing plant, about one foot high, and produces an abundance of rich satiny, lavender blossoms. Especially adapted to rock work or baskets; perennial in green-house..... 10
 — Major, (see Morning Glory).

CONVOLVULUS MINOR—(Dwarf Morning Glory).

Dwarf plants, of trailing, branching habit, each plant occupying a space of two feet. At mid-day they are completely covered with a mass of most brilliant, many colored blossoms, which remain open till evening, in dry weather. Will do well in any common garden soil. Thin to three feet apart each way. Half-hardy annual; one foot high.

CONVOLVULUS.

- Convolvulus Minor*, tricolor, bright blue, shaded to pure white, next to the golden center.... 5
 — Minor alba, pure white..... 5
 — striata, finely striped..... 5
 — mixed..... 5
 — *flore pleno*, a new double variety..... 10
 — unicaulis, a single, upright stem without a branch and a compact head of flower buds in great profusion, which expand into blossoms of immense size, of very rich, purplish blue color, and continues in bloom the whole season..... 10

COIX—(see Job's Tears).**CRUCIANELLA.**

A pretty little plant, growing one foot high, and producing clusters of star shaped, pink flowers. Fine for rock work, vases, etc. Start under glass in winter, or plant in open ground in May. Hardy perennial.

- Crucianella, stylota*..... 5

CUCURBITA—(see Gourds).

CUPHEA.

A favorite bedding plant with green-house men; familiarly known as Cigar Plant, on account of the fancied

CUPHEA.

- Cuphea, platycentra, (Cigar or Firecracker Plant),** scarlet, white and purple 10
 — **silenoides,** dark crimson brown 10
 — **Zimpani,** violet-red 10
 — **mixed** 10

CYCLAMEN.

Well known and universally admired bulbous rooted plants, producing exceedingly handsome red and white flowers. The seed should be sown in spring, and by autumn will produce a bulb, which if potted and placed in conservatory or green-house, will blossom the following spring.

CYCLAMEN PERSICUM.

- Cyclamen, Persicum, mixed,** variety of great beauty and many colors 25
 — **giganteum, mixed,** characterized by beautiful foliage and profuse bloom; each flower is from 2 to 2½ inches long. Very choice 50

CYPRESS VINE—(Ipomœa Quamoclit).

A most beautiful climber, with delicate, dark green, feathery foliage, and an abundance of bright, star-shaped, rose, scarlet and white blossoms, which, in the bright sunshine, present a mass of beauty. Planted by the side

CYPRESS VINE.

of veranda, tree or stakes, and trained properly, there is nothing prettier. The seed will germinate more freely if warm water be poured on the ground after planting. Tender annual; fifteen feet high.

- Cypress Vine, scarlet** 5
 — **rose** 5
 — **white** 5
 — **mixed** 5

DAHLIA.

This exceedingly beautiful genus comprises an almost endless number of varieties, all more or less showy in the flower garden in the autumn, when most other flowers have faded. They are all of easy cultivation, growing freely in almost any soil, from seed sown in spring. The seed can be sown in shallow pans, any time from March to July, and the seedlings transplanted to small pots. As soon as they are strong enough (but not until danger of frost is over) plant out, one foot apart. These

DAHLIA, SINGLE.

DAISY, DOUBLE.

plants will make tubers which should be taken up in the fall and kept through the winter in a dry place, away from frost, and planted out in the spring, when they will blossom the following autumn. New varieties are constantly being produced from seed, some of them of exquisite beauty.

- Dahlia**, finest double, mixed, seed saved from choicest double flowers 15
 — single mixed, very brilliant flowers running through a very wide range of striking colors, easily raised from seed and very desirable.... 15

DAISY—(Bellis).

Charming little plants for edgings and borders. The flowers are quilled and flat petaled, white, pink, red, and variegated. Not all will come double from seed, and the single ones should be pulled out. Sow early in hot-bed, and when large enough, transplant to a rich, cool, partially shaded situation. Set the plants six inches apart. Roots can be divided any time. Flowers are most abundant in spring. Tender perennial; six inches high.

- Daisy**, double white..... 15
 — red, a novelty of high merit, recently introduced under the name of "Longfellow," Comes true from seed. Flowers very large and double..... 25
 — mixed, choice..... 15

DATURA, WRIGHTI.

DATURA.

Large, branching plants, producing handsome, double and single, trumpet-shaped blossoms, yellow, white, lilac and blue, and of exquisite fragrance. Some of the flowers are equal in beauty to our choicest lilies. Sow in hot-bed, and transplant to three or four feet apart each way. The blossoms open during the night, remain open one day, and then perish. Roots can be kept all winter in cellars. Tender annuals; three feet high.

- Datura**, **Wrighti**, pure white at the center, passing into lilac and blue at the border; very fragrant..... 5
 — **chlorantha**, fl. pl., magnificent, large, double, yellow blossoms, richly scented..... 5
 — **fastuosa**, alba, fl. pl., flowers double; pure white..... 5
 — mixed, seeds of the above varieties mixed..... 5

DELPHINIUM—(See Larkspur).**DEW PLANT—(See Mesembryanthemum).****DIANTHUS—(See Pink).****DIANTHUS BARBATUS—(See Sweet William).****DIANTHUS CARYOPHYLLUS—(See Carnation).****DIGITALIS—(See Foxglove).****DOLICHOS—(See Hyacinth Bean).****ELICHRYSUM—(See Helichrysum).****ERAGROSTIS—(See Love Grass).****ERIANTHUS RAVENNÆ.**

A very desirable ornamental grass, equal to Pampas Grass in appearance and habit of growth, and superior to it for general culture, as it is entirely hardy and blooms more abundantly. When plants are two or three years old, the flower stalks are often ten feet in height, surmounted by beautiful silvery plumes. Sow early in spring, in green-house or hot-bed, and transplant when weather becomes warm.

ERIANTHUS.

Erianthus, **Ravennæ**..... 10

ERICA—(Cape Heath).

A genus of shrubby plants of much interest and beauty. Most of the species are without odor, but this lack is compensated for by elegance, as well in their foliage as in their flowers. The flowers in beauty of form, delicacy of aspect and variety of tint, can scarcely be surpassed. To succeed well, the seed should be sown in hot-bed, or better still in green-house or conservatory. Cover very lightly. Half-hardy perennial.

Erica, **capensis**, mixed varieties 15

ESCHSCHOLTZIA.

Finely cut leaves of a glaucous color, and blossoms about two inches in diameter, of many brilliant and showy colors. A bed of **Eschscholtzia** in the sunshine

makes a blaze of color. As the stalks and branches are delicate they will do better if supported by small sticks. Sow where the plants are wanted to bloom, as they do not bear transplanting. Thin to six inches apart. Hardy annual; one foot high.

ESCHSCHOLTZIA, CALIFORNICA.

Eschscholtzia, mandarin, a very beautiful variety.

The outer side of the petals is *brilliant scarlet*, the inner side *rich orange*.....15

- **Californica**, bright yellow..... 5
- **crocea**, alba, fl. pl., creamy white, double..... 5
- **striata**, beautifully striped..... 5
- **mixed**..... 5

EULALIA JAPONICA.

A most magnificent ornamental grass from Japan, growing five to six feet high, and exceedingly graceful. A single plant often makes thirty to forty elegant, recurved flower spikes of light violet color, resembling ostrich plumes. Beautiful for vases in the winter. Transplant from hot-bed to ten feet apart.

Eulalia Japonica, light violet, beautiful.10

EUPHORBIA.

EUPHORBIA.

Euphorbia, variegata, hardy annual; foliage beautifully veined and margined with white. very showy. Sometimes known as Mountain of Snow..... 5

EUTOCA.

Foliage dull green, covered with hairs; blossoms blue striped three quarters of an inch across, produced in terminal racemes. Excellent for cutting, because a branch placed in water will bloom many days, and the blue is intense in color. Succeeds best in warm, sandy soil, not over rich. Sow in open ground early in spring, and thin to one foot apart. Hardy annual; one foot high.

EUTOCA.

- Eutoca, viscida**, blue..... 5
- **alba striata**, striped..... 5
- **mixed**..... 5

FEATHER GRASS—(Stipa).

Hardy perennial, ornamental grass of much beauty, used in the formation of winter bouquets. Seed should be started in hot-bed, as they germinate slowly.

Stipa, pennata (Feather Grass), delicate and pretty..... 10

FERNS.

Flowerless plants, too well known to need description. Many of the varieties are exquisitely beautiful. The plants should be kept in a warm, humid atmosphere, and watered abundantly. The soil best adapted to their growth is a turfy, fibrous peat, mixed with sand and

FERN.

leaf mold, and underlaid with pieces of broken crock. Many of the most beautiful sorts are propagated from seed only. Their exceeding grace and beauty will well repay all care bestowed upon them.

Ferns, fine mixed, an almost endless variety.....25

— **fifty finest species mixed**, very beautiful.....25

Our packet of fifty species mixed contains all the newest and most desirable kinds of ferns.

FEVERFEW—(See Matricaria and Pyrethrum).

FORGET-ME-NOT—(Myosotis).

The Forget-Me-Not is an old favorite plant, bearing clusters of star-shaped, delicate blue flowers with white and yellow eyes. It flourishes best in a moist, shady,

FORGET-ME-NOT.

situation, and it is in constant bloom nearly the whole season. If the seed be sown in autumn, it will succeed best, and flower early in spring. Hardy perennial; six inches high.

Myosotis palustris, blue flowers, with white and yellow eyes.....10

— *Alpestris nana cœrulea*, plant of dwarf compact habit, flowers bright blue; very fine; four to six inches high.....10

— *dissitiflora*, very deep blue; early blooming; a welcome addition to this class of spring bedding plants, so much in requisition.....15

FOUR O'CLOCK—(Marvel of Peru).

The plants are large, and require four feet space; make a pretty hedge. Some of the varieties have beautifully variegated leaves. The flowers are funnel-shaped, white, red and striped, very fragrant, and open about four o'clock in the afternoon, remain open all

FOUR O'CLOCK.

night, and generally perish before noon the next day. The French call it *Belle de Nuit*, "Beauty of Night." Will grow in any common garden soil, from seed sown in open ground. Hardy annual; two feet high.

Four O'Clock, gold striped.....	5
— red.....	5
— scarlet.....	5
— silver striped.....	5
— white.....	5
— yellow.....	5
— variegated foliage.....	5
— sweet scented.....	5
— mixed.....	5

FOXGLOVE—(*Digitalis*).

Ornamental plants of much beauty, producing dense spikes of flowers on stems three to five feet high. The

FOXGLOVE.

blossoms are thimble-shaped, purple, white and spotted and very striking. Seed can be sown in spring or autumn, and large roots can be divided. Blossom the second season. Hardy biennial; three feet high.

Digitalis, Ivery's new spotted, great improvement on the old sort; an endless variety of colors;

— robust, strong and hardy.....5

— splendid mixed.....5

FRAGARIA—(Chinese Strawberry).

Pretty, hardy, herbaceous creeper from India, with beautiful yellow blossoms, and bright red fruit, like

HEDYSARUM.

small strawberries. Elegant for rock work or hanging baskets. Propagated from seed and runners. Seed should be sown very early in the house, and plants transplanted. Perfectly hardy.

Fragaria, indica.....10

FRENCH HONEYSUCKLE—(*Hedysarum*).

Very handsome, free flowering plants, producing racemes of beautiful, pea-like flowers; particularly adapted for borders or rock work. Sow in open border in spring. Hardy perennial; four feet high.

Hedysarum, coronarium, brilliant scarlet..... 5

— *fl. alba, true*; white..... 5

FUCHSIA.

FUCHSIA, DOUBLE.

points, and change into larger pots. When frost appears protect the plants.

Fuchsia, double, finest mixed, from the finest specimens.....25

— *white corollas, very beautiful*.....25

GAILLARDIA.

Showy and universally admired perennials, flowering the first year, and among the gayest ornaments of summer flowering beds.

GAILLARDIA, PICTA, LORENZIANA.

Gaillardia, picta, one foot high; flowers crimson and yellow..... 5

— *Lorenziana*, one of the most striking and valuable of the annual novelties introduced of late years. For general decorative purposes, as well as for bouquets, it is invaluable, its gay colored flowers being abundantly produced from July until frost sets in. In a strict botanical sense, it is not double, but it is so entirely different from the old single *Gaillardia*, that the blooms would scarcely be recognized as belonging to the same species. The colors offered (in mixture) are sulphur and golden yellow, orange, claret and amaranth, and are produced quite as freely as any of the older sorts.....10

— *grandiflora*, the largest and most beautiful flowers of the species; blossoms scarlet and orange.....10

GERANIUM—(*Pelargonium*).

Probably the *Geranium* is better known and more universally admired than any other plant grown. The constant succession and durability of bloom till frost comes, the brilliancy of the scarlet and other colors, and the exquisite markings of the leaves of some of the varieties, render them very desirable for pot culture and bedding. No garden seems complete without a bed of them, and in every collection of conservatory or parlor plants we are sure to find the *Geranium*. *Propagated by seed is the only sure way to obtain new varieties.* Sow in March, in gentle heat, in well drained pots. Water moderately, and as soon as the third leaf appears, pot singly in two inch crocks, exchanging for larger ones as the plants require. As soon as the weather will permit, plunge the pots in open border, and on approach of frost, remove to cover. They will blossom in the succeeding spring. The following are all very choice varieties, and seed sparingly.

Geranium (Pelargonium) diadematum, splendid variety.....30

— *Ozier*, five petals blotched..... 30

— *fancy*, splendid mixed..... 25

— *double*, finest double varieties mixed.....30

— *Zonale*, scarlet, mixed sorts..... 25

— *white leaved varieties*, mixed..... 25

— *golden and bronze*, magnificent..... 25

— *apple scented*, very fragrant.....25

GILIA.

Hardy annual, one to two feet high; grows in almost any situation, in beds or in rockery. Delicate in leaf and flower.

Gilia, capitata, dense, globular heads of clustered blossoms of azure blue. Two feet high..... 5

— *tricolor*, flowers blue, with yellow and purple center. Sow in masses. One foot high..... 5

GLADIOLUS.

Magnificent plants, with sword-like leaves, and long spikes of flowers, of every conceivable color and shade. The varieties are now numbered almost by thousands, each year bringing forth new and choice selections which have been produced from seed, which is the only method of obtaining new varieties. The plant and flower are from a bulb, which requires two or three years to produce from seed of sufficient size to flower well. The bulbs should be taken up on approach of winter, and kept from freezing till warm weather in spring, and then planted out in groups and borders.

Gladiolus, finest mixed, from fifty choice named varieties.....25

For Bulbs, see Spring Bulbs, in this Catalogue.

GILIA, TRICOLOR.

GLAUCIUM—(Horned Poppy).

One of the most ornamental of silver leaved plants. The leaves are recurved, elegantly indented, and silvery. Flowers bell-shaped, orange. Hardy perennial; one and one-half feet high.

Glaucium, corniculatum.....to

GLOBE AMARANTH—(Gomphrena).

A desirable everlasting, valued for its handsome, globular heads of flowers, which, if cut when well matured, will retain their beauty for years. Seeds germinate slowly. Start in hot-bed, or soak in warm water to soften the woolly husk. Tender annual; two feet high.

GLOBE AMARANTH.

<i>Gomphrena, globosa</i> , purple.....	5
— white.....	5
— flesh colored.....	5
— orange.....	5
— striped.....	5
— mixed.....	5

GLOXINIA.

GLOXINIA.

Stove perennial plants, producing rich and beautifully colored flowers. They deserve extensive cultivation, and thrive best in an equal mixture of peat, loam and sand. Sow in March, on the surface, in a warm, moist atmosphere. When the second leaf appears transplant into shallow pots to grow through summer. Allow them to rest through autumn and keep in same pots through winter, giving little water. In spring, repot and water freely; will blossom second season. *The first three following varieties have peculiar leaves being large, thick, light green, and recurved in such a manner as to almost hide the pot. From the center of the plant are produced very large flowers of the most brilliant colors and finest form.*

GNAPHALIUM, LEONTOPIDIUM.

Gloxinia, hybrida crassifolia grandiflora erecta.	25
— — — horizontalis.	25
— — — pendula.	25
— — — mixed, all choice sorts.	25

GNAPHALIUM—(Everlasting).

An interesting class of immortelles, with rather homely foliage, but beautiful clusters of bright golden blossoms, which, if plucked when on the point of opening, and dried in the shade, will retain their beauty for years. Good for forming winter bouquets in conjunction with other everlastings and grasses.

Gnaphalium foetidum, tender annual, 1½ feet. 10
— **leontopodium** (Edelweiss). This is the true

Edelweiss found on the Alps and so highly esteemed by travelers in Switzerland. Flowers star-shaped, pure white, and downy in texture. Perennial. 15

GODETIA.

Beautiful garden plants, of easy cultivation in any good garden soil, and remarkable for the delicacy of their very fine, large blossoms. Hardy annual; one to one and a half feet high.

GODETIA, DUCHESS OF ALBANY.

- Godetia, rubicunda splendens*, a very showy variety. Rosy lilac flowers, with purple stain in the center. 5
— *rosa alba* (Tom Thumb), delicately blotched blossoms, white at the outer portion, and rose at the base of the petals. 5
— *Lady Albemarle*, intense carmine crimson; compact habit; very beautiful. 10

GOURD, BOTTLE.

Godetia, Whitneyi, Duchess of Albany, a magnificent sort, producing a profusion of large, rich, satiny-white flowers, measuring about four inches across. 10

GOURDS.

A tribe of climbers with curiously shaped fruit, in various colors. Being of rapid growth, they are fine to cover old fences, trellises, stumps, etc. The foliage is quite ornamental, and the markings of some of the fruit quite extraordinary. Do not plant the seed till all danger of frost is over, and select, rich, mellow ground. Tender annual climber; ten to twenty feet high.

GOURD, CORSICAN.

- Gourd, orange, the well known Mock Orange. 5
— Japanese Nest Egg, white; fac-simile of an egg; do not crack and are not injured by heat or cold. Very ornamental climbers. 10
— apple shaped, yellow; beautifully striped. 10
— pear shaped, yellow and green, striped with cream color. 10
— — — ringed (*piriformis annulata*), exceedingly beautiful fruit, with rings running around it; green ends. 10
— bottle, handsome and useful. 10
— Corsican, elegant fruit and rapid climber. 10
— siphon, or Dipper, long, slim handles, useful for dippers. 10
— powder horn, in the form of a powder horn. 10
— Hercules' Club, the longest of all the varieties. 10
— mixed, ornamental. 10

GOURD, SIPHON, OR DIPPER.

GRAMMANTHES.

GRAMMANTHES.

A charming little succulent plant, producing an abundance of bright scarlet and orange-yellow blossoms in the shape of a star. It is especially adapted for rock work, hanging baskets, edgings, &c. Give it a warm, sunny situation, and good, rich soil. Tender annual; six inches high.

Grammanthes, *Gentianoides*, rich orange-scarlet... 10

GYNERIUM—(See Pampas Grass).**GYPHOPHILA.**

Delicate free flowering little plants, covered with a profusion of little star shaped, white blossoms. Well adapted for hanging baskets and edgings, and valuable for making bouquets. Make handsome specimens dried.

Gypsophila, *elegans*, white and pink flowers; hardy annual; one foot high... 5
— *muralis*, pink flowers; hardy annual; six inches... 10

HEDYSARUM—(See French Honeysuckle)**HELIANTHUS**—(See Sun Flower).**HELICHRYSUM.**

Large, full, double flowers of various colors, from bright yellow to scarlet, shaded and tipped. Particularly desirable as dried specimens; exceedingly handsome bouquets may be formed of them for winter, if blossoms be gathered when on the point of expanding. Sow early in spring, in any good garden soil, and thin the plants to one foot apart each way. Hardy annual; six inches to two feet high.

Helichrysum, *bracteatum*, (Golden Eternal Flower), bright yellow... 5
— *nanum*, *atrosanguineum*, fl. pl., deep/crimson 5
— *compositum album*, fl. pl., flowers white... 5
— *monstrosum*, fl. pl., mixed, eight varieties of largest double flowers, mixed... 5
— *nanum*, fl. pl., mixed, five dwarf growing, double flowering varieties mixed... 5
— *minimum*, fl. pl., mixed, four varieties of beautiful little miniature double flowers; fine... 5
— mixed... 5

HELICHRYSUM.

HELIOTROPE.

Highly valued for the fragrance of their flowers, and duration of bloom. They succeed in any rich, light soil, and cuttings of the shrubby kinds, taken off while young, strike readily. Start under glass. Half-hardy perennial; one foot high.

Heliotropium, *Anna Turrell*, violet-blue... 10
— *Roi des Noirs*, black, splendid... 10
— *Triumphe de Liege*, deep blue; fine... 10
— dark varieties, mixed, very choice... 10

HELIPTERUM—(Everlasting).

A very desirable and distinct dwarf everlasting, with small foliage, and large globular clusters of bright golden and pure white, star-like flowers. Is excellent for forming winter bouquets, for which purpose the flowers should be gathered when on the point of opening, and dried in the shade; they will open while drying, and will retain their brilliancy for years. Hardy annual; one foot high.

Helipterum, *Sandfordii*, golden... 10
— *anthemoides*, pure white... 10
— mixed... 10

HESPERIS—(See Rocket).**HIBISCUS.**

A branching plant of the easiest culture, with rather pretty foliage, and large blossoms which are exceedingly showy. Blooms from June to October. The seed should be planted early and the plants thinned to one foot apart each way.

Hibiscus Africanus, cream colored blossoms, purple in the center. Hardy annual; two feet high... 5
— *coccineus*, large, brilliant scarlet blossoms; very showy; green-house plant; three feet high... 10
— *mutabilis*, *albus* fl. pl., a double white variety. Very choice green-house plant... 25

HOLLYHOCK.

The Hollyhock in its present state of perfection, is very unlike its parent of olden time; it now ranks with the dahlia, aster, camellia, &c. For a back ground to a flower garden, perhaps no plant is so useful. The flowers are as double as a rose, of many shades of color, from deep yellow, red, purple to pure white. Plant the seed in June or July, in open ground, and in the autumn, when the plants have made five leaves, transplant to permanent position three feet apart. They should be protected during the winter. The following summer they will bloom. Each plant should be supported by a stake. Hardy perennial; five feet high.

HOLLYHOCK

Hollyhock, double, pure white	15
— pure black.....	15
— lemon yellow.....	15
— rose.....	15
— choice mixed.....	10
— mixed.....	5
— Chater's finest mixed, twelve double varieties of the greatest perfection mixed	15

**HONESTY, or SATIN FLOWER—
(Lunaria).**

Early free flowering plants, interesting for the silver like tissue of the seed pods in their matured state. The flower is purple, not very conspicuous. The seed pods are fine for skeletonizing and working in with other everlasting flowers for winter bouquets. Start under glass. Hardy biennial; two feet high.

Honesty (Lunaria, biennis) 5

HORDEUM—(Ornamental Grass).

A beautiful, ornamental grass for forming winter bouquets. It somewhat resembles our domestic barley, having heavy, bearded heads. It is very hardy, and will grow in any common soil.

Hordeum, jubatum, exceedingly ornamental; two feet high..... 10

HUMEA.

A remarkable, handsome plant for decorative purposes. Leaves very fragrant when slightly rubbed. Succeeds best in light, rich soil. Half-hardy biennial; six feet high.

Humea, elegans, red; from New South Wales.... 10

HYACINTH BEAN—(Dolichos).

Splendid climber, with abundant clustered spikes of purple and white flowers, which are followed by exceedingly ornamental seed pods; of rapid growth, often running twenty feet in a season. Plant where they

are to remain, after the weather has become warm, and cultivate like common beans, only give support for the vines to run upon. Tender annual; ten to twenty feet high.

HYACINTH BEAN.

Dolichos, lablab, purpurea, purple	20
— alba, white.....	10
— mixed, the above mixed.....	15
— giganteus, tall growing variety, with large, purple flowers; fourteen feet; very fine.....	20

IBERIS—(See Candytuft).**ICE PLANT—(See Mesembryanthemum).** **IMPATIENS SULTANI.**

IMPATIENS SULTANI.

Impatiens Sultani, one of the most distinct and beautiful decorative plants for the hot-house, green-house or summer bedding. The plant is of compact growth. The flowers are gorgeously colored and are produced in great profusion throughout the season. Although a green-house plant it does finely in open border. If planted in open ground the seed should be sown during latter part of June. The flowers are a brilliant rosy-scarlet color, 1 to 1½ inches in diameter.....25

INDIAN SHOT—(See *Canna Indica*).

IPOMEA.

Beautiful climbers, and exceedingly attractive mixed with other climbers. The flowers are of a variety of shapes and sizes, and of an endless number of colors, many being wondrously brilliant, and of graceful form. They are alike good for green-house, for pots and baskets, and for trellis, stumps, arbors, etc. They require heat in starting, and some of the varieties will not succeed out of the green-house. Tender annual; five to ten feet high.

IPOMEA LIMBATA.

- Ipomea, coccinea* (Star *Ipomea*), fine scarlet..... 5
- *bona nox* (Good Night), pure white..... 5
- *limbata*, elegantly blotched and margined with white..... 5
- — *elegantissima*, large flowers, in form of a five pointed star, with intense purple center, and pure white margin..... 5
- *rubra cœrulea*, immense flowers of bright celestial blue; stove or green-house climber..... 10
- fine mixed..... 5

IPOMEA QUAMOCLIT—(See *Cypress Vine*).

IPOMOPSIS—(See *Tree Cypress*).

JACOBÆA—(Senecio).

Remarkably pretty, free growing, profuse flowering plants, almost unsurpassed for brilliancy and beauty. Grow freely from seed, and are easily propagated from cuttings, not one in fifty failing. *The double are the only ones worth cultivating.* Hardy annuals in open border, biennial in green-house. Sow in loam mixed with leaf mold. One foot high.

JACOBÆA.

- Jacobæa*, dwarf, double purple, fine... .. 10
- — white, elegant..... 10
- — blue, constant in height, pure in color, and double to the center..... 10
- — mixed, above varieties mixed..... 10

JASMINE.

Hardy, deciduous, ornamental shrubs, growing three feet high, and producing beautiful yellow flowers, which are very fragrant, and much admired. The seeds require bottom heat to start.

Jasminum, fruticans, yellow; fragrant..... 10

JOB'S TEARS—(Coix).

Curious, ornamental grass from East Indies, with broad, corn-like leaves, and seeds of a light slate color, wonderfully lustrous. Valuable for the formation of winter bouquets, in connection with everlasting flowers, and strings of handsome beads are formed from the seeds. Plant in open ground, in hills three feet apart, four or five seeds in a hill, and cover half an inch deep. Hardy annual; three feet high.

Coix, lachryma (Job's Tears)..... 5

JOSEPH'S COAT—(See *Amaranthus Tricolor*).

KAULFUSSIA.

Beautiful, free blooming little plants of dwarf and compact growth, somewhat resembling the single asters. Flowers are light blue, pure white, and the most intense violet-purple of any annual in cultivation—the richest color imaginable. A good plant for mixed beds and borders. Hardy annual; six inches high.

Kaulfussia, fine mixed 5

LANTANA.

These plants are rapid growers, forming small, hardy shrubs; and producing their pink, yellow, orange, white, constantly changing heads of flowers in great abundance. They have an agreeable, aromatic perfume. Start under glass. Any loamy soil suits them, and they are readily increased by cuttings, in sand, in heat.

Lantana, finest French hybrids mixed, all colors.. 10

LARKSPUR—(Delphinium).

The Larkspur is one of the handsomest and most useful of plants, and for large gardens is invaluable. The leaves are much divided, flowers in terminal spikes. The brilliancy of some of the colors is unsurpassed. Easily propagated by seed, or by dividing the roots; delights in a deep, rich soil, and should be sown in August or September.

DELPHINIUM, GRANDIFLORUM ALBUM.

Annual Sorts.

- Delphinium, ajacis (Double Dwarf Rocket Larkspur), hardy annual; ten inches; *twelve kinds mixed*. 5
- cardiopetalum, deep blue; heart shaped. Hardy annual; from the Pyrenees; one and a half feet high. 5
- Tall Stock flowered (consolida fl. pl.), *eight brightest and best colors mixed*. Spikes of double flowers eighteen inches long, *very beautiful*; hardy annual; two feet high. 5
- Imperiale, fl. pl., (Double Emperor Larkspur), one and a half feet high, compact and profusely blooming, almost every plant having too close, erect spikes of perfectly double flowers, which, in a dried state, are fine for winter bouquets. Mixed colors. 10
- consolida candelabrum fl. pl., a new type of annual Larkspur, growing in the form of a branched candlestick; flowers double and of various colors. *Very showy*. 10

Perennial Sorts.

- Delphinium, elatum (Bee Larkspur), has hairy petals in the center, and a fancied resemblance to a bee. Hardy perennial; five feet high. 5
- grandiflorum album, large double white flowers. Hardy perennial; four feet high. 10
- formosum, rich blue and white. Hardy perennial; three feet high. 5
- nudicaule, eighteen inches high, with *scarlet* flowers; fine for rockeries, flower borders, or pot culture; hardy perennial. 10

LATHYRUS LATIFOLIUS—(See Peas).**LATHYRUS ODORATUS**—(See Sweet Peas).**LEPTOSIPHON.**

Make beautiful low edgings for borders or walks. They do not bear our hot, scorching summers well, and the seed had better be sown late in the autumn or very early in spring, and, if possible, in a sheltered situation. Hardy annual; six inches high.

Leptosiphon, aureus, beautiful orange color. 5

LIMNANTHES.

A native of California; quite hardy; of prostrate habit, stems ten or twelve inches long, crowned with numerous fragrant flowers, each about an inch across. A large portion of the flower is yellow, the extremities of the petals only being white. Blooms from June to August. Sow the seed in spring, and give each plant two feet of room. Hardy annual; three inches high.

Limnanthes, Douglassi. 5

LINARIA.

LINARIA—(Kenilworth Ivy).

A pretty, trailing plant for covering rock work, and very useful for hanging baskets. Hardy perennial.

Linaria, cymbalaria. 15

LINUM.

A beautiful and effective genus of plants, of slender and delicate growth, and a profusion of bright flowers.

Linum, grandiflorum rubrum (Scarlet Flax), from Algiers. Hardy annual. 5

— **coccineum**, deep crimson; one of the handsomest annuals ever introduced; in brilliancy of color surpassed by none. 5

LOBELIA, QUEEN VICTORIA.

LOPHOSPERMUM.

LOBELIA.

A most elegant and useful genus of plants, of easy culture, and well adapted for bedding, edging, pots or rockeries. They are employed as universally in general summer gardens as scarlet geraniums, to beds of which they form a neat and effective edging. Seeds should be covered lightly. Start early, under glass, and transplant or sow in open ground in May.

Lobelia, erinus (Blue King), intense dark blue, with a white spot; dark colored foliage, showy and valuable for bedding purposes. Half-hardy annual10

— — (Queen of Whites), pure white flowers, not tinted with the slightest shade of any color. Blooms until destroyed by frost. Half-hardy annual10

— — (Crystal Palace), magnificent variety, with large blue flowers; a fine sort for bedding...10

— — *cardinalis* (Queen Victoria), scarlet, new scarlet flowering variety, with the darkest leaves, and very constant. Hardy perennial.15

— — (Cardinal Flower), a magnificent native variety, with spikes of brilliant scarlet flowers. Will flourish in any common soil. Seeds need to be well started with heat. Hardy perennial; two feet high.....10

— — *gracilis*, very fine for baskets, vases, etc., trailing gracefully, and blooming profusely. Half-hardy annual10

LONDON FRIDE—(See *Lychnis Chalcedonica*).

LOVE GROVE.

LOPHOSPERMUM.

Beautiful evergreen climbers, with purple and violet blossoms. Require green-house or cold frame in winter; will run up fences or verandas in summer. Propagated by preserving the fleshy roots in dry earth in winter. Seed should be sown in hot-bed in March or April.

Lophospermum, scandens, flowers violet-purple; ten feet10

LOVE GRASS—(*Eragrostis*).

A very pretty species of ornamental grass, growing one foot high; splendid for winter bouquets; hardy annual.

Eragrostis, elegans, beautiful, dancing spiklets... 5

LOVE GROVE—(*Nemophila*).

Of dwarf, spreading habit, it is well adapted for border or pot culture. The flowers are exquisitely colored, blotched and spotted; they are quite apt to sport into

LUPIN, HARTWEGI.

an endless variety of shades, from black and blue to lighter colors. Sow in spring, and thin to one foot apart. Hardy annual; six inches high.

Nemophila, mixed, several colors..... 5

LYCHNIS, HAAGEANA.

LOVE-IN-A-MIST—(Nigella).

This singular plant is known as Lady-in-the-Green, and Devil-in-a-Bush, because the blossoms are partly concealed by the abundance of finely cut foliage. The plant and flower are both handsome, require but little care, and are worthy of a place in the flower garden. Sow the seed in spring, and thin to one foot apart. Hardy annual.

Nigella, Damascena, fl. pl., double, blue blossoms; one and a half to two feet high..... 5
 — — **nana**, fl. pl., double, white and blue blossoms; one foot high..... 5

LUPIN—(*Lupinus*).

Very conspicuous plants, with spikes of pea-shaped blossoms of various colors. They look well as a back ground to other low growing annuals. Sow the seed where the plants are required, early in spring, and thin to one and a half feet apart. Hardy annual; about three feet high.

Lupinus, Hartwegi, a beautiful species with delicate foliage, and blue blossoms..... 5
— Cruikshanki, blossoms white, shaded with yellow, blue and purple..... 5

LYCHNIS.

There are few plants that produce such brilliant blossoms. The flowers are produced in clusters, and are constantly coming out all summer. Sow the seed in spring, in rich, loamy soil, under glass; plant them in the ground where they are to bloom, in May, one foot apart. Flowers the second season. Hardy perennials; one to three feet high.

Lychnis chalcedonica (London Pride), bright scarlet; two feet..... 5

The following are perennial but will blossom the first year.

Lychnis, Haageana (Benary), elegant, large, scarlet blossoms with jagged petals; one foot.... ro
— **Sieboldii**, produces large, white flowers; two feet high..... Is

MARIGOLD, FRENCH, GOLD STRIPED.

Lychnis, Haageana grandiflora gigantea, a very large flowering variety, about three feet high.

LYTHRUM.

A showy, perennial plant of easy culture, growing in any good garden soil, and producing long, numerous spikes of bright rose flowers during the season. If seed be planted in autumn, the plants will flower the following season. Hardy perennial: two feet high.

Lythrum roseum superbum..... 5

MARIGOLD.

The Marigold has been an inhabitant of the flower garden from time immemorial, and where a rich display of bloom is desired, is almost indispensable. The African varieties are tall, growing usually two feet or more, while the French are more dwarf, of most perfect form and gorgeous beauty; all are desirable. Half-hardy annuals, in bloom till frost comes.

Marigold, Meteor, a splendid new variety with very large, beautifully imbricated, extremely double, striped blossoms; deep orange on almost white ground. The stripes are very regular, and the flower striking. Covered with blossoms from May till autumn. Comes true from seed.

— African, Orange Quilled, a very double variety, with quilled petals; very showy..... 5

— **El Dorado**, this is a new development of the African Marigold, and is the very finest type of that showy autumn flower. The flowers are from three to four inches in diameter, perfectly imbricated and extremely double. In color commencing with very light primrose, they run through lemon and gold into deep orange, thus giving all shades of yellow. A decided acquisition..... 75

— — **mixed**, selected from the finest double flowers; very beautiful..... 5

MARIGOLD, METEOR.

- Marigold, French, *Tagetes signata* pumila, bright yellow flowers; elegant habit. Finest varieties mixed..... 5
- new gold striped, magnificent stripes of brown on deep gold; very double..... 5
- Cape, *Calendula poncei*, fl. pl., double white; fine..... 5
- *pluvialis*, flowers single, white, brown underneath..... 5

MARVEL OF PERU—(*Mirabilis*)—(See Four O'Clock).

MARTYNIA.

Extremely handsome, large flowering, half-hardy annual, deserving of the most extensive cultivation. Should be started in green-house or conservatory, and transplanted singly into borders.

- Martynia*, *formosa* (Fragrans), foliage thick, soft, and velvety. Flowers delicate rose lilac, blotched and shaded with bright crimson. Needs plenty of room; *very fragrant*..... 5
- *proboscidea*, a curious plant, on account of its singularly curious seed vessels, which are much esteemed when young, for pickles..... 5

MATHIOLA—(See Stocks).

MATRICARIA—(Feverfew).

Sow from December to April, in shallow boxes, in a temperature of sixty degrees. As soon as the young plants can be handled, transplant singly into small pots or shallow boxes, where they may remain until the time of planting out in the open ground in May.

- Matricaria*, *eximia grandiflora*, fl. pl., (Double Feverfew), pure white, double flowers; very beautiful; desirable for bedding..... 10

MAURANDIA.

Graceful climber for green-house, parlor, baskets, or out-door purposes. Set out in the border with a little frame to which to attach their tendrils, they will be loaded all the season with rich purple, white and rose, foxglove-shaped blossoms. The seed should be started in hot-bed or green-house, as without artificial heat they will scarcely flower the first season. They must be removed to a warm place on the approach of cold

DOUBLE FEVERFEW.

MESEMBRYANTHEMUM.

weather in autumn. Tender perennial climber; six feet high.

- Maurandia*, *Barclayana*, purple, rose, white and violet..... 10
- mixed, choicest kinds mixed..... 10

MESEMBRYANTHEMUM.

- Mesembryanthemum*, *crystallinum* (Ice Plant), handsome and curious plant for hanging baskets, rock work, vases and edgings. The leaves and stems are succulent and fleshy, and appear as though covered with ice crystals, and look like rock candy. The whole plant is peculiarly brilliant in the sunshine. The flower is white, and not conspicuous. Succeeds best in dry, sandy loam, and in a warm situation. Can be grown in pots or open border, the former having preference. Tender annual trailer; six inches high..... 5
- *cordifolium variegatum*, the leaves are blotched with light yellow and cream colored spots. Fine for green-house or conservatory; half-hardy annual; six inches high..... 10
- *tri-color* (Dew Plant), pink with purple center; half-hardy annual..... 5

MIGNONETTE, SWEET.

MIGNONETTE.

A well known hardy annual, producing dense, semi-globular heads of exceedingly fragrant flowers, borne on spikes from three to six inches long. Is in bloom nearly the whole season, and the perfume is so fragrant that the whole atmosphere around is perfumed. No garden should be without it. If sown at intervals during the spring, and early summer, it will be in bloom till killed by the frost. Seeds sown in autumn will bloom early in spring. Hardy annual; perennial if protected; one foot high.

- Mignonette*, *Golden Queen*, a new variety. The flowers are golden yellow, and powerfully fragrant..... 15

- Mignonette, Victoria**, a very valuable new variety, producing *dark red* blossoms; very attractive.....15
- **reseda, odorata grandiflora**, large flowered. The common Sweet Mignonette..... 5
- **crimson flowered Giant**, of robust habit, with very large spikes of handsome, crimson flowers of exquisite fragrance; a free and perpetual bloomer.....10
- **Parson's white flowering Giant**, flowers almost pure white, of great fragrance, borne on spikes six inches to a foot in length.....10
- **Dwarf Compact**, a distinct and very desirable variety. It forms a dense, semi-globular bush about ten inches high and eighteen inches in diameter. Highly recommended for pot culture or market purposes.....10
- **Tall Pyramidal**, this variety has woody stems and vigorous branches, which are clothed with dark green leaves and club-like spikes of flowers ten inches long, of a fine red tinge...10
- **Pyramidal Bouquet**, this forms a dense, short pyramid of free growth, the numerous branches being terminated by large spikes of *intense red flowers, as many as 300 of them being produced on one full grown specimen.* This variety is recommended for pot culture, and for the open border.....10
- **Machet**, an entirely new and distinct sort of great merit. It is of dwarf and vigorous growth, and throws up numerous stout flower stalks, terminated by massive spikes of deliciously scented red flowers. One of the very best sorts for pot culture.....15

MIMOSA—(See Sensitive Plant).

MIMULUS.

- Strikingly handsome flowers of easiest cultivation. Perennial in the green-house, annual in the open air. Start under glass.
- Mimulus, moschatus** (Musk Plant), cultivated on account of the musky odor of the plant. Needs rich soil and plenty of moisture. May be cultivated to an upright plant, though usually trailing.....10
- **punctatus** (Monkey Flower), large, beautifully spotted blossoms; blooms first year.... 10
- **double, (tigrinus duplex)**, splendid variety, with beautiful, double tubed flowers; very interesting.....25

MOLUCELLA.

Molucca Balm, or shell flower is a very curious plant. Within the calyx a button shaped bud appears, which unfolds into a shell-shaped flower of a white and purple color. It is a strong annual, growing two or three feet in height with but few leaves, but such numerous branches that its width is often as great as its height. Sow in hot-beds in spring, and about the end of May transplant into dry, warm border, where it will flower freely.

Molucella, lævis.....10

MOMORDICA.

- A curious, annual climber, with yellow blossoms and foliage similar to the Canary Bird Flower. The fruit is the chief curiosity, is egg and pear shaped, and covered with warty excrescences, and when ripe, bursts suddenly open, scattering its seed, and showing a brilliant carmine interior. Fine for trellises, fences, stumps, &c.
- Momordica, balsamina** (Balsam Apple)..... 5
- **charantia** (Balsam Pear)..... 5

MORNING GLORY—(Convolvulus Major).

Handsome, showy climber of easy culture, and suitable for covering arbors, windows, trellises, old stumps, &c. It is so perfectly hardy as to grow in almost any soil. Without care, will soon cover any unsightly place if support be given for the vines. The flowers are most brilliant in the morning, and run through many shades, from white to dark blue, red and striped. Hardy annual; ten feet high.

BALSAM PEAR.

- Convolvulus Major, striped.**..... 5
- **blue**..... 5
- **crimson**..... 5
- **white**..... 5
- **purple**..... 5
- **mixed**..... 5

(See also *Convolvulus*).

MONKEY FLOWER—(See Mimulus).

MOUERNING BRIDE—(Scabious).

Handsome flowers in hemispherical heads on long stems of exceeding sweetness, and sometimes called Sweet Scabious.

The colors are deep and light purple, scarlet, white, and dark mulberry red; some of the dark shades are tipped with white. With proper protection of the roots they will bloom two or three years. Very useful for bouquets, as their long stems work easily, and their striking colors, as well as fragrance, are desirable. Plant in hot-bed, and transplant one and a half feet apart. Tender perennial; one to two feet high.

MOUERNING BRIDE.

- Scabiosa, atropurpurea**, deep purple..... 5
- **candidissima**, pure white..... 5
- **mixed**..... 5

MUSK PLANT—(See Mimulus).

MYOSOTIS—(See Forget-Me-Not).

NASTURTIIUM, TALL—(Tropæolum Lobbianum).

The Lobbianum differs materially from the common running Nasturtium, and is admirably adapted for greenhouse or conservatory decoration in winter. It is a very rapid grower, and strikes freely from cuttings, but seeds

sparingly. The colors are very brilliant, and of many shades, from scarlet to black. Fine for covering arbors, trellis, and rustic work. Hardy annual; ten to twenty feet high.

NASTURTIIUM, TALL.

Tropæolum Lobbianum.....	15
— — Geant des Batailles, carmine	15
— — Roi des Noirs, black.....	15
— — Lucifer, splendid, very dark scarlet	15
— — mixed.....	10
— tall mixed, the common tall varieties.....	5

NASTURTIIUM DWARF—(Tropæolum Minor).

A bed of Dwarf Nasturtiums in the yard is very brilliant and attractive, and they bloom all the season. The flowers are more brilliant if the soil be not over rich. Give each plant a foot of room. Hardy annual; one foot high.

NASTURTIIUM, DWARF.

Nasturtium, Dwarf, Crystal Palace Gem, sulphur, spotted maroon.....	5
— — scarlet	5
— — King Theodore, very dark.....	5
— — Beauty, orange and vermillion.....	5
— — yellow.....	5
— — Pearl, white	5
— — Rose.....	5
— — King of Tom Thumbs.....	5
— — Golden King of Tom Thumbs, brilliant gold color.....	5

Nasturtium Dwarf, Spotted King, yellow, spotted chocolate.....	5
— — Empress of India, a very dwarf plant with dark tinted foliage. It produces flowers of the most brilliant crimson color in great abundance. It is unequaled in effectiveness by any other annual in cultivation.....	5
— — mixed.....	5

NEMOPHILA—(See Love Grove).

NIEREMBERGIA.

Charming little plants, well adapted for edgings, baskets, &c. The seed should be sown in green-house, or in pans in the house, and set out in open ground after danger of frost is over.

Nierembergia, gracilis, a fine bedding plant; white with purple eye; slender and graceful10

NIGELLA—(See Love-in-a-Mist).

NOLANA.

Beautiful, trailing plants, with prostrate stems, much branched; almost equal to the Portulaca for growing in masses, and unsurpassed for rock work, pots, baskets or vases, as the branches hang pendulous over the edge of vase or basket. The blossoms are convolvulus-shaped, brilliant, freely produced, of various colors. Sow in open ground, in light, sandy, soil, early in spring; plenty of sun, and a dry situation are essential. Hardy trailing annual; six inches high.

Nolana, atriplicifolia, blue, white and yellow.....	5
— mixed.....	5

NYCTERINIA.

Charming little plants well adapted for rockeries and baskets. The flowers are borne on large heads, are of various colors, star-shaped, and during the evening are very fragrant. Produces richer, larger, and more blossoms in light soil. Start in hot-bed, and transplant six inches apart. They will blossom very early in spring, and remain in bloom the whole season. Tender perennial; six inches high.

Nycterinia, capensis, white, yellow center.....	10
— mixed.....	10

NYMPHÆA—(Water Lily).

Hardy; aquatic plants, bearing exceedingly beautiful fragrant, white blossoms, which appear as if floating on

NYCTERINIA.

the water. They are very much admired, and becoming more and more popular every year.

NYPHÆA.

kept continually covered with water.

Cultivation in Tubs.—Take a strong barrel, free from tar, oil or salt, saw it in two, fill this one-third full with fine, black, garden soil, or meadow mud, if handy; plant the seed in this mixture, covering them one inch deep, add water gently so as not to disturb the seed, until the tub is full. This is all the care needed, always keep the tub full of water. Set this on a brick or board platform in any place you desire. The tubs, with their contents, should be placed in a cellar during the winter, kept from frost, and not allowed to entirely dry up.

For Aquariums.—Put in five inches of fine, black loam, cover the seed one inch deep in this, and sift on enough fine sand to entirely cover the loam.

Nymphaea, odorata, white; fragrant......20

GENOTHERA—(See Primrose).

OLEANDER—(*Nerium*).

This well known shrub, originally a native of India, is of easy culture, and flowers freely the greater part of the year. In warm, moist climates, it requires no protection, and attains the proportions of a good sized tree. The flowers have a salver-shaped corolla, with a crown of torn appendages in the center, are of a beautiful shade

OXALIS.

of pinkish red. They can be produced successfully in the house if the atmosphere is kept moist and warm. Sow seeds in gentle heat in February or March, in light, rich soil, which must be kept moist. When young plants are three or four inches high, repot in rich soil. The temperature in which plants are grown should not fall below 35°. The young shoots made one season should bloom the next.

Nerium, oleander...... 10

OXALIS.

Very pretty, herbaceous plants with rich, rose colored blossoms. They thrive well in a mixture of loam and sand; they should not be watered after they have done flowering, until they begin to grow afresh. They are desirable for green-house decoration, rock work or baskets out of doors. The plants can be wintered successfully in cold frame if they are kept dry and the frost excluded. Sow seeds in gentle heat early in spring, and when well started, transplant where they are to flower. Half-hardy perennial.

Oxalis, rosea, rose colored...... 10

— *floribunda, alba, white.*..... 10

PEONY.

New varieties of these justly popular flowers are obtained from seed, and some are sure to repay the little care required. If the seed be sown in a cold frame in autumn, the plants will be large enough to transplant the following spring, and a year later will begin to bloom.

Pæony, herbacea (Chinensis), from a splendid collection of finest double sorts of all colors.25

PALM—(*Chamærops*).

The Palm is perhaps one of the most ornamental plants in the green-house, and those varieties that are hardy enough to bear planting out in the lawn during warm weather, are sure to command attention. The seeds are imported, and must of course have the aid of green-house or conservatory to make them germinate. Seeds are frequently four months in germinating.

Chamærops, humilis (Dwarf Fan Palm), the most hardy sort, and in Scotland has stood out several winters with but slight protection. It is also the most dwarf of its species, seldom attaining over eight or ten feet in height.15

— *excelsa* (Hempen Palm of China), is a green-house variety in our climate. As a lawn plant in our Southern States, nothing could be more conspicuously attractive. A well grown specimen will attain the height of twenty-five or thirty feet.25

PAMPAS GRASS.

PANSY.

PAMPAS GRASS—(Gynerium).

Magnificent, ornamental grass, producing numerous flower stems, surmounted by plumes of silvery inflorescence. Half-hardy perennial, from South America; ten feet high. Start in heat.

Gynerium, argenteum.....10

PANSY.

These lovely flowers are favorites with all, not only for the brilliancy and variety of their colors, but for the durability of their bloom. Seed may be sown in open ground in spring or summer, or in hot-bed early in spring. Young plants produce the largest and best flowers. The plants should always occupy a cool, partially shaded situation, and the ground cannot be too rich; coolness and moisture are necessary. Transplant when an inch high. Seed sown in July will blossom late in autumn; if sown in October, will bloom the following spring. Hardy biennial; four inches high.

In Germany where the culture of the Pansy is carried to the utmost perfection, the following method is observed:

A fresh bed of rich vegetable mold is selected every year, worked deeply and thoroughly manured; liquid manure also being applied occasionally during the season. The bed is well soaked the day previous to sowing and the seed is kept evenly moist and well shaded during the germinating period (eighteen to twenty days).

Later the plants are transplanted to a similar bed, where they grow well into winter, producing an abundance of large flowers.

PANSY, STRIPED.

The following varieties we have imported from the best English, German and French florists and can recommend them with confidence. They are saved from the choicest and largest flowers, and comprise all shades of colors, from pure white to King of the Blacks.

Pansy, copper colored.....	15
— Emperor William, indigo, dark center.....	15
— King of the Blacks, coal black.....	15
— large stained, large and extra fine.....	15
— Odier, each petal blotched.....	15
— pure yellow.....	15
— variegated and striped, fine.....	15
— white, pure.....	15
— purple, white edged.....	15
— sky blue.....	15
— fawn colored.....	15
— gold margined.....	15
— mahogany colored.....	15
— violet, white edged.....	15

PANSY, LARGE STAINED.

Pansy, Prince Bismarck, golden bronze, marbled; remarkably beautiful.....	15
— Lord Beaconsfield, the ground color is purple-violet, shading off in top petals only to a whitish hue, a peculiarity which lends to the whole flower an unusually bright appearance. The flowers are of immense size, and it is altogether very desirable.....	15
— Snow Queen, or Snow Flake, flowers of a delicate pure white; very pretty.....	15
— Trimardeau, an entirely distinct and beautiful race with flowers of the richest and most varied shades of color. The plants are of a vigorous and compact growth, and the flowers, which possess unusual substance and consistency are each marked with three large blotches or spots. They are of fine form and a size hitherto unattained in this genus—the largest of the Pansy family.....	25
— extra choice mixed, from choicest named flowers.....	15
— fine mixed, good quality.....	10
— mixed.....	5
— collection of nine splendid varieties.....	100

PASSION FLOWER.

A most interesting and well known order of climbers, bearing singularly beautiful flowers. They are the pride of South America and West Indies, where the woods are filled with the species, which climb about from tree to tree, bearing flowers of striking beauty. We have selected two varieties which seem best adapted to our climate, being more hardy than many other sorts.

Passiflora, cœrulea, hardy, deciduous climber, with blue and white flowers of remarkable beauty. It is hardy enough to withstand our winters, if the roots are protected with straw, leaves or mulch.....10

Disemma, coccinea, magnificent green-house climber, with brilliant scarlet blossoms in the form of a double coronet or crown. Is rather tender but can be planted out after danger of frost is over; must be sheltered or protected from frost in autumn or winter.....20

PEAS—(Lathyrus).

A perennial climber, producing a long succession of white, rose, and purple blossoms, in clusters of eight or ten each. Suitable for trellises, arbors, etc. Young plants flower the second year freely, but the third and fourth year they produce an abundance of foliage and bloom. Hardy perennial; ten feet high.

Lathyrus, latifolius, rose.10
 — white15
 — mixed perennial15
 — odoratus (see Sweet Peas),

PENNISETUM—(Ornamental Grass).

A species of hardy grass, useful only for the formation of winter bouquets. The heads are barbed and feathery, and present a beautiful appearance when mixed with Gomphrenas and other immortelles. Is perfectly hardy, and will grow in any common soil.

Pennisetum, longistylum, hardy annual; ornamental grass; two feet high..... 5

PENTSTEMON.

These handsome, herbaceous plants are deservedly growing in favor for bedding purposes. The flowers are bell-shaped, in racemes or spikes, and are constantly produced during the whole season. No one who has ever seen their beauty will willingly do without them. They are hardy perennials, and will live out of doors

PENTSTEMON. MURRAYANUS.

PERILLA.

with a little protection. The seed should be sown in open border, covered very lightly, and the plants transplanted when four inches high.

Pentstemon, Hartwegi, splendid mixed, one of the freest blooming kinds, and highly recommended; flowers brilliant, and very striking. Two feet high.....10
 — *Murrayanus*, one of the best; a single spike has been known to produce upwards of fifty blossoms; flowers rich, shining scarlet; 3 feet high. 10
 — choice named varieties, seed saved from collection of newest varieties, and cannot fail to give great satisfaction.....10

PERILLA.

Ornamental foliage plants similar to Coleus. Fine for bedding with silver leaved plants. Foliage metallic bronze; nothing else like it. Same culture as for Coleus. Half-hardy annual.

Perilla, nankinensis atropurpurea laciniata. ... 5

PETUNIA, GRANDIFLORA SUPERBISSIMA.

PETUNIA, FRINGED.

PETUNIA.

Petunias are unsurpassed, if indeed equaled for massing in beds. Their richness of color, duration of bloom, and easy culture, will always render them popular. They will do well sown in open border in spring, or earlier in cold frame or hot-bed, and transplanted eighteen inches apart. By the latter process, they will come into bloom much earlier, though they do perfectly well sown in open ground. Be careful not to cover the small seeds too deeply; they like a sandy loam. Tender perennials, but will bloom the first season. One and a half feet high.

It is, perhaps, not generally understood that the seeds of double Petunias are only obtained by artificially fecundating single blooms with the pollen from the double, and the progeny cannot all be expected to come double. The finest double Petunias are always grown from seeds: when propagated from cuttings they degenerate rapidly.

- Petunia, hybrida, nyctaginiflora, pure white. 5
- Countess of Ellesmere, deep rose, white throat.....10
- finest striped and blotched, saved from magnificent collection of striped and blotched varieties.....10
- inimitabilis nana compacta multiflora, (Inimitable dwarf), a compact plant five to eight inches in height, covered with regularly striped flowers. Very effective either for massing or pot culture.....15
- fine mixed..... 5

Large Flowering Section.

- Petunia hybrida, grandiflora marginata, fine, green edged varieties, beautiful.....20
- — kermesina intus alba, crimson with white throat.....20
- — Prince of Wurtemberg, rose.....20
- — Princess of Wurtemberg, purple.....20
- — superbissima, novelty; splendid, large throat..... 25
- large flowered mixed, saved from largest flowers..... 10

PETUNIA, DOUBLE FRINGED.

Petunia, hybrida grandiflora, choicest mixed, seed saved from show flowers.....15

Fringed Section.

Petunia, fringed varieties, mixed, very desirable...20

Double Flowering Section.

- Petunia, double mixed, finest varieties carefully fecundated with best double flowers. Sure to produce a good percentage of double flowering plants.....20
- hybrida grandiflora robusta, fl. pl., new, dwarf, of robust growth, forming a compact, upright, branched bush about ten inches in height and fourteen inches in width, with double, sometimes even double fringed flowers in all shades of colors existing in Petunias. An extremely handsome, valuable sort for market culture.....25
- extra double fringed, many colors; beautifully fringed, a good percentage double; new.....50

PHACELIA.

A curious and interesting hardy annual. It makes a pretty border plant and is good for bee food.

- Phacelia, congesta, blue..... 5

PHLOX DRUMMONDII.

Remarkable for the brilliancy and abundance of their large, terminal flowers, completely hiding the foliage. The blossoms are of many colors, from pure white to deepest purple, eyed and striped. For masses of separate colors and for cutting for bouquets, they are unsurpassed. The seed can be planted in open ground in autumn or spring, or plants may be started in hot-bed and transplanted. Give good, rich ground and set plants six inches apart each way. Hardy annual; one foot high.

- Phlox Drummondii, alba, pure white.....10
- — scarlet, black center.....10
- — rosea, deep rose.....10
- — Black Warrior, fine.....10
- — Leopoldii, red, white eye..... 10
- — alba oculata (superba), white, purple eye...10

PHLOX DRUMMONDII.

- Phlox Drummondii**, brilliant, new; brilliant rose with dark red center, very effective.....10
- **grandiflora splendens**, this very fine variety has proved itself to be the gem of the new large flowering race of *P. Drummondii*. The flowers are large, handsomely rounded, and of great substance; the color vivid crimson, with a pure white disc; the habit of growth free and robust.....10
- **stellata splendens**, the *grandiflora splendens* is universally regarded as the *richest colored* and *most effective* of all the large-flowering Phloxes. This new variety is identical with that with this exception, the center of its vivid crimson flower is occupied by a *clearly defined pure white star*. The effect is very fine.....25
- **extra choicest mixed**, composed of the best varieties of the *grandiflora* species; very choice.....10
- **fine mixed**, many fine varieties.....5
- **"Graf Gero," mixed**, a new strain of fine compact growth; excellent for pot culture.....25

PHLOX DRUMMONDII,
STELLATA SPLENDENS.**PHLOX PERENNIAL.**

The varieties of Perennial Phlox are among the choicest of our flowers for bedding and border plants. They are perfectly hardy, and need no protection; will flourish in any soil, succeeding better, however, in deep, rich, rather moist ground.

Phlox Perennial, mixed, seeds saved from the new—
est splendid sorts15

PINK—(Dianthus).

The family of *Dianthus* is by far the most useful of all the biennials and perennials, and for beauty and variety cannot be surpassed. The delicacy and richness of the tints, combined with the aromatic fragrance of many of the species are valuable recommendations for the entire family.

- Dianthus, Chinensis fl. pl.**, (**Double China Pink**), this species is a biennial of dwarf habit; flowers the first year, but the bloom is stronger the second. The colors are very rich, and in large beds you can hardly find two alike. Seeds saved from double flowers will produce double ones..... 5
- **Heddewigii**, single mixed, flowers deeply fringed or feathered; very fragrant, and of the most brilliant colors. Hardy, one of the finest annuals..... 5
- **Plumarius Scoticus fl. pl.** (**Double Florist's Pink**), saved exclusively from Mr. Turner's very best varieties of show pinks; *extra*... 50
- **Chinensis, Heddewigii, fl. pl.**, (**Heddewig's Pink**), flowers very large and double, having a diameter of nearly three inches; of various shades of brilliant colors, almost unsurpassed. An elegant acquisition. Half-hardy biennial..... 10
- **laciniatus, fl. pl.**, (**Double Japan Pink**), to be properly appreciated, these should be seen, as it is impossible otherwise to convey any idea of their beauty. Rich in hue, very double, deeply fringed petals—only lacking fragrance to make them perfect. Half-hardy biennial..... 10
- **Heddewigii diadematus**, (**Double Diadem Pink**), this is of denser growth than the *Heddewigii*, and of dwarfer habit. Very regular, densely double, and of all tints, from crimson-purple to deep black purple. It has often a velvet-like, radiant fire, impossible to reproduce..... 10
- **Chinensis imperialis, fl. pl.**, (**Double Imperial Pink**), a superb double variety from China..... 5
- ☞ The following two varieties are selections from the finest formed varieties of *Dianthus Heddewigii*, and are remarkably fine.

PINK, DOUBLE CHINA.

PINK, HEDDEWIG'S DOUBLE.

- Dianthus, Heddewigii**, Eastern Queen, beautifully marbled; the broad bands of rich mauve upon the paler surface of the petals are very striking and pretty.....25
- **Crimson Belle**, rich, vivid, crimson-like color; flowers of extraordinary size and substance, evenly and finely laciniated. Both of the above varieties come perfectly true from seed.25
- **barbatus** (see Sweet William).
- **caryophyllus** (see Carnation).

POPPY, CARNATION.

POPPY—(Papaver).

Old fashioned flowers, but very popular. There are a few species of great beauty, which are an ornament to any garden. The following varieties will be found to be magnificent. Hardy perennials, blooming first year from seed, if sown early; will not bear transplanting well.

- Papaver, bracteatum**, superb, large, double, orange-crimson flowers..... 5
- **Oriental**, large, gorgeous, scarlet blossoms; bottom of petals black; beautiful..... 5
- **umbrosum**, rich vermillion, with a shining black spot on each petal, one of the most showy of all the varieties..... 10
- **Carnation white**, fine large double white flowers 5
- **mixed**, large, showy, double flowers of various colors; two feet high..... 5

The last variety, under the name of **Papaver somniferum**, is the sort used extensively for the extraction of opium.

DOUBLE PORTULACA.

PORTULACA.

There are scarcely any flowers in cultivation that make such a dazzling display of beauty as a bed of many hued brilliant colored Portulacas. They are in bloom from about the first of July till killed by frost in autumn. Plant under glass or in open ground after it has become warm, in a light, sandy soil, and in a dry situation. After the plants appear, withhold water; and if the bed have a full exposure to the sun, the ground will be covered with the plants, and the effect will be beautiful. Tender annual; nine inches high.

- Portulaca, alba**, pure white..... 5
- **aurea**, deep golden..... 5
- **striata**, striped yellow..... 5
- **caryophylloides**, carnation striped..... 5
- **fine mixed**, many beautiful kinds..... 5

Double Varieties.

The double varieties of this plant are most beautiful. The blossoms are about one and a half inches across, perfectly double, and of many colors. Not all the plants will be double, but the single ones can be pulled out. They will stand any amount of dry weather.

Portulaca, double, white.....	20
— orange.....	20
— scarlet.....	20
— rose striped.....	20
— sulphur.....	20
— mixed.....	15

PRIMROSE, EVENING—(Oenothera).

The Oenothera, or Evening Primrose, produces large, showy blossoms, which are fully expanded only towards and during evening. The blossoms are three to four inches across, usually yellow or white, and very freely and constantly produced. They all do better if seed be started in hot-bed, and the plants transplanted.

EVENING PRIMROSE, WHITE.

Oenothera, acaulis alba, of prostrate habit, the leaves lying on the ground; produces an abundance of large flowers about three inches across, of most wonderful beauty, being transparent, and of the color and lustre of mother of pearl. Hardy perennial; six inches high..... 10

— *Lamarckiana*, superb spikes of large, bright yellow blossoms about four inches across. As many as 400 buds and blossoms have been counted on a single spike, and they are constantly produced from early spring till late in autumn. Hardy perennial; four feet high.... 5

— *gigantea*, the stem grows very tall, changing at about two-thirds its height into an immense flower spike of bright yellow. Notwithstanding its shrubby appearance, it is an annual, and may be grown as easily as the other kinds. 10

PRIMULA SINENSIS—(Chinese Primrose).

These are perhaps the most desirable of all house blooming plants. They are in almost constant bloom all winter, and if the plants be transferred to the border, they will bloom nearly all summer. Though perennial, new plants flower more freely, and seed should be sown every year. Give them a long time for growth before flowering, and do not force the young plants, but simply protect them from frost and damp, cutting winds. Sow the seed in shallow boxes drained with charcoal, filled to the depth of two inches with sand and finely sifted garden soil. Sow seed thinly, and cover about one-sixteenth of an inch. If covered too deeply, or if the seed be wet and allowed to dry again, they will not germinate. When the plants show growth, transplant singly into small pots and later into three and four inch pots. They thrive best in a cool, dry place with plenty of light, but protected from the sun. They do not require much water, except for a few days after repotting. Tender perennial; six to nine inches high.

Primula, sinensis, fimbriata, new scarlet, distinct and striking.....	25
— — — rose, rose varieties mixed.....	25
— — — Village Maid, pure white.....	25
— — — alba maxima, flowers large, of great substance, finely fringed, pure white, extra.....	50
— — — punctata elegantissima, the darkest Primula known; flowers velvety crimson, admirably fringed and regularly spotted on the edge with white.....	50
— — — filicifolia, choicest fern leaved mixed, dark carmine and pure white.....	25
— — — choicest mixed, from Mr. James' choicest strain of best fringed varieties; confidently recommended to give the greatest satisfaction; all colors mixed.....	25

Double Varieties.

The following four varieties can be relied upon to come true from seed. They are very choice, and highly recommended for florists.

Primula, sinensis, fimbriata, double crimson....	50
— — — white.....	50
— — — red.....	50
— — — mixed.....	50

PRIMULA.

Primula, Japonica, mixed, the Queen of Primroses; noble in foliage and bearing. The beautiful, fine, large, various colored flowers stand in whorls, pyramidically arranged on stout flower stems, which are over one foot high..... 25

It is sometimes difficult to get Primula Japonica to germinate. After sowing the seed let the plants remain in a cool and moist place for four or five weeks, then place them in a frame or house where there is bottom heat, and the seed will grow freely.

PYRETHRUM. GOLDEN FEATHER.

PYRETHRUM—(Feverfew).(Also see *Matricaria*).

Very useful, and universally admired bedding plants, deserving a place in every garden. Sow from December to April, in shallow boxes, in a temperature of 60°. As soon as the young plants can be handled, transplant singly into small pots or shallow boxes, where they may remain until the time of planting out into the open ground in May.

Pyrethrum parthenifolium aureum (Golden Feather), beautiful, gold leaved bedding plant, retaining its ornamental character until late in autumn. One of the finest recent acquisitions for geometrical designs; flower white.....10

Pyrethrum roseum, (*Insect Powder Plant*). Practical entomologists have long been looking for some effective, safe and cheap insecticide, and now tell us they have found it in the *Persian Insect Powder*. This is the dried and powdered flowers of the *Pyrethrum Roseum*, and is certain death to Plant Lice, Flies, Cabbage Worms, and nearly every form of insect life. It is harmless to man, but when diluted with ten times its bulk of flour, kills every cabbage worm or other insect it touches. Hitherto the high cost of the powder and the difficulty of securing a pure and fresh article has prevented its coming into general use, but experiments made by Prof. Riley, of the United States Entomological Commission and others, showed that it can be grown successfully in all of the Southern and many of the Northern States.

CULTURE.—Sow in boxes of prepared soil, as early as the season will permit, and transplant to sixteen inches apart whenever the plants are large enough. The young seedlings are small and of slow growth, but the older plants hardy and vigorous. The largest crop of flowers is produced the second season. They should be gathered when in full bloom, dried carefully, and stored in paper bags. Before using, the flowers should be powdered as fine as possible. *Per pkt. 10c., oz. \$1.00.*

QUAKING GRASS—(See Briza).**RHODANTHE—(Everlasting).**

Of all the many varieties of everlastings, we think the *Rhodanthe* the finest and most beautiful. The flowers are of various colors, pure silvery white with yellow disc, rosy crimson and bright purple, rose suffused with white, &c. For winter bouquets, the blossoms should be gathered before they are fully expanded, and if dried in the shade, they will retain their brilliancy for years. The leaves are heart-shaped and lustrous, and the calyx long, scaly and shining. The seeds should be started in hot-bed, and the plants transplanted to a warm situation, one foot apart. Tender annual; one foot high.

Rhodanthe, Manglesi, rich rose color, suffused with white.....10
 — double, a novelty and a curiosity; produces 10 to 15 per cent. of double blossoms..... 25
 — maculata, rosy crimson, bright purple or white with golden center, surrounded by a velvety band.....10
 — alba, pure white, with yellow disc; elegant.....10
 — mixed.....10

RHODANTHE, MANGLESI, DOUBLE.

RICINUS—(See Castor Bean).**ROCKET—(Hesperis).**

The Sweet Rocket produces clusters of flowers which are very fragrant during the evening. The seed readily germinates in the open ground with very little care. Hardy perennial; one and a half feet high.

Rocket, Sweet, purple... 5
 — white..... 5

ROSE CAMPION—(See Agrostemma Coronaria).**ROSE OF HAVEN—(See Agrostemma Cœli-rosa).****SALPIGLOSSIS.**

Very showy bedding or border-plants, with richly colored, erect, funnel shaped flowers. The colors are beautifully marbled and penciled, purple, scarlet, crimson, yellow, buff, blue, and almost black. They are biennial in green-house, but annual in open ground. Start seed in hot-bed, and transplant one foot apart into a mixture of loam and sand, with well rotted horse manure at the bottom. Bloom from August to October. Tender annual; one and a half to two feet high.

Salpiglossis, black, recommended for its distinct character, as a black blossom.....15
 — fine mixed, colors beau fully marbled; purple, scarlet, crimson, yellow and blue.....10

SALPIGLOSSIS.

SALVIA.

The *Salvia*, or Flowering Sage, is a very ornamental plant, flowering in spikes of fiery red, crimson and blue, and continues in blossom in open ground till frost, when the plants can be removed to the green-house and will continue in bloom a long time. Start the plants in hot-bed, and transplant into light, rich soil, about one foot apart.

Salvia Roemeriana, deep crimson; tender annual, one foot.....10

The following are half-hardy perennials, but bloom the first season; two to three feet.

Salvia splendens, *compacta*, the finest *salvia* grown, being literally covered with blossoms; grows well from cuttings.....15

— *patens*, one of the brightest and purest of all blue flowered plants, and holds a pre-eminent position.....20

SANVITALIA.

SANVITALIA.

Very pretty, dwarf, trailing plants, excellent for rock work, borders or edging of beds. It is so completely covered with flowers as to nearly hide the foliage. The flowers are double, and of a brilliant golden yellow, resembling a miniature double zinnia in form. Sow where required in open ground,

in spring, and thin to six inches apart; the plants will then cover the ground. Hardy annual; six inches high. *Sanvitalia Procumbens*, fl. pl.....10

SCABIOUS—(See Mourning Bride).

SCARLET FLAX—(See Linum).

SEDUM.

A species of low, succulent plants, some of which are remarkably pretty; grow readily upon stones, rocks, walls and roofs of houses; are admirably adapted for the center of hanging baskets.

Sedum, cœruleum, the common blue sedum, frequently known as Blue Stonecrop. Hardy annual; six inches high.....10

SEDUM.

SENSITIVE PLANT—(Mimosa).

An interesting and curious plant, with globular heads of pink flowers, well known for the extreme irritability of its leaves and foot stalks which close and droop at the slightest touch, or in cloudy, damp weather, and during the night.

The plant is most irritable in the greatest heat and if the upper branches be touched and droop, touching the lower ones, the whole plant will appear as if wilted and dying. Start in hot-beds, or pots, and transplant into a warm situation, six inches apart. Tender annual; one and one half to two feet high.

Mimosa pudica..... 5

SMILAX.

No climbing plant in cultivation surpasses this for graceful beauty of its foliage. In cut flowers, and for wreaths, etc., it is indispensable to florists. Its hard texture enables it to be kept several days after being cut, without wilting. Nothing is finer for clothing statues, vases, etc.

Soak the seed in warm water twelve hours, and plant in pots, in hot-bed or green-house, in February, and keep in a warm, moist place. One plant in a two-inch pot is enough. After they have completed their growth, and the foliage begins to turn yellow, turn

SNAPDRAGON.

the pots on their sides and withhold water till August, when the little bulb which has formed, can be repotted in good, rich earth, and watered freely, and it will grow all winter. *The seed germinates very slowly, sometimes requiring three or four months. Tender perennial climber; ten feet high.*

Smilax, Myrsiphyllum asparagoides.15

SNAPDRAGON—(Antirrhinum).

The Snapdragon is an old favorite border plant, with dark and glossy leaves, and large, curiously shaped flowers with finely marked throats. They have been much improved by careful selection, and now are really magnificent flowers. They blossom the first season from seed sown in spring, but the blossoms will be much stronger the second season. Succeeds best in dry, loamy soil. Tender perennial; one and one half to two feet high.

Antirrhinum majus album, pure white..... 5

— — brilliant, crimson, white throat..... 5

— — *Delila*, white throat..... 5

— fine mixed, all the best colors. 5

SOLANUM.

A class of beautiful ornamental, fruit-bearing plants. They are useful for conservatory decoration, and present a beautiful appearance in the drawing room. Most of the varieties are half-hardy perennial shrubs, and can be planted out when danger of frost is over. The

SOLANUM, PSEUDO CAPSICUM.

foliage is beautiful, but the fruit is the chief attraction, being very beautiful in appearance, but not edible.

Solanum, pseudo capsicum, covered with a profusion of miniature, pepper-shaped, scarlet fruit.....10

STIPA—(See Feather Grass).

STOCK.

The stock has for many years been a general favorite, but of late years the Germans have grown them in such perfection that they are considered almost indispensable where a fine display is wanted. The seed is grown with such great care that a very large propor-

tion of double flowers are produced from the seed, and of great fragrance and beauty. To have them in bloom early, start in hot-bed, and transplant when small into pots, and turn out in June to open border. The seed may also be planted in open ground. Hardy annual; one foot high.

Stock, Double German Ten Weeks,
Stock, double German Ten Weeks, mixed, fine. 10
— **dwarf German, Ten Weeks, pure white,**
large flowering.....15

Intermediate, or Autumnal.

The intermediate Stocks, if sown at the same time as the "Ten Weeks," will succeed them in bloom, thus affording continuous bloom until late in the fall. If sown in pots, late in the summer, they will bloom the following spring.

Stock, Intermediate, white.....15
— — **scarlet**.....15

Brompton and Emperor.

These stocks should have the same treatment as the intermediate. They cannot endure our winters unless protected.

Stock, Brompton, mixed, blooms well in winter; flowers very fragrant. Half-hardy biennial; one and a half feet high.....10

— **Emperor, or Perpetual, mixed**, this beautiful and splendid variety of stock will bloom several years if protected from the frost; and if planted in pots early in spring, in greenhouse, will bloom the first autumn. The pots should be kept in a dry, cool place during winter, after blooming. The magnificent spikes of bloom are very rich and attractive, and for individual specimens are unequalled. Tender perennial; one and a half feet high...15

SUMMER CYPRESS—

(See Belvidere).

SUNFLOWER—(Helianthus).

Adapted by its stately growth for a background to a lawn, or a screen to hide unsightly places. It is also raised as an absorbent of miasma in damp or ill-drained situations, thus preventing fevers. The flowers are really quite attractive. Plant the seed in spring, where desired, and thin to four feet apart in rows. Hardy annual; five feet high. **Sunflower, double (Helianthus Californicus, fl. pl.), very double**..... 5

— **Large Russian**, a very tall growing single variety, often fifteen to twenty feet high; the stalks are sometimes used for fuel... 5

SUNFLOWER.

SWAN RIVER DAISY—(See *Brachycome*).**SWEET PEAS**—(*Lathyrus Odoratus*). **SWEET PEAS.**

Hoe the earth toward the vines without ridging, and give support for the vines to run upon. Hardy annual; six feet high.

Sweet Peas, purple	5
— scarlet.....	5
— striped.....	5
— Painted Lady.....	5
— invincible scarlet.....	5
— black.....	5
— white.....	5
— mixed.....	5

SWEET SULTAN—(*Centaurea*).

Handsome border plant of easy culture, bearing very fragrant, double, deep purple blossoms from July to October. They produce a striking effect in mixed borders, and are extremely useful for forming bouquets of cut flowers in connection with other colored flowers. Plant where required, in spring, and thin to six inches apart. Hardy annual; two feet high.

Centaurea, moschata atropurpurea, double purple	5
--	---

SWEET WILLIAM—(*Dianthus Barbatus*). **SWEET WILLIAM.**

A bed of the finer varieties sports into an endless variety of colors, and presents a beautiful sight. For display in the garden, the Sweet William is unsurpassed. The seed can be planted very early in the spring, in open ground, and will blossom the following autumn; or it can be sown in August, and will make fine

Showy, free flowering climber, and deservedly one of the most popular annuals that enrich the flower garden. The flowers are very freely produced, red, white, crimson, purple, black, and striped, and quite fragrant. Plant four inches deep, very early in spring—the earlier the better.

TORENIA.

Dianthus, barbatus, pure white, pure white flowers	10
— black, reddish, velvety black.....	10
— fine mixed.....	5
— mixed double, perfectly double, and great variety of colors.....	10

TAGETES—(See *Marigold*).**TASSEL FLOWER**—(*Cacalia*).

A showy plant of easy culture, producing beautiful, scarlet and golden yellow, tassel-shaped blossoms, from July to October. It is sometimes known as *Flora's Paint Brush*. Looks best when grown in clusters. Succeeds best in a mixture of fresh loam and leaf mold. Sow early in spring, in open ground, in clusters. Hardy annual; one and a half feet high.

Cacalia, coccinea, scarlet	5
— aurea, golden yellow.....	5
— mixed.....	5

TORENIA.

A very fine annual, with large, sky blue blossoms, with three large spots of dark indigo blue, and a yellow stain in the center. Sown from February till April, in pots, and kept under glass, it will flower from June to September. The prettiest annual for cultivation under glass, but will thrive well in open air during the warmer season of the year. In open air, the plants are dwarfer and more robust, flowering well till cold weather.

Torenia, Fournieri Superbiens, the darkest spotted varieties	10
---	----

TREE CYPRESS—(*Ipomopsis*).

A wonderfully handsome plant, with fine, feathery foliage, somewhat like that of the Cypress Vine, and long spikes of beautiful flowers. It is equally desirable for out-door or conservatory cultivation. Sow the seed in August in a dry situation; if the ground be at all wet, the plants will decay. Half-hardy biennial; three feet high.

Ipomopsis, elegans, mixed	5
--	---

TBITOMA.

An interesting half-hardy, summer and autumn blooming plant, producing magnificent spikes of rich, orange-red flower tubes. Needs protection of dry litter

if left in the ground during winter; may be taken up in the fall, potted and kept from frost. Seeds should be sown in hot-bed or green-house, early in spring; the bulb which will be produced should not be watered too

TRITOMA.

freely, nor forced till the succeeding spring, when it should be transplanted into rich, loamy soil.

Tritoma uvaria, grandiflora..... 25

TROPEOLUM LOBBIANUM—(See Nasturtium Tall).

TROPEOLUM MINOR—(See Nasturtium Dwarf).

TROPEOLUM PEREGRINUM—(See Canary Bird Flower).

VALERIAN—(Polemonium).

An old, standard border plant, often called Jacob's Ladder, from its beautiful, pinnately cleft leaves. The flowers are lively blue, nodding at the ends of upright stalks. It blooms in June, is of easy cultivation, perfectly hardy, and may be increased by dividing the roots. Sow early in spring, in open border, and thin to one foot apart. Hardy perennial; one and a half to two feet high.

Valerian, Greek (Polemonium cœruleum)..... 5

VERBENA.

No plant is more generally cultivated, or more eagerly sought after, than the Verbena, and no plant excels it

VERBENA.

for masses in beds on the lawn. In the varieties may be found every color except yellow. The white is pure, the crimson and scarlet so vivid, and the purple so deep,

while the striped blossoms are so conspicuous, that they are very desirable. They flower perfectly well from seed sown in spring. If started in the house, in pots, in winter, they will be in bloom sooner, but if sown in open ground in May, they will bloom in August. Each plant will require a space of four feet. Half-hardy perennial trailer; one foot high.

- Verbena, Aubletia grandiflora*, reddish purple.... 5
- *Niveni*, white; sweet scented..... 10
- *Venosa*, rich purple..... 5
- *Montana*, hardy, from Rocky Mountains, will stand our winters out of doors; rose, changing into lilac..... 10
- *hybrida scarlet*, scarlet blossoms..... 15
- *Defiance*, seed may be relied upon to produce the true, deep, scarlet color..... 20
- blue, all shades of blue..... 15
- *Italian striped*, beautiful..... 20
- *Auriculæflora*, various shades, all with distinct eye of white or rose..... 20
- *maxima perfecta alba*, produces large, pure white flowers of standard perfection; fine for florists... 25
- extra choice mixed, seed saved from named flowers; very choice... 20
- fine mixed, embraces all colors..... 10
- mixed..... 5

VINCA.

A genus of ornamental, free flowering green-house perennials, with glossy green foliage and beautiful circular flowers. If sown early under glass and transplanted in a warm situation, they will bloom in the summer and autumn, and may be potted for the house before frost. Two feet high.

- Vinca, rosea*, rose..... 10
- *alba*, white, with crimson eye..... 10
- *nova species*, pure white..... 10

VIOLA TRICOLOR—(See Pansy).

VIOLET—(Viola).

The Violet should not be wanting in any garden, on account of its fragrance and early appearance. A single flower will perfume a whole room. Succeeds best in a

VIOLET, SWEET SCENTED.

shady, sheltered place, and can be easily increased by dividing the roots. The Violet is an emblem of faithfulness. Hardy perennial; six inches high.

- Violet, Sweet Scented (Viola Odorata Semperflorens)*, flowers blue; fragrant..... 10
- white (*Viola Cornuta alba*), large, white blossoms..... 10
- *Viola lutea grandiflora*..... 10
- *Mauve Queen*, mauve-colored..... 10
- *Purple Queen*, deep, fine purple..... 10

VIRGINIA CREEPER—(*Hedera*)—(*Ampe-
lopsi Quinquifolia*).

The Virginia Creeper or American Woodbine, is hardy, very ornamental, of rapid growth, and the foliage is luxuriant and beautiful. It is often made to cover the walls of houses forty or fifty feet high, clinging by its tendrils. The flower is reddish-green, not showy, but is succeeded by clusters of nearly black berries, at which time the tendrils, and stalk turn to a rich crimson color. It is exceedingly ornamental and conspicuous in October, after the first frost.

Virginia Creeper.....10

VIRGINIA STOCK—(*Malcomia*).

Hardy annuals, very useful for border or edging. A continual succession of blossoms may be kept up the whole season by sowing at intervals through the spring

VIRGINIA STOCK.

and summer. The flower and plant are quite as desirable as the Candytuft; grows about nine inches high. Virginia Stock, red and white mixed..... 5

WALL FLOWER—(*Cheiranthus Cheiri*).

The large, massive spikes of the Wall Flower are very conspicuous in beds and borders, and are very useful in

WALL FLOWER, EARLY BROWN.

WALL FLOWER, DOUBLE.

making bouquets. They are deliciously fragrant, perfectly double, and combine many shades of color, the orange-purple and chocolate predominating. Sow the seed early, in hot-bed, and while the plants are small, prick them out into pots, and sink the pots in the earth. On approach of cold weather remove the pots to the house, and they will bloom all winter. Tender perennial; one and a half feet high.

Wall Flower, mixed double.....10

— Early Brown, brownish red, fragrant flowers; large, thick spikes, early. Tender biennial...10

— Tom Thumb, New Golden, a new variety, free flowering, dwarf and compact habit; highly recommended for spring bedding, for which it is invaluable..... 15

WHITLAVIA.

A pretty plant with delicate, handsome foliage, producing a constant succession of bright blue, and pure white bell-shaped flowers, in drooping clusters, half an inch in length. In heavy, wet soils it does not succeed well, but in light, sandy loam, few flowers give more satisfaction. Sow the seed in open border early in spring. Hardy annual; one foot high.

Whitlavia, grandiflora..... 5

WIGANDIA.

Very ornamental plants with immense veined leaves, and stems covered with crimson hair. It grows rapidly, and should be formed into a bush. Its large leaves and clusters of lilac flowers which continue to open in succession for a long time lend the plant a tropical aspect, and make it one of the most valuable ornamental foliage plants for garden and lawn decoration. Seeds, if sown early in spring, in hot-bed, will produce large plants by middle of summer.

Wigandia, caracasana..... 25

WISTARIA.

One of the most beautiful and rapid growing of hardy climbers, growing, when well established, in good soil, from fifteen to twenty-five feet in a season. Frequently blooms both in spring and fall; the pale blue pea-shaped

flowers are borne in long, drooping clusters similar in size and shape to a bunch of grapes. It thrives best in a light, rich soil, and should be trained against a south wall or veranda. Seeds should be sown in mellow loam early in the spring; if a green-house or hot-bed is available, start in winter, and when plants are a foot high, transplant into situations where they are to remain.

Wistaria, magnifica.....20

KERANTHEMUM.

Of neat, compact habit, free flowering, and of the easiest cultivation. The leaves are covered with a silvery down, and the flowers are pure white, deep purple and yellow, single and double. If gathered before fully opened, and dried in the shade, they will retain their beauty for years. They make fine winter bouquets alone or mixed with grasses. Sow in spring, and thin to one foot apart. Hardy annual; one foot high.

Keranthemum, mixed.....10

ZEAL MAIZE—(Striped Japanese Corn).

An ornamental foliage plant, of much beauty. It is a species of corn, with large foliage, the leaves being

ZEAL MAIZE.

beautifully striped with white and green. Half-hardy annual, from Japan; six feet high.

Zea Japonica, fol. variegatis, striped foliage..... 5

ZINNIA, DOUBLE.

ZINNIA.

A very showy plant, with large, double flowers, which, when fully expanded, form hemispherical heads, become densely imbricated, and might easily be mistaken for dwarf Dahlias. The colors run through all the shades of carmine, lilac, scarlet, purple, crimson, yellow, to pure white. If any single blossoms appear, they should be at once pulled up. Sow the seed early in spring in open ground and transplant to one and a half feet apart, in good, rich soil, or start under glass for early blooming. Half-hardy annual; one and a half feet high.

By careful selection and several years' cultivation, the European florists have obtained the following distinct varieties of this valuable plant. The seeds we offer can be entirely relied upon to reproduce the different colors, almost without sporting.

- Zinnia, double, carmine*..... 10
- scarlet.....10
- purple.....10
- crimson.....10
- orange.....10
- lilac.....10
- deep scarlet.....10
- deep purple.....10
- alba plenissima, pure white.....10
- choice mixed, very fine.....10
- mixed..... 5
- *Haageana*, fl. pl., a perfectly double variety, of deep orange color, finely margined with bright golden yellow; beautifully imbricated, representing a depressed globular cone.....10
- *Darwini*, fl. pl., a distinct class of Zinnias of most beautiful form and every conceivable shade of color. There are four classes known as *nana compacta*, *major*, *pyramidalis* and *vitata*, about twelve colors in each class. The seed we offer comprises a mixture of all the above classes.....20
- *Pompon*, fl. pl., mixed, a beautiful new strain of this popular flower in which all the colors peculiar to the Zinnia are found. The flowers are about half the size of the ordinary Zinnia; very double, and are very bright, showy and attractive.....15

ZINNIA, DOUBLE POMPON.

CHOICE FLOWER SEEDS

—:IN BULK:—

FOR DESCRIPTIONS SEE PRECEDING PAGES.

For such of our customers as make extensive sowings of flower seeds, and for florists who require larger quantities of Flower Seeds than are usually sold in packets, we offer some of the leading sorts by weight. This list embraces the most desirable kinds for bedding, edging and ornamental planting. Those who plant largely, will find this a very economical mode of securing their seeds.

We send free by mail, at prices annexed, but no discount or premiums can be allowed on Flower Seeds by weight. Half ounces will not be supplied of such kinds as sell for less than 50 cents per oz.

	PER OZ.		PER OZ.
<i>Ageratum</i> , Mexicanum.....	60	<i>Mignonette</i> , tall pyramidal....	30
<i>Alyssum</i> , sweet.....	50	<i>Momordica</i> , balsamina.....	25
<i>Amaranthus</i> , tricolor (<i>Joseph's Coat</i>).....	40	<i>Nasturtium</i> , dwarf, mixed.....	30
<i>Aquilegia</i> , fine mixed (<i>Columbine</i>).....	75	" lobbianum, tall mixed.....	30
<i>Aster</i> , mixed German quilled.....	1 00	<i>Pansy</i> , Emperor William.....	2 50
" Truffaut's Perfection, mixed.....	5 00	" King of the Blacks.....	2 00
" " " snow white.....	6 00	" pure yellow.....	2 00
<i>Balsam</i> , double camellia, mixed.....	75	" pure white.....	2 00
" double white.....	1 25	" sky blue.....	2 00
" mixed double dwarf.....	75	The above five varieties are the best for bedding purposes.	
" mixed double tall.....	60	" extra choice mixed, from named flowers...3	00
<i>Canary Bird Flower</i>	1 00	" fine mixed, all colors.....	1 50
<i>Candytuft</i> , white, fragrant.....	40	<i>Perennial Peas</i> , white.....	1 25
" white rocket.....	40	" " rose.....	75
" fine mixed.....per lb., \$2 00..	30	<i>Petunia</i> , choice mixed.....	1 00
<i>Canna</i> , Indica, mixed.....	40	<i>Phlox Drummondii</i> , choice mixed.....	1 00
<i>Carnation</i> , extra choice double, mixed.....	4 00	" " fine mixed.....	60
<i>Centaurea</i> , candidissima, \$1 50 per 1,000 seeds.....		<i>Pink</i> , double China.....	75
" gymnocarpa, silvery foliage.....	2 00	<i>Poppy</i> , carnation, double mixed.....	40
<i>Cineraria</i> , maritima candidissima (<i>Dusty Miller</i>).....	1 50	" " double white.....	40
<i>Cobaea Scandens</i> , rapid, handsome climber.....	2 00	<i>Portulaca</i> , fine mixed.....	50
<i>Cockscomb</i> , mixed, tall.....	40	" double mixed.....	5 00
<i>Convolvulus</i> , major (<i>Morning Glory</i>) per lb., 75c..	15	<i>Pyrethrum</i> , aureum (<i>Golden Feather</i>).....	1 50
" minor, mixed (<i>Dwarf Morning Glory</i>)..	25	" " roseum (<i>Insect Powder Plant</i>).....	1 00
<i>Cypress Vine</i> , scarlet.....	50	<i>Ricinus</i> (<i>Castor Bean</i>), mixed.....	30
" " white.....	50	<i>Scabiosa</i> (<i>Mourning Bride</i>), mixed.....	50
" " mixed.....	40	<i>Sensitive Plant</i> , mimosa pudica.....	75
<i>Dahlia</i> , finest mixed single.....	2 00	<i>Smilax</i>	1 50
" " " double.....	2 00	<i>Stock</i> , double German Ten Weeks, mixed.....	2 00
<i>Daisy</i> , double white.....	5 00	<i>Sun Flower</i> , double.....	40
" mixed double.....	4 00	<i>Sweet Peas</i> , purple.....	20
<i>Dianthus</i> , chinensis fl. pl. (<i>Double China Pink</i>)..	75	" " scarlet.....	20
<i>Digitalis</i> (<i>Foxglove</i>), mixed.....	50	" " striped.....	20
<i>Forget-Me-Not</i> , myosotis palustris.....	6 00	" " Painted Lady.....	20
<i>Gourd</i> , Japanese Nest Egg.....	50	" " invincible black.....	20
" mixed ornamental.....	40	" " white.....	20
<i>Heliotrope</i> , dark varieties mixed.....	1 50	" " mixed.....per lb., 75c..	15
<i>Hollyhock</i> , Chater's finest double mixed.....	2 00	<i>Sweet William</i> , double mixed.....	1 50
" " fine double mixed.....	1 00	" " fine mixed.....	50
<i>Job's Tears</i>	25	<i>Verbena</i> , extra choice mixed, splendid.....	3 00
<i>Lantana</i> , finest hybrids, mixed.....	1 00	" " fine mixed, all colors.....	1 00
<i>Larkspur</i> , double dwarf rocket, mixed.....	30	<i>Violet</i> , sweet scented.....	2 00
<i>Lobelia</i> , erinus, blue.....	60	<i>Wall Flower</i> , mixed double.....	5 00
<i>Marigold</i> , Meteor.....	35	<i>Zinnia</i> , choice double mixed.....per lb., \$4 00..	50
<i>Marvel of Peru</i> (<i>Four O'Clock</i>), mixed.....	25		
<i>Mignonette</i> , sweet, large flowering..per lb., \$1 15	15		

BULBS

For Summer and Autumn Blooming.

The following Bulbs will be sent by mail or express, charges prepaid, when ordered at single or dozen rates; at the 100 rate they will be sent by express or freight, the purchaser paying the charges. No less than 6 will be sent at the dozen rate; no less than 50 at the 100 rate. Orders, with money, should be forwarded as early as possible, and they will be filled in rotation. The tender Bulbs, that are injured by frost will not be sent until such danger is over in the spring.

DAHLIA.

The Dahlia has always been a favorite for autumn flowering. The flowers are so symmetrical and perfect, and the range of brilliant colors so large and varied, that they will always be popular where display is wanted. The roots are tender, and easily injured by frost. They should be set out three feet apart, after all danger of frost is over, and during winter placed in a cool cellar, and not allowed to freeze. The plants should be supported by tying to stakes. Our collection of mixed Dahlias, both double and single, is the best ever offered to the public, comprising all the positive colors with their most striking shades. Ready for shipment about April 1.

Large Flowering, or Show Dahlias.

	EACH.
<i>Fulgens Picta</i> , scarlet, tipped white.....	25
<i>Golden Bedder</i> , deep orange, fine form.....	25
<i>Madge Wildfire</i> , light vermilion scarlet, very beautiful.....	25
<i>Modoc</i> , orange carmine.....	25
<i>Mrs. Boyce</i> , white, purple tip.....	25
<i>Vesta</i> , pure white.....	25

Pompon, or Bouquet Dahlias.

Guiding Star (or White Aster), pure white, very double, the gem of the double white pompons. A prolific bloomer, fine for cut flowers.....25

DAHLIA, DOUBLE.

Marguerite, a beautiful pink; it is perfectly double and about two inches in diameter; blooms profusely from first of August until frost. This quality of earliness renders it particularly valuable. ...25

Little Goldlight, gold, tipped with scarlet.....25

DAHLIA, SINGLE.

	EACH.	DOZ.	100.
Double, Extra Choice mixed.....	25	2 00	12 00
Single, Extra Choice mixed ...	25	2 00	12 00

DIELYTRA—(Bleeding Heart).

DIELYTRA.

Tuberous rooted plants, blooming in the spring, favorably known almost everywhere. They require only the ordinary culture of border plants. Roots planted in spring or autumn will flower freely. The roots should be divided every third year. The flowers are delicate pink, very graceful, produced continuously from

May till July. Ready for shipment about April 1st.

EACH. DOZ.
Dielytra, Spectabilis 25 2 50

GLADIOLUS.

The last twenty years have witnessed a marvelous improvement in the realm of flowers. Nowhere is that improvement more marked than in the Gladiolus. It has, seemingly, been developed to a point of absolute perfection in respect to both form and color. No other flower has gained more rapidly in public favor; this could not well be otherwise, for in addition to the great intrinsic merit of the flower it is *easy of cultivation*, and *blooms the first season*. The culture is very simple. They thrive in almost any good soil, except a stiff clay, require full sunlight, and are only liable to injury from rank manure. Plant the bulbs six to nine inches apart, the large ones four inches and the small ones two inches deep. Make an early planting of the smallest bulbs first as soon as the ground is sufficiently dry and warm, and continue to plant at intervals of two weeks during the spring and early summer. In this way a succession of bloom may be had from midsummer until frost. In autumn, before freezing, they should be dug and dried, the earth and old roots removed, and then stored in a cool, dry place, secure from frost until spring.

GLADIOLUS.

Named Gladiolus. *

The following named varieties are selected with special reference to beauty of flower, range of color, and habit of plant. There is not one in the list that is not desirable, and every bulb has flowered the past season, and is known to be true to color and description. Ready for shipment about April 1st.

	EACH.	DOZ.
<i>Adanson</i> , rose-tinged lilac, large blotch on white ground, tinged yellow; edged with carmine flushed lilac.....	20	2 00
<i>Angele</i> , white, showy and effective.....	15	1 50
<i>Brenchleyensis</i> , rich, dark, scarlet, very brilliant	10	1 00
<i>Canari</i> , light yellow, streaked with rose on the lower petals.....	20	2 00
<i>Ceres</i> , pure white, flamed lilac, desirable.....	15	1 50
<i>Charles Dickens</i> , delicate rose tinted with buff flamed and striped carmine rose.....	20	2 00
<i>Crystal Palace</i> , long spike of pure white flowers, lower petals striped with purplish-violet	20	2 00
<i>Eugene Scribe</i> , tender rose, blazed with carminate red, beautiful.....	15	1 50
<i>Felicien David</i> , cherry, light carmine feathered, white blotch.....	15	1 50
<i>Isaac Buchanan</i> , one of the best yellow sorts yet introduced.....	25	2 50
<i>John Bull</i> , white, tinged with sulphur.....	10	1 00
<i>LaCandeur</i> , white, lightly striped with carmine violet, perfection.....	30	3 00
<i>Lamarck</i> , cherry-colored, slightly tinted with orange, blazed with red, center very well lighted, very large, white stain.....	20	2 00
<i>Laura</i> , orange red, flamed carmine, pure white blotch.....	10	1 00
<i>LePoussin</i> , light red white blotch, handsome.....	15	1 50
<i>Le Titien</i> , rosy scarlet, very brilliant.....	20	2 00
<i>Lord Byron</i> , brilliant, scarlet, blotched and flaked pure white.....	15	1 50
<i>Madame Monneret</i> , rose, white stripe and carmine blotch.....	10	1 00
<i>Marie Dumortier</i> , white, slightly streaked with rose, violet purple blotch.....	15	1 50
<i>Martha Washington</i> , pure, light yellow, lower petals slightly tinged with rose; stately and beautiful.....	50	5 00
<i>Mons. Legouve</i> , fiery red, white blotch white line in each petal.....	25	2 50
<i>Meyerbeer</i> , brilliant scarlet, blazed with vermilion, very fine spike.....	20	2 00
<i>Napoleon III</i> , bright scarlet, the center of the petals white striped, extra fine.....	15	1 50
<i>Norma</i> , pure white, sometimes tinted with pale lilac.....	25	2 50
<i>Ophir</i> , dark yellow, purple blotch.....	20	2 00
<i>Penelope</i> , white, slightly tinged pink.....	15	1 50
<i>Phabus</i> , brilliant red, with a large, white stain	25	2 50
<i>Princess of Wales</i> , white, flaked carmine.....	10	1 00
<i>Robert Fortune</i> , orange-lake, shading off to purple-crimson, veined white.....	20	2 00
<i>Shakespeare</i> , white or blush-white, blazed with rosy carmine, large, rose-colored stain	40	4 00
<i>Sultana</i> , bright satin rose, flamed with carmine; purple carmine blotch on white ground, Choice.....	40	4 00
<i>VanDyck</i> , crimson amaranth, striped with white	15	1 50

Mixed Gladiolus.

These mixtures must not be compared nor confounded with the common mixed sorts, often the refuse of cheap, unsalable kinds. They are composed only of selected named varieties, representing over 150 of the best sorts. We recommend this stock with perfect confidence.

	DOZ.	100.
Shades of Red, mixed.....	60	3 00
— — Pink, —.....	75	3 50
— — White, —.....	85	4 00
— — Yellow, —.....	100	4 25
Choice Mixed, all colors, including striped and blotched kinds.....	75	3 50

LILIUM.

The Lily has been, with eminent propriety, styled the "Queen of Flowers," and truly no flower conveys so adequate an idea of queenly beauty, majestic grandeur and faultless purity as the Lily. Too much cannot be said in its praise, and we are glad to notice its increasing popularity from year to year. Nearly every variety will withstand the severity of our winters, and many are among the most hardy of our garden flowers. Their culture is simple, and with a little care failure is impossible. The bulbs should be planted in spring as soon as the frost is out of the ground until first of May—the earlier the better. Select a well drained spot, dig the soil deep, and make it fine, enriching it abundantly with very rotten cow manure and adding a liberal mixture of sand. Set the bulbs from three to five inches deep, according to size. During the winter it is advisable to cover the surface of the bed with a thin layer of manure, which will not only afford a slight protection to the bulbs, but will materially enrich the soil. In spring the manure may be removed or dug in between the rows. Care should be taken that they have proper drainage, no water being allowed to stand around the roots. Once firmly established, they should not be disturbed oftener than once in five years. To produce *extra fine* specimens, plant the bulbs in small pots (4-5 inches) early in spring, and raise them in the green-house or house.

LILIUM CANDIDUM.

	EACH.	DOZ.
<i>Auratum</i> , golden Japan lily, large bulbs....	30	3 00
<i>Brownii</i> , magnificent, large, white inside, purple outside.....	I	75
<i>Lancifolium</i> , <i>album</i> , white, Japan lily....	50	5 00
— <i>roseum</i> , rose spotted Japan lily.....	25	2 50
— <i>rubrum</i> , white and red spotted.....	25	2 50
<i>Chalcidonicum</i> , brilliant scarlet, recurved blossoms.....	I	10 10 00
<i>Longiflorum</i> , pure white, very fragrant....	20	2 00
<i>Tigrinum</i> (Tiger Lily), orange, spotted black	15	1 50

<i>Tigrinum flore pleno</i> (Double Tiger Lily), extra large bulbs, giving from 20 to 30 flowers.....	25	2 50
<i>Jacobeae</i> (<i>Amarellis Formosissima</i>), deep scarlet.....	20	2 00

MADEIRA VINE.

Tuberous rooted climber, with glossy, green leaves, and delightfully fragrant, white blossoms. Sometimes called "Mignonette Vine." It is of rapid growth, and from a few tubers vines will be produced sufficient to cover one side of a cottage in a single season. The tubers are tender and must be protected from frost during winter.

	EACH.	DOZ.
Madeira Vine, tubers.....	10	75

TRITOMA.

Sometimes called "Red Hot Poker." It is really a fine plant, pretty hardy, though requiring some protection through winter. The flowers are produced in large spikes of rich, orange-red tinted flower tubes. Plant two feet apart, and in November cut the plants back near the ground, and cover the bulbs with dry litter, which remove in the spring.

	EACH.	DOZ.
<i>Tritoma uvaria</i>	30	3 00

TUBEROSE.

The flowers of this well known and popular plant are waxy white, double, and so fragrant as to perfume the whole atmosphere for some distance around. They are useful for forming button-hole bouquets, in large bouquets, or as single specimens. Each bulb flowers but once, but the smaller bulbs can be set out for future flowering when their growth is completed. A good way to grow Tuberoses is to fill five-inch pots half full of cow manure, and the remainder with good, rich earth, mixed with sand. Plant the bulbs in this in April, water moderately, and hasten growth by putting in a warm, light place. When weather has become warm, plunge the pots in the earth out of doors. They will usually flower before cold weather in autumn; if they do not, the pots can be brought in, and they will bloom in the house. The bulbs cannot be safely sent by mail before April.

ALL FLOWERING BULBS.

	EACH.	DOZ.	100.
<i>Double White</i> , tall.....	10	75	3 50
<i>Pearl</i> , double dwarf white.....	10	75	4 00

About September 1st next we shall Issue our Annual Catalogue

— OF CHOICE —

DUTCH BULBS AND SEEDS

FOR FALL PLANTING.

IT WILL BE SENT FREE TO ALL CUSTOMERS WITHOUT ORDERING IT, AND TO OTHERS WHO APPLY FOR IT.

BOOKS

FOR SALE BY

D. M. FERRY & CO.

And Sent Free on Receipt of Price.

FARM, GARDEN, FRUITS, FLOWERS, Etc.

Allen's New American Farm Book.....	\$2 50	How to Grow Onions on Muck Soil.....	paper \$ 25
American Grape Growing and Wine Making.....	1 50	Kalamazoo Celery; its Cultivation and Secret of Success.....	paper 50
American Weeds and Useful Plants.....	1 75	Language of Flowers.....	50
Barry's Fruit Garden.....	2 00	My Vineyard at Lakeview.....	1 25
Bommer's Method of Making Manures.....	paper 25	Onion Culture.....	paper 20
Brill's Farm Gardening and Seed Growing.....	1 00	Our Farm of Four Acres.....	paper 30c; cloth 60
Broom Corn and Brooms.....	paper 50	Practical Floriculture.....	1 50
Cauliflowers, and How to Grow Them.....	paper 20	Quinn's Money in the Garden.....	1 50
Elliot's Hand Book for Fruit Growers.....	paper 60	Quinn's Pear Culture.....	1 00
Ferns and Ferneries.....	paper 30	Riley's Potato Pests.....	paper 50
Flax Culture.....	paper 30	Robinson's Ferns in their Homes and Ours.....	1 30
Fuller's Practical Forestry. The latest publication; very complete.....	1 50	Robinson's Mushroom Culture.....	50
Fuller's Grape Culturist.....	1 50	Roe's Play and Profit in My Garden.....	1 50
Fuller's Small Fruit Culturist.....	1 50	Silos and Ensilage.....	50
Fuller's Strawberry Culturist, new.....	25	Stewart's Irrigation.....	1 50
Fulton's Peach Culture.....	1 50	The Rose, (see below).....	1 25
Gregory on Onion Raising.....	paper 30	Tobacco Culture.....	paper 25
Gardening for Profit, New and Enlarged Edition.....	2 00	Truck Farming at the South.....	1 50
Gardening for Pleasure.....	1 50	Waring's Drainage for Profit and Health.....	1 50
Harris' Talks on Manures.....	1 75	Waring's Elements of Agriculture.....	1 00
Hop Culture in the U. S.....	1 50	Wheat Culture.....	paper 50
Hop Culture.....	paper 30	White's Cranberry Culture.....	1 25
How to Destroy Insects on Flowers and House Plants.....	paper 30	White's Gardening for the South.....	2 00

HORSES, CATTLE, SHEEP, SWINE, POULTRY, Etc.

American Bird Fancier.....	paper \$ 50	Levis' Practical Poultry.....	\$1 50
Canary Birds.....	paper 50	Profits in Poultry, Useful and Ornamental Breeds.....	1 00
Coburn's Swine Husbandry.....	1 75	Quinby's New Bee Keeping.....	1 50
Dadd's American Cattle Doctor.....	1 50	Randall's Practical Shepherd.....	2 00
Dadd's Am. Reformed Horse Book, 8vo, new.....	2 50	Stewart's Shepherd's Manual.....	1 50
Dadd's Am. Reformed Cattle Doctor, 8vo, new.....	2 50	Stoddard's An Egg Farm.....	50
Harris on the Pig.....	1 50	Willard's Practical Butter Book.....	1 00
Herbert's Hints to Horse Keepers.....	1 75	Willard's Practical Dairy Husbandry.....	3 00
Hog Raising and Pork Making.....	paper. 40	Wright's Practical Poultry Keeper.....	2 00
How to Tell the Age of a Horse.....	25	Youatt on Sheep.....	1 00
Keeping One Cow.....	1 00		

MISCELLANEOUS.

Allen's Rural Architecture.....	\$1 50	How to Paint.....	\$1 00
Atwood's Country and Suburban Houses.....	1 50	Hunter and Trapper.....	75
Batty's Practical Taxidermy and Home Decoration.....	1 50	Johnson's Agricultural Chemistry.....	1 75
Batty's How to Hunt and Trap.....	1 50	Norton's Scientific Agriculture.....	75
Everybody's Paint Book.....	1 00	Reed's House Plans for Everybody.....	1 50
Hooper's Dog and Gun.....	paper 30	Scribner's Ready Reckoner and Log Book.....	35
How to be Your Own Lawyer.....	1 50	Silk Culture.....	paper. 30

The Language of Flowers.—A neat little work of 120 pages, printed in fine style, on beautifully tinted paper, and contains several fine engravings. It gives the language and the poetry of flowers, and valuable suggestions in reference to floral decorations and floral conversation. It is so arranged that the botanical name of the flower may be referred to. **Price, postpaid, cloth, 50 cents.**

Insects on Flowers and House Plants, and How to Destroy Them.—Gives full directions for destroying insects on plants, both out-door and in-door. It tells how to fertilize and stimulate plants, the experience of cultivators in keeping their plants healthy. Among the topics are these: Red Spider, Aphids, Green Fly, Worms in Pots, Rose Slugs, Rose Bugs, Snails, Caterpillars, How to Destroy Insects on Garden Fruit Trees and Vegetables, etc. It also tells how to Destroy Ants and all House Bugs. **Price, postpaid, 30 cents.**

Quinn's Money in the Garden.—A practical treatise on Gardening, giving full and explicit instructions for the preparation and cultivation of a garden *for profit*. **Price, postpaid, \$1.50.**

The Rose, by H. B. ELLWANGER.—This is without doubt the most complete and satisfactory work on the subject. Mr. Ellwanger has long been recognized as an authority on the ROSE. It gives concisely and plainly all the information that every rose culturist requires. **Price, postpaid, \$1.25.**

TERMS.

Our Terms are Strictly Cash with the Order.

Free of Postage or Express Charges.—Where Packets, Ounces, Two Ounces, Quarter Pounds, or Pounds are ordered at list prices, they will be sent free by mail or express.

Pints and Quarts.—Where Pints, Quarts and Four Quarts are ordered at list prices, thirty cents per quart, fifteen cents per pint must be added for postage or express charges, and they will then be sent free.

Peck, Bushel and Barrel Lots.—Where Peck, Bushel or Barrel lots are ordered the freight or express charges must be paid by the party ordering.

In those cases where perishable or other goods are ordered to be sent by freight or express to such great distances that the cost of transportation will nearly or quite equal the value of the goods, we must decline to forward goods unless purchasers remit us, in addition to the price of goods, sufficient funds to prepay transportation charges. When this requirement is not complied with, we reserve the right of declining the order and returning money to the person ordering.

Seeds by Measure.—One-fourth bushel and over sold at bushel rates; Four Quarts and over, up to one-quarter bushel sold at four-quart rates; less than Four Quarts sold at quart, or pint rates.

Seeds by Weight.—Half-pound and over at pound rates; less than Half Pound lots are charged at ounce, two-ounce or quarter-pound rates.

Bags.—To every order for one-quarter bushel and upwards, to the amount of two bushels, 20 cents must be added for a new bag in which to ship.

We do not Send C. O. D., as the cost of collecting return charges is quite an unnecessary item of expense; and the prices being given, we can conceive of no necessity to warrant goods being so sent.

How to Send Money.—Remittances may be made AT OUR RISK by either of the following methods, viz: Post Office Order, Draft on New York, Express Co's Money Order, or by Registered Letter.

The rates charged for Post Office Orders and Express Money orders are now so low that this is the very best way to remit where they can be obtained. We will bear the expense of sending money in either of these ways. Deduct the cost of the order from amount sent. We desire to call particular attention to the fact that Express Money Orders can be obtained at ALL offices of the following Express Companies: American, United States, and Wells, Fargo & Co. They are cheap and absolutely safe.

Postal Notes afford a cheap and convenient mode of remitting small sums, but without security, because they are payable to bearer. We cannot be responsible for money sent in this way.

When Money Orders cannot be obtained, letters containing money should always be registered. Money in ordinary letters is *unsafe*. If currency is sent by express, the charges should be prepaid, and if local checks are used, 25 cents must be added to cover the cost of collection.

Sign your Names.—There is hardly a day that we do not receive letters containing money and orders, which we cannot fill, because the sender has failed to sign his name. Again, the P. O. address is frequently omitted, and the post-mark, being blurred, we are unable to fill the order, no matter how much we desire to do so. Use our Order Sheet and Envelope, in all cases where you can, fill out the blank and sign your name, and you will have no cause to censure us.

Clubs.—We offer the following liberal inducements to Clubs or those wishing to purchase seeds in packets. The seeds will be sent by mail, post-paid; but these low rates apply to seeds in packets only, and at catalogue prices, and not to seeds by weight or measure.

Send us \$1.00 and select packets to the value of \$1.15	Send us \$ 5.00 and select packets to the value of \$ 6.15
" 2.00 " " " " " 2.35	" 10.00 " " " " " 12.50
" 3.00 " " " " " 3.60	" 20.00 " " " " " 26.00
" 4.00 " " " " " 4.85	

Guarantee.—Complaints made that seeds are not good, should quite as often be attributed to other causes as to the quality of the seeds. There are hundreds of contingencies continually arising to prevent the best seeds always giving satisfaction, such as sowing too deep, too shallow, in too wet or too dry soil; insects of all descriptions destroying the plants as soon as, or before they appear; wet weather, cold weather, frosts, chemical changes in the seeds induced by temperature, etc. For the above reasons, it is impracticable to guarantee seeds under all circumstances, and, *while we exercise the greatest care to supply every article true to name, and of the very best quality, and believe our seeds to be the purest and best to be found, we wish it to be distinctly understood that we sell no seeds with any warranty, express or implied, and we will not be in any way responsible for the crop.*

—* FOR PRICES OF *—

VEGETABLE SEEDS, see pages 121-128 inclusive.

FLOWER SEEDS, in Packets, see pages 68-114 inclusive.

FLOWER SEEDS, in Bulk, see page 115.

SUMMER BULBS, see pages 116-118 inclusive.

BOOKS, see page 119.

DRILLS and other GARDEN TOOLS, see pages xii to xvi of Supplement.

D. M. FERRY & CO'S

PRICE LIST.

1888.

		Pkt.	Oz.	2 Oz.	½ Lb.	Lb.
ARTICHOKE —See page 13.						
Large Globe.....		10	30	55	\$1 00	\$3 00
ASPARAGUS —See page 13						
Conover's Colossal.....		5	10	15	20	60
Roots, two years old, by mail, prepaid.....					per 100,	2 00
“ “ “ by express, not prepaid.....					“	1 00
BEANS, Dwarf, Bush, or Snap —See pages 14-16.		Pkt.	Pt.	Qt.	4 Qt.	Bu.
D. M. Ferry & Co's Detroit Wax—See Supplement.....		5 pkts. for \$1.00..25				
Black Eyed Wax—See Supplement.....		5 pkts. for \$1.00..25				
Wardwell's Kidney Wax—See Supplement.....		6 pkts. for \$1.00..20				
Scarlet Flageolet Wax—See Supplement.....		5 pkts. for \$1.00..25				
Violet Flageolet Wax—See Supplement.....		5 pkts. for \$1.00..25				
D. M. Ferry & Co's Golden Wax.....		10	25	35	1 25	7 00
German Wax, Black Seeded.....		10	25	35	1 25	7 00
German Wax, White Seeded.....		10	25	35	1 25	7 00
Ivory Pod Wax.....		10	20	30	1 00	6 00
Crystal White Wax.....		10	25	35	1 25	7 00
Lemon Pod Wax.....		10	20	30	1 00	6 00
Early China Red Eye.....		10	15	25	75	4 00
Dwarf Horticultural, very early.....		10	15	25	75	4 50
Early Yellow Kidney Six Weeks.....		10	15	25	75	4 00
Early Red Valentine, Improved, Round Pod.....		10	15	25	75	4 00
Early Mohawk.....		10	15	25	75	4 00
Refugee, or Thousand to One.....		10	15	25	75	4 00
Royal Dwarf Kidney.....		10	15	25	75	4 50
Large White Marrow, or Mountain.....		10	15	25	75	4 50
Early Marrow Pea, or Dwarf White Navy.....		10	15	25	75	4 50
Prolific Tree Bean.....		10	15	25	75	4 50
BEANS, Pole or Running —See pages 16-17.						
White Crease Back, very early and productive.....		15	35	60	2 00	12 00
Rhode Island Crease Back.....		15	35	60	2 00	12 00
London Horticultural.....		10	20	30	1 00	6 00
Dutch Case Knife.....		10	20	30	1 00	6 00
Indian Chief, or Tall Black Wax.....		10	25	40	1 50	7 50
Southern Prolific, true.....		10	25	40	1 50	7 50
Kentucky Wonder.....		15	35	60	2 00	12 00
Giant Red Wax.....		10	35	60	2 00	12 00
Red Speckled Cut Short, or Corn Hill.....		10	25	40	1 50	8 00
Extra Early Lima.....		10	25	40	1 50	8 00
Small White Lima, Carolina or Sieva.....		10	25	40	1 50	8 00
Dreer's Improved Lima.....		10	25	40	1 50	8 00
Large White Lima.....		10	25	40	1 50	7 50
White Runner.....		10	25	40	1 50	7 50
Scarlet Runner.....		10	25	40	1 50	7 50
BEE —See pages 17-20.		Pkt.	Oz.	2 Oz.	½ Lb.	Lb.
Extra Early Egyptian Blood Turnip, true.....		5	10	15	20	70
Early Eclipse.....		5	10	15	25	80
Early Blood Turnip, improved.....		5	10	15	20	70
Dewing's Early Blood Turnip.....		5	10	15	20	65
Bastian's Early Blood Turnip.....		5	10	15	20	70
Early Blood Turnip.....		5	10	15	20	60

*

Add 15 Cents per Pint, 30 Cents per Quart, for Postage, if Ordered Sent by Mail.

One packet of each of these five splendid new sorts for \$1.00, postpaid.

BEET—Continued.

	Pkt.	Oz.	2 Oz.	½ Lb.	Lb.
Early Turnip Bassano, <i>true</i>	5	10	15	20	65
Henderson's Pine Apple.....	5	15	25	40	1 25
Long Dark Blood, <i>improved</i>	5	10	15	20	70
Long Dark Blood.....	5	10	15	20	60
Swiss Chard, or Sea Kale Beet.....	5	10	15	20	60
French White Sugar, Green Top.....	5	10	15	20	50
French White Sugar, Red Top, <i>best for cattle</i>	5	10	15	20	50
Lane's Imperial Sugar.....	5	10	15	20	50
French Yellow Sugar.....	5	10	15	20	60
Vilmorin's Improved Imperial Sugar.....	5	10	15	20	75
Long Red Mangel Wurzel.....	5	10	15	20	50
D. M. Ferry & Co's Improved Mammoth Long Red Mangel Wurzel.....	5	10	15	20	60
Norbitan Giant Long Red Mangel Wurzel.....	5	10	15	20	60
Yellow Globe Mangel Wurzel.....	5	10	15	20	50
Carter's Warden Prize Yellow Globe Mangel Wurzel.....	5	10	15	20	60
Yellow Ovoid Mangel Wurzel.....	5	10	15	20	50
Golden Tankard Mangel Wurzel.....	5	10	15	20	60
Red Globe Mangel Wurzel.....	5	10	15	20	50

BROCOLI—See page 20.

Early Purple Cape.....	5	40	75	1 25	4 00
------------------------	---	----	----	------	------

BRUSSELS SPROUTS—See page 20.

Best Imported.....	5	15	25	40	1 50
--------------------	---	----	----	----	------

CABBAGE—See pages 20-22.

FIRST EARLY SORTS.

Early Jersey Wakefield, <i>the true, select, very early stock</i>	5	30	55	1 00	3 00
Very Early Etampes, catalogued by some as "EARLIEST".....	5	20	35	60	2 00
Early York.....	5	15	25	40	1 50
Early Large York.....	5	15	25	40	1 50
Henderson's Early Summer, <i>true</i>	5	30	55	1 00	3 00

SECOND EARLY OR SUMMER SORTS.

All Seasons.....	10	40	75	1 25	4 00
Early Dwarf Flat Dutch.....	5	25	40	75	2 50
Early Winnigstadt.....	5	15	25	40	1 50
Filderkraut.....	5	25	40	75	2 50
Fottler's Early Drumhead, or Brunswick Short Stem, <i>true</i>	5	25	40	75	2 50
Early Drumhead, <i>best French</i>	5	15	25	40	1 50
Early Large Schweinfurt.....	5	20	35	60	2 00
Early Deep Red Erfurt.....	5	25	40	75	2 50

LATE, OR AUTUMN AND WINTER SORTS.

Large Red Drumhead, <i>for pickling</i>	5	20	35	60	2 00
Chase's Excelsior.....	5	30	55	1 00	3 00
Stone Mason Marblehead.....	5	25	40	75	2 50
Late Flat Dutch, <i>best French</i>	5	15	25	40	1 50
D. M. Ferry & Co's Premium Flat Dutch.....	5	20	35	60	2 00
Large Drumhead, <i>best French</i>	5	15	25	40	1 50
D. M. Ferry & Co's Premium Drumhead.....	5	20	35	60	2 00
Marblehead Mammoth Drumhead.....	5	25	40	75	2 50
Quintal Drumhead, <i>true French</i>	5	15	25	40	1 50
Green Glazed.....	5	25	40	75	2 50
Savoy, Early Dwarf Ulm.....	5	20	35	60	2 00
Savoy, Green Globe.....	5	20	35	60	2 00
Savoy, Improved American.....	5	25	40	75	2 50
Savoy, Drumhead.....	5	20	35	60	2 00

CARROT—See pages 22-24.

Earliest Short Horn, <i>for forcing</i>	5	15	25	40	1 25
Early Scarlet Horn.....	5	10	15	25	1 00
Early Half Long Scarlet Carentan, <i>coreless</i>	5	10	15	25	1 00
Half Long Scarlet Nantes, Stump Rooted.....	5	10	15	25	1 00
Early Half Long Scarlet, Stump Rooted.....	5	10	15	25	1 00
Guerande, or Ox Heart.....	5	15	25	40	1 25
Danvers.....	5	10	15	25	1 00
Long Orange, <i>improved</i>	5	10	15	25	1 00
Large White Vosges.....	5	10	15	25	1 00
Large White Belgian.....	5	10	15	20	75

CAULIFLOWER—See pages 24-25.

Early Snowball.....	Per pkt. 25c.; ¼ oz. \$1.25; 1 oz. \$4.00..	..	..	..	..
Extra Early Dwarf Erfurt.....	" 25c.; " 1.00; " 3.00..	..	..	..	..
Extra Early Paris.....	5	75	1 25	2 00	..
Early Erfurt.....	5	1 50	2 50	4 00	..

CAULIFLOWER—Continued.

	Pkt.	Oz.	2 Oz.	¼ Lb.	Lb.
Early London.....	5	50	85	1 50	
Early Paris, or Nonpareil.....	5	75	1 25	2 00	...
LeNormand's Short Stem.....	5	75	1 25	2 00	
Large Algiers.....	5	1 00	1 75	3 00	
Veitch's Autumn Giant.....	5	60	1 00	1 75	

CELERY—See pages 25-26.

Golden Heart, or Golden Dwarf.....	5	25	40	75	1 50
Perfection Heartwell.....	5	30	55	1 00	3 00
Crawford's Half Dwarf.....	5	25	40	75	2 50
Dwarf White Solid.....	5	20	35	60	2 00
Boston Market.....	5	25	40	75	2 50
Golden Yellow Large Solid.....	10	80	1 50	2 50	8 00
White Plume.....	10	80	1 50	2 50	8 00
Seymour's White Solid.....	5	20	30	50	1 75
Incomparable Dwarf Crimson.....	5	25	40	75	2 50
Celeriac, or Turnip Rooted.....	5	20	30	50	1 75
Celeriac, Large Smooth Prague.....	5	25	40	75	2 50
Celery Seed, for flavoring.....	10	15	20	30	50

CHERVIL—See page 26.

Curled.....	5	15	25	40	1 25
-------------	---	----	----	----	------

CHICORY—See pages 26-27.

Large Rooted, or Coffee.....	5	10	15	25	1 00
------------------------------	---	----	----	----	------

COLLARDS—See page 27.

Georgia, Southern, or Creole.....	5	15	25	40	1 25
-----------------------------------	---	----	----	----	------

CORN—See pages 27-30.

SWEET, OR SUGAR VARIETIES.

	Pkt.	Pt.	Qt.	4 Qt.	Bu.
Cory.....	10	15	25	75	4 50
Extra Early Marblehead.....	10	15	25	75	4 00
Early Boynton.....	10	15	25	75	4 50
Early White Cob Marblehead.....	10	15	25	75	4 50
Early Minnesota, very early.....	10	15	20	60	3 50
Leet's Early, very early with large ears.....	10	15	25	75	4 50
Early Southern Sweet.....	10	15	25	75	4 00
Early Red Naragansett.....	10	20	30	1 00	6 00
Perry's Hybrid.....	10	15	20	60	3 50
Crosby's Early.....	10	15	25	75	4 00
Early Sweet, or Sugar.....	10	15	20	60	3 50
Moore's Early Concord.....	10	15	25	75	4 00
Black Mexican.....	10	15	25	75	4 00
Excelsior.....	10	15	25	75	4 00
Triumph.....	10	15	25	75	4 00
Egyptian.....	10	15	25	75	4 00
Old Colony.....	10	15	25	75	4 00
Hickox Hybrid.....	10	15	25	75	5 00
Stowell's Evergreen.....	10	15	25	75	4 50
Mammoth.....	10	15	25	75	4 00
Ne Plus Ultra.....	10	15	25	75	4 50

FIELD VARIETIES.

Extra Early Adams, for table use South.....	10	15	20	60	3 50
Early Adams, or Burlington.....	10	15	20	60	3 00
Early Red Blazed.....	10	15	20	50	2 50
Early Golden Dent, or Pride of the North.....	10	15	20	50	2 50
Early Golden Lenawee Dent, new.....	10	15	20	60	3 00
Early Yellow Hathaway Dent.....	10	15	20	50	2 50
Rice, for parching (bushel lots in ears).....	10	15	25	..	1 50

CORN, BROOM—See page 30.

Dwarf Evergreen.....	50	5 00
Improved Evergreen.....	50	4 00

CORN SALAD, or Feticus, large seeded, large leaved—See page 30.**CRESS—See page 30.**

Curled, or Peppergrass.....	5	10	15	20	50
True Water.....	10	40	75	1 25	4 00

CUCUMBER—See pages 30-32

Early Russian.....	5	10	15	25	1 00
Early Cluster.....	5	10	15	25	1 00
Early Short Green, or Early Frame.....	5	10	15	25	1 00
Chicago, or Westerfield Pickling.....	5	15	25	40	1 25

Add 15 Cents Per Pint, 30 Cents per Quart, for Postage, if Ordered Sent by Mail.

CUCUMBER—Continued.

CUMBER—Continued.	Pkt.	Oz.	2 Oz.	¼ Lb.	Lb.
Jersey Pickling.....	5	15	25	40	1 25
D. M. F. & Co's Perfection Pickling.....	5	15	25	40	1 50
Boston Pickling, or Green Prolific.....	5	10	15	25	1 00
Nichols' Medium Green.....	5	10	15	25	1 00
Early White Spine.....	5	10	15	25	1 00
Arlington.....	5	10	15	25	1 00
Bismarck.....	5	10	15	25	1 00
Improved Long Green.....	5	15	25	40	1 25
Small Gherkin, for pickles.....	5	20	35	60	2 00

EGG PLANT—*See page 32.*

Early Long Purple.....	5	25	40	75	2 50
Black Pekin, <i>extra early, and very large</i>	5	45	85	1 50	4 50
D. M. F. & Co's Improved Purple, <i>extra large</i>	5	50	85	1 50	5 00

ENDIVE—*See page 32.*

Green Curled.....	5	20	35	60	1 75
Ever White Curled.....	5	20	35	60	2 00
Broad Leaved Batavian.....	5	20	35	60	1 75

GARLIC, Bulbs—See pages 32-33.....

GOURD—*See page 33.*

Sugar Trough.....	10	25	40	75	2 50
Japanese Nest Egg.....	10	50	..		

➡ Other varieties see Flower Seeds, page 91.

HORSE RADISH, Small Roots—By mail, prepaid, each 10c; per doz. 50c.

“	“	“	—By frt. or exp. not prepaid, per 100, \$1.00.	..	..		
---	---	---	--	----	----	-------	-------

KALE, or **Borecole**—*See page 33.*

Tall Green Curled Scotch.....	5	10	15	25	1 00
Half Dwarf Moss Curled.....	5	15	25	40	1 25
German Dwarf Purple.....	5	15	25	40	1 25
Extra Curled German Dwarf Green.....	5	15	25	40	1 25
German Dwarf Green, or German Greens.....	5	10	15	25	1 00

KOHL RAB—*See pages 33-34.*

Early White Vienna, <i>fine forcing sort</i>	5	25	40	75	2 25
Early Purple Vienna.....	5	25	40	75	2 50
Large Green.....	5	15	25	40	1 50

LEEK—*See page 34.*

London Flag.....	5	15	25	40	1 25
------------------	---	----	----	----	------

LETTUCE—See pages 34-36.

Early Tennis Ball, <i>true black seeded, for forcing</i>	5	15	25	40	1 50
Black Seeded Simpson	5	15	25	40	1 50
Simpson's Early Curled.....	5	15	25	40	1 25
Hubbard's Market, <i>valuable for forcing and out of doors</i>	5	20	35	60	2 00
Early Curled Silesia	5	15	25	40	1 25
Ferry's Early Prize Head, <i>the best for family use</i>	5	15	25	40	1 50
Hanson	5	15	25	40	1 50
Philadelphia Butter or Early White Head.....	5	15	25	40	1 50
Deacon.....	5	20	35	60	2 00
Frankfort Head.....	5	15	25	40	1 50
Buttercup.....	10	30	55	1 00	3 00
Large Drumhead, or Victoria Cabbage	5	15	25	40	1 25
Brown Dutch, <i>very hardy and of fine quality</i>	5	15	25	40	1 50
Early Boston Curled.....	5	15	25	40	1 25
Green Fringed.....	5	15	25	40	1 50
White Paris Cos.....	5	15	25	40	1 50

MARTYNIA—See page 36.

Proboscidea, <i>for pickling</i>	5	30	55	1 00	3 00
--	---	----	----	------	------

MELON, MUSK—*See pages 36-38.*

Jenny Lind.....	5	10	15	25	90
Skillman's Fine Netted.....	5	10	15	25	90
Early White Japan.....	5	10	15	25	90
Small Green Nutmeg.....	5	10	15	25	1 00
Baltimore.....	5	10	15	25	1 00
Improved Cantaloupe, <i>green fleshed</i>	5	10	15	25	1 00
Improved Large Green Nutmeg.....	5	15	25	40	1 25
Pine Apple.....	5	10	15	25	1 00
Bay View.....	5	10	15	25	1 00
Casaba, or Green Persian.....	5	10	15	25	60

Pkt.	Oz.	2 Oz.	¼ Lb.	Lb.
.. 5	15	25	40	1 25
.. 5	15	25	40	1 25
.. 5	10	15	25	1 00
.. 5	15	25	40	1 25
... 5	15	25	40	1 50
.. 10	30	55	1 00	3 00
.. 5	10	15	25	1 00

Phinney's Early	5	10	15	25	90
D. M. Ferry & Co's Peerless.....	5	10	15	25	1 00
Black Spanish	5	10	15	25	75
Boss	5	10	15	25	1 00
Gypsy, or Georgia Rattlesnake	5	10	15	25	90
Cuban Queen	5	10	15	25	80
Kolb's Gem	5	10	15	25	90
Mammoth Iron Clad.....	5	10	15	25	80
Dark Icing, or Ice Rind	5	10	15	25	90
Light Icing, or Ice Rind.....	5	10	15	25	90
Mountain Sweet.....	5	10	15	25	75
Mountain Sprout.....	5	10	15	25	75
Orange, the flesh separates easily from the rind.....	5	15	25	40	1 50
Ice Cream, true white seeded.....	5	10	15	25	80
Citron, for preserving.....	5	10	15	25	1 00

English, in bricks, by mail prepaid	..	..	30
French, by express or mail, prepaid, 3-lb. boxes, \$2.00 each.			

White English	5	10	15	20	45
Southern Giant Curled	5	10	15	25	1 00

Tall Mixed.....	5	15	25	40	I 25
-----------------	---	----	----	----	------

Dwarf White.....	5	10	15	25	75
------------------	---	----	----	----	----

All choice new stock, and mostly our own growth, on our own Greenfield Seed Farms.				
	Pkt.	Oz.	2 Oz.	¼ Lb.
Extra Early Red	5	20	35	60
Extra Early Red, <i>our own growth</i>	5	25	40	75
Early Red Globe, <i>our own growth, very scarce</i>	5	30	55	1 00
Large Red Wethersfield	5	20	35	60
Large Red Wethersfield, <i>our own growth</i>	5	25	40	75
Yellow Danvers	5	20	35	60
Yellow Danvers, <i>extra, our own growth, very scarce</i>	5	30	55	1 00
Large Yellow Strasburg, or Yellow Dutch, <i>very fine for sets</i>	5	20	35	60
White Portugal (<i>American Silverskin</i>)	5	35	60	1 00
Philadelphia Silverskin, <i>choice set seed</i>	5	35	60	1 00
White Globe	5	40	75	1 25
El Paso, or Large Mexican	5	40	75	1 25
Round White Silverskin, <i>the best for pickling</i>	5	25	40	75
White Silverskin, <i>excellent for producing early onions for bunching</i> ..	5	20	35	60
Early Neapolitan Marzajola	5	20	35	60
Giant Rocca	5	15	25	40
Giant White Italian Tripoli	5	20	35	60
Queen, <i>true</i>	5	25	40	75

Yellow Bottom Sets.....	Add 25 cents per Quart for Postage.....	25	about	5
Red " "	" " "	25	"	5
White " "	" " "	30	"	6

The price *per quart* will hold good through the season, or as long as our stock lasts.

Plain.....	5	10	15	20	65
Champion Moss Curled.....	5	10	15	25	1 00
Carter's Fern Leaved.....	5	10	15	25	1 00
Fine Triple Curled, or Myatt's Garnishing.....	5	10	15	25	80
Turnip Rooted, or Hamburg.....	5	10	15	25	1 00

PARSNIP—See page 43.

	Pkt.	Oz.	2 Oz.	¼ Lb.	Lb.
Long White Dutch, or Sugar.....	5	10	15	20	60
Hollow Crown, or Guernsey	5	10	15	20	60

PEAS—See pages 43-46. Our list of Peas embraces every desirable kind yet offered, and our stocks can be entirely depended upon by the most critical gardeners, as true to name, carefully screened and hand picked, and certain to give complete satisfaction.

EXTRA EARLY SORTS.

	Pkt.	Pt.	Qt.	4 Qt.	Bu.
Ferry's First and Best.....	10	15	25	75	4 50
D. M. Ferry & Co's Extra Early.....	10	15	25	75	4 00
Improved Early Daniel O'Rourke.....	10	15	25	75	4 00
Bliss' American Wonder.....	10	25	35	1 25	7 00
Minimum.....	10	25	35	1 25	7 00
Earliest of All, <i>see Supplement</i>	10	15	25	75	5 00
McBeth's Pride, <i>see Supplement</i>	10	15	25	75	4 50
Kentish Invicta.....	10	15	25	75	4 00
Laxton's Alpha.....	10	15	25	75	4 50
Ferry's Extra Early Tom Thumb.....	10	20	30	1 00	5 50
Blue Peter, or Blue Tom Thumb.....	10	20	30	1 00	5 50

EARLY SORTS.

McLean's Little Gem.....	10	20	30	1 00	5 50
Premium Gem.....	10	20	30	1 00	5 50
Bliss' Everbearing.....	10	25	35	1 25	7 00
Extra Early Kent, <i>true</i>	10	15	25	75	4 00
McLean's Advancer, <i>choice</i>	10	15	25	75	5 00
Telephone.....	10	30	50	1 75	10 00
Bliss' Abundance.....	10	20	30	1 00	6 00

LATE SORTS.

Yorkshire Hero.....	10	20	30	1 00	5 50
Champion of England, <i>choice</i>	10	15	25	75	5 00
Stratagem.....	10	30	50	1 75	10 00
Pride of the Market.....	10	30	45	1 50	9 00
Large Blue Imperial.....	10	15	20	60	3 50
Large White Marrowfat.....	10	15	20	50	2 50
Large Black Eye Marrowfat.....	10	15	20	50	2 50
Dwarf Sugar, Edible Pods, <i>gray seed</i>	10	25	35	1 25	7 00
Tall Sugar, Edible Pods, <i>gray seed</i>	10	25	35	1 25	7 00

FIELD SORTS.

Common White.....	<i>about</i>	10	15	30	1 50
Common Blue.....	"	10	15	40	1 75
Golden Vine, White.....	"	10	15	40	1 75
Blue Prussian.....	"	10	15	40	2 00

PEPPER—See pages 46-47

	Pkt.	Oz.	2 Oz.	¼ Lb.	Lb.
Chili.....	5	30	55	1 00	3 00
Long Red Cayenne.....	5	30	55	1 00	3 00
Large Squash.....	5	25	40	75	2 50
Large Bell, or Bull Nose.....	5	25	40	75	2 50
Sweet Mountain.....	5	25	40	75	2 50
Golden Dawn.....	5	30	55	1 00	3 00

PUMPKIN—See page 47.

Large Yellow.....	(per bu., \$3.00)	5	10	15	20	40
Cushaw.....	5	10	15	25	90	
Sweet Cheese, or Kentucky Field.....	5	10	15	25	75	

RADISH—See pages 47-50.

Non Plus Ultra, <i>the earliest, bright scarlet, fine for forcing</i>	5	15	25	40	1 25
Early Scarlet, Turnip Rooted.....	5	10	15	25	70
Early Scarlet Turnip, White Tipped.....	5	10	15	25	75
Early Round Deep Scarlet.....	5	10	15	25	75
Early White, Turnip Rooted.....	5	10	15	25	70
Early Deep Scarlet, Olive Shaped, Short Leaf, <i>New</i>	5	10	15	25	90
Early Scarlet, Olive Shaped.....	5	10	15	25	70
French Breakfast.....	5	10	15	25	75
Early White, Olive Shaped.....	5	10	15	25	75
Early Long Scarlet, Short Top, <i>improved</i>	5	10	15	25	70
Wood's Early Frame.....	5	10	15	25	75
Improved Chartier.....	5	10	15	25	1 00
Long White Vienna.....	5	10	15	25	75
Long White Naples.....	5	10	15	25	70
Large White Summer Turnip.....	5	10	15	25	70
White Strasburg.....	5	10	15	25	80
Early White Giant Stuttgart.....	5	10	15	25	70
Golden Globe.....	5	10	15	25	75
Gray Summer, Turnip Rooted.....	5	10	15	25	70

Add 15 Cents per Quart for Postage, if Ordered Sent by Mail.

RADISH—Continued.

WINTER VARIETIES.

	Pkt.	Oz.	2 Oz.	¼ Lb.	Lb.
Scarlet China.....	5	10	15	25	1 00
California Mammoth White China.....	5	15	25	40	1 25
Large White Spanish.....	5	10	15	25	75
Round Black Spanish.....	5	10	15	25	75
Long Gray Laon.....	5	10	15	25	80
Long Black Spanish.....	5	10	15	25	75

RAPE—See page 50.

Dwarf Essex, for sowing.....	10	15	20	40	
------------------------------	----	----	----	----	--

RHUBARB, or Pie Plant—See pages 50-51.

Victoria.....	5	20	35	60	1 75
Giant.....	5	20	35	60	1 75
Linnaeus.....	5	20	35	60	1 75
Rhubarb Roots.....	15 cents each.....(per doz., \$1.50).....	..	..	..	..
“ “ by mail, prepaid, 35 cents each.....(“ 2.50).....	..	..	..	..	..

SALSIFY, or Vegetable Oyster—See page 51.....**SPINAGE—See pages 51-52.**

Savoy Leaved, earliest.....	5	10	15	20	50
Round Summer.....	5	10	15	20	50
Improved Thick Leaved.....	5	10	15	20	50
Long Standing.....	5	10	15	20	50
Prickly Winter.....	5	10	15	20	50

SQUASH—See pages 52-54.

Early Yellow Bush Scallop.....	5	10	15	25	75
Early White Bush Scallop.....	5	10	15	25	75
Summer Crookneck.....	5	10	15	25	75
Perfect Gem.....	5	10	15	25	75

AUTUMN, OR WINTER SORTS.

Early Prolific Marrow, new.....	5	10	15	25	1 00
Improved American Turban, (Essex Hybrid).....	5	10	15	25	1 00
Boston Marrow, Our own extra select stock, unsurpassed... ..	5	10	15	25	80
Hubbard, Our own extra select stock, unsurpassed.....	5	10	15	25	80
Butman.....	5	10	15	25	1 00
Marblehead.....	5	10	15	25	1 00
Mediterranean, new.....	10	25	40	75	2 50
Winter Crookneck.....	5	10	15	25	1 00

SUGAR CANE—See page 54.

Early Amber.....(per bu., \$4.00).....	..	..	20	40	
Early Orange.....(“ 4.00).....	..	..	20	40	

SUNFLOWER—See page 54.

Large Russian.....(per bu., \$3.00).....	5	10	15	20	40
--	---	----	----	----	----

TOBACCO—See page 54.

Connecticut Seed Leaf.....	5	30	50	1 00	3 00
Havana.....	5	50	85	1 50	5 00
Yellow Oronoco.....	5	40	75	1 25	4 00
Silky Pryor.....	5	40	75	1 25	4 00

TOMATO—See pages 54-56.

Early Conqueror.....	5	20	35	60	2 00
Hundred Day.....	5	20	35	60	2 00
Canada Victor.....	5	20	35	60	2 00
D. M. Ferry & Co's Optimus, the handsomest and best.....	5	35	60	1 00	3 50

Introduced by ourselves. Our own original selected stock.

Beware of cheap seed of this variety.

Livingston's Favorite.....	5	25	40	75	2 50
Trophy, extra selected.....	5	30	55	1 00	3 00
Paragon.....	5	25	40	75	2 50
Livingston's Perfection.....	5	25	40	75	2 50
Queen, excellent for canning.....	5	30	55	1 00	3 00
Acme.....	5	25	40	75	2 50
Essex Early Hybrid.....	5	25	40	75	2 50
Livingston's Beauty.....	5	30	..	..	..
Cincinnati Purple, very large.....	5	25	40	75	2 50
Golden Queen.....	5	40	..	..	..
White Apple.....	5	40	..	..	..
Red Pear Shaped.....	5	30	55	1 00	3 00
Yellow Plum.....	5	30	55	1 00	3 00
Red Cherry.....	5	30	55	1 00	3 00
Yellow Cherry.....	5	30	55	1 00	3 00
Husk Tomato, or Ground Cherry.....	5	30	55	1 00	3 00

*Excellent for
Pickles and
Preserves.*

TURNIP—See pages 56-58.

WHITE FLESHED SORTS.

Extra Early Purple Top Milan	5	10	15	25	80
Early Purple Top Munich	5	10	15	25	75
White Egg	5	10	15	25	75
Early White Flat Dutch	5	10	15	20	50
Early White Flat Dutch, Strap Leaved	5	10	15	20	60
D. M. Ferry & Co's Early Purple Top, Strap Leaved, improved	5	10	15	20	60
Purple Top White Globe	5	10	15	25	75
Cow Horn, or Long White	5	10	15	20	60
Large White Flat Norfolk	5	10	15	20	50
Large Red Top Flat Norfolk	5	10	15	20	50
Pomeranian White Globe	5	10	15	20	50
Sweet German	5	10	15	25	75
Seven Top	5	10	15	20	50

YELLOW FLESHED SORTS.

Early Yellow Montmagny	5	10	15	25	75
Large Amber Globe	5	10	15	20	60
Orange Jelly, or Robertson's Golden Ball	5	10	15	20	60
Purple Top Yellow Aberdeen	5	10	15	20	50
RUTA BAGAS, OR SWEDES.					
Yellow Swede, or Ruta Baga	5	10	15	20	50
Carter's Imperial Purple Top Ruta Baga	5	10	15	20	50
D. M. Ferry & Co's Improved Purple Top Yellow Ruta Baga	5	10	15	20	60
Large Ovoid Purple Top Swede	5	10	15	20	60
Bangholm Ruta Baga	5	10	15	20	50
Sweet Russian, or White Ruta Baga	5	10	15	20	60

SWEET HERBS—See pages 59-61.

Anise	5	10	15	25	1 00
Balm	5	30	55	1 00	3 00
Basil, Sweet	5	20	35	60	2 00
Bene	5	15	25	40	1 50
Borage	5	15	25	40	1 50
Caraway, for sowing	5	10	15	25	75
Caraway, for flavoring	5	..	..	20	50
Catnip, makes an excellent bee pasture	5	40	75	1 25	4 00
Coriander, for sowing	5	10	15	25	75
Coriander, for flavoring	5	..	..	20	50
Dandelion, Improved Thick Leaved	10	60	1 00	1 75	6 00
Dill	5	10	15	25	1 00
Fennel, Sweet	5	10	15	25	1 00
Horehound	5	30	55	1 00	3 00
Hyssop	5	30	55	1 00	3 00
Lavender	5	30	55	1 00	3 00
Marjoram, Sweet	5	20	35	60	2 00
Rosemary	5	40	75	1 25	4 00
Rue	5	15	25	40	1 50
Saffron	5	15	25	40	1 50
Sage, Broad Leaf	5	15	25	40	1 50
Savory, Summer	5	15	25	40	1 50
Tansy	5	30	55	1 00	3 00
Tarragon	25	4 00	..	..	..
Thyme	5	50	55	1 00	3 00
Wormwood	5	25	40	75	2 50

FRUIT TREE SEEDS—See page 61.

	Oz.	¼ Lb.	Lb.	Bu.
Apple Seeds	10	20	50	6 00
Cherry Stones, mahaleb	10	25	60	..
Cherry Stones, mazzard	10	20	40	..
Peach Stones	..	..	40	1 50
Pear Seed	20	60	2 00	..
Plum Stones	10	20	40	..
Quince Seed	20	60	2 00	..

FOREST TREE AND HEDGE SEEDS—See pages 61-63.

EVERGREEN.

	Oz.	2 Oz.	¼ Lb.	Lb.
Arbor Vitæ, American (<i>Thuja occidentalis</i>)	30	55	1 00	3 00
Fir, Silver (<i>Abies pectinata</i>)	15	25	40	1 50
Hemlock (<i>Tsuga canadensis</i>)	40	75	1 25	4 00
Pine, Scotch (<i>Pinus Sylvestris</i>)	35	25	40	1 50
Pine, Weymouth, or White (<i>Pinus Strobus</i>)	25	40	75	2 50
Spruce, Norway (<i>Abies excelsa</i>)	10	15	25	1 00

D. M. FERRY & CO'S DESCRIPTIVE CATALOGUE.

FOREST TREE AND HEDGE SEEDS—Continued.

DECIDUOUS.	Oz.	2 Oz.	¼ Lb.	Lb.
Ash, White (<i>Fraxinus Americana</i>).....	10	15	25	1 00
Ash, European (<i>Fraxinus excelsior</i>).....	10	15	25	1 00
Beech, (<i>Tagus Americana</i>).....	10	15	25	75
Birch, White (<i>Betula alba</i>).....	10	15	25	1 00
Box Elder, or Ash Leaved Maple (<i>Acer Negundo</i>).....	10	15	25	1 00
Catalpa, hardy (<i>Catalpa speciosa</i>).....	15	25	40	1 25
Larch, European (<i>Larix Europea</i>).....	15	25	40	1 25
Linden, European (<i>Tilia Europea</i>).....	15	25	40	1 25
Locust, Honey (<i>Gleditschia triacanthos</i>).....	10	15	20	60
Locust, Yellow (<i>Robinia pseudo-acacia</i>).....	10	15	20	60
Mulberry, White (<i>Morus alba</i>).....	20	35	60	1 75
Mulberry, Russian.....	50	85	1 50	5 00
Osage Orange (<i>Maclura aurantiaca</i>) .. per bushel of 33 lbs., \$7 00..	10	15	20	60

BIRD SEEDS—See page 67.

				Lb.
Canary.....	3 lbs. by mail, postpaid, 75c.			30
Hemp.....	3 " " " 75c.			30
Rape.....	3 " " " 75c.			30
Maw.....				50
Millet.....	3 lbs. by mail, postpaid, 75c.			30
Lettuce.....				50
Cuttle Bone.....				50
Mixed Bird Seed.....	3 lbs. by mail, postpaid, 75c.			30

CLOVER SEEDS—See pages 63-67.

	Oz.	2 Oz.	¼ Lb.	Lb.
Mammoth, or Large Red .. per bushel, market price....	..	..	..	..
Medium Red, or June.....	"	"	"	..
Alsike, or Swedish.....per bushel of 60 lbs., \$10.00..	10	15	20	60
Bokhara, Sweet Clover (<i>Melilotus alba</i>).....	10	15	25	75
Crimson Trefoil, or Scarlet Italian ..	10	15	20	60
White Dutch.....per bushel of 60 lbs., \$14.00..	10	15	20	60
Lucerne, or Alfalfa .. " " 10.00..	10	15	20	60

GRASS SEEDS—See pages 64-66.

Timothy.....	per lb., 25c.; per bu., market price.			
Tall Meadow Oat Grass.....	" 50c.; " of 13 lbs., \$3 00			
Orchard Grass.....	" 60c.; " 14 " 2 50			
Red Top.....	" 35c.; " 14 " 1 00			
Fowl Meadow, or False Red Top. ..	" 50c.; " 12 " 3 00			
Blue Grass, Kentucky, <i>extra clean</i>	" 40c.; " 14 " 1 50			
Blue Grass, Kentucky, <i>fancy clean</i>	" 40c.; " 14 " 1 75			
Johnson Grass ..	" 50c.; " 25 " 3 50			
Perennial Rye Grass ..	" 40c.; " 20 " 1 50			
Meadow Fescue, or English Blue Grass.....	" 50c.; " 24 " 3 00			
Wood Meadow Grass ..	" 75c.; " 14 " 4 50			
Sweet Vernal Grass.....	" 75c.; " 11 " 3 00			
Hungarian Grass ..	" 30c.; " 48 " 1 25			
Millet, common ..	" 30c.; " 50 " 1 25			
" German, or Golden.....	" 30c.; " 50 " 2 00			
Fine Mixed Lawn ..	" 50c.; " 20 " 4 00			
Extra Fine Mixed, <i>Central Park Mixture</i>	" 60c.; " 15 " 5 00			

MISCELLANEOUS FARM SEEDS—See pages 66-67.

Spring Wheat, Saskatchewan Fife.....	3 lbs. by mail, postpaid, \$1 00; peck, \$1 00; per bu., \$2 50			
Barley, common ..	3 lbs. by mail, postpaid, \$1 00; per bu. of 48 lbs., 1 75			
" Naked, or Hulless.	3 " " 1 00; " 48 " 3 00			
Rye, Spring ..	3 " " 1 00; " 56 " 2 00			
Rye, Fall, or Winter.....	3 " " 1 00; " 56 " 1 50			
Buckwheat, common ..	3 " " 1 00; " 48 " 1 50			
" Silver Hull ..	3 " " 1 00; " 48 " 1 75			
Flax Seed, for sowing ..	per lb. 35; " 56 " 2 50			
Hemp Seed ..	" 35; " 44 " 2 50			
Spring Vetches, or Tares ..	" 35; " 60 " 3 50			
Wild Rice, (<i>Zizania aquatica</i>). See page 51.....	" 75; " 15 " 3 75			

HARVESTING • ONION • SEED •

CULTIVATING • BEETS •

D.M. FERRY & CO.
• SEEDSMEN •
DETROIT, MICH.