THE PLANT DISEASE REPORTER

Issued By

Division of Mycology and Disease Survey

BUREAU OF PLANT INDUSTRY

UNITED STATES DEPARTMENT OF AGRICULTURE

Supplement 129

Index to Supplement 121 - 128

December 31, 1940

(Issued December 31, 1941)

The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Division of Mycology and Disease Survey serves merely as an informational clearing house. It does not assume responsibility for the subject matter.

INDEX OF ORGANISMS AND NON-PARASITIC DISEASES

in

THE PLANT DISEASE REPORTER

SUPPLEMENTS 121 - 128

Prepared by Nellie W. Nance

Plant Disease Reporter
Supplement 129

December 31, 1940

Parris, G. K. A check list of fungi, bacteria, nematodes and viruses occurring in Hawaii, and their hosts, Supplement 121:1-91.

Darker, G. D. A brief host index of some plant pathogens and virus diseases in eastern Asia. Supplement 122:93-123.

Cooke, Wm. Bridge. Preliminary host index to fungi of Mount Shasta, California. Supplement 123:125-133.

Barss, Howard P. Proceedings of the third National Plant Nematode Conference. Supplement 124:135-150.

Maneval, W. E. Some recent records of plant pathogens in Missouri. Supplement 125:151-164. (These are listed alphabetically).

Melchers, L. E. and Alvin E. Lowe. The reaction of sorghum varieties and hybrids to milo disease. Supplement 126:165-175.

Edson, H. A., and Jessie I. Wood. Crop losses from plant diseases in the United States in 1939. Supplement 127:177-209.

Nance, Nellie W. Diseases of plants in the United States in 1939. Supplement 128:210-378.

A

Actinomyces sp., sweetpotato, 189,
271.

scabies, garden beet, 253.
potato, 191, 287.

Adelopus balsamicola, Abies lasio-
carpa, 346.

Albinism, Brassica oleracea var.
broccoli, 255.
peanut, 325.

Albinism, pepper, 261.

Albugo bliti, Amaranthus retroflexus,
350.

candida, Capsella bursa-pastoris,
355.

horseradish, 285.

radish, 285.

ipomoeae-panduranae, Ipomoea
hederacea, 363.

- Albugo ipomoeae-panduranae, Ipomoea
 pandurata, 364.
 sweetpotato, 271.
 occidentalis, spinach, 293.
 platensis, Boerhavia erecta, 353.
 tragopogonis, salsify, 294.
 Alkali soil, strawberry, 208.
 Alternaria spp., castor bean, 332.
 Cornus asperifolia, 339.
 cotton, 325, 326.
 flax, 228.
 garden beet, 253.
 Hydrangea sp., 364.
 Jussiaea decurrens, 365.
 pepper, 260.
 summer squash, 269.
 tobacco, 330.
 tomato, 192, 275.
 blight, pea, 283.
 brassicaceae, Brassica oleracea var.
 broccoli, 254.
 cabbage, 256.
 cauliflower, 255.
 turnip, 259.
 carotae, carrot, 270.
 cucumerina, cantaloupe, 263.
 cucumber, 265.
 squash, 267.
 watermelon, 262.
 dianthi, Dianthus caryophyllus,
 358.
 herculea, cabbage, 256.
 cauliflower, 255.
 radish, 285.
 radicina, carrot, 270.
 solani, eggplant, 286.
 pepper, 260.
 potato, 191, 237.
 tomato, 194, 274.
 tenuis, Bryophyllum pinnatum, 353.
 tomato, tomato, 194, 274.
 Anguina tritici, wheat, 230.
 Angular yellow spot, peach, 299.
 Aphanomyces cochlioides, sugar beet,
 333.
 euteiches, pea, 283.
 Aphelenchoides fragariae,
 Chrysanthemum spp., 356.
 fragariae, strawberry, 208, 301.
 Arachnopeziza aurelia, Quercus sp.,
 342.
- Armillaria mellea, Acer spp., 336.
 black oak, 342.
 cherry, 313.
 Genistra sp., 361.
 mountain ash, 342.
 Norway maple, 342.
 Paeonia spp., 368.
 peach, 295.
 Rosa spp., 372.
 sugar maple, 342.
 Thuja spp., 349.
 Ascochyta sp., Clematis spp., 356.
 Erica sp., 359.
 green peas, 198, 199.
 pea, 284.
 white sweet clover, 240.
 caulicola, sweet clover, 240.
 graminicola, barley, 226.
 imperfecta, alfalfa, 238.
 lethalis, sweet clover, 240.
 pinodella, pea, 284.
 pinodella, vetch, 242.
 pisi, pea, 284, see also Mycosphae-
 rella pinodes.
 rhei, rhubarb, 286.
 Asia, eastern, host index of plant
 pathogens and virus diseases
 in, 93-123.
 Aspergillus spp., cotton, 325.
 field corn, 234.
 sweetpotato, 271.
 niger, field corn, 234
 grape, 322.
 onion, 248.
 ochraceus, field corn, 234.
 Asperisporium caricae, papaya, 300.
 Aster yellows (virus), Calendula
 officinalis, 354.
 celery, 252.
 lettuce, 273.
 Atropellis piniphila, Pinus ponderosa,
 348.
- B
- Bacillus sp., sugar beet, 333.
 Bacteria, in Hawaii and their hosts,
 76-77.
 Bacterial wilt, tobacco, 202.
 Bacterium dissolvens, see Erwinia
 carotovora.

- Bacterium mori*, see *Phytomonas mori*.
 Baldwin spot, apple, see bitter pit.
Basidiophora entospora, *Callistephus chinensis*, 354.
 Big vein (virus), lettuce, 273.
 Bitter pit (non-par.), apple, 310.
 Black bundle, corn, 187.
 Black-end (non-par.), pear, 318.
 Black heart (non-par.), celery, 252.
 Black leaf spot, *Diospyros* spp., 339.
 Black ring (virus), *Brassica oleracea* var. *broccoli*, 255.
 Brassica oleracea var. *italica*, 255.
 cauliflower, 256.
 Black root and root rot (undet.), strawberry, 208, 304.
 Black spot (non-par.), garden beet, 253.
 Blakemore yellows, see leaf variegation.
 Blast (non-par.), oats, 185, 226.
 Blight, hops, 328.
 Blight (bacterial), *Ulmus parvifolia*, 345.
 Blight (non-par.), garden beet, 253.
 Blight (undet.), *Matthiola* spp., 367.
 Blight and dieback (undet.), *Thuja* spp., 349.
 Blossom blight (non-par.), cherry, 315.
 Blossom-end rot (non-par.), pepper, 261.
 tomato, 193, 195, 278.
 Blotchy ripening (non-par.), tomato, 278.
 Blue-green algae, blue grass, 242.
 clover, 242.
Botryosphaeria ribis, red currant, 319.
Botryosporium pulchrum, tomato, 275.
Botrytis sp., *Antirrhinum majus*, 351.
 Delphinium spp., 357.
 Dianthus caryophyllus, 358.
 grape, 322.
 Lilium spp., 366.
 onion, 248.
Botrytis sp., *Paeonia* spp., 368.
 allii, onion, 248.
 cinerea, *Euphorbia* spp., 360.
 Gladiolus spp., 362.
 lettuce, 272.
 Lilium spp., 366.
 strawberry, 302.
 elliptica, *Lilium* spp., 366.
 tulipae, *Tulipa* spp., 376.
Boydia insculpta, *Ilex* spp., 340.
 Breaking of blossoms, *Dianthus caryophyllus*, 359.
Bremia lactucae, lettuce, 272.
 Sonchus oleraceus, 374.
 Brown root rot (undet.), tobacco, 332.
Bubakia crotonis, *Croton monanthogynus*, 357.
 Bumpy peach (virus), peach, 298.
 Bunchy top, eggplant, 286.
 tomato, 279.
- C
- Calico (undet.), peach, 299.
 Canker, Boysenberry, 320.
 hops, 328.
 Canker-stain, London planetree, 340.
Capnodium sp., *Citrus sinensis*, 300.
 Pinus strobus, 348.
Cephalosporium sp., *Diospyros* spp., 339.
 acremonium, corn, 187.
 field corn, 234.
Ceratostomella sp., London plane tree, 341.
 Platanus occidentalis, 341.
 fimbriata, sweetpotato, 189, 271.
 ulmi, *Ulmus* spp., 344.
Cercospora sp., *Ambrosia trifida*, 350.
 Catalpa spp., 338.
 Hibiscus rosa-sinensis, 363.
 Hymenocallis occidentalis, 364.
 peanut, 325.
 strawberry, 302.
 Vernonia baldwinii, 376.
 Viburnum spp., 376.
 acalyphae, *Acalypha ostryaefolia*, 350.
 althaeina, *Althaea rosea*, 350.
 cotton, 326.

- Cercospora antipus*, *Lonicera* sp., 366.
apii, celery, 250.
apii carotae, carrot, 270.
apii-pastinacae, parsnip, 280.
arborescentis, *Hydrangea arborescens*, 364.
asparagi, asparagus, 252.
beticola, *Beta vulgaris macrorrhiza*, 254.
 garden beet, 253.
 sugar beet, 200, 333.
capsici, pepper, 260.
catalpae, *Catalpa* spp., 338.
chenopodii, *Chenopodium hybridum*, 355.
citrullina, watermelon, 262.
cruenta, cowpea, 242.
flagellaris, *Phytolacca americana*, 370.
fusca, pecan, 324.
gaurae, *Gaura biennis*, 361.
medicaginis, alfalfa, 238.
meliae, *Melia azedarach*, 367.
minima, pear, 317.
moricola, *Morus alba*, 311.
nicotianae, tobacco, 330.
oryzae, rice, 228.
pachypus, *Helianthus* spp., 363.
personata, peanut, 325.
pittospori, *Pittosporum* spp., 371.
rhododendri, *Rhododendron catawbiense*, 372.
ricinella, castor bean, 332.
rosicola, *Rosa* spp., 372.
rosigena, *Rosa* spp., 372.
smilacina, *Smilax bona-nox*, 374.
sorghii, *Sorghum halepense*, 246.
varia, *Viburnum opulus*, 376.
variicolor, *Paeonia* spp., 369.
vignae, cowpea, 242.
violae, *Viola* spp., 377.
zebrina, *Trifolium hybridum*, 241.
 Trifolium pratense, 241.
Cercosporiella albo-maculans,
 Brassica chinensis, 254.
 petsai cabbage, 259.
 turnip, 259.
herpotrichoides, wheat, 230, 231.
pastinacae, parsnip, 280.
rubi, blackberry, 319.
Cercosporiella rubi, dewberry, 320.
Cerebella andropogonis, *Axonopus compressus*, 244.
Tricholaena repens, 247.
 Check list of fungi, bacteria, nematodes and viruses occurring in Hawaii, 1-91.
Chlorosis, *Buxus sempervirens*, 354.
Camellia japonica, 355.
Catalpa spp., 338.
 cherry, 315.
Choisya ternata, 356.
Citrus grandis, 300.
Citrus sinensis, 300.
 cowpea, 243.
Gladiolus spp., 262.
 huckleberry, 304.
Ilex spp., 340.
 Italian prune, 313.
Ligustrum spp., 366.
 peach, 206.
 peanut, 325.
Quercus palustris, 343.
Rosa spp., 373.
 sour cherry, 315.
Spiraea spp., 374.
 sweet cherry, 315.
Thuja spp., 349.
Choanephora sp., *Hibiscus* spp., 363.
 conjuncta, cotton, 326.
 Ipomoea spp., 364.
 okra, 271.
 pea, 284.
 Petunia spp., 370.
 cucurbitarum, cowpea, 242.
 okra, 271.
Cintractia subinclusa, *Carex rostrata*, 355.
Cladosporium, grape, 322.
 carpophilum, peach, 206, 295.
 plum, 316,
 cucumerinum, cantaloupe, 263.
 squash, 267.
 summer squash, 269.
 effusum, pecan, 324.
 fulvum, tomato, 275.
 herbarum, pepper, 260.
 paeoniae, *Paeonia* spp., 369.
 pisicola, pea, 284.
Claviceps sp., *Agropyron smithii*, 243.
 Agropyron trachycaulum, 243.

- Claviceps* sp., *Elymus* spp., 245.
 purpurea, *Agropyron repens*, 243.
 Agropyron spicatum, 243.
 barley, 226.
 rye, 182, 229.
 wheat, 230.
Clitocybe tabescens, tung-oil tree, 325.
Coccomyces hiemalis, cherry, 207, 313.
 lutescens, chokecherry, 335.
 prunophorae, plum, 316.
 Cold injury, tobacco, 332.
Coleosporium solidaginis, *Callistephus chinensis*, 354.
 Pinus resinosa, 348.
Colletotrichum sp., African succulent *Euphorbias*, 360.
 Euphorbia fimbriata, 360.
 pepper, 260.
 antirrhini, *Antirrhinum majus*, 351.
 circinans, onion, 248.
 destructivum, alfalfa, 238.
 Melilotus alba, 240.
 falcatum, sugar cane, 334.
 fruit rot, tomato, 276.
 graminicolum, *Agrostis alba*, 243.
 alfalfa, 238.
 red and white clovers, 241.
 rye, 183, 229.
 Sorghum vulgare sudanense, 246.
 wheat, 231.
 hibisci, *Hibiscus* spp., 363.
 lagenarium, cantaloupe, 263.
 cucumber, 266.
 squash, 267.
 watermelon, 262.
 lindemuthianum, bean, 196, 281.
 cowpea, 242.
 green beans, 196.
 lini, flax, 228.
 nigrum, pepper, 260.
 phomoides, tomato, 275.
 spinaciae, spinach, 293.
 trifolii, alfalfa, 238.
 violae-tricoloris, *Viola papilionacea*, 377.
Coniothyrium sp., *Ulmus* spp., 344.
 concentricum, *Yucca filamentosa*, 377.
Coniothyrium wernsdorffiae, *Rosa* spp., 372.
 Copper injury, cherry, 315.
 Copper russetting, apple, 311.
 Cork (non-par.), apple, 310.
 cherry, 315.
Corticium microsclerotia, fig, 301.
 sasakii, *Cynodon dactylon*, 244.
 solani, bean, 281.
 cabbage, 256.
 cauliflower, 255.
 Cichorium endivia, 261.
 cotton, 326.
 lettuce, 272.
 potato, 287.
 sweetpotato, 271.
 tomato, 275.
 stevensii, fig, 301.
 Pittosporum spp., 371.
Coryneum beijerinckii, almond, 324.
 apricot, 312.
 peach, 295.
 prune, 312.
 Frunus emarginata, 314.
 sweet cherry, 314.
 cardinale, Monterey cypress, 346.
 Cracked stem (non-par.), celery, 252.
 Cracking (non-par.), cherry, 315.
 Crazy top, almond, 324.
 cotton, 327.
 Crinkle (virus), *Pelargonium* spp., 369.
 strawberry, 208, 304.
 Crinkle leaf, cotton, 327.
Cronartium sp., *Quercus alba*, 336.
 Quercus macrocarpa, 336.
 Quercus rubra, 336.
 cerebrum, *Pinus banksiana*, 348.
 comptoniae, *Pinus* spp., 348.
 harknessii, *Pinus ponderosa*, 348.
 quercuum, *Pinus* spp., 348.
 ribicola, black currant, 319.
 currant, 319.
 gooseberry, 318.
 Ribes, 348, 372.
 white pine, 348, 372.
 Crown and shoot rot, milo, see milo disease.
 Crown girdle (undet.), pear, 318.
 tung-oil tree, 325.
 Crown rot (undet.), garden beet, 254.

- Cryptosporella viticola*, grape, 323.
Cucumber mosaic (virus), celery, 252.
 sweet pepper, 261.
Cumminsella sanguinea, *Berberis aquifolium*, 353.
 Curly top (virus), bean, 283.
 Beta vulgaris macrorrhiza, 254.
 cantaloupe, 265.
 cucumber, 267.
 dry beans, 197.
 garden beet, 253.
 pepper, 261.
 potato, 291.
 squash, 268.
 sugar beet, 200, 334.
 swiss chard, 254.
 tomato, 193, 195, 278.
Curvularia lunata, rice, 228.
Cuscuta sp., *Ambrosia trifida*, 350.
 Antirrhinum majus, 351.
 eggplant, 286.
 Helianthus spp., 363.
 tomato, 275.
 arvensis, alfalfa, 238.
 Cutting rot, *Azalea* spp., 353.
Cyanospora albicedrae, *Juniperus mexicana*, 347.
Cycloconium oleaginum, olive, 312.
Cylindrosporium sp., *Amorpha fruticosa*, 351.
 Fraxinus spp., 340.
 Fraxinus toumeyi, 340.
 consociatum, *Acer glabrum*, 336.
 filipendulae, *Spiraea* spp., 374.
 griseum, *Sapindus drummondii*, 373.
 montenegrinum, *Trollius albiflorus*, 376.
 oculatum, *Populus deltoides*, 341.
 spiraeicola, *Spiraea lucida*, 374.
Cytospora sp., *Acer* spp., 336.
 Picea spp., 347.
 Picea pungens, 347.
 Populus spp., 341.
 Ulmus spp., 344.
 chrysosperma, *Populus* spp., 341.
 Salix spp., 343.
 sacchari, sugar cane, 334.
- D
- Damping-off, broadleaves, 335.
 conifers, 335.
 Damping-off, *Pinus ponderosa*, 335, 346.
 Pinus resinosa, 346.
 sugar beet, 200.
 Dark center (non-par.), turnip, 259.
Dasyscypha sp., *Pseudotsuga taxifolia*, 348.
 Dead hills, hops, 328.
 Deficiency diseases, cotton, 201, 327.
 tobacco, 202.
Dendrophoma obscurans, strawberry, 302.
Diachea leucopoda, strawberry, 302.
 Diamond canker (undet.), prune, 313.
Diaporthe batatatis, sweetpotato, 271.
 phaseolorum, lima bean, 280.
 sojae, soybean, 240.
Dibotryon morbosum, cherry, 314.
 prune, 313.
 Prunus maritima, 316.
Didymella applanata, raspberry, 320.
Didymellina macrospora, *Iris* sp., 364.
 Dieback, *Azalea* spp., 353.
 Boysenberry, 320.
 Calluna vulgaris, 355.
 cherry, 315.
 filbert, 324.
 prune, 313.
 Robinia pseudoacacia, 343.
 Rosa spp., 373.
 Taxus cuspidata, 349.
Diplocarpon earliana, strawberry, 208, 302.
 rosae, *Rosa* spp., 373.
Diplodia sp., *Allium sativum*, 250.
 corn, 186, 187, 233.
 Rosa spp., 373.
 sweet corn, 188, 237.
 caryogena, *Carya cordiformis*, 338.
 gossypina, cotton, 325, 326.
 longispora, *Quercus prinus*, 342.
 natalensis, *Citrus limonia*, 300.
 tubericola, sweetpotato, 272.
 zeae, corn, 186, 187.
Discosia artocreas, *Cercis canadensis*, 339.
Ditylenchus dipsaci, alfalfa, 238.
 Allium sativum, 250.
 narcissus, 140.
 onion, 248.
 strawberry, 302.
 Dormant hills, hops, 328.
Dothichiza populea, *Populus* spp., 341.

- Dothiorella* sp., tung-oil tree, 325.
ulmi, *Ulmus* spp., 344.
 Drought injury, birch, 338.
 cabbage, 256.
 cherry, 315.
 field corn, 237.
 horsechestnut, 337.
 ornamental trees and shrubs,
 336.
 pea, 285.
 peach, 300.
 pear, 318.
 Picea spp., 348.
 Pinus sylvestris, 348.
 wheat, 233.
 Drought and heat injury, oats, 226.
 potato, 293.
 strawberry, 304.
 Drought spot (non-par.), prune, 313.
 Dwarf, strawberry, 208.
- E
- Ear rots, corn, 186, 187, 234.
Elsinoë ampelina, grape, 323.
 veneta, blackberry, 319.
 Boysenberry, 320.
 dewberry, 320.
 raspberry, 320.
 youngberry, 322.
Elytroderma deformans, *Pinus*
 ponderosa, 348.
Endothia parasitica, chestnut, 338.
Entomosporium sp., crabapple, 336.
 hawthorn, 336.
 , *Crataegus* spp., 339.
Entyloma sp., *Physalis* sp., 370.
 dahliae, *Dahlia* spp., 357.
 nymphaea, *Nymphaea odorata*, 368.
 oryzae, rice, 228.
Erwinia amylovora, apple, 204, 205,
 304.
 Crataegus spp., 339.
 pear, 203, 317.
 Pyracantha sp., 371.
 quince, 301.
 aroideae, *Delphinium* spp., 358.
 Zantedeschia sp., 377.
 carotovora, Brussels sprouts, 259.
 cabbage, 257.
 carrot, 270.
- Erwinia carotovora*, cauliflower, 255.
 celery, 251.
 field corn, 235.
 Iris sp., 364.
 onion, 248.
 potato, 287.
 squash, 268.
 tobacco, 330.
 tomato, 275.
 lapsa, field corn, 235.
 sorghum, 230.
 phytophthora, potato, 190, 288.
 tracheiphila, cantaloupe, 264.
 cucumber, 266.
 watermelon, 262.
 winter squash, 268.
Erysiphe sp., *Euphorbia* sp., 360.
 cichoracearum, cantaloupe, 264.
 cucumber, 266.
 Helianthus spp., 363.
 Phlox spp., 370.
 salsify, 294.
 squash, 268.
 sunflower, 238.
 Taraxacum spp., 375.
 winter squash, 268.
 Zinnia elegans, 377.
 graminis, barley, 181, 226.
 Dactylis glomerata, 245.
 oats, 225.
 rye, 229.
 turnip, 259.
 wheat, 231.
 polygoni, bean, 281.
 Brassica oleracea var. *napo-*
 brassica, 254.
 cabbage, 257.
 cowpea, 242.
 Delphinium spp., 358.
 green beans, 196.
 pea, 284.
 Phaseolus aureus, 280.
 Polygonum buxiforme, 371.
 red clover, 241.
 Exobasidium burtii, *Azalea* spp., 352.
 vaccinii, *Azalea* spp., 352.
 Exosporium concentricum, *Euonymus*
 japonica, 360.
- F
- Fabraea* sp., crabapple, 336.

- Fabraea* sp., hawthorn, 336.
 maculata, *Crataegus* spp., 339.
 pear, 203, 317.
 quince, 301.
 False blossom (virus), cranberry, 322.
 Fasciation, yew, see witches' broom.
 Filiform mosaic (cucurbit virus), tomato, 279.
 Fomes sp., horsechestnut, 337.
 annosus, *Kalmia latifolia*, 365.
 Picea spp., 347.
 applanatus, *Robinia pseudoacacia*, 343.
 fraxinophilus, *Fraxinus lanceolata*, 340.
 igniarius, *Salix* spp., 343.
 Foot rots, corn, 186, 187, 236.
 rye, 183:
 wheat, 178, 179.
 Frenching (non-par.), tobacco, 332.
 Frost injury, apple, 311.
 cherry, 315.
 peach, 300.
 pear, 318.
 plum, 317.
 prune, 313.
 Syringa vulgaris, 375.
 Frost killing, *Abies concolor*, 335.
 broadleaves, 335.
 conifers, 335.
 Pseudotsuga taxifolia, 335.
 Fruit gumming (non-par.), peach, 299.
 Fruit pox, tomato, 278.
 Fruit rots, strawberry, 208.
 tomato, 192, 194.
 Fumago spp., *Ilex* spp., 340.
 Quercus spp., 342.
 vagans, *Fagus* spp., 339.
 Fungi. of Mount Shasta, California,
 host index to, 125-133.
 in Hawaii and their hosts, 37-76.
 Fusarium sp., *Agrostis* spp., 243.
 asparagus, 252.
 barley, 180.
 bean, 281.
 cantaloupe, 264.
 celery, 251.
 Fusarium spp., cotton, 325, 326.
 Dahlia spp., 357.
 Dianthus caryophyllus, 358.
 field corn, 235, 236.
 Freesia sp., 361.
 Gladiolus spp., 362.
 green peas, 198, 199.
 Iris kaempferi, 364.
 Narcissus sp., 367.
 oats, 225.
 onion, 248...
 pea, 283, 284.
 Pelargonium spp., 369.
 pepper, 260.
 potato, 190, 288.
 Primula sp., 371.
 sorghum, 230.
 spinach, 293.
 summer squash, 269.
 sweet corn, 188, 237.
 sweetpotato, 272.
 Taxus cuspidata, 349.
 tobacco, 330.
 wheat, 231.
 white sweet clover, 240.
 winter squash, 269.
 Zucchini squash, 269.
 apii, celery, 251.
 apii pallidum, celery, 251.
 avenaceum, peach, 295.
 potato, 288.
 bulbigenum batatas, sweetpotato, 189, 272.
 bulbigenum lycopersici, tomato, 192, 194, 275.
 bulbigenum niveum, watermelon, 262.
 bulbigenum niveum f.2, cantaloupe, 264.
 bulbigenum tracheiphilum, cowpea, 242.
 conglutinans, cabbage, 257.
 cauliflower, 255.
 callistephi, *Callistephus chinensis*, 354.
 heterosporium, *Axonopus compressus*, 244.
 javanicum, summer squash, 269.
 lini, flax, 228.
 moniliiforme, cotton, 325, 326.
 field corn, 235.
 sugar cane, 334.

- Fusarium nivale*, *Agrostis* spp., 243.
orthoceras longius, strawberry, 302.
orthoceras pisi, pea, 284.
oxysporum, sweetpotato, 189, 272.
oxysporum f.1, potato, 288.
oxysporum f.2., sweetpotato, 189, 272.
oxysporum f.3, pea, 284.
oxysporum gladioli, *Gladiolus* spp., 362.
oxysporum medicaginis, alfalfa, 238.
oxysporum nicotianae, tobacco, 330.
perniciosum, mimosa, 337.
radicicola, potato, 288.
 root rot, carrot, 270.
solani eumartii, potato, 288.
solani var. *martii* f.2, pea, 283.
solani var. *martii* f.3, bean, 281.
spinaciae, spinach, 293.
vasinfectum, cotton, 201, 325, 326.
vasinfectum zonatum f.1, onion, 248.
 wilt, casaba melon, 265.
 cotton, 146, 147.
 honeydew melon, 265.
Fusicladium eriobotryae, loquat, 301.
saliciperdu, *Salix* spp., 343.
tremulae, *Populus* spp., 341.
Fusicoccum sp., *Pyracantha* sp., 371.
Fusisporium rubi, dewberry, 321.
 raspberry, 321.
- G
- Ganoderma* sp., *Colutea arborescens*, 356.
Gibberella spp., field corn, 236.
 sweet corn, 237.
 saubinetii, see *G. zeae*.
 zeae, barley, 181, 226.
 field corn, 235.
 oats, 225.
 rye, 229.
 wheat, 178, 179, 231.
Girdle (non-par.), garden beet, 253.
- Gloeodes pomigena*, apple, 305.
 pear, 317.
Gloeosporium spp., *Acer* spp., 336.
 Nephthytis sp., 368.
 Rosa spp., 373.
 apocryptum, *Acer* spp., 336.
 catalpae, *Catalpa* spp., 338.
 fagi, *Fagus* spp., 339.
 perennans, apple, see *Neofabraea perennans*.
 ulmi, *Ulmus americana*, 344.
 Ulmus pumila, 344.
Glomerella cingulata, apple, 204, 205, 305.
 Ligustrum spp., 366.
 pepper, 260.
 Symphoricarpos spp., 374.
 gossypii, cotton, 201, 325, 326.
 piperata, pepper, 260.
Gnomonia leptostyla, black walnut, 340.
 ulmea, *Ulmus* spp., 344.
 veneta, *Platanus* spp., 341.
 Quercus spp., 342.
 sycamore, 342.
Graphiola phoenicis, *Phoenix* sp., 370.
 Phoenix canariensis, 370.
 Green mosaic (virus), sugar cane, 334.
 Greene mottle, apple, 310.
Guignardia aesculi, horsechestnut, 337.
 bidwellii, grape, 209, 323.
 Parthenocissus quinquefolia, 369.
 Parthenocissus tricuspidata, 369.
 vaccinii, cranberry, 322.
Gymnoconia peckiana, black raspberry, 320.
 blackberry, 319.
 wild blackberry, 319.
Gymnosporangium sp., *Amelanchier* sp., 350.
 apple, 204, 205, 306.
 Crataegus spp., 336, 339.
 Juniperus monosperma, 347.
 Malus spp., 336.
 betheli, *Juniperus scopulorum*, 347.
 clavariaeforme, *Juniperus communis depressa*, 347.
 clavipes, apple, 305.
 Crataegus spp., 339.
 flowering crab, 340.
 Juniperus spp., 347.

Gymnosporangium clavipes, quince,
301.
exiguum, Juniperus mexicana, 347.
floriforme, Juniperus spp., 347.
globosum, apple, 306.
Crataegus spp., 339.
Juniperus spp., 346, 347.
juniperi-virginianae, apple, 306.
juniperi-virginianae, flowering
crab, 340.
Juniperus spp., 346, 347.
Juniperus chinensis, 347.
juniperinum, Juniperus communis
depressa, 347.
nelsoni, Juniperus spp., 347.

H

Hail injury, pear, 318.
prune, 313.
Hair sprout, potato, 291.
Hawaii, check list of fungi, bacteria,
nematodes, and viruses in,
1-91.
Heart rot, sugar beet, 334.
Heat canker, flax, 228.
Heat injury, cabbage, 256.
field corn, 237.
pea, 285.
Tsuga spp., 349.
wheat, 233.
Helminthosporium spp., Agrostis spp.,
243.
Allium sativum, 250.
barley, 180.
field corn, 236.
Poa spp., 246.
Stenotaphrum secundatum, 246.
undetermined Gramineae, 247.
wheat, 231.
avenae, oats, 225.
bromi, Bromus spp., 244.
foot rot, barley 180.
gramineum, barley, 180, 227.
oryzae, see Ophiobolus miyabeanus.
papulosum, apple, 306.
sativum, barley, 227.
wheat, 231.
turcicum, corn, 187.
field corn, 236.

Helminthosporium turcicum, sorghum,
230.
Sorghum vulgare sudanense, 246.
sweet corn, 237.
Heterodera marioni, Althaea rosea, 350.
American-Egyptian cotton, 143.
Antirrhinum majus, 351.
bean, 138, 147, 281.
Brabham peas, 139.
cantaloupe, 264.
carrot, 270.
celery, 251.
chemical treatment of soil, 150.
Chinese lily, 141.
cigar-wrapper tobacco, 143.
clover, 241.
corn, 139.
cotton, 139, 146, 201, 326.
cowpea, 138, 139, 242.
crop plants, 142.
cucumber, 266.
effect of crop rotation, 145.
eggplant, 286.
Euonymus spp., 360.
Gardenia jasminoides, 361.
Gelsemium sempervirens, 361.
Gladiolus spp., 362.
globe artichoke, 269.
grasses, 143.
hops, 329.
huckleberry, 304.
Ipomoea purpurea, 364.
Lespedeza stipulacea, 139.
lettuce, 273.
Ligustrum spp., 366.
Ligustrum lucidum compactum, 366.
lima bean, 139.
Nancy Hall sweet potato, 141.
Nicotiana spp., 140.
okra, 271.
Paeonia spp., 369.
Paper white narcissus, 141.
pea, 284.
peach, 296.
peanut, 139.
Petunia spp., 370.
Pinus lambertiana, 139.
potato, 142, 145, 288.
resistance in Nicotiana, 139.
Rosa spp., 373.

Heterodera marioni, snap bean, 139.
 soybean, 139.
 strawberry, 302.
 sweetpotato, 272.
 tobacco, 145, 330.
 tomato, 139, 141, 146, 149,
 192, 276.
 turnip, 259.
Ulmus spp., 345.
Viburnum spp., 376.
Viola spp., 377.
 watermelon, 150, 262.
 weeds, 142.

marioni infestation, 148.

Heterosporium echinulatum, *Dianthus*
caryophyllus, 358.
gracile, *Belamcanda chinensis*,
 353.

Iris sp., see *Didymellina*
macrospora.

phlei, *Phleum pratense*, 246.

variabile, spinach, 293.

Hopperburn (leafhopper), potato, 191,
 292.

Host index, fungi of Mount Shasta,
 California, 125-133.

plant pathogens and virus
 diseases, eastern Asia,
 92-123.

Hyalopsora polypodii, *Cystopteris*
 sp., 357.

Hypodermella nervisequia, *Pseudotsuga*
taxifolia, 348.

Hypoxylon sp., *Platanus occidentalis*,
 341.

atropunctata, *Quercus* spp., 342.

I

Index, host, fungi of Mount Shasta,
 California, 125-133.

plant pathogens and virus
 diseases, eastern Asia,
 93-123.

Internal breakdown, apple, 310.

Internal cork (non-par.), apple,
 310.

Interveinal chlorosis (non-par.),
 chestnut, 338.

K

Kabatiella caulivora, clover, 241.

Kuehneola uredinis, blackberry, 319.

L

Leaf blight (non-par.), *Arbutus*
menziesii, 337.

Leaf blotch (sterile fungus), rice,
 229.

Leaf cast, *Abies* spp., 346.

Leaf-casting yellows (virus), peach, 298.

Leaf curl (undet.), prune, 313.

Leaf curl (virus), raspberry, 322.

Leaf drop, prune, 313.

Robinia pseudoacacia, 343.

Leaf mottle, *Fagus* spp., 339.

Leaf necrosis (undet.), turnip, 259.

Leafroll (virus), potato, 190, 291.

Leaf scorch, *Acer* spp., 337.

Fagus spp., 340.

prune, 313.

Leaf scorch and blight (non-par.),

Pseudotsuga taxifolia, 349.

Leaf spot (non-par.), *Camellia japonica*,
 355.

Phleum pratense, 246.

Leaf spotting (undet.), prune, 313.

Leaf spotting and defoliation (undet.),
 peach, 299.

Leaf variegation, strawberry, 208, 303.

Leptosphaeria coniothyrium, blackberry,
 319.

Boysenberry, 320.

dewberry, 320.

gooseberry, 318.

raspberry, 321.

Rosa spp., 373.

youngberry, 322.

Leptosphaeria salvinii, rice, 228.

Leptothyrium acerinum, *Acer saccharum*,
 336.

periclymeni, *Lonicera* sp., 366.

pomi, apple, 306.

pear, 317.

Lime sulfur injury, cherry, 315.

Little peach (virus), peach, 298.

Lophodermium sp., *Rhododendron* spp., 372.

Lophodermium pinastri, *Pinus* spp.,
348.
 rhododendri, *Rhododendron*
 catawbiense, 372.
Lycogala epidendrum, *Pinus* spp.,
348.

M

- Macrophoma candollei*, *Buxus semper-*
 virens, 354.
 negundinis, *Acer negundo*, 337.
 nervicola, *Quercus* spp., 342.
 phlei, *Phleum pratense*, 246.
Macrophomina phaseoli, bean, 281.
 cowpea, 242.
 honeydew melon, 265.
 Persian melon, 265.
 Strophostyles helvola, 241.
Macrosporium sp., *Dahlia* spp., 357.
 onion, 248.
 catalpae, *Catalpa* spp., 338.
 porri, onion, 248.
 sarcinula parasiticum, onion, 249.
Malformation, Italian prune, 313.
Malnutrition (non-par.), cauliflower;
 256.
Marasmius tritici, *Agrostis alba*, 244.
 wheat, 231.
Marginal chlorosis (non-par.), chest-
 nut, 338.
Marssonina sp., crabapple, 336.
 green ash, 335.
 hawthorn, 336.
 fraxini, see *Piggotia fraxini*.
 juglandis, *Juglans* spp., 340.
Marssonina sp., *Salix* spp., 343.
 kriegeriana, *Salix exigua*, 343.
 panattoniana, lettuce, 273.
 populi, *Populus alba*, 341.
 Populus tremuloides, 335, 336.
Measles (non-par.), apple, 310.
Melampsora spp., cottonwood, 335.
 Populus spp., 336, 341.
 Populus balsamifera, 336.
 Populus candicans, 336.
 Populus carreiriana, 336.
Melampsora abietis-canadensis,
 Populus spp., 341.
Melampsora aecidioides, *Populus*
 alba, 341.
Melampsora bigelowii, *Salix* spp., 343.
 cassandrae, *Picea* spp., 348.
 lini, flax, 228.
 Linum lewisi, 228, 366.
 ribesii-purpureae, *Salix* sp., 343.
 Salix bebbiana, 343.
 Salix scouleriana, 343.
Melampsorella cerastii, *Abies lasiocarpa*,
 346.
 Cerastium arvense, 355.
Melanopsichium austro-americanum,
 Polygonum lapathifolium, 371.
Micrococcus sp., undetermined Gramineae,
 247.
Microorganisms and viruses, in Hawaii
 and their hosts, 38-82.
Microsphaera sp., *Euonymus* spp., 360.
 Symphoricarpos spp., 374.
Microsphaera alni, pecan, 324.
 Syringa vulgaris, 375.
 alni vaccinii, *Catalpa* spp., 338.
 diffusa, *Symphoricarpos* spp., 374.
 polonica, *Hydrangea* sp., 364.
Mild mosaic (virus), potato, 292.
Milo disease, reaction of sorghum
 varieties and hybrids to,
 165-175.
Missing hills, hops, 328.
Monilochaetes infuscans, sweetpotato,
 189, 272.
Mosaic (virus), alfalfa, 240.
 bean, 263.
 black raspberry, 322.
 Boysenberry, 320.
 cabbage, 259.
 Callicarpa americana, 354.
 cantaloupe, 265.
 cauliflower, 256.
 clover, 242.
 cowpea, 243.
 cucumber, 267.
 current, 319.
 Dahlia spp., 357.
 dry beans, 197.
 eggplant, 287.
 garden beet, 253.
 Gladiolus spp., 262.
 green beans, 196.
 green peas, 198.
 Iris sp., 364.
 Lathyrus odoratus, 366.

- Mosaic (virus), lettuce, 274.
 Lilium spp., 366.
 lima bean, 280.
 Melilotus alba, 240.
 Narcissus sp., 367.
 Ornithogalum aureum, 368.
 Paeonia spp., 369.
 pea, 285.
 peach, 298.
 Pelargonium spp., 370.
 pepper, 261.
 Petunia spp., 370.
 Phytolacca americana, 370.
 potato, 190.
 prune, 313.
 purple raspberry, 322.
 red raspberry, 322.
 Rosa spp., 373.
 Senecio cruentus, 374.
 soybean, 240.
 spinach, 294.
 squash, 268.
 strawberry, 304.
 sugar cane, 334.
 summer squash, 269.
 sweetpotato, 272.
 Tigridia sp., 375.
 tobacco, 202, 332.
 tomato, 193, 195, 279.
 turnip, 260.
 watermelon, 263.
 wheat, 233.
 winter squash, 269.
 Zinnia elegans, 377.
 Mottle leaf (virus), cherry, 315.
 Mount Shasta, California, host
 index to fungi of, 125-133.
Mucor spp., field corn, 236.
 Multiple bud (undet.), sugar cane,
 334.
Mycosphaerella sp., tomato, 276.
 brassicicola, *Brassica oleracea*
 var. *broccoli*, 254.
 Brussels sprouts, 259.
 cabbage, 257.
 cauliflower, 255.
 cercidicola, *Cercis canadensis*,
 339.
 citrullina, watermelon, 262.
 winter squash, 269.
 fragariae, strawberry, 208, 302.
Mycosphaerella *pinodes*, green peas,
 198, 199.
 pea, 284.
 pomi, apple, 307.
 rosicola, *Rosa* spp., 373.
 rubi, blackberry, 319.
 Boysenberry, 320.
 raspberry, 321.
 youngberry, 322.
 rubina, raspberry, 320, 321.
 red raspberry, 321.
 sentina, pear, 317.

 N
Naucoria cerealis, wheat, 231.
 Necrosis, tomato, 279.
Nectria sp., *Abies balsamea*, 346.
 Abies concolor, 346.
 horsechestnut, 337.
 ornamentals, 349.
 Ulmus spp., 345.
 cinnabarina, currant, 319.
 Fagus spp., 339.
 Ligustrum amurense, 366.
 Ulmus spp., 345.
 ditissima, *Acer* spp., 337.
 rousselliana, *Buxus sempervirens*, 354.
 Nematode conference, proceedings third
 national plant, 135-150.
Nematodes, *Citrus sinensis*, 300.
 in Hawaii and their hosts, 76-82.
Neofabraea malicorticis, apple, 307.
 perennans, apple, 307.
 Net necrosis (virus), potato, 291.
Nigrospora sphaerica, field corn, 235.
Nummularia discreta, apple, 307.

 O
Oidium sp., *Hydrangea* sp., 364.
 caricae, papaya, 300.
 Oil injury, apple, 311.
Ophiobolus graminis, barley, 180.
 wheat, 231.
 miyabeanus, rice, 229.
Ovularia asteris, *Aster engelmanni*,
 352.
 obliqua, *Rumex* sp., 373.
Ovulinia azaleae, *Azalea* spp., 352.

- Penicillium* sp., Citrus spp., 300.
 cotton, 325, 326.
 cranberry, 322.
 field corn, 235, 236.
 prune, 313.
 Tulipa spp., 376.
 expansum, apple, 307.
 pear, 318.
 gladioli, Gladiolus spp., 362.
Peronospora sp., Eriogonum blissianum, 360.
 Teucrium canadense, 375.
 antirrhini, Antirrhinum majus, 351.
 destructor, onion, 249.
 effusa, Chenopodium album, 355.
 spinach, 294.
 lamii, Lamium amplexicaule, 365.
 manshurica, soybean, 240.
 parasitica, cabbage, 257.
 Capsella bursa-pastoris, 355.
 cauliflower, 255.
 radish, 285.
 pisi, pea, 284.
 potentillae, Geum sp., 361.
 potentillae, Potentilla gracilis ssp. nuttallii, 371.
 schachtii, garden beet, 253.
 sugar beet, 333.
 tabacina, tobacco, 202, 330.
 trifoliorum, alfalfa, 238.
Pestalotia sp., Rhododendron spp., 372.
 guepini, Rhododendron spp., 372.
Pestalozzia funerea, Thuja spp., 349.
Pezicula carpineae, Carpinus caroliniana, 338.
Pezizella lythri, strawberry, 303.
Phaeocryptopus gäumannii, Pseudotsuga taxifolia, 348.
Phleospora aceris, Acer spp., 337.
 Acer saccharinum, 337.
 osmorrhizae, Osmorhiza divaricata, 368.
 Osmorhiza occidentalis, 368.
Phloem necrosis (virus), Ulmus spp., 345.
Phoma sp., peanut, 325.
 sugar beet, 333.
 betae, sugar beet, 333.
Phoma destructiva, tomato, 276.
 fruit rot, tomato, 276.
 lathyrina, cowpea, 242.
 lingam, cabbage, 257.
 turnip, 259.
Phoma persicae, peach, 296.
 terrestris, onion, 249.
Phomopsis sp., Ilex spp., 340.
 callistephi, Callistephus chinensis, 354.
 gardeniae, Gardenia jasminoides, 361.
 juniperovora, cedar, 346.
 eastern red cedar, 335.
 Juniperus spp., 347.
 sojae, see Diaporthe sojae.
 stewartii, Cosmos spp., 357.
 vexans, eggplant, 286.
 Phony peach (virus), peach, 298.
Phoradendron flavescens, Ulmus spp., 345.
Phragmidium spp., Rosa spp., 373.
 americanum, Rosa setigera, 373.
 andersoni, Potentilla fruticosa, 371.
 ivesiae, Potentilla gracilis, 371.
 Potentilla gracilis ssp. nuttallii, 371.
 Potentilla nuttallii, 371.
 montivagum, Rosa sp., 373.
 Rosa nutkana, 373.
 potentillae, Potentilla flabelliformis, 371.
 Potentilla pensylvanica, 371.
 rosae-setigerae, Rosa spp., 373.
Phragmidium rubi-idaei, blackberry, 321.
 Rubus strigosus, 321.
 speciosum, Rosa spp., 373.
Phyllachora trifolii, Trifolium hybridum, 241.
 Trifolium pratense, 241.
 Trifolium repens, 241.
Phyllosticta spp., Acer spp., 337.
 Amaranthus retroflexus, 350.
 Buxus sempervirens, 354.
 Carpinus caroliniana, 338.
 Catalpa spp., 338.
 crabapple, 336.
 Fraxinus spp., 340.
 Fraxinus velutina, 340.
 hawthorn, 336.

- Phyllosticta sp., Hedera spp., 363.
 Phlox spp., 370.
 Sassafras albidum, 344.
 Ulmus spp., 345.
 antirrhini, Antirrhinum majus, 351.
 bumeliae, Bumelia lanuginosa, 338, 353.
 catalpae, Catalpa spp., 338.
 celtidis, Celtis occidentalis, 338.
 gossypina, cotton, 326.
 hederacola, Hedera helix, 363.
 illicicola, Ilex spp., 340.
 kalmicola, Kalmia latifolia, 365.
 smilacis, Smilax glauca, 374.
 solitaria, apple, 204, 205, 307.
 straminella, rhubarb, 286.
 trollii, Trollius albiflorus, 376.
 viridis, Fraxinus americana, 340.
 Phymatotrichum omnivorum, alfalfa, 239.
 apricot, 312.
 Aster spp., 352.
 Baccharis neglecta, 353.
 Buxus sempervirens, 354.
 Cercis canadensis, 339.
 Chrysanthemum spp., 356.
 Cornus spp., 339.
 cotton, 201, 327.
 cowpea, 242.
 Elaeagnus argentea, 359.
 Euonymus spp., 360.
 fig, 301.
 Gelsemium sempervirens, 361.
 Hibiscus syriacus, 363.
 Juglans rupestris, 340.
 Lantana camara, 365.
 Lantana sellowiana, 365.
 Ligustrum sp., 366.
 Ligustrum amurense, 366.
 Ligustrum lucidum compactum, 366.
 Melia azedarach, 367.
 mulberry, 311.
 okra, 271.
 pear, 318.
 pecan, 324.
 peach, 206, 296.
 Philadelphus grandiflorus, 370.
 Phymatotrichum omnivorum, Populus spp., 341.
 Pyracantha sp., 372.
 Rhus spp., 343.
 Rosa spp., 373.
 Salix spp., 343.
 Spiraea spp., 374.
 sweet clover, 240.
 sweetpotato, 272.
 swiss chard, 254.
 Thuja orientalis, 349.
 tobacco, 331.
 tomato, 276.
 Ulmus americana, 345.
 Zinnia elegans, 377.
 Physalospora astragali, Astragalus bisulcatus, 352.
 Astragalus goniatus, 352.
 obtusa, apple, 204, 205, 308.
 Physarum spp., undetermined Gramineae, 247.
 cinereum, Cynodon dactylon, 244.
 Stenotaphrum secundatum, 246.
 Physiological yellow leaf, cherry, 315.
 Physoderma menyanthis, Menyanthes trifoliata, 367.
 zeae-maydis, field corn, 236.
 Physopella fici, fig, 301.
 Phytonomonas spp., Dianthus caryophyllus, 358.
 dry beans, 197.
 green beans, 196.
 Syringa vulgaris, 375.
 tobacco, 202.
 aceris, Acer spp., 337.
 aleuritidis, tung-oil tree, 325.
 andropogoni, sorghum, 230.
 Sorghum vulgare sudanense, 246.
 angulata, tobacco, 331.
 atrofaciens, wheat, 231.
 begoniae, Begonia spp., 353.
 berberidis, Berberis spp., 353.
 campestris, Brassica oleracea var. broccoli, 254.
 Brassica oleracea var. napobrassica, 254.
 cabbage, 258.
 cauliflower, 255.
 radish, 286.
 turnip, 259.

Phytomonas cerasi, *Trifolium*
hybridum, 241.

Trifolium pratense, 241.

Trifolium repens, 241.

coronafaciens, oats, 225.

cucurbitae, squash, 268.

winter squash, 269.

delphinii, *Delphinium* spp., 358.

fascians, *Lathyrus odoratus*, 365.

flaccumfaciens, bean, 281, 282.

glycinea, soybean, 240.

gummisudans, *Gladiolus* spp., 362.

hederae, *Hedera* spp., 363.

insidiosa, alfalfa, 239.

jaggeri, celery, 251.

lachrymans, cucumber, 266.

maculicola, cabbage, 258.

cauliflower, 255.

malvacearum, cotton, 201, 327.

marginata, *Gladiolus* spp., 362.

medicaginis phaseolicola, bean,
282.

lima bean, 280.

michiganensis, tomato, 193, 195,
276.

mori, *Morus alba tatarica*, 311.

mulberry, 335.

papavericola, *Papaver* spp., 369.

papulans, apple, 308.

pelargonii, *Pelargonium* spp., 369.

phaseoli, bean, 282.

lima bean, 280.

pisi, green peas, 198.

pea, 284.

pruni, apricot, 312.

cherry, 314.

peach, 206, 296.

plum, 316.

rhizogenes, apple, 308.

Rosa spp., 373.

rubrilineans, sugar cane, 334.

rubrisubulbricans, sugar cane, 334.

savastanoi, *Nerium oleander*, 368.

sepedonica, potato, 191, 288.

solanacearum, *Dahlia* spp., 357.

potato, 191, 289.

tobacco, 331.

tomato, 276.

stewartii, corn, 186, 187.

field corn, 236.

Phytomonas stewartii, popcorn, 237.

sweet corn, 188, 237.

syringae, lima bean, 280.

plum, 316.

sweet cherry, 314.

Syringa vulgaris, 375.

tabaci, tobacco, 331.

tardicrescens, *Iris* sp., 364.

translucens, barley, 227.

translucens undulosa, wheat, 231.

tumefaciens, *Althaea rosea*, 350.

apple, 308.

black raspberry, 321.

blackberry, 320.

Boysenberry, 320.

cotton, 327.

Euonymus fortunei var. *radicans*,
360.

grape, 323.

hops, 328, 329.

Ligustrum lucidum compactum, 366.

peach, 296.

pecan, 324.

plum, 316.

raspberry, 321.

Rosa spp., 373.

Salix spp., 344.

vesicatoria, pepper, 260.

tomato, 277.

viburni, *Viburnum* spp., 377.

viridilivida, lettuce, 273.

woodsii, *Dianthus caryophyllus*, 358.

Phytophthora sp., *Citrus grandis*, 300.

Callistephus chinensis, 354.

Lilium spp., 366.

rhubarb, 286.

strawberry, 208, 303.

Syringa vulgaris, 375.

cactorum, *Antirrhinum majus*, 351.

apple, 308.

Cornus spp., 339.

Cornus florida, 357.

Paeonia spp., 369.

Rhododendron spp., 372.

strawberry, 303.

Syringa vulgaris, 375.

capsici, pepper, 260.

cryptogea richardiae, *Zantedeschia*
sp., 377.

erythroseptica, potato, 289.

- Phytophthora infestans*, potato, 190, 289.
 tomato, 277.
megasperma, sweet clover, 240.
parasitica, Citrus spp., 300.
 tomato, 277.
parasitica nicotianae, tobacco, 331.
phaseoli, lima bean, 280.
 Pierce's disease (virus), grapevines, 323.
Piggotia fraxini, ash, 336.
 Pink cherry (virus), sour cherry, 315.
 Pink fruit, cherry, 315.
Piricularia grisea, *Digitaria sanguinalis*, 245.
oryzae, rice, 229.
Pitya cupressi, *Juniperus* spp., 347.
 Plant hosts, microorganisms and viruses in Hawaii, 3-36.
 Plant pathogens and virus diseases, eastern Asia, host index, 93-123.
Plasmodiophora brassicae, *Brassica oleracea* var. *broccoli*, 255.
 cabbage, 258.
 cauliflower, 256.
 turnip, 259.
Plasmopara geranii, *Geranium carolinianum*, 361.
viticola, grape, 209, 323.
Pleñodomus destruens, sweetpotato, 272.
Pleospora lycopersici, tomato, 277.
 Pod rot (undet.), peanut, 325.
Podosphaera spp., peach, 296.
leucotricha, apple, 308.
oxyacanthae, cherry, 314.
 sour cherry, 314.
 western chokecherry, 342.
 Wickson plum, 316.
Polyporus amarus, *Libocedrus decurrens*, 335.
hirsutus, birch, 338.
versicolor, *Populus* spp., 341.
volvatus, *Pinus contorta*, 348.
 Poor growth, *Tsuga* spp., 349.
 Potash deficiency, cotton, 327.
 tobacco, 332.
Pratylenchus musicola, black walnut, 146.
 boxwood, 146.
 fig, 146.
 olive, 146.
pratensis, *Buxus sempervirens*, 354.
Chrysanthemum spp., 356.
 cotton, 146, 147.
Gilia rubra, 362.
 Proceedings, third national plant nematode conference, 135-150.
Pseudoperonospora cubensis, cantaloupe, 264.
 cucumber, 266.
 squash, 268.
 watermelon, 263.
humuli, hops, 328, 329.
Pseudopeziza medicaginis, alfalfa, 239.
ribis, currant, 319.
 gooseberry, 318.
 wild gooseberry, 318.
trifolii, *Trifolium pratense*, 241.
 Psyllid yellows (psyllids), potato, 191, 292.
 tomato, 278.
Puccinia spp., barley, 227.
aemulans, *Viguiera multiflora*, 377.
albulensis, *Veronica wormskjoldii*, 376.
andropogonis, *Andropogon furcatus*, 244.
Andropogon scoparius, 244.
anomala, barley, 181, 227.
antirrhini, *Antirrhinum majus*, 351.
aristidae, *Chenopodium rubrum*, 355.
Sarcobatus vermiculatus, 373.
Triglochin maritima, 376.
asparagi, asparagus, 252.
atrofusca, *Carex* sp., 355.
Carex deflexa, 355.
balsamorrhizae, *Balsamorhiza sagittata*, 353.
bartholomaei, *Bouteloua curtipendula*, 244.
bistortae, *Polygonum viviparum*, 371.
canaliculata, *Cyperus esculentus*, 357.
caricis, gooseberry, 318.
caricis grossulariata, *Ribes aureum*, 319.
Ribes setosum, 319.

- Puccinia chrysanthemi*, *Chrysanthemum* spp., 356.
clintonii, *Pedicularis paysoniana*, 369.
convolvuli, *Convolvulus arvensis*, 356.
coronata, *Calamagrostis rubescens*, 244.
Elaeagnus canadensis, 359.
Koeleria cristata, 245.
oats, 185, 225.
Rhamnus cathartica, 343.
crandallii, *Symphoricarpos albus*, 375.
Symphoricarpos occidentalis, 375.
douglasii, *Phlox glabrata*, 370.
extensicola, *Carex festivella*, 355.
Erigeron salsuginosus, 359.
extensicola asteris, *Aster* sp., 352.
Aster foliaceus var. *apricus*, 352.
Aster foliaceus var. *canbyi*, 352.
extensicola grossulariata,
Agoseris glauca, 350.
extensicola hieraciata, *Hieracium scouleri*, 363.
fraxinata, *Fraxinus* spp., 340.
green ash, 335.
gayophyti, *Gayophytum caesium*, 361.
Gayophytum ramosissimum, 361.
glumarum, *Elymus glaucus*, 245.
wheat, 231.
graminis, *Agrostis alba*, 244.
barley, 181, 227.
oats, 184, 225.
rye, 183, 230.
wheat, 178, 179, 231.
graminis phlei-pratensis, *Phleum pratense*, 246.
grumosa, *Zigadenus elegans*, 378.
harknessii, *Stephanomeria pauciflora*, 374.
helianthellae, *Helianthella uniflora*, 363.
helianthi, *Helianthus* spp., 363.
sunflower, 238.
heterospora, *Althaea rosea*, 350.
- Puccinia hieracii*, *Agoseris aurantiaca*, 350.
Pyrrhopappus carolinianus, 372.
Taraxacum paludosum var. *vulgare*, 375.
iridis, *Iris* sp., 364.
jonesii, *Lomatium* sp., 366.
leveillei, *Geranium fremonti*, 361.
malvacearum, *Althaea rosea*, 350.
Melva rotundifolia, 367.
menthae, *mint*, 330.
Monarda mollis, 367.
monoica, *Arabis* sp., 352.
obliqua, *Gonolobus laevis*, 362.
obtegens, *Cirsium arvense*, 356.
pinpinellae, *Osmorhiza obtusa*, 368.
plumbaria, *Phlox multiflora*, 370.
podophylli, *Podophyllum peltatum*, 371.
purpurea, *Sorghum halepense*, 246.
rubigo-vera, *Aquilegia caerulea*, 351.
Clematis ligusticifolia, 356.
Ranunculus cymbalaria, 372.
Ranunculus glaberrimus, 372.
rubigo-vera agropyri, *Thalictrum occidentale*, 375.
rubigo-vera apocrypta, *Hydrophyllum capitatum*, 364.
rubigo-vera secalis, *rye*, 182, 230.
rubigo-vera tritici, *barley*, 181, 227.
wheat, 178, 179, 232.
smilacis, *Smilax bona-nox*, 374.
solheimii, *Dodecatheon pauciflorum*, 359.
sorghi, *field corn*, 236.
Sorghum vulgare sudanense, 246.
sweet corn, 237.
suksdorfii, *Agoseris aurantiaca*, 350.
tardissima, *Arenaria congesta*, 352.
virgate, *Sorghastrum nutans*, 246.
windsoriae, *Ptelea trifoliata*, 342.
Triodia flava, 247.
xanthii, *Ambrosia trifida*, 350.
Xanthium sp., 377.
- Pucciniastrum americanum*, *red raspberry*, 321.
goeppertianum, *Abies lasiocarpa*, 346.
huckleberry, 304.
Vaccinium membranaceum, 376.
myrtilli, *Thuja canadensis*, 349.

Pucciniastrum myrtilli, *Vaccinium membranaceum*, 376.

pyrolae, *Pyrola secunda*, 372.

Purple top (virus), potato, 190.

Purple top wilt (undet.), potato, 293.

Pyrenopeziza medicaginis, alfalfa, 239.

Pyrenophora teres, barley, 227.

Pythium sp., *Agrostis* spp., 243.

Antirrhinum majus, 351.

corn, 187, 236.

cucumber, 267.

flax, 228.

garden beet, 253.

lettuce, 273.

pea, 283.

pepper, 260.

Phaseolus aureus, 280.

Pinus spp., 348.

rhubarb, 286.

sugar beet, 333.

sugar cane, 334.

tobacco, 330.

tomato, 277.

watermelon, 263.

wheat, 231.

acanthicum, watermelon, 263.

aphanidermatum, potato, 290.

radish, 286.

sweetpotato, 272.

arrhenomanes, sorghum, 230.

butleri, field corn, 236.

debaryanum, dasheen, 263.

oats, 225.

sugar beet, 333.

debaryanum type, pepper, 261.

irregulare, spinach, 294.

root rot, milo, see milo disease.

ultimum, cowpea, 242.

lettuce, 273.

pea, 284.

spinach, 294.

sweetpotato, 189, 272.

R

Ramularia sp., *Leersia hexandra*, 245.

armoraciae, horseradish, 285.

asteris, *Aster fremontii*, 352.

Ramularia betae, sugar beet, 333.

celtidis, *Celtis occidentalis*, 338.

cynarae, globe artichoke, 270.

heraclei, *Heracleum lanatum*, 363.

pastinacae, parsnip, 280.

primulae, *Primula* sp., 371.

smilacinae, *Smilacina racemosa*, 374.

Ravenelia epiphylla, *Tephrosia*

virginiana, 375.

Razoumofskya sp., *Pseudotsuga taxifolia*, 348.

Red stele, strawberry, 208.

Red suture disease, peach, 298.

Rehmiellopsis bohémica, *Abies concolor*, 346.

Rhabdocline pseudotsugae, *Pseudotsuga taxifolia*, 348.

Rhizoctonia sp., *Azalea* spp., 352.

celery, 251.

Chrysanthemum spp., 356.

Dianthus caryophyllus, 358.

Dolichos sphaerospermus, 359.

Euphorbia spp., 360.

garden beet, 253.

Gardenia jasminoides, 361.

Gladiolus spp., 362.

pepper, 260.

Pinus spp., 348.

Stenotaphrum secundatum, 246.

sugar beet, 333.

tobacco, 330.

undetermined Gramineae, 247.

bataticola, *Abutilon theophrasti*, 350.

cotton, 325, 327.

cowpea, 242.

Erigeron canadensis, 359.

Lactuca serriola, 365.

Lespedeza stipulacea, 238.

lima bean, 280.

Phaseolus aureus, 280.

soybean, 240.

sweetpotato, 272.

see also *Sclerotium bataticola*.

microsclerotia, bean, 282.

oryzae, rice, 229.

solani, cotton, 325, 327.

Cynodon dactylon, 244.

Epidendrum sp., 359.

garden beet, 253.

Rhizoctonia solani, *Myrica* spp., 367.

pea, 284.

Papaver orientale, 369.

Pelargonium spp., 369.

Petunia spp., 370.

potato, 190.

rhubarb, 286.

rice, 229.

sugar beet, 333.

undetermined Gramineae, 247.

Rhizopus spp., cotton, 327.

field corn, 235.

prune, 313.

squash, 268.

sweetpotato, 189, 272.

nigricans, peach, 296.

strawberry, 303.

sweetpotato, 272.

rot, peach, 206.

Rhynchosporium secalis, barley, 223.

rye, 230.

Rhytisma acerinum, *Acer* spp., 337.

erythrosporum, *Quercus*

virginiana, 343.

Ringspot (virus), *Antirrhinum majus*, 351.

apricot, 312.

cabbage, 259.

Dahlia spp., 357.

tobacco, 332.

tomato, 279.

Root diseases, strawberry, 208.

Root girdle (undet.), carrot, 270.

Root knot, peach, 206.

tobacco, 202.

Root rot, dry beans, 197.

field corn, 236.

hops, 328.

milo, see milo disease.

Primula sp., 371.

squash, 268.

sugar beet, 200

Root and stem rots, green peas, 198, 199.

Rosellinia necatrix, *Osmanthus aquifolium*, 368.

Rosette (virus), peach, 299.

Rotylenchulus reniformis, cotton, 146. root parasite, 143.

Rugose mosaic (virus), potato, 292.

Running-out, carnation varieties, 359.

S

Salt injury (non-par.), celery, 252.

Savoy disease (virus), sugar beet, 334.

Scald (non-par.), apple, 310.

onion, 250.

Scaly bark (virus ?), *Citrus* spp., 300.

Schizophyllum spp., ornamentals, 349.

Sclerospora macrospora, oats, 225.

Sclerotinia sp., *Antirrhinum majus*, 351.

cherry, 314.

peach, 206, 297.

Tulipa spp., 376.

camelliae, *Camellia japonica*, 355.

carunculoides, *Morus alba*, 311.

convoluta, *Iris* sp., 364.

fruticicola, apple, 308.

cherry, 207.

peach, 206, 297.

plum, 316.

sour cherry, 314.

sweet cherry, 314.

gladioli, *Gladiolus* spp., 362.

homeocarpa, undetermined Gramineae, 247.

laxa, almond, 324.

apricot, 312.

cherry, 207.

peach, 206.

sclerotiorum, bean, 282.

cabbage, 258.

carrot, 270.

cauliflower, 256.

cucumber, 267.

Helianthus spp., 363.

lettuce, 273.

Malvaviscus sp., 367.

Matthiola incana, 367.

Matthiola incana annua, 367.

Paeonia spp., 369.

pea, 285.

potato, 290.

squash, 268.

strawberry, 303.

winter squash, 269.

trifoliorum, alfalfa, 239.

clover, 241.

Sclerotium bataticola, corn, 187.

field corn, 235.

sorghum, 230.

see also *Rhizoctonia bataticola*.

- Sclerotium cepivorum*, onion, 249.
delphinii, *Ageratum* sp., 350.
Antirrhinum majus, 351.
Aquilegia spp., 351.
Campanula medium, 355.
Delphinium spp., 358.
Eupatorium sp., 360.
Trillium sp., 376.
Viola spp., 377.
oryzae, see *Leptosphaeria salvinii*.
rolfsii, *Allium sativum*, 250.
bean, 282.
carrot, 270.
Delphinium spp., 358.
eggplant, 286.
garden beet, 253.
Hydrangea sp., 364.
Iris sp., 364.
Lespedeza stipulacea, 238.
Lippia canescens, 366.
peanut, 325.
pepper, 261.
potato, 290.
sugar beet, 333.
sugar cane, 334.
tomato, 277.
Sclerotium graminis, *Agrostis alba*, 244.
Phleum pratense, 246.
Scorias spongiosa, *Fagus* spp., 339.
Seed piece decay, potato, 293.
Seedling blights, cotton, 201, 327.
rye, 183.
Septobasidium sydowii, *Celtis occidentalis*, 338.
Septoria sp., crabapple, 336.
Fraxinus nigra, 340.
hawthorn, 336.
Panicum clandestinum, 246.
apii, celery, 251.
apii-graveolentis, celery, 251.
azaleae, *Azalea* spp., 353.
chrysanthemella, *Chrysanthemum* spp., 356.
cucurbitacearum, squash, 268.
gladioli, *Gladicus* spp., 362.
helianthi, *Helianthus* spp., 363.
lactucae, lettuce, 273.
lactucicola, *Lactuca canadensis*, 365.
Septoria leaf spot, *Chrysanthemum* spp., 356.
lycopersici, tomato, 192, 194, 277.
nodorum, wheat, 233.
obesa, *Chrysanthemum* spp., 356.
philadelphii, *Philadelphus* spp., 370.
phlogis, *Phlox drummondii*, 370.
pisi, pea, 285.
ribis, gooseberry, 319.
runicis, *Rumex venosus*, 373.
signalensis, *Symphoricarpos oreophilus*, 375.
symphoricarpi, *Symphoricarpos* spp., 375.
tritici, wheat, 233.
veronicae, *Veronica* spp., 376.
Shoot rot, milo, see milo disease.
Silvering of foliage, peach, 299.
Skin breakdown, Florida oranges, 300.
Sooty mold, hops, 329.
Sorghum varieties and hybrids, reaction to milo disease, 165-175.
Sorosporium ellisii, *Andropogon* spp., 244.
reilianum, popcorn, 237.
syntherismae, *Cenchrus pauciflorus*, 244.
Spanish measles (undet.), grape, 323.
Sphaceloma fawcettii, *Citrus* spp., 300.
menthae, mint, 329.
symphoricarpi, *Symphoricarpos* spp., 375.
violae, *Viola* spp., 377.
Sphacelotheca cruenta, *Sorghum halepense*, 246.
sorghii, sorghum, 230.
Sorghum halepense, 246.
Sphaerella linorum, flax, 228.
Sphaeropsis sp., *Juniperus virginiana*, 347.
Nerium oleander, 368.
Pinus spp., 348.
Quercus spp., 343.
ellisii, *Pinus nigra austriaca*, 348.
Pinus sylvestris, 348.
linearis, *Carya* sp., 338.
Carya cordiformis, 338.
ulmicola, *Ulmus* spp., 345.
Sphaerotheca castagnei, *Taraxacum* spp., 375.
humuli, black raspberry, 321.

Sphaerotheca humuli, blackberry,
320.

dewberry, 320.

Geranium fremonti, 361.

hops, 329.

red raspberry, 321.

strawberry, 303.

Viola spp., 377.

humuli fuliginea, *Plantago*
eripoda, 371.

mors-uvae, currant, 319.

gooseberry, 319.

pannosa, peach, 297.

Rosa spp., 373.

Spicaria spp., cotton, 327.

Spindle tuber (virus), potato, 292.

Spindling sprout, potato, 291.

Split pit (non-par.), peach, 299.

Spondylocidium atrovirens, potato,
291.

Sporidesmium scorzonerae, salsify,
294.

Sporocybe azaleae, *Azalea* spp., 353.

Spotted wilt (virus), celery, 252.

Cosmos sulphureus, 357.

lettuce, 274.

pepper, 261.

tomato, 195, 279.

Zantedeschia sp., 377.

Spotting of berries (undet.), grape,
323.

Spray injury, apple, 311.

cherry, 315.

peach, 299.

pear, 318.

Staghead, *Ulmus* spp., 345.

Stalk rots, corn, 186, 187.

field corn, 235.

Stem cracking (non-par.), *Euphorbia*
spp., 360.

Stemphylium sarcinaeforme, clover,
241.

solani, tomato, 278.

Stereum purpureum, apple, 308.

cherry, 314.

rameale, birch, 338.

Stippen, apple, see bitter pit.

Stipple spot (undet.), peach, 299.

Stony pit (virus), pear, 318.

Storage rots, grapefruit, 301.

Storage rots, sweetpotato, 189.

Straighthead (non-par.), rice, 229.

Streak (virus), black raspberry, 322.
green peas, 198.

Rosa spp., 373.

Senecio cruentus, 374.

tobacco, 332.

tomato, 195, 279.

Sulfur dioxide injury, grape, 323.

Sulfur fruit scald, apple, 311.

Sulfur leaf injury, apple, 311.

Summaries of tobacco diseases in 1939,
330.

Sunscald, apple, 311.

asparagus, 253.

Sunscorch, fig, 301.

Synchytrium decipiens, *Amphicarpa*
bracteata, 351.

endobioticum, potato, 291.

T

Taphrina sp., sand cherry, 315.

cerasi, cherry, 314.

coerulescens, *Quercus* sp., 343.

Quercus falcata f. *triloba*, 343.

Quercus marilandica, 343.

Quercus virginiana, 343.

communis, plum, 316.

crataegi, apple, 309.

dearnessii, *Acer* spp., 337.

deformans, peach, 206, 297.

mirabilis, plum, 316.

pruni, beach plum, 317.

prune, 313.

robinsoniana, *Alnus incana*, 337.

Thecaphora deformans, *Astragalus*
bisulcatus, 352.

Thielaviopsis basicola, *Lathyrus*
odoratus, 366.

tobacco, 202, 331.

Tilletia spp., wheat, 173, 179.

asperifolia, *Muhlenbergia asperi-*
folia, 367.

horrida, rice, 229.

levis, wheat, 233.

tritici, wheat, 233.

Tip blight (non-par.), *Antirrhinum*
majus, 351.

Tipburn (non-par.), cabbage, 259.

Tipburn, cauliflower, 256.
 lettuce, 273.
 potato, 191, 292.
 Tobacco mosaic, pepper, 261.
 Tranzschelia pruni-spinosae, plum,
 317.
 prune, 313.
 pruni-spinosae discolor, peach,
 298.
 Trochila populorum, Populus spp.,
 341.
 Tubercularia fici, fig, 301.
 Typhula sp., undetermined Gramineae,
 247.

U

Uncinula sp., Parthenocissus
 quinquefolia, 369.
 necator, grape, 209, 323.
 salicis, Salix sp., 344.
 Salix glaucophylla var., 344.
 Urocystis cepulae, onion, 249.
 occulta, rye, 182, 230.
 Uromyces betae, sugar beet, 333.
 caladii, Arisaema dracontium,
 352.
 caryophyllinus, Dianthus caryo-
 phyllus, 358.
 coloradensis, vetch, 242.
 elegans, Trifolium carolinianum,
 241.
 Trifolium procumbens, 241.
 graminicola, Panicum virgatum,
 246.
 Stillingia sylvatica, 374.
 hedysari-obscuri, Hedysarum
 marginatum, 363.
 heterodermus, Erythronium
 grandiflorum, 360.
 intricatus, Eriogonum
 campanulatum, 360.
 jonesii, Ranunculus calthae-
 florus, 372.
 lapponicus, Oxytropis gracilis,
 368.
 lespedezae-procumbentis,
 Lespedeza spp., 238.
 minor, Trifolium parryi, 241.
 peckianus, Plantago aristata,
 371.
 Uromyces peckianus, Plantago purshii,
 371.
 phaseoli typica, bean, 283.
 green beans, 196.
 lima bean, 280.
 phaseoli vignae, cowpea, 243.
 shearianus, Atriplex corrugata,
 352.
 spermacoces, Diodia teres, 359.
 striatus, alfalfa, 239.
 trifolii, clover, 241.
 trifolii fallens, clover, 241.
 Trifolium pratense, 241.
 trifolii hybridi, Trifolium
 hybridum, 242.
 trifolii trifolii-repentis,
 Trifolium repens, 242.
 zygadeni, Zigadenus gramineus, 378.
 Ustilago spp., barley, 228.
 Bromus spp., 244.
 avenae, oats, 184, 226.
 bromivora, Bromus spp., 244.
 crus galli, Echinochloa crus galli,
 245.
 cynodontis, Cynodon dactylon, 245.
 hordei, barley, 180, 228.
 rye, 230.
 hypodytes, Agropyron spp., 243.
 levis, oats, 184, 226.
 lorentziana, Hordeum jubatum, 245.
 nigra, barley, 228.
 nuda, barley, 180, 228.
 rabenhorstiana, Digitaria sanguin-
 alis, 245.
 striaeformis, Agrostis alba, 244.
 Phleum pratense, 246.
 tritici, wheat, 178, 179, 233.
 zeae, corn, 186, 187.
 field corn, 236.
 sweet corn, 188, 237.

V

Valsa spp., peach, 298.
 Populus spp., 342.
 celtidis, Celtis occidentalis, 338.
 cincta, peach, 298.
 leucostoma, peach, 298.
 Venturia sp., Pyracantha sp., 372.
 inaequalis, apple, 204, 205, 309.

Venturia inaequalis orbicularis,

Crataegus spp., 339.

pyrina, pear, 203, 318.

Vernicularia sp., *Carya* spp., 338.

Ulmus spp., 345.

Verticillium sp., *Acer platanoides*, 337.

Acer pseudo-platanus, 337.

Acer saccharum, 337.

Antirrhinum majus, 351.

Aucuba sp., 352.

Berberis thunbergii, 353.

blackberry, 320.

Chrysanthemum morifolium, 356.

eggplant, 286.

Phlox paniculata, 370.

raspberry, 322.

Rhus aromatica, 343.

strawberry, 303.

sugar beet, 334.

tomato, 278.

Ulmus spp., 345.

Ulmus americana, 345.

Viburnum tinus, 377.

albo-atrum, *Acer* spp., 337.

Antirrhinum majus, 351.

apricot, 312.

black raspberry, 321.

Boyserberry, 320.

Brassica oleracea var. *napo-brassica*, 254.

Chrysanthemum spp., 356.

cotton, 327.

Dahlia spp., 357.

eggplant, 286.

okra, 271.

Palonia spp., 369.

peach, 298.

pepper, 261.

Phlox spp., 370.

purple raspberry, 322.

red raspberry, 322.

Rhus spp., 343.

sweetpotato, 272.

tomato, 193, 195, 278.

youngberry, 322.

dahliae, *Senecio cruentus*, 374.

Virus diseases, bean, 233.

cabbage, 259.

celery, 252.

Virus diseases, cherry, 315.

cucumber, 267.

dry beans, 197.

garden beet, 253.

green beans, 196.

green peas, 198, 199.

hops, 328, 329.

lettuce, 273.

peach, 206, 298.

pepper, 261.

potato, 190, 291.

raspberry, 322.

strawberry, 304.

sugar beet, 334.

tobacco, 332.

tomato, 193, 195, 278.

Virus diseases and plant pathogens,

eastern Asia, host index,

93-123.

Viruses, in Hawaii and their hosts, 82-84.

W

Wart (undet.), peach, 299.

Wasting disease, *Zostera marina*, 378.

Water core (non-par.), apple, 311.

Weak hills, hops, 329.

Weather injury, *Abies* spp., 346.

apple, 311.

cherry, 315.

Delphinium spp., 358.

Kalmia latifolia, 365.

peach, 300.

pear, 318.

prune, 313.

Rhododendron spp., 372.

strawberry, 304.

Taxus spp., 349.

wheat, 233.

Western celery mosaic (virus), celery, 252.

Western yellow mosaic (virus), celery, 252.

White mottling of leaves (virus), *Jatropha stimulosa*, 365.

White streak (virus), *Narcissus* sp., 367.

White tip (non-par.), rice, 229.

Wind injury, apple, 311.

Wind injury, lettuce, 274.
 Wind and sand injury, tomato, 278.
 Winter injury, *Abies* spp., 346.
 alfalfa, 240.
 apple, 311.
 black raspberry, 322.
 grape, 323.
 Juniperus spp., 347.
 peach, 300.
 purple raspberry, 322.
 red raspberry, 322.
 strawberry, 304.
 sweet cherry, 316.
 Taxus spp., 349.
 wheat, 233.
 Witches' broom, alfalfa, 240.
 clover, 242.
 strawberry, 304.
 western yew, 349.

X

Xylaria mali, apple, 310.

Y

Yellow dwarf (virus), onion, 250.

Yellow dwarf (virus), potato, 292.
 Yellow mosaic (virus), bean, 283.
 Yellow-red virosis (virus), chokecherry,
 299.
 peach, 299.
 Prunus virginiana, 315, 342.
 Prunus virginiana var. *demissa*,
 315.
 Yellow spotting of leaves (undet.),
 peach, 299.
 Yellow vein (undet.), peach, 299.
 Yellowing and stunting (non-par.)
 Delphinium spp., 358.
 Yellows (undet.), *Sassafras albidum*, 344.
 Yellows (virus), *Callistephus chinensis*,
 354.
 carrot, 270.
 Cichorium endivia, 261.
 Dianthus caryophyllus, 359.
 peach, 299.
 strawberry, 304.
 tomato, 278.
 Yellow top, tomato, 279.

Z

Z-disease, potato, see *Fusarium solani*
eumartii.

ERRATA

Done On page 254 under *Brassica campestris*, read *Erysiphe polygoni* instead of *Erysiphe graminis*.

Done On page 278, 2d paragraph from bottom read *psyllid* instead of *pyllid*.

Done On page 283, last paragraph read *Aphanomyces euteiches* instead of *Alphanomyces euteiches*.

Done On page 298 last paragraph delete under phony peach "and in Oklahoma a trace loss." Phony peach was not reported from Oklahoma in 1939.

Done On page 340 under *Fraxinus* spp., read *Cylindrosporium* sp. instead of *Clylindrosporium*.

Done On page 351 under *Antirrhinum majus*, *Sclerotinia* sp., "*S. delphinii*" should be read *Sclerotium delphinii*, not *Sclerotinia*.

Robinson

11

NATIONAL AGRICULTURAL LIBRARY

1022710531