Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

OK.

THE PLANT DISEASE REPORTER

Issued by

THE PLANT DISEASE SURVEY, DIVISION OF MYCOLOGY AND DISEASE SURVEY
BUREAU OF PLANT INDUSTRY, SOILS, AND AGRICULTURAL ENGINEERING
AGRICULTURAL RESEARCH ADMINISTRATION
UNITED STATES DEPARTMENT OF AGRICULTURE

SUPPLEMENT 139

INDEX TO SUPPLEMENTS 134-138, 1942

(Issued November 15, 1945)

The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Division of Mycology and Disease Survey serves merely as an informational clearing house. It does not assume responsibility for the subject matter.

INDEX TO THE PLANT DISEASE REPORTER
SUPPLEMENTS 134-138, 1942

Plant Disease Reporter
Supplement 139

Index to Supplements
1942

LIST OF SUPPLEMENTS, 1942

SPRAGUE, RODERICK. A revised check list of the parasitic fungi on cereals and other grasses in Oregon. Supplement 134: 1-36. March 1, 1942

ALTSTATT, G. E. Diseases of plants reported in Texas since 1933. Supplement 135: 37-50. June 15, 1942

ALEXANDER, L. J., RALPH E. LINCOLN, and VEDDER WRIGHT. A survey of the genus Lycopersicon for resistance to the important tomato diseases occurring in Ohio and Indiana. Supplement 136: 52-85. June 15, 1942

FISCHER, GEORGE W., RODERICK SPRAGUE, HOWARD W. JOHNSON, and JOHN R. HARDISON. Host and pathogen indices to the diseases observed on grasses in certain Western States during 1941. Supplement 137: 87-144. August 15, 1942

WIANT, JAMES S. An analysis of market inspection reports on spoilage of cantaloups and related melons. Supplement 138: 145-160. October 1, 1942

INDEX to Supplements 134-138, 1942. Supplement 139: 161-172. (Issued November 15, 1945)

INDEX

- Abelia: 37
 Aecidium oxalidis, 46
 Aegilops: 3, 89
 Agropyron: 3, 89
 Agrostis: 5, 37, 96
 Ailanthus: 37
 Aira: see Deschampsia
 Albizzia: 37
 Albugo sp., on Ipomoea, 43
 --- ipomoeae-panduranae, 43
 --- occidentalis, 39, 49
 Aleurites: 37
 Allium: 37
 Alopecurus: 9, 96
 Alternaria sp., on Eschscholtzia,
 41; Eustoma, 41; Linum, 41;
 Lycopersicon, 44
 --- brassicae var. microspora, 48
 --- crassa, 41
 --- dianthi, 41
 --- rot, of cantaloup and other
 melons, 148, 149, 150, 152,
 154, 156, 157, 158, 159
 --- solani, 39, 44, 52
 --- tenuis, 39, 45, 46, 47
 --- tomato, 45
 Althea: 38
 Amaranthus: 38
 Amaryllis: 38
 Ambrosia: 38
 Ammophila: 9, 97
 Ampelopsis: 38
 Amygdalus: 38
 Analysis of market inspection re-
 ports on spoilage of cantaloups
 and related melons, Suppl. 38,
 pp. 145-160
 Andropogon: 97
 Anoda: 38
 Anthracnose rot; of Honey Dew
 melon, 157, 159
 Anthoxanthum: 10
 Antirrhinum: 38
 Aphanomyces sp., on grasses, 128
 Aphelenchoides fragariae, 41
 Aplanobacter agropyri, 128
 --- stewartii, 50
 Arachis: 38
 Aristida: 97
 Armillaria mellea, 39, 48
 Arrhenatherum: 10, 97
 Ascochyta sp(p) ., on Avena 10;
 grasses, 141
 --- agropyrina, 141
 --- avenae, 141
 --- elymi, 141
 --- graminicola, 10, 141
 --- --- var. brachypodii, 20, 25,
 27, 141
 --- --- var. diedickeana, 12, 141
 --- --- var. holci, 28, 32
 --- lolii, 25, 141
 --- meliloti, 45
 --- (Septoria) spartinae, 141
 --- stipae, 141
 Ascospora graminis, 4
 Aspergillus sp., on Allium, 37
 --- flavus, 44
 --- luteo-niger, 44
 --- nidulans 37, 44
 --- ochraceus, 44
 --- tamaris, 44
 --- terreus, 44
 Aster yellows (virus), on Daucus,
 41
 Astragalus: 38
 Atriplex: 38
 Avena: 10, 38, 97
 Azalea: 38
 Baccharis: 38
 Bacillus carotovorus, 37
 Bacterial soft rot, of cantaloup,
 156, 157
 Bacterial tip blight, of Cichorium,
 40
 Bacterium, see also Aplanobacter,
 , Phytonomas
 --- sp., on Agropyron, 4; Cichor-
 ium, 40; Elymus, 18; grasses,
 128; Zea (leaf spot), 50
 --- andropogoni, 43, 128
 --- campestre, 38
 --- coronafaciens var. atropurpur-
 eum, 12, 13, 14, 25, 26, 128
 --- dissolvens, 50
 --- holci, 31, 128
 --- holcicola, 42

- (Bacterium) medicaginis, 46
 --- michiganense, 53
 --- mori, 45
 --- panici, 26
 --- pruni, 47
 --- punctulans, 44
 --- solanacearum, 53
 --- striaefaciens, 11
 --- translucens, 24, 128
 --- tumefaciens, 38, 42, 43
 --- vesicatorium, 39, 53
 Bamboo (genus indet.): 12
 Bambusa: 38
 Barbarea: 38
 Basidiophora entospora, 39
 Bauhavia: 38
 Beckmannia: 12, 98
 Begonia: 38
 Bends, undet. disease of grasses, 144
 Beta: 38
 Bignonia: 38
 Black heart, of potato, 49
 --- melanose, of Citrus, 40
 Boerhaavia: 38
 Botryosphaeria ribis, 41, 48
 Botryosporium pulchrum, 44
 Botrytis cinerea, 44
 --- douglasii, 47
 Bouteloua: 98
 Brachypodium sylvaticum: 98
 Brassica: 38
 Bromus: 12, 39, 98
 Bryophyllum: 39
 Buchloë: 39, 102
 Bud drop of Gardenia (non-par.), 42
 Bunchy top (virus), on Lycopersicon, 44; Solanum, 49
 Buxus: 39
 Calamagrostis: 15, 102
 Calamovilfa: 102
 Calendula: 39
 Calico (virus), on potato, 49
 Callicarpa: 39
 Callistephus: 39
 Camellia: 39
 Canna: 39
 Cantaloup: Alternaria rot, 148, 149, 150, 156;
 (Cantaloup) bacterial soft rot, 156, 157; Cladosporium rot, 148, 149, 155, 156; decay and mold in carlots, 147-150, 151, 155-157, 158; Fusarium rot, 148, 149, 150, 155, 156; mold, 149, 150, 160; Phytophthora rot, 148, 149, 150; Rhizopus rot, 148, 149, 150, 156; unclassified decay, 149, 156
 Capnodium sp., on Citrus, 40;
 Ficus, 41
 Capsicum: 39
 Carlot inspections, of melons, 145-160
 Carthamus: 39
 Cassia: 39
 Catalpa, 39
 Catface, on tomato fruit, 44
 Celosia: 39
 Celtis: 39
 Cenchrus: 15
 Cephaleuros virescens, 45
 Cephalosporium sp., on Diospyros, 41
 --- acremonium, 50
 Cercis: 39
 Cercospora sp., on Cassia, 39;
 Cucumis, 40; Fraxinus, 42;
 Persea, 46
 --- albomaculans, 38
 --- antipus, 44
 --- bolleana, 41
 --- bromi, 14, 15
 --- canescens, 46
 --- circumscissa, 47
 --- fusimaculans, 26, 137
 --- gossypina, 42
 --- polymorpha, 42
 --- pustula, 38
 --- seminalis, 39, 137
 --- smilacina, 48
 --- staticis, 49
 --- subsessilis, 45
 Cercospora sp., 29
 --- herpotrichoides, 3, 11, 14, 24, 31, 33, 34
 --- holci, 22
 --- subulata, 20, 26, 137
 Cereals: parasitic fungi in Oreg., 1

- Chamaecyparis: 39
 Chaetomium bostrychodes, 44
 Chalky dry rot, of rice, 46
 Chloris: 102
 Chlorosis, of Abelia, 37; Agrostis 37; Calendula, 39; Catalpa, 39; Citrus, 40; Lagerstroemia, 43; Ligustrum, 43; Prunus, 47; Thuja 49; Vigna, 50
 Choanephora cucurbitarum, 41
 Chrysanthemum: 39, 40
 Cichorium: 40
 Cinna: 103
 Citrus: 40
 Citrullus: 40
 Cladosporium sp., on Ammophila, 9; Danthonia, 16; Solandra, 48
 --- album, 43
 --- fulvum, 52
 --- herbarum, 5, 10, 15, 18, 19, 21, 28, 30, 31, 39, 137
 --- mold, of melons, 160
 --- pisi, 47
 --- rot; of cantaloup and other melons, 148, 149, 150, 152, 154, 155, 156, 157, 158
 Claviceps purpurea, 3, 4, 5, 6, 8, 9, 10, 12, 15, 16, 17, 18, 19, 22, 24, 25, 27, 29, 31, 33, 130
 Coleosporium vernoniae; 50
 Coleus: 40
 Colletotrichum sp., on Bauhavia 38; Persea, 46
 --- gloeosporioides, 39, 40, 45
 --- graminicolum, 10, 11, 15, 16, 25, 33, 42, 137
 --- hibisci, 42
 --- higginsianum, 38
 --- lineola, 43
 --- trifolii, 45
 --- violae-rotundifoliae, 50
 Coniosporium shiraianum, 38
 Coniothyrium sp., on Rosa, 48
 --- fuckelii, 48
 --- psammae, 15
 Coprosma: 40
 Core rot, of tomato, 44
 Coreopsis: 40
 Cortaderia: 16
 Corticium fuciforme, 20, 21
 (Corticium) solani, 8, 12, 21, 30
 --- vagum, see solani
 Coryneum sp., 47
 Cotoneaster: 40
 Crinkle (virus), on Rosa, 48
 Cucumis: 40, 145
 Cucurbita: 40
 Cupressus: 41
 Curly top (virus), on Amaranthus, 38; Atriplex, 38; Barbarea, 38, 39; Beta, 38; Capsicum, 39; Celosia, 39; Cucumis, 40; Dianthus, 41; Eschscholtzia, 41; Gomphrena, 42; Ipomoea, 43; Lobelia, 43, 44; Lycopersicon, 44; Nicotiana, 46; Oxalis, 46; Papaver, 46; Phaseolus, 46; Ranunculus, 47, 48; Solanum, 49; Spinacia, 49; Tropaeolum, 49; Viola, 50
 Curvularia geniculata, 137
 --- lunata, 46
 --- trifolii, 138
 Cydonia: 41
 Cylindrosporium brassicae, 38
 Cynodon: 41, 103
 Cytospora chrysosperma, 47
 Dactylis: 16, 103
 Dahlia: 41
 Damping-off, 40, 41
 Danthonia: 16, 103
 Darluca filum, 5, 6, 8, 11, 12, 13, 15, 17, 18, 20, 22, 25, 28, 30, 141
 Datura: 41
 Daucus: 41
 Decay, in melon shipments, 145-160
 Dendrophoma obscurans, 42
 Deschampsia: 16, 103
 Dianthus: 41
 Didymosphaeria sp., on Ulmus, 50
 Digitalis: 104
 Dilophospora alopecuri, 22, 141
 Diodia: 41
 Diospyros: 41
 Diplocarpon rosae, 48
 Diplodia sp., on Allium, 37; Cucumis, 40; Sambucus, 48
 --- natalensis, 37, 39, 40, 42, 48

- (*Diplodia*) *rosae*, 48
 --- *salicina*, 48
 --- *ulmi*, 40
 Diseases of plants reported in Texas since 1933, Suppl. 135, pp. 37-50
Distichlis: 16, 104
Dolichos: 41
Dothidella aristidae, 17, 130
Dothiorella ribis, 41
 Dwarf (virus), on *Echinochloa*, 41
 --- (virus ?), on *Oryza*, 41

Echinocereus: 41
Echinochloa: 16, 41, 104
Elymus: 16, 104
Entomosporium maculatum, 47
Entyloma crastophilum, 28, 30
 --- *irregulare*, 28, 29
 --- *oryzae*, 46
Epichloë typhina, 130
Epicoccum sp., 17
 --- *asterinum*, 50
 --- *neglectum*, 35
 --- *nigrum*, 45
 --- *purpurascens*, 3, 31
Eragrostis: 109
Erigeron: 41
Erysiphe cichoracearum, 50
 --- *graminis*, 4, 5, 6, 9, 10, 11, 12, 14, 16, 17, 23, 24, 28, 29, 30, 31, 33, 130
 --- *lagerstroemiae*, 43
 --- *polygoni*, 46
Eschscholtzia: 41
Eucalyptus: 41
Euonymus: 41
Eustoma: 41
Eutypella stellulata, 45
Exobasidium sp., 39
 --- *vaccinii*, 38
Exophoma magnoliae, 45

 Fern leaf (virus), of *Lycopersicon*, 44. See also Mosaic, fern leaf
Festuca: 19, 109
Ficus: 41
 Filiform leaf (virus), on *Lycopersicon*, 44
Fluminea, 21

Fragaria: 41, 42
Fraxinus: 42
 Fruit mottle, of tomato, 44
 Fruit pox, of tomato, 44
Fumago sp., 43, 49
 --- *vagens*, 42, 43
Fusarium sp., on *Allium*, 37;
 Astragalus, 38; *Festuca*, 21;
 Gladiolus, 42; *Lilium*, 43; *Lycopersicon*, 44; *Paspalum*, 46;
 Poa, 29, 139
 --- *avenaceum*, 16, 17, 18, 138
 --- *bulbigenum* var. *lycopersici*, 52
 --- *culmorum*, 3, 8, 10, 11, 14, 23, 24, 25, 28, 31, 33, 34, 35, 138
 --- *equiseti*, 33
 --- *graminearum*, 138
 --- *lateritium*, 45
 --- *limonis*, 40
 --- *martii* var. *minus*, 40
 --- *moniliforme*, 42, 46, 138
 --- *nivale*, 8, 21, 30
 --- --- var. *majus*, 8
 --- *oxysporum*, 3, 8, 10, 33
 --- *poae*, 10, 11, 138
 --- rot, of melons, 148, 149, 150, 152, 154, 155, 156, 157, 159
 --- *scirpi*, 138
 --- --- var. *acuminatum*, 31, 33, 138
 --- --- var. *compactum*, 139
 --- *semitectum*, 40, 46
 --- *spinaciae*, 49
 --- *sporotrichoides*, 139
 --- stem and foot rot, of *Chrysanthemum*, 39
 --- *sulphureum*, 49
Fusisporium rubi, 48

Gardenia: 42
Gastridium, 20
Gilia: 42
Gladiolus: 42
Gloeodes pomigena, 45, 47, 48
Gloeosporium sp., 46
 --- *allescheri*, 43
 --- *graminum*, 30
 --- *piperatum*, 39

- Gloxinia: 42
 Glyceria: 21, 111
 Gnomonia veneta, 47
 Gomphrena: 42
 Gossypium: 42
 Graphiola phoenicis, 46, 50
 Grasses: diseases in Western States in 1941, 87-144; parasitic fungi in Oreg., 1-36
 Guignardia bidwellii, 47
 Gummosis, of Citrus, 40

 Haywire (virus), of potato, 49
 Helianthus: 42
 Helminthosporium sp., on Allium, 37; Citrullus, 40; Echinocereus, 41; Gastridium, 21; grasses, 140; Lycopersicon, 44; Stenotaphrum, 49
 --- avenae, 10, 11
 --- dematioideum, 10
 --- gramineum, 24
 --- halodes, 139
 --- inconspicuum var. buchloes, 139
 --- monoceras, 139
 --- poae, 30
 --- ravenelii, 49
 --- sativum, 10, 11, 24, 27, 31, 33, 34, 139
 --- siccans, 25
 --- stenacrum, 8
 --- teres, 24
 --- triseptatum, 7, 22
 --- tritici-repentis, 4, 18
 --- turcicum, 35, 139
 --- vagans, 28, 30, 139
 Hendersonia sp., on grasses, 7, 16, 20, 21, 141
 --- calamovillae, 141
 --- crastophila, 141
 --- culmicola var. intermedia, 28
 --- --- var. minor, 7, 16, 20
 --- culmiseda, 16
 --- simplex, 141
 Hesperochloa: 22, 112
 Heterodera marioni, 38, 39, 41, 42, 43, 45, 46, 47, 50
 Heterosporium sp., on Bromus, 12
 --- avenae, 11, 18, 140
 --- magnoliae, 45
 (Heterosporium) phlei, 27, 140
 Hibiscus: 42
 Hicoria: 42
 Hierochloë: 22, 112
 Hilaria: 112
 Holcus: 22, 42, 43, 112
 Honey Ball melon: Cladosporium rot, 152, 154; decay and mold in carlots, 150-155, 157; Fusarium rot, 152, 154; mold, 153; Rhizopus rot, 152, 154
 Honey Dew melon: Alternaria rot, 150, 152, 157, 159; anthracnose rot, 157, 159; Cladosporium rot, 150, 152; decay and mold in carlots, 150-155, 157, 158, 159; Fusarium rot, 150, 152, 157, 159; mold, 152, 153, 154, 160; Phytophthora rot, 150, 152; Rhizopus rot, 150, 152; unclassified decay, 159
 Hordeum: 23, 112
 Host and pathogen indices to the diseases observed on grasses in certain Western States during 1941, Suppl. 137, pp. 87-144
 Hydrangea: 43
 Hydrocotyle: 43
 Hymenoclea: 43
 Hypoderma ilicinum, 47

 Ilex: 43
 Ipomoea: 43
 Iris: 43

 Juniperus: 43

 Kentia: 43
 Koeleria: 24, 113
 Koelreuteria: 43

 Lactuca: 43
 Lagerstroemia: 43
 Lathyrus: 43
 Leaf roll (? virus), on Lycopersicon, 45
 Lecanosticta acicola, 47
 Lepachys: 43
 Leptothyrium pomi, 45
 Lespedeza: 43
 Ligustrum: 43

- Lilium: 43
 Linum: 43
 Lobelia: 43, 44
 Lolium: 24, 44, 114
 Lonicera: 44
 Lupinus: 44
 Lycopersicon (Lycopersicum):
 survey for resistance to diseases, 51-85
 --- esculentum: new diseases in Texas, 44, 45
 Lysimachia: 45

 Macrophoma sp., on Agrostis, 8
 --- cupressi, 41
 --- magnifructa, 47
 Macrophomina phaseoli, 46, 50, 141
 Macrosporium sp., on Coprosma, 40
 --- carotae, 41
 --- cucumerinum, 40
 --- helminthosporioides, 49
 --- porri, 37
 --- puccinioides, 43
 Magnolia: 45
 Malus: 45
 Malvaviscus: 45
 Market inspections, of melons, 145-160
 Mastigosporium cylindricum, 15
 --- rubricosum, 5, 6, 7, 8, 9, 16, 33, 140
 Matthiola: 45
 Medicago: 45
 Melampsora lini, 43
 Melia: 45
 Melica: 26, 114
 Melilotus: 45
 Melon (see also cantaloup, Honey ball, Honey Dew): Alternaria rot, 152, 154, 157, 158; Cladosporium mold, 160; Cladosporium rot, 152, 154, 157, 158; decay, importance of, 160; Fusarium rot, 152, 154; mold, 153, 154, 160, importance of 160; Phytophthora rot, 152, 154, 157, 158; Rhizopus rot, 152, 154, 157, 158; spoilage in transit, 145-160; . . .
 (Melon) unclassified decay, 158
 Michel's grass: 114
 Milky leaf (undet.) of tomato, 45
 Molds, in melon shipments, 145-160
 Morenoella quercina, 47
 Morus: 45
 Mosaic (virus), on Amaranthus, 38; Beta, 38; Brassica, 38; Calli- carpa, 39; Capsicum, 39; Eri- geron, 41; Ficus, 41; Lilium, 43; Nicotiana, 46; Rosa, 48; Thyella, 49
 ---, crinkle, on Physalis, 46; Vigna, 50
 ---, fern leaf, on Amaranthus, 38
 ---, tobacco, common, on Lycoper- sicon, 52
 ---, yellow, on Phaseolus, 46
 Mosaics (viruses), on Lycopersi- con, 45; Phytolacca, 46; Solan- um, 49
 Muhlenbergia: 26, 115
 Musa: 46
 Mycosphaerella sp., on Festuca, 19
 --- caryigena, 42
 --- dendroides, 42
 --- rosicola, 48
 --- tassiana, 15, 29
 --- tulasnei, 12, 20, 24, 27, 33, 34, 131
 Myrothecium sp., on Lycopersicon, 44
 --- roridum, 38, 45

 Nandina: 46
 Nematodes, on Citrus seedlings, 40
 Nicotiana: 46

 Oidium sp., on Lagerstroemia, 43
 Ophiobolus graminis, 10, 11, 13, 19, 20, 22, 24, 33
 Ophiodothella vaccinii, 50
 Oryza: 46
 Oryzopsis: 26, 115
 Ovularia lolii, 25
 --- pulchella, 8, 10, 19, 20, 22, 24
 Ovulinia azaleae, 38
 Oxalis: 46

- Panicum: 26, 46, 115
 Papaver: 46
 Paspalum: 46
 Pathogen index to grass diseases
 in Western States in 1941, 87-
 127
 Pelargonium: 46
 Penicillium sp., on Allium, 37;
 Citrus, 40; Lilium, 43;
 Triticum, 33
 Peridermium carneum, 47
 Peronospora trifoliorum, 45
 Persea: 46
 Pestalozzia sp., on Lycopersicon
 44; Picea, 47
 --- funerea, 39, 47, 48, 49
 --- guepini, 43, 45
 --- rosae, 48
 --- uvicola, 42
 Phaeoseptoria sp., on grasses, 8,
 16, 20, 27
 Phalaris: 26, 116
 Phaseolus: 46
 Philadelphus: 46
 Phleospora maculans, 45
 Phleum: 27, 116
 Phlyctaena linicola, 43
 Phoenix: 46
 Phoma destructiva, 44
 --- herbarum, 43
 --- persicae, 38
 --- subvelata, 40
 --- terrestris, 142
 Phomopsis sp., on Quercus, 47
 --- incarcerationata, 48
 Phragmidium sp., on Rosa, 48
 --- americanum, 48
 --- rosae-setigeræ, 48
 Phragmites: 27, 117
 Phycomycete indet., on grasses,
 6, 7, 8, 9, 10, 12, 16, 18, 21,
 28, 29, 30
 Phyllachora sp., on Distichlis,
 131; Muhlenbergia, 26
 --- sylvatica, 19, 20, 131
 --- vulgata, 131
 Phyllactinia corylea, 18
 Phyllosticta sp., on grasses,
 21, 142
 --- anthoxanthella, 10
 --- armeriae, 49
 (Phyllosticta) gossypina, 42
 --- opaca, 43
 --- owensii, 16
 --- sorghina, 42, 142
 Phymatotrichum omnivorum, 37, 38,
 41, 43, 46, 47, 48, 49
 Physalis: 46
 Physalospora obtusa, 40, 48
 Physoderma zeae-maydis, 35
 Phytolacca: 46
 Phytonomas (see also Bacterium)
 --- rhizogenes, 48
 Phytophthora sp., on Agropyron,
 128; Lolium, 25; Poa, 30
 --- parasitica, 40, 44
 --- root rot, of Citrus, 40
 --- rot of cantaloup and other
 melons in transit, 148, 149,
 150, 152, 154, 157, 158
 Picea: 47
 Pinus: 47
 Piricularia grisea, 37, 140
 --- oryzae, 46
 Pisum: 47
 Plant diseases in Texas, 37
 Plasmopara halstedii, 42
 Platanus: 47
 Pleospora sp., on Danthonia, 16
 --- karstenii, 30
 Pleuropogon: 27
 Plumbago: 47
 Poa: 27, 117
 Poinciana: 47
 Polyanthes: 47
 Polypogon: 30, 122
 Populus: 47
 Pratylenchus pratensis, 38, 39,
 42, 46, 49
 Prunus: 47
 Psedera: 47
 Pseudodiscosia avenae, 10, 11
 Pseudotsuga: 47
 Pseudovalsa sigmoidea, 47
 Puccinellia: 31, 122
 Puccinia sp., on Anoda, 38
 --- amphigena, 133
 --- anomala, 23, 24, 133
 --- arachidis, 38
 --- aristidae, 17, 133
 --- bartholomaei, 133
 --- cockerelliana, 133
 --- coronata, 5, 6, 7, 8, 9, 11,

(*Puccinia coronata*) 12, 15, 19,
21, 22, 25, 33, 44, 133
--- *crandallii*, 19, 20, 21, 22,
133
--- *cynodontis*, 133
--- *distichlidis*, 133
--- *eatoniae*, 133
--- *ellisiana*, 133
--- *glumarum*, 3, 5, 12, 14, 18,
23, 24, 31, 32, 33, 34, 133
--- *graminis*, 4, 6, 7, 9, 10, 11,
12, 16, 17, 18, 19, 20, 22, 23,
24, 25, 29, 31, 33, 34, 138
--- --- *var. avenae*, 10, 11
--- --- *var. phlei-pratensis*, 27
--- *hordei*, 23, 135
--- *hydrocotyles*, 43
--- *iridis*, 43
--- *kansensis*, 135
--- *koeleriae*, 24, 135
--- *luxuriosa*, 32
--- *magnusiana*, 135
--- *malvacearum* 38
--- *monoica*, 24
--- *montanensis*, 4, 5, 19, 135
--- *pattersoniana*, 5, 32, 135
--- *peridermiospora*, 42, 135
--- *phragmites*, 27
--- *piperi*, 20
--- *poae-sudeticae*, 19, 27, 28,
29, 30, 136
--- *polysora*, 49
--- *procera*, 17, 18
--- *pygmaea*, 15
--- *rubigo-vera* 4, 5, 12, 13, 14,
15, 17, 18, 19, 22, 27, 31, 32,
136
--- --- *var. secalis*, 31
--- --- *var. tritici*, 3, 34, 35
--- *scaber*, 26, 136
--- *schedonnardi*, 137
--- *sessilis*, 27, 137
--- *simulans*, 137
--- *sorghii*, 43
--- *splendens*, 43
--- *stipae*, 32, 137
--- *vexans*, 137
Puff, of tomato fruit, 45
Pyracantha: 47
Pyrus: 47
Pythium sp., on *Antirrhinum*, 38;

(Py . . . *Lycopersicon*, 44
--- *aristosporum*, 128
--- *arrhenomanes*, 42, 128
--- *butleri*, 50
--- *debaryanum*, 129
--- *irregulare*, 129
--- ? *periillum*, 129
--- ? *proliferum*, 129
--- *ultimum*, 139

Quercus: 47

Ramularia celtidis, 39

Ranunculus: 47, 48

Resistance, in *Lycopersicon* to
tomato diseases, 51-85

Revised check list of the parasitic
fungi on cereals and other
grasses in Oreg., Suppl. 134,
pp. 1-36

Rheum: 48

Rhizoctonia sp., on *Dolichos*, 41;
Lycopersicon, 44; *Spinacia*, 49;
Thuja, 49

--- *crocorum*, 42, 43, 46, 48

--- *solani*, 6, 7, 8, 11, 12, 18,
20, 22, 23, 24, 27, 30, 34, 35,
38, 40, 49, 144

Rhizopus nigricans, 44

--- rot, of cantaloup and other
melons in transit, 148, 149,
150, 152, 154, 156, 157, 158

Rhus: 48

Rhynchospora: 48

Rhynchosporium sp., on *Alopecurus*,
9

--- *orthosporum*, 6, 16, 18, 25;
140

--- *secalis*, 4, 5, 6, 18, 23, 24,
25, 31, 140

Rhytisma ilicicola, 43

Rivina: 48

Robillarda agrostidis, 9

Rosa: 48

Rotylenchus multicinctus, 46

Rubus: 48

Rust (undet. *aecidia*), on *Canna*,
39

Sacidium ulmi-gallae, 50

Salix: 48

- Sambucus: 48
 Scaly bark (virus), of Citrus, 40
 Schedonnardus: 122
 Schizachne: 122
 Schizanthus: 48
 Sclerospora graminicola, 130
 Sclerotinia fructicola, 47
 --- minor, 44
 --- sclerotiorum, 45
 Sclerotiopsis concava, 48
 --- lythri, 48
 Sclerotium sp., on grasses, 144;
 on Tragia, 49
 --- bataticola, 37, 38, 40, 42,
 50
 --- rhizodes, 144
 --- rolfsii, 37, 40, 43
 Scolecotrichum graminis, 4, 5, 6,
 7, 9, 10, 12, 13, 14, 16, 17,
 18, 19, 21, 22, 24, 25, 26, 27,
 28, 29, 31, 32, 140
 --- maculicola, 27
 Scolochloa: 122
 Scribneria: 31
 Secale: 31, 114 (Michel's grass),
 123
 Seedling blight, undet., of
 grasses, 144
 Selenophoma sp., on grasses, 142
 --- bromigena, 142
 --- donacis, 18, 142
 --- --- var. (unnamed), 142
 --- --- var. stomaticola, 4, 16,
 26, 27, 29, 32
 --- passerinii, 32
 Senecio: 48
 Septobasidium sp., on Ulmus, 49
 --- sydowii, 39
 Septogloeum oxysporum, 7, 10, 137
 Septoria sp., on Agrostis, 7;
 Citrus, 40; Cletis, 39; grasses
 143; Rosa, 48
 --- arctica, 15
 --- bromi, 13, 14, 142
 --- --- var. phalaricola, 27
 --- calamagrostidis, 6, 7, 8, 33
 --- --- f. koeleriae, 24, 142
 --- carthami, 39
 --- elymi, 4, 5, 18, 142
 --- elymi-europaei, 19
 --- helianthi, 42
 (Septoria) infuscans, 5, 18, 19,
 143
 --- jacucella, 13, 14
 --- lycopersici, 52
 --- macropoda, 28, 29, 143
 --- --- var. grandis, 29, 30, 143
 --- --- var. septulata, 28, 30,
 143
 --- nodorum, 21, 22, 30, 35, 143
 --- oudemansii, 28, 30, 143
 --- pacifica, 19, 143
 --- passerinii, 24, 143
 --- poliomela, 17
 --- populi, 47
 --- secalis var. stipae, 143
 --- stipina, 32
 --- tenella, 19, 20, 21, 143
 --- triseti, 6, 7, 8, 9, 143
 --- tritici, 34, 35
 --- --- f. avenae, 11, 12
 --- --- f. holci, 22
 --- --- var. lolii, 25
 Sequoia: 48
 Setaria: 31, 123
 Sitanion: 32, 123
 Smilax: 48
 Solandra: 48
 Solanum: 49
 --- tuberosum: new diseases in
 Texas, 49
 Sooty mold, undet., on Pinus, 47
 Sorghastrum: 124
 Sorghum: 32, 124
 Soro Sporium consanguineum, 131
 --- granulorum, 131
 --- reilianum, 32, 35
 --- syntherismae, 15, 131
 Spartina: 124
 Sphaceloma fawcettii, 40
 --- violae, 50
 Sphacelotheca cruenta, 42
 --- panici-miliacei, 26
 --- sorghi, 32, 131
 Sphaeropsis sp., on Poa, 143
 --- malorum, 40, 41
 Sphaerotheca pannosa, 48
 Sphenopholis obtusata: 125
 Spinacia: 49
 Spindle tuber (virus), on Solanum,
 49
 Splitting, of Citrus fruit, 40

Spodopogon: 125
 Sporobolus: 32, 49, 125
 Spotted wilt (virus), on Amaryllis, 38; Calendula, 39; Dahlia 41; Datura, 41; Gloxinia, 42; Lactuca, 43; Lobelia, 43, 44; Lupinus, 44; Lycopersicon, 45; Matthiola, 45; Pelargonium, 46; Schizanthus, 48; Senecio, 48; Zantedeschia, 50; Zinnia, 50
 Stagonospora sp., on grasses, 143
 --- arenaria, 16, 18
 --- curvula, 46
 --- pini, 43
 --- subseriata, 17, 19
 Statice: 49
 Stenotaphrum: 49
 Stilbum cinnabarinum, 41
 Stipa: 32, 125
 Streak (virus), on Lycopersicon, 45; Rosa, 48
 Suppl. 134: 1-36
 --- 135: 37-50
 --- 136: 51-85
 --- 137: 87-144
 --- 138: 145-160
 Survey of the genus Lycopersicon for resistance to tomato diseases, Suppl. 136, pp. 51-85
 Tamarix: 49
 Testicularia cyperi, 48
 Thielaviopsis basicola, 44
 Thuja: 49
 Thyella: 49
 Tiarospora perforans, 19
 Tilletia sp., on Elymus, 133; Secale, 31
 --- airae, 17, 133
 --- asperifolia, 26
 --- caries, 34
 --- elymi, 18, 133
 --- foetida, 34
 --- fusca, 20, 133
 --- guyotiana, 13, 133
 --- holci, 22
 --- pallida, 8
 Tip blight (virus), on Lycopersicon, 45
 Tomato diseases, resistance in genus Lycopersicon, 51-85

Tr. erythrospora, 47
 Tr. 9
 Tranzschelia pruni-spinosae, 47
 Trichoderma sp., on Allium, 37
 Trifolium: 49
 Tripsacum: 49
 Trisetum: 33, 127
 Triticum: 33
 Tropaeolum: 49
 Tryblidiella rufula, 40
 Tsuga: 49
 Tubercularia sp., on Ulmus, 50
 --- nigricans, 38
 Ulmus: 49, 50
 Urocystis agropyri, 5, 15, 23, 133
 Uromyces sp., on Trifolium, 49
 --- beckmanniae, 12
 --- dactylidis, 30, 137
 --- jacksonii, 6, 7, 8, 17, 23, 31, 137
 --- minimus, 26
 --- minor, 49
 --- spermacoces, 41
 Ustilago sp., on grasses, 25, 132
 --- arthuri, 21
 --- avenae, 11, 12, 131
 --- bromivora, 39
 --- bullata, 13, 14, 15, 23, 131
 --- crus-galli, 17
 --- cynodontis, 41
 --- hordei, 23, 24, 132
 --- hypodytes, 3, 5, 17, 18, 26, 32, 33, 132
 --- jacksonii, 132
 --- kolleri, 11, 12
 --- levis, see U. kolleri
 --- longissima, 21, 22, 132
 --- macrospora, 5, 132
 --- mulfordiana, 20, 132
 --- neglecta, 132
 --- nuda, 24
 --- perennans, 10
 --- residua, 16, 132
 --- sitanii, 32, 132
 --- striaeformis, 4, 5, 6, 7, 8, 9, 22, 25, 27, 132
 --- tritici, 34, 35
 --- zeae-mays, 35
 Vaccinium: 50

Valsaria insitiva, 39
Vermicularia sp., on Dianthus, 41
--- dematium, 44
--- herbarum, 41
Vernonia: 50
Verticillium albo-atrum, 41, 42
Vigna: 50
Viola: 50

Washingtonia: 50
Wisteria: 50
Witches' broom (undet.), on
Arachis, 38
Wojnowicia graminis, 12, 15, 24,
31, 34, 35, 143

Xylaria sp., 47

Yellow dwarf (virus), on Allium,
37, 38
Yellows (virus), on Ampelopsis,
38; Lycopersicon, 45; Solanum,
49
Yucca: 50

Zantedeschia: 50
Zea: 35, 50
Zinnia: 50