Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

1.9
P69P
Copy 4

LIBRARY
CURRENT SERIAL RECORD
★ SEP 9 - 1953 ★
U. S. DEPARTMENT OF AGRICULTURE

THE PLANT DISEASE REPORTER

Issued By

THE PLANT DISEASE SURVEY

Division of Mycology and Disease Survey
BUREAU OF PLANT INDUSTRY, SOILS, AND AGRICULTURAL ENGINEERING
AGRICULTURAL RESEARCH ADMINISTRATION
UNITED STATES DEPARTMENT OF AGRICULTURE

SUPPLEMENT 218

INDEX TO SUPPLEMENTS 210-217, 1952

Supplement 218

Issued April 15, 1953

The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Division of Mycology and Disease Survey serves merely as an informational clearing house. It does not assume responsibility for the subject matter.

Issued by

THE PLANT DISEASE SURVEY
DIVISION OF MYCOLOGY AND DISEASE SURVEY

Plant Industry Station

Beltsville, Maryland

INDEX TO PLANT DISEASE REPORTER
SUPPLEMENTS 210-217, 1952

Compiled by Nellie W. Nance

Plant Disease Reporter
Supplement 218

Index to Supplements
1952

LIST OF SUPPLEMENTS

- Supplement 210. 1950 summary of results of fungicide tests on crops other than fruit trees. pp. 1-19. March 15, 1952. 1950 summary of results of fungicide tests on fruit and nut trees. pp. 21-31. April 15, 1952. Compiled by the Fungicide Committee of the American Phytopathological Society: Sub-Committee on Testing and Results of Newer Fungicides. See its table of contents and author index below.
- Supplement 211. Insect-transmitted plant diseases: a symposium. pp. 34-55. April 15, 1952. Joint symposium on insect-transmitted plant diseases of the American Phytopathological Society, the American Association of Economic Entomologists, and the Entomological Society of America. Papers presented at the Cincinnati meeting, December 11, 1951. See its table of contents, and author index below.
- Supplement 212. Host index of plant pathogens of Venezuela. pp. 59-106. June 15, 1952. By J. H. Standen. The index includes fungi, bacteria, viruses, nematodes, a destructive leaf lichen (*Strigula elegans*), and mistletoes. The sooty mold group of fungi is omitted.
- Supplement 213. 1951 summary of results of fungicide tests in the United States and Canada. pp. 108-140. August 15, 1952. Compiled by the Fungicide Committee of the American Phytopathological Society: Sub-Committee on testing and results of the newer fungicides. See its table of contents and author index below.
- Supplement 214. Some new or unusual records and outstanding features of plant disease development in the United States in 1951. pp. 142-162. August 15, 1952. Compiled by Nellie W. Nance.
- Supplement 215. Host index to non-fungus diseases of plants in China. pp. 165-186. August 15, 1952. By W. N. Siang.
- Supplement 216. Bibliography of the fungi and bacteria associated with tung (*Aleurites* spp.). pp. 189-199. September 15, 1952. By P. O. Wiehe.
- Supplement 217. The plant disease warning service in 1952. pp. 203-212. By Paul R. Miller and Muriel O'Brien.
- Supplement 218. Index to Supplements 210-217. pp. 215-239. (Issued April 15, 1953). By Nellie W. Nance.

AUTHOR INDEX

- BENNETT, C. W., 43
 DIMOCK, A. W., (2), (22), 109
 FREITAG, J. H., 51
 HAMILTON, J. M., 2, 22, (109)
 HOLMES, FRANCIS O., 37
 LEAR, BERT, (2), (22), (109)
 McCLELLAN, W. D., (2), (22)
 MILLER, PAUL R., 203
 MILLS, W. D. (2), (22), 23, (109)
 NANCE, NELLIE W., 142
 NEWHALL, A. G., (2), (22), (109)
 O'BRIEN, MURIEL, (203)
 POPHAM, W. L., 35
 SCHROEDER, W. T., (2), (22)
 SIANG, W. N., 165
 STANDEN, J. H., 59
 TURNER, WILLIAM F., 47
 WIEHE, P. O., 189
 WILKINSON, R. E., (109)

SUBJECT INDEX

- Abnormalities, of *Gladiolus* spp., 156
Abutilon avicennae: mosaic (virus) in China, 165
Acalymma trivittata, 53
Acer spp.: non-fungus diseases in China, 165
Achorella sp., on *Mikania*, 86
 --- *andina*, 86
Achyranthes bidentata: *Cuscuta japonica* in China, 165
Acremonia sp., on *Aleurites montana*, 189
Acrogenus solani var. *vulgaris*, 99
Actidione, 153, 155
Actinomyces scabies, 99
Actinonema rosae, 95
Actinopeltis scitula, 81
Actinostemma lobatum var. *racemosum*: *Cuscuta japonica* in China, 165
Aecidium sp., on *Crinum* sp., 72
 --- *adenariae*, 79, 91
 --- *albicans*, 92
 --- *aridum*, 64
 --- *bomareae*, 65
 --- *byrsonimatus*, 66
 --- *calotheum*, 93
 --- *cordiae*, 71
 --- *coutareae*, 71
 --- *dalechampiicola*, 73
 --- *daturae*, 73
 --- *detritum*, 93
 --- *goyazense*, 101
 --- *guatemalense*, 80
 --- *hymenocallis*, 81
 --- *jacquemontiae*, 82
 --- *mexicanum*, 69
 --- *monticolae*, 81
 --- *psychotriae*, 94
 --- *serjaniae*, 98
 --- *singulare*, 66
 --- *tournefortiae*, 102
 --- *xanthoxylinum*, 77, 105
 --- *yuquillae*, 94
Aegerita webberi, 79
 Africa, 38, 39, 189, 199
 --- French Equatorial, 199
Agalliopsis novella, 52
Ageratum conyzoides: *Heterodera marioni* in China, 166
Agrobacterium tumefaciens, 155, 160
Agropyron semicostatum: *Cuscuta japonica* in China, 166
Akebia quinata: *Cuscuta japonica* in China, 166
 Alabama, 7, 8, 109, 206, 211
Alangium platanifolium: *Cuscuta japonica* in China, 166
Albizia julibrissin: *Cuscuta japonica* in China, 166
Albugo sp., on *Euphorbia*, 77
 --- *bliti*, 61, 73
 --- *candida*, 65, 66, 95
 --- *ipomoeae-panduranae*, 82, 88
 --- *minor*, 82
 --- *platensis*, 65, 89
 --- *portulacae*, 94
 --- *tragopogonis*, 60, 78, 102
Aleurites sp., non-fungus diseases in China, 166
Aleurites spp.: bibliography of the fungi and bacteria associated with, 189-199; fungi parasitic on various organs of, 198
 Alfalfa: gray mould, 1st rept. from Wis., 144; mosaic virus, 41; violet root rot, 1st rept. from N. C. 144
Allium spp.: non-fungus diseases in China, 166
Alternaria sp(p.), on *Ageratum*, 60; *Aleurites fordii*, 189; *Brassica*, 65, 66; *Citrus*, 70; *Coriandrum*, 71; *Datura*, 74; *Dioscorea*, 75; *Gossypium*, 78; *Guazuma*, 79; *Lactuca*, 83; *Medicago*, 85; *Nicotiana*, 88; *Paspalum*, 91; *Phaseolus*, 92; *Polyscias*, 94; *Sesamum*, 98; *Solanum*,

- (*Alternaria* sp.) 99; *Sonchus*, 100; *Spananthe*, 100; *Triticum*, 102; *Verbena*, 103
 --- *brassicaceae*, 65, 66, 95
 --- *carotae*, 3
 --- *citri*, 69, 70
 --- *cucumerina*, 144, 160
 --- *dauci*, 74
 --- *dianthi*, 16, 74
Alternaria leaf spot, of carrot, fungicide tests for control of, 3; of *Dianthus caryophyllus*, fungicide tests for control of, 16
Alternaria leaf spot and dieback of bean, 147
 --- *macrospora*, 79
 --- *porri*, 4, 60, 61, 112
 --- *solani*, 5, 6, 65, 73, 84, 99, 113, 114, 116, 206, 207
 --- *tomato*, 116
Amaranthus spp.: *Cuscuta japonica* in China, 166
Amazonia acalyphae, 60
 --- *asterinoides*, 93
Amorphophallus konjac: *Erwinia carotovora* in China, 166
Ampelopsis heterophylla: *Cuscuta japonica* in China, 166
Angiopsora compressa, 90, 91
 --- *lenticularis*, 83
 --- *zeae*, 105
Anthostomella cecropiae, 68
 --- *rhizophorae*, 95
Anthracnose, of *Celastrus scandens*, 145, 148; cucumber, 211, fungicide tests for control of, 10, 112; *Mentha canadensis* and *M. citrata*, 146; peach, 145, 154; pepper, fungicide tests for control of, 10; *Platanus racemosa*, fungicide tests for control of, 18; raspberry, fungicide tests for control of, 117, 135; *Rosa multiflora*, 146; tobacco, 146; tomato, fungicide tests for control of, 6, 117
Antirrhinum majus: rust, 17, fungicide tests for control of, 118
Aphananthe aspera: *Cuscuta japonica* in China, 166
Aphelenchoides sp., on *Chrysanthemum*, fungicide tests for control of, 17
 --- *ritzema-bosi*, on *Vanda Miss Joaquim* orchid, 156
Aphis ferruginea striata, 52
 --- *gossypii*, 152
 --- *rumicis*, 52
Apium graveolens: non-fungus diseases in China, 166
Aposphaeria sp., on *Oryza*, 88
 Apple (see also *Malus*): bitter rot, fungicide tests for control of, 29, 129, 130; black pox, fungicide tests for control of, 128, 129; black rot, fungicide tests for control of, 29, 120, 129, 130; blossom end rot, 153; *Botrytis* blossom end rot, 144; Brooks' spot, fungicide tests for control of, 30; (Apple) cedar rust, fungicide tests for control of, 28; European canker, 35; fire blight, fungicide tests for control of, 29, 128; fly speck, fungicide tests for control of, 128; fruit spot, fungicide tests for control of, 129; *Gloeosporium perennans* fruit rot, fungicide tests for control of, 130; perennial canker, 35; powdery mildew, fungicide tests for control of, 29, 131; root rot, 1st rept. from Ga., 145; russet, fungicide tests for control of, 30, 129, 130; scab, 153, fungicide tests for control of, 23, 119; silver leaf, 153; sooty blotch, fungicide tests for control of, 29, 128, 129
Arachis hypogaea: non-fungus diseases in China, 167
 Arasan, corn seed treatment as protection against rodents, 151
Arctium lappa: *Xanthomonas nigromaculans* in China, 167
 Argentina, 43, 44, 189, 199
 Arkansas, 150, 154, 203, 207, 211
Armillaria mellea, on *Aleurites* spp., 190
Artemisia spp.: *Cuscuta japonica* in China, 167
Arthuria columbiana, 72
Aschersonia aleyrodalis, 68
 --- *basicystis*, 69
 --- *brunnea*, 69
 --- *placenta*, 64
 --- *turbinata*, 69
Ascochyta sp., on *Althaea*, 61; *Canavalia*, 67; *Crotalaria*, 72; *Hibiscus*, 80; *Malva*, 85; *Phaseolus*, 92; *Robinia*, 95; *Solanum*, 99; *Vigna*, 103
 --- *abelmoschi*, 80, 161
 --- *aleuritidis*, on *Phyllosticta aleuritidis* on *Aleurites fordii*, 190
 --- *althaeina*, 61
 --- *citri*, 69, 70
 --- *gossypii*, 78, 157
 --- leaf spot, of tobacco, 157
 --- *lycopersici*, 99
 --- *phaseolorum*, 161
 --- *pisi*, 62, 70, 72, 78, 92, 93, 103
Ascopolyporus polychrous, 69
 Asia, 198
Aspergillus niger, 69
Asperisporium caricae, 67
Aster: yellows (virus), 36
 --- *trinervius* var. *adustus*: *Cuscuta japonica* in China, 167
Asterina acalyphae, 60
 --- *ampullifera*, 105
 --- *diplocarpa*, 98
 --- *henningsii*, 99
 --- *kernii*, 66
 --- *libertiae*, 82
 --- *loranthicola*, 92
 --- *mandaquiensis*, 76

- (*Asterina*) *megalospora*, 91
 --- *passiflorae*, 91
 --- *rariipoda*, 65
 --- *uribei*, 86
 --- *vagans*, 98
Asterinella bredemeyerae, 66
 --- *winteriana*, 62
Asteromoea sp.: *Cuscuta japonica* in China, 167
Atanus exitiosus, 45
Aureomycin hydrochloride, 161
Auricularia cornea, on *Aleurites moluccana*, 190
 --- *polytricha*, on *Aleurites moluccana*, 190
 Australasia, 199
 Australia, 199
 Avocado, 135
 Azalea, see *Rhododendron*
- Bacillus* sp., on *Nicotiana*, 88
 Bacterial blight, of bean, fungicide tests for control of, 3; cotton, 157; *Juglans regia*, fungicide tests for control of, 136
 --- diseases, of soybean, 152
 --- halo blight, of bean, 161
 --- olive-knot disease, of olive, 35
 --- scab, of *Gladiolus*, fungicide tests for control of, 15
 --- spot, of peach, fungicide tests for control of, 30, 131
 --- wilt, of bean, 161; corn, 151; cucurbits, 35
 Bacteriosis, of *Juglans regia*, fungicide tests for control of, 31
Bacterium stewartii, 151
Bagnisiopsis sp., on *Miconia*, 86
 --- *peribebuyensis*, 70, 86
 --- *maculans*, 98
 --- *spinulosa*, 86
 --- *tijucensis*, 86
 --- *toledo*, 70, 86
Balansia claviceps, 89
 Barley: brown stripe, fungicide tests for control of, 150; covered smut, fungicide tests for control of, 150; downy mildew, 150; mosaic (virus), new to California, 150; yellow dwarf (virus), 1st rept. this country (Calif.), 147
 Basal rot, of *Narcissus*, fungicide tests for control of, 18
 Bean (see also *Phaseolus*): *Alternaria* leaf spot and dieback, 1st rept. from Fla., 147; bacterial blight, fungicide tests for control of, 3; bacterial halo blight, 161; bacterial wilt, 161; damping-off, fungicide tests for control of, 3; *Fusarium* and *Rhizoctonia*, fungicide tests for control of, 3; *Fusarium* root rot, 161; hail damage, 161; leaf spot, 161; mosaic (virus), 37, 161; *Pythium* stem rot, 161; rust, 161
 Bean, lima: downy mildew, 35, 212; leaf spot, (Bean, lima) 161
 Beet: yellows (virus), 38
Begonia sp.: *Pratylenchus* sp., 155
 --- *evansiana*: *Xanthomonas begoniae* in China, 167
 Belgian Congo, 189, 199
Bemisia gossypiperda, 39
Benincasa hispida: *Erwinia tracheiphila*, or *Xanthomonas solanacearum* in China, 167
 Bermuda, 199
Beta vulgaris: non-fungus diseases in China, 167
 Bibliography of the fungi and bacteria associated with tung (*Aleurites* spp.). Suppl. 216, pp. 189-199
 Bitter rot, of apple, fungicide tests for control of, 29, 129, 130
 Bittersweet, see *Celastrus*
 Black leaf spot, of *Helleborus niger*, 146
 Black line, of *Juglans hindsii*, 155; *J. regia*, 155
 Black patch, of *Trifolium pratense*, 152
 Black pox, of apple, fungicide tests for control of, 128, 129
 Black rot, of apple, fungicide tests for control of, 29, 120, 129, 130; grape, fungicide tests for control of, 31, 134; sweet-potato, fungicide tests for control of, 115
 Black spot, of *Rosa*, fungicide tests for control of, 16
 Black shank, of tobacco, 158
 Black tip, of peach, 154
 Blast, of onion, 159, fungicide tests for control of, 4
 Blight, of chestnut, 35
 ---, aerial, of soybean, 152
 Blossom blight, of peach, fungicide tests for control of, 132; sweet cherry, fungicide tests for control of, 29
 Blossom end rot, of apple, 153
 Blueberry (see also *Vaccinium*): stunt (virus), 1st rept. from Md., 145
 Blue mold, of pepper, 211; tomato, 211; tobacco, 157, 203, fungicide tests for control of, 19, 115
 Blue stain, of conifers, 35
Blumea hieracifolia: *Heterodera marioni* in China, 167
Boehmeria spp.: *Cuscuta japonica* in China, 167
 Bordeaux mixture, 155, 161, 204, 205, 208, 212
Botryosphaeria multipunctata, 70, 86
 --- *ribis*, 120, 129, 130, 135, 190
Botrytis sp., on *Allium*, 60; *Euphorbia*, 77
 --- blossom blight, of *Citrus limon*, fungicide tests for control of, 31
 --- blossom end rot, of apple, 144
 --- cinerea, 135, 144, 153, 190; on lemon,

- (*Botrytis cinerea*) fungicide tests for control of, 136
 --- *liliorum*, 148
 --- *vulgaris*, 91, 95, 99
Brassica spp. non-fungus diseases in China, 167, 168
 Brazil, 43, 189, 199
Bremia lactucae, 83
Brevipalpus, 152
 British Columbia, 28, 119, 155
 British Isles, 38
Bromus japonicus: *Cuscuta japonica* in China, 168
 --- *marginatus*: head smut, 151
 Brooks' spot of apple, fungicide tests for control of, 30
Broussonetia kaempferi: *Cuscuta japonica* in China, 168
 Brown rot, of lemon, fungicide tests for control of, 136; peach, 154, fungicide tests for control of, 131, 132; sweet cherry, fungicide tests for control of, 31
 Brown stem rot, of soybean, 145, 152
 Brown stripe, of barley, fungicide tests for control of, 150
Bubakia venezuelana, 72
 Bulb rot, of *Lilium auratum*, 148
 Bunt, of wheat, fungicides tested for control of, 150
Bupleurum falcatum: *Cuscuta japonica* in China, 169
 Burma, 189, 198
 Cabbage: downy mildew, fungicide tests for control of, 3
 Cacao: swollen shoot (virus), 43
Caeoma torreyae, on California-nutmeg, 148
Calidion lidsaeae, 94
 California, 4, 7, 23, 31, 45, 109, 118, 137, 145 ff., 153 ff., 160
 California-nutmeg: *Caeoma torreyae* n. sp. (Calif.), 148; *Clasterosporium obclavatum* n. sp., (Calif.), 148
Calladonus geminatus, 154
Callicarpa spp.: *Cuscuta japonica* in China, 169
Callistephus chinensis: rust, fungicide tests for control of, 118
Calonectria erubescens, 85
Calostilbe striispora, 76
Camarosporium sp., on *Zea*, 105
Camellia: root rot, 1st rept. from California, 145
Camillea bomba, 68
 Canada, 4, 23, 44, 109, 151
Canarium album: non-fungus diseases in China, 169
Canavalia gladiata: *Heterodera marioni* in China, 169
 Canker and leaf spot, of soybean, 152
 Cantaloupe: downy mildew, fungicide tests for (Cantaloupe) control of, 11; leaf blight, 144; *Macrosporium* leaf spot, fungicide tests for control of, 11, 111; virus infection (seed transmission and proximity to aphid-breeding areas), 159
 Cape-jasmine, see *Gardenia*
Capitophorus fragaefolii, 153
Capnodium sp., on *Artocarpus*, 63
Capsicum spp.: non-fungus diseases in China, 169
Carica papaya: non-fungus diseases in China, 169
Carnecephala fulgida, 47
Carpesium abrotanoides: *Cuscuta japonica* in China, 169
 Carrot: *Alternaria* leaf spot, fungicide tests for control of, 3; *Cercospora* leaf spot, fungicide tests for control of, 3
Carthamus tinctorius: root rot, 157; rust, 157
Carya illinoensis, see *C. pecan*
 --- *pecan*: scab, 155, fungicide tests for control of, 31, 136
Castanea spp.: non-fungus diseases in China, 169
 --- *dentata*: blight, 35
Catacauma sp., on *Roupala*, 96
 --- *contractum*, 79
 --- *eugenicola*, 76
 --- *huberi*, 80
 --- *myrciae*, 87
 --- *paramoense*, 103
 --- *portoricensis*, 77
 --- *rhopalinum*, 96
 --- *venezuelensis*, 84
Catacaumella miconiae, 86
Catalpa sp.: *Heterodera marioni* in China, 169
Cuadella psidii, 94
Cedrus deodara: root rot, new host (Calif.), 149
Celastrus scandens: anthracnose, 1st rept. from Md., 145, new host (N. Y.), 148
 Celery: damping-off, 159; early (*Cercospora*) and late (*Septoria*) blight, leaf spot, fungicide tests for control of, 4, 111; southern celery mosaic (virus), 39; western celery mosaic (virus), 52
Celtis sinensis: *Cuscuta japonica* in China, 169
Centaurea cyanus: *Sclerotinia* spp., 155
Cephaleuros sp., on *Citrus*, 69
Cephalosporium sp., on *Aleurites* spp., 190
 --- *gregatum*, 145, 152
 --- *lecanii*, 71
Ceratoma ruficornis, 53
 --- *trifurcata*, 53
Ceratostomella spp. spread by *Ips*, 35
 --- *ulmi*, 35, 159
Cercospora sp., on *Abutilon*, 60; *Aleurites*, 60; *Alternanthera*, 61; *Amaranthus*, 61;

(*Cercospora* sp.) *Antigonum*, 62; *Asclepias*, 63; *Buddleia*, 66; *Bunchosia*, 66; *Cassia*, 68; *Chlorophora*, 69; *Chrysanthemum*, 69; *Crotalaria*, 72; *Croton*, 72; *Desmodium*, 74; *Erodium* sp., 76; *Eupatorium*, 76, 77; *Gliricidia*, 78; *Helianthus*, 80; *Hydrangea*, 80; *Ionoxalis*, 81; *Linum*, 84; *Melia*, 85; *Miconia*, 86; *Mimosa*, 86; *Myosotis*, 87; *Pachira*, 89; *Papaver*, 89; *Pereskia*, 91; *Persea*, 91; *Phoradendron*, 92; *Polygonum*, 94; *Ricinus*, 95; *Rumex*, 96; *Scabiosa*, 97; *Swietenia*, 101; *Terminalia*, 101; *Theobroma*, 101; *Verbena*, 103; *Vernonia*, 103; *Vigna*, 103; *Wulffia*, 104

--- *adianti*, 60
 --- *agnostoica*, 65
 --- *althaeina*, 61
 --- *amadelpha*, 87
 --- *ambrosiae*, 61
 --- *anonaceae*, 62
 --- *anthelmintica*, 69
 --- *apii*, 4, 62, 111
 --- *carotae*, 3
 --- *arctii-ambrosiae*, 61
 --- *argythamniae*, 75
 --- *armoraciae*, 65
 --- *asparagi*, 63
 --- *atromarginalis*, 67, 99
 --- *atropurpurascens*, 78
 --- *avicularis*, 94
 --- *bataticola*, 82
 --- *bauhinia*, 93
 --- *beticola*, 64, 100
 --- *bidentis*, 64, 71
 --- *bixae*, 64, 104
 --- *blechi*, 64
 --- *bocconiae*, 64
 --- *boehmeriae*, 65
 --- *boldoae*, 97
 --- *brachiata*, 61
 --- *brachycarpa*, 98, 99
 --- *brasiliensis*, 75
 --- *brunkii*, 91
 --- *bunchosiae*, 66
 --- *cajanae*, 66
 --- *calotropidis*, 67
 --- *canavaliae*, 67
 --- *canescens*, 92, 103, 104
 --- *capsici*, 67
 --- *caracasensis*, 62
 --- *caribaea*, 85
 --- *cayaponiae*, 79
 --- *celosiae*, 68
 --- *centaureae*, 68
 --- *centrosemae*, 68
 --- *cestri*, 68
 --- *chardoniana*, 87
 --- *chevalieri*, 105
 --- *chirguensis*, 73
 --- *chrysanthemi*, 69

(*Cercospora*) *citrullina*, 69
 --- *clavata*, 63
 --- *cleomes*, 70
 --- *clitoriae*, 70
 --- *clitoridis*, 70
 --- *coffeicola*, 71
 --- *conocarpi*, 71
 --- *conspicua*, 70
 --- *cordiae*, 71
 --- *costeriana*, 98, 99, 100
 --- *crotalariae*, 72
 --- *cruciferarum*, 95
 --- *cruenta*, 92, 103
 --- *curatellae*, 73
 --- *cyclantherae*, 73
 --- *demetritioniana*, 72
 --- *desmodiicola* var. *leiocarpa*, 74
 --- *diantherae*, 82
 --- *diffusa*, 67
 --- *dioscoreae*, 74
 --- *donnel-smithii*, 63
 --- *durantae*, 75
 --- *echinochloae*, 75
 --- *elasticae*, 77
 --- *elephantopodis*, 75
 --- *emmeorhizae*, 75
 --- *erythrinae*, 76
 --- *espeletiae*, 76
 --- *euphorbiae*, 77
 --- *fagopyri*, 77
 --- *flocculosa*, 79
 --- *fuchsiae*, 78
 --- *fukushiana*, 81
 --- *fusca*, 67
 --- *fusimaculans*, 89
 --- *gliricidiae*, 78
 --- *glycines*, 78
 --- *gnaphaliaceae*, 78
 --- *gomphrenicola*, 92
 --- *gossypii*, 79
 --- *gracilenta*, 63
 --- *grisea*, 94
 --- *grisleae*, 79
 --- *guazumae*, 79
 --- *guianensis*, 83
 --- *helianthi*, 79
 --- *heliotropii*, 80
 --- *henningsii*, 85
 --- *hibisci*, 80
 --- *hibiscina*, 60, 80
 --- *hurae*, 80
 --- *hyalospora*, 98
 --- *hydrocotyles*, 80
 --- *hypsochila*, 87
 --- *hypticola*, 81
 --- *ibatiae*, 81
 --- *impatiens*, 81
 --- *ipomoeae*, 71, 82
 --- *jaguarensis*, 99
 --- *jahnii*, 101
 --- *jasminicola*, 82

(Cercospora) jussiaeae, 82

- koepkei, 96
- krugiana, 65
- lactucae, 83
- lantanae, 83
- lanugiflori, 99
- leaf spot, of carrot, fungicide tests for control of, 3; celery, fungicide tests for control of, 4
- liebenbergii, 95
- longipes, 96
- longissima, 83
- ludwigiae, 82
- lupinicola, 84
- macutensis, 71
- malachrae, 84
- malayensis, 80
- mali, 73, 84, 95
- mangiferae, 85
- manoensis, 72
- maritima, 72
- medicaginis, 85
- meibomiaae, 74
- melanotes, 85
- modesta, 99
- mombin, 100
- monninae, 87
- monochaeti, 87
- musae, 87
- nicotianaee, 88
- obscura, 73
- oryzae, 88
- oxalidiphila, 89
- pachirae, 89
- parthenii, 90
- pavoniae, 91
- personata, 62
- petuniae, 92
- phaseolina, 92
- piperis, 93
- pittieri, 76
- plantaginis, 93
- plucheae, 93
- poincianaee, 94
- polygonorum, 94
- portoricensis, 93
- pteridii, 61
- punicae, 95
- purpurea, 91
- rauwolfiae, 95
- rhapontici, 95
- rhinocarpi, 61
- ricinella, 95
- rosaecola, 95
- salpianthi, 97
- samanaee, 97
- sechii, 97
- securidacae, 97
- sesami, 98
- simulata, 68
- sojina, 78

(Cercospora) solanaceae, 100

- solanicola, 99
- sorghi, 100
- sphaeralceicola, 60
- spilosticta, 93
- stachytarphetae, 100
- stenolobiicola, 101
- stizolobii, 100
- struthanthi, 100
- torenicola, 102
- tovariae, 102
- tremae, 102
- trichophila, 99
- triumfettae, 103
- truncatella, 91
- turnerae, 103
- uramensis, 70
- urostigmatis, 77
- venezuelae, 99
- verbeniphila, 103
- verruculosa, 105
- vexans, 78
- viciae, 103
- vignicola, 104
- violae, 104
- vismiaee, 104
- viticola, 104
- zeae-maydis, 105
- zinniae, 105
- zonata, 103

Cercosporella albo-maculans, on turnip greens, fungicide tests for control of, 117

--- hurae, 80

--- theae, on Aleurites spp., 190

Cereals: races of rust, use of cyclone separators, 150

Cerebella andropogonis, 89, 102

--- panici, 89

Cerotelium desmium, 79

--- fici, 77, 78

Ceylon, 198

Chaetospermella tecomis, 101

Chaetostigme cordiae, 71

Chaetostigmella parasitica, 105

Chalara quercina, 146, 158

Chamaecyparis lawsoniana var. elwoodi: root rot, 1st rept. from Calif., 146

Cherry: dry stem (arsenical injury), fungicide tests for control of, 134; leaf spot, fungicide tests for control of, 30; yellows (virus), 44

---, sour: leaf spot, 133, 153; Western X-little cherry virus, 154

---, sweet: blossom blight, fungicide tests for control of, 29; brown rot, fungicide tests for control of, 31; Western X-little cherry virus, 154; X-disease (virus), 1st rept. from New York, 145

China, 189, 198, host index to non-fungus diseases of plants in, 165-186

- Chionanthus retusa*: *Cuscuta japonica* in China, 170
Chlorogenus sp. (virus), on *Physalis*, 93
Chlorotic phyllody, of strawberry, 148
Choanephora sp., on *Brassica*, 65; *Gossypium*, 79
Chokecherry: Western X-disease, 154
Chrysanthemum: *Aphelenchoides* sp., fungicide tests for control of, 17; leaf spot, fungicide tests for control of, 17, 118; *Lethum australiense*, *Lycopersicon virus* 3, in China, 170
Chrysocelis lupini, 84
Chrysocylus cestri, 68
--- *mikaniae*, 86
--- *senecionis*, 97
Cicadellidae, 48
Cichorium endivia: *Erwinia carotovora* in China, 170
Cinnamomum spp.: non-fungus diseases in China, 170
Cintractia axicola, 78
--- *leucoderma*, 96
--- *limitata*, 73
--- *utriculicola*, 96
Cionothrix praelonga, 76, 77, 86
Circulifer tenellus, 50, 52
Cirsium spp.: *Cuscuta japonica* in China, 170
Citrullus vulgaris: mosaic (virus) in China, 170
Citrus spp.: Argentina's lepra explosiva, 152; Florida's scaly bark, see leprosis; leprosis (scaly bark), 152; non-fungus diseases in China, 170; quick decline and related diseases (virus), 152; tristeza (virus), 43
--- *grandis*: melanose, fungicide tests for control of, 135
--- *limon*: *Botrytis* blossom blight, fungicide tests for control of, 31, 136; *Phytophthora* brown rot, fungicide tests for control of, 31, 136; tree collapse and decline (cause unknown), 153
Cladosporium sp., on *Panicum*, 89; *Phaseolus*, 92; *Polygala*, 94; *Prunus*, 61; *Thuja* sp., 101
--- *calotropidis*, 67
--- *carpophilum*, 132
--- *effusum*, 31, 136, 155
--- *fulvum*, 84
--- *guanicensis*, 62
--- *vignae*, 104
Clasterosporium obclavatum, on California-nutmeg, 148
Clausena lansium: *Loranthus parasiticus* in China, 172
Claviceps sp., on *Panicum*, 89; *Setaria*, 98
--- *paspali*, 90
--- *purpurea*, 35, 89
Clinconidium farinosum, 88
Clitocybe tabescens, on *Aleurites*, 190
Clubroot, of crucifers, 147
Clypeotrabutia deminuta, 66
--- *meridensis*, 83
--- *portoricensis*, 70
Cob rot, of corn, 144
Coccomyces hiemalis, 133, 153
Coccullus trilobus: *Cuscuta japonica* in China, 172
Coleosporium sp., on *Elephantopus*, 75
--- *domingensis*, 93
--- *elephantopodis*, 75, 88, 94
--- *eupatorii*, 77
--- *ipomoeae*, 82
--- *solidaginis*, 118
Collapse and decline, of lemon tree, 153
Colletotrichum sp., on *Aleurites montana*, 191; *Capsicum*, 67; *Citrus*, 70; *Coffea*, 71; *Dioscorea*, 75; *Malpighia*, 84; *Melicocca*, 85; *Opuntia*, 88; *Oxalis*, 89; *Passiflora*, 91; *Persea*, 91; *Solanum*, 99; *Sorghum*, 100; *Theobroma*, 101; *Thuja*, 102; tobacco, 146
--- *agaves*, 60
--- *atramentarium*, 67, 99
--- *circinans*, 61
--- *coffeanum*, 71
--- *gloeosporioides*, 62, 69, 70, 73, 85, 91
--- --- *var. aleuritidis*, 191
--- *gossypii*, 79, 111
--- *lagenarium*, 10, 69, 112, 211
--- *limetticola*, 70
--- *lindemuthianum*, 92
--- *lineola*, 100
--- *nigrum*, 67
--- *papayae*, 67
--- *phomoides*, 6, 84, 117
Colocasia esculenta: non-fungus diseases in China, 172
Colorado, 2, 4, 109, 137, 204, 207
Columella japonica: *Cuscuta japonica* in China, 172
Commelina communis: *Cuscuta japonica* in China, 172
Conifers: blue stain, 35
Coniothyrium sp., on *Punica*, 95
--- *hellebori*, 146
--- *melanosporum*, 96
--- *panici*, 89
Connecticut, 7, 12, 23, 109, 118, 153, 157, 162, 204, 207, 209
Control, of celery damping-off by trans 1, 4-dibromobutene-2, 159; corn rust, by *Darluca filum*, 151; peach brown rot, 154; strawberry red stele, 153; tomato anthracnose, 161; tomato gray leaf spot, 161
Corchorus capsularis: *Xanthomonas nakatae* in China, 172
Cordana musae, 87
Corium solani, 99
Corn (see also *Zea*): bacterial wilt, 151; cob rot, 1st rept. from Md., 144;

- (Corn) glass-tumbler technique for incubating seed, 151; leaf blight, 144, 151; northern leaf blight, fungicide tests for control of, 111; rust, 151; seed and soil-borne rots, fungicide tests for control of, 111; seed decay and seedling disease, fungicide tests for control of, 5; seed rot and seedling blight, fungicide tests for control of, 111; seed treatment with Arasan, protection against rodents, 151; stripe disease (virus), 39
- Cornus florida*: spot anthracnose, 158
- Corticium* sp., on *Gardenia*, 78
- *microsclerotia*, on *Aleurites fordii*, 191
- *salmonicolor*, on *Aleurites* spp., 191
- *stevensii*, on *Aleurites* spp., 191
- Corylus* sp.: *Labrella coryli*, 1st rept. from North America, (Md.), 148
- Coryne sarcoides*, on *Aleurites* sp., 191
- Corynebacterium flaccumfaciens*, 161
- *sepedonicum*, 99, 162
- Cotton: *Ascochyta* blight, 157; bacterial blight, 157; damping-off, fungicide tests for control of, 111; leaf curl (virus), 39; nematode root rot, 1st rept. from La., 146; *Thielaviopsis* root rot, 1st rept. from Tex., 146
- Cowpea: mosaic (virus), 53; red stem canker, 1st rept. from S. C., 145
- Crinipellis perniciosus*, 101
- Cronartium* sp., on *Byrsonima*, 66; *Eupatorium*, 76
- *ribicola*, 117
- Crossopora caucensis*, 69
- *notata*, 66
- Crotalaria saltiana*: Virus disease in China, 172
- Crown gall, of tomato, 160
- Crucifers: clubroot, 1st rept. from Fla., 147
- Cryptotaenia canadensis*: *Cuscuta japonica* in China, 172
- Cucumber: anthracnose, fungicide tests for control of, 10, 112; downy mildew, 160, fungicide tests for control of, 112; mosaic (virus), 39, 41; powdery mildew, fungicide tests for control of, 112
- Cucumis* spp.: non-fungus diseases in China, 172
- Cucurbita* spp.: non-fungus diseases in China, 172
- Cucurbits: bacterial wilt, 35; downy mildew, 203; fungicide evaluation studies, 10; leaf blight, 160
- Cudrania tricuspidata*: *Cuscuta japonica* in China, 173
- Cuerna costalis*, 48
- Cupressus sempervirens glauca*: root rot, new host (Calif.), 149
- Curvularia* sp., on *Oryza*, 88
- *trifolii*, 102
- Cuscuta* sp., on *Medicago*, 85
- Cydnidae*, 47
- Dahlia*: mosaic (virus) in China, 173; spotted wilt virus, 37
- Dalbergia hupenana*: *Cuscuta japonica* in China, 173
- Damping-off, of bean, fungicide tests for control of, 3; celery, 159; cotton, fungicide tests for control of, 111; lettuce, fungicide tests for control of, 14; peas, fungicide tests for control of, 5; *Pinus echinata*, 158; *P. taeda*, 158
- Darlucula* sp., on *Puccinia*, 95
- *filum*, 95; on *Puccinia sorghi*, 1st rept. from Iowa, 151
- Dasyscypha gregaria*, 105
- Datura metel*: mosaic (virus) in China, 173
- Daucus carota*: non-fungus diseases in China, 173
- DDT, 36, 50
- Delaware, 12, 23, 27, 109, 118, 137, 154, 160, 161, 205, 207, 211, 212
- Deltoccephalus striatus*, 39
- Desmella aneimiae*, 62
- *gymnogrammes*, 93
- *superficialis*, 64, 75
- Desmodium laburnifolium*: *Cuscuta japonica* in China, 173
- Dewberry, see *Rubus*
- Dexteria pulchella*, 97
- Diabrotica undecimpunctata*, 53
- Dianthus caryophyllus*: *Alternaria* leaf spot, fungicide tests for control of, 16; *Fusarium* root rot, fungicide tests for control of, 16; *Fusarium* wilt and branch rot, 16; *Rhizoctonia* stem rot, fungicide tests for control of, 16
- Diaporthe phaseolorum* var. *batatatis*, 145
- Diatractium cordiae*, 71
- *ingae*, 81
- Dicheirinia* sp., on *Erythrina*, 76
- *binata*, 76
- Dictyochlorella* sp., on *Imperata*, 81
- Dictothyriella lourdes*, 76
- Didymellina macrospora*, 18, 118
- Dihydrostreptomycin sulfate*, 161
- Dimeriella cordiae*, 71
- *erigeronicola*, 76
- Dimeriellopsis heterotrichi*, 80
- Diospyros* spp.: non-fungus diseases in China, 173
- Diplocarpon earliana*, 135
- *rosae*, 16
- Diplodia* sp., on *Aleurites*, 191; *Cassia*, 68; *Nicotiana*, 88; *Persea*, 91; *Rosa*, 95
- *frumenti*, 105
- *natalensis*, 60, 69
- Dipsacus fullonum*, mosaic (virus), 157
- Disease and insect problems on *Hibiscus cannabinus*, in Fla., 157
- Diseases, new to this country, 147

- Distribution of fungi pathogenic to *Aleurites* spp., 198
- Distribution and origin of new or little known virus diseases, 43
- Dithane, 151, 208, 210
- Dithane D-14, 153, 204
- Dithane Z-78, 204
- Ditylenchus destructor*, 162
- Dolichodorus heterocephalus*, on *Eleocharis dulcis*, 157
- Dolichos lablab*: mosaic (virus) in China, 173
- Dollar spot, of Gramineae, fungicide tests for control of, 19, 118
- Dothichloë* sp., on *Aristida*, 63; *Panicum*, 89
- *aristidae*, 63
- *atramentosa*, 62
- *granulosa*, 79
- *nigricans*, 69
- Dothidea* sp., on *Roupala*, 96
- *aristidae*, 63
- Dothidella ulei*, 80
- Dothidina* sp., on *Miconia*, 86
- *parisi*, 86
- *sphaerospora*, 70
- Downy mildew (see also blue mold), barley, 150; cabbage, fungicide tests for control of, 3; cantaloupe, fungicide tests for control of, 11; cucumber, 160, fungicide tests for control of, 112; cucurbits, 203; grape, fungicide tests for control of, 134; lima bean, 35, 212; oats, 150; onion, 159, fungicide tests for control of, 4, 112; *Rosa* spp., 156; spinach, fungicide tests for control of, 115; watermelon, fungicide tests for control of, 11
- Draeculacephala minerva*, 47
- Dry stem, of cherry, fungicide tests for control of, 134
- Dutch elm disease, of *Ulmus*, 35, 159
- Early blight, of celery, fungicide tests for control of, 4, 111; potato, 206, 207, fungicide tests for control of, 5, 113, 114; tomato, fungicide tests for control of, 6, 116
- Echidnodella cedralensis*, 95
- Echinoclhoa crusgalli*: *Cuscuta japonica* in China, 173
- Ectosticta costaricana*, 82
- Elaeagnus pungens*: threadblight, 155
- Eleocharis dulcis*: awl nematode, 157
- Elsinoë* sp., on *Prunus*, 94
- *ampelina*, 104
- *corni*, 158
- *veneta*, 117, 135
- Endoconidiophora fimbriata*, 115
- Endophylloides portoricensis*, 86
- Endophyllum* sp., on *Cissus* sp., 69; *Ipomoea*, 82
- *decoloratum*, 104
- *guttatum*, 69
- *stachytarphetae*, 100
- Endothia parasitica*, 35
- Entyloma* sp., on *Bidens*, 64
- *dahliae*, 73
- *ellisii*, 147
- *galinsogae*, 78
- *incertum*, 64
- *oryzae*, 88
- Epiphyma nervisequens*, 83
- Eriobotrya japonica*: *Pseudomonas eriobotryae* in China, 173
- Erwinia amylovora*, 29, 35, 128, 131
- f. sp. *rubi*, 155
- *carotovora*, 67, 84, 99
- *tracheiphila*, 35
- Erysiphe* sp., on *Mentha* spp., 146
- *cichoracearum*, 72, 73, 80, 105, 112
- *polygoni*, 75, 92
- Eudarluka* sp., on *Puccinia*, 95
- Eupatorium* spp.: *Cuscuta japonica* in China, 173
- Euphorbia longan*: non-fungus diseases in China, 174
- Europe, 37, 44
- European canker, of apple, 35
- Evonymus* spp.: *Cuscuta japonica* in China, 174
- Fabraea maculata*, on pear, fungicide tests for control of, 131
- Ferbam, 153, 209, 210
- Fermate, 161
- Ficus carica*: *Macrophoma fici*, 1st rept. from Md., 145; non-fungus diseases in China, 174
- Filbert, see *Corylus*
- Fire blight, of apple, fungicide tests for control of, 29, 128; pear, 35, 131
- Fixed coppers, 205, 208, 212
- Florida, 8, 11, 12, 109, 119, 137, 147, 148, 151, 155, 157, 159, 160, 205, 207, 209, 211
- Flueggea capillipes*: *Cuscuta japonica* in China, 174
- Fly speck, of apple, fungicide tests for control of, 128
- Fomes applanatus*, on *Aleurites montana*, 192
- *hawaiiensis*, on *Aleurites*, 192
- *lignosus*, on *Aleurites montana*, 192
- *noxius*, on *Aleurites montana*, 192
- Foot rot, of *Hibiscus* spp., 148
- Fortunella* spp.: non-fungus diseases in China, 174
- Fraxinus bungeana*: *Cuscuta japonica* in China, 174
- Fruit and nut trees, fungicide tests, results of, 22
- Fruit rot, of *Persea americana*, fungicide tests for control of, 135; tomato, 161
- Fruit spot, of apple, fungicide tests for control of, 129

- Fuller's teasel and pincushion flower, see *Dipsacus*
- Fungi, parasitic on various organs of
Aleurites spp., 198; soil treatments
 to control, 14
- Fungicide evaluation studies, on cucurbits,
 10; ornamental plants, 15; vegetable
 crops, 3
- Fungicide-insecticide program, for mildew,
 blast and thrips control of onion, 159
- Fungicide tests on crops other than fruit
 trees, Suppl. 210 cont'd, pp. 22-31;
 fruit and nut trees, 22-31; 1951 summary
 of results in the United States and Canada,
 Suppl. 213, 109-140; tobacco and turf, 19
- Fungicides tested for control of barley, oat,
 and wheat diseases, 150; used in orna-
 mental and vegetable tests in 1951, 110
- Fusarium* sp(p.), on bean, fungicide tests for
 control of, 3; *Capsicum*, 67; *Coffea*, 71;
Lycopersicon, 84; *Mentha* spp., 146;
Nicotiana, 88; onion, 4; *Oryza*, 88; *Pani-*
cum, 89; *Paspalum*, 91; potato, fungicide
 tests for control of, 114; soil treatment
 for control of, 139, 140; *Solanum*, 99
- brown rot, of *Gladiolus*, fungicide tests
 for control of, 15
- *heterosporum* f. *aleuritidis*, on *Aleurites*
fordii, 192
- *lateritium*, on *Aleurites montana*, 192
- *moniliforme*, 96, 102
- *oxysporum* var. *cubense*, 87
- --- f. *dianthi*, soil treatment for control
 of, 140
- --- f. *niveum*, on watermelon, 160
- root rot, of bean, 161; *Dianthus caryo-*
phyllus, fungicide tests for control of,
 16; peas, 161
- *roseum*, on *Mentha* spp., 146
- *sambucinum*, on potato, 162
- *vasinfectum*, 79
- wilt and branch rot, of *Dianthus caryophyl-*
lus, 16
- Fusicladium* sp., on *Hevea*, 80; *Randia*, 95
- Ganoderma* sp., on *Sassafras albidum*, 149
- *lucidum*, on *Aleurites moluccana*, 192
- *pseudoferreum*, on *Aleurites montana*, 192
- Gardenia jasminoides*: *Cuscuta japonica* in
 China, 174; root knot nematode, 156
- Geographical isolation of some viral diseases,
 37
- Georgia, 7, 12, 23, 31, 48, 119, 145, 150,
 152, 154, 156, 158, 207, 209, 211
- Germany, 44
- Gibberella* sp., on *Sorghum*, 100
- *saubinetii*, 84, 97, 102
- Gladiolus*: abnormalities, 156; bacterial scab,
 fungicide tests for control of, 15; cucum-
 ber-mosaic virus, 37; *Fusarium* brown rot,
 fungicide tests for control of, 15; *Sclero-*
(Gladiolus) *tinia* dry rot, fungicide tests
 for control of, 15; smut, 156
- Gloeocercospora sorghi*, 100
- Gloeodes pomigena*, 29, 128, 129
- Gloeosporium* sp., on *Aleurites montana*,
 192; *Rosa*, 96; *Stanhopea*, 100
- *aleuriticum*, on *Aleurites* spp., 192
- *fructigenum*, 84
- *mangiferae*, 85
- *melongenae*, 99
- *musarum*, 87
- *perennans* fruit rot, of apple, fungicide
 tests for control of, 130
- Glomerella* sp., on *Passiflora*, 91
- *cingulata*, 10, 29, 85, 129, 130, 145,
 154; on *Aleurites* spp., 192
- --- var. *aleuritidis*, on *Aleurites mon-*
tana, 193
- Glycine* max: non-fungus diseases in China,
 174
- Gnomonia veneta*, 18
- Gold Coast, 199
- Gomezina araguata*, 72
- Gossypium* spp.: non-fungus diseases in
 China, 174
- Gramineae: dollar spot, fungicide tests for
 control of, 19, 118
- Grape: black rot, fungicide tests for control
 of, 31, 134; degeneration (virus), 155;
 downy mildew, fungicide tests for con-
 trol of, 134; Pierce's disease (virus),
 39, 47, 155
- Graphiola phoenixis*, 92
- Graphocephala versuta*, 48
- Gray leaf spot, of tomato, 160
- Gray mold, of alfalfa, 144
- Gray mold rot, of strawberry, 153; fungi-
 cide tests for control of, 135
- Guignardia bidwellii*, 31, 104, 134
- Gymnosporangium juniperi-virginianae*,
 fungicide tests for control of, 28
- Hawaii, 7, 152, 199
- Hawaiian Islands, 38
- Hedera helix*: scab, 1st rept. from Md.,
 146
- Helianthus annuus*: non-fungus diseases in
 China, 175
- Helleborus niger*: black leaf spot, 1st rept.
 from Calif., N. J., and Ohio, 146
- Helminthosporium* sp., on *Cynodon*, 73;
Eleusine, 75; *Hordeum*, 80; *Hyparrhenia*,
 81; *Melinis*, 85; *Oryza*, 88; *Paspalum*,
 90, 91; *Phleum*, 92; *Saccharum*, 96;
Sorghum, 100; *Sporobolus*, 100; *Tri-*
chachne, 102; *Triticum*, 102
- *guianensis*, 82, 101
- *ocellum*, 96
- *oryzae*, 88
- *papulosum*, 128, 129
- *ravenelli*, 100

- (*Helminthosporium*) *sativum*, 80, 96, 97, 102
 --- *tritici-vulgaris*, 150
 --- *turcicum*, 76, 100, 105, 111, 114, 151
Helotium sulphurinum, on *Aleurites* sp., 193
Hemileia jahnii, 75
Hemiptelea davidi: *Cuscuta japonica* in China, 175
 Hemiptera, 48
Hendersonia sp., on *Oryza*, 88
Heterodera sp., on tomato, 157
 --- *rostochiensis*, 162; on tobacco, 157
 --- *schachtii*, on sugar beet, 157
Hibiscus spp.: non-fungus diseases in China, 175
 --- *cannabinus*: disease and insect problems in Fla., 157; powdery mildew, 1st rept. this country (Fla.), 148
 --- *rosa-sinensis* and *H. schizopetalus*: foot rot, new hosts (La.), 148; leaf and stem blight, new hosts (La.), 148
Homalodisca triquetra, 48
 Homoptera, 48
 Honey dew melon: virus infection (seed transmission and proximity to aphid-breeding areas), 159
Hordeum vulgare: *Xanthomonas translucens* in China, 175
 Host index to non-fungus diseases, of plants in China. Suppl. 215, pp. 165-186
 Host index of plant pathogens of Venezuela. Suppl. 212, pp. 59-106
Humulus scandens: *Cuscuta japonica* in China, 175
Hyalasterina kerni, 84
Hypocrella caulinum, 66, 103
Hypoaspilina ospinae, 101
Hypoxyton serpens, 94
 Idaho, 45, 161, 162
Ilex spp.: tar spot, 156
 --- *cornuta* var. *burfordi*: *Phyllosticta* leaf spot, new host, (Ga.), 149
 Illinois, 4, 6, 7, 10, 23, 27, 48, 109, 119, 153, 159, 205, 207
Imperata cylindrica: *Cuscuta japonica* in China, 175
 India, 189, 198
 Indiana, 119, 207, 209
 Indochina, 189, 199
 Indonesia, 189, 199
 Insect surveys, role of, in virus-vector research, 35
 Insect-transmitted plant diseases: a symposium. Suppl. 211, pp. 34-55
 Insect vector-plant virus relationships, 51
 Iowa, 23, 30, 119, 205, 208, 209
Ipomoea spp.: non-fungus diseases in China, 175
Irene plegerae, 105
(Irene) sororcula, 76
Irenina arachnoides, 72
 --- *glabroides*, 100
 --- *hyptidicola*, 81
 --- *mangostana*, 79
 --- *pittieri*, 75
 --- *triloba*, 93
Irenopsis anastomosans, 81
 --- *bignoniacearum*, 63
 --- *comocladiae*, 100
 --- *cupaniae*, 73
 --- *guianensis*, 101
 --- *molleriana*, 60
 --- *tortuosa*, 93
 --- *trompilliana*, 86
 Iris: leaf spot, fungicide tests for control of, 18, 118
Isariopsis griseola, 92
 Japan, 36, 189, 199
Juglans hindsii: black-line (non-par.), 155
 --- *regia*: bacterial blight, in China 175, fungicide tests for control of 31, 136; black-line (non-par.), 155
 Kansas, 23, 119, 150, 159
Karschia stygia, on *Aleurites* sp., 193
 --- *taveliana*, on *Aleurites* sp., 193
 Kenaf, see *Hibiscus*
 Kentucky, 40, 48, 158, 208, 209, 211
Koelreuteria integrifoliola: *Cuscuta japonica* in China, 175
Kretzschmaria scruposa, on *Aleurites* sp., 193
 Labrella *coryli*, on *Corylus* sp., 148
Lachnea scutellata, on *Aleurites moluccana*, 193
Lactuca sativa: non-fungus diseases in China, 175
Lagenaria siceraria: non-fungus diseases in China, 176
Lamium amplexicaule, 14
 Late blight, of celery, fungicide tests for control of, 4, 111; potato, 144, 162, 203, fungicide tests for control of, 5, 113, 114; tomato, 144, 160, 203, fungicide tests for control of, 8, 116
Lathyrus odoratus: virus disease in China, 176
 Leaf blight, of cantaloupe, 144; corn, 114, 151; cucurbits, 160
 Leaf blister, of *Quercus* spp., 159
 Leaf curl, of peach, 144, 154
 Leaf scorch, of strawberry, fungicide tests for control of, 135
 Leaf spot, of bean, 161; cherry, fungicide tests for control of, 30; *Chrysanthemum*, fungicide tests for control of, 17, 118; Iris, fungicide tests for con-

- (Leaf spot) trol of, 18, 118; lima bean, 161; okra, 161; sour cherry, 133, 153; strawberry, fungicide tests for control of, 31, 135; watermelon, 160
- Leaf and stem blights, of *Hibiscus* spp., 148
- Lembosia* sp., on *Miconia*, 86
- *miconicola*, 86
- Leprosis, of *Citrus* spp., 152
- Leptosphaeria* sp., on *Heliconia*, 80; *Oryza*, 88
- *jahnii*, 76
- *sacchari*, 96
- Leptothyrium pomi*, 128
- Lettuce: damping-off, fungicide tests for control of, 14
- mosaic (virus), 37, 160
- Leveillula taurica* f. *hibisci*, 148
- Libocedrus decurrens*: root rot, new host (Calif.), 149
- Ligniera vascularum*, 96
- Ligustrum* spp.: *Cuscuta japonica* in China, 176
- Lilium auratum*: bulb rot, (bulbs from Japan) Calif., 148
- *longiflorum*: cucumber-mosaic virus, 37
- Linum usitatissimum*: *Cuscuta epilinum* in China, 176
- Liquidambar formosana*: non-fungus diseases in China, 176
- *styraciflua*: new disease (undet.), Md., 149
- Litchi chinensis*: non-fungus diseases in China, 176
- Lithocarpus uvariifolia*: *Cephaleuros virescens* in China, 176
- Lophodermium aleurites*, on *Aleurites moluccana*, 193
- Louisiana, 10, 109, 146, 148, 151, 152, 205, 208
- Luffa acutangula*: *Pseudomonas lachrymans* in China, 176
- Lycopersicon esculentum*: non-fungus diseases in China, 176
- Lycoris radiata*: *Cuscuta japonica* in China, 177
- Macrophoma* sp., on *Aleurites cordata*, 193
- *fici*, on *Ficus carica*, 145
- Macrophomina phaseoli*, 79, 88, 92, 103
- Macropsis trimaculata*, 47, 50
- Macrosporium* sp., on *Solanum*, 99; *Trifolium*, 102
- *cucumerinum*, 11, 111
- leaf spot, of cantaloupe, fungicide tests for control of, 11, 111
- *medicaginis*, 85
- Madagascar, 189
- Magnolia grandiflora*: *Cephaleuros virescens* in China, 177
- Maine, 23, 27, 119, 155, 205
- Mainsia cundinamaricensis*, 96
- (*Mainsia*) *lagerheimii*, 96
- *mayorii*, 96
- *variabilis*, 96
- Maize, see corn
- Malaya, 199
- Mallotus repandus*: *Cuscuta japonica* in China, 177
- Malus sylvestris*: non-fungus diseases in China, 177
- Malva sylvestris*: *Cuscuta japonica* in China, 177
- Manganese ethylene bisdithiocarbamate, 161
- sulfate, 207, 211
- Mangifera indica*: non-fungus diseases in China, 177
- Manitoba, 203
- Manzate, 207, 208
- Marasmius* sp., 101; on *Aleurites cordata*, 193
- Marmor cucumeris, 105
- --- var. *phaseoli*, 92
- *dipsacum*, 157
- *solani*, 99
- *tabaci* var. *vulgare*, 84, 88
- Marssonina thomasi*, 145, 148
- Maryland, 8 ff., 23, 27, 48, 137, 144 ff., 152, 158 ff., 208, 209
- Massachusetts, 23, 27, 119, 137
- Medicago sativa*: mosaic (virus) in China, 177
- Melampsora aleuritidis*, on *Aleurites* sp., 193
- *euphorbiae-geniculatae*, 77
- Melanconium sacchari*, 96
- Melanoplus differentialis*, 53
- Melanose, of *Citrus grandis*, fungicide tests for control of, 135
- Melilotus* spp.: non-fungus diseases in China, 177
- Meliola* sp., on *annona*, 62; *Byrsonima*, 66; *Cecropia*, 68; *Clusia*, 70; *Croton*, 72; *Duranta*, 75; *Guadua*, 79; *Gurania*, 79; *Iris*, 82; *Miconia*, 86; *Mimosa*, 86; *Monnina*, 87; *Olyra*, 88; *Persea*, 91; *Psychotria* sp., 94; *Rapanea*, 95; *Salvia*, 97; *Sida*, 98; *Solanum*, 99; *Tageetes*, 101; *Talisia*, 101; *Verbesina*, 103; *Wedelia*, 104
- *acalyphidis*, 60
- *ambigua*, 83
- *banarae*, 63
- *bicornis*, 74
- *calostroma*, 96
- *caseariae*, 68
- *clavulata*, 82, 85
- *cocolobis*, 70
- *crescentiae*, 72
- *cybianthis*, 73
- *denticulata*, 74
- *desmodii*, 74
- *fagaricola*, 77

- (*Meliola*) *glabroides*, 69
 --- *gymnoloniae*, 81
 --- *hariotula*, 81
 --- *jahnii*, 62
 --- *lantanae*, 83, 84
 --- *lasiacidis*, 83
 --- *lonchocarpicola*, 84
 --- *longispora*, 72
 --- *makilingiana*, 98
 --- *malacotricha*, 77
 --- *mangiferae*, 85
 --- *marantae*, 63
 --- *mittchellae*, 95, 96
 --- *mitragybes*, 89
 --- *panici*, 69
 --- *paullinae*, 68
 --- *perexigua*, 64
 --- *pithecolobii*, 93
 --- *praetervisa*, 73
 --- *psidii*, 94
 --- *psychotriae*, 65, 69, 78, 95, 100
 --- *sapindacearum*, 85, 97
 --- *serjaniae*, 98
 --- *tabernaemontanae*, 101
 --- *trujillensis*, 97
 --- *venezuelana*, 93
 --- *visci*, 92
 --- *wardii*, 101
 --- *weigeltii*, 63
Meloidogyne sp(p.), 151, 156; *Brassica*, 65;
 Dahlia, 73; *Dianthus*, 74; *Glycine*, 78;
 Lycopersicon, 84; *Nicotiana*, 88; *Pisum*
 arvense, 151; *Solanum*, 99; tobacco, 157
 --- *hapla*, on *Gardenia* and peanut, 156; potato,
 147
Mentha spp.: *Fusarium* sp., 1st rept. from
 Oregon, 146; *Fusarium* roseum, 1st rept.
 from Oregon, 146; powdery mildew, 1st
 rept. from Oregon, 146; *Pythium* sp., 1st
 rept. from Oregon, 146; *Rhizoctonia solani*,
 1st rept. from Oregon, 146
 --- *canadensis* and *M. citrata*: anthracnose,
 1st rept. from Md., 146
Metasphaeria sp., on *Heliconia*, 80
 --- *abortiva*, 71
Methyl bromide, 162
Mexico, 151
Michelia fuscata: *Cephaleuros virescens* in
 China, 177
Michigan 3, 5, 11, 23, 28, 119, 145, 146, 153,
 155, 159, 205, 208
Micropeltis clava, 62
Microporus xanthopus, on *Aleurites moluccana*,
 193
Microsiphum rosae, 157
Microsphaera euphorbiae, 77
Microstroma sp., on peach, 147
 --- *pithecolobii*, 97
Microthyrium acnisti, 60
Milesia australis, 64
Minnesota, 6, 145, 150, 205, 209
Mirandia fourcroyae, 78
Miscanthus spp.: non-fungus diseases in
 China, 177
Mississippi, 7, 8, 150, 159, 205, 208
Missouri, 8, 10, 11, 23, 28, 29, 31, 119
Mollisia grisleae, 79
 --- *petiolorum*, on *Aleurites* sp., 193
Monilia roreri, 101
Monilinia fruticicola, 29, 61, 131, 132, 154
 --- *laxa*, 31, 132
Montana, 161
Morus alba: non-fungus diseases in China,
 177
Muskmelon, see canteloupe
Mycena citricolor, 71, 75, 76
Mycosphaerella sp., on *Canavalia*, 67;
 Crotalaria, 72; *Gossypium*, 79; *Phaseo-*
 lus, 92; *Vigna*, 104
 --- *aleuritidis*, on *Aleurites* spp., 193
 --- *areola*, 79
 --- *discophora*, 75
 --- *fragariae*, 31, 78, 135
 --- *maydis*, 102
 --- *rosaecola*, 96
 --- *rosigena*, 96
 --- *sacchari*, 96
 --- *samaneae*, 97
 --- *venezuelensis*, 67
Mycosyrinx sp., on *Cissus erosa*, 69; *C.*
 sicyoides, 69
 --- *cissi*, 69
Mycovellosiella cajani, 66
Myiocoprum guiscafiei, 60
Myriogenospora bresadolleana, 90
 --- *paspali*, 90
Myrtus compacta: root rot, new host
 (Calif.), 149
Myzus persicae, 39, 47 157

Nabam, 207, 208, 211
Nailhead leaf spot, of tomato, fungicide
 tests for control of, 116
Narcissus: basal rot (*Fusarium*), fungicide
 tests for control of, 18; root-lesion
 nematode, *Pratylenchus* sp. assoc.,
 156
Nebraska, 157, 206
Nectria sp., on *Serjania*, 97; *Theobroma*,
 101
 --- *galligena*, 35
Nelumbo nucifera: *Cuscuta japonica* in
 China, 178
Nematodes, see also *Aphelenchoides*,
 Ditylenchus, *Dolichodorus*, *Heterodera*,
 Meloidogyne, *Pratylenchus*, *Tylenchus*;
 soil treatments for control of, 12
Neofabraea perennans, 35
Nephotettix apicalis, 36, 52
New Brunswick, 204, 207
New Caledonia, 199
New disease (undet.) of *Liquidambar*

- (New disease) *styraciflua*, 149
 New distribution: disease records by States, 144
 New Hampshire, 23, 28, 119, 206, 208
 New hosts: diseases found on, 147
 New Jersey, 6, 30, 146, 155, 160, 208
 New or unusual records and outstanding features of plant disease development in the U. S. in 1951. Suppl. 214: 142-162
 New York, 4, 7, 12, 23, 119, 144, 145, 148, 149, 153, 155, 206
Nicotiana tabacum: non-fungus diseases in China, 178
Nigrospora oryzae, 105, 144
Nipholepis filicina, 75
 North Carolina, 8, 10, 23, 29, 31, 119, 144, 146, 149, 152, 156, 159, 161, 203, 206, 208, 209, 210, 211
 North Dakota, 209
 North and South America, 199
 Northern leaf blight, of corn, fungicide tests for control of, 111
 Nova Scotia, 8, 28, 119, 204
 Nyasaland, 189, 199
 Oats: crown rust, 150; downy mildew, 150; fungicides tested for control of smuts, 150; "red leaf", 150; whiteheads in Minn., 150
 Ohio, 3 ff., 9, 23, 28, 110, 119, 146, 161, 208, 210
Oidium sp. on *Alstoemeria*, 61; *Ambrosia*, 61; *Begonia*, 64; *Bidens*, 64; *Bixa*, 64; *Bouchea*, 65; *Capsicum*, 67; *Coreopsis*, 71; *Crotalaria*, 72; *Dahlia*, 73; *Desmodium*, 74; *Euphorbia*, 77; *Ficus*, 77; *Hieracium*, 80; *Impatiens*, 81; *Lagerstroemia*, 83; *Mimosa*, 86; *Parthenium* sp., 90; *Persea*, 91; *Rosa*, 96; *Sapindus*, 97; *Sclerocarpus*, 97; *Solanum*, 99; *Spathodea*, 100; *Tabebuia*, 101; *Triplaris*, 102; *Xanthium*, 104; *Zinnia*, 105
 Oklahoma, 160
 Okra: leaf spot, 161
Olea europaea: bacterial olive-knot disease, 35; nematode in Calif. similar to citrus-root nematode, 153
Olpidium uredinis, 95
Omphalia flavida, 75, 76
Oncometopia undata, 48
 Onion: blast (cause indefinite), 159, fungicide tests for control of, 4; downy mildew, 159, fungicide tests for control of, 4, 112; *Fusarium* spp., 4; pink root, fungicide tests for control of, 4; purple blotch, fungicide tests for control of, 4, 112; smut, fungicide tests for control of, 4; yellow dwarf (virus), 52
 Ontario, 23, 29, 119, 204, 207, 209
Ophiobolus sp., on *Oryza*, 88
Ophiodothella tithoniae, 102
Ophionectria sp., on *Theobroma*, 101
 Orchidaceae: foliar nematode, 156
 Oregon, 23, 30, 31, 119, 146, 153, 155, 156
 Ornamental plants, fungicide evaluation studies, 15
Orthocida, 406, 153, 155
Oryza sativa: non-fungus diseases in China, 178
Ovularia sp., on *Argemone*, 63; *Tabernaemontana*, 101
Ovulinia azaleae, 18
Oxalis martiana: *Tylenchulus* semi-penetrans in China, 178
Panicum miliaceum: *Pseudomonas panici-miliacei* in China, 178
Parapeltella portoricensis, 105
Parasterina miconiae, 86
 --- *mirabilis*, 76
 --- *montagnei*, 86
 --- *venezuelana*, 86
Parathion, 156
Parodiella paraguayensis, 74
 --- *perisporioides*, 74, 81
Parodiopsis stevensii, 81
Parzate, 208, 210
 Peach: anthracnose, 154, 1st rept. from Mich. and W. Va., 145; bacterial spot, fungicide tests for control of, 30, 131; black tip (? chemical injury), 154; blossom blight, fungicide tests for control of, 132; brown rot, 154, fungicide tests for control of, 131, 132; leaf curl, 144, 154; little peach (virus), 43; *Microstroma* sp., new host in S.C., 147; mosaic (virus), 43; phony peach (virus), 43, 47, 154; powdery mildew, fungicide tests for control of, 131; ringspot (virus), 44; rosette (virus), 44, 154; scab, fungicide tests for control of, 132; Western X-disease (virus), 154; yellow leaf roll (virus), 154; yellows virus, 37, 38, 39, 43, 50
 Peanut: root knot nematode, 156; rosette (virus), 38, 39; seed and soil-borne diseases, fungicide tests for control of, 113
 Pear: *Fabraea* leaf spot, fungicide tests for control of, 131; fire blight, 35, fungicide tests for control of, 131; scab, fungicide tests for control of, 30
 Peas (see also *Pisum*): damping-off, fungicide tests for control of, 5; *Fusarium* root rot, 161; seed decay, fungicide tests for control of, 5; seed decay and damping-off, 113; Wisconsin pea stunt (virus), 161
 Pecan: see *Carya*
Pediascus cephalidis, 68
Pelargonium sp.: *Verticillium* wilt, 1st

- (*Pelargonium* sp.) rept. from Oregon, 146
Pellicularia filamentosa, 5
 --- *koleroga*, 71
Peltaster guraniae, 79
Penicillium sp., on Citrus, 70
 --- *italicum*, 70
 Pennsylvania, 23, 28, 119, 159, 160, 162, 206, 208, 210, 211, 212
 Pepper: alfalfa-mosaic virus, 41; anthracnose, fungicide tests for control of, 10; blue mold, 211
 Perennial canker, of apple, 35
Periconia guazumae, 79
 --- *toroi*, 84
Peridermium appalachianum, on Pinus virginiana, 149
Perilla ocimoides: *Cuscuta japonica* in China, 178
Peronospora destructor, 4, 60, 112, 159
 --- *effusa*, 115
 --- *parasitica*, 3, 65
 --- *sparsa*, 156
 --- *tabacina*, 19, 115, 157, 203, 211
Persea americana: *Cephaleuros virescens* in China, 178; Fuerte fruit rot, fungicide tests for control of, 135
 Peru, 189
Pestalotia sp(p.), on *Aleurites* spp., 194; *Caryota*, 67; *Eriobotrya*, 76; *Mammea*, 85; *Musa*, 87
 --- *conigena*, on *Aleurites cordata*, 194
 --- *dichaeta*, on *Aleurites* spp., 194
 --- *japonica*, on *Aleurites montana*, 194
Pestalotiopsis disseminata, on *Aleurites montana*, 194
 --- *versicolor*, on *Aleurites*, 194
 Petal blight, of *Rhododendron*, fungicide tests for control of, 18
Petroselinum crispum: *Tylenchulus semipenetrans* in China, 178
Petunia violacea: mosaic (virus) in China, 178
Peucedanum decursivum: *Cuscuta japonica* in China, 179
Pezizotrichum saccardium, on *Aleurites fordii*, 194
Phacidium curtisii, 156
Phaeodimeriella tachirensis, 63
Phakopsora aeschynomenis, 60
 --- *antiguensis*, 60
 --- *cherimolia*, 62
 --- *crotalariae*, 72
 --- *crotonicola*, 72
 --- *crotonis*, 72
 --- *jatrophiicola*, 82
 --- *randiae*, 95
 --- *tecta*, 71
 --- *venezuelana*, 98
 --- *vignae*, 75, 92
Phaseolus spp.: non-fungus diseases in China, 179
 Philippine Islands, 189, 199
Phoma sp., on *Aleurites fordii*, 194; *Zea*, 105
Phoma destructiva, 10
 --- *insidiosa*, 100
 --- leaf spot, of tomato, fungicide tests for control of, 10
 --- *terrestris*, 4
Phomatospora oyedaeae, 89
Phomopsis sp., on *Aleurites* sp., 194
 --- *citri*, 70, 99, 135
 --- *oxalina*, 89
 --- *vexans*, 99
Phoradendron crassifolium, 97
Phragmidium sp., on *Rosa*, 96
 --- *disciflorum*, 96
 --- *subcorticinum*, 96
Phthirusa theobromae, 101
 Phygon, 207
 Phygon XL, 156, 207
Phyllachora sp., on *Antheophora*, 62; *Aristida*, 63; *Axonopus*, 63; *Bauhinia*, 64; *Brunellia*, 66; *Cassia*, 68; *Ceiba*, 68; *Cestrum*, 68; *Chrysophyllum*, 69; *Cordia*, 71; *Croton*, 72; *Dioscorea*, 74; *Duranta*, 75; *Eupatorium*, 76; *Galactia*, 78; *Leptochloa*, 83; *Machaerium*, 84; *Metastelma*, 86; *Miconia*, 86; *Mimosa*, 86; *Monnina*, 87; *Myrica*, 87; *Ocotea*, 88; *Paspalum*, 90; *Rajania*, 95; *Roupala*, 96; *Rourea* sp., 96; *Securidaca*, 97; *Serjania*, 97; *Setaria*, 98; *Trachypogon*, 102; *Vismia*, 104; *Vitex* sp., 104
 --- *acaciae*, 60
 --- *aequatoriensis*, 87
 --- *alamoi*, 98
 --- *ambrosiae*, 61
 --- *anacardiarum*, 61
 --- *andropogonis*, 62
 --- *antheophorae*, 62
 --- *antioquensis*, 81
 --- *applanata*, 105
 --- *arthrostylidi*, 63
 --- *balansae*, 68
 --- *brevifolia*, 62
 --- *buchenaviae*, 66
 --- *chaetochloae*, 98
 --- *chloridicola*, 69
 --- *coutareae*, 72
 --- *cucurbitacearum*, 79
 --- *dolgei*, 75
 --- *engleri*, 62
 --- *eragrostidis*, 76
 --- *fluminensis*, 99
 --- *fusicarpa*, 75
 --- *galactiae*, 68, 78
 --- *galavisi*, 97
 --- *gracillima*, 78
 --- *gratissima*, 91
 --- *guadauae*, 79
 --- *guianensis*, 91
 --- *insueta*, 97, 98

(Phyllachora) insularis, 102

--- ischaemicola, 82

--- lasiacis, 83

--- leonardi, 90

--- leptochloae, 83

--- lunulata, on Croton, 72

--- luteomaculata, 62

--- machaeriicola, 84

--- maculicola, 91

--- masinii, 66

--- mayepeae, 88

--- meridensis, 61

--- microspora, 90

--- microtheles, 69

--- mirandina, 71

--- molinae, 90

--- oyedaeae, 89

--- panamensis, 64

--- panici-olivacei, 89

--- pappophori, 89

--- paramo-nigra, 102

--- paritii-tiliacei, 89

--- paspalicola, 90

--- phari-latifolii, 92

--- phaseoli, 92

--- pipericola, 93

--- portoricensis, 78

--- puncta, 88, 89

--- sauranicola, 97

--- scleriae, 97

--- securidacae, 97

--- serjanicola, 97, 98

--- sphaerosperma, 68

--- tachirensis, 76

--- toroi, 69

--- tragiae, 60, 72

--- tropicalis, 94

--- trujillensis, 77

--- ulei, 74

--- verbesinae, 103

--- vismiae, 104

--- winteri, 105

Phyllactinia sp., on Crescentia, 72

Phyllostachys bambusoides: Cuscuta japonica in China, 179

Phyllosticta sp., on Aleurites spp., 194;

Amaranthus, 61; Anacardium, 61;

Antirrhinum, 62; Coumarouna, 71;

Crescentia, 72; Eriobotrya, 76; Hi-

biscus, 80; Ipomoea, 82; Luehea, 84;

Manihot, 85; Oxalis, 89; Pachira, 89;

Peperomia, 91; Pithecellobium, 93;

Psidium, 94

--- aleuritidis, on Aleurites fordii, 194

--- batatas, 82

--- capparidis, 67

--- carica-papaya, 67

--- eriobotryae, 76

--- erythrinicola, 76

--- haynaldi, on Ilex cornuta var. burfordi, 149

(Phyllosticta) ibarrae, 85

--- lasadjuntas, 76

--- microspora, on Aleurites spp., 194

--- pithecolobii, 93

--- plantaginella, 93

--- sojaecola, 152

Phymatotrichum omnivorum, on Aleurites fordii, 194

Physalospora hymenachnei, 80

--- obtusa, 29

--- rhodina, on Aleurites spp., 195

Physoderma zeae-maydis, 105

Physopella macluriae, 69

--- vitis, 104

Phytophthora sp., on Capsicum, 67; Nicotiana, 88; Sesamum, 98

--- brown rot, of Citrus limon, fungicide tests for control of, 31

--- cactorum, 145

--- --- var. applanata, 148

--- capsici, 160

--- cinnamomi, 145 ff., 152; on Aleurites fordii, 195; Pinus spp., 158

--- citrophthora, 31, 136

--- drechsleri, 157

--- fragariae, 153

--- infestans, 5, 8, 84, 99, 113, 114, 116, 144, 160, 162, 203

--- palmivora, 101, 148; on Aleurites spp., 195

--- parasitica, 70, 99

--- --- var. nicotianae, 88, 158

--- phaseoli, 35, 212

Pieris rapae, 53

Pineapple: root and heart rot, 152

Pink root, of onion, fungicide tests for control of, 4

Pinus spp.: Phytophthora root disease, 158;

root rot, 1st rept. from Calif., 147

--- echinata: damping-off, 158

--- taeda: damping-off, 158

--- virginiana: stem rust (Peridermium appalachianum) n. sp. in N. C., Tenn., Va., and W. Va., 149

Piricularia grisea, 74, 75

--- oryzae, 88

Pisum arvense: root knot, 151

--- sativum: non-fungus diseases in China, 179

Pittierodothis miconiae, 86

Placoasterina antioquiensis, 86

Plant disease warning service in 1952, Suppl. 217, pp. 203-212

Plasmodiophora brassicae, 147

Plasmopara venezuelanae, 70

--- viticola, 104, 134

Platanus racemosa: anthracnose, fungicide tests for control of, 18

Pleonectria pseudotrichia, on Aleurites moluccana, 195

Pleospora doidgeae, 92, 100

- Plum, wild, see *Prunus angustifolia*
Podoplaconema jahnii, 94
Podosphaera leucotricha, 29, 131
 --- *oxyacanthae*, 131
Polygonum spp.: non-fungus diseases in China, 179
Polyporus aleuritidis, on *Aleurites* sp., 195
 --- *asperulus*, on *Aleurites* sp., 195
 --- *gilvus*, on *Aleurites*, 195
 --- *meyenii*, on *Aleurites moluccana*, 195
 --- *vellereus*, on *Aleurites moluccana*, 195
Polyrhizon capparisidis, 67
Polystigma pusillum, 61
Polystomella costaricensis, 100
Populus spp.: non-fungus diseases in China, 179
 Potato: alfalfa-mosaic virus, 41; early blight, 206, 207, fungicide tests for control of, 5, 113, 114; *Fusarium* sp. (seed piece rot) fungicide tests for control of, 114; *Fusarium* seed piece decay, 162; late blight, 144, 162, 203, fungicide tests for control of, 5, 113, 114; *Meloidogyne hapla*, 1st rept. from Md., 147; mottle (virus), 40; ring rot, 162; rot nematode, 162; rugose mosaic (virus), 162; *Verticillium* wilt, 162; wart, 162; X virus, 53
 Powdery mildew, of apple, fungicide tests for control of, 29, 131; cucumber, fungicide tests for control of, 112; *Hibiscus cannabinus*, 148; *Mentha* spp., 146; peach, fungicide tests for control of, 131; *Rosa*, fungicide tests for control of, 16, 118; *Rubus flagellaris* var. *roribaccus*, 154
Pratylenchus sp., on *Begonia* sp., 155; soil treatment for control of, 138
 --- *leiocephalus*, on cotton, 146
 --- *pratensis*, 88
Primula sinensis: mosaic (virus) in China, 179
 Prince Edward Island, 6, 204
Pringsheimia sp., on *Solanum*, 99
Prosopidium amphiphilii, 61
 --- *anomalum*, 64
 --- *appendiculatum*, 101
 --- *araguatum*, 101
 --- *concinnum*, 101
 --- *cumminsii*, 61
 --- *depallens*, 61
 --- *tuberculatum*, 83
 --- *venezuelanum*, 101
Prunus spp.: non-fungus diseases in China, 180
 --- *angustifolia*: phony peach (virus), 154
Pseudomonas aleuritidis, on *Aleurites fordii*, 195
 --- *glycinea*, 78, 152
 --- *lachrymans*, 72
 (*Pseudomonas*) *marginata*, 15
 --- *medicaginis* var. *phaseolicola*, 161
 --- *savastanoi*, 35
 --- *solanacearum* (see also *Xanthomonas*) 87
 --- *tabaci*, 152
Pseudoparodiella vernoniae, 103
Pseudoperonospora cubensis, 11, 69, 72, 73, 112, 160, 203
Pseudopeziza medicaginis, 85
Pseudotsuga taxifolia: witches'-broom (? virus), 1st rept. in North America, (Wash.), 149
Psidium guajava: non-fungus diseases in China, 180
Pteridium aquilinum: *Cuscuta japonica* in China, 180
Pterocarya stenoptera: non-fungus diseases in China, 180
Puccinia sp(p.), on *Andropogon*, 62; *Asclepias*, 63; *Blechnum*, 64; *Bromus*, 66; *Calotropis*, 67; *Cassia*, 68; *Cenchrus*, 68; *Centrosema*, 68; cereals, 150; *Clitoria*, 70; *Commelina*, 71; *Croton*, 72; *Cyperus*, 73; *Dalea*, 73; *Desmodium*, 74; *Dolichos*, 75; *Eragrostis*, 76; *Erythrina*, 76; *Euphorbia*, 77; *Evolvulus*, 77; *Ficus*, 77; *Heliocarpus*, 80; *Hydrocotyle*, 80; *Hyptis*, 81; *Ionoxalis*, 81; *Ipomoea*, 82; *Lantana*, 83; *Leonotis*, 83; *Lippia*, 84; *Oyedaea*, 89; *Panicum*, 89; *Parthenium*, 90; *Paspalum*, 90; *Pfaffia*, 92; *Plumieria*, 93; *Rubus*, 96; *Rudgea*, 96; *Serjania*, 97; *Sida*, 98; *Smi-lax*, 98; *Tricholaena*, 102; *Tripsacum*, 102; *Urena*, 103; *Vernonia*, 103; *Wis-sadula*, 104
 --- *abrepta*, 73
 --- *acanthospermis*, 60
 --- *acnisti*, 60
 --- *aegopogonis*, 77
 --- *albicera*, 97
 --- *ancizari*, 63
 --- *antirrhini*, 17, 118
 --- *arachidis*, 62
 --- *araguata*, 90
 --- *arechavaletae*, 67, 91, 103
 --- *arthurella*, 83
 --- *arthuriana*, 103
 --- *atra*, 91, 102
 --- *barranquillae*, 100
 --- *bimbergi*, 80
 --- *bomareae*, 65
 --- *caeomatiformis*, 63
 --- *cameliae*, 98
 --- *canaliculata*, 73
 --- *cannae*, 66, 67
 --- *caracasana*, 104
 --- *carthami*, 157
 --- *cenchri*, 68
 --- *chaetii*, 69

- (*Puccinia*) *chaetochloae*, 98
 --- *claviformis*, 99
 --- *cognata*, 103
 --- *concrescens*, 67, 78
 --- *conoclinii*, 60
 --- *conturbata*, 97
 --- *coronata*, 63
 --- --- *var. avenae*, 150
 --- *crassipes*, 82
 --- *cynodontis*, 73
 --- *cyperi*, 73
 --- *cyperi-tagetiformis*, 73
 --- *deformata*, 88
 --- *dichronemae*, 74
 --- *dolosa*, 90
 --- *elytrariae*, 75
 --- *epiphylla*, 66, 77, 93
 --- *eupatorii-columbiani*, 76
 --- *exornata*, 63
 --- *fallax*, 89
 --- *ferox*, 103
 --- *fraterna*, 103
 --- *glumarum*, 102
 --- *gnaphaliata*, 78
 --- *gouaniae*, 79
 --- *graminis*, 80, 94
 --- --- *var. avenae*, 63
 --- --- *var. tritici*, 102, 151
 --- *heliocarpi*, 80
 --- *heliotropii*, 80
 --- *heterospora*, 60, 62, 85, 91, 98, 104
 --- *hieracii*, 80
 --- *hilleriae*, 80
 --- *holwayula*, 89, 104
 --- *huberi*, 89
 --- *hydrocotyles*, 80
 --- *hyptidis*, 81
 --- --- *var. mutabilis*, 81
 --- *impedita*, 97
 --- *inclita*, 88
 --- *invaginata*, 79
 --- *kaernbachii*, 62
 --- *kuhniae*, 66
 --- *lantanae*, 83, 94
 --- *lasiacidis*, 83
 --- *lateritia*, 65
 --- *leonotidis*, 83
 --- *leptochloae*, 83
 --- *levis*, 90
 --- *liberta*, 75
 --- *lygodii*, 84
 --- *macra*, 90
 --- *malvacearum*, 61, 85, 98
 --- *medellinensis*, 81
 --- *melampodii*, 75, 101
 --- *meridensis*, 62
 --- *mirandensis*, 97
 --- *nephroidea*, 84
 --- *obliqua*, 67, 78
 --- *offuscata*, 105
 --- *opulenta*, 82
 (*Puccinia*) *oxalidis*, 89
 --- *pallidissima*, 100
 --- *parthenii*, 90
 --- *paspalicola*, 90
 --- *phakopsoroides*, 88
 --- *pittieriana*, 99
 --- *polygoni-amphibii*, 94
 --- *polysora*, 102
 --- *porophylli*, 94
 --- *psidii*, 88, 94
 --- *purpurea*, 100
 --- *puta*, 82
 --- *rotundata*, 103
 --- *rubigo-vera var. tritici*, 102
 --- *rubricans*, 64
 --- *ruelliae*, 64, 96
 --- *scleriae*, 91
 --- *setariae*, 98
 --- *sherardiana*, 98
 --- *solani-tristis*, 99
 --- *sorghii*, 105, 151; Darluca filum, 1st rept. from Iowa, 151
 --- *spgazzzini*, 86
 --- *spilanthicola*, 100
 --- *subcoronata*, 73
 --- *substriata*, 76, 90, 98
 --- *tagetica*, 101
 --- *unilateralis*, 78
 --- *venezuelana*, 77
 --- *waltheriae*, 104
Pucciniopsis lonchocarpi, 84
Pueraria thunbergiana: *Cuscuta japonica* in China, 180
Punctillina solteroi, 105
 Purple blotch, of onion, fungicide tests for control of, 4, 112
Pyrus spp.: non-fungus diseases in China, 180
Pythium sp., on *Aleurites fordii*, 196; *Mentha* spp., 146; soil treatment for control of, 140
 --- *aphanidermatum*, on *Aleurites fordii*, 196
 --- *debaryanum*, 3
 --- stem rot, of bean, 161
 --- *ultimum*, 88
 Quebec, 204
 Queensland, 189
Quercus spp.: *Chalara quercina*, perithecial stage of, 1st rept., 158; leaf blister, 159; non-fungus diseases in China, 180; oak wilt, 1st rept. from Mich., and W. Va., 146
 Races (see also strains), of cereal rusts, use of cyclone separators, 150; bean rust, 161
Ramularia sp., on *Capsicum*, 67
 --- *areola*, 79
 --- *malvastris*, 85

- (*Ramularia*) *tenuis*, 90
 --- *tulasnei*, 78
Raphanus sativus: *Pseudomonas maculicola* in China, 180
 Raspberry (see also *Rubus*): anthracnose, fungicide tests for control of, 117, 135
Ravenelia sp., on *Bauhinia*, 64; *Cassia*, 68; *Mimosa*, 86; *Peirania*, 91; *Pithecellobium*, 93; *Poiretia*, 94
 --- *appendiculata*, 92, 93
 --- *caulicola*, 101
 --- *concinna*, 60
 --- *cubensis*, 91
 --- *echinata*, 66
 --- *igualiaca*, 86
 --- *indica*, 68
 --- *indigoferae*, 81
 --- *indissimilis*, 87
 --- *ingae*, 81
 --- *mimosae-albidae*, 87
 --- *mimosae-sensitivae*, 87
 --- *mirandensis*, 68
 --- *pithecolobii*, 93
 --- *portoricensis*, 68
 --- *spinulosa*, 68
Raya blanca (virus), 100
 "Red leaf", of oats, 150
 Red stele, of strawberry, 153
 Red stem canker, of cowpea, 145
Rehmiodothis eugeniae, 76
 --- *lamulera*, 83
Rhagadolobium cucurbitacearum, 73
Rhizoctonia, on bean, fungicide tests for control of, 3
 --- *crocorum*, 144
 --- *lamellifera*, on *Aleurites montana*, 196
 --- *microsclerotia*, 78, 92, 152
 --- *ramicola* n. sp., 155
 --- *solani*, 66, 69, 83, 88, 92, 98, 99, 111; on *Aleurites* spp., 196; *Mentha* spp., 146; soil treatment for control of, 140
 --- stem rot, of *Dianthus caryophyllus*, fungicide tests for control of, 16
Rhizopus nigricans, 70
Rhodesia, southern, 199
Rhododendron: petal blight, fungicide tests for control of, 18
Rhopoglyphus zeae, 105
Rhus spp.: *Cuscuta japonica* in China, 181
Ribes spp.: white pine blister rust, fungicide tests for control of, 117
 --- *grossulariae*: white pine blister rust, fungicide tests for control of, 117
 Rice (see also *Oryza*), dwarf disease (virus), 36
Ricinus communis: *Xanthomonas ricinicola* in China, 181
 Ring rot, of potato, 162
 Role of insect surveys in virus-vector research, 47
 Role of insects in the transmission of plant (Role of insects) diseases, 35
 Root-lesion nematode disease, of *Narcissus*, *Pratylenchus* sp. assoc., 156
 Root rot, of apple, 145; *Camellia*, 145; *Carthamus tinctorius*, 157; *Cedrus deodara*, 149; *Chamaecyparis lawsoniana* var. *elwoodii*, 146; cotton, 146; *Cupressus sempervirens glauca*, 149; *Libocedrus decurrens*, 149; *Myrtus compacta*, 149; *Pinus*, 147; *Thuja compacta*, 148
 Root and heart rot, of pineapple, 152
Rosa: blackspot, fungicide tests for control of, 16; *Cuscuta japonica* in China, 181; downy mildew, 156; powdery mildew, fungicide tests for control of, 16, 118
 --- *multiflora*: anthracnose, 1st rept. from Md., 146
Rosellinia sp(p.), on *Aleurites fordii*, 196; *Coffea*, 71
Rosenscheldia paraguayana, 81, 83
 Rot nematode, of potato, 162
Rubus spp.: non-fungus diseases in China, 181
 --- *flagellaris* var. *roribaccus*: powdery mildew, 154
 --- *idaeus*: *Erwinia amylovora* f. sp. *rubi*, 155
Ruga tabaci, 88
Rumex sp.: *Cuscuta chichymum* in China, 181
 Russet, of apple, fungicide tests for control of, 30, 129, 130
 Russia, 39, 199
 Russian coast of Black Sea, 189
 Rust, see *Coleosporium*, *Gymnosporangium*, *Peridermium*, *Puccinia*, *Uromyces*
Saccardinula usteriana, 105
Saccharum officinarum: non-fungus diseases in China, 181
 Safflower, see *Carthamus*
Salix spp.: non-fungus diseases in China, 181
Sasa albo-marginata: non-fungus diseases in China, 182
Sassafras albidum: *Ganoderma* sp., new host (N. Y.), 149
Saururus loureiri: *Cuscuta japonica* in China, 182
Saussurea affinis: *Cuscuta japonica* in China, 182
 Scab, of apple, 153, fungicide tests for control of, 23, 119; *Carya pecan*, 155, fungicide tests for control of, 31, 136; peach, fungicide tests for control of, 132; pear, fungicide tests for control of, 30
Schizophyllum commune, on *Aleurites* spp., 196
Scleroconium venezuelanum, 105

- Sclerospora* sp., on barley, 150
 --- *graminicola*, 150
 --- *macrospora*, 150
Sclerotinia spp., on *Centaurea cyanus*, 155
 --- dry rot, of *Gladiolus*, fungicide tests for control of, 15
 --- *gladioli*, 15
 --- *homeocarpa*, 19, 118
 --- *ricini*, 95
 --- *sclerotiorum*, 14, 88
 --- *trifoliorum*, soil treatment for control of, 140
Sclerotium bataticola, on *Aleurites montana*, 196
 --- *rolfsii*, 14, 62, 64, 67, 78, 79, 84, 85, 88, 92, 97, 99, 100, 104
 --- *rolfsii*, on *Aleurites* spp., 196
Scolecopeltis laevis, 95
Scolecotrichum graminis, 150
Scopella sapotae, 60
Scrophularia patriniana: *Cuscuta japonica* in China, 182
 Seed decay, of peas, fungicide tests for control of, 5
 Seed decay and damping-off, of peas, 113
 Seed decay and seedling disease, of corn, fungicide tests for control of, 5
 Seed rot and seedling blight, of corn, fungicide tests for control of, 111
 Seed and soil-borne diseases, of peanut, fungicide tests for control of, 113
 Seed and soil-borne rots of corn, fungicide tests for control of, 111
Septobasidium aleuritidis, parasitizing scale insects assoc. with *Aleurites fordii*, 196
 --- *bogoriense*, on *Aleurites fordii*, 196
 --- *pseudopedicellatum*, on *Aleurites fordii*, 197
 --- *saccardinum*, on *Aleurites fordii*, 197
Septogloeum sp., on *Arachis*, 62
 --- *mori*, 87
Septonema sp., on *Musa*, 87
 --- *agave*, 60
Septoria sp., on *Bidens*, 64; *Capparis*, 67; *Citrus*, 70; *Coffea*, 71; *Eupatorium*, 76; *Lagerstroemia*, 83; *Melia*, 85; *Serjania*, 97; *Solanum*, 99; *Spigelia*, 100; *Tabebuia*, 101; *Vernonia*, 103
 --- *alamoi*, 99
 --- *apii*, 4, 62, 63, 74, 111
 --- *bunchosiae*, 66
 --- *citri*, 70
 --- *cucutana*, 101
 --- *dianthi*, 74
 --- *lactucae*, 83
 --- *lycopersici*, 10, 84, fungicide tests for control of, 10, 117
 --- *melastomatum*, 85
 --- *nodorum*, 102
 --- *obesa*, 17, 118
 --- *petroselini*, 92
 --- *rubri*, 96
 --- *tovarensis*, 93
 --- *verbenae*, 103
Sesamum indicum: non-fungus diseases in China, 182
Setaria italica: non-fungus diseases in China, 182
 Silver leaf, of apple, 153
Sirospasma hypocrellae, 63
 Smut, of *Gladiolus* spp., 156; onion, fungicide tests for control of, 4; spinach, 147
 ---, covered, of barley, fungicide tests for control of, 150
 ---, head, of *Bromus marginatus*, 151
 Smuts, of oats, fungicides tested for control of, 150
 Soil treatment to control fungi, 14, 137; nematodes, 12, 137
Solanum spp.: non-fungus diseases in China, 182
Somatexis coccolobis, 71
 Sooty blotch of apple, fungicide tests for control of, 29, 128, 129
Sophora flavescens: *Cuscuta japonica* in China, 183
Sorghum vulgare: non-fungus diseases in China, 183
 South Carolina, 3, 9, 10, 12, 110, 119, 137, 144, 145, 153, 154, 155, 160, 206, 208, 210, 211
 South Dakota, 110
 Soybean: aerial blight, 152; bacterial diseases, 152; brown stem rot 152, 1st rept. from Minn., 145; canker and leaf spot, 152; stem canker, 1st rept. from Minn., 145; wildfire, 152
Sphacelia sp., on *Panicum*, 89
Sphaceloma sp., on *Euphorbia*, 77; *Metastelma*, 86; *Prunus*, 94; *Solanum*, 99
 --- *fawcettii*, 70
 --- *hederiae*, 146
 --- *menthae*, 146
 --- *rosarum*, 96, 146
 --- *viburni*, 147
Sphacelotheca cordobensis, 102
 --- *guaranitica*, 62
 --- *holci*, 100
 --- *sorghei*, 100
Sphaerodopsis columbiensis, 91
 --- *consociata*, 76
 --- *fourcroyae*, 78
 --- *portoricensis*, 63
Sphaeronaema reinkingii, on *Aleurites moluccana*, 197
Sphaeropsis tumefaciens, 70
Sphaerostilbe repens, on *Aleurites montana*, 197
Sphaerostilbe humuli, 154
 --- *pannosa*, 96
 --- var. *rosae*, 17, 118

- Sphenospora pallida*, 75
 --- *yurimaguasensis*, 98
- Spinach: downy mildew, fungicide tests for control of, 115; non-fungus diseases in China, 183; smut, 1st rept. from Wash., 147
- Spondylocadium atrovirens*, 99
- Spongopora subterranea*, 99
- Spot anthracnose, of *Cornus florida*, 158; *Viburnum opulus*, 147
- Squash: mosaic (virus), 53
- Stachylidium theobromae*, 87
- Stellaria media*, 14
- Stem canker, of soybean, 145
- Stem rot, of tomato, 160
- Stemphylium crotonis*, 72
- Stemphylium*, on tomato, 207, fungicide tests for control of, 9
 --- *sarcinaeforme*, 85
 --- *solani*, 160
- Stereum purpureum*, 153
- Stigme costaricana*, 82
- Stigmella graminicola*, 102
- Stilbella flavida*, 71
- Stilbum flavidum*, 105
- Stomiopeltis eugeniae*, 76
- Strains (see also races), of potato-mottle virus, 40; potato virus Y, 162; rugose mosaic of potato, 162; *Verticillium albo-atrum* on potato, 162
- Strawberry: chlorotic phyllody (unknown cause), new and undescribed, in La., 148; gray mold rot, 153, fungicide tests for control of, 135; leaf scorch, fungicide tests for control of, 135; leaf spot, fungicide tests for control of, 31, 135; red stele, 153; virus diseases, 153
- Streptomycin sulfate*, 161
- Strigula elegans*, 85
- Sugar beet: curly top (virus), 36, 37, 39, 40, 44; *Heterodera schachtii*, 157; mosaic (virus), 44; yellow wilt (virus), 43, 44; yellows (virus), 39, 44
- Sugar cane: Fiji disease (virus), 38
- Sulfur, 161
- Summary of results of fungicide tests, on crops other than fruit diseases, 1950, Suppl. 210, pp. 2-19
- Summary of results of fungicide tests on fruit and nut trees, 1950, 23
- Summary of results of fungicide tests in the United States and Canada, 1951. Suppl. 213: 109-140
- Sweetpotato: black rot, fungicide tests for control of, 115; internal cork (virus), 160
- Synchytrium citrinum*, 74
 --- *dolichi*, 95
 --- *endobioticum*, 162
- Syringa* sp.: witches'-broom (? virus), new host (Md.), 148
- Syzygium jambos*: *Cephaleuros virescens* in China, 183
- Taphrina caerulescens*, 159
 --- *deformans*, 61, 144, 154
- Tar spot, of *Ilex* spp., 156
- Telimena* sp., on *Paspalum*, 90
- Tennessee, 6, 137, 149, 203
- Terramycin hydrochloride*, 161
- Tettigellinae*, 50
- Texas, 48, 144, 146, 157, 160, 211
- Thea *sinensis*: non-fungus diseases in China, 183
- Thielaviopsis basicola*, 146
 --- *paradoxa*, 61
- Threadblight, of *Elaeagnus pungens*, 155
- Thrips tabaci*, 112
- Thuja compacta*: root rot, new host, (Calif.), 148
- Thyridaria* sp., on *Aleurites montana*, 197
- Thyruidium botryospermum* f. *verrucosa*, on *Aleurites moluccana*, 197
- Thysanoptera, 48
- Tilletia* spp., on wheat, 150
 --- *caries*, 102
 --- *foetida*, 102
 --- *rugispora*, 90
- Tobacco (see also *Nicotiana*): anthracnose, 1st rept. from N. C., 146; *Ascochyta* leaf spot, 157; black shank, 158; blue mold, 157, 203, fungicide tests for control of, 19, 115; *Heterodera rostrchiensis*, 157; *Meloidogyne* spp., 157; mosaic (virus), 37, 40, 41, 53; ring-spot (virus), 37, 53
- Tomato (see also *Lycopersicon*): anthracnose fungicide tests for control of, 5, 117; blue mold, 211; crown gall, 160; early blight, fungicide tests for control of, 6, 116; fruit rot, 161; *Heterodera* sp., 157; late blight, 144, 160, 203, fungicide tests for control of, 8, 116; nail-head leaf spot, fungicide tests for control of, 116; Phoma leaf spot, fungicide tests for control of, 10; *Septoria* blight, fungicide tests for control of, 10, 117; spotted wilt (virus), 36, 39, 40, 51; stem rot, 160; *Stemphylium* leaf spot, 160, 207; fungicide tests for control of, 9
- Torilis anthriscus*: *Cuscuta japonica* in China, 183
- Toroa dimerosporioides*, 66
- Toxoptera graminum*, 150
- Trabutia amphigena*, 84
 --- *conica*, 84
 --- *sauraniae*, 97
- Trametes corrugata*, on *Aleurites*, 197
 --- *occidentalis*, on *Aleurites montana*, 197
 --- *persoonii*, on *Aleurites moluccana*, 197
 --- *serpens*, on *Aleurites* sp., 197

- Trans 1, 4-dibromobutene-2, 159
 Tranzschelia punctata, 61
 Tribasic copper, 211
 Tribasic copper sulfate, 161
 Trichocicinnus tecomae, 101
 Trichoderma lignorum, 16
 Trichothyrium dubiosum, 82
 Tricothecium roseum, 161
 Trifolium spp.: non-fungus diseases in
 China, 183
 --- pratense: black patch (fungus undet.),
 152; vein-mosaic (virus), 161
 --- repens var. Ladino: alfalfa-mosaic
 virus, 41
 Tristeza, of Citrus in South America, 152
 Triticum aestivum: non-fungus diseases in
 China, 183
 Tropaeolum majus: mosaic (virus) in China,
 183
 Tuberculina costaricana, 95
 Turf, see Gramineae
 Turnip: mosaic (virus), 53
 Turnip greens: Cercospora leaf spot,
 fungicide tests for control of, 117
 Tylenchulus semi-penetrans, 153
 Typhodium eupatorii, 76
 Typhula sp., on wheat, soil treatment for
 control of, 135

 Ulmus: Dutch elm disease, 35, 159
 Uncinula miyabei var. aleurites, on Aleurites
 fordii, 197
 --- necator, 104
 United States, 189, 199
 Uredinopsis macrosperma, 94
 Uredo sp., on Artocarpus, 63; Blechnum, 64;
 Brownia sp., 66; Clibadium, 70; Coc-
 coloba, 71; Croton, 72; Erythroxylon,
 76; Indigofera, 81; Machaerium, 84;
 Mimosa, 86; Paspalum, 90; Vernonia,
 103
 --- alchorneae, 60
 --- artocarpi, 63
 --- borrieriae, 65
 --- coccolobae, 102
 --- combreti, 71
 --- cyathulae, 73
 --- erythroxylonis, 76
 --- eupatoriorum, 76
 --- evolvuli, 77
 --- ficina, 77
 --- guareae, 79
 --- hameliae, 79
 --- hymenaeae, 81
 --- ignava, 63
 --- ingae, 81
 --- kyllingiae, 73
 --- lycoseridis, 84
 --- maculans, 61
 --- melinidis, 85
 --- meridae, 103
 (Uredo) monochaeti, 87
 --- monsterae, 87
 --- monstERICOLA, 87
 --- paraphysata, 88
 --- pehriae, 91
 --- polylepidis, 94
 --- pusilla, 84
 --- rhombica, 63
 --- rubescens, 75
 --- rubida, 62
 --- sabiceicola, 96
 --- uviferae, 71
 Urocystis cepulae, 4
 --- gladioli, 156
 --- tritici, 102
 Uromyces sp., on Bauhinia, 64; Bidens, 64;
 Cajanus, 66; Phaseolus, 92; Poirertia,
 94
 --- asclepiadis, 63
 --- bauhinicola, 64
 --- bidenticola, 64
 --- bidentis, on Bidens, 64
 --- bonariensis, 78
 --- caryophyllinus, 74
 --- cestri, 68
 --- cisnerosanus, 97
 --- clarus, 82
 --- columbianus, 85
 --- commelinae, 102
 --- costaricensis, 83
 --- crucheti, 65
 --- decoratus, 72
 --- dolicholi, 66
 --- emmeorrhizae, 71
 --- eragrostidis, 75, 76
 --- fabae, 103
 --- flectens, 102
 --- gemmatus, 82
 --- guatamalensis, 64
 --- hedysari-paniculati, 74
 --- hyperici-frondosi, 81
 --- ignobilis, 100
 --- imperfectus, 64
 --- indigoferae, 81
 --- jamaicensis, 64
 --- janiphae, 85
 --- leptodermus, 89
 --- medicaginis, 102
 --- megalospermus, 101
 --- neurocarpi, 70
 --- panici-sanguinalis, 74
 --- phaseoli var. typica, 92, 161
 --- poiretiae, 94
 --- proeminens, 77
 --- rynchosporeae, 96
 --- scleriae, 97
 --- striatus, 85
 --- trifolii, 102
 --- tripsaci, 102
 --- vignae, 103
 --- wulfiae-stenoglossae, 104

- Uropyxis daleae*, 73
Ustilaginoidea dichronemae, 74
 --- *oryzae*, 88
Ustilago sp., on *Andropogon*, 62; *Cenchrus*, 68; oats, 150
 --- *avenae*, 63
 --- *bullata*, 151
 --- *hordei*, 80, 150
 --- *maydis*, 105
 --- *nuda*, 80
 --- *panici-petrosi*, 89
 --- *subnitens*, 97
 --- *tritici*, 103
 --- *utriculosa*, 94
 --- *venezuelana*, 90
Ustilina deusta, on *Aleurites*, 197
 --- *maxima*, on *Aleurites montana*, 197
 --- *zonata*, on *Aleurites montana*, 197
 Utah, 45, 154

Vaccinium spp.: *Agrobacterium tumefaciens*, 155
Valsonectria orbiculata, 88
 Vegetable crops: fungicide evaluation studies, 3
 Venezuela, host index of plant pathogens, 59-106
Venturia inaequalis, 23, 120, 153
 --- *pyrina*, 30
Vermicularia sp., on *Solanum*, 99
Verticillium albo-atrum, 79; on geranium, 146; potato, 162
Viburnum opulus: spot anthracnose, 1st rept. from Md., 147
Vicia faba: *Pseudomonas viciae* in China, 183
Vigna sinensis: non-fungus diseases in China, 184; *Xanthomonas vignicola*, 152
Viola sp.: non-fungus diseases in China, 184
 Violet root rot, of alfalfa, 144
 Virginia, 9, 23, 40, 119, 137, 149, 161, 206, 208, 210, 212
 Virus diseases: alfalfa mosaic of Ladino clover, pepper, and potato, 41
 --- cucumber mosaic, of Easter lily, 37; gladiolus, 37
 --- curly top of sugar beet, 36, 37, 39, 40, 44
 --- degeneration of grape, 155
 --- dwarf of rice, 36
 --- Fiji disease of sugar cane, 38
 --- internal cork of sweetpotato, 160
 --- leaf curl of cotton, 39
 --- little peach of peach, 43
 --- Marmor sp., on Anoda, 62
 --- mosaic of alfalfa, 41; barley, 150; bean, 37, 161; Capsicum, 67; Carica, 67; cowpea, 53; cucumber, 39, 41; *Dipsacus fullonum*, 157; Glycine, 78; *Gossypium*, 79; lettuce, 37, 160; (Virus diseases) Momordica, 87; peach, 43; Phaseolus, 92; Pueraria, 95; Saccharum, 96; Sesamum, 98; squash, 53; sugar beet, 44; tobacco, 37, 40, 41, 53; turnip, 53; Vigna, 104; wheat, 39, 150
 --- mottle of potato, 40
 --- phony peach of peach, 43, 47, 154; wild plum, 154
 --- Pierce's disease of grape, 39, 47, 155
 --- quick decline and related diseases of Citrus spp., 152
 --- red clover vein mosaic, 161
 --- ring spot of peach, 44; tobacco, 37, 53
 --- rosette of peach, 44, 154; peanut, 38, 39
 --- rugose mosaic of potato, 162
 --- southern celery mosaic of celery, 39
 --- spotted wilt of dahlia, 37; tomato, 36, 39, 40, 51
 --- of strawberry, 153
 --- streak of Solanum, 99
 --- streak-mosaic of wheat, 150
 --- stripe of corn, 39
 --- stunt of blueberry, 145
 --- swollen shoot of cacao, 43
 --- tristeza of citrus, 43
 --- virus infection of cantaloupe and honey dew melon, 159
 --- western celery mosaic, 52
 --- Western X-disease of chokecherry and peach, 154
 --- Western X-little cherry of sour cherry and sweet cherry, 154
 --- Wisconsin pea stunt, 161
 --- witches'-broom of Japanese lilac, 148; *Pseudotsuga taxifolia*, 149
 --- X-disease of sweet cherry, 145
 --- X virus of potato, 53
 --- yellow dwarf of barley, 147; onion, 52; wheat, 150
 --- yellow leaf roll of peach, 154
 --- yellow wilt of sugar beet, 43, 44
 --- yellows of aster, 36; beet, 38; cherry, 44; peach, 37, 38, 39, 43, 50; sugar beet, 39, 44
Vitex trifolia: *Cuscuta japonica* in China, 184
Vitis vinifera: *Eriophyes vitis* in China, 184

 Warning service, plant disease, in 1952, 203-212
 Wart, of potato, 162
 Washington, 23, 29, 119, 137, 144, 147, 149, 155, 161
 Waterchestnut, Chinese, see *Eleocharis*
 Watermelon: downy mildew, fungicide test:

(Watermelon) for control of, 11; *Fusarium* wilt, 160; leaf spot, 160
 Weather 1951, summary, 142; temperature and precipitation, maps, 143
 Weather injuries: cold injury to woody plants, 158; hail damage to bean, 161
 Weather in relation to plant disease, 144
 West Indies, 38
 West Virginia, 9, 30, 110, 145, 147, 149, 152
 Wheat (see also *Triticum*): bunt, fungicide tests for control of, 150; mosaic (virus), 39, new to California, 150; stem rust, 151; streak-mosaic (virus), 150; *Typhula* sp., soil treatment for control of, 140; yellow dwarf (virus), 150; yellow spot, 150
Whetzelia venezuelensis, 60
 Whiteheads, of oats in Minn., 150
 White pine blister rust, on gooseberry and *Ribes* spp., fungicide tests for control of, 117
 Wildfire, of soybean, 152
 Wilt, oak, of *Quercus*, 146
 Wisconsin, 5, 23, 30, 119, 144, 206, 209
 Woody plants: cold injury, 158

Xanthomonas campestris, 65
 --- *juglandis*, 136
 --- *malvacearum*, 79, 157
 --- *phaseoli*, 3, 92
 --- --- var. *sojense*, 152
 --- *pruni*, 30, 131
 --- *solanacearum* (see also *Pseudomonas* s.), 87, 99, on *Aleurites moluccana*, 198
 --- *vignicola*, on *Vigna sinensis*, 152
Xenostomella meridensis, 86
Xylaria ianthino-velutina, 64
 --- *polymorpha*, 145
Xylosma congestum: *Cuscuta japonica* in China, 184
 Yellow spot, of wheat, 150
Zanthoxylum spp.: *Cuscuta japonica* in China, 184
Zea mays: non-fungus diseases in China, 184
 Zinc sulfate, 211
 Zineb, 161, 207, 208, 209, 211, 212
 Ziram, 161
Zizyphus spp.: non-fungus diseases in China, 184
Zostera marina: recovery on Mass. shore line, 158

ERRATA

On page 53, 4th paragraph, lines 2 and 3, read *Diabotrica undecimpunctata undecimpunctata* instead of *Diabotrica unidecimpunctata unidecimpunctata*.

On page 84, under M. MORITZIANUM, read *Catacauma venezuelensis*, instead of *Catacauma venezuelansis*.

On page 157, 5th paragraph, read *ELEOCHARIS DULCIS*, instead of *ELEOCHARIS DULCIA*.

DIVISION OF MYCOLOGY AND DISEASE SURVEY