Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

THE PLANT DISEASE REPORTER

Issued By

THE PLANT DISEASE SURVEY

Division of Mycology and Disease Survey

BUREAU OF PLANT INDUSTRY, SOILS, AND AGRICULTURAL ENGINEERING

AGRICULTURAL RESEARCH ADMINISTRATION

UNITED STATES DEPARTMENT OF AGRICULTURE

SUPPLEMENT 198

INDEX TO SUPPLEMENTS 190-197, 1950

Supplement 198

Issued March 15, 1951

The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Division of Mycology and Disease Survey serves merely as an informational clearing house. It does not assume responsibility for the subject matter.

PLANT DISEASE REPORTER SUPPLEMENT

Issed by

THE PLANT DISEASE SURVEY DIVISION OF MYCOLOGY AND DISEASE SURVEY

Plant Industry Station

Beltsville, Maryland

INDEX TO PLANT DISEASE REPORTER SUPPLEMENTS 190-197, 1950

Compiled by Nellie W. Nance

Plant Disease Reporter
Supplement 198

Index to Supplements
1950

LIST OF SUPPLEMENTS

- Supplement 190. Plant disease forecasting: a symposium. pp. 1-33.
January 30, 1950. The five invitational papers were presented at the American Association for the Advancement of Science Meetings, New York City. See its table of contents and author index below.
- Supplement 191. Plant pathological investigations in the United States I. pp. 36-118. May 1, 1950. This supplement contains articles received by April 1. See its table of contents and author index below.
- Supplement 192. Nation-wide results with fungicides in 1949, fifth annual report. pp. 120-187, May 15, 1950. Compiled by the Fungicide Committee of the American Phytopathological Society: Sub-Committee on Testing and Results of Newer Fungicides. See its table of contents and author index below.
- Supplement 193. Plant disease losses: their appraisal and interpretation. pp. 190-362. June 15, 1950. See its table of contents. By K. Starr Chester.
- Supplement 194. Some new or noteworthy plant disease records and outstanding developments in the United States in 1949. pp. 364-380. June 30, 1950. Compiled by Nellie W. Nance.
- Supplement 195. Plant pathological investigation in the United States II. pp. 382-518. September 15, 1950. See its table of contents and author index below.
- Supplement 196. An index of the plant rusts recorded for continental China and Manchuria. pp. 520-556. November 15, 1950. By George B. Cummins and Lee Ling.
- Supplement 197. The plant disease warning service in 1950. pp. 559-572. November 15, 1950. By Paul R. Miller and Muriel O'Brien.
- Supplement 198. Index to Supplements 190 to 197. pp. 575-588.
(Issued March 15, 1951).

BRIERLEY, PHILIP, 437

CARPENTER, J. B., 60

CHESTER, K. STARR, 5, 190

COLE, JOHN R., 433

COOK, HAROLD T., 382

CUMMINS, GEORGE B., 520

DOOLITTLE, S. P., 398

DUNEGAN, JOHN C., 420

FOLSOM, DONALD, 102

FULTON, HARRY R., 429

GOLDSWORTHY, M. C., 120

HAENSELER, C. M., 509

HARTLEY, CARL, 445

HIGGINS, B. B., 92

HYRE, RUSSELL A., 14

JOHNSON, HOWARD W., 42

LEACH, J. G., 116

LEUKEL, R. W. (37), 120

LING, LEE, (520)

LINN, M. B., 120

LYLE, JAMES A., 501

McCLELLAN, W. D., 120

McCUBBIN, W. A., 67, 483

MILLER, JULIAN H., 98

MILLER, PAUL R., 36, 120, 190,
382, 471, 559

MILLER, PAUL W., (433)

NANCE, NELLIE W., 364

NUGENT, T. J., 9

O'BRIEN, MURIEL (559)

ORTON, C. R., 112

REINKING, OTTO A., 504

SCHULTZ, E. S., 413

SHARVELLE, E. G., 120

STEINER, G., 463

STEVENS, RUSSELL B., 3

TAPKE, V. F., 37

WAGGONER, PAUL E., (19)

WALLIN, JACK R., 19

WILSON, E. E., 120

WILSON, J. D., 120

YOUNG, V. H., 504

SUBJECT INDEXAcreages infected with late
blight of tomato, 560Acti-dione, 377, for control
of peach brown rot and
cherry leaf spot, 371Aesculus hippocastanum: anthrac-
nose, 374

--- octandra: anthracnose, 374

Agaricus campestris: Arthro-
botrys superba, 373;

"Cephalothecium disease"

(Ditylenchus sp.), 373;

Dactylis sp., 373; dry

bubble disease, 373

Alabama, 122, 370, 373, 380,
560Albizia julibrissin: Fusarium
wilt, 1st rept. from N.J.,
365, 372Alalfa: bacterial wilt, 369;
black stem, 369; Sclerotinia
sclerotiorum, 369; stem nema-
tode, 369

Almond: brown rot, 150

Alternaria brassicae, 377

--- dauci, 378

--- dianthi, 169

--- leaf spot, of Mathiola,
367, 372--- leaf spot and branch rot,
of Dianthus caryophyllus,
fungicide tests for control
of, 169

--- oleracea, 377

--- porri, 164

--- raphani, 367, 372

--- solani, 154

--- tenuis, on Rhus typhina, 366

- Amaranthus retroflexus*: sugar beet mosaic (virus) in Calif., new host, 367, 369
- Anther mold, of *Trifolium pratense*, 367, 370
- Anthrachnose, of *Aesculus hippocastanum*, 374; *A. octandra*, 374; broomcorn, 368; cucumber, fungicide tests for control of, 165; *Fraxinus velutina*, 374; raspberry, fungicide tests for control of, 149; sorghum, 368; tomato, 379, fungicide tests for control of, 157
- Antirrhinum majus*: downy mildew, 1st rept. from N.Y., 365; rust, 172
- Aphelenchoides* spp., on peanut, 373
- *ritzema-bosi*, 169
- Apple: bitter rot, 143, 371; black rot, 143; fireblight, 144; flyspeck, 142; fruit spot (Brooks), 141; powdery mildew, 143; rust, 141; scab, 139, 370; sooty blotch, 142
- Apricot, brown rot, 149; brown rot blossom blight, 370
- Arizona, 365, 372
- Arkansas, 122, 368, 371, 378, 559, 560
- Arthrobotrys superba*, on *Agaricus campestris*, 373
- Ascochyta gossypii*, 373
- *imperfecta*, 369
- ray blight, of chrysanthemum, 372
- Ash, see *Fraxinus*
- Avocado: *Dothiorella* rot, 149
- Azalea, see *Rhododendron*
- Bacterial blight, of *Papaver*, 365, 372
- Bacterial leaf spot, of *Dianthus caryophyllus*, fungicide tests for control of, 169; *Erodium* (Bacterial leaf spot) *texanum*, 373; *Pelargonium* sp., 373
- Bacterial spot, of tomato, fungicide tests for control of, 161; peach, 371, fungicide tests for control of, 148
- Bacterial stalk rot, of corn, 369
- Bacterial stripe, of broomcorn, 368; sorghum, 368
- Bacterial wilt, of alfalfa, 369
- Bacteriosis, of *Juglans regia*, fungicides tests for control of, 151
- Barley: downy mildew, 1st rept. from Mo., 365; mosaic (virus), 368; stripe, 368
- Bean: dry root rot, 379; rust, 380; web blight, 379; white mold, 161, 380
- Bean, lima: downy mildew, 162
- Beet: downy mildew, 376
- Beta patellaris*: mosaic (sugar beet virus), 370
- Bitter rot, of apple, 371, fungicide tests for control of, 143; peach, 365, 371
- Black leg, of crucifers, 377
- Black rot, of apple, fungicide tests for control of, 143; cabbage, 377; grape, fungicide tests for control of, 150
- Blackshank, of tobacco, 374
- Black spot, of *Rosa*, fungicide tests for control of, 171
- Black stem, of alfalfa, 369
- Blight, of peach, fungicide tests for control of, 148
- Blister rust, of *Ribes* spp., 371
- Blue mold, (see also downy mildew), of tobacco, 373, 559, 560, fungicide tests for control of, 177
- Boll rot, of cotton, 373
- Botany and plant pathology, history of, at Ala. Polytech. Inst., 501
- Botrytis anthophila*, 367
- blight, of *Tulipa*, fungicide tests for control of, 172
- *cinerea*, 163, 367
- *elliptica*, on *Erythronium grandiflorum* var. *pallidum*, 372

- (Botrytis) tulipae, 172
 Bremia lactucae, 378
 British Columbia, 126
 Broomcorn: anthracnose, 368;
 bacterial stripe blight,
 368; Helminthosporium leaf
 blight, 368; Septoria leaf
 blight, in Ill., 1st rept.
 from U.S., 366, 368
 Browallia speciosa: mosaic (sugar
 beet virus), 370
 Brown patch, of Gramineae, fungi-
 cide tests for control of, 172
 Brown rot, of almond, fungicide
 tests for control of, 150;
 apricot, 370, fungicide tests
 for control of, 149; cherry
 and peach, fungicide tests
 for control of, 145; Citrus
 limonia, fungicide tests for
 control of, 150
 Brown spot needle disease, of
 Pinus ponderosa, 375
 Brown stem rot, of soybean,
 369
 Browning and stem break, of
 cotton, 365
 Buckeye, see Aesculus
 Buckeye rot, of tomato, 161
 Buddleia asiatica: "scab", 1st
 rept. from Va., 366, 374
 Butterfly bush, see Buddleia

 Cabbage: Alternaria leaf spot,
 377; black rot, 377; downy
 mildew, 377; watery rot, 377;
 yellows, 377, 1st rept. from
 La., 366
 California, 122, 365 ff., 370,
 372, 373, 374, 376, 377
 Camellia: flower spot, 372
 --- japonica: flower spot, 1st
 rept. from Oregon, 365
 Canker, of tomato, 379
 Cantaloupe: downy mildew, 165;
 Macrosporium leaf spot, 165
 Carnation, see Dianthus
 Carrot: Alternaria blight, 378;
 crater rot, 378; leaf spots,
 163; storage rots, 163; yellows
 (virus), 163

 Carya illinoensis; scab, 151, 371
 Cauliflower: watery rot, 377
 Cedar blight, of Juniperus spp.,
 374
 Cereal diseases, forward march of
 research on, 37
 Celery: early blight, 163; heart
 rot, 376; late blight, 162
 Cephalosporium gregatum, 369
 Ceratostomella ulmi, 376
 Cercospora apii, 163
 --- sorghi, 368
 Chalara quercina, 366, 375
 Cherry: brown rot, 145; leaf
 spot, 144
 Cherry, sour: raspleaf (virus)
 in Colo., new host, 367; ring
 spot (virus), 371; sulfur in-
 jury, 371; yellows (virus),
 371
 Chrysanthemum: Ascochyta ray
 blight, 372, 1st rept. from
 Calif., 365; foliar nematode,
 169; Septoria leaf spot, 170
 Citrus spp.: citrus canker, 370;
 hurricane damage, loss estimates,
 370
 Citrus aurantifolia: Cuscuta
 americana in Fla., new host, 367;
 gall (Cuscuta americana), 370
 Citrus canker, of Citrus spp., 370
 --- limonia: brown rot, 150
 Cladosporium carpophilum, 353
 --- cucumerinum, 165, 377
 --- effusum, 371
 --- fulvum, 379
 --- herbarum, 366
 --- heugelinianum, 366, 374
 Clover, see Trifolium
 Cocomyces hiemalis, 371
 Colletotrichum graminicola, 368
 --- lagenarium, 165, 166
 --- phomoides, 157, 379
 Colorado, 122, 366, 367, 371
 Connecticut, 122, 366, 371, 376,
 378, 560
 Control, of cucurbit downy mildew,
 571; potato late blight, 568;
 tobacco blue mold, 570; tomato
 late blight, 566
 Corn: bacterial stalk rot, 369

- (Corn) leaf blight, 369;
 leaf rust, 1st rept. from
 Ind., 365; *Pythium* stalk
 rot, 369; rust, 369
Corticium microsclerotia,
 379
Corynebacterium insidiosum,
 369
Coryneum carpophilum, 148
 Cotton: *Ascochyta* blight,
 373; boll rot, 373; browning
 and stem break, 1st rept.
 from Ariz., 365; root con-
 striction (physiological),
 1st rept. from Ariz., 365
 Cranberry: fruit rot, 151
 Crater rot, of carrot, 378
Cricanemoides sp., on peanut,
 373
Cronartium ribicola, 371
 Crown rust, of oats, 368
 Crucifers: black leg, 377
 Cucumber (see also cucurbits):
 anthracnose, 165; downy
 mildew, 164, 165; root knot,
 377; scab, 165
 Cucurbits: downy mildew, 378, 559,
 560, control, 571; scab, 377;
 virus diseases, 378
Cuscuta americana, on Citrus
aurantifolia, 367, 370
Dactylium sp., on *Agaricus cam*
pestris, 373
 Deficiency diseases: magnesium
 deficiency in muskmelon, 378
 Delaware, 122, 371, 373
Diachea leucopoda, 370
Dianthus caryophyllus: *Alternaria*
 leaf spot and branch rot, 169;
 bacterial leaf spot, 169;
Fusarium root rot, 169; rust,
 169
Diaporthe phaseolorum var.
batatatis, 369
Diplocarpon rosae, 171
 Disease fluctuations, 364
 Disease investigations with
 ornamental crops in U.S. Dept.
 Agr., 437
 Diseases of forest trees in Ga.,
 historical sketch of, 98
 Diseases of fruits and vegetables
 in transit, storage and at the
 market, within U.S. Dept. Agr.,
 383
Ditylenchus sp., on *Agaricus*
campestris, 373; alfalfa, 369
 Division of Forest Pathology, 445
 Dollar spot, of Gramineae, fungi-
 cide tests for control of, 172
Dorylaimus sp., on peanut, 373
Dothiorella rot, of avocado,
 fungicide tests for control of,
 149
 Downy mildew, of *Antirrhinum*
majus, 365; of barley, 365;
 beet, 376; cabbage, 377; canta-
 loupe, fungicide tests for control
 of, 165; cucumber, fungicide tests
 for control of, 164, 165;
 cucurbits, 378, 559, 560; egg-
 plant, 373; lettuce, 378; lima
 bean, fungicide tests for control
 of, 162; onion, fungicide tests
 for control of, 163; pepper,
 373; shallot, 376; spinach, 380,
 fungicide tests for control of,
 164; tobacco, see blue mold;
 tomato, 373; watermelon, fungi-
 cides for control of, 166
 Drench tests, 178
 Dry bubble disease, of *Agaricus*
campestris, 373
 Dry root rot, of bean, 379
 Early blight, of celery, fungi-
 cide tests for control of, 163;
 potato, fungicide tests for con-
 trol of, 154; tomato, fungicide
 tests for control of, 156
 Economic aspects, of plant disease
 losses, 334
 Eggplant: downy mildew, 373
Elsinoë veneta, 149
Erodium texanum: bacterial leaf
 spot, 373
Erwinia amylovora, 144
 --- *carotovora*, 369, 376
Erysiphe cichoracearum, 366
Erythronium grandiflorum var.
pallidum: *Botrytis elliptica*,
 372
Exobasidium azaleae, 372

- Fireblight, of apple, fungicide tests for control of, 144
- Flax: Fusarium wilt, 368; pasmo, 368
- Florida, 122, 367, 370 ff., 376, 377, 379, 380, 560
- Flower spot, of Camellia, 372
- Flyspeck, of apple, fungicides for control of, 142
- Forage crops, plant disease research on, 42
- Forecasting downy mildews, trapping sporangia as an aid in, 14
- Forecasting late blight, influence of climate on development and spread of *Phytophthora infestans* in inoc. potato plots, 19
- Forecasting late blight in Tidewater Va., 9
- Forecasting plant disease outbreaks and losses, 327
- Forecasting plant diseases: a symposium, 2
- Forest Pathology, Division of, 445
- Forest tree diseases in Ga., historical sketch of, 98
- Foreword, plant disease losses: their appraisal and interpretation, 190
- Fraxinus pennsylvanica* var. *lanceolata*; *Verticillium* wilt, 1st rept. from Colo., 366
- *velutina*: anthracnose, 374
- Fruit diseases: effectiveness of fungicides, 152
- Fruit rots, of cranberry, fungicide tests for control of, 151; pepper, 162
- Fruit spoilage, of dates, fungicide tests for control of, 151
- Fruit spot, of apple, fungicide tests for control of, 141
- Fungicide tests, fungicides used in tests, 131-138; nationwide results in 1949, fifth (Fungicide Tests) annual report, 120-187; sources of chemicals tested, 128; State and cooperators, 122-127
- Fungicides for control of cucurbit downy mildew, 571, potato late blight, 568, tobacco blue mold, 570, tomato late blight, 566; for seed treatment, general appraisal of, 185; tested on shade trees in Ill., 174
- Fusarium basal rot, of Iris, fungicide tests for control of, 171; Narcissus, fungicide tests for control of, 170
- Fusarium orthoceras var. *pisi*, 162
- *oxysporum*, 171
- *oxysporum* f. *conglutinans*, 366, 377
- *oxysporum* f. *lini*, 368
- *oxysporum* f. *niveum*, 377
- *oxysporum* f. *perniciosum*, 365, 372
- *oxysporum* f. *rhois*, 366, 376
- Fusarium root rot, of *Dianthus caryophyllus*, fungicide tests for control of, 169; pea, fungicide tests for control of, 179
- Fusarium solani f. *martii*, 179
- *solani* f. *phaseoli*, 379
- Fusarium wilt, of flax, 368; *Gladiolus*, fungicide tests for control of, 170; *mimosa*, 365, 372; pea, fungicide tests for control of, 162; *Rhus glabra*, fungicide tests for control of, 177
- Georgia, 92, 122, 368, 370, 372, 373, 374
- Gerbera jamesoni*: gray mold in Pacific Northwest, new host, 367
- Gladiolus*: Fusarium wilt, 170; leaf spots, 171; scab, 170
- Gloeocercospora sorghi*, 368
- Gloeodes pomigena*, 142
- Gloeosporium aridum*, 374
- Glomerella cingulata*, 143, 365, 371, 374
- Gramineae: brown patch, 172; dollar spot, 172; "grease

- (Gramineae) spot", 369;
 Helminthosporium leaf spot,
 173
 Grape: black rot, 150; winter
 injury, 371
 Gray leaf spot, of sorghum,
 368; tomato, 379, fungi-
 cide tests for control
 of, 161
 Gray mold, of Gerbera
 jamesoni, 367
 "Grease spot", of Gramineae,
 369
 Guignardia bidwellii, 150
 Gummy stem blight, of
 watermelon, 377, fungi-
 cide tests for control
 of, 166
 Gymnosporangium spp.,
 on apple, 141
 Hawaii, 123
 Heart rot, of celery, 376
 Helminthosporium gramineum,
 368
 --- leaf blight, of broom-
 corn, 368
 --- leaf spot, of Gramineae,
 fungicide tests for con-
 trol of, 173
 --- turcicum, 369
 --- victoriae, 368
 Heterodera marioni, 377
 Holly, see Ilex
 Horsechestnut, see Aesculus
 Idaho, 123, 375, 379
 Ilex opaca: leaf burn and
 defoliation, 173
 Illinois, 123, 366, 368,
 369, 375, 559, 560
 Index of the plant rusts
 recorded for continental
 China and Manchuria, 520-
 556
 Indiana, 123, 365, 366, 369,
 373, 375, 379, 380, 560
 Insect injury, to oats, 368
 Internal browning, of tomato,
 379
 Iowa, 123, 380, 559
 Iris: Fusarium basal rot, 171
 Juglans regia: bacteriosis, 151
 --- sieboldiana: witches'-broom
 (virus), 372
 Juniperus spp.: cedar blight,
 374
 Kansas, 123, 369
 Kentucky, 123, 366, 367, 561
 Kuehneola uredinis, 149
 Late blight, of celery, fungi-
 cide tests for control of,
 162; potato, 380, 559, fungi-
 cide tests for control of,
 154; tomato, 380, 559, fungi-
 cide tests for control of, 160,
 161
 Leader dieback, of Liquidambar
 styraciflua, 374
 Leaf blight, of corn, 369
 Leaf burn and defoliation, of
 Ilex opaca, 173
 Leaf mold, of tomato, 379
 Leaf spot, of carrot, fungicide
 tests for control of, 163;
 cherry, fungicide tests for con-
 trol of, 145; Gladiolus, fungi-
 cide tests for control of, 171;
 Sesamum orientale, 374
 Leptothyrium pomi, 142
 Lettuce: big-vein (virus), 379;
 downy mildew, 378
 Liquidambar styraciflua: leader
 dieback, 374
 Lophodermium pinastri, 375
 Losses, plant disease, appraisal
 and significance, Supp. 193,
 pp. 190-362; small grain dis-
 eases, 367
 Louisiana, 123, 366, 370, 376
 ff., 561
 Macrosporium leaf spot, of cantaloupe,
 fungicide tests for control of, 165
 Maine, 123
 Manitoba, 126
 Maps: distribution of cucurbit
 downy mildew, 565; potato and

- (Maps) tomato late blight, 564; tobacco blue mold, 565; weather 1950, 563
 Market diseases: fruits and vegetables within U.S. Dept. Agr., 383
 Marmor medicaginis H. var. Ladino n. var., 367, 370
 Marmor tabaci, 379
 Maryland, 123, 372, 378, 380
 Massachusetts, 124, 376
 Mathiola incana: Alternaria leaf spot, in Calif., 1st rept. from U.S., 367, 372
 Melilotus indica: sugar beet mosaic (virus), in Calif., new host, 367, 369
 Mentha spp.: Verticillium wilt, 373
 Michigan, 124, 371, 373, 377, 561
 Mildew, of Rosa, fungicide tests for control of, 172
 Mimosa, see Albizzia
 Minnesota, 124, 375, 376
 Mississippi, 370, 372, 559, 561
 Missouri, 124, 365, 374, 375, 559
 Monilinia fructicola, 145, 149, 150, 371
 Monilinia laxa, 370
 Montana, 124, 375
 Mottle necrosis, of sweet-potato, 366
 Muskmelon (see also cantaloupe), magnesium deficiency, 378
 Mycosphaerella citrullina, 166, 377
 --- ligulicola, 365, 372
 --- linorum, 368
 --- pomi, 186
 Myzus persicae, 370
 Narcissus: Fusarium basal rot, 171
 Nebraska, 559
 Nematode, foliar, of Chrysanthemum, fungicide tests for control of, 169
 Nematodes, see Aphelenchoides; Criconemoides; Ditylenchus; Dorylamus; Pratylenchus; Seinura; Tylenchorhynchus; (Nematodes) Xiphinema
 New distribution: disease records by States 1949, 365; diseases found on new hosts, 366; diseases found in U.S. for first time in 1949, 366; new disease strain of alfalfa mosaic virus, 367
 New Hampshire, 124
 New hosts: mosaic (sugar beet virus), 370
 New Jersey, 124, 365, 372, 559
 New Mexico, 376, 378
 New York, 124, 365, 376, 378, 379, 561
 Nicotiana clevelandi: mosaic (sugar beet virus), 370
 --- quadrivalvis and its var. multivalis, mosaic (sugar beet virus), 370
 Nitrogen starvation, of oats, 368
 North Carolina, 124, 372, 373, 561
 North Dakota, 125
 Northeastern United States, 367
 Nova Scotia, 126, 561
 Nut diseases, investigations of, 433
 Oak, see Quercus
 Oak wilt, of Quercus spp., 375
 Oats: crown rust, 368; insect attacks, 368; nitrogen starvation, 368; Victoria blight, 368; weather conditions, 368
 Ohio, 125, 561
 Oklahoma, 368
 Onion: downy mildew, 163; purple blotch, 164; smut, 1st rept. from Calif., 366
 Ontario, 127
 Oregon, 125, 365, 367, 372, 380
 Ornamentals: disease investigations in U.S. Dept. Agr., 437; effectiveness of fungicides, 176
 Ovulinia azaleae, 169
 Pacific Northwest, 367
 Palm, date, see Phoenix
 Papaver: bacterial blight, 1st rept.

- (Papaver) from Ariz., 365, 372
- Pasmo, of flax, 368
- Pea: *Fusarium* root rot, 179, wilt, 162; mosaic (sugar beet virus), 370
- Peach: bacterial spot, 148, 371; bitter rot, 1st rept. from Tex., 365, 371; blight, 148; powdery mildew, 147; *Pratylenchus* sp., 371
- Peanut: nematodes assoc. with poor growth and dark pock marks, 373; sclerotial blight, 374
- Pecan, see *Carya*
- Pelargonium* sp.: bacterial leaf spot, 373
- Pennsylvania, 125, 370, 371, 373, 376, 559, 561
- Pepper: downy mildew, 373; fruit rots, fungicide tests for control of, 162
- Peronospora antirrhini*, 365
- *destructor*, 163, 376
- *effusa*, 164
- *farinosa*, 380
- *parasitica*, 177, 377
- *schachtii*, 376
- *tabacina*, 373, 559, 560
- Petal blight, of *Rhododendron*, fungicide tests for control of, 169
- Phacelia campanularia*: mosaic (sugar beet virus), 370
- Phaeocryptopus pinastri*, 375
- Phoenix dactylifera*: fruit spoilage, 151
- Phoma lingam*, 377
- Phomopsis juniperovora*, 374
- Phyllocoptes destructor*, 379
- Physalospora obtusa*, 143
- Phytopathology in Maine 1906-1949, 102
- Phytophthora citrophthora*, 150
- *fragariae*, 149
- *inflata*, 376
- *infestans*, 19, 154, 157, 160, 161, 380, 559
- *parasitica*, 161
- *parasitica* var. *nicotianae*, 374
- (*Phytophthora*) *phaseoli*, 162
- Pinus* spp.: root diseases, weed control and soil treatment in nursery, 375
- *monticola*: *Scopularia serpens*, 375
- *ponderosa*: brown spot needle disease, 375
- Pit canker, of *Ulmus* spp., 376
- Plant disease forecasting: a symposium, 2-33; early steps, 3; validity and value of, 5
- Plant disease losses: their appraisal and interpretation, Supp. 193, pp. 190-362
- Plant disease research, on forage crops, 42
- Plant disease surveying, methods of, 258
- Plant Disease Survey's place in plant pathological investigation, 471
- Plant disease surveys organized, 270
- Plant disease warning service in 1950, 559-572
- Plant diseases, in N. Mex., 376
- Plant diseases, new and noteworthy and outstanding developments in U. S. in 1949, Supp. 194, pp. 364-380
- Plant pathological investigation in U.S., Supp. 191, pp. 36-118; Supp. 195, pp. 382-518
- Plant pathology, in Div. of Rubber Plant Investigations, 60; New Jersey, 509; N.Y. State Agr. Exp. Sta., Cornell Univ., 104; in relation to Federal domestic plant quarantines, 67; research in Ga., 92; W. Va. Univ., past and present, 112
- Podosphaera leucotricha*, 143
- Polyspora lini*, 365
- Poppy, see *Papaver*
- Potato: early blight, 154; late blight, 154, 380, 559, control, 568; *Phytophthora infestans*, influence of climate, 19; powdery mildew, 1st rept. from Wash., 366; scab, 380

- Potato disease investigations
by U.S. Dept. of Agr.,
1910-1949, 413
- Powdery mildew, of apple,
fungicide tests for control
of, 143; peach, fungicide
tests for control of, 147;
potato, 366
- Pratylenchus sp., on peach,
371
- leiocephalus, 373
- Prince Edward Island, 127
- Pseudomonas andropogoni,
368
- erodii, 373
- marginata, 170
- sesami, 374
- tabaci, 374
- woodsii, 169
- Pseudoperonospora cubensis,
164, 165, 378, 559, 560
- Puccinia antirrhini, 172
- coronata avenae, 368
- polysora, 365, 369
- purpurea, 368
- rubigo-vera var. tritici,
368
- Purple blotch, of onion, 164
- Pythium butleri, 369
- Quebec, 561
- Quercus: Chalara wilt, 375, 1st
rept. from Ind., 366
- virginiana: dying (cause
undet.) 375
- Raspberry: anthracnose, 149;
yellow rust, 149
- Red stele, of strawberry,
fungicide tests for control
of, 149
- Research, on cereal diseases, 37
- Research on diseases of citrus
and other subtropical fruits,
in U. S. Dept. Agr., 1886-
1950, 429
- Research on diseases of hardy
fruit crops, conducted by
U.S. Dept. Agr., 1885-1950,
420
- Research in plant nematology,
U. S. Dept. Agr., 463
- Research, plant pathological -
in Ga., 92
- Research in plant pathology in
Arkansas, history of, 504
- Rhizoctonia carotae, 378
- solani, 172, 379
- Rhode Island, 125
- Rhododendron: Exobasidium
azaleae, 372; petal blight,
169
- Rhus glabra: Fusarium wilt, 177
- typhina, Alternaria leaf
spot, 1st rept. from Colo,
366; Fusarium wilt, 1st
rept. from Va. and Conn.,
366, 376
- Ribes spp.: blister rust, 371
- Rosa: black spot, 171; mildew,
172
- Rose, see Rosa
- Root constriction, of cotton,
365
- Root knot, see Heterodera
- Russeting, of tomato, 379
- Rust, of Antirrhinum majus,
fungicide tests for control
of, 172; apple, fungicides
for control of, 141; bean,
380; corn, 369; Dianthus
caryophyllus, fungicide tests
for control of, 169; sorghum,
368
- Rust, leaf, of corn, 365; wheat,
368
- Rusts recorded for continental
China and Manchuria, index
for, Supp. 196, pp. 520-556
- Samolus parviflorus: mosaic
(sugar beet virus), 370
- Saskatchewan, 127
- Scab, of apple 370, fungicide
tests for control of, 139;
of Buddleia asiatica, 366,
374; Carya illinoensis, 371;
cucumber, fungicide tests for
control of, 165; cucurbits,
377; Gladiolus, fungicide tests
for control of, 170; pecan,
fungicide tests for control of,

- (Scab) 150; potato, 380
Scirrhia acicola, 375
Sclerospora macrospora, 365
 Sclerotial blight, of peanut, 374; tobacco, 374
Sclerotinia camelliae, 365, 372
 --- *homeocarpa*, 172
 --- *sclerotiorum*, 161, 163, 369, 376, 377, 380
 --- *trifoliorum*, 369
Sclerotium rolfsii, 373, 374
Scopularia serpens, 375
 Seed treatment reports, 180
Seinura tenuicaudata, 373
Septoria apii, 162
 --- *gladioli*, 171
 --- leaf blight, of broomcorn, 366, 368
Septoria leaf spot, of
 Chrysanthemum, fungicide tests for control of, 170; tomato, 157
 --- *lycopersici*, 157
Sesamum orientale: leaf spot, 374
 Shallot: downy mildew, 376
 Slime mold, of strawberry, 370
 Small grains, disease losses, 367
 Smut, of onion, 366
 Snapdragon, see *Antirrhinum*
 Sodium hypochlorite spray, for control of peach bacterial wilt and brown rot, 371
 Soil fumigation, 178
 Soil treatments, root diseases and weed control in pine nursery, 375
 Sooty blotch, of apple, fungicide tests for control of, 142
 Sorghum: anthracnose, 368; bacterial stripe, 368; gray leaf spot, 368; rust, 368; stalk rot, 368; zonate leaf spot, 368
 South Carolina, 125, 370, 372, 373, 378, 561
 South Dakota, 125
 Soybean: brown stem rot, 369; stem canker, 369
Sphaeropsis tumefaciens, 370
Sphaerotheca humuli, 172
 --- *pannosa* var. *rosae*, 276
 Spinach: downy mildew, 164, 380
 Spray injury, to sour cherry petals, 371
 Stalk rot, of corn, 369; sorghum, 368
 State quarantines on interstate movement, 483
 Stem canker, of soybean, 369
 Stem rot, of *Trifolium* spp., 369
Stemphylium solani, 161, 379
 Stock, see *Mathiola*
 Storage diseases: fruits and vegetables in U. S. Dept. Agr., 383
 Storage rots, of carrot, fungicide tests for control of, 163
 Strains, of *Glomerella* from peach, infect lupine, and vice versa, 371
 Strawberry: red stele, 149; sline mold, 370
Streptomyces scabies, 380
 Stripe, of barley, 368
 Sugar beet: mosaic (virus), 370
 Sulfur injury, to sour cherry petals, 371
 Sumac, see *Rhus*
 Sweetgum, see *Liquidambar*
 Sweetpotato: mottle necrosis, 1st rept. from La., 366
 Tennessee, 125, 374, 561
 Texas, 125, 365, 367, 368, 370 fr., 379, 380
 Tobacco: blackshank, 374; blue mold, 177, 373, 559, 560, 570; sclerotial blight, 374; wildfire, 374
 Tomato: anthracnose, 157, 379; bacterial spot, 161; buckeye rot, 161; canker, 379; downy mildew, 373; early blight, 156, 157; estimated reduction in yield of late blight infected tomato acreages, 560; gray leaf spot,

- (Tomato) 161, 379; internal browning, 379; late blight control, 566; late blight, 160, 161, 380, 559; leaf mold, 379; russeting, 379; *Septoria* leaf spot, 157
- Transit diseases: fruits and vegetables in U.S. Dept. Agr., 383
- Tree diseases, in Southeastern States, 374
- Trifolium* spp.: stem rot, 369
- *incarnatum*: sugar beet mosaic (virus), in Calif., new host, 367, 369
- *pratense*: anther mold, in Oreg. and Wash., 1st rept. from U.S., 367, 370
- *repens* var. *Ladino*: yellow patch (virus) in northeastern U.S., new strain in U.S., 367, 370
- Tulipa*: *Botrytis* blight, 172
- Turf, see Gramineae
- Tylenchorhynchus claytoni*, 373
- Ulmus* spp.: Dutch elm disease, 376; pit canker, 376
- Urocystis cepulae*, 366
- Uromyces caryophyllinus*, 169
- *phaseoli typica*, 380
- Vegetable crops: sclerotiniase disease, 376
- Vegetable diseases: Investigations in U.S. Dept. Agr., 1885-1950, 398; value of new fungicides for, 167
- Venturia inaequalis*, 139, 370
- Vermont, 126
- Verticillium* sp., on *Agaricus campestris*, 373
- *albo-atrum*, 366
- wilt, on *Fraxinus pennsylvanica* var. *lanceolata*, 366; *Mentha* spp., 373
- Victoria* blight, of oats, 368
- Virginia, 126, 366, 367, 369, 374, 378, 379, 559, 561
- Virus diseases: big-vein of lettuce, 378; cucurbits, 378; mosaic of barley, 368, sugar beet, 370, wheat, 369; mosaic (sugar beet) of annual yellow sweet clover, crimson clover and redroot amaranthus, 367, 369; mosaic (sugar beet virus, inoc. exp.) on various hosts, 370; rasp leaf of sour cherry, 367; ring spot, of sour cherry, 371; witches'-broom of *Juglans sieboldiana*, 372; yellow patch of *Trifolium repens* var. *Ladino*, 367, 370; yellows of carrot, fungicide tests for control of, 163; yellows of sour cherry, 371
- Walnut, see *Juglans*
- Warning service, plant disease, in 1950, 559-572
- Washington, 126, 366, 367, 371, 372, 375, 377, 380
- Watermelon: downy mildew, 166; *Fusarium* wilt, 377; gummy stem blight, 166, 377
- Watery rot, of cabbage, 377; cauliflower, 377
- Weather 1949, 364; 1950, 562, 563; influence on development and spread of *Phytophthora infestans* in inoc. potato plots, 19
- Weather injuries: winter injury to grape, 371
- Weather relations, late blight of potato and tomato, 559
- Web blight, of bean, 379
- West Virginia, 126, 561
- Wheat: *Cladosporium herbarum*, in Ky., 1st rept. from U.S., 366; leaf rust, 368; mosaic (virus) 369
- White mold, of bean 380, fungicide tests for control of, 161
- Wildfire, of tobacco, 374
- Wisconsin, 126, 561
- Wood-decaying fungi, of Ga., 374
- Xanthomonas campestris*, 377
- *citri*, 370

(*Xanthomonas*) *papavericola*,
 365, 372
 --- *pruni*, 148, 371
 --- *vesicatoria*, 161
Xiphinema americanum, 373

Yellow rust, of raspberry, fungicide
 tests for control of, 149
 Yellows, of cabbage, 366, 377
 Zonate leaf spot, of sorghum, 368

ERRATA

CORRECTIONS FOR SUPPLEMENT 192 (From PDR 34(7):215)

NATION-WIDE RESULTS WITH FUNGICIDES IN 1949. FIFTH ANNUAL REPORT.

CORRECTION: Our attention has been called to the omission of the active principle and source of M-294 used on muskmelons and reported on page 165 of Supplement 192. This material is cupric-N-nitrosophenylhydroxylamine, otherwise called copper cupferron, and was supplied by Sharples Chemicals, Incorporated, 317 Leconey Avenue, Palmyra, New Jersey. In the report submitted to us this material was also used as a spray against early blight on tomatoes with good results. Good results were obtained where 187 mgr. per square foot of the water-soluble ammonium salt as a soil treatment for damping-off in peppers was used. Greater concentrations inhibited growth. At the concentrations used in sprays this material was not toxic to muskmelons, tomatoes or string beans.

The results for downy mildew of onions reported on the bottom of page 163 should have been for Louisiana instead of Oregon. -- W. D. McClellan, Chairman, Sub-committee on Testing and Results of Newer Fungicides American Phytopathological Society.

(From PDR 34(12):415)

On page 167 of Supplement 192, "Nation-wide Results with Fungicides in 1949" it was reported that Robertson's Copper seemed to be ineffective against early and late blights of tomatoes and early blight of potatoes. It has been called to our attention that Robertson's Copper was as effective in controlling late blight of potatoes as the fixed coppers although both were less effective than the organic sulfurs. In limited tests Robertson's Copper looked promising for the control of early and late blight of tomato.

On page 178, paragraph 3, line 7, should read, "With both, the least effect" instead of maximum effect as given.

CORRECTIONS FOR SUPPLEMENT 193 (From PDR 34(8)240)

In Supplement 193, "Plant Disease Losses: Their Appraisal and Interpretation" by K. Starr Chester, please remember that Figure 7 on

page 236, Figure 17 on page 251, Figure 24 on page 311, and Figure 27 on page 321, have all been printed so that what should have been the top of the graph became the right-hand side. Thus, the lower edge for Figure 7 should be "Age of stand, years"; for Figure 17 "Age of basal wound (years)"; for Figure 24 the description of stages in development; for Figure 27 "Leafroll, %." -- Division of Mycology and Disease Survey.

CORRECTION FOR SUPPLEMENT 195
(From PDR 34(11):353)

In Supplement 195, on page 409, line 4, the variety name "Hales No.-45" should be changed to "Powdery Mildew Resistant Cantaloup No. 45". In line 9, "Powdery Mildew Cantaloup No. 6" should be changed to "Powdery Mildew Resistant Cantaloup No. 6".--S. P. Doolittle, Division of Fruit and Vegetable Crops and Diseases.