Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

RETAIL PRICE LIST

FALL 1934

WITH

DESCRIPTIONS AND PRONUNCIATIONS

ALSO SEE SPECIMEN LIST

GREENSBORO, N. C.

OFFICE AND NURSERIES

ADJOINING AIRPORT

ON HIGHWAY

STATE NO 60

U.S. NO 421

LIBRARY
RECEIVED
★ JAN 10 1935 ★
U.S. Department of Agriculture

INDEX

Broad-leaf Evergreens	20-28
Coniferous Evergreens	29-39
Distinctive Trees Shrubs	12-16
Garden Plants	16
Grasses, Ornamental	19
Ground Covers	11
Hedge Plants	19
Roses	Back Cover
Shade Trees	17-19
Shrubs, Flowering	2-11
Vines	39

Fruits and Berries	40-44
--------------------	-------

Our landscape men are in position to render you prompt and efficient service, not only to make the planting plan, but to look after the actual planting as well.

A cordial invitation is extended you to visit our extensive nurseries.

Prices f. o. b. nurseries.

Specially selected stock will be priced according to its value without regard to the price shown herein.

As to sizes: Items marked 3 to 4 ft., for instance, means that the plant will be 3 ft. and over, but under 4 ft.

FLOWERING SHRUBS

LEGEND; "Low growing" averaging from 2 to 4 feet in height. "Medium growing" averaging from 4 to 7 feet in height. "tall growing" averaging from 7 to 8 feet in height.

AMORPHA fruticosa.

(ah-mor'-fah) FALSE-INDIGO.

Medium growth, purple flowers midsummer.

2 to 3 ft .50

3 to 4 ft .65

ARALIA pentaphyllum.

(ah-ray'-li-ah) FIVE-LEAVED

ARALIA. Medium growth; foliage bright green adapted for banks and slopes.

18 to 24 in .40

2 to 3 ft .50

ARONIA arbutifolia.

(a-roh'-ni-ah) RED CHOKEBERRY.

Showy white flowers spring.

Red berries fall. Medium

growth. 2 to 3 ft .50

3 to 4 ft .65

4 to 5 ft .90

AMYGDALUS nana.

(ah-mig'-dal-us) FLOWERING

ALMOND. FLOWERS double pink, early spring, medium growth.

15 to 18 in .50

Amygdalus nana alba. WHITE

FLOWERING ALMOND.

18 to 24 in .50

2 to 3 ft .60

3 to 4 ft .75

BERBERIS thunbergi.

(bur'-ber-is) JAPANESE BAR-

BERRY. Flowers yellow, fruit red or coral, brilliant autumn coloration.

15 to 18 in .35

18 to 24 in .40

2 to 2½ ft .50

Berberis thun. atropurpurea.

RED-LEAF JAPANESE BARBERRY.

Medium growth; useful as specimen hedge or massing effect. 18 to 24 in .40

2 to 2½ ft .50

2½ to 3 ft .65

3 to 4 ft .90

Berberis thunbergi nana.

BOX-BARBERRY. Used effectively as a small trimmed hedge. Low

growing. 12 to 15 in .40

15 to 18 in .50

BUDDLEIA davidi. (bud'-lee-ah)

BUTTERFLY BUSH. Foliage gray-green, lilac flowers June

until frost. Medium growth.

2 to 3 ft .40

4 to 5 ft .60

Buddleia lindleyana. LINDLEY

BUTTERFLY BUSH. Medium growth, purplish violet fls. midsummer

2 to 3 ft .40

CALLICARPA americana.

(kal-kahr'-pah) Whirls of purple berries. Medium growth.

2 to 3 ft .50

Callicarpa purpurea. CHINESE

BEAUTY-BERRY. Violet-lilac berries early fall. Pendulous low growth.

2 to 3 ft .40

3 to 4 ft .50

CALYCANTHUS. (kal-i-kan'-thus)

SWEET SHRUB. Reddish brown fls. spring and early summer.

Medium growth.

18 to 24 in .40

2 to 3 ft .50

CELASTRUS scandens.

(se-las'-trus) AMERICAN BITTER-SWEET. Orange red berries retain color when cut and dried. Used on banks and rockeries.

18 to 24 in .40

2 to 3 ft .50

CERCIS canadensis. (sur'-sis)

See page no. 12.

Cercis chinensis. DWARF CHINESE REDBUD. Medium growth; rosy pink flowers early spring, larger and darker than native species.

18 to 24 in .40

2 to 3 ft .50

3 to 4 ft .65

4 to 5 ft .85

CLETHRA alnifolia. (kleth'-rah)

SWEET PEPPER BUSH. Dwarfish, fragrant white flowers late

summer. 15 to 18 in .40

18 to 24 in .60

CORNUS Kousa. (kaur'-nus)

JAPANESE DOGWOOD. White flower early summer; red berries.

3 to 4 ft .75

Cornus siberica alba.

RED TWIGGED DOGWOOD. Small white flowers spring.

2 to 3 ft .50

CYDONIA japonica.

(sy-doh'-ni-ah) JAPANESE

FLOWERING QUINCE. Red & pink flowers mixed. Early spring.

Medium growth.

18 to 24 in .40

2 to 3 ft .60

DESMODIUM penduliflorum.

(des-moh'-di-um) LESPEDEZA

FORMOSA. Conspicuous rosy flowers late summer; medium

growth. Clumps 4-6 in .50

" 5-7 in .65

DEUTZIA Pride of Rochester.

(deut'-si-ah) LARGE FLOWERING

DEUTZIA. Flowers tinged with pink, late spring, tall growth.

2 to 3 ft .35

3 to 4 ft .40

4 to 5 ft .50

EXOCHORDA grandiflora.

(ex-soh-kaur'-dah) PEARL BUSH.

White flowers early spring.

Tall growth.

2 to 3 ft .50

FORSYTHIA intermedia.

(for-sy'-thi-ah) BORDER GOLDEN BELL. Yellow flowers early spg before foliage. Medium growth.

2 to 3 ft .35

3 to 4 ft .40

4 to 5 ft .50

5 to 6 ft .65

Forsythia spectabilis. Most profuse bloomer of all, large golden yellow flowers, early spring. Medium growth.

2 to 3 ft .40

3 to 4 ft .50

4 to 5 ft .65

5 to 6 ft .90

Forsythia suspensa. WEEPING GOLDEN BELL. Drooping habit; excellent for banks; flowers yellow, spring. Medium growth.

2 to 3 ft .40

5 to 6 ft .75

HYDRANGEA arborescens grand.

(hy-dran'-jeah) SNOWHILL. Fls. large double white, summer.

Low growth.

15 to 18 in .40

18 to 24 in .50

Hydrangea paniculata grand.

PEEGEE HYDRANGEA. Flowers white very showy; late summer. Medium growth.

18 to 24 in .40

2 to 3 ft .50

Hydrangea opuloides. HOUSE

HYDRANGEA. Flowers pink and blue. Low growth.

Clumps .50

Hydrangea quercifolia. OAKLEAF

HYDRANGEA. White fls. splendid autumn coloring, prefers shade. Medium growth.

18 to 24 in .40

HYPERICUM moserianum.

(hy-per'-i-kum) GOLDENFLOWER.

Large showy yellow flowers summer. Low growth.

Clumps .50

- 6
 ILEX verticillata. (y'-leks)
 WINTERBERRY. Upright; bright
 red berries persisting 'till
 Christmas; not eaten by birds.
 2 to 3 ft .50
 3 to 4 ft .65
 INDIGOFERA gerardinana.
 (floribunda) (in-di-gof'-er-ah)
 INDIGO PLANT. Lilac-purple fls.
 summer. Medium growth.
 18 to 24 in .40
 JASMINUM nudiflorum.
 (jas'-mi-num) NAKED-FLOWERED
 JANUARY JASMINE. Low growth;
 fls. bright yellow, early spring
 15 to 18 in .35
 18 to 24 in .40
 2 to 3 ft .50
 KERRIA japonica fl. pl.
 (ker'-ri-ah) DOUBLE JAPANESE
 KERRIA. Medium growth; profuse
 double yellow flowers spring
 2 to 3 ft .60
 LIGUSTRUM ibota. Regals.
 (li-gus'-trum) IBOTA PRIVET.
 White fls. spring, black
 berries fall. Medium growth.
 2 to 3 ft .40
 3 to 4 ft .50
 4 to 5 ft .65
 LONICERA fragrantissima.
 (lon-i-seer'-rah) EARLY
 FRAGRANT HONEYSUCKLE. Fragrant
 white flowers, very early spg.
 Medium growth.
 18 to 24 in .40
 2 to 3 ft .50
 3 to 4 ft .65
 Lonicera lindleyana. LINDLEY
 HONEYSUCKLE. Pink flowers,
 Midsummer. Medium growth.
 2 to 3 ft .40
 3 to 4 ft .50
 4 to 5 ft .65
 Lonicera morrowi. MORROW HONEY-
 SUCKLE. Flowers white spring,
 red berries summer. Spreading
 habit. 2 to 3 ft .40
 3 to 4 ft .50
 4 to 5 ft .65

- Lonicera ruprechtiana*.
 MANCHURIAN HONEYSUCKLE.
 Flowers yellowish white,
 spring, red berries summer.
 2 to 3 ft .40
 3 to 4 ft .65
- Lonicera tatarica*. TARTARIAN
 HONEYSUCKLE. Flowers spring,
 red berries summer.
 2 to 3 ft .35
 3 to 4 ft .40
 4 to 5 ft .50
- Lonicera tatarica alba*. WHITE
 TATARIAN HONEYSUCKLE. Flowers
 white spg. red berries summer.
 3 to 4 ft .40
 4 to 5 ft .50
- Lonicera tatarica lutea*.
 YELLOW TATARIAN HONEYSUCKLE.
 Flowers white, yellow berries.
 4 to 5 ft .65
- Lonicera tatarica rosea*.
 PINK TATARIAN HONEYSUCKLE.
 Pink fls. spring; red berries
 summer. 3 to 4 ft .65
- Philadelphus avalanche*.
 (fil-ah-del'-fus) DWARF MOCK-
 ORANGE; graceful, arching.
 18 to 24 in .50
- Philadelphus coronarius*.
 SWEET MOCK-ORANGE. Profuse
 white fragrant fls. spring.
 Tall growth.
 18 to 24 in .35
 2 to 3 ft .40
- Philadelphus grandiflora*. BIG
 SCENTLESS MOCK-ORANGE. Flowers
 large white late spring.
 2 to 3 ft .40
 3 to 4 ft .50
- Philadelphus virginial*.
 VIRGINIAL MOCK-ORANGE. Flowers
 white semi-double, late spg.
 18 to 24 in .40
 2 to 2½ ft .50
- Rhodotypos kerroides*.
 (roh-doh-ty-pos) WHITE KERRIA
 White fls. spring, black bead-
 like berries. Medium growth.
 18 to 24 in .40
 2 to 3 ft .50

- RHUS canadensis* (aromatica)
(Roos) FRAGRANT SUMAC. Small
yellow fls. coral red fruits
summer, foliage aromatic.
Medium growth.
2 to 3 ft .40
3 to 4 ft .50
- ROSA rugosa*. F.J. GROOTENDORST.
Bright red fls. all summer. Med-
ium growth. 2 to 3 ft .60
- ROSA rugosa* SIR THOMAS LIPTON.
White fls. summer. Medium
growth. 2 to 3 ft .50
- SALVIA greggi*. (sal'-vi-ah)
AUTUMN SAGE. Flowers purplish
red, midsummer until frost.
Low growth.
12 to 18 in .40
- SPIRAEA bumalda*. (spy-ree'-ah)
Deep rosy pink, free flower-
ing all summer. Low growth.
18 to 24 in .40
2 to 2½ ft .50
2½ to 3 ft .65
- Spiraea prunifolia*. fl. pl.
BRIDAL-WREATH. Long spray
double white fls. practically
covering stems in early spg.
3 to 4 ft .50
4 to 5 ft .65
- Spiraea cantoniensis* fl. pl.
(reevesiana) REEVES SPIREA.
Clusters of double white fls.
completely cover the branches
in spring. Medium growth.
4 to 5 ft .65
- Spiraea thunbergi*. THUNBERG'S
SPIREA. Blooms early spring,
small white fls. before many
leaves appear. Low growth.
15 to 18 in .40
18 to 24 in .50
2 to 2½ ft .65
2½ to 3 ft .75
3 to 4 ft .90
- Spiraea tricocarpa*. KOREAN
SPIREA. White fls. late spring.
Medium growth.
2 to 3 ft .50

Spiraea vanhoutte. VAN HOUTTE
SPIREA. Clusters of white
flowers spring. Medium, grace-
ful growth.

2 to 3 ft	.40
3 to 4 ft	.50
4 to 5 ft	.75

STEPHANANDRA flexuosa.

(stef-ah-an'-drah) CUTLEAF

STEPHANANDRA. Compact habit,
foliage similar to small
maple leaf, fls. white. Medium
growth. 18 to 24 in

2 to 3 ft	.50
-----------	-----

SMYPHORICARPOS chenaulti.

(sim-foh-ri-kahr'-pos)

CHENAULT SNOWBERRY. Berries
red spotted with white. Medium
growth. 2 to 3 ft

3 to 4 ft	.50
-----------	-----

Symphoricarpos racemosus.

SNOWBERRY. Conspicuous white
berries fall. Best in partial
shade. Medium growth.

18 to 24 in	.50
-------------	-----

Symphoricarpos vulgaris.

CORAL-BERRY. Coral berries
fall. Medium growth.

2 to 3 ft	.35
-----------	-----

SYRINGA (si-rin'-gah) CHINESE

(rothomogensis) Slender grace-
ful habit, violet fls. spring.

2 to 3 ft	.50
-----------	-----

Syringa. DR. SCUTTER.

2 to 3 ft	.90
-----------	-----

Syringa. MARIE LeGRAYE. White
clusters single fls. spring.

18 to 24 in	.75
-------------	-----

2 to 3 ft	.90
-----------	-----

Syringa persica. PERSIAN LILAC.

Clusters fragrant lilac fls.
spring. Tall growth.

3 to 4 ft	.60
-----------	-----

4 to 5 ft	.75
-----------	-----

Syringa vulgaris. COMMON PURPLE LILAC. Fragrant lilac flowers spring. Tall growth.

2 to 3 ft .40

3 to 4 ft .50

4 to 5 ft .75

Syringa vulgaris alba. COMMON WHITE LILAC. Fragrant white flowers spring. Tall growth.

2 to 3 ft .40

3 to 4 ft .50

VIBURNUM nudum. (vy-bur'-num) SMOOTH WITHE-ROD. Flowers yellowish white spg. Pink berries summer turning bluish black in fall. Medium growth.

18 to 24 in .40

2 to 3 ft .50

4 to 5 ft .75

Viburnum opulus. HIGH BUSH CRANBERRY. White fls. cluster spring; bright scarlet berries in large bunches late fall and winter. Tall growing.

18 to 24 in .40

2 to 3 ft .50

3 to 4 ft .65

Viburnum opulus sterilis. COMMON SNOWBALL. CONSPICUOUS round headed white flowers. late spring. Tall growth.

18 to 24 in .40

Viburnum sieboldi. SIEBOLD VIBURNUM. Flowers creamy white spg. berries pink turning blue-black. Tall growth.

3 to 4 ft .65

Viburnum tomentosum. DOUBLEFILE VIBURNUM. Flat heads of fls. late spg. berries red to black. Medium growth.

18 to 24 in .40

2 to 3 ft .50

3 to 4 ft .65

VITEX agnus-castus. (vy'-teks) CHASE TREE. Lilac flowers mid-summer. Medium growth.

2 to 3 ft .50

3 to 4 ft .65

4 to 5 ft .90

WEIGELA amabilis candida.	
(wy-gee'-lah)WHITE WEIGELA.	
Large pure white flowers,late	
spring.Medium growth.	
3 to 4 ft	.50
4 to 5 ft	.65
5 to 6 ft	.90
Weigela floribunda.CRIMSON	
WEIGELA.Crimson flowers late	
spring.Medium growth.	
3 to 4 ft	.50
4 to 5 ft	.65
5 to 6 ft	.90
Weigela rosea.PINK WEIGELA.	
Showy pink flowers late	
spring. Medium growth.	
3 to 4 ft	.50
4 to 5 ft	.65
5 to 6 ft	.90
Weigela vanhoutte.VAN HOUTTEI.	
Carmine flowers late spring.	
Medium growth.	
4 to 5 ft	.65
5 to 6 ft	.90
- - - - -	

GROUND COVERS

Euonymus radicans colorata.	
(eu-on'-i-mus)CREEPING EUONY-	
MUS.Foliage tinged with red	
and purple in fall.	
2-year (100 \$25)	.35
3-year (100 \$35)	.50
HYPERICUM calycinum.	
(hy-per'-i-kum)AARON'S BEARD.	
Yellow flowers.	
Divisions	.25
4-6 in clumps	.50
PACHYSANDRA terminalis.	
(pak-i-san'-drah)JAPANESE	
SPURGE.Bright green foliage	
spring,prefers shade.	
3 inch pots (100 \$15).	.20
VINCA MINOR.(vin'-kah)	
PERIWINKLE.	
From beds(100 \$15)	.20
Clumps (100 \$30)	.40

DISTINCTIVE TREES AND SHRUBS

ACER palmatum atropurpureum.
(ay'-ser) RED-LEAF JAPANESE

MAPLE. Red foliage spring and
early summer. Best in sun. Tall
growth. 15 to 18 in 1.50
18 to 21 in 2.00

ALBIZZIA julibrissen.

(al-biz'-iah) MIMOSA. Pink fls.
midsummer. Tall irregular
growth. 8 to 10 ft 1.00
10 to 12 ft 2.00
12 to 14 ft 3.00

CATALPA bungei. (kah-tal'-pah)

UMBRELLA CATALPA. Useful in
formal planting.
5-6 ft std. 3-yr heads 1.50
6-7 ft " 3-yr " 2.00

CERCIS canadensis. (sur'-sis)

AMERICAN REDBUD. Rosy pink
flowers spring. Tall growing.
2 to 3 ft .40
3 to 4 ft .50

CORNUS florida. (kaur'-nus)

SINGLE DOGWOOD. Flowers white
spring. 3 to 4 ft 1.10
4 to 5 ft 1.50
6 to 7 ft 2.50

Also see SPECIMEN list

Cornus florida fl. pl. DOUBLE
FLOWERING DOGWOOD. White
flowers spring.

2 to 3 ft 1.00
3 to 4 ft 1.50
4 to 5 ft 2.00
5 to 6 ft 3.00

Cornus florida rubra. RED-
FLOWERING DOGWOOD. Spring

18 to 24 in 1.00
2 to 3 ft 1.50
3 to 4 ft 2.00

GYMNOCLADUS dioica.

(jim-nok'-lah-dus) KENTUCKY

COFFEE. Flowers greenish white followed by long reddish brown pods. Very picturesque.

2 to 3 ft 1.00

3 to 4 ft 1.50

HALESIA tetraptera.

(hay-lee'-shi-ah) GREAT SILVER BELL. Snow-white "bell shaped" flowers spring. Decorative brown winged fruits.

4 to 6 ft 1.00

HIBISCUS (hy-bis'-kus) ALTHEA

Late summer. Medium growth.

BOULE de FEU. Double bright

red. 2 to 3 ft .40

3 to 4 ft .50

4 to 5 ft .75

DUCHESS de BRABANT. Light red

double. 2 to 3 ft .40

LADY STANLEY. White shaded

rose. 2 to 3 ft .40

KOELRUTERIA. (kel-ro-tee'-riah)

GOLDEN RAIN TREE. Bright yellow

flowers midsummer. Tall

growth. 4 to 5 ft 1.25

5 to 6 ft 1.50

6 to 7 ft 2.00

7 to 8 ft 2.50

LAGERSTROMIA indica.

(lay-ger-stree'-mi-ah)

CRAPE MYRTLE. Pink, summer.

2 to 3 ft .40

3 to 4 ft .60

4 to 5 ft NR .90

4 to 5 ft B&B 1.50

5 to 6 ft B&B 2.50

6 to 7 ft B&B 3.50

Crape Myrtle. Purple, summer.

3 to 4 ft .60

4 to 5 ft NR .90

4 to 5 ft B&B 1.50

Crape Myrtle. Red, summer.

2 to 3 ft .50

3 to 4 ft .75

4 to 5 ft NR 1.00

4 to 5 ft B&B 1.50

MAGNOLIA purpurea.

(mag-noh'-li-ah) Purple

flowers spring. Medium growth.

2 to 2½ ft	B&B	2.50
2½ to 3 ft	B&B	3.25
3 to 3½ ft	B&B	4.00

MALUS. (may'-lus) FLOWERING CRAB
APPLE.ATROSANGUINEA. Carmine leaf,
single red flower.

4 to 5 ft	.75
5 to 6 ft	1.25
6 to 7 ft	1.50

CORONARIA. Wild Sweet Crab.

Double bluish pink flowers.

Early spring.

3 to 4 ft	.60
4 to 5 ft	.75
5 to 6 ft	1.25
7 to 9 ft	4.00

FLORIBUNDA. Japanese Flowering
Crab. Pink buds, white flowers.
Tall growth.

3 to 4 ft	.75
4 to 5 ft	1.00

HALLIANA. Single pink flowers.

4 to 5 ft	1.00
-----------	------

NEIDZWETZKYANA. Redvein Crab.

Twigs, flowers and fruit have
reddish hue.

6 to 7 ft	1.50
-----------	------

PRUNIFOLIA RINKI. Chinese

Apple. Pure white fls. early
spring followed by red and
yellow fruit.

4 to 5 ft	.75
5 to 6 ft	1.25

Also see SPECIMEN list

MORUS pendula. (moh'-rus) TEAS
WEeping MULBERRY.

3-yr heads	2.00
------------	------

PHOTINIA villosa.

(foh-tin'-i-ah) RED-BERRIED

PHOTINIA. White fls. spg. red
berries fall.

4 to 5 ft	.75
5 to 6 ft	1.25

PRUNUS persica. (proo'-nus)	
DOUBLE FLOWERING PEACH.	
Spring. RED - WHITE - PINK.	
3 to 4 ft	.50
4 to 5 ft	.75
Prunus pissardi. PURPLE-LEAF	
PLUM. Spg. blooming. Attractive	
purple foliage. Some fruit.	
4 to 5 ft	.75
5 to 6 ft	1.00
6 to 7 ft	1.25
7 to 8 ft	1.75

- - - - -

JAPANESE FLOWERING CHERRIES (Prunus)

KANZAN. Deep pink double fls.	
spring. New foliage copper	
color. Tall growth.	
5 to 6 ft	2.50
NADEN. Pale pink semi-double	
fls. spring. Tall growth.	
5 to 6 ft	2.50
YOSHINO. Pale pink fls. turning	
to purplish pink, spring. Same	
variety as around Tidal Basin	
Washington, D.C. Tall growth.	
5 to 6 ft	2.50
WEeping JAPANESE CHERRY.	
Pink flowers borne in pro-	
fusion on slender limbs which	
are pendulous, spring.	
STANDARDS 5-6 ft stems	5.00

- - - - -

SALIX caprea. (say'-liks) PUSSY	
WILLOW. Small bushy tree.	
Catkins appear before the	
leaves. 2 to 3 ft	.40
4 to 5 ft	.75
Salix vitellina aurea. RUSSIAN	
GOLDEN WILLOW. Weeping to	
semi-weeping, branches golden	
yellow. 2 to 3 ft	.40
3 to 4 ft	.50
4 to 5 ft	.75

SOPHORA japonica.

(soh-foh'-rah) CHINESE PAGODA
TREE. White pea-like flowers
midsummer. Conspicuous green
bark all winter.

3 to 4 ft .75

4 to 5 ft 1.25

5 to 6 ft 1.75

Also see SPECIMEN list

STYRAX japonica. (sty'-raks)

JAPANESE SNOWBALL. White "bell
shaped" flowers spring.

4 to 5 ft 1.00

5 to 6 ft 1.25

6 to 7 ft 1.50

UMBRELLA, Texas.

3 to 4 ft .75

4 to 5 ft 1.00

- - - - -

GARDEN PLANTS

ARTEMESIA. (ar-te-miz'-i-ah)

WORMWOOD. 2 - year .30

HIBISCUS. (hy-bis'-kus) MALLOW

MARVELS. Red Clumps .50

IRIS - - - - - Divisions

Japanese mixed colors .20

German .15

Cherion; lilac violet.

Donna Maria; white lilac.

Honorabile; yellow, brown.

Mrs. Horace Darwin, white.

Rembrandt; lilac-blue.

Spectabilis; deep purple.

Walhalla; lavender red.

OPHIPOGON. (of-i-oh-poh'-gon)

Snakesbeard. Low growth, long
narrow green foliage. Blue fls.
midsummer. Clumps .50

PEONIES. 3-5 eye Divisions .25

Festivia maxima; white flaked
carmine, early. The best.

Mme. Calot; pink, sulphur tint.

Duc. Wellington; yellow white.

Unnamed red and pink.

Felix crousse; ruby red.

Eduilis superba; rosy pink.

Marie Stuart; lavender.

SHADE TREES

ACER negundo. (ay'-ser) BOX-ELDER. Will grow where other trees fail; good for dry barren places and seashore.

See SPECIMEN list

Acer platanoides. NORWAY MAPLE. Wide rounded head of vigorous branches, height 30-50 feet.

6 to 8 ft		1.25
8 to 9 ft		1.50
10 to 12 ft	1½-2" cal	2.75
10 to 12 ft	2-2½" "	3.50
12 to 14 ft	1½-2" "	4.50
12 to 14 ft	2-2½" "	6.00

Also see SPECIMEN list

Acer saccharum. SUGAR MAPLE.

Tall and stately, rich colored foliage in fall. Height 40-60 feet.

6 to 7 ft	.90
7 to 8 ft	1.00
8 to 9 ft	1.25
9 to 10 ft	1.50
10 to 12 ft	2.25
12 to 14 ft	3.00

Also see SPECIMEN list

AESCULUS. (es'-keu-lus)

HORSECHESTNUT.

See SPECIMEN list

PLATANUS occidentalis.

(plat'-ah-nus) AMERICAN SYCAMORE. Broad leaf glossy above, downy beneath, trunk mottled greenish white. Height 40-60 feet.

7 to 8 ft	1.00
8 to 10 ft	1.50
10 to 12 ft	1½-2" cal 2.50
12 to 14 ft	2½-3" " 4.50
14 to 16 ft	2½-3" " 5.00

Also see SPECIMEN list

POPULUS caroliniana.

(pop'-eu-lus) CAROLINA POPLAR.

7 to 8 ft	.75
8 to 10 ft	1.00

Populus nigra italica.

LOMBARDY POPLAR. Tall slender rapid growing tree.

6 to 8 ft	.60
8 to 10ft	1.00

QUERCUS alba. (kwur'-kus) WHITE OAK. Large spreading habit, foliage red or purple in fall. See SPECIMEN list

Quercus nigra. WATER OAK. Leaves long and rounded at ends, slightly irregular. Height 40-50 feet.

8 to 10 ft	1.25
10 to 12 ft	2.00
12 to 14 ft 2" cal	3.50
12 to 14 ft 2½" cal	5.00

Also see SPECIMEN list

Quercus palustris. PIN OAK. Leaves brilliant scarlet in fall, desirable for street and avenue planting. 35-60 feet. height. Also see SPECIMEN list.

10 to 12 ft. 1½-2" cal	3.50
12 to 16 ft 2-2½" "	5.50

Quercus phellos. WILLOW OAK. Desirable for lawn or street planting; willow-like leaves, bright green.

6 to 7 ft	1.25
7 to 8 ft	1.50
8 to 9 ft	2.00
9 to 10ft	3.00
10 to 12ft	4.00

Also see SPECIMEN list

Quercus robur. ENGLISH OAK. See SPECIMEN list

Quercus rubra. RED OAK. Comparatively quick growth; rich autumn coloring.

6 to 7 ft	2.00
7 to 8 ft	2.50
8 to 9 ft	3.50

Also see SPECIMEN list

SALIX babylonica. (say'-liks)

WEeping WILLOW. Large tree
with drooping branches.

5 to 6 ft .75

6 to 7 ft 1.00

7 to 8 ft 1.50

8 to 9 ft 2.50

TILLIA Europea. (til'-i-ah)

EUROPEAN LINDEN.

See SPECIMEN list

ULMUS americana. (Ul'-mus)

AMERICAN ELM. Large spreading
fairly rapid growth.

7 to 8 ft 1.00

8 to 10 ft 1.50

10 to 12 ft 2.50

12 to 14 ft 2½" cal 3.50

Also see SPECIMEN list

Ulmus pumila. CHINESE ELM.

Form symmetrical head, small
glabrous leaves.

Irregular 6 to 7 ft 1.25

" 8 to 10 ft 1.75

- - - - -

GRASSES

ORNAMENTAL

BAMBUSA. (bam-beu'-sah) METAKE.

Tall growth, wide green foli-
age. Clumps .60

Bambusa verticillata.

Clumps .75

EULALIA. (eu-lay'-li-ah) ZEBRA

GRASS. Clumps .60

GYNERIUM. (ji-nee'-ri-um)

PAMPASS GRASS.

Clumps .60

- - - - -

HEDGE PLANTS

AMOOR River Privet.

1 - year per 100 8.00

2 - year per 100 10.00

BROAD-LEAF EVERGREENS

ABELIA grandiflora.

(a-beel'-i-a) GLOSSY ABELIA.

Medium growth. Pinkish white flowers all summer.

18 to 24 in	NR	.50
2 to 3 ft	NR	.65
2 to 3 ft	B&B	.90
3 to 4 ft	NR	.90
3 to 4 ft	B&B	1.25
4 to 5 ft	B&B	1.75

Aucuba japonica. (au'-keu-bah)

JAPANESE AUCUBA. Medium growth.

Glossy green leaf, prefers partial shade, red berries.

18 to 24 in	3.00
2 to 2½ ft	3.75

Aucuba japonica latimaculata.

GOLD DUST PLANT. Medium growth.

Glossy green leaf spotted yellow, red berries.

10 to 12 in	.75
12 to 15 in	1.25
18 to 24 in	1.75

Also see SPECIMEN list

AZALEA amoena. (ah-zay'-li-ah)

JAPANESE AZALEA. Low growth,

conspicuous purple red fls.

spring. 8 to 10 in	.75
10 to 12 in	1.00
12 to 15 in	1.25
15 to 18 in	2.00

Azalea hinodegiri. RED JAPANESE

AZALEA. Brilliant carmine pink flowers spring.

8 to 10 in	.90
10 to 12 in	1.25
12 to 15 in	1.50

Azalea ledifolia alba. SNOW

AZALEA. Fragrant flowers.

10 to 12 in	1.00
12 to 15 in	1.25
15 to 18 in	1.50

Azalea macrantha. RED SALMON

AZALEA. Glossy green leaves,
salmon red flowers late spg.

8 to 10 in	.65
10 to 12 in	.85
12 to 15 in	1.00
15 to 18 in	1.25
18 to 21 in	2.00

Azalea amuraski.

See SPECIMEN list

BERBERIS juliane. WINTERGREEN
BARBERRY.

10 to 12 in	1.50
12 to 15 in	2.00
15 to 18 in	2.50
18 to 24 in	3.00

Berberis wilsoni. WILSON'S

BARBERRY. Small yellow flowers
spring, fall crimson berries.

18 to 24 in	1.25
2 to 2 $\frac{1}{2}$ ft	1.75
2 $\frac{1}{2}$ to 3 ft	2.25
3 to 3 $\frac{1}{2}$ ft	3.50
3 $\frac{1}{2}$ to 4 ft	5.00
4 to 5 ft	6.50

BUXUS arborescens. (buk'-sus)

TREE BOX. Tall open growth.

18 to 21 in	1.75
21 to 24 in	2.00
24 to 27 in	2.50
27 to 30 in	3.25
30 to 33 in	3.75
33 to 36 in	4.25

Buxus sempervirens. BOXWOOD.

Medium growth.

10 to 12 in	1.00
12 to 15 in	1.25
15 to 18 in	1.50
18 to 21 in	2.25
21 to 24 in	2.75
24 to 27 in	3.25
27 to 30 in	3.75
30 to 33 in	4.50

Also see SPECIMEN list

*Buxus sempervirens rotundi-
folia*.

See SPECIMEN list

Buxux suffruticosa. OLD ENGLISH
DWARF BOX.

6 to 8 in	.65
8 to 10 in	1.25
10 to 12 in	1.75
12 to 15 in	2.75
15 to 18 in	4.00

Also see SPECIMEN list

COTONEASTER horizontalis.

(koh-toh-ne-as'-ter) ROCK

COTONEASTER. Low growth, small
box-like leaves, bright red
berries fall.

18 to 24 in	1.25
2 to 2½ ft	1.75
2½ to 3 ft	2.50

CYTISUS scoparius. (sit'-i-sus)

SCOTCH BROOM. Medium growth,
slender arching shrub with
yellow flowers spring.

2 to 3 ft	1.50
3 to 4 ft	2.25
4 to 5 ft	3.00

DASYLIRION serratifolium.

(daz-lee'-ree-on) SAWTOOTH

SOTAL. Spring margined leaves,
small whitish flowers on
very tall spikes. Midsummer.

18 to 24 in	1.50
2 to 3 ft	2.00

ELAEOAGNUS fruitlandi.

(el-e-ag'-nus) Large pointed
leaf, with silver underside,
pinkish white berry spring.

Fragrant flowers fall. Tall

growth. 2 to 3 ft	1.75
3 to 4 ft	2.00

Also see SPECIMEN list

Elaeagnus pungens. Glossy green
leaves. 2 to 3 ft

1.75

Also see SPECIMEN list

Elaeagnus pungens reflexa.

BRONZE ELEAGNUS. Tall growth,
small pointed foliage, crimson
berries spg. small fragrant
flowers fall.

See SPECIMEN list

Elaeagnus rotundifolia.

2 to 5 ft 1.75

Elaeagnus simoni.

2 to 3 ft 1.75

EUONYMUS patens. (eu-on'-i-mus)

Medium growth, bright green foliage and greenish white flowers spg. orange berries

fall. 12 to 15 in .75

15 to 18 in 1.00

18 to 24 in 1.25

2 to 2½ ft 1.75

2½ to 3 ft 2.25

3 to 3½ ft 3.00

Euonymus radicans. WINTER -

CREEPER. Dark green foliage; slow growth, self-clinging

vine. 2 to 2½ ft 3.00

3 to 3½ ft 4.50

ILEX crenata macrophylla.

(y'-leks) LARGE-LEAF JAPANESE

HOLLY. Medium growth. Black

Berries.

15 to 18 in 1.50

18 to 24 in 2.50

2 to 2½ ft 3.50

Ilex crenata microphylla.

SMALL-LEAF JAPANESE HOLLY.

Medium growth. Black berries.

12 to 15 in 1.25

15 to 18 in 1.50

18 to 24 in 2.50

2 to 2½ ft 3.50

Ilex Am. and hybrid Holly.

See SPECIMEN list

Ilex vomitoria. YUPOON. Tall

growth, makes very desirable specimen when sheared. Scarlet berries winter.

18 to 24 in 2.25

2 to 2½ ft 3.25

2½ to 3 ft 4.00

Also see SPECIMEN list
for other *Ilex*

JASMINUM floridum. (jas'-mi-num)
 EVERBLOOMING JASMINE. Golden
 yellow fls. all summer. Medium
 growth.

12 to 18 in	.75
18 to 24 in	1.00
2 to 3 ft	1.25

LAUROCERASUS caroliniana (lau-roh-
 -ser-as'-us) CAROLINA CHERRY

LAUREL. Tall growth, shining
 green lvs. One of the easiest
 shrubs to stand shearing for
 formal effect.

18 to 24 in	.90
2 to 3 ft	1.25
3 to 4 ft	2.25
4 to 5 ft	3.50

Also see SPECIMEN list

Laurocerasus officinalis.

ENGLISH LAUREL. Tall growth,
 broad shining foliage.

18 to 24 in	1.75
2 to 2½ ft	2.25
2½ to 3 ft	3.00

Also see SPECIMEN list

LIGUSTRUM JAPONICUM.

(li-gus'-trum) JAPANESE

PRIVET. Tall growth, broad
 green lvs. creamy white fls.
 clusters of purple berries.

2 to 3 ft	.75
3 to 4 ft	1.25
4 to 5 ft	2.00
5 to 6 ft	3.25

Also see SPECIMEN list

Ligustrum lucidum. LUCIDUM

PRIVET. Medium growth. Thick
 dark green foliage. White fls.
 spg. black berries fall.

18 to 24 in	.90
2 to 2½ ft	1.25
2½ to 3 ft	1.75
3 to 4 ft	3.00
4 to 5 ft	5.00

Ligustrum lucidum microphylla.
SMALL-LEAF DWARF LUCIDUM.

Compact habit; white flowers
summer. Medium growth.

15 to 18 in 1.10

18 to 24 in 1.50

Ligustrum ovalifolium variegatum. GOLDEN PRIVET. Yellow foliage mixed with green. Tall

growth. 2 to 3 ft NR .60

3 to 4 ft NR .90

3 to 4 ft B&B 1.25

4 to 5 ft B&B 2.00

5 to 6 ft B&B 3.00

Also see SPECIMEN list

Ligustrum quihoui. Narrow
glossy foliage. White fls. Clusters late fall. Tall growth.

2 to 3 ft NR .75

3 to 4 ft NR 1.10

3 to 4 ft B&B 1.50

4 to 5 ft B&B 2.50

5 to 6 ft B&B 3.50

Also see SPECIMEN list

Ligustrum sinense nana. DWARF
COMPACT PRIVET. Foliage small
slightly crinkled around edge.
Medium growth.

15 to 18 in .90

18 to 24 in 1.25

2 to 2½ ft 1.75

2½ to 3 ft 2.50

Ligustrum sinense pendula.

WEeping PRIVET. Light green
foliage entire summer. Medium
growth. 18 to 24 in spd 1.00

2 to 3 ft " 1.50

3 to 4 ft " 2.00

4 to 5 ft " 3.00

LONICERA nitida.

(lon-i-seer'-rah) SHINY HONEY-
SUCKLE. Small glossy lvs. fragrant
creamy white fls. fruit
bluish-purple. Low growth.

12 to 15 in 1.00

15 to 18 in 1.25

Also see SPECIMEN list

Lonicera pileate. Small creamy white fls. Bluish purple fruit. Low spreading growth.

10 to 12 in	spd	.75
12 to 15 in	"	1.25
15 to 18 in	"	2.00

MAGNOLIA grandiflora.

(mag-noh'-li-ah) SOUTHERN

MAGNOLIA. Large shiny leathery lvs. Fragrant white fls. Tall growth. 2 to 3 ft B&B

1.25

3 to 4 ft B&B

1.75

4 to 5 ft B&B

2.75

Also see SPECIMEN list

MAHONIA aquifolia.

(mah-hoh'-ni-ah) OREGON HOLLY-

GRAPE. Yellow fls. spg. Blue-black berries summer. Medium

growth. 18 to 24 in

1.25

2 to 2½ ft

1.75

Mahonia bealei (japonica) LEATH-

ER-LEAF HOLLYGRAPE. Prefers shade, large prickly foliage resembling holly. Yellow flowers spg. large blue-black berries summer. Tall growth.

18 to 24 in

1.25

2 to 2½ ft

1.75

2½ to 3 ft

2.50

3 to 3½ ft

3.25

NANDINA domestica. (nan-dy'-nah)

Foliage and berries turn red in fall. Creamy white flowers in spring. Medium growth.

10 to 12 in

.50

12 to 15 in

.65

15 to 18 in

.75

18 to 24 in

1.10

2 to 2½ ft

1.50

Also see SPECIMEN list

Nandina domestica albino.

Light green foliage, yellow berries in fall, does not change color; creamy white fls. in spring. Medium growth.

18 to 24 in

1.00

2 to 2½ ft

1.50

2½ to 3 ft

2.00

3 to 3½ ft

2.50

3½ to 4 ft

3.00

OSMANTHUS aquifolium.

(os-man'-thus) HOLLY OSMANTHUS

Glossy dark green holly-like leaf. Small fragrant white fls. spring. Tall growth.

15 to 18 in slender 1.50

18 to 24 in " 2.00

2 to 2½ ft " 2.75

Osmanthus fortunei. Has

slightly larger white fragrant flowers spring. Medium growth

12 to 18 in 1.25

15 to 18 in 1.75

18 to 24 in 2.25

PHOTINIA serrulata.

(foh-tin'-i-ah) EVERGREEN

PHOTINIA. Bright red foliage on ends of branches. Small yellowish-green fls. summer. Tall

growth. 15 to 18 in 1.25

18 to 24 in 1.75

2 to 2½ ft 2.50

2½ to 3 ft 3.00

3 to 4 ft 4.00

PYRACANTHA angustifolia.

(pir-ah-kanth'-thah) NARROW

LEAF FIRETHORN. Foliage long and narrow; fls. white spring, berries yellow turning to orange. Tall growing.

2 to 3 ft 1.25

3 to 4 ft 1.75

4 to 5 ft 2.50

PYRACANTHA crenulata.

18 to 24 in 2.00

2 to 2½ ft 2.50

Pyracantha coccinea. SCARLET

FIRETHORN. White fls. spring, orange berries fall. Medium

growth. 15 to 18 in 1.50

18 to 24 in 2.00

2 to 2½ ft 2.50

2½ to 3 ft 3.00

3 to 3½ ft 3.50

Pyracantha lalandi. LALAND FIRE-
THORN. White fls. spg. orange
berries fall. Tall growth.

18 to 24 in	1.00
2 to 3 ft	1.25
3 to 4 ft	1.75
4 to 5 ft	2.75
5 to 6 ft	3.75

Also see SPECIMEN list

Pyracantha yunnanensis. YUNNAN
FIRETHORN. White fls. spg. ber-
ries red late fall. Compact
spreading growth.

18 to 24 in	1.75
2 to 2½ ft	2.75
2½ to 3 ft	3.50
3 to 4 ft	4.50

STRANVAESIA davidiana.

(stran-vee'-si-ah) White fls.
followed by clusters of red
berries in fall.

18 to 24 in	1.50
2 to 2½ ft	2.00
2½ to 3 ft	2.50
3 to 4 ft	3.00
4 to 5 ft	3.50

Stranvaesia nussia. White fls.
reddish foliage in fall.
Open growth.

18 to 24 in	1.25
2 to 3 ft	1.50
3 to 4 ft	2.25

THEA bohea. (Thee'-ah) TEA PLANT.
Dark green foliage, fls. white.

12 to 15 in	1.50
18 to 24 in	2.25

VIBURNUM rhytidophyllum.

(vy-bur'-num) LEATHERLEAF

VIBURNUM. White clusters fls.
spg. red berries midsummer.
Medium growth.

2 to 5 ft	1.25
3 to 4 ft	2.00
4 to 5 ft	3.00

YUCCA filamentosa. (yuk'-ah)

ADAMS NEEDLES. Creamy white fls.
midsummer. Low growth.

Divisions	.35
Clumps	1.00

Yucca recurvifolia. CURVELLEAF

YUCCA. 3-year heavy 1.25

APPROXIMATE FORMS OF VARIOUS TYPES OF CONIFERUS EVERGREENS

Group 1

Prostrate or
Spreading Type

Group 2

Erect or Semi-
Spreading Type.

Group 3

Globular Type
Low growth

Group 4

Dwarf Pyramidal
Type. Low growth

Group 5

Cone or Specimen
Type. Attains Great
Height

Group 6

Pyramidal Type
Tall Growing

Group 7

Slender Type
Tall Growing

CONIFEROUS EVERGREENS

BIOTA orientalis. ORIENTAL
ARBORVITAE. Group 6. Light
green foliage. Tall growth.

2 to 3 ft	.90
3 to 4 ft	1.25
4 to 5 ft	2.25
5 to 6 ft	3.00

Also see SPECIMEN list

Biota aurea conspicua.

GOLDSPIRE ARBORVITAE. Group 6.
Golden yellow. Tall growth.

3 to 4 ft	2.50
4 to 5 ft	3.75
5 to 6 ft	5.00

Also see SPECIMEN list

Biota aurea nana. BERCKMANS
GOLDEN ARBORVITAE. Group 4.
Compact roundish shape. Golden
yellow foliage. Low growth.

12 to 15 in	1.00
15 to 18 in	1.25
18 to 24 in	2.00

Also see SPECIMEN list

Biota Bakeri. BAKERS ARBORVITAE.
Group 6. Foliage bluish green.
New growth tinged with yellow.

3½ to 4 ft	2.75
4 to 4½ ft	3.50
4½ to 5 ft	5.00
5½ to 6 ft	6.00

Biota compacta. SIEBOLD ARBOR-
VITAE. Group 6. Compact oval
shaped specimen. Medium growth.

15 to 18 in	.75
18 to 24 in	1.00

Also see SPECIMEN list

Biota pyramidalis.

ORIENTAL PYRAMIDAL ARBORVITAE
Group 6.

18 to 24 in	1.00
2 to 2½ ft	1.25
2½ to 3 ft	1.50
3 to 3½ ft	2.00
3½ to 4 ft	2.75
4 to 4½ ft	3.50

Also see SPECIMEN list

Biota texana glauca. TEXAS BLUE
ARBORVITAE. Group 6. Bluish
green foliage retains color
entire year.

See SPECIMEN list

CEDRUS atlantica. (see '-drus)
ATLAS CEDAR. Group 5. Branches
erect. Dark green needles.

2 to 2 $\frac{1}{2}$ ft	1.75
2 $\frac{1}{2}$ to 3 ft	2.10
3 $\frac{1}{2}$ to 4 ft	2.50
4 to 5 ft	3.50
5 to 6 ft	5.00

Also see SPECIMEN list

Cedrus deodora. DEODORA CEDAR.
Group 5. Light bluish green
needles. Tall tree pyramidal
habit. 15 to 18 in .75

Also see SPECIMEN list

CUNNINGHAMIA lanceolata.
(kun-ing-ham'-i-a) Group 5.
Long sharpe pointed needles,
light green foliage.

18 to 24 in	.90
2 to 2 $\frac{1}{2}$ ft	1.25
2 $\frac{1}{2}$ to 3 ft	1.75
3 to 3 $\frac{1}{2}$ ft	2.25
3 $\frac{1}{2}$ to 4 ft	3.00
4 to 4 $\frac{1}{2}$ ft	3.50
4 $\frac{1}{2}$ to 5 ft	4.25
5 to 6 ft	5.00

Also see SPECIMEN list

CRYPTOMERIA lobbi.
(krip-toh-meer'-riah) LOBB
CRYPTOMERIA. Group 5.

See SPECIMEN list

JUNIPERUS chin.densi.glauca.
(joo-nip'-er-us) DARK GREEN
JUNIPER. Group 4. Bluish green,
prickly foliage. Low dense
compact form.

2 to 2 $\frac{1}{2}$ ft	2.50
2 $\frac{1}{2}$ to 3 ft	3.00
3 to 3 $\frac{1}{2}$ ft	3.50

Jun. ch. den. glauca. variegated.

DWARF VARIEGATED GREEK JUNIPER. Group 4. Bluish-green foliage tinged with yellow.

18 to 24 in	1.75
2 to 2½ ft	2.50
2½ to 3 ft	3.00
3 to 3½ ft	3.50
3½ to 4 ft	4.00
4 to 4½ ft	5.00

Juniperus ch. pfitzeriana.

PFITZER JUNIPER. Group 2.

Bluish green foliage.

12 to 15 in	spd	.75
15 to 18 in	"	1.25
18 to 24 in	"	2.00
2 to 2½ ft	"	2.75
2½ to 3 ft	"	3.50
3 to 4 ft	"	5.00

Juniperus chin. Sargentii.

SARGENTI JUNIPER. Group 1.

12 to 15 in spd 1.50

Also see SPECIMEN list

Juniperus communis. COMMON JUNIPER. Group 6. Bluish green foliage. Holds color entire year with metallic hue. Prickly foliage.

18 to 24 in	.75
2 to 2½ ft	1.00
2½ to 3 ft	1.25
3 to 3½ ft	1.75
3½ to 4 ft	2.50
4 to 5 ft	4.00
5 to 6 ft	5.50

Also see SPECIMEN list

Juniperus communis depressa.

PROSTRATE JUNIPER. Group 1.

Foliage light green with purplish tints in winter.

2½ to 3 ft	spd	2.25
3 to 3½ ft	"	3.00
3½ to 4 ft	"	3.50

Also see SPECIMEN list

Juniperus com.depressa aurea.

PROSTRATE GOLDEN JUNIPER.

Group 1. New growth bright yellow golden color.

2	to	2½ ft	spd	2.00
2½	to	3 ft	"	2.50
3	to	3½ ft	"	3.00
3½	to	4 ft	"	3.50

Also see SPECIMEN list

Jun.com.depressa plumosa.

PLUMED SPREADING JUNIPER.

Group 1. Turns attractive color in winter.

15	to	18 in	spd	.90
18	to	24 in	"	1.00
2	to	2½ ft	"	1.50
2½	to	3 ft	"	2.25
3	to	4 ft	"	3.00
4	to	5 ft	"	4.00

Juniperus com.hibernica. IRISH

JUNIPER. Group 7. Bluish-green needle-like foliage. Metallic hue in winter.

15	to	18 in		.75
18	to	24 in		1.00
2	to	2½ ft		1.25
2½	to	3 ft		1.75

Also see SPECIMEN list

Juniperus horizontalis douglasi. WAUKEGAN JUNIPER. Group 2. Steel-blue turning purple in winter.

12	to	15 in	spd.	1.50
15	to	18 in	"	1.75

Juniperus japonica. JAPANESE

JUNIPER. Group 2. Rich green

foliage.	18	to	24 in	1.75
	2	to	2½ ft	2.25
	2½	to	3 ft	3.00

Juniperus jap.sylvestris.

Group 4. Upright grower, intense green foliage.

3	to	3½ ft		2.50
3½	to	4 ft		3.00
4	to	4½ ft		3.50
4½	to	5 ft		4.00
5	to	6 ft		5.00

Also see SPECIMEN list

Juniperus sabina. SAVIN JUNIPER
Group 2. Dark green plummy foliage.
18 to 24 in 1.50
2 to 2½ ft 2.25
Also see SPECIMEN list

Jun. sabina tamariscifolia.

TAMARIX SAVIN JUNIPER. Group 1.
18 to 24 in 1.25
2 to 2½ ft 2.00
2½ to 3 ft 3.00

Juniperus virginiana. RED CEDAR.
See SPECIMEN list

Juniperus virginiana cannarti.
CONNART RED CEDAR. Dark green foliage. Group 6.
See SPECIMEN list

Juniperus virginiana glauca.
BLUE VIRGINIA CEDAR. Group 6.
4 to 5 ft 5.00
5 to 6 ft 6.25
Also see SPECIMEN list

Juniperus virginiana schottii.
SCHOTT RED CEDAR. Group 6.
Dark green foliage.
4 to 5 ft 5.00
Also see SPECIMEN list

LIBOCEDRUS decurrens. INCENSE
CEDAR. Group 5. Bark reddish,
deep green foliage.
See SPECIMEN list

PICEA excelsa. (pys'-eh-a)
NORWAY SPRUCE. Group 5.
2 to 2½ ft 1.50
2½ to 3 ft 2.00
3 to 3½ ft 2.50
3½ to 4 ft 3.00
4 to 4½ ft 3.50
4½ to 5 ft 4.00
5 to 5½ ft 5.00
5½ to 6 ft 6.00

Also see SPECIMEN list

Picea pungens. COLORADO SPRUCE.
Group 5. Foliage tinged with
light blue.
4 to 4½ ft 4.00
4½ to 5 ft 4.75
Also see SPECIMEN list

Picea pungens glauca. COLORADO
BLUE SPRUCE. Group 5.

18 to 24 in 2.50

PINUS mughus. (py'-nus) MUGHO

PINE. Group 3. Blunt light
green needles.

10 to 12 in spd 1.00

12 to 15 in " 1.50

Also see SPECIMEN list

Pinus sylvestris. SCOTCH PINE.

Group 5. Short blunt, dark gray
green needles.

2 to 3 ft 1.50

3 to 4 ft 2.50

4 to 5 ft 3.50

Also see SPECIMEN list

Pinus thunbergi. J. PANESSE BLACK

PINE. Group 5. Stiff sharpe
bright green needles. Pyramidal
grower attaining great height.

2 to 3 ft 1.50

3 to 4 ft 2.50

4 to 5 ft 3.50

RETINISPORA obtusa crippsi

aurea. (ret-i-nos'-poh-rah)

CRIPPS GOLDEN CYPRESS. Group

4. Slow growing, pale golden

type. 12 to 15 in 1.50

15 to 18 in 2.00

Retinispora pisifera. SAWARA

RETINISPORA Group 6. Rich blue
ish green foliage. Loosely py-
ramidal. 18 to 24 in 1.25

2 to $2\frac{1}{2}$ ft 1.75

$2\frac{1}{2}$ to 3 ft 2.25

3 to $3\frac{1}{2}$ ft 3.00

$3\frac{1}{2}$ to 4 ft 3.50

4 to 5 ft 4.50

5 to 6 ft 6.00

Also see SPECIMEN list

Retinispora pisif. aurea. GOLDEN

SAWARA RETINISPORA. Group 6.

Bright yellow foliage spring.

18 to 24 in 1.50

$2\frac{1}{2}$ to 3 ft 2.50

3 to $3\frac{1}{2}$ ft 3.25

$3\frac{1}{2}$ to 4 ft 3.75

4 to $4\frac{1}{2}$ ft 4.50

$4\frac{1}{2}$ to 5 ft 5.50

Also see SPECIMEN list

Retinispora pisif. filifera.

THREAD RETINISPORA. Group 6.

Long stringy drooping branches

Bright green foliage.

18 to 21 in	2.00
-------------	------

21 to 24 in	2.50
-------------	------

2 to 2½ ft	3.00
------------	------

2½ to 3 ft	3.50
------------	------

Also see SPECIMEN list

Retinispora plumosa. PLUME RE-

TINISPORA. Group 6. Dark green

fine texture foliage.

2 to 2½ ft	1.50
------------	------

2½ to 3 ft	2.00
------------	------

3 to 3½ ft	2.75
------------	------

3½ to 4 ft	3.50
------------	------

4 to 5 ft	4.00
-----------	------

5 to 6 ft	5.00
-----------	------

Also see SPECIMEN list

Retinispora plumosa aurea. GOL-

DEN-PLUME RETINISPORA. Group 6.

New growth golden-yellow.

18 to 24 in	1.00
-------------	------

2 to 2½ ft	1.50
------------	------

2½ to 3 ft	2.00
------------	------

3½ to 4 ft	3.50
------------	------

4 to 4½ ft	4.25
------------	------

5 to 6 ft	5.00
-----------	------

Also see SPECIMEN list

Retinispora plumosa viridissima.

Dark bluish-green foliage.

Group 6.

18 to 24 in	2.00
-------------	------

2 to 2½ ft	2.50
------------	------

2½ to 3 ft	3.00
------------	------

3 to 3½ ft	3.50
------------	------

Also see SPECIMEN list

Retinispora squarrosa veitchi.

MOSS RETINISPORA. Group 6.

Feathery dense blue gray

foliage.

15 to 18 in	1.25
-------------	------

18 to 24 in	1.50
-------------	------

2 to 2½ ft	2.00
------------	------

2½ to 3 ft	2.50
------------	------

3 to 3½ ft	3.00
------------	------

3½ to 4 ft	3.75
------------	------

Also see SPECIMEN list

THUJA occidentalis. (thou'-yah) ...

AMERICAN ARBORVITAE. Group 6.

Slender pyramid with broad

base. 18 to 24 in .75

2 to $2\frac{1}{2}$ ft 1.00

$2\frac{1}{2}$ to 3 ft 1.50

3 to $3\frac{1}{2}$ ft 2.00

$3\frac{1}{2}$ to 4 ft 2.50

4 to 5 ft 3.00

Also see SPECIMEN list

Thuja occidentalis ellwangeri-
ana. TOM THUMB ARBORVITAE.

Group 4. Forms low broad blunt
pyramid. 15 to 18 in .75

18 to 24 in 1.00

2 to $2\frac{1}{2}$ ft 1.50

Thuja occidentalis filicoides.

FERN-LIKE ARBORVITAE. Group 6.

Compact narrow and upright.

Deep green foliage.

18 to 24 in 1.00

2 to $2\frac{1}{2}$ ft 1.25

$2\frac{1}{2}$ to 3 ft 1.75

3 to $3\frac{1}{2}$ ft 2.25

$3\frac{1}{2}$ to 4 ft 2.75

4 to 5 ft 3.50

5 to 6 ft 4.50

Also see SPECIMEN list

Thuja occidentalis globosa.

AMERICAN GLOBE ARBORVITAE.

Group 3. Compact globular

habit. 12 to 15 in .75

15 to 18 in .90

18 to 21 in 1.10

21 to 24 in 1.50

24 to 27 in 1.90

27 to 30 in 2.25

Also see SPECIMEN list

Thuja occidentalis hoveyi.

HOVEY ARBORVITAE. Group 3.

Bright green foliage spring.

12 to 15 in .75

15 to 18 in .90

18 to 24 in 1.25

2 to $2\frac{1}{2}$ ft 1.75

$2\frac{1}{2}$ to 3 ft 2.25

Thuja occidentalis lobbi. MOSS
ARBORVITAE. Group 6. Rich deep
blue green foliage.

18 to 24 in	1.25
2 to 2½ ft	1.75
2½ to 3 ft	2.25
3 to 3½ ft	3.00
3½ to 4 ft	3.50
4 to 5 ft	4.00

Also see SPECIMEN list

Thuja occidentalis lutea.

GEORGE PEABODY ARBORVITAE.

Group 6. Conspicuous golden yellow form.

18 to 24 in	1.50
2 to 2½ ft	2.00

Also see SPECIMEN list

Thuja occidentalis pyramidalis.

PYRAMIDAL ARBORVITAE. Group 6.

Bright green foliage.

18 to 24 in	1.00
2 to 2½ ft	1.25
2½ to 3 ft	1.50
3 to 3½ ft	2.00
3½ to 4 ft	2.75
4 to 4½ ft	3.50
4½ to 5 ft	4.50
5½ to 6 ft	5.50

Also see SPECIMEN list

Thuja occidentalis vervaneana.

VERVAENE ARBORVITAE. Group 6.

Greenish yellow foliage.

15 to 18 in	.85
18 to 24 in	1.00
2 to 2½ ft	1.25
2½ to 3 ft	2.00
3 to 3½ ft	3.00
4 to 4½ ft	4.25

Also see SPECIMEN list

Thuja occidentalis Wareana.

SIBERIAN ARBORVITAE. Group 4.

Light green foliage.

15 to 18 in	1.25
18 to 24 in	2.00
2 to 2½ ft	2.50
3 to 3½ ft	3.75
3½ to 4 ft	4.50

Also see SPECIMEN list

TSUGA canadensis. (tseu'-gah)
CANADA HEMLOCK. Group 5. Spreading horizontal branches, dark green needles.

15 to 18 in	1.50
18 to 24 in	2.00
2 to 2½ ft	2.50
2½ to 3 ft	3.00
3 to 3½ ft	3.75
3½ to 4 ft	4.25
4 to 4½ ft	5.00

VINES (Evergreen)

AKEBIA quinata. (au'-keu-bah)
FIVE-LEAF AKEBIA. Delicate foliage, purple flowers spg. deep green leaves all winter.

2 - year .50

HEDRA helix. (hed'-er-ah)

ENGLISH IVY.

3 - year .40

LONICERA brachypoda aurea.

(lon-i-seer'-rah)

4 - year .60

Lonicera heckrotti. EVERBLOOMING HONEYSUCKLE. Purplish fls. summer and fall.

4 - year .60

VINES (Deciduous)

AMPELOPSIS tricuspidata.

(veitchi) (am-pe-lop'-sis)

Brilliant autumn foliage; blue berries turning black.

3 - year .40

PUERARIA thunbergiana.

(peu-er-ay'-ri-ah) KUDZU VINE

Vigorous vine, purple fragrant flowers midsummer.

2 - year .40

WISTERIA sinensis. CHINESE

WISTERIA. (wis-tee'-ri-ah)

4 - year .60

Wisteria multijuga. JAPANESE

Wisteria. Late blooming.

3 - year .50

FRUITS

Listed in approximate order
of ripening.

PEACH TREES

	100	each
4 to 5 ft branched	\$25	.40
3 to 4 ft branched	\$20	.30
2 to 3 ft branched	\$15	--
Ask for one thousand rates		

MAYFLOWER. Earliest; medium size;
red all over; juicy and good.

Last of May. Semi-cling.

RED BIRD. Medium to large; red
blush; flesh creamy white,
very firm. Cling.

EARLY ROSE. Large, pointed, solid
red; flesh white, shaded red
and purple; very firm. Cling.

ARP BEAUTY. Medium to large.

Well colored; flesh yellow.

Good. Semi-cling.

CARMAN. Large; well colored;
good. Early July. Semi-cling.

CAMELLIA. Ripens with Carman,
which it somewhat resembles,
but better quality.

SLAPPEY. Medium to large;
pointed; rich yellow; flesh
deep yellow. Free.

EARLY ELBERTA. Golden yellow,
blending into red. Yellow
flesh. Good. Free.

HILEY BELLE. Rich creamy white,
with blush. White flesh; good.
Free.

CHAMPION. Medium to large;
highly colored; flesh creamy
white. Free.

ELBERTA. Large; golden yellow,
striped with red; flesh yellow,
juicy, sweet and good. Last
July to August 1st. Free.

INDIAN CLING. Medium, red flesh and skin. 2 to 3 ft only
 PRESTON CLING. Large; white skin with slight blush. Best quality
 SNOWBALL CLING. Large; yellowish white skin; flesh usually clear white.
 STUMP. Large; flesh red on creamy white ground. Free.
 J. H. HALE. Large; well colored flesh yellow. Free.
 AUGBERT. Large; superb quality; yellow flesh. Free.
 TIPPECANOE. Large; yellow with red blush. Cling.
 HEATH CLING. Large; white. Early September.
 SALWAY. Large; creamy yellow; flesh deep yellow, slightly red. Free.
 EATONS GOLDEN CLING. Medium; yellow. Late September.
 GLADSTONE. Large, roundish; flesh light yellow. Cling.

	PLUM TREES	each
3 to ft.	branched	.60

RED JUNE. Early; medium size. pointed; red skin; yellow flesh
 ABUNDANCE. Medium, roundish; skin yellow, purplish crimson; flesh yellow, juicy, subacid.
 BURBANK. Medium; cherry red; flesh deep yellow; sweet.
 WHITE KELSEY. Creamy color; delicious flavor.
 WICKSON. Large; carmine; flesh firm, sugary, delicious.
 SHROPSHIRE DAMSON. Medium; deep purple, juicy.

APPLE TREES

each

4 to 5 ft. branched .75

EARLY HARVEST. Medium; pale yellow. June.

YELLOW TRANSPARENT. Medium, roundish; skin pale yellow; flesh white, tender, juicy, sub-acid. June.

GRIMES GOLDEN PIPPEN. Medium; both skin and flesh a rich yellow; fine flavor. October.

ROME BEAUTY. Good size; yellow and bright red skin; flesh white tinged with yellow, firm. October.

DELICIOUS. The original. Red and yellow skin; flesh fine grained, juicy. Late fall and early winter.

STAYMAN. Medium to large; skin yellow and red with dots; flesh yellow, firm, tender, juicy; quality best.

MAMMOTH BLACK. Large; dark red; good.

WINESAP. Medium size; red on yellow skin; flesh yellow; universally good.

YORK IMPERIAL. Large, lop-sided; creamy skin shaded crimson; flesh yellow, crisp, acid. Late.

PEAR TREES

1.00

SECKEL. Small; yellowish brown with russet-red check; flesh rich, juicy, melting. Aug-Sept.

BARTLETT. Large; yellow; juicy, fine grained. Aug-Sept.

LeCONTE. Large; fair quality; upright grower. September.

KEIFFER. Large; skin yellow with vermillion cheek, very juicy, good quality when ripen to perfection.

APRICOTS. 3 to 5 ft .60

The fruit resembles both peach and plum in some particulars; fine quality. Should be planted in protected place.

NECTARINES. 3 to 5 ft .60

Very similar to peach, except it has a smooth skin. Two varieties.

EARLY VIOLET - - GRADY X

FIGS 2 feet .60

Brown Turkey; Brunswick; Celeste
Every home orchard should most certainly have several figs, to eat and preserve.

CHERRY TREES

3 to 5 ft. branched each 1.00

SWEETS. Ripen middle of May here.

TARTARIAN. Large; dark red, nearly black.

GOVERNOR WOOD. Large; light yellow.

SOURS. Ripen May 15th to 25th.

EARLY RICHMOND. Medium Red.

MAY DUKE. Medium dark red.

MONTMORENCY. Large; rich red.

PECAN TREES

STUART - - - - - SCHLEY

3 to 4 ft 1.10

4 to 5 ft 1.35

5 to 6 ft 1.65

6 to 7 ft 2.00

JAPANESE PERSIMMONS.

3 to 4 ft 1.00

ALMONDS. Hard-shell

3 to 4 ft .75

GRAPE VINES
2 - year .40

Ripen mostly in August

MOORES EARLY. Medium size; black.

CAMPBELLS EARLY. Clusters and berries large; black.

LUTIE. Large berries small bunches brownish red; best.

DELAWARE. Bunches and berries small; fine flavor.

NIAGARA. Bunches medium, berries large; white. Mid-season.

CONCORD. Large bunches and berries; black.

SCUPPERNONG AND JAMES .60

BERRIES AND SMALL FRUITS

Blackberry; Dewberry; Raspberry.
Ordinary sorts 10 \$1; 100 \$8.

Currants and Gooseberries .40

STRAWBERRIES, except everbearing. 100 \$2; 300 \$4.20; 1000 \$12.

Blakemore	Southland
Klondyke	Big Joe
Chesapeake	Gandy

PROGRESSIVE AND MASTODON
(Everbearing)

100 \$2.25; 300 \$6; 1000 \$15.

ROSES

Strong field grown - - - .60

- - - - - RED- - - - -

Ami Quinard
Charles K. Douglas
General Jacqueminot HP
Etoile de Hollande
Red Radiance
Syracuse

- - - - - PINK- - - - -

Betty Uprichard
Editor McFarland
Mrs. Charles Bell
Paul Neyron HP
Radiance
Rembrandt HP

- - - - - YELLOW - - - - -

Lady Hillingdon
Luxembourg
Sunburst

- - - - - WHITE- - - - -

Frau Karl Druschki
Kaiserine Augusta Victoria

- - TWO TONED TINTED- - - - -

Hoover
Talisman

- - - - - RAMBLERS- - - - -

American Pillar	Red
Cli.Amr.Beauty	"
Pauls Scarlet	"
Gardenia	Yellow
Pauls Lemon	"
Jacotte	Copper
Dr. W. Van Fleet	Pink
Mary Wallace	"
Silver Moon	White
Wichuriana	"

- - - EVERBLOOMING- - - - -

Cli. Meteor	Red
" Carolina Testout	Pink
" Killarney	"
" Ophelia	"
" Radiance	"
" Kaiserine	White
Marechal Neil	Yellow