50.
406
C97
730
121.
SWEET'S HORTUS BRITANNICUS;

OR,

A CATALOGUE OF PLANTS,

INDIGENOUS, OR CULTIVATED IN THE GARDENS

OF

GREAT BRITAIN;

ARRANGED ACCORDING TO THEIR

NATURAL ORDERS,

WITH

REFERENCES TO THE LINNEAN CLASS AND ORDER TO WHICH EACH GENUS BELONGS;

THE WHOLE BROUGHT UP TO THE PRESENT TIME,

AND CONTAINS

Above 34.000 Plants;

By far the greatest Number ever before published in any Garden Catalogue of this or any other Country; with their Generic and Specific Names, Habitats, when introduced to this Country, Times of Flowering, Colours of the Flowers, Accentuations; and numerous other Arrangements, for the first Time introduced, with all the most useful Synonyms.

SECOND EDITION.

BY ROBERT SWEET, F.L.S.

*Author of Hortus Suburbanus Londinensis; Botanical Cultivator; Geraniaceæ; Cistineæ;
British Flower Garden; Flora Australasica; Florist's Guide; the British Warblers, &c.*

LONDON:

JAMES RIDGWAY, 169, PICCADILLY.

1830.

TILLING, PRINTER, GROSVENOR ROW, CHELSEA.

THE rapid sale of the last edition, at once shows the preference given to the superiority of the Natural Arrangement, over that of the Linnean, for a Garden Catalogue, as it brings together all the plants that are nearest related to each other, and which have a general similarity by which any person, who already has a tolerable knowledge of plants, may give a good guess at first sight to what family, or Order, any plant or specimen they possess may belong to, or is related; this gives a pleasing idea, that is not to be met with by the Linnean Botanist, as he only looks at the Stamens and Styles to see what Class and Order it belongs to, without ever thinking to what else it is allied; but we still consider the addition of the Linnean Classes and Orders, of great use, as they are so readily attained by the young Botanist, though he should always keep the natural arrangement in view.

The pains we have taken with the present edition may be readily supposed, by the length of time it has taken us to get through it; and had it not been for the kindness and liberality of A. B. Lambert, Esq. who always admitted us to his Library with pleasure, we should certainly not have been able to have made it so complete; he is also so kind as to give us information of new plants or importations that he hears or knows of, for which we now return him our sincere thanks.

Mr. David Don, Librarian of the Linnean Society, we feel much obliged for his readiness in procuring us any books or specimens we wish to examine, and also inform us of any new publications that we may not have heard of.

The Linnean collection of specimens being now in the Linnean Society's collection, has enabled us to clear up many doubts and mistakes, by examining Linnaeus's original specimens, several of which we intend setting to rights by publishing figures of them in our British Flower Garden, many of the very common plants having been confused with others, or were considered in a doubtful state.

To Robert Barclay, Esq. of Bury Hill, we also feel greatly obliged for his kindness in sending us specimens of the numerous new plants that are continually flowering in his delightful garden, where rarities are without end; and we must not forget his gardener, Mr. D. Cameron, to whose merit may be attached the highly cultivated state of the plants, and to whom we are indebted for the names of many that have not yet flowered, and that we should not have otherwise known were in the country.

We have also to return our thanks to A. H. Haworth, Esq. for his liberality in presenting us with all his papers as soon as published, of the new and rare succulent plants and bulbs, published in Taylor's Philosophical Magazine.

To the Honourable and Reverend William Herbert we are indebted for the arrangement of the genus *Crinum*, and for the names of the hybrid species of *Amaryllideæ* raised by him, and those that he possesses, which have been raised in other collections, and the references by whom, or at what place they were raised, which is added in the column of Native, and the two parents from which they originated is given, where known: the whole of which are marked with W. H.; he has also been so kind as to furnish us with a list of many other new plants, that have flowered with him, and that had not before been known in our collections.

We also return our thanks to Mr. G. Charlwood, for his readiness in lending us any Botanical publications that we did not ourselves possess, his collection consisting of many rare and valuable botanical works.

To Mr. William Anderson, the worthy Curator of the Apothecaries' Company's Garden, at Chelsea, we are also much indebted, for his kindness in allowing us to copy his catalogues of newly introduced plants, and for his observations on their habit and culture; and to numerous other Gardeners and Nurserymen we return our best thanks, for their kindness and attention to forward our researches.

We flatter ourselves that our Subscribers will be well satisfied with the present edition, as it contains all the new arrangements and improvements up to the present time, that no other Catalogue, however new, can boast of; we have also been careful what we have inserted, not to put in thousands of plants that were never in the country, nor likely ever to be, a plan sometimes resorted to, to swell the size of the book, and to show a great number of names, but we believe there would be a difficulty to find the plants, should they be sought for. As for its being entirely free from errors, we will not assert, as we have no doubt but some may be found, but none, we believe, of much consequence. We now conclude, with our sincerest thanks to our numerous Subscribers, and hope we shall continue to merit their favour and approbation, as we shall always do our utmost endeavours to give them satisfaction.

October, 1830.

REFERENCE TO THE BOOKS,

IN WHICH THE FIGURES REFERRED TO, ARE PUBLISHED.

- Abb. ins.* The Natural History of the rarer Lepidopterous Insects of Georgia, collected from the observations of J. Abbott, by J. E. Smith, 1797. 4to.
- Act. Stock.* Kongl. Vetenskaps Academiens Handlingar. Stockholm, 1739. 8vo.
- A.DC.* Decandolle (Alphonso.) Monographie des Campanulees. Paris. 1830.
- All. auct.* Allioni (Carolus.) Auctuarium ad floram Pedemontanam. 4to. Taurini. 1789.
- All. m. taur.* Car. Allionii Miscellanea Philosophico-mathematica Societatis privatae Taurinensis.
- All. ped.* Car. Allionii Flora Pedemontana.
- Alp. Egypt.* Alpinus (Prosper.) De Plantis Egypti liber. 1 vol. 4to.
- Alp. ex.* Alpinus (Prosper.) De Plantis Exoticis, libri duo. 4to. 1629.
- Amm. ruth.* Amman (Johan.) Stirpium rariorum in imperio Rutheno sponte provenientum Icones et Descriptiones. 4to. Petropoli. 1739.
- Amoen. ac.* Caroli Linnæi Amoenitates academicæ. 8vo.
- And.bot.rep.* Andrews (Henry.) The Botanist's repository for new and rare plants. 4to. 1797. et seq.
- Ana. geran.* Andrews (Henry.) Geraniums, or a monograph of the genus Geranium. 1805. seq. 4to.
- And. heaths.* Andrews (Henry.) Coloured engravings of Heaths, with botanical descriptions. fol. and 8vo. 1802, 1809, et seq.
- Ann. bot.* Annals of Botany, by C. König and J. Sims. 1805. 8vo.
- Ann. mus.* Annales du Museum d'Histoire naturelle, par les Professeurs de cet établissement. 1802. seq. 4to.
- Ap. to B. Field's trav.* Appendix to Baron Field's Travels. 4to.
- Ard. mem.* Memorie di osservazioni, e di sperienze sopra la coltura, e gli usi di varie piante, da P. Arduino. Padova. 1766. 4to.
- Ard. sag. pad.* Arduino (Pietro.) Saggi di Padova.
- Ard. spec.* Arduino (Pietro.) Animadversionum botanicarum Specimen. 4to. Patavii. 1759.
- Asso. arrag.* De Asso (Ignatius.) Synopsis Stirpium indigenarum Arragoniæ. 4to. Marsiliæ. 1779.
- Aub. Thou. obs.* Aubert Du Petit Thouars Plantes des îles de l'Afrique australe. 4to. 1804.
- Aub. guî.* Histoire des plantes de la Guiane Française, par M. Fusée Aublet. 1775. 4to.
- Balb. act. taur.* } Miscellanea Botanica. 4to.
Balb. misc. taur. } ex Actis Academiæ Taurinensis exserta. 1804.
- Balb. h. taur.* Horti Academici Taurinensis stirpium minus cognitarum aut forte novarum icones et descriptiones. Taurini. 1811.
- Banks ic. Kämp.* Banks (Josephus.) icones selectæ Plantarum quas in Japonia collegit et delineavit E. Kämpfer. fol. 1791.
- Banks. rel. Hous.* Reliquia Houstounianæ. 4to. 1781.
- Barr. ic.* } Plantæ per Galliam, Hispaniam,
Barr. rar. } et Italiam, observatæ, Iconibus æneis exhibitæ a Jac. Barreliero. 1714. fol.
- Bart. med. bot.* Barton (Benj. Smith.) Collections for an essay towards a materia medica of the United States. 1 fasc. in 8vo. Philadelphia. 1798.
- Bartr. it.* } Bartram (William.) Travels
Bartr. trav. } through North and South Carolina, Georgia, and Florida. 8vo. Philadelphia. 1791.
- Bauer. n. hol.* Bauer (Ferdinand.) Illustrationes floræ novæ Hollandiæ. fol. 1813.
- Bauh. hist.* Bauhin (Johannes.) Historia Plantarum universalis. fol. 1651.
- Bauh. prodr.* Caspar Bauhini προδρομος Theatri Botanici. Basileæ. 1671. 4to.
- Beau. fl. ow.* Palisot de Beauvois flore des royaumes d'Oware et de Benin. fol. 1805.
- Bell. act. taur.* Bellardi (Ludovico.) Memoires de l'Academie Royale des Sciences de Turin. 4to. 1782.
- Berg. act. holm.* Bergius (Pehr. Jonas.) Kongl. Vetenskaps Academiens Handlingar. 8vo. 1739.
- Berg. cap.* Petr. Jon. Bergii descriptiones Plantarum ex Capite bonæ spei. 1769. 8vo.
- Berg. phyt.* Bergeret Phytomatotechnie universelle. fol.
- Berr. in As. res.* Berry in Asiatic Researches, or Transactions of the Society instituted in Bengal. 4to. 1788.
- Besl. eyst.* Besler (Basilius.) Hortus Eystetensis. fol. 1612.
- Bieb. cent.* Bieberstein (Marshall von.) Centuriæ plantarum rariorum Rossiiæ meridionalis. Charkoviæ.
- Big. med. bot.* Bigelow (Jac.) American Medical Botany. 4to. 1817.
- Biv. Bern. st. rar.* Bivona Bernardi. Stirpium rariorum minusque cognitarum in Sicilia provenientium Descriptiones. 4to. 1813.
- Biv. cent. pl.* Bivona Bernardi (Antonin.) Sicularum Plantarum Centuria prima. 8vo. 1806.

- Blackw.* Blackwell (Elizabeth.) A curious Herbal, containing 500 Cuts of the useful Plants. fol. 1737.
- Blum. fl. jav.* Blume (C. L.) Flora Java, &c. fol. 1829.
- Boc. Mus.* Boccone (Paolo.) Museo di Pianta rare della Sicilia, Malta, Corsica, Italia, Piemonte e Germania. 4to. 1697.
- Boc. sic. rar.* Boccone (Paolo.) Icones et Descriptiones rariorum Plantarum Siciliae, Melitæ, Galie et Italiæ. 4to. 1674.
- Boer. lugd.* Herm. Boerhaave Index alter Plantarum quæ in horto Academiæ Lugduno Batavæ aluntur. 4to. 1720.
- Boiss. fl. eur.* De Boissieu (C. V.) Flore d'Europe. 8vo. 1805.
- Bolt. fil.* Bolton (James.) Filices Britanniae. 4to. 1785.
- Bonp. mon.* Bonpland (Aimé.) Monographie des Melastomes et autres Plantes de cet ordre. fol. 1809.
- Bonp. nav.* Bonpland (Aimé.) Description des Plantes rares cultivées a Malmaison et a Navarre. fol. 1813.
- Bory. it.* } Bory de St. Vincent (J. B. M.)
Bory. voy. } A Voyage en Espagne a travers les royaumes de Galice, Leon, etc. 8vo.
- Bot. mag.* Curtis's Botanical Magazine, continued by J. Sims, J. Bellenden Ker, and W. J. Hooker. 8vo.
- Bot. reg.* Edwards (Sydenham.) The Botanical Register. descr. by J. Bellenden Ker. 8vo. 1815. continued by J. Lindley.
- Bot. rep.* Andrews (Henry.) The Botanist's Repository for new and rare Plants. 4to. 1797.
- Braam ic. chin.* Braam's Icones Chinesis.
- Bradd. Suc.* Bradley (Richard.) Historia Plantarum succulentarum. 4to. 1716.
- Braun. Salz.* De Braune (Franz. Ant.) Salzburgerische flora. 8vo. 1791.
- Breyn. cent.* Breynius (Jacobus.) Exoticarum Plantarum centuria. fol. 1678.
- Breyn. ic.* Breynii (J.) Icones rariorum et exoticarum Plantarum. 4to. 1739.
- Brong. rham.* Brongniart (Adolph.) Dissertation des Rhamnees. 4to. Paris.
- Brot. phyt.* Brotero (Felix Avellar.) Phytophographia Lusitanie selectior. fol. 1801.
- Brown. gen. rem.* Brown (Robert.) General Remarks, Geographical and Systematical, on the Botany of Terra Australis. 4to. 1814.
- Br. Jam.* } Browne (Patrick.) The Civil
Brown. Jam. } and Natural History of Jamaica. fol. 1756.
- Bruces. tr.* Bruce (James.) Travels to discover the source of the Nile. 4to. 1790.
- Buchoz. ic. col.* Buchoz (Pierre Joseph.) Collection des fleurs qui se cultivent tant dans les Jardins de la chine que dans ceux d'Europe. fol.
- Bull. herb.* Bulliard. Herbar de la France. fol. 1780.
- Burm. afr.* } Burmann (Johannes.) Rariorum
Burm. dec. } Africanarum Plantarum. 4to. 1738.
- Burm. Ind. Nic. Laur.* Burmanni Flora Indica. 4to. 1768.
- Burm. zeyl.* Burmann (Johannes.) Thesaurus Zeylanicus. 4to. 1737.
- Buxb. cent.* Buxbaum (Joh. Christ.) Plantarum minus cognitarum Centuriæ quinque. 4to. 1728.
- Camer. hort.* Camerarius (Alexander.) Hortus Medicus et Philosophicus. 4to. 1588.
- Cates. car.* Catesby (Mark.) The Natural History of Carolina & Florida. fol. 1741.
- Cav. diss.* Cavanilles (Ant. Jos.) Monadelphiae classis Dissertationes decem. 4to. 1785.
- Cav. ic.* Cavanilles (Ant. Jos.) Icones et Descriptiones Plantarum quæ aut sponte in Hispania crescunt aut in hortis hospitantur. fol. 1791.
- Chabr. sci.* Chabrey (Dominicus.) Omnium Stirpium Sciagraphia. fol. 1677.
- Chois. p. hyp.* } Choisy (J. D.) Prodrômus d'
Chois. m. h. } une monographie de la famille des Hypericinees. 4to. 1821.
- Chois. selag.* Choisy (J. D.) Memoire sur la famille des Selaginees. 4to. Geneva. 1823.
- Clus. hist.* Clusius seu l'Ecluse (Charles de.) Rariorum Plantarum Historia. fol. 1601.
- Col. ecphr.* Columna (Fabius.) Minus cognitarum stirpium Ecphrasis. 4to. 1616.
- Col. phyt.* Columna (Fabius.) Phytobasanos. 4to. 1592.
- Col. h. rip.* Colla Hortus Ripulensis. 4to.
- Com. hort.* Commelyn (Casp.) Horti Medici Amstelodamensis rariorum Plantarum descriptio et icones. fol. 1703.
- Comm. petrop.* Commelyn (Casp.) Commentarii Academiæ Scientiarum imperialis Petropolitane. 4to. 1728.
- Comm. prael.* Commelyn (Casp.) Praeludia Botanica ad publicas Plantarum demonstrationes. 4to. 1703.
- Comm. rar.* Commelyn (Casp.) Horti Medici Amstelodamensis Plantæ rariores et exoticæ. 4to. 1706.
- Cook. et.* Cook (J.) Voyages, 2 vols. 4to. 1777.
- Corn. can.* Cornuti (Jacob.) Canadensium Plantarum aliarumque nondum editarum historia. 4to. 1635.
- Crantz. aust.* Crantz (Hen. Joh. Nepom.) Stirpium austriacarum. 8vo. 1762.
- Cup. pan.* Cupani (Franciscus.) Catalogus plantarum Sicularum noviter detectarum. Panormi, 1652.
- Curt. lond.* Curtis (William.) A catalogue of the plants growing wild in the environs of London. fol. 1774. et seq.
- Cyrl. ic. fasc.* } Cyrilli (Dom.) Plantarum rariorum regni Neapolitani
Cyr. neap. } fasciculus. 1778. fol.
- Dalech. lug.* Dalechamps (Jacques.) Historia generalis plantarum. fol. 1586.
- Dard. trait. ren.* D'ardenne (Jean Paul Rome.) Traite des Renoncules. 8vo. 1746.
- DC. an. mus.* De Candolle (Augustin Pyramus.) Annales du Museum d'histoire naturelle. 4to. 1802.

- DC. astr.* De Candolle (Augustin Pyramus.) Astragalogia. 4to. et fol. 1802.
- DC. dis. cact.* De Candolle (Aug. Pyr.) Revue de la famille des Cactees. 4to. Paris. 1829.
- DC. h. mons.* De Candolle (Augustin Pyramus.) Catalogus plantarum horti botanici Monspelienensis addito observationum circa species novas aut non satis cognitatas fasciculo. 8vo. 1813.
- DC. ic. gall. rar.* De Candolle (Augustin Pyramus.) Icones plantarum Galliae rariorum. 4to. 1808.
- DC. leg. mem.* De Candolle (Augustin Pyramus.) Memoires sur la famille des Legumineuses. 4to. 1826.
- DC. mem. mus.* De Candolle (Augustin Pyramus.) Memoires du Museum d'histoire naturelle. 4to. 1815.
- DC. mem. umb.* De Candolle (Aug. Pyr.) Memoire sur la famille des Ombelliferes. 4to. Paris. 1829.
- DC. plant. grass.* De Candolle (Augustin Pyramus.) Plantarum historia succulentarum. Fasc. 28. 1799.
- Debr. flor. nov.* De Bry (Joannes Theodor.) Florilegium novum. fol. 1612.
- Delil. ægyp.* } Delile (Alire Rafeneau.) Memoires botaniques extraits de la Description de l'Egypte. fol. 1813.
- Del. fl. æg.* }
- De la Roch. dis.* De La Roche (Daniel.) Specimens botanicum inauguralis sistens descriptiones plantarum aliquot novarum. 4to. 1766.
- Deless. ic. sel.* Delessert (Benj.) Icones selectæ plantarum in system. univers. descriptarum. 4to. 1820.
- Descrip. de Egypt.* Description de l'Egypte on Recueil des observations et des recherches faites pendant l'expédition de l'armée Française. 4to. et fol. 1810.
- Desf. act. par.* Desfontaines (Rene Louiche.) Mémoires de l'Académie Royale des Sciences. 4to. 1666.
- Desf. atl.* Desfontaines (Rene Louiche.) Flora atlantica. 4to. 1798.
- Desv. j. bot.* Desvaux. Journal de Botanique. 8vo. 1808.
- D. et H.* Drevès et Hayne. Choix de Plantes de l'Europe. fasc. 4. 1802.
- Dill. elt.* Dillenius (Joh. Jac.) Hortus elthamensis. fol. 1732.
- Dill. musc.* Dillenius (Joh. Jac.) Historia muscorum. 4to. 1741.
- Dodart mem.* Dodart (Denys.) Mémoires pour servir à l'Histoire des Plantes. fol. 1676.
- Dod. pemp.* Dodart (Denys.) Stirpium historia pemptades. fol. 1583.
- Du Fresn. Val.* Dufresne (Pierre.) Histoire naturelle et medicale de la famille des Valerianeæ. 4to. 1811.
- Duh. arb.* Duhamel du Monceau (Henry Louis.) Traite des arbres et arbustes qui cultivent en France en pleine terre. 4to. 1755.
- Duham. ed. nov.* Duhamel du Monceau (Henry Louis.) Traites des arbres et arbustes qui se cultivent en pleine terre en France. fol. 1801.
- Dun. mon.* Dunal (Michel Felix.) Monographie de la Famille des Anonaceæ. 4to. 1817.
- Dunal. solan.* Dunal (Michel Felix.) Histoire naturelle medicale et economique des Solanum et des genres qui ont ete confondus avec eux. 4to. 1813.
- Ehret pict.* Ehret (Georg. Dion.) Planta et Papilionis rariores. fol. 1748.
- Eng. bot.* English Botany. By J. E. Smith; the Figures by J. Sowerby. 8vo.
- Exot. bot.* Exotic Botany. By J. E. Smith; the Figures by J. Sowerby. 8vo.
- Ferr. hesp.* Ferrari (Joh. Bapt.) Hesperides, sive de malorum aureorum cultura et usu. fol. 1646.
- Feuillee (Louis.)* Journal des observations Physiques, Mathématiques et Botaniques faites dans l'Amerique meridionale. 4to. 1814.
- Feuil. obs.* }
- Feuil. per.* }
- Fl. dan.* Icones plantarum sponte nascentium in regnis Daniae et Norvegiae, etc. fol. 1761.
- Fl. lap.* Linnæus s. von Linne (Carolus.) Flora Laponica. 8vo. 1737.
- Flor. græc.* Flora Græca J. E. Smith. fol. 1552.
- Flor. mex. ic. ined.* Sesse et Mocinno. Flora Mexicana Icones ineditæ.
- Fl. per.* Ruiz (Hippol.) et Pavon (Jos.) Flora Peruviana et Chilensis. 8vo. 1798.
- Flugg. an. mus.* Flugge (Johan.) Annales du Museum d'Histoire naturelle. 4to.
- Fraser mon.* Fraser (John.) A short history of the Agrostis cornucopiæ. fol. 1784.
- Forsk. ægyp.* } Forskaol (Petrus.) Flora Ægypt-Forsk. dis. } tiaco arabica. 4to. 1775.
- Forst. gen.* Forster (George.) Characteres generum Plantarum quas in itinere ad insulas maris australis, etc. 4to. 1776.
- Fourc. j. bot.* Fourcroy (Ant. Franc.) La Médecine éclairée par les Sciences physiques, ou Journal des Deconvertes, etc. 8vo. 1791.
- Froel. gent.* Froelich (Jos. Aloys.) De Gentiana libellæ. 8vo. 1796.
- Fuchs. hist.* Fuchs (Leonhard.) De historia Stirpium commentarii insignes. fol. 1542.
- Gaert. carp.* Gaertner (Car. Frid.) Supplementum Carpologiae. 4to. 1805.
- Gaert. fr.* } Gaertner (Josephus.) De fructibus et seminibus plantarum. 4to. 1788.
- Gaert. sem.* }
- Garid. aix.* } Garidel (Pierre Joseph.) Histoire des Plantes qui naissent en Province et principalement aux Environs d'Aix. fol. 1715.
- Garid. prov.* }
- Gay dis. las.* Gay dissertatio Lasiopetalæ.
- Gerard. gal.* } Gerard (John.) Flora Gallo-Ger. prov. } provincialis. 8vo. 1761.
- Ger. emac.* Gerard (John.) The Herbal, enlarged by Th. Johnson. fol. 1633.
- Ger. herb.* Gerard (John.) The Herbal, or general history of Plants. fol. 1797.
- Gilib. h. pl.* Gilibert (Joh. Em.) Histoire des plantes d'Europe, ou elemens de botanique pratique. 3 vol. in 8vo. Lyon. 1806.
- Giorn. pis.* Giornale Pisano. 8vo. 1801.
- Giseck. ic.* Giseke (Paul Dieter.) et Schulze (J. Dom.) Icones plantarum. 1777.

- Gmel. fl. bad.* Gmelin (Carol. Christ.) Flora Badensis-Alsatice. 8vo. 1808.
- Gmel. sib.* Gmelin (Joh. Georg.) Flora sibirica. 4to. 1747.
- Gou. fl. mons.* Gouan (Anton.) Flora Mons-peliaca. 8vo. 1765.
- Gouan. ill.* Gouan (Anton.) Illustrationes botanice. 4to. 1773.
- Hacq. pl. alp. car.* Hacquet (Balth.) Plantæ alpinae Carniolice. 4to. 1782.
- Hall. all.* Haller (Albert.) Allii genus naturale constitutum. 4to. 1745.
- Hall. helv.* } Haller (Albert.) Historia Stirpium indigenarum Helvetiæ. fol. 1768.
- Hall. hist.* }
- Hayn. term. bot.* Hayne (Fried. Gottl.) et Willdenow (Carl. Ludv.) Termini botanici iconibus illustrati. 4to. 1799.
- Hayne in ust. an.* Hayne (Fried. Gottl.) in Usteri Annalen der Botanik. 8vo. 1791.
- H. et B. n. gen.* Humboldt, Bonpland et Kunth Nova Plantarum genera et species, etc. 4to. 1815.
- H. et B. pl. aeq.* Von Humboldt (Alexand. Fr. Henr.) et Bonpland (Amie) Plantæ equinoxiales. fol. 1808.
- Herbert. append.* Herbert (William.) A Botanical arrangement of bulbous roots. 8vo. 1821.
- Herm. lugd.* Hermann (Paulus.) Floræ Lugduno-Batavæ flores. 8vo. 1690.
- Herm. parad.* Hermann (Paulus.) Paradisi Batavi prodromus. 12mo. 1689.
- Hills. veg. syst.* Hill (John.) Outlines of a system of vegetable generation. 8vo. 1758.
- Hoff. c. gott.* Hoffmann (Georg. Franz.) Programmata Hortus Goettingensis. fol. 1793.
- Hoff. deut. fl.* Hoffmann (Georg. Franz.) Deutschlands flora, ou Flore de l'Allemagne. 12mo. 1791.
- Hoff. phyt.* Hoffmann (Georg. Franz.) Phytographische Blätter. 8vo.
- Hoffm. salic.* Hoffmann (Georg. Franz.) Historia salicum iconibus illustro. fol. 1785.
- Hoff. umb.* Hoffmann (Georg. Franz.) Plantarum umbelliferarum genera. 8vo. 1816.
- Hoff. et Lk. fl. lus.* } Hoffmannsegg et Link.
- Hoff. f. port.* } Flore portuaigaise. fol. 1806.
- Hook. ex. flor.* Hooker (W. J.) Exotic flora. 8vo.
- H. et G. fil.* Hooker (W. J.) and Greville (W. K.) Icones Filicum. fol. London. 1827. et seq.
- Hop. in. sturm. fl. fas.* Hoppe in Sturm Deutschland flora. 4to. 1798.
- Horn. fl. dan.* Hornemann (J. W.) Icones Plantarum sponte nascentium in regnis Daniæ et Norvegiæ, etc. fol. 1761.
- Hort. Kew.* Aiton (Willam.) Hortus Kewensis, editio prima. 8vo. 1789.
- Hort. trans.* Transactions of the Horticultural Society of London. 4to.
- Host. gram.* Host (Nicol. Thomas.) Icones et descriptiones Graminum austriacorum. fol. 1801.
- Hout. pflanz.* Houttuyn (Mart.) Des ritters von Linne Pflanzen system nach der anleitung des Houttuynschen werks. 8vo. 1777.
- Hout. syst.* Houttuyn (Mart.) Des ritters von Linné Pflanzen system nach der anleitung des Houttuynschen werks. 14 vol. 8vo. 1777—1788.
- Icon. Kämpf.* } Kämpfer (Engelbert.) Icones selectæ plantarum. fol. 1791.
- Kämpf. Icon.* }
- Icon. Hort. Kew.* Delineations of exotic Plants cultivated in the Royal Garden at Kew. Published by W. T. Aiton.
- Isn. act. par.* Isnard. Histoire de l'Academie Royale des Sciences, avec les Mémoires de Mathématique et de Physique.
- Jacq. amer.* Jacquin (Nic. Jos.) selectarum Stirpium Americanarum Historia. fol. 1763.
- Jacq. am. pict.* Jacquin (N. J.) Stirpium Americanarum Historia.
- Jacq. aust.* Von Jacquin (Nicol. Jos.) Floræ Austriacæ Icones. fol. 1773.
- Jacq. coll.* Von Jacquin (Nicol. Jos.) Collectanea ad Botanicam, etc. Spectantia. 4to. 1786.
- Jacq. f. ecl.* Von Jacquin (Jos. Franc.) Eclogæ Botanice. fol. 1811.
- Jacq. frag.* Von Jacquin (Nicol. Jos.) Fragmenta Botanica. fol. 1809.
- Jacq. h. vind.* Von Jacquin (Nicol. Jos.) Hortus Botanicus vindobonensis. fol. 1770.
- Jacq. ic.* Von Jacquin (Nicol. Jos.) Icones Plantarum rariorum. fol. 1781.
- Jacq. misc.* Von Jacquin (Nicol. Jos.) Miscellanea Austriaca ad Botanicam, etc. Spectantia. 4to. 1778.
- Jacq. obs.* Von Jacquin (Nicol. Jos.) Observationes botanice. fol. 1764.
- Jacq. ox.* Von Jacquin (Nicol. Jos.) Oxalis monographia iconibus illustrata. 4to. 1792.
- Jacq. schoenb.* Von Jacquin (Nicol. Jos.) Plantarum rariorum horti cæsari Schoenbrunnensis. fol. 1797.
- Jacq. stap.* Von Jacquin (Nicol. Jos.) Stapeliæ cultæ. fol. 1806.
- J. mem. ac. sci. par.* Jussieu, Mémoires de la Société d'Histoire Naturelle de Paris. 4to. 1799.
- Journ. sc.* Ker (J. B.) Journal of Science and the Arts. 8vo.
- Jung. ic. rar.* Jungmans (Phil. Casp.) Icones Plantarum ad vitam impressæ. fol. 1787.
- Juss. an.* Jussieu, Annales du Museum d'Histoire Naturelle. 4to. 1802.
- Juss. rut.* Jussieu (Adrien.) Mémoires sur les Rutacées. Paris. 1825. 4to.
- Kämp. am.* Kämpfer (Engelbert.) Amantissimæ exoticæ. 4to. 1712.
- Kalm. it.* Kalm (Pehr.) Resatit norra America. 8vo. 1753.
- Ker's review.* Ker (J. B.) Review of the Genera Amaryllis, Crinum, and Pancratium, in the Journal of Science and the Arts. 8vo.
- Ker's strelitz.* Ker (H. B.) Coloured Figures of the Genus Strelitzia. fol.
- Knight's prot.* Knight (Joseph.) Horticultural Essays on the natural order of Proteææ. 4to. 1809.
- Knorr. del.* Knorr (Georg. Wolfgang.) Delicia naturæ selectæ oder auserlesene. fol. 1766.
- Knorr. thes.* Knorr (Georg. Wolfgang.) The-

- sauros rei herbariæ hortensisque universalis.* fol. 1770.
- Kon. an. bot.* Annals of Botany, by C. König and J. Sims. 2 vol. 8vo. I. 1805. II. 1806.
- Krock. siles.* Krocker (Ant. Joh.) Flora Silesiaca renovata. 2 vol. 8vo.
- Kth. mim.* Kunth (Car. Sig.) Mimoses et autres plantes légumineuses du nouveau continent. fol. 1819.
- Lab. nov. hol.* Labillardiere (Jac. Jul.) Novæ Hollandiæ plantarum specimen. fol. 1804.
- Lab. ic. pl. Syr.* } Labillardiere (Jac. Jul.) Icones plantarum Syriæ rariorum. 4to. 1791.
- Lab. voy.* Labillardiere (Jac. Jul.) Relation du Voyage a la recherche de La Peyrouse. 4to. 1798.
- Lamb. cinch.* Lambert (Aylm. Bourk.) Description of the Cinchona. 4to. 1797.
- Lamb. pin.* Lambert (Aylm. Bourk.) A Description of the genus Pinus. fol. 1803.
- Lam. ill.* Monet De La Mark (Jean Bapt.) Illustration des Genres. 1791.
- Lap. pyr. ic. ined.* Picot De La Peyrouse (Philippe.) Figures de la Flore des Pyrénées. fol. 1795.
- Laroch. eryng.* De La Roche (Francois.) Eryngiorum nec non generis novi alepideæ historia. fol. 1808.
- Ledeb. fl. alt.* Ledebour. Flora Altaica. fol. 1829.
- Leers. fl. herb.* Leers (Joh. Dan.) Flora Herbornensis. 8vo. 1789.
- Lehm. nicot.* Lehman (Joh. Georg. Chr.) Generis Nicotianarum historia. 4to. 1818.
- L. Herit. ger.* L'Heritier (Charles Louis.) Geraniologia sive Erodii, etc. historia. fol. 1787.
- L. Her. sert. ang.* L'Heritier (Charles Louis.) Sertum anglicum seu Plantæ rariores, etc. fol. 1788.
- L. Her. stirp.* L'Heritier (Charles Louis.) Stirpes novæ aut minus cognitæ. fol. 1784.
- Lind. als.* Von Lindern (Fr. Balth.) Hortus Alsaticus Plantas in Alsatia, nobili designans. 12mo. 1747.
- Lindl. coll.* Lindley (John.) Collectanea Botanica. fol.
- Lind. digit.* Lindley (John.) Digitalium Monographia. fol.
- Lindl. ros.* Lindley (John.) Rosarum Monographia, or a Botanical History of Roses. 8vo. 1820.
- Lin. amæn. ac.* Linnæus s. Von Linne (Carolus.) Amœnitates academicæ seu diss. antehæ seorsim editæ. 8vo. 1749.
- Lin. fl. lap.* Linnæus (Carolus.) Flora Laponica. 1 vol. 8vo. 1737.
- Linn. hort. clif.* Linnæus (Carolus.) Hortus Cliffortianus. 1 vol. fol. 1737.
- Lin. f. dec.* Linnæus Filius (Carolus.) Plantarum rariorum horti Upsaliensis decas 1. 1762. fol. 1763.
- Linn. fl. fasc.* Linnæus Filius (Carolus.) Plantarum rariorum horti Upsaliensis. fasc. 1. fol. 1767.
- Linn. sup.* Linnæus Filius (Carolus.) Supplementum Plantarum. 1 vol. 8vo. 1781.
- Linn. trans.* Transactions of the Linnean Society of London. vol. 1. to 16. 4to.
- Lk. et Ott. abb.* Link et Otto. Abbildungen und Beschreibungen seltener Pflanzen im Berl. Garten. Berlin. 1821 et seq.
- Lk. et Ott. dis. cac.* Link et Otto. Cacti et Echinocacti. icones.
- Link. et Ot. h. ber.* Link et Otto. Hortus Berlinensis. fol.
- Lobel. adv.* De Lobel seu Lobelius (Mathias.) Adversarium altera pars. 1 vol. fol. 1605.
- Lob. ic.* Lobelius (Mathias.) Stirpium Icones. 1 vol. 4to. 1591.
- Lodd. bot. cab.* Botanical Cabinet, by Messrs. Loddiges'. 4to.
- Loef. it. rar.* } Loeffling (Petr.) Iter Hispanicum, eller Resa til spanska, etc. 1 vol. 8vo. 1758.
- Loef. hisp.* }
- Loes. prus.* Loeselius (Joh.) Flora Prussica. 1 vol. 4to. 1703.
- Loisel. gal.* Loiseleur-Deslonchamps (J. L. A.) Flora Gallica. 2 vol. 12mo. I. 1806, II. 1807.
- Magn. b. mons.* Magnol (Petrus.) Botanicon Monspeliense. 1 vol. 12mo. 1686.
- Marcg. bras.* Marcgravius (Georg.) Historia rerum naturalium Brasilæ. 1 vol. fol. 1648.
- Mart. cent.* } Martyn (John.) Historia Plantarum rariorum centuriæ 1 decas 1-5. fol. 1728.
- Mart. dec.* }
- Mart. fl. rust.* Martyn (Thomas.) Flora rustica. 4 vol. 8vo. 1792-4.
- Mart. n. pl. bras.* Martius (C. F. P.) Nova Genera et Species Plantarum quas in itinere, par Brasiliam. ann. 1817-1820. 4to.
- Mass. stap.* Masson (Francis.) Stapeliæ novæ fasc. fol. 1796.
- Math. com.* Mathioli (P. Andr.) Commentarii in libros Dioscoridis de Medica Materia.
- Meerb. ic.* Meerburg (Nicol.) Plantarum selectarum Icones pictæ. fol. 1798.
- Mentz. pug.* Mentzel (Christ.) Pugillus Plantarum rariorum. fol. 1682.
- Merian. surin.* Merian (Maria Sibylla.) De metamorphosis insectorum Surinamensium. 1 vol. fol. 1726.
- Mich. amer.* Michaux (André.) Flora Boreali Americana. 2 vol. 8vo. 1803.
- Mich. arb.* Michaux fils (André Franc.) Histoire des arbres forestiers de l'Amérique septentrionale. 3 vol. 4to. 1810-1813.
- Mich. querc.* Michaux (André.) Histoire des chênes de l'Amérique septentrionale. 1 vol. fol. 1801.
- Mich. gen.* Micheli (Petr. Anto.) Nova Plantarum genera. 1 vol. fol. 1729.
- Mill. ic.* Figures of Plants described in the Gardener's Dictionary, by Philip Miller. 2 vol. fol. 1760.
- J. Mill. ic.* Seven coloured Plates of Plants, by John Miller.
- J. F. Mill. ic.* Sixty coloured Plates of Plants and Animals, by Joh. Fred. Miller. fol.
- Miss Laur. ros.* } A Collection of Roses from Nature, by Miss Lawrence (now Mrs. Kearsse). 90 plates.
- M. L. R.* }
- Moret. fl. vicent.* Moretti (Gius.) Notizia

- supra diverse piante da aggiungersi alla flora Vicentina. 4to. 1813.
- Moris. hist.* } Morison (Robert J.) Plantarum
Moris. s. } historia universalis Oxoniensis.
Moris. o. } 2 vol. fol. 1680.
- Moris. umb.* Morison (Robert.) Plantarum umbelliferarum distributio nova. 1 vol. fol. 1672.
- Munt. phyt. cur.* Munting (Abrah.) Phytographia curiosa. 1 vol. fol. 1702, 1713, 1727.
- Murray (Joh. Andr.)* Com-
Murr. com. } mentarii Societatis regiae
Mur. c. got. } Scientiarum Göttingensis.
 4to.
- Nectoux voy.* Nectoux (H.) Voyage dans la haute Egypte, avec des observations sur les diverses espèces de sené. fol. 1808.
- N. et Mart. ac. b.* Nees et Martius, in Mémoires de l'Académie royale des Sciences de Berlin. 4to. ab ann. 1770 ad 1816.
- Nees. hor. ber.* Nees von Esembeck (G. G.) Horæ physicae Berolinensis collectæ ex symbolis virorum doctorum Link, Rudolphi, etc. 1 vol. fol. 1820.
- Niss. act. par.* Nissolle in Histoire de l'Académie Royale des Sciences, avec les Mémoires de Mathématique et de Physique. 4to.
- Nois. jard. fr.* Noisette (Louis.) Le Jardin fruitier. 2 fasc. in 4to. Paris. 1813.
- Nov. act. pet.* Nova Acta Academiæ Scientiarum Imperialis Petropolitanae.
- Nov. com. pet.* Novi Commentarii Academiæ Scientiarum Imperialis Petropolitanae.
- Oed. fl. dan.* Von Oeder (Georg. Christ.) Icones plantarum sponte nascentium in regnis Daniæ et Norvegiæ, etc. fol.
- Ort. dec.* De Ortega (Cas Gomez.) Novarum aut rariorum Plantarum Horti Reg. Botan. Matrit. Descriptionum Decades. 4to.
- Osb. it.* Osbeck (Pehr.) Dagbock æf'er en ostendtyck resa. 1 vol. 8vo.
- Palisot d'owar.* } Palisot de Beauvois. Flore
Pal. fl. d'ow. } des royaumes d'Oware et
 de Benin. fol. 1805 et seq.
- Pall. act. pet.* Pallas (Peter Simon.) In Acta Academiæ scientiarum imperialis Petropolitanae. 4to.
- Pall. it. ed. gal.* Voyage dans l'Empire Russe. 8 vol. 8vo.
- Pall. it. ed. germ.* Pallas (P. S.) Reise durch verschiedene provinzen des Russischen Reichs. 3 vol. 4to. 1771—1776.
- Pall. ross.* Pallas (P. S.) Flora Rossica. fol. 2 vol. 1784, 1788.
- Par. lond.* } Salisbury (Rich. Anth.) Para-
Sal. par. lond. } disus Londinensis. 2 vol. 4to.
- Park. par.* Parkinson (John.) Paradisi in sole paradisus terrestris, or a garden of flowers. 1 vol. fol. 1629.
- Park. theat.* Parkinson (John.) Theatrum botanicum. 1 vol. fol. 1640.
- Patters. iter.* A Narrative of four journeys into the country of the Hottentots and Caffraria. By Will. Patterson. 4to. 1789.
- Pet. eng. herb.* } Petiver (James.) Herbarii
Pet. h. brit. } Britannici Catalogus. fol.
Pet. gaz. } Petiver (James.) Gazophylacium
 naturæ et artis. fol. 1702, 1704.
- Pet. Th. veg. afr.* Aubert du Petit Thouars. Plantes des îles de l'Afrique australe. 3 fasc. in 4to. Paris. 1804—6.
- Pio viol.* Pio (Joh. Bapt.) De Viola specimen. 4to. 1813.
- Pis. bras.* Piso (Guil.) Historia naturalis Brasiliæ. 1 vol. fol. 1648.
- Piso. lib.* Pisonis (Guil.) De Indiæ utriusque re naturali et medica libri 14. fol. 1658.
- Plenck. ic.* Plenck (Jos. Jac.) Icones plantarum medicinalium. fasc. fol. 1803 et seq.
- Pl. rar. hung.* } Waldstein (Franc.) et Kitai-
W. et K. hung. } bel (Paul.) Descriptiones et
 Icones plantarum rariorum
 Hungariæ. 3 vol. fol.
- Pluk. alm.* Plukenett (Leonard.) Almagestum botanicum sive phyt. onomasticon. 1 vol. 4to. 1796.
- Pluk. am.* Plukenett (L.) Amaltheum botanicum. 1 vol. 4to. 1705.
- Pluk. mant.* Plukenett (L.) Almagesti botanici Mantissa. 1 vol. 4to. 1700.
- Pluk. phyt.* Plukenett (L.) Phytographia sive Stirpium illustriorum, etc. 4 vol. 4to. 1691.
- Plum. amer.* Plumier (Charles.) Description des Plantes de l'Amerique. 1 vol. fol. 1693 et 1713.
- Plum. ed. B.* } Plantæ Americanæ à C. Plu-
Pl. ed. Burm. } mier detectæ et à J. Bur-
 manno editæ. 5 fasc. fol. 1755.
- Plum. fil.* Plumier (C.) Traité des fougères de l'Amerique. 1 vol. fol. 1705.
- Plum. gen.* Plumier (C.) Nova plantarum Americanarum genera. 1 vol. 4to. 1703.
- Plum. ic.* Plumier (C.) Plantarum Americanarum fasc. 10, continentes plantas quas olim C. Plumierius detexit et depinxit, Edidit Jo. Burmannus.
- Pohl. pl. bras.* Pohl Plantæ Brasiliæ. 4to. 1830.
- Pollich Palat.* Pollich (Joh. Adam.) Historia plantarum in Palatinatu spontè nascentium. 3 vol. 8vo. 1776.
- Poit. et T. fl.* Poiteau et Turpin. Flore Parisienne. 6 livr. fol. 1808.
- Pursh amer.* Flora America Septentrionalis; or a systematic arrangement and description of the plants of North America. By Frederick Pursh. 2 vol. 8vo.
- Quer. hisp.* Query Martiner (Joseph.) Flora Espanola. 4 vol. 4to. 1762—1764.
- Raii syn.* } Ray (Joh.) Synopsis Stirpium Bri-
Ray. syn. } tannicarum. 1 vol. 8vo.
- Rauw. it.* Rauwolf (Leonh.) Etlicher Schoner Ausslandscher Kreuter, deren in Seiner Rayss, in die Morgenlander Gethon, Gedacht wirt, lebendige Contrafactur.
- Red. lil.* } Redoute (P. J.) Les Liliacées.
Redoute lil. } 8 vol. fol. 1802—1816.
- Redout. ros.* Redoute (P. J.) Les Roses. 4to. et fol. 1817 et seq.
- Reich. ac.* Reichenbach (Ludov.) Monographia generis Aconiti et Delphinii. Lipsiæ. 1820. fol.
- Reich. ic.* Reichenbach (Ludov.) Icones et descriptiones plantarum. 4to. Lipsiæ. 1822 et seq.
- Reliq. Houst.* Reliquiæ Houstounianæ, in Bibliotheca Jos. Banks asservatis. 4to. 1781.

- Renealm. spec.* Pauli Renealmi Specimen Historiæ Plantarum. 1 vol. 4to. 1611.
- Retz. obs.* Retzius (And. Joh.) Observationes Botanicae. 6 fasc. fol. 1774—1791.
- Rheed. mal.* } Van Rhee (Henricus.) Hortus Indicus Malabaricus. 12
Rhehort. mal. } vol. fol.
- Rivin. monop.* Rivinus (Aug. Quirinus.) Ordo Plantarum flore irregulari monopetalo. 1 vol. fol. 1690.
- Riv. tetr.* Rivinus (A. Q.) Ordo Plantarum flore irregulari tetrapetalo. 1 vol. fol. 1691.
- Riv. pent.* Rivinus (A. Q.) Ordo Plantarum flore irregulari pentapetalo. 1 vol. fol. 1699.
- Rob. ic.* Three hundred and nineteen plates of plants; engraved by Nic. Robert. A. Bosse, and Lud. de Chatillon. fol.
- Rod. Scub. cer.* Scubler (Gust.) Diss. sistens descriptiones cerealium cultorum. Tubing. 1818. 4to.
- Ræm. arch.* Ræmer (Joh. Jac.) Archiv für de Botanik. 3 vol. 4to. 1796, 1799, 1805.
- Ræm. script.* Ræmer (J. J.) Scriptores de Plantis Hispanicis, Lusitanicis, et Brasiliensis. 1 vol. 8vo. 1796.
- Ræm. et Ust. mag.* Ræmer (Joh. Jac.) et Usteri (Paul.) Magazin für die Botanik. 4to. 1789—1790. Zurich.
- Rosc. scitam.* Roscoe's Figures of the order of Scitamineæ. fol.
- Rosc. fl. ill. sea.* Roscoe (Mrs. M.) Floral Illustrations of the Seasons. Liverpool. Royal 4to. 1829 et seq.
- Roth. abb.* Roth (Alb. Wilh.) Botanische abhandlungen und beobachtungen. 4to. 1787.
- Rottb. gram.* } Descriptiones et Icones
Rottb. desc. rar. } Plantarum rariorum, etc.
1 vol. fol. 1773.
- Roxb. corom.* Roxburgh (William.) Plants of the coast of Coromandel, published under the direction of Sir Joseph Banks. fol.
- Rudg. gui.* Rudge (Edward.) Plantarum Guianæ rariorum Icones et desc. fol. 1805.
- Ruiz. et P. prod.* Ruiz (Hippol.) et Pavon (Jos.) Floræ Peruvianæ et Chilensis prodromus. fol.
- Rumph. amb.* Rumphius (Georg. Everh.) Herbarium Amboinense. 6 vol. fol. 1750—1755.
- Russ. alep.* Russell (Alex.) Natural History of Aleppo. 1 vol. 4to. 1756. ed. 2. 1794.
- Sabb. hort.* } Sabbati (Liberatus.) Hortus
Sabb. h. rom. } Romanus. fol. vol. 3. 8vo.
1772, 1774, 1805.
- Sal. stirp. rar.* Salisbury (R. A.) Icones stirpium rariorum. 1 fasc. fol. 1791.
- San. viag.* Santi (Georg.) Viaggi al mont Amiata. 1 vol. 8vo. 1795. II. 1798. III. 1806.
- Savi fl. pis.* Savi (Gaetano.) Flora Pisana. 2 vol. 8vo. 1798.
- Scheuch. gram.* Scheuchzer (Johan.) Agrostographia, sive Graminum, Juncorum, Cyperorum, iisque affinium historia.
- Scheuch. it.* Scheuchzer (Joh. Jac.) Itinera Alpina. 4to. ed. 1. 1702—1708. Ed. 2; 1 vol. 4to. 1723.
- Schk. caric.* Schkuhr (Christ.) Histoire des Carex ou Laiches. 1 vol. 8vo. 1802.
- Schkuhr flic.* Schkuhr (Christ.) Abbildungen der Farnkräuter. 4to.
- Schk. hand.* Schkuhr (C.) Botanisches handbuch. 3 vol. 8vo.
- Schm. arb.* } Schmidt (Franz.) Oesterreichs
Schmid. arb. } allgemeine Baumzucht 2
Bänd. fol. 1792—1794.
- Schm. ic.* Schmiedel (Cas. Christ.) Icones Plantarum. 1 vol. fol. 1762.
- Schousb. maroc.* Schousboe (P. K. A.) Jagttægelser over voextriget i Marocco. 1 vol. 4to. 1800.
- Schrad. d. hal.* Schrader (Henr. Adolph.) De Halophytis Pallasii. 4to. 1810.
- Schrad. gen. nov.* Schrader (H. A.) Nova Plantarum genera. 1 fasc. fol. 1797.
- Schrad. germ.* Schrader (H. A.) Flora Germanica. 8vo. 1806.
- Schr. s. han.* Schrader (H. A.) Sertum Hannoveranum. 4 fasc. fol. 1795, 1796.
- Schrad. verb.* Schrader (H. A.) Monographia generis verbasci. 4to. 1813.
- Schrad. ver.* Schrader (H. A.) Commentatis de Veronicis spicatis. 8vo. 1803.
- Schrank h. mon.* } Schrank (Fr. von Paula.)
Schrank pl. rar. } Plantæ rariores horti Monacensis. 1817, 1818, 1819.
- Schreb. a. ups.* Von Schreber (Joh. Christ. Dan.) Acta litteraria et scientiarum Upsalæ aut ab academia Upsaliensi publicata. 2 vol. 1720, 1816.
- Sch. gram.* Schreber (J. C. D.) Beschreibung der Groeser. fol. 1769—1779.
- Scop. carn.* Scopoli (Joh. Ant.) Flora Carniolica. 8vo. 1760. ed. 2. 2 vol. 8vo. 1772.
- Scop. del.* } Scopoli (J. A.) Deliciæ floræ Insu-
Scop. ins. } bricæ. 3 vol. fol. 1786, 1788.
- Seb. mus.* } Seba (Alb.) Locupletissimi Rerum
Seb. thes. } naturalium Thesauri Descriptio.
4 vol. fol. 1734—1765.
- Second. d. chen.* De Secondat (M.) Mémoires sur l'Histoire naturelle du Chêne. 1785. fol.
- Segu. ver.* Seguiet (Joh. Franc.) Plantæ Veronenses. 3 vol. 8vo. 1745.
- Ser. m. helv.* Seringe (N. C.) Musée Helvétique d'histoire naturelle. 4to. 1818, 1820.
- Shaw afric.* } Shaw (Thomas.) Travels in Bar-
Shaw barb. } bary and the Levant. 1 vol.
fol. 1738.—Supplement.
1746.
- Sinc. gr. wob.* Sinclair (George.) Hortus gramineus Woburnensis. 1 vol. 8vo. 1825.
- Slo. hist.* } Sloane (Hans.) A Voyage to the
Sloan. j. } Islands Madeira, Barbadoes,
Nieves, St. Christopher's, and
Jamaica; with the Natural History
of the last of those Islands.
2 vol. fol. 1707.
- Sm. exot. bot.* Smith (J. Edward.) Exotic Botany. 8vo. 1804—1808.
- Sm. ic. ined.* Smith (J. E.) Plantarum Icones hactenus ineditæ. fasc. 1-3. 1789, 1791. fol.
- Smith ic. pict.* Smith (J. E.) Icones pictæ Plantarum rariorum. 3 fasc. fol. 1790—1793.
- Sm. nor. hol.* Smith (J. E.) A specimen of the Botany of New Holland. 1 vol. 4to. 1793.

- Smith spic.* Smith (J. E.) *Spicilegium Botanicum*. 2 fasc. fol. 1791, 1792.
- Smith. tracts.* Smith (J. E.) *Tracts relating to Natural History*. 1 vol. 8vo. 1798.
- Sole's mints.* Sole (William.) *Menthæ Britannicæ*; being a new botanical arrangement of all the British Mints hitherto discovered. 1 vol. fol. 1798.
- Sonner. it.* Sonnerat (P.) *Voyage aux Indes orientales et à la Chine*. 2 vol. 4to.
- Sonner. n. guin.* *Voyage à la nouvelle Guinée*. 1 vol. 4to. 1776.
- Sparm. a. st.* Sparrman (Andr.) *Kongl. Vetenskaps Academiens Handlingar*. Stockholm. 1739. seq. 8vo.
- Spr. anl.* Sprengel (Kurt.) *Anleitung zur Kentniss der Gewächse*. 2 theil. 8vo. 1817, 1818.
- Spreng. crypt.* Sprengel (K.) *Introduction to the study of Cryptogamous Plants*, translated from the German. 8vo. 1813.
- Spr. fl. hall.* Sprengel (K.) *Floræ halensis Tentamen novum*. 1 vol. 8vo. 1806.
- Spreng. umb.* Sprengel (K.) *Species umbelliferarum minüs cognitarum illustratæ*. 1 vol. 4to. 1818.
- Sternb. saxif.* Sternberg (Graf. Casp.) *Revisio Saxifragarum Iconibus illustrata*. 1 vol. fol. 1810.
- Stær. lib. de. stram.* Stærck (Ant.) *Libellus de Stramonio, Hyosciamo. Aconito*. 8vo. 1763.
- Sturm. deut.* Sturm (Jacob.) *Deutschland flora*. 4to.
- Swartz ic.* Swartz (Olof.) *Icones Plantarum Indiæ occidentalis*. 1 fasc. fol. 1794.
- Swart. obs.* Swartz (O.) *Observationes botanicæ*. 1 vol. 8vo. 1791.
- Sw. syn. fil.* Swartz (O.) *Synopsis filicum earum genera et species compl.* 1 vol. 8vo. 1806.
- Swt. br. fl. gar.* Sweet (Robert.) *The British Flower Garden*, published in monthly numbers, containing full and accurate coloured figures and descriptions, with the best mode of cultivation, of the most choice and curious plants, that may be cultivated in the open air of Great Britain. 3 vol. royal 8vo.
- Swt. br. fl. gar. s. 2.* Sweet (R.) *British Flower Garden*, series 2, number 1 to 17, et seq.
- Swt. cist.* Sweet (R.) *Cistineæ*. The natural Order of Cistus, or Rock-Rose, complete in one volume, containing 112 beautifully coloured figures of the different species and varieties of this handsome family of plants.
- Swt. flor. aust.* Sweet (R.) *Flora Australasica*, or a selection of the most beautiful and interesting plants, natives of New Holland, and the South Sea Islands, containing 56 beautifully coloured figures from the living plants. 1 vol. royal 8vo. London, 1827-1828.
- Swt. flor. guid.* Sweet (R.) *The Florist's Guide, or Cultivator's Directory*, containing elegantly coloured figures of the choicest flowers cultivated by Florists, including Tulips, Hyacinths, Ranunculus', Carnations, Pinks, Auriculas, Polyanthus's, Georgina's, and Roses. 1827 et seq. royal 8vo. London.
- Sweet ger.* Sweet (R.) *Geraniaceæ*, or the natural Order of Geraniums, published in monthly parts, with accurate coloured figures and descriptions of the different kinds, and their mode of culture. royal 8vo. Five volumes complete.
- Swert. flor.* Swertius (Eman.) *Florilegium tractans de variis floribus*. 1 vol. fol. 1612.
- Tab. ic.* *Tabernæmontanus* (Jac. Theod.) *Eicones Plantarum cur N. Bassæo*. 4to. 1590.
- Tabern. kraut.* *Tabernæmontanus* (Jac. Theod.) *Kræuterbuch*. fol. 1688.
- Ten. flor. med.* Tenore (Michel.) *Saggio sulle qualita medicinali delle piante Napolitanæ*. 8vo. Napoli. 1808.
- Tenor. fl. nap.* Tenore (Michel.) *Flora Napolitana*. fol. 1811.
- Ten. mem. croc.* Tenore (M.) *Memoires sui Crochi*. Naples.
- Thunb. eric.* Thunberg (Car. Petr.) *de Erica*. 4to.
- Thunb. ir.* Thunberg (Car. Petr.) *Dissertatis de Iris*. 4to. 1782.
- Thunb. jap.* Thunberg (Car. Petr.) *Flora Japonica*. 8vo. 1784.
- Thunb. voy.* Thunberg (Car. Petr.) *Voyage au Japon, etc.* 8vo. 1796.
- Till. pis.* Tilli (Mich. Ang.) *Catalogus horti Pisani*. fol. 1723.
- Tourn. voy.* Pitton De Tournefort (Joseph.) *Relation d'un voyage du Levant*. 4to. 1717.
- Trat. arch.* Trattinick (Leop.) *Archiv der Gewächskunde*. 4to. 1811.
- Trattin. fl. aust.* Trattinick (Leop.) *Flora Austriaca sicca*. fol. 1792.
- Tratt. tab.* Trattinick (Leop.) *Observationes botanicæ Tabularium rei herbariæ illustrates*. 4to. 1811.
- Tratt. thes. bot.* Trattinick (Leop.) *Thesaurus Botanicus*. fol. 1819.
- Trev. delph.* Treviranus (Lud. Christ.) *De Delphinio et Aquilegia observationes*. 4to. 1817.
- Trew. ehret.* Trew (Christ. Jac.) *Plantæ selectæ ab Ehret pictæ*. fol. 1750.
- Trew. pl. rar.* Trew (Christ. Jac.) *Plantæ rariores*, ed. J. C. Keller. fol. 1763.
- Trin. ic. gram.* Trinius (Car. Bern.) *Icones Graminæ*.
- Triumf. obs.* Triumfetti (Joh. Bapt.) *Observationes de ortu et vegetatione Plantarum*. 4to. 1635.
- Ust. N. ann.* Usteri (Paul.) *Neue annalen der Botanik*. 8vo. 1794.
- Vahl. ecl.* Vahl (Martinus.) *Eclogæ Americane*. fol. 1796.
- Vahl. ic. rar.* Vahl (Martinus.) *Icones Plantarum in eclogis descriptorum*. fol. 1798.
- Vahl. symb.* Vahl (Martinus.) *Symbolæ botanicæ*. fol. 1790.
- Vail. par.* Vaillant (Sebastien.) *Botanicon Parisiense*. fol. 1727.

- Vent. cels.* Ventenat (Etienne Pierre.) Description des plantes nouvelles ou peu connues du jardin de J. M. Cels. fol. 1800.
- Vent. choix.* Ventenat (Etienne Pierre.) Choix des plantes. fol. 1803.
- Vent. malm.* Ventenat (Etienne Pierre.) Jardin de la Malmaison. fol. 1803.
- Vill. c. stras.* Villars (D.) Catalogue methodique du jardin de Strasbourg. 8vo. 1807.
- Vill. dauph.* } Villars (D.) Histoire des Plantes
Vill. delph. } du Dauphine. 8vo. 1786.
- Viv. frag.* } Viviani (Dom.) Floræ Italicæ fragmenta. 4to. 1808.
- Volck. norib.* Volkamer (Jo. Georg.) Flora Noribergensis. 4to. 1700.
- Wahl. helv.* Wahlenberg (Georg.) De vegetatione et clymate Helvetiæ septentrionalis specimen. 8vo. 1813.
- Wahl. lap.* Wahlenberg (Georg.) Flora Lapponica. 8vo. 1812.
- Wal. as. res.* Wallich in Asiatic Researches, or Transactions of the Society instituted in Bengal. 4to. 1788.
- Wall. pl. as.* } Wallich (Nathanael.) Plantæ
— ind. pl. } asiaticæ rariores, ou description et figures d'un choix de plantes inédites de l'Inde orientale. fol. 1829 et seq.
- Walth. hort.* Walther (Aug. Frid.) Designatio plantarum horti ejus. 8vo. 1735.
- Wang. amer.* Von Wangenheim (Fried Ad. Jul.) Anpflanzung North Amerikanischer Holzarten.
- Wats. dend. brit.* Watson (W.) Dendrologia Britannica. 2 vol. 8vo.
- Weig. obs.* Weigel (Christ. Ehret.) Observationes Botanicae. 4to. 1772.
- Wei. et N. rub.* Weihe (Aug.) et Nees (C. G.) Rubi germanici.
- Weinm. phyt.* Weinmann (Joh. Guil.) Phytanthoza Iconographica. fol. 1737.
- Wend. ac.* Wendland (H. Lud.) Commentatis de Acaciis aphyllis. 4to. 1820.
- Wendl. col.* Wendland (H. Lud.) Collectio Plantarum tum exoticarum quam indigenarum. 4to. 1805.
- Wendl. er.* Wendland (Joh. Christ.) Ericarum Icones et descriptiones. 4to. 1798.
- Wend. h. herr.* Wendland (Joh. Christ.) Hortus Herrenhusanus. fol. 1798.
- Wend. s. han.* Wendland. (J. C.) Sertum Hannoveranum. 4 fasc. fol.
- Willd. arb.* Willdenow (Car. Lud.) Berlinische Baumzucht. 8vo. 1797.
- W. ber. mag.* Willdenow (Car. Lud.) Berlinercher magazin oder gesammlete schriftten, etc. 4to. 1765.
- Willd. hort. ber.* Willdenow (Car. Lud.) Hortus Berolinensis. fol. 1806.
- Woodv. med. bot.* Woodville (William.) Medical Botany. 3 vol. 4to. 1790.
- Zanon. hist.* Zanoni (Jacobus.) Rariorum stirpium historia. Ed. C. Monti. 1 vol. fol. 1742.
- Zorn. ic.* Zorn (Joh.) Icones Plantarum medicinalium. 8vo. 1779.

ABBREVIATIONS.

- A. B.** Annals of Botany.
A. DC. Alphonso De Candolle. Monographie des Campanulees.
Afz. Afzelius, a Swedish Professor.
A. G. Andrews's Geraniums.
A. H. Andrews's Heaths.
A. R. Andrews's Botanist's Repository.
All. Allioni, an Italian Botanist.
Aub. Aublet, a French Traveller in Guiana.
B. Mr. Robert Brown, a celebrated English Botanist.
B. A. Barton's Flora Boreali Americana. 2 vol. 4to.
Bal. Balbis, a French Botanist.
Bau. Baumgarten.
B. C. Loddiges's Botanical Cabinet.
B. D. Barling. Diosmeæ descriptæ et illustrate. 1824. 8vo.
Be. Bertoloni, an Italian Botanist.
Bes. Besser, a Russian Botanist.
BF. Bancroft.
B. F. G. Sweet's British Flower Garden.
Bhi. Bernhardt, a German Botanist.
B. M. Curtis's Botanical Magazine.
B. O. Beauvois. Flora d'Oware et de Benin.
Boj. Bojer, Professor of Botany in the Isle of France.
B. P. Brown's Prodromus Floræ novæ Hollandiæ.
B. R. Botanical Register.
Bro. Brogniart's Rhamneæ.
B. T. Burchell's Travels in Africa.
C. (Cav.) Cavanille's, a Spanish Botanist.
C. C. Colvill's Catalogue.
C. I. Cavanille's Icones.
C. L. T. Colebrooke, in Linnean Transactions.
C. S. Choisy. Memoire sur la Famille des Selaginees.
Cyr. Cyrilli, an Italian Botanist.
D. David Douglas, on the Plants of the West Coast of America.
DC. Decandolle (Augustin Pyramus.)
D. D. David Don, Librarian of the Linnean Society, Soho Square.
Desf. Desfontaines, a French Botanist.
Desv. (Dv.) Desvaux, a French Botanist.
DF. Dufresne's Valerianeæ.
D. L. (Lht.) David Lockhart, Botanical Gardener at Trinidad.
Dod. Dodonaeus, a Dutch Botanist.
D. P. David Don's Prodromus Floræ Nepalensis.
E. Ehrenberg, a Traveller in Egypt, &c.
E. B. Smith's English Botany.
E. C. Elliott's Flora of Carolina.
E. F. Smith's English Flora.
Ex. B. Smith's Exotic Botany.
F. Fischer, Curator of the Botanic Garden at St. Petersburg.
F. D. Flora Danica.
F. E. Forskaol Flora Ægyptiaco-Arabica.
F. G. Flora Græca.
F. I. Flora Indica.
G. Gärtner, a celebrated German Carpolo-gist.
G. B. Gray's Flora Britannica.
G. D. George Don, an English Botanist.
Gm. Gmelin, a Russian Botanist.
Gr. Graham, Regius Professor of Botany at Edinburgh.
G. R. Georgi, Geographische, etc. Beschreibung des Russischen Reichs.
H. Hornemann, a Danish Botanist.
H. A. Hooker's Flora Boreali Americana.
H. B. Hortus Bengalensis.
H. E. Hortus Epsomensis.
H. E. F. Hooker's Exotic Flora.
H. F. Hooker and Greville's Ferns.
H. G. Hoare's Geraniaceæ.
H. K. Hortus Kewensis.
H. M. Hooker's Miscellany.
H. M. N. Haworth's Miscellanea Naturalia.
H. P. Idem, in Taylor's Philosophical Magazine.
H. R. Idem, Saxifrages and Revisions of Succulent Plants.
H. S. Idem, Synopsis Plantarum Succulentarum.
H. S. S. Idem, Supplementum Plantarum Succulentarum.
H. S. L. Hortus Suburbanus Londinensis.
H. T. Transactions of the Horticultural Society.
H. U. Hoffman's Umbelliferæ.
J. Jussieu.
Jac. Jacquin.
J. E. (J. F.) Jacquin (Filius) Eclogæ Botaniciæ.
J. I. Jacquin's Icones.
J. S. Jacquin's Stapeliæ.
K. F. Kaulfuss. Filices.
K. S. Kunth's Synopsis Plantarum.
L. Linnæus.
L. A. Lehman's Asperifoliæ.
L. A. Ledebour's Flora Altaica.
Lam. Lamarck.
L. C. Loddiges's Catalogue.
L. col. Lindley's Collectanea Botanica.
Led. Ledebour, a Russian Botanist.
Len. Link's Enumeratio Plantarum.
LG. et Lag. Lagasca, a Spanish Botanist.
L'H. L'Heritier.
L. O. Link et Otto, Abbildungen et Beschreibungen seltener Pflanzen in Berlin Garten.
L. P. Lehman's Potentillæ.
L. R. Lindley, Rosarum Monographia.
L. T. Transactions of the Linnean Society.
M. Michaux. Flora Boreali Americana.
M. B. Marschall de Bieberstein, Flora Tauro-Caucasica.
M. C. Mackay's Catalogue.
Med. Medicus, a German Botanist of the last Century.
Mh. Mönch, a German Botanist.

Mil. Miller, an English Gardener and Botanist.
 M. N. Martius. Flora of Brazil.
 M. P. Martius. Genera et Species Palmarum.
 N. Nuttall's Genera of North American Plants.
 N. A. Nee's Asters.
 N. L. F. News of Literature and Fashion.
 N. P. Nestler's Potentillæ.
 Ot. Otto, Curator of the Botanic Garden at Berlin.
 P. B. Pohl's Flora Brasiliæ.
 Ph. Pursh. Flora Americana Septentrionalis.
 P. L. Salisbury in Paradisus Londinensis.
 Poir. Poiret, a French Botanist.
 Pr. Presl, a Bohemian Botanist.
 P. S. Presoon's Synopsis Plantarum.
 R. (Rox.) Roxburgh.
 R. A. Reichenbach. Monographie Generis Aconiti et Delphinii.
 Raf. Rafinesque Schmalz.
 R. B. Roth's neue Beiträge zur Botanik.
 R. C. Roxburgh's Plants of the Coast of Comorandel.
 R. O. Richard's Orchidæ.
 R. P. Ruiz et Pavon. Flora Peruviana.
 R. S. Römer et Schultes Systema Vegetabilium.
 R. U. (Rch.) Reichenbach Übersicht der gattung Aconitum.
 S. Schulte's Systema Vegetabilium.
 S. C. Sweet's Cistineæ.
 Sch. (Schl.) Schleicher, a Swiss Collector.
 Sch. Schrank, a Bavarian Botanist.
 Scop. Scopoli, an Italian Botanist.
 Ser. Schrader, a German Botanist.
 Set. Schott, a Traveller in Brazil.
 S. F. A. Sweet's Flora Australasica.
 S. F. G. Sweet's Florist's Guide.
 S. G. Sweet's Geraniaceæ.
 Sie. Sieber, a Botanical Collector.
 S. M. Sole's Mints.
 S. O. Seidl et Opiz.
 S. P. Salisbury's Prodromus.
 S. S. Sprengel's Systema Vegetabilium.
 S. T. Savi. Observationes in varias Trifoliorum Species.
 Sw. Swartz, a Swedish Botanist.
 T. C. Tenore. Catalogus Plantarum Horti Regii Neapolitani.
 T. N. Idem, Flora Neapolitana.
 T. P. Idem, Floræ Neapolitanæ Prodromi.
 T. S. Idem Synopsis Floræ Neapolitanæ.
 Th. Thunberg, a Swedish Botanical Traveller.
 Tv. Treviranus, a German Botanist.
 V. Ventenat, a French Botanist.
 V. M. Ventenat's Jardin de Malmaison.
 Viv. Viviani, an Italian Botanist.
 W. Willdenow. Species Plantarum.
 W. A. Idem, Historia Amaranthorum.
 W. en. Idem, Enumeratio Plantarum Horti Bot. Berolinensis.
 Wall. Wallich, Curator of the Botanic Garden at Calcutta.
 W. C. Wendland. Collectio Plantarum.
 W. D. Watson's Dendrologia Britannica.
 W. H. William Herbert. Observations on the Amaryllideæ, &c.
 W. K. Waldstein and Kitaibel. Descriptiones et icones plantarum rariorum Hungariæ.

1. 2. Flowering the first and second month of the year.
 3. 6. Flowering from the third to the sixth month, and so on according to the different figures.
 1. 12. Flowering all the year round, or at various seasons of the year, not having any settled period.
 — Denotes the same as the line above it.
 Uncertain, or not properly known.
 H. 5. Hardy large tree.
 H. h. Hardy Shrub, or small tree.
 H. h̄. Hardy Evergreen Shrub.
 F. h. Frame Shrub, or requiring the protection of a Frame or Mats in severe frosty weather, but to be exposed when the weather is mild.
 G. h. Greenhouse Shrub, requiring the protection of a Greenhouse in Winter.
 S. h. Shrubs requiring to be kept in the Stove or Hothouse in Winter, but may be removed to the Greenhouse in Summer.
 D. S. h. Dry Stove Shrub, a plant requiring very little water.
 D. G. h. Dry Greenhouse Shrub, or a plant that requires but little water in Winter; many of which will succeed well in a good frame or pit, with the covering of a mat or two on the lights in severe frost, but to be continually exposed to the air in mild weather.
 h̄. Suffrutescent, a dwarf Shrub, or a soft wooded Shrub.
 4. Herbaceous, perennial, dying down in Winter, and shooting up afresh the following Spring.
 h̄. Climbing Shrub, a Shrub that requires support, either with a trellis, stick, or line, or any other convenient support.
 4. Climbing, perennial, herbaceous plant, requiring the same sort of support as the last.
 w. h. Water Shrub, or one that prefers growing in water, or in moist situations.
 w. 4. Perennial herbaceous plant, requiring to be grown in water, or in a moist situation.
 ♂. Biennial, seldom surviving more than two years.
 ○. Annual, requiring to be sown yearly.
 B. Bulbous-rooted.
 H. Hardy, surviving through the Winter without protection.
 F. Frame, not quite hardy, but requiring the protection of a frame or mats in severe weather.
 G. Greenhouse, requiring the protection of a Greenhouse in Winter, but to be well supplied with air in mild weather.
 I. Intermediate between Stove and Greenhouse.
 S. Stove, those require the protection of a Stove or Hothouse in Winter; the temperature should never be allowed to get below 60 degrees of Fahrenheit's Thermometer.
 C. B. S. Cape of Good Hope.
 N. S. W. New South Wales.
 N. Holl. New Holland.
 V. Diem. Isl. Van Dieman's Island.

THE BRITISH FLOWER GARDEN, & ORNAMENTAL SHRUBBERY.

Series the Second.

Publishing, in Monthly Numbers, at *Three Shillings* each; and each Number containing Four full and highly coloured Figures, with Dissections of the most essential parts, of the most beautiful, rare, curious, or interesting Herbaceous Plants, or Flowering Shrubs, that may be cultivated in the open Borders, Shrubberies, or by the side of Walls, or Fences, in the Gardens of this Country; with a full account of the best and most successful mode of Management in Culture and Propagation; the Soils and Situations most suitable for them; the Protection necessary, if any be required in Winter; their Scientific and English Names, with full Descriptions; Natural and Linnean Classes and Orders; Derivations of the Generic Names; and all other information that may be considered of importance to the Botanist, Cultivator, or Amateur; and the most beautiful and interesting subjects are chosen. Twenty-five Numbers form each Volume, and Three Volumes complete the Series.

Sets of the First Series of SWEET'S BRITISH FLOWER GARDEN, complete, in Three Volumes, may still be obtained, each Volume containing One Hundred elegantly coloured Figures; with a Systematical, Alphabetical, and English Index to each, List of Books quoted, &c. Price 3*l.* 16*s.* each. Single Numbers, at 3*s.* each; any back Numbers may be obtained to complete Sets.

The First Series is published by W. SIMPKIN and R. MARSHALL, Stationers'-hall-court, Ludgate Street; and may be procured, by Order, from all Booksellers.

"The British Flower Garden ought to be in the hands of all Cultivators of Hardy Flowering Plants." *London's Gardener's Magazine.*

"The Figures, drawn and coloured from living specimens, by E. D. Smith, under the Author's inspection, are correct portraits of the subjects intended, and the plates are full and well executed. At the bottom of the plates are given coloured dissections of the different parts of the flower, so that, by that means, the parts of fructification are well explained."—"We recommend the British Flower Garden to the Cultivators and admirers of hardy Flowering plants; and we have no doubt but they will feel themselves much interested by its perusal." *News of Literature and Fashion.*

SWEET'S GERANIACEÆ.

Now complete, in Five Volumes, each containing One Hundred beautifully coloured Figures of the choicest and most distinct Species and Hybrid Productions of this greatly admired Tribe. From this Work may be selected a collection of the sorts most suited to the taste of any Lady or Gentleman, who wishes to make a collection of this beautiful Family.

SWEET'S CISTINEÆ.

An Account of the Family of CISTUS, or ROCK-ROSE; illustrated with handsomely coloured Figures; now complete, in Twenty-eight Numbers, at 3*s.* each; containing One Hundred and Twelve Figures and Descriptions of this handsome and generally admired Tribe of Plants, with Descriptions of the other Species that could not be obtained; with a full account of the best Method for their Cultivation and Propagation; or any thing else belonging to them, considered of importance.

THE FLORIST'S GUIDE; or CULTIVATOR'S DIRECTORY.

Publishing, in Monthly Numbers, at 3*s.* each; and Two Volumes will complete the Work. Each Number contains Four highly finished coloured Figures, drawn from the living Plants of the Flowers most esteemed by Florists—as Tulips, Ranunculus, Auriculas, Hyacinths, Carnations, Pinks, Roses, &c.; with the most approved Methods of Cultivation, Directions for raising new Varieties from Seeds, &c.

FLORA AUSTRALASICA.

Published in one handsome Royal Octavo Volume; containing Fifty-six elegantly coloured Figures, of the most beautiful and curious Plants, Natives of New Holland, and the South Sea Islands, (generally called Botany Bay Plants.) They are well adapted for a Greenhouse, or Conservatory; and many will survive the Winters, in the open ground, with a very little protection. Price 2*l.* 2*s.* 6*d.* in Fourteen Numbers, Index, &c.; or single Numbers, at 3*s.* each.

In the Press, and soon will be published, a New Edition of

SWEET'S HOTHOUSE AND GREENHOUSE MANUAL;

Or BOTANICAL CULTIVATOR.

Containing numerous Genera not before enumerated in any former edition; with Directions for their Treatment in Cultivation and Propagation; Treatment of Plants in Rooms, and all those grown in the Hothouses, Greenhouses, Frames, or in the open Ground of the Gardens, or Plantations in this Country; with a full account of the Management of Bulbs, and the Parasitical and other Orchideous Plants.

SWEET'S BRITISH WARBLERS;

Or an Account of the Summer Birds of Passage belonging to the Family of Sylvia; illustrated with beautiful coloured Figures of the natural size, chiefly taken from living Birds in the Author's collection; with full Directions for their Treatment, as practised by the Author, showing how all the fine singing Birds belonging to this tribe, may be kept in confinement in as good health as any common birds whatever, and will continue in full song nearly all the year; with an account of the best Method of catching them, or rearing them from the nest; and numerous other observations concerning their migration, food, habit when wild, or any thing relating to their history, that may be considered of importance. Published in Three Parts, and containing Sixteen Figures. Part 1, containing Six Figures, 6*s.* 6*d.*; Part 2, Five Figures, 5*s.*; and Part 3, Five Figures, 5*s.* The Figures are of the Nightingale, Blackcap, Larger and Lesser Whitethroats, Greater Pettychaps, or Garden Warbler; Willow and Wood Wrens; Dartford, Reed, and Sedge Warblers; Winchat, Stonechat, Wheatear, Redstart, &c.

CLASSIS 1.

DICOTYLEDONEÆ seu EXOGENÆ.

* SUBCLASSIS 1. THALAMIFLORÆ.

ORDO I.

RANUNCULACEÆ. DC. syst. nat. 127.

Tribus 1. CLEMATIDEÆ.

Syst. Name.	Color.	Eng. Name.	Native.	Introd.	Flower.	Habit.	Ref. to Figures.
CLEMATIS. W.		VIRGIN'S BOWER.	Polyandria Polygynia. L.				
1 <i>erecta</i> . DC.	(wh.)	upright.	Austria.	1597.	6. 8. H.	♀.	Jacq. aust. 3. t. 291.
γ <i>hispanica</i> .	(wh.)	Spanish.					
2 <i>flammula</i> . DC.	(wh.)	sweet-scented.	S. Europe.	1596.	7. 10. H.	h. ∪.	Lob. ic. 627. f. 1.
α <i>rotundifolia</i> .	(wh.)	round-leaved.				H. h. ∪.	Ten. fl. neap. v. 1. t. 48.
β <i>vulgaris</i> .	(wh.)	oblong-leaved.				H. h. ∪.	
γ <i>maritima</i> .	(wh.)	narrow-leaved.				H. h. ∪.	Zanic. ist. 69. t. 129.
3 <i>Massoniāna</i> . DC.	(wh.)	Masson's.	C. B. S.			G. h. ∪.	
4 <i>orientalis</i> . DC.	(ye.)	oriental.	Levant.	1731.	7. 10. H.	h. ∪.	Dill. elt. t. 119. f. 145.
5 <i>glauca</i> . W.	(ye.)	glaucous.	Siberia.		7. 8. H.	h. ∪.	Willd. arb. 65. t. 4. f. 1.
6 <i>paniculata</i> . DC.	(wh.)	panicked.	Japan.	1789.	6. 8. H.	h. ∪.	Houtt. pflanz. 7. f. 2.
7 <i>chinensis</i> . DC.	(wh.)	Chinese.	China.	1820.		H. h. ∪.	Retz. obs. 2. n. 53. t. 2.
8 <i>terniflora</i> . DC.	(wh.)	three-flowered.		1826.		H. h. ∪.	
9 <i>Vitalba</i> . DC.	(wh.)	Traveller's Joy.	England.		7. 9. H.	h. ∪.	Eng. bot. 612.
10 <i>virginiana</i> . DC.	(wh.)	Virginian.	N. America.	1767.	6. 8. H.	h. ∪.	Wats. dend. brit. t. 74.
11 <i>brasiliāna</i> . DC.	(wh.)	Brazilian.	Brazil.	1820.		S. h. ∪.	Deless. ic. sel. 1. t. 1.
12 <i>dioica</i> . DC.	(wh.)	Jamaica.	Jamaica.	1733.	5. 6. S.	h. ∪.	Slo. hist. 1. t. 128. f. 1.
13 <i>americana</i> . DC.	(wh.)	West-Indian.	W. Indies.			S. h. ∪.	
14 <i>coriacea</i> . DC.	(wh.)	leathery-ld.	N. S. W.	1821.		G. h. ∪.	
15 <i>stenosépala</i> . DC.	(wh.)	narrow-sepaled.		1826.	5. 8. G.	h. ∪.	
16 <i>aristata</i> . DC.	(wh.)	awned-anther'd.		1812.	5. 8. G.	h. ∪.	Bot. reg. 238.
17 <i>hedysarifolia</i> . DC.	(wh.)	Hedysarum-ld.	Nepaul.	1819.	7. 2. G.	h. ∪.	Bot. reg. 599.
18 <i>bitermata</i> . DC.	(wh.)	bitermate.	Japan.	1825.	7. 9. H.	h. ∪.	
19 <i>triternata</i> . DC.	(wh.)	triternate-ld.		1806.		H. h. ∪.	
20 <i>dominica</i> . DC.	(wh.)	St. Domingo.	St. Domingo.			S. h. ∪.	Jac. am.p.2.t.261.f.244.
21 <i>brachiata</i> . DC.	(wh.)	armed.	C. B. S.	1804.	10. 12. G.	h. ∪.	Bot. reg. 97.
22 <i>grandiflora</i> . DC.	(wh.)	great-flowered.	Sierra Leon.	1822.		S. h. ∪.	
23 <i>dahurica</i> . DC.	(pu.)	Dahurian.	Dahuria.	1822.	6. 8. H.	h. ∪.	
24 <i>zanzibárca</i> .	(wh.)	Zanzibar.	Africa.	1826.		S. h. ∪.	
25 <i>angustifolia</i> . DC.	(wh.)	narrow-leaved.	Siberia.	1787.	5. 9. H.	♀.	Jacq. ic. 1. t. 104.
26 <i>diversifolia</i> . DC.	(pu.)	various-leaved.			9. 10. H.	h. ∪.	Deless. ic. sel. 1. t. 4.
27 <i>Viórna</i> . DC.	(pu.)	leathery-flow'd.	N. America.	1730.	6. 9. H.	h. ∪.	Jacq. ecl. 1. t. 32.
28 <i>cylindrica</i> . DC.	(bl.)	long-flowered.		1802.	7. 9. H.	h. ∪.	Bot. mag. 1160.
<i>Viórna</i> . A. R. 71.		<i>nec aliorum.</i>					
29 <i>Simsii</i> .	(pu.)	Sims's.		1812.	6. 9. H.	h. ∪.	Bot. mag. 1816.
<i>cordata</i> . B. M. <i>nec aliorum.</i>							
30 <i>reticulata</i> . DC.	(pu.)	netted.				H. h. ∪.	Wats. dend. brit. t. 72.
31 <i>japónica</i> . DC.	(pu.)	Japan.	Japan.	1826.		H. h. ∪.	
32 <i>integrifolia</i> . DC.	(bl.)	entire-leaved.	Hungary.	1596.	6. 8. H.	♀.	Bot. mag. 65.
β ? <i>angustifolia</i> .	(bl.)	narrow entire-ld.	Siberia.			H. ♀.	
γ ? <i>elongata</i> . DC.	(bl.)	long-leaved.		1823.		H. ♀.	Tratt. tab. 4. t. 178.

33	ochroleuca. DC.	(st.) silky.	N. America.	1767.	6. 7.	H. 2.	Bot. mag. 1175.
34	gentianoides. DC.	(wh.) gentian-like.	V. Diem. Isl.	1825.		G. 2.	Deless. ic. sel. 1. t. 5.
35	florida. DC.	(wh.) large-flowered.	Japan.	1776.	4. 9.	H. 2.	Bot. mag. 834.
	<i>β flore pleno</i>	(wh.) double-flowered.	—	—	—	H. 2.	—
36	Viticella. DC.	(pu.) smooth-seeded.	Spain.	1569.	6. 9.	H. 2.	Bot. mag. 565.
	<i>α purpurea.</i>	(pu.) purple-flowered.	—	—	—	—	—
	<i>β cœrulea.</i>	(bl.) blue-flowered.	—	—	—	—	—
	<i>γ pulchella.</i> P.S.	(bl.) double-flowered.	—	—	—	H. 2.	Chabr. sci. p. 117. f. 5.
37	crispa. B.M.	(pu.) curled-flower'd.	N. America.	1726.	7. 9.	H. 2.	Bot. mag. 1892.
38	parviflora. DC.	(wh.) small-flowered.		1822.	6. 8.	H. 2.	Dc. pl. rar. gen. t. 12.
	<i>campaniflora.</i> Lodd.	bot. cab. 987. non DC.	—	—	—	—	—
39	cirrhusa. DC.	(pu.) tendriled.	S. Europe.	1596.	3. 4.	H. 2.	Flor. græc. t. 517.
40	pedicellata.	(st.) pedicled.	Majorca.		—	H. 2.	Bot. mag. 1070.
	<i>cirrhusa.</i> B.M.	nec aliorum. <i>cirrhusa β. pedicellata.</i> DC.	—	—	—	—	—
41	semitriloba. DC.	(st.) three-lobed.	Spain.		9. 11.	H. 2.	—
42	calycina. H.K.	(st.) evergreen.	Minorca.	1783.	4. 6.	H. 2.	Bot. mag. 959.
	<i>balearica.</i> DC.	—	—	—	—	—	—
ATRAG'ENE. W.		ATRAG'ENE.	Polyandria Polygynia.	L.			
1	austriaca. B.M.	(bl.) Austrian.	Austria.	1792.	5. 7.	H. 2.	Bot. rep. 180.
	<i>alpina.</i> s.s.	<i>Clématis alpina.</i> DC.	—	—	—	—	—
2	sibirica. B.M.	(wh.) Siberian.	Siberia.	1753.	3. 5.	H. 2.	Bot. mag. 1951.
	<i>Clématis sibirica.</i> DC.	—	—	—	—	—	—
3	ochotensis. s.s.	(wh.) linear-petaled.	—	1822.	—	H. 2.	—
	<i>Clématis ochotensis.</i> DC.	—	—	—	—	—	—
4	americana. B.M.	(pu.) American.	N. America.	1797.	5. 6.	H. 2.	Bot. mag. 887.
	<i>Clématis verticillaris.</i> DC.	—	—	—	—	—	—
5	occidentalis. s.s.	shining-leaved.		1824.		H. 2.	—
NARAVELIA. DC.		NARAV'ELIA.	Polyandria Polygynia.	L.			
	<i>zeylanica.</i> DC.		Ceylon.	1796.		S. 2.	—
	<i>β Roxbúrhii.</i> DC. (ye.)	<i>Roxburgh's.</i>	Coromandel.	—		S. 2.	Roxb cor. 2. t. 188.

Tribus II. ANEMONEÆ.

THALICTRUM. DC.		MEADOW-RUE.	Polyandria Polygynia.	L.			
1	contortium. DC.	(wh.) crook-seeded.	Siberia.	1796.	6. 7.	H. 2.	—
2	aquilegifolium. DC.	.. Columbine-ld.	Europe.	1731.	5. 7.	H. 2.	—
	<i>α album.</i>	(wh.) white-stamened.	—	—	—	H. 2.	Jacq. aust. t. 318.
	<i>β atropurpureum.</i>	(pu.) purple.	—	—	—	H. 2.	Bot. mag. 1818.
	<i>γ formosum.</i> B.M.	(pu.) Sabine's.	—	—	—	H. 2.	Bot. mag. 2025.
3	clavatum. DC.	(wh.) club-stamened.	N. America.	1812.	6. 8.	H. 2.	—
4	mexicanum. DC.	(gr.) Mexican.	Mexico.	1826.	7. 9.	H. 2.	Hern. mex. 236. ic.
5	corynellum. DC.	(wh.) purple-stemm'd.	N. America.		—	H. 2.	—
6	polygamum. s.s.	(ye.) polygamous.	—		5. 7.	H. 2.	—
7	revolutum. DC.	(ye.) revolute	—	1806.	6. 7.	H. 2.	—
	<i>pubescens.</i> Ph. non. DC.	—	—	—	—	—	—
8	dioicum. DC.	(ye.) dioecious.	—	1759.	—	H. 2.	Deles. ic. sel. 1. t. 8.
9	carolinianum. DC.	(ye.) Carolina.	—		—	H. 2.	—
10	purpurascens. DC.	(pu.) dwarf purple.	—	1699.	—	H. 2.	—
11	petaloideum. DC.	(wh.) Dahurian.	Dahuria.	1799.	—	H. 2.	Deles. ic. sel. 1. t. 9.
12	alpinum. DC.	(gr.) Alpine.	Britain.		5. 7.	H. 2.	Eng. bot. 262.
13	fœtidum. DC.	(wh.) fetid.	Europe.	1640.	—	H. 2.	W. et K. hung. 2. t. 174.
14	pubescens. DC.	(ye.) pubescent.	—	—	—	H. 2.	—
15	acutilobum. DC.	(ye.) acute-lobed.	Siberia.		—	H. 2.	Deles. ic. sel. 1. t. 10.
16	divergens. s.s.	(gr.) divergent.	—	1820.	6. 7.	H. 2.	—
17	Schweiggeri. s.s.	(ye.) Schweigger's.		1826.	—	H. 2.	—
18	calabricum. s.s.	(ye.) Calabrian.	Sicily.	1802.	6. 8.	H. 2.	Moris. 1. s. 9. t. 20. f. 16.
19	squarrosum. DC.	(ye.) squarrose	Siberia.	1806.	—	H. 2.	—
20	sibiricum. DC.	(ye.) Siberian.	—	1775.	—	H. 2.	Gært. fruct. 1. t. 74.
21	minus. DC.	(ye.) lesser.	Britain.		6. 7.	H. 2.	Eng. bot. t. 11.
22	collinum. DC.	(ye.) hill.	Germany.	1823.	—	H. 2.	—
23	saxatile. DC.	(ye.) rock.	Europe.		5. 7.	H. 2.	—
24	ambiguum. s.s.	(ye.) ambiguous.	Switzerland.	1820.	—	H. 2.	—
25	elatum. DC.	(ye.) tall.	Hungary.	1794.	6. 8.	H. 2.	Jacq. vind. 3. t. 95.
26	majus. DC.	(ye.) greater.	England.		—	H. 2.	Eng. bot. 611.
27	nūtans. DC.	(ye.) nodding.	Italy.		—	H. 2.	—
28	mediūm. DC.	(ye.) middle.	Hungary.	1789.	—	H. 2.	Jacq. vind. 3. t. 96.

29	concinnum. DC.	(wh.) neat.			6.	H. 2.	
30	flexuosum. Jac.	(ye.) flexuose.			6. 8.	H. 2.	
31	trigynum. DC.	(ye.) three-styled.	Dahuria.	1823.	—	H. 2.	
32	glaucescens. DC.	(pu.) loose-flowered.	Russia.	—	6.	H. 2.	
33	galioides. DC.	(ye.) Galium-leaved.	Europe.	1816.	5. 7.	H. 2.	Deles. ic. sel. 1. t. 11.
34	angustifolium. DC.	(ye.) narrow-leaved.	Germany.	1739.	6. 7.	H. 2.	Jacq. vind. 3. t. 43.
35	divaricatum. s.s.	(ye.) spreading.		—	—	H. 2.	
36	cynapiifolium. F.	(ye.) Fool's-parsley'd	Siberia.	1821.	—	H. 2.	
37	oligospermum. F.	(ye.) few-seeded.	—	—	—	H. 2.	
38	diffusum. Sch.	(ye.) diffuse.		—	—	H. 2.	
39	lucidum. DC.	(ye.) shining.	Spain.	1739.	5. 7.	H. 2.	Pluk. alm. t. 65. f. 5.
40	rosmarinifolium. s.s.	(ye.) Rosemary-1 ^d	Italy.	1826.	6. 7.	H. 2.	
41	nigricans. DC.	(ye.) black.	Austria.	1798.	5. 7.	H. 2.	Jacq. aust. 5. t. 421.
42	flavum. DC.	(ye.) common.	Britain.		—	H. 2.	Eng. bot. 367.
43	vaginatum. Desf.	(ye.) sheathed.	Europe.		—	H. 2.	
44	simplex. DC.	(ye.) simple-stalked.	Sweden.	1778.	5. 6.	H. 2.	Flor. dan. t. 244.
45	cinereum. DC.	(ye.) ash-coloured.			—	H. 2.	
46	glaucum. DC.	(ye.) glaucous	S. Europe.	1798.	6. 7.	H. 2.	
47	rugosum. DC.	(ye.) rugged.	N. America.	1774.	7.	H. 2.	
48	ranunculinum. DC.	(ye.) Ranunculus-1 ^d .	—	1806.	6. 7.	H. 2.	
49	tuberosum. DC.	(wh.) tuberous-rooted.	Spain.	1713.	6.	H. 2.	Mill. ic. t. 265. f. 2.
50	anemonioides. DC.	(wh.) Anemone-like.	N. America.	1768.	4. 5.	H. 2.	Bot. mag. 866.
<i>Anemone thalictroides. w.</i>							
	<i>β flore pleno.</i>	double-flowered.	—	1822.	—	H. 2.	
PULSATILLA. W.en. PASQUE-FLOWER. Polyandria Polygynia.							
1	vernalis. s.s.	(pu.) spring.	N. Europe.	1752.	4.	H. 2.	Swt. br. fl. gar. 205.
2	Halleri. s.s.	(bl.) Haller's.	Switzerland.	1816.	4. 5.	H. 2.	All. ped. t. 80. f. 2.
3	cérnua. s.s.	(bl.) drooping.	Japan.	1806.	4. 6.	H. 2.	
4	pätens. s.s.	(va.) spreading.	Siberia.	1752.	6. 7.	H. 2.	Breyn. ic. t. 61.
	<i>β ochroleuca.</i>	(st.) straw-coloured.	—	—	5. 7.	H. 2.	Bot. mag. 1994.
5	vulgaris. s.s.	(bl.) common.	England.		—	H. 2.	Eng. bot. 51.
	<i>β rubra. DC.</i>	(re.) red-flowered.	Europe.		—	H. 2.	Lob. ic. 282. f. 1.
6	intermedia.	(bl.) long-petal'd.	Switzerland.	1820.	—	H. 2.	
<i>Anemone intermedia. Schult. longipétala. Schleich.</i>							
7	pratensis. s.s.	(pu.) meadow.	Germany.	1731.	5.	H. 2.	Flor. dan. t. 611.
8	obsoleta.	(bl.) pale-flowered.	—	—	—	H. 2.	Bot. mag. 1863.
9	albana. s.s.	(wh.) white-flowered.	Caucasus.	1827.	—	H. 2.	
10	dahurica. DC.	(fl.) Dahurian.	Dahuria.	1823.		H. 2.	
11	alpina. s.s.	(wh.) Alpine.	Europe.	1658.	7.	H. 2.	Bot. mag. 2007.
12	micrantha.	(wh.) small-flowered.	—	1827.	—	H. 2.	Jacq. aust. t. 85.
<i>Anemone alpina. Jacq. alpina β micrantha. DC.</i>							
	<i>apiifolia.</i>	(ye.) Parsley-leaved.	—		—	H. 2.	Jacq. misc. 2. t. 4.
<i>Anemone alpina δ flavescens. DC.</i>							
14	sulphurea.	(st.) sulphur-coloured.	—		—	H. 2.	Cam. epit. 393. ic.
<i>Anemone sulphurea. L. apiifolia. w.</i>							
ANEMONE. W.en. ANEMONE. Polyandria Polygynia. L.							
1	capensis. DC.	(pu.) Cape.	C. B. S.	1795.	3. 7.	G. 2.	Bot. mag. 716.
<i>Atragene capensis. w.</i>							
2	coronaria. DC.	(va.) Poppy.	Levant.	1596.	1. 12.	H. 2.	Bot. mag. 841.
	<i>β flore-pleno.</i>	(va.) double flowered.	—		4. 5.	H. 2.	
3	pavonina. DC.	(re.) acute-petaled.	—		—	H. 2.	
	<i>α coccinea.</i>	(sc.) scarlet.	—		—	H. 2.	
	<i>β lilacina.</i>	(li.) lilac.	—		—	H. 2.	
	<i>γ flore-pleno.</i>	(sc.) double scarlet.	—		—	H. 2.	Clus. hist. 1. p. 261. ic.
4	stellata. DC.	(pu.) star.	Italy.	1597.	—	H. 2.	Chabr. sciagr. 461. f. 3.
<i>hortensis. B.M. 123.</i>							
	<i>α versicolor.</i>	(v.) various-coloured.	—	—	—	H. 2.	Bot. mag. 123.
	<i>β purpurea.</i>	(pu.) purple.	—	—	—	H. 2.	Swt. br. fl. gar. 112.
5	palmata. DC.	(ye.) palmated.	Portugal.	1597.	5. 6.	H. 2.	Bot. reg. 200.
	<i>β flore-pleno.</i>	(ye.) double-flowered.	—	—	—	H. 2.	Chabr. sciagr. 461. f. 2.
6	parviflora. DC.	(wh.) small-flowered.	Labrador.	1823.	3. 5.	H. 2.	Juss. ann. mus. 3. t. 21. f. 1
<i>cuneifolia. Ph.</i>							
7	caroliniana. DC.	(pu.) slender.	Carolina.	—	5.	H. 2.	
<i>tenella. Ph.</i>							
8	apennina. DC.	(bl.) blue mountain.	England.		3. 4.	H. 2.	Eng. bot. 1062.
9	cérulea. DC.	(bl.) blue.	Siberia.	1827.	—	H. 2.	Deless. ic. sel. 1. t. 14.
10	uralensis. DC.	(bl.) Uralian.	—	—	—	H. 2.	
11	baldensis. DC.	(wh.) Strawberry-like.	Switzerland.	1792.	5.	H. 2.	Jacq. ic. 1. t. 103.
<i>fragifera. Jacq.</i>							

12	nemorosa. DC.	(wh.) wood.	Britain.		3. 5.	H. 4.	Eng. bot. 355.
	β flore-pleno.	(wh.) double-flowered.	—		—	H. 4.	Debry. fl. nov. t. 29 et 56.
	γ quinquefolia. DC.	(w.) five-leaved.	N. America.	1812.	—	H. 4.	
13	Fischeriana. DC.	(wh.) Fischer's.	Siberia.	1827.	4. 5.	H. 4.	
14	lanceifolia. DC.	(wh.) lance-leaved.	N. America.	1823.	5. 7.	H. 4.	
15	trifolia. DC.	(wh.) three-leaved.	France.	1597.	4. 5.	H. 4.	Lob. ic. 281. f. 1.
16	ranunculoïdes. DC.	(ye.) yellow wood.	England.		3. 4.	H. 4.	Eng. bot. 1484.
17	reflexa. DC.	(wh.) reflex-flowered.	Siberia.	1824.	4. 5.	H. 4.	Deless. ic. sel. 1. t. 15.
18	sylvestris. DC.	(wh.) Snowdrop.	Europe.	1596.	4. 5.	H. 4.	Bot. mag. 54.
19	alba. DC.	(wh.) five-sepaled.	Dahuria.	1818.	4. 5.	H. 4.	— 2167.
	ochotensis. F.						
20	virginiana. DC.	(wh.) Virginian.	N. America.	1722.	5. 6.	H. 4.	Herm. par. t. 18.
21	pensylvanica. DC.	(wh.) Pennsylvanian.	—	1766.	—	H. 4.	
22	dichotoma. DC.	(wh.) forked.	—	1768.	—	H. 4.	Lin. f. dec. 29. t. 15.
23	narcissiflora. DC.	(wh.) Narcissus-fl'd.	Europe.	1773.	5.	H. 4.	Bot. mag. 1120.
24	umbellata. DC.	(wh.) umbel flower'd.	Levant.	1824.	—	H. 4.	Deless. ic. sel. 1. t. 18.
25	sibirica. DC.	(wh.) Siberian.	Siberia.	1804.	6.	H. 4.	
HEPATICA. DC. HEPATICA. Polyandria Polygynia. L.							
1	acutiloba. DC.	(bl.) acute-lobed.	N. America.	1826.	3. 4.	H. 4.	
2	americana. DC.	(bl.) American.	—	1819.	3. 4.	H. 4.	Bot. reg 387.
3	triloba. DC.	(va.) three-lobed.	Europe.	1573.	2. 4.	H. 4.	Eng. bot. t. 51.
	α cœrulea.	(bl.) blue.					
	β cœruleo-plena.	(bl.) double-blue.					
	γ rubra.	(re.) red.					Bot. mag. 10.
	δ rubro-plena.	(re.) double-red.					
	ε alba.	(wh.) red-anthered white.					
	ζ nivea.	(wh.) snowy-white.					
HYDRANTHUS. DC. YELLOW-ROOT. Polyandria Polygynia. L.							
	canadensis. DC.	(wh.) Canadian.	Canada.	1759	5. 6.	H. 4.	Pict. hort. par. 37. t. 17.
KNOWLTONIA. DC. KNOWLTONIA. Polyandria Polygynia. L.							
1	rigida. DC.	(gr.) thick-leaved.	C. B. S.	1780.	3. 5.	G. 4.	Vent. malm. p. 22. t. 22.
2	vesicatoria. DC.	(gr.) blistering.	—	1691.	2. 4.	G. 4.	Bot. mag. 775.
3	gracilis. DC.	(gr.) slender.	—	1820.	—	G. 4.	Deles. ic. sel. 1. t. 19.
4	hirsuta. DC.	(gr.) hairy-leaved.	—	—	—	G. 4.	Burm. afr. t. 51.
5	daucifolia. DC.	(gr.) Carrot-leaved.	—	1822.		G. 4.	
ADONIS. DC. ADONIS. Polyandria Polygynia. L.							
1	autumnalis. DC.	(sc.) Pheasant's-eye.	Britain.		5. 10.	H. 4.	Eng. bot. 308.
2	flava. DC.	(ye.) yellow.	France.		6. 7.	H. 4.	Tab. ic. 790. f. 1.
3	micrantha. DC.	(ye.) small-flowered.	S. France.	1826.	5. 6.	H. 4.	
4	citrina. DC.	(st.) Citron-colour'd.	—	1822.	5. 6.	H. 4.	
5	flammea. DC.	(fl.) flame-coloured.	Austria.	1800.	6. 7.	H. 4.	Jac. aust. 4. t. 355.
6	æstivalis. DC.	(sc.) tall.	S. Europe.	1629.	—	H. 4.	Weinm. phyt. t. 27.
	miniata. Jac. aust. t. 354.						
7	vernalis. DC.	(ye.) vernal.	Europe.	1629.	3. 4.	H. 4.	Bot. mag. 134.
8	apennina. w. en. (ye.) Apennine.		—		—	H. 4.	Mentz. pug. t. 3. f. 1.
	vernalis β Mentzelii. DC.						
9	pyrenæica. DC.	(ye.) Pyrenean.	Pyrenees.	1820.	6. 7.	H. 4.	Deless. ic. sel. 1. t. 21.
10	sibirica. s.s.	(ye.) Siberian.	Siberia.	1827.	4. 5.	H. 4.	
11	davurica. s.s.	(ye.) Davurian.	—	—	—	H. 4.	Reich ic. t. 321.
12	distorta. T.P.	(ye.) distorted.	Naples.	—	—	H. 4.	Ten. fl. med. p. 448. t. 1.

Tribus III. RANUNCULEÆ.

MYOSURUS. DC. MOUSE-TAIL. Pentandria Polygynia. L.							
	minimus. DC.	(gr.) small.	Britain.		4. 5.	H. 4.	Eng. bot. 435.
CERATOCEPHALUS. CERATOCEPHALUS. Pentandria Polygynia.							
1	falcatus. DC.	(ye.) sickle-seeded.	S. Europe.	1739.	5.	H. 4.	Jac. aust. t. 48.
2	orthoceras. DC.	(ye.) straight-seeded.	Siberia.	1823.	—	H. 4.	Deles. ic. sel. 1. t. 23.
RANUNCULUS. DC. CROW-FOOT. Polyandria Polygynia. L.							
1	hederaceus. DC.	(wh.) Ivy-leaved.	Britain.		5. 8.	H. w. 4.	Eng. bot. 2003.
2	tripartitus. DC.	(wh.) three-parted.	—		—	H. w. 4.	DC. ic. g. rar. 1. t. 49.
	β obtusiflorus. DC.	(w.) blunt-flowered.	—		—	H. w. 4.	Pet. eng. herb. t. 39. f. 1.
3	aquátilis. DC.	(wh.) water.	—		4. 8.	H. w. 4.	Eng. bot. 101.
	α heterophyllus. DC.	(w.) various-leaved.	—		—	H. w. 4.	Tab. ic. 54. f. 2.
	β peltatus. DC.	(wh.) peltate-leaved.	—		—	H. w. 4.	Lob. ic. 2. p. 35. f. 2.

RANUNCULACEÆ.

4	<i>pantothrix</i> . DC. (wh.)	divided-leaved.	Britain.		4. 8.	H.w. 7.	Lob. ic 791. f. 1.
	<i>a capillaceus</i> . DC. (wh.)	<i>fine-leaved.</i>	-----		-----	H.w. 7.	Pet. eng. herb. t. 39. f. 4.
	<i>β caspitōsus</i> . DC. (wh.)	<i>tufted.</i>	-----		-----	H.w. 7.	----- t. 39. f. 3.
	<i>γ pucedanifolius</i> . DC. (wh.)	<i>Fennel-ld.</i>	-----		-----	H.w. 7.	----- t. 39. f. 2.
	<i>fluviatilis</i> . w.						
5	<i>rutæfolius</i> . DC. (wh.)	Rue-leaved.	Austria.	1759.	5. 7.	H. 7.	Jac. coll. 1. t. 6 et 7.
6	<i>glaciālis</i> . DC. (wh.)	two-flowered.	Lapland.	1775.	6. 8.	H. 7.	Flor. dan. t. 19.
7	<i>Seguieri</i> . DC. (wh.)	Seguier's.	Switzerland.	1820.	-----	H. 7.	Vill. dauph. 4. t. 49.
8	<i>alpestris</i> . DC. (wh.)	Alpine.	Scotland.		-----	H. 7.	Eng. bot. 2390.
9	<i>crenatus</i> . DC. (wh.)	crenate-leaved.	Hungary.	1822.	-----	H. 7.	W. et K. hung. 1. t. 10.
10	<i>aconitifolius</i> . DC. (wh.)	Aconite-leaved.	Europe.	1596.	5. 6.	H. 7.	J. Ger. hist. 951. f. 4.
	<i>a humilis</i> . DC. (wh.)	<i>dwarf.</i>	-----		-----	H. 7.	Lob. adv. 300. f. 2.
	<i>β crassicaulis</i> . DC. (w.)	<i>thick-stalked.</i>	-----		-----	H. 7.	
11	<i>platanifolius</i> . w. (wh.)	Plane-tree-ld.	Germany.	1769.	6. 7.	H. 7.	Flor. dan. t. 111.
	<i>β flore-pleno</i> . (wh.)	<i>double-flowered.</i>	-----	-----	-----	H. 7.	Bot. mag. 204.
	<i>aconitifolius</i> . B.M. 204.						
12	<i>lācerus</i> . DC. (wh.)	torn-leaved.	Piedmont.		-----	H. 7.	Bell. act. taur. 5. t. 8.
13	<i>pāllidus</i> . DC. (st.)	pale-yellow.	Hybrid.		-----	H. 7.	Schrank hort. mon. t. 57.
14	<i>pyrenæus</i> . DC. (wh.)	Pyrenean.	Pyrenees.		4. 6.	H. 7.	Deles. ic. sel. 1. t. 27. f. B.
	<i>β bupleurifolius</i> . DC. (w.)	<i>one-flowered.</i>	-----		-----	H. 7.	Jac. misc. 1. t. 18. f. 1.
	<i>γ plantagineus</i> . DC. (wh.)	<i>many-flowered.</i>	-----		-----	H. 7.	All ped. n. 1445. t. 76. f. 1.
15	<i>angustifolius</i> . DC. (w.)	narrow-leaved.	-----	1822.	-----	H. 7.	Deles. ic. sel. 1. t. 27. f. C.
16	<i>amplexicaulis</i> . DC. (w.)	Plantain-leav'd.	-----	1633.	4. 5.	H. 7.	Bot. mag. 266.
17	<i>parnassifolius</i> . DC. (w.)	Parnassia-leav'd.	-----	1769.	6. 7.	H. 7.	----- 386.
18	<i>gramineus</i> . DC. (ye.)	grass-leaved.	Wales.		4. 6.	H. 7.	Eng. bot. 2306.
	<i>β flore-pleno</i> . (ye.)	<i>double-flowered.</i>	-----		-----	H. 7.	Lob. ic. 671. f. 2.
19	<i>bupleuroides</i> . DC. (ye.)	Hare's-ear-ld.	Portugal.	1826.	-----	H. 7.	
20	<i>Lingua</i> . DC. (ye.)	greatspear-wort.	Britain.		6. 8.	H.w. 7.	Eng. bot. 100.
21	<i>Flāmmula</i> . DC. (ye.)	less spear-wort.	-----		6. 9.	H.w. 7.	----- 387.
	<i>β serrata</i> . DC. (ye.)	<i>saw-leaved.</i>	-----		-----	H.w. 7.	Lob. ic. 670. f. 2.
	<i>γ ovata</i> . DC. (ye.)	<i>oval-leaved.</i>	-----		-----	H.w. 7.	
22	<i>réptans</i> . DC. (ye.)	least spear-wort.	-----		-----	H.w. 7.	Flor. dan. t. 108.
23	<i>filifórmis</i> . m. (ye.)	filiform.	N. America.	1816.	-----	H.w. 7.	
24	<i>uliginōsus</i> . DC. (ye.)	marsh.	Teneriffe.	1826.	6. 7.	H.w. 7.	Deles. ic. sel. 1. t. 29.
25	<i>bonariēnsis</i> . DC. (ye.)	Buenos Ayres.	S. America.	1819.	-----	H.w. 7.	W. et K. pl. hung. 1. t. 45.
26	<i>polyphyllus</i> . DC. (ye.)	many-leaved.	Hungary.	-----	5. 6.	H.w. 7.	Vill. dauph. 4. t. 49.
27	<i>ophioglōssifolius</i> . DC. (ye.)	fistulous-stalk'd.	S. Europe.	1822.	6.	H.w. 7.	
28	<i>nodiflorus</i> . DC. (ye.)	knot-flowered.	France.	1714.	5. 7.	H.w. 7.	Bot. mag. 2171.
	<i>β dentatus</i> . DC. (ye.)	<i>toothed.</i>	Hungary.	-----	-----	H.w. 7.	Jac. vind. 3. t. 31.
29	<i>salsuginosus</i> . DC. (ye.)	Russian.	Russia.	1821.	-----	H. 7.	
	<i>ruthenicus</i> . Jac. vind. 3. t. 31.						
30	<i>Cymbalariæ</i> . Ph. (ye.)	Ivy-like.	N. America.	1823.	-----	H.w. 7.	
31	<i>bullātus</i> . DC. (ye.)	blistered.	S. Europe.	1640.	5. 8.	H. 7.	Clus. hist. 1. f. 2.
	<i>a parviflorus</i> . DC. (ye.)	<i>small-flowered.</i>	-----	-----	-----	H. 7.	----- 1. f. 1.
	<i>β grandiflorus</i> . DC. (ye.)	<i>large-flowered.</i>	-----	-----	-----	H. 7.	Corn. can. 95. ic.
	<i>γ flore-pleno</i> . (ye.)	<i>double-flowered.</i>	-----	-----	-----	H. 7.	Barr. ic. t. 581.
32	<i>charophyllus</i> . DC. (ye.)	Chervil-leaved.	-----		4. 6.	H. 7.	
	<i>a vulgaris</i> . DC. (ye.)	<i>common.</i>	-----		-----	H. 7.	
	<i>β gregarius</i> . DC. (ye.)	<i>villous.</i>	-----		-----	H. 7.	
33	<i>adscēdens</i> . DC. (ye.)	ascending.	Portugal.	1826.	5. 6.	H. 7.	Flor. græc. t. 521.
34	<i>millifoliatus</i> . DC. (ye.)	numerous-ld.	Sicily.	1824.	4. 7.	H. 7.	Desf. ic. pict. h. part. 74.
35	<i>fumariæfolius</i> . DC. (ye.)	Fumitory-leav'd.	-----		-----	H. 7.	
36	<i>oxyspermus</i> . DC. (ye.)	awned-seeded.	Tauria.	1822.	5. 6.	H. 7.	
37	<i>pedatus</i> . DC. (ye.)	pedate.	Hungary.	1806.	5. 6.	H. 7.	Bot. mag. 2229.
38	<i>illyricus</i> . DC. (ye.)	Illyrian.	Europe.	1596.	-----	H. 7.	Jacq. aust. t. 222.
39	<i>monspeliacus</i> . DC. (ye.)	Montpelier.	Montpelier.	1816.	-----	H. 7.	Swt. br fl. gar. 94.
	<i>a angustilobus</i> . DC. (y.)	<i>narrow-lobed.</i>	-----		-----	H. 7.	Besl. eyst. 1. t. 13. f. 1.
	<i>β cuneatus</i> . DC. (ye.)	<i>wedge-lobed.</i>	-----		-----	H. 7.	DC. ic. gall. rar. t. 50.
	<i>γ rotundifolius</i> . DC. (y.)	<i>round-leaved.</i>	-----		-----	H. 7.	
40	<i>asiaticus</i> . DC. (va.)	garden.	Levant.	1596.	-----	H. 7.	Dard. trait. ren. 1. t. 6.
	<i>a vulgaris</i> . DC. (va.)	<i>common.</i>	-----	-----	-----	H. 7.	Mill. ic. t. 216.
	<i>a pictus</i> . s.f.g. (r.w.)	<i>Quillafla.</i>	-----	-----	-----	H. 7.	Swt. flor. guid. 61.
	<i>β incomparabilis</i> . (r.w.)	<i>Rose incomparable.</i>	-----	-----	-----	H. 7.	----- 54.
	<i>γ Victoriānus</i> . (bh.)	<i>Princess Alexandrina Victoria.</i>	-----	-----	-----	H. 7.	----- 12.
	<i>ε mixtus</i> . (r.y.)	<i>Melange des beautés</i>	-----	-----	-----	H. 7.	----- 28.
	<i>ε Juliusianus</i> . (p.y.)	<i>Julius.</i>	-----	-----	-----	H. 7.	----- 68.
	<i>ζ Galitzini</i> . (p.y.)	<i>Prince Galitzin.</i>	-----	-----	-----	H. 7.	----- 6.
	<i>η Douglassii</i> . (p.y.)	<i>Gadwin Douglas</i>	-----	-----	-----	H. 7.	----- 34.
	<i>θ aureus</i> . (ye.)	<i>Berth.</i>	-----	-----	-----	H. 7.	----- 37.
	<i>ι Burnsii</i> . (p.w.)	<i>Burns the Poet.</i>	-----	-----	-----	H. 7.	----- 18.

κ	äter.	(d.p.)	Vereatre.			5. 6.	H. 2.	Swt. flor. guid. 43.
λ	hamánthus.	(cr.)	Xanthus.			—	H. 2.	78.
μ	Agrícoli.	(s.p.)	Agricola.			—	H. 2.	73.
ν	Clarenceanus.	(s.p.)	Duke of Clarence.			—	H. 2.	83.
ξ	Carlosianus.	(s.p.)	Carlos.			—	H. 2.	90.
B	sanguineus. DC.	(va.)	Turban.	Levant.	1596.	—	H. 2.	Lob. ic. 672. f. 2.
C	tenuilobus. DC.	(va.)	slender-lobed.	—	—	—	H. 2.	Debr. flor. nov. t. 31.
a	aterrimus.	(da.)	Viola le vrai noir.			—	H. 2.	Swt. flor. guid. 60.
β	Nomiási.	(pu.)	Nomias.			—	H. 2.	24.
γ	variegatus.	(w.r.)	Oeillet parfait.			—	H. 2.	40.
δ	càrus.	(w.r.)	Carà.			—	H. 2.	86.
41	créticus. DC.	(ye.)	Cretan.	Candia.	1659.	4. 5.	H. 2.	Clus. hist. 1. p. 239. f. 1.
42	cortusæfolius. DC.	(ye.)	Cortusa-leaved.	Canaries.	1826.	4. 6.	H. 2.	Deless. ic. sel. 1. t. 36.
43	Thòra. DC.	(ye.)	kidney-leaved.	AlpsEurope.	1710.	5. 6.	H. 2.	Jacq. aust. 5. t. 442.
44	scutàrus. DC.	(ye.)	shield-leaved.	Hungary.	1822.	4. 5.	H. 2.	Pl. rar. hung. 2. t. 187.
45	brevifolius. DC.	(ye.)	short-leaved.	Naples.	1826.	—	H. 2.	—
46	hybridus. DC.	(ye.)	hybrid.	Austria.	1822.	6. 7.	H. 2.	Sturm. deutsch. fl. ic.
47	auricomus. DC.	(ye.)	Goldlocks.	Britain.		3. 5.	H. 2.	Eng. bot. 624.
48	cassubicus. DC.	(ye.)	Cassubian.	Siberia.	1794.	6. 7.	H. 2.	Bot. mag. 2267.
49	abortivus. DC.	(ye.)	three-flowered.	N. America.	1713.	5. 8.	H. 2.	—
50	sceleratus. DC.	(ye.)	Celery-leaved.	Britain.		—	H.w. ☉.	Eng. bot. 681.
51	lappònicus. DC.	(ye.)	Lapland.	Lapland.	1827.	4. 6.	H. 2.	Sm. fl. lapp. ed. 2. t. 3 f. 5.
52	hyperboreus. DC.	(ye.)	northern.	Siberia.	1822.	6. 8.	H. 2.	Flor. dan. t. 31.
53	frigidus. DC.	(ye.)	frigid.	—	1826.	—	H. 2.	Lax. n. c. ac. pet. v. 18 t. 8.
54	nivàlis. DC.	(ye.)	snowy.	Lapland.	1775.	—	H. 2.	Fl. lap. ed. 1. t. 3 f. 2.
55	Sabini. s.s.	(ye.)	Sabine's.	N. America.	1827.	—	H. 2.	—
56	àrcticus. s.s.	(ye.)	arctic.	—	—	—	H. 2.	—
57	Púrshii. s.s.	(ye.)	Pursh's.	—	—	—	H. 2.	—
58	affinis. s.s.	(ye.)	likened.	—	—	—	H. 2.	—
59	montànus. DC.	(ye.)	mountain.	Austria.	—	—	H. 2.	Jacq. aust. t. 325 et 6.
60	Villàrsii. DC.	(ye.)	Villars's.	France.		5. 7.	H. 2.	Crantz. aust. 2. t. 4. f. 2?
61	Gouàni. DC.	(ye.)	Gouan's.	Pyrenees.	1818.	—	H. 2.	Gouan ill. t. 17. f. 1. 2.
62	àcris. DC.	(ye.)	upright.	Britain.		6. 7.	H. 2.	Eng. bot. 652.
β	flòre plèno.	(ye.)	double-flowered.	—	—	—	H. 2.	Bot. mag. 215.
γ	sylvaticus. DC.	(ye.)	wood.	—	—	—	H. 2.	—
δ	multifidus. DC.	(ye.)	multifid.	—	—	—	H. 2.	—
63	Brùtius. DC.	(ye.)	Neapolitan.	Naples.	1828.	—	H. 2.	Ten. fl. nap. 1. t. 50.
64	Stevèni. DC.	(ye.)	Steven's.	Poland.	1825.	—	H. 2.	—
65	caucasicus. DC.	(ye.)	Caucasian.	Caucasus.	—	6. 8.	H. 2.	—
66	rufulus. DC.	(ye.)	rufous-haired.	Portugal.	—	—	H. 2.	—
67	polyánthemus. DC.	(ye.)	many-flowered.	N. Europe.	1596.	5. 6.	H. 2.	Cran. aus. 2. t. 4. f. 1. s.
68	nemoròsus. DC.	(ye.)	wood.	Switzerland.	1818.	5. 7.	H. 2.	—
69	Breyniànus. s.s.	(ye.)	Breynius's.	—	—	—	H. 2.	—
aurèus. Schl.	villòsus.	St. Am. fl. ag.	227. bon. t. 5.	—	—	—	—	—
70	lanuginòsus. DC.	(ye.)	woolly-leaved.	S. Europe.	1683.	6. 7.	H. 2.	Flor. dan. t. 397.
71	obtusifolius. DC.	(ye.)	blunt-leaved.	Spain.	1825.	—	H. 2.	—
72	tuberòsus. DC.	(ye.)	tuberous.	Pyrenees.	1824.	5. 7.	H. 2.	—
73	napellifolius. DC.	(ye.)	Napellus-leav'd.	Greece.	1825.	—	H. 2.	—
74	platyspermus. DC.	(ye.)	flat-seeded.	Siberia.	1827.	—	H. 2.	—
75	dissèctus. DC.	(ye.)	cut-leaved.	—	1823.	—	H. 2.	—
76	repens. DC.	(ye.)	creeping.	Britain.		5. 9.	H. 2.	Eng. bot. 516.
β	flòre-plèno.	(ye.)	double-flowered.	—	—	—	H. 2.	Tab. ic. 53. f. 1.
γ	glàbratus. DC.	(ye.)	shining-leaved.	—	—	—	H.w. 2.	—
77	lappàceus. DC.	(ye.)	New Holland.	N. S. W.	1822.	—	G. 2.	—
78	plebeius. DC.	(ye.)	plebeian.	—	1823.	5. 7.	G. 2.	—
79	hirtus. DC.	(ye.)	hairy.	N. Zealand.	—	—	H. 2.	—
80	pensylvànicus. DC.	(ye.)	Pensylvanian.	N. America.	1785.	6. 7.	H. 2.	Jacq. ic. 1. t. 105.
canadènsis. Jac.	—	—	—	—	—	—	—	—
81	fasciculàris. DC.	(ye.)	fascicled.	—	1823.	4. 5.	H. 2.	—
82	marylándicus. DC.	(ye.)	Maryland.	—	1811.	5. 7.	H. 2.	—
83	carolinianus. DC.	(ye.)	Carolina.	—	1826.	5. 7.	H. 2.	—
84	tomentòsus. DC.	(ye.)	tomentose.	—	1820.	—	H. 2.	—
85	bulbòsus. DC.	(ye.)	bulbous.	Britain.		4. 6.	H. ☉.	Eng. bot. 515.
β	flòre-plèno.	(ye.)	double-flowered.	—	—	—	H. 2.	Lob. ic. 666. f. 2.
86	bracteatùs. Sch.	(ye.)	bracted.	Switzerland.	1817.	—	H. 2.	—
87	Philonòtis. DC.	(ye.)	pale hairy.	Britain.		6. 10.	H. ☉.	Curt. lond. 2. t. 40.
α	hirsùtus. E.B.	(ye.)	hairy upright.	—	—	—	H. ☉.	Eng. bot. t. 1504.
β	intermedius. DC.	(ye.)	intermediate.	France.		—	H. ☉.	—
γ	pàrvulus. DC.	(ye.)	little upright.	England.	—	—	H. ☉.	Col. ecphr. t. 316.
88	tuberculàtus. DC.	(ye.)	tubercled.		1821.	5. 6.	H. 2.	—

89	Hornemänni. DC. (ye.)	Hornemann's.	N. America.	1820.	5. 7.	H. 2.	
	tuberösus. Horn. non.	Lapeyr.					
90	arvensis. DC. (ye.)	corn.	Britain.		—	H. 2.	Eng. bot. 135.
91	muricatus. DC. (ye.)	prickly seeded.	S. Europe.	1683.	7. 8.	H. 2.	Lam. ill. t. 498.
92	echinatus. V. (ye.)	American.	N. America.		6. 7.	H. 2.	Vent. cels. t. 73.
93	parviflorus. DC. (ye.)	small-flowered.	England.		5. 6.	H. 2.	Eng. bot. 120.
94	trilobus. DC. (ye.)	three-lobed.	S. Europe.	1824.	5. 7.	H. 2.	Desf. atl. 1. t. 113.
95	sessiliflorus. DC. (ye.)	sessile-flowered.	N. S. W.	1822.	—	H. 2.	
96	laciniatus. DC. (ye.)	jagged.	Transylvania.	1826.	6. 7.	H. 2.	
97	crassicaulis. H. (ye.)	thick-stemmed.		—	—	H. 2.	
FICARIA. DC.		PILEWORT.	Polyandria	Polygynia.	L.		
	ranunculoides. DC. (ye.)	vernal.	Britain.		3. 5.	H. 2.	Eng. bot. 584.
	vérna. P.S. Ranunculus	Ficaria. W.					
	β flore-pleno. (ye.)	double-flowered.	—		—	H. 2.	

Tribus IV. HELLEBOREÆ.

CALTHA. DC.		MARSH-MARYGOLD.	Polyandria	Polygynia	L.		
1	palustris. DC. (ye.)	common.	Britain.		3. 5.	H.w. 2.	Eng. bot. 506.
	β flore-pleno. (ye.)	double-flowered.	—		—	H.w. 2.	Tab. ic. 751. f. 1.
2	minor. Mill. (ye.)	small.	—		—	H.w. 2.	— 750. f. 2.
3	radicans. DC. (ye.)	creeping.	Scotland.		—	H.w. 2.	Linn. trans. 8. t. 17.
4	integerrima. DC. (ye.)	entire-leaved.	N. America.	1827.	5. 7.	H.w. 2.	
5	parnassifolia. DC. (ye.)	Parnassia-leaved.	—	1825.	—	H.w. 2.	
ficarioides. Ph.							
6	arctica. s.s. (ye.)	northern.	—	1827.	—	H.w. 2.	
7	flabellifolia. DC. (ye.)	fan-leaved.		1818.	7. 8.	H.w. 2.	Pur. fl. am. sept. 2. t. 17.
8	nátans. DC. (wh.)	floating.	Siberia.	1823.	4. 5.	H.w. 2.	Gmel. sib. 4. t. 82.
TROLLIUS. DC.		GLOBE-FLOWER.	Polyandria	Polygynia	L.		
1	europæus. DC. (ye.)	European.	Britain.		5. 6.	H. 2.	Eng. bot. t. 28.
	a altissimus. DC. (ye.)	tall.	—		—	H. 2.	
	β humilis. DC. (ye.)	dwarf.	—		—	H. 2.	
2	napellifolius. DC. (ye.)	intermediate.			—	H. 2.	
3	caucasicus. DC. (ye.)	Caucasian.	Caucasus.		—	H. 2.	
4	pátulus. DC. (ye.)	spreading.	Siberia.		5. 7.	H. 2.	Deless. ic. sel. 1. t. 44.
5	Ledebourii. s.s. (ye.)	Ledebour's.	—	1827.	—	H. 2.	Reich. ic. t. 272.
6	asiaticus. DC. (ye.)	Asiatic.	—	1759.	—	H. 2.	Bot. mag. 235.
7	americanus. DC. (ye.)	American.	N. America.	1805.	5. 7.	H. 2.	— 1988.
lárus. Ph. Gaissenia		vérna. Raf.					
ERANTHIS. DC.		WINTER-ACONITE.	Polyandria	Polygynia	L.		
1	hyemalis. DC. (ye.)	common.	Europe.	1596.	1. 3.	H. 2.	Bot. mag. 3.
2	sibirica. DC. (ye.)	Siberian.	Siberia.	1824.	2. 4.	H. 2.	
HELLEBORUS. DC.		HELLEBORE.	Polyandria	Polygynia	L.		
1	niger. DC. (wh.)	Christmas-Rose.	Europe.	1596.	1. 3.	H. 2.	
	a latifolius. (wh.)	broad-leaved.	—	—	—	H. 2.	Bot. mag. 8.
	β angustifolius. (wh.)	narrow-leaved.	—	—	—	H. 2.	
2	purpurascens. (pu.)	purplish.	Hungary.	1817.	3. 4.	H. 2.	Pl. rar. hung. 2. t. 101.
3	Boccòni. T.P. (gr.)	Boccone's.	Sicily.	1826.	—	H. 2.	Bocc. mus. 2. t. 11. f. 2.
4	odorus. DC. (gr.)	sweet-scented.	Hungary.	—	—	H. 2.	
5	viridis. DC. (gr.)	green-flowered.	Britain.		4. 6.	H. 2.	Eng. bot. 200.
6	atrorubens. DC. (pu.)	dark-red.	Hungary.	1822.	1. 3.	H. 2.	Pl. rar. hung. 3. t. 271.
7	dumetorum. DC. (gr.)	bush.	—	1817.	3. 4.	H. 2.	Swt. br. fl. gar. 109.
8	foetidus. DC. (gr.)	Bear's-foot.	England.		2. 4.	H. 2.	Eng. bot. 613.
9	lividus. DC. (br.)	three-leaved.	Corsica.	1710.	1. 5.	H. 2.	Bot. mag. 72.
	β integrilobus. DC. (br.)	entire-lobed.	—	—	—	H. 2.	
COPTIS. DC.		COPTIS.	Polyandria	Polygynia	L.		
	trifolia. DC. (wh.)	three-leaved.	N. America.	1782.	6. 7.	H. 2.	Lodd. bot. cab. t. 173.
ISOPYRUM. DC.		ISOPYRUM.	Polyandria	Polygynia	L.		
1	thalictroides. DC. (wh.)	Meadow-Ruell.	Italy.	1759.	3. 4.	H. 2.	Jac. aust. 2. t. 105.
2	fumarioides. DC. (wh.)	Fumitory-l.	Siberia.	1741.	6. 7.	H. 2.	Schkuhr hand. 2. t. 153.
3	grandiflorum. F. (wh.)	large-flowered.	Altay.	1804.	—	H. 2.	

GARIDE'LLA. DC.		GARIDE'LLA. Decandria Trigynia. L.				
	<i>Nigellastrum. DC. (wh.)</i>	<i>Nigella-leaved. S. Europe.</i>	1736.	6. 7.	H. ☉	Bot. mag. 1266.
NIGELLA. DC.		FENNEL-FLOWER. Polyandria Pentagynia. L.				
1	<i>corniculata. DC. (st.)</i>	horned.	1822.	6. 9.	H. ☉	
2	<i>orientalis. DC. (ye.)</i>	yellow. Syria.	1699.	—	H. ☉	Bot. mag. 1264.
3	<i>hispanica. DC. (bl.)</i>	Spanish. Spain.	1629.	—	H. ☉	— 1265.
4	<i>arvensis. DC. (wh.)</i>	field. Europe.	1683	—	H. ☉	Bull. herb. t. 126.
5	<i>sativa. DC. (wh.)</i>	small. Egypt.	1548.	—	H. ☉	Flor. græc. t. 511.
	<i>β crætica. DC. (wh.)</i>	<i>Cretan. Crete.</i>	—	—	H. ☉	Math. com. 581. f. iv.
	<i>γ citrina. DC. (wh.)</i>	<i>yellow-seeded.</i>	—	—	H. ☉	Lob. ic. 741. f. 1.
6	<i>damascena. DC. (wh.)</i>	common. S. Europe.	1570.	—	H. ☉	Bot. mag. 22.
	<i>β flore-pleno. (wh.)</i>	<i>double-flowered.</i>	—	—	H. ☉	Clus. hist. 2. p. 208. f. 1.
7	<i>coarctata. DC. (wh.)</i>	dwarf.	1793.	—	H. ☉	
AQUILEGIA. DC.		COLUMBINE. Polyandria Pentagynia. L.				
1	<i>vulgaris. DC. (va.)</i>	common. Britain.		5. 7.	H. ♀	Eng. bot. 297.
	<i>β corniculata. DC. (va.)</i>	<i>downward-spur'd.</i>		—	H. ♀	Barr. ic. 614. 615. 616. &c.
	<i>γ inversa. DC. (va.)</i>	<i>upward-spurred.</i>		—	H. ♀	— 613.
	<i>δ stellata. DC. (va.)</i>	<i>starry.</i>		—	H. ♀	— 619. 620. &c.
	<i>ε degener. DC. (gr.)</i>	<i>green-flowered.</i>		—	H. ♀	— 608.
2	<i>viscosa. DC. (bl.)</i>	clammy. S. Europe.	1752.	5. 6.	H. ♀	Gouan. ill. t. 19.
3	<i>sibirica. DC. (bl.)</i>	Siberian. Siberia.		—	H. ♀	Deles. ic. sel. 1. t. 47.
4	<i>glandulosa. F. (bl.)</i>	glandulous. Altay.	1818.	—	H. ♀	
	<i>α discolor. DC. (b.w.)</i>	<i>two-coloured.</i>	—	—	H. ♀	
	<i>β concolor. DC. (bl.)</i>	<i>one-coloured.</i>	—	—	H. ♀	
5	<i>alpina. DC. (bl.)</i>	Alpine. Switzerland.	1731.	—	H. ♀	Swt. br. fl. gar. 3. t. 218.
6	<i>pyrenaica. DC. (bl.)</i>	Pyrenean. Pyrenees.	1821.	—	H. ♀	Trev. delph. 23. t. 2.
7	<i>canadensis. DC. (re.)</i>	Canadian. N. America.	1640.	4. 5.	H. ♀	Bot. mag. 246.
8	<i>formosa. F. (re.)</i>	handsome. Kamtschatka.	1824.	—	H. ♀	
9	<i>viridiflora. DC. (gr.)</i>	green-flowered. Siberia.	1780.	5. 6.	H. ♀	Jac. ic. 1. t. 102.
10	<i>dahurica. DC. (pu.)</i>	Dahurian. Dahuria.	1821.	—	H. ♀	Deless. ic. sel. 1. t. 49.
11	<i>Fischeriana. DC. (pu.)</i>	Fischer's.	—	—	H. ♀	
12	<i>atropurpurea. DC. (pu.)</i>	dark-purple. Siberia.		5. 6.	H. ♀	Botan. regist. 922.
13	<i>hybrida. DC. (p.y.)</i>	hybrid.		—	H. ♀	Bot. mag. 1221.
DELPHINIUM. DC.		LARKSPUR. Polyandria Trigynia. L.				
1	<i>Ajácis. DC. (va.)</i>	Rocket. Tauria.	1573.	6. 9.	H. ☉	Spreng. geh. 1. t. 24. f. 1. 5
	<i>β flore-pleno. (va.)</i>	<i>double-flowered.</i>	—	—	H. ☉	Clus. hist. 2. f. 2.
2	<i>Consolida. DC. (va.)</i>	field. England.		—	H. ☉	Eng. bot. 1839.
	<i>β flore-pleno. (va.)</i>	<i>double-flowered.</i>		—	H. ☉	Besl. eyst. 2. t. 14. f. 1.
3	<i>pubescens. DC. (bl.)</i>	pubescent. S. France.		—	H. ☉	Flor. græc. t. 504.
4	<i>Aconiti. DC. (pu.)</i>	Aconite-like. Levant.	1801.	—	H. ☉	Vahl symb. 1. 40. t. 13.
5	<i>ambiguum. DC. (bl.)</i>	doubtful. Barbary.	1759.	7. 9.	H. ☉	
6	<i>juncum. DC. (bl.)</i>	Rush-like. Italy.	1629.	—	H. ☉	Flor. græc. t. 506.
	<i>peregrinum. Lin. non Lin.</i>	Lam.	—	—	—	
7	<i>gracile. DC. (re.)</i>	slender. Spain.	1826.	—	H. ☉	
8	<i>cardiophyllum. DC. (bl.)</i>	heart-petaled. Pyrenees.	1822.	—	H. ☉	Math. com. 557. ic.
	<i>peregrinum. Lam. non Lin.</i>		—	—	—	
9	<i>virgatum. DC. (bl.)</i>	twiggy. Syria.	1824.	6. 9.	H. ☉	Deless. ic. sel. 1. t. 55.
10	<i>grandiflorum. DC. (bl.)</i>	great-flowered. Siberia.	1741.	6. 9.	H. ♀	Bot. mag. 1686.
	<i>β chinense. F. (bl.)</i>	Chinese. China.	1816.	—	H. ♀	Bot. reg. 472.
	<i>γ album. (wh.)</i>	<i>white-flowered.</i>	—	—	H. ♀	
	<i>δ flore-pleno. (bl.)</i>	<i>double-flowered.</i>	—	—	H. ♀	
11	<i>cheilanthum. DC. (bl.)</i>	hairy-leaved. Dahuria.	1818.	—	H. ♀	Bot. reg. 473.
12	<i>virescens. N. (wh.)</i>	greenish. N. America.	1827.	—	H. ♀	
13	<i>punicum. DC. (pu.)</i>	dark-purple. Tartary.	1785.	7. 9.	H. ♀	
14	<i>albiflorum. DC. (wh.)</i>	white-flowered. Armenia.	1823.	—	H. ♀	Deless. ic. sel. 1. t. 58.
15	<i>ochroleucum. DC. (st.)</i>	sulphur-coloured. Iberia.	1817.	—	H. ♀	
16	<i>hybridum. DC. (bl.)</i>	hairy. Siberia.	1794.	6. 9.	H. ♀	
17	<i>fissum. P. S. (bl.)</i>	cloven. Hungary.	1816.	—	H. ♀	Pl. rar. hung. 1. t. 81.
18	<i>velutinum. DC. (bl.)</i>	velvetty. Italy.	1824.	—	H. ♀	
19	<i>pentagynum. DC. (bl.)</i>	five-styled. Portugal.	1820.	—	H. ♀	Pic. hort. par. t. 30.
20	<i>Menziesii. DC. (bl.)</i>	Menzies'. N. America.	1826.	6. 8.	H. ♀	Bot. reg. 1192.
21	<i>elegans. DC. (bl.)</i>	elegant.	1741.	—	H. ♀	
	<i>β multiplæx. (bl.)</i>	<i>common-double.</i>	—	—	H. ♀	
22	<i>tricornæ. DC. (bl.)</i>	three-horned.	1806.	4. 6.	H. ♀	Lodd. bot. cab. 306.
23	<i>amœnum. DC. (bl.)</i>	pretty. Siberia.		—	H. ♀	Gmel. sib. 4. t. 77.
24	<i>azureum. DC. (bl.)</i>	azure. Carolina.	1805.	5. 7.	H. ♀	Deless. ic. sel. 1. t. 60.
25	<i>exaltatum. DC. (bl.)</i>	tall. N. America.	1758.	7. 8.	H. ♀	Mill. ic. t. 250. f. 2?
26	<i>urceolatum. DC. (bl.)</i>	hollow-leaved.	1806.	6. 7.	H. ♀	Jac. ic. 1. t. 101.

27	revolutum. DC.	(bl.)	revolute.			7. 9.	H. 2.	
28	mesoleucum. DC.	(bl.)	white-lipped.		1824.	—	H. 2.	Šwt. br. fl. gar. ic.
29	palmatifidum. DC.	(bl.)	palmate.	Siberia.		6. 9.	H. 2.	Gmel. sib. 4. t. 79?
	α hispidum. DC.	(bl.)	hispid.	—		—	H. 2.	— 4. t. 75?
	β glabellum. DC.	(bl.)	smooth.	—		—	H. 2.	
30	intermedium. DC.	(bl.)	intermediate.	Europe.	1710	7. 8.	H. 2.	Gmel. sib. 4. t. 80?
	α pilosissimum. DC.	(bl.)	villous.	—		—	H. 2.	Pl. rar. hung. 3. t. 246.
	β alpinum. DC.	(bl.)	Alpine.	—	1819.	—	H. 2.	
	γ leptostachyum. DC.	(bl.)	slender-spiked.	—		—	H. 2.	Mill. ic. t. 119?
	δ ranunculifolium. DC.		Ranunculus-ls.	—		—	H. 2.	Bot. reg. 327.
	ε laxum. DC.	(bl.)	loose-flowered.	—		—	H. 2.	
31	cuneatum. DC.	(bl.)	wedge-leaved.	Siberia.	1815.	—	H. 2.	
32	villosum. DC.	(bl.)	villous.		1819.	—	H. 2.	
33	dyctiocarpum. DC.	(bl.)	netted-capsuled.	Siberia.	—	—	H. 2.	
34	laxiflorum. DC.	(bl.)	loose-flowered.	—	—	6. 8.	H. 2.	
35	montanum. DC.	(bl.)	mountain.	Pyrenees.	—	—	H. 2.	
	β bracteosum. DC.	(bl.)	large-bracted.	Switzerland.	—	—	H. 2.	
36	dasyarpum. DC.	(bl.)	thick-capsuled.	Caucasus.	1824.	—	H. 2.	
37	speciosum. DC.	(bl.)	large-flowered.	—	1817.	8. 10.	H. 2.	Deless. ic. sel. 1. t. 62.
38	spurius. F.	(bl.)	spurious.	Siberia.	1817.	6. 9.	H. 2.	
39	ucranicum. Bes.	(bl.)	Ucranian.	—	1818.	—	H. 2.	
40	pseudoperegrinum. F.	(bl.)	Fischer's.	—	—	—	H. 2.	
41	crassicaule. Gm.	(bl.)	thick-stemmed.		1822.	—	H. 2.	
42	pallidum. F.	(pa.)	pale-flowered.	Siberia.	1818.	—	H. 2.	
43	flexuosum. DC.	(bl.)	flexuose.	Caucasus.	1817.	7. 9.	H. 2.	Trev. delph. t. 1. et 2.
44	discolor. F.	(v.)	two-coloured.	Siberia.	1819.	6. 8.	H. 2.	
45	triste. DC.	(da.)	dark-flowered.	—	1822.	—	H. 2.	
46	Requienii. DC.	(pa.)	Requien's.	S. Europe.	1819.	6. 7.	F. 3.	Deles. ic. sel. 1 t. 63.
47	pictum. DC.	(pa.)	painted.	—	1816.	—	H. 3.	Šwt. br. fl. gar. 2. 123.
48	Staphysagria. DC.	(bl.)	Stavesacre.	—	1596.	5. 6.	F. 3.	Flor. græc. t. 508.
ACONITUM. DC.				MONKSHOOD.	Polyandria Trigynia.			
1	A'nthora. L.	(st.)	wholesome.	Pyrenees.	1596.	6. 8.	H. 2.	Rch. ac. p. 61. t. 1. f. A.
	β grandiflorum. R.U.	(st.)	large-flower'd.	—		—	H. 2.	— p. 63. t. 1. f. B.
	γ glabriflorum. R.U.	(st.)	smooth-flow'd.	—		—	H. 2.	
2	eulophum. R.U.	(st.)	eatable.	Switzerland.	1824.	—	H. 2.	Rch. ac. p. 69. t. 5.
	anthoroideum. DC.	non R.U.						
3	nemorosum. R.U.	(ye.)	wood.	Caucasus.	1822.	—	H. 2.	— p. 71. t. 6.
4	Dec ndollii. R.U.	(ye.)	Decandolle's.	Pyrenees.	—	—	H. 2.	— p. 67. t. 3.
5	Jacquini. R.U.	(ye.)	Jacquin's.	Austria.		—	H. 2.	— p. 65. t. 2.
	A'nthora. Jacq. aust. t. 3s2.							
6	Pallasii. R.U.	(st.)	Pallas's.	Siberia.	1824.	—	H. 2.	— p. 72. t. 6. f. A. B.
7	inclinatum. DC.	(st.)	inclined.	—		—	H. 2.	Ser. m. helv. 1. t. 15. f. 2.
	anthoroideum. Rch. ac. 68. t. 4. non DC.							
8	Koelleanum. R.U.	(bl.)	Koelle's.	Germany.		5. 7.	H. 2.	Rch. ac. t. 11. f. 1.
9	tauricum. R.U.	(bl.)	Taurian.	Tauria.	1752.	6. 8.	H. 2.	— t. 12. f. 2—3.
10	firmum. R.U.	(bl.)	firm.	Germany.	1822.	—	H. 2.	— t. 14. f. 2.
11	acutum. R.U.	(bl.)	acute.	—	—	—	H. 2.	— t. 14. f. 1.
12	lætum. R.U.	(bl.)	great-flowered.	Sweden.	1823.	—	H. 2.	— t. 13. f. 2.
13	Clusii. R.U.	(bl.)	Clusius's.	Austria.		6. 7.	H. 2.	Mor. his. 3. s. 12. t. 3. f. 17.
14	amœnum. R.U.	(bl.)	delightful.	Sweden.	1824.	6. 8.	H. 2.	Rch. ac. 93. t. 14. f. 1.
15	Höppii. R.U.	(bl.)	Hoppe's.	Carinthia.	—	—	H. 2.	
16	oligocarpum. R.U.	(bl.)	two-podded.	Styria.	1823.	—	H. 2.	
17	calibotrys. R.U.	(bl.)	long-spiked.	Moravia.	1824.	6. 7.	H. 2.	Rch. ac. 98. t. 16. f. 1.
18	tenuifolium. R.U.	(bl.)	slender-leaved.	Styria.	—	—	H. 2.	
19	angustifolium. R.U.	(bl.)	narrow-leaved.	Siberia.	—	—	H. 2.	Rch. ac. 95. t. 15. f. 2.
20	eustachyum. R.U.	(bl.)	loose-spiked.	M. Baldo.	—	—	H. 2.	— t. 15. f. 3.
21	Napellus. R.U.	(bl.)	common.	Europe.		5. 7.	H. 2.	Lob. ic. 679. f. 1.
22	compactum. R.U.	(bl.)	compact.	Switzerland.	1823.	—	H. 2.	
	β rubellum. R.U.	(re.)	red-flowered.	—	—	—	H. 2.	
23	Halleri. R.U.	(bl.)	Haller's.	—	1824.	6. 7.	H. 2.	Chabr. sci. p. 531. f. 2.
	β humile. R.U.	(bl.)	dwarf.	—	—	—	H. 2.	
	γ ramosum. R.U.	(bl.)	branching.	—	1822.	—	H. 2.	
	δ bicolor. R.U.	(v. b.)	two-coloured.	—	—	—	H. 2.	
24	virgatum. R.U.	(bl.)	slender-branch'd.	—	1824.	—	H. 2.	
25	venustum. R.U.	(bl.)	beautiful.	—	1823.	6. 8.	H. 2.	
26	laxiflorum. R.U.	(bl.)	loose-flowered.	—	1824.	—	H. 2.	
27	Fünckii. R.U.	(bl.)	Funck's.	Germany	—	—	H. 2.	
28	Braunii. R.U.	(bl.)	Braune's	—	—	6. 7.	H. 2.	
29	trichocarpum. R.U.	(bl.)	three-podded.	—	—	—	H. 2.	

30	pubescens. R.U.	(bl.) pubescent.	Switzerland.		5. 7.	H. 2.	
31	Mielichóferi. R.U.	(bl.) Mielichofer's.	Germany.	1823.	6. 8.	H. 2.	
32	plicatum. R.U.	(bl.) plaited.	Sweden.	1824.	—	H. 2.	
33	Köchleri. R.U.	(bl.) Kochler's	—	1823.	—	H. 2.	
34	elatum. R.U.	(bl.) tall.	Germany.		—	H. 2.	
35	albidum. R.U.	(wh.) whitish.		1824.	—	H. 2.	
36	neubergense. R.U.	(bl.) Styrian.	Styria.		—	H. 2.	Clus. hist. 2. p. 96. f. 1.
	<i>Napellus.</i> Jacq. aust.	4. t. 381.					
37	Meyeri. R.U.	(bl.) Meyer's.	Germany.	1824.	—	H. 2.	
38	Bernhardianum. R.U.	(bl.) Bernhardt's.		1823.	—	H. 2.	
39	strictum. R.U.	(bl.) straight.	Siberia.		—	H. 2.	Rch. ac. t. 17. f. 1.
	<i>spicatum.</i> Donn. h. cant.	ed. 10. p. 209.					
40	Sprengelii. R.U.	(bl.) Sprengel's.		1823.	6. 8.	H. 2.	
41	Willdenowii. R.U.	(bl.) Willdenow's.	Carniola.	—	—	H. 2.	
42	eminens. R.U.	(bl.) eminent.		1822.	—	H. 2.	
43	Schleichéri. R.U.	(bl.) Schleicher's.	Switzerland.		5. 6.	H. 2.	
	<i>β comosum.</i> R.U.	(bl.) tufted.	—		—	H. 2.	Mor. his. 3. s. 12. t. 3. f. 19.
44	microstachyum. R.U.	(b.) small-spiked.	Hungary.	1822.	6. 8.	H. 2.	
45	forosum. R.U.	(bl.) handsome.	Germany.	1824.	—	H. 2.	Rch. ac. t. 18. f. 2.
46	rigidum. R.U.	(bl.) rigid.	Sweden.	—	—	H. 2.	
47	commutatum. R.U.	(bl.) changed.	Switzerland.	—	—	H. 2.	Rch. ac. t. 18. f. 3.
48	laxum. R.A.	(bl.) loose.	Germany.	1823.	6. 8.	H. 2.	Rch. ac. 97. t. 15. f. 4.
49	autumnale. R.A.	(bl.) autumnal.	—	—	—	H. 2.	— t. 17. f. 2.
50	ampliflorum. R.U.	(bl.) large-flowered.	Austria.	1823.	—	H. 2.	
51	maximum. DC.	(bl.) large.	Kamtschatka.	—	7. 8.	H. 2.	Ser. mus. 1. t. 15. f. 31. 32.
52	biflorum. DC.	(ca.) two-flowered.	Altay.	1826.	6. 8.	H. 2.	— 1. t. 15. f. 45. 46.
	<i>α luteo-ceruleum</i> (y.b.)	blue and yellow.	—	—	—	H. 2.	
	<i>β ceruleum.</i> (bl.)	blue-flowered.	—	—	—	H. 2.	
53	ferox. DC.	(pu.) poison-rooted.	Nepaul.	1820.	—	H. 2.	Rch. ac. 74. t. 7. f. 1. 2.
	<i>viridum.</i> D.P.						Ser. mus. 1. t. 15. f. 43. 44.
54	productum. R.U.	(bl.) long-lipped.	Siberia.	1824.	7. 8.	H. 2.	Rch. ac. 75. t. 7. f. 3.
55	semigaleatum. R.U.	(bl.) half-helmeted.	Kamtschatka.	—	—	H. 2.	— 77. t. 8.
56	uncinatum. DC.	(pu.) American.	N. America.	1768.	—	H. 2.	
	<i>β Michauxianum.</i> (pu.)	Michaux's	—	—	—	H. 2.	Bot. mag. 1119.
57	villosum. R.U.	(bl.) villous.	Siberia.	1825.	—	H. 2.	
58	flaccidum. R.U.	(bl.) flaccid.	—		—	H. 2.	Deles. ic. sel. 1. t. 65.
	<i>ciliare β polytrichum.</i> DC.						
59	volubile. R.U.	(bl.) twining.	—	1799.	—	H. 2.	
60	tortuosum. DC.	(bl.) twisting.		1812.	—	H. 2.	Ser. mus. 1. t. 15. f. 28. 29.
61	eristostemum. DC.	(bl.) woolly-stamen'd.	Siberia.	1824.	6. 8.	H. 2.	
62	recognitum. R.U.	(bl.) recognised.		—	—	H. 2.	
63	ambiguum. R.U.	(bl.) ambiguous.	Siberia.	1826.	—	H. 2.	
64	toxicum. R.U.	(bl.) poisonous.	Germany.	—	—	H. 2.	
65	reflexum. R.U.	(bl.) reflexed.	Carniola.	1826.	6. 8.	H. 2.	
66	cernuum. R.U.	(bl.) drooping-flow'd.	Germany.	1824.	6. 7.	H. 2.	Chabr. sci. 531. f. 6.
67	acuminatum. R.U.	(bl.) acuminate.	M. Baldo.	1824.	—	H. 2.	
68	parviflorum. R.U.	(bl.) small-flowered.	Switzerland.	—	—	H. 2.	
69	hebegynum. DC.	(bl.) downy-podded.	—	—	—	H. 2.	
70	paniculatum. R.U.	(bl.) panicked.	—		5. 7.	H. 2.	Chabr. sci. 531. f. 3.
71	laciniosum. Sch.	(bl.) jagged.	—	1822.	—	H. 2.	
72	molle. R.U.	(bl.) soft.	—	1824.	—	H. 2.	Ser. m. 1. t. 15. f. 35. 36.
73	gibbosum. DC.	(bl.) gibbous.	Caucasus.	1823.	—	H. 2.	— 1. t. 15. f. 14. 15.
74	hamatum. R.U.	(bl.) hooked.	Sweden.	1804.	6. 8.	H. 2.	
75	palmatifidum. R.U.	(bl.) palmatifid.	M. Carpathian.	1819.	—	H. 2.	
76	pyramidale. R.U.	(bl.) pyramidal.	Bohemia.	1596.	—	H. 2.	
	<i>α densiflorum.</i> R.U.	(bl.) close-flowered.	—	—	—	H. 2.	
	<i>β elongatum.</i> R.U.	(bl.) elongated.	—		—	H. 2.	
	<i>γ bicolor.</i> R.U.	(w.b.) two-coloured.	—		—	H. 2.	
77	Stœrkianum. R.U.	(bl.) Stœrk's.	S. Europe.	1824.	—	H. 2.	Stor. lib. ac. 69. ic.
	<i>β laxiflorum.</i> R.U.	(bl.) loose-flowered.		—	—	H. 2.	Blackw. ic. 561.
	<i>γ bicolor.</i> R.U.	(w.b.) variegated.		—	—	H. 2.	
78	versicolor. R.U.	(ca.) various-colored.	Switzerland.		—	H. 2.	
	<i>β bicolor.</i> R.U.	(w.b.) white and blue.	—		—	H. 2.	Lodd. bot. cab. 794.
79	decorum. R.U.	(bl.) neat.	Pyrenees.	1824.	—	H. 2.	
80	exaltatum. R.U.	(bl.) lofty.		—	—	H. 2.	Ser. m. 1. t. 15. f. 37. 38.
81	macranthum. R.U.	(bl.) large-blossom'd.	Germany.	1826.	—	H. 2.	
82	Cammarum. R.U.	(pu.) purple.	Europe.	1752.	—	H. 2.	Jacq. aust. 5. t. 424.
83	illinitum. R.U.	(bl.) besmeared.	Switzerland.	1822.	—	H. 2.	
84	Breiterianum. R.U.	(bl.) Breiter's.		1821.	—	H. 2.	

85	Ottonianum. R.U. (bl.)	Otto's.		1823.	6. 8.	H. 2.	
86	speciosum. R.U. (bl.)	specious.		1804.	7. 8.	H. 2.	Ser. m. 1. t. 15. f. 26. 27.
87	bulbiferum. R.U. (bl.)	bulb-bearing.		1824.	6. 8.	H. 2.	
88	leucanthum. R.U. (w.)	white-flowered.				H. 2.	
89	lasiocarpum. R.U. (bl.)	woolly-podded.	Hungary.	1822.		H. 2.	
90	gracile. R.U. (bl.)	slender.	Germany.	1824.	6. 7.	H. 2.	
91	rhynchanthum. R.U.	beaked.	Hungary.	1804.	6. 8.	H. 2.	
	β bicolor. R.U. (w.b.)	two-coloured.				H. 2.	
92	nasutum. R.U. (bl.)	large-nosed.	Caucasus.	1823.		H. 2.	
93	rostratum. R.U. (pu.)	beaked.	Switzerland.			H. 2.	Lodd. bot. cab. 203.
94	variegatum. DC. (p.w.)	variegated.	S. Europe.	1597.		H. 2.	Clus. hist. 2. p. 98. f. 1.
95	mixtum. R.U. (p.w.)	mixed.				H. 2.	Rivin. pentap. ic.
96	album. R.U. (wh.)	white.	Levant.	1752.	7. 8.	H. 2.	
97	japonicum. DC. (va.)	Japan.	Japan.	1790.	6. 9.	H. 2.	Ser. m. 1. t. 15. f. 22. 23.
	α carneum. (fl.)	flesh-coloured.				H. 2.	
	β cœruleum. (bl.)	blue-flowered.				H. 2.	
98	boreale. R.U. (st.)	Siberian.	Siberia.		6. 8.	H. 2.	
99	barbatum. DC. (st.)	bearded.		1807.		H. 2.	Swt. br. fl. gar. v. 2. 164.
100	hispidum. DC. (st.)	hispid.		1826.		H. 2.	Gmel. sib. 4. t. 81.
	Gmelini. R.U.						
101	squarrosus. DC. (st.)	squarrose.		1823.		H. 2.	
102	pallidum. R.U. (st.)	pale-flowered.		1823.		H. 2.	
103	zoöctonum. R.U. (st.)	beast-bane.	Germany.	1824.		H. 2.	
104	melöctonum. R.U. (st.)	Badger-bane.	Piedmont.	1823.		H. 2.	Chabr. sci. p. 531. f. 1.
105	pyrenaicum. DC. (st.)	Pyrenean.	Pyrenees.	1739.		H. 2.	Cam. epit. 831. ic.
106	galæctonum. R.U. (st.)	Weasel-bane.	Hungary.	1823.		H. 2.	
107	moldavicum. R.U. (pu.)	Moldavian.	Bohemia.			H. 2.	
108	ochroleucum. R.U. (st.)	pale-white.	Caucasus.	1794.		H. 2.	
109	ægöphonum. R.U. (st.)	Goat-poison.		1822.		H. 2.	
110	perniciösum. R.U. (st.)	pernicious.	France.			H. 2.	Bois. fl. eur. 2. t. 369.
111	myöctonum. R.U. (st.)	Mouse-bane.	Thuringia.			H. 2.	
112	strictissimum. R.U. (st.)	straight.	Baruth.			H. 2.	
113	altissimum. R.U. (st.)	tallest.	Germany.			H. 2.	Tabern. ic. 583. f. 1.
114	réctum. R.U. (st.)	upright.	Italy.			H. 2.	Barrel. ic. 599.
115	vulpäria. R.U. (st.)	Fox-bane.	Germany.	1824.		H. 2.	
	β latifolium. R.U. (st.)	broad-leaved.	Bavaria.			H. 2.	
116	tragöctonum. R.U. (st.)	Goat-bane.	Carinthia.			H. 2.	
117	lupicida. R.U. (st.)	Wolf-bane.	Switzerland.	1824.		H. 2.	
118	arctöphonum. R.U. (st.)	Bear-bane.	Styria.	1826.		H. 2.	
119	lagöctonum. R.U. (st.)	Hare-bane.	Bavaria.			H. 2.	
120	Phthöra. R.U. (st.)	destructive.	Hungary.			H. 2.	
121	austräle. R.U. (pu.)	Carpathian.	M. Carpathian.	1815.		H. 2.	Bot. mag. 2196.
	septentrionale β carpäthicum. B.M.						
122	rubicundum. F. (pu.)	rubicund.	Russia.	1822.		H. 2.	
123	cynöctonum. R.U. (st.)	Dog-bane.	Germany.	1824.		H. 2.	Blackw. ic. 563.
124	thelyphonum. R.U. (st.)	Elwert's.	Switzerland.			H. 2.	
125	theriöphonum. R.U. (st.)	park-bane.	Italy.		6. 7.	H. 2.	Barrel. ic. 600.
126	lycöctonum. R.U. (st.)	great-yellow.	Germany.	1596.	7. 8.	H. 2.	Clus. hist. 5. p. 94. ic.
127	lupäria. R.U. (st.)	Wolf-wort.				H. 2.	Trag. stirp. 247. ic.
128	septentrionale. R.U. (bl.)	northern.	N. Europe.	1800.		H. 2.	Flor. dan. t. 123.

Tribus V. PÆONIACEÆ. DC. prodr. 1. 64.

CIMICIFUGA. L.		BUG-WORT. Polyandria Pentagynia. L.					
1	fœtida. w. (wh.)	stinking.	Siberia.	1777.	6. 7.	H. 2.	Linn. amœn. ac. 8. t. 4.
2	podocarpa. (wh.)	American.	Carolina.	1822.	8. 9.	H. 2.	
	americäna. M. Actæa	podocarpa. DC.		1812.	7. 8.	H. 2.	Bot. mag. 1630.
3	palmäta. Ph. (wh.)	palmated.			6. 7.	H. 2.	 2069.
4	cordifölia. Ph. (wh.)	heart-leaved.				H. 2.	
MACROTYS. Raf.		SNAKE-ROOT. Polyandria Monogynia. L.					
	racemösa. (wh.)	black-rooted.	N. America.	1732.	6. 7.	H. 2.	Dill. elth. 79. t. 67. f. 78.
	Actæa racemösa. w.	Cimicifuga serpentäria. Ph.					
ACTÆA. Ph.		BANE-BERRIES. Polyandria Monogynia. L.					
1	spicäta. DC. (wh.)	common.	Britain.		4 6.	H. 2.	Eng. bot. 918.
2	rübra. W.en. (wh.)	red-berried.	N. America.			H. 2.	
	brachypëtala. β rübra. DC.						

3	álba. Mill.	(wh.) white-berried.	N. America.		4. 6.	H. 4.	Corn. canad. t. 77.
	<i>brachypétala</i> . a <i>álba</i> . DC.						
ZANTHORHIZA. DC.	YELLOW-ROOT. Pentandria Polygynia. L.						
	<i>apifolia</i> . DC.	(pu.) Parsley-leaved.	N. America.	1766.	2. 4.	H. 7.	Bot. mag. 1736.
PÆONIA. DC.	PÆONY. Polyandria Digynia. L.						
1	Moután. H.K.	Chinese-tree.	China.	1789.	4. 6.	H. 7.	
	<i>a papaveracea</i> . L.T.	(w.) Poppy-flowered.	—	1806.	—	H. 7.	Bot rep. 463.
	<i>β Bânkii</i> . L.T.	(bl.) common.	—	1789.	—	H. 7.	— 448.
	<i>γ rosea</i> . L.T.	(ro.) rose-coloured.	—	1794.	—	H. 7.	— 373.
2	édulis. P.L.	(ea.) eatable-rooted.	—		5. 6.	H. 4.	
	<i>albiflora</i> . L.T.						
	<i>α vernalis</i> . L.T.	(wh.) virgin.	Siberia.	1784.	—	H. 4.	Andr. rep. 64.
	<i>β cándida</i> . L.T.	(wh.) pale-flowered.	—		—	H. 4.	
	<i>γ tatárica</i> . L.T.	(bh.) Tartarian.	Tartary.		—	H. 4.	Bot. reg. 42.
	<i>δ sibírica</i> . L.T.	(wh.) Siberian.	Siberia.		—	H. 4.	
	<i>ε rubescens</i> . L.T.	(bh.) pale-red.	—		—	H. 4.	
	<i>ζ uniflora</i> . L.T.	(wh.) one-flowered.	—		—	H. 4.	Bot. mag. 1756.
	<i>η Whitleji</i> . L.T.	(wh.) double-white.	China.	1808.	6. 7.	H. 4.	Bot. reg. 630.
	<i>θ Humei</i> . L.T.	(re.) double-crimson.	—	1810.	—	H. 4.	Bot. mag. 1768.
	<i>ι fragrans</i> . L.T.	(re.) Rose-scented.	—	1805.	—	H. 4.	Bot. reg. 485.
3	anómala. L.T.	(re.) jagged-leaved.	Siberia.	1788.	5. 6.	H. 4.	Bot. mag. 1754.
	<i>laciniata</i> . Pall. ross. 2. t. 85.						
4	hybrida. DC.	(re.) intermediate.	Caucasus.	1822.		H. 4.	
5	tennifolia. L.T.	(cr.) slender-leaved.	Siberia.	1765.	5. 6.	H. 4.	Bot. mag. 926.
6	officinalis. L.T.	(ea.) officinal.	Europe.	1548.	5. 6.	H. 4.	
	<i>α Sabini</i> . L.T.	(sc.) Sabine's.	—		—	H. 4.	Bot. mag. 1784.
	<i>β rosea</i> . L.T.	(ro.) rose-coloured.	—		—	H. 4.	
	<i>γ blánda</i> . L.T.	(bh.) bluish-flowered.	—		—	H. 4.	
	<i>δ rubra</i> . L.T.	(cr.) double-red.	—		—	H. 4.	Lob. ic. 684.
	<i>ε carnescens</i> . L.T.	(fl.) flesh-coloured.	—		—	H. 4.	
	<i>ζ albicans</i> . L.T.	(bh.) double-blush.	—		—	H. 4.	Park. par. f. 4.
7	corállina. L.T.	(cr.) English.	England.		—	H. 4.	Eng. bot. 1513.
8	daurica. L.T.	(fl.) Daurian.	Dauria.	1790.	—	H. 4.	Bot. mag. 1441.
	<i>triterináta</i> . DC. prodr.						
9	lobata. DC.	(sc.) lobed-leaved.	Portugal.	1821.	—	H. 4.	Swt. br. fl. gar. 70.
10	Rússi. DC.	(cr.) crimson.	Sicily.		—	H. 4.	— v. 2. t. 122.
11	púbens. B.M.	(re.) pubescent.	—	1821.	—	H. 4.	Bot. mag. 2264.
12	humilis. L.T.	(re.) dwarf.	Spain.	1633.	5.	H. 4.	— 1422.
13	decóra. L.T.	(re.) comely.	Turkey.		—	H. 4.	
	<i>α Pallásii</i> . L.T.	(re.) Pallas's.	—		—	H. 4.	
	<i>β elátior</i> . L.T.	(re.) tall.	—		—	H. 4.	
14	arietina. L.T.	(re.) rams-horned.	—		—	H. 4.	
15	crética. B.R.	(bh.) Cretan.	Crete.		—	H. 4.	Bot. reg. 819.
16	peregrina. L.T.	(re.) Turkish.	Levant.	1588.	5. 6.	H. 4.	
	<i>α byzantina</i> . L.T.	(re.) Levant.	—		—	H. 4.	Bot. mag. 1050.
	<i>β compacta</i> . L.T.	(re.) compact.	France ?		—	H. 4.	
	<i>γ Grevillii</i> . L.T.	(re.) Greville's.	—		—	H. 4.	
17	paradóxa. L.T.	(re.) paradoxical.	Levant.		—	H. 4.	
	<i>α simpliciflora</i> . (re.) single-flowered.	—	—		—	H. 4.	
	<i>β fimbriata</i> . L.T.	(cr.) double-flowered.	—		—	H. 4.	Swt. br. fl. gar. 19.
18	móllis. L.T.	(re.) soft-leaved.	Siberia ?		—	H. 4.	Bot. reg. 474.
19	villósa. B.F.G.	(wh.) villous.	—	1822.	—	H. 4.	Swt. br. fl. gar. 113.
	<i>sessiliflora</i> . B.M. 2648.						

ORDO II.

DILLENIACEÆ. DC. *synt. nat.* 1. p. 395.

Tribus I. DELIMACEÆ. DC.

TETRA'CERA. DC.	TETRA'CERA. Polygamia Dioecia.						
1	volúbilis. DC.	(ye.) climbing.	Barbadoes.			S. 7.	Pluk. alm. 48. t. 146. f. 1.
2	jamaicénsis. DC.	(ye.) Jamaica.	Jamaica.	1826.		S. 7.	
3	obovata. DC.	(ye.) obovate-leaved.	Senegal	1822.		S. 7.	
4	alnifolia. DC.	(ye.) Alder-leaved.	Sierra Leone.	—		S. 7.	
5	potatária. Afz.	(ye.) water-bearing.	—	—		S. 7.	
DOLIOCA'RPUS. DC.	DOLIOCA'RPUS. Polyandria Monogynia.						
1	Calínea. DC.	(wh.) climbing.	Guiana.	1822.		S. 7.	Aub. Guian. 1. t. 221.
	<i>Tetracera calínea</i> . w. <i>Calínea scándens</i> . Aub.						

DEL'IMA. DC.	DEL'IMA.	Polyandria Monogynia.			
sarmentosa. DC.	sarmentose.	Ceylon.	1822.		S. h. ∪. Lam. ill. t. 475.
<i>Tetracera sarmentosa</i> . w.					
CURATE'LLA. DC.	CURATE'LLA.	Polyandria Digynia.			
1 americana. DC. (wh.)	American.	Guiana.			S. h. ∪. Aub. guian. 1. t. 232.
2? alata. v.	wing-petioled.	—			S. h. ∪. Venten. choix. t. 49.

Tribus II. *DILLENEÆ*. DC.

PLEURA'NDRA. DC.	PLEURA'NDRA.	Polyandria Monogynia.			
1 bracteata. DC.	(ye.) elegant.	N. S. W.	1822.	4. 8.	G. h. Deles. ic. sel. 1. t. 78.
2 nitida. DC.	(ye.) shining.	—	—	—	G. h.
3 cneorum. DC.	(ye.) blunt-leaved.	—	1824.	5. 7.	G. h.
4 scabra. DC.	(ye.) rough-leaved.	—	—	—	G. h.
5 acicularis. DC.	(ye.) needle-leaved.	—	—	4. 7.	G. h. Labill. nov. holl. 2. t. 144.
6 stricta. DC.	(ye.) upright.	—	1822.	—	G. h.
7 calycina. DC.	(ye.) linear-leaved.	—	—	—	G. h.
CANDO'LLA. DC.	CANDO'LLA.	Polyadelphia Polyandria.			
cuneiformis. DC. (ye.)	wedge-leaved.	N. Holland.	1823.	5. 8.	G. h. Bot. mag. 2711.
HIBBERTIA. DC.	HIBBERTIA.	Polyandria Mono-Pentagynia.			
1 grossulariæfolia. DC. (y.)	Gooseberry-ld.	N. Holland.	1803.	3. 8.	G. h. ∪. Bot. mag. 1218.
<i>crenata</i> . A. R. t. 472.					
2 volubilis. DC.	(ye.) twining.	N. S. W.	1796.	5. 10.	G. h. ∪. Andr. rep. t. 126.
3 dentata. DC.	(ye.) tooth-leaved.	N. Holland.	1814.	1. 8.	G. h. ∪. Bot. reg. 282.
4 saligna. DC.	(ye.) Willow-leaved.	N. S. W.	1824.	5. 8.	G. h.
5 virgata. DC.	(ye.) twiggy.	—	1822.		G. h.
6 fasciculata. DC.	(ye.) bushy.	—	1826.	5. 8.	G. h.
7 linearis. DC.	(ye.) linear-leaved.	—	—		G. h.
8 monogyna. DC.	(ye.) one-styled.	—	—	5. 8.	G. h.
9 pedunculata. DC. (ye.)	long-pedicled.	—	—	4. 9.	G. h. Bot. reg. 1001.
<i>corifolia</i> . Bot. mag. 2672.					
WO'RMIA. DC.	WO'RMIA.	Polyandria Pentagynia.			
dentata. DC. (ye.)	tooth-leaved.	Ceylon.	1821.		S. h. Thunb. linn. tr. 1. t. 20.
<i>Dillenia dentata</i> . w.					
COLBERTIA. DC.	COLBERTIA.	Polyandria Pentagynia.			
1 coromandeliana. DC. (y.)	Coromandel.	E. Indies.	1803.		S. h. Roxb. cor. 1. t. 20.
<i>Dillenia pentagyna</i> . Roxb.					
2 scabrælla. D. P.	rough.	Nepaul.	1826.		S. h.
DILLE'NIA. DC.	DILLE'NIA.	Polyandria Monogynia. L.			
1 speciosa. DC. (wh.)	large-flowered.	E. Indies.	1800.		S. h. Exot. bot. t. 2. 3.
2 integræ. DC.	entire-leaved.	Ceylon.	1826.		S. h. Thunb. linn. tr. 1. t. 18.

ORDO III.

WINTEREÆ. *Brown in DC. syst. 1. add. p. 548.*

ILLICIUM. DC.	ANISEED-TREE.	Polyandria Polygynia. L.			
1 floridanum. DC. (cr.)	red-flowered.	Florida.	1766.	4. 6.	F. h. Bot. mag. 439.
2 anisatum. DC. (ye.)	Chinese.	China.			F. h. Lam. ill. t. 493. f. 2.
3 parviflorum. DC. (ye.)	small-flowered.	Florida.	1790.	—	F. h. Vent. cels. t. 22.
DRIMYS. DC.	DRIMYS.	Polyandria Tetra-Octogynia.			
Winteri. DC.	Winter-bark.	Magellan.	1825.		G. h. Forst. gen. p. 84. t. 42.
<i>Wintera aromatica</i> . w.	<i>Winterana aromatica</i> .	Sol. med. obs. 5. p. 46. t. 1.			
TASMAN'NIA. DC.	TASMAN'NIA.	Diœcia Polyandria.			
dipetala. B.	two-petaled.	N. Holland.	1824.	5. 8.	G. h.

ORDO IV.

MAGNOLIACEÆ. *DC. syst. nat. v. 1. p. 439.*

MICH'ELIA. DC.	MICH'ELIA.	Polyandria Polygynia. L.			
Champaca. DC. (ye.)	sweet-scented.	E. Indies.	1779.		S. h. Lam. ill. t. 493.

MAGN'OLIA. DC.		MAGN'OLIA. Polyandria Polygynia. L.			
1	<i>grandiflora</i> . DC. (wh.)	Laurel-leaved.	Carolina.	1734.	6. 10. H. ♀.
	<i>a rotundifolia</i> . (wh.)	round-leaved.	—	—	H. ♀.
	<i>β obovata</i> . H.K. (wh.)	obovate-leaved.	—	—	H. ♀.
	<i>γ elliptica</i> . H.K. (wh.)	elliptic-leaved.	—	—	H. ♀.
	<i>δ ferruginea</i> . B.M. (w.)	ferruginous.	—	—	H. ♀.
	<i>ε lanceolata</i> . H.K. (wh.)	Exmouth.	—	—	H. ♀.
2	<i>glauca</i> . DC. (wh.)	glaucous-leaved.	N. America.	1688.	6. 9. H. ♀.
3	<i>longifolia</i> . (wh.)	narrow-leaved.	—	—	H. ♀.
	<i>glauca β longifolia</i> . Ph.	—	—	—	—
4	<i>Thompsoniana</i> . (wh.)	hybrid.	Hybrid.	1818.	— H. ♀.
5	<i>umbrella</i> . DC. (wh.)	Umbrella.	N. America.	1752.	5. 6. H. ♀.
	<i>tripetala</i> . w.	—	—	—	—
6	<i>acuminata</i> . DC. (pa.)	bluish-flowered.	—	1736.	5. 7. H. ♀.
	<i>β Candollii</i> . (st.)	<i>De Candolle's</i> .	—	—	H. ♀.
7	<i>auriculata</i> . DC. (wh.)	ear-leaved.	—	1786.	4. 5. H. ♀.
8	<i>pyramidata</i> . DC. (wh.)	small ear-leav ^d .	—	1811.	— H. ♀.
9	<i>macrophylla</i> . DC. (wh.)	large-leaved.	—	1800.	6. 7. H. ♀.
10	<i>cordata</i> . DC. (st.)	heart-leaved.	—	1801.	— H. ♀.
11	<i>conspicua</i> . P.L. (wh.)	Youlan.	China.	1789.	2. 5. H. ♀.
	<i>Yulan</i> . DC. Bonpl. nav. t. 20.	—	—	—	—
12	<i>Soulangeana</i> . (p.w.)	Soulange's.	Hybrid.	1826.	— H. ♀.
13	<i>Kobus</i> . DC. (p.w.)	slender.	China.	1804.	3. 4. H. ♀.
	<i>tomentosa</i> . w. <i>gracilis</i> . P.L.	—	—	—	—
14	<i>obovata</i> . DC. (p.w.)	obovate-leaved.	—	1790.	4. 6. H. ♀.
	<i>purpurea</i> . B.M. <i>discolor</i> . V.	—	—	—	—
15	<i>fuscata</i> . DC. (br.)	brown-stalked.	—	1789.	— G. ♀.
16	<i>annonæfolia</i> . P.L. (br.)	small-flowered.	—	1804.	— G. ♀.
17	<i>pumila</i> . DC. (wh.)	dwarf.	—	1786.	1. 12. G. ♀.
LIRIODENDRON. W. TULIP-TREE.		Polyandria Polygynia. L.			
	<i>tulipifera</i> . w. (ye.)	common.	N. America.	1663.	6. 7. H. 5.
	<i>α acutiloba</i> . M. (ye.)	acute-lobed.	—	—	H. 5.
	<i>β obtusiloba</i> . M. (ye.)	blunt-lobed.	—	—	H. 5.

ORDO V.

ANONACEÆ. DC. syst. nat. 1. p. 463.

ANONA. DC.		CUSTARD-APPLE. Polyandria Polygynia. L.			
1	<i>muricata</i> . DC. (st.)	Soursop.	W. Indies.	1656.	6. 8. S. ♀.
2	<i>purpurea</i> . DC. (pu.)	purple.	Mexico.	1826.	— S. ♀.
3	<i>Humboldtii</i> . DC. (ye.)	Humboldt's.	Cumana.	—	— S. ♀.
4	<i>laurifolia</i> . DC. (wh.)	laurel-leaved.	W. Indies.	1824.	6. 8. S. ♀.
5	<i>palustris</i> . DC. (ye.)	shining-leaved.	—	1731.	— S. ♀.
6	<i>longifolia</i> . DC. (pu.)	long-leaved.	Guiana.	1820.	— S. ♀.
7	<i>punctata</i> . DC. (st.)	spotted-fruited.	Cayenne.	1822.	— S. ♀.
8	<i>paludosa</i> . DC. (gr.)	marsh.	Guiana.	1803.	6. 8. S. ♀.
9	<i>squamosa</i> . DC. (st.)	Sweetsop.	S. America.	1731.	— S. ♀.
10	<i>cinerea</i> . DC. (st.)	cinereous.	St. Thomas.	1823.	— S. ♀.
11	<i>Cherimolia</i> . DC. (wh.)	Cherimolli.	S. America.	1739.	7. 8. S. ♀.
	<i>tripetala</i> . w. B.M.	—	—	—	—
12	<i>reticulata</i> . DC. (st.)	netted.	—	1690.	5. 7. S. ♀.
13	<i>mucosa</i> . DC. (st.)	narrow-leaved.	Guiana.	—	— S. ♀.
14	<i>glabra</i> . DC. (st.)	smooth-fruited.	Carolina.	1774.	7. 8. S. ♀.
15	<i>grandiflora</i> . DC. (wh.)	great-flowered.	Mauritius.	1825.	— S. ♀.
16	<i>amplexicaulis</i> . DC. (pu.)	stem-clasping.	—	1824.	— S. ♀.
17	<i>asiatica</i> . DC.	Ceylon.	Ceylon.	—	— S. ♀.
18	<i>senegalensis</i> . DC. (st.)	Senegal.	Senegal.	1822.	— S. ♀.
MONODORA. DC.		MONODORA. Polyandria Monogynia.			
	<i>myristica</i> . DC. (wh.)	Nutmeg.	Jamaica.	—	— S. ♀.
ASIMINA. DC.		ASIMINA. Polyandria Polygynia.			
1	<i>parviflora</i> . DC. (pu.)	small-flowered.	N. America.	1806.	4. 5. H. ♀.
2	<i>triloba</i> . DC. (pu.)	trifid-fruited.	—	1736.	— H. ♀.
	<i>Annona triloba</i> . w.	<i>Porcellia triloba</i> . Ph.	—	—	—
3	<i>pygmæa</i> . DC. (wh.)	dwarf.	—	1812.	— H. ♀.
	<i>Orchidocarpum pygmaum</i> . M.	—	—	—	—
4	<i>grandiflora</i> . DC. (wh.)	large-flowered.	Florida.	1820.	— H. ♀.
	<i>Porcellia grandiflora</i> . P.S.	—	—	—	—

Mill. ic. v. 2. t. 172.
Tr. Eh. p. 8. t. 33-35.
Bot. mag. 1952.
Mich. arb. t. 2.

Mich. arb. t. 5.

Bot. mag. 2427.
Sav. bi. ital. 1819. n. 47. ic.
Bot. mag. 1206.
Bot. reg. 407.
Bot. mag. 2189.
Bot. reg. 325.
Bot. mag. 1621.

Swt. br. fl. gar. 260.
Par. lond. 87.

Bot. mag. 390.

— 1008.
Par. lond. 5.
Bot. mag. 977.

Bot. mag. 275.

Jacq. obs. 1. t. 5.
Dunal. mon. p. 64. t. 2.
— p. 64. t. 3.
Catesb. car. 2. t. 67.
Sloan. hist. 2. t. 228. f. 1.
Aub. gui. 1. t. 248.
— 1. t. 247.
— 1. t. 246.
Jacq. obs. 1. t. 6. f. 1.
Bot. mag. 2011.

Catesb. car. 2. t. 86.
Rumph. amb. 1. t. 45.
Catesb. car. 2. t. 64.
Dunal. mon. p. 75. t. 6.
— p. 76. t. 7.

Deles. ic. sel. 1. t. 86.

Gært. fr. 2. t. 125. f. 1.

Dun. mon. t. 9.
Duh. arb. ed. 2. v. 2. t. 25.

Dun. mon. t. 10.

Dun. mon. t. 11.

UV'ARIA. DC.		UV'ARIA. Polyandria Polygynia. L.			
1 zeylànica. DC.	(pu.) Ceylon.	E. Indies.	1794.		S. h. Lam. ill. t. 495. f. 2.
2 Gærtneri. DC.	 Gærtner's.				S. h. t. 495. f. 3.
3 lùtea. DC.	(st.) yellow-fruited.		1822.		S. h. Roxb. cor. 1. t. 36.
4 tomentòsa. DC.	(br.) woolly.				S. h. 1. t. 35.
5 velutina. DC.	(br.) velvety.	E. Indies.	1825.		S. h.
6 lucida. Boj.	 shining.	E. Africa.			S. h.
UN'ONA. DC.		UN'ONA. Polyandria Polygynia. L.			
1 Nàrum. DC.	(re.) Rheede's.	E. Indies.			S. h. Rheed. mal. 2. t. 9.
2 fuscàta. DC.	(br.) brown-flower'd.	Guiana.	1820.		S. h.
3 acuminàta. DC.	(br.) taper-pointed.				S. h.
4 odoràta. DC.	(st.) sweet-scented.	Java.	1804.	5. 7.	S. h. Lam. ill. t. 495. f. 1.
5 longifòlia. DC.	(ye.) long-leaved.	E. Indies.	1820.		S. h. Sonn. voy. 4. t. 131.
6 aromàtica. DC.	(pu.) aromatic.	Guiana.			S. h. Aub. gui. 2. t. 243.
7 æthiòpica. DC.	(wh.) Ethiopian.	Sierra Leone.	1822.		S. h. Math. com. 1. p. 434. ic.
8 oxypètala. DC.	(br.) sharp-petaled.				S. h.
ARTAB'OTRYS. Br.		ARTAB'OTRYS. Polyandria Polygynia. L.			
odoratissimus. B.R.(b.)		sweet-scented.	China.	1758.	6. 7. S. h. Bot. reg. 423.
<i>Anòna hexapètala</i> . w.		<i>Uv'aria odoratissima</i> . H.B.			
XYL'OPIA. DC.		BITTER-WOOD. Polyandria Polygynia. L.			
1 muricàta. DC.	(br.) rough-fruited.	W. Indies.	1793.		S. h. Brown. jam. 250. t. 5. f. 2.
2 frutèscens. DC.	(br.) shrubby.	Guiana.	1823.		S. h. Aub. gui. 1. t. 292.
3 glàbra. DC.	(br.) smooth-fruited.	W. Indies.			S. h. Dun. mon. t. 19.
GUATTERIA. DC.		GUATTERIA. Polyandria Polygynia. L.			
1 cerasòides. DC.	(br.) Cherry-fruited.	E. Indies.	1820.		S. h. Roxb. cor. 1. t. 33.
2 suberòsa. DC.	(wh.) cork-barked.				S. h. 1. t. 34.
3 rùfa. DC.	(br.) rufous.	India.		4. 8.	S. h. Bot. reg. 836.
4 virgàta. DC.	(wh.) Lance-wood.	Jamaica.	1793.		S. h. Dun. mon. t. 31.
<i>Uv'aria lanceolata</i> . w.					
5 laurifòlia. DC.	(wh.) Laurel-leaved.		1820.		S. h. t. 32.
<i>Uv'aria laurifolia</i> . Sw.					

ORDO VI.

MENISPERMACEÆ. DC. *prodr.* 1. p. 95.

Tribus II. MENISPERMEÆ. DC.

CO'CCULUS. DC.		CO'CCULUS. Diœcia Hexandria.			
1 rotundifolius. DC.	(gr.) round-leaved.		1820.		S. h. Rheed. mal. 7. t. 21.
2 cordifolius. DC.	(gr.) heart-leaved.	E. Indies.	1822.		S. h. Gært. fr. 1. t. 70. f. 7.
3 suberòsus. DC.	(gr.) cork-barked.		1790.		S. h. Pluk. man. 52. t. 345. f. 2.
4 Plukenetii. DC.	(gr.) Plukenet's.				S. h.
5 incànus. L.T.	(gr.) hoary.		1820.		S. h.
6 tomentòsus. L.T.	(gr.) woolly-leaved.				S. h.
7 crispus. L.T.	(gr.) curled.		1822.		S. h. Rumph. amb. 5. t. 44. f. 1.
8 palmàtus. DC.	(gr.) palmated.				S. h. Berr. in As. res. 10. t. 5.
9 orbiculàtus. DC.	(gr.) orbicular-leaved.		1790.		S. h. Rheed. mal. 11. t. 62.
10 laurifolius. DC.	(gr.) Laurel-leaved.		1820.		S. h.
COSCI'NIUM. C.L.T.		COSCI'NIUM. Diœcia Hexandria.			
fenestràtum. L.T. (gr.)		knotted.	Ceylon.	1820.	 S. h. Gært. fr. 1. t. 46. f. 5.
TILIA'ORA. C.L.T.		TILIA'ORA. Diœcia Hexandria.			
racemòsa. L.T. (gr.)		racemed.	E. Indies.		S. h.
WENDLA'NDIA. W.		WENDLA'NDIA. Heptandria Polygynia. W.			
populifolia. w. (wh.)		Poplar-leaved.	Carolina.	1759.	6. 7. H. h. Wend. h. herr. 3. t. 16.
<i>Menispermum Carolinum</i> . L.		<i>Cócculus Carolinus</i> . DC.			
CISSA'MPELOS. DC.		CISSA'MPELOS. Diœcia Monadelphia. L.			
1 Paréira. DC.	(gr.) velvet-leaf.	S. America.	1733.	7. 8.	S. h. Lam. ill. t. 830.
2 microcarpa. DC.	(gr.) small-fruited.	W. Indies.	1823.		S. h.
3 hirsùta. DC.	(gr.) hairy.	Nepaul.	1820.		G. h.
4 Mauritiàna. DC.	(gr.) hispid-branch'd.	Mauritius.			S. h.
5 Caapèba. DC.	(gr.) nerved-leaved.	S. America.	1733.	7. 8.	S. h. Plum. ic. 67. f. 2.
6? capensis. DC.	(gr.) Cape.	C. B. S.	1775.		G. h.
MENISPE'RMUM. DC.		MOON-SEED. Diœcia Dodecandria. L.			
1 canadense. DC.	(st.) Canadian.	N. America.	1691.	6. 7.	H. h. Bot. mag. 1910.

- 2 dauricum. DC. (st.) Daurian. Dahuria. 1823. H. $\frac{1}{2}$ ∪. Deles. ic. sel. 1. t. 100.
 3 smilacinum. DC. (st.) Smilax-leaved. Carolina. 1776. G. $\frac{1}{2}$ ∪. Jacq. ic. 3. t. 629.
Cissampelos smilacina. w.
 4 Lyoni. Ph. (st.) Lyon's. N. America. 1812. 6. 7. H. $\frac{1}{2}$ ∪.
 AB'UTA. DC. AB'UTA. *Menisperm* sp. w.
 rufescens. DC. (pu.) brown-leaved. Guiana. 1822. S. $\frac{1}{2}$ ∪. Aub. gui. 1. t. 250.

Tribus III. *SCHIZANDREÆ*. DC. *prodr.* 1. p. 104.

- SCHIZA'NDRA. DC. SCHIZA'NDRA. Monœcia Pentandria.
 coccinea. DC. (sc.) scarlet-flower'd. Carolina. 1806. 6. 7. G. $\frac{1}{2}$ ∪. Bot. mag. 1413.

ORDO VII.

BERBERIDEÆ. DC. *syst. nat. v. 2. p. 1.*

- BERBERIS. W. BARBERRY. Hexandria Monogynia. L.
- 1 vulgaris. DC. (ye.) common. England. 4. 5. H. $\frac{1}{2}$. Eng. bot. 49.
a rubra. (ye.) red-fruited. H. $\frac{1}{2}$.
β lutea. DC. (ye.) yellow-fruited. H. $\frac{1}{2}$.
γ violacea. DC. (ye.) violet-fruited. H. $\frac{1}{2}$.
δ purpurea. DC. (ye.) purple-fruited. H. $\frac{1}{2}$.
ε nigra. DC. (ye.) black-fruited. Levant. H. $\frac{1}{2}$.
ζ alba. DC. (ye.) white-fruited. H. $\frac{1}{2}$.
ξ asperma. DC. (ye.) stoneless. H. $\frac{1}{2}$.
 2 ibérica. (ye.) Iberian. Iberia. 1790. — H. $\frac{1}{2}$.
vulgaris β ibérica. DC.
 3 emarginata. DC. (ye.) emarginate. Siberia. 1820. — H. $\frac{1}{2}$.
 4 canadensis. DC. (ye.) Canadian. Canada. 1759. 4. 6. H. $\frac{1}{2}$.
 5 sinensis. DC. (ye.) China. China. 1800. — H. $\frac{1}{2}$. Wats. dend. brit. t. 26.
 6 aristata. DC. (ye.) awned. Nepal. 1820. 6. 8. H. $\frac{1}{2}$. Bot. mag. 2549.
Chitria. Bot. reg. 729.
 7 crética. DC. (ye.) Cretan. Crete. 1759. 5. 6. H. $\frac{1}{2}$. Flor. græc. t. 342.
 8 ilicifolia. DC. (ye.) Holly-leaved. Terra del }
 Fuego. } 1791. 7. 8. H. $\frac{1}{2}$.
 Nepal. 1820. 6. 8. H. $\frac{1}{2}$. Deles. ic. sel. 2. t. 1.
 9 asiatica. DC. (ye.) Asiatic. Nepal. 1820. 6. 8. H. $\frac{1}{2}$.
 10 Wallichiana. DC. (ye.) Wallich's. — 6. 7. H. $\frac{1}{2}$.
 11 buxifolia. DC. (ye.) Box-leaved. Magellan. 1827. G. $\frac{1}{2}$. Lam. ill. t. 253. f. 3.
 12 empetrifolia. DC. (ye.) Empetrum-l'd. — G. $\frac{1}{2}$.
 13 heterophylla. DC. (ye.) various-leaved. 5. 6. H. $\frac{1}{2}$. Hook. exot. fl. t. 14.
 14 sibírica. DC. (ye.) Siberian. Siberia. 1790. 6. 7. H. $\frac{1}{2}$. Bot. reg. 487.
 15 inermis. DC. (ye.) spineless. Magellan. 1827. G. $\frac{1}{2}$.
 16 pinnata. B.R. (ye.) pinnate-leaved. America. 1820. 3. 5. G. $\frac{1}{2}$. Bot. reg. 702.
Mahonia fasciculáris. DC.
 17 repens. B.R. (ye.) creeping-rooted. N. America. 1822. 4. 6. H. $\frac{1}{2}$. Bot. reg. 1176.
 18 nervosa. P. (ye.) nerved-leaved. — 1826. H. $\frac{1}{2}$. Pursh. fl. am. sept. 1. t. 5.
 NAND'INA. DC. NAND'INA. Hexandria Monogynia.
 doméstica. DC. (wh.) garden. China. 1804. 6. 7. G. $\frac{1}{2}$. Bot. mag. 1109.
 LEO'NTICE. DC. LEO'NTICE. Hexandria Monogynia. L.
 1 Chrysógonum. DC. (ye.) Oak-leaved. Levant. 1740. 3. 6. H. $\frac{1}{2}$. Barrel. ic. 1113.
 2 Leontopétalum. DC. (y.) Lion's-leaf. — 1597. 4. 5. H. $\frac{1}{2}$. Lam. ill. t. 254. f. 1.
 3 vesicaria. DC. (ye.) bladder-capsul'd. Siberia. 1822. — H. $\frac{1}{2}$. Pal. a. p. 1779. 2. t. 9. f. 4.
 4 altaica. DC. (ye.) Altay. — — H. $\frac{1}{2}$. — p. 257. t. 8. f. 1. 2. 3.
 5 thalictroides. DC. (ye.) Columbine-l'd. N. America. 1755. 5. H. $\frac{1}{2}$. Mich. amer. 1. t. 21.
Caulophyllum thalictroides. M.
 EPIM'EDIUM. DC. BARRENWORT. Tetrandria Monogynia. L.
 alpinum. DC. (pu.) Alpine. England. 4. 5. H. $\frac{1}{2}$. Eng. bot. 438.
 DIPHYLL'EA. DC. DIPHYLL'EA. Hexandria Monogynia. L.
 cymosa. DC. (wh.) blue-berried. N. America. 1812. 5. 6. H. $\frac{1}{2}$. Bot. mag. 1666.

ORDO VIII.

PODOPHYLLÆÆ. DC. *syst. nat.* 2. p. 31.

Tribus I. PODOPHYLLÆÆ.

- PODOPHYLLUM.** DC. DUCK'S-FOOT. Polyandria Monogynia. L.
peltatum. DC. (*wh.*) May-apple. N. America. 1664. 5. H. 2. Bot. mag. 1819.
JEFFERSONIA. DC. JEFFERSONIA. Octandria Monogynia.
diphylla. DC. (*wh.*) two-leaved. N. America. 1792. 5. H. 2. Bot. mag. 1513.
Podophyllum diphyllum. w.

Tribus II. HYDROPELTIDEÆ.

- CABO'MBA.** DC. CABO'MBA. Hexandria Digynia. W.
aquatica. DC. (*ye.*) water. Carolina. 1823. S.w. 2. Aubl. gui. 1. t. 124.
Nectris peltata. Ph.
HYDROPELTIS. DC. HYDROPELTIS. Polyandria Polygynia.
purpurea. DC. (*pu.*) purple. N. America. 1798. 7. 8. F.w. 2. Bot. mag. 1147.
Brasenia peltata. Ph.

ORDO IX.

NYPHÆACEÆ. DC. *syst. nat.* 2. p. 34.

Tribus I. NELUMBONEÆ.

- NELUMBIUM.** DC. SACRED-BEAN. Polyandria Polygynia. L.
1 *speciosum.* DC. (*bh.*) Indian. India. 1787. 6. 8. S.w. 2. Bot. mag. 903.
Cyamus Nelumbo. Sm. Exot. bot. 1. t. 31. 32.
2 *Tamara.* (*ro.*) Rheede's. S.w. 2. Rheed. mal. xi. t. 30.
3 *caspicum.* F. (*ro.*) Fischer's. Volga. 1821. S.w. 2.
4 *luteum.* DC. (*ye.*) yellow. N. America. 1810. F.w. 2. Poit. a. m. 13. t. 29. f. 42.
5 *jamaicense.* DC. Jamaica. W. Indies. 1823. S.w. 2.

Tribus II. NYMPHÆEÆ.

- EURYALE.** DC. EURYALE. Polyandria Monogynia. L.
ferox. DC. (*re.*) prickly. India. 1809. 7. 9. S.w. 2. Bot. mag. 1447.
Anneslea spinosa. And. bot. rep. 618.
NYMPHÆA. DC. WATER-LILY. Polyandria Monogynia. L.
1 *scutifolia.* DC. (*bl.*) Cape blue. C. B. S. 1792. 6. 9. S.w. 2. Bot. mag. 552.
cœrulea. Bot. rep. 197.
2 *cœrulea.* DC. (*bl.*) Egyptian blue. Egypt. 1812. — S.w. 2. Vent. malm. t. 6.
stellata. var. Bot. mag. 2058.
3 *cyanea.* H. B. (*bl.*) Indian-blue. E. Indies. 1809. — S.w. 2.
Cahlara. Donn. cant. ed. 7.
4 *stellata.* DC. (*bl.*) star-flowered. — 1803. — S.w. 2. Andr. rep. 330.
5 *edulis.* DC. (*wh.*) eatable. — S.w. 2.
esculenta. H. B.
6 *rubra.* DC. (*re.*) red-flowered. — 1803. 7. 8. S.w. 2. Bot. mag. 1280.
7 *rosea.* (*ro.*) rose-coloured. — — S.w. 2. — 1364.
rubra. β *rosea.* DC.
8 *pubescens.* DC. (*wh.*) Indian Lotus. — 5. 8. S.w. 2. Rheed. h. mal. xi. t. 26.
9 *Lotus.* DC. (*wh.*) Egyptian. Egypt. 1802. 6. 9. S.w. 2. Del. fl. egypt. ill. t. 60. f. 1.
10 *thermalis.* DC. (*wh.*) Hungarian. Hungary. — — S.w. 2. Bot. mag. 797.
Lotus. And. bot. rep. 391.

10 lævigatum. DC.	(re.) slender.	Caucasus.	1823.	6. 7.	H. ☉.	
11 arenarium. DC.	(re.) sand.	Siberia.	1825.	6. 8.	H. ☉.	
12 Roubiæi. DC.	(re.) Roubieu's.	Montpelier.	1823.	—	H. ☉.	Vig. diss. 39. n. 4. t. 1. f. 1.
13 floribundum. DC.	(re.) many-flowered.	Levant.	1815.	6. 7.	H. ♂.	Bot. reg. 134.
14 horridum. DC.	(co.) prickly-stalk'd.	N. S. W.	1825.	6. 8.	H. ☉.	Swt. br. fl. gar. 173.
15 orientale. DC.	(re.) oriental.	—	1714.	5. 6.	H. ♀.	Bot. mag. 57.
16 bracteatum. DC.	(re.) bracted.	Caucasus.	1821.	5. 8.	H. ♀.	Lind. coll. t. 23.
17 setigerum. DC.	(wh.) bristle-pointed.	Italy.	1824.	—	H. ☉.	Swt. br. fl. gar. 172.
18 somniferum. DC.	(va.) garden.	England.		7. 8.	H. ☉.	Lam. ill. t. 451.
* nigrum. DC.	(va.) black-seeded.			—	H. ☉.	Lob. ic. t. 274. f. 1.
β flore-pleno.	(re.) double-red.			—	H. ☉.	Swert. flor. 2. t. 22. f. 1.
γ fimbriatum.	(va.) fringed-flowered.			—	H. ☉.	Wein. phyt. t. 795. f. c.
** album. DC.	(wh.) white-seeded.	England.		—	H. ☉.	Eng. bot. 2145.
β flore-pleno.	(wh.) double-white.	—		—	H. ☉.	Swert. flor. 2. t. 22. f. 2.
γ variegatum.	(v.) variegated.	—		—	H. ☉.	
19 caucasicum. DC.	(re.) Caucasian.	Caucasus.	1813.	6. 7.	H. ☉.	Bot. mag. 1675.
20 armeniacum. DC.	(re.) Armenian.	Armenia.	1815.	—	H. ☉.	
<i>Argemone armeniaca.</i> w.						
ARGEMONE. DC.	ARGEMONE.	Polyandria Monogynia.				
1 mexicana. DC.	(ye.) Mexican.	Mexico.	1592.	7. 8.	H. ☉.	Bot. mag. 243.
2 ochroleuca. B.F.G.(st.)	straw-coloured.	—	1827.	7. 10.	H. ☉.	Swt. br. fl. gar. 242.
3 albiflora. B.M.	(wh.) white-flowered.	Louisiana.	1820.	—	H. ♀.	Bot. mag. 2342.
4 grandiflora. B.F.G.(w.)	large-flowered.	Mexico.	1827.	7. 10.	H. ♀.	Swt. br. fl. gar. 226.
MECONO'PSIS. DC.	MECONO'PSIS.	Polyandria Monogynia.				
cámbrica. DC.	(st.) Welsh.	Wales.		5. 8.	H. ♀.	Eng. bot. 66.
<i>Papaver cámbricum.</i> w.						
SANGUINARIA. DC.	PUCCOON.	Polyandria Monogynia.				
canadensis. DC.	(wh.) Bloodwort.	N. America.	1680.	3. 4.	H. ♀.	Bot. mag. 162.
MACLEA'YA. B.	MACLEA'YA.	Polyandria Monogynia.				
cordata. B.	(bh.) heart-leaved.	China.	1795.	5. 8.	H. ♀.	Bot. mag. 1905.
<i>Boccònia cordata.</i> DC.						
BOCC'ONIA. DC.	BOCC'ONIA.	Dodecandria Monogynia.				
1 frutescens. DC.	(gr.) Tree Celandine.	W. Indies.	1739.	1. 4.	S. ♀.	Lodd. bot. cab. t. 83.
2 integrifolia. DC.	(gr.) entire-leaved.	Peru.	1822.		S. ♀.	H. et B. nov. pl. 1. t. 35.
ESCHSCHO'LTZIA. D.	ESCHSCHO'LTZIA.	Polyandria Monogynia.				
californica. DC.	(ye.) Menzies'.	California.	1826.	7. 10.	H. ♀.	Swt. br. fl. gar. 265.
HUNNEMA'NNIA. B.F.G.	HUNNEMA'NNIA.	Polyandria Monogynia.				
fumariæfolia. B.F.G.(y.)	Fumitory-leav'd	Mexico.	1827.	7. 10.	H. ♀?	Swt. br. fl. gar. 276.
RÆMERIA. DC.	RÆMERIA.	Polyandria Monogynia.				
1 hy'brida. DC.	(re.) violet-flowered.	England.		5. 7.	H. ☉.	Eng. bot. 201.
<i>Gláucium violaceum.</i> H.K.						
2 refracta. DC.	(re.) pendulous-fruit.	Tauria.	1823.	—	H. ☉.	Deles. ic. sel. 2. t. 8.
GLA'UCIUM. DC.	HORN-POPPY.	Polyandria Monogynia.				
1 flavum. DC.	(ye.) yellow.	Britain.		6. 10.	H. ♂.	Eng. bot. t. 8.
<i>luteum.</i> H.K. <i>Chelidonium gláucium.</i> L.						
2 fulvum. DC.	(or.) orange.	S. Europe.	1802.	8. 9.	H. ♀.	Swt. br. fl. gar. 35.
3 tricolor. s.s.	(v.) three-coloured.	Poland.	1828.	6. 9.	H. ☉.	
4 corniculatum. DC.	(re.) various-colour'd	Europe.		6. 7.	H. ☉.	
a phæniceum. DC.	(re.) red-flowered.	England.		—	H. ☉.	Eng. bot. 1433.
β flaviflorum. DC.	(ye.) yellow-flowered.	Tauria.	1823.	—	H. ☉.	
CHELIDONIUM. DC.	CELANDINE.	Polyandria Monogynia.				
1 majus. DC.	(ye.) common.	Britain.		4. 10.	H. ♀.	Eng. bot. 1581.
2 grandiflorum. DC.	(ye.) large-flowered.	Dahuria.	1823.	—	H. ♀.	
3 laciniatum. DC.	(ye.) jagged.	S. Europe.		—	H. ♀.	Mill. ic. 1. t. 92. f. 2.
HYPE'COUM. DC.	HYPE'COUM.	Tetrandria Digynia.				
1 procumbens. DC.	(ye.) procumbent.	S. Europe.	1596.	6. 7.	H. ☉.	Swt. br. fl. gar. 3. t. 217.
2 pendulum. DC.	(ye.) pendulous.	S. France.	1640.	—	H. ☉.	Mill. ic. t. 250. f. 1.
3 erectum. DC.	(ye.) erect.	Siberia.	1759.	5. 6.	H. ♂.	Amm. ruth. 58. t. 9.

ORDO XII.

FUMARIACEÆ. DC. *syst. nat.* 2. p. 105.

DICTYTRA. DC.		DICTYTRA. Diadelphia Hexandria. L.			
1 cucullària. DC.	(wh.) naked stalked.	N. America. 1731.	6. 7.	H. ♀.	Bot. mag. 1127.
<i>Fumària cucullària</i> . B.M.					
β <i>divaricata</i> . DC.	(wh.) spreading-spur'd.	N. America. —	—	H. ♀.	
2 bracteòsa. DC.	(wh.) leafy-bracted.	—	1823.	—	H. ♀.
3 formòsa. DC.	(re.) bluish.	—	1796.	—	H. ♀.
4 eximìa. DC.	(re.) choice.	—	1812.	—	H. ♀.
<i>Fumària eximìa</i> . B.R.					
5 tenuifolia. DC.	(bh.) slender-leav'd.	Kamtschatka. 1824.	5. 7.	H. ♀.	Deles. ic. sel. 2. t. 9. f. B.
6 canadensis. DC.	(pu.) Canadian.	Canada. 1823.	—	H. ♀.	
7 lachenaliaeflora. DC.	(p.) Lachenalia-fl'd.	Siberia. 1824.		H. ♀.	Rudol. m. sc. pet. 1. t. 19.
ADLUMIA. DC.		ADLUMIA. Diadelphia Hexandria. L.			
cirròsa. DC.	(bh.) tendrilled.	N. America. 1778.	6. 9.	H. ♂.	Vent. choix. t. 19.
<i>Fumària fungòsa</i> . w.					
CYSTICA'PNOS. DC.		CYSTICA'PNOS. Diadelphia Hexandria. L.			
afriçana. DC.	(bh.) African.	C. B. S. 1696.	6. 8.	H. ☉.	Wein. phyt. t. 521. f. c.
<i>Fumària vesicària</i> . w.					
CORYDALIS. DC.		CORYDALIS. Diadelphia Hexandria. L.			
1 pauciflora. DC.	(pu.) few-flowered.	Siberia. 1823.		H. ♀.	
2 Marschalliana. DC.	(st.) Marshall's.	Tauria. —	4. 5.	H. ♀.	
3 tuberòsa. DC.	(pu.) hollow-rooted.	Europe. 1596.	2. 4.	H. ♀.	Bot. mag. 232.
β <i>albiflora</i> . DC.	(wh.) white-flowered.	—	—	H. ♀.	— 2340.
<i>Fumària càva. albiflora</i> . B.M.					
4 fabacea. DC.	(pu.) Bean-leaved.	Germany. 1815.	—	H. ♀.	Horn. fl. dan. t. 1394.
5 caucàsica. DC.	(pu.) Caucasian.	Caucasus. 1823.	—	H. ♀.	
6 bulbòsa. DC.	(pu.) solid-rooted.	Britain.	—	H. ♀.	Eng. bot. 1471.
<i>Fumària sòlida</i> . E. B. <i>Cory'dalis Halleri</i> . W. en.					
7 angustifolia. DC.	(pu.) narrow-leaved.	Iberia. 1823.	—	H. ♀.	
8 bracteata. DC.	(st.) large-bracted.	Siberia. 1822.	—	H. ♀.	
9 nobilis. DC.	(st.) great-flowered.	—	1783.	5.	H. ♀.
10 Gebleri. F.	(bh.) Altay.	Altay. 1827.	5. 6.	H. ♀?	Bot. reg. 395.
11 pæoniæfolia. DC.	(pu.) Pæony-leaved.	Siberia. 1823.	—	H. ♀.	Gmel. sib. 4. t. 34.
12 glauca. DC.	(bh.) glaucous.	N. America. 1683.	7. 8.	H. ☉.	Bot. mag. 179.
<i>Fumària sempervirens</i> . w.					
13 stricta. DC.	(pu.) upright.	Siberia. 1825.	5. 7.	H. ♀.	
14 sibirica. DC.	(ye.) Siberian.	—	—	H. ♀.	Amm. ruth. n. 173. t. 20.
15 impatiens. DC.	(ye.) impatient.	Dahuria. 1823.	—	H. ☉.	
16 àurea. DC.	(ye.) golden.	N. America. 1812.	5. 7.	H. ♂.	Bot. reg. 66.
<i>Fumària àurea</i> . B.R.					
17 lutea. P.S.	(ye.) yellow.	England.	4. 10.	H. ♀.	Eng. bot. 588.
18 capnoïdes. P.S.	(ye.) white-flowered.	S. Europe. 1596.	5. 10.	H. ♂.	Pluk. alm. t. 90. f. 2.
19 acaulis. DC.	(st.) stalkless.	Germany. 1825.	7. 9.	H. ☉.	Jacq. ic. 3. t. 554.
20 uràlensis. DC.	(ye.) Fischer's.	Siberia. 1823.		H. ♀.	
21 breviflora. DC.	(st.) short-flowered.	Kamtschatka. —	5. 10.	H. ☉.	
22 claviculata. DC.	(wh.) climbing.	Britain.	—	H. ☉.	Eng. bot. 103.
SARCOCA'PNOS. DC.		SARCOCA'PNOS. Diadelphia Hexandria. L.			
enneaphylla. DC.	(bh.) nine-leaved.	Spain. 1714.	5. 7.	H. ♀.	Barr. ic. t. 42.
<i>Fumària enneaphylla</i> . w.					
FUMARIA. DC.		FUMITORY. Diadelphia Hexandria. L.			
1 spicata. DC.	(re.) narrow-leaved.	S. Europe. 1714.	4. 6.	H. ☉.	Lob. ic. t. 757. f. 2.
2 capreolata. DC.	(wh.) climbing.	Europe.	5. 9.	H. ☉.	DC. ic. rar. 1. t. 34.
β <i>Burchellii</i> . DC.	(wh.) Burchell's.	C. B. S. 1812.	—	H. ☉.	
3 mèdia. DC.	(pu.) intermediate.	Britain.	—	H. ☉.	Eng. bot. 943.
<i>capreolata</i> . E.B.					
4 prehénsibilis. K.	(pu.) short-leaved.	Hungary. 1821.	6. 9.	H. ☉.	
5 alexandrina. E.	Egyptian.	Egypt. 1826.	—	H. ☉.	
6 officinalis. DC.	(re.) common.	—	—	H. ☉.	Eng. bot. 589.
β <i>grandiflora</i> . DC.	(re.) large-flowered.	C. B. S. 1818.	—	H. ☉.	
7 micrantha. DC.	(wh.) small-blossom'd.	Spain. 1824.	4. 8.	H. ☉.	
8 parviflora. DC.	(wh.) small-flowered.	England.	8. 9.	H. ☉.	Eng. bot. 590.
9 Vaillantii. DC.	(pu.) Vaillant's.	France.	5. 6.	H. ☉.	Vail. bot. par. t. 10. f. 6.
10 densiflora. DC.	(pu.) close-flowered.	Montpellier. 1823.	—	H. ☉.	
β <i>albida</i> . DC.	(wh.) white-flowered.	—	—	H. ☉.	

ORDO XIII.

CRUCIFERÆ. DC. *syst. nat.* 2. p. 139.

SUBORDO I. PLEURORHIZEÆ. DC.

Tribus I. *ARABIDEÆ* seu *Pleurorrhizæ* *Siliquosæ*. DC.

MATHIOLA. DC.		STOCK. <i>Tetradynamia Siliquosa</i> . L.							
1	<i>simplicicaulis</i> .	(sc.)	Brompton.			5. 8.	H. ♂.		
	<i>α coccinea</i> .	(sc.)	scarlet.			—	H. ♂.	Besl. eyst. 2. t. 3. f. 3.	
	<i>β alba</i> .	(wh.)	white.			—	H. ♂.	—	2. t. 3. f. 2.
2	<i>incana</i> . DC.	(va.)	queen.	England.		5. 11.	H. ♀.	Eng. bot. 1935.	
	<i>α coccinea</i> .	(sc.)	scarlet.			—	H. ♀.		
	<i>β purpurea</i> .	(pu.)	purple.			—	H. ♀.	Wein. phyt. t. 642. f. 9.	
	<i>γ alba</i> .	(wh.)	white.			—	H. ♀.	Besl. eyst. 2. t. 3. f. 2.	
	<i>δ multiplēx</i> .	(va.)	double-flowered.			—	H. ♀.	—	2. t. 3. f. 1.
3	<i>annua</i> . DC.	(va.)	ten-week.	S. Europe.	1731.	5. 11.	H. ♂.		
	<i>α coccinea</i> .	(sc.)	scarlet.			—	H. ♂.		
	<i>β purpurea</i> .	(pu.)	purple.			—	H. ♂.	J. Bauh. hist. 2. f. 1.	
	<i>δ rubra</i> .	(re.)	red.			—	H. ♂.		
	<i>ε rosea</i> .	(ro.)	rose-coloured.			—	H. ♂.		
	<i>ζ carnea</i> .	(fl.)	flesh-coloured.			—	H. ♂.		
	<i>η fuscata</i> .	(br.)	brown.			—	H. ♂.		
	<i>θ fulva</i> .	(br.)	tawny.			—	H. ♂.		
	<i>ι lilacina</i> .	(li.)	lilac.			—	H. ♂.		
	<i>κ alba</i> .	(wh.)	white.			—	H. ♂.	Dalech. lug. 802. f. 1.	
	<i>λ variegata</i> .	(v.)	variegated.			—	H. ♂.		
	<i>μ flore pleno</i> .	(va.)	double-flowered.			—	H. ♂.		
4	<i>glabra</i> . DC.	(va.)	Wall-flower-ld.			—	H. ♀.	Wein. phyt. t. 642. f. 2.	
	<i>α alba</i> .	(wh.)	white-flowered.			—	H. ♀.	Moris. ox. s. 3. t. 8. f. 2.	
	<i>β purpurea</i> .	(pu.)	purple.			—	H. ♀.		
	<i>γ coccinea</i> .	(sc.)	scarlet.			—	H. ♀.		
	<i>δ flore pleno</i> .	(va.)	double-flowered.			—	H. ♀.		
5	<i>græca</i> . DC.	(wh.)	smooth-leaved.	Greece.		—	H. ♂.		
6	<i>fenestralis</i> . DC.	(re.)	window.	Crete.	1759.	7. 8	F. ♀.	Jacq. vind. 2. t. 179.	
7	<i>sinuata</i> . DC.	(pu.)	great sea.	England.		5. 8.	H. ♂.	Eng. bot. 462.	
8	<i>acaulis</i> . DC.	(pu.)	stalkless.	Egypt.	1823.	—	H. ♂.		
9	<i>torulosa</i> . DC.	(pu.)	twisted-podded.	C. B. S.	1816.	—	G. ♀.		
10	<i>tatarica</i> . DC.	(br.)	Tartarian.	Tartary.	1826.	—	H. ♀.	Pall. it. 1. app. 117. t. O.	
11	<i>odoratissima</i> . DC.	(br.)	sweet-scented.	Tauria.	1797.	6. 7.	G. ♀.	Bot. mag. 1711.	
	<i>β tanaicensis</i> . DC.	(br.)	fragrant.	Tanaim.	1822.	—	G. ♀.		
12	<i>varia</i> . DC.	(br.)	entire-leaved.	Greece.		5. 7.	G. ♀.	Fl. græc. t. 636.	
13	<i>tristis</i> . DC.	(br.)	various-leaved.	S. Europe.	1768.	—	G. ♀.	Barr. ic. t. 803.	
14	<i>coronopifolia</i> . DC.	(pu.)	Buckhorn-ld.		1825.	—	H. ♀.	Flor. græc. t. 637.	
15	<i>livida</i> . DC.	(br.)	livid.	Egypt.	1828.	—	H. ♂.	Deles. ic. sel. 2. t. 12.	
16	<i>longipetala</i> . DC.	(br.)	long-petaled.	Bagdad.	1819.	—	H. ♂.	Vent. cels. t. 93.	
17	<i>tricuspidata</i> . DC.	(pu.)	three-forked.	Barbary.	1739.	7. 10.	H. ♂.	Swt. br. fl. gar. 46.	
18	<i>parviflora</i> . DC.	(pu.)	small-flowered.	Morocco.	1799.	—	H. ♂.		
CHEIRANTHUS. DC.		WALL-FLOWER. <i>Tetradynamia Siliquosa</i> . L.							
1	<i>Chéiri</i> . DC.	(ye.)	garden.	S. Europe.	1573.	4. 7.	H. ♀.	Schkuhr hand. 2. t. 184.	
	<i>α vulgaris</i> .	(ye.)	common.		—	—	H. ♀.	Besl. eyst. 2. t. 5. f. 3.	
	<i>β flore pleno</i> .	(ye.)	double-yellow.		—	—	H. ♀.	—	2. t. 4. f. 2. 3.
	<i>γ grandiflorus</i> .	(ye.)	large-flowered.		—	—	H. ♀.	—	2. t. 5. f. 2.
	<i>δ maximus</i> .	(ye.)	largest.		—	—	H. ♀.	—	2. t. 5. f. 1.
	<i>ε serratus</i> .	(ye.)	saw-leaved.		—	—	H. ♀.		
	<i>ζ patulus</i> .	(ye.)	double-spreading.		—	—	H. ♀.		
	<i>ι ferrugineus</i> .	(p.y.)	rusty-flowered.		—	—	H. ♀.		
	<i>κ varius</i> .	(p.y.)	various-coloured.		—	—	H. ♀.		
	<i>λ sanguineus</i> .	(p.y.)	bloody.		—	—	H. ♀.		
	<i>μ hamanthus</i> .	(p.y.)	double-bloody.		—	—	H. ♀.		
	<i>ν flavescens</i> .	(ye.)	pale-yellow.		—	—	H. ♀.		
	<i>ξ thyrsoideus</i> .	(ye.)	bunch-flowered.		—	—	H. ♀.		

- 2 fruticulōsus. E.B. (ye.) common. England. 4. 7. H. ♀. Eng. bot. 1934.
 3 alpinus. DC. (ye.) Alpine. Norway. 1823. — H. ♀. Wahl. fl. lap. t. 12. f. 1.
 4 ochroleūcus. DC. (st.) pale yellow. Switzerland. 1820. 6. 8. H. ♀.
decumbens. W. en.
 5 tenuifolius. DC. (ye.) fine-leaved. Madeira. 1777. 5. 6. F. ♀.
 6 mutābilis. DC. (li.) changeable. — 3. 5. F. ♀. Bot. mag. 195.
 7 longifolius. v. (li.) long-leaved. — 1815. 9. 12. F. ♀. Vent. malm. t. 83.
 8 scopārius. DC. (va.) rock. Teneriffe. — 3. 8. F. ♀.
α purpurāscens. DC. (p.) purplish. — — F. ♀.
β æruginōsus. DC. (br.) rusty. — — F. ♀.
γ chamæleo. DC. (p.y.) Chameleon. — — F. ♀. Bot. reg. 219.
Cheiri, var. *Chamæleon*. B.R.
 9 semperflōrens. DC. (w.) ever-blowing. Barbary. — 1. 12. F. ♀.
 10 frutēscens. P.S. (wh.) frutescent. — 3. 7. F. ♀.
 11 linifolius. DC. (pu.) flax-leaved. Spain. — 3. 8. F. ♀.
 12 arborēscens. Sie. (pu.) arborescent. Levant. 1827. 4. 8. G. ♀.
NASTURTIIUM. DC. **NASTURTIIUM**. *Tetradynamia Siliquosa*. L.
officināle. DC. (wh.) Water Cress. Britain. 5. 7. H.w. ♀. Eng. bot. 855.
Sisymbrium Nasturtium. w.
β præcocius. DC. (wh.) early. — — H.w. ♀. Pet. h. brit. t. 47. f. 3.
 2 sylvestre. DC. (ye.) creeping. 6. 9. H.w. ♀. Eng. bot. 2324.
 3 ancēps. DC. (ye.) flat-edged. N. Europe. 1826. — H.w. ♀. Flor. dan. t. 984.
 4 palūstre. DC. (ye.) marsh. Britain. H.w. ♂. Eng. bot. 1747.
Sisymbrium terrestre. E.B.
 5 sagittātum. DC. (ye.) arrow-leaved. Siberia. 1780. 5. 6. H. ♀. Jacq. ic. 1. t. 122.
 6 lippizēns. DC. (ye.) Carinthian. Carinthia. 1823. — H. ♀. — 3. t. 505.
 7 pyrenæicum. DC. (ye.) Pyrenean. Pyrenees. 1775. — H. ♀. All. fl. ped. t. 18. f. 1.
 8 amphibium. DC. (ye.) amphibious. Britain. 6. 8. H.w. ♀. Eng. bot. 1840.
α indivisum. DC. (ye.) brd. wat. radish. H.w. ♀. Pet. h. brit. t. 49. f. 8.
β variifolium. DC. (ye.) jag. wat. radish. H.w. ♀. — t. 49. f. 10.
 9 benghalēse. DC. (wh.) Bengal. Bengal. 6. 10. H. ♂.
 10 clandestinum. DC. (wh.) small-flowered. Brazil. 1821. — H. ♂.
 11 indicum. DC. (gr.) Indian. E. Indies. — H. ♂.
 12 atrovirens. H. (ye.) dark green. China. 1826. — H. ♂.
LEPTOCARPÆA. DC. **LEPTOCARPÆA**. *Tetradynamia Siliquosa*. L.
Loeselii. DC. (ye.) Loeselius's. Germany. 1683. 5. 8. H. ♂. Jacq. aust. t. 324.
Sisymbrium Loeselii. w. *Turritis Loeselii*. H. K.
NOTOCERAS. DC. **NOTOCERAS**. *Tetradynamia Siliquosa*. L.
 1 canariēse. DC. (ye.) Canary. Canaries. 1779. 8. 9. H. ♂. Jacq. fil. eclog. t. 111.
Erysimum bicorne. w.
 2 hispānicum. DC. (ye.) Spanish. Spain. 1822. 3. 10. H. ♂. Deles. ic. sel. 2. t. 17.
 3 quadricorne. DC. (ye.) four-horned. Siberia. 1824. 5. 10. H. ♂. — 2. t. 16.
BARBAREA. DC. **WINTER-CRESS**. *Tetradynamia Siliquosa*. L.
 1 vulgāris. DC. (ye.) common. Britain. 5. 8. H. ♀. Eng. bot. 443.
Erysimum Barbarea. w.
 2 præcox. DC. (ye.) early. England. 4. 10. H. ♀. — 1129.
 3 taurica. DC. (ye.) Taurian. Tauria. 1825. 7. 9. H. ♀.
 4 ibérica. DC. (ye.) Iberian. Iberia. 1816. 5. 8. H. ♀.
Cheiranthus ibericus. W. en.
 5 plantaginēa. DC. Plaintrain-leav'd. Levant. 1823. — H. ♀. Deles. ic. sel. 2. t. 19.
STEVENIA. DC. **STEVENIA**. *Tetradynamia Siliquosa*. L.
 1 alyssoides. DC. (wh.) Alyssum-like. Siberia. 1823. 6. 8. H. ♂. Deles. ic. sel. 2. t. 20.
 2 cheiranthoides. DC. (pu.) Wall-flow-like. — — H. ♀. — 2. t. 21.
BRAÏA. DC. **BRAÏA**. *Tetradynamia Siliquosa*. DC.
 1 alpina. DC. (pu.) Alpine. Carinthia. 1821. 4. 5. H. ♀. Deles. ic. sel. 2. t. 22.
 2 glabella. DC. (pu.) smooth. Arctic R. 1827. — H. ♀.
TURRITIS. DC. **TOWER-MUSTARD**. *Tetradynamia Siliquosa*. L.
 1 glabra. DC. (wh.) long-podded. England. 5. 6. H. ♂. Eng. bot. 777.
β ramōsa. DC. (wh.) branching. H. ♂. Clus. hist. 2. p. 126. f. 2.
 2 salsuginōsa. DC. (wh.) shorter-podded. Siberia. 1822. — H. ♂. Pal. it. 2. app. n. 114. t. V.
ARABIS. DC. **WALL-CRESS**. *Tetradynamia Siliquosa*. L.
 1 verna. DC. (pu.) vernal. S. Europe. 1710. 4. 5. H. ♂. Flor. græc. t. 641.
Hesperis verna. w.
 2 rosea. DC. (ro.) rose-coloured. Calabria. 1827. — H. ♂. Deles. ic. sel. 2. t. 23.
 3 alpina. DC. (wh.) Alpine. Pyrenees. 1596. 3. 5. H. ♀. Bot. mag. 226.
β Clusiana. DC. (wh.) Clusius's. — — H. ♀. Clus. hist. 2. p. 125. f. 2.
γ nana. DC. (wh.) dwarf. Hungary. H. ♀.
 4 albida. DC. (wh.) early-flowered. Tauria. 1798. 1. 5. H. ♀. Jacq. f. ecl. 1. t. 71.
caucāsica. B.M. 2046.

5 undulata. L. en.	(wh.) wave-leaved.	S. Europe.	1823.	5. 8. H. ☉.	
6 thyrsioidea. DC.	(wh.) bunch-flowered.	Levant.	1826.	— H. 2.	Flor. græc. t. 642.
7 longifolia. DC.	(wh.) long-leaved.	Persia.	1820.	— H. 2.	Deles. ic. sel. 2. t. 25.
8 mollis. DC.	(wh.) soft.	Caucasus.	1825.	5. 7. H. ♂.	
9 toxophylla. DC.	(wh.) bow-leaved.	Volga.	1828.	— H. ♂.	
10 auriculata. DC.	(wh.) ear-leaved.	S. Europe.	1805.	5. 6. H. ☉.	
<i>aspera</i> . All. ped. t. 2. f. 2.					
11 saxatilis. DC.	(wh.) rock.	—	—	— H. ♂.	Vill. dauph. 3. t. 37.
12 crispata. DC.	(wh.) curled-leaved.	Carniola.	1816.	3. 4. H. 2.	
13 sagittata. DC.	(wh.) arrow-leaved.	Europe.		5. 7. H. ♂.	
14 hirsuta. DC.	(wh.) hairy.	Britain.		— H. ♂.	Eng. bot. 587.
15 stenopetalia. W. en.	(w.) narrow-petal'd.		1822.	6. 8. H. ☉.	
16 curtisiliqua. DC.	(wh.) short-podded.	Scania.	1825.	5. 7. H. ♂.	
17 Allionii. DC.	(wh.) Allioni's.	Italy.		5. 7. H. 2.	
18 muralis. DC.	(wh.) dwarf.	Switzerland.	1824.	5. 6. H. 2.	
19 stricta. DC.	(wh.) Bristol.	England.		— H. 2.	Eng. bot. 614.
20 ciliata. DC.	(wh.) ciliated.	Ireland.		6. 7. H. ♂.	— 1746.
<i>Turritis alpina</i> . E.B.					
21 incana. DC.	(wh.) hoary.	Switzerland.	1816.	5. 6. H. ♂.	
22 Thaliàna. DC.	(wh.) common.	Britain.		4. 6. H. ☉.	Eng. bot. 901.
23 serpyllifolia. DC.	(wh.) Thyme-leaved.	Pyrenees.	1824.	6. 7. H. ♂.	
24 procurrens. DC.	(wh.) procurent.	Hungary.	—	5. 6. H. 2.	W. et. Kit. hun. 2. t. 144.
25 præcox. DC.	(wh.) early-flowering.	—	1822.	4. 6. H. 2.	
26 Schivereckiana. DC.	(w.) Schivereck's.	Austria.	1827.	— H. 2.	
27 petræa. DC.	(wh.) short-podded.	Europe.		5. 7. H. 2.	
<i>a Crantziana</i> . DC. (w.) Crantz's.					
<i>β hispida</i> . DC. (wh.) hispid.					
<i>γ hastulata</i> . DC. (wh.) hastulate.					
28 ambigua. DC.	(wh.) ambiguous.	Siberia.	1824.	5. 7. H. 2.	Crantz. aust. t. 3. f. 2.
29 lyrata. DC.	(wh.) lyre-leaved.	N. America.	1823.	5. 6. H. 2.	Flor. dan. t. 386.
30 arenosa. DC.	(ro.) purple.	Europe.	1798.	6. 7. H. 2.	Eng. bot. 409.
31 Halleri. DC.	(wh.) Haller's.	—	1820.	5. H. ♂.	Schranck. m. 3. t. 256.
32 stolonifera. DC.	(wh.) stoloniferous.	Carniola.	1824.	— H. 2.	W. et. Kit. hun. 2. t. 120.
33 ovirensis. DC.	(ro.) reddish.	Carinthia.	—	5. 6. H. 2.	Scop. carn. ed. 2. t. 39.
34 cebennensis. DC.	(re.) pale-violet.	S. France.	1824.	5. 7. H. ♂.	Jacq. ic. 1. t. 125.
35 lasioloba. DC.	(wh.) woolly-podded.	Mexico.	—	— H. ♂.	Deles. ic. sel. 2. t. 26.
36 Turrita. DC.	(wh.) tower.	England.		4. 5. H. ♂.	Eng. bot. 178.
37 pendula. DC.	(wh.) pendulous.	Siberia.	1752.	5. 6. H. ☉.	Jacq. vind. 3. t. 34.
38 Patriniana. DC.	(wh.) Patrin's.	—	1826.	— H. ♂.	Deles. ic. sel. 2. t. 27.
39 oxyota. DC.	(wh.) sharp-eared.	—	—	— H. ♂.	
40 lucida. DC.	(wh.) shining-leaved.	Hungary.	1790.	6. 7. H. 2.	
41 canadensis. DC.	(wh.) sickle-podded.	N. America.	1768.	5. 7. H. 2.	Deles. ic. sel. 2. t. 28.
42 pumila. DC.	(wh.) nodding.	Switzerland.	1658.	4. 7. H. 2.	Jacq. fl. aust. t. 281.
<i>nitans</i> . B.M. 2219. <i>ciliaris</i> . W. en.					
43 bellidifolia. DC.	(wh.) Daisy-leaved.	Pyrenees.	1773.	5. 6. H. 2.	— 3. t. 280.
44 cœrulea. DC.	(bl.) blue.	—	1793.	6. 7. H. 2.	Sturm. deut. fl. ic.
45 collina. DC.	(wh.) hill.	Naples.	1823.	— H. 2.	
46 dasycarpa. DC.	(wh.) thick-podded.	Poland.	1826.	5. 7. H. 2.	
MACROP'ODIUM. DC. MACROP'ODIUM. Tetradynamia Siliquosa. L.					
nivale. DC.	(wh.) Siberian.	Siberia.	1796.	6. 9. H. 2.	Pall. it. 2. ap.n. 113. t. u.
<i>Cardamine nivâlis</i> . Pall.					
CARDAMINE. DC. LADY'S SMOCK. Tetradynamia Siliquosa. L.					
1 rhomboidea. DC.	(wh.) rhomboid.	N. America.	1825.	5. 7. H. w. 2.	Pluk. amal. t. 435. t. 6.
2 rundifolia. DC.	(wh.) round-leaved.	—	1823.	5. 6. H. w. 2.	
3 asarifolia. DC.	(wh.) kidney-leaved.	Italy.	1710.	6. 7. H. w. 2.	Bot. mag. 1735.
4 bellidifolia. DC.	(wh.) Daisy-leaved.	Scotland.		4. 6. H. 2.	
<i>a petiolâris</i> . DC. (wh.) long-petioled.					
<i>β alpina</i> . DC. (wh.) Alpine.					
5 resedifolia. DC.	(wh.) Rocket-leaved.	Germany.	1658.	7. H. ☉.	Æd. fl. Dan. t. 20.
6 microphylla. DC.	(wh.) small-leaved.	Siberia.	1828.	5. 7. H. 2.	Eng. bot. 2355.
7 africana. DC.	(wh.) African.	C. B. S.	1691.	5. 6. G. 2.	Sturm. fl. germ. ic.
8 trifolia. DC.	(wh.) three-leaved.	Europe.	1629.	3. 6. H. w. 2.	Pluk. alm. t. 101. f. 5.
9 amara. DC.	(wh.) bitter.	Britain.		4. 5. H. w. 2.	Bot. mag. 452.
10 prorêpens. DC.	(wh.) creeping.	Siberia.	1825.	4. 6. H. w. 2.	Eng. bot. 1000.
11 pratensis. DC.	(li.) Cuckoo-flower.	Britain.		— H. w. 2.	Eng. bot. 776.
<i>β flore pleno</i> . (li.) double-flowered.					
12 dentata. DC.	(wh.) toothed.	Poland.	1823.	— H. w. 2.	Clus. hist. 2. p. 129. f. 1.
13 hirsuta. DC.	(wh.) hairy.	Britain.		1. 12. H. ☉.	Eng. bot. 492.
14 sylvatica. DC.	(wh.) wood.	Europe.		5. 6. H. ☉.	Flor. dan. t. 735.

15	umbrōsa. DC.	(wh.) smooth.	Europe.		4. 6.	H. ☉.	
16	parviflōra. DC.	(wh.) small-flowered.	—	1822.	4. 5.	H. ☉.	Gmel. fl. sib. 3. t. 64.
17	impatiens. DC.	(wh.) impatient.	Britain.		4. 6.	H. ☉.	Eng. bot. 80.
18	latiflōra. DC.	(pu.) broad-leaved.	Spain.	1710.	6. 8.	H. w. ♀.	Herm. par. p. 203. t. 69.
19	macrophylla. DC.	(li.) large-leaved.	Siberia.	1824.	—	H. ♀.	
20	chelidonia. DC.	(pu.) Celandine-l'd.	Italy.	1739.	3. 5.	H. ♀.	W. et Kit. hung. 2. t. 140.
21	thalictroides. DC.	(wh.) Thalictrum-l'd.	Switzerland.	1824.	6. 7.	H. ♂.	All. ped. n. 951. t. 57. f. 1.
22	glauca. DC.	(wh.) glaucous.	Calabria.	1824.	5. 7.	H. ♀.	Deles. ic. sel. 2. t. 31.
23	occulta. DC.	(gr.) hidden-flower'd.	China.	—	5. 9.	H. ☉.	
PTERONEURUM. DC. PTERONEURUM. Tetradynamia Siliquosa. L.							
1	carnosum. DC.	(wh.) fleshy.	Dalmatia.	1824.	6. 8.	H. ♀.	W. et Kit. hung. 2. t. 129.
2	gracum. DC.	(wh.) Grecian.	S. Europe.	1710.	—	H. ☉.	Flor. græc. t. 631.
<i>Cardamine græca</i> . w.							
DENTARIA. DC. TOOTH-WORT. Tetradynamia Siliquosa. L.							
1	polyphylla. DC.	(st.) many-leaved.	Hungary.	1817.	5. 6.	H. ♀.	W. et Kit. hung. 2. t. 160.
2	enneaphylla. DC.	(wh.) nine-leaved.	Austria.	1656.	—	H. ♀.	Jacq. fl. aust. t. 316.
3	glandulosa. DC.	(pu.) glandular.	Hungary.	1815.	—	H. ♀.	W. et Kit. hung. 3. t. 272.
4	laciniata. DC.	(wh.) laciniate.	N. America.	1823.	4. 6.	H. ♀.	
5	diphylla. DC.	(wh.) two-leaved.	—	1810.	5. 6.	H. ♀.	Bot. mag. 1465.
6	trifolia. DC.	(wh.) three-leaved.	Hungary.	1824.	—	H. ♀.	W. et K. hung. 2. t. 139.
7	digitata. DC.	(w.p.) fingered.	Switzerland.	1656.	—	H. ♀.	Bot. mag. 2202.
<i>pentaphylla</i> . B.M. <i>Cardamine pentaphylla</i> . H. K. ed. 2.							
8	pinnata. DC.	(wh.) seven-leaved.	—	1683.	—	H. ♀.	Boiss. fl. eur. t. 449.
9	quinquefolia. DC.	(wh.) five-leaved.	Caucasus.	1823.	4. 5.	H. ♀.	Deles. ic. sel. 2. t. 33.
10	bulbifera. DC.	(bh.) bulbiferous.	England.		—	H. ♀.	Eng. bot. 309.
<i>Cardamine bulbifera</i> . H. K. ed. 2.							
11	tenuifolia. DC.	(pu.) slender-leaved.	Siberia.	1825.	5. 6.	H. ♀.	Gmel. sib. 3. n. 41. t. 65.
<i>trifida</i> . Lam. ill. t. 562. f. 2.							
PARRYA. B. PARRYA. Tetradynamia Siliquosa.							
1	arctica. B.	(pu.) arctic.	Melvill Isl.	1827.	5. 6.	H. ♀.	
2	arabidiflora. DC.	(pu.) Arabis-flower'd.	Siberia.	1798.	—	H. ♀.	Linn. am. ac. 2. t. L.f. 20.
<i>Arabis grandiflora</i> . L. <i>Neuroloma arabidiflorum</i> . DC.							
PLATYPETALUM. B. PLATYPETALUM. Tetradynamia Siliquosa.							
	purpurascens. B.	(pu.) purplish.	Melvill Isl.	1827.	5. 6.	H. ♀.	
Tribus II. ALYSSINEÆ seu Pleurorrhizæ Latiseptæ. DC.							
LUNARIA. DC. HONESTY. Tetradynamia Siliculosa. L.							
1	rediviva. DC.	(li.) perennial.	Germany.	1596.	4. 6.	H. ♀.	Hill veg. syst. t. 38. f. 1.
2	biennis. DC.	(w.p.) biennial.	—	1570.	—	H. ♂.	— t. 38. f. 2.
<i>annua</i> . w.							
	<i>a violacea</i> .	(pu.) violet-flowered.	—	—	—	H. ♂.	
	<i>β albiflora</i> .	(wh.) white-flowered.	—	—	—	H. ♂.	
RICOTIA. DC. RICOTIA. Tetradynamia Siliculosa. L.							
	Lunaria. DC.	Syrian.	Syria.	1757.	6. 7.	H. ☉.	Lam. ill. t. 561.
<i>ægyptiaca</i> . Bot. Reg. 49.							
FARSËTIA. DC. FARSËTIA. Tetradynamia Siliculosa. L.							
1	ægyptiaca. DC.	(br.) Stock-like.	Levant.	1783.	6. 7.	G. ♀.	Desf. atl. 2. t. 160.
<i>cheiranthoides</i> . H. K. <i>Cheiranthus Farsætia</i> . L.							
FIBIGIA. Med. FIBIGIA. Tetradynamia Siliculosa.							
1	suffruticosa. DC.	(pu.) suffrutescent.	Persia.	1820.	4. 5.	G. ♀.	Vent. cels. t. 19.
<i>Lunaria suffruticosa</i> . Vent. <i>Farsætia suffruticosa</i> . DC.							
2	lunarioides. DC.	(ye.) oriental.	Greece.	1731.	6. 7.	H. ♀.	Tourn. ic. ed. ger. 1. t. 30.
3	clypeata. Med.	(ye.) buckler-podded.	S. Europe.	1596.	—	H. ♂.	Schkuhr. han. 2. t. 181.
<i>Alyssum clypeatum</i> . L. <i>Farsætia clypeata</i> . DC.							
BERTER'OA. DC. BERTER'OA. Tetradynamia Siliculosa. L.							
1	incana. DC.	(wh.) hoary.	Europe.	1640.	7. 9.	H. ♂.	Horn. fl. dan. 1461.
<i>Alyssum incanum</i> . w.							
2	mutabilis. DC.	(bh.) changeable.	Levant.	1802.	7. 8.	H. ♀.	Vent. cels. t. 85.
3	obliqua. DC.	(wh.) oblique-podded.	Naples.	1824.	—	H. ♀.	Flor. græc. t. 623.
AUBRIETIA. DC. AUBRIETIA. Tetradynamia Siliculosa. L.							
1	deltoidea. DC.	(pu.) spreading.	Levant.	1710.	3. 5.	H. ♀.	Bot. mag. 126.
<i>Farsætia deltoidea</i> . H. K. <i>Alyssum deltoideum</i> . L.							
2	purpurea. DC.	(pu.) tufted.	—	1821.	—	H. ♀.	Swt. br. fl. gar. 207.
VESICARIA. DC. VESICARIA. Tetradynamia Siliculosa. L.							
1	utriculata. DC.	(ye.) smooth.	Levant.	1739.	4. 6.	H. ♀.	Bot. mag. 130.
<i>Alyssum utriculatum</i> . B.M.							
2	reticulata. DC.	(ye.) veined-podded.	—		6.	H. ♀.	Tour. voy. 2. p. 252. ic.

3	Ludovićiana. DC. (ye.)	Missouri.	Missouri.	1825.	5. 6.	H. ♀.	
4	sinuata. DC.	sinuate-leaved.	Spain.	1596.	4. 6.	H. ♂.	Schkuhr. han. 2. t. 181.
5	crética. DC.	Cretan.	Crete.	1739.	5. 8.	H. ♀.	Alp. ex. p. 117 et 118. ic.
<i>Ally'ssum créticum.</i> w.							
6	arctica. DC. (ye.)	arctic.	Greenland.	1826.	5. 6.	H. ♀.	Horn. fl. dan. t. 1520.
7	arenosa. DC. (ye.)	sand.	Arctic Reg.	—	6. 8.	H. ♀.	
SCHIVERE'CKIA. DC. SCHIVERE'CKIA. Tetradynamia Siliculosa. L.							
	podolica. DC. (wh.)	canescent.	Podolia.	1821.	5. 7.	H. ♀.	Swt. br. fl. gar. t. 77.
KO'NIGA. B. Ko'NIGA. Tetradynamia Siliculosa.							
1	maritima. DC. (wh.)	sweet-scented.	S. Europe.		5. 10.	H. ♀.	Eng. bot. 1729.
	<i>Ally'ssum maritimum.</i>	E. B. <i>halimifolium.</i>	B. M. 101.				
2	canariensis. (wh.)	Canary.	Canaries.	1812.	—	G. ♀.	
	<i>Ally'ssum maritimum.</i>	<i>β canariense.</i>	DC.				
	<i>β variegata.</i> (wh.)	<i>striped-leaved.</i>	—		—	G. ♀.	
ADYS'ETON. Scop. ADYS'ETON. Tetradynamia Siliculosa.							
1	saxatile. (ye.)	rock.	Russia.	1710.	4. 5.	H. ♀.	Bot. mag. 159.
	<i>Ally'ssum saxatile.</i> D.	<i>Aurinia saxatilis.</i>	Dv.				
2	gemonense. (ye.)	canescent.	Germany.	—	—	H. ♀.	Jacq. ic. 3. t. 503.
3	orientale. (ye.)	oriental.	Crete.		—	H. ♀.	Flor. græc. t. 625.
4	spathulatum. (ye.)	spathulate.	Siberia.	1821.	4. 6.	H. ♀.	Deles. ic. sel. 2. t. 37.
5	argenteum. (ye.)	silvery.	Switzerland.	—	5. 6.	H. ♀.	All. ped. t. 54. f. 3.
6	Bertoloni. (ye.)	Bertoloni's.	Italy.	1825.	—	H. ♀.	
7	murale. (ye.)	wall.	Europe.	1801.	6. 8.	H. ♀.	W. et Kit. hung. I. t. 6.
8	obtusifolium. (ye.)	blunt-leaved.	Siberia.	1812.	—	H. ♀.	Deles. ic. sel. 2. t. 38.
9	serpyllifolium. (ye.)	Thyme-leaved.	S. Europe.	1823.	5. 7.	H. ♀.	
10	repens. (ye.)	creeping.	Transylvania.	1827.	—	H. ♀.	
11	vernale. (ye.)	vernal.		1823.	4. 5.	H. ♀.	Schrank hort. mon. t. 96.
12	tortuosum. (ye.)	twisted.	Hungary.	1804.	6. 7.	H. ♀.	W. et Kit. hung. I. t. 91.
13	alpêtre. (ye.)	Italian.	Italy.	1777.	6. 10.	H. ♀.	Flor. græc. t. 624.
14	nebrodense. (ye.)	Sicilian.	Sicily.	1827.	5. 6.	H. ♀.	
15	Marschallianum. (ye.)	Marschall's.	Caucasus.	—	—	H. ♀.	
16	montanum. sc. (ye.)	mountain.	Germany.	1713.	5. 8.	H. ♀.	Bot. mag. 419.
<i>Ally'ssum montanum.</i> B. M.							
17	cuneifolium. (ye.)	wedge-leaved.	Naples.	1825.	5. 8.	H. ♀.	
18	diffusum. (ye.)	spreading.	—	—	—	H. ♀.	
19	Wulfenianum. (ye.)	Wulfen's.	Carinthia.	1821.	—	H. ♀.	
20	Fischerianum. (ye.)	Fischer's.	Siberia.	1828.	—	H. ♀.	
<i>Ally'ssum Fischerianum.</i> DC.							
ALY'SSUM. B. MADWORT. Tetradynamia Siliculosa. L.							
1	umbellatum. DC. (ye.)	umbelled.	Tauria.	1828.	5. 8.	H. ♂.	
2	rostratum. DC. (ye.)	beaked.	—	1824.	6. 9.	H. ♂.	Stev. m. ac. P. 3. t. 15. f. 1.
3	micropetalum. DC. (ye.)	small-petaled.	Iberia.	—	5. 8.	H. ♂.	Deles. ic. sel. 2. t. 39.
4	hirsutum. DC. (ye.)	hairy.	—	—	—	H. ♂.	— 2. t. 40.
5	campêtre. DC. (ye.)	field.	Europe.	1768.	6. 8.	H. ♂.	Flor. græc. t. 626.
6	calycinum. DC. (ye.)	persistent-cal'd.	—	1740.	—	H. ♂.	Jacq. aust. t. 338.
7	minimum. DC. (ye.)	small.	—	1791.	—	H. ♂.	Tratt. thes. bot. t. 35.
ANODO'NTEA. DC. ANODO'NTEA. Tetradynamia Siliculosa.							
1	edéntula. (ye.)	toothless.	Hungary.	1821.	5. 6.	H. ♂.	W. et K. hung. I. t. 92.
	<i>Ally'ssum edéntulum.</i> DC.	<i>Adysëton edéntulum.</i>	L. enum.				
2	dasycarpa. (ye.)	thick-podded.	Siberia.	1827.	6. 10.	H. ♂.	Trev. ber. mag. 1816. t. 2.
3	rupëstris. (wh.)	silvery rock.	Italy.	1824.	5. 10.	H. ♀.	Tenor. fl. nap. t. 60.
4	halimifolia. (wh.)	Halimus-leaved.	—	—	—	H. ♀.	All. ped. n. 900. t. 54. f. 1.
	<i>Ally'ssum halimifolium.</i> DC.						
5	spinosa. (wh.)	thorny.	S. Europe.	1683.	6. 8.	H. ♀.	Barrel. ic. t. 808.
6	macrocarpa. (wh.)	large-podded.	—	1825.	—	H. ♀.	Deles. ic. sel. 2. t. 41.
7	canescens. (wh.)	hoary.	Siberia.	1828.	4. 9.	H. ♀.	
MENTOCUS. DC. MENTOCUS. Tetradynamia Siliculosa. L.							
	linifolius. DC. (ye.)	Flax-leaved.	Levant.	1822.	5. 6.	H. ♂.	Deles. ic. sel. 2. t. 42.
<i>Ally'ssum linifolium.</i> w.							
CLYPE'OLA. DC. TREACLE-MUSTARD. Tetradynamia Siliculosa. L.							
1	Jonthlâspi. DC. (ye.)	common.	S. Europe.	1710.	5. 7.	H. ♂.	Desv. j. bot. 3. t. 25. f. 7.
2	eriphora. DC. (wh.)	woolly-podded.	Spain.	1820.	—	H. ♂.	— 3. t. 25. f. 10.
PELT'ARIA. DC. PELT'ARIA. Tetradynamia Siliculosa. L.							
	alliacea. DC. (wh.)	garlic-scented.	Austria.	1601.	5. 7.	H. ♀.	Jacq. aust. 2. t. 123.
PETROCA'LLIS. DC. PETROCA'LLIS. Tetradynamia Siliculosa. L.							
	pyrenæica. DC. (ro.)	Pyrenean.	Pyrenees.	1759.	5. 6.	H. ♀.	Lodd. bot. cab. 635.
<i>Draba pyrenæica.</i> B. M. 713.							
DR'ABA. DC. WHITLOW-GRASS. Tetradynamia Siliculosa. L.							
1	aizôides. DC. (ye.)	sen-green.	Wales.		2. 4.	H. ♀.	Eng. bot. 1271.

2	brachystemon. DC. (ye.) short-stamened.	1731.	2. 4.	H. ♀.	Bot. mag. 170.
	<i>aizoides</i> . B.M. <i>ciliaris</i> . H.K.				
3	aizoon. DC. (ye.) hairy-podded.	Hungary.	1821.	—	H. ♀.
4	cuspidata. DC. (ye.) sharp-pointed.	Tauria.	—	4. 5.	H. ♀.
5	bryoides. DC. (ye.) Bryum-like.	Caucasus.	—	3. 4.	H. ♀.
6	brunæfolia. DC. (ye.) Brunia-leaved.	—	1826.	5. 6.	H. ♀.
7	ericæfolia. DC. (ye.) Heath-leaved.	—	1823.	—	H. ♀.
8	pilosa. DC. (ye.) pilose.	Siberia.	1825.	—	H. ♀.
9	alpina. DC. (ye.) Alpine.	Norway.	1823.	4. 5.	H. ♀.
10	glaciælis. DC. (ye.) starry-haired.	Siberia.	1825.	5. 6.	H. ♀.
11	repens. DC. (ye.) creeping.	Caucasus.	1823.	—	H. ♀.
12	Gmelini. DC. (ye.) Gmelin's.	Siberia.	—	—	H. ♀.
13	tridentata. DC. (ye.) three-toothed.	Caucasus.	1828.	—	H. ♀.
14	muricella. DC. (wh.) tufted.	Norway.	—	—	H. ♀.
15	incompta. DC. (ye.) straggling.	Caucasus.	—	6.	H. ♀.
16	oblongata. DC. (wh.) oblong-leaved.	Baffin's-bay.	1820.	5. 6.	H. ♀.
17	corymbosa. DC. (wh.) corymbose.	—	—	—	H. ♀.
18	hirta. DC. (wh.) hairy.	Lapland.		5. 7.	H. ♀.
19	rupëstris. DC. (wh.) rock.	Scotland.		—	H. ♀.
	<i>hirta</i> . E.B. non Linn.				
20	nivalis. DC. (wh.) snowy.	Norway.	1824.	5. 6.	H. ♀.
	<i>stellata</i> . F.D. nec aliorum.				
21	lapponica. DC. (wh.) Lapland.	Lapland.	—	—	H. ♀.
22	helvetica. DC. (wh.) Swiss.	Switzerland.	1824.	—	H. ♀.
23	fladnizensis. DC. (wh.) fringe-leaved.	—	—	6. 8.	H. ♀.
24	tomentosa. DC. (wh.) woolly-leaved.	—	—	5. 7.	H. ♀.
25	stellata. DC. (wh.) starry.	—	1820.	—	H. ♀.
	<i>hirta</i> . Jacq. aust. t. 432.				
26	contorta. DC. (wh.) twisted-podded.	Britain.		5. 6.	H. ♂.
	<i>incana</i> . E.B.				
27	confusa. DC. (wh.) confused.	N. Europe.		—	H. ♂.
	<i>incana</i> . F.D.				
28	arabisans. DC. (wh.) Arabis-like.	N. America.	1827.	—	H. ♂.
29	daurica. DC. (wh.) Daurian.	Dahuria.	1824.	—	H. ♂.
30	aura. DC. (ye.) golden.	Greenland.	—	—	H. ♂.
31	lutea. DC. (ye.) yellow.	Caucasus.	1825.	5. 8.	H. ♂.
32	gracilis. GR. (ye.) slender.	N. America.	1827.	—	H. ♂.
33	nemorâlis. DC. (ye.) wood.	Europe, &c.	1759.	—	H. ♂.
34	murâlis. DC. (wh.) wall.	England.		4. 5.	H. ♂.
	EROPHILA. DC. EROPHILA. Tetradinamia Siliculosa. L.				
1	americana. DC. (wh.) American.	N. America.	1823.	3. 4.	H. ♂.
2	vulgaris. DC. (wh.) common.	Britain.		—	H. ♂.
	<i>Draba verna</i> . Eng. bot. 586.				
3	præcox. DC. (wh.) round-podded.	Caucasus.	1824.	2. 4.	H. ♂.
	KERNERA. Med. KERNERA. Tetradinamia Siliculosa.				
1	saxatilis. (wh.) rock.	Europe.	1775.	5. 7.	H. ♀.
	<i>myagroides</i> . Med. <i>Cochlearia saxatilis</i> . DC. <i>Myagrum saxatile</i> . L.				
	<i>β incisa</i> . (wh.) cut-leaved.	—	—	—	H. ♀.
2	auriculata. (wh.) eared.	Pyrenees.	1824.	—	H. ♀.
	<i>Cochlearia auriculata</i> . DC.				
	ARMORACIA. Plin. HORSE-RADISH. Tetradinamia Siliculosa.				
1	rusticana. Bau. (wh.) common.	England.		5. 6.	H. ♀.
	<i>Cochlearia Armoracia</i> . E.B.				
2	macrocarpa. Bau. (wh.) large-fruited.	Hungary.	1806.	6. 8.	H. ♀.
	COCHLEARIA. DC. SCURVY-GRASS. Tetradinamia Siliculosa. L.				
1	glastifolia. DC. (wh.) Woad-leaved.	S. Europe.	1648.	5. 7.	H. ♂.
2	anglica. DC. (wh.) English.	England.		5.	H. ♂.
3	officinalis. DC. (wh.) common.	Britain.		4. 5.	H. ♂.
	<i>β minor</i> . DC. lesser.	—		—	H. ♂.
	<i>γ rotundifolia</i> . DC. round-leaved.	—		—	H. ♂.
	<i>grœnlantica</i> . With. brit. 573. non. Lin.				
4	pyrenæica. DC. (wh.) Pyrenean.	Pyrenees.		6. 8.	H. ♂.
5	grœnlantica. DC. (wh.) Greenland.	Scotland.		5. 6.	H. ♀.
6	dànica. DC. (wh.) Danish.	Britain.		—	H. ♂.
7	alpina. (wh.) Alpine.	Ireland.		5. 6.	H. ♀.
8	fenestrata. DC. (wh.) fenestrate.	Baffin's Bay.	1820.	4. 5.	H. ♀.
9	grandiflora. DC. (wh.) large-flowered.	Siberia.	1826.	5. 6.	H. ♀.
10	integrifolia. DC. (wh.) entire-leaved.	Altay.	1827.	—	H. ♀.
11	aculis. DC. (li.) stalkless.	Portugal.	1823.	3. 4.	H. ♀.

Jacq. ecl. t. 132.

Tribus III. *THLASPIDÆ* seu *Pleurorhizæ* Angustiseptæ. DC.

THLASPI. DC.		BASTARD-CRESS. <i>Tetradynamia Siliculosa</i> . L.					
1	latifolium. DC. (wh.)	broad-leaved.	Caucasus.	1828.	4. 5.	H. ½.	Deles. ic. sel. 2. t. 51.
2	ceratocarpon. DC. (wh.)	horn-podded.	Siberia.	1779.	7.	H. ○.	Scop. insub. 1. t. 4.
3	arvense. DC. (wh.)	Penny-cress.	Britain.		6. 7.	H. ○.	Eng. bot. 1659.
4	collinum. DC. (wh.)	hill.	Iberia.	1824.	4. 9.	H. ○.	
5	alliaceum. DC. (wh.)	Garlic-scented.	S. Europe.	1714.	5. 7.	H. ○.	Jacq. ic. 1. t. 121.
6	strictum. (wh.)	upright.	Persia.	1827.	4. 9.	H. ○.	
7	perfoliatum. DC. (wh.)	perfoliate.	England.		4. 7.	H. ○.	Eng. bot. 2354.
8	montanum. DC. (wh.)	mountain.	Europe.		5. 6.	H. ½.	Jacq. aust. 3. t. 237.
9	alpêtre. DC. (wh.)	Alpine.	England.		5. 7.	H. ½.	Eng. bot. t. 81.
10	cochleariforme. DC. (w.)	Scurvy-grass.	Dahuria.	1827.	6. 7.	H. ½.	
CAPSELLA. DC.		SHEPHERD'S-PURSE. <i>Tetradynamia Siliculosa</i> . L.					
1	Bursa-pastoris. DC. (w.)	common.	Britain.		1. 12.	H. ○.	Eng. bot. 1485.
	<i>Thlaspi Bursa-pastoris</i> . L.						
	β minor. DC. (wh.)	small.	—		—	H. ○.	Tabern. ic. 199.
	γ integrifolia. DC. (w.)	entire-leaved.	—		—	H. ○.	Moris. ox. 2. t. 20. f. 1.
	δ coronopifolia. DC. (w.)	Buck's-horn-ld.	—		—	H. ○.	
2	procumbens. B. (wh.)	procumbent.	Europe.	1823.	3. 5.	H. ○.	Hill. veg. sys. 11. t. 42. f. 1.
	<i>Lepidium procumbens</i> . L.	<i>Hutchinsia procumbens</i> . DC.					
HUTCHINSIA. DC.		HUTCHINSIA. <i>Tetradynamia Siliculosa</i> . L.					
1	rotundifolia. DC. (bh.)	round-leaved.	Switzerland.	1759.	5. 7.	H. ½.	Scop. carn. n. 805. t. 37.
	<i>Iberis rotundifolia</i> . L.						
2	cepeæfolia. DC. (pu.)	toothed-leaved.	Carinthia.	1824.	4. 5.	H. ½.	Jacq. misc. 2. p. 28. t. 1.
3	stylosa. DC. (ro.)	long-styled.	Naples.	1826.	3. 5.	H. ½.	Bot. mag. 2772.
4	halutula. DC. (bh.)	halbert-leaved.	Siberia.	1827.	—	H. ½.	Gmel. sib. 3. t. 5.
5	calycina. DC. (wh.)	persistent-cal'd.	—	—	4. 5.	H. ½.	
6	alpina. DC. (wh.)	Alpine.	Pyrenees.	1775.	4. 6.	H. ½.	Jacq. aust. 2. t. 137.
	<i>Lepidium alpinum</i> . L.						
7	petræa. DC.	rock.	England.		3. 5.	H. ♂.	Eng. bot. 111.
	<i>Lepidium petræum</i> . L.						
TEESDALIA. DC.		TEESDALIA. <i>Tetradynamia Siliculosa</i> . L.					
1	Iberis. DC.	Shepherd's-cress.	England.		5. 7.	H. ○.	Eng. bot. 327
	<i>nudicaulis</i> . H. K. <i>Iberis nudicaulis</i> . L.	<i>Guepinia Iberis</i> . DC.					
2	<i>Lepidium</i> . DC. (wh.)	equal-petal'd.	S. Europe.		5. 8.	H. ○.	Magn. ic. n. car. 247.
	<i>Lepidium nudicaule</i> . L.	<i>Teesdalia regularis</i> . L. T. <i>Guepinia Lepidium</i> . Dv.					
IBERIS. DC.		CANDY-TUFT. <i>Tetradynamia Siliculosa</i> . L.					
1	sempervirens. DC. (w.)	broad-leaved.	Sicily.	1679.	1. 12.	G. ½.	Moris. ox. 2. t. 25. f. 5.
2	gibraltarica. DC. (bh.)	Gibraltar.	Gibraltar.	1732.	5. 6.	G. ½.	Bot. mag. 124.
3	saxatilis. DC. (wh.)	rock.	S. Europe.	1739.	4. 6.	H. ½.	Gou. fl. mons. 177. t. 1.
4	corifolia. (wh.)	Coris-leaved.	—	—	—	H. ½.	Clus. hist. 2. p. 132. ic.
	<i>saxatilis</i> β <i>corifolia</i> .						Bot. mag. 1642.
5	pubescens. DC. (wh.)	pubescent.		1821.	—	H. ½.	
6	subvelutina. DC. (wh.)	velvety.	Spain.	1824.	—	H. ½.	
7	sempervirens. DC. (wh.)	evergreen.	Crete.	1731.	—	H. ½.	Flor. græc. t. 620.
8	Garrexiàna. DC. (wh.)	Allioni's.	Pyrenees.		6. 8.	H. ½.	All. ped. n. 920. t. 40. f. 3.
9	conferta. DC. (wh.)	crowded-leaved.	Spain.	1824.	—	H. ½.	
10	amara. DC. (wh.)	bitter.	England.		—	H. ○.	Eng. bot. 52.
11	pinnata. DC. (wh.)	wing-leaved.	S. Europe.	1596.	—	H. ○.	Lob. ic. t. 217. f. 2.
12	odorata. DC. (wh.)	sweet-scented.	Crete.	1806.	—	H. ○.	Swt. br. fl. gar. 50.
13	Lagascàna. DC. (wh.)	Lagasca's.	Spain.	1824.	—	H. ○.	
14	umbellata. DC. (pu.)	purple.	S. Europe.	1596.	—	H. ○.	Bot. mag. 106.
15	linifolia. DC. (pu.)	Flax-leaved.	—	1759.	—	H. ♂.	Garid. aix. t. 105.
16	ciliata. DC. (wh.)	fringed.	—		6. 7.	H. ♂.	
17	taurica. DC. (wh.)	Taurian.	Tauria.	1802.	5. 7.	H. ♂.	
18	violacea. DC. (pu.)	blunt-leaved.		1782.	6. 7.	H. ♂.	
19	nana. DC. (pu.)	dwarf.	S. Europe.	1822.	5. 7.	H. ♂.	All. auct. p. 15. t. 2. f. 1.
20	spatulata. DC. (pu.)	spatulate.	Pyrenees.	1826.	6. 8.	H. ○.	Berg. phyt. ic.
21	Tenoreàna. DC. (wh.)	Tenore's.	Naples.	—	5. 7.	H. ½.	Swt. br. fl. gar. 88.
22	Pruiti. DC. (wh.)	Sicilian.	Sicily.	1828.	—	H. ½.	
23	contracta. DC. (wh.)	contracted.	Spain.	1824.	4. 6.	H. ½.	
BISCULELLA. DC.		BUCKLER-MUSTARD. <i>Tetradynamia Siliculosa</i> . L.					
1	auriculata. DC. (ye.)	ear-podded.	S. Europe.	1683.	6. 7.	H. ○.	DC. diss. n. 1. t. 1. f. 2.
2	erigerifolia. DC. (ye.)	Erigeron-leav'd.	Spain.	1824.	—	H. ○.	Deles. ic. sel. 2. t. 55.
3	hispidia. DC. (ye.)	hispid.	S. France.	1822.	—	H. ○.	Bot. mag. 2444.
4	cichoriifolia. DC. (ye.)	Succory-leaved.	Pyrenees.	—	—	H. ½.	DC. diss. n. 4. t. 2.

5	lyrâta. DC.	(ye.) lyre-leaved.	Spain.	1799.	6. 7.	H. ☉.	Bocc. sic. 45. t. 23.
6	raphanifolia. DC.	(ye.) Radish-leaved.	Sicily.	1824.	—	H. ☉.	
7	maritima. DC.	(ye.) sea.	Naples.	—	—	H. ☉.	Tenor. fl. nap. t. 61.
8	ciliâta. DC.	(ye.) fringe-podded.	Italy.	1790.	—	H. ☉.	DC. ic. gal. rar. 1. t. 39.
	<i>coronopifolia.</i> w. non. Lin.						
9	depressa. DC.	(ye.) dwarf.	Egypt.	1823.	—	H. ☉.	
10	microcarpa. DC.	(ye.) small-podded.	Gibraltar.	—	5. 6.	H. ☉.	
11	eriocarpa. DC.	(ye.) woolly-podded.	Spain.	1826.	5. 7.	H. ☉.	DC. diss. n. 12. t. 9. f. 2.
12	Columnnæ. DC.	(ye.) Columnn's.	Apulia.	1824.	6. 7.	H. ☉.	Col. cephr. 1. t. 284. f. 1.
13	âpula. DC.	(ye.) spear-leaved.	Italy.	1710.	—	H. ☉.	Fl. græc. t. 629.
14	leiocarpa. DC.	(ye.) smooth-capsul'd.	Levant.	1824.	—	H. ☉.	Gært. fruct. 2. t. 141.
15	obovâta. DC.	(ye.) obovate-leaved.			—	H. ☉.	
16	montana. DC.	(ye.) mountain.	Spain.	1824.	3. 4.	H. ☉.	Cavan. ic. 2. t. 177.
17	lævigâta. DC.	(ye.) smooth-podded.	Europe.	1777.	—	H. ♀.	DC. ic. rar. 11. t. 38.
	β <i>alpestris</i> . W.en.	(ye.) Hungarian.	Hungary.	1816.	—	H. ♀.	W.etKit.hung. 3. t. 228.
18	lúcida. DC.	(ye.) glossy.	Italy.	1827.	4. 6.	H. ♀.	DC. diss. n. 20. t. 7.
19	coronopifolia. DC.	(ye.) Buck's-horn-ld.	S. Europe.	1790.	—	H. ♀.	DC. diss. n. 22. t. 18.
20	ambigua. DC.	(ye.) ambiguous.	—		—	H. ♀.	— n. 23. t. 11. f. 1.
21	saxatilis. DC.	(ye.) rock.	—	1824.	—	H. ♀.	— n. 24. t. 10.
22	sempervirens. DC.	(ye.) downy-leaved.	Spain.	1784.	—	F. ♀.	Barr. ic. t. 841.
	MEGACA'RPÆA. DC. MEGACA'RPÆA. Tetradynamia Siliculosa. L.						
	laciniâta. DC.	(ye.) jagged-leaved.	Volga.	1821.	6. 7.	H. ♀.	DC. diss. bisc. n. 5. t. 3.
	<i>Biscutella megalocarpa.</i> F.						

Tribus IV. *EUCLIDIEÆ* seu Pleurorhizæ Nucamentacæ. DC.

	EUCLIDIUM. DC.	EUCLIDIUM. Tetradynamia Siliculosa. L.					
1	syriacum. DC.	(wh.) Syrian.	Levant.	1778.	7. 8.	H. ☉.	Jacq. aust. 1. t. 6.
	<i>Bunias syriaca.</i> w. <i>Anastatica syriaca.</i> Jacq.						
2	tataricum. DC.	(wh.) Tartarian.	Tartary.	1823.	4. 5.	H. ☉.	Pall. it. 3. ap. t. v. f. 2.
	<i>Bunias tatarica.</i> w.						
	OCHTHODIUM. DC.	OCHTHODIUM. Tetradynamia Siliculosa. L.					
	ægyptiacum. DC.	(ye.) Egyptian.	Egypt.	1787.	8.	H. ☉.	Jacq. vind. t. 145.
	<i>Rapistrum ægyptiacum.</i> H.K. <i>Bunias ægyptiaca.</i> L.						

Tribus V. *ANASTATICEÆ* seu Pleurorhizæ Septulata. DC.

	ANASTATICA. DC.	ROSE OF JERICO. Tetradynamia Siliculosa. L.					
	Hierochuntina. DC.	(w.) common.	Levant.	1597.	5. 8.	H. ☉.	Jacq. vind. 1. t. 58.

Tribus VI. *CAKILINEÆ* seu Pleurorhizæ Lomentacæ. DC.

	CAKILE. DC.	CAKILE. Tetradynamia Siliculosa. L.					
1	maritima. DC.	(pu.) Sea Rocket.	Britain.		6. 9.	H. ☉.	Eng. bot. 231.
	β <i>sinuatifolia.</i> DC.	(p.) sinuate-leaved.	—		—	H. ☉.	Horn. fl. dan. t. 1583.
2	americana. DC.	(li.) American.	America.		—	H. ☉.	Tussac fl. ant. 1. f. 17.
	CHORISPORA. DC.	CHORISPORA. Tetradynamia Siliquosa. L.					
1	tenella. DC.	(pu.) purple.	Tauria.	1780.	6. 7.	H. ☉.	Pall. it. 3. ap. t. L. f. 3.
2	stricta. DC.	(pu.) upright.	Siberia.	1825.	5. 7.	H. ☉.	
3	sibirica. DC.	(ye.) Siberian.	Siberia.	1822.	—	H. ☉.	Murr. com. goett. t. 11.
4	iberica. DC.	(ye.) strong-scented.	Iberia.	—	—	H. ☉.	Deles. ic. sel. 2. t. 582.

Subordo II. NOTORHIZEÆ. DC. syst. 2. p. 438.

Tribus VII. *SISYMBREÆ* seu Notorhizæ Siliquosæ. DC.

	MALC'OMIA. DC.	MALC'OMIA. Tetradynamia Siliquosa. L.					
1	africana. DC.	(pu.) African.	Africa.	1747.	6. 7.	H. ☉.	Buxh. cent. 4. t. 44.
2	taraxacifolia. DC.	(pu.) Dandelion-ld.		1795.	—	H. ☉.	
3	laxa. DC.	(pu.) loose-branched.	Siberia.	1822.	—	H. ☉.	

4	Chia. DC.	(pu.) dwf.-branching.	Chio.	1732.	5. 6.	H. ☉.	Swt. br. fl. gar. 40.
5	maritima. DC.	(p.w.) dwarf annual.	S. Europe.	1713.	—	H. ☉.	Bot. mag. 166.
	<i>Cheiranthus maritimus</i> . B.M.						
6	arenaria. DC.	(pu.) sand.	Barbary.	1804.	—	H. ☉.	Desf. fl. atl. 2. t. 162.
	<i>Hesperis arenaria</i> . Desf.						
7	parviflora. DC.	(pu.) small-flowered.	S. Europe.	1822.	6. 8.	H. ☉.	DC. ic. gall. rar. t. 35.
8	lyrata. DC.	(pu.) rigid.	Levant.	1824.	5. 8.	H. ☉.	Flor. græc. t. 635.
9	littorea. DC.	(li.) sea.	S. Europe.	1683.	6 11.	H. ♂.	Swt. br. fl. gar. 54.
0	pátula. DC.	(pu.) spreading.	Spain.	1825.	5. 7.	H. ♀.	
1	lácera. DC.	(pu.) cut-leaved.	S. Europe.	—	—	H. ☉.	Desf. ann. mus. 11. t. 34.
	<i>Hesperis pinnatifida</i> . Desf.						
HESPERIS. DC.				ROCKET. Tetradynamia Siliquosa. L.			
1	tristis. DC.	(br.) night-smelling.	Europe.	1622.	4. 6.	H. ♂.	Bot. mag. 730.
	β maior.	(st.) larger.	—	1827.	4. 7.	H. ♂.	
2	fragrans. F.	(pu.) evening-scentd.	Siberia?	1821.	—	H. ♂.	Swt. br. fl. gar. 61.
3	laciniata. DC.	(pu.) laciniated.	Italy.	1820.	5. 6.	H. ♂.	All. ped. n. 985. t. 82. f. 1.
4	villósa. DC.	(pu.) villous.	Italy.	1827.	—	H. ♂.	
5	grandiflora. B.M.	(pu.) large-flowered.		1818.	5. 8.	H. ♂.	Bot. mag. 2683.
6	elata. H.	(pu.) tall.		1825.	—	H. ♂.	
7	runcinata. DC.	(bh.) runcinate.	Hungary.	1804.	5. 7.	H. ♂.	W. et Kit. hung. 2. t. 200.
8	bituminosa. W. en.	(bh.) clammy.		1816.	—	H. ♂.	
9	matronalis. L.	(va.) common.	Europe.	1597.	5. 8.	H. ♀.	Lob. ic. t. 323. f. 2.
	α albiflora. DC.	(wh.) single-white.	—	—	—	H. ♀.	Tabern. kraut. 692. f. 1.
	β albo-plena.	(wh.) double-white.	—	—	—	H. ♀.	
	γ purpurea. DC.	(pu.) single-purple.	—	—	—	H. ♀.	Tabern. kraut. 692. f. 2.
	δ purpureo-plena.	(pu.) double-purple.	—	—	—	H. ♀.	Wein. phyt. t. 572. f. c.
	ε variegata. DC.	(v.) dble.-variegated.	—	—	—	H. ♀.	Munt. phyt. cur. t. 186.
	ζ foliiflora. DC.	(gr.) green-flowered.	—	—	—	H. ♀.	Wein. phyt. t. 572. f. a.
10	inodora. L.	(pu.) scentless.	Britain.		—	H. ♀.	Eng. bot. 731.
11	sibirica. L.	(pu.) Siberian.	Siberia.		—	H. ♀.	
12	heterophylla. DC.	(pu.) various-leaved.	Naples.	1825.	5. 7.	H. ♀.	
13	ápica. DC.	(pu.) sun.	Siberia.	1823.	5. 6.	H. ♀.	Deles. ic. sel. 2. t. 62.
14	ramosissima. DC.	(pu.) branched.	Barbary.	1827.	—	H. ☉.	Desf. atl. 2. t. 161.
ANDREO'SKIA. DC.				Tetradynamia Siliquosa. L.			
1	integrifolia. DC.	(wh.) entire-leaved.	Siberia.	1824.	6. 7.	H. ☉.	
	<i>Sisymbrium integrifolium</i> . w. <i>Hesperis glandulosa</i> . P.S.						
2	pectinata. DC.	(wh.) pectinated.	Dahuria.	1827.	5. 6.	H. ♂.	
SISYMBRIUM. DC.				Tetradynamia Siliquosa. L.			
1	officinale. DC.	(ye.) Hedge-mustard.	Britain.		5. 7.	H. ☉.	Eng. bot. 725.
	<i>Erysimum officinale</i> . E.B.						
2	strictissimum. DC.	(ye.) spear-leaved.	Europe.	1658.	6. 8.	H. ♀.	Jacq. aust. 2. t. 194.
	<i>Cheirinia strictissima</i> . L. en.						
3	júnceum. DC.	(ye.) rushy.	Hungary.	1804.	7.	H. ♀.	W. et Kit. hung. 3. t. 234.
	<i>Erysimum júnceum</i> . w. <i>Cheirinia júncea</i> . L. en.						
4	hispánicum. DC.	(ye.) Spanish.	Spain.	1820.	5. 6.	H. ♂.	Jacq. ic. rar. 1. t. 124.
5	púmulum. DC.	(ye.) dwarf.	Caucasus.	—	4. 5.	H. ☉.	
6	obtusángulum. DC.	(ye.) blunt-angled.	Switzerland.		5. 8.	H. ☉.	Moris. ox. 2. s. 3. t. 5. f. 10.
7	acutángulum. DC.	(ye.) acute-angled.	Pyrenees.	1791.	6. 7.	H. ♂.	Jacq. vind. 3. t. 97.
	<i>sinapoides</i> . H.K. <i>Sinapis pyrenæica</i> . Jacq.						
8	taraxacifolium. DC.	(y.) Dandelion-ld.	France.	1823.	5. 6.	H. ♂.	DC. ic. rar. p. 11. t. 37.
9	contórtum. W. en.	(ye.) twisted.	Spain.	1824.	—	H. ♂.	
10	affine. W. en.	(ye.) related.		1823.	5. 8.	H. ♂.	
11	austriacum. DC.	(ye.) Austrian.	Austria.	1799.	6. 8.	H. ☉.	Jacq. aust. 3. t. 262.
12	eckartsi bergense. w.	(y.) bending-podd'd.	—	—	—	H. ♂.	
13	Tillieri. w.	(ye.) Tillier's.	Switzerland.	1824.	6. 8.	H. ☉.	
14	I'rio. DC.	(ye.) London Rocket.	England.		5. 8.	H. ☉.	Eng. bot. 1631.
15	glábrum. W. en.	(ye.) smooth.		1823.	—	H. ☉.	
16	gallicum. W. en.	(ye.) French.	France.	—	—	H. ☉.	
17	nítidum. DC.	(ye.) glossy.			6. 8.	H. ☉.	
18	subhastátum. DC.	(ye.) halbert-leaved.	Archipelago.	1822.	4. 5.	H. ☉.	
19	Cólmunnæ. w.	(ye.) Columna's.	Italy.	1796.	6. 7.	H. ☉.	Jacq. aust. t. 323.
20	altíssimum. L.	(ye.) tall.	Siberia.	1759.	8.	H. ☉.	Walth. hort. t. 122.
21	orientále. L.	(ye.) oriental.	Levant.	1739.	7. 8.	H. ☉.	
22	pannónicum. DC.	(st.) Hungarian.	Hungary.	1787.	—	H. ☉.	Jacq. ic. rar. 1. t. 123.
23	lyrátum. DC.	(ye.) lyrate.	C. B. S.		5. 8.	G. ♀.	Deles. ic. sel. 2. t. 64.
24	ásperum. DC.	(ye.) rough-podded.	S. Europe.	1778.	5. 6.	H. ☉.	J. Bauh. hist. 2. f. 3.
25	fugáx. DC.	(ye.) fugacious.	Spain.	1820.	7. 8.	H. ♀.	
26	Sophia. DC.	(ye.) Flix-weed.	Britain.		7. 8.	H. ☉.	Eng. bot. 963.

27	pérscum. DC.	(ye.) Persian.	Persia.	1820.	7. 8.	H. ☉.	
28	Richardsoni.	(ye.) Richardson's.	N. America.	1828.	6. 7.	H. ☉.	
	<i>canescens</i> . Richardson, <i>non</i> Nutt.						
29	brachycarpum. DC.	short-podded.	—	—	—	H. ☉.	
30	tripinnatum. DC.	(ye.) tripinnate.	C. B. S.	1817.	—	H. ☉.	
31	millefolium. DC.	(ye.) Milfoil-leaved.	Canaries.	1779.	5. 9.	G. ♀.	Jacq. ic. rar. 1. t. 127.
32	tanacetifolium. DC.	(ye.) Tansy-leaved.	Italy.	1731	6. 7.	H. ♀.	Mor. his. 2. s. 3. t. 6. f. 19.
33	supinum. DC.	(wh.) trailing.	S. Europe.	1778.	—	H. ☉.	Isn. act. Par. 1724. t. 18.
	<i>Erysimum supinum</i> . L. en.						
34	hirsutum. DC.	(ye.) hairy-podded.	—	1822.	—	H. ☉.	
	<i>Erysimum hirsutum</i> . L. en.						
35	polyceratum. DC.	(ye.) sinuate-leaved.	—	1633.	6. 8	H. ☉.	Jacq. vind. t. 79.
	<i>Erysimum polyceratum</i> . L. en.						
36	rigidum. DC.	(wh.) rigid.	Tauria.	1824.	6. 8.	H. ☉.	Pall. it. 3. ap. t. Mm. f. 1.
37	bursifolium. DC.	(wh.) various-leaved.	—	1732.	—	H. ☉.	Dill. elt. t. 148. f. 177.
38	pinnatifidum. DC.	(wh.) pinnatifid.	—	1822.	5. 8.	H. ♀.	All. ped. t. 57. f. 3.
39	erysimoides. DC.	(wh.) Erysimum-like.	Spain.	1827.	10. 12.	H. ♀.	Desf. alt. 2. t. 158.
40	contortuplicatum. (bh.)	twisted-podded.	Cumana.	—	6. 8.	H. ☉.	Deles. ic. sel. 2. t. 63. B.
	<i>Hesperis contortuplicatus</i> . Bieb. <i>Cheiranthus contortuplicatus</i> . w.						
ALLIARIA. DC. ALLIARIA. Tetradynamia Siliquosa. L.							
1	officinalis. DC.	(wh.) garlic-scented.	Britain.		5. 6.	H. ♀.	Eng. bot. 796.
	<i>Erysimum Alliaria</i> . E. B. <i>Hesperis Alliaria</i> . Lam.						
2	brachycarpa. DC.	(wh.) short-podded.	Iberia.	1827.	5. 7.	H. ♀.	
ERYSIMUM. DC. ERYSIMUM. Tetradynamia Siliquosa. L.							
1	siliculosum. DC.	(ye.) siliculose.	Tauria.	1824.	5. 6.	H. ♂.	Deles. ic. sel. 2. t. 65.
2	sciculum. DC.	(ye.) Sicilian.	Sicily.	1824.	6. 7.	H. ♂.	
3	sessiliflorum. DC.	(ye.) sessile-flower'd.	Siberia.	1794.	—	H. ♀.	L. Her. strirp. 1. t. 44.
	<i>Cheiranthus quadrangulus</i> . w. <i>Cheirinia sessiliflora</i> . L. en. <i>Syrènia Lamáreckii</i> . Andr.						
4	angustifolium. DC.	narrow-leaved.	Hungary.	1800.	7. 8.	H. ♂.	W. et Kit. hung. 1. t. 98.
	<i>Cheirinia angustifolia</i> . L. en. <i>Syrènia Ehrárti</i> . Andr.						
5	cuspidatum. DC.	(ye.) sharp-pointed.	Caucasus.	1800.	5. 6.	H. ♂.	Buxb. cent. 2. t. 33. f. 1.
	<i>Syrènia Biebersteinii</i> . Andr. <i>Cheiranthus cuspidatus</i> . w.						
6	leptostylum. DC.	(ye.) slender-styled.	Caucasus.	1825.	—	H. ♂.	
7	exaltatum. DC.	(ye.) tall.	Poland.	—	—	H. ♂.	
8	suffruticosum. DC.	(st.) suffruticose.		1822.	4. 5.	H. ♀.	
9	strictum. DC.	(ye.) upright.	Austria.	1795.	6. 8.	H. ♂.	Jacq. aust. 1. t. 73.
	<i>odoratum</i> . w. <i>hieracifolium</i> . Jacq. <i>Cheirinia stricta</i> . L. en.						
10	virgatum. DC.	(ye.) twiggy.	Portugal.	1807.	6. 7.	H. ♂.	Fl. Dan. t. 923?
11	longisiliquosum. DC.	(y.) long-podded.	Switzerland.	1823.	—	H. ♂.	DC. ic. gal. rar. t. 36.
12	hieracifolium. DC.	(ye.) Hawkweed-ld.	Europe.	—	5. 6.	H. ♂.	J. Bauh. his. 2. t. 2.
13	Marschallianum. (ye.)	Marschall's.	Poland.	1827.	—	H. ♂.	
14	pátulum. H.	(ye.) spreading.		1824.	—	H. ♂.	
15	pùmilm. H.	(ye.) dwarf.	Switzerland.	—	—	H. ♂.	
16	áureum. DC.	(ye.) golden.	Caucasus.	1824.	—	H. ♂.	Deles. ic. sel. 2. t. 66.
17	ibéricum. DC.	(ye.) Iberian.	Iberia.	1803.	5. 8.	H. ♂.	Bot. mag. 835.
	<i>Cheiranthus armeniacus</i> . B. M. <i>Cheiranthus ibericus</i> . Bieb.						
18	cheiranthoides. DC.	(y.) treacle.	Britain.		6. 8.	H. ☉.	Eng. bot. 942.
19	repandum. DC.	(ye.) small-flowered.	S. Europe.	1772.	5. 6.	H. ☉.	Jacq. aust. 1. t. 22.
20	helveticum. DC.	(ye.) Swiss.	Switzerland.	1793.	—	H. ♂.	Jacq. vind. t. 9.
	<i>Cheiranthus helveticus</i> . Jacq. <i>Cheirinia helvetica</i> . L. en.						
21	canescens. DC.	(ye.) canescent.	S. Europe.	1731.	5. 7.	H. ♂.	Barr. ic. t. 884.
	<i>diffusum</i> . w. <i>Cheiranthus alpinus</i> . Jacq. aust. 1. t. 75.						
22	Andrzejowskiànium. (y.)	Andrzejowski's.	Tauria.	1828.	—	H. ♂.	
23	collinum. DC.	(ye.) hill.	Caucasus.	—	—	H. ♂.	
24	leptophyllum. DC.	(ye.) slender-leaved.	Iberia.	1827.	—	H. ♂.	
25	versicolor. DC.	(va.) various-color'd.	Persia.	1823.	5. 7.	H. ♂.	
	<i>Cheiranthus versicolor</i> . M. B.						
26	lanceolatum. DC.	(ye.) spear-leaved.	—	1597.	—	H. ♂.	Jacq. aust. t. 74.
	<i>Cheiranthus erysimoides</i> . Jacq.						
27	firmum.	(ye.) hoary-podded.	Switzerland.	1824.	—	H. ♂.	
	<i>Cheirinia firma</i> . L. en. <i>Cheiranthus firmus</i> . W. en.						
28	rhætium. DC.	(ye.) Rhætian.	Rhætia.	—	—	H. ♂.	
29	dúbium. DC.	(ye.) doubtful.		—	—	H. ♂.	
30	longifolium. DC.	(ye.) long-leaved.	Algiers.	1822.	—	H. ♀.	
31	grácile. DC.	(ye.) slender.	Caucasus.	1824.	6. 8.	H. ♂.	
32	ásperum. DC.	(ye.) rough.	Missouri.	—	—	H. ♂.	
33	strigòsum. DC.	(ye.) strigose.	Siberia.	1828.	—	H. ♂.	
34	Redòwskii. DC.	(ye.) Redowski's.	—	1825.	—	H. ♂.	

35 altissimum. DC. (ye.) tallest.	Limbourg.	1822.	6. 7	H. ♂.	
<i>Cheirinia altissima</i> . L. en.					
36 sabulosum. F. (ye.) gravel.	Siberia.	1823.	—	H. ♂.	
37 bicolor. DC. (v.) two-coloured.	Switzerland.	1827.	—	H. ♂.	
CONRINGIA. L. en. CONRINGIA.	Tetradynamia	Siliquosa. L.			
1 alpina. L. en. (wh.) Alpine.	Europe.	1793.	5. 6.	H. ♀.	Vill. dauph. 3. t. 36.
<i>Brassica alpina</i> . L.	<i>Ery'simum alpinum</i> . DC.				
2 perfoliata. L. en. (wh.) perfoliate.	England.		—	H. ⊙.	Eng. bot. 1804.
<i>Brassica orientalis</i> . E. B.	<i>Ery'simum perfoliatum</i> . DC.				
3 austriaca. (st.) Austrian.	Austria.		—	H. ⊙.	Jacq. aust. t. 283.
<i>Brassica austriaca</i> . Jacq.	<i>Ery'simum austriacum</i> . DC.				
STANLEYA. DC.	STANLEYA.	Tetradynamia	Siliquosa.		
pinnatifida. DC.	pinnatifid.	Missouri.	1812.	5. 6.	H. ♀.
<i>Cleome pinnata</i> . Ph.					

Tribus VIII. *CAMELINEÆ* seu Notorhizæ Latiseptæ. DC.

CAMELINA. DC.		CAMELINA. Tetradynamia Siliculosa. L.			
1 sativa. DC.	(ye.) Gold of pleasure. Britain.		5. 7.	H. ☉.	Eng. bot. 1254.
<i>Aly'ssum sativum</i> . E.B. <i>Myâgrum sativum</i> . L.					
α pilosa. DC.	(ye.) hairy.		—	H. ☉.	Moris.ox.2.s.3.t.21.f.2.
β glabrata. DC.	(ye.) smooth.		—	H. ☉.	Lind. als. 94. t. 1.
2 dentata. DC.	(ye.) tooth-leaved. Europe.	1806.	6. 7.	H. ☉.	J. Bauh.hist.2.p.893.ic.
3 pinnatifida. H.	(ye.) pinnatifid. Spain.	—	—	H. ☉.	
4 microcarpa. DC.	(ye.) small-podded. Poland.	1827.	—	H. ☉.	Deles. ic. sel. 2. t. 69.
5 barbareæfolia. DC.	(ye.) Barbarea-ld. Siberia.	1824.	5. 7.	H. ♀.	— 2. t. 70.
6 austriaca. DC.	(ye.) Austrian. Austria.	1795.	6. 7.	H. ☉.	Jacq. aust. 2. t. 111.
NE'SLIA. DC.		NE'SLIA. Tetradynamia Siliculosa.			
paniculata. DC.	(ye.) panicked. Europe.	1683.	6. 8.	H. ☉.	Flor. dan. t. 204.
<i>Rapistrum paniculatum</i> . Gært. <i>Myâgrum paniculatum</i> . L.					

Tribus IX. *LEPIDINEÆ* seu Notorhizæ Angustiseptæ. DC.

SENEBIE'RA. DC.		SENEBIE'RA.	Tetradynamia	Siliculosa. L.		
1	pinnatifida. DC. (wh.)	pinnatifid.	England.		7. 8. H. ☉.	Eng. bot. 248.
	<i>Coronopus didyma</i> . E. B.		<i>Lepidium didymum</i> . L.			
	β incisum. W. en. (wh.)	cut-leaved.	America.	1817.	— H. ☉.	
2	Coronopus. DC. (wh.)	common.	Britain.		6. 10. H. ☉.	Eng. bot. 1660.
	<i>Coronopus Ruëllii</i> . E. B.		<i>Cochlearia Coronopus</i> . L.			
LEPIDIUM. DC.		PEPPERWORT.	Tetradynamia	Siliculosa. L.		
1	Drâba DC. (wh.)	Whitlow-grass.	Europe.	1596.	5. 6. H. ♀.	Jacq. fl. aust. 4. t. 315.
	<i>Cochlearia Drâba</i> . Jacq.					
2	chalepense. DC. (wh.)	Aleppo.	Aleppo.	1798.	5. 7. H. ☉.	Moris. ox. 2. s. 3. t. 25.
3	coronopifolium. DC. (w.)	Buckshorn-ld.	Volga.	1823.	— H. ♀.	
4	sativum. DC. (wh.)	common Cress.	Persia.	1548.	5. 10. H. ☉.	Fl. græc. t. 616.
	β crispum. DC. (wh.)	curled Cress.	—		— H. ☉.	Chabr. sci. 289. f. 2.
	γ latifolium. DC. (wh.)	broad-leaved.	—		— H. ☉.	Moris. ox. 2. s. 3. t. 19. f. 2.
5	campestre. DC. (wh.)	hoary field.	Britain.		6. 7. H. ☉.	Eng. bot. 1385.
	<i>Thlâspi campestre</i> . E. B.					
6	hirtum. DC. (wh.)	hairy.	—		— H. ♂.	— 1803.
	<i>Thlâspi hirtum</i> . E. B.					
7	spinosum. DC. (wh.)	prickly.	Levant.	1787.	4. 9. H. ☉.	Ard. spec. 2. t. 16.
8	virginicum. DC. (wh.)	Virginian.	America.	1713.	6. 7. H. ☉.	Schkuhr. hand. 2. t. 180.
9	subulatum. DC. (wh.)	awl-leaved.	Spain.	1739.	7. 8. F. ♀.	Asso syn. arr. t. 6. f. 3.
10	rudérale. DC. (wh.)	narrow-leaved.	Britain.		6. 7. H. ☉.	Eng. bot. 1595.
11	incisum. DC. (wh.)	cut-leaved.	Tauria.	1824.	5. 6. H. ☉.	
12	vesicarium. DC. (wh.)	bladdered.	Iberia.	1821.	4. 8. H. ☉.	Hil. veg. syst. 11. t. 41. f. 3.
13	angulosum. DC. (wh.)	angular-stalk'd.	Hungary.	1825.	— H. ☉.	
14	perfoliatum. DC. (wh.)	various-leaved.	Austria.	1640.	4. 6. H. ☉.	Jacq. aust. 4. t. 346.
15	Cardamines. DC. (wh.)	Spanish Cress.	Spain.	1789.	6. 7. F. ♂.	Ard. spec. 1. t. 19.
16	divaricatum. DC. (wh.)	close-spiked.	C. B. S.	1774.	5. 8. G. ♀.	
17	bonariense. DC. (wh.)	Buenos Ayres.	S. America.	1732.	5. 6. H. ☉.	Dill. elt. t. 286. f. 370.
18	pubescens. DC. (wh.)	pubescent.	Para.	1820.	5. 8. H. ☉.	
19	cuneifolium. DC. (wh.)	wedge-leaved.	N. S. W.	1820.	6. 8. H. ☉.	

20	piscidium. DC.	(wh.)	South Sea.	Society Isles.	1779.	9.	H. ☉.	Mont. n. a. n. c. 6. t. 5. a.
21	desertorum. Led.	(wh.)	desert.	Siberia.	1827.	—	H. ☉.	
22	decumbens. DC.	(wh.)	decumbent.		1820.	5. 8.	H. ☉.	
23	oleraceum. DC.	(wh.)	eatable.	New Zealand.		—	H. ☉.	
24	lyratum. DC.	(wh.)	lyre-leaved.	Levant.	1759.	6. 7.	H. ☉.	Tourn. it. 2. t. 389.
25	latifolium. DC.	(wh.)	broad-leaved.	Britain.		—	H. ♀.	Eng. bot. 182.
26	affine. DC.	(wh.)	saw-leaved.	Siberia.	1823.	7. 8.	H. ♀.	
27	crassifolium. DC.	(wh.)	thick-leaved.	Hungary.	—	5. 6.	H. ♀.	W. et Kit. hung. 1. t. 4.
28	suffruticosum. DC.	(w.)	shrubby.	Spain.	1790.	7. 8.	F. ♀.	Cav. ic. 2. t. 161. f. 2.
	graminifolium. Cav.							
29	lineare. DC.	(wh.)	linear-leaved.	Spain.		—	F. ♀.	
30	Iberis. DC.	(wh.)	grass-leaved.	S. Europe.	1683.	6. 9.	H. ♀.	Moris. his. 2. s. 3. t. 21. f. 1.
	graminifolia. H. K.							
31	capense. DC.	(wh.)	Cape.	C. B. S.	1818.	6. 7.	G. ♀.	
BIVON'ÆA. DC.	BIVON'ÆA.		Tetradynamia Siliculosa. L.					
	lutea. DC.	(ye.)	yellow.	Sicily.	1823.	4. 5.	H. ☉.	Cup. pan. sic. 2. t. 256.
	Thlaspi luteum. Biv.							
ÆTHION'EMA. DC.	ÆTHION'EMA.		Tetradynamia Siliculosa. L.					
1	saxatile. DC.	(w.p.)	rock.	S. Europe.	1759.	6. 7.	H. ☉.	Jacq. aust 3. t. 236.
2	gracile. DC.	(wh.)	slender.	Carniola.	1822.	—	H. ♀.	Boc. mus. p. 79. t. 70.
3	Buxbaumii. DC.	(pu.)	Buxbaum's.	Iberia.	1820.	—	H. ☉.	Buxb. cent. 1. t. 5. f. 1.
4	monospermum DC.	(p.)	one-seeded.	Spain.	1778.	7. 8.	H. ♂.	

Tribus X. *ISATIDEÆ* seu Notorhizæ Nucamentacæ. DC.

TAUSCH'ERIA. DC.	TAUSCH'ERIA.		Tetradynamia Siliculosa. L.					
1	lasiocarpa. DC.	(wh.)	villous-podded.	Siberia.	1824.	6. 7.	H. ☉.	
2	gymnocarpa. DC.	(wh.)	smooth-podded.	—	—	5. 6.	H. ☉.	
ISATIS. DC.	WOOD.		Tetradynamia Siliculosa. L.					
1	armena. DC.	(ye.)	Armenian.	Armenia.	1824.	6. 7.	H. ☉.	Desv. j. 3. t. 25. f. 6.
2	latisiliqua. DC.	(ye.)	broad-podded.	Iberia.	1827.	5. 7.	H. ♂.	
3	lusitânica. DC.	(ye.)	Portugal.	Portugal.	1739.	—	H. ☉.	
4	alpina. DC.	(ye.)	Alpine.	Italy.	1800.	—	H. ♀.	All. ped. t. 86. f. 2.
5	præcox. DC.	(ye.)	early-flowering.	Hungary.	1820.	4. 6.	H. ♂.	Trat. arch. 2. t. 68.
6	littoralis. DC.	(ye.)	sea-side.	Tauria.	—	6. 7.	H. ☉.	Deles. ic. sel. 2. t. 78.
7	hebecarpa. DC.	(ye.)	pubescent-pod ^d .	Tauria.	1827.	—	H. ☉.	— 2. t. 79.
8	dasycarpa. Led.	(ye.)	thick-podded.	Siberia.	—	5. 7.	H. ♂.	
9	tinctoria. DC.	(ye.)	common.	England.		5. 7.	H. ♂.	Eng. bot. 97.
	β sativa. DC.	(ye.)	smooth-leaved.			—	H. ♂.	Blackw. herb. t. 246.
	γ hirsuta. DC.	(ye.)	hairy-leaved.			—	H. ♂.	
	δ microcarpa. DC.	(ye.)	small-podded.			—	H. ♂.	
10	campêstris. DC.	(ye.)	field.	Podolia.	1823.	—	H. ☉.	
11	bannâtica. DC.	(ye.)	Bannatic.	Hungary.	—	—	H. ☉.	
12	táurica. DC.	(ye.)	Taurian.	Tauria.	1827.	—	H. ♂.	
13	oblongâta. DC.	(ye.)	oblong-podded.	Siberia.	—	—	H. ♂.	
14	orientâlis. DC.	(ye.)	oriental.	Levant.		—	H. ☉.	
15	canescens. DC.	(ye.)	canescent.	S. Europe.	1825.	—	H. ♂.	Buxb. cent. 1. p. 4. t. 5.
16	alépica. DC.	(ye.)	Aleppo.	Levant.	1739.	6. 7.	H. ☉.	Scop. d. ins. 2. t. 16.
17	variegâta. Led.	(ye.)	variegated.	Siberia.	1827.	—	H. ♂.	
MYAGRUM. DC.	MYAGRUM.		Tetradynamia Siliculosa. L.					
	perfoliatum. DC.	(ye.)	perfoliate.	Europe.	1648.	6. 7.	H. ☉.	Schkuhr. han. 2. t. 178.
SOBOLEWSKIA. DC.	SOBOLEWSKIA.		Tetradynamia Siliculosa. L.					
	lithophila. DC.	(wh.)	large-fruited.	Iberia.	1823.	5. 8.	H. ♂.	Deles. ic. sel. 2. t. 80.

Tribus XI. *ANCHONIEÆ* seu Notorhizæ Lomentacæ. DC.

GOLDBA'CHIA. DC.	GOLDBA'CHIA.		Tetradynamia Siliquosa.					
1	lævigâta. DC.	(li.)	smooth.	Astracan.	1823.	5. 6.	H. ☉.	Deles. ic. sel. 2. t. 81.
2	torulosa. DC.	(li.)	twisted-podded.	Levant.		—	H. ☉.	
3	terragona. Led.	(li.)	four-sided.	—	1825.	—	H. ☉.	
STERIGMA. DC.	STERIGMA.		Tetradynamia Siliquosa.					
1	tomentosum. DC.	(ye.)	tomentose.	Caspia.	1823.	4. 5.	H. ♂.	Pall. it. 2. ap. t. K. f. 2.
	Cheiranthus tomentosus. w.							
2	torulösam. DC.	(ye.)	twisted-podded.	Iberia.	—	—	H. ♂.	Buxb. cent. 5. t. 52. f. 2.

Subordo III. ORTHOPLOCEÆ. DC. syst. 2. p. 581.

Tribus XII. BRASSICÆ seu Orthoploceæ Siliquosæ. DC.

BRASSICA. DC.		CABBAGE. Tetradynamia Siliquosa. L.			
1	oleracea. DC.	(va.) common.	England.		4. 6. H. ♂.
	A. SYLVESTRIS. DC. (st.) WILD.				H. ♂.
	B. ACEPHALA. DC. (st.) CAVALIER.				H. ♂.
a	ramosa. DC.	(st.) thousand-headed.			H. ♂.
β	vulgaris. DC.	(st.) upright.			H. ♂.
	* viridis. DC.	(st.) green.			H. ♂.
	** purpurascens. DC. (st.) purple.				H. ♂.
γ	quercifolia. DC. (st.) oak-leaved.				H. ♂.
	δ sabélica. DC. (st.) BORECOLE.				H. ♂.
	* pinnata. DC. (st.) winged-leaved.				H. ♂.
	** purpurascens. DC. (st.) purple.				H. ♂.
	*** versicolor. DC. (st.) variegated.				H. ♂.
ε	palmifolia. DC. (st.) palm-leaved.				H. ♂.
ζ	costata. DC. (wh.) thick-ribbed.				H. ♂.
	* nepenthiformis. DC. (wh.) tubular-l ^d .				H. ♂.
C.	BULLATA. DC. (st.) SAVOY.				H. ♂.
a	vulgaris. DC. (st.) common.				H. ♂.
	* præcox. DC. (st.) early.				H. ♂.
	** humilis. DC. (st.) dwarf.				H. ♂.
	*** turionensis. DC. (st.) Tourraine.				H. ♂.
	**** aurata. DC. (st.) yellow.				H. ♂.
β	oblonga. DC. (st.) winter.				H. ♂.
γ	major. DC. (st.) large.				H. ♂.
	δ gemmifera. DC. (st.) Brussel's-sprouts.				H. ♂.
D.	CAPITATA. DC. (st.) HEADED.				H. ♂.
a	depressa. DC. (st.) drum-head.				H. ♂.
β	sphærica. DC. (st.) common.				H. ♂.
	* alba. DC. (st.) white.				H. ♂.
	** rubra. DC. (st.) red.				H. ♂.
γ	obovata. DC. (st.) Sugarloaf.				H. ♂.
	δ elliptica. DC. (st.) early york.				H. ♂.
ε	subacuta. (st.) Battersea.				H. ♂.
ζ	cónica. DC. (st.) heart.				H. ♂.
E.	CAULO-RAPA. DC. TURNIP-CABBAGE.				H. ♂.
a	communis. DC. (st.) flat-leaved.				4. 6. H. ♂.
	* alba. DC. (st.) white-stemmed.				H. ♂.
	** purpurascens. DC. (st.) violet-stem ^d .				H. ♂.
β?	crispa. DC. (st.) curl-leaved.				H. ♂.
F.	BOTRYTIS. DC. (st.) BROCCOLI.				H. ♂.
a	cauliflora. DC. (st.) Cauliflower.				H. ♂.
β	asparagoides. DC. (st.) Broccoli.				H. ♂.
	* communis. DC. (st.) white.				H. ♂.
	** violacea. DC. (w.s.) violet.				H. ♂.
	*** viridis. (w.s.) green.				H. ♂.
	**** ramosa. (w.s.) branching.				H. ♂.
	***** autumnalis. (st.) Cape.				H. ♂.
2	campestris. DC. (ye.) field.	England.			6. H. ♂.
	A. OLEIFERA. DC. (ye.) COLE-SEED.				H. ♂.
	* autumnalis. DC. (ye.) autumnal.				H. ♂.
	** præcox. DC. (ye.) early.				H. ♂.
	B. PABULARIA. DC. (ye.) SHEEP'S.				H. ♂.
	C. N'APO-BRASSICA. NAVEW.				H. ♂.
a	communis. DC. (ye.) common.				H. ♂.
	* alba. DC. (ye.) white-rooted.				H. ♂.
	** purpurascens. DC. (ye.) purple-rooted.				H. ♂.
β	Rutabaga. DC. (st.) Swedish Turnep.				H. ♂.
3	Rapa. DC. (ye.) Turnep.	Britain.			4. 6. H. ♂.
	A. DEPRESSA. DC. FLAT-ROOTED.				H. ♂.
	* alba. DC. (ye.) white-round.				H. ♂.
	** flavescens. DC. (ye.) yellow-round.				H. ♂.
	*** nigricans. DC. (ye.) dark-round.				H. ♂.
	**** punicea. DC. (ye.) red-round.				H. ♂.
	***** viridis. DC. (ye.) green-round.				H. ♂.
	***** præcox. (ye.) early Dutch.				H. ♂.

Eng. bot. t. 637.

Moris. ox. s. 3. t. 1. f. 6.

Lob. ic. 243. f. 1.

Chabr. sciagr. 270. f. 6.

270. f. 1.

271. f. 1.

Lob. ic. 246. f. 2.

Hort. trans. 5. p. 13. t. 1.

Weinm. phyt. t. 261.

Lob. ic. t. 244. f. 1.

Lob. ic. t. 244. f. 2.

Lob. ic. 243. f. 2.

Dod. pempt. 621. f. 2.

Dalech. lugd. 522. f. 3.

Lob. ic. 246. f. 1.

Weinm. phyt. t. 264.

Lob. ic. 245. f. 1.

Weinm. phyt. t. 256.

Dalech. lugd. 522. f. 1.

Chabr. sciagr. 269. f. 3.

Eng. bot. 2224.

Dod. pempt. 623. f. 1.

Eng. bot. 2176.

Mart. fl. rust. t. 49. 50.

B. OBLO'NGA. DC. (ye.)	OBLONG-ROOTED.	Britain.		4. 6.	H. ♂.	Lob. ic. t. 197. f. 2.
C. OLEIFERA. DC. (y.)	OIL-BEARING.	Dauphiny.		—	H. ♂.	— t. 298. f. 1.
4 Napus. DC. (ye.)	Rape.	Britain.		5.	H. ♂.	Eng. bot. 2146.
A. OLEIFERA. DC. (ye.)	wild.	—		—	H. ♂.	Lob. ic. t. 200. f. 2.
B. ESCULENTA. DC. (ye.)	esculent.	—		—	H. ♂.	— 200. f. 1.
α alba. DC. (ye.)	white-rooted.	—		—	H. ♂.	Blackw. herb. t. 410.
β flava. DC. (ye.)	yellow-rooted.	—		—	H. ♂.	
γ nigricans. DC. (ye.)	black-rooted.	—		—	H. ♂.	
5 præcox. DC. (st.)	early.	S. Europe.		5. 6.	H. ♂.	
6 chinensis. DC. (ye.)	Chinese.	China.	1770.	7.	H. ♂.	
7 violacea. DC. (li.)	violet-flowered.	—	—	—	H. ♂.	
8 incana. DC. (st.)	hoary.	Naples.	1824.	4. 5.	H. ♀.	Cup. panph. 1. t. 132.
9 baleàrica. DC. (st.)	oak-leaved.	Minorca.	—	5. 7.	H. ♀.	Deles. ic. sel. 2. t. 86.
10 hybrida. T.C. (st.)	hybrid.	Naples.	—	—	H. ♂.	
11 Gravinæ. DC. (st.)	pubescent.	Aprutia.	—	5. 6.	H. ♀.	Ten. fl. nap. t. 62.
12 pinnatifida. DC. (st.)	pinnatifid.	Spain.	—	9. 10.	H. ♀.	Desf. fl. atl. 2. t. 165.
13 familis. DC. (ye.)	dwarf.	S. France.	—	4. 5.	H. ♀.	
14 repanda. DC. (ye.)	wayy.	S. Europe.	1818.	6. 8.	H. ♀.	Vill. dauph. 3. t. 39.
15 Richerii. DC. (ye.)	alpine.	—	1825.	5. 8.	H. ♀.	— 3. t. 36.
16 monensis. DC. (st.)	Isle of Man.	Britain.	—	—	H. ♂.	Eng. bot. 962.
17 Erucastrum. DC. (st.)	runcinate.	S. Europe.	1790.	—	H. ♂.	Bull. herb. t. 331.
18 cheiranthos. DC. (ye.)	Stock-like.	—	—	—	H. ♀.	Vill. dauph. 3. t. 36.
19 cheiranthiflora. DC. (y.)	Wall-flowered.	—	1820.	—	H. ♂.	Willd. hort. ber. t. 19.
20 Tournefortii. DC. (st.)	Tournefort's.	Spain.	—	6. 7.	H. ♂.	Gou. ill. p. 44. t. 20. f. A.
21 lævigata. DC. (wh.)	smooth.	—	1825.	—	H. ♂.	
22 valentina. DC. (wh.)	Spanish.	—	—	4. 5.	H. ♂.	Barr. ic. t. 195. f. 1.
23 fruticulosa. DC. (st.)	frutescent.	S. Europe.	1820.	2. 4.	H. ♀.	Cyr. pl. rar. 2. t. 1.
24 elongata. DC. (ye.)	stalk-leaved.	Hungary.	1801.	5. 10.	H. ♂.	W. et K. hung. 1. t. 28.
25 sabularia. DC. (ye.)	gravel.	Portugal.	1818.	—	H. ♂.	Brot. phyt. p. 97. t. 43.
26 odorata. Sck. (ye.)	sweet-scented.	—	1826.	—	H. ♂.	
SIN'APIS. DC.	MUSTARD. Tetradynamia Siliquosa. L.					
1 nigra. DC. (ye.)	common.	Britain.		4. 8.	H. ♂.	Eng. bot. 969.
β torulosa. DC. (ye.)	twisted-podded.	—		—	H. ♂.	
γ turgida. DC. (ye.)	turgid-podded.	—		—	H. ♂.	
δ villosa. DC. (ye.)	villous-podded.	—		—	H. ♂.	
2 geniculata. DC. (ye.)	jointed.	Barbary.	1824.	—	H. ♂.	
3 lævigata. DC. (ye.)	smooth.	Spain.	1769.	6. 7.	H. ♂.	
4 auriculata. DC. (ye.)	eared.	—		—	H. ♂.	
5 integrifolia. DC. (ye.)	entire-leaved.	E. Indies.	1804.	7. 8.	H. ♂.	W. hort. ber. t. 14.
6 jancea. DC. (ye.)	fine-leaved.	China.	1710.	6. 7.	H. ♂.	Jacq. h. vind. t. 171.
7 chinensis. DC. (ye.)	Chinese.	—	1782.	—	H. ♂.	Ard. spec. 1. t. 10.
8 brassicata. DC. (ye.)	Cabbage-leav'd.	—	1801.	—	H. ♂.	
9 cernua. DC. (wh.)	drooping.	China.	1824.	7. 9.	H. ♂.	
10 pubescens. DC. (ye.)	downy.	Sicily.	1789.	—	H. ♀.	Ard. spec. 1. t. 9.
11 arvensis. DC. (ye.)	Charlock.	Britain.		4. 8.	H. ♂.	Eng. bot. 1748.
β incisa. (ye.)	cut-leaved.	Europe.		—	H. ♂.	Lob. ic. 198. f. 2.
12 orientalis. DC. (ye.)	oriental.	Levant.	1778.	6. 7.	H. ♂.	Schk. hand. 1. t. 186.
13 taurica. DC. (ye.)	Taurian.	Tauria.	1823.	4. 8.	H. ♂.	
14 subbipinnatifida. DC. (ye.)	subbipinnatifid.	Spain.	—	6. 7.	H. ♂.	
15 Kâber. DC. (ye.)	Persian.	Persia.	—	—	H. ♂.	
16 Allionii. DC. (ye.)	Allioni's.	Egypt.	1789.	—	H. ♂.	Jacq. h. vind. 2. t. 168.
17 turgida. DC. (ye.)	turgid-podded.	—		—	H. ♂.	
18 incana. DC. (ye.)	hoary-jointed.	S. Europe.	1771.	7.	H. ♂.	Jacq. h. vind. 2. t. 169.
19 heterophylla. DC. (ye.)	various-leaved.	Spain.	1820.	5. 6.	H. ♂.	
20 alba. DC. (ye.)	white-seeded.	Britain.		4. 10.	H. ♂.	Eng. bot. 1677.
21 hispida. DC. (ye.)	hispid.	Spain.	1804.	6. 7.	H. ♂.	
22 dissécta. DC. (ye.)	cut-leaved.	—	—	4. 6.	H. ♂.	
23 hastata. DC. (ye.)	hastate-leaved.	N. Holland.	1824.	7. 9.	H. ♂.	
24 foliosa. DC. (ye.)	leafy.	Levant.	1804.	5. 6.	H. ♂.	
25 âpula. DC. (ye.)	Apulian.	Italy.	1824.	6. 8.	H. ♂.	
26 ramosa. H.B. (ye.)	branching.	E. Indies.	1804.	7. 9.	H. ♂.	
27 virgata. H. (ye.)	twiggy.	—	1827.	6. 8.	H. ♂.	
28 subularia. (ye.)	awl-shaped.	—	—	—	H. ♂.	
29 frutescens. DC. (st.)	frutescent.	Madeira.	1777.	12. 6.	G. ♀.	
MORICANDIA. DC.	MORICANDIA. Tetradynamia Siliquosa. L.					
arvensis. DC. (pu.)	field.	S. Europe.	1739.	6.	H. ♀.	Swt. br. fl. gar. 278.
Brassica arvensis. L.	Turritis arvensis. H.K.					
DIPLOTA'XIS. DC.	DIPLOTA'XIS. Tetradynamia Siliquosa. L.					
1 crassifolia. DC. (ye.)	thick-leaved.	Sicily.	1824.	5. 8.	H. ♀.	

2	erucoides. DC. (ye.) dwarf.	S. Europe.	1736.	6. 7.	H. ☉.	Jacq. vind. 2. t. 170.
	<i>Sinapis erucoides</i> . L.					
3	virgata. DC. (ye.) slender.	Spain.	1820.	—	H. ☉.	
4	catholica. DC. (ye.) Spanish.	—	—	4. 5.	H. ☉.	
	<i>Sisymbrium catholicum</i> . L.					
5	tenuifolia. DC. (ye.) Wall rocket.	England.		7. 10.	H. ☉.	Eng. bot. 525.
	<i>Sisymbrium tenuifolium</i> . E.B. <i>Sinapis tenuifolia</i> . H.K.					
6	muralis. DC. (ye.) sand.	England.		7. 9.	H. ☉.	Eng. bot. 1090.
	<i>Sisymbrium murale</i> . L. <i>Sinapis muralis</i> . H.K.					
7	viminea. DC. (ye.) twiggy.	S. Europe.		5. 6.	H. ☉.	Mor. his. ox. 2. t. 5. f. 8.
8	saxatilis. DC. (ye.) rock.	—	—	—	H. ☐.	
9	ramosissima. DC. (ye.) branching.		1822.	—	H. ☐.	
ERUCA. DC.	ERUCA. Tetradynamia Siliculosa. L.					
1	sativa. DC. (wh.) stripe-flowered.	S. Europe.	1573.	7.	H. ☉.	Fl. græc. t. 646. et 647.
	<i>Brassica Eruca</i> . L. <i>Euzomum sativum</i> . L.en.					
2	hispida. DC. (wh.) hispid.	Naples.	1824.	—	H. ☉.	
3	vesicaria. DC. (wh.) bladdered.	Spain.	1820.	—	H. ☉.	Asso. syn. arrag. 88. t. 4.
	<i>β flaviflora</i> . DC. (ye.) yellow.	—	—	—	H. ☉.	

Tribus XIII. *VELLEÆ* seu Orthoploceæ Latiseptæ. DC.

VELLA. DC.	CRESS-ROCKET. Tetradynamia Siliculosa. L.					
	pseudocytisus. DC. (y.) shrubby.	Spain.	1759.	4. 5.	H. ☐.	Bot. reg. 293.
CARRICHTERA. DC.	CARRICHTERA. Tetradynamia Siliculosa. L.					
Vellæ. DC. (st.) annual.	England.		6. 7.	H. ☉.		Eng. bot. 1441.
	<i>Vella annua</i> . E.B.					
SUCCOWIA. DC.	SUCCOWIA. Tetradynamia Siliculosa. L.					
	balearica. DC. (ye.) Minorca.	Minorca.	1781.	6. 7.	H. ☉.	Jacq. vind. 2. t. 144.
	<i>Bunias balearica</i> . L.					

Tribus XIV. *PSYCHINEÆ* seu Orthoploceæ Angustiseptæ. DC.

PSYCHINE. DC.	PSYCHINE. Tetradynamia Siliculosa. L.					
stylösa. DC. (wh.) striped-flower'd. Barbary.	1822.	4. 5.	H. ☉.		Desf. fl. atl. 2. t. 148.	

Tribus XV. *ZILLEÆ* seu Orthoploceæ Nucamentaceæ. DC.

ZILLA. DC.	ZILLA. Tetradynamia Siliculosa. L.					
	myagroïdes. DC. (li.) spiny.	Egypt.		4. 5.	H. ☐.	Vent. malm. t. 16.
	<i>Bunias spinosa</i> . Vent.					
CALEPINA. DC.	CALEPINA. Tetradynamia Siliculosa. L.					
	Corvini. DC. (wh.) annual.	S. Europe.	1820.	4. 6.	H. ☉.	W. et Kit. hung. 2. t. 107.
	<i>Bunias cochlearioides</i> . W.					

Tribus XVI. *RAPHANÆÆ* seu Orthoploceæ Lomentaceæ. DC.

CRAMBE. DC.	COLEWORT. Tetradynamia Siliculosa. L.					
1	maritima. DC. (wh.) Sea Kale.	Britain.		5. 6.	H. ☐.	Eng. bot. 924.
2	pinnatifida. DC. (wh.) smooth-winged.	Siberia.	1759.	6. 7.	H. ☐.	Jacq. ic. 1. t. 128.
3	orientalis. DC. (wh.) oriental.	Levant.	1752.	6. 7.	H. ☐.	
4	atârica. DC. (wh.) Tartarian.	Hungary.	1789.	—	H. ☐.	Jacq. ic. 1. t. 129.
5	âspera. DC. (wh.) rough.	Tauria.	1823.	5. 6.	H. ☐.	Deles. ic. sel. 2. t. 91.
6	jûncea. DC. (wh.) rushy.	Iberia.	1828.	—	H. ☐.	
7	cordifolia. DC. (wh.) heart-leaved.	Caucasus.	—	6. 7.	H. ☐.	
8	hispânica. DC. (wh.) Spanish.	Spain.	1683.	—	H. ☉.	Jacq. obs. 2. t. 41.
9	filiformis. DC. (wh.) Patagonian.	Patagonia.	1796.	7. 8.	H. ☉.	Jacq. ic. 3. t. 504.
10	fruticosa. DC. (wh.) Madeira.	Madeira.	1777.	5. 11.	G. ☐.	
11	strigosa. DC. (wh.) strigose shrubb.	Canaries.	1779.	5. 6.	G. ☐.	L'. her. stirp. 1. t. 72.

RAPHANISTRUM. DC.		RAPHANISTRUM. Tetradynamia Siliculosa. L.					
1	perénne. DC. (ye.)	perennial.	Europe.	1789.	7.	H. ♀.	Jacq. aust. 5. t. 414.
	<i>Myágrum perénne</i> . L.	<i>Cakile perénnis</i> . H.K.	—	—	—	—	—
2	rugòsum. DC. (ye.)	wrinkled.	—	1739.	6. 7.	H. ♂.	All. ped. 1. t. 78.
	<i>Myágrum rugòsum</i> . L.	<i>Cakile rugosa</i> . H.K.	—	—	—	—	—
3	orientàle. DC. (ye.)	oriental.	Levant.	1795.	—	H. ♂.	Flor. græc. t. 612.
ENARTHROCARPUS		ENARTHROCARPUS. Tetradynamia Siliquosa.					
1	lyrátus. DC. (ye.)	yellow-strip'd.	Egypt.	1826.	6. 8.	H. ♂.	Delil. fl. æg. 105. t. 36. f. 1.
2	pterocárpus. DC.	wing-podded.	—	1828.		H. ♂.	Deles. ic. sel. 2. t. 93.
RAPHANUS. DC.		RADISH. Tetradynamia Siliquosa. L.					
1	sativus. Mil. (li.)	common.	China.	1548.	5. 6.	H. ♂.	Fuchs. hist. 659. ic.
	<i>α pr'æcor</i> . (li.)	early Salmon.	—	—	—	H. ♂.	—
	<i>β macrorrhizus</i> . (li.)	long Salmon.	—	—	—	H. ♂.	—
	<i>γ purpureus</i> . (li.)	purple-rooted.	—	—	—	H. ♂.	—
2	rotúndus. Mil. (li.)	Turnep-rooted.	—	—	—	H. ♂.	Lob. ic. t. 201. f. 1.
3	chinénsis. Mil. (li.)	oil-seeded.	—	—	—	H. ♂.	—
4	niger. DC. (li.)	black Spanish.	—	—	—	H. ♂.	Lob. ic. 202. f. 1.
	<i>α vulgâris</i> . DC. (li.)	long-rooted.	—	—	—	H. ♂.	Wein. phyt. t. 860. f. c.
	<i>β rotúndus</i> . DC. (li.)	round-rooted.	—	—	—	H. ♂.	— t. 860. f. b.
	<i>γ griseus</i> . DC. (li.)	grey.	—	—	—	H. ♂.	—
5	orbiculâris. Mil. (li.)	white Spanish.	—	—	—	H. ♂.	—
6	caudátus. DC. (pu.)	long-podded.	Java.	1815.	5. 8.	H. ♂.	Lin. f. dec. 1. t. 10.
7	Raphanistrum. DC. (va.)	wild.	Britain.		4. 8.	H. ♂.	Eng. bot. 856.
	<i>α álbum</i> . (wh.)	white-flowered.	—		—	H. ♂.	Wein. phyt. t. 862. f. a.
	<i>β purpurâscens</i> . (pu.)	purple-flowered.	—		—	H. ♂.	— t. 862. f. b.
	<i>ζ flavum</i> . (ye.)	yellow-flowered.	—		—	H. ♂.	J. Bauh. h. 2. p. 844. ic.
8	Landra. DC. (ye.)	Italian.	Italy.	1827.	4. 6.	H. ♂.	Deles. ic. sel. 2. t. 94.
9	marítimus. DC. (ye.)	sea-side.	Britain.		5. 7.	H. ♂.	Eng. bot. 1643.

Subordo IV. SPIROLOBÆ. DC. *syst.* 2. p. 670.

Tribus XVII. BUNIADEÆ seu Spirolobæ Nucamentaceæ. DC.

B'UNIAS. DC.		B'UNIAS. Tetradynamia Siliculosa. L.					
1	Erucâgo. DC. (ye.)	prickly-podded.	S. Europe.	1640.	6. 7.	H. ♂.	Jacq. aust. 4. t. 340.
2	áspera. DC. (ye.)	rough.	Portugal.	1823.	6. 7.	H. ♂.	—
3	orientâlis. DC. (ye.)	oriental.	Levant.	1795.	5. 7.	H. ♀.	Schk. han. 2. t. 189.

Tribus XVIII. ERUCARIEÆ seu Spirolobæ Lomentaceæ. DC.

ERUC'ARIA. DC.		ERUC'ARIA. Tetradynamia Siliquosa. L.					
1	aléppica. DC. (pu.)	Aleppo.	Levant.	1680.	7. 8.	H. ♂.	Vent. h. cels. t. 64.
	<i>Cordylócarpus lævigátus</i> . w.	—	—	—	—	—	—
2	crassifólia. DC. (pu.)	thick-leaved.	Egypt.	1828.	7. 9.	H. ♂.	Delil. pl. bot. t. 34. f. 1.

Subordo V. DIPLECOLOBÆ. DC. *syst.* 2. p. 676.

Tribus XIX. HELIOPHILEÆ seu Diplecolobæ Siliquosæ. L.

HELIO'PHILA. DC.		HELIO'PHILA. Tetradynamia Siliquosa. L.					
1	filifórmis. DC. (pu.)	awl-podded.	C. B. S.	1786.	7. 9.	H. ♂.	Lam. ill. t. 563. f. 3. ?.
2	dissécta. DC. (bl.)	cut-leaved.	—	1822.	6. 8.	H. ♂.	—
3	tenuisiliqua. DC. (bh.)	slender-podded.	—	—	—	H. ♂.	Deles. ic. sel. 2. t. 96.
4	amplexicaúlis. DC. (bh.)	stem-clasping.	—	1774.	6. 9.	H. ♂.	Jacq. frag. t. 64. f. 2.
5	rivâlis. DC. (wh.)	rivulet.	—	1819.	—	H. ♂.	—
6	péndula. DC. (wh.)	pendulous	—	1792.	—	H. ♂.	Lam. ill. t. 562. f. 2.
	<i>pinnâta</i> . Vent. malm. t. 113. non. L.	—	—	—	—	—	—

7	trifida. DC.	(pu.)	trifid-leaved.	C. B. S.	1819.	6. 9.	H. ☉.	
	pinnata. L. non. Vent.							
8	pusilla. DC.	(wh.)	small.	————	1824.	—	H. ☉.	Pluk. mant. t. 432. f. 2.
9	lepidioides. L. en	(wh.)	Cress-like.	————	—	—	H. ☉.	
10	diffusa. DC.	(wh.)	spreading.	————	1820.	—	H. ☉.	
11	Peltaria. DC.	(wh.)	small-white.	————	—	—	H. ☉.	
12	pilosa. DC.	(bl.)	hairy.	————	1768.	—	H. ☉.	
	a integrifolia. DC.	(bl.)	entire-leaved.	————	—	—	H. ☉.	Jacq. ic. 3. t. 506.
	β incisa. DC.	(bl.)	cut-leaved.	————	—	—	H. ☉.	Bot. mag. 496.
	arabioides. B.M.							
13	stricta. B.M.	(bl.)	upright.	————	1824.	—	H. ☉.	Bot. mag. 2526.
14	digitata. DC.	(bl.)	fingered.	————	1819.	—	H. ☉.	Bot. reg. 838.
15	coronopifolia. DC.	(bl.)	Buck's-horn-l'd.	————	1778.	6. 7.	H. ☉.	Herm. lugd. t. 367.
16	pectinata. DC.	(wh.)	pectinated.	————	1819.	—	H. ☉.	
17	fœniculacea. DC.	(pu.)	Fennel-leaved.	————	1774.	6. 9.	H. ☉.	
18	crithmifolia. DC.	(bh.)	Samphire-l'd.	————	1816.	—	H. ☉.	Deles. ic. sel. 2. t. 97.
19	platysliqua. DC.	(bh.)	flat-podded.	————	1774.	7. 8.	G. ☿.	
20	linearifolia. DC.	(bl.)	linear-leaved.	————	1819.	—	G. ♀.	
21	scoparia. DC.	(bh.)	Broom-like.	————	1802.	—	G. ♀.	Deles. ic. sel. 2. t. 98.
22	incana. DC.	(pu.)	hoary.	————	1774.	5. 8.	G. ♀.	
23	Cleomoides. DC.	(wh.)	Cleome-like.	————	1802.	1. 12.	G. ♀.	Deles. ic. sel. 2. t. 99.
	Cheiranthus strictus. W.							

Tribus XX. *SUBULARIÆ* seu *Diplocolobæ* *Latisepæ*. DC.

SUBULARIA. DC.	AWLWORT.	Tetradynamia Siliculosa. L.					
aquatica. DC.	(wh.)	water.	Britain.		7.	H.w. ☉.	Eng. bot. 732.

Subordo VI. *SCHIZOPETALEÆ*.

SCHIZOPETALUM. B.M.	SCHIZOPETALUM.	Tetradynamia Siliquosa. L.					
Walkeri. B.M.	(wh.)	Walker's.	Chili.	1822.	7. 9.	H. ☉.	Brown bot. reg. 752.

ORDO XIV.

CAPPARIDEÆ. DC. *prodr.* 1. p. 237.

Tribus I. *CLEOMEÆ*. DC.

PERITOMA. DC.	PERITOMA.	Monadelphia Hexandria.					
serrulatum. DC.	(pu.)	saw-leaved.	Missouri.	1823.	6. 8.	H. ☉.	
	Cleome serrulata. Ph.						
GYNANDROPSIS. DC.	GYNANDROPSIS.	Monadelphia Hexandria.					
1 sessilifolia. DC.	(wh.)	sessile-leaved.	W. Indies.	1820.	6. 8.	H. ☉.	
2 triphylla. DC.	(wh.)	three-leaved.	————	—	—	H. ☉.	Herm. lugd. 565. ic
	Cleome triphylla. L. ?						
3 pentaphylla. DC.	(wh.)	five-leaved.	India.	1640.	—	H. ☉.	Jacq. vind. 1. t. 21.
	Cleome pentaphylla. B.M. 1681.						
4 candelabrum. (wh.)	chandelier.	W. Indies.	1824.	7. 9.	H. ☉.		Bot. mag. 2656.
	Cleome candelabrum. B.M.						
5 maricata. Scr.	(wh.)	bristly.		1828.	—	S. ☉.	
6 heterotricha. DC.	(wh.)	various-haired.	C. B. S.	1822.	—	H. ☉.	
CLEOME. DC.	CLEOME.	Tetradynamia Siliquosa. L.					
1 gigantea. DC.	(gr.)	gigantic.	S. America.	1774.	6. 8.	S. ♀.	Jacq. obs. 4. t. 76.
2 heptaphylla. DC.	(wh.)	seven-leaved.	W. Indies.	1820.	—	H. ☉.	
3 spinosa. DC.	(wh.)	white-flowered.	————	1731.	5. 10.	S. ♀.	Marc. bras. t. 34.
4 pungens. DC.	(bh.)	pink-flowered.	S. America.	1812.	7. 8.	S. ☉.	W. hort. ber. 1. t. 18.
	spinosa. B.M. 1640. nec aliorum.						
5 pubescens. B.M.	(wh.)	pubescent.		1815.	7. 8.	H. ☉.	Bot. mag. 1857.

6	rôsea. DC.	(ro.) rose-coloured.	Brazil.	1825.	5. 8.	S. ☉.	Bot. reg. 960.
7	monophylla. DC.	(ye.) simple-leaved.	E. Indies.	1759.	—	H. ☉.	Rheed. mal. 9. t. 34.
	β zeylânica. DC.	(ye.) Ceylon.	—	—	—	H. ☉.	Burm. zeyl. t. 100. f. 2.
8	procumbens. DC.	(wh.) procumbent.	W. Indies.	1798.	—	S. 4.	Jacq. amer. t. 120.
9	violacea. DC.	(vi.) violet-coloured.	Portugal.	1776.	6. 7.	H. ☉.	Schk. han. 2. t. 189. f. 1.
10	Dilleniâna. DC.	(ye.) Dillenius's.	Levant.	1732.	—	H. ☉.	Dill. elt. t. 266. f. 345.
	ornithopodioides. W.	—	—	—	—	—	—
11	ibérica. DC.	(ye.) Iberian.	Iberia.	1820.	—	H. ☉.	—
12	virgata. DC.	(ye.) twiggly.	Persia.		—	H. ☉.	Buxb. cent. 1. t. 9. f. 2.
13	arábica. DC.	(ye.) Arabian.	Arabia.	1794.	—	H. ☉.	Lin. f. dec. t. 8.
14	fláva. DC.	(ye.) yellow.	N. Holland.	1825.	7. 10.	H. ☉.	—
15	polygama. DC.	(wh.) polygamous.	W. Indies.	1822.	6. 7.	H. ☉.	Slo. jam. t. 124. f. 1.
16	aculeata. DC.	(wh.) prickly.	S. America.	—	—	H. ☉.	—
17	Houstóni. DC.	(fl.) Houston's.	W. Indies.	1730.	—	S. ☉.	Mart. dec. t. 45.
18	diffusa. DC.	(wh.) spreading.	Brazil.	1823.	—	H. ☉.	—
19	micrantha. (wh.)	small-flowered.		1824.	6. 10.	S. ½.	—
POLANISIA. DC. POLANISIA. Dodecandria Monogynia. L.							
1	Chelidónii. DC.	(ro.) Celandine-fl'd.	E. Indies.	1790.	7. 10.	S. ☉.	—
	Cléome Chelidónii. L.	—	—	—	—	—	—
2	graveolens. DC.	(pu.) strong-scented.	N. America.		—	H. ☉.	Corn. can. 131. ic.
3	viscosa. DC.	(wh.) viscid.	Ceylon.	1730.	—	S. ☉.	Rheed. mal. 9. t. 23.
4	dodecándra. DC.	(pu.) three-leaved.	—	1795.	—	S. ☉.	Burm. zeyl. t. 100. f. 1.
	Cléome dodecándra. L.	—	—	—	—	—	—
5	uniglandulosa. DC.	(w.) one-glanded.	S. America.	1823.	—	H. ☉.	Cav. ic. 4. t. 306.

Tribus II. CAPPAREÆ. DC.

CRATÆVA. DC. CRATÆVA. Dodecandria Monogynia. L.							
1	gynándra. DC.	(wh.) thin-leaved.	Jamaica.	1789.		S. ½.	Pluk. alm. t. 147. f. 6.
2	Tápia. DC.	(wh.) Garlic Pear.	S. America.	1752.		S. ½.	Plum. gen. t. 21.
3	Roxbúrgii. B.	(wh.) Roxburgh's.	E. Indies.	1822.		S. ½.	—
	Cápparis trifoliata. H.B.	—	—	—	—	—	—
RITCHTEA. B. RITCHTEA. Dodecandria Monogynia.							
	fragrans. (wh.)	fragrant.	Sierra Leon.	1795.	6. 7.	S. ½. ∪.	Bot. mag. 596.
	Cratæva fragrans. B.M.	capparoides. A.R.	t. 176.	—	—	—	—
NIEBUHRIA. DC. NIEBUHRIA. Polyandria Monogynia. L.							
1	cafra. DC.	(wh.) Caffrarian.	C. B. S.	1820.		G. ½.	—
2	madagascariénsis. DC.	(w.) Madagascar.	Madagascar.	1822.		S. ½.	—
3	oblongifolia. DC.	(wh.) oblong-leaved.	E. Indies.	1823.		S. ½. ∪.	—
	Cápparis heterochita. H.B.	—	—	—	—	—	—
BO'SCIA. DC. BO'SCIA. Dodecandria Monogynia. L.							
	senegalénsis. DC.	(wh.) Senegal.	Senegal.	1822.		S. ½.	Lam. ill. t. 395. f. 2.
CAPPARIS. DC. CAPER-TREE. Polyandria Monogynia. L.							
1	mariâna. DC.	(wh.) heart-leaved.	Timor.	1822.		S. ½.	Jacq. Schœnb. t. 109.
2	ripéstris. DC.	(wh.) rock.	Crete.		7. 10.	F. ½. ∪.	Flor. græc. t. 487.
	spinosa. B.M. 291.	nec aliorum.	—	—	—	—	—
3	spinosa. DC.	(wh.) common.	S. Europe.	1596.	5. 8.	G. ½. ∪.	Flor. græc. t. 486.
4	ovata. W.	(wh.) oval-leaved.	Mauritania.		—	G. ½. ∪.	Boc. sic. t. 42. f. 3.
	Fontanésii. DC.	—	—	—	—	—	—
5	herbacea. DC.	(wh.) herbaceous.	Tauria.	1819.	—	H. 4.	—
6	ægyptia. DC.	(wh.) Egyptian.	Egypt.	1822.		G. ½.	Delil. fl. eg. t. 31. f. 3.
7	aphylla. DC.	(wh.) leafless.	E. Indies.	—	—	S. ½.	—
8	zeylânica. DC.	(wh.) Ceylon.	Ceylon.	—		S. ½. ∪.	—
9	acuminata. DC.	(wh.) acuminate.	E. Indies.	1821.		S. ½. ∪.	Braam ic. chin. t. 29.?
10	frondosa. DC.	(g.p.) large-leaved.	Carthagera.	1800.		S. ½.	Jacq. amer. t. 104.
11	triflora. DC.	(wh.) three-flowered.	S. America.			S. ½.	—
12	cynophallóphora. DC.	(wh.) Bay-leav'd.	W. Indies.	1752.		S. ½.	Jacq. amer. t. 98.
13	eustachiana. DC.	(pu.) purple-flower'd.	—	1822.		S. ½.	— ed. pict. t. 146.
14	saligna. DC.	 Willow-leaved.	S. Cruz.	1807.		S. ½.	—
15	linearis. DC.	(wh.) linear-leaved.	W. Indies.	1793.		S. ½.	Jacq. amer. t. 102.
16	verrucosa. DC.	(wh.) wart-podded.	Carthagera.	1823.		S. ½.	— t. 99.
17	pulcherrima. DC.	(st.) handsome.	—			S. ½.	Jacq. amer. t. 106.
	arboréscens. Mil.	—	—	—	—	—	—
18	amygdalina. DC.	(wh.) Almond-leaved.	S. America.	1819.		G. ½.	Plum. gen. 40. t. 16.

19	odoratissima. DC. (pu.)	sweet-scented.	Caracas.	1814.		S. h.	Jacq. schœn. t. 110.
20	tenuisiliqua. DC. (wh.)	slender-podded.	Carthageria.	1822.		S. h.	Jacq. amer. t. 105.
21	ferruginea. DC. (wh.)	ferruginous.	Jamaica.			S. h.	— t. 100.
<i>octandra</i> . Jacq.							
22	Brénia. DC. (wh.)	Oleaster-leav'd.	W. Indies.	1752.		G. h. ∪.	Jacq. amer. t. 103.?
23	jamaicensis. DC. (wh.)	Jamaica.	—	1793.		S. h. ∪.	— t. 101.
24	torulosa. DC. (wh.)	twisting.	—	1819.		S. h. ∪.	—
STEPHANIA. DC. STEPHANIA. Hexandria Monogynia.							
	cleomoides. DC. (o.y.)	Cleome-like.	Caracas.	1823.		S. h.	Jacq. schœn. t. 111.
<i>Capparis paradoxa</i> . Jacq. <i>Steriphoma cleomoides</i> . s.s.							
MORISONIA. DC. MORISONIA. Monadelphia Polyandria. L.							
	americana. DC. (wh.)	American.	Caribees.	1824.		S. h.	Jacq. amer. t. 97.

ORDO XV.

RESEDACEÆ. DC. *theor. ed.* 1. p. 214.

RESEDA. W.		RESEDA. Dodecandria Trigynia. L.					
1	Luteola. w.	(st.) Dyers weed.	Britain.		6. 7.	H. ⊙.	Eng. bot. 320.
2	crispata. L. en.	(st.) curled-leaved.	S. Europe.	1820.	—	H. ⊙.	
3	virescens. s.s.	(st.) greenish.	Spain.	—	—	H. ⊙.	
4	canescens. s.s.	(wh.) hoary.	Egypt.	1597.	5. 7.	H. 2.	Clus. hist. 1. t. 295.
5	glauca. s.s.	(wh.) glaucous.	S. Europe.	1700.	—	F. 2.	Pluk. alm. t. 107. f. 2.
6	scoparia. s.s.	(wh.) Broom-like.	Teneriffe.	1815.	8. 9.	G. h.	
7	dipetala. s.s.	(wh.) two-petaled.	C. B. S.	1774.	8.	G. ♂.	
8	linifolia. s.s.	(wh.) flax-leaved.	S. Europe.	1820.	7. 8.	F. ♂.	
9	subulata. Del.	(wh.) awl-leaved.	Egypt.	1827.	6. 8.	H. ♂.	
10	chinensis. s.s.	(wh.) Chinese.	China.	1824.	—	H. ♂.	
11	sesamoides. s.s.	(wh.) spear-leaved.	France.	1787.	—	H. ⊙.	All. ped. 2. t. 88. f. 3.
12	mediterranea. s.s.	(w.) Mediterranean.	Palestine.	1791.	6. 9.	H. ⊙.	Jacq. ic. 3. t. 475.
13	odorata. s.s.	(st.) Mignonette.	Egypt.	1752.	6. 10.	H. ⊙.	Bot. mag. 29.
	<i>β frutescens</i> . B.R.	(st.) tree mignonette.	—	—	—	G. h.	Bot. reg. 227.
14	Phyteuma. s.s.	(wh.) trifid.	S. Europe.	—	6. 9.	H. ⊙.	Jacq. aust. 2. t. 132.
15	incisa. T.C.	(wh.) cut-leaved.	Italy.	1825.	—	H. ⊙.	
16	ramosissima. s.s.	(wh.) branching.	Spain.	1816.	—	H. 2.	
17	saxatilis. s.s.	(wh.) rock.	—	—	—	H. 2.	
<i>stricta</i> . P.S.							
18	pruinosa. s.s.	(wh.) papillose-l'd.	Egypt.	1823.	—	H. 2.	
19	lutea. s.s.	(st.) Base-rocket.	Britain.		7. 8.	H. ♂.	Eng. bot. 321.
20	undata. s.s.	(wh.) wave-leaved.	Spain.	1739.	6. 8.	H. 2.	Barrel. rar. t. 587.
21	alba. s.s.	(wh.) upright-white.	S. Europe.	1596.	5. 10.	H. ♂.	Lobel. ic. 222.
22	fruticulosa. s.s.	(wh.) frutescent.	Spain.	1794.	9.	G. h.	Jacq. ic. 3. t. 474.
23	bipinnata. s.s.	(wh.) bipinnate.	—	1816.	6. 8.	G. h.	
24	myriophylla. T.C.	(st.) numerous-l'd.	Italy.	1825.	—	H. 2.	

ORDO XVI.

DATISCEÆ. Brown in app. to Denham and Clap. trav. p. 25.

DATISCA. L.		DATISCA. Diœcia Dodecandria. L.					
1	cannabinæ. L.	(ye.) Hemp-like.	Levant.	1640.	7. 9.	H. 2.	Schkuhr han. 3. t. 336.
2	hirta. w.	(ye.) hairy.	Pensylvania.	1826.	9. 10.	H. 2.	

ORDO XVII.

FLACOURTIANÆ. *DC. prodr.* 1. p. 255.Tribus I. *PATRISIEÆ*. DC.

RYANÆA. DC.	RYANÆA. Polyandria Monogynia.				
speciosa. DC.	(re.) beautiful.	Trinidad.	1822.	 S. h.	Vahl. ecl. 1. p. 51. t. 9.
<i>Patrisia pyrifera</i> . P.S.					

Tribus II. *FLACOURTIEÆ*. DC.

FLACOURTIA. DC.	FLACOURTIA. Diœcia Polyandria. L.				
1 Ramóntchi. DC.	(wh.) shining-leaved.	Madagascar.	1775.	6. 7. S. h.	L. Her. strip. 59. t. 30.
2 sápidia. DC.	(wh.) esculent.	E. Indies.	1800.	 S. h.	Roxb. cor. 1. t. 69.
3 inermis. DC.	(wh.) unarmed.	Moluccas.	1814.	10. 2. S. h.	Bot. reg. ined.
4 sepiária. DC.	(wh.) obovate-leaved.	Coromandel.	1820.	 S. h.	Roxb. cor. 1. t. 68.
5 cataphræcta. DC.	(wh.) many-spined.	E. Indies.	1804.	 S. h.	
6 rotundifolia. H.B.	(wh.) round-leaved.	—	1823.	 S. h.	
7 flavescens. DC.	(st.) yellow-flower'd.	Guinea.	1780.	 S. h.	
8 rhamnóides. DC.	(wh.) Rhamnus like.	C. B. S.	1819.	 G. h.	

Tribus III. *KIGGELARIEÆ*. DC.

KIGGELARIA. DC.	KIGGELARIA. Diœcia Decandria. L.				
1 africana. DC.	(wh.) African.	C. B. S.	1683.	5. 6. G. h.	Lam. ill. t. 821.
2 integrifolia. DC.	(wh.) entire-leaved.	—	1819.	— G. h.	Jacq. ic. rar. t. 628.
MELICYTUS. DC.	MELICYTUS. Diœcia Pentandria.				
ramiflorus. DC.	 branch-flow'rd.	N. Zealand.	1822.	 G. h.	Lam. ill. t. 812. f. 1.

ORDO XVIII.

BIXINEÆ. *DC. prodr.* 1. p. 259.

BIXA. DC.	ANOTTA. Polyandria Monogynia. L.				
1 purpurea.	(pu.) purple.	E. Indies.	1820.	 S. h.	
2 Orellana. DC.	(ro.) heart-leaved.	S. America.	1690.	5. 8. S. h.	Bot. mag. 1456.
3 Urucurana. W.	(ro.) white-leaved.	Brazil.	1823.	 S. h.	
LÆTIA. DC.	LÆTIA. Polyandria Monogynia. L.				
Thánnia. DC.	 shining-leaved.	Jamaica		 S. h.	Browne jam. t. 25. f. 2.
PROCKIA. DC.	PROCKIA. Polyandria Monogynia. L.				
1 Crúcis. DC.	(gr.) oval-leaved.	Santa Cruz.		 S. h.	Vahl symb. 3. t. 64.
2 serrata. DC.	(gr.) saw-leaved.	Montserrat.	1822.	 S. h.	
3 theæfórmis. DC.	(gr.) Tea-leaved.	Bourbon.	—	 S. h.	Bory voy. 2. t. 24.
<i>Ludia heterophylla</i> . Bory. non. Lam.					
LUDIA. DC.	LUDIA. Polyandria Monogynia. L.				
1 heterophylla. DC.	(gr.) various-leaved.	Mauritius.	1822.	 S. h.	Lam. ill. t. 466. f. 1. 2.
2 sessiliflora. DC.	(bl.) sessile-flower'd.	—	—	 S. h.	Jacq. schœnb. 1. t. 112.
<i>tuberculata</i> . Jacq.					

ORDO XIX.

CISTINEÆ. *DC. prodr.* 1. p. 263.

CISTUS. DC.	ROCK-ROSE. Polyandria Monogynia. L.				
1 candidissimus. DC.	(ro.) Canary Island.	Canaries.	1817.	6. 9. F. h.	Swt. Cist. t. 3.
2 vaginatus. DC.	(ro.) oblong-leaved.	Teneriffe.	1779.	4. 8. F. h.	— t. 9.

3	álbidus. DC.	(ro.)	white-leaved.	S. Europe.	1640.	5. 9.	H. ♀.	Swt. cist. t. 31.
4	incānus. DC.	(li.)	hoary-leaved.	—	1596.	5. 8.	F. ♀.	— t. 44.
5	canēscens. S.C.	(pu.)	narrow hoary.	—		—	F. ♀.	— t. 45.
6	villōsus. DC.	(pu.)	villous.	—	1640.	—	F. ♀.	— t. 35.
7	rotundifolius. S.C.	(pu.)	round-leaved.	—		—	F. ♀.	— t. 75.
8	undulātus. DC.	(pu.)	wave-leaved.	—		—	H. ♀.	— t. 63.
9	heterophyllus. DC.	(p.)	various-leaved.	Algiers.		—	F. ♀.	— t. 6.
10	crispus. DC.	(pu.)	curled-leaved.	S. Europe.	1656.	—	F. ♀.	— t. 22.
11	erēticus. DC.	(pu.)	Cretan.	Levant.	1731.	—	F. ♀.	Flor. græc. t. 495.
12	purpureus. DC.	(pu.)	purple.	—		6. 8.	F. ♀.	Swt. cist. t. 17.
13	cymōsus. DC.	(li.)	cyme-flowered.	—		—	F. ♀.	— t. 90.
	incānus. Flor. græc. t.		494. nec aliorum.	—	—	—	—	—
14	parviflorus. DC.	(li.)	small-flowered.	—	1821.	—	F. ♀.	Swt. cist. t. 14.
15	Cupaniānus. S.S.	(wh.)	heart-leaved.	Sicily.		6. 10.	H. ♀.	— t. 70.
16	asperifolius. S.C.	(wh.)	rough-leaved.			—	H. ♀.	— t. 87.
17	acutifolius. S.C.	(wh.)	acute-leaved.	S. Europe.		5. 8.	H. ♀.	— t. 78.
18	salvifolius. DC.	(wh.)	Sage leaved.	Europe.	1548.	5. 9.	H. ♀.	— t. 54.
19	obtusifolius. S.C.	(wh.)	blunt-leaved.	Levant.		—	F. ♀.	— t. 42.
20	oblongifolius. S.C.	(wh.)	oblong-leaved.			6. 10.	H. ♀.	— t. 67.
21	corbariēnsis. DC.	(wh.)	mountain.	S. France.		5. 6.	H. ♀.	— t. 8.
22	platysēpalus. S.C.	(wh.)	broad-sepaled.	Levant.		6. 8.	F. ♀.	— t. 47.
23	florentinus. DC.	(wh.)	Florentine.	Italy.		6. 7.	H. ♀.	— t. 59.
24	monsipeliēnsis. DC.	(w.)	Montpelier.	S. Europe.	1656.	—	F. ♀.	— t. 27.
25	Lēdon. DC.	(wh.)	many-fl'd. gum.	S. France.	1730.	6. 8.	H. ♀.	Duham. arb. 1. t. 66.
26	hirsutus. DC.	(wh.)	hairy.	Spain.	1656.	—	H. ♀.	Swt. cist. t. 19.
27	psilosēpalus. S.C.	(wh.)	smooth-calyxed.			—	H. ♀.	— t. 33.
28	lāxus. DC.	(wh.)	waved-leaved.	Spain.	1656.	—	H. ♀.	— t. 12.
29	populifolius. S.C.	(wh.)	Poplar-leaved.	—		5. 6.	H. ♀.	— t. 23.
30	latifolius. S.C.	(wh.)	broad-leaved.	Barbary.		—	F. ♀.	— t. 15.
31	laurifolius. DC.	(wh.)	Laurel-leaved.	S. Europe.	1731.	6. 8.	H. ♀.	— t. 52.
32	cyprius. DC.	(wh.)	common-gum.	Cyprus.		—	H. ♀.	— t. 39.
	ladaniferus. Bot. mag.		112. nec. aliorum.	C. undulatus. L. en?	—	—	—	—
33	ladaniferus. DC.	(wh.)	flat-leaved gum.	Spain.	1629.	—	F. ♀.	—
	α albiflorus. DC.	(wh.)	white-flowered.	—	—	—	F. ♀.	Swt. cist. t. 84.
	β maculātus. DC.	(w.p.)	spot-flowered.	—	—	—	F. ♀.	— t. 1.
34	Clusii. DC.	(wh.)	Clusius's.	Spain.		—	H. ♀.	— t. 32.
HELIA NTHEMUM. DC. SUN-ROSE. Polyandria Monogynia. L.								
1	Libanōtis. DC.	(wh.)	Rosemary-like.	Spain.	1752.	6.	F. ♀.	Barr. ic. 294.
2	umbellātum. DC.	(wh.)	umbel-flowered.	S. Europe.	1731.	6. 8.	F. ♀.	Swt. cist. t. 5.
3	ocymōides. DC.	(ye.)	Basil-like.	—		—	F. ♀.	— t. 13.
	Cistus sampsucifolius.		Cav. ic. 1. t. 96.	—	—	—	—	—
4	alyssoīdes. DC.	(ye.)	Alyssum-like.	—		—	F. ♀.	Vent. choix. t. 20.
5	rugōsum. DC.	(ye.)	rugose.	Portugal.		—	F. ♀.	Swt. cist. t. 65.
6	scabrōsum. DC.	(ye.)	rough.	Italy.	1775.	—	F. ♀.	— t. 81.
7	algarvēse. DC.	(ye.)	Algarvian.	Portugal.	1800.	7. 8.	F. ♀.	— t. 40.
	Cistus algarvēnsis.		B.M. 627.	—	—	—	—	—
8	formōsum. DC.	(ye.)	beautiful.	—	1780.	5. 7.	F. ♀.	Swt. cist. t. 50.
	Cistus formōsus.		B.M. 264.	—	—	—	—	—
9	atriplicifolium. DC.	(y.)	Orach-leaved.	Spain.	1656.	6. 7.	F. ♀.	Barr. ic. t. 292.
10	microphyllum. S.C.	(y.)	small-leaved.	S. Europe.		6. 10.	F. ♀.	Swt. cist. t. 96.
11	lasianthum. DC.	(ye.)	downy.	Portugal.	1822.	7. 9.	F. ♀.	—
12	involverātum. DC.	(ye.)	short-pediced.	S. Europe.	1826.	6. 8.	F. ♀.	—
13	cándidum. S.C.	(ye.)	white-leaved.	Spain.	1822.	—	F. ♀.	Swt. cist. t. 25.
14	cheiranthoīdes. DC.	(y.)	Stock-like.	—	1800.	7. 8.	F. ♀.	— t. 107.
15	halimifolium. S.C.	(ye.)	Sea-Purslane-ld	—	1656.	—	F. ♀.	— t. 4.
16	rosmarinifolium. DC.	(y.)	Rosemary-ld.	N. America.	1823.	—	H. ♀.	—
17	glomerātum. DC.	(ye.)	cluster-flower'd.	New Spain.	—	6. 9.	F. ♀.	Swt. cist. t.
18	ramuliflorum. DC.	(ye.)	branch-flower'd.	Carolina.	1823.	—	H. ♀.	—
19	canadēse. DC.	(ye.)	Canadian.	Canada.	1799.	—	H. ♀.	Swt. cist. t. 21.
20	carolinianum. DC.	(ye.)	Carolina.	Carolina.	1823.	—	F. ♀.	— t. 99.
21	brasiliēse. DC.	(st.)	Brazilian.	Brazil.	—	6. 8.	F. ♀.	— t. 43.
22	polygalēfolium. S.C.	(ye.)	Milkwort-leav'd.	—	—	—	F. ♀.	— t. 11.
23	lignōsum. S.C.	(ye.)	woody-stemm'd.	S. Europe.	1810.	—	F. ♀.	— t. 46.
24	Tuberāria. DC.	(ye.)	Plantain-leav'd.	—	1752.	—	F. ♀.	— t. 18.
25	plantagineum. DC.	(ye.)	Plantain like.	—	1823.	—	H. ♂.	—
26	guttātum. DC.	(ye.)	spotted-flower'd.	England.		6. 8.	H. ♂.	Eng. bot. 544.
27	eriocaulon. DC.	(ye.)	woolly-stalked.	Spain.	1823.	—	H. ♂.	Swt. cist. t. 30.
28	punctātum. DC.	(ye.)	punctated.	France.	1816.	—	H. ♂.	— t. 61.
29	lunulātum. DC.	(ye.)	lunulate-mark'd.	Piedmont.		—	H. ♀.	All. auct. p. 30. t. 2. f. 3.

30 villōsum. DC.	(st.) villous.	Spain.	1823.	—	H. ⊙.	
31 nilōticum. DC.	(st.) Nile.	Egypt.		—	H. ⊙.	
32 ledifolium. DC.	(st.) Ledum-leaved.	England.		—	H. ⊙.	Swt. cist. t. 41.
33 intermedium. DC.	(ye.) intermediate.	Spain.	1759.	—	H. ⊙.	Cav. ic. t. 144.
<i>salicifolium</i> . Cav.						
34 denticulatum. DC.	(ye.) tooth-leaved.	S. France.	1828.	—	H. ⊙.	
35 salicifolium. DC.	(ye.) Willow-leaved.	—	—	—	H. ⊙.	Swt. cist. t. 71.
36 sanguineum. DC.	(ye.) bloody-stalked.	—	1823.	—	H. ⊙.	
<i>retrofractum</i> . P.s.						
37 ægyptiacum. DC.	(ye.) Egyptian.	Egypt.	1764.	—	H. ⊙.	Jacq. obs. 3. t. 68.
38 Lippii. DC.	(ye.) small-petaled.	—	1820.	—	F. h.	
39 ellipticum. DC.	(st.) elliptic-leaved.	Levant.	1827.	—	F. h.	Swt. cist. t. 108.
40 confertum. DC.	(ye.) close-flowered.	Teneriffe.		6. 7.	F. h.	
41 canariense. DC.	(ye.) Canary.	Canaries.	1790.	—	F. h.	Jacq. ic. 1. t. 97.
42 ericoides. DC.	(ye.) Heath-leaved.	S. Europe.		6. 8.	F. h.	Cav. ic. 2. t. 172.
43 Fumana. DC.	(ye.) Heath-like.	—	1752.	—	F. h.	Swt. cist. t. 16.
44 procumbens. DC.	(ye.) procumbent.	—		—	F. h.	— t. 68.
45 arabicum. DC.	(sc.) Arabian.	Levant.	1826.	—	F. h.	— t. 97.
46 lævipes. DC.	(ye.) cluster-leaved.	—	1690.	—	G. h.	— t. 24.
47 viride. DC.	(ye.) green-leaved.	Sicily.	1828.	—	F. h.	
48 juniperinum. DC.	(ye.) Juniper-leaved.	—		—	G. h.	Barr. ic. t. 443.
49 Barrelieri. DC.	(ye.) Barrelier's.	Italy.	1822.	—	F. h.	— t. 416.
50 thymifolium. DC.	(ye.) Thyme-leaved.	Spain.	1658.	—	F. h.	Swt. cist. t. 102.
51 glutinosum. DC.	(ye.) clammy.	—	1790.	—	F. h.	— t. 83.
52 môle. DC.	(ye.) soft.	—		—	F. h.	Cav. ic. 3. t. 262. f. 2.
53 origanifolium. DC.	(ye.) Marjoram-ld.	—	1795.	—	F. h.	— 3. t. 262. f. 1.
54 dichotomum. DC.	(ye.) forked.	—		—	F. h.	— 3. t. 263. f. 1.
55 celandicum. DC.	(ye.) smooth-leaved.	Europe.	1816.	—	H. h.	Swt. cist. t. 85.
56 alpestre. DC.	(ye.) alpine.	—	—	—	H. h.	— t. 2.
57 penicillatum. DC.	(ye.) pencilled.	S. Europe.		—	H. h.	
58 obovatum. DC.	(ye.) obovate-leaved.	Spain.	1826.	—	F. h.	
59 italicum. DC.	(ye.) Italian.	Italy.	1779.	7. 9.	H. h.	Barr. rar. t. 366.
60 vineale. DC.	(ye.) slender-trailing.	Europe.	1823.	—	H. h.	Swt. cist. t. 77.
61 canum. DC.	(ye.) hoary.	—	1772.	6. 7.	F. h.	— t. 56.
62 marifolium. DC.	(ye.) Marum-leaved	—		—	F. h.	Barr. rar. t. 441.
63 pulchellum. s.c.	(ye.) neat.	S. Europe.		—	H. h.	Swt. cist. t. 71.
64 rotundifolium. DC.	(ye.) round-leaved.	Spain.	1826.	—	F. h.	Cav. ic. 2. t. 142.
<i>Cistus nummularius</i> . Cav. non L.						
65 crassifolium. DC.	(ye.) thick-leaved.	—	—	—	F. h.	
66 cinereum. DC.	(ye.) gray.	Spain.		—	F. h.	Cav. ic. 2. t. 141.
67 squammatum. DC.	(ye.) scaly.	—	1815.	—	F. h.	— 2. t. 139.
68 lavandulæfolium. DC.	(ye.) Lavender-ld.	Levant.	1739.	—	F. h.	Barr. ic. t. 288.
β syriacum. DC.	(ye.) Syrian.	Syria.	—	—	F. h.	Jacq. ic. 1. t. 96.
69 stœchadifolium. DC.	(y.) woolly-leaved.	Portugal.	1819.	—	F. h.	
70 croceum. DC.	(ye.) Saffron-coloured.	Spain.		—	F. h.	Swt. cist. t. 53.
71 nudicaule. DC.	(ye.) naked-stalked.	—	1826.	—	F. h.	
72 glaucum. DC.	(ye.) glaucous-leaved.	—	1815.	6. 8.	F. h.	Cav. ic. 3. t. 261.
73 leptophyllum. DC.	(ye.) narrow-leaved.	—		7. 8.	F. h.	Swt. cist. t. 20.
74 serpyllifolium. DC.	(ye.) Serpyllum-ld.	England.		5. 9.	H. h.	— t. 60.
75 vulgare. DC.	(ye.) common.	Britain.		—	H. h.	— t. 34.
β flore pleno.	(ye.) double-flowered.	—		—	H. h.	— t. 64.
76 surrejanum. DC.	(ye.) dotted-leaved.	England.		7. 10.	H. h.	— t. 28.
β tomentosum.	(ye.) woolly-leaved.	—		—	H. h.	— t. 34. f. 3.
77 ovatum. DC.	(ye.) ovate-leaved.	Geneva.		6. 8.	H. h.	Viv. frag. 1. t. 8. f. 2.
78 lucidum. H.	(ye.) glossy-leaved.		1827.	—	H. h.	
79 tauricum. s.c.	(p.y.) Taurian.	Tauria.	1824.	—	H. h.	Swt. cist. t. 105.
80 Andersoni. s.c.	(ye.) Anderson's.	Hybrid.	1827.	5. 10.	H. h.	— t. 89.
81 grandiflorum. DC.	(ye.) large-flowered.	Pyrenees.	1800.	—	H. h.	— t. 69.
82 sampsucifolium. (p.y.)	rough dwarf.	Montpelier.		—	H. h.	Bot. mag. 1803.
<i>Cistus sampsucifolius</i> . B.M. non Cav.						
83 nummularium. DC.	(ye.) Money-wort.	—	1752.	—	H. h.	Swt. cist. t. 80.
84 angustifolium. DC.	(ye.) distinct-petaled.		1800.	—	H. h.	Jacq. vind. 3. t. 53.
85 hirtum. DC.	(ye.) bristly-calxed.	Spain.	1759.	—	F. h.	Swt. cist. t. 109.
86 barbatum. P.s.	(ye.) bearded.	S. Europe.	1820.	—	H. h.	— t. 73.
87 eriosëpalon. s.c.	(p.y.) woolly-sepaled.	—		—	H. h.	— t. 76.
88 rotatum.	rotate.		1828.		F. h.	
89 racemosum. DC.	(wh.) long-racemed.	S. Europe.		—	F. h.	Swt. cist. t. 82.
90 pilosum. DC.	(wh.) hairy.	—	1731.	—	F. h.	— t. 49.
91 lineare. DC.	(wh.) linear-leaved.	—	1824.	6. 8.	F. h.	— t. 48.

92	virgatum. DC. (p.r.)	slender.	Barbary.	—	—	F. $\frac{1}{2}$.	Swt. cist. t. 79.
93	apenninum. DC. (wh.)	Apennine.	Europe.	—	—	H. $\frac{1}{2}$.	t. 62.
94	hispidum. DC. (wh.)	hispid.	S. France.	—	—	H. $\frac{1}{2}$.	—
95	pulverulentum. DC. (w.)	powdered.	—		—	H. $\frac{1}{2}$.	Swt. cist. t. 29.
96	canescens. S.C. (cr.)	canescent.	—		—	H. $\frac{1}{2}$.	t. 51.
97	rhodanthum. DC. (ro.)	rose-flowered.	Spain.		—	H. $\frac{1}{2}$.	t. 7.
98	diversifolium. S.C. (re.)	various-leaved.	—		5. 9.	F. $\frac{1}{2}$.	t. 95.
	β multipléx. S.C. (re.)	full-flowered.	—		—	F. $\frac{1}{2}$.	t. 98.
99	cupreum. S.C. (co.)	copper-colour'd.	Hybrid.		—	F. $\frac{1}{2}$.	t. 66.
100	versicolor. S.C. (p.r.)	various-colour'd.	—		—	H. $\frac{1}{2}$.	t. 26.
101	venustum. S.C. (sc.)	charming.	—		—	H. $\frac{1}{2}$.	t. 10.
	β flore pleno. (sc.)	double-flowered.	—		—	H. $\frac{1}{2}$.	—
102	variegatum. S.C. (r.w.)	striped-flower'd.	Hybrid.		—	F. $\frac{1}{2}$.	Swt. cist. t. 38.
103	lanceolatum. S.C. (w.)	spear-leaved.	—		—	H. $\frac{1}{2}$.	t. 100.
104	polifolium. DC. (wh.)	white-mountain.	England.		5. 7.	H. $\frac{1}{2}$.	t. 88.
105	confusum. S.C. (wh.)	confused.	Europe.		—	H. $\frac{1}{2}$.	t. 91.
106	macranthum. S.C. (w.)	great-flowered.	—		—	H. $\frac{1}{2}$.	t. 103.
	β multipléx. S.C. (wh.)	full-flowered.	—		—	H. $\frac{1}{2}$.	t. 104.
107	mutabile. DC. (p.r.)	changeable.	Spain.	1795.	6. 7.	H. $\frac{1}{2}$.	t. 106.
108	roseum. DC. (ro.)	rosy.	S. Europe.		—	H. $\frac{1}{2}$.	t. 55.
	β multipléx. S.C. (ro.)	double-rose.	—		—	H. $\frac{1}{2}$.	t. 86.
109	Milléri. S.C. (sa.)	Miller's.	—		—	H. $\frac{1}{2}$.	t. 101.
110	hyssopifolium. DC. (v.)	Hyssop-leaved.	Italy.		—	F. $\frac{1}{2}$.	—
	α crocatum. S.C. (sa.)	saffron-colour'd.	—		—	F. $\frac{1}{2}$.	Swt. cist. t. 92.
	β cupreum. S.C. (co.)	copper-coloured.	—		—	F. $\frac{1}{2}$.	t. 58.
	γ multipléx. S.C. (co.)	full-flowered.	—		—	F. $\frac{1}{2}$.	t. 72.
111	tertidum. DC. (wh.)	Bryony-scented.	—		—	H. $\frac{1}{2}$.	Jacq. ic. 1. t. 98.
112	sulphureum. DC. (st.)	sulphur-color'd.	Spain.	1815.	—	H. $\frac{1}{2}$.	Swt. cist. t. 37.
113	stramineum. S.C. (st.)	straw-coloured.	—		—	H. $\frac{1}{2}$.	t. 93.
	β multipléx. S.C. (st.)	full-flowered.	—		—	H. $\frac{1}{2}$.	t. 94.
HUDSONIA. DC. HUDSONIA. Dodecandria Monogynia. L.							
1	ericoides. DC. (ye.)	Heath-like.	N. America.	1805.	5. 7.	F. $\frac{1}{2}$.	Swt. cist. t. 36.
2	tomentosa. N. (ye.)	tomentose.	—	1826.	6. 8.	F. $\frac{1}{2}$.	t. 57.
LECH'EA. DC. LECH'EA. Tri-Dodecandria Trigynia.							
1	villosa. DC. (ye.)	villous.	Canada.	1780.	7. 8.	H. $\frac{1}{2}$.	Lam. ill. t. 52. f. 2.
	major. Ph. non	Lin. minor L. non Ph.	—	—	—	—	—
2	minor. DC. (ye.)	lesser.	—	1802.	—	H. $\frac{1}{2}$.	Lam. ill. t. 52. f. 1.
3	thymifolia. DC. (ye.)	Thyme-leaved.	N. America.	1823.	—	H. $\frac{1}{2}$.	—

ORDO XX.

VIOLARIEÆ. DC. prodr. 1. p. 287.

Tribus I. VIOLEÆ. DC.

CALYPTRIUM. DC. CALYPTRIUM. Pentandria Monogynia.							
	Aublétii. DC. (wh.)	Aublet's.	S. America.	1820.		S. $\frac{1}{2}$.	Aub. gui. 2. t. 319.
	<i>Viola Hybanthus. Aub. Jonidium Aublétii. R. s.</i>						
NOISETTIA. DC. NOISETTIA. Pentandria Monogynia.							
1	longifolia. DC. (wh.)	long-leaved.	Cayenne.	1822.		S. $\frac{1}{2}$.	Nov. g. am. t. 409. b. f. 2.
	<i>Jonidium longifolium. R. s.</i>						
2	pyrifolia. Mart. (wh.)	Pear-leaved.	Brazil.	1822.		S. $\frac{1}{2}$.	Mart. n. pl. bras. ic.
VIOLA. DC. VIOLET. Pentandria Monogynia.							
1	pedata. DC. (bl.)	cut-leaved.	N. America.	1759.	5. 8.	H. $\frac{1}{2}$.	Swt. br. fl. gar. t. 69.
2	flabellifolia. B.C. (b.p.)	fan-leaved.	—	1822.	—	H. $\frac{1}{2}$.	Lod. bot. cab. 777.
	<i>pedata β atropurpurea. DC. pedata var. bicolor. Ph.</i>						
3	digitata. Ph. (bl.)	finger-leaved.	Virginia.	1824.	—	H. $\frac{1}{2}$.	—
4	palmata. DC. (bl.)	palmated.	—	1752.	5. 6.	H. $\frac{1}{2}$.	Bot. mag. 535.
5	asarifolia. DC. (bl.)	Asarum-leaved.	—	1823.	—	H. $\frac{1}{2}$.	—
6	papilionacea. DC. (bl.)	variegated.	—	1800.	—	H. $\frac{1}{2}$.	—
7	obliqua. Ph. (bl.)	oblique-flower'd.	—	1762.	—	H. $\frac{1}{2}$.	—
8	cucullata. Ph. (bl.)	hollow-leaved.	—	1772.	5. 7.	H. $\frac{1}{2}$.	Bot. mag. 1795.
9	pinnata. R. s. (pu.)	winged-leaved.	Europe.	1752.	5. 6.	H. $\frac{1}{2}$.	All. m. taur. 3. t. 5. f. 2.
10	multifida. R. s. (pu.)	multifid.	Siberia.	—	—	H. $\frac{1}{2}$.	Gmel. sib. 4. t. 48. f. 4.

11	variegâta. DC.	(pu.)	variegated-l'd.	Dahuria.	1818.	5. 6.	H. ½.	
12	primulæfôlia. DC.	(bl.)	Primrose-l'd.	N. America.	1783.	4. 6.	H. ½.	
13	lanceolâta. DC.	(wh.)	spear-leaved.	—	1759.	6. 7.	F. ½.	Swt. br. fl. gar. 2. t. 174.
14	Patrinii. DC.	(bl.)	Siberian.	Siberia.		—	H. ½.	
15	cæspitôsa. D.P.	(pu.)	tufted.	Nepaul.	1825.	5. 8.	F. ½.	
	<i>Patrinii</i> γ <i>napulensis</i> . DC. <i>primulæfôlia</i> . Buch. non L.							
16	palmaris. D.P.	(ye.)	long-petioled.	—	—	—	F. ½.	
17	ovâta. DC.	(bl.)	oval-leaved.	N. America.	1822.	—	H. ½.	
18	sagittâta. DC.	(b.w.)	arrow-leaved.	—	1775.	—	H. ½.	
19	dentâta. Ph.	(bl.)	large-toothed.	Pensylvania.	1828.	—	H. ½.	
20	betonicaefôlia. DC.	(pu.)	Betony-leaved.	N. S. W.	1823.	—	F. ½.	
21	Fischëri.	(pu.)	Fischer's.	Siberia.	1823.	5. 7.	H. ½.	
	<i>suavis</i> . F. non. M. B.							
22	palustris. DC.	(pa.)	marsh.	Britain.		5. 6.	H. ½.	Eng. bot. 444.
23	blânda. DC.	(wh.)	white-flowered.	N. America.	1802.	5. 7.	H. ½.	W. hort. ber. 1. t. 24.
24	rotundifolia. DC.	(ye.)	round-leaved.	—	1800.	—	H. ½.	
25	sorôria. W.	(pu.)	white-rooted.	—	1802.	4. 6.	H. ½.	W. hort. ber. 1. t. 72.
26	âspëra. DC.	(wh.)	rough.	Nepaul.	1825.	5. 8.	F. ½.	
27	hirta. E.B.	(bl.)	hairy.	England.		—	H. ½.	Eng. bot. 894.
28	ambigua. R.S.	(pu.)	ambiguous.	Danube.	1822.	—	H. ½.	W. et K. hung. t. 190.
29	campestris. M.B.	(pu.)	field.	Tauria.	1824.	—	H. ½.	
30	hirsûta. R.S.	(bl.)	hairy-stalked.	Russia.	1824.	1. 12.	H. ½.	
31	collina. R.S.	(li.)	hill.	Volhynia.	—	5. 8.	H. ½.	
32	cordâta. S.S.	(bl.)	heart-leaved.	N. America.	—	5. 7.	H. ½.	
33	suâvis. M.B.	(p.b.)	fragrant.	Siberia.	1823.	3. 5.	H. ½.	
34	odorâta. DC.	(vi.)	sweet-scented.	Britain.		3. 10.	H. ½.	Eng. bot. t. 619.
	<i>α violacea.</i>	(vi.)	violet-coloured.	—		—	H. ½.	
	<i>β rosea.</i>	(ro.)	rose-coloured.	—		—	H. ½.	
	<i>γ alba.</i>	(wh.)	white-flowered.	—		—	H. ½.	
	<i>δ cærulea.</i>	(bl.)	blue-flowered.	—		—	H. ½.	
	<i>ε purpureo-plëna.</i>	(pu.)	double-purple.	—		—	H. ½.	
	<i>ζ albo-plëna.</i>	(wh.)	double-white.	—		—	H. ½.	
	<i>η cæruleo-plëna.</i>	(bl.)	double-blue.	—		—	H. ½.	
	<i>θ pâllido-plëna.</i>	(p.b.)	Neapolitan.	Naples.		—	H. ½.	
35	uliginôsa. DC.	(pu.)	fen.	Carniola.	1822.	4. 5.	H. ½.	
36	mirâbilis. DC.	(w.l.)	broad-leaved.	Europe.	1732	6. 8.	H. ½.	Jacq. fl. aust. t. 19.
37	striâta. DC.	(st.)	streaked.	N. America.	1772.	—	H. ½.	
38	ochroleuca. DC.	(st.)	sulphur-color'd.	—		—	H. ½.	
39	canina. DC.	(bl.)	dog's.	Britain.		4. 6.	H. ½.	Eng. bot. 620.
40	sylvëstris. R.S.	(p.b.)	wood.	Hungary.	1823.	—	H. ½.	
41	Riviniâna. S.S.	(bl.)	Rivini's.	Europe.		4. 6.	H. ½.	
42	ericetôrum. L.en.	(bl.)	heath.	Germany.	1826.	—	H. ½.	
43	neglecta. R.S.	(p.b.)	neglected.	Bohemia.	1824.	—	H. ½.	
44	dëbilis. DC.	(p.b.)	weak.	N. America.	1820.	—	H. ½.	
45	arenâria. DC.	(bl.)	sand.	Europe.	—	—	H. ½.	Pio viol. p. 20. t. 1. f. 2.
	<i>Allionii</i> . R.S. <i>nummularifolia</i> . Schl.							
46	glauca. M.B.	(pu.)	glaucous.	Russia.	1820.	—	H. ½.	
47	pumila. DC.	(p.b.)	small.	Europe.	—	—	H. ½.	Vill. c. stras. t. 5.
48	flavicôrnis. E.F.	(bl.)	yellow-spurred.	Britain.		5. 7.	H. ½.	Raii synops. t. 24. f. 1.
49	montâna. S.S.	(bl.)	mountain.	Europe.	1683.	5. 6.	H. ½.	Bot. mag. 1595.
50	stricta. H.	(p.b.)	upright.	—	1822.	—	H. ½.	
	<i>Hornemanniana</i> . R.S.							
51	persicifolia. S. S.	(bl.)	Peach-leaved.	S. Europe.	1818.	—	H. ½.	Schkuhr hand. 3. t. 269.
52	lactea. R.S.	(pa.)	cream-coloured.	England.		—	H. ½.	Eng. bot. 445.
53	Rûppii. S.S.	(pa.)	Piedmont.	Piedmont.	1820.	—	H. ½.	Lodd. bot. cab. 686.
54	Broussonetiana. R.S.		Broussonet's.	Teneriffe.	1825.	—	G. ½.	
55	arborëscens. DC.	(pa.)	shrubby.	S. Europe.	1779.	4. 5.	G. ½.	Barr. ic. 568.
56	ëpipsila. S.S.	(p.b.)	creeping.	Siberia.	1821.	4. 6.	H. ½.	
57	fennica. F.	(bl.)	Siberian.	—	1827.	—	H. ½.	
58	Selkirkii. DC.		Selkirk's.	Montreal.	1823.	—	H. ½.	
59	pygmæa. DC.	(p.b.)	pigmy.	Andes.	1822.	7. 11.	H. ½.	
60	biflora. DC.	(ye.)	two-flowered.	Europe.	1752.	—	H. ½.	Flor. dan. 46.
61	Nuttallii. DC.	(ye.)	Nuttal's.	N. America.	1812.	5. 6.	H. ½.	
62	hastata. DC.	(ye.)	hastate.	—	1823.	5. 7.	H. ½.	
63	albiflora. L. en.	(wh.)	white-flowered.	—		—	H. ½.	
64	canadënsis. DC.	(w.r.)	Canadian.	—	1783.	—	H. ½.	
65	pubëscens. DC.	(ye.)	downy.	—	1772.	6. 7.	H. ½.	Swt. br. fl. gar. 223.
66	ericiârpa. DC.	(ye.)	woolly-capsul'd.	—	1820.	—	H. ½.	102.
67	uniflora. DC.	(ye.)	Siberian.	Siberia.	1774.	—	H. ½.	Gmel. sib. 4. t. 48. f. 5.

68	chrysántha. Scr. (ye.)	golden-flowered.	1823.	5. 8.	H. 2.	
69	nummularifolia. DC. (b.)	money-wort. Piedmont.	—	—	H. 2.	All. ped. n. 1640. t. 9. f. 4.
70	alpina. DC. (pu.)	alpine. Austria.	1826.	—	H. 2.	Jacq. obs. 1. t. 11.
71	cornúta. DC. (bl.)	horned. Pyrenees.	1776.	5. 6.	H. 2.	Bot. mag. 791.
72	cenísia. DC. (bl.)	Mount-Cenis. Switzerland.	1759.	6. 7.	H. 2.	All. ped. 2. t. 22. f. 6.
73	valdéria. R.S. (pu.)	fringed-leaved. ———	1805.	5. 6.	H. 2.	——— 2. t. 24. f. 3.
74	calcaráta. R.S. (bl.)	spurred. Europe.	1752.	3. 6.	H. 2.	
75	Villarsiana. R.S. (bl.)	Villars's. S. France.		—	H. 2.	Vill. cat. arg. t. 5.
76	Zóysii. R.S. (ye.)	crenated. Europe.		7. 9.	H. 2.	Jacq. coll. 4. t. 11. f. 1.
77	amœ'na. DC. (pu.)	purple. Scotland.		5. 8.	H. 2.	
78	altaica. DC. (ye.)	Tartarian. Altay.	1805.	3. 6.	H. 2.	Bot. reg. 54.
	grandiflora. L. non DC.					
	β purpurea. DC. (pu.)	purple-flowered. Altay.		3. 6.	H. 2.	Swt. br. fl. gar. ic.
79	prostrata. R.S. (st.)	prostrate. Teneriffe.	1824.	—	H. 2.	
80	sudética. W.en. (ye.)	large-flowered. Europe.		5. 8.	H. 2.	
	grandiflora. DC. fl. fr.	5. p. 620.				
81	lútea. E.B. (ye.)	large yellow. Britain.		5. 8.	H. 2.	Eng. bot. 721.
82	saxátilis. R.S. (st.)	rock. Bohemia.	1824.	—	H. 2.	Swt. br. fl. gar. t.
83	rothomagensis. DC. (b.)	Rouen. France.	1783.	—	H. 2.	Bot. mag. 1498.
84	tricolor. R.S. (b.y.)	Heart's-ease. Britain.		4. 11.	H. 2.	Ced. fl. dan. t. 623.
85	bannática. R.S. (st.)	intermediate. Hungary.		5. 8.	H. 2.	
86	arvensis. R.S. (st.)	corn. Britain.		—	H. 2.	
87	declinata. R.S. (bl.)	declined. Hungary.	1820.	—	H. 2.	W. et K. hung. 3. t. 223.
88	Kitaibeliana. R.S. (st.)	Kitaibel's. Switzerland.	1824.	4. 6.	H. 2.	
	ERPETION B.F.G.	SPURLESS VIOLET. Pentandria Monogynia.				
1	hederaceum. (b.w.)	Ivy-leaved. V. Diem. Isl.	1825.	5. 9.	F. 2.	Lab. nov. holl. 1. t. 91.
	Viola hederacea. Lab.					
2	renifórme. B.F.G. (b.w.)	kidney-leaved. N. S. W.	1823.	—	F. 2.	Swt. br. fl. gar. 170.
	Viola renifórmis. B.					
	S'OLEA. DC.	S'OLEA. Pentandria Monogynia.				
	cóncolor. DC. (gr.)	green-flowered. N. America.	1788.	6. 7.	H. 2.	Linn. trans. 6. t. 28.
	POMB'ALIA. DC.	POMB'ALIA. Pentandria Monogynia.				
	Itubu. DC. (wh.)	white Ipecacuanha. Brazil.	1822.	7. 8.	S. 2.	H. et B. 5. t. 496. f. 2.
	β calceolária. (wh.)	villous-stemmed. ———	—	—	S. 2.	Bot. mag. 2453
	Jonídium Ipecacuánha. β. B.M.	2453.				
	JONÍDIUM. DC.	JONÍDIUM. Pentandria Monogynia.				
1	strictum. DC. (wh.)	upright. St. Domingo.	1820.		S. 2.	
2	polygalæfólium. DC. (st.)	Milkwort-ld. S. America.	1797.	4. 8.	G. 2.	Vent. malm. 27.
3	verbenaceum. DC. (p.b.)	Vervain-like. ———	1822.	6. 8.	H. 2.	H. et B. V. 379. t. 497.

Tribus II. ALSODINEÆ. DC.

ALSODE'IA. DC.	ALSODE'IA. Pentandria Monogynia.	
1 arborea. DC. (wh.)	tree. Madagascar.	1823. S. 2.
2 latifolia. DC. (wh.)	broad-leaved. ———	 S. 2.
CERA'NThERA. DC.	CERA'NThERA. Pentandria Monogynia.	
dentata. DC. (wh.)	toothed. Sierra Leone.	1822. S. 2.

Tribus III. SAUVAGEÆ. DC.

SAUVAG'ESIA. DC.	SAUVAG'ESIA. Pentandria Monogynia.	
1 erecta. DC. (wh.)	upright. S. America.	1823. 7. 9. S. 2.
2 nutans. DC. (wh.)	nodding. Madagascar.	— S. 2.

ORDO XXI.

DROSERACEÆ. DC. prodr. 1. p. 317.

DR'OSERA. DC.	SUNDEW. Pentandria Pentagynia. L.	
1 acaulis. DC. (wh.)	stalkless. C. B. S.	1821. 7. 8. G.w. 2.
2 pauciflora. DC. (wh.)	few-flowered. ———	— G.w. 2.

3	cuneifolia. DC.	(w.r.) wedge-leaved.	C. B. S.	1824.	6. 8.	G.w. 4.	
	<i>α alba.</i>	(wh.) white-flowered.	—	—	—	G.w. 4.	
	<i>β rubra.</i>	(re.) red-flowered.	—	—	—	G.w. 4.	
4	rotundifolia. DC.	(wh.) round-leaved.	Britain.		7. 8.	H.w. 4.	Eng. bot. 867.
5	longifolia. L.	(wh.) intermediate.	England.		—	H.w. 4.	— 868.
	<i>intermedia. DC.</i>						
6	americana. W.en.	(wh.) American.	N. America.	1824.	—	H.w. 4.	
7	anglica. DC.	(wh.) great.	—		—	H.w. 4.	Eng. bot. 869.
	<i>longifolia. D. et H. 3.</i>	t. 75. A.					
8	linearis. DC.	(wh.) linear-leaved.	N. America.	1822.	5. 6.	H.w. 4.	
9	filiformis. Ph.	(pu.) thready-leaved.	—	1811.	—	H.w. 4.	
	ALDROVA'NDA. DC.	ALDROVA'NDA.	Pentandria	Pentagynia.	L.		
	<i>vesiculosa. DC.</i>	(wh.) whorl-leaved.	S. Europe.	1826.	6. 8.	H.w. 4.	Lam. ill. t. 220.
	BYBLIS. DC.	BYBLIS.	Pentandria	Monogynia.	L.		
	<i>liniflora. DC.</i>	(bl.) blue-flowered.	N. S. W.	1803.	5. 6.	G.w. 4.?	Salisb. par. 95.
	DION'ÆA. DC.	DION'ÆA.	Decandria	Monogynia.	L.		
	<i>Muscipula. DC.</i>	(wh.) Venus Flytrap.	Carolina.	1768.	7. 8.	G. 4.	Bot. mag. 785.
	PARNA'SSIA. DC.	PARNA'SSIA.	Pentandria	Tetragynia.	L.		
1	palustris. DC.	(wh.) marsh.	Britain.		7. 8.	H.w. 4.	Eng. bot. 82.
2	parviflora. DC.	(wh.) small-flowered.	N. America.		5. 6.	H.w. 4.	
3	caroliniana. DC.	(wh.) Carolina.	Carolina.	1802.	5. 8.	H.w. 4.	Bot. mag. 1459.
4	asarifolia. DC.	(wh.) Asarum-leaved.	N. America.	1812.	7. 8.	H.w. 4.	Vent. malm. t. 39.

ORDO XXII.

POLYGALEÆ. DC. prodr. 1. p. 231.

POLY'GALA. DC.	MILKWORT.	Diadelphia	Octandria.	L.			
1	oppositifolia. DC.	(pu.) opposite-leav'd.	C. B. S.	1790.	1. 12.	G. h.	Bot. reg. 636.
2	cordifolia. DC.	(pu.) heart-leaved.	—	1791.	—	G. h.	
3	tetragona. DC.	(pu.) square-stalked.	—	1820.	—	G. h.	
	<i>attenuata. Lod. bot. cab. 1000.</i>	<i>oppositifolia β major.</i>	B.R.	1146.			
4	nummularia. DC.	(pu.) Moneywort-ld.	C. B. S.	1812.	—	G. h.	
5	latifolia. B.R.	(pu.) broad-leaved.	—	1820.	—	G. h.	Bot. reg. 645.
	<i>cordifolia. B.M. non DC.</i>						
6	borboniæfolia. DC.	(p.) Borbonia-leav'd.	—	1790.	—	G. h.	
	<i>oppositifolia. B.M. non DC.</i>						
7	grandiflora. B.C.	(pu.) large-flowered.	—	1825.	4. 9.	G. h.	Lodd. bot. cab. 1227.
8	myrtifolia. DC.	(pu.) Myrtle-leaved.	—	1707.	5. 8.	G. h.	Bot. reg. 669.
9	ligularis. DC.	(pu.) ligulate-leaved.	—	1820.	—	G. h.	— 637.
10	intermedia. DC.	(pu.) intermediate.	—		5. 10.	G. h.	
11	bracteolata. DC.	(pu.) spear-leaved.	—	1713.	—	G. h.	Bot. mag. 345.
12	Linkiana.	(pa.) slender-leaved.	—	1820.	—	G. h.	
	<i>tenuifolia. L. en. non w.</i>						
13	umbellata.	(pu.) hispid-stalked.	—	—	—	G. h.	Burm. afr. t. 73. f. 5.
14	Burmanni. DC.	(pu.) Burman's.	—		—	G. h.	— t. 73. f. 4.
15	simplex. DC.	(pu.) simple-stalked.	—	1820.	—	G. h.	
16	affinis. DC.	(pu.) blunt-leaved.	—	1825.	6. 9.	G. h.	
17	speciosa. DC.	(pu.) showy.	—	1814.	—	G. h.	Bot. reg. 150.
18	teretifolia. DC.	(pu.) columnar-ld.	—	1791.	5. 8.	G. h.	Andr. rep. 370.
19	Garcini. DC.	(pu.) slender-branch'd	—		5. 10.	G. h.	Burm. afr. t. 73. f. 3.
20	major. DC.	(pu.) large Austrian.	Austria.	1739.	7. 8.	H. 4.	Jacq. aust. 5. t. 413.
21	vulgaris. DC.	(va.) common.	Britain.		5. 7.	H. 4.	Eng. bot. 76.
	<i>α vera. DC.</i>	(r.b.) true.	—		—	H. 4.	Flor. dan. t. 516.
	<i>β pubescens. DC.</i>	(r.b.) pubescent.	—		—	H. 4.	
	<i>γ elata. DC.</i>	(r.b.) tall.	—		—	H. 4.	Schk. handb. t. 194.
	<i>δ Verviana. DC.</i>	(wh.) white-flowered.	—		—	H. 4.	
	<i>ε acutifolia. DC.</i>	(bl.) blue-flowered.	—		—	H. 4.	
	<i>ζ angustifolia. DC.</i>	(ro.) rose-coloured.	—		—	H. 4.	
	<i>η grandiflora. DC.</i>	(re.) red-flowered.	—		—	H. 4.	
22	amara. DC.	(bl.) bitter.	Europe.	1775.	—	H. 4.	Bot. mag. 2437.
23	monspeliaca. DC.	(fl.) Montpellier.	Montpelier.	1823.	6. 9.	H. 4.	DC. ic. rar. 1. t. 9.
24	incarnata. DC.	(fl.) flesh-coloured.	N. America.	1812.	6. 7.	H. 4.	
25	cruciata. DC.	(ro.) four-leaved.	—	1739.	—	H. 4.	
26	brevifolia. DC.	(re.) short-leaved.	—	1824.	—	H. 4.	
27	fastigiata. DC.	(re.) close-branched.	—	—	—	H. 4.	

28 lutea. DC.	(ye.) golden.	N. America.	1739.	6. 7.	H. ☉.	Pluk. am. t. 438. f. 6.
29 nana. DC.	(gr.) dwarf.	—	1815.	7. 8.	H. ☉.	
30 purpurea. DC.	(ro.) purple.	—	1739.	7. 9.	H. ☉.	
<i>sanguinea</i> . Mich.						
31 sanguinea. DC.	(cr.) bloody.	—	—	—	H. ☉.	
32 ambigua. DC.	(pu.) ambiguous.	—	1824.	6. 7.	H. ☉.	
33 verticillata. DC.	(w.r.) whorl-leaved.	—	1739.	—	H. ☉.	Pluk. am. t. 438. f. 4.
34 paniculata. DC.	(pu.) panicked.	S. America.	1822.	7. 10.	S. ☉.	Bot. reg. 761.
35 graminifolia. DC.	(st.) grass-leaved.	N. America.	—	6. 7.	F. ♀.	
36 alba. N.	(wh.) white-flowered.	Louisiana.	1827.	6. 7.	H. ♀.	
37 rubella. DC.	(re.) reddish.	N. America.	1828.	—	H. ♀.	
38 Sénega. DC.	(bh.) Rattlesnake-rt.	—	1739.	—	H. ♀.	Bot. mag. 1051.
39 paucifolia. DC.	(pu.) naked-stalked.	—	1791.	5. 6.	H. ♀.	— 2852.
40 commutata. DC.	(pu.) frutescent.	—	—	—	H. ♀.	
<i>purpurea</i> . H.K. nec aliorum.						
41 Chamæbuxus. DC.	(w.) Box-leaved.	Europe.	1658.	—	H. ♀.	Bot. mag. 316.
SALOMONIA. DC. SALOMONIA. Monadelphia Tetrandria.						
cantoniensis. DC. (wh.) Canton. China. 1824. 6. 8. H. ☉.						
COMESPERMA. DC. COMESPERMA. Monadelphia Octandria.						
1 ericina. DC.	(pu.) Heath-like.	N. S. W.	1822.	5. 8.	G. ♀.	
2 virgata. DC.	(pu.) twiggy.	—	1826.	—	G. ♀.	Lab. nov. holl. 2. t. 159.
3 coridifolia. F.T.	(pu.) Coris-leaved.	—	1822.	—	G. ♀.	
MURALTIA. DC. MURALTIA. Diadelphia Octandria. L.						
1 Heisteria. DC.	(pu.) Furze-leaved.	C. B. S.	1787.	1. 12.	G. ♀.	Bot. mag. 340.
<i>Polygala Heisteria</i> . B.M.						
2 alopecuroides. DC.	(p.) Fox-tail.	—	1800.	5. 8.	G. ♀.	Bot. mag. 1006.
<i>Polygala alopecuroides</i> . B.M.						
3 squarrosa. DC.	(li.) squarrose.	—	1821.	—	G. ♀.	
4 stipulacea. DC.	(pu.) stipuled.	—	1801.	4. 9.	G. ♀.	Bot. mag. 1715.
5 juniperifolia. DC.	(re.) Juniper-leaved.	—		—	G. ♀.	
6 diffusa. DC.	(li.) diffuse.	—	1800.	1. 12.	G. ♀.	
7 virgata. DC.	(pu.) twiggy.	—	—	—	G. ♀.	
8 linophylla. DC.	(pu.) Flax leaved.	—	1812.	5. 8.	G. ♀.	
9 macroceras. DC.	(pu.) long-horned.	—	—	—	G. ♀.	
10 mixta. DC.	(li.) Heath-leaved.	—	1791.	1. 12.	G. ♀.	Bot. mag. 1714.
<i>Polygala mixta</i> . B.M.						
a rubra.	(li.) pale red.	—	—	—	G. ♀.	
β alba.	(wh.) white-flowered.	—	—	—	G. ♀.	
11 ciliaris. DC.	(li.) ciliated.	—	1822.	5. 7.	G. ♀.	
12 humilis. DC.	(pu.) humble.	—	1817.	5. 8.	G. ♀.	Lodd. bot. cab. 420.
<i>Polygala humilis</i> . B.C.						
13 pubescens. DC.	(li.) pubescent.	—	1823.	—	G. ♀.	
MUNDIA. DC. MUN'DIA. Diadelphia Octandria. L.						
spinosa. DC.	(li.) spiny.	C. B. S.	1780.	1. 5.	G. ♀.	
α latifolia. DC.	(li.) broad-leaved.	—	—	—	G. ♀.	
β angustifolia. DC.	(li.) narrow-leaved.	—	—	—	G. ♀.	
SECURIDACA. DC. SECURIDACA. Diadelphia Octandria. L.						
1 virgata. DC.	(v.) slender.	Jamaica.	1822.		S. ♀. ∪.	Plum. ed. Bur. t. 248. f. 1
2 volubilis. DC.	(re.) climbing.	W. Indies.	1739.		S. ♀. ∪.	Jacq. amer. t. 183. f. 38.
3 erecta. DC.	(pu.) upright.	—	1824		S. ♀.	— t. 183. f. 39.
4 paniculata. DC.	(st.) panicked.	Cayenne.	1820.		S. ♀.	Lam. ill. t. 599. f. 2.

ORDO XXIII.

TREMANDREÆ. DC. prodr. 1. p. 343.

TETRATHECA. DC. TETRATHECA. Octandria Monogynia.						
1 juncæa. DC.	(w.p.) rushy.	N. S. W.	1803.	7. 8.	G. ♀.	Sm. nov. hol. 1. t. 2.
2 glandulosa. DC.	(re.) glandular.	V. Diemen.	1822.	—	G. ♀.	Lab. nov. hol. 1. t. 123.
3 pilosa. DC.	(re.) hairy.	—	—	—	G. ♀.	— 1. t. 122.
<i>glandulosa</i> . Ex. bot. 21.						
4 ericifolia. DC.	(r.w.) Heath-leaved.	N. S. W.	—	—	G. ♀.	Sm. exot. bot. t. 20.
5 rubiæoides. F.T.	(ro.) Rubia-like.	—	1823.	6. 8.	G. ♀.	

ORDO XXIV.

PITTOSPOREÆ. *DC. prodr. 1. p. 345.*

BILLARDIE'RA. DC. APPLE-BERRY. Pentandria Monogynia. L.									
1	scândens. DC.	(st.)	downy-fruited.	N. S. W.	1790.	6. 8.	G. h. ∪.	Swt. fl. aust. t. 54.	
2	mutâbilis. DC.	(p.s.)	changeable.	—	1795.	5. 9.	G. h. ∪.	Bot. mag. 1313.	
3	longiflora. DC.	(st.)	blue-fruited.	V. Diemen.	1810.	—	G. h. ∪.	—	1507.
4	fusiformis. DC.	(bl.)	long-fruited.	—	1822.	—	G. h. ∪.	Lab. nov. holl. t. 90.	
5	angustifolia. DC.	(st.)	narrow-leaved.	N. S. W.	—	—	G. h. ∪.	—	
PITTO'SPORUM. DC. PITTO'SPORUM. Pentandria Monogynia. L.									
1	coriaceum. DC.	(wh.)	thick-leaved.	Madeira.	1787.	5. 6.	G. h.	Andr. rep. 151.	
2	viridiflorum. DC.	(gr.)	green-flowered.	C. B. S.	1806.	—	G. h.	Bot. mag. 1684.	
3	Tobira. DC.	(wh.)	glossy-leaved.	China.	1804.	3. 8.	G. h.	—	1396.
4	undulatum. DC.	(wh.)	wave-leaved.	N. S. W.	1789.	2. 6.	G. h.	Bot. reg. 16.	
5	revolutum. DC.	(st.)	revolute-leaved.	—	1795.	6. 7.	G. h.	—	186.
6	tomentosum. DC.	(st.)	woolly-leaved.	N. Holland.	1825.	6. 7.	G. h.	Swt. fl. aust. t. 33.	
7	fûlrum. DC.	(st.)	tawny.	N. S. W.	1824.	1. 5.	G. h.	—	t. 25.
8	tenuifolium. G.	(st.)	Willow-leaved.	—	1818.	—	G. h.	Gært. fr. 1. t. 59.	
9	ferrugineum. DC.	(st.)	rusty-leaved.	Guinea.	1787.	2. 5.	S. h.	Bot. mag. 2075.	
BURSARIA. DC. BURSARIA. Pentandria Monogynia. L.									
	spinosa. DC.	(wh.)	thorny.	N. S. W.	1793.	8. 12.	G. h.	Bot., mag. 1767.	
<i>Itea spinosa</i> . And. rep. t. 314.									
SENACIA. DC. SENACIA. Pentandria Monogynia. L.									
1	undulata. DC.	(wh.)	wave-leaved.	Mauritius.	1785.		S. h.	—	
2	nepalensis. DC.	(wh.)	flat-leaved.	Nepaul.	1826.		G. h.	—	

ORDO XXV.

FRANKENIACEÆ. *DC. prodr. 1. p. 349.*

FRANKENIA. DC. SEA HEATH. Hexandria Monogynia. L.									
1	pulverulenta. DC.	(re.)	powdery.	England.		7.	H. 2.	Eng. bot. 2222.	
2	nodiflora. DC.	(re.)	knotted-flow'r'd.	C. B. S.	1818.	6. 8.	G. 2.	Lam. ill. t. 262. f. 4.	
3	Nôthria. DC.	(re.)	Cape.	—	1816.	—	G. 2.	Berg. cap. 171. t. 1. f. 2.	
	<i>Nôthria repens</i> . Berg.								
4	lævis. DC.	(re.)	smooth.	England.		7. 8.	H. 2.	Eng. bot. 205.	
5	intermedia. DC.	(re.)	sea-side.	S. Europe.	1820.	6. 8.	H. 2.	Mich. gen. t. 22. f. 2.	
	<i>hirsuta</i> . var. <i>calábrica</i> . L.								
6	hispida. DC.	(re.)	hairy.	Siberia.	1789.	—	H. 2.	Flor. græc. t. 313.	
	<i>hirsuta</i> . var. <i>crética</i> . L.								
7	ericifolia. DC.	(re.)	Heath-leaved.	Canaries.	1815.	—	G. h.	—	
8	pauciflora. DC.	(ro.)	few-flowered.	N. Holland.	1825.	8. 10.	G. h.	—	

ORDO XXVI.

CARYOPHYLLÆ. *DC. prodr. 1. p. 351.*Tribus I. *SILENEÆ. DC.*

GYPSO'PHILA. DC. GYPSO'PHILA. Decandria Digynia. L.									
1	Struthium. DC.	(wh.)	fleshy-leaved.	Spain.	1729.	7. 8.	H. 2.	Barr. ic. 64. t. 119.	
2	fastigiata. DC.	(wh.)	angular-leaved.	Europe.	1759.	6. 7.	H. 2.	Gmel. sib. 4. t. 61. f. 1.	
3	dichotoma. DC.	(wh.)	forked.	Galicia.	1826.	6. 8.	H. 2.	—	
4	arenaria. DC.	(wh.)	sand.	Hungary.	1801.	7. 8.	H. 2.	W. et. K. hung. t. 41.	
5	viscosa. DC.	(bh.)	clammy.	Levant.	1773.	6. 8.	H. 2.	Mur. c. got. 1783. t. 3.	
6	altissima. DC.	(wh.)	upright.	Siberia.	1759.	7. 8.	H. 2.	Gmel. sib. 4. t. 60.	
7	latifolia. F.	(wh.)	broad-leaved.	—	1824.	6. 9.	H. 2.	—	

8	perfoliata. DC. (wh.)	perfoliate.	Spain.	1732.	6. 9.	H. 2.	Dill. elt. t. 276.
	<i>β tomentosa</i> . DC. (wh.)	woolly.	Tauria.	—	—	H. 2.	Barr. ic. t. 1002.
9	scorzonerifolia. DC. (w.)	Scorzonera-ld.	—	1823.	—	H. 2.	
10	acutifolia. DC. (wh.)	sharp-leaved.	Caucasus.	1821.	—	H. 2.	
11	paniculata. DC. (wh.)	panicked.	Siberia.	1759.	6. 7.	H. 2.	Jacq. aust. 5. t. app. 1
12	adscendens. DC. (wh.)	ascending.	Levant.	1819.	—	H. 2.	Jacq. h. vind. 2. t. 138.
13	elegans. DC. (bh.)	elegant.	Tauria.	1820.	6. 8.	H. 2.	Swt. br. fl. gar.
14	Stevèni. DC. (wh.)	Steven's.	Iberia.	1817.	—	H. 2.	
15	tenuifolia. DC. (ro.)	slender-leaved.	Caucasus.	1824.	—	H. 2.	
16	repens. DC. (wh.)	creeping.	Pyrenees.	1774.	7. 9.	H. 2.	Bot. mag. 1448.
17	dubia. DC. (wh.)	doubtful.		1815.	5. 9.	H. 2.	
18	prostrata. DC. (bh.)	trailing.	Siberia.	1759.	7. 9.	H. 2.	Bot. mag. 1281.
19	murâlis. DC. (li.)	wall.	Europe.	1739.	6. 10.	H. 2.	Flor. græc. t. 381.
20	serotina. W. en. (wh.)	late-flowering.	Magdeburg.	1816.	—	H. 2.	
21	glomerata. DC. (wh.)	round-headed.	Tauria.	1804.	6. 7.	H. 2.	
22	saxifraga. DC. (bh.)	small.	Germany.	1774.	7. 8.	H. 2.	Exot. bot. 2. t. 90.
23	rigida. L. (li.)	rigid.	France.	1769.	6. 8.	H. 2.	Flor. græc. t. 382.
DIANTHUS. DC.		PINK. Decandria Digynia.	L.	—	—	—	
1	prolifer. DC. (ro.)	proliferous.	England.		7. 8.	H. 2.	Eng. bot. 956.
2	diminutus. W. (ro.)	small-flowered.	S. Europe.	1771.	—	H. 2.	
3	Arméria. DC. (re.)	Deptford.	England.		7. 9.	H. 2.	Eng. bot. 317.
4	pseudo-arméria. (re.)	canescent.	Tauria.	1820.	—	H. 2.	Bot. mag. 2288.
5	armerioides. DC. (re.)	Thrift-like.	New Jersey.	—	—	H. 2.	
6	barbatus. DC. (va.)	Sweet-William.	Germany.	1573.	6. 7.	H. 2.	Bot. mag. 207. 206
	<i>β flore pleno</i> . (va.)	double.	—	—	—	H. 2.	
7	latifolius. DC. (cr.)	broad-leaved.			5. 11.	H. 2.	Swt. br. fl. gar. t. 2.
8	aggregatus. DC. (re.)	clustered.		1820.	6. 8.	H. 2.	
9	japonicus. DC. (re.)	Japanese.	China.	1804.	6. 10.	F. 2.	Thunb. jap. t. 23.
10	cephalotes. DC. (re.)	close-headed.			6. 9.	H. 2.	
11	capitatus. DC. (re.)	headed.	Tauria.	1794.	6. 7.	H. 2.	
12	polymorphus. DC. (re.)	variable.	—	1820.	6. 8.	H. 2.	
13	diutinus. L. en. (re.)	pedicled.	Hungary.	—	—	H. 2.	Swt. br. fl. gar.
14	Balbisii. DC. (re.)	Balbis's.	Genoa.	1827.	7. 10.	H. 2.	Swt. br. fl. gar.
<i>glaucophyllus</i> . H.							
15	giganteus. DC. (re.)	gigantic.	Bulgaria.	—	6. 10.	H. 2.	Swt. br. fl. gar. 288.
16	ferrugineus. DC. (st.)	rusty.	Pyrenees.	1756.	7. 9.	H. 2.	Barr. ic. t. 497.
17	Carthusianorum. DC. (re.)	Carthusian.	Europe.	1573.	—	H. 2.	Flor. græc. t. 392.
18	atrorubens. All. (re.)	dark-red.	Italy.	1802.	—	H. 2.	Jacq. ic. 3. t. 467.
19	nânus. (cr.)	dwarf.	Switzerland.	1820.	—	H. 2.	
<i>Carthusianorum γ nanus</i> . DC.							
20	arbores. DC. (re.)	arborescent.	Crete.	—	—	F. 2.	Flor. græc. t. 406.
21	juniperinus. DC. (re.)	Juniper-leaved.	Greece.	1825.	—	F. 2.	
22	fruticôsus. DC. (re.)	frutescent.	Crete.	1815.	6. 9.	F. 2.	Flor. græc. t. 407.
23	suffruticôsus. DC. (re.)	shrubby.		1804.	6. 7.	F. 2.	
24	rupicola. DC. (ro.)	Sicilian.	Sicily.	1825.	6. 8.	H. 2.	Ten. fl. napol. t. 39.
<i>Bisignani</i> . T.							
25	carolinianus. DC. (re.)	Carolina.	N. America.	1811.	6. 9.	F. 2.	
26	caryophylloides. DC. (re.)	Clove-like.		1827.	—	H. 2.	
27	âsper. W. en. (re.)	rough-stalked.	Switzerland.	1802.	7. 8.	H. 2.	
28	collinus. W. en. (re.)	hill.	Hungary.	1800.	7. 9.	H. 2.	Parad. lond. 62.
29	umbellatus. DC. (re.)	umbelled.		1825.	—	H. 2.	
30	campêstris. DC. (re.)	field.	Tauria.	1815.	7. 8.	H. 2.	Bot. mag. 1876.
31	alpêstris. DC. (re.)	pasture.	—	1820.	—	H. 2.	Balb. act. taur. 7. t. 1.
32	nîtidus. DC. (re.)	glossy.	Hungary.	1821.	6. 8.	H. 2.	W. et K. hung. 2. t. 191.
33	hirtus. DC. (re.)	hairy.	Dauphiny.	—	—	H. 2.	Vill. delph. 3. t. 46.
34	guttatus. DC. (pu.)	spotted.	Caucasus.	1816.	7. 9.	H. 2.	
35	versicolor. DC. (s.r.)	various-colour'd	Russia.	1821.	—	H. 2.	
36	pratensis. DC. (st.)	meadow.	Tauria.	—	6. 8.	H. 2.	
<i>ochroleucus</i> . L. en. non P. s. tataricus. F.							
37	chinensis. DC. (va.)	China.	China.	1713.	7. 9.	H. 2.	Bot. mag. 28.
	<i>β flore pleno</i> . (va.)	double-flowered.	—		—	H. 2.	
38	montânus. DC. (pu.)	mountain.	Caucasus.	1803.	6. 9.	H. 2.	Bot. mag. t. 1162.
<i>discolor</i> . B. M.							
39	ochroleucus. DC. (st.)	straw-coloured.	Levant.	1821.	—	H. 2.	
40	Caryophyllus. DC. (va.)	Clove.	England.		6. 8.	H. 2.	Eng. bot. 214.
	<i>β multiplêx</i> . (cr.)	double Clove.			—	H. 2.	
	<i>γ rubro-cinctus</i> . (wh.)	Hogg's Beauty of Middlesex	Picotee.	—	—	H. 2.	Swt. flor. guid. 70.
	<i>δ inimitabilis</i> . (w.c.)	Hird's Inimitable	Picotee.		—	H. 2.	t. 80.
	<i>ε striatulus</i> . (y.r.)	Rosalie de Rohan	Picotee.		—	H. 2.	t. 23.

ζ	purpureo-clinctus. (y.p.)	Erasmus Picotee.		6. 8.	H. 2.	Swt. flor. guid. 59.
η	Clintoniæ. (r.w.)	Hufton's Dutchess of Newcastle Carnation.	H. 2.	—	—	t. 14.
θ	triumphans. (p.w.)	Pardoe's Ace of Trumps Carnation.	H. 2.	—	—	t. 36.
ι	caruleo-purpureus. (p.w.)	Cordon Bleu Carnation.	H. 2.	—	—	t. 64.
κ	Franklini. (r.p.w.)	Franklin's Queen of Hearts Carnation.	H. 2.	—	—	t. 20.
λ	puellulus. (c.r.w.)	Pucelle de Gand Carnation.	H. 2.	—	—	t. 67.
μ	Leopoldi. (c.p.w.)	Ives's Prince Leopold Carnation.	H. 2.	—	—	t. 31.
ν	iricolor. (c.p.w.)	Cartwright's Rainbow Carnation.	H. 2.	—	—	t. 9.
ξ	Bacchus. (s.p.w.)	Davey's Bacchus Carnation.	H. 2.	—	—	t. 44.
ο	Tarrara. (s.p.w.)	Hall's Tarrara Carnation.	H. 2.	—	—	t. 21.
π	pulchella. (s.p.w.)	Franklin's Tartar Carnation.	H. 2.	—	—	Bot. mag. 39.
ρ	fruticōsus. (va.)	tree-Carnation.	H. 2.	—	—	—
	imbricatus. (d.r.)	Wheat-ear.	H. 2.	—	—	Bot. mag. 1622.
41	sylvēstris. (re.)	short-scaled. Jurassa.		6. 7.	H. 2.	Jacq. ic. rar. t. 82.
	virgineus. B.M. 1740.	non L.	—	—	—	—
42	longicaulis. DC. (re.)	long-stalked. Naples.	1824.	—	H. 2.	—
43	monadēlphus. DC. (wh.)	procumbent. Levant.		—	H. 2.	Vent. h. cels. t. 39.
	procumbens. P.S.	—	—	—	—	—
44	suavēolens. DC. (sp.)	sweet-scented.	1823.	—	H. 2.	—
45	Poiretiani. DC. (pu.)	Poiret's.		—	H. 2.	—
	β flore-plēno. (pu.)	double-flowering.		—	H. 2.	—
46	Liboschitziani. DC.	Armenian.	1823.	6. 8.	H. 2.	—
	petræus. M.B. non DC.	—	—	—	—	—
47	sylvaticus. DC. (cr.)	wood. Ratisbon.	1815.	—	H. 2.	—
48	arbuscula. B.R. (re.)	China tree. China.	1824.	7. 10.	H. 2.	Bot. reg. 1086.
49	pomeridianus. DC. (st.)	afternoon. Palestine.	1804.	—	H. 2.	Parad. lond. 57.
50	leptopetalus. DC. (wh.)	narrow-petaled. Caucasus.	1814.	—	H. 2.	Bot. mag. 1739.
51	pungens. DC. (wh.)	pungent. Spain.	1781.	8. 10.	H. 2.	—
52	bicolor. DC. (w.p.)	two-coloured. Tauria.	1818.	6. 8.	H. 2.	—
53	furcatus. DC. (fl.)	forked. Piedmont.	1820.	—	H. 2.	Balb. act taur. 7. f. 2.
54	virginæus. DC. (re.)	virgin. Montpelier.	1732.	—	H. 2.	Dill. elt. 401. t. 385?
55	deltoides. DC. (re.)	maiden. Britain.		6. 10	H. 2.	Eng. bot. 61.
56	glāucus. L. (wh.)	glaucous.		—	H. 2.	—
57	crenatus. B.R. (wh.)	long-cupped. C. B. S.	1817.	8.	G. 2.	Bot. reg. 256.
58	rigidus. DC. (pa.)	rigid. Tauria.	1802.	6. 10.	H. 2.	—
59	clavatus. DC. (fl.)	clubbed.	1824.	6. 8.	H. 2.	—
60	suavis. DC. (fl.)	sweet.	1820.	6. 7.	H. 2.	—
61	repens. DC. (re.)	creeping. Siberia.	1825.	—	H. 2.	—
62	cæsius. DC. (re.)	tufted. Britain.		—	H. 2.	Eng. bot. 62.
63	alpinus. DC. (re.)	Alpine. Austria.	1759.	—	H. 2.	Bot. mag. 1205.
64	glaciālis. DC. (re.)	acute-leaved. France.	1820.	—	H. 2.	—
65	ēlegans. DC. (re.)	elegant. Levant.	1825.	—	F. 2.	—
66	multipunctatus. DC. (sp.)	spotted.		6. 9.	F. 2.	—
67	Hornemanni. DC. (fl.)	Horneman's. Italy.	1822.	6. 7.	H. 2.	—
68	Sternbergii. DC. (re.)	Sternberg's.	1825.	—	F. 2.	—
69	petræus. DC. (wh.)	rock. Hungary.	1804.	7. 8.	H. 2.	W. et. K. hung. 3. t. 222.
	β Simsii. (wh.)	Sims's.		—	H. 2.	Bot. mag. 1204.
70	ibericus. DC. (pu.)	Iberian. Iberia.	1820.	6. 8.	H. 2.	—
	Willdenowii. L. en.	—	—	—	—	—
71	ruthenicus. DC. (re.)	Russian. Russia.	—	—	H. 2.	—
72	dentosus. F. (re.)	toothed. Siberia.	1826.	—	H. 2.	—
73	Buchtormensis. F. (re.)	Buchtormian. Russia.	—	—	H. 2.	—
74	gallicus. DC. (wh.)	French. France.		—	H. 2.	DC. ic. gall. rar. t. 41.
75	albens. DC. (wh.)	white Cape. C. B. S.	1787.	8.	G. 2.	—
76	serrulatus. DC. (ro.)	serrulate. Tunis.	1826.	—	H. 2.	—
77	pulchellus. P.S. (re.)	pretty.		—	H. 2.	—
78	dubius. H. (w.p.)	doubtful.		5. 6.	H. 2.	—
	præcox. W. en.	—	—	—	—	—
79	plumarius. DC. (wh.)	common. Europe.	1629.	6. 8.	H. 2.	—
	β herōicus. (w.p.)	Styles's Hero Pink.		—	H. 2.	Swt. flor. guid. 17.
	γ Cheeseanus. (w.p.)	Cheese's Miss Cheese.		—	H. 2.	t. 13.
	δ Houseanus. (w.p.)	House's Woodland Beauty.		—	H. 2.	t. 47.
	ε Uxbridgeanus. (w.r.)	Dry's Earl of Uxbridge.		—	H. 2.	t. 55.
	ζ Aclandæ. (w.p.)	Knight's Lady Acland.		—	H. 2.	t. 40.
	η inclytus. (w.p.)	Smith's Champion.		—	H. 2.	t. 27.
	θ Barratti. (w.p.)	Barratt's Conqueror.		—	H. 2.	t. 32.
	ι regalis. (w.p.)	Davey's Roi de pourpre.		—	H. 2.	t. 33.
80	adulterinus. (f.p.)	hybrid. Hybrid.		—	H. 2.	—
	β Julietti. (f.p.)	Davey's Juliet.		—	H. 2.	Swt. flor. guid. 8.

81	Penry'næ.	(pu.)	Lady Penryn's.	Hybrid.		6. 8.	H. 2.		
	<i>β purpureus.</i>	(pu.)	Davey's Lady Penryn.	—		—	H. 2.		Swt. flor. guid. 41.
82	hortensis. W.en.	(wh.)	garden.	Europe.	1805.	6. 8.	H. 2.		
83	caucæus. DC.	(re.)	Caucasean.	Caucasus.	1803.	6. 9.	H. 2.		Bot. mag. 795.
84	saxatilis. DC.	(wh.)	rock.	France.		—	H. 2.		
85	squarrosus. DC.	(wh.)	squarrose.	Tauria.	1823.	6. 8.	H. 2.		Bieb. cent. 1. t. 33.
86	Mussini. DC.	(wh.)	Mussin's.	Caucasus.	1825.	—	H. 2.		
87	fragrans. B.M.	(wh.)	fragrant.	—	1804.	6. 7.	H. 2.		Bot. mag. 2067.
88	punctatus. DC.	(sp.)	spot-flowered.		1825.	—	H. 2.		Lodd. bot. cab. 896.
89	serotinus. DC.	(wh.)	late-flowering.	Hungary.	1804.	7. 8.	H. 2.		W. et K. hung. 2. t. 172.
90	arenarius. DC.	(wh.)	sand.	N. Europe.		8.	H. 2.		Bot. mag. 2038.
91	prostratus. DC.	(re.)	prostrate.	C. B. S.		8. 9.	G. 2.		Jacq. schœnb. 3. t. 271.
92	fimbriatus. DC.	(re.)	fringed.	Iberia.	1802.	6. 8.	H. 2.		Bot. mag. 1069.
93	monspessulanus. DC.	(re.)	Montpelier.	Pyrenees.	1764.	7. 8.	H. 2.		
94	erubescens. Tr.	(bh.)	blush-flowered.		1825.	—	H. 2.		
95	superbus. DC.	(re.)	superb.	Europe.	1596.	7. 9.	H. 2.		Bot. mag. 297.
96	Fischeri. DC.	(re.)	Fischer's.	Russia.	1826.	6. 8.	H. 2.		Swt. br. fl. gar. 245.
VACCARIA. Dod. VACCARIA. Decandria Digynia.									
1	sessilifolia. (re.)	sessile-leaved.	Europe.	1596.	7. 8.	H. 2.	⊙.		Flor. græc. t. 380.
	<i>Saponaria Vaccaria.</i>	B.M. 2290.	<i>Gypsophila Vaccaria.</i>	F.G.					
2	perfoliata. (re.)	perfoliate.	E. Indies.	1820.	—	H. 2.	⊙.		
	<i>Saponaria perfoliata.</i>	DC.							
SAPONARIA. DC. SOAPWORT. Decandria Digynia. L.									
1	officinalis. DC.	(bh.)	common.	England.		7. 10.	H. 2.		Eng. bot. t. 1060.
	<i>β flore pleno.</i>	(bh.)	double-flowered.			—	H. 2.		
2	ocymoides. DC.	(ro.)	Basil-leaved.	Europe.	1768.	5. 7.	H. 2.		Bot. mag. 154.
3	glutinosa. DC.	(re.)	small-flowered.	Tauria.	1823.	—	H. 2.		— 2855.
4	porrigens. DC.	(bh.)	hairy.	Levant.	1680.	7. 8.	H. 2.	⊙.	Jacq. vind. 2. t. 109.
5	orientalis. DC.	(re.)	small annual.	—	1732.	6. 8.	H. 2.	⊙.	Dill. elt. t. 167. f. 204.
6	depressa. DC.	(ro.)	depressed.	Sicily.	1828.	—	H. 2.		Biv. Bon. t. 163. f. 1.
7	caespitosa. DC.	(ro.)	tufted.	Pyrenees.	1827.	—	H. 2.		
8	Smithii. DC.	(re.)	Smith's.	Levant.	1828.	—	F. 2.		Flor. græc. t. 389.
	<i>caespitosa.</i>	F.G. non DC.							
9	lutea. DC.	(ye.)	yellow.	Switzerland.	1804.	—	H. 2.		All. ped. t. 23. f. 1.
10	bellidifolia. DC.	(ye.)	Daisy-leaved.	Italy.		—	H. 2.		Smith spic. t. 5.
CUCUBALUS. DC. CAMPION. Decandria Trigynia. L.									
	bacciferus. DC.	(gr.)	berry-bearing.	England.		6. 7.	H. 2.		Eng. bot. 1577.
SILENE. DC. CATCHFLY. Decandria Trigynia. L.									
1	acaulis. DC.	(re.)	stemless.	Britain.		6. 8.	H. 2.		Eng. bot. 1081.
	<i>β alba.</i>	(wh.)	white-flowered.	—		—	H. 2.		
2	pumilio. DC.	(pu.)	dense.	Germany.	1823.	—	H. 2.		Stur. deut. 1. fas. 22. t. 11.
3	fimbriata. DC.	(wh.)	fringe-flower'd.	Crete.	1803.	5. 8.	H. 2.		Bot. mag. 908.
4	læca. DC.	(wh.)	jagged-flower'd.	Caucasus.	1818.	—	H. 2.		— 2255.
5	stellata. DC.	(wh.)	four-leaved.	N. America.	1696.	6. 8.	H. 2.		— 1107.
6	inflata. DC.	(wh.)	bladder.	Britain.		5. 9.	H. 2.		Eng. bot. 164.
	<i>Cucubalus Behen.</i>	E.B.							
7	linearis. (wh.)	linear-leaved.	Naples.	1820.	—	H. 2.			Ten. flor. nap. t. 37.
	<i>Cucubalus angustifolius.</i>	T.N.							
8	Willdenowii. (wh.)	Willdenow's.	S. Europe.	—	—	H. 2.			
	<i>Cucubalus glaucus.</i>	W. en. supp.							
9	maritima. E.B.	(wh.)	sea.	Britain.		8. 9.	H. 2.		Eng. bot. 957.
10	fabaria. H.K.	(wh.)	thick-leaved.	Sicily.	1731.	6. 8.	F. 2.		Flor. græc. t. 415.
11	Behen. DC.	(bh.)	Cretan.	Crete.	1713.	6. 7.	H. 2.	⊙.	— t. 416.
12	indica. DC.	(pu.)	Indian.	Nepaul.	1824.	—	F. 2.		
13	viscaginoides. DC.	(w.)	Viscago-like.	Dahuria.	1826.	—	H. 2.		
14	procumbens. DC.	(wh.)	procumbent.	Siberia.	1820.	—	H. 2.		Murr. c. goet. p. 83. t. 2.
15	rubella. DC.	(re.)	small red.	Portugal.	1732.	5. 6.	H. 2.	⊙.	Flor. græc. t. 426.
16	apetala. DC.	(gr.)	petalless.	Spain.	1801.	6. 7.	H. 2.	⊙.	
17	spergulifolia. DC.	(wh.)	Spurry-like.	Armenia.	1824.	—	F. 2.		Desf. cor. Tourn. t. 55.
18	Gypsophila. DC.	(wh.)	Gypsophila-like.			—	H. 2.		
19	angustifolia. DC.	(wh.)	narrow-leaved.	Caucasus.	1824.	—	H. 2.		
20	Otites. DC.	(st.)	Spanish.	England.		7. 8.	H. 2.		Eng. bot. 85.
	<i>Cucubalus Otites.</i>	E.B.							
21	wolgensis. DC.	(wh.)	Wolga.	Wolga.	1821.	6. 8.	H. 2.		
22	parviflora. DC.	(st.)	small-flowered.	Hungary.	1796.	—	H. 2.		
23	effusa. DC.	(st.)	spreading.	Wolga.	1821.	—	H. 2.		
24	sibirica. DC.	(wh.)	Siberian.	Siberia.	1773.	—	H. 2.		Hall. g. 1. p. 150. ic.
25	multiflora. DC.	(wh.)	many-flowered.	Hungary.	1794.	—	H. 2.		W. et K. hung. 1. t. 56.
26	ruthénica. DC.	(wh.)	Russian.	Russia.	1827.	—	H. 2.		

27	staticifolia. DC.	(wh.)	Statice-leaved.	Levant.	1828.	6. 8.	H. ♀.	Flor. græc. t. 434.
28	tatarica. DC.	(wh.)	Tartarian.	Tartary.	1769.	—	H. ♀.	
29	gigantea. DC.	(wh.)	gigantic.	Africa.	1738.	—	G. ♀.	Flor. græc. t. 432.
30	viscosa. DC.	(wh.)	clammy.	Levant.	1739.	7.	H. ♂.	Tourn. it. 2. p. 361. ic.
31	conica. DC.	(fl.)	corn	England.		6. 7.	H. ○.	Eng. bot. 922.
32	conoides. DC.	(pu.)	conoid.	S. Europe.	1683.	—	H. ○.	Clus. his. 1. p. 288. f. 2.
33	undulata. DC.	(re.)	wave-leaved.	C. B. S.	1775.	8.	G. ♂.	
34	anglica. DC.	(wh.)	English.	England.		6. 7.	H. ○.	Eng. bot. 1178.
35	lusitana. DC.	(fl.)	Portugal.	Portugal.	1732.	—	H. ○.	Dill. elt. t. 311. f. 401.
36	tridentata. DC.	(ro.)	three-toothed.	Spain.	1824.	—	H. ○.	
37	gallica. DC.	(fl.)	French.	France.	1683.	5. 6.	H. ○.	Vail. par. t. 16. f. 12.
38	ocymoides. DC.	(pu.)	Basil-like.		1819.	6. 7.	H. ○.	
39	distic' a. DC.	(ro.)	two-ranked.		1817.	—	H. ○.	Schrank. pl. rar. t. 39.
40	cerastoides. DC.	(re.)	Cerastium-like.	S. Europe.	1732.	7. 8.	H. ○.	Flor. græc. t. 412.
41	quinquevulnera. DC.	(p.w.)	variegated.	England.		6. 8.	H. ○.	Eng. bot. 86.
42	nocturna. DC.	(w.re.)	spiked.	S. Europe.	1683.	—	H. ○.	Flor. græc. t. 408.
43	reflexa. H.K.	(wh.)	reflexed.		1726.	—	H. ○.	Magn. h. mons. 171. ic.
44	mutabilis. H.K.	(bh.)	changeable.		1688.	—	H. ○.	
45	micropetala. DC.	(re.)	small-petaled.	Chili.	1822.	6. 7.	H. ○.	
46	micrantha. DC.	(re.)	small-blossomed.	Portugal.	1825.	—	H. ○.	
47	hirsuta. Lag.	(re.)	hairy.		1824.	—	H. ○.	
	<i>hirsutissimum. Lk.</i>		<i>hirsutissimum. DC.</i>					
48	canescens. DC.	(re.)	canescent.	Naples.	1823.	6. 8.	H. ♀.	Ten. fl. nap. 1. t. 39.
49	decumbens. DC.	(wh.)	decumbent.	S. Europe.	1828.	—	H. ○.	
50	diffusa. DC.	(fl.)	diffuse.	Italy.	1825.	—	H. ♀.	
51	divaricata. F.G.	(wh.)	divaricate.	Levant.	1827.	—	H. ♂.	Flor. græc. t. 414.
	<i>racemosa. DC.</i>							
52	dichotoma. DC.	(wh.)	dichotomous.	Hungary.	1791.	—	H. ○.	Flor. græc. t. 413.
53	nyctantha. DC.	(st.)	various-leaved.		1815.	6. 8.	H. ○.	
54	trinervia. DC.	(re.)	three-nerved.	Rome.	1821.	—	H. ○.	
55	bellidifolia. DC.	(re.)	Daisy-leaved.		1794.	—	H. ○.	Jacq. vind. 3. t. 81.
56	vespertina. DC.	(re.)	evening.	Barbary.	1796.	7. 8.	H. ○.	Swt. br. fl. gar. 58.
	<i>bipartita. Desf. atl. 1. t. 100.</i>							
57	obtusifolia. DC.	(re.)	blunt-leaved.		1823.	6. 8.	H. ○.	
58	colorata. DC.	(fl.)	coloured.		1804.	—	H. ○.	
59	crassifolia. DC.	(br.)	thick-leaved.	C. B. S.	1774.	7. 8.	G. ♂.	
60	gracilis. DC.	(wh.)	slender.		1823.	6. 8.	H. ○.	
61	jeniseensis. DC.	(st.)	two-coloured.	Siberia.	1817.	6. 7.	H. ♀.	
62	ciliata. DC.	(pu.)	ciliated.	Crete.	1804.	—	H. ○.	
63	pendula. DC.	(re.)	pendulous.	Sicily.	1731.	5. 7.	H. ○.	Bot. mag. 114.
64	longicaulis. DC.	(wh.)	long-stalked.	Spain.	1818.	6. 7.	H. ○.	
65	secundiflora. DC.	(wh.)	side-flowered.		—	—	H. ○.	
66	viscosissima. DC.	(wh.)	viscous.	Naples.	1822.	—	H. ○.	
67	quadridentata. DC.	(w.)	four-toothed.	Italy.	1783.	5. 6.	H. ○.	Jacq. aust. 2. t. 120.
	<i>Lychnis quadridentata. w.</i>							
68	pusilla. W.en.	(wh.)	dwarf.	Hungary.	1804.	6. 7.	H. ♀.	W. et K. hung. 3. t. 212.
69	alpestris. DC.	(wh.)	Austrian.	Austria.	1774.	5. 7.	H. ♀.	Jacq. aust. 1. t. 96.
70	rupéstris. DC.	(re.)	rock.	Switzerland.	—	—	H. ♀.	Flor. dan. 4.
71	glaucofolia. DC.	(bh.)	glaucous-leav'd.	Spain.	1823.	—	H. ♀.	
72	inaperta. DC.	(st.)	unopen-flow'r'd.	S. Europe.	1732.	6. 7.	H. ♀.	Flor. græc. t. 420.
73	clandestina. DC.	(w.p.)	hidden-flower'd.	C. B. S.	1801.	—	H. ○.	Jacq. col. sup. t. 3. f. 3.
74	portensis. W.	(pu.)	Oporto.	Portugal.	1759.	7. 8.	H. ○.	
75	antirrhina. DC.	(wh.)	Snap-dragon.	Virginia.	1732.	6. 7.	H. ○.	Dill. elt. t. 313. f. 403.
76	geminiflora. DC.	(pu.)	twin-flowered.		1816.		H. ○.	
77	flavescens. DC.	(st.)	yellowish.	Hungary.	1804.	—	H. ♀.	W. et K. hung. 2. t. 175.
78	linoides.	(st.)	Flax-like.		1817.	7. 8.	H. ○.	
	<i>linifolia. DC. non Flor. græc.</i>							
79	linifolia. F.G.	(fl.)	Flax-leaved.	Levant.	1828.	6. 8.	H. ♀.	Flor. græc. t. 433.
80	cretica. DC.	(re.)	Candian.	Candia.	1732.	5. 8.	H. ○.	— t. 422.
81	sedoides. DC.	(re.)	Sedum-like.	Crete.	1804.	6. 8.	H. ○.	— t. 425.
82	sicula. Cyr.	(ro.)	Sicilian.	S. Europe.	1825.	—	H. ○.	
	<i>divaricata. DC. non Flor. græc.</i>							
83	Saxifraga. DC.	(w.br.)	Saxifrage.	S. Europe.	1640.	—	H. ♀.	Lodd. bot. cab. 454.
84	petraea. DC.	(wh.)	fine-toothed.	Hungary.	1806.	—	H. ♀.	W. et K. hung. 2. t. 164.
85	campanula. DC.	(wh.)	bell-flowered.	Piedmont.	1822.	—	H. ♀.	All. auct. p. 28. t. 1. f. 3.
86	longipetala. DC.	(g.st.)	long-petaled.	Aleppo.	—	—	H. ○.	Flor. græc. t. 419.
87	nütans. E.B.	(wh.)	Nottingham.	England.		6. 7.	H. ♀.	Eng. bot. 465.
88	infracta. W.K.	(wh.)	smooth.	Hungary.	1816.	—	H. ♀.	W. et K. hung. 3. t. 213.
89	latifolia. H.	(wh.)	broad-leaved.	Europe.	1825.	—	H. ♀.	

90 saxatilis. B.M.	(st.)	stone.	Siberia.	1800.	6. 7.	H. 2.	Bot. mag. 689.
91 livida. W. en. (w.br.)		livid.	Carniola.	1816.	—	H. 2.	
92 tenuis. DC.	(st.)	slender.	Siberia.	—	—	H. 2.	
93 quadrifida. DC.	(wh.)	four-cleft.	Italy.	1820.	—	H. 2.	
94 viridiflora. DC.	(gr.)	green-flowered.	Portugal.	1739.	—	H. 2.	Herm. parad. t. 199.
95 chlorantha. DC.	(st.)	pale-flowered.	Germany.	1732.	6. 8.	H. 2.	Dill. elt. t. 316. f. 408.
96 psammitis. DC.	(st.)	sulphur-colour'd.	—	1820.	—	H. 2.	
97 nicaeensis. DC.	(w.p.)	villous-clammy.	S. Europe.	—	—	H. 2.	All. ped. t. 44. f. 2.
98 catholica. DC.	(wh.)	panicle.	Italy.	1711.	7. 9.	H. 2.	Jacq. vind. 1. t. 59.
99 Mussini. H.	(wh.)	Mussin's.	Russia.	1824.	—	H. 2.	
100 diversifolia. DC.	(wh.)	various-leaved.	—	1820.	—	H. 2.	
101 repens. DC.	(wh.)	creeping.	Siberia.	1806.	7. 8.	H. 2.	
102 glauca. DC.	(pu.)	glaucous-leav'd.	—	1824.	—	H. 2.	
103 tenuifolia. DC.	(pu.)	slender-leaved.	Dahuria.	1820.	—	H. 2.	
104 virginica. DC.	(re.)	Virginian.	Virginia.	1783.	5. 8.	H. 2.	Pluk. alm. t. 203. f. 1.
105 Catesb'ae. DC.	(cr.)	Catesby's.	Carolina.	—	—	H. 2.	Catesb. car. 54. ic.
106 stricta. DC.	(re.)	upright.	Spain.	1802.	6. 7.	H. 2.	
107 Muscipula. DC.	(re.)	Spanish.	—	1596.	7. 8.	H. 2.	Clus. hist. 1. p. 289. f. 1.
108 noctiflora. DC.	(fl.)	night-flowering.	England.	—	7.	H. 2.	Eng. bot. 291.
109 ornata. DC.	(cr.)	dark-coloured.	C. B. S.	1775.	5. 9.	G. 2.	Bot. mag. 382.
110 corsica. DC.	(st.)	Corsican.	Corsica.	1825.	6. 8.	H. 2.	Bocc. mus. t. 54.
111 ægyptiaca. DC.	(fl.)	Egyptian.	Egypt.	1800.	7. 8.	G. 2.	
112 sericea. DC.	(fl.)	silky.	Corsica.	1801.	6. 8.	H. 2.	All. ped. t. 79. f. 3.
113 picta. DC.	(w.p.)	painted.	Mt. Carmel.	1818.	7. 9.	H. 2.	Swt. br. fl. gar. 92.
114 bicolor. DC.	(w.p.)	two-coloured.	France.	—	6. 8.	H. 2.	DC. ic. gall. rar. t. 42.
115 lævigata. F.G.	(re.)	smooth.	Greece.	1828.	7. 9.	H. 2.	Flor. græc. t. 418.
116 reticulata. DC.	(re.)	netted-flow'r'd.	Barbary.	1804.	7. 8.	H. 2.	Desf. atl. 1. t. 99.
117 pensylvanica. DC.	(re.)	Pennsylvanian.	N. America.	1806.	6. 9.	H. 2.	Bot. reg. 247.
<i>incarnata. Bot. cab. 41.</i>							
118 vallesia. DC.	(pu.)	hard-rooted.	Switzerland.	1765.	6. 8.	H. 2.	All. ped. t. 23. f. 2.
119 fruticosa. DC.	(fl.)	shrubby.	Sicily.	1629.	6. 7.	F. 2.	Flor. græc. t. 428.
120 caspica. DC.	(st.)	Caspian.	Caucasus.	1823.	—	H. 2.	
121 amœna. DC.	(wh.)	Tartarian.	Tartary.	1779.	7.	H. 2.	
122 supina. DC.	(wh.)	trailing.	Caucasus.	1804.	6. 8.	H. 2.	Bot. mag. 1997.
123 depressa. DC.	(wh.)	depressed.	Iberia.	1823.	—	H. 2.	
124 paradoxa. DC.	(wh.)	Dover.	England.	—	7.	H. 2.	Jacq. vind. 3. t. 84.
125 chloræfolia. DC.	(wh.)	Armenian.	Armenia.	1796.	8. 9.	H. 2.	Bot. mag. 807.
126 italica. DC.	(wh.)	Italian.	Italy.	1759.	5. 6.	H. 2.	Jacq. obs. 4. t. 79.
<i>Cucubalus italicus. L.</i>							
127 polyphylla. DC.	(w.p.)	many-leaved.	Austria.	—	6. 7.	H. 2.	Clus. hist. 1. t. 290.
128 nemoralis. DC.	(wh.)	wood.	Hungary.	1823.	—	H. 2.	W. et K. hung. 3. t. 249.
129 longiflora. DC.	(wh.)	long-flowered.	—	1793.	7. 9.	H. 2.	— 1 p. 7. t. 8.
130 hupleuroides. DC.	(fl.)	spear-leaved.	Persia.	1801.	6. 7.	H. 2.	Tourn. it. t. 154.
131 pilosa. s.s.	(wh.)	pilose.	Hungary.	1825.	6. 9.	H. 2.	W. et K. hung. 3. t. 248.
<i>mollissima. W.K.</i>							
132 mollissima. s.s.	(wh.)	velvet.	Italy.	1739.	7. 9.	H. 2.	
<i>Cucubalus mollissimus. L.</i>							
133 inclusa. H.	(wh.)	included.	—	1828.	6. 9.	H. 2.	
134 pinguis. H.	(wh.)	fleshy-leaved.	C. Sparte.	1825.	—	H. 2.	
135 taurica. F.	(wh.)	Taurian.	Tauria.	1828.	—	H. 2.	
136 dahurica. F.	(wh.)	Dahurian.	Dahuria.	1827.	—	H. 2.	
137 scabra. F.	(wh.)	rough.	Siberia.	—	—	H. 2.	
138 marginata. Sct.	(wh.)	marginated.	—	1825.	—	H. 2.	
139 stenopetala. Led.	(re.)	narrow-petaled.	Siberia.	1827.	—	H. 2.	
140 saponariaefolia. Sct.	(re.)	Soapwort-l'd.	—	1822.	—	H. 2.	
141 Persoonii. Sct.	(wh.)	Persoon's.	Europe.	—	—	H. 2.	
142 vesicaria. DC.	(pu.)	bladdered.	Siberia.	1822.	6. 9.	H. 2.	
143 regia. DC.	(cr.)	splendid.	N. America.	1811.	5. 8.	G. 2.	Bot. mag. 1724.
144 Atocion. DC.	(pu.)	Orchis-flow'r'd.	Levant.	1781.	5. 7.	H. 2.	Jacq. vind. 3. t. 32.
<i>orchidea. H.K. Flor. græc. t. 427.</i>							
145 pseudo-Atocion. DC.	(pu.)	Atlantic.	Atlantic.	1818.	—	H. 2.	
146 Arméria. DC.	(re.)	Lobel's.	England.	—	7. 9.	H. 2.	Eng. bot. 1398.
<i>α rubra.</i>		(re.) red-flowered.	—	—	—	H. 2.	
<i>β alba.</i>		(wh.) white-flowered.	—	—	—	H. 2.	
147 congesta. DC.	(re.)	close-flowered.	Greece.	1816.	—	H. 2.	
148 compacta. DC.	(re.)	compact.	Russia.	1816.	—	H. 2.	
VISCARIA. Rehl. VISCARIA. Decandria Pentagynia. L.							
1 vulgaris. Rehl.	(re.)	common.	Britain.	—	5. 7.	H. 2.	Eng. bot. 788.
<i>Lychnis viscaria. L.</i>							
<i>β flore-pleno.</i>		(re.) double-red.	—	—	—	H. 2.	

2	albiflora.	(wh.) white-flowered.		5. 7.	H. 2.	
LY'CHNIS. DC. LY'CHNIS. Decandria Pentagynia. L.						
1	chalcedonica. DC.	(sc.) scarlet.	Japan.	1596.	6. 7.	H. 2. Bot. mag. 257.
	β albiflora.	(wh.) white-flowered.			H. 2.	
	γ flore pleno.	(sc.) double-flowered.			H. 2.	
2	Flös-jövis. DC.	(re.) umbelled.	Piedmont.	1726.	7.	H. 2. Bot. mag. 398.
Agrostemma Flös-jövis. B.M.						
3	coronata. W.	(sc.) Chinese.	China.	1774.	6. 9.	H. 2. Bot. mag. 223.
	grandiflora. Jacq. ic. rar. t. 84.					
4	fulgens. DC.	(sc.) brilliant.	Siberia.	1819.	7. 9.	H. 2. Bot. mag. 2104.
5	Cœ-li-rösa. DC.	(fl.) smooth-leaved.	Levant.	1713.	7. 8.	H. 2. Bot. mag. 295.
Agrostemma Cœ-li-rösa. L.						
AGROSTEMMA. AGROSTEMMA. Decandria Pentagynia. L.						
1	apetala. DC.	(wh.) petalless.	Lapland.	1819.	6. 8.	H. 2. Lin. fl. lap. t. 12. f. 1
Ly'chmis apetala. L.						
2	brachypetala. L. en.	(wh.) short-petal'd.			H. 2.	
3	sylvestris. DC.	(re.) red-flowered.	Britain.		6. 9.	H. 2. Eng. bot. 1579.
Ly'chmis dioica rubra. E. B.						
	β flore-pleno.	double-flowered.			H. 2.	
4	dioica. DC.	(wh.) white-flowered.	Britain.		H. 2.	Eng. bot. 1580.
Ly'chmis dioica alba. E.B. vespertina. Sibthorp.						
	β flore-pleno.	(wh.) double-white.			H. 2.	
	γ viridiflora.	(gr.) double-green.			H. 2.	
5	dielinis. DC.	(ro.) long-pedicled.	Spain.	1824.		H. 2.
6	læta. DC.	(re.) small.	Portugal.	1778.	7.	H. 2.
7	corsica. DC.	(re.) Corsican.	Corsica.	1824.	6. 8.	H. 2.
8	pyrenæica. DC.	(re.) Pyrenean.	Pyrenees.	1820.	4. 6.	H. 2.
9	suæica. L.C.	(re.) Swedish.	Sweden.		6. 9.	H. 2. Lodd. bot. cab. 881.
10	alpina. DC.	(re.) Alpine.	Scotland.		4. 5.	H. 2. Eng. bot. 2254.
Ly'chmis alpina. E.B.						
11	Flöscuculi. DC.	(re.) Ragged Robin.	Britain.		6. 9.	H. 2. Eng. bot. 573.
Ly'chmis Flöscuculi. L.						
	β flore-pleno.	(re.) double.			H. 2.	
12	coronaria. DC.	(ro.) Rose Campion.	Italy.	1596.		H. 2. Bot. mag. 24.
	α rubra.	(ro.) red-flowered.			H. 2.	
	β alba.	(wh.) white-flowered.			H. 2.	
	γ plena.	(ro.) double-flowered.			H. 2.	
GITHAGO. Desf. CORN-CKLE. Decandria Pentagynia. L.						
1	segetum. Desf.	(re.) common.	Britain.		6. 8.	H. 2. Eng. bot. 741.
Agrostemma Githago. L.						
	nicaensis.	(wh.) long-calyxed.	Italy.	1794.		H. 2.
VELEZIA. DC. VELEZIA. Pentandria Digynia. L.						
1	rigida. DC.	(re.) rigid.	Spain.	1683.	7.	H. 2. Flor. græc. t. 390.
2	quadridentata. F.G.(r.)	four-toothed.	Levant.	1826.		F. 2. t. 391.
DRYPIS. DC. DRYPIS. Pentandria Trigynia. L.						
	spinosa. DC.	(bh.) prickly.	Italy.	1775.	6. 7.	H. 2. Bot. mag. 2216.

Tribus II. ALSINEÆ. DC.

ORTEGIA. DC. ORTEGIA. Triandria Monogynia. L.						
1	hispanica. DC.	(gr.) Spanish.	Spain.	1768.	6. 7.	H. 2.
2	dichotoma. DC.	(gr.) forked.	Italy.	1781.	8. 9.	H. 2. All ped. t. 4. f. 1.
hispanica. Cav. ic. 1. t. 47.						
BUFFONIA. DC. BUFFONIA. Tetrandria Digynia. L.						
1	annua. DC.	(wh.) annual.	England.		6.	H. 2. Eng. bot. 1313.
tenuifolia. E.B.						
2	perennis. DC.	(wh.) perennial.	France.	1820.	6. 7.	H. 2. Lam. ill. t. 87. f. 2.
SAGINA. DC. PEARL-WORT. Tetrandria Tetragynia. L.						
1	procumbens. DC.	(gr.) procumbent.	Britain.		5. 9.	H. 2. Eng. bot. 880.
	β multiplæx.	(wh.) double-flowered.			H. 2.	
2	cerastoides DC.	(wh.) Cerastium like.			6. 7.	H. 2. Eng. bot. 166.
Cerastium tetrandrum H. K.						
3	filiformis. DC.	(wh.) filiform.	Pyrenees.	1824.		H. 2.
4	maritima. E.B.	(wh.) sea-side.	Ireland.		5. 8.	H. 2. Eng. bot. 2195.
5	stricta. DC.	(wh.) straight.	N. Europe.	1828.		H. 2.
6	apetala. DC.	(wh.) small-flowered.	Britain.		5. 6.	H. 2. Eng. bot. 881.

MÆNCHIA. P.S.	MÆNCHIA.	Tetrandria Tetragnynia. L.							
glauca. P.S.	(wh.) glaucous.	Britain.		4. 5.	H. ⊙.			Eng. bot. 609.	
<i>quaternella. L. en. Sagina erecta. E.B.</i>									
MÆHRINGIA. DC.	MÆHRINGIA.	Octandria Digynia. L.							
1 muscosa. DC.	(wh.) mossy.	S. Europe.	1775.	6. 7.	H. ½.			Lam. ill. t. 314.	
2 sedifolia. DC.	(wh.) Stoncrop-ld.		1823.		H. ½.			W.ber.m.1818.t.3.f.23.	
ELATINE. DC.	WATERWORT.	Octandria Tetragnynia. L.							
1 Hydropiper. DC.	(wh.) small.	Britain.		7. 8.	H. ½.			Eng. bot. 955.	
2 hexandra. DC.	(wh.) hexandrous.	France.			H. ½.			DC. ic. rar. 1. t. 43. f. 1.	
BERGIA. DC.	BERGIA.	Decandria Pentagnynia. L.							
verticillata. DC.	(wh.) whorl-leaved.	E. Indies.	1826.	7. 10.	H. ⊙.			Delil. fl. æg. t. 26. f. 1.	
MOLLUGO. W.	MOLLUGO.	Triandria Trigynia. L.							
1 verticillata. DC.	(wh.) whorled.	Virginia.	1748.	6. 8.	H. ⊙.			Ehret pict. t. 6.	
2 Schrānkii. DC.	(wh.) Schrank's.	Brazil.	1821.	7. 9.	H. ⊙.			Schrank pl. rar. 64. ic.	
<i>dichotoma. Schk.</i>									
3 Linkii. DC.	(wh.) Link's.				H. ⊙.				
<i>triphylla. L. en. non Lour.</i>									
PHARNACEUM. W.	PHARNACEUM.	Pentandria Trigynia. L.							
1 Mollugo. R.S.	(wh.) LadiesBedstraw.	E. Indies.	1752.	7. 8.	S. ⊙.			Burm. ind. t. 5. f. 4.	
<i>Mollugo Spérgula. DC.</i>									
2 cordifolium. R.S.	(wh.) heart-leaved.	C. B. S.	1820.		H. ⊙.			Jacq. h. schœn. t. 349.	
3 dichotomum. R.S.	(wh.) forked.		1783.		H. ⊙.				
4 Cerviāna. R.S.	(wh.) umbelled.	Russia.	1771.	6. 7.	H. ⊙.			Lam. ill. t. 214. f. 1.	
5 bellidifolium. R.S.	(wh.) Daisy-leaved.	W. Indies.	1826.		H. ⊙.			Plum. amer. t. 21. f. 1.	
HOLOSTEUM. DC.	HOLOSTEUM.	Triandria Trigynia. L.							
1 umbellatum. DC.	(wh.) umbelled.	England.		7. 8.	H. ⊙.			Flor. dan. t. 1204.	
<i>β roseum.</i>	(ro.) rose-coloured.				H. ⊙.			Eng. bot. 27.	
2 diandrum. DC.	(wh.) diandrous.	Jamaica	1822.	6. 8.	S. ⊙.			Swartz ic. t. 7.	
SPERGULA. DC.	SPURREY.	Decandria Pentagnynia. L.							
1 arvensis. DC.	(wh.) rough-seeded.	Britain.		7. 8.	H. ⊙.			Eng. bot. 1535.	
2 pentandra. DC.	(wh.) smooth-seeded.	England.		6. 7.	H. ⊙.			1536.	
3 pallida. DC.	(pa.) pale.	C. B. S.		7. 9.	G. ½.				
4 nodosa. DC.	(wh.) knotted.	Britain.		7. 8.	H. ½.			Eng. bot. 694	
5 larinia. DC.	(wh.) Larch-leaved.	Siberia.	1823.	6. 8.	H. ½.			Sm. ic. ined. 1. t. 18.	
6 saginoides. DC.	(wh.) Sagina like	Scotland.			H. ½.			Eng. bot. 2105.	
7 subulata. DC.	(wh.) awl-leaved.	Britain.		6. 7.	H. ½.			1082.	
8 glabra. DC.	(wh.) smooth.	Europe.	1824.		H. ½.			All. ped. t. 64. f. 1.	
LABREA. DC.	LABREA.	Decandria Trigynia. L.							
aquatica. DC.	(wh.) water.	Britain.		7. 8.	H.w. ½.			Eng. bot. t. 1074.	
<i>Stellaria aquatica. Poll. pal. n. 422. uliginosa. E.B. alsine Hoff. germ. 1. t. 5.</i>									
DRYMARIA. DC.	DRYMARIA.	Pentandria Trigynia. L.							
1 cordata. DC.	(wh.) heart-leaved.	W. Indies.	1814.	7. 9.	H. ⊙.			Lam. ill. t. 51. f. 2.	
<i>Holosteum cordatum. L.</i>									
2 divaricata. DC.	(wh.) divaricate.	Lima.	1823.		H. ⊙.				
STELLARIA. DC.	STICHWORT.	Decandria Trigynia. L.							
1 nemorum. DC.	(wh.) wood.	Britain.		4. 6.	H. ½.			Eng. bot. 92.	
2 latifolia. DC.	(wh.) broad-leaved.	Germany.	1816.	6. 8.	H. ⊙.				
3 media. DC.	(wh.) Chickweed.	Britain.		1. 12.	H. ⊙.			Eng. bot. 537.	
<i>Alsine media. L.</i>									
4 dichotoma. DC.	(wh.) forked.	Siberia.	1774.	6. 8.	H. ½.			Smith ic. ined. 1. t. 14.	
5 bulbosa. DC.	(wh.) bulbiferous.	Carinthia.	1820.		H. ½.			Jacq. ic. rar. 3. t. 468.	
6 viscida. DC.	(wh.) viscidous.	Tauria.	1804.		H. ⊙.			W. et K. hung. 1. t. 22.	
<i>Cerastium anomalum. w.</i>									
7 sabulosa. DC.	(wh.) gravel.	Persia.	1828.		H. ⊙.				
8 Holostea. DC.	(wh.) greater.	Britain.		4. 6.	H. ½.			Eng. bot. 511.	
9 Laxmanni. DC.	(wh.) Laxmann's.	Siberia.	1827.		H. ½.				
10 velutina. DC.	(wh.) velvety.	Siberia.	1824.	6. 8.	H. ½.				
11 graminea. DC.	(wh.) grass-leaved.	Britain.		5. 8.	H. ½.			Eng. bot. 803.	
12 glauca. DC.	(wh.) glaucous marsh.				H. ½.			825.	
13 cerastoides. DC.	(wh.) Alpine.	Scotland.			H. ½.			Eng. bot. 911.	
14 multicaulis. w.	(wh.) many-stalked.	Carinthia.	1815.	6. 8.	H. ½.			Jacq. coll. 1. t. 19.	
<i>cerastoides. Jacq. coll.</i>									
15 arenaria. DC.	(wh.) sand.	Spain.	1799.	6. 8.	H. ⊙.				
16 scapigera. DC.	(wh.) naked-stalked.	Scotland.		6. 7.	H. ½.			Eng. bot. 1269.	
17 Fischeriana. DC.	(wh.) Fischer's.	Siberia.	1825.		H. ½.				
18 Edwardsii. B.	(wh.) Edwards's.	N. America.	1827.		H. ½.				
<i>nitida. Hook.</i>									
19 humifusa. DC.	(wh.) trailing.	N. Europe.	1825.		H. ⊙.			Flor. dan. t. 978.	
20 lœta. s.s.	(wh.) short-petaled.	N. America.	1827.		H. ⊙.				

21	grácilis. s.s.	(wh.) slender.	N. America.	1827.	6. 7.	H. ⊙.	
22	murális. DC.	(wh.) wall.	Crete.	1821.	—	H. ⊙.	
23	élegans. DC.	(wh.) elegant.	Siberia.	1823.	—	H. ½.	
24	lóngipes. DC.	(wh.) long pedicled.	N. America.	1821.	—	H. ½.	
25	mollugínea.	(wh.) Mollugo-like.	New Spain.	1825.	7. 9.	H. ⊙.	
<i>Alsine mollugínea.</i> Lag. <i>Arenària?</i> <i>mollugínea.</i> DC.							
AREN'ARIA. DC.		SANDWORT.	Decandria Trigynia.	L.			
1	segetális. DC.	(wh.) hedge.	France.	1805.	6. 10.	H. ⊙.	Vail. par. t. 3. f. 3.
<i>Alsine segetális.</i> L.							
2	rùbra. DC.	(re.) purple.	Britain.		6. 8.	H. ⊙.	Eng. bot. 852.
3	marina. L.	(re.) sea-side.	—		—	H. ½.	
4	salina. DC.	(re.) salt marsh.	Bohemia.	1820.	—	H. ⊙.	
5	rubélla. F.L.	(re.) red-flowered.	England.		—	H. ⊙.	Flor. lond. t.
6	glutinósa. DC.	(pu.) glutinous.	Astracan.	1828.	—	H. ⊙.	
7	média. DC.	(re.) marine.	Britain.		—	H. ½.	Eng. bot. 958.
<i>marina.</i> E.B. non L.							
8	glandulósa. Jac.	(wh.) glandular.	Europe.	1820.	6. 7.	H. ⊙.	Jacq. Schoenb. 3. t. 355.
9	canadénsis. DC.	(re.) Canadian.	N. America.	1812.	—	H. ⊙.	
10	graminifolia. DC.	(wh.) grass-leaved.	Caucasus.	1815.	—	H. ½.	Schrad. h. goett. t. 5.
β <i>glabérrima.</i> DC.		(w.) smooth.	—	—	—	H. ½.	
11	longifolia. DC.	(wh.) long-leaved.	Volga.	1820.	—	H. ½.	Gmel. sib. 4. t. 63. f. 2.
12	dahúrica. DC.	(wh.) Dahurian.	Dahuria.	1824.	—	H. ½.	
13	nardifolia. F.	(wh.) Nardus-leaved.	Siberia.	1827.	—	H. ½.	
14	otitoides. DC.	(wh.) dense-flowered.	—	—	—	H. ½.	
15	rigida. DC.	(wh.) rigid.	—	—	—	H. ½.	
16	formósa. DC.	(wh.) handsome.	Dahuria.	—	—	H. ½.	
17	Gmelini. DC.	(wh.) Gmelin's.	—	1827.	—	H. ½.	Gmel. sib. 4. t. 61. f. 1.
18	cephalotes. DC.	(wh.) close-headed.	Tauria.	1820.	—	H. ½.	
19	imbricáta. DC.	(wh.) imbricate.	Caucasus.	1821.	—	H. ½.	
20	juniperina. DC.	(wh.) Juniper-leaved.	Armenia.	1800.	—	H. ½.	Sm. ic. ined. t. 35.
21	stricta. DC.	(wh.) upright.	N. America.	1812.	5. 6.	H. ½.	
22	procera. DC.	(wh.) tall.		1827.	—	H. ½.	
23	laricifolia. L.	(wh.) Larch-leaved.	Switzerland.		8.	H. ½.	Jacq. aust. 3. t. 272.
24	rostráta. W. en.	(wh.) beaked.	Hungary.	1816.	6. 7.	H. ½.	
25	striáta. w.	(wh.) striated.	Switzerland.	1683.	—	H. ½.	Vill. dauph. 4. t. 47. f. 6.
26	árctica. DC.	(wh.) small.	Siberia.	1807.	—	H. ½.	
27	austriaca. DC.	(wh.) Austrian.	Austria.	1793.	6. 9.	H. ½.	Jacq. aust. 3. t. 270.
28	Villarsii. P.S.	(wh.) Villars's.	Dauphiny.	1826.	—	H. ½.	Vill. de ph. 3. t. 47.
29	grandiflora. DC.	(wh.) great-flowered.	Switzerland.	1783.	—	H. ½.	All ped. n. 1711. t. 10. f. 1.
30	triflora. L.	(wh.) three-flowered.	—	1816.	—	H. ½.	Cav. ic. 3. t. 249. f. 2.
31	Hélmii. DC.	(wh.) long-peduncled.	Siberia.	1824.	—	H. ½.	
32	macrocarpa. DC.	(wh.) large-capsuled.	N. America.	1828.	—	H. ½.	
33	hirta. DC.	(re.) hairy.	Greenland.	1827.	—	H. ½.	Flor. dan. t. 1646.
34	vérna. DC.	(wh.) vernal.	Britain.		5. 8.	H. ½.	Eng. bot. 512.
35	cæspitosa. DC.	(wh.) tufted.	S. Europe.	1824.	—	H. ½.	
36	ramosissima. DC.	(wh.) branching.	Hungary.	1820.	—	H. ½.	
37	saxátilis. DC.	(wh.) rock.	Germany.	1732.	7. 8.	H. ½.	Barr. ic. t. 580.
38	péndula. DC.	(wh.) pendulous.	Hungary.	1816.	6. 7.	H. ½.	W. et K. hung. 1. t. 87.
39	tenuifolia. DC.	(wh.) fine-leaved.	England.		—	H. ⊙.	Eng. bot. 219.
40	villósa. DC.	(wh.) villous.	Siberia.	1828.	—	H. ½.	
41	calycina. DC.	(wh.) large-calyxed.	Barbary.	1824.	—	H. ⊙.	
42	triandra. DC.	(wh.) triandrous.		—	—	H. ⊙.	Schrank. h. mon. t. 30.
43	mediterranea. DC.	(w.) Mediterranean.	S. Europe.	1821.	—	H. ⊙.	
44	recurva. DC.	(wh.) recurved-leav'd.	—	—	—	H. ½.	Jacq. coll. 2. t. 16. f. 1.
45	hirsuta. DC.	(wh.) hairy.	Tauria.	1824.	—	H. ½.	
46	setacea. DC.	(wh.) bristly.	France.	1820.	—	H. ½.	
47	faciculáta. DC.	(wh.) dense-flowered.	S. Europe.	1815.	—	H. ⊙.	Flor. græc. t. 442.
48	fastigiáta. E.B.	(wh.) fastigiate.	Scotland.		6. 7.	H. ⊙.	Eng. bot. 1744.
49	filifolia. DC.	(wh.) thread-leaved.	Arabia.		—	H. ½.	Vahl. symb. 1. t. 12.
50	mucronáta. DC.	(wh.) mucronate.	—	1777.	—	H. ⊙.	
51	uliginósa. DC.	(wh.) marsh.	Switzerland.	1824.	—	H. ½.	DC. ic. gall. t. 46.
52	polygonoídes. DC.	(wh.) procumbent.	—	—	—	H. ½.	Jacq. coll. 1. t. 15.
53	margináta. DC.	(wh.) margined.	Siberia.	1824.	—	H. ½.	
54	canéscens. DC.	(wh.) canescent.		1828.	—	H. ½.	
<i>macrocarpa.</i> H. non Ph.							
55	tetraquëtra. DC.	(wh.) square-stalked.	S. France.	1731.	8.	H. ½.	All. ped. 2 t. 89. f. 1.
56	Giesekii. DC.	(wh.) Gieseke's.	Greenland.	1827.	—	H. ½.	Horn. fl. dan. t. 1518.
57	lanceoláta. DC.	(wh.) lanceolate.	Piedmont.	1820.	—	H. ½.	All. fl. ped. t. 26. f. 5.
58	cherlerioides. P.S.	(wh.) cherleria-leav'd.	S. France.		7. 8.	H. ½.	Vill. delph. 4. t. 47. f. 1.

59	montana. DC.	(wh.) mountain.	Spain.	1800.	4. 7.	H. 2.	Bot. mag. 1118.
60	serpyllifolia. DC.	(wh.) Thyme-leaved.	Britain.		6. 7.	H. ①.	Eng. bot. 923.
61	ciliata. DC.	(wh.) fringed.	Ireland.		3. 8.	H. 2.	— 1745.
62	multicaulis. W.	(wh.) many-stalked.	Europe.	1794.	7. 8.	H. 2.	Jacq. coll. 1. t. 17. f. 1.
63	trinervia. DC.	(wh.) three-nerved.	Britain.		5. 7.	H. ①.	Eng. bot. 1483.
64	norvegica. DC.	(wh.) Norway.	Norway.	1828.	6. 7.	H. 2.	Flor. dan. t. 1269.
65	baleàrica. DC.	(wh.) Majorca.	Majorca.	1787.	3. 8.	H. 2.	L. Her. stirp. 1. t. 15.
66	biflora. DC.	(wh.) two-flowered.	S. Europe.	1823.	—	H. 2.	All. ped. t. 64. f. 3.
67	procumbens. DC.	(re.) procumbent.	Egypt.	1801.	6. 8.	F. 2.	Vahl. symb. 1. t. 33.
ADENARIUM. DC. SEA CHICKWEED. Decandria Tri-Pentagynia.							
	peploides. DC.	(wh.) common.	Britain.		6. 7.	H. 2.	Eng. bot. 189.
Arenaria peploides. E.B.							
CERASTIUM. DC. MOUSE-EAR CHICKWEED. Decandria Pentagynia. L.							
1	memorale. DC.	(wh.) wood.	Caucasus.	1823.	5. 6.	H. ①.	
2	perfoliatum. DC.	(wh.) perfoliate.	Greece.	1725.	6. 7.	H. ①.	Dill. elt. t. 217. f. 284.
3	caucasicum. DC.	(wh.) Caucasian.	Caucasus.	1825.	—	H. ①.	
4	dahuricum. DC.	(wh.) glaucous.	Dahuria.	1815.	5. 9.	H. 2.	Schrank. h. mon. t. 75.
amplexicaule. B.M. 1789.							
5	maximum. DC.	(wh.) greatest.	Siberia.	1792.	6. 7.	H. ①.	Gmel. sib. 4. t. 62. f. 2.
6	dichotomum. DC.	(wh.) forked.	Spain.	1725.	—	H. ①.	
7	rudérale. DC.	(wh.) pendulous-fruit.	Caucasus.	1824.	—	H. ①.	
8	tauricum. DC.	(wh.) Taurian.	Tauria.	—	—	H. ①.	
9	vulgatum. DC.	(wh.) common.	Britain.		4. 6.	H. ①.	Eng. bot. 789.
10	viscosum. DC.	(wh.) clammy.	—		4. 9.	H. 2.	— 790.
11	barbulatum. L. en.	(wh.) bearded.	S. Europe.	1821.	—	H. ①.	
12	holosteoides. DC.	(wh.) Holosteum like.	Sweden.	—	—	H. 2.	
13	pentandrum. DC.	(wh.) five-stamened.	Spain.	1820.	—	H. ①.	
14	semidecandrum. DC.	(wh.) least.	Britain.		3. 4.	H. ①.	Eng. bot. 1630.
15	brachypetalum. DC.	(wh.) small-flowered.	France.	1816.	4. 5.	H. 2.	DC. ic. gall. t. 44.
16	diffusum. DC.	(wh.) spreading.			4. 9.	H. 2.	
17	serpyllifolium. W. en.	(wh.) Thyme-ld.	S. Europe.	1824.	5. 6.	H. 2.	
18	manticum. DC.	(wh.) long peduncul'd.	Hungary.	1801.	6. 7.	H. ①.	W. et K. hung. 1. t. 96.
19	campanulatum. DC.	(wh.) early-flow'd.	Italy.	1826.	4. 6.	H. ①.	Viv. ann. bot. 1. p. 2. t. 1.
præcox. T.N.							
20	grandiflorum. DC.	(wh.) large-flowered.	—	1820.	6. 7.	H. 2.	W. et K. hung. 2. t. 168.
21	argenteum. M.B.	(wh.) silvery-leaved.	Iberia.	1821.	—	H. 2.	
22	tomentosum. DC.	(wh.) white-leaved.	S. Europe.	1648.	—	H. 2.	Col. phyt. ed. 1744. t. 31.
23	Biebersteinii. DC.	(wh.) Bieberstein's.	Tauria.	1820.	—	H. 2.	DC. pl. rar. gen. t. 11.
24	lanatum. DC.	(wh.) woolly.	Pyrenees.	—	—	H. 2.	
25	alpinum. DC.	(wh.) Alpine.	Britain.		—	H. 2.	Eng. bot. 472.
26	ovatum. DC.	(wh.) oval-leaved.	Carinthia.	1816.	—	H. 2.	
27	latifolium. DC.	(wh.) broad-leaved.	Britain.		—	H. 2.	Eng. bot. 473.
28	aquaticum. E.B.	(wh.) water.	—		—	H. w. 2.	— 538.
29	sylvaticum. DC.	(wh.) wood.	Hungary.	1826.	—	H. 2.	W. et K. hung. 1. t. 97.
30	arvense. DC.	(wh.) field.	—		5. 8.	H. 2.	Eng. bot. 93.
31	repens. W.	(wh.) creeping.	S. Europe.	1759.	5. 7.	H. 2.	Lam. ill. t. 392. f. 2.
32	strictum. W.	(wh.) upright.	Austria.	1793.	—	H. 2.	Scop. carn. t. 19. f. 1.
33	suffruticosum. W.	(wh.) suffruticose.	S. Europe.	1796.	—	H. 2.	
34	pensylvanicum. DC.	(wh.) Pennsylvanian.	N. America.	1823.	—	H. 2.	
35	pubescens. DC.	(wh.) pubescent.	—	1822.	—	H. 2.	
36	matrense. L. en.	(wh.) Matram.	Hungary.	1823.	—	H. 2.	
37	dioicum. H.K.	(wh.) Spanish.	Spain.	1766.	6. 7.	H. 2.	
38	pilosum. L. en.	(wh.) hairy-leaved.		1823.	—	H. 2.	
39	Sprengelii. DC.	(wh.) Sprengel's.		—	—	H. 2.	
40	Tenoreanum. DC.	(wh.) Tenore's.	Italy.	1825.	—	H. ①.	
41	Samnanum. DC.	(wh.) Samnian.	—	—	—	H. 2.	
42	hirsutum. DC.	(wh.) hairy.	—	—	—	H. 2.	
43	glandulosum. Lk.	(wh.) glandular.		1827.	—	H. 2.	
44	inflatum. Lk.	(wh.) inflated.		—	—	H. ①.	
CHERLERIA. DC. CHERLERIA. Decandria Trigynia. L.							
	sedoides. DC.	(wh.) dwarf.	Scotland.		7. 8.	H. 2.	Eng. bot. 1212.

ORDO XXVII.

LINEÆ. DC. *prodr.* 1. p. 423.

LINUM. DC.		FLAX. Pentandria Pentagynia. L.					
1	gállicum. DC.	(ye.) annual yellow.	France.	1777.	7. 8.	H. ☉.	Flor. græc. t. 303.
2	áureum. DC.	(ye.) golden.	Hungary.	1823.	—	H. ☉.	W. et K. hung. 2. t. 177.
3	ténue. DC.	(ye.) slender.	Barbary.	1826.	—	H. ☉.	
4	lutéolum. DC.	(ye.) yellowish.	Tauria.	—	—	H. ☉.	Buxb. cent. 5. t. 59.
5	nodiflórum. DC.	(ye.) knotted.	Italy.	1759.	—	H. ♀.	Flor. græc. t. 307.
6	strictum. DC.	(ye.) upright.	S. Europe.	—	5. 7.	H. ♂.	— t. 304.
7	rigidum. DC.	(st.) stiff-leaved.	Missouri.	1807.	7.	H. ☉.	
8	virginiánum. DC.	(ye.) Virginian.	N. America.	—	—	H. ♂.	
9	mexicánum. DC.	(ye.) Mexican.	Mexico.	1827.	8. 11.	F. ♀.	
10	dahúricum. DC.	(ye.) Dahurian.	Dahuria.	1822.	6. 8.	H. ♀.	
11	marítimum. DC.	(ye.) sea.	S. Europe.	1596.	7. 8.	H. ♀.	Jacq. vind. 2. t. 154.
12	arbóreum. R.S.	(ye.) shrubby.	Candia.	1788.	5. 8.	G. ♀.	Flor. græc. t. 305.
13	campanulátum. R.S.	(y.) glaucous-leav'd.	S. Europe.	1795.	—	H. ♀.	Lob. ic. 414.
14	capitátum. R.S.	(ye.) headed.	Hungary.	1826.	6. 10.	H. ♀.	
15	flávum. W.	(ye.) yellow.	S. Europe.	1793.	—	H. ♀.	Bot. mag. 312.
16	trig'nyum. DC.	(ye.) three-styled.	E. Indies.	1799.	10. 3.	G. ♀.	— 1100.
17	africanum. DC.	(ye.) African.	C. B. S.	1771.	6. 7.	G. ♀.	— 403.
18	quadrifólium. DC.	(ye.) four-leaved.	—	1787.	5. 6.	G. ♀.	— 431.
19	viscósium. DC.	(pi.) viscous.	S. Europe.	1821.	6. 8.	H. ♀.	Scop. carn. n. 383. t. 11.
20	hypericifólium. P.L.	(pi.) Mallow-flow'r'd	Caucasus.	1807.	6. 7.	H. ♀.	Bot. mag. 1048.
<i>venústum. A.R. 477.</i>							
21	hirsútum. W.	(bl.) hairy.	Austria.	1759.	7. 8.	H. ♀.	Jacq. aust. 1. t. 31.
22	ascyrifólium. B.M.	(w.b.) blue and white.	Portugal.	1800.	—	H. ♀.	Bot. mag. 1087.
23	nervósum. DC.	(bl.) nerveose.	Hungary.	1820.	—	H. ♀.	W. et K. hung. 2. t. 105.
24	narbonénse. DC.	(bl.) Narbonne.	S. France.	1759.	5. 7.	F. ♀.	Barr. ic. t. 1007.
25	usitatissimum. DC.	(bl.) common.	Britain.		6. 7.	H. ☉.	Eng. bot. 1357.
26	marginátum. DC.	(bl.) white-margin'd.		1823.	—	H. ♀.	
<i>angustifólium. W. en. non E.B.</i>							
27	refléxum. DC.	(bl.) reflexed-leav'd.	S. Europe.	1777.	7.	H. ♀.	
28	squamulósum. DC.	(bl.) scaly.	Tauria.	1821.	6. 8.	H. ♀.	
29	diffúsium. DC.	(bl.) spreading.		1823.	—	H. ♀.	
30	angustifólium. DC.	(bl.) narrow-leaved.	England.		7.	H. ♀.	Eng. bot. 381.
31	sibiricum. DC.	(bl.) Siberian.	Siberia.	1775.	6. 7.	H. ♀.	Mill. ic. t. 166. f. 2.
<i>austriacum. B.M. 1086.</i>							
32	Lewisii. Ph.	(bl.) Lewis's.	N. America.	1824.	—	H. ♀.	Bot. reg. 1163.
33	ánglicum. DC.	(bl.) English.	England.		6. 8.	H. ♀.	Eng. bot. 40.
<i>perénne. E.B.</i>							
<i>β procumbens. DC. (bl.) procumbent.</i>							
34	austriacum. DC.	(bl.) Austrian.	Austria.	1775.	6. 7.	H. ♀.	Jacq. aust. t. 418.
35	montánum. DC.	(bl.) mountain.	Switzerland.		7. 8.	H. ♀.	Scop. carn. ed. 2. t. 11.
36	alpinum. DC.	(bl.) Alpine.	Austria.	1739.	—	H. ♀.	Swt. br. fl. gar. t. 17.
37	tenuifólium. DC.	(li.) slender-leaved.	Europe.	1759.	6. 7.	H. ♀.	Jacq. aust. 3. t. 215.
38	salsoloides. DC.	(fl.) Salt-wort-like.	S. France.	1823.	7. 8.	H. ♀.	
39	suffruticósum. DC.	(fl.) Spanish.	Spain.	1759.	8.	F. ♀.	Cav. ic. 2. t. 108.
40	cathárticum. DC.	(wh.) purging.	Britain.		6. 8.	H. ☉.	Eng. bot. 382.
RAD'IOIA. DC.		RAD'IOIA. Tetrandria Tetragynia.					
linóides. DC.		(wh.) All-seed.	Britain.		7. 8.	H. ☉.	Eng. bot. 893.
<i>millegrána. E.B. Linum Radiola. L.</i>							

ORDO XXVIII.

MALVACEÆ. DC. *prodr.* 1. p. 429.

MA'LOPE. DC.		MA'LOPE. Monadelphia Polyandria. L.					
1	malacoides. DC.	(pu.) Barbary.	Barbary.	1710.	6. 7.	G. ♂.	Cav. diss. 2. t. 27. f. 1.
2	trífida. DC.	(pu.) trifid.	—	1808.	7. 8.	H. ☉.	Swt. br. fl. gar. t. 153.

MALVA. DC.		MALLOW. Monadelphia Polyandria. L.					
1	tricuspidata. DC. (ye.)	Jamaica.	W. Indies.	1726.	7. 8.	S. ♂.	Cav. diss. 2. t. 22. f. 2.
	coromandeliana. W.	americana. Cav.					
2	americana. DC. (ye.)	American.	—	1756.	6. 7.	H. ○.	
3	scabra. DC. (ye.)	rough-stemmed.	Peru.	1798.	—	G. h.	Cav. diss. 5. t. 138. f. 1.
	scoparia. Jacq. ic. 139.						
4	scoparia. DC. (ye.)	Birch-leaved.	—	1782.	8. 9.	G. h.	L. her. stirp. t. 27.
5	borbonica. DC. (ye.)	Bourbon.	Mauritius.	1816.	7. 8.	S. h.	
6	polystachya. DC. (ye.)	many-spiked.	Peru.	1798.	—	G. h.	Cav. dis. 5. t. 138. f. 3.
7	spicata. DC. (ye.)	simple-spiked.	Jamaica.	1726.	9. 10.	S. h.	— 2. t. 20. f. 4.
8	ovata. L. en. (ye.)	oval-leaved.	Brazil.	—	—	S. h.	— 2. t. 20. f. 2.
9	subhastata. DC. (ye.)	subhastate.	S. America.	1821.	7. 10.	S. h.	— 2. t. 21. f. 3.
10	tomentosa. DC. (ye.)	tomentose.	India.	1820.	—	S. h.	Pluk. alm. t. 356. f. 1. ?
11	waltherifolia. DC. (ye.)	Waltheria-ld.	Java.	1824.	—	S. h.	
12	trachelifolia. DC. (ye.)	Trachelium-ld.	—	—	7. 8.	H. ○.	
13	gangetica. DC. (ye.)	Indian.	E. Indies.	—	—	H. ○.	Pluk. t. 74. f. 6.
14	leprosa. DC. (wh.)	leprous.	Cuba.	1815.	5. 7.	S. h.	
15	Sherardiana. DC. (re.)	Sherard's.	Bithynia.	—	—	S. h.	Cav. dis. 2. t. 26. f. 4.
16	cretica. DC. (fl.)	Cretan.	Crete.	1828.	—	H. ○.	— 5. t. 138. f. 2.
17	hispanica. DC. (ro.)	Spanish.	Spain.	1710.	7. 8.	H. ○.	Desf. atl. 2. t. 170.
18	stipulacea. DC. (pu.)	long-stipuled.	—	1815.	6. 8.	H. ○.	Cav. dis. 2. t. 15. f. 2.
19	egyptia. DC. (bh.)	Egyptian.	Egypt.	1739.	6. 7.	H. ○.	— 2. t. 17. f. 1.
20	trifida. DC. (bl.)	large-flowered.	Spain.	1815.	—	H. ○.	— 5. t. 137. f. 2.
21	Tournefortiana. DC. (r.)	Tournefort's.	—	1759.	7. 8.	H. ○.	— 2. t. 17. f. 3.
22	Alcea. DC. (pi.)	Vervain.	Europe.	1597.	7. 10.	H. h.	Bot. mag. 2297.
23	Morenii. s.s. (pi.)	Moren's.	Italy.	1824.	—	H. h.	— 2793.
	alceoides. Ten. fl. nap. t. 64.						
24	moschata. DC. (pi.)	musk.	Britain.	—	7. 8.	H. h.	Eng. bot. 754.
	β laciniata. DC. (wh.)	white-flowered.	—	—	—	H. h.	Bot. mag. 2298.
25	hirsuta. T. (pi.)	hairy.	Sicily.	1825.	—	H. ○.	
26	fastigiata. DC. (re.)	fastigiate.	Spain.	1828.	6. 8.	H. ♂.	Cav. dis. 2. t. 23. f. 2.
27	mauritanica. DC. (pu.)	Ivy-leaved.	S. Europe.	1768.	6. 7.	H. ○.	Swt. br. fl. gar. 81.
28	excelsa. Pr. (pu.)	tall.	Sicily.	1828.	—	H. h.	
29	sylvestris. DC. (pu.)	common.	Britain.	—	5. 10.	H. h.	Eng. bot. 671.
30	vulgaris. T. (pu.)	prostrate.	Italy.	1827.	—	H. ♂.	
31	Henningii. DC. (pu.)	Henning's.	Moscow.	1823.	6. 8.	H. h.	
32	rotundifolia. DC. (wh.)	round-leaved.	Britain.	—	6. 9.	H. ○.	Eng. bot. 1092.
	β pusilla. E.B. (wh.)	dwarf.	—	—	—	H. ○.	— 241.
33	brasiliensis. DC.	Brazilian.	Brazil.	1820.	—	S. h.	
34	nicæensis. DC. (w.p.)	Italian.	Italy.	1823.	—	H. ○.	Cav. dis. 2. t. 25. f. 1.
35	microcarpa. DC. (fl.)	small-fruited.	Egypt.	—	—	H. h.	
36	parviflora. DC. (ro.)	small-flowered.	Barbary.	1779.	6. 7.	H. h.	Cav. dis. 2. t. 26. f. 1.
37	verticillata. DC. (w.p.)	whorl-flowered.	China.	1683.	—	H. ○.	Jacq. vind. 1. t. 40.
38	mareotica. DC. (fl.)	headed.	Egypt.	1828.	6. 10.	H. ○.	
39	crispa. DC. (bh.)	curled.	Syria.	1573.	6. 8.	H. ○.	Cav. dis. 2. t. 23. f. 1.
40	flexuosa. DC. (re.)	flexuose.	—	1823.	—	H. ○.	
41	amœna. DC. (pi.)	lobe-leaved.	C. B. S.	1796.	4. 8.	G. h.	Bot. mag. 1998.
	calycina. B.R. 297.						
42	calycina. DC. (pi.)	large-calyxed.	—	1812.	—	G. h.	Cav. dis. 2. t. 23. f. 4.
43	virgata. DC. (fl.)	twiggy.	—	1727.	5. 7.	G. h.	— 2. t. 18. f. 2.
44	capensis. DC. (w.r.)	Cape.	—	1713.	1. 12.	G. h.	Bot. reg. 295.
45	balsamica. DC. (re.)	balsamic.	—	1800.	5. 9.	G. h.	Jacq. ic. 1. t. 146.
46	oxycanthoides. DC. (w.r.)	Hawthorn-ld.	—	1825.	—	G. h.	
47	tridactylites. DC. (wh.)	reflex-flowered.	—	1791.	6. 8.	G. h.	Cav. dis. 2. t. 21. f. 2.
	reflexa. A.R. t. 135.						
48	divaricata. DC. (wh.)	straddling.	—	1792.	6. 9.	G. h.	And. bot. rep. 182.
49	retusa. DC. (y.bh.)	blunt-leaved.	—	1803.	3. 5.	G. h.	Cav. dis. 2. t. 21. f. 1.
50	fragrans. DC. (pu.)	fragrant.	—	1759.	5. 7.	G. h.	Bot. reg. 296.
51	stricta. DC. (w.r.)	upright.	—	1805.	5. 8.	G. h.	Jacq. schœnb. 3. t. 294.
52	bryonifolia. DC. (re.)	Bryony-leaved.	—	1731.	7. 8.	G. h.	Wend. h. her. 1. t. 4.
53	grossulariæfolia. DC. (r.)	Gooseberry-ld.	—	1732.	5. 9.	G. h.	Bot. reg. 561.
54	asprissima. DC. (wh.)	roughest.	—	1796.	—	G. h.	Jacq. schœnb. 2. t. 139.
55	lactea. DC. (wh.)	panicled white.	Mexico.	1780.	1. 2.	G. h.	Cav. ic. 1. t. 30.
	vitifolia. Cav.						
56	capitata. DC. (pu.)	various-leaved.	Peru.	1798.	11. 12.	G. h.	Cav. dis. 5. t. 137. f. 1.
57	miniata. DC. (re.)	painted.	S. America.	—	4. 5.	G. h.	Cav. ic. 3. t. 278.
58	operculata. DC. (pu.)	lid capsuled.	Peru.	1795.	7. 8.	G. h.	Cav. dis. 2. t. 35. f. 1.
59	peruviana. DC. (pu.)	Peruvian.	—	1759.	6. 8.	H. ○.	Jacq. vind. 2. t. 156.
60	limensis. DC. (bl.)	blue-flowered.	—	1768.	—	H. ○.	— 2. t. 140.

61	italica. DC.	(re.)	Italian.	Italy.	1826.	6. 8.	H. ♀.	
62	anómala. L. en.	(re.)	anomalous.	C. B. S.	—	—	G. ♀.	Pl. sel. hort. ber. t. 22.
63	umbellata. DC.	(cr.)	umbelled.	S. America.	1814.	1. 3.	G. h.	Lod. Bot. cab. 222.
64	rosea. DC.	(ro.)	rose-coloured.	Mexico.	1828.	—	F. h.	Flor. mex. ic. ined.
65	abutiloides. DC.	(pu.)	Bahama.	Bahama Isl.	1725.	6. 9.	G. h.	Jacq. schœnb. 3. t. 293.
66	obtusiloba. B.M.	(pu.)	blunt-lobed.	Chili.	1824.	7. 8.	F. h.	Bot. mag. 2787.
67	elegans. DC.	(y.re.)	elegant.	C. B. S.	1791.	5. 8.	G. h.	Cav. dis. 2. t. 16. f. 1.
68	angustifolia. DC.	(li.)	narrow-leaved.	Mexico.	1780.	8.	G. h.	Bot. mag. 2839.
69	caroliniana. DC.	(re.)	Carolina.	Carolina.	1723.	6. 7.	H. ♂.	Cav. dis. 2. t. 15. f. 1.
70	prostrata. DC.	(sc.)	trailing.	Brazil.	1806.	5. 7.	G. ♀.	Bot. mag. 2515.
71	decumbens. DC.	(re.)	decumbent.	S. America.	1815.	6. 8.	G. ♀.	
KITAIB'ELIA. DC. KITAIB'ELIA. Monadelphia Polyandria. L.								
	vitifolia. DC.	(wh.)	Vine-leaved.	Hungary.	1801.	7. 9.	H. ♀.	Bot. mag. 821.
ALTH'EA. DC. ALTH'EA. Monadelphia Polyandria. L.								
1	officinalis. DC.	(fl.)	Marsh-Mallow.	Britain.	—	7. 9.	H. ♀.	Eng. bot. 147.
2	taurinenſis. DC.	(pu.)	intermediate.	S. Europe.	1823.	—	H. ♀.	
3	narbonensis. DC.	(pu.)	Narbonne.	—	1780.	8. 9.	H. ♀.	Jacq. ic. 1. t. 138.
4	cannabina. DC.	(ro.)	Hemp-leaved.	—	1597.	6. 7.	H. ♀.	Jacq. aust. 2. t. 101.
5	hirsuta. DC.	(bh.)	hairy.	England.	1683.	—	H. ♂.	— 2. t. 170.
6	Ludwigii. DC.	(wh.)	Ludwig's.	Sicily.	1791.	—	H. ♂.	Cav. ic. 5. t. 423.
7	leucantha. OT.	(wh.)	white-flowered.	Mt. Sinai.	1826.	6. 8.	H. ♂.	
8	nudiflora. F.	(ro.)	naked-flowered.	Altay.	1824.	6. 10.	H. ♂.	
9	Froloviána. F.	(pu.)	Siberian.	Siberia.	1826.	6. 8.	H. ♂.	
10	glabrifolia. Led.	(pu.)	smooth-leaved.	—	1827.	—	H. ♂.	
11	acaulis. DC.	(p.ye.)	stemless.	Aleppo.	1680.	—	H. ♂.	Cav. dis. 2. t. 27. f. 3.
12	carib'ea. DC.	(ro.)	West Indian.	W. Indies.	1816.	3. 4.	S. ♂.	Bot. mag. 1916.
13	striata. DC.	(li.)	streaked.	—	1820.	6. 8.	H. ♂.	
14	pallida. DC.	(li.)	pale-flowered.	Hungary.	1805.	—	H. ♂.	
15	rosea. DC.	(va.)	Hollyhock.	China.	1573.	7. 9.	H. ♂.	Cav. dis. 2. t. 28. f. 1.
	β biloba. DC.	(va.)	two-lobed.	—	—	—	H. ♂.	
16	sinensis. DC.	(v.)	China.	—	—	—	H. ♂.	Cav. dis. 2. t. 29. f. 3.
17	flexuosa. DC.	(pu.)	flexuose.	E. Indies.	1803.	6. 8.	S. ♀.	Bot. mag. 892.
18	ficifolia. DC.	(ye.)	Fig leaved.	Levant.	1597.	6. 9.	H. ♂.	Cav. dis. 2. t. 28. f. 2.
LAVATERA. DC. LAVATERA. Monadelphia Polyandria. L.								
1	triméstris. DC.	(li.w.)	common annual.	S. Europe.	1633.	7. 9.	H. ♂.	Bot. mag. 109.
2	phœnicea. DC.	(cr.)	scarlet.	Madeira.	1823.	6. 9.	G. h.	Vent. malm. t. 120.
3	acerifolia. DC.	(li.)	Maple-leaved.	Teneriffe.	—	—	G. h.	Lois. h. amat. t. 322.
4	hispidá. DC.	(ro.)	hispid.	Algiers.	1804.	6. 7.	G. h.	Desf. atl. 2. t. 171.
5	O'bia. DC.	(pu.)	downy-leaved.	France.	1570.	6. 10.	G. h.	Cav. dis. 2. t. 32. f. 2.
6	unguiculata. DC.	(pu.)	clawed.	Greece.	1807.	7. 9.	G. h.	
7	micans. DC.	(pu.)	glittering.	Spain.	1796.	6. 7.	G. h.	Moris. ox. t. 17. f. 9.
8	lusitânica. DC.	(pu.)	Portugal.	Portugal.	1731.	8. 9.	G. h.	
9	flava. DC.	(ye.)	yellow.	Sicily.	1823.	6. 8.	H. ♀.	Desf. atl. 2. t. 172.
10	plebéia. B.M.	(li.)	vulgar.	N. S. W.	1820.	—	G. ♀.	Bot. mag. 2269.
	Weinmanniana. Bes.							
11	thuringiaca. DC.	(pu.)	large-flowered.	Germany.	1731.	7. 9.	H. ♀.	Bot. mag. 517.
12	biennis. DC.	(pu.)	biennial.	Caucasus.	1823.	5. 8.	H. ♂.	
13	punctata. DC.	(bh.)	spotted-stalked.	Italy.	1800.	7. 9.	H. ♂.	
14	maritima. DC.	(wh.)	sea side.	S. Europe.	1597.	4. 6.	G. h.	Cav. dis. 2. t. 32. f. 3.
15	triloba. DC.	(li.)	three lobed.	Spain.	1759.	6. 7.	G. h.	Bot. mag. 2226.
16	arborea. DC.	(li.)	Tree Mallow.	Britain.	—	7. 10.	H. ♂.	Eng. bot. 1841.
17	neapolitána. DC.	(pu.)	Neapolitan.	Naples.	1823.	—	H. ♀.	
18	crética. DC.	(pu.)	Cretan.	Crete.	1723.	7. 9.	H. ♂.	Cav. dis. 2. t. 32. f. 1.
19	lanceolata. W.en.	(pu.)	spear-leaved.	—	1823.	—	H. ♂.	
20	sylvestris. DC.	(pu.)	wood.	Portugal.	—	—	H. ♂.	
21	ambigua. DC.	(pu.)	ambiguous.	Naples.	1824.	—	H. ♂.	
22	mollis. Ehr.	(pu.)	soft.	Egypt.	1825.	7. 10.	H. ♂.	
MALACHRA. DC. MALACHRA. Monadelphia Polyandria. L.								
1	rotundifolia. DC.	(ro.)	round-leaved.	Brazil.	1823.	6. 9.	S. ♂.	Schrank. h. mon. t. 56
2	capitata. DC.	(ye.)	headed.	W. Indies.	1759.	8. 9.	S. ♂.	Cav. dis. 2. t. 33. f. 1. 2.
3	fasciata. DC.	(ro.)	fasciate.	Caracas.	1820.	—	S. ♂.	Jacq. ic. 3. t. 548.
4	triloba. DC.	(wh.)	three-lobed.	—	—	—	S. ♂.	
5	radiata. DC.	(pu.)	rayed.	St. Domingo.	1794.	7. 9.	S. ♂.	Cav. dis. 2. t. 33. f. 3.
6	alceaefolia. DC.	(ye.)	Hollyhock-ld.	Caracas.	1805.	8. 9.	S. ♂.	Jacq. ic. 3. t. 549.
7	heptaphylla. DC.	(pu.)	many-flower'd.	Brazil.	1820.	6. 10.	S. ♀.	
	fasciata. B. reg. 467.		non DC.					
8	palmata. DC.	(ye.)	palmete.	—	1825.	—	S. ♂.	
URENA. DC. URENA. Monadelphia Polyandria. L.								
1	lobata. DC.	(ro.)	angular-leav'd.	China.	1731.	6. 7.	S. h.	Dill. elt. t. 319. f. 412.

2	scabriuscula. DC. (ro.)	roughish.	India.	1820.	6. 7.	S. h.	Cav. dis. 6. t. 185. f. 1.
3	repanda. DC. (ro.)	netted-leaved.	—	—	—	S. h.	—
4	multifida. DC. (ye.)	multifid.	Mauritius.	1817.	10. 1.	S. h.	Cav. dis. 6. t. 184. f. 2.
5	tricuspid. DC. (ye.)	three-pointed.	—	1820.	6. 9.	S. h.	— 6. t. 183. f. 1.
6	reticulata. DC. (ye.)	netted.	St. Domingo.	1816.	—	S. h.	— 6. t. 183. f. 2.
	americana. L. non Sm.	—	—	—	—	—	—
7	subtriloba. DC. (re.)	various-leaved.	Brazil.	1823.	—	S. ⊙.	Schrank. h. mon. t. 79.
8	Swartzii. DC. (re.)	Swartz's.	Surinam.		—	S. h.	—
	sinuata. Sw. americana. Sm.	—	—	—	—	—	—
9	sinuata. DC. (re.)	cut-leaved.	E. Indies.	1759.	7. 8.	S. h.	Cav. dis. 6. t. 185. f. 2.
10	muricata. DC. (re.)	muricate-fruit'd	—	1823.	—	S. h.	—
	PAVONIA. DC.	PAVONIA.	Monadelphia Polyandria. L.	—	—	—	—
1	spinifex. DC. (ye.)	prickly-seeded.	W. Indies.	1778.	7. 8.	S. h.	Bot. reg. 339.
2	Typhalea. DC. (wh.)	globular-headed.	—	1823.	—	S. h.	Cav. dis. 2. t. 197.
3	urens. DC. (ro.)	stinging.	Mauritius.	1801.	—	S. h.	Jacq. ic. 3. t. 522.
4	coccinea. DC. (sc.)	scarlet.	St. Domingo.	1816.	—	S. h.	Cav. dis. 3. t. 47. f. 1.
5	Columella. DC. (pu.)	angular-leaved.	Bourbon.	1807.	—	S. h.	— 3. t. 48. f. 3.
6	parviflora. DC. (st.)	small-flowered.		1820.	—	S. h.	—
7	racemosa. DC. (ye.)	naked-racemed.	Jamaica.	—	—	S. h.	Cav. dis. 3. t. 46. f. 1.
	spicata. Cav.	—	—	—	—	—	—
8	præmorsa. DC. (ye.)	bitten-leaved.	C. B. S.	1774.	6. 8.	G. h.	Bot. mag. 436.
9	paniculata. DC. (ye.)	panicked.	Caracas.	1823.	—	S. h.	Cav. dis. 3. t. 46. f. 2.
10	odorata. DC. (re.)	fragrant.	E. Indies.	1807.	—	S. h.	—
11	sidoïdes. DC. (re.)	Sida like.	—	1820.	—	S. f.	—
12	zeylanica. DC. (bh.)	Ceylon.	—	1790.	7. 9.	S. ⊙.	Burm. ind. t. 48. f. 2.
13	cancellata. DC. (re.)	arrow-leaved.	Surinam.	1823.	—	S. ⊙.	Lin. sup. t. 311.
	MALVAVISCUS. DC.	ACHANIA.	Monadelphia Polyandria. L.	—	—	—	—
1	arboresc. DC. (sc.)	smooth-leaved.	Jamaica.	1714.	1. 12.	S. h.	Cav. dis. 3. t. 48. f. 1.
	Achania malvaviscus. w.	—	—	—	—	—	—
2	mollis. DC. (sc.)	soft-leaved.	Mexico.	1780.	—	S. h.	Bot. reg. 11.
	Achania mollis. B.R.	—	—	—	—	—	—
3	pilosa. DC. (sc.)	hairy.	Jamaica.	1780.	10. 11.	S. h.	Lodd. bot. cab. 829.
	LEBRETONIA. DC.	LEBRETONIA.	Monadelphia Polyandria. L.	—	—	—	—
	coccinea. DC. (sc.)	scarlet.	Brazil.	1823.	6. 8.	S. h.	Schrank. h. mon. t. 90.
	HIBISCUS. DC.	HIBISCUS.	Monadelphia Polyandria. L.	—	—	—	—
1	liliflorus. DC. (va.)	Lily-flowered.	Bourbon.	1822.	8. 12.	S. h.	Cav. dis. 3. t. 57. f. 1.
2	Boryanus. DC. (wh.)	Bory St. Vincent's.	—	1826.	6. 10.	S. h.	—
3	pedunculatus. DC. (pi.)	long-peduncled.	C. B. S.	1812.	5. 12.	S. h.	Bot. reg. 231.
4	Lampas. DC. (st.)	three-pointed.	E. Indies.	1806.	10. 2.	S. h.	Cav. dis. 3. t. 56. f. 2.
5	membranaceus. DC. (y.)	leafy-calyxed.		1816.		S. h.	— 3. t. 57. f. 2.
6	spiralis. DC. (y.fl.)	spiral.	Mexico.	1826.	6. 9.	G. h.	Cavan. ic. 2. t. 162.
7	tubulosus. DC. (y.p.)	tubular.	E. Indies.	1796.	7. 10.	S. f.	Cav. dis. 3. t. 68. f. 2.
8	pentacarpos. DC. (bh.)	angular-fruited.	Venice.	1752.	—	G. 4.	Jacq. ic. 1. t. 143.
9	virginicus. DC. (ro.)	Virginian.	Virginia.	1798.	—	H. 4.	— 1. t. 142.
10	pentaspermus. DC. (ye.)	five-seeded.	Jamaica.	1825.	—	S. h.	—
11	Manihot. DC. (y.p.)	palmated.	E. Indies.	1712.	7. 9.	S. h.	Bot. mag. 1702.
12	palmatus. c. (ye.p.)	palmate-leav'd.	S. America.		—	S. h.	Cav. dis. 3. t. 63. f. 1.
13	ficulneus. DC. (wh.)	Fig-leaved.	Ceylon.	1732.	6. 7.	S. h.	— 3. t. 52. f. 2.
	sinuatus. c.	—	—	—	—	—	—
14	ficulneoides. B.R. (st.)	Fig-like.	S. America.	1824.	6. 8.	S. h.	Bot. reg. 938.
15	tetraphyllus. DC. (ye.)	four-leaved.	E. Indies.	1807.	7. 10.	S. ⊙.	—
16	platanifolius. DC. (ye.)	Plane-leaved.	W. Indies.	1820.	—	S. h.	Pl. sel. h. ber. t. 1.
	acerifolius. DC. non P.L.	Pavonia platanifolia. L. en.	—	—	—	—	—
17	Rosa-sinensis. DC. (sc.)	China Rose.	E. Indies.	1731.	1. 12.	S. h.	Bot. mag. 158.
	β rubro-plenus. DC. (sc.)	double-red.	—	—	—	S. h.	Lod. bot. cab. 995.
	γ carne-plenus. DC. (sa.)	double-salmon.	—	—	—	S. h.	—
	δ variegatus. DC. (sc.w.)	double-striped.	—	—	—	S. h.	Lod. bot. cab. 963.
	ε flavo-plenus. DC. (co.)	double-buff.	—	—	—	S. h.	— 513.
	ζ luteo-plenus. DC. (ye.)	double-yellow.	—	1822.	—	S. h.	— 932.
18	acerifolius. P.L. (va.)	Maple-leaved.	China.	1798.	3. 6.	G. h.	Sal. par. lond. 22.
19	syriacus. DC. (va.)	Althæa frutex.	Syria.	1596.	8. 9.	H. h.	Bot. mag. 83.
	α purpureus. DC. (pu.)	purple-flowered.	—	—	—	H. h.	—
	β ruber. DC. (re.)	red-flowered.	—	—	—	H. h.	—
	γ albus. DC. (wh.)	white-flowered.	—	—	—	H. h.	—
	δ variegatus. DC. (w.p.)	striped-flowered.	—	—	—	H. h.	—
	ε marginatus. DC. (pu.)	variegated.	—	—	—	H. h.	—
	ζ albo-plenus. DC. (wh.)	double-white.	—	—	—	H. h.	—
	η purpureo-plenus. DC. (p.)	double-purple.	—	—	—	H. h.	—
20	pruriens. DC. (y.pu.)	stinging.	E. Indies.	1804.	7. 9.	S. f.	Andr. reposit. 498.

21	surattensis. DC.	(y.p.)	prickly-stalk'd.	E. Indies.	1731.	7. 9.	S. ○.	Bot. mag. 1356.
22	radiatus. DC.	(st.p.)	rayed.	—————	1790.	6. 8.	S. ○.	————— 1911.
23	furcatus. DC.	(ye.p.)	forked.	—————	1816.	7. 9.	S. ○.	
24	unidens. B.R.	(y.p.)	one-toothed.	Brazil.	1824.	11. 4.	S. h.	Bot. reg. 878.
25	scaber. DC.	(st.)	scabrous.	Carolina.	1810.	7. 9.	G.w. 2.	
26	strigosus. B.R.	(ro.)	strigose.	S. America.	1822.	1. 12.	S. h.	Bot. reg. 860.
27	bifurcatus. DC.	(pu.)	two-forked.	Brazil.	1826.	—	S. h.	Cav. dis. 3. t. 51. f. 1.
28	trilobus. DC.	(co.)	three-lobed.	W. Indies.	1824.	—	S. h.	————— 3. t. 53. f. 2.
29	diversifolius. DC.	(y.p.)	different-leav'd.	E. Indies.	1798.	6. 7.	S. h.	Jacq. ic. 3. t. 551.
30	heterophyllus. DC.	(w.p.)	various-leaved.	N. S. W.	1808.	8. 9.	G. h.	Bot. reg. 29.
31	cannabinus. DC.	(y.p.)	Hemp-leaved.	E. Indies.	1759.	6. 7.	S. j.	Roxb. cor. 2. t. 190.
32	vitifolius. DC.	(y.p.)	Vine-leaved.	—————	1690.	7. 10.	S. j.	Rheed. mal. 6. t. 46.
33	obtusifolius. DC.	(y.p.)	blunt-leaved.	—————	1820.	—	S. j.	
34	Bámmia. L.en.	(y.p.)	Egyptian.	Egypt.		6. 7.	S. ○.	Tozz. mus. d. fir. 2. t. 7.
35	esculentus. L.en.	(y.p.)	eatable.	India.	1692.	—	S. ○.	
36	longifolius. DC.	(ye.)	long-leaved.	E. Indies.	1820.	7. 9.	S. j.	
37	moscheutos. DC.	(w.p.)	swamp.	N. America.		8. 10.	H.w. 2.	Swt. br. fl. gar. 286.
38	palustris. DC.	(pu.)	marsh.	—————	1759.	7. 9.	H.w. 2.	Cav. dis. 3. t. 65. f. 2.
39	roseus. DC.	(ro.)	rose-colour'd.	S. Europe.	1824.	8. 10.	H.w. 2.	Swt. br. fl. gar. 277.
40	aquaticus. DC.	(wh.)	water.	Etruria.	1820.	7. 9.	H.w. 2.	
41	incanus. DC.	(st.)	hoary.	Carolina.	1806.	9.	G.w. 2.	Wend. h. her. 4. t. 24.
42	militaris. DC.	(pu.)	smooth.	Louisiana.	1804.	8. 9.	G.w. 2.	Bot. mag. 2385.
43	speciosus. DC.	(cr.)	superb.	Carolina.	1778.	6. 9.	G.w. 2.	————— 360.
44	grandiflorus. DC.	(fl.)	great-flower'd.	Georgia.	1823.	—	G.w. 2.	
45	ferrugineus. DC.	(re.)	rusty.	Madagascar.	1820.	—	S. h.	Cav. dis. 3. t. 60. f. 1.
46	lunariifolius. DC.	(st.p.)	Lunaria-leav'd.	E. Indies.		—	S. h.	
47	æthiopicus. DC.	(ye.)	dwf. wedge-l'd.	C. B. S.	1774.	8.	G. 2.	Cav. dis. 3. t. 61. f. 1.
48	mutabilis. DC.	(va.)	changeable.	E. Indies.	1690.	10. 12.	S. h.	Bot. reg. 589.
	β flore-pleno.	(va.)	double-flowered.	—————		—	S. h.	
49	clypeatus. DC.	(r.y.)	shield-capsuled.	Jamaica.	1759.	7. 8.	S. h.	Cav. dis. 3. t. 58. f. 1.
50	Abelmóschus. DC.	(ye.)	Musk Okro.	India.	1640.	7. 9.	S. h.	————— 3. t. 62. f. 2.
51	eriocarpus. DC.	(ye.)	woolly-capsul'd.	E. Indies.	1820.	—	S. h.	
52	phœniceus. B.R.	(cr.)	crimson-flow'd.	S. America.	1796.	—	S. h.	Bot. reg. 230.
53	hirtus. L.	(sc.)	hairy.	E. Indies.		2. 10.	S. h.	Cav. dis. 3. t. 67. f. 3.
54	Rôsa malabárica. (sc.)		Malabar Rose.	—————	1818.	8. 10.	S. h.	Bot. reg. 337.
55	rhombifolius. DC.	(wh.)	rhomb-leaved.	—————	1823.	—	S. h.	Cav. dis. 3. t. 69. f. 3.
56	gossypinus. DC.	(re.)	cottony.	C. B. S.	1818.	—	G. h.	
57	micranthus. DC.	(ye.)	small-flowered.	E. Indies.	1794.	—	S. h.	Cav. dis. 3. t. 66. f. 1.
58	Trionum. DC.	(st.p.)	BladderKetmia.	Italy.	1596.	6. 9.	H. ○.	Bot. mag. 209.
59	hispidus. B.R.	(y.p.)	hispid.	C. B. S.		—	G. h.	Bot. reg. 806.
60	africanus. R.B.	(st.p.)	African.	Africa.	1826.	6. 10.	H. ○.	
61	Richardsoni.	(st.)	Richardson's.	N. S. W.	1822.	—	G. h.	Bot. reg. 875.
62	vesicarius. DC.	(st.p.)	African.	Africa.	1713.	7. 8.	H. ○.	Cav. dis. 3. t. 62. f. 2.
63	Sabdariffa. DC.	(y.ro.)	Indian.	E. Indies.	1596.	6. 9.	S. j.	Bouq. nav. t. 29.
64	digitatus. DC.	(y.r.)	fingered.	Brazil.	1818.	—	S. ○.	Cav. dis. 3. t. 70. f. 2.
	β Kerrianus. DC.	(w.r.)	Ker's.	Rio Janeiro.	—	—	S. ○.	Bot. reg. 608.
65	tricuspis. DC.	(ye.)	sharp-pointed.	Society Isl.	1820.	—	S. h.	Cav. dis. 3. t. 55. f. 2.
66	racemosus. B.R.	(y.p.)	racemed.	Nepaul.	1824.	8. 2.	G. h.	Bot. reg. 917.
67	tiliaceus. DC.	(ye.p.)	Lime-tree-l'd.	E. Indies.	1739.	7. 8.	S. h.	————— 232.
68	elatus. DC.	(y.p.)	tall.	Jamaica.	1790.	—	S. h.	
69	abutiloides. DC.	(y.p.)	smooth-leaved.	S. America.	1820.		S. h.	Sloan. jam. 1. t. 234. f. 4.
70	flavescens.	(ye.)	flavescent.	Brazil.	1822.	6. 9.	S. h.	Cav. dis. 3. t. 70. f. 3.
71	borbonicus. DC.	(ye.)	Bourbon.	I. Bourbon.	1826.	—	S. h.	
72	Macleanus. B.F.	(ye.)	Macleay's.	W. Indies.	1827.	8. 9.	S. h.	
73	macrophyllus. DC.	(ye.)	large-leaved.	E. Indies.	1820.		S. h.	
74	collinus. H.B.	(ye.)	hill.	—————	1822.		S. h.	
75	cancellatus. H.B.	(ye.)	netted.	Nepaul.	1823.	10. 2.	S. j.	
76	truncatus. H.B.	(ye.)	truncate.	E. Indies.	—	8. 10.	S. ○.	
77	scandens. H.B.	(ye.)	climbing.	—————	1822.		S. h. ~.	
78	strictus. H.B.	(ye.)	upright.	—————	1809.	8. 10.	S. ○.	
79	gangeticus. L.en.	(ye.)	dwarf.	—————	1804.	5. 10.	S. h.	
80	setosus. H.B.	(ye.)	bristly.	—————	1820.		S. h.	
81	tortuosus. H.B.	(ye.)	twisted.	—————	1808.	6. 9.	S. h.	
82	pentaphyllus. H.B.	(y.)	five-leaved.	China.	1825.	7. 9.	S. j.	
83	pungens. H.B.	(ye.)	pungent.	Nepaul.	—		G. 2.	
84	fragrans. H.B.	(ye.)	fragrant.	E. Indies.	1826.		S. h.	
85	Patersonii. DC.	(fl.)	Norfolk Island.	Norfolk Isl.	1792.	6. 8.	G. h.	Andr. rep. 286.

Lagunæa Patersonia. Bot. mag. 769. *squamea*. Vent. malm. t. 42.

THESPIESIA. DC.		THESPIESIA. Monadelphia Polyandria. L.	
populnea. DC. (y.p.)	Poplar-leaved. E. Indies.	1770.	S. h.
<i>Hibiscus populneus. w.</i>			Cav. dis. 3. t. 56. f. 1.
GOSSYPIMUM. DC.		COTTON-TREE. Monadelphia Polyandria. L.	
1 herbaceum. DC. (y.p.)	common. E. Indies.	1594. 7.	S. g.
2 indicum. DC. (y.p.)	Indian.		S. g.
3 arboreum. DC. (y.p.)	tree.	1694. 7. 8.	S. h.
4 vitifolium. DC. (y.p.)	Vine-leaved.	1805.	S. h.
5 hirsutum. DC. (ye.)	hairy. S. America.	1731.	S. g.
6 eglandulosum. DC. (ye.)	glandless.		S. g.
7 religiosum. DC. (bh.)	spotted-bark'd. E. Indies.	1777.	S. h.
8 latifolium. DC. (ye.p.)	broad-leaved.		S. h.
9 barbadense. DC. (y.p.)	Barbadoes. Barbadoes.	1759. 8. 10.	S. g.
10 obtusifolium. H.B. (y.p.)	blunt-leaved. E. Indies.	1822. 7. 8.	S. h.
REDOÛTEA. DC.		REDOÛTEA. Monadelphia Polyandria. L.	
heterophylla. DC. (st.p.)	various-leaved. St. Thomas.	1824. 7. 9.	S. o.
LOPI'MIA. DC.		LOPI'MIA. Monadelphia Polyandria. L.	
malacophylla. DC. (sc.)	Mallow-leaved. Brazil.	1824.	S. h.
<i>Sida malacophylla. L. en.</i>			Pl. sel. h. ber. t. 30.
PALAVIA. DC.		PALAVIA. Monadelphia Polyandria. L.	
1 malvæfolia. DC. (pu.)	Mallow-leaved. Lima.	1794. 6. 8.	H. o.
2 moschata. DC. (pu.)	musk-scented.	1822.	H. o.
CRISTARIA. Ph.		CRISTARIA. Monadelphia Polyandria. L.	
? coccinea. Ph. (sc.)	scarlet. Missouri.	1811. 7. 9.	H. 2.
<i>Malva coccinea. Nut. Sida? coccinea. DC.</i>			Bot. mag. 1673.
AN'ODA. DC.		AN'ODA. Monadelphia Polyandria. L.	
1 hastata. DC. (bl.wh.)	halberd-leav'd. Mexico.	1799. 6. 7.	S. o.
2 triloba. DC. (pu.)	three-lobed.	1720. 7. 9.	G. o.
<i>Sida cristata. w. non B.M.</i>			
3 Dilleniana. DC. (ro.)	Dillenius's.	1725. 6. 11.	G. o.
<i>Sida cristata. B.M. 330. non w.</i>			
4 triangularis. DC. (pu.)	triangular-l'd.	1824. 7. 9.	G. o.
5 incarnata. DC. (fl.)	flesh-color'd.	1825.	G. g.
6 acerifolia. DC. (bl.)	Maple-leaved.	1809. 1. 12.	S. g.
<i>Sida hastata. B.M. non w. centrotata. s.s.</i>			
7 parviflora. DC. (st.)	small-flowered. New Spain.	1823. 6. 10.	G. o.
PERI'PTERA. DC.		PERI'PTERA. Monadelphia Polyandria. L.	
punicea. DC. (cr.)	crimson. New Spain.	1813. 6. 9.	S. h.
<i>Sida periptera. B.M. Anoda punicea. Lag.</i>			Bot. mag. 1644.
NUTTALLIA. B.A.		NUTTALLIA. Monadelphia Polyandria.	
1 digitata. B.A. (d.p.)	digitate-leaved. N. America.	1824. 7. 10.	H. 2.
2 pedata. B.A. (d.pu.)	pedate-leaved.		H. 2.
SIDA. Kth.		SIDA. Monadelphia Polyandria. L.	
1 linifolia. DC. (wh.)	Flax-leaved. S. America.	1822. 6. 9.	S. h.
2 angustifolia. DC. (ye.)	narrow-leaved. Bourbon.	1726. 7. 9.	S. h.
3 linearis. DC. (ye.)	linear-leaved. New Spain.	1820. 6. 10.	G. h.
4 viminea. L. en. (ye.)	slender. Brazil.	1823.	S. h.
5 spinosa. DC. (ye.)	prickly. E. Indies.	1680.	S. g.
6 acuta. DC. (ye.)	acute-leaved.	1827.	S. h.
7 alba. DC. (wh.)	white-flowered.	1732. 6. 7.	S. o.
8 stipulata. DC. (ye.)	large-stipuled. Mauritius.	1820.	S. h.
9 jamaicensis. DC. (ye.)	Jamaica. Jamaica.	1818. 6. 9.	S. h.
10 bracteolata. DC. (ye.)	bracteolate. S. America.		S. h.
11 carpinifolia. DC. (ye.)	Hornbeam-l'd. Canaries.	1774. 7. 9.	G. h.
12 carpinoides. DC. (ye.)	Hornbeam-like.		S. h.
13 semicrenata. L. en. (y.)	semicrenate. Manila.	1826.	S. 2.
14 acrantha. L. en. (ye.)	close-flower'd. Brazil.		S. h.
15 spiræifolia. L. en. (ye.)	Spiræa-leaved.		S. h.
16 Schrankii. DC. (ye.)	Schrank's. Brazil.	1824.	S. 2.
<i>brasila. L. en.</i>			
17 betulina. H. (ye.)	Birch-leaved. S. America.	1823.	S. h.
18 erosa. DC. (ye.)	jagged. Brazil.		S. 2.
19 ciliaris. DC. (cr.)	ciliated. St. Domingo.	1798.	S. h.
20 alnifolia. DC. (ye.)	Alder-leaved. E. Indies.	1732.	S. g.
21 sessiliflora. B.M. (ye.)	sessile-flower'd. S. America.	1826. 11. 2.	S. h.
22 frutescens. DC. (ye.)	frutescent. Mauritius.	1824. 6. 9.	S. h.
23 bicolor. DC. (r.y.)	two-colour'd. New Spain.	1826.	S. h.
24 canariensis. DC. (wh.)	Canary Tea. Canaries.		S. h.
<i>alba. Cav. non L.</i>			

25	rhombifolia. DC. (ye.)	rhomboid-l'd.	Brazil.	1732.	6. 8.	S. h.	Cav. dis. 1. t. 3. f. 12.
26	rhomboidæa. DC. (ye.)	rhomboid.	E. Indies.	1818.	—	S. h.	
27	retusa. DC. (ye.)	retuse-leaved.	—	—	—	S. h.	Cav. dis. 1. t. 3. f. 4.
28	recisa. DC. (ye.)	notched.	Brazil.	1823.	—	S. h.	
29	calyxhymenia. DC. (st.)	New Holland.	N. Holland.	1820.	—	G. h.	
30	globiflora. B.M. (st.)	globe-flowered.	Mauritius.	1825.	10. 12.	S. h.	Bot. mag. 2821.
31	maculata. DC. (ye.r.)	corky.	St. Domingo.	1798.		S. h.	Cav. dis. 1. t. 3. f. 7.
	suberosa. L. her. stirp.	t. 54.					
32	acuminata. DC. (ye.)	acuminate.	St. Domingo.	1805.	7. 9.	S. h.	
33	pilosa. DC. (ye.)	pilose.	W. Indies.	1793.	—	S. g.	Cav. dis. 1. p. 9. t. 8.
34	humilis. DC. (ye.)	dwarf.	E. Indies.	1800.	7. 8.	S. g.	Cav. dis. 5. t. 134. f. 2.
	unilocularis. L'Herit. stirp.	1. t. 53. bis.					
35	rotundifolia. DC. (pu.)	round-leaved.	Bourbon.	1826.	—	S. o.	Cav. dis. 1. t. 3. f. 6.
36	cordifolia. DC. (ye.)	heart-leaved.	E. Indies.	1732.	6. 9.	S. o.	— 1. t. 3. f. 2.
37	multiflora. DC. (ye.)	many-flowered.	Brazil.	1825.	—	S. h.	— 1. t. 3. f. 3.
38	arguta. DC. (ye.)	sharp-leaved.	W. Indies.	1732.	7. 8.	S. h.	
39	althæifolia. DC. (co.)	Althæa-leaved.	—	1818.	—	S. h.	Sloan. his. 1. t. 136. f. 2.
40	urens. DC. (ye.)	stinging.	—	1781.	—	S. h.	Cav. dis. 1. t. 2. f. 7.
41	verticillata. DC. (ye.)	whorl-flowered.	Brazil.	1823.	—	S. h.	— 1. t. 1. f. 12.
42	paniculata. DC. (d.pu.)	dark purple.	S. America.	1795.	7. 9.	S. h.	— 1. t. 12. f. 5.
	atrosanguinea. Jacq. ic. 1. t. 136.						
43	fruticosa. DC. (wh.)	shrubby.	Jamaica.		6. 10.	S. h.	
44	villosa. DC. (ye.)	villous.	S. America.		—	S. h.	
45	verruculata. DC. (ye.)	wart-stem'd.	Brazil.	1827.	5. 9.	S. h.	
	arguta. F. in L. en. non Swartz.						
46	graveolens. DC. (ye.)	strong-scented.	E. Indies.	1820.	6. 9.	S. h.	
47	purpurascens. DC. (pu.)	purplish.	Brazil.	—	7. 9.	S. h.	
48	pätens. DC. (pu.)	spreading.	Abyssinia.	1806.	—	S. g.	Andr. rep. 571.
49	conferta. DC. (st.)	close-flowered.	Brazil.	1826.	—	S. h.	
50	hirsuta. DC. (wh.)	hairy.			—	S. h.	
51	lasiostega. DC. (ye.)	woolly.	Brazil.	1823.	—	S. h.	
52	pentacarpus. DC. (ye.)	five-capsuled.	E. Indies.	1823.	8. 10.	S. o.	
53	triloba. DC. (wh.)	three-lobed.	C. B. S.	1794.	—	G. g.	Jacq. schoen. 2. t. 142.
54	ricinoides. DC. (bh.)	Ricinus-like.	Peru.	1826.	7. 10.	H. o.	L'Her. stirp. 1. t. 56.
	palmata. Cav. dis. 1. t. 3. f. 3.						
55	jatrophaoides. DC. (vi.)	Jatropha-like.	Peru.	1787.	8.	S. g.	L. Her. stirp. 1. t. 56.
	palmata. Jacq. ic. rar. 3. t. 547.						
56	malvæflora. B.R. (bh.)	Mallow-flow'd.	Columbia.	1826.	9. 11.	H. h.	Bot. reg. 1036.
57	Nap'æa. DC. (wh.)	smooth.	Virginia.	1748.	8. 9.	H. h.	Bot. mag. 2193.
	Nap'æa lævis. L.						
58	dioica. DC. (wh.)	rough.	Virginia.	1759.	8. 9.	H. h.	Cav. dis. 5. t. 132. f. 2.
	BASTARDIA. Kth. BASTARDIA.	Monadelphia Polyandria. L.					
1	viscosa. K.S. (ye.)	viscous.	S. America.	1822.	7. 8.	S. h.	Sloan. his. 1. t. 139. f. 4.
	Sida viscosa. DC.						
2	foetida. (ye.)	stinking.	Peru.	1795.	7. 8.	S. o.	L. Her. stirp. 1. t. 53.
	Sida foetida. DC. Sida viscosa. L.H.						
	GA'YA. Kth. GA'YA.	Monadelphia Polyandria. L.					
1	occidentalis. H.S. (vi.)	downy.	America.	1732.	7. 8.	S. o.	Cav. dis. 1. t. 4. f. 3.
	Sida occidentalis. DC.						
2	hermannioides. K.S. (y.)	Hermannia-like.	Mexico.	1826.	4. 9.	G. h.	H. et B. n.gen. 5. t. 475.
3	disticha. (ye.)	two-ranked.	New Spain.	1820.	6. 9.	G. h.	Cav. ic. 5. t. 432.
	Sida disticha. Cav.						
4	nütans. (ye.)	nodding.	Peru.	1825.	—	G. h.	L. Her. stirp. 1. t. 57.
	Sida nütans. DC. calypttrata. Cav.						
	ABUTILON. Kth. ABUTILON.	Monadelphia Polyandria. L.					
1	periplocifolium. (st.)	Periploca-l'd.	India.	1691.	7. 8.	S. g.	Cav. dis. 1. t. 5. f. 2.
	Sida periplocifolia. DC.						
2	ferrugineum. K.S. (ye.)	ferruginous.	Peru.	1822.	7. 8.	S. h.	
3	hernandioides. (ye.)	Hernandia-l'd.	Hispaniola.	1798.		S. h.	L. Her. stirp. 1. t. 58.
4	lucianum. (wh.)	St. Lucian.	St. Lucia.	1822.		S. h.	
	Sida luciana. DC.						
5	Lechenaultianum. (ye.)	Lechenault's.	E. Indies.	1820.		S. h.	
	Sida Lechenaultiana. DC.						
6	nudiflorum. (ye.)	naked-flower'd.	Peru.	1731.	5. 6.	S. h.	L. Her. stirp. 1. t. 59.
7	polyanthum. (ye.)	many-flowered.		1822.	—	S. h.	
	Sida polyantha. DC.						
8	contractum. (ye.)	contracted.	Madagascar.	1826.	5. 7.	S. h.	
	Sida contracta. L. en.						
9	auritum. (co.)	eared-stipuled.	Java.	1820.	12. 3.	S. h.	Bot.
	Sida aurita. B.M.						

10	triquètrum.	(ye.) triangular.	W. Indies.	1775.	7. 8.	S. h.	Jacq. vind. 2. t. 118.
11	incanum.	(ye.) hoary.	Sandwich Isl.	1821.	—	S. h.	
	<i>Sida incana</i> . L. en.						
12	pulchellum.	(wh.) neat.	N. Holland.	—	—	S. h.	Bonpl. nav. t. 2.
13	umbellatum.	(ye.) umbelled.	Jamaica.	1788.	7. 9.	S. f.	Jacq. vind. t. 56.
14	giganteum.	(ye.) gigantic.	Caracas.	1823.		S. h.	Jacq. schœnb. 2. t. 141.
15	reflexum.	(re.) reflex-flowered.	Peru.	1799.	7. 8.	S. h.	Cav. dis. 1. t. 7.
16	crispum.	(wh.) curled.	America.	1726.	—	H. ☉	— 1. t. 7. f. 1.
17	virgatum.	(ye.) twigg.	Peru.	1820.	—	S. h.	Cav. ic. 1. t. 73.
18	arboreum.	(pu.) great-flowered.	—	1772.	—	S. h.	L. her. stirp. 1. t. 63.
19	Mauritianum.	(ye.) hairy-capsuled.	Mauritius.	1789.	7. 9.	S. h.	Jacq. ic. 1. t. 137.
	<i>Sida planiflora</i> . Cav. dis. 1. t. 7. f. 4.						
20	tiliæfolium.	(ye.) Lime-tree-ld.	China.	1820.	—	S. ☉	Jacq. f. ecl. 1. t. 35.
21	muticum.	awless.	Egypt.	1825.	8. 10.	H. ☉	
	<i>Sida mutica</i> . DC.						
22	Avicennæ. g.	(ye.) broad-leaved.	S. France.	1596.	6. 8.	H. ☉	Houtt. syst. 8. t. 61.
	<i>Sida Abutilon</i> . DC.						
23	americanum.	(ye.) American.	Jamaica.	1730.	6. 8.	S. ☉	
	<i>Sida americana</i> . DC.						
24	asiaticum.	(ye.) small-flowered.	E. Indies.	1768.	7. 8.	S. ☉	Cav. dis. 1. t. 7. f. 2.
25	populifolium.	(ye.) Poplar-leaved.	—	1796.	—	S. ☉	— 1. t. 7. f. 9.
26	hirtum.	(ye.) hairy.	—	1820.	—	S. ☉	Rumph. amb. 4. t. 10?
	<i>Sida hirta</i> . DC.						
27	molle.	(ye.) large-leaved.	Peru.	1817.	10. 12.	S. h.	Bot. mag. 2759.
	<i>Sida mollis</i> . DC. <i>grandifolia</i> . Bot. reg. 360.						
28	mollissimum.	(st.) soft-leaved.	Peru.	1789.	6. 7.	S. f.	Cav. dis. 2. t. 14. f. 1.
29	permolle.	(ye.) woolly-leaved.	—	1818.	—	S. h.	
	<i>Sida permollis</i> . DC.						
30	cornutum.	(ye.) horned.	S. America.	1827.	—	S. h.	
	<i>Sida cornuta</i> . W. enum.						
31	indicum.	(ye.) Indian.	E. Indies.	1731.	7. 8.	S. ☉	Cav. dis. 1. t. 7. f. 10.
32	vesicarium.	(st.) bladdered.	Mexico.	1796.	—	S. h.	— 2. t. 14. f. 3.
33	glaucum.	(ye.) glaucous.	Senegal.	1822.	—	S. h.	Cav. ic. 1. t. 11.
34	albidum.	(ye.) white-leaved.	Canaries.	—	—	G. h.	
	<i>Sida albida</i> . DC.						
35	mollicomum.	(ye.) soft.		1804.	7. 9.	S. h.	
	<i>Sida sericea</i> . Cav? <i>Sida mollicoma</i> . DC.						
36	Sonneratianum.	(ye.) Sonnerat's.	C. B. S.	1806.	6. 7.	G. f.	Cav. dis. 1. t. 6. f. 4.
	LAGUNÆA. DC.	LAGUNÆA. Monadelphica Polyandria. L.					
1	lobata. DC.	(wh.) Maple-leaved.	Bourbon.	1787.	7. 8.	S. ☉	Cav. dis. 5. t. 136. f. 1.
2	sinuata. DC.	(wh.) sinuate.			—	S. ☉	

ORDO XXIX.

BOMBACEÆ. DC. prodr. 1. p. 475.

HELICTERES. DC. SCREW-TREE. Monadelphia Dodecandria. L.							
1	Isora. DC.	(re.) great-fruited.	E. Indies.	1733.	6. 7.	S. h.	Bot. mag. 2061.
2	baruënsis. DC.	(wh.) small-fruited.	W. Indies.	1739.	9. 10.	S. h.	Jacq. amer. t. 149.
3	jamaicensis. DC.	(wh.) broad-leaved.	—	—	6. 7.	S. h.	Jacq. vind. 2. t. 143.
4	guazumæfolia. DC.	(pu.) Guazuma-ld.	S. America.	1820.	6. 8.	S. h.	
5	verbascifolia. DC.	(re.) Verbascum-ld.	Brazil.	—	—	S. h.	Lodd. bot. cab. 504.
6	ferruginata. DC.	(ye.) yellow-flow'r'd.	—	—	—	S. h.	
7	lanceolata. DC.	(pu.) spear-leaved.	E. Indies.	1823.		S. h.	
8	spicata. H.B.	(pu.) spike-flowered.	—	—		S. h.	
MYRODIA. DC. MYRODIA. Monadelphia Dodecandria. L.							
	turbinata. DC.	(wh.) short-flowered.	W. Indies.	1793.		S. h.	Fl. mex. ic. ined.
PLAGIANTHUS. DC. PLAGIANTHUS. Monadelphia Dodecandria.							
	divaricatus. DC.	 small-leaved.	New Zealand.	1821.		G. h.	Forst. gen. t. 43.
ADANSONIA. DC. SOUR-GOURD. Monadelphia Polyandria. L.							
	dissecta. DC.	(wh.) palmate.	Senegal.	1724.		S. f.	Bot. mag. 2791-2792.

CAROLINEA. DC.		CAROLINEA. Monadelphia Polyandria. L.			
1	princeps. DC. (re.) digitated.	W Indies.	1787.	 S. h.	Aub. gui. 2. t. 291-2.
	<i>Pachira aquatica</i> . A.				
2	insignis. DC. (sc.) great-flowered.	—	1796.	 S. h.	Lodd. bot. cab. 1004.
3	robusta. L.C. (re.) robust.	S. America.	1825.	 S. h.	
4	fastuosa. DC. (cr.) crimson.	New Spain.	—	 S. h.	Hern. mex. 68. ic.
5	minor. DC. (re.) lesser.	Guiana.	1798.	7. 8. S. h.	Bot. mag. 1412.
6	alba. B.C. (wh.) white-flowered.	Brazil.		S. h.	Lod. bot. cab. 752.
BOMBAX. DC.		SILK-COTTON-TREE. Monadelphia Polyandria.			
1	Céiba. DC. (ro.) five-leaved.	S. America.	1692.	 S. h.	Jacq. am. t. 176. f. 1.
	<i>quinatum</i> . Jacq.				
2	septenatum. DC. seven-leaved.	—	1699.	 S. h.	
	<i>heptaphyllum</i> . L. non Cav.				
3	malabaricum. DC. (sc.) Malabar.	E. Indies.		S. h.	Roxb. cor. 3. t. 247.
	<i>heptaphyllum</i> . Roxb. non L.				
4	globosum. DC. (pa.) globe-fruited.	Guiana.	1824.	 S. h.	Aubl. guian. 2. t. 281.
5	buonopozense. DC. (cr.) African.	Africa.	1822.	 S. h.	Beauv. fl. ow. 2. t. 83.
ERIODENDRON. DC. ERIODENDRON. Monadelphia Dodecandria.					
1	leianthum. DC. (wh.) Brazilian.	Brazil.	1822.	 S. h.	Cav. dis. 5. t. 152. f. 1.
	<i>Bombax erianthos</i> . Cav.				
2	anfractuosum. DC. (st.) twisted-anther'd		1739.	 S. h.	Cav. dis. 5. t. 151.
	<i>Bombax pentandrum</i> . L.				
	<i>a indicum</i> . DC. (ye.) East Indian.	E. Indies.	—	 S. h.	Rheed. mal. 3. t. 49. 51.
	<i>β caribæum</i> . DC. (ro.) West Indian.	W. Indies.	—	 S. h.	Jacq. am. t. 176. f. 70.
	<i>γ africanum</i> . DC. (cr.) African.	Africa.	1823.	 S. h.	
OCHR'OMA. DC. OCHR'OMA. Monadelphia Pentandria. L.					
1	Lagopus. DC. (wh.) downy-leaved.	Jamaica.	1802.	 S. h.	Sw. fl. 2. t. 23.
2	tomentosa. DC. (wh.) woolly-leaved.	S. America.	1816.	 S. h.	
CHEIROSTEMON. DC. CHEIROSTEMON. Monadelphia Decandria.					
	platanoides. DC. (wh.) plane-leaved.	New Spain.	1820.	11. 1. S. h.	H. et B. pl. æq. 1. t. 24.
	<i>Chiranthodendron</i> . Larr. dis. ic.				

ORDO XXX.

BUTTNERIACEÆ. Kunth Synops. 3. p. 266.

Tribus I. STERCULIÆ. DC. prodr. 1. p. 481.

STERCULIA. DC.		STERCULIA. Monœcia Monadelphia. L.			
1	Balanhas. DC. (st.) many-seeded.	E. Indies.	1787.	6. 9. S. h.	Rheed. mal. 1. t. 49.
2	nobilis. DC. (st.) few-seeded.	China.	—	S. h.	Bot. reg. 185.
	<i>Balanhas</i> . B.R. <i>Southwellia nobilis</i> . Par. Lond. 69.				
3	acuminata. DC. (ye.) taper-pointed.	Africa.	1822.	 S. h.	Beau. fl. ow. 1. t. 24.
4	grandiflora. DC. (ye.) large-flowered.	E. Indies.	1820.	 S. h.	
5	coccinea. DC. (re.) scarlet-fruited.	—	—	S. h.	
6	angustifolia. DC. (ye.) narrow-leaved.	Nepaul.	1823.	 S. h.	
7	guttata. DC. (fl.) spotted.	E. Indies.	1819.	 S. h.	Rheed. mal. 4. t. 61.
8	heterophylla. DC. (ye.) various-leaved.	Africa.	1824.	 S. h.	Beauv. fl. ow. 1. t. 40.
9	Ivira. DC. (fl.) hairy capsuled.	W. Indies.	1723.	 S. h.	Aub. gui. 2. t. 279.
	<i>crinita</i> . Cav. dis. 5. t. 162.				
10	macrophylla. DC. (ye.) large-leaved.	E. Indies.	1822.	 S. h.	
11	platanifolia. DC. (gr.) Plane-leaved.	China.	1757.	7. G. h.	Cav. dis. 5. t. 145.
12	colorata. DC. (re.) scarlet.	E. Indies.	1818.	 S. h.	Roxb. cor. 1. t. 25.
13	urens. DC. (gr.) stinging.	—	1793.	6. 9. S. h.	— 1. t. 24.
14	villosa. DC. villous-leaved.	—	1818.	 S. h.	
15	foetida. DC. (fl.) feid.	—	1690.	 S. h.	Cav. dis. 5. t. 145.
HERITIERA. DC. LOOKING-GLASS PLANT. Diccia Monadelphia.					
1	littoralis. DC. (re.) large-leaved.	E. Indies.	1780.	 S. h.	Rheed. mal. 6. t. 21.
2	minor. DC. small-leaved.	—	1816.	 S. h.	Gart. fr. 2. t. 98. f. 2.

Tribus II. *BUTTNERIÆÆ.*

THEOBROMA. DC.		CHOCOLATE-NUT.		Polyadelphia Decandria. L.		
1	Cacão. DC.	(ye.)	smooth-leaved.	S. America.	1739. 6. 9.	S. h. Lodd. bot. cab. 545.
2	guianensis. DC.	(ye.)	woolly-leaved.	Guiana.	1803.	S. h. Aub. gui. 2. t. 275.
3	caribæa.	(ye.)	Caribbean.	W. Indies.	1821.	S. h.
4	bicolor. DC.	(re.)	two-coloured.	S. America.	1820.	S. h. H. et B. pl. eq. 1. t. 30.
ABROMA. DC.		ABROMA.		Polyadelphia Dodecandria. L.		
1	augusta. DC.	(d.pu.)	smooth-stalked.	E. Indies.	1770. 6. 9.	S. h. Bot. reg. 518.
2	fastuosa. DC.	(d.pu.)	rough-stalked.	N. Holland.	1800. —	S. h. Sal. par. lond. 102.
3	mollis. DC.	(d.pu.)	soft.	Moluccas.	 —	S. h.
GUAZUMA. DC.		BASTARD CEDAR.		Polyadelphia Dodecandria. L.		
1	ulmifolia. DC.	(ye.)	Elm-leaved.	W. Indies.	1739. 8. 9.	S. h. Trew ehret. t. 76.
<i>Bubroma Guazuma. w.</i>						
2	tomentosa. DC.	(ye.)	tomentose.	S. America.	 —	S. h.
3	polybotrya. DC.	(ye.)	velvety.	W. Indies.	 —	S. h. Cav. ic. 3. t. 299.
COMMERSONIA. DC.		COMMERSONIA.		Pentandria Pentagynia. L.		
1	echinata. DC.	(wh.)	oval-leaved.	Moluccas.	1806. 6. 7.	S. h. Rumph. amb. 3. t. 119.
2	platyphylla. DC.	(wh.)	broad-leaved.	—	—	S. h. And. bot. rep. 519.
RULINGIA. Br.		RULINGIA.		Pentandria Pentagynia. L.		
1	dasyphylla.	(wh.)	hairy-leaved.	N. Holland.	1808. 4. 7.	G. h. Bot. rep. 603.
<i>Commersonia dasyphylla. A.R. Byttneria dasyphylla. DC.</i>						
2	pannosa. B.M.	(wh.)	cloth-leaved.	N. Holland.	1819. 4. 7.	G. h. Bot. mag. 2191.
3	hermanniaefolia. DC.	(w.)	Hermannia-ld.	—	—	G. h.
BUTTNERIA. L.		BUTTNERIA.		Pentandria Monogynia. L.		
1	herbacea. DC.	(wh.)	herbaceous.	E. Indies.	1820. 4. 7.	S. y. Roxb. cor. 1. t. 29.
2	grandifolia. DC.	(wh.)	large-leaved.	—	—	S. h.
3	catalpaefolia. DC.	(wh.)	Catalpa-leav'd.	Caracas.	1823.	S. h. Jacq. schœnb. 1. t. 46.
4	cordata. DC.	(wh.)	heart-leaved.	Peru.	 —	S. h. Cav. dis. 5. t. 150.
5	microphylla. DC.	(va.)	small-leaved.	S. America.	1816.	S. h. — 5. t. 148. f. 2.
6	scabra. DC.	(wh.)	rough.	—	1793. 7. 8.	S. h. — 5. t. 148. f. 1.
AYENIA. DC.		AYENIA.		Pentandria Monogynia.		
1	pusilla. DC.	(pu.)	small.	Jamaica.	1756. 7. 9.	S. j. Mill. ic. t. 118.
2	laevigata. DC.	(cr.)	smooth.	—	 —	S. h.
KLEINHÖVIA. DC.		KLEINHÖVIA.		Monadelphia Dodecandria.		
	Höspita. DC.	(pu.)	purple-flower'd.	Moluccas.	1800. 7. 9.	S. h. Cav. dis. 5. t. 146.

Tribus III. *LASIOPETALEÆ. DC.*

SERINGIA. DC.		SERINGIA. Pentandria Monogynia.			
	platyphylla. DC. (wh.)	broad-leaved.	N. Holland.	1802. 4. 7. G. h.	Gay dis. p. 13. t. 1. 2.
<i>Lasiopetalum arborescens. H.K.</i>					
LASIOPETALUM. DC.		LASIOPETALUM. Pentandria Monogynia.			
1	ferrugineum. DC. (wh.)	rusty.	N. Holland.	1791. 4. 7. G. h.	Bot. mag. 1766.
2	parviflorum. DC. (wh.)	small-flowered.	————	1810. — G. h.	Linn. trans. 10. t. 19. f. 2.
THOMASIA. DC.		THOMASIA. Pentandria Monogynia.			
1	purpurea. DC. (pu.)	purple.	N. Holland.	1803. 4. 7. G. h.	Bot. mag. 1755.
<i>Lasiopetalum purpureum. H.K. coccineum. Donn. cant.</i>					
2	foliosa. DC. (wh.)	leafy.	N. Holland.	1822. — G. h.	Gay dis. p. 24. t. 7.
3	solanæa. DC. (wh.)	Solanum-like.	————	1803. — G. h.	———— p. 26. t. 6.
<i>Lasiopetalum solanaceum. B.M. 1486.</i>					
4	quercifolia. DC. (pu.)	Oak-leaved.	————	———— G. h.	Bot. mag. 1485.

Tribus IV. *HERMANNIÆÆ. DC.*

MEL'UCHIA. DC.		MEL'UCHIA.		Monadelphia Pentandria. DC.		
1	pyramidata. DC.	(vi.)	pyramidal.	Brazil.	1768. 7. 8.	S. h. Jacq. vind. 1. t. 30.
2	tomentosa. DC.	(vi.)	downy.	W. Indies.	— 5. 6.	S. h. Cav. dis. 6. t. 172. f. 2
3	parvifolia. DC.	(wh.)	small-leaved.	Caracas.	1823.	S. h.
				F 2		

RIEDLE'IA. DC.		RIEDLE'IA. Monadelphia Pentandria. L.					
1	velutina. DC.	soft-leaved.	E. Indies.	1820.	6. 8.	S. h.	
2	depressa. DC. (st.)	depressed.	Havannah.	—	—	S. h.	
3	supina. DC.	procumbent.	E. Indies.	1823.	—	S. f.	Pluk. alm. t. 232. f. 4.
4	corchorifolia. DC. (bh.)	Corchorus-ld.	—	1732.	7. 8.	S. o.	Dill. elt. t. 176. f. 217
<i>Melochia corchorifolia. L.</i>							
5	nodiflora. DC. (wh.)	knot flowered.	S. America.	1823.	—	S. h.	Sloan. his. t. 135. f. 2.
<i>Mougeotia nodiflora. Kth. Melochia nodiflora. Sw.</i>							
6	caracasana. DC. (wh.)	Caracas.	Caracas.	1823.	—	S. h.	Jacq. ic. 3. t. 507.
<i>Mougeotia caracasana. Kth. Melochia caracasana. Jacq.</i>							
7	serrata. DC. (pu.)	saw-leaved.	St. Domingo.	1827.	6. 8.	S. 2.	Vent. choix. t. 37.
WALTHE'RIA. DC. WALTHE'RIA. Monadelphia Pentandria. L.							
1	americana. DC. (ye.)	American.	S. America.	1691.	5. 10.	S. h.	Jacq. ic. 1. t. 130.
2	glabra. DC. (ye.)	smooth.	W. Indies.	1823.	—	S. 2.	Schrank. h. mon. t. 55.
<i>lævis. L. en.</i>							
3	indica. DC. (ye.)	Indian.	E. Indies.	1759.	6. 8.	S. h.	Burm. zeyl. t. 68.
4	elliptica. DC. (ye.)	woolly-leaved.	—	1812.	—	S. h.	Cav. dis. 6. t. 171. f. 2.
5	microphylla. DC. (ye.)	small-leaved.	—	1823.	—	S. h.	— 6. t. 170. f. 2.
HERMA'NNIA. DC. HERMA'NNIA. Monadelphia Pentandria. L.							
1	multifida. DC. (ye.)	multifid-leaved.	C. B. S.	1825.	5. 8.	G. h.	
2	haliacaba. DC. (ye.)	bladder-calyx'd.	—	1820.	—	G. h.	
3	comosa. DC. (ye.)	tufted.	—	—	1. 12.	G. h.	
4	althæifolia. DC. (ye.)	Althæa-leaved.	—	1728.	3. 7.	G. h.	Bot. mag. 307.
5	althæoides. L. en. (ye.)	Althæa-like	—	—	—	G. h.	
6	plicata. DC. (ye.)	plaited-leaved.	—	1774.	11. 12.	G. h.	Jacq. schœnb. 2. t. 213.
7	candicans. DC. (ye.)	white-leaved.	—	—	4. 6.	G. h.	— 1. t. 117.
8	mollis. DC. (ye.)	soft-leaved.	—	1818.	—	G. h.	
9	decumbens. DC. (ye.)	decumbent.	—	—	—	G. h.	
10	hyssopifolia. DC. (ye.)	Hyssop-leaved.	—	1725.	—	G. h.	Cav. dis. 6. t. 181. f. 3.
11	trifoliata. DC. (ye.)	three-leaved.	—	1752.	5. 8.	G. h.	— 6. t. 182. f. 2.
12	triphylla. DC. (st.)	three-parted.	—	1820.	—	G. h.	— 6. t. 178. f. 3.
13	glandulosa. DC. (ye.)	glandular.	—	—	—	G. h.	
14	fragrans. DC. (ye.)	fragrant.	—	—	—	G. h.	
15	disermæfolia. DC. (ye.)	simple-flow'r'd.	—	1795.	3. 4.	G. h.	Jacq. schœnb. 1. t. 121.
16	disticha. DC. (ye.)	round-leaved.	—	1789.	5. 8.	G. h.	S. et Wend. sert. h. t. 10.
<i>rotundifolia. Jacq. schœn. 3. t. 121.</i>							
17	melochioides. DC. (ye.)	Melochia-like.	—	1818.	—	G. h.	
18	bryonifolia. DC. (ye.)	Bryony-leaved.	—	—	—	G. h.	
19	salvifolia. DC. (ye.)	Sage-leaved.	—	1795.	4. 6.	G. h.	Cav. dis. 6. t. 180. f. 2.
20	micans. DC. (y. or.)	glittering.	—	1790.	5. 8.	G. h.	S. et Wend. s. han. t. 5.
<i>latifolia. Jacq. schœn. 3. t. 119.</i>							
21	involverata. DC. (st.)	involucrated.	—	1794.	5. 6.	G. h.	Cav. dis. 6. t. 177. f. 1.
22	scordifolia. DC. (or. y.)	Germander-ld.	—	—	4. 11.	G. h.	Jacq. schœn. 1. t. 120.
23	denudata. DC. (ye.)	smooth.	—	1774.	5. 7.	G. h.	— 1. t. 122.
24	alnifolia. DC. (ye.)	Alder-leaved.	—	1728.	2. 5.	G. h.	Bot. mag. 299.
25	cuneifolia. DC. (ye.)	wedge-leaved.	—	1791.	8. 9.	G. h.	Jacq. schœn. 1. t. 124.
26	holosericea. DC. (ye.)	velvet-leaved.	—	1792.	5. 6.	G. h.	— 3. t. 292.
27	hirsuta. DC. (ye.)	hairy-branch'd.	—	1790.	—	G. h.	S. et Wend. s. h. 1. t. 4.
28	scabra. DC. (ye.)	rough-leaved.	—	1789.	3. 4.	G. h.	Jacq. schœn. 1. t. 127.
29	multiflora. DC. (ye.)	many-flowered.	—	1791.	3. 5.	G. h.	— 1. t. 128.
30	flammea. DC. (re.)	flame-flowered.	—	1794.	1. 12.	G. h.	Bot. mag. 1349.
31	angularis. DC. (or.)	angular-calyx'd.	—	1791.	4. 5.	G. h.	Jacq. schœn. 1. t. 126.
32	trifurcata. DC. (re.)	three-forked.	—	1789.	4. 7.	G. h.	— 1. t. 125.
33	odorata. DC. (re.)	sweet-scented.	—	1780.	2. 10.	G. h.	
34	lavandulæfolia. DC. (y.)	Lavender-ld.	—	1732.	5. 9.	G. h.	Bot. mag. 304.
35	velutina. DC. (ye.)	mucronate.	—	1818.	—	G. h.	
36	filifolia. DC. (or.)	thread-leaved.	—	1816.	5. 8.	G. h.	Jacq. schœn. 1. t. 123.
37	procumbens. DC. (st.)	procumbent.	—	1792.	5. 6.	G. h.	Cav. dis. 6. t. 177. f. 2.
38	tenuifolia. DC. (ye.)	slender-leaved.	—	—	6. 7.	G. h.	Bot. mag. 1348.
39	incisa. DC. (ye.)	cut-leaved.	—	1806.	—	G. h.	
40	pulverata. DC. (or.)	powdered.	—	1800.	5. 8.	G. h.	And. bot. rep. 164.
41	argentea. DC. (or.)	silvery-leaved.	—	1818.	—	G. h.	
42	coronopifolia. DC. (ye.)	Buckshorn-ld.	—	—	6. 8.	G. h.	
43	hispidula. s. s. (ye.)	bristly.	—	1823.	3. 8.	G. h.	
MAHE'RNA. DC. MAHE'RNA. Monadelphia Pentandria.							
1	verticillata. DC. (ye.)	whorl-leaved.	C. B. S.	1820.	6. 8.	G. h.	Cav. dis. 6. t. 176. f. 1.
2	resedæfolia. DC. (re.)	Reseda-leaved.	—	1818.	—	G. h.	
3	bipinnata. DC. (re.)	winged-leaved.	—	1752.	—	G. h.	Bot. mag. 277.
<i>pinnata. B. M.</i>							

4	incisa. DC.	(st.)	cut-leaved.	C. B. S.	1792.	7. 9.	G. h.	Bot. mag. 353.
5	diffusa. DC.	(ye.)	diffuse.	————	1774.	6. 8.	G. h.	Lodd. bot. cab. 187.
6	heterophylla. DC.	(ye.)	various-leaved.	————	1731.	4. 5.	G. h.	Cav. dis. 6. t. 178. f. 1.
	<i>Hermánia grossulariæfolia</i> . L.							
7	seselifolia. DC.	(ye.)	Seseli-leaved.	————	1818.	6. 8.	G. h.	
8	pulchella. DC.	(re.)	neat.	————	1792.	7. 9.	G. h.	Cav. dis. 6. t. 177. f. 3.
9	glabrata. DC.	(ye.)	sweet-scented.	————	1789.	4. 5.	G. h.	Jacq. schœnb. 1. t. 53.
	<i>odorata</i> . A.R. 85.							
10	vesicaria. DC.	(ye.)	inflated.	————	1818.	—	G. h.	Cav. dis. 6. t. 181. f. 2.
11	grandiflora.	(sc.)	great-flowered.	————	1791.	5. 8.	G. h.	
	<i>Hermánia grandiflora</i> . H.K.							
12	Burchellii.	(sc.)	Burchell's.	————	1818.	—	G. h.	Bot. reg. 224.
	<i>grandiflora</i> . B.R. non H.K.							
13	biserrata. DC.	(ye.)	double-tooth'd.	————	1825.	—	G. h.	Cav. dis. 6. t. 200. f. 2.

Tribus V. *DOMBEYACEÆ*. DC.

RUI'ZIA. DC.		RUI'ZIA. Monadelphia Polyandria. L.						
1	lobata. DC.	(ye.)	lobed-leaved.	Bourbon.	1820.		S. h.	Cav. dis. 3. t. 36. f. 1.
2	variabilis. DC.	(bh.)	various-leaved.	————	1792.	5.	S. h.	Jacq. schœn. 3. t. 295.
PENTAPETES. DC.		PENTAPETES. Monadelphia Dodecandria. L.						
1	phœnicea. DC.	(cr.)	scarlet-flower'd.	India.	1690.	7. 8.	S. g.	Bot. reg. 575.
2	ovata. DC.	(sn.)	oval-leaved.	New Spain.	1805.	6. 9.	S. g.	Cav. ic. 5. t. 433.
	<i>Brotèra ovata</i> . Cav.							
ASS'ONIA. DC.		ASS'ONIA. Monadelphia Dodecandria.						
1	populnea. DC.	(wh.)	Poplar-leaved.	Bourbon.	1822.		S. h.	Cav. dis. 3. t. 42. f. 3.
2	viburnoides. DC.	(wh.)	Viburnum-ld.	————	—		S. h.	
DOMBEYA. DC.		DOMBEYA. Monadelphia Dodecandria.						
1	cordifolia. DC.	(wh.)	heart-leaved.	E. Indies.	1820.		S. h.	
2	ferruginea. DC.	(wh.)	rusty.	Mauritius.	1815.		S. h.	Cav. dis. 3. t. 42. f. 2.
3	ovata. DC.	(wh.)	oval-leaved.	Bourbon.	1822.		S. h.	— 3. t. 41. f. 2.
MEL'HANIA. DC.		MEL'HANIA. Monadelphia Pentandria.						
1	Erythroxylon. DC.	(wh.)	red-wood.	St. Helena.	1722.	5. 8.	S. h.	Bot. mag. 1000.
2	Melanoxylon. DC.	(wh.)	black-wood.	————	1800.	7. 8.	S. h.	Pluk. mant. 6. t. 333. f. 5.
3	Burchellii. DC.	(wh.)	Burchell's.	C. B. S.	1818.	—	S. h.	
PTEROSPERMUM. DC.		PTEROSPERMUM. Monadelphia Dodecandria.						
1	acerifolium. DC.	(wh.)	Maple-leaved.	E. Indies.	1790.	7. 9.	S. h.	Bot. mag. 620.
2	suberifolium. DC.	(wh.)	various-leaved.	————	1783.	9. 10.	S. h.	— 1526.
3	lanceæfolium. DC.	(w.)	lance-leaved.	————	1818.	—	S. h.	
4	canescens. H.B.	(wh.)	canescent.	Ceylon.	—	—	S. h.	
5	semisagittatum. DC.	(w.)	fringe-bracted.	E. Indies.	—	—	S. h.	
ASTRAP'EA. DC.		ASTRAP'EA. Monadelphia Dodecandria.						
1	Wallichii. DC.	(sc.)	Wallich's.	Mauritius.	1820.	12. 1.	S. h.	Bot. reg. 691.
2	viscosa.		viscous.	Madagascar.	1823.		S. h.	
3	tiliæfolia.	(wh.)	Lime-leaved.	Bourbon.	1824.		S. h.	
KY'DIA. DC.		KY'DIA. Monadelphia Dodecandria.						
1	calycina. DC.	(wh.)	calycine.	E. Indies.	1818.		S. h.	Roxb. cor. 3. t. 215.
2	fraterna. DC.	(wh.)	long-stamen'd.	————	1823.		S. h.	— 3. t. 216.

Tribus VI. *WALLICHIEÆ*. DC.

ERIOLENA. DC.		ERIOLENA. Monadelphia Polyandria.						
	Wallichii. DC.		Wallich's.	E. Indies.	1823.		S. h.	DC. m. mus. 10. p. 102. ic.

ORDO XXXI.

TILIACEÆ. *DC. prodr. 1. p. 503.*

ENTELEA. B.M.		CORK-TREE. Polyandria Monogynia.		
arborëscens. B.M. (wh.)	New Zealand.	N. Zealand.	1821.	5. 6. G. h. Bot. mag. 2480.
SPARRMANNIA. DC.		SPARRMANNIA. Polyandria Monogynia. L.		
1 africâna. DC. (wh.)	African.	C. B. S.	1790.	3. 7. G. h. Bot. mag. 516.
2 rugôsa. Bhi. (wh.)	rugged-leaved.	—	1825.	3. 6. G. h.
HELIOCARPUS. DC.		HELIOCARPUS. Dodecandria Monogynia.		
americâna. DC. (wh.)	American.	Vera Cruz.	1733.	 S. h. Trew ehret. t. 45.
CO'RCHORUS. DC.		CO'RCHORUS. Polyandria Monogynia. L.		
1 siliquosus. DC. (ye.)	Germander-ld.	S. America.	1732.	6. 8. S. h. Jacq. vind. 3. t. 59.
2 foliosus. S.S. (ye.)	leafy.	Cuba.	1827.	— S. h.
3 hirtus. DC. (ye.)	hairy.	S. America.	1820.	— S. h. Plum. ed. B. t. 103. f. 2.
4 pilolobus. DC. (ye.)	hairy-podded.	—	—	— S. h.
5 americanus. Sck. (ye.)	American.	S. America.	1825.	— S. h.
6 trilocularis. DC. (ye.)	three-celled.	Arabia.	1790.	7. 8. S. o. Jacq. vind. 2. t. 173.
7 olitorius. DC. (ye.)	bristly-leaved.	India.	1640.	6. 8. S. o. Bot. mag. 2810.
8 æstuanus. DC. (ye.)	Hornbeam-ld.	S. America.	1731.	6. 7. S. o. Jacq. vind. 1. t. 85.
9 acutangulus. DC. (ye.)	acute-angled.	India.	1816.	— S. h. Pluk. phyt. t. 44. f. 1.
10 capsularis. DC. (ye.)	heart-leaved.	E. Indies.	1725.	— S. o. Jacq. f. eclog. 2. t. 120.
11 hirsutus. DC. (ye.)	woolly-capsul'd.	S. America.	1752.	— S. h. Jacq. vind. 3. t. 59.
TRIUMFETTA. DC.		TRIUMFETTA. Dodecandria Monogynia. L.		
1 Láppula. DC. (ye.)	prickly-seeded.	W. Indies.	1739.	7. 8. S. h. Plum. ic. t. 255.
2 heterophylla. DC. (ye.)	various-leaved.	—	1823.	— S. h. Pluk. t. 425. f. 3.
3 rubricaulis. DC. (ye.)	red-stem'd.	Caracas.	1826.	— S. h.
4 suborbiculata. DC. (ye.)	subrotund.	E. Indies.		— S. h.
5 glandulosa. DC. (ye.)	gland-toothed.	Mauritius.		— S. h. Lam. ill. t. 400. f. 1.
6 trichoclada. DC. (ye.)	oval-leaved.	Nepaul.	1823.	— S. f.
7 oblongata. DC. (ye.)	oblong-leaved.	—	—	— S. f.
8 annua. DC. (ye.)	annual.	Java.	1760.	8. 9. S. o. Bot. mag. 2296.
9 angulata. DC. (ye.)	angular-leaved.	E. Indies.	1739.	6. 7. S. h. Lam. ill. t. 400. f. 2.
10 semitriloba. DC. (ye.)	Mallow-leaved.	W. Indies.	1773.	— S. h. Jacq. vind. 3. t. 76.
11 havanensis. DC. (ye.)	Havannah.	Cuba.	1825.	— S. h.
12 micropétala. B.R. (ye.)	small-petal'd.	E. Indies.	—	4. 8. S. h. Bot. reg. 1058.
13 petiolaris. B.R. (ye.)	petiolate.	Peru.	1819.	5. 6. S. h. Lindl. collect. t. 20.
<i>rhomboidea. L. col. non Jacq.</i>				
14 rhomboidea. DC. (ye.)	rhomboid.	S. America.	1819.	5. 6. S. h. Jacq. amer. t. 90.
15 althæoides. DC. (ye.)	Althæa-leaved.	Cayenne.	—	— S. h.
<i>macrophylla. Vahl. ecl. 2. p. 34.</i>				
16 grandiflora. DC. (ye.)	large-flowered.	W. Indies.	1810.	— S. h.
17 trilocularis. DC. (ye.)	three-celled.	E. Indies.	1817.	10. 4. S. h.
GREWIA. DC.		GREWIA. Polyandria Monogynia. L.		
1 tomentosa. DC.	tomentose.	Java.	1818.	 S. h. Juss. an. 2. t. 49. f. 1.
2 hirsuta. DC.	hairy.	—	1816.	7. 9. S. h.
3 bracteata. DC. (gr.)	bracted.	E. Indies.	1818.	— S. h.
4 Malloccoca. DC.	rough-fruited.	Tongatabu.	1792.	8. 9. S. h. Forst. gen. t. 39.
<i>Malloccoca crenata. Forst.</i>				
5 oppositifolia. DC.	sharp-leaved.	Nepaul.	1818.	 S. h.
6 umbellata. DC.	umbel-flowered.	E. Indies.	—	 S. h.
7 bicolor. DC.	two-coloured.	Senegal.	1822.	 S. h. Juss. ann. t. 50. f. 2.
8 Rothii. DC.	Roth's.	E. Indies.	1819.	 S. h.
9 salvifolia. DC. (ye.)	Sage-leaved.	—	—	 S. h.
10 flava. DC. (ye.)	yellow.	C. B. S.	1818.	— G. h.
11 ovalifolia. DC.	oval-leaved.	E. Indies.	—	 S. h.
12 Microcos. DC. (st.)	panicled.	—	1779.	— S. h. Rheed. mal. 1. t. 56.
<i>Microcos paniculata. L.</i>				
13 paniculata. DC.	villous-leaved.	—	1820.	 S. h.
14 orientalis. DC. (wh.)	oriental.	—	1767.	7. 8. S. h. Rheed mal. 5. t. 46.
15 pilosa. DC. (wh.)	pilose.	—	1804.	— S. h.
16 glandulosa. DC.	glandular.	Mauritius.	1827.	 S. h. Juss. an. 2. t. 48. f. 1.
17 serrulata. DC.	serrulate.	E. Indies.	1818.	 S. h.
18 occidentalis. DC. (pu.)	Elm-leaved.	C. B. S.	1690.	7. 9. G. h. Bot. mag. 422.
19 asiatica. (li.)	Asiatic.	E. Indies.	1792.	7. 8. S. h. Sonn. voy. 2. t. 136.

20	subinæqualis. DC.	oblique-leaved.	E. Indies.	1816.		S. h.	
21	villifera.	wool-bearing.	————	1826.		S. h.	
	<i>villôsa. Roth. nec aliorum.</i>						
22	âspera. DC.	rough-leaved.	————	1818.		S. h.	
23	tiliæfôlia. DC.	Lime-leaved.	————	1812.		S. h.	
24	villôsa. DC.	villous.	————	1816.		S. h.	
25	therebinthinæcea. DC.	strong-scented.		————		S. h.	
26	obtusifôlia. DC.	blunt-leaved.	C. B. S.	1818.		G. h.	
27	ulmifôlia. H.B.	Chinese.	China.	————		G. h.	
28	carpinifôlia. DC. (pu.)	Hornbeam-l'd.	Africa.	1822.		S. h.	Beauv. fl. ow. 2. t.
29	megalocârpa. B.O.(re)	black-fruited.	————	————		S. h.	2. t. 102.
BROWNLOWIA. R. BROWNLOWIA. Polyandria Monogynia.							
	elâta. R. (ye.)	tall.	E. Indies.	1812.		S. h.	Roxb. cor. 3. t. 265.
TILIA. DC. LIME-TREE. Polyandria Monogynia. L.							
1	microphylla. DC.(wh.)	small-leaved.	Britain.		8. 9.	H. 5.	Eng. bot. 1705.
	<i>parvifolia. E.B.</i>						
2	intermedia. DC. (wh.)	intermediate.	————		—	H. 5.	Hayn. et Sv. bot. t. 40.
	<i>europæa. Eng. bot. 610.</i>						
	β laciniata. (wh.)	jagged-leaved.	————		6. 8.	H. 5.	
3	corallina. E.F. (wh.)	coral-twigg'd.	Britain.		7.	H. 5.	
4	rûbra. DC. (wh.)	red-twigg'd.	Europe.		6. 8.	H. 5.	
5	platyphylla. DC. (wh.)	broad-leav'd.	Britain.		—	H. 5.	Vent. dis. p. 6. t. 1. f. 2.
	<i>grandifolia. E.F.</i>						
6	glâbra. DC. (wh.)	broad-leaved.	N. America.	1752.	6. 7.	H. 5.	Vent. dis. p. 9. t. 2.
	<i>americana. L.</i>						
7	laxiflora. DC. (wh.)	loose-flowered.	————	1820.	—	H. 5.	
8	pubescens. DC. (wh.)	pubescent.	————	1726.	7. 8.	H. 5.	Vent. dis. p. 10. t. 3.
	β leptophylla. DC.(w.)	narrow-leaved.	————	————	—	H. 5.	
9	heterophylla. DC.(wh.)	white-leaved.	————		6. 8.	H. 5.	Vent. dis. p. 16. t. 5.
	<i>alba. Mich. arb. 3. t. 2.</i>						
10	argentea. DC. (wh.)	silver-leaved.	Hungary.	1767.	—	H. 5.	Vent. dis. p. 13. t. 4.
	<i>alba. W. et K. hung. 1. t. 3. rotundifolia. Vent.</i>						
11	petiolâris. DC. (wh.)	long-petioled.		1824.		H. 5.	
MUNTINGIA. DC. MUNTINGIA. Polyandria Monogynia. L.							
	Calabura. DC. (wh.)	Jamaica.	Jamaica.	1690.	6. 7.	S. h.	Jacq. amer. t. 107.
APEIBA. DC. APEIBA. Polyandria Monogynia. L.							
1	Tibôurbou. DC. (ye.)	hairy.	S. America.	1756.		S. h.	Aub. gui. 1. t. 213.
	<i>Aublétia Tibôurbou. w.</i>						
2	Petôumo. DC. (ye.)	hoary.	————	1817.		S. h.	Aub. gui. 1. t. 215.
3	âspera. DC. (ye.)	prickly-capsul'd.	Cayenne.	1792.		S. h.	———— 1. t. 216.
	<i>Aublétia âspera. w.</i>						
4	glâbra. DC. (gr.)	smooth.	————	1817.		S. h.	Aub. gui. 1. t. 214.
	<i>Aublétia l'avis. w.</i>						
SLOANEA. DC. SLOANEA. Polyandria Monogynia. L.							
1	dentata. DC. (ye.)	Chestnut-leav'd.	S. America.	1752.		S. h.	Plum. ic. 244.
2	sinemariensis. DC.(ye.)	round-leaved.	W. Indies.	1820.		S. h.	Aub. gui. 1. t. 212.
GYROSTEMON. DC. GYROSTEMON. Dioecia Polyandria.							
	ramulôsum. DC.	branching.	N. Holland.	1820.		G. h.	Desf. m. mus. 6. t. 6.
BERRYA. R.C. BERRYA. Polyandria Monogynia.							
	ammonilla. R.C. (st.)	Ceylon.	Ceylon.	1818.		S. h.	Roxb. corom. 3. t. 264.

ORDO XXXII.

ELÆOCARPEÆ. DC. *prodr.* 1. p. 519.

ELÆOCARPUS. DC. ELÆOCARPUS. Dodecandria Monogynia.

- 1 serratus. DC. (pu.) saw-leaved. E. Indies. 1774. S. h. Burm. zeyl. t. 40.
 2 cyaneus. DC. (wh.) blue-fruited. N. Holland. 1803. 6. 8. G. h. Bot. mag. 1737.
reticulatus. B.R. 657.

ACERATIUM. DC. ACERATIUM. Dodecandria Monogynia.

- oppositifolium. DC. opposite-leaved. Amboyna. 1818. S. h.

- DIC'ERA. DC. DIC'ERA. Dodecandria Monogynia.
 dentâta. DC. (wh.) tooth-leaved. N. Zealand. 1820. 6. 8. G. h. Forst. gen. t. 40.
 FRIE'SIA. DC. FRIE'SIA. Dodecandria Monogynia.
 pedunculâris. DC. (wh.) peduncled. Van Diem. 1818. G. h. Lab. n. holl. 2. t. 155.
Elæocarpus pedunculâris. Lab.

ORDO XXXIII.

CHLENACEÆ. DC. *prodr.* 1. p. 521.† Genus *Chlenaceis* affine.

- HUG'ONIA. DC. HUG'ONIA. Monadelphia Decandria.
 1 My'stax. DC. (ye.) entire-leaved. E. Indies. 1818. 6. 9. S. h. Rheed. mal. 2. t. 29.
 2 serrâta. DC. (ye.) saw-leaved. Mauritius. 1820. — S. h. Cav. dis. 3. t. 73. f. 1.

ORDO XXXIV.

TERNSTRÆMIACEÆ. DC. *prodr.* 1. p. 523.Tribus I. *TERNSTRÆMIEÆ*. DC.

- TERNSTR'ÆMIA. DC. TERNSTR'ÆMIA. Polyandria Monogynia.
 1 pedunculâris. DC. (w.) long-peduncled. W. Indies. 1818. 6. 8. S. h.
 2 punctâta. DC. (wh.) spotted-leaved. Guiana. 1824. S. h. Aubl. gui. 1. t. 228.
 3 dentâta. DC. (ye.) toothed. — 1826. S. h. — 1. t. 227.
 4 venôsa. DC. (wh.) veined-leaved. Brazil. 1820. 6. 8. S. h.
 5 serrâta. H. B. (wh.) saw-leaved. Silhet. — S. h.

Tribus II. *FREZIEREÆ*. DC.

- CL'EYERA. DC. CL'EYERA. Polyandria Monogynia.
 japônica. DC. (wh.) Japan. Japan. 1822. S. h. Kæmp. am. 5. p. 774. ic.
 FREZIE'RA. DC. FREZIE'RA. Polyandria Monogynia.
 thæoides. DC. (wh.) Tea-like. Jamaica. 1818. S. h.
 E'URYA. DC. E'URYA. Polygamia Monœcia.
 1 chinénsis. DC. (wh.) China. China. 1818. 1. 3. G. h. Lodd. bot. cab. 1213.
 2 multiflôra. DC. (wh.) many-flowered. Nepaul. 1823. S. h.
 LETTS'OMIA. DC. LETTS'OMIA. Polyandria Monogynia.
 tomentôsa. DC. tomentose. Peru. 1823. S. h. Ruiz et P. prod. t. 14.

Tribus III. *SAURAUJEE*. DC.

- SAURA'UJA. DC. SAURA'UJA. Polyandria Pentagynia.
 1 excélsa. DC. (wh.) tall. Caracas. 1824. S. h. Willd. n. act. ber. 3. t. 4.
 2 napaulénsis. DC. (wh.) Nepaul. Nepaul. — S. h.

Tribus IV. *LAPLACEÆ*. DC.

- WITTELSBA'CHIA. M.N. WITTELSBA'CHIA. Polyandria Monogynia.
 1 Gossypium. M.N. (ye.) large-flowered. E. Indies. 1822. S. h. Sonn. voy. 2. t. 133.
Cochlospermum Gossypium. DC. *Bombax Gossypium*. Cav. dis. 5. t. 157.
 2 vitifolia. M.N. (ye.) Vine-leaved S. America. 1820. S. h. Fl. mex. ic. ined.
Cochlospermum serratifolium. DC. *hibiscoides*. K.S. *Bombax vitifolium*. W.en.
 3 insignis. M.N. (ye.) spot-flowered. Brazil. 1821. S. h. Mart. nov. gen. 1. t. 55.

Tribus V? *GORDONIEÆ*. DC.

- MALACHODE'NDRON. DC. MALACHODE'NDRON. Monadelphia Polyandria. L.
 ovatum. DC. (wh.) oval-leaved. N. America. 1785. 8. 9. H. h. Bot. reg. 1104.
Sturtia pentagynia. Ex. bot. t. 101.
 STUA'RTIA. W. STUA'RTIA. Monadelphia Polyandria. L.
 virginica. DC. (wh.) Virginian. N. America. 1742. 5. 8. H. h. Cav. dis. 5. t. 159. f. 2.
Malachodendron. L. *marylandica*. A.R. t. 73.
 GORD'ONIA. DC. GORD'ONIA. Monadelphia Polyandria. L.
 1 Lasianthus. DC. (wh.) smooth. N. America. 1739. 8. 11. F. h. Bot. mag. 668.
 2 hæmatóxylon. DC. (w.) red-wooded. Jamaica. 1820. S. h.
 3 pubescens. DC. (wh.) pubescent. N. America. 1774. 8. 11. F. h. Vent. malm. t. 1.
 4 Franklini. L'Her. (w.) Franklin's. F. h.
 POLYSP'ORA. N.L.F. POLYSP'ORA. Monadelphia Polyandria.
 axillaris. N.L.F. (wh.) axillary-flow'r'd E. Indies. 1816. 11. 3. S. h. Bot. reg. 349.
Camellia axillaris. B.R. et B.M. 2047.

ORDO XXXV.

CAMELLIEÆ. DC. *prodr.* 1. p. 529.

- CAME'LLIA. Ker. CAME'LLIA. Monadelphia Polyandria. L.
 1 Thea. L. en. (wh.) Bohea Tea. China. 1768. 11. 2. G. h. Lob. bot. cab. 226.
 2 viridis. L. en. (wh.) green Tea. ——— 10. 12. G. h. ——— 227.
Thea chinensis. B.M. 998.
 3 euryoides. B.R. (wh.) small-flower'd. ——— 1824. 1. 5. G. h. Bot. reg. 983.
 4 oleifera. B.R. (wh.) oleiferous. ——— 1819. 1. 3. G. h. ——— 942.
 5 Sesánqua. DC. (wh.) Lady Banks's. 1811. 11. 1. G. h. Thunb. fl. jap. t. 30.
β semiduplex. (wh.) semidouble. ——— G. h. Bot. reg. 12.
γ flore-plèno. (wh.) double-flowered. 1823. ——— G. h. ——— 1091.
 6 maliflora. B.R. (ro.) pink-flowered. ——— 1819. 1. 4. G. h. ——— 547.
Sesánqua β rosea. Bot. reg. 547.
 7 Kissi. DC. (wh.) Nepaul. Nepaul. 1823. G. h.
 8 reticulata. B.R. (sc.) Captain Rawes'. China. 1822. 2. 4. G. h. Bot. reg. 1078.
 9 japónica. DC. (va.) common. ——— 1739. 12. 5. G. h. Cav. dis. 6. t. 160.
 1 rubra. (sc.) single-red. ——— G. h. Bot. mag. 42.
 2 álba. (wh.) single-white. G. h. Bot. reg. 353.
 3 semiduplex. (re.) semidouble red. G. h. Andr. rep. 559.
 4 rubro-plèna. (re.) double red. G. h. ——— 199.
 5 cárnea. (pi.) Middlemist's. G. h. Lod. bot. cab. 455.
 6 myrtifolia. (pi.) Myrtle-leaved. G. h. Bot. mag. 1670.
involuta. Bot. reg. 633.
 7 hexangulàris. (re.) six sided. G. h.
 8 atrorubens. (sc.) Loddiges' red. G. h. Lod. bot. cab. 170.
 9 anemoniflora. (cr.) red Waratah. G. h. Bot. mag. 1654.
 10 dianthiflora. (v.) Carnation War. Knights. G. h. ——— 2577.
 11 blánda. (bh.) blush Waratah. China. G. h.
 12 pompònia. (bh.) Kew-blush. G. h. Bot. reg. 22.

13	<i>pæoniflora.</i>	(pi.) <i>Pæony-flowered.</i>	China.		12. 5.	G. h.	Lod. bot. cab. 238.
14	<i>Welbankii.</i>	(wh.) <i>Welbank's.</i>	—		—	G. h.	1198.
15	<i>luteo-álba.</i>	(st.) <i>pale yellow.</i>	—		—	G. h.	Bot. reg. 708.
16	<i>flavescens.</i>	(st.) <i>buff.</i>	—		—	G. h.	112.
17	<i>álbo-plèna.</i>	(wh.) <i>double white.</i>	—		—	G. h.	Andr. rep. 25.
18	<i>fimbriàta.</i>	(wh.) <i>fringed white.</i>	—		1. 4.	G. h.	—
19	<i>imbricàta.</i>	(re.) <i>imbricate-petal'd.</i>	—		—	G. h.	—
20	<i>variegàta.</i>	(v.) <i>double striped.</i>	—		—	G. h.	Andr. rep. 91.
21	<i>crassinèrvis.</i>	(re.) <i>thick nerved.</i>	—		—	G. h.	—
22	<i>expànsa.</i>	(re.) <i>expanded.</i>	—		—	G. h.	—
23	<i>conchiflora.</i>	(re.) <i>shell-flowered.</i>	—		—	G. h.	—
24	<i>rubricàulis.</i>	(sc.) <i>Lady Ad'l. Campbell's</i>	—		—	G. h.	—
25	<i>longifolia.</i>	(re.) <i>long-leaved.</i>	Malcolm's.		—	G. h.	—
26	<i>Chandlèri.</i>	(v.) <i>striped Waratah.</i>	Chandler's.	1822.	12. 5.	G. h.	Chandl. camel. t. 1. 2.
	<i>versicolor.</i>	Bot. reg. 887.	—	—	—	—	—
27	<i>Aitoni.</i>	(sc.) <i>large single-red.</i>	—	—	—	G. h.	Chandl. camel. t. 3.
28	<i>althæiflora.</i>	(re.) <i>Hollyhock-fl'd.</i>	—	—	—	G. h.	t. 4.
29	<i>corallina.</i>	(re.) <i>coral-flowered.</i>	—	—	—	G. h.	t. 5.
30	<i>insignis.</i>	(re.) <i>splendid.</i>	—	—	—	G. h.	t. 6.
31	<i>flòrida.</i>	(re.) <i>cluster-flowered.</i>	—	—	—	G. h.	t. 7.
32	<i>anemonæflora. álba.</i>	(w.) <i>white Anemone-fl'd.</i>	—	—	—	G. h.	t. 8.
33	<i>Róssii.</i>	(re.) <i>Ross's.</i>	Ross's.	—	—	G. h.	—
34	<i>Wiltòniæ.</i>	(va.) <i>Mrs. Wilton's.</i>	Knight's.	—	—	G. h.	—
35	<i>Elphinstoniàna.</i>	(re.) <i>Miss Elphinstone's.</i>	—	—	—	G. h.	—
36	<i>rosæflora.</i>	(re.) <i>Rose-flowered.</i>	—	—	—	G. h.	—
37	<i>Clivèana.</i>	(re.) <i>Lady H. Clive's.</i>	—	—	—	G. h.	—
38	<i>heterophylla.</i>	(re.) <i>various-leaved.</i>	—	—	—	G. h.	—
39	<i>Egertoniæ.</i>	(re.) <i>Mrs. Egerton's.</i>	—	—	—	G. h.	—
40	<i>Goussoniæ.</i>	(ro.) <i>Mrs. Goussone's.</i>	—	—	—	G. h.	—
41	<i>Barnabiæ.</i>	(pi.) <i>Mrs. Barnaby's.</i>	—	—	—	G. h.	—
42	<i>radiàta.</i>	(re.) <i>rayed single.</i>	—	—	—	G. h.	—
43	<i>supina.</i>	(re.) <i>supine.</i>	—	—	—	G. h.	—
44	<i>Hibbértii.</i>	(re.) <i>Mr. Hibbert's.</i>	—	—	—	G. h.	—
45	<i>Perc'yæ.</i>	(re.) <i>D's. of Northumberland's.</i>	—	—	—	G. h.	—
46	<i>Woodsi.</i>	(ro.) <i>Mr. Woods's.</i>	Chandler's.	—	—	G. h.	—
47	<i>argétea.</i>	(re.w.) <i>silvery-cup'd.</i>	—	—	—	G. h.	—
48	<i>basilica.</i>	(re.) <i>princely.</i>	—	—	—	G. h.	—
49	<i>princeps.</i>	(sc.) <i>double-carmine.</i>	—	—	—	G. h.	—
50	<i>sanguinea.</i>	(cr.) <i>single-crimson.</i>	—	—	—	G. h.	—
51	<i>sericea.</i>	(ro.) <i>double-silky.</i>	—	—	—	G. h.	—
52	<i>Byrónii.</i>	(ro.) <i>Lord Byron's.</i>	—	—	—	G. h.	—
53	<i>carnescens.</i>	(fl.) <i>single pale-red.</i>	—	—	—	G. h.	—
54	<i>exímia.</i>	(re.) <i>fine double-red.</i>	—	—	—	G. h.	—
55	<i>bicolor.</i>	(ro.w.) <i>single rosy & white.</i>	—	—	—	G. h.	—
56	<i>purpurascens.</i>	(re.) <i>single dark-red.</i>	—	—	—	G. h.	—
57	<i>gigàtea.</i>	(ro.) <i>large double.</i>	—	—	—	G. h.	—
58	<i>lúcida.</i>	(re.) <i>double bright-red.</i>	—	—	—	G. h.	—
59	<i>ornàta.</i>	(pi.) <i>pink Waratah.</i>	—	—	—	G. h.	—
60	<i>papaveræa.</i>	(re.) <i>Poppy-flower'd.</i>	Loddiges.	—	—	G. h.	—
61	<i>rotundifolia.</i>	(re.) <i>round-leaved.</i>	—	—	—	G. h.	—
62	<i>Spofforthiàna.</i>	(wh.) <i>red-lined white.</i>	Spofforth.	—	—	G. h.	—
63	<i>Herbérti.</i>	(ro.) <i>Mr. Herbert's.</i>	—	—	—	G. h.	—
	<i>Spofforthiàna. rosea.</i>	Herbert Mss.	—	—	—	G. h.	—
64	<i>Haylòckii.</i>	(wh.) <i>Haylock's.</i>	—	—	—	G. h.	—
65	<i>reflexa.</i>	(cr.) <i>single reflex-petaled.</i>	—	—	—	G. h.	—

ORDO XXXVI.

OLACINÆ. DC. *prodr.* 1. p. 531.

OLA'X. DC.

OLA'x. Triandria Monogynia. L.

1 scàndens. DC. (wh.) climbing. E. Indies. 1820. 1. 12. S. h. ∞. Roxb. cor. 2. t. 102.

2 imbricàta. DC. (wh.) imbricate. — — — — S. h. ∞.

SPERMA'XYRUM. DC. SPERMA'XYRUM. Triandria Monogynia.					
strictum. DC.	(wh.) upright.	N. S. W.	1820.		G. h.
XIMENIA. DC. XIMENIA. Octandria Monogynia. L.					
1 americana. DC.	(wh.) spring.	W. Indies.	1759.	6. 9.	S. h.
2 inermis. DC.	(wh.) unarmed.	————	1820.		S. h.

Jacq. am. pict. t. 107.

ORDO XXXVII.

AURANTIACEÆ. DC. prodr. 1. p. 535.

ATALA'NTIA. DC. ATALA'NTIA. Monadelphia Octandria.					
monophylla. DC.	(wh.) simple-leaved.	E. Indies.	1777.	6. 8.	S. h.
Limonia monophylla. R.					
TRIPH'ASIA. DC. TRIPH'ASIA. Hexandria Monogynia.					
trifoliata. DC.	(wh.) three-leaved.	China.	1787.	7. 8.	S. h.
Limonia trifoliata. And. rep. 143.					
LIMONIA. DC. LIMONIA. Decandria Monogynia. L.					
1 acidissima. DC.	(wh.) sour-fruited.	E. Indies.	1824.	4. 8.	S. h.
2 crenulata. DC.	(wh.) crenulate.	————	1808.	5. 7.	S. h.
3 ambigua. DC.	(wh.) ambiguous.	————	————	————	S. h.
4 scandens. H.B.	(wh.) climbing.	E. Indies.	1820.		S. h.
CO'OKIA. DC. CO'OKIA. Decandria Monogynia. L.					
punctata. DC.	(wh.) Wampee tree.	China.	1795.	5. 7.	S. h.
MURRA'YA. DC. MURRA'YA. Decandria Monogynia. L.					
1 exotica. DC.	(wh.) Ash-leaved.	E. Indies.	1771.	8. 9.	S. h.
2 paniculata. DC.	(wh.) paniced.	————	1821.	4. 5.	S. h.
AGLA'IA. DC. AGLA'IA. Pentandria Monogynia.					
odorata. DC.	(st.) sweet-scented.	China.	1810.	2. 5.	S. h.
BERGERA. DC. BERGERA. Decandria Monogynia. L.					
1 Koenigii. DC.	(gr.) Koenig's.	E. Indies.	1818.	3. 6.	S. h.
2 integerrima. DC.	(gr.) entire-leaved.	————	1820.		S. h.
CLAUSENIA. DC. CLAUSENIA. Octandria Monogynia.					
pentaphylla. DC.	(wh.) five-leaved.	E. Indies.	1823.		S. h.
GLYCO'SMIS. DC. GLYCO'SMIS. Decandria Monogynia.					
1 arborea. DC.	(wh.) tree.	E. Indies.	1796.	5. 8.	S. h.
Limonia arborea. R.C.					
2 citrifolia. H.T.	(wh.) Citron-leaved.	China.	1820.	2. 6.	G. h.
Limonia citrifolia. DC. parviflora. B.M.					
3 pentaphylla. DC.	(wh.) five-leaved.	E. Indies.	1790.	6. 7.	S. h.
Limonia pentaphylla. R.C.					
FERONIA. DC. ELEPHANT APPLE. Decandria Monogynia.					
elephantum. DC.	(bh.) Indian.	E. Indies.	1804.		S. h.
'EGLE. DC. BENGAL QUINCE. Polyandria Monogynia.					
1 Marmelos. DC.	(wh.) thorny.	E. Indies.	1759.		S. h.
CITRUS. DC. ORANGE-TREE. Polyadelphia Polyandria. L.					
1 Medica. DC.	(wh.) Lemon-tree.	Asia.	1648.	5. 7.	G. h.
2 Limetta. DC.	(wh.) Bergamotte.	————		————	G. h.
3 Limonium. DC.	(wh.) Citron.	————		————	G. h.
4 acida. H.B.	(wh.) Lime.	————		————	G. h.
5 Aurantium. DC.	(wh.) common.	————	1595.	————	G. h.
6 vulgaris. DC.	(wh.) Myrtle-leaved.	————		————	G. h.
7 decumana. DC.	(wh.) Shaddock.	India.	1724.	————	G. h.
8 hystrix. DC.	(wh.) very spiny.	————		————	G. h.
9 japonica. DC.	(wh.) small-fruited.	Japan.	1815.	————	G. h.
10 nobilis. DC.	(wh.) Mandarin.	China.	1805.	————	G. h.
β minor.					
11 Margarita. DC.	(wh.) sweet Lemon.	————	1820.	————	G. h.
12 madurensis. DC.	(wh.) spineless.	China.	1816.	————	G. h.
13 angulata. DC.	(wh.) angular-fruited.	E. Indies.		————	G. h.
14 buxifolia. DC.	(wh.) retuse-leaved.	China.		————	G. h.

Roxb. cor. 2. t. 83.

Jacq. ic. rar. t. 463.

Rumph. amb. 2. t. 43.

Roxb. cor. 1. t. 86.

Jacq. schœnb. 1. t. 101.

Bot. reg. 434.

Hook. ex. flor. 134.

Rumph. amb. 5. t. 18.

Lodd. bot. cab. 1019.

Roxb. cor. 1. t. 85.

Bot. mag. 2416.

Roxb. cor. 1. t. 84.

Roxb. cor. 2. t. 141.

Roxb. cor. 2. t. 143.

Ris. an. mus. 20. t. 2. f. 2.

Bot. reg. t. 346.

Ferr. hesp. t. 247. &c.

Ris. an. mus. 20. t. 1. f. 1. 2.

Rumph. am. 2. t. 24. f. 2.

Th. ic. jap. t. 15.

Andr. rep. 608.

Bot. reg. 211.

Rumph. amb. 2. t. 31.

2. t. 32.

ORDO XXXVIII.

HYPERICINEÆ. DC. *prodr.* 1. p. 541.

Subordo I. HYPERICINEÆ VERÆ. DC.

Tribus I. VISMIEÆ. DC.

HARO'NGA. DC.		HARO'NGA. Polyadelphia Dodecandria.			
1	madagascariensis. DC. (y.)	Madagascar.	1824.	 S. h.	Lam. ill. t. 645.
<i>Arungana paniculata</i> . P.S.					
VISMIA. DC.		VISMIA. Polyadelphia Polyandria.			
1	sessilifolia. DC. (ye.)	sessile-leaved. Guiana.	1826.	 S. h.	Aubl. guian. 2. t. 312. f. 2.
2	guianensis. DC. (ye.)	Guiana.	1828.	 S. h.	— 2. t. 311.
3	brasiliensis. DC. (ye.)	Brasilian.	1822.	5. 6. S. h.	Chois. p. hyp. 35. t. 2.
4	guineensis. DC. (ye.)	African.	Sierra Leon. 1823.	— S. h.	Lin. amœn. 8. t. 8. f. 1.

Tribus II. HYPERICEÆ. DC.

ANDROSÆMUM. DC.		TUTSAN. Monadelphia Polyandria.			
	officinale. DC. (ye.)	common. Britain.		7. 9. H. h.	Eng. bot. 1225.
HYPERICUM. DC.		ST. JOHN'S WORT. Polyadelphia Polyandria. L.			
1	elatum. DC. (ye.)	tall. N. America.	1762.	7. 8. H. h.	Wats. dend. brit. t. 85.
2	frondosum. DC. (ye.)	green. —	1806.	— H. h.	
3	amœnum. DC. (ye.)	pretty. Carolina.	1812.	— H. h.	
4	grandifolium. DC. (ye.)	great-leaved. Teneriffe.	1818.	— G. h.	Chois. pr. hyp. t. 3.
5	hircinum. DC. (ye.)	stinking. S. Europe.	1640.	7. 9. H. h.	Wats. dend. brit. t. 86.
	<i>β minus</i> . W.D. (ye.)	smaller. —	—	H. h.	— t. 87.
6	foliosum. DC. (ye.)	shining. Azores.	1778.	8. G. h.	
7	floribundum. DC. (ye.)	many-flowered. Madeira.	1779.	— G. h.	Com. hort. 2. t. 68.
8	olympicum. DC. (ye.)	Olympic. Levant.	1706.	7. 9. H. h.	Exot. bot. 2. t. 96.
9	canariense. DC. (ye.)	Canary. Canaries.	1699.	— G. h.	
10	chinense. DC. (ye.)	Chinese. China.	1753.	3. 9. G. h.	Bot. mag. 334.
<i>monogynum</i> . B.M.					
11	cordifolium. DC. (ye.)	heart-leaved. Nepaul.	1822.	6. 9. G. h.	
12	pyramidatum. DC. (ye.)	pyramidal. Canada.	1759.	7. 8. H. h.	Vent. malm. t. 118.
13	Ascyron. DC. (ye.)	Siberian. Siberia.	1774.	6. 9. H. h.	Gmel. sib. 4. t. 69.
14	ascyroides. DC. (ye.)	large-capsuled. N. America.	1812.	6. 7. H. h.	
15	pátulum. DC. (ye.)	spreading. Japan.	1820.	7. 9. G. h.	Thunb. jap. ic. 17.
16	Uràlum. D.P. (ye.)	Nepaul. Nepaul.	—	F. h.	Bot. mag. 2375.
17	Kalmianum. DC. (ye.)	Kalmia-leaved. Virginia.	1759.	6. 7. H. h.	
18	calycinum. DC. (ye.)	large-flowered. Ireland.		6. 9. H. h.	Eng. bot. 2017.
19	baleàricum. DC. (ye.)	warted. Majorca.	1714.	3. 9. G. h.	Bot. mag. 137.
20	virginicum. DC. (re.)	Virginian. N. America.	1800.	7. 9. H. h.	Andr. rep. 552.
<i>Elodea campanulata</i> . Ph.					
21	angulosum. DC. (ye.)	tooth'd-flow'r'd. N. America.	1812.	6. 7. H. h.	
22	punctatum. DC. (ye.)	spotted. —	1789.	7. 9. F. h.	
<i>carymbosum</i> . w. <i>maculatum</i> . Walt.					
23	dolabriforme. DC. (ye.)	hatchet-like. —	1818.	— H. h.	
24	densiflorum. DC. (ye.)	dense-flowered. Virginia.	1812.	6. 8. F. h.	
25	rosmarinifolium. DC. (y.)	Rosemary-l'd. Carolina.	—	F. h.	
26	virgatum. DC. (ye.)	twiggy. N. America.	1823.	6. 8. H. h.	
27	prolificum. DC. (ye.)	prolific. —	1758.	— H. h.	Wats. dend. brit. t. 88.
<i>Kalmianum</i> . Maund. bot. gard. 194. t. 49. <i>nec aliorum. foliosum</i> . Jacq. schœnb. 3. t. 299. <i>non</i> Ait.					
28	glaucum. DC. (ye.)	glaucous. N. America.	1812.	7. 8. H. h.	
29	lævigatum. H.K. (ye.)	smooth. —	1772.	— H. h.	
30	nudiflorum. DC. (ye.)	naked-panicled. —	1811.	8. 10. H. h.	
31	sphærocárpou. DC. (y.)	round-capsuled. —	1827.	6. 8. H. h.	

32	quadrángulum. w. (ye.)	square-stalked.	Britain.		7. 8.	H. 2.	Eng. bot. 370.
33	dùbium. E.B. (ye.)	imperforate.	—		—	H. 2.	— 296.
34	maculátum. All. (ye.)	spot-flowered.	Europe.		—	H. 2.	All. ped. t. 83. f. 1.
35	undulátum. W.en. (y.)	wave-leaved.	Barbary.	1802.	—	F. 2.	—
36	attenuátum. DC. (ye.)	attenuated.	Dahuria.	1828.	—	H. 2.	Chois. pr. hyp. p. 47. t. 6.
37	rèpens. DC. (ye.)	creeping.	S. Europe.	1827.	—	H. 2.	—
38	japónicum. DC. (ye.)	Japan.	Japan.	1820.	—	G. 2.	Thunb. jap. t. 31.
39	crispum. DC. (ye.)	curl-leaved.	Greece.	1688.	—	F. 2.	Bocc. mus. 2. t. 12.
40	pilòsum. DC. (ye.)	pilose.	N. America.	1818.	—	H. 2.	Pluk. alm. t. 245. f. 6.
	setòsum. H.K.	—	—	—	—	—	—
41	simplex. DC. (ye.)	simple-stalked.	—	—	—	H. 2.	Pluk. alm. t. 421. f. 3.
42	heterophyllum. DC. (y.)	various-leaved.	Persia.	1812.	—	G. 2.	Vent. cels. t. 68.
43	ægyptiacum. DC. (ye.)	Egyptian.	Egypt.	1787.	6. 7.	G. 2.	Bot. reg. 196.
44	humifusum. DC. (ye.)	trailing.	Britain.		7. 8.	H. 2.	Eng. bot. 1226.
45	pusillum. DC. (ye.)	small.	N. S. W.	1818.	—	G. 2.	Lab. nov. holl. 2. t. 175.
46	involutum. DC. (ye.)	involute-fl'd.	—	1822.	—	G. 2.	— 2. t. 174.
47	perforátum. DC. (ye.)	perforate.	Britain.		—	H. 2.	Eng. bot. 295.
48	veronénse. Sck. (ye.)	Verona.	Italy.	1820.	—	H. 2.	—
49	quinquenervium. DC. (ye.)	small-fl'd.	N. America.	1759.	6. 9.	F. 2.	—
	mutilum. w.	—	—	—	—	—	—
50	canadénse. DC. (wh.)	Canadian.	Canada.	1770.	7. 9.	H. 2.	—
51	perfoliátum. w. (wh.)	perfoliate.	Italy.	1785.	5. 6.	F. 2.	—
52	axillàre. DC. (ye.)	clustered.	N. America.	1806.	7.	F. 2.	—
	fasciculátum. w.	—	—	—	—	—	—
53	Elòdes. DC. (ye.)	marsh.	Britain.		7. 8.	H. 2.	Eng. bot. 109.
54	tomentòsum. DC. (ye.)	woolly.	S. Europe.	1648.	7. 9.	F. 2.	Moris. his. 2. s. 5. t. 6. n. 5.
55	lauginosum. DC. (ye.)	downy.	Levant.	1822.	—	F. 2.	—
56	hirsutum. DC. (ye.)	hairy.	Britain.		6. 7.	H. 2.	Eng. bot. 1156.
57	nummulàrium. DC. (ye.)	Money-wort.	S. Europe.	1818.	—	H. 2.	Lam. ill. t. 643.
58	èlegans. DC. (ye.)	elegant.	Siberia.	—	7. 9.	H. 2.	Spr. fl. hal. n. 864. t. 9.
	Kohlíanum. Spr.	—	—	—	—	—	—
59	glandulosum. DC. (ye.)	glandular.	Madeira.	1777.	5. 8.	G. 2.	—
60	reflexum. DC. (ye.)	reflex-leaved.	Teneriffe.	1778.	6. 9.	G. 2.	—
61	pùlchrum. DC. (ye.)	small upright.	Britain.		7. 8.	H. 2.	Eng. bot. 1227.
62	elodeoides. DC. (ye.)	close panicled.	Nepaul.	1823.		G. 2.	—
	nervòsum. D.P.	—	—	—	—	—	—
63	barbátum. DC. (ye.)	bearded.	Scotland.		6. 10.	H. 2.	Eng. bot. 1985.
64	montànum. DC. (ye.)	mountain.	Britain.		7. 8.	H. 2.	— 371.
65	fimbriátum. DC. (ye.)	fimbriate.	Pyrenees.	1818.	—	H. 2.	Vill. delph. 3. t. 44.
	Richèri. Vill.	—	—	—	—	—	—
66	æthiopicum. DC. (ye.)	Ethiopian.	C. B. S.	1817.	—	G. 2.	—
67	ciliátum. DC. (ye.)	reflex.	S. Europe.	1739.	7.	F. 2.	Boc. mus. 2. t. 127.
68	serpyllifolium. DC. (ye.)	Thyme-leaved.	Levant.	1688.	7. 8.	F. 2.	Mor. his. 2. s. 5. t. 6. f. 2.
69	tripplinerve. DC. (ye.)	triply-nerved.	N. America.	1823.	7. 9.	H. 2.	Vent. cels. t. 58.
70	empetrifolium. DC. (y.)	Crowberry-l'd.	S. Europe.		6. 8.	H. 2.	Wats. dend. brit. 141.
71	Coris. DC. (ye.)	Coris-leaved.	Levant.	1640.	5. 9.	G. 2.	Bot. mag. 178.
72	ericoides. DC. (ye.)	Heath-leaved.	S. Europe.	1818.	—	G. 2.	Cav. ic. 2. t. 122.
73	mexicanum. DC. (ye.)	Mexican.	Mexico.	1826.		G. 2.	Linn. amœn. 8. t. 8. f. 2.
74	fasciculátum. DC. (ye.)	Aspalathus-like.	N. America.	1811.	6. 8.	F. 2.	—
	aspalathoides. w.	—	—	—	—	—	—
75	verticillátum. DC. (ye.)	whorl-leaved.	C. B. S.	1784.	—	G. 2.	—
76	cochinchinénse. DC. (sc.)	Cochinchina.	Cochinchina.	1822.	6. 8.	G. 2.	—
	A'SCYRUM. DC.	A'SCYRUM. Monadelphina Polyandria.	—	—	—	—	—
1	pumilum. DC. (ye.)	dwarf.	Georgia.	1806.	6. 8.	G. 2.	—
2	Crux A'ndreæ. DC. (y.)	St. Andrew's-cr.	N. America.	1759.	7.	G. 2.	Burm. am. 146. t. 152.
3	hypericoides. DC. (ye.)	Hypericum-like.	—	—	7. 9.	G. 2.	— t. 152. f. 1.
4	stans. DC. (ye.)	large-flowered.	—	1806.	—	G. 2.	—
5	amplexicaule. DC. (ye.)	stem-clasping.	—	—	—	G. 2.	—
	SAR'OTHTA. W.	SAR'OTHTA. Pentandria Trigynia.	—	—	—	—	—
	gentianoides. W. (ye.)	Gentian-like.	N. America.	1768.	6. 10.	H. 2.	Pluk. mant. t. 342. f. 2.
	hypericoides. N.	Hypericum Sarothra. M.	—	—	—	—	—

Subordo II. HYPERICINEÆ ANOMALÆ. DC.

CARPODONTOS. DC. CARPODONTOS. Polyandria Pentagynia.
 lucida. DC. (wh.) shining. V. Diem. Is. 1820. G. 2. Lab. voy. 2. t. 18.

ORDO XXXIX.

GUTTIFERÆ. DC. *prodr.* 1. p. 557.Tribus I. *CLUSIÆ*. DC.

MAH'UREA. DC.	MAH'UREA. Polyandria Monogynia.			
palústris. DC. (<i>pu.</i>)	marsh. Trinidad. 1820.		S. h.	Aubl. guian. 1. t. 222.
MARILA. DC.	MARILA. Monadelphia Polyandria.			
racemósa. DC.	clustered. W. Indies. 1827.		S. h.	
GODO'YA. DC.	GODO'YA. Polyandria Monogynia.			
gemmaflóra. M.N. (<i>ye.</i>)	gem-flowered. Brazil. 1824.		S. h.	Mart. nov. gen. 3. t. 74.
CLUSIA. DC.	BALSAM-TREE. Polygamia Monœcia. L.			
1 rôsea. DC. (<i>ro.</i>)	Rose-coloured. America. 1692.	7. 8.	S. h.	Cates. car. 2. t. 99.
2 álba. DC. (<i>wh.</i>)	white-flowered. S. America. 1752.	—	S. h.	Jacq. amer. t. 166.
3 fláva. (<i>ye.</i>)	yellow-flowered. Jamaica. 1759.	9.	S. h.	Bot. rep. 223.
4 venósa. DC. (<i>wh.</i>)	veiny-leaved. S. America. 1733.		S. h.	Plum. ic. 87. f. 2.
5 nemorósa. DC. (<i>w.pu.</i>)	wood. W. Indies. 1826.		S. h.	
HAVETIA. Kth.	HAVETIA. Diœcia Tetrandria.			
laurifolia. Kth. (<i>wh.</i>)	Laurel-leaved. S. America. 1820.		S. h.	H. et B. n. g. am. 5. t. 462.
<i>Clusia tetrándra</i> , W.				

Tribus II. *GARCINIEÆ*. DC.

MARIA'IVA. DC.	MARIA'IVA. Monadelphia Polyandria.			
guianénsis. DC. (<i>gr.</i>)	Guiana. Guiana. 1827.		S. h.	Aubl. guian. 2. t. 364.
MICRA'NTHERA. DC.	MICRA'NTHERA. Diœcia Polyandria.			
clusiaefolia. DC.	Clusia-leaved. Cayenne. 1823.		S. h.	Chois. m. h. P. 1. t. 11. 12.
GARCINIA. DC.	GARCINIA. Polyandria Monogynia.			
1 Mangostana. DC. (<i>ro.</i>)	Mangosteen. Java. 1789.		S. h.	Lod. bot. cab. 845.
2 cornea. DC. (<i>ye.</i>)	nodding-flow'd. E. Indies. 1817.		S. h.	Rumph. amb. 3. t. 30.
3 Cambogia. DC. (<i>ye.</i>)	yellow-flower'd. ———— 1822.		S. h.	Rheed. mal. 1. t. 24.
4 Cowa. DC. (<i>ye.</i>)	polygamous. ———— ————		S. h.	

Tribus III. *CALOPHYLLÆ*. DC.

MAMMEA. DC.	MAMMEE-TREE. Polyandria Monogynia. L.			
1 americana. DC. (<i>wh.</i>)	America. S. America. 1737.		S. h.	Jacq. amer. t. 182. f. 32.
2 africana. G.D. (<i>wh.</i>)	African. Sierra Leon. 1820.		S. h.	
XANTHOCH'YMUS. DC.	XANTHOCH'YMUS. Polyadelphia Polyandria.			
1 pictorius. H.B. (<i>wh.</i>)	painters. E. Indies. 1796.		S. h.	Roxb. cor. 2. t. 196.
2 dúlcis. H.B. (<i>st.</i>)	sweet. ———— 1820.		S. h.	— 3. t. 270.
3 ovalifolius. H.B.	oval-leaved. ————		S. h.	
4 luteus. L.C. (<i>ye.</i>)	yellow. E. Indies. 1823.		S. h.	
5 macrophyllus. L.C. ..	large leaved. ————		S. h.	
6 purpureus. L.C. (<i>pu.</i>)	purple. ————		S. h.	
CALOPHYLLUM. DC.	CALOPHYLLUM. Polyandria Monogynia. L.			
1 Inophyllum. DC. (<i>wh.</i>)	sweet-scented. E. Indies. 1793.		S. h.	Rheed. mal. 4. t. 38.
2 Tacamahaca. DC. (<i>wh.</i>)	acute-leaved. Bourbon. 1822.		S. h.	Pluk. alm. t. 147. f. 3.
3 Calaba. DC. (<i>wh.</i>)	Calaba-tree. W. Indies. 1780.		S. h.	Jacq. amer. t. 165.
4 spurium. DC. (<i>wh.</i>)	spurious. E. Indies. ————		S. h.	Rheed. mal. 4. t. 39.
<i>Calaba</i> , L.				
PENTADESMA. H.T.	BUTTER-TREE. Polyandria Monogynia.			
butyracea. H.T. (<i>ye.</i>)	African. Sierra Leon. 1821.		S. h.	

Tribus IV. *SYMPHONIEÆ*. DC.

- CANEL'LA**. DC. **CANEL'LA**. Dodecandria Monogynia.
 1 álba. DC. (pu.) broad-leaved. W. Indies. 1735. S. h. Linn. trans. 1. t. 8.
 2 laurifolia. L.C. (pu.) narrow-leaved. S. h.
MORONOB'EA. DC. **MORONOB'EA**. Monadelphia Pentandria.
 coccinea. DC. (sc.) scarlet. Guiana. 1825. S. h. Aubl. guian. 2. t. 313.
Symphonia globulifera. L.
SING'ANA. DC. **SING'ANA**. Polyandria Monogynia.
 guianensis. DC. (vh.) Guiana. Guiana. 1827. S. h. ∪. Aubl. guian. sup. 2. t. 230.
Sternbéckia lateriflora. W.

ORDO XL.

MARCGRAVIACEÆ. DC. *prodr.* 1. p. 565.Subordo I. *MARCGRAVIÆÆ*. DC.

- ANTHOL'OMA**. DC. **ANTHOL'OMA**. Polyandria Monogynia.
 montana. DC. (ye.) mountain. N. Caledonia. 1820. S. h. Labill. voy. t. 41.
MARCGR'AVIA. DC. **MARCGR'AVIA**. Polyandria Monogynia. L.
 1 umbellata. DC. (gr.) umbelled. W. Indies. 1792. 6. 8. S. h. Hook. exot. flor. 160.
 2 coriacea. DC. (gr.) leathery-leav'd. Guiana. 1820. — S. h.
 3 picta. DC. (gr.) painted-leav'd. 1827. S. h.

Subordo II. *NORANTEÆ*. DC.

- NORAN'TEA**. DC. **NORAN'TEA**. Polyandria Monogynia. L.
 1 guianensis. DC. (pu.) Guiana. Guiana. 1827. S. h. Aubl. guian. 1. t. 220.
 2 brasiliensis. DC. Brazilian. Brazil. 1820. S. h.
 3 indica. Indian. Mauritius. 1822. S. h.
RUYSCHIA. DC. **RUYSCHIA**. Pentandria Monogynia.
 1 Souroubèa. DC. (st.) Guiana. Guiana. 1826. S. h. Aubl. guian. 1. t. 97.
 2 clusiæfolia. DC. (pu.) Clusia-leaved. W. Indies. 1823. S. h. Jacq. amer. t. 51. f. 2.

ORDO XLI.

HIPPOCRATEACEÆ. DC. *prodr.* 1. p. 567.

- HIPPOCR'ATEA**. DC. **HIPPOCR'ATEA**. Triandria Monogynia. L.
 1 obcordata. DC. (st.) obcordate. W. Indies. 1819. S. h. ∪. Lam. ill. 1. t. 28. f. 1.
scandens. Jacq. amer. t. 9.
 2 ovata. DC. (ye.) oval-leaved. S. America. 1739. S. h. ∪. Lam. ill. 1. t. 28. f. 2.
volubilis. L.
 3 indica. DC. (ye.) Indian. E. Indies. 1818. S. h. ∪. Roxb. cor. 2. t. 130.
 4 obtusifolia. DC. (st.) blunt-leaved. — 1820. S. h. ∪.
 5 arborea. DC. (st.) tree. — 1822. S. h. ∪. Roxb. cor. 3. t. 205.
ANTHODON. DC. **ANTHODON**. Triandria Monogynia.
 1 paniculatum. DC. panicled. Rio Janeiro. 1818. S. h. ∪.
 2 ellipticum. DC. elliptic-leaved. S. h. ∪.
TONSE'LLA. DC. **TONSE'LLA**. Triandria Monogynia.
 1 pyriformis. H.T. (gr.) pear-fruited. Sierra Leon. 1822. S. h.
 2 scabra. R.S. (gr.) rough. Trinidad. 1824. S. h. ∪. Aubl. guian. 1. t. 10.
Tontelea scandens. Aub.

JO'HNIA. F.I.		Jo'HNIA. Triandria Monogynia. F. I.	
1	salacioides. F.I. (or.)	entire-leaved. E. Indies.	1822. S. h. ~.
2	coromandeliana. F.I.	saw-leaved.	 S. h. ~.
TRIG'ONIA. DC.		TRIG'ONIA. Monadelphia Pent-Decandria.	
1	villôsa. DC. (y.re.)	villous. Cayenne.	1820. S. h. Aub. gui. 1. t. 149.
2	môllis. DC.	soft-leaved. Brazil.	1823. S. h.
3	lævis. DC. (wh.)	smooth. Guiana.	1826. S. h. Aub. gui. 1. t. 150.

ORDO XLII.

ERYTHROXYLEÆ. DC. *prodr.* 1. p. 573.

ERYTHROXYLUM. DC. ERYTHROXYLUM. Decandria Trigynia. L.	
1	hypericifolium. DC. (w.) Hypericum-ld. Mauritius. 1818. S. h. Cav. dis. 8. t. 230.
2	havanense. DC. (wh.) Havannah. W. Indies. 1822. S. h. Jacq. amer. t. 87. f. 2.
3	laurifolium. DC. (wh.) Laurel-leaved. Mauritius. S. h. Cav. dis. 8. t. 226.
4	areolatum. DC. (wh.) Carthagera. Carthagera. 1826. S. h. Jacq. amer. t. 187. f. 1.
<i>carthagenense</i> . Jacq.	
S'ETHIA. Kth. S'ETHIA. Decandria Monogynia.	
indica. DC. (ye.)	Indian. E. Indies. 1823. S. h. Roxb. cor. 1. t. 88.
<i>Erythroxylon monogynum</i> . R.C.	

ORDO XLIII.

MALPIGHIACEÆ. DC. *prodr.* 1. p. 577.

Tribus I. MALPIGHIEÆ. DC.

MALPIGHIA. DC. MALPIGHIA. Decandria Trigynia. L.	
1	fuçatâ. DC. (li.) painted. W. Indies. 1814. 1. 12. S. h. Bot. reg. 189.
<i>macrophylla</i> . Colla hort. ripul. t. 11. non Juss.	
2	urens. DC. (li.) stinging. S. America. 1737. 7. 10. S. h. Bot. reg. 96.
3	angustifolia. DC. (li.) narrow-leaved. W. Indies. 7. 8. S. h. Lod. bot. cab. 321.
4	aquifolia. DC. (li.) Holly-leaved. S. America. 1759. 8. 9. S. h. 1079.
5	coccifera. DC. (li.) kermes-oak-ld. 1733. S. h. Bot. reg. 568.
6	glabra. DC. (pu.) smooth-leaved. 1757. 3. 7. S. h. Bot. mag. 813.
7	biflora. DC. (ye.) two-flowered. S. h. Cav. dis. 8. t. 234. f. 2.
<i>punicifolia</i> . Cav.	
8	punicifolia. DC. (pu.) Punica-leaved. 1690. S. h. Plum. ic. t. 166. f. 2.
9	nitida. DC. (pu.) glossy-leaved. S. America. 1733. 3. 8. S. h.
10	incana. DC. (ro.) hoary. Campeachy. S. h.
11?	faginea. DC. (ye.) Beech-leaved. S. America. 1822. S. h.
12?	dubia. DC. (ye.) doubtful. W. Indies. 1824. S. h. Cav. dis. 8. t. 242.
BYRSONIMA. DC. BYRSONIMA. Decandria Trigynia. L.	
1	verbascifolia. DC. (ye.) Mullein-leaved. Guiana. 1818. 3. 8. S. h. Aub. gui. 1. t. 184.
2	nervosa. DC. (ye.) prominent-nd. Brazil. S. h.
3	altissima. DC. (wh.) tall. Guiana. 1820. S. h. Aub. gui. 1. t. 181.
4	crassifolia. DC. (ye.) thick-leaved. 1793. 8. S. h. 1. t. 182.
<i>Malpighia crassifolia</i> . w.	
5	chrysophylla. DC. (ye.) golden-leaved. S. America. 1822. S. h.
6	spicata. DC. (ye.) spiked. Brazil. 1818. 5. 8. S. h. Cav. dis. 8. t. 237.
7	lucida. DC. (re.) wedge-leaved. W. Indies. 1759. S. h. Bot. mag. 2462.
<i>Malpighia lucida</i> . w.	
8	lævigata. DC. (st.) smooth. Cayenne. 1826. S. h.
9	élegans. DC. (li.) elegant. Guiana. 1827. S. h.
10	densa. DC. (re.) dense-flower'd. 1825. S. h.
11	coriacea. DC. (wh.) leathery-leaved. Jamaica. 1814. S. h. Sloan. his. 2. t. 163. f. 1.

12	<i>pálida</i> , DC.	(<i>ye</i> .) pale-leaved.	W. Indies.	1820.	5. 8.	S. $\frac{1}{2}$.	
13?	<i>volùbilis</i> , DC.	(<i>ye</i> .) twining.	—	1793.	8. 9.	S. $\frac{1}{2}$.	Bot. mag. 809.
	<i>Malpighia volùbilis</i> , B.M.						
	BUNCH'OSIA , DC.	BUNCH'OSIA .	Decandria Monogynia .				
1	<i>glandulôsa</i> , DC.	(<i>ye</i> .) 2-glanded.	Antilles.	1804.	3. 5.	S. $\frac{1}{2}$.	Cav. dis. 8. t. 239. f. 2.
	<i>Malpighia glandulôsa</i> , Cav.						
2	<i>glandulifera</i> , DC.	(<i>ye</i> .) 4-glanded.	Caracas.	1806.	—	S. $\frac{1}{2}$.	Jacq. coll. 5. f. 3.
	<i>Malpighia glandulôsa</i> , Jacq. ic. 3. t. 469.						
3	<i>cornifolia</i> , DC.	(<i>wh</i> .) Cornus-leaved.	S. America.	1824.		S. $\frac{1}{2}$.	
4	<i>polystachya</i> , DC.	(<i>ye</i> .) many-spiked.	W. Indies.	1806.	3. 5.	S. $\frac{1}{2}$.	And. bot. rep. 604.
5	<i>média</i> , DC.	(<i>ye</i> .) intermediate.	—	1790.	—	S. $\frac{1}{2}$.	
	<i>Malpighia média</i> , H.K.						
6	<i>tuberculata</i> , DC.	(<i>ye</i> .) tuberculate.	Caracas.	1823.		S. $\frac{1}{2}$.	Jacq. schœn. 1. t. 104.
7	<i>argentea</i> , DC.	(<i>ye</i> .) silvery.	—	1820.		S. $\frac{1}{2}$.	Jacq. frag. t. 83.
8	<i>nitida</i> , DC.	(<i>ye</i> .) glossy-leaved.	W. Indies.	1733.	3. 8.	S. $\frac{1}{2}$.	Cav. dis. 8. t. 239. f. 1.
9	<i>canescens</i> , DC.	 downy-leaved.	—	1742.		S. $\frac{1}{2}$.	
10?	<i>paniculata</i> , DC.	(<i>pu</i> .) paniced.	—	1733.		S. $\frac{1}{2}$.	
	GALPH'IMIA , DC.	GALPH'IMIA .	Decandria Trigynia .				
1	<i>hirsuta</i> , DC.	(<i>ye</i> .) hairy.	Mexico.	1824.	3. 6.	S. $\frac{1}{2}$.	
2	<i>glauca</i> , DC.	(<i>ye</i> .) glaucous-leav'd.	—	1826.		S. $\frac{1}{2}$.	Cav. ic. 5. t. 489.
3	<i>glandulosa</i> , DC.	(<i>ye</i> .) glandular.	—	1824.	4. 6.	S. $\frac{1}{2}$.	— 6. t. 563.
	THRYA'LLIS , L.	THRYA'LLIS .	Decandria Trigynia .				
	? <i>brachystachys</i> , B.R.	(<i>y</i> .) short-spiked.	Brazil.	1823.	9. 11.	S. $\frac{1}{2}$.	Bot. reg. 1162.

Tribus II. *HYPTAGEÆ*. DC.

	HIPT'AGE , DC.	HIPT'AGE .	Decandria Monogynia .				
1	<i>Madablôta</i> , DC.	(<i>wh</i> .) clustered.	E. Indies.	1796.	3. 4.	S. $\frac{1}{2}$.	Roxb. cor. 1. t. 18.
	<i>Gærtnera racemôsa</i> , A.R. 600.						
2	<i>obtusifolia</i> , DC.	(<i>wh</i> .) blunt-leaved.	China.	1822.		S. $\frac{1}{2}$.	
	<i>Gærtnera obtusifolia</i> , H.B.						
	GAUDICHA'UDIA , DC.	GAUDICHA'UDIA .	Pentandria Monogynia .				
	<i>cynanchoides</i> , DC.	(<i>ye</i> .) Cynanchum-like.	Mexico.	1824.		S. $\frac{1}{2}$.	H.etB.n.g.am.5. t. 445.

Tribus III. *BANISTERIEÆ*. DC.

	HIR'EA , DC.	HIR'EA .	Decandria Trigynia .	L.			
1	<i>odorata</i> , DC.	 sweet-scented.	Guinea.	1822.		S. $\frac{1}{2}$.	
2	<i>glaucescens</i> , L.C.	 glaucescent.				S. $\frac{1}{2}$.	
3	<i>nütans</i> , DC.	 nodding.	E. Indies.	1818.	5. 8.	S. $\frac{1}{2}$.	
4	<i>indica</i> , DC.	(<i>wh</i> .) Indian.	—	—	—	S. $\frac{1}{2}$.	Roxb. cor. 2. t. 160.
	TRIO'PTERIS , DC.	TRIO'PTERIS .	Decandria Trigynia .	L.			
1	<i>sericea</i> , L.C.	 silky.	S. America.	1820.		S. $\frac{1}{2}$.	
2	<i>jamaicensis</i> , DC.	(<i>ye</i> .) Jamaica.	Jamaica.	1818.	5. 9.	S. $\frac{1}{2}$.	
3	<i>lúcida</i> , K.S.	(<i>pi</i> .) glossy.	Cuba.	1822.		S. $\frac{1}{2}$.	H.etB.n.g.am.5. t. 451.
	TETRA'PTERIS , DC.	TETRA'PTERIS .	Decandria Trigynia .	L.			
1	<i>buxifolia</i> , DC.	(<i>ye</i> .) Box-leaved.	St. Domingo.		5. 8.	S. $\frac{1}{2}$.	Cav. dis. 9. t. 262. f. 1.
2	<i>acapulcensis</i> , K.S.	(<i>ye</i> .) Acapulco.	Mexico.	1824.		S. $\frac{1}{2}$.	
3	<i>acutifolia</i> , DC.	(<i>ye</i> .) acute-leaved.	Cayenne.	1826.		S. $\frac{1}{2}$.	Cav. dis. 9. t. 261.
4	<i>citrifolia</i> , DC.	(<i>ye</i> .) Citron-leaved.	Jamaica.	1819.	—	S. $\frac{1}{2}$.	— 9. t. 260.
5	<i>discolor</i> , DC.	(<i>ye</i> .) two-coloured.	Guiana.	1827.		S. $\frac{1}{2}$.	
	BANISTERIA , DC.	BANISTERIA .	Decandria Trigynia .	L.			
1	<i>auriculata</i> , DC.	(<i>ye</i> .) eared.	Brazil.	1818.		S. $\frac{1}{2}$.	Cav. dis. 9. t. 255.
2	<i>ciliata</i> , DC.	(<i>or</i> .) ciliated.	—	1796.		S. $\frac{1}{2}$.	— 9. t. 254.
3	<i>splendens</i> , DC.	(<i>ye</i> .) shining.	S. America.	1812.		S. $\frac{1}{2}$.	— 9. t. 253.
	<i>heterophylla</i> , W. fulgens, Cav.						
4	<i>dichótoma</i> , DC.	(<i>ye</i> .) forked.	S. America.			S. $\frac{1}{2}$.	Cav. dis. 9. t. 256.
5	<i>emarginata</i> , DC.	(<i>ye</i> .) emarginate.	W. Indies.	1826.		S. $\frac{1}{2}$.	— 9. t. 249.
6	<i>sericea</i> , DC.	(<i>ye</i> .) silky.	Brazil.	1810.		S. $\frac{1}{2}$.	— 9. t. 258.
7	<i>tomentôsa</i> , DC.	(<i>ye</i> .) woolly-leaved.	Antilles.	1818.	5. 8.	S. $\frac{1}{2}$.	
8	<i>tiliæfolia</i> , DC.	(<i>pu</i> .) Lime-leaved.	Java.	1820.		S. $\frac{1}{2}$.	Vent. choix, t. 50.

ORDO XLV.

HIPPOCASTANEÆ. *DC. prodr. 1. p. 597.*

ÆSCULUS. DC.		HORSE-CHESTNUT. Heptandria Monogynia. L.			
1	Hippocastanum. DC. (wh.) common.	Asia.	1629.	4. 5.	H. 5. Schm. arb. 1. t. 38.
	β variegata. (wh.) striped-leaved.	—	—	—	H. 5.
	γ flore pleno. (wh.) double-flowered.	—	—	—	H. 5.
2	rubicunda. DC. (re.) red-flowered.	—	—	5. 6.	H. 5. Lod. bot. cab. 1242.
	cárnea. W.D. 121 non B. reg.	—	—	—	—
3	cárnea. B.R. (fl.) flesh-coloured.	—	—	5. 6.	H. 5. Bot. reg. 993.
4	glábra. DC. (st.) smooth-leaved.	N. America.	1812.	—	H. 5.
5	ohioënsis. DC. (wh.) Ohio.	—	1818.	—	H. 5.
6	pállida. DC. (st.) pale-flowered.	—	1812.	6.	H. 5.
PÁVIA.		BUCK'S-EYE-TREE. Heptandria Monogynia.			
1	macrostácha. DC. (w.) long-spiked.	N. America.	1786.	7. 8.	H. h. Jacq. ecl. 1. t. 9.
	Æsculus parviflora. H.K.	—	—	—	—
2	rùbra. DC. (re.) red-flowered.	N. America.	1711.	5. 6.	H. 5. Duham. arb. 2. t. 19.
	Æsculus Pàvia. Lod. bot. cab. 1257.	—	—	—	—
	β arguta. B.R. (fl.) sharp-toothed.	—	—	—	H. 5. Bot. reg. 993.
	γ sublaciniata. W.D. (re.) deep-toothed.	—	—	—	H. 5. Wats. dend. brit. 120.
3	hybrida. DC. (fl.) variegated-fl ^d .	—	1812.	—	H. 5.
4	discolor. (fl.) dwarf.	—	—	—	H. h. Bot. reg. 310.
	Æsculus discolor. Ph. non hybrida. DC.	—	—	—	—
5	hùmilis. B.R. (re.) dwarf.	—	—	—	H. h. Bot. reg. 1018.
6	neglécta. B.R. (st.) neglected.	—	—	—	H. 5. 1009.
7	fláva. DC. (st.) yellow-flowered.	—	1764.	—	H. 5. Lod. bot. cab. 1280.

ORDO XLVI.

RHIZOBOLÆ. *DC. prodr. 1. p. 599.*

CARYOCAR. DC.		BUTTER-NUT. Polyandria Tetragynia.			
1	nuciferum. DC. (re.) nut-bearing.	S. America.	1826.		S. h. Bot. mag. 2728.
2	glábrum. DC. smooth-leaved.	Guiana.	1820.		S. h. Aub. gui. 2. t. 240.
3	tomentosum. DC. (wh.) woolly-leaved.	—	—		S. h. 1. t. 239.

ORDO XLVII.

SAPINDACEÆ. *DC. prodr. 1. p. 601.*

Tribus I. PAULLINIÆ. DC.

CARDIOSPERMUM. L. HEART-SEED. Octandria Trigynia. L.					
1	Halicacabum. DC. (w.) smooth-leaved.	India.	1594.	6. 8.	S. ☉. Bot. mag. 1049.
2	grandiflorum. DC. (wh.) large-flowered.	Jamaica.	1823.		S. h. ☾.
3	coluteoides. DC. (wh.) Colutea-like.	Caracas.	—		S. 2. ☾.
4	Corindum. L. (wh.) Parsley-leaved.	Brazil.	1750.	7. 8.	S. ☉. ☾.
5	pubescens. DC. (wh.) pubescent.	N. Spain.	1820.	—	S. h. ☾.
URVILLÆA. Kth. URVILLÆA. Octandria Monogynia.					
	ulmacea. Kth. (wh.) Elm-leaved.	Caracas.	1823.		S. h. ☾. H. et B. n. gen. 5. t. 440.
SERI'ANA. Kth. SERI'ANA. Octandria Trigynia. L.					
1	sinuata. DC. (wh.) sinuate-leaved.	S. America.		7. 9.	S. h. ☾. Sch. ac. hafn. 3. t. 12. f. 1.

2	divaricatâ. DC. (wh.)	divaricate.	W. Indies.	1823.		S. h. ∪	Sch. ac. hafn. 3. t. 12. f. 2.
3	caracasâna. DC. (wh.)	tooth-leaved.	Caracas.	1816.	7. 9.	S. h. ∪	Jacq. schœn. 1. t. 99.
4	mexicanâ. DC. (wh.)	Mexican.	Mexico.	1825.		S. h. ∪	Sch. ac. hafn. 3. t. 11. f. 3.
5	triternatâ. DC. (wh.)	Supple-Jack.	W. Indies.	1739.		S. h. ∪	Plum. ed. Burm. t. 112.
<i>Paullinia polyphylla</i> . L.							
PAULLINIA. DC.	PAULLINIA.	Octandria Trigynia.	L.				
1	pinnatâ. DC. (wh.)	winged-leaved.	S. America.	1752.	7. 9.	S. h. ∪	Jacq. obs. 3. t. 62. f. 12.
2	Vespertilio. DC. (wh.)	Bat-winged.	W. Indies.	1823.	—	S. h. ∪	Sch. act. hafn. 3. t. 11. f. 1.
3	meliaefolia. DC. (wh.)	Melia-leaved.	Brazil.	1818.	—	S. h. ∪	Hook. ex. flor. 110.
4	curassavica. DC. (wh.)	shining-leaved.	S. America.	1739.	6. 8.	S. h. ∪	Jacq. obs. 3. t. 61. f. 1.
5	barbadensis. DC. (wh.)	Barbadoes.	W. Indies.	1786.		S. h. ∪	— 3. t. 61. f. 9.
6	polyphylla. DC. (wh.)	many-leaved.	S. America.	1739.	6. 8.	S. h. ∪	Pluk. alm. t. 168. f. 5?
7	carthagenensis. DC. (wh.)	bitermate.	Trinidad.	1821.	—	S. h. ∪	Jacq. obs. 3. t. 61. f. 6.
8	caribæa. DC. (wh.)	Caribbean.	Caribees.			S. h. ∪	Jacq. obs. 3. t. 62. f. 7.
9	hispida. DC. (wh.)	hispid.	Caracas.	1823.		S. h. ∪	Jacq. schœn. 3. t. 268.
10	cauliflora. DC. (wh.)	stem-flowering.	—	1821.	6. 8.	S. h. ∪	Jacq. ic. rar. 3. t. 450.

Tribus II. *SAPINDEÆ*. DC.

SAPINDUS. DC.	SOAP BERRY.	Octandria Trigynia.	L.				
1	Saponaria. DC. (wh.)	common	W. Indies.	1697.	7. 9.	S. h.	Comm. hort. 1. t. 94.
2	marginatus. DC. (wh.)	marginated.	Carolina.		—	G. h.	
3	rigidus. DC. (wh.)	Ash-leaved.	S. America.	1759.	—	S. h.	Pluk. alm. t. 217. f. 7.
4	senegalensis. DC. (wh.)	Senegal.	Senegal.	1823.		S. h.	
5	laurifolius. DC. (wh.)	Laurel-leaved.	E. Indies.	1818.		S. h.	Rheed. mal. 4. t. 19.
6	longifolius. DC. (wh.)	long-leaved.	—	—		S. h.	
7	semarginatus. DC. (wh.)	emarginate.	—	1820.		S. h.	
8	rubiginosus. DC. (wh.)	rusty-leaved.	—	—		S. h.	Roxb. cor. 1. t. 62.
9?	indicus. DC. (wh.)	various-leaved.	—	—		S. h.	
BLIGHIA. DC.	AKEE-TREE.	Octandria Monogynia.					
sápida. DC. (wh.)	Ash-leaved.	Africa.	1723.		S. h.		Kon. an. bot. 2. t. 16. 17.
MATA'YBA. DC.	MATA'YBA.	Octandria Monogynia.					
guianensis. DC. (wh.)	Ash-leaved.	Guiana.	1803.	7. 9.	S. h.		Aub. gui. 1. t. 128.
<i>Ephedra fraxinea</i> . w.							
SCHMIDELIA. DC.	SCHMIDELIA.	Octandria Monogynia.	L.				
1	serrata. DC. (wh.)	saw-leaved.	E. Indies.	1804.	6. 8.	S. h.	Roxb. cor. 1. t. 61.
<i>Ornithopha serrata</i> . w.							
2	racemosa. DC. (wh.)	clustered.	—	1818.		S. h.	Burm. ind. t. 32. f. 1.
3	Cominia. DC. (wh.)	yellow-berried.	Jamaica.	1759.	6. 9.	S. h.	Sloan. h. 2. t. 208 f. 1.
<i>Ornithopha Cominia</i> . w. <i>Rhus Cominia</i> . L.							
EUPHORIA. DC.	EUPHORIA.	Octandria Monogynia.	L.				
1	Litchi. DC. (wh.)	Lee-Chee.	China.	1786.	5. 6.	S. h.	Lam. ill. t. 306.
<i>Dimocarpus Litchi</i> . w. <i>Scytalia chinensis</i> . G. fr. t. 42. f. 3.							
2	Longana. DC. (wh.)	loose-panicled.	China.	—	—	S. h.	Buchoz. ic. col. t. 99.
3	verticillata. B.R. (bh.)	whorl-flowered.	Moluccas.	1822.	2. 3.	S. h.	Bot. reg. 1059.
4	Nephelium. DC. (wh.)	Rambootan.	E. Indies.	1809.		S. h.	Lam. ill. t. 764.
<i>Nephelium lappaceum</i> . w. <i>Scytalia Rambootan</i> . H.B.							
CUPANIA. DC.	CUPANIA.	Octandria Monogynia.					
1	tomentosa. DC. (wh.)	woolly-leaved.	W. Indies.	1818.	5. 7.	S. h.	
<i>Trigonis tomentosa</i> . Jacq. am. 102.							
2	glabra. DC. (wh.)	smooth-leaved.	—	—	—	S. h.	
3	Saponaria. DC. (wh.)	Soap-wort ^{ld} .	—	1820.		S. h.	
MOLINÆA. J.	MOLINÆA.	Octandria Monogynia.					
canescens. H.B. (wh.)	canescent.	E. Indies.	1817.	5. 6.	S. h.		
COSSIGNIA. DC.	COSSIGNIA.	Hexandria Monogynia.					
1	borbonica. DC. (wh.)	golden-leaved.	Bourbon.	1811.		S. h.	Lam. ill. t. 256.
<i>pinatâ</i> . Lam. <i>Ruizia aurea</i> . Hort.							
MELI'COCCA. DC.	HONEY-BERRY.	Octandria Monogynia.	L.				
1	bijuga. DC. (wh.)	winged-leaved.	Jamaica.	1778.		S. h.	Jacq. amer. 103. t. 72.
2	olivæformis. DC. (wh.)	large-leaved.	S. America.	1818.		S. h.	

Tribus III. *DODONÆACEÆ*. DC.

KOELREUTERIA . DC. KOELREUTERIA . Octandria Monogynia. L.						
paniculata. DC. (ye.)	panicled.	China.	1763.	7. 8.	H. h.	Bot. reg. 320.
DODONÆA . DC. DODONÆA . Octandria Monogynia. L.						
1 viscosa. DC. (gr.)	clammy.	S. America.	1690.	6. 7.	S. h.	Plum. ic. t. 247. f. 2.
2 jamaicensis. DC. (gr.)	Jamaica.	Jamaica.	—	—	S. h.	Cav. ic. t. 327.
viscosa. Cav. <i>angustifolia</i> . Sw.						
3 Burmanniana. DC. (gr.)	Burman's.	E. Indies.	1758.	5. 8.	S. h.	Burm. zeyl. t. 23.
angustifolia. H.B.						
4 microcarpa. DC. (gr.)	small-fruited.	Bourbon.	1818.	—	S. h.	Lam. ill. t. 304. f. 2.
5 attenuata. F.T. (gr.)	attenuated.	N. S. W.	1824.	2. 6.	G. h.	Bot. mag. 2860.
6 salicifolia. DC. (gr.)	Willow-leaved.	C. B. S.	1758.	—	G. h.	
angustifolia. Lam.						
7 dioica. DC. (gr.)	dicæious.	E. Indies.		—	S. h.	
8 triquetra. DC. (gr.)	three-sided.	N. S. W.	1790.	6. 8.	G. h.	Andr. rep. 230.
9 oblongifolia. L. en. (gr.)	oblong-leaved.	—	1816.	—	G. h.	Bot. reg. 1051.
10 cuneata. DC. (gr.)	wedge-leaved.	—	—	—	G. h.	Linn. trans. 11. t. 19.
11 asplenifolia. DC. (gr.)	Asplenium-ld.	—	—	—	G. h.	— 11. t. 20.
12 filiformis. DC. (gr.)	slender-leaved.	—	1820.	—	G. h.	
13 angustissima. DC. (gr.)	narrow-leaved.	—	—	—	G. h.	
14 elæagnoïdes. DC. (gr.)	scaly leaved.	W. Indies.	1819.		S. h.	
15? pinnata. DC. (gr.)	winged-leaved.	N. S. W.	1810.		G. h.	

ORDO XLVIII.

MELIACEÆ. DC. *prodr.* 1. p. 619.Tribus I. *MELIÆÆ*. DC.

AITONIA . W. AIT'ONIA . Monadelphia Octandria.						
capensis. W. (pi.)	Cape.	C. B. S.	1774.	5. 9.	G. h.	Bot. mag. 173.
TURRÆA . DC. TURRÆA . Decandria Monogynia. L.						
1 virens. DC. (ye.)	green.	E. Indies.	1822.		S. h.	Sm. ic. ined. 1. t. 10.
2 rigida. DC. (li.)	rigid.	Mauritius.	1820.		S. h.	Vent. choix. t. 48.
QUIVÍSIA . DC. QUIVÍSIA . Octandria Monogynia.						
heterophylla. DC. (bh.)	various-leaved.	Mauritius.	1821.		S. h.	Cav. dis. 7. t. 213.
SANDORICUM . DC. SAND'ORICUM . Decandria Monogynia.						
indicum. DC. (st.)	Indian.	E. Indies.	1818.		S. h.	Roxb. corom. 3. t. 261.
MELIA . DC. BEAD-TREE . Decandria Monogynia. L.						
1 Azedarách. DC. (li.)	common.	Syria.	1656.	6. 8.	G. h.	Bot. mag. 1066.
2 supérba. H.B. (li.)	superb.	E. Indies.	1821.	1. 2.	S. h.	
3 robústa. H.B. (li.)	robust.	—	—		S. h.	
4 sempervirens. DC. (li.)	evergreen.	Jamaica.	1656.	6. 9.	S. h.	Bot. reg. 643.
5 compósita. DC. (li.)	compound-ld.	E. Indies.	1818.	1. 3.	S. h.	
6 Azadiráchta. DC. (li.)	Ash-leaved.	—	1759.	6. 8.	S. h.	Cav. dis. 7. t. 208.
7 australis. (li.)	New Holland.	N. S. W.	1824.		G. h.	

Tribus II. *TRICHILIEÆ*. DC.

TRICHÍLIA . DC. TRICHÍLIA . Decandria Monogynia. L.						
1 hirta. DC. (wh.)	hairy.	Jamaica.	1820.	6. 7.	S. h.	Sloan. h. 2. t. 220. f. 1.
2 spondioides. DC. (st.)	Spondias-like.	—	—	—	S. h.	Jacq. schœn. 1. t. 102.
3 havanensis. DC. (st.)	smooth.	W. Indies.	1794.	—	S. h.	Jacq. amer. t. 175. f. 38.
glabra. L.						
4 odorata. A.R. (gr.)	sweet-scented.	—	1801.	—	S. h.	Andr. rep. 637.
5 terminalis. DC. (wh.)	terminal.	Jamaica.	1825.		S. h.	
6 glandulosa. DC. (gr.)	glandular.	N. S. W.	1821.		G. h.	
7 trifoliata. DC. (wh.)	three-leaved.	S. America.	1828.		S. h.	Jacq. amer. 129. t. 82.

EKEBERGIA. DC.		EKEBERGIA.	Decandria Monogynia.			
1 capensis. DC.	(wh.)	Cape.	C. B. S.	1789.	7. 8.	G. h. Lam. ill. t. 358.
2 indica. H.B.	(wh.)	Indian.	E. Indies.	1826.		S. h.
GUA'REA. DC.		GUA'REA.	Octandria Monogynia. L.			
1 trichilioides. L.	(wh.)	Ash-leaved.	S. America.	1752.	5. 6.	S. h. Jacq. am. t. 176. f. 37.
<i>grandifolia. DC.</i>		<i>Melia Guára.</i>	Jacq.			
2 Swartzii.	(wh.)	Swartz's.	W. Indies.	1822.		S. h. Sloan. h. 2. t. 170. f. 1.
<i>trichilioides. Sw.</i>						
3 ramiflora. DC.	(li.)	branch-flow'r'd.	Porto Rico.	—		S. h. Vent. choix. t. 41.
HE'YNEA. DC.		HE'YNEA.	Decandria Monogynia.			
1 trijuga. DC.	(wh.)	Walnut-like.	Nepaul.	1812.	9. 10.	S. h. Bot. mag. 1738.
2 quinquejuga. H.B.	(w.)	five-paired.	Moluccas.	1821.		S. h.
AMOO'RA. R.C.		AMOO'RA.	Hexandria Monogynia.			
cucullata. R.C.	(ye.)	hooded.	E. Indies.	1824.		S. h. Roxb. corom. 3. t. 258.

ORDO XLIX.

CEDRELEÆ. *Brown gen. rem. 64.*

CEDRELA. DC.		BASTARD CEDAR.	Pentandria Monogynia. L.			
1 odorata. DC.	(st.)	fragrant.	W. Indies.	1739.	7. 9.	S. h. Lam. ill. t. 137.
2 Toona. DC.	(st.)	Nepaul.	Nepaul.	1821.		S. h. Roxb. cor. 3. t. 238.
3 velutina. DC.		velvetty.				S. h.
SWIETENIA. DC.		MAHOGANY-TREE.	Decandria Monogynia. L.			
1 Mahogoni. DC.	(wh.)	common.	W. Indies.	1734.		S. h. Cav. dis. 7. t. 209.
2 febrifuga. DC.	(wh.)	Febrifuge.	E. Indies.	1796.		S. h. Roxb. cor. 1. t. 17.
CHLOROXYLON. DC.		CHLOROXYLON.	Decandria Monogynia.			
Swietenia. DC.	(ye.)	Satin-wood.	E. Indies.	1822.		S. h. Roxb. cor. 1. t. 64.
<i>Swietenia chloroxylon. R.C.</i>						
FLINDER'SIA. DC.		FLINDER'SIA.	Decandria Monogynia.			
australis. DC.	(wh.)	New Holland.	N. Holland.	1821.		G. h. Brown gen. rem. t. 1.
CARA'PA. DC.		CARA'PA.	Decandria Monogynia.			
1 procera. DC.	(st.)	tall.	W. Indies.			S. h.
2 guineensis.	(st.)	glossy-leaved.	Sierra Leon.	1793.		S. h.
<i>Afzèlia splendens. Hort.</i>						
3 guianensis. DC.	(st.)	Guiana.	Guiana.	1820.		S. h. Aubl. guian. 2. s. t. 387.

ORDO L.

AMPELIDEÆ. *DC. prodr. 1. p. 627.*Tribus I. *VINIFERÆ* seu *SARMENTACEÆ. DC.*

CI'SSUS. DC.		CI'ssus.	Tetrandria Monogynia. L.			
1 vitiginea. DC.	(re.)	vine-leaved.	India.	1772.	7. 8.	S. h. Pluk. mant. t. 337. f. 4.
2 adnata. DC.	(gr.)	pointed-leaved.	E. Indies.	1818.	—	S. h.
3 glauca. DC.	(gr.)	glaucous.	—	—	—	S. h.
4 cæsia. DC.	(gr.)	grey.	Guinea.	1822.	5. 6.	S. h.
5 repens. DC.	(pu.)	creeping.	E. Indies.	1821.	—	S. h. Rheed. mal. 7. t. 48.
6 punctulosa. DC.	(gr.)	strumous.	Cayenne.	1818.		S. h.
7 uvifera. DC.	(gr.)	berry-bearing.	Guinea.	1822.	5. 6.	S. h.
8 tiliacea. DC.	(gr.)	Lime-leaved.	Mexico.	1825.		G. h.
9 quadrangularis. DC.	(r.)	square-stalked.	E. Indies.	1790.		S. h. Rumph. amb. 5. t. 44. f. 2.
10 sicyoides. DC.	(gr.)	naked-leaved.	Jamaica.	1768.	7. 8.	S. h. Jacq. amer. 22. t. 15.
11 smilacina. DC.	(gr.)	Smilax-like.	S. America.	1826.		S. h.
12 ovata. DC.	(gr.)	oval-leaved.	—	1822.		S. h. Brown. jam. t. 4. f. 1. 2.
13 antarctica. DC.	(gr.)	Kanguru-Vine.	N. S. W.	1790.	6. 8.	G. h. Bot. mag. 2488.

14 glandulôsa. DC.	(gr.) glandular.	Arabia.	1824.	6. 7.	G. 4. ∪.	
15 capensis. DC.	(gr.) Cape.	C. B. S.	1792.	—	G. h. ∪.	
16 âcida. DC.	(gr.) acid.	Jamaica.	1692.	—	S. h. ∪.	Jacq. schœn. 1. t. 33.
17 carnôsa. DC.	(wh.) flat-stemmed.	E. Indies.	1818.	...	S. h. ∪.	Rheed. mal. 7. t. 9.
18 trifoliâta. DC.	(re.) three-leaved.	Jamaica.	1739.	6. 8.	S. h. ∪.	Sloan. jam. t. 142. f. 5. 6. ?
19 pauciflôra. DC.	(gr.) few-flowered.	C. B. S.	1818.	5. 6.	G. h. ∪.	
20 alâta. DC.	(re.) winged-stalked.	Jamaica.	—	—	S. h. ∪.	Sloan. jam. 1. t. 144.
21 angustifolia. DC.	(st.) narrow-leaved.	E. Indies.	1818.	...	S. h. ∪.	
22 cirrhôsa. DC.	(gr.) tendrilled.	C. B. S.	1822.	5. 6.	G. h. ∪.	
23 quinâta. DC.	(gr.) wedge-leaved.	—	1790.	7.	G. h. ∪.	
24 pentaphylla. DC.	(gr.) Japan.	Japan.	—	4. 9.	G. h. ∪.	
25 quinquefolia. B.M.	(gr.) five-leaved.	Brazil.	—	8. 9.	S. h. ∪.	Bot. mag. 2443.
26 diversifolia. DC.	(gr.) various-leaved.		—		S. h. ∪.	
<i>heterophylla</i> . L. en. non DC.						
27 elongata. DC.	(gr.) long-branched.	E. Indies.	1818.		S. h. ∪.	
28 auriculata. DC.	(gr.) ear-stipuled.	—	—		S. h. ∪.	
29 orientâlis. DC.	(gr.) oriental.	Levant.	—	6. 8.	G. h. ∪.	Lam. ill. t. 84. f. 2.
AMPELOPSIS. DC. AMPELOPSIS. Pentandria Monogynia. L.						
1 cordata. DC.	(gr.) heart-leaved.	N. America.	1803.	6. 8.	H. h. ∪.	
<i>Cissus Ampelopsis</i> . P.S.						
2 hederacea. DC.	(gr.) Virginian creeper.	—	1629.	—	H. h. ∪.	Corn. canad. t. 100.
<i>Hedera quinquefolia</i> . L. <i>Cissus hederacea</i> . P.S.						
3 hirsuta. DC.	(gr.) hairy.	—	1806.	—	H. h. ∪.	
4 bipinnata. DC.	(gr.) Pepper Vine.	—	1700.	7. 9.	H. h. ∪.	Pluk. mant. t. 412. f. 2.
<i>Vitis arborea</i> . W. <i>Cissus stans</i> . P.S.						
VITIS. DC. VINE. Pentandria Monogynia. L.						
1 vinifera. DC.	(gr.) common Grape.	Asia.		6. 7.	H. h. ∪.	Jacq. ic. 1. t. 50.
2 laciniôsa. DC.	(gr.) Parsley-leaved.		1648.	—	H. h. ∪.	Schm. ic. 34. t. 8.
3 dentata. DC.	(gr.) toothed.		1818.		H. h. ∪.	
4 Wallichii. DC.	(gr.) Wallich's.	Nepaul.	—		H. h. ∪.	
5 indica. DC.	(g. pu.) Indian.	E. Indies.	1692.		S. h. ∪.	Rheed. mal. 7. t. 6.
6 lanata. F.I.	(gr.) woolly.	—	1824.		S. h. ∪.	
7 latifolia. F.I.	(br.) broad-leaved.	—	—		S. h. ∪.	Rheed. mal. 7. t. 7.
8 caribæa. DC.	(st.) West Indian.	W. Indies.			S. h. ∪.	Sloan. his. 2. t. 210. f. 4.
9 Labrusca. DC.	(gr.) downy-leaved.	N. America.	1656.	5. 6.	H. h. ∪.	Jacq. schœn. t. 426.
10 blanda.	(gr.) white-berried.	—	—	—	H. h. ∪.	
11 æstivalis. DC.	(gr.) Fox Grape.	—	—	—	H. h. ∪.	Jacq. schœn. t. 425.
<i>ulpina</i> . W.						
12 cordifolia. DC.	(gr.) Winter Grape.	—	1806.		H. h. ∪.	
13 riparia. DC.	(gr.) sweet-scented.	—	—	5. 6.	H. h. ∪.	Bot. mag. 2429.
14 rotundifolia. DC.	(gr.) Bullet Grape.	—	—	—	H. h. ∪.	
15 palmata. DC.	(gr.) palmate-leaved.	—	1820.	—	H. h. ∪.	

Tribus II. LEEACEE. DC.

LEE'EA. DC. LE'EA. Pentandria Monogynia. L.						
1 sambucina. DC.	(st.) Elder-leaved.	E. Indies.	1790.		S. h.	Cav. dis. 7. t. 218.
2 crispa. DC.	(wh.) fringe-stalked.	C. B. S.	1676.	8. 10.	S. 4.	Bot. rep. t. 355.
<i>pinnata</i> . A.R.						
3 æquata. DC.	(gr.) round-stalked.	E. Indies.	1777.		S. h.	
4 hirta. DC.	(gr.) hairy.	—	1816.		S. h.	
5 robusta. F.I.	(gr.) robust.	—	1820.		S. h.	
6 macrophylla. DC.	(wh.) large-leaved.	—	1806.		S. 4.	

ORDO LI.

GERANIACEÆ. *DC. prodr. 1. p. 637.*Tribus I. *GERANIEÆ. S.G. 1. p. VII.*SARCOCA'ULON. *DC. SARCOCA'ULON. Monadelphia Dodecandria.*

- 1 *L'Heritieri*. (*ye.*) *L. Heritier's.* C. B. S. 1790. 5. 6. G. $\frac{1}{2}$. L. Herit. ger. t. 42.
Monsonia L'Heritieri. DC. Monsonia spinosa. L. Her.
 2 *Burmāni. DC. (ye.) Burman's.* C. B. S. 1790. 7. G. $\frac{1}{2}$. Burm. afr. t. 31.
Geranium spinosum. Cav. dis. 4. t. 75. f. 2.

MONS'ONIA. *S.G. MONS'ONIA. Monadelphia Dodecandria.*

- 1 *ovata. DC. (st.) oval-leaved.* C. B. S. 1774. 8. G. $\frac{3}{4}$. Cav. dis. 4. t. 113. f. 1.
 2 *lobata. DC. (st. bh.) broad-leaved.* ———— 4. 5. G. $\frac{1}{2}$. Sweet ger. 3. t. 273.
 3 *pilosa. W. en. (bh.) hairy.* ———— 1778. 7. 8. G. $\frac{1}{2}$. ———— 2. t. 199.
filia. A. R. 276. nec aliorum.
 4 *speciosa. L. (va.) large-flowered.* ———— 1774. 4. 5. G. $\frac{1}{2}$.
a rubra. (ro.) red-flowered. ———— 12. 2. G. $\frac{1}{2}$. Bot. mag. 73.
 β pallida. (st.) pale-flowered. ———— 4. 5. G. $\frac{1}{2}$. Sweet ger. 1. t. 77.

GERANIUM. *DC. CRANES-BILL. Monadelphia Decandria.*

- 1 *sibiricum. DC. (wh.) Siberian.* Siberia. 1758. 6. 7. H. $\frac{1}{2}$. Jacq. vind. 1. t. 19.
 2 *sanguineum. DC. (cr.) bloody.* Britain. 6. 9. H. $\frac{1}{2}$. Eng. bot. 272.
 3 *prostratum. L. en (std.) Lancashire.* ———— H. $\frac{1}{2}$. Cav. dis. 4. t. 76. f. 3.
 4 *multifidum. S.G. (li.) multifid.* C. B. S. 1817. ———— G. $\frac{1}{2}$. Sweet ger. 3. t. 245.
 5 *incanum. DC. (li.) hoary.* ———— 1701. 5. 7. G. $\frac{1}{2}$. Cav. dis. 4. t. 82. f. 2.
 6 *canescens. DC. (li.) silky-leaved.* ———— 1787. ———— G. $\frac{1}{2}$. L. Herit. ger. t. 38.
 7 *argenteum. DC. (bh.) silvery-leaved.* S. Europe. 1699. 6. 7. H. $\frac{1}{2}$. Sweet ger. 1. t. 59.
 8 *cinereum. DC. (vi.) grey.* Pyrenees. 6. 8. H. $\frac{1}{2}$. Cav. dis. 4. t. 89. f. 1.
varium. L'Her. ger. t. 37.
 9 *anemonefolium. DC. (p.) Anemone-ld.* Canaries. 1778. 5. 8. G. $\frac{1}{2}$. Sweet ger. 3. t. 244.
 10 *macrorrhizon. DC. (re.) long-rooted.* Italy. 1576. 5. 6. H. $\frac{1}{2}$. ———— 3. t. 271.
 11 *tuberosum. DC. (re.) tuberous-rooted.* ———— 1596. 5. 8. H. $\frac{1}{2}$. ———— 2. t. 155.
 12 *ibericum. DC. (bl.) Iberian.* Iberia. 1802. 6. 9. H. $\frac{1}{2}$. ———— 1. t. 84.
 13 *nodosum. DC. (std.) knotted.* England. 5. 10. H. $\frac{1}{2}$. Eng. bot. 1091.
 14 *angulatum. DC. (std.) angular-stalk'd.* 1789. 5. 6. H. $\frac{1}{2}$. Bot. mag. 203.
 15 *Lamberti. S.G. (li.) Mr. Lambert's.* Nepaul. 1825. 8. 10. H. $\frac{1}{2}$. Sweet ger. 4. t. 338.
 16 *Wallichianum. S.G. (p.) Wallich's.* ———— 1820. 6. 10. H. $\frac{1}{2}$. ———— 1. t. 90.
 17 *Vlassovianum. DC. (st.) Vlassof's.* Siberia. ———— 5. 8. H. $\frac{1}{2}$. ———— 3. t. 228.
 18 *striatum. DC. (std.) streaked.* Italy. 1629. 5. 10. H. $\frac{1}{2}$. Bot. mag. 55.
 19 *reflexum. DC. (re.) reflex-flowered.* ———— 1758. 5. 6. H. $\frac{1}{2}$. Cav. dis. 4. t. 81. f. 1.
 20 *phæum. DC. (br.) dusky.* England. 4. 6. H. $\frac{1}{2}$. Eng. bot. 322.
 21 *fuscum. W. (da.) brown.* S. Europe. 1759. 7. H. $\frac{1}{2}$.
 22 *lividum. w. (li.) wrinkle-leaved.* Switzerland. 1775. 6. 7. H. $\frac{1}{2}$. Sweet ger. 3. t. 268.
 23 *eristemon. DC. (bl.) woolly-stamen'd* Dahuria. 1822. 7. 9. H. $\frac{1}{2}$. ———— 2. t. 197.
 α cœruleum. S.G. (bl.) bright blue. ———— H. $\frac{1}{2}$. ———— 2. t. 197. f. a.
 β pallidum. S.G. (pa.) pale blue. Nepaul. ———— H. $\frac{1}{2}$. ———— 2. t. 197. f. b.
 24 *sylvaticum. DC. (pu.) wood.* Britain. 5. 6. H. $\frac{1}{2}$. Eng. bot. 121.
 25 *batrachioides. L. en. (b.) hairy.* Europe. H. $\frac{1}{2}$. Cav. dis. 4. t. 85. f. 1.
 26 *pratense. DC. (bl.) Crowfoot-leav'd* Britain. 5. 7. H. $\frac{1}{2}$. Eng. bot. 404.
 α cœruleum. (bl.) blue-flowered. ———— H. $\frac{1}{2}$.
 β variegatum. (v.) variegated. ———— H. $\frac{1}{2}$.
 γ album. (wh.) white-flowered. ———— H. $\frac{1}{2}$.
 δ flore pleno. (bl.) double-blue. ———— H. $\frac{1}{2}$.
 27 *longipes. DC. (li.) long-peduncled.* 1824. ———— H. $\frac{1}{2}$.
Londesii. L. en.
 28 *maculatum. DC. (bh.) spotted.* N. America. 1732. 5. 8. H. $\frac{1}{2}$. Sweet ger. 4. t. 332.
 29 *collinum. DC. (re.) hill.* Tauria. 1815. ———— H. $\frac{1}{2}$.
 30 *palustre. DC. (re.) marsh.* Europe. 1732. ———— H. $\frac{1}{2}$. Sweet ger. 1. t. 3.
 31 *aconitifolium. DC. (wh.) Aconite-leaved.* Switzerland. 1775. 5. 6. H. $\frac{1}{2}$. L. Herit. ger. t. 40.
 32 *pilosum. DC. (li.) pointed anth'r'd* N. Zealand. 1821. 5. 8. F. $\frac{1}{2}$. Sweet ger. 2. t. 119.
 33 *parviflorum. DC. (li.) small-flowered.* Van Diem. 1816. ———— G. $\frac{1}{2}$.
 34 *nepalense. S.G. (li.) Nepaul.* Nepaul. 1819. ———— H. $\frac{1}{2}$. Sweet ger. 1. t. 12.
 35 *cristatum. DC. (li.) crested.* Iberia. 1823. ———— H. $\frac{1}{2}$. Stev. m. mosc. 4. t. 5.
album. M. B.

36 pyrenæicum. DC.	(li.)	mountain.	Britain.		5. 8.	H. 2.	Eng. bot. 405.
37 umbròsum. P. S.	(li.)	naked-stalked.	Hungary.	1804.	6. 9.	H. 2.	W. et Kit. hung. 2. t. 124.
38 mólle. DC.	(li.)	Dove's-foot.	Britain.		4. 8.	H. 2.	Eng. bot. 778.
39 pusillum. DC.	(li.)	small-flowered.	England.		6. 9.	H. 2.	— 385.
40 rotundifolium. DC.	(li.)	round-leaved.	—		6. 7.	H. 2.	— 157.
41 columbinum. DC.	(li.)	long-stalked.	Britain.		—	H. 2.	— 259.
42 dissèctum. DC.	(li.)	jagged-leaved.	—		5. 7.	H. 2.	— 753.
43 carolinianum. DC.	(st.)	veined petaled.	N. America.	1725.	7. 8.	H. 2.	Cav. dis. 4. t. 84. f. 1.
44 lanuginosum. W. en. (p.)	(p.)	woolly.	—		—	H. 2.	Jacq. schoen. 2. t. 140.
45 villosum. DC.	(li.)	villous.	Naples.	1824.	—	H. 2.	—
46 bohèmicum. DC.	(bl.)	Bohemian.	Bohemia.	1683.	6. 8.	H. 2.	Sweet ger. ser. 2. t.
47 divaricatum. DC.	(li.)	straddling.	Hungary.	1799.	7. 8.	H. 2.	W. et Kit. hung. 2. t. 123.
48 lucidum. DC.	(li.)	shining.	Britain.		5. 8.	H. 2.	Eng. bot. 75.
49 Briceanum.	(wh.)	Miss Brice's.	Bristol.		4. 10.	H. 2.	—
50 Robertianum. DC.	(pu.)	Herb-Robert.	Britain.		—	H. 2.	Eng. bot. 1486.
51 purpureum. w.	(pu.)	purple.	—		—	H. 2.	Vill. dauph. 3. t. 40.
ER'ODIUM. DC.		HERON'S-BILL.	Monadelphia	Pentandria.			
1 petræum. DC.	(pu.)	rock.	S. Europe.	1640.	6. 7.	H. 2.	Gouan. ill. t. 21. f. 1.
2 glandulosum. DC.	(pu.)	glandulous.	Spain.	1798.	—	H. 2.	Cav. dis. 5. t. 125. f. 2.
3 Stephanianum. DC.	(bl.)	multifid.	Dahuria.	1820.	—	H. 2.	—
4 alpinum. DC.	(bl.)	Alpine.	Italy.	1814.	5. 8.	H. 2.	L'Herit. ger. t. 3.
5 crassifolium. DC.	(li.)	thick-leaved.	Cyprus.	1788.	3. 8.	G. 2.	Sweet ger. 2. t. 111.
6 laciniatum. DC.	(li.)	lacinated.	Crete.	1794.	5. 8.	G. 2.	Cav. dis. 4. t. 113. f. 3.
7 hirtum. DC.	(li.)	hairy.	Egypt.	1823.	—	G. 2.	Jacq. f. ecl. 1. t. 58.
8 Clcònum. DC.	(li.)	long-beaked.	S. Europe.	1711.	6. 7.	H. 2.	Jacq. vind. 1. t. 18.
9 cicutarium. E. B.	(pi.)	Hemlock-leav'd	Britain.		4. 9.	H. 2.	Eng. bot. 1768.
10 pimpinellæfolium.	(pi.)	Pimpinella-ld.	Europe.	1823.	—	H. 2.	Cav. dis. 4. t. 95. f. 2.
11 bipinnatum. w.	(pi.)	Numidian.	Numidia.	1803.	5. 6.	H. 2.	— 5. t. 126. f. 3.
12 romanum. w.	(pi.)	Roman.	Rome.	1724.	—	H. 2.	Bot. mag. 377.
13 caucalisfolium. S. G.	(pi.)	Caucalis-leaved.	S. Europe.	1816.	6. 8.	H. 2.	Sweet ger. t. 6.
14 moschatum. DC.	(li.)	musky.	England.		5. 7.	H. 2.	Eng. bot. 902.
15 botrys. DC.	(bl.)	large-blue.	Italy.	1819.	—	H. 2.	Cav. dis. 4. t. 90. f. 2.
16 murcicum. DC.	(bl.)	small-blue.	Murcia.	—	—	H. 2.	— 5. t. 126. f. 1.
17 grænum. DC.	(bl.)	broad-leaved.	Crete.	1596.	6. 7.	H. 2.	— 4. t. 88. f. 2.
18 serotinum. DC.	(bl.)	late-flowering.	Tyre.	1816.	6. 9.	H. 2.	Stev. mac. P. 3. t. 15. f. 2.
<i>multicaule</i> , s. G. t. 137.							
19 chium. DC.	(bl.)	Levant.	Levant	1724.	6. 7.	H. 2.	Cav. dis. 4. t. 92. f. 1.
20 hymenodes. DC.	(li.)	three-leaved.	Barbary.	1789.	1. 12.	H. 2.	Sweet ger. 1. t. 23.
21 Gussonii. S. G.	(li.)	Gussone's.	Naples.	1822.	5. 8.	H. 2.	— 2. t. 200.
22 malachoides. DC.	(pu.)	Mallow-leaved.	S. Europe.	1596.	5. 7.	H. 2.	Cav. dis. 4. t. 91. f. 1.
23 ribifolium. w.	(pu.)	Currant-leaved.	C. B. S.		6. 8.	H. 2.	Jacq. ic. rar. 3. t. 509.
24 incarnatum. DC.	(fl.)	flesh-coloured.	—	1787.	5. 7.	G. 2.	Sweet ger. 1. t. 94.
25 glaucophyllum. DC.	(li.)	glaucous-leav'd.	Egypt.	1732.	7. 8.	H. 2.	— 3. t. 283.
26 malopoides. DC.	(li.)	velvety-leaved.	Sicily.	1818.	5. 8.	H. 2.	Cav. dis. 4. t. 90. f. 1.
27 littoreum. DC.	(li.)	smooth.	Narbonne.	—	—	H. 2.	—
28 maritimum. DC.	(li.)	sea-side.	England.		5. 9.	H. 2.	Eng. bot. 646.
29 Reichardi. DC.	(wh.)	dwarf.	Minorca.	1783.	4. 9.	H. 2.	Bot. mag. 18.
<i>chamædryoides</i> , w. <i>Geranium Reichardi</i> , B. M.							

Tribus II. *GRIELEÆ*. S. G. p. VII.

GRIELUM. W.

GRIELUM. Decandria Pentagynia.

1 tenuifolium. w.	(ye.)	large-flowered.	C. B. S.	1790.	4. 6.	G. 2.	Sweet ger. 2. t. 171.
2 laciniatum. G.	(ye.)	jagged-leaved.	—	1825.	—	G. 2.	— 4. t. 306.

Tribus III. *PELARGONIEÆ*. S. G. p. VIII.

PHYMATANTHUS. S. G. WART-FLOWER. Monadelphia Pentandria.

1 tricolor. S. G.	(w. pu.)	three-coloured.	C. B. S.	1791.	6. 10.	G. 2.	Sweet ger. 1. t. 43.
<i>Pelargonium tricolor</i> , B. M. 240.							
2 elatus. S. G.	(w. pu.)	tall.	—	1795.	—	G. 2.	Sweet ger. 1. t. 96.

3 villösus.	(w.pu.) villous.	Hybrid.	1823.	6. 10.	G. ½.	
4 grandiflorus.	(w.pu.) large-flowered.	_____	_____	_____	G. ½.	
5 latifolius. c.c.	(w.pu.) broad-leaved.	_____	_____	_____	G. ½.	
CAMP'YLIA. S.G. CAMP'YLIA. Monadelphia Pentandria.						
1 carinata. s.g.	(w.pu.) keeled-stipuled.	C. B. S.	1810.	4. 9.	G. ½.	Sweet ger. 1. t. 21.
2 variegata. s.g.	(v.) variegated-fl'd.	Hybrid.	1823.	_____	G. ½.	_____ 3. t. 266.
3 holosericea. s.g.	(da.) silky-leaved.	_____	1820.	_____	G. ½.	_____ 1. t. 75.
4 blattaria. s.g.	(li.) downy-leaved.	C. B. S.	1790.	6. 9.	G. ½.	_____ 1. t. 88.
5 elegans. s.g.	(bh.) elegant.	Hybrid.	1822.	_____	G. ½.	_____ 3. t. 222.
6 verbasciflora. s.g.	(li.) Mullein-fl'd.	C. B. S.	1811.	_____	G. ½.	_____ 2. t. 157.
7 cana. s.g.	(li.) hoary-leaved.	_____	1794.	7. 12.	G. ½.	_____ 2. t. 114.
8 eriostemon. s.g.	(wh.) velvet-leaved.	_____	_____	3. 6.	G. ½.	Jacq. schœn. 2. t. 132.
<i>Pelargonium eriostemon.</i> Jacq.						
9 laciniata. s.g.	(d.re.) jagged-leaved.	Hybrid.	1827.	4. 10.	G. ½.	Swt. ger. ser. 2. t. 1.
10 coronopifolia.	(li.) Buck's-horn-l'd.	C. B. S.	1791.	6. 10.	G. ½.	Jacq. ic. rar. 3. t. 526.
11? ænothæra.	(li.) ænothera-like.	_____	1812.	4. 8.	G. ¼.	_____ 3. t. 525.
<i>Pelargonium ænothæra.</i> Jacq.						
OTYDIA. S.G. OTYDIA. Monadelphia Pentandria.						
1 carnosa. s.g.	(wh.) fleshy-stalked.	C. B. S.	1724.	6. 8.	G. ½.	Swt. ger. 1. t. 98.
2 ceratophylla. s.g.	(wh.) horn-leaved.	Africa.	1786.	5. 7.	G. ½.	Bot. mag. 315.
<i>Pelargonium ceratophyllum.</i> B.M.						
3 dasycaulon. s.g.	(wh.) thick-stemmed.	Africa.	1795.	7. 12.	G. ½.	Bot. mag. 2029.
4 laxa. s.g.	(wh.) loose-panicled.	C. B. S.	1821.	6. 9.	G. ½.	Sweet ger. 2. t. 196.
5 crithmifolia. s.g.	(wh.) Samphire-l'd.	_____	1790.	4. 9.	G. ½.	_____ 4. t. 354.
6 alternans. s.g.	(wh.) Parsley-leaved.	_____	1791.	5. 8.	G. ½.	_____ 3. t. 286.
GRENVILLEA. S.G. GRENVILLEA. Monadelphia Tetrandria.						
conspicua. s.g.	conspicuous.	Africa.	1810.	7. 11.	G. ¼.	Sweetger. 3. t. 262. f. 2.
<i>Geranium Grenvilleæ.</i> A.G. c. ic.						
H'OAREA. S.G. H'OAREA. Monadelphia Pentandria.						
1 violæflora. s.g.	(wh.) white violet-fl'd.	C. B. S.	1821.	5. 8.	G. ¼.	Sweet ger 2. t. 123.
2 nivea. s.g.	(wh.) snowy white.	_____	_____	_____	G. ¼.	_____ 2. t. 182.
3 bubonifolia.†	(wh.) Bubon-leaved.	_____	1800.	3. 7.	G. ¼.	And. bot. rep. 328.
4 Lecæna. s.g.	(wh.) Mr. Lee's.	_____	1823.	6. 8.	G. ¼.	Sweet ger. 3. t. 323.
5 laciniata.†	(v.) jag-leaved.	_____	1800.	5. 6.	G. ¼.	And bot. rep. 131.
6 penniformis.†	(ye.) winged.	_____	_____	_____	G. ¼.	_____ 269.
7 purpurascens.†	(pu.) purplish.	_____	_____	_____	G. ¼.	_____ 204.
8 incrassata.†	(std.) fleshy-leaved.	_____	1801.	6. 7.	G. ¼.	Bot. mag. 761.
9 carinata. s.g.	(ye.) boat-flowered.	_____	1812.	5. 8.	G. ¼.	Sweet ger. 2. t. 135.
10 corydaliflora. s.g.	(ye.) Fumitory-fl'd.	_____	_____	_____	G. ¼.	_____ 1. t. 18.
11 rapæcea.	(pi.) Turnep-rooted.	_____	1788.	4. 6.	G. ¼.	And. rep. 239.
<i>Geranium Selinum.</i> A.R.						
12 setosa. s.g.	(bh.) bristle-pointed.	_____	1818.	4. 8.	G. ¼.	Sweet ger. 1. t. 38.
13 pilosa.	(pu.) hairy.	_____	1801.	5. 7.	G. ¼.	And. bot. rep. 259.
<i>Geranium pilosum.</i> var. 1. A.G. ic.						
14 bicolor.	two-coloured.	_____	_____	3. 8.	G. ¼.	Andr. geran. c. ic.
<i>Geranium pilosum.</i> var. 2. A.G. ic.						
15 blanda.	(bh.) blush-flowered.	_____	_____	_____	G. ¼.	Andr. geran. c. ic.
<i>Geranium pilosum.</i> var. 3. A.G. ic.						
16 congesta. s.g.	(sp.) crowded-fl'd.	_____	1820.	5. 10.	G. ¼.	Sweet ger. 3. t. 202.
17 retusa. s.g.	(da.) notched-petal'd.	Hybrid.	1824.	_____	G. ¼.	_____ 4. t. 307.
18 selinifolia. s.g.	(d.pu.) Milk-parsley-l'd.	_____	1821.	3. 8.	G. ¼.	_____ 2. t. 159.
19 radicata. s.g.	(ye.) fleshy-fringed-l'd.	C. B. S.	1802.	5. 8.	G. ¼.	_____ 1. t. 174.
20 ciliata.	(wh.) ciliated.	_____	1795.	4. 6.	G. ¼.	L'Herit. ger. t. 7.
21 ovalifolia. s.g.	(wh.) oval-leaved.	_____	1820.	4. 8.	G. ¼.	Sweet ger. 2. t. 106.
22 reticulata. s.g.	(std.) netted-petaled.	_____	_____	_____	G. ¼.	_____ 1. t. 91.
23 nervifolia.	(wh.) nerved-leaved.	_____	_____	5. 8.	G. ¼.	Jacq. ic. rar. 3. t. 517.
24 triphylla.	(fl.cr.) three-leaved.	_____	_____	_____	G. ¼.	_____ 3. t. 515.
25 lutea.†	(ye.) small-yellow.	_____	1800.	_____	G. ¼.	And. bot. rep. t. 123.
26 nummularifolia.	(ye.) money-wort-l'd.	_____	1801.	_____	G. ¼.	Sal. par. lond. t. 23.
27 integrifolia. c.c.	(w.r.) entire-leaved.	Hybrid.	1821.	4. 8.	G. ¼.	
28 fuscata. c.c.	(br.) brown-flowered.	_____	_____	_____	G. ¼.	
29 nigricans. c.c.	(bl.) blackish.	_____	1822.	_____	G. ¼.	
30 magica. c.c.	(bl.) dark-flowered.	_____	_____	_____	G. ¼.	
31 atra. s.g.	(da.) dark brown.	C. B. S.	1793.	_____	G. ¼.	Sweet ger. 1. t. 72.
32 dioica. c.c.	(bl.) dioecious.	_____	1795.	6. 8.	G. ¼.	And. bot. rep. 209.
<i>Geranium melananthum.</i> A.R.						

33 undulæfðra. s.g. (da.)	waved-petaled.	C. B. S.	1821.	4. 8.	G. 2.	Sweet ger. 3. t. 263.
34 melanántha. s.g. (bl.)	black-flowered.	_____	1790.	_____	G. 2.	_____ 1. t. 73.
35 vária. s.g. (da.)	various-leaved.	Hybrid.	1821.	_____	G. 2.	_____ 2. t. 166.
36 Colvillii. s.g. (cr.)	Colvill's.	_____	1823.	_____	G. 2.	_____ 3. t. 260.
37 Jenkinsonsí. c.c. (sc.)	Jenkinson's.	_____	_____	_____	G. 2.	_____
38 dilúta (bh.)	diluted.	_____	1821.	_____	G. 2.	_____
39 replicáta. (re.)	replicate.	_____	_____	_____	G. 2.	_____
40 rubéscens. (re.)	reddish.	_____	_____	_____	G. 2.	_____
41 intermíxta. (re.)	intermixed.	_____	1822.	_____	G. 2.	_____
42 capitáta. (bh.)	headed.	_____	_____	_____	G. 2.	_____
43 supérba. (sc.)	superb.	_____	_____	_____	G. 2.	_____
44 villósa. (sc.)	villous.	_____	1821.	_____	G. 2.	_____
45 unguiculáta. (re.)	clawed.	_____	_____	5. 8.	G. 2.	_____
46 tenuifolia. (bh.)	slender-leaved.	_____	_____	_____	G. 2.	_____
47 margináta. (bh.)	margined.	_____	1823.	_____	G. 2.	_____
48 atosanguínea. s.g. (cr.)	dark-crimson.	_____	1822.	4. 8.	G. 2.	Sweet ger. 2. t. 151.
49 elegans. s.g. (cr.)	elegant.	_____	_____	_____	G. 2.	_____ 2. t. 132.
<i>Pelargonium Sweetianum</i> . DC.						
50 coluteæfolia. s.g. (cr.)	BladderSenna-ld.	_____	1823.	_____	G. 2.	Sweet ger. 4. t. 311.
51 orobifolia. s.g. (st.pu.)	Orobos-leav'd.	_____	_____	_____	G. 2.	_____ 4. t. 304.
52 coccinea. s.g. (sc.)	scarlet.	_____	_____	_____	G. 2.	_____ 4. t. 398.
53 recurviflora. (sc.)	recurv'd-petal'd.	_____	1821.	_____	G. 2.	_____
54 sanguinolenta. (cr.)	bloody-flower'd.	_____	1823.	_____	G. 2.	_____
55 pulchélla. (re.)	neat.	_____	_____	_____	G. 2.	_____
56 amœna. (re.)	delightful.	_____	_____	_____	G. 2.	_____
57 párens. (re.)	spreading.	_____	1822.	_____	G. 2.	_____
58 lilacina. (li.)	Lilac-coloured.	_____	_____	_____	G. 2.	_____
59 venosa. s.g. (std.)	veined-petaled.	_____	1823.	_____	G. 2.	Sweet ger. 3. t. 209.
60 literata. (std.)	lettered.	_____	_____	_____	G. 2.	_____
61 labyrintica. s.g. (std.)	labyrinth-fl'd.	_____	_____	_____	G. 2.	Sweet ger. 3. t. 276.
62 rósea. s.g. (ro.)	rose-coloured.	C. B. S.	1792.	_____	G. 2.	_____ 3. t. 262. f. 1.
<i>Geranium roseum</i> . A.R. 173. <i>Pelargonium condensatum</i> . P.S.						
63 hedysarifolia. s.g. (cr.)	Hedysarum-ld.	Hybrid.	1823.	_____	G. 2.	Sweet ger. 4. t. 355.
64 galegifolia. (cr.)	Galega-leaved.	_____	_____	_____	G. 2.	_____
65 sisymbriifolia. s.g. (cr.)	Water-rocket-ld.	_____	_____	_____	G. 2.	Sweet ger. 3. t. 292.
66 hisiuta. (bh.)	various-ld. hairy.	C. B. S.	1788.	3. 5.	G. 2.	Cav. dis. 4. t. 101. f. 2.
DIMA'CRIA. S.G. DIMA'CRIA. Monadelphia Pentandria.						
1 pinnata. s.g. (bh.)	wing-leaved.	C. B. S.	1779.	4. 6.	G. 2.	Sweet ger. 1. t. 46.
<i>Pelargonium viciaefolium</i> . DC.						
2 bipartita. s.g. (st.)	forked-leaved.	Hybrid.	1821.	4. 8.	G. 2.	Sweet ger. 2. t. 142.
3 foliolosa. s.g. (st.)	leafy.	C. B. S.	1800.	_____	G. 2.	And. bot. rep. 311.
<i>Geranium pinnatum</i> . A.R.						
4 astragalifolia. s.g. (st.)	Astragalus-ld.	_____	1788.	6. 8.	G. 2.	Sweet ger. 2. t. 103.
5 Smithiana. s.g. (re.)	Mr. E.D. Smith's.	Hybrid.	1823.	4. 8.	G. 2.	_____ 4. t. 358.
6 tenella.† (bh.)	tender.	_____	1802.	_____	G. 2.	Andr. geran. c. ic.
<i>Geranium tenellum</i> . A.G.						
7 imbúta. (bh.)	stained-petaled.	Hybrid.	1822.	4. 8.	G. 2.	_____
8 fulgens. c.c. (cr.)	shining-scarlet.	_____	1821.	_____	G. 2.	_____
9 Andrewsii.† (bh.p.)	Andrews's.	C. B. S.	1802.	_____	G. 2.	Andr. geran. c. ic.
<i>Geranium heterophyllum</i> . A.G. non Jacq.						
10 elegans. s.g. (sc.)	elegant.	Hybrid.	1822.	_____	G. 2.	Sweet ger. 3. t. 202.
11 coronillæfolia.† (co.)	Coronilla-leav'd.	C. B. S.	1795.	6. 7.	G. 2.	And. bot. rep. 305.
12 apiifolia.† (bh.)	Parsley-leaved.	_____	1802.	4. 8.	G. 2.	Andr. geran. c. ic.
<i>Geranium apiifolium</i> . A.G. non Jacq.						
13 auriculata. s.g. (w.pu.)	eared-leaved.	C. B. S.		5. 8.	G. 2.	Sweet ger. 4. t. 395.
<i>Pelargonium ciliatum</i> . Jacq. ic. 3. t. 519.						
14 sulphurea. s.g. (st.)	sulphur-color'd.	Hybrid.	1821.	_____	G. 2.	Sweet ger. 2. t. 163.
15 carnea. (fl.)	flesh-coloured.	C. B. S.	1812.	4. 6.	G. 2.	Jacq. ic. rar. 3. t. 512.
16 floribunda.† (v.)	many-flowered.	_____	1795.	3. 5.	G. 2.	And. bot. rep. 420.
17 fissifolia.† (bh.)	cloven-leaved.	_____	_____	4. 8.	G. 2.	_____ 378.
18 barbata. s.g. (fl.)	bearded.	_____	1790.	5. 8.	G. 2.	Sweet ger. 4. t. 391.
19 recurvata. s.g. (wh.)	recurved.	_____	_____	_____	G. 2.	And. rep. 323.
<i>Geranium barbatum</i> . v. minor. A.R.						
20 aristata. s.g. (wh.)	awned.	_____	_____	_____	G. 2.	Andr. rep. 366.
<i>Geranium barbatum</i> . v. undulatum. A.R.						
21 setigera. s.g. (wh.)	bristle-bearing.	_____	_____	_____	G. 2.	Andr. bot. rep. 303.
<i>Geranium barbatum</i> . A.R. nec aliorum.						
22 revoluta.† (pu.)	revolute.	_____	1800.	7. 8.	G. 2.	Andr. rep. 354.
23 oxalidifolia.† (st.)	Oxalis-leaved.	_____	1801.	5. 8.	G. 2.	_____ 300.

24	reflexa.†	(wh.)	reflex-leaved.	C. B. S.	1800.	6. 7. G. ½.	Andr. rep. 224.
25	rumicifolia. s.g.	(ye.)	Dock-leaved.	_____	1825.	5. 8. G. ½.	Sweet ger. 4. t. 318.
26	depressa. s.g.	(st.)	depressed.	_____	1812.	_____ G. ½.	_____ 3. t. 290.
27	longiflora. s.g.	(st.)	long-flowered.	_____	_____	_____ G. ½.	Jacq. ic. rar. 3. t. 521.
28	longifolia. s.g.	(ro.)	long-leaved.	_____	_____	_____ G. ½.	_____ 3. t. 518.
29	lanceolata. s.g.	(bh.)	spear-leaved.	_____	1826.	_____ G. ½.	Sweet ger. 4. t. 387.
30	undulata.†	(wh.)	wave-flowered.	_____	1795.	5. 7. G. ½.	Andr. rep. 292.
31	spatulata.†	(wh.)	spatula-leaved.	_____	_____	4. 6. G. ½.	_____ 152.
32	affinis.†	(wh.)	fring'd-spat.-ld.	_____	_____	_____ G. ½.	_____ 282.
33	virginea.†	(wh.)	virgin.	_____	_____	5. 7. G. ½.	_____ 317.
34	radiata.†	(ye.)	ray-leaved.	_____	1801.	6. 8. G. ½.	_____ 222.
35	linearis.†	(st.)	linear-petaled.	_____	1800.	_____ G. ½.	_____ 193.
36	punctata.†	(st.)	dotted-flowered.	_____	1794.	4. 6. G. ½.	_____ 60.
SEYMO'URIA. S.G. SEYMO'URIA. Monadelphia Pentandria.							
1	sangifolia. s.g.	(da.)	Asarum-leaved.	C. B. S.	1821.	11. 2. G. ½.	Sweet ger. 3. t. 206.
2	L'Heritierii. s.g.	(pu.)	L'Heritier's.	_____	1795.	4. 5. G. ½.	L'Herit. ger. t. 43.
<i>Pelargonium dipetalum</i> . L'Her.							
PELARG'ONIUM. S.G. STORK'S-BILL. MonadelphiaHeptandria.							
1	amœnum. s.g.	(sa.)	delightful.	Hybrid.	1821.	4. 8. G. ½.	Sweet ger. 2. t. 121
2	dimacriæflorum. s.g.	(sc.)	Dimacria-fl'd.	_____	1822.	_____ G. ½.	_____ 3. t. 220.
3	mündulum. s.g.	(sc.)	spruce.	_____	1823.	3. 10. G. ½.	_____ 3. t. 288.
4	ringens. s.g.	(sc.)	ringent-flow'rd.	_____	_____	_____ G. ½.	_____ 3. t. 256.
5	concaŭum. s.g.	(re.)	concave-petaled.	_____	_____	_____ G. ½.	_____ 3. t. 237.
6	conclausum. s.g.	(d.re.)	shut-petaled.	_____	_____	4. 10. G. ½.	_____ 4. t. 305.
7	hoareæflorum. s.g.	(sa.)	Hoarea-flow'r'd.	_____	1821.	_____ G. ½.	_____ 2. t. 133.
8	clausum. c.c.	(re.)	closed petaled.	_____	1822.	_____ G. ½.	_____
9	pâens. s.g.	(sc.)	spreading-fl'd.	_____	1820.	_____ G. ½.	Sweet ger. 2. t. 125.
10	cruentum. s.g.	(cr.)	blood-red.	_____	1822.	_____ G. ½.	_____ 2. t. 170.
11	âulicum.	(cr.)	courtly.	_____	1823.	5. 10. G. ½.	_____
12	Avronianum. s.g.	(sc.)	Avron's.	_____	_____	_____ G. ½.	Sweet ger. 3. t. 394.
13	ligulatum. s.g.	(sc.)	ligulate-petaled.	_____	1823.	4. 9. G. ½.	_____ 4. t. 301.
14	punicum. c.c.	(cr.)	puniceous.	_____	_____	_____ G. ½.	_____
15	pusillum. c.c.	(sc.)	dwarf.	_____	_____	_____ G. ½.	_____
16	pygmæum. c.c.	(sc.)	small.	_____	_____	5. 8. G. ½.	_____
17	venulosum.	(sc.)	veined-petaled.	_____	1821.	_____ G. ½.	_____
18	intertextum. s.g.	(sc.)	interwoven.	_____	1822.	4. 8. G. ½.	Sweet ger. 2. t. 185.
19	âcidum. s.g.	(cr.)	sour-leaved.	_____	1823.	5. 9. G. ½.	_____ 3. t. 261.
20	pâllens. s.g.	(st.)	cream coloured.	C. B. S.	1800.	_____ G. ½.	_____ 2. t. 148.
21	caryophyllæum.	(bh.)	Clove-scented.	Hybrid.	1822.	_____ G. ½.	_____ 4. t. 347.
22	paradoxum.	(wh.)	paradoxical.	_____	_____	_____ G. ½.	_____
23	multiradiatum. s.g.	(da.)	many-rayed.	C. B. S.	1818.	6. 10. G. ½.	Sweet ger. 2. t. 145.
24	rutaceum. s.g.	(da.)	Rue-like.	Hybrid.	1823.	5. 10. G. ½.	_____ 3. t. 279.
25	pedunculatum. s.g.	(da.)	long-peduncled.	_____	_____	_____ G. ½.	_____ 4. t. 346.
26	œnanthifolium. s.g.	(d.cr.)	Dropwort-ld.	_____	_____	6. 10. G. ½.	_____ ser. 2. t. 13.
27	sphondyliifolium. (d.cr.)	(d.cr.)	Sphondylium-ld.	Hybrid.	1822.	4. 8. G. ½.	_____ 3. t. 246.
28	chærophyllum. s.g.	(cr.)	Cow-Parsley-ld.	_____	_____	_____ G. ½.	_____ 3. t. 257.
29	nîtidum. s.g.	(sc.)	glossy.	_____	_____	_____ G. ½.	_____ 3. t. 298.
30	sanguineum. s.g.	(cr.)	crimson.	C. B. S?	1819.	_____ G. ½.	_____ 1. t. 76.
31	ârdens. s.g.	(sc.)	glowing.	Hybrid.	1810.	3. 8. G. ½.	_____ 1. t. 45.
32	confertifolium.	(sc.)	close-leaved.	_____	_____	_____ G. ½.	_____ 3. t. 297.
<i>Geranium ârdens minor</i> . A.G.							
33	pulchellum. B.M.	(v.)	nonesuch.	C. B. S.	1795.	3. 5. G. ½.	Sweet ger. 1. t. 31.
34	jonquillinum. s.g.	(pi.)	Jonquil-scent'd.	Hybrid.	1822.	5. 10. G. ½.	_____ 3. t. 241.
35	selectum. s.g.	(d.pu.)	select.	_____	_____	_____ G. ½.	_____ 2. t. 190.
36	imbricatum. s.g.	(v.)	imbricate-pet'd.	C. B. S?	1800.	5. 8. G. ½.	_____ 1. t. 65.
37	bicolor. s.g.	(da.)	two-coloured.	_____	1778.	7. 8. G. ½.	Bot. mag. 201.
	â âtrum. s.g.	(da.)	dark-edged.	_____	_____	_____ G. ½.	Sweet ger. 1. t. 97. f. 1.
	β pâllidum. s.g.	(pu.)	pale-edged.	_____	_____	_____ G. ½.	_____ 1. t. 97. f. 2.
38	quinquevulnerum. (da.)	(da.)	dark-flower'd.	Hybrid.	1796.	5. 10. G. ½.	_____ 2. t. 161.
39	Blandfordianum. (bh.)	(bh.)	hoary-leaved.	_____	1812.	1. 12. G. ½.	_____ 2. t. 101.
40	millefoliatum. s.g.	(v.)	Milfoil-leaved.	C. B. S.	1819.	6. 10. G. ½.	_____ 3. t. 230.
41	flâvum. dc.	(st.)	pale yellow.	_____	1724.	7. 9. G. ½.	_____ 3. t. 254.
42	scâbridum. c.c.	(br.)	rough-edged.	_____	1822	_____ G. ½.	_____
43	triste. dc.	(da.)	night-smelling.	_____	1632.	5. 10. G. ½.	Delaun. h. am. t. 27.
44	filipendulifolium. (br.)	(br.)	Dropwort-ld.	_____	1812.	_____ G. ½.	Sweet ger. 1. t. 85.
45	pentastictum.	(bh.)	five-marked.	Hybrid.	1824.	_____ G. ½.	_____ ser. 2. t. 25.
46	heracleifolium. s.g.	(br.)	Heracleum-ld.	C. B. S.	1820.	_____ G. ½.	_____ 3. t. 211.
47	lobatum. dc.	(da.)	Cow-parsnep-ld.	_____	1710.	_____ G. ½.	_____ 1. t. 51.
48	salebrosum. s.g.	(d.pu.)	rugged-leaved.	Hybrid.	1824.	_____ G. ½.	_____ 4. t. 309.

49	Lawranceanum. s.g. (d. pu.)	Mrs. Kears's.	1824.	5. 10.	G. 4.	Swt. ger. ser. 2. t. 23.
50	orbiculatum. (da.)	orbicular-ld. Hybrid.	1823.	—	G. 4.	—
51	pulverulentum. s.g. (sp.)	powdered-ld C. B. S.	1822.	—	G. 4.	Sweet ger. 3. t. 218.
52	pedicellatum. s.g. (v.)	long-pediced.	—	—	G. 4.	3. t. 250.
53	luridum. s.g. (co.)	lurid.	1811.	7. 12.	G. 4.	3. t. 281.
<i>Geranium luridum. A.G. ic.</i>						
54	rapæfolium. (da)	Turnep-leaved. Hybrid.	1821.	5. 10.	G. 4.	—
55	glaucofolium. s.g. (da.)	Glaucium-ld.	—	—	G. 4.	Sweet ger. 2. t. 179.
56	gibbosum. DC. (st.)	knotted-stalk'd C. B. S.	1712.	—	G. 4.	1. t. 61.
57	mutabile. s.g. (bh.)	changeable-cold Hybrid.	1822.	7. 10.	G. 4.	3. t. 213.
58	vespertinum. s.g. (pu.)	evening-scent'd	—	8. 12.	G. 4.	3. t. 239.
59	sinapifolium. (pi.)	Mustard-leav'd. Hybrid.	—	6. 10.	G. 4.	—
60	brassicatum. (st.)	Cabbage-leav'd.	—	—	G. 4.	—
61	adscendens. (pa.)	ascending.	—	—	G. 4.	—
62	circumflexum. (pa.)	bending.	—	—	G. 4.	—
63	campylæfolium. s.g. (li.)	Campylia-fl'd	1823.	—	G. 4.	Sweet ger. 3. t. 251.
64	reniforme. DC. (pu.)	kidney-leaved. C. B. S.	1791.	1. 12.	G. 4.	1. t. 48.
65	flexuosum. s.g. (sc.)	bent-stalked. Hybrid.	1821.	3. 10.	G. 4.	2. t. 180.
66	sæpeflorans. s.g. (pi.)	frequent-flow'rg	1801.	—	G. 4.	1. t. 58.
67	comptum. s.g. (pi.)	decked.	1821.	—	G. 4.	3. t. 255.
68	echinatum. DC. (wh.)	prickly-stalked. C. B. S.	1789.	6. 10.	G. 4.	1. t. 54.
69	armatum. s.g. (d. pu.)	long-spined.	—	3. 6.	G. 4.	3. t. 214.
70	intermedium. C.C. (li.)	intermediate. Hybrid.	1821.	6. 10.	G. 4.	—
71	particeps. s.g. (li.)	participant.	1806.	5. 10.	G. 4.	Sweet ger. 1. t. 49.
72	cortusæfolium. DC. (wh.)	Cortusa-leav'd Africa.	1786.	6. 10.	G. 4.	1. t. 14.
73	erectum. s.g. (pu.)	upright. Hybrid.	1822.	—	G. 4.	2. t. 187.
74	Stapletoni. s.g. (pu.)	Miss Stapleton's.	—	—	G. 4.	2. t. 212.
75	crassicaule. s.g. (wh.)	Cowslip-scent'd. Africa.	1786.	—	G. 4.	L'Herit. ger. t. 26.
	α album. s.g. (wh.)	white-flowered.	—	—	G. 4.	Sweet ger. 2. t. 192. f.a.
	β maculatum. s.g. (sp.)	spotted-flowered	—	—	G. 4.	2. t. 192. f.b.
76	Victoriæana. s.g. (sc.)	Princess Victoria's. Hybrid.	1826.	—	G. 4.	ser. 2. t. 7.
77	anomalum. s.g. (pi.)	anomalous.	1822.	4. 8.	G. 4.	4. t. 315.
78	tenuifolium. DC. (pi.)	slender-leaved. C. B. S.	1768.	5. 7.	G. 4.	L'Herit. ger. t. 12.
79	hirtum. DC. (pi.)	hairy.	—	3. 9.	G. 4.	Sweet ger. 2. t. 113.
80	anthriscifolium. s.g. (sc.)	Anthriscus-ld. Hybrid.	1823.	7. 9.	G. 4.	3. t. 233.
81	magnistipulatum. (sc.)	large-stipuled.	1825.	5. 10.	G. 4.	4. t. 313.
82	fulgidum. DC. (sc.)	Celandine-ld. C. B. S.	1723.	3. 10.	G. 4.	1. t. 69.
83	aurantiacum. s.g. (or.)	orange-colour'd. Hybrid.	1821.	4. 8.	G. 4.	2. t. 198.
	α undulatum. s.g. (or.)	wave-leaved.	—	—	G. 4.	2. t. 198. f.a.
	β planifolium. s.g. (or.)	flat-leaved.	—	—	G. 4.	2. t. 198. f.b.
84	ardescens. s.g. (cr.)	burnished.	1822.	—	G. 4.	3. t. 231.
85	torrefactum. s.g. (da.)	burnt-petaled.	—	—	G. 4.	3. t. 243.
86	Pottæri. s.g. (st.)	Potter's.	—	6. 9.	G. 4.	2. t. 147.
87	luculentum. (sc.)	bright-flowered.	—	—	G. 4.	—
88	dilectum. (sc. da.)	chosen.	—	4. 9.	G. 4.	—
89	Loudoniænum. s.g. (d. sc.)	Mr. Loudon's.	1827.	5. 9.	G. 4.	Sweet ger. ser. 2. t. 17.
90	eratinum. s.g. (sc.)	lovely.	—	—	G. 4.	ser. 2. t. 30.
91	nænum. s.g. (sc.)	pigmy.	1820.	—	G. 4.	2. t. 102.
92	incurvum. s.g. (sc.)	incurved-petal'd	1821.	—	G. 4.	3. t. 249.
93	ignescens. s.g. (sc.)	fiery-flowered.	1812.	—	G. 4.	1. t. 2. & 55.
	α major. (sc.)	large-flowered.	1818.	—	G. 4.	1. t. 2.
	β coccineum. (sc.)	scarlet-flowered.	1822.	—	G. 4.	—
	γ splendens. (sc.)	splendid.	—	—	G. 4.	—
	δ superbum. (sc.)	superb.	—	—	G. 4.	—
	ε sterile. s.g. (sc.)	barren-anthered.	1812.	—	G. 4.	Sweet ger. 1. t. 55.
94	laxiflorum. s.g. (sc.)	spreading-umb'd.	1822.	—	G. 4.	3. t. 216.
95	concretum. s.g. (sc.)	compounded.	1827.	4. 9.	G. 4.	ser. 2. t. 24.
96	Leghkeckæ. s.g. (sc.)	Mrs. Legh Keck's	1826.	—	G. 4.	4. t. 377.
97	Charlwoodii. s.g. (d. sc.)	Charlwood's.	—	—	G. 4.	4. t. 380.
98	incomparabile. (d. sc.)	incomparable.	1822.	—	G. 4.	—
99	ericaulon. s.g. (sc.)	woolly-stalked.	1824.	—	G. 4.	Sweet ger. 4. t. 357.
100	quadriflorum. s.g. (or.)	four-flowered.	—	—	G. 4.	4. t. 321.
101	chelonifolium. s.g. (or.)	Chelidonium-ld	1825.	—	G. 4.	4. t. 341.
102	chenopodiifolium. s.g. (sc.)	Goosefoot-ld	—	—	G. 4.	4. t. 328.
103	latidentatum. s.g. (sc.)	broad-toothed.	1827.	—	G. 4.	ser. 2. t. 28.
104	variifolium. s.g. (sc.)	various-leaved.	1823.	—	G. 4.	3. t. 280.
105	diversilobum. s.g. (re.)	various-lobed.	1825.	—	G. 4.	4. t. 361.
106	Southcoteanum. s.g. (sc.)	Miss Southcote's	1826.	—	G. 4.	4. t. 348.
107	insignitum. s.g. (d. sc.)	marked-flower'd.	1823.	—	G. 4.	3. t. 300.

108	plectophyllum. s. g. (d. sc.)	plaited-leaved. Hybrid.	1826.	4. 9.	G. h.	Sweet ger. ser. 2. t. 41.
109	flocôsum. s. g. (cr.)	nappy.	1821.	—	G. h.	— 2. t. 129.
110	rubicundum. (re.)	rubicund.	1822.	—	G. h.	—
111	hæmânthon. (cr.)	blood-coloured.	1823.	—	G. h.	—
112	multiflorum. (sc.)	many-flowered.	—	—	G. h.	Sweet ger. 4. t. 396.
113	exile. (sc.)	thin-branched.	1822.	—	G. h.	—
114	gracilêscens. (sc.)	slender-stalked.	—	—	G. h.	—
115	spléndidum. (cr.)	splendid.	—	—	G. h.	—
116	consimile. (sc.)	likened.	1822.	—	G. h.	—
117	Broughtoniæ. s. g. (sc.)	Lady Broughton's	—	—	G. h.	Sweet ger. 2. t. 181.
118	Bakerianum. s. g. (sc.)	Mrs. Jenkinson's	—	—	G. h.	— 3. t. 240.
119	altum. s. g. (re.)	tall upright.	1827.	—	G. h.	— ser. 2. t. 26.
120	Debûrghæ. s. g. (sc.)	Mrs. De Burgh's	—	—	G. h.	— ser. 2. t. 21.
121	Cummingiæ. s. g. (re.)	Lv Gordon Cumming's	—	—	G. h.	— ser. 2. t. 35.
122	rubescens. s. g. (re.)	Lady Liverpool's	1819.	—	G. h.	— 1. t. 30.
123	Boscaweniæ. c. c. (re.)	Mrs. Boscawen's.	—	—	G. h.	—
124	pavoninum. s. g. (re.)	peacock-spott'd	—	—	G. h.	Sweet ger. 1. t. 40.
125	carascens. s. g. (sa.)	pale red.	1822.	—	G. h.	— 4. t. 388.
126	ramigerum. s. g. (sc.)	branching-veined	1826.	1. 12.	G. h.	— 4. t. 352.
127	flaccidum. s. g. (d. re.)	flaccid-petal'd.	—	4. 9.	G. h.	— 4. t. 337.
128	Smithii. s. g. (re.)	Smith's.	1819.	—	G. h.	— 2. t. 110.
129	spectabile. s. g. (sc.)	showy.	1821.	—	G. h.	— 2. t. 136.
	a maculatum. s. g. (sc.)	spot-flowered.	—	—	G. h.	— 2. t. 136. f. 1.
	β atrorubens. s. g. (d. re.)	dark-red.	—	—	G. h.	—
	γ striatum. s. g. (sc.)	streak-flowered.	—	—	G. h.	Sweet ger. 2. t. 136. f. 2.
	δ recurvum. s. g. (sc.)	recurved-petaled.	—	—	G. h.	— 2. t. 136. f. 3.
	ε purpurascens. (pu.)	purplish.	—	—	G. h.	—
130	Tibbisiæ. s. g. (sc.)	Mr. Tibbits'.	—	—	G. h.	Sweet ger. 2. t. 158.
131	flagrans. s. g. (sc.)	burning.	1827.	—	G. h.	— ser. 2. t. 16.
132	malachrafolium. s. g. (re.)	Malachra-ld.	—	—	G. h.	— ser. 2. t. 2.
133	magnifolium. s. g. (re.)	very large-ld.	—	—	G. h.	— ser. 2. t. 10.
134	Laconiæ. s. g. (d. sc.)	Lady Lacon's.	1826.	—	G. h.	— 4. t. 374.
135	Francisii. s. g. (re.)	Mr. Francis's.	1824.	5. 10.	G. h.	— 4. t. 349.
136	cartilagineum. s. g. (re.)	horny-toothed.	1824.	—	G. h.	— 4. t. 382.
137	dilatatum. s. g. (re.)	stained-petal'd.	1823.	5. 9.	G. h.	— 3. t. 293.
138	basilicum. s. g. (sc.)	princely.	1824.	—	G. h.	— 4. t. 360.
139	Humei. (d. re.)	Sir A. Hume's.	—	4. 10.	G. h.	— 4. t. 324.
140	erîophorum. (sc.)	wool-bearing.	1823.	—	G. h.	—
141	irregulære. (sc.)	irregular-ld.	—	—	G. h.	—
142	flammeum. c. c. (sc.)	flame-coloured.	1822.	—	G. h.	—
143	affine. s. g. (sc.)	related.	—	—	G. h.	Sweet ger. 3. t. 277.
144	Colvilli. s. g. (sc.)	Colvill's.	1820.	—	G. h.	— 1. t. 86.
145	Vallèti. c. c. (sc.)	Vallet's.	1822.	—	G. h.	—
146	heteromallum. s. g. (re.)	soft-leaved.	1823.	—	G. h.	Sweet ger. ser. 2. t. 32.
147	hibiscifolium. (re.)	Hibiscus-ld.	—	—	G. h.	—
148	atrorubens. c. c. (re.)	dark-red.	1822.	—	G. h.	—
149	Allèni. s. g. (d. re.)	Allen's.	1823.	—	G. h.	Sweet ger. 3. t. 229.
150	melancholicum. (d. re.)	melancholy.	1827.	—	G. h.	—
151	Daveyanum. s. g. (d. re.)	Davey's.	1819.	—	G. h.	Sweet ger. 1. t. 32.
152	phœniceum. s. g. (d. re.)	reddish purple.	1824.	4. 12.	G. h.	— 3. t. 207.
153	heterotrichum. s. g. (d. re.)	various-haired.	1823.	4. 10	G. h.	— 4. t. 303.
154	Burnettianum. s. g. (d. re.)	Miss Burnett's.	1826.	—	G. h.	— 4. t. 369.
155	imperiale. s. g. (d. re.)	imperial.	—	—	G. h.	— 4. t. 365.
156	saturatum. s. g. (d. re.)	saturated.	1827.	—	G. h.	— ser. 2. t. 37.
157	règium. s. g. (sc.)	kingly.	1826.	—	G. h.	— 4. t. 368.
158	Hesilrigeæ. s. g. (pu.)	Lady Hesilrige's.	1824.	—	G. h.	— 4. t. 319.
159	acetabulosum. s. g. (sa.)	saucer-leaved.	1827.	—	G. h.	— ser. 2. t. 44.
160	Knipeæ. s. g. (li.)	Mrs. Knipe's	1826.	—	G. h.	— 4. t. 372.
161	calycinum. s. g. (li.)	large-calyxed.	1815.	—	G. h.	— 1. t. 81.
	a verum. s. g. (li.)	true.	—	—	G. h.	— 1. t. 81. f. a.
	β maculatum. s. g. (li.)	large-spotted.	1820.	—	G. h.	— 1. t. 81. f. b.
	γ angulatum. s. g. (li.)	angular-leaved.	—	—	G. h.	— 1. t. 81. f. c.
162	planiflorum. c. c. (li.)	flat-flowered.	—	—	G. h.	—
163	Dennisiæ. s. g. (pu.)	Dennis's	1819.	—	G. h.	Sweet ger. 1. t. 20.
164	Barringtonii. dc. (pu.)	Barrington's		—	G. h.	—
165	elatum. c. c. (pu.)	tall purple.	1812.	—	G. h.	—
166	Tormanni. L. en. (pu.)	Torman's.	1821.	—	G. h.	—
167	Chandleri. c. c. (pu.)	Chandler's.	1814.	—	G. h.	—
168	crenulatum. s. g. (pu.)	crenulate-leav'd.	1821.	—	G. h.	Sweet ger. 2. t. 102.

169	megalostrictum. s.g. (d. pu.) large-marked.	Hybrid.	1824.	4. 10.	G. h.	Sweet ger. ser. 2. t. 8.
170	poculifolium. s.g. (pu.) cup-leaved.	_____	1826.	_____	G. h.	_____ ser. 2. t. 31.
171	Foljambæ. s.g. (r. pu.) Mrs. Foljambe's	_____	1825.	_____	G. h.	_____ 4. t. 312.
172	Robinsoni. s.g. (bh.) Robinson's.	_____	1822.	_____	G. h.	_____ 2. t. 150.
173	Mostynæ. s.g. (pu.) Mrs. Mostyn's.	_____	1816.	_____	G. h.	_____ 1. t. 10.
174	cucullatum. DC. (pu.) hooded-leaved.	C. B. S.	1690.	_____	G. h.	Cav. dis. 4. t. 106. f. 1.
	β striatiflorum. (pu.) Prince Regent.	_____	1810.	_____	G. h.	_____
	γ major. C.C. (pu.) Royal George.	_____	1812.	_____	G. h.	_____
	δ grandiflorum. C.C. (pu.) great-flowered.	_____	1818.	_____	G. h.	_____
	ε parvifolium. C.C. (pu.) smaller-leaved.	_____	_____	_____	G. h.	_____
175	cochleatum. W. en. (wh.) concave-l'd.	_____		_____	G. h.	Wendl. col. 2. t. 64.
	concauifolium. Wendl.	_____	_____	_____	G. h.	_____
176	rubens. W. en. (re.) red-flowered.	_____		_____	G. h.	Wendl. col. 2. t. 54.
177	robustum. C.C. (pu.) robust.	Hybrid.	1821.	_____	G. h.	_____
178	incarnatum. s.g. (fl.) pale flesh-cold.	_____	_____	_____	G. h.	Sweet ger. 4. t. 303.
179	lasiocaulon. s.g. (bh.) villous-stalked.	_____	1826.	_____	G. h.	_____ 4. t. 364.
180	veniferum. s.g. (std.) veined-petal'd.	_____	1825.	_____	G. h.	_____ 4. t. 322.
181	foliosum. s.g. (r. pu.) leafy.	_____	1826.	_____	G. h.	_____ 4. t. 340.
182	anisodonton. s.g. (pu.) unequal-toothed.	_____	1825.	_____	G. h.	_____ 4. t. 399.
183	malacophyllum. s.g. (pu.) soft-leaved.	_____	_____	_____	G. h.	_____ 4. t. 397.
184	angulosum. DC. (pu.) Marshmallow-l.	C. B. S.	1724.	7. 9.	G. h.	Cav. dis. 4. t. 112. f. 2.
185	cardiifolium. s.g. (pu.) Cockle-shell-l'd.	_____	1816.	4. 9.	G. h.	Sweet ger. 1. t. 15.
186	fasciculatum. C.C. (pu.) Banbury.	Hybrid.	1803.	5. 10.	G. h.	Andr. geran. c. ic.
	Geranium speciosum var. flore purpureo. A.G.	_____	_____	_____	G. h.	_____
187	rugosum. C.C. (fl.) wrinkled-leav'd.	C. B. S.		_____	G. h.	Andr. geran. c. ic.
188	speciosum. DC. (wh.) specious.	_____	1794.	_____	G. h.	_____
189	formosum. s.g. (li.) variegated-fl'd.	Hybrid.		_____	G. h.	Sweet ger. 2. t. 120.
190	solubile. s.g. (pu.) dissolvable-col'd.	_____	1818.	_____	G. h.	_____ 1. t. 24.
191	multinerve. s.g. (pu.) many-nerved.	_____	_____	_____	G. h.	_____ 1. t. 17.
192	tyrianthinum. s.g. (pu.) royal purple.	_____	1820.	_____	G. h.	_____ 2. t. 183.
193	albinotatum. s.g. (pu.) white-marked.	_____	1824.	_____	G. h.	_____ 4. t. 359.
194	æmulum. s.g. (pu.) rival.	_____	_____	_____	G. h.	_____ 2. t. 160.
195	accedens. C.C. (pu.) approached.	_____	_____	_____	G. h.	_____
196	villosum. s.g. (pu.) villous.	_____	_____	_____	G. h.	Sweet ger. 1. t. 160.
197	floridum. s.g. (li.) abundant-fl'd.	_____	1816.	6. 10.	G. h.	_____ 1. t. 41.
198	pulchrum. s.g. (pu.) gay.	_____	1820.	5. 10.	G. h.	_____ 2. t. 107.
199	Watsoni. s.g. (pu.) Watson's.	_____	1812.	7. 11.	G. h.	_____ 2. t. 130.
200	fusculorum. s.g. (pu.) brown-marked.	_____	1822.	4. 10.	G. h.	_____ 3. t. 210.
	fuscatum. s.g. errata.	_____	_____	_____	G. h.	_____
201	coarctatum. s.g. (pu.) close-leaved.	_____	1814.	6. 10.	G. h.	_____ 1. t. 70.
202	paucidentatum. s.g. (pu.) distant-tooth'd.	_____	1821.	5. 10.	G. h.	_____ 2. t. 186.
203	nervosum. s.g. (pu.) prominent-nerv'd.	_____	1818.	_____	G. h.	_____ 1. t. 47.
204	exornatum. (pu.) adorned.	_____	1823.	_____	G. h.	_____ 4. t. 381.
205	Youngii. s.g. (wh.) Young's.	_____	1820.	_____	G. h.	_____ 2. t. 131.
206	Jenkinsoni. s.g. (d. bh.) Mr. Jenkinson's.	_____	_____	_____	G. h.	_____ 2. t. 154.
207	nubilum. s.g. (d. bh.) clouded.	_____	1827.	_____	G. h.	_____ ser. 2. t. 20.
208	Brównii. s.g. (d. bh.) Brown's.	_____	_____	_____	G. h.	_____ 2. t. 146.
209	difforme. s.g. (bh.) various-leaved.	_____	_____	_____	G. h.	_____ 2. t. 105.
210	Obrienianum. s.g. (bh.) Miss O'Brien's.	_____	_____	_____	G. h.	_____ ser. 2. t. 11.
211	melanostictum. s.g. (li.) dark-spotted.	_____	_____	_____	G. h.	_____ ser. 2. t. 6.
212	vestifluum. s.g. (wh.) clothed.	_____	_____	_____	G. h.	_____ ser. 2. t. 27.
213	pürum. s.g. (wh.) pure white.	_____	1824.	_____	G. h.	_____ 4. t. 334.
214	scitulum. s.g. (wh.) neat white.	_____	1826.	_____	G. h.	_____ 4. t. 390.
215	involueratum. s.g. (va.) large-bracted.	_____		_____	G. h.	_____
	α maximum. s.g. (w.) largest-flowered.	_____	1818.	_____	G. h.	Sweet ger. 1. t. 33.
	β albidum. s.g. (wh.) white-flowered.	_____	1817.	_____	G. h.	_____
	γ incarnatum. s.g. (fl.) commander in chief.	_____	1815.	_____	G. h.	_____
	δ intermedium. s.g. (bh.) high-admiral.	_____	1817.	_____	G. h.	_____
	ε lilacinum. s.g. (li.) Lilac-coloured.	_____	_____	_____	G. h.	_____
	ζ roseum. s.g. (ro.) rosy-coloured.	_____	_____	_____	G. h.	_____
	η coriaceum. C.C. (w.) leathery.	_____	1820.	_____	G. h.	_____
	θ maculatum. C.C. (wh.) coronation.	_____	_____	_____	G. h.	_____
216	polytrichum. s.g. (w.) many-haired.	_____	1823.	_____	G. h.	Sweet ger. 3. t. 274.
217	Baileyæ. s.g. (w.) Bailey's.	_____	1819.	_____	G. h.	_____ 1. t. 87.
218	Josephinæ. Lee. (wh.) Josephine's.	_____	1822.	_____	G. h.	_____
219	formosissimum. s.g. (w.) superb-white.	C. B. S.	1794.	_____	G. h.	Sweet ger. 3. t. 215.
	α album. s.g. (wh.) white-flowered.	_____	_____	_____	G. h.	_____ 3. t. 215. f. a.
	β lineatum. s.g. (wh.) lined-flowered.	_____	_____	_____	G. h.	_____ 3. t. 215. f. b.
220	Boyleæ. s.g. (wh.) Countess of Cork's.	Hybrid.	1818.	_____	G. h.	_____ 1. t. 50.

221	pannifolium. s.g. (w.)	cloth-leaved.	Hybrid.	1818.	5. 10.	G. h.	Sweet ger. 1. t. 9.
222	biflorum. s.g. (wh.)	two-flowered.	—	1822.	—	G. h.	— 3. t. 287.
223	candidum. s.g. (wh.)	fair-flowered.	—	1818.	4. 9.	G. h.	— 2. t. 128.
224	blandum. s.g. (bh.)	blush-flowered.	—	1816.	—	G. h.	— 1. t. 4.
225	aceroides. s.g. (fl.)	Acer-leaved.	—	1822.	—	G. h.	— 3. t. 242.
226	Gardneriæ. c.c. (wh.)	Lady Gardner's.	—	1817.	—	G. h.	—
227	ramulosum. s.g. (d.w.)	small-branch'd.	—	1820.	—	G. h.	Sweet ger. 2. t. 177.
228	maculatum. (d.bh.)	spot-flowered.	C. B. S.	1805.	—	G. h.	Andr. ger. c. ic.
229	Hammersleiæ. s.g. (b.)	Mrs. Hammersley's.	Hybrid.	1822.	—	G. h.	Sweet ger. 3. t. 225.
230	pulcherrimum. s.g. (pu.)	beautiful.	—	1819.	5. 10.	G. h.	— 2. t. 134.
231	Rollisoni. s.g. (d.ro.)	Rollison's.	—	1826.	—	G. h.	— 4. t. 371.
232	eriosipalon. s.g. (bh.)	woolly-calixed.	—	—	—	G. h.	— 4. t. 375.
233	veniflorum. s.g. (std.)	veined-flowered.	—	1822.	—	G. h.	— 3. t. 258.
234	sidaefolium. W.en. (li.)	Sida-leaved.	—		4. 8.	G. h.	—
235	acerifolium. dc. (li.)	Maple-leaved.	C. B. S.	1784.	4. 6.	G. h.	L'Herit. ger. t. 21.
236	cuneatum. dc. (pu.)	wedge-leaved.	Hybrid.		5. 8.	G. h.	—
237	Balbisiæ. dc. (pu.)	Balbis's.	—		—	G. h.	—
238	gloriosum. L.en. (pu.)	renowned.	—		—	G. h.	—
239	Beaufortianum. s.g. (li.)	Beaufort's.	C. B. S. ?		—	G. h.	Sweet ger. 2. t. 138.
240	principissæ. s.g. (pu.)	P's. Charlotte's.	—	1810.	5. 10.	G. h.	— 2. t. 139.
241	purpureum. (pu.)	purple-flowered.	—	1800.	—	G. h.	Andr. geran. c. ic.
242	versicolor. s.g. (pu.)	various-colour'd	Hybrid.	1819.	—	G. h.	Sweet ger. 1. t. 78.
243	pectinifolium. s.g. (li.)	Scallop-shell-ld.	—	1820.	—	G. h.	— 1. t. 66.
244	Thynnæ. s.g. (pu.)	Lady Bath's.	—	1815.	—	G. h.	— 1. t. 74.
245	obtusifolium. s.g. (li.)	blunt-leaved.	—	—	—	G. h.	— 1. t. 25.
246	Beadoniæ. s.g. (pu.)	Mrs. Beadon's.	—	—	—	G. h.	— 2. t. 191.
247	adulterinum. dc. (pu.)	hoary-trifid-ld.	—	1785.	4. 6.	G. h.	— 1. t. 22.
248	dilatilobum. s.g. (bh.)	dilated-lobed.	—	1826.	—	G. h.	— 4. t. 378.
249	graphicum. s.g. (pu.)	written-petal'd.	—	—	—	G. h.	ser. 2. t. 12.
250	obtusilobum. s.g. (pu.)	blunt-lobed.	—	1806.	5. 10.	G. h.	— 1. t. 8.
251	Comptoniæ. s.g. (li.)	Ly. Northampton's	—	1818.	—	G. h.	— 2. t. 122.
252	affluens. s.g. (li.)	numerous-fl'd.	—	1821.	—	G. h.	— 2. t. 194.
253	Saundersii. s.g. (pu.)	Saunders's.	—	—	—	G. h.	— 3. t. 205.
254	atropurpureum. s.g. (pu.)	dark purple.	—	1822.	—	G. h.	— 2. t. 152.
255	coruscans. s.g. (d.re.)	glittering.	—	1821.	—	G. h.	— 2. t. 173.
256	concinnum. s.g. (re.)	comely.	—	1819.	—	G. h.	— 2. t. 108.
257	Seymouriæ. s.g. (pu.)	Mrs. Seymour's.	—	—	—	G. h.	— 1. t. 37.
258	Lousadiæ. s.g. (bh.)	Miss Lousada's.	—	—	—	G. h.	— 1. t. 44.
259	lépidum. s.g. (li.)	pretty.	—	1822.	—	G. h.	— 2. t. 156.
260	inscriptum. s.g. (std.)	scribbled.	—	—	—	G. h.	— 2. t. 193.
261	labyrinthicum. (std.)	labyrinth-mark'd.	—	—	—	G. h.	—
262	planifolium. s.g. (li.d.)	flat-leaved.	—	1823.	—	G. h.	Sweet ger. 3. t. 219.
263	incanescens. s.g. (pu.)	whitish-leaved.	—	—	6. 12.	G. h.	— 3. t. 203.
264	notatum. s.g. (pu.)	marked-petal'd.	—	1821.	5. 10.	G. h.	— 3. t. 208.
265	undulæflorum. s.g. (bh.)	waved-flower'd	—	1824.	—	G. h.	— 4. t. 329.
266	lineatum. s.g. (st.d.)	striped-flower'd.	—	1810.	—	G. h.	— 1. t. 16.
267	dumosum. s.g. (pu.)	bushy.	—	1816.	—	G. h.	— 1. t. 19.
268	Scarboroviæ. s.g. (d.li.)	L. Scarborough's	—	1817.	—	G. h.	— 2. t. 117.
269	pustulosum. s.g. (bh.)	blistered-leav'd.	—	1816.	5. 10.	G. h.	— 1. t. 11.
270	bellulum. s.g. (pu.)	neat.	—	—	—	G. h.	— 1. t. 60.
<i>moschatum. A. G. c. ic.</i>							
271	Fairliæ. s.g. (ro.)	Mrs. Fairlie's.	—	1821.	—	G. h.	Sweet ger. 2. t. 178.
272	scintillans. s.g. (sa.)	sparkling.	—	1812.	—	G. h.	— 1. t. 28.
273	platypetalon. s.g. (w.)	broad-petaled.	—	—	—	G. h.	— 2. t. 116.
<i>α rigidum. s.g. (wh.)</i>		<i>rigid.</i>	—	—	—	G. h.	— 2. t. 116. f. a.
<i>β hirsutum. s.g. (w.)</i>		<i>hairy.</i>	—	—	—	G. h.	— 2. t. 116. f. b.
274	optabile. s.g. (wh.)	desirable.	—	—	—	G. h.	— 1. t. 62.
275	ornatum. s.g. (wh.)	ornate.	—	1817.	—	G. h.	— 1. t. 39.
276	modestum. s.g. (bh.)	modest.	—	1822.	—	G. h.	— 3. t. 204.
277	rhodolentum. s.g. (bh.)	rose-smelling.	—	1824.	—	G. h.	— 3. t. 291.
278	picturatum. s.g. (d.bh.)	pictured.	—	1827.	—	G. h.	ser. 2. t. 34.
279	papyraceum. s.g. (w.)	paper-white.	—	—	—	G. h.	ser. 2. t. 22.
280	Newshamiæ. s.g. (bh.)	Miss Newsham's.	—	1821.	—	G. h.	— 2. t. 144.
281	Cosmiæ. s.g. (w.)	perfumed.	—	—	—	G. h.	— 2. t. 189.
282	Brightiæ. s.g. (w.)	Miss Bright's.	—	1823.	—	G. h.	— 3. t. 227.
283	pendens. s.g. (wh.)	pendent-petal'd.	—	—	—	G. h.	— 2. t. 195.
284	Mattocksianum. s.g. (wh.)	Mrs. Sweet's.	—	—	—	G. h.	— 3. t. 234.
285	venustum. s.g. (bh.)	comely-flower'd.	—	1822.	—	G. h.	— 2. t. 167.
286	tinctum. s.g. (w.pu.)	stained	—	1826.	—	G. h.	ser. 2. t. 29.

287	obscurum. s.g. (<i>wh. d.</i>)	darkened-pet'd.	_____	1818.	—	G. h.	Sweet ger. 1. t. 89.
288	atrofusum. s.g. (<i>d. pu.</i>)	dark-brown.	_____	_____	—	G. h.	_____ 1. t. 82.
289	acutilobum. s.g. (<i>wh.</i>)	acute-lobed.	_____	1822.	—	G. h.	_____ 2. t. 184.
290	compár. c.c. (<i>wh. p.</i>)	partner.	_____	1818.	—	G. h.	_____
291	Hoareanum. s.g. (<i>bh. p.</i>)	fair Rosamond.	_____	_____	—	G. h.	Sweet ger. 1. t. 80.
292	Lamberti. s.g. (<i>pu.</i>)	Lambert's.	_____	_____	—	G. h.	_____ 2. t. 104.
293	recurvatum. s.g. (<i>li.</i>)	recurved-pet'd.	_____	_____	—	G. h.	_____ 3. t. 223.
294	divergens. s.g. (<i>li.</i>)	spreading-petal'd	_____	1826.	—	G. h.	_____ ser. 2. t. 39.
295	penicillatum. W.en. (<i>wh.</i>)	pencilled.	_____	1794.	—	G. h.	Willd. h. ber. 1. t. 37.
296	dentatum. A.G. (<i>re.</i>)	toothed.	_____		—	G. h.	Andr. geran. c. ic.
297	florëscens. H.G. (<i>wh.</i>)	triangular-ld.	_____	1818.	—	G. h.	_____
298	Sabini. H.S. (<i>pu.</i>)	Sabine's.	_____	1821.	—	G. h.	_____
299	betulinum. DC. (<i>pu.</i>)	Birch-leaved.	C. B. S.	1759.	—	G. h.	Bot. mag. 148.
300	alnifolium. W.en. (<i>fl.</i>)	Alder-leaved.	Hybrid.		—	G. h.	_____
301	betulæfolium. Sch. (<i>bh.</i>)	Birch-like.	_____		—	G. h.	_____
302	Willdenowii. s. (<i>bh.</i>)	Willdenow's.	_____		—	G. h.	_____
303	hermannifolium. DC. (<i>bh.</i>)	Hermannia-ld.	C. B. S.		4. 6.	G. h.	Jacq. ic. rar. 3. t. 545.
304	rigidum. DC. (<i>wh.</i>)	rigid.	_____	1790.	5. 8.	G. h.	_____
305	ribifolium. DC. (<i>wh.</i>)	Currant-leaved	_____	1798.	—	G. h.	Jacq. ic. rar. 3. t. 538.
306	odoriferum. (<i>wh.</i>)	odoriferous.	_____		—	G. h.	Andr. geran. c. ic.
<i>Geranium scabrum. A.G. nec aliorum.</i>							
307	jocundum. H.G. (<i>li.</i>)	pleasant.	Hybrid.	1818.	—	G. h.	_____
308	Broadleix. c.c. (<i>pu.</i>)	Mrs. Broadley's.	_____	_____	—	G. h.	Andr. geran. c. ic.
309	propinquum. c.c. (<i>li.</i>)	neighbouring.	_____	1818.	—	G. h.	_____
310	decorum. s.g. (<i>li.</i>)	neat-flowered.	_____	_____	—	G. h.	Sweet ger. ser. 2. t. 15.
311	delicatum. H.G. (<i>li.</i>)	delicate.	_____	_____	—	G. h.	_____ 3. t. 267.
312	semitrilobum. DC. (<i>fl.</i>)	three-lobed.	C. B. S.	1800.	4. 7.	G. h.	Jacq. schön. 2. t. 139.
313	Irbyanum. c.c. (<i>ro.</i>)	Irby's.	Hybrid.		—	G. h.	Andr. geran. c. ic.
314	zingiberinum. s.g. (<i>bh.</i>)	Ginger-scented.	_____	1826.	—	G. h.	Sweet ger. ser. 2. t. 42.
315	mixtum. s.g. (<i>bh.</i>)	mixed.	_____	1819.	5. 8.	G. h.	_____ 1. t. 71.
316	myrtillum. H.S. (<i>pu.</i>)	Myrtle-scented.	_____	1820.	—	G. h.	_____
317	rubidum. (<i>pu.</i>)	red-purple.	C. B. S.	1805.	—	G. h.	Andr. geran. c. ic.
<i>Geranium rubens. A.G. non Wendl.</i>							
318	spurius. W.en. (<i>pu.</i>)	spurious.	Hybrid.		—	G. h.	_____
319	nothum. W.en. (<i>pu.</i>)	mungrel.	_____		—	G. h.	_____
320	crispum. DC. (<i>li.</i>)	curl-leaved.	C. B. S.	1774.	6. 11.	G. h.	Sweet ger. 4. t. 383.
321	gratum. W.en. (<i>bh.</i>)	grateful-scent'd.	Hybrid.		4. 8.	G. h.	_____
322	consanguineum. W.en. (<i>pu.</i>)	kindred.	_____		—	G. h.	_____
323	pallidum. W.en. (<i>pa.</i>)	pale-flowered.	_____		—	G. h.	_____
324	citriodorum. (<i>wh.</i>)	Citron-scented.	C. B. S.		—	G. h.	Andr. geran. c. ic.
325	uniflorum. DC. (<i>fl.</i>)	one-flowered.	_____		—	G. h.	_____
326	limonium. s.g. (<i>pu.</i>)	Lemon-scented.	Hybrid.	1823.	—	G. h.	Sweet ger. 3. t. 278.
327	notabile. H.G. (<i>li.</i>)	Hoare's Harlequin.	_____	1822.	—	G. h.	_____
328	scabrum. DC. (<i>li.</i>)	rough wedge-ld.	C. B. S.	1775.	—	G. h.	L'Herit. ger. t. 31.
329	tricuspidatum. DC. (<i>wh.</i>)	three-point'd.	_____	1780.	—	G. h.	_____ t. 30.
330	Perryanum. c.c. (<i>wh.</i>)	Perry's.	Hybrid.	1816.	—	G. h.	_____
331	glaucoides. w.c. (<i>wh.</i>)	glaucum-like.	_____	_____	—	G. h.	Wendl. coll. ic.
332	glaucum. DC. (<i>wh.</i>)	glaucous-leaved.	C. B. S.	1775.	6. 8.	G. h.	Sweet ger. 1. t. 57.
333	lanceolatum. (<i>wh.</i>)	lance-leaved.	_____	_____	—	G. h.	Andr. geran. c. ic.
334	diversifolium. w.c. (<i>wh.</i>)	different-ld.	_____	1794.	—	G. h.	Wendl. coll. ic.
335	cuspidatum. DC. (<i>wh.</i>)	sharp-pointed.	_____		—	G. h.	_____
336	sororium. DC. (<i>wh.</i>)	sister.	Hybrid.		—	G. h.	_____
337	Tankervillæ. H.G. (<i>wh.</i>)	Lady Tankerville's	_____		—	G. h.	_____
338	acutifolium. (<i>wh.</i>)	acute-leaved.	_____	1821.	—	G. h.	_____
339	trifurcatum. c.c. (<i>wh.</i>)	three-forked.	_____		—	G. h.	_____
340	lævigatum. DC. (<i>wh.</i>)	glaucous trifid-l.	C. B. S.		—	G. h.	Cav. dis. 4. t. 121. f. 1.
341	trifoliatum. s.g. (<i>wh.</i>)	trifoliolate-leaved.	_____	1799.	—	G. h.	Sweet ger. 3. t. 294.
<i>oxyphyllum. DC. Geranium trifoliatum. A.G. ic.</i>							
342	pátulum. DC. (<i>ro.</i>)	spreading.	_____	1812.	4. 7.	G. h.	Jacq. ic. rar. 3. t. 541.
343	hepaticifolium. DC. (<i>li.</i>)	Hepatica-ld.	_____	1791.	5. 8.	G. h.	_____
344	mitellæfolium. (<i>wh.</i>)	Mitella-leaved.	_____	1791.	5. 10.	G. h.	Andr. geran. c. ic.
<i>Geranium hepaticifolium. A.G. nec aliorum.</i>							
345	fuscátum. DC. (<i>ro.</i>)	dark-marked.	_____	1812.	—	G. h.	Jacq. ic. rar. 3. t. 540.
346	saniculæfolium. DC. (<i>pu.</i>)	Sanicle-leav'd	_____	1806.	6. 9.	G. h.	_____ 3. t. 539.
<i>cortusæfolium. Jacq. non L. Her.</i>							
347	crenæfórum. c.c. (<i>w.</i>)	notch'd-petaled.	Hybrid.	1817.	—	G. h.	_____
348	sceleratum. c.c. (<i>wh.</i>)	Celery-leaved.	_____	1819.	—	G. h.	_____
349	viridifolium. s.g. (<i>sa.</i>)	bright-green-ld.	_____	1825.	5. 9.	G. h.	Sweet ger. 4. t. 331.
350	expansum. (<i>re.</i>)	expanded.	_____	1823.	5. 10.	G. h.	_____

351	multidentatum. (re.) many-toothed.	Hybrid.	1823.	5. 10.	G. h.	
352	grandidentatum. s.g. large-toothed.	—	—	—	G. h.	Sweet ger. 3. t. 217.
353	Belladonna. s.g. (bh.) painted-lady.	—	—	—	G. h.	— 3. t. 270.
354	triumphans. c.c. (bh.) triumphant.	—	1818.	—	G. h.	
355	serratifolium. s.g. (bh.) saw-leaved.	—	1822.	—	G. h.	Sweet ger. 3. t. 221.
356	variegatum. dc. (wh.) variegated-fl'd.	C. B. S.	1812.	—	G. h.	Cav. dis. 4. t. 118. f. 3.
357	amplissimum. w.c. (wh.) stately.	Hybrid.	1796.	—	G. h.	Wendl. coll. ic.
	<i>Geranium grandiflorum</i> . var. A.G. c. ic. <i>Formanni</i> . Hort.					
358	grandiflorum. dc. (wh.) great-flower'd.	C. B. S.	1794.	—	G. h.	Sweet ger. 1. t. 29.
359	Parmentieri. c.c. (wh.) Parmentier's.	Hybrid.	1822.	—	G. h.	
360	delphinifolium. dc. (vi.) Larkspur-ld.	—		—	G. h.	
361	gossypifolium. (li.) Cotton-tree-ld.	—	1805.	5. 10.	G. h.	Andr. ger. c. ic.
	<i>Geranium grandiflorum</i> . var. <i>carnea</i> . A.G.					
362	electum. s.g. (wh.) elect.	Hybrid.	1804.	—	G. h.	Sweet ger. 3. t. 238.
363	asperifolium. s.g. (re.) rough-leaved.	—	1807.	—	G. h.	— 2. t. 169.
364	Curtisianum. dc. (wh.) Curtis's.	—		—	G. h.	
365	nobile. dc. (li.) noble.	—	1822.	—	G. h.	
366	opulifolium. s.g. (sa.) Guelder-Rose-ld.	—	1819.	—	G. h.	Sweet ger. 1. t. 53.
367	malvaceum. (bh.) Mallow-like.	—		—	G. h.	
368	hemastictum. s.g. (bh.) blood-spotted.	—	1827.	—	G. h.	Sweet ger. ser. 2. t. 18.
369	psilophyllum. s.g. (re.) smooth-leaved.	—	1825.	—	G. h.	— 4. t. 356.
370	lucidum. s.g. (bh.) glossy-leaved.	—	1826.	—	G. h.	— 4. t. 373.
371	Princeanum. s.g. (wh.) Prince's.	—	1827.	—	G. h.	— 4. t. 386.
372	clarum. s.g. (wh.) clear white.	—	1826.	—	G. h.	— 4. t. 366.
373	recurvifolium. s.g. (wh.) recurve-leav'd.	—	1825.	—	G. h.	— 4. t. 343.
374	bryoniaefolium. s.g. (bh.) Bryony-leav'd.	—	1824.	—	G. h.	— 4. t. 320.
375	Richianum. s.g. (bh.) Miss Rich's.	—	1826.	—	G. h.	— 4. t. 370.
376	platanifolium. s.g. (li.) Plane-leaved.	—	1824.	—	G. h.	— 4. t. 326.
377	verecundum. s.g. (pi.) blushing.	—	—	—	G. h.	— 4. t. 316.
378	macranthos. s.g. (wh.) large-flowered.	—	1821.	—	G. h.	Sweet ger. 1. t. 83.
379	Cottsiæ. s.g. (sa.) Mrs. Cottis's.	—	1822.	—	G. h.	— 3. t. 269.
380	rutilum. c.c. (sa.) light red.	—	1821.	—	G. h.	
381	schizophyllum. s.g. (sa.) jagged.	—	1822.	—	G. h.	Sweet ger. 3. t. 289.
382	Barnardianum. s.g. (sa.) Mr. Barnard's.	—	1820.	—	G. h.	— 2. t. 127.
383	mucronatum. s.g. (d.re.) mucronate.	—	1823.	—	G. h.	— 3. t. 275.
384	Gurneyanum. s.g. (d.re.) Mr. Gurney's.	—	1826.	—	G. h.	— 4. t. 393.
385	argutum. s.g. (sc.) sharp-toothed.	—	1824.	—	G. h.	— 4. t. 344.
386	latifolium. s.g. (re.) broad-leaved.	—	—	—	G. h.	— 4. t. 335.
387	megalanthum. s.g. (re.) grand-flowered.	—	1826.	—	G. h.	— ser. 2. t. 4.
388	megaleion. s.g. (sc.) magnificent.	—	—	—	G. h.	— ser. 2. t. 5.
389	cratagifolium. s.g. (re.) Hawthorn-ld.	—	1824.	—	G. h.	— ser. 2. t. 19.
390	colaptyllum. (re.) hollow-leaved.	—	1827.	—	G. h.	— ser. 2. t. 33.
391	Clintoniæ. s.g. (re.) Ds. of Newcastle's.	—	—	—	G. h.	— 4. t. 392.
392	campylosépalon. s.g. (pu.) reflex-calyxed.	—	1826.	—	G. h.	— 4. t. 379.
393	Nairnii. s.g. (d.re.) Nairn's.	—	1825.	—	G. h.	— 4. t. 376.
394	rhodanthum. s.g. (ro.) rose-colour'd.	—	1824.	—	G. h.	— 3. t. 282.
395	rhodopétalon. s.g. (ro.) rosy-petal'd.	—	1826.	—	G. h.	— ser. 2. t. 14.
396	acutidentatum. s.g. (sa.) acute-toothed.	—	1827.	—	G. h.	— ser. 2. t. 40.
397	Milleri. (re.) Mr. Miller's.	—	1824.	—	G. h.	
398	conchiifolium. (li.) shell-leaved.	—	1820.	—	G. h.	
399	striatum. s.g. (bh.) streak-flowered.	—	1818.	3. 8.	G. h.	Sweet ger. 1. t. 1.
400	rigescens. s.g. (li.) stiff-leaved.	—	—	4. 9.	G. h.	— 2. t. 112.
401	eriophyllum. s.g. (pu.) woolly round-ld.	—	—	5. 10.	G. h.	— 2. t. 141.
402	intermixtum. (li.) intermixed.	—	—	4. 8.	G. h.	
403	abutiloides. s.g. (pu.) Abutilon-like.	—	1820.	4. 9.	G. h.	Sweet ger. ser. 2. t. 3.
404	cordatum. dc. (pu.) heart-leaved.	C. B. S.	1774.	3. 8.	G. h.	— 1. t. 67.
405	conduplicatum. dc. (pu.) curl'd-heart-ld.	Hybrid.		—	G. h.	
406	rubro-cinctum. dc. (pu.) red-edged.	—		—	G. h.	
407	Goweri. s.g. (pi.) Mr. Levison Gower's.	—	1825.	5. 8.	G. h.	Sweet ger. 4. t. 333.
408	papilionaceum. dc. (pu.) Butterfly.	C. B. S.	1724.	4. 7.	G. h.	— 1. t. 27.
409	tomentosum. dc. (wh.) Pennyroyal.	—	1790.	—	G. h.	— 2. t. 168.
410	vitifolium. dc. (li.) Vine-leaved.	—	1724.	4. 8.	G. h.	Cav. dis. 4. t. 111. f. 2.
411	capitatum. dc. (li.) Rose-scented.	—	1690.	—	G. h.	— 4. t. 105. f. 1.
412	concolor. s.g. (re.) self-coloured.	Hybrid.	1820.	—	G. h.	Sweet ger. 2. t. 140.
	β major. s.g. (cr.) larger.	—	—	—	G. h.	— 2. t. 140. f. b.
413	congestum. s.g. (pu.) close-headed.	—	1825.	—	G. h.	— 4. t. 325.
414	calamistratum. s.g. (pu.) curled-lobed.	—	1828.	—	G. h.	— ser. 2. t. 36.
415	grævolens. dc. (li.) Odour of Rose.	C. B. S.	1774.	3. 7.	G. h.	L'Herit. ger. t. 17.
	β variegatum. (li.) striped-leaved.	—		—	G. h.	Andr. geran. c. ic.
	<i>Geranium capitatum</i> . var. A.G.					

416	<i>asperum</i> , DC. (<i>fl.</i>) rough multifid.	C. B. S.	1795.	5. 9.	G. h.	Roth. abh. p. 51. t. 10.
417	<i>Rádula</i> , DC. (<i>li.</i>) rasp-leaved.	—	1774.	3. 7.	G. h.	L'Herit. ger. t. 16.
418	<i>balsameum</i> , DC. (<i>fl.</i>) balsamic.	—	1790.	5. 9.	G. h.	Jacq. ic. rar. 3. t. 53.
419	<i>Vandésia</i> , s.g. (<i>bh.</i>) Comtesse de Vandes' Hybrid.	—	1818.	—	G. h.	Sweet ger. 1. t. 7.
420	<i>hispidum</i> , DC. (<i>wh.</i>) hispid.	C. B. S.	1790.	—	G. h.	Cav. dis. 4. t. 110. f. 1.
421	<i>callistum</i> , s.g. (<i>sa.</i>) graceful.	—	1827.	—	G. h.	Sweet ger. ser. 2. t. 9.
422	<i>anthemifolium</i> , (<i>re.</i>) Anthemis-ld.	Hybrid.	1822.	—	G. h.	—
423	<i>pyrethriifolium</i> , s.g. (<i>sc.</i>) Feverfew-ld.	—	1821.	—	G. h.	Sweet ger. 2. t. 153.
424	<i>tanacetifolium</i> , s.g. (<i>re.</i>) Tansy-leaved.	—	1824.	—	G. h.	— 4. t. 336.
425	<i>sphærocéphalon</i> , s.g. (<i>sc.</i>) round-headed.	—	—	—	G. h.	— 4. t. 317.
426	<i>Moreanum</i> , s.g. (<i>sc.</i>) More's victory.	—	1823.	—	G. h.	— 3. t. 285.
427	<i>obcordatum</i> , s.g. (<i>sc.</i>) obcordate-petal'd.	—	—	—	G. h.	— 4. t. 310.
428	<i>cuneiflorum</i> , s.g. (<i>sc.</i>) wedge-petal'd.	—	1825.	—	G. h.	— 4. t. 330.
429	<i>chrysanthemifolium</i> , (<i>sc.</i>) Chrysanthum-ld.	—	1821.	4. 10.	G. h.	— 2. t. 124.
430	<i>Dobreeanum</i> , s.g. (<i>sc.</i>) Mrs. Dobree's.	—	1818.	—	G. h.	— 3. t. 253.
431	<i>Bisshóppæ</i> , s.g. (<i>sc.</i>) Mrs. Bisshopp's.	—	1822.	—	G. h.	— 3. t. 272.
432	<i>signatum</i> , s.g. (<i>re.</i>) marked-leaved.	—	—	—	G. h.	— 3. t. 265.
433	<i>Spinii</i> , C.R. (<i>bh.d.</i>) Spin's.	—		—	G. h.	— 4. t. 362.
434	<i>quercifolium</i> , DC. (<i>bh.</i>) Oak-leaved.	C. B. S.	1774.	3. 8.	G. h.	L'Herit. ger. t. 14.
	<i>bipinnatifidum</i> , (<i>bh.</i>) <i>bipinnatifid.</i>	—	—	—	G. h.	— t. 15.
435	<i>tortuosum</i> , s.g. (<i>li.</i>) twisted-petal'd.	—	1826.	—	G. h.	Sweet ger. ser. 2. t. 43.
436	<i>eximium</i> , s.g. (<i>pi.</i>) select.	Hybrid.	1818.	4. 8.	G. h.	— 1. t. 26.
437	<i>Esséxiæ</i> , C.C. (<i>pi.</i>) Lady Essex's.	—	—	—	G. h.	—
438	<i>oblatum</i> , s.g. (<i>pi.</i>) oblate-leaved.	—	—	—	G. h.	Sweet ger. 1. t. 35.
439	<i>Murryanum</i> , s.g. (<i>bh.</i>) Ld. Jas. Murray's.	—	—	—	G. h.	— 2. t. 164.
440	<i>calocéphalon</i> , s.g. (<i>bh.</i>) pretty-headed.	—	1820.	—	G. h.	— 3. t. 201.
441	<i>obovatum</i> , s.g. (<i>li.</i>) obovate-petal'd.	—	1825.	—	G. h.	— 4. t. 367.
442	<i>dilatatum</i> , s.g. (<i>li.</i>) dilated-leav'd.	—	1824.	—	G. h.	— 4. t. 314.
443	<i>angustum</i> , DC. (<i>bh.</i>) august.	—	1809.	—	G. h.	Andr. geran. c. ic.
	<i>β Bructii</i> , C.C. (<i>bh.</i>) Bruce's.	—		—	G. h.	—
444	<i>Breesianum</i> , s.g. (<i>pi.</i>) Breese's.	—	1818.	—	G. h.	Sweet ger. 1. t. 64.
445	<i>Husseyanum</i> , s.g. (<i>pu.</i>) Lady Hussey's.	—	—	—	G. h.	— 1. t. 92.
446	<i>Wellsianum</i> , s.g. (<i>sc.</i>) Mr. Wells's.	—	1822.	3. 8.	G. h.	— 1. t. 175.
447	<i>Kingii</i> , s.g. (<i>sc.</i>) Mr. King's.	—	—	3. 12.	G. h.	— 3. t. 248.
448	<i>Scóttii</i> , s.g. (<i>sc.</i>) Sir. C. Scott's.	—	—	3. 9.	G. h.	— 3. t. 264.
449	<i>Páikii</i> , s.g. (<i>cr.</i>) Mr. Palk's.	—	—	1. 12.	G. h.	— 3. t. 224.
450	<i>rotundilobum</i> , s.g. (<i>sc.</i>) round-lobed.	—	1823.	3. 9.	G. h.	— 3. t. 252.
451	<i>latilobum</i> , s.g. (<i>sc.</i>) broad-lobed.	—	—	—	G. h.	— 3. t. 236.
452	<i>Russellianum</i> , s.g. (<i>sc.</i>) Russell's.	—	1826.	4. 9.	G. h.	— 4. t. 385.
453	<i>translucens</i> , s.g. (<i>sc.</i>) transparent.	—	1824.	—	G. h.	— 4. t. 400.
454	<i>Barclayanum</i> , s.g. (<i>sc.</i>) Mr. Barclay's.	—	—	—	G. h.	— 4. t. 384.
455	<i>Harewoodiæ</i> , s.g. (<i>d.re.</i>) Lady Harewood's.	—	1826.	—	G. h.	— 4. t. 389.
456	<i>Stewartii</i> , s.g. (<i>da.sc.</i>) Mr. Stewart's.	—	1825.	—	G. h.	— 4. t. 353.
457	<i>lasiophyllum</i> , s.g. (<i>sa.</i>) woolly-divided-ld.	—	—	—	G. h.	— 3. t. 296.
458	<i>Lechianum</i> , DC. (<i>bh.</i>) acute-notched.	—	1820.	—	G. h.	—
459	<i>jatrophaefolium</i> , DC. (<i>fl.</i>) Jatropha-ld.	—	—	—	G. h.	—
460	<i>denticulatum</i> , DC. (<i>li.</i>) tooth-leaved.	C. B. S.	1789.	5. 8.	G. h.	Sweet ger. 2. t. 109.
461	<i>viscosissimum</i> , s.g. (<i>bh.</i>) viscous.	—	1820.	3. 8.	G. h.	— 2. t. 118.
	<i>α album</i> , (<i>wh.</i>) white-flowered.	—	—	—	G. h.	—
	<i>β carneum</i> , (<i>fl.</i>) flesh-coloured.	—	—	—	G. h.	—
462	<i>carbasinum</i> , s.g. (<i>sa.</i>) linen-flower'd.	Hybrid.	1827.	—	G. h.	Sweet ger. ser. 2. t. 38.
463	<i>glutinösium</i> , DC. (<i>fl.</i>) clammy.	C. B. S.	1777.	5. 6.	G. h.	L'Herit. ger. t. 20.
	<i>β nigréscens</i> , (<i>fl.</i>) black-marked.	—	—	—	G. h.	Bot. mag. 143.
464	<i>cynosbatifolium</i> , DC. (<i>li.</i>) Cynosbati-ld.	Hybrid.		4. 8.	G. h.	Sweet ger. 3. t. 259.
	<i>Geranium oxoniense</i> , A.G. ic.	—	—	—	—	—
465	<i>verbenæfolium</i> , s.g. (<i>li.</i>) Vervain-ld.	Hybrid.	1818.	—	G. h.	Sweet ger. 2. t. 149.
	<i>piperatum</i> , DC?	—	—	—	—	—
466	<i>melissinum</i> , s.g. (<i>da.</i>) Balm-scented.	Hybrid.	—	—	G. h.	Sweet ger. 1. t. 5.
467	<i>volatiflorum</i> , s.g. (<i>sc.</i>) flying-flower'd.	—	1823.	—	G. h.	— 3. t. 284.
468	<i>brévipes</i> , (<i>sc.</i>) short-peduncled.	—	1824.	—	G. h.	—
469	<i>ternatum</i> , DC. (<i>li.</i>) ternate-leaved.	C. B. S.	1789.	5. 8.	G. h.	Sweet ger. 2. t. 165.
470	<i>patentissimum</i> , w.c. (<i>li.</i>) most-spreading.	—	1822.	—	G. h.	Wendl. coll. ic.
471	<i>spinösium</i> , DC. (<i>st.</i>) thorny.	—	1795.	5. 6.	G. h.	Paters. it. t. ad. p. 67.
472	<i>tripartitum</i> , s.g. (<i>st.</i>) brittle-stalked.	—	1789.	5. 8.	G. h.	Sweet ger. 2. t. 115.
	<i>Geranium fragile</i> , A.R. 37.	—	—	—	—	—
473	<i>incisum</i> , DC. (<i>st.</i>) cut-leaved.	—	1791.	—	G. h.	Sweet ger. 1. t. 93.
474	<i>canéscens</i> , s.g. (<i>bh.</i>) canescent.	—		—	G. h.	—
475	<i>abrotanifolium</i> , DC. (<i>bh.</i>) Southernwood-ld.	—	1791.	—	G. h.	Jacq. schœn. 2. t. 136.
476	<i>artemisiæfolium</i> , DC. Wormwood-ld.	—	1817.	—	G. h.	—

477	frāgrans. DC. (wh.) Nutmeg-scent'd. Hybrid.		5. 10.	G. ♀.	Sweet ger. 2. t. 172.	
478	odoratissimum. DC. (wh.) sweet-scent'd. C. B. S.	1724.	—	G. ♀.	3. t. 299.	
479	exstipulātum. DC. (bh.) soft trifid-ld.	1779.	—	G. ♀.	L'Herit. ger. t. 35.	
<i>Geranium suaveolens</i> . A. G. ic.						
480	dissēctum. S. G. (wh.) dissected-ld.	Hybrid.	1822.	5. 11.	G. ♀.	Sweet ger. 3. t. 247.
481	glomerātum. DC. (w.) close-headed.	N. S. W.	1792.	5. 8.	G. ♀.	Jacq. fl. ecl. 1. t. 98.
<i>austrāle</i> . S. G. 68. non DC.						
482	austrāle. DC. (wh.) New Holland.	—	—	—	G. ♀.	Jacq. fl. ecl. 1. t. 100.
483	inodōrum. DC. (w. pu.) scentless.	—	1796.	3. 8.	G. ♀.	Sweet ger. 1. t. 56.
484	columbinum. DC. (pu.) Doves-foot.	C. B. S.	1795.	6. 10.	G. ♀.	Jacq. schœn. 2. t. 133.
485	procūmbens. DC. (bh.) procumbent.	—	1801.	4. 5.	G. ♀.	Andr. bot. rep. 234.
486	humifusum. DC. (bh.) trailing.	Canaries.	—	4. 10.	H. ☉.	Sweet ger. 1. t. 42.
487	chamædryfōlium. DC. (wh.) Chamædrys-ld.	C. B. S.	1812.	5. 6.	G. ♀.	Jacq. ic. rar. 3. t. 523.
488	althæoides. DC. (wh.) Althæa-leaved.	—	1724.	4. 6.	G. ♂.	L'Herit. ger. t. 10.
489	grossularioides. DC. (fl.) Gooseberry-ld.	—	1731.	4. 8.	G. ♀.	Cav. dis. 4. t. 119. f. 2.
490	ancēps. DC. (pu.) flat-stalked.	—	1788.	5. 7.	G. ♀.	Jacq. col. 4. t. 22. f. 3.
491	parvisfōrum. A. G. (pu.) small-flowered.	—	1800.	—	G. ♀.	Andr. geran. c. ic.
492	acugnātum. L. T. (re.) Tristan d'Acuna.	T. d'Acunna.	1818.	—	G. ♀.	—
493	senecioides. DC. (wh.) Groundsel-ld.	C. B. S.	1775.	6. 7.	G. ☉.	Sweet ger. 4. t. 327.
494	alchimilloides. DC. (wh.) mantle-leaved.	—	1693.	5. 10.	G. ♀.	Cav. dis. 4. t. 98. f. 1.
495	Heritieri. Jacq. (wh.) L'Heritier's.	—	1820.	—	G. ♀.	—
496	tabulāre. DC. (wh.) rough-stalked.	—	1775.	5. 8.	G. ♀.	L'Herit. ger. t. 9.
497	ovāle. DC. (ro.) oval-leaved.	—	1774.	—	G. ♀.	Sweet ger. 3. t. 235.
498	ēlegans. DC. (wh. pu.) elegant.	—	1795.	—	G. ♀.	And. repos. 98.
<i>a major</i> . S. G. (wh.) smaller-flowered.						
<i>β minor</i> . S. G. (v.) larger-flowered.						
499	schizopetalum. S. G. (y. br.) divided-petal'd.	—	1821.	6. 10.	G. ♀.	—
500	pinguifolium. S. G. (bh.) greasy leaved.	Hybrid?		5. 10.	G. ♀.	—
501	latēripes. DC. (va.) Ivy-leaved.	C. B. S.	1787.	—	G. ♀. ∞.	L'Herit. ger. t. 24.
<i>α viridifolium</i> . (li.) green-leaved.						
<i>β zonatum</i> . (li.) Horseshoe-mark'd.						
<i>γ roseum</i> . (ro.) rose-coloured.						
<i>δ albomarginatum</i> . DC. white-margined.						
502	peltatum. DC. (li.) peltate-leaved.	—	1701.	—	G. ♀. ∞.	Bot. mag. 20.
<i>β variegatum</i> . A. G. (li.) variegated-ld.						
503	scutatum. S. G. (wh.) shield-leaved.	—	1819.	—	G. ♀. ∞.	Andr. geran. c. ic.
<i>JENKINSONIA</i> . S. G. <i>JENKINSONIA</i> . Monadelphia Heptandria.						
1	tetragōna. S. G. (li.) square-stalked.	C. B. S.	1774.	5. 8.	G. ♀. ∞.	Sweet ger. 1. t. 99.
<i>β variegata</i> . (li.) variegated.						
2	quinata. S. G. (st.) quinate-leaved.	—	1793.	—	G. ♀.	—
<i>Pelargonium quinatum</i> . B. M. 547. <i>Geranium præmorsum</i> . A. R. 150.						
3	péndula. S. G. (pu.) pendulous-branch'd.	—		5. 8.	G. ♀. ∞.	Sweet ger. 2. t. 188.
4	longicaulis. S. G. (bh.) long-stalked.	—		—	G. ♀. ∞.	Jacq. ic. rar. 3. t. 533.
<i>Pelargonium longicaule</i> . Jacq.						
5	anemonefōlia. S. G. (re.) Anemone-ld.	—		—	G. ♀. ∞.	Jacq. ic. rar. 3. t. 535.
6	caucalifōlia. S. G. (bh.) Caulus-leav'd.	—	1812.	3. 9.	G. ♀.	—
7	multicaulis. S. G. (vi.) many-stalked.	—	1802.	6. 8.	G. ♀.	—
8	lácera. S. G. (bh.) torn-leaved.	—	1731.	—	G. ♀.	—
9	Synnōti. S. G. (pu.) Synnot's.	—	1825.	—	G. ♀.	Sweet ger. 4. t. 342.
10	coriandrifōlia. S. G. (bh.) Coriander-ld.	—	1724.	3. 9.	G. ♀.	—
<i>Pelargonium coriandrifolium</i> . S. G.						
11	myrrhifōlia. S. G. (li.) Myrrh-leaved.	—	1696.	5. 8.	G. ♀.	Jacq. ic. rar. 3. t. 531.
<i>Pelargonium betonicum</i> . Jacq.						
12	bullāta. S. G. (wh.) blistered.	—		—	G. ♀.	Jacq. ic. rar. 3. t. 530.
13	canariēsis. (wh.) Canary.	Canaries.	1802.	5. 9.	G. ♂.	Willd. hort. ber. t. 17.
<i>Pelargonium canariense</i> . W.						
<i>CICONIUM</i> . S. G. <i>CICONIUM</i> . Monadelphia Heptandria.						
1	acetosum. S. G. (sa.) Sorrel-leaved.	C. B. S.	1710.	5. 9.	G. ♀.	Andr. geran. c. ic.
2	scandens. S. G. (ro.) climbing.	—	1800.	—	G. ♀.	—
3	stenopetalum. S. G. (sc.) narrow-petal'd.	—	—	—	G. ♀.	—
4	leptopetalum. (sc.) slender-petal'd.	—	—	—	G. ♀. ∞.	Andr. geran. c. ic.
<i>Geranium stenopetalum</i> . A. G. nec aliorum.						
5	pūmulum. S. G. (sc.) dwarf.	C. B. S.	—	—	G. ♀.	Andr. geran. c. ic.
<i>Geranium zonale minima</i> . A. G.						
6	lateritium. S. G. (sc.) brick-coloured.	—	—	—	G. ♀.	Jacq. ecl. 1. t. 97. f. ult.
7	malvæfolium. (li.) Mallow-leaved.	—	1812.	—	G. ♀.	—
<i>Pelargonium malvæfolium</i> . Jacq.						
8	heterogamum. S. G. (li.) six-stamened.	Hybrid.	1786.	—	G. ♀.	L'Herit. geran. t. 18.
9	albidum. C. C. (wh.) white-flowered.	C. B. S.		—	G. ♀.	—

10 zonale. s.g.	(va.) horse-shoe.	C. B. S.	1710.	4. 12.	G. h.	Cav. dis. 4. t. 98. f. 2.
α lilacinum.	(li.) lilac-coloured.	—	—	—	G. h.	—
β coccineum.	(sc.) scarlet.	—	—	—	G. h.	—
γ crystallinum.	(sc.) coral-stalked.	—	—	—	G. h.	—
δ marginatum.	(sc.) white-edged.	—	—	—	G. h.	—
11 reticulatum. s.g.	(sc.) netted-veined.	Hybrid.	1810.	5. 10.	G. h.	Sweet ger. 2. t. 143.
12 Fothergillii. s.g.	(sc.) Fothergill's.	C. B. S.		—	G. h.	— 3. t. 226.
α coccineum.	(sc.) scarlet.	—	—	—	G. h.	— 3. t. 226. a.
β purpureum.	(pu.) purple.	—	—	—	G. h.	— 3. t. 226. b.
13 monstrum. s.g.	(pu.) cluster-leaved.	Hybrid.	1784.	7. 8.	G. h.	— 1. t. 13.
14 æqualiflorum. c.c.	(sc.) victory.	—	1819.	5. 10.	G. h.	—
15 hybridum. s.g.	(sc.) hybrid.	C. B. S.	1732.	—	G. h.	Sweet ger. 1. t. 63.
16 oxyphyllum. c.c. (wh.)	sour-leaved.	Hybrid.		—	G. h.	Andr. geran. c. ic.
<i>Geranium miniatum. v. album. A.G.</i>						
17 humile.	(sc.) low-spreading.	C. B. S.		—	G. h.	—
18 crenatum. s.g.	(sc.) scalloped-ld.	—		—	G. h.	Sweet ger. 4. t. 345.
19 bracteosum.	(sc.) large-bracted.	Hybrid.		—	G. h.	—
<i>Pelargonium bracteosum. DC.</i>						
20 Bentinckianum.	(sc.) Bentinck's.	C. B. S.		—	G. h.	Sweet ger. 4. t. 350.
<i>Pelargonium Bentinckianum. DC. Geranium crenatum; var. mollifoliata. A.G. c. ic.</i>						
21 fulgens. s.g.	(sc.) Basilisk.	Hybrid.	1823.	—	G. h.	Sweet ger. 4. t. 339.
22 glabrifolium. s.g.	(sc.) smooth-leaved.	—	1825.	—	G. h.	— 4. t. 363.
23 cerinum. s.g.	(pi.) wax-flowered.	Hybrid?		—	G. h.	— 2. t. 176.
24 inquinans. s.g.	(sc.) staining-gland'd.	C. B. S.	1714.	5. 9.	G. h.	Andr. Geran. c. ic.
25 micranthum. s.g.	(sc.) small-flowered.	—		—	G. h.	Sweet ger. 3. t. 295.
ISOPE TALUM. S.G. ISOPE TALUM. Monadelphia Pentandria.						
1 Cotyledonis. s.g. (wh.)	Hollyhock-ld.	St. Helena.	1765.	5. 8.	G. h.	Sweet ger. 2. t. 126.
<i>Pelargonium Cotyledonis. w.</i>						
2? discipes. c.c.	central-stalked.	—	1808.		G. h.	—

ORDO LII.

TROPÆOLEÆ. DC. *prodr.* 1. p. 683.

TROPÆOLUM. DC. INDIAN-CRESS. Octandria Monogynia. L.

1 minus. DC.	(ye.) small.	Peru.	1596.	6. 10.	H. ☉.	Bot. mag. 98.
β flore pleno.	(ye.) double-flowered.	—	—	—	G. ♀.	—
2 majus. DC.	(ye.) great.	—	1686.	—	H. ☉.	Bot. mag. 23.
β flore pleno.	(ye.) double-flowered.	—	—	—	G. ♀.	—
3 hybridum. DC.	(ye.) hybrid.	Hybrid.		—	G. ♀.	Berg. act. holm. 32. t. 1.
4 aduncum. DC.	(ye.) fringe-flower'd.	Peru.	1775.	—	G. ☉.	Bot. reg. t. 718.
<i>peregrinum. B.R. non L.</i>						
5 pinnatum. DC.	(ye.) pinnate-flower'd.	—		—	G. ♀.	Andr. reposit. t. 535.
6 tricolorum. B.F.G. (or.)	three-coloured.	Chile.	1828.	—	H. ♀.	Sweet br. fl. gar. 3. t. 270.

ORDO LIII.

BALSAMINEÆ. DC. *prodr.* 1. p. 685.

BALSAMINA. DC. BALSAM. Pentandria Pentagynia.

1 hortensis. DC.	(v.) garden.	E. Indies.	1596.	7. 10.	S. ☉.	Blackw. t. 583.
<i>Impatiens Balsamina. L.</i>						
2 coccinea. DC.	(sc.) glandular-ld.	—	1808.	6. 9.	S. ☉.	Bot. mag. 1256.
3 mysorensis. DC.	(re.) Mysore.	—	1823.	—	S. ☉.	—
4 bifida. DC.	(re.) bifid-spurred.	C. B. S.	1818.	7. 10.	H. ☉.	—
5 capensis. DC.	(re.) Cape.	—	—	—	H. ☉.	—

6 cochleata. DC.	(sc.) shell-spurred.	China.	1826.	—	H. ☉.	
7 chinensis. DC.	(pu.) Chinese.	China.	1823.	—	H. ☉.	
IMPATIENS. DC.	TOUCH ME NOT.	Pentandria Monogynia.	L.			
1 natans. DC.	(ye.) floating.	E. Indies.	1823.	6. 10.	S. w. ☉.	
2 biflora. W.	(or.) two-flowered.	N. America.		—	H. ☉.	Sweet br. fl. gar. t. 43.
fulva. DC.						
3 pallida. DC.	(ye.) pale-flowered.	—	1812.	—	H. ☉.	
4 Nöli-tangere. DC.	(ye.) common.	England.		—	H. ☉.	Eng. bot. 937.
5 parviflora. DC.	(ye.) small-flowered.	Russia.	1828.	—	H. ☉.	
6 tripétala. DC.	(ye.) three-petaled.	E. Indies.	1823.	—	S. ☉.	

ORDO LIV.

OXALIDEÆ. DC. prodr. 1. p. 689.

AVERRHOA. DC.	AVERRHOA.	Pent-Decandria	Pentagynia.	L.		
1 Carambola. DC.	(st.) Carambola-tree.	E. Indies.	1793.		S. h.	Rumph. amb. 1. t. 35.
2 Bilimbi. DC.	(st.) Bilimbi-tree.	—	1791.	5. 7.	S. h.	— 1. t. 36.
BIOPHYTUM. DC.	BIOPHYTUM.	Decandria	Pentagynia.			
sensitivum. DC.	(ye.) sensitive.	E. Indies.	1824.	5. 7.	S. 4.	Jacq. ox. n. 21. t. 78. f. 4.
Oxalis sensitiva. L.						
O'XALIS. DC.	WOOD-SORREL.	Decandria	Pentagynia.	L.		
1 Plumieri. DC.	(ye.) Plumier's.	S. America.	1822.	4. 6.	S. h.	Bot. reg. 810.
2 Barrelieri. DC.	(bh.) Barrelier's.	—	—	—	S. h.	Jacq. ox. n. 4. t. 3.
3 fruticosa. DC.	(ye.) frutescent.	Rio Janeiro.	—	—	S. h.	
4 perennans. DC.	(br. y.) perennial.	N. S. W.		5. 9.	G. 4.	
5 Dilleni. DC.	(ye.) Dillenius's.	America.	1798.	—	H. ☉.	Dill. elth. 2. t. 221.
6 florida. S. P.	(ye.) prostrate.	—		—	H. ☉.	
7 stricta. DC.	(ye.) upright.	N. America.	1658.	6. 10.	H. 4.	Jacq. ox. n. 9. t. 4.
8 corniculata. DC.	(ye.) procumbent.	Britain.		5. 10.	H. 4.	Eng. bot. 1726.
9 Lyoni. DC.	(ye.) Lyons'.	N. America.	1812.	—	H. 4.	
10 microphylla. DC.	(ye.) small-leaved.	N. Holland.		—	H. ☉.	
rubens. H. M.						
11 repens. DC.	(ye.) creeping-stalk'd.	C. B. S.	1793.	3. 4.	G. 4.	Jacq. ox. n. 11. t. 78. f. 1.
12 rosea. DC.	(ro.) rose-coloured.	Chile.	1826.	3. 6.	G. 4.	Bot. mag. 2830.
floribunda. B. R. 1123.						
13 Simsii.	(cr.) Sims's.	—	1822.	4. 6.	G. 4.	Bot. mag. 2415.
rosea. Sims Bot. mag.	nec aliorum.					
14 lateriflora. DC.	(pu.) side-flowering.	C. B. S.	1826.	3. 6.	G. 4.	Jacq. Schoenb. 2. t. 204.
15 macrostylis. DC.	(pu.) long-styled.	—	1793.	10. 11.	G. b.	Jacq. ox. n. 22. t. 9.
16 tubiflora. DC.	(vi.) tube-flowered.	—	1790.	—	G. b.	— n. 23. t. 10.
17 canescens. DC.	(li.) canescent.	—	1822.	—	G. b.	— n. 24. t. 11.
18 secunda. DC.	(li.) secund.	—	1790.	—	G. b.	— n. 68. t. 12.
19 hirta. DC.	(vi.) hairy-stalked.	—	1787.	1. 3.	G. b.	— n. 26. t. 13.
20 hirtella. DC.	(li.) tooth-stamen'd.	—	1820.	—	G. b.	— n. 27. t. 14.
21 multiflora. DC.	(vi.) many-flowered.	—	1789.	2. 3.	G. b.	— n. 28. t. 15.
22 fulgida. B. R.	(cr.) crimson.	—		—	G. b.	Bot. reg. 1073.
23 rubella. DC.	(vi.) branching red.	—	1791.	9. 11.	G. b.	Bot. mag. 1031.
24 rosacea. DC.	(vi.) rose-coloured.	—	1793.	10. 2.	G. b.	— 1698.
25 virginea. DC.	(wh.) virgin.	—	1822.	11. 12.	G. b.	Jacq. schoenb. 3. t. 275.
26 reptatrix. DC.	(li.) creeping-rooted.	—	1795.	—	G. 4.	Jacq. ox. n. 33. t. 20.
27 incarnata. DC.	(bh.) flesh-coloured.	—	1739.	4. 6.	G. b.	Jacq. vind. t. 71.
28 disticha. DC.	(ye.) distichous.	—	1822.	—	G. b.	Jacq. ox. n. 31. t. 18.
29 venosa. DC.	(vi.) veined-flower'd.	—	1821.	—	G. b.	
30 cuprea. B. C.	(co.) copper-colour'd.	—	1822.	—	G. b.	Lodd. bot. cab. 824.
31 tetraphylla. DC.	(pu.) four-leaved.	Mexico.	—	—	H. b.	— t. 790.
32 sericea. DC.	(ye.) silky-leaved.	C. B. S.	1794.	—	G. b.	Jacq. ox. n. 13. t. 77. f. 1.
33 carnosa. B. R.	(ye.) fleshy.	Chile.	1825.	4. 9.	H. 4.	Bot. reg. 1063.
34 bipunctata. Gr.	(li.) two-spotted.	Brazil.	—	4. 6.	G. 4.	Bot. mag. 2781.
35 violacea. DC.	(vi.) violet-coloured.	N. America.	1772.	5. 6.	H. b.	Jacq. vind. t. 180.
36 Deppii.	(li.) Depp's.	Mexico.	1827.	6. 8.	G. b.	
37 Martiana. Zuc.	(li.) Martius's.	Brazil.	1828.	5. 9.	S. 4.	
38 palustris. S. S.	(li.) marsh.	—	—	5. 12.	S. 4.	
papilionacea. Zuc.						

39	caprina. DC.	(vi.)	goats-foot.	C. B. S.	1757.	3. 6.	G. b.	Jacq. ox. t. 76. f. 1.
40	cérnua. DC.	(ye.)	drooping-yellow.	—	—	2. 5.	G. b.	— n. 16. t. 6.
<i>caprina</i> . B.M. 237. <i>nec aliorum.</i>								
	<i>β flore pleno.</i>	(ye.)	double-flowered.	—	—	—	G. b.	—
41	compressa. DC.	(ye.)	compressed.	—	1794.	12. 1.	G. b.	Jacq. ox. n. 19. t. 78. f. 3.
42	dentata. DC.	(li.)	toothed.	—	1793.	11. 12.	G. b.	— n. 17. t. 7.
43	livida. DC.	(fl.)	livid.	—	—	10. 11.	G. b.	— n. 18. t. 8.
44	purpurata. DC.	(bh.)	purplish-leav'd.	—	1820.	—	G. b.	Jacq. schœnb. t. 356.
45	macrophylla. DC.	(vi.)	large-leaved.	—	—	—	G. b.	—
46	lobata. DC.	(ye.)	lobed.	Chile.	1821.	4. 6.	H. b.	Bot. mag. 2386.
47	ténera. B.R.	(li.)	tender.	Brazil.	1826.	5. 6.	S. 2.	Bot. reg. 1046.
48	monophylla. DC.	(bh.)	simple-leaved.	C. B. S.	1774.	10. 11.	G. b.	Jacq ox. n. 35. t. 79. f. 3.
49	lépida. DC.	(wh.)	pretty.	—	1822.	10. 2.	G. b.	— n. 34. t. 21.
50	rostrata. DC.	(bh.)	beaked.	—	1795.	—	G. b.	— n. 36. t. 22.
51	crispa. DC.	(wh.)	curled.	—	1793.	—	G. b.	— n. 37. t. 23.
52	leporina. DC.	(std.)	Hare's-eared.	—	1795.	10. 11.	G. b.	— n. 30. t. 25.
53	asinina. DC.	(ye.)	asses-eared.	—	1792.	11. 12.	G. b.	— n. 38. t. 24.
54	lanceafolia. DC.	(ye.)	spear-leaved.	—	1795.	10. 11.	G. b.	— n. 40. t. 26.
55	fabæfolia. DC.	(ye.)	Bean-leaved.	—	1794.	—	G. b.	— n. 41. t. 27.
56	laburnifolia. DC.	(ye.)	Laburnum. 1 ^d .	—	1793.	9. 10.	G. b.	— n. 42. t. 28.
57	sanguinea. DC.	(ye.)	bloody-leaved.	—	1795.	10. 12.	G. b.	— n. 43. t. 29.
58	tricolor. DC.	(std.)	three-coloured.	—	1794.	—	G. b.	— n. 63. t. 47.
59	ciliaris. DC.	(pu.)	ciliated.	—	1793.	—	G. b.	— n. 45. t. 30.
60	arcuata. DC.	(vi.)	gland-covered.	—	1795.	—	G. b.	— n. 46. t. 31.
61	flaccida. DC. (re.wh.)		flaccid.	—	1812.	—	G. b.	— n. 66. t. 51.
62	ferruginata. DC.	(wh.)	rust-spotted.	—	1822.	—	G. b.	Jacq. schœnb. 3. t. 274.
63	ambigua. DC.	(v.)	ambiguous.	—	1790.	9. 12.	G. b.	Jacq. ox. n. 59. t. 43.
64	undulata. DC.	(wh.)	wave-leaved.	—	1795.	10. 11.	G. b.	— n. 60. t. 44.
65	glandulosa. DC.	(wh.)	glandulous.	—	1822.	—	G. b.	— n. 62. t. 46.
66	fuscata. DC.	(wh.)	brown-spotted.	—	1795.	5. 6.	G. b.	— n. 61. t. 45.
67	sulphurea. DC.	(st.)	sulphur-colour'd.	—	—	10. 11.	G. b.	— n. 77. t. 63.
68	breviscapa. DC.	(wh.)	short-stalked.	—	1823.	9. 2.	G. b.	— n. 72. t. 58.
69	speciosa. DC.	(pu.)	specious.	—	1690.	9. 11.	G. b.	— n. 74. t. 60.
70	rigida. Jac.	(wh.)	rigid.	—	1822.	—	G. b.	— n. 73. t. 59.
71	variabilis. DC.	(v)	variable.	—	1795.	10. 12.	G. b.	— n. 67.
	<i>α longiscapa</i> . DC. (wh.)		white-flowered.	—	—	—	G. b.	— t. 52.
	<i>β rubra</i> . DC. (re.)		red-flowered.	—	—	—	G. b.	— t. 53.
72	grandiflora. W.	(wh.)	great-flowered.	—	1810.	—	G. b.	— n. 68. t. 54.
	<i>β Simsii</i> . DC. (wh.)		Sims's.	—	—	—	G. b.	Bot. mag. 1683.
73	laxula. Jac.	(wh.)	loose.	—	1820.	—	G. b.	Jacq. ox. n. 71. t. 57.
74	purpurea. DC.	(pu.)	purple.	—	1812.	—	G. b.	— n. 70. t. 56.
75	convexula. DC.	(or.)	convex-leaved.	—	1789.	11. 1.	G. b.	— n. 69. t. 55.
76	lævigata. DC.	(pu.)	smooth.		1818.	6. 8.	H. ☉.	—
77	punctata. DC.	(bh.)	spot-leaved.	C. B. S.	1823.	10. 2.	G. b.	Jacq. ox. n. 82. t. 66.
78	strumosa. DC.	(wh.)	swollen-styled.	—	1821.	—	G. b.	— n. 79. t. 64.
79	marginata. DC.	(wh.)	green-margin'd.	—	1812.	9. 12.	G. b.	— n. 85. t. 68.
80	pulchella. DC.	(bh.)	beautiful.	—	1795.	10. 11.	G. b.	— n. 86. t. 69.
81	obtusa. DC.	(re.)	blunt-leaved.	—	1812.	—	G. b.	— n. 83. t. 79. f. 1.
82	lanata. DC.	(wh.)	woolly-leaved.	—	1791.	—	G. b.	— n. 81. t. 77. f. 2.
83	lutæola. DC.	(ye.)	yellowish.	—	1822.	—	G. b.	— n. 80. t. 65.
84	fallax. DC.	(ye.)	related.	—	1825.	—	G. b.	— n. 84. t. 67.
85	Acetosella. DC.	(wh.)	common.	Britain.		4. 6.	H. 2.	Eng. bot. 762.
86	americana. DC.	(wh.)	American.	N. America.		—	H. 2.	—
87	tenella. DC.	(vi.)	slender.	C. B. S.	1793.	—	G. b.	Jacq. ox. n. 32. t. 19.
88	nåtans. DC.	(wh.)	floating.	—	1795.	9. 12.	G. w. b.	— n. 78. t. 79. f. 2.
89	cruentata. DC.	(pu.)	bloody.	—	1826.	—	G. b.	Jacq. f. ecl. 1. t. 45.
90	filicaulis. DC.	(vi.)	bilobed-leaved.	—	1815.	9. 10.	G. b.	Jacq. schœnb. 2. t. 205.
91	bifida. DC.	(vi.)	cloven-leaved.	—	1791.	—	G. b.	Jacq. ox. n. 89. t. 79. f. 4.
92	bifurca. B.C.	(re.)	forked-leaved.	—	1825.	6. 9.	G. b.	Lodd. bot. cab. 1056.
93	cuneata. DC.	(wh.)	wedge-leaved.	—	1818.	—	G. b.	Jacq. ox. n. 55. t. 40.
94	cuneifolia. DC.	(wh.)	wedge-shaped.	—	1793.	4. 5.	G. b.	— n. 56. t. 41.
95	pusilla. DC.	(bh.)	small.	—	1826.	—	G. b.	— n. 57. t. 42.
96	linearis. DC.	(vi.)	linear-leaved.	—	1795.	9. 11.	G. b.	— n. 47. t. 32.
97	reclinata. DC.	(sc.)	reclining.	—	—	—	G. b.	— n. 49. t. 34.
98	gracilis. DC.	(re.)	slender-stalked.	—		—	G. b.	— n. 48. t. 33.
99	miniata. DC.	(re.)	miniated.	—	1818.	—	G. b.	— n. 50. t. 35.
100	glabra. DC.	(pu.)	smooth.	—	1795.	5. 6.	G. b.	— n. 58. t. 76. f. 3.
101	versicolor. DC.	(std.)	striped-flower'd.	—	1774.	1. 3.	G. b.	Bot. mag. 155.
102	elongata. DC.	(std.)	elongated.	—	1791.	9. 10.	G. b.	Jacq. ox. n. 52. t. 37.

103	amœna. L.en.	(ro.) handsome.	C. B. S.	1791.	9. 10.	G. b.	Jacq. schœnb. t. 206.
104	tenuifolia. DC.	(std.) fine-leaved.	—	1790.	10. 11.	G. b.	Lodd. bot. cab. t. 712.
105	polyphylla. DC.	(ro.) many-leaved.	—	1791.	9. 1.	G. b.	Jacq. ox. n. 59. t. 39.
106	filifolia. DC.	(ro.) slender-leaved.	—	1818.	—	G. b.	Jacq. schœnb. 3. t. 273.
107	pentaphylla. DC.	(li.) five-leaved.	—	1800.	11. 2.	G. b.	Bot. mag. 1549.
108	lupinifolia. DC.	(ye.) Lupine-leaved.	—	1791.	10. 11.	G. b.	Jacq. ox. n. 92. t. 72.
109	flava. DC.	(ye.) narrow-leaved.	—	1775.	3. 4.	G. b.	Bot. reg. 117.
110	pectinata. DC.	(ye.) pectinated.	—	1790.	9. 11.	G. b.	Jacq. ox. n. 95. t. 75.
111	flabellifolia. DC.	(ye.) fan-leaved.	—	1789.	—	G. b.	— n. 94. t. 74.
112	tomentosa. DC.	(wh.) downy-leaved.	—	1791.	4. 5.	G. b.	— n. 96. t. 81.

ORDO LV.

ZYGOPHYLLÆ. DC. *prodr.* 1. p. 703.

TRIBULUS. DC.		CALTROPS. Decandria Monogynia. L.					
1	cistoïdes. DC.	(ye.) Cistus-like.	S. America.	1752.	7.	S. 2.	Bot. reg. 791.
2	terrestris. DC.	(ye.) small.	S. Europe.	1596.	6. 7.	H. ①.	Lam. ill. t. 346. f. 1.
3	subinermis. F.	(ye.) hairy.	Thibet.	1824.	6. 9.	H. ①.	
4	maximus. DC.	(st.) great.	Jamaica.	1728.	6. 7.	S. ①.	Jacq. ic. rar. t. 462.
5	trijugatus. DC.	(ye.) Nuttall's.	America.	1823.	—	H. ①.	
FAG'ONIA. DC.		FAG'ONIA. Decandria Monogynia. L.					
1	crética. DC.	(pu.) Cretan.	Candia.	1739.	6. 8.	H. ①.	Bot. mag. 241.
2	arabica. DC.	(pu.) Arabian.	Arabia.	1759.	—	G. 2.	
LA'RREA. DC.		LA'RREA. Decandria Monogynia.					
	nítida. DC.	(ye.) glossy-leaved.	BuenosAyres.	1823.	6. 8.	G. 2.	Cav. ic. 6. t. 559.
ROEP'ERIA. J.R.		ROEP'ERIA. Decandria Monogynia.					
	fabagifolia. J.R.	(ye.) Fabago-leaved.	N. Holland.	1822.	6. 8.	G. 2.	Juss. Rut. t. 2. f. 3.
ZYGOPHYLLUM. DC.		BEAN-CAPER. Decandria Monogynia. L.					
1	cordifolium. DC.	(ye.) heart-leaved.	C. B. S.	1774.	10.	G. 2.	
2	macropterum. Led.	(ye.) large-winged.	Siberia.	1827.	7. 9.	H. 2.	
3	Fabago. DC.	(st.) common.	Syria.	1596.	—	H. 2.	Lam. ill. t. 345. f. 1.
4	foetidum. DC.	(ye.) foetid.	C. B. S.	1790.	6. 8.	G. 2.	Schr. s. han. p. 17. t. 9.
	β insuave. B.M.	(ye.) unpleasant.	—	—	—	G. 2.	Bot. mag. 372.
5	maculatum. DC.	(ye.) spotted.	C. B. S.	1782.	10. 11.	G. 2.	
6	microphyllum. DC.	(ye.) small-leaved.	—	1820.	—	G. 2.	
7	Morgsana. DC.	(ye.) four-leaved.	—	1732.	5. 9.	G. 2.	Dill. elth. t. 116. f. 141.
8	sessilifolium. DC.	(ye.) sessile-leaved.	—	1713.	7. 8.	G. 2.	— t. 116. f. 142.
9	spinosum. DC.	(ye.) spiny.	—	1818.	—	G. 2.	
10	coccineum. DC.	(sc.) scarlet.	Egypt.	—	—	G. 2.	Forsk. des. 87. ic. t. 11.
11	album. DC.	(wh.) white.	—	1770.	10. 11.	G. 2.	DC. pl. gras. t. 154.
12	prostratum. DC.	(ye.) hairy-jointed.	C. B. S.	1818.	—	G. 2.	
13	tridentatum. DC.	(ye.) three-toothed.	Mexico.	1827.	9. 11.	G. 2.	Flor. mex. ic. ined.
GUA'ACUM. DC.		LIGNUM VITÆ. Decandria Monogynia. L.					
1	officinale. DC.	(bl.) common.	W. Indies.	1694.	7. 9.	S. 2.	Lam. ill. t. 342.
2	verticale. DC.	(bl.) vertical-petal'd.	New Spain.	1823.		S. 2.	Bot. mag. 301.
3	arboreum. DC.	(ye.) tree.	S. America.	—		S. 2.	Jacq. amer. 130. t. 83.
Zygophyllum arboreum. Jac.							
PORLIERA. DC.		PORLIERA. Octandria Monogynia.					
	hygrométrica. DC.	(st.) pinnate-leaved.	Peru.	1820.		S. 2.	Fl. per. v. 4. ined. t. 343.

§ 2. ZYGOPHYLLÆ SPURIE ALTERNIFOLIÆ. DC.

MELIANTHUS. DC.		HONEY-FLOWER. Didynamia Angiospermia. L.					
1	major. DC.	(br.) great.	C. B. S.	1688.	5. 7.	G. 2.	Bot. reg. 45.
2	minor. DC.	(br.) small.	—	1696.	8.	G. 2.	Bot. mag. 301.
3	comosus. DC.	(br.) tufted.	—	1818.	—	G. 2.	Comm. rar. t. 4.
BALANITES. DC.		BALANITES. Decandria Monogynia.					
	ægyptiaca. DC.	(wh.) Egyptian.	Africa.	1822.		S. 2.	Del. fl. eg. t. 28. f. 1.
Ximènia ægyptiaca. L.							

ORDO LVI.

RUTACEÆ. DC. *prodr.* 1. p. 709.

Tribus I. *DIOSMEE.* DC.

RUTA. DC.		RUE. Decandria Monogynia. L.					
1	pinnata. DC. (ye.)	winged-leaved.	Canaries.	1780.	3. 8.	G. h.	Bot. reg. 307.
2	montana. DC. (ye.)	mountain.	S. Europe.	1596.	8. 9.	H. 2.	Jacq. ic. rar. 1. t. 76.
3	graveolens. DC. (ye.)	common.	—	1562.	6. 9.	H. h.	Duham. arb. 2. t. 61.
4	bracteosa. DC. (ye.)	large-bracted.	Sicily.	1823.	—	H. h.	—
5	divaricata. DC. (ye.)	spreading.	Italy.	—	—	H. h.	Ten. fl. nap. 1. t. 36.
6	angustifolia. DC. (ye.)	narrow-leaved.	S. France.	1722.	—	G. h.	Bot. mag. 2311.
7	macrophylla. DC. (ye.)	long-leaved.	Africa.	—	—	G. h.	— 2018.
8	albiflora. D.P. (wh.)	white-flowered.	Nepaul.	1820.	9. 10.	G. h.	Hook. ex. fl. t. 79.
APLOPHYLLUM. J.R.		APLOPHYLLUM. Decandria Monogynia.					
1	patavina. J.R. (ye.)	Italian.	Italy.	1820.	6. 9.	H. 2.	Mich. gen. t. 19.
2	pubescens. J.R. (ye.)	pubescent.	Spain.	1816.	5. 8.	H. 2.	—
3	tuberculata. J.R. (ye.)	tubercled.	Egypt.	1824.	6. 8.	H. 2.	—
4	villosa. J.R. (ye.)	villous.	Caucasus.	1828.		H. 2.	Buxb. cent. 2. t. 28. f. 2.
5	linifolia. J.R. (ye.)	Flax leaved.	Spain.	1752.	6. 9.	H. h.	Andr. rep. 565.
6	suavifolens. J.R. (ye.)	Primrose-scent ^d .	Tauria.		—	H. h.	Bot. mag. 2254.
7	thesioides. F. (ye.)	Thesium-like.	Caspia.	1828.		H. 2.	—
8	dahurica. J.R. (st.)	Milk-wort ^{ld} .	Dahuria.	1816.	7. 8.	H. 2.	Gmel. sib. 4. t. 68. f. 2.
<i>Peganum dauricum.</i> β. L. <i>Ruta dahurica.</i> DC.							
PEGANUM. DC.		SYRIAN-RUE. Dodecandria Monogynia. L.					
	Harmala. DC. (wh.)	common.	Levant.	1570.	7. 8.	H. 2.	Lam. ill. t. 401.
DICTAMNUS. DC.		FRAXINELLA. Decandria Monogynia. L.					
1	Fraxinella. L.en. (re.)	red-flowered.	S Europe.	1596.	5. 7.	H. 2.	—
2	albus. L.en. (wh.)	white-flowered.	—	—	—	H. 2.	Jacq. aust. 5. t. 428.
CALODENDRON. DC.		CALODENDRON. Pentandria Monogynia.					
	capense. DC. (bh.)	Cape.	C. B. S.	1789.		G. h.	Lam. j. h. nat. 56. t. 3.
ADENANDRA. W.en.		ADENANDRA. Pentandria Monogynia. L.					
1	uniflora. W.en. (wh.)	one-flowered.	C. B. S.	1775.	4. 7.	G. h.	Bot. mag. 273.
2	acuminata. (wh.)	acute-leaved.	—	1812.	—	G. h.	Lodd. bot. cab. 493.
	<i>Diosma acuminata.</i> B.C. non DC.						
3	amœna. (bh.)	charming.	—	1798.	—	G. h.	Bot. reg. 553.
	<i>Diosma amœna.</i> B.C. 161.						
4	speciosa. (wh.)	umbel-flower'd.	—	1790.	—	G. h.	Bot. mag. 1271.
	<i>umbellata.</i> W.en. <i>Diosma speciosa.</i> B.M.						
5	fragrans. R.S. (re.)	red-flowered.	—	1812.	5. 7.	G. h.	Bot. mag. 1519.
6	villosa. R.S. (bh.)	villous.	—	—	—	G. h.	—
	<i>Diosma villosa.</i> DC. non Hort. <i>tomentosa.</i> Hort.						
7	marginata. R.S. (bh.)	marginate.	—	1806.	4. 6.	G. h.	—
8	linearis. B.D. (wh.)	linear-leaved.	—	1800.	3. 7.	G. h.	—
BAROSMA. W.en.		BAROSMA. Pentandria Monogynia. L.					
1	serratifolia. W.en. (wh.)	saw-leaved.	C. B. S.	1789.	3. 6.	G. h.	Bot. mag. 456.
2	odorata. R.S. (wh.)	odoriferous.	—	1790.	3. 5.	G. h.	Wend. coll. 1. t. 15.
	<i>Diosma latifolia.</i> B.C. 290.						
3	latifolia. R.S. (wh.)	broad-leaved.	—	—	—	G. h.	Andr. rep. t. 33?
4	crenata. B.D. (wh.)	crenated.	—	1774.	1. 5.	G. h.	Lodd. bot. cab. t. 404.
5	betulina. B.D. (wh.)	wedge-leaved.	—	1790.	5. 7.	G. h.	—
	<i>orbicularis.</i> Hort. <i>Diosma betulina.</i> DC.						
6	ovata. B.D. (wh.)	oval-leaved.	—	—	2. 9.	G. h.	Bot. mag. 1616.
	<i>Diosma ovata.</i> B.M.						
7	pulchella. B.D. (pu.)	blunt-leaved.	—	1787.	2. 9.	G. h.	Bot. mag. 1357.
	<i>Diosma pulchella.</i> B.M. <i>Bucco pulchella.</i> R.S.						
8	oblonga. B.D. (wh.)	oblong-leaved.	—	1821.	4. 8.	G. h.	—
9	dioica. B.D. (pi.)	dioecious.	—	1816.	—	G. h.	Bot. reg. 502.
	<i>Diosma dioica.</i> B.R. <i>linifolia.</i> B.C. 400.						
10	angustifolia. B.D. (bh.)	narrow-leaved.	—	1820.	—	G. h.	—
11	foetidissima. B.D. (bh.)	strong-scented.	—	1818.	—	G. h.	—

MACRO'STYLIS. B.D. MACRO'STYLIS. Pentandria Monogynia.

- 1 lanceolata. B.D. (li.) spear-leaved. C. B. S. 1824. 4. 6. G. h.
Diósma barbata. s.s.
 2 barbígera. B.D. (li.) beard-bearing. ——— 1826. — G. h.
 3 obtusa. B.D. (li.) blunt-leaved. ——— 1824. — G. h.
 4 squarrosa. B.D. (li.) squarrose. ——— 1821. — G. h.

EUCHÆTIS. B.D. EUCHÆTIS. Pentandria Monogynia.

- glomerata. B.D. (wh.) close-flowered. C. B. S. 1821. 4. 6. G. h.

ACMAD'ENIA. B.D. ACMAD'ENIA. Pentandria Monogynia.

- 1 juniperina. B.D. (wh.) Juniper-leaved. C. B. S. 1818. 4. 6. G. h.
 2 obtusata. B.D. (re.) blunt-leaved. ——— — G. h.

Diósma obtusata. R.S.

- 3 lævigata. B.D. (wh.) smooth. ——— — G. h.

Diósma tetragona. Th. non L.

- 4 púgens. B.D. (wh.) pungent. ——— 1823. — G. h.
 5 tetragona. B.D. (bh.) four-sided. ——— 1720. 6. 8. G. h.

COLEON'EMA. B.D. COLEON'EMA. Pentandria Monogynia.

- álba. B.D. (wh.) white-flowered. C. B. S. 1800. 3. 6. G. h.

Diósma álba. DC. *Adenándra álba*. R.S.

DIO'SMA. W. en. DIO'SMA. Pentandria Monogynia. L.

- 1 oppositifolia. DC. (wh.) opposite-leav'd. C. B. S. 1752. 3. 7. G. h.
 2 succulenta. DC. (wh.) succulent-ld. ——— — 4. 6. G. h.
 3 cupressina. DC. (wh.) Cypress-like. ——— 1790. 6. 7. G. h.
 4 ramosissima. B.D. (wh.) branching. ——— — 4. 8. G. h.

cupressina. Lam.

- 5 Meyeriana. s.s. (wh.) Meyer's. ——— 1826. — G. h.

- 6 teretifolia. L. en. (wh.) round-leaved. ——— 1818. — G. h.

- 7 pectinata. DC. (wh.) pectinated. ——— 1812. 4. 6. G. h.

- 8 subulata. DC. (wh.) awl-leaved. ——— 3. 6. G. h.

- 9 rubra. DC. (bh.) Heath-leaved. ——— 1752. 2. 5. G. h.

ericifolia. Andr. rep. t. 451.

- 10 hirsuta. DC. (wh.) hairy-leaved. ——— 1731. — G. h.

- 11 ambigua. B.D. (wh.) ambiguous. ——— 1824. — G. h.

- 12 ericoides. DC. (wh.) Heath-like. ——— 1756. 3. 7. G. h.

- 13 longifolia. DC. (wh.) long-leaved. ——— — G. h.

AGATHO'SMA. W. en. AGATHO'SMA. Pentandria Monogynia.

- 1 hispida. s.s. (wh.) rough-leaved. C. B. S. 1786. 6. 8. G. h.

- 2 patula. s.s. (li.) spreading. ——— 1821. — G. h.

- 3 brevifolia. s.s. (li.) short-leaved. ——— 1816. — G. h.

- 4 tenuissima. s.s. (li.) slender-leaved. ——— — 2. 5. G. h.

- 5 virgata. s.s. (wh.) twiggy. ——— 1816. 4. 6. G. h.

- 6 erecta. B.D. (wh.) upright. ——— — G. h.

- 7 bruníades. s.s. (li.) Brunia-like. ——— 6. 8. G. h.

- 8 Thunbergiana. s.s. (li.) Thunberg's. ——— — 4. 6. G. h.

Diósma ciliata. Th. non L.

- 9 linifolia. s.s. (li.) Flax-leaved. ——— 1821. — G. h.

- 10 prolifera. s.s. (wh.) proliferous. ——— — 4. 8. G. h.

- 11 ciliata. s.s. (bh.) ciliated. ——— 1774. — G. h.

- 12 Cerefolium. s.s. (wh.) Chervil-scented. ——— 1790. — G. h.

- 13 reflexa. L. en. (li.) reflexed. ——— 1816. 6. 8. G. h.

- 14 hirta. B.R. (pu.) hairy. ——— 1794. 5. 7. G. h.

Diósma Ventenatiána. s.s. *Búcco Ventenatiána*. R.S.

- 15 láxa. s.s. (li.) loose-branched. ——— 1816. — G. h.

- 16 villósa. W. en. (li.) villous. ——— 1786. 6. 8. G. h.

Búcco villósa. R.S. *Diósma Wendlandiána*. DC.

- 17 glabrata. B.D. (li.) smooth. ——— 1821. — G. h.

- 18 hy'brida. s.s. (li.) hybrid. ——— — G. h.

- 19 rugósa. L. en. (wh.) rugged-leaved. ——— 1790. 4. 8. G. h.

- 20 mollis. B.D. (wh.) soft. ——— 1824. — G. h.

- 21 obtusa. DC. (li.) blunt-leaved. ——— 1774. — G. h.

Diósma ciliata. B.C. non L.

- α ovata. (li.) oval-leaved. ——— — G. h.

- β oblonga. (li.) oblong-leaved. ——— — G. h.

- 22 lanceolata. (li.) lance-leaved. ——— — G. h.

- 23 orbicularis. s.s. (wh.) round-leaved. ——— 1790. — G. h.

- 24 ambigua. DC. (wh.) doubtful. ——— — G. h.

- 25 imbricata. W. en. (li.) imbricated. ——— 1774. — G. h.

- 26 acuminata. W. en. (pa.) taper-pointed. ——— 1812. — G. h.

Diósma cordata. Hort.

- 27 obtusata. (li.) obtuse-leaved. ——— 1816. — G. h.

B. et Wend. dios. t. A. f. 1.

Thunb. voy. 4. t. 5.

Wendl. coll. 1. t. 1.

Lodd. bot. cab. t. 303.

Wendl. coll. 1. t. 8.

Bot. reg. 563.

Wendl. coll. 1. t. 27.

Mill. ic. t. 124. f. 2.

Wendl. coll. 1. t. 19.

Wendl. coll. p. 17. t. 13.

Wendl. coll. 3. t. 77.

Bot. reg. 366.

Vent. malm. t. 93.

Bot. reg. 369.

Wendl. coll. 1. t. 2.

Wendl. coll. 1. t. 13.

——— 1. t. 14.

Bot. reg. 366.

Lodd. bot. cab. 461.

Wendl. coll. 1. t. 9.

——— 1. t. 28.

Wendl. coll. 3. p. 7. t. 76.

EMPLEURUM. DC.	EMPLEURUM.	Monœcia Tetrandria.				
serrulatum. DC. (st.)	saw-leaved.	C. B. S.	1774.	6. 7.	G. h.	Sm. exot. bot. 2. t. 63.
CORREA. DC.	CORREA.	Octandria Monogynia.				
1 álba. DC. (wh.)	white.	N. S. W.	1793.	4. 7.	G. h.	Andr. bot. rep. 18.
2 rufa. DC. (wh.)	rusty-leaved.	_____	1819.	_____	G. h.	Labill. voy. 2. t. 17.
3 pulchella. S.F.A. (pi.)	pretty.	N. Holland.	1824.	11. 5.	G. h.	Sweet fl. aust. t. 1.
4 speciosa. DC. (re.)	red-flowered.	N. S. W.	1806.	_____	G. h.	Bot. reg. 26.
5 virens. DC. (gr.)	green-flowered.	_____	1800.	_____	G. h.	Sm. exot. bot. 2. t. 72.
PHEBALIUM. DC.	PHEBALIUM.	Decandria Monogynia.				
1 squamulosum. DC. (wh.)	scaly.	N. S. W.	1820.	4. 6.	G. h.	Vent. malm. t. 102.
2 elatum. F.T. (wh.)	tall.	_____	1823.	4. 8.	G. h.	
3 aureum. F.T. (ye.)	golden.	_____	_____	_____	G. h.	
4 lachnoides. F.T. (wh.)	Lachnæa-like.	_____	_____	_____	G. h.	
5 lineare. ψ . (wh.)	linear-leaved.	N. Holland.	1825.		G. h.	
6 salicifolium. ψ . (wh.)	Willow-leaved.	_____	_____		G. h.	
CROWEA. DC.	CROWEA.	Decandria Monogynia.				
1 saligna. DC. (pi.)	Willow-leaved.	N. S. W.	1790.	7. 12.	G. h.	Bot. mag. 989.
ERIOSTEMON. DC.	ERIOSTEMON.	Decandria Monogynia.				
1 buxifolium. DC. (li.)	Box-leaved.	N. S. W.	1822.	4. 6.	G. h.	
2 salicifolium. DC. (re.)	Willow-leaved.	_____	_____	_____	G. h.	Bot. mag. 2854.
3 cuspidatum. F.T. (wh.)	sharp-pointed.	_____	1823.	4. 8.	G. h.	Lodd. bot. cab. 1247.
4 obovate. F.T. (li.)	oboval-leaved.	_____	_____	_____	G. h.	
5 lanceolatum. DC. (li.)	spear-leaved.	_____	_____	_____	G. h.	
6 linearifolium. DC. (wh.)	linear-leaved.	_____	_____	_____	G. h.	
7 squammeum. DC. (wh.)	scaly.	N. Holland.	1822.	_____	G. h.	Lab. nov. hol. 1. t. 141.
8 ericæfolium. M.C. (li.)	Heath-leaved.	_____	1825.	_____	G. h.	
PHILOTHECA. L.T.	PHILOTHECA.	Monadelphia Decandria.				
1 australis. L.T. (bh.)	Salsola-leaved.	N. S. W.	1822.	_____	G. h.	Linn. trans. 11. t. 21.
BORONIA. DC.	BORONIA.	Octandria Monogynia.				
1 pinnata. DC. (re.)	Hawthorn-scent'd.	N. S. W.	1794.	2. 5.	G. h.	Bot. mag. 1763.
2 tetrandra. DC. (re.)	tetrandrous.	N. Holland.	1824.		G. h.	Lab. nov. hol. 1. t. 125.
3 anemonæfolia. F.T. (re.)	Anemone-leav'd.	N. S. W.	_____	5. 8.	G. h.	
4 alata. DC. (re.)	winged-leaved.	N. Holland.	_____	4. 8.	G. h.	Sweet fl. aust. t. 48.
5 serrulata. DC. (re.)	Rose-scented.	N. S. W.	1816.	2. 5.	G. h.	Bot. reg. 842.
6 denticulata. DC. (re.)	tooth-leaved.	N. Holland.	1823.	4. 8.	G. h.	_____ 1000.
7 parviflora. DC. (re.)	small-flowered.	N. S. W.	1826.	_____	G. h.	Smith's tracts. t. 6.
8 polygalæfolia. DC. (re.)	Polygala-ld.	_____	1824.		G. h.	_____ t. 7.
9 ledifolia. DC. (re.)	Ledum-leaved.	_____	_____		G. h.	
CYMINOSMA. DC.	CYMINOSMA.	Octandria Monogynia.				
1 pedunculata. DC. (wh.)	peduncled.	E. Indies.	1800.		G. h.	Vahl. symb. 3. t. 61.
<i>Jambolifera pedunculata. w.</i>						
2 odorata. DC. (wh.)	sweet-scented.	China.	1818.		G. h.	
ZIERIA. DC.	ZIERIA.	Tetrandria Monogynia.				
1 lanceolata. DC. (wh.)	spear-leaved.	N. S. W.	1808.	4. 7.	G. h.	Bot. mag. 1395.
<i>Smithii. Bot. rep. 606.</i>						
2 macrophylla. DC. (wh.)	large-leaved.	_____	1820.	_____	G. h.	
3 lævigata. DC. (wh.)	smooth-leaved.	_____	1822.	_____	G. h.	
4 octandra. (gr.)	octandrous.	_____	1825.	4. 6.	G. h.	
5 obcordata. F.T. (wh.)	obcordate.	_____	1824.	_____	G. h.	
6 revoluta. F.T. (wh.)	revolute.	_____	_____	3. 5.	G. h.	
7 microphylla. DC. (wh.)	small-leaved.	_____	_____	_____	G. h.	
8 pilosa. DC. (wh.)	hairy.	_____	_____	_____	G. h.	Linn. trans. 10. t. 17. f. 2.
9 hirsuta. DC. (wh.)	hirsute.	_____	_____	_____	G. h.	
MELICOPE. DC.	MELICOPE.	Octandria Monogynia.				
1 ternata. DC.	ternate-leaved.	N. Zealand.	1822.		G. h.	Lam. ill. t. 294.
EVODIA. DC.	EVODIA.	Tetrandria Monogynia.				
1 triphylla. DC. (wh.)	three-leaved.	Pulo Penang.	1820.		S. h.	Rumph. amb. 2. t. 62.
<i>Fagàra triphylla. F.I.</i>						
ZANTHOXYLUM. DC.	ZANTHOXYLUM.	Tetrandria Monogynia et Diœcia Pentandria.				
1 tragodes. DC. (wh.)	prickly-leaved.	St. Domingo.	1759.	8. 9.	S. h.	Jacq. amer. 21. t. 14.
<i>Fagàra tragodes. w.</i>						
2 affine. K.S. (wh.)	related.	Mexico.	1826.		G. h.	
3 pterota. DC. (wh.)	Lentiscus-ld.	W. Indies.	1768.	_____	S. h.	Br. jam. 146. t. 5. f. 1.
<i>Fagàra lentiscifolia. W. en.</i>						
4 piperitum. DC. (wh.)	Ash-leaved.	Japan.	1773.	9.	G. h.	Kæmpf. am. t. 893.
5 Avicennæ. DC. (wh.)	short-panicled.	China.	1823.		G. h.	Lob. ic. 2. t. 133. f. 2.
6 heterophyllum. DC. (wh.)	various-leav'd.	Bourbon.	_____		S. h.	
7 emarginatum. DC. (wh.)	notch-leaved.	Jamaica.	1739.		S. h.	Sloan. j. 2. t. 168. f. 4.
8 acuminatum. DC. (wh.)	taper-pointed.	_____	1818.		S. h.	

9 spinosum. DC.	(wh.) spiny.	Jamaica.	1824.		S. h.	
10 tricarpum. DC.	(gr.) Ash-leaved.	N. America.	1806.		H. h.	Cat. car. 1. t. 26.
11 fraxineum. DC.	(gr.) common.	—	1759.	3. 4.	H. h.	Duham. arb. 1. t. 97.
12 mite. DC.	(gr.) soft-leaved.	—	1812.	—	H. h.	
13 hermaphroditum. DC.	(wh.) hermaphrodite.	Guiana.	1823.		S. h.	Aubl. gui. 1. t. 30.
14 juglandifolium. DC.	(wh.) Walnut-leaved.	W. Indies.	1822.		S. h.	Pluk. t. 239. f. 6.
15 ClavaHerculis. L.	(wh.) clubbed.	—	1739.	4. 5.	S. h.	— t. 239. f. 4.
16 aromaticum. DC.	(wh.) aromatic.	St. Domingo.	1823.		S. h.	Jacq. f. ecl. 1. t. 70.
17 armatum. DC.	(wh.) armed.	E. Indies.	1816.		S. h.	
18 nitidum. DC.	(wh.) shining-leaved.	China.	1822.	2. 3.	G. h.	Bot. mag. 2558.
19 sapindoides. DC.	(wh.) Licca-tree.	Jamaica.			G. h.	Br. jam. 207. t. 20. f. 2.
<i>Sapindus spinosus</i> . L.						
SPIRANTHERA. DC. SPIRANTHERA. Pentandria Monogynia.						
odoratissima. DC.	(bh.) Jasmine-scent'd.	Brazil.	1823.		S. h.	N. et Mart. ac. b. xi. t. 31.
<i>Terpanthus jasmiodorus</i> . Nees.						

Tribus II. CUSPARIÆ. DC.

MONNIERA. DC.	MONNIERA. Monadelphia Diandria.					
trifolia. DC.	(wh.) three-leaved.	Guiana.	1792.	7. 8.	S. ☉.	Aubl. gui. 2. t. 293.
TICOREA. DC.	TICOREA. Pentandria Monogynia.					
1 foetida. DC.	(wh.) strong-scented.	Guiana.	1825.		S. h.	Aubl. gui. 2. t. 277.
2 jasmiflora. DC.	(wh.) Jasmine-fl'd.	Brazil.	1827.		S. h.	N. et Ma. n. ac. b. 11. t. 18.
GALIPEA. DC.	GALIPEA. Diandria Monogynia.					
trifoliata. DC.	(gr.) three-leaved.	Guiana.	1803.		S. h.	Aubl. gui. 2. t. 269.

ORDO LVII.

SIMARUBEÆ. DC. prodr. 1. p. 733.

QUASSIA. DC.	QUASSIA. Decandria Monogynia.	L.				
amara. DC.	(re.) bitter.	Guiana.	1790.	6. 7.	S. h.	Bot. mag. 497.
SIMARUBA. DC.	SIMARUBA. Monocia Decandria.					
1 officinalis. DC.	(wh.) officinal.	Guiana.	1787.		S. h.	Aubl. gui. 2. t. 331-2.
<i>Quassia Simaruba</i> . L. <i>Simaruba amara</i> . Aub.						
2 glauca. DC.	(wh.) glaucous-leav'd.	Cuba.	1824.		S. h.	
3 excelsa. DC.	(wh.) tall.	Jamaica.	1822.		S. h.	Sw. act. holm. 1788. t. 8.
<i>Quassia excelsa</i> . Sw.						
SIMABA. DC.	SIMABA. Decandria Monogynia.					
guianensis. DC.	(wh.) Guiana.	Guiana.	1822.		S. h.	Aubl. gui. 1. t. 153.
<i>Zingera amara</i> . W.						

ORDO LVIII.

OCHNACEÆ. DC. prodr. 1. p. 735.

O'CHNA. DC.	O'CHNA. Polyandria Monogynia.	L.				
1 squarrosa. R. C.	(ye.) blunt-leaved.	E. Indies.	1790.	7. 8.	S. h.	Roxb. cor. 1. t. 89.
2 lucida. DC.	(pu.) acute-leaved.	—	1818.	—	S. h.	Lam. ill. t. 472. f. 1.
3 nitida. DC.	(wh.) shining.	C. B. S.	1816.		S. h.	DC. ann. m. 17. n. 3. t. 2.
4 multiflora. DC.	(ye.) many-flowered.	Sierra Leon.	1822.		S. h.	— n. 4. t. 3.
5 mauritiana. DC.	(ye.) Mauritius.	Mauritius.	—		S. h.	— n. 8. t. 5.
6 atropurpurea. DC.	(ye.) purple-calyxed.	C. B. S.	1816.		S. h.	Pluk. alm. t. 263. f. 1. 2.

GO'MPHIA. DC.		Go'MPHIA. Decandria Monogynia. W.					
1 obtusifolia. DC.	(ye.)	blunt-leaved.	Madagascar.	1803.		S. h.	DC. ann. mus. n. 4. t. 8.
<i>Ochna laevigata</i> , Vahl.							
2 guianensis. DC.	(ye.)	Guiana.	Guiana.	1825.		S. h.	DC. ann. mus. n. 7. t. 9.
3 Jabotápita. DC.	(ye.)	spear-leaved.	W. Indies.	1818.		S. h.	Lam. ill. 472. f. 2.
4 nitida. DC.	(ye.)	glossy-leaved.	—	1803.		S. h.	DC. an. mus. n. 13. t. 13.
5 laurifolia. DC.	(ye.)	laurel-leaved.	—	1822.	...	S. h.	— n. 15. t. 15.
6 mexicana. DC.	(ye.)	Mexican.	Mexico.	1825.		G. h.	H. et B. pl. æq. 2. t. 74.
WALK'ERA. DC.		WALK'ERA. Pentandria Monogynia.					
serrata. DC.	(ye.)	saw-leaved.	E. Indies.	1824.		S. h.	Rheed. mal. 5. t. 48.

ORDO LIX.

CORIARIEÆ. DC. *prodr.* 1. p. 739.

CORIARIA. DC.		CORIARIA. Mono-Diœcia Decandria.					
1 myrtifolia. DC.	(gr.)	Myrtle-leaved.	S. Europe.	1629.	5. 8.	H. h.	Duham. arb. 1. t. 73.
2 sarmentosa. DC.	(gr.)	sarmentose.	N. Zealand.	1820.	7. 9.	G. ½.	Bot. mag. 2470.

** SUBCLASSIS II. CALYCIFLORÆ.

ORDO LX.

CELASTRINEÆ. Brown *gen. rem.* p. 22.Tribus I. STAPHYLEACEÆ. DC. *prodr.* 2. p. 2.

STAPHYLEA. DC.		BLADDER-NUT. Pentandria Trigynia. L.					
1 trifolia. DC.	(wh.)	three-leaved.	N. America.	1640.	5. 6.	H. h.	Schmidt. arb. t. 80.
2 Bumalda. DC.	(wh.)	Japan.	Japan.	1804.	6. 9.	G. h.	
<i>Bumalda trifolia</i> , Th.							
3 pinnata. DC.	(wh.)	five-leaved.	England.		4. 6.	H. h.	Eng. bot. 1560.
TURPINIA. DC.		TURPINIA. Polygamia Diœcia. DC.					
paniculata. DC.	(wh.)	panicked.	W. Indies.	1826.		S. h.	Vent. choix. t. 31.
<i>Dalrymplea domingensis</i> , S.S.							
DALRYMPLEA. R.C.		DALRYMPLEA. Pentandria Monogynia. F.I.					
pomifera. R.C.	(wh.)	Apple-bearing.	E. Indies.	1823.		S. h.	Roxb. corom. 3. t. 279.
<i>Turpinia pomifera</i> , DC.							

Tribus II. EUONYMEÆ. DC.

EUONYMUS. DC.		SPINDLE-TREE. Pentandria Monogynia. L.					
1 japonicus. DC.	(wh.)	Japan.	Japan.	1804.	6. 8.	G. h.	Kæmpf. ic. t. 8.
2 europæus. DC.	(wh.)	common.	Britain.		5. 7.	H. h.	Eng. bot. 362.
3 verrucosus. DC.	(pu.)	warted.	Austria.	1763.	5. 6.	H. h.	Schmidt arb. t. 72.
4 latifolius. DC.	(gr.)	broad-leaved.	S. Europe.	1730.	5. 7.	H. h.	— t. 74.
5 atropurpureus. DC.	(d.pu.)	dark-purple.	N. America.	1756.	—	H. h.	Jacq. vind. 2. t. 120.
6 americanus. DC.	(st.)	evergreen.	—	1683.	6. 7.	H. h.	Schmidt arb. t. 75.
7 sarmentosus. N.	(st.)	sarmentose.	—	1823.	—	H. h.	
8 obovatus. N.	(gr.)	obovate-leaved.	—	—	—	H. h.	

9	angustifolius, DC. (st.)	narrow-leaved.	Georgia.	1806.	—	H. $\frac{1}{2}$.	
10	lucidus, D.P. (wh.)	shining-leaved.	Nepaul.	1820.	6. 7.	H. $\frac{1}{2}$.	
11	micranthus, D.P. (wh.)	small-flowered.	—	—	—	H. $\frac{1}{2}$.	
12	chinensis, DC. (wh.)	Chinese.	China.	1822.	5. 6.	H. $\frac{1}{2}$.	
13	lacerus, D.P. (wh.)	torn.	Nepaul.	1820.	6. 7.	H. $\frac{1}{2}$.	
14	grandiflorus, F.I. (wh.)	large-flowered.	—	1823.	—	H. $\frac{1}{2}$.	
15	echinatus, F.I. (st.)	spinous-fruited.	—	—	4. 5.	H. $\frac{1}{2}$.	Bot. mag. 2767.
CELASTRUS, DC. STAFF-TREE. Pentandria Monogynia, L.							
1	oleoides, DC. (wh.)	Olive-leaved.	C. B. S.	1823.	5. 6.	G. $\frac{1}{2}$.	
2	pterocarpus, DC. (wh.)	wing-capsuled.	—	1816.	5. 8.	G. $\frac{1}{2}$.	Burm. afr. t. 97. f. 1.
3	rostratus, DC. (wh.)	beaked.	—	1821.	—	G. $\frac{1}{2}$.	
4	tricuspidatus, DC. (wh.)	three-pointed.	—	1816.	5. 6.	G. $\frac{1}{2}$.	Buchoz. dec. 6. t. 3.
	<i>Cassine lævigata</i> , Lam.	<i>Olea capensis</i> .	Buchoz.				
5	lucidus, DC. (wh.)	shining.	C. B. S.	1722.	4. 9.	G. $\frac{1}{2}$.	L'Her. stirp. 1. t. 25.
6	macrocarpus, DC. (wh.)	large-capsuled.	Peru.	1826.	—	G. $\frac{1}{2}$.	Flor. per. 3. t. 230. f. 16.
7	bullatus, DC. (wh.)	scarlet-fruited.	Virginia.	1759.	7.	H. $\frac{1}{2}$.	Pluk. alm. t. 28. f. 5.
8	scandens, DC. (wh.)	climbing.	N. America.	1736.	5. 6.	H. $\frac{1}{2}$.	Duham. arb. 1. t. 95.
9	punctatus, DC. (wh.)	spotted-stalked.	Japan.	1816.	—	G. $\frac{1}{2}$.	
10	nitans, F.I. (wh.)	drooping-fld.	E. Indies.	1824.	—	S. $\frac{1}{2}$.	
11	cassinoides, DC. (wh.)	crenated.	Canaries.	1779.	8. 9.	G. $\frac{1}{2}$.	L'Her. sert. ang. t. 10.
12	lycioides, DC. (wh.)	Box-thorn-like.	—	1821.	—	G. $\frac{1}{2}$.	
13	cérneus, DC. (wh.)	drooping.	C. B. S.	1815.	5. 6.	G. $\frac{1}{2}$.	
14	myrtifolius, DC. (wh.)	Myrtle-leaved.	Jamaica.	—	6. 8.	S. $\frac{1}{2}$.	Sloan. jam. 2. t. 193. f. 1.
15	tetragonus, DC. (wh.)	four-sided.	C. B. S.	1816.	—	G. $\frac{1}{2}$.	
16	ilicifolius, DC. (wh.)	Holly-leaved.	Brazil.	1824.	—	S. $\frac{1}{2}$.	
17	ilicinus, DC. (wh.)	Ilex-like.	C. B. S.	1816.	5. 8.	G. $\frac{1}{2}$.	
18	retusus, DC. (wh.)	notched.	Peru.	1823.	—	G. $\frac{1}{2}$.	Flor. per. 3. t. 229. f. a.
	<i>emarginatus</i> , F.P. non w.						
19	linearis, DC. (wh.)	linear-leaved.	C. B. S.	1823.	5. 8.	G. $\frac{1}{2}$.	
20	emarginatus, DC. (st.)	emarginate.	E. Indies.	1820.	—	S. $\frac{1}{2}$.	
21	buxifolius, DC. (wh.)	Box-leaved.	C. B. S.	1752.	5. 8.	G. $\frac{1}{2}$.	Bot. mag. 2114.
22	cymosus, B.M. (wh.)	cyme-flowered.	—	1815.	6. 8.	G. $\frac{1}{2}$.	— t. 2070.
23	multiflorus, DC. (wh.)	many-flowered.	—	1816.	5. 8.	G. $\frac{1}{2}$.	
24	pyracanthus, DC. (wh.)	red-fruited.	—	1752.	—	G. $\frac{1}{2}$.	Bot. mag. 1167.
25	flexuosus, DC. (wh.)	flexuose.	—	1816.	—	G. $\frac{1}{2}$.	
26	montanus, DC. (wh.)	mountain.	E. Indies.	1824.	—	S. $\frac{1}{2}$.	
PLECTRONIA, W. PLECTRONIA. Pentandria Monogynia.							
	<i>ventosa</i> , w. (wh.)	corymbed.	C. B. S.	1816.	—	G. $\frac{1}{2}$.	Burm. afr. t. 94?
	<i>corymbosa</i> , P.S. <i>Celastrus</i> ?	<i>Plectrônia</i> , DC.					
MAYTENUS, DC. MAYTENUS. Pentandria Monogynia.							
1	octogonus, DC. (gr.)	angular-leaved.	Peru.	1786.	10. 11.	G. $\frac{1}{2}$.	
	<i>Celastrus octogonus</i> , w. <i>Senecia octogona</i> , Lam.						
2	chilensis, DC. (re.)	Chile.	Chile.	1824.	—	G. $\frac{1}{2}$.	Feuill. obs. 3. t. 27.
3	verticillatus, DC. (gr.)	whorled.	Peru.	1823.	9. 11.	G. $\frac{1}{2}$.	Flor. per. 3. t. 229. B.
ELEODENDRON, DC. OLIVE-WOOD. Pentandria Monogynia.							
1	orientale, DC. (wh.)	taper-leaved.	Madagascar.	1771.	—	S. $\frac{1}{2}$.	Jacq. ic. 1. t. 48.
	<i>indicum</i> , Gaert. fruct. 1. t. 57. <i>Rubentia olivina</i> , J.						
2	glaucum, DC. (st.)	glaucous.	Ceylon.	1823.	—	S. $\frac{1}{2}$.	Rottb. n. a. hav. 2. t. 4. f. 1.
3	xylocarpum, DC. (wh.)	leathery-leaved.	Antilles.	1816.	7. 8.	S. $\frac{1}{2}$.	Vent. choix. t. 23.
	<i>Cassine xylocarpa</i> , Vent.						
4	australe, DC. (wh.)	thick-leaved.	N. S. W.	1796.	6. 8.	G. $\frac{1}{2}$.	Vent. malm. t. 117.
	<i>Portenschlágia australis</i> , Tratt. arch. t. 250. <i>Lamárckia dentata</i> , Hort.						
5	integrifolium, DC. (wh.)	entire-leaved.	N. S. W.	—	—	G. $\frac{1}{2}$.	Tratt. arch. t. 284.
	<i>Portenschlágia integrifolia</i> , Tratt.						
6?	crœcum, DC. (wh.)	Cape Holly.	C. B. S.	1794.	5. 6.	G. $\frac{1}{2}$.	
	<i>Ilex crœcea</i> , w.						
PTELIDIMUM, DC. PTELIDIMUM. Tetrandria Monogynia.							
	<i>ovatum</i> , DC. (gr.)	oval-leaved.	Madagascar.	1825.	—	S. $\frac{1}{2}$.	Pet. Th. veg. afr. 1. t. 2.

Tribus III. AQUIFOLIACEÆ. DC. prod. 2. p. 11.

CASSINE, DC. CASSINE. Pentandria Trigynia, L.							
1	Maurocœnia, DC. (wh.)	Hottentot-cherry.	C. B. S.	1690.	7. 8.	G. $\frac{1}{2}$.	Dill. elt. t. 121. f. 147.
2	capensis, DC. (wh.)	Cape Phillyrea.	—	1629.	—	G. $\frac{1}{2}$.	— t. 236. f. 305.
3	Colpoön, w. (wh.)	Colpoön-tree.	—	1791.	—	G. $\frac{1}{2}$.	Burm. afr. t. 86.

4	bárbara. R.S.	(wh.)	quadrangular.	C. B. S.	1816.	—	G. h.	
5	æthiópica. R.S.	(wh.)	Æthiopian.	—	—	—	G. h.	
6	oppositifolia. DC.	(wh.)	opposite-leaved.	—	—	—	S. h.	
7	excelsa. F.I.	(wh.)	tall.	Nepaul.	1823.	—	G. h.	
HARTOGIA. DC. HARTOGIA. Tetrandria Monogynia.								
	capénsis. DC.	(wh.)	Cape.	C. B. S.	1816.	—	G. h.	Thunb. n. gen. 5. p. 55. ic.
	<i>Schrebera schinoides.</i>		Th. prodr. t. 2. <i>Elæodéndron schinoides.</i>	s.s.				
CURTISIA. DC. CURTISIA. Tetrandria Monogynia.								
	fagínea. DC.	(wh.)	Hassagay-tree.	C. B. S.	1775.	—	G. h.	Burm. afr. 235. t. 82.
MYGINDA. DC. MYGINDA. Tetrandria Tetragynia.								
1	Uragôga. DC.	(pu.)	saw-leaved.	S. America.	1790.	8. 9.	S. h.	Jacq. amer. 24. t. 16.
2	myrtifolia. DC.	(wh.)	Myrtle-leaved.	N. America.	1818.	5. 8.	H. h.	
	<i>Ilex myrsinites.</i>	Ph.						
3	Rhácoma. DC.	(re.)	blunt-leaved.	Jamaica.	1798.	—	S. h.	Jacq. ic. 2. t. 311.
4	latifolia. DC.	(wh.)	broad-leaved.	W. Indies.	1795.	4. 5.	S. h.	
ILEX. DC. HOLLY. Tetrandria Tetragynia. L.								
1	Aquifolium. DC.	(wh.)	common.	Britain.	—	4. 6.	H. h.	Eng. bot. 496.
	<i>β heterophylla.</i>	(wh.)	various-leaved.	—	—	—	H. h.	
	<i>γ crassifolia.</i>	(wh.)	thick-leaved.	—	—	—	H. h.	
	<i>δ ferôx.</i>	(wh.)	hedgehog.	—	—	—	H. h.	
	<i>ε echinata.</i>	(wh.)	striped hedgehog.	—	—	—	H. h.	
	<i>ζ flava.</i>	(wh.)	yellow-berried.	—	—	—	H. h.	
	<i>η senescens.</i>	(wh.)	spineless.	—	—	—	H. h.	
	<i>θ albo-marginata.</i>	(w.)	white-edged.	—	—	—	H. h.	
	<i>ι aureo-marginata.</i>	(w.)	gold-edged.	—	—	—	H. h.	
	<i>κ picta.</i>	(wh.)	painted.	—	—	—	H. h.	
2	recurva. L. en.	(wh.)	recurved-spined.	—	—	—	H. h.	
3	baleárica. DC.	(wh.)	Minorca.	Minorca.	1815.	5. 6.	H. h.	
4	Perádo. DC.	(bh.)	thick-leaved.	Madeira.	1760.	4. 5.	F. h.	Lodd. bot. cab. 549.
	<i>β obtusa.</i>	(bh.)	blunt-leaved.	—	—	—	F. h.	Duham. ed. nov. 1. t. 2.
5	canariénsis. DC.	(wh.)	Canary.	Canaries.	1818.	5. 6.	F. h.	
6	opaca. DC.	(wh.)	Carolina.	Carolina.	1744.	—	F. h.	Wats. dend. brit. t. 3.
7	laxiflora. DC.	(wh.)	loose-flowered.	—	1811.	—	F. h.	
8	chinénsis. DC.	(wh.)	Chinese.	China.	1810.	4. 5.	F. h.	Bot. mag. 2043.
9	Dahoón. DC.	(wh.)	Dahoon.	Carolina.	1726.	5. 6.	F. h.	Willd. hort. ber. 1. t. 31.
	<i>β laurifolia.</i>	(wh.)	large-leaved.	—	—	—	F. h.	Wats. dend. brit. t. 114.
10	Cassine. DC.	(wh.)	Cassine-like.	—	1726.	8.	F. h.	Catesb. car. 1. t. 31.
11	angustifolia. DC.	(wh.)	narrow-leaved.	N. America.	1806.	5. 6.	F. h.	Wats. dend. brit. t. 4.
12	vomitória. DC.	(wh.)	South-sea Tea.	Florida.	1700.	6. 7.	F. h.	Jacq. ic. 2. t. 310.
13	latifolia. DC.	(wh.)	broad-leaved.	Japan.	1824.	—	F. h.	
14	serrata. DC.	(wh.)	saw-leaved.	—	—	—	F. h.	
15	myrtifolia. DC.	(wh.)	Myrtle-leaved.	W. Indies.	1806.	7. 8.	S. h.	
16	salicifolia. DC.	(wh.)	Willow-leaved.	Mauritius.	1818.	4. 5.	S. h.	Jacq. col. 5. t. 2. f. 2.
	<i>Burglaria lucida.</i>	Wendl.						
17	Macouécua. DC.	(wh.)	acuminate.	Trinidad.	1826.	—	S. h.	Aubl. gui. 1. t. 34.
18	paraguariénsis. DC.	(w.)	Paraguay Tea.	Brazil.	1823.	—	S. h.	Lamb. pin. ic.
PRINOS. DC. WINTER BERRY. Hexandria Monogynia. L.								
1	decídus. DC.	(wh.)	deciduous.	N. America.	1760.	6. 7.	H. h.	Wats. dend. brit. 115.
	<i>Ilex prinoides.</i>	R.S.						
2	ambíguus. DC.	(wh.)	Carolina.	—	1812.	7. 8.	H. h.	Wats. dend. t. 29.
3	verticillátus. DC.	(wh.)	whorled.	—	1736.	—	H. h.	— t. 30.
	<i>padifolius.</i>	W. en.						
4	lævigátus. DC.	(wh.)	smooth.	—	1812.	—	H. h.	Wats. dend. t. 28.
5	lanceolátus. DC.	(wh.)	scarlet berried.	—	1811.	6. 7.	H. h.	
6	prunifolius. DF.	(wh.)	Plum-leaved.	—	1820.	—	H. h.	
7	gláber. DC.	(wh.)	ever-green.	—	1759.	7. 8.	H. h.	Wats. dend. brit. t. 27.
8	atomárius. DC.	(wh.)	atomiferous.	Georgia.	1820.	6. 7.	H. h.	
9	coriáceus. DC.	(wh.)	leathery-leaved.	—	—	—	H. h.	
10	lúcídus. DC.	(wh.)	shining-leaved.	—	1778.	—	F. h.	
NEMOPANTHES. DC. NEMOPANTHES. Polygamia Diœcia.								
	canadénsis. DC.	(wh.)	Canadian.	N. America.	1812.	6. 7.	H. h.	DC. pl. rar. gen. t. 3.
	<i>Ilex canadensis.</i>	Mich.	fl. amer. 2. t. 49.					

ORDO LXI.

RHAMNEÆ. DC. *prodr.* 2. p. 19.

ZIZYPHUS. R.S.		ZIZYPHUS. Pentandria Monogynia. R.S.				
1	Lôtus. R.S. (st.)	Barbary.	Africa.	1731.		G. h. Desf. act. ac. 1788. t. 21.
2	mucronâta. W.en.(st.)	mucronate.	C. B. S.	1820.		G. h.
3	sinënsis. R.S. (wh.)	Chinese.	China.	1818.	5. 6.	H. h.
4	Oenóplia. R.S. (st.)	oblique-leaved.	Ceylon.			S. h. Burm. zeyl. 131. t. 61.
5	Jujûba. R.S. (st.)	blunt-leaved.	E. Indies.	1759.	4. 5.	S. h. Rheed. mal. 4. t. 41.
6	sorôria. R.S. (ye.)	sister.	—	1823.		S. h.
7	âlbens. F.I. (wh.)	white-fruited.	China.	1822.		G. h.
8	Spina Christi. R.S.(st.)	Christ's-thorn.	Egypt.		4. 5.	G. h. Pluk. alm. t. 197. f. 3.
9	Napëca. R.S. (wh.)	spotted-fruited.	Ceylon.	1816.		S. h. — t. 216. f. 6.
10	vulgâris. R.S. (ye.)	common.	S. Europe.	1640.	8. 9.	H. h. Pall. ross. 2. t. 59.
11	nitida. F.I. (ye.)	shining.	China.	1822.		G. h.
12	Xylop'yrus. R.S. (ye.)	cork-barked.	E. Indies.	—		S. h.
13	Caracútta. F.I. (ye.)	villous-branch'd.	—	1820.		S. h.
14	microphy'lla. F.I. (ye.)	small-leaved.	—	1824.		S. h. Pluk. alm. t. 197. f. 2.
15	incúrva. F.I. (gr.)	incurved.	Nepaul.	1820.	5. 6.	F. h.
16	flexuôsa. F.I. (ye.)	flexuose.	—	—		F. h.
PALFURUS. DC.		CHRIST'S-THORN. Pentandria Trigynia.				
1	aculeâtus. DC. (ye.)	common.	S. Europe.	1596.	6. 7.	H. h. Bot. mag. 1893.
	austrâlis. R.S. vulgâris. D.P.	Zizyphus Paliurus. B.M.	—	—	—	—
2	virgâtus. DC. (ye.)	twiggy.	Nepaul.	1819.	8. 9.	H. h. Bot. mag. t. 2535.
COND'ALIA.		COND'ALIA. Pentandria Monogynia.				
	microphy'lla. DC. (gr.)	small-leaved.	Chili.	1824.		G. h. Cav. ic. 6. t. 525.
BERCH'EMIA. DC.		BERCH'EMIA. Pentandria Monogynia.				
1	volûbilis. DC. (gr.)	climbing.	Carolina.	1714.	6. 7.	H. h. Jacq. ic. 2. t. 336.
	Rhâmnus volûbilis. L.	Zizyphus volûbilis. w. Oenophia volûbilis. R.S.	—	—	—	—
2	lineâta. DC. (wh.)	lined.	China.	1804.		G. h. Osb. it. 219. t. 7.
3	floribûnda. Bro. (wh.)	many-flowered.	Nepaul.	1827.		G. h. Brong. m. ram. pl. 2. f. 1.
SAGER'ETIA. Bro.		SAGER'ETIA. Pentandria Monogynia.				
1	theëzans. Bro. (gr.)	Tea-like.	China.		9. 12.	G. h.
	Rhâmnus theëzans. L.	—	—	—	—	—
2	hamôsa. Bro. (gr.)	hook-thorned.	Nepaul.	1826.		G. h.
	Zizyphus hamôsa. F.I.	—	—	—	—	—
RHA'MNUS. DC.		BUCKTHORN. Pentandria Monogynia. L.				
1	Alatérnus. DC. (ye.)	Alaternus.	S. Europe.	1629.	4. 6.	H. h. Duham. ed. nov. 3. t. 14.
	a latifolius. (ye.)	broad-leaved.	—		—	H. h.
	β baleáricus. DC. (ye.)	round-leaved.	—		—	H. h.
	γ hispânicus. DC. (ye.)	Spanish.	—		—	H. h.
	δ vulgâris. DC. (ye.)	oval saw-leaved.	—		—	H. h.
	ε glâber. (ye.)	smooth-leaved.	—		—	H. h.
	ζ integrifolius. (ye.)	entire-leaved.	—		—	H. h.
	η maculâtus. (ye.)	spot-leaved.	—		—	H. h.
	θ âureus. (ye.)	gold-striped.	—		—	H. h.
	ι argenteus. (ye.)	silver-striped.	—		—	H. h.
2	Clüssi. W.en. (gr.)	narrow-leaved.	—	1629.	—	H. h. Clus. hist. 1. p. 50.
3	hy'bridus. DC. (gr.)	hybrid.	Hybrid.		5. 6.	H. h. L'Her. sert. t. 5.
	glandulôsa. DC. (gr.)	Madeira.	Canaries.	1785.	6. 7.	G. h. Vent. malm. t. 34.
5	integrifolius. DC. (gr.)	Teneriffe.	—	1820.	—	G. h. Nees hor. phys. t. 22.
	coriaceus. Nees.	—	—	—	—	—
6	longifolius. DC. (gr.)	long-leaved.	N. America?	1822.	5. 6.	H. h.
7	prinoides. DC. (gr.)	Prinos-leaved.	C. B. S.	1778.	8. 9.	G. h. L'Her. sert. ang. t. 9.
8	celtifolius. DC. (gr.)	Celtis-leaved.	—		—	G. h. Burm. afr. 242. t. 88.
9	cathárticus. DC. (gr.)	purging.	England.		5. 6.	H. h. Eng. bot. 1629.
10	virgâtus. DC. (ye.)	slender.	Nepaul.	1819.	4. 5.	H. h.
11	tinctôrius. DC. (st.)	dying.	Hungary.	1823.	5. 6.	H. h. Pl. rar. hung. 3. t. 255.
12	infectôrius. DC. (ye.)	yellow-berried.	S. Europe.	1683.	6. 7.	H. h. Clus. hist. 1. p. 111. ic.
13	saxâtîlis. DC. (gr.)	rock.	—	1752.	5. 6.	H. h. Jacq. aust. 1. t. 53.
14	oleoides. DC. (gr.)	Olive-leaved.	Spain.	—	6. 7.	H. h.
15	buxifolius. DC. (gr.)	Box-leaved.	S. Europe.	1820.	—	H. h.
16	pubescens. DC. (gr.)	pubescent.	S. France.	1820.	6. 7.	H. h.
17	crenulâtus. DC. (gr.)	crenulate.	Teneriffe.	1778.	3. 4.	G. h.

- 18 lycioides. DC. (gr.) Box-thorn-like. Spain. 1752. 9. 12. H. h. Cavan. ic. 2. t. 182.
 β latifolius. (gr.) broader-leaved. ———— ———— ———— H. h.
- 19 erythroxylon. DC. (ye.) red-wooded. Siberia. 1822. 4. 5. H. h. Pall. ross. 2. t. 62.
 20 microphyllus. DC. (ye.) small-leaved. Mexico. ———— ———— G. h. H. et B. n. gen. a. 7. t. 616.
 21 pumilus. L. (bh.) dwarf. Europe. 1752. 7. H. h. Scop. carn. ed. 2. t. 5.
 β rupéstris. Vill. (bh.) small. Dauphiny. ———— ———— H. h.
- 22 pusillus. T. P. (gr.) little. Naples. 1825. ———— H. h.
- 23 valentinus. W. (ye.) Spanish. Spain. ———— 6. 7. H. h. Cavan. ic. 2. t. 181.
 pumilus. C. non W.
- 24 Wulfenii. S. S. (ye.) Wulfen's. Tergestum. ———— ———— H. h. Jacq. coll. 2. t. 11.
 pumilus. Wulf. non L.
- 25 dahuricus. DC. (gr.) Dahurian. Dahuria. 1826. H. h. Pall. ross. 2. t. 61.
 26 alnifolius. DC. (gr.) Alder-leaved. N. America. 1778. 5. 6. H. h.
- 27 franguloides. R. S. (gr.) Frangula-like. ———— ———— H. h.
- 28 Purshianus. DC. (gr.) Pursh's. ———— 1826. ———— H. h.
- alnifolius*. Ph. nec aliorum.
- 29 alpinus. DC. (ye. pu.) Alpine. Switzerland. 1752. ———— H. h. Lodd. bot. cab. 1077.
 30 carolinianus. DC. (gr.) Carolina. N. America. 1824. 5. 7. H. h.
- 31 Frangula. DC. (gr.) berry-bearing Alder. Britain. 4. 5. H. h. Eng. bot. 250.
 32 latifolius. DC. (ye.) broad-leaved. Azores. 1778. 6. 7. H. h. Wats. dend. brit. t. 11.
- 33 lanceolatus. Ph. (gr.) spear-leaved. N. America. 1812. 4. 5. H. h.
- 34? mystacinus. R. S. (gr.) wiry. Abyssinia. 1775. 11. S. h.
- 35? tetragonus. DC. (gr.) square-branch'd. C. B. S. 1816. 6. 8. G. h. Th. act. gor. 1812. c. ic.
- SCUTIA. Bro. SCUTIA. Pentandria Monogynia.
- 1 indica. Bro. (wh.) Indian. E. Indies. 1824. S. h. Gært. fruct. 2. t. 106.
 Rhamnus circumscissus. L. *Ceanothus circumscissus*. DC.
- RETANILLA. Bro. RETANILLA. Pentandria Monogynia.
- obcordata*. Bro. (ye.) obcordate-l'd. Peru. 1822. 5. 7. G. h. Vent. hort. cels. t. 92.
 Collétia obcordata. V.
- COLLE'TIA. Bro. COLLE'TIA. Pentandria Monogynia.
- 1 spinosa. DC. (ye.) spiny. Peru. 1823. G. h. Lam. ill. 2. t. 129.
 2 serratifolia. DC. (ye.) saw-leaved. ———— ———— 5. 8. G. h. Vent. choix. t. 15.
- 3 pubescens. Bro. (ye.) pubescent. N. Holland. 1824. G. h.
- HOVENIA. DC. HOVENIA. Pentandria Monogynia.
- 1 dulcis. DC. (gr.) smooth-leaved. China. 1812. 4. 6. G. h. Lam. ill. t. 131.
 acérba. Bot. reg. 501.
- 2 inæqualis. DC. (gr.) pubescent-l'd. Nepaul. 1823. G. h.
 dulcis. D. P. et F. I. nec aliudum.
- COLUBRINA. Bro. COLUBRINA. Pentandria Monogynia.
- 1 ferruginosa. Bro. (st.) Bahama red-wood. Bahama. 1726. 6. S. h. Jacq. vind. 3. t. 50.
 Rhamnus colubrinus. L. *Ceanothus colubrinus*. DC.
- 2 reclinata. Bro. (wh.) oval-leaved. Jamaica. 1758. 8. S. h. Brown jam. t. 20. f. 2.
 Ceanothus reclinatus. DC. *Rhamnus ellipticus*. H. K.
- 3 triflora. Bro. (st.) three-flowered. Mexico. 1826. G. h.
- 4 cubensis. Bro. (st.) Cuba. Cuba. 1824. S. h. Jacq. vind. 3. t. 49.
- 5 asiatica. Bro. (st.) Asiatic. Asia. 1691. 7. 8. S. h. Cavan. ic. 5. t. 440. f. 1.
 Ceanothus asiaticus. DC.
- CEANOTHUS. Bro. CEANOTHUS. Pentandria Monogynia. L.
- 1 azureus. DC. (bl.) blue. New Spain. 1818. 4. 5. G. h. Bot. reg. 291.
 caruleus. Lod. bot. cab. 110. *bicolor*. R. S.
- 2 tardiflorus. DC. (wh.) late-flowering. N. America. 1812. 9. 10. H. h.
- 3 americanus. DC. (wh.) New Jersey Tea. ———— 1713. 7. 8. H. h. Bot. mag. 1479.
- 4 ovatus. DC. (wh.) smooth-leaved. ———— ———— ———— H. h.
- 5 perennis. DC. (wh.) perennial. ———— 1822. 6. 7. H. h.
- 6 intermedius. DC. (wh.) intermediate. ———— 1812. ———— H. h.
- 7 collinus. D. (wh.) hill. ———— 1827. ———— H. h.
- 8 sanguineus. DC. (wh.) bloody twigged. ———— 1812. 5. 7. H. h.
- 9 microphyllus. DC. (wh.) small-leaved. ———— 1806. 6. 7. H. h.
- 10 buxifolius. DC. (wh.) Box-leaved. Mexico. 1824. 4. 6. G. h. H. et B. n. gen. a. 7. t. 615.
- 11 macrocarpus. DC. (st.) large-fruited. New Spain. 1823. 6. 7. G. h. Cavan. ic. 3. t. 276.
- 12 nepalensis. F. I. (st.) Nepaul. Nepaul. ———— ———— H. h.
- WILLEMETIA. Bro. WILLEMETIA. Pentandria Monogynia.
- africana*. Bro. (st.) African. C. B. S. 1712. 3. 4. G. h. Pluk. phyt. 126. f. 1.
 Ceanothus africanus. DC.
- POMADERRIS. DC. POMADERRIS. Pentandria Monogynia.
- 1 globulosa. Bro. (st.) round-headed. N. Holland. 1803. 4. 5. G. h. Lab. nov. hol. 1. t. 85.
 Ceanothus globulosus. Lab.
- 2 spatulata. Bro. (st.) spatulate-leav'd. ———— 1824. ———— G. h. Lab. nov. 1. t. 84.
- 3 discolor. DC. (ye.) two-coloured. ———— 1803. ———— G. h. Swt. fl. aust. t. 41.
 Ceanothus discolor. Vent. malm. t. 58.

4	intermedia. DC. (st.)	intermediate.	N. S. W.	1818.	4. 6.	G. h.	
5	acuminata. L. en. (wh.)	loose-flowered.	N. Holland.	1816.	4. 7.	G. h.	
6	elliptica. DC. (ye.)	elliptic-leaved.	—	1805.	—	G. h.	Lab. nov. holl. 1. t. 86.
7	lanigera. (ye.)	ferruginous.	—	1806.	—	G. h.	Andr. rep. 569.
<i>Ceanothus laniger</i> . A. R.							
8	Simsii. (st.)	Sims's.	N. S. W.	1821.	—	G. h.	Bot. mag. 1823.
<i>lanigera</i> . Sims bot. mag. non Andr.							
9	viridifolia. Sieb. (st.)	brown green.	N. S. W.	—	—	G. h.	
10	ledifolia. F. T. (ye.)	Ledum-leaved.	—	1824.	—	G. h.	
11	andromedaefolia. F. T. (ye.)	Andromeda-ld	—	—	—	G. h.	
12	phyllarioides. DC. (ye.)	Phillyrea-leaved.	—	1803.	—	G. h.	
13	apetala. DC. (br.)	petalless.	N. Holland.	—	5. 6.	G. h.	Lab. nov. holl. 1. t. 87.
14	aspera. DC. (br.)	rough.	N. S. W.	1818.	6. 7.	G. h.	
15	ligustrina. DC. (wh.)	Privet-like.	—	1826.	—	G. h.	
16	phlyicifolia. DC. (wh.)	Phlyca-leaved.	N. Holland.	1810.	3. 5.	G. h.	Lodd. bot. cab. 120.
CRYPTA'NDRA. DC. CRYPTA'NDRA. Pentandria Monogynia. R. S.							
1	ericifolia. DC. (pa.)	Heath-leaved.	N. S. W.	1823.	5. 7.	G. h.	Linn. trans. 10 t. 18. f. 1.
2	amara. DC. (pa.)	bitter.	—	—	4. 6.	G. h.	— 10. t. 18. f. 2.
3	spinescens. DC. (pa.)	spiny.	—	1824.	—	G. h.	
VENTILAGO. DC. VENTILAGO. Pentandria Monogynia. R. S.							
<i>maderaspātana</i> . DC. (gr.) Madras. E. Indies. 1822. S. h. ∪. Roxb. corom. 1. t. 76.							
GOU'NIA. DC. GOU'NIA. Polygamia Monœcia. L.							
1	integrifolia. DC.	entire-leaved.	S. America?	1824.		S. h. ∪.	
2	domingensis. DC. (gr.)	Chaw-stick.	W. Indies.	1739.		S. h. ∪.	Jacq. amer. t. 179. f. 40.
3	cordifolia. DC. (ye.)	heart-leaved.	Brazil.	1822.		S. h. ∪.	
4	tomentosa. DC. (ye.)	woolly-leaved.	W. Indies.	1823.		S. h. ∪.	Gært. f. carp. 3. t. 183. f. 1
5	mauritiāna. DC. (br.)	rusty.	Mauritius.	—		S. h. ∪.	
6	tiliaefolia. DC. (gr.)	Lime-leaved.	Bourbon.	1810.	4. 6.	S. h. ∪.	
7	leptostachya. DC. (gr.)	slender-spiked.	E. Indies.	—	—	S. h. ∪.	Roxb. corom. 1. t. 98.
<i>tiliaefolia</i> . R. C. non Lam.							
8	Retinaria. DC. (gr.)	oval-leaved.	Mauritius.	1824.		S. h. ∪.	Gært. fruct. 2. t. 120. f. 4.
TRICHOCE'PHALUS. Bro. TRICHOCE'PHALUS. Pentandria Monogynia.							
1	stipularis. Bro. (wh.)	stipuled.	C. B. S.	1786.	5. 9.	G. h.	Wendl. coll. t. 32.
<i>Phyllica stipularis</i> . DC.							
2	spicata. Bro. (wh.)	spiked.	—	1774.	11. 12.	G. h.	Lam. ill. t. 127. f. 3.
<i>Phyllica spicata</i> . L. non B. M.							
PHY'LICA. Bro. PHY'LICA. Pentandria Monogynia. L.							
1	parviflora. R. S. (wh.)	small-flower'd.	C. B. S.	1790.	4. 7.	G. h.	
2	ericoides. R. S. (wh.)	Heath-leaved.	—	—	9. 4.	G. h.	Bot. mag. 224.
3	glabrata. R. S. (wh.)	smooth-leaved.	—	1820.	3. 5.	G. h.	
4	acerosa. R. S. (wh.)	needle-leaved.	—	1819.	4. 7.	G. h.	Spr. ber. mag. 8. t. 8 f. 2.
5	lanceolata. R. S. (wh.)	spear-leaved.	—	1790.	4. 5.	G. h.	
6	eriphora. R. S. (wh.)	pale-flowered.	—	1774.	11. 3.	G. h.	
7	callosa. R. S. (wh.)	callous-leaved.	—	—	3. 4.	G. h.	
8	imbérbis. R. S. (wh.)	beardless.	—	1823.	5. 9.	G. h.	Breyn. cent. 18. t. 7.
9	secunda. R. S. (wh.)	secund.	—	1812.	—	G. h.	
10	? australis. L. en. (wh.)	southern.	—	—	3. 5.	G. h.	
11	pumila. DC. (wh.)	dwarf.	—	1820.	4. 6.	G. h.	
12	bicolor. R. S. (wh.)	two-coloured.	—	1823.	4. 5.	G. h.	
13	spicata. B. M. (wh.)	close-spiked.	—	—	8. 12.	G. h.	Bot. mag. 2704.
14	hirsuta. R. S. (wh.)	hairy.	—	1820.	5. 9.	G. h.	
15	pinæa. R. S. (wh.)	Pine-like.	—	1824.	—	G. h.	
16	villosa. R. S. (wh.)	villous.	—	1790.	—	G. h.	
17	papillosa. R. S. (wh.)	papillose.	—	1820.	3. 5.	G. h.	
18	rosmarinifolia. R. S. (w.)	Rosemary-ld.	—	1815.	5. 8.	G. h.	Lodd. bot. cab. 849.
19	cylindrica. R. S. (wh.)	cylindrical.	—	—	4. 8.	G. h.	Wendl. coll. 1. t. 7.
20	excelsa. R. S. (wh.)	tall.	—	1820.	3. 5.	G. h.	— 3. t. 4.
21	horizontalis. DC. (wh.)	spreading.	—	1800.	6. 8.	G. h.	Spr. ber. mag. 8. f. 7.
<i>plumosa</i> . Spr. non L.							
22	squarrosa. DC. (wh.)	squarrose.	—	1820.	3. 5.	G. h.	Lodd. bot. cab. 36.
23	Commelini. R. S. (wh.)	Commelin's.	—	1800.	5. 8.	G. h.	Comm. præl. 63. t. 13.
24	plumosa. R. S. (wh.)	feathered.	—	1752.	3. 5.	G. h.	Lam. ill. t. 127. f. 4.
25	capitata. R. S. (wh.)	headed.	—	1774.	—	G. h.	Bot. reg. 711.
26	reclinata. R. S. (wh.)	reclined.	—	1820.	—	G. h.	Wendl. coll. 2. t. 56.
27	pedicellata. DC. (wh.)	pedicled.	—	—	—	G. h.	
28	atrata. R. S. (wh.)	dark-haired.	—	—	3. 5.	G. h.	
SOULA'NGIA. Bro. SOULA'NGIA. Pentandria Monogynia.							
1	axillaris. Bro. (wh.)	axillary-flower'd.	C. B. S.	1812.	5. 6.	G. h.	Spr. ber. mag. 8. t. 8. f. 4.
2	thymifolia. Bro. (wh.)	Thyme-leaved.	Antarctic.	1824.	—	S. h.	Vent. malm. t. 57.

3	oleæfölia. Bro. (wh.) Olive-leaved.	C. B. S.		1. 4.	G. h.	Lodd. bot. cab. t. 323.
	<i>Phytica spicata</i> . Lod. bot. cab. <i>nec aliorum</i> .	-----				
4	paniculata. Bro. (wh.) panicled.	-----	1812.	4. 6.	G. h.	
	<i>Phytica paniculata</i> . DC. <i>myrtifolia</i> . Poir.	-----				
5	buxifölia. Bro. (wh.) Box-leaved.	-----	1759.	5. 9.	G. h.	Lodd. bot. cab. 848.
	<i>Phytica buxifolia</i> . Wend. coll. 1. t. 26.	-----				
6	cordata. Bro. (wh.) heart-leaved.	-----	1789.	5. 6.	G. h.	Comm. præl. 62. t. 12.
7	orientalis. (wh.) oriental.	-----	1820.	-----	G. h.	Herb. amat. t. 283.
	<i>Phytica orientalis</i> . Herb. amat. t. 283.	-----				

† Genera ad Rhamneas accedentia.

SCHÆFF'ERIA. DC.	SCHÆFF'ERIA. Diœcia Tetrandria.				
frutescens. DC. (wh.)	white-flowered. W. Indies.	1793.		S. h.	Swartz. fl. ind. 1. t. 7. f. A.
β buxifolia. DC. (wh.)	Box-leaved.	-----		S. h.	Sloan. hist. 2. t. 209. f. 1.
OLINIA. DC.	OLINIA. Pentandria Monogynia.				
cymosa. DC. (wh.)	sweet-scented. C. B. S.	1812.	4. 6.	G. h.	
<i>Sideroxylum cymosum</i> . L.					

ORDO LXII.

BRUNIACEÆ. DC. prodr. 2. p. 43.

BERZ'ELIA. Bro.		BERZ'ELIA. Pentandria Monogynia.					
1	abrotanoides. Bro. (w.)	Southernwood-like.	C. B. S.	1787.	5. 7.	G. h.	Wendl. coll. t. 45.
	<i>Brunia abrotanoides</i> . Lodd. bot. cab. 355.						
2	lanuginosa. Bro. (wh.)	woolly.	————	1774.	6. 8.	G. h.	Wendl. coll. 1. t. 11.
	<i>Brunia lanuginosa</i> . DC.						
BR'UNIA. R.S.		BR'UNIA. Pentandria Monogynia. L.					
1	lævis. R.S.	(wh.) smooth.	C. B. S.	1823.	5. 7.	G. h.	
2	nodiflora. R.S.	(wh.) imbricated.	————	1786.	7. 8.	G. h.	Breyn. cent. 22. t. 10.
3	deusta. R.S.	(wh.) black-tipped.	————	1804.	6. 8.	G. h.	
4	comosa. R.S.	(wh.) tufted.	————	1823.	—	G. h.	
5	verticillata. R.S.	(wh.) whorled.	————	1794.	—	G. h.	
6	virgata. Bro.	(wh.) twiggy.	————		—	G. h.	
7	squarrosa. R.S.	(wh.) squarrose.	————	1818.	—	G. h.	
8	alopecuroides. R.S. (w.)	Fox-tail.	————	1816.	5. 7.	G. h.	
9	laxa. R.S.	(wh.) loose-branched.	————	—	—	G. h.	
10	plumosa. R.S.	(wh.) feathered.	————	1822.	—	G. h.	
11	superba. R.S.	(wh.) superb.	————	1791.	—	G. h.	
12	fragarioides. R.S. (wh.)	Strawberry-like.	————	1794.	5. 7.	G. h.	
13	ciliata. R.S.	(wh.) fringed.	————	1812.	—	G. h.	
14	ericoides. R.S.	(wh.) Heath-leaved.	————	—	—	G. h.	Wendl. coll. II. t. 57.
15	arachnoidea. R.S. (wh.)	cobweb.	————	1810.	—	G. h.	t. 62.
16	formosa. R.S.	(wh.) handsome.	————	1812.	—	G. h.	
17	macrocéphala. s.s. (w.)	large-headed.	————	—	—	G. h.	
18	racemosa. Bro. (wh.)	clustered.	————	1790.	5. 9.	G. h.	
	<i>Phytica racemosa</i> . L.						
19	pinifolia. Bro. (wh.)	Pine-leaved.	————	1789.	5. 6.	G. h.	Brong. brun. t. 1. f. 2.
	<i>Phytica pinifolia</i> . L.						
20	imbricata. (wh.)	imbricated.	————	1801.	8. 11.	G. h.	
	<i>Phytica imbricata</i> . Th.						
RASP'ALIA. Bro.		RASP'ALIA. Pentandria Digynia.					
	microphylla. Bro. (w.)	small-leaved.	C. B. S.	1804.	6. 8.	G. h.	Brong. brun. t. 3. f. 1.
	<i>Brunia microphylla</i> . Th.						
STA'AVIA. DC.		STA'AVIA. Pentandria Monogynia.					
1	radiata. DC.	(wh.) rayed.	C. B. S.	1787.	5. 6.	G. h.	Brong. brun. t. 2. f. 2.
2	glutinosa. DC.	(wh.) clammy.	————	1793.	4. 5.	G. h.	Lodd. bot. cab. 852.

3	nûda. Bro.	(wh.) naked.	C. B. S.	1821.	4. 5.	G. h.	
4	ciliâta. Bro.	(wh.) fringed.		1812.	5. 7.	G. h.	
NEB'ELIA. Neck. NEB'ELIA. Pentandria Digynia.							
1	paleacea.	(wh.) chaffy.	C. B. S.	1791.	6. 8.	G. h.	Wendl. coll. t. 21.
	Berârdia. Bro. non p.s.	Brûnia paleacea. R.S.					
2	affinis.	(wh.) related.	C. B. S.	1816.	—	G. h.	
	Berârdia affinis. Bro.						
3	phylicoides.	(wh.) Phyllica-leaved.	—	1822.	—	G. h.	
	Berârdia phyllicoides. Bro.	Brûnia phyllicoides. Th.					
LIN'CONIA. L. LIN'CONIA. Pentandria Digynia.							
1	alopeuroidea. L. (wh.)	Fox-tail.	C. B. S.	1824.	6. 8.	G. h.	Swa. in. ber. m. 1810. t. 4.
2	thymifolia. DC.	(wh.) Thyme-leaved.	—	1825.	—	G. h.	— p. 86. t. 4.
3	cuspidata. DC.	(wh.) cuspidate.	—	—	—	G. h.	— 1811. p. 284. t. 7. f. 1.
AUDOU'NIA. Bro. AUDOU'NIA. Pentandria Monogynia.							
	capitata. Pro.	(wh.) headed.	C. B. S.	1790.	4. 6.	G. h.	
	Diosma capitata. DC.						
TITTMA'NNIA. Bro. TITTMA'NNIA. Pentandria Monogynia.							
	lateriflora. Bro.	(wh.) side-flowering.	C. B. S.	1812.	4. 6.	G. h.	Brong. brun. t. 4. f. 2.
THA'MNEA. Bro. THA'MNEA. Pentandria Monogynia.							
	uniflora. Bro.	(wh.) one-flowered.	C. B. S.	1810.	4. 6.	G. h.	Brong. brun. t. 4. f. 3.

ORDO LXIII.

SAMYDEÆ. DC. prodr. 2. p. 47.

SAMYDA. DC. SAM'YDA. Decandria Monogynia. S.S.							
1	glabrata. DC.	(wh.) smooth.	Jamaica.	1818.	5. 8.	S. h.	
2	villôsa. DC.	(wh.) villous.	—	—	—	S. h.	
3	decurrens. s.s.	(wh.) decurrent.	Brazil.	1822.	—	S. h.	
4	pubescens. s.s.	(wh.) pubescent.	W. Indies.	1793.	—	S. h.	
5	serrulata. DC.	(wh.) saw-leaved.	—	1723.	7. 8.	S. h.	Jacq. col. 2. t. 17. f. 1.
6	spinulosa. DC.	(wh.) spiny.	St. Thomas.	1826.		S. h.	Vent. choix. t. 43.
7	macrocarpa. DC.	(wh.) large-fruited.	Mexico.	—		S. h.	
8	rosea. B.M.	(ro.) rose-coloured.	W. Indies.	1793.	6. 7.	S. h.	Bot. mag. 550.
	serrulata. A.R. 202. nec aliorum.						
9	nitida. DC.	(wh.) glossy-leaved.	Jamaica.	—	—	S. h.	Br. jam. 217. t. 23. f. 3.
10	macrophylla. DC.	(gr.) large-leaved.	E. Indies.	1823.		S. h.	
CASE'ARIA. DC. CASE'ARIA. Decandria Monogynia. S.S.							
1	glomerata. DC.	(wh.) cluster-flower'd.	E. Indies.	1824.	5. 7.	S. h.	
2	ovata. DC.	(gr.) oval-leaved.	—	—	—	S. h.	Rheed. mal. 4. t. 49.
3	ramiflora. DC.	(wh.) branch-flower'd.	Guiana.	—	—	S. h.	Aubl. guian. 1. t. 127.
4	nitida. DC.	(wh.) shining.	Carthagera.	—	—	S. h.	Act. helv. 8. p. 58. ic.
5	sylvestris. DC.	(wh.) wood.	Jamaica.	1823.		S. h.	
6	parviflora. DC.	(wh.) small-flowered	W. Indies.	1818.	5. 7.	S. h.	Sloan. hist. 2. t. 211. f. 2.
7	serrulata. DC.	(wh.) serrulate.	—	—	—	S. h.	
8	glabra. H.B.	(wh.) smooth.	E. Indies.	1820.	—	S. h.	
9	hirsuta. DC.	(wh.) hairy.	W. Indies.	—		S. h.	
10	zizyphoides. K.S.	(wh.) Zizyphus-like.	Caracas.	1824.		S. h.	
11	arguta. K.S.	 sharp-toothed.	Mexico.	—		S. h.	

ORDO LXIV.

HOMALINEÆ. DC. prodr. 2. p. 53.

HOM'ALUM. DC. HOM'ALUM. Polyadelphia Polyandria.							
	racemosum. DC.	(wh.) racemed.	W. Indies.	1818.	5. 7.	S. h.	Bot. reg. 519.
BLACKWE'LLIA. DC. BLACKWE'LLIA. Dodecandria Pentagynia.							
1	paniculata. DC.	(wh.) panicled.	Bourbon.	1818.	5. 7.	S. h.	

2 glauca. DC.	(wh.) glaucous.	Mauritius.	1823.		S. h.	Vent. choix. t. 55.
3 nepalensis. DC.	(wh.) Nepaul.	Nepaul.	1824.		S. h.	
4 axillaris. DC.	(wh.) axillary-flower'd.	Madagascar.	1823.		S. h.	Lam. ill. t. 412. f. 1.
5 spiralis. DC.	(wh.) spiral.	Pegu.	1820.		S. h.	
6 fagifolia.	(wh.) Beech-leaved.	China.	1824.	5.	G. h.	
ASTRANTHUS. DC. STAR-FLOWER. Heptandria Tetragynia.						
cochinchinensis. (wh.) Chinese.		China.	1821.	6. 7.	S. h.	Bot. mag. 2659.
ARISTOTELIA. DC. ARISTOTELIA. Dodecandria Monogynia. L.						
Miqui. DC. (wh.) shining-leaved.		Chile.	1773.	4. 5.	H. h.	Wats. dend. brit. t. 44.

ORDO LXV.

CHAILLETIACEÆ. DC. *prodr.* 2. p. 57.

CHAILLETIA. DC.	CHAILLETIA.	Pentandria Di-Trigynia.				
1 toxicaria. D.D.	(wh.) poisonous.	Sierra Leone.	1822.		S. h.	
2 erecta. D.D.	(wh.) upright.				S. h.	

ORDO LXVI.

AQUILARINEÆ. DC. *prodr.* 2. p. 59.

AQUILARIA. DC.	AQUILARIA.	Decandria Monogynia.				
Agallocha. H.B.		Aloe-wood.	E. Indies.	1824.		S. h.

ORDO LXVII.

CASSUVIÆ. R. *Brown cong.* p. 12.

ANACARDIUM. DC.	CASHEW-NUT.	Enneandria Monogynia.	L.			
1 occidentale. DC. (y.gr.)	common.	India.	1599.		S. h.	Catesb. car. 3. t. 9.
	<i>Cassuvium pomiferum.</i>	Lam. ill. 3. t. 322.				
2 dubium. H.B.	(gr.) doubtful.	E. Indies.	1824.		S. h.	
SEMECARPUS. DC.	SEMECARPUS.	Pentandria Trigynia.	L.			
	Anacardium. DC. (y.gr.)	common.	E. Indies.	1820.		S. h.
	α angustifolium. DC. (y.gr.)	long-leaved.			S. h.	Rumph. amb. 1. t. 70.
	β cuneifolium. DC. (y.gr.)	wedge-leaved.			S. h.	
	γ obtusiusculum. DC. (y.gr.)	broad-leaved.			S. h.	Roxb. corom. 1. t. 12.
MANGIFERA. DC.	MANGO-TREE.	Pentandria Monogynia.				
1 indica. DC.	(ye.) common.	E. Indies.	1690.	6. 9.	S. h.	Andr. rep. 425.
2 oppositifolia. F.L.	(ye.) opposite-leaved.		1823.		S. h.	
BUCHANANIA. R.C.	BUCHANANIA.	Decandria Monogynia.				
1 latifolia. DC.	(wh.) broad-leaved.	E. Indies.	1820.		S. h.	
2 angustifolia. DC.	(wh.) narrow-leaved.				S. h.	Roxb. corom. 3. t. 262.
	<i>Mangifera axillaris.</i>	Lam. Cambessède. K.S.				
RHUS. R.S.	SUMACH.	Pentandria Trigynia.	L.			
1 Coriaria. R.S.	(gr.) Elm-leaved.	S. Europe.	1596.	7.	H. h.	Flor. græc. t. 290.
2 typhina. R.S.	(pu.) Virginian.	N. America.	1629.	7. 8.	H. h.	Wats. dend. t. 17. mas.
	α arborescens. R.S. (pu.)	arborescent.			H. h.	t. 18. fem.
	β frutescens. R.S. (pu.)	frutescent.			H. h.	

3	javanica. R.S.	(wh.)	Java.	Java.	1799.	7. 9.	S. h.	
4	semialata. R.S.	(wh.)	Service-leaved.	Macao.	1780.	—	G. h.	Murr. com. got. vi. t. 3.
5	viridiflora. R.S.	(gr.)	green-flowered.	N. America.		7.	H. h.	
6	glabra. R.S.	(gr.)	smooth.	—	1726.	7. 9.	H. h.	Wats. dend. t. 15.
	<i>a hermaphrodita.</i> DC.	(gr.)	hermaphrodite.	—	—	—	H. h.	Dill. elt. t. 243.
	<i>β dioica.</i> DC.	(gr.)	dioecious.	—	—	—	H. h.	Lam. ill. t. 207. f. 1.
7	elegans. R.S.	(sc.)	scarlet-flowered.	—	—	—	H. h.	Wats. dend. t. 16.
8	Vernix. R.S.	(gr.)	varnish.	—	1713.	—	H. h.	— t. 19.
9	vernificera. DC.	(gr.)	Chinese varnish.	China.		—	G. h.	Kämp. amœn. t. 792.
	<i>Rhus Vernix.</i> Th. non Ph.							
10	A'mela. D.P.	(gr.)	large-leaved.	Nepaul.	1823.		G. h.	
11	Wallichii.	(gr.)	Wallich's.	—	—		G. h.	
	<i>juglandifolia.</i> D.P. non Kth.							
12	fraxinifolia. D.P.	(gr.)	Ash-leaved.	—	—	—	G. h.	
13	acuminata. DC.	(gr.)	pointed-leaved.	—	—		G. h.	
14	succedanea. R.S.	(gr.)	red Lac.	China.	1768.	6.	G. h.	Kämp. amœn. t. 795.
15	juglandifolia. K.S.	(gr.)	Walnut-leaved.	S. America.	1826.		G. h.	H. et B. n. ge. a. 7. t. 603-4.
16	copallina. R.S.	(gr.)	Lentiscus-lea'd.	N. America.	1688.	8. 9.	H. h.	Jacq. schœn. 3. t. 341.
17	alata. R.S.	(gr.)	winged-leaved.	C. B. S.	1818.		G. h.	
18	pauciflora. R.S.	(gr.)	few-flowered.	—	—		G. h.	
19	pumila. R.S.	(gr.)	dwarf poisonous.	N. America.	1806.	7.	H. h.	
20	digitata. R.S.	(gr.)	fingered.	C. B. S.	1818.		G. h.	
21	obliqua. R.S.	(gr.)	oblique-leaved.	—	—		G. h.	
22	schinoides. R.S.	(gr.)	Schinus-like.	Brazil.	1825.		S. h.	
23	pentaphylla. R.S.	(ye.)	various-leaved.	Barbary.	1816.		G. h.	Desf. atl. 1. t. 77.
24	chinensis. Mill.	(gr.)	Chinese.	China.	1740.		G. h.	
25	radicans. DC.	(wh.)	rooting poison-oak.	N. America.	1724.	6. 7.	H. h.	Bot. mag. 1806.
26	Toxicodendron. DC.	(w.)	poison-oak.	—	1640.	—	H. h.	Schkuhr. hand. 1. t. 82.
27	cirrhiiflora. R.S.	(gr.)	tendrill-flower'd.	C. B. S.	1825.		G. h.	
28	Thunbergiana. R.S.	(gr.)	Thunberg's.	—	1697.	7. 8.	G. h.	
29	glauca. R.S.	(gr.)	glaucous.	—	1818.	—	G. h.	
30	tridentata. R.S.	(gr.)	three-toothed.	—	—		G. h.	
31	crenata. R.S.	(gr.)	crenated.	—	—	6. 7.	G. h.	
32	dentata. R.S.	(gr.)	rough-stalked.	—	1798.	—	G. h.	
33	sinuata. R.S.	(gr.)	sinuated.	—	1818.	—	G. h.	
34	cuneifolia. R.S.	(gr.)	wedge-leaved.	—	1816.	—	G. h.	
35	dimidiata. R.S.	(gr.)	variable-leaved.	—	—	—	G. h.	
36	dissecta. R.S.	(gr.)	dissected-leaved.	—	—	—	G. h.	
37	incisa. R.S.	(gr.)	cut-leaved.	—	1789.	—	G. h.	
38	tomentosa. R.S.	(gr.)	woolly-leaved.	—	1691.	—	G. h.	Comm. hort. ams. 1. t. 92.
39	albida. R.S.	(gr.)	white-barked.	Barbary.	1824.		F. h.	
40	villosa. R.S.	(gr.)	villous-leaved.	C. B. S.	1714.	7.	G. h.	Pluk. alm. t. 219. f. 8.
41	spicata. R.S.	(gr.)	spiked.	—	1816.	—	G. h.	
42	pubescens. R.S.	(gr.)	pubescent.	—	—	—	G. h.	
43	atomaria. DC.	(gr.)	velvety.	—	1820.	6. 8.	G. h.	Jacq. schœnb. 3. t. 343.
44	parviflora. DC.	(gr.)	small-flowered.	Nepaul.	1824.		G. h.	
45	mucronata. R.S.	(gr.)	mucronate.	C. B. S.	1825.		G. h.	
46	viminialis. R.S.	(gr.)	Willow-leaved.	—	1774.	6. 7.	G. h.	Jacq. schœn. 3. t. 344.
47	erosa. R.S.	(gr.)	erose-leaved.	—	1816.	—	G. h.	
48	lancea. R.S.	(gr.)	lance-leaved.	—	—	—	G. h.	
49	angustifolia. R.S.	(wh.)	narrow-leaved.	—	1714.	—	G. h.	Pluk. alm. t. 219. f. 6.
50	rosmarinifolia. R.S.	(gr.)	Rosemary-leaved.	—	1800.	—	G. h.	Burm. afr. t. 91. f. 1.
51	undulata. R.S.	(gr.)	wave-leaved.	—	1818.	—	G. h.	Jacq. schœn. 3. t. 346.
52	lævigata. R.S.	(gr.)	polished-leaved.	—	1758.	—	G. h.	— 3. t. 345.
	<i>elongata.</i> Jacq.							
53	elliptica. R.S.	(gr.)	elliptic-leaved.	—	1816.	—	G. h.	
54	pendulina. R.S.	(gr.)	pendulous.	—	—	—	G. h.	
55	lucida. DC.	(gr.)	shining-leaved.	—	1697.	7. 8.	G. h.	Comm. hort. 1. t. 93.
56	Cavanillèsii. DC.	(wh.)	Cavanilles'.	Mexico.		—	G. h.	Cavan. ic. 2. t. 132.
	<i>lucidum.</i> C. I. non DC.							
57	Burmāni. DC.	(gr.)	Burman's.	C. B. S.	1697.	7. 8.	G. h.	Burm. afr. t. 91. f. 2.
	<i>lucidum.</i> a. H. K.							
58	concinna. B.T.	(gr.)	pretty.	—	1816.	—	G. h.	
59	nervosa. R.S.	(gr.)	nerved-leaved.	—		—	G. h.	
60	pyroides. B.T.	(gr.)	Pyrus-like.	—	1816.	—	G. h.	
61	rigida. DC.	(gr.)	rigid.	—		—	G. h.	
62	tridactylis. B.T.	(gr.)	three-fingered.	—	1816.		G. h.	
63	serræfolia. B.T.	(gr.)	saw-leaved.	—	—	—	G. h.	
64	dioica. DC.	(ye.)	dioecious.	Mogador	1823.	—	F. h.	
	<i>oxyacanthoides.</i> P. S.							

65 oxyacantha. DC.	(ye.) Hawthorn-like.	Magador.	1823.		F. h.	
66 lobata. DC.	(gr.) lobed-leaved.	Teneriffe.	1824.		F. h.	
67 heterophylla. DC.	(gr.) various-leaved.		1816.	6. 8.	F. h.	
68 zizyphina. R.S.	(gr.) Zizyphus-like.	Sicily.	—		G. h.	
69 Cotinus. R.S.	(gr.) Venice.	S. Europe.	1656.	6. 7.	H. h.	Jacq. aust. 3. t. 210.
LOB'ADIUM. Raf.	LOB'ADIUM.	Pentandria Trigynia.				
1 aromaticum. (gr.) aromatic.		N. America.	1772.	5.	H. h.	Turp. ann. mus. 5. t. 30.
Rhus aromatica. R.S.	Schmaltzia aromatica. Desv.					
2 suaveolens. (gr.) sweet.		N. America.	1759.	—	H. h.	
Schmaltzia suaveolens. Desv.	Rhus suaveolens. R.S.					

ORDO LXVIII.

TEREBINTHACEÆ. Brown.

PISTACIA. DC.	PISTACHIA-TREE.	Diœcia Pentandria. L.				
1 vera. DC.	(st.) true.	Levant.	1570.	4. 5	H. h.	Duham. ed. nov. 4. t. 17.
Mas. P. trifolia. W.	(st.) male-flowered.	—	—	—	H. h.	Bocc. mus. t. 93.
Fem. P. vera. W.	(gr.) female.	—	—	—	H. h.	Rauw. jt. 72. t. 9.
2 reticulata. W.	(st.) netted-leaved.	—	1752.	—	H. h.	
3 Terebinthus. DC.	(st.) turpentine-tree.	S. Europe.	1656.	6. 7.	H. h.	Duham. arb. v. 2. t. 87.
β sphaerocarpa. DC.	(st.) round-fruited.	Levant.	—	—	H. h.	J. Bauh. hist. 1. p. 278. ic.
4 atlantica. DC.	(st.) Atlantic.	Barbary.	1790.		G. h.	
5 mexicana. DC.	(st.) Mexican.	Mexico.	1825.		G. h.	H. et B. n. ge. am. 7. t. 608.
6 fagaroides. DC.	(st.) Fagara-like.		—		G. h.	
7 Lentiscus. DC.	(st.) Mastick-tree.	S. Europe.	1664.	5. 6.	H. h.	Bot. mag. 1967.
β massiliensis. Mill.	(st.) narrow-leaved.	—	—	—	H. h.	
ASTRONIUM. DC.	ASTRONIUM.	Diœcia Pentandria.				
graveolens. DC.	(re.) strong-scented.	S. America.	1826.		S. h.	Jacq. amer. t. 181. f. 96.
COMOCLO'DIA. DC.	MAIDEN-PLUM.	Triandria Monogynia. L.				
1 ilicifolia. DC.	(pu.) Holly-leaved.	Caribees.	1789.	7. 9.	S. h.	Lam. ill. t. 27. f. 2.
2 dentata. DC.	(pu.) tooth-leaved.	W. Indies.	1790.	—	S. h.	Jacq. amer. t. 173. f. 4.
3 propinqua. DC.	(pu.) related.	Cuba.	1826.	—	S. h.	
4 integrifolia. DC.	(pu.) entire-leaved.	Jamaica.	1778.	—	S. h.	Sloan. his. 2. t. 222. f. 1.
PICRAMNIA. DC.	PICRAMNIA.	Diœcia Pentandria. L.				
1 Antididima. DC.	(st.) Ash-leaved.	Jamaica.	1793.	6. 8.	S. h.	Sloan. his. 2. t. 208. f. 2.
2 pentandra. DC.	(st.) pentandrous.	W. Indies.	1822.	—	S. h.	
SCHINUS. DC.	SCHINUS.	Diœcia Decandria. L.				
1 Môle. DC.	(wh.) Mastick-tree.	Peru.	1597.	7. 8.	G. h.	Mill. ic. 2. t. 246.
2 terebinthifolius. DC.	(w.) Terebinthus-ld.	Brazil.	1822.		S. h.	
DUVA'UA. DC.	DUVA'UA.	Monœcia Octandria.				
1 dependens. DC.	(wh.) simple-leaved.	Chile.	1790.	6. 7.	H. h.	Cavan. ic. 3. t. 239.
Am'yris polygama. S.S.	Schinus dependens. H.K.					
2 dentata. DC.	(wh.) tooth-leaved.	Owhyhee.	1795.	5. 7.	G. h.	Andr. rep. 620.
Schinus dentata. A.R.						
MA'URIA. K.S.	MA'URIA.	Octo-Decandria Monogynia.				
1 simplicifolia. K.S.	(bh.) simple-leaved.	Peru.	1822.		G. h.	H. et B. n. gen. a. 7. t. 605.
2 heterophylla. K.S.	(bh.) various-leaved.	—	—		G. h.	— 7. t. 606.

ORDO LXIX.

AMYRIDEÆ. Kth. gen. tereb. p. 21.

AM'YRIS. W.	AM'YRIS.	Octandria Monogynia. L.				
1 n. ritima. DC.	(wh.) sea-side.	Jamaica.	1824.	6. 7.	S. h.	
2 florida. DC.	(wh.) Florida.	Florida.	1826.	—	G. h.	
3 brasiliensis. S.S.	(wh.) Brazilian.	Brazil.	1822.	—	S. h.	

4 sylvática. DC.	(wh.) wood.	Carthagera. 1793.	6. 7.	S. h.	Jacq. amer. pict. t. 188.
5 Plumieri. DC.	(wh.) Plumier's.	Antilles.	—	S. h.	Plum. ed. Burm. t. 100.
6 toxifera. DC.	(wh.) poisonous.	W. Indies. 1800.	—	S. h.	Catesb. car. 1. t. 40.
<i>balsamifera. L.</i>					
7 pinnata. DC.	(wh.) pinnate.	S. America. 1824.	—	S. h.	H. et B. n.gen. 7. t. 610.
8 Agallocha. H. B.	(wh.) hill.	E. Indies. 1820.		S. h.	
9 acuminata. H. B.	(wh.) acuminate.	— 1822.		S. h.	
10 heptaphylla. H. B.	(wh.) seven-leaved.	—		S. h.	
11 nana. H. B.	(wh.) dwarf.	— 1824.		S. h.	
12 punctata. H. B.	(wh.) dotted.	— 1818.		S. h.	

ORDO LXX.

SPONDIACEÆ. *Kth. gen. tereb. p. 30.*

SPO'NDIAS. DC.	HOG-PLUM. Decandria Pentagynia. L.				
1 Mombin. L.	(re.) purple-fruited.	W. Indies. 1817.	6. 8.	S. h.	Jacq. amer. t. 88.
<i>purpurea. DC. Myrobálanus. Jacq. non L.</i>					
2 Myrobálanus. L.	(wh.) yellow-fruited.	W. Indies. 1739.	—	S. h.	Sloan. hist. t. 219. f. 1. 2.
<i>lutea. DC. Mombin. Jacq. non L.</i>					
3 mangifera. DC.	Mango-bearing.	E. Indies. 1818.		S. h.	
<i>Mangifera pinnata. L.</i>					
4 dulcis. DC.	Otaheite-apple.	Society Isles. 1793.	6. 8.	S. h.	Sonn. it. 2. t. 123.
5 axillaris. H. B.	axillary.	Nepaul. 1824.		S. h.	
6 acuminata. H. B.	taper-pointed.	Malabar. —		S. h.	
POUPARTIA. DC.	POUPARTIA. Decandria Pentagynia.				
borbónica. DC. (pu.)	Bourbon.	Bourbon. 1824.		S. h.	

ORDO LXXI.

BURSERACEÆ. *Kth. gen. tereb. p. 14.*

BOSWELLIA. DC.	BOSWELLIA. Decandria Monogynia.				
1 glabra. DC.	(wh.) smooth.	Coromandel. 1824.		S. h.	Roxb. corom. 3. t. 207.
2 hirsuta. DC.	(wh.) hairy.	Amboyna. —		S. h.	Rumph. amb. 2. t. 51.
3 serrata. DC.	(wh.) Olibanum-tree.	E. Indies. 1816.		S. h.	Asiat. res. 9. p. 377. ic.
ELA'PHRIUM. K. S.	ELA'PHRIUM. Octandria Monogynia.				
1 glabrum. (st.)	smooth.	Carthagera. 1818.		S. h.	Jacq. amer. t. 71. f. 4.
<i>Fagara Elaphrium. W.</i>					
2 copalliferum. DC. (st.)	pubescent.	Mexico. 1824.		S. h.	Hern. mex. 45. f. 1.
BALSAMODENDRON. DC.	BALSAM-TREE. Octandria Monogynia.				
gileadense. DC. (gr.)	blunt-leaved.	Arabia. 1827.		S. h.	Vahl. symb. 1. t. 11.
BURSERIA. DC.	BURSERIA. Polygamia Dioecia. L.				
1 gummifera. DC. (wh.)	Jamaica Birch.	W. Indies. 1690.		S. h.	Jacq. amer. t. 65.
2 serrata. Rox.	(wh.) saw-leaved.	E. Indies. 1818.		S. h.	
3 simplicifolia. DC. (wh.)	simple-leaved.	Jamaica. 1824.		S. h.	
COLOPHONIA. DC.	COLOPHONIA. Hexandria Monogynia.				
mauritiana. DC. (pu.)	panicled.	Mauritius. 1826.		S. h.	
CANARIUM. DC.	CANARIUM. Dioecia Hexandria.				
1 commune. DC. (wh.)	common.	Moluccas. 1821.		S. h.	Rumph. amb. 2. t. 47.
2 microcarpum. DC. (w.)	small-fruited.	— 1826.		S. h.	— 2. t. 54.
3 Pimela. DC. (wh.)	Chinese.	China. 1823.		S. h.	Ann. bot. 1. t. 7. f. 2.
GARUGA. DC.	GARUGA. Decandria Monogynia.				
1 pinnata. DC. (ye.)	winged-leaved.	E. Indies. 1808.		S. h.	Roxb. cor. 3. t. 208.
2 madagascariensis. DC. (ye.)	Madagascar.	Madagascar. 1824.		S. h.	

ORDO LXXII.

PTELEACEÆ. *Kth. gen. tereb. p. 22.*

- PTELEA, DC. SHRUBBY TREFOIL. Tetrandria Monogynia. L.
 trifoliata, DC. (wh.) three-leaved. N. America. 1704. 6. 7. H. h. Schmidt arb. 2. t. 76.
 TODD'ALIA, DC. TODD'ALIA. Pentandria Monogynia. L.
 1 aculeata, DC. (wh.) prickly. E. Indies. 1790. 6. 8. S. h. Rheed. mal. 5. t. 41.
 asiatica, R.S. Scopolia aculeata, W.
 2 paniculata, DC. (wh.) panicked. Mauritius. 1824. S. h. Lam. ill. t. 139. f. 2.
 inermis, P.S. Scopolia paniculata, S.S.
 CNE'ORUM, DC. WIDOW-WAIL. Triandria Monogynia. L.
 1 tricoccum, DC. (ye.) smooth. S. Europe. 1793. 4. 9. F. h. Lam. ill. t. 27.
 2 pulverulentum, DC. (y.) powdered. Teneriffe. 1820. — F. h. Vent. cels. t. 77.
 SPATH'ELIA, DC. SPATH'ELIA. Pentandria Trigynia. L.
 simpléx, DC. (re.) Sumach-leaved. Jamaica. 1778. 4. 6. S. h. Bot. reg. 670.

ORDO LXXIII.

CONNARACEÆ. *R. Brown cong. p. 12.*

- CO'NNARUS, L. CO'NNARUS. Monadelphia Decandria.
 1 paniculatus, H.B. (wh.) panicked. Chittagong. 1824. S. h.
 2 nitidus, H.B. (wh.) glossy. Silhet. — S. h.
 ROU'REA, Aub. ROU'REA. Monadelphia Decandria.
 frutescens, Aub. (wh.) pubescent. Guiana. 1820. S. h. Aub. gui. 1. t. 187.
 OMPHAL'OBIIUM, DC. OMPHAL'OBIIUM. Monadelphia Decandria.
 1 indicum, DC. (wh.) Indian. E. Indies. S. h. Gært. fruct. 1. t. 46.
 2 africanum, DC. (wh.) African. Sierra Leon. 1822. S. h. Cav. dis. 7. t. 221.
 EURY'COMA, DC. EURY'COMA. Pentandria Monogynia.
 longifolia, DC. (pu.) long-leaved. E. Indies. 1826. S. h.
 CNE'STIS, DC. CNE'STIS. Decandria Monogynia.
 1 glabra, DC. (pu.) smooth. Mauritius. 1824. S. h. Lam. ill. t. 387. f. 1.
 2 polyphylla, DC. (pu.) many-leaved. Madagascar. — S. h. — t. 387. f. 2.
 3 monadelphæa, DC. monadelphous. E. Indies. 1826. S. h.
 BRUNE'LLIA, DC. BRUNE'LLIA. Dodecandria Monogynia.
 inermis, DC. various-leaved. Peru. 1823. S. h.
 BRUCEA, DC. BRUCEA. Diœcia Tetrandria.
 1 ferruginea, W. (st.) ferruginous. Abyssinia. 1775. 4. 5. S. h. Bruce's tr. 5. p. 69. ic.
 antidysentérica, DC.
 2 gracilis, DC. (st.) slender. E. Indies. S. h.
 3 sumatrana, DC. (pu.) Sumatra. Sumatra. 1822. 4. 6. S. h.
 TETRA'DIUM, DC. TETRA'DIUM. Tetrandria Monogynia.
 trichotomum, DC. trichotomous. China. 1822. S. h.
 Brucea trichotoma, S.S.
 AILA'NTHUS, DC. AILA'NTHUS. Polygamia Monœcia.
 1 glandulosa, DC. (st.) Chinese. China. 1751. 8. H. 5. Wats. dend. brit. t. 104.
 2 excelsa, DC. (st.) Indian. E. Indies. 1800. S. 5. Roxb. corom. 1. t. 23.

ORDO LXXIV.

LEGUMINOSÆ. DC. *prodr.* 2. p. 93.

Subordo I. PAPILIONACEÆ. DC. l. c. p. 94.

Tribus I. SOPHOREÆ. DC. l. c. p. 94.

- MYROSPERMUM. K.S. BALSAM-SEED. Decandria Monogynia.
frutescens. K.S. (*bh.*) shrubby. Caracas. 1824. S. $\frac{1}{2}$. H.et B.n.g. 6. t. 570-71.
- MYROXYLUM. K.S. BALSAM-WOOD. Decandria Monogynia.
 1 *pubescens*. K.S. (*wh.*) pubescent. Carthageria. 1820. S. $\frac{1}{2}$. Lamb. cinch. 92. t. 1.
 2 *peruiferum*. K.S. (*wh.*) Balsam of Peru. Peru. 1824. S. $\frac{1}{2}$. Lam. ill. t. 341. f. 1.
 3 *toluiferum*. K.S. (*wh.*) Balsam of Tolu. S. America. S. $\frac{1}{2}$. Woodv. m. bot. 3. t. 193.
- SOPHORA. DC. SOPHORA. Decandria Monogynia. L.
 1 *japonica*. DC. (*wh.*) Japanese. Japan. 1753. 8. 9. H. 5. Andr. reposit. 585.
 β pendula. L.C. (*wh.*) *pendulous*. H. 5.
 γ variegata. L.C. (*wh.*) *striped-leaved*. H. 5.
 2 *chinensis*. L.C. (*wh.*) Chinese. China. H. 5.
 3 *glauca*. DC. (*pu.*) glaucous. E. Indies. 1818. S. $\frac{1}{2}$.
 4 *tomentosa*. DC. (*ye.*) downy. 1690. S. $\frac{1}{2}$. Lam. ill. t. 325. f. 2.
 5 *occidentalis*. W. (*ye.*) West Indian. W. Indies. S. $\frac{1}{2}$. Trew. chr. t. 59.
 6 *crassifolia*. DC. (*ye.*) thick-leaved. Senegal. 1824. S. $\frac{1}{2}$.
 7 *secundiflora*. DC. (*bl.*) side-flowering. New Spain. 1818. G. $\frac{1}{2}$. Cavan. ic. 5. t. 401.
 Virgilia secundiflora. C.I. *Broussonetia secundiflora*. Ort. dec. 5. t. 7.
 8 *macrocarpa*. DC. (*ye.*) large-podded. Chile. 1822. 4. 5. F. $\frac{1}{2}$. Lodd. bot. cab. 1125.
 9 *littoralis*. DC. (*ye.*) sea-side. Brazil. 1824. S. $\frac{1}{2}$. Pluk. alm. t. 104. f. 3.
 10 *robusta*. H.B. robust. Silhet. 1820. S. $\frac{1}{2}$.
 11 *velutina*. B.R. velvety. Nepaul. 1824. 6. 7. G. $\frac{1}{2}$. Bot. reg. 1185.
 12 *flavescens*. DC. (*ye.*) pale-yellow. Siberia. 1785. 5. 7. H. $\frac{1}{2}$.
 PSEUDOSOPHORA. PSEUDOSOPHORA. Diadelphia Decandria.
 1 *alopeuroides*. DC. (*wh.*) Fox-tail. Levant. 1731. 7. 8. H. $\frac{1}{2}$. Dill. elth. f. 136.
 2 *sericea*. N. (*wh.*) silky. Missouri. 1811. 6. 7. H. $\frac{1}{2}$.
 Astragalus carndus. Ph.
- EDWARDSIA. DC. EDWARDSIA. Decandria Monogynia.
 1 *grandiflora*. DC. (*ye.*) large-flowered. N. Zealand. 1772. 3. 6. F. $\frac{1}{2}$. Bot. mag. 167.
 Sophora tetraptera. B.M.
 2 *chrysophylla*. DC. (*ye.*) golden-leaved. F. $\frac{1}{2}$. Bot. reg. 738.
 3 *microphylla*. DC. (*ye.*) small-leaved. 1772. F. $\frac{1}{2}$. Bot. mag. 1442.
 4 *minima*. L.C. (*ye.*) smallest. 1816. F. $\frac{1}{2}$.
- ORMOSIA. DC. ORMOSIA. Decandria Monogynia.
 1 *dasycarpa*. DC. (*pu.*) smooth-leaved. W. Indies. 1793. 6. 7. S. $\frac{1}{2}$. Linn. trans. 10. t. 26.
 Sophora monosperma. Swartz.
 2 *coccinea*. DC. (*pu.*) scarlet-seeded. Guiana. 1826. S. $\frac{1}{2}$. Linn. trans. 10. t. 25.
- VIRGILIA. DC. VIRGILIA. Decandria Monogynia.
 1 *capensis*. DC. (*bh.*) Cape. C. B. S. 1767. 7. 8. G. $\frac{1}{2}$. Bot. mag. 1590.
 2 *intrusa*. H.K. (*ye.*) small-flowered. 1790. 5. 8. G. $\frac{1}{2}$. t. 2617.
 Sophora sylvatica. Burchell.
- 3 *aura*. DC. (*ye.*) golden. Abyssinia. 1777. 7. G. $\frac{1}{2}$. L'Herit. st. nov. 1. t. 75.
 4 *lutea*. DC. (*ye.*) American. N. America. 1812. 6. 7. G. $\frac{1}{2}$. Mich. fil. arb. 3. t. 3.
- MACROTR'OPIS. DC. MACROTR'OPIS. Decandria Monogynia.
 1 *fœtida*. DC. (*wh.*) strong-scented. China. 1822. 4. 5. F. $\frac{1}{2}$.
 2 *inodora*. DC. (*wh.*) scentless. 1824. F. $\frac{1}{2}$.
- ANAGYRIS. DC. BEAN TREFOIL. Decandria Monogynia. L.
 1 *fœtida*. DC. (*ye.*) strong-scented. Spain. 1570. 4. 5. F. $\frac{1}{2}$. Lodd. bot. cab. t. 740.
 β glauca. DC. (*ye.*) *glaucous-leaved*. S. Europe. 1824. F. $\frac{1}{2}$.
 2 *latifolia*. DC. (*ye.*) broad-leaved. Teneriffe. 1815. F. $\frac{1}{2}$.
- PIPTANTHUS. B.F.G. PIPTANTHUS. Decandria Monogynia.
nepalensis. B.F.G. (*ye.*) Laburnum ld. Nepaul. 1819. 5. 6. H. $\frac{1}{2}$. Swt. br. fl. gar. 264.
 Thermopsis napaulensis. DC. *laburnifolia*. D.P. *Baptisia nepalensis*. Hook. ex. flor. 131.

- THERMO'PSIS. DC. THERMO'PSIS. Decandria Monogynia.**
 1 rhombifolia. DC. (ye.) rhomb-leaved. Louisiana. 1811. 6. 7. H. 4.
Cytisus rhombifolius. Ph.
 2 fabacea. DC. (ye.) Bean-leaved. Kamtschatka. 1824. — H. 4. Pall. astr. t. 90. f. 2.
 3 lanceolata. DC. (ye.) spear-leaved. Siberia. 1776. — H. 4. Bot. mag. 1389.
Sophora lupinoides. Pall. astr. t. 89. *Podalyria lupinoides*. B.M.
 4 corgonensis. DC. (ye.) alpine. Altay. 1824. — H. 4. Pall. astr. t. 90. f. 1.
Sophora alpina. Pall. *Podalyria alpina*. W. enum.
- BAPTISIA. DC. BAPTISIA. Decandria Monogynia.**
 1 perfoliata. DC. (ye.) perfoliate. Carolina. 1732. 8. F. 4. Lodd. bot. cab. 1104.
Crotalaria perfoliata. L. *Rafnia perfoliata*. W.
 2 exaltata. B.F.G. (bl.) tall upright. N. America. 1812. 6. 7. H. 4. Swt. br. fl. gar. 97.
 3 auriculata. (bl.) eared. — — — — — H. 4.
 4 australis. DC. (bl.) common. — — — — — 1758. — H. 4. Bot. mag. 509.
Sophora australis. B.M. *Podalyria australis*. Vent. cels. t. 56.
 5 confusa. (bl.) persistent-bract'd. N. America. 1812. — H. 4.
 6 villosa. DC. (st.) villous. — — — — — 1811. — H. 4.
 7 versicolor. B.C. (va.) various-colour'd. — — — — — 1824. 6. 8. H. 4. Lodd. bot. cab. 1144.
 8 alba. DC. (wh.) white-flowered. — — — — — 1724. 6. 7. H. 4. Bot. mag. 1177.
 9 tinctoria. DC. (ye.) dyer's. — — — — — 1759. 7. 8. H. 4. — — — — — t. 1099.
Sophora tinctoria. L. *Podalyria tinctoria*. B.M.
- CYCLOPIA. DC. CYCLOPIA. Decandria Monogynia.**
 1 genistoides. DC. (ye.) Genista like. C. B. S. 1787. 7. 8. G. 4. Bot. mag. 1259.
Ibbetsonia genistoides. B.M. *Gompholobium maculatum*. A.R. 427.
 2 galioides. DC. (ye.) Galium-like. C. B. S. 1818. 7. 8. G. 4. Pluk. alm. t. 413. f. 4.
 3 latifolia. DC. (ye.) broad-leaved. — — — — — G. 4.
- PODALYRIA. DC. PODALYRIA. Decandria Monogynia.**
 1 Burchellii. DC. (pu.) Burchell's. C. B. S. 1818. 5. 7. G. 4.
 2 hirsuta. DC. (pu.) hairy. — — — — — 1774. 7. 8. G. 4.
 3 cuneifolia. DC. (wh.) wedge-leaved. — — — — — 1804. 5. 8. G. 4. Vent. cels. t. 99.
 4 oleafolia. P.L. (pu.) Olive-leaved. — — — — — G. 4. Sal. par. lond. 114.
 5 sericea. DC. (pu.) silky. — — — — — 1778. 10. 1. G. 4. Bot. mag. 1923.
 6 myrtillifolia. DC. (pu.) Myrtle-leaved. — — — — — 1795. 4. 7. G. 4.
 7 buxifolia. DC. (pu.) Box-leaved. — — — — — 1790. 5. 10. G. 4. Bot. reg. 869.
 8 styracifolia. DC. (pu.) Storax-leaved. — — — — — 1792. 5. 7. G. 4. Bot. mag. 1580.
 9 calyptrata. W. (pu.) one-flowered. — — — — — 4. 5. G. 4.
 10 coruscans. Rch. (pu.) glittering. — — — — — 1822. — G. 4.
 11 glauca. DC. (pu.) glaucous-leaved. — — — — — G. 4. Lam. ill. t. 327. f. 4.
 12 argentea. DC. (li.) silvery-leaved. — — — — — 1780. 2. 6. G. 4. Sal. par. lond. t. 7.
biflora. Bot. mag. t. 753.
- 13 liparioides. DC. (li.) Liparia-like. — — — — — 1824. 4. 6. G. 4.
 14 subbiflora. DC. (pu.) netted-leaved. — — — — — G. 4.
 15 cordata. DC. (pu.) heart-leaved. — — — — — 1794. 5. 7. G. 4.
- CHORIZEMA. DC. CHORIZEMA. Decandria Monogynia.**
 1 ilicifolia. DC. (sc.) Holly-leaved. N. Holland. 1803. 3. 10. G. 4. Labill. voy. 1. t. 21.
 2 nana. DC. (sc.) dwarf prickly. — — — — — G. 4. Bot. mag. 1032.
 3 rhombea. DC. (sc.) various-leaved. — — — — — 4. 6. G. 4. Swt. flor. aust. t. 40.
 4 Henchmanni. B.R. (sc.) Henchmann's. — — — — — 1825. 5. 9. G. 4. Bot. reg. 986.
 5 platylobioides. DC. (ye.) Platylobium-like. — — — — — G. 4.
- PODOLABIUM. DC. PODOLABIUM. Decandria Monogynia.**
 1 trilobatum. DC. (ye.) three-lobed. N. S. W. 1791. 4. 7. G. 4. Bot. mag. 1477.
Chorozema trilobatum. L.T. *Pultenæa ilicifolia*. A.R. 320.
 2 staurophyllum. DC. (y.) spiny-leaved. N. S. W. 1821. 3. 5. G. 4. Bot. reg. 959.
 3 scandens. DC. (ye.) climbing. — — — — — 1825. 4. 6. G. 4.
- Chorozema scandens*. L.T.
- OXYLOBIUM. DC. OXYLOBIUM. Decandria Monogynia.**
 1 obtusifolium. S.F.A. (sc.) blunt-leaved. N. Holland. 1825. 4. 6. G. 4. Swt. flor. aust. t. 5.
 2 arborescens. DC. (ye.) arborescent. V. Diem. Isl. 1805. 5. 9. G. 4. Bot. reg. 392.
 3 retusum. B.R. (or.) retuse-leaved. N. Holland. 1822. 4. 6. G. 4. — — — — — t. 913.
 4 ellipticum. DC. (ye.) elliptic-leaved. V. Diem. Isl. 1805. 5. 9. G. 4. Lab. nov. hol. 1. t. 135.
 5 cordifolium. DC. (sc.) heart-leaved. N. S. W. 1807. 4. 9. G. 4. Andr. rep. 492.
 6 spinosum. DC. (ye.) spiny. N. Holland. 1823. 5. 8. G. 4.
 7 Pultenæa. DC. (ye.) wood. N. S. W. — — — — — 4. 6. G. 4.
- CALLISTACHYS. DC. CALLISTACHYS. Decandria Monogynia.**
 1 lanceolata. DC. (ye.) spear-leaved. N. Holland. 1815. 5. 8. G. 4. Bot. reg. 216.
 2 ovata. DC. (ye.) oval-leaved. — — — — — G. 4. Bot. mag. 1925.
- BRACHYSEMA. DC. BRACHYSEMA. Decandria Monogynia.**
 1 latifolium. DC. (sc.) broad-leaved. N. Holland. 1803. 4. 7. G. 4. Bot. reg. 118.
 2 undulatum. DC. (ye.) wave-leaved. — — — — — 1820. 2. 7. G. 4. — — — — — t. 642.

GOMPHOLOBIUM, DC. GOMPHOLOBIUM. Decandria Monogynia.

1	barbigerum. DC. (ye.)	bearded-flow'd. N. S. W.	1824.	5. 8.	G. ♀.	
2	grandiflorum. DC. (ye.)	large-flowered. ———	1803.	3. 9.	G. ♀.	Bot. reg. 484.
3	virgatum. DC. (ye.)	twiggy. ———	1824.	5. 8.	G. ♀.	
4	latifolium. DC. (ye.)	broad-leaved. ———	1803.	3. 9.	G. ♀.	Labill. nov. hol. t. 133.
	<i>fimbriatum</i> . Sm. ex. bot. t. 58.	<i>psoraleafolium</i> . Sal. par. lond. t. 6.				
5	glaucescens. F.T. (ye.)	glaucescent. N. S. W.	1821.	4. 6.	G. ♀.	
6	marginatum. DC. (ye.)	small-flower'd. N. Holland.	1803.	3. 9.	G. ♀.	
7	pedunculare. DC. (ye.)	long-stalk'd. N. S. W.	1825.	4. 7.	G. ♀.	
8	tetralhecodes. DC. (ye.)	Tetralheca-like. ———	———	———	G. ♀.	
9	polymorphum. DC. (sc.)	variable. N. Holland.	1803.	3. 8.	G. ♀.	Bot. mag. 1533.
10	tomentosum. DC. (ye.)	tomentose. ———	———	4. 7.	G. ♀.	Labill. nov. hol. 1. t. 134.
11	glabratum. DC. (ye.)	smooth. ———	1824.	———	G. ♀.	
12	venustum. DC. (pu.)	purple-flowered. ———	1803.	———	G. ♀.	
13	pinnatum. DC. (ye.)	wing-leaved. N. S. W.	1822.	5. 6.	G. ♂.	

BURTONIA, DC. BURTONIA. Decandria Monogynia.

1	scabra. DC. (pu.)	rough-leaved. N. Holland.	1803.	5. 7.	G. ♀.	
2	minor. DC. (ye.)	hairy-stalked. N. S. W.	1812.	3. 8.	G. ♀.	
3	sessilifolia. DC. (ye.)	sessile-leaved. ———	1825.	———	G. ♀.	

JACKSONIA, DC. JACKSONIA. Decandria Monogynia.

1	scoparia. DC. (ye.)	Broom-like. N. S. W.	1803.	6. 8.	G. ♀.	Lodd. bot. cab. 427.
2	spinosa. DC. (ye.)	spiny. N. Holland.	———	4. 9.	G. ♀.	Labill. nov. hol. 1. t. 136.
3	horrida. DC. (ye.)	horrid. ———	1825.	———	G. ♀.	
4	furcellata. DC. (ye.)	forked. N. S. W.	1822.	4. 6.	G. ♀.	Bonpl. nav. t. 11.
5	reticulata. DC. (ye.)	netted. ———	———	———	G. ♀.	

*Daviesia reticulata. L.T.***VIMINARIA, DC. VIMINARIA. Decandria Monogynia.**

	denudata. DC. (ye.)	half-naked. N. S. W.	1789.	6. 9.	G. ♀.	Bot. mag. 1190.
--	---------------------	----------------------	-------	-------	-------	-----------------

SPHÆROLOBIUM, DC. SPHÆROLOBIUM. Decandria Monogynia.

1	vimineum. DC. (ye.)	yellow-flower'd. N. S. W.	1802.	5. 8.	G. ♀.	Bot. mag. 969.
2	medium. DC. (re.)	red-flowered. N. Holland.	1803.	6. 8.	G. ♀.	

AOTUS, DC. AOTUS. Decandria Monogynia.

1	villosa. DC. (ye.)	villous. V. Diem. Isl.	1790.	4. 6.	G. ♀.	Bot. mag. 949.
2	virgata. DC. (ye.)	slender. N. Holland.	1820.	4. 8.	G. ♀.	

DILLWYNIA, DC. DILLWYNIA. Decandria Monogynia.

1	floribunda. DC. (ye.)	close-flowered. N. S. W.	1794.	4. 7.	G. ♀.	Sm. exot. bot. t. 26.
	<i>ericifolia</i> . Bot. mag. 1545.	<i>nec aliorum</i> . ———	———	———	———	
2	ericifolia. DC. (ye.)	Heath-leaved. ———	———	3. 7.	G. ♀.	——— t. 25.
3	juniperina. B.C. (ye.)	Juniper-leaved. ———	1818.	6. 7.	G. ♀.	Lodd. bot. cab. 401.
4	glaberrima. DC. (ye.)	smooth. ———	1800.	3. 7.	G. ♀.	Bot. mag. 944.
5	parvifolia. DC. (ye.)	small-leaved. ———	———	———	G. ♀.	——— t. 1527.
6	acicularis. DC. (ye.)	needle-leaved. ———	1822.	5. 7.	G. ♀.	
7	rufis. DC. (ye.)	villous-branched. ———	1812.	———	G. ♀.	
8	teretifolia. Sie. (ye.)	round-leaved. ———	1825.	———	G. ♀.	
9	hispidula. Sie. (ye.)	hispid. ———	———	———	G. ♀.	
10	tenuifolia. DC. (ye.)	slender-leaved. ———	1820.	———	G. ♀.	
11	phylicoides. F.T. (ye.)	Phylla-leaved. ———	1824.	5. 8.	G. ♀.	
12	sericea. F.T. (ye.)	silky. ———	———	———	G. ♀.	
13	cinerascens. DC. (ye.)	ash-coloured. V. Diem. Isl.	1818.	6. 7.	G. ♀.	Bot. mag. 2247.

EUTAXIA, DC. EUTAXIA. Decandria Monogynia.

1	myrtifolia. DC. (ye.)	Myrtle-leaved. N. Holland.	1803.	3. 6.	G. ♀.	Bot. mag. 1274.
	<i>Dillwynia obovata</i> . B.M.	———	———	———	———	
2	pungens. S.F.A. (ye.)	pungent-leaved. ———	1825.	6. 8.	G. ♀.	Swt. flor. aust. t. 28.

SCLEROTHAMNUS, DC. SCLEROTHAMNUS. Decandria Monogynia.

	microphyllus. DC. (ye.)	small-leaved. N. Holland.	1803.	5. 6.	G. ♀.	
--	-------------------------	---------------------------	-------	-------	-------	--

GASTROLOBIUM, DC. GASTROLOBIUM. Decandria Monogynia.

	bilobum. DC. (ye.)	two-lobed. N. Holland.	1803.	3. 5.	G. ♀.	Bot. reg. 411.
--	--------------------	------------------------	-------	-------	-------	----------------

EUCHILUS, DC. EUCHILUS. Decandria Monogynia.

	obcordatus. DC. (ye.)	heart-leaved. N. Holland.	1803.	3. 6.	G. ♀.	Bot. reg. 403.
--	-----------------------	---------------------------	-------	-------	-------	----------------

PULTENÆA, DC. PULTENÆA. Decandria Monogynia.

1	daphnoides. DC. (ye.)	Daphne-leaved. N. S. W.	1792.	6. 7.	G. ♀.	Bot. mag. 1394.
2	obcordata. DC. (ye.)	heart-leaved. V. Diem. Isl.	1808.	5. 7.	G. ♀.	Andr. rep. t. 574.
3	biloba. DC. (ye.)	two-lobed. N. Holland.	1818.	———	G. ♀.	Bot. mag. t. 2091.
4	scabra. H.K. (y. pu.)	rough-leaved. N. S. W.	1803.	———	G. ♀.	
5	incurvata. F.T. (ye.)	incurved-ld. ———	1825.	———	G. ♀.	
6	canescens. F.T. (ye.)	canescent. ———	1824.	4. 7.	G. ♀.	
7	polifolia. F.T. (ye.)	Poley-leaved. ———	———	———	G. ♀.	
8	argentea. F.T. (ye.)	silvery. ———	1826.	———	G. ♀.	
9	ferruginea. DC. (ye.)	ferruginous. ———	1818.	———	G. ♀.	Linn. trans. 11. t. 23.

10	racemulosa. DC.	(ye.)	racemed.	N. S. W.	1821.	4. 7.	G. h.	
11	parviflora. DC.	(ye.)	small-flowered.	—	1824.	5. 7.	G. h.	
12	procumbens. F.T.	(ye.)	procumbent.	—	—	—	G. h.	
13	stricta. DC.	(ye.)	upright.	—	1803.	4. 6.	G. h.	Bot. mag. 1588.
14	elliptica. DC.	(ye.)	elliptic-leaved.	—	1818.	4. 7.	G. h.	Linn. trans. 11. t. 24.
15	plumosa. DC.	(ye.)	feathered.	—	1822.	5. 7.	G. h.	
16	thymifolia. DC.	(ye.)	Thyme-leaved.	—	—	—	G. h.	
17	hypolampra. DC.	(ye.)	whorl-branched.	—	—	—	G. h.	
18	villifera. DC.	(ye.)	wool-bearing.	—	1824.	—	G. h.	
19	polygalifolia. DC.	(ye.)	Milkwort-ld.	—	1818.	4. 7.	G. h.	Swt. flor. aust. t. 37.
20	flexilis. DC.	(ye.)	fragrant.	—	1801.	4. 6.	G. h.	— t. 35.
21	euchila. DC.	(ye.)	wedge-leaved.	—	1824.	5. 7.	G. h.	
22	retusa. DC.	(ye.)	blunt	—	1789.	4. 5.	G. h.	Bot. reg. 378.
23	capitellata. DC.	(ye.)	small-headed.	—	1825.	—	G. h.	
24	linophylla. DC.	(ye.)	Flax-leaved.	—	1789.	5. 7.	G. h.	Schrad. s. han. 3. t. 18.
25	microphylla. DC.	(ye.)	small-leaved.	—	1823.	—	G. h.	
26	stipularis. DC.	(ye.)	scaly.	—	1792.	4. 6.	G. h.	Bot. mag. 475.
27	palæacea. DC.	(ye.)	chaffy.	—	1789.	5. 7.	G. h.	Lodd. bot. cab. t. 291.
28	aristata. DC.	(ye.)	awned-calyxed.	—	1823.	—	G. h.	
29	echinula. DC.	(ye.)	harsh-leaved.	—	—	—	G. h.	
30	vestita. DC.	(ye.)	awned.	N. Holland.	1803.	4. 7.	G. h.	
31	candida. B.C.	(ye.)	white-leaved.	—	1824.	—	G. h.	Lod. bot. cab. 1236.
32	tenuifolia. DC.	(ye.)	slender-leaved.	—	1818.	—	G. h.	Bot. mag. 2086.
33	villosa. DC.	(ye.)	villous.	N. S. W.	1790.	4. 5.	G. h.	— t. 967.
34	pedunculata. B.M.	(ye.)	pedunculated.	—	1824.	5. 6.	G. h.	Bot. mag. 2859.
35	eriophora. L.C.	(ye.)	wool-bearing.	—	1794.	4. 7.	G. h.	
36	incarnata. M.C.	(fl.)	flesh-coloured.	N. Holland.	1824.	—	G. h.	
37	rosmarinifolia. ψ.	(ye.)	Rosemary-leav'd.	—	—	—	G. h.	
38	aspera. DC.	(ye.)	rough.	N. S. W.	—	5. 8.	G. h.	
39	comosa. DC.	(ye.)	tufted.	—	—	—	G. h.	
40	squarrosa. DC.	(ye.)	squarrose.	—	—	—	G. h.	
41	phylloides. DC.	(ye.)	Phylla-like.	—	—	—	G. h.	
DAVIESIA. DC. DAVIESIA. Decandria Monogynia.								
1	latifolia. DC.	(ye.)	broad-leaved.	N. S. W.	1803.	5. 8.	G. h.	Bot. mag. 1757.
2	corymbosa. DC.	(ye.)	corymb-flower'd.	—	1804.	—	G. h.	
3	minosoides. H.K.	(ye.)	green-leaved.	—	1800.	—	G. h.	Andr. reposit. 526.
	corymbosa. A.R. non Smith.							
4	glauca. B.C.	(ye.)	glaucous-leaved.	—	1812.	—	G. h.	Lodd bot. cab. 43.
	minosoides. Bot. mag. 1957. non H.K.							
5	umbellulata. DC.	(ye.)	small-umbelled.	—	1822.	4. 8.	G. h.	
6	incrassata. DC.	(ye.)	thick-leaved.	—	1820.	5. 8.	G. h.	
7	acicularis. DC.	(ye.)	needle-leaved.	—	1804.	6. 7.	G. h.	
8	ulicina. DC.	(ye.)	Furze-like.	N. S. W.	1792.	4. 8.	G. h.	Andr. reposit. 304.
9	pungens. M.C.	(pu.)	pungent.	N. Holland.	1825.	—	G. h.	
10	squarrosa. DC.	(ye.)	squarrose.	N. S. W.	1822.	5. 7.	G. h.	
11	cordata. DC.	(ye.)	heart-leaved.	N. Holland.	1824.	—	G. h.	Bot. reg. 1005.
12	alata. DC.	(ye.)	winged.	—	1820.	4. 6.	G. h.	— t. 728.
MIRBELIA. DC. MIRBELIA. Decandria Monogynia.								
1	reticulata. DC.	(pu.)	netted-leaved.	N. S. W.	1792.	5. 8.	G. h.	Bot. mag. 1211.
2	longifolia. DC.	(pu.)	pungent-leav'd.	N. Holland.	1824.	—	G. h.	
3	speciosa. DC.	(pu.)	beautiful.	N. S. W.	—	—	G. h.	Swt. flor. aust. t. 34.
4	grandiflora. B.M.	(ye.)	large-flowered.	—	1823.	—	G. h.	Bot. mag. 2771.
5	Baxteri. M.C.		Baxter's.	N. Holland.	1824.		G. h.	
6	dilatata. DC.	(pu.)	lobed-leaved.	—	1803.	5. 8.	G. h.	Bot. reg. 1041.

Tribus II. *LOTEÆ*. DC. prodr. 2. p. 115.Subtribus I. *GENISTEÆ*. DC. l. c. 115.

HOVEA. DC. HOVEA. Monadelphia Decandria.								
1	rosmarinifolia. F.T.	(bl.)	Rosemary-ld.	N. S. W.	1824.	3. 6.	G. h.	
2	longifolia. DC.	(bl.)	long-leaved.	—	1805.	3. 7.	G. h.	Bot. reg. 614.
3	linearis. DC.	(bl.)	linear-leaved.	—	1796.	—	G. h.	— t. 463.
4	lanceolata. DC.	(bl.)	spear-leaved.	—	1805.	—	G. h.	Bot. mag. 1624.

- 5 elliptica. DC. (bl.) elliptic-leaved. N. S. W. 1817. 3. 7. G. h.
Poirétii elliptica. L.T.
- 6 purpurea. S.F.A. (pu.) purple-flowered. ——— 1824. 2. 5. G. h. Swt. flor. aust. t. 13.
 7 latifolia. DC. (bl.) broad-leaved. ——— 1817. 3. 6. G. h. Lodd. bot. cab. 30.
 8 Celsi. DC. (bl.) Cels's. N. Holland. 1818. 3. 7. G. h. Bot. reg. 280.
- PLAGIOLOBIUM**. S.F.A. **PLAGIOLOBIUM**. Diadelphia Decandria.
 1 chorizemæfolium. S.F.A. (bl.) Chorizema-l^d. N. Holland. 1824. 2. 5. G. h. Swt. flor. aust. t. 2.
 2 ilicifolium. S.F.A. (bl.) Holly-leaved. ——— 1827. — G. h. ——— t. 2. f. 10-11.
- PLATYLOBIUM**. DC. **FLAT-PEA**. Monadelphia Decandria.
 1 parviflorum. DC. (ye.) large-flowered. N. S. W. 1790. 6. 8. G. h. Bot. mag. 469.
 2 formiflorum. DC. (ye.) smaller-flower'd. ——— 1792. 5. 9. G. h. ——— t. 1520.
 3 ovatum. DC. (ye.) oval-leaved. ——— 1820. 5. 7. G. h.
 4 triangulære. DC. (ye.) triangular-l^d. V. Diem. Isl. 1805. 5. 9. G. h. Bot. mag. 1508.
- BOSSIÆA**. DC. **BOSSIÆA**. Monadelphia Decandria.
 1 scolopendria. DC. (ye.) Plank-plant. N. S. W. 1792. 5. 7. G. h. Vent. malm. 55.
Platylóbium Scolopendrium. Andr. rep. 191.
- 2 ensata. DC. (ye.) sword-stemmed. N. S. W. 1822. — G. h. Swt. flor. aust. t. 51.
rufa. Lod. bot. cab. 1119. non DC.
- 3 rufa. DC. (re.) red-flowered. N. Holland. 1803. 6. 9. G. h.
 4 linophylla. DC. (ye.) narrow-leaved. ——— 7. 9. G. h. Bot. mag. 2491.
 5 heterophylla. DC. (ye.) various-leaved. N. S. W. 1792. 4. 12. G. h. Vent. cels. t. 7.
lanceolata. B.M. 1144. *Platylóbium lanceolatum et ovatum*. A.R. 205 et 276.
- 6 rotundifolia. DC. (ye.) round-leaved. N. S. W. 1822. 5. 7. G. h.
 7 rhombifolia. DC. (ye.) rhomb-leaved. ——— 4. 6. G. h. Swt. flor. aust. t. 9.
lenticularis. Lod. bot. cab. 1238. non DC.
- 8 microphylla. DC. (ye.) small-leaved. ——— 1803. 5. 7. G. h. Lodd. bot. cab. t. 656.
 9 lenticularis. DC. (ye.) orbicular-leaved. ——— 1822. — G. h.
 10 foliosa. F.T. (ye.) leafy. ——— 1823. 4. 7. G. h.
 11 buxifolia. F.T. (ye.) Box-leaved. ——— G. h.
 12 prostrata. DC. (ye.) prostrate. ——— 1803. — G. h. Bot. mag. 1493.
 13 cordifolia. S.F.A. (y.pu.) heart-leaved. N. Holland. 1824. — G. h. Swt. flor. aust. t. 20.
 14 cinerea. DC. (y.pu.) sharp-leaved. V. Diem. Isl. 1803. 5. 7. G. h. Bot. reg. 306.
- GO'ODIA**. DC. **GO'ODIA**. Monadelphia Decandria.
 1 lotifolia. DC. (ye.) Lotus-leaved. V. Diem. Isl. 1793. 4. 7. G. h. Sal. par. lond. 41.
 2 subpubescens. (ye.) hairy-leaved. ——— 1812. — G. h.
 3 pubescens. DC. (y.pu.) downy. ——— 1805. — G. h. Bot. mag. 1310.
 4 retusa. M.C. (ye.) retuse-leaved. N. Holland. 1824. — G. h.
- TEPHROTHAMNUS**. **TEPHROTHAMNUS**. Monadelphia Decandria.
 tomentosus. (ye.) woolly. C. B. S. 1798. 7. 8. G. h. And. rep. 237.
Cytissia tomentosus. A.R. *Goodia? polysperma*. DC.
- SCOTTIA**. H.K. **SCOTTIA**. Monadelphia Decandria.
 1 dentata. DC. (sc.) broad-leaved. N. Holland. 1803. 1. 6. G. h.
 2 trapeziformis. M.C. . . trapeziform. ——— 1825. . . . G. h.
 3 angustifolia. M.C. (br.) narrow-leaved. ——— 1. 6. G. h.
- TEMPLETONIA**. DC. **TEMPLETONIA**. Monadelphia Decandria.
 1 retusa. DC. (sc.) green-leaved. N. Holland. 1803. 3. 7. G. h. Bot. reg. 383.
 2 glauca. DC. (sc.) glaucous-leaved. ——— — G. h. Bot. mag. 2088.
- RAF'NIA**. DC. **RAF'NIA**. Monadelphia Decandria.
 1 cordata. DC. (ye.) heart-leaved. C. B. S. 1821. 5. 7. G. h.
 2 elliptica. DC. (ye.) elliptic-leaved. ——— 1816. — G. h.
 3 cuneifolia. DC. (y.pu.) wedge-leaved. ——— 1820. — G. h.
 4 triflora. DC. (ye.) three-flowered. ——— 1786. — G. h. Bot. mag. 482.
Crotalaria triflora. L. *Borbônia cordata*. And. rep. t. 31. nec aliorum.
- 5 lancea. DC. (ye.) lance-leaved. C. B. S. 1816. 5. 7. G. h. Th. ac. holm. 1800. t. 4.
Edmánnia lancea. Th.
- 6 opposita. DC. (ye.) opposite-leaved. ——— 1825. — G. h.
 7 angulata. DC. (ye.) angular-stalked. ——— 1816. — G. h.
 8 filifolia. DC. (ye.) narrow-leaved. ——— — G. h.
- VASC'O'A**. DC. **VASC'O'A**. Monadelphia Decandria.
 1 amplexicaulis. DC. (ye.) stem-clasping. C. B. S. 1812. 6. 7. G. h.
Crotalaria amplexicaulis. L. *Ráfnia amplexicaulis*. Th.
- 2 perfoliata. DC. (ye.) perfoliate. C. B. S. 1812. 7. 8. G. h. Seba. thes. 1. t. 24. f. 5.
Borbônia perfoliata. Th. *Crotalaria amplexicaulis*. Lam.
- BORB'ONIA**. DC. **BORB'ONIA**. Monadelphia Decandria.
 1 barbata. DC. (ye.) bearded. C. B. S. 1816. 6. 8. G. h. Lam. ill. t. 610. f. 2.
 2 trinervia. DC. (ye.) three-nerved. ——— 1759. — G. h. Pluk. alm. t. 297. f. 4.
 3 lanceolata. DC. (ye.) many-nerved. ——— 1752. — G. h. Jacq. schœnb. 2. t. 217.
 4 cordata. DC. (ye.) heart-leaved. ——— 1759. — G. h. ——— 2. t. 218.
 5 ruscifolia. DC. (ye.) Ruscus-leaved. ——— 1816. — G. h. Bot. mag. 2128.

6	parviflora. DC.	(ye.)	small-flowered.	C. B. S.	1821.	6. 8.	G. h.	
7	crenata. DC.	(ye.)	notch-leaved.	—	1774.	—	G. h.	Bot. mag. 274.
8	ciliata. DC.	(ye.)	fringed.	—	1816.	—	G. h.	Houtt. syst. 8. t. 62 f. 2.
ACHYRONIA. DC. ACHYRONIA. Diadelphia Decandria.								
	villosa. DC.	(ye.)	villous.	N. Holland.	1810.	5. 8.	G. h.	Wendl. hort. her. 1. t. 12.
LIPARIA. DC. LIPARIA. Diadelphia Decandria.								
	sphærica. DC.	(ye.)	globe-headed.	C. B. S.	1794.	7. 8.	G. h.	Bot. mag. 1241.
PRIESTLEYA. DC. PRIESTLEYA. Diadelphia Decandria.								
1	myrtifolia. DC.	(ye.)	Myrtle-leaved.	C. B. S.	1825.	4. 7.	G. h.	DC. Leg. mem. t. 29.
2	hirsuta. DC.	(ye.)	shaggy-stemmed.	—	1792.	12. 4.	G. h.	Bot. reg. 8.
Liparia hirsuta. B.R.								
3	lævigata. DC.	(ye.)	polished.	—	1799.	7. 8.	G. h.	DC. Leg. mem. t. 30.
	Borbônia lævigata. Lod.		bot. cab. 247.	—	—	—	—	—
4	capitata. DC.	(ye.)	headed.	—	1812.	3. 6.	G. h.	—
5	graminifolia. DC.	(ye.)	narrow-leaved.	—	1800.	4. 7.	G. h.	—
6	tères. DC.	(ye.)	smooth-stalked.	—	1816.	—	G. h.	—
7	ericæfolia. DC.	(w. pu.)	Heath-leaved.	—	1812.	4. 8.	G. h.	DC. Leg. mem. t. 31.
8	sericea. DC.	(ye.)	silky-leaved.	—	1794.	—	G. h.	Pluk. t. 388. f. 3.
9	axillaris. DC.	(ye.)	axillary-flower'd.	—	1824.	—	G. h.	DC. Leg. mem. t. 32.
10	elliptica. DC.	(ye.)	elliptic-leaved.	—	1816.	—	G. h.	— t. 33.
11	villosa. DC.	(ye.)	villous-leaved.	—	1774.	—	G. h.	Seb. thes. 1. t. 24. f. 2.
12	vestita. DC.	(ye.)	concave-leaved.	—	1800.	5. 6.	G. h.	Bot. mag. 2223.
Liparia vestita. B.M. Liparia villosa. A.R. 382. nec aliorum.								
13	tomentosa. DC.	(ye.)	downy.	C. B. S.	1812.	5. 8.	G. h.	—
14	umbellifera. DC.	(ye.)	umbel-flowered.	—	1825.	6. 7.	G. h.	—
HALLIA. DC. HALLIA. Monadelphia Decandria.								
1	alata. DC.	(pu.)	wing-stalked.	C. B. S.	1818.	6. 8.	G. h.	—
2	flaccida. DC.	(pu.)	long-leaved.	—	1789.	6. 9.	G. h.	—
3	angustifolia. DC.	(pu.)	narrow-leaved.	—	1816.	—	G. h.	—
4	cordata. DC.	(pu.)	heart-leaved.	—	1787.	—	G. h.	Jacq. schœnb. 3. t. 296.
	Glycine monophylla. Jacq.		Hedy'sarum cordatum.	Th. n. ac. ups.	6. t. 1.	—	—	—
5	Asarina. DC.	(pu.)	Asarum-like.	C. B. S.	1816.	6. 9.	G. h.	—
6	imbricata. DC.	(pu.)	imbricated.	—	1812.	—	G. h.	Bot. mag. 1850. et 2596.
HEYLANDIA. DC. HEYLANDIA. Monadelphia Decandria.								
	hebecarpa. DC.	(ye.)	hairy-podded.	Ceylon.	1820.	6. 8.	S. h.	DC. Leg. mem. t. 34.
CROTALARIA. DC. CROTALARIA. Monadelphia Decandria.								
1	alata. DC.	(st.)	winged-stalked.	Nepaul.	1818.	4. 8.	S. h.	—
2	platycarpa. DC.	(ye.)	flat-podded.	N. America.	1824.	7. 9.	H. ⊙.	—
3	Purshii. DC.	(ye.)	Pursh's.	—	1827.	—	H. ⊙.	Pluk. alm. t. 277. f. 2.
	lævigata. Ph. non Lam.	—	—	—	—	—	—	—
4	parviflora. DC.	(ye.)	small-flowered.	—	1823.	6. 9.	H. ⊙.	Pluk. alm. t. 169. f. 6 ?
5	sagittalis. DC.	(ye.)	Virginian.	—	1731.	—	H. ⊙.	Herm. lugd. p. 203. ic.
6	ovalis. DC.	(ye.)	oval-leaved.	—	1827.	—	H. ⊙.	—
7	rubiginosa. DC.	(ye.)	rusty.	E. Indies.	1807.	—	S. ⊙.	—
8	verrucosa. DC.	(bl.)	blue-flowered.	—	1731.	—	S. ⊙.	Andr. reposit. 308.
	carulea. Jacq. ic. t. 144.		angulosa. Cav. ic. 4. t. 321.	—	—	—	—	—
9	semperflorens. DC.	(ye.)	ever-blowing.	E. Indies.	1816.	3. 9.	S. h.	Vent. hort. cels. t. 17.
10	retusa. DC.	(ye.)	wedge-leaved.	—	1731.	5. 9.	S. ⊙.	Bot. reg. 253.
11	Lechenaultii. DC.	(ye.)	Lechenault's.	—	1826.	—	S. ⊙.	—
12	spectabilis. DC.	(pu.)	showy.	—	1824.	—	S. ⊙.	—
13	pulcherrima. DC.	(ye.)	Mysore.	—	1814.	—	S. ⊙.	Bot. mag. 2027.
14	bengalensis. DC.	(ye.)	Bengal.	—	1806.	—	S. ⊙.	Pluk. alm. t. 169. f. 5.
15	junceæ. DC.	(ye.)	rush-stalked.	—	1700.	6. 9.	S. ⊙.	Bot. mag. 490.
16	tenuifolia. DC.	(ye.)	slender-leaved.	—	1818.	—	S. ⊙.	—
17	fenestrata. DC.	(ye.)	window-calyxed.	—	1816.	—	S. ⊙.	Bot. mag. 1933.
18	sericea. DC.	(ye.)	silky.	—	1807.	—	S. ⊙.	—
19	tecta. DC.	(ye.)	striped-flower'd.	—	1824.	6. 10.	S. ⊙.	—
20	Burmāni. DC.	(ye.)	Burmān's.	—	—	—	S. ⊙.	Burm. ind. t. 48. f. 1.
21	hirsuta. DC.	(ye.)	hairy-podded.	—	1823.	—	S. ⊙.	—
22	mysorensis. DC.	(ye.)	Mysore.	—	1826.	—	S. ⊙.	—
23	montana. DC.	(ye.)	mountain.	—	1816.	—	S. ⊙.	—
24	albida. DC.	(wh.)	white-flowered.	—	1824.	—	S. ⊙.	—
25	paniculata. DC.	(ye.)	panicked.	—	1807.	6. 8.	S. h.	—
26	pūchra. DC.	(ye.)	short-podded.	—	1800.	3. 5.	S. h.	Andr. reposit. t. 601.
27	Növä-Hollandiæ. DC.	(pu.)	New Holland.	N. Holland.	1820.	6. 8.	S. h.	Schr. pl. rar. h. mon. t. 88.
28	paulina. DC.	(ye.)	St. Paul.	Brazil.	—	7. 9.	S. h.	—
29	breviflora. DC.	(ye.)	short-flowered.	—	1824.	—	S. h.	—
30	bifaria. DC.	(ye.)	two-ranked.	E. Indies.	—	—	S. h.	—
31	dichotoma. DC.	(ye.)	forked.	—	—	—	S. h.	—

32	diffusa. DC.	(ye) diffuse.		1818.	6. 8.	S. 2.	
33	biflora. DC.	(ye) two-flowered.	E. Indies.	1790.	—	S. 3.	Petiv. gaz. t. 30. f. 10.
34	nana. DC.	(ye) dwarf.	—	—	—	S. 3.	Burm. ind. t. 48. f. 2.
35	bialata. DC.	(ye) two-winged.	—	1818.	—	S. 3.	
36	tetragona. DC.	(ye) square-stalked.	Nepaul.	1806.	8. 9.	S. 3.	Andr. rep. t. 593.
37	linifolia. DC.	(ye) Flax-leaved.	E. Indies.	1823.	6. 7.	S. 3.	
38	pellita. DC.	(ye) villous-podded.	Jamaica.	1822.	7. 9.	S. 2.	
39	virgatalis.	(ye) twiggy.	C. B. S.	1816.	—	G. 2.	
40	acuminata. DC.	(ye) taper-pointed.	—	—	—	G. 2.	
41	spartioides. DC.	(ye) Broom-like.	—	—	—	G. 2.	
42	thebaica. DC.	(ye) stripe-flowered.	Egypt.	1828.	7. 8.	G. 2.	Delil. fl. eg. t. 37. f. 1.
43	nummularia. DC.	(ye) money-wort-ld.	E. Indies.	—	—	S. 2.	
44	tuberosa. DC.	(pu) tuberous-rooted.	Nepaul.	1816.	6. 7.	S. 2.	
45	anthylloides. DC.	(ye) large-calyxed.	Java.	1789.	8. 9.	S. 2.	
46	calycina. DC.	(st) hispid-calyxed.	E. Indies.	1818.	7. 9.	S. 2.	Schr. pl. rar. mon. t. 12.
47	nepalensis. L. en.	(bl) Nepaul.	Nepaul.	1821.	6. 8.	S. 3.	
48	Roxburghiana. DC.	(ye) Roxburgh's.	E. Indies.	1823.	7. 9.	S. 2.	
49	chinensis. DC.	(ye) Chinese.	China.	1820.	6. 7.	S. 2.	
50	hirta. DC.	(ye) hairy.	E. Indies.	1816.	6. 8.	S. 3.	Mart. acad. mun. 6. t. F.
51	prostrata. DC.	(wh) prostrate.	—	1804.	—	S. 2.	— t. E.
52	stipulacea. H. B.	(ye) short-stipuled.	—	1823.	—	S. 2.	
53	arborescens. DC.	(ye) spreading.	C. B. S.	1774.	6. 10.	G. 2.	Jacq. vind. 3. t. 64.
	incanescens. W. capensis. Th.						
54	turgida. DC.	(ye) turgid-podded.		1820.	—	G. 2.	Herb. amat. t. 238.
55	laburnifolia. DC.	(ye) Laburnum-ld.	E. Indies.	1739.	7. 9.	S. 3.	Rheed. mal. 9. t. 27.
56	pendula. DC.	(ye) pendulous-pod'd.	W. Indies.	1820.	—	S. 2.	
57	Brownei. DC.	(ye) Browne's.	Jamaica.	—	—	S. 2.	
58	bracteata. DC.	(ye) large-bracted.	E. Indies.	1818.	5. 9.	S. 2.	
59	cytisoides. DC.	(ye) Cytisus-like.	Nepaul.	1823.	6. 8.	S. 2.	
60	foliosa. DC.	(ye) leafy.	E. Indies.	1826.	—	S. 2.	
61	orixensis. DC.	(ye) minute-flower'd.	—	1816.	7. 8.	S. 3.	Mart. acad. mun. 6. t. H.
62	virgata. DC.	(ye) slender.	—	1824.	—	S. 3.	— 6. t. G.
63	purpurascens. DC.	(pu) purplish.	Mauritius.	1823.	8. 10.	S. 3.	
64	incana. DC.	(ye) hoary.	W. Indies.	1714.	6. 7.	S. 3.	Bot. reg. 377.
65	micans. DC.	(ye) glittering.	E. Indies.	1823.	—	S. 2.	
66	curtata. DC.	(ye) short-keeled.		1820.	—	S. 3.	
67	vitellina. DC.	(ye) yellow-twigg'd.	Brazil.	1819.	5. 7.	S. 2.	Bot. reg. 447.
68	medicaginea. DC.	(ye) Trefoil-leaved.	E. Indies.	1818.	6. 7.	S. 2.	Rott. n. act. nat. c. 4. t. 5.
69	Grahami.	(ye) Graham's.	Mexico.	1824.	9. 12.	S. 2.	Bot. mag. 2714.
	dichotoma B. M. non DC						
70	Bojeri.	(ye) Bojer's.	Madagascar.	1828.		S. 2.	
	dichotoma. Bojer. nec aliorum.						
71	trichotoma. Boj.	(ye) three-forked	—	—		S. 2.	
72	stricta. DC.	(ye) upright.	E. Indies.	1826.	8. 10.	S. 3.	
73	purpurea. DC.	(pu) purple-flowered.	C. B. S.	1790.	3. 5.	G. 2.	Bot. reg. 128.
74	microphylla. DC.	(ye) small-leaved.	Arabia.	1823.	8. 10.	H. 3.	
75	micrantha. DC.	(ye) small-blossom'd.	Ceylon.	1820.	6. 7.	S. 3.	
76	pallida. DC.	(st) pale-flowered.	Africa.	1775.	—	S. 3.	
77	argentea. DC.	(ye) silvery-leaved.	C. B. S.	1823.	—	G. 2.	Jacq. schœnb. 2. t. 220.
78	pulchella. DC.	(ye) short-flowered.	—	1800.	—	G. 2.	Bot. mag. 1699.
79	Saltiana. A. R.	(ye) Salt's.	Abyssinia.	1810.	6. 7.	S. 2.	Andr. reposit. 648.
80	angustifolia. DC.	(st) narrow-leaved.	C. B. S.	1815.	5. 9.	G. 2.	Jacq. schœnb. 2. t. 219.
81	villosa. DC.	(ye) villous.	—	1823.	—	G. 2.	
82	latifolia.	(ye) broad-leaved.	E. Indies.	1825.	—	S. 2.	
83	elliptica. H. B.	(ye) elliptic-leaved.	China.	1823.	7. 9.	G. 2.	
84	lanceolata. H. B.	(ye) spear-leaved.	W. Indies.	1806.	—	S. 2.	
85	lotifolia. DC.	(ye) Lotus-leaved.	—	1732.	6. 7.	S. 2.	Dill. elth. t. 102. f. 131.
86	axillaris. DC.	(ye) axillary-fl'd.	Guinea.	1781.	7. 8.	S. 3.	
87	quinquefolia. DC.	(ye) five-leaved.	E. Indies.	1792.	6. 7.	S. 3.	Rheed. mal. 9. t. 28.
	HYPOCALYPTUS. DC. HYPOCALYPTUS. Monadelphia Decandria.						
	obcordata. DC. (pu.) obcordate-leav'd.	C. B. S.	1790.	4. 6.	G. 2.		Lodd. bot. cab. 1158.
	Crotalaria cordifolia. B. C.						
	VIBO'RGIA. DC. VIBO'RGIA. Monadelphia Decandria.						
	1 obcordata. DC. (ye) many-flower'd.	C. B. S.	1812.	7. 9.	G. 2.		Lodd. bot. cab. 509.
	Crotalaria floribunda. B. C. Anthyllis cuneata. Hort.						
	2 sericea. DC. (ye) silky.	C. B. S.	1780.	—	G. 2.		
	LODDIG'ESIA. DC. LODDIG'ESIA. Monadelphia Decandria.						
	oxalidifolia. DC. (ro.) Oxalis-leaved.	C. B. S.	1802.	5. 9.	G. 2.		Bot. mag. 965.
	DICH'ILUS. DC. DICH'ILUS. Monadelphia Decandria.						
	lebeckoides. DC. (st.) Lebeckia-like.	C. B. S.	1816.	6. 8.	G. 2.		DC. leg. mem. 6. t. 35.

LEBE'CKIA. DC.		LEBE'CKIA.	Monadelphia Decandria.				
1	subnuda. DC.	(ye.)	few-leaved.	C. B. S.	1823.	4. 6.	G. h.
2	contaminata. DC.	(ye.)	narrow-leaved.	—	1787.	—	G. h.
3	sepiaria. DC.	(ye.)	filiform-leaved.	—	1816.	—	G. h.
4	subternata. DC.	(ye.)	various-leaved.	—	—	—	G. h.
5	sericea. DC.	(ye.)	silky-leaved.	—	1774.	—	G. h.
6	cytisoides. DC.	(ye.)	Cytisus-like.	—	—	—	G. h.
SARCOPHYLLUM. DC. SARCOPHYLLUM. Monadelphia Decandria.							
	carnosum. DC.	(ye.)	fleshy-leaved.	C. B. S.	1812.	5. 8.	G. h.
ASPALATHUS. DC.		ASPALATHUS.	Monadelphia Decandria.				
1	spinosa. DC.	(ye.)	spiny.	C. B. S.	1823.	5. 8.	G. h.
2	aculeata. DC.	(ye.)	yellow-spined.	—	—	—	G. h.
3	acuminata. DC.	(ye.)	taper-pointed.	—	1816.	—	G. h.
4	laricifolia. DC.	(ye.)	Larch-leaved.	—	1825.	—	G. h.
5	capitata. DC.	(ye.)	headed.	—	1823.	6. 7.	G. h.
6	astroites. DC.	(ye.)	spiny-bracted.	—	1825.	5. 8.	G. h.
7	chenopodia. DC.	(or.)	cluster-leaved.	—	1759.	7. 8.	G. h.
8	albena. DC.	(uh.)	white-leaved.	—	1774.	—	G. h.
9	argyrea. DC.	(uh.)	silvery.	—	1818.	—	G. h.
10	hystrix. DC.	(uh.)	silky-spined.	—	1824.	—	G. h.
11	thymifolia. DC.	(ye.)	Thyme-leaved.	—	1825.	5. 8.	G. h.
12	ericifolia. DC.	(ye.)	Heath-leaved.	—	1780.	7. 8.	G. h.
13	hispida. DC.	(ye.)	hispid.	—	1823.	—	G. h.
14	asparagoides. DC.	(ye.)	Asparagus-like.	—	1812.	—	G. h.
15	multiflora. DC.	(ye.)	many-flowered.	—	1818.	—	G. h.
16	uniflora. DC.	(ye.)	one-flowered.	—	1812.	—	G. h.
17	carcosa. DC.	(ye.)	fleshy-leaved.	—	1795.	5. 8.	G. h.
18	pinguis. DC.	(ye.)	succulent-leaved.	—	1818.	7. 8.	G. h.
19	crassifolia. DC.	(ye.)	thick-leaved.	—	1800.	—	G. h.
20	affinis. DC.	(ye.)	likened.	—	1816.	—	G. h.
21	genistoides. DC.	(ye.)	Genista-like.	—	1825.	6. 8.	G. h.
22	squarrosa. DC.	(ye.)	squarrose.	—	—	—	G. h.
23	galloides. DC.	(ye.)	Galium-like.	—	1816.	7. 8.	G. h.
24	pinæa. DC.	(ye.)	Pine-leaved.	—	—	—	G. h.
25	abietina. DC.	(ye.)	Fir-leaved.	—	1826.	—	G. h.
26	araneosa. DC.	(pa.)	cobweb.	—	1795.	6. 7.	G. h.
27	globosa. A.R.	(ye.)	globe-headed.	—	1802.	—	G. h.
28	ciliaris. DC.	(ye.)	ciliated.	—	1790.	7. 8.	G. h.
29	quinquefolia. DC.	(br.)	five-leaved.	—	1816.	—	G. h.
30	candicans. DC.	(ye.)	white.	—	1774.	—	G. h.
31	heterophylla. DC.	(ye.)	various-leaved.	—	1828.	—	G. h.
32	argentea. DC.	(ye.)	silvery-leaved.	—	1759.	—	G. h.
33	subulata. DC.	(ye.)	awl-leaved.	—	1789.	—	G. h.
34	sericea. DC.	(ye.)	silky.	—	1816.	—	G. h.
35	callosa. DC.	(ye.)	oval-spiked.	—	1812.	—	G. h.
36	fusca. DC.	(ye.)	brown.	—	1816.	—	G. h.
37	mucronata. DC.	(ye.)	thorny-branch'd.	—	1796.	6. 7.	G. h.
38	pedunculata. DC.	(ye.)	small-leaved.	—	1775.	7. 8.	G. h.
39	bracteata. DC.	(ye.)	bracteate.	—	1816.	—	G. h.
FURZE. DC.		FURZE.	Monadelphia Decandria.				
1	europæus. DC.	(ye.)	common.	Britain.		3. 7.	H. h.
2	nanus. DC.	(ye.)	dwarf.	—		1. 12.	H. h.
3	provincialis. DC.	(ye.)	Provence.	S. Europe.	1815.	6. 8.	H. h.
STAURACANTHUS. DC. STAURACANTHUS.		Monadelphia Decandria.					
	aphyllus. DC.	(ye.)	leafless.	Portugal.	1815.	6. 8.	H. h.
SPARTIUM. DC.		SPANISH BROOM. Monadelphia Decandria.					
	juncum. DC.	(ye.)	common.	S. Europe.	1548.	7. 9.	H. h.
	<i>Spartianthus juncus</i> . L. en.	—	—	—	—	—	—
	<i>S. flore pleno</i> .	(ye.)	double-flowered.	—		—	H. h.
GENISTA. DC.		GENISTA. Monadelphia Decandria.					
1	parviflora. DC.	(ye.)	small-flowered.	Levant.	1739.	5. 7.	H. h.
	<i>Spartium parviflorum</i> . Vent.	—	—	—	—	—	—
2	clavata. DC.	(ye.)	clavate.	Barbary.	1812.	5. 8.	F. h.
	<i>Spartium sericeum</i> . Vent. non Ait.	—	—	—	—	—	—
3	canariensis. DC.	(ye.)	Canary.	Canaries.	1656.	5. 9.	F. h.
4	candicans. DC.	(ye.)	hoary.	Spain.	1735.	4. 7.	H. h.
5	pátens. DC.	(ye.)	spreading.	—	1825.	5. 7.	H. h.
6	linifolia. DC.	(ye.)	Flax-leaved.	—	1739.	1. 6.	F. h.
	<i>Spartium linifolium</i> . Desf. atl. 2, t. 181.	—	—	—	—	—	—

7	triquètra. DC.	(ye.) triangular.	Corsica.	1770.	5. 6.	H. h.	Wats. dend. brit. t. 79.
8	bracteolàta. DC.	(ye.) bracteolate.		1826.	—	H. h.	
9	microphylla. DC.	(ye.) small-leaved.	Canaries.	1824.	—	F. h.	
10	umbellàta. DC.	(ye.) umbelled.	Barbary.	1799.	4. 6.	F. h.	Desf. atl. 2. t. 180.
	<i>Spártium umbellatum.</i>	Desf.					
11	radiàta. DC.	(ye.) rayed.	Italy.	1758.	5. 7.	H. h.	Bot. mag. 2260.
	<i>Spártium radiatum.</i>	B.M. Mill. ic. t. 249. f. 1.					
12	hórrida. DC.	(ye.) large-spined.	Pyrenees.	1826.	5. 7.	H. h.	Gilib. b. prat. 2. p. 239. ic.
13	lusitànica. DC.	(ye.) Portugal.	Portugal.	1771.	3. 5.	H. h.	Andr. reposit. t. 419.
14	Lobèlîi. DC.	(ye.) Lobel's.	S. Europe.	1826.	4. 6.	H. h.	Lob. adv. p. 409. icon.
15	fèrox. DC.	(ye.) sharp-spined.	Barbary.	1800.	6. 7.	F. h.	Desf. atl. 2. t. 182.
16	Cupàni. DC.	(ye.) Cupani's.	Naples.	1826.	—	H. h.	Cup pan. ed. 1. v. 2. t. 233.
17	triacánthos. DC.	(ye.) three-spined.	Portugal.	1821.	5. 6.	H. h.	Brot. phyt. 130. t. 54.
18	cuspidòsa. DC.	(ye.) sharp-pointed.	C. B. S.	1816.	—	G. h.	
19	tricuspidàta. DC.	(ye.) three-pointed.	Algiers.	1826.	—	F. h.	Desf. alt. 2. t. 183.
20	gibraltàrica. DC.	(ye.) Gibraltar.	Gibraltar.	—	—	F. h.	
21	sylvéstris. DC.	(ye.) wood.	Hungary.	1824.	6. 8.	H. h.	Jacq. ic. rar. t. 557.
	<i>hispanica.</i>	Jacq. non L.					
22	ægyptiaca. DC.	(ye.) Egyptian.	Egypt.	1828.	—	H. h.	
23	falcàta. DC.	(ye.) falcate-podded.	Portugal.	1821.	5. 7.	H. h.	Brot. phyt. 133. t. 55.
24	còrsica. DC.	(ye.) Corsican.	Corsica.	1826.	—	H. h.	
25	Scòrpius. DC.	(ye.) Scorpion.	S. Europe.	1570.	3. 4.	H. h.	Wats. dend. brit. t. 78.
26	hispanica. DC.	(ye.) dwarf prickly.	Spain.	1759.	6. 8.	H. h.	Cavan. ic. 3. t. 211.
27	ànglica. DC.	(ye.) petty whin.	Britain.		5. 8.	H. h.	Eng. bot. 132.
28	germànica. DC.	(ye.) German.	Germany.	1773.	6. 8.	H. h.	Fuchs. hist. 220. ic.
29	pùrgans. DC.	(ye.) purging.	S. France.	1768.	6. 7.	H. h.	Bull. herb. t. 115.
30	cinèrea. DC.	(ye.) ash-coloured.	—	1818.	5. 7.	H. h.	Wats. dend. brit. t. 76.
31	virgàta. DC.	(ye.) long-twiggied.	Madeira.	1777.	3. 6.	F. h.	Bot. mag. 2265.
32	congèsta. DC.	(ye.) close-branched.	Teneriffe.		4. 7.	F. h.	
33	sericea. DC.	(ye.) silky-leaved.	Austria.	1812.	5. 6.	H. h.	Jacq. ic. rar. 3. t. 556.
34	aphylla. DC.	(vi.) violet-coloured.	Volga.	1818.	6. 7.	H. h.	Pall. it. 3. app. t. 5. f. 2.
	<i>Spártium aphyllum.</i>	L. en.					
35	monosperma. DC.	(wh.) single-seeded.	S. Europe.	1690.	—	F. h.	Bot. mag. 683.
	<i>Spártium monospermum.</i>	B.M.					
36	sphærocàrpa. DC.	(ye.) round-podded.	—	1731.	—	F. h.	Renealm. spec. t. 33.
37	æthnènsis. DC.	(ye.) three-seeded.	Mt. Ætna.	1822.	6. 8.	F. h.	Bot. mag. 2674.
	<i>Spartium ætense.</i>	B.M.					
38	tetragòna. DC.	(ye.) four-sided.	Poland.	1826.	—	H. h.	
39	depréssa. DC.	(ye.) depressed.	Tauria.	1828.		H. h.	
40	scariòsa. DC.	(ye.) scariose.	Italy.	1820.	6. 8.	H. h.	Viv. frag. ital. 1. t. 8.
41	anxàntica. DC.	(ye.) smooth.	—	—	—	H. h.	
42	tinctòria. DC.	(ye.) Dyer's green-weed.	Britain.		—	H. h.	Eng. bot. 44.
	<i>β latifolia.</i>	DC. (ye.) broad-leaved.	Switzerland.	1824.	—	H. h.	
	<i>γ hirsuta.</i>	DC. (ye.) villous.	—		—	H. h.	
	<i>δ pratensis.</i>	DC. (ye.) meadow.	Italy.		—	H. h.	
43	sibirica. DC.	(ye.) Siberian.	Siberia.	1785.	6. 8.	H. h.	Jacq. vind. 2. t. 190.
44	polygalæfòlia. DC.	(ye.) Milkwort-leav'd.	Portugal.	1826.	—	H. h.	
45	flòrida. DC.	(ye.) Spanish.	Spain.	1752.	—	H. h.	
46	mántica. DC.	(ye.) prostrate.	Italy.	1824.	—	H. h.	Poll. fl. veron. 2. t. 4. f. 7.
47	ovàta. DC.	(ye.) oval-leaved.	Hungary.	1816.	—	H. h.	Wats. dend. brit. t. 77.
48	pátula. DC.	(ye.) spreading.	Siberia.	1828.		H. h.	
49	triangularis. DC.	(ye.) three-sided.	Hungary.	1815.	5. 6.	H. h.	W. et K. hung. 2. t. 153.
50	sagittàlis. DC.	(ye.) jointed.	Germany.	1570.	—	H. h.	Jacq. aug. 3. t. 209.
51	diffusa. DC.	(ye.) diffuse.	Italy.	1816.	—	H. h.	Jacq. ic. rar. 3. t. 555.
	<i>Spártium decumbens.</i>	Jacq. non Ait.					
52	prostràta. DC.	(ye.) trailing.	Italy.	1826.	—	H. h.	Reyn. mem. 1. p. 211. ic.
53	procumbens. DC.	(ye.) procumbent.	Hungary.	1816.	6. 8.	H. h.	Bot. reg. 1150.
54	pilòsa. DC.	(ye.) hairy green-weed.	England.		5. 6.	H. h.	Eng. bot. 44.
55	micràntha. DC.	(ye.) small-blossom'd.	Spain.	1824.	—	H. h.	Orteg. dec. 6. t. 10. f. 1.
56	pilocàrpa. DC.	(ye.) hairy-podded.		1820.	5. 7.	H. h.	
	CYTISUS. DC.	CYTISUS. Monadelphia	Decandria.				
1	nubigènus. DC.	(wh.) cluster-flower'd.	Teneriffe.	1779.	5. 8.	H. h.	
2	álbus. DC.	(wh.) white-flowered.	Portugal.	1752.	6. 7.	H. h.	Duham. arb. t. 23.
	<i>Spártium multiflorum.</i>	w.					
	<i>β incarnatus.</i>	B.C. (ye.) flesh-coloured.	—	1823.	—	H. h.	Lodd. bot. cab. 1052.
3	Labúrnum. DC.	(ye.) Laburnum.	Europe.	1596.	5. 6.	H. h.	Bot. mag. 176.
4	alpinus. DC.	(ye.) Scotch Laburnum.	Hungary.		6. 7.	H. h.	W. et K. hung. 3. t. 260.
5	nigricans. DC.	(ye.) black-rooted.	Austria.	1730.	—	H. h.	Bot. reg. 802.
6	sessilifolius. DC.	(ye.) common.	Italy.	1629.	5. 6.	H. h.	Bot. mag. 255.

7	triflorus. DC.	(ye.) three-flowered.	Spain.	1640.	6. 7.	H. h.	Clus. hist. 1. p. 94. f. 3.
8	mollis. DC.	(ye.) soft-leaved.		1820.	—	H. h.	
9	pâten. DC.	(ye.) woolly-podded.	Portugal.	1752.	—	H. h.	
10	grandiflorus. DC.	(ye.) great-flowered.	—	1816.	—	H. h.	
11	scoparius. DC.	(ye.) common Broom.	Britain.		4. 6.	H. h.	Eng. bot. 1330.
<i>Spartium scoparium.</i> E.B.							
12	spinosus. DC.	(ye.) prickly.	S. Europe.	1596.	6. 7.	F. h.	Lobel. ic. 2. t. 95.
13	lanigerus. DC.	(ye.) villous.	—	1822.	—	F. h.	
<i>Spartium lanigerum.</i> Df. <i>Calycotome villosa.</i> L.en.							
14	proliferus. DC.	(wh.) silky.	Canaries.	1779.	4. 5.	G. h.	Bot. reg. 121.
15	leucanthus. DC.	(wh.) cream-colour'd.	Hungary.	1806.	6. 7.	H. h.	Bot. mag. 1438.
16	albidus. DC.	(wh.) whitish.	S. Europe.	1824.	—	F. h.	
17	purpureus. DC.	(pu.) purple-flower'd.	Austria.	1792.	5. 8.	H. h.	Bot. mag. 1176.
	<i>β albus.</i> DC.	(wh.) white-flowered.	—	—	—	H. h.	
18	biflorus. DC.	(ye.) two-flowered.	Hungary.	1760.	5. 7.	H. h.	Bot. reg. 308.
19	elongatus. DC.	(ye.) long-branched.	—	1804.	—	H. h.	Wats. dend. brit. 82.
20	multiflorus. B.R.	(ye.) many-flowered.	—	1824.	—	H. h.	Bot. reg. 1191.
21	falcatus. DC.	(ye.) sickle-shaped.	—	1816.	6. 8.	H. h.	W. et K. hung. 3. t. 238.
22	austriacus. DC.	(ye.) Austrian.	Austria.	1741.	6. 9.	H. h.	Jacq. aust. 1. t. 21.
23	supinus. DC.	(ye.) trailing.	S. Europe.	1755.	5. 8.	H. h.	— 1. t. 20.
24	hirsutus. DC.	(ye.) hairy.	—	1739.	6. 8.	H. h.	Jacq. obs. 4. t. 96.
25	serotinus. DC.	(ye.) late-flowering.	Hungary.	1826.	—	H. h.	
26	capitatus. DC.	(ye.) cluster-flower'd.	Austria.	1774.	6. 7.	H. h.	Jacq. aust. t. 33.
27	ciliatus. DC.	(ye.) fringed.	Mt. Carpathian.	1824.	—	H. h.	
28	polytrichus. DC.	(ye.) many-haired.	Tauria.	1822.	—	H. h.	
29	argenteus. DC.	(ye.) silver-leaved.	France.	1739.	7. 9.	H. h.	Lobel. ic. 2. p. 41. f. 2.
30	calycinus. DC.	(ye.) dwarf.	Levant.	1816.	6. 8.	H. h.	Lodd. bot. cab. t. 673.
<i>nanus.</i> Wats. dend. brit. t. 81.							
31	orientalis. DC.	(ye.) oriental.	—		5. 7.	G. h.	
32	canescens. DC.	(ye.) hoary.		1826.	—	H. h.	
33	procerus. DC.	(ye.) tall.	Portugal.	1816.	6. 7.	H. h.	
ADENOCA'RPUS. DC. ADENOCA'RPUS. Monadelphia Decandria.							
1	hispanicus. DC.	(ye.) Spanish.	Spain.	1824.	5. 7.	F. h.	
2	intermedius. DC.	(ye.) intermediate.	S. Europe.		7. 8.	H. h.	Clus. hist. 1. p. 94. f. 1.
3	parvifolius. DC.	(ye.) small-leaved.	France.		4. 7.	H. h.	
4	telonensis. DC.	(ye.) loose-flowered.	S. Europe.	1824.	5. 7.	H. h.	Du. arb. ed. n. 5. t. 47. f. 2.
<i>Cytisus divaricatus.</i> β. Bot. mag. 1387?							
5	frankenioideus. DC.	(ye.) Frankenia-like.	Teneriffe.	1815.	—	G. h.	
<i>Genista viscosa.</i> w. <i>Adenocarpus anagyris.</i> s.s.							
6	foliolosus. DC.	(ye.) leafy.	Canaries.	1770.	7. 8.	F. h.	Bot. mag. 426.
ONONIS. DC. REST-HARROW. Monadelphia Decandria.							
1	crispa. DC.	(ye.) curl-leaved.	Spain.	1739.	6. 8.	F. h.	Rœm. arch. 1. p. 3. t. 1.
2	hispanica. DC.	(ye.) Spanish.	—	1799.	5. 9.	F. h.	Bot. mag. 2450.
3	vaginallis. DC.	(ye.) sheathed.	Egypt.	1815.	6. 8.	F. h.	Vent. cels. t. 32.
4	Natrix. DC.	(ye.) yellow-shrubby.	S. Europe.	1683.	5. 9.	F. h.	Bot. mag. 329.
5	picta. DC.	(std.) painted-flower'd.	Barbary.	1825.	6. 8.	H. h.	Desf. atl. 2. t. 137.
6	pinguis. w.	(ye.) greasy.	—	1739.	7. 8.	F. h.	
7	longifolia. DC.	(ye.) long-leaved.	Canaries.	1816.	5. 6.	F. h.	
8	ramosissima. DC.	(ye.) branching.	Barbary.	1825.	7. 8.	H. h.	Desf. atl. 2. t. 186.
9	arenaria. DC.	(ye.) sand.	S. France.	—	—	H. h.	
10	biflora. DC.	(ye.) two-flowered.	Barbary.	1824.	—	H. h.	
11	viscosa. DC.	(ye.) clammy.	S. France.	1750.	—	H. h.	Barrel. ic. t. 1239.
12	brachycarpa. DC.	(ye.) short-podded.	Spain.	1824.	—	H. h.	
13	brevifolia. DC.	(ye.) short-leaved.	S. Europe.		—	H. h.	
14	scicula. DC.	(ye.) Sicilian.	Sicily.	1822.	6. 8.	H. h.	
15	pubescens. DC.	(ye.) downy.	S. Europe.	1680.	—	H. h.	Brot. phyt. 140. t. 58.
<i>arthropodia.</i> Brot.							
16	ornithopodioides. DC.	(ye.) Bird's-foot.	Sicily.	1713.	—	H. h.	Cavan. ic. 2. t. 192.
17	rotundifolia. DC.	(re.) round-leaved.	Switzerland.	1570.	5. 7.	H. h.	Bot. mag. 335.
18	fruticosa. DC.	(re.) shrubby.	S. Europe.	1680.	5. 7.	H. h.	— t. 317.
19	tridentata. DC.	(re.) three-toothed.	Spain.	1752.	6. 8.	F. h.	Cavan. ic. 2. t. 152.
20	angustissima. DC.	(re.) narrow-leaved.	—	1826.	—	F. h.	
21	cenisia. DC.	(re.) crested.	Italy.	1759.	—	H. h.	Barrel. ic. t. 1104.
22	fœtida. DC.	(re.) strong-scented.	Barbary.	1804.	7. 10.	H. h.	
23	geminiflora. DC.	(re.) twin-flowered.	Spain.	1825.	8. 10.	H. h.	
24	Schouwii. DC.	(re.) Schouw's.	Italy.	1828.	7. 10.	H. h.	
25	reclinata. DC.	(re.) reclined.	S. Europe.	1800.	6. 8.	H. h.	Barrel. ic. t. 761.
26	mollis. DC.	(re.) soft.	Spain.	1824.	—	H. h.	
27	Cherleri. DC.	(re.) dwarf.	S. Europe.	1771.	6. 7.	H. h.	Bauh. hist. 2. p. 394. f. 2

28	péndula. DC.	(re.) pendulous.	Barbary.	1826.	7. 9.	H. ☉.	Desf. atl. 2. t. 191.
29	Sieberi. DC.	(re.) Sieber's.	Crete.	—	—	H. ☉.	
30	arborëscens. DC.	(re.) tree.	Barbary.	1825.	6. 8.	F. h.	Desf. atl. 2. t. 193.
31	altissima. DC.	(re.) stinking.	Italy.	1596.	5. 8.	H. 2.	All. ped. t. 41. f. 1.
	<i>hircina</i> . Jacq. vind. t. 93.						
32	procurrens. DC.	(re.) rooting-branch'd.	Europe.		6. 8.	H. h.	Fuchs. hist. 60. ic.
33	repens. W.	(re.) creeping.	Britain.		—	H. 2.	Dill. elth. t. 25. f. 28.
34	spinosa. DC.	(re.) Cammock.	—		—	H. h.	Eng. bot. 682.
	<i>arvensis</i> . E.B.						
35	antiquorum. W.	(re.) tall.	S. Europe.	1790.	—	H. 2.	
36	mitissima. DC.	(re.) cluster-flower'd.	Portugal.	1732.	6. 7.	H. ☉.	Dill. elth. t. 24. f. 27.
37	diffusa. DC.	(re.) diffuse.	Italy.	1824.	7. 8.	H. ☉.	
38	serrata. DC.	(pu.wh.) serrate.	Egypt.	1828.	6. 10.	H. ☉.	
39	hirta. DC.	(bl.) hairy.	Levant.	—	—	H. 2.	
40	oleocuroides. DC.	(re.) Fox-tail.	Portugal.	1696.	7. 8.	H. ☉.	Schkuhr. handb. t. 194.
41	alba. DC.	(wh.) white-flowered.	Naples.	1826.	—	H. ☉.	
42	oligophylla. DC.	(re.w.) few-leaved.	—	1824.	—	H. ☉.	Ten. fl. nap. 2. t. 67.
43	capitata. DC.	(ye.) capitate.	Spain.	1818.	6. 7.	H. 2.	Cavan. ic. 2. t. 159. f. 2.
44	striata. DC.	(ye.) striated.	S. France.	1814.	—	H. 2.	
45	Columnæ. DC.	(ye.) small-flowered.	Europe.	1732.	—	H. 2.	All. p. 1. n. 1166. t. 20. f. 3.
	<i>minutissima</i> . Jacq. aust. t. 240. <i>parviflora</i> . P.S.						
46	minutissima. DC.	(ye.) pointed-calyx'd.	S. Europe.	1818.	6. 8.	H. ☉.	Cavan. ic. 2. t. 153.
	<i>barbata</i> . Cav. <i>saxatilis</i> . Lam.						
47	variegata. DC.	(ye.) variegated.	—	1784.	7. 8.	H. ☉.	Desf. atl. 2. t. 185.
48	pallida. DC.	(pa.) pale.		1824.	—	H. ☉.	
49	emarginata. Boj.	 emarginate.	Mauritius.	—		S. h.	
50	villosa. DC.	(ye.) villous.	C. B. S.	1825.	7. 9.	G. h.	
51	decumbens. DC.	(ye.) decumbent.	—	1822.	—	G. 2.	
52	geminata. DC.	(ye.) twin-podded.	—	1787.	—	G. 2.	
53	umbellata. DC.	(ye.) umbel-flowered.	—	1818.	—	G. 2.	
54	glabra. DC.	(ye.) smooth-leaved.	—	1816.	—	G. h.	
55	capensis. DC.	(pu.) Cape annual.	—	1823.	—	H. ☉.	
56	cœnuæ. DC.	(ye.) hanging-podded.	—	1774.	—	G. h.	
REQUIENIA. DC.		REQUIENIA.	Monadelphia	Decandria.			
1	obcordata. DC.	(ye.) obcordate.	Senegal.	1824.	6. 8.	S. h.	DC. leg. mem. t. 37.
2	sphaerospërma. DC.	(ye.) round-seeded.	C. B. S.	1816.	4. 7.	G. h.	— t. 38.
ANTHYLLIS. DC.		KIDNEY VETCH.	Monadelphia	Decandria.			
1	Gerardi. DC.	(ro.) Gerard's.	S. Europe.	1806.	6. 8.	H. 2.	Ger. gallopr. t. 18.
2	onobrychioides. DC.	(y.) Saintfoin-like.	Spain.	1818.	—	H. 2.	Cavan. ic. 2. t. 150.
3	cytisoides. DC.	(ye.) downy-leaved.	—	1731.	4. 6.	F. h.	Barrel. ic. 1182.
4	genistæ. DC.	(ye.) Genista-like.	—	1824.	—	F. h.	
5	Hermannia. DC.	(ye.) Lavender-lf.	Levant.	1739.	4. 7.	F. h.	Bot. mag. 2576.
6	aspalathi. DC.	(ye.) spiny.	—	—	—	F. h.	
7	erinacea. DC.	(bl.) prickly.	Spain.	1759.	4. 6.	H. h.	Bot. mag. 676.
8	hy'strix.	(wh.) porcupine.	S. Europe.		—	H. h.	
9	Bárba-Jôvis.	(st.) Jupiter's-beard.	—	1640.	3. 5.	G. h.	Bot. mag. 1927.
10	heterophylla. DC.	(v.) various-leaved.	—	1768.	6. 7.	G. h.	
11	sericea. DC.	(ye.) silky.	Spain.	1786.	—	F. h.	
12	montana. DC.	(ro.) mountain.	Europe.	1759.	—	H. 2.	Swt. br. fl. gar. 1. t. 79.
13	Vulneraria. DC.	(ye.) common.	Britain.		5. 8.	H. 2.	Eng. bot. 104.
14	rústica. Mil.	(wh.) white-flower'd.			—	H. 2.	
15	Dillénii. Sct.	(sc.) red-flowered.	S. Europe.		—	H. 2.	Dill. elth. t. 320. f. 413.
16	polyphylla. Kit.	(ye.) many-leaved.	Hungary.	1827.	—	H. 2.	
17	tetraphylla. DC.	(st.) four-leaved.	S. Europe.	1640.	7. 8.	H. ☉.	Bot. mag. 108.
18	cornicina. DC.	(st.) horned.	Spain.	1759.	—	H. ☉.	Cavan. ic. 1. t. 39. f. 2.
19	hamosa. DC.	(st.) hooked.	Barbary.	1820.	—	H. ☉.	
20	lotoides. DC.	(st.) Lotus-like.	Spain.	1739.	6. 7.	H. ☉.	Cavan. ic. 1. t. 40.
21	chilensis. DC.	(st.) Chile.	Chile.	1824.	—	G. 2.	
	<i>Lôtus subpinnatus</i> . Lag.						

Subtribus II. TRIFOLIEÆ. DC. prodr. 2. p. 171.

MEDICAGO. DC. MEDICK. Diadelphia Decandria.

1	circinnata. DC.	(ye.) kidney-podded.	Italy.	1640.	7. 8.	H. ☉.	
	<i>Hymenocarpus circinnatus</i> . L. en.						

2	nummulària. DC. (ye.)	money-wort.	S. Europe.		—	H. ☉.	Gært. sem. 2. t. 155. f. 7.
	<i>circinnàta</i> . G.	<i>Hymenocarpus nummulàrius</i> . L. en.					
3	radiàta. DC. (ye.)	ray-podded.	Italy.	1629.	6. 7.	H. ☉.	Moris. his. s. 2. t. 15. f. 3.
4	rupèstris. DC. (ye.)	rock.	Tauria.	1827.	6. 8.	H. ☉.	
5	brachycàrpa. DC. (ye.)	short-podded.	Tiflin.	1818.	7. 8.	H. ☉.	
6	lupulina. DC. (ye.)	nonosuch.	Britain.		5. 8.	H. ☉.	Eng. bot. 971.
7	cretæcea. DC. (ye.)	suffrutescent.	Tauria.	1805.	7. 8.	H. ☉.	
8	falcàta. DC. (ye.)	sickle-podded.	Britain.		—	H. ☉.	Eng. bot. 1016.
9	procumbens. DC. (ye.)	procumbent.	Poland.	1827.	—	H. ☉.	
10	cancellàta. DC. (ye.)	netted-podded.	Caucasus.	1828.	—	H. ☉.	
11	suffruticòsa. DC. (vi. ye.)	frutescent.	Pyrenees.	1818.	6. 8.	H. ☉.	
12	arborea. DC. (ye.)	moon trefoil.	Italy.	1596.	5. 11.	H. ☉.	Flor græc. 767.
13	sibìrica. DC. (ye.)	Siberian.	Siberia.	1824.	6. 9.	H. ☉.	
14	mèdia. DC. (bl. ye.)	pale-flowered.	Europe.		6. 7.	H. ☉.	
15	sativa. DC. (bl.)	Lucerne.	Britain.		—	H. ☉.	Eng. bot. 1749.
	<i>β versicolor</i> . DC. (bl. y.)	<i>various-colour'd</i> .			—	H. ☉.	
16	mexicana. (bl.)	Mexican.	Mexico.	1824.	5. 8.	F. ☉.	
17	prostràta. DC. (ye.)	prostrate.	Hungary.	1793.	7. 8.	H. ☉.	Jacq. vind. 1. t. 89.
18	glomeràta. DC. (ye.)	clustered.	Italy.	1818.	—	H. ☉.	
19	glutinosa. DC. (vi.)	glutinous.	Caucasus.	—	—	H. ☉.	
20	obscura. DC. (ye.)	doubtful.	S. France.	1734.	—	H. ☉.	Retz. obs. fasc. 1. t. 1.
21	lævis. DC. (ye.)	smooth.	Tunis.	1816.	6. 8.	H. ☉.	
	<i>Hélix</i> . W.						
22	orbiculàris. DC. (ye.)	flat-podded.	S. Europe.	1688.	7. 8.	H. ☉.	Gært. sem. 2. t. 155.
23	marginàta. DC. (ye.)	marginated.	—	1816.	—	H. ☉.	Moris. his. s. 2. t. 15. f. 2.
24	applanàta. DC. (ye.)	obovate-leaved.		1824.	7. 9.	H. ☉.	
25	scutellàta. DC. (ye.)	snail-podded.	S. Europe.	1562.	6. 8.	H. ☉.	Gært. sem. 2. t. 155. f. 7.
26	rugosa. DC. (ye.)	elegant.	—	1680.	7. 8.	H. ☉.	Moris. his. s. 2. t. 15. f. 4.
	<i>èlegans</i> . W.						
27	saxatilis. DC. (ye.)	stone.	Tauria.	1828.	6. 8.	H. ☉.	
28	tornàta. DC. (ye.)	smooth-podded.	S. Europe.	1658.	—	H. ☉.	
29	turbinàta. DC. (ye.)	Turban.	—	1680.	—	H. ☉.	Moris. his. s. 2. t. 15. f. 5.
30	tuberculàta. DC. (ye.)	wart-podded.	—	1658.	—	H. ☉.	Bauh. hist. 2. f. 1.
31	striàta. DC. (std.)	stripe-podded.	—	1828.	—	H. ☉.	
32	apiculàta. DC. (ye.)	tufted.	Italy.	1800.	—	H. ☉.	
33	coronàta. DC. (ye.)	crowned.	S. Europe.	1660.	—	H. ☉.	Moris. his. s. 2. t. 15. f. 16.
34	catalonica. DC. (ye.)	Catalonian.	Catalonia.	1816.	—	H. ☉.	Schrank. h. mon. t. 28.
35	denticulàta. DC. (ye.)	toothed.	S. France.	1800.	—	H. ☉.	
36	flexuosa. DC. (ye.)	flexuose.	Naples.	1824.	—	H. ☉.	
37	spinulosa. DC. (ye.)	prickly-podded.	S. Europe.	1820.	—	H. ☉.	
38	pubescens. DC. (ye.)	pubescent.	Montpelier.	1823.	—	H. ☉.	
39	terebellum. DC. (ye.)	short-spined.	S. Europe.	1798.	—	H. ☉.	
40	marina. DC. (ye.)	sea-side.	—	1596.	—	H. ☉.	Cavan. ic. 2. t. 130.
41	tentaculàta. DC. (ye.)	distichous-spin'd.	—	1824.	—	H. ☉.	Gært. sem. 2. t. 155. f. 7?
42	Hornemanniana. DC. (ye.)	Hornemann's.	Morocco.	1823.	—	H. ☉.	
43	littoralis. DC. (ye.)	shore.	S. Europe.	1827.	—	H. ☉.	J. Bauh. his. 2. p. 385. ic.
44	lappacea. DC. (ye.)	bur-podded.	—	—	—	H. ☉.	
45	pentacycla. DC. (ye.)	five-whorled.	—		—	H. ☉.	
46	hístris. DC. (ye.)	porcupine.	Naples.	1824.	—	H. ☉.	
47	discifórmis. DC. (ye.)	hook-spined.	Montpelier.	1826.	—	H. ☉.	
48	carstiensis. DC. (ye.)	creeping-rooted.	Carinthia.	1789.	6. 9.	H. ☉.	Bot. mag. 909.
49	nigra. DC. (ye.)	black.	France.	—	6. 8.	H. ☉.	Moris. his. s. 2. t. 15. f. 19.
50	tribuloides. DC. (ye.)	Caltrops-like.	S. Europe.	1739.	—	H. ☉.	
51	cylindræcea. DC. (ye.)	cylinder-podded.		1824.	—	H. ☉.	
52	græca. DC. (ye.)	Grecian.	Greece.	1804.	—	H. ☉.	
53	mínima. DC. (ye.)	least.	England.		—	H. ☉.	Flor. dan. t. 211.
54	arenària. DC. (ye.)	sand.	Italy.	1824.	—	H. ☉.	
55	muricoléptis. DC. (ye.)	arch-spined.	Sicily.	—	—	H. ☉.	
56	uncinàta. DC. (ye.)	hooked.	S. Europe.	1820.	—	H. ☉.	
57	distans. DC. (ye.)	distant.	—	—	—	H. ☉.	Moris. his. s. 2. t. 15. f. 21.
58	aculeàta. DC. (ye.)	prickly.		1802.	—	H. ☉.	
59	maculàta. DC. (ye.)	heart.	England.		5. 6.	H. ☉.	Eng. bot. 1616.
	<i>polymórpha</i> . E. B.						
60	Gerardi. DC. (ye.)	Gerard's.	Hungary.	1816.	6. 8.	H. ☉.	Moris. his. s. 2. t. 15. f. 18.
	<i>villòsa</i> . DC. fl. fr. 4. p.	545.					
61	agrèstis. DC. (ye.)	field.	Italy.	1824.	—	H. ☉.	
62	rigidula. DC. (ye.)	thorny-podded.	S. Europe.	1730.	—	H. ☉.	
63	muricàta. DC. (ye.)	prickly.	England.		5. 8.	H. ☉.	Vaill. par. t. 33. f. 7.
64	sphæræcarpos. DC. (ye.)	round-podded.	Italy.	1826.	6. 8.	H. ☉.	Sebast. pl. rom. p. 15. t. 3.

65	mûrex. DC.	(ye.)	Burdock-podded.		1802.	6. 8.	H. ☉.	
66	laciniâta. DC.	(ye.)	cut-leaved.	S. Europe.	1683.	—	H. ☉.	Breyn. cent. 81. t. 34.
67	Tenoreâna. DC.	(ye.)	Tenore's.	Naples.	1827.	—	H. ☉.	
68	granatênsis. DC.	(ye.)	Spanish.	Spain.	1816.	—	H. ☉.	Jacq. coll. sup. t. 15. f. 2.
69	intertêxta. DC.	(ye.)	hedgohog.	S. Europe.	1629.	—	H. ☉.	Moris. his. s. 2. t. 15. f. 8.
70	ciliâris. DC.	(ye.)	fringed.	France.	1686.	7. 8.	H. ☉.	— s. 2. t. 15. f. 7.
71	êchinus. DC.	(ye.)	Sea-egg.	S. Europe.	1820.	6. 8.	H. ☉.	— s. 2. t. 15. f. 9.
72	ægagrophila. DC.	(ye.)	goats.		1824.	7. 9.	H. ☉.	
73	câspica. L. en.	(ye.)	Caspian.	Caucasus.	1820.	6. 8.	H. ☉.	
74	ovâta. H. E.	(ye.)	oval-leaved.	S. Europe.	1818.	—	H. ☉.	
75	strumâria. H. E.	(ye.)	strumous.	—	—	—	H. ☉.	
76	microdon. F.	(ye.)	small-toothed.	Egypt.	1826.	—	H. ☉.	
77	pedunculâta. E.	(ye.)	peduncled.	—	—	—	H. ☉.	
TRIGONELLA. DC. FENUGREEK. Diadelphia Decandria.								
1	cærûlea. DC.	(bl.)	blue.	Switzerland.	1562.	7. 9.	H. ☉.	Bot. mag. 2283.
<i>Trifolium cærûleum</i> . B. M. <i>Melilotus cærûlea</i> . Lam.								
2	Besseriana. DC.	(bl.)	Besser's.	Poland.		—	H. ☉.	
3	maritima. DC.	(ye.)	sea-side.	Egypt.	1827.	—	H. ☉.	
4	uncinâta. DC.	(st.)	hooked.	Iberia.	1823.	6. 9.	H. ☉.	
<i>Melilotus hamosum</i> . M. B. <i>uncinâta</i> . Bess.								
5	littoralis. DC.	(ye.)	shore.	Sicily.	1826.	—	H. ☉.	
6	callicêras. DC.	(ye.)	rostrate.	Iberia.	1821.	—	H. ☉.	DC. hort. gen. 2. ic.
<i>oxyrrhynchus</i> . F.								
7	prostrâta. DC.	(ye.)	prostrate.	S. France.		—	H. ☉.	J. Bauh. his. 2. p. 365. f. 2.
8	gladiâta. DC.	(wh.)	sword-podded.	Tauria.	1829.	—	H. ☉.	
9	Fœnum-græcum. DC.	(st.)	common.	S. France.	1597.	—	H. ☉.	Schk. s. han. 2. t. 211.
10	spinôsa. DC.	(ye.)	thorny.	Candia.	1710.	7. 9.	H. ☉.	Breyn. cent. 79. t. 33. f. 1.
11	striâta. DC.	(ye.)	streaked.	Abyssinia?	1824.	6. 9.	H. ☉.	
12	hamôsa. DC.	(ye.)	hook-podded.	Egypt.	1640.	7. 8.	H. ☉.	Alp. ægypt. t. 124.
13	flexuôsa. DC.	(st.)	flexuose.	—	1818.	6. 8.	H. ☉.	
14	Fischeriana. DC.	(ye.)	Fischer's.	Tifin.	—	—	H. ☉.	
<i>flexuôsa</i> . M. B. non Delil.								
15	anguina. DC.	(ye.)	snake-podded.	Egypt.	1828.	—	H. ☉.	Delil. fl. ægypt. t. 110. f. 2.
16	tênuis. DC.	(ye.)	slender.	Tifin.	1818.	—	H. ☉.	
17	elongâta. W. en.	(ye.)	elongated.		1823.	—	H. ☉.	
18	cancellâta. DC.	(ye.)	netted-podded.		1818.	—	H. ☉.	
19	monspeliaca. DC.	(ye.)	Montpelier.	Montpelier.	1710.	—	H. ☉.	W. et K. hung. 2. t. 142.
20	parviflora. DC.	(ye.)	small-flowered.	Switzerland.	1824.	—	H. ☉.	
21	pinnatifida. DC.	(ye.)	pinnatifid.	Spain.	1801.	—	H. ☉.	Cavan. ic. 1. t. 38.
<i>média</i> . Delil.								
22	polycêrata. DC.	(ye.)	broad-leaved.	S. Europe.	1640.	7. 9.	H. ☉.	
23	ægyptiaca. DC.	(ye.)	Egyptian.	Egypt.	1823.	6. 8.	H. ☉.	
24	ornithorynchos. DC.	(ye.)	beak-podded.	Russia.	1825.	6. 9.	H. ☉.	
25	crassifolia. DC.	(ye.)	thick-leaved.	Egypt.	1828.	6. 8.	H. ☉.	
26	ruthênica. DC.	(ye.)	small.	Siberia.	1741.	5. 7.	H. ♀.	Lodd. bot. cab. 1391.
27	laciniâta. DC.	(ye.)	laciniate.	Egypt.	1823.	7. 9.	H. ☉.	
28	platycârpous. DC.	(ye.)	round-leaved.	Siberia.	1741.	6. 9.	H. ♀.	Gmel. sib. 4. t. 9.
29	hybrida. DC.	(ye.)	hybrid.	France.	1806.	—	H. ♀.	DC. ic. rar. 1. t. 29.
30	ornithopodioides. DC.	(re.)	Bird's-foot.	Britain.		—	H. ☉.	Eng. bot. t. 1047.
<i>Trifolium ornithopodioides</i> . E. B. <i>Melilotus ornithopodioides</i> . P. S.								
31	corniculâta. DC.	(ye.)	horse-shoe.	S. Europe.	1597.	6. 7.	H. ☉.	Moris. his. s. 2. t. 16. f. 11.
32	esculênta. DC.	(ye.)	esulent.	E. Indies.	1815.	6. 9.	S. ☉.	
POCOCKIA. DC. POCOCKIA. Diadelphia Decandria.								
	crêtica. DC.	(ye.)	Cretan.	Candia.	1713.	6. 9.	H. ☉.	Moris. his. s. 2. t. 14. f. 3.
<i>Trifolium crêticum</i> . L. <i>Melilotus crêtica</i> . P. S.								
MELILOTUS. DC. MELILOT. Diadelphia Decandria.								
1	Kochiana. DC.	(ye.)	Koch's.	Germany.	1816.	6. 9.	H. ♂.	
2	dentâta. DC.	(ye.)	toothed.	Hungary.	1802.	6. 8.	H. ♀.	W. et K. hung. 1. t. 42.
3	lineâris. DC.	(ye.)	linear-leaved.	Spain.	1816.	—	H. ☉.	
4	ruthênica. DC.	(wh.)	Russian.	Sarepta.	1828.	—	H. ☉.	
5	melanosperma. DC.	(ye.)	black-seeded.	Tauria.	1825.	—	H. ♂.	
6	officiâlis. DC.	(ye.)	common.	Britain.		6. 9.	H. ☉.	Eng. bot. 1340.
7	palûstris. DC.	(ye.)	marsh.	Hungary.	1824.	—	H. ♂.	W. et K. hung. 3. t. 266.
8	altissima. DC.	(wh.)	tallest.	S. Europe.	1818.	—	H. ☉.	
9	leucântha. DC.	(wh.)	white-flowered.	Europe.		—	H. ♂.	Sturm. deuts. 1. f. K.
<i>vulgaris</i> . W. en.								
10	macrorrhiza. DC.	(ye.)	long-rooted.	Hungary.	1801.	7. 9.	H. ♀.	W. et K. hung. 1. t. 26.
11	parviflora. DC.	(ye.)	small-flowered.	S. Europe.	1810.	6. 8.	H. ☉.	
12	rugulôsa. W. en.	(wh.)	rugged-podded.	E. Indies.	—	—	H. ☉.	

13	indica. W. en.	(ye.) Indian.	E. Indies.	1680.	6. 8.	H. ⊙.	Pluk. alm. t. 45. f. 4.
14	Báumeti. H.	(ye.) one-seeded.		1818.	—	H. ⊙.	
15	miniina. DC.	(wh.) small-flowered.	E. Indies.	1810.	8. 10.	H. ⊙.	
16	segetális. DC.	(ye.) hedge.	Spain.	1824.	6. 8.	H. ⊙.	
17	polónica. DC.	(ye.) Polish.	Poland.	1778.	—	H. ⊙.	
18	taurica. DC.	(wh.) Taurian.	Tauria.	1823.	6. 9.	H. ⊙.	
19	itálica. DC.	(ye.) Italian.	Italy.	1596.	—	H. ⊙.	Camer. hort. t. 29.
20	rotundifolia. T.N.	(ye.) round-leaved.	—	1824.	—	H. ⊙.	
21	grácilis. DC.	(ye.) slender.	France.	—	6. 8.	H. ⊙.	
22	neapolitana. T.P.	(ye.) Neapolitan.	Naples.	1827.	—	H. ⊙.	
23	pálida. DC.	(ye.) pale-podded.	Poland.	1828.	—	H. ♂.	
24	suavéolens. DC.	(ye.) sweet-scented.	Dahuria.	1826.	—	H. ♀.	
25	hirsuta. Bal.	(ye.) hairy.		—	—	H. ⊙.	
26	procumbens. H.Pr.	(y.) procumbent.		1829.	—	H. ⊙.	
27	arvensis. DC.	(ye.) corn-field.	Germany.	1822.	6. 9.	H. ⊙.	
28	petitpierriana. W.	(wh.) rough-podded.	—	1816.	—	H. ♂.	
29	Besseriana. DC.	(ye.) Besser's.	Tauria.	1826.	6. 8.	H. ♂.	
	imbricata. Bes.						
30	plicata. F.	(ye.) plaited.	—	1823.	—	H. ⊙.	
31	messanensis. DC.	(ye.) Sicilian.	Sicily.	1680.	—	H. ⊙.	
32	sulcata. DC.	(ye.) furrowed.	Barbary.	1798.	—	H. ⊙.	
	mauritánica. W.enum.						
TRIFOLIUM. DC. TREFOIL. Diadelphia Decandria. L.							
1	angustifolium. DC. (ro.)	narrow-leaved.	S. Europe.	1640.	6. 8.	H. ⊙.	Barrel. ic. t. 698.
2	intermedium. DC. (wh.)	intermediate.	Italy.	1829.	—	H. ⊙.	
3	purpureum. DC. (pu.)	purple.	Montpelier.	1826.	—	H. ⊙.	Loisel. fl. gall. t. 14.
4	rubens. DC. (re.)	long-spiked.	S. Europe.	1633.	6. 9.	H. ♀.	Jacq. aust. 4. t. 385.
5	cœrulæscens. DC. (pu.)	bluish.	Tauria.	1827.	—	H. ⊙.	
6	incarnatum. DC. (sc.)	scarlet.	Italy.	1596.	7. 9.	H. ⊙.	Bot. mag. 328.
7	Molineri. W. (bh.)	blush-flowered.	—	1823.	—	H. ⊙.	
8	arvense. DC. (wh.)	Hare's-foot.	Britain.		7. 8.	H. ⊙.	Engl. bot. v. 14. t. 944.
9	gracile. P.S. (re.)	slender.	France.	1818.	—	H. ⊙.	Barrel. ic. 901.
10	ligusticum. DC. (re.)	awned.	Portugal.	1820.	6. 8.	H. ⊙.	Balb. act. ac. it. 1. f. 2.
	arrectisatum. Brot. phyt. t. 63. f. 1.	aristatum. H.					
11	divaricatum. DC. (wh.)	spreading.		1827.	—	H. ⊙.	
12	gemellum. DC. (wh.)	double-headed.	Spain.	1825.	—	H. ⊙.	
13	phleoides. DC. (re.)	Phleum-spiked.	—	—	—	H. ⊙.	
14	lappaceum. DC. (st.)	hurr-spiked.	S. Europe.	1787.	—	H. ⊙.	Barrel. ic. 871.
15	echinatum. DC. (wh.)	bristly.	Caucasus.	1823.	—	H. ⊙.	
16	erinaceum. DC. (wh.)	villous-leaved.	Iberia.	1827.	—	H. ⊙.	
17	malacanthum. DC. (wh.)	soft-headed.		1824.	—	H. ⊙.	
18	sylvaticum. DC. (pu.)	wood.	S. France.	1826.	—	H. ♀.	
19	Bocconi. DC. (re.)	Boccone's.	S. Europe.	1825.	7. 8.	H. ⊙.	Brot. phyt. t. 63. f. 2.
	semiglabrum. Brot. collinum. Poir.						
20	striatum. DC. (pu.)	soft-knotted.	Britain.		6. 7.	H. ⊙.	Eng. bot. v. 26. t. 1843.
21	tenuiflorum. DC. (pa.)	slender-flower'd.	Naples.	1824.	6. 8.	H. ⊙.	
22	scabrum. DC. (wh.)	rough.	Britain.		5. 7.	H. ⊙.	Eng. bot. v. 13. t. 903.
23	maritimum. DC. (li.)	sea-shore.	—		6. 8.	H. ⊙.	v. 4. t. 220.
	rigidum. Savi. fl. pis. 2. p. 159. t. 1. f. 1.						
24	supinum. DC. (bh.)	spreading-branch'd.	S. Europe.	1827.	—	H. ⊙.	Savi. obs. trif. p. 46. f. 2.
25	constantinopolitanum. DC. (ye.)	Turkish.	Constantinople.	—	—	H. ⊙.	
26	cinctum. DC. (st.)	girded.	Montpelier.	1820.	—	H. ⊙.	
27	alexandrinum. DC. (st.)	Egyptian.	Egypt.	1798.	—	H. ⊙.	
28	ochroleucum. DC. (st.)	sulphur-color'd.	Britain.		—	H. ♀.	Eng. bot. v. 17. t. 1224.
29	tricocephalum. DC. (st.)	hairy-headed.	Caucasus.	1829.	—	H. ♀.	
30	canescens. DC. (wh.)	gray.	—	1803.	5. 7.	H. ♀.	Bot. mag. 1168.
31	pannonicum. DC. (wh.)	Hungarian.	Hungary.	1752.	6. 8.	H. ♀.	Jacq. obs. 2. t. 42.
32	barbatum. DC. (ye.)	bearded.	Montpelier.	1827.	—	H. ♀.	
33	olympicum. B.M. (st.)	long-flowered.	Levant.	1810.	—	H. ♀.	Bot. mag. 2790.
34	armenium. DC. (st.)	Armenian.	Armenia.	1816.	5. 7.	H. ♀.	
35	squarrosum. DC. (wh.)	various-leaved.	Spain.	1640.	7. 8.	H. ⊙.	Moris. his. s. 2. t. 13. f. 1.
	β flavicans. DC. (st.)	yellowish.	—		—	H. ⊙.	Savi. obs. tri. p. 65. t. 3.
36	albidum. DC. (st.)	whitish.		1796.	—	H. ⊙.	
37	conicum. DC. (st.)	conical.		1823.	6. 8.	H. ⊙.	
38	Kitaibelianum. DC. (st.)	Kitaibel's.	Hungary.	1828.	—	H. ⊙.	
39	elongatum. DC. (re.)	long-flowered.	Galatia.	1810.	—	H. ♀.	
40	alpestre. DC. (pu.)	oval-spiked.	Europe.	1789.	—	H. ♀.	Bot. mag. 2779.
41	medium. DC. (pu.)	Cow-grass.	Britain.		7. 8.	H. ♀.	Eng. bot. v. 3. t. 190.
42	bracteatum. DC. (pu.)	large-bracted.	Morocco.	1804.	6. 8.	H. ♂.	

43.	expansum. DC.	(pu.) expanded.		1804.	6. 7.	H. ♀.	
44.	pratense. DC.	(pu.) common clover. Britain.		5. 9.	H. ♀.		Eng. bot. v. 25. t. 1770.
	a perenne.	(pu.) perennial.		—	H. ♀.		Sincl. gr. wob. 221.
	β sativum.	(pu.) cultivated.		—	H. ♂.		
45.	vaginatum. Schl.	(ye.) sheathed.	Switzerland.	1824.	—	H. ♀.	
	pratense β flavicans. Ser. in DC. prodr.	2. p. 195. ochroleucum. γ. DC.					
46.	microphyllum. DC.	(p.) small-leaved.	France.	1824.	5. 9.	H. ♀.	
47.	noricum. DC.	(st.) shaggy.	Carinthia.	1823.	6. 7.	H. ♀.	Sturm deuts. 1. fas. 16.
48.	pensylvanicum. DC.	(p.) Buffalo-clover.	N. America.	1811.	6. 9.	H. ♀.	
49.	pallidum. DC.	(wh.) pale.	Hungary.	1803.	6. 8.	H. ♂.	W. et K. hung. 1. t. 36.
50.	diffusum. DC.	(pu.) diffuse.	—	1801.	—	H. ♂.	1. t. 50.
51.	hirtum. DC.	(pu.) hairy.	S. Europe.	1806.	—	H. ♂.	Desf. atl. 2. t. 209. f. 1.
	hispidum. Desf.						
52.	pictum. W.	(pu.) painted-leaved.	—	—	—	H. ♂.	
53.	pauciflorum. DC.	(pu.) few-flowered.	Archipelago.	1828.	—	H. ♂.	
54.	Cherléri. DC.	(st.) hispid-headed.	S. Europe.	1750.	5. 7.	H. ♂.	Barrel. ic. 859.
55.	globosum. DC.	(wh.) globular-headed.	Levant.	1713.	6. 8.	H. ♂.	
56.	clypeatum. DC.	(wh.) oriental.	—	1711.	—	H. ♂.	Alpin. exot. t. 306.
57.	stellatum. DC.	(ro.) star-headed.	England.		7. 8.	H. ♂.	Eng. bot. v. 22. t. 1545.
58.	leucanthum. DC.	(wh.) white-flowered.	Tauria.	1823.	6. 8.	H. ♂.	
59.	Waldsteinianum. (pu.)	Waldstein's.	Hungary.	1826.	—	H. ♂.	W. et K. hung. 3. t. 269.
	reflexum. W. K. non L.						
60.	saxatile. DC.	(wh.) rock.	Switzerland.	1816.	6. 8.	H. ♂.	All ped. t. 59. f. 3.
61.	suffocatum. DC.	(wh.) suffocated.	England.		—	H. ♂.	Eng. bot. v. 15. t. 1049.
62.	glomeratum. DC.	(ro.) round-headed.	—		6. 7.	H. ♂.	— v. 15. t. 1063.
63.	parviflorum. DC.	(li.) small-flowered.	Hungary.	1805.	7. 8.	H. ♂.	Sturm deuts. 1. fasc. 15.
	strictum. Sturm.						
64.	strictum. DC.	(bh.) upright.	S. Europe.	—	—	H. ♂.	W. et K. hung. 1. t. 37.
65.	repens. DC.	(wh.) white clover.	Britain.		5. 9.	H. ♀.	Eng. bot. v. 25. t. 1769.
	β pentaphyllum. P. S. (w.)	purple 5-leaved.	—		—	H. ♀.	
66.	anomalum. DC.	(wh.) anomalous.		1827.	—	H. ♀.	Schrank pl. rar. t. 47.
67.	pallescens. DC.	(st.) pale.	Hungary.	1804.	6. 8.	H. ♀.	Sturm deuts. fl. 1. fas. 15.
68.	caespitosum. DC.	(wh.) turfy.	Switzerland.	1815.	—	H. ♀.	Vill. delph. 3. t. 41.
69.	angulatum. DC.	(bh.) angular.	Hungary.	1803.	—	H. ♂.	W. et K. hung. 1. t. 27.
70.	suavæolens. DC.	(pu.) sweet-scented.	S. Europe.	1818.	—	H. ♂.	W. hort. berol. t. 108.
71.	hybridum. DC.	(wh.) hybrid.	—	1805.	—	H. ♂.	Sturm deuts. fl. 1. fas. 15.
72.	Michelianum. DC.	(st.) Michel's.	Italy.	1815.	—	H. ♂.	Mich. n. gen. t. 25. f. 25.
73.	elegans. DC.	(li.) elegant.	S. Europe.	1818.	—	H. ♀.	Savi. fl. pi. 2. t. 1. f. 2.
	formosum. Savi.	Vail. par. t. 22. f. 1.					
74.	reflexum. DC.	(pu.) reflexed.	Virginia.	1794.	—	H. ♀.	
75.	montanum. DC.	(wh.) mountain.	Europe.	1786.	7. 8.	H. ♀.	Flor. dan. t. 1172.
76.	rupestre. DC.	(wh.) flat-headed.	Italy.	1824.	—	H. ♀.	
77.	Prutetianum. DC.	(re.) soft hairy.	—	1828.	—	H. ♀.	
78.	subterraneum. DC.	(w.) subterraneous.	England.		5. 6.	H. ♂.	Eng. bot. v. 15. t. 1048.
79.	vesiculosum. DC.	(re.) recurved.	Hungary.	1805.	6. 8.	H. ♂.	W. et K. hung. 2. t. 165.
	recurvum. W. K.						
80.	spumosum. DC.	(pu.) bladdered.	France.	1771.	—	H. ♂.	Cupan. panp. t. 69. f. 1.
81.	resupinatum. DC.	(pu.) resupinate.	Germany.	1713.	—	H. ♂.	Sturm deuts. fl. 1. fas. 16.
82.	fragiferum. DC.	(li.) Strawberry.	England.		7. 8.	H. ♀.	Eng. bot. v. 15. t. 1050.
83.	tomentosum. DC.	(ye.) woolly.	S. Europe.	1640.	6. 8.	H. ♂.	Barrel. ic. 864.
84.	physodes. DC.	(li.) swollen-calyx'd.	Iberia.	1829.	—	H. ♀.	
85.	alatum. DC.	(li.) netted-calyx'd.	Sicily.	1820.	7. 8.	H. ♂.	Cupan. panp. t. 97. f. 1 ?
	Cupani. Tineo.						
86.	uniflorum. DC.	(re.) one-flowered.	S. Europe.	1822.	6. 8.	H. ♀.	Buxb. cent. 3. t. 31. f. 1.
	β Sternbergianum. DC.	(wh.) Sternberg's.	—	—	—	H. ♀.	— 3. p. 18. t. 31. f. 2.
87.	eximium. DC.	(pu.) choice.	Dahuria.	1828.	—	H. ♀.	
	β albigiflorum. DC.	(wh.) white-flowered.	Altay.	—	—	H. ♀.	
88.	alpinum. DC.	(re. wh.) alpine.	Italy.	1775.	—	H. ♀.	Sturm deut. fl. 1. fasc. 15.
89.	involutum. DC.	(re.) involucred.	Mexico.	1825.	—	H. ♂.	Kth. pl. legum. t. 53.
90.	Gussonii. DC.	(pu.) Gussone's.	Sicily.	1822.	—	H. ♀.	Bonan. sic. t. 245.
91.	fimbriatum. B. R.	(re.) fringed.	N. America.	1826.	9. 10.	H. ♀.	Bot. reg. 1070.
92.	tridentatum. B. R.	(re.) three-toothed.	—	—	8. 10.	H. ♀.	
93.	cyathiferum. B. R.	(re.) cup-like.	—	—	—	H. ♀.	
94.	badium. DC.	(br.) villous-stalked.	Pyrenees.		6. 8.	H. ♀.	Sturm deuts. fl. 1. fas. 16.
95.	agrarium. DC.	(ye.) golden.	Europe.	1815.	—	H. ♂.	— fl. 1. fasc. 16.
96.	spadiceum. DC.	(ye.) bay-coloured.	—	1778.	—	H. ♀.	Bot. mag. 557.
97.	decipiens. DC.	(ye.) decipient.		1827.	6. 8.	H. ♂.	
98.	speciosum. DC.	(br.) large-flowered.	Candia.	1752.	—	H. ♂.	Labill. dec. 5. t. 10.
	comosum. Labil.						

99	procumbens. DC. (st.)	Hop.	Britain.		6. 7.	H. ☉	Eng. bot. v. 14. t. 945.
100	parisiense. DC.	Paris.	France.		—	H. ☉	Sturm deus. 1. fas. 16.
	pârens. Sturm.						
101	Sebastiani. DC. (ye.)	Sebastian's.	Italy.	1823.	—	H. ☉	Sebas. pl. rom. fas. 2. t. 4.
102	flavescens. DC. (ye.)	yellowish.	Sicily.	1828.	6. 8.	H. ☉	
103	minus. E.B. (ye.)	lesser yellow.	Britain.		—	H. ☉	Eng. bot. v. 18. t. 1256.
104	filiforme. E.B. (ye.)	slender yellow.	—		—	H. ☉	— v. 18. t. 1257.
105	comosum. W. (wh.)	tufted.	N. America.	1798.	—	H. ♀	
106	tenuifolium. DC. (wh.)	slender-leaved.	Naples.	1824.	—	H. ☉	
107	capense. DC. (st.)	Cape.	C. B. S.	1825.	—	G. ♀	
108	congestum. DC. (wh.)	close-headed.	Sicily.	1829.	—	H. ☉	
109	formosum. DC. (pi.)	handsome.	Isl. Melo.	1828.	—	H. ♂	
110	lasiocéphalum. DC. (w.)	woolly-headed.	C. B. S.	1825.	—	H. ☉	
111	villosum. Pr. (wh.)	villous.	Sicily.	1818.	5. 7.	H. ☉	
112	plicatum. Pr. (br.)	plaited.	—	1824.	6. 8.	H. ☉	
113	Ehrenbergii. H. ber. (w.)	Ehrenberg's.	Egypt.	1826.	—	H. ☉	
114	libanaticum. E. (wh.)	Lebanon.	Mt. Lebanon.	1827.	—	H. ☉	
115	albiceps. E. (wh.)	white-headed.	Egypt.	1829.	—	H. ☉	
LUPINASTER. Mh. LUPINASTER. Diadelphia Decandria.							
1	pentaphyllum. Mh. (re.)	five-leaved.	Siberia.	1741.	7. 8.	H. ♀	Bot. mag. 879.
	Trifolium Lupinaster. B.M. Péntaphyllum Lupinaster. P.S.						
2	albens. F. (wh.)	white-flowered.	Volga.	1827.	—	H. ♀	
3	purpurascens. F. (pu.)	purple.	—	1821.	6. 8.	H. ♀	
4	cœrulascens. F. (pu.)	blue purple.	—	1826.	—	H. ♀	
DORYCNIUM. DC. DORYCNIUM. Diadelphia Decandria.							
1	rectum. DC. (ro.)	upright.	S. Europe.	1640.	6. 8.	H. ♀	Barrel. ic. t. 544.
	Lôtus rectus. W.						
2	latifolium. DC. (wh.)	broad-leaved.	Iberia.	1818.	6. 9.	H. ♀	
3	hirsutum. DC. (ro.)	hairy.	S. Europe.	1683.	—	H. ♀	Bot. mag. 336.
	Lôtus hirsutus. B.M.						
4	sericeum. (bh.)	silky.	—	1820.	—	H. ♀	
	Lôtus sericeus. DC. cat. h. monsp. p. 122.						
5	argenteum. DC. (ye.)	silvery.	Egypt.	1825.	—	H. ♀	Delil. fl. æg. 113. t. 40.
6	parviflorum. DC. (ye.)	small-flowered.	S. Europe.	1824.	7. 8.	H. ☉	Desf. atl. 2. t. 211.
7	subbiflorum. DC. (ye.)	two-flowered.	Spain.	1820.	6. 8.	H. ☉	
8	herbaceum. DC. (wh.)	herbaceous.	S. Europe.	1802.	6. 9.	H. ♀	Vill. dauph. 3. t. 41.
9	suffruticosum. DC. (wh.)	suffrutescent.	—	1640.	7. 9.	F. ♀	Lobel. ic. 2. p. 51. f. 1. 2.
10	microphyllum. (ro.)	small-leaved.	C. B. S.	1826.	—	G. ♀	Bot. mag. 2808.
	Lôtus microphyllum. B.M. 2808.						
LOTUS. DC. BIRD'S-FOOT TREFOIL. Diadelphia Decandria.							
1	edulis. DC. (ye.)	esculent.	S. Europe.	1710.	7. 8.	H. ☉	Cavan. ic. 2. t. 157.
2	ornithopodioides. (ye.)	claw-podded.	—	1683.	6. 8.	H. ☉	— 2. t. 163.
3	peregrinus. DC. (ye.)	flat-podded.	—	1713.	7. 8.	H. ☉	
4	indicus. DC. (ye.)	Indian.	E. Indies.		—	H. ☉	Pluk. phyt. t. 200. f. 7.
5	tetraphyllum. DC. (ye.)	four-leaved.	Archipelago.	1828.	—	H. ☉	Viv. fl. lib. t. 17. f. 13.
6	flexuosus. DC. (ye.)	flexuose.		1820.	6. 8.	H. ☉	
7	glaucus. DC. (ye.)	glaucous.	Madeira.	1777.	—	G. ♀	
8	sessilifolius. DC. (ye.)	sessile leaved.	Canaries.	1816.	6. 9.	G. ♂	
9	anthylloides. DC. (ye.)	Anthyllis-like.	C. B. S.	1812.	—	G. ♀	Venten. malm. t. 92.
10	atropurpureus. DC. (da.)	dark-purple.	Cap. Verd Isl.	1823.	3. 9.	G. ♀	
11	jacobæus. DC. (da.)	dark-flowered.	—	1714.	1. 12.	G. ♀	Bot. mag. 79.
12	arenarius. DC. (ye.)	sand.	Portugal.	1824.	6. 8.	H. ☉	
13	cræticus. DC. (ye.)	silver-leaved.	Levant.	1680.	6. 9.	G. ♀	Cavan. ic. 2. t. 156.
	β varians. DC. (ye.)	variable.	—	1829.	—	G. ♀	
14	cytisoides. DC. (ye.)	downy.	S. Europe.	1752.	7. 8.	H. ♀	Barrel. ic. t. 1031.
15	Dioscoridis. DC. (ye.)	Dioscorides's.	Crete.	1658.	6. 8.	H. ☉	All. ped. 1. t. 59. f. 1.
16	Gebelia. DC. (ro.)	Aleppo.	Aleppo.	1823.	5. 9.	F. ♀	Vent. h. cels. t. 57.
17	arabicus. DC. (re.)	red-flowered.	Arabia.	1773.	7. 9.	F. ♀	Jacq. vind. t. 155.
18	australis. DC. (re.)	New Holland.	N. S. W.	1803.	5. 9.	G. ♀	Bot. mag. 1365.
19	Candolleanus. ed. 1. (re.)	De Candolle's.	—	1812.	6. 9.	G. ♀	
	australis β angustifoliola. DC.						
20	albidus. B.C. (wh.)	white-flowered.	—	1823.	—	G. ♀	Lodd. bot. cab. 1063
21	obovatus. ed. 1. (ye.)	glaucous obovate.	—	1803.	4. 9.	G. ♀	
22	decumbens. DC. (ye.)	decumbent.	France.	1820.	5. 7.	H. ♀	
23	Forsteri. (ye.)	Forster's.	Britain.		—	H. ♀	
	decumbens. E.F. non DC.						
24	pilosissimus. DC. (ye.)	hairy.	S. France.	1826.	6. 8.	H. ☉	
25	hispidus. DC. (ye.)	hispid.	S. Europe.	1820.	—	H. ☉	Loisel. fl. gal. t. 16.
26	suaveolens. DC. (ye.)	fragrant.	—	1804.	—	H. ♀	

27	angustissimus, DC. (ye.)	narrow-podded. S. Europe.		5. 7.	H. ♂.	Bauh. hist. 2. p. 356. f. 2.
28	diffusus, DC. (ye.)	slender-podded. England.		—	H. ☉.	Eng. bot. v. 13. t. 925.
29	ciliatus, DC. (ye.)	ciliated. Italy.	1820.	6. 8.	H. ☉.	
30	gracilis, DC. (ye.)	slender. Hungary.	1818.	5. 7.	H. ☉.	W. et K. hung. 3. t. 229.
31	lanuginosus, DC. (ro.)	drooping-fl ^d . Levant.	1818.	7. 8.	G. ♀.	
32	conimbricænsis, DC. (bh.)	Portuguese. Portugal.	1800.	6. 8.	H. ☉.	Brot. phyt. t. 53.
33	glaberrimus, DC. (bh.)	smooth.	1820.	—	H. ☉.	
34	odoratus, DC. (ye.)	sweet-scented. Barbary.	1804.	—	H. ♀.	Bot. mag. 1233.
35	corniculatus, E.B. (ye.)	common. Britain.		—	H. ♀.	Eng. bot. v. 30. t. 2090.
36	maj ^{or} , E.B. (ye.)	large hairy. —		—	H. ♀.	— v. 30. t. 2091.
37	tenuis, W.K. (ye.)	slender. Hungary.	1816.	—	H. ♀.	
<i>depressus</i> , W. enum. <i>humifusus</i> , W. en. ex. Link enum.						
38	pedunculatus, DC. (ye.)	long-peduncled. Spain.	1814.	—	H. ♀.	Cavan. ic. 2. t. 164.
39	palustris, DC. (ye.)	marsh. Levant.	1824.	—	H. ♀.	
TETRAGONOLOBUS, DC. WINGED PEA. Diadelphia Decandria.						
1	purpureus, DC. (pu.)	purple-flower'd. S. Europe.	1596.	6. 8.	H. ☉.	Bot. mag. 151.
<i>Lotus tetragonolobus</i> , B.M.						
2	biflorus, DC. (ye.)	two-flowered. Sicily.	1754.	—	H. ☉.	Desf. atl. t. 210.
3	conjugatus, DC. (pu.)	twin-podded. Montpelier.	1759.	—	H. ☉.	
4	siliquosus, L. en. (ye.)	square-podded. S. Europe.	1683.	7. 8.	H. ♀.	Jacq. aust. 4. t. 361.
5	maritimus, L. en. (ye.)	sea-side. —	—	—	H. ♀.	Flor. dan. 800.

Subtribus III. CLITORIÆ. DC. prodr. p. 216.

PSOR'ALEA, DC.		PSOR'ALEA.	Diadelphia Decandria.	L.		
1	odoratissima, DC. (bl.)	sweet-scented. C. B. S.	1795.	5. 10.	G. ♀.	Jacq. schœnb. 2. t. 229.
<i>pinnata</i> , Andr. rep. 474. <i>nec aliorum</i> .						
2	arborea, B.M. (bl.)	tree. —	1814.	—	G. ♀.	Bot. mag. 2090.
3	pinnata, DC. (bl.)	winged-leaved. —	1690.	5. 7.	G. ♀.	Herm. lugd. 273. ic.
4	lævigata, DC. (pu.)	smooth. —	1824.	—	G. ♀.	
5	verrucosa, DC. (bl.)	warted. —	1774.	5. 8.	G. ♀.	Jacq. schœnb. 2. t. 226.
<i>angustifolia</i> , Jacq.						
6	filiformis, DC. (bl.)	slender. —	1821.	—	G. ♀.	
7	axillaris, DC. (bl.)	axillary-flower'd. —	1816.	6. 7.	G. ♀.	
8	tenuifolia, DC. (bl.)	slender-leaved. —	1793.	—	G. ♀.	Jacq. schœnb. 2. t. 225.
9	fascicularis, DC. (bl.)	fascicle-flowered. —	1816.	—	G. ♀.	
10	multicaulis, DC. (v.)	many-stalked. —	1793.	8. 10.	G. ♀.	Jacq. schœnb. 2. t. 230.
11	aphylla, DC. (bl.)	leafless. —	1790.	6. 8.	G. ♀.	Bot. mag. 1727.
12	lathyrifolia, DC. (bl.)	Lathyrus-leaved. —	1823.	—	G. ♀.	Balb. h. taur. p. 25. ic.
13	decumbens, DC. (bl.)	decumbent. —	1774.	4. 6.	G. ♀.	Lodd. bot. cab. 3. t. 282.
14	repens, DC. (bl.)	creeping. —	—	7. 8.	G. ♀.	
15	hirta, DC. (bl.)	hairy. —	1713.	5. 9.	G. ♀.	
16	Jacquiniæna, (bl.)	Jacquin's. —	—	—	G. ♀.	Jacq. schœnb. 2. t. 228.
<i>hirta</i> , Jacq. <i>nec aliorum</i> .						
17	aculeata, DC. (bl.)	prickle-leaved. —	1774.	—	G. ♀.	Andr. reposit. 146.
18	bracteata, DC. (bl.)	oval-spiked. —	1731.	6. 8.	G. ♀.	Bot. mag. 446.
19	involuta, DC. (bl.)	large-bracted. —	1824.	7. 8.	G. ♀.	
20	spicata, DC. (bl.)	long-spiked. —	1774.	—	G. ♀.	Andr. reposit. 411.
21	Stachydis, DC. (bl.)	Stachy's-like. —	1793.	4. 6.	G. ♀.	
22	striata, DC. (bl.)	streaked. —	1816.	6. 8.	G. ♀.	
23	argentea, DC. (bl.)	silvery. —	—	—	G. ♀.	
24	tomentosa, DC. (bl.)	woolly. —	1825.	—	G. ♀.	
25	capitata, DC. (bl.)	headed. —	1793.	—	G. ♀.	
26	corylifolia, DC. (v.)	Hazel-leaved. Arabia.	1739.	6. 7.	S. ♂.	Bot. mag. 665.
27	virgata, DC. (bl.)	twigg. Florida.	1826.	6. 8.	H. ♀.	
28	arenaria, DC. (bl.)	sand. Missouri.	1823.	—	H. ♀.	
<i>lanceolata et elliptica</i> , Ph. ex Nutt.						
29	palestina, DC. (bl.)	Palestine. Levant.	1771.	4. 9.	F. ♀.	Jacq. vind. 2. t. 184.
30	bituminosa, DC. (pu.)	bituminous. Italy.	1570.	—	F. ♀.	Schkuhr hand. 2. t. 210.
31	sericea, DC. (pu.)	long-peduncled. C. B. S.	1815.	1. 12.	G. ♀.	Bot. reg. 223.
<i>pedunculata</i> , B.R.						
32	Mutisiæ, DC. (pu.)	Mutis's. Mexico.	1828.	6. 8.	G. ♀.	Kth. pl. legum. t. 54.
33	esculenta, DC. (bl.)	Bread-root. Missouri.	1811.	—	H. ♀.	Pursh. amer. 2. t. 22.

- 34 cuspidata. DC. (bl.) large-rooted. Louisiana. 1811. 6. 8. H. 4.
macrorhiza, Fraser.
- 35 incana. DC. (bl.) silky. Missouri. 1813. — H. 4.
argophylla, Ph.
- 36 lupinella. DC. (pu.) narrow-leaved. Carolina. 1812. — H. 4.
- 37 tenuiflora. DC. (pu.) slender-flowered. Missouri. 1826. — H. 4.
- 38 longifolia. DC. (wh.) long-leaved. Louisiana. 1811. — H. 4.
- 39 melilotoides. DC. (bl.) Melilot-like. Carolina. 1814. — F. 4. Bot. reg. 454.
- 40 Onobrychis. DC. (pu.) rough-podded. Louisiana. 1812. — H. 4. — t. 453.
- 41 glandulosa. DC. (v.) glandular. Peru. 1770. 5. 9. H. 4. Swt. br. fl. gar. 3. t. 296.
- 42 pubescens. DC. (bl.) pubescent. Lima. 1823. — G. 3. Bot. reg. 968.
- 43 canescens. DC. (bl.) canescent. Carolina. — 6. 8. F. 4.
- 44 divaricata. DC. (bl.) divaricate. Peru. 1820. 5. 9. G. 4.
- 45 dentata. DC. (wh. pu.) tooth-leaved. Madeira. 1816. — F. 4. Lobel. ic. 2. t. 31. f. 1.
americana, Jacq. schœnb. t. 227.
- CARMICHAELIA. B.R. CARMICHAELIA. Diadelphia Decandria.
australis. B.R. (li.) New Zealand. New Zealand. 1822. 3. 5. G. 4. Bot. reg. 912.
Lötus arboreus, Forster.
- INDIGO-FERA. DC. INDIGO. Diadelphia Decandria. L.
- 1 linifolia. DC. (wh.) Flax-leaved. E. Indies. 1792. 7. 8. S. ⊙. Roxb. cor. 2. t. 194.
- 2 paniculata. DC. (re.) panicled. Sierra Leon. 1824. — S. 4.
- 3 filifolia. DC. (re.) filiform-leaved. C. B. S. 1812. 7. 10. G. 4.
- 4 echinata. DC. (re.) prickly-podded. E. Indies. 1824. 6. 9. S. 4.
- 5 cordifolia. DC. (pu.) heart-leaved. — 1826. — S. 4.
- 6 monophylla. DC. (pu.) simple-leaved. N. S. W. — — G. 4.
- 7 diphylla. DC. (ro.) two-leaved. Africa. 1824. 7. 10. S. ⊙.
- 8 subulata. DC. (li.) awl-stipuled. W. Indies. — — S. ⊙.
- 9 Lechenaultii. DC. (pu.) Lechenault's. Bengal. 1826. 7. 10. S. ⊙.
- 10 trifoliata. DC. (re.) trifoliolate. E. Indies. 1818. 7. 8. S. 4.
- 11 multicaulis. DC. (re.) many-stalked. Nepaul. 1824. 7. 10. S. ⊙.
- 12 glandulosa. DC. (re.) glandular. E. Indies. 1818. 5. 7. S. 4.
- 13 biflora. DC. (pu.) two-flowered. — 1826. — S. 4.
- 14 nudata. DC. (pu.) smooth-leaved. C. B. S. 1790. — G. 4. Jacq. schœnb. 2. t. 233.
- 15 amœna. DC. (sc.) scarlet-flowered. — 1774. 3. 5. G. 4. Bot. reg. 300.
- 16 rigida. DC. (re.) rigid. E. Indies. 1820. 5. 8. S. 4.
- 17 virgata. DC. (re.) twiggy. Nepaul. 1823. 7. 8. S. 4.
- 18 argentea. DC. (re.) silvery. Egypt. 1776. — S. 4. L'Herit. strip. t. 79.
- 19 tinctoria. DC. (re.) East Indian. E. Indies. 1731. — S. 4. Rheed. mal. 1. t. 54.
- 20 brachycarpa. DC. (re.) short-podded. W. Indies. — S. 4.
- 21 A'nil. DC. (re.) West Indian. — 1731. — S. 4. Lam. ill. t. 626. f. 2.
- 22 cœrulea. H.B. (pu.) blue-flowered. E. Indies. 1820. 6. 7. S. 4.
- 23 leptostachya. DC. (pu.) slender-spiked. — 1827. 6. 8. S. 4.
- 24 atropurpurea. DC. (pu.) dark-purple. Nepaul. 1820. 7. 8. S. 4.
- 25 cylindrica. DC. (ro.) cylindric-pod'd. C. B. S. 1822. 6. 8. G. 4.
- 26 juncina. DC. (ro.) rushy. — 7. 10. G. 4. Herb. amat. t. 227.
- aphylla*, L. enum. *Lebeckia contaminata*, B.R. 104. *nuda*, B.M. 2214.
- 27 australis. DC. (li.) round-stem'd. N. S. W. 1790. 3. 6. G. 4. Bot. reg. 386.
- 28 angulata. B.R. (li.) angular-stalked. — 1824. — G. 4. — t. 991.
- 29 macrostachya. DC. (ro.) long-spiked. China. 1822. 4. 6. G. 4. Vent. malm. t. 44.
- 30 frutescens. DC. (ro.) frutescent. C. B. S. 1823. 7. 9. G. 4.
- 31 divaricata. DC. (ru.) spreading. 1824. — G. 4. Jacq. schœnb. t. 365.
- 32 mucronata. DC. (re.) mucronate. Jamaica. — — S. 4.
- 33 elliptica. H.B. (re.) elliptic-leaved. Bengal. 1820. 7. 8. S. 4.
- 34 pulchella. H.B. (re.) pretty. E. Indies. 1823. — S. 4.
- 35 arborea. H.B. (re.) tree. — S. 4.
- 36 purpurascens. H.B. (p.) purplish. — 1827. 7. 8. S. 4.
- 37 violacea. H.B. (vi.) violet-coloured. — 1825. — S. 4.
- 38 uncinata. H.B. (re.) hooked. — — S. 4.
- 39 circinnata. Rox. (re.) rounded. — 1822. — S. 4.
- 40 lateritia. DC. (re.) brick-coloured. Guinea. — — S. ⊙. Jacq. ic. t. 359.
- hirsuta*, Jacq. non Linn.
- 41 viscosa. DC. (re.) clammy. E. Indies. 1806. 6. 8. S. ⊙. Wend. sert. han. 2. t. 12.
- 42 dendroides. DC. (ro.) tree-like. Guinea. 1822. — S. ⊙. Jacq. ic. 3. t. 571.
- 43 polyphylla. DC. (re.) many-flowered. Nepaul. 1825. 4. 8. G. 4.
- 44 heterotricha. DC. (ro.) various-haired. C. B. S. 1816. — G. 4.
- 45 hirsuta. DC. (pu.) hairy-leaved. E. Indies. 1739. 7. 9. S. 4. Burm. zeyl. 37. t. 14.
- 46 endecaphylla. DC. (re.) eleven-leaved. Guinea. 1822. — S. ⊙. Bot. reg. 789.
- 47 alternans. DC. (re.) alternate-leav'd. C. B. S. 1816. — G. 4.
- 48 fragrans. DC. (re.) fragrant. E. Indies. 1822. — S. 4.

49	<i>pusilla</i> . DC.	(re.) small.	Madagascar.	1822.	7. 9.	S. $\frac{1}{2}$.	
50	<i>glabra</i> . DC.	(re.) smooth.	E. Indies.	1824.	—	S. $\odot$.	Pluk. alm. t. 166. f. 1.
51	<i>enneaphylla</i> . DC.	(pu.) trailing.	—	1776.	—	S. $\odot$.	— t. 166. f. 2.
52	<i>cytisoides</i> . DC.	(ro.) angular-stem'd.	C. B. S.	1774.	—	G. $\frac{1}{2}$.	Bot. mag. 742.
53	<i>lotoides</i> . DC.	(ro.) Lotus-like.	—	1816.	—	G. $\frac{1}{2}$.	Comm. hort. 2. t. 84?
54	<i>angustifolia</i> . DC.	(pu.) narrow-leaved.	—	1774.	6. 10.	G. $\frac{1}{2}$.	Bot. mag. 465.
55	<i>aspalathoides</i> . DC.	(re.) Aspalathus-like.	Ceylon.	1823.	4. 6.	S. $\frac{1}{2}$.	
56	<i>filiformis</i> . DC.	(ro.) filiform.	C. B. S.	1816.	—	G. $\frac{1}{2}$.	
57	<i>alopeuroides</i> . DC.	(ro.) Fox-tail.	—	1825.	—	G. $\frac{1}{2}$.	
58	<i>coriacea</i> . DC.	(ro.) leathery-leaved.	—	1774.	7. 8.	G. $\frac{1}{2}$.	
59	<i>sarmentosa</i> . DC.	(ro.) dwarf.	—	1786.	6. 8.	G. $\frac{1}{2}$.	
60	<i>microphylla</i> . P.S.	(ro.) small-leaved.	—	1812.	1. 12.	G. $\frac{1}{2}$.	
61	<i>digitata</i> . DC.	(ro.) finger-leaved.	—	1820.	4. 8.	G. $\frac{1}{2}$.	
62	<i>sessilifolia</i> . DC.	(ro.) sessile-leaved.	—	1816.	—	G. $\frac{1}{2}$.	
63	<i>spinosa</i> . DC.	(re.) spiny.	Arabia.	1822.	—	S. $\frac{1}{2}$.	
64	<i>candicans</i> . DC.	(ro.) white-leaved.	C. B. S.	1774.	5. 9.	G. $\frac{1}{2}$.	Bot. mag. 198.
65	<i>psoraloides</i> . DC.	(ro.) Psoralea-like.	—	1758.	7. 8.	G. $\frac{1}{2}$.	— t. 476.
66	<i>stipularis</i> . DC.	(ro.) stipuled.	—	1816.	6. 7.	G. $\frac{1}{2}$.	
67	<i>incana</i> . DC.	(ro.) hoary.	—	1812.	5. 7.	G. $\frac{1}{2}$.	Bot. reg. 957.
68	<i>trita</i> . DC.	(re.) oval-leaved.	E. Indies.	1802.	6. 8.	S. $\frac{1}{2}$.	
69	<i>procumbens</i> . DC.	(re.) procumbent.	C. B. S.	1816.	5. 7.	G. $\frac{1}{2}$.	
70	<i>prostrata</i> . DC.	(re.) prostrate.	E. Indies.	1828.	8. 10.	S. $\odot$.	
CLITORIA . DC. CLITORIA. Diadelphia Decandria. L.							
1	<i>lascivia</i> . Boj.		Madagascar.	1826.		S. $\frac{1}{2}$.	
2	<i>heterophylla</i> . DC.	(bl.) various-leaved.	E. Indies.	1812.	7. 8.	S. $\odot$.	Bot. mag. 2111.
3	<i>Ternatea</i> . DC.	(bl.wh.) wing-leaved.	—	1739.	5. 9.	S. $\frac{1}{2}$.	Rheed. mal. 8. t. 38.
	<i>a cerulea</i> .	(wh.) blue-flowered.	—	—	—	S. $\frac{1}{2}$.	Bot. mag. 1542.
	<i>β alba</i> .	(wh.) white-flowered.		—	—	S. $\frac{1}{2}$.	
4	<i>mariana</i> . DC.	(bl.) Maryland.	N. America.	1759.	8. 9.	H. $\frac{1}{2}$.	
5	<i>mexicana</i> . DC.	(pu.) Mexican.	Mexico.	1823.	6. 8.	G. $\frac{1}{2}$.	
6	<i>virginiana</i> . DC.	(pu.) Virginian.	America.	1732.	7. 8.	G. $\frac{1}{2}$.	Dill. elt. t. 76.
	<i>calcarigera</i> . Sal.	par. lond. t. 51.	—	—	—	—	
7	<i>occidentalis</i> .	(pu.) West Indian.	Trinidad.	1824.	6. 8.	S. $\frac{1}{2}$.	Bot. reg. 1047.
	<i>virginiana</i> . B.R.	1047. non Linn.	—	—	—	—	
8	<i>brasiliانا</i> . DC.	(bl.) Brazilian.	Brazil.	1759.	—	S. $\frac{1}{2}$.	Breyn. cent. t. 32.
9	<i>Plumieri</i> . DC.	(pu.) Plumier's.	W. Indies.	1815.	8. 11.	S. $\frac{1}{2}$.	Bot. reg. 268.
10	<i>erecta</i> . H.B.	 erect.	S. America.	1822.		S. $\frac{1}{2}$.	
11	<i>Berteriана</i> . DC.	(ye.) Bertero's.	St. Domingo.	1824.	6. 8.	S. $\frac{1}{2}$.	
12	<i>arborescens</i> . DC.	 tree.	Trinidad.	1804.		S. $\frac{1}{2}$.	
NEUROCARPUM . DC. NEUROCARPUM. Diadelphia Decandria.							
1	<i>guianense</i> . DC.	(pu.) Guiana.	Guiana.	1826.	6. 8.	S. $\frac{1}{2}$.	Aubl. guian. 2. t. 305.
2	<i>falcatum</i> . DC.	(pu.) sickle-podded.	St. Domingo.	—	—	S. $\frac{1}{2}$.	Plum. spec. 8. t. 85.
COLOGANIA . DC. COLOGANIA. Diadelphia Decandria.							
1	<i>intermedia</i> . DC.	(fl.) intermediate.	Mexico.	1824.	6. 8.	G. $\frac{1}{2}$.	
2	<i>angustifolia</i> . DC.	(vi.) narrow-leaved.	—	—	—	G. $\frac{1}{2}$.	Kth. mim. 209. t. 58.
3	<i>Broussonetii</i> . DC.	(vi.) Broussonnet's.		1820.	—	S. $\frac{1}{2}$.	
GALACTIA . DC. GALACTIA. Diadelphia Decandria.							
1	<i>pendula</i> . DC.	(ro.) pendulous.	Jamaica.	1794.	7. 8.	S. $\frac{1}{2}$.	Bot. reg. 269.
2	<i>sericea</i> . DC.	(pu.) silky.	Isl. Bourbon.	1824.	—	S. $\frac{1}{2}$.	
3	<i>cubensis</i> . DC.	(ro.) Cuba.	Cuba.	1826.	—	S. $\frac{1}{2}$.	
4	<i>mollis</i> . DC.	(pu.) soft.	Carolina.		—	G. $\frac{1}{2}$.	Dill. elth. 1. f. 170.
5	<i>glabella</i> . DC.	(re.) smooth.	—	1826.	6. 8.	G. $\frac{1}{2}$.	
VILMORINIA . DC. VILMORINIA. Diadelphia Decandria.							
	<i>multiflora</i> . DC.	(pu.) many-flowered.	W. Indies.	1823.	7. 8.	S. $\frac{1}{2}$.	
	<i>Clitoria multiflora</i> .	Swartz.	—	—	—	—	
COLL'EA . DC. COLL'EA. Monadelphia Pent-Decandria.							
1	<i>speciosa</i> . DC.	(pu.) pentandrous.	Peru.	1824.	6. 8.	G. $\frac{1}{2}$.	DC. leg. me. p. 245. t. 40.
2	<i>trinervia</i> . DC.	(pu.) decandrous.	E. Indies.	1826.	—	S. $\frac{1}{2}$.	— p. 247. t. 41.
OTOPTERA . DC. OTOPTERA. Monadelphia Decandria.							
	<i>Burchellii</i> . DC.	(pu.) Burchell's.	C. B. S.	1816.	5. 7.	G. $\frac{1}{2}$.	DC. leg. mem. 250. t. 42.
PUERARIA . DC. PUERARIA. Monadelphia Decandria.							
1	<i>tuberosa</i> . DC.	(ye.) tuberous-root'd.	E. Indies.	1806.	6. 8.	S. $\frac{1}{2}$.	
	<i>Hedy sarum tuberosum</i> .	w.	—	—	—	—	
2	<i>Wallichii</i> . DC.	(ye.) Wallich's.	Nepaul.	1826.	4. 6.	G. $\frac{1}{2}$.	DC. leg. mem. 254. t. 43.
DUMASIA . DC. DUMASIA. Diadelphia Decandria.							
1	<i>villosa</i> . DC.	(ye.) villous.	Nepaul.	1824.	8. 12.	G. $\frac{1}{2}$.	DC. leg. mem. 257. t. 44.
2	<i>pubescens</i> . DC.	(ye.) pubescent.	—	—	—	G. $\frac{1}{2}$.	Bot. reg. 962.
GLYCINE . DC. GLYCINE. Diadelphia Decandria. L.							
1	<i>clandestina</i> . DC.	(bl.) hidden-flower'd.	N. S. W.	1810.	4. 8.	G. $\frac{1}{2}$.	

2	dëbilis. DC.	(ye.) hairy.	E. Indies.	1778.	6. 7.	S. 4. ∪.	
3	minima. DC.	(bl.) small.	N. S. W.	1812.	4. 10.	G. 4. ∪.	
4	striata. DC.	(li.) streaked.	S. America.	1823.	7. 9.	S. 7. ∪.	Jacq. vind. 1. t. 76.
5	parviflora. DC.	(re.) small-flowered.	E. Indies.	1812.	7. 8.	S. 8. ∪.	
6	senegalensis. DC.	(ye.) Senegal.	Senegal.	1822.	—	S. 4. ∪.	
7	heterophylla. DC.	(ye.) various-leaved.	C. B. S.	1816.	6. 8.	G. 4. ∪.	
8	argentea. DC.	(ye.) silvery-leaved.	—	—	—	G. 4. ∪.	
9	secunda. DC.	(ye.) side-flowering.	—	1825.	6. 9.	G. 4. ∪.	
CHÆTOCALYX. DC. CHÆTOCALYX. Diadelphia Decandria.							
	vincentina. DC.	(ye.) St. Vincent.	W. Indies.	1823.	6. 8.	S. 7. ∪.	Bot. reg. 799.
<i>Glycine vincentina</i> , B.R. 799.							

Subtribus IV. *GALEGEÆ*. DC. prodr. 2. p. 243.

PETALOSTEMUM. DC. PETALOSTEMUM. Monadelphia Pentandria.							
1	candidum. DC.	(wh.) white.	N. America.	1811.	7. 8.	H. 4.	Mich. amer. 2. t. 37. f. 1.
2	carneum. DC.	(li.) flesh-coloured.	Florida.	—	—	H. 4.	
3	violaceum. DC.	(pu.) purple-flower'd.	Missouri.	—	7. 9.	H. 4.	Bot. mag. 1707.
4	villosum. DC.	(ro.) villous.	—	1826.	—	H. 4.	
5	corymbosum. DC.	(wh.) corymbose.	Carolina.	1806.	—	H. 4.	
<i>Dalea Kuhnistera</i> , w. <i>Kuhnistera carolinensis</i> , Lam. <i>Cylipogon virgatum</i> , Rafin.							
D'ALEA. DC. D'ALEA. Monadelphia Decandria.							
1	laxiflora. DC.	(wh.) loose-flowered.	Louisiana.	1811.	7. 8.	H. 4.	
2	aurca. DC.	(ye.) golden.	—	—	—	H. 4.	
3	alopeuroides. DC.	(w.) Fox-tail.	—	1812.	—	H. 4.	Mich. amer. 2. t. 38.
<i>Dalea Linn'æi</i> , Mich.							
4	Cliffortiana. w.	(bl.) Vera Cruz.	Vera Cruz.	1737.	7. 8.	H. 4.	Linn. h. cliff. t. 22.
5	Lagopus. DC.	(vi.) downy-spiked.	Mexico.	1780.	10. 11.	G. 4.	Cavan. ic. 1. t. 86.
6	sericea. DC.	(d.vi.) silky.	—	1825.	9. 11.	G. 4.	Kth. mim. 166. t. 48.
<i>gracilis</i> , Kth.							
7	tuberculata. DC.	(pu.) tubercled.	—	—	—	G. 7.	
8	citriodora. DC.	(v.) leafy.	New Spain.	1780.	10. 11.	G. 4.	Cavan. ic. 3. t. 271.
<i>Psoralea citriodora</i> , Cav. <i>foliolosa</i> , H.K.							
9	lutea. DC.	(ye.) yellow.	Mexico.	1823.	7. 9.	G. 4.	Cavan. ic. 4. t. 325.
10	mutabilis. DC.	(v.) changeable.	—	1821.	9. 10.	G. 7.	Bot. mag. 2486.
<i>bicolor</i> , Hook. ex. flor. 43.							
11	nudans. DC.	(vi.) nodding.	—	1824.	7. 9.	G. 4.	Cavan. ic. 3. t. 201.
12	reclinata. DC.	(vi.) reclining.	—	—	5. 8.	G. 4.	
13	tomentosa. DC.	(vi.) woolly.	—	1823.	7. 9.	G. 4.	Cavan. ic. 3. t. 240.
14	prostrata. DC.	(ye.) prostrate.	—	1826.	—	G. 4.	
15	mucronata. DC.	(wh.) mucronate.	—	—	—	G. 4.	
16	Thouini. DC.	(vi.) Thouin's.	—	1824.	6. 9.	H. 4.	Schrank hort. mon. t. 9.
17	phymatodes. DC.	(vi.) obovate-leaved.	Caracas.	—	7. 9.	G. 7.	Jacq. ic. 3. t. 563.
18	enneaphylla. DC.	(re.) nine-leaved.	W. Indies.	1772.	—	S. 7.	
GLYCYRRHIZA. DC. LIQUORICE. Diadelphia Decandria. L.							
1	glabra. DC.	(pu.) common.	S. Europe.	1562.	7. 9.	H. 4.	Lam. ill. t. 625. f. 2.
2	glandulifera. DC.	(pu.) glandular.	Hungary.	1805.	6. 8.	H. 4.	W. et K. hung. 1. t. 21.
3	lepidota. DC.	(wh.) scaly.	Missouri.	1811.	7. 8.	H. 4.	Bot. mag. 2150.
4	foetida. DC.	(ye.) strong-scented.	Barbary.	1823.	6. 9.	H. 4.	Desf. atl. 2. t. 199.
5	echinata. DC.	(pu.) prickly-headed.	Italy.	1596.	—	H. 4.	Bot. mag. 2154.
6	asperima. DC.	(li.) rough.	Siberia.	1795.	7. 8.	H. 4.	Pall. it. app. t. M. f. 3.
7	uralensis. DC.	(li.) Siberian.	—	1826.	—	H. 4.	
8	hirsuta. DC.	(li.) hairy.	Levant.	1739.	—	H. 4.	
GALEGA. DC. GOAT'S-RUE. Monadelphia Decandria.							
1	officinalis. DC.	(pu.) officinal.	Spain.	1568.	6. 9.	H. 4.	Schk. hand. 2. t. 208.
<i>α purpurea</i> , (pu.) purple-flowered.							
<i>β alba</i> , (wh.) white-flowered.							
2	persica. DC.	(wh.) Persian.	Persia.	1816.	—	H. 4.	Swt. br. fl. gar. 3. t. 244.
3	biloba. B.F.G.	(pu.) two-lobed.		1823.	—	H. 4.	2. t. 159.
4	orientalis. DC.	(bl.) oriental.	Levant.	1801.	—	H. 4.	Bot. reg. 326.
TEPHROSIA. DC. TEPHROSIA. Mono-Diadelphia Decandria.							
1	suberosa. DC.	(ro.) cork-barked.	E. Indies.	1818.	5. 8.	S. 7.	
<i>Robinia suberosa</i> , H.B.							
2	fruticosa. DC.	(ro.) frutescent.	—	1820.		S. 7. ∪.	

3	sophoroides. DC. (wh.)	Sophora-like.	Nepaul.	1826.		G. h.	
4	brachystachya. DC. (ro.)	short-spiked.	—	—		G. h.	
5	cándida. DC. (ro.)	white-leaved.	E. Indies.	1810.	5. 8.	S. h.	
	<i>Robinia cándida.</i> H.B.						
6	toxicária. DC. (bh.)	Fish poison.	S. America.	1791.	—	S. h.	Plum. ic. t. 135.
7	virginiána. DC. (re.)	Virginian.	Virginia.	1765.	6. 8.	H. 2.	Pluk. alm. t. 23. f. 2.
8	hispidula. DC. (li.)	bristle-podded.	—	1826.	—	H. 2.	
9	ochroleuca. DC. (st.)	straw-colour'd.	W. Indies.	1799.	—	S. h.	Jacq. ic. t. 150.
10	carib'æa. DC. (re.wh.)	various-colour'd.	Caribees.	1786.	—	S. h.	Jacq. amer. t. 125.
11	grandiflora. DC. (re.)	large-flowered.	C. B. S.	1774.	6. 9.	I. h.	Bot. reg. 769.
	<i>Galèga grandiflora.</i> B.R. <i>Galèga ròsea.</i> Lam.						
12	villòsa. DC. (pu.)	villous.	E. Indies.	1779.	6. 8.	S. 2.	Burm. zeyl. t. 33.
13	purpùrea. DC. (pu.)	purple.	—	1768.	7. 8.	S. 2.	— t. 32.
	<i>Galèga purpùrea.</i> L.						
14	lanceafolia. DC. (st.)	lance-leaved.	—	1824.	—	S. h.	
15	argentea. DC. (pu.)	silvery.	—	1826.		S. 2.	Pluk. alm. t. 52. f. 1.
16	piscatória. DC. (pu.)	woolly.	—	1778.	6. 8.	S. h.	
17	leucantha. DC. (wh.)	white-flowered.	Mexico.	1826.	6. 10.	G. h.	H. et B.n.gen.a.6.t.577.
18	coronillæfolia. DC. (st.)	Coronilla-leav'd.	Bourbon.	—		S. h.	
19	capénsis. DC. (re.)	Cape.	C. B. S.	1823.	5. 9.	G. h.	Jacq. ic. t. 574.
20	cinèrea. DC. (vi.)	cinereous.	W. Indies.	1824.	6. 9.	S. ☉.	— t. 575.
21	hypargy'rea. DC. (pu.)	various-leaved.	E. Indies.	1825.	—	S. h.	
	<i>heterophy'lla.</i> F.						
22	stricta. DC. (pu.)	straight-podded.	C. B. S.	1774.	5. 6.	I. h.	Jacq. schoenb. t. 236.
23	lineàris. DC. (pu.)	linear-leaved.	Guinea.	1822.		S. h.	
24	pállens. DC. (li.)	pale-flowered.	C. B. S.	1787.	6. 8.	I. h.	
25	apollínea. DC. (bl.)	Egyptian.	Egypt.	1822.	6. 7.	F. 2.	Delil. fl. eg. t. 53. f. 5.
26	tricolor.	three-coloured.	N. Holland.	1824.	7. 9.	G. 2.	Hook. ex. flor. t. 185.
	<i>Galèga tricolor.</i> H.E.F.						
27	Barclayána. (pu.)	Mr. Barclay's.	Madagascar.	1823.	5. 10.	S. h. ∪.	Hook. ex. flor. t. 188.
	<i>Dalbèrgia Barclayii.</i> H.E.F.						
28	Telfáirii. (pu.)	Mr. Telfair's.	—	—	—	S. h. ∪.	
29	Colonila. L.T. (pu.)	Colonil.	E. Indies.	1818.	6. 8.	S. h.	
30	racemòsa. (pu.)	racemed.	—	1822.	—	S. h. ∪.	
	<i>Robinia racemòsa.</i> H.B.						
31	pentaphy'lla. (pu.)	five-leaved.	—	1824.	—	S. h.	
	<i>Galèga pentaphy'lla.</i> H.B.						
32	biflòra. DC. (pu.)	two-flowered.		1826.	6. 9.	G. h.	
33	capitulàta. DC. (pu.)	headed.	Owyhee.	—	—	S. 2.	
34	incàna. (pu.)	hoary.	E. Indies.	1820.	—	S. h.	
	<i>Galèga incàna.</i> H.B.						
35	Heyniána. (bl.)	Heyne's.	—	1807.	7. 9.	S. h.	
	<i>Galèga Heyniána.</i> H.B.						
36	sericea. DC. (pu.)	silky.	C. B. S.	1824.	—	I. h.	
37	filifolia. DC. (re.)	filiform-leaved.	—	—	—	I. h.	
AMORPHA. DC. BASTARD INDIGO. Monadelphia Decandria.							
1	fruticòsa. DC. (bl.)	shrubby.	Carolina.	1724.	6. 8.	H. h.	Bot. reg. 427.
2	croceolanàta. W.D. (pu.)	yellow-haired.	—	1812.	—	H. h.	Wats. dend. brit. t. 139.
3	fràgrans. B.F.G. (pu.)	fragrant.	—	—	—	H. h.	Swt. br. fl. gar. t. 241.
	<i>nàna.</i> Bot. mag. t. 2112. <i>nec aliorum.</i>						
4	emarginàta. L.C. (bl.)	emarginate.	—	—	—	H. h.	
	<i>fruticòsa β emarginàta.</i> Ph.						
5	Lewisii. L.C. (bl.)	Lewis's.	—	—	—	H. h.	
	<i>fruticòsa γ angustifolia.</i> Ph.						
6	glàbra. DC. (pu.)	smooth.	—	—	—	H. h.	
7	nàna. DC. (pu.)	dwarf.	Missouri.	1811.	7. 8.	H. h.	
	<i>microphy'lla.</i> Ph.						
8	herbàcea. DC. (pu.)	pubescent.	Carolina.	1803.	6. 8.	H. h.	Lodd. bot. cab. 689
	<i>pubescens.</i> Ph.						
9	canescens. DC. (bl.)	canescent.	Missouri.	1812.	7. 8.	H. h.	
NISSOLIA. DC. NISSOLIA. Mono-Diadelphia Decandria.							
1	fruticòsa. DC. (st.)	shrubby.	S. America.	1766.	7. 11.	S. h. ∪.	Jacq. vind. t. 167.
2	racemòsa. DC. (st.)	racemed.	W. Indies.		6. 8.	S. h. ∪.	
3	glàbrata. DC. (wh.)	smooth-leaved.	S. America.	1818.	7. 11.	S. h.	
4	robiniaefolia. DC.	Robinia-leaved.	St. Vincent.	1824.		S. h.	
5	micróptera. DC. (ye.)	small-winged.		—	5. 8.	S. h.	
6	retùsa. DC. (ye.)	retuse-leaved.	S. America.	1823.		S. h. ∪.	
MULLERA. DC. MULLERA. Monadelphia Octo-Decandria.							
	<i>moniliformis.</i> DC.	bracelet.	Guiana.	1792.		S. h.	Aubl. guian. 4. t. 356.

LONCHOCARPUS, DC. LONCHOCARPUS. Mono-Diadelphia Decandria.

- 1 domingensis. DC. (re.) oval-leaved. St. Domingo. 1759. S. h.
 2 violaceus. DC. (vi.) violet. W. Indies. — 5. 8. S. h. Jacq. amer. t. 177. f. 49.
Robinia violacea. Jacq.
 3 formosianus. DC. (vi.) Formosa. Africa. 1822. S. h. Beauv. fl. owar. 2. t. 76.
 4 sericeus. DC. (pu.) silky. W. Indies. 1823. S. h.
 5 pyxidarius. DC. (pu.) Cuba. 1822. S. h.
 6 latifolius. DC. (pu.) broad-leaved. S. America. 1814. S. h.
Amerimnum latifolium. w.
 7 pubescens. DC. (pu.) pubescent. Caracas. 1820. S. h.
 8 roseus. DC. (ro.) rose-coloured. S. America. S. h.
 9 sepium. DC. (ro.) hedge. W. Indies. 1820. S. h. Jacq. amer. t. 129. f. 101.
 10 Swartzii. DC. (ro.) Swartz's. — — — — S. h.
Robinia sepium. Sw.
 11 Nicou. DC. (pu.) climbing. Guiana. 1826. S. h. Aubl. guian. 2. t. 308.
Robinia Nicou. Aubl. scandens. w.

ROBINIA, DC. ROBINIA. Diadelphia Decandria. L.

- 1 Pseudacacia. DC. (wh.) com. or Locust Tree. N. Amer. 1640. 5. 6. H. 5. Schmidt arb. 1. t. 32.
 2 inermis. DC. (wh.) spineless. H. 5.
spectabilis. L. C.
 3 macrophylla. L. C. (ro.) long-leaved. Siberia. 1797. 6. 7. H. 5.
 4 sophoræfolia. L. C. (wh.) Sophora-leaved. Hybrid. 1811. — H. 5.
 5 amorphæfolia. L. en. (w.) Amorpha-leav'd. — 1820. — H. 5.
 6 umbraculifera. DC. (w.) Parasol. — 1811. H. 5.
Robinia inermis. Dum. Cours. non DC.
 7 dubia. DC. (bh.) doubtful. — — — — H. 5.
 8 stricta. L. C. (wh.) upright. — — — — H. 5.
 9 tortuosa. DC. (wh.) twisting. — — — — 6. 7. H. 5.
 10 monstrosa. L. C. (wh.) monstrous. — — — — H. 5.
 11 pendula. L. en. (wh.) pendulous. — — — — H. 5.
 12 viscosa. DC. (bh.) clammy. N. America. 1797. 6. 8. H. 5. Venten. cels. t. 4.
glutinosa. Bot. mag. 580.
 13 hispida. DC. (ro.) Rose Acacia. Carolina. 1743. 5. 9. H. h. Bot. mag. 311.
 14 rosea. Ell. (ro.) smooth-branch'd. — 1812. — H. h.
 15 ? guineensis. W. en. (ro.) Guinea. Guinea. 1821. S. h.
Cytisus hispidus. w.
 16 ? purpurea. L. en. (pu.) purple. 1816. 4. 6. S. h.
POITÆA, DC. POITÆA. Diadelphia Decandria.
 galeoides. DC. (ro.) Galea-like. St. Domingo. 1826. S. h. Venten. choix. t. 36.
COURS'ETIA, DC. COURS'ETIA. Diadelphia Decandria.
 1 tomentosa. DC. (ye.) woolly. Peru. 1824. 6. 8. G. h. Cavan. ic. t. 84.
Lathyrus fruticosus. Cav. *O'robos tomentosus*. Df. *Vicia fruticosa*. w.
 2 virgata. DC. (ye.) slender. Trinidad. 1820. — S. h. Cavan. ic. t. 293.
Æschynomene virgata. Cav.

SESBANIA, DC. SESBANIA. Diadelphia Decandria.

- 1 ægyptiaca. DC. (ye.) Egyptian. Egypt. 1680. 7. 8. S. ♂ Alp. ægypt. 81. t. 82.
 2 occidentalis. DC. (ye.) West Indian. W. Indies. 1823. 6. 8. S. h. Plum. ed Bur. t. 125. f. 1.
 3 aculeata. DC. (ye.) prickly. E. Indies. 1690. 7. 10. S. ⊙ Jacq. ic. t. 564.
 4 cannabina. DC. (ye.) Hemp-like. — 1800. — S. ⊙
 5 affinis. DC. (ye.) likened. — 1822. 5. 8. S. ♂
 6 picta. DC. (std.) painted. W. Indies. — 4. 9. S. h. Bot. reg. 873.
 7 macrocarpa. DC. (st.) long-podded. Louisiana. — 7. 10. H. ⊙ Bart. fl. amer. 1. t. 28.
 8 paludosa. DC. (ye.) marsh. E. Indies. 1810. — S. ⊙
 9 gracilis. DC. (ye.) slender. 1824. — S. ⊙
 10 sericea. DC. (ye.) silky. E. Indies. 1818. — S. ⊙
 11 procumbens. H. B. (ye.) procumbent. — — — — S. ⊙
 12 uliginosa. (ye.) swamp. — — — — S. ⊙
Æschynomene uliginosa. H. B.

AGATI, DC. AGATI. Diadelphia Decandria.

- 1 grandiflora. DC. (bh.) great-flowered. E. Indies. 1768. 7. 8. S. h. Rheed. mal. 1. t. 51.
Sesbania grandiflora. P. S. *Æschynomene grandiflora*. L. *Coronilla grandiflora*. w.
 2 coccinea. DC. (ps.) red-flowered. E. Indies. 1824. 7. 8. S. h. Rumph. amb. 1. t. 77.

GLOTTIDIUM, DC. GLOTTIDIUM. Diadelphia Decandria.

- floridanum. DC. (ye.) flat-podded. Florida. 1822. 7. 8. S. ⊙ Jacq. ic. 1. t. 148.
Sesbania platycarpa. P. S. *Robinia vesicaria*. Jacq. *Phaca floridana*. w.

PISCIDIA, DC. JAMAICA DOGWOOD. Monadelphia Decandria.

- 1 Erythrina. DC. (v.) oval-leaved. W. Indies. 1690. S. h. Sloan. jam. 2. t. 176. f. 4-5.
 2 carthagenensis. DC. (v.) obovate-leaved. S. h. Plum. ed Bur. t. 133. f. 2.

DAUBENTONIA. DC. DAUBENTONIA. Diadelphia Decandria.

- 1 punicea. DC. (pu.) red-flowered. Mexico. 1824. S. h. Cavan. ic. 4. t. 316.
 2 longifolia. DC. (ye.) long-leaved. New Spain. 1828. S. h. ——— 4. t. 315.

CORYNE'LLA. DC. CORYNE'LLA. Diadelphia Decandria.

- polyantha. DC. (pu.) many-flowered. W. Indies 1824. S. h.
Robinia polyantha. Swartz.

CARAG'ANA. DC. CARAG'ANA. Diadelphia Decandria.

- 1 Altägana. DC. (ye.) flat-podded. Dahuria. 1789. 4. 6. H. h. L'Herit. stirp. t. 76.
 2 microphy'lla. DC. (ye.) small-leaved. Siberia. 1816. ——— H. h. Pall. ross. t. 42. f. 1-2.
 3 arenaria. L.C. (ye.) sand. ——— 1802. 6. 7. H. h. Bot. mag. 1836.
Robinia Caragana. *β. arenaria*. B.M.
 4 arborescens. DC. (ye.) common. ——— 1752. 4. 6. H. h. Schmidt arb. 1. t. 33.
Robinia Caragana. L.
 5 Chamlägu. DC. (ye.) shining. China. 1773. 5. 6. H. h. L'Herit. stirp. t. 77.
 6 frutescens. DC. (ye.) shrubby. Siberia. 1752. 4. 6. H. h. Swt. br. fl. gar. 3. t. 227.
 7 möllis. M.B. (ye.) soft-leaved. Tauria. 1822. ——— H. h.
 8 grandiflora. DC. (ye.) large-flowered. Iberia. ——— H. h.
 9 pygmæa. DC. (ye.) pigmy. Siberia. 1751. ——— H. h. Bot. reg. 1021.
 10 mongolica. F. (ye.) Mongolian. Tartary. 1826. ——— H. h.
 11 Redöwskii. F. (ye.) Redowski's. Siberia. 1822. ——— H. h. DC. leg. mem. t. 11. f. 45.
 12 spinosa. DC. (ye.) thorny. ——— 1775. ——— H. h. Pall. ross. 1. t. 44.
 13 tragacanthoides. DC. (y.) Goat's-thorn-like. ——— 1816. ——— H. h. Pall. astr. t. 86.
 14 jubata. DC. (bh.) bearded. ——— 1796. ——— H. h. ——— p. 113. t. 85.

HALIMODE'NDRON. DC. SALT-TREE. Diadelphia Decandria.

- 1 argenteum. DC. (pu.) silvery-leaved. Iberia. 1779. 5. 6. H. h. Bot. mag. 1016.
 2 triflorum. (pu.) smooth-leaved. ——— H. h. L'Herit. stirp. n. 162.

Robinia triflora. L'Herit.

CALOPH'ACA. DC. CALOPH'ACA. Diadelphia Decandria.

- wolgärica. DC. (ye.) wing-leaved. Siberia. 1786. 5. 6. H. h. Wats. dend. brit. 83.
Cytisus wolgäricus. L. *pinnatus*. Pall. ross. 1. t. 47.

COLUTEA. DC. BLADDER SENNA. Diadelphia Decandria.

- 1 arborescens. DC. (ye.) common. S. Europe. 1568. 6. 8. H. h. Bot. mag. 81.
 2 cruenta. DC. (re.) red-flowered. Levant. 1710. ——— H. h. Schmidt arb. t. 119.
 3 Halëppica. DC. (ye.) Pockock's. ——— 1752. 5. 10. H. h. ——— t. 120.
Pocöckii. H.K. *Istria*. Mill. ic. t. 100.
 4 media. DC. (ye.) smaller. 6. 8. H. h. Wats. dend. brit. t. 140.
 5 nepalensis. DC. (ye.) Nepaul. Nepaul. 1822. 8. 9. H. h. Bot. mag. 2622.

SPHÆROPH'YSA. DC. SPHÆROPH'YSA. Diadelphia Decandria.

- 1 Salsula. DC. (re.) salt-field. Dahuria. 1829. H. h. Pall. itin. 4. t. 9. f. 1.
 2 cäsica. DC. (pu.) Caspian. Caucasus. H. h.

Colutea cäsica. M.B. *Phaca Salsula*. Bieb. cesp. 210.

SWAINS'ONA. DC. SWAINS'ONA. Diadelphia Decandria.

- 1 galegifolia. DC. (sc.) red-flowered. N. S. W. 1800. 7. 8. G. h. Bot. mag. 792.
 2 coronillaefolia. DC. (pu.) purple-flowered. ——— 1802. ——— G. h. ——— t. 1725.
 3 lessertiaefolia. DC. (pu.) small-flowered. N. Holland. 1822. ——— G. h.
 4 astragalifolia. C.C. (wh.) white-flowered. N. S. W. 1802. ——— G. h. Bot. reg. 994.
galegifolia. var. *albiflora*. B.R.

LESSE'RTIA. DC. LESSE'RTIA. Diadelphia Decandria.

- 1 ännua. DC. (pu.) annual. C. B. S. 1731. 6. 7. G. ○. Hook. exot. flor. t. 84.
 2 diffusa. DC. (pu.) procumbent. ——— 1792. 7. 8. G. ○. Jacq. ic. 3. t. 576.
Galëga dubia. Jacq.
 3 fruticosa. B.R. (pu.) frutescent. ——— 1826. ——— G. ○. Bot. reg. 970.
 4 perënnans. DC. (ro.) perennial. ——— 1753. ——— G. ȳ. Jacq. vind. 3. t. 3.

Colutea perënnans. Jacq. *fistulosa*. Hort.

- 5 pülchra. DC. (ro.) pretty. ——— 1817. 5. 8. G. ○. Bot. mag. 2064.
 6 falciformis. DC. (pu.) sickle-podded. ——— 1825. ——— G. ȳ. DC. leg. mem. t. 46.
 7 annuläris. DC. (pu.) ring-podded. ——— 1816. ——— G. ○.
 8 brachystächya. DC. (pu.) short-spiked. ——— ——— G. h.
 9 prostrata. DC. (pu.) prostrate. ——— 1820. ——— G. ○.
 10 virgata. L.O. (pu.) slender. ——— 1828. 6. 8. G. ○.
 11 vesicaria. DC. (pu.) bladder-podded. ——— 1825. ——— G. ȳ.
 12 tomentosa. DC. (pu.) woolly. ——— 1822. ——— G. ȳ.
 13 procumbens. DC. (pu.) procumbent. ——— G. h.

SUTHERLA'NDIA. DC. SUTHERLA'NDIA. Diadelphia Decandria.

- 1 frutescens. DC. (sc.) frutescent. C. B. S. 1683. 6. 9. F. h. Bot. mag. 181.
Colutea frutescens. B.M.
 β canescens. (sc.) hoary-l'd. dwarf. ——— 1816. ——— F. h.
 2 microphy'lla. DC. (sc.) small-leaved. ——— ——— F. h.

Subtribus V. *ASTRAGALEÆ*. DC. prodr. 2. p. 273.

PHA'CA. DC.		BASTARD VETCH. Diadelphia Decandria.					
1	b'ætica. DC.	(wh.) hairy.	Spain.	1640.	7. 8.	H. ½.	Moris. his. s. 2. t. 8. f. 1.
2	frígida. DC.	(st.) small.	Austria.	1795.	—	H. ½.	Jacq. aust. t. 166.
3	alpina. DC.	(st.) Alpine.	—	1759.	—	H. ½.	Jacq. ic. 1. t. 151.
4	membranácea. F.	(st.) membranous.	Dahuria.	1823.	—	H. ½.	
5	lútea. Led.	(ye.) yellow.	Siberia.	1827.	—	H. ½.	
6	cæspitôsa. DC.	(st.) tufted.	Missouri.	1826.	—	H. ½.	
<i>Astrágalus triphy'llus</i> . Ph.							
7	densifolia. DC.	(re.) dense-leaved.	California.	1822.	—	H. ½.	
8	glábra. DC.	(v.) smooth.	S. Europe.	—	—	H. ½.	
9	austrâlis. DC.	(pa.) trailing.	—	1779.	5. 6.	H. ½.	Lodd. bot. cab. 490.
10	astragalina. DC.	(v.) procumbent.	Europe.	1771.	6. 7.	H. ½.	— t. 429.
11	lappônica. DC.	(v.) Lapland.	Lapland.	1824.	7. 8.	H. ½.	Flor. dan. t. 51.
12	oroboides. DC.	(bl.) Orobus-like.	N. Europe.	1826.	—	H. ½.	— 8. t. 1396.
13	triangularis. F.	(bl.) triangular.	Siberia.	1824.	—	H. ½.	
14	exaltâta. F.	 tall.	Altay.	1828.		H. ½.	
15	arenâria. DC.	(pu.) sand.	Siberia.	1796.	7. 8.	H. ½.	Pall. it. 4. t. 19. f. 3-4.
OXYTROPIS. DC.		OXYTROPIS. Diadelphia Decandria.					
1	montâna. DC.	(bl.) mountain.	Europe.	1531.	7. 8.	H. ½.	Bot. mag. 843.
<i>Astrágalus montânus</i> . B.M.							
2	cyânea. DC.	(bl.) bright blue.	Iberia.	1826.	—	H. ½.	
3	sórdida. DC.	(pa.) sordid.	N. Europe.		5. 8.	H. ½.	Flor. dan. t. 1041.
4	argyr'æa. DC.	(pu.) silvery.	Altay.	1828.	—	H. ½.	
5	uralénsis. DC.	(pu.) villous.	Siberia.	1800.	6. 8.	H. ½.	Pall. ast. t. 42. f. A.
6	sericea. DC.	(pu.) hairy mountain.	Scotland.		5. 8.	H. ½.	Eng. bot. t. 466.
7	cœrúlea. DC.	(bl.) blue-flowered.	Siberia.	1827.	6. 8.	H. ½.	Pall. ast. t. 52.
8	árctica. DC.	(pu.) northern.	Melvill. Isl.	—	—	H. ½.	
9	argentâta. DC.	(pa.) silver-leaved.	Siberia.	—	—	H. ½.	Pall. ast. t. 48.
10	ambigua. DC.	(pu.) ambiguous.	—	1824.	5. 8.	H. ½.	— t. 43.
11	setôsa. DC.	(pu.) pointed-calyxed.	—	1828.	6. 8.	H. ½.	— t. 44.
12	Lambérti. DC.	(pu.) Mr. Lambert's.	Missouri.	1811.	8. 9.	H. ½.	Bot. mag. 2147.
13	grandiflôra. DC.	(ro.) large-flowered.	Siberia.	1824.	5. 8.	H. ½.	Pall. astr. t. 46.
14	cándicans. DC.	(pa.) hoary.	—	1827.	6. 8.	H. ½.	— t. 49.
15	songàrica. DC.	(vi.) spear-podded.	—	1824.	5. 8.	H. ½.	— t. 51.
16	sylvática. DC.	(pu.) wood.	—	1820.	—	H. ½.	— t. 78.
17	longirôstra. DC.	(pu.) long-beaked.	—	1824.	6. 8.	H. ½.	DC. astr. n. 17. t. 5.
<i>Gmelini</i> . F.							
18	brevirôstra. DC.	(pu.) short-beaked.	Altay.	1802.	7. 9.	H. ½.	DC. astr. n. 19. t. 6.
<i>Astrágalus altâicus</i> . Pall. astr. t. 45.							
19	filifórmis. DC.	(bl.) filiform.	Dahuria.	1824.	7. 8.	H. ½.	DC. astr. n. 16. t. 4.
20	nigréscens. DC.	(bl.) black-haired.	Siberia.	1828.	—	H. ½.	Pall. astr. t. 53.
21	campéstris. DC.	(st.) field.	Scotland.		—	H. ½.	Eng. bot. v. 36. t. 2522.
<i>Astrágalus campéstris</i> . E.B.							
22	sulphúrea. F.	(st.) sulphur-color'd.	Siberia.	1827.	7. 8.	H. ½.	
23	microphy'lla. DC.	(pu.) small-leaved.	—	1823.	—	H. ½.	Pall. ast. t. 76.
24	pùmila. DC.	(bl.) small.	—	1828.	—	H. ½.	
25	verticillâris. DC.	(pu.) whorl-leaved.	—	1824.	—	H. ½.	Amm. ruth. t. 19. f. 1.
26	myriphy'lla. DC.	(va.) many-leaved.	—	—	—	H. ½.	Pall. astr. t. 71.
27	oxyphy'lla. DC.	(pu.) sharp-leaved.	—	1823.	7. 9.	H. ½.	— t. 74.
28	prostrâta. DC.	(pu.) prostrate.	—	1820.	6. 9.	H. ½.	— t. 72.
<i>Astrágalus dahûricus</i> . Pall. ast. Phæca prostrâta. L.							
29	pilôsa. DC.	(st.) hairy.	Siberia.	1732.	6. 8.	H. ½.	Bot. mag. 2483.
30	floribûnda. DC.	(pu.) many-flowered.	—	1827.	5. 8.	H. ½.	Pall. astr. t. 37.
31	glábra. DC.	(vi.) smooth.	Dahuria.	—	—	H. ½.	DC. astr. n. 31. t. 8.
32	defléxa. DC.	(vi.) small-flowered.	Siberia.	1800.	6. 8.	H. ½.	L'Herit. stirp. t. 80.
<i>Astrágalus retrofléxus</i> . Pall. astr. t. 27. <i>hians</i> . Jacq. ic. t. 252. <i>parviflorus</i> . Lam.							
33	Fischeri. DC.	(bl.) Fischer's.	Siberia.	1828.	—	H. ½.	
34	vaginâta. DC.	(bl.) sheathed.	—	—	—	H. ½.	
35	tenélla. DC.	(bl.) slender.	—	—	—	H. ½.	
36	dichóptera. DC.	(bl.) pubescent.	—	1815.	—	H. ½.	
37	longicûspis. Led.	(pu.) long-pointed.	—	1827.	—	H. ½.	
ASTRA'GALUS. DC.		MILK-VETCH. Diadelphia Decandria. L.					
1	hypoglóttis. DC.	(pu.) purple mountain.	Britain.		6. 7.	H. ½.	Eng. bot. v. 4. t. 274.
2	dasyglóttis. DC.	(pu.) creeping-root'd.	Siberia.	1828.	—	H. ½.	

3	purpureus. DC.	(pu.) purple.	S. France.	1824.	6. 7.	H. ♀.	DC. astr. n. 17. t. 12.
4	sinicus. L.	(ro.) Chinese annual.	China.	1763.	7. 9.	H. ♂.	Bot. mag. 1350.
	<i>lotoides</i> . DC.						
5	onobrychioides. DC.	(pu.) Saintfoin-like.	Persia.	1828.	—	H. ♀.	DC. astr. n. 39. t. 16.
	<i>canescens</i> . DC.	ast. <i>cephalotes</i> .	Pall. astr. t. 24.				
6	leontinus. DC.	(pu.) Lion's-tail.	Austria.	1816.	5. 7.	H. ♀.	Lodd. bot. cab. 432.
7	Donianus. DC.	(pu.) Mr. D. Don's.	Nepaul.	1821.	8. 9.	H. ♀.	
	<i>macrorrhizus</i> . D.P.	non Cav.					
8	arenarius. DC.	(bl.) sand.	N. Europe.	1798.	6. 7.	H. ♀.	Retz. obs. 3. t. 3.
9	bayonensis. DC.	(pu.) woolly-podded.	S. France.	1828.	—	H. ♀.	
10	macropterus. DC.	(pu.) large-winged.	Siberia.	1827.	—	H. ♀.	
11	tauricus. DC.	(pu.) Taurian.	Tauria.	1824.	7. 8.	H. ♀.	Pall. astr. t. 38.
12	austriacus. DC.	(pu.) Austrian.	Austria.	1640.	6. 7.	H. ♀.	Jacq. aust. 2. t. 195.
13	olopterus. DC.	(pa.) long-racemed.	Altay.	1827.	—	H. ♀.	
14	melilotoides. DC.	(pu.) Melilot-like.	Siberia.	1785.	—	H. ♀.	Pall. astr. t. 41.
15	sulcatus. DC.	(pu.) furrowed.	—	—	7. 8.	H. ♀.	Jacq. vind. 3. t. 40.
16	gracilis. DC.	(li.) slender.	Missouri.	1812.	6. 7.	H. ♀.	
17	subulatus. DC.	(pu.) awl-podded.	Tauria.	1806.	5. 8.	H. ♀.	Pall. astr. t. 20.
18	ceratoides. DC.	(pu.) triangular-pod'd.	Altay.	1827.	—	H. ♀.	— t. 20. A.
19	virgatus. DC.	(pu.) twigg.	Siberia.	1806.	—	H. ♀.	— t. 18.
	<i>varius</i> . Gmel. itin.	2. t. 17.					
20	brachyllobus. DC.	(pu.) short-podded.	—	1827.	—	H. ♀.	
21	dahuricus. DC.	(pu.) Dahurian.	Dahuria.	1824.	—	H. ♀.	Pall. it. 3. ap. t. w. f. 1.
22	Stevenianus. DC.	(pu.) Steven's.	Iberia.	1829.		H. ♀.	
23	tenuifolius. W.	(pu.) fine-leaved.	Siberia.	1780.	7. 8.	H. ♀.	Swt. br. fl. gar. t. 73.
	<i>linearifolius</i> . DC.						
24	Onobrychis. DC.	(pu.) purple-spiked.	Europe.	1640.	6. 8.	H. ♀.	Jacq. aust. 1. t. 38.
25	flaccidus. DC.	(wh.) flaccid.	Iberia.	1826.	—	H. ♀.	
26	vimineus. DC.	(pu.) twigg.	Siberia.	1824.	7. 8.	H. ♀.	Pall. astr. t. 21.
27	fruticosus. DC.	(pu.) woody.	—	1804.	6. 8.	H. ♀.	— t. 19.
28	adsurgens. DC.	(bl.) assurgent.	—	1824.	—	H. ♀.	— t. 31.
29	Laxmanni. DC.	(pa.) Laxmann's.	—	1804.	—	H. ♀.	Jacq. vind. 3. t. 37.
30	missouriensis. DC.	(pu.) Missouri.	Missouri.	1826.	6. 8.	H. ♀.	
31	caryocarpus. DC.	(vi.) swelled-podded.	Louisiana.	1811.	—	H. ♀.	Bot. reg. 176.
32	pentaglottis. DC.	(pu.) rough Spanish.	Spain.	1739.	6. 7.	H. ♂.	Cavan. ic. 2. t. 188.
33	Gläux. DC.	(pu.) small Spanish.	—	1596.	—	H. ♂.	Clus. hist. 2. p. 242. ic.
34	oxylottis. DC.	(pu.) sharp-podded.	Tauria.	1824.	6. 9.	H. ♂.	
35	psiloglottis. DC.	(pu.) smooth-podded.	Astracan.	1829.	—	H. ♂.	
36	cruciatus. DC.	(pu.) oblong-leaved.	Iberia.	1823.	—	H. ♂.	
37	Stella. DC.	(pu.) star-podded.	S. Europe.	1658.	—	H. ♂.	Lobel. ic. 2. t. 83.
38	tribuloides. DC.	(pu.) Catrops-like.	Egypt.	1828.	—	H. ♂.	
39	sesameus. DC.	(pu.) Sesama.	S. Europe.	1616.	—	H. ♂.	Garid. prov. t. 12.
40	vesicarius. DC.	(pa.) white Italian.	Europe.	1737.	7. 8.	H. ♀.	Vill. dauph. t. 42. f. 1.
	<i>albidus</i> . W. et K. hung.	1. t. 40. <i>dealbatus</i> .	Pall. astr. t. 23. f. 1.				
41	albicaulis. DC.	(wh.) white-stalked.	Caucasus.	1803.	7. 8.	H. ♀.	DC. astr. n. 59. t. 21.
	<i>dealbatus</i> Pall. ast.	t. 23. f. 2 et 3. <i>Oxytropis dealbata</i> .	P.S.				
42	Nuttallianus. DC.	(bl.) Nuttall's.	N. America.	1826.	6. 8.	H. ♀.	
	<i>micranthus</i> . N. non Desv.						
43	cymbæcarpos. DC.	(pa.) boat-podded.	Portugal.	1800.	—	H. ♂.	Broet. phyt. t. 59.
44	striatellus. DC.	(bl.) striated.	Tauria.	1829.	—	H. ♂.	Bieb. cent. 1. t. 20.
45	annularis. DC.	(ro.) ring-podded.	Egypt.	1800.	—	H. ♂.	DC. astr. app. n. 6. t. 7.
46	hispidulus. DC.	(pa.) rough-podded.	—	1828.	—	H. ♂.	
47	scorpioides. DC.	(bl.) blue-flowered.	Spain.	1816.	6. 9.	H. ♂.	
	<i>canaliculatus</i> . W. enum.	ex Link enum. 2. p. 254.					
48	mareoticus. DC.	(li.) Alexandrian.	Egypt.	1828.	—	H. ♂.	Delil. fl. eg. t. 39. f. 3.
49	corrugatus. DC.	(pu.) rugged-podded.	—	—	—	H. ♂.	
50	reticulatus. DC.	(pa.) netted.	Volga.	—	—	H. ♂.	
51	contortuplicatus. DC.	(st.) wave-podd'd.	Siberia.	1764.	7. 8.	H. ♂.	Pall. astr. t. 79.
52	trimestris. DC.	(st.) Egyptian.	Egypt.	1739.	—	H. ♂.	Jacq. vind. 2. t. 174.
53	ægiceras. DC.	(st.) Goat's-horn.		1816.	6. 8.	H. ♂.	
54	brachyceras. DC.	(st.) short-podded.	Persia.	1828.	—	H. ♂.	
55	hamosus. DC.	(st.) hook-podded.	Spain.	1633.	—	H. ♂.	Moris. ox. s. 2. t. 9. f. 10.
	<i>buceras</i> . W. enum.	ex Link enum.					
56	epiglottis. DC.	(st.) heart-podded.	S. Europe.	1737.	—	H. ♂.	Herm. lugd. t. 77.
57	triangularis. DC.	(st.) triangular.		1828.	—	H. ♂.	
58	bæticus. DC.	(st.) slender-podded.	S. Europe.	1759.	—	H. ♂.	Munt. phyt. t. 110.
59	capitatus. W.	(st.) headed.	Levant.	—	7. 8.	H. ♀.	
60	microphyllus. DC.	(st.) small-leaved.	Siberia.	1773.	6. 7.	H. ♀.	
61	semibilocularis. DC.	(st.) semibilocular.	—	1804.	6. 8.	H. ♀.	DC. astr. n. 64. t. 23.

62 réptans. DC.	(wh.) creeping.	Mexico.	1829.	6. 8.	F. 2.	Willd. hort. ber. 2. t. 88.
63 odoratus. DC.	(st.) sweet-scented.	Levant.	1816.	—	H. 2.	DC. astr. n. 67. t. 24.
64 stipulatus. DC.	(st.) large-stipuled.	Nepaul.	1821.	8. 9.	H. 2.	Bot. mag. 2380.
65 glycyphyllos. DC.	(st.) sweet-leaved.	Britain.		6. 7.	H. 2.	Eng. bot. 3. t. 203.
66 depressus. DC.	(st.) depressed.	Europe.	1772.	5. 6.	H. 2.	Lodd. bot. cab. 680.
67 leucophæus. DC.	(wh.) dwarf-white.		1776.	5. 8.	H. 2.	— t. 111.
68 Cicer. DC.	(st.) bladder-podd'd.	Europe.	1570.	6. 7.	H. 2.	Jacq. aust. t. 251.
69 uliginosus. DC.	(st.) marsh.	Siberia.	1752.	6. 8.	H. 2.	Pall. astr. t. 26.
70 micranthus. DC.	(st.) small-blossom'd.		1824.	—	H. 2.	—
71 canadensis. DC.	(st.) woolly.	N. America.	1732.	6. 7.	H. 2.	Lodd. bot. cab. 372.
72 carolinianus. DC.	(st.) Carolina.	—	—	—	H. 2.	Dill. elth. t. 39. f. 45.
73 falcatus. DC.	(st.) sickle-podded.	Siberia.	1737.	—	H. 2.	DC. astr. n. 70. t. 26.
<i>viréscens. H.K.</i>						
74 falciformis. DC.	(st.) sickle-like.	Barbary.		—	H. 2.	Desf. atl. 2. t. 207.
75 asper. DC.	(st.) rough	Astracan. Siberia.	1796.	7. 8.	H. 2.	Jacq. ic. 1. t. 33.
<i>chloranthus. Pall. astr. t. 25.</i>						
76 chinensis. DC.	(st.) upright.	Chinese.	1795.	6. 8.	H. 2.	Linn. f. decad. 1. t. 3.
77 galegiformis. DC.	(st.) Goat's-rue-like.	Siberia.	1729.	—	H. 2.	Pall. astr. t. 29.
78 racemosus. DC.	(wh.) racemed.	Louisiana.	1827.	6. 8.	H. 2.	—
<i>galeoides. N.</i>						
79 alopecias. DC.	(ye.) axillary-headed.	Siberia.	1823.	—	H. 2.	Pall. astr. p. 12. t. 9.
80 alopecuroides. DC.	(ye.) Foxtail-like.	—	1737.	—	H. 2.	— t. 8.
81 narbonensis. DC.	(ye.) French.	S. Europe.	1780.	—	H. 2.	— t. 10.
82 ponticus. DC.	(ye.) villous-calyxed.	Tauria.	1824.	—	H. 2.	— t. 11.
83 vulpinus. DC.	(ye.) Fox-tail.	Siberia.	1815.	—	H. 2.	— t. 7.
<i>alopecuroides. Pall. astr. t. 7.</i>						
84 macrocephalus. DC.	(ye.) large-headed.	Persia.	1829.	—	H. 2.	—
85 christianus. DC.	(st.) great-yellow.	Armenia.	1737.	7. 8.	H. 2.	Tourn. it. 2. t. 254.
86 tomentosus. DC.	(st.) downy-leaved.	Egypt.	1800.	—	H. 2.	DC. astr. n. 80. t. 29.
87 Siebéri. DC.	(st.) Sieber's.	—	1828.	—	H. 2.	—
88 Bárba-Jövis. DC.	(pu.) silvery-leaved.	Armenia.		—	H. 2.	—
<i>Tragacantha argentea. Mill.</i>						
89 caucasicus. DC.	(wh.) Caucasian.	Caucasus.	1822.	—	H. 2.	Pall. astr. p. 2. t. 2.
90 breviflorus. DC.	(pu.) short-flowered.	Armenia.	1826.	6. 8.	H. 2.	Lodd. bot. cab. 1388.
91 arnacantha. DC.	(li.) prickly-leaved.	Tauria.	1640.	—	H. 2.	Pall. astr. p. 1. t. 1.
<i>Poterium. Pall. ast. nec aliorum.</i>						
92 sculus. DC.	(bh.) Sicilian.	Sicily.	1827.	—	H. 2.	—
93 Poterium. DC.	(wh.) small goat's-thorn.	S. Europe.	1640.	—	H. 2.	Morris. ox. s. 2. t. 13. f. 2.
94 massiliensis. DC.	(wh.) sea-side.	—	1827.	—	H. 2.	Duham. arb. 2. t. 100.
<i>Tragacantha. Pall. astr. t. 4. f. 1. 2.</i>						
95 aristatus. DC.	(wh.) awned.	Pyrenees.	1791.	5. 7.	H. 2.	Garid. aix. t. 104.
96 lagurus. DC.	(ye.) hare's-tail'd.	Armenia.	1829.	—	H. 2.	DC. astr. n. 104. t. 36.
97 armatus. w.	(ye.) armed.	Barbary.		6. 7.	H. 2.	Desf. atl. 2. t. 194.
<i>Anthyllis tragacanthoides. Desf.</i>						
98 haliacabus. DC.	(ye.) bladdered.	Armenia.	1806.	—	H. 2.	Schreb. dec. p. 5. t. 3.
<i>Phaca vesicaria. Schreb.</i>						
99 laguroides. DC.	(pu.) Hare's-tail-like.	Siberia.	1829.		H. 2.	Pall. astr. t. 16.
100 ammodytes. DC.	(wh.) silky-leaved.	—	1823.	6. 7.	H. 2.	— p. 7. t. 5.
101 dasyanthus. DC.	(ye.) woolly-headed.	—	1828.	—	H. 2.	— p. 79. t. 65.
<i>ericephalus. W. et K. hung. 1. t. 46.</i>						
102 caprinus. DC.	(ye.) scented.	Barbary.	1683.	—	H. 2.	Moris. ox. s. 2. t. 24. f. 3.
103 longiflorus. DC.	(ye.) long-flowered.	Tartary.	—	—	H. 2.	Pall. astr. t. 60.
104 utriger. DC.	(ye.) turgid-podded.	—	1825.	—	H. 2.	— t. 61.
105 exscapus. DC.	(ye.) hairy-podded.	Hungary.	1787.	5. 7.	H. 2.	Jacq. ic. 3. t. 561.
106 diffusus. DC.	(st.) diffuse.	Tauria.	1824.	6. 7.	H. 2.	Pall. astr. t. 68.
107 buchtormensis. DC.	(y.) pointed-podd'd.	Siberia.	1826.	—	H. 2.	— t. 62. f. A.
108 monspessulanus. DC.	(pu.) Montpelier.	S. Europe.	1710.	7. 8.	H. 2.	Bot. mag. 375.
109 incanus. DC.	(pu.) hoary.	—	1759.	6. 7.	H. 2.	Magn. monsp. p. 32. ic.
110 macrorhizus. DC.	(pu.) long-rooted.	Spain.	1821.	6. 8.	H. 2.	Cavan. ic. 2. t. 133.
111 brachycarpus. DC.	(pu.) short-podded.	Siberia.	1820.	—	H. 2.	Bot. mag. 2335.
112 physodes. DC.	(pu.) inflated	—	1759.	—	H. 2.	DC. astr. n. 127. t. 48.
113 Pallási. DC.	(pu.) Pallas's.	Caucasus.	1828.	—	H. 2.	Pall. astr. t. 59.
114 testiculatus. DC.	(bh.) woolly-podded.	—	1824.	—	H. 2.	— t. 67.
115 rupifragus. DC.	(pu.) dry rock.	Tauria.	1828.	—	H. 2.	— t. 70.
116 reduncus. DC.	(st.) crook-podded.	Volga.	—	—	H. 2.	— p. 109. t. 82.
117 chlorostachys. H.C.	(pu.) straw-colour'd.	N. America.	1826.	9. 10.	H. 2.	—
118 uncatus. DC.	(wh.) hooked.	Aleppo.	1768.	7. 8.	H. 2.	—
119 radicans. DC.	(pu.) rooting-branch'd.		1828.	—	H. 2.	—

BISE'RRULA. DC. HATCHET-VETCH. Diadelphia Decandria. L.
 Pelecinus. DC. (bl.) common. S. Europe. 1640. 7. 9. H. ⊙. Tourn. inst. 417. t. 234.

Tribus III. HEDYSAREÆ. DC. prodr. 2. p. 307.

Subtribus I. CORONILLEÆ. DC. loc. cit. p. 308.

SCORPIURUS. DC. CATERPILLAR. Diadelphia Decandria. L.

1 lævigata. DC.	(ye.) smooth.	Levant.	1820.	6. 8.	H. ⊙.	Flor. græc. t. 718.
2 muricata. DC.	(ye.) two-flowered.	S. Europe.	1640.	—	H. ⊙.	Moris. ox. s. 2. t. 11. f. 4.
3 sulcata. DC.	(ye.) three-flowered.	—	1596.	—	H. ⊙.	Desf. atl. 2. f. 4.
4 acutifolia. DC.	(ye.) acute-leaved.	Corsica.	1828.	—	H. ⊙.	Viv. fl. lyb. t. 19. f. 4.
5 vermiculata. DC.	(ye.) common.	S. Europe.	1621.	—	H. ⊙.	Moris. ox. s. 2. t. 11. f. 3.

CORONILLA. DC. CORON'LLA. Diadelphia Decandria. L.

1 E'merus. DC.	(ye.) Scorpion	Senna. France.	1596.	4. 6.	H. h.	Bot. mag. 445.
2 júncea. DC.	(ye.) rush-like.	—	1656.	6. 8.	F. h.	Bot. reg. 820.
3 valentina. L.	(ye.) nine-leaved.	S. Europe.	1596.	2. 6.	F. h.	Bot. mag. 185.
<i>stipularis</i> . Lam.						
4 pentaphylla. DC.	(ye.) five-leaved.	Algiers.		3. 6.	F. h.	Mill. ic. t. 289. f. 2?
5 argentea. DC.	(ye.) silvery-leaved.	Crete.	1664.	5. 6.	F. h.	— 2. t. 289. f. 3.
6 glauca. DC.	(ye.) seven-leaved.	France.	1722.	9. 5.	F. h.	Bot. mag. t. 13.
7 viminalis. DC.	(bh.) slender.	Mogador.	1798.	5. 11.	G. h.	Sal. par. lond. t. 13.
8 minima. DC.	(ye.) least.	S. Europe.	1658.	7. 8.	H. y.	Bot. mag. 2179.
9 coronata. DC.	(ye.) large-headed.	—	1776.	6. 8.	H. y.	Clus. hist. 1. p. 98. f. 2.
10 montana. DC.	(ye.) mountain.	Europe.	1816.	6. 9.	H. y.	Scop. carn. ed. 2. t. 44.
<i>coronata</i> . B.M. 907. non L.						
11 ibérica. DC.	(ye.) Iberian.	Iberia.	1818.	7. 10.	H. y.	Swt. br. fl. gar. t. 25.
12 parviflora. DC.	(ye.) small-flowered.	Crete.	1828.	—	F. y.	—
13 crética. DC.	(v.) Cretan.	—	1731.	6. 8.	H. ⊙.	Jacq. vind. 1. t. 25.
14 varia. DC.	(pu.) purple.	Europe.	1597.	6. 11.	H. y.	Bot. mag. 258.

ASTROLOBUM. DC. ASTROL'OBUM. Diadelphia Decandria.

1 ebracteatum. DC.	(ye.) round-podded.	Portugal.		5. 6.	H. ⊙.	Dalech. his. 1. 487. f. 1.
<i>Ornithopus lævigatus</i> . Sm. <i>nudiflorus</i> . Lag. <i>ebracteatus</i> . Brot.						
2 durum. DC.	(ye.) perennial.	S. Europe.	1805.	6. 7.	H. y.	Cavan. ic. 1. t. 41.
3 repandum. DC.	(ye.) repand.	Barbary.	—	—	H. ⊙.	Lam. ill. t. 631. f. 4.
4 scorpioides. DC.	(ye.) Purslane-leav'd.	S. Europe.	1596.	—	H. ⊙.	Cavan. ic. 1. t. 37.
<i>Ornithopus scorpioides</i> . L. <i>trifoliatus</i> . Lam.						

ORNITHOPUS. DC. BIRD'S-FOOT. Diadelphia Decandria. L.

1 compressus. DC.	(ye.) hairy.	S. Europe.	1730.	6. 7.	H. ⊙.	Berg. phyt. t. 191.
2 intermedius. RO. (ro.)	intermediate.	Portugal.	1816.	—	H. ⊙.	—
<i>sativus</i> . Brot. fl. lus. 2. p. 160.						
3 perpusillus. DC.	(v.) common.	Britain.		5. 6.	H. ⊙.	Eng. bot. v. 6. t. 369.

HIPPOCR'EPIS. DC. HORSESHOE-VETCH. Diadelphia Decandria. L.

1 baleàrica. DC.	(ye.) shrubby.	Minorca.	1776.	5. 6.	F. h.	Bot. mag. 427.
2 helvética. DC.	(ye.) Swiss.	Switzerland.	1822.	5. 8.	H. y.	—
3 comosa. DC.	(ye.) tufted.	England.		4. 8.	H. y.	Eng. bot. 1. t. 31.
4 glauca. DC.	(ye.) glaucous.	Naples.	1825.	5. 8.	H. y.	Ten. fl. neap. 2. t. 69.
5 syriaca. E.	(ye.) Syrian.	Syria.	1826.	6. 8.	H. ⊙.	—
6 scabra. DC.	(ye.) rough.	Spain.	—	—	H. ⊙.	—
7 multisiliquosa. DC.	(ye.) many-podded.	S. Europe.	1683.	—	H. ⊙.	Schkuhr hand. 2. t. 206.
8 monocarpa. DC.	(ye.) one-podded.	Caucasus.	1825.	—	H. ⊙.	—
9 unisiliquosa. DC.	(ye.) single-podded.	Italy.	1570.	6. 7.	H. ⊙.	Lam. ill. t. 630. f. 3.
10 ciliata. DC.	(ye.) ciliated.	Spain.	1823.	6. 8.	H. ⊙.	—
11 biflora. DC.	(ye.) two-flowered.		1824.	—	H. ⊙.	—

SECURIGERA. DC. HATCHET-VETCH. Diadelphia Decandria.

Coronilla. DC.	(ye.) common.	S. Europe.	1562.	7. 8.	⊙.	Lam. ill. t. 629.

Subtribus II. EUHEDISAREÆ. DC. prodr. 2. p. 313.

PICTETIA. DC. PICT'ETIA. Diadelphia Decandria.

aristata. DC.	(ye.) awned.	St. Domingo.	1820.	4. 6.	S. h.	DC. leg. mem. t. 47. f. 5.
<i>Æschynomene aristata</i> . Jacq. schoenb. 2. t. 237.						

- ORMOCA'RPUM. DC. ORMOCA'RPUM. Diadelphia Decandria.**
sennoides. DC. (ye.) Senna-like. E. Indies. 1818. 6.7. S. $\frac{1}{2}$.
Hedy'sarum sennoides. W.
- POIR'ETIA. DC. POIR'ETIA. Monadelphia Decandria.**
scandens. DC. (ye.) climbing. St. Domingo. 1826. S. $\frac{1}{2}$ ~. Venten. choix. t. 42.
Turpinia punctata. P.S. Glycine punctata. Lam. ill. t. 609.
- TETRA'NEMA. DC. TETRA'NEMA. Monadelphia Decandria.**
nütans. (li.) drooping-fl'd. E. Indies. 1823. 5.8. S. $\frac{1}{2}$. Bot. mag. 2867.
Hedy'sarum nütans. Gr. Desmodium nütans. B.M.
- ZO'RNA. DC. ZO'RNA. Monadelphia Decandria.**
 1 *angustifolia. DC. (ye.)* narrow-leaved. E. Indies. 1733. 7.8. S. $\odot$. Rheed. mal. 9. t. 82.
diphy'lla. P.S. Hedy'sarum diphy'llum. L.
 2 *reticulata. DC. (ye.)* netted-bracted. W. Indies. — S. $\odot$.
 3 *thymifolia. DC. (ye.)* Thyme-leaved. Mexico. 1826. — G. $\frac{1}{2}$.
 4 *zeylonensis. DC. (ye.)* Ceylon. Ceylon. 1733. — S. $\odot$. Burm. zeyl. t. 50. f. 1.
conjugata. Sm. Hedy'sarum conjugatum. W.
 5 *dytiocarpa. DC. (ye.)* netted-podded. N. Holland. 1824. — H. $\odot$.
 6 *tetraphylla. DC. (ye.)* four-leaved. Carolina. 1823. — H. $\frac{1}{2}$. Mich. amer. 2. t. 41.
 7 *capensis. DC. (ye.)* Cape. C. B. S. 1824. 5.6. G. $\frac{1}{2}$. Thunb. n. ac. ups. 6. t. 3.
- STYLOSA'NTHES. DC. STYLOSA'NTHES. Monadelphia Decandria.**
 1 *procumbens. DC. (ye.)* procumbent. Jamaica. 1820. 6.8. S. $\frac{1}{2}$. Swar. ac. h. 1789. t. 11. f. 1
 2 *viscosa. DC. (ye.)* viscous. — — S. $\frac{1}{2}$. — t. 9. f. 2.
 3 *mucronata. DC. (ye.)* mucronate. E. Indies. 1818. — S. $\frac{1}{2}$. Burm. zeyl. t. 106. f. 2.
Hedy'sarum hamatum. Burm. A'rachis fruticosa. Retz.
 4 *elatiar. DC. (ye.)* tall. Carolina. 1823. 7.8. H. $\frac{1}{2}$. Pluk. alm. t. 447. f. 7.
 5 *guianensis. DC. (ye.)* Guiana. Guiana. 1826. — S. $\odot$. Aubl. guian. 2. t. 309.
- ADE'SMIA. DC. ADE'SMIA. Decandria Monogynia.**
 1 *muricata. DC. (ye.)* prickly-podded. Patagonia. 1793. 6.7. G. $\frac{1}{2}$. Jacq. ic. 3. t. 563.
Hedy'sarum muricatum. Jacq. Patagonium Hedysaroides. Schk.
 2 *hispidula. DC. (ye.)* hispid. Peru. 1826. 6.8. G. $\frac{1}{2}$. DC. leg. mem. t. 48.
 3 *papposa. DC. (ye.)* feathery-podd'd. Chili. 1823. — G. $\frac{1}{2}$.
- ÆSCHYNO'MENE. DC. ÆSCHYNO'MENE. Diadelphia Decandria. L.**
 1 *áspera. DC. (ye.)* rough-stem'd. E. Indies. 1759. 6.7. S. $\odot$. Breyn. cent. 51. t. 52.
 2 *sensitiva. DC. (wh.)* sensitive. W. Indies. 1733. 5.8. S. $\frac{1}{2}$. Plum. ic. t. 139.
 3 *indica. DC. (ye.)* Indian. E. Indies. 1799. 6.7. S. $\odot$. Rheed. mal. 9. t. 18.
 4 *americana. DC. (ye.)* hairy. Jamaica. 1732. 7.8. S. $\odot$. Sloan. jam. 1. t. 118. f. 3.
 5 *pátula. DC. (ye.)* spreading. Mauritius. 1826. 6.8. S. $\frac{1}{2}$.
 6 *subviscosa. DC. (v.)* glandular. E. Indies. 1820. 9.10. S. $\odot$.
 7 *hispida. DC. (ye.)* hispid. N. America. 1803. 8.9. H. $\odot$. Bart. fl. amer. t. 29.
 8 *micrantha. DC. (ye.)* small-flowered. Madagascar. 1826. 6.8. S. $\frac{1}{2}$.
 9 *viscidula. DC. (ye.)* viscous. N. America. 1818. 7.8. H. $\odot$.
 10 *falcata. DC. (ye.)* sickle-podded. Brazil. 1825. — S. $\odot$.
 11 *péndula. Boj. (ye.)* pendulous. Madagascar. — S. $\odot$.
- SMI'THIA. DC. SMI'THIA. Diadelphia Decandria.**
 1 *sensitiva. DC. (ye.)* sensitive. E. Indies. 1785. 7.10. S. $\odot$. Sal. par. lond. t. 92.
 2 *conférta. DC. (ye.)* close-flowered. N. Holland. 1825. — S. $\odot$.
 3 *áspera. H.B. (ye.)* rough. E. Indies. 1812. — S. $\odot$.
- LO'UREA. DC. LO'UREA. Diadelphia Decandria.**
 1 *Vespertiliónis. DC. (w.)* bat-winged. Cochinchina. 1780. 7.8. S. $\frac{1}{2}$. Jacq. ic. 3. t. 566.
Hedy'sarum Vespertiliónis. Jacq. Christia lunata. Mench.
 2 *renifórmis. DC. (pu.)* kidney-leaved. China. 1826. — S. $\frac{1}{2}$.
- UR'ARIA. DC. UR'ARIA. Diadelphia Decandria.**
 1 *pícta. DC. (pu.)* painted-leaved. Guinea. 1788. 6.8. S. $\frac{1}{2}$. Jacq. ic. 3. t. 567.
Hedy'sarum pictum. Jacq.
 2 *crinta. DC. (br.)* crook-podded. E. Indies. 1780. 7.9. S. $\frac{1}{2}$. Burm. ind. t. 56.
 3 *lagopóides. DC. (wh.)* Harefoot-like. — 1790. — S. $\frac{1}{2}$. — t. 53. f. 2.
Hedy'sarum lagopodioides. L. Lespedeza lagopodioides. P. S.
 4 *Lágonus. DC. (pu.)* Hare's-foot. Nepaul. 1823. 6.8. S. $\frac{1}{2}$.
 5 *hamosa. DC. (wh.)* hooked. E. Indies. — 6.7. S. $\frac{1}{2}$.
Doódia hamosa et Hedy'sarum hamosum. H.B.
 6 *alopécuroides. DC. (wh.)* Fox-tail. E. Indies. — S. $\frac{1}{2}$.
Doódia alopécuroides et Hedy'sarum alopécuroides. H.B.
 7 *lagocéphala. DC. (ye.)* hairy. Brazil. — 7.9. S. $\frac{1}{2}$.
- NICOL'SONIA. DC. NICOL'SONIA. Diadelphia Decandria.**
barbata. DC. (pu.) bearded. W. Indies. 1826. 6.8. S. $\frac{1}{2}$.
- DESMODIUM. DC. DESMODIUM. Diadelphia Decandria.**
 1 *dúbium. B.R.* doubtful. Nepaul. 1823. 7.8. S. $\frac{1}{2}$. Bot. reg. 967.
 2 *umbellátum. DC. (wh.)* umbel-flower'd. E. Indies. 1801. 6.7. S. $\frac{1}{2}$. Jacq. schoenb. 3. t. 297.
 3 *auriculátum. DC. (pu.)* eared. Timor. 1825. — S. $\frac{1}{2}$.

4	triquetrum. DC. (pu.)	triangular.	E. Indies.	1802.	7. 8.	S. ♂.	Burm. ind. t. 52. f. 2.
5	pseudotriquetrum. DC. (pu.)	three-sided.	Nepaul.	1818.	—	S. ♂.	
6	alatum. DC. (pu.)	winged-stalked.	E. Indies.	1809.	—	S. ♀.	
7	gyrans. DC. (re.)	moving plant.	—	1775.	7. 9.	S. ♂.	Jacq. ic. t. 565.
8	gyroides. DC. (li.)	gyrans-like.	—	1818.	—	S. ♀.	
9	gangeticum. DC. (li.)	oval-leaved.	—	1762.	—	S. ♀.	Burm. zeyl. t. 49.
10	maculatum. DC. (li.)	spotted.	—	1732.	6. 8.	S. ⊙.	Dill. elth. 1. t. 141. f. 168.
<i>Hedy'sarum maculatum</i> . L. <i>Æschynomene maculata</i> . Poir.							
11	sagittatum. DC. (re.)	arrow-leaved.	—	1807.	—	S. ♀.	
12	angustifolium. DC. (pu.)	narrow-leaved.	Mexico.	1825.	—	S. ♀.	
13	latifolium. DC. (bl.)	broad-leaved.	E. Indies.	1800.	7. 8.	S. ♀.	Bot. reg. t. 356.
<i>Hedy'sarum latifolium</i> . B.R.							
14	velutinum. DC. (vi.)	velvety.	Trinidad.	1820.	—	S. ♀.	
15	lasiocarpum. DC. (ro.)	woolly-podded.	Guinea.	1822.	7. 9.	S. ♀.	Beauv. fl. ow. 1. t. 18.
16	canadense. DC. (pu.)	Canadian.	N. America.	1640.	—	H. ♀.	Corn. canad. t. 45.
17	canescens. DC. (pu.)	canescent.	—	1733.	—	H. ♀.	
18	marylandicum. DC. (p.)	Maryland.	—	1725.	7. 10.	H. ♀.	Dill. elth. t. 144. f. 171.
19	obtusum. DC. (vi.)	obtuse.	—	1805.	7. 8.	H. ♀.	
20	ciliare. DC. (vi.)	fringed.	—	1823.	—	H. ♀.	
21	viridiflorum. DC. (pu.)	green-flower'd.	—	1787.	7. 9.	H. ♀.	Pluk. alm. t. 308. f. 5.
22	lævigatum. DC. (pu.)	smooth-stalk'd.	—	1826.	—	H. ♀.	
23	bracteosum. DC. (pu.)	bracted.	—	1806.	7. 8.	H. ♀.	
24	cuspidatum. DC. (pu.)	sharp-pointed.	—	—	—	H. ♀.	
25	glabellum. DC. (pu.)	smooth.	—	1824.	7. 9.	H. ♀.	
26	paniculatum. DC. (pu.)	panicled.	—	1781.	7. 8.	H. ♀.	Pluk. alm. t. 432. f. 6.
27	acuminatum. DC. (pu.)	glutinous.	—	1805.	—	H. ♀.	
<i>Hedy'sarum glutinosum</i> . W. <i>acuminatum</i> . Ph.							
28	nudiflorum. DC. (pu.)	naked-flowered.	—	1823.	—	H. ♀.	
29	pauciflorum. DC. (wh.)	small-flowered.	—	1828.	—	H. ♀.	
30	rotundifolium. DC. (pu.)	round-leaved.	—	1733.	—	H. ♀.	
31	Aparines. DC. (li.)	hairy-stalked.	Mexico.	1820.	7. 9.	S. ♀.	
32	cinereum. DC. (pu.)	white-branched.	—	1826.	—	S. ♀.	H. et B.n.pl.am. 6. t. 599.
33	uncinatum. DC. (vi.)	uncinate.	Caracas.	1823.	6. 7.	S. ♀.	Jacq. schœnb. 3. t. 208.
34	incanum. DC. (pu.)	hoary.	W. Indies.	1820.	7. 8.	S. ♀.	Plum. ed. Bur. t. 149. f. 1.
35	erythrinaefolium. DC. (wh.)	Erythrina-ld.	Trinidad.	—	—	S. ♀.	
36	supinum. DC. (pu.)	trailing.	Jamaica.	—	—	S. ♀.	Sloan. jam. 1. t. 118. f. 2.
37	tortuosum. DC. (pu.)	twisted-podded.	—	1781.	—	S. ♀.	— 1. t. 116. f. 2.
38	adscendens. DC. (pu.)	ascending.	—	1820.	7. 9.	S. ♀.	H. et B.n.pl.am. 6. t. 597.
39	mexicanum. (bl.)	Mexican.	Mexico.	1820.	11. 5.	S. ♀.	Bot. reg. 815.
<i>Hedy'sarum adscendens</i> ? <i>cœruleum</i> . DC.							
40	trigonum. DC. (li.)	trigonal.	Jamaica.	1733.	7. 9.	S. ♀.	
41	spirale. DC. (wh.)	spiral-podded.	—	—	—	S. ♀.	
42	asperum. DC. (pa.)	harsh.	—	1820.	6. 8.	S. ♀.	
43	caespitosum. DC. (bh.)	tufted.	Mauritius.	—	—	S. ♀.	
44	mauritianum. DC. (wh.)	creeping-rooted.	—	1822.	7. 9.	S. ♀.	
45	Scalpe. DC. (pu.)	repand-leaved.	Madagascar.	1823.	7. 8.	S. ♀.	
<i>Hedy'sarum repandum</i> . Poir. non Vahl.							
46	diversifolium. DC. (li.)	different-leav'd.	—	1820.	—	S. ♀.	
47	spectabile. (pu.)	showy.	Zanzibar.	1825.		S. ♀.	
<i>Hedy'sarum spectabile</i> . Boj.							
48	triflorum. DC. (pu.)	three-flowered.	India.	1796.	6. 7.	S. ♀.	Burm. ind. t. 54. f. 2.
49	heterophyllum. DC. (pu.)	various-leav'd.	Ceylon.	1820.	—	S. ♀.	Burm. zeyl. t. 54. f. 1.
50	parvifolium. DC. (pu.)	slender.	Nepaul.	1823.	7. 9.	S. ♀.	
<i>Hedy'sarum tenellum</i> . D.P. non Kth.							
51	Roxburghii. (pu.)	Roxburgh's.	E. Indies.	1825.	—	S. ♀.	
<i>diffusum</i> . DC. p. 335. non p. 336.							
52	floribundum. D.P. (pu.)	abundant-fl'd.	Nepaul.	1823.	—	S. ♀.	
53	retusum. D.P. (pu.)	retuse-leaved.	—	—	—	S. ♀.	
54	confertum. DC. (li.)	close-flowered.	—	1826.	—	S. ♀.	
55	sambuense. D.P. (li.)	villous-leaved.	—	—	—	S. ♀.	
56	concinnum. DC. (li.)	neat.	—	1823.	—	S. ♀.	
57	trichocaulum. DC. (vi.)	hairy-stalked.	—	1827.	—	S. ♀.	
58	Leschenaultii. DC. (li.)	Leschenault's.	E. Indies.	—	—	S. ♀.	
59	capitatum. DC. (pu.)	headed.	Ceylon.		7. 8.	S. ♀.	Burm. ind. t. 54. f. 1.
<i>Hedy'sarum conicum</i> . Poir.							
60	laxum. DC. (li.)	loose.	Nepaul.	1828.	—	S. ♀.	
61	tomentosum. DC. (wh.)	woolly.	China.	1782.	6. 7.	G. ♀.	
62	repens. DC. (pu.)	creeping.	W. Indies.	1820.	—	S. ♀.	
63	malacophyllum. DC. (li.)	soft-leaved.	Manila.	1822.	—	S. ♀.	

64	grandifolium. DC. (li.)	large-leaved.	E. Indies.	1822.	6. 7.	S. h.	
65	serotinum. DC. (pu.)	late-flowering.	N. America.	1806.	8. 10.	H. 2.	
66	cephalotes. H.B. (li.)	close-headed.	E. Indies.	1825.	6. 8.	S. h.	
67	altissimum. (pa.)	tallest.	—	—	—	S. h.	
68	heptaphyllum. (li.)	seven-leaved.	—	1820.	6. 8.	S. h.	
69	abyssinicum. DC. (li.)	Abyssinian.	Abyssinia.	1802.	7.	S. 2.	
70	bracteatum. H.B. (li.)	bracted.	E. Indies.	1820.	7. 8.	S. h.	
71	rhomboideum. (pa.)	rhomboid.	—	—	7. 9.	S. h.	
<i>Hedysarum rhombifolium</i> . H.B. non Elliot.							
72	orbiculatum. H.B. (li.)	round-leaved.	—	1818.	—	S. h.	
73	recurvatum. H.B. (li.)	recurved.	—	1824.	—	S. h.	
74	divergens. H.B. (pa.)	divergent.	—	—	—	S. h.	
75	purpureum. H.B. (pu.)	purple-flowered.	—	1818.	6. 8.	S. 2.	
76	pátens. H.B. (li.)	spreading	—	1824.	—	S. 2.	
77	arboresum.	tree.	—	1818.		S. h.	
<i>Hedysarum arboresum</i> . H.B.							
78	lacteum. Boj. (st.)	milk-coloured.	Zanzibar.	1825.	10. 11.	S. ♂.	
79	Helsinbergii. Boj.	Helsinberg's.	Madagascar.	—		S. h.	
DICE RMA. DC. DICE RMA. Diadelphia Decandria. L.							
1	pulchellum. DC. (ye.)	neat.	E. Indies.	1799.	7. 8.	S. h.	Burm. zeyl. t. 52.
<i>Hedysarum pulchellum</i> . w. Zornia pulchella. P.S. Phyllodium pulchellum. Desv.							
2	elegans. DC. (ye.)	elegant.	China.	1826.	7. 8.	G. h.	
3	biarticulatum. DC. (ye.)	two-jointed.	E. Indies.	1808.	—	S. h.	Burm. zeyl. t. 50. f. 2.
<i>Hedysarum biarticulatum</i> . L.							
HEDYSARUM. DC. HEDYSARUM. Diadelphia Decandria. L.							
1	grandiflorum. DC. (st.)	large-flowered.	Iberia.	1820.	6. 8.	H. 2.	Pall. itin. 2. p. 743. t. Y.
<i>sericeum</i> . M.B. Astragalus grandiflorus. L.							
2	argenteum. DC. (pu.)	silvery.	Siberia.	1827.	—	H. 2.	Gmel. sib. 4. t. 13.
3	candidum. DC. (pu.)	silver-leaved.	—	1796.	7. 8.	H. 2.	
4	splendens. DC. (pa.)	glossy-leaved.	—	1828.	—	H. 2.	
5	pallidum. DC. (pa.)	pale-flowered.	Barbary.	1811.	—	H. 2.	
6	coronarium. DC. (sc.)	F. Honeysuckle.	Italy.	1596.	6. 8.	H. ♂.	Gært. fruct. 2. t. 155.
<i>a coccineum</i> . (sc.) scarlet-flowered. — H. ♂.							
<i>β album</i> . (wh.) white-flowered. — H. ♂.							
7	humile. DC. (pu.)	dwarf.	Spain.	1640.	7. 8.	H. 2.	J. Bauh. his. 2. p. 336. f. 1.
8	spinosissimum. DC. (pu.)	thorny.	—	1731.	—	H. ♂.	Pluk. alm. t. 50. f. 2.
9	capitatum. DC. (ro.)	headed.	Barbary.		—	H. 2.	Bot. mag. 1251.
10	flexuosum. DC. (pu.)	wave-podded.	Asia.	1680.	—	H. ♂.	Schk. hand. 2. t. 207.
11	carneum. DC. (fl.)	flesh-coloured.	Siberia.	1818.	—	H. 2.	Lodd. bot. cab. 312.
12	elongatum. F. (pu.)	long-stalked.	Russia.	1823.	6. 8.	H. 2.	— t. 1401.
13	lasiocarpum. DC. (pu.)	woolly-podded.	Altay.	1824.	—	H. 2.	
14	tauricum. DC. (ro.)	Taurian.	Tauria.	1804.	7. 8.	H. 2.	Bieb. cent. 2. t. 85.
<i>roseum</i> . Bot. mag. t. 996. non DC.							
15	roseum. DC. (ro.)	rose-coloured.	Siberia.	1803.	—	H. 2.	
16	altaicum. DC. (pu.)	Altay.	—	1828.	—	H. 2.	
17	venustum. DC. (pu.)	handsome.	Altay.	—	—	H. 2.	
18	fruticosum. DC. (li.)	shrubby.	Siberia.	1782.	6. 7.	H. h.	Pall. it. 3. . 5. f. 1.
19	ibericum. DC. (li.)	Iberian.	Iberia.	1824.	6. 8.	H. 2.	
20	Razoumowianum. DC. (li.)	net-podded.	Scythia.	1828.	—	H. 2.	
21	cretaceum. DC. (pu.)	slender-spiked.	Volga.	1818.	—	H. 2.	
22	consanguineum. DC. (pu.)	related.	Altay.	—	—	H. 2.	
23	obscurum. DC. (pu.)	creeping-rooted.	Europe.	1640.	7. 8.	H. 2.	Bot. mag. 282.
24	brachisema. DC. (pu.)	short-lipped.	Altay.	1820.	—	H. 2.	Gmel. sib. 4. t. 10.
25	sibiricum. DC. (pu.)	Siberian.	Siberia.	1798.	6. 7.	H. 2.	Lam. ill. t. 628. f. 3.
26	alpinum. w. (pu.)	Alpine.	—	—	—	H. 2.	Bot. mag. 2213.
27	caucasicum. DC. (pu.)	Caucasean.	Caucasus.	1824.	6. 8.	H. 2.	
28	argyrophyllum. F. (pu.)	silvery-leaved.	Altay.	1827.	—	H. 2.	
ONOBRYCHIS. DC. SAINTFOIN. Diadelphia Decandria.							
1	sativa. DC. (ro.)	common.	Britain.		6. 7.	H. 2.	Eng. bot. v. 2. t. 96.
<i>Hedysarum Onobrychis</i> . Jacq. aust. t. 352.							
2	tanaitica. F. (ro.)	spreading.	Siberia.	1823.	—	H. 2.	
3	carpathica. DC. (ro.)	Carpathian.	Carp. Mount.	1818.	—	H. 2.	
4	incurvata. DC. (ro.)	incurved.	—	1826.	—	H. 2.	
5	montana. DC. (pu.)	mountain.	Pyrenees.	1816.	—	H. 2.	
6	conferta. DC. (pu.)	close-flowered.	Caucasus.	1827.	6. 8.	H. 2.	
7	procumbens. DC. (ro.)	procumbent.	Iberia.	1823.	—	H. 2.	
8	supina. DC. (ro.)	trailing.	S. Europe.	1816.	—	H. 2.	
9	glabra. DC. (ro.)	smooth.	Tauria.	1829.	—	H. 2.	
10	arenaria. DC. (ro.)	sand.	Hungary.	1818.	—	H. 2.	

- 11 mareótica. DC. (ro.) villous-calyxed. Siberia. 1829. 6. 8. H. ½.
 12 álba. DC. (wh.) white-flowered. Hungary. 1804. 7. 8. H. ½. W. et K. hung. 2. t. 111.
 13 petræa. DC. (wh.) stone. Caucasus. 1818. 6. 8. H. ½.
 14 grácilis. DC. (li.) slender. Poland. 1828. — H. ½.
 15 saxátilis. DC. (wh.) rock. S. France. 1790. — H. ½. All. ped. 1191. t. 19. f. 1.
 16 Cáput-gállí. DC. (vi.) Cock's-head. S. Europe. 1731. 7. 8. H. ½. Lobel. ic. 2. p. 81. f. 1.
 17 Crísta-gállí. DC. (vi.) Cock's-comb. — 1710. 6. 8. H. ½. Gärt. fruct. 2. t. 148.
 18 foveoláta. DC. (vi.) Sicilian. Sicily. 1828. — H. ½.
 19 æquidentáta. DC. (re.) equal-toothed. Levant. 1823. — H. ½. Desv. j. bot. 1. t. 23.
 20 Pallásii. DC. (st.) Pallas's. Tauria. — H. ½. Bieb. pl. ros. 1. t. 35.
Buxbaumiana, s.s. *Hedy'sarum Pallásii*. w. Buxb. cent. 2. t. 42.
 21 radiáta. DC. (st.) rayed. Caucasus. 1823. 7. 9. H. ½. Desf. an. mus. 12. t. 13.
Hedy'sarum Buxbaumii. M.B.
 22 ptolemáica. DC. (ye.) striped-flower'd. Egypt. 1829. — H. ½. Delil. fl. eg. t. 39. f. 1.
ELEFOTIS. DC. **ELEFOTIS.** Diadelphia Decandria.
 1 monophýlla. DC. (li.) simple-leaved. E. Indies. 1820. 4. 8. S. ½. Burm. ind. t. 50. f. 2.
 2 sorória. DC. (bh.) ternate-leaved. — — S. ½. Desv. j. bot. 3. t. 6. f. 31.
Hedy'sarum sororium. L.
LESPÉD'EA. DC. **LESPÉD'EA.** Diadelphia Decandria.
 1 júncea. DC. (wh.) slender-branch'd. Siberia. 1776. 7. 8. G. ½. Linn. f. dec. 1. t. 4.
Hedy'sarum júnceum. L. *Anthyllis cuneáta*. Dum. Cours.
 2 reticuláta. DC. (pu.) netted. N. America. 1823. — H. ½.
 3 sessiliflora. DC. (pu.) sessile-flowered. — — H. ½.
 4 eriocárpa. DC. (vi.) woolly-podded. Nepaul. 1812. 7. 9. G. ½.
 5 frutescens. DC. (pu.) frutescent. Carolina. 1739. — G. ½. Jacq. vind. 3. t. 89.
 6 capitáta. DC. (li.) headed. N. America. 1789. 6. 8. H. ½.
 7 angustifolia. DC. (li.) narrow-leaved. Carolina. 1827. — H. ½.
 8 Stuvéi. DC. (pu.) Stuve's. New Jersey. 1823. 7. 9. H. ½.
 9 polystácha. DC. (wh.) hairy. N. America. 1789. 6. 8. H. ½. Mich. amer. 2. t. 40.
Hedy'sarum hirtum. w.
 10 villósa. DC. (wh.) villous. — — 1812. — H. ½.
 11 violácea. DC. (vi.) violet-colour'd. — — 1789. 7. 8. H. ½.
 12 divérgens. DC. (vi.) divergent. — — 1827. — H. ½.
 13 procúbens. DC. (pu.) procumbent. — — 1812. — H. ½. Mich. amer. 2. t. 39.
 14 prostráta. DC. (pu.) prostrate. — — 1818. — H. ½.
E'BENUS. DC. **E'BENUS.** Monadelphia Decandria.
 1 crética. DC. (bh.) Cretan. Crete. 1737. 6. 7. F. ½. Bot. mag. 1092.
Anthyllis crética. Lam.
 2 pinnáta. DC. (pi.) wing-leaved. Barbary. 1786. 7. 8. G. ½. Desf. ac. par. 1. t. 3.
Anthyllis sericea. w.
 3 Sibthórpíi. DC. (pi.) Sibthorp's. Greece. 1826. — G. ½. DC. leg. mem. t. 53.
FLEMINGIA. DC. **FLEMINGIA.** Diadelphia Decandria.
 1 strícta. DC. (re.) straight. E. Indies. 1798. 7. 9. S. ½. Roxb. corom. 3. t. 248.
 2 semialáta. DC. (ro.) winged. Nepaul. 1805. 7. 8. S. ½. — 3. t. 249.
 3 congéstá. DC. (re.) crowded spiked. E. Indies. 1802. 7. 9. S. ½.
 4 nána. DC. (re.) dwarf. — — 1804. 8. 9. S. ½.
 5 lineáta. DC. (re.) branch-spiked. — — 1793. 7. 8. S. ½. Burm. ind. t. 53. f. 1.
 6 angustifolia. DC. (re.) narrow-leaved. — — 1812. 7. 9. S. ½.
 7 procúbens. DC. (re.) procumbent. — — 1816. 8. S. ½.
 8 prostráta. DC. (re.) prostrate. China. 1820. 7. 9. S. ½.
 9 strobilífera. DC. (wh.) Beech-leaved. E. Indies. 1787. — S. ½. Bot. reg. 617.
Hedy'sarum strobiliferum. L. *Zórnia strobilífera*. P.S.

Subtribus III. **ALHAGEÆ.** DC. *prodr.* 2. p. 352.

- ALHAGI. DC.** **ALHAGI.** Diadelphia Decandria.
 1 mauròrum. DC. (re.) Levant. Levant. 1714. 7. 8. G. ½. Tourn. cor. 54. t. 489.
Hedy'sarum Alhàgi. L. *mannífera*. Dv. *Mánna hebraíca*. D.D.
 2 camelòrum. DC. (re.) Caspian. Caucasus. 1824. — H. ½.
ALSICARPUS. DC. **ALSICARPUS.** Diadelphia Decandria.
 1 bupleurifolius. DC. (li.) Bupleurum-ld. E. Indies. 1793. 7. 8. S. ½. Bot. mag. 1722.
Hedy'sarum bupleurifolium. Roxb. corom. 2. t. 194.

2	vaginâlis. DC. (pu.)	sheathed.	E. Indies.	1790.	7. 8.	S. ☉.	Burm. zeyl. t. 49. f. 1.
3	nummularifolius. DC. (pu.)	moneywort.	————	1777.	7. 9.	S. ☉.	Petiv. gaz. t. 26 f. 1.
4	monilifer. DC. (pu.)	neck-lace.	————	1824.	—	S. ♀.	Burm. ind. t. 52. f. 3.
5	glumâceus. DC. (vi.)	rugged-podded.	Arabia.	—	—	G. ♀.	
6	styracifolius. DC. (pu.)	Storax-leaved.	E. Indies.	1796.	—	S. ♀.	
<i>Hedy'sarum styracifolium. L.</i>							

Tribus IV. VICIÆ. DC. prodr. 2. p. 353.

VICER. DC.		CHICK-PEA. Diadelphia Decandria. L.					
1	arietinum. DC.	common.	S. Europe.	1548.	7. 8.	H. ☉.	Bot. mag. 2274.
2	songâricum. DC.	large-flowered.	Persia.	1828.	—	H. ☉.	DC. leg. mem. t. 54.
FABA. DC.		BEAN. Diadelphia Decandria.					
	vulgâris. DC. (wh.bk.)	common.	Egypt.		5. 8.	H. ☉.	Tourn. inst. t. 222.
	<i>æ</i> quina. (wh.bk.)	Horse.	—		—	H. ☉.	
	<i>β</i> præcox. (wh.bk.)	Mazagon.	—		—	H. ☉.	
	<i>γ</i> ensiformis. (wh.bk.)	long-pod.	—		—	H. ☉.	
	<i>δ</i> albiflora. (wh.)	white-blossomed.	—		—	H. ☉.	
	<i>ε</i> purpurea. (pu.)	purple-flowered.	—		—	H. ☉.	
	<i>ζ</i> macrosperma. (wh.bk.)	broad Windsor.	—		—	H. ☉.	
	<i>η</i> chlorosperma. (wh.bk.)	green Windsor.	—		—	H. ☉.	
VICIA. DC.		VETCH. Diadelphia Decandria.					
1	pisiformis. DC. (st.)	Pea-shaped.	S. Europe.	1739.	7. 8.	H. ♀.	Jacq. aust. 4. t. 364.
2	amœna. DC. (pu.)	beautiful.	Siberia.	1829.	—	H. ♀.	Gmel. sib. 4. n. 11. t. 3?
3	caroliniana. DC. (wh.)	Carolina.	Carolina.	—	—	H. ♀.	
4	dumetorum. DC. (vi.)	great wood.	France.	1752.	5. 7.	H. ♀.	Sturm deuts. 1. fas. 31.
5	dentata. f. (vi.)	toothed.	Russia.	1818.	6. 7.	H. ♀.	
6	sylvatica. DC. (wh.vi.)	wood.	Britain.		7. 8.	H. ♀.	Eng. bot. 2. t. 79.
7	americana. DC. (vi.)	American.	N. America.	1818.	—	H. ♀.	
8	variegata. DC. (v.)	variegated.	Caucasus.	1829.	—	H. ♀.	Desf. cor. p. 86. t. 66.
9	purpurea. DC. (pu.)	purple.	Tauria.	1827.	—	H. ♀.	
10	alpestris. DC. (pu.)	alpine.	—	1828.	—	H. ♀.	
11	cassubica. DC. (vi.)	Cassubian.	Germany.	1711.	6. 7.	H. ♀.	Sturm deuts. 1. fas. 31.
12	abbreviata. DC. (vi.)	abbreviated.	Caucasus.	1818.	—	H. ♀.	
13	cinerea. DC. (pa.bl.)	ash-coloured.	Tauria.	1829.	—	H. ♀.	
14	Cræca. DC. (vi.)	tufted.	Britain.		7. 9.	H. ♀.	Eng. bot. 17. t. 1168.
15	Bivonea. DC. (ro.)	Bivoni's.	Sicily.	1828.	—	H. ♀.	
16	Gerardi. DC. (vi.)	Gerard's.	S. Europe.	1711.	6. 7.	H. ♀.	Jacq. aust. t. 229.
17	pseudocræca. DC. (vi.)	slender-leaved.	Italy.	1824.	7. 9.	H. ☉.	
	<i>tenuifolia. Tenore. non</i>	Roth.					
18	microphylla. DC. (li)	small-leaved.	Archipelago.	1828.	6. 8.	H. ♀.	
19	polyphylla. DC. (li.)	many-leaved.	Algiers.	1823.	—	H. ♀.	
20	tenuifolia. DC. (vi.)	slender-leaved.	Germany.	1799.	6. 7.	H. ♀.	Sturm deuts. 1. fas. 31.
21	consentina. DC. (st.)	straw-coloured.	Naples.	1824.	—	H. ♀.	
22	capensis. DC. (pu.)	Cape.	C. B. S.	1802.	6. 8.	G. ♀.	
23	canescens. DC. (bl.)	hoary.	Libanus.	1800.	—	H. ☉.	Labil. dec. syr. 1. t. 7.
24	ochroleuca. DC. (st.)	sulphur-color'd.	Italy.	1824.	—	H. ♀.	
25	punctata. DC. (pu.)	spot-leaved.	Switzerland.	1826.	—	H. ☉.	
26	onobrychioides. DC. (pu.)	Saintfoin-like.	Europe.	1789.	—	H. ☉.	Sturm deuts. 1. fas. 31.
27	atropurpurea. DC. (d.pu.)	dark-purple.	Algiers.	1815.	—	H. ☉.	Bot. reg. t. 871.
28	benghalensis. DC. (sc.)	Bengal.	E. Indies.	1792.	7. 9.	H. ☉.	Herm. lugd. t. 625.
29	perennis. DC. (pu.)	perennial.	S. Europe.	1820.	6. 8.	H. ♀.	
30	longifolia. DC. (st.)	long-leaved.	Syria.	1824.	—	H. ♀.	
31	argentea. DC. (ro.)	silvery.	Pyrenees.	1829.	—	H. ♀.	
32	villosa. DC. (pu.)	villous.	Germany.	1815.	—	H. ☉.	Sturm deuts. 1. fas. 31.
33	disperma. DC. (li.)	two-seeded.	S. France.	1826.	—	H. ☉.	
34	biennis. DC. (vi.)	biennial.	Siberia.	1753.	7. 9.	H. ♂.	Gmel. sib. 4. t. 2.
35	Nissoliâna. DC. (re.)	red-flowered.	Levant.	1773.	6. 7.	H. ☉.	
36	pellucida. DC. (pu.)	pellucid.	C. B. S.	1812.	6. 8.	G. ♀.	Jacq. schœnb. 2. t. 222.
37	biflora. DC. (bl.)	two-flower'd.	Algiers.	1801.	—	H. ☉.	Desf. atl. 2. t. 197.
38	calcarata. DC. (pu.)	spurred.	—	1790.	7. 9.	H. ☉.	
	<i>monantha. w.</i>						
39	syriaca. DC. (vi.)	Syrian.	Syria.	1822.	—	H. ☉.	
40	pimpinelloides. DC. (pu.)	Pimpinella-like.	Rome.	—	6. 9.	H. ☉.	

41	<i>sativa</i> . DC.	(<i>pu.</i>) common.	Britain.		5. 7.	H. ☉.	Eng. bot. 5. t. 334.
	<i>a nemoralis</i> . P.S.	(<i>pu.</i>) wood.	—		—	H. ☉.	Sturm deuts. 1. fas. 31.
	<i>β segetalis</i> . DC.	(<i>pu.</i>) hedge.	—		—	H. ☉.	Eng. bot. 5. t. 334.
42	<i>leucosperma</i> . L.en.	(<i>wh.</i>) white-seeded.			—	H. ☉.	
43	<i>angustifolia</i> . W.en.	(<i>pu.</i>) narrow-leaved.	Europe.		—	H. ☉.	Sturm deuts. 1. fas. 31.
44	<i>megalosperma</i> . W.en.	(<i>pu.</i>) large-seeded.	Tauria.	1798.	6. 8.	H. ☉.	
45	<i>incisa</i> . DC.	(<i>pu.</i>) cut-leaved.	—	1829.	—	H. ☉.	
46	<i>repens</i> . DC.	(<i>pu.</i>) creeping.	Archipelago.	1828.	—	H. 4.	
47	<i>canadensis</i> . DC.	(<i>li.</i>) Canadian.	Canada.	—	—	H. ☉.	
48	<i>globosa</i> . DC.	(<i>bl.</i>) globular.		1804.	—	H. ☉.	
49	<i>cordata</i> . DC.	(<i>pu.</i>) heart-leaved.	Germany.	1828.	—	H. ☉.	Sturm deuts. 1. fas. 32.
50	<i>pilosa</i> . DC.	(<i>pu.</i>) pilose.	Tauria.	1820.	—	H. ☉.	
51	<i>peregrina</i> . DC.	(<i>pu.</i>) broad-podded.	S. Europe.	1779.	7. 8.	H. ☉.	Sturm deuts. 1. fas. 32.
52	<i>Michauxii</i> . DC.	(<i>wh.</i>) Michaux's.		1803.	—	H. ☉.	
53	<i>amphicarpa</i> . DC.	(<i>pu.</i>) subterraneous.	S. France.	1815.	—	H. ☉.	Ger. m. an. 6. v. 3. p. 344.
54	<i>lathyroides</i> . DC.	(<i>pu.</i>) spring.	Britain.		4. 6.	H. ☉.	Eng. bot. 1. t. 30.
55	<i>lavigata</i> . DC.	(<i>br.</i>) smooth-podded.	England.		7. 9.	H. 4.	— 7. t. 483.
56	<i>dubia</i> . DC.	(<i>pu.</i>) doubtful.		1827.	—	H. 4.	
57	<i>lutea</i> . DC.	(<i>pu.</i>) yellow-flowered.	Britain.		6. 8.	H. 4.	Eng. bot. 7. t. 481.
58	<i>hirta</i> . P.S.	(<i>wh.</i>) hairy.	France.	1820.	—	H. 4.	
59	<i>hybrida</i> . DC.	(<i>st.</i>) hairy-flower'd.	England.		—	H. 4.	Eng. bot. 7. t. 482.
60	<i>spuria</i> . DC.	(<i>st.</i>) spurious.	Sicily.	1826.	—	H. 4.	
61	<i>grandiflora</i> . DC.	(<i>ye.</i>) large-flowered.	Switzerland.	1823.	—	H. ♂.	Scop. fl. carn. 2. t. 42.
62	<i>sordida</i> . DC.	(<i>ye.</i>) large-yellow.	Hungary.	1802.	—	H. ☉.	W. et K. hung. 2. t. 134.
63	<i>Biebersteinii</i> . DC.	(<i>ye.</i>) Bieberstein's.	Poland.	1823.	—	H. 4.	
64	<i>tricolor</i> . DC.	(<i>ye. pu.</i>) three-coloured.	Naples.	1827.	—	H. ☉.	Seb. et Maur. pr. rom. t. 4.
65	<i>sépium</i> . DC.	(<i>pu.</i>) bush.	Britain.		5. 6.	H. 4.	Eng. bot. 22. t. 1515.
66	<i>pannonica</i> . DC.	(<i>wh.</i>) Hungarian.	Hungary.	1658.	6. 7.	H. ☉.	Jacq. aust. 1. t. 34.
67	<i>pyrenaica</i> . DC.	(<i>pu.</i>) Pyrenean.	Pyrenees.	1828.	—	H. ☉.	DC. ic. rar. 1. t. 33.
68	<i>striata</i> . M.B.	(<i>std.</i>) striped.	Tauria.	1824.	—	H. ☉.	
69	<i>truncatula</i> . DC.	(<i>st.</i>) truncate-leav'd.	Caucasus.	1828.	6. 8.	H. ☉.	
70	<i>narbonensis</i> . DC.	(<i>d. pu.</i>) broad-leaved.	France.	1596.	—	H. ☉.	Roth. abhand. 10. t. 2.
71	<i>serratifolia</i> . W.	(<i>pu.</i>) saw-leaved.	Hungary.	1723.	—	H. ☉.	Sturm fl. germ. 1. fas. 32.
72	<i>platycarpus</i> . DC.	(<i>pu.</i>) flat-podded.	Germany.	—	—	H. ☉.	Roth. abhand. 10. t. 1.
73	<i>bicolor</i> . DC.	(<i>v.</i>) two-coloured.		1818.	—	H. 4.	
ERVUM. DC. TARE. Diadelphia Decandria. L.							
1	<i>Léns</i> . DC.	(<i>pa.</i>) Lentil.	France.	1548.	5. 7.	H. ☉.	Sturm fl. germ. 1. fas. 32.
	<i>Cicer Léns</i> . W. <i>Léns esculenta</i> . Moench.						
2	<i>nigricans</i> . DC.	(<i>pa.</i>) dark-seeded.	Tauria.	1823.	6. 7.	H. ☉.	
	<i>lentoides</i> . T.P.						
3	<i>lenticula</i> . DC.	(<i>bl.</i>) one-flowered.	Carinthia.	1824.	6. 8.	H. ☉.	Sturm fl. germ. 1. fas. 32.
	<i>solanense</i> . Schrank pl.	rar. t. 48. <i>uniflorum</i> .	Seb. rom. pl. fas. 2. t. 4.				
4	<i>hirsutum</i> . DC.	(<i>pu. wh.</i>) hairy.	Britain.		6. 7.	H. ☉.	Eng. bot. 14. t. 970.
5	<i>dispermum</i> . s.s.	(<i>li.</i>) two-seeded.	E. Indies.	1824.	6. 8.	H. ☉.	
6	<i>camelorum</i> . s.s.	(<i>li.</i>) broad-podded.		—	—	H. ☉.	
7	<i>pendulum</i> . s.s.	(<i>li.</i>) pendulous-podd'd.	E. Indies.	1828.	—	H. ☉.	
8	<i>Ervilia</i> . DC.	(<i>pu.</i>) officinal.	S. Europe.	1596.	6. 8.	H. ☉.	Sturm fl. germ. 1. fas. 32.
	<i>Ervilia sativa</i> . L. en. <i>Vicia Ervilia</i> . W.						
9	<i>monanthos</i> . DC.	(<i>li.</i>) single-flowered.	—	1790.	7. 8.	H. ☉.	Sturm fl. ge. 1. fas. 32. ic.
	<i>Vicia articulata</i> . W. <i>Lathyrus monanthos</i> . W. en.						
10	<i>agrigentinum</i> . DC.	(<i>li.</i>) Sicilian.	Sicily.	1827.	—	H. ☉.	
11	<i>tetraspermum</i> . DC.	(<i>li.</i>) four-seeded.	Britain.		6. 8.	H. ☉.	Eng. bot. 17. t. 1223.
12	<i>gracile</i> . DC.	(<i>li.</i>) slender.	S. Europe.	1823.	—	H. ☉.	Lois. fl. gal. t. 12.
	<i>tenuissimum</i> . P.S. <i>longifolium</i> T.N. <i>Vicia laxiflora</i> . Brot. phyt. t. 54.						
13	<i>pubescens</i> . DC.	(<i>li.</i>) pubescent.	S. Europe.	1828.	6. 8.	H. ☉.	
14	<i>Loiseleurii</i> . DC.	(<i>li.</i>) Loiseleur's.	Tauria.	—	—	H. ☉.	
15	<i>diphyllum</i> . DC.	(<i>li.</i>) two-leaved.		—	—	H. ☉.	
PI'SUM. DC. PEA. Diadelphia Decandria. L.							
1	<i>sativum</i> . DC.	(<i>wh.</i>) cultivated.	S. Europe.		5. 10.	H. ☉.	Lam. ill. t. 633.
	<i>a saccharatum</i> . DC.	(<i>wh.</i>) sugar.	—		—	H. ☉.	Tourn. inst. t. 215.
	<i>β macrocarpon</i> . DC.	(<i>wh.</i>) marrowfat.	—		—	H. ☉.	
	<i>γ viride</i> .	(<i>wh.</i>) green marrowfat.	—		—	H. ☉.	
	<i>δ rugosum</i> .	(<i>wh.</i>) Knight's marrowfat.	—		—	H. ☉.	
	<i>ε chlorospermum</i> .	(<i>wh.</i>) green rouncival.	—		—	H. ☉.	
	<i>ζ cærulescens</i> .	(<i>wh.</i>) blue Prussian.	—		—	H. ☉.	
	<i>η prolificum</i> .	(<i>wh.</i>) prolific.	—		—	H. ☉.	
	<i>θ præcox</i> .	(<i>wh.</i>) early Charlton.	—		—	H. ☉.	
	<i>ι uniflorum</i> .	(<i>wh.</i>) early frame.	—		—	H. ☉.	

κ <i>hämile</i> . (wh.) dwarf.	S. Europe.		—	H. ⊙.	
λ <i>umbellatum</i> . DC. (pi.) rose or crown.	—		—	H. ⊙.	Tabern. icon. t. 495.
μ <i>quadratum</i> . DC. (pu.) grey or swine's.	—		—	H. ⊙.	
2 <i>elatum</i> . DC. (pa. pu.) upright.	Iberia.	1827.	6. 10.	H. ⊙.	
3 <i>arvense</i> . DC. (pu.) field.	Europe.		6. 9.	H. ⊙.	Moris. his. 2. s. 2 t. 1. f. 4.
4 <i>maritimum</i> . DC. (pu.) sea.	England.		7. 8.	H. ½.	Eng. bot. 15. t. 1046.
5 <i>americanum</i> . DC. (pu.) American.	America.		—	H. ⊙.	
6 <i>Jomardi</i> . DC. (wh.) angular-stalk'd.	Egypt.	1818.	6. 9.	H. ⊙.	
7 <i>thebaicum</i> . DC. (wh.) short-peduncled.		—	—	H. ⊙.	
LA THYRUS. DC.	LA THYRUS. Diadelphia Decandria.	L.			
1 <i>syvestris</i> . DC. (pu.) wood.	Britain.		7. 8.	H. ½.	Eng. bot. v. 12. t. 805.
2 <i>intermedius</i> . DC. (ro.) intermediate.	N. Europe.	1818.	7. 8.	H. ½.	Flor. dan. t. 785.
3 <i>magellanicus</i> . DC. (pu.) Lord Anson's Pea.	Cape Horn.	1744.	—	H. ½.	
4 <i>latifolius</i> . DC. (ro.) everlasting Pea.	England.		7. 9.	H. ½.	Eng. bot. v. 16. t. 1108.
β <i>albiflorus</i> . (wh.) white-flowered.		—	—	H. ½.	
5 <i>rotundifolius</i> . DC. (ro.) round-leaved.	Tauria.	1822.	—	H. ½.	Bieb. cent. 1. t. 22.
6 <i>pratensis</i> . DC. (ye.) meadow.	Britain.		6. 8.	H. ½.	Eng. bot. v. 10. t. 670.
7 <i>tuberosus</i> . DC. (ro.) tuberous-rooted.	Europe.	1596.	7. 8.	H. ½.	Bot. mag. 111.
8 <i>roseus</i> . DC. (ro.) rose-coloured.	Iberia.	1828.	—	H. ½.	
9 <i>pisiformis</i> . DC. (std.) Siberian.	Siberia.	1759.	6. 8.	H. ½.	Linn. fil. dec. t. 20.
10 <i>mutabilis</i> . B.F.G. (std.) changeable.	—	1825.	—	H. ½.	Swt. br. fl. gar. t. 194.
11 <i>venosus</i> . DC. (pu.) veined.	N. America.	1823.	7. 8.	H. ½.	
12 <i>californicus</i> . B.R. (pu.) Californian.	California.	1827.	6. 10.	H. ½.	Bot. reg. 1144.
13 <i>palustris</i> . DC. (pu.) marsh.	Britain.		7. 8.	H. ½.	Eng. bot. v. 3. t. 169.
14 <i>myrtifolius</i> . DC. (pu.) Myrtle-leaved.	N. America.	1823.	—	H. ½.	
15 <i>polymorphus</i> . DC. (pu.) variable.	Missouri.	—	—	H. ½.	
16 <i>heterophyllus</i> . DC. (li.) various-leaved.	Europe.	1731.	7. 9.	H. ½.	J. Bauh. his. 2. p. 304. f. 1.
17 <i>stipulaceus</i> . DC. (pu.) large-stipuled.	N. America.	1827.	—	H. ½.	
18 <i>Aphaca</i> . DC. (st.) yellow vetchling.	England.		6. 7.	H. ⊙.	Eng. bot. v. 17. t. 1167.
19 <i>Nissolia</i> . DC. (cr.) crimson.	—		5. 6.	H. ⊙.	v. 2. t. 112.
20 <i>inconspicuus</i> . DC. (pa.) small-flowered.	Levant.	1739.	7. 8.	H. ⊙.	
21 <i>sphaericus</i> . DC. (sc.) scarlet.	S. Europe.	1800.	6. 7.	H. ⊙.	DC. ic. rar. 1. t. 32.
<i>coccineus</i> . P.S. <i>axillaris</i> . Lam. <i>inconspicuus</i> . Jacq. vind. t. 86.	<i>Orobis coccineus</i> . Lodd. b. cab. t. 883.		6. 7.	H. ⊙.	
22 <i>micranthus</i> . DC. (pu.) small-blossom'd.	S. France.		—	H. ⊙.	
23 <i>angulatus</i> . DC. (pu.) angular-seeded.	S. Europe.	1683.	—	H. ⊙.	Buxb. cent. 3. t. 42. f. 2.
24 <i>longepedunculatus</i> . DC. (pu.) long-stalked.		1824.	6. 9.	H. ⊙.	
25 <i>leptophyllus</i> . DC. (pu.) slender-leaved.	Caucasus.	1828.	—	H. ⊙.	
26 <i>setifolius</i> . DC. (ro.) bristle-leaved.	S. Europe.	1739.	6. 7.	H. ⊙.	J. Bauh. 2. p. 308. ic.
27 <i>amphicarpos</i> . DC. (li.) Earth Pea.	Levant.	1680.	6. 9.	H. ⊙.	Swt. br. fl. gar. 3. t. 236.
28 <i>sativus</i> . DC. (bl. wh.) chickling vetch.	S. Europe.	1640.	6. 8.	H. ⊙.	Jacq. f. eclog. t. 116.
α <i>caruleus</i> . (bl.) blue-flowered.	—	—	—	H. ⊙.	Bot. mag. 115.
β <i>albus</i> . (wh.) white-flowered.	—	—	—	H. ⊙.	
29 <i>Cicera</i> . DC. (pu.) flat-podded.	—	1633.	—	H. ⊙.	Jacq. f. eclog. t. 115.
30 <i>annuus</i> . DC. (ye.) yellow annual.	—	1621.	—	H. ⊙.	Buxb. cent. 3. t. 42. f. 1.
31 <i>hirsutus</i> . DC. (pu.) rough-podded.	England.		7. 8.	H. ⊙.	Eng. bot. v. 18. t. 1255.
32 <i>hirtus</i> . DC. (pu.) hairy.		1824.	7. 9.	H. ⊙.	
33 <i>odoratus</i> . DC. (va.) Sweet Pea.	Sicily.	1700.	6. 9.	H. ⊙.	Bot. mag. t. 60.
α <i>purpureus</i> . DC. (pu.) dark-purple.	—	—	—	H. ⊙.	t. 60.
β <i>ruber</i> . (re.) red-flowered.		—	—	H. ⊙.	
γ <i>roseus</i> . DC. (ro.) painted lady.	Ceylon.	—	—	H. ⊙.	
δ <i>albus</i> . (wh.) white-flowered.	—	—	—	H. ⊙.	
34 <i>grandiflorus</i> . DC. (pu.) large-flowered.	Italy.	1814.	—	H. ½.	Bot. mag. t. 1938.
35 <i>tingitanus</i> . DC. (pu.) Tangier Pea.	Barbary.	1680.	—	H. ⊙.	t. 100.
36 <i>bithynicus</i> . DC. (vi.) tumid-podded.	S. Europe.	1816.	6. 8.	H. ⊙.	All. ped. 1. t. 26. f. 2.
<i>tumidus</i> . W. <i>turgidus</i> . Lam. <i>Vicia bithynica</i> . L.	—	—	—	—	
37 <i>incurvus</i> . DC. (pu.) curve-podded.	Siberia.	1802.	7. 8.	H. ½.	Roth abh. 13. t. 4.
38 <i>alatus</i> . DC. (pu.) wing-stalked.	Italy.	1829.	—	H. ⊙.	
39 <i>Clymenum</i> . DC. (re. bl.) various-flower'd.	Levant.	1713.	6. 7.	H. ⊙.	Pluk. alm. t. 114. f. 6.
40 <i>articulatus</i> . DC. (ro. wh.) joint-podded.	S. Europe.	1640.	7. 9.	H. ⊙.	Bot. mag. 258.
41 <i>auriculatus</i> . Bert. (pu.) eared.	Italy.	1820.	6. 8.	H. ⊙.	
42 <i>spurius</i> . DC. (pu.) bastard.		1815.	—	H. ⊙.	
43 <i>tenuifolius</i> . DC. (bl.) slender-leaved.	Algiers.	1824.	6. 7.	H. ⊙.	
44 <i>Ochrus</i> . DC. (ye.) pale-yellow.	S. Europe.	1633.	—	H. ⊙.	Schk. hand. 2. t. 280.
<i>Ochrus pallida</i> . P.S. <i>Pisum Ochrus</i> . L.	—	—	—	—	
45 <i>purpureus</i> . DC. (pu.) purple-flower'd.	Levant.	1826.	6. 8.	H. ½.	Desf. cor. p. 81. t. 61.
46 <i>cornutus</i> . DC. (pu.) horned.		1824.	—	H. ⊙.	
47 <i>aphyllus</i> . (pu.) leafless.	Smyrna.	1828.	7. 8.	H. ⊙.	
PLATYSTYLIS. B.F.G. PLATYSTYLIS. Diadelphia Decandria.	—	—	—	—	
1 <i>cyanea</i> . B.F.G. (bl.) blue-flowered.	Iberia.	1826.	7. 8.	H. ½.	Swt. br. fl. gar. 3. t. 239.

- 2 sessilifolius, B. F. G. (pu.) sessile-leaved. Levant. 1824. 6. 8. H. 4. Buxb. cent. 2. t. 38.
Orobis sessilifolius. Bot. Mag. 2796. digitatus, M.B.
- O'ROBUS. DC. BITTER VETCH. Diadelphia Decandria. L.**
- 1 hirsutus, DC. (li.) hairy. Levant. 1818. 5. 6. H. 4. Bot. mag. t. 2345.
 2 formosus, DC. (pu.) handsome. Caucasus. 1824. — H. 4.
 3 lathyroides, DC. (bl.) upright. Siberia. 1758. 6. 7. H. 4. Bot. mag. t. 2098.
 4 vernus, DC. (pu.) spring. Europe. 1629. 3. 4. H. 4. — t. 521.
 5 venosus, DC. (bl.) veined. Siberia. 1818. 5. 6. H. 4. Gmel. fl. sib. 4. t. 5.
 6 alpestris, DC. (pu.) alpine. Hungary. 1818. — H. 4. W. et K. hung. 2. t. 126.
 7 multiflorus, DC. (li.) many-flowered. Italy. 1824. 5. 7. H. 4.
 8 variegatus, DC. (pu.) variegated. Naples. 1818. 5. 6. H. 4. Ten. fl. nap. t. 68.
 9 vicoides, DC. (pu.) Vetch-like. Hungary. — 6. 8. H. 4. W. et K. hung. 3. t. 242.
Vicia oroboides, W.K.
- 10 luteus, DC. (ye.) yellow. Siberia. 1759. 6. 7. H. 4. Lodd. bot. cab. 783.
 11 lævigatus, DC. (ye.) smooth. Hungary. 1818. — H. 4. W. et K. hung. 3. t. 243.
 12 aurantius, DC. (ye.) orange-color'd. Iberia. 1824. 6. 8. H. 4.
 13 sylvaticus, DC. (std.) wood. Britain. 6. 7. H. 4. Eng. bot. v. 8. t. 518.
 14 ochroleucus, DC. (st.) straw-colour'd. Hungary. 1816. — H. 4. W. et K. hung. 2. t. 118.
 15 niger, DC. (pu.) black-rooted. Europe. 1596. 5. 7. H. 4. Bot. mag. t. 2261.
 16 erectus, DC. (pu.) upright. 1820. 6. 7. H. 4.
 17 tuberosus, DC. (pu.) tuberous-rooted. Britain. 5. 6. H. 4. Eng. bot. v. 17. t. 1153.
 18 pyrenæicus, L. (pu.) Pyrenean. Pyrenees. 1699. — H. 4. Pluk. alm. t. 210. f. 2.
 19 tenuifolius, Roth. (pu.) slender-leaved. Germany. 1818. 5. 6. H. 4.
 20 varius, DC. (v.) parti-coloured. Italy. 1759. — H. 4. Bot. mag. t. 675.
 21 angustifolius, DC. (v.) narrow-leaved. Siberia. 1766. — H. 4. Gmel. sib. 4. p. 14. t. 5.
 22 canescens, DC. (bl. wh.) canescent. S. Europe. 1823. — H. 4.
 23 pallescens, M.B. (wh.) pale-flowered. Tauria. 1824. — H. 4.
 24 albus, DC. (wh.) white-flowered. Austria. 1794. — H. 4. Swt. br. fl. gar. 1. t. 22.
pannonicus, Jacq. aust. 1. t. 39.
- 25 atropurpureus, DC. (d. pu.) dark-purple. Algiers. 1826. 6. 7. H. 4. Desf. atl. 2. t. 196.
 26 Fischéri, B. F. G. (d. pu.) Fischer's. Siberia? 1827. — H. 4. Swt. br. fl. gar. 3. t. 289.
 27 saxatilis, DC. (pu.) rock. S. France. 1823. 6. 8. H. 4. Venten. cels. t. 94.
 28 longifolius, N. (li.) long-leaved. Missouri. 1827. — H. 4.

Tribus V. *PHASEOLEÆ*. DC. prodr. 2. p. 381.

- 'ABRUS. DC. WILD LIQUORICE. Monadelphia Enneandria.**
- precatörus, DC. (ro.) common. India. 1680. 3. 5. S. 4. Rheed. mal. 3. t. 39.
a erythrosperma, (ro.) red-seeded. — — — S. 4. Rumph. amb. 5. t. 32.
β melanosperma, (ro.) black-seeded. — — — S. 4.
- SWEETIA. DC. SWE'ETIA. Diadelphia Decandria.**
- 1 longifolia, DC. (pu.) long-leaved. S. America. 1824. 6. 7. S. 4. Jacq. ic. 3. t. 572.
Galega longifolia, Jacq. *Tephrosia longifolia*, P.S.
- 2 filiformis, DC. (pu.) slender. — 1826. — S. 4. Jacq. ic. 3. t. 573.
 3 lignosa, DC. (pu.) woody. Trinidad. 1820. S. 4.
- Glycine lignosa*, P.S.
- MACRA'NTHUS. DC. MACRA'NTHUS. Diadelphia Decandria.**
- cochinchinensis, DC. (wh.) eatable-podd'd. Cochinchina. 1826. 6. 9. H. 4.
- WESTONIA. S.S. WEST'ONIA. Monadelphia Decandria.**
- trifoliata, s.s. (st. re.) trifoliolate. 1820. 6. 8. S. 4.
Röthia trifoliata, DC. *Glycine humifusa*, W. en.
- TERA'MNUS. DC. TERA'MNUS. Monadelphia Pentandria.**
- 1 volubilis, DC. (re.) twining. Jamaica. 1822. 7. 8. S. 4.
 2 uncinatus, DC. (re.) hooked. — — — S. 4. Plum. ed. Burm. t. 221.
- AMPHICARP'ÆA. DC. AMPHICARP'ÆA. Diadelphia Decandria.**
- 1 monoica, DC. (pa.) pale-flowered. N. America. 1781. 8. 10. H. 4. Rœm. arch. 1. p. 3. t. 2.
 2 comosa, (bl.) tufted. — 1812. 7. 9. H. 4.
- Glycine comosa*, Ph.
- 3 sarmentosa, DC. (pa.) sarmentose. — 1805. — H. 4. Schk. bot. an. 12. t. 2.
Glycine sarmentosa, Ph. *monoica*, Schkuhr.
- KENN'EDYA. DC. KENN'EDYA. Diadelphia Decandria.**
- 1 rubicunda, DC. (cr.) dingy-flowered. N. S. W. 1788. 3. 8. G. 4. Bot. mag. 208.
 2 prostrata, DC. (sc.) scarlet one-fl'd. — 1790. — G. 4. t. 270.
Glycine coccinea, B.M.
- 3 coccinea, DC. (sc.) many-flowered. N. Holland. 1803. 5. 8. G. 4. Swt. fl. aust. t. 23.
 4 Comptoniana, DC. (pu.) Comptonian. — 3. 6. G. 4. Bot. reg. 298.
Glycine Comptoniana, B.R.

- 5 heterophylla. *ψ.* (pu.) various-leaved. H. Holland. 1826. G. $\frac{1}{2}$ ∪.
- 6 inophylla. *ψ.* (pu.) few-leaved. ———— 1825. G. $\frac{1}{2}$ ∪.
- 7 dilatata. *ψ.* (pu.) dilated-leaved. ———— 1825. G. $\frac{1}{2}$ ∪.
- 8 monophylla. (pu.) simple-leaved. N. S. W. 1790. 3. 8. G. $\frac{1}{2}$ ∪. Vent. malm. t. 106.
Glycine bimaculata. Bot. mag. t. 263.
- 9 ovata. DC. (pu.) oval-leaved. ———— 1820. — G. $\frac{1}{2}$ ∪. Bot. mag. 2169.
cordata. Bot. reg. 944.
- RHYNCHOSIA. DC. RHYNCHOSIA. Diadelphia Decandria.**
- 1 reniformis. DC. (ye.) kidney-leaved. Carolina. 1806. 7. 8. F. $\frac{1}{2}$.
- 2 difformis. DC. (ye.) downy climbing. ———— 1732. 6. 9. F. $\frac{1}{2}$ ∪. Dill. elth. t. 26. f. 29.
Glycine tomentosa β volubilis. M.
- 3 erecta. DC. (br.) upright. ———— F. $\frac{1}{2}$.
- 4 caribæa. DC. (ye.) trailing. W. Indies. 1742. 9. 10. S. $\frac{1}{2}$ ∪. Bot. reg. t. 275.
Glycine caribæa. B.R.
- 5 mollis. DC. (ye.) soft-leaved. Guinea. 1823. 6. 7. S. $\frac{1}{2}$ ∪. Hook. ex. flor. 201.
Glycine mollis. H.E.F.
- 6 minima. DC. (ye.) slender-stalked. W. Indies. — S. $\frac{1}{2}$ ∪. Jacq. obs. 1. t. 22.
- 7 volubilis. DC. (ye.) black-podded. China. 1826. — S. $\frac{1}{2}$ ∪.
- 8 phaseoloides. DC. (ye.) Abrus-seeded. W. Indies. 1820. — S. $\frac{1}{2}$ ∪. Bot. mag. t. 2284.
- 9 precatoria. DC. (ye.) Abrus-like. S. America. — S. $\frac{1}{2}$ ∪.
- 10 macrophylla. DC. (ye.) large-leaved. Cuba. 1826. — S. $\frac{1}{2}$ ∪.
- 11 reticulata. DC. (ye.) netted. Jamaica. 1779. 7. 9. S. $\frac{1}{2}$ ∪.
- 12 rhombifolia. DC. (ye.) rhomb-leaved. E. Indies. 1815. 5. 8. S. $\frac{1}{2}$ ∪.
- 13 medicaginea. DC. (ye.) Medick-like. Ceylon. 1826. — S. $\frac{1}{2}$ ∪. Burm. zeyl. 188. t. 88.
- 14 suaveolens. DC. (ye.) sweet-scented. E. Indies. 1816. — S. $\frac{1}{2}$.
- 15 viscida. DC. (ye.) viscous. ———— 1823. 6. 7. S. $\frac{1}{2}$ ∪.
- 16 viscosa. DC. (ye.) clammy. ———— 1824. — S. $\frac{1}{2}$ ∪.
- 17 Fridericiana. DC. (ye.) blunt-leaved. Manilla. 1826. — S. $\frac{1}{2}$ ∪.
- 18 scarabæoides. DC. (ye.) rough-stemmed. E. Indies. — S. $\odot$ ∪. Pluk. alm. t. 52. f. 3.
- 19 biflora. DC. (ye.) two-flowered. E. Indies. 1827. 6. 8. S. $\odot$ ∪.
- 20 angustifolia. DC. (ye.) narrow-leaved. C. B. S. 1795. — G. $\frac{1}{2}$ ∪. Jacq. schœn. 2. t. 231.
- 21 Tôtta. DC. (ye.) smooth-stem'd. ———— 1819. — G. $\frac{1}{2}$ ∪.
- FAG'ELIA. DC. FAG'ELIA. Diadelphia Decandria.**
- bituminosa. DC. (ye.) clammy. C. B. S. 1774. 4. 9. G. $\frac{1}{2}$ ∪. Bot. reg. t. 261.
Glycine bituminosa. B.R.
- WISTERIA. DC. WISTERIA. Diadelphia Decandria.**
- 1 frutescens. DC. (bl.) handsome. N. America. 1724. 6. 9. H. $\frac{1}{2}$ ∪. Bot. mag. t. 2103.
speciosa. N. *Glycine frutescens*. B.M. *Apios frutescens*. Ph.
- 2 chinensis. DC. (p.bl.) Chinese. China. 1818. 5. 7. H. $\frac{1}{2}$ ∪. Swt. br. fl. gar. 3. t. 211.
Glycine chinensis. Bot. mag. 2083. *sinensis*. Bot. reg. 650.
- 'APIOS. DC. 'APIOS. Diadelphia Decandria.**
- tuberosa. DC. (ro.) tuberous-rooted. N. America. 1640. 8. 9. H. $\frac{1}{2}$ ∪. Bot. mag. t. 1198.
Glycine 'Apios. B.M.
- AMPH'ODUS. B.R. AMPH'ODUS. Diadelphia Decandria.**
- ovatus. B.R. (pu.) oval-leaved. Trinidad. 1824. 4. 6. S. $\frac{1}{2}$ ∪. Bot. reg. t. 1101.
- PHAS'EOLUS. DC. KIDNEY BEAN. Diadelphia Decandria. L.**
- 1 Caracalla. DC. (pu.) Snail-flower. E. Indies. 1690. 8. 9. S. $\frac{1}{2}$ ∪. Bot. reg. t. 341.
- 2 tuberosus. DC. (ye.) tuberous-rooted. China. 1825. — S. $\frac{1}{2}$ ∪.
- 3 perennis. DC. (pu.) perennial. Carolina. 1823. 7. 9. F. $\frac{1}{2}$ ∪.
- 4 macrostachyus. DC. (pu.) long-spiked. N. America. 1824. — H. $\frac{1}{2}$ ∪.
- 5 alatus. DC. (pu.) winged. Carolina. 1732. 7. 8. H. $\odot$ ∪. Dill. elth. t. 235. f. 303.
- 6 multiflorus. DC. (sc.) scarlet-runner. S. America. 1633. 6. 10. H. $\frac{1}{2}$ ∪. Schk. hand. 2. t. 199. a.
- α coccineus*. DC. (sc.) scarlet-flowered. ———— — H. $\frac{1}{2}$ ∪. Moris. his. 52. t. 5. f. 4.
- β albiflorus*. DC. (wh.) white-flowered. ———— H. $\frac{1}{2}$ ∪.
- 7 vulgaris. DC. (wh.li.) common. E. Indies. 1597. 5. 9. H. $\odot$ ∪. Lobel. ic. 2. p. 59. ic.
- 8 compressus. DC. (wh.) white-runner. 6. 9. H. $\odot$ ∪. Savi. mem. 3. t. 10. f. 20.
- 9 oblongus. DC. (li.) oblong-seeded. — H. $\odot$ ∪. — 3. p. 17. t. 10. f. 14.
- 10 saponaceus. DC. (wh.) spotted-white. — H. $\odot$ ∪. — 3. p. 19. t. 10. f. 15.
- 11 tumidus. DC. (wh.) thick-seeded. — H. $\odot$ ∪. — 3. p. 19. t. 10. f. 16.
- 12 hæmatocarpus. DC. (li.) red-podded. — H. $\odot$ ∪. — 3. p. 20. t. 10. f. 17.
- 13 sphæricus. DC. (li.) roundish-seeded. — H. $\odot$ ∪. — 3. p. 20. t. 10. f. 18.
- 14 gonospermus. DC. (wh.) angular-seeded. — H. $\odot$ ∪. — 3. p. 21. t. 10. f. 19.
- 15 derâsus. DC. (gr.wh.) narrow-podded. Brazil. 1823. — H. $\odot$ ∪. Schk. h. mon. 1. t. 89.
- 16 lunatus. DC. (gr.) cimeter-podded. E. Indies. 1779. — S. $\odot$ ∪. Hout. syst. 8. t. 63. f. 1.
- 17 inamœnus. DC. (gr.wh.) various-colour'd. Africa. 1794. 7. 8. H. $\odot$ ∪. Jacq. vind. t. 66.
- 18 Xuareñi. DC. (gr.wh.) pointed-leaved. 1823. 6. 9. H. $\odot$ ∪.
- 19 adenanthus. DC. (wh.bl.) painted-flower'd. Guiana. 1821. — S. $\odot$ ∪.
- 20 macrocarpus. DC. (wh.) long-podded. — H. $\odot$ ∪.
- 21 calcaratus. H.B. (li.) spurred. E. Indies. 1820. 7. 8. S. $\frac{1}{2}$ ∪.

22	dolichoïdes. H.B. (pu.)	Dolichos-like.	E. Indies.	1820.	7. 8.	S. 2. ✓.	
23	mínimus. H.B. (li.)	small.	China.	1823.	—	H. ○. ✓.	
24	angustifólius. H.B. (li.)	narrow-leaved.	—	1818.	6. 8.	H. ○. ✓.	
25	microspérmus. DC. (pu.)	small-seeded.	Cuba.	1821.	6. 9.	S. ○.	
26	heterophýllus. DC. (re.)	different-leaved.	Mexico.	1818.	7. 8.	H. ○. ✓.	
27	aconitifólius. DC. (ye.)	Aconite-leaved.	E. Indies.	1731.	6. 8.	S. ○. ✓.	Jacq. obs. 3. t. 52.
28	sublobátus. H.B. (li.)	lobed-leaved.	—	1820.	—	S. ○. ✓.	
29	subtrilóbus. L.en. (wh.)	acute-lobed.	Brazil.	1818.	—	S. ○. ✓.	
30	diversifólius. DC. (pu.)	various-leaved.	N. America.	1806.	6. 8.	H. ○.	
31	trilóbus. DC. (pu.)	three-lobed.	E. Indies.	1777.	7. 8.	S. ○.	Burm. ind. t. 50. f. 1.
32	angulósus. DC. (bh.)	angular-stalked.	S. America.	1818.	7. 8.	S. ○. ✓.	
33	farinósus. DC. (re.)	mealy.	E. Indies.	1759.	—	S. 2. ✓.	Niss. act. par. 1730. t. 42.
34	stipuláris. DC. (ye.)	large-stipuled.	Peru.	1805.	—	H. ○.	
35	mesoleúcus. L.en. (wh.)	Brazilian.	Brazil.	1818.	—	H. ○. ✓.	
36	hélvolus. DC. (ro.)	pale red.	Carolina.	1732.	—	H. ○. ✓.	Dill. elth. t. 233. f. 300.
37	vexillátus. DC. (bh.)	sweet-scented.	—	—	—	H. ○. ✓.	Jacq. vind. 2. t. 102.
38	Múngo. DC. (ye.)	small-fruited.	E. Indies.	1790.	6. 7.	H. ○.	
39	hirtus. W. (ye.)	hairy.	C. B. S.	1818.	7. 8.	H. ○. ✓.	
40	Hernandésii. DC. (ye.)	Hernandez.	Mexico.	1824.	—	H. ○.	Hern. mex. 887. ic.
41	chrysánthos. DC. (ye.)	golden-flowered.			—	H. ○.	
42	radiátus. DC. (bh.)	rayed.	China.	1732.	6. 7.	H. ○.	Dill. elth. t. 235. f. 305.
43	scáber. DC. (st.)	rough-podded.			6. 9.	H. ○.	Moris. ox. s. 2. t. 5. f. 8.
44	lathyroïdes. DC. (re.)	Lathyrus-like.	Jamaica.	1786.	7. 8.	S. ○.	Sloan. hist. 1. t. 116. f. 1.
45	semieréctus. DC. (re.)	dark-red.	S. America.	1732.	—	S. ○. ✓.	Bot. reg. t. 743.
46	violáceus. DC. (vi. wh.)	violet-flowered.	Africa?		6. 9.	H. ○.	
47	Máx. DC. (re.)	hairy-podded.	E. Indies.	1758.	6. 7.	S. ○.	Rumph. amb. 5. t. 140.
48	gláber. H.B. (li.)	smooth.	Mauritius.	1823.	7. 8.	S. ○.	
49	torósus. H.B. (li.)	twisted-podded.	Nepaul.	—	—	H. ○.	
S'OJA. DC.		Sox. Diadelphia Decandria.					
	hispida. DC. (vi.)	hispid.	E. Indies.	1790.	7. 8.	S. ○.	Jacq. ic. 1. t. 145.
	Dólíchos Soja. Jacq.	Soja japonica. Savi.					
	β pallida. DC. (ye.)	pale-flowered.	—		—	S. ○.	
DO'LICHOS. DC.		Do'LICHOS. Diadelphia Decandria.					
1	lignósus. DC. (ro.)	woody.	E. Indies.	1776.	7. 8.	S. 2. ✓.	Smith spicil. t. 21.
	β? falcifórmis. (ro.)	falcate-podded.	C. B. S.	—	—	G. 2. ✓.	Bot. mag. t. 382.
2	Jacquini. DC. (wh.)	Jacquin's.	W. Indies.	1822.	7. 9.	S. 2. ✓.	
3	spárius. DC. (pu.)	spurious.	Gaiana.	1826.	—	S. 2. ✓.	
4	tuberósus. DC. (li.)	tuberous-rooted.	Martinica.	—	—	S. 2. ✓.	Plum. ed. Burm. t. 220.
5	articulátus. DC. (pu.)	jointed.	St. Domingo.	1828.	—	S. 2. ✓.	
6	hirsútus. DC. (pu.)	hirsute.	China.	1802.	6. 7.	G. 2. ✓.	Kæmpf. ic. t. 41.
7	pubéscens. DC. (st.)	pubescent.	S. America.	1826.	7. 9.	G. ○. ✓.	
8	pilósus. DC. (li.)	hairy-podded.	E. Indies.	1790.	7. 8.	S. ○. ✓.	
9	tetraspérmus. DC. (li.)	four-seeded.	—	1816.	5. 8.	S. 2. ✓.	
10	capénsis. DC. (ye.)	Cape.	C. B. S.	1818.	—	G. 2. ✓.	
11	falcátus. DC. (li.)	falcate-podded.	E. Indies.	1820.	7. 8.	S. 2. ✓.	
12	heterophýllus. DC. (pu.)	various-leaved.	Canaries.	1827.	6. 9.	H. ○. ✓.	
13	lutéus. DC. (ye.)	yellow-flowered.	Jamaica.	1812.	7. 8.	S. 2. ✓.	
14	biflórus. DC. (li.)	two-flowered.	E. Indies.	1776.	—	S. ○.	Pluk. alm. t. 213. f. 4.
15	Catiáng. DC. (pu.)	small-podded.	—	1793.	—	S. ○.	
16	monáchalis. DC. (pu.)	hybrid.	Portugal.	1826.	—	H. ○.	
17	sinénsis. DC. (fl.)	Chinese.	China.	1776.	—	H. ○. ✓.	Rumph. amb. 5. t. 134.
18	nilóticus. DC. (st.)	Egyptian.	Egypt.	1828.	—	H. ○. ✓.	Delil. fl. eg. t. 38. f. 1.
19	Lúbia. DC. (bl. wh.)	cultivated.	—	—	—	H. ○.	
20	vexillátus. DC. (st.)	hispid.	S. America.		—	H. ○. ✓.	Dill. elt. 2. f. 302.
21	lobátus. DC. (li.)	lobe-leaved.	C. B. S.	1818.	6. 7.	G. 2. ✓.	Hout. syst. 8. t. 64. f. 1.
22	virósus. H.B. (li.)	virose.	E. Indies.	—	5. 8.	S. 2. ✓.	Rheed. mal. 8. t. 45.
23	gángéticus. H.B. (pu.)	Ganges.	Bengal.	1824.	6. 7.	S. 2. ✓.	
24	glutinósus. H.B. (pu.)	glutinous.	E. Indies.	1820.	—	S. 2. ✓.	
25	unguiculátus. DC. (li.)	Bird's-foot.	W. Indies.	1780.	—	S. ○. ✓.	Jacq. vind. 1. t. 23.
26	tranquebáricus. DC. (vi.)	Tranquebar.	E. Indies.	1801.	6. 7.	S. ○. ✓.	Jacq. vind. 3. t. 70.
27	melanophthálmus. DC. (vi.)	black-circled.		1822.	7. 9.	H. ○. ✓.	
28	sesquipedális. DC. (wh.)	long-podded.	W. Indies.	1781.	8. 9.	S. ○. ✓.	Jacq. vind. 1. t. 67.
29	Brunélii. DC. (wh.)	branching.		1826.	6. 9.	S. ○.	
30	sphærospérmos. DC. (st.)	round-seeded.	S. America.	1823.	7. 8.	S. ○.	Sloan. jam. 1. t. 117.
31	reticulátus. DC. (li.)	netted-leaved.	N. S. W.	1781.	6. 7.	G. 2. ✓.	
32	phaseolóides. H.B. (li.)	Kidney Bean-like.	China.	1823.	7. 8.	G. 2. ✓.	
33	frutéscent. D.P. (pu.)	frutescent.	Nepaul.	1824.	—	G. 2. ✓.	
34	incánus. Wal. (pu.)	hoary.	E. Indies.	1825.	—	S. ○.	

- VIGNA. DC.** **VIGNA. Diadelphia Decandria.**
 1 glabra. DC. (ye.) smooth. America. 1805. 7. 8. H. ☉. Jacq. vind. 1. t. 90.
Dolichos tutæolus. Jacq.
 2 villosa. DC. (ye.) villous. Chile. 1826. — H. ☉. V.
- LA'BLAB. DC.** **LA'BLAB. Diadelphia Decandria.**
 1 vulgaris. DC. (pu.) common. Egypt. 1694. 6. 7. S. ☉. Bot. mag. t. 896.
Dolichos Láblab. B.M.
 2 purpureus. (pu.) purple. E. Indies. 1790. 5. 10. S. 4. V. Exot. bot. 2. t. 74.
Dolichos purpureus. Bot. reg. t. 830.
 3 benghalensis. (wh.) Bengal. Bengal. 1820. 7. 8. S. 2. V. Jacq. vind. 2. t. 124.
 4 nankinicus. DC. (wh.) Chinese. China. 1821. — H. ☉. V. Savi. dis. 1821. f. 8. d-g.
 5 leucocarpus. DC. (wh.) white-podded. E. Indies. — S. ☉. V. f. 9. a-d.
 6 cultratus. DC. (wh.) sharp-edged. Japan. 1818. 6. 7. H. ☉. V. Banks ic. kæmpf. t. 25.
 7 microcarpus. DC. (pu.) short-podded. E. Indies. 1824. — S. ☉. V. Rumph. am. 5. t. 141. f. 1.
 8 perennans. DC. (wh.) perennial. China. 1823. 7. 8. H. ☉. V. — 5. t. 137.
Dolichos albus. W.
- PACHYRHIZUS. DC.** **PACHYRHIZUS. Diadelphia Decandria.**
 1 angulatus. DC. (vi.) angular-leaved. E. Indies. 1781. 7. 8. S. 2. V. Rumph. amb. 5. t. 132.
Dolichos bulbosus. L.
 2 trilobus. DC. (pu.) three-lobed. China. 1825. 6. 8. S. 2. V.
- PAROCHÆTUS. D.P.** **PAROCHÆTUS. Diadelphia Decandria.**
 1 communis. D.P. (li.) common. Nepaul. 1827. 6. 8. G. 4.
 2 major. D.P. (li.) larger. — G. 4.
- DIOCLÆA. DC.** **DIOCLÆA. Diadelphia Decandria.**
 Jacquiniæna. DC. (re.) Jacquin's. Martinica. 1826. 6. 9. S. 2. V. Jacq. amer. t. 123.
Dolichos rüber. Jacq.
- PSOPHOCARPUS. DC.** **PSOPHOCARPUS. Diadelphia Decandria.**
 tetragonolobus. DC. (bl.) square-podded. Mauritius. 1816. 9. 11. S. ☉. Rumph. amb. 5. t. 133.
Dolichos tetragonolobus. L.
- CANAV'ALIA. DC.** **CANAV'ALIA. Monadelphia Decandria.**
 1 obtusifolia. DC. (pu.) blunt-leaved. E. Indies. 1818. 7. 8. S. 2. V. Rheed. mal. 8. t. 43.
Dolichos rotundifolius. Vahl.
 2 gladiata. DC. (bh.) sabre-podded. — 1801. 6. 7. S. 2. V. Jacq. ic. 3. t. 560.
Dolichos gladiatus. W. *Malóchia gladiata*. Savi.
 3 ensiformis. DC. (pu.) cimeter-podded. E. Indies. 1778. 7. 8. S. ☉. Jacq. ic. 3. t. 559.
 4 rosea. DC. (ro.) rose-colour'd. Jamaica. 1812. — S. 2.
 5 bonariensis. B.R. (pu.) Buenos Ayres. Buenos Ayres. 1826. 6. 10. G. 2. V. Bot. reg. t. 1199.
- MUCUNA. DC.** **Cow-ITCH. Diadelphia Decandria.**
 1 ürens. DC. (st.) broad-podded. W. Indies. 1691. 6. 7. S. 2. V. Jacq. amer. t. 182. f. 84.
Dolichos ürens. L. *Stizolobium ürens*. P.S.
 2 altissima. DC. (li.) tallest. Martinica. 1779. 6. 8. S. 2. V. Jacq. amer. t. 182. f. 85.
 3 pruriens. DC. (vi.) common. India. 1680. — S. 2. V. Rheed. mal. 8. t. 85.
Dolichos pruriens. L. *Stizolobium pruriens*. P.S. *Carpopogon pruriens*. H.B.
 4 gigantea. DC. (pa.) gigantic. E. Indies. 1815. 7. 9. S. 2. V. Rheed. mal. 8. t. 36.
 5 elliptica. DC. (li.) elliptic-leaved. Peru. 1828. — G. 2. V.
 6 mitis. DC. (li.) oblique-leaved. — 1823. 7. 9. G. 2. V.
Negrætia mitis. R.P.
 7 comosa. DC. (wh.) tufted. Guiana. 1827. — S. 2. V.
 8 monosperma. DC. (li.) one-seeded. E. Indies. 1818. — S. 2. V.
Carpopogon monospermum. H.B.
 9 atropurpurea. DC. (d.pu.) dark-purple. — 1820. — S. 2. V.
 10 anguinea. (pu.) snake-like. — 1822. — S. 2. V.
Carpopogon anguineum. Roxb.
 11 nivea. DC. (wh.) snowy-white. — 1820. 7. 9. S. ☉. V.
 12 imbricata. DC. (pu.) imbricated. — 1815. — S. 2. V.
 13 bracteata. DC. (pu.) bracteate. — 1822. — S. 2. V.
 14 capitata. (pu.) headed. — 8. 11. S. ☉. V.
Carpopogon capitatum. H.B.
- PHYLLOLOBIUM. DC.** **PHYLLOLOBIUM. Diadelphia Decandria. S.S.**
 1 chinense. DC. (wh.) Chinese. China. 1818. 6. 8. G. 4.
 2 zanzibarense. Boj. .. Zanzibar. Zanzibar. 1825. — S. 2.
- CAJANUS. DC.** **PIGEON PEA. Diadelphia Decandria.**
 1 bicolor. DC. (ye.pu.) two-coloured. E. Indies. 1687. 7. 8. S. 2. Jacq. vind. 2. t. 119.
Cy'tisus pseudo-cajan. Jacq.
 2 flavus. DC. (ye.) yellow-flowered. — — S. 2. Jacq. obs. 1. t. 1.
Cy'tisus Cajan. L.
- LUPINUS. DC.** **LUPINE. Monadelphia Decandria.**
 1 albus. DC. (wh.) white. Levant. 1596. 7. 8. H. ☉. Blackw. herb. t. 282.

2	Térmis. DC.	(wh.bl.)	Egyptian.	Egypt.	1802.	6. 7.	H. ☉.	
3	varius. DC.	(bl.)	variable.	S. Europe.	1596.	7. 9.	H. ☉.	
4	hirsutus. DC.	(bl.)	blue-flowered.	—	1629.	—	H. ☉.	J. Bauh. his. 2. p. 289. ic.
5	bracteolaris. DC.	(bl.)	bracteolate.	Monte Video.	1828.	—	H. ☉.	
6	pilosus. DC.	(ro.)	rose.	S. Europe.	1710.	—	H. ☉.	
7	angustifolius. DC.	(bl.)	narrow-leaved.	—	1686.	—	H. ☉.	Knor. del. 2. t. L. 7.
8	linifolius. DC.	(bl.)	Flax-leaved.	—	1790.	—	H. ☉.	Roth. abhand. 14. t. 5.
9	luteus. DC.	(ye.)	yellow.	S. Europe.	1596.	—	H. ☉.	Bot. mag. t. 140.
	<i>β sulphureus.</i>	(st.)	straw-coloured.	—	—	—	H. ☉.	
10	microcarpus. DC.	(bl.)	small-podded.	Chile.	1822.	4. 6.	H. ☉.	Bot. mag. t. 2413.
11	micranthus. B.R.	(pu.)	small-flowered.	Columbia.	1827.	5. 7.	H. ☉.	Bot. reg. t. 1251.
12	aridus. B.R.	(bl.pu.)	arid.	—	—	6. 9.	H. ♂.	— t. 1242.
13	bicolor. B.R.	(bl.wh.)	two-coloured.	—	—	5. 10.	H. ♀.	— t. 1109.
14	lépidus. B.R.	(bl.li.)	lively.	—	—	7. 10.	H. ♀.	— t. 1149.
15	laxiflorus. B.R.	(bl.pi.)	lax-flowered.	—	—	8. 10.	H. ♀.	— t. 1140.
16	littoralis. B.R.	(pu.bl.)	shore.	—	—	6. 10.	H. ♀.	— t. 1198.
17	ornatus. B.R.	(bl.)	adorned.	—	—	5. 11.	H. ♀.	— t. 1216.
18	plumosus. B.R.	(bl.)	feathered.	—	—	—	H. ♀.	— t. 1217.
19	Sabini. D.	(bl.)	Sabine's.	—	—	6. 10.	H. ♀.	
20	Mexicanus. DC.	(bl.)	Mexican.	Mexico.	1819.	7. 9.	F. ♀.	Bot. reg. t. 457.
21	perennis. DC.	(bl.)	smooth perenial.	N. America.	1638.	5. 8.	F. ♀.	Bot. mag. t. 202.
	<i>β albiflorus.</i>	(wh.)	white-flowered.	—	1817.	—	F. ♀.	
22	polyphyllus. B.R.	(bl.)	many-leaved.	Columbia.	1827.	—	H. ♀.	Bot. reg. t. 1096.
23	leucophyllus. B.R.	(pu.)	white-leaved.	—	—	6. 8.	H. ♀.	— t. 1124.
24	nootkatensis. DC.	(bl.)	hairy perennial.	Nootka sound.	1794.	—	H. ♀.	— t. 1311.
	<i>β variabilis.</i>	(va.)	variable coloured.	—	—	—	H. ♀.	— t. 2136.
25	variegatus. F.	(v.)	variegated.	Silka.	1828.	—	H. ♀.	
26	argyræus. DC.	(bl.)	silvery-leaved.	—	—	—	F. ♀.	
27	arbutus. B.R.	(pu.)	half-shrubby.	California.	1827.	6. 9.	F. ♀.	Bot. reg. 1230.
28	canaliculatus. B.F.G.	(bl.)	channel-ld.	BuenosAyres.	1828.	6. 9.	H. ♀.	Swt. br. fl. gar. t. 283.
29	versicolor. B.F.G.	(v.)	various-colour'd.	Mexico.	1828.	—	H. ♀.	— ser. 2. t. 12.
30	tomentosus. DC.	(va.)	woolly.	Peru.	1826.	6. 10.	H. ♀.	Swt. br. fl. gar. t. 261.
31	arboreus. DC.	(ye.)	tree.	S. America.	1793.	7. 9.	H. ♀.	Bot. mag. t. 682.
32	mutabilis. B.F.G.	(wh.y.)	changeable.	Begota.	1825.	—	F. ♀.	Swt. br. fl. gar. t. 130.
33	villosus. DC.	(pu.)	simple-leaved.	Carolina.	1787.	—	F. ♀.	Pursh. fl. amer. 2. t. 21.
CYLISTA. DC. CYLISTA. Diadelphia Decandria.								
1	scariosa. DC.	(bh.)	rough.	E. Indies.	1806.	4. 6.	S. ♀. ∪.	Roxb. corom. 1. t. 92.
2	tomentosa. DC.	(ye.)	tomentose.	—	1818.	—	S. ♀. ∪.	— t. 221.
3	albiflora. DC.	(wh.)	white-flowered.	Mauritius.		4. 5.	S. ♀. ∪.	Bot. mag. t. 1859.
4	villosa. DC.	(wh.)	hairy.	C. B. S.	1776.	4. 6.	G. ♀. ∪.	Andr. rep. t. 446.
<i>Dolichos hirtus.</i> A.R.								
ERYTHRINA. DC. CORAL-TREE. Diadelphia Decandria. L.								
1	herbacea. DC.	(sc.)	herbaceous.	Carolina.	1724.	6. 9.	G. ♀.	Bot. mag. t. 877.
2	carnea. DC.	(fl.)	flesh-coloured.	Vera Cruz.	1733.	5. 6.	G. ♀.	Trew. chr. 2. t. 8.
	<i>β pubescens.</i>	(fl.)	pubescent-leaved.	—	—	—	G. ♀.	Bot. reg. t. 389.
3	Coralodendron. DC.	(sc.)	common.	W. Indies.	1690.	—	S. ♀.	Comm. h. ams. 1. t. 108.
4	enneandra. DC.	(sc.)	nine-anthered.	—		—	S. ♀.	Jacq. schœn. 4. t. 466.
<i>velutina.</i> Jacq. non w.								
5	macrophylla. DC.	(sc.)	large-leaved.	—	1816.	—	S. ♀.	
6	mitis. DC.	(sc.)	smooth-stem'd.	Caracas.	1818.	6. 8.	S. ♀.	Jacq. schœn. 2. t. 216.
7	poianthes. DC.	(sc.)	crowded-flower'd.	—	1826.	4. 6.	S. ♀.	Bot. reg. t. 1246.
8	secundiflora. DC.	(sc.)	side-flowering.	Brazil.	1818.	—	S. ♀.	Linn. trans. 14. t. 12.
9	speciosa. DC.	(sc.)	large-flowered.	W. Indies.	1805.	5. 10.	S. ♀.	Andr. rep. t. 443.
10	umbrosa. DC.	(sc.)	deltoid-leaved.	Caracas.	1824.		S. ♀.	
11	Humeana. s.s.	(sc.)	Sir A. Hume's.	C. B. S.	1818.	5. 6.	S. ♀.	Bot. mag. t. 2431.
<i>cæfra.</i> Bot. reg. t. 736. non Thunb.								
12	cæfra. Th.	(pu.)	Cape-tree.	—	1816.		S. 5.	
13	fulgens. DC.	(sc.)	fulgent.	E. Indies.	1801.	5. 10.	S. ♀.	
14	arborescens. DC.	(cr.)	arborescent.	Nepaul.	1818.		S. ♀.	Roxb. corom. 3. t. 219.
15	indica. DC.	(sc.)	Indian.	E. Indies.	1814.	5. 6.	S. ♀.	Rheed. mal. 6. t. 7.
16	picta. DC.	(cr.)	prickly-leaved.	—	1696.	5. 10.	S. ♀.	Rumph. amb. 2. t. 77.
17	aculeatissima. Df.	(sc.)	very prickly.	—	1816.	—	S. ♀.	
18	velutina. DC.	(sc.)	velvety.	Caracas.	1824.		S. ♀.	
19	fusca. DC.	(br.re.)	red-brown.	China.	1800.		S. ♀.	Rumph. amb. 2. t. 78.
20	laurifolia. Jacq.	(sc.)	Laurel-leaved.	Brazil.		5. 10.	H. ♀.	Swt. br. fl. gar. t. 142.
21	crista-galli. DC.	(sc.)	Cockscomb.	—	1771.	6. 10.	H. ♀.	— t. 1214.
22	nervosa. DC.	(sc.)	nerved-leaved.	—	1824.	—	S. ♀.	
23	glauca. DC.	(sn.)	glaucous.	Caracas.	—		S. ♀.	
24	piscidioides. DC.	(sc.)	Piscidia-leaved.	E. Indies.	1800.		S. ♀.	

25 incâna. W.	(sc.) hoary.		1820.	6. 8.	S. h.	
26 lithosperma. W. H.	 stony-seeded.	N. Holland.	1824.		S. h.	
27 arborea. D. L.	 tree.	Trinidad.	1822.		S. h.	
28 stricta. H. B.	(sc.) upright.	E. Indies.	1816.	4. 6.	S. h.	
29 ovalifolia. H. B.	 oval-leaved.				S. h.	
30 suberosa. H. B.	 cork-barked.		1818.		S. h.	
31 resupinata. H. B.	 resupinate.		1822.		S. h.	
32 abyssinica. DC.	 Abyssinian.	Africa.	1820.		S. h.	
RUDOLPHIA. DC.	RUDOLPHIA.	Diadelpia Decandria.				
1 volubilis. DC.	(sc.) twining.	Portorico.	1820.		S. h. ∪.	Vahl ecl. 3. t. 30.
2 portoricensis. (sc.)	Portorico.		1820.		S. h. ∪.	
<i>Erythrina portoricensis.</i> Df.						
3 dubia. DC.	(sc.) doubtful.	S. America.	1815.		S. h. ∪.	H. et B. n. gen. 6. t. 591.
BUTEA. DC.	BUTEA.	Diadelpia Decandria.				
1 frondosa. DC.	(sc.) downy-branch'd.	E. Indies.	1796.		S. h.	Roxb. corom. 1. t. 21.
2 superba. DC.	(sc.) smooth-branch'd.		1798.		S. h.	 v. 1. t. 22.
3 parviflora. DC.	(sc.) small-flowered.	Coromandel.	1820.		S. h.	

Tribus VI. *DALBERGIEÆ.* DC. prod. 2. p. 415.

DE'RRIS. DC.	DE'RRIS.	Monadelpia Decandria.				
trifoliata. DC.	(wh.) three-leaved.	China.	1826.	4. 6.	G. h. ∪.	
PONG'AMIA. DC.	PONG'AMIA.	Monadelpia Decandria.				
1 glabra. DC.	(wh.) smooth-leaved.	E. Indies.	1699.	6. 8.	S. h.	Vent. malm. t. 28.
2 elliptica.	(wh.) elliptic-leaved.		1820.	—	S. h. ∪.	
<i>Galedupa elliptica.</i> H. B.						
3 chinensis. DC.	(ye.) Chinese.	China.	1827.	—	S. h.	
4 uliginosa. DC.	 marsh.	E. Indies.			S. h. ∪.	
5 piscidia.	 Piscidia-leaved.		1816.		S. h.	
<i>Galedupa piscidia.</i> H. B.						
6 marginata. H. B.	 margined.		1824.		S. h. ∪.	
DALBERGIA. DC.	DALBERGIA.	Mono-Diadelpia Decandria.				
1 ougeinensis. DC.	(wh.) Hindoo.	E. Indies.	1828.		S. h.	
2 latifolia. DC.	(wh.) broad-leaved.		1811.		S. h.	Roxb. corom. 2. t. 113.
3 Sissoo. DC.	(wh.) large.		1823.		S. h.	
4 rubiginosa. DC.	(wh.) rusty.		1811.	6. 8.	S. h. ∪.	Roxb. corom. 2. t. 115.
5 robusta. DC.	(wh.) robust.				S. h.	
6 scandens. DC.	(ro.) scandent.			5. 7.	S. h. ∪.	Roxb. corom. 2. t. 192.
7 volubilis. DC.	(wh.) twining.		1820.	—	S. h. ∪.	 v. 2. t. 191.
8 frondosa. DC.	(wh.) frondose.		1818.		S. h.	
9 paniculata. DC.	(wh.) panicled.		1811.		S. h.	Roxb. corom. 2. t. 114.
10 emarginata. H. B.	(wh.) emarginate.		1823.		S. h.	
11 zeylanica. H. B.	(wh.) Ceylon.	Ceylon.	1816.		S. h.	
12 marginata. H. B.	(wh.) margined.	E. Indies.	1820.	5. 7.	S. h. ∪.	
13 tamarindifolia. H. B.	(wh.) Tamarind-leav'd.				S. h. ∪.	
14 stipulacea. H. B.	(wh.) stipuled.			6. 8.	S. h.	
15 rimosa. H. B.	(wh.) rimose.		1824.		S. h.	
16 alata. H. B.	(wh.) winged.		1823.		S. h.	
17 Crówei. DC.	(wh.) Silhet.				S. h.	
PTEROCARPUS. DC.	PTEROCARPUS.	Mono-Diadelpia Decandria.				
1 Draco. DC.	(ye.) officinal.	S. America.	1818.		S. h.	Jacq. amer. t. 183. f. 92.
<i>officinalis.</i> Jacq. hemiptera. Gært.						
2 suberosus. DC.	(ye.) corky.	Guiana.	1826.		S. h.	Aubl. guian. 2. t. 299.
3 Marsipium. DC.	(st.) leathery-leaved.	E. Indies.	1811.		S. h.	Roxb. corom. 2. t. 116.
4 dalbergioides. DC.	(ye.) Andaman red-wood.		1820.		S. h.	
5 indicus. DC.	(ye.) Indian.		1818.		S. h.	
6 santalinus. DC.	(ye.) red sandal wood.		1800.		S. h.	
7 santalinoideus. DC.	(ye.) African.	Sierra Leon.	1826.		S. h.	
8 flavus. DC.	(ye.) yellow-barked.	China.			S. h.	Rumph. amb. 3. t. 117.
9 scandens. DC.	(vi.) climbing.	Caracas.	1822.	6. 8.	S. h. ∪.	
<i>Amerimum scandens.</i> W.						
DREPANOCARPUS. DC.	DREPANOCARPUS.	Monadelpia Decandria.				
lunatus. DC.	(wh.) crescent-podded.	S. America.	1792.		S. h.	Plu. ed. Burm. t. 201. f. 2.
<i>Pterocarpus lunatus.</i> L. <i>Pterocarpus apterus.</i> Gært.	fruct. t. 156.					

ECASTAPHYLLUM. DC. ECASTAPHYLLUM. Diadelphia Octo-Decandria.

Brównei. DC. (wh.) Browne's. W. Indies. 1733. 6. 8. S. h. ∪. Brown. jam. t. 32. f. 1.

Pterocarpus Ecastaphyllum. L.

AMERIMNUM. DC. AMERIMNUM. Monadelphia Decandria.

Brównei. DC. (wh.) Browne's. W. Indies. 1793. 6. 8. S. h. ∪. Brown. jam. 288. t. 32. f. 3.

BR'YA. DC. BR'YA. Monadelphia Decandria.

E'benus. DC. (ye.) Jamaica Ebony. W. Indies. 1713. 7. 8. S. h. ∪. Brown. jam. t. 31. f. 2.

Subordo II.—*Tribus* VII. SWARTZIEÆ. DC. prodr. 2. p. 422.

SWA'RTZIA. DC. SWA'RTZIA Monadelphia Dec-Polyandria.

1 simplicifolia. DC. (ye.) simple-leaved. W. Indies. 1822. S. h. ∪.

Rittera simplex. Vahl. *Póssira simplex*. Swartz.

2 grandiflora. DC. (ye.) great-flowered. Trinidad. 1822. S. h. ∪. Vahl. pl. am. dec. 1. t. 9.

3 pinnata. DC. (ye.) wing-leaved. ———— 1820. S. h. ∪. Corr. an. mus. 9. t. 24. f. 2.

4 tomentosa. DC. (ye.) woolly. Cayenne. 1826. S. h. ∪. Aubl. guian. 2. t. 307.

BA'PHIA. DC. BA'PHIA. Decandria Monogynia.

nitida. DC. (wh.) glossy. Sierra Leone. 5. 9. S. h. ∪. Lodd. bot. cab. t. 367.

Subordo III.—*Tribus* VIII. MIMOSEÆ. DC. prodr. 2. p. 424.

ENT'ADA. DC. ENT'ADA. Polygamia Monœcia.

1 Gigalobium. DC. (wh.) West Indian. W. Indies. 1780. 4. 6. S. h. ∪.

2 Purs'ætha. DC. (wh.) East Indian. E. Indies. ———— S. h. ∪. Rumph. amb. 5. t. 4.

Parrana. s.s. *Acacia scândens*. W. *Mimosa scândens*. L.

3 monostachya. DC. (wh.) single-spiked. ———— S. h. ∪. Rheed. mal. 9. t. 77.

Rheëdii. s.s. *Mimosa Entada*. W.

4 polystachya. DC. (wh.) many-spiked. W. Indies. 1816. 4. 9. S. h. ∪. DC. leg. mem. t. 61—62.

MIM'OSA. DC. SENSITIVE-PLANT. Polygamia Monœcia. L.

1 sensitiva. DC. (ro.) true. Brazil. 1648. 4. 9. S. h. ∪. Botan. regist. t. 25.

2 obtusifolia. DC. (ro.) blunt-leaved. ———— 1816. ———— S. h. ∪.

3 strigosa. DC. (ro.) strigose. S. America. 1822. ———— S. h. ∪.

4 floribunda. DC. (ro.) many-flowered. Cumana. 1824. 6. 7. S. h. ∪.

5 viva. DC. (ro.) lively. Jamaica. 1739. 7. 9. S. h. ∪.

6 polycarpa. DC. (ro.) many-podded. Peru. 1816. ———— S. h. ∪. Sloan. his. 2. t. 182. f. 7.

7 pudica. DC. (ro.) humble-plant. Brazil. 1638. 4. 9. S. h. ∪. Kth. mim. p. 8. t. 3.

8 pudibunda. DC. (ro.) fringe-stipuled. ———— 1822. ———— S. h. ∪. Bot. reg. v. 11. t. 941.

9 polydactyla. DC. (ro.) many-fingered. Demerara. 1824. ———— S. h. ∪.

10 hamata. DC. (ro.) hooked. E. Indies. 1820. 4. 9. S. h. ∪. Kth. mim. p. 14. t. 5.

11 intermedia. DC. (ro.) intermediate. Caracas. 1825. ———— S. h. ∪.

12 viscida. DC. (ro.) viscid. Brazil. ———— S. h. ∪.

13 canescens. DC. (wh.) canescent. Guinea. 1826. ———— S. h. ∪.

14 hispida. DC. (wh.) hispid. Caracas. 1824. 6. 9. S. h. ∪.

15 ciliata. DC. (wh.) ciliated. Brazil. ———— S. h. ∪.

16 polyacantha. DC. (wh.) many-spined. Africa. 1828. ———— S. h. ∪.

17 asperata. DC. (wh.) various spined. W. Indies. 1822. 6. 7. S. h. ∪. Bruce itin. 5. t. 7.

18 pigra. L. (wh.) straight-spined. Vera Cruz. 1733. ———— S. h. ∪. DC. leg. mem. t. 63.

19 Sicaria. DC. (wh.) subulate-spined. Brazil. 1828. ———— S. h. ∪. Mill. ic. 2. t. 182. f. 3.

20 rubicaulis. DC. (st.) Bramble-stalk'd. E. Indies. 1799. 6. 7. S. h. ∪. Roxb. corom. 2. t. 200.

octandra. R.C. *spinosiliqua*. Rottler. *Rottleri*. S.S.

21 Ceratonia. DC. (wh.) round-leaved. St. Domingo. 1800. S. h. ∪. Plum. ed. Burm. 17. t. 8.

Acacia Ceratonia. W.

22 casta. DC. (wh.) chaste. E. Indies. 1741. 6. 8. S. h. ∪. Comm. hort. 1. t. 28.

23 angulata. s.s. (wh.) angular-stalked. Brazil. 1826. ———— S. h. ∪.

24 latispinosa. s.s. (ye.) broad-spined. Madagascar. 1822. ———— S. h. ∪.

25 Barclayana. Mr. Barclay's. ———— S. h. ∪.

26 brasiliensis. s.s. (wh.) Brazilian. Brazil. 1824. 6. 8. S. h. ∪.

27 abstergens. s.s. (ro.) spotted-stalked. E. Indies. 1818. ———— S. h. ∪.

28 ferruginea. s.s. (ro.) ferruginous. ———— ———— S. h. ∪.

- GAGNEB'INA. DC.** **GAGNEB'INA.** Decandria Monogynia.
 1 *tamariscina. DC. (st.)* Tamarisk-like. Mauritius. 1824. S. h. DC. leg. mem. t. 64. f. B.
Acacia tamariscina. w. Mimosa tamariscina. Lam. Pluk. t. 329. f. 3.
 2 *axillaris. DC. (st.)* axillary-spiked. Mauritius. 1822. S. h. DC. leg. mem. t. 64. f. A.
ERYTHROPLEUM. B. RED-WATER-TREE. Decandria Monogynia.
leonense. G.D. Sierra Leone. Sierra Leone. 1822. S. h.
PA'RKIA. B. **PA'RKIA.** Monadelphia Decandria.
africana. B. (cr.) African. Africa. 1822. 6. 8. S. h. Beauv. fl. ow. 2. t. 90.
Inga biglobosa. DC. Mimosa biglobosa. Jacq. amer. t. 179. f. 87.
I'NGA. DC. **I'NGA.** Polygamia Monœcia.
 1 *quassiaefolia. DC. (wh.)* Quassia-leaved. Brazil. 1820. S. h.
 2 *pilosiuscula. DC. (wh.)* glossy-leaved. Cayenne. 1827. S. h. Vahl. ecl. 3. t. 24.
Mimosa lucida. Vahl.
 3 *setifera. DC. (wh.)* setiferous. Guiana. 1824. S. h.
 4 *alba. DC. (wh.)* white. Cayenne. 1804. 7. 8. S. h.
 5 *Feuillei. DC. (wh.)* Feuillee's. Peru. 1824. — S. h. Feuil. obs. 3. p. 2. t. 19.
 6 *fastuosa. DC. (re.)* villous-flower'd. Caracas. 1820. S. h. Jacq. fragm. t. 10.
Mimosa fastuosa. Jacq.
 7 *sapindoides. DC. (wh.)* Soap-berry-like. — 1826. S. h.
 8 *spuria. DC. (wh.)* spurious. Cumana. 1823. 7. 8. S. h. Kth. mim. 39. t. 12.
 9 *vera. DC. (wh.)* sweet-fruited. S. America. 1739. — S. h. Sloan. his. t. 183. f. 1.
Mimosa Inga. L.
 10 *rhoifolia. DC. (wh.)* Rhus-leaved. Brazil. 1815. — S. h.
 11 *Bourgoni. DC. (st.)* Beech-leaved. W. Indies. 1752. — S. h. Aubl. guian. 2. t. 358.
marginata. w. Mimosa fagifolia. L. non Jacq.
 12 *marginata. DC.* margined. Caracas. — S. h.
 13 *laurina. DC. (wh.)* Laurel-leaved. — 1768. 3. 5. S. h.
 14 *punctata. DC. (wh.)* white-spotted. — 1818. — S. h. Jacq. amer. t. 164.
Mimosa fagifolia. Jacq. non L.
 15 *splendens. DC. (wh.)* shining-leaved. — 1825. S. h.
 16 *nodosa. DC. (wh.)* knobbed. Ceylon. 1690. 4. 6. S. h. Pluk. alm. t. 211. f. 5.
 17 *microphylla. DC. (wh.)* small-leaved. Cumana. 1815. S. h.
 18 *dulcis. DC. (wh.)* Sappan fruit. E. Indies. 1800. 5. 7. S. h. Roxb. corom. 1. t. 99.
 19 *Unguis-cati. DC. (wh.)* four-leaved. W. Indies. 1690. 4. 6. S. h. Jacq. schœn. 2. t. 34.
 20 *mellifera. DC. (wh.)* honey-bearing. Arabia. 1826. S. h.
 21 *ligustrina. DC. (wh.)* Privet-leaved. Caracas. — S. h. Jacq. frag. t. 32. f. 5.
 22 *fœtida. DC. (wh.)* strong-smelling. W. Indies. 1818. S. h. Jacq. schœn. 3. t. 390.
 23 *tergemina. DC. (pu.)* trifoliolate. Martinica. — 4. 6. S. h. Jacq. amer. t. 177. f. 81.
 24 *emarginata. DC. (ro.)* emarginate. Mexico. 1825. S. h. Kth. mim. 54. t. 17.
 25 *latifolia. DC. (ro.)* broad-leaved. — 1768. 3. 5. S. h. Plum. ed. Burm. t. 9.
 26 *circinalis. DC. (sc.)* spiral-podded. W. Indies. 1726. 4. 6. S. h. Catesb. car. 2. t. 97.
 27 *purpurea. DC. (pu.)* Soldier-wood. — 1733. 3. 5. S. h. Bot. reg. t. 129.
Mimosa purpurea. Andr. reposit. t. 372.
 28 *xylocarpa. DC. (wh.)* woody-podded. E. Indies. 1822. 4. 7. S. h. Roxb. corom. 1. t. 100.
 29 *bigemina. DC. (wh.)* two-paired. — 1823. — S. h. Rheed mal. 6. t. 12.
 30 *Jirínga. DC. (wh.)* twisted-podded. — 1828. S. h.
 31 *comosa. DC. (wh.)* tufted. Jamaica. 1820. 4. 6. S. h.
 32 *cyclocarpa. DC. (wh.)* shell-podded. Caracas. 1826. S. h. Jacq. fragm. t. 34. f. 1.
 33 *Samán. DC.* linear-podded. Jamaica. — S. h. — t. 9.
 34 *corcondiana. DC. (wh.)* Coromandel. E. Indies. 1818. S. h.
 35 *pulcherrima. Cerv. (pu.)* handsome. Mexico. 1822. S. h.
ANNESLE'IA. P.L. **ANNESLE'IA.** Monadelphia Polyandria.
 1 *grandiflora. (cr.)* large-flowered. Mexico. 1769. 6. 9. S. h. Andr. reposit. t. 592.
Mimosa grandiflora. A.R. Acacia grandiflora. w. Inga anomala. Kth. mim. t. 22.
 2 *Houstoni. (cr.)* Houston's. Vera Cruz. 1729. 9. 11. S. h. Bot. reg. t. 98.
falcifolia. Sal. par. lond. 64. Acacia Houstoni. w. Inga? Houstoni. DC.
SCHRA'NKIA. DC. **SCHRA'NKIA.** Polygamia Monœcia.
 1 *aculeata. DC. (ro.)* prickly. Vera Cruz. 1733. 7. 8. S. h. Mill. ic. 1. t. 182. f. 1.
 2 *leptocarpa. DC. (ro.)* slender-podd'd. St. Domingo. 1827. — S. h.
 3 *uncinata. DC. (ro.)* hooked. N. America. 1789. — H. h. Vent. choix. t. 28.
DARLINGTONIA. DC. **DARLINGTONIA.** Pentandria Monogynia.
 1 *brachyloba. DC. (wh.)* short-podded. N. America. 1803. 9. 10. H. h. DC. leg. mem. t. 66.
 2 *glandulosa. DC. (wh.)* glandular. — 1806. — F. h. Vent. choix. t. 27.
Mimosa glandulosa. M.
DESMA'NTHUS. DC. **DESMA'NTHUS.** Polygamia Monœcia.
 1 *lacustris. DC. (st.)* marsh. S. America. 1823. 6. 8. S.w. ⊙. H. et B. pl. æq. 1. t. 16.
 2 *nâtans. DC. (ye.)* floating. China. 1800. 7. 9. S.w. ⊙. Andr. reposit. t. 629.
 3 *polyphyllus. DC. (wh.)* many-leaved. 1826. — S.w. ⊙.
 4 *triquetrus. DC. (wh.)* triquetrous. E. Indies. 1823. — S.w. ⊙.

5 plenus. DC.	(ye.) double-yellow.	Vera Cruz.	1733.	7. 9.	S. w. ☉.	Mill. ic. t. 182. f. 2.
6 depressus. DC.	(wh.) depressed.	W. Indies.	1828.		S. h.	Kth. mim. p. 115. t. 35.
7 diffusus. DC.	(wh.) prostrate.	—	1731.	7. 9.	S. h.	Pluk. alm. t. 307. f. 3.
8 virgatus. DC.	(wh.) twiggy.	E. Indies.	1774.	—	S. h.	Jacq. vind. 1. t. 80.
9 strigatus. DC.	(wh.) upright.	Caribees.	1827.	—	S. h.	—
10 punctatus. DC.	(wh.) spotted-stalked.	Jamaica.	1636.	—	S. ♂.	Comm. hort. 1. t. 31.
11 divergens. DC.	(ye.) prickly.	Abyssinia.	1816.	6. 7.	S. h.	Bruce itin. 5. t. 6.
12 callistachys. DC.	(ro.ye.) pretty-spiked.		1820.	—	S. h.	—
13 cinereus. DC.	(ro.ye.) ash-coloured.	E. Indies.	1739.	—	S. h.	Roxb. corom. 2. t. 174.
<i>Mimosa cinerea</i> . R.C.						
14 nutans. DC.	(ro.ye.) nodding.	Senegal.	1826.	—	S. h.	—
ADENANTHERA. DC. BASTARD FLOWER-FENCE. Decandria Monogynia.						
1 pavonina. DC.	(st.) pale-pellow.	E. Indies.	1759.	5. 8.	S. h.	Rumph. amb. 3. t. 109.
2 falcata. DC.	(ye.) woolly-leaved.	—	1812.	—	S. h.	— 3. t. 111.
PROSOPIS. DC. PROSOPIS. Polygamia Monœcia.						
1 spicigera. DC.	(ye.) eatable-podded.	E. Indies.	1812.	6. 7.	S. h.	Roxb. corom. 1. t. 63.
2 Adenanthëra. DC.	(ye.) prickly.	Coromandel.	1821.		S. h.	—
<i>Adenanthëra aculeata</i> . H.B.						
3 hœrrida. DC.	(wh.) long-spined.	S. America.	1826.		S. h.	Kth. mim. p. 106. t. 33.
4 dulcis. DC.	(wh.) sweet-podded.	New Spain.	1824.		S. h.	— p. 110. t. 34.
5 siliquastrum. DC.	(wh.) falcate-podded.	Chile.	1827.		S. h.	—
6 cumanensis. DC.	(wh.) Cumana.	Cumana.	1824.		S. h.	—
7 domingensis. DC.	(wh.) St. Domingo.	St. Domingo.	1826.		S. h.	—
8 juliflora. DC.	(ye.) long-spiked.	Jamaica.	1793.	5. 6.	S. h.	—
<i>Acacia juliflora</i> . W. <i>Mimosa juliflora</i> . Swartz.						
LAGONYCHIUM. DC. LAGONYCHIUM. Decandria Monogynia.						
Stephanianum. DC.	Stephan's.	Levant.	1821.		H. h.	Breyn. cent. 1. t. 56. f. 4.
ACACIA. DC. ACACIA. Polygamia Monœcia.						
1 alata. DC.	(ye.) wing-stalked.	N. Holland.	1803.	4. 7.	G. h.	Bot. reg. 396.
2 dolabriformis. DC.	(ye.) hatchet-leaved.	—	1818.	4. 6.	G. h.	—
3 decipiens. DC.	(ye.) paradoxical.	—	1803.	3. 6.	G. h.	Bot. mag. t. 1745.
4 biflora. DC.	(ye.) two-flowered.	—	—	—	G. h.	Wendl. dis. n. 3. t. 2.
5 hastulata. DC.	(ye.) hastulate.	—	1824.	4. 6.	G. h.	—
6 nervosa. DC.	(ye.) nervose.	—	—	—	G. h.	—
7 paradoxa. DC.	(ye.) wave-leaved.	—	1818.	3. 6.	G. h.	Wendl. dis. n. 4. t. 3.
<i>undulata</i> . Bot. reg. t. 843.						
8 ornithophora. S.F.A.	(ye.) Bird-leaved.	—	1825.	4. 6.	G. h.	Swt. fl. aust. t. 24.
9 armata. DC.	(ye.) armed.	—	1803.	—	G. h.	Bot. mag. t. 1653.
10 hybrida.	(ye.) Whitley's mule. Hybrid.	—	1822.	3. 6.	G. h.	Lodd. bot. cab. 1342.
11 genistifolia. DC.	(ye.) Genista-leaved.	N. Holland.	1820.	—	G. h.	—
12 juniperina. DC.	(st.) Juniper-leaved.	N. S. W.	1790.	—	G. h.	Vent. malm. t. 64.
<i>ulicifolia</i> . Wendl. coll. 2. t. 6. <i>Mimosa ulicina</i> . Sal. prodr.						
13 Brownii. DC.	(st.) Brown's.	N. S. W.	1796.	—	G. h.	—
<i>acicularis</i> . H.K. non w.						
14 echinula. DC.	(st.) pungent.	—	1824.	—	G. h.	—
15 pugioniformis. DC.	(st.) needle-leaved.	—	1803.	—	G. h.	Wendl. dis. 26. t. 9.
16 asparagoides. F.T.	(st.) Asparagus-like.	—	1824.	—	G. h.	—
17 Cunninghamii.	(ye.) Cunningham's.	—	1825.	—	G. h.	—
<i>taxifolia</i> . F.T. non w.						
18 diffusa. DC.	(ye.) spreading.	—	1822.	3. 6.	G. h.	Bot. reg. t. 634.
<i>prostrata</i> . Lodd. bot. cab. 631.						
19 sulcata. DC.	(ye.) furrowed-leaved.	N. Holland.	1803.	4. 8.	G. h.	Bot. reg. v. 11. t. 928.
20 canaliculata.	(ye.) glaucous-furrow'd.	—	1823.	5. 8.	I. h.	—
21 saligna. DC.	(ye.) Willow-leaved.	—	1820.	3. 6.	G. h.	Labill. n. hol. 2. t. 235.
22 emarginata. DC.	(st.) emarginate.	—	1816.	—	G. h.	—
23 stricta. DC.	(ye.) upright.	N. S. W.	1790.	2. 5.	G. h.	Bot. mag. t. 1121.
24 leprosa. DC.	(ye.) leprous.	—	1824.	3. 6.	G. h.	—
25 dodonæifolia. DC.	(ye.) clammy.	—	1818.	4. 6.	G. h.	Wendl. dis. n. 19. t. 7.
<i>viscosa</i> . Wendl.						
26 verniciflua. F.T.	(ye.) varnished.	—	1819.	3. 6.	G. h.	—
27 lanigera. F.T.	(ye.) woolly-stem'd.	—	1824.	—	G. h.	Bot. mag. t. 2922.
<i>virgata</i> . Lodd. bot. cab. 1246.						
28 multinervia. DC.	(ye.) many-nerved.	N. Holland.	—	—	G. h.	—
29 eglandulosa. DC.	(ye.) glandless.	—	—	—	G. h.	—
30 hispida. DC.	(ye.) little harsh.	N. S. W.	1794.	4. 5.	G. h.	Sm. nov. holl. t. 16.
31 cochlearis. DC.	(ye.) spoon-leaved.	N. Holland.	1820.	3. 6.	G. h.	Labill. n. holl. 2. t. 234.
32 coriacea. DC.	(ye.) leathery.	—	1824.	—	G. h.	—
33 ancëps. DC.	(ye.) flat-edged.	—	—	—	G. h.	—
34 laurifolia. DC.	(ye.) Laurel-leaved.	S. Sea Isl.	1775.	—	S. h.	—

35	elongata. DC.	(ye.) elongated.	N. S. W.	1824.	3. 6.	G. h.	
36	trinervata. DC.	(ye.) three-nerved.	—	1823.	4. 6.	G. h.	
37	calamifolia. DC.	(ye.) quill-leaved.	—	1822.	1. 12.	G. h.	Bot. reg. t. 839.
38	quadrilateralis. DC.	(ye.) tetragonal-leav'd	—	—	4. 6.	G. h.	
39	falcata. DC.	(st.) sickle-leaved.	—	1790.	5. 6.	G. h.	Lodd. bot. cab. 1115.
40	falciformis. DC.	(st.) sickle-shaped.	—	1824.	4. 6.	G. h.	
41	penninervis. DC.	(wh.) feather-nerved.	—	1822.	—	G. h.	Bot. mag. t. 2754.
<i>impressa</i> . Bot. reg. v. 13. t. 1115! Lodd. bot. cab. 1319.							
42	platyphylia.	(st.) broad-leaved.	N. Holland.	—	—	I. h.	
43	melanoxylon. DC.	(wh.) black-wooded.	V. Diem. Isl.	1808.	—	G. h.	Bot. mag. t. 1659.
44	heterophylla. DC.	(ye.) various-leaved.	Bourbon.	1820.	...	S. h.	
45	amœna. DC.	(st.) handsome.	N. S. W.	1824.	4. 6.	G. h.	Wendl. dis. 16. t. 4.
46	myrtifolia. DC.	(st.) Myrtle-leaved.	—	1789.	2. 5.	G. h.	Swt. flor. aust. t. 49.
47	vestita. DC.	(ye.) clothed.	N. Holland.	1820.	3. 6.	G. h.	Bot. reg. t. 698.
48	marginata. DC.	(ye.) thick margined.	N. S. W.	1803.	4. 6.	G. h.	Wendl. dis. 19. t. 5. A.
49	pyrifolia. DC.	(ye.) Pear-leaved.	—	1824.	—	G. h.	
50	binervata. DC.	(ye.) two-nerved.	—	—	—	G. h.	
51	bivenosa. DC.	(ye.) two-veined.	—	—	—	G. h.	
52	buxifolia. F.T.	(ye.) Box-leaved.	—	—	3. 5.	G. h.	
53	lunata. DC.	(ye.) lunate-leaved.	V. Diem. Isl.	1816.	3. 6.	G. h.	Swt. flor. aust. t. 42.
	<i>β brevifolia</i> . B.C.	(ye.) short-leaved.	—	—	—	G. h.	Lodd. bot. cab. t. 1235.
54	obtusata. DC.	(ye.) obtuse.	N. S. W.	1824.	4. 6.	G. h.	
55	crassiuscula. DC.	(st.) thick-leaved.	—	1803.	2. 6.	G. h.	Wendl. dis. 20. t. 8.
56	suaveolens. DC.	(st.) sweet-scented.	—	1790.	—	G. h.	Lodd. bot. cab. t. 730.
	<i>β platycarpa</i> . DC.	(st.) flat-podded.	—	—	—	G. h.	
57	angustifolia. DC.	(st.) narrow-leaved.	—	—	—	G. h.	Lodd. bot. cab. t. 768.
<i>Mimosa angustifolia</i> . Jacq. schœnb. 3. t. 391.							
58	linifolia. DC.	(wh.) Flax-leaved.	—	—	—	G. h.	Bot. mag. t. 2168.
59	abietina. DC.	(wh.) Fir-leaved.	—	—	3. 6.	G. h.	
60	subulata. DC.	(ye.) awl-leaved.	N. Holland.	1824.	4. 6.	G. h.	Bonpl. nav. t. 45.
61	spinulosa.	(ye.) small-spined.	—	1822.	3. 6.	I. h.	
62	cordifolia. ψ.	(ye.) heart-leaved.	—	1824.	4. 6.	I. h.	
63	dillwyniæfolia. ψ.	(st.) Dillwynia-leaved.	—	—	—	G. h.	
64	thegonocarpa. ψ.	(ye.) angular-podded.	—	—	—	G. h.	
65	rigens. ψ.	(ye.) stiff.	—	—	—	G. h.	
66	Cyclopis. ψ.	(ye.) Cyclopia-like.	—	—	—	G. h.	
67	muconulata. ψ.	(ye.) sharp-pointed.	—	—	—	G. h.	
68	oleifolia. ψ.	(ye.) Olive-leaved.	—	—	—	G. h.	
69	péndula. ψ.	(wh.) pendulous.	—	—	—	G. h.	
70	leucophylla. c.c.	(ye.) white-leaved.	—	1820.	3. 6.	I. h.	
71	taxifolia. DC.	(ye.) Yew-leaved.	China.	—	—	G. h.	
72	Oxycedrus. DC.	(ye.) sharp-leaved.	N. S. W.	1824.	4. 6.	G. h.	Swt. flor. aust. t. 6.
<i>taxifolia</i> . Lodd. bot. cab. t. 1225. non w.							
73	verticillata. DC.	(ye.) whorl-leaved.	V. Diem. Isl.	1780.	3. 5.	G. h.	Bot. mag. t. 110.
	<i>α glabra</i> . DC.	(ye.) smooth-leaved.	—	—	—	G. h.	
	<i>β angusta</i> . DC.	(ye.) narrow-leaved.	—	—	—	G. h.	Vent. malm. t. 63.
	<i>γ latifolia</i> . DC.	(ye.) broad-leaved.	—	—	—	G. h.	Wendl. coll. 1. t. 30.
74	linearis. B.M.	(wh.) linear-leaved.	N. S. W.	1812.	8. 12.	G. h.	Bot. mag. t. 2156.
75	longissima. W.A.	(ye.) long-linear-l'd.	—	—	—	G. h.	Wendl. dis. 31. t. 11.
76	uncinata. c.c.	(ye.) hooked-leaved.	N. Holland.	1823.	9. 1.	G. h.	
77	mucronata. DC.	(wh.) mucronate.	N. S. W.	1812.	—	G. h.	Bot. mag. t. 2747.
78	floribunda. DC.	(wh.) many-flowered.	—	1796.	5. 6.	G. h.	Vent. choix. t. 13.
79	doratoxylon. F.T.	(ye.) spear-wood.	—	1824.	3. 6.	G. h.	
80	obtusifolia. F.T.	(ye.) blunt-leaved.	—	—	4. 6.	G. h.	
81	homomalla. DC.	(ye.) downy-leaved.	—	—	—	G. h.	Wendl. dis. 34. t. 13.
82	longifolia. DC.	(ye.) long-leaved.	—	1792.	3. 6.	G. h.	Bot. mag. t. 1827.
	<i>β latifolia</i> .	(ye.) broader-leaved.	—	—	—	G. h.	— t. 2166.
83	intertexta. DC.	(ye.) netted-veined.	—	1824.	4. 6.	G. h.	
84	glaucescens. DC.	(ye.) glaucous.	—	1790.	2. 6.	G. h.	
85	leucolobia.	(ye.) white-podded.	—	1824.	3. 6.	G. h.	Willd. hort. ber. t. 101.
<i>dealbata</i> . F.T. non Link.							
86	cinerascens. DC.	(ye.) greyish.	—	—	—	G. h.	
87	subcœrulea. B.R.	(ye.) bluish-leaved.	N. Holland.	—	4. 6.	I. h.	Bot. reg. t. 1075.
88	rubida. F.T.	(st.) red-margined.	N. S. W.	1824.	—	G. h.	
89	Sophoræ. DC.	(st.) Sophora-podd'd.	V. Diem. Isl.	1805.	—	G. h.	Labil. n. holl. 2. t. 237.
90	heteromalla. c.c.	(ye.) broad woolly-l'd.	N. Holland.	1822.	—	I. h.	
91	coronilla-folia. DC.	(ye.) Coronilla-leaved.	Mogador.	1826.	4. 5.	G. h.	
92	strumbulifera. DC.	(ye.) twisted-podded.	Peru.	1823.	4. 7.	G. h.	
93	reticulata. DC.	(ye.) netted.	C. B. S.	1816.	4. 6.	G. h.	Pluk. alm. t. 123. f. 2.

94	pulchella. DC. (ye.)	zigzag spiny.	N. Holland.	1803.	4. 7.	G. h.	Lodd. bot. cab. t. 212.
95	hispidissima. DC. (ye.)	hispid.	—	1824.	4. 6.	G. h.	
96	detinens. DC. (ye.)	detaining.	C. B. S.	1816.	6. 10.	I. h.	
97	viridiramis. DC. (ye.)	green-branched.	—	—	4. 6.	I. h.	
98	cassioïdes. DC. (ye.)	Cassia-like.	S. America.	1822.	—	S. h.	
99	díptera. DC. (ye.)	two-winged.	—	—	—	S. h.	
100	lophanthoides. DC. (st.)	crested.	Jamaica.	1826.	5. 6.	S. h.	
101	lophántha. DC. (st.)	two-spiked.	N. Holland.	1803.	11. 4.	G. h.	Bot. reg. t. 361.
	<i>Mimosa elegans</i> . Andr.	reposit. 563.	—	—	—	—	
102	guanensis. DC. (wh.)	Guiana.	Guiana.	1803.	—	S. h.	Aubl. guian. 2. t. 357.
103	elephantina. B.T. (ye.)	Elephant.	C. B. S.	1816.	—	I. h.	
104	pulcherrima. DC. (re.)	beautiful.	Brazil.	1826.	—	S. h.	
105	aspidioides. DC. (wh.)	Aspidium-leav'd.	Guiana.	1827.	—	S. h.	
106	dealbata. DC. (ye.)	white-leaved.	V. Diem. Isl.	1818.	3. 6.	G. h.	Bot. reg. t. 371.
	<i>decurrens</i> β <i>mollis</i> . B.R.	—	—	—	—	—	
107	Wallichiana. DC. (ye.)	Wallich's.	E. Indies.	1827.	—	S. h.	
108	adenanthera. H.B. —	perennial.	—	1825.	—	S. h.	
109	ferruginea. DC. (wh.)	ferruginous.	—	—	—	S. h.	
110	Súndra. DC. (ye.)	hook-spined.	—	1789.	5. 6.	S. h.	Roxb. corom. 3. t. 225.
111	Súma. H.B. (ye.)	Shumee-tree.	—	1822.	—	S. h.	
112	Catèchu. DC. (wh.)	medicinal.	—	1790.	—	S. h.	Roxb. corom. 2. t. 175.
113	fasciculata. DC. (wh.)	fascicled.	Mexico.	1828.	—	S. h.	Kth. mim. 75. t. 23.
114	cáffra. DC. (ye.)	Hottentot.	C. B. S.	1816.	5. 6.	I. h.	
115	Senegal. DC. (wh.)	Senegal.	Africa.	1823.	—	S. h.	
116	cornigera. DC. (ye.)	Cuckold-tree.	S. America.	1692.	5. 6.	S. h.	
	<i>a americana</i> . DC. (ye.)	brown-spined.	—	—	—	S. h.	Comm. hort. 1. t. 107.
	β <i>indica</i> . DC. (ye.)	yellow-spined.	E. Indies.	—	—	S. h.	Sebathes. 1. t. 70. f. 13.
117	latrúnium. DC. (wh.)	white-spined.	—	1824.	—	S. h.	
118	Séyal. DC. (ye.)	Egyptian.	Egypt.	1828.	—	G. h.	Delil. fl. eg. t. 52. f. 2.
119	hórrida. DC. (ye.)	common-cape.	C. B. S.	1823.	3. 5.	I. h.	Pluk. t. 121. f. 4.
	<i>Mimosa leucacantha</i> . Jacq. <i>capensis</i> . B.T.	—	—	—	—	—	
120	ebúrnea. DC. (ye.)	ivory-thorned.	E. Indies.	1792.	4. 6.	S. h.	Roxb. corom. 2. t. 199.
121	tortuosa. DC. (st.)	twisted.	Jamaica.	1822.	—	S. h.	
122	Burmanniána. DC. (ye.)	Burmam's.	E. Indies.	1824.	—	S. h.	
123	vèra. DC. (ye.)	Egyptian-thorn.	Egypt.	1596.	7. 8.	I. h.	Vest egypt. t. 8.
	<i>Mimosa nilótica</i> . L.	—	—	—	—	—	
124	arábica. DC. (ye.)	Gum Arabic.	Arabia.	—	6. 8.	S. h.	Roxb. corom. 2. t. 149.
125	hebeclada. DC. (ye.)	stoloniferous.	C. B. S.	1816.	4. 6.	I. h.	
	<i>stolonifera</i> . B.T.	—	—	—	—	—	
126	maurocæna. DC. (wh.)	Marocca.	Marocca.	—	—	G. h.	
127	farnesiána. DC. (ye.)	Sponge-tree.	St. Domingo.	1656.	6. 8.	I. h.	Duham. ar. ed. n. 2. t. 28.
128	álba. DC. (wh.)	white.	E. Indies.	1828.	—	S. h.	
129	álbicans. DC. (wh.)	whitish.	Mexico.	1827.	—	S. h.	Kth. mim. 87. t. 27.
130	leucophlæa. DC. (st.)	panicked.	E. Indies.	1812.	4. 6.	S. h.	Roxb. corom. 2. t. 150.
131	hæmatóxylo. DC. (ye.)	hoary.	C. B. S.	1816.	—	S. h.	
	<i>atomiphylla</i> . B.T.	—	—	—	—	—	
132	tomentosa. DC. (st.)	tomentose.	E. Indies.	—	5. 7.	S. h.	
133	indica. DC. (ye.)	Indian.	—	1824.	—	S. h.	
134	flexuosa. DC. (ye.)	flexuose.	Cumana.	1822.	—	S. h.	
135	peruviána. DC. (ye.)	Peruvian.	Peru.	—	—	S. h.	
136	brachyacantha. DC. —	short-spined.	S. America.	1816.	—	S. h.	
137	ciliata. DC. —	fringed.	—	1823.	—	S. h.	
138	aciculáris. DC. —	needle-spined.	—	—	—	S. h.	
139	Giráfæ. DC. (ye.)	Camelopard's.	C. B. S.	1816.	—	I. h.	
140	rhodacantha. DC. (ye.)	red-spined.	—	—	—	S. h.	
141	heteracantha. DC. (ye.)	various-spined.	C. B. S.	—	—	I. h.	
142	Bancroftiana. DC. (st.)	Bancroft's.	Jamaica.	1826.	—	S. h.	
143	polycéphala. DC. (wh.)	many-headed.	Mauritius.	—	—	S. h.	
144	subinérmis. DC. (ye.)	scarcely spiny.	Jamaica.	—	—	S. h.	
145	édulis. W. en. —	eatable.	S. America.	1822.	—	S. h.	
146	acanthocárpa. DC. (bh.)	prickly-podd'd.	New Spain.	1818.	4. 7.	F. h.	
	<i>Mimosa aculeaticarpa</i> . P.S.	—	—	—	—	—	
147	acantholoba. DC. (st.)	prickly-fruited.	S. America.	1822.	—	S. h.	
148	concinna. DC. (bh.)	neat.	E. Indies.	1794.	6. 8.	S. h.	Jacq. schœnb. 3. t. 396.
149	tamarindifolia. DC. (wh.)	Tamarind-l'd.	W. Indies.	1774.	—	S. h.	Rheed. mal. 6. t. 4.
150	Intsia. DC. (st.)	angular-stalked.	E. Indies.	1778.	6. 8.	S. h.	Burm. zeyl. 2. t. 1.
151	pennata. DC. (ye.)	fine-leaved.	—	1773.	—	S. h.	Pluk. mant. 1. t. 330. f. 3.
152	cæsia. DC. (wh.)	gray.	—	—	—	S. h.	
153	centrophylla. DC. (wh.)	prickly-leaved.	Jamaica.	1826.	—	S. h.	

154	Courantiàna. DC. (wh.)	Courant's.		1824.	6. 8.	S. h.	
155	arróphula. DC. (wh.)	Nepaul.	Nepaul.	1823.		G. h.	
156	scándens. DC.	climbing.	Brazil.	1826.		S. h.	✓
157	sarmentósa. DC.	trailing.				S. h.	
158	trichòdes. DC. (wh.)	warted-stalked.	Caracas.	1824.	6. 8.	S. h.	Jacq. schœnb. 3. t. 394.
159	formósa. DC. (wh.)	handsome.	Mexico.	1826.		S. h.	Kth. mim. t. 32.
160	nigricans. DC. (st.)	unequal-winged.	N. Holland.	1803.	5. 7.	G. h.	Bot. mag. t. 2188.
161	strigósa. DC. (ye.)	ciliate-winged.			3. 6.	G. h.	
	<i>ciliata</i> , H.K. nec <i>aliorum</i> .						
162	vàga. DC. (st.)	Brazilian.	Brazil.	1823.		S. h.	Marcg. bras. p. 111. f. 1.
163	Lébbeck. DC. (pa.)	Egyptian.	Egypt.		4. 6.	G. h.	Pluk. mant. 2. t. 331. f. 1.
164	prócera. DC. (pa.)	lofty.	Coromandel.	1824.		S. h.	Roxb. corom. 2. t. 121.
165	odoratíssima. DC. (pa.)	fragrant.		1790.	4. 6.	S. h.	 2. t. 120.
166	speciόsa. DC. (wh.)	splendid.	E. Indies.	1742.	8. 9.	S. h.	Jacq. ic. 1. t. 198.
167	glàuca. DC. (wh.)	glaucous.	S. America.	1690.	6. 9.	S. h.	Trew ehret. t. 46.
168	leucocéphala. DC. (wh.)	white-headed.		1818.	4. 6.	S. h.	
169	latisiliqua. DC. (wh.)	broad-podded.	W. Indies.	1777.	3. 6.	S. h.	Plum. ed. Burm. t. 6.
170	portoricénsis. DC. (wh.)	Porto Rico.	Porto Rico.	1820.		S. h.	Jacq. ic. 3. t. 633.
171	caracasàna. DC. (pu.)	Caracas.	Caracas.	1823.		S. h.	 3. t. 632.
172	Lambertiàna. DC. (pu.)	Mr. Lambert's.	Mexico.	1820.	7. 9.	G. h.	Bot. reg. t. 721.
173	tetragόna. DC. (wh.)	square-stalked.	Caracas.	1822.		S. h.	
174	quadrangulàris. DC. (wh.)	quadrangular.		1816.	5. 7.	S. h.	Bot. mag. t. 2651.
175	discolor. DC. (ye.)	two-coloured.	N. S. W.	1788.	3. 6.	G. h.	 t. 1750.
	<i>Mimosa discolor</i> . Andr. reposit. t. 235. <i>Mimosa botrycéphala</i> . Vent. cels. t. 1.						
176	angulà. DC. (ye.)	angular.	N. Holland.	1824.	4. 6.	G. h.	
177	pubescens. DC. (ye.)	hairy-stemmed.	N. S. W.	1790.	3. 6.	G. h.	Bot. mag. t. 1263.
178	filicina. DC. (wh.)	fern-leaved.	Mexico.	1825.	4. 6.	G. h.	Cavan. ic. 1. t. 78.
179	villosa. DC. (wh.)	vilious.	Jamaica.	1826.		S. h.	
180	frondósa. DC. (wh.)	frondose.	E. Indies.	1816.		S. h.	
181	venústa. W. en. (wh.)	charming.	S. America.			S. h.	
182	stipulàta. DC. (ye.)	stipuled.	Bengal.	1820.	5. 6.	S. h.	
183	divaricàta. DC. (wh.)	straddling.	E. Indies.			S. h.	Jacq. schœnb. t. 395.
184	umbellulifera. DC. (wh.)	small-umbell'd.	Mexico.	1825.		G. h.	Kth. mim. t. 31.
185	arborea. DC. (bh.)	tree.	Jamaica.	1768.		S. h.	Sloan. his. 2. t. 182. f. 1. 2.
186	amàra. DC. (wh.)	bitter.	Coromandel.	1823.	4. 6.	S. h.	Roxb. corom. 2. t. 122.
187	Nemù. DC. (bh.)	Japan tree.	Japan.			G. h.	Banks ic. Kæmpf. t. 19.
188	Julibrissin. DC. (bh.)	smooth tree.	Levant.	1745.	8. 9.	H. h.	Scop. insub. 1. t. 8.
189	polyphylla. DC. (wh.)	many-leaved.	St. Martha.	1826.	6. 9.	S. h.	
190	decúrrens. DC. (ye.)	decurrent.	N. S. W.	1790.	5. 7.	G. h.	Vent. malm. t. 61.
191	mollíssima. DC. (ye.)	soft-leaved.		1818.	4. 6.	G. h.	Swt. flor. aust. t. 12.
192	esculénta. DC. (wh.)	eatable.	New Spain.	1829.		S. h.	Flor. mexic. ic. ined.
193	peregrina. DC. (wh.)	white-flowered.	S. America.	1780.	7. 8.	S. h.	Kth. mim t. 30.
194	gràta. DC. (wh.)	grateful.	Brazil.	1828.		S. h.	
195	microphylla. DC. (wh.)	small-leaved.	Caracas.	1826.		S. h.	
196	chrysostáchys. (ye.)	golden-spiked.	Mauritius.	1823.		S. h.	
197	lúcida. H.B.	glossy.	E. Indies.	1816.		S. h.	
198	Sirissa. H.B. (wh.)	Shireesh.				S. h.	
199	elàta. H.B. (wh.)	tall.		1820.		S. h.	
200	Kalkōra. H.B. (wh.)	large.				S. h.	
201	Smithiàna. H.B.	Smith's.	Silhet.	1823.		S. h.	
202	semicordàta. H.B. (wh.)	semicordate.	E. Indies.			S. h.	
203	fruticōsa. H.B. (wh.)	frutescent.	China.	1820.	5. 6.	G. h.	
204	pedunculàta. H.B. (wh.)	peduncled.	E. Indies.	1822.		S. h.	
205	triquètra. H.B. (wh.)	triquetrous.	Coromandel.	1824.		S. h.	
206	robústa. B.T. (ye.)	robust.	C. B. S.	1816.		I. h.	
207	litakunénsis. B.T. (ye.)	Litakun.				I. h.	
208	guilandinæfólia. (gr.)	Guilandina-ld.	N. Holland.	1818.	7. 9.	I. h.	

Subordo IV. CÆSALPINEÆ.

Tribus V. GEOFFREÆ. DC. prodr. 2. p. 473.

ARACHIS. DC.	EARTH-NUT.	Diadelphia Decandria. L				
1 hypog'æa. DC. (ye.)	American.	S. America.	1712.	5. 6.	H. ☉.	Trew ehret. t. 3. f. 3.
2 africàna. w. (ye.)	African.	Africa.	1824.	—	H. ☉.	

- VOANDZE'IA. DC.** **VOANDZE'IA.** Diadelphia Decandria.
subterranea. DC. (ye.) subterraneous. Madagascar. 1820. 6. 8. S. ☉. DC. leg. me. t. 20. f. 106.
Glycine subterranea. Linn. dec. 37. t. 17.
- PERA'LTEA. DC.** **PERA'LTEA.** Diadelphia Decandria.
lupinoides. DC. (pu.) Lupine-like. New Spain. 1827. 9. 11. F. ♀. H. et B. n. gen. 6. t. 589.
- BRONGNIA'RTIA. DC.** **BRONGNIA'RTIA.** Diadelphia Decandria.
podalyrioides. DC. (fl.) Podalyria-like. New Spain. 1827. 9. 11. F. ♀. H. et B. n. gen. 6. t. 588.
- AND'IRA. DC.** **AND'IRA.** Diadelphia Decandria.
1 racemosa. DC. (pu.) racemed. Brazil. 1824. S. ♀. Aubl. gui. sup. t. 373.
2 inermis. DC. (pu.) bastard cabbage-tree. Jamaica. 1778. S. ♀. Phil. trans. 1777. t. 10.
- GEOFFRO'YA. DC.** **GEOFFRO'YA.** Diadelphia Decandria.
1 spinosa. DC. (st.) spiny. S. America. 1823. S. ♀. Jacq. amer. t. 180. f. 62.
2 Bredemeyeri. DC. (ye.) striated. Caracas. 1824. S. ♀.
- Robinia striata*. W.
- 3 violacea. DC. (vi.) violet. Guiana. 1827. S. ♀. Aubl. guian. t. 301.
- BRO'WNEA. DC.** **BRO'WNEA.** Monadelphia Dec-Decandria.
1 Rôsa. DC. (ro.) mountain Rose. Trinidad. 1816. S. ♀. Ber. act. ang. 1771. t. 8-9.
speciosa. Sieber.
- 2 coccinea. DC. (sc.) scarlet-flower'd. W. Indies. 1793. 7. 9. S. ♀. Jacq. amer. t. 121.
3 latifolia. DC. (ro.) broad-leaved. Caracas. 1826. S. ♀. Jacq. fragm. t. 17.
- 4 racemosa. DC. (ro.) racemed. S. ♀. t. 18-19.
5 grandiceps. DC. (ro.) close-headed. 1828. S. ♀. t. 22-23.
- DIPTERIX. DC.** **TONQUIN BEAN.** Monadelphia Octo-Decandria.
odorata. DC. (pu.) sweet-scented. Guiana. 1793. S. ♀. Aubl. guian. 3. t. 296.
Coumarouna odorata. Aubl. *Barysma Tonga*. Gært. fruct. 2. t. 93.

Tribus X. *CASSIÆE*. DC. prodr. 2. p. 478.

- MORINGA. DC.** **HORSE-RADISH-TREE.** Decandria Monogynia.
1 pterigospërma. DC. (st.) wing-seeded. E. Indies. 1759. S. ♀. Jacq. ic. 3. t. 461.
oleifera. Lam. *Zeylanica*. P. S. *Hyperanthëra Moringa*. Vahl. *Guilandina Moringa*. L.
- 2 polygona. DC. (st.) many-sided. 1822. S. ♀.
- GLEDITSCHIA. DC.** **GLEDITSCHIA.** Polygamia Diœcia. L.
1 triacanthos. DC. (gr.) three-thorned. N. America. 1700. 6. 8. H. 5. Wats. dend. brit. 2. t. 138.
β inermis. DC. (gr.) spineless. H. 5. DC. leg. mem. t. 22. f. 109
- 2 brachycarpa. DC. (gr.) curved-spined. H. 5.
3 monospërma. DC. (gr.) single-seeded. 1723. H. 5. Mich. f. arb. 3. t. 10.
4 sinensis. DC. (gr.) Chinese. China. 1774. H. 5. DC. leg. mem. 1. t. 1.
- horrída*. W.
- 5 macracantha. DC. (gr.) large-spined. H. 5.
6 ferox. DC. (gr.) flat-spined. H. 5.
- orientalis*. Bosc.
- 7 cáspica. DC. (gr.) Caspian. Caucasus. 1822. H. ♀.
8 micracantha. L. C. (gr.) small-spined. 1824. H. ♀.
- 9 indica. DC. (gr.) Indian. E. Indies. 1812. S. ♀.
10 l'avis. L. C. (gr.) smooth. 1824. H. ♀.
- 11 latisiliqua. L. C. (gr.) broad-podded. H. 5.
- GYMNOCLADUS. DC.** **KENTUCKY COFFEE-TREE.** Diœcia Decandria.
canadensis. DC. (wh.) Canadian. N. America. 1748. 5. 6. H. 5. Mich. amer. 2. t. 51.
Guilandina dioica. L.
- GUILAND'INA. DC.** **NICKER-TREE.** Decandria Monogynia. L.
1 Bônduc. L. T. (ye.) Sumatra. Sumatra. 1640. S. ♀. Rumph. amb. 5. t. 48.
2 Bonducella. L. T. (ye.) common. E. Indies. S. ♀. Schrank. h. mon. t. 68.
3 microphylla. DC. small-leaved. S. ♀. Rumph. amb. 5. t. 49. f. 2?
- COULTERIA. DC.** **COULTERIA.** Decandria Monogynia.
1 tinctoria. DC. (ye.) dyer's. Peru. 1818. S. ♀. H. et B. n. ge. am. 6. t. 569.
Poinciana Tara. R. P. *Casalpinia pectinata*. Cavan.
- 2 mexicana. DC. (ye.) Mexican. New Spain. 1826. S. ♀. Flor. mexic. ic. ined.
- CÆSALPINIA. DC.** **BRASILE'TTO.** Decandria Monogynia. L.
1 Nûga. DC. (ye.) acute-leaved. Amboyna. 1801. 4. 6. S. ♀. Rumph. amb. 5. t. 50.
2 paniculata. DC. (ye.) panicled. E. Indies. 1812. S. ♀. Rheed. mal. 6. t. 19.
3 brasiliensis. DC. (ye.) Brazilian. Brazil. 1818. 4. 6. S. ♀.
4 Sappân. DC. (ye.) narrow-leaved. E. Indies. 1773. S. ♀. Roxb. corom. 1. t. 16.

- 5 dig'yna. DC. (ye.) digynous. E. Indies. 1828. S. h. Will.n.ac.1803.v.4.t.3.
6 mimosoides. DC. (ye.) Mimosa-leaved. ——— 1806. 5. 7. S. h. Rheed. mal. 6. t. 8.
7 bijûga. DC. (ye.) broad-leaved. Jamaica. 1770. 6. 9. S. h. Sloan. j. 2. t. 181. f. 2. 3.
8 bahamensis. DC. (wh.) emarginate. Bahama. 1823. S. h. Catesb. car. 2. t. 51.
9 Crîsta. DC. (ye.) oval-leaved. Jamaica. 4. 6. S. h. Plum. gen. 28. t. 9.
10 glandulôsa. DC. (ye.) glandular. St. Domingo. 1828. S. h.
11 Cacalâco. DC. (ye.) round-leaved. Mexico. 1826. S. h. H. et B. pl. æq. 2. t. 137.
12 coriârîa. DC. (ye.) leathery. W. Indies. S. h. Kth. mim. t. 45.
13 lebbekkoîdes. DC. (ye.) Lebbek-podd'd. China. 1812. S. h.
14 punctâtâ. DC. (ye.) dotted-leaved. Brazil. 1818. S. h.
15 procera. s.s. (ye.) tall. Cuba. 1822. S. h.
16 cassioîdes. DC. (ye.) Cassia-like. S. America. 1823. S. h.
17 mucronâtâ. DC. (ye.) mucronate. Brazil. S. h.
18 olæospërma. H.B. (ye.) oil-seeded. E. Indies. 1800. 5. 6. S. h. (✓)
19 cucullâtâ. H.B. (ye.) hooded. ——— 1822. S. h. (✓)
20 sepiârîa. H.B. (ye.) Mysore-thorn. ——— 1806. 6. 9. S. h. (✓)
21 resupinâtâ. H.B. (ye.) resupinate. ——— 1828. S. h. (✓)
22 enneaphy'lla. H.B. (ye.) nine-leaved. ——— 1812. S. h. (✓)
23 chinénsis. H.B. (ye.) Chinese. China. S. h. (✓)
24 tortuôsa. H.B. (ye.) twisting. E. Indies. 1822. S. h. (✓)
25 sumatrâna. H.B. (ye.) Sumatra. ——— S. h. (✓)
POINCIANA. DC. FLOWER FENCE. Decandria Monogynia. L.
1 rêgia. B.M. (sc.) superb. Madagascar. 1827. S. h. Bot. mag. t. 2884.
2 pulchérîma. DC. (or.) Barbadoes. E. Indies. 1691. 6. 9. S. h. ——— t. 995.
3 elâta. DC. (ye.) fringe-petal'd. ——— 1778. — S. h.
Cæsalpînia elâta. s.s.
HOFFMANSE'GGIA. DC. HOFFMANSE'GGIA. Decandria Monogynia.
1 falcârîa. DC. (ye.) sickle-podded. Chile. 1806. 7. 8. F. 4. Cavan. ic. t. 392.
2 prostrâtâ. DC. (ye.) prostrate. Lima. 1824. — F. 4.
MELANOSTICTA. DC. MELANOSTICTA. Decandria Monogynia.
Burchellii. DC. (ye.) Burchell's. C. B. S. 1816. G. h. DC. leg. mem. t. 69.
POMARIA. DC. POMARIA. Decandria Monogynia.
glandulôsa. DC. (ye.) glandular. New Spain. 1826. 5. 6. G. h. Cavan. ic. 5. t. 402.
HÆMATOXYLON. D. LOGWOOD. Decandria Monogynia. L.
campechiânium. DC. (ye.) common. S. America. 1724. S. h. Catesb. car. 2. t. 66.
PARKINSONIA. DC. PARKINSONIA. Decandria Monogynia. L.
aculeâtâ. DC. (ye.) prickly. W. Indies. 1739. 6. 9. S. h. Jacq. amer. t. 80.
CA'DIA. DC. CA'DIA. Decandria Monogynia.
vârîa. DC. (bh.) various-colour'd. Arabia. 1755. 7. 10. S. h. Picc. hort. pan. 9. ic.
purpurea. w. Spandóncea tamarindifolia. Desf.
CERATONIA. DC. CAROB-TREE. Polygamia Dicecia.
Siliqua. DC. (gr.) St. John's bread. Levant. 1570. 9. 10. G. h. Andr. reposit. 567.
HARDWICKIA. DC. HARDWICKIA. Oct-Decandria Monogynia.
1 binâtâ. DC. (ye.) binate-leaved. E. Indies. 1824. S. h. Roxb. corom. t. 209.
2 pinnâtâ. DC. (ye.) pinnate-leaved. ——— 1826. S. h.
JON'ESIA. DC. JON'ESIA. Octandria Monogynia.
Asôca. DC. (or.) winged-leaved. E. Indies. 1796. 4. 6. S. h. Rheed. mal. 5. t. 59.
pinnâtâ. w. Sarâca îndica. L.
TACHIG'ALIA. DC. TACHIG'ALIA. Decandria Monogynia.
paniculâtâ. DC. (ye.) panicked. Guiana. 1827. S. h. Aubl. guian. 1. t. 143. f. 1.
MOLDENHAW'ERA. DC. MOLDENHAW'ERA. Decandria Monogynia.
floribúnda. DC. (ye.) many-flowered. Brazil. 1828. S. h. Neuw. reis. v. 2. ic.
TAMARINDUS. DC. TAMARIND-TREE. Monadelphia Triandria.
1 indica. DC. (ye.) East Indian. E. Indies. 1633. 6. 7. S. h. Rheed. mal. 1. t. 23.
2 occidentâlis. DC. (ye.) West Indian. W. Indies. ——— S. h. Jacq. amer. t. 10.
CA'SSIA. DC. CA'SSIA. Decandria Monogynia. L.
1 brasiliâna. DC. (ye.) large. Brazil. 1822. S. h. Breyn. cent. t. 21.
grândis. L. môllis. Vahl. Cathartocarpus grândis. P.s.
2 ferrugînea. DC. (ye.) ferruginous. Brazil. 1828. S. h.
3 Roxburghii. DC. (ye.) Roxburgh's. Coromandel. 1823. 6. 7. S. h.
marginâtus. H.B. non w.
4 trinitâtis. DC. (ye.) Trinidad. Trinidad. 1824. S. h.
5 javânica. DC. (fl.) Java. Java. 1779. 6. 7. S. h. Rumph. amb. 2. t. 22.
6 Fistula. DC. (ye.) purging. E. Indies. 1731. — S. h. Woodv. med. bot. t. 163.
7 rhombifôlia. H.B. (ye.) rhomb-leaved. ——— 1820. — S. h.
8 nodôsa. H.B. (ye.) knotted. ——— 1824. — S. h.
9 conspîcua. G.D. (ye.) drumstick-tree. Sierra Leon. 1822. S. h.
10 bacillâris. DC. (ye.) smooth. Surinam. 1818. — S. h. Houst. rel. t. 17.
Cathartocarpus Bacillus. Bot. Reg. t. 881.

11	speciosa. DC.	(ye.) handsome.	Brazil.	1828.	6. 8.	S. h.	
12	melanocarpa. DC.	(ye.) black-podded.	Jamaica.	1825.	—	S. h.	
13	corymbosa. DC.	(ye.) corymbose.	Buenos Ayres.	1796.	7. 8.	S. h.	Bot. mag. t. 633.
14	floribunda. DC.	(ye.) many-flowered.	New Spain.	1822.	5. 8.	S. h.	
15	laevigata. DC.	(ye.) smooth.	—	1811.	—	S. h.	
16	pendula. DC.	(ye.) pendulous.	S. America.	1820.	...	S. h.	
17	torosa. DC.	(ye.) twisted.	China.	1807.	5. 7.	G. h.	Jacq. ic. 1. t. 73.
	chinensis. Jacq.	non Lam.	—	—	—	—	
18	chinensis. DC.	(ye.) Chinese.	—	—	—	G. h.	
19	gigantea. DC.	(ye.) gigantic.	Jamaica.	1825.	...	S. h.	
20	coromandeliana. DC.	(or.) Coromandel.	Coromandel.	1822.	5. 7.	S. h.	Jacq. fragm. t. 100.
21	Sôphera. DC.	(ye.) round-podded.	E. Indies.	1653.	7. 9.	S. h.	Burm. zeyl. t. 98.
22	alata. DC.	(ye.) winged-podded.	S. America.	1731.	...	S. h.	Jacq. obs. 2. t. 45. f. 2.
23	Rumphiana. DC.	(ye.) Rumphius's.	E. Indies.	1822.	...	S. h.	Rumph. amb. 7. t. 18.
24	bracteata. DC.	(ye.) bracteate.	Surinam.	—	...	S. h.	
25	obovata. DC.	(ye.) obovate-leaved.	Egypt.	1640.	7. 9.	G. ⊙.	Jacq. f. ecl. 1. t. 87.
	Senna. Lam. ill.	t. 332. f. 2.	—	—	—	—	
26	lanceolata. DC.	(ye.) spear-leaved.	—	1759.	6. 8.	G. ⊙.	Tabern. ic. 507.
	orientalis. P. S.	acutifolia. Delil. ill. eg.	75. t. 27. f. 1.	—	—	—	
27	ligustrinoides. DC.	(ye.) Privet-like.	Arabia.	1829.	—	G. h.	
28	Browniana. DC.	(ye.) Brown's.	Mexico.	1828.	...	S. h.	Kth. mim. t. 41.
29	cuspidata. W. en.	(ye.) sharp-pointed.	S. America.	1820.	5. 7.	S. h.	
30	sericea. DC.	(ye.) silky-leaved.	—	1731.	5. 8.	S. ⊙.	Jacq. ic. 3. t. 459.
	sensitiva. Jacq.	—	—	—	—	—	
31	obtusifolia. DC.	(ye.) blunt-leaved.	Jamaica.	1732.	7. 8.	S. ⊙.	Dill. elth. t. 62. f. 72.
32	humilis. DC.	(ye.) dwarf.	S. America.	...	—	S. ⊙.	Plum. ed. Burm. t. 76. f. 2.
33	Tora. DC.	(st.) oval-leaved.	E. Indies.	1693.	—	S. ⊙.	Dill. elth. t. 63. f. 73.
34	toroides. H. B.	(st.) Mysore.	—	1812.	—	S. ⊙.	
35	ciliaris. DC.	(ye.) fringe-stipuled.	—	—	—	S. ♂.	
36	Tagera. DC.	(ye.) long-podded.	—	1803.	—	S. ♂.	Rheed. mal. 2. t. 53.
37	venustula. DC.	(ye.) pretty.	Cumana.	1825.	—	S. h.	
38	aversiflora. B. M.	(ye.) contrary-flow'd.	Brazil.	1823.	4. 12.	S. h.	Bot. mag. t. 2638.
39	viminea. DC.	(ye.) twiggy.	W. Indies.	1786.	6. 7.	S. h.	Sloan. jam. 2. t. 180. f. 67.
40	chrysotricha. DC.	(ye.) golden-podded.	Guiana.	1828.	—	S. h.	Coll. mon. p. 99. t. 13.
41	Apoucouita. DC.	(ye.) acuminate.	—	1823.	—	S. h.	Aubl. gui. 1. t. 146.
	acuminata. W.	non Moench.	—	—	—	—	
42	sennoides. DC.	(ye.) Senna-leaved.	E. Indies.	1808.	7. 8.	S. h.	Jacq. ic. 1. t. 70.
43	bicapsularis. DC.	(ye.) six-leaved.	W. Indies.	1730.	5. 6.	S. h.	Bot. mag. t. 633.
44	mollissima. DC.	(ye.) soft-leaved.	S. America.	1816.	7. 8.	S. h.	
45	artemisioides. DC.	(ye.) Wormwood-like.	N. S. W.	1823.	4. 7.	G. h.	
46	glutinosa. DC.	(ye.) glutinous.	N. Holland.	—	—	G. h.	
47	oxyadena. DC.	(ye.) acute-glanded.	Jamaica.	1820.	—	S. h.	
48	dispar. DC.	(ye.) various-leaved.	S. America.	1822.	5. 8.	S. h.	
49	acapulcensis. DC.	(ye.) Acapulco.	Mexico.	1824.	—	S. h.	
50	sulfurea. DC.	(st.) straw-coloured.	E. Indies.	1800.	—	S. h.	Rheed. mal. 6. t. 9-10.
	arborescens. Vahl.	non Miller.	—	—	—	—	
51	coluteoides. DC.	(ye.) Colutea-like.			—	S. h.	Coll. mon. 102. t. 12.
52	Barclayana. S. F. A.	(ye.) Mr. Barclay's.	N. Holland.	1824.	6. 10.	G. h.	Swt. flor. aust. t. 32.
53	biflora. DC.	(ye.) two-flowered.	W. Indies.	1766.	12. 4.	S. h.	Bot. mag. t. 810.
54	tomentosa. DC.	(st.) tomentose.	S. America.	1822.	6. 8.	S. h.	Jacq. ic. 1. t. 72.
	multiglandulosa. Jacq.	—	—	—	—	—	
55	mexicana. DC.	(ye.) Mexican.	Mexico.	1824.	—	S. h.	Jacq. schœnb. t. 203.
56	stipulacea. DC.	(ye.) large-stipuled.	Chile.	1786.	—	S. h.	Feuill. per. 3. t. 42.
57	auriculata. DC.	(ye.) eared.	E. Indies.	1777.	7. 9.	S. h.	Pluk. alm. t. 314. f. 4.
58	frondosa. DC.	(ye.) smooth shrubby.	W. Indies.	1769.	3. 4.	S. h.	Jacq. ic. 1. t. 74.
59	australis. B. M.	(ye.) New Holland.	N. Holland.	1820.	5. 12.	I. h.	Bot. mag. t. 2670.
60	polyphylla. DC.	(ye.) many-leaved.	Portorico.	1828.	6. 9.	S. h.	Jacq. ic. t. 460.
61	marginata. DC.	(ye.) white-edged.	Surinam.	1822.	—	S. h.	
62	ægyptiaca. DC.	(ye.) Egyptian.	Egypt.	1823.	7. 9.	G. ⊙.	
63	esculenta. H. B.	(ye.) esculent.	E. Indies.	—	—	S. ⊙.	
64	occidentalis. DC.	(ye.) occidental.	W. Indies.	1759.	3. 8.	S. h.	Bot. reg. t. 83.
65	purpurea. DC.	(ye.) purple-stalked.	E. Indies.	1823.	6. 11.	S. h.	— t. 856.
66	hirsuta. DC.	(ye.) hairy.	S. America.	1778.	7. 9.	S. h.	Jacq. schœnb. t. 270.
	caracasana. Jacq.	—	—	—	—	—	
67	linearis. DC.	(ye.) linear-podded.	Carolina.	1828.	5. 7.	F. y.	
68	pátula. DC.	(ye.) shining.	W. Indies.	1778.	8. 9.	S. h.	Jacq. fragm. t. 57.
69	pubescens. DC.	(ye.) pubescent.		1818.	5. 8.	S. h.	Coll. mon. p. 110. t. 6.
70	sulcata. DC.	(ye.) furrowed.	S. America.	1826.	6. 8.	S. h.	Jacq. ic. 1. t. 71.
71	ruscifolia. DC.	(ye.) Ruscus-leaved.	Caracas.	1816.	5. 7.	G. h.	

73	ligustrina. DC.	(ye.)	Privet-leaved.	America.	1726.	6. 8.	S. h.	Bot. reg. t. 109.
73	robinioïdes. DC.	(ye.)	Robinia-like.	S. America.	1820.	—	S. h.	
74	marylândica. DC.	(ye.)	Maryland.	N. America.	1723.	8. 10.	H. 2.	Schkuhr hand. 1. t. 113.
75	latifolia. DC.	(ye.)	broad-leaved.	Trinidad.	1826.	6. 8.	S. h.	
76	arborëscens. DC.	(ye.)	arborescent.	New Spain.		—	S. h.	
77	opaca. Gr.	(or.)	dull-leaved.	S. America.	1825.	8. 12.	S. h.	
78	pulchëlla. Boj.	(ye.)	pretty.	Zanzibar.	1825.	7. 9.	S. h.	
79	Millëri. DC.	(ye.)	Miller's.	Jamaica.		6. 8.	S. h.	
80	Houstoniâna. DC.	(ye.)	Houstoun's.	—		7. 10.	S. ⊙.	
81	Plumiëri. DC.	(ye.)	Plumier's.	Guadaloupe.	1822.	—	S. h.	Plum. ed. Burm. t. 77.
	planisiliqua. Lam.	non	Linn.					
82	hirta. DC.	(ye.)	hairy-branched.	S. America.	1822.	6. 9.	S. h.	
83	sumatrâna. DC.	(ye.)	Sumatra.	Sumatra.	1823.	—	S. h.	
84	formôsa.	(ye.)	beautiful.	E. Indies.	—	—	S. h.	
	speciosa. H.B.	non	Schrader.					
85	emarginâta. DC.	(ye.)	notch-leaved.	Jamaica.	1759.	5. 6.	S. h.	Sloan. his. 2. t. 180. f. 1-4.
86	atomaria. DC.	(ye.)	woolly-leaved.	S. America.	1822.	3. 8.	S. h.	
87	reticulâta. DC.	(ye.)	netted-leaved.	Brazil.	—	4. 6.	S. h.	
88	spectabilis. DC.	(ye.)	showy.	Caracas.	1823.	5. 7.	S. h.	Coll. mon. p. 115. t. 7.
89	setigera. DC.	(ye.)	seta-bearing.	E. Indies.	1826.	—	S. h.	
90	montâna. DC.	(ye.)	mountain.	—	1822.	—	S. h.	
91	A'bsus. DC.	(sm.)	four-leaved.	Ceylon.	1777.	6. 7.	S. ⊙.	Burm. zeyl. t. 97.
92	hispida. DC.	(ye.)	hispid.	Cayenne.	1826.	—	S. ⊙.	
93	diphylla. DC.	(ye.)	two-leaved.	W. Indies.	1781.	5. 7.	S. ♂.	Cavan. ic. 5. t. 600. f. 1.
94	bifoliolâta. DC.	(ye.)	two-leafleted.	Brazil.	1825.	—	S. ♂.	Coll. mon. 120. t. 9. f. B.
95	exigua. H.B.	(ye.)	dwarf.	Bengal.	1820.	8. 10.	S. ⊙.	
96	gracilis. DC.	(ye.)	slender.	S. America.	1816.	6. 8.	S. h.	Kth. mim. t. 36.
97	uniflora. DC.	(re.)	one-flowered.	Brazil.	1824.	—	S. h.	
98	lineata. DC.	(ye.)	lined.	Jamaica.	1820.	5. 7.	S. h.	
99	prostrata. DC.	(ye.)	prostrate.	S. America.	1823.	7. 9.	S. h.	
100	triflora. DC.	(ye.)	three-flowered.		1825.	—	S. ⊙.	Jacq. schœnb. t. 480.
101	Burmânni. DC.	(ye.)	Burmänn's.	C. B. S.	1816.	—	G. h.	
102	virgata. DC.	(ye.)	slender-twigg'd.	Jamaica.	1820.	5. 8.	S. h.	
103	nicitans. DC.	(ye.)	Virginian.	N. America.	1800.	7.	G. ♂.	Linn. hort. cliff. t. 36.
104	chamæcrista. DC.	(ye.)	dwarf.	America.	1699.	6. 9.	G. ♂.	Bot. mag. t. 157.
105	chamæcristoides. DC.	(ye.)	large-flow'd.	Vera Cruz.		—	S. h.	
106	stricta. Sck.	(ye.)	straight.	Jamaica.		—	S. h.	Schk. hort. mon. t. 34.
107	glandulosa. DC.	(ye.)	glandular.	W. Indies.	1822.	—	S. ♂.	
108	mimosoides. DC.	(ye.)	Mimosa-leaved.	E. Indies.	1806.	—	S. ⊙.	
109	capensis. DC.	(ye.)	Cape.	C. B. S.	1816.	4. 6.	G. h.	Coll. mon. 124. t. 19.
110	pumila. DC.	(ye.)	small.	E. Indies.	1820.	7. 10.	S. ⊙.	Pluk. alm. t. 120. f. 1.
111	procumbens. DC.	(ye.)	procumbent.	N. America.	1806.	6. 9.	H. ⊙.	Comm. petrop. t. 11.
112	Wallichiana. DC.	(ye.)	fine-leaved.	Nepaul.	1812.	—	S. ⊙.	
	dimidiata. D.P.							
113	ténëra.	(ye.)	small-branched.	E. Indies.	1818.	—	S. ♂.	
	tenëlla. H.B.	non	Kth.					
114	microphylla. DC.	(ye.)	small-leaved.	W. Indies.	1822.	—	S. ⊙.	
115	Hornemânni. DC.	(ye.)	Hornemann's.		1827.	—	S. ⊙.	
	venôsa. Horn.	non	Zucc.					
AFZ'ELIA. DC.				AFZ'ELIA.	Octandria Monogynia.			
	africana. DC.	(cr.)	African.	Sierra Leone.	1821.		S. h.	
SCHOTIA. DC.				SCHO'TIA.	Decandria Monogynia.			
1	speciosa. DC.	(cr.)	superb.	C. B. S.	1759.	7. 12.	I. h.	Andr. reposit. t. 348.
2	tamarindifolia. DC.	(cr.)	Tamarind-leav'd.	—	1795.	5. 9.	I. h.	Bot. mag. t. 1153.
3	stipudata. DC.	(cr.)	falcate-stipuled.	—	1794.	—	I. h.	
4	alaui. DC.	(re.)	winged.	—	1816.	6. 7.	I. h.	
5	aplicifolia. DC.	(re.)	simple-leaved.	—	—	—	I. h.	
6	latifolia. DC.	(re.)	broad-leaved.	—	—	5. 8.	I. h.	Hook. ex. flor. t. 159.
Omphalobium Schötia.				s.s.	Jacq. ecl. ic.			
COPAI'FERA. DC.				BALSAM OF CAPEVI.	Decandria Monogynia.	L.		
1	officialis. DC.	(st.)	official.	S. America.	1774.		S. h.	H. et B. n. gen. 7. t. 659.
2	guianensis. DC.	(st.)	Guiana.	Guiana.	1826.		S. h.	
3	coriacea. DC.	(st.)	leathery-leaved.	Brazil.	1824.		S. h.	
CYNOMETRA. DC.				CYNOM'ETRA.	Decandria Monogynia.	L.		
1	cauliflora. DC.	(re.)	stem-flowered.	E. Indies.	1804.		S. h.	Rumph. amb. 1. t. 62.
2	ramiflora. DC.	(re.)	branch-flowered.	—	1826.		S. h.	— 1. t. 63.
3	polyandra. DC.	(re.)	many stamen'd.	—	1822.		S. h.	Roxb. corom. t. 286.
PARIV'OA. DC.				PARIV'OA.	Diadelphia Decandria.			
	grandiflora. DC.	(pu.)	large-flowered.	Cayenne.	1816.		S. h.	Aubl. guian. 2. t. 303
Dimorpha grandiflora.				Linn.	trans. 9. t. 20.			

- O'UTEA, DC.** **O'UTEA, Tri-Tetrandria Monogynia.**
 1 guianensis, DC. (wh.) Guiana. Guiana. 1827. S. h. Aubl. guian. 1. t. 9.
 2 bijuga, DC. (wh.) two-paired. E. Indies. 1823. S. h. Linn. trans. 12. t. 17.
Macrolobium bijugum, Linn. trans.
- VOU'APA, DC.** **VOU'APA, Triandria Monogynia.**
 bifolia, DC. two-leaved. Guiana. 1823. S. h. Aubl. guian. 1. t. 7.
- HYMEN'ÆA, DC.** **LOCUST-TREE, Decandria Monogynia.**
 1 Coubaril, DC. (wh.) leathery-leaved. S. America. 1688. 6. 8. S. h. Lam. ill. t. 330. f. 1.
 2 Candolleana, DC. (wh.) Decandolle's. Mexico. 1825. S. h. H. et B. n. gen. 6. t. 566.
 3 verrucosa, DC. (wh.) wart-podded. Madagascar. 1808. 6. 7. S. h. Lam. ill. t. 330. f. 2.
- BAUHINIA, DC.** **BAUHINIA, Monadelphia v. Decandria Monogynia.**
 1 divaricata, DC. (wh.) dwarf. W. Indies. 1742. 6. 9. S. h. Linn. hort. cliff. t. 15.
 2 Lamarckiana, DC. (wh.) Lamarck's. S. America. S. h.
 3 spathacea, DC. (wh.) spathaceous. New Spain. 1825. S. h.
 4 subrotundifolia, DC. (w.) round-leaved. S. America. 1816. 4. 6. S. h. Cavan. ic. 5. t. 406.
 5 aurita, DC. (wh.) large-eared. Jamaica. 1756. 9. 10. S. h. Miller ic. t. 61.
 6 porrecta, DC. (wh.) smooth-leaved. W. Indies. 1737. 7. 8. S. h. Bot. mag. t. 1708.
 7 latifolia, DC. (wh.) broad-leaved. New Spain. 1825. S. h. Cavan. ic. t. 405.
 8 candida, DC. (wh.) white-flowered. E. Indies. 1777. 5. 6. S. h.
 9 acuminata, DC. (wh.) acute-leaved. 1808. 7. 8. S. h. Rheed. mal. 1. t. 34.
 10 grandiflora, DC. (wh.) large-flowered. Peru. 1824. S. h.
 11 aculeata, DC. (wh.) prickly-stalked. W. Indies. 1737. 6. 8. S. h. Plum. ed. Bur. t. 44. f. 1.
 12 forficata, DC. (wh.) forked. Brazil. 1824. S. h.
 13 emarginata, DC. (wh.) emarginate. Carthagenæ. S. h.
 14 rufescens, DC. rufous. Africa. 1816. S. h.
 15 parviflora, DC. (wh.) small-flowered. E. Indies. 1808. S. h.
 16 Ungula, DC. (wh.) villous-leaved. Caracas. 1827. S. h. Jacq. fragm. t. 15. f. 1.
aculeata, Jacq. amer. t. 177. f. 2.
- 17 variegata, DC. (v.) variegated-fl'd. E. Indies. 1690. 6. 7. S. h. Rheed. mal. 1. t. 32.
 18 tomentosa, DC. (st.) tomentose. 1808. S. h. Burm. zeyl. t. 18.
 19 pubescens, DC. (wh.) pubescent. W. Indies. 1824. S. h.
 20 multinervia, DC. (wh.) many-nerved. Caracas. 1825. S. h.
 21 racemosa, DC. large-leaved. E. Indies. 1790. S. h. Vahl. symb. 3. t. 62.
 22 purpurea, DC. (pu.) purple. 1778. S. h. Rheed. mal. 1. t. 33.
 23 retusa, DC. (wh.) retuse-leaved. 1822. S. h.
 24 corymbosa, DC. (wh.) corymbose. China. 1816. S. h. DC. leg. mem. t. 70.
 25 anguina, DC. (wh.) snake. E. Indies. 1818. S. h. Roxb. corom. 3. t. 285.
scandens, L. excl. *synon. Rumph.* Rheed. mal. 8. t. 30-31.
- 26 Lingua, DC. (st.) tongue-leaved. E. Indies. 1799. S. h. Rumph. amb. 5. t. 1.
scandens, L. excl. *syn. Rheed.*
- 27 coccinea, DC. (sc.) scarlet-flowered. China. 1826. S. h.
 28 guianensis, DC. (wh.) Guiana. Guiana. 1824. S. h. Aubl. guian. 1. t. 145.
 29 heterophylla, DC. (wh.) various-leaved. Caracas. 1824. S. h. Kth. mim. t. 46.
 30 cumanensis, DC. (wh.) Cumana. Cumana. 7. 8. S. h. Bot. reg. t. 1133.
 31 anatomica, L. en. jagged-leaved. S. America. 1816. S. h.
 32 triandra, H.B. (wh.) triandrous. E. Indies. 1823. S. h.
 33 semibifida, H.B. (wh.) half-cleft. 1818. S. h.
 34 malabaria, H.B. Malabar. Malabar. 1823. S. h.
 35 ferruginea, H.B. ferruginous. E. Indies. 1822. S. h.
 36 cordifolia, H.B. heart-leaved. 1828. S. h.
 37 spicata, spiked. 1820. S. h.
 38 speciosa, L.C. handsome. S. h.
 39 microphylla, L.C. small-leaved. S. h.
 40 esculenta, B.T. (wh.) eatable-rooted. C. B. S. 1816. I. 2.
- CERCIS, DC.** **JUDAS-TREE, Decandria Monogynia, L.**
 1 Siliquastrum, DC. (ro.) European. S. Europe. 1596. 5. 6. H. h. Bot. mag. t. 1138.
 2 canadensis, DC. (ro.) American. N. America. 1730. H. h. Miller ic. t. 2.
- CR'UDYA, DC.** **CR'UDYA, Octo-Decandria Monogynia.**
 1 spicata, DC. (wh.) spiked. Guiana. 1825. S. h. Aubl. guian. 1. t. 147.
Apalotia spicata, Aubl.
 2 aromatica, DC. (gr.) aromatic. 1828. S. h. Aubl. guian. 1. t. 148.
Touchiroa aromatica, Aubl.
- COD'ARIUM, DC.** **VELVET TAMARIND, Diandria Monogynia.**
 1 acutifolium, DC. (re.) acute-leaved. Sierra Leone. 1800. S. h. Rœm. arch. 1. t. 6.
nitidum, Vahl. *Dialium guineense*, v.
 2 obtusifolium, DC. (re.) blunt-leaved. S. h.

Tribus X. *DETARIEÆ*. DC. prodr. 2. p. 521.

DET'ARIUM. DC.	DET'ARIUM. Decandria Monogynia.
senegalensis. DC. (gr.) Senegal.	Senegal. 1822. S. h.

ORDO LXXV.

CHRYSOBALANÆ. *Brown cong. p. 14.*

CHRYSOBALANUS. DC. COCOA PLUM. Icosandria Monogynia. L.									
1	icæco. DC.	(wh.)	West Indian.	W. Indies.	1752.	4. 6.	S. h.	Jacq. amer. t. 94.	
2	ellipticus. DC.	(wh.)	Pigeon plum.	Sierra Leone.	1822.		S. h.		
3	oblongifolius. DC.	(wh.)	American.	Georgia.	1812.	4. 5.	G. h.		
PARINARIUM. DC. PARINARIUM. Dodecandria Monogynia.									
1	excelsum. G.D.	(wh.)	rough plum.	Sierra Leone.	1822.		S. h.	Loud. encycl. pl. f. 5072.	
2	macrophyllum. G.D.	(w.)	gingerbread plum.	—	—		S. h.		
GRANGERIA. DC. GRANGERIA. Dodecandria Monogynia.									
	borbônica. DC.	(wh.)	Bourbon.	Bourbon.	1822.		S. h.	Lam. ill. t. 427.	
HIRTELLA. DC. HIRTELLA. Tri-Dodecandria Monogynia.									
1	triandra. DC.	(wh.)	triandrous.	W. Indies.	1782.		S. h.	Jacq. amer. t. 8.	
	americana. Jacq.	non	Aubl. paniculata.	R.S.					
2	glandulosa. DC.	(wh.)	glandular.	Brazil.	1827.		S. h.	Spreng. anl. t. 7. f. 1-4.	
3	racemosa. DC.	(bl.)	racemed.	Guiana.	1782.		S. h.	Aubl. guian. 1. t. 98.	
	americana. Aubl.	non	Jacq.						
4	oblongifolia. DC.	(ro.)	oblong-leaved.	New Spain.	1826.		S. h.		
5	nemorosa. DC.	(ye.)	wood.	Brazil.	1825.		S. h.		

ORDO LXXVI.

AMYGDALINÆ. *D. Don prodr. flor. nepal. p. 239.*

AMYGDALUS. K.S. ALMOND. Icosandria Monogynia. L.									
1	nàna. w.	(pi.)	common dwarf.	Russia.	1683.	3. 4.	H. h.	Bot. mag. t. 161.	
2	geórgica. Df.	(pi.)	Georgian.	Georgia.	1820.	—	H. h.		
3	campéstris. Bes.	(pi.)	Besser's.	Poland.	1829.	—	H. h.		
	<i>Besseriàna. Schott.</i>								
4	orientális. w.	(ro.)	silvery-leaved.	Levant.	1756.	—	F. h.		
	<i>argénteá. Lam.</i>								
5	incàna. w.	(ro.)	woolly.	Caucasus.		—	H. h.	Pall. ross. 1. t. 7.	
6	prostràta. K.S.	(pi.)	prostrate.	Crete.	1802.	5.	H. h.	Bot. reg. t. 136.	
	<i>Prúnus prostràta. B.R.</i>								
7	pùmila. w.	(pi.)	double dwarf.	Africa.	1683.	5. 6.	H. h.	Bot. mag. t. 2176.	
	<i>Pridus sinénsis. P.S.</i> Prúnus japónica, B.R. is a very different plant, and a true Cérasus.								
8	sibírica. L.C.	(pi.)	Siberian.	Siberia.	1820.	3. 4.	H. h.		
9	commúnis. DC.	(pi.)	common.	Barbary.	1548.	—	H. h.		
	<i>a amara. DC.</i>		(pi.)	<i>bitter.</i>	—	—	H. h.		
	<i>β dúleis. DC.</i>		(bh.)	<i>sweet.</i>	—	—	H. h.	Lam. ill. t. 430. f. 2.	
	<i>γ frágilis. DC.</i>		(bh.)	<i>tender.</i>	—	—	H. h.	Nois. jard. fr. t. 3. f. 2.	
	<i>δ macrocarpa. DC.</i>		(pi.)	<i>large-fruited.</i>			H. h.	Bot. reg. t. 1160.	
	<i>ε persicóides. DC.</i>		(pi.)	<i>Almond Peach.</i>	Hybrid.	—	H. h.	Nois. jard. fr. t. 3. f. 1.	
10	cochinchinénsis. DC.		(pi.)	Chinese.	Cochinchina.	1825.	H. h.		
11	Pérsica. w.		(pi.)	common Peach.	Persia.	1562.	4. 5.	H. h.	Nois. j. fr. 1-16. 22-35. ic.
	<i>β flore pleno.</i>		(pi.)	<i>double-blossomed.</i>			H. h.		
	<i>δ nàna.</i>		(pi.)	<i>dwarf.</i>	China.	1826.	H. h.		
	<i>ε nectarína.</i>		(pi.)	<i>Nectarine.</i>	Persia.	1562.	H. h.	Nois. jard. fr. t. 20-21.	

ARMENIACA. DC. APRICOT. Icosandria Monogynia.

1	vulgâris. DC.	(wh.) common.	Levant.	1548.	2. 4.	H. 5.	Lam. ill. t. 431.
	<i>a ovalifolia</i> . DC.	(wh.) oval-leaved.	—	—	—	H. 5.	Nois. jar. fr. t. 1-2. f. 1-2.
	<i>β cordifolia</i> . DC.	(wh.) heart-leaved.	—	—	—	H. 5.	— t. 1. f. 3. t. 2. f. 3.
2	dasycarpa. DC.	(wh.) black-fruited.			3. 4.	H. 5.	Bot. reg. t. 1243.
	<i>Prunus dasycarpa</i> . B.R.	—	—	—	—	—	—
	<i>β persicifolia</i> . DC.	(wh.) Peach-leaved.			—	H. 5.	Du. ar. ed. no. 5. t. 52. f. 1.
3	sibirica. DC.	(pi.) Siberian.	Siberia.	1788.	4.	H. 5.	Pall. ross. 1. t. 8.
4	brigitanica. DC.	(wh.) spiny.	S. Europe.		—	H. 5.	Duh. arb. ed. n. 5. t. 59.
PRUNUS. DC. PLUM-TREE. Icosandria Monogynia. L.							
1	spinosa. DC.	(wh.) Sloe-tree.	Britain.		3. 4.	H. 5.	Eng. bot. v. 12. t. 842.
	<i>a vulgâris</i> . DC.	(wh.) common.	—		—	H. 5.	Duham. ed. n. 5. t. 54. f. 1.
	<i>β microcarpa</i> . DC.	(wh.) small-fruited.	—		—	H. 5.	—
	<i>γ macrocarpa</i> . DC.	(wh.) large-fruited.	—		—	H. 5.	—
	<i>δ ovata</i> . DC.	(wh.) oval-leaved.	—		—	H. 5.	Blackw. herb. t. 494.
2	insititia. DC.	(wh.) Bullace-tree.	Britain.		4.	H. 5.	Eng. bot. v. 12. t. 841.
3	cândicans. DC.	(wh.) snowy.		1818.	4. 5.	H. 5.	Bot. reg. t. 1135.
4	Coccolilia. DC.	(wh.) twin-flowered.	Calabria.	1826.	—	H. 5.	—
5	maritima. DC.	(wh.) sea-side.	N. America.	1800.	—	H. 5.	—
6	pubescens. DC.	(wh.) pubescent.		1819.	—	H. 5.	—
7	divaricata. DC.	(wh.) spreading.	Caucasus.	1828.		H. 5.	—
8	cerasifera. S.	(wh.) Myrobalan.	N. America.	1629.	4. 5.	H. 5.	Duham. arb. 2. t. 2. f. 15.
9	pyramidalis. DC.	(wh.) pyramidal.	Europe.		4.	H. 5.	— 2. t. 15—20.
10	domestica. DC.	(wh.) common.	England.		—	H. 5.	Eng. bot. v. 25. t. 1783.
	<i>a armenioides</i> . DC.	(wh.) Apricot-like.			—	H. 5.	Duham. arb. 2. t. 13—14.
	<i>β Claudiâna</i> . DC.	(wh.) Reine Claude.			—	H. 5.	— 2. t. 11—12.
	<i>γ damascena</i> . DC.	(wh.) Damson.			—	H. 5.	— 2. n. 13. t. 5.
	<i>δ turonensis</i> . DC.	(wh.) Monsieur hatif, &c.			—	H. 5.	— 2. n. 16. t. 20. f. 1.
	<i>ε Juliâna</i> . DC.	(wh.) Saint Julien.			—	H. 5.	Duh. ed. nov. 5. t. 54. f. 2.
	<i>ζ Catharinea</i> . DC.	(wh.) Saint Catherine.			—	H. 5.	Duham. arb. 2. f. 1.
	<i>η Aubertiâna</i> . DC.	(wh.) Imperatrice.			—	H. 5.	Nois. jar. fr. t. 57—58. f. 4.
CERASUS. DC. CHERRY TREE. Icosandria Monogynia.							
1	âvium. DC.	(wh.) small-fruited.	Britain.		4. 5.	H. 5.	Blackw. t. 425.
	<i>a sylvestris</i> . DC.	(wh.) wood.	—		—	H. 5.	—
	<i>β macrocarpa</i> . DC.	(wh.) large-fruited.			—	H. 5.	Du. ed. no. 1. n. 2. t. 4. f. D.
	<i>γ pallida</i> . DC.	(wh.) pale-fruited.			—	H. 5.	— 5. n. 3. t. 4. f. B. C.
	<i>δ multiplêx</i> . DC.	(wh.) double-blossomed.			—	H. 5.	—
2	duracina. DC.	(wh.) hard-fruited.	Europe.		—	H. 5.	—
	<i>a cordigera</i> . DC.	(wh.) Bigarreaux.			—	H. 5.	Nois. jard. fr. t. 6. f. 1.
	<i>β obtusata</i> . DC.	(wh.) blunt-fruited.			—	H. 5.	Duh. ed. no. 5. t. 18. f. B.
	<i>γ mamillaris</i> . DC.	(wh.) large-leaved.			—	H. 5.	— 5. n. 12. t. 16. f. A.
3	juliâna. DC.	(wh.) early.	S. Europe.		—	H. 5.	— 5. n. 5. t. 15. f. A.
	<i>β Heaumiana</i> . DC.	(wh.) long-leaved.			—	H. 5.	— n. 29. t. 19.
	<i>γ pendula</i> . DC.	(wh.) pendulous-branch'd.			—	H. 5.	—
4	Caproniana. DC.	(wh.) common.	—		—	H. 5.	—
	<i>a Montmorencyana</i> . DC.	(wh.) May Duke, &c.			—	H. 5.	Duh. ed. no. 5. n. 14. t. 7.
	<i>β pallescens</i> . DC.	(wh.) pale-fruited.			—	H. 5.	— n. 18. t. 11.
	<i>γ gobêta</i> . DC.	(wh.) Kentish.			—	H. 5.	— t. 12. f. A.
	<i>δ polygyna</i> . DC.	(wh.) polygynous.			—	H. 5.	Duham. arb. 4. t. 3.
	<i>ε multiplêx</i> . DC.	(wh.) semi-double.			—	H. 5.	— p. 173. t. 5.
	<i>ζ persiciflora</i> . DC.	(wh.) double-flowered.			—	H. 5.	—
	<i>κ variegata</i> . DC.	(wh.) striped-leaved.			—	H. 5.	—
	<i>θ griotta</i> . DC.	(wh.) globular-fruited.			—	H. 5.	Duh. ed. nov. n. 21. t. 14.
	<i>ι cordigera</i> . DC.	(wh.) red-heart.			—	H. 5.	Duham. arb. 4. t. 16. f. 1.
5	semperflorens. DC.	(wh.) late-fruited.	N. America.		5. 6.	H. 5.	Wats. dend. brit. 131.
6	chamæcerasus. DC.	(wh.) bastard.	Germany.	1597.	5.	H. 5.	Jacqu. ic. 1. t. 90.
7	persicifolia. DC.	(wh.) Peach-leaved.	N. America.	1818.	4. 5.	H. 5.	—
8	pumila. DC.	(wh.) dwarf.	—	1756.	5.	H. 5.	Mill. ic. t. 89. f. 2.
9	pygmæa. DC.	(wh.) small.	—	1818.	—	H. 5.	—
10	nigra. DC.	(wh.) black-fruited.	Canada.	1773.	5. 6.	H. 5.	Bot. mag. t. 1117.
11	borealis. DC.	(wh.) northern.	N. America.	1818.	—	H. 5.	—
12	depressa. DC.	(wh.) depressed.	—	1805.	5.	H. 5.	—
13	Susquehannæ. W. en.	(wh.) glaucous-ld.	N. America.	1800.	—	H. 5.	—
14	hyemalis. DC.	(wh.) mountain.	—	1805.	—	H. 5.	—
15	Chicasa. DC.	(wh.) Chicasaw.	—	1806.	4. 5.	H. 5.	—
16	pubescens. DC.	(wh.) pubescent.	—	1822.	5.	H. 5.	—
17	japonica. DC.	(pi.) Japan.	Japan.	1810.	3. 5.	H. 5.	Bot. reg. t. 27.
18	serrulata. H. C.	(bh.) saw-leaved.	China.	1822.	4. 5.	H. 5.	—
19	salicina. H. C.	(bh.) Willow-like.	—	—	—	H. 5.	—

20	pseùdo-céræsus. HC. (wh.) Chinese. <i>paniculata</i> . B.R. non Thunb.	China.	1820.	4. 5.	F. h.	Bot. reg. t. 800.
21	pensylvànica. DC. (wh.) Pennsylvanian.	N. America.	1773.	5.	H. h.	Willd. arb. t. 3. f. 3.
22	Mahaleb. DC. (wh.) perfumed.	S. Europe.	1714.	4. 5.	H. h.	Jacq. aust. 3. t. 227.
23	Pádus. DC. (wh.) Bird.	Britain.		—	H. h.	Eng. bot. v. 20. t. 1383.
24	rùbra. W. (wh.) red-fruited.	England.		—	H. h.	Willd. arb. t. 4. f. 2.
25	virginiana. DC. (wh.) Virginian.	N. America.	1724.	5. 6.	H. h.	— t. 5. f. 1.
26	serotina. DC. (wh.) American Bird.	—	1629.	—	H. h.	Wats. dend. brit. 48.
27	occidentális. DC. (wh.) West Indian.	Jamaica.	1784.	12. 1.	S. h.	Catesb. car. 2. t. 94?
28	lusitanica. DC. (wh.) Portugal Laurel.	Portugal.	1648.	6.	H. h.	Mill. ic. t. 196. f. 1.
29	Híxa. W. en. (wh.) Teneriffe.	Teneriffe.	1824.	—	F. h.	—
30	Laurocéræsus. DC. (wh.) Laurel.	Levant.	1629.	4. 5.	H. h.	Blackw. herb. t. 512.
31	caroliniana. DC. (wh.) evergreen.	Carolina.	1759.	5.	H. h.	—

ORDO LXXVII.

POMACEÆ. *D. Don prodr. flor. nepal. p. 236.*

ME'SPILUS. K.S.		ME'SPILUS. Icosandria Di-Pentagynia.					
1	germánica. DC. (wh.) Medlar.	England.		5. 7.	H. 5.	Eng. bot. v. 22. t. 1523.	
	<i>a sylvestris</i> . DC. (wh.) wild.	—		—	H. 5.	—	
	<i>β stricta</i> . DC. (wh.) upright.	—		—	H. 5.	—	
	<i>γ diffusa</i> . DC. (wh.) Dutch.	—		—	H. 5.	Duham. arb. fr. 1. t. 3.	
2	grandiflora. s.s. (wh.) large-flow red.	S. Europe.	1800.	5. 6.	H. 5.	Exot. bot. 1. t. 18.	
	<i>Smithii</i> . DC. —	—	—	—	—	—	
3	Pyracantha. s.s. (wh.) evergreen thorn.	—	1629.	5.	H. h.	Schmidt arb. t. 90.	
4	crenulata. D.P. (wh.) crenulate.	Nepaul.	1818.	6. 7.	H. h.	—	
5	mexicana. DC. (wh.) Mexican.	Mexico.	1824.	5. 6.	F. h.	—	
6	Crús-gállí. L. (wh.) Cockspur-thorn.	N. America.	1691.	5. 6.	H. 5.	Wats. dend. brit. t. 56.	
7	pyracanthifolia. (wh.) Pyracantha-leaved.	—	—	—	H. 5.	—	
	<i>lucida</i> . Dum-Cours. bot. cult. ed. 2. v. 5. p. 448. non Miller.	—	—	—	—	—	
8	salicifolia. L.C. (wh.) Willow-leaved.	—	—	—	H. 5.	—	
9	linearis. DF. (wh.) linear-leaved.	—	—	—	H. 5.	—	
10	nana. Dum-C. (wh.) dwarf.	—	1826.	—	H. h.	—	
11	spiniosissima. L.C. (wh.) long-spined.	S. Europe.		—	H. h.	Lodd. bot. cab. 1100.	
12	punctata. W. en. (wh.) spotted-fruited.	N. America.	1746.	—	H. 5.	Wats. dend. brit. t. 57.	
	<i>α rubra</i> . Ph. (wh.) red-fruited.	—	—	—	H. h.	—	
	<i>β aurea</i> . Ph. (wh.) yellow-fruited.	—	—	—	H. h.	—	
13	elliptica. W. en. (wh.) oval-leaved.	—	1765.	5.	H. 5.	—	
14	prunifolia. s.s. (wh.) Plum-leaved.	—	1812.	5. 6.	H. 5.	—	
15	prunellifolia. DC. (wh.) Sloe-leaved.	—	1824.	—	H. h.	—	
16	latifolia. Poir. (wh.) broad-leaved.	N. America.		—	H. 5.	—	
17	parvifolia. W. en. (wh.) Gooseberry-leav'd.	—	1704.	—	H. h.	Wats. dend. brit. 65.	
	<i>anthocárpos</i> . s.s. <i>Cratægus parvifolia</i> . DC. <i>tomentosa</i> . L. Trew.	—	—	—	—	chr. t. 17.	
18	ovalifolia. DC. (wh.) oval-leaved.	—		—	H. h.	—	
19	viridis. DC. (wh.) smooth green.	—		—	H. h.	—	
20	pauciflora. Poir. (wh.) few-flowered.	Switzerland.	1818.	—	H. h.	—	
21	lucida. DC. (wh.) glossy-leaved.	—		—	H. h.	—	
22	apiifolia. s.s. (wh.) Parsley-leaved.	—	1812.	—	H. h.	—	
23	pyrifolia. s.s. (wh.) Pear-leaved.	—	1765.	6.	H. 5.	Wats. dend. brit. t. 61.	
24	glandulosa. s.s. (wh.) hollow-leaved.	N. America.	1750.	5. 6.	H. 5.	— brit. t. 58.	
	<i>Cratægus sanguinea</i> . Pall. ross. 1. t. 11.	—	—	—	—	—	
25	spatulata. s.s. (wh.) spatula-leaved.	—	1806.	—	H. 5.	Lodd. bot. cab. t. 1261.	
26	coccinea. s.s. (wh.) scarlet-fruited.	—	1683.	4. 5.	H. 5.	Wats. dend. brit. t. 62.	
27	purpurea. W.D. (wh.) purple-branch'd.	—		—	H. 5.	— t. 60.	
28	cordata. s.s. (wh.) Maple-leaved.	—	1738.	5. 6.	H. 5.	— t. 63.	
	<i>Cratægus cordata</i> . Bot. reg. t. 1151.	—	—	—	—	—	
29	lobata. Poir. (wh.) lobed-leaved.	—	1818.	—	H. 5.	—	
30	florentina. Be. (wh.) Florentine.	Florence.	1824.	—	H. 5.	—	
31	nigra. s.s. (wh.) black-fruited.	Hungary.	1818.	—	H. 5.	Lodd. bot. cab. t. 1021.	

32	pentágyna. s.s. (wh.)	five-styled.	Hungary.	1818.	5. 6.	H. 5.	
33	fláva. W. en. (wh.)	yellow-berried.	N. America.	1724.	—	H. 5.	Wats. dend. brit. t. 59.
34	fissa. Poir. (wh.)	cloven-leaved.	—	1818.	—	H. 5.	
35	Oliveriána. DC. (wh.)	Oliver's.	Levant.	—	—	H. 5.	
36	Poiretiána. DC. (wh.)	Poiret's.	N. America.		—	H. 5.	
	<i>lineáris. Poir. non P.S.</i>						
37	dissécta. Dum. (wh.)	cut-leaved.	Persia.	1828.		H. 5.	
38	Oxyacántha. s.s. (wh.)	Hawthorn.	Britain.		5. 6.	H. 5.	Eng. bot. v. 35. t. 2504.
	<i>Cratægus Oxyacántha. DC.</i>						
	<i>β major.</i> (wh.)	great-fruited.	—		—	H. 5.	
	<i>γ aúrea.</i> (wh.)	yellow-berried.	—		—	H. 5.	
39	præcox. (wh.)	Glastonbury.			3. 5.	H. 5.	
40	oxyacanthóides. B.R.	Hawthorn-like.	S. Europe.		5. 6.	H. 5.	Bot. reg. t. 1128.
	<i>β multipléx.</i> (wh.)	double-flowered.	—		—	H. 5.	
41	élegans. Poir. (ro.)	rose-coloured.	—		—	H. 5.	Blackw. herb. t. 149.
	<i>β rubérrima.</i> (re.)	dark-red.	—	1827.	—	H. 5.	
42	eriocárpa. Lind. (wh.)	woolly-fruited.	Britain.		—	H. 5.	
43	monógyna. Pal. (wh.)	one-styled.	Siberia.		—	H. 5.	Pall. ross. 1. t. 12.
44	heterophylla. DC. (wh.)	various-leaved.	Levant?	1818.	—	H. 5.	Bot. reg. t. 1161.
45	Azarólus. s.s. (wh.)	Azarole.	S. Europe.	1640.	—	H. 5.	Andr. reposit. t. 579.
46	Arónia. W. en. (wh.)	Aronian.	Levant.		—	H. 5.	Pocock tr. t. 85.
47	orientális. Poir. (wh.)	oriental.	—	1824.	—	H. 5.	
48	tanacetifolia. A.R. (wh.)	Tansy-leaved.	—	1789.	—	H. ½.	Andr. reposit. t. 591.
49	odoratissima. A.R. (wh.)	sweet-scented.	Crimea.		—	H. ½.	— t. 590.
50	Celsiána. W. en. (wh.)	Cels's.	Levant.	1822.	—	H. ½.	
51	laciniáta. DC. (wh.)	jagged.	Sicily.	—	—	H. ½.	
52	melanocárpa. s.s. (wh.)	black-berried.	Tauria.	1818.	—	H. ½.	
53	pectináta. L. en. (wh.)	pectinated.	Persia.	1824.	—	H. ½.	
54	flabelláta. L.C. (wh.)	fan-leaved.		1823.	—	H. ½.	
55	pruinósa. Lk. (wh.)	frosted.		1826.	—	H. ½.	
56	succulénta. Scr. (wh.)	succulent.		—	—	H. ½.	
57	subvillósa. Scr. (wh.)	villous.		1827.	—	H. ½.	
58	punicea. F.	crimson.	Dahuria.		—	H. ½.	
RAPHIOLEPIS. DC. RAPHIOL'EPIS. Icosandria Digynia.							
1	indica. DC. (wh.)	Indian.	China.	1806.	5. 8.	G. ½.	Bot. mag. t. 1726.
	<i>Cratægus indica. B.M.</i>						
2	phæostemon. DC. (wh.)	red-stamen'd.	—	1818.	—	G. ½.	Bot. reg. t. 468.
	<i>indica. Bot. reg. non Bot. mag.</i>						
3	rúbra. DC. (wh.)	red-stemmed.	—	1806.	—	G. ½.	Lindl. coll. t. 3.
4	salicifolia. DC. (wh.)	Willow-leaved.	—	1820.	—	G. ½.	Bot. reg. t. 652.
PHOTYNIA. DC. PHOT'NIA. Icosandria Digynia.							
1	serruláta. DC. (wh.)	smooth-leaved.	China.	1804.	4. 7.	H. ½.	Bot. mag. t. 2105.
	<i>Cratægus glábra. B.M.</i>						
2	arbutifolia. DC. (wh.)	Arbutus-leaved.	California.	1796.	6. 8.	H. ½.	Bot. reg. t. 491.
3	integrifolia. DC. (wh.)	entire-leaved.	Nepaul.	1820.	5. 6.	H. ½.	
	<i>Pyrus integriferrima. D.P.</i>						
4	dúbia. DC. (wh.)	doubtful.	—	1822.	—	H. ½.	Linn. trans. 13. t. 10.
	<i>Méspilus tinctória. D.P. Méspilus bengalénsis. Roxb.</i>						
ERIOBOTRYA. DC. LOQUAT. Icosandria Pentagynia.							
1	japónica. DC. (wh.)	Japan.	Japan.	1787.	9. 10.	H. ½.	Bot. reg. t. 365.
	<i>Méspilus japónica. Vent. malm. t. 19.</i>						
2	elliptica. DC. (wh.)	elliptic-leaved.	Nepaul.	1822.		H. ½.	
	<i>Méspilus Cúila. D.P.</i>						
COTONEA'STER. DC. COTONEA'STER. Icosandria Di-Pentagynia.							
1	vulgáris. DC. (wh.)	common.	Europe.	1656.	4. 5.	H. ½.	Flor. dan. t. 112.
	<i>Méspilus Cotoneáster. L.</i>						
2	affinis. DC. (bh.)	likened.	Nepaul.	1820.	6. 7.	H. ½.	
3	tomentósa. DC. (wh.)	Quince-leaved.	Europe.	1759.	4. 5.	H. ½.	Wats. dend. brit. t. 55.
	<i>Méspilus eriocárpa. W.D.</i>						
4	denticuláta. K.S. (wh.)	tooth-leaved.	Mexico.	1826.		F. ½.	H. et B. n. ge. am. 6. t. 556.
5	laxiflora. J.F. (wh.)	loose-flowered.	Nepaul.	1820.	5. 7.	H. ½.	
6	frígida. B.R. (wh.)	mountain.	—	1823.	4. 5.	H. ½.	Bot. reg. t. 1229.
7	acumináta. DC. (bh.)	pointed-leaved.	—	1820.	4. 6.	H. ½.	Linn. trans. v. 13. t. 9.
	<i>Méspilus acumináta. Lodd. bot. cab. t. 919.</i>						
8	rotundifolia. B.R. (wh.)	round-leaved.	—	—	—	H. ½.	Bot. reg. t. 1187.
	<i>microphylla β 'Uva úrsi. B.R.</i>						
9	microphylla. B.R. (wh.)	small-leaved.	—	—	—	H. ½.	Bot. reg. t. 1114.
10	buxifolia. B.R. (wh.)	Box-leaved.	—	1824.	—	H. ½.	

AMELA'NCHIER, DC. AMELA'NCHIER. Icosandria Pentagynia.									
1	vulgâris, DC. (wh.)	common.	S. Europe.	1596.	4. 5.	H. h.	Schmidt, arb. t. 85.		
<i>Méspilus Amelânchier</i> , Jacq. aust. t. 300. <i>Pyrus Amelânchier</i> , W.									
2	Botryâpium, DC. (wh.)	snowy.	N. America.	1746.	—	H. h.	Schmidt, arb. t. 84.		
<i>Méspilus canadensis</i> , L. <i>Pyrus Botryâpium</i> , w. <i>Arónia Botryâpium</i> , P.S.									
3	ovalis, DC. (wh.)	oval-leaved.	—	1800.	—	H. h.			
4	sanguinea, DC. (wh.)	red-branched.	—	1812.	—	H. h.	Bot. reg. t. 1171.		
ARONIA, P.S. ARONIA. Icosandria Di-Pentagynia.									
1	arbutifolia, N. (wh.)	red-berried.	N. America.	1700.	5. 6.	H. h.	Mill. ic. t. 109.		
<i>pyrifolia</i> , P.S. <i>Pyrus arbutifolia</i> , Ph.									
2	grandifolia, (wh.)	large-leaved.	—	—	—	H. h.	Bot. reg. t. 1154.		
<i>Pyrus grandifolia</i> , B.R.									
3	floribunda, (wh.)	many-flowered.	—	—	—	H. h.	Bot. reg. t. 1006.		
4	xanthocarpa, L.C. (wh.)	yellow-fruited.	—	1820.	—	H. h.			
5	melanocarpa, N. (wh.)	black-fruited.	—	1700.	—	H. h.	Schmidt, arb. t. 86.		
6	chamæmépilus, P.S. (wh.)	Bastard Quince.	Pyrenees.	1683.	—	H. h.	— t. 87.		
<i>Méspilus chamæmépilus</i> , L. <i>Cratægus chamæmépilus</i> , Jacq. aust. t. 231.									
PYRUS, DC. PEAR & APPLE. Icosandria Di-Pentagynia.									
1	communis, DC. (wh.)	common Pear.	England.	—	4.	H. 5.	Eng. bot. v. 25. t. 1784.		
<i>α Achras</i> , DC. (wh.) pointed-leaved.									
<i>β pyrâster</i> , DC. (wh.) round-leaved.									
<i>γ sativa</i> , DC. (wh.) cultivated.									
2	Bollwylleriana, DC. (wh.)	woolly-leaved.	Germany.	1786.	4. 5.	H. 5.	Lodd. bot. cab. t. 1009.		
3	salvifolia, DC. (wh.)	Sage-leaved.	France.	1824.	—	H. 5.			
4	amygdaliformis, DC. (wh.)	Almond-like.	—	1820.	—	H. 5.			
5	elæagnifolia, DC. (wh.)	Oleaster-leaved.	Tauria.	1818.	—	H. 5.			
6	salicifolia, DC. (wh.)	Willow-leaved.	Siberia.	1780.	5. 6.	H. 5.	Bot. reg. t. 514.		
7	crenâta, D.P. (wh.)	crenated.	Nepaul.	1820.	—	H. 5.			
8	sinâica, DC. (wh.)	Mount Sinai.	Levant.	—	5.	H. 5.	Wats. dend. brit. t. 49.		
<i>pérscica</i> , P.S.									
9	nivâlis, DC. (wh.)	white-leaved.	Austria.	—	—	H. 5.	Jacq. aust. 2. t. 107.		
10	Pâshia, D.P. (wh.)	rough-fruited.	Nepaul.	1825.	5. 6.	H. 5.			
11	Nússia, D.P. (wh.)	small-fruited.	—	1823.	—	H. 5.			
12	sinênsis, B.R. (wh.)	Chinese.	China.	—	—	H. 5.	Bot. reg. t. 1248.		
13	acérba, DC. (bh.)	sour.	Europe.	—	4. 5.	H. 5.	Flor. dan. t. 1101.		
14	Mâlus, DC. (bh.)	common Apple.	Britain.	—	—	H. 5.	Eng. bot. v. 3. t. 179.		
15	præcox, (bh.)	Paradise.	Russia.	1784.	4.	H. 5.			
16	dioica, DC. (st.)	linear petal'd.	—	—	4. 5.	H. 5.			
17	astracânica, DC. (bh.)	Astracan.	Astracan.	1824.	—	H. 5.			
18	spectâbilis, DC. (pi.)	Chinese Apple.	China.	1780.	5.	H. 5.	Bot. mag. t. 267.		
19	prunifolia, DC. (bh.)	Siberian Crab.	Siberia.	1758.	4. 5.	H. 5.	Mill. ic. 2. t. 269.		
20	tomentosa, DC. (bh.)	woolly.	—	1824.	—	H. 5.			
21	rubicunda, DC. (bh.)	red-fruited.	—	1820.	—	H. 5.			
22	baccâta, DC. (bh.)	small Crab.	Siberia.	1784.	—	H. 5.	Pall. fl. ross. t. 10.		
23	coronâria, DC. (pi.)	sweet-scented.	Virginia.	1724.	5.	H. 5.	Bot. reg. t. 651.		
24	angustifolia, DC. (bh.)	narrow-leaved.	N. America.	1750.	—	H. h.	Wats. dend. brit. 132.		
25	pumila, Mil. (bh.)	dwarf evergreen.	—	—	4. 5.	H. h.			
26	Aria, DC. (wh.)	white-beam.	Britain.	—	5. 6.	H. 5.	Eng. bot. v. 26. t. 1858.		
27	alpina, W. en. (wh.)	Alpine.	Europe.	1820.	—	H. 5.	Duham. ed. nov. 4. t. 34.		
<i>longifolia</i> , Duham.									
28	intermedia, DC. (wh.)	Swedish.	Sweden.	1789.	4. 5.	H. 5.	Flor. dan. 301.		
29	latifolia, P.S. (wh.)	broad-leaved.	France.	—	5. 6.	H. 5.	Duham. arb. 1. t. 80.		
30	êdulis, W. en. (wh.)	eatable-fruited.	Europe.	1816.	—	H. 5.	Wats. dend. brit. t. 52.		
31	lanâta, D.P. (wh.)	woolly.	Nepaul.	1820.	—	H. 5.			
32	torminalis, DC. (wh.)	Wild Service.	England.	—	4. 5.	H. 5.	Eng. bot. v. 5. t. 298.		
33	auriculâta, DC. (wh.)	eared-leaved.	Egypt.	1828.	—	H. 5.			
34	pinnatifida, DC. (wh.)	pinnatifid.	England.	—	5. 6.	H. 5.	Eng. bot. v. 33. t. 23-31.		
35	arbúscula, Poir. (wh.)	little tree.	Germany.	—	—	H. 5.			
36	microcarpa, DC. (wh.)	small-berried.	N. America.	—	—	H. 5.			
37	aucupâria, DC. (wh.)	Mountain Ash.	Britain.	—	—	H. 5.	Eng. bot. v. 5. t. 337.		
38	americâna, DC. (wh.)	purple-berried.	Canada.	1782.	—	H. 5.	Wats. dend. brit. t. 54.		
39	sorbifolia, W.D. (wh.)	Service-leaved.	—	—	5.	H. 5.	— t. 53		
40	Sôrbus, DC. (wh.)	Service-tree.	England.	—	5. 6.	H. 5.	Eng. bot. v. 5. t. 350.		
<i>doméstica</i> , E.B. <i>Sôrbus doméstica</i> , L.									
41	lanuginosa, DC. (wh.)	woolly-leaved.	Hungary.	1820.	—	H. 5.			
42	spûria, DC. (bh.)	spurious.	Hybrid.	—	—	H. 5.	Bot. reg. t. 1196.		
<i>hybrida</i> , Mœnch, Weis, t. 6. <i>Sôrbus spuria</i> , P.S.									

CYDONIA. DC.		QUINCE. Icosandria Pentagynia.					
1	vulgâris. DC.	(wh.) common.	S. Europe.	1573.	5. 6.	H. 5.	Jacq. aust. 4. t. 342.
	<i>a malifôrmis</i> . DC.	(wh.) Apple-fruited.	—	—	—	H. 5.	—
	<i>β lusitânica</i> . DC.	(wh.) large-fruited.	—	—	—	H. 5.	Duha. arb. fr. 1. p. 195. ic.
	<i>γ oblonga</i> . DC.	(wh.) oblong-fruited.	—	—	—	H. 5.	Blackw. herb. t. 137.
2	sinénsis. DC.	(wh.) Chinese.	China.	1815.	4. 5.	H. 5.	Bot. reg. t. 905.
3	japónica. DC.	(sc.) Japan.	Japan.	1796.	1. 12.	H. ½.	Bot. mag. t. 692.
	<i>α rûbra</i> .	(sc.) red-flowered.	—	—	—	H. ½.	—
	<i>Pyrus japónica</i> .	B.M. <i>Malus japónica</i> .	A.R. 462.	—	—	—	—
	<i>β álba</i> .	(wh.) white-flowered.	—	1812.	—	H. ½.	Lodd. bot. cab. t. 541.

ORDO LXXVIII.

ROSACEÆ. *D. Don prodr. fl. nepal. p. 229.*

Tribus I. ROSEÆ. DC. prodr. 2. p. 596.

ROSA. DC.		ROSE. Icosandria Polygynia. L.					
1	berberifolia. W.	(ye.) Berberry-ld.	Persia.	1790.	6. 8.	H. ½.	Redout. ros. 1. 27. t. 2.
	<i>simplicifolia</i> . P.L. 101.	<i>Lo'wea berberifolia</i> .	Bot. reg.	1261.	—	—	—
2	ferox. L.R.	(pu.) hedgehog.	Caucasus.	1796.	6. 8.	H. ½.	Bot. reg. t. 420.
3	kamchatica. L.R.	(pu.) Kamtschatka.	Kamtschatka.	1802.	7. 8.	H. ½.	— t. 419.
	<i>β nitens</i> . B.R.	(pu.) glossy.	—	1820.	—	H. ½.	— t. 824.
4	involuta. L.R.	(wh.) floral-leaved.	China.	1814.	5. 10.	H. ½.	— t. 739.
5	clinophylla. R.R.	(wh.) naked-flowered.	—	1820.	—	H. ½.	Redout. ros. 1. t. 10.
6	bracteata. L.R.	(wh.) Macartney.	—	1795.	6. 10.	H. ½.	— 1. t. 6.
	<i>β scabriuscula</i> . L.R.	(w.) rough Macartney.	—	—	—	H. ½.	Bot. mag. 1377.
7	nitida. W.en.	(ro.) dwarf Labrador.	N. America.	1773.	7. 8.	H. ½.	Lindl. ros. t. 2.
8	ràpa. R.R.	(ro.) double Burnet.	—	1726.	—	H. ½.	Redout. ros. 1. 7. t. 2.
9	lúcida. W.	(re.) single Burnet.	—	1773.	—	H. ½.	Miss Lawr. ros. t. 24.
10	Lindleyi. S.S.	(ro.) spreading.	—	1726.	—	H. ½.	Lindl. ros. t. 3.
	<i>lâxa</i> . L.R. non Retz.	—	—	—	—	—	—
11	parviflora. W.	(bh.) small-flowered.	—	1724.	—	H. ½.	—
	<i>α Single Pennsylvanian</i> (bh.)	—	—	—	—	H. ½.	Miss Lawr. ros. t. 68.
	<i>β Double Pennsylvanian</i> (bh.)	—	—	—	—	H. ½.	— t. 66.
12	Woodsii. L.R.	(pi.) Woods's.	—	1815.	6. 7.	H. ½.	—
13	gemella. S.S.	(re.) twin-flowering.	—	1800.	7. 8.	H. ½.	—
14	Lyonii. S.S.	(ro.) Lyon's.	Tennessee.	1812.	—	H. ½.	—
15	florida. L.C.	(re.) flowering.	N. America.	—	6. 7.	H. ½.	—
16	carolina. L.R.	(re.) Carolina.	—	1726.	—	H. ½.	Lindl. ros. t. 4.
17	pensylvanica. L.en.	(re.) Pennsylvanian.	—	—	—	H. ½.	—
18	blanda. L.R.	(re.) Hudson's Bay.	—	1773.	5. 8.	H. ½.	Miss Lawr. ros. t. 27.
19	fraxinifolia. L.R.	(re.) Ash-leaved.	Newfoundland.	—	4. 6.	H. ½.	Bot. reg. 458.
	<i>β Red Alpine Rose</i> . (re.)	—	—	—	—	H. ½.	Miss Lawr. ros. t. 75.
20	cinnamomea. E.B.	(ro.) Single Cinnamon.	England.		5.	H. ½.	Eng. bot. v. 34. t. 2388.
	<i>β flore semipleno</i> . (ro.)	—	—	—	—	H. ½.	—
	<i>γ facundissima</i> . (ro.)	double Cinnamon.	Europe.		4. 5.	H. ½.	Lindl. ros. t. 5.
21	majalis. L.R.	(ro.) dwarf Cinnamon.	S. Europe.		—	H. ½.	Flor. dan. t. 688.
22	frutetorum. S.S.	(bh.) short peduncul'd.	Volhynia.	1820.	5. 6.	H. ½.	—
23	ambigua. S.S.	(bh.) ambiguous.	—	—	—	H. ½.	—
24	macrophylla. L.R.	(ro.) long-leaved.	Nepaul.	1822.		H. ½.	Lindl. ros. t. 6.
25	americana. L.en.	(ro.) American.	America.	—		H. ½.	—
26	alpina. L.R.	(re.) Alpine.	Europe.	1683.	6. 7.	H. ½.	Bot. reg. 424.
	<i>α Alpine Rose</i> . (re.)	common.	—	—	—	H. ½.	Miss Lawr. ros. t. 30.
	<i>β pyrenaica</i> . L.R.	(re.) Pyrenean.	—	—	—	H. ½.	Jacq. schœnb. 4. t. 416.
	<i>γ pendulina</i> . L.R.	(re.) pendulous.	—	1726.	—	H. ½.	Miss Lawr. ros. t. 9.
27	pygmæa. S.S.	(ro.) pigmy.	Tauria.		—	H. ½.	—
28	rubella. E.B.	(re.) long-fruited.	England.		7.	H. ½.	Eng. bot. v. 36. t. 2521.
	<i>β melanocarpa</i> . L.R.	(re.) black-fruited.	—		—	H. ½.	—

29	<i>muricata</i> . L.en. (ro.)	muricate.		1823.	6. 7.	H. h.	
30	<i>balsamica</i> . s.s. (ro.)	balsamic.		—	—	H. h.	
31	<i>stricta</i> . L.R. (ro.)	upright.	N. America.	1726.	—	H. h.	Lindl. ros. t. 7.
	<i>Upright Carolina</i> . (ro.)		—	—	—	H. h.	Miss Lawr. ros. t. 36.
32	<i>suavis</i> . s.s. (ro.)	sweet.		1817.	—	H. h.	
33	<i>aciculâris</i> . L.R. (ro.)	grey Siberian.	Siberia.		3. 4.	H. h.	Lindl. ros. t. 8.
34	<i>pauciflora</i> . Ly. (ro.)	few-flowered.	—		—	H. h.	
35	<i>pulphurea</i> . w. (st.)	double yellow.	Levant.	1629.	7.	H. h.	Bot. reg. 46.
36	<i>lutescens</i> . Ph. (st.)	yellowish.	Siberia.	1780.	5. 6.	H. h.	Lindl. ros. t. 9.
	<i>hispida</i> . Bot. mag. t. 1570.						
37	<i>viminea</i> . L.R. (ro.)	twigg.	Russia.	1826.	5. 6.	H. h.	
38	<i>spinosissima</i> . E.B. (wh.)	Scotch.	Britain.		6. 7.	H. h.	Eng. bot. v. 3. t. 187.
	<i>β reversa</i> . L.R. (wh.)	reversed prickle.	—		—	H. h.	Bot. reg. 431.
	<i>γ striped-flowered Scotch</i> . (std.)		—		—	H. h.	Miss Lawr. ros. t. 15.
	<i>δ Red Scotch</i> . (re.)		—		—	H. h.	— t. 62.
	<i>ε Double Scotch</i> . (wh.)		—		—	H. h.	— t. 63.
	<i>ζ Tall Scotch</i> . (wh.)		—		—	H. h.	— t. 19.
	<i>η Marbled Scotch</i> . (pu.) (wh.)		—		—	H. h.	— t. 78.
	<i>θ sanguisorbifolia</i> . L.R. (wh.)	<i>Sanguisorba</i> -ld.		—	—	H. h.	
39	<i>altaica</i> . W.en. (wh.)	Pallas's.	Siberia.		—	H. h.	Pall. ros. 2. t. 75.
40	<i>ochroleuca</i> . L.en. (st.)	sulphur-color'd.	—	1814.	—	H. h.	
41	<i>melanocarpa</i> . s.s. (wh.)	small black fruited.	S. Europe.	1823.	—	H. h.	
42	<i>grandiflora</i> . L.R. (wh.)	large flowered.	Siberia.		5. 6.	H. h.	Bot. reg. 888.
43	<i>myriacantha</i> . DC. (wh.)	numerous-spin'd.	S. France.	1820.	—	H. h.	Lindl. ros. t. 10.
44	<i>involuta</i> . E.B. (bh.)	Dr. Walker's.	Hebrides.		6. 7.	H. h.	Eng. bot. v. 29. t. 2068.
45	<i>reversa</i> . L.R. (bh.)	reversed.	Hungary.	1817.	—	H. h.	W. et K. hung. 3. t. 264.
46	<i>Biebersteinii</i> . Ly. (ro.)	Bieberstein's.	Caucasus.	1821.	5.	H. h.	
47	<i>Doniana</i> . L.T. (wh.)	Mr. Don's.	Britain.		6. 7.	H. h.	
48	<i>gracilis</i> . L.T. (ro.)	slender.	—		7. 8.	H. h.	Eng. bot. v. 9. t. 583.
	<i>villosa</i> . E.B. non L.						
49	<i>Sabini</i> . L.T. (ro.)	Mr. Sabine's.	—		—	H. h.	
50	<i>marginata</i> . L.R. (ro.)	margin'd.	Germany.	1823.	—	H. h.	
51	<i>coruscans</i> . L.en. (ro.)	glittering.		—	—	H. h.	
52	<i>damascena</i> . L.R. (re.)	red damask.	Syria?	1575.	6. 7.	H. h.	Miss Lawr. ros. t. 38.
53	<i>centifolia</i> . L.R. (ro.)	Provins.	Caucasus.	1596.	—	H. h.	— t. 8.
	<i>β muscosa</i> . L.R. (ro.)	single moss.		1724.	—	H. h.	Bot. reg. 53.
	<i>γ multiplœx</i> . (ro.)	double moss.		—	—	H. h.	Bot. mag. t. 69.
	<i>δ albiflora</i> . (wh.)	white moss.		—	—	H. h.	Bot. reg. t. 102.
	<i>ε pomponia</i> . L.R. (pi.)	Pompone.		—	—	H. h.	Redout. ros. 1. 65. t. 21.
	<i>ζ bipinnata</i> . L.R. (pi.)	bipinnate.	Caucasus.		—	H. h.	— 2.11. t. 4.
54	<i>gallica</i> . L.R. (re.)	official.	Europe.	1596.	—	H. h.	Bot. reg. 448.
	<i>β pumila</i> . L.R. (re.)	dwarf.	Austria.	1773.	—	H. h.	Jacq. aust. 2. t. 198.
55	<i>pulchella</i> . s.s. (re.)	neat.	France.		—	H. h.	
56	<i>parvifolia</i> . L.R. (pu.)	Burgundy.	Europe.		—	H. h.	Bot. reg. t. 452.
57	<i>turbinata</i> . L.R. (ro.)	Frankfort.	—	1629.	—	H. h.	Miss Lawr. ros. t. 69.
58	<i>villosa</i> . L.T. (bh.)	villous.	Britain.		6.	H. h.	Eng. bot. v. 35. t. 2459.
	<i>mollis</i> . E.B.						
	<i>α single apple bearing</i> . (bh.)		—		—	H. h.	Miss Lawr. ros. t. 33.
	<i>β cœrulea</i> . L.T. (bh.)	blue-stalked.	—		—	H. h.	
	<i>γ concavifolia</i> . L.T. (bh.)	concave-leaved.	Scotland.		—	H. h.	
	<i>δ suberecta</i> . L.T. (bh.)	suberect.	Yorkshire.		—	H. h.	
	<i>ε double apple bearing</i> . (pi.)		—		—	H. h.	
59	<i>scabriuscula</i> . L.T. (bh.)	roughish.	Britain.		—	H. h.	Miss Lawr. ros. t. 29.
60	<i>heterophylla</i> . L.T. (bh.)	various-leaved.	Scotland.		—	H. h.	Eng. bot. t. 1896.
61	<i>tomentosa</i> . L.T. (bh.)	downy-ld. dog.	Britain.		—	H. h.	
	<i>β sylvestris</i> . L.T. (bh.)	wood.	—		—	H. h.	Eng. bot. v. 14. t. 990.
	<i>γ canescens</i> . L.T. (bh.)	canescent.	—		—	H. h.	
	<i>δ incana</i> . L.T. (bh.)	hoary.	—		—	H. h.	
	<i>ε resinosa</i> . L.R. (re.)	resinous.	Ireland.		—	H. h.	
62	<i>nuda</i> . L.T. (bh.)	naked.	Westmoreland.		—	H. h.	
63	<i>alba</i> . L.R. (wh.)	single white.	Europe.	1597.	6. 7.	H. h.	Miss Lawr. ros. t. 37.
64	<i>montana</i> . s.s. (bh.)	mountain.	Tauria.	1820.	—	H. h.	
65	<i>hibernica</i> . L.T. (pi.)	Irish.	Ireland.		6. 11.	H. h.	Eng. bot. v. 31. t. 2196.
66	<i>lutea</i> . L.R. (ye.)	yellow.	Germany.	1596.	6.	H. h.	Bot. mag. 363.
67	<i>punica</i> . Mil. (re. ye.)	red and yellow.	Persia.	—	—	H. h.	— t. 1077.
68	<i>Sherardi</i> . Sm. (bh.)	Sherard's.	Britain.		6. 7.	H. h.	
69	<i>Dicksoniana</i> . L.B. (bh.)	Dickson's.	Ireland.		—	H. h.	
70	<i>rubiginosa</i> . E.B. (ro.)	sweet briar.	Britain.		—	H. h.	Eng. bot. v. 14. t. 991.
71	<i>micrantha</i> . L.T. (ro.)	small.	England.		—	H. h.	— v. 35. t. 2490.

72	sèpium. DC.	(bh.) hedge.	France.		—	H. h.	
73	Borrèri. L.T.	(bh.) Borrer's.	Britain.		—	H. h.	Eng. bot. v. 36. t. 2579.
	<i>dumetorum</i> . E.B.	<i>nec aliorum</i> .					
74	umbellàta. DC.	(ro.) umbel-flowered.			—	H. h.	
75	adenophylla. s.s.	(bh.) glandulous.		1816.	—	H. h.	
76	pruinosa. L.C.	(ro.) frosted.		1817.	5. 6.	H. h.	
	<i>pulverulenta</i> . L.R.	<i>non M.B.</i>					
77	glutinosa. L.R.	(bh.) glutinous.	Levant.	1821.	6. 7.	H. h.	Cupan. panp. ed. 1. t. 61.
	<i>rubiginosa crética</i> . Red. ros. 125. t. 47.						
78	Montezumæ. K.S.	(ro.) Mexican.	Mexico.	1823.		H. h.	Redout. ros. 1. t. 16.
79	repens. Scop.	(bh.) creeping.		1825.	6. 7.	H. h.	
80	uncinata. Bes.	(bh.) hooked.	Poland.	1826.	—	H. h.	
81	Boreykiàna. Bes.	(bh.) Boreyki's.		1827.	—	H. h.	
82	Fischeriàna. Bes.	(bh.) Fischer's.	Russia.	1825.	—	H. h.	
83	gorenkensis. Bes.	(bh.) Gorenki.		—	—	H. h.	
84	guttensteiniensis. Bes.	(bh.) Guttenstein.	Poland.	1822.	—	H. h.	
85	Kosinskiàna. Bes.	(bh.) Koscinski.	Europe.	1825.	—	H. h.	
86	polyphylla. Bes.	(bh.) many-leaved.		1827.	—	H. h.	
87	terebinthinæa. Bes.	(bh.) Turpentine.	Germany.	1825.	—	H. h.	
88	Redowskiàna. Bes.	(bh.) Redowski's.		1828.	—	H. h.	
89	uncinata. Bes.	(bh.) small-hooked.	Europe.	1825.	—	H. h.	
90	dimórpha. Bes.	(bh.) variable.	Volhynia.	1821.	—	H. h.	
91	caryophyllæa. Bes.	(bh.) Clove-scent'd.	Poland.	1825.	—	H. h.	
92	glauca. Bes.	(bh.) glaucous.		—	—	H. h.	
93	nitidula. Bes.	(bh.) glossy.	Europe.	—	—	H. h.	
94	floribúnda. Bes.	(bh.) abundant-fl'd.		1828.	—	H. h.	
95	solstitialis. Bes.	(bh.) summer.	Poland.	1821.	—	H. h.	
96	acúta. F.	(bh.) acute-leaved.	Caucasus.	—	—	H. h.	
97	purpuráscent. F.	(pu.) purplish.	Tanaim.	—	—	H. h.	
98	rupíncola. F.	(bh.) rocky.	Altay.	—	—	H. h.	
99	saxátillis. M.B.	(bh.) rock.	Tauria.	1825.	—	H. h.	
100	caucásica. M.B.	(bh.) Caucasian.	Caucasus.	1793.	5. 6.	H. h.	Lindl. ros. t. 11.
101	c'æsia. L.T.	(bh.) grey-leaved.	Scotland.		7.	H. h.	Eng. bot. v. 33. t. 2367.
102	sarmentæa. L.T.	(ro.) sarmentose.	Britain.		6. 7.	H. h.	
	<i>β nitens</i> . L.T.	(ro.) glossy-leaved.			—	H. h.	
103	bractescens. L.T.	(bh.) long-bracted.	Lancashire.		—	H. h.	
104	dumetorum. L.T.	(bh.) bushy.	England.		6.	H. h.	
105	Forstèri. Sm.	(bh.) Forster's.			—	H. h.	
106	collina. L.T.	(bh.) hill.			—	H. h.	Jacq. aust. 2. t. 197.
107	canina. L.T.	(bh.) dog or hep.	Britain.		6. 7.	H. h.	Eng. bot. v. 14. t. 992.
	<i>γ cera</i> . L.T.	(bh.) waxy.			—	H. h.	
	<i>γ glandulifera</i> . L.T.	(bh.) glandular.			—	H. h.	
	<i>δ simpliciuscula</i> . L.T.	(bh.) simple-calyxed.			—	H. h.	
108	surculosa. L.T.	(bh.) surculose.			—	H. h.	
109	leucántha. L.en.	(wh.) white-flowered.	Siberia.	1824.		H. h.	
110	rubrifolia. L.R.	(re.) reddish-leaved.	S. Europe.		5. 6.	H. h.	Bot. reg. t. 430.
111	sericea. L.R.	(bh.) silky-leaved.	Nepaul.	1823.		H. h.	Lindl. ros. t. 12.
112	microphylla. L.R.	(re.) small-leaved.	China.	1822.	6. 8.	H. h.	Bot. reg. t. 919.
113	longifolia. w.	(bh.) Willow-leaved.			2. 10.	F. h.	Redout. ros. 2. 27. t. 12.
114	indica. w.	(ro.) common China.		1789.	1. 12.	H. h.	Miss Lawr. ros. t. 26.
	<i>β centifolia</i> .	(ro.) large-double.			—	H. h.	
	<i>γ purpurea</i> .	(pu.) purple China.			—	H. h.	
	<i>δ subálba</i> .	(bh.) whitish China.			—	H. h.	
	<i>ε média</i> .	(ro.) middle China.			—	H. h.	
	<i>ζ minor</i> .	(ro.) small China.			—	H. h.	Andr. ros. ic.
	<i>η fràgrans</i> .	(pu.) animating.			—	H. h.	
115	odoràta.	(pa.) sweet-scented.		1810.	2. 12.	H. h.	Bot. reg. 804.
	<i>indica odoràta</i> . A.R.	<i>indica fràgrans</i> . R.R. 1. 115. t. 42.					
	<i>β flavescens</i> .	(st.) yellow China.	China.	1823.	—	H. h.	
116	semperviflorens. L.R.	(cr.) red China.		1789.	1. 12.	F. h.	Exot. bot. 2. t. 91.
	<i>a diversifolia</i> . v.	(re.) single.			—	F. h.	Vent. cels. t. 35.
	<i>β atrorubens</i> .	(cr.) double red.		1789.		F. h.	Bot. mag. 284.
	<i>γ respléndens</i> .	(cr.) resplendent.			—	F. h.	
	<i>δ fràgrans</i> .	(re.) fragrant.		1820.	—	F. h.	
	<i>ε Terneáuxi</i> .	(re.) Terneaux's.		—	—	F. h.	
	<i>ζ Bichónii</i> .	(re.) Bichon's.		—	—	F. h.	
117	Lawranceana. L.R.	(bh.) Miss Lawrance's.		1810.	—	F. h.	Bot. reg. t. 538.
	<i>β flore pleno</i> .	(bh.) double-flowered.		1824.	—	F. h.	

118	syst'yla. L.T. (bh.) clustered dog.	Britain.		6. 7.	H. h.	Eng. bot. v. 27. t. 1895.
	β lanceolata. L.R. (bh.) spear-leaved.	Ireland.		—	H. h.	
	γ Monsonia. L.R. (bh.) Lady Monson's.	England.		—	H. h.	
119	arvensis. L.T. (wh.) field.	Britain.		—	H. h.	Eng. bot. v. 3. t. 188.
	β scândens. (wh.) Ayrshire.	—		—	H. h. ∪	Bot. mag. 2054.
120	geminata. Rau. (bh.) Swiss.	Switzerland.		—	H. h.	
121	sempervirens. W. (wh.) evergreen.	S. Europe.	1629.	6. 8.	H. h. ∪	Bot. reg. t. 465.
122	Boursoulti. (ro.) Boursoult's.	Hybrid.	1821.	4. 7.	H. h. ∪	
123	hyacinthina. (ro.) Hyacinth-scented.	—	—	—	H. h. ∪	
124	Grevillii. (ro. bh.) Greville's.	China.		—	H. h. ∪	
125	Roxbúrgii. (ro.) Roxburgh's.	—		—	H. h. ∪	
126	multiflora. W. (va.) many-flowered.	—	1804.	6. 8.	H. h. ∪	Bot. reg. 425.
	α rosea. (ro.) common.	—	—	—	H. h. ∪	Bot. mag. t. 1059.
	β albiflora. (wh.) white-flowered.	—	1825.	—	H. h. ∪	
	Brunonii. L.R. (wh.) Mr. Brown's.	Nepaul.	1820.	—	H. h.	Lindl. ros. t. 14.
128	moschata. L.R. (wh.) musk-scented.	Africa.	1596.	7. 9.	H. h.	Miss Lawr. ros. t. 64.
	β flore pleno. (wh.) double musk.	—	—	—	H. h.	t. 53.
129	nivea. Dup. (wh.) snow white.	Hybrid.	1823.	—	H. h.	Bot. reg. 861.
130	Noisettiana. R.R. (bh.) Noisette's.	—	1816.	5. 11.	H. h.	
	β grandiflora. (bh.) large-flowered.	—	1827.	—	H. h.	
	γ Fraseri. (bh.) Fraser's.	—	1815.	—	H. h.	
	δ purpurea. (pu.) purple.	—	1823.	—	H. h.	
131	rubifolia. L.R. (re.) bramble-leav'd.	N. America.	1800.	7. 9.	H. h.	
	β fenestralis. L.R. (re.) thin-leaved.	—	—	—	H. h.	Lindl. ros. t. 15.
132	hevigata. L.R. (wh.) smooth.	Georgia.	1826.	—	H. h. ∪	Bot. mag. t. 2847.
133	sinica. L.R. (wh.) shining-leaved.	China.	1759.	6. 8.	F. h.	Lindl. ros. t. 16.
134	Banksia. L.R. (wh.) Lady Banks's.	—	1807.	—	H. h. ∪	Bot. reg. t. 397.
	α albiflora. (wh.) white-flowered.	—	—	—	H. h. ∪	Bot. mag. t. 1954.
	β lutea. (ye.) yellow-flowered.	—	1823.	—	H. h. ∪	v. 13. t. 1105.

GARDEN VARIETIES.

I. spinosissima.

1	Aberdeen.
2	Aberfoil.
3	alba.
4	Alloa.
5	Ancram.
6	Anderson's double lady's
	[blush.
7	Arbroath.
8	Argyll.
9	Arrochar.
10	Aurora borealis.
11	Balloch.
12	Banff.
13	Bannochburn.
14	Borisdale.
15	Bass.
16	Bengloe.
17	Ben Lomond.
18	Ben More.
19	Berwick.
20	bicolor.
21	Biggar.
22	Birnam.
23	Blair Athol.
24	Boharm.
25	Borthwick.
26	Buchan.
27	Bute.
28	Caithness.
29	Calder.
30	Callender.
31	Campsie.
32	carnescens.
33	Carron.
34	Cheviot.
35	ciphieri.

GARDEN VARIETIES.

36	Clydesdale.
37	Cromarty.
38	Dalkeith.
39	Dalrymple.
40	Dornock.
41	double blush Princess.
42	double blush Provins.
43	double crimson.
44	double crimson mottled.
45	double dark marbled.
46	double dark red.
47	double lady's blush.
48	double light marbled.
49	double light purple.
50	double pink.
51	double purple.
52	double rose blush.
53	Douglas.
54	Dumbarton.
55	Dumblane.
56	Dumfermline.
57	Dumfries.
58	Dunbar.
59	Duncrief.
60	Dundee.
61	Dunglass.
62	Dunkeld.
63	Dunlop.
64	Dunmore.
65	Dutch double blush.
66	dwarf bicolor.
67	Dysart.
68	Eden.
69	Elgin.
70	Etterick.
71	Fairy.
72	Falkirk.

GARDEN VARIETIES.

73	Falkland.
74	Falla.
75	Fife.
76	flavescens.
77	Forfar.
78	Forth.
79	Fort William.
80	fulgens.
81	Furness.
82	Galloway.
83	Glasgow.
84	Glenco.
85	Glenfallachi.
86	Glengarry.
87	Gourock.
88	Grahamston.
89	Grampian.
90	Greenock.
91	Haddington.
92	Halkirk.
93	Hamilton.
94	Hawick.
95	Hawthorndean.
96	Hector.
97	humilis.
98	Huntly.
99	incarnata.
100	Inverary.
101	Inverness.
102	Invermay.
103	Janus.
104	Jedburgh.
105	Jura.
106	Keith.
107	Kelso.
108	Kilmarnock.
109	Kincardine.

GARDEN VARIETIES.

110 Kinnaird.
 111 Kinross.
 112 Kircaldy.
 113 Kirkwall.
 114 Lanark.
 115 Laxford.
 116 Leith.
 117 Leslie.
 118 Lismore.
 119 Lochaber.
 120 Lochaird.
 121 Loch fine.
 122 Lochleven.
 123 Lochlomond.
 124 Lothian.
 125 Maidenkirk.
 126 Melrose.
 127 Moncrieff.
 128 Monteith.
 129 Montgomery.
 130 Montrose.
 131 Mount Stuart.
 132 Mull.
 133 Moray.
 134 mutabilis.
 135 Nevis.
 136 Northumberland.
 137 Paisley.
 138 penicillata.
 139 Pentland.
 140 perpetual.
 141 picta. L.B.C. 687.
 142 Proteus.
 143 red, double light.
 144 Robertson.
 145 Rosslyn.
 146 Rothsay.
 147 rubicunda.
 148 Selkirk.
 149 Shetland.
 150 Sky.
 151 small double light purple.
 152 small double white.
 153 small double yellow.
 154 Staffa.
 155 Stirling.
 156 Strathmore.
 157 striata.
 158 Stronsa.
 159 Sutherland.
 160 Tiviotdale.
 161 Tarbet.
 162 Thornhill.
 163 Thurso.
 164 Tranent.
 165 true double red.
 166 two-coloured large double.
 167 two-coloured small double.
 168 variegata.
 169 venulosa glabra.
 170 venulosa hispida.
 171 white, large double.
 172 white, large semidouble.
 173 white, small double.
 174 Whitley's double white.
 175 yellow, globe double.
 176 yellow, large double.
 177 yellow, pale double.

GARDEN VARIETIES.

II. *gallica*.

178 admirable.
 179 aigle noir.
 180 aimable beauty.
 181 albanian.
 182 Amaranth.
 183 Antwerp.
 184 atlas.
 185 beauty rouge.
 186 beauty supreme.
 187 belle aurore.
 188 belle cramoisie.
 189 belle herminie.
 190 belle pourpre.
 191 belle violette.
 192 Bijou.
 193 Bishop. M.L.R. 20.
 194 black frizzled.
 195 blue.
 196 blue and purple.
 197 blush hundred-leaved.
 198 bouquet rouge royale.
 199 bright purple.
 200 brunette.
 201 Brussels.
 202 Buonaparte.
 203 burning coal.
 204 cardinal M.L.R. 59.
 205 carmine.
 206 carmine, brillante.
 207 carmine, proliferous.
 208 carnation.
 209 Catalonian.
 210 champion.
 211 chancellor.
 212 changeable.
 213 cherry.
 214 Clementine.
 215 coquette.
 216 couleur de feu.
 217 cramoisie, grand.
 218 crown.
 219 Cupid.
 220 damask black.
 221 dark marbled.
 222 dark violet.
 223 delicious.
 224 dingy.
 225 double velvet.
 226 double marbled. M.L.R. 57.
 227 Duc de Guiche.
 228 Duchess d'Orleans.
 229 dutch crimson.
 230 dutch tree.
 231 dutch 100 leaved.
 232 early Ranunculus.
 233 enchanter.
 234 enfant de France.
 235 Eucharis.
 236 Fanny Bias.
 237 favourite purple.
 238 fiery.
 239 Flanders.
 240 Flemish.
 241 formidable.
 242 fringed. M.L.R. 82.
 243 garnet.
 244 gay.

GARDEN VARIETIES.

245 giant. M.L.R. 49.
 246 gloria mundi.
 247 gloria mundi flore pallido.
 248 gloria mundi pourpre.
 249 granaat appel.
 250 grand monarque.
 251 grand purple.
 252 grand Sultan.
 253 Henry IV.
 254 Hervy.
 255 imperatrice.
 256 incomparable.
 257 infernal.
 258 invincible.
 259 Italian.
 260 Josephine.
 261 Junon.
 262 king.
 263 La Dauphine.
 264 la grand belle pourpre.
 265 Leyden.
 266 light purple.
 267 Lisbon. M.L.R. 67.
 268 lively.
 269 L'ombre agreable.
 270 L'ombre superbe.
 271 lurid.
 272 maiden.
 273 Majorca.
 274 Malabar.
 275 Malta.
 276 manteau royal.
 277 marbled.
 278 marbled, grand.
 279 Margaret.
 280 matchless.
 281 Mauve.
 282 mignonne.
 283 mignonne, blush.
 284 mignonne, dark.
 285 mignonne, favorite.
 286 mignonne, incised.
 287 mignonne, red.
 288 mignonne, semidouble.
 289 mignonne, striped.
 290 mirabelle.
 291 Mogul.
 292 Montaubon.
 293 Morocco.
 294 mottled, black.
 295 mundi. M.L.R. 13.
 296 natalie.
 297 negrette.
 298 negro.
 299 ninon de l'Enclos.
 300 nonpareil.
 301 nonsuch.
 302 noir de Hollande.
 303 Normandy.
 304 officinal.
 305 officinal blush.
 306 officinal carmine.
 307 Orleans.
 308 ornement de parade.
 309 Pæstana.
 310 paradise.
 311 paragon.
 312 pavot.

GARDEN VARIETIES.

- 313 perruque.
- 314 petite 100 leav'd. M.L.R. 55.
- 315 petite panachée.
- 316 phœnix.
- 317 plicate. M.L.R. t. 87.
- 318 Pluto. M.L.R. 32.
- 319 Pomona.
- 320 pompadour.
- 321 pompone bizarre.
- 322 Poniatowsky.
- 323 poppy.
- 324 porcelaine.
- 325 Portland.
- 326 pourpre bouquet.
- 327 pourpre charmante.
- 328 pourpre de Tyr.
- 329 pourprée, grand belle.
- 330 pourprée, point.
- 331 pourpre velours.
- 332 prince.
- 333 princess.
- 334 prince William V.
- 335 prolific.
- 336 Pronville.
- 337 Proserpine.
- 338 Provins pulmonaire.
- 339 purple blue.
- 340 purple crimson.
- 341 pyramidal.
- 342 queen.
- 343 Ranunculus.
- 344 red and violet.
- 345 Roi de France.
- 346 Roi de pourpres.
- 347 royal crimson.
- 348 royal red.
- 349 royal purple.
- 350 royal virgin. M.L.R. 7.
- 351 sable.
- 352 Saint John's.
- 353 Sanspareil.
- 354 sceptre.
- 355 semidouble velvet.
- 356 shell. M.L.R. 89.
- 357 single velvet.—51.
- 358 Singleton's 100 leaved.—85.
- 359 Spanish.
- 360 stadtholder.
- 361 Stepney. M.L.R. 46.
- 362 striped nosegay.
- 363 striped velvet.
- 364 superb red.
- 365 Sultan. M.L.R. 35.
- 366 Trafalgar.
- 367 triumphant.
- 368 Tuscany. B.R. v. 6. t. 448.
- 369 two-colored.
- 370 Venetian.
- 371 victory.
- 372 violette and rouge.

III. *centifolia*.

- 373 aurora.
- 374 Belle d'Aunay.
- 375 Blandford. M.L.R. 21.
- 376 black mottled.
- 377 blush royal. M.L.R. 47.

GARDEN VARIETIES.

- 378 blush cabbage.
- 379 Bourbon.
- 380 bright crumpled.
- 381 carmine.
- 382 Centfeuilles Anemone.
- 383 Centfeuilles de Bruxelles.
- 384 Centfeuilles de Hesse.
- 385 Centfeuilles gauffrée.
- 386 chamois.
- 387 cluster.
- 388 Constance.
- 389 Cumberland.
- 390 dragon.
- 391 Duchesse d'Angoulême.
- 392 Duchesse de Berri.
- 393 early 100 leaved.
- 394 Elysian.
- 395 emperor.
- 396 grand chamois.
- 397 grand marbled.
- 398 grand Provins.
- 399 Louis XVIII.
- 400 Malta.
- 401 mère gryone.
- 402 mignonne, scarlet.
- 403 mignonne, crimson.
- 404 mignonne, purple.
- 405 mottled purple.
- 406 Neapolitan.
- 407 one-sided.
- 408 Œillet.
- 409 pencilled.
- 410 petite Hollande.
- 411 Persian.
- 412 pompone, gros.
- 413 pourprée aimable.
- 414 pourprée favorite.
- 415 pourprée violette.
- 416 Provins, single. R.R. 1. t. 1.
- 417 Provins, common. M.L.R. 8.
- 418 Provins, cabbage.
- 419 Provins, blush cabbage.
- 420 Provins, scarlet. M.L.R. 22.
- 421 Provins, Childings.—43.
- 422 Provins, blush.—1.
- 423 Provins, white.—4.
- 424 Provins, Shailer's.—76.
- 425 Provins, Colvill's.
- 426 Provins, damask.
- 427 Provins, dwarf.
- 428 Provins, invincible.
- 429 Provins, Dutch.
- 430 Provins, imperial.
- 431 Provins, royal.
- 432 Provins, early.
- 433 Provins, semidouble.
- 434 red Belgic.
- 435 rouge superbe.
- 436 sans petales.
- 437 souchet.
- 438 Spong's.
- 439 superb carmine.
- 440 surpassante.
- 441 Syren.
- 442 Trianon, Belle de
- 443 Versailles.
- 444 Vilmorin.

GARDEN VARIETIES.

- * *centifolia* muscosa.
- 445 single moss.
- 446 common moss.
- 447 blush moss.
- 448 dark moss.
- 449 mottled moss.
- 450 prolific moss.
- 451 royal moss.
- 452 scarlet moss.
- 453 semidouble moss.
- 454 striped moss.
- 455 Shailer's white moss.
- 456 Bristol white moss.
- † *centifolia* pomponia.
- 457 de Meax. M.L.R. 31.
- 458 de Rheims.—71.
- 459 dwarf Bagshot.
- 460 mignonne charmante.
- 461 mossy de Meaux.
- 462 mossy Pompone.
- 463 Pompone. M.L.R. 50.
- 464 proliferous Pompone.
- 465 St. Francis. M.L.R. 88.
- 466 small provins.
- IV. *damascena*.
- 467 argentea.
- 468 Aurora.
- 469 bifera carnea.
- 470 bifera de Naples.
- 471 bifera grandiflora.
- 472 Belgique carnée.
- 473 Belgique violette.
- 474 belle couronnée.
- 475 blush Belgic. M.L.R. 70.
- 476 blush monthly.—18.
- 477 blush damask.—52.
- 478 Brunswick.
- 479 couronnée petite.
- 480 damas argente.
- 481 damas pourpre.
- 482 early blush.
- 483 Egyptian.
- 484 Emperor.
- 485 favorite mignonne.
- 486 félicité.
- 487 Goliath. M.L.R. t. 80.
- 488 gracieuse.
- 489 grande monarque.
- 490 great royal. M.L.R. 58.
- 491 imperial blush. M.L.R. 90.
- 492 incomparable.
- 493 lesser Belgic.
- 494 pale cluster.
- 495 paragon.
- 496 Parnassus.
- 497 Pæstana.
- 498 petite 100-leaved.
- 499 perpetual.
- 500 prolific.
- 501 quatre saisons.
- 502 quatre saisons blanche.
- 503 quatre saisons, flesh-colored.
- 504 quatre saisons François.
- 505 quatre saisons panaché.
- 506 quatre saisons pompone.
- 507 quatre saisons sans épines.
- 508 quatre saisons, semidouble.

GARDEN VARIETIES.

- 509 red damask. M.L.R. 38.
 510 red monthly. M.L.R. 5.
 511 red Belgic.—83.
 512 rouge agathe.
 513 Swiss.
 514 valiant.
 515 Watson's blush.
 516 white damask.
 517 white monthly. M.L.R. 17.
 518 York and Lancaster.—10.
 519 Zealand.

V. *alba*.

- 520 agate.
 521 agate magnifique.
 522 agate Marie Louise.
 523 agate nouvelle.
 524 agate prolifère.
 525 agate royale.
 526 agate superb.
 527 agate thalie.
 528 belle aurore.
 529 belle Henriette.
 530 blanche à cœur vert.
 531 blanche de Belgique.
 532 bouquet blanc.
 533 celestial.
 534 cluster maiden's blush.
 [M.L.R. 23.]
 535 double white blush.
 536 Duc d'York.
 537 Eliza.
 538 feuille fermée.
 539 full double white. M.L.R. 25.
 540 grand cuisse de nymphe.
 541 great maiden's blush.
 [M.L.R. 230.]

- 542 Joanne d'Arc.
 543 Moraga la favourite.
 544 muscat rouge.
 545 nova celestis.
 546 nova plena.
 547 petite cuisse de nymphe.
 548 rosea.
 549 semidouble white.
 550 Simonville.
 551 small maiden's blush.
 552 spineless virgin.
 553 thornless virgin.
 554 triangularis.

VI. *rubiginosa*.

- 555 Clementine sweet briar.
 556 cluster blush sweet briar.
 557 double mossy sweet briar.
 [M.L.R. 72.]
 558 double red sweet briar.—61.
 559 double rosy sweet briar.
 560 double tree sweet briar.
 561 eglantine sweet briar.
 562 eglanteria alba.
 563 evergreen sweet briar.
 564 large blush sweet briar.
 565 maiden sweet briar.
 566 Manning's sweet briar.
 [M.L.R. 41.]
 567 monstrous sweet briar.

GARDEN VARIETIES.

- 568 petite hessoise.
 569 royal sweet briar.
 [M.L.R. 74.]
 570 scarlet sweet briar.
 571 semidouble dwarf.
 572 semidouble whitesweet briar.
 [M.L.R. 65.]
 573 Zabeth.

VII. *indica et semperflorens*.

- 574 atronigra.
 575 Bengale a bouquet.
 576 Bengale à flore panaché.
 577 Bengale blanche.
 578 carnescens.
 579 Chiffonnée.
 580 Cérise éclatante.
 581 cucullata.
 582 elegant.
 583 flōrida.
 584 gigātea.
 585 lie de vin.
 586 lūcida.
 587 mājor.
 588 monstrōsa.
 589 moonshine.
 590 nigra.
 591 sanguinea.
 592 sans épines.
 593 Thisbe.
 594 Veloutée.

VIII. *various garden Roses*.

- 595 abundant.
 596 abyla.
 597 Achaia.
 598 Achilles.
 599 Adelina.
 600 admirable.
 601 Adonis.
 602 African black.
 603 agate japonaise.
 604 aglace noir.
 605 aimable violette.
 606 Ajax.
 607 aland.
 608 alba feuille fermée.
 609 alba bifera.
 610 Albanian.
 611 alba nova pleno.
 612 alba nova celestis.
 613 albo-rosea.
 614 alba triangularis.
 615 aline.
 616 Amazon.
 617 amour constant.
 618 Andalusian.
 619 anemoneflora.
 620 Arcadian.
 621 arcaro.
 622 archbishop.
 623 ardoise.
 624 Armenian.
 625 armida.
 626 Assyrian.
 627 Athenian.
 628 augusta.

GARDEN VARIETIES.

- 629 aurelia.
 630 Baden.
 631 Balbec.
 632 beauté frappante.
 633 beauté insurmontable.
 634 beauté panache.
 635 beauté renommée.
 636 beauté sanspareille.
 637 beauté tendre.
 638 belladonna.
 639 belle actrise.
 640 belle aimable.
 641 belle aurore descemet.
 642 belle brune.
 643 belle cataline.
 644 belle cerisie.
 645 belle d'aunay.
 646 belle du jour.
 647 belle flamande.
 648 belle forme.
 649 belle galathee.
 650 belle hative.
 651 belle incarnate.
 652 belle inconnue.
 653 belle matilde.
 654 belle mahæca.
 655 belle parade.
 656 belle Tigridia.
 657 belle zulme.
 658 belle rouge.
 659 belle sans flatterie.
 660 belle sanspareille.
 661 belle therese.
 662 belle vue.
 663 bellona.
 664 Berkshire.
 665 bizard royal.
 666 black purple.
 667 blanche superbe.
 668 blondine.
 669 blush Italian.
 670 blush velvet.
 671 bold.
 672 Bonifacius.
 673 bouquet blanc.
 674 bouquet panache.
 675 bouquet parfait.
 676 bouquet superb.
 677 Bourbon.
 678 Brabant.
 679 bracelet d'amour.
 680 brigitte.
 681 brilliant.
 682 brune brillante.
 683 Brunette aimable.
 684 Brunette superbe.
 685 bucephalus.
 686 bullata.
 687 cabinet.
 688 Calypso.
 689 camellote.
 690 cannabina.
 691 canopus.
 692 Carthaginian.
 693 Castile.
 694 Cecropia.
 695 Ceres.

GARDEN VARIETIES.

696 cervalis.
697 chance.
698 charmante pourpre.
699 chausse.
700 chiron.
701 cicris pale rose.
702 Cleopatra.
703 comtesse de Genlis.
704 cornelian.
705 cossack.
706 couleur a la mode.
707 couleur de cendre.
708 couleur de cerise.
709 couleur excellent.
710 coupee.
711 couronne.
712 couronne des roses.
713 couronne imperiale.
714 cramoisie eblouissant.
715 cramoisie elegant.
716 cramoisie fonce.
717 cramoisie imperial.
718 cramoisie incomparable.
719 cramoisie minor.
720 cramoisie nouveau.
721 cramoisie panache.
722 cramoisie sanspareil.
723 cramoisie triomphant.
724 crimson.
725 crimson perpetual.
726 crown imperial.
727 crown purple.
728 cybele.
729 danæ.
730 Danish.
731 dark mignonne.
732 dark mottled.
733 dark shell.
734 darling.
735 de bengal gros violet
736 Dejanira.
737 delicate.
738 Derby.
739 descemets.
740 diadem.
741 dianthiflora.
742 Dickson's duchess.
743 Dido.
744 don des dames.
745 Dione.
746 discolor.
747 Dorothee.
748 double apple bearing.

[M.L.R. 29.

749 double dog.—60.
750 double mimms.
751 double Pæony.
752 double purple.
753 double red thornless.
754 double white thornless.
755 duc de Brabant.
756 Duchess.
757 duchess d'Oldenburgh.
758 duke of Clarence.
759 Durham.
760 Dutch Cinnamon.
761 Dutch velvet.

GARDEN VARIETIES.

762 dwarf burnet-leaved.
763 dwarf Chester.
764 dwarf prolific.
765 early red.
766 erato.
767 Etna.
768 euphrosyne.
769 evratina.
770 ex alba rosea.
771 fair maid.
772 favonius.
773 favorite.
774 favorite des dames.
775 fausse unique.
776 felicie.
777 felicite.
778 Felix.
779 feu amoureux.
780 feuille chiffonnee.
781 feuille crenulee.
782 feuille de chene.
783 feuille de frene.
784 few-spined.
785 fine panachee.
786 fine crimson.
787 fine purple.
688 flavia pourpre.
789 flesh-coloured.
790 flesh-coloured four seasons.
791 fleur de parade.
792 fleur de pomme.
793 fleur et feuille marbree.
794 fleur panachee.
795 flora.
796 flore nigricante.
797 florentine.
798 flore rubra.
799 floribunda.
800 florio.
801 flos puniceus.
802 folie de corse.
803 four seasons semidouble.
804 franconian.
805 Frankfort.
806 Frankfort agate.
807 freckled.
808 frilled.
809 frizzled.
810 gallica foliacea.
811 garnett.
812 Gascony.
813 Genoese.
814 Genoese velvet.
815 gienvieve.
816 globe.
817 gloomy.
818 gloria rubrorum.
819 gloriosa.
820 glowing.
821 grand Alexandre.
822 grande Angloise.
823 grand Cæsar.
824 grand centifolia.
825 grande chausse.
826 grand cramoisi.
827 grande foncee.
828 grand Mogul.

GARDEN VARIETIES.

829 grand pivoine.
830 grande pompadour.
831 grand pyramidal.
832 grand rouge.
833 grand triumpfant.
834 grandesse royale.
835 grandeur royal.
836 great Mogul.
837 grey.
838 grideline.
839 grideline sans epines.
840 Hainault.
841 Haarlem.
842 harpagus.
843 Helena.
844 Hebe.
845 hero.
846 Hertford.
847 Hildesheim.
848 Hollandia magniflora.
849 hortulanus.
850 hundred leaved mignonne.
851 hyacinth.
852 hybrida perfecta.
853 hybride nouvelle.
854 iconium.
855 idumea.
856 illustrious.
857 imperatrice.
858 imperatrice de France.
859 Indian queen.
860 inermis.
861 iris noir.
862 Isabelle.
863 Isis.
864 jaqueline.
865 jeanne d'arc.
866 Jersey.
867 jessica.
868 jolie.
869 Julian.
870 king Agrippa.
871 king of Mexico.
872 la belle elise.
873 la belle rosine.
874 l'abondance.
875 la constance.
876 la coquette.
877 la Diane.
878 l'admirable.
879 la fidele.
880 la gracieuse.
881 la grandesse.
882 l'aimable de Stors.
883 lake.
884 la maculee.
885 la magnifique.
886 la majesteuse.
887 la mignarde.
888 l'amitie.
889 la moderne.
890 Lancaster.
891 lanckman.
892 la negresse.
893 la parfaite.
894 la Parisienne.
895 la petite lisette.

GARDEN VARIETIES.

896 la plus belle.
 897 la plus rouge.
 898 la pomme grenade.
 899 la precieuse pourpre.
 900 la reine.
 901 la reine des roses.
 902 large platter.
 903 large perfect.
 904 la rose de Medicis.
 905 la rose d'Ispahan.
 906 la royale.
 907 la superbe.
 908 la superbe en brun.
 909 la tendresse.
 910 la victorieuse.
 911 la virginité.
 912 leafy.
 913 Leander.
 914 le dauphin.
 915 Lee's perpetual.
 916 le grandeur.
 917 le grand lowendaef.
 918 le grand suwarrow.
 919 le grand visir.
 920 Leipsick.
 921 les alliées.
 922 le violet triomphant.
 923 light 100 leaved.
 924 l'impayable.
 925 l'importante.
 926 l'obscurité.
 927 Lodona.
 928 Lodoiska.
 929 l'ombre panaché.
 930 l'ombre sanspareille.
 931 London pride.
 932 Louis 18th.
 933 Lubeck.
 934 Ludolph.
 935 Ludovicus.
 936 Luxemburg.
 937 Lyonnoise.
 938 lystra.
 939 madder.
 940 magdalen.
 941 maiden blush.
 942 mantle.
 943 marble apple bearing.
 944 Margaretta.
 945 Marie anne.
 946 marquis de la Romana.
 947 Marseilles.
 948 maxima.
 949 mere gigon.
 950 merveilleuse.
 951 Mexican.
 952 Milanese.
 953 Minerva.
 954 miroir des dames.
 955 mon bijou.
 956 monstrosa.
 957 monstrous cluster.
 958 monstrous 100 ld. M.L.R. 73.
 959 Montpelier.
 960 morin.
 961 morning star.
 962 mottled.

GARDEN VARIETIES.

963 mourning.
 964 multiplex.
 965 Napoleon.
 966 Napoli di romana.
 967 Narbonne.
 968 Nassau.
 969 negre panaché.
 970 Neptune.
 971 new mottled.
 972 new Provins.
 973 nigritionne.
 974 Niobe.
 975 noblesse.
 976 noir foncé.
 977 non plus ultra.
 978 nouvelle favorite.
 979 nouvelle de Provins.
 980 nouvelle pivoine.
 981 Oldenburg.
 982 Oliver.
 983 Olympic.
 984 omphale.
 985 orient.
 986 orion.
 987 ornement de park.
 988 ornement de violet.
 989 oublie des François.
 990 painted.
 991 painted Belgic.
 992 Palestine.
 993 panachée admirable.
 994 panachée nouvelle.
 995 panachée sanspareille.
 996 panachée superbe.
 997 Pannonian.
 998 paradise.
 999 Paris 100-leaved.
 1000 Parnassus.
 1001 parson.
 1002 party coloured.
 1003 Patmos.
 1004 Palmyra.
 1005 Paulina.
 1006 Pearson's gigantic.
 1007 Pegasus.
 1008 pencilled mignonne.
 1009 pencilled Provins.
 1010 Penelope.
 1011 perfecta.
 1012 perle de l'orient.
 1013 perpetuelle rouge.
 1014 Peruvian.
 1015 petit Cæsar.
 1016 petit cramoisi.
 1017 petit favorite.
 1018 petit mignon.
 1019 pierian.
 1020 pilgrim.
 1021 pink velvet.
 1022 plicata purpurea.
 1023 Pomeranian.
 1024 pomegranate.
 1025 pomona.
 1026 pompone.
 1027 pompone blanc.
 1028 pompone bifera.
 1029 pompone quatre saisons.

GARDEN VARIETIES.

1030 pompone varin.
 1031 Pope's cluster.
 1032 portlandica grandiflora.
 1033 portlandica perpetua.
 1034 Portobella.
 1035 Portugal.
 1036 pourpre agreable.
 1037 pourpre de Paris.
 1038 pourpre sans epines.
 1039 pourpre de Vienne.
 1040 pourpre imperial.
 1041 pourpre incomparable.
 1042 pourpre obscur.
 1043 pourpre sans défaut.
 1044 pourpre sanspareil.
 1045 pourpre superb.
 1046 predominant.
 1047 Presburg.
 1048 prince.
 1049 prince d'Aremberg.
 1050 princely.
 1051 prince regent.
 1052 princess Charlotte.
 1053 princesse noble.
 1054 professor.
 1055 purple crown.
 1056 purple imperial.
 1057 purple velvet.
 1058 pyramide pourpre.
 1059 quatre saisons blanche.
 1060 quatre saisons François.
 1061 quatre saisons panaché.
 1062 quatre saisons sans epines.
 1063 queen's Provins.
 1064 ragged robin.
 1065 Raphael.
 1066 Ratisbon.
 1067 ravenna.
 1068 red cluster.
 1069 red crown.
 1070 red Provins.
 1071 red velvet.
 1072 refulgent.
 1073 regina florum.
 1074 reine Caroline.
 1075 reine d'Hongrie.
 1076 renoncule nouvelle.
 1077 rex rubrorum.
 1078 riche en fleurs.
 1079 roi des negres.
 1080 roi de Rome.
 1081 roi de Maroc.
 1082 roi des pays bas.
 1083 Roman.
 1084 Rosabel.
 1085 Rosanna.
 1086 rose agreeable.
 1087 rose bouquet.
 1088 rose de Ceres.
 1089 rose des dames.
 1090 rose du roi.
 1091 rose d'Orleans.
 1092 rose du prince.
 1093 rose la mode.
 1094 rose lee.
 1095 rose pivoine.
 1096 rose prolifere.

GARDEN VARIETIES.

1097 rouge agreable.
1098 rouge bien vif.
1099 rouge éclatant.
1100 rouge formidable.
1101 rouge frappant.
1102 rouge luisant.
1103 rouge panaché.
1104 rouge sans epines.
1105 rouge semidouble.
1106 rouge vegetable.
1107 royal bouquet.
1108 royal carmine.
1109 royal gabina.
1110 royal mantle.
1111 royal viscosus.
1112 rubripina.
1113 rubiginosa umbellata.
1114 ruby.
1115 sable.
1116 St. Antoine.
1117 St. Catharine.
1118 St. George.
1119 St. Germain.
1120 St. Gothard.
1121 St. Jago.
1122 St. Mark.
1123 St. Patrick.
1124 sans défaut.
1125 sans petales.
1126 Sarmatian.
1127 scarlet Brabant.
1128 sceptre.
1129 scone purple.
1130 semidouble hep.
1131 semidouble mignonne.
1132 semidouble monthly.
1133 semidouble new.
1134 seigneur d'Ertzelaar.
1135 septum cerise.
1136 Seville.
1137 Sheffield.
1138 Shylock.
1139 Silenus.
1140 Silesian.
1141 shining semidouble.
1142 simplicité.
1143 singuliere agate.

GARDEN VARIETIES.

1144 Sirius.
1145 soliditas.
1146 Southampton.
1147 Spartan.
1148 spineless red.
1149 spiral.
1150 stæbon.
1151 standard.
1152 state.
1153 Stephanus.
1154 striped monthly.
1155 striped Provins.
1156 sugar loaf.
1157 sulphurea.
1158 sulphurea minor.
1159 superb.
1160 superb amaranth.
1161 superbe brune.
1162 superbe pyramide.
1163 surpasse Singleton.
1164 surpasse tout.
1165 Swiss.
1166 Syrian.
1167 Tangiers.
1168 ten-leaved.
1169 temple d'Apollon.
1170 tête de mort.
1171 Theseus.
1172 Tigris.
1173 tricolor.
1174 tomentosa alba.
1175 toujours.
1176 tous les mois gris.
1177 transparent.
1178 transparent nouvelle.
1179 Trebonius.
1180 tree burnet-leav'd.
1181 tree pæony.
1182 tresorier.
1183 triomphe.
1184 triomphe des dames.
1185 triomphe royale.
1186 Triton.
1187 turban.
1188 two-coloured 100-leaved.
1189 two-coloured mignonne.
1190 vacuna.

GARDEN VARIETIES.

1191 vagrant.
1192 velours cramoisie.
1193 veloute.
1194 venerable.
1195 venetatus.
1196 ventome noir.
1197 Venus.
1198 venusta.
1199 veritas.
1200 vermillion.
1201 vesta.
1202 Vesuvius.
1203 Victoria.
1204 Vidua.
1205 villosa nouvelle.
1206 Vilmorin.
1207 violette.
1208 violette agreable.
1209 violette aimable.
1210 violette brillante.
1211 violette curieuse.
1212 violette foncée.
1213 violette maculée.
1214 violette nouvelle.
1215 violette sanspareille.
1216 violette superbe.
1217 violette superieure.
1218 virgin's.
1219 virginale.
1220 virbilia.
1221 virgo cramoisie.
1222 ulterio.
1223 ultramarine.
1224 umbrella.
1225 unique rouge.
1226 Waterloo.
1227 Watson's blush.
1228 Watson's white.
1229 Wellington.
1230 woolly-leaved.
1231 white damask.
1232 white Pompone.
1233 York.
1234 Yorkshire blush.
1235 Yorkshire Provins.
1236 zatre.
1237 Zenobia.

Subordo II. *POTENTILLÆ*. Juss. gen. 337.

RUBUS. L.

BRAMBLE. Icosandria Polygynia. L.

1	<i>rosæfolius</i> . DC.	(wh.) Rose-leaved.	Mauritius.	1811.	10. 4. G. h.	Smith ic. 3. t. 60.
2	<i>eglantaria</i> . DC.	(wh.) Eglantine.	N. Holland.	1824.	5. 6. G. h.	
3	<i>coronarius</i> . <i>rosæfolius</i> β <i>coronarius</i> . B.M.	(wh.) double-flowered.	China.	1811.	10. 4. H. h.	Bot. mag. t. 1783.
4	<i>pinnatus</i> . DC.	(wh.) pinnate.	St. Helena.	1789.	6. 7. G. h.	
5	<i>gracilis</i> . DC.	(wh.) slender.	E. Indies.	1826.	— S. h.	
6	<i>micranthus</i> . D.P. <i>pauciflorus</i> . B.R.	(re.) small-flowered.	Nepaul.	1818.	6. 8. H. h.	Bot. reg. t. 854.
7	<i>distans</i> . D.P.	(re.) distant-leaved.	—	—	— H. h.	
8	<i>apetalus</i> . DC.	(gr.) petalless.	Mauritius.	1823.	— S. h.	
9	<i>macropodus</i> . DC.	(wh.) large-footed.	N. Holland.	1822.	— G. h.	
10	<i>strigosus</i> . DC.	(wh.) strigose.	N. America		6. 7. H. h.	

11	pedunculōsus, D.P.	(wh.) long-peduncled.	Nepaul.	1820.	7. 8. H. h.	
12	occidentālis, DC.	(wh.) American raspberry.	N. Amer.	1696.	5. 6. H. h.	Dill. elth. t. 247. f. 319.
13	asper, DC.	(wh.) rough.	Nepaul.	1822.	6. 8. H. h.	
14	Idæus, DC.	(wh.) Raspberry.	Britain.		5. 6. H. h.	Eng. bot. v. 34. t. 2442.
15	laciniaŭsus, DC.	(bh.) jagged-leaved.			6. 9. H. h.	Willd. hort. ber. t. 82.
16	cæsius, DC.	(wh.) Dewberry.	Britain.		6. 8. H. h.	Eng. bot. v. 12. t. 826.
17	foliolōsus, D.P.	(li.) leafy.	Nepaul.	1823.	7. 8. H. h.	
18	flagellāris, DC.	(wh.) shining-leaved.	N. America.	1789.	6. 7. H. h.	
19	inermis, W. en.	(wh.) smooth.		1805.	— H. h.	
20	corylifolius, E.B.	(wh.) Hazel-leaved.	Britain.		7. H. h.	Eng. bot. v. 12. t. 827.
21	agrēstis, DC.	(wh.) field.	Hungary.	1818.	7. 8. H. h.	W. et K. hung. 3. t. 268.
22	spectābilis, DC.	(pu.) showy.	Columbia.	1827.	6. 8. H. h.	Ph. fl. amer. 1. t. 16.
23	plicātus, W.N.	(wh.) plaited-leaved.	Britain.		7. 8. H. h.	Wei. et N. rub. germ. t. 1.
24	affinis, W.N.	(wh.) related.			6. 9. H. h.	— p. 22. t. 3 et 36.
25	ulmifolius, DC.	(ro.) Elm-leaved.	Gibraltar.	1824.	7. 8. H. h.	
26	līnkianus, DC.	(wh.) double-flowered.			6. 9. H. h.	
27	ālbicans, DC.	(wh.) white-leaved.	Hungary.	1818.	— H. h.	
28	fruticōsus, DC.	(fl.) Blackberry.	Britain.		— H. h.	Eng. bot. v. 10. t. 715.
	β pomponius, DC.	(bh.) semidouble.			— H. h.	
	γ leucocarpus, DC.	(bh.) white-berried.			— H. h.	
	δ inermis, DC.	(bh.) smooth-stemm'd.			— H. h.	
29	tomentōsus, W.N.	(wh.) woolly-leaved.	Germany.	1816.	6. 8. H. h.	Wei. et N. rub. germ. t. 8.
30	sānctus, DC.	(pk.) holy.	Levant.	1823.	— H. h.	Schreb. dec. t. 8.
31	canescens, DC.	(bh.) caescent.	Piedmont.	1826.	— H. h.	
32	collinus, DC.	(bh.) hill.	Montpelier.	1820.	7. 8. H. h.	Noc. et Balb. fl. tic. t. 9.
33	fastigiātus, W.N.	(wh.) close-flowered.	Britain.		— H. h.	Wei. et N. rub. germ. t. 2.
34	suberēctus, E.B.	(wh.) upright.			6. 9. H. h.	Eng. bot. v. 36. t. 2572.
35	cordifolius, W.N.	(wh.) heart-leaved.			7. 8. H. h.	Wei. et N. rub. germ. t. 5.
36	Ménkii, s.s.	(wh.) velvety.	Germany.	1816.	— H. h.	
37	Schlechtendālii, s.s. (w.)	Schlechtendale's.			— H. h.	
38	tiliæfolius, s.s.	(wh.) Lime-tree-ld.			— H. h.	
39	Schleichēri, s.s.	(wh.) Schleicher's.		1824.	— H. h.	
40	hórridus, s.s.	(wh.) very prickly.			— H. h.	
41	leucostāchys, s.s.	(wh.) white-spiked.	Britain.		— H. h.	
42	rhamnifolius, W.N.	(wh.) Rhamnus-leaved.			— H. h.	Wei. et N. rub. germ. t. 6.
43	abruptus, L.B.	(wh.) abrupt.			— H. h.	
44	nitidus, W.N.	(bh.) glossy-leaved.	Britain.		7. 8. H. h.	Wei. et N. rub. germ. t. 4.
45	argūtus, DC.	(wh.) sharp-toothed.	N. America.	1824.	6. 7. H. h.	
46	cuneifolius, DC.	(wh.) wedge-leaved.		1811.	6. 8. H. h.	
47	sanguinolētus, DC. (w.)	red-wooded.	Mauritius.	1823.	— S. h.	
48	villōsus, DC.	(wh.) shaggy.	N. America.	1777.	7. 8. H. h.	
49	hirtus, W.K.	(wh.) hairy.	Britain.		— H. h.	W. et K. hung. 2. t. 141.
50	vulpinus, Df.	(re.) fox-tail.	Germany.	1816.	— H. h.	Flor. dan. t. 1165.
	Sprengēlii, W.N.					
51	jamaicēsis, DC.	(wh.) Jamaica.	Jamaica.	1820.	— S. h.	Sloan. jam. 2. t. 213. f. 1.
52	hispidus, DC.	(wh.) bristly.	Canada.	1768.	— H. h.	
53	trivialis, Ph.	(bh.) American dewberry.	N. Amer.	1789.	6. 7. H. h.	
54	macrophyllus, W.N. (w.)	large-leaved.	Wales.		7. 8. H. h.	
55	vulgāris, W.N.	(bh.) common.	Britain.		— H. h.	
56	diversifolius, L.B.	(bh.) different-leaved.			— H. h.	
57	discolor, W.N.	(bh.) two-coloured.			— H. h.	
58	fusco-ater, W.N.	(bh.) dark-brown.			— H. h.	
59	pāllidus, W.N.	(bh.) pale-leaved.			— H. h.	
60	Köhlēri, W.N.	(bh.) Köhler's.			— H. h.	
61	rūdis, W.N.	(bh.) way-side.			— H. h.	
62	rubricaūlis, W.N.	(bh.) red-stalked.	Germany.	1816.	— H. h.	
63	echinātus, L.B.	(bh.) hedgehog.	Britain.		— H. h.	
64	dumetōrum, W.N. (wh.)	bushy.			— H. h.	
65	tetraphyllus, W. en. (w.)	four-leaved.	N. America.	1812.	6. 7. H. h.	
66	parvifolius, DC.	(pu.) small-leaved.	China.	1818.	6. 8. H. h.	Bot. reg. t. 496.
67	canādēsis, DC.	(wh.) purple-stalked.	N. America.	1811.	6. 7. H. h.	
68	saxatilis, DC.	(wh.) stone.	Britain.		— H. h.	Eng. bot. v. 32. t. 2233.
69	triflorus, Rich.	(wh.) three-flowered.	N. America.		— H. h.	
70	arcticus, DC.	(cr.) dwarf crimson.	Scotland.		5. 8. H. h.	Eng. bot. v. 23. t. 1585.
71	pillātus, Ph.	(ro.) close-styled.	Labrador.	1802.	6. 7. H. h.	Sm. exot. bot. 2. t. 86.
	ucaūlis, DC.					
72	obovālis, DC.	(wh.) oboval-leaved.	N. America.	1823.	5. 7. H. h.	
73	parviflorus, DC.	(wh.) Vine-leaved.		1824.	— H. h.	
74	stellātus, DC.	(ro.) star-flowered.		1823.	6. 7. H. h.	Sm. ic. fasc. 3. t. 64.

75	Chamæmorus. DC. (wh.)	Cloud-berry.	Britain.		6. 7. H. 2.	Eng. bot. v. 10. t. 716.
76	floridus. DC. (wh.)	large-flowered.	N. America.	1827.	6. 8. H. 2.	
77	odoratus. DC. (re.)	flowering raspberry.	—	1700.	6. 9. H. 2.	Bot. mag. t. 323.
78	reflexus. DC. (wh.)	reflexed.	China.	1818.	6. 7. G. 2.	Bot. reg. t. 461.
79	Hamiltonianus. DC. (wh.)	Hamilton's.	Nepaul.	—	— H. 2.	
	rugosus. D.P. non Smith.					
80	moluccanus. DC. (wh.)	Moluccas.	Amboyna.	1810.	— S. 2.	Rumph. amb. 5. t. 47. f. 2.
81	rugosus. DC. (wh.)	rugose.	S. America.	1824.	— S. 2.	
82	tiliaceus. DC. (wh.)	Lime-tree-ld.	Nepaul.	—	— H. 2.	
83	paniculatus. DC. (wh.)	panicle.	—	1826.	7. 9. H. 2.	
84	betulinus. DC. (wh.)	Birch-leaved.	—	1825.	— H. 2.	
	DALIBARDA. DC.	DALIBARDA.	Icosandria	Pent-Decagynia.		
1	repens. DC. (wh.)	Violet-leaved.	N. America.	1768.	5. 6. H. 2.	Mich. amer. 1. t. 27.
	violæoides. M.					
	FRAGARIA. DC.	STRAWBERRY.	Icosandria	Polygynia.		
1	monophylla. s.s.	simple-leaved.	—	1773.	5. 6. H. 2.	Bot. mag. t. 63.
2	vesca. DC. (wh.)	wood.	Britain.		4. 6. H. 2.	Eng. bot. v. 22. t. 1524.
	a sylvestris. DC. (wh.)	wild.	—	—	— H. 2.	
	β semperflorens. DC. (wh.)	ever-bearing.	—	—	4. 12. H. 2.	Nois. jard. fr. t. 11. f. 2.
	γ alba. (wh.)	white-fruited.	—	—	— H. 2.	
	δ minor. DC. (wh.)	small English.	Britain.		— H. 2.	
	ε hortensis. DC. (wh.)	garden.	—	—	— H. 2.	
	ζ eflagellis. DC. (wh.)	short-shooted.	—	—	— H. 2.	
	η multiplæx. DC. (wh.)	double-blossomed.	—	—	4. 6. H. 2.	Blackw. herb. t. 77. f. 3.
	θ botryiformis. DC. (wh.)	crown-flowered.	—	—	— H. 2.	
	ι muricata. DC. (gr.)	monstrous.	—	—	— H. 2.	
3	calycina. DC. (wh.)	large-calyxed.	Britain.		— H. 2.	
4	collina. DC. (wh.)	Alpine.	Germany.	1768.	4. 11. H. 2.	
	α rubra. (wh.)	red Alpine.	—	—	— H. 2.	
	β alba. (wh.)	white Alpine.	—	—	— H. 2.	
5	platanoides. DC. (bh.)	Plane-leaved.	N. America.		4. 6. H. 2.	
6	Majaufea. DC. (wh.)	plaited-leaved.	France.		— H. 2.	
	α bifera. DC. (wh.)	double-bearing.	—	—	— H. 2.	
	β dubia. DC. (wh.)	flat-fruited.	—	—	— H. 2.	
7	Breslingea. DC. (wh.)	leathery-leaved.	—		— H. 2.	
	α abortiva. DC. (wh.)	sterile.	—		— H. 2.	
	β nigra. DC. (wh.)	black-fruited.	—		— H. 2.	
	γ pendula. DC. (wh.)	pear-fruited.	—		— H. 2.	
	δ hispida. DC. (wh.)	Longchamp.	France.		— H. 2.	
	ε viridis. DC. (wh.)	green-fruited.	—		— H. 2.	Nois. jard. fr. t. 13. f. 2.
	ζ pratensis. DC. (wh.)	field.	France.		— H. 2.	
8	elætiar. DC. (wh.)	tall.	Europe.		— H. 2.	
9	moschata. Ehr. (wh.)	Hautboy.	England.		5. 6. H. 2.	Eng. bot. v. 31. t. 2197.
	elætiar. E.B.					
	β dioica. DC. (wh.)	diæcious.	—		— H. 2.	
10	virginiana. DC. (wh.)	scarlet.	N. America.	1629.	4. 6. H. 2.	Nois. jard. fr. t. 12. f. 2.
	β hybrida. DC. (wh.)	Keen's seedling.	Hybrid.		— H. 2.	
11	chilensis. DC. (wh.)	Chile.	S. America.	1727.	5. 6. H. 2.	Dill. elth. t. 20. f. 140.
12	grandiflora. DC. (wh.)	Pine.	Surinam.	1759.	— H. 2.	Mill. ic. t. 288.
	β ananassa. DC. (wh.)	Pine apple.	—		— H. 2.	Nois. jard. fr. t. 14. f. 2.
	γ calyculata. DC. (wh.)	Bath scarlet	—		— H. 2.	— t. 11. f. 1. t. 14. f. 1.
	δ tincta. DC. (wh.)	red-fleshed.	—		— H. 2.	
13	canadensis. DC. (wh.)	Canadian.	Canada.		— H. 2.	
14	indica. DC. (ye.)	yellow-flower'd.	Nepaul.	1805.	5. 10. H. 2.	Bot. reg. t. 61.
	Duchésnea fragarioides. Smith	Linn. trans. 10. p. 373.				
	COMAROPSIS. DC.	COMAROPSIS.	Icosandria	Pent-Octagynia.		
	1 fragarioides. DC. (ye.)	strawberry-like.	N. America.	1803.	5. 6. H. 2.	Mich. amer. 1. t. 28.
	Dalibarda fragarioides. M.					
	2 Doniana. DC. (ye.)	Don's.	—	—	— H. 2.	Bot. mag. t. 1567.
	Dalibarda fragarioides. B.M. non Mich.	Waldsteinia Doniana. Tratt.				
	3 pedata. DC. (wh.)	pedate.	—	1827.	— H. 2.	Smith. ic. ined. t. 63.
	Rubus pedatus. Sm.	Dalibarda pedata. s.s.				
	HORKELIA. B.M.	HORKELIA.	Decandria	Polygynia.		
	congesta. B.M. (wh.)	tufted-flowered.	N. America.	1827.	7. 9. H. 2.	Bot. mag. t. 2880.
	WALDSTEINIA. DC.	WALDSTEINIA.	Icosandria	Digynia.		
	geoides. DC. (ye.)	Avens-leaved.	Hungary.	1804.	6. 7. H. 2.	Lodd. bot. cab. 402.
	COLURIA. B.	COLURIA.	Icosandria	Polygynia.		
	potentilloides. B. (or.)	Siberian.	Siberia.	1780.	6. 7. H. 2.	Jacq. vind. 3. t. 68.
	Geum potentilloides. W.	Dr'as geoides. Pall. Sieversia geoides. s.s.				

SIEVE'RSIA. B.

SIEVE'RSIA. Icosandria Polygynia.

1	Péckii. B.M.	(ye.)	Peck's.	N. America.	1827.	6. 7.	H. 2.	Bot. mag. t. 2863.
2	radiata.	(ye.)	radiate.	—	1822.	—	H. 2.	
<i>Geum radiatum</i> . Ph.								
3	triflora. B.M.	(ye.bh.)	three-flowered.	—	1827.	—	H. 2.	Bot. mag. t. 2858.
4	montana. s.s.	(ye.)	mountain.	Austria.	1597.	5. 9.	H. 2.	Jacq. aust. 4. t. 373.
	<i>β minor</i> .	(ye.)	smaller mountain.	Alps.	—	—	H. 2.	Barrel. rar. t. 399.
5	glacialis. s.s.	(ye.)	arctic.	Siberia.	1827.	—	H. 2.	
6	Rössii. B.	(ye.)	Ross's.	Melville Isl.	—	—	H. 2.	Brown ch.mel.p.18.t.C.
7	anemonoides. s.s.	(wh.)	Anemone-like.	Kamtschatka.	1824.	—	H. 2.	
8	réptans. s.s.	(ye.)	creeping.	Switzerland.	1775.	6. 8.	H. 2.	Jacq. aust. 5. ap. t. 22.
GEUM. B. AVENS. Icosandria Polygynia. L.								
1	agrimonoides. Ph.	(wh.)	Agrimony-leaved.	N. America.	1811.	6. 7.	H. 2.	Murr. com. goet. 5. t. 2?
2	hispidum. s.s.	(wh.)	hispid.	Sweden.	1828.	—	H. 2.	Reich. ic. cent. t. 3.
3	strictum. w.	(ye.)	upright.	N. America.	1778.	5. 7.	H. 2.	Jacq. ic. 1. t. 93.
<i>alépium</i> . Jacq.								
4	intermedium. w.	(ye.)	intermediate.	Europe.	1794.	5. 8.	H. 2.	W. hort. ber. 1. t. 69.
5	hybridum. Jacq.	(ye.)	hybrid.	—		—	H. 2.	Jacq. ic. 1. t. 94.
6	rivale. w.	(ye.bh.)	water.	Britain.		5. 9.	H. 2.	Eng. bot. 2. t. 106.
7	pyrenæicum. DC.	(ye.)	Pyrenean.	Pyrenees.	1804.	6. 7.	H. 2.	Lam. ill. t. 44.
8	brachypetalum. DC.	(ye.bh.)	short-petal'd.		1826.	5. 8.	H. 2.	
9	sylvaticum. DC.	(ye.)	wood.	S. Europe.	1820.	6. 7.	H. 2.	
<i>altanticum</i> . Desf. atl. 1. p. 401. <i>biflorum</i> . Brot.								
10	Thomasiænum. DC.	(ye.)	Thomas's.	Pyrenees.	1828.	—	H. 2.	
11	Quélylon. B.F.G.	(sc.)	scarlet Chile.	Chile.	1826.	5. 10.	H. 2.	Swt. br. fl. gar. t. 292.
<i>coccineum</i> . Bot. reg. t. 1088. non Flor. græc.								
	<i>β grandiflorum</i> .	(sc.)	large-flowered.	—	1829.	—	H. 2.	
12	macrophyllum. DC.	(ye.)	large-leaved.	Kamtschatka.	1804.	6. 7.	H. 2.	
13	canadense. DC.	(ye.)	Canadian.	Canada.	1778.	5. 8.	H. 2.	Murr. com goet. 5. t. 4.
14	heterophyllum. DC.	(wh.)	various-leaved.			—	H. 2.	
15	Besseriænum.	(ye.)	Besser's.	Volhynia.	1828.	—	H. 2.	
<i>intermedium</i> . Besser non Willd.								
16	hirsutum. L.en.	(st.)	hairy.	N. America.	1818.	5. 7.	H. 2.	
17	virginianum. DC.	(wh.)	Virginian.	—		7. 8.	H. 2.	Herm. parad. t. 111.
18	album. DC.	(wh.)	white-flowered.	—	1730.	—	H. 2.	Jacq. vind. 2. t. 175.
<i>canadense</i> . Jacq. non Murr.								
19	urbanum. DC.	(ye.)	common.	Britain.		5. 8.	H. 2.	Eng. bot. v. 20. t. 1400.
20	ranunculoides. DC.	(ye.)	Ranunculus-like.		1827.	—	H. 2.	
DRYAS. DC. DR'YAS. Icosandria Polygynia. L.								
1	octopétala. DC.	(wh.)	mountain.	Britain.		7. 8.	H. 2.	Eng. bot. v. 7. t. 451.
2	integrifolia. DC.	(wh.)	entire-leaved.	Greenland.	1824.	4. 8.	H. 2.	Hook. ex. flor. t. 220.
POTENTILLA. DC. CINQUEFOIL. Icosandria Polygynia. L.								
1	nivea. DC.	(ye.)	snowy-leaved.	N. Europe.	1816.	6. 8.	H. 2.	Lodd. bot. cab. 460.
2	angustifolia. DC.	(ye.)	narrow-leaved.	Siberia.	1826.	—	H. 2.	Lehm. pot. t. 19.
3	macrantha. DC.	(ye.)	great-flowered.	—	1829.	5. 8.	H. 2.	
4	uniflora. DC.	(ye.)	single-flowered.	Dahuria.	1827.	—	H. 2.	Lehm. pot. t. 18.
5	minima. DC.	(ye.)	small.	Switzerland.	1816.	4. 6.	H. 2.	Lodd. bot. cab. 480.
6	Brauneana. N.P.	(ye.)	Braune's.	—	—	—	H. 2.	Nestl. pot. t. 10. f. 4.
7	glacialis. DC.	(ye.)	very hairy.	—	—	5. 7.	H. 2.	Ser. mus. helv. 1. t. 7.
8	frigida. DC.	(ye.)	frigid.	Dauphiny.	—	—	H. 2.	Nestl. pot. t. 10. f. 3.
9	grandiflora. DC.	(ye.)	large-flowered.	Siberia.	1640.	6. 7.	H. 2.	Bot. mag. t. 75.
10	villosa. DC.	(ye.)	villous.	N. America.	1827.	—	H. 2.	Lehm. pot. t. 16.
11	norvégica. DC.	(ye.)	Norwegian.	N. Europe.	1764.	6. 8.	H. 2.	Flor. dan. t. 171.
12	Morisoni. DC.	(wh.)	Morison's.	N. America.	1680.	7. 8.	H. 2.	Nestl. pot. t. 9. f. 1.
<i>monspeiensis</i> . L. Moris. his. s. 2. t. 20. f. 2. <i>hirsuta</i> . M.								
13	hirsuta. DC.	(ye.)	hairy-leaved.	Greenland.	1820.	6. 8.	H. 2.	Flor. dan. t. 1390.
14	subcaulis. DC.	(ye.)	short-stalked.	S. France.	—	5. 7.	H. 2.	Scop. carn. 1. t. 22.
<i>velutina</i> . L.P.								
15	Tormentilla DC.	(ye.)	Septfoil.	Britain.		5. 10.	H. 2.	Eng. bot. v. 12. t. 863.
<i>Tormentilla officinalis</i> . E.B. <i>erecta</i> . W.								
16	memoralis. N.P.	(ye.)	creeping-wood.	—		6. 8.	H. 2.	Eng. bot. v. 12. t. 864.
<i>Tormentilla réptans</i> . E.B.								
17	umbræsa. DC.	(go.)	shaded.	Tauria.	1821.	—	H. 2.	
18	réptans. DC.	(ye.)	common.	Britain.		—	H. 2.	Eng. bot. v. 12. t. 862.
19	bithynica. DC.	(ye.)	Bithynian.	Bithynia.	1822.	—	H. 2.	
20	simplex. DC.	(ye.)	sarmentose.	N. America.	1804.	5. 8.	H. 2.	
<i>sarmentosa</i> . W.en. <i>caroliniana</i> . Poirét.								
21	canadensis. DC.	(ye.)	Canadian.	Canada.	1818.	—	H. 2.	Nestl. pot. t. 10. f. 1.
22	vérna. E.B.	(ye.)	spring.	Britain.		3. 5.	H. 2.	Eng. bot. v. 1. t. 37.

23	cinèrea. DC. (ye.) ash-coloured.	S. Europe.	1820.	4. 6.	H. 2.	Jacq. ic. 3. t. 491.
	<i>subacaulis</i> . Jacq. non. l.					
24	pátula. DC. (ye.) spreading.	Hungary.	1806.	6. 8.	H. 2.	W. et K. hung. 2. t. 199.
25	opàca. DC. (ye.) opaque-leaved.	Scotland.		—	H. 2.	Ser. mus. helv. 1. t. 4. f. 1.
26	alpéstris. E.F. (ye.) alpine.	—		—	H. 2.	— v. 8. t. 561.
	<i>aùrea</i> . E.B. <i>nec aliorum</i> .					
27	aùrea. DC. (go.) golden.	Alps Europe.		—	H. 2.	Ser. mus. helv. t. 8. f. a. b.
28	salisburgénsis. Jac. (ye.) broad-lobed.	Switzerland.	1825.	—	H. 2.	Jacq. ic. 3. t. 490.
29	Hallèri. DC. (ye.) Haller's.	—		—	H. 2.	Hall. hist. t. 21. f. 4.
30	Thomàsii. DC. (ye.) silky-haired.	Italy.	1825.	—	H. 2.	Ten. fl. nap. 1. t. 44.
31	calàbra. T.N. (ye.) Calabrian.	—	—	—	H. 2.	— 1. p. 287. t. 45.
32	impólita. Wah. (ye.) unpolished.	Carpathian.	1818.	—	H. 2.	
33	Gunthèri. L.P. (ye.) Gunther's.	Bohemia.	1823.	—	H. 2.	Lehm. pot. 97. t. 10.
34	argétea. E.B. (ye.) silvery-leaved.	Britain.		—	H. 2.	Eng. bot. v. 2. t. 89.
35	collina. DC. (ye.) hill.	Germany.	1823.	—	H. 2.	
36	intermèdia. DC. (ye.) intermediate.	Scotland.		—	H. 2.	Eng. bot. v. 35. t. 2449.
	<i>opàca</i> . E.B. <i>non L.</i>					
37	elongàta. Bes. (ye.) long-stalked.	Russia.	1827.	—	H. 2.	
38	incisa. DC. (ye.) jagged-leaved.		1818.	5. 8.	H. 2.	
39	canéscens. DC. (ye.) canescent.	S. Europe.	1822.	6. 8.	H. 2.	Tausch. h. can. 1. t. 10.
40	thuringiaca. DC. (ye.) decumbent.	Germany.	—	—	H. 2.	
41	stipulàris. DC. (ye.) large-stipuled.	Siberia.	1807.	—	H. 2.	Gmel. fl. bad. 3. n. 38. f. 2.
42	hírta. DC. (ye.) hairy.	S. Europe.	1725.	5. 9.	H. 2.	Lehm. pot. t. 8.
43	pedàta. N.P. (ye.) pedate-leaved.	Italy.	1818.	—	H. 2.	Nestl. pot. 44. t. 7.
44	astracànica. s.s. (ye.) Astracan.	Levant.	1787.	6. 8.	H. 2.	Jacq. ic. 1. t. 92.
45	taurica. s.s. (ye.) Taurian.	Tauria.	1824.	—	H. 2.	Lehm. pot. 90. t. 9.
46	récta. s.s. (ye.) upright.	S. Europe.	1648.	—	H. 2.	Nestl. pot. 42. t. 6.
47	obscura. s.s. (ye.) obscure.	Siberia.	1816.	6. 7.	H. 2.	Noc. et Balb. fl. tic. t. 10.
48	laciniòsa. s.s. (ye.) jagged.	Hungary.	1818.	—	H. 2.	Lehm. pot. 86. t. 9.
49	atrosanguínea. DC. (cr.) dark crimson.	Nepaul.	1820.	6. 9.	H. 2.	Swt. br. fl. gar. t. 124.
50	Russeliàna. B.F.G. (sc.) Russell's.	Hybrid.	1827.	—	H. 2.	— v. 3. t. 279.
51	formòsa. D.P. (ro.) handsome.	Nepaul.	1820.	5. 9.	H. 2.	— v. 2. t. 136.
	<i>nepalénsis</i> . Hook. ex. flor. t. 88.					
52	ruthènica. DC. (ye.) Russian.	Siberia.	1799.	5. 7.	H. 2.	Moris. his. s. 2. t. 20. f. 2.
53	diffùsa. DC. (ye.) diffuse.	—	1825.	—	H. 2.	
54	chrysántha. L.en. (go.) golden-flowered.		1821.	—	H. 2.	
55	declinàta. H.H. (ye.) declining.		1827.	6. 8.	H. 2.	
56	pùmila. s.s. (ye.) dwarf.	N. America.	1818.	5. 6.	H. 2.	
57	Weinmännii. L.C. (ye.) Weinmann's.	Thuringia.	1822.	6. 8.	H. 2.	Lodd. bot. cab. t. 706.
58	ornithopodioides. (ye.) Bird's-foot.		1827.	—	H. 2.	
59	lanuginòsa. f. (ye.) woolly.	Caucasus.	1821.	—	H. 2.	
60	Sieversiana. Ot. (ye.) Sievers's.		1829.	—	H. 2.	
61	normàlis. f. (ye.) normal.	Siberia.	1827.	—	H. 2.	
62	divaricàta. s.s. (ye.) divaricate.	Corsica.	1824.	—	H. 2.	
63	fruticòsa. DC. (ye.) shrubby.	England.		6. 8.	H. 2.	Eng. bot. 2. t. 88.
64	dahùrica. N.P. (ye.) Dahurian.	Dahuria.	1824.	—	H. 2.	Nestl. pot. 31. t. 1.
65	floribúnda. Ph. (ye.) cluster-flower'd.	N. America.	1811.	5. 9.	H. 2.	Wats. dend. brit. t. 70.
66	bifúrca. DC. (ye.) bifid-leaved.	Siberia.	1773.	6. 7.	H. 2.	Gmel. it. 1. t. 37. f. 1.
67	supina. DC. (ye.) trailing.	Europe.	1696.	7. 8.	H. 2.	Jacq. aust. 5. t. 406.
68	pimpinelloides. DC. (ye.) Burnet-leaved.	Levant.	1758.	6. 8.	H. 2.	Buxb. cent. 1. t. 48.
69	geoides. DC. (ye.) Avens-like.	Tauria.	1820.	—	H. 2.	
70	Sprengeliàna. DC. (ye.) Sprengel's.	Siberia.	1824.	—	H. 2.	Lehm. pot. 49. t. 3.
71	viscòsa. DC. (ye.) clammy.	—	1797.	7. 8.	H. 2.	Nestl. pot. t. 36.
	<i>hispida</i> . N.P. <i>non w.</i>					
72	pensylvànica. DC. (ye.) Pennsylvanian.	N. America.	1725.	6. 8.	H. 2.	Jacq. viud. 2. t. 189.
73	pectinàta. f. (ye.) pectinated.	Siberia.	1824.	—	H. 2.	
74	argùta. Ph. (ye.) sharp-toothed.	N. America.	1818.	5. 7.	H. 2.	
75	multífida. DC. (ye.) cut-leaved.	Siberia.	1759.	—	H. 2.	Ser. mus. helv. 1. t. 8.
76	agrimonioides. s.s. (ye.) Agrimony-ld.	Caucasus.	1823.	6. 8.	H. 2.	
77	verticillàris. DC. (ye.) whorled.	Dahuria.	—	—	H. 2.	
78	sericea. DC. (ye.) silky.	Siberia.	1780.	5. 6.	H. 2.	Lehm. pot. 66. t. 6.
79	pulchèlla. DC. (ye.) neat.	Melville Isl.	1827.	5. 7.	H. 2.	
80	Egèdii. DC. (ye.) smooth-leaved.	Greenland.	—	—	H. 2.	Flor. dan. t. 1578.
81	anserina. DC. (ye.) wild Tansey.	Britain.		5. 9.	H. 2.	Eng. bot. 12. t. 861.
	<i>β geminiflora</i> . DC. (ye.) twin-flowered.	—		—	H. 2.	Moris. his. s. 2. t. 20. f. 4.
	<i>γ cóncolor</i> . DC. (ye.) silky-leaved.	—		—	H. 2.	
82	cándicans. DC. (ye.) hoary-leaved.	America.	1826.	—	H. 2.	Nestl. pot. 34. t. 3. f. 2.
83	spléndens. DC. (ye.) glossy-leaved.	Nepaul.	1818.	7. 9.	H. 2.	Swt. br. fl. gar. 2. t. 150.
	<i>striàta</i> . s.s.					

84	Còmarum. DC. (pu.) marsh.	Britain.		6. 8. H. ½.	Eng. bot. v. 3. t. 172.
	<i>Còmarum palustre</i> . E.B.				
85	Salesòvii. DC. (ye.) white shrubby.	Siberia.	1823.	— H. ½.	Lehm. pot. 35. t. 1.
86	glàbra. DC. (wh.) smooth white.	—	1818.	6. 10. H. ½.	Lodd. bot. cab. t. 914.
87	rupéstris. DC. (wh.) rock.	England.		6. 8. H. ½.	Eng. bot. v. 29. t. 2058.
88	fragarioides. DC. (wh.) Strawberry-like.	Siberia.	1773.	5. 7. H. ½.	Lehm. pot. 50. t. 4.
89	álba. DC. (wh.) white-flowered.	Wales.		6. 9. H. ½.	Eng. bot. v. 20. t. 1381.
90	caulescens. DC. (wh.) caulescent.	Austria.	1759.	5. 7. H. ½.	Jacq. aust. t. 220.
91	Clusiàna. s.s. (wh.) Clusius's.	S. Europe.	1806.	7. 8. H. ½.	Bot. mag. t. 1327.
92	lupinoides. s.s. (wh.) close-flowered.	Pyrenees.	1739.	6. 7. H. ½.	Lodd. bot. cab. t. 6.
93	valdèria. DC. (st.) crowded-flower'd.	S. Europe.	1818.	6. 8. H. ½.	All. fl. ped. t. 24. f. 1.
94	nitida. DC. (bh.) glossy.	—	1798.	— H. ½.	Jacq. aust. ap. t. 25.
95	apennina. DC. (wh.) Apennine.	Italy.	1825.	— H. ½.	Ten. fl. nap. 1. t. 46.
96	tridentàta. DC. (wh.) trifid-leaved.	Scotland.		5. 7. H. ½.	Eng. bot. v. 34. t. 2389.
97	micràntha. DC. (wh.) small-blossom'd.	S. Europe.	1816.	6. 8. H. ½.	Ser. mus. helv. 1. t. 5.
98	Fragària. DC. (wh.) sterile strawberry.	Britain.		3. 6. H. ½.	Eng. bot. v. 25. t. 1785.
	<i>Fragària stérilis</i> . E.B. <i>Còmarum fragarioides</i> . W. enum.				
99	emarginàta. Ph. (wh.) emarginate.	Labrador.	1828.	— H. ½.	
100	Jamesoniàna. DC. (ye.) Jameson's.	Greenland.	1822.	6. 7. H. ½.	
SIBBA'LDIA. DC. SIBBA'LDIA. Pentandria Pentagynia.					
1	procumbens. DC. (ye.) procumbent.	Britain.		6. 8. H. ½.	Eng. bot. v. 13. t. 897.
2	parviflòra. DC. (ye.) small-flowered.	Levant.		— H. ½.	
3	erècta. DC. (ye.) upright.	Siberia.	1806.	— H. ½.	Amm. ruth. 112. t. 15.
4	grandiflòra. DC. (ye.) large-flowered.	Dahuria.	1828.	— H. ½.	
5	polygyna. DC. (ye.) many-styled.	Siberia.	1824.	— H. ½.	
AGRIMONIA. DC. AGRIMONY. Dodecandria Digynia. L.					
1	Eupatòria. DC. (ye.) common.	Britain.		6. 8. H. ½.	Eng. bot. v. 19. t. 1335.
2	nepalénsis. DC. (ye.) Nepaul.	Nepaul.	1820.	— H. ½.	
3	odoràta. DC. (ye.) sweet-scented.	Italy.	1640.	7. 8. H. ½.	
4	dahùrica. DC. (ye.) Dahurian.	Dahuria.	1824.	6. 8. H. ½.	
5	pilòsa. DC. (ye.) hairy.	Siberia.	1820.	— H. ½.	
6	parviflòra. DC. (ye.) small-flowered.	N. America.	1766.	6. 7. H. ½.	
7	suavèolens. DC. (st.) fragrant.	—	1820.	— H. ½.	
8	striàta. DC. (wh.) striped-flowered.	—	1812.	6. 8. H. ½.	
9	rèpens. DC. (ye.) creeping-rooted.	Levant.	1737.	7. 9. H. ½.	
AREMONIA. DC. AREMONIA. Pent-Decandria Digynia.					
	agrimonoides. DC. (ye.) Agrimony-like.	Italy.	1739.	6. 8. H. ½.	Col. ecphr. 1. t. 144.
	<i>Spallanzània agrimonoides</i> . s.s. <i>Agrimònia agrimonoides</i> . L.				

Subordo III. *SANGUISORBEÆ*. DC. prodr. v. 2. p. 588.

ALCHIMILLA. DC. LADIES MANTLE. Di-Tetrandria Monogynia. L.					
1	capénsis. DC. (gr.) Cape.	C. B. S.	1818.	4. 6. G. ½.	Lam. ill. t. 86. f. 2.
2	vulgàris. DC. (gr.) common.	Britain.		6. 8. H. ½.	Eng. bot. v. 9. t. 597.
	<i>β variegàta</i> . (gr.) <i>variegated-leaf'd</i> .	—		— H. ½.	
	<i>γ glàbra</i> . DC. (gr.) <i>smooth</i> .	Pyrenees.		— H. ½.	
3	hybrida. DC. (gr.) mountain.	Saxony.		— H. ½.	Pluk. t. 240. f. 2.
	<i>montàna</i> . W. en.				
4	pubescens. DC. (gr.) pubescent.	Caucasus.	1813.	— H. ½.	Willd. hort. ber. 2. t. 79.
5	alpina. DC. (gr.) silvery.	Britain.		7. H. ½.	Eng. bot. v. 4. t. 214.
6	sericea. DC. (gr.) silky.	Caucasus.	1813.	6. 8. H. ½.	
7	pentaphylla. DC. (gr.) five-leaved.	Switzerland.	1784.	7. H. ½.	Bocc. mus. p. 18. t. 1.
8	sibbaldiaefolia. DC. (gr.) Sibbaldia-ld.	Mexico.	1823.	— F. ½.	H. et B. n. g. am. 6. t. 561.
9	arvensis. DC. (gr.) Parsley piert.	Britain.		4. 6. H. ½.	Eng. bot. v. 15. t. 1011.
	<i>Aphànes</i> . w. <i>Aphànes arvensis</i> . L.				
10	cornucupioides. DC. (gr.) Spanish.	Spain.	1825.	4. 7. H. ½.	
CEPHALOTUS. DC. CEPHALOTUS. Dodecandria Hexagynia.					
	folliculàris. DC. (wh.) pitcher-plant.	N. Holland.	1822.	4. 6. G. w. ½.	Lab. nov. holl. 2. t. 145.
MARGYRICARPUS. DC. MARGYRICARPUS. Diandria Monogynia.					
	setosus. DC. (gr.) bristle-pointed.	S. America.	1829.	 F. ½.	Flor. peruv. 1. t. 8. f. d.
ACÆNA. Kth. ACÆNA. Tri-Pentandria Monogynia.					
1	elongàta. DC. (gr.) long-spiked.	Mexico.	1827.	4. 8. F. ½.	
2	latebròsa. DC. (gr.) hairy.	C. B. S.	1774.	4. 6. G. ½.	Gært. fruct. 1. t. 32.

3	pinnatifida. DC. (gr.)	pinnatifid.	Chili.	1823.	4. 6.	G. 2.	Fl. per. 1. t. 104. f. 1. b.
4	sericea. DC. (gr.)	silky.	Port Desire.		—	G. 2.	Jacq. f. ecl. 1. t. 55.
ANCISTRUM. Kth. ANCISTRUM. Di-Pentandria Monogynia.							
1	sanguisorbæ. L. (gr.)	Burnet-leaved.	N. Zealand.	1796.	6.	F. 2.	Gært. fruct. t. 32.
2	ovalifolium. DC. (gr.)	oval-leaved.	Peru.	1802.	5. 6.	F. 2.	Vent. h. cels. t. 5.
	rèpens. Vent.						
3	argenteum. K.S. (gr.)	silvery-leaved.	S. America.	1823.	—	F. 2.	Fl. per. 1. t. 103. f. b.
4	ascendens. DC. (gr.)	ascending.	Magellan.	—	—	H. 2.	
5	lævigatum. DC. (gr.)	smooth	—	1790.	6. 8.	H. 2.	
6	magellanicum. DC. (gr.)	Magellan.	—	—	—	H. 2.	Lam. ill. t. 22. f. 2.
7	lucidum. Lam. (gr.)	shining.	Falkland Isl.	1777.	5. 6.	H. 2.	— t. 22. f. 3.
SANGUISORBA. DC. GREAT-BURNET. Tetrandria Monogynia. L.							
1	officinalis. DC. (pu.)	offical.	Britain.		6. 8.	H. 2.	Eng. bot. v. 19. t. 1312.
	β auriculata. DC. (pu.)	eared.	Italy.		—	H. 2.	Bocc. mus. 19. t. 9.
2	carnea. DC. (pi.)	flesh-coloured.		1818.	—	H. 2.	
3	rùbra. Sck. (re.)	red-spiked.	Dahuria.	1824.	—	H. 2.	Schrank. h. mon. t. 69.
4	præcox. Bes. (pi.)	early-flowered.	Siberia.	1827.	5. 7.	H. 2.	
5	angustifolia. F. (pi.)	narrow-leaved.	—	1820.	6. 8.	H. 2.	
6	tenuifolia. DC. (re.)	slender-leaved.	Dahuria.	—	—	H. 2.	
7	ingrica. (wh.)	glossy-leaved.		1829.	—	H. 2.	
8	mauritànica. DC. (gr.)	Barbary.	Algiers.		—	H. 2.	Moris. ox. s. 8. t. 18. f. 4.
9	media. DC. (wh.)	short-spiked.	Canada.	1785.	—	H. 2.	— s. 8. t. 18. f. 8.
10	canadensis. DC. (wh.)	Canadian.	—	1633.	—	H. 2.	— s. 8. t. 18. f. 12.
POTERIUM. DC. BURNET. Monœcia Polyandria. L.							
1	spinosum. DC. (wh.)	prickly shrubby.	Levant.	1595.	4. 8.	G. 2.	Moris. ox. s. 8. t. 18 f. 5.
	β crispum. DC. (wh.)	curled-leaved.	—		—	G. 2.	
	γ inërme. DC. (wh.)	spineless.	—		—	G. 2.	
2	caudatum. DC. (wh.)	shrubby.	Canaries.	1779.	1. 4.	G. 2.	Bot. mag. 2341.
3	Sanguisorbæ. DC. (pu.)	common.	England.		7.	H. 2.	Eng. bot. v. 12. t. 860.
4	agrimoniifolium. DC. (pu.)	Agrimony-ld.	Spain.	1818.	6. 7.	H. 2.	
5	hy'bridum. W. (pu.)	sweet.	France.	1683.	—	H. 2.	Barrel. ic. t. 632.
6	polygamum. DC. (pu.)	Hungarian.	Hungary.	1803.	7. 8.	H. 2.	W. et K. hung. 2. t. 198.
7	villosum. DC. (pu.)	villous.	Levant.	1829.	—	H. 2.	Flor. græc. t. 942.
8	verrucosum. E. (pu.)	warted.	Egypt.	1827.	—	H. 2.	
CERCOCARPUS. DC. CERCOCARPUS. Icosandria Monogynia.							
	fothergilloides. DC. (pu.)	Fothergilla-like.	Mexico.	1828.		G. 2.	H. et B. n. gen. 6. t. 559.
CLIFFORTIA. DC. CLIFFORTIA. Diœcia Polyandria. L.							
1	ilicifolia. DC. (st.)	Holly-leaved.	C. B. S.	1714.	5. 9.	G. 2.	Linn. hort. cliff. t. 30.
2	cordifolia. DC. (st.)	heart-leaved.	—	1816.	—	G. 2.	
3	tridentata. DC. (st.)	three-toothed.	—	1752.	6. 7.	G. 2.	
4	ruscifolia. DC. (st.)	Ruscus-leaved.	—	—	—	G. 2.	Linn. hort. cliff. t. 31.
	arachnoidea. B.C. 260.						
5	graminea. DC. (st.)	grass-leaved.	—	1825.	—	G. 2.	
6	ferruginea. DC. (st.)	ferruginous.	—	1823.	—	G. 2.	
7	cuneata. DC. (st.)	wedge-leaved.	—	1787.	4.	G. 2.	
8	strobilifera. DC. (st.)	cone-bearing.	—	1816.	5. 7.	G. 2.	Pluk. alm. t. 275. f. 2.
9	ericafolia. DC. (st.)	heath-leaved.	—	1799.	7. 9.	G. 2.	
10	sarmentosa. DC. (st.)	twiggy.	—	1795.	6. 8.	G. 2.	
11	falcata. DC. (st.)	falcate-leaved.	—	1816.	—	G. 2.	
12	ternata. DC. (st.)	ternate-leaved.	—	—	—	G. 2.	Linn. hort. cliff. t. 32.
13	trifoliata. DC. (st.)	three-leaved.	—	1752.	4. 7.	G. 2.	Pluk. alm. t. 319. f. 4.
14	obcordata. DC. (st.)	obcordate.	—	1790.	6. 8.	G. 2.	
15	obliqua. DC. (st.)	oblique-leaved.	—	1816.	—	G. 2.	
16	dentata. DC. (st.)	toothed.	—	—	—	G. 2.	
17	crenata. DC. (st.)	notched-leaved.	—	1791.	7. 8.	G. 2.	
18	pulchella. DC. (st.)	beautiful.	—	1795.	4. 5.	G. 2.	
19	cinerea. DC. (st.)	cinereous.	—	1800.	6. 7.	G. 2.	

ORDO LXXIX.

SPIRÆACEÆ. D. Don prodr. flor. nepal. p. 227.

PURSHIA. DC.	PURSHIA. Icosandria Monogynia.					
tridentata. DC. (ye.)	three-toothed.	Columbia.	1827.		H. 2.	Pursh. fl. amer. 1. t. 15.
Tigarea tridentata. Ph.						

KERRIA. DC.		KE'RRIA. Icosandria Pent-Octagynia.					
japónica. DC.	(ye.)	Japanese.	Japan.	1804.	4. 9.	H. h.	
β flore pleno.	(ye.)	double-flowered.	—	—	—	H. h.	Andr. reposit. t. 587.
<i>Córchorus japónicus</i> . Bot. mag. t. 1296.							
SPIRÆA. DC.		SPIRÆA. Icosandria Pentagynia. L.					
1 opulifolia. DC.	(wh.)	Guelder-rose-ld.	N. America.	1690.	6. 7.	H. h.	Schmidt arb. 1. t. 52.
2 capitata. DC.	(wh.)	headed.	Columbia.	1827.	—	H. h.	
3 ulmifolia. DC.	(wh.)	Elm-leaved.	Siberia.	1790.	—	H. h.	Jacq. vind. 2. t. 140.
4 flexuosa. DC.	(wh.)	flexuose.	—	1820.	—	H. h.	Camb. mon. spir. t. 26.
5 bella. DC.	(ro.)	red-flowered.	Nepaul.	1818.	6. 9.	H. h.	Bot. mag. t. 2426.
6 chamædrifolia. DC.	(wh.)	Germander-ld.	Siberia.	1780.	6. 7.	H. h.	Bot. reg. t. 1222.
7 média. Ph.	(wh.)	middle.	Canada.	1827.	—	H. h.	
8 oblongifolia. W.K.	(wh.)	oblong-leaved.	Hungary.	1815.	5. 7.	H. h.	W. et K. hung. 3. t. 235.
9 cæna. DC.	(wh.)	hoary-leaved.	—	1824.	6. 7.	H. h.	— 3. t. 227.
10 trilobata. DC.	(wh.)	three-lobed.	Siberia.	1801.	5. 6.	H. h.	Pall. ross. 1. t. 17.
11 alpina. DC.	(wh.)	Alpine.	—	1806.	6. 7.	H. h.	— 1. t. 20.
12 thalictrifolia. DC.	(wh.)	meadow-rue-ld.	—	1790.	5. 6.	H. h.	— 1. t. 18.
13 pikowiénsis. DC.	(wh.)	Pikow.	Poland.	1824.	—	H. h.	
14 hypericifolia. W.	(wh.)	Hypericum-ld.	N. America.	1640.	4. 5.	H. h.	Schmidt arb. 1. t. 26.
15 uralénsis.	(wh.)	Fischer's.	Siberia.	1822.	—	H. h.	
<i>crenata</i> . F. non W. <i>hypericifolia</i> β <i>uralénsis</i> . DC.							
16 acutifolia. W.en.	(wh.)	acute-leaved.	Siberia.	—	—	H. h.	
17 crenata. L.	(wh.)	crenated.	—	1739.	—	H. h.	
18 crataegifolia. L.en.	(wh.)	Hawthorn-leav'd.		1824.	5. 6.	H. h.	
19 obovata. W.K.	(wh.)	obovate leaved.	Hungary.	1816.	—	H. h.	
20 savránica. Bes.	(wh.)	small-flowered.	Poland.	1826.	—	H. h.	
21 Besseriana.	(wh.)	Besser's.	—	—	—	H. h.	
<i>crenata</i> . Bes. non L.							
22 canescens. DC.	(wh.)	canescent.	Nepaul.	1825.	6. 8.	H. h.	
23 ceanothifolia. DC.	(wh.)	Ceanothus-ld.		1820.	5. 6.	H. h.	Lodd. bot. cab. t. 671.
24 corymbosa. DC.	(wh.)	corymbose.	Virginia.	1812.	—	H. h.	— t. 1403.
25 vacciniifolia. D.P.	(wh.)	Vaccinium-ld.	Nepaul.	1824.	6. 8.	H. h.	Pall. ross. 1. t. 16.
26 betulæfolia. DC.	(wh.)	Birch-leaved.	Siberia.	1812.	6. 7.	H. h.	Schmidt arb. 1. t. 49.
27 lævigata. DC.	(wh.)	smooth-leaved.	—	1774.	4. 6.	H. h.	Eng. bot. v. 21. t. 1468.
28 salicifolia. DC.	(ro.)	Willow-leaved.	Britain.		6. 8.	H. h.	Wats. dend. brit. t. 133.
29 álba. W.D.	(wh.)	white-flowered.			—	H. h.	— t. 66.
30 carpinifolia. W.en.	(bh.)	broad-leaved.	N. America.		7. 8.	H. h.	Schmidt arb. 1. t. 51.
31 tomentosa. DC.	(ro.)	tomentose.	—	1736.	7. 9.	H. h.	
32 ariaefolia. DC.	(ro.)	Aria-leaved	—	1827.	6. 8.	H. h.	
33 discolor. DC.	(wh.)	two-coloured.	—	—	—	H. h.	
34 sorbifolia. DC.	(wh.)	Service-leaved.	Siberia.	1759.	7. 9.	H. h.	Schmidt arb. 1. t. 58.
35 grandiflora.	(wh.)	large-flowered.	Kamtschatka.	1817.	7. 8.	H. h.	Pall. ros. 1. t. 25.
<i>sorbifolia</i> β <i>alpina</i> . DC.							
36 Arúncus. DC.	(wh.)	Goat's-beard.	Siberia.	1633.	6. 7.	H. 4.	Pall. ros. 1. t. 26.
37 americana.	(wh.)	glossy-leaved.	N. America.	1825.	—	H. 4.	
38 Ulmária. DC.	(wh.)	Meadow-sweet.	Britain.		6. 10.	H. 4.	Eng. bot. v. 14. t. 960.
a tomentosa. DC.	(wh.)	tomentose.	—		—	H. 4.	
β multiplex. DC.	(wh.)	double-flowered.	—		—	H. 4.	
γ variegata. DC.	(wh.)	variegated-leav'd.	—		—	H. 4.	
39 lobata. DC.	(ro.)	lobed-leaved.	N. America.	1765.	7. 8.	H. 4.	Jacq. vind. 1. t. 88.
40 palmata. DC.	(wh.)	palmated.	China.	1823.	—	H. 4.	
41 digitata. DC.	(ro.)	digitate.	Siberia.	—	—	H. 4.	Pall. ros. 1. t. 27.
42 Filipéndula. DC.	(wh.)	Dropwort.	Britain.		6. 10.	H. 4.	Eng. bot. v. 4. t. 284.
β <i>multiplex</i> . DC. (wh.) <i>double-flower'd</i> .							
GILL'ENIA. DC.		GILL'ENIA. Dodecandria Pentagynia.					
1 trifoliata. DC.	(bh.)	three-leaved.	N. America.	1713.	6. 7.	H. 4.	Bot. mag. t. 489.
<i>Spiræa trifoliata</i> . B.M.							
2 stipulacea. DC.	(bh.)	large-stipuled.	—	1805.	—	H. 4.	Bart. med. bot. t. 6.

ORDO LXXX.

CALYCANTHEÆ. DC. prodr. 3. p. 1.

CALYCA'NTHUS. DC. ALLSPICE-TREE. Icosandria Polygynia. L.							
1 floridus. DC.	(d. pu.)	Carolina.	Carolina.	1726.	5. 8.	H. h.	Bot. mag. t. 503.

2	prunifolius.	(d.pu.) Plum-leaved.	Carolina.	1822.	5. 8.	H. h.	
3	glaucus. DC.	(d.pu.) glaucous-leaved.	————	1806.	—	H. h.	Guimp. ab. holz. t. 5.
	fertilis.	Bot. reg. t. 404.					
4	oblongifolius. N.	(d.pu.) oblong-leaved.	————	1812.	—	H. h.	
5	lævigatus. DC.	(d.pu.) smooth-leaved.	————	1806.	—	H. h.	Bot. reg. t. 481.
CHIMONANTHUS. DC. JAPAN ALLSPICE. Icosandria Polygynia.							
	fragrans. DC.	(ye.) fragrant.	Japan.	1766.	12. 3.	H. h.	Bot. mag. t. 466.
	Calycánthus pr'æcox. B.M.						
	α verus.	(ye.pu.) common.	————	—	—	H. h.	Hort. Kew. v. 2. t. 10.
	β luteus.	(ye.) yellow-flowered.	————	1814.	—	H. h.	
	γ grandiflorus. B.R.	(ye.) large-flowered.	————	1812.	—	H. h.	Bot. reg. t. 451.

ORDO LXXXI.

GRANATEÆ. *D. Don in Jameson Edinb. phil. journ. jul. 1826. p. 134.*

P'UNICA. DC. POMEGRANATE. Icosandria Monogynia. L.							
1	Granatum. DC.	(or.) common.	S. Europe.	1548.	6. 9.	H. h.	Bot. mag. t. 1832.
	α rubrum. DC.	(or.) red-flowered.	————	—	—	H. h.	Schkuhr handb. t. 131.
	β flore pleno. DC.	(or.) double red.	————		6. 8.	H. h.	Trew ehret. t. 71. f. 2.
	γ flavescens.	(ye.) yellow-flowered.	China.	1810.	—	F. h.	
	δ albescens.	(wh.) white-flowered.	————	—	—	F. h.	Andr. reposit. t. 96.
	ε multiplex.	(wh.) double white.	————		—	F. h.	
2	nana. DC.	(or.) dwarf.	S. America.	1723.	7. 9.	F. h.	Bot. mag. t. 634.

ORDO LXXXII.

MEMECYLEÆ. *DC. prodr. 3. p. 5.*

MEMECYLON. DC. MEM'ECYLON. Octandria Monogynia. L.							
1	angulatum. DC.	(pu.) square-stalked.	Mauritius.	1826.	5. 7.	S. h.	
2	capitellatum. DC.	(pu.) headed.	Ceylon.	1796.	7. 8.	S. h.	Burm. zeyl. t. 30.
3	edule. DC.	(pu.) eatable-fruited.	E. Indies.	1823.	—	S. h.	Roxb. corom. 1. t. 82.
4	grande. DC.	(bl.) tree.	————	1824.		S. h.	Rheed. mal. 2. t. 14.
MOURIRIA. DC. MOURI'RIA. Decandria Monogynia.							
1	myrtilloides. DC.	(wh.) sessile-leaved.	Jamaica.	1818.	6. 8.	S. h.	Sloan. his. 2. t. 87. f. 3.
	Petaloma myrtilloides.	Swartz fl. ind. occ. 2. p. 833. t. 14.					
2	guianensis. DC.	(ye.) Guiana.	Guiana.	1825.	—	S. h.	Aubl. guian. 1. t. 180.
3	grandiflora. DC.	(wh.) great flowered.	Brazil.	1822.		S. h.	
4	alternifolia. H.B.	 alternat-leav'd.	E. Indies.	1823.		S. h.	

ORDO LXXXIII.

COMBRETACEÆ. *DC. prodr. 3. p. 9.*

Tribus I. **TERMINALIEÆ.** *DC. prodr. 3. p. 9.*

BUCIDA. DC. OLIVE-BARK-TREE. Decandria Monogynia. L.							
1	Buceras. DC.	(wh.) Jamaica.	Jamaica.	1793.	7. 10.	S. h.	Bot. reg. t. 907.
2	capitata. DC.	(wh.) headed.	W. Indies.	1826.		S. h.	Vahl. ecl. 1. t. 8.
TERMIN'ALIA. DC. TERMIN'ALIA. Polygamia Monœcia. L.							
1	Tanibouca. DC.	(wh.) Guiana.	Guiana.	1826.		S. h.	Aubl. guian. 1. t. 178.
2	grandifolia. DC.	(wh.) narrow-leaved.	E. Indies.	1692.	5. 7.	S. h.	Jacq. vind. 3. t. 100.
	Catappa Benzoin.	Gært. fruct. 2. p. 206. t. 127.					

3 mauritiâna. DC.	(wh.) Mauritius.	Mauritius.	1822.	 S. h.	Lam. ill. t. 848. f. 2.
4 Catappa. DC.	(wh.) large-leaved.	E. Indies.	1778.	5. 7. S. h.	Jacq. ic. 1. t. 197.
5 subcordata. K.S.	(wh.) heart-leaved.	W. Indies.	1816.	 S. h.	
6 moluccana. DC.	(wh.) smooth-leaved.	Moluccas.	—	 S. h.	Rumph. amb. 1. t. 68.
7 glabrata. DC.	(wh.) smooth-leaved.	Society Isles.	1822.	 S. h.	Spreng. antiq. bot. t. 2.
8 latifolia. DC.	(wh.) broad-leaved.	W. Indies.	1778.	6. 8. S. h.	
9 bengalensis. DC.	(wh.) Bengal.	E. Indies.	1826.	 S. h.	
10 Bellerica. DC.	(wh.) fetid-flowered.	—	1818.	 S. h.	Roxb. corom. 2. t. 198.
11 Chébula. DC.	(wh.) oval-leaved.	—	1796.	6. 8. S. h.	— 2. t. 197.
12 citrina. DC.	(st.) Citron-leaved.	—	1823.	 S. h.	Gært. fruct. 2. t. 97.
13 procera. DC.	(wh.) lofty.	—	1816.	 S. h.	Roxb. corom. 3. t. 224.
14 gangética. H.B.	(wh.) Ganges.	—	1823.	 S. h.	
15 biticaria. H.B.	(wh.) Silhet.	—	1824.	 S. h.	
16 arbúscula. DC.	(wh.) small tree.	Jamaica.	1822.	 S. h.	
17 sericea. DC.	(wh.) silky-leaved.	C. B. S.	1816.	 I. h.	
18 Patræa. DC.	(wh.) Madagascar.	Madagascar.	1826.	 S. h.	
PENTAPTERA. DC.	PENTAPTERA.	Polygamia Monœcia.			
1 tomentosa. DC.	(wh.) woolly.	E. Indies.	1824.	 S. h.	DC. diss. t. 1.
2 paniculata. DC.	(wh.) panicked.	—	1826.	 S. h.	
3 Arjuna. DC.	(wh.) glaucous-leaved.	—	1825.	 S. h.	DC. diss. t. 2.
4 bialata. H.B.	(wh.) two-winged.	—	—	 S. h.	
GETONIA. DC.	GETONIA.	Decandria Monogynia.			
1 floribunda. DC.	(wh.) many-flowered.	E. Indies.	1815.	5. 7. S. h.	Roxb. corom. 1. t. 87.
2 nutans. DC.	(wh.) nodding.	—	1823.	— S. h.	
CONOCARPUS. DC.	BUTTON-TREE.	Pent-Decandria Monogynia.			
1 erecta. w.	(wh.) upright.	Jamaica.	1752.	6. 8. S. h.	Jacq. amer. t. 52. f. 1.
2 procumbens. w.	(wh.) procumbent.	Cuba.	1730.	— S. h.	— t. 52. f. 2.
3 acuminata. DC.	(wh.) pointed-leaved.	E. Indies.	1822.	 S. h.	
4 latifolia. DC.	(wh.) broad-leaved.	—	1816.	 S. h.	
LAGUNCULARIA. DC.	LAGUNCULARIA.	Decandria Monogynia.			
1 racemosa. DC.	(gr.) racemed.	W. Indies.	1825.	 S. h.	Jacq. amer. t. 53.
POIVREA. DC.	POIVREA.	Decandria Monogynia.			
1 comosa.	(cr.) tufted.	Sierra Leone.	1821.	5. 8. S. h.	Bot. reg. t. 1165.
	<i>Combrétum comosum</i> .	Bot. reg.			
2 intermedia. G.D.	(cr.) intermediate.	—	—	 S. h.	
3 alternifolia. DC.	(wh.) alternate-leav'd.	S. America.	1826.	 S. h.	Jacq. am. pic. t. 260. f. 27.
	<i>Combrétum decandrum</i> .	Jacq.			
4 coccinea. DC.	(sc.) scarlet-flower'd.	Madagascar.	1818.	3. 10. S. h.	Lam. ill. t. 282. f. 2.
	<i>Combrétum purpureum</i> .	Bot. reg. 429. <i>Cristaria coccinea</i> .	Sonn. itin. 2. t. 140.	non Pursh.	
5 Roxburghii. DC.	(wh.) Roxburgh's.	E. Indies.	1822.	 S. h.	Roxb. corom. 1. t. 59.
	<i>Combrétum decandrum</i> .	Roxb. non Jacq.			

Tribus II. COMBRETEÆ. DC. prodr. 3. p. 18.

COMBRETUM. DC.	COMBRETUM.	Octandria Monogynia.	L.		
1 secundum. G.D. (ye. sc.)	side-flowering.	W. Indies.	1822.	 S. h.	Jacq. am. pic. t. 260. f. 26.
2 elegans. DC.	(re.) elegant.	S. America.	1823.	 S. h.	Aubl. gui. 1. t. 137.
3 formosum. G.D. (ye. re.)	beautiful.	Brazil.	1824.	 S. h.	
4 grandiflorum. G.D. (sc.)	large-flowered.	Sierra Leone.	1821.	 S. h.	
5 farinosum. G.D. (or.)	mealy-leaved.	Mexico.	1823.	 G. h.	
6 laxum. G.D. (wh.)	loose-racemed.	S. America.	1822.	 S. h.	Lam. ill. t. 282. f. 1.
7 pulchellum. G.D. (sc.)	pretty.	Brazil.	1823.	 S. h.	
8 nanum. G.D. (wh.)	dwarf.	Nepaul.	1826.	 G. h.	
9 micranthum. G.D. (sc.)	small-flowered.	Sierra Leone.	1823.	 S. h.	
	<i>parviflorum</i> .	Reichenb. hort. bot. t. 62.			
CACOUZIA. DC.	CACOUZIA.	Dodecandria Monogynia.			
1 coccinea. DC.	(sc.) scarlet.	Guiana.	1815.	 S. h.	Aubl. guian. 1. t. 179.
	<i>Schousliea coccinea</i> .	w.			
QUISQUALIS. DC.	QUISQUALIS.	Decandria Monogynia.	L.		
1 indica. DC.	(er.) Indian.	China.	1815.	5. 8. S. h.	Bot. reg. t. 492.
2 glabra. DC.	(cr.) smooth.	E. Indies.	1825.	— S. h.	Burm. ind. t. 28. f. 2.
3 pubescens. s.s.	 pubescent.	China.	1815.	 S. h.	
4 villosa. s.s.	 villous.	Pegu.	1818.	 S. h.	

ORDO LXXXIV.

VOCHYSIÆ. DC. *prodr.* 3. p. 25.

VOCHY'SIA. DC.	VOCHY'SIA. Monandria Monogynia.				
1 guianénsis. DC. (ye.)	Guiana.	Guiana.	1822.	 S. h.	Aubl. guian. 1. t. 6.
<i>Cuculària excelsa</i> . W.					
2 tomentosa. DC. (ye.)	woolly.	—	1825.	 S. h.	

ORDO LXXXV.

RHIZOPHOREÆ. DC. *prodr.* 3. p. 31.

OLISBEA. DC.	OLISBEA. Decandria Monogynia.				
rhizophoræfolia. DC. . .	Rhizophora-ld. W. Indies.	1825.	 S. h.		
RHIZOPHORA. DC.	RHIZOPHORA. Octandria Monogynia.				
Mángle. DC. (ye.)	common. India.	1818.	 S. h.		Jacq. amer. t. 89.
CARA'LLIA. DC.	CARA'LLIA. Dodecandria Monogynia.				
lúcida. DC. (ye.)	glossy. E. Indies.	1826.	 S. h.		Roxb. corom. 3. t. 211.

ORDO LXXXVI.

ONAGRARIEÆ. DC. *prodr.* v. 3. p. 35.Tribus I. MONTINIEÆ. DC. *prodr.* loc. cit.

MONTI'NIA. DC.	MONTI'NIA. Diccia Tetrandria. L.				
ácris. DC. (wh.)	Sea purslane-ld. C. B. S.	1774.	7. 8. G. h.		Smith spicil. t. 15.
<i>caryophyllæa</i> . Thunb.					

Tribus II. FUCHSIEÆ. DC. *prod.* v. 3. p. 36.

FUCHSIA. DC.	FUCHSIA. Octandria Monogynia. L.				
1 microphy'lla. DC. (re.)	small-leaved. Mexico.	1827.	6. 9. F. h.		Swt. br. fl. gar. s. 2. t. 16.
2 lycioides. DC. (re.)	Box-thorn-ld. Chile.	1796.	4. 10. G. h.		Bot. mag. t. 1024.
3 parviflora. DC. (re.)	small-flowered. Mexico.	1824.	6. 9. F. h.		Bot. reg. t. 1048.
4 arboræscens. DC. (ro.)	arborescent. —	1823.	6. 10. G. h.		— t. 943.
5 grácilis. DC. (sc.)	slender. —	1822.	5. 10. F. h.		— t. 847.
<i>β multiflora</i> . DC. (sc.)	many-flowered. —	1824.	— F. h.		— t. 1052.
6 macrostemma. DC. (sc.)	large-crowned. Chile.	1823.	— G. h.		Flor. per. 3. t. 324. f. b.
<i>tenella</i> . DC. (sc.)	weak. —	1822.	— G. h.		
7 cónica. B.R. (sc.)	conical-tubed. —	1824.	— F. h.		Bot. reg. t. 1062.
8 virgata. (sc.)	Colvill's. Mexico.	1825.	— F. h.		
9 coccínea. DC. (sc.)	scarlet. Chile.	1788.	— F. h.		Bot. mag. t. 97.
10 excorticata. DC. (gr. re.)	changeable. N. Zealand.	1821.	— G. h.		Bot. reg. t. 857.

Tribus III. ONAGREÆ. DC. *prodr.* v. 3. p. 40.

CHAMÆNERION. Tourn.	CHAMÆNERION. Octandria Monogynia.				
1 spicatum. G.B. (re.)	spiked. England.		7. 8. H. 4.		Eng. bot. v. 28. t. 1947.
<i>Epilobium angustifolium</i> . E.B.					
<i>β albiflorum</i> . (wh.)	white-flowered. —		— H. 4.		

2	speciosum. L.C. (re.) handsome. Europe. 7. 8. H. 2.	
	<i>Epilobium angustifolium</i> β latum. DC. latifolium. Schmidt.	
3	americanum. (re.) American. N. America. 1825. — H. 2.	
4	rosmarinifolium. DC. (re.) Rosemary-ld. Europe. 1775. 6. 8. H. 2.	Reich. ic. 4. t. 341.
	<i>Epilobium angustissimum</i> . Bot. mag. t. 76.	
5	Halleri. Retz. (re.) Haller's. Switzerland. 1798. — H. 2.	— 4. t. 342.
	<i>Epilobium Dodonæi</i> . Allioni. <i>rosmarinifolium</i> β alpinum. DC.	
6	latifolium. (li.) broad-leaved. Europe. 1779. 7. 8. H. 2.	Sal. par. lond. t. 58.
	<i>halimifolium</i> . P.L.	
EPILOBIUM. DC. WILLOW-HERB. Octandria Monogynia. L.		
1	alpinum. DC. (ro.) alpine. Britain. 6. 7. H. 2.	Eng. bot. v. 28. t. 2001.
2	organifolium. DC. (ro.) Marjoram-leav'd. 7. 8. H. 2.	— v. 28. t. 2000.
	<i>alsinifolium</i> . E.B.	
3	roseum. E.B. (ro.) rose-coloured. — H. 2.	— v. 10. t. 693.
4	alpestre. s.s. (ro.) simple-stalked. Switzerland. — H. 2.	
5	montanum. DC. (li.) mountain. Britain. — H. 2.	Eng. bot. v. 17. t. 1177.
6	nudans. DC. (bh.) nodding. Bohemia. 1827. — H. 2.	Reich. ic. 2. t. 197.
7	Hornemanni. DC. (li.) Hornemann's. Finland. — H. 2.	— p. 73. t. 180.
	<i>nudans</i> . Horn. <i>nec aliorum</i> .	
8	coloratum. DC. (ro.) pink-flowered. N. America. 1805. — H. 2.	
9	dahuricum. DC. (wh.) Dahurian. Dahuria. 1816. — H. 2.	
10	hirsutum. DC. (pu.) Codlins & cream. Britain. — H. 2.	Eng. bot. v. 12. t. 838.
11	tomentosum. DC. (pu.) woolly. Levant. 1821. — H. 2.	Vent. hort. cels. t. 90.
12	villosum. DC. (pu.) villous. C. B. S. 1799. — G. 2.	
13	cylindricum. DC. (ro.) round-stemmed. Nepal. 1827. — H. 2.	
14	palustre. DC. (ro.) round-stalked. Britain. — H. 2.	Eng. bot. v. 5. t. 346.
15	rivulare. DC. (ro.) rivulet. N. Europe. 1828. — H. 2.	Reich. ic. 2. t. 170.
16	parviflorum. DC. (pu.) small-flowered. Britain. — H. 2.	Eng. bot. v. 12. t. 795.
17	tetragonum. DC. (pu.) square-stemmed. — H. 2.	— v. 28. t. 1948.
18	obscurum. P.S. (pu.) obscure. Europe. 1820. — H. 2.	Reich. ic. 2. t. 199.
19	canescens. H.H. (ro.) canescent. 1826. — H. 2.	
GA'URA. DC. GA'URA. Octandria Monogynia. L.		
1	biennis. DC. (bh.) biennial. N. America. 1762. 8. 10. H. 2.	Bot. mag. t. 389.
	<i>angustifolia</i> . DC. (fl.) narrow-leaved. Carolina. 1816. 7. 9. F. 2.	Jacq. ic. 3. t. 457.
	<i>fruticosa</i> . Jacq. ex DC. prodr.	
3	sinuata. DC. (fl.) sinuate-leaved. Arkanza. 1826. — H. 2.	
4	tripetala. DC. (bh.) three-petaled. Mexico. 1804. 8. 10. H. 2.	Cavan. ic. 4. t. 396. f. 1.
5	linifolia. DC. (wh.) Flax-leaved. Arkanza. 1826. 7. 9. H. 2.	
6	coccinea. DC. (ro.) pale-scarlet. Louisiana. 1811. 8. 10. H. 2.	
7	mutabilis. DC. (ye.) changeable-col'd. N. Spain. 1795. 7. 9. F. 2.	Bot. mag. t. 388.
8	cenotheriflora. DC. (ye.) canescent. 1816. — F. 2.	
CENOTHERA. DC. EVENING PRIMROSE. Octandria Monogynia. L.		
1	dentata. DC. (ye.) toothed. Chile. 1818. 6. 9. H. 2.	Lindl. coll. t. 10.
2	micrantha. s.s. (ye.) small-blossom'd. California. 1820. — H. 2.	
	<i>hirta</i> . L. enum.	
3	cheiranthifolia. DC. (ye.) Wallflower-ld. Chile. — F. 2.	Bot. reg. t. 1040.
4	biennis. DC. (ye.) common. N. America. 1629. — H. 2.	Eng. bot. v. 22. t. 1534.
5	elata. DC. (ye.) tall upright. Mexico. 1827. 7. 10. F. 2.	
6	grandiflora. DC. (ye.) large-flowered. N. America. 1778. 6. 8. H. 2.	Bot. mag. t. 2068.
7	suaveolens. DC. (ye.) fragrant. — H. 2.	
8	Simsiana. DC. (ye.) Sims's. Mexico. 1816. 7. 10. F. 2.	Bot. mag. t. 1974.
	<i>corymbosa</i> . B.M. non Lamarck.	
9	macrocarpa. DC. (ye.) broad-leaved. N. America. 1811. 6. 8. H. 2.	Swt. br. fl. gar. t. 5.
10	missouriensis. B.M. (ye.) narrow-leaved. — — H. 2.	Bot. mag. t. 1592.
	<i>alata</i> . N. non Rafin.	
11	salicifolia. DC. (ye.) Willow-leaved. 1818. 6. 9. H. 2.	
12	parviflora. DC. (ye.) small-flowered. N. America. 1757. 6. 8. H. 2.	Meerb. ic. 1. t. 34.
13	cruciata. N. (st.) cross-petaled. 1821. 6. 10. H. 2.	
14	muricata. DC. (ye.) prickly-stalked. N. America. 1789. 7. 9. H. 2.	Murr. com. goet. 6. t. 1.
15	nocturna. DC. (ye.) night-smelling. C. B. S. 1790. 4. 8. G. 2.	Jacq. ic. 3. t. 455.
16	longiflora. DC. (ye.) long-flowered. BuenosAyres. 1776. 7. 9. H. 2.	Bot. mag. t. 365.
17	villosa. DC. (ye.) villous. C. B. S. 1791. — G. 2.	
18	mollissima. DC. (ye.) soft wave-ld. BuenosAyres. 1732. 6. 10. H. 2.	Schkuhr hand. 1. t. 105.
19	odorata. DC. (ye.) sweet-scented. Patagonia. 1790. 4. 8. H. 2.	Bot. mag. t. 2403.
	<i>a glaucescens</i> . DC. (ye.) glaucescent. — H. 2.	Jacq. ic. 3. t. 456.
	<i>β virescens</i> . DC. (ye.) purple-stalked. — H. 2.	Bot. reg. t. 147.
20	striata. DC. (ye.) striped-seeded. 1816. 6. 9. H. 2.	
21	sinuata. DC. (ye.) scollop-leaved. N. America. 1770. 7. 8. H. 2.	Murr. com. goet. 5. t. 9.
22	tenella. DC. (pu.) slender. Chile. 1822. 6. 9. H. 2.	Swt. br. fl. gar. t. 167.

23	tenuifolia. DC.	(pu.) slender-leaved.	Chile.	1829.	6. 9.	H. ☉.	Cavan. ic. 4. t. 397.
24	viminea. B.M.	(pu.) twiggy.	N. America.	1827.	—	H. ☉.	Bot. reg. t. 1220.
25	decumbens. D.	(pu.) decumbent.	—	—	—	H. ☉.	— t. 1221.
26	quadrivulnera. D.	(pu.) four-spotted.	—	—	—	H. ☉.	— t. 1119.
27	Lindleyana. D.	(pu.) Lindley's.	—	—	—	H. ☉.	Swt. br. fl. gar. s. 2. t. 19.
28	roseo-alba. DC. (wh. ro.)	rosy and white.	America.	1826.	—	H. ☉.	— t. 268.
29	purpurea. DC.	(pu.) purple-flower'd.	N. America.	1794.	5. 9.	H. ☉.	Bot. mag. t. 352.
30	Romanzovii. DC.	(pu.) Romanzoff's.	—	1819.	—	H. ☉.	Bot. reg. t. 662.
31	corymbosa. DC.	(ye.) corymbose.	—	1826.	6. 9.	H. ♂.	— 562
32	spectabilis. H.H.	(ye.) showy.	Mexico.	1822.	—	F. ♂.	—
33	gauroides. DC.	(ye.) Gaura-like.	Baltimore.	1816.	7. 9.	H. ♂.	—
34	media. DC.	(ye.) intermediate.	N. America.	1821.	6. 9.	H. ♀.	—
35	serrulata. DC.	(ye.) saw-leaved.	—	—	6. 10.	H. ♀.	Swt. br. fl. gar. t. 133.
36	stricta. Led.	(ye.) straight.	—	1822.	—	H. ☉.	—
37	amœna. Leh.	(ye.) delicate.	—	1826.	—	H. ☉.	—
38	nervosa. H.H.	(ye.) nerved-leaved.	—	—	—	H. ♂.	—
39	cæspitosa. DC.	(wh.) tufted.	N. America.	1811.	6. 9.	H. ♀.	Bot. mag. t. 1593.
40	acaulis. DC.	(wh.) short-stalked.	Chile.	1822.	—	H. ♀.	Bot. reg. t. 763.
41	taraxacifolia. B.F.G. (w.)	Dandelion-ld.	—	1823.	—	H. ♀.	Swt. br. fl. gar. t. 294.
	grandiflora. Flor. peruv.	3. t. 318. f. 6. nec aliorum.	—	—	—	—	—
42	triloba. DC.	(st.) root-flowering.	N. America.	1821.	6. 10.	H. ☉.	Bot. mag. t. 2566.
	rhizocarpa. s.s.	—	—	—	—	—	—
43	virgata. DC.	(pu.) slender-twigg'd.	Peru.	1823.	6. 9.	H. ☉.	Flor. per. 29. t. 315.
44	pinnatifida. DC.	(ye.) pinnatifid.	Mexico.	1825.	—	F. ♀.	—
45	tetraptera. DC.	(ye.) four-winged.	—	1796.	—	H. ☉.	Bot. mag. t. 468.
46	latiflora. DC.	(wh.) broad-flowered.	—	1826.	—	H. ♀.	Flor. mex. ined. t. 376.
47	glauca. DC.	(ye.) glaucous-leav'd.	N. America.	1812.	5. 10.	H. ♀.	Bot. mag. t. 1606.
48	fruticosa. DC.	(ye.) frutescent.	—	1737.	6. 8.	H. ♀.	— t. 332.
49	ambigua. DC.	(ye.) ambiguous.	—	—	—	H. ♀.	—
50	serotina. B.F.G.	(ye.) late-flowered.	—	1820.	7. 10.	H. ♀.	Swt. br. fl. gar. t. 184.
51	tetragona. DC.	(ye.) blunt-leaved.	—	—	6. 8.	H. ♀.	—
52	Fraseri. DC.	(ye.) Fraser's.	—	1811.	5. 10.	H. ♀.	Bot. mag. t. 1674.
53	pumila. DC.	(ye.) dwarf.	—	1757.	5. 9.	H. ♀.	— t. 355.
54	rosea. DC.	(ro.) rose-coloured.	Peru.	1783.	—	F. ♀.	— t. 347.
55	linearis. DC.	(ye.) linear-leaved.	N. America.	—	6. 8.	H. ♀.	—
56	speciosa. DC.	(wh.) handsome.	Louisiana.	1821.	—	H. ♀.	Swt. br. fl. gar. t. 253.
57	pallida. B.R.	(bh.) pale.	N. America.	1827.	—	H. ♀.	Bot. reg. t. 1142.
58	albicaulis. DC.	(wh.) white-stalked.	—	1811.	5. 9.	H. ☉.	—
	pinnatifida. N. non Kth.	—	—	—	—	—	—
59	Nuttallii.	(wh.) Nuttall's.	N. America.	—	5. 8.	H. ♀.	—
	albicaulis. N. non Pursh.	—	—	—	—	—	—
60	canadensis. DC.	(ye.) Canadian.	Canada.	1825.	6. 9.	H. ☉.	—
	CLARKIA. Ph.	CLARKIA. Octandria Monogynia.	—	—	—	—	—
	pulchella. Ph.	(ro.) beautiful.	N. America.	1827.	5. 10.	H. ☉.	Bot. reg. t. 1100.
	β albiflora.	(wh.) white-flowered.	—	—	—	H. ☉.	—
	γ integriloba.	(ro.) entire-lobed.	—	—	—	H. ☉.	—

Tribus IV. JUSSIEÆ. DC. prodr. v. 3. p. 52.

JUSSIEÆ. DC.	JUSSIEÆ. Octo-Dec-Dodecandria Monogynia.						
1 variabilis. DC.	(ye.) variable.	Guiana.	1820.	7. 9.	S.w. ♀.		
2 leptocarpa. DC.	(ye.) narrow-podded.	Mississippi.	1824.	—	H. ☉.		
3 pilosa. DC.	(ye.) hairy.	Caracas.	1829.	—	S.w. ♀.	H. et B.n. gen. 6. t. 532.	
4 grandiflora. DC.	(ye.) great-flowered.	Carolina.	1812.	7. 10.	G.w. ♀.	Bot. mag. t. 2122.	
5 repens. DC.	(ye.) creeping.	E. Indies.	1816.	—	S.w. ♀.	Rheed. mal. 2. t. 51.	
6 Swartziana. DC.	(ye.) Swartz's.	W. Indies.	1826.	—	S.w. ♀.		
7 inclinata. DC.	(ye.) inclined.	Surinam.	1820.	—	S.w. ☉.		
8 acuminata. DC.	(ye.) acuminate.	Jamaica.	—	—	S. ☉.		
9 linifolia. DC.	(ye.) Flax-leaved.	W. Indies.	—	—	S. ☉.		
10 erecta. DC.	(ye.) upright.	S. America.	1739.	—	S.w. ♂.	Gært. fruct. t. 31.	
11 frutescens. DC.	(ye.) frutescent.	—	1829.	4. 6.	S.w. ♀.		
12 longifolia. DC.	(ye.) long-leaved.	Brazil.	1828.	6. 9.	S.w. ♀.	DC. pl. rar. gen. 1. t. 4.	
13 decurrens. DC.	(ye.) decurrent.	N. America.	—	—	H.w. ♀.	Abb. ins. t. 40.	
14 ovalifolia. DC.	(ye.) oval-leaved.	Madagascar.	1823.	7. 9.	S.w. ♀.	Bot. mag. t. 2530.	
15 Burmanni. DC.	(ye.) Burmann's.	E. Indies.	1808.	8. 9.	S.w. ♀.	Andr. reposit. 621.	
	suffruticosa. A.R.	—	—	—	—	—	—

16 villôsa. DC.	(ye.) villous.	E. Indies.	1826.	8. 9.	S.w. $\frac{1}{2}$.	Rheed. mal. 2. t. 50.
17 octonervia. DC.	(ye.) eight-nerved.	S. America.		7. 9.	S.w. $\frac{1}{4}$.	Lam. ill. t. 280. f. 1.
<i>Enothëra octovalvis</i> . Jacq. amer. t. 70.						
18 octofila. DC.	(ye.) eight-veined.	Caribees.		—	S.w. $\frac{1}{4}$.	Plum.edBur.t.175.f.1.
19 scâbra. DC.	(ye.) rough.	Brazil.	1816.	—	S.w. $\frac{1}{4}$.	
20 hirta. DC.	(ye.) hairy.	S. America.	1823.	—	S.w. $\frac{1}{2}$.	Plum.edBur.t.174.f.2.
LUDWIGIA. DC. LUDWIGIA. Tetrandria Monogynia. L.						
1 jussiaëoides. DC.	(ye.) Jussiaea-like.	Mauritius.	1826.	7. 9.	S.w. $\frac{1}{4}$.	
2 parviflora. DC.	(ye.) small-flowered.	E. Indies.	1812.	—	S. $\odot$.	
ISNARDIA. DC. ISNARDIA. Tetrandria Monogynia. L.						
1 alternifolia. DC.	(ye.) alternate-leav'd.	N. America.	1752.	6. 7.	H.w. $\frac{1}{4}$.	Lam. ill. t. 77.
<i>Ludwigia alternifolia</i> . L. <i>macrocarpa</i> . M.						
2 hirsuta. DC.	(ye.) hairy.	—	1812.	6. 8.	H.w. $\frac{1}{4}$.	
3 palustris. DC.	(gr.) marsh.	Europe.	1776.	7. 8.	H.w. $\frac{1}{4}$.	Schk. handb. 1. t. 25.
4 nitida.	(gr.) American.	America.		—	H.w. $\frac{1}{4}$.	
<i>Ludwigia nitida</i> . M. <i>apétala</i> . Walter. <i>palustris</i> . Torrey.						

Tribus V. *CIRCÆEÆ*. DC. prodr. v. 3. p. 61.

LOPEZIA. DC. LOP'EZIA. Monandria Monogynia.						
1 racemôsa. DC.	(pu.) smooth.	Mexico.	1792.	8. 10.	G. $\frac{1}{2}$.	Bot. mag. t. 254.
2 cordata. DC.	(pu.) heart-leaved.	—	1826.	7. 10.	H. $\odot$.	
3 coronata. DC.	(pu.) coronet-flower'd.	—	1805.	—	H. $\odot$.	Swt. br. fl. gar. t. 108.
4 oppositifolia. DC.	(pu.) opposite-leaved.	—	1825.	—	H. $\odot$.	
5 integrifolia. DC.	(pu.) entire-leaved.	—	—	—	H. $\odot$.	
6 miniata. DC.	(pu.) frutescent.	—	1824.	9. 11.	G. $\frac{1}{2}$.	Jacq. f. ecl. t. 109.
7 hirsuta. DC.	(pu.) hairy.	—	1796.	—	G. $\frac{1}{2}$.	Jacq. coll. 5. t. 15. f. 4.
8 pumila. DC.	(pu.) dwarf.	—	1825.	7. 9.	H. $\odot$.	
CIRCÆA. DC. ENCHANTER'S NIGHTSHADE. Diandria Monogynia.						
1 lutetiâna. DC.	(wh.) common.	Britain.		6. 8.	H. $\frac{1}{4}$.	Eng. bot. v. 15. t. 1056.
2 canadensis. L.	(wh.) smooth-stalked.	N. America.		—	H. $\frac{1}{4}$.	
3 alpina. DC.	(wh.) mountain.	Britain.		6. 9.	H. $\frac{1}{4}$.	Eng. bot. v. 15. t. 1057.

Tribus VI. *HYDROCARYEÆ*. DC. prodr. v. 3. p. 63.

TRAPA. DC. WATER-CALTROPS. Tetrandria Monogynia. L.						
1 natans. DC.	(wh.) floating.	S. Europe.	1781.	6. 8.	H.w. $\odot$.	Bot. reg. t. 259.
2 quadrispinosa. DC.	(wh.) four-spined.	E. Indies.	1823.	—	S.w. $\odot$.	
3 bispinosa. DC.	(wh.) two-spined.	—	1822.	6. 9.	S.w. $\odot$.	Roxb. corom. t. 234.
4 bicornis. DC.	(wh.) two-horned.	China.	1790.	—	G.w. $\frac{1}{4}$.	Braam ic. chin. t. 22.

ORDO LXXXVII.

HALORAGEÆ. DC. prodr. v. 3. p. 65.

Tribus I. *CERCODIANÆ*. DC. prodr. y. 3. p. 65.

SERPICULA. DC. SERPICULA. Monœcia Tetrandria. L.						
repens. DC.	(gr.) creeping.	C. B. S.	1789.	7. 8.	G. $\frac{1}{4}$.	Berg. cap. t. 5. f. 10.
GONIOCARPUS. DC. GONIOCARPUS. Octandria Tetragynia.						
1 micranthus. DC.	(wh.) small-flowered.	Japan.	1805.	6. 9.	H. $\odot$.	Thunb. fl. jap. t. 15.
2 scâber. DC.	(wh.) rough-leaved.	China.	1820.	—	H. $\odot$.	Ann. bot. 1. t. 12. f. 6.
3 teucrioides. DC.	(wh.) Teucrium-like.	N. S. W.	1826.	—	H. $\odot$.	
HALORAGIS. DC. HALORAGIS. Octandria Di-Tetragynia.						
1 prostrata. DC.	(gr.) prostrate.	N. S. W.	1818.	4. 9.	G. $\frac{1}{2}$.	
2 digyna. DC.	(gr.) two-styled.	N. Holland.	1826.	—	G. $\frac{1}{2}$.	Labil. n. holl. 1. t. 129.

CERC'ODIA. DC.		CERC'ODIA. Octandria Tetragynia.			
1	erecta. DC. (gr.) upright.	N. Zealand.	1772.	4. 9. G. $\frac{1}{2}$.	Jacq. ic. 1. t. 69.
<i>Haloragis alata</i> , Jacq. <i>Cercodia</i> . H.K. <i>Tetragonia ivæfolia</i> , L.					
PROSERPIN'ACA. DC.		PROSERPIN'ACA. Triandria Trigynia.			
1	palustris. DC. (wh.) marsh.	N. America.	1822.	7. 8. H.w. $\odot$.	Jus. an. mus. 3. t. 30. f. 1.
2	pectinata. DC. (wh.) pectinated.	—	—	—	H.w. $\odot$. Lam. ill. 1. t. 50. f. 1.
MYRIOPHY'LLUM.		WATER MILFOIL. Monœcia Tetr-Octandria.			
1	spicatum. DC. (ro.) spiked.	Britain.		7. 8. H.w. $\frac{1}{2}$.	Eng. bot. v. 2. t. 83.
2	pectinatum. DC. (ro.) pectinated.	Europe.	1828.	—	H.w. $\frac{1}{2}$. Flor. dan. t. 1046.
<i>verticillatum</i> . F.D.					
3	verticillatum. DC. (ro.) verticillate.	England.		—	H.w. $\frac{1}{2}$. Eng. bot. v. 4. t. 218.

Tribus II. **CALLITRICHINEÆ.** DC. prodr. v. 3. p. 70.

CALLITRICHE. DC.		WATER STARWORT. Monandria Digynia. L.			
1	véna. DC. (wh.) vernal.	Britain.		4. 10. H.w. $\odot$.	Eng. bot. v. 11. t. 722.
2	autumnâlis. DC. (wh.) autumnal.	—		6. 10. H.w. $\odot$.	Gmel. sib. 3. t. 1.

Tribus III. **HIPPURIDEÆ.** DC. prodr. v. 3. p. 71.

HIPP'URIS. DC.		MARE'S-TAIL. Monandria Monogynia. L.			
	vulgâris. DC. (gr.) common.	Britain.		5. H.w. $\frac{1}{2}$.	Eng. bot. v. 11. t. 763.

ORDO LXXXVIII.

CERATOPHYLLÆ. Gray brit. pl. arr. 2. p. 554.

CERATOPHY'LLUM. DC.		HORNWORT. Monœcia Polyandria. L.			
1	demersum. DC. (gr.) spiny-fruited.	Britain.		7. 9. H.w. $\frac{1}{2}$.	Eng. bot. v. 14. t. 947.
2	submersum. DC. (gr.) naked-fruited.	—		9. H.w. $\frac{1}{2}$.	— v. 10. t. 679.

ORDO LXXXIX.

LYTHRARIEÆ. DC. prodr. v. 3. p. 75.

Tribus I. **SALICARIEÆ.** DC. prodr. v. 3. p. 75.

PE'PLIS. DC.		WATER PURSLANE. Hexandria Monogynia. L.			
	Pörtula. DC. (re.) common.	Britain.		7. 9. H. $\odot$.	Eng. bot. v. 17. t. 121f.
AMMA'NNIA. DC.		AMMA'NNIA. Tetr-Heptandria Monogynia.			
1	ægyptiaca. DC. (gr.) Egyptian.	Egypt.	1818.	7. 8. H.w. $\odot$.	Willd. hort. ber. t. 6.
2	vesicatoria. DC. (ye.) bladdered.	E. Indies.	1825.	—	S.w. $\odot$. Pluk. alm. t. 136. f. 22.
3	occidentâlis. DC. (gr.) occidental.	Portorico.	1829.	—	S.w. $\odot$.
4	câspica. DC. (gr.) Caspian.	Astracan.	1818.	—	H.w. $\odot$.
5	ramosior. DC. (pu.) branching.	Virginia.	1759.	—	H.w. $\odot$. Bocc. mus. t. 104.
6	latifolia. DC. (wh.) broad-leaved.	W. Indies.	1733.	—	S.w. $\odot$. Sloan. his. 1. t. 7. f. 4.
7	humilis. DC. (ro.) small.	N. America.	1823.	—	H.w. $\odot$.
8	baccifera. R.S. (ye.) berry-bearing.	China.	1820.	—	H.w. $\odot$. Burm. ind. t. 15. f. 3.
9	verticillata. DC. (pu.) whorled.	—	—	—	H.w. $\odot$. Lam. ill. t. 77. f. 3.
10	multiflora. DC. (re.) many-flowered.	E. Indies.	1818.	—	S.w. $\odot$.
11	dëbilis. DC. (li.) cluster-flower'd.	—	1778.	—	S.w. $\odot$.
12	diffusa. DC. (wh.) spreading.	—	1818.	—	S.w. $\odot$.
13	rotundifolia. DC. (fl.) round-leaved.	Nepaul.	—	—	H.w. $\odot$.
14	pentândra. DC. (wh.) pentandrous.	E. Indies.	1823.	—	S.w. $\odot$.

15 sanguinolenta. DC. (cr.) bloody.	Jamaica.	1803.	7. 8.	S.w. ⊙.	
16 octandra. DC. (cr.) octandrous.	E. Indies.	1818.	—	S.w. ⊙.	Roxb. corom. 2. t. 133.
17 auriculata. DC. (pu.) eared.	Egypt.	1820.	—	H.w. ⊙.	Willd. h. ber. 1. t. 7.
18 rubra. DC. (re.) red-flowered.	Nepaul.	1822.	—	H.w. ⊙.	
19 pallida. DC. (pa.) pale-flowered.		1828.	—	H.w. ⊙.	
20 viridis. DC. (gr.) green.		1818.	—	H.w. ⊙.	
21 Wormskiöldii. F. Wormskiöld's.	Siberia.	1828.		H.w. ⊙.	
LYTHRUM. DC.	LYTHRUM. Di-Dodecandria Monogynia.				
1 thymifolium. DC. (li.) Thyme-leaved.	S. Europe.	1820.	7. 9.	H. ⊙.	Barrel. ic. 773. f. 2.
2 thesioides. DC. (li.) Thesium-like.	Caucasus.	1828.	—	H. ⊙.	
3 lineare. DC. (wh.) linear-leaved.	N. America.	1812.	7. 8.	H. ♀.	
4 alatum. DC. (pu.) winged-stalked.	—	1812.	5. 11.	F. ♀.	Bot. mag. t. 1812.
5 hyssopifolium. DC. (li.) Hyssop-leaved.	England.		8. 9.	H. ⊙.	Eng. bot. v. 5. t. 292.
6 lanceolatum. DC. (pu.) spear-leaved.	Carolina.	1822.	7. 9.	H. ♀.	
7 album. DC. (wh.) white-flowered.	Mexico.	1827.	—	H. ♀.	
8 Græfferi. DC. (pu.) Græffer's.	S. Europe.	1825.	—	H. ⊙.	
9 Salicaria. DC. (pu.) common.	Britain.		7. 9.	H.w. ♀.	Eng. bot. v. 15. t. 1061.
10 pubescens. (pu.) pubescent.	N. America.		7. 8.	H. ♀.	
<i>Salicaria β pubescens.</i> Ph.					
11 diffusum. B.F.G. (pu.) spreading.	—	1822.	7. 9.	H. ♀.	Swt. br. fl. gar. t. 149.
12 virgatum. DC. (ro.) slender-branch'd.	Europe.	1776.	6. 9.	H. ♀.	Bot. mag. t. 1003.
CUPHEA. DC.	CUPHEA. Dodecandria Monogynia.				
1 circæoides. DC. (vi.) Circæa-like.	S. America.	1819.	8. 10.	H. ⊙.	Bot. mag. t. 2201.
2 spicata. DC. (ro.) spiked.	Peru.	—	—	H. ⊙.	Cavan. icon. 4. t. 381.
3 Melvilla. DC. (sc.gr.) scarlet & green.	Guiana.	1822.	6. 10.	S. ♀.	Bot. reg. t. 852.
4 viscosissima. DC. (li.) clammy.	America.	1776.	7. 10.	H. ⊙.	Swt. br. fl. gar. t. 60.
5 procumbens. DC. (li.) procumbent.	Mexico.	1816.	6. 9.	H. ⊙.	Bot. reg. t. 182.
6 lanceolata. DC. (li.) spear-leaved.	—	1796.	5. 8.	G. ♂.	
7 æquipetala. DC. (vi.) equal-flowered.	—	1828.	6. 9.	H. ⊙.	Cavan. ic. 4. t. 382. f. 2.
8 virgata. DC. (vi.) twiggy.	—	—	—	H. ⊙.	— t. 382. f. 1.
9 decandra. DC. (pu.) ten-stamened.	Jamaica.	1789.	6. 10.	S. ♀.	
10 parviflora. DC. (ro.) small-flowered.	Demerara.	1824.	10. 12.	S. ♀.	Hook. ex. flor. t. 161.
11 Simsii. ed. 1. (li.) Sims's.	Trinidad.	1823.	8. 10.	S. ♀.	Bot. mag. t. 2580.
<i>serpyllifolia.</i> E.M. non Kth. <i>Trinitatis.</i> DC.					
12 multiflora. DC. (vi.) many-flowered.	—	1822.	—	S. ♀.	Lodd. bot. cab. t. 808.
ACISANTHERA. DC.	ACISANTHERA. Decandria Monogynia.				
1 quadrata. DC. (pi.) four-sided.	Jamaica.	1804.		S. ♀.	Brown. jam. t. 22. f. 1.
HELMIA. DC.	HELMIA. Dodecandria Monogynia.				
1 salicifolia. DC. (ye.) Willow-leaved.	Mexico.	1821.	6. 9.	F. ♀.	Swt. br. fl. gar. t. 281.
2 myrtifolia. Ot. (ye.) Myrtle-leaved.	—	1827.	—	F. ♀.	
DECODON. DC.	DECODON. Decandria Monogynia.				
1 verticillatum. DC. (pu.) whorl-flowered.	N. America.	1759.	7. 9.	H.w. ♀.	
<i>Lythrum verticillatum.</i> L. <i>Nesæa verticillata.</i> Kth.					
NESÆA. DC.	NESÆA. Oct-Dodecandria Monogynia.				
1 triflora. DC. (bl.) three-flowered.	Mauritius.	1802.	8. 9.	S.w. ♀.	
<i>Lythrum triflorum.</i> L.					
LAWSONIA. DC.	LAWSONIA. Octandria Monogynia. L.				
1 spinosa. w. (wh.) prickly.	E. Indies.	1759.	6. 9.	S. ♀.	Rheed. mal. 1. t. 40.
2 inermis. w. (wh.) smooth.	Egypt.	—	—	G. ♀.	Rauw. ic. 60. t. 7.
GINORIA. DC.	GINORIA. Dodecandria Monogynia.				
1 americana. DC. (bl.) American.	Cuba.	1827.		S. ♀.	Jacq. amer. t. 91.
GRISLEA. DC.	GRISLEA. Oct-Dodecandria Monogynia.				
1 secunda. DC. (re.) secund.	Caracas.	1824.	6. 8.	S. ♀.	
2 tomentosa. DC. (sc.) downy.	E. Indies.	1804.	5. 12.	S. ♀.	Bot. reg. t. 30.
<i>Woodfordia floribunda.</i> Sal. par. lond. t. 42. <i>Lythrum fruticosum.</i> L.					

Tribus II. LAGERSTRÆMIÆ. DC. prodr. v. 3. p. 92.

LAGERSTRÆMIA. DC. LAGERSTRÆMIA. Icosandria Monogynia.

1 indica. DC. (re.) Indian.	China.	1759.	8. 10.	F. ♀.	Bot. mag. t. 405.
β carnea. (fl.) flesh-coloured.	—	1816.	—	F. ♀.	
γ alba. (wh.) white-flowered.	—	—	—	F. ♀.	
2 parviflora. DC. (wh.) small-flowered.	E. Indies.	—	—	S. ♀.	Roxb. corom. 1. t. 66.
3 speciosa. DC. (ro.) beautiful.	China.	1826.		S. ♀.	Munch. haus. 5. t. 356.
4 grandiflora. DC. (ro.) large-flowered.	E. Indies.	1809.		S. ♀.	
5 regina. DC. (ro.) oblong-leaved.	—	1792.		S. ♀.	Roxb. corom. 1. t. 651.

ORDO XC.

TAMARISCINEÆ. *DC. prodr. v. 3. p. 95.*

TAMARIX. DC.		TAMARISK. Tetr-Pentandria Trigynia.			
1	gállica. DC.	(fl.) red-wooded.	England.		7. 8. H. h ₂ .
2	Pállásii. DC.	(fl.) Pallas's.	Caucasus.	1827.	— H. h ₂ .
<i>pentándra</i> . Pall. <i>gállica</i> . M.B. <i>nec aliorum</i> .					
3	índica. DC.	(bh.) Indian.	E. Indies.		6. 8. S. h ₂ .
4	dioíca. DC.	(bh.) diœcious.	—	1812.	— S. h ₂ .
5	articulâta. DC.	(pi.) jointed.	—	1816.	 S. h ₂ .
6	tetrándra. DC.	(wh.) tetrandrous.	Tauria.	1821.	7. 8. H. h ₂ .
MYRIC'ARIA. DC.		MYRIC'ARIA. Monadelphia Decandria.			
1	germánica. DC.	(pi.) green-wooded.	Germany.	1582.	6. 9. H. h ₂ .
<i>Támarix germánica</i> . L.					
2	dahúrica. DC.	(pi.) Dahurian.	Dahuria.	1827.	 H. h ₂ .

ORDO XCI.

MELASTOMACEÆ. *DC. prodr. v. 3. p. 99.*Subordo I. MELASTOMEÆ.—Tribus I. LAVOISIEREÆ. *DC. loc. cit. 100.*

MERT'ANIA. DC.		MERT'ANIA. Decandria Monogynia.			
1	leucántha. DC.	(wh.) white-flowered.	Jamaica.	1825.	6. 8. S. h ₂ .
2	rôsea. DC.	(ro.) mountain rose.	—	—	S. h ₂ .
3	purpúrea. DC.	(pu.) purple.	—	—	S. h ₂ .

Tussac fl. ant. t. 6.
Swart. fl. ind. oc. 2. t. 15.

Tribus II. RHEXIEÆ. *DC. prodr. 3. p. 114.*

SPENN'ERA. DC.		SPENN'ERA. Octo-Decandria Monogynia.			
1	paludôsa. DC.	(ro.) marsh.	Brazil.	1825.	6. 8. S. 4.
2	frágilis. DC.	(wh.) brittle.	Trinidad.	1822.	— S. h ₂ .
3	aquática. DC.	(ro.) marsh.	S. America.	1793.	3. 9. S. h ₂ .
<i>Rhèxia aquática</i> . Bonpl. rhex. t. 40. <i>Melástoma aquática</i> . Aubl.					
4	pendulifôia. DC.	(ro.) hanging-leaved.	Guiana.	1826.	— S. h ₂ .
5	glandulôsa. DC.	(wh.) glandulous.	—	1824.	— S. h ₂ .
MICROLI'CIA. DC.		MICROLI'CIA. Decandria Monogynia.			
1	brevifôlia. DC.	(pu.) short-leaved.	Guiana.	1823.	7. 10. S. ☉.
<i>Melástoma triválvis</i> . Aubl. <i>Rhèxia triválvis</i> . Vahl.					
2	biválvis. DC.	(pu.) two-valved.	Trinidad.	1822.	6. 8. S. ☉.
3	recúrva. DC.	(pu.) recurved-leav'd.	—	1820.	— S. 4.
RHE'XIA. DC.		RHE'XIA. Octandria Monogynia. L.			
1	mariana. DC.	(li.) Maryland.	N. America.	1759.	7. 9. H. 4.
<i>a purpúrea</i> . DC.		(li.) purplish.	—	—	H. 4.
<i>β rubêlla</i> . DC.		(re.) reddish.	—	—	H. 4.
2	virginica. DC.	(pu.) Virginian.	—	—	6. 8. H. 4.
3	ciliôsa. DC.	(pu.) ciliated.	—	1812.	8. 10. H. 4.
4	angustifôlia. DC.	(wh.) narrow-leaved.	—	—	7. 9. H. 4.
OXYSP'ORA. DC.		OXYSP'ORA. Octandria Monogynia.			
<i>paniculâta</i> . DC.		(wh.) panicled.	Nepaul.	1826.	6. 8. S. h ₂ .
<i>Arthrostémma paniculatum</i> . D.P.					

Aubl. guian. 1. t. 169.

Bonpl. nav. t. 26.
— 70. t. 27.

Aubl. guian. 1. t. 155. f. b.

Aubl. guian. 1. t. 155. f. a.

Pluk. mant. t. 428. f. 1.

Swt. br. fl. gar. t. 41.

Bot. mag. t. 968.

Swt. br. fl. gar. t. 298.

Tribus III. OSBECKIÆ. DC. prodr. 3. p. 127.

- LASIA'NDRA. DC. LASIA'NDRA. Decandria Monogynia.**
 1 Fontanesiana. DC. (pu.) rough-leaved. Brazil. 1818. 4. 8. S. ♀. Bonpl. rhex. t. 36.
Melastoma granulosa. B. reg. 671. *Rhèxia Fontanesii*. Bonpl.
 2 Langsdorffiana. DC. (pu.) Langsdorf's. Brazil. 1821. — S. ♀. Bonpl. rhex. t. 51.
 3 argentea. DC. (bl.) silvery-leaved. — 1816. — S. ♀. — t. 12.
Rhèxia holosericea. Bot. reg. t. 323. *Pleroma holosericeum*. Don.
- CHÆTOGA'STRA. DC. CHÆTOGA'STRA. Decandria Monogynia.**
 1 lanceolata. DC. (wh.) spear-leaved. Trinidad. 1827. 1. 5. S. ♀. Bot. mag. t. 2836.
 2 hypericoïdes. DC. (wh.) Hypericum-like. — 1820. 8. 12. S. ♂. Aubl. guian. 1. t. 168.
Rhèxia villosissima. Bonpl. rhex. t. 31. *Melastoma villosa*. Aubl.
 3 ciliaris. DC. (pu.) fringed. S. America. 1822. 4. 7. S. ♀. Vent. choix. t. 34.
Meriania ciliaris. Vent.
 4 gracilis. DC. (ro.) slender. Brazil. 1824. — S. ♀. Bonpl. rhex. t. 52.
- ARTHROSTEMMA. DC. ARTHROSTEMMA. Octandria Monogynia.**
 1 ladanoides. DC. (li.) bristly-stalked. Trinidad. 1820. 6. 9. S. ♂. Bonpl. rhex. t. 27.
Rhèxia ladanoides. Bonpl. *Melastoma trichótoma*. W.
 2 villosum. DC. (vi.) villous. Trinidad. — — S. ♀. Aubl. guian. 1. t. 129. f. 1.
 3 versicolor. DC. (bh.) changeable-col'd. Brazil. 1825. 5. 9. S. ♀. Bot. reg. t. 1066.
Rhèxia versicolor. B.R.
- OSBECKIA. DC. OSBECKIA. Octo-Decandria Monogynia.**
 1 urceolaris. DC. (pu.) urceolate. Brazil. 1825. 4. 9. S. ♀.
 2 Simsii. DC. (pu.) Sims's. Mauritius. 1820. — S. ♀. Bot. mag. t. 2235.
Melastoma osbeckioides. B.M.
 3 glomerata. DC. (ro.) cluster-flower'd. S. America. 1821. 12. 4. S. ♀. Bot. mag. t. 2838.
 β albiflora. DC. (wh.) white-flowered. Brazil. — — S. ♀. Lodd. bot. cab. t. 334.
Rhèxia glomerata. B.C.
 4 chinensis. DC. (ro.) Chinese. China. 1816. 3. 10. S. ♀. Bot. reg. t. 542.
 5 zeylanica. DC. (wh.) Ceylon. Ceylon. 1749. 5. 9. S. ♀. — t. 565.
 6 angustifolia. DC. (ro.) narrow-leaved. Nepaul. 1826. — S. ♀.
 7 nepalensis. H.E.F. (ro.) handsome. — 1820. — S. ♀. Hook. ex. flor. t. 31.
speciosa. D.P.
 8 stellata. DC. (li.) starry-haired. — 1818. — S. ♀. Bot. reg. t. 674.
 9 ternifolia. DC. (li.) whorl-leaved. — 1825. — S. ♀.
 10 octandra. DC. (ro.) octandrous. Ceylon. 1815. 4. 8. S. ♀.
Melastoma octandra. L.
 11 decumbens. DC. (ro.) decumbent. Africa. 1821. — S. ♀. Beauv. fl. ow. t. 41.
Melastoma decumbens. Beauv.
- TIBOUCH'INA. DC. TIBOUCH'INA. Decandria Monogynia.**
 áspera. DC. (pu.) rough. Guiana. 1820. 4. 6. S. ♀. Aubl. guian. 1. t. 177.
- MELASTOMA. DC. MELASTOMA. Decandria Monogynia. L.**
 1 affine. DC. (ro.) scaly-stalked. E. Indies. 1816. 1. 8. S. ♀.
 2 malabáthricum. DC. (ro.) Malabar. — 1793. — S. ♀. Bot. reg. t. 672.
 3 ásperum. DC. (ro.) rough. — 1815. 8. 11. S. ♀. Rheed. mal. 4. t. 43.
 4 macrocárpum. DC. (ro.) large-fruited. — 1793. 1. 8. S. ♀. Bot. mag. t. 529.
malabáthrica. B.M. nec aliorum.
 5 sanguineum. DC. (li.) red-veined. Sunda. St. 1818. 4. 12. S. ♀. Bot. mag. t. 2241.
 6 rubrolimbátum. DC. (wh.) red-limbed. E. Indies. 1823. — S. ♀.
 7 candidum. DC. (li.) white-leaved. China. 1820. 4. 8. S. ♀.
 8 normale. DC. (li.) Nepaul. Nepaul. 1819. 2. 6. S. ♀. Lodd. bot. cab. t. 707.
nepalensis. B.C.
 9 Wallichii. DC. (li.) Wallich's. — 1824. — S. ♀.
 10 decemfidum. DC. (pu.) ten-cleft. E. Indies. 1826. 1. 8. S. ♀.
 11 cymosum. DC. (li.) cymose. Sierra Leone. 1792. 4. 8. S. ♀. Vent. h. malm. t. 14.
corymbosum. Bot. mag. t. 984.
 12 elongátum. DC. (li.) tuberous-rooted. — 1822. S. ♀.
 13 pulverulentum. DC. (re.) powdered. Sumatra. — S. ♀.
- PLEROMA. DC. PLEROMA. Decandria Monogynia.**
 1 vimineum. DC. (vi.) slender. Brazil. 1820. 4. 8. S. ♀. Bot. reg. t. 664.
Rhèxia viminea. B.R.
 2 heteromállum. DC. (bl.) woolly-leaved. — — S. ♀. Bot. reg. t. 644.
Melastoma heteromalla.
- DIPLOSTEGIUM. DC. DIPLOSTEGIUM. Decandria Monogynia.**
 canescens. DC. (ro.) hoary-stem'd. Brazil. 1820. 4. 8. S. ♀.
- ACIOTIS. DC. ACIOTIS. Octandria Monogynia.**
 discolor. DC. (bh.) two-coloured. W. Indies. 1793. 3. 9. S. ♀.

Tribus IV. MICONIÆ. DC. prodr. v. 3. p. 152.

- CLID'EMIA. DC.** CLID'EMIA. Decandria Monogynia.
- 1 aggregata. DC. (wh.) clustered. Peru. 1820. 7. 10. S. $\frac{1}{2}$.
 2 hirta. DC. (wh.) hairy. Jamaica. 1740. 3. 6. S. $\frac{1}{2}$. Bot. mag. t. 1971.
Melastoma hirta. B.M.
- 3 crenata. DC. (wh.) crenated. W. Indies. 1820. — S. $\frac{1}{2}$. Vahl. ic. pl. am. 2. t. 22.
 4 elegans. DC. (wh.) elegant. Trinidad. 1822. — S. $\frac{1}{2}$. Aubl. guian. 1. t. 167.
 5 biserrata. DC. (pu.) doubly serrate. Brazil. 1825. — S. $\frac{1}{2}$.
 6 spicata. DC. (wh.) spiked. Trinidad. 1820. — S. $\frac{1}{2}$. Aubl. guian. 1. t. 165.
 7 strigillosa. DC. (wh.) strigose. Jamaica. 1825. — S. $\frac{1}{2}$.
 8 agræstis. DC. (wh.) field. Cayenne. 1822. 4. 8. S. $\frac{1}{2}$. Aubl. guian. 1. t. 166.
 9 lanata. DC. (wh.) sweet-scented. Trinidad. — S. $\frac{1}{2}$.
- TOC'OCA. DC.** TOC'OCA. Decandria Monogynia.
- guianensis. DC. (ro.) Guiana. 1822. 4. 7. S. $\frac{1}{2}$. Aubl. guian. 1. t. 174.
Melastoma physiphora. Vahl.
- MATETA. DC.** MAT'ETA. Decandria Monogynia.
- guianensis. DC. (ro.) Guiana. 1824. S. $\frac{1}{2}$. Aubl. guian. 1. t. 176.
- OSS'EA. DC.** OSS'EA. Octandria Monogynia.
- purpurascens. DC. (pu.) purplish. Jamaica. 1822. 3. 6. S. $\frac{1}{2}$.
Melastoma purpurascens. Swartz.
- SAGR'EA. DC.** SAGR'EA. Octandria Monogynia.
- 1 sessiliflora. DC. (re.) sessile-flowered. Guiana. 1793. 4. 8. S. $\frac{1}{2}$. Vahl. ic. am. t. 19.
Melastoma rubra. Bonpl. mel. t. 39.
- 2 hirtella. DC. (wh.) hispid-fruited. Jamaica. 1824. — S. $\frac{1}{2}$.
 3 umbrosa. DC. (wh.) shaded. W. Indies. — 3. 7. S. $\frac{1}{2}$.
 4 pilosa. DC. (wh.) pilose. Jamaica. 1828. — S. $\frac{1}{2}$.
 5 microphylla. DC. (wh.) small-leaved. — 1820. 5. 6. S. $\frac{1}{2}$.
 6 hirsuta. DC. (wh.) purple-haired. — 1823. — S. $\frac{1}{2}$.
- TETRAZY'GIA. DC.** TETRAZY'GIA. Tetr-Octandria Monogynia.
- 1 tetrandra. DC. (wh.) tetrandrous. Jamaica. 1815. 3. 6. S. $\frac{1}{2}$.
Melastoma tetrandra. Swartz.
- 2 discolor. DC. (wh.) two-coloured. W. Indies. 1793. 5. 7. S. $\frac{1}{2}$. Bonpl. mel. t. 34.
Melastoma discolor. Jacq. amer. t. 84.
- 3 angustifolia. DC. (wh.) narrow-leaved. — 1823. — S. $\frac{1}{2}$. Bonpl. mel. t. 10.
- HETEROTR'ICHUM. DC.** HETEROTR'ICHUM. Decandria Monogynia.
- 1 niveum. DC. (bh.) snowy-white. St. Domingo. 1820. 5. 10. S. $\frac{1}{2}$.
Melastoma nivea. Lam.
- 2 patens. DC. (bh.) spreading. — 1825. 4. 8. S. $\frac{1}{2}$.
- CONOSTEGIA. DC.** CONOSTEGIA. Dec-Dodecandria Monogynia.
- 1 procera. DC. (wh.) tall. Jamaica. 1822. S. $\frac{1}{2}$. Bonpl. mel. t. 51.
 2 Balbisiana. DC. (wh.) Balbis's. — 1825. S. $\frac{1}{2}$.
 3 semicrenata. DC. (wh.) semicrenate. W. Indies. 1823. 4. 6. S. $\frac{1}{2}$. Bonpl. mel. t. 41.
- DIPLOCH'ITA. DC.** DIPLOCH'ITA. Octo-Decandria Monogynia.
- 1 Fothergilla. DC. (wh.) Fothergill's. Trinidad. 1815. S. $\frac{1}{2}$. Bonpl. mel. t. 32.
Melastoma Fothergilla. s.s. *Fothergilla mirabilis*. Aubl. gui. 1. t. 175.
- 2 Swartziana. DC. (ro.) Swartz's. Jamaica. 1815. 4. 6. S. $\frac{1}{2}$. Bonpl. mel. t. 33.
Melastoma Tamonea. Swartz.
- 3 macrophylla. DC. large-leaved. Mexico. 1820. S. $\frac{1}{2}$.
- L'OREYA. DC.** L'OREYA. Decandria Monogynia.
- arborescens. DC. (wh.) arborescent. Guiana. 1822. S. $\frac{1}{2}$. Aubl. guian. 1. t. 163.
Melastoma arborescens. Aubl.
- MIC'ONIA. DC.** MIC'ONIA. Decandria Monogynia.
- 1 racemosa. DC. (ro.) racemed. Trinidad. 1822. 4. 8. S. $\frac{1}{2}$. Bonpl. mel. t. 27.
Melastoma racemosa. Aubl. guian. t. 156.
- 2 purpurascens. DC. (wh.) purple-berried. Guiana. 1804. 3. 6. S. $\frac{1}{2}$. Aubl. guian. t. 154.
Melastoma purpurea. W.
- 3 ciliata. DC. (wh.) fringed. — 1824. 4. 7. S. $\frac{1}{2}$. Bonpl. mel. t. 26.
 4 holosericea. DC. (wh.) velvety. W. Indies. 1816. — S. $\frac{1}{2}$. — t. 23-24.
 5 argentea. DC. (wh.) silvery-leaved. — 1827. — S. $\frac{1}{2}$. Sloan. jam. t. 196. f. 1.
 6 impetiolaris. DC. (wh.) great-leaved. — 1822. — S. $\frac{1}{2}$. Bonpl. mel. t. 29.
Melastoma macrophylla. Lam.
- 7 Lambertiana. DC. (wh.) Mr. Lambert's. — 1824. — S. $\frac{1}{2}$.
 8 caudata. DC. (ro.) tailed-leaved. S. America. 1822. 5. 8. S. $\frac{1}{2}$. Bonpl. mel. t. 7.
 9 pyramidalis. DC. (wh.) pyramidal. Trinidad. — — S. $\frac{1}{2}$. Pluk. alm. t. 159. f. 1.
Melastoma pyramidalis. Lam.

10	Acinodéndron. (wh.) oval-leaved.	Jamaica.	1804.	5. 8.	S. h.	Plum. ic. 142. f. 2.
	<i>Melástoma Acinodéndron</i> . L.					
11	lævigàta. DC. (wh.) smooth.	Caribees.	1815.	4. 8.	S. h.	Bot. reg. t. 363.
12	prasina. DC. (wh.) green.	Jamaica.	1824.	—	S. h.	
13?	ecostàta. (pu.) ribless.	—	1793.	5. 6.	S. h.	
	<i>Melástoma ecostata</i> . H.K.					
	BL'AKEA. DC. BL'AKEA. Dodecandria Monogynia. L.					
1	trinérvia. DC. (ro.) three-ribbed.	Jamaica.	1789.	6. 7.	S. h.	Bot. mag. t. 451.
2	quinquenérvis. DC. (fl.) five-nerved.	Guiana.	1820.	—	S. h.	Aubl. guian. 1. t. 210.
	<i>triplinérvia</i> . L.					

ORDO XCII.

ALANGIEÆ. DC. *prodr.* 3. p. 203.

ALA'NGIUM. DC.	ALA'NGIUM. Icosandria Monogynia.					
1	decapétalum. DC. (wh.) Sage-leaved.	E. Indies.	1779.	5. 8.	S. h.	Rheed. mal. 4. t. 17.
	<i>Grèwia salvifolia</i> . L.					
2	hexapétalum. DC. (wh.) six-petaled.	—	1822.	—	S. h.	Rheed. mal. 4. t. 26.

ORDO XCIII.

PHILADELPHEÆ. DC. *prodr.* v. 3. p. 205.

PHILADELPHUS. DC.	SYRINGA. Icosandria Monogynia. L.					
1	coronàrius. DC. (wh.) common.	S. Europe.	1596.	5. 6.	H. h.	Bot. mag. t. 391.
	β variegàtus. (wh.) striped-leaved.	—		—	H. h.	
	γ multipléz. (wh.) double-flowered.	—		—	H. h.	
2	nànus. Mil. (wh.) dwarf.			6. 7.	H. h.	
3	Zeyhèri. DC. (wh.) Zeyher's.	N. America.	1812.	—	H. h.	Schrad. diss. c. ic.
4	floribúndus. DC. (wh.) many-flowered.	—	1816.	—	H. h.	— c. ic.
5	verrucòsus. DC. (wh.) warted.	—	1812.	—	H. h.	— c. ic.
	<i>grandiflorus</i> . Bot. reg. t. 570. non w.					
6	latifolius. DC. (wh.) broad-leaved.	—	1820.	—	H. h.	Lois. herb. amat. t. 208.
7	grandiflorus. DC. (wh.) large-flowered.	—	1816.	—	H. h.	Swt. br. fl. gar. s. 2. t. 8.
8	speciòsus. DC. (wh.) beautiful.	—	1820.	—	H. h.	Schrad. diss. c. ic.
9	laxus. DC. (wh.) loose-branched.	—	1816.	—	H. h.	— c. ic.
10	hirsutus. DC. (wh.) slender hairy.	—	—	—	H. h.	Wats. dend. brit. t. 47.
11	inodòrus. DC. (wh.) entire-leaved.	Carolina.	1738.	—	H. h.	Bot. mag. t. 1478.
DECUMARIA. DC.	DECUMARIA. Dodecandria Monogynia. L.					
1	bàrbara. Ph. (wh.) smaller.	Carolina.	1785.	7. 8.	H. h. $\smile$.	
2	sarmentòsa. Ph. (wh.) larger.	—	1758.	—	H. h. $\smile$.	Bosc. act. par. 1. t. 13.

ORDO XCIV.

MYRTACEÆ. DC. *prodr.* v. 3. p. 207.Tribus I. CHAMÆLAUCIEÆ. DC. *prodr.* 3. p. 208.

CA'LYTHRIX. DC.	CA'LYTHRIX. Icosandria Monogynia.					
1	glàbra. DC. (wh.) smooth.	N. S. W.	1818.	4. 6.	G. h.	Bot. reg. t. 409.
2	ericoídes. F.T. (wh.) Heath-like.	—	1823.	—	G. h.	
3	scàbra. DC. (wh.) rough-leaved.	—	1824.	—	G. h.	

DARWINIA. L.T.	DARWINIA.	Decandria Monogynia.					
1 fascicularis. L.T. (wh.)	fascicled.	N. S. W.	1826.	4. 6.	G. h.	Linn. trans. v. 11. t. 22.	
2 taxifolia. F.T. (wh.)	Yew-leaved.	—	1827.	—	G. h.		
VERTICORDIA. DC.	VERTICORDIA.	Decandria Monogynia.					
1 Fontanesii. dc. (wh.)	Desfontaines'. Inf.	N. Holland.	1826.	4. 6.	G. h.	Desf. mem. mus. 5. t. 4.	
	<i>Chameladictum plumosum.</i>						
2 Brownii. dc. (wh.)	Brown's.	—	—	—	G. h.	Desf. mem. mus. 5. t. 19.	
CHAMÆLAUCIUM. DC.	CHAMÆLAUCIUM.	Decandria Monogynia.					
	ciliatum. dc. (wh.)	fringed.	N. Holland.	1825.	4. 6.	G. h.	Df. mem. mus. 5. t. 3. f. B.
GENETYLLIS. DC.	GENETYLLIS.	Icosandria Monogynia.					
	diosmoides. dc. (wh.)	Diosma-like.	N. Holland.	1827.	4. 6.	G. h.	DC. dict. cl. v. 11. c. ic.
PILEANTHUS. DC.	PILEANTHUS.	Icosandria Monogynia.					
	Limæis. dc. (wh.)	clubbed-leaved.	N. Holland.	1824.	4. 7.	G. h.	Lab. n. holl. 2. t. 149.

Tribus II. *LEPTOSPERMEÆ*. DC. prodr. 3. p. 209.*Subtribus I. MELALEUCEÆ*. Stamina polyadelptha. DC. loc. cit. p. 210.

ASTARTEA. DC.	ASTARTEA.	Polyadelpchia Icosandria.					
	fascicularis. dc. (wh.)	fascicled.	V. Diem. Isl.	1824.	4. 6.	G. h.	Lab. n. holl. 2. t. 170.
		<i>Melaleuca fascicularis.</i>	Labill.				
TRISTANIA. DC.	TRISTANIA.	Polyadelpchia Icosandria.					
1 nerifolia. dc. (ye.)	Oleander-leav'd.	N. S. W.	1804.	7. 9.	G. h.	Bot. mag. t. 1058.	
		<i>Melaleuca nerifolia.</i>	B. M. <i>salicifolia.</i>	Andr. reposit.	t. 485.		
2 persicæfolia. F.T. (ye.)	Peach-leaved.	N. S. W.	1824.	—	G. h.		
3 laurina. dc. (ye.)	Laurel-leaved.	—	1798.	—	G. h.		
4 depressa. dc. (ye.)	depressed.	—	1820.	—	G. h.		
5 albens. dc. (ye.)	white-leaved.	—	1822.	—	G. h.		
6 conferta. dc. (ye.)	Pittosporum-ld.	—	1805.	—	G. h.		
7 suaveolens. dc. (ye.)	sweet-scented.	N. Holland.	1826.		G. h.	Gært. fruct. 1. t. 35.	
BEAUFOURIA. DC.	BEAUFOURIA.	Polyadelpchia Icosandria.					
1 decussata. dc. (sc.)	splendid.	N. Holland.	1803.	3. 8.	G. h.	Bot. reg. t. 18.	
2 sparsa. dc. (sc.)	alternate-leav'd.	—	—	—	G. h.		
CALOTHAMNUS. DC.	CALOTHAMNUS.	Polyadelpchia Icosandria.					
1 quadrifida. dc. (sc.)	four-cleft.	N. Holland.	1803.	1. 12.	G. h.	Bot. mag. t. 1506.	
2 clavata. M.C. (sc.)	club-leaved.	—	1826.	—	G. h.	Lodd. bot. cab. t. 1447.	
3 villosa. dc. (sc.)	hairy 5-cleft.	—	1803.	—	G. h.	Bot. reg. t. 1099.	
4 gracilis. dc. (sc.)	long-leaved.	—	—	—	G. h.		
MELALEUCA. DC.	MELALEUCA.	Polyadelpchia Icosandria.					
1 Leucadendron. dc. (wh.)	aromatic.	E. Indies.	1796.		S. h.	Rumph. amb. 2. t. 16.	
2 minor. dc. (wh.)	Cajuputi-tree.	—	1816.		S. h.	Rumph. amb. 2. t. 17. f. 1.	
3 viridiflora. dc. (gr.)	green-flowered.	N. S. W.	1798.	4. 6.	G. h.	Cavan. ic. t. 333.	
	<i>Metrosideros quinquerivra.</i>	Cavan.					
4 paludosa. dc. (re.)	long-leaved red.	N. Holland.	1803.	7. 9.	G. h.		
5 globifera. dc. (wh.)	globe-fruited.	—	—	—	G. h.		
6 diosmifolia. dc. (gr.)	Diosma-leaved.	—	1794.	6. 7.	G. h.	Andr. reposit. t. 476.	
7 styphelioides. dc. (wh.)	Styphelia-leav'd.	N. S. W.	1793.	4. 6.	G. h.		
8 genistifolia. dc. (wh.)	Genista-leaved.	—	—	—	G. h.	Sm. exot. bot. 1. t. 55.	
9 lanceolata. dc. (st.)	spear-leaved.	N. Holland.	1812.	5. 6.	G. h.	Otto hort. ber. 36.	
10 striata. dc. (wh.)	rigid-leaved.	—	1803.	—	G. h.	Lab. n. holl. 2. t. 165.	
11 thymoides. dc. (ye.)	yellow-spear leav'd.	—	—	—	G. h.	— 2. t. 167.	
12 squamea. dc. (pu.)	scaly-branched.	V. Diem. Isl.	1805.	6. 8.	G. h.	Bot. reg. t. 477.	
13 nodosa. dc. (wh.)	Whin-leaved.	N. S. W.	1790.	—	G. h.	Sm. exot. bot. 1. t. 35.	
14 tenuifolia. dc. (wh.)	slender-leaved.	—	1824.	—	G. h.		
15 ericifolia. dc. (wh.)	Heath-leaved.	—	1788.	7. 9.	G. h.	Sm. exot. bot. 1. t. 34.	
16 erubescens. dc. (li.)	Lilac-coloured.	—	1820.	—	G. h.	Otto hort. ber. 37.	
17 armillaris. dc. (wh.)	pale-flowered.	—	1788.	6. 8.	G. h.	Vent. malm. t. 76.	
	<i>ericifolia.</i>	Andr. rep. t. 175. non Sm.	<i>Metrosideros armillaris.</i>	G.		Cav. ic. t. 335.	
18 uncinata. dc. (re.)	hook-leaved.	N. Holland.	1803.	—	G. h.		
19 scabra. dc. (pu.)	rough-leaved.	—	—	—	G. h.	Swt. flor. aust. t. 10.	
20 juniperoides. dc. (st.)	Juniper-like.	N. S. W.	1826.	—	G. h.		
21 pulchella. dc. (li.)	pendulous.	N. Holland.	1803.	6. 9.	G. h.	Lodd. bot. cab. t. 200.	
22 thymifolia. dc. (pu.)	Thyme-leaved.	N. S. W.	1792.	—	G. h.	Sm. exot. bot. 1. t. 36.	
	<i>coronata.</i>	Andr. rep. t. 278. <i>gnidifolia.</i>	Vent. malm. t. 7.				
23 decussata. dc. (li.)	cross-leaved.	N. Holland.	1803.	6. 9.	G. h.	Bot. mag. t. 2268.	
24 tetragona. dc. (li.)	four-sided.	—	1824.	—	G. h.		

25	cuticulâris. DC.	(pu.) solitary-flower'd.	N. Holland.	1824.	6. 9.	G. h.	Lab. n. holl. 2. t. 171.
26	fûlgens. DC.	(sc.) splendid.	—	1803.	6. 8.	G. h.	Bot. reg. t. 103.
27	linariifolia. DC.	(wh.) Toad-flax-leav'd.	N. S. W.	1793.	5. 7.	G. h.	Sm. exot. bot. 1. t. 56.
28	abietina. DC.	(wh.) Fir-leaved.	N. Holland.	1824.	—	G. h.	—
29	hypericifolia. DC.	(sc.) Hypericum-ld.	N. S. W.	1792.	7. 9.	G. h.	Andr. reposit. t. 200.
30	elliptica. DC.	(cr.) elliptic-leaved.	N. Holland.	1824.	—	G. h.	Lab. n. holl. 2. t. 173.
31	squarrôsa. DC.	(wh.) Myrtle-leaved.	N. S. W.	1792.	—	G. h.	Bot. mag. t. 1935.
	myrtifolia. Vent.	malm. t. 47.	—	—	—	—	—
32	gibbôsa. DC.	(li.) gibbous.	V. Diem. Isl.	1822.	6. 8.	G. h.	Lab. n. holl. 2. t. 172.
33	imbricatâ. L.en.	(wh.) imbricated.	N. Holland.	1803.	5. 6.	G. h.	—
34	sprengeioides. DC.	(wh.) Sprengelia-like.	N. S. W.	1824.	—	G. h.	—
35	calycina. DC.	(wh.) permanent-cup'd.	N. Holland.	1803.	6. 8.	G. h.	—
36	dénsa. DC.	(pu.) dense-leaved.	—	—	—	G. h.	—
37	incâna. DC.	(st.) hoary.	N. S. W.	1812.	—	G. h.	Bot. reg. t. 410.
	canéscens. Otto hort.	ber. p. 87. Abbild. t. 81.	—	—	—	—	—
	EUDES'MIA. DC.	EUDES'MIA. Polyadelphia Icosandria.	—	—	—	—	—
	tetragôna. DC.	(wh.) square-stemm'd.	N. Holland.	1824.	6. 8.	G. h.	Swt. flor. aust. t. 21.

Subtribus II. EULEPTOSPERMEÆ. Stamina libera. DC. prodr. 3. p. 216.

EUCALYPTUS. DC. EUCALYPTUS. Icosandria Monogynia.							
1	cornûta. DC.	(wh.) horned.	N. Holland.	1803.	3. 6.	G. h.	Lab. voy. 1. t. 20.
2	tereticornis. DC.	(wh.) long-horned.	N. S. W.	1804.	4. 7.	G. h.	—
3	resinifera. DC.	(wh.) red gum-tree.	—	1788.	—	G. h.	Andr. reposit. t. 400.
4	longifolia. DC.	(wh.) long-leaved.	—	1818.	—	G. h.	Link et Ot. abb. t. 45.
5	robûsta. DC.	(wh.) brown gum-tree.	—	1794.	8. 9.	G. h.	Smith nov. holl. t. 13.
6	rostrâta. Cav.	(wh.) beaked.	—	1804.	—	G. h.	Cavan. ic. 4. t. 342.
7	marginâta. DC.	(wh.) thick-edged.	—	1794.	4. 7.	G. h.	—
8	incrassâta. DC.	(wh.) thick-leaved.	N. Holland.	1820.	—	G. h.	Lab. nov. holl. 2. t. 150.
9	persicifolia. DC.	(wh.) Peach-leaved.	N. S. W.	1812.	—	G. h.	Lodd. bot. cab. t. 501.
10	punctâta. DC.	(wh.) black-dotted.	—	1810.	—	G. h.	—
11	acervula. DC.	(wh.) flat-peduncled.	—	1818.	—	G. h.	—
12	virgâta. DC.	(wh.) slender-twigged.	—	1820.	5. 8.	G. h.	—
13	micrantha. DC.	(wh.) small-flowered.	—	1824.	—	G. h.	—
14	stellulâta. DC.	(wh.) starry.	—	1816.	—	G. h.	—
15	oblônga. DC.	(wh.) oblong-leaved.	—	1819.	6. 8.	G. h.	—
16	viminalis. DC.	(wh.) slender.	N. Holland.	1816.	—	G. h.	Lab. nov. holl. 2. t. 151.
17	capitellâta. DC.	(wh.) small-headed.	N. S. W.	1804.	4. 7.	G. h.	White's voy. 226. ic.
18	triântha. L.en.	(wh.) three-flowered.	—	1820.	4. 6.	G. h.	—
19	saligna. DC.	(wh.) Willow-like.	—	1804.	4. 7.	G. h.	—
20	angustifolia. L.en.	(wh.) narrow-leaved.	—	1816.	—	G. h.	—
21	microphylla. DC.	(wh.) small-leaved.	—	—	—	G. h.	—
22	stenophylla. DC.	(wh.) slender-leaved.	—	—	—	G. h.	—
23	myrtifolia. DC.	(wh.) Myrtle-leaved.	—	1812.	4. 6.	G. h.	—
24	elongâta. DC.	(wh.) taper-pointed.	—	1820.	—	G. h.	—
25	média. DC.	(wh.) acuminate.	—	—	—	G. h.	—
26	reticulâta. DC.	(wh.) netted-leaved.	—	1816.		G. h.	—
27	umbellâta. DC.	(wh.) umbel-flowered.	—	1820.	5. 8.	G. h.	—
28	ovâta. DC.	(wh.) oval-leaved.	N. Holland.	—	—	G. h.	Lab. nov. holl. 2. t. 153.
	mucronâta. L. enum.	—	—	—	—	—	—
29	scâbra. DC.	(wh.) rough-leaved.	N. S. W.	1803.	—	G. h.	—
30	pilulâris. DC.	(wh.) small-fruited.	—	1804.	2. 5.	G. h.	—
31	radiâta. DC.	(wh.) rayed.	—	1824.	3. 6.	G. h.	—
32	stricta. DC.	(wh.) straight.	—	—		G. h.	—
33	hæmastômma. DC.	(wh.) red-mouthed.	—	1803.	4. 7.	G. h.	White's voy. 226. c. ic.
	racemôsa. Cavan. ic.	4. n. 377.	—	—	—	—	—
34	ligustrina. DC.	(wh.) Privet-like.	N. S. W.	1824.		G. h.	—
35	amygdalina. DC.	(wh.) Almond-leaved.	N. Holland.	1822.		G. h.	Lab. nov. holl. 2. t. 154.
36	ambigua. DC.	(wh.) ambiguous.	—	1824.		G. h.	—
37	Lindleyana. DC.	(wh.) Lindley's.	N. S. W.	1816.	4. 6.	G. h.	Bot. reg. t. 947.
	longifolia. B.R. non Link.	—	—	—	—	—	—
38	botryoides. DC.	(wh.) clustered.	—	1803.	4. 7.	G. h.	Cavan. ic. 4. t. 341.
	platypôdos. Cavan.	—	—	—	—	—	—
39	piperita. DC.	(wh.) Peppermint-tree.	—	1788.	—	G. h.	Reich. gart. mag. t. 42.
40	pâllens. DC.	(wh.) white-leaved.	—	1822.	—	G. h.	—
41	obliqua. DC.	(wh.) oblique-leaved.	V. Diem. Isl.	1774.	4. 8.	G. h.	Sal. par. lond. t. 15.

- 42 corymbosa. DC. (wh.) corymbose-fl'd. N. S. W. 1788. 4. 8. G. h. Cavan. ic. 4. t. 340.
 43 paniculata. DC. (wh.) panicked. ——— 1801. 6. 8. G. h.
 44 cneorifolia. DC. (wh.) Willow-wail'd. ——— 1824. ——— G. h.
 45 obtusifolia. DC. (wh.) blunt-leaved. ——— G. h.
 46 Cunninghami. (wh.) Cunningham's. ——— 1825. G. h.
microphylla. F.T. non Link.
 47 gomphocéphala. DC. (w.) persistent-headed. ——— 1824. G. h.
 48 Globulus. DC. (wh.) large tree. V. Diem. Isl. 1804. 5. 6. G. h. Lab. voy. 1. t. 13.
pulverulenta. L. enum. non B.M. *glauca*. DC.
 49 diversifolia. DC. (wh.) various-leaved. N. S. W. 1810. 5. 8. G. h. Bonpl. nav. 1. t. 13.
 50 perfoliata. C.C. (wh.) perfoliate glaucous. N. Holland. 1803. 4. 6. G. h.
 51 cordata. DC. (wh.) heart-leaved. V. Diem. Isl. 1816. 11. 3. G. h. Lab. nov. holl. 2. t. 152.
 52 pulverulenta. DC. (wh.) powdered. N. S. W. ——— G. h. Bot. mag. t. 2087.
 53 purpurascens. DC. (wh.) purple-branch'd. ——— 1804. G. h.
 54 tuberculata. DC. (wh.) warted-branch'd. ——— 1816. G. h.
 55 rigida. DC. (wh.) rigid-leaved. ——— G. h.
 56 hypericifolia. (wh.) Hypericum-leaved. ——— 1804. G. h.
ANGOPHORA. DC. ANGOPHORA. Icosandria Monogynia.
 1 cordifolia. DC. (wh.) hispid. N. S. W. 1789. 5. 8. G. h. Bot. mag. t. 1960.
Metrosideros hispida. Sm. exot. bot. 1. t. 42. *hirsuta*. Andr. rep. t. 281. *anomala*. Vent. malm. t. 2.
 2 floribunda. (wh.) many-flowered. N. S. W. 1788. ——— G. h.
Metrosideros floribunda. L.T. non Vent.
 3 intermedia. DC. (wh.) intermediate. ——— 1820. ——— G. h.
 4 lanceolata. DC. (wh.) ribbed. ——— 1816. ——— G. h. Cavan. ic. 4. t. 337.
Metrosideros costata. Gært. fruct. 1. t. 34. f. 2.
CALLISTEMON. DC. CALLISTEMON. Icosandria Monogynia.
 1 pinifolium. DC. (gr.) Pine-tree-leav'd. N. S. W. 1806. 6. 8. G. h. Wendl. coll. 1. t. 16.
 2 viridiflorum. DC. (gr.) green-flowered. ——— 1820. ——— G. h. Bot. mag. t. 2602.
ruscifolium. C.C. *Metrosideros viridiflora*. B.M.
 3 lophanthum. S.F.A. (st.) crested. ——— 1816. ——— G. h. Swt. flor. aust. t. 29.
 4 leptostachyum. S.F.A. (st.) slender-spik'd. ——— ——— G. h.
 5 salignum. DC. (st.) Willow-leaved. ——— 1788. 5. 7. G. h. Bonpl. nav. t. 4.
Metrosideros saligna. Vent. cels. t. 70. non Bot. mag.
 6 pallidum. DC. (st.) pale-leaved. N. S. W. 1816. ——— G. h. Bonpl. nav. p. 101. t. 41.
 7 Sieberi. DC. (st.) Sieber's. ——— 1820. ——— G. h.
 8 rigidum. DC. (sc.) rigid-leaved. ——— 1800. 3. 8. G. h. Bot. reg. t. 393.
 9 lineare. DC. (sc.) linear. ——— 1788. 6. 7. G. h. Sert. hann. t. 11.
 10 rugulosum. DC. (sc.) tubercle-leaved. ——— 1820. ——— G. h.
 11 scabrum. B.C. (sc.) rough-leaved. N. Holland. 1824. ——— G. h. Lodd. bot. cab. t. 1288.
 12 linearifolium. DC. (sc.) linear-leaved. ——— 1820. ——— G. h.
 13 microphyllum. M.C. (sc.) small-leaved. ——— 1825. ——— G. h.
 14 formosum. M.C. (sc.) handsome. ——— ——— G. h.
 15 lanceolatum. DC. (sc.) spear-leaved. N. S. W. 1788. 11. 6. G. h. Bot. mag. t. 260.
Metrosideros citrina. B.M. *lanceolata*. L.T.
β semperflorens. B.C. (sc.) ever-blowing. ——— ——— G. h. Lodd. bot. cab. t. 523.
 16 marginatum. DC. (sc.) thick-margined. ——— 1816. 6. 8. G. h. Cavan. ic. 4. t. 332.
 17 glaucum. (sc.) splendid. N. Holland. 1803. 3. 6. G. h. Bonpl. nav. t. 34.
Metrosideros glauca. Bonp. *speciosa*. Bot. mag. t. 1761.
 18 hybridum. DC. (sc.) hybrid. N. S. W. 1824. 4. 6. G. h.
METROSIDEROS. DC. METROSIDEROS. Icosandria Monogynia.
 1 vera. DC. (gr.) Ironwood. E. Indies. 1815. 5. 8. S. h. Lindl. coll. t. 18.
 2 florida. DC. (st.) many-flowered. N. Zealand. 1820. ——— G. h.
 3 glomulifera. DC. (st.) cluster-flower'd. N. S. W. 1805. ——— G. h.
 4 umbellata. DC. (re.) umbel-flowered. ——— 1822. ——— G. h. Cavan. ic. 4. t. 337.
 5 angustifolia. DC. (wh.) narrow-leaved. C. B. S. 1787. ——— G. h. Hout. pfl. sys. 3. t. 25. f. 2.
STENOSPERMUM. STENOSPERMUM. Icosandria Monogynia.
 1 capitatum. (li.) headed. N. S. W. 1824. 4. 6. G. h. Reich. hort. bot. 1. t. 84.
Metrosideros capitata. DC.
 2 corifolium. (wh.) Coris-leaved. ——— 1791. 6. 7. G. h. Vent. malm. t. 46.
Leptospermum ambiguum. Sm. exot. bot. t. 59. *Metrosideros corifolia*. Vent.
AGONIS. DC. AGONIS. Icosandria Monogynia.
 1 marginata. DC. (wh.) white margined. N. Holland. 1816. 6. 7. G. h. Lab. nov. holl. 2. t. 148.
Leptospermum marginatum. Labill.
 2 flexuosa. DC. (wh.) flexuose. ——— 1812. ——— G. h. Colla h. rip. ap. 1. t. 2.
Leptospermum flexuosum. L. enum. *Metrosideros flexuosa*. W. enum.
 3 saligna. (wh.) Willow-like. N. S. W. 1812. 6. 7. G. h.
 4 ovalifolia. (wh.) oval-leaved. N. Holland. ——— ——— G. h.
Fabricia myrtifolia. Hort. nec aliorum.
 5 linearifolia. DC. linear-leaved. ——— 1824. G. h.

6 elliptica. (wh.) elliptic-leaved. N. Holland. 1824. G. h.		
<i>Billottia elliptica</i> . M.C.		
LEPTOSPERMUM. DC. SOUTH SEA MYRTLE. Icosandria Monogynia.		
1 emarginatum. DC. emarginate. N. S. W. 1816. 6. 7. G. h.		
2 sericeum. DC. (wh.) silky-leaved. V. Diem. Isl. 1820. — G. h.	Lab. nov. holl. 2. t. 147.	
3 tuberculatum. DC. (wh.) tuberculate. N. S. W. 1816. — G. h.	Cavan. ic. 4. t. 330.	
<i>stellatum</i> . Cavan.		
4 grandifolium. DC. (wh.) large-leaved. — 1803. — G. h.	Bot. mag. t. 1810.	
5 lanigerum. DC. (wh.) woolly-leaved. — 1774. — G. h.	Lodd. bot. cab. t. 1192.	
6 pubescens. W. (wh.) hoary-leaved. — — G. h.		
7 trinerve. DC. (wh.) three-nerved. — 1812. — G. h.	White itin. 229. c. ic.	
8 grandiflorum. B.C. (wh.) large-flowered. — 1816. — G. h.	Lodd. bot. cab. t. 514.	
9 scoparium. DC. (wh.) N. Zealand Tea. N. Zealand. 1772. — G. h.	Andr. rep. t. 622.	
10 squarrosus. G. (wh.) squarrose. N. S. W. — — G. h.	Forst. itin. 1. t. 22.	
11 floribundum. (wh.) many-flowered. — — G. h.	Rœm. et Ust. mag. 7. t. 2.	
12 rubricaulis. L. en. (wh.) red-stemmed. — 1812. — G. h.		
13 flavescens. DC. (wh.) yellowish. — 1787. 5. 7. G. h.	Bot. mag. t. 2695.	
<i>Melaleuca Thœa</i> . Wendl. sert. han. 1. t. 14.		
14 gnidiæfolium. DC. (wh.) Gnidia-leaved. — 1824. — G. h.		
15 thymifolium. F.T. (wh.) Thyme-leaved. — 1823. — G. h.		
16 multicaule. F.T. (wh.) many-branched. — — G. h.		
17 porophyllum. DC. (wh.) dotted-leaved. — — G. h.	Cav. ic. 4. t. 330. f. 2.	
18 parvifolium. DC. (wh.) small-leaved. — 1795. — G. h.		
19 myrtifolium. DC. (wh.) Myrtle-leaved. — 1824. 6. 8. G. h.		
20 obovatum. S.F.A. (wh.) obovate-leaved. — 1823. — G. h.	Swt. flor. aust. t. 36.	
21 attenuatum. DC. (wh.) fine-branched. — 1795. — G. h.		
22 multiflorum. DC. (wh.) abundant-flower'd. — 1820. — G. h.	Cav. ic. 4. t. 331. f. 1	
23 juniperinum. DC. (wh.) Juniper-leaved. — 1790. — G. h.	Vent. malm. 89.	
24 baccatum. DC. (wh.) berry-fruited. — 1790. 6. 7. G. h.	Cavan. ic. 4. t. 331. f. 2.	
25 arachnoideum. DC. (w.) cobweb. — 1795. 5. 7. G. h.	Gært. fruct. 1. t. 35. f. 3.	
26 triloculare. DC. (wh.) trilocular. — 1816. — G. h.	Vent. malm. t. 84.	
27 dubium. DC. (wh.) doubtful. — 1824. 6. 7. G. h.		
28 pendulum. DC. (wh.) pendulous. — — G. h.		
FABRICIA. DC. FABRICIA. Icosandria Monogynia.		
1 myrtifolia. DC. (wh.) Myrtle-leaved. N. S. W. 1803. 5. 6. G. h.	Gært. fruct. 1. t. 35. f. 4.	
2 laevigata. DC. (wh.) smooth-leaved. — 1788. — G. h.	Bot. mag. t. 1304.	
3 sericea. (wh.) silky-leaved. N. Holland. 1803. G. h.		
4 stricta. B.C. (wh.) upright. N. S. W. 1822. 5. 7. G. h.	Lodd. bot. cab. t. 1219.	
BÆCKEA. DC. BÆCKEA. Pent-Dodecandria Monogynia.		
1 frutescens. DC. (wh.) Chinese. China. 1806. 9. 1. G. h.	Bot. mag. t. 2802.	
2 gracilis. F.T. (wh.) slender-branch'd. N.S.W. 1824. 6. 9. G. h.		
3 virgata. DC. (wh.) slender-twiggy. — 1806. 8. 10. G. h.	Bot. mag. t. 2127.	
4 linifolia. DC. (wh.) Flax-leaved. — 1820. 6. 8. G. h.	Linn. trans. 8. t. 12.	
5 diffusa. DC. (wh.) spreading. — 1824. — G. h.		
6 densifolia. DC. (wh.) close-leaved. — 1812. — G. h.		
7 pulchella. DC. (wh.) neat. — 1825. — G. h.		
8 diosmifolia. DC. (wh.) Diosma-leaved. — 1823. — G. h.		
9 camphorata. DC. (wh.) Camphor-scented. — 1803. 8. 10. G. h.	Bot. mag. t. 2694.	
10 microphylla. DC. (wh.) small-leaved. — 1812. — G. h.		
11 brevifolia. DC. (wh.) short-leaved. — 1824. — G. h.		
12 ramosissima. DC. (wh.) branching. — 1825. 7. 9. G. h.		
13 crenulata. DC. (wh.) notch leaved. — 1822. — G. h.		
14 diosmoides. DC. (wh.) Diosma-like. — 1825. — G. h.		

Tribus III. MYRTEÆ. DC. prodr. v. 3. p. 230.

SONNER'ATIA. DC. SONNER'ATIA. Icosandria Monogynia. L.		
1 acida. DC. (re.) acid-fruited. E. Indies. 1822. S. h.	Rheed. mal. 3. t. 40.	
2 alba. DC. (wh.) white-flowered. — 1824. S. h.	Rumph. amb. 3. t. 73.	
3 apétala. DC. (gr.) petalless. — 1826. S. h.	Sym. emb. to Ava. 3. t. 25.	
NELITRIS. DC. NELITRIS. Icosandria Monogynia.		
paniculata. DC. (wh.) panicled. Moluccas. 1820. S. h.		
CAMPOMAN'ESIA. DC. CAMPOMAN'ESIA. Icosandria Monogynia.		
lineatifolia. DC. (wh.) yellow-fruited. Peru. 1824. 4. 6. G. h.	Flor. per. prod. t. 13.	
PSIDIUM. DC. GUAVA. Icosandria Monogynia. L.		
1 pumilum. DC. (wh.) dwarf. E. Indies. 1824. — S. h.	Rumph. amb. 1. t. 49.	
2 aromaticum. DC. (wh.) aromatic. W. Indies. 1779. 6. 8. S. h.	Aubl. guian. 1. t. 191.	

3	montanum. DC.	(wh.) mountain.	W. Indies.	1779.	5. 7.	S. h.	
4	pyriferum. DC.	(wh.) Pear-fruited.	—	1656.	6. 8.	S. h.	Trew. ehr. t. 43.
5	pomiferum. DC.	(wh.) Apple-fruited.	—	1692.	—	S. h.	Rumph. amb. 1. t. 48.
6	sapidissimum. S.S.	(wh.) pleasant.		1823.	—	S. h.	Jacq. schœnb. 3. t. 366.
7	guineense. DC.	(wh.) Guinea.	Guinea.	—	—	S. h.	
8	polycarpon. DC.	(wh.) many-fruited.	Trinidad.	1809.	4. 8.	S. h.	Linn. trans. 11. t. 17.
9	araca. DC.	(wh.) egg-fruited.	Brazil.	1820.	5. 7.	S. h.	Raddi mem. 1821. t. 1.
10	fluviatile. DC.	(wh.) Guiana.	Guiana.	1823.	—	S. h.	
	guianense. P.S.						
11	oligospermum. DC.	(wh.) few-seeded.	Brazil.	—	—	S. h.	
12	Cattleianum. DC.	(wh.) Mr. Cattle's.	—	1816.	1. 12.	S. h.	Lindl. coll. t. 16.
13	cordatum. DC.	(wh.) spice.	W. Indies.	1811.	5. 7.	S. h.	Bot. mag. t. 1779.
14	nigrum. DC.	(wh.) black-fruited.	China.		—	S. h.	
15	rubrum. DC.	(wh.) red-fruited.	—	1820.	—	S. h.	
16	chinense. L.C.	(wh.) yellow Chinese.	—	1818.	—	S. h.	
17	fragrans. L.C.	(wh.) fragrant.			4. 8.	S. h.	
18	myrtifolia. L.C.	(wh.) Myrtle-leaved.			—	S. h.	
19	latifolium. DC.	(wh.) broad-leaved.		1820.	6. 8.	S. h.	
20	indicum. DC.	(wh.) Indian.	E. Indies.	1824.	—	S. h.	
	JOSSINIA. DC.	JOSSINIA. Icosandria Monogynia.					
1	mespiloides. DC.	(wh.) Mespilus-like.	Isl. Bourbon.	1826.		S. h.	
2	elliptica. DC.	(wh.) elliptic-leaved.	Mauritius.	1824.		S. h.	
	Eugenia elliptica. Lam.	non Smith.					
3	buxifolia. DC.	(wh.) Box-leaved.	Isl. Bourbon.	1822.		S. h.	
	MYRTUS. DC.	MYRTLE. Icosandria Monogynia. L.					
1	communis. DC.	(wh.) common.	S. Europe.	1597.	7. 8.	F. h.	Lam. ill. t. 410.
	A. melanocarpa. DC.	(w.) black-berried.	—	—	—	F. h.	
	α romana. DC.	(wh.) broad-leaved.	—	—	—	F. h.	Mill. ic. t. 184. f. 1.
	β multiplax. (wh.)	double-blossomed.	—		—	F. h.	
	B. leucocarpa. DC.	(wh.) white-fruited.	Levant.		—	F. h.	
2	tarentina. (wh.)	Box-leaved.	S. Europe.	1597.	—	F. h.	
3	italica. (wh.)	upright Italian.	—	—	—	F. h.	
	γ variegata. (wh.)	striped-leaved.	—		—	F. h.	
	γ maculata. (wh.)	blotch-leaved.	—		—	F. h.	
4	bœtica. (wh.)	Orange-leaved.	—	1597.	—	F. h.	Blackw. t. 114.
5	lusitânica. (wh.)	Portugal.	Portugal.	—	—	F. h.	Clus. hist. 1. p. 66. f. 1.
6	bélgica. (wh.)	sharp-leaved.	S. Europe.	—	—	F. h.	
7	mucronata. (wh.)	small-leaved.	—	—	—	F. h.	
8	tomentosa. DC.	(ro.) woolly-leaved.	China.	1776.	5. 9.	S. h.	Bot. mag. t. 250.
9	tenuifolia. DC.	(wh.) slender-leaved.	N. S. W.	1824.	—	G. h.	
10	lucida. DC.	(wh.) shining.	Surinam.	1793.	4. 8.	S. h.	
	MYRCIA. DC.	MYRCIA. Icosandria Monogynia.					
1	punctata. DC.	(wh.) punctated.	Santa Cruz.	1825.		S. h.	
2	coriacea. DC.	(wh.) Sumach-leaved.	Hispaniola.	1759.	5. 7.	S. h.	Plum. ic. t. 208. f. 2.
3	acris. DC.	(wh.) broad-ld. Allspice.	W. Indies.	—	—	S. h.	Pluk. alm. t. 155. f. 3.
4	pimentoides. DC.	(wh.) Allspice-like.	—	—	—	S. h.	Lodd. bot. cab. t. 178.
	Myrtus Pimenta. β latifolia.	Lodd. bot. cab. t. 178.					
5	divaricata. DC.	(wh.) spreading-flow'd.	W. Indies.	1820.	—	S. h.	Plum. ic. t. 208. f. 1.
6	sororia. DC.	(wh.) sister.	Trinidad.	1822.	—	S. h.	
7	splendens. DC.	(wh.) glossy-leaved.	Hispaniola.	—	—	S. h.	Jacq. coll. 2. t. 4.
	Eugenia periplocafolia.	Jacq.					
8	Mini. (wh.)	small-fruited.	Guiana.	1803.	—	S. h.	Aubl. guian. 1. t. 197.
	Eugenia Mini. Aubl.						
9	crassinervia. DC.	(wh.) thick-nerved.	—	1780.	—	S. h.	
10	bracteata. DC.	(wh.) leafy-bracted.	Brazil.	1824.	—	S. h.	
11	pseudo-Mini. DC.	(wh.) Brazilian.	—	1822.	—	S. h.	
	CALYPTRA'NTHES. DC.	CALYPTRA'NTHES. Icosandria Monogynia.					
1	rigida. DC.	(wh.) rigid-leaved.	Jamaica.	1822.		S. h.	
2	Chytracilia. DC.	(wh.) forked-panicled.	—	1778.	3. 5.	S. h.	Brown. jam. t. 37. f. 2.
3	Zuzygium. DC.	(wh.) oval-leaved.	—	—	5. 7.	S. h.	— 240. t. 7. f. 2.
	SYZYGIUM. DC.	SYZYGIUM. Icosandria Monogynia.					
1	obovatum. DC.	(wh.) obovate-leaved.	Mauritius.	1822.		S. h.	
2	paniculatum. DC.	(wh.) panicled.	—	1821.	4. 6.	S. h.	
	Eugenia paniculata. Lam.						
3	glomeratum. DC.	(wh.) cluster-flowered.	—	1824.		S. h.	
4	Jambolana. DC.	(wh.) Jambolana-tree.	E. Indies.	1796.	5. 7.	S. h.	Rumph. amb. 1. t. 42.
	Calyptranthes Jambolana. w. Eugenia Jambolana.	Lam.					
5	inophyllum. DC.	(wh.) equal-leaved.	E. Indies.	1826.		S. h.	

- 6 caryophyllifolium. DC. (wh.) Clove-leav'd. E. Indies. 1822. 5. 7. S. h. Rumph. amb. 1. t. 41.
Eugenia caryophyllifolia, Lam. *Calyptanthus caryophyllifolia* w.
- 7 venosum. DC. (wh.) veined-leaved. Nepaul. 1824. S. h.
- 8 fruticosum. DC. (wh.) shrubby. E. Indies. S. h.
- 9 zeylanicum. DC. (wh.) Ceylon. 1798. 6. 7. S. h. Herm. zeyl. 435. ic.
- CARYOPHYLLUS. DC. CLOVE-TREE. Icosandria Monogynia. L.**
- aromaticus. DC. (wh.) aromatic. Moluccas. 1797. S. h. Bot. mag. t. 2749-2750.
- ACMENA. DC. ACMENA. Icosandria Monogynia.**
- elliptica. DC. (wh.) elliptic-leaved. N. S. W. 1790. 5. 9. G. h. Bot. mag. t. 1872.
Eugenia elliptica. B.M. *Myrtus Smithii*. s.s. *Metrosideros floribunda*. Vent. malm. t. 75.
- EUGENIA. DC. EUGENIA. Icosandria Monogynia.**
- 1 Michëlii. DC. (wh.) one-flowered. Brazil. 1759. 1. 3. S. h. Bot. mag. t. 473.
uniflora. w. *Plinia pedunculata*. B.M.
- 2 ligustrina. DC. (wh.) Privet-leaved. Caribees. 1798. 8. 9. S. h.
- 3 balsamica. DC. (wh.) balsamic. W. Indies. 1816. 6. 7. S. h. Jacq. frag. t. 45. f. 2.
- 4 angustifolia. DC. (wh.) narrow-leaved. St. Domingo. 1825. S. h. Plum. ed Bur. t. 207. f. 2.
- 5 obscura. DC. (wh.) obscure. Brazil. 1824. 10. 11. S. h. Bot. reg. t. 1044.
Myrtus obscura. B.R.
- 6 alpina. DC. (wh.) alpine. Jamaica. 1827. 6. 8. S. h.
- 7 latifolia. DC. (wh.) broad-leaved. Guiana. 1793. S. h. Aubl. guian. 1. t. 199.
- 8 Lambertiana. DC. (wh.) Mr. Lambert's. W. Indies. 1794. S. h.
- 9 Parkeriana. DC. (wh.) Parker's. Trinidad. S. h.
- 10 Roxburghii. DC. (wh.) Roxburgh's. E. Indies. 1798. 6. 7. S. h. Andr. reposit. t. 619?
zeylanica. Roxb. non w.
- 11 disticha. DC. (wh.) globe-berried. Jamaica. 1793. 4. 7. S. h. Lindl. coll. t. 19.
Myrtus disticha. L. coll.
- 12 glabrata. DC. (wh.) smooth. W. Indies. 1825. S. h.
- 13 axillaris. DC. (wh.) axillary. Jamaica. 1793. 9. 10. S. h.
- 14 floribunda. DC. (wh.) many-flowered. Santa Cruz. 1822. 4. 6. S. h.
- 15 buxifolia. DC. (wh.) Box-leaved. W. Indies. S. h.
- 16 baruensis. DC. (wh.) many-flowered. S. h. Jacq. ic. 3. t. 486.
- 17 dumosa. DC. (wh.) bushy. 1793. 6. 7. S. h.
- 18 biflora. DC. (wh.) two-flowered. Jamaica. 1759. 4. 5. S. h. Brown jam. t. 25. f. 3.
Myrtus biflora. w.
- 19 Sieberiana. DC. (wh.) Sieber's. Trinidad. 1824. S. h.
- 20 trinervia. DC. (wh.) three-nerved. N. S. W. 1823. G. h.
- Myrtus trinervia*. L.T.
- 21 trinitatis. DC. (wh.) Trinidad. Trinidad. S. h.
- 22 Grégii. DC. (wh.) Greg's. Dominica. 1776. 6. 7. S. h. Gært. fruct. 1. t. 33.
- Grégia aromatica*. G. *Myrtus Grégii*. w.
- 23 fragrans. DC. (wh.) sweet-scented. Jamaica. 1790. 4. 5. S. h. Bot. mag. t. 1242.
- 24 virgultosa. DC. (wh.) twiggy. W. Indies. 1787. 7. 8. S. h.
- Myrtus virgultosa*. w.
- 25 corymbosa. DC. (wh.) corymbose. E. Indies. 1824. S. h. Rheed. mal. 5. t. 27.
- 26 pulchella. H.B. (wh.) pretty. 1822. S. h.
- 27 glandulifera. H.B. (wh.) glandular. 1823. S. h.
- 28 obtusifolia. H.B. (wh.) blunt-leaved. S. h.
- 29 cerasoides. H.B. (wh.) Cherry-fruited. S. h.
- 30 Piménta. DC. (wh.) Allspice. W. Indies. 1723. 5. 7. S. h. Bot. mag. t. 1236.
Myrtus Piménta. w.
- JAMB'OSA. DC. JAMB'OSA. Icosandria Monogynia.**
- 1 vulgaris. DC. (st.) narrow-leaved. E. Indies. 1768. 2. 7. S. h. Bot. mag. t. 1696.
Eugenia Jambos. B.M.
- 2 venosa. DC. (bh.) veined-leaved. Madagascar. 1824. S. h.
- 3 macrophylla. DC. (wh.) large-leaved. E. Indies. 1822. S. h.
- 4 macrocarpa. (wh.) large-fruited. S. h.
- Eugenia macrocarpa*. H.B.
- 5 purpurascens. DC. (pu.) purple-flower'd. W. Indies. 1768. 5. 8. S. h. Andr. reposit. t. 458.
Eugenia malaccensis. Smith exot. bot. t. 61.
- 6 malaccensis. DC. (wh.) Malay Apple. E. Indies. S. h. Rheed. mal. 1. t. 18.
- 7 amplexicaulis. DC. (gr.) stem-clasping. Sumatra. 1820. 3. 6. S. h. Bot. reg. t. 1033.
- 8 aquea. DC. (ro.) watery. Moluccas. 1819. S. h. Rumph. amb. 1. t. 38. f. 2.
Eugenia aquea. H.B.
- 9 acuminata. (gr.) taper-pointed. Amboyna. 1816. 5. 6. S. h.
- Eugenia acuminata*. H.B.
- 10 laurifolia. DC. (wh.) Laurel-leaved. E. Indies. 1824. S. h.
- 11 ternifolia. (wh.) three-leaved. 1822. S. h.
Eugenia ternifolia. H.B.

- 12 austrâlis. DC. (wh.) Myrtle-leaved. N. Holland. 1812. 5. 9. G. h. Bot. mag. t. 2230.
Eugènia austrâlis. Colla hort. rip. app. t. 8. *Eugènia myrtifolia*. Bot. reg. t. 627.

Tribus IV. *BARRINGTONIÆ*. DC. prodr. v. 3. p. 283.

BARRINGTONIA. DC. BARRINGTONIA. Monadelphia Polyandria. L.

- 1 speciosa. DC. (pu.wh.) beautiful. E. Indies. 1786. S. h. Rumph. amb. 3. t. 114.
 2 racemosa. DC. (wh.) racemed. Malabar. 1822. S. h. Rheed. mal. 4. t. 6.
Eugènia racemosa. L.

STRAVADIUM. DC. STRAVADIUM. Monadelphia Polyandria.

- 1 album. DC. (wh.) white-flowered. Moluccas. 1822. S. h. Rumph. amb. 3. t. 116.
 2 rubrum. DC. (re.) red-flowered. ———— 3. t. 115.

Barringtonia acutangula. G. *Eugènia acutangula*. L.

GUSTAVIA. DC. GUSTAVIA. Monadelphia Polyandria. L.

- 1 augusta. DC. (wh.) large-flowered. Guiana. 1794. S. h. Aubl. guian. 1. t. 192.
 2 fastuosa. DC. (wh.) six-petaled. ———— 1824. S. h. ———— 1. t. 193.

Tribus V. *LECYTHIDEÆ*. DC. prodr. v. 3. p. 290.

LEC'YTHIS. DC. LEC'YTHIS. Monadelphia Polyandria.

- 1 Ollaria. DC. (wh.) sessile-leaved. Brazil. 1820. S. h.
 2 minor. DC. (wh.) smaller. Carthageria. 1823. S. h. Jacq. amer. t. 109.
 3 grandiflora. DC. (ro.) large-flowered. Cayenne. 1822. S. h. Au. gu. 2. t. 283. 284. 285.
 4 Idatimon. DC. (fl.) flesh-coloured. Guiana. ———— 2. t. 289.
 5 amara. DC. (ye.) bitter-seeded. ———— 2. t. 286 et t. 285. f. 1.
 6 parviflora. DC. (st.) small-flowered. ———— 2. t. 287.

BERTHOLLETIA. DC. BERTHOLLETIA. Monadelphia Polyandria.

- excelsa. DC. (st.) lofty. Brazil. 1824. S. h. H. et B. pl. equ. 1. t. 36.

COUROUPITA. DC. COUROUPITA. Monadelphia Polyandria.

- guianensis. DC. (bh.) Guiana. Guiana. 1820. S. h. Aubl. guian. 2. t. 282.
Lec'ythis bracteata. W. *Pekea Couroupita*. Juss.

MYRTACEÆ DUBIÆ. DC. prodr. v. 3. p. 394.

CAREYA. R.C. CAREYA. Monadelphia Polyandria.

- 1 sphærica. H.B. (wh.) sphærical. E. Indies. 1823. S. h.
 2 arborea. R.C. (gr.bh.) tree. ———— 7. 8. S. h. Roxb. corom. 3. t. 218.
 3 herbacea. R.C. (re.) herbaceous. ———— 1808. 7. 8. S. h. ———— 3. t. 217.

GR'IAS. DC. ANCHOVY PEAR. Polyandria Monogynia.

- cauliflora. DC. (wh.) stem-flowering. Jamaica. S. h. Sloan. his. 2. t. 217. f. 1. 2.

MAR'LEA. R.C. MA'RL'EA. Icosandria Monogynia.

- begoniifolia. R.C. (wh.) Begonia-leaved. E. Indies. 1824. S. h. Roxb. corom. 3. t. 283.

ORDO XCV.

CUCURBITACEÆ. DC. prodr. v. 3. p. 297.

Tribus II. *CUCURBITÆ*. DC. prod. 3. p. 299.

LAGENARIA. DC. GOURD. Monocia Monadelphia.

- 1 vulgaris. DC. (wh.) bottle. India. 1597. 7. 9. H. ☉. ∪.
 a Gourda. DC. (wh.) common. ———— H. ☉. ∪. Moris. his. s. 1. t. 5. f. 1.
 β Cougourda. DC. (wh.) Cow-gourd. China. ———— H. ☉. ∪. Rumph. amb. 5. t. 144.
 γ depréssa. DC. (wh.) flat-fruited. India. ———— H. ☉. ∪.
 δ turbinata. DC. (wh.) top-fruited. ———— H. ☉. ∪. Moris. his. s. 1. t. 5. f. 2.
 ε clavata. DC. (wh.) club-fruited. ———— H. ☉. ∪. ———— sect. 1. t. 5. f. 3.

2 vittata. DC.	(wh.) ribbon.	E. Indies.		7. 9.	H. ☉. √.	
3 idolátrica. DC.	(wh.) Pear-fruited.				H. ☉. √.	
CUCUMIS. DC.	CUCUMBER.	Monœcia Monadelphia.	L.			
1 Mëlo. DC.	(st.) Melon.	Tartary.	1570.	5. 9.	F. ☉.	Blackw. herb. t. 329.
2 deliciosus. DC.	(st.) delicious.	E. Indies.	1818.		F. ☉.	
3 sativus. DC.	(ye.) common.		1573.	7. 9.	H. ☉.	Blackw. herb. t. 4.
a viridis. DC.	(ye.) green-fruited.				H. ☉.	
β flavus. DC.	(ye.) pale-fruited.				H. ☉.	
γ albus. DC.	(ye.) white Turkey.				H. ☉.	
δ variegatus. DC.	(ye.) striped-fruited.				H. ☉.	
ε fastigiatus. DC.	(ye.) clustered.				H. ☉.	
4 flexuosus. DC.	(ye.) flexuous snake.		1597.	5. 9.	F. ☉.	Lob. stirp. p. 363. f. 2.
β reflexus. DC.	(ye.) angular-leaved.				F. ☉.	
5 anguinus. w.	(ye.) snake-fruited.		1820.	7. 9.	F. ☉.	
6 jamaicensis. DC.	(ye.) round-fruited.	Jamaica.	1818.		F. ☉.	
7 Châte. DC.	(ye.) hairy.	Levant.	1759.	6. 7.	H. ☉.	Alp. ægypt. t. 117.
8 Dudaim. DC.	(ye.) Apple-fruited.		1705.	7. 8.	H. ☉.	Andr. reposit. t. 548.
9 prophetarum. DC.	(ye.) globe-fruited.		1777.	6. 9.	F. ☉.	Jacq. vind. 1. t. 9.
10 africanus. DC.	(ye.) African.	C. B. S.	1816.		G. 4. √.	Herm. parad. t. 134.
11 Angüria. DC.	(ye.) round prickly.	Jamaica.	1692.	7. 9.	H. ☉.	Mill. ic. 1. t. 33.
12 Citrullus. DC.	(ye.) Water Melon.	Africa.	1597.	5. 9.	F. ☉.	Rumph. amb. 5. t. 146.
a Pasteca. DC.	(ye.) firm-fruited.				F. ☉.	
β Jace. DC.	(ye.) juicy-fruited.				F. ☉.	
13 pubescens. DC.	(ye.) pubescent.		1815.	6. 9.	F. ☉.	
14 maculatus. DC.	(ye.) spotted-fruited.				F. ☉.	Ser. dis. t. 3.
15 Colocy'ntis. DC.	(ye.) bitter.	Japan.	1551.	5. 8.	F. ☉.	Blackw. herb. t. 441.
16 perennis. DC.	(ye.) perennial.	N. America.	1824.	6. 8.	F. ☉.	
17 coronarius.	(ye.) crowned.		1827.		F. ☉.	
18 Momórdica. H.B.	(ye.) Momordica-like.	E. Indies.	1812.	7. 9.	F. ☉.	
19 utilitissimus. H.B.	(ye.) useful.		1820.		F. ☉.	
20 turbinatus. H.B.	(ye.) top-shaped.				F. ☉.	
21 maderaspatanus. w.	(ye.) Madras.		1805.	7. 8.	F. ☉.	Pluk. alm. t. 170. f. 2.
Bryonia maderaspatana. DC.						
22 integrifolius. H.B.	(ye.) entire-leaved.		1825.		F. ☉. √.	
LU'FFA. DC.	LU'FFA. Pentandria Monogynia.					
1 foetida. DC.	(ye.) strong-scented.	E. Indies.	1812.	6. 10.	F. ☉. √.	Bot. mag. t. 1638.
2 acutangula. DC.	(ye.) acute-angled.		1692.	6. 9.	F. ☉. √.	Jacq. vind. 3. t. 73-74.
Cucumis acutangulus. Jacq.						
3 Plukenetiana. DC.	(ye.) Plukenet's.				F. ☉. √.	Pluk. alm. t. 172. f. 1.
4 clavata. H.B.	(ye.) erect.		1820.	6. 10.	F. ☉.	
5 amara. H.B.	(ye.) bitter.				F. ☉. √.	
6 graveolens. H.B.	(ye.) strong-smelling.		1823.		F. ☉. √.	
7 racemosa. H.B.	(ye.) racemed.				F. ☉. √.	
8 ægyptiaca. DC.	(ye.) Egyptian.	Egypt.	1739.	7. 8.	F. ☉.	Alp. ægypt. t. 58.
Momórdica Luffa. L.						
BENINC'ASA. DC.	BENINC'ASA. Polygamia Monœcia.					
cerifera. DC.	(ye.) musky.	E. Indies.		7. 9.	F. ☉.	Savi. mem. c. 1818. p. 6.
BRYONIA. DC.	BRYONY. Monœcia Monadelphia. W.					
1 rostrata. DC.	(st.) rostrate.	E. Indies.	1825.	7. 9.	S. ☉. √.	
2 scabra. DC.	(st.) globe-fruited.	C. B. S.	1774.	9. 10.	G. 4. √.	
3 verrucosa. DC.	(st.) warted.	Canaries.	1779.	6. 10.	G. 4. √.	
4 scabrata. DC.	(st.) roughish.	E. Indies.	1826.		S. 4. √.	
5 punctata. DC.	(st.) dotted.	C. B. S.	1816.		G. 4. √.	
6 cordata. DC.	(st.) cordate.				G. 4. √.	
7 grandis. DC.	(re.) great-flowered.	E. Indies.	1783.	5. 8.	S. 4. √.	Rump. amb. 5. t. 166. f. 1.
8 umbellata. DC.	(st.) umbel-flowered.		1825.		S. 4. √.	Rheed. mal. 8. t. 26?
9 hederæfolia. DC.	(st.) Ivy-leaved.	Teneriffe.			G. 4. √.	Jacq. fragm. 73. t. 113.
10 epigæa. DC.	(st.) leathery-leaved.	E. Indies.	1815.		G. 4. √.	
11 scabrëlla. DC.	(st.) rough-seeded.		1781.	6. 8.	S. ☉. √.	
12 latebrösa. DC.	(st.) hairy.	Canaries.	1779.		G. 4. √.	
13 trilobata. DC.	(st.) three-lobed.	C. B. S.	1816.		G. ☉. √.	
14 álba. DC.	(wh.) black-fruited.	Europe.	1807.		H. 4. √.	Lam. ill. t. 796.
15 dioica. DC.	(st.) red-fruited.	Britain.		5. 9.	H. 4. √.	Eng. bot. v. 7. t. 439.
16 nitida. DC.	(st.) glossy.		1824.		S. 4. √.	
17 crética. DC.	(st.) Cretan.	Candia.	1759.	7. 9.	G. 4. √.	Desf. an. mus. 12. t. 17.
18 quinqueloba. DC.	(st.) five-lobed.	C. B. S.		6. 10.	G. 4. √.	Bot. reg. t. 82.
19 ficifolia. DC.	(st.) Fig-leaved.	Buenos Ayres.	1726.		G. 4. √.	Dill. elth. t. 50. f. 58.
20 variegata. DC.	(st.) variegated.	America.			S. 4. √.	
21 racemosa. DC.	(st.) racemed.	Trinidad.	1820.		S. 4. √.	Plum. amer. 83. t. 97.

- 22 pinnatifida. DC. (st.) pinnatifid. C. B. S. 1816. 7. 8. G. 4. ∞.
- 23 divisa. W. en. (st.) divided-leaved. 1818. 6. 10. G. 4. ∞.
- 24 palmata. DC. (st.) palmated. Ceylon. 1778. 7. 8. S. 4. ∞.
- 25 Garcini. DC. (st.) round-lobed. 1818. — S. 4. ∞. Burm. ind. t. 57. f. 3.
- 26 laciniosa. DC. (st.) laciniated. E. Indies. 1710. — S. 4. ∞. Herm. lugd. 95. t. 97.
- 27 africana. DC. (st.) African. C. B. S. 1759. 7. 8. G. 4. ∞. Herm. parad. t. 708.
- 28 dissecta. DC. (st.) smooth-leaved. 1710. — G. 4. ∞.
- 29 tenella. H. B. (st.) slender. E. Indies. 1820. — S. 4. ∞.
- 30 Wallichiana. DC. (st.) filiform. Nepal. — S. 4. ∞.
- filiformis*. H. B.
- SICYOS. DC. SINGLE-SEEDED CUCUMBER. Monœcia Monadelphia. W.**
- 1 angulatus. DC. (ye.) angular-leaved. N. America. 1710. 7. 9. H. ⊙. ∞. Dill. elth. t. 51. f. 59.
- 2 parviflorus. DC. (ye.) small-flowered. Quito. 1823. — H. ⊙. ∞.
- 3 microphyllus. DC. (ye.) small-leaved. Mexico. — H. ⊙. ∞.
- 4 vitifolius. DC. (ye.) Vine-leaved. — H. ⊙. ∞.
- 5 laciniatus. DC. (ye.) jagged-leaved. S. America. 1827. — F. ⊙. ∞. Plum. ed Burm. t. 243.
- ELATERIUM. DC. ELATERIUM. Monœcia Monadelphia.**
- 1 gemellum. DC. (wh.) twin-tendrilled. Mexico. 1826. 6. 9. H. ⊙. ∞.
- 2 carthaginense. DC. (wh.) Carthaginian. Caracas. 1824. — F. ⊙. ∞. Jacq. am. pict. t. 232.
- 3 tamnoides. DC. (st.) Tamus-like. Mexico. 1818. — H. ⊙. ∞.
- MOMO'RDICA. DC. MOMO'RDICA. Monœcia Monadelphia. W.**
- 1 balsamina. DC. (ye.) Balsam Apple. E. Indies. 1568. 6. 7. F. ⊙. ∞. Blackw. herb. 6. t. 539.
- 2 muricata. DC. (ye.) tubercled. — F. ⊙. ∞. Rheed. mal. 8. t. 10.
- 3 Charantia. DC. (ye.) hairy. — 1710. — F. ⊙. ∞. Bot. mag. t. 2455.
- β abbreviata. DC. (ye.) short-fruited. — F. ⊙. ∞.
- 4 cylindrica. DC. (ye.) cylindrical. China. 1816. — F. ⊙. ∞.
- 5 operculata. DC. (ye.) rough-fruited. W. Indies. 1731. 6. 9. F. ⊙. ∞. Comm. rar. t. 22.
- 6 Elaterium. DC. (st.) squinting cucumber. S. Europe. 1548. — H. 4. ∞. Bot. mag. t. 1914.
- 7 dioica. DC. (ye.) diœcious. E. Indies. 1820. 7. 8. S. 4. ∞. Rheed. mal. 8. t. 18.
- 8 monadelphæ. H. B. (ye.) monadelphous. — 1812. — S. 4. ∞.
- 9 mixta. H. B. (ye.) mixed. — 1820. — S. 4. ∞.
- 10 umbellata. H. B. (ye.) umbel-flowered. — 1818. — S. 4. ∞.
- 11 tubiflora. H. B. (ye.) tube-flowered. — 1824. 7. 10. F. ⊙. ∞.
- SECHIUM. DC. CHOCHO. Monœcia Monadelphia.**
- 1 edule. DC. (ye.) eatable. W. Indies. 1823. 7. 9. F. ⊙. ∞. Jacq. amer. t. 163.
- 2 americanum. DC. (ye.) American. Jamaica. 1825. — F. ⊙. ∞.
- 3 palmatum. DC. (st.) palmated. Mexico. 1827. 9. 11. F. ⊙. ∞. Moc. et Ses. fl. mex. ic.
- MELO'THRIA. DC. MELO'THRIA. Monœcia Triandria.**
- 1 pendula. DC. (ye.) pendulous. America. 1752. 6. 7. H. ⊙. ∞. Plum. ic. t. 66. f. 2.
- 2 fœtida. DC. (ye.) strong-scented. Guinea. 1825. — S. 4. ∞. Jacq. ic. 3. t. 624.
- Trichosanthes fœtidissima*. Jacq.
- TRICHOSANTHES. DC. SNAKE-GOURD. Monœcia Monadelphia. W.**
- 1 anguina. DC. (wh.) common. China. 1755. 5. 8. F. ⊙. ∞. Bot. mag. t. 722.
- 2 colubrina. DC. (wh.) panicked. — 1820. — F. ⊙. ∞. Jacq. f. eclog. t. 128.
- 3 dioica. H. B. (wh.) diœcious. E. Indies. — 5. 6. S. 4. ∞.
- 4 cucumerina. DC. (wh.) Cucumber-like. — 1804. 6. 8. F. ⊙. ∞. Rheed. mal. 8. t. 15.
- 5 lobata. H. B. (wh.) lobed-leaved. — 1812. — F. ⊙. ∞.
- 6 cordata. H. B. (wh.) heart-leaved. — 1823. — S. 4. ∞.
- 7 palmata. H. B. (wh.) palmated. — 1825. — S. 4. ∞.
- 8 corniculata. DC. (wh.) horn-gourd. W. Indies. 1810. 6. 7. S. 4. ∞. Bot. mag. t. 2703.
- tuberosa*. B. M. *Ceratosinthes tuberosa*. s. s.
- JOLIFFIA. DC. JOLIFFIA. Diœcia Monadelphia.**
- africana. DC. (pu.) African. Zanzibar. 1825. 6. 8. S. 4. ∞. Bot. mag. t. 2681.
- ♀ fœmina. (pu.) female. — S. 4. ∞. — t. 2681.
- Feuillæa pedata*. B. M.
- ♂ mascula. (pu.) male. — 1827. — S. 4. ∞. Bot. mag. t. 2751 et 2752.
- Telfairia pedata*. Hook. bot. mag. t. 2751.
- CUCURBITA. DC. PUMPKIN. Monœcia Monadelphia. W.**
- 1 maxima. DC. (ye.) Elephant. — 7. 10. H. ⊙. ∞. Tourn. inst. n. 2. t. 34.
- α Potiro. DC. (ye.) yellow-fruited. — H. ⊙. ∞.
- β viridis. DC. (ye.) green-fruited. — H. ⊙. ∞.
- γ Courgero. DC. (ye.) small-fruited. — H. ⊙. ∞.
- 2 Melopæpo. DC. (ye.) Squash. — 1597. 5. 9. H. ⊙. ∞. Moris. hist. 1. s. 1. t. 8.
- 3 moschata. DC. (ye.) musk Melon. W. Indies. — 6. 9. F. ⊙. ∞. Dalech. hist. 616. f. 3.
- 4 villosa. DC. (ye.) woolly-fruited. E. Indies. 1818. — F. ⊙. ∞.
- 5 Pæpo. DC. (ye.) common. Levant. 1570. — H. ⊙. ∞.
- α subrotunda. DC. (ye.) round-fruited. — H. ⊙. ∞.
- β oblonga. DC. (ye.) oblong-fruited. — H. ⊙. ∞.
- 6 farinosa. DC. (ye.) mealy-fruited. E. Indies. 1822. — F. ⊙. ∞.

7 verrucôsa. DC.	(ye.) warted.		1658.	6. 9.	H. .	Bauh. hist. 2. p. 222. ic.
8 subverrucôsa. DC.	(ye.) oblong-fruited.				H. .	
9 aurántia. DC.	(ye.) orange-gourd.				H. .	
a orangina. DC.	(ye.) true orange.				H. .	
β colocynthoides. DC.	(ye.) variegated-fruit'd.				H. .	
10 ovífera. DC.	(ye.) egg-shaped.	Astracan.			H. .	Dod. pempt. 670. f. 1.
a pyriformis. DC.	(ye.) pear-fruited.				H. .	Ser. diss. t. 1.
β subglobôsa. DC.	(ye.) white-striped.				H. .	
γ grisea. DC.	(ye.) white-spotted.				H. .	
11 fetidíssima. DC.	(ye.) strong-scented.	Mexico.	1825.		H. .	
12 marsupialis. Jacq.	(ye.) bag-bearing.		1821.		H. .	
13 dipsacea. E.	(ye.) Teasel-like.	Egypt.	1827.		H. .	
ANG'URIA. DC.	ANG'URIA.	Monœcia Diandria. W.				
1 trilobata. DC.	(re.) three-lobed.	Martinico.	1793.	6. 7.	S. .	Jacq. am. pict. t. 234.
2 pedatisecta. DC.	(re.) cut-leaved.	Peru.	1827.	7. 10.	H. .	Feuil per. 1. t. 41.
3 pedata. DC.	(re.) pedate-leaved.	St. Domingo.		6. 8.	S. .	Jacq. am. pict. t. 155.

GENERA CUCURBITACEIS AFFINIA.

GRONOVIA. DC.	GRONOVIA.	Pentandria Monogynia. L.				
scândens. DC.	(st.) climbing.	Jamaica.	1731.	6. 7.	S. .	Jacq. ic. 2. t. 338.
CARICA. S.S.	PAPAW-TREE.	Diœcia Decandria. L.				
1 Papáya. s.s.	(st.) common.	India.	1690.	7. 8.	S. .	Bot. reg. t. 459.
2 pyriformis. s.s.	(ro.) Pear-fruited.	Peru.	1825.		S. .	Feuil. journ. 3. t. 39.
3 citrifórmis. s.s.	(st.) Citron-fruited.	Guinea.			S. .	
4 cauliflôra. s.s.	(st.) stem-flowering.	Caracas.	1806.	6. 8.	S. .	Jacq. schœnb. 3. t. 311.
5 microcarpa. s.s.	(st.) small-fruited.				S. .	3. t. 309. 310.
6 monoica. Df.	(st.) monœcious.		1816.		S. .	
7 digitata. s.s.	(st.) spiny.	Guiana.	1822.		S. .	Aubl. guian. 2. t. 246.
spinôsa. W.						

ORDO XCVI.

PASSIFLOREÆ. DC. prodr. v. 3. p. 321.

Tribus I. PAROPSIÆ. DC. prodr. v. 3. p. 322.

SMEATHMA'NNIA. L.T.	SMEATHMA'NNIA.	Polyandria Pentagynia.			
lævigata. L.T.	(wh.) smooth.	Sierra Leone.	1822.		S. .

Tribus II. PASSIFLOREÆ VERÆ. DC. prodr. v. 3. p. 322.

PASSIFLORA. DC.		PASSION-FLOWER. Monadelphia Pentandria.					
1	holosericea. DC.	(st.) silky-leaved.	Vera Cruz.	1733.	5. 8.	S. .	Bot. reg. t. 59.
2	pálida. DC.	(gr.) pale-flowered.	W. Indies.	1820.	5. 10.	S. .	_____ t. 660.
3	cùprea. DC.	(co.) copper-colour'd.	Bahama Isl.	1724.	7. 8.	S. .	Jacq. ic. 3. t. 606.
4	multiflôra. DC.	(wh.) many-flowered.	Vera Cruz.	1731.	6. 9.	S. .	Cavan. diss. 10. t. 272.
5	pubescens. DC.	(wh.) pubescent.	Caracas.	1825.	_____	S. .	
6	mexicâna. DC.	(wh.) Mexican.	Mexico.	1812.	_____	S. .	Jus. an. mus. 6. t. 38. f. 2.
7	normalis. DC.	(cr.) linear-lobed.	Jamaica.	1771.	5. 7.	S. .	
8	angustifolia. DC.	(gr.) narrow-leaved.	W. Indies.	1773.	6. 9.	S. .	Bot. reg. t. 188.
<i>heterophylla</i> . Jacq. schœn. 2. t. 181.							
9	maculata. DC.	(wh.) painted-leaved.	N. America.	1812.	_____	G. .	Pluk. t. 210. f. 3.
10	grácilis. DC.	(wh.) slender.	_____	1823.	6. 10.	S. .	Bot. reg. t. 870.
11	lutêa. DC.	(st.) pale yellow.	_____	1714.	5. 8.	F. .	_____ t. 79.
12	minima. DC.	(gr.) small.	S. America.	1690.	7. 9.	S. .	_____ t. 144.
13	hirsûta. DC.	(gr.) hairy-stalked.	W. Indies.	1778.	8. 10.	S. .	Plum. amer. t. 88.
14	suberosa. DC.	(wh.) cork-barked.	_____	1759.	6. 9.	S. .	Sm. exot. bot. 1. t. 28.

- 15 peltata. DC. (st.) peltate. W. Indies. 1778. 8. 10. S. h. ∪. Bot. reg. t. 507.
 16 hederacea. DC. (wh.) Ivy-leaved. Antilles. 6. 7. S. h. ∪. Plum. amer. t. 84.
 17 pannosa. DC. (fl.) cloth-leaved. W. Indies. 1824. 6. 9. S. h. ∪.
 18 cuneata. W.en. (wh.) wedge-leaved. S. America. 1820. 6. 10. S. h. ∪.
 19 multiformis. DC. (wh.) multiform. Caracas. 1825. — S. h. ∪. Jacq. frag. t. 67. f. 1.
caracasana. W. en.
 20 heterophylla. DC. (wh.) various-leaved. St. Domingo. 1817. — S. h. ∪. Plum. ed. Bur. t. 139 f. 1.
 21 rubricaulis. Jac. (re.) red-stalked. S. America. 1821. 6. 8. S. h. ∪.
 22 perfoliata. DC. (pu.) perfoliate. W. Indies. 1806. 7. 9. S. h. ∪. Bot. reg. t. 78.
 23 rubra. DC. (fl.) red-fruited. — 1731. 4. 9. S. h. ∪. — t. 95.
 24 capsularis. DC. (wh.) angular-fruited. — 1826. — S. h. ∪. Bot. mag. t. 2868?
 25 biflora. DC. (wh.) crescent-leaved. — 1733. — S. h. ∪. Sm. ic. pict. 1. t. 1.
lunata. Sm. non Juss. *Vespertilio*. Miss Lawr. pass. t. 8. *nec aliorum*.
 β? *acutiloba*. (wh.) acute-lobed. W. Indies. — S. h. ∪. Bot. reg. t. 577.
 26 Vespertilio. DC. (wh.) bat-winged. — 1732. 5. 6. S. h. ∪. Dill. elth. t. 137. f. 164.
 27 Maximiliana. DC. (wh.) two-coloured. Brazil. 1820. 6. 10. S. h. ∪. Bot. reg. t. 597.
Vespertilio. B.R. *nec aliorum*. *discolor*. Lodd. bot. cab. t. 565.
 28 oblongata. DC. (wh.) oblong-leaved. Jamaica. 1822. — S. h. ∪.
 29 tuberosa. DC. (pa.) tuberous-root'd. S. America. 1784. — S. h. ∪. Bot. reg. t. 432.
punctata. Lodd. bot. cab. t. 101.
 30 rotundifolia. DC. (wh.) round-leaved. W. Indies. 1779. 5. 8. S. h. ∪. Cavan. dis. t. 290.
 31 punctata. DC. (st.) dotted-leaved. Peru. 1784. 5. 6. S. h. ∪. — 6. t. 269.
 32 serratifolia. DC. (pu.) notch-leaved. W. Indies. 1731. 5. 10. S. h. ∪. Bot. mag. t. 651.
 33 coccinea. DC. (sc.) scarlet-flower'd. Guiana. 1823. S. h. ∪. Aubl. guian. 3. t. 324.
 34 mucronata. DC. (v.) mucronate. Brazil. 1822. S. h. ∪. Cavan. diss. t. 282.
 35 maliformis. DC. (v.) Apple-fruited. W. Indies. 1731. 7. 11. S. h. ∪. Bot. reg. t. 94.
 36 tiliaefolia. DC. (wh.) Lime-tree-ld. Peru. 1822. S. h. ∪. Feuill. obs. 2. t. 12.
 37 ligularis. DC. (v.) taper-pointed. — 4. 8. S. h. ∪. Juss. an. mus. 6. t. 40.
 38 quadrangularis. DC. (v.) square-stalked. Jamaica. 1768. 8. 10. S. h. ∪. Bot. reg. t. 14.
 39 alata. DC. (v.) wing-stalked. W. Indies. 1772. 4. 8. S. h. ∪. Bot. mag. t. 66.
 40 albidia. DC. (wh.) white-flowered. Brazil. 1816. 7. 11. S. h. ∪. Bot. reg. t. 677.
 41 angulata. Cerv. (wh.) angular-stalked. Mexico. 1823. — G. h. ∪.
 42 laurifolia. DC. (v.) Laurel-leaved. W. Indies. 1690. 6. 8. S. h. ∪. Bot. reg. t. 13.
 43 tinifolia. DC. (v.) Tinus-leaved. — 1822. — S. h. ∪. Juss. an. mus. 6. t. 41. f. 2.
 44 racemosa. DC. (sc.) racemed. Brazil. 1816. 1. 12. S. h. ∪. Bot. reg. t. 285.
 45 sanguinea. DC. (cr.) crimson. Hybrid. 1820. — G. h. ∪.
 46 cœruleo-racemosa. (pu.) Whitley's mule. — — G. h. ∪. Lodd. bot. cab. t. 573.
 α *quinquelobata*. H.T. (pu.) five-lobed. — — G. h. ∪. Hort. trans. 4. t. 9.
 β *trilobata*. H.T. (pu.) three-lobed. — — G. h. ∪.
 γ *racemifera*. (pu.) raceme-bearing. — — G. h. ∪.
 47 alato-cœrulea. DC. (ro.) Masters's mule. Hybrid. 1823. 4. 8. G. h. ∪. Bot. reg. t. 848.
 48 stipulata. DC. (wh.) glaucous-leaved. Cayenne. 1779. 8. 9. S. h. ∪. Aubl. guian. 2. t. 325.
glauca. Bot. reg. t. 88. non Humb.
 49 incarnata. DC. (bh.) flesh-coloured. N. America. 1629. 7. 9. H. h. ∪. Miss Lawr. pass. ic.
 β? *integriloba*. DC. (bh.) entire-lobed. — 1812. — H. h. ∪. Bot. reg. t. 332.
 50 æulis. DC. (bh.) eatable-fruited. Brazil. 1816. 6. 10. G. h. ∪. Bot. mag. t. 1989.
incarnata. β. Bot. reg. t. 152.
 51 vitifolia. DC. (wh.) Vine-leaved. S. America. 1824. S. h. ∪.
 52 filamentosa. DC. (v.) filamentose. — 1819. 7. 10. G. h. ∪. Cavan. diss. 10. t. 294.
 53 palmata. DC. (v.) palmate-leaved. Brazil. — — F. h. ∪. Lodd. bot. cab. t. 97.
 54 Colvillii. DC. (v.) Colvill's mule. Hybrid. 1823. — H. h. ∪. Swt. br. fl. gar. t. 126.
 55 cœrulea. DC. (wh. bl.) common. Brazil. 1699. — H. h. ∪. Bot. reg. t. 488.
 β *glaucophylla*. (wh. bl.) glaucous-leaved. — H. h. ∪.
 γ *angustifolia*. (wh. bl.) narrow long-l'd. — H. h. ∪.
 56 chinensis. (wh. bl.) Chinese. China. 1819. 6. 10. G. h. ∪.
cœrulea Lour. *nec aliorum*.
 57 serrata. DC. (pa.) saw-leaved. Martinica. 1800. S. h. ∪. Cavan. diss. 10. t. 296.
 58 digitata. R.P. (pa.) digitate. Peru. 1824. S. h. ∪.
 59 pedata. DC. (pa.) curl-flowered. W. Indies. 1781. S. h. ∪. Plum. am. t. 81.
 60 picturata. DC. (v.) pictured. Brazil. 1823. 6. 9. S. h. ∪. Bot. reg. t. 673.
 61 hibiscifolia. (wh. bl.) Hibiscus-leav'd. Caribees. 1825. — S. h. ∪. Plum. am. t. 86.
 62 fœtida. (wh. bl.) stinking. W. Indies. 1731. 7. 9. S. h. ∪. Bot. mag. t. 2619.
 63 hircina. ed. 1. (wh. bl.) strong-scented. Brazil. 5. 10. S. h. ∪. Bot. reg. t. 321.
fœtida. Bot. reg. *nec aliorum*. *hirsuta*. Bot. cab. 138. *nec aliorum*.
 64 ciliata. DC. (wh. ro.) ciliated. Jamaica. 1783. 7. 9. S. h. ∪. Bot. mag. t. 288.
 DISEMMA. DC. DISEMMA. Monadelphia Pentandria.
 1 Herbertiana. DC. (st.) L'd. Caernarvon's. N. Holland. 1822. 6. 10. G. h. ∪. Bot. reg. t. 737.
Passiflora Herbertiana. B.R.
 2 adianthifolia. DC. (or.) Adiantum-l'd. Norfolk Isl. 1792. — G. h. ∪. Bot. reg. t. 233.
Passiflora aurantia. Andr. reposit. t. 295. *Passiflora glabra*. Wendl. coll. 1. t. 17.

- MURUC'UIA. DC.** **MURUC'UIA.** Monadelphia Pentandria.
 ocellata. DC. (cr.) ocellated. W. Indies. 1739. 7. 8. S. $\frac{1}{2}$. Bot. reg. t. 574.
Passiflora Murucuja. B.R. Lin. am. 1. t. 10. f. 10.
- TACS'ONIA. DC.** **TACS'ONIA.** Monadelphia Pentandria.
 1 pinnatifidula. DC. (ro.) feather-stipuled. Chile. 1826. S. $\frac{1}{2}$. Cavan. ic. 5. t. 428.
 2 peduncularis. DC. (ro.) long-peduncled. Peru. 1815. S. $\frac{1}{2}$. ——— 5. t. 426.
Passiflora peduncularis. Cav.
- MODE'CCA. DC.** **MODE'CCA.** Diœcia Monadelphia.
 1 lobata. DC. (gr.) lobe-leaved. Sierra Leone. 1816. 6. 9. S. $\frac{1}{2}$. Bot. reg. t. 433.
 2 trilobata. H.B. (gr.) three-lobed. E. Indies. 1823. — S. $\frac{1}{2}$. Roxb. corom. 3. ic.
 3 tuberosa. H.B. (gr.) tuberous-rooted. ——— 1822. — S. $\frac{1}{2}$. Rumph. amb. 8. t. 20.

ORDO XCVII.

LOASEÆ. DC. prodr. v. 3. p. 339.

- BARTONIA. DC.** **BART'ONIA.** Polyandria Monogynia.
 1 ornata. DC. (wh.) naked-seeded. Missouri. 1811. 7. 9. F. ♂. Bot. mag. t. 1487.
 decapétala. B.M.
- 2 nuda. DC. (wh.) winged-seeded. ——— ——— F. ♀.
- BLUMENBA'CHIA. DC.** **BLUMENBA'CHIA.** Polyandria Monogynia.
 insignis. DC. (wh.) elegant. Chile. 1826. 7. 10. H. ☉. Swt. br. fl. gar. t. 171.
Loasa palmata. Treviranus. *pátula*. Gr.
- SCYPHA'NTHUS. B.F.G.** **CUP-FLOWER.** Polyandria Monogynia.
 elegans. B.F.G. (ye.) elegant. Chile. 1824. 5. 9. F. $\frac{1}{2}$. Swt. br. fl. gar. t. 238.
- LO'ASA. DC.** **LO ASA.** Polyandria Monogynia.
 1 bryoniaefolia. DC. (ye.) Bryony-leaved. Chile. 1828. 6. 9. H. ☉. Schrad. pl. rar. got. ic.
 2 tricolor. DC. (ye.) three-coloured. ——— 1822. 8. 10. H. ☉. Bot. reg. t. 667.
 3 nitida. DC. (ye.) glossy-leaved. Peru. — 7. 10. H. ☉. Hook. exot. bot. t. 83.
 4 Placei. H.T. (ye.) Place's. Chile. — — H. ☉. Bot. reg. t. 785.
acanthifolia. B.R. non Lamarck.
- 5 grandiflora. DC. (ye.) large-flowered. Peru. 1825. — H. ☉. Juss. an. mus. 5. t. 4. f. 2.
- MENTZ'ELIA. DC.** **MENTZ'ELIA.** Polyandria Monogynia.
 1 áspera. DC. (or.) rough. W. Indies. 1773. 7. 9. S. ☉. Plum. ed. Bur. t. 174. f. 1.
 2 oligosperma. DC. (or.) few-seeded. Louisiana. 1812. 5. 7. F. ♀. Bot. mag. t. 1760.
 3 hispida. DC. (or.) hispid. Mexico. 1824. 6. 9. F. ♀. Cavan. ic. 1. t. 70.

ORDO XCVIII.

TURNERACEÆ. DC. prodr. v. 3. p. 345.

- TURN'ERA. DC.** **TURN'ERA.** Pentandria Trigynia. L.
 1 ulmifolia. DC. (ye.) Elm-leaved. Jamaica. 1733. 6. 9. S. $\frac{1}{2}$. Linn. h. cliff. t. 10.
 2 angustifolia. B.M. (ye.) narrow-leaved. ——— 4. 9. S. $\frac{1}{2}$. Bot. mag. t. 281.
 3 cuneiformis. DC. (ye.) wedge-leaved. Brazil. 1821. — S. $\frac{1}{2}$.
 4 trioniflora. DC. (ye.) Ketmia-flow'd. Trinidad. 1812. — S. $\frac{1}{2}$. Bot. mag. t. 2106.
élegans. R.S.
- 5 acuta. DC. (ye.) acute-leaved. Jamaica. 1826. — S. $\frac{1}{2}$.
 6 Pumilea. DC. (ye.) nettle-leaved. ——— 1796. 8. 9. S. ☉. Sloan. hist. t. 127. f. 6.
 7 rupéstris. DC. (ye.) rock. Guiana. 1826. 6. 9. S. $\frac{1}{2}$. Aubl. guian. 1. t. 113. f. 1.
 8 guianensis. DC. (ye.) Guiana. ——— S. ☉. ——— 1. t. 114.
 9 cistoides. DC. (ye.) Cistus-like. America. 1774. 6. 10. H. ☉. Plum. ic. t. 150. f. 1.
 10 racemosa. DC. (ye.) raceme-flower'd. St. Domingo. 1789. 7. 10. S. ☉. Jacq. vind. 3. t. 94.
- PIRIQU'ETA. DC.** **PIRIQU'ETA.** Pentandria Trigynia.
 villosa. DC. (ye.) villous. Guiana. 1826. 7. 10. S. ☉. Aubl. guian. 1. t. 117.

ORDO XCIX.

PORTULACEÆ. DC. prodr. v. 3. p. 351.

- TRIA'NTHEMA. DC. TRIA'NTHEMA. Pent-Decandria Mono-Trigynia.**
- 1 decândra. DC. (gr.) trailing. E. Indies. 1762. 7. 8. S. ○. Burm. ind. t. 31. f. 3.
 - 2 triquëtra. DC. (gr.) triquetrous. ———— 1826. ———— S. ○.
 - 3 obcordâta. H.B. (gr.) obcordate. ———— 1820. ———— S. ○.
 - 4 monógyna. DC. (gr.) Purslane-leav'd. Jamaica. 1716. ———— S. ○. DC. plant. gras. t. 109.
- PORTULACA. DC. PURSLANE. Oct-Decandria Monogynia.**
- 1 olerâcea. H.S. (ye.) small. Europe. 1562. 6. 8. H. ○. DC. plant. gras. t. 123.
 - 2 satîva. H.S. (ye.) garden. America. 1652. 6. 9. H. ○.
 - 3 *β aurea*. H.S. (ye.) golden. ———— ———— H. ○.
 - 3 parvifolia. H.S. (ye.) small-leaved. Jamaica. 1799. 8. 10. H. ○.
 - 4 foliôsa. DC. (ye.) leafy. Guinea. 1822. 6. 8. S. ½.
 - 5 involucrâta. H.R. (ye.) leafy-flowered. ———— 1819. 8. 9. S. ½. Bot. reg. t. 793.
 - 6 marginâta. DC. (ye.) red-margined. Caracas. 1822. 6. 10. H. ○.
 - 7 halimoides. DC. (ye.) Halimus-leaved. Jamaica. 1823. 8. 9. S. ○. Sloan. hist. 1. t. 129. f. 3.
 - 8 mucronâta. DC. (ye.) mucronate. ———— 1827. 6. 9. S. ○.
 - 9 quadrifida. DC. (ye.) quadrifid. Asia. 1773. 8. 9. S. ○. Jacq. coll. 2. t. 17. f. 4.
 - 10 meridiana. H.S. (ye.) noon-day. E. Indies. 1791. 5. 6. S. ○. Rheed. mal. 10. t. 31.
 - 11 grandiflôra. B.M. (va.) large-flowered. Chile. 1828. 6. 8. F. ½. Bot. mag. t. 2885.
 - 11 *a purpurea*. (pu.) purple-flowered. ———— ———— F. ½. ———— t. 2885. f. 2.
 - 11 *β aurantiaca*. (or.) orange-coloured. ———— ———— F. ½. ———— t. 2885. f. 1.
 - 12 pilôsa. DC. (pu.) hairy. W. Indies. 1690. ———— S. ½. Bot. reg. t. 792.
 - 13 setacea. H.S. (pu.) bristly. ———— ———— S. ○. Pluk. phyt. t. 246. f. 6.
- ANACA'MPSEROS. DC. ANACA'MPSEROS. Dodecandria Monogynia.**
- 1 thephiâstrum. DC. (re.) round-leaved. C. B. S. 1732. 7. 9. D.I. ½. DC. plant. gras. t. 3.
 - Portulaca Anacampseros. L. Talinum Anacampseros. w. Rulingia Anacampseros. H.S.
 - 2 arachnoides. DC. (bh.) cobweb. C. B. S. 1790. 7. 9. D.I. ½. Bot. mag. t. 1368.
 - 3 vârians. (re.) various-leaved. ———— 1812. ———— D.I. ½.
 - Rulingia vârians. H.S.S.
 - 4 rubens. DC. (re.) red-leaved. ———— 1796. ———— D.I. ½.
 - 5 filamentôsa. DC. (ro.) thready. ———— 1795. ———— D.I. ½. Bot. mag. t. 1367.
 - 6 lanceolâta. DC. (ro.) spear-leaved. ———— 1796. ———— D.I. ½.
 - 7 angustifolia. DC. (ro.) narrow-leaved. ———— 1819. ———— D.I. ½.
 - 8 rufescens. DC. (bh.) rufescent. ———— 1818. ———— D.I. ½.
 - 9 trigôna. DC. (bh.) trigonal-leaved. ———— ———— D.I. ½. Burm. afr. t. 30. f. 2.
 - 10 lanigera. DC. (ro.) woolly. ———— ———— D.I. ½.
 - 11 intermêdia. H.P. (ro.) intermediate. ———— 1823. ———— D.I. ½.
 - 12 polyphylla. DC. (ro.) many-leaved. ———— ———— D.I. ½.
 - Rulingia polyphylla. H.S.S.
- TALINUM. DC. TALINUM. Dodecandria Monogynia.**
- 1 teretifolium. DC. (ro.) round-leaved. N. America. 1820. 7. 8. H. ½. Lodd. bot. cab. t. 819.
 - 2 crassifolium. DC. (ro.) thick-leaved. Caribees. 1800. 8. 9. S. ½. Jacq. vind. 3. t. 52.
 - 3 fruticôsum. w. (wh.) white-flowered. S. America. ———— S. ½. Comm. hort. 1. t. 4.
 - 4 triangulare. DC. (ye.) triangular. W. Indies. 1739. ———— S. ½. Jacq. obs. 1. t. 23.
 - 5 pátens. DC. (re.) spreading-fl'd. S. America. 1776. 8. 10. S. ½. Jacq. vind. 2. t. 151.
 - paniculatum. Gært. fruct. 2. t. 128. Portulaca paniculata. Jacq. amer. non R.P.
 - 6 reflexum. DC. (ye.) reflex-flowered. S. America. 1800. 8. 10. S. ½. Bot. mag. t. 1543.
 - 7 cuneifolium. DC. (re.) wedge-leaved. Arabia. 1823. ———— S. ½.
 - 8 lineâre. K.S. (ye.) linear-leaved. Mexico. 1827. ———— H. ○.
 - 9 purpureum. F. (pu.) purple. ———— ———— H. ○.
- CALANDRI'NIA. DC. CALANDRI'NIA. Dodecandria Monogynia.**
- 1 paniculâta. DC. (ro.) panicked. S. America. 1812. 8. 10. H. ○.
 - 2 pilosâscula. DC. (ro.) ciliated. Chile. 1823. ———— H. ○. Hook. ex. flor. 1. t. 82.
 - Talinum ciliatum. Hooker non R.P. ex DC.
 - 3 Phacosperma. DC. (ro.) Peruvian. Peru. 1827. ———— G. ½.
 - 4 caulêscens. DC. (ro.) caulescent. Mexico. ———— ———— H. ○. H. et B. n. ge. am. 6. t. 526.
 - 5 comprêssa. DC. (ro.) compressed. Chile. 1826. ———— H. ○.
 - β adscéndens. Otto. (ro.) ascending ———— ———— H. ○.
 - 6 glauca. DC. (ro.) glaucous-leaved. ———— 1827. ———— D.G. ½.
 - 7 grandiflôra. B.R. (ro.) large-flowered. ———— 1826. 6. 10. D.G. ½. Bot. reg. t. 1194.
 - 8 Andre'wsii. (ro.) Andrews's. W. Indies. 1812. 8. 10. D.G. ½. Andr. rep. t. 253.
 - Talinum pátens. A.R. nec aliorum.
 - 9 Lockhárti. (ro.) Lockhart's. Trinidad. 1825. 6. 9. D.G. ½.
 - Talinum grandiflorum. Lockhart.

PORTULAC'ARIA. DC. PURSLANE-TREE. Pentandria Trigynia.

- A'fra. DC. (ro.) African. Africa. 1732. 6. 9. D.G. h. DC. plant. gras. t. 132.
- CLAYTONIA. DC. CLAYTONIA. Pentandria Monogynia. L.
- 1 perfoliata. DC. (wh.) small-flowered. N. America. 1794. 5. 8. H. ☉. Bot. mag. t. 1336.
- cubensis* of Bonp. an. mus. 7. t. 6. is a very different species, according to G. Don, who saw it growing wild.
- 2 alsinoides. DC. (wh.) chickweed-like. Nootka-sound. 1794. 3. 6. H. ☉. Bot. mag. t. 1309.
- 3 lanceolata. DC. (wh.) spear-leaved. N. America. 1812. 3. 5. H. ♀. Pursh. fl. amer. 1. t. 3.
- 4 sibirica. DC. (ro.) Siberian. Siberia. 1768. 5. 8. H. ☉. Swt. br. fl. gar. t. 16.
- 5 acutifolia. DC. (wh.) acute-leaved. ——— 1827. H. ♀.
- 6 Vestiana. F. (ro.) Vest's. Altay. ——— H. ♀.
- 7 unalaschensis. R. S. (wh.) Unalaschka. Unalaschka. 1824. 3. 6. H. ☉.
- 8 virginiana. L. (wh.) notch-petal'd. N. America. 1748. 3. 8. H. ♀. Pluk. alm. t. 102. f. 3.
- 9 acutiflora. (wh.) acute-petal'd. ——— H. ♀. Bot. mag. t. 941.
- virginica*. B.M. non L. *virginiana* a. *acutiflora*. DC.
- 10 grandiflora. B.F.G. (pi.) large-flowered. N. America. H. ♀. Swt. br. fl. gar. t. 216.
- 11 caroliniana. M. (pi.) spatula-leaved. ——— 1789. H. ♀. ——— v. 3. t. 208.
- MONTIA. DC. WATER CHICKWEED. Triandria Trigynia. L.
- fontana. DC. (wh.) common. Britain. 4. 6. H. ☉. Eng. bot. v. 17. t. 1206.
- GINGINSIA. DC. GINGINSIA. Pentandria Trigynia.
- 1 brevicaulis. DC. (pi.) short-stalked. C. B. S. 1816. 5. 6. G. ♀. DC. m.s. his. n. pa. v. 4. ic.
- 2 elongata. DC. (pi.) long-peduncled. ——— 1795. ——— G. ♀. Andr. rep. t. 329?
- Pharnaceum incanum*. L. lineare. Andr. non alior.
- 3 aurantia. DC. (or.) orange-flowered. C. B. S. ——— G. ♀. Andr. rep. t. 326.
- 4 albens. DC. (wh.) white-flowered. ——— G. ♀. ——— t. 329?
- 5 conferta. DC. (wh.) close-leaved. ——— 1782. 5. 10. G. ♀. Bot. mag. t. 1883.
- Pharnaceum incanum*. B.M. non L.
- LIMEUM. W. LIMEUM. Heptandria Digynia. L.
- africanum. W. (wh.) African. C. B. S. 1774. 6. 7. G. ♀.

ORDO C.

PARONYCHIEÆ. DC. prodr. v. 3. p. 365.

Tribus I. TELEPHIEÆ. DC. prodr. v. 3. p. 366.

- TELEPHIUM. DC. ORPINE. Pentandria Trigynia. L.
- Imperati. DC. (wh.) true. S. Europe. 1658. 6. 8. H. ♀. Schkuhr. handb. 1. t. 85.
- CORRIGIOLA. DC. STRAPWORT. Pentandria Trigynia. L.
- 1 telephifolia. DC. (wh.) Orpine-leaved. Spain. 1822. 6. 8. H. ♀.
- 2 littoralis. DC. (wh.) sand. England. 7. 8. H. ♀. Eng. bot. v. 10. t. 668.

Tribus II. ILLECEBREÆ. DC. prodr. v. 3. p. 367.

- HERNTARIA. DC. RUPTURE-WORT. Pentandria Digynia. L.
- 1 cinerea. DC. (gr.) cinereous. Montpellier. 1816. 7. 8. H. ☉.
- 2 glabra. DC. (gr.) smooth. England. H. ♀. Eng. bot. v. 3. t. 206.
- 3 hirsuta. DC. (gr.) hairy. ——— H. ♀. ——— v. 20. t. 1379.
- 4 incana. DC. (gr. wh.) hoary. S. Europe. 1816. 5. 8. H. ♀. Pluk. alm. t. 53. f. 3.
- 5 Besseri. DC. (gr.) Besser's. Tauria. 1824. ——— H. ♀.
- 6 alpina. DC. (gr.) alpine. S. Europe. 1816. 7. 8. H. ♀.
- 7 fruticosa. DC. (gr.) frutescent. Spain. 1814. 5. 8. H. ♀.
- 8 polygonoides. DC. (gr.) Knot-grass-like. S. Europe. 1752. ——— F. ♀. Cavan. ic. 2. t. 137.
- ANY'CHIA. DC. ANY'CHIA. Pentandria Monogynia.
- 1 dichotoma. DC. (gr.) forked. N. America. 1806. 5. 8. H. ♂. Ort. dec. t. 15. f. 2.
- Queria canadensis*. L.
- 2 capillacea. DC. smooth-stalked. ——— 1824. ——— H. ♂.
- ILLECEBRUM. DC. KNOT-GRASS. Pentandria Monogynia. L.
- verticillatum. DC. (wh.) whorled. England. 7. 8. H. ♀. Eng. bot. v. 13. t. 895.
- CHÆTONY'CHIA. DC. CHÆTONY'CHIA. Pentandria Monogynia.
- cymosa. DC. (wh.) cymose. S. Europe. 1817. 6. 7. H. ♀. Flor. Græc. t. 245.
- Illecebrum cymosum*. L.
- PARONY'CHIA. DC. PARONY'CHIA. Pentandria Monogynia.
- 1 echinata. DC. (wh.) bristly. S. Europe. 1817. 6. 7. H. ♀. Schrad. journ. 1801. t. 4.

2	bonariënsis. DC. (wh.)	Buenos Ayres.	Buenos Ayres.	1826.	8. 10.	H. ☉.	
	brasiliëna. Lam. dict. 5. p. 23.						
3	arábica. DC. (wh.)	Arabian.	Arabia.	1828.	7. 10.	H. ☉.	Descr. de l'Egyp. t. 18.
4	polygonifolia. DC. (wh.)	Polygonum-ld.	Dauphiny.	1816.	5. 8.	H. 4.	Vill. delph. 2. t. 16.
5	argentea. DC. (wh.)	silvery.	S. Europe.	1640.	—	H. 4.	Flor. græc. t. 246.
	hispanica. s.s. <i>Illæcebrum Paronychia</i> . L.						
6	italica. R.S. (wh.)	Italian.	Italy.	1816.	—	H. 4.	Vill. delph. 2. p. 410. ic.
7	capitata. DC. (wh.)	capitate.	Spain.	1683.	6. 8.	H. 4.	Flor. græc. t. 247.
8	serpyllifolia. DC. (wh.)	Thyme-leaved.	S. Europe.	1820.	—	H. 4.	Schrad. journ 1801. t. 4.
9	nivea. DC. (wh.)	villous-leaved.	—	1812.	—	H. 4.	Barrel. ic. t. 687.
10	tenuifolia. L. en. (wh.)	slender-leaved.		1822.	—	H. ☉.	
11	alsinefolia. R.S. (wh.)	Chickweed-leav ^d .	Spain.		—	H. ☉.	Scop. del. ins. t. 13.
14	pubescens. R.S. (wh.)	pubescent.	S. France.	1818.	—	H. 4.	Schra. jour. 1801. p. 412.

Tribus III. *POLYCARPÆÆ*. DC. prodr. v. 3. p. 373.

POLYCARP'ÆA. DC. POLYCARP'ÆA. Pentandria Monogynia.							
1	gnaphalodes. DC. (wh.)	woolly-leaved.	Canaries.	1818.	6. 8.	F. 7.	
	<i>Hæga gnaphalodes</i> . p.s. <i>Mollia gnaphalodes</i> . s.s. <i>Lahaya gnaphalodes</i> . R.S.						
2	latifolia. DC. (wh.)	broad-leaved.	Teneriffe.	1816.	7. 8.	F. 7.	Schrank pl. rar. t. 29.
3	Teneriffæ. DC. (wh.)	forked.	—	1779.	—	H. ☉.	W. hort. ber. 1. t. 11.
	<i>Mollia diffusa</i> . w. <i>Lahaya diffusa</i> . Schult. syst.						
4	aristata. DC. (wh.)	bearded.	Canaries.	1780.	6. 7.	F. 7.	
5	memphitica. DC. (wh.)	Egyptian.	Egypt.	1828.	7. 9.	H. ☉.	Delil. fl. æg. t. 24. f. 2.
6	carnea. DC. (wh.)	fleshy-leaved.	Canaries.	1816.	6. 8.	F. 7.	
7	Smithii. DC. (wh.)	Smith's.	—	—	—	F. 7.	
ORTEGIA. DC. ORTEGIA. Triandria Monogynia. L.							
1	hispanica. DC. (gr.)	Spanish.	Spain.	1768.	6. 7.	H. 4.	Cavan. ic. 1. t. 47.
2	dichotoma. DC. (gr.)	forked.	Italy.	1781.	8. 9.	H. 4.	All. ac. taur. 3. t. 4. f. 1.
POLYCARPON. DC. ALL-SEED. Tri-Pentandria Trigynia.							
1	tetraphyllum. DC. (wh.)	four-leaved.	England		5. 8.	H. ☉.	Eng. bot. v. 15. t. 1031.
2	alsinefolium. DC. (wh.)	Chickweed-ld.	S. Europe.		—	H. ☉.	Bocc. sic. p. 71. t. 38.
	<i>Lahaya alsinefolia</i> . s.						
3	peplodes. DC. (wh.)	Peplis-like.	Sicily.	1818.	6. 8.	H. 4.	
	<i>Lahaya polycarpoides</i> . s. <i>Mollia polycarpon</i> . s.s.						

Tribus IV. *POLLICHIEÆ*. DC. prodr. v. 3. p. 377.

POLL'CHIA. DC. POLL'CHIA. Monandria Monogynia.							
	campëstris. DC. (wh.)	whorl-leaved.	C. B. S.	1780.	8. 10.	G. ♂.	Smith spicil. 1. t. 1.

Tribus V. *SCLERANTHEÆ*. DC. prodr. v. 3. p. 377.

MNIARUM. DC. MNIARUM. Monandria Digynia.							
1	biflorum. DC. (gr.)	two-flowered.	N. Holland.	1818.	5. 7.	G. 4.	Forst. gen. 1. t. 1.
SCLERANTHUS. DC. KNAWEI. Decandria Digynia. L.							
1	annuus. DC. (gr.)	annual.	Britain.		7. 8.	H. ☉.	Eng. bot. v. 5. t. 351.
2	perennis. DC. (gr.)	perennial.	—		8. 9.	H. 4.	— v. 5. t. 352.

Tribus VI. *QUERACEÆ*. DC. prodr. v. 3. p. 379.

QU'ERIA. DC. QU'ERIA. Triandria Trigynia. L.							
	hispanica. DC. (gr.)	Spanish.	Spain.	1800.	5. 9.	H. ☉.	Quer. fl. esp. 6. t. 15. f. 2.

Tribus VII. *MINUARTIEÆ*. DC. prodr. v. 3. p. 379.

MINUARTIA. DC. MINUA'RTIA. Tri-Decandria Trigynia.							
1	dichotoma. DC. (wh.)	forked.	Spain.	1771.	6. 7.	H. ☉.	Læfl. it. p. 121. t. 1. f. 3.

2 montàna. DC. (wh.) mountain.	Spain.	1806.	6. 7. H. ☉.	Lœfl. it. p. 122. t. 1. f. 4.
3 campêstris. DC. (wh.) field.	—	—	H. ☉.	Act. stock. 1758. t. 1. f. 3.
LœFL'INGIA. DC. LœFL'INGIA.	Triandria Monogynia. L.			
hispanica. DC. (wh.) Spanish.	Spain.	1770.	6. 7. H. ☉.	Cavan. ic. 1. t. 94.

ORDO CI.

CRASSULACEÆ. DC. prodr. v. 3. p. 381.

Tribus I. CRASSULEÆ DC. prodr. v. 3. p. 381.

TILL'ÆA. DC.	TILL'ÆA. Tetrandria Tetragynia. L.			
1 muscosa. DC. (wh.) mossy.	England.		5. 7. H. ☉.	Eng. bot. v. 2. t. 116.
2 moschata. DC. (wh.) musk-scented.	Magellan.	1794.	5. 11. H. ☉.	
<i>Crassula moschata</i> , Forster.				
3 verticillaris. DC. (wh.) whorled.	N. S. W.	1823.	6. 9. H. ☉.	
BULLIA'RDA. DC.	BULLIA'RDA. Tetrandria Tetragynia.			
1 Vaillantii. DC. (wh.) Vaillant's.	France.	1825.	6. 8. H.w. ☉.	DC. plant. gras. t. 74.
2 aquatica. DC. (wh.) water.	N. Europe.	1816.	— H.w. ☉.	
DASYSTEMON. DC.	DASYSTEMON. Pentandria Pentagynia.			
calycinum. DC. (wh.) leafy-calyxed.	N. Holland.	1823.	6. 9. H. ☉.	
SE'PTAS. DC.	SE'PTAS. Heptandria Heptagynia. L.			
1 capensis. DC. (wh.) Cape.	C. B. S.	1774.	8. 9. D.G. ½.	Andr. rep. t. 98.
2 globifera. B.M. (wh.) globe-flowering.	—	1809.	3. 5. D.G. ½.	Bot. mag. t. 1472.
3 Umbella. DC. (wh.) skreen.	—	1800.	7. 8. D.G. ½.	Jacq. ic. t. 352.
<i>Crassula Umbella</i> , Jacq.				
CRA'SSULA. H.R.	CRA'SSULA. Pentandria Pentagynia. L.			
1 arborescens. DC. (pi.) arborescent.	C. B. S.	1730.	5. 6. D.G. ½.	Bot. mag. t. 384.
<i>Cotyledon</i> , B.M.				
2 portulaca. DC. (ro.) oblique-leaved.	—	1759.	4. 5. D.G. ½.	DC. plant. gras. t. 79.
<i>obliqua</i> , H.S.				
3 lactea. H.S. (wh.) milk white.	—	1774.	9. 2. D.G. ½.	Bot. mag. t. 1771.
4 telephioides. H.R. (ro.) Orpine-like.	—	1820.	7. 8. D.G. ½.	
5 ramosa. H.S. (ro.) branching.	—	1774.	— D.G. ½.	
6 revolvens. H.P. (wh.) recurved-leaved.	—	1820.	8. 10. D.G. ½.	
7 tetragona. H.S. (wh.) square-leaved.	—	1711.	— D.G. ½.	DC. plant. gras. t. 19.
8 biplanata. H.P. (wh.) flat-leaved.	—	1820.	— D.G. ½.	
9 acutifolia. H.S. (wh.) acute-leaved.	—	1795.	9. 11. D.G. ½.	DC. plant. gras. t. 2.
10 bibracteata. H.P. (wh.) double-bracted.	—	1820.	8. 10. D.G. ½.	
<i>α minor</i> , H.P. (wh.) smaller.				
<i>β major</i> , H.P. (wh.) larger.				
11 filicaulis. H.P. (wh.) thready-stem'd.	—	—	— D.G. ½.	
12 scabra. H.R. (wh.) rough-leaved.	—	1730.	6. 7. D.G. ½.	Dill. elth. t. 99. f. 117.
13 scabrella. H.R. (wh.) patent-leaved.	—	1820.	6. 9. D.G. ½.	
14 squamulosa. H.R. (wh.) small-scaly.	—	1817.	— D.G. ½.	
15 bullulata. H.S. (ye.) rough yellow.	—	1800.	6. 7. D.G. ½.	Mart. cent. t. 24.
16 pruinosa. DC. (wh.) frosted.	—	1821.	— D.G. ½.	
17 columnaris. H.S. (wh.) columnar.	—	1789.	7. 10. D.G. ½.	Burm. afr. t. 9. f. 2.
18 lycopodioides. DC. (wh. pu.) whip-cord.	—	1760.	6. 7. D.G. ½.	
<i>imbricata</i> , H.K.				
19 ericoides. H.P. (wh.) large whip-cord.	—	1820.	9. 10. D.G. ½.	
20 vestita. DC. (ye.) powdered-leav'd.	—		6. 10. D.G. ½.	
21 argentea. H.S. (wh.) silvery-leaved.	—	1820.	7. 9. D.G. ½.	
22 perfossa. DC. (wh.) threaded.	—	1785.	8. 9. D.G. ½.	DC. plant. gras. t. 25.
<i>perfilata</i> , H.S. Scop. del. ins. 3. t. 6. c.				
23 perforata. DC. (wh.) perfoliate.	—	—	— D.G. ½.	
24 marginalis. DC. (wh.) red-margined.	—	1774.	7. 8. D.G. ½.	Jacq. schœnb. 4. t. 471.
25 pellucida. H.S. (bh.) pellucid.	—	1732.	6. 9. D.G. ½.	Dill. elth. t. 100. f. 119.
26 centauroides. DC. (ro.) Centaury-flow'd.	—	1774.	5. 7. D.G. ½.	Bot. mag. t. 1765.
27 cordata. DC. (ro.) heart-leaved.	—	—	5. 8. D.G. ½.	DC. plant. gras. 2. t. 121.
28 spathulata. DC. (ro.) notch-leaved.	—	—	7. 9. D.G. ½.	— 1. t. 49.
29 orbicularis. H.S. (bh.) starry.	—	1731.	— D.G. ½.	— 1. t. 43.
30 rosularis. H.R. (wh.) great starry.	—	1819.	— D.G. ½.	
31 glomerata. H.S. (wh.) rough clustered.	—	1774.	8. 10. H. ☉.	DC. plant. gras. 1. t. 57.

32	glåbra. H.R.	(wh.)	smooth-cluster'd. C. B. S.	1774.	6. 10.	H. ☉.	
33	expånsa. H.S.	(wh.)	awl-leaved.	—	6. 8.	H. ☉.	
34	diffåsa. H.S.	(wh.)	diffuse.	—	—	H. ☉.	
35	subulåta. H.S.	(wh.)	awl-leaved.	1820.	—	H. ☉.	Petiv. gaz. t. 89. f. 8.
36	lineolåta. H.S.	(wh.)	channelled.	1774.	—	D.G. ♀.	
37	biconvåxa. H.S.	(wh.)	doubly convex.	1800.	8. 9.	D.G. ♀.	
38	pulchålla. H.R.	(ye.)	pretty.	1778.	7. 8.	H. ☉.	
39	spårsa. H.S.	(st.)	alternate-leaved.	1774.	6. 9.	H. ☉.	
PURGOSEA. H.P. PURGOSEA. Pentandria Pentagynia.							
1	linguåfålla. H.R.	(wh.)	tongue-leaved. C. B. S.	1803.	8. 9.	D.G. ♀.	
2	ciliåta. DC.	(st.)	ciliated.	1732.	7. 8.	D.G. ♀.	DC. plant. gras. t. 7.
3	concinna. (wh.)		small neat.	1820.	—	D.G. ♀.	
	<i>Crassula concinna</i> . H.R.						
4	ligulifålla. (wh.)		latchet-leaved.	—	—	D.G. ♀.	
	<i>Crassula ligulifålla</i> . H.R.						
5	concinella. DC.		elegant.	1822.	—	D.G. ♀.	
6	tomentåsa. H.R.	(wh.)	tomentose.	1790.	4. 5.	D.G. ♀.	
7	cotyledånis. DC.	(wh.)	Cotyledon-like.	1800.	7. 9.	D.G. ♀.	
8	conspicua. (wh.)		conspicuous.	1820.	—	D.G. ♀.	
	<i>Crassula conspicua</i> . H.R.						
9	corymbulåsa. DC.	(wh.)	impress-dotted.	1818.	9. 11.	D.G. ♀.	Ot. et Lk. abb. t. 16.
	<i>pertusa</i> . H.R. <i>Crassula corymbulåsa</i> . L.en.						
10	pertåsula. H.P.	(wh.)	small impress-dot'd.	1822.	—	D.G. ♀.	
11	capitellåta. H.R.	(wh.)	square-spiked.	1774.	7. 8.	D.G. ♀.	
12	thyrsiflåra. H.R.	(wh.)	thyrses-flowered.	1824.	—	D.G. ♀.	
13	obovåta. H.R.	(wh.)	obovate-leaved.	1818.	—	D.G. ♀.	
14	aloides. H.R.	(bh.)	Aloe-like.	1774.	6. 8.	D.G. ♀.	
15	punctåta. DC.	(wh.)	dotted.	1759.	4. 8.	D.G. ♀.	
16	ramuliflåra. DC.	(wh.)	branch-flowered.	1821.	6. 7.	D.G. ♀.	Ot. et Lk. abb. t. 17.
17	turrita. H.R.	(bh.)	tower-like.	1818.	9. 11.	D.G. ♀.	Jacq. schoenb. 1. t. 52.
	<i>a alba</i> . (wh.)		white-flowered.	—	—	D.G. ♀.	
	<i>β rosea</i> . H.S.S.		rose-coloured.	—	—	D.G. ♀.	
GLOBULEA. DC. GLOBULEA. Pentandria Pentagynia.							
1	cultråta. DC.	(wh.)	sharp-leaved. C. B. S.	1732.	7. 8.	D.G. ♀.	Bot. mag. t. 1940.
2	rådicans. DC.	(wh.)	rooting-branch'd.	1823.	12. 3.	D.G. ♀.	
3	atropurpårea. DC.	(wh.)	purple-leaved.	1823.	7. 8.	D.G. ♀.	
4	Lingua. DC.	(wh.)	tongue-leaved.	—	5. 6.	D.G. ♀.	
5	lingula. DC.	(wh.)	lesser-tongue.	—	—	D.G. ♀.	
6	capitåta. DC.	(wh.)	large grey-leav'd.	1819.	7. 8.	D.G. ♀.	
7	obvallåta. DC.	(wh.)	Houseleek-leav'd.	1795.	—	D.G. ♀.	DC. plant. gras. t. 61.
	<i>Crassula obvallåta</i> . L.		Trew. pl. rar. 1. t. 11.				
8	canåscens. DC.	(wh.)	canescent.	1800.	—	D.G. ♀.	
9	nudicaulis. DC.	(wh.)	naked-stalked.	1732.	5. 9.	D.G. ♀.	DC. plant. gras. t. 133.
10	sulcåta. DC.	(wh.)	sulcate.	1820.	—	D.G. ♀.	
11	impråssa. DC.	(wh.)	impressed.	1822.	7. 8.	D.G. ♀.	Comm. præl. t. 29.
	<i>β minor</i> . H.P.	(wh.)	lesser.	—	—	D.G. ♀.	
12	paniculåta. DC.	(wh.)	panicked.	1823.	—	D.G. ♀.	
13	hispidå. DC.	(wh.)	hispid.	—	10. 11.	D.G. ♀.	
14	mesembryanthoides. DC.	(wh.)	hedgehog.	1822.	7. 9.	D.G. ♀.	
	<i>β åltior</i> . (wh.)		taller.	—	—	D.G. ♀.	
15	mållis. DC.	(wh.)	soft.	1774.	—	D.G. ♀.	
16	subincåna. DC.	(wh.)	hoary frutescent.	1822.	—	D.G. ♀.	
	<i>a decumbens</i> . H.P.	(wh.)	decumbent.	—	—	D.G. ♀.	
	<i>β eråcta</i> . H.P.	(wh.)	erect.	—	—	D.G. ♀.	
CURTOGYNE. H.R. CURTOGYNE. Pentandria Pentagynia.							
1	dejåcta. DC.	(wh.)	twisted-branch'd. C. B. S.	1821.	6. 7.	D.G. ♀.	Jacq. schoenb. t. 423.
	<i>Crassula dejåcta</i> . Jacq.						
2	undulåta. H.R.	(wh.)	lesser-waved.	1797.	8. 11.	D.G. ♀.	Lodd. bot. cab. t. 584.
3	undåta. H.R.	(wh.)	greater-waved.	1818.	—	D.G. ♀.	
GRAMMANTHES. DC. GRAMMANTHES. Pentandria Pentagynia.							
1	chloråflåra. DC.	(ye.)	Chlora-flower'd. C. B. S.	1774.	6. 8.	H. ☉.	Herm. lugd. t. 553.
	<i>Crassula dichõtoma</i> . L. <i>Vauånthes chloråflåra</i> . H.R.						
2	retroflåxa. (or.)		orange-flower'd.	1788.	—	H. ☉.	
	<i>Crassula retroflåxa</i> . H.S.						
3	gentianoides. DC.	(ye.)	Gentian-flower'd.	1816.	—	H. ☉.	Pluk. mant. t. 415. f. 6.
R'OCHEA. DC. R'OCHEA. Pentandria Pentagynia.							
1	falcåta. DC.	(or.)	falcated. C. B. S.	1785.	6. 9.	D.G. ♀.	DC. plant. gras. t. 103.
	<i>Crassula falcåta</i> . Bot. mag. t. 2035. <i>obliqua</i> . Andr. reposit. t. 414.						
	<i>β minor</i> . H.P.	(sc.)	smaller. C. B. S.	1821.	6. 9.	D.G. ♀.	

- 2 perfoliata. DC. (va.) great perfoliate. C. B. S. 1725. 7. 8. D.G. 7. Mill. ic. t. 103.
a coccinea. DC. (sc.) scarlet. ———— D.G. 7.
 3 albiflora. DC. (wh.) white-flowered. ———— D.G. 7. DC. plant. gras. t. 15.
Crassula albiflora. B.M. 1820. 7. 9. D.G. 7. Bot. mag. t. 2391.
- KALOSA'NTHES. H.R. KALOSA'NTHES. Pentandria Pentagynia.**
 1 coccinea. H.R. (sc.) scarlet. C. B. S. 1710. 6. 8. D.G. 7. Bot. mag. t. 495.
Crassula coccinea. B.M. *Röchea coccinea*. DC. plant. gras. t. 1.
 2 media. H.R. (wh.) white-flowered. C. B. S. 1710. 6. 8. D.G. 7. Bradl. succ. t. 50.
 3 versicolor. H.R. (std.) great changeable. ———— 1820. ——— D.G. 7.
Crassula versicolor. B.R. 1816. ——— D.G. 7. Bot. reg. t. 320.
 4 bicolor. H.R. (ye.sc.) two-coloured. ———— 1820. ——— D.G. 7.
 5 capitata. (wh.) headed. ———— 1822. ——— D.G. 7. Lodd. bot. cab. t. 1029.
Crassula capitata. L.C. *nec aliorum*.
 6 odoratissima. H.R. (st.) sweet-scented. ———— 1793. 6. 7. D.G. 7. Andr. rep. t. 26.
Crassula odoratissima. Jacq. schenb. t. 434. *Dietrichia odoratissima*. Tratt.
 7 flava. H.S. (ye.) yellow-flower'd. C. B. S. 1802. 6. 9. D.G. 7. Burm. afr. t. 23. f. 3.
 8 cymosa. H.R. (wh.) cymose. ———— 1800. ——— D.G. 7.
 9 biconvexa. H.P. (wh.) convex-leaved. ———— 1822. ——— D.G. 7.
 10 jasminea. H.R. (wh.) Jasmine-flower'd. ———— 1812. 6. 8. D.G. 7. Bot. mag. t. 2178.
Crassula jasminea. B.M. *Röchea jasminea*. DC.
- KALANCH'OE. DC. KALANCH'OE. Octandria Tetragynia.**
 1 spatulata. DC. (ye.) spatulate. China. 1820. 7. 9. D.G. 7. DC. plant. gras. t. 65.
 2 ægyptiaca. DC. (or.) Egyptian. Egypt. 1820. 7. 9. D.G. 7. DC. plant. gras. t. 64.
 3 rotundifolia. H.P. (ye.) round-leaved. C. B. S. ——— D.G. 7.
 4 acutiflora. H.P. (wh.) white-flowered. E. Indies. 1806. ——— D.S. 7. Andr. reposit. t. 560.
Vèria acutiflora. A.R.
 5 crenata. DC. (ye.) great notched. Sierra Leone. 1793. ——— D.S. 7. Andr. reposit. t. 21.
Cotyledon crenatum. Bot. mag. t. 1436. *Vèria crenata*. A.R.
 6 laciniata. DC. (ye.) cut-leaved. E. Indies. 1731. ——— D.S. 7. DC. plant. gras. t. 100.
 7 ceratophylla. DC. (st.) buck's-horn-l'd. China. 1820. 9. 1. D.G. 7.
BRYOPHYLLUM. DC. BRYOPHYLLUM. Octandria Tetragynia.
calycinum. DC. (br.) large-cupped. Mauritius. 1800. 4. 7. D.G. 7. Bot. mag. t. 1409.
- COTYLEDON. DC. NAEVWORT. Decandria Pentagynia. L.**
 1 undulata. H.S.S. (ye.) wave-leaved. C. B. S. 1818. 7. 8. D.G. 7.
 2 orbiculata. H.S. (ye.bh.) round-leaved. ———— 1789. ——— D.G. 7.
 3 ovata. H.S. (ye.bh.) ovate-leaved. ———— D.G. 7. Bot. mag. t. 321.
orbiculata. B.M. *orbiculata* β *obovata*. DC. pl. gras. t. 76.
 4 oblonga. H.S. (ye.bh.) oblong-leaved. C. B. S. 1690. 7. 10. D.G. 7.
 5 elata. H.S.S. (ye.bl.) tall powdered. ———— 1816. 6. 8. D.G. 7.
 6 crassifolia. H.P. thick-leaved. ———— 1823. D.G. 7.
 7 viridis. H.P. green-leaved. ———— D.G. 7.
 8 ramosa. H.S.S. (ye.bh.) branching. ———— 1768. 7. 10. D.G. 7. Moris. his.s. 12.t.7.f.39.
 9 ramosissima. H.S.S. (ye.) cluster-branch'd. ———— 1816. ——— D.G. 7.
 10 coruscans. H.S.S. (or.) sparkling. ———— 1818. 3. 5. D.G. 7. Bot. mag. t. 2601.
canalifolia. H.P.
 11 unguata. DC. (pu.) ungulate. ———— 1822. 5. 8. D.G. 7. Bur. afr. dec. 3. t. 22. f. 1.
 12 papillaris. DC. (or.) cross-leaved. ———— 1813. ——— D.G. 7. Bot. reg. t. 915.
decussata. Bot. mag. t. 2518.
 13 tricuspidata. H.P. (or.) trident-leaved. ———— 1820. ——— D.G. 7.
 14 purpurea. DC. (pu.) purple. ———— 1813. 7. 8. D.G. 7. Burm. afr. t. 20. f. 1.
 15 rotundifolia. H.P. (ye.bh.) round-leav'd. ———— 1826. ——— D.G. 7.
 16 cristata. H.P. (pu.) Coxcomb-leaved. ———— 1825. 8. 10. D.G. 7.
 17 clavifolia. H.P. (pu.) club-leaved. ———— D.G. 7.
 18 curviflora. DC. (ye.bh.) curve-flower'd. ———— D.G. 7. Bot. mag. t. 2044.
 19 tuberculosa. DC. (or.) tubercled. ———— 1822. ——— D.G. 7. DC. plant. gras. 1. t. 86.
 20 cacalioides. DC. (ye.) Cacalia-like. ———— 1820. 5. 6. D.G. 7.
 21 ventricosa. DC. (gr.) bellied-tubed. ———— 1825. 6. 8. D.G. 7. Burm. afr. d. 3. t. 21. f. 1.
 22 spuria. DC. (gr.) narrow-leaved. ———— 1731. 7. 8. D.G. 7. ——— t. 19. f. 1.
 23 fascicularis. DC. (gr.re.) clustered. ———— 1759. 7. 9. D.G. 7. ——— t. 18.
tardiflorum. Bonpl. nav. t. 37.
 24 triflora. DC. (wh.pu.) three-flowered. ———— 1821. 7. 19. D.G. 7.
 25 maculata. DC. (v.) spotted-leaved. ———— 1818. 5. 7. D.G. 7.
 26 rhombifolia. H.P. (ye.) rhomb-leaved. ———— 1823. ——— D.G. 7.
 27 jasmiflora. DC. (v.) Jasmine-flower'd. ———— 1818. 6. 8. D.G. 7.
 28 hemisphaerica. DC. (v.) thick-leaved. ———— 1731. ——— D.G. 7. DC. plant. gras. 1. t. 87.
 29 mamillaris. DC. (v.) mamillary. ———— 1818. 5. 7. D.G. 7.
 30 cuneata. DC. (ye.) large pubescent. ———— 1813. 6. 8. D.G. 7.

- 31 caryophyllæa. DC. (re.) Clove-flowered. C. B. S. 1826. 6. 8. D.G. $\frac{1}{2}$. Burm. dec. 2. t. 17.
 32 mucronata. DC. (ye.) mucronate. ——— 1818. ——— D.G. $\frac{1}{2}$. Burm. afr. t. 19. f. 2.
 33 canaliculata. H.S.S. (v.) channel-leav'd. ——— 1817. ——— D.G. $\frac{1}{2}$.
 34 gracilis. H.S.S. (ye.) slender. ——— 1800. 5. 8. D.G. $\frac{1}{2}$.
 35 dichotoma. H.R. (gr.) fork-spined. ——— 1818. ——— D.G. $\frac{1}{2}$.
 36 cuneiförmis. H.P. .. wedge-leaved. C. B. S. 1823. D.G. $\frac{1}{2}$.
 37 interjecta. H.P. fleshy-stemmed. ——— D.G. $\frac{1}{2}$.
- PISTORINIA. DC. PISTORINIA. Decandria Pentagynia.**
 hispánica. DC. (re.) Spanish. Spain. 1796. 6. 7. H. $\frac{1}{2}$. DC. plant. grass. t. 122.
Cotyledon hispánica. Læf. it. p. 77. t. 1.
- UMBILICUS. DC. PENNYWORT. Decandria Pentagynia.**
 1 pendulinus. DC. (gr.) drooping-flower'd. Britain. 6. 9. H. $\frac{1}{2}$. Eng. bot. v. 5. t. 325.
Cotyledon Umbilicus. E.B.
 2 erectus. DC. (ye.) upright-flower'd. England. ——— H. $\frac{1}{2}$. Eng. bot. v. 22. t. 1522.
Cotyledon luteum. E.B.
- 3 horizontalis. DC. (st.) horizontal. Sicily. 1828. ——— H. $\frac{1}{2}$.
- OROSTACHYS. F. OROSTACHYS. Decandria Pentagynia.**
 1 serrata. (pu.) notch-leaved. Crete. 1732. 6. 7. F. $\frac{1}{2}$. Dill. elth. t. 95. f. 112.
Cotyledon serrata. H.S.
 2 spinosa. (ye.) spiny. Siberia. ——— F. $\frac{1}{2}$. Murr. com. goet. 7. t. 5.
chlorantha. F. *Cotyledon spinosum*. L. Gmel. sib. 4. t. 67. f. 2.
 3 malachophylla. F. (wh.) soft-leaved. Dahuria. 1815. ——— H. $\odot$. Pall. it. 3. ap. t. G. f. 1.
 4 thyrsoflora. F. (bh.) thyrse-flowered. ——— 1820. ——— H. $\odot$.
- ECHEVERIA. DC. ECHEVERIA. Decandria Pentagynia.**
 1 coccinea. DC. (sc.) scarlet. Mexico. 1816. 8. 10. D.G. $\frac{1}{2}$. Bot. mag. t. 2572.
Cotyledon coccinea. B.M.
 2 grandifolia. H.P. (or.) large-leaved. ——— 1826. ——— D.G. $\frac{1}{2}$. Swt. br. fl. gar. t. 275.
 3 gibbiflora. DC. (or.) gibbous-flower'd. ——— ——— D.G. $\frac{1}{2}$. Bot. reg. t. 1247.
 4 cæspitosa. DC. (ye.) tongue-leaved. California. 1796. 6. 8. D.F. $\frac{1}{2}$. Jacq. f. ecl. 1. t. 17.
Cotyledon linguiförmis. H.K. *Sedum Cotyledon*. Jacq.
- RHODIOLA. L. ROSE-ROOT. Diœcia Octandria. L.**
 1 rosea. L. (ye.) common. Britain. 5. 7. H. $\frac{1}{2}$. Eng. bot. v. 8. t. 508.
Sedum Rhodiola. DC. plant. gras. t. 143.
 2 sibírica. F. (ye.) Siberian. Siberia. 1826. ——— H. $\frac{1}{2}$.
- SEDUM. DC. STONECROP. Decandria Pentagynia.**
 1 Aizoon. DC. (ye.) yellow Orpine. Siberia. 1757. 7. 9. H. $\frac{1}{2}$. DC. plant. gras. t. 101.
 2 hybridum. DC. (st.) Germander-leaved. ——— 1766. 5. 7. H. $\frac{1}{2}$. Murr. com. goet. 6. t. 5.
 3 involucreatum. DC. (wh.) involucred. Caucasus. 1822. ——— H. $\frac{1}{2}$.
 4 verticillatum. DC. (pu.) whorl-leaved. Kamtschatka. 7. 9. H. $\frac{1}{2}$. Linn. amœn. 2. t. 4. f. 14.
 5 latifolium. DC. (st.) broad-leaved. Europe. 1794. ——— H. $\frac{1}{2}$. Clus. hist. 2. p. 66. f. 1.
 6 maximum. H.S. (pu.) great purple. Spain. ——— H. $\frac{1}{2}$.
 7 álbicans. H.S. (wh.) great white. Europe. ——— H. $\frac{1}{2}$.
 8 argutum. H.R. (pu.) lance-toothed. M. Carpathian. 1820. ——— H. $\frac{1}{2}$.
 9 paucidens. H.R. (wh.) few-toothed. Europe. ——— H. $\frac{1}{2}$.
 10 Telephium. E.B. (pu.) common Orpine. Britain. ——— H. $\frac{1}{2}$. Eng. bot. v. 19. t. 1319.
 11 triphyllum. (pu.) three-leaved. Portugal. 1794. ——— H. $\frac{1}{2}$.
Anacampseros triphylla. H.S.
- 12 purpureum. H.S. (pu.) purple-stalked. ——— ——— H. $\frac{1}{2}$. DC. plant. gras. t. 92.
 13 telephioides. DC. (pu.) Rhodiola-like. N. America. 1810. 7. 8. H. $\frac{1}{2}$.
 14 spurium. DC. (pu.) greater-fringed. Caucasus. ——— 7. 9. H. $\frac{1}{2}$. Bot. mag. t. 2370.
 15 roseum. DC. (ro.) rose-coloured. ——— 1827. ——— H. $\frac{1}{2}$.
 16 dentatum. DC. (li.) large-toothed. 1810. ——— H. $\frac{1}{2}$.
 17 pectinatum. DC. (wh.) pectinated. 1819. ——— H. $\frac{1}{2}$.
 18 lividum. DC. (wh.) livid-leaved. 1820. ——— H. $\frac{1}{2}$.
 19 cruciatum. DC. (wh.) cross leaved. S. Europe. 1816. 6. 7. H. $\frac{1}{2}$. Lodd. bot. cab. t. 464.
monregalense. Balb. misc. p. 23. t. 6.
- 20 ciliare. H.S. (wh.) fringed. Caucasus. 1810. 7. 9. H. $\frac{1}{2}$. Bot. mag. t. 1807.
oppositifolium. B.M. *Anacampseros ciliaris*. H.S.
- 21 ternatum. DC. (bh.) dwarf 3-leaved. N. America. 1789. 7. 8. H. $\frac{1}{2}$. Bot. reg. t. 142.
 22 pulchrum. DC. (pu.) pretty. ——— 1824. ——— H. $\frac{1}{2}$.
 23 populifolium. DC. (wh.) Poplar-leaved. Siberia. 1780. ——— H. $\frac{1}{2}$. Bot. mag. t. 211.
 24 Notarijanni. DC. (wh.) few-flowered. Naples. 1824. ——— H. $\frac{1}{2}$. Ten. flor. nap. 1. t. 40.
 25 Anacampseros. DC. (pu.) evergreen. France. 1596. 7. 8. H. $\frac{1}{2}$. Bot. mag. t. 118.
Anacampseros sempervirens. H.S.
- 26 divaricatum. W. (li.) spreading. Madeira. 1777. 6. 7. G. $\frac{1}{2}$.
 27 Sempervivum. DC. (re.) houseleek-leav'd. Iberia. 1823. 6. 8. H. $\frac{1}{2}$. Bot. mag. t. 2474.
 28 deltoideum. DC. (pu.) deltoid-leaved. Naples. 1826. ——— H. $\odot$.
 29 stellatum. DC. (bh.) starry. S. Europe. 1640. 6. 7. H. $\odot$. Camer. hort. 7. t. 2.
 30 Cepæa. DC. (wh.) panicked. France. ——— 7. 8. H. $\frac{1}{2}$. Clus. hist. 2. p. 68. ic.
 31 spatulatum. W.K. (wh.) spatulate. Hungary. 1820. ——— H. $\frac{1}{2}$. W. et K. hung. 2. t. 104.

- 32 tetraphyllum. F.G. (wh.) four-leaved. Levant. 7. 8. H. ♂.
 33 cœruleum. DC. (pu.) blue pubescent. Tunis. 1821. 7. 9. H. ♀. Bot. reg. t. 520.
 34 anglicum. DC. (wh. re.) English. England. 7. 8. H. ♀. Eng. bot. v. 3. t. 171.
 β microphyllum. H.R. (wh.) small-leaved. H. ♀.
 35 oblongum. H.R. (wh.) oblong-leaved. H. ♀.
 36 atratum. DC. (wh.) dark annual. Italy. 1795. 7. 9. H. ○. DC. plant. gras. t. 120.
 37 glaucum. DC. (wh.) glaucous. Hungary. 1816. — H. ♂. W. et K. hung. 2. t. 181.
 38 sexfidum. DC. (wh.) six-cleft. Caucasus. 1818. — H. ○.
 39 pallens. H.R. (wh.) annual glaucous. 7. 9. H. ○.
 40 villōsum. DC. (ro.) hairy. Britain. 6. 7. H. ♀. Eng. bot. v. 6. t. 394.
 41 pallidum. M.B. (ro.) pale red. Tauria. 1820. 7. 9. H. ○.
 42 rubens. DC. (re.) annual red. S. Europe. 1759. 5. 8. H. ○. DC. plant. gras. t. 55.
 Crassula rubens. DC.
 43 cæspitōsum. DC. (re.) tufted. 1788. 7. 8. H. ○. Cavan. ic. t. 69. f. 2.
 Crassula cæspitosa. Cav. *Crassula Magnolii*. DC. *verticillaris*. L?
 44 dasyphyllum. DC. (wh.) thick-leaved. England. 6. 7. H. ♀. Eng. bot. v. 10. t. 656.
 45 hispanicum. DC. (wh.) Spanish. Spain. 1732. — H. ♀. Jacq. aust. 5. ap. t. 47.
 46 album. DC. (wh.) white. England. 6. 8. H. ♀. Eng. bot. v. 22. t. 1578.
 47 altaicum. F. Altay. 1827. H. ♀.
 48 quinquefidum. H.R. (gr. wh.) five-cleft. 6. 8. H. ♀.
 49 hexapetalum. H.R. (ye.) six-petal'd. H. ♀.
 50 quadrifidum. DC. (ye.) four-cleft. Dahuria. 1800. 7. 8. H. ♀. Pall. it. 3. a. t. P. f. 1.
 51 nudum. DC. (ye.) naked-branch'd. Madeira. 1777. — G. ♀.
 52 ochroleucum. H.P. (st.) tall sharp-cup'd. Greece. F. ♀.
 53 altissimum. DC. (st.) tall blunt-cup'd. Italy. 1769. — H. ♀. DC. plant. gras. t. 116.
 Jacquini. H.P. *Semprevivum sedifforme*. Jacq. vind. 1. t. 81.
 54 cærulescens. H.P. (st.) great-straw-color'd. — H. ♀.
 55 reflexum. H.P. (ye.) reflex-leaved. Britain. 6. 7. H. ♀. Eng. bot. v. 10. t. 695.
 56 septangulare. H.P. (ye.) seven-angled. Europe. 7. 8. H. ♀.
 57 albescens. H.R. (ye.) white-leaved. England. 6. 7. H. ♀. Eng. bot. v. 35. t. 2477.
 glaucum. E.B. non W.K.
 58 minus. H.P. (ye.) lesser short-leaved. — H. ♀. DC. plant. gras. t. 116.
 reflexum. DC.
 59 spirale. H.P. (ye.) spiral-leaved. Europe. — H. ♀.
 60 sexangulare. DC. (ye.) inspid. England. — H. ♀. Eng. bot. v. 28. t. 1946.
 61 acre. DC. (ye.) biting. Britain. — H. ♀. — v. 12. t. 839.
 62 recurvatum. H.P. (ye.) slender recurv'd. 1820. — H. ♀.
 63 anopetalum. DC. (st.) broader-leaved. S. France. 1815. — H. ♀. Bauh. icon. 3. 428.
 β aurantiacum. H.P. (or.) orange-colour'd. — H. ♀.
 64 virens. H.P. (ye.) deep green. Portugal. 1774. — H. ♀.
 65 viridulum. H.P. (ye.) small-green. 1826. 6. 8. H. ♀.
 66 rupestre. H.P. (ye.) expanding glaucous. England. — H. ♀. Eng. bot. v. 3. t. 170.
 67 Forsterianum. H.P. (ye.) Forster's. Wales. 7. 8. H. ♀. — v. 26. t. 1802.
 68 saxatile. DC. (ye.) rock. S. Europe. 1739. 7. 9. H. ○. DC. plant. gras. t. 119.
 69 repens. DC. (ye.) creeping. Pyrenees. 1829. — H. ○. Vill. dauph. 3. t. 45.
 Guetardii. Villars.
 70 magellense. DC. (ye.) Neapolitan. Naples. 1826. — H. ○.
 MONANTHES. H.R. MONANTHES. Dodecandria Heptagynia.
 polyphylla. H.R. (pu.) many-leaved. Canaries. 1777. 7. 9. D.G. ♀. Bot. mag. t. 93.
 Semprevivum monanthes. B.M.
 SEMPERVIVUM. DC. HOUSELEEK. Dodecandria Dodecagynia. L.
 1 tortuosum. DC. (ye.) twisted. Canaries. 1779. 7. 8. D.G. ♀. Bot. mag. t. 296.
 2 villōsum. DC. (ye.) small villous. Madeira. 1777. 6. 7. D.G. ♀.
 3 ciliatum. DC. (wh.) ciliated. Teneriffe. 1815. — D.G. ♀.
 4 glandulosum. DC. (ye.) gland-edged. Madeira. 1777. 3. 5. D.G. ♀.
 5 glutinosum. DC. (ye.) glutinous. 7. 8. D.G. ♀. Bot. reg. t. 278.
 6 urbicum. DC. (ye.) wedge-leaved. Canaries. 1824. — D.G. ♀.
 7 retusum. H.P. (ye.) retuse-leaved. Teneriffe. — D.G. ♀.
 8 arboreum. DC. (ye.) tree. Levant. 1640. 12. 3. D.G. ♀. Bot. reg. t. 99.
 β variegatum. H.R. (ye.) variegated. — D.G. ♀.
 γ atropurpureum. H.R. (ye.) dark purple-leav'd. — D.G. ♀.
 9 frutescens. H.P. (ye.) frutescent. Teneriffe. 1824. 3. 5. D.G. ♀.
 10 tabulæforme. DC. (ye.) table-shaped. Madeira. 1815. 7. 9. D.G. ♀. Lodd. bot. cab. t. 1328.
 11 canariense. DC. (wh.) Canary Island. Canaries. 1699. 6. 7. D.G. ♀. DC. plant. gras. t. 141.
 12 Smithii. DC. (ye.) Smidt's. 1815. 8. 10. D.G. ♀. Bot. mag. t. 1980.
 13 barbatum. DC. (ye.) bearded. Madeira. — 6. 7. D.G. ♀.
 lineolare. H.S.S. *spatulatum*. Horn.
 14 hybridum. H.R. (ye.) hybrid. Hybrid. — D.G. ♀.
 15 cæspitōsum. DC. (ye.) latchet-leaved. Canaries. 1815. 9. 4. D.G. ♀. Bot. mag. t. 1978.
 ciliatum. B.M. non W. *barbatum*. H.R. non Smith. *ciliare*. H.S.S.

16	laxum. H.R.	(ye.) loose-flowered.	Canaries.	1820.	7. 10.	D.G. ♂.	
17	dodrantale. DC.	(st.) smooth-leaved.	—————	1815.	7. 8.	D.G. ♂.	
18	aureum. DC.	(ye.) chalice-form.	Teneriffe.	—	6. 7.	D.G. ♀.	Bot. reg. t. 892.
	calyciforme. B.R.	Lodd. bot. cab. 1368.					
19	punctatum. DC.	(ye.) dotted-leaved.	Canaries.	1824.	7. 9.	D.G. ♂.	
20	stellatum. DC.	(ye.) annual villous.	Madeira.	1790.	7. 10.	H. ☉.	Bot. mag. t. 1809.
	villosum. B.M. non H.S.						
21	dichotomum. DC.	(ye.) forked.	Canaries.	1824.	6. 8.	D.G. ♂.	DC. jard. gen. t. 21.
22	africanum. DC.	(ye.) African.	C. B. S.	1768.		D.G. ♀.	
23	hirtum. DC.	(st.) hairy.	Italy.		6. 7.	H. ♀.	DC. plant. gras. t. 107.
	soboliferum. B.M. t. 1457 ex DC.	globiferum. H.R. non DC.					
24	globiferum. DC.	(ye.) great-flowered.	Germany.	1731.	—	H. ♀.	Bot. mag. t. 507 et 2115.
25	tectorum. DC.	(pu.) common.	Britain.		6. 9.	H. ♀.	Eng. bot. v. 19. t. 1320.
26	flagelliforme. DC.	(re.) whip-lash.	Siberia.	1818.	6. 8.	H. ♀.	
27	montanum. DC.	(re.) mountain.	Switzerland.	1752.	—	H. ♀.	DC. plant. gras. t. 105.
28	arachnoideum. DC.	(pu.) Cobweb.	Italy.	1699.	—	F. ♀.	Bot. mag. t. 68.

Tribus II. *PENTHOREÆ*.

PENTHORUM. DC.	PENTHORUM. Decandria Pentagynia.	L.				
sedoides. DC.	(st.) American.	Virginia.	1768.	7. 8.	H. ♀.	Act. ups. 1744. t. 2.
LEWISIA. Ph.	LEWISIA. Dodecandria Trigynia.					
rediviva. Ph.	(wh.) white-flowered.	N. America.	1827.	7. 8.	H. ♀.	

ORDO CII.

FICOIDEÆ. *DC. prodr. v. 3. p. 415.*Tribus I. *MESEMBRYANTHEMEÆ*.

MESEMBRYANTHEMUM. FIG-MARYGOLD.	Icosandria Pentagynia.	L.				
1 minutum. H.R.	(re.) small-white.	C. B. S.	1795.	9. 11.	D.I. ♀.	Bot. mag. t. 1376.
2 minimum. H.R.	(st.) small chequer'd.	—————	1766.	9. 12.	D.I. ♀.	Pet. gaz. t. 39. f. 3.
3 perpusillum. H.R.	(st.) small exserted.	—————	1819.	—	D.I. ♀.	
4 obcordellum. H.R.	(wh.) glaucous chequer'd.	—————	1776.	10. 2.	D.I. ♀.	Bot. mag. t. 1647.
5 obconellum. H.R.	(wh.) green chequer'd.	—————	1794.	—	D.I. ♀.	
6 ficiforme. H.R.	 fig-shaped.	—————	1819.		D.I. ♀.	
7 truncatellum. H.R.	(st.) large dotted.	—————	1795.	10. 2.	D.I. ♀.	
8 fibuliforme. H.R.	 cloth button.	—————	—	11.	D.I. ♀.	
9 uvæforme. H.R.	 Grape-like.	—————	1820.		D.I. ♀.	Burm. dec. t. 10. f. 2?
10 nuciforme. H.R.	 nut-shaped.	—————	1790.		D.I. ♀.	
11 testiculare. H.R.	(wh.) broad short white.	—————	1774.	11.	D.I. ♀.	
12 octophyllum. H.R.	(ye.) narrow short white.	—————	—	—	D.I. ♀.	Bot. mag. t. 1573.
	testiculare. B.M.					
	β longiusculum. (ye.) longer-leaved.	—————	—	—	D.I. ♀.	
13 testiculatum. DC.	(ro.) rosy.	—————	—	—	D.I. ♀.	Jacq. frag. 73. t. 12. f. 2.
14 obtusum. H.R.	(re.) obtuse cloven.	—————	1792.	3. 4.	D.I. ♀.	
15 fissum. H.R.	 cloven white.	—————	1776.		D.I. ♀.	
16 digitiforme. H.R.	(wh.) finger-formed.	—————	1775.	4. 6.	D.I. ♀.	
	digitatum. H.R.?					
17 magnipunctum. H.R.	(ye.) great dotted club.	—————	1816.	9. 11.	D.I. ♀.	
	α sesquinciale. H.R. (ye.) thickest-leaved.	—————	—	—	D.I. ♀.	
	β unciale. H.R. (ye.) thinner-leaved.	—————	—	—	D.I. ♀.	
18 nobile. H.P.	(ye.) noble.	—————	—	11.	D.I. ♀.	
19 canum. H.R.	(ye.) hoary club-leav'd.	—————	1795.		D.I. ♀.	
20 aloides. H.R.	(ye.) Aloe-like.	—————	1816.	9. 11.	D.I. ♀.	
21 caninum. H.R.	(ye.) dog-chop.	—————	1717.	8. 10.	D.G. ♀.	DC. plant. gras. t. 95.
22 vulpinum. H.R.	(ye.) fox-chop.	—————	1795.	—	D.G. ♀.	
23 hybridum. H.R.	(ye.) hybrid.	Hybrid.		—	D.G. ♀.	
24 albidum. H.R.	(ye.) white.	C. B. S.	1714.	7. 8.	D.G. ♀.	Bot. mag. t. 1824.

25	albinotum. H.P.	(ye.) keeled white dott'd.	C.B.S.	1824.	7. 9.	D.G. 2.	
26	albipunctum. H.P.	(ye.) white-spotted.			8. 9.	D.G. 2.	
27	tigrinum. H.P.	(ye.) tiger-chop.		1790.	9. 11.	D.G. 2.	Bot. reg. t. 260.
28	felinum. H.P.	(ye.) cat-chop.		1730.	8. 11.	D.G. 2.	DC. plant. gras. t. 152.
29	lupinum. H.P.	(ye.) wolf's chop.		1822.	6. 8.	D.G. 2.	
30	agninum. H.P.	(ye.) lamb's chop.			5. 6.	D.G. 2.	
31	mustelinum. H.P.	(ye.) weasel-chop.		1818.	8. 11.	D.G. 2.	
32	musculinum. H.P.	(ye.) small trailing.			6. 8.	D.G. 2.	
33	ermininum. H.P.	(ye.) Ermine-chop.		1823.	5. 6.	D.G. 2.	
	β majus. H.P.	(ye.) red-tipped.				D.G. 2.	
34	murinum. H.P.	(ye.) mouse-chop.		1790.	9.	D.G. 2.	
35	dolabriforme. H.R.	(ye.) hatchet-leaved.		1705.	5. 11.	D.G. 2.	Bot. mag. t. 32.
36	carinans. H.R.	(ye.) scymetar-leav'd.		1820.		D.G. 2.	
37	scapiger. H.P.	(ye.) great-scaped.		1822.	8. 9.	D.G. 2.	
38	denticulatum. H.R.	(st.) toothed-beak'd.		1793.	4.	D.G. 2.	
	α canum. H.R.	(st.) white-leaved.				D.G. 2.	
	β glaucum. H.R.	(st.) glaucous-leaved.				D.G. 2.	
	γ candidissimum. H.R.	(st.) whitest.				D.G. 2.	
39	robustum. H.R.	(ye.) robust-beaked.		1795.		D.G. 2.	
40	compactum. H.R.	(ye.) compact.		1780.	11.	D.G. 2.	
41	quadrifidum. H.R.	(ye.) quadrifid.		1795.		D.G. 2.	
42	bifidum. H.R.	(ye.) bifid beaked.				D.G. 2.	
43	bibracteatum. H.R.	(ye.) double-bracted.		1803.	4. 11.	D.G. 2.	
44	purpurascens. DC.	(ye.) purple-bracted.		1826.		D.G. 2.	
45	rostratum. H.R.	(ye.) heron-beaked.		1732.	4. 5.	D.G. 2.	Dill. elth. f. 229.
	tuberculatum. H.R.	(ye.) tuberculate.				D.G. 2.	
46	ramulosum. H.R.	(ye.) small-beaked.		1803.	3. 11.	D.G. 2.	
47	pisiforme. H.R.	 pea-shaped.		1796.		D.I. 2.	
48	moniliforme. H.R.	(wh.) necklace.		1791.	3. 4.	D.I. 2.	
49	scalpratum. H.R.	(ye.) great tongue.		1714.	8. 10.	D.G. 2.	Dill. elth. t. 183. f. 224.
50	fragrans. H.R.	(ye.) sweet-scented.		1820.		D.G. 2.	Ott. et Lk. abb. t. 43.
51	grandiflorum. H.P.	(ye.) great-blistered.		1824.		D.G. 2.	
52	præpingue. H.R.	(ye.) soft-tongue.		1792.		D.G. 2.	
53	medium. H.R.	(ye.) large-tongue.		1816.		D.G. 2.	
54	cultratum. H.R.	(ye.) long cultrate.		1820.		D.G. 2.	
55	lucidum. H.R.	(ye.) high-polished.		1768.		D.G. 2.	Dill. elth. f. 227.
56	adscendens. H.R.	(ye.) long-peduncled.		1805.	8. 11.	D.G. 2.	
57	pustulatum. H.R.	(ye.) blistered tongue.		1816.		D.G. 2.	
58	longum. H.R.	(ye.) long-thin-leaved.		1725.	8. 10.	D.G. 2.	
	α flaccidum. H.R.	(ye.) long-flaccid.				D.G. 2.	Bot. mag. t. 1866.
	depressum. B.M. nec aliorum.						
	β decliv. H.R.	(ye.) lesser erect-edged.				D.G. 2.	
	γ angustius. H.R.	(ye.) narrow-leaved.				D.G. 2.	
	δ purpurascens. H.R.	(ye.) purple green.				D.G. 2.	
	ε uncatum. H.R.	(ye.) leaden green.		1819.		D.G. 2.	
	ζ attollens. H.R.	(ye.) narrow dark.				D.G. 2.	
59	linguæforme. H.R.	(ye.) common tongue.		1732.	11. 3.	D.G. 2.	Dill. elth. f. 226.
	β rufescens. H.R.	(ye.) reddish green.		1804.		D.G. 2.	
	γ subcruciatum. H.R.	(ye.) subcruciate.		1820.	8. 11.	D.G. 2.	
	δ prostratum. H.R.	(ye.) prostrate.				D.G. 2.	
	ε assurgens. H.R.	(ye.) assurgent.		1819.		D.G. 2.	
60	latum. H.R.	(ye.) broad tongue.		1732.		D.G. 2.	Dill. elth. f. 225.
	β breve. H.R.	(ye.) short flat.		1802.		D.G. 2.	
61	depressum. H.R.	(ye.) small recurving-lf.		1795.	9. 11.	D.G. 2.	Dill. elth. f. 226?
	α pallens. H.R.	(ye.) light green.				D.G. 2.	
	β lividum. H.R.	(ye.) rufous green.		1819.		D.G. 2.	
62	cruciatum. H.R.	(ye.) soft cruciate.		1792.	5. 11.	D.G. 2.	
63	taurinum. H.R.	(ye.) Bull's-horn.		1795.	9. 11.	D.G. 2.	
64	Salmii. H.R.	(ye.) Prince de Salm's.		1818.		D.G. 2.	
	α decussatum. H.R.	(ye.) decussate.				D.G. 2.	
	β semicruciatum. H.R.	(ye.) semicruciate.		1820.		D.G. 2.	
	γ angustifolium. H.R.	(ye.) narrow-leaved.				D.G. 2.	
65	surrectum. H.R.	(ye.) thick acute tongue.		1819.		D.G. 2.	
66	heterophyllum. H.R.	(ye.) various-leaved.		1795.		D.G. 2.	
67	angustum. H.R.	(ye.) narrow tongue.		1790.	3. 10.	D.G. 2.	
	β pallidum. H.R.	(ye.) paler-leaved.		1819.		D.G. 2.	
	γ heterophyllum. H.K.	(ye.) semicylindric-lf.			8. 10.	D.G. 2.	Andr. reposit. 540.
68	difforme. H.R.	(ye.) difformed.		1732.		D.G. 2.	Dill. elth. f. 242.
	β brevicaulle. H.R.	(ye.) short-stalked.				D.G. 2.	

69	bidentatum. H.R. (ye.)	double-toothed.	C. B. S.	1816.	8. 10.	D.G. 2.	
	<i>a minus.</i> H.R. (ye.)	smaller.				D.G. 2.	
	<i>β majus.</i> H.R. (ye.)	larger.				D.G. 2.	
70	bigibberatum. H.P. (ye.)	lesser diffomed.		1824.		D.G. 2.	
71	semicylindricum. H.R. (ye.)	small diffomed.		1732.	3. 11.	D.G. 2.	Dill. elth. t. 194. f. 241.
72	gibbosum. H.R. (re.)	great pale gibbous.		1780.	1. 4.	D.G. 2.	
73	luteo-viride. H.R. (re.)	long pale gibbous.		1795.		D.G. 2.	
74	perviride. H.R. (re.)	dark green gibbous.		1792.	1. 5.	D.G. 2.	
75	pubescens. H.R. (re.)	hoary gibbous.				D.G. 2.	
76	calamiforme. H.R. (wh.)	white fld. quill.		1717.	7. 9.	D.G. 2.	DC. plant. gras. t. 5.
77	obsulatum. H.R. ...	reversed quill.		1796.		D.G. 2.	
78	cylicum. H.R. (re.)	cylic quill.		1792.	9. 2.	D.G. 2.	
79	teretifolium. H.R. (re.)	round quill.		1794.		D.G. 2.	
80	teretiúsculum. H.R. (re.)	roundish quill.				D.G. 2.	
81	bellidiflorum. H.R. (re.)	daisy-flowered.		1717.	6. 8.	D.G. 2.	Dill. elth. t. 224. f. 233.
	<i>a glaucescens.</i> H.R. (re.)	small glaucous.				D.G. 2.	
	<i>β viride.</i> H.R. (ro.)	pea green.		1822.		D.G. 2.	
82	subulatum. DC. (std.)	great green.		1768.	6. 8.	D.G. 2.	DC. plant. gras. t. 41.
83	acutum. H.R. (pu.)	great awl-leaved.		1793.	11. 4.	D.G. 2.	
84	punctatum. H.R. (pu.)	middle-spotted.				D.G. 2.	
85	diminutum. H.R. (pu.)	small awl-leaved.		1789.	4.	D.G. 2.	
	<i>β cauliculatum.</i> H.R. (pu.)	stalked.		1817.		D.G. 2.	
86	lòreum. H.R. (st.)	leathery-stalk'd.		1732.	9.	D.G. 2.	Dill. elth. t. 200. f. 255.
	<i>β congestum.</i> H.R. (st.)	crowded-leaved.		1805.		D.G. 2.	
87	diversifolium. H.R. (st.)	short horn-leav'd.		1726.	3. 10.	D.G. 2.	Dill. elth. t. 198. f. 252.
	<i>a majus.</i> H.R. (std.)	larger.		1819.		D.G. 2.	
	<i>β glaucius.</i> H.R. (st.)	glaucous.		1726.		D.G. 2.	
	<i>γ brevifolium.</i> H.R. (st.)	short-leaved.		1819.	8.	D.G. 2.	
	<i>δ l'ete-virens.</i> H.R. (st.)	pale green.				D.G. 2.	
	<i>ε atro-virens.</i> H.R. (st.)	dark green.			8. 9.	D.G. 2.	
88	decipiens. H.R. (st.)	middle horn-l'd.		1820.		D.G. 2.	
89	dubium. H.R. (st. or.)	round stalked.		1800.	11. 5.	D.G. 2.	Bradl. succ. d. 4. t. 40.
90	corniculatum. H.R. (std.)	long-horn-leav'd.		1732.	3. 5.	D.G. 2.	DC. plant. gras. t. 108.
91	purpureo-álbum. H.P. (std.)	purple & white.		1824.	7. 10.	D.G. 2.	
92	procumbens. H.R. (v.)	purple-jointed.		1820.		D.G. 2.	
93	tricolorum. H.R. (st. re.)	three-coloured.		1794.	10.	D.G. 2.	
94	pugioniforme. H.R. (ye.)	great dagger-l'd.		1714.	7. 9.	D.G. 2.	DC. plant. gras. t. 82.
	<i>β carneum.</i> H.R. (ye.)	flesh-coloured.				D.G. 2.	
	<i>γ purpureum.</i> H.R. (pu.)	purple.				D.G. 2.	
	<i>δ biénne.</i> H.R. (ye.)	biennial.				D.G. 2.	
95	capitatum. H.R. (ye.)	lesser dagger-l'd.		1717.	7. 9.	D.G. 2.	Bot. reg. t. 494.
	<i>β ramigerum.</i> H.R. (ye.)	branching.		1816.		D.G. 2.	
96	brevicaule. H.R. (ye.)	dwarf dagger-l'd.				D.G. 2.	
97	corúscans. H.R. (ye.)	glittering dagger.		1813.		D.G. 2.	
98	elongatum. H.R. (ye.)	tuberous long-l'd.		1793.	5.	D.G. 2.	DC. plant. gras. t. 72.
	<i>a grandiflorum.</i> (ye.)	large-flowered.				D.G. 2.	
	<i>β minus.</i> H.R. (ye.)	lesser.				D.G. 2.	Bot. reg. t. 493.
	<i>γ fusiforme.</i> H.R. (ye.)	fusiform.				D.G. 2.	Breyn. cent. t. 80.
99	validum. H.P. (ro.)	robust light green.		1823.		D.G. 2.	
100	geminiflorum. H.R. (ro.)	small pale.		1819.		D.G. 2.	
101	simile. H.R. (ro.)	short-jointed.			5. 7.	D.G. 2.	
102	laxum. H.R. (ro.)	long-jointed.				D.G. 2.	
103	sarmentosum. H.R. (ro.)	sarmentose.		1805.	4. 5.	D.G. 2.	
104	rigidicaule. H.R. (ro.)	stiff-stemmed.		1819.		D.G. 2.	
105	Schöllii. H.R. (ro.)	Scholl's.		1818.		D.G. 2.	Jacq. frag. t. 51. f. 2.
	<i>aduncum.</i> Jacq. non H. recúrsum. H.S.S.						
106	filamentosum. H.R. (ro.)	thready.		1732.	3. 4.	D.G. 2.	Dill. elth. t. 212. f. 273.
107	serrulatum. H.R. (ro.)	rosy-stalked.		1795.	11. 12.	D.G. 2.	
	<i>a glaucum.</i> H.R. (ro.)	glaucous.				D.G. 2.	
	<i>β viridius.</i> H.R. (ro.)	greenish.				D.G. 2.	
108	rubricaule. H.R. (ro.)	deep red-stalk'd.		1802.	12. 2.	D.G. 2.	
	<i>a gracilius.</i> H.R. (ro.)	slenderest.				D.G. 2.	
	<i>β densius.</i> H.R. (ro.)	crowded.				D.G. 2.	
	<i>γ subvirens.</i> H.R. (ro.)	tall-green.				D.G. 2.	
109	acinaciforme. H.R. (ro.)	great scymetar-l'd.		1714.	8. 9.	D.G. 2.	Dill. elth. f. 270. 271.
	<i>a breve.</i> H.R. (ro.)	short-branched.				D.G. 2.	Andr. reposit. 508.
	<i>β longum.</i> H.R. (ro.)	longer-branched.				D.G. 2.	
110	laevigatum. H.R. (ro.)	smooth scymetar.		1802.		D.G. 2.	

111	rûbro-cinctum. H.R. (ro.) red-edged.	C. B. S.	1811.	8. 9.	D.G. f.	
	<i>a</i> crâssum. H.R. (ro.) thick-leaved.	—	—		D.G. f.	
	<i>β</i> compréssum. H.R. (ro.) compressed.	—	—		D.G. f.	
	<i>γ</i> ténèrum. H.R. (ro.) tender.	—	—		D.I. f.	
112	subalâtum. H.R. (ro.) wing-stalked.	—	1802.		D.G. f.	
113	édule. H.R. (ye.) Hottentot's-fig.	—	1690.	7. 8.	D.G. f.	Dill. elth. t. 212. f. 272.
114	dimidiâtum. H.R. (ro.) lesser eatable.	—	1811.	—	D.G. f.	DC. plant. gras. t. 89.
115	glaucescens. H.R. (ro.) glaucescent.	N. Holland.	1804.	7.	D.G. f.	
116	abbreviâtum. H.P. short-jointed.	N. S. W.	1825.		D.G. f.	
117	Róssi. H.R. (ro.) Ross's.	V. Diem. Isl.	1821.		D.G. f.	
118	viréscens. H.R. (ro.) virescent.	N. Holland.	1804.	6. 8.	D.G. f.	
119	æquilatérale. H.R. (ro.) equal angled.	—	1791.	—	D.G. f.	
	<i>β</i> decag'ynum. DC. (ro.) ten-styled.	—	—	—	D.G. f.	
120	virens. H.R. (ro.) smooth-edged green.	C. B. S.	1821.	7. 8.	D.G. f.	
121	réptans. H.R. (ro.) creeping.	—	1774.	6. 8.	D.G. f.	
122	débile. H.P. (ro.) smooth weak.	—	1821.	—	D.G. f.	
123	austrâle. H.R. (bh.) New Zealand.	N. Zealand.	1773.	—	D.G. f.	
124	crassifolium. H.R. (ro.) thick-leaved.	C. B. S.	1727.	5. 8.	D.G. f.	Dill. elth. t. 208. f. 257.
125	clavellâtum. H.R. (re.) club-l'd. creeping.	N. Holland.	1803.	6. 7.	D.G. f.	
	<i>β</i> aggregâtum. H.R. (re.) cluster branched.	—	—	—	D.G. f.	
	<i>γ</i> minus. H.R. (re.) shorter-branched.	—	—	—	D.G. f.	
126	forcicâtum. H.R. (re.) scissors-leaved.	C. B. S.	1758.	9. 10.	D.G. f.	Jacq. vind. 1. t. 26.
127	geminâtum. H.R. (re.) white twin-shoot'd.	—	1792.		D.G. f.	
128	marginâtum. H.R. (re.) white-edged.	—	1793.		D.G. f.	
129	rostellum. H.R. (wh. re.) little prostrate beak.	—	1820.	8. 10.	D.G. f.	
130	perfoliâtum. H.R. (ro.) great-hooked.	—	1714.	6. 8.	D.G. f.	Dill. elth. t. 192. f. 240.
	<i>a</i> tricânthum. H.R. (ro.) three-thorned.	—	—	—	D.G. f.	Bradt. suc. 5. t. 46.
	<i>β</i> monacânthum. H.R. (ro.) one-thorned.	—	—	—	D.G. f.	Bradt. suc. dec. 3. f. 26.
131	uncinellum. H.R. (li.) small-hooked.	—	1819.	—	D.G. f.	Dill. elth. f. 239.
132	uncinâtum. H.R. (ro.) greenish-hooked.	—	1725.	8.	D.G. f.	DC. plant. gras. t. 54.
133	semidentâtum. H.R. (ro.) slender-hooked.	—	1818.	6. 8.	D.G. f.	
134	ûnidens. H.P. (li.) dwarf uncinatè.	—	1824.	—	D.G. f.	
135	viride. H.R. (li.) deep green.	—	1792.	7.	D.G. f.	
136	acutângulum. H.P. (wh.) sharp-angled.	—	1820.	6. 8.	D.G. f.	
137	cûrtum. H.R. (wh.) short-sheathed.	—	1811.	—	D.G. f.	
	<i>β</i> majus. H.R. (wh.) larger.	—	—	—	D.G. f.	
138	hamâtum. W. (wh.) hook'd sheathing.	—	—	—	D.G. f.	
139	vaginâtum. H.R. (wh.) rough sheathing.	—	1802.	7. 8.	D.G. f.	
	<i>β</i> parviflorum. H.R. (wh.) smaller-flowered.	—	—	—	D.G. f.	
140	parviflorum. H.R. (wh.) small-flowered.	—	1800.	8.	D.G. f.	
141	rigidum. H.R. (wh.) rigid.	—	1793.	—	D.G. f.	
142	tenellum. H.R. (wh.) least perfoliate.	—	1792.	—	D.G. f.	
143	imbricatûm. H.R. (wh.) imbricated.	—	—	7.	D.G. f.	
	<i>a</i> minus. H.R. (wh.) smallest.	—	—	—	D.G. f.	
	<i>β</i> majus. H.R. (wh.) blunt crowded.	—	—	—	D.G. f.	
	<i>γ</i> viride. H.R. (wh.) dull green.	—	—	—	D.G. f.	
144	multiflorum. H.R. (wh.) many-flowered.	—	—	7. 9.	D.G. f.	Pluk. phyt. t. 117. f. 1.
	<i>a</i> majus. H.R. (wh.) larger white.	—	—	—	D.G. f.	
	<i>β</i> minus. H.R. (wh.) lesser white.	—	—	—	D.G. f.	
	<i>γ</i> rubrum. H.R. (re.) red-flowered.	—	1816.	—	D.G. f.	
	<i>δ</i> patens. H.R. (wh.) single flowered.	—	—	—	D.G. f.	
	<i>ε</i> nitens. H.R. (wh.) bright-green.	—		—	D.G. f.	
145	umbellâtum. H.R. (wh.) umbel-flowered.	—	1727.	6. 9.	D.G. f.	Dill. elth. t. 208. f. 266.
	<i>β</i> apétalum. H.R. (wh.) petalless.	—	—	—	D.G. f.	
146	tumidulum. H.R. (re.) tumid.	—	1802.	3.	D.G. f.	
	<i>β</i> minus. H.R. (re.) lesser.	—	—	—	D.G. f.	
147	foliosum. H.R. (re.) many-leaved.	—	—	9.	D.G. f.	
148	lineolâtum. H.R. (re.) tumid sheathed.	—	1819.	6. 8.	D.G. f.	
	<i>β</i> minus. H.R. (re.) lesser.	—	—	—	D.G. f.	
	<i>γ</i> nitens. H.R. (re.) glittering.	—	—	—	D.G. f.	
149	serrâtum. H.R. (ye.) saw-keeled.	—	1707.	6. 7.	D.G. f.	Dill. elth. t. 192. f. 238.
150	lâcerum. H.R. (re.) ragged-keeled.	—	1792.	6.	D.G. f.	
151	heteropétalum. H.R. (ye.) various-petal'd.	—	1794.	5. 8.	D.G. f.	
	<i>a</i> albiflorum. (wh.) white-flowered.	—	—	—	D.G. f.	
	<i>β</i> roseum. (ro.) rose-coloured.	—	—	—	D.G. f.	
152	glaucinum. H.R. (li.) glaucine.	—	1818.	—	D.G. f.	
	<i>a</i> angustum. H.R. (li.) slenderest-leaved.	—	—	—	D.G. f.	
	<i>β</i> crâssum. H.R. (li.) thicker-leaved.	—	—	—	D.G. f.	

153	mutabile. H.R. (wh.ro.) changeable.	C. B. S.	1792.	7. 9.	D.G. ½.	DC. plant. gras. t. 60.
	<i>filamentosum</i> . DC.					
154	inclaudens. H.R. (pu.) open-flowered.	—	1805.	6. 9.	D.G. ½.	Andr. reposit. 388.
155	caulescens. H.R. (li.) smooth delta-ld.	—	1731.	5. 7.	D.G. ½.	Dill. elth. f. 243-4.
156	deltoides. H.R. (li.) great delta-leaved.	—	—	5.	D.G. ½.	DC. plant. gras. 53.
157	maricatum. H.R. (li.) small delta-leaved.	—	—	—	D.G. ½.	Dill. elth. t. 195. f. 27.
	<i>β minus</i> . H.R. (li.) smaller-leaved.	—		—	D.G. ½.	
158	microphyllum. H.R. (ro.) small-green-leav'd.	—	1795.	—	D.G. ½.	
159	mucronatum. H.R. (ro.) bristle-pointed.	—	1794.	6. 7.	D.G. ½.	
160	pygmaeum. H.R. (ro.) pigmy connate.	—	1820.	—	D.G. ½.	
161	pulchellum. DC. (ro.) small grey-leaved.	—	1793.	4.	D.G. ½.	
	<i>canescens</i> . H.R.					
	<i>β revolutum</i> . H.R. (ro.) revolving-branched.	—	1819.	—	D.G. ½.	
162	maximum. H.R. (ro.) great crescent-ld.	—	1787.	3. 8.	D.G. ½.	
163	lunatum. H.R. (ro.) small crescent-ld.	—		4. 6.	D.G. ½.	
164	glacatum. H.R. (ro.) small sickle-leav'd.	—	1727.	6. 8.	D.G. ½.	Dill. elth. f. 275-6.
165	decumbens. H.R. (li.) dwarf decumbent.	—	1759.	5. 10.	D.G. ½.	
166	incurvum. H.R. (li.) incurved.	—	1802.	6.	D.G. ½.	
	<i>β dilatans</i> . H.R. (li.) dilated.	—	1805.	9. 10.	D.G. ½.	
	<i>γ pallidius</i> . H.R. (li.) pale flowering.	—	—	—	D.G. ½.	
	<i>δ densifolium</i> . H.R. (li.) dense lesser-leav'd.	—	1819.	—	D.G. ½.	
	<i>ε roseum</i> . H.R. (ro.) rosy.	—	—	—	D.G. ½.	
167	confertum. H.R. (li.) crowded-leaved.	—	1805.	—	D.G. ½.	
168	falciforme. H.R. (li.) sickle-shaped.	—	—	7. 8.	D.G. ½.	
169	glomeratum. H.R. (re.) clustered.	—	1732.	6. 8.	D.G. ½.	Dill. elth. t. 213. f. 274.
170	inflexum. H.R. (re.) inflex-leaved.	—	1818.	—	D.G. ½.	
171	scabrum. H.R. (re.) rough.	—	1731.	7.	D.G. ½.	Dill. elth. t. 197. f. 251.
	<i>α pallidum</i> . H.R. (li.) pale-bloomed.	—	—	—	D.G. ½.	
	<i>β purpureum</i> . H.R. (pu.) purple.	—	—	—	D.G. ½.	
172	versicolor. H.R. (wh.re.) changeable rough.	—	1795.	5. 8.	D.G. ½.	
173	retroflexum. H.R. (re.) reflex-flowered.	—	1794.	5. 10.	D.G. ½.	
174	imbricans. H.R. (re.) imbricate-leaved.	—	1818.	—	D.G. ½.	
175	deflexum. H.R. (re.) smooth deflexed.	—	1774.	7. 10.	D.G. ½.	
176	polyanthum. H.R. (pu.) copious-flowered.	—	1803.	8.	D.G. ½.	
177	polyphyllum. H.R. (re.) crowded-leaved.	—	1819.	6. 10.	D.G. ½.	
178	violaceum. H.R. (vi.) deep violaceous.	—	1820.	10.	D.G. ½.	DC. plant. gras. t. 84.
179	emarginatum. H.R. (vi.) notch-petaled.	—	1732.	6. 8.	D.G. ½.	Dill. elth. t. 197. f. 250.
180	dilatatum. H.R. (wh.) gibbous-keeled.	—	1795.	7.	D.G. ½.	
181	virgatum. H.R. (li.) slender-twigged.	—	1793.	2. 4.	D.G. ½.	
182	bracteatum. H.R. (re.) double-bracted.	—	1774.	7. 10.	D.G. ½.	
183	anceps. H.R. (li.) broad-bracted.	—	1811.	9. 10.	D.G. ½.	
	<i>β pallidum</i> . H.R. (li.) paler-flowered.	—	—	—	D.G. ½.	
184	gracile. H.R. (li.) slender bracteate.	—	1794.	8. 11.	D.G. ½.	
	<i>stellatum</i> . H.S. non DC.					
	<i>β gracilius</i> . H.R. (li.) pale flat-bracted.	—		—	D.G. ½.	
185	radiatum. H.R. (re.) radiate.	—	1732.	—	D.G. ½.	Dill. elth. t. 197. f. 249.
186	compressum. H.R. (re.) rough compressed.	—	1792.	7. 9.	D.G. ½.	
187	pátulum. H.R. (li.) paler-flowered.	—	1811.	10. 11.	D.G. ½.	
188	asperum. H.R. (ro.) large rough-leav'd.	—	1818.	7. 9.	D.G. ½.	
	<i>α majus</i> . H.R. (ro.) broader-leaved.	—	—	—	D.G. ½.	
	<i>β cærulescens</i> . H.R. (ro.) bluish-leaved.	—	1820.	—	D.G. ½.	
189	formosum. H.R. (re.) white-eyed red.	—	—	8. 9.	D.G. ½.	
190	æna. DC. (re.) beautiful.	—	1825.	—	D.G. ½.	
191	spectabile. H.R. (pu.) glaucous showy.	—	1787.	5. 8.	D.G. ½.	Bot. mag. t. 396.
192	conspicuum. H.R. (re.) dark-red showy.	—	1806.	9. 10.	D.G. ½.	
193	turbinatum. DC. (re.) top-shaped.	—	1826.	—	D.G. ½.	Jacq. vind. t. 476.
194	blándum. H.R. (bh.) fair-flowered.	—	1816.	6. 12.	D.G. ½.	Bot. reg. t. 582.
195	curviflorum. H.R. (bh.) incurving white.	—	1818.	—	D.G. ½.	
196	àureum. H.R. (or.) great orange.	—	1750.	3. 10.	D.G. ½.	Bot. mag. t. 262.
197	aurantium. H.R. (or.) glaucous orange.	—	1793.	6. 8.	D.G. ½.	
198	glaucum. H.R. (ye.) great gold-flower'd.	—	1696.	6. 7.	D.G. ½.	DC. plant. gras. t. 146.
199	cymbifolium. H.P. (ye.) greater boat-ld.	—	1823.		D.G. ½.	
200	strictum. H.R. (ye.) upright boat-ld.	—	1795.		D.G. ½.	
201	mucroniferum. H.P. (ye.) mucronate boat-ld.	—	1823.		D.G. ½.	
202	cymbiforme. H.R. (re.) small boat-leav'd.	—	1793.		D.G. ½.	
203	graniforme. H.R. (ye.) grain-leaved.	—	1727.	9. 10.	D.G. ½.	Bradl. succ. 2. t. 20.
204	mólle. H.R. (re.) soft.	—	1774.	10.	D.G. ½.	

205	coccineum. H.R. (sc.) scarlet-flower'd.	C. B. S.	1696.	5. 9.	D.G. ♀.	Bot. mag. t. 59.
	<i>a obtusum</i> . H.R. (sc.) blunt-calyxed.	—	—	—	D.G. ♀.	DC. plant. grass. t. 83.
	<i>β acutius</i> . H.R. (sc. pu.) acute-calyxed.	—		—	D.G. ♀.	—
	<i>γ minus</i> . H.R. (sc.) lesser.	—		—	D.G. ♀.	—
206	bicolorum. H.R. (sc. ye.) two-coloured.	—	1732.	—	D.G. ♀.	—
	<i>a erectum</i> . H.R. (sc. ye.) tall upright.	—	—	—	D.G. ♀.	Dill. elth. t. 202. f. 258.
	<i>β patulum</i> . H.R. (sc. ye.) spreading.	—		—	D.G. ♀.	—
	<i>γ minus</i> . H.R. (sc. ye.) dwarf spreading.	—		—	D.G. ♀.	—
207	inæquale. H.R. (ye.) unequal-cupped.	—	1716.	—	D.G. ♀.	Bradl. succ. 1. t. 7.
208	tenuifolium. H.R. (sc.) slender-leaved.	—	1700.	6. 9.	D.G. ♀.	Dill. elth. t. 201. f. 256.
	<i>β erectum</i> . H.R. (sc.) upright slender-l'd.	—		—	D.G. ♀.	DC. plant. gras. t. 82.
209	variabile. H.R. (ye.) changeable-fl'd.	—	1796.	6. 8.	D.G. ♀.	—
	<i>a densius</i> . H.R. (ye.) rough close-leaved.	—	—	—	D.G. ♀.	—
	<i>β lævius</i> . H.R. (ye.) smoother distant-l'd.	—	—	—	D.G. ♀.	—
210	spinifforme. H.R. (li.) thorn-shaped.	—	1793.	9. 10.	D.G. ♀.	—
	<i>β subaduncum</i> . H.R. (li.) greater hook-l'd.	—	1810.	10. 11.	D.G. ♀.	—
211	curvifolium. H.R. (li.) great curve-l'd.	—	1799.	10.	D.G. ♀.	—
212	flexifolium. H.R. (li.) lesser curve-l'd.	—	1818.	—	D.G. ♀.	—
	<i>a perviride</i> . H.R. (li.) dark-green.	—	—	—	D.G. ♀.	—
	<i>β late virens</i> . H.R. (li.) apple-green.	—	—	—	D.G. ♀.	—
213	inconspicuum. H.P. (li.) inconspicuous.	—	1824.	6. 9.	D.G. ♀.	—
214	aduncum. H.R. (li.) small curve-leav'd.	—	1795.	2. 3.	D.G. ♀.	—
215	filiçaulè. H.R. (li.) thready-stemmed.	—	1800.	9.	D.G. ♀.	—
216	spinòsum. H.R. (pu.) thorny.	—	1714.	6. 9.	D.G. ♀.	Dill. elth. t. 208. f. 265.
217	productum. H.P. (ro.) great-cupped.	—	1820.	6. 8.	D.G. ♀.	—
218	lèpidum. H.P. (wh.) pretty.	—	1824.	7. 9.	D.G. ♀.	—
219	stipulaceum. H.R. (re.) tall, stipuled.	—	1723.	5. 8.	D.G. ♀.	Dill. elth. f. 267 & 268.
220	corallinum. H.R. (ro.) coral-stemmed.	—	1819.	—	D.G. ♀.	—
221	Hawóρθii. H.R. (ro.) Haworth's.	—	1793.	6. 1.	D.G. ♀.	—
222	læve. H.R. (pu.) blunt white-leav'd.	—	1774.	7. 9.	D.G. ♀.	—
223	veruculatum. H.R. (ye.) long spit-leaved.	—	1731.	5. 6.	D.G. ♀.	—
	<i>a Dillèni</i> . H.R. (ye.) Dillenius's.	—	—	—	D.G. ♀.	Dill. elth. f. 259.
	<i>β Candóllii</i> . H.R. (ye.) cluster spit-leaved.	—	—	—	D.G. ♀.	DC. plant. gras. t. 36.
224	purpuro-cròceum. H.R. purple saffron-fl'd.	—	1780.	8. 10.	D.G. ♀.	—
225	flàvo-cròceum. H.P. yellow and saffron.	—	1816.	5. 9.	D.G. ♀.	—
226	luteum. H.P. (ye.) upright yellow.	—	1822.	6. 8.	D.G. ♀.	—
227	luteolum. H.P. (ye.) small yellow.	—	—	—	D.G. ♀.	—
228	cròceum. H.R. (sn.) saffron-flowered.	—	1816.	10. 11.	D.G. ♀.	Jacq. frag. p. 17. t. 11. f. 2.
229	crystallinum. H.R. (wh.) diamond.	—	1727.	5. 8.	D.G. ♂.	DC. plant. gras. 128.
230	glaciàle. H.R. (wh.) Ice-plant.	Greece.	1787.	—	G. ⊙.	—
231	pinnatifidum. H.R. (ye.) jagged-leaved.	C. B. S.	1774.	5. 10.	G. ⊙.	Bot. mag. t. 67.
232	sessiliflorum. H.R. (ye.) small ice-plant.	—	—	7. 8.	G. ⊙.	—
	<i>a luteum</i> . H.R. (ye.) yellow-flowered.	—	—	—	G. ⊙.	—
	<i>β album</i> . H.R. (wh.) white-flowered.	—	1816.	—	G. ⊙.	—
233	humifusum. H.R. (wh.) narrow-l'd. ice-plant.	—	1774.	—	D.G. ♀.	—
234	clandestinum. H.P. (wh.) minute-flower'd.	—	1823.	5. 8.	D.G. ♀.	—
235	Aitòni. H.R. (ro.) Aiton's.	—	—	6. 10.	D.G. ♂.	Jacq. vind. 3. t. 7.
236	lanceolatum. H.R. (wh.) spear-leaved.	—	1795.	5. 8.	G. ⊙.	—
	<i>a album</i> . H.R. (wh.) white-flowered.	—	—	—	G. ⊙.	—
	<i>β roseum</i> . H.R. (ro.) rosy.	—	1812.	—	G. ⊙.	—
237	cordifolium. H.R. (re.) heart-leaved.	—	1774.	5. 9.	D.G. ♀.	DC. plant. gras. t. 102.
238	pomeridiànum. H.R. (ye.) great yellow.	—	—	7. 9.	G. ⊙.	Bot. mag. t. 540.
	<i>β Andre'wsii</i> . H.R. (ye.) Andrews's.	—		—	G. ⊙.	Andr. reposit. t. 57.
239	Candóllii. H.R. (ye.) Decandolle's.	—		—	G. ⊙.	DC. plant. gras. t. 135.
	<i>helianthoides</i> . DC. nec aliorum.	—	—	—	—	—
240	pilòsum. H.R. (ye.) hairy-yellow.	—	1800.	6. 8.	G. ⊙.	Breyn. cent. t. 79.
241	calendulaceum. H.R. (y.) hispid narrow-cup'd.	—	1819.	8.	G. ⊙.	—
242	flaccidum. DC. (ye.) flaccid.	—	1826.	—	D.G. ♂.	—
243	helianthoides. H.R. (ye.) spatula-leaved.	—	1774.	8. 10.	G. ⊙.	—
244	cuneifolium. DC. (pu.) transparent.	—	—	7.	G. ⊙.	Jacq. ic. 3. t. 288.
	<i>limpidum</i> . H.R.	—	—	—	—	—
245	pyropæum. H.s.s. (v.) annual 3-colour'd.	—	1820.	4. 7.	G. ⊙.	—
	<i>a rubidum</i> . (pu.) the ruby.	—	—	—	G. ⊙.	Bot. mag. t. 2144.
	<i>tricolor</i> . W. hort. ber. t. 22.	—	—	—	—	—
	<i>β roseum</i> . H.R. (ro.) the rosy.	—	—	—	G. ⊙.	—
	<i>γ album</i> . H.R. (bh.) bluish white.	—	1819.	—	G. ⊙.	—
246	villòsum. H.R. (bh.) villous.	—	1759.	7.	D.G. ♀.	—

247	caducum. H.R. (wh.) deciduous.	C. B. S.	1774.	7. 8.	G. ☉.	
248	apetalum. H.R. (wh.) dwarf spreading.	—	—	—	G. ☉.	Jacq. vind. 3. t. 6.
249	nodiflorum. H.R. (wh.) knot-flowered.	Egypt.	1739.	8. 10.	G. ☉.	DC. plant. gras. t. 88.
250	ciliatum. H.R. (wh.) ciliated.	C. B. S.	1774.		D.G. ♀.	
251	geniculiflorum. H.R. (ye.) joint-flower'd.	Egypt.	1727.	7. 9.	D.G. ♀.	DC. plant. gras. t. 17.
252	Tripodium. H.R. (wh.) Aster-leaved.	C. B. S.	1700.	6. 10.	D.G. ♂.	Dill. elth. t. 179. f. 220.
253	expansum. H.R. (st.) houseleek-leav'd.	—	1705.	7. 8.	D.G. ♀.	— f. 223.
	tortuosum. DC. plant. gras. t. 94. non L.	—	—	—	—	—
254	varians. H.R. (wh.st.) varying.	—	1706.	7. 10.	D.G. ♀.	Pet. gaz. t. 78. f. 10.
255	tortuosum. H.R. (st.) twisting-leaved.	—	1705.	6. 10.	D.G. ♀.	Dill. elth. t. 181. f. 222.
256	pallens. H.R. (wh.) pale-flowered.	—	1774.	7. 8.	D.G. ♀.	DC. plant. gras. t. 47.
	expansum. DC. non L.	—	—	—	—	—
257	crassicaule. H.P. (ye.) thick-stalked.	—	1822.	5.	D.G. ♀.	
258	loratum. H.R. (wh.) glaucous strap-l'd.	—	1819.	—	D.G. ♀.	
259	relaxatum. H.R. (re.) livid strap-leav'd.	—		—	D.G. ♀.	
260	anatomicum. H.R. (wh.) skeleton-leav'd.	—	1803.	7. 8.	D.G. ♀.	
	β fragile. H.R. (wh.) brittle.	—	—	—	D.G. ♀.	
261	rectum. H.R. (wh.) upright egg-leav'd.	—	1819.	—	D.G. ♀.	
262	crassuloides. H.R. (bh.) Crassula-like.	—	—	7. 8.	D.G. ♀.	
263	incomptum. H.R. (wh.) persistent cup'd.	—	1816.	—	D.G. ♀.	
264	splendens. H.R. (wh.) shining white fld.	—	1716.	6. 8.	D.G. ♀.	DC. plant. gras t. 35.
265	flexuosum. H.R. (bh.) flexuose-leaved.	—	1795.	7. 8.	D.G. ♀.	
266	acuminatum. H.P. (wh.) long-cupped.	—	1820.	8. 9.	D.G. ♀.	
267	albicaule. H.P. (wh.) white-twigg'd.	—	1823.	8. 10.	D.G. ♀.	
268	sulcatum. H.R. (wh.) acute-cupped.	—	1819.	—	D.G. ♀.	
269	fastigiatum. H.R. (bi.) level-topped.	—	1794.	7. 9.	D.G. ♀.	
	β reflexum. H.R. (br.) reflex-leaved.	—	1792.	8. 9.	D.G. ♀.	
270	umbelliflorum. H.R. . . . umbel-flowered.	—	1825.	—	D.G. ♀.	
271	longistylum. DC. (bh.) long-styled.	—	1822.	—	D.G. ♀.	
	pallens. Jacq. schenb. 3. t. 279. non Ait. pallescens. H.R.	—	—	—	—	—
	β purpurascens. DC. (pu.) purplish.	C. B. S.	—	—	D.G. ♀.	
272	micranthum. H.R. (wh.) small-blossom'd.	—	1804.	—	D.G. ♀.	Jacq. schenb. 3. t. 278.
	parviflorum. Jacq. non H.R.	—	—	—	—	—
273	juncum. H.R. (ro.) rushy.	—	1800.	8. 10.	D.G. ♀.	
274	granulicaule. H.P. (ro.) shagreen-stem'd.	—	1821.	6. 8.	D.G. ♀.	
275	tenu. H.R. (wh.) slender rushy.	—	1819.	—	D.G. ♀.	
276	spinuliferum. H.R. (st.) spinulescent.	—	1794.	6. 10.	D.G. ♀.	
277	grossum. H.R. (bh.) gouty.	—	1774.	8. 10.	D.G. ♀.	
278	salmoneum. H.R. (ro.) salmon-colour'd.	—	1819.	—	D.G. ♀.	
279	canaliculatum. H.R. (ye.) channel-leav'd.	—	1794.	7. 10.	D.G. ♀.	
280	viridiflorum. H.R. (gr.) green-flowered.	—	1774.	7. 11.	D.G. ♀.	Bot. mag. t. 326.
281	tenuiflorum. H.R. (re.) slender-flower'd.	—	1824.		D.G. ♀.	Jacq. frag. 52. f. 3.
282	longispinulum. H.P. (st.) rosy-cup'd yellow.	—	1821.	8. 11.	D.G. ♀.	
283	nitidum. H.R. (ye.) shrubby crystalline.	—	1790.	7. 10.	D.G. ♀.	DC. plant. gras. t. 129.
	brachiatum. DC. nec aliorum.	—	—	—	—	—
284	subincanum. H.P. (wh.) soft-leav'd white.	—	1821.	8. 9.	D.G. ♀.	
285	brachiatum. H.R. (ye.) three-forked.	—	1774.	6. 8.	D.G. ♀.	
286	testaceum. H.R. (sn.) tile-coloured.	—	1816.	—	D.G. ♀.	
287	macrorrhizum. H.P. (wh.) large-rooted.	—	1823.	6. 9.	D.G. ♀.	
288	tuberosum. H.R. (co.) tuberous shrubby.	—	1714.	6. 10.	D.G. ♀.	DC. plant. gras. t. 78.
	β minus. H.R. (bl.) lesser-leaved.	—	—	—	D.G. ♀.	
289	noctiflorum. H.R. (ro.wh.) night-flowering.	—	—	6. 8.	D.G. ♀.	DC. plant. gras. t. 10.
	α phæniceum. H.R. (ro.) deep rosy.	—	—	—	D.G. ♀.	Dill. elth. f. 262.
	β stramineum. H.R. (st.) straw-coloured.	—	—	—	D.G. ♀.	— f. 263.
	γ elatum. H.R. (wh.ro.) tall-rosy.	—	1819.	—	D.G. ♀.	
290	fulvum. H.R. (br.wh.) grey-barked.	—	1732.	—	D.G. ♀.	
291	clavatum. DC. (wh.) clubbed.	—		—	D.G. ♀.	Jacq. schenb. t. 108.
	defoliatum. H.R.	—	—	—	—	—
292	horizontale. H.R. (st.) spreading-leav'd.	—	1795.	—	D.G. ♀.	
293	speciosum. H.R. (cr.) glittering orange.	—	1793.	5. 10.	D.G. ♀.	
294	micans. H.R. (sc.) dark orange.	—	1704.	5. 8.	D.G. ♀.	Bot. mag. t. 448.
295	maculatum. H.R. (sc.) spotted-stalked.	—	1792.	—	D.G. ♀.	
296	flavum. H.R. (go.) small-glittering.	—	1820.	8.	D.G. ♀.	
297	obliquum. H.R. (re.) bright afternoon flz -	—	1819.	—	D.G. ♀.	
298	parvifolium. H.R. (pu.) small triquetrous.	—	—	6. 10.	D.G. ♀.	
299	brevifolium. H.R. (re.) short-leaved.	—	1777.	—	D.G. ♀.	Jacq. vind. t. 477.
	erigerifolium. Jacq.	—	—	—	—	—
300	subglobosum. H.R. (re.) globular.	—	1795.	—	D.G. ♀.	
301	pulverulentum. H.R. (re.) powdered.	—	1792.	5.	D.G. ♀.	

302	hispidum. H.R. (pu.)	hispid-stalked.	C. B. S.	1704.	5. 10.	D.G. ♀.	DC. plant. gras. t. 66.
	<i>a Dillenii.</i> H.R. (pu.)	the bushy.	_____	_____	_____	D.G. ♀.	Dill. elth. f. 278.
	<i>β platypetalum.</i> H.R.	tall.	_____	_____	_____	D.G. ♀.	
303	hirtellum. H.R. (re.)	dwarf bristly.	_____	1820.	_____	D.G. ♀.	
304	cándens. H.R. (wh.)	trailing hispid.	_____	1792.	5. 11.	D.G. ♀.	
305	subcompressum. H.P. (vi.)	upright twiggy.	_____	1820.	_____	D.G. ♀.	
	<i>β minus.</i> H.P. (vi.)	lesser.	_____	_____	_____	D.G. ♀.	
306	floribundum. H.R. (fl.)	crowded-flower'd.	_____	1824.	6. 8.	D.G. ♀.	
307	calycinum. H.R. (wh.)	hispid long-cup'd.	_____	1704.	5. 10.	D.G. ♀.	Dill. elth. t. 214. f. 280.
308	striatum. H.R. (std.)	striped bristly.	_____	1819.	_____	D.G. ♀.	
	<i>a roseum.</i> H.R. (std.)	rosy.	_____	1727.	_____	D.G. ♀.	Dill. elth. t. 215. f. 281.
	<i>β pallens.</i> H.R. (std.)	pale-flowered.	_____	_____	_____	D.G. ♀.	_____ t. 215. f. 281.
309	attenuatum. H.R. (v.)	slender hispid.	_____	_____	_____	D.G. ♀.	DC. plant. gras. t. 132.
310	tuberculatum. DC. (v.)	hispid-leaved.	_____	1820.	_____	G. ♀.	
	<i>hispifolium.</i> H.R.	_____	_____	1814.	_____	G. ♀.	
	<i>a fastigiatum.</i> H.R. (v.)	level-topped.	_____	_____	_____	G. ♀.	
	<i>β roseum.</i> H.R. (ro.)	rosy-flowered.	_____	_____	_____	G. ♀.	
311	echinatum. H.R. (ye.)	hedge-hog.	_____	1774.	7. 10.	G. ♀.	DC. plant. gras. t. 24.
	<i>a luteum.</i> (ye.)	yellow.	_____	_____	_____	G. ♀.	
	<i>β album.</i> (wh.)	white-flowered.	_____	_____	_____	G. ♀.	
312	strumosum. H.R. (st.)	tuberous hedge-hog.	_____	_____	_____	G. ♀.	
313	barbatum. H.P. (pu.)	bearded bushy.	_____	1820.	_____	G. ♀.	
314	stelligerum. H.P. (pu.)	procumbent bearded.	_____	1793.	5. 10.	G. ♀.	Bot. mag. t. 70.
315	bulbosum. H.P. (re.)	bearded tuberous.	_____	1705.	6. 8.	G. ♀.	
316	intosum. H.P. (re.)	black bearded.	_____	_____	_____	G. ♀.	
	<i>a rubicundum.</i> H.P. (re.)	red-flowered.	_____	_____	_____	G. ♀.	
	<i>β album.</i> H.P. (bh.)	white-flowered.	_____	_____	_____	G. ♀.	
317	stellatum. H.P. (pu.)	small-bearded.	_____	1820.	_____	G. ♀.	
318	dénsum. H.P. (pu.)	dwarf-bearded.	_____	1716.	9. 10.	G. ♀.	DC. plant. gras. t. 29.
	HYMENO'GYNE. H.R.	HYMENO'GYNE. Icosandria Dodecagynia.	_____	1732.	5. 8.	G. ♀.	Bot. mag. t. 1220.
	<i>glabra.</i> H.R. (st.)	smooth.	C. B. S.	1787.	7. 8.	G. ♂.	
	<i>Mesembryanthemum glabrum.</i> H.S. non A.R.	_____	_____	_____	_____	_____	
TETRAG'ONIA. W. TETRAG'ONIA. Icosandria Pentagynia. L.							
1	expansa. H.S. (gr.)	horned.	N. Zealand.	1772.	8. 9.	H. ♂.	DC. plant. gras. t. 114.
2	crystallina. H.S. (gr.)	diamond.	Peru.	1788.	6. 12.	H. ♂.	_____ t. 34.
3	echinata. H.S. (gr.)	hedgehog.	C. B. S.	1774.	5. 8.	G. ♂.	_____ t. 113.
4	hirsuta. DC. (gr.)	hairy.	_____	1823.	_____	G. ♂.	
5	fruticosa. H.S. (gr.)	shrubby.	_____	1712.	7. 9.	G. ♀.	Mill. ic. 2. t. 263. f. 2.
6	linearis. H.R. (gr.)	linear-leaved.	_____	1819.	9.	G. ♀.	
7	obovata. H.R. (gr.)	obovate-leaved.	_____	_____	_____	G. ♀.	
8	decumbens. H.S. (gr.)	trailing.	_____	1758.	7. 9.	G. ♀.	DC. plant. gras. t. 23.
9	Tetráptēris. H.S. (gr.)	wing-seeded.	_____	1795.	_____	G. ♀.	
10	spicata. H.S. (gr.)	spiked.	_____	_____	_____	G. ♀.	
11	herbacea. H.S. (gr.)	tuberous-rooted.	_____	1752.	6. 7.	G. ♀.	Comm. hort. 2. t. 102.
12	purpurea. Ot. (pu.)	purple.	_____	1825.	_____	H. ♂.	
SESUVIUM. DC. SESUVIUM. Icosandria Tri-Pentagynia.							
1	pedunculatum. P.S. (pu.)	peduncled.	W. Indies.	1692.	6. 8.	D.S. ♀.	Pluk. phyt. t. 216. f. 1.
2	sessile. P.S. (pu.)	sessile-flowered.	_____	_____	_____	D.S. ♀.	DC. plant. gras. t. 9.
	<i>Aizoon canariense.</i> Andr. rep. t. 201. nec aliorum.	_____	_____	_____	_____	_____	
3	longifolium. DC. (pu.)	long-leaved.	S. America.	1816.	7. 8.	D.S. ♀.	
4	revolutifolium. DC. (pu.)	revolute-leaved.	Cuba.	_____	_____	D.S. ♀.	Bot. mag. t. 1701.
5	repens. DC. (ye.)	creeping.	E. Indies.	1816.	_____	S. ♂.	Rumph. amb. 5. t. 72. f. 1.
6	microphyllum. DC. (pu.)	small-leaved.	Havannah.	1823.	_____	D.S. ♀.	
AIZO'ON. DC. AIZO'ON. Icosandria Pentagynia. L.							
1	canariense. DC. (ye.)	Purslane-leav'd.	Canaries.	1731.	7. 8.	D.G. ♀.	DC. plant. gras. t. 136.
2	glinoides. DC. (ro.)	hairy.	C. B. S.	1774.	6. 8.	D.G. ♀.	
3	hispanicum. DC. (wh.)	Spanish.	Spain.	1728.	7. 8.	H. ♂.	DC. plant. gras. t. 30.
4	tomentosum. DC. (ye.)	wooly.	C. B. S.	1824.	_____	D.G. ♀.	
5	stellatum. DC. (ye.)	starry.	_____	_____	_____	D.G. ♀.	
6	perfoliatum. DC. (ye.)	perfoliate.	_____	1816.	6. 8.	D.G. ♀.	
7	sarmentosum. DC. (ye.)	trailing.	_____	_____	_____	D.G. ♀.	Burm. afr. t. 26. f. 2.
8	lanceolatum. W. (ye.)	spear-leaved.	_____	1752.	8.	D.G. ♂.	
GLINUS. DC. GLINUS. Dodecandria Pentagynia. L.							
	lotoides. DC. (ye.)	hairy.	S. Europe.	1788.	7. 8.	H. ♂.	Bocc. sic. 21. t. 11.

Tribus II. REAUMURIEÆ.

REAUM'URIA. DC. REAUM'URIA. Icosandria Pentagynia.

- 1 vermiculata. DC. (wh.) white-flowered. Persia. 1829. G. ♀. Lob. ic. t. 380.

2	hypericoides. DC.(pu.)	purple-flowered. Syria.	1800.	7. 10.	G. h.	Bot. mag. t. 2057.
	limfolia. Sal. par. lond.	t. 18.				
NITRÆRIA. DC. NITRÆRIA. Dodecandria Trigynia.						
1	Schobèri. L. (wh.)	thick-leaved. Siberia.	1778.	5. 8.	H. h.	Andr. rep. t. 529.
2	sibirica. F. (wh.)	Siberian.	1826.		H. h.	Gmel. sib. 2. t. 98.
3	caspica. W.en. (wh.)	Caspian. Caspia.	1822.	5. 8.	H. h.	Pall. ross. t. 50. f. B.
4	tridentata. DC. (wh.)	tridentate. Africa.	—	—	H. h.	

ORDO CIII.

CACTEÆ. DC. prodr. v. 3. p. 457.

Tribus I. OPUNTIACEÆ. DC. prodr. v. 3. p. 458.

MAMMILL'ARIA. H.S. MAMMILL'ARIA. Icosandria Monogynia.

1	magnimamma. DC.(re.)	large-beaded. Mexico.	1823.	6. 8.	D.S. h.	
2	coronaria. DC. (sc.)	the great. —	1820.	—	D.S. h.	Orteg. dec. t. 16.
3	discolor. DC. (wh.re.)	two-coloured. S. America.	1800.	—	D.S. h.	DC. diss. t. 2. f. 2.
	Cactus Spinii. Colla. depréssus. DC. cat. h. monsp. p. 84.	pseudo-mammillaris.				Salm Dyck.
4	lanifera. DC. (re.)	wool-bearing. Mexico.	1823.	6. 8.	D.S. h.	DC. diss. t. 4.
5	flavescens. DC. (re.)	yellow-spined. S. America.	1811.	—	D.S. h.	
6	straminea. H.S.S. (re.)	straw-coloured. —	—	—	D.S. h.	
7	prolifera. DC. (wh.)	white-spined. —	1688.	7. 8.	D.S. h.	
8	simplex. DC. (bh.)	small red-spin'd. W. Indies.	—	—	D.S. h.	DC. plant. gras. t. 3.
	Cactus mammillaris. L.					
9	missouriensis. L.C.(wh.)	Missouri. Missouri.	1813.	6. 8.	D.G. h.	
	Cactus mammillaris. Nuttall. nec aliorum.					
10	vivipara. DC. (re.)	viviparous. —	—	—	D.G. h.	
11	parvimamma. DC.	small-beaded. S. America.	1817.		D.S. h.	
	Cactus microthèle. S.S.					
12	geminispina. DC. (re.)	twin-spined. Mexico.	1823.	6. 8.	D.S. h.	DC. diss. t. 3.
13	glomerata. DC. (re.)	tufted. St. Domingo.	1825.		D.S. h.	Plum. ed Burt. t. 201. f. 1.
14	pusilla. DC. (bh.)	hoary starry. S. America.	1816.	6. 9.	D.S. h.	DC. diss. t. 2. f. 1.
	Cactus stellatus. Lodd. bot. cab. t. 79.					
15	Helicteres. DC. (ro.)	simple obovate. Mexico.	1827.	—	D.S. h.	DC. diss. t. 5.
	cônica. H.S.S.	cone-beaded.	1808.		D.S. h.	
17	coccinea. Gil. (sc.)	scarlet-flower'd. Chile.	1827.		D.S. h.	
18	speciosa. Gil. (re.)	handsome. —	—		D.S. h.	
19	fusca. Ot.	brown. S. America.	—		D.S. h.	
20	canescens. Ot.	canescent. —	—		D.S. h.	
21	caespitosa. Ot.	tufted. —	—		D.S. h.	
22	chrysantha. Ot. (ye.)	yellow-flowered. —	—		D.S. h.	
MELOCA'TUS. DC. MELON THISTLE. Icosandria Monogynia.						
1	communis. DC. (re.)	Turk's-cap. W. Indies.	1688.	7. 8.	D.S. h.	DC. plant. gras. t. 112.
	β oblongus. DC. (re.)	oblong. —	—	—	D.S. h.	
	γ macrocephalus. large-beaded. —		—	—	D.S. h.	
2	macracanthus. DC.(re.)	large-spined. S. America.	1820.	—	D.S. h.	Lk. et Ot. dis. t. 12.
3	pyramidalis. DC.	pyramidal. Curassao.	1824.		D.S. h.	— p. 10. t. 25.
4	placentiformis. DC.(re.)	black-spined. Brazil.	—	7. 9.	D.S. h.	Besl. h. eyst. 4. ord. f. 1.
	Cactus Melocactus. Besl. non L. Melocactus Besleri. Lk. et Ot. dis. p. 11. t. 21.					
5	Langsdorffii. DC. (ye.)	Langsdorf's. Brazil.	1826.	7. 9.	D.S. h.	
6	Sellowii. DC.	Sellow's. Monte Video.	—		D.S. h.	Lk. et Ot. dis. t. 22.
7	polyacanthus. DC.	many-spined. Brazil.	—		D.S. h.	— p. 13. t. 16. f. 1.
ECHINOCA'TUS. DC. ECHINOCA'TUS. Icosandria Monogynia.						
1	gibbosus. DC. (wh.)	gibbous. Jamaica.	1808.	6. 8.	D.S. h.	Bot. reg. t. 137.
	Cactus gibbosus. B.R.					
2	latispinus. H.P. (pu.)	flat-spined. Mexico.	1823.		D.S. h.	Lk. et Ot. dis. t. 14.
	cornigerus. DC. dis. t. 7?					
3	crispatus. DC. (pu.)	curl-ribbed. —	1826.		D.S. h.	DC. diss. t. 8.
4	obvallatus. DC. (pu.)	guarded. —	—		D.S. h.	— t. 9
5	tenuspinus. DC. (ye.)	slender-spined. Brazil.	—	6. 8.	D.S. h.	Lk. et Ot. dis. t. 19. f. 1.
6	melocactiformis. DC.(bh.)	Melocactus-like. Mexico.	—		D.S. h.	DC. diss. t. 10.
7	tephracanthus. DC.	ashy-spined. Brazil.	1825.		D.S. h.	Lk. et Ot. dis. t. 14. f. 2.
8	recurvus. DC.	recurve-spined. Mexico.	1768.		D.S. h.	
	Cactus nobilis. L.					

9	intortus, DC.	 twisted.	Antigua.	1768.		D.S. h.	
10	Salmianus, DC.	 Salm-Dyck's.	Curassao.	1824.		D.S. h.	
11	tuberculatus, DC.	 tubercled.	Mexico.	1826.		D.S. h.	Lk. et Ot. dis. t. 26.
12	gladiatus, DC.	 sword-spined.	—	—		D.S. h.	— p. 17. t. 17.
13	subuliferus, DC.	 awl-spined.	—	1824.		D.S. h.	— p. 16. t. 27.
14	depressus, DC.	 depressed.	S. America.	1780.		D.S. h.	
15	orthacanthus, DC.	 straight-spined.	Monte Video.	1828.		D.G. h.	Lk. et Ot. dis. t. 18.
16	acutatus, DC.	 sharp-ribbed.	—	—		D.G. h.	— p. 15. t. 23.
17	parvispinus, DC.	 small-spined.	S. America.	1815.		D.S. h.	
18	intricatus, DC.	 intricate.	Monte Video.	1828.		D.S. h.	Lk. et Ot. dis. t. 24.
19	neonacanthus, DC.	 oblong.	Jamaica.			D.S. h.	— p. 19. t. 15.
20	inflatus, Gil.	 inflated.	Chile.	1828.		D.S. h.	
21	erinaceus, DC.	 Hedgehog.		1818.		D.S. h.	
<i>Cactus erinaceus</i> , H.S.S.							
CEREUS, DC. CEREUS. Icosandria Monogynia.							
1	multangularis, DC.	 many angled.	S. America.	1815.		D.S. h.	
2	reductus, DC.	 removed.	Mexico.	1796.		D.S. h.	
<i>Cactus nobilis</i> , H.S.							
3	Scopa, DC.	 setaceous.	Brazil.	1826.		D.S. h.	
4	senilis, DC.	 grey-headed.	Mexico.	1823.		D.S. h.	
<i>Cactus senilis</i> , H.P.							
5	peruvianus, DC. (re.wh.)	great Peruvian.	Peru.	1728.	8. 10.	D.S. h.	DC. plant. gras. t. 58.
6	monstruosus, DC. (re.wh.)	irregular.	S. America.	1816.	—	D.S. h.	DC. diss. t. 11.
<i>Cactus abnormis</i> , W. enum. sup. 31.							
7	monoclonos, DC. (ro.wh.)	obcordate-petal'd.	Caribees.		6. 8.	D.S. h.	Plum. ed. Burm. t. 191.
8	fimbriatus, DC. (ro.)	fringe-petal'd.	St. Domingo.	1826.	—	D.S. h.	— t. 195. f. 1.
9	hexagonus, H.S. (ro.wh.)	great 6-angled.	Surinam.	1690.	7. 8.	D.S. h.	Bradl. succ. t. 1.
10	heptagonus, H.S. (wh.)	great 7-angled.	W. Indies.	1728.		D.S. h.	
11	Histrix, DC.	 Porcupine.		1818.		D.S. h.	
12	eburneus, DC.	 ivory-thorned.	Curassao.	—		D.S. h.	Bradl. succ. t. 10.
13	monstruosus, DC. (wh.)	monstrous.	Hybrid.			D.S. h.	
14	griseus, H.S. (wh.)	grey-spined.	S. America.	1809.	9. 10.	D.S. h.	
15	crenulatus, DC.	 crenulate.	—	1822.		D.S. h.	
16	albispinus, DC.	 white-spined.	—	—		D.S. h.	
17	regalis, DC.	 the royal.	—	1816.		D.S. h.	
18	strictus, DC.	 straight.	—	1822.		D.S. h.	
19	Haworthii, DC.	 Haworth's.	Caribees.	1811.		D.S. h.	
<i>Cactus Haworthii</i> , s.s. <i>Cereus nobilis</i> , H.S.							
20	aureus, DC.	 gold-spined.	S. America.	1825.		D.S. h.	
21	niger, DC. (wh.)	black.	—	1820.		D.S. h.	
22	fulvispinosus, DC.	 tawny-spined.	—	1795.		D.S. h.	
23	flavispinus, DC.	 yellow-spined.	—	1822.		D.S. h.	
24	chiloensis, DC.	 ten-angled.	Chile.	1825.		D.S. h.	
25	euphorbioides, DC.	 Euphorbia-like.	S. America.	1815.		D.S. h.	
26	Royeni, DC. (wh.)	Royen's 9-angled.	W. Indies.	1728.	6. 9.	D.S. h.	DC. plant. gras. t. 143.
27	lanuginosus, DC. (wh.)	woolly.	—	1690.	7. 8.	D.S. h.	Herm. parad. t. 115.
28	repandus, DC. (wh.)	waved short-spin'd.	—	1728.	8. 10.	D.S. h.	Bot. reg. t. 336.
29	subrepandus, DC. (wh.)	waved long-spin'd.	—	1817.	—	D.S. h.	
30	polygnus, DC. (wh.)	many-sided.	St. Domingo.	1826.		D.S. h.	Plum. ed. Burm. t. 196.
31	rosaceus, Ot. (ro.)	rosy.		1826.		D.S. h.	
32	Deppii, Ot.	 Deppi's.		—		D.S. h.	
33	incrastatus, Ot.	 incrusted.		—		D.S. h.	
34	grandis, DC.	 straddling-spin'd.		1816.		D.S. h.	
35	tetragonus, DC. (wh.)	great 4-angled.	S. America.	1710.	7. 8.	D.S. h.	
36	paniculatus, DC. (wh.re.)	panicked.	St. Domingo.	1827.		D.S. h.	Plum. ed. Burm. t. 192.
37	obtusus, DC.	 blunt 3-angled.	Brazil.	1819.		D.S. h.	
38	serpentinus, DC. (pu.wh.)	white-spined.	S. America.	1817.	7. 8.	D.S. h.	Lk. et Ott. abb. t. 91.
39	ambiguus, DC. (pu.wh.)	ambiguous.		1827.	—	D.S. h.	
40	flagelliformis, DC. (ro.)	creeping.	Peru.	1690.	3. 6.	D.G. h.	Bot. mag. t. 17.
41	caudatus, Gil.	 tailed.	Chile.	1828.		D.G. h.	
42	horizontalis, Gil.	 horizontal.	—	—		D.G. h.	
43	grandiflorus, DC. (ye.wh.)	night-flowered.	Jamaica.	1700.	6. 8.	D.S. h.	Andr. reposit. t. 508.
44	Colvillii.	 Colvill's hybrid.	Hybrid.	1825.		D.S. h.	
45	pentagonus, DC. (wh.)	five-angled.	S. America.	1769.	7. 8.	D.S. h.	
46	reptans, H.S.S.	 creeping.	—	1813.		D.S. h.	
47	albisetosus, H.S.S.	 white-spin'd.	St. Domingo.	1816.		D.S. h.	
48	radicans, DC.	 rooting-branch'd.	S. America.	1827.		D.S. h.	
49	humilis, DC.	 slender dwarf.		—		D.S. h.	
50	quadrangularis, DC. (wh.)	quadrangular.	S. America.	1809.	7. 9.	D.S. h.	Plum. ed. Bur. t. 199. f. 1.

50	tripteris, DC.	 broad-lobed.		1827.		D.S. h.	
51	bifrons, H.S.s	 rooting 4-angular.	St. Domingo.	1818.		D.S. h.	
52	speciosissimus, DC. (sc. pu.)	beautiful.	Mexico.	1816.	6. 9.	D.G. h.	Bot. reg. t. 486.
	<i>Cactus speciosissimus</i> , B.R.	<i>speciosus</i> .	Colla hort. rip. t. 10.				
53	triangularis, DC. (wh.)	great triangular.	W. Indies.	1690.	7. 8.	D.S. h.	Bot. mag. t. 1884.
54	trigonus, DC. (wh.)	small triangular.		1809.		D.S. h.	Plum. ed. Bur. t. 200. f. 2.
55	triqueter, DC.	 least triangular.	S. America.	1794.		D.S. h.	
56	coccineus, DC. (sc.)	scarlet-flowered.	Brazil.	1828.		D.S. h.	
57	Smithianus, (sc.)	Smith's hybrid.	Hybrid.	1824.	6. 9.	D.G. h.	
58	extensus, DC.	 extended.		1826.		D.S. h.	
59	squamulosus, DC. (ye.)	scaly.	Brazil.			D.S. h.	
60	prismaticus, DC.	 prismatic.				D.S. h.	
61	setaceus, DC.	 bristly.	Brazil.	1828.		D.S. h.	
62	myosurus, DC.	 mouse-tail.				D.S. h.	
63	tenuis, DC. (ro.)	slender-branched.		1826.		D.S. h.	
64	tenuispinus, H.P.	 slender-spined.	Mexico.			D.S. h.	
65	phyllanthoides, DC. (pi.)	rosy-flowered.		1816.	5. 8.	D.G. h.	Bot. mag. t. 2092.
	<i>Cactus speciosus</i> , Bot. reg. t. 304.	<i>Epiphyllum phyllanthoides</i> .	H.R.				
66	Jenkinsoni, (sc.)	Mr. Jenkinson's Hybrid.		1824.	6. 9.	D.G. h.	
67	Ackermanni, H.R. (sc.)	Ackermann's.	Mexico.	1824.	5. 7.	D.G. h.	
68	truncatus, DC. (cr.)	truncated.	Brazil.	1818.	7. 11.	D.S. h.	Bot. reg. t. 696.
	<i>Cactus truncatus</i> , Bot. mag. t. 2092.	<i>Epiphyllum truncatum</i> .	H.P.				
69	alatus, DC. (gr. wh.)	wing-stemmed.	Jamaica.	1818.	8. 11.	D.S. h.	Bot. mag. t. 2820.
70	Hookeri, H.P. (wh.)	Hooker's.	S. America.		7. 8.	D.S. h.	 t. 2692.
	<i>Cactus Phyllanthus</i> , B.M. nec aliorum.	<i>Epiphyllum Hookeri</i> .	H.P.				
71	Phyllanthus, DC. (wh.)	long-tubed.	S. America.	1710.	6. 7.	D.S. h.	DC. plant. gras. t. 145.
72	gracilis, DC.	 slender.		1826.		D.S. h.	
73	imbricatus, H.R.	 imbricated.		1820.		D.S. h.	
74	cylindricus, H.S.	 cylindrical.	Peru.	1799.		D.G. h.	
OPUNTIA, DC. INDIAN-FIG. Icosandria Monogynia.							
1	foliosa, DC. (ye.)	greater Pin-pillow.	S. America.	1805.	6. 7.	D.S. h.	
	<i>pusilla</i> , H.S. non DC.						
2	curassavica, DC. (ye.)	Pin-pillow.	Curassao.	1690.		D.S. h.	Bradl. succ. t. 4.
	<i>a major</i> , H.S. (ye.)	larger.				D.S. h.	
	<i>β media</i> , H.S. (ye.)	middle.				D.S. h.	
	<i>γ minor</i> , H.S. (ye.)	smaller.				D.S. h.	
	<i>δ longa</i> , H.R. (ye.)	longer.	Brazil.	1820.		D.S. h.	
3	fragilis, DC. (ye.)	brittle Pin-pillow.	Missouri.	1814.		D.F. h.	
4	pusilla, DC. (ye.)	small Pin-pillow.	S. America.	1826.		D.S. h.	
5	polyacantha, H.S.s. (st.)	many-spined.	Missouri.	1814.	7. 9.	D.F. h.	
	<i>missouriensis</i> , DC. <i>Cactus ferōx</i> , N.						
6	media, H.S.s. (ye.)	lesser many-spined.				D.F. h.	
7	ferox, DC. (ye.)	ferocious.	S. America.	1817.		D.S. h.	
8	spinossima, DC.	 cluster-spined.	Jamaica.	1732.	7.	D.S. h.	
9	humilis, H.S. (ye.)	humble.	W. Indies.	1795.	7. 8.	D.S. h.	
	<i>horrída</i> , DC.						
10	Dillenii, DC. (ye.)	Dillenius's.	S. America.	1731.	9. 10.	D.S. h.	Bot. reg. t. 255.
	<i>Cactus Dillenii</i> , B.R.	Dill. elth. 2. t. 296. f. 382.					
11	Tuna, DC. (ye.)	yellow-spined.				D.S. h.	Dill. elth. t. 295. f. 380.
12	polyantha, DC. (ye.)	many-flowered.		1811.	7. 9.	D.S. h.	Bot. mag. t. 2691.
13	monacantha, DC. (ye.)	one-spined.		1816.		D.S. h.	DC. pla. gras. n. 137. t. 2.
14	elatiōr, DC. (ye.)	great black-spin'd.		1731.	7. 8.	D.S. h.	Dill. elth. t. 204. f. 379.
15	nigricans, DC. (ye.)	lesser black-spined.		1795.		D.S. h.	Bot. mag. t. 1557.
	<i>Cactus Tuna γ nigricans</i> , B.M.						
16	máxima, DC. (ye.)	great oblong.	S. America.	1768.	7. 9.	D.S. h.	
17	triacantha, DC. (ye.)	three-spined.		1796.		D.S. h.	
18	decumana, H.R.	 great.		1820.		D.S. h.	
19	elongata, H.S.s.	 various-spined.		1816.		D.S. h.	
20	cochinillifera, DC. (re.)	Cochineal-fig.		1688.	7. 9.	D.S. h.	Andr. rep. t. 523.
	<i>Cactus cochinillifer</i> , Bot. mag. t. 2741-2742.						
21	Ficus-Indica, DC. (ye.)	Indian Fig.		1731.	7. 8.	D.S. h.	
22	pseudo-Tuna, DC. (ye.)	bastard.				D.S. h.	
23	tomentosa, DC.	 woolly-branch'd.		1824.		D.S. h.	
24	sericea, Gil.	 silky.	Chile.	1827.		D.S. h.	
25	lanceolata, DC. (ye.)	spear-shaped.		1796.	7. 9.	D.S. h.	
26	tuberculata, DC. (ye.)	tubercled.		1818.		D.S. h.	
27	inermis, DC. (ye.)	upright spineless.		1796.		D.S. h.	DC. plant. gras. n. 138. ic.
	<i>stricta</i> , H.S.						
28	Amyclæa, DC. (ye.)	Neapolitan.	Naples.	1825.		D.F. h.	

- 29 subinermis. L.en. (ye.) nearly smooth S. America. 1824. 7. 9. D.S. h.
 30 rubescens. DC. red-stemmed. Brazil. 1828. D.S. h.
 31 crassa. DC. (ye.) thick-lobed. Mexico. 1817. 6. 9. D.G. h.
 32 longispina. Ot. (ye.) long-spined. S. America. 1824. D.S. h.
 33 leucantha. Ot. (wh.) white-flowered. D.S. h.
 34 pulvinata. DC. pulvinate. Mexico. 1827. D.S. h.
 35 Hernandezii. DC. (re.) Hernandez's. D.G. h.
 36 vulgaris. DC. (ye.) common. America. 1596. 7. 9. D.F. h. Hern. mex. 78. ic.
 Cactus Opuntia. Bot. mag. t. 2393. Mill. dict. t. 191.
 β minor. (ye.) lesser. N. America. 1814. — D.F. h.
 Cactus Opuntia. N.
 37 brasiliensis. DC. (gr.) round-stemm'd. Brazil. 1817. D.S. h. Pis. bras. p. 100. f. 2.
 PERESKIA. DC. PERESKIA. Icosandria Monogynia.
 1 aculeata. DC. (wh.) Barbadoes Gooseb'y. W. Indies. 1696. 10. 11. S. h. Dill. elth. t. 227. f. 294.
 Cactus Pereskia. L.
 2 longispina. H.s.s. (wh.) long-spined. S. America. 1808. S. h.
 3 portulacaefolia. DC. (pu.) Purslane-leav'd. W. Indies. 1820. S. h. Plum. ed Bur. t. 197. f. 1.
 4 grandifolia. DC. great-leaved. Brazil. 1818. S. h.

Tribus II. RHIPSALIDEÆ. DC. prodr. v. 3. p. 475.

- RHIPSALIS. DC. RHIPS'ALIS. Dodecandria Monogynia.
 1 Cassythia. DC. (wh.) pendulous. W. Indies. 1758. 7. 10. S. h. Gärt. sem. 1. t. 28. f. 1.
 2 Hookeriāna. DC. (wh.) four-petal'd. S. h. Hook. ex. flor. t. 2.
 3 fasciculata. DC. (wh.) cluster-branch'd. S. America. 1800. — S. h.
 4 parasitica. DC. (wh.) parasitical. W. Indies. — S. h. Plum. ed Bur. t. 197. f. 2.
 5 funalis. DC. (wh.) great-flowered. S. America. 1816. 7. 8. S. h. Bot. mag. t. 2740.
 grandiflorus. B.M. *Cactus funalis*. s.s.
 6 salicornioides. DC. (ye.) Glass-wort-like. W. Indies. 1818. 5. 8. D.S. h. Bot. mag. t. 2461.
 7 mesembryanthoides. DC. Fig Marygold-like. — D.S. h.

ORDO CIV.

GROSSULARIÆ. DC. prodr. v. 3. p. 477.

- RIBES. DC. CURRANT. Pentandria Monogynia. L.
 1 oxyacanthoides. DC. (st.) Hawthorn-leav'd. N. America. 1705. 4. 5. H. h. Dill. elth. t. 139. f. 166.
 2 ferox. DC. (st.) ferocious. California. 1827. — H. h.
 3 lacustre. DC. (br.) swamp. N. America. 1812. — H. h. Lodd. bot. cab. t. 884.
 4 Menziesii. DC. (cr.) Menzies'. — 1827. — H. h.
 5 speciosum. DC. (pu.) beautiful. — — H. h.
 6 ūva-crīspa. R.S. (st.) smooth Gooseberry. England. — H. h. Eng. bot. v. 29. t. 2057.
 7 reclinatūm. R.S. (st.) procumbent. Germany. 1683. — H. h.
 8 Grossularia. R.S. (st.) rough Gooseberry. England. — H. h. Eng. bot. v. 12. t. 1292.
 9 caucasicum. DC. (st.) Caucasian. Caucasus. 1820. — H. h.
 10 setosum. B.R. (st.) bristly. Missouri. 1827. 5. — H. h. Bot. reg. t. 1237.
 11 hirtellum. DC. (st.) hairy. N. America. 1812. 4. 5. H. h.
 12 gracile. DC. (st.) slender. — — H. h.
 13 Cynosbati. DC. (gr.) prickly-fruited. Canada. 1759. 4. — H. h. Schmidt arb. t. 98.
 14 triflorum. DC. (br.) three-flowered. N. America. 1812. 4. 5. H. h. Lodd. bot. cab. t. 1094.
 15 Dikúschā. F. (st.) Fischer's. Siberia. 1821. — H. h.
 16 Stakòri. F. (st.) Siberian. — — H. h.
 17 orientāle. DC. (st.) oriental. Syria. 1820. — H. h.
 18 saxatile. DC. (br.) rock. Siberia. 1828. — H. h.
 19 diacantha. DC. (st.) two-spined. — 1781. 5. 6. H. h. Pall. ross. 2. t. 66.
 20 alpinum. DC. (st.) Alpine. Britain. 4. 5. H. h. Eng. bot. v. 10. t. 704.
 α stérile. DC. (st.) barren. — H. h.
 β bacciferum. DC. (st.) berry-bearing. — H. h.
 21 resinosum. DC. (st.) clammy. N. America. 1800. — H. h. Bot. mag. t. 1583.
 22 procumbens. DC. (br.) trailing. Dahuria. 1804. 5. 6. H. h. Pall. ross. 2. t. 65.
 23 multiflorum. DC. (st.) many-flowered. Hungary. 1818. 5. — H. h. Bot. mag. t. 2368.
 24 spicatum. DC. (br.) acid. England. — H. h. Eng. bot. v. 18. t. 1290.

25	rùbrum. DC.	(st.) common red.	Britain.		4. 5.	H. h.	Eng. bot. v. 18. t. 1289.
	<i>a sylvestre</i> . DC.	(st.) wild.	————		————	H. h.	
	<i>β hortense</i> . DC.	(st.) cultivated.			————	H. h.	
	<i>γ carneum</i> . DC.	(st.) pale-fruited.			————	H. h.	
	<i>δ variegatum</i> . DC.	(st.) stripe-fruited.			————	H. h.	
	<i>ε album</i> . DC.	(st.) white-fruited.			————	H. h.	Berl. mem. t. 2. f. 15.
26	petræum. DC.	(re.) rock.	England.		5. 6.	H. h.	Eng. bot. v. 10. t. 705.
27	cereum. B.R.	(wh.) waxy.	Columbia.	1827.	4. 5.	H. h.	Bot. reg. t. 1263.
28	atropurpureum. Led.	dark-purple.	Siberia.	————		H. h.	
29	carpathicum. R.S.	(st.) Carpathian.	Carpathian. M.	1816.	4. 5.	H. h.	
30	triste. DC.	(re. ye.) dark-coloured.	Siberia.	1818.	————	H. h.	
31	nigrum. DC.	(wh.) black-fruited.	Britain.		————	H. h.	Eng. bot. v. 18. t. 1291.
32	trifidum. DC.	(pu.) trifid-calyxed.	N. America.	1828.	————	H. h.	
33	glandulosum. DC.	(st.) glandular.	Chile.	1820.	5. 6.	H. h.	Flor. per. t. 232. f. b.
34	prostratum. DC.	(pu.) prostrate.	N. America.	1777.	4. 5.	H. h.	L'Herit. stirp. 1. t. 2.
	<i>glandulosum</i> . H.K.	non R.P.					
35	Biebersteinii. DC.	(st.) Bieberstein's.	Caucasus.	1820.	————	H. h.	
	<i>caucasicum</i> . M.B.	nec aliorum.					
36	rigens. DC.	(st.) rigid.	N. America.	1812.	————	H. h.	
37	albinervium. DC.	(st.) white-nerved.	Canada.	1828.	————	H. h.	
38	laxiflorum. DC.	(st.) loose-flowered.	N. America.	1812.	————	H. h.	
39	viscosissimum. DC.	(ye.) viscous.	————	1827.	————	H. h.	
40	sanguineum. DC.	(cr.) crimson.	————	1820.	5. 6.	H. h.	
41	floridum. DC.	(st.) Pennsylvanian.	————	1729.	4. 5.	H. h.	Dill. elth. t. 244. f. 315.
42	aureum. DC.	(ye.) golden.	Missouri.	1812.	4. 6.	H. h.	Bot. reg. t. 125.
43	longiflorum. L.C.	(ye.) long-flowered.	N. America.	1818.	————	H. h.	
44	tenuiflorum. B.R.	(ye.) slender-flower'd.	————	1824.	————	H. h.	Bot. reg. t. 1274.
	<i>a melanocarpa</i> . (ye.) black-fruited.	————	————	————	————	H. h.	
	<i>β chrysocarpa</i> . (ye.) yellow-fruited.	————	————	————	————	H. h.	

ORDO CV.

ESCALLONEÆ. *Kth. synops. v. 3. p. 364.*

ESCALL'ONIA. L.		ESCALL'ONIA. Pentandria Monogynia. L.					
1	rùbra. r.s.	(re.) red-flowered.	Chile.	1826.	8. 10.	G. h.	Bot. mag. t. 2890.
	<i>Stereoxylon rùbrum</i> . Flor. per. v. 3. t. 236. f. b.						
2	glandulosa. B.C.	(wh.) glandular.	Chile.	—	—	G. h.	Lodd. bot. cab. t. 1291.
3	floribunda. K.S.	(wh.) many-flowered.	New Granada.	1827.	...	G. h.	
4	caracasana. K.S.	(wh.) Caracas.	Caracas.	—		S. h.	
ANO'PTERUS. B.P.		ANO'PTERUS. Hexandria Monogynia.					
	glandulosa. B.P.	(wh.) glandular.	V. Diem. Isl.	1823.	...	G. h.	Lab. nov. holl. 1. t. 112.

ORDO CVI.

SAXIFRAGEÆ. *Juss. gen. 308.*

SAXIFRAGA. L.		SAXIFRAGE.		Decandria Digynia. L.			
1	crassifolia. L.T.	(ro.) thick-leaved.	Siberia.	1765.	3. 5.	H. 4.	Bot. mag. t. 126.
	<i>Bergenia crassifolia</i> . Mœn. <i>Megasea crassifolia</i> . H.R.						
2	cordifolia. L.T.	(ro.) heart-leaved.	————	1779.	——	H. 4.	
3	media.	(ro.) intermediate.	————	1819.	——	H. 4.	
	<i>Megasea media</i> . H.R.						
4	ligulata. L.T.	(wh.) fringed-leaved.	Nepaul.	1818.	——	H. 4.	Swt. br. fl. gar. 59.
	<i>Megasea ciliata</i> . H.R.						
5	Gœum. L.T.	(sp.) kidney-leaved.	Ireland.		6. 7.	H. 4.	Eng. bot. v. 22. t. 1561.
6	hirsuta. L.T.	(sp.) hirsute.	————		5. 6.	H. 4.	———— v. 33. t. 2322.
7	polita. L.en.	(sp.) polished.	————		——	H. 4.	
	<i>Robertsônia polita</i> . H.S.						

- 8 dentata. L.en. (sp.) toothed. Ireland. 5. 6. H. 2.
Robertsônia dentata. H.s.
- 9 crenata. (sp.) crenated. 1790. — H. 2.
Robertsônia crenata. H.s.
- 10 sphæroidea. (sp.) sphæroid. Pyrenees? 1800. — H. 2.
Robertsônia sphæroidea. H.s.
- 11 punctata. L. (sp.) dotted-flower'd. Siberia. 1699. — H. 2.
- 12 serrata. L.en. (sp.) sawed-leaved. Ireland. — H. 2.
Robertsônia serrata. H.s.
- 13 umbrösa. L.T. (sp.) London pride. Britain. 4. 6. H. 2. Eng. bot. v. 10. t. 633.
Spatularia stellaris. γ *depilata*. H.R.
- 14 cuneifolia. L.T. (sp.) wedge-leaved. Switzerland. 1768. 5. 6. H. 2. W. et K. hung. 1. t. 44.
- 15 hybrida. L.en. (sp.) hybrid. 1820. — H. 2. Sternb. sax. 17. t. 8. f. 3.
- 16 stellaris. L.T. (wh.) starry. Britain. 6. 7. H. 2. Eng. bot. v. 3. t. 167.
Schleicheri. L.T. (wh.) *Schleicher's*. Switzerland. 1819. — H. 2.
Spatularia stellaris. γ *depilata*. H.R.
- 17 leucanthemifolia. (wh.) Stock-leav'd. N. America. 1812. — H. 2. Lap. pyr. sax. t. 25.
- 18 sarmentösa. L.T. (wh.) sarmentose. China. 1771. — F. 2. Bot. mag. t. 92.
- Diptera sarmentösa*. Bork. *Ligularia sarmentösa*. H.R.
- 19 cuscutæformis. B.C. (wh.) dodder-like. China. 1815. 2. 7. F. 2. Lodd. bot. cab. t. 186.
Ligularia minor. H.R.
- 20 erösa. L.T. (wh.) jagged-leaved. N. America. 1812. 5. 6. H. 2.
Aulaxis nuda. H.R.
 β hirsuta. L.T. (wh.) hairy. — — — — H. 2.
Aulaxis micranthifolia. H.R.
- 21 rotundifolia. L.T. (wh.) round-leaved. Austria. 1596. — H. 2. Bot. mag. t. 424.
Miscopetalum rotundifolium. H.R.
- β repanda*. L.T. (wh.) repand. — H. 2. Sternb. saxif. t. 5.
- 22 granulata. L.T. (wh.) grain-rooted. Britain. 5. H. 2. Eng. bot. v. 7. t. 500.
- β multiplæx*. (wh.) double-flowered. — H. 2.
- 23 bulbifera. L.T. (wh.) bulbiferous. S. Europe. 6. 7. H. 2. Sternb. sax. t. 12. f. 1.
- 24 cernua. L.T. (wh.) drooping. Scotland. 7. H. 2. Eng. bot. v. 10. t. 66.
Lobaria cernua. H.R.
- 25 sibirica. L.T. (wh.) Siberian. Siberia. 1802. 5. 6. H. 2. Sternb. sax. p. 23. t. 25.
- 26 rivularis. L.T. (wh.) Alpine brook. Scotland. 6. 7. H. $\odot$. Eng. bot. v. 32. t. 2275.
Lobaria rivularis. H.R.
- 27 hederacea. L.T. (wh.) Ivy-leaved. Levant. 1752. 7. H. $\odot$. Flor. græc. t. 379.
- 28 Hirculus. L.T. (ye.) yellow marsh. England. 8. H. 2. Eng. bot. v. 15. t. 1009.
Hirculus ranunculoides. H.R.
- 29 flagellaris. L.T. (ye.) flagelliferous. Baffin's Bay. 1820. — H. 2. Sternb. sax. p. 25. t. 6.
- 30 aizoides. L.T. (ye.) smaller mountain. Britain. 7. 8. H. 2. — t. 8. f. 1.
- β autumnalis*. (ye.) larger mountain. — H. 2. Eng. bot. v. 1. t. 39.
- Leptæsea aizoides*. H.R.
- 31 bronchialis. L.T. (st.) spiny-fringed. Siberia. 1819. — H. 2. Gmel. sib. 4. t. 65. f. 2.
- 32 tenella. L.T. (wh.) slender. Carinthia. 1824. — H. 2. Jacq. coll. 3. t. 17.
- 33 juniperina. L.T. (ye.) Juniper-like. Caucasus. 1826. — H. 2. Sternb. sax. p. 31. t. 10.
- 34 áspera. L.T. (st.) rough. Switzerland. 1752. 8. H. 2. Jacq. aust. 5. t. 31.
Ciliaria áspera. H.R.
- 35 bryoides. L.T. (st.) thread-moss like. — — — — 6. 7. H. 2. Jacq. misc. 2. t. 5. f. 1.
- 36 hieracifolia. L.T. (br.) Hawkweed-ld. Hungary. 1789. 5. 6. H. 2. W. et K. hung. 1. t. 18.
- 37 pensylvanica. L.T. (gr.) Pennsylvanian. N. America. 1732. — H. 2. Dill. elt. t. 253. f. 328.
- β glabra*. (gr.) smoother-leaved. — — — — H. 2.
- 38 semipubescens. L.T. (st.) semipubescent. — — — — — H. 2.
- Micranthes semipubescens*. H.s.
- 39 virginienis. L.T. (wh.) Virginian. — — — — 1790. 5. 7. H. 2. Bot. mag. t. 1664.
Dermasea pilösa. H.R.
- 40 congesta. H.S.L. (wh.) close-headed. — — — — 1812. — H. 2.
nivälis. Ph. nec *aliorum*.
- 41 nivälis. L.T. (wh.) clustered Alpine. Britain. 6. 7. H. 2. Eng. bot. v. 7. t. 440.
Dermasea nivälis. H.R.
- 42 melaleuca. s.s. (wh.) Fischer's. Siberia. 1826. — H. 2.
- 43 longiscapa. L.T. (wh.) long-scaped. — — — — 1824. 5. 7. H. 2.
- 44 davurica. L.T. (wh.) Davurian. Davuria. — — — — H. 2.
- 45 Cotyledon. L.T. (wh.) pyramidal. Alps Europe. 1596. 5. 7. H. 2. Flor. dan. t. 241.
Chondrosea pyramidalis. H.R.
- 46 intermedia. (wh.) related. 1808. 7. H. 2.
- Chondrosea intermedia*. H.R.
- 47 lingulata. L.T. (sp.) tongue-leaved. Pyrenees. 5. 7. H. 2.
- longifolia*. s.s.
- β media*. L.T. (sp.) middle. — H. 2. Sternb. sax. p. 1. t. 1. a.

48	crustata. L.en.	(sp.) crusted.	Pyrenees.		5. 7.	H. 4.	Sternb. sax. t. 1. b.
49	Aizoon. L.T.	(sp.) large margined.	1731.		—	H. 4.	Jacq. aust. t. 438.
50	récta. P.S.	(sp.) straight-leaved.	Alps Europe.		—	H. 4.	Lap. pyr. sax. t. 15.
	intacta. L.T. W. hort. ber. 2. t. 75.	<i>Chondrosea Aizoon.</i> H.R.					
	β minor. H.R.	(sp.) lesser.	Alps Europe.		—	H. 4.	
	γ parviflōs. H.R.	(sp.) smaller-flowered.			—	H. 4.	
51	mutata. L.T.	(ye.) saffron-colour'd.	Switzerland.	1779.	6. 7.	H. 4.	Bot. mag. t. 351.
52	aretioīdes. L.T.	(ye.) Aretia-like.	1825.		—	H. 4.	Lap. pyr. sax. t. 13.
53	Burseriāna. L.T.	(st.) Burser's.	Italy.		5. 6.	H. 4.	Jacq. misc. 1. t. 17. f. 3.
54	retusa. L.T.	(ro.) purple-flower'd.	Pyrenees.		3. 4.	H. 4.	Lap. pyr. sax. t. 18.
55	oppositifolia. L.T.	(re.) opposite-leaved.	Britain.		—	H. 4.	Eng. bot. v. 1. t. 9.
	<i>Antiphylla cærulea.</i> H.R.						
56	biflōra. L.T.	(re.) two-fl'd purple.	Switzerland.	1825.	—	H. 4.	Lap. pyr. sax. t. 17.
57	cæsia. L.T.	(st.) grey.	1752.	5. 6.	H. 4.	Jacq. aust. 4. t. 374.	
58	diapsensioīdes. L.T.	(wh.) Diapsensia-like.	1828.	—	H. 4.	Flor. ped. app. p. 21. t. 3.	
59	compacta. s.s.	(wh.) compact.			—	H. 4.	
60	androsæcea. L.T.	(wh.) Androsæcea-leav'd.	1792.	—	H. 4.	Jacq. aust. 4. t. 389.	
61	sedioīdes. L.T.	(st.) Stonecrop-like.	Europe.	1825.	—	H. 4.	Jacq. misc. 1. t. 21. f. 22.
62	ténera. L.T.	(st.) flat-leaved.	Switzerland.		5. 6.	H. 4.	Sternb. sax. t. 9. f. 4.
	<i>planifolia.</i> s.s.						
63	geranioides. L.S.	(wh.) cranesbill-leav'd.	Pyrenees.	1770.	4. 5.	H. 4.	Lap. pyr. sax. t. 43.
64	irrigua. L.T.	(wh.) crowfoot-leav'd.	Siberia.	1820.	—	H. 4.	M.B. cent. pl. rar. t. 73.
65	pedatifida. L.T.	(wh.) pedatifid.	Scotland.		5. 6.	H. 4.	Eng. bot. v. 32. t. 2278.
	β minor. H.R.	(wh.) smaller villous.			—	H. 4.	
	γ ladanifera. L.T.	(wh.) ladaniferous.	Pyrenees.		—	H. 4.	Lap. sax. pyr. t. 42.
66	quinquefida. H.R.	(wh.) quinquefid.	Scotland.		—	H. 4.	
67	ceratophylla. L.T.	(wh.) shining-calyx'd.	Spain.	1804.	—	H. 4.	Bot. mag. t. 1651.
68	ajugifolia. L.T.	(wh.) Bugle-leaved.	Pyrenees.	1770.	6. 7.	H. 4.	Lap. pyr. sax. t. 31.
69	affinis. L.T.	(wh.) affined.	Ireland.		—	H. 4.	
70	pentadactyla. L.T.	(wh.) five-fingered.	Pyrenees.	1815.	5. 6.	H. 4.	Lap. pyr. sax. t. 40.
71	latifida. L.T.	(wh.) broad-cleft.	Spain.	1826.	—	H. 4.	
72	decipiens. L.T.	(wh.) palmate.	Wales.		—	H. 4.	Sternb. sax. p. 55. t. 23.
	<i>palmata.</i> Eng. bot. v. 7. t. 455.	<i>cæspitosa.</i> Flor. dan. t. 71.					
73	hirta. L.T.	(wh.) hairy.	Ireland.		—	H. 4.	Eng. bot. v. 32. t. 2291.
74	platypétala. L.T.	(wh.) broad-petaled.	Scotland.		6.	H. 4.	— v. 32. t. 2276.
75	Schraderi. s.s.	(wh.) Schrader's.	Siberia.	1826.	—	H. 4.	
76	incurvifolia. L.T.	(wh.) incurved-leav'd.	Ireland.		—	H. 4.	
77	denudata. L.T.	(wh.) half-naked.	Scotland.		—	H. 4.	
78	Sternbergii. L.T.	(wh.) Sternberg's.	Germany.		5. 6.	H. 4.	Sternb. sax. t. 24.
79	pulchella. L.T.	(st.) pretty.	1818.	—	H. 4.		
80	tridentata. L.T.	(wh.) three-toothed.			—	H. 4.	
81	cæspitosa. L.T.	(st.) tufted.	Wales.		—	H. 4.	Eng. bot. v. 12. t. 794.
82	exarata. L.T.	(wh.) furrowed.	Pyrenees.	1818.	—	H. 4.	Vill. delph. 4. t. 45.
	<i>nervosa.</i> Lap. pyr. sax. t. 39.						
83	pedemontana. L.T.	(wh.) Piedmont.	Piedmont.	1824.	—	H. 4.	All. ped. t. 21. f. 6.
	<i>cymōsa.</i> Pl. rar. hung. t. 88.	<i>heterophylla.</i> Sternb. sax. t. 20. f. 1-2.					
84	moschata. L.T.	(ye.) musky.	Piedmont.		5. 6.	H. 4.	Jacq. misc. 2. t. 21. f. 2.
85	muscoīdes. L.T.	(st.) Moss-like.	England.		—	H. 4.	Lap. pyr. sax. t. 35.
	<i>Muscària muscoīdes.</i> H.R.						
86	pygmæa. L.T.	(st.) pigmy.	Scotland.		—	H. 4.	Eng. bot. v. 33. t. 2214.
	<i>moschata.</i> E.B. non Jacq.	<i>Muscària cæspitosa.</i> H.R.					
87	tridactylites. E.B. (bh.)	Rue-leaved.	Britain.		3. 5.	H. ○.	Eng. bot. v. 7. t. 501.
	<i>Tridactylites annua.</i> H.R.						
88	contrōversa. s.s.	(wh.) confused.	N. Europe.		—	H. ○.	Sternb. sax. t. 16.
89	petræa. L.T.	(wh.) rock.	Carinthia.	1752.	4. 5.	H. ○.	Jacq. ic. 1. t. 81.
90	adscēdens. L.T.	(wh.) ascending.	Pyrenees.		5. 6.	H. 4.	Sternb. sax. t. 19. f. 1, 2.
	<i>aquatica.</i> Lap. pyr. sax. t. 28.						
91	hypnoides. L.T.	(wh.) mossy.	Britain.		4. 6.	H. 4.	Eng. bot. v. 7. t. 454.
	β viscōsa. L.T.	(wh.) viscous.			—	H. 4.	
	γ angustifolia. L.T.	(wh.) narrow-leaved.			—	H. 4.	
	δ viscōsa. L.T.	(wh.) tufted.			—	H. 4.	
	ε pulchella. L.T.	(wh.) larger.			—	H. 4.	
	ζ spatulata. H.R.	(wh.) spatulate.			—	H. 4.	
	η latifida. H.R.	(wh.) broad-cleft.			—	H. 4.	
	θ rhodopétala. H.R.	(bh.) rosy-petaled.			—	H. 4.	
	ι recurvula. H.R.	(wh.) recurving-cup'd.			—	H. 4.	
	κ aristata. H.R.	(wh.) awned.			—	H. 4.	
	λ septifida. H.R.	(wh.) seven-cleft.			—	H. 4.	
92	condensata. L.T.	(wh.) close.	Scotland.		—	H. 4.	Gmel. fl. bad. t. 3.

93	clongélla. L.T.	(wh.) long peduncled.	Scotland.		5. 6.	H. 2.	Eng. bot. v. 32. t. 2277.
94	leptophylla. L.T.	(wh.) narrow-leaved.	Wales.		—	H. 2.	
	<i>β angustifida</i> . L.T.	(wh.) narrow-lobed.	—		—	H. 2.	
95	latevirens. L.T.	(wh.) light-green.	Scotland.		—	H. 2.	
96	lanceolata. H.R.	(wh.) spear-leaved.	Europe.	1808.	—	H. 2.	
	<i>obtusa</i> . H.R.	(wh.) blunt-leaved.	—	1820.	—	H. 2.	
97	altifida. H.R.	(wh.) deep-cleft.	—		—	H. 2.	
98	viscosa. H.R.	(wh.) viscous.	—		—	H. 2.	
99	quinquedens. H.R.	(wh.) five-toothed.	—		—	H. 2.	
100	Haworthii. H.S.L.	(wh.) Haworth's.	—		—	H. 2.	
	<i>hirta</i> . H.R. non E.B.	—	—	—	—	—	
101	æstivalis. F.	(wh.) summer.	Altay.	1821.	5. 7.	H. 2.	
HEUCHERA. L.	ALLUM-ROOT.	Pentandria Digynia.	L.				
1	americana. L.	(gr.) viscid.	N. America.	1656.	5. 7.	H. 2.	Schkuhr hand. t. 58.
	<i>viscida</i> . Ph.	—	—	—	—	—	
2	pubescens. Ph.	(bh.) pubescent.	—	1812.	—	H. 2.	
3	hispida. Ph.	(gr.) hispid.	—	1820.	—	H. 2.	
4	villôsa. m.	(gr.) villous.	—	1812.	—	H. 2.	
5	caulescens. Ph.	(wh.) caulescent.	—		—	H. 2.	
6	glabra. R.S.	(gr.) smooth.	Altay.	1827.	—	H. 2.	
TIARELLA. L.	TIARELLA.	Decandria Digynia.	L.				
1	cordifolia. Ph.	(wh.) heart-leaved.	N. America.	1731.	4. 5.	H. 2.	Bot. mag. t. 1589.
2	Menziesii. Ph.	(wh.) leafy-stemmed.	—	1812.	—	H. 2.	
3	trifoliata. Ph.	(wh.) three-leaved.	N. America.	1826.	—	H. 2.	
4	polyphylla. D.P.	(wh.) many-leaved.	Nepaul.	1818.	—	H. 2.	
ASTILBE. D.P.	ASTILBE.	Oct-Decandria Digynia.					
1	decandra. D.P.	(st.) decandrous.	Carolina.	1812.	5. 6.	F. 2.	Vent. malm. t. 54.
	<i>Tiarëlla biternata</i> . v.	—	—	—	—	—	
2	rivularis. D.P.	(st.) rivulet.	Nepaul.	1825.	—	H. 2.	
TELLIMA. B.	TELLIMA.	Decandria Digynia.					
	<i>grandiflora</i> . B.R. (st. re.)	large-flowered.	N. America.	1826.	4. 5.	H. 2.	Bot. reg. t. 1178.
	<i>Mitëlla grandiflora</i> . Ph.	—	—	—	—	—	
MITËLLA. L.	MITËLLA.	Decandria Digynia.	L.				
1	diphylla. w.	(wh.) two-leaved.	N. America.	1731.	4. 5.	H. 2.	Bot. reg. t. 166
2	cordifolia. w.	(wh.) heart-leaved.	—	1812.	—	H. 2.	Lam. ill. t. 373. f. 3.
3	reniformis. Ph.	(wh.) kidney-leaved.	—	1758.	6. 8.	H. 2.	— t. 373. f. 2.
	<i>nuda</i> . w.	—	—	—	—	—	
4	prostrata. m.	(wh.) prostrate.	—	1812.	5. 6.	H. 2.	
5	pentandra. B.M.	(wh.) pentandrous.	—	1827.	6. 7.	H. 2.	Bot. mag. t. 2933.
CHRYSOSPLENIUM. L.	GOLDEN SAXIFRAGE.	Oct-Decandria Digynia.					
1	alternifolium. w.	(ye.) alternate-leav'd.	Britain.		4. 5.	H. 2.	Eng. bot. v. 1. t. 54.
2	oppositifolium. w.	(ye.) opposite-leaved.	—		—	H. 2.	— v. 7. t. 490.
3	nepalense. D.P.	(ye.) Nepaul.	Nepaul.	1824.	—	H. 2.	
ADOXA. L.	MOSCHATEL.	Oct-Decandria Tetragynia.					
	<i>Moschatëlla</i> . E.B. (st.)	tuberous.	Britain.		3. 5.	H. 2.	Eng. bot. v. 7. t. 453.
HYDRA'NGEA. L.	HYDRA'NGEA.	Decandria Digynia.	L.				
1	arborescens. w.	(wh.) shrubby.	Virginia.	1736.	7. 8.	H. 2.	Bot. mag. t. 437.
	<i>vulgaris</i> . Ph.	—	—	—	—	—	
2	cordata. Ph.	(wh.) heart-leaved.	Carolina.	1806.	—	H. 2.	Wats. dend. brit. t. 42.
3	radiata. w.	(wh.) white-leaved.	—	1786.	—	H. 2.	Lam. ill. t. 370. f. 2.
	<i>nivea</i> . Wats. dend. brit. t. 43.	—	—	—	—	—	
4	heteromalla. D.P.	(wh.) woolly-leaved.	Nepaul.	1823.		H. 2.	
5	quercifolia. w.	(wh.) Oak-leaved.	Florida.	1803.	6. 9.	H. 2.	Bot. mag. t. 975.
6	hortensis. w.	(pi.) changeable.	China.	1788.	4. 9.	H. 2.	— t. 438.
	<i>β cærulea</i> . (bl.)	blue-flowered.	—	—	—	H. 2.	

ORDO CVII.

CUNONIACEÆ. Brown.

WEINMA'NNIA. L.	WEINMA'NNIA.	Octandria Digynia.	L.				
1	glabra. L.	(wh.) smooth.	W. Indies.	1818.	5. 7.	S. 2.	Lam. ill. t. 313. f. 1.
2	hirta. w.	(wh.) hairy.	—	—	—	S. 2.	
3	elliptica. K.S.	(wh.) elliptic-leaved.	Peru.	1823.		G. 2.	
4	ovata. K.S.	(wh.) oval-leaved.	—	—		G. 2.	Cav. ic. 6. t. 566.

CUN'ONIA. L.	CUN'ONIA. Decandria Digynia. L.				
capénsis. w.	(wh.) Cape.	C. B. S.	1816.	5. 7. G. h.	Bot. reg. t. 828.
CALLIC'OMA. A.R.	CALLIC'OMA. Dodecandria Digynia.				
serratifolia. A.R.	(st.) saw-leaved.	N. S. W.	1793.	5. 8. G. h.	Andr. reposit. t. 566.
CERATOP'ETALUM. Sm.	CERATOP'ETALUM. Decandria Monogynia.				
gummiferum. Sm.	(ye.) gum-bearing.	N. Holland.	1820.	 G. h.	Sm. n. holl. 1. t. 3.
BAU'ERA. Sal.	BAU'ERA. Polyandria Digynia. H.K.				
1 rubiæfolia. Sal.	(re.) Madder-leaved.	N. S. W.	1793.	7. 12. G. h.	Sal. ann. bot. 1. t. 10.
	rubioides. A.R.	198. B.M.	715.		
2 humilis. L.en.	(re.) dwarf.	—	1804.	— G. h.	Lodd. bot. cab. t. 1197.

ORDO CVIII.

UMBELLIFERÆ. *Juss. gen.* 218.Subordo I. *ORTHOSPERMEÆ. DC.**Tribus I. HYDROCOTYLENÆ.—Subtribus I. Hydrocotylæ. DC.*

HYDROCOTYLE. S.S.	MARSH-PENNYWORT. Pentandria Digynia. L.				
1 vulgaris. s.s.	(bh.) common.	Britain.		5. 6. H.w. 4.	Eng. bot. v. 11. t. 751.
2 umbellata. s.s.	(wh.) umbelled.	N. America.	1795.	7. 8. H.w. 4.	Spreng. umb. 1. t. 1.
3 bonariensis. s.s.	(ye.) Buenos Ayres.	Buenos Ayres.	1828.	— F.w. 4.	Cavan. icon. 5. t. 488.
4 americana. s.s.	(gr.) American.	N. America.	1790.	5. 8. H.w. 4.	Spreng. um.p. 3. t. 2. f. 3.
5 villosa. s.s.	(gr.) villous.	C. B. S.	1795.	8. G.w. 4.	
6 nepalensis. H.E.F.	(gr.) Nepalul.	Nepaul.	1818.	2. 6. G.w. 4.	Hook. ex. flor. t. 30.
	hispidula. D.P.				
7 nitidula. s.s.	(gr.) glossy.	Java.	1821.	— S.w. 4.	Hook. ex. flor. t. 29.
8 canariensis.	(gr.) Canary.	Canaries.	1828.	4. 6. G.w. 4.	
9 prolifera. Ot.	(gr.) proliferous.	Brazil.	1824.	— S.w. 4.	
10 repanda. s.s.	(wh.) Pilewort-leav'd.	N. America.	1806.	6. 7. G.w. 4.	Spreng. umb. t. 2. f. 4.
11 asiatica. s.s.	(wh.) thick-leaved.	Asia.	1690.	7. 8. G.w. 4.	Rheed. mal. 10. t. 46.
12 sibthorpioides. s.s.	(wh.) Sibthorpia-like.	Mauritius.	1818.	— S.w. 4.	
ERIG'ENIA. N.	ERIG'ENIA. Pentandria Digynia.				
bulbosa. N.	(wh.) bulbous.	N. America.	1825.	3. 5. H. 4.	
DIDI'SCUS. DC.	DIDI'SCUS. Pentandria Digynia.				
1 incisus. DC.	(wh.) cut-leaved.	N. S. W.	1820.	6. 8. H. ☉.	Linn. trans. 10. t. 21. f. 2.
	Trachymène incisula. L.T.				
2 azureus. DC.	(bl.) blue-flowered.	—	1827.	7. 9. H. ☉.	Bot. mag. t. 2875.
	cæruleus. B.M. Trachymène cærulea.	Bot. reg. t. 1225.			
TRACHYMENE. DC.	TRACHYMENE. Pentandria Digynia.				
1 compressa. s.s.	(st.) flat-stalked.	N. Holland.	1824.	5. 6. G. 4.	Lab. n. holl. 1. t. 101.
2 linearis. s.s.	(ye.) linear-leaved.	N. S. W.	—	— G. h.	Cavan. icon. 5. t. 485.
	Azorélla linearifolia. Cav.				
3 ovata. s.s.	(st.) oval-leaved.	—	1827.	— G. h.	Lab. n. holl. 1. t. 100.
	Azorélla ovata. Labill.				
ASTROTRI'CHA. DC.	ASTROTRI'CHA. Pentandria Digynia.				
floccosa. DC.	(wh.) woolly.	N. S. W.	1825.	5. 7. G. h.	
XANTH'OSIA. DC.	XANTH'OSIA. Pentandria Digynia.				
1 pilosa. L.T.	(wh.) hairy.	N. S. W.	1826.	— G. 4.	Linn. trans. 10. t. 22. f. 1.
BOWLESIA. S.S.	BOWLESIA. Pentandria Digynia.				
ténera. s.s.	(wh.) slender.	MonteVideo.	1827.	6. 8. H. ☉.	

Subtribus II. *Mulineæ. DC.*

SPANANTHE. S.S.	SPANANTHE. Pentandria Digynia. S.S.				
paniculata. s.s.	(wh.) panicked.	Caracas.	1795.	7. 8. S. ♂.	Jacq. ic. 2. t. 350.
	Hydrocotyle Spanánthe. w.				
POZ'OA.	POZ'OA. Pentandria Digynia.				
coriacea. s.s.	(wh.) leathery-leaved.	Peru.	1827.	7. 9. F. 4.	

Tribus II. SANICULEÆ. DC.

ACTIN'OTUS. Lab.	ACTIN'OTUS. Pentandria Digynia.				
Helianthi. Lab.	(wh.) larger.	N. S. W.	1821.	6. 12. G. h.	Bot. reg. t. 654.
	Eriocátia mājor. Ex. bot. t. 80.				

SANICULA. S.S.		SANICLE. Pentandria Digynia. L.			
1	europæa. s.s. (wh.)	wood.	Britain.	6. 7. H. 2.	Eng. bot. v. 2. t. 98.
2	canadensis. s.s. (wh.)	Canadian.	Canada. 1800.	— H. 2.	—
3	marilandica. s.s. (wh.)	Maryland.	N. America. 1765.	— H. 2.	Jacq. ic. 2. t. 348.
HACQUETIA. DC.		HACQUETIA. Pentandria Digynia.			
	Epipactis. DC. (ye.)	dwarf.	S. Europe. 1818.	5. 7. H. 2.	Jacq. aust. 5. t. 11.
<i>Astrántia Epipactis. w. Dóndia Epipactis. s.s.</i>					
ASTRANTIA. S.S.		ASTRANTIA. Pentandria Digynia. L.			
1	májor. w. (bh.)	great black.	Alps Europe. 1596.	5. 9. H. 2.	Exot. bot. 2. t. 76.
2	carniòlica. w. (bh.)	Carniolian.	Carniola. 1812.	5. 6. H. 2.	Jacq. aust. 5. app. t. 10.
3	caucàsica. R.S. (bh.)	Caucasean.	Caucasus. 1824.	— H. 2.	—
<i>intermedia. M.B.</i>					
4	máxima. Pall. (bh.)	Hellebore-leav'd.	— 1804.	6. 7. H. 2.	Bot. mag. t. 1553.
<i>helleborifolia. P.L. 60. heterophylla. M.B.</i>					
5	minor. w. (wh.)	small.	Switzerland. 1686.	5. 6. H. 2.	Sm. exot. bot. 2. t. 77.
ERYNGIUM. S.S.		ERYNGO. Pentandria Digynia. L.			
1	aquáticum. s.s. (wh.)	marsh.	N. America. 1699.	7. 9. H. 2.	Bot. reg. t. 372.
2	longifolium. s.s. (wh.)	long-leaved.	Mexico. 1812.	— F. 2.	Cav. ic. 6. t. 555.
3	gramineum. s.s. (bl.)	grass-leaved.	New Spain. 1825.	7. 10. F. 2.	Laroch. eryng. t. 26.
4	bromelifolium. s.s. (st.)	Bromelia-leav'd.	— 1822.	— F. 2.	— t. 28.
5	monocéphalum. s.s. (pu.)	one-headed.	Mexico. 1824.	— F. 2.	Cavan. icon. 6. t. 553.
6	bracteatum. s.s. (wh.)	bractless.	Monte Video. 1810.	7. 9. F. 2.	Laroch. eryng. t. 32.
7	ternatum. s.s. (pu.)	ternate-leaved.	Crete.	— F. 2.	Moris. his. s. 7. t. 36. f. 24.
8	plànum. s.s. (bl.)	flat-leaved.	Europe. 1596.	— H. 2.	Jacq. aust. 4. t. 391.
9	tricuspidatum. s.s. (pu.)	trifid.	Spain. 1699.	9. H. 2.	Laroch. eryng. t. 9.
10	asperifolium. s.s. (wh.)	rough-leaved.	 1824.	6. 8. H. 2.	— t. 11.
11	dichotomum. s.s. (bl.)	forked.	S. Europe. —	7. 9. H. 2.	Desf. atl. 1. t. 55.
12	cœrùleum. M.B. (bl.)	blue.	Caucasus. 1816.	— H. 2.	—
13	gigànteum. s.s. (bl.)	gigantic.	Armenia. 1823.	— H. 2.	—
14	alpinum. s.s. (bl.)	Alpine.	Switzerland. 1597.	— H. 2.	Bot. mag. t. 922.
15	spina-álba. DC. (wh.)	white-spined.	S. Europe. 1816.	— H. 2.	Vill. delph. t. 17.
16	virgatum. s.s. (bl.)	oval-leaved.	N. America. 1810.	6. 7. H. 2.	Laroch. eryng. t. 20.
17	gràcile. s.s. (ye.)	slender.	New Spain. 1818.	7. 9. F. 2.	— t. 24.
18	Baldvini. s.s. (bl.)	small-headed.	Carolina. 1824.	— H. 2.	—
19	aquifolium. s.s. (bl.)	holly-leaved.	Spain. 1827.	— H. 2.	Laroch. eryng. t. 10.
20	corniculatum. s.s. (bl.)	horned.	Portugal. 1803.	6. 8. H. 2.	Bot. mag. t. 1427.
21	ténue. s.s. (bl.)	slender annual.		— H. 2.	Moris. sect. 7. t. 35. f. 15.
22	pusillum. s.s. (bl.)	dwarf.	Spain. 1640.	— H. 2.	Laroch. eryng. t. 16.
23	virginianum. s.s. (pa.)	Virginian.	Virginia.	7. 9. H. 2.	— t. 19.
24	serratum. s.s. (wh.)	serrated.	New Spain. 1823.	8. 10. F. 2.	Cav. ic. 6. t. 55.
25	Carlinae. s.s. (bl.)	Carlina-like.	— 1827.	— F. 2.	Laroch. eryng. t. 23.
26	fœtidum. s.s. (wh.)	stinking.	W. Indies. 1714.	— S. 2.	Sloan. jam. t. 156. f. 3. 4.
27	maritimum. s.s. (bl.)	sea Holly.	Britain.	7. 10. H. 2.	Eng. bot. v. 10. t. 718.
28	triquetrum. s.s. (bl.)	triquetrous.	Sicily. 1827.	— H. 2.	Desf. atl. 1. t. 54.
29	campestre. s.s. (wh.)	field.	Britain.	7. 8. H. 2.	Eng. bot. v. 1. t. 57.
30	Bourgati. s.s. (bl.)	cut-leaved.	S. France. 1731.	6. 8. H. 2.	Gouan. ill. 7. t. 3.
31	amethystinum. s.s. (bl.)	amethystine.	Styria. 1648.	7. 8. H. 2.	W. et K. hung. 3. t. 215.
32	dilatatum. s.s. (bl.)	dilated.	Portugal.	— H. 2.	Laroch. eryng. t. 4.
33	crinitum. s.s. (bl.)	fringe-leaved.	Spain. 1826.	— H. 2.	—
34	comosum. s.s. (pa.)	tufted.	New Spain. 1818.	— F. 2.	Laroch. eryng. t. 7.
35	azùreum. R.S. (bl.)	azure blue.		— H. 2.	—

Tribus III. AMMINEÆ. DC.

R'UMIA. H.U.		R'UMIA. Pentandria Digynia.			
1	taùrica. H.U. (wh.)	Taurian.	Tauria. 1820.	7. 8. H. 2.	Hoff. umb. p. 173. f. 17.
<i>Cáchrys taùrica. s.s.</i>					
2	sibírica. F. (wh.)	Siberian.	Siberia. 1826.	— H. 2.	—
3	microcarpa. H.U. (wh.)	small-fruited.	Caucasus. 1827.	— H. 2.	Moris. his. s. 9. t. 1. f. 3.
4	athamantoides. H.U. (wh.)	Athamanta-like.	Siberia. —	— H. 2.	—
5	seseloides. H.U. (wh.)	Seseli-like.	Tauria. —	— H. 2.	Hoff. umb. ed. 2. t. tit. f. 4.
CICUTA. S.S.		COWBANE. Pentandria Digynia. L.			
1	viròsa. s.s. (wh.)	long-leaved.	Britain.	7. H. 2.	Eng. bot. v. 7. t. 479.
2	davùrica. s.s. (wh.)	Daurian.	Siberia. 1824.	— H. 2.	Gmel. sib. 1. t. 47.
3	maculàta. s.s. (wh.)	spotted.	N. America. 1759.	7. 8. H. 2.	Pluk. alm. t. 76. f. 1.
4	bulbifera. s.s. (wh.)	bulb-bearing.	— 1823.	— H. 2.	—
5	sinènsis. R.S. (wh.)	Chinese.	China. 1826.	— H. 2.	—

- ZIZIA. DC.** **ZIZIA.** Pentandria Digynia.
aërea. DC. (ye.) golden. N. America. 1699. 5. 6. H. ♀.
Smýrniûm aëreum. W. Thâspium aëreum. N. Sison aëreus. s.s.
- 'APIUM. DC.** **CELERY.** Pentandria Digynia. L.
 1 *gravéolens. s.s. (wh.)* common. Britain. 6. 8. H. ♂. Eng. bot. v. 17. t. 1210.
a fistulôsum. (wh.) hollow-stalked. H. ♂.
β sôlidum. (wh.) solid-stalked. H. ♂.
γ rubrum. (wh.) red-stalked. H. ♂.
δ napæcum. Mill. (wh.) Turnep-rooted. H. ♂.
- PETROSELINUM. DC. PASRLEY.** Pentandria Digynia. L.
 1 *sativum. K.U. (gr.)* common. Sardinia. 1548. 6. 7. H. ♂. Moris. sect. 9. t. 8. f. 2.
β crispum. (gr.) curled-leaved. H. ♂. ——— 9. t. 8. f. 3.
 2 *românium. Zuc. (gr.)* large. Greece. H. ♂.
 3 *fractophyllum. Lag. (st.)* broken-leaved. 1825. — H. ♂.
 4 *prostratum. s.s. (gr.)* prostrate. V. Diem. Isl. 1818. — G. ♂. Vent. malm. t. 81.
 5 *peregrinum. K.U. (wh.)* Lovage-like. Portugal. 1633. 6. 7. H. ♂. Jacq. vind. 3. t. 18.
Ligusticum peregrinum. Jacq. Sison peregrinum. R.S.
 6 *ségetum. K.U. (bh.)* corn. England. 8. H. ⊙. Eng. bot. v. 4. t. 228.
Sison ségetum. E.B.
- TR'INIA. H.U.** **TR'INIA.** Pentandria Digynia. L.en.
 1 *Hoffmânni. M.B. (wh.)* Hoffman's. England. 5. 6. H. ♀. Eng. bot. v. 17. t. 1209.
Pimpinella dioica. E.B.
 2 *Henningii. M.B. (wh.)* Henning's. Hungary. 1803. 6. 8. H. ♀.
Pimpinella glauca. W.
 3 *Kitaibêli. M.B. (wh.)* Kitaibel's. ——— 1827. — H. ♀. W. et K. hung. 1. t. 72.
 4 *ramosissima. F. (wh.)* branching. Siberia. ——— H. ♀.
- HELOSCIADIUM. K.U. HELOSCIADIUM.** Pentandria Digynia.
 1 *lateriflorum. K.U. (wh.)* narrow-leaved. S. Europe. 1824. 7. 8. H. ⊙. Jacq. vind. t. 200.
Sison Ammi. Jacq. Pimpinella lateriflora. L. enum.
 2 *inundatum. K.U. (wh.)* inundated. Britain. 5. 6. H.w. ⊙. Eng. bot. v. 4. t. 227.
Sison inundatum. E.B. Sium inundatum. E.F. Mëum inundatum. s.s.
 3 *nodiflorum. K.U. (wh.)* procumbent. Britain. 7. 8. H.w. ♀. Eng. bot. v. 9. t. 639.
Sium nodiflorum. E.B.
 4 *repens. K.U. (wh.)* creeping. 6. H.w. ♀. Eng. bot. v. 20. t. 1431.
 5 *bulbosum. K.U. (wh.)* bulb-bearing. Switzerland. 1826. 6. 8. H.w. ♀. Thor. jo. bot. 1. t. 7. f. 1-2.
- DISCOPL'URA. DC. DISCOPL'URA.** Pentandria Digynia.
Nuttâlii. DC. (wh.) slender-leaved. N. America. 1812. 7. 8. H. ⊙.
A'mmi capillaceum. M. Sison capillaceus. s.s.
- LEPTOCAULIS. DC. LEPTOCAULIS.** Pentandria Digynia.
divaricatus. DC. (ro. wh.) spreading. N. America. 1812. 6. 8. H. ⊙.
Æthusa divaricata. N. A'mmi divaricatum. P.S.
- PTYCHOTIS. K.U. PTYCHOTIS.** Pentandria Digynia.
 1 *heterophylla. K.U. (wh.)* Coriander-leav'd. Pyrenees. 1778. 7. 8. H. ♂. Jacq. vind. 2. t. 198.
Mëum heterophyllum. s.s. Æthusa Bünius. W.
 2 *ammoides. K.U. (wh.)* Milfoil-leaved. S. Europe. 1759. 6. 7. H. ⊙. Jacq. vind. 1. t. 52.
Séseli ammoides. s.s.
 3 *verticillata. DC. (wh.)* whorled. ——— 1825. — H. ⊙.
 4 *coptica. DC. (wh.)* Egyptian. Egypt. 1773. — H. ⊙. Jacq. vind. 2. t. 196.
Trachyspermum copticum. L. enum. A'mmi copticum. L. Bünium copticum. R.S.
- FALC'ARIA. DC. FALC'ARIA.** Pentandria Digynia.
agrêstis. (wh.) decurrent. Europe. 1726. 7. 8. H. ♀. Jacq. aust. 3. t. 257.
Sium Falcària. R.S. Drepanophyllum agrêste. K.U.
- S'ISON. S.S. S'ISON.** Pentandria Pentagynia. L.
 1 *Amômum. E.B. (wh.)* hedge. Britain. 7. 8. H. ⊙. Eng. bot. v. 14. t. 954.
- SCHU'LTZIA. S.S. SCHU'LTZIA.** Pentandria Digynia.
crinita. s.s. (wh.) slender-leaved. Altay. 1828. 6. 7. H. ♂. Pall. act. pet. 1779. 2. t. 7.
- A'MMI. S.S. BISHOP'S WEED.** Pentandria Digynia. L.
 1 *mâjus. s.s. (wh.)* great. S. Europe. 1551. 6. 7. H. ⊙. Flor. græc. t. 273.
 2 *Bœbéri. L.en. (wh.)* Bœber's. Crete. 1818. 7. 8. H. ♀.
cicutafolium. R.S.
 3 *Visnâga. s.s. (wh.)* Toothpick. S. Europe. 1596. 6. 8. H. ⊙. Gært. fr. 1. t. 107.
Visnâga daucoïdes. G.
 4 *glaucofolium. s.s. (wh.)* glaucous-leav'd. France. 1816. — H. ♂. Lapeyr. pyr. t. 75.
- ÆGOP'ODIUM. L. GOUT-WEED.** Pentandria Digynia. L.
Podagrària. E.B. (wh.) common. Britain. 5. 7. H. ♀. Eng. bot. v. 14. t. 940.
Sison Podagrària. s.s.
- C'ARUM. K.U. CARAWAY.** Pentandria Digynia. L.
 1 *Cârvi. s.s. (wh.)* common. Britain. 6. H. ♂. Eng. bot. v. 21. t. 1503.
Feniculum Cârvi. L.en.

- 2 Bulbocástanum. K.U. (wh.) Earth-nut. Europe. 1797. 6. 7. H. ♀. Flor. dan. t. 220.
Bunium Bulbocástanum, w. *Myrrhis Bunium*. R.S.
- 3 flexuósum. (wh.) common. Britain. 5. 6. H. ♀. Eng. bot. v. 14. t. 988.
Bunium flexuósum. E.B.
- 4 verticillátum. K.U. (wh.) whorl-leaved. 7. 8. H. ♀. Eng. bot. v. 6. t. 395.
Sium verticillátum. E. B.
- B'UNIUM. DC.** B'UNIUM. Pentandria Digynia. L.
- 1 peucedanóides. M.B. (st.) Sulphur-wort. Caucasus. 1823. 7. 8. H. ♀.
 1 luteum. M.B. (ye.) yellow. Volga. 1827. — H. ♀.
 3 viréscens. DC. (gr.) greenish-flower'd. Europe. 1826. — H. ♀.
Sium viréscens. R.S.
- 4 acáule. M.B. (ye.) stalkless. Caucasus. 1821. 6. 8. H. ♂.
Ammi acáule. s.s.
- CRYPTOTÆNIA. DC. CRYPTOTÆNIA. Pentandria Digynia.**
- 1 canadéne. DC. (wh.) Canadian. N. America. 1699. 7. 8. H. ♀. Moris. his. s. 9. t. 11.
Sison canadéne. w. *Myrrhis canadénsis*. s.s.
- 2 Thomásii. DC. (wh.) Thomas's. Italy. 1827. — H. ♀.
- PIMPINELLA. K.U. BURNET SAXIFRAGE. Pentandria Digynia. L.**
- 1 mágna. s.s. (wh.) great. England. 6. 8. H. ♀. Eng. bot. v. 6. t. 408.
 2 média. P.S. (wh.) middle. Germany. — H. ♀. Hoff. deut. fl. t. 397.
orientális. Jacq. aust. t. 397.
- 3 dissécta. w. (wh.) cut-leaved. France. — H. ♀. Retz. obs. 3. t. 2.
 4 rotundifólia. M.B. (wh.) round-leaved. Caucasus. 1816. — H. ♂. Spr. Anl. ed. 2. t. 4. f. 1. 4.
Sison rotundifolius. s.s.
- 5 Saxifraga. w. (wh.) common. Britain. — H. ♀. Eng. bot. v. 6. t. 407.
 6 Trágium. DC. (wh.) Columna's. S. Europe. 1824. 6. 8. H. ♀. Column. phyt. t. 17.
Trágium Columne. s.s.
- 7 peregrina. w. (wh.) nodding. Italy. 1640. — H. ♀. Jacq. vind. 2. t. 131.
 8 aromática. M.B. (wh.) aromatic. Caucasus. 1824. — H. ♂.
 9 bubonóides. P.S. (wh.) Bubon-like. Portugal. 1814. 6. 8. H. ♀.
- Trágium Brotéri*. R.S.
- 10 villósa. Scho. (wh.) villous. Barbary. 1824. — H. ♀.
Trágium Schousbæi. R.S.
- 11 táurica. DC. (wh.) Taurian. Tauria. 1824. 6. 8. H. ♀.
Ledebúria táurica. L. en. *Trágium táuricum*. s.s.
- 12 nígra. W. en. (wh.) black-rooted. Germany. 1683. — H. ♀. Moris. sect. 9. t. 5.
 13 lateriflóra. L. en. (wh.) side-flowering. Hungary. 1816. — H. ♀.
 14 dichótoma. w. (wh.) dichotomous. Spain. 1798. — H. ♀.
 15 A'nisum. L. (wh.) Anise. Egypt. 1551. 6. 8. H. ☉. Moris. his. s. 9. t. 9.
Sison A'nisum. R.S. *A'nisum vulgäre*. Gaert.
- S'IUM. K.U. WATER-PARSNIP. Pentandria Digynia. L.**
- 1 latifólium. s.s. (wh.) broad-leaved. Britain. 7. 8. H. w. ♀. Eng. bot. v. 3. t. 204.
 1 lancifólium. s.s. (wh.) spear-leaved. Siberia. 1823. — H. w. ♀. Gmel. sib. 1. t. 47.
 3 angustifólium. s.s. (wh.) narrow-leaved. Britain. — H. w. ♀. Eng. bot. v. 2. t. 139.
 4 Sisarum. s.s. (wh.) Skirret. China. 1548. — H. ♀. Schkuhr. hand. 1. t. 69.
- BUPLEURUM. S.S. HARE'S-EAR. Pentandria Digynia. L.**
- 1 coriáceum. s.s. (st.) thick-leaved. Gibraltar. 1784. 7. 8. G. ♀. L'Herit. st. nov. t. 67.
 2 fruticósum. s.s. (st.) shrubby. S. Europe. 1596. — H. ♀. Flor. græc. t. 263.
 3 fruticéscens. s.s. (st.) frutescent. Spain. 1752. 8. 9. H. ♀. Cav. ic. 2. t. 106.
 4 plantagíneum. s.s. (st.) plantain-leaved. Barbary. 1809. — G. ♀. Desf. atl. 1. t. 57.
β canéscens. P.S. (st.) hoary. — — G. ♀.
- 5 spinósum. s.s. (st.) thorny. Spain. 1752. — F. ♀. Gouan. ill. 8. t. 2. f. 3.
 6 diffórme. s.s. (st.) various-leaved. C. B. S. — — G. ♀. Burm. afr. t. 71. f. 1.
 7 rotundifólium. s.s. (ye.) round-leaved. England. 6. 7. H. ☉. Eng. bot. v. 2. t. 99.
 8 protráctum. s.s. (st.) protracted. Portugal. 1824. — H. ☉.
 9 heterophýllum. s.s. (st.) various-leaved. Egypt. — — H. ☉.
- 10 aúreum. s.s. (ye.) golden. Siberia. — — H. ♀.
- 11 longifólium. s.s. (st.) long-leaved. Switzerland. 1713. 5. 7. H. ♀. Moris. sect. 9. t. 11.
 12 pyrenáicum. s.s. (st.) Pyrenean. Pyrenees. 1814. — H. ♀. Gouan. ill. t. 4.
 13 angulósum. w. (st.) angular-leaved. Switzerland. 1759. — H. ♀. Moris. sect. 9. t. 12.
 14 ranunculóides. w. (st.) Crowfoot-like. Pyrenees. 1790. 7. 8. H. ♀. Park. theatr. f. 7.
 15 caricifólium. w. (st.) Carex-leaved. S. France. 1824. — H. ♀.
- 16 Burseriánum. W. en. (st.) Burser's. — — H. ♀.
- 17 petræum. s.s. (st.) alpine. S. Europe. 1823. — H. ♀. Rich. de Bellev. t. 206.
 18 sibíricum. M.B. (st.) Siberian. Siberia. 1826. — H. ♀.
- 19 graminifólium. s.s. (st.) Grass-leaved. Switzerland. 1768. 5. 7. H. ♀. Jacq. ic. 1. t. 56.
 20 stellátum. s.s. (st.) starry. — — H. ♀. Hall. helv. t. 18.
 21 falcátum. s.s. (st.) twisted-stalk'd. Germany. 1739. 5. 9. H. ♀. Jacq. aust. 2. t. 158.

22	scorzoneræfolium. W.en. (st.)	Scorzonera-ld. Germany.	1818.	6. 8.	H. 2.	
23	rigidum. R.S. (st.)	rigid.	S. France.	1739.	5. 9.	H. 2. Moris. sect. 9. t. 12.
24	nudum. S.S. (st.)	naked-stalked.	C. B. S.	1778.	10.	G. 2.
25	gibraltàricum. Lag. (st.)	Gibraltar.	Gibraltar.	1825.	—	G. 2.
26	glàucum. DC. (ye.)	glaucous.	S. France.	1828.	—	H. 2.
27	Odontites. S.S. (bh.)	narrow-leaved.	England.		—	H. 2. Eng. bot. v. 35. t. 2468.
	Odontites luteola. R.S.					
28	junceum. S.S. (ye.)	linear-leaved.	S. Europe.	1722.	7. 8.	H. 2. Moris. sect. 9. t. 12.
29	Gerardi. R.S. (ye.)	Gerard's.	—	1804.	—	H. 2. Jacq. aust. t. 256.
30	baldense. R.S. (ye.)	channel-leav'd.	M. Baldo.	1818.	—	H. 2. W. et K. hung. 3. t. 257.
	exaltatum. P.S.					
31	lancifolium. H.H. (ye.)	lance-leaved.		1824.	6. 9.	H. 2.
32	semicompòsitum. S.S. (ye.)	dwarf.	Spain.	1778.	—	H. 2. Flor. græc. t. 261.
	Odontites semicompòsita. R.S.					
33	gracile. M.B. (ye.)	slender-twigg'd.	Tauria.	1827	—	H. 2.
34	tenuissimum. S.S. (ye.)	slender.	England.		7. 8.	H. 2. Eng. bot. v. 7. t. 478.
35	trifidum. S.S. (ye.)	trifid-umbel'd.	Italy.	1824.	5. 9.	H. 2.
HETEROMORPHA. DC. HETEROMORPHA. Pentandria Digynia.						
	arborëscens. DC. (st.)	arborescent.	C. B. S.	1816.	7. 8.	G. 2.
	Bupleurum arborëscens. S.S.	Tendria arborëscens. R.S.				

Tribus IV. SESELINEÆ. DC.

LICHTENSTEINIA. DC. LICHTENSTEINIA. Pentandria Digynia.						
	inèbrians. DC. (wh.)	various-leaved.	C. B. S.	1816.	8. 9.	G. 2.
	Cenânthe inèbrians. S.S.					
CENANTHE. S.S. WATER-DROPWORT. Pentandria Digynia. L.						
1	fistulosa. S.S. (bh.)	common.	Britain.		6. 8.	H. 2. Eng. bot. v. 6. t. 363.
2	tenuifolia. S.S. (wh.)	slender-leaved.	C. B. S.	1816.	6. 8.	G. 2.
3	peucedanifolia. S.S. (wh.)	round-rooted.	S. Europe.		—	H. w. 2. Pollich. palat. t. 3.
4	silatifolia. S.S. (wh.)	oblong-rooted.	England.		—	H. w. 2. Eng. bot. v. 5. t. 348.
	peucedanifolia. E.B. non. S.S.					
5	gymnorhiza. S.S. (wh.)	naked rooted.	N. Europe.	1824.	—	H. w. 2.
6	pimpinelloides. S.S. (bh.)	Burnet Saxifrage.	England.		—	H. w. 2. Eng. bot. v. 5. t. 347.
7	prolifera. S.S. (wh.)	proliferous.	S. Europe.	1739.	—	H. w. 2. Jacq. vind. 3. t. 62.
8	globulosa. S.S. (wh.)	globe-headed.	Portugal.	1710.	—	H. 2. Gouan. ill. 18. t. 9.
9	crocata. S.S. (wh.)	poisonous.	Britain.		—	H. w. 2. Eng. bot. v. 33. t. 2313.
10	Phellandrium. S.S. (wh.)	water Hemlock.	—		6. 7.	H. w. 2. — v. 10. t. 684.
	Phellandrium aquaticum. E.B.					
11	apiifolia. S.S. (wh.)	Parsley-leaved.	Portugal.	1806.	6. 8.	H. 2.
12	australis. R.S. (wh.)	southern.	S. Europe.	1824.	—	H. 2.
13	involverata. Cav. (wh.)	involved.	Spain.	1820.	—	H. 2.
14	amœna. Leh. (wh.)	handsome.		1827.	—	H. 2.
ANESORHIZA. DC. ANESORHIZA. Pentandria Digynia.						
	interrupta. (wh.)	interrupted.	C. B. S.	1816.	6. 8.	G. 2.
	Cenânthe interrupta. S.S.					
SCLEROSCIADIUM. DC. SCLEROSCIADIUM. Pentandria Digynia.						
	rigens. DC. (wh.)	rigid-stalked.	C. B. S.	1787.	6. 8.	G. 2.
	Conium rigens. w. Bannum rigens. S.S.					
ÆTHUSA. R.S. FOOLS-PARSLEY. Pentandria Digynia. L.						
1	Cynapium. w. (wh.)	common.	Britain.		7. 9.	H. 2. Eng. bot. v. 17. t. 1192.
2	cynapioides. M.B. (wh.)	Caucasean.	Caucasus.	1820.	—	H. 2. Hoff. umb. ed. 2. t. tit. f. 9.
3	elata. L.en. (wh.)	tall.	Siberia.	—	—	H. 2.
4	fætua. R.S. (wh.)	fine-leaved.		1781.	—	H. 2.
FENICULUM. G. FENNEL. Pentandria Digynia.						
1	vulgare. G. (ye.)	common.	Britain.		7. 8.	H. 2. Eng. bot. v. 17. t. 1208.
	Anethum Fœniculum. E.B. Mœum Fœniculum. S.S.					
2	dulce. DC. (ye.)	sweet.	S. Europe.	1824.	—	H. 2. DC. hort. m. ined. t. 96.
3	piperitum. (ye.)	peppery.	Italy.	—	—	H. 2.
	Mœum piperitum. R.S. Anethum piperitum. Bert.					
4	luteum. F. (ye.)	yellow.	Persia.	1829.	—	H. 2.
KUNDMA'NNIA. DC. KUNDMA'NNIA. Pentandria Digynia.						
	pastinacæfolia. (ye.)	Parsnep-leaved.	Sicily.	1686.	7. 8.	H. 2. Jacq. vind. 2. t. 133.
	Brignolia pastinacæfolia. K.U. Sium siculum. R.S.					
DEVERRA. DC. DEVERRA. Pentandria Digynia.						
1	tortuosa. DC. (wh.)	twisting.	Levant.	1828.		G. 2. Desf. atl. 1. t. 73.
	Bubon tortuosum. Df.					

- 2 *aphylla*. DC. (wh.) leafless. C. B. S. 1816. G. ♀.
Bubon aphyllus. Schlecht.
- SE'SELL. S.S. MEADOW SAXIFRAGE. Pentandria Digynia. S.S.
- 1 *elatum*. s.s. (wh.) tall. Austria. 1710. 7. 8. H. ♀. Gouan. ill. 16. t. 8.
- 2 *varium*. s.s. (wh.) variable. 1818. — H. ♀.
- 3 *glaucum*. s.s. (pu.wh.) glaucous. France. 1759. — H. ♀. Jacq. aust. 2. t. 144.
- 4 *tauricum*. s.s. (wh.) Taurian. Tauria. 1818. 6. 8. H. ♀.
- 5 *montanum*. s.s. (wh.) mountain. Italy. 1658. 6. 7. H. ♀. Jacq. vind. 2. t. 129.
- 6 *annuum*. s.s. (bh.) annual. Europe. 1816. 7. 8. H. ♂. Jacq. aust. t. 55.
- Carum simplex*. w.
- 7 *campestre*. s.s. (wh.) field. Poland. 1827. — H. ♀.
- 8 *pimpinelloides*. s.s. (wh.) nodding-flower'd. S. Europe. 1796. — H. ♀.
- 9 *Hippomarathrum*. s.s. (bh.) various-leav'd. Austria. 1656. — H. ♀. Jacq. aust. 2. t. 143.
- 10 *tortuosum*. s.s. (wh.) crooked. S. Europe. 1597. 10. H. ♀. Moris. sect. 9. t. 6.
- 11 *leucospérmum*. s.s. (wh.) white-seeded. Hungary. 1805. 7. H. ♀. W. et K. hung. t. 89.
- 12 *proliferum*. s.s. (wh.) prolific. 1823. 5. 8. H. ♀.
- 13 *chærophylloides*. s.s. (wh.) Chervil-like. C. B. S. 1816. — G. ♀.
- 14 *Bocconi*. s.s. (wh.) Boccone's. Sicily. 1826. — H. ♀. Bocc. sic. s. 27. 28.
- 15 *divaricatum*. s.s. (ye.) shining-leaved. N. America. 1812. 6. 7. H. ♀. Bot. mag. t. 1742.
- 16 *striatum*. s.s. (wh.) striped-stalked. C. B. S. 1816. 7. 8. G. ♀.
- 17 *gracile*. s.s. (ye.) slender. Hungary. 1805. 6. 7. H. ♀. W. et K. hung. 2. t. 117.
- 18 *peucedanifolium*. K. U. (wh.) smooth-stalk'd. Hungary. 1826. 7. 9. H. ♀. ————— t. 146.
- 19 *petraeum*. K. U. (wh.) glaucous. Tauria. 1824. 7. 8. H. ♀.
- Bubon glaucus*. s.s.
- 20 *cuneifolium*. M. B. (wh.) wedge-leaved. Sicily. 1823. 7. 9. H. ♀. Moris. his. s. 9. t. 7.
- 21 *gummiferum*. K. U. (bh.) gum-bearing. Crimea. 1710. — H. ♂. Sm. exot. bot. t. 20.
- 22 *dichotomum*. M. B. (wh.) forked. Tauria. 1816. — H. ♂. Bot. mag. t. 2073.
- 23 *eriocéphalum*. (wh.) woolly-headed. Siberia. 1827. — H. ♂.
- 24 *corsicum*. L. en. (wh.) dwarf annual. Corsica. 1825. — H. ♂.
- 25 *Pallasii*. Bess. (wh.) Pallas's. Siberia. 1823. — H. ♀.
- 26 *Lobeliànum*. Bess. (wh.) Lobel's. — H. ♀.
- LIBAN'OTIS. DC. LIBAN'OTIS. Pentandria Digynia.
- 1 *buchtormensis*. DC. (wh.) Siberian. Siberia. 1822. 7. 8. H. ♀.
- Bubon buchtormensis*. R. S. *Athamanta rigida*. Horn.
- 2 *vulgare*. DC. (wh.) mountain. England. — H. ♀. Eng. bot. v. 2. t. 138.
- Athamanta Libanotis*. E. B.
- CENOLOPHIUM. DC. CENOLOPHIUM. Pentandria Digynia.
- Fischeri*. DC. (wh.) Fischer's. Siberia. 1820. 6. 8. H. ♀.
- Cnidium Fischeri*. s.s. *Angélica Fischeri*. R. S. *Ligusticum Fischeri*. L. enum.
- CNI'DIUM. S.S. CNI'DIUM. Pentandria Digynia. S.S.
- 1 *Monniéri*. s.s. (wh.) annual. S. Europe. 1771. 7. 8. H. ♂. Jacq. vind. 1. t. 62.
- Selinum Monniéri*. Jacq.
- 2 *apioides*. H. U. (wh.) Parsley-leaved. Europe. 1791. 6. 7. H. ♀. Jacq. aust. 5. ap. t. 44.
- Ligusticum apioides*. R. S. *silafolium*. Jacq.
- 3 *venosum*. DC. (wh.) veined. Europe. 1818. 7. 8. H. ♀.
- Séseli dubium*. R. S.
- THA'SPIUM. N. THA'SPIUM. Pentandria Digynia.
- 1 *actæifolium*. N. (ye.) Actæa-leaved. N. America. 1824. 7. 8. H. ♀.
- Ligusticum actæifolium*. M.
- 2 *barbinode*. N. (ye.) bearded-jointed. — 1759. 6. 7. H. ♀.
- Thápsia trifoliata*. R. S.
- TROCHISCA'NTHE. K. U. TROCHISCA'NTHE. Pentandria Digynia.
- nodiflorus*. K. U. (bh.) knot-flowered. Apennines. 1818. 6. 7. H. ♀. All. ped. t. 72.
- Ligusticum nodiflorum*. s.s. *verticillatum*. W. et K. hung. 2. t. 171.
- ATHAMANTA. S.S. SPIGNELL. Pentandria Digynia. L.
- 1 *macedonica*. s.s. (wh.) Macedonian. Greece. 1596. 6. 8. G. ♂. Lobel. hist. 406. ic. 708.
- Bubon macedonicum*. L.
- 2 *condensata*. w. (wh.) close-headed. Siberia. 1773. 7. 9. H. ♀. Gmel. sib. 1. t. 44.
- 3 *sibirica*. w. (st.) Siberian. — 1771. 7. 8. H. ♀. Lam. ill. t. 194. f. 1.
- 4 *scula*. s.s. (wh.) Flixweed-leav'd. Sicily. 1686. 6. 7. H. ♀. Ten. fl. nap. 1. t. 25.
- 5 *Matthioli*. s.s. (wh.) fine-leaved. Carniola. 1802. — H. ♀. Jacq. ic. rar. 1. t. 57.
- 6 *stricta*. Led. (wh.) upright. Siberia. 1827. — H. ♀.
- 7 *cretensis*. s.s. (wh.) candy-carrot. Austria. 1596. — H. ♀. Jacq. aust. 1. t. 62.
- 8 *incana*. s.s. (wh.) hoary. Siberia. 1802. 7. 8. H. ♀.
- 9 *annua*. w. (wh.) annual. Candia. 1731. 6. 7. H. ♂.
- LIGUSTICUM. S.S. LIGUSTICUM. Pentandria Digynia. L.
- 1 *scoticum*. s.s. (bh.) Scotch. Britain. — H. ♀. Eng. bot. v. 17. t. 1207.
- 2 *obtusifolium*. s.s. (st.) blunt-leaved. Tangiers. 1824. 7. 8. H. ♀.
- 3 *athamantoides*. s.s. (st.) Carrot-leaved. Pyrenees. 1734. — H. ♀. Scop. carn. t. 10.
- Ammi daucifolium*. w. *Athamanta pyrenaica*. Jacq. vind. 2. t. 197.

- 4 alatum. s.s. (ro.wh.) winged-stalked. Caucasus. 1823. 7. 8. H. 2.
 5 simplex. s.s. (wh.pu.) shining. Switzerland. 1775. 7. H. 3. Jacq. misc. 2. t. 2.
Laserpitium simplex. Jacq. lucidum. H.K.
 6 ferulaceum. s.s. (wh.) Fennel-leaved. Levant. 1752. 6. H. 2. Allion. ped. t. 60.
Laserpitium dauricum. Jacq. vind. 3. t. 38.
 7 cándicans. s.s. (wh.) pale. 1780. 7. 8. H. 2.
 8 pyrenæicum. K.U. (wh.) Pyrenean. Pyrenees. 1739. 6. 7. H. 2. Gouan. ill. t. 7. f. 2.
Cnidium pyrenæum. s.s. *Séseli aristatum*. H.K.
 9 Seguiérii. K.U. (wh.) Fennel-leaved. Italy. 1774. 7. 8. H. 2. Jacq. vind. 1. t. 61.
Selinum Seguiérii. Jacq. *Imperatōria Seguiérii*. s.s.
 10 Fontanèsii. s.s. (wh.) fine-leaved. Algiers. 6. 7. H. 2. Desf. atl. 1. t. 71.
Laserpitium peucedanoides. Desf.
 11 cuneifolium. Led. (wh.) wedge-leaved. Siberia. 1827. — H. 2.
 SIL'AUS. K.U. SIL'AUS. Pentandria Digynia.
 1 pratensis. K.U. (st.) meadow. England. 6. 8. H. 2. Eng. bot. v. 30. t. 2142.
Peucedanum Silaus. E.B. *Cnidium Silaus*. s.s.
 2 Matthioli. K.U. (ye.) late-flowering. Italy. 1824. 7. 8. H. 2.
Peucedanum Matthioli. s.s.
 3 alpéstris. K.U. (st.) Alpine. France. 1739. 6. 7. H. 2.
 WALLRO'THIA. DC. WALLRO'THIA. Pentandria Digynia.
 1 alpina. DC. (wh.) alpine. Hungary. 1827. 6. 8. H. 2. W. et K. hung. 2. t. 182.
tuberōsa. R.S. *Banium alpinum*. W.K.
 2 tenuifolia. DC. (wh.) slender-leaved. Pyrenees. 1826. — H. 2. DC. mem. umb. t. 1. f. A.
 MEUM. S.S. BAUD-MONEY. Pentandria Digynia. S.S.
 1 athamanticum. s.s. (wh.) common. Britain. 4. 6. H. 2. Eng. bot. v. 32. t. 2249.
 2 Mutellina. s.s. (re.) Alpine. Austria. 1774. 7. 8. H. 2. Jacq. aust. t. 56.
Phellandrium Mutellina. L.
 3 sibiricum. s.s. (ye.) Siberian. Siberia. 1820. — H. 2.
 CONIOSELINUM. H.U. CONIOSELINUM. Pentandria Digynia.
 1 ingricum. F. (wh.) Ingrian. Russia. 1827. 7. 8. H. 2.
 2 tatáricum. F. (wh.) Tartarian. Tartary. 1825. — H. 2.
Angélica Fischéri. R.S.
 CRITHMUM. L. en. SAMPHIRE. Pentandria Digynia. L.
 1 Libanotis. L. en. (ye.) smooth-seeded. Sicily. 1570. 7. 8. H. 2. Schk. handb. 1. t. 65.
Cáchrys Libanotis. s.s.
 2 maritimum. W. (st.) sea-side. Britain. 7. 9. H. 2. Eng. bot. v. 12. t. 819.

Tribus V. ANGELICEÆ. DC.

- LEVI'STICUM. K.U. LOVAGE. Pentandria Digynia.
 officinale. K.U. (ye.) common. Italy. 1596. 6. 7. H. 2. Schk. handb. t. 68.
Ligústicum Levísticum. s.s.
 SELINUM. L. MILK-PARSLEY. Pentandria Digynia. L.
 1 Carvifolium. W. (bh.) Caraway-leav'd. Austria. 1774. 7. 8. H. 2. Jacq. aust. 1. t. 16.
 OSTERICUM. H.U. OSTERICUM. Pentandria Digynia.
 pratense. H.U. (wh.) field. Galicia. 1824. 7. 8. H. 2.
Angélica pratensis. M.B.
 ANGÉLICA. K.U. ANGÉLICA. Pentandria Digynia. L.
 1 sylvéstris. s.s. (wh.) wild. Britain. 6. 8. H. 2. Eng. bot. v. 16. t. 1128.
 2 Razoulli. s.s. (bh.) decurrent-ld. Pyrenees. 1816. — H. 2. Gouan. ill. 13. t. 6.
 3 montana. K.U. (wh.) mountain. Switzerland. — H. 2.
 4 flavescens. Bess. (st.) yellowish. Pyrenees. — H. 2.
 5 pyrenæa. s.s. (wh.) Pyrenean. — 1818. — H. 2. Gouan. ill. p. 11. t. 5.
 6 lucida. s.s. (br.) shining. Canada. 1640. — H. 3. Jacq. vind. 3. t. 24.
 7 charophyllæa. s.s. (wh.) Chervil-leaved. Livonia. 1827. — H. 2.
 8 Wormskiöldii. F. (wh.) Wormskiöld's. Kamtschatka. — H. 2.
 9 lancifolia. s.s. (wh.) lance-leaved. 1818. — H. 2.
Selinum angelicástrum. L. enum.
 ARCHANGÉLICA. H.U. ARCHANGÉLICA. Pentandria Digynia.
 1 officinalis. H.U. (wh.) garden. England. 6. 8. H. 3. Eng. bot. v. 36. t. 2561.
Angélica Archangélica. E.B.
 2 atropurpurea. H.U. (pu.) dark purple. Canada. 1759. 7. 8. H. 2. Cornut. canad. t. 199.

Tribus VI. PEUCEDANÆÆ. DC.

- OP'OPANAX. K.U. OP'OPANAX. Pentandria Digynia.
 Chirónium. K.U. rough. S. Europe. 1640. 6. 7. H. 2. W. et K. hung. 3. t. 211.
Pastināca Opòpanax. W. *Ferula Opòpanax*. s.s.

FER'ULA. S.S.		GIANT-FENNEL. Pentandria Digynia. L.			
1 lævigata. s.s.	(ye.) smooth.	C. B. S.	1774.	12. 3.	G. 7.
<i>Bubon lævigatum</i> . w.					
2 nudicaulis. s.s.	(ye.) naked-stalked.	Sicily.	1825.	—	H. 2.
3 A'sa fœtida. s.s.	(st.) Asa fœtida.	Persia.	1818.	7. 8.	H. 2.
4 communis. s.s.	(ye.) common.	S. Europe.	1597.	6. 7.	H. 2.
5 glauca. s.s.	(ye.) glaucous.	Italy.	1596.	—	H. 2.
6 sylvatica. s.s.	(ye.) wood.	Poland.	1827.	—	H. 2.
7 campestris. s.s.	(ye.) field.	Tauria.	—	—	H. 2.
8 nodiflora. s.s.	(ye.) knot-flowered.	S. Europe.	1596.	—	H. 2.
<i>sulcata</i> . Desf.					
9 Ferulago. s.s.	(ye.) Fennel-leaved.	—	—	—	H. 2.
<i>nodiflora</i> . Jacq. non s.s.					
10 thyrsiflora. s.s.	(st.) thyrs-flower'd.	Crete.	1823.	—	F. 2.
11 tingitana. s.s.	(ye.) Tangier.	Barbary.	1680.	—	H. 2.
12 stricta. s.s.	(ye.) upright.	C. B. S.	1816.	—	G. 2.
13 nuda. s.s.	(ye.) naked.	Siberia.	1827.	—	H. 2.
14 caspica. s.s.	(ye.) Caspian.	Caspia.	1824.	—	H. 2.
15 orientalis. s.s.	(ye.) eastern.	Levant.	1759.	7. 8.	H. 2.
16 persica. s.s.	(ye.) stinking.	Persia.	1782.	—	H. 2.
17 tatarica. F.	(ye.) Tartarian.	Tartary.	1828.	—	H. 2.
18 capillaris. s.s.	(ye.) capillary.	Portugal.	—	—	H. 2.
19 desertorum. Led.	(ye.) desert.	Siberia.	1827.	—	H. 2.
20 songarica. R.S.	(ye.) Songarian.	—	—	—	H. 2.
ERIOSYNAPHE. DC.		ERIOSYNAPHE. Pentandria Digynia.			
longifolia. DC.	(ye.) long-leaved.	Wolga.	1823.	7. 8.	H. 2.
<i>Ferula longifolia</i> . F.					
PÆLIMBIA. DC.		PÆLIMBIA. Pentandria Digynia.			
Chabréi. DC.	(bh.) fine-leaved.	Europe.	1791.	7. 8.	H. 2.
<i>Selinum Chabréi</i> . Jacq. <i>Oreoselinum Chabréi</i> . M.B. <i>Imperatoria Chabréi</i> . R.S.					
PEUCEDANUM. S.S.		SULPHURWORT. Pentandria Digynia. L.			
1 officinale. s.s.	(ye.) officinal.	England.		5. 7.	H. 2.
2 paniculatum. R.S.	(ye.) panicked.	Corsica.	1827.	—	H. 2.
3 alsaticum. w.	(wh.) small-headed.	Austria.	1774.	6. 8.	H. 2.
4 gallicum. s.s.	(wh.) French.	France.	1816.	—	H. 2.
5 italicum. P.S.	(ye.) yellow-flower'd.	Italy.		5. 7.	H. 2.
6 ruthenicum. R.S.	(ye.) Russian.	Russia.	1824.	6. 8.	H. 2.
7 tauricum. R.S.	(ye.) Taurian.	Tauria.	1828.	—	H. 2.
8 longifolium. R.S.	(ye.) long-leaved.	Hungary.	1826.	—	H. 2.
9 arenarium. s.s.	(ye.) sand.	—	1816.	6. 7.	H. 2.
10 Morisoni. R.S.	(ye.) Morison's.	—	—	—	H. 2.
11 nodosum. s.s.	(wh.) knotted-stalked.	Crete.		—	H. 2.
12 aureum. s.s.	(ye.) golden.	Canaries.	1779.	6.	G. 2.
13 tenuifolium. s.s.	(ye.) slender-leaved.	C. B. S.	1816.	6. 8.	G. 2.
14 isetense. s.s.	(st.) straw-coloured.	Siberia.	1828.	—	H. 2.
15 sibiricum. w.	(ye.) Siberian.	—	1804.	6. 7.	H. 2.
16 palustre. K.U.	(wh.) marsh.	Britain.		7. 8.	H. 2.
<i>Selinum palustre</i> . E.B. <i>Thysselinum palustre</i> . H.U.					
17 baicalense. K.U.	(wh.) Baical.	Siberia.	1824.	—	H. 2.
18 Cervaria. K.U.	(wh.) large-leaved.	Europe.	1597.	—	H. 2.
<i>Athamanta Cervaria</i> . Jacq. <i>Ligusticum Cervaria</i> . s.s.					
19 Oreoselinum. K.U.	(re.wh.) bending.	Europe.	1780.	7. 9.	H. 2.
<i>Athamanta Oreoselinum</i> . Jacq. <i>Oreoselinum legitimum</i> . M.B.					
20 montanum. K.U.	(wh.) mountain.	Switzerland.	1816.	7. 8.	H. 2.
21 involucratum. K.U.	(wh.) involucred.	S. France.	1824.	—	H. 2.
<i>Selinum peucedanoides</i> . R.S. <i>Oreoselinum peucedanoides</i> . H.U.					
22 austriacum. K.U.	(wh.) Austrian.	Austria.	1804.	—	H. 2.
<i>Selinum austriacum</i> . Jacq. <i>Oreoselinum austriacum</i> . H.U.					
23 rabense. K.U.	(wh.) linear-leaved.	N. Europe.	1816.	7. 8.	H. 2.
24 latifolium. (wh.) broad-leaved.	Caucasus.	—	—	—	H. 2.
<i>Oreoselinum latifolium</i> . M.B.					
25 polymorphum. Lag.	(wh.) variable.	Russia.	1824.	—	H. 2.
26 Bellardi. Lag.	(wh.) Bellardi's.	N. Europe.	—	—	H. 2.
27 elegans. (wh.) elegant.	—	—	—	—	H. 2.
<i>Oreoselinum elegans</i> . H.U.					
28 podolicum. H.U.	(wh.) Polish.	Poland.	1819.	—	H. 2.
29 nigricans. H.U.	(wh.) black-rooted.	Switzerland.	1823.	—	H. 2.
30 caucasicum. (st.) Caucasian.	Caucasus.	1824.	—	—	H. 2.
31 Ostruthium. K.U.	(wh.) Masterwort.	Scotland.		5. 7.	H. 2.
<i>Imperatoria Ostruthium</i> . Eng. bot.					

- 32 *imperatorioïdes*. K.U. (wh.) narrow-leav'd. Alps, Europe. 1818. — H. ♀. Moris. his. s. 9. t. 4.
Imperatoria angustifolia. s.s. *Selinum imperatorioïdes*. L. en.
- IMPERATORIA. DC. MASTERWORT. Pentandria Digynia. L.
verticillaris. s.s. (wh.) whorl-flowered. Italy. 1683. 7. H. ♀. Jacq. vind. 2. t. 130.
Angélica verticillaris. w.
- CALLISACE. F. CALLISACE. Pentandria Digynia.
davurica. F. (wh.) Daurian. 1820. 7. 8. H. ♀.
Thyselinum davuricum. s.s.
- BUBON. K.U. BUBON. Pentandria Digynia.
Galbanum. K.U. (ye.) Lovage-leaved. C. B. S. 1696. 6. 8. G. ♀. Jacq. vind. 3. t. 36.
Selinum Galbanum. R.S.
- ANETHUM. L. en. DILL. Pentandria Digynia. L.
graveolens. w. (ye.) common. Spain. 1570. 6. 7. H. ♂. Hoff. umb. gen. t. 1. f. 13.
Pastinaca Anethum. s.s.
- 2 *segetum*. L. en. (ye.) Portugal. Portugal. 1796. — H. ♂. Jacq. vind. t. 132.
3 *Sowa*. H.B. (st.) Indian. E. Indies. 1810. — H. ♂.
- CAPNOPHYLLUM. S.S. CAPNOPHYLLUM. Pentandria Digynia. S.S.
africanum. s.s. (wh.) Rue-leaved. C. B. S. 1759. 6. 9. H. ♂. Jacq. vind. t. 194.
Conium africanum. w. *Rumia capensis*. L. en.
- ARCHEMORA. DC. ARCHEMORA. Pentandria Digynia.
rigida. DC. (wh.) rigid. Virginia. 1774. 7. 8. H. ♀. Moris. dis. s. 9. t. 7. f. 1.
Sium rigidius. w. *Enanthe rigida*. N. *Pastinaca rigida*. s.s.
- PASTINACA. S.S. PARSNEP. Pentandria Digynia. L.
1 *lucida*. s.s. (ye.) shining-leaved. S. Europe. 1771. 6. 7. H. ♂. Jacq. vind. 2. t. 199.
2 *sativa*. W. en. (ye.) cultivated. 7. H. ♂. Flor. dan. t. 1206.
3 *opaca*. W. en. (ye.) wild. Britain. — H. ♂. Eng. bot. v. 8. t. 556.
sativa β *arvensis*. P.S.
- 4 *taraxacifolia*. F. (ye.) Dandelion-ld. Russia. 1822. — H. ♀.
5 *graveolens*. s.s. (ye.) strong-scented. Tauria. 1819. 7. 8. H. ♀. Hoff. umb. t. 1. B. f. 6. c.
Malabaila graveolens. H.U.
- 6 *panacifolia*. F. (ye.) Panax-leaved. Tauria. 1826. 7. 8. H. ♀.
7 *pimpinellifolia*. s.s. (ye.) Burnet Saxifrage. Caucasus. 1824. — H. ♂. — p. 209. t. 1. B. f. 6. a. b.
8 *umbrösa*. F. (ye.) shady. 1821. — H. ♀.
9 *dissécta*. s.s. (ye.) cut-leaved. Levant. 1816. 6. 7. H. ♂. Venten. cels. t. 78.
10 *nudicaulis*. s.s. (ye.) naked-stalked. N. America. 1816. — H. ♀.
- Smyrniun nudicaule*. Ph.
- 11 *divaricata*. Desf. (ye.) spreading. 1824. — H. ♀.
- ASTYDAMIA. DC. ASTYDAMIA. Pentandria Digynia.
canariensis. DC. (ye.) cut-leaved. Canaries. 1780. 7. G. ♂. DC. dis. umb. t. 1. f. D.
Bupleurum canariense. s.s. *Crithmum latifolium*. L. *Tendria canariensis*. R.S.
- HERACLEUM. S.S. COW-PARSNEP. Pentandria Digynia. L.
1 *Sphondylium*. w. (wh.) common. Britain. 5. 6. H. ♀. Eng. bot. v. 14. t. 939.
2 *flavescens*. w. (wh.) yellowish. Austria. 1789. 6. 7. H. ♀. Jacq. aust. 2. t. 173.
3 *élegans*. w. (wh.) rough-leaved. 1800. 5. 6. H. ♀. — 2. t. 175.
4 *angustifolium*. w. (wh.) narrow-leaved. — H. ♀. — 2. t. 174.
5 *longifolium*. Jacq. (wh.) long-leaved. — H. ♀. — 2. t. 374.
6 *sibiricum*. s.s. (st.) Siberian. Siberia. 1768. — H. ♀. Gmel. sib. 1. t. 50.
7 *Panaces*. s.s. (wh.) Fig-leaved. 1596. 7. 8. H. ♀. Lobel. ic. 701.
8 *pyrenæicum*. w. (wh.) Pyrenean. Pyrenees. 1804. — H. ♀.
9 *amplifolium*. Lap. (wh.) large-leaved. — H. ♀. Lap. fl. pyr. t. 79.
10 *gummiferum*. w. (wh.) gum-bearing. 1816. — H. ♀. Wild. hort. ber. t. 53. 54.
11 *speciosum*. H.U. (wh.) handsome. — H. ♀.
12 *asperum*. M.B. (wh.) rough. Caucasus. — H. ♀.
13 *cordatum*. Pr. (wh.) heart-leaved. Sicily. 1825. — H. ♀.
14 *villosum*. s.s. (wh.) villous. Siberia. 1816. — H. ♀.
15 *grandiflorum*. Stev. (w.) large-flowered. Caucasus. 1818. — H. ♀.
16 *decipiens*. H.U. (wh.) deceiving. — H. ♀.
17 *marginatum*. F. (wh.) margined. Siberia. 1816. — H. ♀.
18 *pubescens*. M.B. (wh.) pubescent. Caucasus. 1824. — H. ♀.
19 *caucasicum*. R.S. (wh.) Caucasian. — H. ♀.
20 *alpinum*. s.s. (wh.) Alpine. Switzerland. 1739. 6. 7. H. ♀. Barrel. ic. 55.
21 *austriacum*. s.s. (wh.) Austrian. Austria. 1816. — H. ♀. Jacq. aust. t. 61.
Tordylium stifolium. w.
- 22 *ligusticifolium*. s.s. (wh.) Lovage-leaved. Tauria. 1824. — H. ♂.
23 *subvillosum*. F. (wh.) subvillous. Siberia. 1820. — H. ♀.
24 *giganteum*. F. (wh.) gigantic. — H. ♀.
25 *básvicum*. F. (wh.) stately. — H. ♀.
26 *laciniatum*. F. (wh.) jagged. 1824. — H. ♀.
27 *tauricum*. F. (wh.) Taurian. Tauria. 1823. — H. ♀.

28 cáspicum. F.	(wh.) Caspian.	Caucasus.	1828.	6. 7. H. ½.	
29 lanátum. M.	(wh.) woolly.	N. America.	—	—	H. ½.
30 pùmulum. DC.	(wh.) dwarf.	Dauphiny.	1800.	5. 7. H. ¼.	Vill. delph. 2. t. 14.
<i>Peucedanum Vocontiorum. s.s.</i>					
ZOSÍ'MIA. H.U.	ZOSÍ'MIA.	Pentandria Digynia.			
orientális. H.U.	(ye.) Wormwood-l'd.	Persia.	1816.	7. 8. H. ⊙.	Vent. choix. t. 22.
<i>Heracleum absinthifolium. s.s. Tordylum absinthifolium. P.s.</i>					

Tribus VII. TORDYLINEÆ. DC.

HASSELQUISTIA. S.S.	HASSELQUISTIA.	Pentandria Digynia.	L.		
1 ægyptiaca. s.s.	(wh.) Egyptian.	Egypt.	1768.	7. H. ⊙.	Jacq. vind. 1. t. 37.
2 cordáta. s.s.	(wh.) heart-leaved.		1787.	— H. ⊙.	— 2. t. 193.
TORDYLIUM. K.U.	HARTWORT.	Pentandria Digynia.	L.		
1 syriacum. s.s.	(wh.) Syrian.	Syria.	1597.	7. H. ⊙.	Jacq. vind. 1. t. 54.
2 cordátum. E.	(wh.) heart-leaved.	—	1826.	— H. ⊙.	
3 máximum. s.s.	(wh.) great.	England.		6. 7. H. ⊙.	Eng. bot. v. 17. t. 1173.
4 lusitánicum. W.en.(wh.)	Portugal.	Portugal.	1820.	— H. ⊙.	
CONDYLOCARPUS. K.U.	CONDYLOCARPUS.	Pentandria Monogynia.			
1 officínalis. K.U.	(bh.) officinal.	England.		7. H. ⊙.	Eng. bot. v. 34. t. 2440.
<i>Tordylum officinale. s.s.</i>					
2 ápulus. K.U.	(wh.) small.	Italy.	1739.	— H. ⊙.	Jacq. vind. 1. t. 53.

Tribus VIII. SILERINEÆ. DC.

KRUB'ERA. H.U.	KRUB'ERA.	Pentandria Digynia.			
leptophylla. K.U.	slender-leaved.	Barbary.	1800.	6. 7. H. ⊙.	Desf. atl. 1. t. 66.
<i>Cönium dichotomum. Df. Cáchrys dichótoma. R.s. Tordylum peregrinum. L.</i>					
AGASYLLIS. S.U.	AGASYLLIS.	Pentandria Digynia.			
1 caucásica. s.u.	(wh.) Caucasian.	Caucasus.	1823.	5. 7. H. ¼.	
<i>Silér caucásicum. s.s. Cáchrys latifolia. M.B.</i>					
2 sálssa. s.u.	(st.) fine-leaved.	Siberia.	1804.	7. 8. H. ¼.	Pall. act. pet. 1779. t. 8.
<i>Silér sálsum. R.s. Sison sálsum. L.</i>					
SILÉR. K.U.	SILÉR.	Pentandria Digynia.			
trilóbum. K.U.	(wh.) Columbine-leav'd.	Austria.	1796.	5. 7. H. ¼.	Jacq. aust. 2. t. 147.
<i>aquilegifolium. R.s. Laserpitium aquilegifolium. w.</i>					

Tribus IX. CUMINEÆ. DC.

CUMINUM. S.S.	CUMIN.	Pentandria Digynia.	L.		
Cýminum. s.s.	(wh.) officinal.	Egypt.	1594.	6. 7. H. ⊙.	Cav. ic. 4. t. 360.

Tribus X. THAPSIÆ. DC.

THAPSIDA. S.S.	DEADLY CARROT.	Pentandria Digynia.	L.		
1 villósa. s.s.	(ye.) villous.	S. Europe.	1710.	6. 7. H. ¼.	Moris. s. 9. t. 18. f. 3.
2 fœtida. s.s.	(ye.) stinking.	Spain.	1596.	7. 8. H. ¼.	— t. 18. f. 7.
3 gummífera. s.s.	(wh.) gum-bearing.	S. Europe.	1824.	— H. ¼.	Desf. atl. 1. t. 72.
<i>Laserpitium gummiferum. Desf.</i>					
4 Asclèpium. s.s.	(ye.) oriental.	Levant.		— H. ¼.	Flor. græc. t. 286.
5 gargánica. s.s.	(ye.) Garganian.	Barbary.	1683.	— H. ¼.	Gouan. ill. 18. t. 10.
6 altíssima. R.S.	(ye.) tall.			— H. ¼.	
CYMOPTERUS. DC.	CYMOPTERUS.	Pentandria Digynia.			
glomeráta. (wh.)	clustered.	N. America.	1824.	5. 6. H. ¼.	
<i>Selinum acaule. Ph.</i>					
LASERPITIUM. DC.	LASERWORT.	Pentandria Digynia.	L.		
1 latifolium. s.s.	(wh.) broad-leaved.	Europe.	1640.	6. 7. H. ¼.	Jacq. aust. t. 146.
2 Libanótis. s.s.	(pu.) pubescent.	S. Europe.	1824.	— H. ¼.	Lob. ic. 705.
3 marginátum. s.s.	(st.) purple-margin'd.	Hungary.	1818.	— H. ¼.	W. et K. hung. 2. t. 192.
4 Silér. s.s.	(wh.) mountain.	—	1640.	— H. ¼.	— 2. t. 145.

5	<i>alpinum</i> . K.U. (wh.) alpine.	S. Europe.	1640.	5. 7. H. ♀.	W. et K. hung. 3. t. 253.
	<i>trilobum</i> . s.s.				
6	<i>angustifolium</i> . w.(wh.) narrow-leaved.	S. Europe.	1738.	6. 7. H. ♀.	Moris. s. 9. t. 19. f. 9.
7	<i>peucedanoides</i> . w.(wh.) fine-leaved.	Italy.		— H. ♀.	Jacq. ic. 2. t. 350.
8	<i>resinosum</i> . s.s. (ye.) resinous.	Sicily.	1825.	— H. ♀.	
9	<i>hirsutum</i> . s.s. (wh.) hairy.	Switzerland.	1759.	— H. ♀.	Hall. stirp. t. 19.
10	<i>Archangélica</i> . s.s.(wh.) spotted-stalked.	Hungary.	1818.	— H. ♀.	Jacq. ic. 1. t. 58.
11	<i>pilosum</i> . s.s. (st.) sulphur-color'd.	Caucasus.	1759.	— H. ♀.	
12	<i>pruthenicum</i> . s.s.(wh.) Prussian.	Germany.	—	7. 8. H. ♀.	Jacq. aust. 2. t. 153.
13	<i>hispidum</i> . M.B. (bh.) hispid.	Caucasus.	1818.	— H. ♀.	
14	<i>Athamántæ</i> . s.s. (wh.) branching.	Siberia.	—	— H. ♂.	
15	<i>gállicum</i> . s.s. (wh.) French.	S. Europe.	1683.	6. 7. H. ♀.	Pluk. phyt. t. 198. f. 6.
16	<i>ferulæceum</i> . w. (wh.) Fennel-leaved.	Levant.	1752.	— H. ♀.	Tourn. it. 2. t. 121.
17	<i>pratense</i> . Led. (wh.) field.	Siberia.	1827.	— H. ♀.	
18	<i>laxiflorum</i> . F. (wh.) loose-flowered.	—	1828.	— H. ♀.	
LOPHOSCIADIUM. DC. LOPHOSCIADIUM. Pentandria Digynia.					
	<i>milfofolium</i> . dc. (ye.) milfoil-leaved.	Levant.	1823.	7. 8. H. ♀.	DC. mem. umb. t. 2. f. P.
	<i>Ferula meoides</i> . s.s.				
MELANOSELINUM. H.U. BLACK-PARSLEY. Pentandria Digynia.					
	<i>decipiens</i> . H.U. (wh.) shrubby.	Madeira.	1785.	6. 7. G. ♀.	Wend. s. han. 3. t. 13.

Tribus XI. DAUCINEÆ. DC.

ARTEDIA. S.S. ART'EDIA. Pentandria Digynia. L.					
	<i>squamata</i> . s.s. (wh.) Fennel-leaved.	Levant.	1740.	7. H. ☉.	Lam. ill. t. 193.
ORLA'YA. H.U. ORLA'YA. Pentandria Digynia.					
1	<i>grandiflora</i> . H.U.(wh.) great-flowered.	S. Europe.	1648.	7. 8. H. ☉.	Jacq. aust. 1. t. 54.
	<i>Caucalis grandiflora</i> . s.s.				
2	<i>maritima</i> . K.U. (bh.) sea-side.	—	1825.	— H. ☉.	Cavan. icon. 2. t. 101.
	<i>Caucalis maritimus</i> . s.s.				
3	<i>platycarpus</i> . K.U.(wh.) broad-seeded.	—	1800.	— H. ☉.	Jacq. vind. 3. t. 10.
DAUCUS. S.S. CARROT. Pentandria Digynia. L.					
1	<i>Carota</i> . w. (wh.) wild.	Britain.		6. 7. H. ♂.	Eng. bot. v. 17. t. 1174.
	<i>β lutea</i> . (wh.) yellow-rooted, garden.	—		— H. ♂.	
	<i>γ aurantia</i> . (wh.) long-orange.	—		— H. ♂.	
	<i>δ præcox</i> . (wh.) early horn.	—		— H. ♂.	
2	<i>mauritanicus</i> . w. (wh.) fine-leaved.	Spain.	1768.	— H. ♂.	All. ped. 2. t. 61. f. 1.
3	<i>polygamus</i> . L.en.(wh.) polygamous.	—		— H. ♂.	Jacq. vind. 3. t. 78.
4	<i>pusillus</i> . R.s. (wh.) small.	N. America.	1812.	— H. ♂.	
5	<i>maritimus</i> . E.B. (ro.) sea-side.	England.		— H. ♂.	Eng. bot. v. 36. t. 2560.
6	<i>gummifer</i> . s.s. (ro.) gum-bearing.	Italy.	1722.	— H. ♂.	Moris. sect. 9. t. 13.
7	<i>prolifer</i> . s.s. (wh.) proliferous.	Sicily.	1828.	— H. ♂.	
8	<i>hispidus</i> . s.s. (bh.) hispid.	Barbary.	1804.	— H. ♂.	Desf. atl. t. 63.
9	<i>siculus</i> . s.s. (bh.) Sicilian.	—	—	— H. ♂.	
10	<i>Gingidium</i> . s.s. (ro.) shining-leaved.	France.	1722.	— H. ♂.	Moris. s. 9. t. 13. f. 4.
	<i>lucidus</i> . w.				
11	<i>muricatus</i> . s.s. (bh.) prickly-seeded	Barbary.	1683.	— H. ☉.	Moris. s. 9. t. 14. f. 4.
12	<i>littoralis</i> . s.s. (wh.) sea-shore.	Greece.	1823.	— H. ☉.	Flor. græc. t. 271.
13	<i>montevidensis</i> . Ot.(wh.) Monte Video.	Monte Video.	1826.	— H. ☉.	
14	<i>parviflorus</i> . s.s. (wh.) small-flowered.	Barbary.	1823.	— H. ♂.	Desf. atl. 1. t. 68.
15	<i>crinitus</i> . K.U. (wh.) whorl-leaved.	—	1804.	6. 7. H. ♀.	— 1. t. 62.
	<i>Torilis crinita</i> . s.s.				
16	<i>pulcherrimus</i> . dc.(wh.) beautiful.	Caucasus.	1816.	— H. ♂.	
	<i>Caucalis pulcherrima</i> . M.B.				
17	<i>orientalis</i> . dc. (wh.) oriental.	—	1699.	— H. ♂.	Buxb. cent. 3. t. 28.
	<i>Caucalis orientalis</i> . R.s.				
18	<i>Marschallianus</i> . dc.(wh.) Marschall's.	Odessa.	1824.	— H. ♂.	
	<i>Caucalis littoralis</i> . M.B. <i>Cachrys littoralis</i> . s.s.				

Subordo II. CAMPYLOSPERMEÆ. DC.

Tribus XII. CAUCALINEÆ. DC.

CAUCALIS. S.S. BUR-PARSLEY. Pentandria Digynia. L.					
1	<i>daucoides</i> . s.s. (ro.) small.	England.		7. 8. H. ☉.	Eng. bot. v. 3. t. 197.

2	mauritànica. s.s. (wh.)	Barbary.	1823.	7. 8. H. ☉	
3	leptophylla. s.s. (bh.)	Europe.	1739.	— H. ☉	Jacq. vind. t. 195.
4	pumila. w. (bh.)	—	1640.	— H. ☉	Ger. gallop. n. 4. t. 10.
5	hispidia. s.s. (st.)	S. Europe.	1825.	— H. ☉	
6	humilis. Lag. (wh.)	—	—	— H. ☉	
TURGENIA. DC. TURGENIA. Pentandria Digynia.					
	latifolia. DC. (bh.)	England.		7. 8. H. ☉	Eng. bot. v. 3. t. 198.
	Caucalis latifolia. E.B.	—	—	—	—
TORILIS. S.S. TORILIS. Pentandria Digynia. S.S.					
1	Anthriscus. s.s. (bh.)	Britain.		7. 8. H. ☉	Eng. bot. v. 14. t. 987.
	infesta. E.F. (wh.)	—		— H. ☉	— v. 19. t. 1314.
	helvética. s.s. arvensis. L.en. Caucalis infesta. E.B.	—	—	—	—
3	neglecta. R.S. (wh.)	Austria.		— H. ☉	Jacq. aust. t. 29.
4	ucrànica. s.s. (wh.)	Ukraine.	1828.	— H. ☉	—
5	nodosa. s.s. (wh.)	Britain.		5. 7. H. ☉	Eng. bot. v. 3. t. 199.
6	trichospérma. s.s. (fl.)	Egypt.	1818.	— H. ☉	—

Tribus XIII. SCANDICINEÆ. DC.

SCANDIX. DC. CICELY. Pentandria Digynia. L.					
1	Pecten. R.S. (wh.)	Venus's-comb. Britain.		6. 7. H. ☉	Eng. bot. v. 20. t. 1397.
2	austràlis. R.S. (wh.)	southern. S. Europe.	1713.	5. 7. H. ☉	Flor. græc. t. 285.
	W'ylia austràlis. H.U.	—	—	—	—
3	falcata. R.S. (wh.)	radiated. Tauria.	—	— H. ☉	Hoff. umb. t. 2. f. 2.
	W'ylia radians. H.U.	—	—	—	—
4	grandiflora. R.S. (wh.)	large-flowered. —	1827.	6. 7. H. ☉	Hoff. umb. p. 15. t. 2. f. 3.
5	brachycarpa. s.s. (wh.)	short-seeded. Sicily.	1829.	— H. ☉	—
6	ibérica. R.S. (wh.)	Iberian. Iberia.	1828.	— H. ☉	Hoff. umb. t. 2. f. 4.
7	pinnatifida. R.S. (wh.)	cut-leaved. Persia.	1805.	5. 7. H. ☉	Venten. cels. t. 14.
8	parviflora. R.S. (wh.)	small-flowered. Tauria.	1827.	— H. ☉	—
ANTHRISCUS. S.S. ROUGH CHERVIL. Pentandria Digynia. S.S.					
1	vulgaris. s.s. (wh.)	common. Britain.		5. 6. H. ☉	Eng. bot. v. 12. t. 818.
	Scandix anthriscus. E.B.	—	—	—	—
2	trichospérma. R.S. (wh.)	hairy-seeded. Persia.	1827.	— H. ☉	—
3	nemorosa. s.s. (wh.)	wood. Caucasus.	1823.	7. 8. H. ♀	Hoff. umb. 2. t. 1. B. f. 19.
4	fumarioides. s.s. (wh.)	Fumitory-like. Hungary.	1818.	— H. ♂	W. et K. hung. 3. t. 224.
5	bulbosa. DC. (wh.)	bulbous-rooted. Europe.	1726.	6. 7. H. ♂	Jacq. aust. 1. t. 63.
	Myrrhis bulbosa. s.s. Chærophyllum bulbosum. Jacq.	—	—	—	—
6	sylvestris. K.U. (wh.)	smooth. Britain.		4. 5. H. ♀	Eng. bot. v. 11. t. 752.
	Chærophyllum sylvestre. E.B.	—	—	—	—
7	Ceræfolium. K.U. (wh.)	true Chervil. —		6. 7. H. ☉	Eng. bot. v. 18. t. 1268.
	Scandix ceræfolium. E.B. Chærophyllum sativum. s.s.	—	—	—	—
8	capensis. s.s. (wh.)	Cape. C. B. S.	1816.	— G. ♀	—
CHÆROPHYLLUM. S.S. CHERVIL. Pentandria Digynia. L.					
1	aromaticum. K.U. (wh.)	aromatic. Scotland.		6. 8. H. ♀	Jacq. aust. 2. t. 150.
	Myrrhis aromatica. s.s.	—	—	—	—
2	angelicæfolium. M.B. (wh.)	Angelica-leav'd. Iberia.	1828.	6. 8. H. ♀	—
3	hirsutum. w. (wh.)	hairy-leaved. Switzerland.	1759.	6. 7. H. ♀	Jacq. aust. 2. t. 148.
4	cicutarium. L.en. (bh.)	Cicuta-like. S. Europe.	1816.	— H. ♀	—
5	aureum. L. (st.)	golden. Scotland.		6. H. ♀	Eng. bot. v. 30. t. 2103.
6	temulentum. E.B. (wh.)	rough. Britain.		7. 8. H. ♂	— v. 22. t. 1521.
7	monogonum. L.en. (wh.)	one-angled. Hungary.	1820.	4. 6. H. ♀	—
8	angulatum. Kit. (wh.)	angular. —	—	— H. ♀	—
9	humile. M.B. (wh.)	dwarf.	1825.	— H. ♀	—
	Anthriscus humilis. Besser. Myrrhis humilis. R.S.	—	—	—	—
10	nitidum. Wahl. (wh.)	glossy-seeded. Carpathian-m.	1820.	— H. ♀	—
11	Biebersteinii. Lag. (wh.)	Bieberstein's. Caucasus.	1824.	5. 6. H. ♀	—
12	nodosum. K.U. (wh.)	knotted. Sicily.	1656.	5. 6. H. ♀	Jacq. vind. 3. t. 25.
	Scandix nodosa. Jacq. Anthriscus nodosa. s.s.	—	—	—	—
13	procumbens. Ph. (wh.)	procumbent. N. America.	1699.	7. 8. H. ☉	Moris. bis. s. 9. t. 11. f. ult.
14	roseum. M.B. (ro.)	rose-coloured. Iberia.	1824.	6. 7. H. ♂	Hoff. umb. t. 1. B. f. 33.
15	coloratum. w. (st.)	color'd-bract'd. Illyria.	1806.	7. 8. H. ♂	—
16	tenuifolium. Poir. (wh.)	slender-leaved. Morocco.	—	— F. ♂	Jacq. vind. t. 51.

- SPHALLEROCARPUS**. DC. **SPHALLEROCARPUS**. Pentandria Digynia.
gracilis. DC. (wh.) slender. Siberia. 1827. 6. 8. H. ♂. DC. dis. umb. t. 2. f. N.
Myrrhis gracilis. s.s. *Chærophyllum Cyminum*. F.
- MOLOPOSPERMUM**. K.U. **MOLOPOSPERMUM**. Pentandria Digynia.
peloponnesiacum. K.U. (pa.) Hemlock-l^d. Switzerland. 1596. 5. 7. H. ♀. Jacq. aust. app. t. 13.
Ligusticum peloponnesiacum. s.s.
- MYRRHIS**. S.S. **MYRRH**. Pentandria Digynia. S.S.
odorata. s.s. (wh.) sweet-scented. Britain. 5. 6. H. ♀. Eng. bot. v. 10. t. 697.
- OSMORHIZA**. DC. **OSMORHIZA**. Pentandria Digynia.
Claytoni. DC. (wh.) sweet-rooted. N. America. 1806. 7. 8. H. ♀. Spreng. umb. t. 3. f. 6.
Myrrhis Claytoni. s.s. *Urspermum hirsutum*. Bigelow. *Claytoni*. N.

Tribus XIV. SMYRNEÆ. DC.

- LAGECIA**. L. **WILD CUMIN**. Pentandria Monogynia. L.
cuminoides. s.s. (gr.ye.) common. Levant. 1640. 6. 7. H. ☉. Flor. græc. t. 243.
- OLIVERIA**. V. **OLIVERIA**. Pentandria Digynia. S.S.
decumbens. v. (bh.) Thyme-scented. Bagdad. 1816. 5. 7. H. ☉. Venten. cels. t. 21.
- ECHINOPHORA**. S.S. **SEA PARSNEP**. Pentandria Digynia. L.
 1 *spinosa*. s.s. (bh.) prickly. England. 7. H. ♀. Eng. bot. v. 34. t. 2413.
 2 *tenuifolia*. s.s. (bh.) fine-leaved. Apulia. 1731. 7. 8. H. ♀. Flor. græc. t. 266.
 3 *trichophylla*. s.s. (bh.) slender-leaved. Armenia. 1829. — H. ♀.
- ARCTOPUS**. S.S. **ARCTOPUS**. Polygamia Diœcia. L.
echinatus. s.s. (wh.) rough. C. B. S. 1774. 6. 9. G. ♀. Bot. reg. t. 705.
- CACHRYS**. L.en. **CACHRYS**. Pentandria Digynia. L.
 1 *odontalgica*. s.s. (ye.) Pallas's. Siberia. 1824. 7. 8. H. ♀. Pall. reis. ap. 3. t. 9.
 2 *Morisoni*. s.s. (ye.) Morison's. S. Europe. 1710. — H. ♀. Moris. umb. t. 3. f. 1.
- PERLEBIA**. DC. **PERLEBIA**. Pentandria Digynia.
triquetra. DC. (wh.) winged. Levant. 1816. 6. 7. H. ♀. Vent. cels. t. 79.
Laserpitium triquetrum. v. *Cachrys triquetra*. s.s.
- HIPPOMARATHRUM**. **HIPPOMARATHRUM**. Pentandria Digynia.
siculum. L.en. (ye.) hairy-seeded. Sicily. 1640. 7. 8. H. ♀. Moris. umb. t. 3. f. 2.
Cachrys sicula. s.s.
- MAGYDARIS**. DC. **MAGYDARIS**. Pentandria Digynia.
panacina. DC. (wh.) Parsnep-leav'd. Sicily. 1752. 7. 8. H. ♀. Bocc. sic. 1. t. 1.
Cachrys panacifolia. v. *Athamanta panacifolia*. R.S.
- HERMAS**. S.S. **HERMAS**. Polygamia Monœcia. W.
 1 *gigantea*. s.s. (pu.) gigantic. C. B. S. 1794. 6. 7. G. ♀. Thunb. act. pet. 14. t. 11.
 2 *villosa*. s.s. (bh.) villous. — 1795. — G. ♀. Burm. afr. t. 71. f. 2.
depauperata. L.
- 3 *ciliata*. s.s. (wh.) ciliated. — 1816. — G. ♀. Burm. t. 72. f. 1.
capitata. s.s. (wh.) headed. — 6. 8. G. ♀. Thun. n. act. pet. 14. t. 12.
 5 *quinquedentata*. s.s. (wh.) toothed. — 1821. — G. ♀. — 14. p. 533. t. 12.
- CONIUM**. H.U. **HEMLOCK**. Pentandria Digynia. L.
 1 *maculatum*. s.s. (wh.) common. Britain. 6. 7. H. ♂. Eng. bot. v. 17. t. 1191.
 2 *croaticum*. W.K. (wh.) Hungarian. Hungary. — H. ♂.
- ARRACACIA**. DC. **ARRACACIA**. Pentandria Digynia.
esculenta. DC. (wh.) esculent. S. America. 1822. 4. 5. F. ♀. Hook. ex. flor. t. 152.
Conium Arracacha. H.E.F.
- PLEUROSPERMUM**. S.S. **PLEUROSPERMUM**. Pentandria Digynia. S.S.
austriacum. s.s. (wh.) Austrian. Austria. 1596. 6. 8. H. ♀. Jacq. aust. 2. t. 151.
Ligusticum austriacum. w.
- MYRNIUM**. S.S. **ALEXANDERS**. Pentandria Digynia. L.
 1 *Olusatrum*. s.s. (st.) common. Britain. 5. 6. H. ♂. Eng. bot. v. 4. t. 230.
 2 *perfoliatum*. w. (st.) perfoliate. Italy. 1596. 5. H. ♀. Lobel. ic. 709.
Dodonæi. s.s.
- 3 *Dioscoridis*. s.s. (ye.) Dioscorides. S. Europe. — H. ♂. Flor. græc. t. 289.
 4 *apifolium*. s.s. (ye.) Smallage-leav'd. Candia. 1731. 5. 7. H. ♀.
 5 *nudicaule*. s.s. (ye.) naked-stalked. Caucasus. 1820. — H. ♀. Spreng. umb. t. 4. f. 7.
 6 *cicutarium*. s.s. (ye.) Cicutia-like. — 1829. — H. ♀.
 7 *cordatum*. s.s. (ye.) heart-leaved. N. America. 1759. 6. 7. H. ♀.
 8 *integerrimum*. Ph. (ye.) entire-leaved. N. America. 1759. — H. ♀.
- PHYSOSPERMUM**. S.S. **PHYSOSPERMUM**. Pentandria Digynia. S.S.
commutatum. s.s. (wh.) Cornish. England. 7. 8. H. ♀. Eng. bot. v. 10. t. 683.
Ligusticum cornubiense. E.B.

Subordo III. *CÆLOSPERMÆÆ*. DC.Tribus XV. *CORIANDRÆÆ*. DC.

BIF'ORIS. S.S.	BIF'ORIS. Pentandria Digynia. S.S.				
1 flosculōsa. s.s. (wh.) flosculose.	S. Europe. 1640.	6. 7.	H. ☉.	Moris. sect. 9. t. 11.	
<i>Cōrion testiculātum</i> . L.en. <i>Coriāndrum testiculātum</i> . L.					
2 rādians. s.s. (wh.) rayed.	Tauria.	—	H. ☉.	Hoff.umb.ed.2.t.tit.f.2.	
ATR'EMA. DC.	ATR'EMA. Pentandria Digynia.				
americana. DC. (wh.) American.	N. America. 1827.	6. 7.	H. ☉.	DC. mem. umb. t. 18.	
<i>Coriāndrum americanum</i> . N.					
CORIA'NDRUM. S.S.	CORIA'NDER. Pentandria Digynia. L.				
sativum. s.s. (bh.) common.	England.	6.	H. ☉.	Eng. bot. v. 1. t. 67.	

ORDO CIX.

ARALIACEÆ. *Juss. gen. p. 217.*

P'ANAX. L.	P'ANAX. Polygamia Diœcia. L.				
1 quinquefōlium. w. (gr.) Ginseng.	N. America. 1740.	6.	H. ♀.	Bot. mag. t. 1333.	
2 trifōlium. w. (wh.) lesser.	————— 1759.	5. 6.	H. ♀.	————— t. 1334.	
<i>pusilla</i> . a. B.M.					
3 fruticōsum. w. (gr.) shrubby.	Ternate. 1800.	8. 9.	S. ♀.	Andr. rep. t. 595.	
4 digitātum. H.B. (gr.) fingered.	E. Indies. 1818.		S. ♀.		
5 arboreūm. w. (gr.) tree.	N. Zealand. 1822.		G. ♀.		
6 chrysophyllum. R.S. (gr.) golden-leaved.	Guiana. ———		S. ♀.	Aub. gui. 2. t. 360.	
7 conchifōlium. H.B. (gr.) shell-leaved.	————— 1820.		S. ♀.	Rumph. amb. 4. t. 31.	
8 attenuātum. w. (gr.) attenuated.	W. Indies. 1825.		S. ♀.		
9 aculeatūm. w. (gr.) prickly.	China. 1773.	11.	S. ♀.	Jacq. ic. 3. t. 634.	
CUSS'ONIA. W.	CUSS'ONIA. Pentandria Digynia. L.				
1 thyrsiflōra. w. (gr.) thyrese-flower'd.	C. B. S. 1795.	8. 10.	G. ♀.	Th. nov. act. ups. 3. t. 12.	
2 triptera. C.R. (gr.) tripterous.	————— 1816.		G. ♀.	Colla hort. rip. t. 26.	
3 spicāta. w. (gr.) spike-flowered.	————— 1789.	8. 10.	G. ♀.	Th. nov. act. ups. 3. t. 13.	
SCIODAPHY'LLUM. S.S.	SCIODAPHY'LLUM. Pentandria Pentagynia. S.S.				
1 pentāndrum. s.s. (bh.) pentandrous.	Peru. 1828.		G. ♀.	Flor. peruv. t. 311.	
2 acuminātum. s.s. (ye.) acuminate-petal'd.	————— 1818.		S. ♀.	————— t. 310.	
<i>Actinophy'llum acuminātum</i> . R.P.					
3 conicum. s.s. (bh.) conical-flower'd.	————— ———		S. ♀.	Flor. peruv. p. 75. t. 309.	
4 pedicellātum. s.s. (bh.) pedicelled.	————— ———		S. ♀.	————— t. 308.	
<i>Actinophy'llum pedicellātum</i> . R.P.					
5 angulātum. s.s. (ye.) tree.	————— 1824.		G. ♀.		
6 Brōwnii. s.s. (gr.) upright.	W. Indies. 1793.	6. 8.	S. ♀.	Brown jam. t. 19. f. 1. 2.	
<i>Aralia Sciodaphy'llum</i> . w.					
ARALIA. D.P.	ARALIA. Pentandria Pentagynia. L.				
1 pentaphy'lla. s.s. (gr.) five-ld prickly.	China. 1822.		G. ♀.		
2 spinōsa. s.s. (wh.) Angelica-tree.	Virginia. 1688.	9.	H. ♀.	Comm. hort. 1. t. 47.	
3 racemōsa. s.s. (gr.) berry-bearing.	N. America. 1658.	6. 9.	H. ♀.	Seis.uhr. hand. 1. t. 86.	
4 nudicaulis. s.s. (wh.) naked-stalked.	————— 1731.	6. 7.	H. ♀.	Pluk. alm. t. 238. f. 5.	
5 hispida. s.s. (wh.) hispid.	————— 1799.	—	H. ♀.	Bot. mag. t. 1085.	
6 pubescens. DC. (wh.) pubescent.	New Spain. 1819.		G. ♀.	DC. mons. ined. t. 45.	
GAST'ONIA. J.	GAST'ONIA. Dodecandria Monogynia.				
palmāta. H.B. (wh.) palmate-leaved.	E. Indies. 1818.	3. 4.	♂	Bot. g. t. 894.	
H'EDERA. D.P.	Ivy. Pentandria Mono-Pentagynia.				
1 umbraculifera. (wh.) large.	E. Indies. 1818.	3. 4.	S. ♀.		
<i>Aralia umbraculifera</i> . H.B.					
2 digitāta. H.B. (wh.) fingered.	————— ———	—	S. ♀.		

3	aculeata. D.P.	(wh.) prickly Nepaul.	Nepaul.	1816.		F. h.	
4	fragrans. D.P.	(wh.) fragrant.	—	—		F. h.	
5	cochleata.	(wh.) shell-leaved.	E. Indies.	1820.		S. h.	Rumph. amb. 4. t. 31.
<i>Aràlia cochleata</i> . R.S.							
	arborea. R.S.	(wh.) tree.	Jamaica.	—		S. h.	Jacq. schœnb. t. 51.
7	capitata. R.S.	(gr.) cluster-flower'd.	W. Indies.	1777.	8.	S. h.	Smith ic. pict. 4.
8	canariensis. R.S.	(gr.) Irish.	Canaries.	1807.	9. 10.	H. h.	Willd. ber. m. 2. t. 5.f.1.
9	Hélix. R.S.	(gr.) common.	Britain.		—	H. h.	Eng. bot. v. 18. t. 1267.
	β poetica. R.S.	(gr.) Poet's.	—		—	H. h.	
	γ albo-variegata. (gr.)	white-variegated.	—		—	H. h.	
	δ flavo-variegata. (gr.)	yellow-variegated.	—		—	H. h.	

ORDO CX.

CAPRIFOLIACEÆ. *Juss. gen. p. 210.*

CORNUS. L.		Dogwood. Tetrandria Monogynia. L.					
1	alternifolia. R.S.	(wh.) alternate-leav'd.	N. America.	1760.	9.	H. h.	Schm. arb. 2. t. 70.
2	paniculata. R.S.	(wh.) paniced.	—	1758.	6. 7.	H. h.	— 2. t. 68.
3	stricta. R.S.	(wh.) upright.	—	—	—	H. h.	— 2. t. 67.
	β variegata.	(wh.) variegated-leav'd.	—	—	—	H. h.	
4	oblōnga. F.I.	(bh.) oblong-leaved.	Nepaul.	1818.	7. 8.	H. h.	
5	macrophylla. F.I.	(wh.) large-leaved.	—	1827.	—	H. h.	
6	circinata. R.S.	(wh.) Pennsylvanian.	N. America.	1784.	—	H. h.	Schm. arb. 2. t. 69.
7	alba. R.S.	(wh.) white berried.	Siberia.	1741.	6. 9.	H. h.	— 2. t. 65.
8	sibirica. L.C.	(wh.) Siberian.	—		—	H. h.	
9	sericea. R.S.	(wh.) blue-berried.	N. America.	1683.	8.	H. h.	Schm. arb. 2. t. 64.
10	sanguinea. R.S.	(wh.) common.	Britain.		6. 7.	H. h.	Eng. bot. v. 4. t. 249.
	β variegata.	(wh.) variegated.	—		—	H. h.	
11	mascula. R.S.	(ye.) Cornelian Cherry.	Europe.	1596.	2. 4.	H. h.	Flor. græc. t. 151.
	β variegata.	(ye.) variegated.	—	—	—	H. h.	
12	florida. R.S.	(ye.) great-flowered.	N. America.	1731.	4. 5.	H. h.	Bot. mag. t. 526.
13	capitata. F.I.	(ye.) headed.	Nepaul.	1820.	—	H. h.	
14	canadensis. R.S.	(wh.) Canadian.	Canada.	1774.	6. 8.	H. h.	Bot. mag. t. 880.
15	suæica. R.S.	(wh.) dwarf.	Britain.		4.	H. h.	Eng. bot. v. 5. t. 310.
SAMBUCUS. L.		ELDER. Pentandria Trigynia. L.					
1	Ebulus. R.S.	(fl.) herbaceous.	Britain.		6. 7.	H. h.	Eng. bot. v. 7. t. 475.
2	humilis. Mill.	(fl.) dwarf.	—		—	H. h.	
3	chinensis. H.T.	(fl.) Chinese.	China.	1825.	—	H. h.	
4	nigra. R.S.	(wh.) common.	Britain.		5. 7.	H. h.	Eng. bot. v. 7. t. 476.
	β variegata.	(wh.) variegated.	—		—	H. h.	
	γ aurea.	(wh.) golden-leaved.	—		—	H. h.	
	δ pulverulenta.	(wh.) powdered-leaved.	—		—	H. h.	
	ε monstrōsa.	(wh.) deformed.	—		—	H. h.	
	ζ virescens.	(wh.) green-fruited.	—		—	H. h.	
	η albida.	(wh.) white-fruited.	—		—	H. h.	
5	aniata. L.en.	(wh.) Parsley-leaved.	—		—	H. h.	Schm. arb. t. 144.
6	hybrida. Jac.	(wh.) hybrid.	—	1826.	—	H. h.	
7	rotundifolia. L.C.	(wh.) round-leaved.	Wiltshire.		—	H. h.	
8	œnensis. R.S.	(wh.) Canadian.	N. America.	1761.	6. 8.	H. h.	Schm. arb. t. 142.
	œmōsa. R.S.	(st.) red-berried.	S. Europe.	1596.	5. 6.	H. h.	Jacq. ic. 1. t. 59.
	β purpurea.	(br.) purple-flowered.	—	—	—	H. h.	
10	pubescens.	(st.) pubescent.	N. America.	1812.	—	H. h.	
VIBURNUM. Pentandria Trigynia. L.							
1	niveum. R.S.	(wh.) soft.	N. America.	1812.	6. 7.	H. h.	
2	acerifolium. R.S.	(wh.) Maple-leaved.	—	1736.	—	H. h.	Wats. dend. brit. t. 118.
3	edule. R.S.	(wh.) eatable-fruited.	—	1812.	7.	H. h.	
4	Oxycoccus. R.S.	(h.) Cranberry-like.	—		—	H. h.	
5	Opulus. R.S.	(wh.) Guelder Rose.	Britain.		5. 6.	H. h.	Eng. bot. v. 5. t. 332.
	β roseum. R.S.	(wh.) Snowball tree.	—		—	H. h.	Schm. arb. t. 174.
	γ variegatum.	(wh.) variegated-leav'd.	—		—	H. h.	
6	davuricum. R.	(wh.) Sift. an.	Dahuria.	1785.	6. 7.	H. h.	Pall. ross. 1. t. 38.
7	lantanoideus. R.S.	(wh.) Lantana-like.	N. America.		5. 6.	H. h.	
8	Lantana. R.S.	(wh.) wayfaring-tree.	Britain.		—	H. h.	Eng. bot. v. 5. t. 331.
9	nervosum. D.P.	(wh.) nerved-leaved.	Nepaul.	1826.	—	H. h.	

- 10 *Lentago*. R.S. (*wh.*) tree. N. America. 1761. 7. H. $\frac{1}{2}$. Wats. dend. brit. t. 21.
 11 *squamatum*. R.S. (*wh.*) scaly. — 1812. 6. 7. H. $\frac{1}{2}$. — t. 24.
 12 *pyrifolium*. R.S. (*wh.*) pear-leaved. — 5. 6. H. $\frac{1}{2}$. — t. 22.
 13 *prunifolium*. R.S. (*wh.*) plum-leaved. — 1731. — H. $\frac{1}{2}$. — t. 23.
 14 *pubescens*. R.S. (*wh.*) pubescent. — 1736. 6. 7. H. $\frac{1}{2}$.
 15 *dentatum*. R.S. (*wh.*) tooth-leaved. — — H. $\frac{1}{2}$. Wats. dend. brit. t. 25.
 16 *lævigatum*. R.S. (*wh.*) Cassioberry bush. — 1724. 7. 8. H. $\frac{1}{2}$. Mill. ic. 1. t. 83. f. 1.
 17 *nitidum*. R.S. (*wh.*) shining-leaved. — 1758. 5. 6. H. $\frac{1}{2}$.
 18 *cassinoides*. R.S. (*wh.*) thick-leaved. — 1761. 6. 7. H. $\frac{1}{2}$.
 19 *obovatum*. R.S. (*wh.*) obovate-leaved. — 1812. 5. 6. H. $\frac{1}{2}$.
 20 *odoratissimum*. B.R. (*w.*) sweet-scented. China. 1810. — G. $\frac{1}{2}$. Bot. reg. t. 456.
chinense. Zeyh.
 21 *nudum*. R.S. (*wh.*) oval-leaved. N. America. 1752. — H. $\frac{1}{2}$. Wats. dend. brit. t. 20.
 22 *cylindricum*. D.P. (*wh.*) tube-flowered. Nepaul. 1826. 6. 8. H. $\frac{1}{2}$.
 23 *villosum*. R.S. (*wh.*) villous. Jamaica. 1820. 4. 6. S. $\frac{1}{2}$.
 24 *rugosum*. R.S. (*wh.*) rugged-leaved. Canaries. 1796. 4. 5. H. $\frac{1}{2}$. Bot. reg. t. 376.
rigidum. Vent. malm. t. 98.
 25 *strictum*. L.en. (*wh.*) upright Laurestine. S. Europe. 1596. 3. 5. H. $\frac{1}{2}$.
 β virgatum. (*wh.*) twiggy. — — H. $\frac{1}{2}$.
 26 *Tinus*. R.S. (*wh.*) common Laurestine. — 12. 4. H. $\frac{1}{2}$. Bot. mag. t. 38.
 27 *lucidum*. R.S. (*bh.*) shining Laurestine. — 2. 5. H. $\frac{1}{2}$. Clus. hist. 1. 49. ic.
SYMPHORIA. S.S. St. PETER'S-WORT. Pentandria Monogynia.
 1 *glomerata*. S.S. (*bh.*) common. N. America. 1730. 8. 9. H. $\frac{1}{2}$. Schmidt arb. t. 115.
 2 *racemosa*. S.S. (*bh.*) Snowberry. — 1812. 7. 9. H. $\frac{1}{2}$. Wats. dend. brit. t. 7.
DIERVILLA. J. DIERVILLA. Pentandria Monogynia.
humilis. P.S. (*ye.*) yellow-flower'd. N. America. 1739. 6. 7. H. $\frac{1}{2}$. Bot. mag. t. 1796.
lutea Ph. Tournefortii. R.S. canadensis. S.S. *Lonicera Diervilla*. L.
LONICERA. R.S. FLY-HONEYSUCKLE. Pentandria Monogynia. L.
 1 *alpigena*. S.S. (*re.*) red-berried. Switzerland. 1596. 4. 5. H. $\frac{1}{2}$. Schmidt arb. t. 112.
 2 *microphylla*. S.S. (*re.*) small-leaved. Siberia. 1818. 5. 6. H. $\frac{1}{2}$.
 3 *sibirica*. R.S. (*re.*) Siberian. — — H. $\frac{1}{2}$.
 4 *orientalis*. R.S. (*wh.*) oriental. Levant. 1820. — H. $\frac{1}{2}$.
caucasica. Pall.
 5 *punicea*. B.M. (*cr.*) crimson-flower'd. — 4. 5. H. $\frac{1}{2}$. Bot. mag. t. 2469.
 6 *cœrulea*. R.S. (*st.*) blue-berried. Switzerland. 1629. 3. 4. H. $\frac{1}{2}$. — t. 1965.
 β altaica. F. (*st.*) Altay. — 1827. — H. $\frac{1}{2}$.
 7 *canadensis*. R.S. (*st.*) Canadian. Canada. 1812. 4. 5. H. $\frac{1}{2}$.
 8 *involuta*. S.S. (*ye.*) involucred. N. America. 1824. 5. 6. H. $\frac{1}{2}$. Bot. reg. t. 1179.
 9 *iberica*. R.S. (*br.*) Iberian. Iberia. 1818. 5. 6. H. $\frac{1}{2}$.
 10 *villosa*. R.S. (*st.*) villous. Canada. — 4. 5. H. $\frac{1}{2}$.
Xylosteum villosum. M.
 11 *Xylosteum*. R.S. (*wh.*) fly. England. 6. 7. H. $\frac{1}{2}$. Eng. bot. v. 13. t. 916.
 12 *canescens*. R.S. (*wh.*) canescent. Barbary. 1820. — H. $\frac{1}{2}$. Desf. atl. 1. t. 52.
biflora. Desf.
 13 *ciliata*. R.S. (*bh.*) ciliated. N. America. 1824. 5. 6. H. $\frac{1}{2}$.
 β alba. R.S. (*wh.*) white berried. — — H. $\frac{1}{2}$.
 14 *tatarica*. R.S. (*wh.*) Tartarian. Tartary. 1752. 4. 5. H. $\frac{1}{2}$. Pall. ros. 1. t. 36.
 α alba. (*wh.*) white-flowered. — — H. $\frac{1}{2}$.
 β rubra. (*pi.*) red-flowered. — — H. $\frac{1}{2}$. Bot. reg. t. 31.
 15 *nigra*. R.S. (*pu.*) black-berried. Switzerland. 1597. 3. 4. H. $\frac{1}{2}$. Schmidt arb. t. 110.
 16 *flexuosa*. R.S. (*wh.*) flexuose. China. 1806. 7. 9. H. $\frac{1}{2}$.
 17 *quadrifolia*. R.S. (*wh.*) four-leaved. Siberia. 1824. — H. $\frac{1}{2}$.
 18 *pyrenaica*. R.S. (*wh.*) Pyrenean. Pyrenees. 1739. 5. H. $\frac{1}{2}$. Magn. hort. t. 209.
 19 *hispidula*. R.S. (*wh.*) hispid-branch'd. Dahuria. 1821. — H. $\frac{1}{2}$.
 20 *ligustrina*. D.P. (*st.*) Privet-leaved. Nepaul. 1825. 4. 5. H. $\frac{1}{2}$.
NINTO'OA. NINTO'OA. Pentandria Monogynia.
 1 *longiflora*. (*st.*) long-flowered. China. 1816. 5. 10. F. $\frac{1}{2}$. Bot. reg. t. 1233.
Caprifolium longiflorum. B.R. japonicum. D.P.
 2 *confusa*. (*st.*) pale-flowered. China. 1806. 7. 10. F. $\frac{1}{2}$. Andr. reposit. t. 583.
Nin-too. Kæmpf. amœn. 5. p. 785. *Lonicera japonica*. Bot. reg. t. 70. non Thunb.
 3 *japonica*. Th. (*re.*) red-flowered. China. 1814. 4. 11. H. $\frac{1}{2}$. Wats. dend. brit. t. 117.
Lonicera chinensis. W.D. *Lonicera flexuosa*. Bot. reg. v. 9. t. 712. nec aliorum.
CAPRIFOLIUM. R.S. HONEYSUCKLE. Pentandria Monogynia.
 1 *italicum*. R.S. (*bh.*) early. England. 4. 6. H. $\frac{1}{2}$. Eng. bot. v. 12. t. 799.
album. (*wh.*) white-flowered. — — H. $\frac{1}{2}$. Jacq. aust. t. 357.
Lonicera Caprifolium. E.B.
 β rubrum. (*re.*) early red. Italy. H. $\frac{1}{2}$. Schmidt arb. t. 106.
 2 *etruscum*. R.S. (*wh. pu.*) Italian. — 1824. — H. $\frac{1}{2}$. San. Viag. al. m. t. 1.
 3 *baleaticum*. R.S. (*st.*) red-barked. S. Europe. — — H. $\frac{1}{2}$.

- 4 dioicum. R.S. (re.) small-flowered. N. America. 1766. 6. 7. H. $\frac{1}{2}$. Bot. reg. t. 138.
parviflorum. Ph? *bracteosum*. M? *Lonicera media*. Murr. com. got. 1776. t. 3.
5 gratum. R.S. (re.) evergreen. N. America. 1730. 6. 8. H. $\frac{1}{2}$. Hort. angl. n. 10. t. 8.
6 flavum. B.M. (ye.) golden-flowered. ——— 1810. 5. 7. H. $\frac{1}{2}$. Bot. mag. t. 1318.
Fraseri. Ph. *Lonicera flava*. B.M.
7 Douglasii. H.T. (ye.) Douglas's. Canada. 1824. 5. 7. H. $\frac{1}{2}$.
8 pubescens. H.E.F. (ye.) pubescent. N. America. 1820. — H. $\frac{1}{2}$. Hook. ex. flor. t. 27.
Lonicera Goldii. s.s.
9 sempervirens. R.S. (sc.) Trumpet. ——— 1656. 5. 8. H. $\frac{1}{2}$. Bot. mag. t. 781.
10 oblongifolium. (sc.) oblong-leaved. Carolina. F. $\frac{1}{2}$. t. 1753.
Lonicera sempervirens. β minor. B.M.
11 ciliolum. R.S. (ye.) fringed. N. America. 1827. — H. $\frac{1}{2}$.
12 implexum. R.S. (pa.) glaucous-leaved. Minorca. 1772. 6. 9. H. $\frac{1}{2}$. Bot. mag. t. 640.
13 Periclymenum. R.S. (st.) Woodbine. Britain. 5. 7. H. $\frac{1}{2}$. Eng. bot. v. 12. t. 800.
a vulgàris. H.K. (st.) common. ——— H. $\frac{1}{2}$. Schmidt arb. t. 107.
 β serotinum. H.K. (re.) late red. ——— 6. 8. H. $\frac{1}{2}$. t. 108.
 γ belgicum. H.K. (bh.) dutch. ——— 5. 7. H. $\frac{1}{2}$. Hort. angl. n. 5. t. 6.
 δ quercifolium. H.K. (st.) Oak-leaved. Britain. H. $\frac{1}{2}$.
 ϵ variegatum. H.K. (st.) variegated-leav'd. ——— H. $\frac{1}{2}$.
TRIOSTEUM. R.S. FEVERWORT. Pentandria Monogynia. L.
1 perfoliatum. R.S. (pu.) perfoliate. N. America. 1730. 6. 7. H. $\frac{1}{2}$.
2 angustifolium. R.S. (ye.) narrow-leaved. ——— 1699. — H. $\frac{1}{2}$. Pluk. alm. t. 104. f. 2.
LINNÆA. W. LINNÆA. Didynamia Angiospermia. L.
borealis. w. (bh.) two-flowered. Britain. 5. 8. H. $\frac{1}{2}$. Eng. bot. v. 7. t. 433.

ORDO CXI.

LORANTHÆ. Juss. ann. mus. 12. p. 292.

- LORANTHUS. L. LORANTHUS. Hexandria Monogynia.
europæus. s.s. (st.) European. Europe. 1824. H. $\frac{1}{2}$. Jacq. aust. t. 30.
VISCUM. L. MISSELTOE. Diœcia Tetrandria. L.
album. E.B. (gr.) common. England. 5. H. $\frac{1}{2}$. Eng. bot. v. 21. t. 1470.

ORDO CXII.

CHLORANTHÆ. R. Brown.

- CHLORANTHUS. R.S. CHLORANTHUS. Tetrandria Monogynia. R.S.
1 inconspicuus. R.S. (st.) trailing. China. 1781. 5. 9. G. $\frac{1}{2}$. L'Her. sert. angl. t. 2.
2 erectus. H.S.L. (wh.) upright. ——— 1809. 6. 8. G. $\frac{1}{2}$.
elætiar. L. enum.
3 odoriferus. (ye.) sweet-scented. ——— 1820. — G. $\frac{1}{2}$.
Creodus odorifer. Loureiro.
4 monostachys. s.s. (st.) single-spiked. ——— 1819. 2. 6. G. $\frac{1}{2}$. Bot. mag. t. 2190.
5 monander. B. (ye.) single-stamen'd. ——— 1817. 1. 12. G. $\frac{1}{2}$.

ORDO CXIII.

LOPHIREÆ. G. Don.

- LOPHIRA. S.S. SCRUBBY OAK. Icosandria Monogynia. S.S.
alata. s.s. (gr.) winged. Sierra Leone. 1822. S. $\frac{1}{2}$.

ORDO CXIV.

RUBIACEÆ. *Juss. gen. 196.*Sect. I. GUETTARDEÆ. *Kunth synops. 3. p. 67.*

GUETTA'RD. S.S.	GUETTA'RD.	Monœcia	Tetr-Pent-Hexandria.		
1 argentea. s.s. (wh.)	silvery-leaved.	Jamaica.	1826.	S. h.	Brown. jam. t. 20. f. 1.
2 hirsuta. s.s. (wh.)	hairy.	Peru.	1822.	S. h.	Flor. per. 2. t. 145. f.a.
<i>Laugeria hirsuta. R.P.</i>					
3 tomentosa. s.s. (wh.)	tomentose.	Jamaica.	—	S. h.	
4 lucida. s.s. (wh.)	glossy.	—	1818.	S. h.	Vahl. symb. 3. t. 57.
<i>Laugeria lucida. Sw.</i>					
5 odorata. R.S. (br.)	sweet-scented.	Havannah.	1827.	S. h.	Jacq.am.pic.t.259.f.16.
6 scabra. s.s. (wh.)	rough.	W. Indies.	—	S. h.	Vent. choix. 1. t. 1.
<i>Matthiola scabra. L.</i>					
7 rugosa. s.s. (wh.)	rough-leaved.	—	1793.	S. h.	
8 elliptica. R.S.	elliptic-leaved.	Jamaica.	1825.	S. h.	
9 speciosa. s.s. (wh.)	great-flowered.	E. Indies.	1771.	S. h.	Rheed. mal. 4. t. 47.48.
NONAT'ELIA. R.S. NONAT'ELIA. Pentandria Monogynia.					
1 racemosa. R.S. (wh.)	racemed.	Trinidad.	1825.	S. h.	Aubl. guian. 1. t. 72.
2 officinalis. R.S. (wh.)	official.	W. Indies.	1824.	S. h.	— 1. t. 70. f. 1.
<i>Psychotria involucrata. w.</i>					
VANGU'ERIA. J. VANGU'ERIA. Pentandria Monogynia. S.S.					
1 edulis. s.s. (gr.)	eatable.	E. Indies.	1809.	S. h.	Lam. ill. t. 159.
2 spinosa. F.I. (gr.)	spiny.	—	1818.	S. h.	
ERITHALIS. S.S. ERITHALIS. Pentandria Monogynia. L.					
fruticosa. s.s. (wh.)	shrubby.	Jamaica.	1793. 7. 8.	S. h.	Jacq.am.p.t.260.f.20.
<i>odorifera. R.S.</i>					

Sect. II. HAMELIACEÆ. *Kth. synops. 3. p. 63.*

HAMELIA. S.S.	HAMELIA.	Pentandria Monogynia. L.			
1 axillaris. s.s. (ye.)	axillary-flower'd.	Jamaica.	1820. 7. 8.	S. h.	
2 ventricosa. s.s. (ye.)	large-flowered.	W. Indies.	1778. 9. 11.	S. h.	Bot. reg. 1195.
<i>grandiflora. par. lond. t. 55.</i>					
3 chrysantha. s.s. (ye.)	yellow-flower'd.	—	1820. —	S. h.	Jacq. ic. 2. t. 335.
4 patens. s.s. (sc.)	spreading.	—	1752. 7. 8.	S. h.	Exot. bot. 1. t. 24.
5 sphærocarpa. P.S.(or.)	round-fruited.	Peru.	1811. —	S. h.	Flor. per. t. 221. f. b.
ISERTIA. S.S. ISERTIA. Hexandria Monogynia. S.S.					
coccinea. s.s. (sc.)	scarlet-flower'd.	S. America.	1820.	S. h.	Aubl. guian. 1. t. 123.
SABI'CEA. R.S. SABI'CEA. Pentandria Monogynia.					
1 aspera. R.S. (wh.)	rough.	Guiana.	1824.	S. h.~	Aubl. guian. 1. t. 120.
2 hirta. R.S. (wh.)	hairy.	Jamaica.	1825.	S. h.~	

Sect. III. GARDENIÆ. *Sal. par. lond. 46.*

MUSS'ÆNDA. R.S.	MUSS'ÆNDA.	Pentandria Monogynia. L.			
1 corymbosa. F.I. (or.)	corymbose.	E. Indies.	1827. 5. 8.	S. h.	
2 frondosa. R.S. (ye.)	frondose.	—	1815. 5. 10.	S. h.	Bot. reg. t. 517.
3 glabra. R.S. (ye.)	smooth.	—	1820. —	S. h.	
4 macrophylla. F.I. (or.)	large-leaved.	Nepaul.	1827.	S. h.	
5 pubescens. R.S. (ye.)	pubescent.	China.	1805. 5. 9.	G. h.	Bot. mag. t. 2099.
6 arcuata. R.S. (ye.)	arched.	Isle France.	1822.	S. h.	
LUC'ULIA. B.F.G. LUC'ULIA. Pentandria Monogynia.					
gratissima. B.F.G.(ro.)	sweet-scented.	Nepaul.	1818. 10. 2.	G. h.	Swt br. fl. gar. t. 145.
<i>Cinchona gratissima. F.I. Muss'ænda Luc'ulia. D.P.</i>					
RA'NDIA. R.S. RA'NDIA. Pentandria Monogynia. R.S.					
1 aculeata. R.S. (wh.)	prickly.	W. Indies.	1733. 5. 6.	S. h.	Bot. mag. t. 1841.
<i>Gardenia Rândia. w.</i>					

- 2 obovata. R.S. (wh.) obovate-leaved. Peru. 1818. 5. 6. S. h. Flor. per. 2. t. 220. f. b.
 3 rotundifolia. R.S. (wh.) round-leaved. ———— S. h.
 4 parvifolia. R.S. (wh.) small-leaved. Jamaica. 1825. 5. 7. S. h. Sloan, hist. 2. t. 207. f. 1.
 5 macrantha. R.S. (wh.) large-flowered. Sierra Leon. 1796. 8. 9. S. h. Sal. par. lond. t. 93.
longiflora. P.L. non R.S.
 6 racemosa. H.B. (wh.) racemed. E. Indies. 1818. S. h.
 7 longiflora. R.S. (wh.) long-flowered. ———— S. h. Lam. ill. t. 156. f. 3.
Gardenia multiflora. w.
 8 stricta. F.I. (wh.) upright. ———— 1824. 5. 7. S. h.
Macrocnemum strictum. R.S.
 9 horrida. R.S. (wh.) large-spined. China. 1825. ——— S. h.
 10 sinensis. R.S. (wh.) Chinese. ———— S. h.
POSOQUERIA. F.I. Posoqueria. Pentandria Monogynia.
 1 rigida. F.I. (wh.) rigid. Nepaul. 1825. S. h.
 2 floribunda. F.I. (wh.) many-flowered. E. Indies. S. h.
 3 fasciculata. F.I. (wh.) fascicle-flower'd. ———— 1824. 5. 6. S. h.
 4 fragrans. F.I. (wh.) fragrant. ———— 1822. 4. 6. S. h.
 5 longispina. F.I. (wh.) long-spined. ———— 1812. ——— S. h.
Gardenia longispina. s.s.
 6 nutans. F.I. (wh.) drooping. ———— 1818. 7. 9. S. h.
 7 dumetorum. F.I. (wh.) bushy. ———— 1779. ——— S. h. Roxb. corom. 2. t. 136.
Gardenia dumetorum. w. *Canthium coronatum*. Lam.
 8 uliginosa. F.I. (wh.) marsh. E. Indies. 1802. ——— S. h. Roxb. corom. 2. t. 135.
 9 spinosa. (wh.) spiny. China. 1804. ——— S. h. Thunb. gar. n. 7. t. 2. f. 4.
Gardenia spinosa. Th. *Canthium chinense*. p.s.
 10 longiflora. R.S. (wh.) long-flowered. Guiana. 1820. S. h. Aubl. guian. 1. t. 51.
GARDENIA. R.S. GARDENIA. Pentandria Monogynia. L.
 1 amena. s.s. (re.wh.) crimson-tipped. China. 1810. 6. 8. S. h. Bot. mag. t. 1904.
 2 armata. s.s. (wh.) armed. W. Indies. 1813. S. h. Jacq. amer. pict. t. 71.
Mussaenda spinosa. Jacq.
 3 tetracantha. s.s. (wh.) four-thorned. New Spain. 1818. S. h.
 4 propinqua. B.R. (wh.) strong-spined. 1816. 5. 8. S. h. Bot. reg. t. 975.
 5 montana. F.I. (wh.) mountain. E. Indies. 1818. 6. 8. S. h.
 6 campanulata. F.I. (st.) bell-flowered. ———— 1812. ——— S. h.
 7 micrantha. R.S. (wh.) small-flowered. China. 1806. ——— S. h. Thunb. gar. n. 8. t. 1. f. 2.
 8 florida. s.s. (wh.) Cape Jasmine. ———— 1754. 7. 10. S. h. Bot. reg. t. 449.
β flore-pleno. (wh.) double-flowered. ———— S. h. Ehret. pict. t. 15.
 9 angustifolia. B.C. (wh.) narrow-leaved. ———— 1820. ——— S. h. Lodd. bot. cab. 512.
 10 radicans. s.s. (wh.) rooting. ———— 1804. 3. 6. G. h. Bot. reg. t. 73.
 11 grandiflora. R.S. (wh.) large-flowered. ———— 1816. ——— S. h. Bot. mag. t. 2627.
florida var. *ovalifolia*. Bot. mag. t. 2627.
 12 costata. F.I. (wh.) ribbed. E. Indies. 1825. S. h.
 13 latifolia. s.s. (wh.) broad-leaved. ———— 1787. S. h. Roxb. cor. 2. t. 134.
 14 lucida. F.I. (wh.) glossy-leaved. ———— 1820. S. h.
 15 pubescens. R.S. (wh.) pubescent. ———— 1825. 5. 7. S. h.
 16 Thunbergia. s.s. (wh.) starry. C. B. S. 1773. 1. 3. S. h. Bot. mag. t. 1004.
 17 Rothmannia. s.s. (sp.) spotted-flower'd. ———— 1774. 7. G. h. ——— t. 690.
OXYANTHUS. DC. OXYANTHUS. Pentandria Monogynia.
speciosus. DC. (wh.) tube-flowered. Sierra Leon. 1789. 7. 12. S. h. Bot. mag. t. 1992.
Gardenia tubiflora. A.R. 183.
GENIPA. R.S. GENIP-TREE. Pentandria Monogynia.
 1 oblongifolia. R.S. (st.) oblong-leaved. Peru. 1823. 4. 6. S. h. Flor. per. 2. t. 220. f. a.
 2 americana. R.S. (wh.) American. S. America. 1779. 5. 7. S. h. Plum. ic. t. 136.
 3 Meriana. R.S. (wh.) hairy. Cayenne. 1800. ——— S. h. Merian. sur. t. 43.
Duroia eriopila. L.
 4 edulis. R.S. (wh.) eatable. ———— 1825. ——— S. h.
 5 esculenta. R.S. (wh.) Cherry-fruited. China. ———— S. h.
CANTHIUM. F.I. CANTHIUM. Pentandria Monogynia.
 1 angustifolium. F.I. (st.) narrow-leaved. E. Indies. 1826. 5. 7. S. h.
 2 parvifolium. F.I. (wh.) small-leaved. ———— 1824. ——— S. h.
 3 parviflorum. F.I. (ye.) small-flowered. ———— S. h. Roxb. corom. 1. t. 51.
Webera tetrandra. w.
 4 didymum. F.I. (wh.) cyme-flowered. ———— 1811. ——— S. h. Gärt. carp. 3. t. 196.
Webera cymosa. w.
AZIMA. Lam. AZIMA. Tetrandria Monogynia.
tetracantha. p.s. (wh.) four-spined. E. Indies. 1758. 7. S. h. Seb. thes. 1. t. 13. f. 1.
Monetia barlerioides. L'Herit. stirp. nov. 1. t. 1.
WEBERA. S.S. WEBERA. Pentandria Monogynia.
 1 corymbosa. s.s. (wh.) corymbose. E. Indies. 1759. 4. 6. S. h. Bot. reg. t. 119.

- 2 macrophylla. F.I. (wh.) large-leaved. E. Indies. 1824. 5. 7. S. h.
 3 odorata. F.I. (wh.) sweet-scented. ——— 1826. — S. h.
BURCHELLIA. B.R. BURCHELLIA. Pentandria Monogynia.
 1 capensis. B.R. (sc.) broad-leaved. C. B. S. 1818. 3. 6. G. h. Bot. reg. t. 466.
 2 parviflora. B.R. (or.) smaller-flower'd. ——— G. h. ——— t. 891.
bubalina. B.M. 2339.
CATESBÆA. S.S. LILY-THORN. Tetrandria Monogynia. L.
 1 spinosa. s.s. (wh.) spiny. Providence I. 1726. 5. 9. S. h. Bot. mag. t. 131.
 2 latifolia. B.R. (wh.) broad-leaved. W. Indies. 1818. 9. 11. S. h. Bot. reg. t. 858.
 3 parviflora. s.s. (wh.) small-flowered. ——— 1810. 7. 10. S. h. Sloan. h. 2. t. 207. f. 1.
FERNELIA. J. FERNELIA. Tetrandria Monogynia.
 1 obovata. R.S. (wh.) obovate-leaved. Isl. France. 1816. S. h. Lam. ill. t. 67. f. 1.
 2 biflora. R.S. (wh.) two-flowered. Bourbon. S. h.
Coccocypselum buxifolium. s.s. biflorum. w
 3 uniflora. R.S. (wh.) one-flowered. Mauritius. S. h.
buxifolia. β. Lamarck.
COCCOCYPSELUM. S.S. COCCOCYPSELUM. Tetrandria Monogynia. S.S.
 repens. s.s. (li.) creeping. W. Indies. 1793. 5. S. 4. Brown. jam. t. 6. f. 1.

Sect. IV. CINCHONEÆ. *Kth. synopsis. 3. p. 47.*

- PORTLANDIA. S.S. PORTLANDIA. Pentandria Monogynia. L.**
 1 grandiflora. R.S. (wh.) great-flowered. Jamaica. 1775. 6. 8. S. h. Sm. ic. pict. 1. t. 6.
 2 coccinea. R.S. (sc.) scarlet-flowered. ——— 1812. S. h.
COUTAREA. S.S. COUTAREA. Hexandria Monogynia. S.S.
 speciosa. s.s. (sc.) Laurel-leaved. Guiana. 1803. S. h. Aubl. guian. 1. t. 122.
Portlandia hexandra. Jacq. am. pict. t. 65.
EXOSTEMMA. R.S. EXOSTEMMA. Pentandria Monogynia. R.S.
 1 caribæum. R.S. (wh.) Caribbean. W. Indies. 1780. 6. 9. S. h. Andr. reposit. t. 481.
Cinchona caribæa. w.
 2 floribundum. R.S. (bh.) many-flowered. ——— 1794. S. h. Lamb. cinch. 27. t. 7.
PINCKNEYA. M. PINCKNEYA. Pentandria Monogynia.
 pubens. M. (bh.) pubescent. Georgia. 1786. 6. 7. F. h. Mich. amer. t. 13.
HYMENODICTYON. F.I. HYMENODICTYON. Pentandria Monogynia.
 1 thyrsiflorum. Wall. (st.) thyrses-flower'd. E. Indies. 1816. S. h.
 2 excelsum. Wall. (wh.) tall. ——— S. h. Roxb. cor. 2. t. 106.
Cinchona excelsa. R.S.
HILLIA. S.S. HILLIA. Tetr-Hexandria Monogynia. S.S.
 1 longiflora. s.s. (wh.) long-flowered. W. Indies. 1789. 2. 3. S. h. Bot. mag. t. 721.
 2 tetrandra. s.s. (wh.) mountain. Jamaica. 1793. 6. 7. S. h.
MACROCNEMUM. L. MACROCNEMUM. Pentandria Monogynia. L.
 1 jamaicensis. R.S. (wh.) Jamaica. 1806. S. h. Swartz obs. t. 3. f. 1.
 2 speciosum. s.s. (li.) handsome. Caracas. 1828. S. h. Jacq. schoenb. 1. t. 43.
Mussaenda speciosa. R.S.
 3 coccineum. s.s. (sc.) scarlet. Trinidad. 1825. S. h.
Mussaenda coccinea. R.S.
RONDELETIA. R.S. RONDELETIA. Pentandria Monogynia. L.
 1 americana. R.S. (wh.) American. W. Indies. 1752. 8. S. h. Plum. ic. t. 242. f. 1.
 2 lævigata. R.S. (wh.) smooth-leaved. ——— 1790. 7. 8. S. h.
 3 trifoliata. R.S. (re.) three-leaved. Jamaica. S. h. Jacq. amer. pict. t. 62.
 4 paniculata. F.I. (wh.) panicled. E. Indies. 1820. S. h.
 5 tinctoria. F.I. (wh.) dyer's. ——— 1825. S. h.
 6 racemosa. R.S. (wh.) racemed. W. Indies. 1818. S. h. Brown. jam. 143. t. 2. f. 3.
 7 tomentosa. R.S. (wh.) downy-leaved. ——— S. h.
 8 hirta. R.S. (br. ye.) hairy. ——— 1776. 6. 8. S. h. Lodd. bot. cab. t. 350.

Sect. V. HEDYOTIDEÆ. *Kth. synopsis. 3. p. 40.*

- HEDYOTIS. R.S. HEDYOTIS. Tetrandria Monogynia. L.**
 1 diffusa. R.S. (wh.) spreading. E. Indies. 1818. 7. 9. S. ⊙. Rheed. mal. 10. t. 35.
 2 herbacea. R.S. (wh.) herbaceous. ——— 1816. 6. 9. S. ⊙.
 3 capensis. R.S. (wh.) Cape. C. B. S. 1824. 7. 10. H. ⊙. Roxb. cor. 1. t. 3.
 4 umbellata. R.S. (wh.) Indian Madder. E. Indies. 1792. 7. 8. S. 4.
Oldenlandia corymbosa L.

5	cymôsa. R.S.	(wh.) Hyssop leaved. Jamaica.	1739.	6. 10.	S. ☉.	Ehret pic. t. 2. f. 1. et t. 4.
	<i>Oldenlandia corymbôsa.</i> w.					
6	ramosissima. R.S.	(wh.) branching.	1816.	—	S. ☉.	
7	biflôra. R.S.	(pu.) two-flowered. E. Indies.	—	—	S. ☉.	
8	lâcea. R.S.	(st.) milk-coloured. ———	—	—	S. ☉.	
9	campanuliflôra. B.M.	(pu.) bell-flow'r'd. Brazil.	1825.	2. 10.	S. 4.	
MANETTIA. R.S. MANETTIA. Tetrandria Monogynia. L.						
1	Lygístum. R.S.	(re.) veined-leaved. W. Indies.	1822.	2. 4.	S. ½. ∞.	Brown. jam. t. 3. f. 2.
2	coccinea. R.S.	(sc.) scarlet. Trinidad.	1806.	12. 4.	S. ½. ∞.	Bot. reg. t. 693.
BOUVARDIA. R.S. BOUVARDIA. Tetrandria Monogynia.						
1	triphy'lla. R.S.	(sc.) blunt-leaved. Mexico.	1794.	4. 11.	G. ½.	Sal. par. lond. t. 88.
2	Jacquini. K.S.	sharp-leaved. ———	—	—	G. ½.	Jacq. schœnb. 1. t. 257.
	<i>Isôra americana.</i> Jacq.	<i>Bouvardia triphy'lla.</i> Bot. reg. t. 107.				
2	versicolor. s.s. (re. ye.)	various-color'd. S. America.	1814.	7. 1.	S. ½.	Bot. reg. t. 245.
DENTE'LLA. W. DENTE'LLA. Pentandria Monogynia. W.						
	repens. w. (wh.)	creeping. N. Holland.	1802.	7.	H. ☉.	Rumph. am. 6. t. 170. f. 4.
SPERMADI'CTYON. B.R. SPERMADI'CTYON. Pentandria Monogynia.						
1	suavœolens. B.R.	(wh.) sweet-scented. E. Indies.	1816.	8. 12.	S. ½.	Bot. reg. t. 348.
	<i>Hamiltonia suavœolens.</i> F.I.					
2	azûreum. B.R.	(bl.) blue-flowered. Nepaul.	1827.	1. 3.	S. ½.	Bot. reg. t. 1235.

Sect. VI. CEPHALANTHEÆ. *Kth. synops. 3. p. 37.*

NA'UCLEA. R.S. NA'UCLEA. Pentandria Monogynia. L.						
1	Adina. Sm.	(wh.) Myrtle-leaved. China.	1804.	7. 8.	G. ½.	Bot. reg. t. 895.
	<i>Adina globiflôra.</i> Sal.	par. lond. t. 115.				
2	adinoides. s.s.	(wh.) Adina-like. ———	1825.	—	G. ½.	
3	orientâlis. R.S.	(ye.) oriental. E. Indies.	1800.		S. ½.	
4	Cadâmba. F.I.	(or.) broad-leaved. ———	1823.		S. ½.	Rheed. mal. 3. t. 33.
5	undulâta. F.I.	(ye.) wave-leaved. ———	—		S. ½.	
6	parvifolia. F.I.	(ye.) small-leaved. ———	1825.	—	S. ½.	Roxb. corm. 1. t. 52.
7	cordifolia. R.S.	(st.) heart-leaved. ———	—		S. ½.	— 1. t. 53.
8	purpurea. F.I.	(pu.) purple-flowered. ———	1827.		S. ½.	— 1. t. 54.
UNC'ARIA. F.I. UNC'ARIA. Pentandria Monogynia.						
	Gâmbier. F.I.	(pi.) Gambier-tree. E. Indies.	1826.		S. ½. ∞.	Linn. trans. v. 9. t. 22.
SARCOCEPHALUS. Afz. SARCOCEPHALUS. Pentandria Monogynia.						
	esculentus. Afz.	(wh.) eatable-fruited. Sierra Leone.	1822.	6. 8.	S. ½.	Hort. trans. 5. t. 18.
CEPHALANTHUS. L. BUTTON-WOOD. Tetrandria Monogynia. L.						
	occidentâlis. L.	(wh.) American. N. America.	1735.	8.	S. ½.	Schmidt arb. 1. t. 45.
MORI'NDA. L. MORI'NDA. Pentandria Monogynia. L.						
1	umbellâta. R.S.	(wh.) umbelled. E. Indies.	1809.	6. 8.	S. ½.	
2	citrifolia. R.S.	(wh.) broad-leaved. Otaheite.	1793.	—	S. ½.	Rheed. mal. 1. t. 52.
3	tinctoria. F.I.	(wh.) dyer's. ———	1826.		S. ½.	
4	bracteâta. F.I.	(wh.) bracted. E. Indies.	1816.	5. 7.	S. ½.	
5	angustifolia. F.I.	(wh.) narrow-leaved. ———	—	—	S. ½.	Roxb. corom. 3. t. 237.
6	Rôyoc. R.S.	(wh.) Laurel-leaved. W. Indies.	1793.	7. 10.	S. ½.	Jacq vind. 1. t. 16.

Sect. VII. COFFEACEÆ. *Kth. synops. 3. p. 20.*

MITCHE'LLA. L. MITCHE'LLA. Tetrandria Monogynia. L.						
	repens. L.	(wh.) creeping. N. America.	1761.	6.	H. ½.	Cat. car. 1. t. 20.
PAVETTA. R.S. PAVETTA. Tetrandria Monogynia. L.						
1	indica. R.S.	(wh.) Indian. E. Indies.	1791.	8. 10.	S. ½.	Burm. ind. t. 13. f. 3.
2	tomentosa. R.S.	(wh.) woolly. ———	1824.	—	S. ½.	
3	câffra. R.S.	(wh.) Cape. C. B. S.	1816.	—	G. ½.	
4	pentândra. R.S.	(wh.) pentandrous. W. Indies.	1823.	—	S. ½.	Plum. ic. t. 156. f. 1.
5	arenosa. R.S.	(wh.) tubercled. China.		3. 10.	S. ½.	Bot. reg. t. 198.
	<i>indica. B.R. nec aliorum.</i>					
IX'ORA. L. IX'ORA. Tetrandria Monogynia. L.						
1	grandiflôra. B.R.	(sc.) great-flowered. E. Indies.	1814.	7. 9.	S. ½.	Bot. reg. t. 154.
	<i>coccinea. L. non B.M.</i>					

2	Bandhûca F.I.	(sc.) stem-clasping.	E. Indies.	1814.	1. 4.	S. h.	Bot. reg. t. 513.
3	fûlgens. F.I.	(sc.) glossy.	—	1820.		S. h.	Rumph. amb. 4. t. 46.
	<i>longifolia</i> . Sm.	<i>lanceolata</i> . Lam.	—	—	—	—	—
4	flâmmea. s.p.	(or.) flame-coloured.	China.	1690.	4. 8.	S. h.	Bot. mag. t. 169.
	<i>coccinea</i> . B.M.	<i>stricta</i> . F.I.	<i>speciosa</i> . W.	enum.	—	—	—
5	crocata. B.R.	(sn.) saffron-colour'd.	—	1820.	—	S. h.	Bot. reg. t. 782.
6	incarnata. B.C.	(fl.) flesh-coloured.	—	—	—	S. h.	Lodd. bot. cab. 1048.
7	blânda. B.R.	(bh.) charming.	—	1812.	—	S. h.	Bot. reg. t. 100.
8	âlba. w.	(wh.) white.	E. Indies.	1768.	6.	S. h.	Rheed. mal. 2. t. 14.
9	cuneifolia. F.I.	(wh.) wedge-leaved.	—	1820.	—	S. h.	Bot. reg. t. 648.
10	brachiata. F.I.	(wh.) brachiate-panicled.	—	—	—	S. h.	—
11	Pavetta. A.R.	(wh.) fragrant.	—		—	S. h.	Andrews's reposit. t. 78.
12	acumi-ata. F.I.	(wh.) tapering-leaved.	—	1824.	3. 5.	S. h.	—
13	parviflora. F.I.	(wh.) small-flowered.	—	1800.	8. 10.	S. h.	Vahl symb. 3. t. 52.
14	barbata. F.I.	(wh.) bearded.	—	1822.	6. 8.	S. h.	Bot. mag. t. 2505.
15	undulata. F.I.	(wh.) wave-leaved.	—	1818.	—	S. h.	—
16	rôsea. F.I.	(ro.) rose-coloured.	—	1820.	4. 8.	S. h.	Bot. reg. t. 540.
17	obovata. R.S.	(cr.) obovate-leaved.	—	1810.	—	S. h.	—
	<i>purpurea</i> . F. ?	—	—	—	—	—	—
CHOMELIA. R.S. CHOMELIA. Tetrandia Monogynia. W.							
1	spinosa. R.S.	(wh.) spiny.	W. Indies.	1793.		S. h.	Jacq. amer. 18. t. 13.
2	fasciculata. R.S.	(wh.) fascicled.	Jamaica.	1824.	4. 6.	S. h.	—
SIDERODE'NDRON. S.S. IRON-TREE. Tetrandia Monogynia. W.							
	triflorum. S.S.	(ro.wh.) three-flowered.	W. Indies.	1793.		S. h.	Jacq. amer. 19. t. 175. f. 9.
TETRAM'ERIUM. G. TETRAM'ERIUM. Tetrandia Monogynia. S.S.							
1	odoratissimum. s.s.	(wh.) sweet-scented.	W. Indies.	1793.	4. 6.	S. h.	Jacq. amer. t. 47.
	<i>Coffea occidentalis</i> . w.	<i>Lxora americana</i> . Sw.	—	—	—	—	—
2	paniculatum. s.s.	(wh.) panicled.	Guiana.	1822.		S. h.	Aub. guian. t. 58.
COFF'EA. L. COFFEE-TREE. Pentandria Monogynia. L.							
	arabica. w.	(wh.) Arabian.	Yemen.	1696.	8. 11.	S. h.	Bot. mag. t. 1303.
CEPHA'ELIS. S.S. CEPHA'ELIS. Pentandria Monogynia. L.							
1	elata. s.s.	(pu.) tall.	Jamaica.	1793.		S. h.	—
2	tomentosa. R.S.	(pu.) tomentose.	Trinidad.	1820.	4. 6.	S. h.	—
3	punicea. R.S.	(pu.) puniceous.	Jamaica.	1825.	—	S. h.	—
4	violacea. R.S.	(vi.) violet-coloured.	W. Indies.	1824.	—	S. h.	Aubl. guian. 1. t. 60.
	<i>Tapogomea violacea</i> . Aubl.	—	—	—	—	—	—
5	axillaris. s.s.	(pu.) axillary-flow'r'd.	Brazil.	1816.	4. 5.	S. h.	Lind. coll. t. 21.
	<i>calycina</i> . L. col.	—	—	—	—	—	—
6	glabra. R.S.	(bl.) smooth.	Trinidad.	1820.	5. 8.	S. h.	Aubl. guian. 1. t. 63.
7	âlba. R.S.	(bh.) white.	Guiana.	1824.	—	S. h.	— 1. t. 62 f. 1.
8	involutrata. R.S.	(wh.) involucred.	—	—		S. h.	— 1. t. 64.
	<i>Carapichea guianensis</i> . Aubl.	—	—	—	—	—	—
9	pedunculata. P.L.	(wh.) long-peduncled.	Sierra Leon.		2. 4.	S. h.	Sal. par. lond. t. 103. 99
PSYCH'OTRIA. R.S. PSYCH'OTRIA. Pentandria Monogynia. L.							
1	asiatica. R.S.	(wh.) Indian.	E. Indies.	1806.	4. 5.	S. h.	Jacq. amer. p. t. 260. f. 19.
2	glabrata. R.S.	(wh.) smooth.	Jamaica.	1822.	—	S. h.	—
3	laurifolia. R.S.	(wh.) Laurel-leaved.	W. Indies.	1825.	5. 8.	S. h.	—
4	f'œtens. R.S.	(wh.) strong-scented.	Jamaica.	—	—	S. h.	—
5	citrifolia. R.S.	(wh.) Citron-leaved.	W. Indies.	1793.	1. 12.	S. h.	—
6	elliptica. B.R.	(wh.) elliptic-leaved.	Brazil.	1820.	2. 6.	S. h.	Bot. reg. t. 607.
7	myrtillyllum. R.S.	(wh.) Myrtle-leaved.	Jamaica.	1823.	2. 5.	S. h.	Sloan. his. 2. t. 209. f. 2.
8	parasitica. R.S.	(wh.) parasitic.	W. Indies.	1802.	5. 8.	S. h.	Jacq. amer. t. 51. f. 1.
9	brachiata. R.S.	(wh.) cross-branched.	—	1793.		S. h.	—
10	pubescens. R.S.	(wh.) pubescent.	Jamaica.	1812.		S. h.	—
11	corymbosa. R.S.	(pu.) corymbose.	—	—	3. 4.	S. h.	—
12	pedunculata. R.S.	(st.) pedunculate.	—	1824.	5. 6.	S. h.	—
13	undata. R.S.	(wh.) wave-leaved.	Bahama.	1818.	4. 6.	S. h.	Jacq. schoenb. 3. t. 260.
14	Reevesii. F.I.	(gr.) Reeves's.	China.	1823.	—	G. h.	—
GEO'PHILA. D.P. GEO'PHILA. Pentandria Monogynia.							
	reniformis. D.P.	(wh.) kidney-leaved.	W. Indies.	1793.	4. 6.	S. 4.	Jacq. amer. t. 46.
	<i>Psychotria herbacea</i> . w.	—	—	—	—	—	—
CHIOCO'CCA. W. SNOWBERRY. Pentandria Monogynia. L.							
	racemosa. w.	(wh.) cluster-flower'd.	Jamaica.	1729.	2.	S. h.	Andr. reposit. t. 284.
ERN'ODEA. S.S. ERN'ODEA. Tetrandia Monogynia. W.							
	montana. s.s.	(pu.) mountain.	Sicily.	1820.	6. 7.	H. h.	Flor. græc. t. 143.
	<i>Asperula calabrica</i> . L.	—	—	—	—	—	—
SERISSA. S.S. SERISSA. Pentandria Monogynia. W.							
	f'œtida. s.s.	(wh.) Japanese.	Japan.	1787.	5. 9.	G. h.	Bot. mag. t. 361.
	<i>β multiplex</i> . (wh.)	double-flowered.	—	—	—	G. h.	—

PLOC'AMA. W.	PLOC'AMA. Pentandria Monogynia. W.	
péndula. w. (wh.) pendulous.	Canaries. 1779.	G. h.
PÆDERIA. W.	PÆDERIA. Pentandria Monogynia. L.	
1 fœtida. w. (pu.) stinking.	China. 1806.	G. h. Icon. Kæmpf. 9.
2 Lingun. Boj.	Madagascar. 1823.	S. h.

Sect. VIII. SPERMACEÆ. *Kth. synops. 3. p. 14.*

RICHARDS'ONIA. Kth. RICHARDS'ONIA. Hexandria Monogynia. L.		
1 scábra. B.F.G. (wh.) rough.	S. America. 1812. 9. 10. H. ☉.	Swt. br. fl. gar. t. 91.
2 pilósa. K.S. (wh.) hairy.	Lima. 1824. 7. 9. H. ☉.	Flor. peruv. 3. t. 279. f. b.
PHYLLIS. W.	BASTARD HARE's-EAR. Pentandria Digynia. L.	
Nòbla. w. (br.) Canary.	Canaries. 1699. 6. 7. G. h.	Dill. elth. t. 299. f. 386.
DI'ODIA. S.S.	DI'ODIA. Tetrandria Monogynia. W.	
1 virgínica. s.s. (wh.) Virginian.	Virginia. 1820. 6. 8. H. ♀.	Jacq. ic. 1. t. 29.
2 sarmentósa. s.s. (wh.) sarmentose.	W. Indies. 1821. — S. h.	
3 verticilláta. s.s. (wh.) whorl-leaved.	Santa Cruz. — S. ♀.	
BIGEL'OVIA. S.S.	BIGEL'OVIA. Tetrandria Monogynia. S.S.	
1 verticilláta. s.s. (wh.) whorl-flowered.	Africa. 1732. 6. 8. S. h.	Dill. elth. t. 277. f. 358.
<i>Spermacœe verticilláta. L.</i>		
2 commutáta. s.s. (wh.) starry-headed.	W. Indies. 1818. — S. ♀.	
3 stricta. s.s. (wh.) upright.	E. Indies. 1821. — S. ☉.	
<i>Spermacœe stricta. L.</i>		
SPERMACEÆ. S.S. BUTTON-WEED. Tetrandria Monogynia. L.		
1 glábra. s.s. (wh.) smooth.	N. America. 1823. 7. 8. H. ☉.	
2 diodína. s.s. (wh.) Diodia-like.	— 1820. — H. ☉.	
3 hispída. s.s. (vi.) bristly.	E. Indies. 1781. 8. 9. S. ☉.	Burm. zeyl. t. 20. f. 3.
4 spinósa. s.s. (wh.) spiny.	W. Indies. 1825. — S. ☉.	Brown. jam. p. 141. 1.]
5 latifólia. s.s. (wh.) broad-leaved.	Guiana. 1803. 7. S. ♂.	Aub. gui. t. 19. f. 1.
6 cornifólia. s.s. (wh.) Dogwood-leav'd.	Brazil. 1820. 8. 9. S. ☉.	
7 stylosa. s.s. (wh.) long-styled.	Manila. — S. ☉.	
8 suffruticósa. s.s. (bh.) suffruticose.	 1823. 7. 8. S. h.	Jacq. schœn. t. 322.
9 radicans. s.s. (wh.) rooting.	Guiana. 1803. — S. ♀.	Aub. gui. 1. t. 20. f. 4.
10 áspera. s.s. (wh.) rough.	W. Indies. 1822. — S. ☉.	— t. 22. f. 6.
11 ténuior. s.s. (bh.) slender.	— 1732. 6. 8. H. ☉.	Sch. hand. 1. t. 22.
12 lanceoláta. L.en. (wh.) spear-leaved.	— 1818. — H. ☉.	
13 hirta. s.s. (wh.) hairy.	Jamaica. 1822. 7. 9. H. ☉.	Jacq. ic. t. 308.
14 villósa. s.s. (wh.) villous.	— 1823. — S. ☉.	
15 scábra. s.s. (wh.) rough.	E. Indies. 1816. — S. ☉.	Rheed. mal. 9. t. 76?
16 capitáta. s.s. (wh.) headed.	Peru. 1826. 6. 8. G. ♀.	Flor. peruv. 1. t. 91. f. B.
17 rubra. s.s. (pi.) Cross-wort.	S. America. 1760. 7. 8. S. ♂.	Jacq. schœn. 3. t. 256.
<i>strigosa. B.M. 1558.</i>		
18 Fischéri. s.s. (wh.) Fischer's.	Jamaica. 1820. — S. ☉.	
19 sexanguláris. s.s. (bl.) six-angled.	W. Indies. 1822. — S. ☉.	Aubl. guian. 1. t. 20. f. 3.
20 involucrâta. R.S. (wh.) involucre.	Carolina. 1812. — H. ☉.	
21 Roxbúr'hii. s.s. (wh.) Roxburgh's.	E. Indies. 1818. — S. ♂.	
<i>lævis. F.I. non Lam.</i>		
KNO'XIA. S.S.	KNO'XIA. Tetrandria Monogynia. W.	
1 corymbósa. s.s. (wh.) Sumatra.	E. Indies. 1818. 4. 6. S. h.	
<i>Spermacœe sumatrénsis. F.I.</i>		
2 umbelláta. s.s. (wh.) umbel-flower'd.	Nepaul. 1820. — S. h.	
<i>Spermacœe tères. F.I.</i>		

Sect. IX. GALEÆ. *Kth. synops. 3. p. 10.*

ANTHOSPERMUM. W. AMBER-TREE. Diœcia Tetrandria. L.		
æthiopicum. s.s. (gr.) Ethiopian.	C. B. S. 1692. 6. 7. G. h.	Pluk. alm. t. 183. f. 1.
CRUCIANE'LLA. R.S. CROSS-WORT. Tetrandria Monogynia. L.		
1 angustifólia. R.S. (st.) narrow-leaved.	S. Europe. 1658. 6. 7. H. ☉.	Sm. exot. bot. 2. t. 109.
2 ciliáta. R.S. (st.) ciliated.	Levant. 1805. 7. 8. H. ☉.	
3 pátula. R.S. (ye.) spreading.	Spain. 1798. 6. 7. H. ☉.	
4 latifólia. R.S. (gr.) broad-leaved.	S. Europe. 1633. — H. ☉.	Flor. græc. t. 139.
5 ægyptiaca. R.S. (st.) Egyptian.	Egypt. 1800. — H. ☉.	
6 monspeliaca. R.S. (st.) Montpellier.	S. France. 1791. 7. 8. H. ☉.	Flor. græc. t. 140.

7	marítima. R.S.	(ye.) sea-side.	S. France.	1640.	7. 8.	G. ♀.	Sabb. hort. 2. t. 13.
8	americana. R.S.	(bl.) American.	Vera Cruz.		—	S. ♀.	
9	pubescens. R.S.	(pu.) pubescent.	Candia.	1799.	7. 8.	G. ♀.	
10	áspera. M.B.	(st.) rough.	Iberia.	1827.	6. 8.	H. ♀.	
11	glomeràta. M.B.	(st.) clustered.	—	1828.	—	H. ♀.	
12	molluginoides. R.S.	(wh.) Mollugo-like.	Caucasus.	1800.	—	H. ♀.	Buxb. cent. 2. t. 30. f. 1.
13	hispida. R.S.	(pu.) hispid.	Vera Cruz.		—	S. ♀.	
SHERARDIA. R.S. SHERARDIA.			Tetrandria Monogynia.	L.			
	arvensis. R.S.	(li.) little.	Britain.		4. 9.	H. ☉.	Eng. bot. v. 13. t. 891.
RUBIA. R.S. Madder.			Tetrandria Monogynia.	L.			
1	tinctórum. R.S.	(gr.) dyer's.	S. Europe.	1596.	6.	H. ♀.	Flor. græc. t. 141.
2	spléndens. R.S.	(ye.) glossy.	Portugal.	1812.	6. 8.	H. ♀.	
3	galioïdes. R.S.	(gr.) Galium-like.	Canaries.	1816.	—	F. ♀.	
4	peregrina. R.S.	(ye.) wild.	England.		7.	H. ♀.	Eng. bot. v. 12. t. 851.
5	lúcida. R.S.	(ye.) shining.	Majorca.	1762.	—	F. ♀.	Flor. græc. t. 142.
6	fruticósa. R.S.	(ye.) prickly-leaved.	Canaries.	1779.	9.	F. ♀.	Jacq. ic. 1. t. 25.
7	Bocconi. R.S.	(bh.) Boccone's.	Italy.	1823.	—	H. ♀.	Bocc. mus. t. 75. f. 2-3.
8	angustifolia. R.S.	(st.) narrow-leaved.	S. Europe.	1772.	7. 8.	F. ♀.	Lam. ill. t. 60. f. 2.
9	cordifolia. R.S.	(wh.) heart-leaved.	Siberia.	1783.	7.	H. ♀.	Pall. it. 3. ap. t. L. f. 1.
ASPERULA. R.S. WOODRUFF.			Tetrandria Monogynia.	L.			
1	lævigata. R.S.	(wh.) shining.	S. Europe.	1775.	6.	H. ♀.	Moris. his. 3. t. 21. f. 4.
2	taurina. R.S.	(li.) broad-leaved.	Italy.	1739.	4. 6.	H. ♀.	Lob. ic. 800. f. 1.
3	longiflora. R.S.	(li.) long-flowered.	Hungary.	1818.	—	H. ♀.	W. et K. hung. 2. t. 150.
4	aristata. R.S.	(st.) awned.	S. Europe.	1823.	—	H. ♀.	
5	supina. R.S.	(bh.) trailing.	Caucasus.	—	6. 7.	H. ♀.	
6	brevifolia. R.S.	(li.) short-leaved.	Levant.	1818.	—	H. ♀.	
7	cynanchica. R.S.	(bh.) small.	England.		7.	H. ♀.	Eng. bot. v. 1. t. 33.
8	alpina. s.s.	(bh.) Alpine.	Caucasus.	1825.	—	H. ♀.	
9	crassifolia. R.S.	(wh.) thick-leaved.	Levant.	1775.	6.	H. ♀.	
10	scabra. s.s.	(wh.) rough.	Italy.	1824.	—	H. ♀.	
11	tinctoria. R.S.	(bh.) narrow-leaved.	Europe.	1764.	6. 7.	H. ♀.	Tabern. ic. 151.
12	montana. R.S.	(bh.) mountain.	Hungary.	1801.	—	H. ♀.	
13	arvensis. R.S.	(bh.) field.	Europe.	1596.	7.	H. ☉.	Lobel. ic. t. 801. f. 2.
14	arcadiensis. s.s.	(ro.) Arcadian.	Arcadia.	1819.	5.	H. ♀.	Bot. mag. t. 2146.
15	tomentosa. T.N.	(pu.) woolly.	Italy.	1826.	—	H. ♀.	Ten. fl. nap. 1. t. 9.
16	hirta. R.S.	(pu.) thick-rooted.	Pyrenees.	—	5. 6.	H. ♀.	Ram. phil. t. 9. f. 1. 2.
17	hirsuta. R.S.	(ro.) hairy creeping.	S. Europe.	1820.	—	H. ♀.	
repens. Brot.							
18	incana. R.S.	(pu.) hoary.	Crete.	1823.	6. 7.	H. ♀.	Flor. græc. t. 119.
19	galioïdes. s.s.	(wh.) glaucous.	S. Europe.	1710.	6. 9.	H. ♀.	Bocc. mus. 2. t. 116.
Galium glaucum. L.							
20	humifusa. s.s.	(wh.) spreading.	Caucasus.	1825.	—	H. ♀.	
21	longifolia. R.S.	(wh.) long-leaved.	Greece.	1823.	—	H. ♀.	Flor. græc. t. 118.
22	Aparine. R.S.	(wh.) marsh.	Crete.	—	—	H. ♀.	— t. 117.
rivalis. Sm. Galium uliginosum. Pall.							
23	odorata. R.S.	(wh.) sweet-scented.	Britain.		5. 6.	H. ♀.	Eng. bot. 755.
24	tyraica. Bes.	(wh.) Tyraican.	Levant.	1826.	—	H. ♀.	
VALANTIA. S.S. VALANTIA.			Tetrandria Monogynia.	S.S.			
1	murális. s.s.	(st.) wall.	S. Europe.	1739.	5. 7.	H. ☉.	Colum. Ecphr. t. 297.
2	hispida. s.s.	(wh.) bristly.	—	1768.	—	H. ☉.	Gært. fr. C. 2. t. 24. f. 1.
3	filifórmis. s.s.	(wh.) least.	Canaries.	1780.	7. 9.	H. ☉.	
GALIIUM. S.S. BEDSTRAW.			Tetrandria Monogynia.	L.			
1	cruciátum. s.s.	(ye.) Crosswort.	Britain.		5. 6.	H. ♀.	Eng. bot. v. 2. t. 143.
Valántia cruciata. w.							
2	chersonénse. R.S.	(ye.) fringed.	Tauria.	1829.	5. 7.	H. ♀.	
3	tauricum. R.S.	(ye.) fragrant.	—	1820.	—	H. ♀.	Bot. mag. t. 2670.
Valántia taurica. B.M.							
4	pedemontánum. s.s.	(ye.) Piedmont.	Hungary.	1799.	7.	H. ☉.	W. et K. hung. 1. t. 33.
5	Bauhini. s.s.	(ye.) Bauhin's.	Europe.	1731.	7. 8.	H. ♀.	— 1. t. 32.
Valántia glabra. w.							
6	Scopolianum. R.S.	(ye.) Scopolis's.	—	—	—	H. ♀.	Scop. c. e. 2. 1. n. 144. t. 2.
vérum. Scop.							
7	Halleri. R.S.	(st.) Haller's.	Switzerland.	1823.	5. 6.	H. ♀.	
8	articulátum. s.s.	(ye.) jointed.	Egypt.	1752.	7. 8.	H. ☉.	Lam. ill. t. 843. f. 3.
9	rubioïdes. s.s.	(st.) Madder-leaved.	S. Europe.	1775.	7.	H. ♀.	Buxb. cent. 2. t. 29.
10	diffusum. s.s.	(st.) spreading.	—	1820.	—	H. ♀.	
11	tataricum. s.s.	(wh.) Tartarian.	Tartary.	—	6. 8.	H. ♀.	
12	valantioïdes. s.s.	(wh.) Valantia-like.	Caucasus.	1823.	—	H. ♀.	
13	palástre. s.s.	(wh.) water.	Britain.		—	H. w. ♀.	Eng. bot. v. 26. t. 1857.

14	<i>satureiæfolium</i> . s.s. (<i>wh.</i>) Savory-leaved.	Caucasus.	1818.	7.	H. w. 2.	
15	<i>trifidum</i> . s.s. (<i>wh.</i>) 3-fid-flowered.	N. Europe.	—	—	H. w. 2.	Flor. dan. t. 48.
16	<i>fruticòsum</i> . s.s. (<i>wh.</i>) frutescent.	Crete.	1823.	7. 8.	F. 2.	
17	<i>helòdes</i> . R.S. (<i>wh.</i>) weak-branched.	Portugal.	1827.	—	H. w. 2.	
18	<i>Claytoni</i> . R.S. (<i>wh.</i>) Clayton's.	N. America.	—	—	H. w. 2.	
19	<i>Witheringii</i> . s.s. (<i>wh.</i>) rough.	England.		6. 7.	H. 2.	Eng. bot. v. 31. t. 2206.
20	<i>glábrum</i> . s.s. (<i>wh.</i>) smooth.	C. B. S.	1816.	—	G. 2.	
21	<i>uliginòsum</i> . s.s. (<i>wh.</i>) marsh.	Britain.		7. 8.	H. w. 2.	Eng. bot. v. 28. t. 1972.
22	<i>divaricatum</i> . s.s. (<i>wh.</i>) divaricate.	S. France.	1820.	—	H. 2.	D.C. ic. gal. rar. t. 24.
23	<i>campèstre</i> . s.s. (<i>st.</i>) field.	Barbary.	1818.	8. 9.	H. 2.	
24	<i>austriacum</i> . R.S. (<i>wh.</i>) Austrian.	Europe.	1804.	6. 7.	H. 2.	Jacq. aust. t. 80.
25	<i>Boccòni</i> . R.S. (<i>bh.</i>) Boccone's.	—	1801.	5. 6.	H. 2.	Bocc. mus. t. 101.
26	<i>obliquum</i> . R.S. (<i>wh.</i>) oblique-leaved.	S. France.		—	H. 2.	Vill. delph. 2. n. 9. t. 8.
27	<i>pusillum</i> . E.B. (<i>wh.</i>) least.	England.		7. 8.	H. 2.	Eng. bot. v. 2. t. 74.
28	<i>alpèstre</i> . R.S. (<i>wh.</i>) smooth-leaved.	S. Europe.	1824.	—	H. 2.	Vill. delph. 2. t. 7. bis.
29	<i>tenuifolium</i> . R.S. (<i>wh.</i>) slender-leaved.	—	1820.	6. 7.	H. 2.	
30	<i>rùbrum</i> . s.s. (<i>re.</i>) red.	Italy.	1597.	—	H. 2.	Ger. herb. 967. f. 3.
31	<i>tenuissimum</i> . s.s. (<i>br.</i>) slenderest.	Caucasus.	1818.	7. 9.	H. 2.	
32	<i>verum</i> . s.s. (<i>ye.</i>) cheese-rennet.	Britain.		—	H. 2.	Eng. bot. v. 10. t. 660.
33	<i>mutabil'e</i> . R.S. (<i>st.</i>) changeable-color'd.	Poland.	1828.	7. 10.	H. 2.	
34	<i>verò-simile</i> . R.S. (<i>ye.</i>) large yellow.		1825.	7. 9.	H. 2.	
35	<i>caucasicum</i> . R.S. (<i>ye.</i>) Caucasian.	Caucasus.	1820.	—	H. 2.	
36	<i>tyrolense</i> . R.S. (<i>wh.</i>) Tyrolese.	Tyrol.	1801.	7.	H. 2.	
37	<i>Mollùgo</i> . R.S. (<i>wh.</i>) great hedge.	Britain.		7. 8.	H. 2.	Eng. bot. v. 24. t. 1673.
38	<i>elàtum</i> . P.S. (<i>wh.</i>) tall.	France.	1827.	—	H. 2.	
39	<i>campanulatum</i> . s.s. (<i>wh.</i>) bell-flowered.	Europe.	1710.	6. 9.	H. 2.	Jacq. aust. 1. t. 81.
	<i>glàucum</i> . Jacq. non l.					
40	<i>erèctum</i> . s.s. (<i>wh.</i>) upright.	Britain.		6. 7.	H. 2.	Eng. bot. v. 29. t. 2067.
41	<i>lucidum</i> . R.S. (<i>wh.</i>) glossy.	S. Europe.	1820.	—	H. 2.	All. ped. 1. t. 77. f. 2.
42	<i>linifolium</i> . s.s. (<i>wh.</i>) Flax-leaved.	—	1759.	—	H. 2.	Barr. ic. t. 356 et 583.
43	<i>rigidum</i> . s.s. (<i>wh.</i>) rigid.	Azores.	1778.	—	H. 2.	
44	<i>sylvaticum</i> . s.s. (<i>wh.</i>) wood.	S. Europe.	1658.	7. 8.	H. 2.	
45	<i>cinereum</i> . s.s. (<i>wh.</i>) cinereous.	Scotland.		8.	H. 2.	All. ped. t. 77. f. 4.
46	<i>aristatum</i> . s.s. (<i>wh.</i>) awned.	—		7. 8.	H. 2.	Barr. ic. t. 356.
47	<i>purpureum</i> . s.s. (<i>pu.</i>) purple.	Switzerland.	1731.	6. 7.	H. 2.	Noc. et B. fl. tic. 1. t. 3.
48	<i>saxatile</i> . s.s. (<i>bh.</i>) smooth heath.	Britain.		7. 8.	H. 2.	Eng. bot. v. 12. t. 815.
49	<i>helveticum</i> . s.s. (<i>wh.</i>) Swiss.	Switzerland.	1823.	—	H. 2.	J.m.ac.p.1714.t.15.f.1.
50	<i>baldense</i> . s.s. (<i>wh.</i>) tufted.	Mount Baldo.	1825.	—	H. 2.	
51	<i>tricro'ne</i> . E.B. (<i>st.</i>) three-flowered.	Britain.		7.	H. 2.	Eng. bot. v. 23. t. 1641.
52	<i>spuri'um</i> . E.B. (<i>gr.</i>) spurious.	—		6. 7.	H. 2.	— v. 26. t. 1871.
53	<i>verrucosum</i> . E.B. (<i>st.</i>) warted.	—		6. 8.	H. 2.	— v. 31. t. 2173.
	<i>saccharatum</i> . R.S. <i>Valántia Aparine</i> . w.					
54	<i>Cucullària</i> . s.s. (<i>ye.</i>) hooded.	Levant.	1780.	5. 6.	H. 2.	Buxb. cent. 1. t. 19. f. 2.
55	<i>boreàle</i> . E.B. (<i>wh.</i>) cross-leaved.	Britain.		7.	H. 2.	Eng. bot. v. 2. t. 105.
56	<i>septentrional'e</i> . R.S. (<i>wh.</i>) northern.	N. America.	1827.	—	H. 2.	
57	<i>brachyphy'llum</i> . R.S. (<i>wh.</i>) short-leaved.	Caucasus.	—	—	H. 2.	
58	<i>rotundifolium</i> . s.s. (<i>wh.</i>) round-leaved.	Europe.		6. 7.	H. 2.	Jacq. aust. t. 94.
59	<i>ellipticum</i> . s.s. (<i>wh.</i>) elliptic-leaved.	Sicily.	1820.	—	H. 2.	Barr. ic. t. 21. f. 4.
60	<i>pilòsum</i> . R.S. (<i>wh.</i>) hairy.	N. America.	1778.	—	H. 2.	
61	<i>suavèolens</i> . R.S. (<i>wh.</i>) sweet-scented.	N. Europe.	1827.	—	H. 2.	
62	<i>reflexum</i> . R.S. (<i>wh.</i>) reflexed.	Tauria.	1818.	—	H. 2.	
63	<i>humifusum</i> . R.S. (<i>wh.</i>) trailing.	—	1820.	—	H. 2.	
64	<i>maritimum</i> . s.s. (<i>pu.</i>) sea-side.	S. Europe.	—	7. 8.	H. 2.	
65	<i>trifolium</i> . R.S. (<i>wh.</i>) three-flowered.	N. America.	1827.	—	H. 2.	Willd. hort. ber. t. 66.
66	<i>anglicum</i> . E.B. (<i>st.</i>) English.	England.		6. 7.	H. 2.	Eng. bot. v. 6. t. 384.
67	<i>parvifolium</i> . R.S. (<i>wh.</i>) small-leaved.	Switzerland.	1825.	—	H. 2.	
68	<i>parisiense</i> . R.S. (<i>st.</i>) Paris.	France.	1818.	—	H. 2.	
69	<i>muràle</i> . s.s. (<i>st.</i>) wall.	Italy.	1805.	6. 8.	H. 2.	All. ped. 34. t. 77. f. 1.
	<i>Sherardia muràlis</i> . w.					
70	<i>verticillatum</i> . R.S. (<i>wh.</i>) whorled.	France.	1829.	—	H. 2.	Flor. græc. t. 116.
71	<i>græcum</i> . s.s. (<i>pu.</i>) Candian.	Candia.	1798.	6. 7.	H. 2.	— t. 136.
72	<i>capillàre</i> . R.S. (<i>wh.</i>) woolly-fruited.	Spain.	1828.	—	H. 2.	Cavan. icon. 2. t. 191. f. 1.
73	<i>Aparine</i> . E.B. (<i>wh.</i>) Cleavers.	Britain.		5. 9.	H. 2.	Eng. bot. v. 12. t. 316.
74	<i>infestum</i> . R.S. (<i>st.</i>) infesting.	Europe.	1818.	—	H. 2.	W. et K. hung. 3. t. 202.
75	<i>scaberrimum</i> . R.S. (<i>st.</i>) roughest.	Egypt.	—	6. 9.	H. 2.	

ORDO CXVI.

OPERCULARIÆ. *Juss. ann. mus. 4. p. 418.*

OPERCULARIA. G. OPERCULARIA. Tetrandria Monogynia. W.

1 umbellata. G.	(wh.) umbel-flower'd.	N. Holland.	1818.	6. 7.	G. ♀.	Gært. fr. 1. t. 24. f. 4.
2 Lamarckiana. R.S.	(wh.) Lamarck's.	N. S. W.	1825.	7. 9.	H. ☉.	Lam. ill. t. 58. f. 1.
3 aspera. s.s.	(wh.) rough.	N. Zealand.	1790.	6. 7.	G. ♀.	Gært. fr. 1. t. 24. f. 4.
4 hispida. s.s.	(wh.) hispid.	N. S. W.	—	—	G. ♀.	Juss. an. mus. 4. t. 70. f. 1.
<i>aspera. J.</i>						
5 sessiliflora. R.S.	(wh.) sessile-flow'r'd.	—	1816.	—	G. ♀.	Juss. an. mus. 4. t. 70. f. 2.
6 ocymitifolia. R.S.	(wh.) Basil-leaved.	—	1820.	—	G. ♀.	—

CRYPTOSPERMUM. P.S. CRYPTOSPERMUM.

Tetrandria Monogynia. P.S.

Youngii. P.S. (gr.re.) Young's. N. S. W. 1793. 7. 8. G. ♀. Linn. trans. 3. t. 5.

Opercularia paleata. R.S.

ORDO CXVII.

VALERIANEÆ. *DC. fl. fr. ed. 3. v. 4. p. 418.*

CENTRANTHUS. DC. CENTRANTHUS. Monandria Monogynia. R.S.

1 ruber. DC.	(re.) common.	England.		6. 10.	H. ♀.	Eng. bot. v. 22. t. 1531.
<i>Valeriana rubra. E.B.</i>						
a coccineus.	(sc.) scarlet.	—		—	H. ♀.	—
β carneus.	(fl.) flesh-coloured.	—		—	H. ♀.	—
γ albus.	(wh.) white-flowered.	—		—	H. ♀.	—
2 intermedius.	(re.) spear-leaved.	Europe.		—	H. ♀.	—
3 angustifolia. DC.	(re.) narrow-leaved.	—	1731.	5. 7.	H. ♀.	Flor. græc. 1. t. 29.
4 Calcitrapa. R.S.	(pi.) cut-leaved.	Portugal.	1570.	—	H. ☉.	— 1. t. 30.

VALERIANA. DC. VALERIAN. Triandria Monogynia. L.

1 dioica. E.B.	(bh.) diœcious.	Britain.		5. 7.	H. ♀.	Eng. bot. v. 9. t. 628.
2 Phû. R.S.	(wh.) garden.	Germany.	1597.	—	H. ♀.	Plenck. t. 28.
3 officinalis. E.B.	(bh.) great wild.	Britain.		6. 7.	H. ♀.	Eng. bot. v. 10. t. 698.
4 tenuifolia. Vahl.	(bh.) linear-leaved.	Germany.		—	H. ♀.	Sturm. fl. germ. fas. 9.
5 sambucifolia. R.S.	(bh.) Elder-leaved.	Sweden.	1818.	—	H. ♀.	—
6 cardamines. M.B.	(bh.) Ladies-smock-ld.	Caucasus.	1823.	6. 7.	H. ♀.	—
7 sisymbriifolia. R.S.	(pi.) water-rocket-ld.	Levant.	1820.	—	H. ♀.	—
8 montana. R.S.	(bh.) mountain.	Switzerland.	1748.	—	H. ♀.	Lodd. bot. cab. 317.
9 tripteris. R.S.	(bh.) three-leaved.	—	1752.	3. 5.	H. ♀.	Jacq. aust. 3. t. 268.
10 pyrenæica. E.B.	(ro.) heart-leaved.	Scotland.		5. 6.	H. ♀.	Eng. bot. v. 23. t. 1591.
11 alliariaefolia. R.S.	(wh.) Alliaria-leaved.	Levant.	1825.	5. 8.	H. ♀.	Buxb. cent. 2. t. 11.
12 tuberosa. R.S.	(ro.) tuberous-root'd.	S. Europe.	1629.	—	H. ♀.	Lapeyr. pyr. t. 53.
13 elongata. R.S.	(st.) elongated.	Austria.	1812.	6. 7.	H. ♀.	Jacq. ic. 3. t. 219.
14 supina. R.S.	(ro.) creeping-root'd.	Germany.	1818.	—	H. ♀.	Jacq. misc. 2. t. 17. f. 2.
15 saxatilis. R.S.	(wh.) rock.	—	1748.	7.	H. ♀.	Jacq. aust. 3. t. 267.
16 salicina. R.S.	(bh.) headed-flower'd.	Italy.	1824.	6. 7.	H. ♀.	All. ped. 1. t. 70. f. 1.
17 celtica. R.S.	(st.) raceme-flower'd.	Switzerland.	1748.	—	H. ♀.	Jacq. coll. 1. t. 1.
18 capensis. R.S.	(bh.) Cape.	C. B. S.	1816.	—	F. ♀.	—

PATRINIA. J. PATRINIA. Tetrandria Monogynia. R.S.

1 sibirica. J.	(ye.) Siberian.	Siberia.	1759.	5. 6.	H. ♂.	Bot. mag. t. 2325.
<i>Valeriana sibirica. L. ruthenica. B.M.</i>						
2 coronata. s.s.	(ye.) crowned.	Altay.	1826.	5. 7.	H. ♂.	—
3 rupëstris. J.	(re.) rock.	Siberia.	1801.	—	H. ♂.	Bot. mag. t. 714.
<i>Valeriana sibirica. B.M.</i>						
4 intermedia. R.S.	(ye.) intermediate.	—	1823.	—	H. ♂.	—
5 nudiuscula. s.s.	(ye.) naked-stemm'd.	Altay.	1826.	6. 8.	H. ♂.	—
6 scabiosæfolia. s.s.	(ye.) Scabious-leav'd.	Dahuria.	—	—	H. ♀.	Swt. br. fl. gar. t. 154.
7 serrulatæfolia. F.	(ye.) Serratura-leav'd.	—	1826.	—	H. ♀.	—

FEDIA. DC. FEDIA. Diandria Monogynia.

Cornucopia. R.S. (pu.) purple. S. Europe. 1596. 5. 8. H. ☉. Bot. reg. t. 155.

Valeriana cornucopia. B.R.

VALERIANÆLLA. DC. VALERIANÆLLA. Triandria Monogynia.

1	echinata. DC.	(li.) prickly-capsul'd.	S. Europe.	1807.	7. 8.	H. ☉.	Reich. ic. C. 1. t. 68.
2	olitória. DC.	(bh.) Lamb's Lettuce.	Britain.		4. 8.	H. ☉.	Eng. bot. v. 12. t. 811.
<i>Valeriana locusta</i> . E.B. <i>Fedia olitória</i> . R.S. <i>Fedia locusta</i> . Reich. ic. t. 60.							
3	carinata. DC.	(bh.) keeled.	France.		—	H. ☉.	Reich. ic. C. 1. t. 61.
4	dentata. DC.	(bh.) oval-fruited.	Britain.		—	H. ☉.	Eng. bot. v. 20. t. 1370.
<i>Valeriana dentata</i> . E.B. <i>Fedia dentata</i> . Reich. ic. 1. t. 62.							
5	discoidea. DF.	(bh.) discoid.	Italy.	1731.	4. 7.	H. ☉.	Reich. ic. C. 2. t. 116.
6	rotata. R.S.	(bh.) rotate.	—	1828.	—	H. ☉.	— 1. t. 67.
7	vesicaria. DF.	(bh.) bladdered.	Candia.	1739.	—	H. ☉.	Flor. græc. 1. t. 34.
8	hamata. DC.	(bh.) hooked.	France.	1825.	—	H. ☉.	—
9	coronata. DC.	(bh.) prickly seeded.	Portugal.	1731.	—	H. ☉.	Dufres. val. t. 3. f. 2.
10	radiata. DF.	(bh.) rayed.	N. America.	1818.	—	H. ☉.	— t. 3. n. 7.
11	auricula. DC.	(bh.) eared.	Montpelier.	—	—	H. ☉.	Reich. ic. C. 1. t. 63.
12	pumila. DC.	(re.) small.	S. Europe.	1823.	—	H. ☉.	— 2. t. 113.
13	mixta. DF.	(bh.) mixed.	—	1828.	—	H. ☉.	Dufr. val. t. 3. n. 6.
14	campanulata. Biv.	(bh.) bell-flowered.	Italy.	1829.	—	H. ☉.	—
15	ericarpa. DC.	(bh.) woolly-capsul'd.	France.	1823.	—	H. ☉.	Reich. ic. C. 1. t. 65.
16	truncata. S.S.	(bh.) truncate.	Crete.	1829.	—	H. ☉.	— 2. t. 115.
17	microcarpa. S.S.	(bh.) small-capsuled.	S. Europe.	1828.	—	H. ☉.	— 2. t. 114.
18	chenopodiifolia. R.S.	(bh.) Goosefoot-l'd.	N. America.		—	H. ☉.	—
19	uncinata. DF.	(bh.) uncinat.	Tauria.	1818.	—	H. ☉.	Reich. ic. C. 1. t. 69.
20	dasycarpa. L.en.	(bh.) thick-capsuled.	—	—	—	H. ☉.	—
21	muricata. M.B.	(bh.) muricate.	Caucasus.	1828.	—	H. ☉.	—
22	tridentata. L.en.	(bh.) three-toothed.	Tauria.	1823.	—	H. ☉.	Reich. ic. C. 1. t. 64.
23	angulosa. DC.	(bh.) angular.		1826.	—	H. ☉.	—
24	congesta. B.R.	(ro.) close-headed.	N. America.	—	5. 6.	H. ☉.	Bot. reg. t. 1094.

ORDO CXVIII.

DIPSACÆ. Juss. gen. 194.

MORINA. R.S.	MORINA. Diandria Monogynia. L.						
pérscia. R.S.	(re.) Persian.	Persia.	1740.	7. 8.	G. 4.		Flor. græc. 1. t. 28.
DIPSACUS. S.S.	TEASEL. Tetrandria Monogynia. L.						
1	fullonum. S.S.	(li.) manured.	Britain.		7.	H. ♂.	Eng. bot. v. 29. t. 2080.
2	syvestris. S.S.	(li.) wild.	—		—	H. ♂.	— v. 15. t. 1032.
3	laciniaatus. S.S.	(li.) cut-leaved.	Germany.	1683.	7. 8.	H. ♂.	Jacq. aust. 5. t. 403.
4	divaricatus. S.	(li.) spreading-leav'd.	Sicily.	1827.	—	H. ♂.	—
5	Gmelini. S.S.	(bl.) Gmelin's.	Caucasus.	1820.	—	H. ♂.	Jacq. f. ecl. t. 106.
6	férox. S.S.	(bh.) fierce.	Corsica.	—	—	H. ♂.	— t. 107.
7	pilosus. S.S.	(wh.) small.	Britain.		8.	H. ♂.	Eng. bot. v. 13. t. 877.
8	inermis. F.I.	(st.) spineless.	Nepaul.	1820.	8. 10.	H. ♂.	—
SCABIOSA. S.S.	SCABIOUS. Tetrandria Monogynia. L.						
1	arvensis. S.S.	(li.) field.	Britain.		7. 10.	H. 4.	Eng. bot. v. 10. t. 659.
<i>Trichera arvensis</i> . R.S.							
2	campéstris. Bes.	(li.) pasture.	Poland.	1824.	—	H. 4.	—
3	syvatica. S.S.	(re.) broad-leaved.	Austria.	1633.	7.	H. 4.	Jacq. aust. 4. t. 362.
4	montana. S.S.	(bl.) mountain.	Caucasus.	1823.	—	H. 4.	Jacq. f. eclog. t. 60.
5	longifolia. S.S.	(li.) long-leaved.	Hungary.	1802.	7. 8.	H. 4.	W. et K. hung. 1. t. 5.
6	pubescens. S.S.	(st.) pubescent.	—	1820.	—	H. 4.	—
7	reversa. S.S.	(li.) reversed.	Siberia.	1829.	—	H. 4.	—
8	ciliata. S.S.	(st.) ciliated.	Hungary.	1820.	—	H. 4.	—
9	hybrida. S.S.	(li.) hybrid.	S. Europe.	—	6. 9.	H. ☉.	—
10	integrifolia. S.S.	(pu.) entire-leaved.	—	1748.	6. 8.	H. ☉.	—
11	Hornemanni. S.S.	(li.) Horneman's.		1825.	—	H. 4.	—
12	australis. S.S.	(ye.) creeping-root'd.	Italy.	1823.	—	H. 4.	—
SUCCISA. S.S.	SUCCISA. Tetrandria Monogynia. S.S.						
1	pratensis. S.S.	(bl.) Devil's-bit.	Britain.		8. 10.	H. 4.	Eng. bot. v. 13. t. 878.
<i>Scabiosa Succisa</i> . L.							
2	glabrata. S.S.	(bl.) smooth-leaved.	Austria.	1823.	7. 9.	H. 4.	—
<i>Scabiosa glabrata</i> . R.S.							
3	syriaca. S.S.	(wh.) Syrian.	Syria.	1633.	7.	H. 4.	Flor. græc. t. 105.
4	Vaillantii. R.S.	(bl.) Vaillant's.	Levant.	1826.	—	H. ☉.	—
5	transylvanica. S.S.	(li.) Transylvanian.	Hungary.	1699.	—	H. ☉.	Jacq. vind. 2. t. 111.

42 altissimus. s.s.	(li.) tall.	C. B. S.	1816.	6. 9. G. 7.	Jacq. vind. 2. t. 185.
43 mollissimus. s.s.	(bl.) soft.	S. Europe.	—	7. 8. H. 4.	
44 pilosus. s.s.	(bh.) hairy.	Spain.	1826.	— H. 4.	
45 ochroleucus. s.s.	(st.) pale-flowered.	Germany.	1597.	— H. 4.	Jacq. aust. 5. t. 439.
46 gramuntius. s.s.	(wh. li.) cut-leaved.	S. Europe.	—	— H. 4.	Gerard herb. 582. f. 2.
47 isetensis. s.s.	(wh. li.) Siberian.	Siberia.	1801.	— H. 4.	Gmel. sib. 2. t. 88. f. 1.
48 bannaticus. s.s.	(fl.) Hungarian.	Hungary.	1800.	— H. 4.	W. et K. hung. 1. t. 12.
49 Columnæ. Ten.	(li.) Columna's.	Italy.	1823.	— H. 4.	Ten. fl. nap. 1. t. 7.
50 Scopoli. R.S.	(st.) Scopoli's.	S. Europe.	1822.	— H. 4.	
51 comosus. R.S.	(vi.) tufted.	Dahuria.	1828.	— H. 4.	
52 agræstis. s.s.	(li.) field.	Hungary.	—	— H. 4.	W. et K. hung. 3. t. 204.
53 simplex. s.s.	(wh.) simple-stalked.	Barbary.		— H. 4.	Desf. atl. 1. t. 39. f. 1.
54 incanus. R.S.	(li.) hoary.		—	— H. 4.	
55 dahuricus. F.	(li.) Dahurian.	Dahuria.	1824.	— H. 4.	
PTEROCE'PHALUS. S.S. PTEROCE'PHALUS. Tetrandria Monogynia. S.S.					
1 plumosus. s.s.	(li.) feathered.	Greece.	1824.	7. 8. H. ☉.	Flor. græc. 1. t. 3.
<i>Scabiösa plumösa</i> , Sm. <i>Knaütia plumösa</i> , L.					
2 Vaillantii. s.s.	(wh.) Vaillant's.	S. Europe.	1739.	— H. ☉.	
<i>Scabiösa pappösa</i> , L.					
KNA'UTIA. Tetrandria Monogynia. L.					
1 orientalis. R.S.	(re.) red-flowered.	Levant.	1713.	6. 9. H. ☉.	Schk. handb. 1. t. 22.
2 propontica. R.S.	(pu.) purple-flowered.	—	1768.	— H. ☿.	Lam. ill. t. 58.

ORDO CXIX.

CALYCEREÆ. *Brown in Linn. trans. v. 12. p. 132.*

ACICA'RPHA. L.T. ACICA'RPHA. Syngenesia Necessaria. P.S.
 spathulata. L.T. (ye.) spathulate-leav'd. Brazil. 1816. 6. 9. G. 4.

ORDO CXX.

COMPOSITÆ. *Adanson fam. 2. 103.*Subordo I. CICHORACEÆ. *Kth. synops. 2. p. 352.*Tribus I. HIERACEÆ. *D. Don in Edinb. philos. journ.*

HIER'ACIUM. W.	HAWKWEED.	Syngenesia Polygamia Æqualis.			
1 alpêtre. w.	(ye.) smooth-leaved.	Austria.	1823.	5. 7. H. 4.	Jacq. aust. 2. t. 191.
2 rupêtre. w.	(ye.) rock.	Switzerland.	—	— H. 4.	All. auct. t. 1. f. 2.
3 alpinum. w.	(ye.) Alpine.	Britain.		7. 8. H. 4.	Eng. bot. v. 16. t. 1110.
4 pumilum. w.	(ye.) small.	Germany.	1804.	— H. 4.	
5 glabrätum. w.	(ye.) smooth.	Switzerland.	1823.	6. 8. H. 4.	
6 bulbösum. w.	(ye.) bulbous-rooted.	S. Europe.	—	— H. 4.	
7 Pilosella. w.	(st.) Mouse-ear.	Britain.		5. 7. H. 4.	Eng. bot. v. 16. t. 1093.
8 dubium. w.	(st.) branching.	—		7. 8. H. 4.	— v. 33. t. 2332.
9 Auricula. w.	(go.) umbell'd mouse-ear.	England.	—	— H. 4.	— v. 33. t. 2368.
10 fallax. W.en.	(go.) hairspear-leav'd.		1816.	— H. 4.	
11 angustifolium. w.	(ye.) narrow-leaved.	Mt. Cenis.	1822.	— H. 4.	
12 florentinum. w.	(ye.) Florentine.	Germany.	1796.	— H. 4.	Bauhin pin. t. 67.
13 præaltum. s.s.	(ye.) tall.	Europe.	1824.	— H. 4.	
14 cymosum. w.	(ye.) small-flowered.	—	1739.	5. 6. H. 4.	Moris. s. 7. t. 8. f. 10.
15 piloselloides. P.S.	(ye.) Mouse-ear like.	France.	1823.	5. 7. H. 4.	Vill. delph. 3. p. 100. t. 27.
16 staticifolium. w.	(ye.) thrift-leaved.	Europe.	1804.	6. 7. H. 4.	— 3. p. 116. t. 27.
17 præmorsum. w.	(ye.) præmorse.	Siberia.	1820.	— H. 4.	Gmel. sib. 2. t. 13.
18 succisæfolium. P.S.	(ye.) Succisa-leaved.	Piedmont.	1822.	— H. 4.	
19 gallællæ. W.en.	(ye.) creeping.		1816.	5. 7. H. 4.	
20 bifurcum. M.B.	(ye.) two-forked.	S. Europe.	1822.	— H. 4.	
21 bifidum. W.en.	(ye.) bifid.	Hungary.	—	6. 7. H. 4.	

22	incarnatum. w.	(fl.)	flesh-coloured.	Carniola.	1815.	6. 7.	H. 2.	Jacq. ic. t. 578.
23	aurantiacum. w.	(or.)	orange-colour'd.	Scotland.		—	H. 2.	Eng. bot. v. 21. t. 1469.
24	venosum. w.	(ye.)	red-veined.	N. America.	1790.	—	H. 2.	
25	Gronovii. w.	(ye.)	Gronovius's.	—	1798.	—	H. 2.	
26	Gmelini. w.	(ye.)	Gmelin's.	Siberia.	—	—	H. 2.	Gmel. sib. 2. t. 8. f. 2.
27	Bauhini. s.s.	(ye.)	Bauhin's.	Switzerland.	1820.	—	H. 2.	
28	Lawsoni. w.	(st.)	Lawson's.	Britain.		—	H. 2.	Eng. bot. v. 29. t. 2083.
29	collinum. w.	(ye.)	hill.	Europe.	1824.	6. 8.	H. 2.	
30	Gochnatî. s.s.	(ye.)	Gochnat's.	—	—	—	H. 2.	
31	paniculatum. w.	(ye.)	panicked.	Canada.	1800.	—	H. 2.	
32	chondrilloides. w.	(ye.)	Gum-succory.	Austria.	1640.	—	H. 2.	Jacq. aust. 5. t. 429.
33	humile. w.	(ye.)	low.	S. Europe.	1816.	—	H. 2.	— t. 189.
	pumilum. Jacq. Jacquini. Vill. delph.	3. t. 28.						
34	calcæreum. H.H.	(ye.)	spurred.	S. Europe.	1823.	7. 8.	H. 2.	
35	sonchifolium. M.B.	(ye.)	Sonchus-leaved.	Caucasus.	1828.	—	H. 2.	
36	pictum. P.S.	(ye.)	painted-leaved.	Switzerland.	1823.	—	H. 2.	
37	nigræscens. w.	(ye.)	dark-coloured.		1801.	7. 8.	H. 2.	Willd. hort. ber. t. 10.
38	prunellæfolium. w.	(ye.)	Prunella-leav'd.	Switzerland.	1823.	6. 7.	H. 2.	All. ped. t. 15. f. 2.
39	montanum. w.	(ye.)	mountain.	S. Europe.	1775.	—	H. 2.	Jacq. aust. 2. t. 190.
40	hybridum. s.s.	(ye.)	hybrid.	Switzerland.	1825.	—	H. 2.	
41	porrifolium. w.	(ye.)	Leek-leaved.	Austria.	1640.	7. 8.	H. 2.	Jacq. aust. 3. t. 286.
42	saxatile. w.	(ye.)	rock.	—	1801.	—	H. 2.	Jacq. ic. 1. t. 163.
43	glaucum. w.	(ye.)	glaucous.	S. Europe.	1807.	6. 7.	H. 2.	All. ped. t. 81. f. 1.
44	molle. w.	(go.)	soft-leaved.	Scotland.		7. 8.	H. 2.	Eng. bot. v. 31. t. 2210.
45	croaticum. w.K.	(ye.)	Hungarian.	Hungary.	1820.	—	H. 2.	
46	Sternbergii. L.en.	(ye.)	Sternberg's.	—	—	—	H. 2.	
47	pallæscens. s.s.	(st.)	pale.	—	1815.	6. 7.	H. 2.	W. et K. hung. 3. t. 217.
48	murorum. E.B.	(go.)	wall.	Britain.		7.	H. 2.	Eng. bot. v. 29. t. 2082.
49	maculatum. E.B.	(ye.)	stained-leaved.	England.		7. 8.	H. 2.	— v. 30. t. 2121.
50	ramosum. w.	(ye.)	branching.	Hungary.	1805.	—	H. 2.	
51	incisum. s.s.	(ye.)	cut-leaved.	—	1823.	—	H. 2.	
52	parvifolium. w.	(ye.)	small-leaved.	Austria.	—	—	H. 2.	
53	cydoniæfolium. s.s.	(ye.)	Quince-leaved.	France.	1816.	—	H. 2.	
54	denudatum. s.s.	(ye.)	half-naked.	Pyrenees.	1828.	—	H. 2.	
55	sylvaticum. E.B.	(ye.)	wood.	Britain.		8.	H. 2.	Eng. bot. v. 29. t. 2031.
56	pulmonarium. E.B.	(go.)	lungwort.	Scotland.		7. 8.	H. 2.	— v. 33. t. 2307.
57	lapsanoides. w.	(ye.)	Lapsana-like.	Pyrenees.	1812.	—	H. 2.	Gouan. ill. t. 21. f. 3.
58	lyratum. w.	(ye.)	lyre-leaved.	Siberia.	1777.	—	H. 2.	Gmel. sib. 2. t. 9.
59	cerinthoides. E.B.	(ye.)	honeywort.	Scotland.		8.	H. 2.	Eng. bot. v. 34. t. 2378.
60	flexuosum. w.	(ye.)	bending-stalk'd.	Hungary.	1804.	7. 8.	H. 2.	
61	amplexicaule. w.	(ye.)	heart-leaved.	Pyrenees.	1739.	—	H. 2.	All. ped. 1. t. 15. f. 1.
62	grandiflorum. w.	(ye.)	great-flowered.	Europe.	1791.	—	H. 2.	W. et K. hung. 1. t. 99.
63	intybaceum. w.	(ye.)	endive-leaved.	—	1794.	—	H. 2.	Jacq. aust. ap. t. 43.
64	Halleri. w.	(ye.)	Haller's.	—	1802.	—	H. 2.	Vill. dauph. 3. t. 26.
65	eriphyllum. L.en.	(ye.)	villous.	—	1816.	—	H. 2.	
66	villosum. E.B.	(st.)	shaggy alpine.	Scotland.		—	H. 2.	Eng. bot. v. 34. t. 2379.
67	Schraderi. DC.	(ye.)	Schrader's.	Switzerland.	1823.	—	H. 2.	
68	elongatum. Lap.	(ye.)	elongated.	—	1824.	—	H. 2.	
69	pilocéphalum. L.en.	(ye.)	hairy-headed.	Europe.	1816.	—	H. 2.	
70	trichocéphalum. w.	(ye.)	bristly-headed.	—	1823.	—	H. 2.	
71	prostratum. s.s.	(ye.)	prostrate.	S. Europe.	—	—	H. 2.	
72	calyculatum. H.H.	(ye.)	long-scaled.	—	1826.	—	H. 2.	
73	longifolium. H.H.	(ye.)	long-leaved.		1823.	—	H. 2.	
74	speciosissimum. s.s.	(ye.)	handsome.	S. Europe.	—	—	H. 2.	
	speciosum. H.H.							
75	ciliatum. w.	(ye.)	fringed.	Crete.	1823.	—	H. 2.	
76	Milleri. L.en.	(ye.)	Miller's.			—	H. 2.	
77	lanatum. w.	(ye.)	woolly.	Hungary.	—	—	H. 2.	W. et K. hung. 2. t. 127.
78	andryaloides. P.S.	(ye.)	Andryala-like.	France.	1818.	—	H. 2.	Vill. delph. 3. t. 29.
79	echioides. w.	(ye.)	viper's-bugloss.	Hungary.	1802.	—	H. 2.	W. et K. hung. 1. t. 85.
80	verruculatum. L.en.	(ye.)	warted.		1823.	—	H. 2.	
81	undulatum. w.	(ye.)	wave-leaved.	Spain.	1778.	—	H. 2.	
82	glutinösium. w.	(ye.)	clammy.	S. Europe.	1796.	—	H. 2.	
83	Kalmii. w.	(ye.)	Kalm's.	Pensylvania.	1794.	8.	H. 2.	
84	fasciculatum. Ph.	(ye.)	bundled.	Canada.		7. 8.	H. 2.	
85	racemösium. w.	(ye.)	racemed.	Hungary.	1818.	—	H. 2.	W. et K. hung. 2. t. 193.
86	foliosum. w.	(ye.)	leafy.	—	1805.	—	H. 2.	— 2. t. 145.
87	corymbösium. P.S.	(ye.)	corymbose.		1820.	—	H. 2.	
88	sabaudum. w.	(go.)	frutescent.	Britain.		—	H. 2.	Eng. bot. v. 5. t. 349.

89	umbellatum. w. (ye.)	umbel-flowered. Britain.		8. 9. H. ♀.	Eng. bot. v. 25. t. 1771.
90	prenanthoides. E.B.(ye.)	rough-bordered. Scotland.		6. 9. H. ♀.	— v. 32. t. 2235.
91	latifolium. s.s. (ye.)	broad-leaved. Pyrenees.	1823.	— H. ♀.	
92	denticulatum. E.B.(ye.)	small-toothed. Scotland.		7. 8. H. ♀.	Eng. bot. v. 30. t. 2122.
93	lævigatum. w. (ye.)	smooth.	1804.	8. 9. H. ♀.	Willd. hort. ber. t. 16.
94	canescens. L.en. (ye.)	canescent.	1820.	7. 8. H. ♀.	
95	auriculatum. s.s. (ye.)	ear-leaved.	1826.	— H. ♀.	
96	boreale. s.s. (ye.)	northern. N. Europe.	1828.	— H. ♀.	
97	bracteolatum. L.en.(ye.)	bracted. S. Europe.	1823.	— H. ♀.	
98	coronopifolium. L.en.(ye.)	Buckshorn-ld.	—	— H. ♀.	
99	parviflorum. Schl. (ye.)	small-flowered. Switzerland.	—	— H. ♀.	
100	ochroleucum. Schl. (st.)	sulphur-color'd.	1821.	— H. ♀.	
101	ovatum. Schl. (ye.)	oval-leaved.	1820.	— H. ♀.	
102	compositum. s.s. (ye.)	compound. Pyrenees.	1823.	— H. ♀.	
103	crassifolium. s. (ye.)	thick-leaved.	—	— H. ♀.	
104	rotundatum. s.s.(ye.)	round-leaved. Hungary.	—	— H. ♀.	
105	sudeticum. St. (ye.)	Swedish. Sweden.	—	— H. ♀.	
106	virgatum. Ph. (ye.)	twiggy. N. America.	1816.	— H. ♀.	
107	virescens. Schl. (gr.)	greenish. Switzerland.	1820.	— H. ♀.	
108	stoloniferum. Viv.(ye.)	stoloniferous. Levant.	1823.	— H. ♀.	
109	verbascifolium. p.s.(ye.)	Mullein-leav'd. S. Europe.	1732.	5. 6. H. ♀.	Mill. ic. 1. t. 146. f. 1.
<i>Andryala lanata. s.s.</i>					
HAPALOSTEPHIUM. D.P. HAPALOSTEPHIUM.			Syngenesia	Polygamia	Æqualis.
1	paludosum. D.P. (ye.)	Succory-leaved. Britain.		7. 8. H. ♀.	Eng. bot. t. 1094.
<i>Hieracium paludosum. E.B.</i>					
2	pyrenæicum. D.P. (ye.)	Pyrenean. Pyrenees.	1723.	— H. ♀.	
<i>Hieracium blattarioides. p.s.</i>					
3	pilosum. D.P. (ye.)	hairy.	—	— H. ♀.	Herm. parad. t. 184.
4	austriacum. (ye.)	Austrian. Austria.	—	— H. ♀.	Jacq. aust. t. 441.
5	sibiricum. D.P. (ye.)	Siberian. Siberia.	1755.	— H. ♀.	Gmel. sib. 2. t. 10.
<i>Cræpis sibirica. L. Hieracium sibiricum. w.</i>					
6	grandiflorum. (ye.)	large-flowered. Idria.	1824.	6. 8. H. ♀.	
<i>Cræpis grandiflora. L.</i>					
LAGO'SERIS. L.en. LAGO'SERIS.			Syngenesia	Polygamia	Æqualis.
1	bursifolia. L.en. (ye.)	pinnatifid. Sicily.	1823.	7. 8. H. ♀.	Bocc. m. 2. t. 106 et 112.
<i>Cræpis bursifolia. L.</i>					
2	versicolor. L.en. (ye.)	various-color'd. Dauria.	—	— H. ♀.	
3	cérnua. L.en. (ye.)	nodding. Calabria.	—	6. 8. H. ♂.	
4	nemausensis. (ye.)	Palestine. S. Europe.	1794.	6. 7. H. ♂.	Vill. delph. 3. t. 26.
<i>Cræpis nemausensis. w.</i>					
5	leontodontoides. L.en.(ye.)	Dandelion-like. Italy.	1804.	7. 8. H. ♂.	
6	raphanifolia. L.en.(ye.)	Radish-leaved.	1816.	6. 7. H. ♀.	
7	tauriensis. L.en (ye.)	bladdered. S. Europe.	1823.	5. 7. H. ♂.	
8	intybæca. L.en. (ye.)	Succory-leaved. Portugal.	1816.	6. 7. H. ♂.	
CRÆPIS. S.S. CRÆPIS.			Syngenesia	Polygamia	Æqualis. L.
1	nudicaulis. s.s. (ye.)	naked-stalked. Crete.	1828.	6. 8. H. ♀.	
2	rigens. s.s. (ye.)	bristle-leaved. Azores.	1778.	7. 8. F. ♀.	
3	ramosissima. s.s. (ye.)	branched. Archipelago.	1828.	— F. ♀.	
4	virens. w. (ye.)	green. Switzerland.	1796.	6. 7. H. ♂.	Lobel. ic. 229. f. 2.
5	bannatica. s.s. (ye.)	Hungarian. Hungary.	1823.	7. 8. H. ♂.	
6	parviflora. s.s. (ye.)	small-flowered. Levant.	1829.	— H. ♂.	
7	rhagadioloides. s.s.(ye.)	Spanish. Spain.	1818.	6. 7. H. ♂.	Jacq. schœnb. 2. t. 144.
<i>Picris Rhagadiolus. p.s.</i>					
8	aspera. s.s. (ye.)	rough. Sicily.	1797.	7. 8. H. ♂.	Flor. græc. t. 804.
9	Sprengeriana. s.s.(ye.)	Portugal. Portugal.	1783.	6. 7. H. ♂.	Moris. his. 7. t. 5. f. 17.
<i>Picris Sprengeriana. p.s. Hieracium Sprengerianum. L.</i>					
10	hieracioides. s.s. (ye.)	hawkweed-like. Hungary.	1816.	7. 8. H. ♀.	W. et K. hung. 1. t. 17.
11	rigida. s.s. (ye.)	rigid.	1805.	5. 7. H. ♀.	— 1. t. 19.
12	pálchra. s.s. (ye.)	hawkweed-leav'd. Scotland.		6. 9. H. ♀.	Eng. bot. v. 33. t. 2325.
13	nana. s.s. (ye.)	dwarf. N. America.	1827.	— H. ♀.	
14	heterosperma. s.s.(ye.)	various-seeded. Germany.	1824.	— H. ♂.	
15	Dioscórdis. s.s. (ye.)	Dioscorides'. France.	1772.	6. 7. H. ♂.	Flor. græc. t. 808.
16	lodomiriensis. s.s.(ye.)	rough-headed. Germany.	1827.	6. 9. H. ♂.	
<i>Gmeini. s.</i>					
17	neglécta. s.s. (ye.)	neglected.		— H. ♂.	
18	scábra. s.s. (ye.)	rough. S. Europe.	1829.	— H. ♂.	
19	agréstis. s.s. (ye.)	field. Hungary.	1801.	7. 8. H. ♂.	
20	corymbösa. s.s. (ye.)	corymböse. Italy.	1828.	— H. ♂.	
21	cérnua. s.s. (ye.)	nodding-flower'd. Naples.	1824.	— H. ♂.	

- 22 tectòrum. E.B. (ye.) smooth. Britain. 6. 9. H. ☉. Eng. bot. v. 16. t. 1111.
 23 Lachenàlii. dc. (ye.) entire-leaved. Europe. 6. 9. H. ☉.
 24 cinèrea. P.S. (ye.) red-stalked. Britain. — H. ☉.
 25 taurinénsis. w. (ye.) early-flowered. Europe. 5. 6. H. ☉. Balb. misc. p. 37. t. 9.
 26 biénis. s.s. (ye.) biennial. Britain. 6. 7. H. ♂. Eng. bot. v. 3. t. 149.
 27 fœtida. E.B. (st.) strong-scented. ———— — H. ♂. ———— v. 6. t. 406.
 28 gravèolens. (ye.) strong-smelling. 1824. 7. 9. H. ☉.
 29 pulcherrima. F. (ye.) elegant. Siberia. 1823. 6. 8. H. ☉.
 30 latifolia. P.S. (ye.) broad-leaved. Italy. 1816. — H. ☉.
 31 pinnatifida. s.s. (ye.) pinnatifid. S. Europe. 1820. 4. 6. H. ☉.
 32 lácera. s.s. (ye.) torn-leaved. Naples. 1826. 6. 7. H. ☉.
BEHRINIA. Sieb. **BEHRINIA.** Syngenesia Polygamia Æqualis.
 chondrilloides. Sie. (ye.) Chondrilla-like. Carniola. 1829. 6. 7. H. ☉.
Crèpis chondrilloides. s.s. *Wibèlia chondrilloides.* Hoppe.
PRENANTHES. D.D. **PRENANTHES.** Syngenesia Polygamia Æqualis. L.
 1 purpùrea. w. (pu.) purple-flower'd. Germany. 1658. 7. 9. H. ♀. Jacq. aust. 4. t. 317.
 2 hispida. s.s. (ye.) hispid. Siberia. 1823. 6. 8. H. ♀.
 3 diversifolia. s.s. (ye.) various-leaved. ———— 1827. — H. ♂.
HARPALYCE. D.D. **HARPALYCE.** Syngenesia Polygamia Æqualis.
 1 altissima. D.D. (ye.) tallest. N. America. 1696. 7. 8. H. ♀. Pluk. alm. t. 317. f. 2.
Prenánthes altissima. w.
 2 cordàta. D.D. (ye.) heart-leaved. ———— 1816. — H. ♀.
 3 virgàta. D.D. (li.) tall slender. ———— 1823. 8. 9. H. ♀.
 4 álba. D.D. (wh.) white-flowered. N. America. 1762. 7. 8. H. ♀. Bot. mag. t. 1079.
Prenánthes álba. B.M. *suávis.* Sal. par. lond. t. 85.
 5 rubicúnda. D.D. (fl.) rubicund. ———— 1823. 8. 10. H. ♀.
 6 serpentària. D.D. (pu.) Lion's-foot. ———— — H. ♀. Pursh am. sept. 2. t. 24.
 7 racemòsa. D.D. (pu.) racemed. Canada. 1822. — H. ♀.
CHORISMA. D.D. **CHORISMA.** Syngenesia Polygamia Æqualis.
 rèpens. D.D. (ye.) creeping. Siberia. 1828. 7. 9. H. ♀. Linn. am. ac. 2. t. 4. f. 23.
Prenánthes rèpens. L.
ANDRYALA. W. **ANDRYALA.** Syngenesia Polygamia Æqualis.
 1 cheiranthifolia. w. (ye.) various-leaved. Madeira. 1777. 5. 10. F. ♀. L'Herit. stirp. 35. t. 18.
 2 nigricans. w. (ye.) dark-headed. Barbary. 1804. 6. 8. H. ☉.
 3 pinnatifida. w. (ye.) wing-leaved. Madeira. 1778. 7. 8. F. ♂.
 4 crithmifolia. w. (ye.) Samphire-leav'd. ———— 6. 8. F. ♂.
 5 ragusina. w. (ye.) downy. Archipelago. 1753. — F. ♀. Mill. ic. 1. t. 146. f. 1.
 6 incàna. dc. (ye.) hoary. Pyrenees. 1826. — H. ♀.
ROTHIA. W. **ROTHIA.** Syngenesia Polygamia Æqualis.
 1 runcinàta. w. (ye.) hoary. S. Europe. 1711. 7. 8. H. ♂.
 2 cheiranthifolia. w. (ye.) Stock-leaved. Spain. 1768. — H. ☉.
 3 andryaloides. w. (ye.) Spanish. ———— 1810. 8. — H. ☉. Gært. sem. 2. t. 174.
Andryala Rothia. P.S.
LAPSANA. D.D. **NIPPLE-WORT.** Syngenesia Polygamia Æqualis.
 1 communis. w. (ye.) common. Britain. 6. 9. H. ☉. Eng. bot. v. 12. t. 844.
 2 lyràta. W.en. (ye.) lyrate. Caucasus. 1816. 7. 8. H. ♀.
grandiflora. M.B.
 3 intermedia. M.B. (ye.) intermediate. ———— 1823. — H. ☉.
 4 pubescens. Zey. (ye.) pubescent. Europe. 1820. — H. ☉.
 5 crispa. W.en. (ye.) curled. 1799. — H. ☉.

Tribus II. TARAXACEÆ. D. Don.

- LEONTODON.** W. **DANDELION.** Syngenesia Polygamia Æqualis. L.
 1 Taráxacum. w. (ye.) common. Britain. 4. 7. H. ♀. Eng. bot. v. 8. t. 510.
 2 corniculatus. H.H. (ye.) horned. Europe. 1827. — H. ♀.
 3 bessaràbicus. F. (ye.) small-flowered. S. Europe. 1823. 6. 8. H. ♀.
 4 alpinus. s.s. (ye.) Alpine. ———— 1827. — H. ♀.
 5 caucásicus. M.B. (ye.) Caucasian. Caucasus. — H. ♀.
 6 serotinus. w. (ye.) late-flowered. Hungary. 1816. 7. 9. H. ♀. W. et K. hung. 2. t. 114.
 7 glaucescens. s.s. (ye.) glaucescent. Caucasus. 1820. 4. 7. H. ♀.
 8 obovatus. s.s. (ye.) obovate-leaved. Spain. 1805. 7. — H. ♀.
 9 palustris. E.B. (ye.) marsh. Britain. 6. 7. H. ♀. Eng. bot. v. 8. t. 553.
 10 nigricans. W.K. (ye.) dark-leaved. Hungary. 1823. 7. — H. ♀.
 11 lævigatus. s.s. (ye.) smooth. Spain. ———— H. ♀.
APARGIA. W. **APARGIA.** Syngenesia Polygamia Æqualis.
 1 áspera. s.s. (ye.) hairy. Hungary. 1805. 6. 7. H. ♀. W. et K. hung. 2. t. 110.
 2 saxátilis. s.s. (ye.) rock. Naples. 1827. — H. ♀.

3 hispida. s.s.	(ye.) rough.	Britain.		7.	H. 2.	Eng. bot. v. 8. t. 554.
<i>Hedýpnois hispida</i> . E. B. <i>Leontodon hispidum</i> . L.						
4 dubia. w.	(ye.) tooth-leaved.	Germany.	—	—	H. 2.	
5 crispa. s.s.	(ye.) curled.	France.	1803.	7. 8.	H. 2.	Vill. dauph. 3. t. 25.
6 fasciculata. s.s.	(ye.) bunch-rooted.	Naples.	1828.	—	H. 2.	
7 hispánica. s.s.	(ye.) Spanish.	Spain.	1825.	—	H. 2.	Cavan. icon. t. 149.
8 strigosa. M.B.	(ye.) strigose.	Caucasus.	1828.	—	H. 2.	
9 caucásica. M.B.	(ye.) Caucasian.	—	1823.	—	H. 2.	
10 coronopifolia. s.s.	(ye.) buck's-horn-ld.	Barbary.	1820.	—	H. 2.	Desf. atl. 2. t. 214.
11 incana. s.s.	(ye.) hoary.	Europe.	1784.	5. 6.	H. 2.	Jacq. aust. 3. t. 287.
12 alpina. s.s.	(ye.) alpine.	Austria.	1816.	6. 8.	H. 2.	— 1. t. 93.
13 Villársii. s.s.	(ye.) Villars's.	France.	1818.	—	H. 2.	Vill. dauph. 3. p. 82. t. 25.
14 Taráxaci. s.s.	(ye.) Dandelion-like.	Britain.		7. 9.	H. 2.	Eng. bot. v. 16. t. 1109.
<i>Hedýpnois Taráxaci</i> . E. B. <i>Hierácium Taráxaci</i> . L. <i>Picris Taráxaci</i> . All.						
15 aurantiaca. w.	(or.) orange-colored.	Hungary.	1816.	5. 6.	H. 2.	
16 crocea. w.	(sn.) saffron-colored.	—	1820.	—	H. 2.	
17 hástilis. s.s.	(ye.) shining-leaved.	S. Europe.	1796.	7. 8.	H. 2.	Jacq. aust. 2. t. 164.
OPOR'NIA. D.D. OPOR'NIA. Syngenesia Polygamia Æqualis.						
autumnalis. D.D.	(ye.) autumnal.	Britain.		8. 9.	H. 2.	Eng. bot. v. 12. t. 830.
<i>Hedýpnois autumnalis</i> . E. B. <i>Apárgia autumnalis</i> . w.						
THRÍNCIA. W. THRÍNCIA. Syngenesia Polygamia Æqualis.						
1 tuberosa. dc.	(ye.) tuberous-rooted.	France.	1683.	5. 7.	H. 2.	Flor. græc. t. 797.
<i>Apárgia tuberosa</i> . w. <i>Leontodon tuberosum</i> . L.						
2 glabra. Schl.	(ye.) smooth.	Switzerland.	1823.	7. 8.	H. 2.	
3 hirta. w.	(ye.) simple-haired.	Britain.		—	H. 2.	Eng. bot. v. 8. t. 555.
<i>picocalyx</i> . Lag? <i>Hedýpnois hirta</i> . E. B.						
4 nudicalyx. Lag.	(ye.) naked-calyxed.	Spain.	1823.	—	H. 2.	
5 hispida. s.s.	(ye.) hispid.	S. Europe.	1815.	6. 8.	H. 2.	Vill. dauph. 3. t. 25.
6 marroccana. P.S.	(ye.) Morocco.	Morocco.	1799.	7. 8.	H. 2.	
7 pygmæa. P.S.	(ye.) small.	Madeira.		—	H. 2.	
<i>Hyóseris pygmæa</i> . w.						
CALLIOPEA. D.D. CALLIOPEA. Syngenesia Polygamia Æqualis.						
aurea. D.D.	(go.) golden-flower'd.	Italy.	1769.	5. 7.	H. 2.	Jacq. aust. 3. t. 297.
<i>Leontodon aureum</i> . Jacq. <i>Hierácium aureum</i> . w.						
ÆTH'ONIA. D.D. ÆTH'ONIA. Syngenesia Polygamia Æqualis.						
1 fruticosa. D.D.	(ye.) shrubby.	Madeira.	1785.	6. 7.	G. 2.	
<i>Hierácium fruticosum</i> . H.K.						
2 filiformis. D.D.	(ye.) fine-leaved.	—	1777.	—	G. 2.	
<i>Crêpis filiformis</i> . w.						
3 lagopoda. D.D.	hare's-foot.	Canaries.	1817.	—	G. 2.	
TO'LPIIS. S.S. TO'LPIIS. Syngenesia Polygamia Æqualis.						
1 barbata. s.s.	(ye.) purple-eyed.	France.	1620.	6. 9.	H. 2.	Bot. mag. t. 35.
<i>Crêpis barbata</i> . B.M. <i>Drepánia barbata</i> . dc.						
2 umbellata. s.s.	(ye.) umbelled.	Italy.	1818.	6. 7.	H. 2.	
3 quadriaristata. Biv.	(ye.) four-awned.	—	1824.	—	H. 2.	
4 virgata. s.s.	(ye.) twiggy.	S. Europe.	1826.	—	H. 2.	
5 altissima. s.s.	(ye.) tall.	—	1818.	—	H. 2.	
<i>Drepánia ambigua</i> . dc. <i>Crêpis ambigua</i> . Balbis.						
6 coronopifolia. s.s.	(ye.) fleshy-leaved.	Madeira.	1777.	8. 9.	H. 2.	Desf. act. par. 38. t. 9.
<i>Crêpis coronopifolia</i> . w. <i>succulenta</i> . H.K.						
HEDÝPNOIS. W. HEDÝPNOIS. Syngenesia Polygamia Æqualis.						
1 monspeliensis. w.	(ye.) branching.	S. Europe.	1683.	6. 7.	H. 2.	
2 cretica. w.	(ye.) Cretan.	Crete.	1731.	—	H. 2.	Flor. græc. t. 813.
3 coronopifolia. T.C.	(ye.) buck's-horn-ld.	Italy.	1823.	—	H. 2.	
4 tubæformis. T.C.	(ye.) thick-tubed.	—	—	—	H. 2.	
5 mauritánica. w.	(ye.) Barbary.	Barbary.	—	—	H. 2.	
6 rhagadioloides. w.	(ye.) Nipple-wort.	S. Europe.	1773.	7. 8.	H. 2.	
7 pérsica. M.B.	(ye.) Persian.		1822.	6. 9.	H. 2.	
8 péndula. w.	(ye.) pendulous.	Barbary.	1818.	—	H. 2.	
9 aculeata. Jac.	(ye.) prickly.		1829.	—	H. 2.	
RHAGADIOLUS. W. RHAGADIOLUS. Syngenesia Polygamia Æqualis.						
1 stellatus. w.	(ye.) starry.	S. Europe.	1633.	6. 7.	H. 2.	Flor. græc. t. 817.
2 edulis. w.	(ye.) heart-leaved.	Levant.	—	—	H. 2.	— t. 818.
<i>Lapsana Rhagadiolus</i> . L.						
KÆLPÍNIA. Pall. KÆLPÍNIA. Syngenesia Polygamia Æqualis.						
linearis. Pall.	(ye.) linear-leaved.	Levant.	1788.	7. 8.	H. 2.	Flor. græc. t. 819.
<i>Lapsana Kælpinia</i> . L. <i>Rhagadiolus Kælpinia</i> . w.						
ARNO'SERIS. G. ARNO'SERIS. Syngenesia Polygamia Æqualis.						
1 fœtida. L.en.	(ye.) stinking.	Italy.	1722.	7. 8.	H. 2.	W. et K. hung. 1. t. 49.
<i>Lapsana fœtida</i> . w. <i>Hyóseris fœtida</i> . P.S.						

2	mínima. L.en.	(st.) least.	Britain.		5. 7. H. ⊙	Eng. bot. v. 2. t. 95.
	<i>Hyóseris mínima.</i> E.B.	<i>Lapsàna pusilla.</i> w.				
HYO'SERIS. W.		HYO'SERIS. Syngenesia Polygamia	Æqualis.			
1	arenària. w.	(ye.) sand.	Morocco.	1800.	7. 8. H. ⊙	
2	hispida. w.	(ye.) hispid.	—	1779.	— H. ⊙	
3	scábra. w.	(ye.) rugged.	Sicily.	1789.	— H. ⊙	Lam. ill. t. 654. f. 1.
4	lúcida. w.	(ye.) shining.	Levant.	1770.	6. 8. H. ½	Schm. ic. t. 39. 41.
5	radiàta. w.	(ye.) starry.	S. Europe.	1640.	— H. ½	Pluk. alm. t. 37. f. 2.
ZACIN'THA. W.		ZACIN'THA. Syngenesia Polygamia	Æqualis.			
	verrucósa. w.	(ye.) warted.	S. Europe.	1633.	6. 7. H. ⊙	Gært.sem. 2. t.157. f.7.
	<i>Lapsàna Zacy'ntha.</i> L.					
TRO'XIMON. D.D.		TRO'XIMON. Syngenesia Polygamia	Æqualis.			
1	glàucum. Ph.	(ye.) glaucous-leaved.	N. America.	1811.	7. 8. H. ½	Bot. mag. t. 1667.
2	cuspidàtum. Ph.	(ye.) cuspidate.	—	—	4. 6. H. ½	
	<i>marginàtum.</i> N.					
CY'NTHIA. D.D.		CY'NTHIA. Syngenesia Polygamia	Æqualis.			
	amplexicaùlis. D.D.(go.)	stem-clasping.	N. America.	1799.	7. 8. H. ½	
	<i>Hyóseris amplexicaùlis.</i> m.	<i>Krigia amplexicaùlis.</i> N.	<i>Tróximon virginicum.</i> Ph.			
KRI'GIA. W.		KRI'GIA. Syngenesia Polygamia	Æqualis.			
	virginica. w.	(ye.) Virginian.	N. America.	1811.	5. 7. H. ⊙	
PICRIS. W.		PICRIS. Syngenesia Polygamia	Æqualis.			
1	hieracioides. w.	(ye.) hawkweed-like.	England.		7. 8. H. ⊙	Eng. bot. v. 3. t. 196.
2	strigósa. M.B.	(ye.) strigose.	Caucasus.	1823.	— H. ½	
3	rigida. s.s.	(ye.) rigid.	Tauria.	1829.	— H. ½	
4	hispida. H.K.	(ye.) hispid.	Levant.	1789.	— H. ½	
5	altissima. s.s.	(ye.) tall.	Egypt.	1825.	— H. ⊙	
6	pauciflora. w.	(ye.) few-flowered	S. France.	1818.	6. 8. H. ½	Gært. fr. 2. t. 158. f. 2.
7	pilosa. s.s.	(ye.) hairy.	Egypt.	1829.	— H. ⊙	
8	asplenioides. w.	(ye.) Spleenwort-ld.	Barbary.	1803.	7. 8. H. ⊙	L'Herit. stirp. t. 82.
9	dahùrica. F.	(ye.) Dahurian.	Dahuria.	1820.	— H. ⊙	
10	kamtschatka. Led.	(ye.) Kamtschatka.	Kamtschatka.	1823.	— H. ⊙	
HELMI'NTHIA. J.		OX-TONGUE. Syngenesia Polygamia	Æqualis.			
	echioides. w.	(ye.) bristly.	Britain.		6. 7. H. ⊙	Eng. bot. v. 14. t. 972.
	<i>Picris echioides.</i> E.B.					

Tribus III. HYPOCHERIDEÆ. D. Don in Edinb. phil. journ.

HYPOCH'ERIS. S.S. CAT'S-EAR. Syngenesia Polygamia Æqualis. L.						
1	helvética. s.s.	(ye.) one-flowered.	Switzerland.	1799.	6. 7. H. ½.	Jacq. ic. 1. t. 165.
2	hispida. s.s.	(ye.) bristly.	S. Europe.	1804.	7. 8. H. ½.	Willd. hort. ber. 1. t. 46.
3	arachnites. Biv.	(ye.) Cobweb.	Italy.	—	H. ⊙.	
4	mímaia. s.s.	(ye.) least.	Barbary.	1797.	— H. ⊙.	Flor. græc. t. 816.
5	glábra. s.s.	(st.) smooth.	Britain.		— H. ⊙.	Eng. bot. v. 8. t. 575.
ACHYR'PHORUS. G. ACHYR'PHORUS. Syngenesia Polygamia Æqualis.						
1	maculátus. D.D.	(ye.) spotted.	England.		6. 7. H. ½.	Eng. bot. v. 4. t. 225.
2	radicátus. D.D.	(ye.) long-rooted.	Britain.		6. 9. H. ½.	— v. 12. t. 831.
	<i>Hypoch'æris radicàta.</i> E.B.					
3	Balbisii. W.en.	(ye.) Balbis's.	S. Europe.	1822.	— H. ½.	
ROBERTIA. DC. ROBERTIA. Syngenesia Polygamia Æqualis.						
1	taraxacoides. DC.	(ye.) Dandelion-like.	Corsica.	1824.	7. 8. H. ½.	Lois. gal. 530. t. 28.
2	pinnatifida. s.s.	(ye.) pinnatifid.	Naples.	1827.	— H. ½.	
	<i>Hypoch'æris pinnatifida.</i> Tenore.					
SER'IOIA. S.S. SER'IOIA. Syngenesia Polygamia Æqualis. L.						
1	ùrens. s.s.	(ye.) stinging.	S. Europe.	1773.	7. 8. H. ⊙.	Schmid. ic. t. 32.
2	æthnénsis. w.	(ye.) rough.	Italy.	1763.	— H. ⊙.	Jacq. obs. 4. t. 79.
3	glàuca. s.s.	(ye.) glaucous.	Sicily.	1829.	— H. ⊙.	
4	rubescens. s.s.	(li.) reddish.	—	—	— H. ⊙.	
5	álbicans. s.s.	(ye.) whitish.	—	—	— H. ⊙.	
6	creténsis. s.s.	(ye.) Cretan.	Crete.	1820.	— H. ⊙.	
7	Alliàta. L.en.	(ye.) wood.	Sicily.	1823.	— H. ⊙.	Biv. cent. pl. 2. t. 7.
8	apargioides. Trev.	(ye.) Apargia-like.	S. Europe.	1829.	— H. ⊙.	
AGENÓRA. D.D. AGENÓRA. Syngenesia Polygamia Æqualis.						
	lævigàta. D.D.	(ye.) smooth.	Candia.	1772.	7. 8. H. ⊙.	Desf. atl. 2. t. 216.
	<i>Seriola lævigàta.</i> w. <i>Rodigia lævigàta.</i> s.s.					
RODIGIA. S.S. RODIGIA. Syngenesia Polygamia Æqualis.						
	commutàta. s.s.	(ye.) Poppy-leaved.	Caucasus.	1823.	6. 7. H. ⊙.	
	<i>Crèpis rhæadifolia.</i> M.B.					
SOLDEVI'LLA. S.S. SOLDEVI'LLA. Syngenesia Polygamia Æqualis.						
	setósa. s.s.	(ye.) bristly.	Spain.	1826.	7. 8. H. ⊙.	

Tribus IV. LACTUCEÆ. D. Don in Edinb. phil. journ.

LACTUCA. S.S.		LETTUCE. Syngenesia Polygamia Æqualis. L.		
1	sativa. w.	(ye.) garden.	1562.	6. 9. H. ♂. Rob. ic. pl. c. ic.
2	crispa. w.	(ye.) curled.	1570.	6. 8. H. ♂.
3	palmata. w.	(ye.) jagged-leaved.	1683.	— H. ♂.
<i>laciniata. Roth.</i>				
4	intybaea. w.	(ye.) Endive-leaved. S. America.	1781.	— H. ♂. Jacq. ic. 1. t. 162.
5	quercina. w.	(ye.) Oak-leaved. Europe.	1686.	5. 7. H. ♂.
6	stricta. w.	(ye.) upright. Hungary.	1805.	6. 7. H. ♂. W. et K. hung. 1. t. 48.
7	elongata. w.	(st.) elongated. Pennsylvania.	—	— H. ♂.
8	cichoriifolia. DC.	(ye.) Succory-leaved. France.	1818.	— H. ♀.
9	Scariola. w.	(st.) prickly. Britain.		7. 8. H. ♂. Eng. bot. v. 4. t. 268.
10	maculata. L. en.	(st.) spot-leaved. Europe.		— H. ♂.
11	virosa. E.B.	(st.) strong-scented. Britain.		7. 9. H. ♂. Eng. bot. v. 28. t. 1957.
12	augustana. w.	(st.) entire-leaved. Italy.	1791.	7. 8. H. ♂. All. ped. 1. t. 52. f. 1.
13	altissima. M.B.	(ye.) tall. Caucasus.	1818.	— H. ♀.
14	sagittata. w.K.	(ye.) arrow-leaved. Hungary.	1805.	— H. ♂. W. et K. hung. 1. t. 1.
15	saligna. w.	(ye.) least. England.		7. 8. H. ♂. Eng. bot. v. 10. t. 707.
16	muralis. D.D.	(st.) wall. Britain.		— H. ♀. — v. 7. t. 457.
<i>Prenanthes muralis. E.B.</i>				
17	viminea. L. en.	(st.) rushy-twiggled. Austria.	1789.	— H. ♂. Jacq. aust. 1. t. 9.
<i>Prenanthes viminea. Jacq.</i>				
18	villosa. s.s.	(bl.) villous.	1825.	— H. ♂. Jacq. schœnb. 3. t. 367.
19	tuberosa. s.s.	(ye.) tuberous.	1820.	— H. ♀. Jacq. vind. 1. t. 57.
20	indica. s.s.	(ye.) Indian. E. Indies.	1784.	8. 10. H. ♂.
21	? spectabilis. F.	 showy. Persia.	1829.	 H. ♂?
22	pallida. D.P.	(st.) pale-flowered. Canada.	1704.	7. 9. H. ♀. Rob. ic. 148 et 151.
<i>Sonchus pallidus. w.</i>				
23	segusiàna. s.s.	(pu.) various-leaved. Italy.	1823.	7. 8. H. ♂.
24	tenerrima. s.s.	(pu.) purple-flower'd. S. Europe.	1815.	— H. ♀.
25	perennis. s.s.	(bl.) perennial. Germany.	1596.	6. 8. H. ♀. Mill. ic. 2. t. 157.
CHONDRIÏLLA. W.		GUM SUCCORY. Syngenesia Polygamia Æqualis. L.		
1	júncea. w.	(ye.) common. France.	1633.	9. 10. H. ♀. Jacq. aust. 5. t. 427.
2	gramínea. M.B.	(ye.) grass-leaved. Caucasus.	1824.	7. 9. H. ♀.
3	latifolia. M.B.	(ye.) broad-leaved. —	—	— H. ♂.
AGATHYRSUS. D.D.		AGATHYRSUS. Syngenesia Polygamia Æqualis.		
1	alpinus. D.D.	(bl.) Lapland. Lapland.	1804.	7. 8. H. ♀. Smith ic. ined. t. 21.
<i>Sonchus lappónicus. w.</i>				
2	céruleus. D.D.	(bl.) blue-flowered. Scotland.		— H. ♀. Eng. bot. v. 34. t. 2425.
<i>Sonchus alpinus. w. non L.</i>				
3	Plumieri. D.D.	(bl.) Plumier's. Pyrenees.	1794.	— H. ♀.
4	floridanus. D.D.	(bl.) small-flowered. N. America.	1713.	— H. ♂.
5	acuminatus. (bl.)	taper-pointed. —	1812.	8. 9. H. ♂.
<i>Sonchus acuminatus. Ph.</i>				
6	macrophyllus. (bl.)	large-leaved. N. America.	1820.	7. 8. H. ♀.
<i>Sonchus macrophyllus. Ph.</i>				
7	spicatus. D.D.	(pa.) whitish-flower'd. —	—	— H. ♂.
<i>Sonchus leucophæus. w. Prenanthes autumnalis. Walter.</i>				
8	prenanthoides. D.D.	(bl.) Prenanthes-like. Caucasus.	1827.	— H. ♀.
9	calicæfolius. D.D.	(bl.) Calacia-leaved. Iberia.	1826.	— H. ♀.
10	sibiricus. D.D.	(bl.) Siberian. Siberia.	1759.	7. 9. H. ♀. Gmel. sib. 2. f. 3.
<i>Sonchus sibiricus. w. Lactuca sibirica. D.P.</i>				
11	tataricus. D.D.	(bl.) Tartarian. Tartary.	1784.	6. 7. H. ♀.
12	pulchellus. D.D.	(bl.) entire-leaved. Missouri.	1812.	— H. ♀.
<i>Sonchus pulchellus. Ph. Lactuca integrifolia. n.</i>				
13	sonchifolia. (bl.)	Sonchus-leaved. Levant.	1824.	— H. ♂.
<i>Lactuca sonchifolia. w.</i>				
LYGODESMIA. D.D.		LYGODESMIA. Syngenesia Polygamia Æqualis.		
1	júncea. D.D.	(ro.) rush-like. Missouri.	1827.	5. 6. H. ♀.
<i>Prenanthes júncea. Ph.</i>				
ATALANTHUS. D.D.		ATALANTHUS. Syngenesia Polygamia Æqualis.		
1	pinnatus. D.D.	(ye.) pinnated. Canaries.	1823.	6. 7. F. h.
<i>Prenanthes pinnata. w.</i>				
2	arboreus. (ye.)	arborescent. —	—	6. 8. F. h.
<i>Prenanthes arborea. W. enum.</i>				
3	spinosus. D.D.	(ye.) prickly. Barbary.	1640.	3. 5. F. h. Park. theatr. 804. f. 7.

SONCHUS. W.		Sow THISTLE. Syngenesia Polygamia Æqualis. L.			
1	squarrosus. DC. (ye.) shrubby.	Madeira.	1777.	4. 7. G. ♀.	
	<i>fruticōsus</i> . L. non Jacq.				
2	Jacquini, DC. (ye.) Jacquin's.	—	—	G. ♀.	Jacq. ic. 1. t. 161.
	<i>fruticōsus</i> . Jacq. non L.				
3	lævigatus. L.en. (ye.) smooth.	—	1816.	—	G. ♀.
4	lyratus. L.en. (ye.) lyre-leaved.	—	—	—	G. ♀.
5	hyoserifolius. H.H. (ye.) Hyoseris-leaved.	—	1818.	—	G. ♀.
6	radicatus. s.s. (ye.) long-rooted.	Canaries.	1780.	7. 8. G. ♀.	
7	gummifer. s.s. (ye.) gummy.	—	1816.	—	G. ♀.
8	divaricatus. L.en. (ye.) spiny-leaved.		1828.	4. 6. G. ♀.	
9	pinatus. s.s. (ye.) wing-leaved.	Madeira.	1777.	4. 7. G. ♀.	
10	maritimus. s.s. (ye.) sea-side.	Canaries.	1748.	7. 9. H. ♀.	All. ped. 1. t. 16. f. 2.
11	oleraceus. s.s. (ye.) common-smooth.	Britain.		6. 12. H. ○.	Eng. bot. v. 12. t. 843.
	<i>lævis</i> . L.enum. <i>oleraceus a. lævis</i> . W.enum.				
12	lâcerus. W.en. (ye.) torn-leaved.	Britain.		—	H. ○.
13	âsper. s.s. (ye.) rough-leaved.	—		—	H. ○.
	<i>oleraceus γ. âsper</i> . L.				Blackw. ic. t. 30.
14	uliginosus. s.s. (ye.) marsh.	Caucasus.	1823.	7. 9. H. ♀.	
15	palustris. s.s. (ye.) tall marsh.	Britain.		—	H. ♀.
16	arvensis. s.s. (ye.) corn-field.	—		—	H. ♀.
17	hantoniensis. (ye.) smooth-headed.	Hampshire.		—	H. ♀.
18	tenerrimus. s.s. (ye.) clammy.	S. Europe.	1691.	7. 8. H. ○.	Flor. græc. t. 790.
19	chondrilloides. s.s. (ye.) Chondrilla-like.	Sicily.	1826.	—	H. ♀.
20	caucasicus. F. (ye.) Caucasian.	Caucasus.	1820.	—	H. ♀.
21	flexuosus. Led. (ye.) flexuose.	—	1822.	—	H. ♀.
22	chinensis. F. (ye.) Chinese.	China.	1820.	—	H. ♀.
23	tênax. F. (ye.) tough.	Siberia.	1824.	—	H. ♀.
24	longifolius. Trev. (ye.) long-leaved.		—	—	H. ♀.
BARKHAUSIA. DC. Syngenesia Polygamia Æqualis.					
1	muricata. s.s. (ye.) bristly-headed.	S. Europe.	1825.	6. 8. H. ♂.	
2	bellidifolia. DC. (ye.) Daisy leaved.	Corsica.	1826.	—	H. ○.
3	Suffreniana. DC. (ye.) mealy-headed.	France.	1825.	—	H. ○.
4	spatulata. s.s. (ye.) spatulate.	Sicily.	1829.	—	H. ○.
5	alpina. s.s. (ye.) alpine.	Italy.	1739.	7. 8. H. ○.	Gmel. sib. 2. t. 5.
	<i>Crêpis alpina</i> . W.				
6	apargioides. s.s. (ye.) Apargia-like.	Germany.	1826.	—	H. ♀.
7	vesicaria. s.s. (ye.) bladdered.	Crete.	1828.	—	H. ♀.
8	hyemalis. s.s. (ye.) winter.	Sicily.	1829.	8. 11. H. ♀.	
9	purpurea. s.s. (pu.) purple.	—	1827.	7. 9. H. ♀.	
10	rûbra. s.s. (li.) lilac.	Italy.	1632.	6. 8. H. ○.	Flor. græc. t. 801.
11	nicæensis. s.s. (ye.) gland-headed.	S. Europe.	1824.	—	H. ○.
12	hispida. s.s. (ye.) hispid.	—	1798.	—	H. ○.
13	setosa. DC. (ye.) setose.	Switzerland.	1824.	—	H. ○.
14	pungens. P.S. (ye.) pungent.		1826.	—	H. ○.
MYOSERIS. L.en. Myoseris. Syngenesia Polygamia Æqualis.					
	purpurea. L.en. (pu.) purple.	Tauria.	1823.	6. 7. H. ○.	
	<i>Lagoseris taurica</i> . M.B. <i>Crêpis purpurea</i> . M.B.				

Tribus V. SCORZONERÆ. D. Don in Edinb. phil. journ.

SCORZONERA. W. VIPER'S-GRASS. Syngenesia Polygamia Æqualis.					
1	tomentosa. W. (ye.) white.	Armenia.	1789.	6. 7. H. ♀.	
2	villosa. s.s. (ye.) villous.	Levant.	1821.	6. 8. H. ♀.	Scop. carn. t. 46.
3	hirsuta. s.s. (ye.) hairy.	S. Europe.	1823.	—	H. ♀.
4	humilis. W. (ye.) dwarf.	Europe.	1597.	8. H. ♀.	All. ped. t. 31. f. 33.
5	austriaca. W.en. (ye.) Austrian.	Austria.		—	H. ♀.
	<i>humilis</i> . Jacq. non W.				Jacq. aust. 1. t. 36.
6	plantaginifolia. Sch. (ye.) Plantain-leav'd.	Switzerland.	1816.	—	H. ♀.
7	hispanica. W. (ye.) garden.	Spain.	1576.	6. 9. H. ♀.	Lam. ill. t. 647. f. 5.
8	glastifolia. W. (ye.) Woad-leaved.	Germany.	1816.	—	H. ♀.
9	taurica. M.B. (ye.) Taurian.	Tauria.	1820.	—	H. ♀.
10	rumicifolia. L.en. (ye.) Dock-leaved.		1822.	—	H. ♀.
11	caricifolia. W. (ye.) Carex-leaved.	Siberia.	1805.	—	H. ♀.
12	parviflora. W. (ye.) small-flowered.	Austria.	1816.	—	H. ♀.
13	mollis. M.B. (ye.) soft.	Volga.	1829.	—	H. ♀.
14	stricta. s.s. (ye.) upright.	—	1821.	—	H. ♀.
	<i>villosa</i> . M.B. nec Scop.				

Pall. it. 3. ap. t. J. 1. f. 1.
Jacq. aust. 4. t. 305.

15 lanâta. M.B.	(ye.) woolly.	Iberia.	1823.	6. 7	H. 2.	
16 purpûrea. w.	(pu.) purple-flower'd.	Austria.	1759.	5. 6.	H. 2.	Jacq. aust. 1. t. 35.
17 angustifolia. w.	(ye.) narrow-leaved.	S. Europe.	—	6. 8.	H. 2.	W. et K. hung. 2. t. 122.
18 ensifolia. M.B.	(ye.) sword-leaved.	Caucasus.	1823.	—	H. 2.	
19 pusilla. s.s.	(st.) small.	Volga.	1827.	—	H. 2.	Pall. it. 2. ap. t. L.
20 tuberosa. s.s.	(ye.) tuberous-rooted.	—	1825.	—	H. 2.	Pall. it. 3. ap. t. Y. f. 3.
21 crispa. s.s.	(ye.) curled.	Tauria.	1821.	—	H. 2.	
PODOSPERMUM. DC. Podospermum. Syngenesia Polygamia Æqualis.						
1 calcitrapifolium. DC. (y.)	Calcitrapa-leav'd.	Levant.	1823.	6. 8.	H. 2.	Barr. ic. 800.
2 resedifolium. DC. (ye.)	spreading.	Spain.	1729.	6. 7.	H. 2.	Bocc. sic. 13. t. 7.
3 laciniatum. DC. (ye.)	cut-leaved.	S. Europe.	1640.	—	H. 2.	Jacq. aust. 4. t. 356.
4 octangulare. DC. (ye.)	8-angled.	—	1820.	—	H. 2.	
5 pumilum. (ye.)	small.	Spain.	1822.	7. 9.	H. 2.	Cav. ic. 2. t. 121. f. 2.
<i>Scorzonera pumila. w.</i>						
6 asperum. (ye.)	roughest.	Galatia.	—	8. 9.	H. 2.	
<i>Scorzonera asperima. w.</i>						
7 asperum. (ye.)	rough.	Levant.	—	7. 8.	H. 2.	Desf. an. mus. 1. t. 9.
<i>Scorzonera aspera. Desf. stylôsa. P.S.</i>						
8 subulatum. DC. (ye.)	grass-leaved.	Portugal.	1759.	—	H. 2.	Jacq. obs. 4. t. 100.
<i>Scorzonera graminifolia. F.G. 784.</i>						
9 muricatum. DC. (ye.)	bristly.	Piedmont.	1818.	—	H. 2.	
10 taraxacifolium. (ye.)	Dandelion-leav'd.	Bohemia.	1801.	6. 8.	H. 2.	Jacq. ic. 1. t. 106.
<i>Scorzonera taraxacifolia. w.</i>						
LASIOSPERMUM. F. Lasiospermum. Syngenesia Polygamia Æqualis.						
angustifolium. F. (ye.)	narrow-leaved.	Caucasus.	1825.	6. 8.	H. 2.	
<i>Scorzonera eriosperma. M.B.</i>						
PICRIDIMUM. P.S. Picridium. Syngenesia Polygamia Æqualis.						
1 vulgare. P.S. (ye.)	various-leaved.	France.	1773.	6. 8.	H. 2.	All. ped. 1. t. 16. f. 1.
<i>Scorzonera picroides. L. Sonchus picroides. w.</i>						
2 tingitanum. P.S. (ye.)	Tangier.	Barbary.	1713.	6. 9.	H. 2.	Bot. mag. t. 142.
<i>Scorzonera tingitana. B.M. Sonchus tingitanus. w.</i>						
3 hispanicum. v. (ye.)	Spanish.	Spain.	1816.	—	H. 2.	Jacq. schœnb. 2. t. 143.
4 albidum. P.S. (ye.)	pale-flowered.	France.	1781.	7. 10.	H. 2.	Jacq. ic. 1. t. 164.
<i>Crepis albidula. w.</i>						
ARNOPOGON. W. Sheep's-beard. Syngenesia Polygamia Æqualis.						
1 Dalechampii. w. (ye.)	great-flowered.	S. Europe.	1739.	6. 10.	H. 2.	Bot. mag. t. 1623.
2 picroides. w. (ye.)	prickly-cupp'd.	—	1683.	7. 8.	H. 2.	Flor. græc. t. 781.
3 asper. w. (ye.)	rough.	Montpelier.	1774.	—	H. 2.	— t. 782.
4 capense. w. (ye.)	Cape.	C. B. S.	1824.	6. 8.	G. 2.	Jacq. ic. 3. t. 577.
TRAGOPOGON. W. Goat's-beard. Syngenesia Polygamia Æqualis.						
1 pratensis. w. (ye.)	yellow.	Britain.		5. 6.	H. 2.	Eng. bot. v. 7. t. 434.
2 mutabilis. w. (va.)	changeable.	Siberia.	1816.	—	H. 2.	Jacq. ic. 1. t. 157.
3 undulatus. w. (st.)	wave-leaved.	Crimea.	1790.	—	H. 2.	— 1. t. 158.
4 parviflorus. L.en. (ye.)	small-flowered.		1822.	—	H. 2.	
5 orientalis. w. (ye.)	oriental.	Levant.	1787.	6. 7.	H. 2.	
6 canus. w.k. (ye.)	hoary.	Hungary.	1822.	—	H. 2.	
7 major. w. (ye.)	great.	Austria.	1788.	5. 6.	H. 2.	Jacq. aust. 1. t. 29.
8 campestris. s.s. (ye.)	field.	Poland.	1828.	—	H. 2.	
9 roseus. s.s. (ro.)	red-flowered.	Volga.	1827.	—	H. 2.	
10 porrifolius. w. (pu.)	purple.	England.		—	H. 2.	Eng. bot. v. 9. p. 638.
11 floccosus. w.k. (ye.)	woolly.	Hungary.	1816.	—	H. 2.	W. et K. hung. 2. t. 112.
12 dubius. L.en. (ye.)	doubtful.		1822.	—	H. 2.	
13 crocifolius. w. (vi.)	Crocus-leaved.	Italy.	1739.	6. 7.	H. 2.	Flor. græc. t. 779.
14 angustifolius. w. (vi.)	narrow-leaved.	—	1816.	—	H. 2.	
15 villosus. w. (ye.)	hairy.	Spain.	1794.	5. 6.	H. 2.	
16 rhodanthus. (ro.)	rose-coloured.	Hungary.	1807.	7.	H. 2.	W. et K. hung. 2. t. 121.
<i>Scorzonera rosea. w.k.</i>						
17 humilis. F.	dwarf.	Caucasus.	1829.		H. 2.	
18 phaeopappus. F.	glossy-chaff'd.	Persia.	—		H. 2.	
GEROPOGON. W. Old man's-beard. Syngenesia Polygamia Æqualis.						
1 glaber. w. (pi.)	smooth.	Italy.	1704.	7. 8.	H. 2.	Bot. mag. t. 479.
2 hirsutus. w. (pi.)	hirsute.	—	1759.	—	H. 2.	Col. ecphr. 1. t. 231.
3 calyculatus. w. (pi.)	perennial.	—	1774.	6. 8.	H. 2.	Jacq. vind. 2. t. 106.

Tribus VI. CICHOREÆ. D. Don in Edinb. phil. journ.

CICHORIUM. S.S. Succory. Syngenesia Polygamia Æqualis. L.						
1 lntybus. s.s. (bl.)	common.	Britain.		6. 10.	H. 2.	Eng. bot. v. 8. t. 539.

2	divaricatum. s.s.	(bl.) branching.	Barbary.	1798.	7. 9.	H. ☉.	
3	spinosum. s.s.	(bl.) prickly.	Candia.	1633.	7. 8.	F. ♀.	Flor. græc. t. 823.
4	pumilum. s.s.	(bl.) dwarf.	Levant.	1790.	—	H. ☉.	— t. 821.
5	Endivia. s.s.	(bl.) Endive.	E. Indies.	1548.	—	H. ☉.	
	<i>a latifolia.</i>	(bl.) broad-leaved.	—	—	—	H. ☉.	
	<i>β crispa.</i>	(bl.) curled-leaved.	—	—	—	H. ☉.	
	<i>γ leucophylla.</i>	(bl.) white-leaved.	—	—	—	H. ☉.	
SCOLYMUS. S.S. GOLDEN THISTLE. Syngenesia Polygamia Æqualis. L.							
1	maculatus. s.s.	(ye.) annual.	S. Europe.	1633.	7. 8.	H. ☉.	Flor. græc. t. 824.
2	hispanicus. s.s.	(ye.) Spanish.	—	1658.	7. 9.	H. ♀.	— t. 825.
3	grandiflorus. s.s.	(ye.) great-flowered.	Barbary.	1820.	—	H. ♀.	Desf. atl. 2. t. 218.
CATANANCHE. S.S. CATANANCHE. Syngenesia Polygamia Æqualis. L.							
1	lutea. s.s.	(ye.) yellow.	Candia.	1640.	6. 7.	H. ☉.	Flor. græc. t. 821.
2	cœrulea. s.s.	(bl.) blue-flowered.	S. Europe.	1596.	7. 10.	H. ♀.	Bot. mag. t. 293.

SUBORDO II. LABIATIFLORÆ. *Lagasca et DC. in ann. mus.*

L'ERIA. DC. L'ERIA. Syngenesia Polygamia Superflua.							
1	nütans. DC.	(wh.) drooping-flower'd.	W. Indies.	1793.	6. 7.	S. ♂.	Plum. ic. t. 41. f. 1.
	<i>Tussilago nütans. w.</i>						
2	albicans. DC.	(wh.) woolly-leaved.	Jamaica.	1821.	—	S. ☉.	
CHAPTALIA. V. CHAPTALIA. Syngenesia Polygamia Necessaria.							
	tomentosa. v.	(bh.) woolly.	N. America.	1806.	5. 6.	H. ♀.	Bot. mag. t. 2257.
	<i>Tussilago integrifolia. m.</i>						
ONO'SERIS. DC. ONO'SERIS. Syngenesia Polygamia Æqualis.							
1	purpurea. k.s.	(pu.) purple.	S. America.	1827.	7. 9.	F. ♀.	Smith. ic. ined. t. 65.
	<i>Atractylis purpurata. Smith.</i>						
2	mexicana. k.s.	(wh.) Mexican.	Mexico.	1828.		F. ♀.	Smith. ic. ined. 3. t. 66.
CHÆTANTHERA. R.P. CHÆTANTHERA. Syngenesia Polygamia Superflua.							
	ciliata. R.P.	(ye.) ciliated.	Chile.	1822.	7. 8.	F. ♀.	
MUTISIA. L. MUTISIA. Syngenesia Polygamia Æqualis. L.							
	speciosa. B.M.	(pu.) handsome.	Brazil.	1825.	9. 11.	G. ♀. ∪.	Bot. mag. t. 2705.
	<i>arachnoidea. Martius.</i>						
CHUQUIRAGA. J. CHUQUIRAGA. Syngenesia Polygamia Æqualis.							
	insignis. k.s.	(ye.) large-flowered.	S. America.	1824.		G. ♀.	Lam. ill. t. 691.
	<i>Johannia insignis. w.</i>						
DUMERILIA. DC. DUMERILIA. Syngenesia Polygamia Æqualis.							
	paniculata. DC.	(pu.) paniced.	Chile.	1825.	7. 9.	H. ♀.	DC. ann. mus. 19. t. 7.
BACAZIA. R.P. BACAZIA. Syngenesia Polygamia Æqualis.							
	spinosa. R.P.	(pi.) spiny.	Peru.	1825.	4. 5.	F. ♀.	
TRIPTILION. R.P. TRIPTILION. Syngenesia Polygamia Æqualis.							
	cordifolium. B.R.	(wh.) heart-leaved.	Peru.	1823.	6. 8.	H. ☉.	Bot. reg. t. 853.
LEUCERIA. Lag. LEUCERIA. Syngenesia Polygamia Superflua.							
	senecioides. D.D.	(wh.) Ragwort-like.	Chile.	1822.	8. 10.	F. ♀.	Hook. ex. flor. t. 101.
	<i>Trixis senecioides. Hooker.</i>						
GASTROCARPHA. D.D. GASTROCARPHA. Syngenesia Polygamia Æqualis.							
	runcinata. D.D.	(wh.) Turnep-leaved.	Chile.	1826.	8. 10.	F. ♂.	Swt. br. fl. gar. t. 229.
PERDICUM. DC. PERDICUM. Syngenesia Polygamia Superflua.							
1	Anándria. DC.	(wh.) Siberian.	Siberia.	1759.	8.	H. ♀.	Gmel. sib. 2. t. 68. f. 1.
2	lyratum. (wh.)	lyrate.	—	1825.	6. 8.	H. ♀.	— t. 67. f. 2.
	<i>Tussilago lyrata. w.</i>	<i>Chaptalia lyrata. s.s.</i>					
TRIXIS. DC. TRIXIS. Syngenesia Polygamia Superflua.							
1	frutescens. s.s.	(wh.) frutescent.	Jamaica.	1826.	2. 4.	S. ♀.	Lam. ill. t. 677. f. 2.
	<i>Perdicum radiale. L.</i>						
2	divaricata. D.D.	(wh.) divaricate.	Brazil.	1824.	4. 6.	S. ♀.	Bot. mag. t. 2765.
	<i>auriculata. B.M.</i>	<i>Perdicum brasiliense. Gr.</i>					

SUBORDO III. CARDUACEÆ. *Don prodr. p. 166.*Div. I. CARDUACEÆ VERÆ. *Kth. synops. 2. p. 363.*

A'RCTIUM. L. BURDOCK. Syngenesia Polygamia Æqualis.							
1	Láppa. w.	(pu.) smooth-headed.	Britain.		7. 8.	H. ♂.	Eng. bot. v. 18. t. 1228.

2	minus. M.B. (pu.) smaller.	Europe.		7. 8. H. ♂.	
	<i>Lappa minor</i> . DC.				
3	Bardana. w. (pu.) woolly-headed.	Britain.		— H. ♂.	Eng. bot. v. 35. t. 2478.
	<i>tomentosum</i> . P.S.				
SERRATULA. D.P. SAWWORT. Syngenesia Polygamia Æqualis.					
1	pulchella. B.M. (pu.) purple-scaled.	Siberia.	1823.	6. 7. H. ♀.	Bot. mag. t. 2589.
2	depressa. L.T. (pu.wh.) depressed.	Caucasus.	1820.	— H. ♀.	Linn. trans. v. 11. t. 38.
3	elegans. L.T. (ro.) elegant.	—	—	— H. ♀.	— v. 11. t. 37.
4	alpina. E.B. (pu.) Alpine.	Britain.		7. 8. H. ♀.	Eng. bot. v. 9. t. 599.
	<i>Saussurea alpina</i> . DC.				
5	angustifolia. w. (pu.) narrow-leaved.	Siberia.	1816.	— H. ♀.	Gmel. sib. 2. t. 33.
6	discolor. w. (pu.wh.) two-coloured.	Europe.	—	— H. ♀.	
	<i>Saussurea discolor</i> . DC.				
	<i>β lapathifolia</i> . DC. Dock-leaved.	—	—	— H. ♀.	Moris. s. 7. t. 22. f. 1.
7	serrata. (pu.) saw-leaved.	—	—	— H. ♀.	
	<i>Saussurea serrata</i> . DC.				
8	salicifolia. w. (re.) Willow-leaved.	Siberia.	1796.	— H. ♀.	Gmel. sib. 2. t. 27.
9	alata. (pu.) winged.	—	1823.	— H. ♀.	
	<i>Saussurea alata</i> . DC. non <i>Serratula alata</i> . W.en.				
10	salsa. M.B. (pu.) salt.	Caucasus.	1824.	— H. ♀.	
	<i>Heterotrichum salsum</i> . M.B. <i>Saussurea salsa</i> . s.s.				
11	lyrata. F. (pu.) lyrate-leaved.	Dahuria.	1827.	— H. ♀.	
12	Gmelini. Led. (pu.) Gmelin's.	Siberia.	—	— H. ♀.	
13	elongata. DC. (pu.) elongated.	—	1820.	— H. ♀.	
14	nitidula. Led. (pu.) glossy.	—	1827.	— H. ♀.	
15	pycnocéphala. Led. (pu.) large-headed.	—	—	— H. ♀.	
16	rigida. Led. (pu.) rigid.	—	—	— H. ♀.	
17	pygmæa. Jac. (pu.) pigmy.	Austria.	1816.	— H. ♀.	Jacq. aust. t. 440.
SYNCARPHA. DC. SYNCARPHA. Syngenesia Polygamia Æqualis.					
	<i>gnaphalodes</i> . DC. (or.) squarrose.	C. B. S.	1815.	7. 9. G. ♀.	Pluk. alm. t. 302. f. 3.
	<i>Stachelina gnaphaloides</i> . L. <i>Leysera squarrosa</i> . Th.				
CARDUUS. D.P. THISTLE. Syngenesia Polygamia Æqualis.					
1	alatus. B.F.G. (pu.) winged-stalked.	—	1812.	6. 8. H. ♂.	Swt. br. fl. gar. t. 103.
2	tinctorius. D.P. (pu.) common.	Britain.		7. 10. H. ♀.	Eng. bot. v. 1. t. 38.
	<i>Serratula tinctoria</i> . E.B.				
	<i>quinquefolius</i> . D.P. (pu.) five-leaved.	Persia.	1804.	7. 8. H. ♀.	Bot. mag. t. 1871.
	<i>Serratula quinquefolia</i> . B.M.				
4	coronatus. D.P. (pu.) lyre-leaved.	Italy.	1739.	— H. ♀.	Gmel. sib. 2. t. 20.
	<i>Serratula coronata</i> . w.				
5	nitidus. (pu.) glossy.	Siberia.	1821.	— H. ♀.	
	<i>Serratula nitida</i> . F.				
6	multiflorus. L. (pu.) Volga.	—	—	— H. ♀.	Gmel. sib. 2. t. 28.
7	linearifolius. DC. (pu.) linear-leaved.	—	1827.	— H. ♀.	
8	Picris. (pu.) scariose.	Caucasus.	1822.	— H. ♀.	
	<i>Centaurea Picris</i> . w. <i>Serratula Picris</i> . s.s.				
9	centauroides. D.P. (pu.) Centaury-like.	Siberia.	1804.	— H. ♀.	Gmel. sib. 2. t. 40.
10	radiatus. w.K. (pu.) rayed.	Hungary.	1800.	— H. ♂.	W. et K. hung. 1. t. 11.
11	polyclonos. w. (pu.) Siberian.	Siberia.	1823.	— H. ♀.	
12	argutus. (pu.) sharply-tooth'd.	—	—	— H. ♀.	
	<i>Serratula arguta</i> . L.en.				
13	cyanoides. w. (pu.) blue-bottle-leav'd.	—	1778.	— H. ♀.	Gmel. sib. 2. t. 15.
14	simplex. (pu.) one-flowered.	Caucasus.	1817.	— H. ♀.	Bot. mag. t. 2482.
	<i>mollis</i> . w. <i>Serratula simplex</i> . DC.				
15	xeranthemoides. (pu.) everlasting-fl'd.	—	1804.	— H. ♀.	Gmel. sib. 2. t. 47. f. 1.
	<i>Serratula xeranthemoides</i> . M.B. <i>Centaurea radiata</i> . w.				
16	lycopifolius. w. (pu.) horehound-leaved.	France.	1823.	— H. ♀.	Vill. delph. 3. t. 19.
17	heterophyllus. s.s. (pu.) various-leaved.	France.	1824.	— H. ♀.	
18	stæchadifolius. (pu.) woolly-headed.	Tauria.	1820.	— H. ♀.	
	<i>Serratula stæchadifolia</i> . s.s.				
19	leucographus. w. (pu.) white-spotted.	Italy.	1752.	6. 7. H. ⊙.	Jacq. vind. 3. t. 23.
20	arabicus. w. (pu.) Arabian.	Arabia.	1789.	7. 8. H. ⊙.	Jacq. ic. 1. t. 166.
21	nütans. w. (pu.) musk.	Britain.		— H. ⊙.	Eng. bot. v. 16. t. 1112.
22	carlinoides. W.en. (pu.) Pyrenean.	Pyrenees.	1784.	— H. ♂.	Gouan. ill. t. 23.
	<i>Carlina pyrenæica</i> . L.				
23	carlinæfolius. w. (pu.) Carline-leaved.	—	1804.	— H. ♂.	
24	acanthoides. w. (li.) welted.	Britain.		6. 7. H. ⊙.	Eng. bot. v. 14. t. 973.
25	hamulosus. w. (pu.) hooked.	Hungary.	1802.	— H. ⊙.	
26	tenuiflorus. E.B. (li.) slender-flower'd.	Britain.		— H. ⊙.	Eng. bot. v. 6. t. 412.
27	crispus. w. (li.) curled.	Europe.	1804.	7. 8. H. ♂.	Flor. dan. t. 621.

28	cándicans. w.	(pu.) hoary.	Hungary.	1805.	7. 8.	H. ♂.	W. et K. hung. 1. t. 83.
29	personátus. w.	(pu.) cut-leaved.	Austria.	1776.	—	H. ♂.	Jacq. aust. 4. t. 348.
30	polyánthemus. w.	(pu.) many-flowered.	Rome.	1739.	6. 7.	H. ♂.	Triumf. obs. t. 103.
31	paniculátus. w.	(pu.) panicked.	S. Europe.	1781.	—	H. ♀.	
32	pycnocéphalus. w.	(pu.) Italian.	—	1739.	7. 9.	H. ♀.	Jacq. vind. 1. t. 24.
33	onopordioides. M.B.	(pu.) Onopordum-like.	Iberia.	1824.	7. 8.	H. ♀.	
34	argentátus. w.	(pu.) white Egyptian.	Egypt.	1789.	6. 8.	H. ☉.	Jacq. vind. 2. t. 192.
35	arctioides. w.	(pu.) pinnated.	Hungary.	1804.	7. 8.	H. ♀.	
36	dúbius. s.s.	(pu.) doubtful.		1827.	—	H. ♀.	
37	seminúdu. s.s.	(pu.) half-naked.	Caucasus.	—	—	H. ♀.	
38	uncinátus. s.s.	(pu.) crook-pointed.	Volga.	—	—	H. ♀.	
39	alpéstris. w.	(pu.) alpine.	Hungary.	1805.	7. 8.	H. ♀.	
40	deflorátus. w.	(pu.) different leav'd.	Austria.	1570.	7. 9.	H. ♀.	Jacq. aust. 1. t. 89.
41	corymbósu. s.s.	(pu.) corymb-flower'd.	Naples.	1827.	—	H. ♀.	
42	cinéreus. s.s.	(pu.) gray.	Caucasus.	—	—	H. ♀.	
43	collinus. s.s.	(pu.) hill.	Hungary.	1828.	—	H. ♀.	
44	Argemône. DC.	(pu.) Argemone-leav'd.	Pyrenees.	1816.	—	H. ♀.	
45	parviflóru. w.	(pu.) small-flowered.	S. Europe.	1781.	6. 7.	H. ♀.	
46	crassifóliu. W.en.	(pu.) thick-leaved.		1805.	7.	H. ♀.	
47	sumánu. L.en.	(pu.) Pollini's.	Italy.	1823.	7. 8.	H. ♀.	
48	nítidu. w.	(pu.) glossy.	Hungary.	1806.	—	H. ♀.	W. et K. hung. 1. t. 52.
49	nudicaúlis. P.s.	(pu.) naked-stalked.	S. Europe.	1739.	—	H. ♀.	Cav. ic. 3. t. 226.
	cerinthoides. w.	gláucus. Cav. Centaúrea nudicaúlis.	L. Serrátula nudicaúlis. DC.				
50	clavulátus. s.s.	(pu.) clubbed.	Canaries.	1827.	—	F. ♂.	
51	álbidus. s.s.	(pu.) white-leaved.	Caucasus.	1829.	—	H. ♀.	
52	argyróa. s.s.	(pu.) silvery.	Sicily.	1827.	—	H. ♀.	
53	orientális. M.B.	(pu.) oriental.	Iberia.	1804.	7.	H. ♀.	
54	salinu. M.B.	(pu.) narrow-leaved.	Siberia.	—	—	H. ♀.	
55	vulgénsis. s.s.	(pu.) Volga.	Volga.	—	—	H. ♀.	
56	leucánthus. s.s.	(wh.) white-flowered.	Spain.	1825.	—	H. ☉.	Cavan. icon. 2. t. 165.
57	atropicifóliu. s.s.	(pu.) Orach-leaved.	Russia.	1823.	—	H. ♀.	
SÍLYBUM. G. SÍLYBUM. Syngenesia Polygamia Æqualis.							
1	maríanu. G.	(pu.) milk-thistle.	Britaia.		7.	H. ♂.	Eng. bot. v. 14. t. 976.
	Cárduu maríanu. E.B.						
2	cérnuu. G.	(wh.) nodding.	Siberia.	1755.	6. 7.	H. ♀.	Mill. ic. 2. t. 248.
	Cnicu cérnuu. w.						
HALOCHÆRIS. F. HALOCHÆRIS. Syngenesia Polygamia Æqualis.							
1	altáica. F.	(pu.) Altay.	Altay.	1827.	7. 8.	H. ♀.	
2	carthamóides. F.	(pu.) Carthamus-like.	Siberia.	1823.	—	H. ♀.	
	Cnicu carthamóides. w.	Leúzea? carthamóides. DC.	Cnicu salinu. M.B.				
CÍRSIUM. G. HORSE-THISTLE. Syngenesia Polygamia Æqualis.							
1	palústre. DC.	(li.wh.) marsh.	Britain.		7. 8.	H. ♂.	Eng. bot. v. 14. t. 974.
	Cárduu palústris. E.B.	Cnicu palústris. w.					
2	elátu. L.en.	(pu.) tall.		1823.	—	H. ♀.	
3	uliginósu. M.B.	(pu.) swamp.	Caucasus.	1820.	—	H. ♀.	
4	cánu. M.B.	(pu.) hoary.	Austria.	1633.	—	H. ♀.	Jacq. aust. 1. t. 42-43.
5	Acárna. DC.	(pu.) yellow.	Spain.	1683.	7. 9.	H. ☉.	Cavan. ic. 1. t. 53.
6	pyrenáicu. DC.	(pu.) Pyrenean.	Pyrenees.	1818.	7. 8.	H. ♀.	Jacq. obs. 4. t. 95.
7	monspessulanu. DC.	(pu.) Montpelier.	Montpelier.	1596.	6. 7.	H. ♀.	
8	pannónicu. L.en.	(pu.) Hungarian.	Hungary.	1816.	7. 9.	H. ♀.	Jacq. aust. 3. t. 5.
9	strictu. s.s.	(pu.) straight.	Naples.	1820.	—	H. ♀.	
10	lanceolátu. DC.	(pu.) common.	Britain.		6. 9.	H. ♀.	Eng. bot. v. 2. t. 107.
	Cárduu lanceolátu. E.B.	Cnicu lanceolátu. w.					
11	desertóru. L.en.	(pu.) desert.	Siberia.	1823.	7. 8.	H. ♀.	
12	cichoráceu. s.s.	(pu.) Succory-like.	Naples.	1824.	—	H. ♀.	
13	ítálicu. s.s.	(pu.) Italian.	Italy.	1826.	—	H. ♀.	
14	sículu. s.s.	(pu.) Sicily.	Sicily.	1828.	—	H. ♀.	
15	negléctu. s.s.	(pu.) neglected.	Siberia.	1829.	—	H. ♀.	
16	púngens. s.s.	(pu.) pungent.	Levant.	—	—	H. ♀.	
17	paniculátu. s.s.	(pu.) panicked.	Pyrenees.	1827.	—	H. ♀.	
18	créticu. s.s.	(wh.) Cretan.	Crete.	—	—	H. ♀.	
19	ciliátu. L.en.	(pu.) fringed.	Siberia.	1787.	8.	H. ♀.	Murr. com. got. 6. t. 5.
20	serrulátu. M.B.	(pu.) serrulate.	Tauria.	1820.	7. 8.	H. ♀.	
21	laniflóru. M.B.	(pu.) woolly-flowered.	—	1823.	—	H. ♀.	
22	arachnoídeu. M.B.	(pu.) cobweb.	—	—	—	H. ♀.	
23	strigósu. M.B.	(pu.) strigose.	Caucasus.	1818.	—	H. ♂.	
24	hórridu. M.B.	(pu.) very spiny.	—	1820.	—	H. ♀.	
25	múnitu. M.B.	(pu.) armed.	—	1816.	—	H. ♀.	
26	obvallátu. M.B.	(pu.) crowded-flower'd.	—	—	—	H. ♀.	

- 27 *scléranthom*. M.B. (wh.) hard-flowered. Caucasus. 1824. 7. 8. H. ♂.
carlinoides. F. *Carlina Echinus*. M.B.
28 *echinatum*. s.s. (pu.) hedgehog. Barbary. ——— H. ♀.
29 *eriophorum*. DC. (pu.) woolly-headed. Britain. ——— H. ♂. Eng. bot. v. 6. t. 386.
Cárduus eriophorus. E.B. *Cnicus eriophorus*. w.
30 *ferox*. DC. (wh.) fierce. S. Europe. 1683. ——— H. ♂. All. ped. 1. t. 50.
31 *discolor*. s.s. (pu.) two-coloured. N.America. 1803. ——— H. ♂.
32 *inérmé*. L.en. (pu.) unarmed. Pyrenees. 1818. ——— H. ♀.
33 *cynaroides*. s.s. (pu.) Artichoke-like. Crete. 1828. ——— H. ♀.
34 *altissimum*. s.s. (pu.) giant. N. America. 1726. 8. 9. H. ♀. Dill. elth. t. 69. f. 80
35 *pratense*. (pu.) meadow. Britain. 6. 7. H. ♀. Eng. bot. v. 3. t. 177.
anglicum. DC. *Cárduus pratensis*. E.B. *Cnicus pratensis*. w.
36 *heterophyllum*. DC. (pu.) melancholy. 7. 8. H. ♀. ——— v. 10. t. 675.
37 *helenioides*. L.en. (pu.) Elecampane-ld. Siberia. 1804. ——— H. ♀.
38 *serratuloides*. s.s. (pu.) sawwort-like. 1752. 6. 10. H. ♀. Jacq. aust. 2. t. 127.
39 *heteromallum*. (pu.) Nepaul. Nepaul. 1820. ——— H. ♂.
Cnicus heteromallus. D.P. *Cárduus cándicans*. Wal.
40 *arvensé*. DC. (li.) corn or way. Britain. 7. H. ♀. Eng. bot. v. 14. t. 975.
Serrátula arvensis. w. *Cárduus arvensis*. E.B. *Cnicus arvensis*. Ph.
41 *rivuläre*. s.s. (pu.) river. Hungary. 1804. 7. 8. H. ♀. Jacq. aust. 1. t. 91.
tricephalodes. DC. *Cnicus rivularis*. w.
β salisburgense. smaller. ——— ——— H. ♀.
42 *ambiguum*. DC. (pu.) ambiguous. S. Europe. 1823. ——— H. ♀.
43 *orgyale*. s.s. (pu.) tall. ——— H. ♀.
44 *carniolicum*. s.s. (wh.) Carniola. Carniola. 1792. ——— H. ♀. Scop. carn. 1005. t. 54.
45 *pauciflorum*. s.s. (pu.) few-flowered. Hungary. 1816. ——— H. ♂. W. et K. hung. 2. t. 161.
46 *tataricum*. s.s. (wh.) Tartarian. Siberia. 1775. 7. 8. H. ♀. Jacq. aust. 1. t. 90.
47 *rigens*. s.s. (wh.) upright alpine. Switzerland. ——— H. ♀. La Chenal. act. h.4.t.16.
48 *oleraceum*. DC. (wh.) pale-flowered. Europe. 1570. ——— H. ♀. Flor. dan. 860.
49 *Erisithales*. L.en. (st.) clammy. France. 1752. 6. 8. H. ♀. Jacq. aust. 4. t. 310.
glutinösium. DC. *Cnicus Erisithales*. w.
50 *ochroleucum*. DC. (st.) pale yellow. Switzerland. 1801. 7. H. ♀.
51 *mite*. s.s. (pu.) soft. Siberia. 1818. 7. 8. H. ♂.
52 *fimbriatum*. s.s. (pu.) fringed. Caucasus. 1829. ——— H. ♀.
53 *medium*. s.s. (pu.) middle. Italy. ——— H. ♀.
54 *niveum*. s.s. (pu.) snowy-leaved. Sicily. 1828. ——— H. ♀.
55 *dealbatum*. s.s. (pu.) mealy-leaved. Caucasus. ——— H. ♀.
56 *echinocéphalum*. s.s. (pu.) spiny-headed. 1823. ——— H. ♀.
57 *lappaceum*. M.B. (pu.) Burdock-like. 1826. ——— H. ♀.
58 *pinnatifidum*. s.s. (pu.) pinnatifid. Spain. ——— H. ♀.
59 *bulbosum*. DC. (pu.) tuberous. England. 8. 10. H. ♀. Eng. bot. v. 36. t. 2562.
Cnicus tuberösus. E.B. *Cárduus tuberösus*. L.
60 *setosum*. M.B. (pu.) setose. Tauria. 1823. 7. 8. H. ♀.
61 *acaule*. DC. (pu.) dwarf. Britain. ——— H. ♀. Eng. bot. v. 3. t. 161.
Cárduus acaulis. E.B. *Cnicus acaulis*. w.
β cauléscentis. P.S. (pu.) stalked. ——— H. ♀.
62 *Casabönæ*. DC. (pu.) fish-bone. S. Europe. 1714. 6. 8. F. ♂. Schmidt ic. t. 51-52.
63 *stellatum*. DC. (pu.) starry. Italy. 1665. 6. 7. H. ♂. Flor. græc. t. 830.
64 *Diacanthon*. s.s. (pu.) two-spined. Barbary. 1800. ——— F. ♂. Lab. ic. pl. syr. 1. t. 3.
65 *afrum*. s.s. (pu.) African. 1802. ——— F. ♂. Jacq. schœnb. 2. t. 145.
66 *squarrosum*. s.s. (pu.) squarrose. Siberia. 1829. ——— H. ♀.
67 *incanum*. s.s. (pu.) hoary. Caucasus. ——— H. ♀.
68 *syriacum*. L.en. (wh.) Syrian. Levant. 1771. 7. 8. H. ♂. Flor. græc. t. 831.
69 *spinosissimum*. s.s. (wh.) feathery-headed. Switzerland. 1759. 6. 8. H. ♀. Bot. mag. t. 1366.
70 *tataricum*. s.s. (wh.) Tartarian. Tartary. 1829. ——— H. ♀.
71 *Bertolonii*. s.s. (wh.) Bertoloni's. Italy. 1828. ——— H. ♀.
72 *bæticum*. s.s. (wh.) Baetian. Spain. 1825. ——— H. ♀.
73 *semipectinatum*. s.s. (w.) semipectinate. Siberia. 1828. ——— H. ♀.
74 *Gmelini*. F. (pu.) Gmelin's. Baical. 1829. ——— H. ♀.
75 *arábicum*. F. (pu.) Arabian. Arabia. ——— H. ♂.
76 *pygmæum*. DC. (pu.) pigmy. Austria. 1816. ——— H. ♀. Jacq. aust. t. 440.
Serrátula pygmæa. w.
ERYTHROLÆNA. ERYTHROLÆNA. Syngenesia Polygamia Æqualis.
conspícua. B.F.G. (sc.) conspicuous. Mexico. 1824. 9. 10. F. ♂. Swt. br. fl. gar. t. 134.
ONOPORDUM. DC. COTTON-THISTLE. Syngenesia Polygamia Æqualis.
1 *Acáanthium*. E.B. (pu.) woolly. Britain. 7. 8. ♂.
2 *tauricum*. w. (pu.) Taurian. Tauria. 1800. ——— H. ♂.
3 *virens*. DC. (pu.) green. S. Europe. 1822. ——— H. ♂.
4 *macrocáanthum*. w. (pu.) long-spined. Barbary. 1798. ——— H. ♂. Schousb. maroc. t. 5.

ATRA'CTYLIS. W.	ATRA'CTYLIS.	Syngenesia Polygamia Æqualis.		
humilis. w. (wh.)	dwarf.	Spain.	1759. 5. 7. H. ♀.	Cav. ic. 1. t. 54.
ACA'RNA. W.	ACA'RNA.	Syngenesia Polygamia Æqualis.		
1 gummifera. w. (pu.)	gummy-rooted.	S. Europe.	1640. 6. 8. H. ♀.	Cavan. ic. 3. t. 228.
2 serratuloides. s.s. (pu.)	Sawwort-like.	Palestine.	1827. — H. ♀.	
3 comosa. s.s. (pu.)	tufted.	—	— H. ♀.	
4 cancellata. w. (bl.)	netted.	S. Europe.	— 6. 7. H. ♂.	Lam. ill. t. 662. f. 1.
<i>Atractylis cancellata. P.s.</i>				
STOKESIA. W.	STOKESIA.	Syngenesia Polygamia Æqualis.		
cyanea. w. (bl.)	blue-flowered.	Carolina.	1766. 8. G. ♀.	L'Herit. sert. 27. t. 38.
STÆHEL'INA. W.	STÆHEL'INA.	Syngenesia Polygamia Æqualis.		
1 dubia. w. (pu.)	Rosemary-leav'd.	S. Europe.	1640. 6. 7. H. ♀.	Lam. ill. t. 666. f. 4.
2 arboræscens. w. (re.)	Storax-leaved.	Candia.	1739. 7. 9. F. ♀.	Flor. græc. t. 345.
3 chamæpeuce. w. (re.)	Pine-leaved.	—	1640. 7. 11. F. ♀.	— t. 347.
PTER'ONIA. W.	PTER'ONIA.	Syngenesia Polygamia Æqualis.		
1 camphorata. w. (ye.)	aromatic.	C. B. S.	1774. 6. 7. G. ♀.	Pluk. mant. t. 345. f. 2.
2 stricta. w. (ye.)	cluster-flowered.	—	— 4. 6. G. ♀.	
3 echinata. w. (ye.)	prickly-cupped.	—	1820. — G. ♀.	
4 flexicaulis. w. (ye.)	bending-stalk'd.	—	1812. 6. 8. G. ♀.	
5 fasciculata. w. (ye.)	cluster-flowered.	—	1816. — G. ♀.	
6 pallens. w. (pa.)	pale.	—	— G. ♀.	
7 oppositifolia. w. (ye.)	opposite-leaved.	—	1774. 7. G. ♀.	Lam. ill. t. 667. f. 2.
8 glomerata. w. (ye.)	crowded.	—	1823. 6. 8. G. ♀.	
9 scariosa. w. (ye.)	window-cupped.	—	1815. — G. ♀.	
ZÆGEA. W.	ZÆGEA.	Syngenesia Polygamia Frustranea.		
Leptaurea. w. (ye.)	yellow-flower'd.	Levant.	1779. 7. 8. H. ♂.	Jacq. ic. 1. t. 177.
LEUZE'A. DC.	LEUZE'A.	Syngenesia Polygamia Frustranea.		
1 conifera. DC. (pu.)	cone.	S. Europe.	1683. 6. 9. H. ♀.	DC. ann. mus. 16. t. 14.
<i>Centaurea conifera. w.</i>				
2 altaica. L.en. (pu.)	large-flowered.	Altay.	1818. — H. ♀.	
3 dahurica. F. (pu.)	Dahurian.	Dahuria.	1821. — H. ♀.	
4 australis. D.D. (pu.)	New Holland.	N. Holland.	1821. 8. 9. H. ♀.	
GALA'CTITES. DC.	GALA'CTITES.	Syngenesia Polygamia Frustranea.		
tomentosa. DC.	woolly.	S. Europe.	1738. 7. H. ♂.	DC. ann. mus. 16. t. 16.
<i>Centaurea galactites. w.</i>				
CRUP'INA. Cas.	STARRY SCABIOUS.	Syngenesia Polygamia Frustranea.		
1 vulgaris. Cas. (re.)	black-seeded.	Italy.	1596. 6. 7. H. ♂.	Colum. ecph. 1. t. 34.
<i>Centaurea Crupina. w.</i>				
2 crupinoides. P.s. (sn.)	saffron-colour'd.	Barbary.	1826. — H. ♂.	
3 Lippii. P.s. (pu.)	Lippi's.	Egypt.	1739. — H. ♂.	Isn. act. par. 1719. t. 10.
<i>Centaurea Lippii. w.</i>				
4 arenaria. P.s. (pu.)	sand.	Volga.	1821. — H. ♂.	
CENTA'UREA. W.	CENTAURY.	Syngenesia Polygamia Frustranea.		
1 moschata. w. (li.)	sweet sultan.	Persia.	1629. 7. 10. H. ♂.	Knor. thes. 2. t. C. 4.
2 glauca. w. (pu.)	glaucous.	Caucasus.	1805. 6. 7. H. ♂.	
3 suaveolens. w. (ye.)	yellow sultan.	Levant.	1683. 7. 10. H. ♂.	Swt. brit. fl. gar. 1. t. 51.
4 alpina. w. (ye.)	Alpine.	Italy.	1640. 7. 8. H. ♀.	Cornut. can. 69. t. 70.
5 Centaürum. w. (bl.)	great.	—	1596. — H. ♀.	
6 ruthenica. w. (st.)	Russian.	Russia.	1806. — H. ♀.	Gmel. sib. 2. t. 41.
7 phrygia. w. (pu.)	feathery-cup'd.	Switzerland.	1633. 6. 10. H. ♀.	Flor. dan. t. 520.
8 rivularis. P.s. (br.)	river-side.	Portugal.	1812. 7. 9. H. ♀.	
9 salicifolia. w. (pu.)	Willow-leaved.	Caucasus.	1816. — H. ♀.	
10 austriaca. w. (pu.)	Austrian.	Austria.	1815. 6. 10. H. ♀.	
11 pectinata. w. (pu.)	pectinated.	France.	1727. 7. 10. H. ♀.	
12 uniflora. w. (pu.)	one-flowered.	S. Europe.	1824. 6. 8. H. ♀.	Bocc. mus. 2. t. 2.
13 flosculosa. w. (pu.)	flosculose.	Italy.	1817. — H. ♀.	
14 nervosa. w. (pu.)	nerved.	S. Europe.	1815. 6. 9. H. ♀.	
15 linifolia. P.s. (pu.)	Flax-leaved.	—	1826. — H. ♀.	
16 capillata. P.s. (pu.)	hairy-headed.	Volga.	1827. — H. ♀.	
17 tricocephala. w. (pu.)	downy-cupped.	Siberia.	1805. 7. 8. H. ♀.	Gmel. sib. 2. t. 45. f. 1. 2.
18 hyssopifolia. w. (pu.)	Hyssop-leaved.	Spain.	1812. — F. ♀.	Barrel. ic. 306.
19 coronopifolia. w. (ye.)	Buck's-horn'd.	Levant.	1739. 6. 7. H. ♂.	
20 procumbens. P.s. (pu.)	procumbent.	Italy.	1821. — H. ♀.	
21 nigra. w. (pu.)	black knapweed.	Britain.	 5. 8. H. ♀.	Eng. bot. v. 4. t. 278.
22 pratensis. P.s. (pu.)	field.	France.	1824. — H. ♀.	
23 nigrescens. w. (pu.)	dark.	Hungary.	1805. 6. 8. H. ♀.	
24 decipiens. P.s. (pu.)	deceived.	France.	1826. — H. ♀.	
25 Triumfetti. w. (re.)	Cenisian.	Mt. Cenis.	— H. ♀.	
26 montana. w. (bl.)	mountain.	Austria.	1596. — H. ♀.	Bot. mag. t. 77.

27	seusana. P.S.	silvery-fringed.	S. Europe.	1816.	6. 8.	H. 2.	Barrel. ic. 389.
	<i>axillaris. W. variegata.</i>	(<i>bl.</i>)	Lam.				
28	stricta. W.K.	(<i>bl.</i>)	upright.	Hungary.	1826.	—	H. 2.
29	depressa. M.B.	(<i>bl.</i>)	depressed.	Caucasus.	—	—	H. 2.
30	lingulata. s.s.	(<i>bl.</i>)	tongue-leaved.	Spain.	1825.	—	H. 2.
31	spathulata. s.s.	(<i>bl.</i>)	spathulate-leav'd.	Naples.	1827.	—	H. 2.
32	Cyanus. w.	(<i>bl.va.</i>)	blue-bottle.	Britain.		—	H. 2.
	<i>Cyanus segetum.</i>	Mönch.					Eng. bot. v. 4. t. 277.
33	americana. N.	(<i>li.</i>)	American.	N. America.	1823.	7. 10.	H. 2.
34	ochroleuca. w.	(<i>st.</i>)	Caucasean.	Caucasus.	1801.	7. 8.	H. 2.
35	africana. w.	(<i>ye.</i>)	African.	Africa.	1825.	—	F. 2.
36	cheiranthifolia. w.	(<i>ye.</i>)	Stock-leaved.	Caucasus.	1829.	—	H. 2.
37	ovina. w.	(<i>ye.</i>)	small-flowered.	—	1802.	7. 11.	H. 2.
38	paniculata. w.	(<i>pu.</i>)	panicked.	Europe.	1640.	7. 8.	H. 2.
39	intybacea. P.S.	(<i>re.</i>)	Succory-leaved.	S. Europe.	1778.	7. 9.	H. 2.
40	leucantha. Lam.	(<i>wh.</i>)	white-blossom'd.	—	1826.	—	H. 2.
41	spinosa. w.	(<i>wh.</i>)	prickly-branch'd.	Candia.	1640.	—	F. 2.
42	ragusina. w.	(<i>ye.</i>)	white-leaved.	—	1710.	6. 7.	G. 2.
43	argentea. w.	(<i>ye.</i>)	silver-leaved.	—	1739.	7. 8.	F. 2.
44	Cineraria. w.	(<i>pu.</i>)	hoary-leaved.	Italy.	1710.	—	H. 2.
45	cinerea. w.	(<i>pu.</i>)	gray.	—	—	6. 7.	H. 2.
46	dealbata. M.B.	(<i>pu.</i>)	mealy.	Caucasus.	1804.	7. 8.	H. 2.
47	cicutafolia. H.H.	(<i>pu.</i>)	Cicuta-leaved.	Europe.	1824.	—	H. 2.
48	maculosa. P.S.	(<i>pu.</i>)	spotted-cupped.	Siberia.	1816.	—	H. 2.
49	Marschalliana. s.s.	(<i>pu.</i>)	Marschall's.	Caucasus.	1829.	—	H. 2.
50	declinata. M.B.	(<i>pu.</i>)	declining.	—	1827.	—	H. 2.
51	leucophylla. M.B.	(<i>pu.</i>)	white-leaved.	—	1824.	—	H. 2.
52	trinervia. w.	(<i>pu.</i>)	three-nerved.	—	1828.	—	H. 2.
53	dissecta. T.N.	(<i>pu.</i>)	cut-leaved.	Italy.	1824.	—	H. 2.
54	sempervirens. w.	(<i>ye.</i>)	evergreen.	Spain.	1683.	—	H. 2.
55	coriacea. w.	(<i>re.</i>)	leathery-leav'd.	Hungary.	1804.	6. 7.	H. 2.
56	Scabiösa. w.	(<i>pu.</i>)	greater-knapweed.	Britain.		6. 8.	H. 2.
57	tatarica. w.	(<i>ye.</i>)	Tartarian.	Tartary.	1801.	7. 8.	H. 2.
58	Stœbe. w.	(<i>pu.</i>)	wing-leaved.	Austria?	1759.	6. 7.	H. 2.
59	Fischeri. W.en.	(<i>pu.</i>)	Fischer's.	Siberia.	1816.	—	H. 2.
60	macrocephala. w.	(<i>st.</i>)	large-headed.	Caucasus.	1805.	6. 8.	H. 2.
61	atropurpurea. w.	(<i>pu.</i>)	dark purple.	Hungary.	1802.	—	H. 2.
62	calocéphala. W.en.	(<i>ye.</i>)	smooth-stalked.	Levant.	1816.	—	H. 2.
63	canariensis. W.en.	(<i>wh.</i>)	Canary.	Teneriffe.	1815.	—	G. 2.
64	orientalis. w.	(<i>ye.</i>)	oriental.	Levant.	1759.	7. 8.	H. 2.
65	pulcherrima. w.	(<i>pu.</i>)	beautiful.	Caucasus.	1823.	—	H. 2.
66	arachnoidea. P.S.	(<i>ye.</i>)	cobweb.	Italy.	—	—	H. 2.
67	sibirica. w.	(<i>pu.</i>)	Siberian.	Siberia.	1782.	—	H. 2.
68	diluta. w.	(<i>li.</i>)	pale-flowered.	S. Europe.	1781.	—	H. 2.
69	alata. w.	(<i>ye.</i>)	winged-stalked.	Tartary.	—	8. 9.	H. 2.
70	elongata. s.s.	(<i>li.</i>)	elongated.	Barbary.	1822.	—	H. 2.
71	Béhen. w.	(<i>ye.</i>)	saw-leaved.	Levant.	1797.	7. 8.	H. 2.
72	repens. w.	(<i>ye.</i>)	creeping.	—	1739.	6. 8.	H. 2.
73	Jacea. w.	(<i>pu.</i>)	brown knapweed.	England.		7. 9.	H. 2.
74	decumbens. P.S.	(<i>pu.</i>)	decumbent.	France.	1815.	—	H. 2.
75	amara. w.	(<i>pu.</i>)	bitter.	Italy.		7. 8.	H. 2.
76	alba. w.	(<i>pu.</i>)	white.	Spain.	1597.	6. 9.	H. 2.
77	splendens. w.	(<i>pu.</i>)	shining.	—	—	7. 8.	H. 2.
78	nitens. w.	(<i>pu.</i>)	glittering.	Caucasus.	1823.	—	H. 2.
79	tagana. w.	(<i>pu.</i>)	Portugal.	Portugal.	1640.	—	H. 2.
80	babylonica. w.	(<i>pu.</i>)	Babylonian.	Levant.	1710.	6. 9.	H. 2.
81	glastifolia. w.	(<i>ye.</i>)	woad-leaved.	Siberia.	1731.	—	H. 2.
82	parviflora. s.s.	(<i>pu.</i>)	small-flowered.	S. Europe.	1823.	—	H. 2.
83	multifida. P.S.	(<i>st.</i>)	multifid.	—	1824.	—	H. 2.
84	sordida. s.s.	(<i>pu.ye.</i>)	sordid.		1817.	—	H. 2.
85	rigida. s.s.	(<i>pu.</i>)	rigid.		1824.	—	H. 2.
86	Barrelieri. s.s.	(<i>pu.</i>)	Barrelier's.	Hungary.	1826.	—	H. 2.
87	stereophylla. s.s.	(<i>pu.</i>)	variable-leaved.	Poland.	1828.	—	H. 2.
88	spinulosa. s.s.	(<i>pu.</i>)	small-spined.	Hungary.	1825.	—	H. 2.
89	tenuifolia. Leh.	(<i>pu.</i>)	slender-leaved.	Siberia.	1829.	—	H. 2.
90	subspinosa. Leh.	(<i>pu.</i>)	somewhat spiny.	—	—	—	H. 2.
91	Jacobeæfolia. s.s.	(<i>ye.</i>)	Jacobeæ-leaved.		—	—	H. 2.
92	reflexa. s.s.	(<i>ye.</i>)	crook-spined.	Iberia.	1801.	7. 8.	H. 2.
93	centauroides. s.s.	(<i>ye.</i>)	lyre-leaved.	S. Europe.	1739.	5. 7.	H. 2.

Bocc. sic. t. 39. f. 3.
W. et K. hung. 2. t. 195.
Eng. bot. v. 1. t. 56.

Bot. mag. t. 1248.
W. et K. hung. 2. t. 116.

Viv. fl. it. fr. t. 8.
Gmel. sib. 2. t. 42. f. 2.

Venten. cels. t. 80.

Eng. bot. v. 24. t. 1678.

Bocc. mus. 31. t. 17.

Buxb. cent. 2. t. 15. f. 1.
Brot. phyt. lus. t. 3.
Alp. exot. t. 282.
Bot. mag. t. 62.

Barrel. ic. 310.

Column. ecphr. 1. t. 35.

94	collina. s.s.	(ye.) hill.	S. Europe.	1596.	6. 7.	H. 2.	
95	pubescens. s.s.	(ye.) downy.		1804.	7. 8.	H. 2.	
96	nicaënsis. s.s.	(ye.) Italian.	Italy.	1827.	—	H. 2.	
97	rupëstris. s.s.	(ye.) rock.	—	1804.	—	H. 2.	Column. ecph. 1. t. et. f. 2.
98	hybrida. s.s.	(pu. ye.) hybrid.	—	1821.	—	H. 2.	
99	sabulosa. s.s.	(wh.) gravel.	Siberia.	1828.	—	H. 2.	
100	Crocodylium. s.s.	(bh.) blush-flowered.	Levant.	1777.	—	H. 2.	Barrel. rar. t. 503.
101	aurea. s.s.	(go.) great golden.	S. Europe.	1758.	7. 9.	H. 2.	Bot. mag. t. 421.
102	scoparia. s.s.	(pu.) broom.	Levant.	1829.	—	H. 2.	
103	Verutum. s.s.	(je.) dwarf.	—	1780.	8. 9.	H. 2.	Jacq. ic. t. 178.
104	muricata. s.s.	(pu.) muricated.	Spain.	1621.	7. 8.	H. 2.	
105	pubigera. p.s.	(pu.) pubescent.	S. Europe.	1828.	—	H. 2.	
106	peregrina. s.s.	(pu.) soft-leaved.	—	1749.	—	H. 2.	
107	cichoracea. s.s.	(pu.) Succory-like.	Italy.		7. 9.	H. 2.	Till. pis. p. 84. t. 27.
108	salmantica. s.s.	(wh. pu.) ragwort-leaved.	S. Europe.	1596.	7. 8.	H. 2.	Jacq. vind. 1. t. 64.
109	sonchifolia. s.s.	(pu.) Sow-thistle-ld.	—	1780.	8. 10.	H. 2.	Pluk. phyt. 39. f. 1.
110	Séridis. s.s.	(pu.) purple-flower'd.	Spain.	1686.	6. 8.	H. 2.	Pluk. alm. t. 38. f. 1.
111	napifolia. s.s.	(pu.) Turnep-leaved.	Candia.	1691.	7. 9.	H. 2.	Herm. parad. t. 189.
112	Zanoni. s.s.	(pu.) Zanoni's.	—	1822.	—	H. 2.	
113	Isnárdi. s.s.	(li.) Jersey.	Jersey.		7. 8.	H. 2.	Eng. bot. v. 32. t. 2256.
114	áspera. s.s.	(pu.) rough.	S. Europe.	1772.	6. 10.	H. 2.	Bocc. mus. 35. t. 26.
115	sphærocéphala. s.s.	(pu.) globe-headed.	—	1683.	6. 8.	H. 2.	Bot. mag. t. 2551.
116	auriculata. p.s.	(pu.) eared.	—	1816.	7. 8.	H. 2.	
117	polyacantha. s.s.	(pu.) many-spined.	Portugal.	1804.	—	H. 2.	
118	prolifera. p.s.	(st.) proliferous.	Egypt.	1816.	—	H. 2.	Vent. hort. cels. t. 16.
<i>straminea.</i> W. hort. ber. t. 26.							
119	ibérica. s.s.	(pu.) Iberian.	Iberia.	1821.	—	H. 2.	
120	férox. s.s.	(ye.) hedgehog.	Barbary.	1790.	7. 9.	F. 2.	Desf. atl. 2. t. 242.
121	solstitialis. s.s.	(ye.) St. Barnaby's.	England.		7. 8.	H. 2.	Eng. bot. v. 4. t. 243.
122	melitensis. s.s.	(ye.) cluster-headed.	Malta.	1710.	—	H. 2.	Bocc. sic. t. 35.
123	A'dami. s.s.	(ye.) Adam's.	Siberia.	1804.	—	H. 2.	
124	sulphurea. W. en.	(st.) straw-coloured.		1815.	—	H. 2.	
125	sícula. s.s.	(st.) Sicilian.	Sicily.	1710.	—	H. 2.	Bocc. sic. t. 8. f. 1.
126	Stevèni. s.s.	(ye.) Steven's.	Caucasus.	1826.	—	H. 2.	
127	cruenta. W. en.	(pu.) obovate-leaved.	S. Europe.	1816.	6. 8.	H. 2.	
128	romana. l.	(pu.) Roman.	Italy.	1739.	7. 9.	H. 2.	Barrel. rar. t. 504.
129	benedicta. s.s.	(st.) blessed thistle.	Spain.	1548.	6. 10.	H. 2.	Zorn. ic. t. 122.
130	pullata. s.s.	(br.) sad-coloured.	S. Europe.	1714.	6. 7.	H. 2.	Mill. ic. 2. t. 152. f. 2.
131	eriophora. s.s.	(ye.) woolly-headed.	Portugal.	1714.	6. 10.	H. 2.	
132	ápula. s.s.	(ye.) Apulian.	Sicily.	1829.	6. 8.	H. 2.	Column. ecph. 1. t. 31.
133	Calcitrapa. s.s.	(li.) Star-thistle.	Britain.		—	H. 2.	Eng. bot. v. 2. t. 125.
134	calcitrapoides. s.s.	(li.) Phœnician.	Levant.	1683.	6. 7.	H. 2.	
135	ægyptiaca. s.s.	(wh.) Egyptian.	Egypt.	1790.	6. 9.	H. 2.	
136	balsamita. w.	(ye.) Balsam-scented.	Armenia.	1824.	7. 8.	H. 2.	
137	lanata. dc.	(ye.) hoary.	Switzerland.	1825.	—	H. 2.	
138	crética. s.s.	(wh.) Cretan.	Candia.	1827.	—	H. 2.	
139	bullata. Leh.	 blistered.		1829.		H. 2?	
140	ucrànica. Ot.	 Ukraine.	Ukraine.	—		H. 2?	
RHAPO'NTICA. DC. RHAPO'NTICA. Syngenesia Polygamia Frustranea.							
1	scariosa. DC.	(pu.) common.	Switzerland.	1640.	7. 8.	H. 2.	Bot. mag. t. 1752.
<i>Centaurea Rhapontica.</i> B.M.							
	β lyrata. DC.	(pu.) lyrate.	—		—	H. 2.	
2	uniflora. DC.	one-flowered.	Siberia.	1796.	—	H. 2.	Gmel. sib. 2. t. 38.
<i>Cnicus uniflorus.</i> w.							
3	doronicæfolia. f.	(pu.) Doronicum-leav'd.	—	1825.	6. 8.	H. 2.	
4	dahurica. f.	(pu.) Dahurian.	Dahuria.	1829.	—	H. 2.	
CARDOP'ATUM. J. CARDOP'ATUM. Syngenesia Polygamia Segregata.							
	corymbosum. P.s.	(bl.) umbelled.	S. Europe.	1640.	6. 7.	H. 2.	Moris. s. 7. t. 33. f. 17.
<i>Brötera corymbosa.</i> w.							

Div. II. ECHINOPSIDEE. *Kth. synops. 2. p. 364.*

ROLA'NDRA. W.	ROLA'NDRA. Syngenesia Polygamia Segregata. L.					
argentea. w.	(wh.) silver-leaved.	W. Indies.	1714.	7.	S. 2.	Sloan. jam. 1. t. 7. f. 3.
ECHINO'PS. W. GLOBE-THISTLE. Syngenesia Polygamia Segregata. L.						
1	sphærocéphalus. w.	(wh.) great.	Austria.	1596.	7. 8.	H. 2.
	β exaltatus. Schr.	(wh.) tall.	—	1820.		H. 2.
						Flor. græc. t. 923.

2 spinösus. w.	(wh.) thorny-headed.	Egypt.	1597.	7. 8.	H. 2.	Fl. æg. t. 924.
3 paniculatus. B.R.	(bl.) panicled.	Spain.	1815.	—	H. 3.	Bot. reg. t. 356.
4 hórridus. P.S.	(wh.) horrid.	Persia.	1817.	—	H. 2.	
5 viscösus. M.B.	(wh.) viscous.	Caucasus.	1823.	—	H. 3.	
6 taúricus. W.en.	(bl.) Taurian.	Tauria.	1816.	—	H. 2.	
7 dahúricus. F.	(bl.) Dahurian.	Dahuria.	1827.	—	H. 2.	
8 ruthénicus. M.B.	(bl.) Russian.	Russia.	1819.	—	H. 2.	
9 Ritro. w.	(bl.) small.	Europe.	1570.	7. 9.	H. 2.	Bot. mag. t. 932.
10 tenuifólius. F.	(bl.) slender-leaved.	Russia.	1823.	—	H. 2.	
11 strictus. B.M.	(bl.) upright.	—	1822.	8. 10.	H. 3?	Bot. mag. t. 2457.
12 pérsicus. F.	(wh.) Persian.	Persia.	1821.	—	H. 2.	
13 bannáticus. W.K.	(wh.) Hungarian.	Hungary.	1828.	—	H. 2.	
14 lanuginösus. w.	(bl.) woolly.	Levant.	1736.	6. 7.	H. 2.	Flor. græc. t. 926.
15 hùmilis. M.B.	(bl.) low.	Siberia.	1826.	6. 8.	H. 2.	
16 strigösus. w.	(wh.) annual.	Spain.	1729.	7. 9.	H. 2.	Bot. mag. t. 2109.
GUNDELIA. W. GUNDELIA. Syngenesia Polygamia Segregata. L.						
Tournefortii. w. (pu.)	Tournefort's.	Levant.	1739.	6. 8.	H. 2.	Mill. ic. t. 287.
SPHERANTHUS. W. SPHERANTHUS. Syngenesia Polygamia Segregata. L.						
1 móllis. H.B.	(bl.) soft.	E. Indies.	1818.	7. 9.	S. 2.	
2 índicus. w.	(pu.) Indian.	—	1699.	8. 12.	S. 2.	Burm. zeyl. t. 94. f. 3.
3 cochinchinénsis. w. (bl.)	Cochinchina.	Cochinchina.	1826.	7. 8.	H. 2.	
4 hírtus. w.	(bl.) hairy.	Manila.	1823.	—	G. 2.	Lam. ill. t. 718. f. 1.
5 africánus. w.	(bl.) African.	C. B. S.	1759.	7. 8.	G. 2.	Pluk. mant. t. 108. f. 7.
ANGIANTHUS. W.C. ANGIANTHUS. Syngenesia Polygamia Segregata.						
tomentösus. W.C. (ye.)	woolly.	N. Holland.	1803.	7. 8.	G. 2.	Wendl. coll. 2. t. 48.
<i>Cassinia aurea. H.K. non L.T.</i>						
BROTHERA. P.S. BROTHERA. Syngenesia Polygamia Segregata. P.S.						
trinervata. P.S. (ye.)	three-nerved.	S. America.	1799.	7. 8.	H. 2.	Schr. b. jour. 180. 2. t. 5.
<i>Contrayerva. Spr. Nauenbürgia trinervata. w.</i>						
ÆDERA. W. ÆDERA. Syngenesia Polygamia Segregata. L.						
1 prolífera. w.	(ye.) proliferous.	C. B. S.	1789.	5. 6.	G. 2.	Bot. mag. t. 1637.
2 aliena. w.	(ye.) linear-leaved.	—	1821.	5. 7.	G. 2.	Jacq. schœnb. 2. t. 154.
ELEPHANTOPUS. W. ELEPHANT'S-FOOT. Syngenesia Polygamia Segregata. L.						
1 scáber. w.	(re.) rough-leaved.	E. Indies.	1695.	6. 9.	S. 2.	Rheed. mal. 10. t. 7.
2 caroliníanus. w.	(re.) Carolina.	America.	1732.	7. 9.	G. 2.	Dill. elth. t. 106. f. 126.
3 tomentösus. w.	(re.) woolly.	W. Indies.	1733.	7. 8.	S. 2.	
4 móllis. K.S.	(wh.) soft-leaved.	Caracas.	1825.	—	S. 2.	
5 nudiflórus. w.	(re.) naked-flowered.	W. Indies.	1822.	—	S. 2.	
6 spicátus. w.	(re.) spiked.	—	1821.	—	S. 2.	Sloan. hist. 1. t. 150. f. 3. 4.
7 angustifólius. w.	(re.) narrow-leaved.	—	1823.	—	S. 2.	— t. 148. f. 4.
STÆBE. W. STÆBE. Syngenesia Polygamia Segregata. L.						
1 æthiópica. w. (wh.)	Juniper-leaved.	C. B. S.	1759.	8.	G. 2.	
<i>Seriphium æthiopicum. P.S.</i>						
2 ericóides. w.	(wh.) Heath-like.	—	1816.	7. 9.	G. 2.	Moris. s. 7. t. 18. f. 12.
3 gomphrenóides. w. (w.)	Gomphrena-like.	—	—	—	G. 2.	Houtt. syst. 4. t. 34. f. 1.
4 gnaphalóides. w. (wh.)	Gnaphalium-like.	—	1824.	—	G. 2.	Burm. afr. t. 77. f. 1.
5 cinérea. w.	(wh.) Heath-leaved.	—	1774.	—	G. 2.	Pluk. mant. t. 297. f. 1.
<i>Seriphium cinereum. P.S.</i>						
6 alopecuroides. w. (wh.)	Fox-tail-like.	—	1824.	—	G. 2.	Pluk. alm. t. 445. f. 2.
7 reflexa. w.	(wh.) reflex-leaved.	—	1816.	—	G. 2.	
CÆSULIA. Roxb. CÆSULIA. Syngenesia Polygamia Segregata. L.T.						
1 axilláris. w.	(wh.) axillary-flowered.	E. Indies.	1804.	7. 9.	S. 2.	Andr. reposit. .
2 lancifolia. (wh.)	spear-leaved.	—	1820.	—	S. 2.	
LAGASCA. Cav. LAGASCA. Syngenesia Polygamia Segregata. L.T.						
móllis. w.	(wh.) soft.	S. America.	1815.	6. 9.	G. 2.	Bot. mag. t. 1804.
NOCCA. W. NOCCA. Syngenesia Polygamia Segregata.						
1 rigida. C.I.	(re.) red-flowered.	Mexico.	1823.	8. 10.	F. 2.	Swt. br. fl. gar. s. 2. t. 26.
<i>Lagáscea rubra. H. et B. pl. amer. 4. t. 311.</i>						
2 suavéolens. (wh.)	sweet-scented.	Mexico.	—		F. 2.	
<i>Lagáscea suavéolens. K.S.</i>						
3 latifolia. B.F.G. (wh.)	broad-leaved.	—	—		F. 2.	Swt. br. fl. gar. t. 215.

Div. III. VERNONIACEÆ. *Kth. synopsis. 2. p. 367. et ASTEREE. l. c. p. 99.*

AMPHE'REPHIS. K.S. AMPHE'REPHIS. Syngenesia Polygamia Æqualis.
intermedia. L.en. (bl.) intermediate. Brazil. 1822. 7. 9. H. 2. Swt. br. fl. gar. t. 225.

- ASCARI'CID'.** Cass. **ASCARI'CIDA.** Syngenesia Polygamia Æqualis.
 anthem. (li.) Indian. E. Indies. 1770. 8. 9. S. ♂. Rheed. mal. 2. t. 24.
indica. Cass. *vernonia anthelmintica.* w. *Con'ya anthelmintica.* L.
- VERN'ONIA.** W. **VERN'ONIA.** Syngenesia Polygamia Æqualis. W.
 1 noveboracensis. w. (pu.) long-leav'd. N. America. 1710. 9. 11. H. ♀. Dill. elt. t. 263. f. 342.
 2 præalta. w. (pu.) tall. 1732. — H. ♀. — t. 264. f. 343.
 3 angustifolia. Ph. (pu.) narrow-lea d. 1817. — H. ♀. Dill. elt. t. 262. f. 341.
 4 glauca. w. (pu.) glaucous-le v'd. 1710. — H. ♀.
oligophylla. M. —
 5 altissima. N. (pu.) tallest. 1823. — H. ♀.
 6 pandurata. L.en. (pu.) fiddle form. — H. ♀.
 7 serratuloides. K.s. (pu.) Sawwort-like. Mexico. 1824. — H. ♀.
 8 axilliflora. Ot. (pi.) axillary-flower'd. 1829. 9. 10. F. ♀.
 9 centriflora. Lk. (pu.) centre-flower'd. Brazil. 1826. — S. ♀.
 10 sericea. B.R. (li.) silky. 1818. 9. 1. S. ♀. Bot. reg. t. 522.
 11 arborescens. P.s. (pu.) tree. Jamaica. 1733. 11. 12. S. ♀. Plum. sp. 10. t. 130. f. 2.
Con'ya arborescens. w. —
 12 fruticosa. P.s. (pu.) shrubby. S. America. 1818. — S. ♀. Plum. ic. 95. f. 1.
Con'ya fruticosa. L. —
 13 flexuosa. B.M. (pu.) flexuose-branch'd. Brazil. 1823. 9. 10. S. ♀. Bot. mag. t. 2477.
LI'ATRIS. W. **LI'ATRIS.** Syngenesia Polygamia Æqualis. W.
 1 spicata. w. (pu.) long-spiked. N. America. 1732. 8. 10. H. ♀. Swt. br. fl. gar. t. 49.
β pumila. B.C. (pu.) dwarf. — H. ♀. Lodd. bot. cab. t. 147.
 2 pycnostachya. M. (pu.) pubescent. 1732. — H. ♀. Dill. elt. t. 72. f. 83.
 3 heterophylla. Ph. (pu.) various-leaved. 1790. 7. 8. H. ♀. Bot. reg. t. 948.
 4 intermedia. B.R. (pu.) intermediate. 1823. 8. 9. H. ♀.
 5 cylindræa. M. (pu.) cylindrical-cup'd. 1811. 10. H. ♀. Bot. reg. t. 595.
 6 pilosa. Ph. (pu.) hairy-leaved. 1783. — H. ♀.
 7 gracilis. Ph. (pu.) smooth-leaved. 1812. — H. ♀.
 8 turbinata. B.F.G. (pu.) turbinate-cup'd. 1823. — H. ♀. Swt. br. fl. gar. ic.
 9 elegans. w. (pu.) hairy-cup'd. 1787. 9. 10. H. ♀. Bot. reg. t. 267.
 10 sphaeroidea. M. (pu.) globular-cup'd. 1817. 8. 10. H. ♀. Swt. br. fl. gar. t. 87.
 11 scariosa. w. (pu.) scarioso-cup'd. 1739. 9. 10. H. ♀. Bot. reg. t. 590.
 12 squarrosa. w. (pu.) rough-cup'd. 1732. — H. ♀. Swt. br. fl. gar. t. 44.
 13 paniculata. w. (pu.) paniced. 1826. 8. 10. H. ♀.
 14 odoratissima. w. (pu.) sweet-scented. Carolina. 1786. — F. ♀. Andr. reposit. t. 633.
 15 corymbosa. w. (pu.) corymbose. N. America. 1825. — F. ♀.
BRACHYL'ÆNA. L.T. **BRACHYL'ÆNA.** Syngenesia Polygamia Superflua.
neriifolia. L.T. (st.) Oleander-leav'd. C. B. S. 1752. 8. 11. G. ♀.
Baccharis neriifolia. w. —
BA'CCCHARIS. W. **PLOWMAN'S-SPIKENARD.** Syngenesia Polygamia Superflua.
 1 ivafolia. w. (wh.) Peruvian. America. 1696. 7. 8. G. ♀. Schk. handb. 3. t. 244.
 2 angustifolia. M. (wh.) narrow-leaved. N. America. 1812. 7. 9. G. ♀.
 3 glomeruliflora. M. (wh.) close-flowered. 1817. 8. 10. H. ♀.
 4 halimifolia. w. (wh.) Groundsel-tree. 1683. 10. 11. H. ♀. Schmidt arb. t. 82.
 5 Dioscoridis. w. (wh.) Dioscorides'. Levant. 1822. 7. 9. G. ♀. Rauw. it. 4. t. 54.
 6 scoparia. P.s. (wh.) broom. Jamaica. — S. ♀. Brown. jam. t. 34. f. 4.
Calea scoparia. L. —
 7 mollis. K.s. (wh.) soft. Quito. 1824. 5. 6. F. ♀.
 8 genistelloides. K.s. (w.) wing-stemmed. Brazil. 1829. 7. 10. G. ♀.
alata. Hort. *Pterocladis genistelloides.* Lamb. herb.
 9 parviflora. P.s. (wh.) small-flowered. Peru. 1822. S. ♀.
 10 lycopodioides. P.s. (wh.) Club-moss-like. Mauritius. 1828. S. ♀.
Con'ya lycopodioides. Lam. —
NYZA. W. **FLEA-BANE.** Syngenesia Polygamia Superflua. L.
 squarrosa. w. (ye.) great. Britain. 7. 8. H. ♂. Eng. bot. v. 17. t. 1195.
 narylandica. Ph. (pu.) Maryland. N. America. 8. 10. H. ♂. Dill. elt. t. 88. f. 104.
 euphorata. Ph. (pu.) Camphor-scent'd. — 1704. — H. ♀. — t. 89. f. 105.
Baccharis fatida. w. —
 1 tula. w. (pu. ye.) spreading. China. 1758. 7. 9. H. ♂. Mill. ic. 2. t. 247.
 4 p. w. (re.) axillary. Mauritius. 1824. — H. ♂.
 5 afrons. (st.) oval-leaved. N. America. 1739. 8. 9. H. ♀. Pluk. alm. t. 87. f. 4.
 6 purpurascens. w. (li.) purplish. Jamaica. 1822. — S. ♂. Sloan. hist. 1. t. 159. f. 1.
 7 pindi. a. L. (li.) woolly. Candia. 1714. 6. 7. F. ♀. Flor. græc. t. 865.
 8 c. w. —
 9 ifolia. F.G. (ye.) wh. F. ♀. Barr. ic. t. 217.
 e dida. w. non L. —
 10 balsamifera. w. (re.) balsamiferas. China. 1818. — S. ♀. Rumph. amb. 6. t. 24. f. 1.
 11 chinensis. w. (bl.) Chinese. 1796. 7. 8. S. ♂. — 6. t. 14. f. 2.

12 cinèrea. w.	(pu.) grey.	E. Indies.		7. 8.	S. ☉.	Rumph. amb. 6. t. 14. f. 1.
13 fastigiata. W. en.	(pu.) clustered.	Senegal.	1820.	—	H. ☉.	
14 prolifera. w.	(wh.) proliferous.	Java.	1819.	7. 9.	S. ☿.	Rumph. am. 5. t. 104. f. 1.
15 hirsuta. w.	(ye. pu.) shaggy.	China.	1767.	8. 9.	G. ☿.	
16 ægyptiaca. w.	(ye.) Egyptian.	Egypt.	1778.	7. 9.	H. ☉.	Jacq. vind. 3. t. 19.
17 chilensis. s.s.	(ye.) Chile.	Chile.	1816.	8. 10.	H. ☉.	
18 mauritiàna. Boj.	(pu.) Mauritius.	Mauritius.	1821.	—	S. ☉.	
19 Hubértii. Boj.	(pu.) Hubert's.	Madagascar.	1824.	7. 10.	S. ☉.	
20 viscòsa. Boj.	(pu.) viscous.	Mauritius.	—	8. 10.	S. ☉.	
21 pùmila. s.s.	(ye.) dwarf.	Crete.	1826.	7. 9.	H. ☉.	
22 pinnatifida. r.	(pu.) pinnatifid.	E. Indies.	1816.	—	S. ☿.	
23 Gouàni. w.	(ye.) Gouan's.	Canaries.	1772.	7. 8.	G. ☿.	Jacq. vind. 3. t. 79.
24 sicula. w.	(ye.) red-stalked.	Sicily.	1779.	8. 9.	H. ☉.	Bocc. sic. t. 31. f. 4.
25 aurita. w.	(wh.) eared.	E. Indies.	1818.	—	S. ☉.	
26 fœtida. w.	(wh. re.) stinking.	Africa.	1724.	—	G. ☿.	Mill. ic. 2. t. 233.
27 amœna. L. en.	(pu.) pretty.	—	1816.	—	S. ☿.	
28 glomerata. L. en.	(pu.) crowded.		1824.	—	S. ☿.	
29 spatulata. L. en.	(bl.) spatulate.		—	7. 9.	S. ☿.	
30 adnata. k.s.	(pu.) decurrent.	Mexico.	—	—	S. ☿.	
<i>Baccharis adnata. W. en.</i>						
31 thapsoides. M. B.	(pu.) Thapsus-leav'd.	Caspian Sea.	1806.	—	H. ☿.	
32 sordida. w.	(br.) small-flowered.	S. Europe.	1570.	—	F. ☿.	Barr. ic. t. 368.
33 saxatilis. w.	(br.) stone.	—	1640.	7. 8.	F. ☿.	Schk. handb. 3. t. 241.
34 rupëstris. w.	(ye.) rock.	Arabia.	1790.	—	G. ☿.	Schmidel ic. t. 36.
35 Tenòrii. L. en.	(br.) Tenore's.	S. Europe.	1824.		F. ☿.	
36 sericea. w.	(ye.) snowy.	Canaries.	1779.		G. ☿.	
37 geminiflora. L. en.	(br.) twin-flowered.	S. Europe.	1824.		F. ☿.	
38 inuloides. w.	(pu.) cluster-flower'd.	Teneriffe.	1780.	7. 8.	G. ☿.	Jacq. ic. 1. t. 171.
39 odorata. w.	(pu.) sweet-scented.	India.	1759.	6. 8.	S. ☿.	Plum. ic. t. 97.
40 incisa. w.	(pu.) cut-leaved.	C. B. S.	1774.	—	G. ☿.	
41 carolinensis. w.	(pu.) Carolina.	Carolina.	1823.	—	G. ☿.	Jacq. ic. 3. t. 185.
42 virgata. w.	(pu.) wing-stalked.	America.	1783.	8. 9.	G. ☿.	Sloan. hist. 1. t. 152. f. 5.
43 rugosa. H. K.	(br.) St. Helena.	St. Helena.	1772.	11.	G. ☿.	
CARPESIMUM. W. CARPESIMUM. Syngenesia Polygamia Superflua. L.						
1 cernuum. w.	(ye.) drooping.	Àustria.	1739.	7. 8.	H. ☿.	Jacq. aust. 3. t. 204.
2 abrotanoides. w.	(ye.) Southernwood like.	China.	1768.	—	H. ☿.	Osbeck it. t. 10.
3 torulosum. f.	(ye.) twisted.	Siberia.	1823.	6. 8.	H. ☿.	
4 Wulfenianum. Schreb.	(ye.) Wulfen's.		1829.	—	H. ☿.	
INULA. W. INULA. Syngenesia Polygamia Superflua. L.						
1 Helènium. w.	(ye.) Elecampane.	Britain.		7. 8.	H. ☿.	Eng. bot. v. 22. t. 1546.
2 O'culus-Christi. w.	(ye.) hoary.	Austria.	1759.	7. 9.	H. ☿.	Jacq. aust. 3. t. 223.
3 britànica. w.	(ye.) creeping-rooted.	Germany.	—	—	H. ☿.	Flor. dan. t. 413.
4 undulata. w.	(ye.) wave-leaved.	Egypt.	1739.	7. 10.	H. ☉.	
5 índica. w.	(ye.) Indian.	E. Indies.	—	—	S. ☉.	Burm. zeyl. t. 55. f. 2.
6 paludosa. s.s.	(ye.) marsh.	Portugal.	1828.	—	H. ☿.	
7 áspera. s.s.	(ye.) rough.		—	—	H. ☿.	
8 campëstris. s.s.	(ye.) field.	Poland.	1827.	—	H. ☿.	
9 squarròsa. w.	(ye.) net-leaved.	S. Europe.	1768.	7. 9.	H. ☿.	Flor. græc. t. 875.
10 viscòsa. w.	(ye.) clammy.	Barbary.	1633.	7. 8.	G. ☿.	Jacq. vind. 2. t. 165.
<i>Erigeron viscòsum. Jacq.</i>						
11 tuberòsa. p.s.	(ye.) tuberous-root'd.	S. Europe.	1640.	—	H. ☿.	Moris. s. 7. t. 19. f. 20.
<i>Erigeron tuberòsum. w.</i>						
12 salicina. w.	(ye.) willow leaved.	N. Europe.	1648.	8. 9.	H. ☿.	Flor. dan. t. 786.
13 Bubònium. w.	(ye.) Austrian.	Austria.	1801.	7. 9.	H. ☿.	Jacq. aust. 5. ap. t. 10.
14 hirta. w.	(ye.) hairy.	—	1759.	6. 9.	H. ☿.	4. t. 37.
15 glandulosa. w.	(ye.) glandular.	Georgia.	1804.	7. 8.	H. ☿.	Bot. mag. t. 1907.
16 grandiflora. w.	(ye.) large-flowered.	Caucasus.	1825.	—	H. ☿.	
17 mollis. L. en.	(ye.) soft.		1823.	—	H. ☿.	
18 suaveolens. w.	(ye.) woolly-leaved.	S. Europe.	1758.	6. 8.	H. ☿.	Jacq. vind. 3. t. 11.
19 Vaillántii. w.	(ye.) Vaillant's.	France.	1739.	—	H. ☿.	Hall. hel. t. 10.
20 germànica. w.	(ye.) German.	Germany.	1759.	6. 7.	H. ☿.	Jacq. aust. 3. t. 13.
21 ensifolia. w.	(ye.) sword-leaved.	Austria.	1793.	7. 9.	H. ☿.	
22 saxatilis. s.s.	(ye.) rock.	S. Europe.	1825.	—	H. ☿.	
<i>Erigeron glutinosum. L.</i>						
23 crithmoides. L.	(ye.) Samphire-leav'd.	England.		8. 9.	H. ☿.	F. t. 10.
24 provinciàlis. w.	(ye.) oval-leaved.	France.	1778.	7. 8.	H. ☿.	
25 montàna. w.	(ye.) mountain.	S. Europe.	1759.	—	H. ☿.	
26 bifròns. w.	(ye.) Italian.	—	1713.	6. 8.	H. ☿.	
27 thapsoides. L. en.	(ye.) Mullein-like.		1823.	—	H. ☿.	

- 28 verbascifolia. s.s. (ye.) Mullein-leaved. Caucasus. 1828. 6. 8. H. 4.
 29 calycina. s.s. (ye.) reflex-scaled. Italy. 1829. — H. 4.
 30 satureioides. w. (ye.) Savory-leaved. Vera Cruz. 1733. S. 4. Reliq. houst. 8. t. 19.
 31 fœtida. w. (ye.) stinking. Malta. 1688. 6. 8. H. 4. Bocc. sic. 26. t. 13.
 32 odora. w. (ye.) sweet-scented. S. Europe. 1824. — H. 4. Moris. s. 7. t. 21. f. 6.
 33 hybrida. s.s. (ye.) hybrid. Poland. 1828. — H. 4.
 34 glabra. M.B. (ye.) smooth. Caucasus. 1826. — H. 4.
 35 cœspica. F. (ye.) Caspian. Volga. — H. 4.
PULICARIA. G. FLEAWORT. Syngenesia Polygamia Superflua.
 1 vulgaris. G. (ye.) small. England. 8. 9. H. 4. Gært. sem. 2. t. 173. f. 7.
Inula Pulicaria. Eng. bot. v. 17. t. 1196.
 2 villosa. L.en. (ye.) villous. 1821. — H. 4.
 3 arábica. L.en. (ye.) Arabian. Arabia. 1823. — F. 4. Pluk. alm. t. 149. f. 4.
 4 dysentérica. L.en. (ye.) meadow. England. — H. 4. Eng. bot. v. 16. t. 1115.
Inula dysentérica. E.B.
CHRYSO'PSIS. N. CHRYSO'PSIS. Syngenesia Polygamia Superflua.
 1 gossypina. N. (ye.) cottony. N. America. 1823. 6. 8. H. 4.
Inula gossypina. M.
 2 trichophylla. N. (ye.) hairy-leaved. — 1827. — H. 4.
 3 mariana. N. (ye.) American. — 1742. 7. 8. H. 4. Mill. ic. 1. t. 57. f. 1.
IX'ODIA. H.K. IX'ODIA. Syngenesia Polygamia Æqualis.
 achillæoides. H.K. (wh.) Milfoil-like. N. Holland. 1803. 3. 9. G. 4. Bot. mag. t. 1534.
H'UMEA. Sm. H'UMEA. Syngenesia Polygamia Æqualis.
 elegans. H.K. (re.) elegant. N. S. W. 1800. 6. 10. G. 4. Exot. bot. 1. t. 1.
CASS'NIA. L.T. CASS'NIA. Syngenesia Polygamia Æqualis.
 1 spectabilis. L.T. (st.) Humea-like. N. Holland. 1821. 5. 10. G. 4. Bot. reg. t. 678.
 2 affinis. L.T. (st.) related. N. S. W. 1823. 4. 6. G. 4.
 3 aurea. L.T. (ye.) golden. — 1821. — G. 4. Bot. reg. t. 764.
 4 longifolia. L.T. (st.) long-leaved. — — G. 4.
 5 denticulata. L.T. (st.) tooth-leaved. — 1826. 6. 8. G. 4.
 6 leptophylla. L.T. (wh.) small-leaved. N. Zealand. 1821. 4. 6. G. 4.
OZOTHA'MNUS. L.T. OZOTHA'MNUS. Syngenesia Polygamia Æqualis.
 1 cinereus. L.T. (ye.) rusty. V. Diem. Isl. 1820. 4. 8. G. 4. Lab. nov. hol. v. 2. t. 182.
Chrysosoma cinerea. Lab.
 2 rosmarinifolius. L.T. (ye.) Rosemary-leav'd. — 1822. — G. 4. Lab. nov. hol. v. 2. t. 181.
Eupatdrium rosmarinifolium. Lab.
 3 ferrugineus. L.T. (ye.) ferruginous. — — G. 4. Lab. nov. hol. v. 2. t. 180.
Eupatdrium ferrugineum. Lab.
AMMOBIUM. Br. AMMOBIUM. Syngenesia Polygamia Æqualis.
 alatum. B.M. (wh.) winged-stalk'd. N. S. W. 1823. 8. 9. F. 4. Swt. br. fl. gar. t. 48.
ANTENN'ARIA. L.T. ANTENN'ARIA. Syngenesia Polygamia Superflua. L.
 1 dioica. L.T. (ro.) red-flowered. Britain. 5. 7. H. 4. Eng. bot. v. 4. t. 267.
Gnaphalium dioicum. E.B.
 2 alpina. L.T. (wh.) Alpine. Alps Europe. 1775. 6. 7. H. 4.
 3 carpatica. L.T. (wh.) Carpathian. Carp. mount. — — H. 4. Flor. dan. t. 332.
Gnaphalium alpinum. w. non L.
 4 plantaginifolia. L.T. (wh.) Plantain-leav'd. Virginia. 1759. 6. 7. H. 4. Pluk. alm. t. 348. f. 9.
Gnaphalium plantaginifolium. w.
 5 margaritacea. L.T. (wh.) pearly. England. 7. 9. H. 4. Eng. bot. v. 29. t. 2018.
 6 triplinervis. D.P. (wh.) triple nerved. Nepaul. 1823. 6. 9. F. 4. Bot. mag. t. 2468.
 7 contorta. D.P. (wh.) twisted-leaved. — 1818. — F. 4. Bot. reg. t. 605.
LEONTOPODIUM. L.T. LION'S-FOOT. Syngenesia Polygamia Superflua. L.
 1 alpinum. D.D. (wh.) Swiss. Switzerland. 1776. 6. 7. H. 4. Bot. mag. t. 1958.
Gnaphalium Leontopodium. B.M.
 2 sibiricum. D.D. (wh.) Siberian. Siberia. 1829. — H. 4.
GNAPHALIUM. L.T. EVERLASTING. Syngenesia Polygamia Superflua. L.
 1 luteo-album. w. (st.) Jersey. Jersey. 7. 8. H. 4. Eng. bot. v. 14. t. 1002.
 2 albescens. w. (wh.) white Jamaica. Jamaica. 1793. S. 4.
 3 sanguineum. w. (re.) bloody. Egypt. 1768. 5. 7. H. 4. Rauw. it. 285. t. 37.
 4 undulatum. w. (wh.) wave-leaved. Africa. 1732. 6. 9. H. 4. Dill. elth. t. 108. f. 130.
 5 obtusifolium. w. (wh.) blunt-leaved. N. America. 1699. 7. 9. H. 4. — t. 108. f. 131.
 6 purpureum. w. (pu.) purple-flower'd. S. America. 1732. 6. 9. G. 4. — t. 109. f. 132.
 7 involucreatum. w. (gr.) involucre. N. Zealand. 1823. 7. 8. G. 4. Bot. mag. t. 2582.
 8 americanum. w. (br.) Jamaica. Jamaica. 1815. S. 4.
 9 pensylvanicum. w. (st.) American. N. America. — 7. 9. H. 4.
 10 sylvaticum. w. (st.) highland. Britain. 8. 9. H. 4. Eng. bot. v. 13. t. 913.
 11 rectum. w. (br.) upright wood. — — H. 4. — v. 2. t. 124.
 12 coerctatum. w. (gr.) crowded. Chili. 1820. — H. 4.
 13 polyccephalum. M. (st.) many-headed. N. America. 1826. — H. 4.

- 14 stachydifolium. s.s. (br.) Stachy's-leaved. Monte Video. 1826. 8. 9. H. ☉.
 15 supinum. w. (br.) dwarf. Scotland. 6. 7. H. ♀. Eng. bot. v. 17. t. 1193.
 16 pusillum. w. (br.) small. Sweden. 1818. — H. ♀. Krock. siles. t. 41.
 17 sphæricum. W.en. (br.) spherical. S. Europe. — H. ♀.
 18 cephaloideum. w. (br.) headed. — H. ☉.
 19 uliginosum. w. (st.) marsh. Britain. 8. 9. H. ☉. Eng. bot. v. 17. t. 1194.
 20 germanicum. w. (st.) common. — 6. 8. H. ☉. — v. 14. t. 948.
 21 gallicum. w. (st.) narrow-leaved. England. H. ☉. — v. 33. t. 2369.
 22 montanum. w. (st.) mountain. Europe. 1820. — H. ☉.
 23 pyramidatum. w. (st.) pyramidal. S. Europe. 1779. — H. ☉.
 24 minimum. w. (st.) least. Britain. 7. 8. H. ☉. Eng. bot. v. 17. t. 1157.
 25 arvense. w. (st.) corn. Europe. 1804. — H. ☉.
 26 australe. f. (st.) southern. S. Europe. 1823. — H. ☉.
 27 Sellowii. Lk. (st.) Sellow's. Buenos Ayres. 1828. — H. ☉.
 28 alatum. k.s. (st.) wing-stalked. Quito. 1829. — G. ♀.
 29 pompeyanum. E. (st.) Egyptian. Egypt. — H. ☉.
 30 Lagopus. s.s. (wh.) Hare's-foot. Siberia. 1820. — H. ☉.
METALASIA. L.T. METALASIA. Syngenesia Polygamia Superflua.
 1 umbellata. D.D. (ro.) umbelled. C. B. S. 1816. 5. 7. G. ♀.
 2 muricata. D.D. (ro.) muricate. — 6. 9. G. ♀.
 3 divergens. D.D. (wh.) spreading. — G. ♀. Burm. afr. t. 72. f. 2.
Gnaphalium divergens. w.
 4 fastigiata. (wh.) close-flowered. — 1812. 5. 8. G. ♀. Petiv. gaz. 12. t. 7. f. 3.
Gnaphalium fastigiatum. w.
 5 aurea. D.D. (ye.) golden. — 1816. — G. ♀.
 6 seriphioides. D.D. (wh.) Seriphium-like. — 1825. — G. ♀.
 7 mucronata. L.T. (ye.) mucronate. — 1824. — G. ♀. Burm. afr. t. 66. f. 3.
 8 pungens. D.D. (wh.) pungent. — 1815. — G. ♀.
 9 uniflora. D.D. (wh.) single-flowered. — 1816. — G. ♀.
 10 phlycoïdes. D.D. (wh.) Phylla-leaved. — — G. ♀.
SPIRAL'EPIS. D.D. SPIRAL'EPIS. Syngenesia Polygamia Superflua.
 1 squarrosa. D.D. (pu.wh.) squarrose. C. B. S. 1816. 7. 10. G. ♀. Jacq. frag. t. 3. f. 4.
Gnaphalium squarrosum. Jacq.
 2 glomerata. D.D. (wh.) cluster-flowered. — 1774. 3. 9. G. ♀.
 3 tineta. D.D. (bh.) stained. — 1816. — G. ♀.
 4? declinata. (wh.) creeping. — 1787. 7. 9. G. ♀.
Gnaphalium declinatum. w.
PETALA'CTE. D.D. PETALA'CTE. Syngenesia Polygamia Superflua.
 1 coronata. D.D. (wh.) crowned. C. B. S. 1816. 5. 7. G. ♀. Burm. afr. t. 69. f. 3.
Gnaphalium coronatum. w.
 2 bicolor. D.D. (pu.wh.) two-coloured. — — G. ♀.
PENTATA'XIS. D.D. PENTATA'XIS. Syngenesia Polygamia Superflua.
 micrantha. D.D. (wh.) small-flowered. C. B. S. 1821. 5. 7. G. ♀.
ASTE'LMA. Br. ASTE'LMA. Syngenesia Polygamia Superflua.
 1 eximium. B.R. (re.) giant. C. B. S. 1793. 6. 9. G. ♀. Bot. reg. t. 532.
Gnaphalium eximium. A.R. 654.
 2 milleflorum. D.D. (wh.) many-flowered. — 1802. 6. 9. G. ♀.
Gnaphalium milleflorum. w.
 3 Stæhelina. D.D. (ye.) keel-leaved. — 1801. 12. 3. G. ♀. Andr. reposit. t. 428.
 4 crassifolium. D.D. (ye.) thick-leaved. — 1816. 3. 5. G. ♀.
 5 proteoides. D.D. (wh.) Protea-like. — 1821. — G. ♀.
 6 speciosissimum. D.D. (wh.) showy. — 1691. 7. 9. G. ♀. Andr. reposit. t. 51.
Xeranthemum speciosissimum. A.R. Elichr'ysum speciosissimum. w.
 7 lineare. D.D. (wh.) linear-leaved. C. B. S. 1816. 7. 9. G. ♀.
 8 spiralis. D.D. (re.wh.) spiral-leaved. — 1801. 7. 10. G. ♀. Andr. reposit. t. 262.
Elichr'ysum spirale. w.
 9 variegatum. D.D. (v.) large globular-fl'd. — 5. 6. G. ♀.
 10 imbricatum. D.D. (ro.) imbricated. — 1816. — G. ♀.
Elichr'ysum imbricatum. w. Xeranthemum imbricatum. L.
 11 canescens. D.D. (ro.) elegant. C. B. S. 1794. 8. 4. G. ♀. Bot. mag. t. 420.
 12 modestum. Sie. (fl.) modest. — 1824. 6. 7. G. ♀. Bot. mag. t. 2710.
Gnaphalium modestum. B.M.
HELICHR'YSUM. P.S. HELICHR'YSUM. Syngenesia Polygamia Superflua.
 1 grandiflorum. D.D. (v.) great-flowered. C. B. S. 1731. 6. 8. G. ♀. Burm. afr. t. 76. f. 1.
Gnaphalium grandiflorum. w.
 2 fruticans. D.D. (wh.) frutescent. — 1779. — G. ♀. Bot. mag. t. 1802.
Astelma fruticans. B.R. 726. Gnaphalium fruticans. B.M. grandiflorum. A.R. 489.
 3 crispum. D.D. (re.) curled. C. B. S. 1809. — G. ♀.
 4 arboreum. D.D. (re.) shrubby. — 1770. 2. 8. G. ♀.

- 5 congestum. D.D. (*fl.*) close-headed. C. B. S. 1791. 5. 6. G. h. Bot. reg. t. 243.
Gnaphalium congestum. B.R.
- 6 carneum. P.S. (*fl.*) flesh-coloured. ——— 1816. 4. 6. G. h.
7 patulum. D.D. (*wh.*) spreading. ——— 1771. 8. 1. G. h.
8 discolorum. D.D. (*wh.fl.*) two-coloured. ——— 1815. 5. 8. G. h. Burm. afr. t. 97. f. 4.
9 cephalotes. D.D. (*wh.re.*) large-headed. ——— 1789. 11. 1. G. h. Pluk. phyt. t. 410. f. 2.
10? diosmæfolium. (*wh.*) Diosma-leaved. ——— 1812. 3. 8. G. h. Vent. malm. t. 74.
Gnaphalium diosmæfolium. v.
- 11 ericoides. D.D. (*pa.*) Heath-leaved. ——— 1774. — G. h. Bot. mag. t. 435.
Gnaphalium ericoides. B.M. non *Helicr'ysum ericoides*. P.S.
- 12 teretifolium. D.D. (*wh.*) round-leaved. C. B. S. 1812. — G. h. Burm. afr. t. 77. f. 2.
13? tephrodes. (*wh.*) slender-leaved. ——— 1816. — G. h.
- Gnaphalium tephrodes*. L.en.
- 14 acuminatum. (*wh.*) taper-pointed. N. Holland. ——— — G. h.
Gnaphalium acuminatum. L.en.
- 15? lasiocaulon. (*wh.*) woolly-stalked. C. B. S. 1823. 6. 9. G. h.
Gnaphalium lasiocaulon. L.en.
- 16 Stœchas. D.D. (*ye.*) common shrubby. S. Europe. 1629. 6. 10. H. h. Barrel. ic. 410.
17 angustifolium. (*ye.*) narrow-leaved. ——— 1818. — H. h.
- Gnaphalium angustifolium*. P.S.
- 18 conicum. (*ye.*) conical. ——— 1824. — H. h.
Gnaphalium conicum. L.en.
- 19 ignescens. D.D. (*re.*) red-flowered. C. B. S. 1731. 6. 10. G. h.
20 microphyllum. D.D. (*ye.*) small-leaved. Crete. 1823. — G. h.
- 21? dasyanthum. (*ye.*) hairy-flowered. C. B. S. 1812. — G. h.
Gnaphalium dasyanthum. W.en.
- 22 crassifolium. D.D. (*ye.*) thick-leaved. S. Europe. 1774. 7. 9. G. h.
23 maritimum. D.D. (*ye.*) sea-side. C. B. S. 1772. 6. 8. G. h. Burm. afr. t. 77. f. 2.
24 apiculatum. D.D. (*ye.*) New Holland. V. Diem. Isl. 1804. 1. 12. G. h. Bot. reg. t. 240.
Gnaphalium apiculatum. B.R.
- 25 fœtidum. D.D. (*ye.*) strong-scented. C. B. S. 1692. 6. 9. G. ♂. Bot. mag. t. 1987.
Gnaphalium fœtidum. B.M.
- 26 cylindricum. D.D. (*ye.*) cylindrical. ——— 1780. 6. 8. G. ♀. Pluk. phyt. 298. f. 4.
27 orientale. D.D. (*ye.*) eastern. Africa. 1629. 4. 8. G. h. Comm. hort. 2. t. 55.
28 arenarium. D.D. (*ye.*) sand. Europe. 1739. 7. 9. H. ♀. Bot. mag. t. 2159.
29 graveolens. (*ye.*) strong-smelling. Tauria. 1819. — H. ♀.
- Gnaphalium graveolens*. M.B.
- 30 odoratissimum. (*ye.*) sweet-scented. C. B. S. 1691. 4. 8. G. h. Mill. ic. 1. t. 131. f. 2.
31 candidissimum. D.D. (*ye.*) white-leaved. Caucasus. 1819. 7. 9. H. ♀.
- 32 rutilans. D.D. (*re.*) shining-flower'd. C. B. S. 1731. 6. 7. G. ♀. Dill. elt. t. 107. f. 127.
33 cymosum. D.D. (*ye.wh.*) branching. Africa. — 4. 8. G. h. — t. 107. f. 128.
34 helianthemifolium. D. (*wh.*) Sun-rose-leav'd. C. B. S. 1774. 7. 10. G. h. Volck. norib. t. 194.
35 bracteatum. D.D. (*ye.*) wave-leaved. N. Holland. 1799. — H. ☉. Andr. reposit. 375
chrysanthum. P.S. *Xeranthemum bracteatum*. v. m. t. 2. lucidum. Maunde.
- 36 fulgidum. P.S. (*ye.*) great yellow. C. B. S. 1774. 2. 10. G. ♀. Bot. mag. t. 414.
37 dealbatum. P.S. (*bh.*) herbaceous. V. Diem. Isl. 1812. 1. 12. G. ♀. Lab. nov. hol. 2. t. 190.
38 paniculatum. P.S. (*wh.*) corymb-flower'd. C. B. S. 1800. 6. 9. G. h. Burm. afr. t. 67. f. 1.
argenteum. A.R. 552. nec *aliorum*.
- 39 argenteum. P.S. (*wh.*) silvery. ——— — G. h.
40 fragrans. A.R. (*ro.*) fragrant. ——— 1803. 7. 9. G. h. Andr. reposit. t. 313.
Elichr'ysum fragrans. A.R.
- 41 retortum. w. (*wh.*) trailing. ——— 1732. 7. 8. G. h. Dill. elth. t. 322. f. 415.
42? incanum. B.M. (*ro.wh.*) hoary-leaved. V. Diem. Isl. 1828. 5. 6. G. ♀. Bot. mag. t. 2881.
43 rigidum. A.R. (*wh.*) rigid-leaved. C. B. S. 1801. — G. h. Andr. reposit. t. 387.
44 herbaceum. A.R. (*ye.*) shining-flowered. ——— 1802. 7. 9. G. ♀. — t. 487.
splendens. B.M. 1773.
- LEUCOSTE'MMA. D.D. LEUCOSTE'MMA. Syngenesia Polygamia Superflua.
- 1 vestitum. D.D. (*wh.*) upright. C. B. S. 1774. 7. 9. G. h. Burm. afr. t. 66. f. 1.
Elichr'ysum vestitum. w.
- 2 linguatum. D.D. (*wh.*) tongue-leaved. ——— 1812. — G. h.
- PHENO'COMA. D.D. PHENO'COMA. Syngenesia Polygamia Superflua.
- prolifera. D.D. (*pu.*) proliferous. C. B. S. 1789. 5. 11. G. h. Bot. reg. t. 21.
Elichr'ysum proliferum. B.R. *Xeranthemum proliferum*. L.
- APHELE'XIS. D.D. APHELE'XIS. Syngenesia Polygamia Superflua.
- 1 humilis. D.D. (*pu.*) dwarf. C. B. S. 1812. 6. 9. G. h. Andr. reposit. t. 664.
Elichr'ysum spectabile. B.C. 59. *pinifolium*. P.S.
- 2 sesamoides. D.D. (*pu.*) superb. C. B. S. 1739. 4. 6. G. h. Bot. mag. t. 425.
Elichr'ysum sesamoides. w. *Xeranthemum sesamoides*. B.M.

3 fasciculata. D.D. (vu.) bundle-leaved. C. B. S. 1799. 3. 9. G. ♀. Andr. reposit. t. 242.	
α lutescens. (st.) yellowish. G. ♀.	
β versicolor. (pu.wh.) variegated-flower'd. G. ♀. Breyn. ic. t. 16. f. 2.	
γ alba. (wh.) white-flowered. G. ♀. Andr. reposit. t. 279.	
δ rubra. (sc.) red-flowered. G. ♀. t. 650.	
4 ericoides. (bh.) filiform. 1796. — G. ♀. Lam. ill. t. 693. f. 2.	
<i>filiformis. D.D. Helichrys ericoides. P.S.</i>	
XERANTHEMUM. D.D. XERANTHEMUM. Syngenesia Polygamia Superflua. L.	
1 annuum. D.D. (pu.wh.) common annual. S. Europe. 1570. 7. 8. H. ⊙. Jacq. aust. 4. t. 388.	
α roseum. (ro.) rose-coloured. — H. ⊙.	
β album. (wh.) white-flowered. — H. ⊙.	
2 inapertum. D.D. (pu.) small-flowered. 1620. — H. ⊙. Moris. bis. s. 6. t. 12. f. 1.	
CHARDINIA. D.D. CHARDINIA. Syngenesia Polygamia Superflua.	
orientalis. D.D. (wh.) oriental. Levant. 1713. 7. 8. H. ⊙.	
<i>xeranthemoides. Desf. Xeranthemum orientale. w.</i>	
FILAGO. W. COTTON-ROSE. Syngenesia Polygamia Necessaria. W.	
1 pygmaea. w. (br.) pigmy. S. Europe. 1629. 7. 8. H. ⊙. Cavan. ic. 1. t. 36.	
α pygmaea. G. (br.) simple-stalked. Spain. 1824. — H. ⊙. Lam. ill. t. 694. f. 2.	
<i>asterisciflora. P.S.</i>	
MICROPUS. W. MICROPUS. Syngenesia Polygamia Necessaria. W.	
1 supinus. w. (pa.) trailing. S. Europe. 1710. 6. 9. H. ⊙. Schk. hand. 3. t. 267.	
2 erectus. w. (pa.) upright. — 1683. — H. ⊙. Læfl. hisp. t. 1. f. 3.	
ERIGERON. W. ERIGERON. Syngenesia Polygamia Superflua. L.	
1 graveolens. w. (ye.) strong-smelling. S. Europe. 1633. 7. 8. H. ⊙. Ger. emac. 481. f. 2.	
2 compositum. Ph. (li.) daisy-flowered. N. America. 1811. — H. ♀.	
3 carolinianum. w. (ye.) Hyssop-leaved. — 1727. — H. ♀. Dill. elt. t. 306. f. 394.	
4 canadense. w. (wh.) Canada. England. 8. 9. H. ⊙. Eng. bot. v. 29. t. 2019.	
5 bonariense. w. (wh.) buck's-horn. S. America. 1732. 7. 8. H. ⊙. Dill. elt. t. 257. f. 334.	
6 linifolium. w. (wh.) flax-leaved. H. ⊙.	
7 laevigatum. L.en. (wh.) smooth. Cayenne. 1823. — S. ♂.	
8 delphinifolium. w. (wh.) Larkspur-leav'd. S. America. 1816. — S. ♂.	
9 strigosum. w. (wh.) strigose. N. America. 1818. — H. ♂.	
10 heterophyllum. w. (wh.) various-leaved. 1640. 7. 9. H. ♂. Flor. græc. t. 486.	
<i>Aster annuus. L. Diplopappus dubius. Cas.</i>	
11 chinense. w. (wh.) Chinese. China. 1818. — H. ⊙. Jacq. schœnb. 3. t. 303.	
12 jamaicense. w. (li.) Jamaica. Jamaica. 1820. — S. ⊙. Swartz obs. t. 8. f. 2.	
13 pubescens. K.S. (wh.) pubescent. Mexico. 1827. 7. 11. H. ♀.	
14 involucratum. Lk. involucred. Brazil. 1828. S. ♀.	
15 armerifolium. F. (pu.) Thrift-leaved. Baical. 1829. 6. 8. H. ♀.	
16 nudicaule. M. (wh.) naked-stalked. N. America. 1812. 7. H. ♀.	
17 philadelphicum. w. (pu.) spreading. — 1778. 7. 8. H. ♀.	
18 purpureum. w. (pu.) purple. Hudson's Bay. 1776. — H. ♀.	
19 bellidifolium. w. (li.) Plantain-leav'd. N. America. 1790. — H. ♀.	
<i>serpentarium. Hort.</i>	
20 glabellum. N. (pu.) smoothish. — 1827. 8. 12. H. ♀. Bot. mag. t. 2923.	
21 podolicum. s.s. (pu.) Polish. Poland. — 7. 9. H. ♀.	
22 Lehmanni. s.s. (li.) Lehman's. 1828. — H. ♀.	
23 glaucum. B.R. (li.) glaucous-leav'd. S. America. 1812. 1. 12. G. ♀. Bot. reg. t. 10.	
24 chilense. D.P. (wh.) Chili. Chili. 1816. 7. 9. H. ⊙.	
<i>Conyza chilensis. L.en.</i>	
25 rivulare. s.s. (bh.) rivulet. Trinidad. 1821. — S. ⊙.	
26 Villarsii. w. (pu.) Villars's. Piedmont. 1804. 7. 8. H. ♀. Bot. reg. t. 583.	
<i>atticum. Vil.</i>	
27 rupestre. Schl. (li.) rock. Switzerland. 1818. — H. ♀.	
28 acre. w. (li.) common. — H. ♂. Eng. bot. v. 17. t. 1158.	
29 alpinum. w. (li.) Alpine. Scotland. 7. H. ♀. — v. 7. t. 464.	
30 uniflorum. w. (li.) dwarf. — 8. 9. H. ♀. — v. 34. t. 2416.	
31 pumilum. N. (wh.) dwarf. N. America. 1827. — H. ♀.	
32 humile. Gr. (wh.) low. — 9. 10. H. ♀.	
33 asperum. N. (wh.) rough. — 1828. 8. 9. H. ♀.	
34 gramineum. w. (pu.) grass-leaved. Siberia. 1824. — H. ♀. Gmel. sib. 2. t. 76. f. 2.	
35 caucasicum. M.B. (pu.) Caucasian. Caucasus. — 7. 8. H. ♀.	
36 asteroides. L.en. (wh.) Starwort-like. 1812. — H. ♀.	
JASONIA. Cas. JASONIA. Syngenesia Polygamia Superflua.	
longifolia. Cas. (ye.) long-leaved. N. America. 1818. 7. 8. H. ♀.	
<i>Erigeron longifolium. P.S.</i>	
CALOTIS. B.R. CALOTIS. Syngenesia Polygamia Superflua.	
cuneifolia. B.R. (bl.) wedge-leaved. N. Holland. 1819. 7. 8. G. ♀. Bot. reg. t. 504.	

IMPLOSTE'PHIUM. K.S. DIPLOSTE'PHIUM. Syngenesia Polygamia Superflua.

- 1 *linariifolium*. (pu.) toad-flax-leav'd. N. America. 1699. 9. 10. H. $\frac{1}{2}$. Lodd. bot. cab. t. 6.
A'ster pulcherrimus. L.B.C. *linariifolius*. w. *Chrysopsis linariifolia*. N.
2 *rigidum*. (vi.) stiff-leaved. ——— 1759. 8. 10. H. $\frac{1}{2}$. Pluk. alm. t. 14. f. 7.
A'ster rigidus. Ph. *memoralis*. w. non H.K.
3 *linifolium*. (wh.) Flax-leaved. N. America. 1739. 7. 8. H. $\frac{1}{2}$.
Chrysopsis linifolia. N. *A'ster linifolius*. w.
4 *album*. N. (wh.) white-flowered. Missouri. 1824. 8. 9. H. $\frac{1}{2}$.
5 *humile*. (wh.) low. N. America. 1699. 8. 10. H. $\frac{1}{2}$. Willd. hort. ber. t. 67.
A'ster humilis. w. *Chrysopsis humilis*. N.
6 *cornifolium*. w. (wh.) Dogwood-leaved. ——— 1811. ——— H. $\frac{1}{2}$.
7 *amygdalinum*. (wh.) Almond-leaved. ——— 1759. 7. 9. H. $\frac{1}{2}$. Hoff. phyt. blat. t. 8. f. 2.
A'ster umbellatus. w. *Chrysopsis umbellata*. N.
A'STER. W. STARWORT. Syngenesia Polygamia Superflua. L.
1 *reflexus*. w. (re.wh.) reflexed-leav'd. C. B. S. 1759. 2. 9. G. $\frac{1}{2}$. Bot. mag. t. 884.
2 *tomentosus*. w. (wh.) tooth-leaved. N. S. W. 1793. 5. 7. G. $\frac{1}{2}$. Wend. s. han. p. 8. t. 24.
dentatus. Andr. rep. t. 61.
3 *stellulatus*. P.S. starry-haired. V. Diem. Isl. 1823. ——— G. $\frac{1}{2}$. Lab. nov. hol. 2. t. 196.
4 *phlogopappus*. P.S. (vi.) glossy-haired. ——— 1827. ——— G. $\frac{1}{2}$. ——— 2. t. 195.
5 *myrsinoides*. P.S. (wh.) Myrsine-leaved. ——— 1824. ——— G. $\frac{1}{2}$. ——— p. 53. t. 202.
6 *erubescens*. s.s. (bh.) blush-flowered. N. S. W. 1826. ——— G. $\frac{1}{2}$.
7 *argophyllus*. P.S. (wh.) musk-scented. V. Diem. Isl. 1804. ——— G. $\frac{1}{2}$. Bot. mag. t. 1563.
8 *liratus*. B.M. (wh.) fluted-stemm'd. N. S. W. 1812. ——— G. $\frac{1}{2}$. ——— t. 1509.
9 *sericeus*. w. (bl.) silky-leaved. Missouri. 1802. 5. 11. G. $\frac{1}{2}$. Venten. cels. t. 33.
10 *Cymbalaria*. w. (wh.) Ivy-leaved. C. B. S. 1756. ——— G. $\frac{1}{2}$. Venten. malm. t. 95.
11 *papposus*. s.s. (vi.) cluster-leaved. ——— 1812. ——— G. $\frac{1}{2}$.
12 *taxifolius*. s.s. (li.) Yew-leaved. ——— 1824. ——— G. $\frac{1}{2}$.
13 *angustifolius*. w. (bl.) narrow-leaved. ——— 1804. 5. 7. G. $\frac{1}{2}$. Jacq. schoenb. 3. t. 370.
14 *villosus*. w. (li.) villous. ——— 1812. ——— G. $\frac{1}{2}$.
15 *obtusatus*. w. (li.) obtuse-leaved. ——— 1793. ——— G. $\frac{1}{2}$.
16 *fruticulosus*. w. (li.) shrubby. ——— 1759. 3. 7. G. $\frac{1}{2}$. Jacq. frag. 9. t. 5. f. 4.
17 *filifolius*. v. (wh.) thread-leaved. ——— 1812. ——— G. $\frac{1}{2}$. Venten. malm. t. 82.
18 *aculeatus*. P.S. (wh.) prickly-leaved. V. Diem. Isl. 1818. ——— G. $\frac{1}{2}$. Lab. nov. hol. 2. t. 200.
exasperatus. L. enum.
19 *tenellus*. w. (vi.) slender. C. B. S. 1769. 4. 10. H. $\odot$. Bot. mag. t. 33.
20 *alpinus*. w. (pu.) Alpine. Alps Europe. 1658. 5. 8. H. $\frac{1}{2}$. ——— t. 199.
21 *lusitanus*. s.s. (pu.) Portugal. Portugal. 1820. 8. 10. H. $\frac{1}{2}$.
22 *salsuginosus*. s.s. (vi.) salt plain. N. America. 1827. 5. 6. H. $\frac{1}{2}$. Bot. mag. t. 2942.
23 *pulchellus*. w. (re.) narrow-rayed. Armenia. 1818. ——— H. $\frac{1}{2}$.
24 *caucasicus*. w. (pu.) Caucasian. Caucasus. 1804. 7. 8. H. $\frac{1}{2}$.
25 *alwartensis*. B.M. (pu.) large-flowered. ——— ——— H. $\frac{1}{2}$. Bot. mag. t. 2321.
26 *diversifolius*. M. (li.) various-leaved. N. America. 1811. 7. 9. H. $\frac{1}{2}$.
27 *macrophyllus*. w. (bl.) large-leaved. ——— 1739. ——— H. $\frac{1}{2}$.
28 *corymbosus*. w. (wh.) corymbed. ——— 1765. 9. H. $\frac{1}{2}$.
29 *cordifolius*. w. (bh.) heart-leaved. ——— 1759. 7. 8. H. $\frac{1}{2}$.
30 *paniculatus*. w. (li.) panicked. ——— 1640. 9. 10. H. $\frac{1}{2}$. Corn. canad. t. 65.
31 *sagittifolius*. w. (bl.) arrow-leaved. ——— 1818. 7. 9. H. $\frac{1}{2}$.
32 *undulatus*. w. (pu.) wave-leaved. ——— 1699. 8. 10. H. $\frac{1}{2}$. Herm. parad. t. 96.
33 *præcox*. W.en. (li.) early-flowering. ——— 1800. 7. 8. H. $\frac{1}{2}$.
34 *pallens*. W.en. (li.) pale-flowered. ——— ——— 9. 10. H. $\frac{1}{2}$.
35 *conyzoides*. w. (wh.) Conyza-like. ——— 1778. 8. 9. H. $\frac{1}{2}$.
36 *altæicus*. W.en. (pu.) dwarf. Siberia. 1804. 5. 8. H. $\frac{1}{2}$.
pumilus. f.
37 *memoralis*. H.K. (li.) wood. N. America. 1778. 8. 9. H. $\frac{1}{2}$.
ledifolius. Ph.
38 *hyssopifolius*. w. (bh.) Hyssop-leaved. ——— 1683. 9. 10. H. $\frac{1}{2}$. Dodart. mem. t. 60.
39 *punctatus*. w. (vi.) dotted. Hungary. 1815. 8. 9. H. $\frac{1}{2}$. W. et K. hung. 2. t. 109.
40 *acris*. w. (bl.) acrid. S. Europe. 1731. ——— H. $\frac{1}{2}$. Pluk. alm. t. 271. f. 3.
41 *cânus*. w. (bl.) hoary-leaved. Hungary. 1816. ——— H. $\frac{1}{2}$. W. et K. hung. 1. t. 30.
42 *solidaginoides*. w. (wh.) Solidago-like. N. America. 1699. ——— H. $\frac{1}{2}$. Pluk. alm. t. 79. f. 2.
43 *subulatus*. N. (li.) awl-leaved. ——— 1823. 8. 10. H. $\odot$.
44 *pilosus*. w. (wh.) hairy. ——— 1812. ——— H. $\frac{1}{2}$.
45 *foliolosus*. w. (wh.) leafy. ——— 1732. 10. H. $\frac{1}{2}$. Dill. elth. t. 35. f. 39.
46 *tenuifolius*. w. (wh.) slender-leaved. ——— 1725. 9. 10. H. $\frac{1}{2}$. Pluk. alm. t. 78. f. 5.
47 *dumosus*. w. (wh.) bushy. ——— 1734. ——— H. $\frac{1}{2}$. Herm. parad. 95.
a violaceus. H.K. (vi.) violet-flowered. ——— ——— H. $\frac{1}{2}$.
 β albus. H.K. (wh.) white-flowered. ——— ——— H. $\frac{1}{2}$.
48 *ericoides*. w. (wh.) heath-leaved. ——— 1758. 9. H. $\frac{1}{2}$.
49 *multiflorus*. w. (wh.) many-flowered. ——— 1732. 9. 10. H. $\frac{1}{2}$. Dill. elth. t. 36. f. 40.
50 *ciliatus*. w. (wh.) ciliated. ——— ——— H. $\frac{1}{2}$.

51	canescens. Ph.	(li.) canescent.	N. America.	1812.	—	H. ♂.	
	biennis. N.						
52	pauciflorus. N.	(wh.) few-flowered.	N. America.	1825.	8. 9.	H. 2.	
53	sparsiflorus. w.	(wh.) scattered-flower'd.	—	1798.	9. 11.	H. 2.	
54	coridifolius. w.	(bl.) Coris leaved.	—	—	8. 11.	H. 2.	
55	squarrosus. w.	(bl.) ragged.	—	1801.	—	H. 2.	
56	argenteus. H.K.	(bl.) silver-leaved.	—	—	7. 9.	H. 2.	
57	concolor. w.	(pu.) self-coloured.	—	1759.	8. 11.	H. 2.	
58	reticulatus. Ph.	(wh.) netted-leaved.	—	1812.	—	H. 2.	
59	salicifolius. w.	(pu.) Willow-leaved.	—	1760.	9. 10.	H. 2.	
60	æstivus. w.	(bl.) summer.	—	1776.	7. 8.	H. 2.	Rob. ic. 307.
61	pannonicus. w.	(vi.) Hungarian.	Hungary.	1815.	—	H. 2.	Jacq. vind. 1. t. 8.
62	Amellus. w.	(bl.) Italian.	Italy.	1596.	7. 9.	H. 2.	Bot. reg. t. 340.
	a latifolius.	(bl.) broad-leaved.	—	—	—	H. 2.	
	β angustifolius.	(bl.) narrow-leaved.	—	—	—	H. 2.	
63	ibericus. M.B.	(bl.) Iberian.	Iberia.	1827.	7. 9.	H. 2.	
64	novæ anglæ. w.	(bl.) New England.	N. America.	1710.	9. 10.	H. 2.	Herm. parad. 98.
	β rubra.	(re.) red-flowered.	—	1812.	—	H. 2.	Bot. reg. 183. f. inf.
65	cyaneus. N.	(bl.) bright-blue.	—	1789.	—	H. 2.	Hoff. phyt. 1. t. B. f. 1.
66	glauca. N.A.	(bl.) glaucous-leaved.	—	1823.	8. 10.	H. 2.	
67	paludosus. w.	(bl.) marsh.	N. America.	1784.	—	H. 2.	
68	grandiflorus. w.	(bl.) great-flowered.	—	1720.	10. 11.	H. 2.	Bot. reg. t. 273.
69	carolinianus. w.	(pu.) tall.	Carolina.	—	8. 9.	H. 2.	
70	oblongifolius. N.	(li.) oblong-leaved.	Missouri.	1823.	—	H. 2.	
71	phlogifolius. w.	(vi.) Phlox-leaved.	N. America.	1797.	7. 10.	H. 2.	
72	pátens. w.	(bl.) spreading.	—	1773.	9. 11.	H. 2.	Swt. brit. fl. gar. t. 234.
73	Tripolium. w.	(bl.) sea-side.	Britain.	—	8. 9.	H. 2.	Eng. bot. v. 2. t. 87.
74	Schreberi. N.A.	(wh.) Schreber's.	—	1827.	8. 10.	H. 2.	
75	salignus. w.	(wh.) Sallow-leaved.	Germany.	1815.	—	H. 2.	
76	graveolens. N.	(bl.) strong-scented.	Arkansa.	1825.	10. 11.	H. 2.	
77	punicus. w.	(re.) red-stalked.	N. America.	1710.	7. 10.	H. 2.	Herm. lugd. t. 651.
78	hispidus. w.	(wh.) rough-stalked.	China.	1804.	9. 10.	H. 2.	Kæmpf. ic. t. 29.
79	dentatus. Th.	(bl.) tooth-leaved.	C. B. S.	1825.	7. 9.	G. 2.	
80	serratus. Th.	(bl.) saw-leaved.	—	—	—	G. 2.	
81	tataricus. w.	(bl.) Tartarian.	Siberia.	1818.	—	H. 2.	
82	pyrenæus. s.s.	(vi.) Pyrenean.	Pyrenees.	1768.	6. 9.	H. 2.	
83	sibiricus. w.	(pu.) Siberian.	Siberia.	1768.	—	H. 2.	Gmel. sib. 2. t. 80. f. 1.
84	incisus. F.	(li.) cut-leaved.	—	1816.	6. 9.	H. 2.	
85	amelloides. Bes.	(vi.) Amellus-like.	Poland.	1827.	7. 9.	H. 2.	
86	élegans. w.	(bl.) elegant.	—	1790.	8. 10.	H. 2.	
87	amplexicaulis. w.	(bl.) stem-clasping.	N. America.	—	9. 11.	H. 2.	
88	adulterinus. w.	(re.) bastard.	—	—	8. 10.	H. 2.	
89	lævigatus. w.	(li.) smooth-stem'd.	—	1794.	9. 11.	H. 2.	
90	longifolius. P.S.	(bl.) long-leaved.	—	1798.	10.	H. 2.	Moris. s. 7. t. 22. f. 26.
91	versicolor. w.	(wh.re.) various-color'd.	—	1790.	8. 9.	H. 2.	
92	mutabilis. w.	(pu.) changeable.	—	1710.	9. 10.	H. 2.	Herm. lugd. t. 67.
93	l'avis. w.	(li.) smooth.	—	1753.	—	H. 2.	
94	concinus. W.en.	(li.) neat.	—	1800.	—	H. 2.	
95	floribundus. w.	(li.) abundant-flower'd.	—	—	—	H. 2.	
96	novi belgii. w.	(li.) New-York.	—	1710.	—	H. 2.	Herm. lugd. t. 69.
97	fírmus. L.en.	(li.) firm.	—	1818.	—	H. 2.	
98	bellidiflorus. W.en.	(li.) daisy-flowered.	—	—	—	H. 2.	
99	spectabilis. w.	(bl.) showy.	—	1777.	8. 9.	H. 2.	
100	serotinus. w.	(bl.) late-flowering.	—	—	9. 11.	H. 2.	
101	tardiflorus. w.	(li.) spear-leaved.	—	1775.	7. 9.	H. 2.	
102	blándus. Ph.	(bh.) charming.	—	1800.	10. 11.	H. 2.	
103	acuminatus. Ph.	(wh.) acuminate.	—	1806.	8. 10.	H. 2.	Bot. mag. t. 2707.
104	éminens. W.en.	(re.) eminent.	—	—	9. 11.	H. 2.	
105	pubescens. N.A.	(re.) pubescent.	—	1827.	—	H. 2.	
106	Rádula. w.	(wh.) rasp-leaved.	—	1785.	—	H. 2.	
107	prenanthoides. w.	(bl.) hairy-branch'd.	—	1817.	—	H. 2.	
108	strictus. Ph.	(vi.) upright dwarf.	—	1806.	—	H. 2.	
109	Tradescánti. w.	(wh.) Michaelmas daisy.	—	1633.	7. 9.	H. 2.	Moris. s. 7. t. 21. f. 42.
110	vimíneus. w.	(bl.) slender.	—	1818.	—	H. 2.	
111	recurvatus. w.	(li.) recurved.	—	1800.	8. 9.	H. 2.	
112	expansus. N.A.	(bl.) expanded.	—	1827.	—	H. 2.	
113	fastigiatus. Led.	(bl.) clustered.	Siberia.	—	—	H. 2.	
114	laxus. W.en.	(wh.) loose-stalked.	N. America.	—	9. 11.	H. 2.	
115	símplex. W.en.	(wh.) simple-stalked.	—	—	8. 10.	H. 2.	

116	virgineus. N.A. (wh.)	virgin.	N. America.	1826.	8. 10.	H. 2.	
117	polyphyllus. W.en. (w.)	many-leaved.	—	—	—	H. 2.	
118	juncus. w. (fl.)	slender-stalked.	—	1758.	9. 10.	H. 2.	
119	lanceolatus. w. (wh.)	lanceolate.	—	1811.	8. 11.	H. 2.	
120	dracunculoïdes. w. (w.)	Tarragon-like.	—	—	9. 11.	H. 2.	
121	fragilis. w. (wh.)	brittle.	—	1800.	9.	H. 2.	
122	carneus. N.A. (fl.)	flesh-coloured.	—	1827.	—	H. 2.	
123	pinifolius. L.en. (wh.)	Pine-leaved.	—	1823.	—	H. 2.	
124	laxiflorus. L.en. (li.)	loose-flowered.	—	—	8. 10.	H. 2.	
125	miser. w. (wh.)	meagre-flower'd.	—	1759.	9. 10.	H. 2.	
126	divergens. w. (wh.)	spreading downy.	—	1758.	—	H. 2.	
127	diffusus. w. (wh.)	diffuse.	—	1777.	—	H. 2.	
128	scoparius. N.A. (wh.)	broom-like.	—	1827.	—	H. 2.	
129	pendulus. w. (wh.)	pendulous.	—	1758.	—	H. 2.	
130	parviflorus. L.en. (w.)	small-flowered.	—	1822.	—	H. 2.	
131	rigidulus. L.en. (re.)	stiffish.	—	—	—	H. 2.	
132	myrtifolius. L.en. (w.)	Myrtle-leaved.	—	1819.	8. 9.	H. 2.	
133	abbreviatus. N.A. (bl.)	short-rayed.	—	1827.	—	H. 2.	
134	robustus. N.A. (bl.)	robust.	—	—	—	H. 2.	
CALLISTEMA. Cas. CHINA ASTER. Syngenesia Polygamia Superflua.							
	hortensis. Cas. (va.)	garden.	China.	1731.	7. 9.	H. 2.	Dill. elth. t. 34. f. 38.
	a cœrulea. (bl.)	blue-flowered.	—	—	—	H. 2.	
	β rubra. (re.)	red-flowered.	—	—	—	H. 2.	
	γ alba. (wh.)	white-flowered.	—	—	—	H. 2.	
	δ variegata. (bl.wh.)	variegated.	—	—	—	H. 2.	
	ε versicolor. (re.wh.)	red and white.	—	—	—	H. 2.	
	ζ multiplēx. (va.)	double-flowered.	—	—	—	H. 2.	
	η brachyantha. (va.)	bonnet.	—	—	—	H. 2.	
SOLIDAGO. W. GOLDEN-ROD. Syngenesia Polygamia Superflua. L.							
1	canadensis. w. (ye.)	Canadian.	N. America.	1648.	7. 9.	H. 2.	Schk. hand. 3. f. 246.
2	procera. w. (ye.)	great.	—	1758.	9. 10.	H. 2.	
3	serotina. w. (ye.)	upright smooth.	—	—	7. 8.	H. 2.	
4	gigantea. w. (ye.)	gigantic.	—	—	8. 9.	H. 2.	
5	ciliaris. w. (ye.)	ciliated.	—	1811.	—	H. 2.	
6	reflexa. w. (ye.)	hanging-leaved.	—	1758.	8. 9.	H. 2.	
7	fragrans. W.en. (ye.)	fragrant.	—	—	7. 9.	H. 2.	
8	lateriflora. w. (ye.)	lateral-flowered.	—	1758.	8. 9.	H. 2.	
9	glabra. s.s. (ye.)	smooth.	—	—	—	H. 2.	
10	aspera. w. (ye.)	rough-leaved.	—	1732.	9.	H. 2.	Dill. elth. t. 305. f. 392.
11	altissima. w. (ye.)	tall.	—	1686.	8. 9.	H. 2.	Mart. cent. 14.
12	recurvata. W.en. (ye.)	recurved.	—	1814.	—	H. 2.	
13	rugosa. Ph. (ye.)	wrinkle-leaved.	—	1732.	—	H. 2.	Dill. elth. t. 308. f. 396.
14	villosa. Ph. (ye.)	villous.	—	—	—	H. 2.	
15	scabra. w. (ye.)	rough.	—	1811.	—	H. 2.	
16	pyramidata. Ph. (ye.)	pyramidal.	—	1812.	8. 9.	H. 2.	
17	nemorialis. w. (ye.)	woolly-stalked.	—	1769.	9.	H. 2.	
18	pátula. w. (ye.)	spreading.	—	1805.	9. 10.	H. 2.	
19	ulmifolia. w. (ye.)	Elm-leaved.	—	—	8. 10.	H. 2.	
20	arguta. w. (ye.)	sharp-notched.	—	1758.	7. 8.	H. 2.	
21	juncæa. w. (ye.)	rush-stalked.	—	1769.	8. 9.	H. 2.	
22	elliptica. w. (ye.)	oval-leaved.	—	1759.	—	H. 2.	
23	asperata. Ph. (ye.)	roughish-leaved.	Canada.	1825.	—	H. 2.	
24	odora. w. (ye.)	sweet-smelling.	N. America.	1699.	8. 10.	H. 2.	Pluk. alm. t. 116. f. 6.
25	retrorsa. m. (ye.)	reflex-leaved.	—	1824.	—	H. 2.	
26	lævigata. N. (ye.)	fleshy-leaved.	—	—	10. 11.	H. 2.	
27	mexicana. w. (ye.)	Mexican.	America.	1683.	7. 10.	H. 2.	Dodart. act 4. t. 219.
28	sempervirens. N. (ye.)	evergreen.	N. America.	1699.	9. 10.	H. 2.	Corn. canad. t. 169.
29	speciosa. N. (ye.)	handsome.	—	1812.	—	H. 2.	
30	multiflora. p.s. (ye.)	many-flowered.	—	—	—	H. 2.	
31	pauciflosculosa. m. (ye.)	slender-flower'd.	—	1811.	8. 10.	H. 2.	
32	bicolor. w. (wh.ye.)	two-coloured.	—	1759.	8. 9.	H. 2.	Pluk. alm. t. 114. f. 8.
<i>Aster bicolor.</i> Nees.							
33	petiolaris. w. (ye.)	late-flowered.	—	1758.	10. 12.	H. 2.	
34	stricta. w. (ye.)	Willow-leaved.	—	—	9.	H. 2.	
35	humilis. Ph. (ye.)	dwarf.	—	1811.	7. 8.	H. 2.	
36	virgata. m. (ye.)	slender.	—	1827.	—	H. 2.	
37	livida. W.en. (ye.)	purple-stemmed.	—	1812.	—	H. 2.	
38	hirta. W.en. (ye.)	hairy.	—	—	9. 10.	H. 2.	
39	lithospermifolia. Ph. (ye.)	Gromwell-leav'd.	—	1811.	8. 10.	H. 2.	

40 hispida. w.	(ye.) hispid.	N. America.	1820.	8. 10.	H. 2.	
41 cæsia. w.	(ye.) Maryland.	—	1732.	9. 10.	H. 2.	
42 flexicaulis. w.	(ye.) crook-stalked.	—	1725.	9.	H. 2.	Pluk. alm. t. 235. f. 3.
43 latifolia. L.	(ye.) broad-leaved.	—	—	—	H. 2.	— t. 235. f. 4.
44 ambigua. w.	(ye.) angular-stalked.		1759.	7. 8.	H. 2.	
45 macrophylla. Ph.	(ye.) large-leaved.	N. America.		8. 10.	H. 2.	
46 glomerata. M.	(ye.) close-flowered.	—	1820.	—	H. 2.	
47 squarrosa. N.	(ye.) squarrose-cup'd.	—	1827.	—	H. 2.	
48 alpestris. w. k.	(ye.) Alpine.	Europe.	—	7. 9.	H. 2.	
49 Virgaurea. w.	(ye.) common.	Britain.		—	H. 2.	Eng. bot. v. 5. t. 301.
50 cambrica. w.	(ye.) Welsh.	Wales.		7. 8.	H. 2.	Dill. elth. t. 306. f. 393.
51 asiatica. F.	(ye.) Asiatic.	N. Asia.	1824.	—	H. 2.	
52 axillaris. Ph.	(ye.) axillary.	N. America.	1811.	8. 10.	H. 2.	
53 erecta. Ph.	(ye.) upright.	—		—	H. 2.	
54 viminea. w.	(ye.) twiggy.	—	1759.	9.	H. 2.	
55 angustifolia. N.	(ye.) narrow-leaved.	—	1824.	—	H. 2.	
56 littoralis. s. s.	(ye.) sea-side.	Italy.	1827.	7. 9.	H. 2.	
57 decurrens. s. s.	(ye.) decurrent.	China.	1823.	8. 10.	H. 2.	
58 puberula. N.	(ye.) pubescent.	N. America.	—	—	H. 2.	
59 minuta. w.	(ye.) least.	Pyrenees.	1772.	7. 8.	H. 2.	Lodd. bot. cab. t. 189.
60 multiradiata. w.	(ye.) Labrador.	Labrador.	1776.	—	H. 2.	
61 elata. Ph.	(ye.) tall hairy.	N. America.	1811.	8. 10.	H. 2.	
62 rigida. w.	(ye.) hard-leaved.	—	1710.	9.	H. 2.	Herm. parad. 243.
EUTHAMIA. N.	EUTHAMIA.	Syngenesia Polygamia Superflua.				
1 graminifolia. N.	(ye.) grass-leaved.	N. America.	1758.	8. 10.	H. 2.	Bot. mag. t. 2546.
<i>Chrysocoma graminifolia</i> . L. <i>Solidago lanceolata</i> . w.						
2 tenuifolia. N.	(ye.) slender-leaved.	N. America.	—	9. 10.	H. 2.	
BRACHYRIS. N.	BRACHYRIS.	Syngenesia Polygamia Superflua.				
Euthamia. N.	(ye.) strong-scented.	Missouri.	1827.	8. 10.	H. 2.	
<i>Solidago Sarothrae</i> . Ph. <i>Brachyachyris Euthamiae</i> . s. s.						
CHRYSO'COMA. W.	GOLDY-LOCKS.	Syngenesia Polygamia Æqualis. L.				
1 comaurea. w.	(ye.) great shrubby.	C. B. S.	1731.	6. 8.	G. 2.	Bot. mag. t. 1972.
2 patula. w.	(ye.) spreading.	—	1816.	—	G. 2.	
3 cernua. w.	(ye.) small shrubby.	—	1712.	5. 9.	G. 2.	Comm. hort. 2. t. 45.
4 ciliaris. w.	(ye.) Heath-leaved.	—	1759.	7. 10.	G. 2.	— 2. t. 48.
5 nivea. w.	(ye.) woolly-leaved.	—	1820.	5. 9.	G. 2.	Jacq. schœn. 2. t. 147.
<i>tomentosa</i> . Jacq. non L.						
6 scabra. w.	(ye.) rugged.	—	1732.	8. 9.	G. 2.	Dill. elth. t. 88. f. 103.
7 denticulata. w.	(ye.) toothed.			—	G. 2.	Jacq. schœn. 3. t. 368.
8 Linosyris. w.	(ye.) flax-leaved.	Europe.		9. 10.	H. 2.	Eng. bot. v. 35. t. 2505.
9 dracunculoides. w.	(ye.) Siberian.	Siberia.		—	H. 2.	
10 biflora. w.	(ye.) two-flowered.	—	1741.	8. 9.	H. 2.	Gmel. sib. 2. t. 82. f. 1.
11 graveolens. N.	(ye.) Rue-scented.	Missouri.	1822.	—	H. 2.	
12 nudata. M.	(ye.) naked.	N. America.	1819.	—	H. 2.	
13 virgata. N.	(ye.) slender.	—	—	—	H. 2.	
14 villosa. w.	(ye.) villous.	Hungary.	1799.	—	H. 2.	W. et K. hung. 1. t. 58.
BOLTONIA. W.	BOLTONIA.	Syngenesia Polygamia Superflua. L.				
1 asteroides. w.	(wh.) Starwort-flower'd.	N. America.	1758.	8. 10.	H. 2.	Bot. mag. t. 2554.
2 glastifolia. w.	(pu.) glaucous-leaved.	—	—	9.	H. 2.	— t. 2381.
AMELLUS. W.	AMELLUS.	Syngenesia Polygamia Superflua.				
Lychitis. w.	(bl.) Cape.	C. B. S.	1768.	6. 7.	G. 2.	Bot. reg. t. 586.
SIDERA'NTHUS. Fras.	SIDERA'NTHUS.	Syngenesia Polygamia Superflua.				
1 villosus.	(ye.) villous.	Missouri.	1811.	8. 9.	H. 2.	
<i>Sideranthus integrifolius</i> . Fras. <i>Amellus villosus</i> . Ph.						
2 spinulosus.	(ye.) spiny.	—	—	—	H. 2.	
<i>Amellus spinulosus</i> . Ph. <i>Sideranthus pinnatifidus</i> . Fras.						
STARKEA. W.	STARKEA.	Syngenesia Polygamia Superflua.				
1 umbellata. w.	(ye.) umbel-flower'd.	Jamaica.	1768.	6. 7.	S. 2.	Lam. ill. t. 682. f. 2.
2 igniaria. D. D.	(ye.) close-flowered.	S. America.	1823.	6. 8.	F. 2.	H. et B. pl. æq. 2. t. 112.
<i>Hierba de Santa Maria</i> . incolarum. <i>Andromachia igniaria</i> . K. S.						
GRIND'ELIA. W. en.	GRIND'ELIA.	Syngenesia Polygamia Superflua. W.				
1 glutinosa. Dun.	(ye.) glutinous.	Mexico.	1803.	1. 12.	F. 2.	Bot. reg. t. 187.
<i>Donia glutinosa</i> . B. R. <i>Doronicum glutinosum</i> . w.						
2 inuloides. W. en.	(ye.) Inula-like.	Mexico.	1815.	6. 9.	F. 2.	Bot. reg. t. 248.
3 pulchella. s. s.	(ye.) pretty.	Chile.	1827.	—	F. 2.	
4 nitida. Bern.	(ye.) glossy.	Mexico.	1825.	—	F. 2.	
5 coronopifolia. Leh.	(ye.) Buckshorn-leav'd.	—	1826.	—	F. 2.	
6 angustifolia. B. R.	(ye.) narrow-leaved.	—	1822.	—	F. 2.	Bot. reg. t. 781.
7 spatulata. L. en.	(ye.) spatulate-leav'd.	—	—	—	F. 2.	

- 8 squarrōsa. Dun. (ye.) Snake-headed. Missouri. 1811. 7. 9. F. 2. Bot. mag. t. 1706.
 9 ciliāta. s.s. (ye.) ciliated. Arkansa. 1821. 9. 10. H. 2. Hook. ex. flor. t. 45.
Donia ciliāta. H.E.F.
- 10 villōsa. D. (ye.) villous. Columbia. 1827. 8. 10. H. 2. Podol'epis. Lab. Podol'epis. Syngenesia Polygamia Superflua.
- 1 rugāta. H.K. (ye.) wrinkle-scaled. N. Holland. 1803. 7. 8. G. 2. Lab. nov. holl. 2. t. 208.
 2 acumināta. H.K. (ye.) sharp-scaled. N. S. W. — 5. 8. G. 2. Bot. mag. t. 956.
Scalia jaceoides. B.M.
- 3 gracilis. B.F.G. (li.) slender. N. Holland. 1827. 8. 10. H. 2. Swt. br. fl. gar. t. 285.
 GERBERIA. Cass. GERBERIA. Syngenesia Polygamia Superflua.
- 1 crenāta. B.R. (li.) crenated. C. B. S. 1820. 4. 8. G. 2. Bot. reg. t. 855.
 2 asplenifolia. s.s. (ye. pu.) Spleenwort-leaved. — 1822. 4. 6. G. 2. Burm. afr. 155. t. 26. f. 1.
Arnica Gerbēra. L. *Doronicum asplenifolium*. Lam.
- A'RNICA. W. A'RNICA. Syngenesia Polygamia Superflua.
- 1 montāna. w. (ye.) mountain. Europe. 1731. 7. 8. H. 2. Bot. mag. t. 1749.
 2 angustifolia. s.s. (ye.) narrow-leaved. Greenland. 1827. 6. 8. H. 2.
 3 fulgens. Ph. (ye.) glossy-flowered. Missouri. 1826. — H. 2.
 4 scorpioides. w. (ye.) alternate-leaved. Austria. 1710. — H. 2. Jacq. aust. 4. t. 349.
 5 glacialis. w. (ye.) alpine. Germany. 1816. 7. 8. H. 2. Jacq. ic. 3. t. 586.
 6 Doronicum. w. (ye.) Chusius's. Austria. — H. 2. Jacq. aust. 1. t. 92.
Clusii. All. t. 17. f. 1. 2.
- 7 lanigera. T.N. (ye.) woolly. Italy. 1827. — H. 2.
 8 maritima. L. (ye.) sea-side. Kamtschatka. 1821. — H. 2.
- BELLIDIASTRUM. Cas. BELLIDIASTRUM. Syngenesia Polygamia Superflua.
- Micheli*. Cas. (wh. ro.) Micheli's. Austria. 1570. 6. 8. H. 2. Bot. mag. t. 1196.
Arnica Bellidiastrum. B.M. *Doronicum Bellidiastrum*. L.
- DIPLOCOMA. D.D. DIPLOCOMA. Syngenesia Polygamia Superflua.
- villōsa. D.D. (ye.) villous. Mexico. 1827. 8. 10. F. 2. Swt. br. fl. gar. t. 246.
 N'EJA. D.D. N'EJA. Syngenesia Polygamia Superflua.
- gracilis. D.D. (ye.) slender. Mexico. 1828. 9. 10. F. 2. Swt. br. fl. gar. ser. 2.
- DORONICUM. W. LEOPARD'S-BANE. Syngenesia Polygamia Superflua. W.
- 1 Pardalīanchēs. w. (ye.) great. Britain. 5. H. 2. Eng. bot. v. 9. t. 630.
 2 macrophyllum. s.s. (ye.) large-leaved. Europe. 1821. — H. 2.
 3 scorpioides. w. (ye.) mountain. Germany. — 4. 6. H. 2.
 4 Columnnæ. T.S. (ye.) Columna's. Naples. 1826. — H. 2. Column. ecphr. 2. t. 46.
 5 caucasicum. M.B. (ye.) Caucasian. Caucasus. 1815. — H. 2.
orientale. W. en.
- 6 altaicum. w. (ye.) Siberian. Siberia. 1783. 6. 8. H. 2. Pall. a. pet. 1779. t. 16.
 7 dentatū. L. en. (ye.) toothed. 1825. 5. 6. H. 2.
 8 plantaginēum. w. (ye.) Plantain-leav'd. S. Europe. 1570. — H. 2.
 9 austriacum. w. (ye.) Austrian. Austria. 1816. — H. 2. Jacq. aust. t. 130.
- LEPTOSTELMA. D.D. LEPTOSTELMA. Syngenesia Polygamia Superflua.
- māxima. D.D. (wh.) gigantic. Mexico. 1828. 8. 9. H. 2. Swt. br. fl. gar. s. 2. t. 38.
- BE'LLIS. W. DAISY. Syngenesia Polygamia Superflua. L.
- 1 sylvestris. w. (wh.) large Portugal. Portugal. 1797. 5. 7. H. 2. Bot. mag. t. 2511.
 2 perennis. w. (wh.) common. Britain. 3. 8. H. 2. Eng. bot. v. 6. t. 424.
 β hortēnsis. (wh.) large double. — H. 2. Bot. mag. t. 228.
 γ fistulōsa. (re.) red quilled. — H. 2.
 δ tubulōsa. (wh.) white quilled. — H. 2.
 ε prolifera. (wh. re.) Hen & Chicken. — H. 2.
- 3 hy'brida. Ten. (wh.) Italian. Italy. 1824. 4. 8. H. 2.
 4 ānnua. w. (wh.) annual. S. Europe. 1759. 3. 7. H. 2. Bot. mag. t. 2174.
- BE'LLIUM. W. BE'LLIUM. Syngenesia Polygamia Superflua. L.
- 1 bellidioides. w. (wh.) small. Italy. 1796. 6. 9. H. 2. Lam. ill. t. 684.
 2 minūtum. w. (wh.) dwarf. Levant. 1772. 6. 10. H. 2. Schreb. a. ups. 1. t. 5.
- PSIADIA. W. PSIADIA. Syngenesia Polygamia Necessaria. W.
- glutinōsa. w. (ye.) glutinous. Mauritius. 1796. 6. 8. S. 2. Jacq. schoen. 2. t. 152.

Subordo IV. EUPATOREÆ. Kth. synops. 2. p. 403.

- K'UHNIA. W. K'UHNIA. Syngenesia Polygamia Æqualis.
- 1 eupatorioides. w. (wh.) Eupatorium-like. N. America. 1812. 6. 8. H. 2. Linn. fil. dec. t. 11.
Critonia eupatorioides. G.
- 2 Critōnia. w. (st.) glandular-leaved. — 1816. — H. 2. Gart. carp. 2. t. 174. f. 7.
Critonia Kuhnia. G.
- 3 rosmarinifolia. s.s. Rosemary-leaved. Cuba. 1827. S. 2.

EUPATORIUM. W. EUPATORIUM. Syngenesia Polygamia Æqualis. L.

1	Dalea. w.	(wh.) shrubby.	Jamaica.	1773.	8.	S. h.	Jacq. schœn. 2. t. 146.
2	parviflorum. w.	(wh.) small-flowered.	—	1823.	—	S. h.	—
3	triflorum. w.	(wh.) three-flowered.	Trinidad.	1821.	7. 8.	S. h.	Aub. gui. 2. t. 314.
4	macrophyllum. w.	(li.) large-leaved.	S. America.	1824.		S. 2l.	Plum. spec. 10. t. 129.
5	populifolium. k.s.	(wh.) Poplar-leaved.	Mexico.	—		S. h.	—
6	canescens. w.	(wh.) canescent.	S. America.	1822.	6. 8.	S. h.	Vahl symb. 3. t. 73.
7	veronicaefolium. k.s.	(w.) Speedwell-leav'd.	Mexico.	1823.		S. h.	H. et B. v. 4. t. 341.
8	feniculaceum. w.	(st.) Fennel-leaved.	N. America.	1807.	6. 9.	H. 2l.	—
9	coronopifolium. w.	(wh.) buckshorn-leaved.	—	1819.	8. 9.	H. 2l.	—
10	hyssopifolium. w.	(wh.) Hyssop-leaved.	—	1699.	—	H. 2l.	Dill. elth. t. 115. f. 140.
11	sessilifolium. w.	(wh.) sessile-leaved.	—	1777.	9. 10.	H. 2l.	—
12	truncatum. w.	(wh.) truncate-leaved.	—	1822.	8. 10.	H. 2l.	—
13	album. w.	(wh.) white-flowered.	—	—	—	H. 2l.	—
14	lanceolatum. w.	(wh.) spear-leaved.	—	1819.	8. 11.	H. 2l.	—
15	teucrifolium. w.	(wh.) Teucrum-leav'd.	—	1816.	—	H. 2l.	Willd. hort. ber. t. 32.
16	rotundifolium. w.	(wh.) round-leaved.	—	1699.	7. 8.	H. 2l.	Pluk. alm. t. 88. f. 4.
17	pubescens. w.	(wh.) pubescent.	—	1816.	8. 10.	H. 2l.	—
18	ceanothifolium. w.	(w.) Ceanothus-like.	—	1812.	8. 11.	H. 2l.	—
19	altissimum. w.	(wh.) tall.	—	1699.	9. 10.	H. 2l.	Jacq. vind. 2. t. 164.
20	trifoliatum. w.	(wh.) three-leaved.	—	1768.	8. 10.	H. 2l.	—
21	cannabinum. w.	(pu.) Hempagrimony.	Britain.		7. 10.	H. 2l.	Eng. bot. v. 6. t. 428.
22	syriacum. w.	(ro.) Syrian.	Syria.	1807.	7. 9.	H. 2l.	Jacq. ic. 1. t. 170.
23	diffusum. s.s.	(wh.) spreading.	S. America.	1821.	6. 8.	S. 2l.	—
24	purpureum. w.	(pu.) purple-stalked.	N. America.	1640.	9. 10.	H. 2l.	Corn. canad. t. 72.
25	maculatum. w.	(pu.) spotted-stalked.	—	1656.	8. 9.	H. 2l.	Herm. parad. t. 158.
26	punctatum. Ph.	(pu.) punctated.	—	1815.	—	H. 2l.	—
27	verticillatum. w.	(pu.) whorl-leaved.	—	1811.	—	H. 2l.	—
28	perfoliatum. w.	(wh.) Feverwort.	—	1699.	8. 10.	H. 2l.	Pluk. alm. t. 87. f. 6.
29	salviaefolium. B.M.	(wh.) Sage-leaved.	—	1812.	—	H. 2l.	Bot. mag. t. 2010.
30	lamiifolium. L.en.	(wh.) Lamium-leaved.	—	1818.	—	H. 2l.	—
31	paniculatum. Mil.	(wh.) panicled.	—		—	H. 2l.	—
32	melissoides. w.	(wh.) Balm-leaved.	—	1821.	8. 10.	H. 2l.	—
33	aromaticum. w.	(wh.) aromatic.	—	1739.	7. 8.	H. 2l.	Pluk. alm. t. 88. f. 3.
34	urticæfolium. w.	(wh.) Nettle-leaved.	S. America.	1803.	—	G. 2l.	Smith ined. t. 68.
35	ageratoides. w.	(wh.) Ageratum-like.	N. America.	1640.	8. 10.	H. 2l.	Corn. canad. t. 21.
36	deltoidesum. w.	(pi.) deltoid-leaved.	—	1818.	—	S. 2l.	Jacq. schœn. 3. t. 369.
37	scandens. L.en.	(ye.) climbing.	S. America.	1822.	6. 8.	S. h.	—
38	squarrosus. w.	(st.) squarrose.	Mexico.	1824.	—	S. 2l.	Cavan. ic. 1. t. 98.
39	atriplicifolium. w.	(li.) Orache-leaved.	W. Indies.	1820.		S. h.	—
40	sinuatum. P.s.	(wh.) sinuate.	—	1824.	6. 8.	S. h.	Plum. sp. 10. ic. 128. f. 1.
41	odoratum. w.	(wh.) sweet-scented.	Jamaica.	1752.	8. 10.	S. h.	Pluk. alm. t. 177. f. 3.
42	Ayapana. v.	(pu.) medicinal.	Brazil.	1821.	—	S. h.	Vent. malm. p. 3. t. 3.
43	tripplinerve. P.s.	 triply-nerved.	Santa Cruz.	—	—	S. h.	—
44	ivæfolium. w.	(wh.) Iva-leaved.	Jamaica.	1794.	6. 7.	S. 2l.	—
45	stœchadifolium. L.	(vi.) Stœchas-leav'd.	New Granada.	1826.		S. h.	Sm. ic. ined. t. 69.
46	myosotifolium. w.	(bl.) Myosotis-leav'd.	S. America.	1824.	6. 8.	S. 2l.	Jacq. ic. 3. t. 282.
47	iresinoides. k.s.	(wh.) Iresine-like.	—	—	—	S. 2l.	H. et B. v. 4. t. 340.
48	pulchellum. k.s.	(vi.) pretty.	Mexico.	—	—	S. h.	— v. 4. t. 345.
49	xalapense. k.s.	(wh.) six-angled.	—	—	—	S. h.	—
50	repandum. w.	(wh.) repand-leaved.	Antilles.	1822.	—	S. h.	Plum. ic. 130. f. 1.
51	asperum. H.B.	(wh.) rough.	E. Indies.	1820.	6. 8.	S. h.	—

MIK'ANIA. W. MIK'ANIA. Syngenesia Polygamia Æqualis. W.

1	Houstoni. w.	(wh.) Houston's.	Jamaica.	1733.	7. 8.	S. h.	—
2	hastata. w.	(wh.) halbert-leaved.	—		—	S. h.	Brown jam. t. 34. f. 3.
3	scandens. w.	(wh.) climbing.	N. America.	1714.	8. 9.	H. 2l.	Jacq. ic. 1. t. 169.
4	Guaco. k.s.	(wh.) medicinal.	S. America.	1823.		S. 2l.	H. et B. pl. 2. t. 105.
5	amara. w.	(wh.) bitter.	Trinidad.	1824.		S. h.	Aubl. gui. 2. t. 315.
6	opifera. Mart.	(wh.) snakewort.	Brazil.	1822.		S. h.	—
7	nummularia. D.D.	(wh.) moneywort.	Mexico.	1826.	6. 8.	S. 2l.	—

ST'EVIA. W. ST'EVIA. Syngenesia Polygamia Æqualis. W.

1	connata. L.G.	(wh.) connate-leaved.	New Spain.	1825.	8. 10.	F. h.	—
2	subpubescens. L.G.	(w.) downy-branch'd.	—	—	—	F. h.	—
3	coriacea. L.G.	(wh.) leather-leaved.	Pern.	1826.	—	F. h.	—
4	lucida. L.G.	(wh.) glossy-leaved.	New Spain.	1822.	—	F. h.	—
5	salicifolia. w.	(wh.) Willow-leaved.	Mexico.	1803.	—	F. h.	Cavan. ic. 4. t. 354.
6	angustifolia. k.s.	(wh.) narrow-leaved.	—	—	—	F. h.	—
7	trifida. L.G.	(wh.) trifid-leaved.	New Spain.	1828.	—	F. 2l.	—
8	micrantha. L.G.	(wh.) small-flowered.	—	1825.	8. 10.	F. 2l.	—

- 9 *incanescens*. L.G. (*wh.*) villous-stalked. New Spain. 1825. 8. 10. F. 21.
 10 *pubescens*. L.G. (*pu.*) pubescent. Mexico. 1823. — F. 21.
 11 *tomentosa*. K.S. (*ro.*) tomentose. — 1825. — F. 21.
 12 *monardæfolia*. K.S. (*ro.*) Monarda-leav'd. — 8. 9. F. 21.
 13 *fastigiata*. K.S. (*wh.*) crowded-flower'd. New Spain. 1828. — F. 21.
 14 *adenophora*. L.G. (*wh.*) glandular. Chile. 1822. — F. 21.
 15 *enarthrotricha*. L.G. (*w.*) jointed haired. New Spain. 1828. — F. 21.
 16 *ovata*. L.G. (*wh.*) oval-leaved. Mexico. 1816. 8. 9. F. 21.
 17 *subtoctaristata*. L.G. (*w.*) 8-awned. Peru. 1824. — F. 21.
 18 *paniculata*. L.G. (*wh.*) paniced. New Spain. — F. 21.
 19 *suaveolens*. L.G. (*wh.*) sweet-scented. — 1827. — F. 21.
 20 *rhombifolia*. K.S. (*wh.*) rhomb-leaved. Mexico. 1826. 8. 10. F. 21.
 21 *nepetæfolia*. K.S. (*wh.*) catmint-leaved. — F. 21.
 22 *Eupatoria*. w. (*ro.*) entire-leaved. — 1798. 7. 9. F. 21. Bot. mag. t. 1849.
 23 *lanceolata*. L.G. (*hh.*) spear-leaved. — 1824. — F. 21.
 24 *hyssopifolia*. B.M. (*wh.*) Hyssop-leaved. — F. 21. Bot. mag. t. 1861.
 25 *ivæfolia*. W.en. (*wh.*) Iva-leaved. — 1816. 7. 9. F. 21.
 26 *serrata*. w. (*wh.*) saw-leaved. — 1799. — F. 21. Jacq. schœn. 3. t. 300.
 27 *virgata*. K.S. (*wh.*) slender. — 1824. — F. 21.
 28 *purpurea*. W.en. (*pu.*) purple-flowered. — 1812. 8. 9. H. 21. Bot. reg. t. 93.
Eupatoria. B.R. *nec aliorum*.
 29 *viscida*. K.S. (*ro.*) rose-coloured. — 1824. 9. 10. F. 21.
 30 *pilosa*. L.G. (*ro.*) hairy. New Spain. 1825. 8. 10. F. 21.
 31 *microphylla*. K.S. (*wh.*) small-leaved. Mexico. 1828. — F. 21.
PALAFŌ'XIA. Lag. **PALAFŌ'XIA**. Syngenesia Polygamia Æqualis.
 1 *linearis*. L.G. (*wh.*) linear-leaved. Mexico. 1816. 8. 10. F. 21. Bot. mag. t. 2132.
Stèvia linearis. w. *Ageratium lineare*. Cav. ic. 3. t. 205.
 2 *callosa*. D.D. (*wh.*) callous. Arkansa. 1824. 6. 8. H. 21.
Stèvia callosa. N.
AGERATUM. W. **AGERATUM**. Syngenesia Polygamia Æqualis. L.
 1 *strictum*. B.M. (*wh.*) upright. Nepaul. 1820. 9. 11. H. 21. Bot. mag. t. 2410.
 2 *conyzoides*. w. (*bl.*) hairy. America. 1714. 7. 8. H. 21. Schk. hand. 3. t. 238.
 3 *ceruleum*. P.S. (*bl.*) blue-flowered. S. America. 1820. — H. 21.
 4 *mexicanum*. B.M. (*bl.*) Mexican. Mexico. 1823. 8. 10. H. 21. Swt. br. fl. gar. t. 89.
 5 *latifolium*. w. (*wh.*) broad-leaved. Peru. 1800. 7. 8. H. 21. Cavan. ic. 4. t. 357.
 6 *Houstonianum*. Mil. (*bl.*) Houston's. S. America. 6. 8. S. 21.
 7 *paniculatum*. Scr. (*bl.*) paniced. — 1827. 9. 10. H. 21.
 8 *album*. w. (*wh.*) white-flowered. — 1822. 6. 9. H. 21.
hirtum. Lam.
 9 *maritimum*. K.S. (*bl.*) sea-side. Cuba. 1826. — S. 21.
 10 *cordifolium*. H.B. (*wh.*) heart-leaved. Bengal. 1820. 8. 10. S. 21.
 11 *aquaticum*. H.B. (*wh.*) water. E. Indies. — S. 21.
CŒLEST'INA. Cas. **CŒLEST'INA**. Syngenesia Polygamia Æqualis.
 1 *suffruticosa*. (*bl.*) suffruticose. S. America. 7. 10. G. 21. Bot. mag. t. 1730.
Ageratium caelestinum. B.M.
 2 *ageratoïdes*. K.S. (*bl.*) Ageratum-like. New Spain. 1824. — G. 21.
 3 *cerulea*. Cas. (*bl.*) blue-flowered. N. America. 1732. 7. 11. H. 21. Dill. elth. t. 114. f. 139.
Eupatorium caelestinum. w.
AL'OMIA. K.S. **AL'OMIA**. Syngenesia Polygamia Æqualis.
ageratoïdes. K.S. (*wh.*) white-flowered. New Spain. 1823. 7. 9. G. 21. H. et B. 4. t. 354.
PIQUERIA. W. **PIQUERIA**. Syngenesia Polygamia Æqualis. W.
 1 *trinervia*. w. (*wh.*) three-nerved. Mexico. 1798. 7. 8. G. 21. Cavan. ic. 3. t. 235.
 2 *pilosa*. K.S. (*wh.*) hairy. — 1824. — G. 21.
 3 *artemisioides*. K.S. (*wh.*) Wormwood-like. Quito. — 8. 12. G. 21.
SELL'OA. Spr. **SELL'OA**. Syngenesia Polygamia Æqualis.
glutinosa. B.R. (*ye.*) clammy. Brazil. 1815. 1. 5. G. 21. Bot. reg. t. 462.
LEYS'ERA. W. **LEYS'ERA**. Syngenesia Polygamia Superflua. W.
 1 *ciliata*. w. (*ye.*) ciliated. C. B. S. 1816. 7. 8. G. 21.
 2 *gnaphalodes*. w. (*or.*) woolly. — 1774. 7. 9. G. 21. Jacq. ic. 3. t. 588.

SUBORDO V. *JACOBÆÆ*. Kth. synops. 2. p. 440.

- KLEINIA**. W. **KLEINIA**. Syngenesia Polygamia Æqualis. W.
 1 *ruderalis*. w. (*gr.ye.*) glaucous-leav'd. S. America. 1824. 7. 10. S. 21. Jacq. amer. t. 127.
 2 *Porophyllum*. w. (*gr.ye.*) perforated. — 1699. 6. 10. S. 21. Cavan. ic. 3. t. 222.
 3 *viridiflora*. K.S. (*gr.*) green-flowered. Mexico. 1823. — S. 21.

- 4 tagetoides. K.S. (gr.) Tagetes-like. Mexico. 1823. 6. 10. H. ☉.
 5 suffruticosa. w. (pu.) suffruticose. S. America. 1825. — G. ♀.
 6 colorata. K.S. (vi.) violet-colour'd. Mexico. — H. ☉.
CACALIA. W. **CACALIA.** Syngenesia Polygamia Æqualis. L.
 1 papillaris. w. (wh.) rough-stalked. C. B. S. 1727. G. ♀. Dill. elth. t. 55. f. 63.
 2 Anteuphorbium. w. (st.) oval-leaved. — 1596. 2. 3. G. ♀. — t. 55. f. 2. 3.
 3 Kleinia. w. (wh.) Oleander-leaved. Canaries. 1732. 9. 10. G. ♀. DC. plant. gras. t. 12.
 4 Ficoides. w. (st.) flat-leaved. C. B. S. 1710. 6. 11. G. ♀. — t. 90.
 5 repens. w. (st.) glaucous-leaved. — 1759. 6. 10. G. ♀. — t. 42.
 6 cylindrica. DC. (ye.) cylindrical. Africa. 1818. — G. ♀. — t. ic.
 7 carnosa. w. (st.) narrow-leaved. C. B. S. 1757. 6. G. ♀.
 8 canescens. w. (st.) woolly-leaved. — 1795. G. ♀.
Haworthii. H.S.L. *Kleinia tomentosa.* H.S. non *C. tomentosa.* L.
 9 longifolia. H.R. long-leaved. 1820. S. ♀.
pugioniformis. L.en.
 10 articulata. w. (wh.) jointed. C. B. S. 1775. 9. 11. G. ♀. DC. plant. gras. t. 18.
laciniata. Jacq. ic. 1. t. 168.
 11 tomentosa. w. (ye.) tomentose. — 1795. — G. ♀.
 12 reticulata. w. (ye.) netted. Bourbon. 1823. G. ♀.
 13 appendiculata. w. (ye.) appendaged. Teneriffe. 1815. 6. 9. G. ♀.
 14 salicina. Lab. (ye.) willow-leaved. V. Diem. Isl. 1820. 4. 6. G. ♀. Bot. reg. t. 923.
 15 bicolor. w. (or.) two-coloured. E. Indies. 1804. 9. 5. S. ♀. — t. 110.
 16 ovalis. B.R. (ye.) oval-leaved. — S. ♀. — t. 102.
 17 sonchifolia. w. (re.) Sonchus-leaved. — 1768. 7. S. ☉. Rheed. mal. 10. t. 68.
 18 coccinea. B.M. (sc.) scarlet-flower'd. S. America. 1799. 6. 7. H. ☉. Bot. mag. t. 564.
 19 sarraçenica. w. (st.) creeping-rooted. France. 1772. 8. 10. H. ♀.
 20 runcinata. K.S. (ro.) runcinate. Mexico. 1825. H. ♀.
 21 hastata. w. (wh.) spear-leaved. Siberia. 1780. 8. 10. H. ♀. Gmel. sib. 2. t. 66.
 22 rhombifolia. W.en. (st.) rhomb-leaved. — 1816. — H. ♀.
 23 macrophylla. M.B. (st.) large-leaved. Caucasus. 1828. — H. ♀.
 24 suaveolens. w. (wh.) sweet-scented. N. America. 1752. — H. ♀.
 25 atriplicifolia. w. (wh.) Orache-leaved. — 1699. 8. H. ♀. Pluk. alm. t. 101. f. 2.
 26 cordifolia. K.S. (ye.) heart-leaved. Mexico. 1825. 7. 9. F. ♀.
 27 reniformis. w. (wh.) kidney-leaved. N. America. 1801. 7. 8. H. ♀.
 28 tuberosa. N. (wh.) tuberous-rooted. — 1812. — H. ♀.
 29 pinnata. W.en. (ye.) pinnate-leaved. Iberia. 1816. — H. ♀.
 30 peltata. K.S. (gr.) peltated. Mexico. 1825. — G. ♀.
 31 scandens. w. (pi.) climbing. C. B. S. 1774. 4. G. ♀. H. et Bonpl. 4. t. 361.
EMILEA. Cas. **EMILEA.** Syngenesia Polygamia Æqualis.
flammea. Cas. (or. pu.) flame-flowered. Java. 1823. 6. 9. S. ☉.
Cacalia sagittata. w.
ADENO'STYLES. Cas. **ADENO'STYLES.** Syngenesia Polygamia Æqualis.
 1 candidissima. Cas. (pu.) hoary. S. France. 1828. 7. 9. H. ♀.
Cacalia tomentosa. Vill. *leucophylla.* w.
 2 albidia. Cas. (pi.) white-leaved. Austria. 1739. 7. 8. H. ♀. Jacq. aust. 3. t. 235.
Cacalia albifrons. Jacq.
 3 viridis. Cas. (li.) alpine. — — — H. ♀. Jacq. aust. 3. t. 234.
Cacalia alpina. Jacq.
TUSSILAGO. W. **COLTSFOOT.** Syngenesia Polygamia Superflua. L.
 1 alpina. w. (pu.) Alpine. Austria. 1710. 3. 5. H. ♀. Bot. mag. t. 84.
 2 discolor. w. (pu.) two-coloured. — 1633. 4. 5. H. ♀. Jacq. aust. 3. t. 247.
 3 sylvestris. w. (pu.) wood. — 1816. — H. ♀. — 5. app. t. 12.
 4 Färfara. w. (ye.) common. Britain. 3. 4. H. ♀. Eng. bot. v. 6. t. 429.
β variegata. (ye.) *variegated-leav'd.* — H. ♀.
 5 frigida. w. (pu.) Lapland. Lapland. 1710. 5. H. ♀. Flor. dan. t. 61.
 6 fragrans. w. (bh.) fragrant. Italy. 1806. 1. 3. H. ♀. Bot. mag. t. 1388.
 7 alba. w. (wh.) white butter-bur. Europe. 1683. 1. 4. H. ♀. Flor. dan. t. 524.
 8 corymbosa. s.s. (wh.) corymböse. Arctic regions. 1827. — H. ♀.
 9 nivea. w. (wh.) downy-leaved. Switzerland. 1713. 4. H. ♀. Retz. obs. 2. t. 3.
paradoxa. Retz.
 10 Petasites. E.B. (bh.) common butter bur. Britain. 3. 4. H. ♀. Eng. bot. v. 6. t. 431.
 11 hy'brida. E.B. (bh.) large-leaved. — H. ♀. — v. 6. t. 430.
 12 spuria. w. (wh.) lobe-leaved. Germany. 1790. — H. ♀. Retz. obs. 1. t. 2.
paradoxa. Roth.
 13 palmata. w. (wh.) cut-leaved. Labrador. 1778. 4. H. ♀. Hort. Kew. v. 3. t. 11.
SEN'ECIO. W. **GROUNDSEL.** Syngenesia Polygamia Superflua. W.
 1 reclinatus. w. (ye.) grass-leaved. C. B. S. 1774. 6. 8. G. ♂. Jacq. ic. 1. t. 174.
 2 hieracifolius. w. (ye.) hawkweed-leav'd. N. America. 1699. 8. H. ☉. Herm. parad. t. 226.
 3 purpureus. w. (pu.) purple. C. B. S. 1774. 7. 9. G. ♀. Jacq. ic. 3. t. 580.

4	cérnuus. w.	(pu.) drooping.	E. Indies.	1780.	7. 8. H. ☉.	Jacq. vind. 3. t. 98.
5	erubescens. w.	(bh.) blush-coloured.	C. B. S.	1774.	6. 10. G. ☿.	
6	hæmatophyllus. W. en.	(ye.) purple leaved.	—	1789.	— G. ♀.	
7	divaricatus. w.	(ye.) straddling.	China.	1801.	7. G. ☿.	
8	croaticus. w.	(ye.) Croatian.	Hungary.	1805.	7. 8. H. ♀.	W. et K. hung. 2. t. 143.
9	pseudo-China. w.	(or.) Chinese.	China.	1732.	6. 8. G. ♀.	Dill. elth. t. 258. f. 335.
10	japonicus. w.	(ye.) jagged-leaved.	Japan.	1774.	8. H. ♀.	
11	vulgaris. w.	(ye.) common.	Britain.		1. 12. H. ♀.	Eng. bot. v. 11. t. 747.
12	lanuginosus. s.s.	(ye.) woolly.		1827.	4. 8. H. ☉.	
13	valerianæfolius. s.s.	(ye.) Valerian-leav'd.	Brazil.	1826.	6. 10. F. ☉.	
14	peucedanifolius. w.	(w.) Peucedanum-leav'd.	C. B. S.	1816.	6. 8. G. ♀.	Jacq. ic. 3. t. 581.
	<i>Cacalia peucedanifolia</i> . Jacq.					
15	arabicus. w.	(ye.) Arabian.	Egypt.	1804.	7. 8. H. ☿.	
16	verbenæfolius. w.	(ye.) Vervain-leav'd.	—	1803.	6. 7. H. ☉.	Jacq. vind. 1. t. 3.
17	glomeratus. L. en.	(ye.) close-flowered.	N. Holland.	1816.	8. 10. H. ☉.	
18	calcioides. L. en.	(ye.) Calacia-like.	Brazil.	1820.	— H. ☉.	
19	triflorus. w.	(ye.) three-flowered.	Egypt.	1776.	7. 9. H. ☉.	
20	ægyptius. w.	(ye.) Egyptian.	—	1771.	7. 8. H. ☉.	
21	crassifolius. w.	(ye.) thick-leaved.	S. Europe.	1815.	— H. ☉.	
22	lividus. w.	(ye.) livid.	Britain.		— H. ☉.	Eng. bot. v. 35. t. 2515.
23	telephifolius. w.	(ye.) Telephium-leav'd.	C. B. S.	1823.	— H. ☉.	Jacq. frag. 1. t. 1. f. 3.
24	trilobus. w.	(ye.) three-lobed.	Spain.	1728.	6. 8. H. ☉.	
25	cinerascens. w.	(ye.) gray.	C. B. S.	1774.	5. 7. G. ♀.	Jacq. schœm. 2. t. 150.
26	lilacinus. s.s.	(li.) lilac-coloured.	—	1826.	6. 12. G. ♀.	Link et Ott. abb. ic.
27	viscosus. w.	(ye.) stinking.	Britain.		6. 10. H. ☉.	Eng. bot. v. 1. t. 32.
28	sylvaticus. w.	(st.) mountain.	—		7. 8. H. ☉.	— v. 11. t. 748.
29	coronopifolius. w.	(ye.) Buck'shorn-leav'd.	Spain.	1821.	— H. ☉.	
30	nebrodensis. w.	(ye.) Nebrodes.	S. Europe.	1704.	6. 8. H. ☉.	Barrel. rar. 401.
31	glaucus. w.	(ye.) sea-green.	Egypt.	1739.	— H. ☉.	
32	Marmoræ. s.s.	(ye.) Sardinian.	Sardinia.	1829.	4. 5. H. ☿.	
33	hastatus. w.	(ye.) halbert-leaved.	C. B. S.	1722.	5. 8. G. ♀.	Dill. elth. t. 152. f. 184.
34	pubigerus. w.	(ye.) runcinate-leav'd.	—	1816.	— G. ♀.	Moris. s. 7. t. 18. f. 32.
35	vernalis. w.	(ye.) spring.	Hungary.	1803.	4. 6. H. ☉.	W. et K. hung. 1. t. 24.
36	montanus. w.	(ye.) smooth mountain.	Germany.	1819.	— H. ☉.	
37	rupëstris. w.	(ye.) rock.	Hungary.	1805.	6. 7. H. ♀.	W. et K. hung. 2. t. 128.
38	laciniata. Bert.	(ye.) jagged.	Italy.	1822.	5. 8. H. ☿.	
39	dentatus. w.	(ye.) toothed-leaved.	C. B. S.	1823.	— G. ♀.	
40	squamosus. w.	(ye.) scaly.	—	1816.	— G. ♀.	
41	venustus. w.	(re.) wing-leaved.	—	1774.	5. 11. G. ♀.	Bot. reg. t. 901.
42	elegans. w.	(re. wh.) elegant.	—	1700.	6. 8. H. ☉.	
	<i>a ruber.</i>	(re.) red-flowered.	—	—	— H. ☉.	
	<i>β albus.</i>	(wh.) white-flowered.	—	—	— H. ☉.	
	<i>γ pleno-albus.</i>	(wh.) double-white.	—	—	4. 11. G. ♀.	
	<i>δ pleno-ruber.</i>	(re.) double red.	—	—	— G. ♀.	Bot. mag. t. 238.
43	speciosus. w.	(re.) red-flowered.	China.	1789.	7. 8. G. ♀.	Bot. reg. t. 41.
44	squælidus. w.	(ye.) inelegant.	England.		6. 10. H. ☉.	Eng. bot. v. 9. t. 600.
45	erucæfolius. w.	(ye.) Eruca-leaved.	Europe.	1816.	7. 8. H. ♀.	
46	chrysanthemifolius.	(ye.) Chrysanthemum-ld.	Sicily.	1823.	7. 9. H. ♀.	Bocc. sic. t. 67.
47	uniflorus. w.	(ye.) one-flowered.	S. Europe.	1799.	7. 8. H. ♀.	All. ped. t. 17. f. 8.
48	incanus. w.	(ye.) downy.	—	1759.	— H. ♀.	Pluk. alm. t. 39. f. 6.
49	abrotanifolius. w.	(ye.) Southernwood-leav'd.	—	1640.	7. 10. H. ♀.	Jacq. aust. 1. t. 79.
50	artemisæfolius. P. s.	(ye.) Wormwood-leav'd.	France.	1820.	— H. ♀.	
51	præaltus. s.s.	(ye.) lofty.	Italy.	1827.	7. 8. H. ♀.	
52	Othônna. M. B.	(ye.) Othonna-like.	Caucasus.	1822.	— H. ♀.	
53	Marschallianus. s.s.	(ye.) Bieberstein's.	Ukraine.	1826.	— H. ♀.	
	<i>arenarius</i> . M. B. non Thunb.					
54	grandiflorus. s.s.	(ye.) large-flowered.	C. B. S.	1824.	6. 8. G. ♀.	Pluk. mant. t. 422. f. 5.
55	glaucescens. s.s.	(ye.) glaucous.		1826.	6. 10. H. ☉.	
56	carniolicus. s.s.	(ye.) Carniolian.	Carniola.	1827.	7. 8. H. ♀.	
57	adonidifolius. Lois.	(ye.) Adonis-leaved.		1826.	7. 10. H. ♀.	
58	dahuricus. F.	(ye.) Dahurian.	Dahuria.	1821.	— H. ♀.	
59	umbellatus. s.s.	(ye. pu.) umbel-flowered.	C. B. S.	1822.	6. 8. G. ♀.	
60	canadensis. w.	(ye.) Canadian.	N. America.	1818.	— H. ♀.	
61	delphinifolius. w.	(ye.) Larkspur-leav'd.	Sicily.	1823.	— H. ♀.	Vahl symb. 2. t. 43.
62	tenuifolius. w.	(ye.) slender-leaved.	Britain.		7. 8. H. ♀.	Eng. bot. v. 8. t. 574.
63	Jacobæa. w.	(ye.) common-ragwort.	—		— H. ♀.	— v. 16. t. 1130.
64	erraticus. s.s.	(ye.) water.	S. Europe.	1826.	5. 7. H. ♀.	
65	aquaticus. w.	(ye.) marsh.	—		— H. ♀.	Eng. bot. v. 16. t. 1131.
66	aureus. w.	(ye.) golden.	N. America.	1758.	7. 8. H. ♀.	

67	lyratifolius. s.s.	(ye.)	lyrate-leaved.	S. Europe.	1826.	5. 6.	H. 2.	
68	fragrans. s.s.	(ye.)	fragrant.	Siberia.	—	6. 8.	H. 2.	
69	Balsamitæ. w.	(ye.)	various-leaved.	N. America.	1819.	—	H. 2.	
70	obovatus. w.	(ye.)	obovate-leaved.	—	—	—	H. 2.	
71	leucophyllus. DC.	(ye.)	white-leaved.	S. Europe.	1821.	—	H. 2.	
72	rosmarinifolius. w.	(ye.)	Rosemary-leav'd.	C. B. S.		7. 8.	G. h.	Jacq. ic. 3. t. 587.
73	asper. w.	(ye.)	rough.	—	1774.	—	G. h.	
74	linifolius. w.	(ye.)	Flax-leaved.	Spain.	1817.	—	H. 2.	Barrel. rar. t. 802.
75	rigescens. w.	(ye.)	stiff-leaved.	C. B. S.	1815.	—	G. h.	Jacq. coll. 5. t. 6. f. 1.
76	nervatus. s.s.	(pu.)	nerved-leaved.	—	1824.	7. 8.	G. h.	
77	paludosus. w.	(ye.)	Bird's-tongue.	England.		6. 8.	H. 2.	Eng. bot. v. 10. t. 650.
78	persicæfolius. DC.	(ye.)	peach-leaved.	Pyrenees.	1817.	—	H. 2.	Ram. bul. phil. t. 11. f. 3.
79	memorënsis. w.	(ye.)	branching.	Austria.	1785.	7. 8.	H. 2.	Jacq. aust. 2. t. 184.
80	sarracenicus. w.	(ye.)	creeping-root'd.	Britain.		7. 10.	H. 2.	Eng. bot. v. 31. t. 2211.
81	ovatus. w.	(ye.)	oval-leaved.	Germany.	1817.	—	H. 2.	
82	coriæceus. w.	(ye.)	leathery-leaved.	Levant.	1728.	7. 8.	H. 2.	Dill. elth. t. 105. f. 125.
83	Doria. w.	(ye.)	broad-leaved.	Austria.	1570.	7. 9.	H. 2.	Jacq. aust. 2. t. 185.
84	macrophyllus. M.B.	(ye.)	large-leaved.	Caucasus.	1817.	—	H. 2.	
85	Doronicum. w.	(ye.)	Leopard's-bane.	S. Europe.	1705.	—	H. 2.	Jacq. aust. 5. t. ap. 45.
86	umbrosus. W.K.	(ye.)	ear-leaved.	Hungary.	1815.	—	H. 2.	
87	Barrelieri. w.	(ye.)	Barrelier's.	Pyrenees.	1824.	—	H. 2.	Barrel. ic. 146.
88	lanceus. w.	(ye.)	spear-leaved.	C. B. S.	1774.	7. 10.	G. h.	
89	oporinus. w.	(ye.)	Jacquin's.	—		—	G. 2.	Jacq. schœn. 3. t. 304.
90	longifolius. w.	(ye.)	long-leaved.	—	1775.	8. 11.	G. h.	Comm. hort. 2. t. 71.
91	halimifolius. w.	(ye.)	succulent-leaved.	—	1723.	7.	G. h.	Dill. elth. t. 104. f. 124.
92	ilicifolius. w.	(ye.)	Ilex-leaved.	—	1731.	6. 7.	G. h.	Comm. rar. t. 42.
93	rigidus. w.	(ye.)	hard-leaved.	—	1704.	6. 9.	G. h.	Comm. hort. 2. t. 75.
94	solidaginoides. w.	(ye.)	Golden-rod-like.	—	1819.	—	G. h.	Hout. syst. 4. t. 32. f. 1.
95	vernus. Biv.	(ye.)	vernal.	Italy.	—	—	H. 2.	
96	cordifolius. s.s.	(ye.)	heart-leaved.	C. B. S.	1827.	7. 9.	G. 2.	
97	arenarius. s.s.	(ye.)	sand.	—	1826.	—	G. 2.	
98	spicatus.	(ye.)	spike-flowered.		1828.	—	H. 2.	
ADENOTRICHIA. B.R. ADENOTRICHIA. Syngenesia Polygamia Superflua.								
	amplexicaulis. B.R.	(ye.)	stem-clasping.	Chile.	1826.	5. 7.	F. 2.	Bot. reg. t. 1190.
SENECILLIS. G. SENECILLIS. Syngenesia Polygamia Superflua.								
	glauca. G.	(ye.)	glaucous.	Siberia.	1790.	6. 7.	H. 2.	Gmel. sib. 2. t. 74.
Cineraria glauca. w.								
CINERARIA. W. CINERARIA. Syngenesia Polygamia Superflua. L.								
1	americana. w.	(ye.)	American.	S. America.	1823.		S. h.	
2	incana. P.S.	(ye.)	hoary.	Jamaica.	—	6. 8.	S. h.	
3	discolor. P.S.	(ye.)	two-coloured.	—	1822.	—	S. h.	
4	lucida. P.S.	(ye.)	glossy.	W. Indies.	—	—	S. h.	Plum. 2. ic. 154.
5	glabrata. s.s.	(ye.)	smooth.	—	1827.	4. 7.	S. h.	
6	geifolia. w.	(ye.)	kidney-leaved.	C. B. S.	1710.	4. 8.	G. h.	Comm. hort. 2. t. 73.
7	caescens. L.en.	(ye.)	small-flowered.	—	1790.	—	G. h.	Bot. mag. t. 1990.
8	aurea. w.	(pu.)	purple-flower'd.	Madeira.	1777.	6. 7.	G. h.	— t. 1786.
9	lactea. W.en.	(wh.)	milk-coloured.		1816.	—	G. h.	
10	lanata. w.	(pu.)	woolly.	Canaries.	1780.	5. 9.	G. h.	Bot. mag. t. 53.
11	hybrida. W.en.	(ye.)	hybrid.	Hybrid.		2. 5.	G. h.	
12	elatior. L.en.	(wh.)	tall.			—	G. h.	
13	cruenta. w.	(pu.)	purple-leaved.	Canaries.	1777.	—	G. 2.	Bot. mag. t. 406.
aurea. A.R. 24. nec aliorum.								
14	pulchella.	(re.)	bright red-flower'd.	—	1818.	—	G. 2.	
15	populifolia. H.K.	(re.)	Poplar-leaved.	—	1780.	6. 9.	G. h.	Venten. malm. t. 100.
16	hypoleuca. s.s.	(pu.)	snowy-leaved.	C. B. S.	1828.	4. 7.	G. h.	
17	venusta. s.s.	(re.)	charming.	—	—	—	G. 2.	
18	lobata. w.	(ye.)	lobed.	—	1774.	6. 8.	G. h.	
19	malvæfolia. w.	(li.)	Mallow-leaved.	Azores.	1777.	8.	G. 2.	
20	petasites. B.M.	(ye.)	butter-bur-leav'd.	Mexico.	1812.	12. 2.	G. h.	Bot. mag. t. 1536.
21	præcox. w.	(ye.)	early-flowering.	—	1824.	2. 4.	G. h.	DC. pl. rar. gen. t. 7.
22	sibirica. w.	(ye.)	Siberian.	Siberia.	1784.	6. 8.	H. 2.	Bot. mag. t. 1869.
23	speciosa. L.en.	(ye.)	large-flowered.	—	1818.	—	H. 2.	Bot. reg. t. 812.
24	caucætica. M.B.	(ye.)	Caucasean.	Caucasus.	1820.	—	H. 2.	
25	gigantea. H.K.	(bh.)	gigantic.	Cape Horn.	1801.	7. 8.	H. 2.	Sm. exot. bot. 2. t. 65.
26	lævis. s.s.	(ye.)	smooth.	C. B. S.	1828.	4. 7.	G. 2.	
27	crenata. s.s.	(st.)	crenate.	—	—	—	G. 2.	
28	palustris. w.	(ye.)	marsh.	England.		—	H. 2.	Eng. bot. v. 3. t. 151.
29	aurantiaca. w.	(or.)	orange-colour'd.	Switzerland.	1818.	5. 7.	H. 2.	Swt. br. fl. gar. t. 256.
30	campêstris. w.	(ye.)	mountain.	N. Europe.		—	H. 2.	Jacq. aust. t. 186.

31	<i>integrifolia</i> E.B. (ye.) entire-leaved.	England.		5. 7. H. 2.	Eng. bot. v. 3. t. 152.
32	<i>longifolia</i> W. (ye.) long-leaved.	Austria.	1792.	6. 8. H. 2.	Jacq. aust. 2. t. 181.
33	<i>crispa</i> W. (ye.) curled.	————	1818.	—— H. 2.	———— 2. t. 178.
34	<i>cordifolia</i> W. (ye.) heart-leaved.	————	1739.	7. 8. H. 2.	———— 2. t. 176.
35	<i>media</i> W.K. (ye.) intermediate.	Hungary.	1818.	—— H. 2.	
36	<i>alpina</i> W. (ye.) Alpine.	Austria.	1683.	6. 8. H. 2.	Jacq. aust. 2. t. 177.
37	<i>aurea</i> W. (ye.) golden.	Siberia.	1825.	—— H. 2.	
38	<i>rivularis</i> S.S. (ye.) rivulet.	Hungary.	1822.	—— H. 2.	
39	<i>crassifolia</i> S.S. (ye.) thick-leaved.	Carinthia.	1825.	—— H. 2.	
40	<i>alpestris</i> S.S. (ye.) rough-leaved.	N. Europe.	1826.	—— H. 2.	
41	<i>spatulifolia</i> S.S. (ye.) spatulate-leav'd.	Germany.	1820.	—— H. 2.	
42	<i>papposa</i> S.S. (ye.) long-chaffed.	Gallicia.	1828.	—— H. 2.	
43	<i>parviflora</i> S.S. (ye.) small-flowered.	Caucasus.	1827.	—— H. 2.	
44	<i>congesta</i> S.S. (ye.) close-headed.	Melville Isl.	——	5. 6. H. 2.	
45	<i>taraxacifolia</i> S.S. (ye.) Dandelion-leav'd.	Caucasus.	1824.	6. 8. H. 2.	
46	<i>exsquamata</i> (ye.) scaleless.	Portugal.	1827.	—— H. 2.	
<i>Senecio exsquameus</i> Brot.					
47	<i>frigida</i> S.S. (ye.) frigid.	N. America.	1827.	5. 6. H. 2.	
48	<i>scapiflora</i> S.S. (ye.) long-peduncled.	C. B. S.	1828.	—— G. 2.	
49	<i>gibbosa</i> S.S. (ye.) gibbous-headed.	Sicily.	——	6. 8. H. 2.	
50	<i>Aitoniana</i> S.S. (ye.) Aiton's.			—— G. 2.	
51	<i>maritima</i> W. (ye.) sea ragwort.	S. Europe.	1633.	7. 9. F. 2.	Flor. græc. t. 871.
52	<i>bicolor</i> W. (ye.) shining-leaved.		1820.	—— F. 2.	
53	<i>acanthifolia</i> S.S. (ye.) Acanthus-leav'd.	Levant.	1826.	—— G. 2.	
54	<i>thyrsoides</i> F. (ye.) thyrses-flower'd.	Armenia.	1827.	—— H. 2.	
55	<i>angulata</i> (ye.) angular-leaved.	Mexico.	——	12. 1. G. 2.	
56	<i>canadensis</i> (ye.) Canadian.	Canada.	1739.	6. 8. H. 2.	
57	<i>linifolia</i> W. (ye.) flax-leaved.	C. B. S.		—— G. 2.	Jacq. schoen. 3. t. 308.
58	<i>angustifolia</i> K.S. (ye.) narrow-leaved.	Mexico.	1825.	 G. 2.	
59	<i>humifusa</i> W. (ye.) trailing.	C. B. S.	1704.	7. 8. G. 2.	
60	<i>viscosa</i> W. (wh.) clammy.	————	1774.	6. 8. G. 2.	Jacq. frag. 12. t. 7. f. 2
61	<i>vestita</i> H.R. (ye.) clothed.	————	1824.	5. 6. G. 2.	
AGATHÆA. Cas. AGATHÆA. Syngenesia Polygamia Superflua.					
	<i>cœlestis</i> Cas. (bl.) Cape-Aster.	C. B. S.	1753.	2. 9. G. 2.	Bot. mag. t. 249.
<i>Cineraria amelloides</i> W.					
KAULFU'SSIA. Nees. KAULFU'SSIA. Syngenesia Polygamia Superflua.					
1	<i>amelloides</i> Nees. (bl.) blue-flowered.	C. B. S.	1819.	6. 7. H. 2.	Bot. reg. t. 490.
2	<i>ciliata</i> S.S. (st.) fringed.	————	1822.	6. 9. H. 2.	
TAGÈTES. W. TAGÈTES. Syngenesia Polygamia Superflua. L.					
1	<i>lucida</i> W. (ye.) sweet-scented.	Mexico.	1798.	7. 11. F. 2.	Bot. mag. t. 740.
2	<i>florida</i> B.F.G. (ye.) gay-flowering.	————	1827.	8. 11. F. 2.	Swt. br. fl. gar. s. 2. t. 35.
3	<i>pátula</i> W. (pu.) French Marygold.	————	1573.	7. 10. H. 2.	Bot. mag. t. 150.
4	<i>corymbosa</i> B.F.G. (va.) corymbus-flower'd.	————	1825.	9. 11. H. 2.	Swt. br. fl. gar. t. 151.
	<i>a purpurea</i> (pu.) purple-flowered.	————	——	—— H. 2.	
	<i>β lutea</i> (ye.) yellow-flowered.	————	——	—— H. 2.	
5	<i>erecta</i> W. (ye.) African Marygold.	————	1596.	6. 9. H. 2.	Lam. ill. t. 684.
6	<i>tenuifolia</i> W. (ye.) fine-leaved.	————	1797.	7. 10. H. 2.	Swt. br. fl. gar. t. 141.
7	<i>subvillosa</i> L.G. (ye.) villous-leaved.	————	1825.	8. 11. H. 2.	
8	<i>minuta</i> W. (ye.) small-flowered.	Chili.	1728.	8. 10. H. 2.	Dill. elth. t. 280. f. 362.
9	<i>clandestina</i> L.G. (ye.) small-rayed.	Mexico.	1822.	—— H. 2.	
<i>coronopifolia</i> W.en.					
10	<i>micrantha</i> W. (ye.) solitary-flower'd.	————	——	—— H. 2.	Cavan. ic. 4. t. 352.
11	<i>glandulosa</i> L.en. (ye.) glandular.	————	1825.	—— H. 2.	
12	<i>glandulifera</i> Sck. (ye.) gland-bearing.	————	1826.	9. 11. H. 2.	
BœBERA. W. BœBERA. Syngenesia Polygamia Superflua.					
1	<i>glandulosa</i> N. (ye.) glandular.	N. America.	1823.	8. 9. H. 2.	Venten. cels. t. 36.
	<i>chrysanthemoides</i> W.en. <i>Tagetes papposa</i> v. <i>Dyssodia glandulosa</i> Cav.	————	——	—— H. 2.	
2	<i>Porophyllum</i> K.S. (ye.) Mexican.	Mexico.	——	—— H. 2.	
	<i>Dyssodia Porophyllum</i> W.en.	————	——	—— H. 2.	
3	<i>fastigiata</i> K.S. (ye.) clustered.	————	1827.	9. 11. H. 2.	
4	<i>divaricata</i> (ye.) spreading.	————	1828.	—— H. 2.	
	<i>Dyssodia divaricata</i> Rich.	————	——	—— H. 2.	
5	<i>pubescens</i> S.S. (ye.) pubescent.	New Spain.	1826.	8. 10. H. 2.	Cavan. icon. 3. t. 212.
	<i>Dyssodia pubescens</i> L.G. <i>Aster pinnatus</i> Cavan.	————	——	—— H. 2.	
OTHONNA. W. RAGWORT. Syngenesia Polygamia Necessaria. L.					
1	<i>flabellifolia</i> B.C. (ye.) fan-leaved.	C. B. S.	1822.	7. 9. G. 2.	Lodd. bot. cab. t. 728.
2	<i>pinnatifida</i> P.S. (ye.) pinnatifid.	————	1823.	—— G. 2.	
3	<i>pinnata</i> W. (ye.) wing-leaved.	————	1759.	4. 6. G. 2.	Bot. mag. t. 768.
4	<i>ciliata</i> W. (ye.) fringed-leaved.	————	1824.	5. 6. G. 2.	
5	<i>Tagetes</i> W. (ye.) slender-stalked.	————	1823.	7. 9. H. 2.	

6	pectinàta. w.	(ye.)	Wormwood-leav'd.	C. B. S.	1731.	4. 6.	G. h.	Bot. mag. t. 306.
7	Athanasiæ. w.	(ye.)	Athanasia-like.	—	1795.	11. 12.	G. h.	Jacq. schœn. 2. t. 242.
8	abrotanifolia. w.	(ye.)	Southernwood-leav'd.	—	1692.	1. 5.	G. h.	Bot. reg. t. 108.
9	digitata. w.	(ye.)	finger-leaved.	—	1822.	6. 9.	G. 2.	
10	trifurcata. w.	(ye.)	three-forked.	—	—	—	G. h.	
11	trifida. w.	(ye.)	trifid-leaved.	—	1823.	—	G. h.	
12	retrofracta. w.	(ye.)	axillary-flower'd.	—	1812.	—	G. h.	Jacq. schœn. 3. t. 376.
13	coronopifolia. w.	(ye.)	Buckshorn-leav'd.	—	1731.	7. 9.	G. h.	Comm. hort. 2. t. 70.
14	cheirifolia. w.	(ye.)	Stock-leaved.	Barbary.	1752.	4. 6.	H. h.	Bot. reg. t. 266.
15	crassifolia. w.	(ye.)	thick-leaved.	C. B. S.	1710.	9. 10.	G. h.	Mill. ic. 2. t. 245. f. 2.
16	denticulata. w.	(ye.)	tooth-leaved.	—	1774.	4. 7.	G. h.	Bot. mag. t. 1979.
17	heterophylla. w.	(ye.)	various-leaved.	—	1812.	—	G. 2.	
18	Lingua. w.	(ye.)	tongue-leaved.	—	1787.	5. 9.	G. 2.	Jacq. schœn. 2. t. 238.
19	filicaulis. w.	(ye.)	Yam-rooted.	—	1791.	4. 5.	G. 2.	— 2. t. 241.
20	bulbosa. w.	(ye.)	bulbous.	—	1774.	5. 6.	G. 2.	Breyn. cent. t. 66.
21	capillaris. w.	(ye.)	capillary-stalked.	—	1822.	6. 9.	H. 2.	
22	parviflora. w.	(ye.)	small-flowered.	—	1704.	7. 8.	G. h.	Volk. norib. t. 226.
23	perfoliata. H.K.	(ye.)	perfoliate.	—	1789.	5. 7.	G. 2.	Jacq. schœn. t. 240.
	amplexicaulis. B.M.	1312.	non Thunb.	—	—	—	—	
24	ericoides. w.	(ye.)	Heath-leaved.	—	1815.	7. 8.	G. h.	
25	linifolia. w.	(ye.)	Flax-leaved.	—	1825.	—	G. h.	
26	tenuissima. w.	(ye.)	fine-leaved.	—	1759.	4. 7.	G. h.	Jacq. schœn. 2. t. 239.
27	frutescens. w.	(ye.)	frutescent.	—	1816.	7. 8.	G. h.	Comm. hort. 2. t. 70.
28	arborescens. w.	(ye.)	tree.	—	1723.	—	G. h.	Dill. elth. t. 103. f. 123.
29	cauloides. w.	(ye.)	tuberous.	—	1774.	5. 9.	G. h.	
30	amplexicaulis. w.	(ye.)	stem-clasping.	—	1826.	—	G. h.	

Subordo VI. *HELIANTHÆE*. *Kth. synops.* 2. p. 463.

HYMENOPAPPUS. J. HYMENOPAPPUS. Syngenesia Polygamia Æqualis.

- 1 pedatus. LG. (wh.) pedate-leaved. Mexico. 1803. 7. 9. G. 2. Cavan. ic. 4. t. 356.
Stevia pedata. B.M. 2040. *Florestina pedata*. Cas.
2 scabiosæus. Ph. (wh.) Scabious-like. Missouri. 1812. 6. 8. H. 2. Jour. de hist. nat. n. 1. ic.
3 tenuifolia. Ph. (wh.) slender-leaved. — 1811. — F. 2.

SCHKÜHRIA. W. SCHKÜHRIA. Syngenesia Polygamia Superflua. L.

- abrotanoides. w. (wh.) Wormwood-leav'd. Mexico. 1798. 7. 9. H. 2. Schk. hand. 3. t. 250. b.

PECTIS. W. PECTIS. Syngenesia Polygamia Superflua. L.

- 1 humifusa. w. (ye.) trailing. W. Indies. 1822. 7. 9. S. 2. Plum. ic. t. 95. f. 2.
2 prostrata. w. (ye.) prostrate. New Spain. 1824. — H. 2. Cavan. ic. 4. t. 324.
3 ciliaris. w. (ye.) ciliated. Hispaniola. 1793. 7. S. 2. Plum. ic. 151. f. 2.
4 linifolia. w. (ye.) Flax-leaved. Jamaica. 1732. 7. 8. S. 2. Sloan. hist. 1. t. 149. f. 3.
5 canescens. K.S. (ye.) canescent. Mexico. 1827. 8. 9. H. 2. H. et B. n. gen. 4. t. 393.
6 punctata. w. (ye.) dotted. Hispaniola. 1824. 6. 8. S. 2. Jacq. amer. t. 126.

HETEROSPERMUM. HETEROSPERMUM. Syngenesia Polygamia Superflua. W.

- pinnatum. w. (ye.) wing-leaved. New Spain. 1799. 8. 9. H. 2. Cavan. ic. 3. t. 267.

MELANANTHERA. M. MELANANTHERA. Syngenesia Polygamia Æqualis. P.S.

- 1 Linnæi. K.S. (li.) Linnæus's. S. America. 1799. 6. 8. S. 2. Jacq. ic. 3. t. 583.

Bidens nivea. L. *Cala aspera*. Jacq.

- 2 hastata. M. (wh.) hastate-leaved. N. America. 1732. — G. 2. Dill. elth. t. 47. f. 55.
β pandurata. Ph. (wh.) fiddle-leaved. — — G. 2. — t. 46. f. 54.

MARSHALLIA. W. MARSHALLIA. Syngenesia Polygamia Æqualis. W.

- 1 lanceolata. Ph. (li.) spear-leaved. Carolina. 1812. 6. 7. F. 2.
2 latifolia. Ph. (li.) broad-leaved. — 1806. — F. 2. Mich. amer. 2. t. 43.

Persoonia latifolia. M. *Trattenickia latifolia*. P.S.

PLATYPTERIS. K.S. PLATYPTERIS. Syngenesia Polygamia Æqualis.

- crocata. K.S. (sm.) saffron-colour'd. Mexico. 1812. 1. 3. S. 2. Bot. mag. t. 1627.

Spilanthes crocata. B.M.

SPILANTHES. W. SPILANTHES. Syngenesia Polygamia Æqualis. L.

- 1 tenella. K.S. (st.) slender. Caracas. 1823. 8. 10. G. 2. Pluk. alm. t. 159. f. 4.
2 Pseudo-Acmella. w. (ye.) spear-leaved. Ceylon. 1768. 7. S. 2.
3 uliginosa. w. (ye.) marsh. Jamaica. 1820. 7. 9. S. 2.
4 exasperata. w. (wh.) rough-stalked. Caracas. 1825. — S. 2. Jacq. ic. 3. t. 584.
5 alba. w. (wh.) white-flowered. Peru. 1783. 6. 7. H. 2. L'Herit. stirp. 7. t. 4.
6 oleracea. w. (ye.) esculent. E. Indies. 1770. 7. 9. S. 2. Jacq. vind. 2. t. 135.
7 pallida. F. (st.) pale-flowered. Jamaica. 1821. — S. 2.
8 multiflora. Ot. (ye.) many-flowered. — 1829. — S. 2.

- ACME'LLA. P.S.** ACME'LLA. Syngenesia Polygamia Superflua. P.S.
 1 mauritiâna. P.S. (ye.) Balm-leaved. Mauritius. 1768. 7. 8. S. ☉. Rumph. amb. 6. t. 65.
Spilanthes Acmélla. w.
 2 repens. P.S. (ye.) creeping. N. America. 1819. — H. ☉.
 3 occidentâlis. P.S. (ye.) oval-leaved. S. America. 1825. — H. ☉.
 4 buphthalmoides. P.S. (ye.) Ox-eye-leaved. — 1798. 7. 9. H. ☉. Jacq. schoenb. 2. t. 151.
A'nthemis buphthalmoides. Jacq.
- LAV'ENIA. W.** LAV'ENIA. Syngenesia Polygamia Æqualis.
 erecta. w. (ye.) upright. E. Indies. 1739. 7. 9. S. ☉. Burm. zeyl. t. 42.
SA'LMEA. DC. SA'LMEA. Syngenesia Polygamia Æqualis.
 1 scândens. DC. (wh.) climbing. S. America. 1815. 4. 6. S. ♀. Bot. mag. t. 2062.
Câlea Améllus. L.
 2 hirsûta. DC. (wh.) hairy. — S. ♀.
- PETROBIUM. L.T.** PETROBIUM. Syngenesia Polygamia Æqualis.
 arboreum. (st.) tree. St. Helena. 1816. S. ♀.
Spilánthus arboreus. Forst.
- C'ALEA. L.T.** C'ALEA. Syngenesia Polygamia Æqualis. L.
 1 jamaicénsis. L.L. (li.) purple-flower'd. W. Indies. 1739. 6. 7. S. ♀. Sloan. jam. 1. t. 151. f. 3.
 2 martinicénsis. (li.) Martinico. Martinico. 1821. S. ♀.
 3 cordifolia. L.T. (ye. li.) heart-leaved. Jamaica. 1822. 6. 7. S. ♀.
- CALEA'CTE. L.T.** CALEA'CTE. Syngenesia Polygamia Æqualis.
 1 urticifolia. L.T. (ye.) Nettle-leaved. Vera Cruz. S. ♀.
Solidâgo urticæfolia. Mill.
 2 pinnatifida. L.T. (ye.) pinnatifid. Brazil. 1816. 6. 8. S. ♀.
- ISOCA'RPHA. L.T.** ISOCA'RPHA. Syngenesia Polygamia Æqualis.
 oppositifolia. (wh.) opposite-leaved. W. Indies. 1739. 7. 8. S. ♂.
Câlea oppositifolia. w.
- NEUROL'ENA. L.T.** NEUROL'ENA. Syngenesia Polygamia Æqualis.
 lobâta. (ye.) halberd-weed. W. Indies. 1733. 6. 7. S. ♀. Bot. mag. t. 1734.
Câlea lobâta. B.M.
- M'ADIA. W.** M'ADIA. Syngenesia Polygamia Superflua. W.
 1 viscôsa. w. (ye.) viscons. Chili. 1794. 7. 8. H. ☉. Bot. mag. t. 2574.
 2 mellôsa. w. (ye.) stem-clasping. — 1824. — H. ☉.
- TETRAGONOTH'ECA.** TETRAGONOTH'ECA. Syngenesia Polygamia Superflua. W.
 helianthoides. w. (ye.) Sunflower-like. Virginia. 1726. 8. 10. H. ♀. Schk. hand. 3. t. 263.
- XIMEN'SIA. W.** XIMEN'SIA. Syngenesia Polygamia Superflua. W.
 1 heterophylla. K.S. (ye.) various-leaved. Mexico. 1827. 8. 10. F. ♀.
 2 encelioides. w. (ye.) oval-leaved. — 1795. 6. 11. G. ♂. Cavan. ic. 2. t. 178.
 3 fœtida. K.S. (ye.) fœtid. — 1799. 7. 8. H. ☉. — 1. t. 77.
Coreôpsis fœtida. Cav. Simsia ficifolia. P.S.
 4 cordâta. K.S. (ye.) heart-leaved. Mexico. — F. ♀.
- HELENIUM. W.** HELENIUM. Syngenesia Polygamia Superflua. W.
 1 autumnâle. w. (ye.) smooth. N. America. 1729. 8. 10. H. ♀. Schk. hand. 3. t. 250.
 2 pubéscens. w. (ye.) downy. — 1776. 8. 9. H. ♀.
 3 quadripartitum. L. en. (ye.) four-cleft. 1825. — G. ♂.
 4 quadridentatum. w. (ye.) four-toothed. Louisiana. 1790. 5. 10. H. ♀. Bot. reg. t. 598.
Rudbeckia alata. Jacq. ic. t. 193.
 5 pûmulum. W. en. (ye.) dwarf. N. America. 1819. — H. ♀.
 6 mexicanum. K.S. (ye.) Mexican. Mexico. 1823. 8. 10. H. ♀.
- ZI'NNIA. W.** ZI'NNIA. Syngenesia Polygamia Superflua. W.
 1 pauciflora. w. (ye.) yellow-flower'd. Peru. 1753. 7. 8. H. ☉. Mill. ic. 1. t. 64.
 2 multiflora. w. (re.) red-flowered. N. America. 1770. 6. 10. H. ☉. Bot. mag. t. 149.
 3 hybrida. B.M. (sc.) hybrid. Mexico. 1818. 6. 9. H. ☉. — t. 2123.
 4 verticillata. w. (re.) whorl-leaved. — 1789. 7. 8. H. ☉. Andr. repos. t. 189.
 5 violâcea. C.I. (pu.) purple-flowered. — 1796. 7. 10. H. ☉. — t. 55.
élegans. Bot. mag. t. 527.
 6 coccinea. B.R. (sc.) scarlet-flowered. — 1829. — H. ☉. Bot. reg. t. 1294.
 7 angustifolia. K.S. (re.) slender-flower'd. — 1799. 7. 8. H. ☉. Bot. mag. t. 555.
 8 angustifolia. K.S. (re.) narrow-leaved. — 1825. — H. ☉.
- REL'HANIA. W.** REL'HANIA. Syngenesia Polygamia Superflua. W.
 1 squarrosa. w. (ye.) cross-leaved. C. B. S. 1774. 5. 6. G. ♀.
 2 genistæfolia. w. (ye.) Genista-leaved. — 1823. 5. 7. G. ♀.
 3 lateriflora. w. (ye.) side-flowering. — G. ♀.
 4 pungens. w. (ye.) pungent-leaved. — 1820. 6. 8. G. ♀. Bot. reg. t. 587.
 5 pedunculata. w. (ye.) dwarf. — 1824. 5. 8. G. ♀.
 6 paleacea. w. (ye.) chaffy. — 1825. — G. ♀. Gært. fruct. 2. t. 173. f. 9.
Leysæra paleacea. Gært.
- ATHRI'XIA. B.R.** ATHRI'XIA. Syngenesia Polygamia Superflua.
 capensis. B.R. (li.) Cape. C. B. S. 1823. 6. 8. G. ♀. Bot. reg. t. 681.
 X 2

- MATA'XA. S.S.** **MATA'XA.** Syngenesia Polygamia Superflua.
capensis. s.s. (ye.) fleshy-leaved. C. B. S. 1824. 6. 8. G. ♀.
Lasiospermum radiatum. Treviranus.
- LONGCHAMPIA. W.** **LONGCHAMPIA.** Syngenesia Polygamia Superflua. W.
capillifolia. w. (st.) Leysera-like. Africa. 1824. 6. 8. H. ☉.
Gnaphalium leyseroides. Df. *Pectis discoidea.* H. H. *Leysera capillifolia.* Spr.
- SANVITALIA. W.** **SANVITALIA.** Syngenesia Polygamia Superflua. W.
procumbens. w. (ye.) trailing. Mexico. 1798. 7. 8. H. ☉. Bot. reg. t. 707.
- TRIDAX. L.** **TRIDAX.** Syngenesia Polygamia Superflua. L.
procumbens. l. (st.) procumbent. Mexico. 1804. 7. 8. H. ☉.
Balbisia elongata. w.
- COLUME'LLIA. W.** **COLUME'LLIA.** Syngenesia Polygamia Superflua. W.
biennis. w. (ye.) biennial. C. B. S. 1820. 7. 9. G. ♂. Jacq. schœn. 3. t. 301.
Nestlèra biennis. s.s.
- MEY'ERA. L.T.** **MEY'ERA.** Syngenesia Polygamia Superflua.
sessilis. s.s. (ye.) sessile-flowered. W. Indies. 7. 8. S. ♀.
- ECLIPTA. W.** **ECLIPTA.** Syngenesia Polygamia Superflua. L.
 1 *erecta. w. (wh.)* upright. S. America. 1690. 7. 9. H. ☉. Dill. elth. t. 113. f. 137.
 2 *punctata. w. (wh.)* dotted. W. Indies. 1822. — S. ☉. Jacq. amer. pict. t. 197.
 3 *prostrata. w. (wh.)* trailing. E. Indies. 1732. — S. ☉. Dill. elth. t. 113. f. 138.
 4 *procumbens. m. (wh.)* procumbent. Carolina. 1819. — H. ☉.
 5 *linearis. Ot. (wh.)* linear-leaved. 1825. — S. ☉.
- CHRYSANTHELLUM. CHRYSANTHELLUM.** Syngenesia Polygamia Superflua. P.S.
procumbens. P.S. (ye.) procumbent. W. Indies. 1768. 6. 7. S. ☉. Swartz obs. 314. t. 8. f. 1.
Verbesina mutica. w.
- SIEGESBECKIA. W.** **SIEGESBECKIA.** Syngenesia Polygamia Superflua. L.
 1 *orientalis. w. (ye.)* oriental. E. Indies. 1730. 8. 10. H. ☉. Schk. hand. 3. t. 256.
 2 *triangularis. C.I. (ye.)* triangular-leav'd. Mexico. — H. ☉. Cav. ic. 3. t. 253.
 3 *iberica. w. (ye.)* Iberian. Iberia. 1823. — H. ☉. Buxb. cent. 3. t. 52.
 4 *droseroides. B.F.G. (ye.)* Sundew-like. Mexico. 1825. — F. ♀. Swt. br. fl. gar. t. 203.
 5 *flosculosa. w. (ye.)* small-flowered. Peru. 1784. 6. 7. H. ☉. L'Herit. stirp. t. 19.
- VERBESINA. W.** **VERBESINA.** Syngenesia Polygamia Superflua. L.
 1 *alata. w. (or.)* wing-stalked. S. America. 1699. 5. 10. G. ♀. Bot. mag. t. 1716.
 2 *chinensis. w. (or.)* Chinese. China. 1814. — G. ♀.
 3 *virginica. w. (wh.)* white-flowered. N. America. 1812. 7. 9. H. ♀.
 4 *virgata. w. (ye.)* slender. Mexico. 1825. — H. ♀. Cav. ic. 3. t. 275.
 5 *gigantea. w. (wh.)* tree. W. Indies. 1758. — S. ♀. Jacq. ic. 1. t. 175.
 6 *Boswellia. L. (ye.)* eatable. E. Indies. 1818. — S. ☉.
 7 *salicifolia. K.S. (ye.)* Willow-leaved. Mexico. 1824. 10. 11. G. ♀.
 8 *tridentata. s.s. (ye.)* three-toothed. W. Indies. 1759. 6. 8. S. ♀.
 9 *atriplicifolia. s.s. (st.)* Atriplex-leav'd. Trinidad. 1822. 9. 11. S. ♀.
 10 *bupthalmoides. s.s. (ye.)* procumbent. Monte Video. 1827. 6. 8. F. ♀. Link et Ott. abb. t. 49.
 11 *serrata. w. (ye.)* saw-leaved. Mexico. 1803. 7. 10. G. ♀. Cav. ic. 3. t. 214.
 12 *Siegesbeckia. w. (ye.)* American. Virginia. 1731. 10. 11. H. ♀.
 13 *dichotoma. w. (ye.)* forked. E. Indies. 1789. 6. 7. S. ☉. Murr. c. got. 1779. t. 4.
 14 *sativa. B.M. (ye.)* oil-seed. — 1806. 8. 9. S. ☉. Bot. mag. t. 1017.
 15 *biflora. w. (ye.)* two-flowered. — 1818. 7. 9. S. ☉. Rheed. mal. 19. t. 40.
 16 *calendulacea. w. (ye.)* Marygold-flower'd. Ceylon. 1739. — S. ☉. Burm. zeyl. t. 22. f. 1.
 17 *fruticosa. w. (ye.)* shrubby. W. Indies. 1759. 6. 8. S. ♀. Plum. ic. t. 52.
 18 *pinnatifida. w. (st.)* pinnatifid. Mexico. 1824. 8. 10. F. ♀. Jacq. schœn. 3. t. 305.
- SYNEDRELLA. P.S.** **SYNEDRELLA.** Syngenesia Polygamia Superflua. P.S.
nodiflora. P.S. (ye.) sessile-flowered. W. Indies. 1726. 6. 7. S. ☉. Dill. elth. t. 45. f. 53.
- ENC'ELIA. J.** **ENC'ELIA.** Syngenesia Polygamia Superflua. P.S.
 1 *canescens. P.S. (ye.)* canescent. Mexico. 1786. 7. 9. G. ♀. Bot. reg. t. 909.
Pallasia halimifolia. w. Coreöpsis limensis. Jacq. ic. 3. t. 594.
 2 *halimifolia. P.S. (ye.)* great-flowered. Mexico. 1825. — G. ♀. Cavan. ic. 3. t. 216.
Pallasia grandiflora. w.
- GALINS'OGEA. K.S.** **GALINS'OGEA.** Syngenesia Polygamia Superflua. W.
 1 *trilobata. w. (ye.)* three-lobed. Peru. 1797. 8. 11. H. ☉. Swt. br. fl. gar. t. 56.
 2 *balbisoides. K.S. (ye.)* Mexican. Mexico. 1825. — H. ☉. H. et B. 4. t. 386.
- PTILOSTE'PHIUM. K.S.** **PTILOSTE'PHIUM.** Syngenesia Polygamia Superflua.
 1 *coronopifolium. K.S. (ye.)* Buckshorn-leav'd. Mexico. 1823. 8. 10. H. ☉. H. et B. 4. t. 387.
 2 *trifidum. K.S. (ye.)* trifid-leaved. — — H. ☉. — 4. t. 388.
- WIBO'RGIA. K.S.** **WIBO'RGIA.** Syngenesia Polygamia Superflua.
parviflora. K.S. (wh.) small-flowered. S. America. 1796. 6. 8. H. ☉. Cavan. icon. 3. t. 281.
Galmisögea parviflora. w. Wibörgia Acmélla. Roth.
- PASC'ALIA. W.** **PASC'ALIA.** Syngenesia Polygamia Superflua. W.
glauca. w. (ye.) glaucous-leav'd. Chili. 1799. 6. 8. H. ♀. Andr. reposit. t. 549.

HELIO'PSIS. P.S.		HELIO'PSIS.	Syngenesia Polygamia Superflua. P.S.	
1	canescens. K.S. (ye.)	hoary-leaved.	S. America. 1820.	8. 10. H. ♀. Bot. reg. t. 592.
2	lævis. P.S. (ye.)	smooth.	Mexico. 1714.	7. 10. H. ♀.
3	helianthoides. (ye.)	roughish.	N. America. —	— H. ♀. L'Herit. stirp. t. 45.
	<i>Buphthalmum helianthoides. L.</i>			
4	scabra. s.s. (ye.)	rough-leaved.	—	— H. ♀.
DIOMEDEA. Cas.		DIOMEDEA.	Syngenesia Polygamia Superflua.	
1	glabrata. K.S. (ye.)	smooth.	S. America. 1699.	5. 9. G. ♀. Dill. elth. t. 38. f. 43.
	<i>Buphthalmum arborescens. w.</i>			
2	bidentata. s.s. (ye.)	two-toothed.	Carolina. 1696.	6. 8. G. ♀. Catesb. carol. 1. t. 93.
	<i>Buphthalmum frutescens. Ph.—Dill.</i>		elth. t. 28. f. 4.	
3	argentea. K.S. (ye.)	silvery-leaved.	Cuba. 1823.	— G. ♀.
BUPHTHALMUM. OX-EYE.		Syngenesia Polygamia Superflua. L.		
1	stenophyllum. s.s. (ye.)	linear-leaved.	Canaries. 1816.	5. 7. G. ♀.
2	elegans. s.s. (ye.)	elegant.	—	— G. ♀.
3	lævigatum. s.s. (ye.)	smooth-leaved.	Teneriffe. 1824.	— G. ♀.
4	flosculosum. s.s. (ye.)	rayless.	Mesopotamia. 1827.	— G. ♀. Vent. h. cels. t. 25.
5	sericeum. w. (ye.)	silky.	Canaries. 1779.	5. 7. G. ♀. Bot. mag. t. 1836.
6	spinosum. w. (ye.)	prickly.	Spain. 1570.	6. 9. H. ♂. Barrel. icon. 551.
7	aquaticum. w. (ye.)	sweet-scented.	S. Europe. 1731.	7. 8. H. ♂. Breyne. cent. t. 77.
8	maritimum. w. (ye.)	sea.	Sicily. 1640.	7. 9. H. ♀. Bocc. mus. t. 129.
9	salicifolium. w. (ye.)	Willow-leaved.	Austria. 1759.	6. 10. H. ♀. Jacq. aust. 4. t. 370.
10	grandiflorum. w. (ye.)	great-flowered.	—	1722. — H. ♀. Moris. s. 6. t. 7. f. 52.
11	speciosissimum. s.s. (ye.)	handsome.	Italy. 1828.	— H. ♀. Arduin. spec. 1. t. 12.
12	cordifolium. w. (ye.)	heart-leaved.	Hungary. 1739.	6. 8. H. ♀. W. et K. hung. 2. t. 113.
13	procumbens. Df. (ye.)	procumbent.	—	1820. — H. ♀.
ZEXM'ENIA. D.D.		ZEXM'ENIA.	Syngenesia Polygamia Necessaria.	
	tagetiflora. D.D. (ye.)	Tagetes-flowered.	Mexico. 1828.	8. 10. F. ♀.
WED'ELIA. K.S.		WED'ELIA.	Syngenesia Polygamia Necessaria. W.	
1	acapulcensis. K.S. (ye.)	Acapulco.	Mexico. 1823.	6. 8. S. ♀.
2	hispida. K.S. (ye.)	hispid.	New Spain. 1819.	— S. ♀. Bot. reg. t. 543.
3	aurea. D.D. (ye.)	golden-flower'd.	Mexico. 1828.	8. 10. F. ♀.
4	radiosa. B.R. (ye.)	rayed.	S. America. 1822.	— S. ♀. Bot. reg. t. 610.
GYMNOLOMA. K.S.		GYMNOLOMA.	Syngenesia Polygamia Necessaria.	
1	triplinerve. K.S. (ye.)	triple-nerved.	S. America. 1825.	6. 9. S. ♀.
2	maculatum. B.R. (ye.)	spotted-stalked.	—	1822. — S. ♀. Bot. reg. t. 662.
ACTINOMERIS. N.		ACTINOMERIS.	Syngenesia Polygamia Frustranea.	
1	squarrosa. n. (ye.)	squarrose.	N. America. 1640.	9. 11. H. ♀. Jacq. vind. 2. t. 110.
	<i>Coreopsis alternifolia. Jacq. Verbesina Coreopsis. Ph.</i>			
2	procera. n. (ye.)	tall.	N. America. 1765.	9. 10. H. ♀.
	<i>Coreopsis procera. H.K.</i>			
	3	alba. n. (wh.)	white-flowered.	— — H. ♀.
3	helianthoides. n. (ye.)	Sunflower-like.	Louisiana. 1825.	— H. ♀.
4	alata. n. (ye.)	wing-stalked.	Mexico. 1803.	9. 11. H. ♀. Cavan. ic. 3. t. 260.
	<i>Coreopsis alata. w.</i>			
5	ovata. n. (ye.)	oval-leaved.	—	1829. — H. ♀. Cavan. ic. 3. t. 280.
HELIA'NTHUS. W.		SUNFLOWER.	Syngenesia Polygamia Frustranea. L.	
1	annuus. w. (ye.)	annual.	S. America. 1596.	6. 10. H. ♂.
2	indicus. w. (ye.)	dwarf annual.	Egypt. 1785.	— H. ♂. Tabern. ic. 764.
3	lenticularis. B.R. (ye.)	freckled.	N. America. 1827.	8. 9. H. ♂. Bot. reg. t. 1265.
4	petiolaris. n. (ye.)	long-petioled.	Arkansa. 1826.	7. 11. H. ♂. Swt. br. fl. gar. ser. 2.
	<i>asper. Roth.</i>			
5	dentatus. w. (ye.)	tooth-leaved.	Mexico. 1798.	9. 11. F. ♀. Cavan. ic. 3. t. 220.
6	multiflorus. w. (ye.)	many-flowered.	N. America. 1597.	8. 10. H. ♀. Bot. mag. t. 227.
	<i>β plenus. (ye.)</i>		double-flowered.	— — H. ♀.
7	tuberosus. w. (ye.)	Jerusalem Artichoke.	Brazil. 1617.	9. 10. H. ♀. Jacq. vind. 2. t. 161.
8	pubescens. B.R. (ye.)	pubescent.	N. America. 1795.	7. 10. H. ♀. Bot. reg. t. 524.
9	atrorubens. w. (ye.)	dark eyed.	—	1732. — H. ♀. Dill. elth. t. 94. f. 110.
10	diffusus. B.M. (ye.)	spreading.	—	1812. — H. ♀. Bot. mag. t. 2020.
11	lætiflorus. P.S. (ye.)	pale-flowered.	—	— — H. ♀.
12	divaricatus. w. (ye.)	divaricate.	—	1759. 8. 10. H. ♀. Moris. s. 6. t. 7. f. 66.
13	trachelifolius. w. (ye.)	Trachelium-leav'd.	—	1818. — H. ♀.
14	longifolius. Ph. (ye.)	long-leaved.	Georgia. 1812.	— H. ♀.
15	pauciflorus. n. (ye.)	few-flowered.	Louisiana. 1823.	— H. ♀.
16	giganteus. w. (ye.)	gigantic.	N. America. 1714.	9. 10. H. ♀.
17	altissimus. w. (ye.)	tallest.	—	1731. 7. 9. H. ♀. Jacq. vind. 2. t. 160.
18	strumosus. w. (ye.)	Carrot-rooted.	—	1710. — H. ♀. Bocc. sic. t. 27. f. 4.
19	prostratus. w. (ye.)	rough.	—	1800. — H. ♀.
20	decapetalus. w. (ye.)	ten-rayed.	—	1759. 8. 11. H. ♀. Rob. ic. 235.

21	móllis. w.	(ye.) soft.	N. America.	1805.	7. 10.	H. 4.	
22	macrophyllus. w.	(ye.) large-leaved.	————	1800.	8. 10.	H. 4.	Willd. hort. ber. t. 70.
23	angustifolius. w.	(ye.) narrow-leaved.	————	1789.	9. 10.	H. 4.	Bot. mag. t. 2051.
24	excelsus. w.	(ye.) lofty.	Mexico.	1824.	—	H. 4.	Cav. ic. 3. t. 219.
	<i>giganteus.</i> Cav. non w.						
25	linearis. w.	(ye.) linear-leaved	————	1818.	8. 10.	H. 4.	Bot. reg. t. 523.
26	parviflorus. k.s.	(ye.) small-flowered.	————	1824.	—	H. 4.	H. et B. 4. t. 378.
27	cornifolius. k.s.	(ye.) Dogwood-leaved.	————	—	—	H. 4.	
28	trilobatus. L.en.	(ye.) three-lobed.	————	1823.	—	H. 4.	
VIGUIERA. K.S. VIGUIERA. Syngenesia Polygamia Frustranea.							
	<i>helianthoides.</i> K.S.(ye.)	Sunflower-like.	Cuba.	1825.	6. 9.	S. 4.	H. et B. 4. t. 379.
GAILLARDIA. W. GAILLARDIA. Syngenesia Polygamia Frustranea. W.							
1	bicolor. w.	(ye. re.) two-coloured.	Carolina.	1787.	7. 10.	H. 4.	Bot. mag. t. 1602.
2	aristata. Ph.	(ye.) long-awned.	N. America.	1812.	—	H. 4.	Bot. reg. t. 1186.
RUDBECKIA. D.D. RUDBECKIA. Syngenesia Polygamia Frustranea. L.							
1	pinnata. Ph.	(ye.) fragrant.	N. America.	1803.	8. 9.	H. 4.	Swt. br. fl. gar. t. 146.
2	digitata. Ph.	(ye.) narrow-jagged-leav'd.	————	1759.	—	H. 4.	Moris. s. 6. t. 6. f. 54.
3	laciniata. Ph.	(ye.) broad jagged-leav'd.	————	1640.	7. 9.	H. 4.	— s. 6. t. 6. f. 53.
4	columnaris. Ph.	(ye.) high-crowned.	————	1811.	8. 9.	H. 4.	Bot. mag. t. 1601.
5	lævigata. Ph.	(ye.) smooth.	Georgia.	1812.	7. 8.	H. 4.	
6	amplexifolia. Ph.	(ye.) stem-clasping.	Louisiana.	1793.	7. 9.	H. 4.	Jacq. icon. 3. t. 592.
CENTROCARPHA. D.D. CENTROCARPHA. Syngenesia Polygamia Frustranea.							
1	subtomentosa. Ph.	(ye.) downy-lobed.	N. America.	1802.	8. 9.	H. 4.	
2	triloba. D.D.	(ye.) three-lobed.	————	1699.	7. 10.	H. 4.	Bot. reg. t. 525.
	<i>Rudbeckia triloba.</i> B.R.						
3	hirta. D.D.	(ye.) great hairy.	————	1714.	6. 11.	H. 4.	Swt. br. fl. gar. t. 82.
	<i>Rudbeckia hirta.</i> B.F.G.						
4	fulgida. D.D.	(ye.) small hairy.	————	1760.	7. 8.	H. 4.	Bot. mag. t. 1996.
5	acutifolia. B.F.G.	(ye.) pointed-leaved.	————	1822.	7. 11.	H. 4.	Swt. br. fl. gar. s. 2.
6	spathulata. w.	(ye.) spatulate-leav'd.	————	1825.	8. 11.	H. 4.	
7	gracilis. N.	(ye.) slender hairy.	————	—	—	H. 4.	
ECHINACEA. D.D. ECHINACEA. Syngenesia Polygamia Frustranea.							
1	purpurea. D.D.	(pu.) reflexed-rayed.	N. America.	1699.	7. 10.	H. 4.	Bot. mag. t. 2.
	<i>Rudbeckia purpurea.</i> B.M.						
2	serotina. D.D.	(li.) hispid-stalked.	————	1816.	8. 10.	H. 4.	Swt. br. fl. gar. t. 4.
	<i>Rudbeckia serotina.</i> B.F.G.						
3	napifolia. (ro.)	Rape-leaved.	New Spain.	1824.	7. 10.	F. 4.	
	<i>Rudbeckia napifolia.</i> K.S.						
4	heterophylla. D.D.	(li.) various-leaved.	Mexico.	1828.	9. 11.	H. 4.	Swt. br. fl. gar. s. 2. t. 32.
COSMOS. C.I. Co'smos. Syngenesia Polygamia Frustranea. W.							
1	sulphureus.	(st.) Southernwood-leav'd.	Mexico.	1799.	7. 8.	H. 4.	Jacq. ic. 3. t. 595.
2	tenellus. K.S.	(ro.) slender.	Mexico.	1825.	10. 11.	G. 4.	
3	bipinnatus. C.I.	(pu.) purple-flower'd.	————	1799.	—	G. 4.	Bot. mag. t. 1535.
4	crithmifolius. K.S.	(ro.) Samphire-leav'd.	————	1825.	—	G. 4.	
5	parviflorus. w.	(wh.) white-flowered.	————	1800.	—	H. 4.	Jacq. schœn. 3. t. 374.
GEORGINA. W. GEORGINA. Syngenesia Polygamia Superfluo—Frustranea.							
1	Cervantesii. L.G.	(sc.) Cervantes'.	Mexico.	1820.	8. 10.	H. 4.	Swt. br. fl. gar. s. 2. t. 22.
	<i>β Aurora.</i> S.F.G.	(sc.) double-flowered.	————	1828.	—	H. 4.	Swt. flor. guid. t. 117.
2	crocata. L.G.	(sc.) saffron-coloured.	————	1818.	—	H. 4.	Swt. br. fl. gar. t. 282.
3	coccinea. w.	(sc.) scarlet-flowered.	————	1802.	—	H. 4.	Cavan. icon. t. 266.
4	rosea. C.I.	(ro.) bipinnate-leaved.	————	—	7. 10.	H. 4.	— t. 265.
5	astrantiæflora. (pu.)	Astrantia-flower'd.	————	1812.	—	H. 4.	
6	variabilis. w.	(va.) variable.	————	1789.	6. 11.	H. 4.	Cavan. icon. 1. t. 80.
	<i>Dahlia pinnata.</i> C.I. <i>superflua.</i> H.K.						
	<i>α purpurea.</i> (pu.)	purple-flowered.	————	—	—	H. 4.	Ann. mus. 3. t. 37. f. 1.
	<i>β lilacina.</i> (li.)	lilac-coloured.	————	—	—	H. 4.	Sal. par. lond. t. 16.
	<i>γ pallida.</i> (bh.)	blush-flowered.	————	—	—	H. 4.	
	<i>δ alba.</i> (wh.)	white-flowered.	————	—	—	H. 4.	
	<i>ε flava.</i> (ye.)	yellow-flowered.	————	—	—	H. 4.	
	<i>ζ cuprea.</i> (co.)	copper-coloured.	————	—	—	H. 4.	
	<i>η rubra.</i> (re.)	red-flowered.	————	—	—	H. 4.	Bot. mag. t. 1885. A.
	<i>θ coccinea.</i> (sc.)	scarlet-flowered.	————	—	—	H. 4.	
	<i>ι punicea.</i> (cr.)	crimson-flowered.	————	—	—	H. 4.	Bot. reg. t. 55.
	<i>κ atrosanguinea.</i> (d.cr.)	dark crimson.	————	—	—	H. 4.	
	<i>λ atropurpurea.</i> (d.pu.)	dark purple.	————	—	—	H. 4.	
	<i>μ nigra.</i> (da.)	dark-coloured.	————	—	—	H. 4.	
	<i>ν variegata.</i> (v.)	variegated-flower'd.	————	—	—	H. 4.	
	<i>ξ nana.</i> (li.)	double dwarf lilac.	————	—	—	H. 4.	Andr. reposit. t. 483.
	<i>ο superba.</i> (pu.)	double purple.	————		—	H. 4.	Bot. mag. t. 1885. B.

π <i>Junoniâna</i> . (d.pu.) <i>Junô</i> . Mexico. 6. 11. H. 2.	Swt. flor. guid. t. 102.
ρ <i>imperiosa</i> . (d.pu.) <i>Dennis's imperial</i> . ——— 1827. ——— H. 2.	— v. 1. t. 71.
σ <i>stellaris</i> . (sc.) <i>morning star</i> . ——— 1826. ——— H. 2.	— v. 1. t. 65.
τ <i>sphærocéphala</i> . (d.cr.) <i>globe-flowered</i> . ——— 1827. ——— H. 2.	— v. 2. t. 115.
ν <i>Belladónna</i> . (pi.) <i>painted Lady</i> . ——— ——— H. 2.	— v. 2. t. 110.

The varieties of the present species are almost endless.

CALLIO'PSIS. S.S. CALLIO'PSIS. Syngenesia Polygamia Frustranea.	
1 <i>tinctôria</i> . N. (ye.pu.) two-coloured. Arkansa. 1823. 6. 10. H. ⊙.	Swt. br. fl. gar. t. 72.
<i>bicolor</i> . s.s. <i>Coreôpsis tinctôria</i> . N.	
2 <i>palmâta</i> . s.s. (ye.) palmate-leaved. Louisiana. ——— 8. 10. H. ⊙.	
3 <i>rosea</i> . s.s. (ro.) rose-coloured. N. America. ——— ——— H. 2.	
<i>Coreôpsis rosea</i> . N.	
COREO'PSIS. W. COREO'PSIS. Syngenesia Polygamia Frustranea. L.	
1 <i>grandiflora</i> . N. (ye.) large-flowered. N. America. 1826. 8. 9. H. 2.	Swt. br. fl. gar. t. 175.
2 <i>verticillâta</i> . w. (ye.) whorl-leaved. ——— 1759. 7. 10. H. 2.	Bot. mag. t. 156.
3 <i>tenuifolia</i> . w. (ye.) slender-leaved. ——— 1780. 7. 8. H. 2.	Pluk. man. t. 344. f. 4.
4 <i>trichosperma</i> . M. (ye.) pinnate leaved. Carolina. 1822. 8. 10. G. ♂.	
5 <i>chrysântha</i> . w. (ye.) Angelica-leav'd. W. Indies. 1752. 7. 9. S. ♂.	Plum. ic. 53. f. 1.
6 <i>aurea</i> . w. (ye.) Hemp-leaved. N. America. 1785. 8. 9. H. 2.	Bot. reg. t. 1228.
7 <i>tripteris</i> . Ph. (ye.) three-leaved. ——— 1737. 8. 10. H. 2.	Moris. s. 6. t. 3. f. 44.
8 <i>discolor</i> . L. en. (ye.) two-coloured. ——— 1818. ——— H. 2.	
9 <i>senifolia</i> . Ph. (ye.) sessile-leaved. ——— 1812. ——— H. 2.	
10 <i>amplexicaulis</i> . K. s. (ye.) stem-clasping. 1806. 7. 8. H. 2.	
<i>Simsia amplexicaulis</i> . P. s.	
11 <i>alba</i> . w. (wh.) climbing. Jamaica. 1699. 6. 7. S. 2. ∪.	Herm. parad. 124.
12 <i>incisa</i> . B. R. (ye.) jagged-leaved. W. Indies. 9. 12. S. 2. ∪.	Bot. reg. t. 7.
13 <i>réptans</i> . w. (ye.) trailing. ——— 1792. 7. 9. S. ⊙.	Smith spic. t. 22.
14 <i>auriculâta</i> . w. (ye.) ear-leaved. N. America. 1699. 8. 10. H. 2.	Schk. hand. 3. t. 260.
15 <i>latifolia</i> . w. (ye.) broad-leaved. ——— 1786. 8. 9. H. 2.	
16 <i>argûta</i> . Ph. (ye.) sharp-notched. Carolina. ——— H. 2.	
17 <i>lanceolâta</i> . w. (ye.) spear-leaved. ——— 1724. 7. 9. H. 2.	Swt. br. fl. gar. t. 10.
18 <i>crassifolia</i> . w. (ye.) thick-leaved. ——— 1786. 8. 10. H. 2.	
19 <i>angustifolia</i> . w. (ye.) narrow-leaved. N. America. 1778. 6. 8. H. 2.	
B'IDENS. K.S. B'IDENS. Syngenesia Polygamia Frustranea.	
1 <i>nodiflora</i> . w. (ye.) sessile-flowered. E. Indies. 1732. 7. 8. S. ⊙.	Dill. elth. t. 44. f. 52.
2 <i>tripartita</i> . w. (ye.) trifid. Britain. 7. 9. H. ⊙.	Eng. bot. t. 1113.
3 <i>cérnua</i> . w. (ye.) nodding. ——— H. ⊙.	— t. 1114.
4 <i>chrysanthemoides</i> . w. (ye.) large yellow. N. America. 1827. 8. 10. H. ⊙.	
5 <i>argûta</i> . K. s. (ye.) sharp-toothed. Mexico. 1825. ——— H. 2.	
6 <i>triplinervia</i> . K. s. (ye.) triply-nerved. ——— ——— H. 2.	
7 <i>heterophylla</i> . w. (ye.) various-leaved. ——— 1803. 8. 9. F. 2.	Orteg. dec. 8. t. 12.
8 <i>luxurians</i> . W. en. (ye.) luxuriant. ——— 1823. ——— F. 2.	
9 <i>frondosa</i> . w. (ye.) smooth-stalked. N. America. 1710. 7. 8. H. ⊙.	Moris. his. s. 6. t. 5. f. 21.
10 <i>foliosa</i> . W. en. (ye.) leafy. 1823. ——— H. ⊙.	
11 <i>connata</i> . w. (ye.) connate. N. America. ——— ——— H. ⊙.	
12 <i>leucântha</i> . w. (wh.) white-flowered. S. America. ——— H. ⊙.	
13 <i>striata</i> . B. F. G. (std.) stripe-flowered. Mexico. 1827. 8. 11. H. ⊙.	Swt. br. fl. gar. t. 237.
14 <i>chinensis</i> . w. (wh.) Chinese. China. 1801. 6. 7. H. ⊙.	Rumph. amb. 6. t. 15. f. 2.
15 <i>diversifolia</i> . w. (ye.) different-leav'd. S. America. 1811. 9. 10. H. ⊙.	Bot. mag. t. 1689.
<i>Cosmea lutea</i> . B. M. <i>Coreôpsis diversifolia</i> . Jacq.	
16 <i>pilosa</i> . w. (wh.) hairy. N. America. 1732. 7. ——— H. ⊙.	Dill. elth. t. 43. f. 51.
17 <i>sambucifolia</i> . w. (sc.) Elder-leaved. S. America. 1801. 7. 8. H. 2.	Cavan. ic. 3. t. 229.
18 <i>odorâta</i> . w. (wh.) sweet-scented. Mexico. 1823. ——— H. ⊙.	— 1. t. 13.
19 <i>grandiflora</i> . s. s. (wh.) large-flowered. S. America. 1825. 8. 11. H. ⊙.	
20 <i>bipinnata</i> . w. (ye.) Hemlock-leav'd. N. America. 1687. ——— H. ⊙.	Herm. parad. t. 123.
21 <i>parviflora</i> . s. s. (ye.) small-flowered. Siberia. 1823. ——— H. ⊙.	
22 <i>bullata</i> . w. (ye.) rough-leaved. Italy. 1759. ——— H. ⊙.	Arduin. spec. 2. t. 18.
23 <i>reflexa</i> . L. en. (ye.) reflexed. Mexico. 1824. ——— G. 2.	
24 <i>crithmifolia</i> . K. s. (ye.) Samphire-leav'd. Quito. ——— 9. 10. F. 2.	
25 <i>angustifolia</i> . K. s. (or.) narrow-leaved. New Spain. ——— ——— H. 2.	
26 <i>procera</i> . B. R. (ye.) tall. S. America. 1818. ——— H. 2.	Bot. reg. t. 684.
27 <i>ferulaefolia</i> . (ye.) Fennel-leaved. Mexico. 1799. 10. 11. F. 2.	Jacq. schœnb. 3. t. 373.
<i>Coreôpsis ferulaefolia</i> . Jacq.	
28 <i>ciliata</i> . (ye.) fringed. Mexico. 1827. 8. 10. H. ⊙.	
29 <i>chrysântha</i> . Ort. (ye.) golden-flowered. ——— ——— H. ⊙.	
30 <i>coronata</i> . F. (ye.) crowned. 1829. ——— H. ⊙.	
31 <i>serrulata</i> . Df. (ye.) serrulate. ——— H. ⊙.	
OSMITES. W. OSMITES. Syngenesia Polygamia Frustranea. W.	
1 <i>bellidiâstrum</i> . w. (wh.) Daisy-like. C. B. S. 1816. 4. 8. G. 2.	
2 <i>asteriscoïdes</i> . w. (wh.) starry. ——— 1823. 4. 7. G. 2.	Burm. afr. t. 58. f. 1.

- 3 camphorina. w. (*wh.*) Camphor-scent'd. C. B. S. 1794. 4. 7. G. $\frac{1}{2}$. Seb. mus. 1. t. 90. f. 2.
 4 dentata. w. (*wh.*) tooth-leaved. ——— 1820. ——— G. $\frac{1}{2}$.
- SCLEROCARPUS. W. SCLEROCARPUS.** Syngenesia Polygamia Frustranea. W.
 africanus. w. (*ye.*) African. Guinea. 1812. 7. 8. G. $\odot$. Jacq. ic. 1. t. 176.
- CULLUMIA. H.K. CULLUMIA.** Syngenesia Polygamia Frustranea. H.K.
 1 ciliaris. H.K. (*ye.*) ciliated. C. B. S. 1774. 5. 6. G. $\frac{1}{2}$. Burm. afr. t. 54. f. 1.
 2 setosa. H.K. (*ye.*) recurved smooth-leav'd. ——— 1780. 6. 8. G. $\frac{1}{2}$. Comm. hort. 2. t. 28.
 3 squarrosa. H.K. (*ye.*) recurved-awl-leaved. ——— 1786. ——— G. $\frac{1}{2}$. Th. act. hafn. 3. t. 5.
- BERCKHEYA. H.K. BERCKHEYA.** Syngenesia Polygamia Frustranea. H.K.
 1 cynaroides. w. (*ye.*) Artichoke-cup'd. C. B. S. 1789. 6. G. $\frac{1}{2}$.
 2 obovata. w. (*ye.*) smooth-shrubby. ——— 1794. 6. 8. G. $\frac{1}{2}$. Hout. n. h. 6. t. 34. f. 2.
 3 incana. w. (*ye.*) hoary. ——— 1739. 7. 8. G. $\frac{1}{2}$. Jacq. ic. 3. t. 591.
 4 cuneata. w. (*ye.*) wedge-leaved. ——— 1812. 6. 8. G. $\frac{1}{2}$. Th. act. hafn. 3. t. 10.
 5 palmata. w. (*ye.*) palmated. ——— 1800. ——— G. $\frac{1}{2}$. ——— 3. t. 13.
 6 grandiflora. w. (*ye.*) large-flowered. ——— 1812. ——— G. $\frac{1}{2}$. Bot. mag. t. 1844.
 7 uniflora. w. (*ye.*) single-flowered. ——— 1815. ——— G. $\frac{1}{2}$. Th. act. hafn. 3. t. 7.
 8 cernua. H.K. (*ye.*) drooping-flower'd. ——— 1774. 5. 7. G. $\frac{1}{2}$. Meerb. ic. 1. t. 40.
- DIDEITA. H.K. DIDEITA.** Syngenesia Polygamia Frustranea. H.K.
 1 carnosum. H.K. (*ye.*) alternate-leav'd. C. B. S. 1774. 6. 7. G. $\frac{1}{2}$. L'Her. stirp. t. 28.
 2 spinosum. H.K. (*ye.*) opposite-leaved. ——— ——— G. $\frac{1}{2}$. Wendl. obs. t. 4. f. 32.
- GORTERIA. H.K. GORTERIA.** Syngenesia Polygamia Frustranea. H.K.
 personata. H.K. (*ye.*) procumbent. C. B. S. 1774. 7. 8. G. $\odot$. Jacq. coll. 4. t. 21. f. 1.
- GAZANIA. H.K. GAZANIA.** Syngenesia Polygamia Frustranea. H.K.
 1 uniflora. B.M. (*ye.*) golden. C. B. S. 1816. 7. 8. G. $\frac{1}{2}$. Bot. mag. t. 2270.
 2 rigens. H.K. (*ye.ve.*) great-flowered. ——— 1755. 5. 9. G. $\frac{1}{2}$. ——— t. 90.
 3 heterophylla. w. (*ye.ve.*) various-leaved. ——— 1812. ——— G. $\frac{1}{2}$. Willd. hort. ber. t. 97.
 4 Pavonia. H.K. (*ye.ve.*) Peacock. ——— 1804. 6. 7. G. $\frac{1}{2}$. Bot. reg. t. 35.
 5 subulata. H.K. (*ye.*) awl-leaved. ——— 1792. 7. 8. G. $\frac{1}{2}$.
- CRYPTOSTEMMA. H.K. CRYPTOSTEMMA.** Syngenesia Polygamia Frustranea.
 1 calendaceum. H.K. (*ye.*) Marygold-flow'r'd. C.B.S. 1752. 6. 8. H. $\odot$. Bot. mag. t. 2252.
 2 hypochondriacum. H.K. (*ye.*) divided-rayed. ——— 1731. 7. 8. H. $\odot$.
 3 runcinatum. H.K. (*ye.*) Dandelion-leaved. ——— 1794. ——— H. $\odot$.
- ARCTOTHECA. W. ARCTOTHECA.** Syngenesia Polygamia Frustranea. H.K.
 1 repens. w. (*ye.*) creeping. C. B. S. 1793. 7. 8. G. $\frac{1}{2}$. Jacq. schoen. 3. t. 306.
 2 hirta. L.en. (*ye.*) hairy. ——— 1818. 7. 9. G. $\frac{1}{2}$.
- SPHENOGYNE. H.K. SPHENOGYNE.** Syngenesia Polygamia Frustranea. H.K.
 1 anthemoides. H.K. (*ye.*) white-crowned. C. B. S. 1774. 7. 9. H. $\odot$. Bot. mag. t. 544.
 2 crithmifolia. H.K. (*ye.*) Samphire-leav'd. ——— 1768. 4. 8. G. $\frac{1}{2}$. Burm. afr. t. 65. f. 1.
 3 scariosa. H.K. (*ye.*) scaly-cupped. ——— 1774. ——— G. $\frac{1}{2}$.
 4 abrotanifolia. H.K. (*ye.*) Southernwood-leav'd. ——— 1789. 5. 8. G. $\frac{1}{2}$.
 5 dentata. H.K. (*ye.*) small-leaved. ——— 1787. 6. 7. G. $\frac{1}{2}$. Burm. afr. t. 64.
 6 pilifera. B.R. (*ye.*) hair toothed. ——— 1820. ——— G. $\frac{1}{2}$. Bot. reg. t. 604.
 7 serrata. s.s. (*ye.*) saw-leaved. ——— 1826. ——— G. $\frac{1}{2}$.
 8 feniculacea. (*ye.*) Fennel-leaved. ——— 1825. 5. 9. H. $\odot$. Jacq. schoen. 2. t. 156.
Arctotis feniculacea. Jacq.
 9 leucanthemoides. (*ye.*) Ox-eye Daisy-leav'd. ——— ——— H. $\odot$. ——— 2. t. 164.
Arctotis leucanthemoides. Jacq.
- 10 odorata. H.K. (*ye.*) smooth-seeded. ——— 1774. 4. 6. G. $\frac{1}{2}$.
- TITHONIA. W. TITHONIA.** Syngenesia Polygamia Frustranea. W.
 1 tagetiflora. w. (*or.*) Tagetes-flower'd. W. Indies. 1821. 8. 9. S. $\frac{1}{2}$. Bot. reg. t. 591.
 2 tubæformis. D.D. (*ye.*) tube-flowered. Mexico. 1799. 9. 11. H. $\odot$. Jacq. schoen. 3. t. 375.
Helianthus tubæformis. Jacq.
- ARCTOTIS. H.K. ARCTOTIS.** Syngenesia Polygamia Necessaria. L.
 1 acaulis. w. (*ye.*) dwarf. C. B. S. 1759. 4. 7. G. $\frac{1}{2}$. Bot. reg. t. 122.
 2 tricolor. w. (*pu.wh.*) three-coloured. ——— 1794. 5. 7. G. $\frac{1}{2}$. ——— t. 131.
 3 undulata. w. (*or.*) wave-leaved. ——— 1795. 4. 6. G. $\frac{1}{2}$. Jacq. schoen. 2. t. 160.
 4 grandiflora. w. (*or.cr.*) great-flowered. ——— 1774. 3. 5. G. $\frac{1}{2}$. ——— 3. t. 378.
 5 Massoniana. s.s. (*st.re.*) Masson's. ——— ——— G. $\frac{1}{2}$.
grandiflora. H.K. non Jacq.
 6 speciosa. w. (*pu. ye.*) showy. ——— 1812. 6. 8. G. $\frac{1}{2}$. Bot. mag. t. 2182.
 7 glaucophylla. w. (*or. pi.*) Sea-green-leav'd. ——— 1794. 5. 8. G. $\frac{1}{2}$. Jacq. schoen. 2. t. 170.
 8 plantaginea. w. (*ye. pu.*) Plantain-leaved. ——— 1768. 6. 8. G. $\frac{1}{2}$.
 9 argentea. w. (*v.*) silver-leaved. ——— 1774. 8. G. $\frac{1}{2}$.
 10 rosea. w. (*ro.*) Rose. ——— 1793. 7. 9. G. $\frac{1}{2}$. Jacq. schoen. 2. t. 162.
 11 decumbens. w. (*wh. pi.*) decumbent. ——— 1790. ——— G. $\frac{1}{2}$. ——— 3. t. 381.
 12 angustifolia. w. (*or.*) narrow-leaved. ——— 1739. ——— G. $\frac{1}{2}$.
 13 flaccida. w. (*wh. re.*) bending-stalked. ——— 1794. 5. 7. G. $\odot$. Jacq. schoen. 2. t. 163.
 14 virgata. w. (*ye. pu.*) slender-twigg'd. ——— 1816. 7. 9. H. $\odot$. ——— 3. t. 307.
 15 flammæa. J.F. (*or.*) flame-coloured. ——— 1822. ——— G. $\frac{1}{2}$. Jacq. frag. t. 47. f. 1.

16	am'ena. J.F. (wh.pu.)	handsome.	C. B. S.	1822.	7. 9.	G. 4.	Jacq. frag. t. 118.
17	paniculata. w. (wh.cr.)	panicked.	—	—	—	G. 4.	Jacq. schœn. 3. t. 380.
18	decurrens. w. (wh.pi.)	decurrent.	—	—	6. 7.	G. 4.	— 2. t. 165.
19	melanocicla. w. (wh.re.)	various-colour'd.	—	1812.	—	G. 4.	—
20	réptans. w. (st.br.)	creeping.	—	1795.	7. 9.	G. 4.	Jacq. schœn. 3. t. 382.
21	auriculata. w. (ye.pu.)	ear-leaved.	—	—	6. 8.	G. 4.	— 2. t. 169.
22	fastuosa. w. (or.cr.)	Orange-flower'd.	—	—	5. 7.	G. 4.	— 2. t. 166.
23	spinulosa. w. (or.bk.)	thorny-leaved.	—	—	5. 8.	G. 4.	— 2. t. 167.
24	maculata. w. (st.pu.)	spotted.	—	1812.	—	G. 4.	Bot. reg. t. 130.
25	áspera. B.R. (wh.ro.)	broad rough-leav'd.	—	1710.	7. 9.	G. 4.	— t. 34.
26	elâtiôr. w. (ye.pu.)	tall.	—	1816.	—	G. 4.	Jacq. schœn. 2. t. 172.
27	arboréscens. w. (wh.pi.)	arborescent.	—	—	—	G. 4.	— 2. t. 171.
28	auréola. B.R. (or.)	narrow rough-leav'd.	—	1710.	—	G. 4.	Bot. reg. t. 32.
29	revoluta. w. (ye.bk.)	revolute-leaved.	—	1824.	8. 10.	H. 4.	Jacq. schœn. 2. t. 173.
30	cùprea. w. (co.pu.)	copper-coloured.	—	—	7. 8.	G. 4.	— 2. t. 176.
31	squarrosa. w. (or.pu.)	squarrose.	—	1825.	—	G. 4.	— 2. t. 177.
32	Cinerária. w. (ye.or.)	black-eyed.	—	—	—	G. 4.	— 2. t. 174.
33	bicolor. W.en. (wh.re.)	two-coloured.	—	1812.	—	G. 4.	—
34	glabrata. w. (ye.pu.)	smooth-leaved.	—	1816.	7. 9.	G. 4.	Jacq. schœn. 2. t. 175.
35	purpurea. W.en. (pu.)	purple.	—	1827.	—	G. 4.	—
CALENDULA. W. MARYGOLD. Syngenesia Polygamia Necessaria. L.							
1	arvensis. w. (ye.)	field.	Europe.	1597.	6. 9.	H. 4.	Ger. herb. 603. f. 10.
2	sicula. W.en. (ye.)	Sicilian.	Sicily.	1816.	—	H. 4.	—
3	stellata. w. (ye.)	starry.	Barbary.	1795.	—	H. 4.	Schk. hand 3. t. 265.
4	officinalis. w. (ye.)	common.	S. Europe.	1573.	—	H. 4.	—
	β plena. (ye.)	double-flowered.	—	—	—	H. 4.	—
5	ægyptiaca. P.S. (ye.)	Egyptian.	Egypt.	1820.	—	H. 4.	—
6	suffruticosa. w. (ye.)	suffrutescent.	S. Europe.	1823.	—	G. 4.	—
7	denticulata. s.s. (ye.)	toothed.	Barbary.	1821.	6. 8.	F. 4.	—
8	sâncta. w. (st.)	pale-flowered.	Levant.	1731.	5. 9.	H. 4.	—
9	incana. w. (ye.)	hoary.	Barbary.	1796.	6. 8.	H. 4.	Desf. atl. 2. t. 245.
	tomentosa. Df. non L.	—	—	—	—	—	—
10	pluvialis. w. (wh.pu.)	small Cape.	C. B. S.	1699.	—	H. 4.	Mill. ic. t. 75. f. 2.
11	hybrida. w. (wh.pu.)	great Cape.	—	1752.	6. 7.	H. 4.	Swt. br. fl. gar. t. 39.
12	nudicaulis. w. (wh.)	naked-stalked.	—	1731.	6. 8.	H. 4.	Comm. hort. 2. t. 33.
13	graminifolia. w. (wh.pu.)	Grass-leaved.	—	—	5. 9.	G. 4.	Bot. reg. t. 289.
14	Tragus. w. (pu.wh.)	bending-stalked.	—	1774.	5. 6.	G. 4.	Bot. mag. t. 408.
	β flaccida. v. (or.)	flaccid.	—	—	—	G. 4.	Bot. reg. t. 28.
15	viscosa. H.K. (or.)	viscous.	—	1790.	6. 9.	G. 4.	Andr. reposit. t. 412.
	Arctotis glutinosa. B.M. 1343.	—	—	—	—	—	—
16	dentata. A.R. (wh.)	tooth-leaved.	—	1790.	5. 6.	G. 4.	Andr. reposit. c. ic.
17	oppositifolia. w. (ye.)	glaucous-leaved.	—	1774.	8.	G. 4.	—
18	fruticosa. w. (wh.)	shrubby.	—	1752.	6. 7.	G. 4.	Mill. ic. 2. t. 283.
19	chrysanthemifolia. v. (ye.)	large-flower'd.	—	1790.	3. 8.	G. 4.	Bot. reg. t. 40.
20	arboréscens. w. (ye.)	rough-leaved.	—	1774.	12.	G. 4.	Jacq. ic. 3. t. 596.
21	muricata. w. (ye.)	muricate.	—	1816.	—	G. 4.	—
POLYMNIA. W. POLYMNIA. Syngenesia Polygamia Necessaria. L.							
1	canadensis. w. (ye.)	Canadian.	N. America.	1768.	7. 8.	H. 4.	Lin. am. ac. 3. t. 1. f. 5.
2	Uvedalia. w. (ye.)	broad-leaved.	—	1699.	8. 10.	H. 4.	Moris. s. 6. t. 7. f. 55.
3	maculata. C.I. (ye.)	spotted-stalked.	Mexico.	1823.	9. 11.	H. 4.	Cav. ic. 3. t. 227.
4	abyssinica. w. (ye.)	upright.	Africa.	1775.	4. 5.	S. 4.	—
MELAMP'ODIUM. W. MELAMP'ODIUM. Syngenesia Polygamia Necessaria. W.							
1	americanum. w. (ye.)	American.	Vera Cruz.	1733.	8. 10.	S. 4.	Reliq. Houst. 9. t. 21.
2	humile. w. (ye.)	dwarf.	Jamaica.	1782.	6. 10.	S. 4.	—
3	hispidum. K.S. (ye.)	hispid.	New Spain.	1825.	9. 11.	H. 4.	H. et B. 4. t. 399.
4	perfoliatum. K.S. (ye.)	perfoliate.	—	1796.	8. 10.	H. 4.	Cavan. ic. 1. t. 15.
	Alcina perfoliata. Cav. Wedelia perfoliata. w.	—	—	—	—	—	—
5	longifolium. W.en. (ye.)	long-leaved.	—	1820.	—	H. 4.	—
6	ovatifolium. R.I. (ye.)	oval-leaved.	S. America.	1828.	—	H. 4.	—
	Wedelia ovatifolium. w. Alcina ovalifolia. L.G.	—	—	—	—	—	—
7	sericeum. s.s. (ye.)	silky-leaved.	New Spain.	1825.	—	H. 4.	—
MILLERIA. L. MILLERIA. Syngenesia Polygamia Necessaria. L.							
1	quinqueflora. w. (ye.)	five flowered.	Vera Cruz.	1731.	7. 10.	H. 4.	Cavan. ic. 1. t. 82.
2	biflora. w. (ye.)	two-flowered.	S. America.	1730.	—	H. 4.	Mart. dec. 47. f. 1.
FLAVERIA. J. FLAVERIA. Syngenesia Polygamia Necessaria. P.S.							
1	repanda. L.G. (ye.)	repand.	S. America.	1799.	7. 9.	H. 4.	—
2	Contrayerva. K.S. (ye.)	Peruvian.	Peru.	1794.	8. 10.	S. 4.	Cavan. ic. 1. t. 4.
3	angustifolia. K.S. (ye.)	narrow-leaved.	Mexico.	1825.	—	H. 4.	— 3. t. 223.

4 lineàris. L.G.	(ye.) linear-leaved.	S. America.	1825.	8. 10.	S. ☉.	
5 marítima. K.S.	(ye.) sea-side.	Cuba.	1822.	—	S. ☉.	
BALTIM'ORA. W.	BALTIM'ORA.	Syngenesia Polygamia Necessaria. L.				
1 recta. w.	(ye.) upright.	Vera Cruz.	1699.	6. 7.	H. ☉.	Schk. ha. 3. t. 261. C.
2 álba. P.S.	(wh.) white.		1824.	—	H. ☉.	
ERIO'COMA. K.S.	ERIO'COMA.	Syngenesia Polygamia Frustranea.				
1 floribúnda. K.S.	(wh.) many-flowered.	Mexico.	1828.	9. 11.	F. ♀.	H. et B. 4. t. 396.
2 frágans. D.D.	(wh.) sweet-scented.	—	—	—	F. ♀.	Swt. br. fl. gar. s. 2.
SILPHIUM. W.	SILPHIUM.	Syngenesia Polygamia Necessaria. L.				
1 laciniátum. w.	(ye.) jagged-leaved.	N. America.	1781.	7. 9.	H. ☉.	Lin. fil. fas. 1. t. 3.
2 compósitum. w.	(ye.) scollop-leaved.	—	1789.	—	H. ♀.	
3 therebinthináceum. (ye.)	broad-leaved.	—	1765.	8. 9.	H. ♀.	Jacq. vind. 1. t. 43.
4 perfoliátum. w.	(ye.) perfoliate.	—	1766.	7. 10.	H. ♀.	
5 conjúctum. W.en.	(ye.) conjoined.	—		—	H. ♀.	
6 connátum. w.	(ye.) round-stalked.	—	1765.	—	H. ♀.	
7 Asteriscus. w.	(ye.) hairy-stalked.	—	1732.	7. 9.	H. ♀.	Dill. elth. t. 37. f. 42.
8 scábrum. n.	(ye.) rough-leaved.	—	1823.	—	H. ♀.	
9 pùmulum. w.	(ye.) dwarf woolly.	—	—	—	H. ♀.	
10 trifoliátum. w.	(ye.) three-leaved.	—	1755.	7. 10.	H. ♀.	Moris. s. 6. t. 3. f. 68.
11 ternátum. w.	(ye.) various-leaved.	—	1806.	—	H. ♀.	
12 atropurpúreum. w.	(ye.) purple-stalked.	—	1812.	—	H. ♀.	
OSTEOSPERMUM.	OSTEOSPERMUM.	Syngenesia Polygamia Necessaria. L.				
1 spinósum. H.K.	(ye.) rough-leaved.	C. B. S.	1700.	2. 10.	G. ♀.	Com. hort. 2. t. 43.
2 spinéscens. H.K.	(ye.) smooth-leaved.	—	1793.	3. 6.	G. ♀.	Jacq. schœn. 3. t. 377.
3 pisiferum. w.	(ye.) smooth.	—	1757.	3. 5.	G. ♀.	Mill. ic. 2. t. 194. f. 1.
4 moniliferum. w.	(ye.) Poplar-leaved.	—	1714.	7. 8.	G. ♀.	Dill. elth. t. 68. f. 79.
5 hirsútum. w.	(ye.) hairy.	—	1822.	—	G. ♀.	
6 ciliátum. w.	(ye.) fringed.	—	1818.	—	G. ♀.	
7 imbricatúum. w.	(ye.) imbricated.	—	1824.	—	G. ♀.	
8 calenduláceum. w.	(ye.) Marygold-like.	—	1823.	—	G. ♀.	
9 ilicifólium. w.	(ye.) Holly-leaved.	—	1816.	—	G. ♀.	Burm. afr. 172. t. 62.
10 rigidum. w.	(ye.) rigid.	—	1774.	4. 7.	G. ♀.	
11 cœrúleum. w.	(bl.) blue-flowered.	—	—	6. 9.	G. ♀.	Jacq. ic. 1. t. 179.
12 perfoliátum. w.	(ye.) perfoliate.	—	1816.	5. 8.	G. ♀.	
13 niveum. w.	(ye.) white-leaved.	—	1820.	—	G. ♀.	
14 corymbósum. w.	(ye.) corymbed.	—	—	—	G. ♀.	
15 incánium. w.	(ye.) hoary-leaved.	—	1816.	7. 8.	G. ♀.	
16 polygaloides. w.	(ye.) Milkwort-leaved.	—	1759.	—	G. ♀.	Pluk. mant. t. 382.

Subordo VII. *AMBROSIACEÆ*. Link enum. 2. p. 366.

PARTH'ENIUM. W.	PARTH'ENIUM.	Syngenesia Polygamia Necessaria. L.				
1 integrifolium. w.	(wh.) entire-leaved.	Virginia.	1661.	6. 10.	H. ♀.	Willd. hort. ber. t. 4
2 incánium. K.S.	(wh.) hoary.	Mexico.	1824.	—	H. ☉.	H. et B. 4. t. 391.
3 Hysteróphorus. w.	(wh.) cut-leaved.	W. Indies.	1728.	7. 10.	H. ☉.	Bot. mag. t. 2275.
<i>Argyroch'atu bipinnatifida</i> . Cavan. icon. 4. t. 378.						
IVA. W.	IVA.	Syngenesia Polygamia Necessaria. L.				
1 ciliáta. w.	(ye.) ciliated.	N. America.	1820.	7. 8.	H. ☉.	
2 ánnua. w.	(ye.) annual.	S. America.	1768.	—	H. ☉.	Schmidel ic. t. 16.
3 xanthiifolia. n.	(ye.) Xanthium-leaved.	Missouri.	1827.	—	H. ☉.	
4 axilláris. Ph.	(ye.) axillary-flowered.	—	—	5. 6.	H. ♀.	
5 frutescens. w.	(ye.) shrubby.	N. America.	1711.	8.	H. ♀.	Pluk. alm. t. 27. f. 1.
AMBR'OSIA. W.	AMBR'OSIA.	Monœcia Pentandria. L.				
1 integrifolia. w.	(gr.) entire-leaved.	N. America.	1816.	7. 9.	H. ☉.	
2 trifida. w.	(gr.) trifid-leaved.	—	1699.	—	H. ☉.	Moris. s. 6. t. 1. f. 4.
3 elátior. w.	(gr.) tall.	—	1696.	7. 8.	H. ☉.	Herm. lugdb. t. 35.
4 artemisiæfolia. w.	(gr.) Mugwort-leaved.	—	1759.	—	H. ☉.	
5 paniculáta. w.	(gr.) paniced.	—	1811.	7. 9.	H. ☉.	Pluk. alm. t. 10. f. 5.
6 marítima. w.	(gr.) sea.	Italy.	1570.	7. 8.	H. ☉.	Schk. hand. 3. t. 292.
7 cumanénsis. K.S.	(gr.) Cumana.	S. America.	1823.	9. 11.	G. ♀.	
8 peruviana. w.	(gr.) Peruvian.	Peru.	1821.	—	G. ♀.	
XA'NTHIUM. W.	XA'NTHIUM.	Monœcia Pentandria. L.				
1 Strumárium. w.	(gr.) small burdock.	England.		7. 9.	H. ☉.	Eng. bot. v. 36. t. 2544.
2 orientále. w.	(gr.) oriental.	China.	1685.	—	H. ☉.	Linn. dec. 33. t. 17.
3 canadense. s.s.	(gr.) Canadian.	Canada.	—	—	H. ☉.	
4 echinátum. w.	(gr.) hedgehog.		1818.	—	H. ☉.	

- 5 catharticum. K.S. (gr.) divided-leaved. S. America. 1825. 9. 10. H. ☉.
 6 spinosum. w. (gr.) spiny. S. Europe. 1713. 7. 9. H. ☉. Herm. parad. 246.
 FRANS'ERIA. W. FRANS'ERIA. Monœcia Pentandria. W.
 1 artemisioides. w. (gr.) Mugwort-leaved. Peru. 1759. 7. 9. G. h. Willd. hort. ber. t. 2.
 2 ambrosioides. w. (gr.) Ambrosia-leaved. Mexico. 1796. — G. h. Cavan. ic. 2. t. 200.

Subordo VIII. *ANTHEMIDEÆ*. *Kth. synops. 2. p. 513.*

- CEPHALO'PHORA. W. CEPHALO'PHORA. Syngenesia Polygamia Æqualis. W.
 glauca. w. (wh.) glaucous. Chili. 1798. 7. 8. H. ☉. Cavan. ic. 6. t. 599.
Gramia aromatica. Hook. ex. flor. 189.
 ETH'ULIA. W. ETH'ULIA. Syngenesia Polygamia Æqualis. W.
 1 conyzoides. w. (li.) panicled. India. 1776. 7. 8. S. ☉. Linn. fil. dec. t. 1.
 2 divaricata. w. (pu.) spreading. — 1815. — S. ☉. Lam. ill. t. 699.
Epâtes divaricata. Cas.
 3 ramosa. H.B. (pu.) branching. — 1818. — S. ☉.
 4 brasiliensis. L.en. (pu.) Brazilian. Brazil. 1822. — S. 4.
 SPARGANO'PHORUS. G. SPARGANO'PHORUS. Syngenesia Polygamia Æqualis.
 1 Vaillantii. P.S. (pu.) Vaillant's. E. Indies. 1824. 6. 8. S. 4. Gært. fr. 2. t. 165. f. 4.
Ethulia Sparganophorus. L.
 2 Struchium. P.S. (pu.) axillary-flower'd. W. Indies. 1826. — S. 4. Brown. jam. t. 34. f. 2.
 3 verticillatus. M. (pu.) whorl-leaved. N. America. 1827. 8. 10. H. w. 4.
 TARCHONANTHUS. W. AFRICAN FLEABANE. Syngenesia Polygamia Æqualis. L.
 1 camphoratus. w. (ye.) strong-scented. C. B. S. 1690. 6. 10. G. h. Lam. ill. t. 671.
 2 dentatus. P.S. (ye.) scentless. — 1816. — G. h.
 3 ellipticus. P.S. (ye.) elliptic-leaved. — 1823. — G. h.
 PODA'NTHUS. LG. PODA'NTHUS. Syngenesia Polygamia Æqualis.
 1 miliqui. H.C. (ye.) Chilian. Chile. 1826. 7. 9. F. h.
 2 gratus. D.D. (ye.) grateful. — 1825. — F. h. Hor. phys. ber. 75. t. 16.
Eucœnia grata. S.S.
 OTA'NTHUS. L.en. OTA'NTHUS. Syngenesia Polygamia Æqualis.
 maritimus. L.en. (ye.) sea-side. England. 7. 9. H. h. Eng. bot. v. 2. t. 141.
Santolina maritima. E.B.
 SANTOL'INA. W. LAVENDER-COTTON. Syngenesia Polygamia Æqualis. L.
 1 Châmæ-Cyparissus. w. (ye.) common. S. Europe. 1573. 7. H. h. Lam. ill. t. 671. f. 3.
 2 ericoides. P.S. (ye.) Heath-like. — 1827. 7. 9. H. h.
 3 squarrosa. w. (ye.) hoary. — 1570. 7. 8. H. h. Moris. s. 6. t. 3. f. 17.
 4 viridis. w. (ye.) dark-green. — 1727. 7. H. h.
 5 rosmarinifolia. w. (ye.) Rosemary-leaved. — 1683. 7. 9. H. h. Sm. exot. bot. 2. t. 62.
 6 pectinata. S.S. (ye.) pectinate. Spain. 1825. — H. h.
 7 viscosa. S.S. (ye.) viscous. — — H. h.
 8 erithimifolia. W.en. (ye.) Samphire-leaved. S. Europe. 1823. — H. 4.
 9 pinnata. Viv. (wh.) wing-leaved. — 1791. — F. h.
 10 anthemoides. w. (ye.) Chamomile-leaved. — 1727. 7. 8. H. 4. Flor. græc. t. 854.
 11 alpina. L. (ye.) alpine. — 1798. 7. 9. H. 4. Barf. rar. t. 522.
 ATHAN'ASIA. W. ATHAN'ASIA. Syngenesia Polygamia Æqualis. L.
 1 crenata. w. (ye.) crenated. C. B. S. 1816. 6. 8. G. h.
 2 punctata. w. (ye.) punctated. — 1822. 5. 7. G. h. Petiv. gaz. t. 81. f. 6.
 3 capitata. w. (ye.) hairy. — 1774. 1. 3. G. h. Moris. s. 6. t. 3. f. 48.
 4 pubescens. w. (ye.) villous-leaved. — 1768. 6. 8. G. h. Comm. hort. 2. t. 47.
 5 canescens. w. (ye.) canescent. — 1822. — G. h. Cavan. ic. 1. t. 3.
lanuginosa. Cav.
 6 cuneifolia. P.S. (ye.) wedge-leaved. — 1816. 7. 9. G. h. Lam. ill. t. 670. f. 3.
 7 annua. w. (ye.) annual. Barbary. 1686. 7. 8. H. ☉. Bot. mag. t. 2276.
 8 dentata. w. (ye.) tooth-leaved. C. B. S. 1759. — G. h. Comm. rar. t. 41.
 9 trifurcata. w. (ye.) trifid-leaved. — 1710. — G. h. Comm. hort. 2. t. 49.
 10 virgata. w. (ye.) twiggy. — 1815. — G. h. Jacq. schœn. 2. t. 148.
 11 tomentosa. w. (ye.) Lavender-leaved. — 1774. 5. 6. G. h. Lam. ill. t. 670. f. 1.
cinerea. L.
 12 filiformis. w. (ye.) fine-leaved. — 1787. 8. G. h.
 13 crithmifolia. w. (ye.) Samphire-leav'd. — 1723. 7. 8. G. h. Comm. hort. 2. t. 50.
 14 parviflora. w. (ye.) small-flowered. — 1731. 4. G. h. Jacq. schœn. 2. t. 149.
 15 triëuspis. P.S. (ye.) three-pointed. — 1816. — G. h.
 16 pectinata. w. (ye.) pectinated. — 1774. 5. 6. G. h.
 17 pinnata. w. (ye.) pinnated. — 1824. 6. 8. G. h. Lam. ill. t. 670. f. 4.
 BALSAM'ITA. W. COSTMARY. Syngenesia Polygamia Æqualis. W.
 1 virgata. w. (ye.) twiggy. Italy. 1791. 6. 7. H. 4. Jacq. obs. 4. t. 81.

2	ageratifolia. w. (ye.)	Ageratum-leav'd.	Candia.	1605.	6. 10.	G. h.	Alp. exot. t. 326.
3	vulgaris. w. (ye.)	common.	Italy.	1568.	8. 9.	H. 2.	Schk. hand. 3. t. 240.
4	annua. DC. (ye.)	annual.	S. Europe.	1629.	7. 8.	H. ☉.	Mill. ic. 2. t. 227. f. 1.
<i>Tanacetum annuum. w.</i>							
PE'NTZIA. Th.	PE'NTZIA.	Syngenesia	Polygamia	Æqualis. W.			
	flabelliformis. w. (ye.)	fan-leaved.	C. B. S.	1774.	5. 8.	G. h.	Bot. mag. t. 212.
<i>Tanacetum flabelliforme. B.M.</i>							
TANACETUM. W.	TANSY.	Syngenesia	Polygamia	Superflua. L.			
1	vestitum. w. (ye.)	imbricated.	C. B. S.	1816.	8. 9.	G. h.	
2	linifolium. w. (ye.)	Flax-leaved.	—	1774.	8.	G. h.	
3	suffruticosum. w. (ye.)	shrubby.	—	1751.	5. 9.	G. h.	Comm. hort. 2. t. 100.
4	canariense. DC. (ye.)	Canary.	Canaries.	1816.	—	G. h.	
5	incanum. s.s. (ye.)	hoary.	Levant.	1827.	—	H. 2.	
6	sibiricum. w. (ye.)	Siberian.	Siberia.	1823.	—	H. 2.	Gmel. sib. 2. t. 65. f. 2.
7	argenteum. w. (ye.)	silvery.	Levant.	1812.	—	H. 2.	
8	grandiflorum. w. (ye.)	great-flowered.	C. B. S.	1825.	—	G. 2.	
9	myriophyllum. w. (ye.)	many-leaved.	Levant.	1818.	—	H. 2.	
<i>Achillea bipinnata. L.</i>							
10	pauciflorum. s.s. (ye.)	few-flowered.	N. America.	1827.	—	H. 2.	
11	vulgare. w. (ye.)	common.	Britain.		—	H. 2.	Eng. bot. v. 18. t. 1229.
	<i>β crispum.</i> (ye.)	curled.			—	H. 2.	
ARTEMISIA. W.	WORMWOOD.	Syngenesia	Polygamia	Superflua. L.			
1	judaica. w. (ye.)	Judean.	Levant.	1688.	8.	G. h.	Pluk. alm. t. 73. f. 2.
2	valentina. w. (ye. gr.)	Spanish.	Spain.	1739.	7. 8.	F. h.	Barr. ic. t. 485.
3	arragonensis. w. (ye. gr.)	snowy-white.	—	1816.	—	F. h.	Asso arrag. t. 8. f. 1.
4	salsoloides. s.s. (ye. gr.)	saltwort-like.	Siberia.	1827.	—	F. h.	
5	subcanescens. w. (ye. gr.)	hoary-leav'd.	S. Europe.		—	F. h.	
6	abrotanum. w. (ye. gr.)	Southernwood.	—	1548.	8. 10.	H. h.	Blackw. t. 555.
7	viridifolia. s.s. (ye. gr.)	green-leaved.	Siberia.	1828.	—	H. h.	
8	procera. w. (ye. gr.)	tall.	S. Europe.	1816.	—	F. h.	Lobel. ic. 768.
<i>paniculata. Lam.</i>							
9	tenuifolia. w. (ye. gr.)	slender-leaved.		1732.	9. 12.	G. h.	Dill. elth. t. 33. f. 37.
10	afra. w. (wh. gr.)	Cape.	C. B. S.	1816.	—	G. h.	
11	arboræscens. w. (ye. gr.)	tree.	Levant.	1640.	6. 8.	H. h.	Flor. græc. t. 856.
12	argentea. w. (ye.)	silvery.	Madeira.	1777.	6. 7.	G. h.	
13	lednicensis. s.s. (ye. gr.)	linear-lobed.	Hungary.	1829.	—	H. h.	
14	pauciflora. s.s. (ye.)	few-flowered.	Siberia.	1824.	—	H. h.	
15	glaciata. w. (ye. gr.)	silky.	Switzerland.	1739.	7. 8.	H. 2.	Jacq. aust. 5. t. ap. 35.
16	rupèstris. w. (br.)	stone.	N. Europe.		—	H. h.	All. ped. t. 9. f. 1.
17	mutellina. w. (ye. gr.)	Alpine.	Alps of Europ.	1815.	—	H. 2.	Vill. daup. 3. t. 35.
18	splendens. s.s. (ye.)	glossy.	Caucasus.	1827.	—	H. 2.	
19	furcata. s.s. (br.)	forked.	Siberia.	1829.	—	H. 2.	
20	lanata. s.s. (wh. ye.)	woolly.	S. Europe.	1827.	—	H. 2.	
21	alpina. M.B. (ye. gr.)	alpine.	Caucasus.	—	—	H. 2.	
22	jeniseensis. s.s. (ye. gr.)	leafy-panicled.	Siberia.	1824.	—	H. 2.	
23	pedemontana. L. en. (br.)	Swiss.	Switzerland.	1823.	—	H. 2.	
24	caucasica. w. (ye. gr.)	Caucasian.	Caucasus.	1804.	6. 7.	H. 2.	
25	spicata. w. (br.)	spiked.	Switzerland.	1790.	—	H. 2.	Jacq. aust. 5. t. ap. 34.
26	norvegica. s.s. (br.)	Norwegian.	Norway.	1823.	—	H. 2.	Flor. dan. t. 801.
<i>rupèstris. Flor. dan. nec aliorum.</i>							
27	grœnlandica. s.s. (br.)	Greenland.	Greenland.	1827.	—	H. 2.	
28	ludoviciana. N. (br.)	St. Louis.	Missouri.	—	—	H. 2.	
29	desertorum. s.s. (br.)	desert.	Tartary.	1817.	7. 9.	H. 2.	
<i>leucanthemifolia. Hort.</i>							
30	pectinata. w. (br.)	comb-leaved.	Dauria.]	1806.	—	H. ☉.	Pall. it. 3. t. Hh. f. 2.
31	tanacetifolia. w. (br.)	Tansy-leaved.	Siberia.	1768.	7. 8.	H. ♂.	All. ped. 1. t. 10. f. 3.
32	laciniata. w. (gr.)	jagged.	Dauria.	1823.	—	H. 2.	
33	inspida. w. (br.)	insipid.	S. Europe.	—	—	H. 2.	Vill. delph. 3. t. 35.
34	mollissima. D.P. (ye.)	soft-leaved.	Nepaul.	—	8. 11.	H. 2.	
35	potentillæfolia. s.s. (gr. st.)	Cinquefoil-leav'd.	Siberia.	1827.	7. 9.	H. 2.	
36	armeniaca. s.s. (gr. ye.)	Armenian.	Armenia.	1828.	—	H. 2.	
37	canescens. s.s. (gr. ye.)	canescent.	—	—	—	H. 2.	
38	Santonica. w. (wh. gr.)	Tartarian.	Siberia.	1596.	9. 11.	H. h.	Gmel. sib. 2. t. 51.
39	scoparia. w. (wh. gr.)	besom.	Hungary.	1796.	7. 9.	H. ☉.	W. et K. hung. 1. t. 65.
40	campèstris. w. (br.)	field.	England.		8.	H. 2.	Eng. bot. v. 5. t. 338.
41	herbacea. w. (ye. gr.)	herbaceous.	Siberia.	1817.	—	H. 2.	
42	Marschalliana. s.s. (gr. ye.)	M. Bieberstein's.	—	1800.	8. 9.	H. 2.	
<i>inodora. M.B. pauciflora. w.</i>							
43	virgata. s.s. (br.)	twiggy.	N. America.	1827.	7. 9.	H. 2.	

- 44 palustris. w. (ye.) marsh. Siberia. 1801. 7. 8. H. ☉. Gmel. sib. 2. t. 55.
 45 neglecta. W.en. (gr.ye.) neglected. ——— 1815. ——— H. 2. ———
 46 camphorata. w. (ye.gr.) Camphor-scent'd. S. Europe. 1820. ——— H. 2. Lob. ic. t. 769. f. 1.
 47 albida. W.en. (st.) white-leaved. Siberia. ——— H. 2. ———
 48 humilis. W.en. (ye.gr.) dwarfish. Carniola. 8. 10. H. 2. ———
 49 crithmifolia. w. (br.) Samphire-leav'd. Portugal. 1739. ——— H. 2. ———
 50 saxatilis. w. (wh.) rock. Hungary. 1816. 6. 8. H. 2. ———
 51 glauca. w. (gr.) glaucous. Siberia. 1806. ——— H. 2. ———
 52 nutans. w. (br.gr.) nodding. Tartary. 1819. 7. 9. H. 2. ———
 53 monogyne. w. (ye.) one-styled. Hungary. 1816. ——— H. 2. ———
 54 palmata. w. (gr.ye.) palmated. S. Europe. 1739. 6. 7. G. 2. W. et K. hung. 1. t. 75.
 55 nivea. W.en. (gr.ye.) snowy. Siberia. 1815. ——— H. 2. ———
 56 maritima. w. (br.) drooping-flower'd. Britain. 8. 9. H. 2. Eng. bot. v. 24. t. 1706.
 57 gallica. w. (br.) upright-flower'd. ——— 1816. ——— H. 2. ——— t. 1001.
 58 salina. w. (wh.gr.) sea-side. Germany. 1817. ——— H. 2. Spreng. halens. t. 12.
 59 fragrans. w. (st.) Lavender-leav'd. Armenia. 1739. 6. 7. H. 2. ———
 60 austriaca. w. (br.) Austrian. Austria. 1597. 8. 10. H. 2. Jacq. aust. 1. t. 100.
 61 frigida. s.s. (gr.ye.) frigid. Siberia. ——— H. 2. ———
 62 vallesiaca. w. (st.) downy. Italy. 1739. 7. 8. H. 2. ———
 63 taurica. w. (wh.gr.) Taurian. Tauria. 1824. ——— H. 2. ———
 64 orientalis. w. (br.) oriental. Armenia. 8. 10. H. 2. ———
 65 sericea. w. (wh.) silky-leaved. ——— 1796. 6. 7. H. 2. Gmel. sib. t. 64. f. 1.
 66 repens. w. (br.) creeping. ——— 1805. ——— H. 2. ———
 67 ramosa. s.s. (st.) branching. Canaries. 1816. 6. 8. G. 2. ———
 68 balsamita. W.en. (ye.) Balsam-scented. ——— H. 2. ———
 69 pontica. w. (ye.) Roman. Austria. 1570. 9. H. 2. Jacq. aust. 1. t. 99.
 70 chamæmelifolia. w. (br.) Chamomile-leav'd. S. Europe. 1739. 7. 8. F. 2. Vill. dauph. 3. t. 35.
 71 annua. w. (wh.gr.) annual. Siberia. 1741. ——— H. ☉. Am. ruth. t. 196. f. 23.
 72 biennis. Ph. (ye.gr.) biennial. Missouri. 1804. ——— H. 2. Bot. mag. t. 2472.
 73 Absinthium. w. (ye.) common. Britain. 7. 10. H. 2. Eng. bot. v. 18. t. 1230.
 74 Sieversiana. w. (br.gr.) Sievers's. Siberia. 1800. 7. 8. H. 2. ———
 75 vulgaris. w. (pu.) Mugwort. Britain. 8. 9. H. 2. Eng. bot. v. 14. t. 978.
 76 procumbens. DC. (ye.gr.) procumbent. Siberia. 1823. ——— H. 2. ———
 77 incisa. W.en. (ye.pu.) cut-leaved. ——— H. 2. ———
 78 fasciculata. M.B. (ye.pu.) fascicled. Iberia. 1820. ——— H. 2. ———
 79 elegans. F. (ye.) elegant. China. ——— 7. 9. H. 2. ———
 80 camtschatica. F. (gr.st.) Kamtschatka. Kamtschatka. 1827. 8. 10. H. 2. ———
 81 sacrorum. Led. (gr.st.) sacred. Siberia. 1828. 7. 9. H. 2. ———
 82 Mertensiana. W.h. (gr.st.) Mertens's. Hungary. 1826. ——— H. 2. ———
 83 indica. w. (ye.gr.) Indian. E. Indies. 1796. 9. 10. F. 2. Rheed. mal. 10. t. 45.
 84 integrifolia. w. (ye.gr.) entire-leaved. Siberia. 1759. 7. 8. H. 2. Gm. sib. 2. t. 48. f. 1.2.
 85 japonica. w. (wh.) Japanese. Japan. 1804. 10. 11. H. 2. ———
 86 dracunculoides. Ph. (gr.) Tarragon-like. N. America. 1811. 8. 10. H. 2. ———
cérnua, N. nutans. Fraser.
 87 serrata. N. (gr.) saw-leaved. Missouri. 1827. ——— H. 2. ———
 88 gnaphalioides. N. (br.) Cudweed-like. ——— ——— H. 2. ———
 89 cærulescens. w. (ye.) blueish. England. 8. 10. H. 2. Eng. bot. v. 34. t. 2426.
 90 inodora. w. (ye.) inodorous. Siberia. 1548. 7. 8. H. 2. Gm. sib. 2. t. 59 & 60. f. 1.
 91 Dracunculus. w. (wh.gr.) Tarragon. S. Europe. ——— H. 2. ———
 92 chinensis. w. (ye.gr.) Moxa. China. 1816. ——— H. 2. Gmel. sib. 2. t. 61. f. 1.2.
ERIOCEPHALUS. W. W. WOOLHEAD. Syngenesia Polygamia Necessaria. L.
 1 africanus. w. (ye.) cluster-leaved. C. B. S. 1732. 1. 4. G. 2. Bot. mag. t. 833.
frutescens, H.K.
 2 decussatus. B.T. (ye.) cross-leaved. ——— 1816. 3. 6. G. 2. ———
 3 purpureus. B.T. (pu.) purple. ——— ——— G. 2. ———
 4 racemosus. w. (ye.) silver-leaved. ——— 1739. 3. 4. G. 2. ———
 5 spinescens. B.T. (ye.) spiny. ——— 1816. ——— G. 2. ———
HIPPIA. W. **HIPPIA.** Syngenesia Polygamia Necessaria. L.
 1 frutescens. w. (ye.) shrubby. C. B. S. 1710. 2. 8. G. 2. Bot. mag. t. 1855.
 2 integrifolia. w. (ye.) annual. E. Indies. 1777. 7. 8. S. ☉. Hout. n. hist. t. 67. f. 2.
SOLIVA. L.T. **SOLIVA.** Syngenesia Polygamia Necessaria.
 1 anthemifolia. (gr.) Chamomile-leav'd. S. America. 1812. 4. 12. H. ☉. J. ann. mus. t. 61. f. 1.
Gymnostyles anthemifolia, P.S.
 2 pterospérma. J. (gr.) wing-seeded. Brazil. 1827. 5. 9. H. ☉. ———
 3 stolonifera. L.T. (gr.) stoloniferous. Portugal? 1818. 4. 12. H. ☉. ———
Hippia stolonifera, P.S. *Gymnostyles lusitânica*, s.s.
 4 minúta. (ye.) fringe-leaved. S. America. 1825. ——— H. ☉. ———
Hippia minúta, L. *Gymnostyles minúta*, s.s.
 5 pedicellata. P.S. (gr.) pedicelled. S. America. ——— ——— H. ☉. ———

- LIDBE'CKIA. W.** **LIDBE'CKIA.** Syngenesia Polygamia Superflua. W.
 1 lobata. w. (ye.) lobe-leaved. C. B. S. 1816. 5. 6. G. h. Lam. ill. t. 701. f. 3.
Lancisia lobata. p.s. Côtula quinqueloba. L.
 2 pectinata. w. (ye.) silver-leaved. C. B. S. 1774. 5. 6. G. h. Berg. cap. 306. t. 5. f. 9.
C'ENIA. J. **C'ENIA.** Syngenesia Polygamia Superflua.
 turbinata. p.s. (wh. re.) turbinated. C. B. S. 1713. 7. 8. H. ☉. Lam. ill. t. 701. f. 1.
Lidbeckia turbinata. w. Côtula turbinata. L.
C'OTULA. W. **C'OTULA.** Syngenesia Polygamia Superflua. W.
 1 anthemoides. w. (ye.) Anthemis-like. St. Helena. 1696. 7. 8. S. ☉. Dill. elth. t. 23. f. 25.
 2 aurea. w. (ye.) golden. S. Europe. 1823. 7. 9. H. ☉.
 3 nudicaulis. w. (ye.) naked-stalked. C. B. S. 1816. — G. y. Houtt. syst. t. 69. f. 4.
 4 coronopifolia. w. (ye.) Buck's Horn. — 1683. — G. ☉. Lam. ill. t. 700. f. 1.
 5 umbellata. w. (ye.) umbel-flowered. — 1822. — H. ☉.
 6 viscosa. w. (wh.) clammy. Vera Cruz. 1739. 8. S. y.
 7 tanacetifolia. w. (ye.) Tansy-leaved. C. B. S. 1780. 6. 8. H. ☉. Pluk. man. t. 430. f. 7.
 8 sericea. w. (ye.) silky. — 1816. — G. y.
 9 sphaeranthus. L. en. (ye.) round-headed. Congo. 1820. — S. y.
GRA'NGEA. J. **GRA'NGEA.** Syngenesia Polygamia Superflua.
 1 cuneifolia. Lk. (br. ye.) wedge-leaved. China. 1816. 7. 9. H. ☉. Lam. ill. t. 699. f. 2.
 2 minima. w. (ye.) least. — 1768. — H. ☉. Burm. ind. t. 58. f. 3.
 3 decumbens. Df. (ye.) decumbent. N. Holland. 1815. — H. ☉.
 4 maderaspatana. J. (ye.) Madras. E. Indies. 1780. 7. 8. S. ☉. Lam. ill. t. 699. f. 3.
Côtula maderaspatana. w.
 5 bicolor. Df. (ye.) two-coloured. — 1804. — S. ☉. Lam. ill. t. 699. f. 1.
Côtula bicolor. w. latifolia. p.s.
 6 cinerea. L. en. (ye.) grey. Egypt. 1825. — H. ☉.
ANAC'YCLUS. W. **ANAC'YCLUS.** Syngenesia Polygamia Superflua. W.
 1 creticus. w. (wh.) trailing. Candia. 1759. 6. 8. H. ☉. Ann. mus. 11. t. 22.
 2 orientalis. w. (wh.) oriental. Levant. 1731. — H. ☉. Boer. lugd. 1. t. 110.
 3 aureus. w. (ye.) golden-flower'd. — 1570. — H. ☉. Lam. ill. t. 700. f. 2.
 4 radiatus. L. en. (wh.) rayed. — 1823. — H. ☉.
 5 alexandrinus. w. (wh.) Egyptian. Egypt. 1828. — H. ☉.
 6 clavatus. p.s. (wh.) clavate. Barbary. 1823. — H. ☉.
 7 Pyrethrum. L. en. (w.) Pellitory of Spain. S. Europe. 1570. 6. 7. H. y. Bot. mag. t. 462.
A'ntnemis Pyrethrum. w.
 8 valentinus. w. (ye.) fine-leaved. Spain. 1656. — H. ☉. Schk. han. 3. t. 254. b.
 9 purpurascens. p.s. (ye. cr.) two-coloured. S. Europe. 1829. — H. ☉.
 10 officinarum. Hayn. (wh.) officinal. — 1828. — H. ☉.
 11 inflatus. Leh. (wh.) inflated. Siberia. 1829. — H. ☉.
 12 tomentosus. Leh. (wh.) woolly. — — H. ☉.
 13 divaricatus. Cav. (wh.) spreading. — 1824. — H. ☉.
ZALUZ'ANIA. P.S. **ZALUZ'ANIA.** Syngenesia Polygamia Superflua.
 triloba. p.s. (ye.) three-lobed. Mexico. 1798. 7. 9. F. h.
A'ntnemis triloba. w.
FERDINA'NDIA. LG. **FERDINA'NDIA.** Syngenesia Polygamia Superflua.
 1 augusta. LG. (ye.) august. Mexico. 1816. 8. 10. F. h.
 2 integrifolia. D. D. (ye.) entire-leaved. — 1828. — F. h.
A'NTHEMIS. W. **CHAMOMILE.** Syngenesia Polygamia Superflua. L.
 1 rigescens. W. en. (wh.) rigid. Caucasus. 1805. 7. 9. H. y. W. hort. ber. 1. t. 62.
nigricans. Hort.
 2 Cota. w. (wh.) Venetian. Italy. 1714. 7. 8. H. ☉. Pluk. alm. t. 17. f. 5.
 3 altissima. w. (wh.) tall. S. Europe. 1731. 8. H. ☉. Flor. græc. t. 881.
 4 punctata. w. (wh.) dotted. Levant. 1825. 7. 9. G. h. Desf. atl. 2. t. 139.
 5 maritima. w. (wh.) sea. England. — 7. 8. H. ☉. Eng. bot. v. 33. t. 2370.
 6 tomentosa. w. (wh.) downy. Levant. 1795. 7. 10. H. y.
 7 ruthénica. M. B. (wh.) Russian. Tauria. 1823. — H. ☉.
 8 fruticulosa. M. B. (wh.) frutescent. — — H. h.
 9 pubescens. w. (wh.) pubescent. S. Europe. 1803. 7. 8. H. y. Barrel. ic. t. 451.
 10 biaristata. s.s. (wh.) two-awned. S. France. 1822. — H. y.
 11 revoluta. s.s. (wh.) revolute. Canaries. 1816. 8. 10. G. h.
 12 secundiramea. s.s. (w.) second-branch'd. Sicily. 1824. 7. 9. H. ☉.
 13 mixta. w. (wh.) simple-leaved. France. 1731. 7. 8. H. ☉. Mich. gen. t. 30. f. 1.
 14 Kitaibelii. (wh.) Kitaibel's. Hungary. 1807. — H. y.
 15 coronopifolia. w. (wh.) Buckshorn-leav'd. Spain. — — H. y.
 16 australis. w. (wh.) procumbent. S. France. 1818. — H. y.
 17 ibérica. M. B. (wh.) Iberian. Iberia. 1829. — H. y.
 18 Barrelieri. s.s. (wh.) Barrelier's. Naples. — 8. 10. H. ☉.
 19 saxatilis. Dc. (wh.) rock. S. France. 1807. 7. 8. H. y.
 20 alpina. w. (wh.) Alpine. Europe. — — H. y. Jacq. aust. 6. ap. t. 30.

21	carpática. w.	(wh.) Carpathian.	Carpathian-m.	1818.	7. 8.	H. 2.	
22	corymbôsa. w.	(wh.) corymbose.	Austria.	1821.	—	H. 2.	
23	retusa. s.s.	(wh.) retuse.		1824.	—	H. 2.	
24	ramôsa. s.s.	(wh.) branching.		—	9. 11.	H. 2.	
25	mucronulâta. s.s.	(wh.) mucronulate.	Italy.	1829.	8. 10.	H. 2.	
26	Chamomilla. W.	(wh.) various-leaved.	S. Europe.	—	—	H. 2.	
27	chia. w.	(wh.) cut-leaved.	Chio.	1731.	6. 10.	H. 2.	
28	nobilis. w.	(wh.) common.	Britain.		7. 9.	H. 2.	Eng. bot. v. 14. t. 908.
29	arvensis. w.	(wh.) corn.	—		6. 8.	H. 2.	v. 9. t. 602.
30	austriaca. w.	(wh.) Austrian.	Austria.	1759.	5. 8.	H. 2.	Jacq. aust. 5. t. 444.
31	Côtula. w.	(wh.) stinking.	Britain.		6. 9.	H. 2.	Eng. bot. v. 25. t. 1772.
32	fallax. W.en.	(wh.) false Chamomile.	—	—	—	H. 2.	
33	fuscata. w.	(wh.) brown-scaled.	Portugal.	1805.	7. 8.	H. 2.	
34	peregrina. w.	(wh.) close-branched.	Piedmont.	1817.	—	H. 2.	
35	candidissima. s.s.	(w.) silvery-leaved.	Caucasus.	1812.	—	H. 2.	
36	montana. w.	(wh.) mountain.	Italy.	1759.	7. 10.	H. 2.	Ger. prov. t. 8.
37	incrassata. s.s.	(wh.) thick-stalked.	S. France.	1823.	—	H. 2.	
38	pedunculata. s.s.	(wh.) large-stalked.	Portugal.	—	8. 10.	H. 2.	
39	petr'ea. L.en.	(wh.) long-stalked.	Naples.	—	—	H. 2.	
40	apiifolia. B.R.	(wh.) Parsley-leaved.		1764.	8. 9.	H. 2.	Bot. reg. t. 527.
41	minuta. Leh.	(wh.) minute.		1829.	—	H. 2.	
42	suffruticosa. Leh.	(wh.) suffrutescent.		—	6. 9.	H. 2.	
43	globosa. w.	(ye.) globe.	Naples.	—	8. 9.	G. 2.	Jacq. schœn. 3. t. 371.
44	valentina. w.	(ye.) purple-stalked.	S. Europe.	1596.	7. 8.	H. 2.	Breyn. cent. t. 75.
45	tinctoria. w.	(ye.) Ox Eye.	Britain.		6. 11.	H. 2.	Eng. bot. v. 21. t. 1472.
46	discoidea. w.	(ye.) saw-leaved.	Italy.	1800.	7. 8.	H. 2.	
47	Marschalliana. w.	(ye.) M. Bieberstein's.	Caucasus.	1828.	—	H. 2.	
48	Rudolphiana. M.B.	(ye.) Rudolph's.	—	—	—	H. 2.	
CLADANTHUS. Cas.				Syngenesia Polygamia Superflua.			
	arabicus. Cas.	(ye.) Arabian.	Barbary.	1759.	7. 8.	H. 2.	Smith spic. 9. t. 10.
<i>Anthemis arabica. w.</i>							
MATRICARIA. W.				MATRICARIA. Syngenesia Polygamia Superflua. L.			
1	suaveolens. w.	(wh.) sweet.	Europe.	1781.	6. 8.	H. 2.	
2	Chamomilla. w.	(wh.) Wild Chamomile.	Britain.		5. 7.	H. 2.	Eng. bot. v. 18. t. 1232.
3	capensis. w.	(wh.) Cape.	C. B. S.	1699.	7. 9.	G. 2.	Seb. thes. 1. t. 16. f. 2.
4	pusilla. W.en.	(wh.) small.			—	H. 2.	
ACHILLEA. W.				MILFOIL. Syngenesia Polygamia Superflua. L.			
1	lingulata. w.	(wh.) tongue-leaved.	Hungary.	1815.	7. 8.	H. 2.	W. et K. hung. 1. t. 2.
2	Herba-rôta. w.	(wh.) Herbarota.	France.	1640.	6. 7.	H. 2.	All. ped. 1. t. 9. f. 3.
3	grandiflora. M.B.	(wh.) great-flowered.	Caucasus.	1815.	7. 8.	H. 2.	
4	Párnica. w.	(wh.) Sneezewort.	Britain.		7. 11.	H. 2.	Eng. bot. v. 11. t. 757.
	β flore pleno.	(wh.) double-flowered.	—		—	H. 2.	
5	cristata. w.	(wh.) slender-branch'd.	Italy.	1784.	7. 8.	H. 2.	
6	Ageratum. w.	(ye.) Sweet Maudlin.	S. Europe.	1570.	8. 10.	H. 2.	
7	decolorans. W.en.	(st.) pale yellow.	England.	1798.	6. 8.	H. 2.	Eng. bot. v. 36. t. 2531.
	serrata. E.B. nec aliorum.	—	—	—	—	—	
8	speciosa. W.en.	(wh.) spear-leaved.		1804.	7. 9.	H. 2.	
9	biserrata. M.B.	(wh.) two-toothed.	Iberia.	1825.	—	H. 2.	
10	salicifolia. F.	(wh.) Willow-leaved.	Siberia.	1827.	—	H. 2.	
11	dentifera. Jac.	(wh.) tooth-leaved.		1824.	—	H. 2.	
12	alpina. w.	(wh.) Alpine.	Siberia.	1731.	7. 11.	H. 2.	Bocc. mus. 144. t. 101.
13	serrata. w.	(wh.) saw-leaved.	Switzerland.	1686.	8. 9.	H. 2.	
14	coronopifolia. w.	(st.) buckhorn-leav'd.	Levant.	1816.	—	H. 2.	
15	Clavennæ. w.	(wh.) silver-leaved.	Austria.	1656.	6. 7.	H. 2.	Bot. mag. t. 1287.
16	Thomasiana. DC.	(wh.) Thomas's.	S. France.	1828.	—	H. 2.	
17	impatiens. w.	(wh.) impatient.	Siberia.	1759.	6. 9.	H. 2.	Gmel. sib. 2. t. 83. f. 1.
18	pectinata. w.	(st.) comb-leaved.	Hungary.	1801.	8. 9.	H. 2.	W. et K. hung. 1. t. 34.
<i>ochroleuca. w. K. non w.</i>							
19	Gerberi. w.	(ye.) various-leaved.	Siberia.	1816.	—	H. 2.	Gmel. sib. 2. t. 83. f. 2.
20	pilosa. w.	(ye.) hairy.		1826.	—	H. 2.	
21	squarrosa. w.	(wh.) rough-headed.		1775.	7. 8.	H. 2.	
22	falcata. w.	(wh.) sickle-leaved.	Levant.	1739.	6. 9.	H. 2.	Lam. ill. t. 683. f. 3.
23	santolinoides. LG.	(w.) Santolina-like.	Spain.	1824.	—	H. 2.	
24	tenuifolia. w.	(ye.) slender-leaved.	Levant.	1733.	6. 8.	H. 2.	
25	Santolina. w.	(ye.) Lavender-cotton-leav'd.—	—	1759.	—	H. 2.	Flor. græc. t. 891.
26	albida. s.s.	(st.) white woolly.		1819.	6. 10.	H. 2.	
27	anthemoides. w.	(ye.) Chamomile-like.			—	H. 2.	
28	decumbens. s.s.	(ye.) decumbent.	Kamtschatka.	1800.	6. 8.	H. 2.	
29	atrata. w.	(wh.) black-cupped.	Austria.	1596.	7. 9.	H. 2.	Jacq. aust. 1. t. 77.

30	moschâta. w.	(wh.) musk.	Italy.	1775.	6. 7. H. 2.	Jacq. aust. 5. t. ap. 33.
31	nâna. w.	(wh.) dwarf.	—	1759.	6. 8. H. 2.	All. ped. 1. t. 9. f. 3.
32	crética. w.	(wh.) Cretan.	Candia.	1739.	7. 8. H. 2.	Bocc. mus. t. 34.
33	ægypciaca. w.	(ye.) Egyptian.	Levant.	1640.	7. 9. G. 2.	Flor. græc. t. 892.
34	macrophylla. w.	(wh.) large-leaved.	Italy.	1710.	7. 8. H. 2.	Triumf. obs. t. 23.
35	holosericea. f. g.	(wh.) silky-leaved.	Greece.	1823.	7. 9. H. 2.	—
36	punctâta. T. N.	(st.) dotted.	Naples.	1828.	— H. 2.	—
37	leptophylla. m. b.	(ye.) narrow-leaved.	Tauria.	1823.	— H. 2.	—
38	taurica. m. b.	(st.) Taurian.	—	1829.	— H. 2.	—
39	aûrea. w.	(go.) golden-flower'd.	Levant.	1739.	6. 9. H. 2.	—
40	Eupatorium. w.	(go.) Caspian.	Caspian Shores.	1803.	7. 8. H. 2.	Buxb. cent. 2. t. 19.
41	filipendulina. s. s.	(go.) short-rayed.	—	1812.	— H. 2.	—
42	compâta. w.	(st.) compact.	—	—	— H. 2.	—
43	pubescens. w.	(st.) downy.	Levant.	1739.	6. 9. H. 2.	—
44	crithmifolia. w.	(wh.) Samphire-leav'd.	Hungary.	1804.	7. 8. H. 2.	W. et K. hung. 1. t. 66.
45	tanacetifolia. w.	(ro.) Tansy-leaved.	Switzerland.	1658.	— H. 2.	Moris. s. 6. t. 11. f. 14.
46	distans. w.	(wh.) branching.	Italy.	1804.	— H. 2.	All. ped. t. 53. f. 1.
47	lanâta. W. en.	(wh.) woolly.	—	—	— H. 2.	—
48	magna. w.	(wh.) great.	S. Europe.	1683.	6. 11. H. 2.	Flor. græc. t. 896.
49	Millefolium. w.	(wh.) Yarrow.	Britain.	—	6. 10. H. 2.	Eng. bot. v. 758.
	β rubra.	(re.) red-flowered.	—	—	— H. 2.	—
50	asplenifolia. p. s.	(ro.) Rose-coloured.	N. America.	1803.	6. 8. H. 2.	Vent. cels. t. 93.
51	micrantha. w.	(st.) small-flowered.	Levant.	1805.	6. 10. H. 2.	—
52	tomentosa. w.	(ye.) tomentose.	S. Europe.	1648.	5. 10. H. 2.	Bot. mag. t. 498.
53	ochroleuca. w.	(st.) cream-coloured.	—	1804.	7. 9. H. 2.	—
54	montana. L. en.	(wh.) mountain.	Switzerland.	1798.	— H. 2.	—
55	bannatica. w. x.	(wh.) Hungarian.	Hungary.	1823.	— H. 2.	—
56	microphylla. w.	(wh.) small-leaved.	Spain.	1800.	— H. 2.	Barr. ic. 1114.
57	ligustica. w.	(wh.) Ligurian.	Italy.	1791.	6. 8. H. 2.	Flor. græc. t. 897.
58	nobilis. w.	(wh.) showy.	Germany.	1640.	— H. 2.	Schk. hand. 3. t. 255.
59	myriophylla. s. s.	(wh.) many-leaved.	—	1798.	7. 9. H. 2.	—
60	odorata. w.	(wh.) sweet-scented.	Spain.	1729.	6. 8. H. 2.	Jacq. col. 1. t. 21.
61	setacea. w.	(wh.) bristly.	Hungary.	1805.	5. 6. H. 2.	W. et K. hung. 7. t. 80.
62	abrotanifolia. w.	(ye.) Southernwood-leav'd.	Levant.	1739.	6. 8. H. 2.	—
63	chamæmelifolia. d. c.	(wh.) Chamomile-ld.	Pyrenees.	1820.	— H. 2.	—
64	mongolica. f.	(wh.) Mongolic.	Tartary.	1823.	— H. 2.	—
65	sibirica. Df.	(wh.) Siberian.	Siberia.	1800.	— H. 2.	—
66	rosea. w. k.	(ro.) rosy.	Hungary.	1803.	— H. 2.	—
67	dubia. f.	(wh.) doubtful.	Siberia.	1800.	— H. 2.	—
68	heterophylla. s.	(wh.) different-leaved.	—	1804.	7. 9. H. 2.	—
69	intermedia. s.	(wh.) intermediate.	—	1824.	— H. 2.	—
70	paradoxa. L. c.	(wh.) uncertain.	—	1822.	— H. 2.	—
CHRYSA'NTHEMUM. W. CHRYSA'NTHEMUM. Syngenesia Polygamia Superflua. L.						
1	atratum. w.	(wh.) fleshy-leaved.	Austria.	1731.	7. 8. H. 2.	—
2	Leucanthemum. w.	Ox-eye Daisy.	Britain.	—	6. 7. H. 2.	Eng. bot. v. 9. t. 601.
3	montanum. w.	(wh.) mountain.	France.	1759.	— H. 2.	Jacq. obs. 4. t. 91.
4	heterophyllum. w.	(wh.) various-leaved.	Switzerland.	1806.	7. 8. H. 2.	—
5	sylvestre. W. en.	(wh.) wood.	Portugal.	1804.	6. 7. H. 2.	—
6	hybridum. Gus.	(st.) hybrid.	Sicily.	1827.	— H. 2.	—
7	paludosum. w.	(wh.) marsh.	Barbary.	1817.	8. 9. H. 2.	Desf. atl. 2. t. 238.
8	rotundifolium. w.	(wh.) round-leaved.	Hungary.	1819.	7. 8. H. 2.	—
9	mexicanum. k. s.	(wh.) Mexican.	Mexico.	1827.	8. 11. H. 2.	—
10	graminifolium. w.	(wh.) Grass-leaved.	Montpelier.	1739.	5. 7. H. 2.	Jacq. obs. 4. t. 92.
11	integrifolium. s. s.	(wh.) entire-leaved.	N. America.	1827.	6. 8. H. 2.	—
12	perpusillum. s. s.	(wh.) small.	Corsica.	—	— H. 2.	—
13	anomalum. p. s.	(wh.) anomalous.	Spain.	1824.	7. 9. H. 2.	—
14	daucifolium. p. s.	(wh.) carrot-leaved.	—	—	— H. 2.	—
15	monspeliense. w.	(wh. pu.) Montpelier.	—	1739.	6. 9. H. 2.	Jacq. obs. 4. t. 93.
16	Achilleæ. w.	(wh.) Milfoil-leaved.	Italy.	1775.	6. 8. H. 2.	Mich. gen. 34. t. 29.
17	argenteum. w.	(wh.) silver-leaved.	Levant.	1731.	7. 8. H. 2.	—
18	arcticum. w.	(bh.) northern.	Kamtschatka.	1801.	6. 8. H. 2.	Willd. hort. ber. t. 33.
19	carinatum. w.	(wh. pu.) three-coloured.	Barbary.	1796.	7. 10. H. 2.	Bot. mag. t. 508.
20	pumilum. W. en.	(wh.) small.	C. B. S.	1806.	— H. 2.	—
21	coronarum. w.	(wh. ye.) garden.	Sicily.	1629.	— H. 2.	Lam. ill. t. 678. f. 6.
	α album.	(wh.) white-flowered.	—	—	— H. 2.	—
	β aureum.	(ye.) golden.	—	—	— H. 2.	—
22	segetum. w.	(ye.) corn.	Britain.	—	6. 8. H. 2.	Eng. bot. v. 8. t. 540.
23	Mycenis. w.	(ye.) tongue-leaved.	Italy.	1775.	7. 8. H. 2.	Jacq. obs. 4. t. 94.
24	italicum. w.	(ye.) Italian.	—	1796.	6. 7. H. 2.	—

25 tripartitum. B.F.G. (ye.)	three-parted.	China.	1820.	10. 12. F. 2.	Swt. br. fl. gar. t. 193.
26 indicum. P.S. (ye.)	Indian.	—	1819.	— G. 2.	Hort. trans. v. 4. pl. 12.
27 sinense. L.T. (ea.)	variable chinese.	—	1790.	— H. 2.	
<i>Anthemis artemisiaefolia</i> . W. <i>Chrysanthemum indicum</i> . B.M. non L.					
β purpureum. (pu.)	old purple.	—	—	— H. 2.	Bot. mag. t. 327.
γ variabile. (wh.)	changeable white.	—	1802?	— H. 2.	— t. 2042.
δ tubulosum album. (wh.)	quilled white.	—	1808.	— H. 2.	Bot. reg. t. 4.
ε superbum. (wh.)	superb white.	—	1817.	— H. 2.	— t. 455.
ζ tessellatum. (wh.)	tasselled white.	—	1816.	— H. 2.	
η tubulosum luteum. (ye.)	quilled yellow.	—	1802.	— H. 2.	
θ sulphureum. (st.)	straw-coloured.	—	—	— H. 2.	
ι aureum. (go.)	golden yellow.	—	—	— H. 2.	Bot. reg. t. 4. f. sup.
κ discolor. (li.)	large lilac.	—	1808.	— H. 2.	
λ lilacinum. (pi.)	pink or lilac.	—	1798.	— H. 2.	
μ cupreum. (co.)	buff or copper-colour'd.	—	—	— H. 2.	
ν fulvum. (br.)	Spanish brown.	—	1806.	— H. 2.	
ξ flammum. (ye.)	quilled flame yellow.	—	1819.	— H. 2.	Hort. trans. v. 4. pl. 14.
ο tubulosum roseum. (li.)	quilled pink.	—	—	— H. 2.	Bot. reg. t. 616.
π atropurpureum. (cr.)	early crimson.	—	1820.	— H. 2.	Hort. trans. v. 5. pl. 3. inf.
ρ aurantiacum. (or.)	large quilled orange.	—	—	— H. 2.	— v. 5. pl. 3. f. sup.
σ expansum. (li.)	expanded light purple.	—	—	— H. 2.	Bot. mag. t. 2556.
τ purpurascens. (li.)	quilled light purple.	—	—	— H. 2.	
υ involutum. (li.)	curled lilac.	—	—	— H. 2.	Swt. br. fl. gar. t. 7.
φ fasciculatum. (ye.)	superb clustered yellow.	—	—	— H. 2.	— t. 14.
χ tubulosum carneum. semidouble	quilled pink.	—	—	— H. 2.	Hort. tr. v. 5. pl. 17*. inf.
ψ album semiduplex. semidouble	quilled white.	—	—	— H. 2.	
ω tubulosum aurantium. semidouble	quilled orange.	—	—	— H. 2.	Hort. tr. v. 5. pl. 17**. inf.
αα serotinum. (p. pu.)	late pale purple.	—	—	— H. 2.	
ββ salmonum. (sa.)	quilled salmon-colour'd.	—	—	— H. 2.	Hort. t. v. 5. pl. 17**. sup.
γγ parvulum. (ye.)	small yellow.	—	—	— H. 2.	Hort. t. 5. pl. 17**. f. sup.
δδ papyraceum. (wh.)	paper white.	—	1821.	— H. 2.	
εε pallidum. (li.)	late pale pink.	—	1822.	— H. 2.	
ζζ chrysocomum. (ye.)	tasselled yellow.	—	1824.	— H. 2.	
ηη Waratah. (ye.)	yellow Waratah.	—	—	— H. 2.	
θθ Sabini. (ye.)	golden Lotus.	—	—	— H. 2.	
ιι chryseides. (ye.)	double Indian yellow.	—	—	— H. 2.	
κκ Parkii. (ye.)	Park's small yellow.	—	—	— H. 2.	
λλ pallens. (p. or.)	semidouble quilled pale orange.	—	—	— H. 2.	
μμ stramineum. (st.)	pale buff.	—	—	— H. 2.	
νν mutabile. (st.)	changeable pale buff.	—	—	— H. 2.	
ξξ bicolor. (v.)	two-coloured incurved.	—	—	— H. 2.	
οο versicolor. (re.)	two-coloured red.	—	—	— H. 2.	
ππ stellatum. (pu.)	starry purple.	—	—	— H. 2.	
ρρ ornatum. (li.)	tasselled lilac.	—	—	— H. 2.	
σσ fulvescens. (pu.)	brown purple.	—	—	— H. 2.	
ττ verecundum. (bh.)	early blush.	—	—	— H. 2.	
υυ blandum. (bh.)	blush.	—	—	— H. 2.	
φφ leucanthum. (wh.)	double Indian white.	—	—	— H. 2.	
CENTROSPERMUM. S.S. CENTROSPERMUM.			Syngenesia Polygamia Superflua.		
chrysanthemum. s.s. (ye.) yellow-flower'd. Spain.			1821.	8. 10. H. 2.	
<i>Heteranthemis hirta</i> . Schot. .					
PYRETHRUM. W. FEVERFEW. Syngenesia Polygamia Superflua. W.					
1 fœniculaceum. W. en. (wh.)	Fennel-leav'd. Tenerife.	1815.	1. 12. G. 2.	Bot. reg. t. 272.	
2 crithmifolium. W. en. (wh.)	Samphire-leav'd.	—	— G. 2.		
3 anethifolium. W. en. (wh.)	Dill-leaved.	—	— G. 2.		
4 frutescens. W. en. (wh.)	shrubby. Canaries.	1699.	— G. 2.		
5 coronopifolium. W. en. (wh.)	Buckshorn-leav'd.	—	— G. 2.		
6 grandiflorum. W. en. (wh.)	great-flowered.	1815.	— G. 2.		
7 speciosum. W. en. (wh.)	large-flowered.	—	— G. 2.		
8 Broussonetii. s.s. (wh.)	Broussonet's.	1829.	7. 10. G. 2.		
9 pinnatifidum. L. en. (wh.)	cut-leaved. Madeira.	1778.	5. 8. G. 2.		
<i>Chrysanthemum pinnatifidum</i> . s.s.					
10 ptarmicæfolium. w. (wh.)	Sneezewort-leav'd. Caucasus.	1803.	7. 8. H. 2.		
11 serotinum. w. (wh.)	creeping-rooted. N. America.	1731.	9. 10. H. 2.	Jacq. obs. 4. t. 90.	
12 uliginosum. w. (wh.)	marsh. Hungary.	1816.	7. 9. H. 2.	Bot. mag. t. 2706.	
13 alpinum. w. (wh.)	Alpine. Switzerland.	1759.	7. 8. H. 2.		
14 saxatile. B.C. (wh.)	rock. —	1816.	— H. 2.	Lodd. bot. cab. t. 126.	
15 Barrelieri. Lk. (wh.)	Barrelier's. Alps Europe.	—	— H. 2.		
16 Halleri. W. en. (wh.)	Haller's. Switzerland.	1820.	— H. 2.	Barrel. ic. 458. f. 2.	

17	ceratophylloides. w. (wh.) Stags-horn-ld. Piedmont.	1808.	6. 7. H. 2.	All. ped. t. 37. f. 1.
	<i>Chrysanthemum ceratophylloides</i> . All.			
18	simplicifolium. w. (wh.) simple-leaved. S. America.	1825.	8. 10. H. ☉.	
19	maximum. DC. (wh.) broad-leaved. Pyrenees.	1816.	5. 8. H. 2.	
	<i>latifolium</i> . w.			
20	Balsamita. w. (wh.) various-leaved. Levant.	1779.	— H. 2.	Jacq. obs. 4. t. 89.
21	oppositifolium. s.s. (wh.) opposite-leaved. Portugal.	1828.	7. 9. H. 2.	
22	tomentosum. s.s. (wh.) woolly. Corsica.	1829.	— H. 2.	
23	palustre. w. (wh.) marshy. Armenia.	1824.	7. 10. H. ☉.	
24	macrophyllum. w. (wh.) large-leaved. Hungary.	1803.	— H. 2.	W. et K. hung. 1. t. 94.
25	corymbosum. w. (wh.) mountain. Germany.	1596.	6. 8. H. 2.	Jacq. aust. 4. t. 379.
26	pulverulentum. W. en. (wh.) powdered. Iberia.	1806.	— H. 2.	
27	cinerarifolium. s.s. (wh.) Ragwort-leav'd. Dalmatia.	1824.	— H. 2.	
28	Parthénium. w. (wh.) common. Britain.		6. 9. H. 2.	Eng. bot. v. 18. t. 1231.
	<i>β flore pleno</i> . (wh.) double-flowered. ———		— H. 2.	
29	parthenifolium. w. (wh.) Parthenium-leav'd. Caucasus.	1804.	6. 7. H. 2.	Vent. cels. t. 43.
30	caucasicum. w. (wh.) Caucasian. ———	—	7. 8. H. 2.	
31	tenuifolium. T. N. (wh.) slender-leaved. Naples.	1806.	— H. 2.	
32	sericeum. M. B. (wh.) silky. Iberia.	1824.	— H. 2.	
33	inodorum. w. (wh.) scentless. Britain.		8. 9. H. ☉.	Eng. bot. v. 10. t. 676.
34	maritimum. w. (wh.) sea. ———		6. 10. H. 2.	— v. 14. t. 979.
35	parviflorum. w. (wh.) small-flowered. Caucasus.	—	6. 7. H. ☉.	
36	præcox. M. B. (wh.) early-flowered. ———	1827.	5. 7. H. 2.	
37	incanum. Led. (wh.) hoary. Siberia.	—	7. 8. H. 2.	
38	glabrum. LG. (wh.) smooth. Spain.	1825.	— H. 2.	
39	leptophyllum. s.s. (wh.) narrow-leaved. Caucasus.	1829.	— H. 2.	
40	diversifolium. H. E. F. (wh.) different-leaved. N. Holland.	1824.	5. 7. G. 2.	Hook. ex. flor. t. 215.
41	carneum. M. B. (pi.) flesh-coloured. Caucasus.	1804.	8. 9. H. 2.	Bot. mag. t. 1080.
	<i>Chrysanthemum coccineum</i> . B. M.			
42	roseum. M. B. (ro.) rose-coloured. ———	1818.	— H. 2.	
	<i>Chrysanthemum coccineum</i> . w.			
43	achillæfolium. M. B. (ye.) Milfoil-like. Cumana.	1824.	6. 7. H. ☉.	
44	millefoliatum. w. (ye.) Milfoil-leaved. Siberia.	1731.	5. 9. H. 2.	Mill. ic. 1. t. 9.
45	bipinnatum. w. (ye.) wing-leaved. ———	1796.	6. 7. H. 2.	Gmel. sib. 2. t. 85. f. 1.
46	indicum. H. K. (ye.) Indian. E. Indies.	1810.	6. 9. H. ☉.	Bot. mag. t. 1521.
ERIOPHYLLUM. LG. ERIOPHYLLUM. Syngenesia Polygamia Superflua.				
1	lanatum. (ye.) woolly. N. America.	1827.	6. 8. H. 2.	Bot. reg. t. 1167.
	<i>cæspitosum</i> . B. R. <i>Actinella lanata</i> . Ph. <i>Trichophyllum lanatum</i> . N. <i>Helénium lanatum</i> . s.s.			
2	oppositifolium. N. (ye.) opposite-leaved. N. America.	1826.	— H. 2.	
3	trolliifolium. LG. (ye.) Trollius-leaved. New Spain.	1828.	8. 10. F. 2.	

ORDO CXXI.

LOBELIACEÆ. Juss. ann. mus. 18. p. 1.

LOBELIA. R.S.	LOBELIA. Pentandria Monogynia. R.S.			
1 linearis. R.S. (bl.) linear-leaved. C. B. S.	1791.	5. 8. G. 2.		
2 setacea. R.S. (bl.) bristle-leaved. ———	1816.	— G. 2.		Act. Gorenk. 1811. f. 11.
3 commutata. R.S. (bl.) notch-leaved. ———	—	— G. 2.		
4 simplex. R.S. (bl.) simple-stalked. ———	1794.	— G. 2.		
5 unidentata. R.S. (d. pu.) single-toothed. ———	—	— G. 2.		Bot. mag. t. 1484.
6 pinifolia. R.S. (bl.) Pine-leaved. ———	1752.	— G. 2.		Andr. reposit. t. 240.
7 Dortmanna. R.S. (bl.) water. Britain.		7. 8. H. w. 2.		Eng. bot. v. 2. t. 140.
8 paludosa. R.S. (bl.) marsh. N. America.	1823.	— H. w. 2.		
9 Tupa. R.S. (sc.) Mullein-leav'd. Peru.	1824.	8. 10. F. 2.		Swt. br. fl. gar. t. 284.
10 salicifolia. H. S. L. (or.) Willow-leaved. Chili.	1794.	6. 8. G. 2.		Bot. mag. t. 1325.
	<i>Tupa</i> . H. K. non L. <i>gigantea</i> . B. M. non Cav. <i>arguta</i> . B. R. t. 973.			
11 Kalmii. R.S. (bl.) Kalm's. N. America.	1820.	7. 9. H. 2.		Bot. mag. t. 2238.
12 Nuttallii. R.S. (bl.) Nuttall's. ———	—	— H. 2.		
	<i>gracilis</i> . N. nec aliorum.			
13 pauciflora. K. S. (bl.) few-flowered. Mexico.	1824.	— F. 2.		
14 chinensis. R. S. (p. bl.) Chinese. China.	1822.	— H. ☉.		
15 bellidifolia. R. S. (bl.) Daisy-leaved. C. B. S.	1790.	5. 8. G. 2.		
16 rhizophyta. R. S. (wh.) rooting branched. ———	1814.	— G. 2.		Bot. mag. t. 2519.

17	decumbens. B.M. (bl.)	decumbent.	C. B. S.	1820.	5. 8. G. 4.	Bot. mag t. 2277.
18	triquetra. R.S. (bl.)	triangular.	—	1774.	— G. 4.	—
19	cinerea. R.S. (wh.)	gray.	—	1824.	6. 10. H. ①.	—
20	fenestrâlis. R.S. (bl.)	windowed.	Mexico.	1826.	9. 11. H. ①.	Cavan. icon. 6. t. 512. f. 1.
21	gigânteâ. R.S. (or.)	gigantic.	S. America.	1828.	8. 11. S. 4.	— 6. t. 513.
22	longiflora. R.S. (wh.)	long-flowered.	Jamaica.	1752.	5. 8. S. 4.	Bot. mag. t. 2563.
23	tomentosa. R.S. (bl.)	tomentose.	C. B. S.	1816.	— G. 4.	—
24	secunda. R.S. (wh.)	side-flowering.	—	1790.	— G. 4.	—
25	trialata. D.P. (bl.)	three-winged.	Nepaul.	1820.	— G. 4.	Hook. ex. flor. t. 44.
<i>micrantha. H.E.F. non K.S.</i>						
26	alata. B.P. (bl.)	winged-stalked.	N. S. W.	1804.	— G. 4.	Lab. nov. hol. 1. t. 72.
27	acuminata. R.S. (st.)	taper-pointed.	Jamaica.	1822.	6. 9. S. 4.	Sloan. his. 1. t. 95. f. 2.
28	nicotianæfolia. R.S. (st.)	Tobacco-leaved.	E. Indies.	—	— S. 4.	—
29	circiifolia. R.S. (st.)	Cirsium-leaved.	W. Indies.	1825.	8. 10. S. 4.	Plum. sp. v. 4. t. 116.
30	persiciflora. R.S. (pu.)	Peach-leaved.	—	1818.	6. 9. S. 4.	—
31	Cavanillesiana. R.S. (re.)	Cavanilles'.	New Spain.	1825.	— S. 4.	Cavan. ic. 6. t. 518.
<i>persicifolia. Cav. non Lam.</i>						
32	Claytoniana. R.S. (p.bl.)	Clayton's.	N. America.	1799.	6. 8. H. 4.	Willd. hort. ber. t. 30.
<i>goodenioides. w. pallida. Roth.</i>						
33	assurgens. R.S. (pu.)	purple.	W. Indies.	1787.	6. 10. S. 4.	Andr. reposit. t. 553.
34	pyramidalis. D.P. (pu.)	pyramidal.	Nepaul.	1819.	7. 10. G. 4.	Bot. mag. t. 2387.
35	fulgens. R.S. (cr.)	fulgent.	Mexico.	1809.	5. 9. F. 4.	Bot. reg. t. 165.
36	splendens. R.S. (sc.)	splendid.	—	1814.	— F. 4.	— t. 60.
37	cardinalis. R.S. (sc.)	Cardinal flower.	Virginia.	1629.	— F. 4.	Bot. mag. t. 320.
38	syphilitica. R.S. (bl.)	blue cardinal.	—	1665.	8. 10. H. 4.	Bot. reg. t. 537.
39	débilis. R.S. (bl.)	feeble.	C. B. S.	1774.	4. 8. H. ①.	—
40	gracilis. B.P. (bl.)	slender.	N. S. W.	1801.	7. 10. G. ①.	Bot. mag. t. 741.
41	purpurascens. B.P. (pu.)	purplish.	—	1809.	6. 8. G. 4.	—
42	surinamensis. R.S. (bh.)	Surinam.	W. Indies.	1786.	1. 7. S. 4.	Bot. mag. t. 225.
<i>β rubra. (re.) red-flowered. Brazil.</i>						
43	Cliffortiâna. s.s. (pu.)	purple-flowered.	S. America.	1733.	7. 8. H. ①.	Lodd. bot. cab. t. 749.
44	Michauxii. N. (pu.)	Michaux's.	N. America.		— H. ①.	Lin. h. clif. 426. t. 26.
<i>Cliffortiâna. M. non L.</i>						
45	inflata. R.S. (bl.)	bladder-podded.	—	1759.	— H. ①.	Swt. br. fl. gar. t. 99.
46	urens. R.S. (bl.)	acid.	England.		6. 7. H. 4.	Eng. bot. v. 14. t. 953.
47	puberula. R.S. (bl.)	downy.	N. America.	1819.	— H. 4.	—
48	amœna. R.S. (bl.)	bright blue.	—	1812.	6. 8. H. 4.	Ann. mus. 18. t. 1. n. 1.
49	minuta. R.S. (bh.)	small.	C. B. S.	1772.	6. 9. G. 4.	Bot. mag. t. 2590.
50	minima. B.M. (wh.)	least.	—		6. 10. G. 4.	— t. 2077.
51	Lauréntia. R.S. (bl.)	Italian.	Italy.	1778.	7. 8. H. ①.	Mich. gen. 18. t. 14.
52	tenella. R.S. (vi.)	slender-leaved.	Sicily.	1820.	6. 8. H. ①.	—
53	campanuloides. R.S. (bl.)	campanulate.	Japan.	1819.	7. 9. G. 4.	Bot. reg. t. 733.
54	Erinus. R.S. (bl.)	ascending.	C. B. S.	1752.	6. 9. H. 4.	Bot. mag. t. 901.
55	Breynii. R.S. (bl.)	Breynius's.	—	1823.	— G. 4.	Breyn. cent. t. 89.
56	erinoides. R.S. (bl.)	trailing.	—	1759.	6. 8. G. 4.	Herm. lugd. t. 109.
57	bicolor. R.S. (bl.wh.)	spotted.	—	1795.	— H. ①.	Bot. mag. t. 514.
58	Schrânkii. (bl.)	Schrank's.	—	1824.	— G. 4.	Schrank. h. mon. t. 31.
<i>secunda. Sck. non Thunb. decumbens. L. enum. non B.M.</i>						
59	corymbosa. B.M. (wh.pu.)	corymbose.	C. B. S.	1825.	— G. 4.	Bot. mag. t. 2693.
60	ilicifolia. B.M. (wh.pu.)	Holly-leaved.	—	1815.	5. 9. G. 4.	— t. 1896.
61	ânceps. R.S. (bl.)	flat-edged.	—	1824.	7. 10. H. ①.	—
62	pubescens. R.S. (wh.)	downy-leaved.	—	1780.	6. 8. G. 4.	Jacq. schoen. 2. t. 178.
63	hirsuta. R.S. (bl.)	blue-flower'd hairy.	—	1759.	5. 9. G. 4.	Burm. afr. t. 40. f. 2.
64	zeylanica. R.S. (pu.)	Ceylon.	E. Indies.	1820.	— S. 4.	—
65	lutea. R.S. (ye.)	yellow.	C. B. S.	1774.	6. 7. G. 4.	Bot. mag. t. 1319.
66	variifolia. B.M. (ye.)	various-leaved.	—	1812.	— G. 4.	— t. 1692.
67	coronopifolia. R.S. (bl.)	Buckshorn-leaved.	—	1752.	7. 8. G. 4.	— t. 644.
68	corulea. B.M. (bl.)	blue-flowered.	—	1823.	5. 8. G. 4.	— t. 2701.
69	Thunbergii. (bl.)	upright-raceme-flower'd.	—	1812.	7. 10. G. 4.	—
<i>coronopifolia. Th. non B.M.</i>						
70	crenata. R.S. (bl.)	notched-leaved.	—	1794.	4. 5. G. 4.	—
71	Simsii. (bl.)	long-peduncled.	—	1819.	8. 11. G. 4.	Bot. mag. t. 2251.
<i>pedunculata. B.M. non B.P.</i>						
72	verbascifolia. Sm. (pu.)	Mullein-leaved.	Nepaul.	1822.	5. 7. G. 4.	—
73	racemosa. B.M. (gr.)	racemed.	W. Indies.	1818.	7. 9. S. 4.	Bot. mag. t. 2137.
74	crispa. Gr. (bl.)	curled-leaved.	Mexico.	1825.	5. 6. F. 4.	—
75	heteromalla. Jac. (bl.)	woolly-leaved.		1829.	... G. 4.	—
76	mollis. Gr. (pu.)	soft.	Dominica.	1828.	5. 8. S. 4.	—
77	rugulosa. Gr. (wh.)	rugged.	New Zealand.	—	— G. 4.	—

78	côncolor. B.P.	(bl.) self-coloured.	N. S. W.	1828.	5. 6.	G. 4.	
79	inundata. B.P.	(bl.) inundated.	————	1822.	5. 8.	G. w. 4.	
80	pedunculata. B.P.	(bl.) long-stalked.	————	————	————	G. 4.	
81	dentata. B.P.	(bl.) toothed.	————	1819.	————	G. 4.	Cavan. ic. 6. t. 522.
82	gibbosa. B.P.	(bl.) gibbous.	————	1824.	————	G. 4.	Lab. nov. hol. 1. t. 71.
83	senecioides. B.M.	(bl.) Groundsel-like.	————	————	7. 10.	G. ½.	Bot. mag. t. 2702.
<i>Isotoma axillaris</i> . Bot. reg. t. 964.							
MONO'PSIS. Sal. MONO'PSIS. Pentandria Monogynia.							
1	conspicua. H.T.	(bl.) conspicuous.	C. B. S.	1812.	7. 8.	H. ⊙.	Bot. mag. t. 1499.
<i>Lobelia speculum</i> . B.M.							
2	inconspicua. H.T.	(bl.) inconspicuous.	————	————	————	H. ⊙.	
CLINT'ONIA. B.R. CLINT'ONIA. Pentandria Monogynia.							
	élegans. B.R.	(bl.) elegant.	Columbia.	1827.	6. 9.	H. ⊙.	Bot. reg. t. 1241.
C'YPHIA. R.S. C'YPHIA. Pentandria Monogynia. W.							
1	volubilis. R.S.	(pi.) climbing.	C. B. S.	1795.	6. 8.	S. 4. ∞.	
2	digitata. R.S.	(li.) finger-leaved.	————	1820.	7. 10.	G. 4.	
3	incisa. R.S.	(bh.) cut-leaved.	————	————	————	G. 4.	
4	bulbosa. R.S.	(pi.) bulb-bearing.	————	1791.	8. 9.	S. 4.	Burm. afr. t. 38. f. 2.
5	Phyteuma. R.S.	(pi.) Phyteuma-leav'd.	————	1820.	2. 5.	S. 4.	Bot. reg. t. 625.
6	Cardamines. R.S.	(bh.) Cardamine-leaved.	————	————	————	S. 4.	

ORDO CXXII.

STYLIDEÆ. *Brown prodr.* 1. p. 565.

STYLID'IDIUM. B.P. STYLID'IDIUM. Gynandria Diandria.							
1	graminifolium. B.P.	(ro.) grass-leaved.	N. S. W.	1803.	4. 8.	G. 4.	Bot. reg. t. 90.
2	lineare. B.P.	(li.) linear-leaved.	————	1820.	————	G. 4.	Sm. exot. bot. 2. t. 67.
<i>Ventenatia minor</i> . Ex. b.							
3	scandens. B.P.	(wh.) climbing.	N. Holland.	1803.	7. 8.	G. 4. ∞.	
4	fruticosum. B.P.	(wh.) frutescent.	————	————	5. 10.	G. ½.	Sal. par. lond. t. 77.
<i>glandulosum</i> . P.L.							
5	laricifolium. B.R.	(ro.) Larch-leaved.	N. S. W.	1818.	————	G. ½.	Bot. reg. t. 550.
<i>tenuifolium</i> . B.M. 2249.							
6	adnatum. B.P.	(bh.) adnate.	N. Holland.	1824.	————	G. ½.	Bot. reg. t. 914.

ORDO CXXIII.

GOODENOVIÆ. *Brown prodr.* 1. p. 573.

GOOD'ENIA. B.P. GOOD'ENIA. Pentandria Monogynia. W.							
1	bellidifolia. B.P.	(ye.) Daisy-leaved.	N. S. W.	1823.	6. 9.	G. 4.	
2	stelligera. B.P.	(ye.) starry-haired.	————	1825.	————	G. 4.	
3	paniculata. B.P.	(ye.) panicked.	————	————	————	G. 4.	Cavan. ic. 6. t. 507.
4	gracilis. B.P.	(ye.) slender.	N. Holland.	1824.	5. 8.	G. 4.	Lodd. bot. cab. t. 1032.
5	decurrens. B.P.	(ye.) decurrent.	N. S. W.	1825.	————	G. 4.	
6	ovata. B.P.	(ye.) oval-leaved.	————	1793.	6. 10.	G. ½.	Andr. reposit. t. 68.
7	grandiflora. B.P.	(ye.) large-flowered.	————	1802.	6. 8.	G. ½.	Bot. mag. t. 890.
	hederacea. B.P.	(ye.) Ivy-leaved.	————	1823.	————	G. 4.	
E'UTHALES. B.P. E'UTHALES. Pentandria Monogynia. R.S.							
	trinervis. B.P.	(ye. pu.) three-nerved.	N. Holland.	1803.	5. 9.	G. 4.	Bot. mag. t. 1137.
<i>Goodenia tenella</i> . A.R. 466. <i>Velleia trinervis</i> . Lab. n. hol. t. 77.							
VELLE'IA. B.P. VELLE'IA. Pentandria Monogynia. R.S.							
1	paradoxa. B.P.	(ye.) paradoxical.	N. S. W.	1823.	6. 8.	G. 4.	Bot. reg. t. 971.
2	lyrata. B.P.	(ye.) lyrate-leaved.	————	1819.	4. 6.	G. 4.	———— t. 551.
3	spatulata. B.P.	(ye.) spatulate.	————	1823.	————	G. 4.	
LECHENA'ULTIA. B.P. LECHENA'ULTIA. Pentandria Monogynia. R.S.							
1	formosa. B.P.	(sc.) handsome.	N. Holland.	1823.	6. 9.	G. ½.	Swt. flor. aust. t. 26.
2	oblata. S.F.A.	(ye.) oblate-petaled.	————	————	————	G. ½.	———— t. 46.
SC'ÆVOLA. B.P. SC'ÆVOLA. Pentandria Monogynia. R.S.							
1	Königii. R.S.	(wh.) König's.	E. Indies.	1818.	8. 10.	S. ½.	Bot. mag. t. 2732.

2	Plumièri. R. S. (wh.) Plumier's.	W. Indies.	1724.	8. 10.	S. h.	Jacq. amer. t. 179. f. 88.
	<i>Lobelia Plumieri</i> . Jacq.					
3	ivæfölia. Lht. (wh.) Iva-leaved.	Trinidad.	1820.	—	S. h.	
4	Taccada. F. I. (wh.) Indian.	E. Indies.	1818.	—	S. h.	Gært. fruct. 1. t. 25.
5	crassifölia. B. P. (bl.) thick-leaved.	N. Holland.	1805.	8. 10.	G. h.	Lab. nov. hol. 1. t. 79.
6	cuneiförmis. B. P. (bl.) wedge-leaved.	V. Diem. Isl.	1823.	—	G. 2.	1. t. 80.
7	microcarpa. B. P. (bl.) small-fruited.	N. S. W.	1790.	5. 9.	G. 2.	Cavan. ic. 6. t. 509.
	<i>Goodenia lævigata</i> . B. M. 287.					
8	suavæolens. B. P. (bl.) sweet-scented.	—	1798.	—	G. 2.	Andr. reposit. t. 22.
	<i>Goodenia calendulæcea</i> . A. R.					
9	hispida. B. P. (li.) branching.	N. S. W.	1820.	5. 8.	G. 2.	Cavan. ic. 6. t. 510.
	<i>Goodenia ramosissima</i> . Sm. new holl. 15. t. 5.					
	DAMPI'ERA. B. P. DAMPI'ERA. Pentandria Monogynia. R. S.					
1	undulata. B. P. (bl.) wave-leaved.	N. S. W.	1824.	5. 8.	G. h.	
2	ovalifölia. B. P. (pu.) oval leaved.	—	1823.	5. 9.	G. h.	
3	purpurea. B. P. (pu.) purple-flowered.	—	1825.	—	G. h.	
4	stricta. B. P. (bl.) upright.	N. S. W.	1814.	6. 8.	G. 2.	

ORDO CXXIV.

CAMPANULACEÆ. Juss. gen. 163.

CANARINA. W.	CANAR'INA.	Hexandria Monogynia. W.			
Campanula. w. (or.)	Canary.	Canaries.	1696.	1. 3. G. 2.	Bot. mag. t. 444.
MICHA'UXIA. W.	MICHA'UXIA.	Octandria Monogynia. W.			
1 campanuloides. w. (li.)	rough-leaved.	Levant.	1787.	6. 8. G. 2.	Bot. mag. t. 219.
2 decandra. F.	decandrous.	Persia.	1829.	 H. 2?	
LIGHTFO'OTIA. R.S.	LIGHTFO'OTIA.	Pentandria Monogynia. R.S.			
1 oxycoccoïdes. R.S. (pa.)	lance-leaved.	C. B. S.	1787.	7. G. 2.	Sm. exot. bot. 2. t. 69.
2 tenella. B.C. (pa.)	slender.	—	1824.	6. 8. H. 2.	Lodd bot. cab. t. 1038.
3 lanceolata. L.en. (w. bl.)	spear-leaved.	—	1826.	— G. 2.	
4 muscosa. L.en. (wh. bl.)	moss-like.	—	—	G. 2.	
5 subulata. R.S. (bl.)	awl-leaved.	—	—	G. 2.	L'Herit. s. angl. 4. t. 5.
ADENO'PHORA. F.	ADENO'PHORA.	Pentandria Monogynia.			
1 verticillata. F. (bl.)	whorled.	Dahuria.	1783.	6. 8. H. 2.	Pall. it. 3. t. G. f. 1.
2 marsupiflora. F. (bl.)	bellied.	—	1815.	7. 8. H. 2.	Bot. reg. t. 149.
Campanula coronata. B.R.					
3 Gmelini. F. (bl.)	Gmelin's.	—	1823.	5. 8. H. 2.	Gmel. sib. 3. t. 33.
4 coronopifolia. F. (bl.)	buckshorn-leav'd.	—	1822.	— H. 2.	Swt. br. fl. gar. t. 104.
5 denticulata. F. (bl.)	toothed.	—	—	5. 7. H. 2.	— t. 116.
Campanula tricuspidata. R.S.					
6 latifolia. F. (bl.)	broad-leaved.	Siberia.	1827.	— H. 2.	
Campanula pereskiaefolia. R.S.					
7 Lamarckii. F. (bl.)	Lamarck's.	—	1826.	— H. 2.	Gmel. sib. 3. n. 18. t. 26.
8 stylosa. F. (bl.)	long-styled.	—	1820.	— H. 2.	— 3. n. 20. t. 27.
9 reticulata. F. (bl.)	netted.	—	1829.	— H. 2.	
10 communis. F. (p. bl.)	common.	—	1784.	5. 9. H. 2.	Jacq. schœnb. 3. t. 335.
Campanula lilifolia. B.R.					
β suaveolens. R.S. (p. bl.)	sweet-scented.	Hungary.	1818.	— H. 2.	Bot. reg. t. 236.
γ hybrida. R.S. (p. bl.)	upright-flower'd.	—	—	H. 2.	
11 intermedia. (p. bl.)	intermediate.	Siberia.	1820.	— H. 2.	
Campanula intermedia. R.S.					
WAHLENBERGIA. Sc.	WAHLENBERGIA.	Pentandria Monogynia.			
1 grandiflora. Sc. (bl.)	great-flowered.	Siberia.	1782.	6. 8. H. 2.	Bot. mag. t. 252.
Campanula grandiflora. B.M.					
2 pendula. Sc. (bh.)	pendulous.	Canaries.	1777.	7. 8. H. 2.	
Campanula lobelioides. R.S.					
3 elongata. Sc. (p. bl.)	elongated.		1816.	— H. 2.	
CAMPANULA. R.S.	BELL-FLOWER.	Pentandria Monogynia. L.			
1 cenisia. R.S. (bl.)	ciliated.	Switzerland.	1775.	6. 7. H. 2.	All. ped. 1. t. 6. f. 2.
2 uniflora. R.S. (bl.)	single-flowered.	Lapland.	1827.	— H. 2.	Linn. fl. lap. t. 9. f. 5, 6.
3 Kitaibeliana. R.S. (bl.)	Kitaibel's.	Hungary.	1828.	— H. 2.	
4 Bellardi. R.S. (bl.)	Bellardi's.	Italy.	1813.	— H. 2.	All. ped. t. 85. f. 5.
5 Stevèni. M.B. (bl.)	Steven's.	Siberia.	1828.	— H. 2.	
6 pùlla. R.S. (d. pu.)	dark-flowered.	Austria.	1779.	— H. 2.	Bot. mag. t. 2492.

7	Zóysii. R.S.	(bl.) blunt-leaved.	Carniola.	1813.	6. 8.	H. 2.	Jacq. ic. 2. t. 334.
8	diffusa. R.S.	(bl.) diffuse.	Italy.	1818.	—	H. 2.	
	β frágilis. L.en.	(bl.) brittle.	—	—	—	H. 2.	Cyr. pl. rar. n. t. 11. f. 2.
9	carpathica. R.S.	(bl.) Carpathian.	Carp. Alps.	1774.	—	H. 2.	Bot. mag. t. 117.
10	dasycarpa. R.S.	(bl.) fleshy-podded.	Hungary.	1827.	—	H. 2.	
11	rotundifolia. R.S.	(bl.) round-leaved.	Britain.		—	H. 2.	Eng. bot. v. 13. t. 866.
	α cærùlea.	(bl.) blue-flowered.	—		—	H. 2.	
	β albiflora.	(wh.) white-flowered.	—		—	H. 2.	
12	excisa. R.S.	(bl.) cut-flowered.	Switzerland.	1816.	—	H. 2.	Lodd. bot. cab. t. 561.
13	pusilla. R.S.	(bl.wh.) small.	Enrope Alps.		—	H. 2.	Scheuch. it. 4. f. 4.
14	pumila. R.S.	(bl.wh.) dwarf.	Switzerland.		—	H. 2.	Bot. mag. t. 512.
	α cærùlea.	(bl.) blue-flowered.	—		—	H. 2.	
	β álba.	(wh.) white-flowered.	—		—	H. 2.	
15	cæspitosa. R.S.	(bl.) tufted.	Carniola.	1818.	—	H. 2.	Scop. carn. ed. 2. t. 4.
16	pubescens. R.S.	(bl.) pubescent.	Bohemia.	1813.	—	H. 2.	
17	gracilis. B.M.	(bl.) slender.	N. S. W.	1794.	4. 8.	G. 3.	Bot. mag. t. 691.
18	erecta. (bl.) upright.		—	—	—	G. 3.	Sm. exot. bot. t. 45.
	stricta. Sm. non L.						
19	littoralis. Lab.	(bl.) sea-side.	V. Diem. Isl.	1820.	—	G. 3.	Lab. nov. hol. 1. t. 70.
20	capillaris. B.C.	(bl.) capillary.	N. Holland.	1824.	—	G. 3.	Lodd. bot. cab. t. 1406.
21	quadrifida. B.P.	(bl.) quadrifid.	N. S. W.	1822.	—	G. 3.	
22	saxicola. B.P.	(bl.) small rock.	V. Diem. Isl.	1825.	5. 10.	G. 3.	
23	Waldsteiniàna. R.S.	(vi.) Waldstein's.	Hungary.	—	6. 8.	H. 2.	W. et K. hung. t. 136.
24	lanceolata. R.S.	(bl.) spear-leaved.	Pyrenees.	1827.	—	H. 2.	All. ped. t. 47. f. 2.
25	divaricata. R.S.	(bl.) divaricate.	N. America.	—	—	H. 2.	
26	virgata. R.S.	(bl.) twiggly.	—	1823.	—	H. 2.	
27	linifolia. R.S.	(bl.) Flax-leaved.	Sweden.	1816.	—	H. 2.	Vill. delph. 1. t. 10.
28	Scheuchzeri. s.s.	(bl.) Scheuchzer's.	Alps Europe.	1813.	—	H. 2.	Lodd. bot. cab. t. 485.
29	pátula. R.S.	(bl.) spreading.	Britain.		7. 8.	H. 3.	Eng. bot. v. 1. t. 42.
30	neglecta. R.S.	(bl.) neglected.	Europe.	1818.	—	H. 2.	
	crenata. L.en. ucrànica. Hort.						
31	Rapunculus. R.S.	(bl.) Rampion.	Britain.		—	H. 2.	Eng. bot. v. 4. t. 283.
32	persicifolia. R.S.	(va.) Peach-leaved.	Europe.	1596.	7. 9.	H. 2.	Flor. dan. t. 1087.
	α cærùlea.	(bl.) blue-flowered.	Scotland.		—	H. 2.	Flor. græc. t. 205.
	β álba.	(wh.) white-flowered.	Europe.		—	H. 2.	
	γ máxima. B.M.	(bl.) large-flowered.	—		—	H. 2.	Bot. mag. t. 397.
	δ álbo-plèna.	(wh.) double white.	—		—	H. 2.	
	ε cærùleo-plèna.	(bl.) double blue.	—		—	H. 2.	
33	pyramidalis. R.S.	(bl.) pyramidal.	Carniola.	1596.	—	H. 2.	
	α cærùlea.	(bl.) common blue.	—	—	—	H. 2.	
	β albiflora.	(wh.) white flowered.	—	1816.	—	H. 2.	
34	versicolor. R.S.	(bl.) various-color'd.	Greece.	1788.	—	H. 2.	Andr. reposit. t. 396.
	planiflora. W.en. non Lam. Willdenowiana. R.S.						
35	obliqua. R.S.	(bl.) oblique-flower'd.	N. Europe.	1813.	6. 7.	H. 3.	Jacq. schœn. 3. t. 336.
36	americana. R.S.	(bl.) American.	N. America.	1763.	7.	H. 3.	
37	nitida. H.K.	(bl.wh.) glossy.	—	1731.	7. 8.	H. 2.	Dodart. mem. 4. t. 113.
	α cærùlea.	(bl.) blue-flowered.	—	—	—	H. 2.	
	β álba.	(wh.) white-flowered.	—	—	—	H. 2.	
38	aurea. R.S.	(ye.) golden-flower'd.	Madeira.	1777.	7. 9.	G. 2.	Bot. reg. t. 57.
	α latifolia. R.S.	(ye.) broad-leaved.	—	—	—	G. 2.	Duham. ed. nov. t. 41.
	β angustifolia. R.S.	(ye.) narrow-leaved.	—	—	—	G. 2.	Jacq. schœn. 4. t. 472.
39	rhomboidea. R.S.	(bl.) Germander-ld.	Switzerland.	1775.	7.	H. 2.	Barrel. ic. 567.
40	asteroides. R.S.	(bl.) star-flowered.		1824.	—	H. 2.	
41	Alpini. R.S.	(bl.) Alpinus?	Italy.	1823.	7. 9.	H. 2.	
42	Ottoniana. R.S.	(bl.) Otto's.	C. B. S.	1822.	5. 7.	G. 2.	
43	undulata. R.S.	(bl.) waved.	—	—	—	G. 2.	
44	latifolia. R.S.	(bl.) giant.	Britain.		7.	H. 2.	Eng. bot. v. 5. t. 302.
	α cærùlea.	(bl.) blue-flowered.	—		—	H. 2.	
	β álba.	(wh.) white-flowered.	—		—	H. 2.	Flor. dan. t. 85.
45	macrantha. L.en.	(bl.) great-flowered.	Russia.	1822.	6. 7.	H. 2.	Bot. mag. t. 2553.
46	eriocarpa. R.S.	(bl.) woolly-capsul'd.	Caucasus.	1824.	—	H. 2.	
47	urticifolia. R.S.	(bl.) Nettle-leaved.	Germany.	1800.	8.	H. 2.	
	β flore plèno.	(wh.) double white.	—		—	H. 2.	
48	Trachelium. R.S.	(bl.) throatwort.	Britain.		6. 8.	H. 2.	Eng. bot. v. 1. t. 12.
	α cærùlea.	(bl.) blue-flowered.	—		—	H. 2.	
	β álba.	(wh.) white-flowered.	—		—	H. 2.	
	γ multiplex. (bl.wh.) double-flowered.		—		—	H. 2.	
49	rapunculoides. R.S.	(bl.) creeping.	England.		6. 7.	H. 2.	Eng. bot. v. 20. t. 1369.
	infundibuliformis. Bot. mag. t. 2632.						

50	ucrànica. R.S.	(bl.) Ukraine.	Ukraine.	1819.	6. 7.	H. 2.	
51	trachelioïdes. R.S.	(bl.) throatwort-like.	Caucasus.	1818.	—	H. 2.	
52	bononiensis. R.S.	(bl.) panicked.	Italy.	1773.	8. 9.	H. 2.	Moris. s. 5. t. 4. f. 38.
53	simplex. DC.	(bl.) simple-stalked.	—	1823.	7. 8.	H. 2.	
54	lychnitis. H.H.	(bl.) Lychnis-like.	—	—	—	H. 2.	
55	obliquifolia. R.S.	(bl.) oblique-leaved.	Italy.	1820.	—	H. 2.	Ten. fl. neap. t. 17.
56	trichocalycina. R.S.	(bl.) long-pointed-calyx'd.	—	1824.	—	H. 2.	— t. 16.
57	ruthénica. R.S.	(bl.) Russian.	Russia.	1815.	6. 8.	H. 2.	Bot. mag. t. 2653.
58	graminifolia. R.S.	(vi.) grass-leaved.	Hungary.	1823.	—	H. 2.	W. et K. hung. 2. t. 154.
59	tenuifolia. R.S.	(vi.) slender-leaved.	—	1820.	5. 9.	H. 2.	— t. 155.
60	glomerata. R.S.	(bl.) clustered.	Britain.	—	—	H. 2.	Eng. bot. v. 2. t. 90.
	<i>β albiflora.</i>	(wh.) white-flowered.	—	—	—	H. 2.	
61	elliptica. R.S.	(bl.) elliptic-leaved.	Hungary.	1819.	—	H. 2.	Bocc. mus. 70. t. 58.
62	cephalantha. F.	(p.bl.) pale-flowered.	Siberia.	1824.	—	H. 2.	
63	farinosa. Bes.	(bl.) mealy.	Poland.	—	—	H. 2.	
64	aggregata. R.S.	(bl.) crowded-flower'd.	Bavaria.	—	—	H. 2.	
65	speciosa. R.S.	(bl.) specious.	Siberia.	—	—	H. 2.	Bot. mag. t. 2649.
	<i>glomerata β dahurica.</i>	Bot. reg. 620.	—	—	—	—	
66	nicaensis. R.S.	(bl.) Nice.	Italy.	1820.	—	H. 2.	All. ped. t. 39. f. 1.
67	foliosa. R.S.	(bl.) leafy.	—	—	6. 9.	H. 2.	Ten. fl. neap. t. 18.
68	petraea. R.S.	(bl.) woolly-leaved.	Mt. Baldo.	1818.	—	H. 2.	
69	Rainieri. R.S.	(bl.) Rainer's.	Italy.	1825.	—	H. 2.	
70	Cervicaria. R.S.	(bl.) wave-leaved.	Germany.	1768.	7.	H. 2.	Flor. dan. t. 787.
71	cervicarioides. R.S.	(bl.) intermediate.	Italy.	1819.	—	H. 2.	
72	multiflora. R.S.	(vi.) many-flowered.	Hungary.	1814.	6. 7.	H. 2.	W. et K. hung. t. 263.
	<i>macrostachya.</i>	W. en.	—	—	—	—	
73	collina. R.S.	(bl.) Sage-leaved.	Caucasus.	1803.	7. 8.	H. 2.	Bot. mag. t. 927.
74	azurea. R.S.	(bl.) azure.	Switzerland.	1778.	6. 7.	H. 2.	— t. 551.
75	Lorei. R.S.	(bl.) Pollini's.	Mt. Baldo.	1819.	6. 9.	H. 2.	— t. 2581.
76	lactiflora. R.S.	(st.) milk-coloured.	Caucasus.	1814.	7. 9.	H. 2.	Bot. reg. t. 241.
77	thyssoidea. R.S.	(st.) long-spiked.	Switzerland.	1785.	6. 8.	H. 2.	Bot. mag. t. 1290.
78	peregrina. R.S.	(bl.) rough-leaved.	C. B. S.	1794.	—	G. 2.	— t. 1257.
79	tomentosa. R.S.	(wh.) tomentose.	Levant.	1820.	6. 9.	H. 2.	
80	aparinoides. R.S.	(p.bl.) Aparine-like.	N. America.	1825.	7. 9.	H. 2.	
81	cérnua. R.S.	(wh.) nodding-flower'd.	C. B. S.	1804.	—	G. 2.	
82	capensis. R.S.	(vi.) Cape.	—	1803.	—	G. 2.	Bot. mag. t. 782.
	<i>Roëlla decurrens.</i>	And. rep. t. 238.	—	—	—	—	
83	paniculata. R.S.	(wh.) panicked.	C. B. S.	1822.	6. 8.	G. 2.	
84	spatulata. F.G.	(bl.) spatulate.	Greece.	1824.	—	G. 2.	Flor. græc. t. 203.
85	velutina. R.S.	(p.bl.) velvety.	Gibraltar.	—	—	F. 2.	Desf. atl. 1. t. 51.
86	microphylla. R.S.	(p.bl.) small-leaved.	Spain.	1820.	—	H. 2.	
87	Allioni. R.S.	(p.bl.) Allioni's.	S. Europe.	1818.	—	H. 2.	All. ped. n. 418. t. 6. f. 3.
88	ligularis. R.S.	(bl.) strap-leaved.	Alps.	1825.	—	H. 2.	
89	barbata. R.S.	(p.bl.) bearded.	Italy.	1752.	—	H. 2.	Bot. mag. t. 1258.
90	punctata. R.S.	(wh.) dotted-flower'd.	Siberia.	1813.	5. 6.	H. 2.	— t. 1723.
91	Médium. R.S.	(bl.) Canterbury-bell.	Germany.	1597.	6. 9.	H. 2.	Knor. delic. 1. t. 9.
	<i>β albida.</i>	(wh.) white-flowered.	—	—	—	H. 2.	Garid. aix. p. 76. t. 18.
92	longifolia. R.S.	(bl.) long-leaved.	Pyrenees.	1824.	—	H. 2.	Lapeyr. pyren. t. 6.
93	betonicifolia. R.S.	(bl.) Betony-leaved.	Olympus.	1823.	—	H. 2.	Flor. græc. t. 210.
94	dichotoma. R.S.	(bl.) forked.	Levant.	1827.	7. 10.	H. 2.	Swt. br. fl. gar. t. 280.
95	spicata. R.S.	(bl.) spiked.	Switzerland.	1786.	7.	H. 2.	All. ped. 1. t. 46. f. 2.
96	alpina. R.S.	(pa.bl.) Alpine.	—	1779.	—	H. 2.	Bot. mag. t. 957.
97	mollis. R.S.	(bl.) soft.	Syria.	1788.	5. 8.	G. 2.	— t. 404.
98	saxatilis. R.S.	(bl.) rock.	Candia.	1768.	—	G. 2.	Barrel. ic. t. 813.
99	alliaræfolia. R.S.	(wh.) Alliaræ-leaved.	Caucasus.	1803.	8. 9.	H. 2.	Sal. par. lond. t. 26.
	<i>macrophylla.</i>	B.M. t. 912.	—	—	—	—	
100	sarmatica. B.R.	(pa.bl.) gum-bearing.	Siberia.	—	6. 8.	H. 2.	Bot. reg. t. 237.
	<i>gummifera. R.S. betonicæfolia.</i>	M.B.	—	—	—	—	
101	lamiifolia. R.S.	(st.) Lamium-leaved.	Caucasus.	1818.	—	H. 2.	Buxb. cent. 5. t. 18.
102	pendula. R.S.	(st.) pendulous.	—	1824.	—	H. 2.	
103	sibirica. R.S.	(bl.) Siberian.	Siberia.	1783.	7. 9.	H. 2.	Bot. mag. t. 659.
104	divergens. R.S.	(bl.) divergent.	Hungary.	1814.	6. 7.	H. 2.	W. et K. hung. t. 258.
	<i>spatulata.</i>	W.K.	—	—	—	—	
105	violæfolia. R.S.	(wh.) Violet-leaved.	Siberia.	1827.	6. 8.	H. 2.	
106	Adami. R.S.	(bl.) Adam's.	Caucasus.	1829.	—	H. 2.	
107	Pallasiana. R.S.	(bl.) Pallas's.	Siberia.	1827.	—	H. 2.	
108	lingulata. R.S.	(vi.) tongue-leaved.	Hungary.	1804.	7. 8.	H. 2.	W. et K. hung. 1. t. 64.
109	caucásica. R.S.	(bl.) Caucasian.	Caucasus.	—	—	H. 2.	
110	laciniata. R.S.	(bl.) jagged-leaved.	Greece.	1788.	5. 8.	G. 2.	Andr. reposit. t. 385.

111	lyrâta. R.S.	(bl.) lyre-leaved.	Levant.		6. 8.	H. ♀.	Moris. 2. v. 5. t. 3. f. 51.
112	rupêstris. R.S.	(bl.) various-leaved.	—	1827.	—	H. ♂.	Flor. græc. t. 213.
113	stricta. R.S.	(bl.) straight.	Egypt.	—	—	H. ♀.	Tour. an. mu. p. 137. t. 13.
114	cichorâcea. R.S.	(bl.) Succory-leaved.	Greece.	1824.	—	F. ♂.	Flor. græc. t. 209.
115	capitâta. R.S.	(bl.) headed.	—	1768.	6. 7.	H. ♀.	Bot. mag. t. 811.
116	lanuginôsa. R.S.	(bl.) woolly.		1824.	—	H. ♂.	—
117	Erinus. R.S.	(pa.bl.) forked.	S. Europe.	1768.	7. 8.	H. ♂.	Moris. s. 5. t. 3. f. 25.
118	drabifolia. R.S.	(bl.) Draba-leaved.	Athens.	1823.	—	H. ♂.	Flor. græc. t. 215.
119	erinoides. R.S.	(bl.) Erinus-like.	Africa.	—	—	H. ♂.	Herm. lugd. t. 111?
120	Elâlines. R.S.	(pa.pu.) trailing-stalked.	S. Europe.	—	7. 9.	H. ♀.	All. ped. n. 422. t. 7. f. 1.
121	hederâcea. R.S.	(pa.bl.) Ivy-leaved.	England.		5. 6.	H. ♀.	Eng. bot. v. 2. t. 73.
122	arvâtica. R.S.	(bl.) Spanish.	Spain.	1825.	—	H. ♀.	Pluk. phyt. t. 23. f. 1.
123	hispidula. R.S.	(bl.wh.) hispid-calyced.	C. B. S.	1816.	7. 9.	H. ♂.	Comm. hort. 2. t. 37.
PRISMATOCARPUS. L'H. VENUS-LOOKING-GLASS. Pentandria Monogynia.							
1	fruticôsus. L'H.	(bl.) shrubby.	C. B. S.	1787.	8.	G. ♀.	—
2	Hookeri.	(wh.) Hooker's.	—	1823.	—	G. ♀.	Bot. mag. t. 2733.
Campânula Prismatocârpus. B.M. nec L'Her.							
3	nîtidus. L'H.	(bl.) shining.	—	—	6. 8.	H. ♂.	L'Her. sert. ang. 2. t. 3.
Campânula Prismatocârpus. w.							
4	hispidula. R.S.	(bl.wh.) bristly.	—	1822.	—	G. ♂.	Comm. hort. 2. t. 37.
5	interrûptus. L'H.	(bl.) interrupted.	—	1820.	—	G. ♂.	—
6	Spêculum. L'H.	(bl.) common.	S. Europe.	1596.	5. 8.	H. ♂.	Bot. mag. t. 102.
β âlbis. (wh.) white-flowered.							
7	hirsûtus. T.N.	(bl.) hairy.	Italy.	1822.	—	H. ♂.	Ten. fl. neap. t. 19.
8	falcâtus. T.N.	(bl.) falcate.	—	—	—	H. ♂.	— t. 20.
9	hy'bridus. L'H.	(bl.) corn.	England.		—	H. ♂.	Eng. bot. v. 6. t. 375.
10	pentagônus. L'H.	(bl.) five-angled.	Turkey.	1686.	—	H. ♂.	Bot. reg. t. 56.
11	perfoliâtus. (bl.) perfoliate.	N. America.	1680.	—	H. ♂.	—	Moris. s. 5. t. 2. f. 23.
Campânula perfoliâta. R.S. amplexicaulis. M.							
ROE'LLA. R.S. ROE'LLA. Pentandria Monogynia. L.							
1	ciliâta. R.S.	(bl.wh.) ciliate.	C. B. S.	1774.	6. 9.	G. ♀.	Bot. mag. t. 378.
2	pedunculâta. R.S.	(bl.) peduncled.	—	1827.	—	G. ♀.	—
3	filifôrmis. R.S.	(bl.) filiform.	—	1816.	—	G. ♀.	Lam. ill. t. 123. f. 2.
4	decûrens. R.S.	(bl.) decurrent.	—	1787.	7. 9.	H. ♂.	L'Her. sert. ang. 4. t. 6.
5	squarrôsa. R.S.	(bl.) trailing.	—	—	7. 8.	G. ♀.	—
6	muscôsa. R.S.	(bl.) moss-like.	—	1802.	8. 10.	H. ♂.	—
7	spicâta. R.S.	(wh.) spiked.	—	1824.	—	G. ♀.	—
PHYTEUMA. R.S. PHYTEUMA. Pentandria Monogynia. L.							
1	pauciflôrum. R.S.	(bl.) few-flowered.	Germany.	1823.	6. 8.	H. ♀.	—
2	globulariæfolium. R.S.	(bl.) Globularia-leav'd.	S. Europe.	—	—	H. ♀.	—
3	Scheuchzëri. R.S.	(bl.) Scheuchzer's.	Switzerland.	1813.	5. 6.	H. ♀.	Bot. mag. t. 1797.
4	scorzonerifolium. R.S.	(bl.) Scorzonera-leav'd.	E. Europe.	1817.	—	H. ♀.	— t. 2271.
5	Michêlii. R.S.	(bl.) Micheli's.	Pyrenees.	1822.	6. 7.	H. ♀.	All. ped. n. 427. t. 7. f. 3.
6	hemisph'ericum. R.S.	(bl.) linear-leaved.	Switzerland.	1752.	7.	H. ♀.	Jacq. ic. 2. t. 333.
7	comôsum. R.S.	(da.bl.) tufted.	Austria.	—	6. 7.	H. ♀.	Jacq. aust. ap. t. 50.
8	orbiculâre. R.S.	(bl.) round-headed.	England.		6. 8.	H. ♀.	Eng. bot. v. 2. t. 142.
9	Charmêlii. R.S.	(bl.) long-bracted.	Pyrenees.	1819.	—	H. ♀.	Vill. delph. 2. t. 11. f. 3. A.
10	Siebërii. s.s.	(bl.) Sieber's.	Levant.	1827.	7. 8.	H. ♀.	—
11	inæquâtum. R.S.	(bl.) unequal-leaved.	Hungary.	1826.	6. 7.	H. ♀.	—
12	cordâtum. B.M.	(bl.) heart-leaved.	S. Europe.	1804.	7. 8.	H. ♀.	Bot. mag. t. 1466.
13	ellipticum. R.S.	(bl.) elliptic-leaved.	Switzerland.	1820.	—	H. ♀.	Vill. delph. 2. t. 11. f. 2.
14	nigrum. R.S.	(da.pu.) black-flowered.	Bohemia.	—	—	H. ♀.	—
15	betonicifolium. R.S.	(pa.) Betony-leaved.	Switzerland.	1816.	6. 8.	H. ♀.	Bot. mag. t. 2066.
16	spicâtum. R.S.	(st.) spiked.	Europe.	1597.	—	H. ♀.	Flor. dan. t. 362.
17	Hallëri. R.S.	(pa.vi.) Haller's.	Switzerland.	1819.	—	H. ♀.	—
β ovâtum. (pa.) oval-spiked.							
18	stylosum. Bes.	(bl.) long-styled.	Poland.	1827.	—	H. ♀.	—
19	strictum. B.M.	(bl.) upright.	S. Europe.	1819.	—	H. ♀.	Bot. mag. t. 2145.
20	virgâtum. R.S.	(bl.) slender-branched.	Levant.	1823.	7. 9.	H. ♀.	Lab. syr. 2. p. 11. t. 6.
21	campanuloides. R.S.	(bl.) Campanula-like.	Caucasus.	1804.	6. 8.	H. ♀.	Bot. mag. t. 1015.
22	canescens. R.S.	(li.) canescent.	Hungary.	—	—	H. ♀.	W. et K. hung. l. t. 14.
23	pinnâtum. R.S.	(bl.) winged-leaved.	Candia.	1640.	—	G. ♀.	Venten. cels. t. 52.
TRACHELIUM. R.S. THROATWORT. Pentandria Monogynia. L.							
1	cœrûleum. R.S.	(bl.) blue.	Italy.	1640.	7. 9.	H. ♂.	Bot. reg. t. 72.
2	diffûsum. R.S.	(bl.) shrubby.	C. B.S.	1787.	—	G. ♀.	—
JASIONE. R.S. SHEEP'S SCABIOUS. Pentandria Monogynia. W.							
1	montâna. R.S.	(bl.) mountain.	Britain.		6. 7.	H. ♀.	Eng. bot. v. 13. t. 822.
2	perënnis. R.S.	(bl.) perennial.	France.	1787.	—	H. ♀.	Bot. reg. t. 505.
3	foliôsa. s.s.	(bl.) leafy.	S. Spain.	1826.	—	H. ♀.	—

ORDO CXXV.

GESNEREÆ. *Rich. et Juss. ann. mus. 5. p. 428.*

GLOXI'NIA. S.S.		GLOXI'NIA. Didynamia Angiospermia. L.					
1	hirsuta. B.R.	(bl.) hairy.	Brazil.	1825.	6. 8.	S. 2.	Bot. reg. t. 1004.
2	speciosa. B.R.	(bl.) many-flowered.	—	1815.	6. 11.	S. 2.	— t. 213.
	β alba.	(wh.) white-flowered.	—	1822.	—	S. 2.	—
3	caulescens. B.R.	(vi.) caulescent.	Pernambuco.	1820.	8. 10.	S. 2.	Bot. reg. t. 1127.
4	maculata. s.s.	(pu.) spotted-stalked.	S. America.	1739.	7. 10.	S. 2.	Bot. mag. t. 1191.
SINNI'NGIA. Nees.		SINNI'NGIA. Didynamia Angiospermia.					
1	guttata. B.R.	(gr.ye.) spotted-throated.	Brazil.	1825.	6. 8.	S. 2.	Bot. reg. t. 1134.
2	Helléri. B.R.	(gr.ye.) Heller's.	—	1824.	—	S. 2.	— t. 997.
3	velutina. B.R.	(gr.ye.) velvety.	—	—	—	S. 2.	Lodd. bot. cab. t. 1398.
4	villösa. B.R.	(gr.ye.) shaggy.	—	1826.	—	S. 2.	Bot. reg. t. 1134.
CODONO'PHORA. B.R.		CODONO'PHORA. Didynamia Angiospermia.					
1	grandiflora. B.R.	(gr.) large-flowered.	Brazil.	1816.	5. 6.	S. 2.	Bot. reg. t. 428.
	<i>Gesneria prasinata</i> . Bot. reg.						
2	lanceolata. B.R.	(gr.) spear-leaved.	—	1826.	—	S. 2.	—
GESNERIA. L.		GESNERIA. Didynamia Angiospermia. L.					
1	tomentosa. s.s.	(gr.pu.) woolly.	S. America.	1752.	11. 6.	S. 2.	Bot. mag. t. 1023.
2	scabra. s.s.	(pu.) rough.	Jamaica.	1822.	6. 8.	S. 2.	—
3	corymbösa. s.s.	(ye.) corymbose.	—	—	—	S. 2.	—
4	Douglásii. B.R.	(sp.) Douglas's.	Brazil.	1825.	5. 8.	S. 2.	Bot. reg. t. 1110.
	<i>verticillata</i> . Bot. mag. t. 2776. non Cavan.						
5	aggregata. s.s.	(sc.) clustered.	—	1816.	6. 10.	S. 2.	Bot. reg. t. 329.
6	pendulina. B.R.	(sc.) drooping-flowered.	—	1825.	6. 9.	S. 2.	— t. 1032.
7	rutila. B.R.	(sc.) brilliant.	—	1826.	6. 10.	S. 2.	— t. 1158.
	β atrosanguinea. B.R.	(cr.) dark-crimson.	—	—	—	S. 2.	— t. 1279.
8	latifolia. M.N.	(sc.) long-spiked.	—	1825.	7. 10.	S. 2.	— t. 1202.
	<i>macrostachya</i> . B.R.						
9	tubiflora. C.I.	(sc.) tube-flowered.	S. America.	1815.	2. 6.	S. 2.	Cavan. ic. 6. t. 584.
10	bulbosa. s.s.	(sc.) bulbous-rooted.	Brazil.	1816.	5. 8.	S. 2.	Bot. reg. t. 343.
11	acaulis. s.s.	(sc.) stemless.	Jamaica.	1793.	—	S. 2.	Sloan. jam. 1. t. 102. f. 1.
BESTERIA. L.		BESTERIA. Didynamia Angiospermia. L.					
1	cristata. s.s.	(ye.) crested.	W. Indies.	1739.	6. 8.	S. 2.	Jacq. amer. t. 119.
2	coccinea. s.s.	(ye.) scarlet-calyxed.	Guiana.	1824.	5. 8.	S. 2.	Aub. gui. 2. t. 255.
3	dichrus. s.s.	(ye.re.) two-coloured.	Brazil.	1823.	—	S. 2.	—
4	pulchella. s.s.	(or.) large-flowered.	W. Indies.	1806.	—	S. 2.	Bot. mag. t. 1146.
5	melittifolia. s.s.	(pu.) Balm-leaved.	Guiana.	1739.	6. 7.	S. 2.	Sm. exot. bot. 1. t. 54.
6	serrulata. s.s.	(st.) saw-leaved.	W. Indies.	1806.	—	S. 2.	Jacq. schœn. 3. t. 290.
7	lutea. s.s.	(ye.) yellow-flowered.	Guiana.	1739.	7. 8.	S. 2.	Plum. ic. 49. f. 1.
8	grandifolia. s.s.	(ye.) large-leaved.	Brazil.	1823.	—	S. 2.	—
9	hirtella. s.s.	(ye.) hairy-leaved.	—	—	—	S. 2.	—
10	incarnata. s.s.	(fl.) flesh-coloured.	Guiana.	—	—	S. 2.	Aub. gui. 2. t. 256.

ORDO CXXVI.

VACCINIEÆ. *DC. theor. ed. 1. p. 216.*

VACCINIUM. W.		WHORTLE-BERRY. Oct-Decandria Monogynia.					
1	Myrtillus. w.	(bh.) Blea-berry.	Britain.		4. 6.	H. 2.	Eng. bot. 7. t. 456.
2	stamineum. Ph.	(wh.) long-stamened.	N. America.	1772.	5. 6.	H. 2.	Pluk. alm. t. 339. f. 3.
3	album. Ph.	(wh.) white-flowered.	—	—	—	H. 2.	Andr. reposit. t. 263.
	<i>stamineum</i> . A.R. non Ph.						
4	pallidum. w.	(wh.) pale.	—	—	—	H. 2.	—
5	uliginosum. w.	(ro.) great Bilberry.	Britain.		4. 5.	H. 2.	Eng. bot. v. 9. t. 581.
6	diffusum. w.	(bh.) tree.	N. America.	1765.	5. 11.	H. 2.	Bot. mag. t. 1607.
	<i>arborescens</i> . M.						
7	dimosum. B.M.	(bh.) bushy.	—	1774.	5. 6.	H. 2.	Bot. mag. t. 1106.
	<i>hirtellum</i> . H.K.						
	β humile. w.D.	(wh.) dwarf.	—	—	—	H. 2.	Wats. dend. brit. t. 32.

8 frondosum. w. (wh.) blunt-leaved.	N. America.	1761.	5. 6. H. h.	Andr. reposit. t. 140.
9 venustum. H.K. (wh.) red-twigged.	—	1770.	— H. h.	—
10 resinosum. w. (st.) clammy.	—	1772.	— H. h.	Wang. am. t. 30. f. 69.
<i>β rubescens.</i> (re.) red-flowered.	—	—	— H. h.	Bot. mag. t. 1288.
11 parviflorum. A.R. (re.) small-flowered.	—	1804.	— H. h.	Andr. reposit. t. 125.
12 corymbosum. w. (wh.) corymbose.	—	1806.	6. 7. H. h.	Wats. dend. brit. t. 123.
13 amœnum. w. (wh.) broad-leaved.	—	1765.	5. 6. H. h.	Bot. reg. t. 400.
14 canadense. s.s. (wh.) Canadian.	—	1827.	5. 7. H. h.	—
15 virgatum. w. (pa.re.) twiggy.	—	1767.	4. 5. H. h.	Andr. reposit. t. 181.
16 Watsoni. (bh.) Watson's.	—	1812.	— H. h.	Wats. dend. brit. t. 34.
<i>virgatum β angustifolium.</i> w.D.	—	—	—	—
17 marianum. w.D. (wh.) Maryland.	—	—	5. 6. H. h.	Wats. dend. brit. t. 124.
18 grandiflorum. w.D. (wh.) great-flowered.	—	—	7. 8. H. h.	— t. 125. A.
19 elongatum. w.D. (bh.) elongated.	—	—	— H. h.	— t. 125. B.
20 minutiflorum. w.D. (bh.) minute-flowered.	—	—	— H. h.	— t. 125. C.
21 glabrum. w.D. (re.) smooth.	—	—	— H. h.	— t. 125. D.
22 mucronatum. L. (wh.) mucronate.	—	—	5. 6. H. h.	—
23 fuscatum. w. (re.) cluster-flowered.	—	1770.	— H. h.	Bot. reg. t. 302.
<i>formosum.</i> A.R. 97.	—	—	—	—
<i>β angustifolium.</i> Ph. (re.) narrow-leaved.	—	—	— H. h.	—
24 galèans. M. (st.) Gale-leaved.	—	1806.	— H. h.	—
25 ligustrinum. w. (pu.re.) Privet-leaved.	—	—	— H. h.	—
26 tenellum. w. (ro.) Pennsylvanian.	—	1772.	— H. h.	Wats. dend. brit. t. 35.
<i>pensylvanicum.</i> M.	—	—	—	—
27 angustifolium. w. (wh.) narrow-leaved.	—	1776.	4. 5. H. h.	—
<i>myrtilloides.</i> M.	—	—	—	—
28 Arctostaphylos. w. (re.) oriental.	Levant.	1777.	6. 8. H. h.	Bot. mag. t. 974.
29 maderense. s.s. (re.) Madeira.	Madeira.	1810.	7. 2. H. h.	Andr. reposit. t. 30.
<i>Arctostaphylos.</i> A.R.	—	—	—	—
30 meridionale. w. (re.) Jamaica.	Jamaica.	1778.	3. 6. G. h.	—
31 salicinum. s.s. (bh.) Willow-like.	N. America.	1827.	6. 8. H. h.	—
32 crassifolium. s.s. (pi.) thick-leaved.	Carolina.	1787.	6. 7. F. h.	Bot. mag. t. 1152.
33 myrtifolium. M. (pi.) Myrtle-leaved.	—	1812.	5. 7. F. h.	—
34 nitidum. s.s. (pi.) glossy-leaved.	—	1794.	5. 6. F. h.	Andr. rep. t. 480.
35 decumbens. B.M. (pi.) decumbent.	—	—	— F. h.	Bot. mag. t. 1550.
36 myrsinites. M. (pu.) Myrsine-leaved.	—	—	— F. h.	—
37 buxifolium. s.s. (bh.) Box-leaved.	N. America.	1794.	— H. h.	Bot. mag. t. 928.
38 Vitis Idæa. w. (bh.) Cow-berry.	Britain.	—	4. 6. H. h.	Eng. bot. v. 9. t. 598.
<i>α minor.</i> (bh.) smaller.	—	—	— H. h.	Lodd. bot. cab. t. 1023.
<i>β major.</i> (ro.) larger.	N. America.	—	— H. h.	— t. 616.
39 ovatum. Ph. (bh.) oval-leaved.	—	1827.	5. 7. H. h.	—
40 obtusum. Ph. (bh.) blunt-creeping.	—	—	— H. h.	—
41 halleriæfolium. L.C. (wh.) Halleria-leaved.	—	—	5. 6. H. h.	—
OXYCOCUS. P.S. CRANBERRY. Octandria Monogynia.				
1 palustris. P.S. (pi.) common.	—	—	5. 6. H. h.	Eng. bot. v. 5. t. 319.
<i>Vaccinium Oxycoccus.</i> E.B. Schöllera	Oxycoccus. Roth.	—	—	—
2 macrocarpus. Ph. (pi.) large-fruited.	N. America.	1760.	5. 8. H. h.	Wats. dend. brit. t. 122.
3 erectus. Ph. (ro.) upright.	—	1806.	6. 8. H. h.	— t. 31.
<i>Vaccinium erythrocarpum.</i> M.	—	—	—	—
4 hispidulus. P.S. (pi.) Thyme-leaved.	—	1776.	5. 7. H. h.	Mich. amer. 1. t. 23.
<i>Vaccinium hispidulum.</i> w. Arbùtus thymifolius. Ait. Gaulthèria serpyllifolia. Ph.	—	—	—	—

ORDO CXXVII.

ERICEÆ. Don Prodr. p. 148.

Sect. I. ERICEÆ VERÆ.

ARCTOSTAPHYLOS. K.S. ARCTOSTAPHYLOS. Decandria Monogynia.

1 'Uva-ursi. s.s. (bh.) Bear-berry.	Britain.		4. 6. H. h.	Eng. bot. v. 10. t. 714.
<i>Arbutus 'Uva-ursi.</i> E.B. Mairània 'Uva-ursi. Desv.	—	—	—	—
2 alpina. s.s. (pi.) Alpine.	Scotland.		4. 5. H. h.	Eng. bot. v. 29. t. 2030.

ARBUTUS. K.S.		STRAWBERRY-TREE.		Decandria Monogynia. L.	
1	Unêdo. s.s. (wh.re.)	common.	Ireland.	 9. 12.	H. f. Eng. bot. v. 34. t. 2377.
	β rubra. (re.)	red-flowered.	—		H. f. Lodd. bot. cab. t. 123.
	γ flore pleno. (wh.)	double-flowered.	—		H. f.
	δ schizopétala. (wh.)	jagged-petaled.	—		H. f.
	ϵ integrifolia. (wh.)	entire-leaved.	—		H. f.
	ζ crispa. (wh.)	curled-leaved.	—		H. f.
	η salicifolia. (wh.)	Willow-leaved.	—		H. f.
2	canariensis. s.s. (ro.)	long-leaved.	Canaries.	1796. 5. 6.	G. f. Bot. mag. t. 1577.
3	hybrida. s.s. (wh.)	hybrid.	Hybrid.		H. f. Bot. reg. t. 619.
	serratifolia. B.C. 580.	andrachnoides. L.en.	—	—	—
4	Milleri.	Miller's.	—	1825.	H. f.
5	Andrachne. s.s. (wh.)	oriental.	Levant.	1724. 3. 4.	F. f. Bot. reg. t. 113.
6	procera. d. (wh.)	tall.	N. America.	1827.	H. f.
7	Menziesii. Ph. (wh.)	Mr. Menzies's.	—		H. f.
8	tomentosa. Ph. (wh.)	woolly.	—		H. f.
9	laurifolia. s.s. (wh.)	Laurel-leaved.	Mexico.	1825.	F. f.
10	phillyreæfolia. s.s. (wh.)	Phillyrea-leaved.	Peru.	1812.	G. f.
11	? pumila. s.s. (wh.)	dwarf.	Magellan.	1824.	G. f.
GAULTHERIA. S.S.		GAULTHERIA.		Decandria Monogynia. L.	
1	procumbens. s.s. (bh.)	trailing.	N. America.	1762. 7. 9.	H. f. Andr. reposit. t. 116.
2	fragrantissima. s.s. (wh.)	fragrant.	Nepaul.	1824.	H. f. Wal.as.res.13.p.297.ic.
3	Shallon. Ph. (bh.)	Shallon.	N. America.	1827. 5. 6.	H. f. Lodd. bot. cab. t. 1732.
ENKIA'NTHUS. B.M.		ENKIA'NTHUS.		Decandria Monogynia.	
1	quinqueflorus. B.R. (pi.)	Canton.	China.	1812. 10. 2.	G. f. Bot. reg. t. 884.
2	reticulatus. B.R. (bh.)	netted-leaved.	—	1820.	G. f. — t. 885.
ANDROMEDA. N.		ANDROMEDA.		Decandria Monogynia. L.	
1	hypnoides. w. (wh.)	Moss-like.	Lapland.	1798. 6. 7.	H. f. Bot. mag. t. 2936.
2	polifolia. w. (ro.)	wild rosemary.	Britain.		H. f. Eng. bot. v. 10. t. 713.
3	glaucochylla. L.en. (wh.)	glaucous-leaved.	N. America.	 5. 9.	H. f.
4	rosmarinifolia. Ph. (bh.)	Rosemary-leaved.	—		H. f. Pall. ross. 2. t. 70. f. B.
5	subulata. P.S. (ro.)	awl-leaved.	Europe.		H. f.
6	angustifolia. Ph. (wh.)	narrow-leaved.	N. America.	 2. 4.	H. f.
	crispa. Link enum.	—	—	—	—
7	calyculata. w. (wh.)	various-leaved.	Russia.	1748. 2. 4.	H. f. Pall. ross. 2. t. 72. f. 1.
	α ventricosa. H.K. (wh.)	globe-flowered.	—	—	H. f. Bot. mag. t. 1286.
	β nana. B.C. (wh.)	dwarf.			H. f. Lodd. bot. cab. t. 862.
	γ latifolia. H.K. (wh.)	broad-leaved.	Newfoundland.		H. f. — t. 530.
8	japonica. w. (wh.)	Japan.	Japan.	1806. 5. 6.	H. f. Thunb. jap. 181. t. 22.
9	ovalifolia. D.P. (bh.)	oval-leaved.	Nepaul.	1823.	G. f. Wall. as. res. 13. p. 39. ic.
10	buxifolia. P.S. (cr.)	Box-leaved.	Mauritius.	1822. 4. 6.	G. f. Bot. mag. t. 2660.
11	fasciculata. w. (wh.)	bundle-flower'd.	Jamaica.	—	G. f.
12	jamaicensis. w. (wh.)	Jamaica.	—	1793.	G. f.
13	mariana. w. (bh.)	Maryland.	N. America.	1736. 6. 7.	H. f. Pluk. mant. t. 448. f. 6.
	α ovalis. (bh.)	oval-leaved.	—	—	H. f. Bot. mag. t. 1579.
	β oblonga. (bh.)	oblong-leaved.	—	—	H. f.
14	speciosa. Ph. (wh.)	large-flowered.	Carolina.	1800. 6. 9.	H. f.
	α nitida. Ph. (wh.)	smooth-leaved.	—	—	H. f. Bot. mag. t. 970.
	cassinæfolia. B.M.	—	—	—	—
	β glauca. W.D. (wh.)	glaucous-leaved.	—	—	H. f. Wats. dend. brit. t. 26.
	Andrómèda dealbata. Bot. reg. t. 1010.	—	—	—	—
	γ pulverulenta. Ph. (wh.)	mealy-leaved.	—	—	H. f. Bot. mag. t. 667.
15	coriacea. w. (pi.)	thick-leaved.	N. America.	1765. 6. 8.	H. f. — t. 1095.
	nitida. m. lucida. Lam. mariána. Jacq. ic. 3. t. 79. nec aliorum.	—	—	—	—
16	acuminata. w. (wh.)	acute-leaved.	N. America.	— 8.	H. f. Sm. exot. bot. 2. t. 89.
17	Catesbæi. w. (wh.)	spiny-leaved.	—	1793. 6. 7.	H. f. Bot. mag. t. 1955.
	spinulosa. Ph.	—	—	—	—
18	axillaris. w. (wh.)	axil-flowering.	—	1765. 5. 8.	H. f. Duham. ar. ed. nov. t. 39.
	β longifolia. (wh.)	long-leaved.	—	—	H. f. Bot. mag. t. 2357.
19	floribunda. Ph. (wh.)	many-flowered.	Georgia.	1812. 5. 6.	H. f. — t. 1566.
20	racemosa. w. (wh.)	branching.	N. America.	1736. 7.	H. f.
21	spicata. W.D. (wh.)	spiked.	—	 6. 7.	H. f. Wats. dend. brit. t. 36.
22	arboorea. w. (wh.)	Sorrel-tree.	—	1752. 7. 9.	H. f. Bot. mag. t. 905.
LYONIA. N.		LY'ONIA.		Decandria Monogynia. N.	
1	ferruginea. N. (wh.)	rusty-leaved.	Georgia.	1784. 6. 7.	G. f. Venten. malm. t. 80.
	Andrómèda ferruginea. w.	—	—	—	—
2	rigida. N. (wh.)	rigid.	—	1774. 4. 5.	G. f. Lodd. bot. cab. t. 430.
3	salicifolia. W.D. (wh.)	Willow-leaved.	N. America.	 6. 7.	H. f. Wats. dend. brit. t. 38.
4	paniculata. N. (wh.)	panicked.	—	1748. 5. 6.	H. f. — t. 37.

5	capreæfölia. w.d. (wh.)	tendril-leaved.	N. America.	1812.	7.	H. h.	Wats. dend. brit. t. 127
6	multiflora. w.d. (wh.)	many-flowered.	—	—	—	H. h.	t. 128.
7	frondosa. N. (wh.)	bristly-flowered.	—	1806.	5. 6.	H. h.	
MYLOCARYUM. W.en. BUCKWHEAT-TREE. Decandria Monogynia. W.							
	ligustrinum. Ph. (wh.)	Privet-leaved.	Georgia.	1786.	5. 6.	G. h.	Bot. mag. t. 1625.
	<i>Cliftonia ligustrina.</i> s.s.						
CLE'THRA. W. Decandria Monogynia. W.							
1	alnifolia. s.s. (wh.)	Alder-leaved.	N. America.	1731.	8. 10.	H. h.	Lam. ill. t. 369.
2	tomentosa. s.s. (wh.)	woolly-leaved.	—	—	—	H. h.	Wats. dend. brit. t. 39.
3	scabra. s.s. (wh.)	rough-leaved.	Georgia.	1806.	—	H. h.	
4	acuminata. s.s. (wh.)	acute-leaved.	Carolina.	—	—	H. h.	
5	paniculata. s.s. (wh.)	panicled.	N. America.	1770.	—	H. h.	
6	arborea. s.s. (wh.)	tree.	Madeira.	1784.	—	G. h.	Bot. mag. t. 1057.
	<i>β variegata.</i> (wh.)	variegated.	—	—	—	G. h.	
	<i>γ minor.</i> (wh.)	dwarf.	—		—	G. h.	
7	ferruginea. L.en. (wh.)	ferruginous.	S. America.	1818.	—	G. h.	
CYRILLA. L. Pentandria Monogynia. L.							
	racemiflora. L. (wh.)	Carolina.	Carolina.	1765.	6. 8.	F. h.	Bot. mag. t. 2456.
	<i>caroliniana.</i> P.S. <i>Itea</i> Cyrilla. W.						
BROSS'EA. L. Pentandria Monogynia. L.							
	coccinea. L. (sc.)	scarlet.	S. America.			S. h.	Lam. ill. t. 111. f. 3.
BL'ERIA. W. Tetrandria Monogynia. W.							
1	ericoides. s.s. (pu.)	heath-leaved.	C. B. S.	1774.	8. 10.	G. h.	Wendl. coll. 1. t. 25.
2	muscosa. s.s. (wh.)	Moss-leaved.	—	—	6. 8.	G. h.	
3	fasciculata. s.s. (wh.)	close-headed.	—	1812.	—	G. h.	
4	paucifolia. s.s. (fl.)	few-leaved.	—	—	—	G. h.	Wendl. coll. 2. t. 43.
5	articulata. s.s. (bh.)	jointed.	—	1795.	5. 6.	G. h.	— 2. t. 44.
6	scabra. s.s. (wh.)	rough.	—	1806.	—	G. h.	— 1. t. 31.
7	depressa. R.S. (pu.)	depressed.	—	1816.	—	G. h.	
8	purpurea. s.s. (pu.)	purple-flowered.	—	1791.	—	G. h.	
9	dumosa. s.s. (ro.)	bushy.	—	1806.	6. 8.	G. h.	Wendl. coll. 2. t. 38.
10	glabella. s.s. (wh.)	smooth.	—	1816.	—	G. h.	Seb. thes. 1. t. 20. f. 2.
11	ciliaris. s.s. (wh.)	fringed.	—	1795.	—	G. h.	Wendl. coll. 2. t. 49.
SYMPLEZA. R.S. SYMPLEZA. Tetrandria Monogynia. R.S.							
	capitellata. R.S. (pu.)	headed.	C. B. S.	1812.	6. 8.	G. h.	Wendl. coll. 2. t. 37.
	<i>Blæria bracteata.</i> Wend.						
CALL'UNA. Sal. CALL'UNA. Octandria Monogynia.							
	vulgaris. W.en. (pi.)	common.	Britain.		6. 8.	H. h.	Eng. bot. v. 15. t. 1013.
	<i>Erica vulgaris.</i> E.B.						
	<i>α carnea.</i> (pi.)	flesh-coloured.	—		—	H. h.	
	<i>β alba.</i> (wh.)	white-flowered.	—		—	H. h.	
	<i>γ multiplex.</i> (pi.)	double-flowered.	—		—	H. h.	
ERICA. W. HEATH. Octandria Monogynia. L.							
1	absinthoides. H.K. (pu.)	Wormwood-like.	C. B. S.	1792.	3. 6.	G. h.	
2	actæa. L.en. (wh.)	cluster-leaved.	—	1810.	—	G. h.	
3	acuminata. A.H. (pi.)	pointed-leaved.	—	1798.	5. 6.	G. h.	Andr. heath. v. 3.
	<i>β pallida.</i> (pu.)	pale-flowered.	—	—	—	G. h.	
4	acuta. A.H. (re.)	pointed-cupped.	—	1799.	5. 8.	G. h.	Andr. heath. v. 2.
5	acutangularis. L.C. (re.)	acute-angled.	—	1823.	—	G. h.	
6	adenophora. s.s. (wh.)	gland-haired.	—	1810.	—	G. h.	
7	aggregata. s.s. (li.)	clustered.	—	—	—	G. h.	Wendl. er. f. 13. n. 5.
8	Aitoniana. H.K. (wh. re.)	Aiton's.	—	1790.	6. 9.	G. h.	Bot. mag. t. 429.
9	albens. H.K. (wh.)	pallid.	—	1789.	3. 8.	G. h.	— t. 440.
10	albida. L.C. (wh.)	white-flowered.	—	1823.	5. 8.	G. h.	
11	alopeuroides. s.s. (li.)	fox-tail.	—	1812.	—	G. h.	Lodd. bot. cab. t. 874.
12	ambigua. s.s. (pi.)	ambiguous.	—	1798.	—	G. h.	Andr. heath. v. 1.
	<i>cylindrica.</i> A.H. non Thunb. <i>hybrida.</i> Hort.						
13	amœna. H.K. (pu.)	feathery.	C. B. S.	1795.	3. 7.	G. h.	Wendl. eric. 17. p. 73. ic.
	<i>plumosa.</i> A.H.						
14	ampullacea. H.K. (bh.)	flask.	—	1790.	6. 8.	G. h.	Bot. mag. t. 303.
15	andromedæflora. H.K. (pi.)	Andromeda-fld.	—	1803.	3. 6.	G. h.	— t. 1250.
16	anthina. s.s. (pu.)	full-flowering.	—	1811.	—	G. h.	
	<i>florida.</i> Hort. non W.						
17	aperta. s.s. (re.)	open-flowered.	—	—	—	G. h.	
18	Aphanes. s.s. (wh.)	Parsley-piert.	—	1820.	—	G. h.	
19	arborea. s.s. (wh.)	tree.	S. Europe.	1658.	2. 6.	G. h.	
	<i>β stylösa.</i> P.S. (wh.)	long-styled.	—	—	—	G. h.	
20	arbuscula. B.C. (re.)	little-tree.	C. B. S.	1818.	4. 8.	G. h.	Lodd. bot. cab. t. 843.
21	arctata. L.C. (wh.)	arched.	—	—	—	G. h.	

22	Archeriàna. H.K. (re.)	Lady Archer's.	C. B. S.	1796.	8. 11. G. h.	Andr. heath. v. 2.
23	árdens. H.K. (sc)	ardent.	—	1800.	4. 6. G. h.	Bot. reg. t. 115.
24	argentiflora. S.S. (wh.)	silvery-flowered.	—	1816.	G. h.	Andr. heath. v. 4.
25	aristàta. H.K. (cr.)	awned.	—	1801.	3. 8. G. h.	Bot. mag. t. 1249.
26	assúrgens. L.en. (wh.)	assurgent.	—	1810.	5. 8. G. h.	—
27	aùrea. H.K. (ye.)	golden.	—	1799.	7. 9. G. h.	Andr. heath. v. 2.
28	auriculàris. L.T. (re.)	eared.	—	1810.	3. 7. G. h.	—
29	austràlis. H.K. (re.)	Spanish.	Spain.	1769.	4. 7. H. h.	Andr. heath. v. 3.
30	axillàris. w. (pu.)	axillary.	C. B. S.	1798.	5. 7. G. h.	—
31	azaleafolia. L.T. (li.)	Azalea-leaved.	—	—	5. 8. G. h.	—
32	bàccans. H.K. (li.)	Arbutus-flower'd.	—	1774.	4. 7. G. h.	Bot. mag. t. 358.
33	Bandoniàna. L.C. (bh.)	Lord Bandon's.	—	1816.	5. 8. G. h.	Andr. heath. v. 4.
34	Báncsii. H.K. (st.)	Banks's.	—	1787.	2. 7. G. h.	— v. 1.
35	barbàta. H.K. (wh.)	bearded.	—	1799.	5. 8. G. h.	— v. 2.
36	Beaumontiæ. A.H. (wh.)	Mrs. Beaumont's.	—	1820.	6. 8. G. h.	— v. 4.
37	bélla. S.S. (pu.)	pretty.	—	—	G. h.	—
38	Bergiàna. H.K. (re.)	Bergius's.	—	1787.	4. 8. G. h.	Lodd. bot. cab. t. 939.
	quadriflora. A.H. v. 2.	—	—	—	—	—
39	bícolor. w. (re.gr.)	two-coloured.	—	1790.	8. 3. G. h.	—
	calathiflora. L.T.	—	—	—	—	—
40	bi-flora. B.C. (wh.)	two-flowered.	—	1820.	5. 8. G. h.	Lodd. bot. cab. t. 683.
41	blànda. H.K. (pi.)	charming.	—	1800.	4. 9. G. h.	Andr. heath. v. 3.
42	Blandfordiàna. H.K. (ye.)	Blandford's.	—	1803.	3. 6. G. h.	Bot. mag. t. 1793.
43	Bonplandiàna. B.M. (wh.)	Bonpland's.	—	1816.	G. h.	t. 2126.
44	borboniæfolia. L.T. (wh.)	Borbonia-leaved.	—	—	G. h.	—
45	Bowieàna. B.C. (wh.)	Bowie's.	—	—	3. 9. G. h.	Lodd. bot. cab. t. 842.
	Bauèria. Andr. heath. v. 4.	—	—	—	—	—
46	brachiàlis. L.T. (re.)	armed.	—	1792.	G. h.	—
47	bracteàta. w. (re.)	red-bracted.	—	1800.	5. 7. G. h.	—
48	bracteolàris. P.S. (wh.)	bracteate.	—	—	3. 7. G. h.	—
49	brevifolia. L.T. (wh.)	short-leaved.	—		8. 1. G. h.	—
50	Broadleyàna. A.H. (pi.)	Broadley's.	—	1810.	5. 7. G. h.	Andr. heath. v. 3.
51	bruniàdes. w. (wh.)	Brunia-like.	—	1790.	4. 7. G. h.	—
52	bucciniflora. B.M. (li.wh.)	trumpet-flowered.	—	1816.	5. 9. G. h.	Bot. mag. t. 2465.
53	c'asia. L.T. (wh.)	grey.	—	1795.	2. 5. G. h.	—
54	càffra. A.H. (wh.)	sweet-scented.	—	1774.	8. 10. G. h.	Lodd. bot. cab. t. 196.
55	caledònica. S.S. (ro.)	Caledonian.	—	1816.	5. 9. G. h.	—
56	callòsa. S.S. (li.)	callous-leaved.	—	1799.	6. 9. G. h.	Andr. heath. v. 3.
	calliculàta β minor. A.H.	—	—	—	—	—
57	calycina. w. (pi.)	calycine.	—	—	G. h.	—
58	calyculàta. P.S. (br.)	rusty-flowered.	—	1800.	5. 7. G. h.	—
59	campanulàta. H.K. (ye.)	bell-flowered.	—	1791.	4. 8. G. h.	Andr. heath. v. 1.
60	campylophylla. S.S. (li.)	hook-leaved.	—	1802.	3. 5. G. h.	—
	incùrva. A.H.	—	—	—	—	—
61	canaliculàta. H.K. (li.)	channelled.	—	1799.	8. 2. G. h.	Andr. heath. v. 3.
62	canéscens. H.K. (li.)	canescent.	—	1790.	5. 8. G. h.	— v. 2.
	eriocéphala. A.H. non Lam.	—	—	—	—	—
63	càpax. L.T. (re.wh.)	capacious.	—	1806.	G. h.	—
64	capitàta. H.K. (st.)	downy-headed.	—	1774.	3. 7. G. h.	Andr. heath. v. 1.
65	carduifolia. L.T. (li.)	Carduus-leaved.	—	1806.	5. 7. G. h.	—
66	carinàta. B.C. (pi.)	keeled.	—	—	6. 9. G. h.	Lodd. bot. cab. t. 1071.
67	cárnea. L. (pi.)	early dwarf.	Germany.	1763.	1. 8. G. h.	Jacq. aust. t. 32.
68	carniula. B.C. (fl.)	flesh-coloured.	C. B. S.	1816.	5. 8. G. h.	Lodd. bot. cab. t. 926.
69	catervefolia. L.T. (li.)	huddled-leaved.	—	1790.	4. 7. G. h.	—
70	Celsiàna. L.C. (re.)	Cels's.	—		G. h.	—
71	cephalòtes. w. (pu.)	purple-headed.	—	1812.	3. 7. G. h.	—
72	cerinthoides. H.K. (sc.)	honeywort-flower'd.	—	1774.	5. 9. G. h.	Bot. mag. t. 220.
	a glabriuscula. (sc.)	smoothish.	—	—	G. h.	—
	β hispida. (sc.)	bristly.	—	—	G. h.	—
73	cérnua. H.K. (bh.)	drooping-flowered.	—	1791.	8. 12. G. h.	Mont. ac. ups. 2. t. 9. f. 3.
74	cerviciflora. L.T. (ye.)	Stag's-horn-flower'd.	—		3. 7. G. h.	—
	inapérta. Hort.	—	—	—	—	—
75	chlamydiflora. L.T. (re.)	cloaked-flower'd.	—	1801.	5. 9. G. h.	—
76	ciliàris. w. (pi.)	ciliated.	Portugal.	1759.	7. 9. H. h.	Bot. mag. t. 484.
77	ciliatiflora. L.T. (wh.)	fringe-flower'd.	C. B. S.		5. 8. G. h.	—
78	cineràscens. w. (pu.)	greyish.	—		G. h.	—
79	cinèrea. w. (pu.)	fine-leaved.	Britain.		6. 9. H. h.	Eng. bot. v. 15. t. 1015.
	α atropurpurea. (d.pu.)	dark-purple.	—		H. h.	Lodd. bot. cab. t. 1409.
	β rubra. (re.)	red-flowered.	—		H. h.	—

133	<i>diosmæfolia</i> . L.T. (<i>li</i> .)	Diosma-leaved.	C. B. S.	1792.	3. 7.	G. h.	
134	<i>diotæflora</i> . L.T. (<i>wh</i> .)	Diotis-flowered.	—	1795.	3. 8.	G. h.	
135	<i>dicolor</i> . H.K. (<i>bh</i> .)	different-coloured.	—	1788.	10. 3.	G. h.	Andr. heath. v. 1.
136	<i>distans</i> . s.s. (<i>vi</i> .)	distant.	—	1816.	—	G. h.	
137	<i>Donniana</i> . Lee. (<i>re</i> .)	Donn's.	—	1812.	5. 9.	G. h.	
138	<i>droseroides</i> . A.H. (<i>pu</i> .)	Sundew-like.	—	—	7. 10.	G. h.	Andr. heath. v. 4.
	<i>droseroides</i> β <i>minor</i> . A.H.						
139	<i>dumosa</i> . A.H. (<i>re</i> .)	bushy.	—	—	—	G. h.	Andr. heath. v. 4.
140	<i>echiiflora</i> . H.K. (<i>pi</i> .)	Echium-flowered.	—	1798.	2. 7.	G. h.	— v. 3.
	β <i>purpurea</i> . A.H. (<i>pu</i> .)	purple-flowered.	—	1812.	—	G. h.	— v. 4.
141	<i>elata</i> . H.K. (<i>ye</i> .)	tall.	—	1790.	7. 9.	G. h.	— v. 2.
142	<i>elegans</i> . H.K. (<i>pi</i> .)	elegant.	—	1799.	11. 5.	G. h.	Bot. mag. t. 960.
143	<i>elongata</i> . B.C. (<i>wh</i> .)	elongated.	—	1820.	3. 6.	G. h.	Lodd. bot. cab. t. 738.
	<i>emarginata</i> . A.H. (<i>wh</i> .)	hairy cupped.	—	1800.	6. 10.	G. h.	Andr. heath. ic.
145	<i>embothriifolia</i> . L.T. (<i>re</i> .)	Embothrium-leav'd.	—	—	2. 5.	G. h.	
146	<i>empetrifolia</i> . H.K. (<i>re</i> .)	crowberry-leaved.	—	1774.	4. 7.	G. h.	Bot. mag. t. 447.
147	<i>empetroides</i> . H.K. (<i>pu</i> .)	close-flowered.	—	1788.	5. 8.	G. h.	Andr. heath. v. 2.
148	<i>epistomia</i> . L.C. (<i>wh</i> .)	spiggot.	—	1800.	—	G. h.	Lodd. bot. cab. t. 1186.
149	<i>equisetifolia</i> . L.T. (<i>re</i> .)	Equisetum-leaved.	—	—	—	G. h.	
	<i>articulâris</i> . Hort.						
150	<i>eriocéphala</i> . B.C. (<i>wh</i> .)	woolly-headed.	—	1816.	6. 8.	G. h.	Lodd. bot. cab. t. 1270.
151	<i>erosa</i> . B.C. (<i>bh</i> .)	gnawed-petal'd.	—	—	—	G. h.	— t. 133.
152	<i>erubescens</i> . H.K. (<i>bh</i> .)	reddish-flowered.	—	1800.	3. 8.	G. h.	Andr. heath. v. 3.
153	<i>Ewerana</i> . H.K. (<i>cr</i> .)	Ewer's.	—	1793.	7. 11.	G. h.	— v. 2.
	α <i>glabra</i> . (<i>cr</i> .)	smooth-leaved.	—	—	—	G. h.	
	β <i>longiflora</i> . (<i>cr</i> .)	long-flowered.	—	—	—	G. h.	
	γ <i>pilosa</i> . (<i>cr</i> .)	hairy-leaved.	—	—	—	G. h.	
154	<i>exigua</i> . L.T. (<i>pu</i> .)	small downy.	—	1790.	3. 9.	G. h.	
155	<i>eximia</i> . L.C. (<i>ro</i> .)	choice.	—	1811.	—	G. h.	Lodd. bot. cab. t. 1105.
156	<i>exserta</i> . L.C. (<i>wh</i> .)	exserted.	—	1820.	—	G. h.	
157	<i>expansa</i> . L.C. (<i>re</i> .)	expanded.	—	1811.	—	G. h.	
158	<i>exprómta</i> . s.s. (<i>re</i> .)	woolly-branched.	—	—	—	G. h.	
159	<i>exsudans</i> . B.C. (<i>pi</i> .)	sweating.	—	1810.	8. 10.	G. h.	Lodd. bot. cab. t. 287.
160	<i>exurgens</i> . H.K. (<i>or.re</i> .)	quiver-formed.	—	1792.	1. 12.	G. h.	Andr. heath. v. 1.
161	<i>fâbrilis</i> . L.T. (<i>re</i> .)	tiled-leaved.	—	1791.	4. 8.	G. h.	
162	<i>fallax</i> . L.T. (<i>wh</i> .)	viscous-flower'd.	—	—	11. 3.	G. h.	
163	<i>fasciculâris</i> . H.K. (<i>ro.gr</i> .)	cluster-flower'd.	—	1787.	2. 7.	G. h.	Andr. heath. v. 1.
	<i>coronata</i> . A.H. <i>radiiflora</i> . L.T.						
164	<i>fastigiata</i> . W. (<i>bh</i> .)	crowded.	—	1792.	2. 7.	G. h.	Andr. heath. v. 1.
	<i>Walkeri</i> . A.H. v. 1. <i>nec</i> v. 4.						
165	<i>fausta</i> . L.T. (<i>re</i> .)	bristly-leaved.	—	1795.	4. 6.	G. h.	
166	<i>ferruginea</i> . H.K. (<i>cr.bh</i> .)	rusty.	—	1798.	5. 7.	G. h.	Andr. heath. v. 3.
167	<i>festa</i> . L.T. (<i>bh</i> .)	angular-stalked.	—		3. 5.	G. h.	
168	<i>fibula</i> . L.en. (<i>li</i> .)	button.	—	1812.	5. 6.	G. h.	
169	<i>filamentosa</i> . H.K. (<i>re</i> .)	long-peduncled.	—	1800.	1. 12.	G. h.	Bot. reg. t. 6.
170	<i>filiformis</i> . L.T. (<i>re</i> .)	filiform.	—		2. 5.	G. h.	
171	<i>fimbriata</i> . A.H. (<i>re</i> .)	fringed.	—	1800.	3. 7.	G. h.	Andr. heath. ic.
172	<i>finitima</i> . L.C. (<i>pu</i> .)	related.	—		—	G. h.	
173	<i>fistulæflora</i> . L.T. (<i>wh</i> .)	white slender-flower'd.	—	1800.	7. 11.	G. h.	Andr. heath. v. 3.
	<i>tenuiflora</i> β <i>alba</i> . A.H. <i>Cliffordiana</i> . B.C. 34.						
174	<i>flaccida</i> . L.en. (<i>wh</i> .)	flaccid.	—	1810.	—	G. h.	
175	<i>flagellâris</i> . L.en. (<i>st</i> .)	whipcord.	—	—	—	G. h.	
176	<i>flagelliformis</i> . A.H. (<i>re</i> .)	whipcord-like.	—	1812.	—	G. h.	Andr. heath. v. 4.
177	<i>flammea</i> . H.K. (<i>ye</i> .)	flame-flowered.	—	1798.	10. 5.	G. h.	— v. 2.
	<i>bibax</i> . L.T.						
178	<i>flava</i> . H.K. (<i>ye</i> .)	3-leaved yellow.	—	1795.	9. 4.	G. h.	Andr. heath. v. 2.
	β <i>imbricata</i> . B.M. (<i>ye</i> .)	imbricated.	—	—	—	G. h.	Bot. mag. t. 1815.
179	<i>flexicaulis</i> . H.K. (<i>re</i> .)	crook-stalked.	—	1800.	5. 1.	G. h.	Andr. heath. v. 2.
	<i>glandulosa</i> . A.H. <i>nec aliorum</i> .						
180	<i>flexuosa</i> . H.K. (<i>wh</i> .)	zigzag.	—	1792.	4. 7.	G. h.	Andr. heath. v. 1.
181	<i>flexibunda</i> . B.C. (<i>li</i> .)	many-flowered.	—	1800.	11. 3.	G. h.	Lodd. bot. cab. t. 176.
182	<i>florida</i> . H.K. (<i>pu</i> .)	florid.	—	1803.	5. 8.	G. h.	Thunb. eric. n. 64. t. 6.
183	<i>foliacea</i> . A.H. (<i>ye</i> .)	foliaceous.	—	1822.	5. 7.	G. h.	Andr. heath. v. 4.
184	<i>folliculâris</i> . H.K. (<i>ye</i> .)	yellow pencilled.	—	1794.	2. 7.	G. h.	— v. 1.
	<i>Petiveriana</i> . A.H.						
185	<i>formosa</i> . W. (<i>va</i> .)	handsome.	—	1795.	3. 8.	G. h.	Thunb. eric. n. 82. t. 3.
	α <i>alba</i> . (<i>wh</i> .)	white-flowered.	<i>reflexa alba</i> . Hort. —	—	—	G. h.	Andr. heath. v. 4.
	β <i>rubra</i> . (<i>re</i> .)	red-flowered.	<i>reflexa rubra</i> . Hort. —	—	—	G. h.	— v. 4.
186	<i>fragrans</i> . H.K. (<i>pu</i> .)	fragrant.	C. B. S.	1803.	3. 7.	G. h.	Bot. mag. t. 2181.

187	fûgax. L.T.	(pu.) fugacious.	C. B. S.	1800.	3. 5.	G. h.	
188	furfurôsa. H.K.	(re.) columnar-threaded.	—	1789.	8. 12.	G. h.	Andr. heath. v. 1.
	monadelphæ. A.H.	non B.M.					
189	gélida. H.K.	(gr.) green verticillate.	—	1790.	4. 7.	G. h.	Andr. heath. v. 2.
	gîlva. w. alveiflora. L.T.						
190	gemmîfera. B.M.	(or.) jewel.	—	1802.	7. 10.	G. h.	Bot. mag. t. 2266.
191	genistæfôlia. L.T.	(re.) Genista-leaved.	—		10. 5.	G. h.	
192	glâbra. L.en.	(wh.) glabrous.	—	1802.	5. 8.	G. h.	
193	glandulôsa. Th.	(cr.) glandular-haired.	—	1801.	—	G. h.	
194	glauca. H.K.	(pu.) glaucous-leaved.	—	1792.	—	G. h.	Bot. mag. t. 580.
195	globôsa. w.	(bh.) globular-flowered.	—	1789.	7. 9.	G. h.	Andr. heath. v. 4.
196	glomerâta. s.s.	(li.) glomerate.	—	1812.	—	G. h.	— v. 4.
197	glomiflora. L.T.	(wh.) round-flowered.	—		4. 9.	G. h.	
198	glutinôsa. H.K.	(pu.) glutinous.	—	1787.	7. 10.	G. h.	Icon. hort. kew. t. 17.
	droseroides. A.H.						
199	gnaphalôdes. w.	(wh.) cudweed-like.	—	1812.	2. 4.	G. h.	Pluk. m.68. t. 346. f.11.
200	grâcilis. H.K.	(re.) gracile.	—	1794.	2. 6.	G. h.	Wend. eric. 8. p. 9. ic.
201	grandiflora. H.K.	(ye.) great-flowered.	—	1775.	5. 9.	G. h.	Bot. mag. t. 189.
202	grandinôsa. B.C.	(wh.) hail-flowered.	—	1820.	—	G. h.	Lodd. bot. cab. t. 627.
203	halicâcaba. H.K.	(wh.) bladder-flowered.	—	1780.	5. 8.	G. h.	Andr. heath. v. 2.
204	helianthemifolia. L.T.	plain-leaved.	—	1796.	6. 9.	G. h.	
205	herbacea. L.	(fl.) trailing.	S. Europe.	1763.	1. 8.	H. h.	Bot. mag. t. 471.
206	Hibbertiana. H.K.	(cr.gr.) Hibbert's.	C. B. S.	1800.	6. 9.	G. h.	Andr. heath. v. 3.
207	hirsûta. B.C.	(wh.pu.) hairy.	—	1812.	5. 8.	G. h.	Lodd. bot. cab. t. 754.
208	hîrta. w.	(re.) hairy-leaved.	—	1795.	4. 7.	G. h.	Thunb. eric. n. 56. t. 2.
209	hirtiflora. B.M.	(li.) hairy-flowered.	—	1790.	—	G. h.	Bot. mag. t. 481.
210	hispida. s.s.	(re.) hispid.	—	1791.	7. 9.	G. h.	Andr. heath. ic.
211	hispidula. w.	(pu.) bristly-stemmed.	—	—	6. 8.	G. h.	
212	holosericea. L.T.	(wh.) velvety.	—		2. 7.	G. h.	
213	horizontalis. H.K.	(wh.) horizontal-leaved.	—	1800.	7. 9.	G. h.	Andr. heath. v. 2.
214	Humeana. B.C.	(pi.) Sir A. Hume's.	—	1808.	5. 7.	G. h.	Lodd. bot. cab. t. 389.
215	humifusa. L.T.	(pi.) low.	—		6. 7.	G. h.	
216	hyacinthoides. H.K.	(pi.) Hyacinth-flower'd.	—	1798.	6. 8.	G. h.	Andr. heath. v. 3.
217	hyssopifolia. L.T.	(re.) Hyssop-leaved.	—	1800.	5. 9.	G. h.	
218	ignescens. H.K.	(or.sc.) fiery.	—	1792.	3. 7.	G. h.	Andr. heath. v. 2.
219	imbecilla.	(re.) feeble.	—	1793.	6. 7.	G. h.	
	grâcilis. L.T. nec aliorum.						
220	imbricata. w.	(pu.) imbricated.	—	1786.	5. 8.	G. h.	Lodd. bot. cab. t. 1243.
221	imperialis. s.s.	(ro.) imperial.	—	1816.	—	G. h.	Andr. heath. v. 4.
222	incana. s.s.	(wh.re.) hoary.	—	—	—	G. h.	Wend. er. f. 18. n. 4. ic.
223	incarnata. w.	(fl.) flesh-coloured.	—	1791.	—	G. h.	Andr. heath. v. 1.
224	incurva. w.	(wh.) incurved.	—	—	—	G. h.	
225	inflata. w.	(ro.) inflated.	—	1800.	5. 9.	G. h.	Thunb. dis. n. 67. t. 2. f. 2.
226	infundibuliformis. (ro.wh.)	funnel-flower'd.	—	1812.	—	G. h.	Lodd. bot. cab. t. 589.
227	intertexta. B.C.	(wh.) interwoven.	—	1810.	—	G. h.	— t. 1034.
228	intervallaris. L.T.	(bh.) distant-leaved.	—	—	5. 11.	G. h.	
229	Irbyana. A.H.	(bh.) Irby's.	—	1800.	6. 10.	G. h.	Andr. heath. v. 3.
230	jasminiflora. H.K.	(wh.) Jasmine-flower'd.	—	1794.	—	G. h.	— v. 1.
231	jubata. s.s.	(re.) crest-flowered.	—	1816.	—	G. h.	
232	Juliana. s.s.	(re.) Julian's.	—	1812.	5. 10.	G. h.	Lodd. bot. cab. t. 799.
233	labialis. L.T.	(pi.) lipped.	—	—	—	G. h.	
234	Lachneafolia. H.K.	(pu.) Lachnea-leaved.	—	1793.	5. 7.	G. h.	Andr. heath. v. 3.
235	lactiflora. B.C.	(st.) milk-coloured.	—	1816.	—	G. h.	Lodd. bot. cab. t. 901.
	tricolor. s.s.						
236	Lævis. A.H.	(wh.) smooth.	—	1790.	3. 6.	G. h.	Andr. heath. v. 3.
237	Lambertiana. H.K.	(wh.) Lambert's.	—	1800.	5. 8.	G. h.	— v. 2.
238	lanata. w.	(sn.) woolly.	—	1775.	2. 5.	G. h.	Wend. eric. f. 5. n. 2.
239	lanceolata. P.S.	(wh.) spear-leaved.	—	1791.	6. 12.	G. h.	— fasc. 8. p. 13. ic.
240	lanuginosa. H.K.	(br.) large brown-flower'd.	—	1803.	9. 1.	G. h.	Andr. heath. v. 3.
241	laricina. s.s.	(pi.) Larch-leaved.	—	1824.	6. 8.	G. h.	
242	lasiophylla. s.s.	(li.) downy-leaved.	—	1816.	5. 8.	G. h.	
243	lateralis. H.K.	(fl.) side-flowered.	—	1791.	3. 7.	G. h.	Andr. heath. v. 1.
244	latifolia. H.K.	(re.) broad-leaved.	—	1800.	5. 8.	G. h.	— v. 2.
245	lavandulæfolia. L.T.	(re.) Lavender-leaved.	—	1795.	—	G. h.	
246	Lawsoni. B.M.	(re.) red slender-flower'd.	—	1802.	4. 7.	G. h.	Bot. mag. t. 1720.
247	laxa. H.K.	(li.) loose-flowered.	—	1800.	9. 2.	G. h.	Andr. heath. v. 3.
248	Leeana. H.K.	(ye.) Lee's.	—	1788.	8. 1.	G. h.	— v. 1.
249	leptocarpa. s.s.	(re.) slender chaffed.	—	1824.	4. 7.	G. h.	
250	leucantha. L.en.	(wh.) white-blossomed.	—	1803.	1. 5.	G. h.	Andr. heath. v. 2.
	leucanthera. A.H.	non L.					

251	leucanthëra. w. (wh.) white-tipped.	C. B. S.	1803.	2. 6.	G. h.	
252	Linnaëana. H. K. (pu. wh.) Linnaeus's.		1790.	1. 5.	G. h.	Andr. heath. v. 2.
	<i>Linnaëoides</i> . A. H.					
	<i>β</i> <i>superba</i> . A. H. (pu. wh.) <i>superb</i> .		1822.	—	G. h.	Andr. heath. v. 4.
2	longiflora. B. C. (ye.) long-flowered.			4. 8.	G. h.	Lodd. bot. cab. t. 983.
254	longifolia. w. (re.) long-leaved.		1787.	2. 7.	G. h.	Wend. eric. t. 3.
	<i>pinæa</i> . Wend.					
255	longipedunculata. (li.) long-stalked.		1818.	3. 8.	G. h.	Lodd. bot. cab. t. 103.
256	lucida. H. K. (pi.) lucid.		1800.	4. 1.	G. h.	Andr. heath. v. 2.
257	lutea. H. K. (ye.) yellow.		1774.	2. 5.	G. h.	— v. 1.
258	lyrigera. L. T. (re.) lyre-bearing.		1790.	—	G. h.	
259	magnifica. s. s. (ro.) magnificent.		1816.	4. 8.	G. h.	Andr. heath. v. 4.
260	mammösa. w. (pu.) nipple.		1762.	7. 10.	G. h.	— v. 1.
	<i>α</i> <i>purpurea</i> . (pu.) purple-flowered.		—	—	G. h.	Lodd. bot. cab. t. 125.
	<i>β</i> <i>pallida</i> . (li.) pale-flowered.		—	—	G. h.	— t. 951.
261	margaritacea. H. K. (wh.) pearl-flowered.		1775.	5. 9.	G. h.	Andr. heath. v. 1.
262	marifolia. H. K. (wh.) Marum-leaved.		1773.	5. 7.	G. h.	— v. 1.
263	Massöni. H. K. (or. gr.) Masson's.		1787.	7. 10.	G. h.	Bot. mag. t. 336.
264	mediterranea. w. (re.) Mediterranean. Portugal.		1648.	3. 5.	H. h.	— t. 471.
265	melanthëra. w. (li.) dark-anthered.	C. B. S.	1803.	6. 8.	G. h.	Lodd. bot. cab. t. 867.
266	melastoma. A. H. (ye.) black-anthered.		1795.	4. 7.	G. h.	— t. 333.
267	mellifera. s. s. (pu.) honey-bearing.		1816.	—	G. h.	
268	metulæflora. H. K. (re.) nine-pin.		1798.	6. 8.	G. h.	Bot. mag. t. 612.
269	microphylla. L. C. (re.) small-leaved.			—	G. h.	
270	micröstoma. s. s. (re.) aggregate-flower'd.		1816.	—	G. h.	
271	minutæflora. A. R. (pu.) minute-flowered.		1822.	5. 7.	G. h.	Andr. heath. v. 4.
272	mirabilis. A. H. (bh.) wonderful.		—	3. 8.	G. h.	— v. 4.
273	modesta. L. T. (bh.) modest.			—	G. h.	
274	molleäris. P. S. (pu.) soft-leaved.		1803.	4. 10.	G. h.	
275	möllis. s. s. (pu.) soft.		1816.	—	G. h.	Andr. heath. v. 4.
276	mollissima. L. C. (wh.) softest.			—	G. h.	
277	monadélpha. B. M. (wh.) monadelphous.		1789.	5. 7.	G. h.	Bot. mag. t. 1370.
	<i>Banksia β</i> <i>purpurea</i> . A. H.					
278	Monsoniæ. H. K. (wh.) Lady Monson's.		1787.	4. 9.	G. h.	Bot. mag. t. 1915.
279	montana. L. C. (li.) mountain.		1816.	—	G. h.	
280	moschata. A. H. (li.) musky.		1805.	5. 7.	G. h.	Andr. heath. v. 4.
281	mucösa. H. K. (pu.) mucous.		1787.	2. 4.	G. h.	— v. 1.
282	mucosoides. L. C. (li.) mucous-like.		1800.	3. 4.	G. h.	Lodd. bot. cab. t. 1212.
283	mucronata. s. s. (re.) mucronate.		1812.	4. 8.	G. h.	Andr. heath. v. 4.
284	multiflora. H. K. (bh.) many-flowered.	France.	1731.	6. 11.	G. h.	— v. 2.
285	munda. L. T. (bh.) neat-flowered.	C. B. S.		5. 7.	G. h.	
286	mündula. B. C. (pi.) neat.		1816.	3. 8.	G. h.	Lodd. bot. cab. t. 114.
287	Muscäri. H. K. (st.) musk.		1790.	—	G. h.	Andr. heath. v. 1.
288	mutabilis. H. K. (pu.) mutable.		1798.	2. 10.	G. h.	— v. 3.
289	nana. L. T. (ye.) dwarf.		1792.	5. 8.	G. h.	— v. 2.
	<i>depressa</i> . A. H.					
290	nidiflora. L. T. (bh.) nest-flowered.			10. 5.	G. h.	
291	nidularia. B. C. (pi.) nest-like.		1816.	5. 8.	G. h.	Lodd. bot. cab. t. 764.
292	nigricans. s. s. (wh.) black-stamened.		—	—	G. h.	
293	nigrita. H. K. (wh.) black-tipped.		1790.	3. 7.	G. h.	Andr. heath. v. 1.
294	nitida. H. K. (wh.) shining.		1800.	7. 10.	G. h.	— v. 3.
295	nivalis. A. H. (wh.) snowy-flowered.		1820.	5. 6.	G. h.	— v. 4.
296	nivea. s. s. (wh.) snowy.		1816.	5. 9.	G. h.	
297	Nivëni. H. K. (re.) Niven's.		1799.	2. 7.	G. h.	Andr. heath. v. 2.
298	notæflora. L. T. (re.) bell-shaped.			2. 5.	G. h.	
299	notabilis. s. s. (re.) notable.		1816.	3. 8.	G. h.	
300	nudiflora. w. (ye.) small-bracted.		1783.	7. 8.	G. h.	
301	obbata. H. K. (re. wh.) bottle.		1796.	4. 7.	G. h.	Andr. heath. v. 2.
302	obcordata. s. s. (wh.) obcordate.		1812.	—	G. h.	
303	obliqua. H. K. (pu.) oblique-leaved.		1789.	8. 10.	G. h.	Andr. heath. v. 1.
304	obtusa. B. C. (re.) obtuse.		1816.	5. 8.	G. h.	Lodd. bot. cab. t. 1027.
305	octogöna. L. C. (re.) eight-angled.		—	—	G. h.	
306	odorata. H. K. (wh.) perfumed.		1804.	4. 7.	G. h.	Andr. heath. v. 3.
307	ollula. s. s. (ro.) close smooth-leav'd.		1812.	—	G. h.	— v. 4.
308	onosmæflora. L. T. (ye.) Onosma-flowered.		1789.	9. 5.	G. h.	— v. 1.
	<i>glutinösa</i> . A. H. <i>viscosa</i> . Wend.					
309	oppositifolia. A. H. (wh.) opposite-leaved.		1804.	3. 5.	G. h.	Andr. heath. c. ic.
	<i>α</i> <i>alba</i> . (wh.) white-flowered.		—	—	G. h.	Lodd. bot. cab. t. 1343.
	<i>β</i> <i>rubra</i> . B. C. (re.) red-flowered.		—	—	G. h.	— t. 1060.

310	ostrina. B.C.	(sc.) scarlet-flowered. C. B. S.	1824.	3. 6.	G. h.	Lodd. bot. cab. t. 1218.
311	ovata. B.C.	(re.) ovate.	1791.	2. 5.	G. h.	— t. 417.
312	oxyccoccifolia. L.T.	(bh.) Cranberry-leaved.	—	—	G. h.	—
313	pállens. s.s.	(st.) pale.	1812.	3. 8.	G. h.	Andr. heath. v. 4.
314	pállida. B.C.	(pu.) pallid.	—	—	G. h.	Lodd. bot. cab. t. 1355.
315	palliiflora. L.T.	(pa.) pale-flowered.		2. 8.	G. h.	—
316	palústris. H.K.	(bh.) marsh.	1799.	5. 10.	G. h.	Andr. heath. v. 2.
317	paniculata. w.	(pu.) panicked.	1774.	2. 8.	G. h.	Lodd. bot. cab. t. 1194.
318	pannosa. L.T.	(wh.) cloth-flowered.		2. 6.	G. h.	—
319	párlis. L.T.	(re.) matched.	1789.	5. 8.	G. h.	—
320	Parmentieri. B.C.	(wh.) Parmentier's.	1816.	—	G. h.	Lodd. bot. cab. t. 197.
	β ròsea. L.C.	(ro.) rose-coloured.	—	—	G. h.	—
321	parviflora. L.T.	(pu.) small-fl. downy.	1790.	3. 9.	G. h.	—
322	Passerina. w.	(wh.) sparrow-wort.	1800.	11. 5.	G. h.	Petiv. gaz. t. 3. f. 7.
323	pátens. A.H.	(pu.) spreading.	—	3. 6.	G. h.	Andr. heath. v. 3.
324	Patersoni. H.K.	(ye.) Paterson's.	1791.	3. 8.	G. h.	— v. 1.
325	pavettæflora. L.T.	(wh.) Pavetta-flowered.		5. 8.	G. h.	—
326	pectinifolia. L.T.	(bh.) pectinated.	1800.	11. 6.	G. h.	—
327	pedunculata. s.s.	(re.) peduncled.	1810.	5. 9.	G. h.	—
328	pellúcida. A.H.	(wh.) pellucid.	1800.	10. 6.	G. h.	Andr. heath. v. 3.
	β rùbra. A.H.	(re.) red-flowered.	1806.	—	G. h.	— v. 4.
329	peltata. A.H.	(gr.pu.) peltate-stigma'd.	1804.	4. 8.	G. h.	— v. 4.
330	péndula. w.	(pu.) pendulous.	1791.	7. 8.	G. h.	Lodd. bot. cab. t. 902.
331	penicillata. A.H.	(re.) pencilled.	1774.	4. 7.	G. h.	Andr. heath. v. 2.
332	penicilliflora. L.T.	(wh.) white-pencilled.	1792.	5. 8.	G. h.	Wend. eric. 4. p. 5. ic.
333	periplocæfolia. L.T.	(li.) Periploca-leaved.	—	8. 12.	G. h.	—
334	persolita. H.K.	(re.) garland.	1774.	2. 5.	G. h.	Bot. mag. t. 342.
335	perspicua. A.H.	(wh.) clear-flowered.	1790.	3. 6.	G. h.	Wend. eric. 1. p. 7. ic.
	β Linnæa. A.H.	v. 2.	—	—	—	—
336	petiolata. H.K.	(wh.) rosemary-leaved.	1774.	3. 7.	G. h.	Andr. heath. v. 3.
337	Petiveriana. H.K.	(ye.) Petiver's.	—	—	G. h.	Lam. ill. t. 288. f. 3.
338	Peziza. B.C.	(wh.) button-flowered.		5. 8.	G. h.	Lodd. bot. cab. t. 265.
339	phylicoides. w.	(pu.) Phylla-like.	1800.	4. 7.	G. h.	—
340	physodes. H.K.	(wh.) sticky.	1788.	3. 7.	G. h.	Bot. mag. t. 443.
341	picta. L.C.	(wh.ye.) painted.	1800.	—	G. h.	—
342	pilosa. s.s.	(gr.) pilose.	—	—	G. h.	Lodd. bot. cab. t. 606.
343	pilulifera. w.	(pu.) ball-bearing.	1789.	4. 5.	G. h.	—
344	pineæ. s.s.	(wh.) Pine-like.	1790.	8. 12.	G. h.	—
	β purpurea. L.C.	(pu.) purple.	—	—	G. h.	Lodd. bot. cab. t. 1259.
345	pinifolia. A.H.	(re.) Pine-leaved.	1790.	6. 12.	G. h.	Andr. heath. v. 1.
	pityophylla. s.s.	—	—	—	—	—
	a coccinea. A.H.	(sc.) scarlet.	—	—	G. h.	Andr. heath. v. 1.
	β discolor. A.H.	(wh.pu.) two-coloured.	1820.	—	G. h.	— v. 4.
346	planifolia. A.H.	(re.) flat-leaved.	—	—	G. h.	— v. 3.
347	Plukenetiana. H.K.	(sc.) Plukenet's.	1774.	4. 7.	G. h.	— v. 1.
	β pállida. L.C.	(pa.) pale-flowered.	—	—	G. h.	—
	γ álbens. A.H.	(wh.) white-flowered.	—	—	G. h.	Andr. heath. v. 4.
348	polytricha. (sc.gr.)	many-haired.	1804.	7. 10.	G. h.	Lodd. bot. cab. t. 1116.
	hirta. Lod. bot. cab.	nec aliorum pilosa. Hort.	—	—	—	—
349	præcox. L.C.	(li.) early-dwarf.	1805.	2. 5.	G. h.	Lodd. bot. cab. t. 1413.
350	prægnans. A.H.	(bh.) swelled.	1796.	5. 7.	G. h.	Andr. heath. v. 3.
	β coccinea.	(sc.) scarlet-flowered.	—	—	G. h.	— v. 4.
351	præstans. s.s.	(bh.) excelling.	—	—	G. h.	— v. 4.
352	primuloides. A.H.	(re.wh.) Cowslip-flower'd.	1802.	4. 7.	G. h.	Bot. mag. t. 1548.
353	princeps. H.K.	(pi.) fine red.	1800.	—	G. h.	Andr. heath. v. 2.
354	procera. s.s.	(ye.) lofty.	1791.	—	G. h.	—
355	procumbens. s.s.	(re.) procumbent.	1816.	—	G. h.	—
356	propendens. H.K.	(pu.) pendant.	1800.	7. 8.	G. h.	Bot. mag. t. 2140.
357	protrudens. L.en.	(wh.) protruding.	1816.	5. 8.	G. h.	—
358	pubescens. H.K.	(li.) pale downy.	1790.	2. 12.	G. h.	—
359	pubigera. L.T.	(li.) pubescent-flowered.	1792.	1. 5.	G. h.	—
360	pubibanda. L.T.	(bh.) nodding.	1812.	3. 8.	G. h.	Wend. eric. f. 3. p. 5. ic.
	nütans. Wendland.	—	—	—	—	—
361	pulchella. w.	(re.) neat.	—	—	G. h.	Thunb. dis. n. 24. t. 4. f. 2.
362	pulcherrima. (ro.wh.)	beautiful.	1820.	7. 10.	G. h.	Andr. heath. v. 4.
	jasmíniflora β minor. A.H.	v. 4. Irbyana. Hort. non Andr.	—	—	—	—
363	pulverulenta. L.C.	(wh.) powdered.	—	3. 8.	G. h.	—
364	pulviniformis. L.T.	(bh.) cushion.		2. 5.	G. h.	—
365	pùmila. s.s.	(li.) short.	1812.	3. 8.	G. h.	Andr. heath. v. 4.

366	pûra. B.C.	(wh.) clear.	C. B. S.	1812.	5. 8. G. h.	Lodd. bot. cab. t. 72.
367	purpûrea. H.K.	(pu.) purple-flowered.	_____	1789.	1. 12. G. h.	Andr. heath. v. 2.
368	pusilla. L.T.	(bh.) low.	_____		6. 7. G. h.	_____
369	pyramidalis. H.K.	(bh.) pyramidal.	_____	1787.	2. 5. G. h.	Bot. mag. t. 366.
370	pyramidiformis. s.s.	(bh.) pyramid-formed.	_____	1818.	_____ G. h.	_____
371	pyrolæflôra. L.T.	(wh.) Pyrola-flowered.	_____	1790.	5. 7. G. h.	Andr. heath. v. 4.
	<i>andromedæflôra</i> ß <i>alba</i> . A.H.	v. 4.	_____	_____	_____	_____
372	quadræflôra. L.T.	(re.) four-flowered.	_____	_____	3. 8. G. h.	_____
373	quadrangulâris. A.H.	(fl.wh.) square-tubed.	_____	1812.	5. 8. G. h.	Andr. heath. v. 4.
374	radiata. H.K.	(re.) rayed.	_____	1798.	8. 11. G. h.	_____ v. 1.
	ß <i>discolor</i> . A.H.	(re.wh.) two-coloured.	_____	1820.	_____ G. h.	_____ v. 4.
375	racemôsa. w.	(fl.) racemed.	_____	1795.	4. 5. G. h.	_____
376	racemifera. H.K.	(re.) compact-flowered.	_____	1803.	4. 6. G. h.	Andr. heath. v. 2.
377	ramentacea. H.K.	(pu.) slender-branched.	_____	1786.	7. 12. G. h.	_____ v. 1.
378	ramulôsa. Viv.	(li.) Italian.	Italy.	1826.	5. 8. H. h.	_____
379	recurvata. B.C.	(wh.) recurved.	C. B. S.	1812.	_____ G. h.	Lodd. bot. cab. t. 1093.
380	reflexa. s.s.	(pu.wh.) reflexed.	_____		_____ G. h.	_____
381	refulgens. A.H.	(ro.gr.) refulgent.	_____	1816.	5. 9. G. h.	Andr. heath. v. 4.
382	regêrminans. w.	(li.) clustered-flower'd.	_____	1791.	5. 8. G. h.	_____
383	resinôsa. H.K.	(or.) varnished.	_____	1803.	_____ G. h.	Bot. mag. t. 1139.
	<i>vernix</i> . A.H.	v. 3.	_____	_____	_____	_____
384	retôrta. H.K.	(ro.) recurved-leaved.	_____	1787.	_____ G. h.	Bot. mag. t. 362.
385	retroflêxa. H.K.	(re.) jointed.	_____	_____	7. 9. G. h.	Andr. heath. v. 1.
	<i>pulchella</i> . A.H.	non Th. <i>articulâris</i> , Th. non L.	_____	_____	_____	_____
386	rigida. B.C.	(re.) rigid.	_____	1820.	5. 8. G. h.	Lodd. bot. cab. t. 1286.
387	rigidifolia. s.s.	(re.) rigid-leaved.	_____	1816.	6. 8. G. h.	_____
388	Rollisoni.	(bh.) Rollison's.	_____	1823.	5. 8. G. h.	Andr. heath. v. 4.
	<i>exurgens</i> ß <i>hybrida</i> . A.H.	v. 4.	_____	_____	_____	_____
389	rosea. H.K.	(ro.) rose-coloured.	_____	1798.	6. 10. G. h.	Andr. heath. v. 2.
390	rubella. B.M.	(re.) reddish.	_____	1812.	5. 8. G. h.	Bot. mag. t. 2165.
391	rûbens. H.K.	(re.) red-flowered.	_____	1798.	6. 9. G. h.	_____
392	rûbida. B.C.	(re.) ruby.	_____	1820.	_____ G. h.	Lodd. bot. cab. t. 1166.
393	rubrosépala. (re.wh.)	red-calyxed.	_____	1825.	_____ G. h.	Andr. heath. v. 4.
	<i>rûber-calyx</i> . A.H.	v. 4.	_____	_____	_____	_____
394	rugôsa. s.s.	(ye.pi.) wrinkled.	_____	1812.	_____ G. h.	Andr. heath. v. 4.
395	Russeliâna. B.C.	(ro.) Duke of Bedford's.	_____	1824.	_____ G. h.	Lodd. bot. cab. t. 1013.
396	Sainsburyana. s.s.	(ro.) Sainsbury's.	_____	1804.	7. 9. G. h.	Andr. heath. v. 4.
397	sâlux. L.T.	(re.) broad-stigma'd.	_____	1796.	5. 9. G. h.	_____
398	Salisburyana. s.s.	(ro.) Salisbury's.	_____	1815.	_____ G. h.	Andr. heath. v. 4.
399	sanguinea. B.C.	(cr.) bloody.	_____		3. 8. G. h.	Lodd. bot. cab. t. 36.
400	sanguinolenta. B.M.	(pu.) dark-flowered.	_____	1810.	_____ G. h.	Bot. mag. t. 2263.
	<i>pygmæa</i> . Andr.	heath. v. 4.	_____	_____	_____	_____
401	Savileana.	(re.) Savile's.	_____	1800.	6. 7. G. h.	Lodd. bot. cab. t. 96.
402	scabriuscula. B.C.	(wh.) roughish.	_____	_____	_____ G. h.	_____ t. 517.
403	scariôsa. B.C.	(li.) scariose.	_____	_____	_____ G. h.	_____ t. 477.
404	Schöllii. B.C.	(pu.) Scholl's.	_____	1790.	5. 9. G. h.	_____ t. 538.
405	scoparia. w.	(gr.) small green-fl'd.	S. Europe.	1770.	4. 5. F. h.	Linn. eric. n. 14. f. fl.
406	Sebana. H.K.	(re.) Seba's.	C. B. S.	1774.	3. 6. G. h.	Andr. heath. v. 1.
	<i>a fusca</i> . Lod.	(br.) brown-flowered.	_____	_____	_____ G. h.	_____
	ß <i>lutea</i> . Lod.	(ye.) yellow-flowered.	_____	_____	_____ G. h.	Lodd. bot. cab. t. 266.
	γ <i>minor</i> . Lod.	(or.) smaller.	_____	_____	_____ G. h.	_____
407	selaginifolia. L.T.	(re.) Selago-leaved.	_____	1801.	2. 6. G. h.	_____
408	serpyllifolia. B.C.	(li.) Serpyllum-leaved.	_____	1812.	5. 8. G. h.	Lodd. bot. cab. t. 744.
409	serratifolia. H.K.	(ye.) saw-leaved.	_____	1790.	8. 12. G. h.	Andr. heath. v. 1.
410	serrulata. L.C.	(ye.) sawed.	_____	1814.	6. 8. G. h.	_____
411	setacea. A.H.	(bh.) bristly-leaved.	_____	1796.	2. 8. G. h.	Andr. heath. v. 1.
412	sexfaria. H.K.	(wh.) six-angled.	_____	1774.	5. 8. G. h.	_____ v. 2.
413	Shannoniana. A.H.	(bh.) Earl Shannon's.	_____	1800.	6. 7. G. h.	Lodd. bot. cab. t. 168.
414	sicæfolia. L.T.	(re.) dagger-leaved.	_____	1791.	2. 7. G. h.	_____
415	simpliciflora. H.K.	(y.re.) single-flowered.	_____	1774.	3. 7. G. h.	Wend. eric. 17. p. 69. ic.
416	Smithiana. L.C.	(re.) Smith's.	_____	1810.	_____ G. h.	_____
417	socciflora. L.T.	(gr.) green-pencilled.	_____	1799.	4. 5. G. h.	Andr. heath. v. 1.
	<i>Sebana viridis</i> . A.H.	_____	_____	_____	_____	_____
418	Solândri. H.K.	(re.) Solander's.	_____	1800.	3. 9. G. h.	Andr. heath. v. 2.
419	sordida. H.K.	(br.) sordid.	_____	1790.	8. 5. G. h.	_____ v. 1.
	<i>laniflora</i> . Wend.	_____	_____	_____	_____	_____
420	Sparmanni. H.K.	(ye.) Sparman's	_____	1794.	9. 3. G. h.	Andr. heath. v. 3.
	<i>âspera</i> . A.H.	<i>hystericiflora</i> . L.T.	_____	_____	_____	_____
421	sparsa. L.C.	(li.) scattered.	_____	1800.	3. 8. G. h.	Lodd. bot. cab. t. 1467.

422	speciosa. H.K. (or.re.)	specious.	C. B. S.	1800.	6. 9. G. h.	Andr. heath. v. 2.
423	spicata. H.K. (gr.)	spiked.	—	1789.	1. 12. G. h.	— v. 1.
424	spiralis. L.C. (wh.)	spiral.	—	1816.	5. 8. G. h.	—
425	splendens. w. (sc.)	splendid.	—	1792.	4. 9. G. h.	Wend. eric. 8. p. 5. ic.
426	spumosa. H.K. (st.)	spumous.	—	1786.	5. 8. G. h.	Lodd. bot. cab. t. 566.
427	spuria. H.K. (pi.)	spurious.	—	1796.	4. 8. G. h.	Andr. heath. v. 1.
428	squamæflora. L.T. (pi.)	scaly-flowered.	—		5. 11. G. h.	—
429	squamosa. H.K. (li.)	scaly-cupped.	—	1794.	4. 6. G. h.	Andr. heath. v. 3.
430	squarrosa. L.T. (pu.)	squarrose.	—		3. 8. G. h.	—
431	stagnalis. L.T. (bh.)	stagnant.	—	1790.	3. 6. G. h.	—
432	staminea. A.H. (st.)	reflex-stamened.	—	1799.	6. 9. G. h.	Andr. heath. v. 3.
433	stellata. B.C. (wh.)	starry.	—	1806.	— G. h.	Lodd. bot. cab. t. 893.
	<i>solandroides</i> . Andr. heath. v. 4.					—
434	stellifera. s.s. (bh.)	star-bearing.	—	—	4. 8. G. h.	Andr. heath. v. 4.
435	stenantha. (bh.)	slender-blush-flower'd.	—	1820.	5. 8. G. h.	— v. 4.
	<i>tenuiflora</i> γ <i>cârnea</i> . A.H. v. 4.					—
436	stricta. H.K. (li.)	straight-branch'd.	S. Europe.	1765.	8. 11. G. h.	Andr. heath. v. 2.
437	strigosa. H.K. (li.)	dwarf downy.	C. B. S.	1775.	3. 8. G. h.	—
438	struthiolæflora. L.C. (wh.)	Struthiola-flower'd.	—	1812.	5. 8. G. h.	—
439	stylaris. s.s. (re.)	prominent-styled.	—	—	— G. h.	—
440	stylösa. L.T. (li.)	long-styled.	—	1789.	1. 8. G. h.	—
441	suavcolens. L.C. (li.)	sweet.	—	1800.	5. 11. G. h.	Lodd. bot. cab. t. 24.
442	subulata. s.s. (re.)	awl-leaved.	—	1818.	6. 8. G. h.	—
443	sulphurea. B.M. (st.)	sulphur-coloured.	—	1812.	3. 5. G. h.	Bot. mag. t. 1984.
444	superba. (re.)	superb.	—	1795.	6. 9. G. h.	Andr. heath. c. ic.
	<i>formosa</i> . A.H. <i>nee aliorum</i> .					—
	<i>α coccinea</i> . (sc.)	scarlet.	—	—	G. h.	Andr. heath. v. 1.
	<i>β rosea</i> . (ro.)	rose-coloured.	—	—	G. h.	— v. 2.
	<i>γ bicolor</i> . (ye.gr.)	two-coloured.	—	—	G. h.	— v. 4.
445	Swainsoniana. s.s. (pi.)	Swainson's.	—	1810.	6. 7. G. h.	— v. 4.
446	tardiflora. L.T. (li.)	pubescent.	—	1790.	3. 8. G. h.	Bot. mag. t. 480.
	<i>pubescens</i> . B.M. <i>non L.</i>					—
447	taxifolia. H.K. (bh.)	yew-leaved.	—	1788.	7. 11. G. h.	Andr. heath. v. 1.
448	tegulæfolia. L.T. (wh.)	tiled.	—		1. 5. G. h.	—
449	Templææ. A.H. (ro.)	Lady Temple's.	—	1820.	5. 8. G. h.	Andr. heath. v. 4.
450	tenella. H.K. (re.)	delicate.	—	1791.	8. 5. G. h.	— v. 2.
451	tenuiflora. A.H. (st.)	slender yellow-flower'd.	—	1800.	4. 6. G. h.	— v. 3.
452	tennifolia. H.K. (re.)	slender-leaved.	—	1794.	4. 8. G. h.	Seb. mus. 1. t. 73. f. 6.
453	ténus. L.T. (wh.)	slender.	—	1790.	8. 2. G. h.	—
454	tenuissima. s.s. (re.)	very-slender.	—	1803.	2. 8. G. h.	Wend. eric. 6. p. 9. ic.
455	tetragöna. H.K. (ye.)	square-flowered.	—	1789.	7. 9. G. h.	Andr. heath. v. 3.
456	Tétralix. H.K. (li.)	cross-leaved.	Britain.		6. 8. H. h.	Eng. bot. v. 15. t. 1014.
	<i>α rubra</i> . (re.)	red-flowered.	—		H. h.	—
	<i>β cârnea</i> . (li.)	flesh-coloured.	—		H. h.	—
	<i>γ alba</i> . (wh.)	white-flowered.	—		H. h.	—
457	teucriifolia. s.s. (pu.)	Teucrium-leaved.	C. B. S.	1812.	5. 9. G. h.	—
458	thalictriflora. s.s. (wh.)	meadow-rue-flower'd.	—	1810.	— G. h.	Lodd. bot. cab. t. 1294.
459	Thunbergii. H.K. (or.)	Thunberg's.	—	1794.	5. 8. G. h.	Bot. mag. t. 1214.
460	thymifolia. H.K. (re.)	Thyme-leaved.	—	1789.	— G. h.	Andr. heath. v. 2.
461	tiaræflora. H.K. (re.)	turban-flower'd.	—	1800.	— G. h.	— v. 3.
462	togata. B.M. (re.)	large-cupped.	—	1812.	6. 8. G. h.	Bot. mag. t. 1626.
463	tomentosa. L.T. (wh.)	woolly-flower'd.	—		2. 8. G. h.	—
464	tortuosa. L.C. (wh.)	twisted.	—	1816.	3. 6. G. h.	—
465	tötta. s.s. (wh.)	bristly-branched.	—	1822.	— G. h.	—
466	tragulifera. L.T. (li.)	broad-anthered.	—		5. 8. G. h.	—
467	translucens. Lec. (bh.)	translucent.	—	1797.	— G. h.	—
468	transparens. Th. (bh.)	transparent.	—	1800.	— G. h.	—
469	triceps. B.C. (wh.)	three-headed.	—	1809.	— G. h.	Lodd. bot. cab. t. 962.
470	tricolor. H.S.L. (or.r.gr.)	three-coloured.	—	1803.	6. 9. G. h.	Andr. heath. v. 3.
	<i>aristata minor</i> . A.H. <i>non tricolor</i> . s.s.					—
471	triflora. H.K. (wh.)	three-flowered.	—	1774.	3. 6. G. h.	Wend. eric. 12. p. 13.
472	triphylla. L.en. (re.ye.)	three-leaved.	—	1812.	— G. h.	—
473	triumphans. B.C. (wh.)	triumphant.	—	—	5. 10. G. h.	Lodd. bot. cab. t. 257.
474	trössula. B.C. (wh.pi.)	dapper.	—	—	— G. h.	— t. 668.
475	tuberculäris. L.T. (pu.)	tubercled.	—	1790.	2. 8. G. h.	—
476	tubiflora. H.K. (pi.)	tube-flowered.	—	1775.	4. 7. G. h.	Andr. heath. v. 1.
477	tubiüsula. B.C. (re.)	small-tubed.	—	1822.	— G. h.	Lodd. bot. cab. t. 1157.
478	tümida. B.R. (sc.)	tumid.	—	1812.	5. 9. G. h.	Bot. reg. t. 65.
479	turbiniiflora. L.T. (wh.)	top-flowered.	—	1793.	10. 2. G. h.	—

480	túrgida. L.en. (pi.) turgid.	C. B. S.	1800.	3. 6. G. h.	Andr. heath. v. 4.
	<i>taxifolia</i> β <i>major</i> . A.H. v. 4.				
481	turrigera. L.T. (li.) Cypress.	————	1796.	6. 9. G. h.	
	<i>cupressina</i> . Hort.				
482	umbellata. H.K. (re.) umbelled.	Portugal.	1782.	5. 7. G. h.	Andr. heath. v. 2.
483	undulata. A.H. (cr.) crumple-flower'd.	C. B. S.	1824.	5. 8. G. h.	———— v. 4.
484	única. s.s. (bh.) one-flowered.	————	1812.	5. 7. G. h.	———— v. 4.
	<i>pedunculata</i> . A.H. <i>nec aliorum</i> .				
485	urceolaris. H.K. (wh.) pitcher-flowered.	————	1778.	———— G. h.	Icon. hort. kew. t. 16.
486	ursina. Lee. (wh.) shaggy.	————	1812.	4. 8. G. h.	
487	vigans. H.K. (bh.) Cornish.	Cornwall.		7. 8. H. h.	Eng. bot. v. 1. t. 3.
	β <i>álba</i> . (wh.) white-flowering.	————		———— H. h.	
488	varia. B.C. (va.) variable.	C. B. S.	1820.	5. 8. G. h.	Lodd. bot. cab. t. 1325.
489	velitáris. L.T. (bh.) javelin-flowered.	————	1790.	1. 6. G. h.	
490	velleriflora. H.K. (bh.) woolly-flowered.	————	1774.	2. 6. G. h.	Andr. heath. v. 1.
	<i>bruniades</i> . A.H.				
491	ventricósa. H.K. (bh.) porcelain.	————	1787.	4. 9. G. h.	Bot. mag. t. 350.
492	ventrôsa. (wh.) tun-bellied.	————	1822.	5. 8. G. h.	Andr. heath. v. 4.
	<i>obbata</i> β <i>umbellata</i> . A.H. v. 4.				
493	verecúnda. L.T. (bh.) blushing.	————	1791.	4. 9. G. h.	Andr. heath. v. 1.
	<i>cérnua</i> . A.H. <i>non</i> Thunb.				
494	verníciflua. L.T. (wh.) viscous-leaved.	————	1804.	3. 9. G. h.	
495	versicolor. H.K. (sc.or.) various-colored.	————	1790.	11. 5. G. h.	Andr. heath. v. 1.
496	verticillata. A.H. (sc.) verticillate.	————	1774.	7. 10. G. h.	———— v. 1.
497	vesiculáris. L.T. (bh.) bladdered.	————	1796.	2. 8. G. h.	
498	vestífua. L.T. (re.) clothed.	————	————	3. 6. G. h.	
499	vestita. H.K. (va.) tremulous.	————	1789.	1. 12. G. h.	
	α <i>álba</i> . H.K. (wh.) white.	————	————	———— G. h.	Andr. heath. v. 1.
	β <i>incarnata</i> . H.K. (fl.) flesh-coloured.	————	1789.	1. 12. G. h.	———— v. 2.
	γ <i>purpurea</i> . H.K. (pu.) purple-flowered.	————	————	———— G. h.	———— v. 1.
	δ <i>rosea</i> . H.K. (ro.) rose-coloured.	————	————	———— G. h.	———— v. 2.
	ε <i>fulgida</i> . H.K. (sc.) bright red.	————	————	———— G. h.	———— v. 2.
	ζ <i>coccinea</i> . H.K. (sc.) scarlet.	————	————	———— G. h.	———— v. 1.
	η <i>lutea</i> . H.K. (ye.) yellow.	————	————	———— G. h.	———— v. 3.
500	villosa. H.K. (wh.) villous.	————	1800.	2. 6. G. h.	———— v. 3.
501	virgata. s.s. (wh.) twiggv.	————	1824.	———— G. h.	
502	viridescens. B.C. (gr.) greenish.	————		1. 6. G. h.	Lodd. bot. cab. t. 233.
503	viridiflora. A.H. (gr.) green-flowered.	————	1820.	5. 8. G. h.	Andr. heath. v. 4.
504	viridipurpurea. w. (gr.) green & purple.	Portugal.		5. 8. F. h.	Linn. eric. n. 9. fl. fl.
505	viridis. H.K. (gr.) green-flowered.	C. B. S.	1800.	———— G. h.	Andr. heath. v. 2.
506	viscaria. H.K. (li.) clammy-flower'd.	————	1774.	3. 7. G. h.	Icon. hort. kew. t. 1.
507	Walkeriana. (re.) Walker's.	————	1806.	6. 8. G. h.	Andr. heath. v. 4.
	<i>Walkeria</i> β <i>rúbra</i> . A.H. v. 4.				
508	xeranthemifolia. L.T. Xeranthemum-ld.	————	1812.	5. 8. G. h.	
509	Zeyheri. s.s. (li.) Zeyher's.	————	1824.	———— G. h.	
MENZIESIA Sm. MENZIESIA. Octandria Monogynia.					
1	ferruginea. s.s. (co.) ferruginous.	N. America.	1811.	5. 6. H. h.	Sm. ic. ined. 1. t. 56.
2	globularis. s.s. (co.) globular-flower'd.	————	1806.	———— H. h.	Sal. par. lond. t. 44.
	<i>ferruginea</i> β. B.M. 1571.				
3	polifolia. s.s. (pu.) Irish.	Ireland.		6. 9. H. h.	Eng. bot. v. 1. t. 35.
	<i>Erica Daboecia</i> . E.B.				
	β <i>nana</i> . (pu.) dwarf.			———— H. h.	
4	cærulea. s.s. (pu.) yew-leaved.	Scotland.		6. 7. H. h.	Eng. bot. v. 35. t. 2169.
PYROLA. S.S. WINTER-GREEN. Decandria Monogynia. L.					
1	uniflora. s.s. (wh.) single-flower'd.	Britain.		6. 7. H. h.	Eng. bot. t. 146.
2	secunda. s.s. (wh.) serrated.	————		———— H. h.	———— t. 517.
3	minor. s.s. (bh.) lesser.	————		———— H. h.	———— t. 158.
	β <i>rosea</i> . E.B. (ro.) rose-coloured.	England.		7. 8. H. h.	———— t. 2543.
4	media. s.s. (bh.) intermediate.	————		6. 7. H. h.	———— t. 945.
5	dentata. D.D. (st.) toothed.	N. America.	1827.	———— H. h.	
6	elliptica. D.D. (wh.) elliptic-leaved.	————	1826.	———— H. h.	
7	occidentalis. D.D. (st.) western.	————	1827.	———— H. h.	
8	rotundifolia. s.s. (st.) round-leaved.	Britain.		———— H. h.	Eng. bot. t. 213.
9	americana. (wh.) American.	N. America.		———— H. h.	
	<i>rotundifolia</i> . Ph. <i>non</i> Eng. bot.				
10	asarifolia. s.s. (st.) Asarum-leaved.	————	1822.	———— H. h.	
11	chlorantha. s.s. (st.) cream-colour'd.	————	————	———— H. h.	
CHIMAPHILA. Ph. CHIMAPHILA. Decandria Monogynia.					
1	umbellata. s.s. (wh.re.) umbelled.	N. America.	1752.	6. 8. H. h.	Bot. mag. t. 778.
	<i>corymbosa</i> . Ph. <i>P'yrola umbellata</i> . L.			Z 3	

- 2 maculâta. s.s. (wh.) spotted-leaved. N. America. 1752. 6. 8. H. ½. Bot. mag. t. 897.
 DIAPE'NSIA. W. DIAPE'NSIA. Pentandria Monogynia. L.
 lappônica. w. (wh.) obtuse-leaved. Lapland. 1801. 2. 3. H. ½. Bot. mag. t. 1108.
 PYXIDANTH'ERA. M. PYXIDANTH'ERA. Pentandria Monogynia.
 barbulâta. m. (wh.) barbed. Carolina. 1806. 7. G. ½. Mich. amer. t. 17.
Diapénsia cuneifolia. Sal. par. lond. t. 104.

Sect. II. *MONOTROPEÆ*. Don prodr. p. 151.

- MONO'TROPA. N. YELLOW BIRD'S-NEST. Decandria Monogynia. L.
 1 uniflôra. n. (st.) one-flowered. N. America. 1822. 6. 8. H. ½. Hook. ex. flor. t. 85.
 2 Hypopitys. E.B. (st.) common. Britain. 6. 7. H. ½. Eng. bot. v. 1. t. 69.
Hypopithys europæa. N.

Sect. III. *RHODORACEÆ*. Don prodr. p. 152.

- KA'LMIA. W. KA'LMIA. Decandria Monogynia. L.
 1 latifolia. w. (pi.wh.) broad-leaved. N. America. 1734. 5. 7. H. ½. Bot. mag. t. 175.
 2 angustifolia. w. (re.) narrow-leaved. 1736. H. ½. t. 331.
β variegata. (li.) variegated. H. ½.
γ minima. (re.) least. H. ½.
δ nana. (re.) dwarf. H. ½.
ε pumila. (re.) small. H. ½.
ζ rosea. (ro.) rose-coloured. H. ½.
η rubra. B.C. (re.) red-flowered. H. ½. Lodd. bot. cab. t. 502.
θ ovata. Ph. (re.) oval-leaved. New Jersey. H. ½.
 3 glauca. w. (re.) glaucous. N. America. 1767. 4. 5. H. ½. Bot. mag. t. 177.
 4 rosmarinifolia. Ph. (re.) Rosemary-leaved. 1812. H. ½.
 5 hirsuta. w. (ro.) hairy. 1786. 8. 9. H. ½. Bot. mag. t. 138.
 EPIG'ÆA. W. EPIG'ÆA. Decandria Monogynia. L.
 repens. w. (wh.) creeping. N. America. 1736. 7. 8. H. ½. Bot. reg. t. 201.
 RHODOE'NDRON. W. RHODOE'NDRON. Pent-Decandria Monogynia. L.
 1 maximum. w. (bh.) large. N. America. 1736. 6. 8. H. ½. Bot. mag. t. 951.
 2 album. Ph. (wh.) white-flowered. 1811. H. ½.
 3 purpureum. Ph. (pu.) purple-flowered. H. ½.
 4 ponticum. w. (ca.) common. Gibraltar. 1763. 5. 6. H. ½. Bot. mag. t. 650.
α purpureum. (pu.) purple. H. ½.
β roseum. (ro.) rose-coloured. H. ½.
γ album. (wh.) white. H. ½.
δ variegatum. (li.) variegated. H. ½.
ε marginatum. (li.) silver-edged. H. ½.
ζ multiplex. (pu.) double-blossom'd. H. ½.
 5 punctatum. w. (li.) dotted-leaved. N. America. 1786. 6. 8. H. ½. Andr. reposit. t. 36.
α minus. W.D. (li.) smallest. H. ½. Wats. dend. brit. t. 162.
β major. B.R. (li.) larger. 1812. H. ½. Bot. reg. t. 37.
 6 obtusum. W.D. (li.) blunt-leaved. Hybrid. H. ½. Wats. dend. brit. t. 162.
 7 azaleoides. s.s. (li.) Azalea-like. H. ½. Andr. reposit. t. 379.
ponticum β subdeciduum. A.R.
 8 hybridum. B.R. (li.) Herbert's hybrid. H. ½. Bot. reg. t. 195.
 9 Gowenianum. B.F.G. (pu.) Mr. Gowen's. 1825. H. ½. Swt. br. fl. gar. t. 263.
 10 Smithii. Smith's. Arboreo-pont. 1826. H. ½.
 11 Carnarvoni. Lord Carnarvon's. Arb-catawb. H. ½.
 12 catawbiense. m. (ro.) Catawba. N. America. 1809. 6. 8. H. ½. Bot. mag. t. 1671.
 13 arboreum. Sm. (sc.) tree. India. 1817. 4. 6. F. ½. Swt. br. fl. gar. t. 250.
β roseum. (ro.) rose-coloured. F. ½. Bot. reg. t. 1240.
γ niveum. (wh.) snowy white. F. ½.
 14 campanulatum. D.P. (ro.) bell-flowered. Nepal. 1824. F. ½.
 15 anthopogon. D.P. (ro.) bearded-flower'd. G. ½.
 16 cinnamomeum. Wal. (ro.) cinnamon-color'd. G. ½.
 17 setosum. D.P. (pu.) bristly. 1820. G. ½.
 18 dauricum. w. (pu.) Daurian. Siberia. 1780. 2. 4. H. ½. Bot. mag. t. 636.
β altaicum. F. (li.) Altay. 1824. H. ½.
γ atrovirens. E.B.R. (d.pu.) dark green. H. ½. Bot. reg. t. 194.

19	myrtifolium. B.C. (pu.)	Myrtle-leaved.	Hybrid.		6. 8. H. h.	Lodd. bot. cab. t. 908.
20	ferrugineum. w. (ro.)	rusty-leaved.	Switzerland.	1752.	5. 7. H. h.	Jacq. aust. 3. t. 255.
21	hirsutum. w. (ro.)	hairy-leaved.	—	1656.	— H. h.	Bot. mag. t. 1853.
22	chrysanthum. w. (ye.)	yellow.	Siberia.	1796.	6. 7. H. h.	Sal. par. lond. t. 80.
<i>officinale. P.L.</i>						
23	caucasicum. w. (ro.wh.)	Caucasean.	Caucasus.	1803.	5. 7. H. h.	Bot. mag. t. 1145.
24	Catesbyi. L.C. (ro.)	Catesby's.	N. America.		— H. h.	—
25	camtschaticum. w. (pi.)	Kamtschatka.	Kamtschatka.	1802.	 H. h.	Pall. ros. 1. t. 33.
26	chamæcistus. w. (pi.)	Thyme-leaved.	Siberia.	1786.	5. 6. H. h.	Bot. mag. t. 488.
27	lapponicum. s.s. (ro.)	Lapland.	Lapland.	1827.	 H. h.	Flor. dan. t. 966.
<i>Azalea lappónica. L.</i>						
28	Rhodora. (pi.)	Canadian.	Canada.	1767.	4. 5. H. h.	Bot. mag. t. 474.
<i>Rhodora canadensis. w.</i>						
29	indicum. (va.)	Indian.	China.	1808.	3. 5. G. h.	—
<i>Azalea indica. B.M.</i>						
	<i>α puniceum.</i> (pi.)	red-flowered.	—	—	G. h.	Bot. mag. t. 1480.
	<i>β phœniceum.</i> (pu.)	purple-flowered.	—	1824.	— G. h.	— t. 2667.
	<i>γ Smithii.</i> (li.)	Smith's.	Hybrid.	1826.	4. 7. G. h.	—
	<i>δ purpureum.</i> (pu.)	double-purple.	China.	1819.	3. 5. G. h.	Bot. mag. t. 2509.
	<i>ε luteum.</i> (ye.)	double yellow.	—	1826.	— G. h.	—
	<i>ζ album.</i> (wh.)	white-flowered.	—	1819.	3. 6. G. h.	Bot. reg. t. 811.
<i>Azalea ledifolia. Bot. mag. t. 2901.</i>						
30	sinense. B.F.G. (ye.)	Chinese.	—	1824.	— H. h.	—
	<i>α flammæum.</i> B.F.G. (or.)	flame-coloured.	—	—	H. h.	Lodd. bot. cab. t. 885.
	<i>β flavescens.</i> B.F.G. (ye.)	pale yellow.	—	1826.	H. h.	Swt. br. fl. gar. t. 290.
31	luteum. (ye.)	yellow.	Turkey.	1793.	5. 6. H. h.	Bot. mag. t. 433.
<i>Azalea pontica. B.M.</i>						
	<i>β cupreum.</i> (co.)	copper-coloured.	—		H. h.	—
	<i>γ glaucum.</i> (pa.)	glaucous.	—		H. h.	—
	<i>δ pallidum.</i> (pa.)	pale.	—		H. h.	—
	<i>ε albiflorum.</i> (wh.)	white-flowered.	—		H. h.	Bot. mag. t. 2383.
32	tricolor. (ye.ro.wh.)	three-coloured.	Hybrid.	1816.	— H. h.	—
33	Morterii. B.F.G. (fl.ye.)	Morter's.	—	1828.	— H. h.	Swt. br. fl. gar. s. 2. t. 10.
	<i>α carneum.</i> (fl.)	flesh-coloured.	—	—	H. h.	—
	<i>β præstans.</i> (co.bh.)	handsome.	—	—	H. h.	—
34	calendulæum. (ye.)	yellow American.	N. America.	1806.	— H. h.	—
<i>Azalea calendulæa. M.</i>						
	<i>α crœcum.</i> (sn.)	saffron-coloured.	—	—	H. h.	Bot. mag. t. 1721.
	<i>β chrysolæctum.</i> (go.)	golden.	—		H. h.	—
	<i>γ grandiflorum.</i> (or.)	large-flowered.	—		H. h.	—
	<i>δ cupreum.</i> (co.)	copper-coloured.	—		H. h.	—
	<i>ε splendens.</i> (co.ye.)	shining.	—		H. h.	—
	<i>ζ flammæum.</i> (co.ye.)	flame-coloured.	—	1812.	H. h.	Bot. reg. t. 145.
	<i>η triumphans.</i> (co.ye.)	triumphant.	—	—	H. h.	—
	<i>ξ ignescens.</i> (co.ye.)	fiery-flowered.	—	—	H. h.	—
35	canescens. M. (ro.)	canescent.	—	1812.	— H. h.	—
36	speciosum. (va.)	large-calyxed.	—		H. h.	Wats. dend. brit. t. 116.
	<i>α major.</i> (sc.)	large scarlet.	—		H. h.	Lodd. bot. cab. 624.
	<i>β crispum.</i> (sc.)	curled.	—		H. h.	—
	<i>γ aurantium.</i> (or.)	orange.	—		H. h.	—
	<i>δ obliquum.</i> (re.)	oblique-leaved.	—		H. h.	—
	<i>ε prunifolium.</i> (re.)	Plum-leaved.	—		H. h.	—
	<i>ζ cucullatum.</i> (re.)	hollow-leaved.	—		H. h.	—
	<i>η revolutum.</i> (re.)	revolute.	—		H. h.	—
	<i>θ ciliatum.</i> (re.)	fringed.	—		H. h.	—
	<i>ι acutifolium.</i> (re.)	acute-leaved.	—		H. h.	—
	<i>κ undulatum.</i> (re.)	wave-leaved.	—		H. h.	—
	<i>λ tortulifolium.</i> (re.)	twisted-leaved.	—		H. h.	—
37	nudiflorum. (va.)	small calyxed.	—	1734.	— H. h.	—
<i>Azalea nudiflora. w.</i>						
	<i>α album.</i> (wh.)	early white.	—	—	H. h.	—
	<i>β albo-plenum.</i> (wh.)	double white.	—		H. h.	—
	<i>γ blandum.</i> (bh.)	blush-flowered.	—		H. h.	—
	<i>δ carneum.</i> (fl.)	pale red.	—	1734.	H. h.	Bot. reg. t. 120.
	<i>ε carolinianum.</i> (fl.)	Carolina.	—		H. h.	—
	<i>ζ coccineum.</i> (sc.)	scarlet.	—		H. h.	Bot. mag. t. 180.
	<i>η corymbosum.</i> (wh.)	sorymb-flowered.	—		H. h.	—
	<i>θ crispum.</i> (bh.)	curled.	—		H. h.	—

ι	cumulatum.	(wh.)	bundled.	N.America.		5. 6.	H. h.	
κ	discolor.	(re.wh.)	two-coloured.	—		—	H. h.	
λ	fastigiatum.	(bh.)	crowded.	—		—	H. h.	
μ	floridum.	(bh.)	abundant-flower'd.	—		—	H. h.	
ν	globosum.	(bh.)	globose.	—		—	H. h.	
ξ	glomeratum.	(bh.)	clustered.	—		—	H. h.	
ο	incanum.	(wh.)	hoary-leaved.	—		—	H. h.	
π	incarnatum.	(fl.)	flesh-coloured.	—		—	H. h.	
ρ	mirabile.	(re.)	wonderful.	—		—	H. h.	
σ	montanum.	(fl.)	mountain.	—		—	H. h.	
τ	pallidum.	(li.wh.)	pale-flowered.	—		—	H. h.	
υ	paludosum.	(li.wh.)	marsh.	—		—	H. h.	
φ	papilionaceum.	(fl.)	Butterfly.	—		—	H. h.	
χ	partitum.	(fl.wh.)	five-parted.	—		—	H. h.	
ψ	parviflorum.	(bh.)	small-flowered.	—		—	H. h.	
ω	proliferum.	(bh.)	proliferous.	—		—	H. h.	
αα	pumilum.	(bh.)	dwarf.	—		—	H. h.	
ββ	purpurascens.	(fl.)	purplish.	—		—	H. h.	
γγ	purpureum.	(pu.)	purple.	—		—	H. h.	
δδ	purpureo-plenum.	(pu.)	double purple.	—		—	H. h.	
εε	roseum.	(ro.)	rosy.	—		—	H. h.	
ζζ	ruberrimum.	(re.)	dark-red.	—		—	H. h.	
ηη	rubescens.	(pi.)	reddish.	—		—	H. h.	
θθ	rubicundum.	(re.)	rubicund.	—		—	H. h.	
ιι	rubrum.	B.C.	red-flowered.	—		—	H. h.	Lodd. bot. cab. t. 51.
κκ	rubro-plenum.	(re.)	double-red.	—		—	H. h.	
λλ	rufum.	(re.)	rufous.	—		—	H. h.	
μμ	rutilans.	(re.)	deep red.	—		—	H. h.	
νν	semiduplex.	(wh.)	semidouble.	—		—	H. h.	
ξξ	stamineum.	(wh.)	long-stamened.	—		—	H. h.	
οο	stellatum.	(wh.)	starry.	—		—	H. h.	
ππ	tricolor.	(wh.re.)	three-coloured.	—		—	H. h.	
ρρ	variabile.	(re.wh.)	variable.	—		—	H. h.	
σσ	variegatum.	(std.)	variegated.	—		—	H. h.	
ττ	versicolor.	(re.wh.)	various-coloured.	—		—	H. h.	
υυ	violaceum.	(vi.)	violet.	—		—	H. h.	
38	bicolor.	(wh.re.)	two-coloured.	1734.	—	—	H. h.	Trew. chret. t. 48.
	Azalea bicolor.	Ph.	—	—	—	—	—	
39	viscosum.	(wh.)	viscid.	—	—	7. 8.	H. h.	Meerb. ic. 2. t. 9.
	Azalea viscosa.	Ph.	—	—	—	—	—	
	α	odoratum.	(wh.)	common white.	—	—	H. h.	
	β	crispum.	(wh.)	curled.	—	—	H. h.	
	γ	dealbatum.	(wh.)	powdered.	—	—	H. h.	
	δ	vittatum.	(re.wh.)	striped-flowered.	—	—	H. h.	
	ε	penicillatum.	(re.wh.)	pencilled.	—	—	H. h.	
	ζ	variegatum.	(re.wh.)	variegated.	—	—	H. h.	
	η	rubescens.	(re.)	reddish-flowered.	—	—	H. h.	
	θ	pubescens.	(re.wh.)	pubescent.	—	—	H. h.	Lodd. bot. cab. t. 441.
	ι	fissum.	(re.wh.)	narrow-petaled.	—	—	H. h.	
40	arborescens.	(re.)	arborescent.	1818.	5. 7.	—	H. h.	
	Azalea arborescens.	Ph.	—	—	—	—	—	
41	nitidum.	(re.wh.)	glossy-leaved.	1812.	6. 8.	—	H. h.	Bot. reg. t. 414.
	Azalea nitida.	B.R.	—	—	—	—	—	
42	glaucum.	(wh.)	glaucous dwarf.	1784.	6.	—	H. h.	Wats. dend. brit. t. 5.
	Azalea glauca.	Ph.	—	—	—	—	—	
43	hispidum.	(wh.)	tall glaucous.	—	6. 8.	—	H. h.	Wats. dend. brit. t. 6.
	Azalea hispida.	Ph.	—	—	—	—	—	
AZ'ALEA. D.P. Az'ALEA. Pentandria Monogynia. R.S.								
	procumbens.	E.B.(ro.)	trailing.	Britain.		4. 5.	H. h.	Eng. bot. v. 13. t. 865.
	Loiseleuria procumbens.	R.S.	Chamaelædon procumbens.	L.en.	—	—	—	
AMMYRS'INE. Ph. AMMYRS'INE. Decandria Monogynia. Ph.								
	1	buxifolia.	Ph.	(wh.)	upright.	N. America.	1736.	4. 5. H. h. Bot. reg. t. 531.
		Lædum buxifolium.	w.	Leioophyllum thymifolium.	s.s.	—	—	
	2	Lyoni.	(wh.)	spreading.	Carolina.	1812.	—	H. h.
L'EDUM. Ph. L'EDUM. Decandria Monogynia. L.								
	1	palustre.	w.	(wh.)	marsh.	Europe.	1762.	4. 5. H. h. Flor. dan. t. 1031.
	2	decumbens.	L.C.	(wh.)	decumbent.	Hudson's Bay.	—	H. h.
	3	canadense.	L.C.	(wh.)	dwarf.	Canada.	1824.	H. h. Lodd. bot. cab. t. 1049.
	4	latifolium.	w.	(wh.)	broad-leaved.	N. America.	1763.	— H. h. Jacq. ic. 3. t. 464.

BEF'ARIA. L.	BEF'ARIA. Dodecandria Monogynia. L.			
racemôsa. s.s. (bh.)	sweet-scented. Florida. 1810.	6. 7. G. h.	Vent. cels. t. 51.	
paniculâta. M. Bej'aria	racemôsa. Ph.			
ITEA. L.	ITEA. Pentandria Monogynia. L.			
virginica. L. (wh.)	Virginian. N. America. 1744.	6. 8. H. h.	Wats. dend. brit. t. 12.	

ORDO CXXVIII.

GALACINEÆ. *D. Don in Edinb. phil. journ. Dec. 1828. p. 53.*

G'ALAX. W.	G'ALAX. Pentandria Monogynia. W.			
aphylla. w. (bh.)	heart-leaved. N. America. 1786.	6. 7. H. 2.	Bot. mag. t. 754.	
cordifolia. H.K.	Blandfórdia cordata. Andr. rep. t. 343.			

ORDO CXXIX.

EPACRIDEÆ. *Brown prodr. 1. p. 535.*

Sect I. EPACRIDEÆ VERÆ.

DRACOPHYLLUM. B.P.	DRACOPHYLLUM. Pentandria Monogynia.			
1 secundum. B.P. (wh.)	side-flowering. N. S. W. 1824.	4. 6. G. h.		
2 longifolium. R.S. (wh.)	long-leaved. N. Zealand. —	— G. h.	Fors. ch. gen. t. 10. f. i. m.	
SPHENOTOMA. S.F.A.	SPHENOTOMA. Pentandria Monogynia.			
gracilis. S.F.A. (wh.)	slender. N. Holland. 1825.	5. 10. G. h.	Swt. flor. aust. t. 44.	
SPRENGELIA. Sm.	SPRENGELIA. Pentandria Monogynia.			
incarnata. B.P. (pi.)	flesh-coloured. N. S. W. 1793.	4. 6. G. h.	Bot. mag. t. 1719.	
PONCELETIA. B.P.	PONCELETIA. Pentandria Monogynia.			
sprengelioides. B.P. (w.)	marsh. N. S. W. 1826.	4. 6. G. h.		
ANDERS'ONIA. B.P.	ANDERS'ONIA. Pentandria Monogynia.			
sprengelioides. B.P. (w.)	Sprengelia-like. N. Holland. 1803.	3. 7. G. h.	Bot. mag. t. 1645.	
COSM'ELIA. B.P.	COSM'ELIA. Pentandria Monogynia.			
rùbra. B.P. (re.)	red-flowered. N. Holland. 1826.	4. 6. G. h.		
LYSIN'EMA. B.P.	LYSIN'EMA. Pentandria Monogynia.			
1 pentapétalum. B.P. (w.)	five-petaled. N. Holland. 1826.	4. 6. G. h.		
2 conspicuum. B.P. (wh.)	conspicuous. — 1824.	... G. h.		
3 pungens. B.P. (wh.)	pungent. N. S. W. 1804.	3. 6. G. h.	Cav. ic. 4. t. 346.	
Epácris attenuata. Lodd.	bot. cab. t. 38.			
4 roseum. B.C. (ro.)	rose-coloured. — 1804.	— G. h.	Lodd. bot. cab. t. 863.	
Epácris rosea. B.C.	pungens. Bot. mag. t. 1199.			
EPACRIS. B.P.	EPACRIS. Pentandria Monogynia.			
1 purpurascens. B.P. (li.)	rigid-leaved. N. S. W. 1803.	2. 6. G. h.	Bot. mag. t. 844.	
pungens. B.M.				
α ulacina. (li.)	pale-flowered. — —	— G. h.	Lodd. bot. cab. t. 237.	
β rùbra. (re.)	red-flowered. — —	— G. h.	— t. 876.	
2 pulchella. B.P. (wh.)	sweet-scented. — 1804.	3. 6. G. h.	— t. 170.	
3 microphylla. B.P. (wh.)	small-leaved. — 1817.	— G. h.		
4 grandiflora. B.P. (cr.)	crimson. — 1803.	1. 6. G. h.	Bot. mag. t. 982.	
5 ruscifolia. B.P. (wh.)	Ruscus-leaved. V. Diem. Isl. 1824.	3. 5. G. h.		
6 impréssa. B.P. (ro.)	impressed. — —	2. 5. G. h.	Swt. flor. aust. t. 4.	
7 sparsa. B.P. (wh.)	scattered-flower'd. N. S. W. 1825.	3. 5. G. h.		
8 obtusifolia. B.P. (wh.)	blunt-leaved. — 1804.	4. 6. G. h.	Sm. exot. bot. 1. t. 40.	
9 heteronema. B.P. (wh.)	hairy-branched. V. Diem. Isl. 1824.	— G. h.	Labill. n. hol. 1. t. 56.	
10 paludosa. B.P. (wh.)	marsh. N. S. W. —	— G. h.	Lodd. bot. cab. t. 1226.	
11 apiculata. F.T. (wh.)	pointed. — 1823.	5. 8. G. h.		
12 onosmæflora. F.T. (re.)	Onosma-flowered. — —	— G. h.		
13 exserta. B.P. (wh.)	exserted. V. Diem. Isl. 1812.	4. 6. G. h.		
14 mucronulata. B.P. (wh.)	short-pointed. — 1824.	— G. h.		

Sect. II. *STYPHELIÆ*.

- TROCHOCARPA**. B.P. *TROCHOCARPA*. Pentandria Monogynia.
laurina. B.P. (wh.) Laurel-leaved. N. S. W. 1820. G. h. Linn. trans. 8. t. 9.
Styphelia cornifolia. L.T.
- ACROTRICHE**. B.P. *ACROTRICHE*. Pentandria Monogynia.
 1 cordata. B.P. (wh.) heart-leaved. N. Holland. 1825. 4. 6. G. h. Labill. n. hol. 1. t. 63.
 2 ovalifolia. B.P. (wh.) oval-leaved. ——— 1824. — G. h.
 3 serrulata. B.P. (wh.) saw-leaved. V. Diem. Isl. 1816. — G. h. Labill. n. hol. 1. t. 62.
Styphelia serrulata. Labill.
- 4 divaricata. B.P. (wh.) divaricate. N. S. W. 1822. — G. h.
- MONOTOCA**. B.P. *MONOTOCA*. Pentandria Monogynia.
 1 scoparia. B.P. (wh.) broom. N. S. W. 1823. 4. 7. G. h. Smith new holl. 43.
Styphelia scoparia. Smith.
- 2 lineata. B.P. (wh.) lineated. V. Diem. Isl. 1804. 5. 8. G. h. Lab. nov. hol. 1. t. 61.
Styphelia glauca. Labill.
- 3 albens. B.P. (wh.) white-leaved. N. S. W. 1823. — G. h.
 4 elliptica. B.P. (wh.) elliptic-leaved. ——— 1802. — G. h. Smith new holl. 49.
- LEUCOPOGON**. B.P. *LEUCOPOGON*. Pentandria Monogynia.
 1 lanceolatus. B.P. (wh.) small-flowered. N. S. W. 1790. 5. 8. G. h. Swt. flor. aust. t. 47.
Styphelia parviflora. Andr. reposit. t. 287. *gnidium*. Vent. malm. t. 23.
- 2 Richiæ. B.P. (wh.) oblong-leaved. N. S. W. 1824. — G. h. Lab. nov. hol. 1. t. 60.
 3 muticus. B.P. (wh.) awnless. ——— 1826. — G. h.
 4 ericoides. B.P. (wh.) heath-leaved. ——— 1815. 4. 7. G. h. Smith new holl. 48.
Epacris spuria. Cavan. ic. 4. t. 347. f. 1.
- 5 virgatus. B.P. (wh.) twiggy. ——— — G. h. Lab. nov. hol. 1. t. 64.
 6 collinus. B.P. (wh.) hill. V. Diem. Isl. 1822. 5. 6. G. h. ——— 1. t. 65.
 7 amplexicaulis. B.P. (w.) stem-clasping. N. S. W. 1815. 4. 8. G. h. Linn. trans. 8. t. 8.
 8 microphyllus. B.P. (w.) small-leaved. ——— 1818. — G. h. Cavan. ic. 4. t. 349. f. 2.
Perojia microphylla. Cav.
- 9 striatus. B.P. (wh.) striated. N. Holland. 1824. — G. h.
 10 attenuatus. F.T. (wh.) attenuated. N. S. W. — G. h.
 11 biflorus. B.P. (wh.) two-flowered. ——— 1826. — G. h.
 12 setiger. B.P. (wh.) bristle-pointed. ——— 1824. — G. h.
 13 appressus. B.P. (wh.) pressed-leaved. ——— 4. 6. G. h.
 14 juniperinus. B.P. (wh.) Juniper-leaved. ——— 1804. — G. h. Lodd. bot. cab. t. 447.
 15 interruptus. B.P. (wh.) interrupted. N. Holland. 1825. 3. 6. G. h. ——— t. 1451.
 16 polystachyus. B.P. (wh.) many-spiked. ——— 6. 7. G. h. ——— t. 1436.
- LISSANTHE**. B.P. *LISSANTHE*. Pentandria Monogynia.
 1 sapida. B.P. (wh.) recurved-flowered. N. S. W. 1823. 11. 1. G. h. Bot. reg. t. 1275.
 2 subulata. B.P. (wh.) awl-leaved. ——— 4. 7. G. h.
 3 strigosa. B.P. (wh.) strigose. ——— — G. h. Sm. new holl. 48.
 4 daphnoides. B.P. (wh.) Daphne-leaved. V. Diem. Isl. 1818. 6. 7. G. h. Lodd. bot. cab. t. 466.
 5 ciliata. B.P. (wh.) fringed. ——— 1823. — G. h.
- CYATHODES**. B.P. *CYATHODES*. Pentandria Monogynia.
 1 glauca. B.P. (wh.) glaucous. V. Diem. Isl. 1818. 4. 6. G. h. Lab. nov. holl. 1. t. 81.
 2 oxycedrus. B.P. (wh.) linear-leaved. ——— 1822. 5. 8. G. h. ——— 1. t. 69.
 3 abietina. B.P. (wh.) Fir-like. ——— 1824. 8. 12. G. h. ——— 1. t. 68.
- MELICHRUS**. B.P. *MELICHRUS*. Pentandria Monogynia.
 1 rotatus. B.P. (re.) rotate-flowered. N. S. W. 1822. 5. 8. G. h. Cavan. ic. 4. t. 349. f. 1.
Ventenatia procumbens. Cav.
- 2 medius. F.T. (re.) intermediate. ——— 1823. — G. h.
- STENANTHERA**. B.P. *STENANTHERA*. Pentandria Monogynia.
 pinifolia. B.P. (sc.) Pine-leaved. N. S. W. 1811. 5. 7. G. h. Bot. reg. t. 218.
- ASTROLOMA**. B.P. *ASTROLOMA*. Pentandria Monogynia.
 1 humifusum. B.P. (sc.) Juniper-leaved. N. S. W. 1807. 5. 10. G. h. Bot. mag. t. 1439.
 2 denticulatum. B.P. (re.) toothed. ——— 1825. — G. h.
- STYPHELIA**. B.P. *STYPHELIA*. Pentandria Monogynia.
 1 tubiflora. B.P. (cr.) crimson. N. S. W. 1802. 5. 8. G. h. Sm. new holl. 45. t. 14.
 2 triflora. B.P. (cr. gr.) three-flowered. ——— 1796. — G. h. Bot. mag. t. 1297.
 3 viridiflora. B.P. (gr.) green-flowered. ——— 1791. 4. 6. G. h. Swt. flor. aust. t. 50.
 4 latifolia. B.P. (gr.) broad-leaved. ——— 1823. — G. h.
 5 ascendens. B.P. (gr.) ascending. V. Diem. Isl. 1822. — G. h.
 6 læta. B.P. (gr.) fruitful. N. S. W. — G. h.
 7 longifolia. B.P. (gr.) long-leaved. ——— 1807. — G. h. Bot. reg. t. 24.

ORDO CXXX.

PENÆACEÆ.

PENÆA. R.S.		PENÆA. Tetrandria Monogynia. R.S.					
1	myrtoides. w.	(ye.)	Myrtle-like.	C. B. S.	1816.	5. 7.	G. h.
2	fruticulosa. R.S.	(re.)	blunt-leaved.	—	1822.	—	G. h.
3	mucronata. R.S.	(re.)	sharp-pointed.	—	1787.	—	G. h.
4	squamosa. R.S.	(re.)	scaly.	—	—	—	G. h.
5	imbricata. B.M.	(re.)	imbricate.	—	1823.	4. 6.	G. h.
6	acuta. R.S.	(re.)	acute-leaved.	—	1824.	—	G. h.
7	Sarcocolla. R.S.	(ye.)	rhomb-leaved.	—	1816.	5. 7.	G. h.
8	marginata. R.S.	(wh.)	thick-edged.	—	—	—	G. h.

Vent. malm. t. 87.

Bot. reg. t. 106.

Bot. mag. t. 2809.

Th.m.n.c.ber.1.t.3.f.1.

SUBCLASSIS III. COROLLIFLORÆ. DC.

ORDO CXXXI.

SYMPLOCINEÆ. *Don Prodr. p. 144.*

SYMPLOCOS. L'H.		SYMPLOCOS. Polyadelphia Polyandria. L.					
1	coccinea. K.S.	(sc.)	scarlet.	Mexico.	1825.		S. h.
2	tinctoria. w.	(ye.)	Laurel-leaved.	Carolina.	1780.	4. 6.	F. h.
<i>Hæpea tinctoria. Ph.</i>							
3	sinica. B.R.	(wh.)	Chinese.	China.	1822.	4. 6.	F. h.
4	cratægoides. D.P.	(wh.)	Hawthorn-like.	Nepaul.	1824.		G. h.
SCHOEPFIA. D.P.		SCHOEPFIA. Pentandria Monogynia.					
	fragrans. D.P.	(ye.)	fragrant.	Nepaul.	1827.		G. h.

H. et B. pl. æq. 1. t. 52.

Catesb. car. 1. t. 54.

Bot. reg. t. 710.

ORDO CXXXII.

STYRACINEÆ. *Kth. synops. 2. p. 315.*

STYRAX. W.		STORAX. Decandria Monogynia. L.					
1	officinale. w.	(wh.)	official.	Italy.	1597.	7.	H. h.
2	grandifolium. w.	(wh.)	great-leaved.	N. America.	1765.	—	H. h.
3	pulverulentum. M.	(wh.)	powdered.	—	1794.	6. 7.	H. h.
4	glabrum. N.	(wh.)	smooth.	—	1765.	7. 8.	H. h.
<i>lævigatum. Bot. mag. t. 921.</i>							
HALÆSIA. W.		SNOWDROP-TREE. Dodecandria Monogynia. L.					
1	tetráptera. w.	(wh.)	four-winged.	Carolina.	1756.	4. 5.	H. h.
2	parviflora. B.R.	(wh.)	small-flowered.	—	1812.	5.	H. h.
3	díptera. w.	(wh.)	two-winged.	N. America.	1758.	4. 5.	H. h.

Andr. reposit. t. 631.

Wats. dend. brit. t. 129.

— t. 41.

— t. 40.

Bot. mag. t. 910.

Bot. reg. t. 952.

Lodd. bot. cab. t. 1172.

ORDO CXXXIII.

MYRSINEÆ. *Brown prodr. 532.*

MÆSA. J.		MÆSA. Pentandria Monogynia.					
1	indica. D.P.	(wh.)	Indian.	E. Indies.	1812.	2. 6.	S. h.
<i>Bæobôtrys indica. F.I.</i>							
2	tomentosa. D.P.	(wh.)	tomentose.	Nepaul.	1818.	—	S. h.
3	argentea. F.I.	(wh.)	silvery-leaved.	E. Indies.	—	—	S. h.
4	macrophylla. F.I.	(wh.)	large-leaved.	—	1823.	—	S. h.

Bot. mag. t. 2052.

JACQUINIA. W.		JACQUINIA.	Pentandria Monogynia. W.		
1	arborea. w.	(wh.)	blunt-leaved.	W. Indies. 1820.	 S. h.
2	armillaris. w.	(wh.)	armed-leaved.	1768.	4. 6. S. h.
3	aurantiaca. H.K.	(or.)	orange-color'd.	Sandwich Isl. 1796.	4. 9. S. h.
4	ruscifolia. w.	(or.)	Ruscus-leaved.	S. America. 1729.	— S. h.
5	macrocarpa. C.I.	(or.)	large capsuled.	1820.	— S. h.
ARDISIA. W.		ARDISIA.	Pentandria Monogynia. W.		
1	acuminata. w.	(pi.)	acuminate.	Guiana. 1803.	7. 8. S. h.
	<i>Myrsine Icacorea</i> . R.S.				
2	tinifolia. R.S.	(pi.)	Tinus-leaved.	Jamaica. 1824.	— S. h.
3	solanacea. w.	(ro.)	Nightshade-like.	E. Indies. 1798.	6. 9. S. h.
4	paniculata. F.I.	(ro.)	panicked.	1818.	3. 8. S. h.
5	colorata. F.I.	(ro.)	red-flowered.	1816.	— S. h.
6	umbellata. F.I.	(pi.)	umbel-flowered.	1809.	6. 9. S. h.
	<i>littoralis</i> . Andr. repos. t. 630.				
7	lanceolata. F.I.	(pi.)	leathery-leaved.	1818.	— S. h.
8	elegans. A.R.	(pi.)	elegant.	1809.	7. 9. S. h.
	<i>crenata</i> . F.I.				
9	punctata. B.R.	(pi.)	spotted-flowered.	China. 1823.	6. 9. S. h.
10	lentiginosa. B.R.	(wh.)	freckled.	1809.	3. 12. G. h.
	<i>crenulata</i> . B.C. 2. non Vent. <i>crenata</i> . Bot. mag. t. 1950.				
11	glandulosa. F.I.	(wh.)	glandular.	E. Indies. 1827.	— S. h.
12	macrocarpa. F.I.	(pi.)	large-fruited.	Nepaul. 1824.	5. 9. S. h.
13	complanata. F.I.	(pi.)	pubescent.	Pinang.	— S. h.
14	thyrsiflora. D.P.	(pi.)	thyrses-flower'd.	Nepaul.	4. 8. S. h.
15	pyramidalis. Cav.	(pi.)	pyramidal.	Santa Cruz. 1818.	4. 9. S. h.
16	excelsa. w.	(gr.)	Laurel-leaved.	Madeira. 1784.	7. 8. G. h.
	<i>Myrsine Heberdenia</i> . R.S.				
17	coriacea. R.S.	(ro.)	leathery-leaved.	W. Indies. 1822.	4. 8. S. h.
18	serrulata. w.	(pi.)	saw-leaved.	1820.	7. 8. S. h.
19	crenulata. w.	(re.)	crenulated.	1809.	6. 9. S. h.
20	lateriflora. w.	(pi.)	side-flowering.	1793.	— S. h.
21	canaliculata. w.	(pi.)	channelled.	New Granada. 1824.	4. 8. S. h.
EMBELIA. L.		EMBELIA.	Pentandria Monogynia. L.		
1	robusta. F.I. (gr.wh.)	robust.	E. Indies. 1823.	 S. h.	
2	floribunda. F.I. (ye.gr.)	sweet-scented.	Nepaul. 1826.	 S. h. ~.	
MYRSINE. B.P.		MYRSINE.	Polygamia Dioecia. L.		
1	africana. s.s. (gr.pu.)	African.	C. B. S. 1691.	3. 5. G. h.	Comm. hort. 1. t. 64.
2	retusa. s.s. (gr.pu.)	retuse-leaved.	Azores. 1778.	6. G. h.	Venten. cels. t. 86.
3	rotundifolia. R.S. (w.pu.)	round-leaved.	C. B. S. 1816.	— G. h.	Pluk. alm. t. 18. f. 5.
4	semiserrata. F.I. (bh.)	semiserrate.	Nepaul. 1822.	 G. h.	
5	capitellata. F.I. (gr.)	axillary headed.	—	 G. h.	
6	bifaria. F.I. (bh.)	bifarious.	—	 G. h.	
7	subspinosa. D.P. (wh.)	spiny-leaved.	1823.	 G. h.	
8	coriacea. B.P. (wh.)	leathery-leaved.	Jamaica. 1822.	 S. h.	
	<i>Samara coriacea</i> . Sw.				
9	Samara. s.s. (wh.)	oval-leaved.	C. B. S. 1770.	11. 2. G. h.	
	<i>Samara pentandra</i> . w.				
10	melanophlebos. s.s. (wh.)	Laurel-leaved.	— 1783.	3. 6. G. h.	Jacq. vind. 1. t. 71.
	<i>Sideroxylon melanophleum</i> . w.				
11	mitis. s.s. (wh.)	pointed-leaved.	—	6. 9. G. h.	Bot. mag. t. 1858.
	<i>Sideroxylon mite</i> . B.M. <i>Scleroxylum mite</i> . W.en. <i>Mangilla Milleriana</i> . P.S.				
12	venulosa. s.s. (wh.)	veined-leaved.	1816.	— G. h.	
13	canariense. s.s. (wh.)	Canary.	Canaries.	— G. h.	
14	variabilis. B.P. (wh.)	variable.	N. S. W. 1820.	— G. h.	
ÆGICERAS. G.		ÆGICERAS.	Pentandria Monogynia.		
	fragrans. B.P. (wh.)	fragrant.	N. Holland. 1824.	 G. h.	Kon.an.bot.1.p.129.ic.

ORDO CXXXIV.

SAPOTEÆ. *Brown prodr.* 1. p. 528.

INOCA'RPUS. W.		OTAHEITE-CHESNUT.	Decandria Monogynia. W.		
	edulis. w.	(wh.)	eatable.	South-sea Isl. 1793.	 S. h.
	Roxb. corom. 3. t. 263.				
BUM'ELIA. S.S.		BUM'ELIA.	Pentandria Monogynia. W.		
1	lycioides. s.s.	(wh.)	Boxthorn-leav'd.	N. America. 1758.	8. H. h.
	Duham. arb. 2. t. 68.				

2 oblongifolia. N.	(wh.) oblong-leaved.	Mississippi.	1818.	7. 8.	H. h.	
3 ténax. R.S.	(wh.) silvery-leaved.	Carolina.	1765.	—	H. h.	Wats. dend. brit. t. 10.
<i>chrysophylloides</i> . W.D. <i>Sideroxylon ténax</i> . L.						
4 lanuginosa. R.S.	(wh.) woolly-leaved.	—	—	—	H. h.	
5 reclinata. S.S.	(wh.) reclined.	—	1806.	—	H. h.	Venten. choix. t. 22.
6 strigosa. S.S.	(wh.) strigose.			—	G. h.	
<i>Sideroxylon strigosum</i> . W.en.						
7 nigra. S.S.	(wh.) black.	W. Indies.	1806.	6. 8.	S. h.	
8 salicifolia. S.S.	(wh.) Willow-leaved.	S. America.	1758.	—	S. h.	Sloan. hist. 2. t. 206. f. 2.
9 foetidissima. S.S.	(wh.) fetid.	W. Indies.		5. 7.	S. h.	
10 rotundifolia. S.S.	(wh.) round-leaved.	—	1816.	—	S. h.	
SERSALI'SIA. B.P. SERSALI'SIA. Pentandria Monogynia.						
sericea. B.P.	(wh.) silky-leaved.	N. Holland.	1772.	5. 6.	G. h.	
<i>Sideroxylon sericeum</i> . W.						
SIDEROXYLON. W. IRON-WOOD. Pentandria Monogynia. L.						
1 inérme. W.	(wh.) smooth.	C. B. S.	1692.	7. 8.	G. h.	Lam. ill. 2. t. 120. f. 1.
2 tomentosum. W.	(wh.) tomentose.	E. Indies.	1818.		S. h.	Roxb. corom. 1. t. 28.
ARG'ANIA. R.S. ARG'ANIA. Pentandria Monogynia.						
<i>Sideroxylum</i> . R.S. (ye.) spiny.		Morocco.	1711.	7. 8.	H. h.	Comm. hort. 1. t. 83.
<i>Sideroxylum spinosum</i> . L. <i>Elæodendron Argan</i> . W.						
CHRYSOPHYLLUM. W. STAR-APPLE. Pentandria Monogynia. L.						
1 Cainito. W.	(wh.) broad-leaved.	W. Indies.	1737.	5. 6.	S. h.	Jacq. amer. t. 37. f. 1.
β jamaïcense.	(wh.) purple-fruited.	—	—	—	S. h.	Jacq. am. pict. t. 52.
γ cæruleum.	(wh.) blue-fruited.	—	—	—	S. h.	Jacq. amer. t. 37.
δ microphyllum.	(wh.) small-leaved.	—	—	—	S. h.	Jacq. amer. pict. t. 53.
2 monopryrenum. W.	(wh.) acute-leaved.	—	1816.	—	S. h.	Burm. amer. t. 69.
3 argenteum. W.	(wh.) silvery.	Martinico.	1758.	—	S. h.	Jacq. amer. pict. t. 51.
4 macrophyllum. G.D.	(wh.) large-leaved.	Sierra Leone.	1822.		S. h.	
5 obovatum. G.D.	(wh.) obovate.	—	—		S. h.	
6 glabrum. W.	(wh.) smooth-leaved.	Martinico.	1818.	4. 6.	S. h.	Jacq. amer. pict. t. 55.
NYCTERISITION. R.P. NYCTERISITION. Pentandria Monogynia.						
ferrugineum. R.P.	(wh.) ferruginous.	S. America.	1823.		S. h.	Flor. peruv. 2. t. 187.
A'CHRAS. J. SAPOTA. Hexandria Monogynia. S.S.						
1 Sapota. W.	(wh.) common.	S. America.	1731.	4. 6.	S. h.	Jacq. amer. 57. t. 41.
β Zapotilla. Jacq.	(wh.) Naseberry-tree.	—	—	—	S. h.	— 57. t. 41. b.
2 australis. B.P.	(wh.) New Holland.	N. S. W.	1823.		G. h.	
LUC'UMA. J. LUC'UMA. Pentandria Monogynia.						
1 mammosum. K.S.	(wh.) Mammee.	S. America.	1739.	5. 8.	S. h.	Jacq. amer. t. 182. f. 19.
2 Bonplándii. K.S.	(wh.) Bonpland's.	Havannah.	1822.		S. h.	
3 obovatum. K.S.	(wh.) obovate-leaved.	Peru.	—		S. h.	Flor. peruv. 3. t. 239.
4 salicifolium. K.S.	(wh.) Willow-leaved.	Mexico.	1823.		S. h.	
M'IMUSOPS. W. M'IMUSOPS. Octandria Monogynia. L.						
1 Elengi. S.S.	(wh.) pointed-leaved.	E. Indies.	1796.	5. 7.	S. h.	Roxb. cor. 1. t. 14.
2 dissécta. S.S.	(wh.) oval-leaved.	South-sea Isl.	1804.	—	S. h.	
3 hexandra. S.S.	(wh.) hexandrous.	E. Indies.	1816.	—	S. h.	Roxb. cor. 1. t. 15.
4 Kaúki. S.S.	(wh.) obtuse-leaved.	—	1796.	5. 8.	S. h.	Rumph. amb. 3. t. 8.
IMBRIC'ARIA. J. IMBRIC'ARIA. Octandria Monogynia.						
borbónica. G.	(wh.) Bourbon.	Bourbon.	1820.		S. h.	
BA'SSIA. L. BA'SSIA. Dodecandria Monogynia. L.						
1 longifolia. W.	(wh.) long-leaved.	E. Indies.	1811.		S. h.	Lam. ill. t. 398.
2 latifolia. W.	(wh.) broad-leaved.	—	1799.		S. h.	Roxb. cor. 1. t. 19.
3 butyræa. D.P.	(wh.) butter-tree.	Nepaul.	1823.		S. h.	

ORDO CXXXV.

EBENACEÆ. *Brown prodr.* 1. p. 524.

M'ABA. J.	M'ABA. Diœcia Hexandria. W.				
buxifolia. P.S.	(wh.) Box-leaved.	E. Indies.	1810.		S. h.
<i>Ferreola buxifolia</i> . Roxb.					
CARG'ILLIA. B.P. CARG'ILLIA. Polygamia Diœcia.					
australis. B.P.	(gr.) southern.	N. S. W.	1816.		G. h.
DIO'SPYROS. S.S. DATE PLUM. Polygamia Diœcia. W.					
1 virginiana. S.S.	(p.ye.) Persimon.	N. America.	1629.	6. 7.	H. h.
2 pubescens. S.S.	(p.ye.) pubescent.	—	1812.	4. 5.	H. h.

Wats. dend. brit. t. 10.

Venten. choix. t. 22.

Sloan. hist. 2. t. 206. f. 2.

Comm. hort. 1. t. 83.

Jacq. amer. t. 37. f. 1.

Jacq. am. pict. t. 52.

Jacq. amer. t. 37.

Jacq. amer. pict. t. 53.

Burm. amer. t. 69.

Jacq. amer. pict. t. 51.

Flor. peruv. 2. t. 187.

Jacq. amer. 57. t. 41.

— 57. t. 41. b.

Flor. peruv. 3. t. 239.

Roxb. cor. 1. t. 14.

Roxb. cor. 1. t. 15.

Rumph. amb. 3. t. 8.

Lam. ill. t. 398.

Roxb. cor. 1. t. 19.

Roxb. cor. 1. t. 45.

Wats. dend. brit. t. 146.

3	reticulâta. s.s.	(wh.) netted.	Mauritius.	1823.	4. 5.	S. h.	
4	Ebenâster. s.s.	(wh.) Ebenus-like.	E. Indies.	1792.	6. 8.	S. h.	Rumph. amb. 1. t. 6.
5	melanóxylon. s.s.	(wh.) black-wooded.	—	1817.	—	S. h.	Roxb. cor. 1. t. 46.
6	E'benum. s.s.	(wh.) smooth.	—	1792.	—	S. h.	Rotb. act. hafn. 2. t. 5.
7	montâna. s.s.	(wh.) mountain.	—	1819.	—	S. h.	Roxb. cor. 1. t. 48.
8	obovâta. s.s.	(wh.) four-seeded.	W. Indies.	1796.	5. 7.	S. h.	Jacq. schœn. 3. t. 312.
9	sylvâtica. s.s.	(wh.) wood.	E. Indies.	1812.	—	S. h.	Roxb. cor. 1. t. 47.
10	Embryopteris. s.s.	(gr.) glutiniferous.	—	1796.	5. 8.	S. h.	Bot. reg. t. 499.
	<i>Embryopteris glutinifera</i> . B. C. 1. t. 70.						
11	lobâta. s.s.	(wh.) lobed-fruited.	China.	1822.	—	G. h.	
12	vaccinioides. L. C.	(wh.) Vaccinium-like.	—	—	—	G. h.	Hook. ex. flor. t. 139.
13	êdulis. L. C.	(wh.) eatable.	E. Indies.	—	—	S. h.	
14	Lôtus. s.s.	(pa. ye.) European.	Italy.	1596.	6. 7.	H. h.	Mill. ic. t. 116.
15	Kâki. s.s.	(wh.) Japan.	Japan.	1789.	—	G. h.	Kæmp. amœn. t. 806.
16	hirsûta. s.s.	(wh.) hairy.	Ceylon.	1816.	—	S. h.	
17	chloróxylon. s.s.	(wh.) cluster-flowered.	E. Indies.	1822.		S. h.	Roxb. cor. 1. t. 49.
18	cordifolia. s.s.	(wh.) heart-leaved.	—	1794.	5. 7.	S. h.	— 1. t. 50.
ROY'ENA. W. RoY'ENA. Decandria Digynia. L.							
1	lúcida. w.	(wh.) shining-leaved.	C. B. S.	1690.	5. 6.	G. h.	Lam. ill. t. 370. f. 1.
2	villôsa. w.	(wh.) heart-leaved.	—	1774.	6. 7.	G. h.	
3	pállus. w.	(wh.) pale.	—	1789.	—	G. h.	
4	myrtifolia. W. en.	(wh.) Myrtle-leaved.	—	1812.	—	G. h.	
5	glâbra. w.	(wh.) smooth.	—	1731.	7. 9.	G. h.	Comm. hort. 1. t. 65.
6	pubescens. W. en.	(wh.) pubescent.	—	1752.	—	G. h.	Bot. reg. t. 500.
7	hirsûta. W. en.	(wh.) hairy-leaved.	—	—	—	G. h.	Lam. ill. t. 370. f. 2.
8	angustifolia. w.	(wh.) willow-leaved.	—	1789.	6. 7.	G. h.	
9	latifolia. W. en.	(wh.) broad-leaved.	—	1816.	—	G. h.	
10	ambigua. v.	(wh.) obovate-leaved.	—	1815.	6. 7.	G. h.	Vent. malm. t. 17.
11	polyândra. w.	(wh.) oval-leaved.	—	1774.		G. h.	
VISNEA. W. Vi'SNEA. Dodecandria Trigynia. W.							
	Mocanêra. w.	(wh.) Canary.	Canaries.	1815.	8. 12.	G. h.	

ORDO CXXXVI.

OLEINÆ. *Brown prodr.* 1. p. 522.

FRA'XINUS. W. ASH-TREE. Polygamia Diœcia. L.							
1	excelsior. w.	(gr.) common.	Britain.		4. 5.	H. 5.	Eng. bot. v. 24. t. 1692.
	β argentea.	(gr.) silver-striped.	—		—	H. 5.	
	γ pëndula.	(gr.) weeping.	—		—	H. 5.	
	δ horizontalis.	(gr.) horizontal.	—		—	H. 5.	
	ε jâspidea.	(gr.) coloured branch'd.	—		—	H. 5.	
	ζ erôsa.	(gr.) erose-leaved.	—		—	H. 5.	
2	aûrea. W. en.	(gr.) yellow barked.				H. 5.	
3	atrovirens. P. S.	(gr.) green curled-leav'd.				H. 5.	
4	nâna. W. en.	(gr.) dwarf.				H. h.	
5	verrucôsa. L. en.	(gr.) warted.			4. 5.	H. 5.	
6	heterophýlla. s.s.	(gr.) various-leaved.	England.		—	H. 5.	Eng. bot. v. 35. t. 2476.
	<i>simplicifolia</i> . E. B.						
7	polemonifolia. R. S.	(gr.) Polemonium-ld.	N. America.		—	H. 5.	
8	parvifolia. s.s.	(gr.) small-leaved.	Levant.	1816.	—	H. 5.	
9	lentiscifolia. s.s.	(gr.) Lentiscus-leaved.	Aleppo.	1710.	5. 6.	H. 5.	Pluk. alm. t. 182. f. 4.
10	argentea. s.s.	(gr.) silver-leaved.	Corsica.	1825.		H. 5.	
11	sambucifolia. s.s.	(gr.) Elder-leaved.	N. America.	1800.		H. 5.	
12	oxycârpa. s.s.	(gr.) sharp-leaved.	Tauria.	1815.	5. 6.	H. 5.	
	<i>oxyphylla</i> . M. B.						
13	pállida. s.s.	(gr.) pale.	N. America.	1818.		H. 5.	
14	rûfa. s.s.	(gr.) rufous.	—	1822.		H. 5.	
15	fúsca. s.s.	(gr.) brown branched.	—	—		H. 5.	
16	nîgra. s.s.	(gr.) black-twigged.	—	1818.	4. 6.	H. 5.	
17	elliptica. s.s.	(gr.) elliptic-leaved.	—	1824.		H. 5.	
18	ovâta. s.s.	(gr.) oval-leaved.	—	—		H. 5.	
19	Richárdi. s.s.	(gr.) Richard's.	—	—		H. 5.	
20	álba. s.s.	(gr.) grey branched.	—	1825.		H. 5.	
21	cinêrea. s.s.	(gr.) cinereous.	—	1818.		H. 5.	

22	viridis. s.s.	(gr.)	green-branched.	N. America.	1816.		H.5.	
23	longifolia. s.s.	(gr.)	long-leaved.	—	1825.		H.5.	
24	tamariscifolia. R.S.	(gr.)	Tamarisk-leaved.	Levant.		—	H.5.	
25	mexicana. s.s.	(gr.)	Mexican.	Mexico.	1825.		H.5.	
26	rubicunda. s.s.	(gr.)	red-veined.	N. America.		—	H.5.	
27	pulverulenta. s.s.	(gr.)	powdered.	—		—	H.5.	
28	mixta. s.s.	(gr.)	mixed.	—		—	H.5.	
29	expansa. s.s.	(gr.)	expanded	—		—	H.5.	
30	platycarpa. s.s.	(gr.)	flat-seeded.	—	1816.	4. 6.	H.5.	Catesb. car. t. 80.
31	quadrangulata. s.s.	(gr.)	four-sided.	—	1811.		H.5.	Mich. f. arb. ic.
32	epiptera. s.s.	(gr.)	dotted-stalked.	—	—	—	H.5.	— t. 33.
	discolor. M.							
33	lancea. Bosc.	(gr.)	lance-leaved.	—	1823.	—	H.5.	
34	pannosa. s.s.	(gr.)	cloth-leaved.	—	1818.	—	H.5.	
35	pubescens. s.s.	(gr.)	pubescent.	—	1783.	5.	H.5.	Du Roi. ed. 2. t. 1.
36	curvidens. R.S.	(gr.)	curved-toothed.	Carolina.	1811.	4. 5.	H.5.	
37	caroliniana. s.s.	(gr.)	Carolina.	N. America.	—	4. 6.	H.5.	
38	juglandifolia. s.s.	(gr.)	Walnut-leaved.	—	1783.	—	H.5.	
39	acuminata. s.s.	(gr.)	taper-pointed.	—	1723.	—	H.5.	
40	americana. s.s.	(gr.)	white.	—	—	—	H.5.	
	ORNUS. P.S.		FLOWERING ASH.	Diandria Monogynia.	P.S.			
1	americana. Ph.	(wh.)	American.	N. America.	1812.	5. 6.	H.5.	
2	europæa. P.S.	(wh.)	European.	Italy.	1710.	—	H.5.	Flor. græc. 1. t. 4.
	Fraxinus ORnus. w.							
3	rotundifolia. P.S.	(wh.)	manna.	—	1697.	4. 5.	H.5.	
4	striata. (wh.)		streak-barked.		1818.	—	H.5.	
	Fraxinus striata. s.s.							
5	floribunda. (wh.)		many-flowered.	Nepaul.	—		G.5.	
	Fraxinus floribunda. F.I.							
	CHIONANTHUS. S.S.		FRINGE-TREE.	Diandria Monogynia.	L.			
1	virginica. w.	(wh.)	smooth-leaved.	N. America.	1736.	5. 7.	H.5.	Catesb. car. 1. t. 68.
2	maritima. (wh.)		pubescent-leaved.	—	—	—	H.5.	Wats. dend. brit. t. 1.
	virginica β maritima. Ph.		virginica β angustifolia. w.D.					
3	axillaris. B.P.	(wh.)	axil-flowering.	N. Holland.	1810.		G. 1/2.	
	LINOCTERA. S.S.		LINOCTERA.	Diandria Monogynia.	S.S.			
1	ligustrina. s.s.	(wh.)	Privet-like.	W. Indies.	1820.		S. 1/2.	
2	cotinifolia. s.s.	(wh.)	Cotinus-leaved.	Ceylon.	1818.		S. 1/2.	
3	compacta. s.s.	(wh.)	Caribean.	W. Indies.	1793.		S. 1/2.	Jacq. coll. 2. t. 6. f. 1.
	FONTANESIA. S.S.		FONTANESIA.	Diandria Monogynia.	W.			
	phillyræoides. s.s.	(wh.)	Phillyrea-leaved.	Syria.	1787.	6. 8.	H. 1/2.	Wats. dend. brit. t. 2.
	NOTELÆA. B.P.		NOTELÆA.	Diandria Monogynia.	S.S.			
1	longifolia. B.P.	(wh.)	long-leaved.	N. S. W.	1790.	3. 6.	G. 1/2.	Venten. choix. t. 25.
	Olea apetala. A.R. 316.							
2	ovata. B.P.	(wh.)	oval-leaved.	—	1818.	—	G. 1/2.	
3	ligustrina. B.P.	(wh.)	Privet-leaved.	V. Diem. Isl.	1807.	7. 8.	G. 1/2.	
4	rigida. R.S.	(wh.)	rigid-leaved.	—	1820.	—	G. 1/2.	
	OLEA. B.P.		OLIVE.	Diandria Monogynia.	L.			
1	europæa. s.s.	(wh.)	European.	S. Europe.	1570.	6. 8.	G. 1/2.	
	a Oleaster. R.S.	(wh.)	spiny-branched.	Portugal.		—	G. 1/2.	Flor. græc. 1. t. 3.
	β longifolia. R.S.	(wh.)	long-leaved.	S. Europe.		—	G. 1/2.	Lodd. bot. cab. t. 456.
	γ ferruginea. R.S.	(wh.)	ferruginous.	—		—	G. 1/2.	
	δ latifolia. R.S.	(wh.)	broad-leaved.	—		—	G. 1/2.	
	ε obliqua. R.S.	(wh.)	oblique-leaved.	—		—	G. 1/2.	
	ζ buxifolia. R.S.	(wh.)	Box-leaved.	—		—	G. 1/2.	
2	verrucosa. s.s.	(wh.)	warted.	C. B. S.	1814.	—	G. 1/2.	
3	americana. s.s.	(wh.)	American.	N. America.	1758.	6.	G. 1/2.	Catesb. car. 1. t. 61.
4	fragrans. s.s.	(wh.)	fragrant.	China.	1771.	6. 8.	G. 1/2.	Bot. mag. t. 1552.
5	lancea. s.s.	(wh.)	lance-leaved.	Mauritius.	1818.	—	S. 1/2.	
6	dioica. F.I.	(wh.)	dioecious.	E. Indies.	—		S. 1/2.	
7	capensis. s.s.	(wh.)	Cape.	C. B. S.	1730.	6. 9.	G. 1/2.	Bot. reg. t. 613.
8	undulata. s.s.	(wh.)	wave-leaved.	—	—	—	G. 1/2.	Lodd. bot. cab. t. 379.
9	emarginata. R.S.	(wh.)	emarginate.	Mauritius.	1816.		S. 1/2.	
10	excelsa. s.s.	(wh.)	Laurel-leaved.	Madeira.	1784.	5. 6.	G. 1/2.	Jacq. schœn. 3. t. 251.
11	cœrnea. s.s.	(wh.)	drooping-flower'd.	Mauritius.	1816.		S. 1/2.	
12	paniculata. B.P.	(wh.)	panicked.	N. S. W.	1823.	4. 6.	G. 1/2.	
13	Roxburghii. (wh.)		Roxburgh's.	E. Indies.	1828.		S. 1/2.	
	paniculata. F.I. non B.P.							
14	robusta. (wh.)		large Phillyrea.	—	1818.		S. 1/2.	
	Phillyrea robusta. F.I.							

15 chinénsis.	(wh.) Chinese.	China.	1820.	4. 6.	H. $\frac{1}{2}$.	
<i>Phillyræa paniculata</i> , F.I.						
16 angustifolia.	(wh.) narrow-ld.	Phillyrea, S. Europe.	1597.	5. 6.	H. $\frac{1}{2}$.	Lam. ill. t. 8. f. 3.
<i>Phillyræa angustifolia</i> , s.s.						
α lanceolata.	(wh.) spear-leaved.	—	—	—	H. $\frac{1}{2}$.	
β rosmarinifolia.	(wh.) Rosemary-leaved.	—	—	—	H. $\frac{1}{2}$.	
γ brachiata.	(wh.) cross-branched.	—	—	—	H. $\frac{1}{2}$.	
17 media. R.S.	(wh.) twiggy	Phillyrea.	—	—	H. $\frac{1}{2}$.	
β buxifolia. R.S.	(wh.) Box-leaved.	—	—	—	H. $\frac{1}{2}$.	
18 ligustrifolia. R.S.	(wh.) Privet-leaved.	—	—	—	H. $\frac{1}{2}$.	
19 pendula. R.S.	(wh.) pendulous.	—	—	—	H. $\frac{1}{2}$.	
20 oleafolia. R.S.	(wh.) Olive-leaved	Phillyrea.	—	—	H. $\frac{1}{2}$.	Pluk. alm. t. 310. f. 5.
21 lævis. R.S.	(wh.) smooth-leaved.	—	—	—	H. $\frac{1}{2}$.	Duham. arb. t. 125.
22 latifolia. R.S.	(wh.) broad-leaved	—	—	—	H. $\frac{1}{2}$.	Flor. græc. t. 2.
23 obliqua. R.S.	(wh.) oblique-leaved.	—	—	—	H. $\frac{1}{2}$.	
24 spinosa. R.S.	(wh.) Holly-leaved.	—	—	—	H. $\frac{1}{2}$.	
<i>Phillyræa ilicifolia</i> , W.en.						
LIGUSTRUM. W. PRIVET. Diandria Monogynia. L.						
1 vulgare. R.S.	(wh.) common.	Britain.		6. 7.	H. $\frac{1}{2}$.	Eng. bot. v. 11. t. 764.
β variegatum.	(wh.) striped-leaved.	—		—	H. $\frac{1}{2}$.	
γ angustifolium.	(wh.) narrow-leaved.	—		—	H. $\frac{1}{2}$.	
δ leucocarpum.	(wh.) white-berried.	—		—	H. $\frac{1}{2}$.	
ϵ italicum. Mill.	(wh.) evergreen.	Italy.		—	H. $\frac{1}{2}$.	
2 lucidum. R.S.	(wh.) Wax-tree.	China.	1794.	6. 9.	F. $\frac{1}{2}$.	Wats. dend. brit. t. 137.
SYRINGA. R.S. LILAC. Diandria Monogynia. L.						
1 vulgaris. w.	(va.) common.	Persia.	1597.	5.	H. $\frac{1}{2}$.	Schk. hand. 1. t. 2.
α lilacina.	(li.) pale-flowered.	—	—	—	H. $\frac{1}{2}$.	Bot. mag. t. 183.
β purpurea.	(pu.) purple-flowered.	—	—	—	H. $\frac{1}{2}$.	
γ violacea.	(vi.) violet.	—	—	—	H. $\frac{1}{2}$.	
δ alba.	(wh.) white-flowered.	—	—	—	H. $\frac{1}{2}$.	
ϵ variegata.	(li.) variegated-leaved.	—	—	—	H. $\frac{1}{2}$.	
2 chinénsis. w.	(pu.) Siberian.	China.	1795.	—	H. $\frac{1}{2}$.	
3 persica. w.	(li.) Persian.	Persia.	1640.	—	H. $\frac{1}{2}$.	Bot. mag. t. 486.
α lilacina.	(li.) pale-flowered.	—	—	—	H. $\frac{1}{2}$.	
β alba.	(wh.) white-flowered.	—	—	—	H. $\frac{1}{2}$.	
γ laciniata.	(wh.) cut-leaved.	—	—	—	H. $\frac{1}{2}$.	Schmidt arb. 2. t. 79.

ORDO CXXXVII.

JASMINEÆ. *Brown prodr.* 1. p. 520.

NYCTA'NTHE. W. NYCTA'NTHE. Diandria Monogynia. L.						
árbor tristis. w.	(wh. ye.) square-stalked.	E. Indies.	1781.	6. 9.	S. $\frac{1}{2}$.	Bot. reg. t. 399.
JASMINUM. W. JASMINE. Diandria Monogynia. L.						
1 Sámbac. s.s.	(wh.) single Arabian.	E. Indies.	1665.	1. 12.	S. $\frac{1}{2}$.	Bot. reg. t. 1.
β multiplex.	(wh.) semidouble.	—	1700.	—	S. $\frac{1}{2}$.	Andr. reposit. t. 497.
γ trifoliatum.	(wh.) Tuscan.	—	1730.	—	S. $\frac{1}{2}$.	Bot. mag. t. 1785.
2 undulatum. s.s.	(wh.) wave-leaved.	—	1812.	2. 6.	S. $\frac{1}{2}$.	Bot. reg. t. 436.
3 hirsutum. s.s.	(wh.) hairy Indian.	—	1759.	5. 12.	S. $\frac{1}{2}$.	Sm. ex. bot. 2. t. 118.
<i>multiflorum</i> , And. rep. t. 436.						
4 angustifolium. F.I.	(wh.) narrow-leaved.	—	1816.	1. 12.	S. $\frac{1}{2}$.	Rheed. mal. 6. t. 53.
5 laurifolium. F.I.	(wh.) Laurel-leaved.	—	—	—	S. $\frac{1}{2}$.	Bot. reg. t. 521.
6 trinérve. s.s.	(wh.) three-nerved.	Java.	1804.	4. 6.	S. $\frac{1}{2}$.	— t. 918.
7 glaucum. s.s.	(wh.) glaucous.	C. B. S.	1774.	6. 8.	S. $\frac{1}{2}$.	Sal. stirp. rar. t. 8.
8 bracteatum. s.s.	(wh.) bracteate.	Sumatra.	1820.	—	S. $\frac{1}{2}$.	—
9 latifolium. s.s.	(wh.) broad-leaved.	E. Indies.	1817.	—	S. $\frac{1}{2}$.	—
10 arborescens. s.s.	(wh.) arborescent.	—	1824.		S. $\frac{1}{2}$.	—
11 scandens. s.s.	(wh.) scandent.	—	—		S. $\frac{1}{2}$.	—
12 simplicifolium. s.s.	(wh.) simple-leaved.	Society Isl.		3. 6.	S. $\frac{1}{2}$.	Bot. mag. t. 980.
13 elongatum. s.s.	(wh.) long-branched.	E. Indies.	1823.		S. $\frac{1}{2}$.	Berg. act. an. 1772. t. 11.
14 grácle. s.s.	(wh.) slender.	Norfolk Isl.	1791.	1. 12.	G. $\frac{1}{2}$.	Andr. reposit. t. 127.
15 acuminatum. s.s.	(wh.) acuminate.	N. Holland.	1820.	6. 9.	G. $\frac{1}{2}$.	Bot. reg. t. 1296?
16 volúbile. R.S.	(wh.) twisting.	C. B. S.	1816.	4. 7.	G. $\frac{1}{2}$.	Jacq. schoen. 3. t. 321.
17 auriculatum. s.s.	(wh.) auriculate.	E. Indies.	1790.	5. 9.	S. $\frac{1}{2}$.	Bot. reg. t. 264.
18 paniculatum. s.s.	(wh.) variable-leaved.	China.	1812.	2. 12.	S. $\frac{1}{2}$.	— t. 690.

19	flexile. s.s.	(wh.) acute 3-leaved.	E. Indies.	1820.	4. 8.	S. h. ∪.	
20	tortuosum. s.s.	(wh.) twisting.	C. B. S.	—	—	S. h. ∪.	Jacq. schœn. 4. t. 490.
	<i>flexile</i> . Jacq. non w.						
21	campanulatum. s.s.	(wh.) bell-shaped calyx'd.		—	—	S. h. ∪.	
22	capense. s.s.	(wh.) Cape.	C. B. S.	1816.	—	G. h.	
23	azoricum. s.s.	(wh.) white Azorian.	Madeira.	1724.	4. 11.	G. h.	Bot. reg. t. 89.
24	dispermum. s.s.	(wh.) two-seeded.	Nepaul.	1825.		G. h. ∪.	
25	fruticans. s.s.	(ye.) common yellow.	S. Europe.	1570.	4. 10.	H. h.	Bot. mag. t. 461.
26	humile. s.s.	(ye.) Italian.	—	1656.	6. 9.	H. h.	Bot. reg. t. 350.
27	odoratissimum. s.s.	(ye.) yellow Azorian.	Madeira.	—	5. 11.	G. h.	Bot. mag. t. 285.
28	revolutum. s.s.	(ye.) yellow Nepaul.	Nepaul.	1812.	3. 10.	H. h.	Bot. reg. t. 178.
	<i>chrysanthemum</i> . F.I.						
29	pubigerum. D.P.	(ye.) pubescent.	—	1828.	—	H. h. ∪.	
30	officinale. s.s.	(wh.) common white.	E. Indies.	1548.	6. 10.	H. h. ∪.	Bot. mag. t. 31.
	β leucophyllum.	(wh.) white-edged.	—		—	H. h. ∪.	
	γ chrysophyllum.	(wh.) yellow-edged.	—		—	H. h. ∪.	
	δ multiplex.	(wh.) double-blossomed.	—	1823.	—	H. h. ∪.	
31	grandiflorum. s.s.	(wh.) Catalanian.	—	1629.	—	G. h. ∪.	Bot. reg. t. 91.

ORDO CXXXVIII.

APOCINEÆ. *Brown prodr. 1. p. 465.*

ALY'XIA. B.P.	ALY'XIA.	Pentandria Monogynia.					
Richardsoni.	(wh.) Richardson's.	N. Holland.	1823.	4. 6.	S. h.		
RAUO'LFIA. S.S.	RAUO'LFIA.	Pentandria Monogynia.	W.				
1 nitida. s.s.	(wh.) shining.	S. America.	1752.	6. 9.	S. h.	Lodd. bot. cab. t. 339.	
2 ternifolia. s.s.	(wh.) three-leaved.	—	1822.	—	S. h.	Bot. mag. t. 2440.	
3 canescens. s.s.	(fl.) hoary.	Jamaica.	1739.	—	S. h.	Jacq. amer. pict. f. 17.	
4 tomentosa. s.s.	(wh.) woolly.	S. America.	1823.	—	S. h.	— t. 46.	
5 spinosa. R.S.	(st.) spiny.	Peru.	1827.	—	S. h.	Cavan. icon. 6. t. 526.	
VALLESIA. R.P.	VALLESIA.	Pentandria Monogynia.					
cymbæfolia. R.S.	(wh.) boat-leaved.	S. America.	1816.	6. 8.	S. h.	Cavan. ic. 3. t. 297.	
	<i>Rauwolfia glabra</i> . w.						
OPHIO'XYLON. W.	OPHIO'XYLON.	Polygamia Monœcia.	W.				
serpentinum. w.	(wh.) serpent-wood.	E. Indies.	1690.	5. 6.	S. h.	Bot. mag. t. 784.	
STRY'CHNOS. S.S.	STRY'CHNOS.	Pentandria Monogynia.	W.				
1 Nux vomica. s.s.	(wh.) Poison-nut.	E. Indies.	1778.		S. h.	Roxb. cor. 1. t. 4.	
2 colubrina. s.s.	(gr.ye.) muricate-fruited.	—	1818.	5. 8.	S. h.	Rheed. mal. 8. t. 24.	
3 potatorum. s.s.	(wh.) clearing-nut.	—	1794.	4. 6.	S. h.	Roxb. cor. 1. t. 5.	
4 madagascariensis. s.s.	(wh.) Madagascar.	Madagascar.	1818.		S. h.		
5 spinosa. s.s.	(gr.ye.) spiny.	—	1824.		S. h.		
6 axillaris. s.s.	(wh.) axillary-flowered.	E. Indies.	1818.	5. 7.	S. h.	Linn. trans. v. 12. t. 15.	
THEOPHRA'STA. S.S.	THEOPHRA'STA.	Pentandria Monogynia.					
1 longifolia. R.S.	(or.) long-leaved.	Caracas.	1827.		S. h.	Jacq. schœn. 1. t. 116.	
2 macrophylla. R.S.	 large-leaved.	Brazil.	—		S. h.		
3 americana. R.S.	 American.	S. America.	—		S. h.	Plum. icon. 126.	
4 Jussieu's.	(wh.) Jussieu's.	—	1818.	1. 4.	S. h.	Lindl. coll. t. 26.	
CLAVI'JA. R.P.	CLAVI'JA.	Pentandria Monogynia.					
macrophylla. R.P.	(wh.) long-leaved.	S. America.	1816.		S. h.	Flor. peruv. gen. t. 30.	
FAGR'ÆA. W.	FAGR'ÆA.	Pentandria Monogynia.					
1 zeylanica. w.	(wh.) Ceylon.	Ceylon.	1824.	4. 7.	S. h.	Thunb. ac. hol. 1782. t. 4.	
2 fragrans. F.I.	(wh.) fragrant.	China.	1826.	5. 7.	S. h.		
CARI'SSA. L.	CARI'SSA.	Pentandria Monogynia.	L.				
1 Carandas. s.s.	(wh.) Jasmine-flower'd.	E. Indies.	1790.	7. 8.	S. h.	Roxb. cor. 1. t. 77.	
2 spinarum. s.s.	(wh.) Box-leaved.	—	1809.	8. 12.	S. h.	Lodd. bot. cab. t. 162.	
3 ovata. B.P.	(wh.) oval-leaved.	N. Holland.	1817.	6. 9.	G. h.		
4 Xylopicron. s.s.	(wh.) nerved-leaved.	Mauritius.	1820.	—	S. h.	Aub. Thou. obs. p. 24. ic.	
ARDU'INA. L.	ARDU'INA.	Pentandria Monogynia.	L.				
bispinosa. s.s.	(wh.) two-spined.	C. B. S.	1760.	3. 8.	G. h.	Mill. ic. 2. t. 300.	
	<i>Carissa Arduina</i> . P.S.						
GELS'EMIUM. J.	GELS'EMIUM.	Pentandria Monogynia.					
sempervirens. P.S.	(ye.) evergreen.	N. America.	1640.	6. 7.	G. h. ∪.	Catesb. car. 1. t. 53.	
	<i>nitidum</i> . R.S. <i>Bignonia sempervirens</i> . w.						

CERBERA. W.		CERBERA. Pentandria Monogynia. L.					
1	Ahoûai. s.s.	(ye.) oval-leaved.	Brazil.	1739.	6. 7.	S. h.	Bot. mag. t. 737.
2	ovata. s.s.	(ye.) ovate-leaved.	N. Spain.		—	S. h.	Cavan. ic. 3. t. 270.
3	fruticosa. s.s.	(re.) purple-flowered.	Pegu.	1817.	3. 9.	S. h.	Bot. reg. t. 391.
4	Mánghas. L.T.	(wh.) blunt-leaved.	E. Indies.	1759.	4. 8.	S. h.	Burm. zeyl. t. 70. f. 1.
5	Odállam. L.T.	(wh.re.) spear-leaved.	—	—	6. 9.	S. h.	Bot. mag. t. 1845.
<i>Mánghas. B.M. non L.T.</i>							
6	lactaria. L.T.	(wh.) Milk-tree.	—		—	S. h.	Rumph. amb. 2. t. 81.
<i>Mánghas. G. 2. t. 123 et 124. f. 1. non L.T.</i>							
7	Tánghin. B.M.	(bh.re.) poison-nut.	Madagascar.	1826.		S. h.	Bot. mag. t. 2968.
8	laurifolia. B.C.	(wh.) Laurel-leaved.	E. Indies.	1819.	6. 9.	S. h.	Lodd. bot. cab. t. 989.
9	maculata. s.s.	(wh.re.) wave-leaved.	Bourbon.	1782.	6. 7.	S. h.	Andr. reposit. t. 130.
10	dichotoma. B.C.	(wh.) forked.	E. Indies.	1827.	—	S. h.	Lodd. bot. cab. t. 1516.
11	thevetioides. s.s.	(ye.) revolute-margin'd.	N. Spain.	1820.		S. h.	
12	Thevetia. s.s.	(ye.) linear-leaved.	S. America.	1735.		S. h.	Jacq. amer. 48. t. 34.
13	cuneifolia. K.S.	(ye.) wedge-leaved.	Mexico.	1826.	4. 6.	S. h.	
OCHR'OSIA. J.		OCHR'OSIA. Pentandria Monogynia. R.S.					
	borbónica. R.S.	(st.) Bourbon.	Bourbon.	1823.		S. h.	
<i>Cérbera borbónica. s.s. Ophióxylon Ochrosia. P.S.</i>							
DISSOLENA. R.S.		DISSOLENA. Pentandria Monogynia. R.S.					
	verticillata. R.S.	(wh.) whorl-leaved.	China.	1812.		S. h.	
ALLAMA'NDA. S.S.		ALLAMA'NDA. Pentandria Monogynia. L.					
1	cathartica. s.s.	(ye.) Willow-leaved.	Guiana.	1785.	6. 7.	S. h.	Bot. mag. t. 338.
2?	verticillata. s.s.	 whorl-leaved.	E. Indies.	1812.		S. h.	
<i>Nerium tinctorium. Hort.</i>							
VINCA. R.S.		PERIWINKLE. Pentandria Monogynia. L.					
1	herbacea. R.S.	(bl.) herbaceous.	Hungary.	1816.	6. 7.	H. 2.	Bot. reg. t. 301.
2	minor. R.S.	(bl.) lesser.	Britain.		3. 9.	H. 2.	Eng. bot. v. 13. t. 917.
	<i>a cærúlea.</i>	(bl.) blue-flowered.	—		—	H. 2.	
	<i>β álba.</i>	(wh.) white-flowered.	—		—	H. 2.	
	<i>γ atropurpurea.</i>	(pu.) dark-purple.	—		—	H. 2.	
	<i>δ múltiplex.</i>	(pu.) double-flowered.	—		—	H. 2.	
	<i>ε variegata.</i>	(wh.) variegated.	—		—	H. 2.	
3	major. R.S.	(bl.) greater.	England.		—	H. 2.	Eng. bot. v. 8. t. 514.
	<i>β múltiplex.</i>	(bl.) double-blue.	—		—	H. 2.	
4	pusilla. R.S.	(st.) small-flowered.	E. Indies.	1778.	8.	S. ☉.	Rheed. mal. 9. t. 33.
<i>parvisflora. w.</i>							
5	rosea. R.S.	(ro.) Madagascar.	—	1756.	3. 10.	S. 2.	Bot. mag. t. 248.
	<i>β álba.</i>	(wh.) white-flowered.	—	—	—	S. 2.	
	<i>γ ocellata.</i>	(wh.re.) red-eyed.	—	—	—	S. 2.	
WRIGHTIA. S.S.		WRIGHTIA. Pentandria Monogynia. S.S.					
1	antidysentérica. s.s.	(wh.) oval-leaved.	E. Indies.	1778.		S. h.	Burm. zeyl. t. 77.
2	zeyláncia. s.s.	(wh.) spear-leaved.	—		—	S. h.	— t. 12. f. 2.
3	dúbia. s.s.	(sc.) doubtful.	—		5. 8.	S. h.	Bot. mag. t. 1646.
<i>Cameraria dubia. B.M.</i>							
4	coccinea. B.M.	(sc.) scarlet.	—	1820.	6. 8.	S. h.	Bot. mag. t. 2696.
<i>Nerium coccineum. Bot. cab. t. 894.</i>							
5	tinctoria. s.s.	(wh.) dyer's.	—	1812.	—	S. h.	Bot. reg. t. 933.
STROPHA'NTHUS. DC.		STROPHA'NTHUS. Pentandria Monogynia. P.S.					
1	dichotomus. DC.	(ro.) forked.	E. Indies.	1816.	2. 10.	S. h.	Burm. ind. 68. t. 26.
2	divergens. Gr.	(ye.) spreading.	China.	—	—	S. h.	Bot. reg. t. 469.
<i>dichotomus. B.R. non DC.</i>							
3	sarmentosus. DC.	(re.) sarmentose.	Sierra Leon.	1822.		S. h.	Desf. an. mus. 1. t. 27.
NERIUM. R.S.		OLEANDER. Pentandria Monogynia. L.					
1	Oleánder. R.S.	(ro.) common.	S. Europe.	1596.	6. 10.	G. 2.	Flor. græc. t. 248.
	<i>β álba.</i>	(wh.) white-flowered.	—	—	—	G. 2.	Lodd. bot. cab. t. 700.
	<i>γ spléndens.</i>	(ro.) double-hybrid.	Hybrid.	1815.	—	G. 2.	Bot. reg. t. 74.
2	odórum. R.S.	(ro.) sweet-scented.	E. Indies.	1683.	6. 8.	S. h.	Rheed. mal. 9. t. 2.
	<i>β cárneum.</i>	(fl.) flesh-coloured.	—	1816.	—	S. h.	Bot. mag. t. 2032.
	<i>γ flore pleno.</i>	(ro.) double-flowered.	—		—	S. h.	Rheed. mal. 9. t. 1.
3	flavescens. R.S.	(st.) yellowish.	—	1816.	—	S. h.	
TABERNÆMONTANA.		TABERNÆMONTANA. Pentandria Monogynia. L.					
1	citrifolia. R.S.	(st.) Citron-leaved.	Jamaica.	1734.	5. 8.	S. h.	Plum. ic. t. 248. f. 2.
2	álba. R.S.	(wh.) white-flowered.	W. Indies.	1780.	—	S. h.	Jacq. amer. t. 175. f. 13.
<i>citrifolia. Jacq. non L.</i>							
3	laurifolia. R.S.	(st.) Laurel-leaved.	—	1768.	—	S. h.	Bot. reg. t. 716.
4	cymosa. R.S.	(wh.) cyme-flowered.	S. America.	1820.	—	S. h.	Jacq. amer. t. 181. f. 14.
5	amygdalifolia. R.S.	(wh.) Peach-leaved.	—	1780.	4. 8.	S. h.	Bot. reg. t. 338.
6	discolor. R.S.	(st.) two-coloured.	Jamaica.	1822.	—	S. h.	

- 7 persicariæfôlia. R.S. (st.) Persicaria-leav'd. Mauritius. 1826. 4. 8. S. h. Jacq. icon. rar. t. 320.
 8 arcuata. R.S. (st.) arch'd follicled. Peru. 1820. — S. h. Flor. peruv. 2. t. 143.
 9 crispa. L.T. (wh.) wave-leaved. E. Indies. 1818. 5. 10. S. h. Rheed. mal. 1. t. 46.
 10 coronaria. L.T. (wh.) broad-leaved. — 1710. 6. 10. S. h. Lodd. bot. cab. t. 406.
 β flore pleno. (wh.) double-flowered. — — S. h. Bot. mag. t. 1865.
 Nerium coronarium. B.M.
 11 densiflora. B.R. (wh.) close-flowered. Ceylon. 1824. 6. 7. S. h. Bot. reg. t. 1273.
 12 undulata. R.S. (st.) waved. Trinidad. — — S. h.
 13 odorata. S.S. (ye.) yellow-flowered. Cayenne. 1793. 10. 11. S. h. Aub. guian. 1. t. 102.
 Cameraria lutea. w. *Cameraria Tamaquarina*. Aublet.
CAMERARIA. S.S. BASTARD MANGENEEL. Pentandria Monogynia. L.
 1 latifolia. S.S. (wh.) broad-leaved. Havannah. 1733. 8. S. h. Andr. reposit. t. 261.
 2 angustifolia. S.S. (wh.) narrow-leaved. S. America. 1752. 9. S. h. Plum. ic. t. 72. f. 2.
AMS'ONIA. R.S. AMS'ONIA. Pentandria Monogynia. P.S.
 1 latifolia. R.S. (bl.) broad-leaved. N. America. 1759. 5. 6. H. 2. Bot. reg. t. 151.
 2 salicifolia. R.S. (pa.bl.) Willow-leaved. — 1812. — H. 2. Bot. mag. t. 1873.
 3 angustifolia. R.S. (bl.) hairy-stalked. — 1774. — H. 2. Venten. choix. t. 29.
PLUMERIA. S.S. PLUMERIA. Pentandria Monogynia. L.
 1 rubra. R.S. (re.) red-flowered. Jamaica. 1690. 7. 8. S. h. Bot. reg. t. 780.
 2 purpurea. R.S. (pu.) purple. Peru. 1820. — S. h. Flor. peruv. 2. t. 137.
 3 acuminata. H.K. (wh.) acute-leaved. E. Indies. 1790. 6. 9. S. h. Bot. reg. t. 114.
 acutifolia. R.S.
 4 obtusa. R.S. (wh.) blunt-leaved. W. Indies. 1733. 7. 8. S. h. Catesb. car. 1. t. 93.
 5 alba. R.S. (wh.) white. Jamaica. — — S. h. Jacq. amer. t. 174. f. 2.
 6 incarnata. R.P. (fl.) flesh-coloured. Peru. S. h. Flor. peruv. t. 138.
 7 carinata. R.P. (wh.re.) keel-leaved. — 1824. — S. h.
 8 bicolor. R.P. (ye.wh.) two-coloured. S. America. 1815. 6. 9. S. h. Bot. reg. t. 480.
 9 tricolor. R.P. (wh.re.) three-coloured. — — S. h. t. 510.
 10 lutea. R.P. (ye.) yellow-flowered. — — S. h. Flor. peruv. 2. t. 142.
 11 aurantia. H.S.S. (or.) orange-flowered. — 1816. — S. h.
 12 pudica. R.S. (st.) wax-flowered. — 7. 8. S. h.
 13 longifolia. R.S. long-leaved. Madagascar. 1816. S. h.
 14 tuberculata. B.C. (wh.) tubercled. S. America. 1820. 6. 8. S. h. Lodd. bot. cab. t. 681.
 15 tenuifolia. L.C. slender-leaved. S. h.
 16 Northiana. L.C. North's. S. h.
 17 mexicana. B.C. (wh.) Mexican. Mexico. 6. 9. S. h. Lodd. bot. cab. t. 1024.
 18 Cowani. D.D. (wh.) Cowan's. 1824. — S. h.
 19 Blandfordiana. L.C. Blandford's. S. America. S. h.
 20 nivea. L.C. (wh.) snowy white. 6. 8. S. h.
 21 conspicua. L.C. conspicuous. S. h.
 22 macrophylla. L.C. large-leaved. S. h.
 23 leucantha. L.C. (wh.) white-blossomed. S. h.
 24 parvifolia. H.S.S. (wh.) small-leaved. W. Indies. 1813. 7. 8. S. h.
PRESTONIA. S.S. PRESTONIA. Pentandria Monogynia. S.S.
 1 tomentosa. S.S. (ye.) tomentose. Brazil. 1820. 5. 8. S. h. ∪.
 2 glabrata. S.S. (ye.) smooth. S. America. 1823. — S. h. ∪.
CRYPTOLEPIS. B. CRYPTOLEPIS. Pentandria Monogynia.
 elegans. L.C. elegant. E. Indies. 1823. S. h. ∪.
ALSTONIA. S.S. ALSTONIA. Pentandria Monogynia. S.S.
 1 scholaris. S.S. (wh.) whorl-leaved. E. Indies. 1816. S. h. Rheed. mal. 1. t. 45.
 2 venenata. S.S. (wh.) poisonous. — 1823. S. h.
THENARDIA. K.S. THENARDIA. Pentandria Monogynia.
 floribunda. K.S. (gr.) abundant-flowered. Mexico. 1823. S. h. ∪. H. et B. 3. t. 240.
ECHITES. R.S. ECHITES. Pentandria Monogynia. L.
 1 longiflora. S.S. (wh.) long-flowered. Brazil. 1816. 5. 8. S. h. ∪.
 2 bispinosa. S.S. (fl.) two-spined. C. B. S. 1795. 7. 11. S. h.
 3 succulenta. S.S. (re.wh.) succulent. — 1820. 4. 6. S. h. Jacq. fragm. t. 117.
 tuberosa. H.S.S.
 4 repens. R.S. (re.) creeping. St. Domingo. 1824. 6. 8. S. h. Jacq. am. pict. t. 35.
 5 biflora. S.S. (wh.) twin-flowered. W. Indies. 1793. 7. 8. S. h. ∪. Jacq. amer. 30. t. 21.
 6 umbellata. S.S. (wh.) umbelled. Jamaica. 1733. 7. S. h. ∪. — 30. t. 22.
 7 torosa. S.S. (ye.) climbing. — 1778. 6. 8. S. h. ∪. — 33. t. 27.
 8 antidysenterica. S.S. (pi.) medicinal. E. Indies. 1821. S. h.
 9 pubescens. L.T. (wh.) pubescent. — 1822. S. h. Rheed. mal. 1. t. 49. ?
 10 suberecta. S.S. (ye.) Savanna-flower. W. Indies. 1759. 6. 8. S. h. ∪. Bot. mag. t. 1064.
 11 caryophyllata. S.S. (st.) Clove-scented. E. Indies. 1812. 9. 11. S. h. ∪. — t. 1919.
 12 difformis. S.S. (ye.) deformed. Carolina. 1806. 6. 7. S. h. ∪.
 13 grandiflora. R.S. (pi.) large-flowered. E. Indies. 1823. S. h.
 macrantha. S.S.

- 14 reticulata. s.s. (wh.) netted-leaved. E. Indies. 1818. 6. 7. G. h. ∪.
- 15 Héynii. s.s. (wh.) Heyne's. ——— S. h. ∪.
- 16 frutescens. H.B. (wh.) frutescent. ——— 1816. — S. h. ∪.
- 17 paniculata. H.B. (wh.) paniced. ——— S. h. ∪.
- BEAUMONTIA. B.R. BEAUMONTIA. Pentandria Monogynia.
- 1 grandiflora. B.R. (wh.) oval-leaved. E. Indies. 1812. 5. 7. S. h. ∪. Bot. reg. t. 911.
- 2 longifolia. L.C. (wh.) long-leaved. ——— 1818. S. h. ∪.
- HÆMADICTYON. H.T. HÆMADICTYON. Pentandria Monogynia.
- venosum. H.T. (ye.) red-veined. W. Indies. 1820. 4. 8. S. h. ∪. Bot. mag. t. 2473.
- Echites nutans*. B.M.
- VALLARIS. S.S. VALLARIS. Pentandria Monogynia. S.S.
- Pergularius. s.s. (wh.) smooth-leaved. E. Indies. 1818. S. h. ∪. Rumph. am. 5. t. 29.
- Pergularia glabra*. w. *Emericia Pergularia*. R.S.
- ICHNOCARPUS. S.S. ICHNOCARPUS. Pentandria Monogynia. S.S.
- frutescens. s.s. (pu.) shrubby. E. Indies. 1759. 7. 8. S. h. ∪. Burm. zeyl. t. 12. f. 1.
- PARSONSIA. R.S. PARSONSIA. Pentandria Monogynia. R.S.
- 1 corymbosa. R.S. (re.) corymb-flowered. W. Indies. 1820. 6. 8. S. h. ∪. Jacq. amer. pict. t. 37.
- Echites corymbosa*. Jacq.
- 2 floribunda. R.S. (wh.) many-flowered. Jamaica. ——— S. h. ∪.
- Echites floribunda*. w.
- WILLUGHBEIA. S.S. WILLUGHBEIA. Pentandria Monogynia. S.S.
- edulis. s.s. (bh.) eatable. E. Indies. 1818. 6. 8. S. h. ∪. Roxb. corom. 3. t. 280.
- LYONSIA. B.P. LYONSIA. Pentandria Monogynia. S.S.
- straminea. B.P. (st.) climbing. N. S. W. 1820. 6. 8. S. h. ∪.
- MELODINUS. R.S. MELODINUS. Pentandria Monogynia.
- 1 scandens. R.S. (wh.) climbing. N. Caledonia. 1775. S. h. ∪. Lam. ill. t. 179.
- 2 parvifolius. L.C. (wh.) small-leaved. E. Indies. S. h. ∪.
- 3 undulatus. L.C. (wh.) wave-leaved. ——— S. h. ∪.
- 4 monogynus. B.R. (wh.) one-styled. ——— 1816. 4. 8. S. h. ∪. Bot. reg. t. 834.
- CARPODINUS. D.D. PISHAMIN. Pentandria Digynia.
- 1 dulcis. D.D. (wh.) sweet. Sierra Leone. 1823. S. h. ∪.
- 2 acidus. D.D. (wh.) sour. ——— S. h. ∪.
- APOCYNUM. S.S. DOG'S-BANE. Pentandria Monogynia. R.S.
- 1 androsæmifolium. L.C. (bh.) Tutsan-leaved. N. America. 1688. 7. 9. H. 4. Bot. mag. t. 280.
- 2 cannabinum. s.s. (gr.) Hemp-like. ——— 1699. — H. 4. Moris. s. 15. t. 3. f. 14.
- 3 hypericifolium. s.s. (wh.) Hypericum-leaved. ——— 1758. 6. 7. H. 4. Jacq. vind. 3. t. 66.
- 4 venetum. s.s. (re.) Venetian. Adriatic Isl. 1690. — H. 4. Lob. ic. 372. f. 1. 2.
- β album. (wh.) white-flowered. H. 4.

ORDO CXXXIX.

ASCLEPIADEÆ. *Brown prodr.* 1. p. 458.

- PERIPLŒCA. R.S. PERIPLŒCA. Pentandria Digynia. L.
- 1 græca. R.S. (pu.) Virginian-silk. Syria. 1597. 7. 8. H. h. ∪. Bot. reg. t. 803.
- 2 mauritiana. R.S. (pu.) long-leaved. Mauritius. 1823. S. h. ∪. Rheed. mal. 9. t. 11.
- 3 lævigata. R.S. (ye.) smooth. Canaries. 1779. 6. 8. G. h. ∪. Cavan. ic. 3. t. 217.
- punica-folia*. Cav. icon.
- HEMIDESMUS. R.S. HEMIDESMUS. Pentandria Digynia. R.S.
- indicus. R.S. (gr.) Indian. Ceylon. 1796. S. h. ∪. Burm. zeyl. t. 83. f. 1.
- CRYPTOSTEGIA. B.R. CRYPTOSTEGIA. Pentandria Digynia. S.S.
- grandiflora. B.R. (ro.) large-flowered. E. Indies. 1812. 6. 8. S. h. ∪. Bot. reg. t. 435.
- SECAMONE. R.S. SECAMONE. Pentandria Digynia. R.S.
- 1 emetica. R.S. (wh.) narrow-leaved. India. 1816. S. h. ∪. Willd. phyt. 1. t. 5. f. 2.
- 2 ægyptiaca. H.K. (wh.) Egyptian. Egypt. 1752. 7. G. h. ∪. Alp. ægyp. t. 134.
- Alpini*. R.S. *Periplœca Secamone*. w.
- DUVALIA. H.S. DUVALIA. Pentandria Digynia. H.S.
- 1 reclinata. H.S. (pu. ye.) reclined. C. B. S. 1795. 8. 10. D.S. 7. Bot. mag. t. 1397.
- 2 elegans. H.S. (d. pu.) elegant. ——— D.S. 7. t. 1184.
- Stapelia elegans*. B.M.
- 3 hirtella. s.s. (d. pu.) hairy. ——— D.S. 7. Jacq. stap. c. ic.
- Stapelia hirtella*. Jacq.
- 4 cæspitosa. H.S. (d. pu.) tufted. ——— 1790. 8. 11. D.S. 7. Mass. stap. 20. t. 29.

5 radiâta. H.s. (d.pu.) radiated.	C. B. S.	1795.	9. 11.	D.S. 7.	Bot. mag. t. 619.
6 replicâta. s.s. (br.pu.) replicate. <i>Stapelia replicata</i> . Jacq.	————	1806.	8. 10.	D.S. 7.	Jacq. stap. c. ic.
7 mastôdes. s.s. (d.pu.) teat.	————	1821.	—	D.S. 7.	Jacq. stap. c. ic.
8 Jacquiniana. R.s.(d.pu.)Jacquin's. <i>Stapelia radiata</i> . Jacq. non B.M.	————	1802.	7. 9.	D.S. 7.	———— t. 37.
9 tuberculâta. H.s.s.(d.p.) tubercled.	————	1774.	7. 11.	D.S. 7.	————
10 lævigâta. H.s.s. (d.p.) smooth.	————	1808.	—	D.S. 7.	————
11 glomerâta. H.s.s. (d.p.) clustered.	————	—	—	D.S. 7.	————
12 compâcta. H.s.s. (d.p.) compact.	————	1800.	8. 11.	D.S. 7.	————
PECTIN'ARIA. H.S.S. PECTIN'ARIA.	Pentandria Digynia. H.S.	—	—	—	—
1 mammillâris. (br.re.) prickly. <i>Stapelia mammillaris</i> . w.	C. B. S.	1774.	6. 8.	D.S. 7.	Burm. afr. p. 27. t. 11.
2 articulâta. H.s.s. (d.r.) jointed. <i>Stapelia articulata</i> . Mas.	————	—	8. 9.	D.S. 7.	Mass. stap. 20. t. 30.
O'RBEA. H.S. O'RBEA.	Pentandria Digynia. H.S.	—	—	—	—
1 maculôsa. H.s. (y.r.) spotted.	C. B. S.	1804.	6. 9.	D.S. 7.	Bot. mag. t. 1833.
2 mixta. H.s. (vi.ye.) mixed. <i>Stapelia mixta</i> . Mas.	————	1795.	—	D.S. 7.	Mass. stap. 23. t. 38.
3 quinquenervia. H.s.(s.p.)five-nerved.	————	1810.	10. 12.	D.S. 7.	————
4 trisûlca. J.s. (ye.pu.) trisulcate.	————	1806.	—	D.S. 7.	Jacq. stap. c. ic.
5 bisûlca. H.s. (s.p.) bisulcate.	————	—	—	D.S. 7.	————
6 variegâta. H.s. (s.p.) variegated. <i>Stapelia variegata</i> . L. non B.M.	————	1727.	6. 10.	D.S. 7.	Moris. s. 15. t. 3. f. 4.
7 Curtisii. H.s. (s.p.) Curtis's. <i>Stapelia variegata</i> . B.M. non L.	————	1787.	—	D.S. 7.	Bot. mag. t. 26.
8 lêpida. H.s.s. (st.cr.) pretty.	————	1805.	7. 8.	D.S. 7.	Jacq. stap. c. ic.
9 orbiculâris. H.s.s. (br.) large orbcd.	————	1799.	7. 11.	D.S. 7.	Andr. reposit. t. 448.
10 bufônia. H.s. (y.bk.) toad-like. <i>Stapelia Bufonis</i> . B.M.	————	1806.	8. 10.	D.S. 7.	Bot. mag. t. 1676.
11 clypeâta. H.s.s. (y.p.) shield-flowered.	————	1799.	6. 11.	D.S. 7.	Jacq. stap. c. ic.
12 planiflora. H.s.s.(ye.bk.)flat-flowered.	————	1805.	7. 11.	D.S. 7.	Lodd. bot. cab. t. 191.
13 inodora. H.s.s. (s.p.) scentless.	————	1788.	6. 8.	D.S. 7.	————
14 rugôsa. s.s. (gr.br.) rugged.	————	1805.	5. 8.	D.S. 7.	Jacq. stap. c. ic.
15 Wendlandiana. R.s.(s.br.)Wendland's. <i>Stapelia rugosa</i> . Wend. non Jacq.	————	—	6. 9.	D.S. 7.	Wendl. coll. 2. t. 52.
16 marginâta. R.s. (s.vi.) margined.	————	1805.	—	D.S. 7.	————
17 conspurcâta. R.s.(s.vi.) dirtied.	————	1795.	6. 10.	D.S. 7.	Jacq. stap. c. ic.
18 normâlis. R.s. (s.p.) sulphur-coloured.	————	1821.	—	D.S. 7.	Bot. reg. t. 755.
19 marmorâta. R.s. (s.da.) marbled.	————	—	—	D.S. 7.	————
20 retûsa. H.s. (s.da.) retuse.	————	1808.	9. 10.	D.S. 7.	————
21 anguinea. H.s. (y.da.) snake.	————	1806.	8. 9.	D.S. 7.	Lodd. bot. cab. t. 828.
22 picta. H.s. (st.d.p.) painted.	————	1799.	6. 9.	D.S. 7.	Bot. mag. t. 1169.
23 Woodfordiana. H.s.(s.p.)Woodford's.	————	1805.	—	D.S. 7.	————
STAPELIA. H.S. CARRION-FLOWER.	Pentandria Digynia. L.	—	—	—	—
1 grandiflora. R.s. (d.p.) great-flowered. C. B. S.	————	1795.	9. 12.	D.S. 7.	Mass. stap. 13. t. 11.
2 spectâbilis. H.s. (d.p.) showy. <i>grandiflora</i> . B.M. non Mas.	————	1802.	—	D.S. 7.	Bot. mag. t. 585.
3 ambigua. R.s. (re.pu.) ambiguous.	————	1795.	6. 11.	D.S. 7.	Mass. stap. 13. t. 12.
β fulva. (br.) brown-flowered. <i>ambigua varietas</i> . Jacq.	————	—	—	D.S. 7.	Jacq. stap. c. ic.
4 sorôria. R.s. (re.pu.) sister.	————	1797.	6. 8.	D.S. 7.	Mass. stap. 23. t. 39.
5 elongâta. (br.) long-branched. <i>sorôria varietas</i> . Jacq.	————	—	—	D.S. 7.	Jacq. stap. c. ic.
6 lunâta. (pu.) lunate-spotted. <i>sorôria varietas alia</i> . Jacq.	————	—	—	D.S. 7.	Jacq. stap. c. ic.
7 pâtula. R.s. (d.p.) spreading. <i>sorôria</i> . Jacq. non Mas.	————		—	D.S. 7.	Jacq. stap. c. ic.
8 deflexa. B.M. (ye.re.) reflexed. <i>reflexa</i> . H.s. <i>Gonostemon deflexum</i> . s.s.	————	1806.	—	D.S. 7.	Bot. mag. t. 1890.
9 lûcida. R.s. (pu.) glossy.	————	1821.	—	D.S. 7.	————
10 brevirostris. W.en.(br.)short-beaked.	————		—	D.S. 7.	————
11 Massoni. H.s. (d.p.) Masson's.	————	1808.	—	D.S. 7.	————
12 Astérias. R.s. (d.p.ye.) Starfish.	————	1795.	5. 11.	D.S. 7.	Bot. mag. t. 536.
13 stellâris. H.s.s. (br.p.) starry.	————	1804.	8. 10.	D.S. 7.	Jacq. stap. c. ic.
14 hirsûta. R.s. (s.d.vi.) hairy.	————	1710.	6. 8.	D.S. 7.	Jacq. misc. 1. t. 3.
β atra. B.R. (da.pu.) dark-flowered.	————	—	—	D.S. 7.	Bot. reg. t. 756.
15 lanifera. H.s.s. (d.br.) woolly-flowered.	————	1814.	6. 9.	D.S. 7.	————

16	flavicomâta. H.s.s. (br.) yellow-haired.	C. B. S.	1814.	6. 9.	D.S. 7.	
17	hamâta. R.S. (pu.re.) hooked.	—	1805.	—	D.S. 7.	Lodd. bot. cab. t. 242.
18	comâta. R.S. (d.p.ye.) very-hairy.	—	1821.	—	D.S. 7.	
19	multiflora. DC. (pu.re.) many-flowered.	—	—	—	D.S. 7.	
20	rûfa. R.S. (bl.re.) rusty brown.	—	1795.	6. 11.	D.S. 7.	Lodd. bot. cab. t. 239.
21	pulvinâta. R.S. (r.p.) cushioned.	—	—	—	D.S. 7.	Bot. mag. t. 1240.
22	fissirostris. R.S. (gr.pu.) cloven-beaked.	—	1821.	—	D.S. 7.	Jacq. stap. c. ic.
23	concinna. R.S. (br.) spruce.	—	1795.	6. 8.	D.S. 7.	Mass. stap. 15. t. 18.
24	glandulifera. R.S. (y.br.) hairy-glanded.	—	—	—	D.S. 7.	
25	hispidula. R.S. (br.) hispid.	—	1821.	—	D.S. 7.	
26	glanduliflora. R.S. (st.) gland-flowered.	—	1795.	8. 11.	D.S. 7.	Mass. stap. 16. t. 19.
27	acuminâta. R.S. (d.p.) acuminate.	—	—	7. 9.	D.S. 7.	— 15. t. 17.
28?	cordâta. H.S. heart-shaped.	—	1805.	6. 8.	D.S. 7.	
29?	canescens. H.S. canescent.	—	1795.	—	D.S. 7.	
30?	ophiuncula. H.S. serpent-like.	—	1805.	—	D.S. 7.	
TRIDEN'TEA. H.S. TRIDEN'TEA. Pentandria Digynia. H.S.						
1	gemmiflora. H.S. (bk.) gem-flowered.	C. B. S.	1795.	10. 11.	D.S. 7.	Mass. stap. 14. t. 15.
2	stygia. H.S. (bk.) Stygian.	—	1800.	8. 10.	D.S. 7.	Bot. mag. t. 1839.
	<i>Stapelia gemmiflora</i> . B.M.					
3	moschâta. H.S.S. (d.p.) musk-scented.	—	1799.	9. 11.	D.S. 7.	Lodd. bot. cab. t. 1051.
	<i>Stapelia hircosa</i> . Jacq. stap. c. ic.					
4	vétula. H.S. (d.p.) purple smooth.	—	1793.	5. 11.	D.S. 7.	Mass. stap. 15. t. 16.
5	Simsii. H.S. (d.p.) Sims's.	—	1800.	—	D.S. 7.	Bot. mag. t. 1234.
	<i>Stapelia vétula</i> . B.M. non Mass.					
6	paniculâta. R.S. (re.) paniced.	—	1805.	6. 9.	D.S. 7.	
7	juvencula. s.s. (d.br.) short-flowered.	—		—	D.S. 7.	Jacq. stap. c. ic.
8	depressa. R.S. (re.p.) depressed.	—		—	D.S. 7.	— c. ic.
TROMOTRICHE. H.S. TROMOTRICHE. Pentandria Digynia. H.S.						
1	fuscâta. H.S.S. (br.) brown-flowered.	C. B. S.	1814.	6. 10.	D.S. 7.	Jacq. stap. c. ic.
	<i>Stapelia fuscâta</i> . Jacq.					
2	glauca. H.S.S. (cr.) large-glaucous.	—	1799.	6. 11.	D.S. 7.	Jacq. stap. c. ic.
3	revoluta. H.S. (cr.) revolute-flowered.	—	1790.	6. 9.	D.S. 7.	Bot. mag. t. 724.
	<i>Stapelia revoluta</i> . B.M.					
4	pruinosa. H.S. (bh.) frosted.	—	1795.	6. 8.	D.S. 7.	Mass. stap. 24. t. 41.
5	obliqua. R.S. (ye.vi.) oblique-flowered.	—	1805.	6. 9.	D.S. 7.	
6	mutabilis. (gr.br.) changeable.	—	1823.	—	D.S. 7.	Jacq. stap. c. ic.
	β variabilis. (st.re.) variable.	—	—	—	D.S. 7.	— c. ic.
	<i>Stapelia mutabilis varietas</i> . Jacq.					
7	ciliata. (ye.) fringed.	—	1795.	10. 12.	D.S. 7.	Mass. stap. 9. t. 1.
	<i>Stapelia ciliata</i> . Mass.					
PODANTHES. H.S. PODANTHES. Pentandria Digynia. H.S.						
1	pulchra. H.S. (st.) beautiful sulphur.	C. B. S.	1800.	8. 10.	D.S. 7.	
	β major. (st.d.p.) larger.	—	—	—	D.S. 7.	Bot. mag. t. 786.
	<i>Stapelia verrucosa</i> . B.M. nec aliorum.					
2	irrorata. H.S. (st.cr.) dewy.	—	1795.	7. 9.	D.S. 7.	Mass. stap. 12. t. 9.
3	verrucosa. H.S. (st.br.) warted.	—	—	8. 10.	D.S. 7.	— 11. t. 8.
4	roriflûa. R.S. (st.cr.) dew-bearing.	—	1802.	—	D.S. 7.	Jacq. stap. c. ic.
	<i>Stapelia roriflûa</i> . Jacq.					
5	pulchella. H.S. (st.cr.) beautiful.	—	1795.	5. 11.	D.S. 7.	Mass. stap. 22. t. 36.
6	incarnata. s.s. (fl.) flesh-coloured.	—	1793.	4. 8.	D.S. 7.	— 22. t. 34.
OBESIA. H.S. OBESIA. Pentandria Digynia. H.S.						
1	serrulata. s.s. (st.br.) sawed.	C. B. S.	1805.	6. 8.	D.S. 7.	Jacq. stap. c. ic.
	<i>Stapelia serrulata</i> . Jacq.					
2	geminata. H.S. (ye.br.) twin-flowered.	—	1795.	5. 11.	D.S. 7.	Bot. mag. t. 1326.
	<i>Stapelia geminata</i> . B.M.					
3	decora. H.S. (ye.pu.) neat.	—	—	—	D.S. 7.	Mass. stap. 19. t. 26.
4?	arida. (ye.br.) dry.	—	1795.	8.	D.S. 7.	— 21. t. 33.
	<i>Stapelia arida</i> . Mass.					
GONOSTEMON. H.S. GONOSTEMON. Pentandria Digynia. H.S.						
1	divaricatum. H.S. (fl.) divaricated.	C. B. S.	1793.	6. 11.	D.S. 7.	Bot. mag. t. 1007.
	<i>Stapelia divaricata</i> . B.M.					
2	strictum. H.S.S. (fl.) upright.	—	1819.	10. 12.	D.S. 7.	Bot. mag. t. 2037.
	<i>Stapelia stricta</i> . B.M.					
3	pallidum. R.S. (pa.) pale-flowered.	—	—	—	D.S. 7.	Wendl. coll. 2. t. 51.
	<i>Stapelia pallida</i> . Wendl.					
CARUNCULARIA. H.S. CARUNCULARIA. Pentandria Digynia. H.S.						
1	Simsii. (re.bk.) Sims's.	C. B. S.	1790.	6. 11.	D.S. 7.	Sims bot. mag. t. 793.
	<i>Stapelia pedunculata</i> . B.M. <i>pedunculata</i> Simsii. Jacq. stap. c. ic.					

- 2 Massōni. (br.) Masson's. C. B. S. 1790. 6. 11. D.S. h. Mass. stap. p. 17. t. 21.
Stapelia pedunculata. Mass. *pedunculata* Massōni. Jacq. stap. c. ic.
- 3 Jacquinī. (co.) Jacquin's. ———— D.S. h. Jacq. stap. c. ic.
Stapelia pedunculata. Jacq.
- 4 penduliflora. (br.) pendulous-flower'd. ———— D.S. h. Jacq. stap. c. ic.
Stapelia pedunculata alia. Jacq.
- 5 apēta. (p.pu.) open-flowered. ———— 1795. 7. 8. D.S. h. Mass. stap. 23. t. 37.
Stapelia apēta. Mass.
- PIARA'NTHUS. B. PIARA'NTHUS. Pentandria Digynia. H.S.
- 1 punctatus. R.S. (fl.) purple dotted. C. B. S. 1795. 7. 11. D.S. h. Mass. stap. 18. t. 24.
2 pūllus. R.S. (d.p.) many-flowered. ———— 1774. 8. 9. D.S. h. Bot. mag. t. 1648.
3 ramōsus. (bk.) branched. ———— 1795. 6. 8. D.S. h. Mass. stap. 21. t. 32.
Stapelia ramōsa. Mass.
- 4 parviflorus. s.s. (pu.) small-flowered. ———— D.S. h. Mass. stap. 22. t. 35.
5 piliferus. (bk.) hairy-tubercled. ———— 1799. ———— D.S. h. ———— 17. t. 23.
- HO'ODIA. Ho'ODIA. Pentandria Digynia.
- Gordōni. (br.) Gordon's. C. B. S. 1796. D.S. h. Mass. stap. 24. t. 40.
Stapelia Gordōni. Mass.
- HUERNIA. B. HUERNIA. Pentandria Digynia. R.S.
- 1 reticulata. H.S. (d.pu.) netted. C. B. S. 1793. 7. 8. D.S. h. Bot. mag. t. 1662.
Stapelia reticulata. B.M.
β *deformis*. J.S. (wh.pu.) deformed. ———— D.S. h. Jacq. stap. c. ic.
- 2 campanulata. H.S. (st.pu.) bell-shaped. ———— 1795. 7. 10. D.S. h. Bot. mag. t. 1227.
3 clavigera. H.S. (st.cr.) club-haired. ———— D.S. h. ———— t. 1661.
Stapelia campanulata. B.M. *nec aliorum*.
- 4 venusta. H.S. (st.re.) showy. ———— 6. 7. D.S. h. Mass. stap. 10. t. 3.
5 lentiginosa. H.S. (st.pu.) freckled. ———— 7. 11. D.S. h. Bot. mag. t. 506.
6 guttata. H.S. (st.cr.) red-spotted. ———— 8. 11. D.S. h. Mass. stap. 10. t. 4.
7 humilis. H.S. (st.pu.) humble. ———— D.S. h. ———— 10. t. 5.
8 tubata. H.S. (st.re.) tube-flowered. ———— 1805. ———— D.S. h. Jacq. stap. c. ic.
9 duodecimfida. J.S. (st.re.) eleven-cleft. ———— D.S. h. ———— c. ic.
- 10 crispa. H.S. (st.pu.) curled. ———— D.S. h. ————
11 barbata. H.S. (st.pu.) bearded. ———— 1795. ———— D.S. h. Mass. stap. 11. t. 7.
12 ocellata. R.S. (st.pu.) eyed. ———— 1816. ———— D.S. h. ————
- BRACHYTE'LMA. B.R. BRACHYTE'LMA. Pentandria Digynia. S.S.
- tuberosum. B.R. (pu.) tuberous-rooted. C. B. S. 1820. 4. 10. S. 2. Bot. reg. t. 722.
- CARALLUMA. H.S. CARALLUMA. Pentandria Digynia. S.S.
- 1 adscēdens. H.S. (pu.) ascending. E. Indies. 1804. 7. 11. D.S. h. Roxb. cor. 1. t. 30.
2 umbellata. H.S. (fl.) umbelled. ———— D.S. h. ———— 3. t. 241.
3 crenulata. Wa. (ye.pu.) crenulate. ———— 1824. 6. 9. D.S. h. Wall pl. as. rar. t. 7.
4 fimbriata. Wa. (pu.) fringed. ———— D.S. h. ———— t. 8.
- HO'YA. B.P. HO'YA. Pentandria Digynia. R.S.
- 1 crassifolia. H.S. (wh.) large-leaved. China. 1817. 10. 1. D.S. h. ————
2 carnosa. H.K. (bh.) fleshy-leaved. ———— 1802. 7. 10. D.G. h. ———— Bot. mag. t. 788.
3 pallida. B.R. (bh.) pale. ———— 1820. ———— D.S. h. ———— Bot. reg. t. 951.
acuta. H.R.
- 4 Pöttsi. H.T. (bh.) Potts's. ———— 1822. ———— D.S. h. ————
5 trinervis. H.T. (bh.) three-nerved. ———— 1824. ———— D.S. h. ————
6 lanceolata. D.P. (bh.) spear-leaved. Nepaul. 1825. ———— D.G. h. ————
7 viridiflora. B.P. (gr.) green-flowered. E. Indies. S. h. ———— Rheed. mal. 9. t. 15.
- FISCHERIA. DC. FISCHERIA. Pentandria Digynia.
- scādens. DC. (gr.ye.) climbing. S. America. 1826. S. h. ———— DC. hort. mon. ined. t. 67.
- TYLO'PHORA. B.P. TYLO'PHORA. Pentandria Digynia. R.S.
- 1 grandiflora. B.P. (br.gr.) great-flowered. N. S. W. 1822. 6. 8. G. h. ————
2 barbata. B.P. (gr.br.) bearded. ———— G. h. ————
3 exilis. L.T. (pu.) slender. E. Indies. 1823. ———— S. h. ———— Linn. trans. 12. t. 16.
- CEROPE'GIA. R.S. CEROPE'GIA. Pentandria Digynia. R.S.
- 1 aphylla. H.S. (st.) leafless. Canaries. 1808. S. h. ————
2 stapeliæformis. H.P. (br.) Stapelia-like. C. B. S. 1826. 7. 8. D.S. h. ————
3 torulosa. H.R. straddling. ———— 1821. D.S. h. ————
4 dichotoma. H.R. (st.) forked. E. Indies. 1806. 8. D.S. h. ————
5 juncæa. R.S. (st.pu.) rushy. ———— 1820. 4. 6. D.S. 2. ———— Roxb. cor. 1. t. 10.
6 africāna. B.R. (br.) African. C. B. S. 1821. 4. 11. D.S. 2. ———— Bot. reg. t. 626.
7 bulbosa. R.S. (pu.) bulbous-rooted. E. Indies. ———— D.S. 2. ———— Roxb. cor. 1. t. 7.
8 tuberosa. R.S. (pu.) tuberous-rooted. ———— D.S. 2. ———— 1. t. 9.
- PERGULARIA. R.S. PERGULARIA. Pentandria Digynia. R.S.
- 1 odoratissima. R.S. (st.) large. E. Indies. 1784. 6. 7. S. h. ———— Bot. reg. t. 412.
2 minor. R.S. (st.) smaller. ———— 1790. 5. 8. S. h. ———— Bot. mag. t. 755.
3 sanguinolenta. B.M. (st.) bloody-juiced. Sierra Leon. 1822. 8. 9. S. h. ———— t. 2532.

- MARSD'ENIA. B.P.** **MARSD'ENIA.** Pentandria Digynia. R.S.
 1 suaveolens. B.P. (*wh.*) sweet-scented. N. S. W. 1816. 3. 8. G. h. ∪. Bot. reg. t. 489.
 2 erecta. R.S. (*wh.*) upright. Syria. 1597. 7. 8. G. h. ∪. Jacq. vind. 1. t. 357.
- DISCHIDIA. B.P.** **DISCHIDIA.** Pentandria Digynia. S.S.
 bengalensis. L.T. (*st.*) Bengal. E. Indies. 1818. 6. 10. S. h. ∪. Bot. mag. t. 2916.
- GYM'EMA. B.P.** **GYM'EMA.** Pentandria Digynia. R.S.
 1 sylvestre. R.S. (*wh.*) netted-leaved. Ceylon. 1816. 6. 8. S. h. ∪. Willd. phyt. 1. t. 5. f. 3.
 2 tingens. s.s. (*ye.*) pointed-leaved. F. Indies. 1823. — S. h. ∪. Roxb. corom. 3. t. 239.
Asclepias tingens. R.C.
 3 tenacissimum. s.s. (*ye.*) tough. — 1806. — S. h. ∪. Roxb. corom. 3. t. 240.
- SARCO'LOBUS. R.S.** **SARCO'LOBUS.** Pentandria Digynia. R.S.
 1 globosus. R.S. (*wh.*) globular-fruit'd. E. Indies. 1823. — S. h. ∪. Wall. as. res. 12. t. 4.
 2 carinatus. R.S. (*gr. ye.*) keeled-fruited. — — S. h. ∪. — 12. t. 5.
- GONO'LOBUS. R.S.** **GONO'LOBUS.** Pentandria Digynia. R.S.
 1 maritimus. R.S. (*gr. p.*) sea-side. Caracas. 1823. 6. 10. S. h. ∪. Bot. reg. t. 931.
 2 suberosus. R.S. (*pu.*) cork-barked. America. 1732. 7. 9. S. h. ∪. Dill. elt. t. 229. f. 296.
 3 crispiflorus. R.S. (*wh. gr.*) curled-flower'd. S. America. 1741. 7. 8. S. h. ∪. Plum. ic. t. 216. f. 1.
 4 guianensis. s.s. (*gr.*) green-flowered. Guiana. 1826. 7. 9. S. h. ∪.
viridiflorus. R.S. non Nutt. Cynanchum viridiflorum. Meyr.
 5 grandiflorus. R.S. (*ye.*) large-flowered. S. America. 1825. 8. 10. S. h. ∪. Bot. reg. t. 1053.
 6 rostratus. R.S. (*gr.*) beaked-petal'd. Trinidad. 1823. — S. h. ∪.
 7 niger. R.S. (*bk.*) black-flowered. Mexico. 1825. 9. 11. G. 4. ∪. Bot. mag. t. 2799.
Cynanchum nigrum. Cav. ic. 2. t. 159.
 8 uniflorus. K.S. (*pu.*) solitary-flowered. — — S. h. ∪. H. et B. 3. t. 238.
 9 carolinensis. R.S. (*d. p.*) blunt-flowered. N. America. 1820. 7. 9. H. 4. ∪. Jacq. ic. 2. t. 342.
 10 hirsutus. R.S. (*d. pu.*) hairy. — 1806. 6. 9. H. 4. ∪. Swt. br. fl. gar. t. 1.
 11 macrophyllus. N. (*p. pu.*) large-leaved. — 1822. — H. 4. ∪.
 12 discolor. R.S. (*d. pu.*) Virginian. — 1809. 7. 9. H. 4. ∪. Bot. mag. t. 1273.
Cynanchum discolor. B.M.
 13 obliquus. R.S. (*pu.*) oblique-flower'd. Carolina. 1818. — H. 4. ∪. Jacq. ic. 2. t. 341.
 14 Baldwinianus. (*st.*) Baldwin's. Savannah. 1822. 7. 9. H. 4. ∪. Lodd. bot. cab. t. 365?
hirsutus. L. bot. cab. ? nec aliorum. carolinianus. N. non Jacq.
 15 hirtus. R.S. (*pu.*) hairy-leaved. America. — — S. h. ∪. Moris. his. 3. s. 15. t. 3. f. 61.
 16 undulatus. R.S. (*br. pu.*) wave-leaved. S. America. 1814. — S. h. ∪. Jacq. amer. 85. t. 58.
 17 viridiflorus. N. (*gr.*) Nuttall's. Mississippi. 1822. — H. 4. ∪.
- Nuttallianus. s.s.*
 18 lavis. R.S. (*d. pu.*) smooth. — 1806. 6. 7. H. 4. ∪.
 19 diadematus. B.R. (*st.*) red-crowned. Mexico. 1812. 9. 10. S. h. ∪. Bot. reg. t. 252.
 20 barbatus. R.S. (*ye.*) bearded. — 1826. — G. h. ∪. H. et B. n. gen. 3. t. 239.
 21 mucronatus. (*br. re.*) sharp-pointed. Trinidad. 1804. 7. 8. S. h. ∪. Andr. reposit. t. 515.
Cynanchum mucronatum. A.R. non K.S.
- ENSL'ENIA. N.** **ENSL'ENIA.** Pentandria Digynia.
 alba. N. (*st.*) straw-coloured. Virginia. 1828. 7. 9. H. 4. ∪.
- ASCLEPIAS. R.S.** **SWALLOW-WORT.** Pentandria Digynia. R.S.
 1 syriaca. Lam. (*li.*) Syrian. Astracan. 1629. 7. 8. H. 4. Blackw. t. 521.
Beid el Ossar. Veslingius. Linn. trans. v. 14. p. 239.
 2 obovata. E.C. (*pu.*) obovate-leaved. Carolina. 1826. — H. 4.
 3 tomentosa. E.C. (*pu.*) woolly. — — H. 4.
 4 exaltata. L. en. (*pu.*) tall. N. America. — — H. 4.
 5 phytolaccoides. R.S. (*pu.*) Phytolacca-like. — 1812. — H. 4.
 6 parviflora. R.S. (*wh.*) small flowered. — 1774. 7. 10. H. 4. Jacq. f. ecl. t. 28.
 7 salicifolia. B.C. (*wh.*) Willow-leaved. S. America. 1816. 6. 9. G. 4. Lodd. bot. cab. t. 272.
 8 angustifolia. R.S. (*fl.*) narrow-leaved. Mexico. 1824. — F. 4.
 9 curassavica. R.S. (*or.*) Curassavian. S. America. 1692. 6. 10. S. 4. Bot. reg. t. 81.
 10 nivea. R.S. (*wh.*) Almond-leaved. N. America. 1730. 7. 9. H. 4. Bot. mag. t. 1181.
 11 virgata. R.S. (*li.*) slender. Mexico. 1825. — F. 4.
 12 incarnata. R.S. (*pu.*) flesh-coloured. N. America. 1710. 7. 8. H. 4. Bot. reg. t. 250.
 13 pulchra. R.S. (*pu.*) hairy. — — H. 4. Swt. br. fl. gar. s. 2. t. 18.
 14 amena. R.S. (*pu.*) oval-leaved. — 1732. — H. 4. Dill. elt. t. 27. f. 30.
 15 purpurascens. R.S. (*pu.*) purple. — — H. 4. — t. 28. f. 31.
 16 citrifolia. R.S. (*wh.*) Citron-leaved. Florida. 1812. — F. 4. Jacq. icon. t. 345.
 17 variegata. R.S. (*wh. re.*) variegated. — 1597. — H. 4. Bot. mag. t. 1182.
 18 obtusifolia. R.S. (*pu.*) blunt-leaved. — 1823. — H. 4.
 19 amplexicaulis. R.S. (*re.*) stem-clasping. — 1812. — H. 4.
 20 laurifolia. M. (*pu.*) Laurel-leaved. — 1823. — H. 4. Pluk. amal. t. 358. f. 2.
periplocifolia. N.
 21 acuminata. R.S. (*wh. pu.*) taper-pointed. — 1812. — H. 4.
 22 paupercula. R.S. (*re.*) remote-leaved. — 6. 7. H. 4.
 23 pedicellata. R.S. (*gr. ye.*) dwarf. — — H. 4.

- 24 *adriifolia*. R.S. (bh.) four-leaved. N. America. 1823. 8. 9. H. 4. Jacq. obs. 2. t. 33.
 25 *micillata*. R.S. (bh.) whorl-leaved. ——— 1759. 8. 10. H. 4. Swt. br. fl. gar. t. 144.
 26 *micicana*. R.S. (wh.) Mexican. Mexico. 1823. 7. 9. G. 7. Cavan. ic. 1. t. 58.
 27 *rosea*. R.S. (ro.) rose-coloured. ——— 1824. — G. 4.
 28 *linifolia*. R.S. (wh.) Flax-leaved. ——— — G. 7.
 29 *linaria*. R.S. (wh.) toadflax-leaved. ——— 1802. — G. 4. Cavan. ic. 1. t. 57.
 30 *rubra*. R.S. (re.) red-flowered. N. America. — H. 4.
 31 *tuberosa*. R.S. (or.) tuberous-rooted. ——— 1690. 7. 9. H. 4. Bot. reg. t. 76.
 32 *decumbens*. W. (or.) decumbent. ——— 1731. — H. 4. Swt. br. fl. gar. s. 2. t. 24.
 ACERATES. E.C. ACERATES. Pentandria Digynia.
longifolia. E.C. (p.pu.) long-leaved. N. America. 1816. 7. 8. H. 4.
Asclepias longifolia. R.S. *Gomphocarpus longifolius*. S.S.
 ANANTHERIX. N. ANANTHERIX. Pentandria Digynia. N.
viridis. N. (gr.) green-flowered. N. America. 1812. 8. 10. H. 4.
 STYLANDRA. N. STYLANDRA. Pentandria Digynia. N.
pumila. N. (st.) dwarf. Carolina. 1812. 7. 8. G. 4.
Podostigma pubescens. S.S. *Asclepias pedicellata*. Ph.
 GOMPHOCARPUS. R.S. GOMPHOCARPUS. Pentandria Digynia. R.S.
 1 *arborescens*. R.S. (wh.) broad-leaved. C. B. S. 1714. 12. G. 7. Jacq. schœnb. 1. t. 50.
 2 *crispus*. R.S. (pu.) curled-leaved. ——— 1774. 7. G. 7. Comm. rar. t. 17.
 3 *fruticosus*. R.S. (wh.) Willow-leaved. ——— 1714. 6. 9. G. 7. Bot. mag. t. 1628.
Asclepias fruticosa. W.
 OXYSTEMA. R.S. OXYSTEMA. Pentandria Digynia. R.S.
esculentum. R.S. (wh.ro.) esculent. E. Indies. 1816. — S. 4. Roxb. corom. 1. t. 11.
 XYSMALOBIMUM. R.S. XYSMALOBIMUM. Pentandria Digynia. R.S.
 1 *undulatum*. R.S. (gr.) waved-leaved. C. B. S. 1783. 7. 8. G. 7. Comm. rar. t. 16.
 2 *grandiflorum*. R.S. (pu.) large-flowered. ——— 1823. — G. 7.
 CALOTROPIS. R.S. CALOTROPIS. Pentandria Digynia. R.S.
 1 *procera*. R.S. (wh.) bell-flowered. Persia. 1714. 7. 9. S. 7. Andr. reposit. t. 271.
Asclepias gigantea. A.R.
 2 *gigantea*. R.S. (p.pu.) curled-flower'd. E. Indies. 1690. — S. 7. Bot. reg. t. 58.
 OXYPETALUM. R.S. OXYPETALUM. Pentandria Digynia.
 1 *appendiculatum*. M.N. appendaged. Brazil. 1824. 6. 8. S. 7. Mart. n. pl. bras. t. 30.
 2 *Banksii*. R.S. Banks's. ——— 1826. — S. 7. ——— t. 29.
 CYNANCHUM. R.S. CYNANCHUM. Pentandria Digynia. L.
 1 *acutum*. R.S. (wh.) acute-leaved. Europe. 1596. 7. H. 4. Flor. græc. t. 250.
 2 *monseliacum*. R.S. (bh.) Montpellier. S. Europe. — 8. 9. H. 4. ——— t. 251.
 3 *pauciflorum*. R.S. (gr.w.) few-flowered. E. Indies. 1822. 5. 8. S. 7. Will. phy. 1. n. 23. t. 5. f. 3.
Periploca tunicata. W.
 4 *pilosum*. R.S. (wh.) hairy. C. B. S. 1726. 6. 9. G. 7. Bot. reg. t. 111.
Periploca africana. A.R. 557.
 5 *crassifolium*. R.S. (gr.w.) thick-leaved. ——— 1816. — G. 7.
 6 *capense*. R.S. (wh.) Cape. ——— 1820. — G. 7.
 7 *roseum*. R.S. (ro.) rosy. Dahuria. 1816. 7. 8. H. 4. Gmel. sib. 4. t. 42.
Asclepias davurica. W.
 8 *nigrum*. R.S. (bk.) black. S. Europe. 1596. 5. 8. H. 4. Bot. mag. t. 2390.
 9 *medium*. R.S. (br.) middle. ——— — H. 4.
 10 *Vincetoxicum*. R.S. (w.) officinal. Europe. 1596. — H. 4. Flor. dan. t. 849.
Asclepias Vincetoxicum. W.
 11 *fuscatum*. S.S. (st.) yellow-flowered. ——— — H. 4.
 12 *sibiricum*. R.S. (st.) Siberian. Siberia. 1775. 7. 8. H. 4. Murr. gott. 2. t. 7.
 13 *fœtidum*. R.S. (st.) fetid. Mexico. 1823. — G. 7. Cavan. ic. 2. t. 158.
 14 *viridiflorum*. B.M. (gr.re.) green-flowered. E. Indies. 1814. 10. 12. S. 7. Bot. mag. t. 1929.
 15 *undatum*. A.R. (gr.w.) wave-leaved. ——— 1803. 7. 8. S. 7. Andr. reposit. t. 410.
 HARRISONIA. B.M. HARRISONIA. Pentandria Digynia.
loniceroides. B.M. (cr.) Honeysuckle. Brazil. 1824. 9. 10. S. 7. Bot. mag. t. 2699.
 DÆMIA. R.S. DÆMIA. Pentandria Digynia. R.S.
 1 *extensa*. R.S. (st.) smooth-leaved. E. Indies. 1778. 7. 8. S. 7. Jacq. ic. 1. t. 54.
 2 *bicolor*. (gr.pu.) two-coloured. ——— 1806. — S. 7. Andr. reposit. t. 562.
Cynanchum bicolor. A.R.
 DIPLOLEPIS. R.S. DIPLOLEPIS. Pentandria Digynia.
 1 *vomitaria*. H.T. (st.) dull-leaved. China. 1820. 6. 9. S. 7.
 2 *apiculata*. H.T. (st.) glossy-leaved. ——— — S. 7.
 SARCOSTEMMA. R.S. SARCOSTEMMA. Pentandria Digynia. R.S.
 1 *viminale*. R.S. (wh.) twisting. E. Indies. 1731. 7. S. 7.
 2 *Swartzianum*. R.S. (wh.) Swartz's. W. Indies. — S. 7. Sloan. hist. 1. t. 131. f. 1.
 EUSTEGIA. R.S. EUSTEGIA. Pentandria Digynia. R.S.
hastata. R.S. (gr.wh.) halberd-leaved. C. B. S. 1816. 6. 8. G. 7. Spr. n. ent. t. 1. f. 5-10.
Apocynum hastatum. W.

METASTE'LMA. R.S.	METASTE'LMA.	Pentandria Digynia.			
parviflorum. R.S. (wh.)	small-flowered.	W. Indies.	1826.	5. 6.	S. h. ∪. Plum. ic. 215. f. 1.
MICROLOMA. R.S.	MICROLOMA.	Pentandria Digynia. R.S.			
1 sagittatum. R.S. (sc.)	arrow-leaved.	C. B. S.	1775.	7. 8.	G. h. ∪. Jacq. schœn. 1. t. 38.
2 lineare. R.S. (cr.)	linear-leaved.	—	1816.	—	G. h. ∪. Pluk. man. 17. t. 335. f. 5.
ASTEPHANUS. R.S.	ASTEPHANUS.	Pentandria Digynia. R.S.			
1 triflorus. R.S. (wh.)	three-flowered.	C. B. S.	1816.	7. 9.	G. 2. ∪.
2 linearis. R.S. (wh.)	panicled.	—	—	—	G. 2. ∪.
3 lanceolatus. R.S. (wh.)	spear-leaved.	—	1822.	—	G. 2. ∪.

ORDO CXL.

GENTIANEÆ. *Brown prodr. 1. p. 449.*

GENTIANA. R.S.	GENTIAN.	Tetr-Pentandria Digynia.			
1 lutea. R.S. (ye.)	yellow.	Alps Europe.	1596.	6. 7.	H. 2. Mill. ic. t. 139.
2 hybrida. R.S. (ye.re.)	hybrid.	Switzerland.	1825.	—	H. 2.
3 purpurea. R.S. (pu.)	purple.	—	1768.	—	H. 2. Andr. reposit. t. 117.
4 pannonica. R.S. (pa.pu.)	round-petaled.	—		—	H. 2. Jacq. aust. 2. t. 136.
β albiflora. (wh.)	white-flowered.	—	1826.	—	H. 2.
5 punctata. R.S. (st.pu.)	dotted-flowered.	—	1775.	—	H. 2. Jacq. aust. 5. t. ap. 28.
6 campanulata. R.S. (ye.)	bell-flowered.	—	1824.	—	H. 2. — ap. t. 29.
7 septemfida. R.S. (bl.)	crested.	Levant.	1804.	—	H. 2. Bot. mag. t. 1229.
β guttata. (bl.wh.)	spotted.	—	—	—	H. 2. — t. 1410.
8 asclepiadæa. R.S. (bl.)	swallowwort-ld.	Austria.	1629.	7. 8.	H. 2. — t. 1078.
9 cruciata. R.S. (bl.)	Crosswort.	—	1596.	6. 7.	H. 2. Jacq. aust. 4. t. 372.
10 macrophylla. R.S. (bl.)	long-leaved.	Siberia.	1796.	7. 8.	H. 2. Bot. mag. t. 1414.
11 adscendens. R.S. (bl.)	ascending.	—	1799.	6. 7.	H. 2. — t. 705.
β decumbens. R.S. (bl.)	decumbent.	—	—	—	H. 2. — t. 723.
12 frigida. R.S. (wh.)	frigid.	Carpathian m.	1816.	—	H. 2. Frœl. gent. n. 13. ic.
13 algida. R.S. (st.bl.)	narrow-leaved.	Siberia.	1808.	—	H. 2. Pall. ros. 2. t. 95.
14 gelida. R.S. (st.)	cream-coloured.	Caucasus.	1816.	—	H. 2.
15 Pneumonánthe. R.S. (bl.)	Calathian violet.	England.		8. 9.	H. 2. Eng. bot. v. 1. t. 20.
β guttata. B.M. (bh.wh.)	spotted-flowered.			—	H. 2. Bot. mag. t. 1101.
16 pseudo-pneumonánthe. R.S. (bl.)	Canadian. N. America.	1828.	—	H. 2.	
<i>Pneumonánthe. Ph.</i>					
17 linearis. R.S. (bl.)	linear-leaved.	—	1816.	—	H. 2.
18 triflora. R.S. (p.bl.)	three-flowered.	Siberia.	1807.	6. 7.	H. 2. Pall. ross. 1. t. 93. f. 1.
19 Saponaria. B.M. (bl.)	barrel-flower'd.	N. America.	1776.	8. 9.	H. 2. Bot. mag. t. 1039.
20 Catesbyæ. N. (bl.)	Catesby's.	—	—	6. 8.	H. 2. Andr. reposit. t. 418.
21 intermedia. B.M. (pu.)	intermediate.	—	1820.	8. 9.	H. 2. Bot. mag. t. 2303.
22 incarnata. B.M. (fl.)	flesh-coloured.	—	1812.	9. 11.	H. 2. — t. 1856.
23 ochroleuca. R.S. (st.)	pale-flowered.	—	1803.	8. 9.	H. 2. — t. 1551.
24 quinquefolia. R.S. (pu.)	five-flowered.	—	1823.	7. 9.	H. 2.
<i>amarelloides. M.</i>					
25 aurea. R.S. (wh.ye.)	large involucred.	Norway.	—	—	H. 2. Flor. dan. t. 344.
quinquefolia. F.D.	involucrata.	Rottb. ac. havn. 10. p. 434.	t. 1. f. 2.	A. B.	
26 umbellata. M.B. (pa.bl.)	umbel-flowered.	Caucasus.	1823.	8. 10.	H. 2.
27 acaulis. R.S. (bl.)	dwarf.	Wales.		3. 6.	H. 2. Eng. bot. v. 23. t. 1594.
28 alpina. R.S. (bl.)	Alpine.	Switzerland.	1818.	—	H. 2. Lodd. bot. cab. t. 476.
29 altaica. R.S. (bl.)	Altay.	Siberia.	1826.	—	H. 2. Pall. ross. 2. t. 97. f. 1.
30 pyrenaica. R.S. (bl.)	Pyrenean.	Pyrenees.	1825.	—	H. 2. W. et K. hung. t. 207.
31 pumila. R.S. (bl.)	small.	Switzerland.	—	—	H. 2. Jacq. obs. 2. t. 49.
32 verna. R.S. (bl.)	spring.	England.		—	H. 2. Eng. bot. v. 7. t. 493.
33 æstiva. R.S. (bl.)	summer.	Germany.	1826.	—	H. 2. Rem. arch. 1. t. 3. f. 8.
34 bavaria. R.S. (bl.)	Bavarian.	—	1775.	7.	H. 2. Vill. delph. 2. t. 10.
35 imbricata. R.S. (bl.)	imbricated.	Switzerland.	1825.	—	H. 2. Barrel. ic. 101. f. 2.
36 angulosa. R.S. (bl.)	angular-calyx'd.	Caucasus.	1826.	4. 6.	H. 2. Marsch. cent. rar. 1. t. 47.
37 utriculosa. R.S. (bl.)	bladdered.	—	—	7. 9.	H. 2. W. et K. hung. t. 206.
38 nivalis. R.S. (bl.)	small alpine.	Scotland.		8. 9.	H. 2. Eng. bot. v. 13. t. 896.
39 aquatica. R.S. (bl.)	water-side.	Dahuria.	1827.	7. 9.	H. 2.

- 40 *humilis*. R.S. (*publ.*) dwarf. Caucasus. 1827. 7. 9. H. ♂. Pall. ross. 2. t. 97. f. 2.
 41 *uniiflora*. R.S. (*vi.*) one-flowered. M. Carpathian. 1828. — H. ♂. Rœm. ar. 1. p. 23. t. 2. f. 4.
 42 *germanica*. R.S. (*vi.*) German. Germany. 1825. 8. 9. H. ♂. Mayrh. fl. mon. t. 278.
 43 *amarélla*. R.S. (*vi.*) autumnal. Britain. 8. 10. H. ♂. Eng. bot. v. 4. t. 236.
 44 *uliginosa*. R.S. (*bl.*) marsh. Germany. 1827. — H. ♂.
 45 *obtusifolia*. R.S. (*bl. st.*) blunt-leaved. Switzerland. 1828. — H. ♂. Rœm. ar. 1. p. 22. t. 2. f. 3.
 46 *pratensis*. R.S. (*vi.*) field. Siberia. 1824. — H. ♂.
 47 *caucásica*. R.S. (*bl.*) Caucasian. Caucasus. 1804. 7. 8. H. ♂. Bot. mag. t. 1038.
 48 *campéstris*. R.S. (*vi.*) field. Britain. 8. 10. H. ♂. Eng. bot. v. 4. t. 237.
 49 *angustifolia*. R.S. (*bl.*) slender-leaved. N. America. 1820. 8. 9. H. ♀.
 50 *glaciális*. R.S. (*bl.*) northern. N. Europe. 1826. H. ♂. Sch. rom. arc. 1. t. 2. f. 5.
 51 *conférta*. F. (*bl.*) crowded. Altay. 1827. — H. ♂.
 52 *Gebleri*. F. (*bl.*) Gebler's. — — H. ♂. Reich. ic. t. 271.
 53 *rotàra*. R.S. (*bl.*) rotate. Siberia. — — H. ♂. Pall. ross. 2. t. 89. f. 3.
 54 *ciliàta*. R.S. (*bl.*) fringe-flowered. S. Europe. 1759. — H. ♀. Jacq. aust. t. 113.
 55 *fimbriàta*. R.S. (*bl.*) fimbriate. Caucasus. 1824. 7. 9. H. ♀.
 56 *crinita*. R.S. (*bl.*) jagged-flower'd. N. America. 1804. 7. 10. H. ♂. Swt. br. fl. gar. t. 139.
fimbriàta. Andr. rep. t. 509. non w.
 57 *barbàta*. R.S. (*bl.*) bearded. Siberia. 8. 9. H. ♂. Bot. mag. t. 639.
ciliàta. B.M. nec *aliorum*.
SWE'RTIA. R.S. **FELWORT**. Tetr-Pentandria Digynia.
 1 *perénis*. R.S. (*br. pu.*) marsh. England. 7. 8. H. ♀. Eng. bot. v. 21. t. 1441.
 2 *Michauxiàna*. R.S. (*st.*) American. N. America. 1824. — H. ♂.
 3 *dichótoma*. R.S. (*gr. re.*) forked. Siberia. 1827. 7. 9. H. ♂. Pall. ross. 2. t. 91.
CHL'ORA. S.S. **YELLOW-WORT**. Octandria Monogynia. L.
 1 *imperfoliàta*. s.s. (*ye.*) sessile-leaved. Italy. 1826. 6. 7. H. ☉.
 2 *perfoliàta*. s.s. (*ye.*) perfoliate. Britain. — H. ☉. Eng. bot. v. 1. t. 60.
FRAS'ERA. M. **FRAS'ERA**. Tetrandria Monogynia. R.S.
Walteri. M. (*ye.*) Walter's. N. America. 1795. 7. 8. H. ♂.
carolinénsis. Walt.
ERYTHR'ÆA. R.S. **ERYTHR'ÆA**. Pentandria Monogynia. P.S.
 1 *Centaurium*. R.S. (*ro.*) common. Britain. 7. 8. H. ☉. Eng. bot. v. 6. t. 417.
 2 *latifolia*. s.s. (*ro.*) broad-leaved. Lancashire. — H. ☉.
 3 *pulchélla*. R.S. (*ro.*) dwarf branching. England. 8. 9. H. ☉. Eng. bot. v. 7. t. 458.
 4 *littoralis*. R.S. (*ro.*) simple dwarf. Britain. 6. 8. H. ☉. — v. 33. t. 2305.
 5 *conférta*. R.S. (*ro.*) close-flowered. Spain. 1818. 5. 11. H. ♀.
 6 *spicàta*. R.S. (*ro.*) spiked. S. Europe. — H. ♂. Flor. græc. t. 238.
β albiflora. (*wh.*) white-flowered. — — — H. ♂. Matth. comm. p. 488. f. 2.
 7 *austràlis*. B.P. (*ro.*) New Holland. New Holland. 1823. 5. 8. G. ♂.
 8 *uliginosa*. R.S. (*ro.*) marsh. Hungary. 1825. 6. 8. H. ♂. W. et K. pl. hung. t. 238.
 9 *aggregàta*. B.F.G. (*ro.*) cluster-branch'd. Nepaul. 1824. 3. 11. H. ♀. Swt. br. fl. gar. t. 137.
 10 *marítima*. F.G. (*ye.*) sea-side. S. Europe. 1777. 7. 8. H. ☉. Flor. græc. t. 237.
 11 *Massoni*. (*ye.*) Masson's. Azores. — — F. ♀.
marítima. H.K. nec *aliorum*. vid. obs. in Flor. Græc.
 12 *lutea*. R.S. (*ye.*) yellow-flowered. S. Europe. — H. ☉. Barrel. ic. 468.
SABB'ATIA. R.S. **SABB'ATIA**. Pentandria Monogynia. R.S.
 1 *grácilis*. R.S. (*ro.*) slender. N. America. 7. 9. H. ♂. Sal. par. lond. t. 32.
 2 *stellàris*. R.S. (*ro. ye.*) starry. — — 1827. 6. 8. H. ♂. Bartr. ic. ined. t. 13.
 3 *angulàris*. R.S. (*pu.*) angular-stalked. — — 1823. 7. 8. H. ♂.
 4 *calycòsa*. R.S. (*ro.*) dichotomous. — — 1812. 6. 8. H. ♂. Bot. mag. t. 1600.
 5 *chloroides*. R.S. (*ro.*) Chloralike. — — 1817. 8. 9. H. ♂.
 6 *paniculàta*. R.S. (*wh.*) panicked. — — — H. ♀.
VOH'RIA. R.S. **VOH'RIA**. Pentandria Monogynia.
 1 *rosea*. R.S. (*ro.*) rose-coloured. Trinidad. 1822. 6. 8. S. ♀. Anbl. guian. 1. t. 83. f. 1.
Lita rosea. w.
 2 *cerùlea*. R.S. (*bl.*) blue-flowered. — — 1824. — S. ♀. Anbl. guian. 1. t. 83. f. 2.
 3 *uniflora*. R.S. (*ye.*) one-flowered. W. Indies. — — S. ♀. Jacq. amer. 87. t. 60. f. 3.
CHIR'ONIA. R.S. **CHIR'ONIA**. Pentandria Monogynia. L.
 1 *jasmínoides*. R.S. (*ro.*) Jasmine-like. C. B. S. 1812. 4. 7. G. ♀. Bot. reg. t. 197.
 2 *lychnoides*. R.S. (*pu.*) Lychnis-flowered. — — 1816. — G. ♀.
 3 *nudicaulis*. R.S. (*pu.*) naked-stalked. — — — G. ♀. Linn. trans. 7. t. 12. f. 3.
 4 *linoides*. R.S. (*pt.*) flax-leaved. — — 1787. 7. 9. G. ♀. Bot. mag. t. 511.
 5 *tetragóna*. R.S. (*pu.*) four-sided. — — 1822. — G. ♀. Linn. trans. 7. t. 12. f. 2.
 6 *baccifera*. R.S. (*pi.*) berry-bearing. — — 1759. 6. 7. G. ♀. Bot. mag. t. 233.
 7 *angustifolia*. B.M. (*ro.*) narrow-leaved. — — 1800. 6. 8. G. ♀. — t. 818.
 8 *frutescens*. R.S. (*ro.*) frutescent. — — 1756. 6. 9. G. ♀. — t. 37.
β albiflora. (*wh.*) white-flowered. — — — G. ♀.
 9 *decussàta*. R.S. (*ro.*) cross-leaved. — — 1789. — G. ♀. Bot. mag. t. 707.

- HIPPION. S.S.** **H'IPPION.** Pentandria Monogynia. S.S.
viscòsum. s.s. (ye.) clammy. Canaries. 1781. 6. 7. G. ♂. Sm. ic. fas. 3. t. 18.
Exàcum viscòsum. Sm. *Gentiàna viscòsa.* Bot. mag. t. 2135.
- SEB'EA. B.P.** **SEB'EA.** Tetr-Pentandria Monogynia. S.S.
1 ovàta. B.P. (st.) oval-leaved. N. S. W. 1820. 8. 10. G. ○. Lab. nov. hol. 1. t. 52.
2 àlbens. B.P. (wh.) white-flowered. C. B. S. — G. ○. Burm. afr. t. 74. f. 4.
3 cordàta. B.P. (ye.) heart-leaved. — 1815. 7. 8. H. ○. — t. 74. f. 5.
- CICE'NDIA. Adams.** **CICE'NDIA.** Tetrandria Monogynia.
filifòrme. (ye.) slender-stalk'd. Britain. H. ○. Eng. bot. v. 4. t. 235.
Exàcum filifòrme. E.B. *Microcàle filifòrme.* Lk.
- EX'ACUM. B.P.** **EX'ACUM.** Tetrandria Monogynia. L.
tetragònum. D.P. (ye.) square-stalked. Nepaul. 1820. 8. 10. H. ○.
- COUTOUB'EA. P.S.** **COUTOUB'EA.** Tetrandria Monogynia.
1 ternifòlia. P.S. (wh.) three-leaved. Trinidad. 1820. 6. 10. S. ○. Cavan. icon. 4. t. 328.
2 ramòsa. Aub. (pu.) purple-flowered. — 1823. — S. ○. Aubl. guian. 1. t. 28.
purpùrea. Lam. ill. t. 79. *Exàcum ramòsum.* R.S.
- MITRASA'CME. B.P.** **MITRASA'CME.** Tetrandria Monogynia. R.S.
1 polymórpha. B.P. (wh.) variable. N. S. W. 1822. 6. 8. G. ♀.
2 canéscens. B.P. (wh.) canescent. — 1820. — G. ♀.
3 serpyllifòlia. B.P. (wh.) creeping. — 1826. — G. ♀.
- HOUSTONIA. R.S.** **HOUSTONIA.** Tetrandria Monogynia. L.
1 cærùlea. R.S. (pa.bl.) blue-flowered. N. America. 1785. 5. 8. H. ♀. Bot. mag. t. 370.
2 serpyllifòlia. R.S. (wh.) Thyme-leaved. — 1827. — H. ♀. — t. 2822.
3 tenélla. R.S. (pu.) slender. Carolina. 1812. — H. ♀.
4 albiflòra. N. (wh.) white-flowered. N. America. 1828. — H. ♀.
5 purpùrea. R.S. (li.) purple-flowered. — 1800. — H. ♀.
- SPIG'ELIA. R.S.** **WORM-GRASS.** Pentandria Monogynia. L.
1 Anthélmia. R.S. (bl.) annual. W. Indies. 1759. 7. S. ○. Bot. mag. t. 2359.
2 marylàndica. R.S. (sc.) perennial. N. America. 1694. 7. 8. H. ♀. — t. 80.
- EUST'OMA. P.L.** **EUST'OMA.** Pentandria Monogynia.
silenifolium. P.L. (pu.) Silene-leaved. Providence Isl. 1804. 7. S. ♀. Sal. par. lond. t. 241.
Lisianthus glaucifolius. Jacq. ic. 1. t. 33.
- LISIA'NTHUS. R.S.** **LISIA'NTHUS.** Pentandria Monogynia. L.
1 longifolius. R.S. (ye.) long-leaved. Jamaica. 1793. 7. 9. S. ♀. Bot. reg. t. 880.
2 grandiflorus. R.S. (st.) large-flowered. Trinidad. 1820. — S. ○. Aubl. guian. 1. t. 79.
3 exsértus. R.S. (st.) oval-leaved. W. Indies. 1793. — S. ♀.
4 latifolius. R.S. (ye.) broad-leaved. — 1822. S. ♀.
5 umbellatus. R.S. (ye.) umbel-flowered. — — S. ♀.
6 cordifolius. R.S. (ye.) heart-leaved. — 1816. 6. 8. S. ♀. Brown. jam. 2. t. 9. f. 2.
7 acutángulus. R.S. (ye.) acute-angled. Peru. 1820. — S. ♀. Flor. per. 2. t. 122. f.a.
8 angustifolius. K.S. (gr.) narrow-leaved. S. America. 1824. 7. 10. S. ○.
- LOG'ANIA. B.P.** **LOG'ANIA.** Pentandria Monogynia. R.S.
1 latifolia. B.P. (wh.) broad-leaved. N. Holland. 1816. 4. 6. G. ♀. Lab. nov. hol. 1. t. 61.
Exàcum vaginàle. Lab.
2 floribúnda. B.P. (wh.) many-flowered. N. S. W. 1797. 4. 5. G. ♀. Andr. reposit. t. 520.
Eubòma albiflòra. A.R.
- VILLA'RSIA. R.S.** **VILLA'RSIA.** Pentandria Monogynia. R.S.
1 nymphoides. R.S. (ye.) common. England. 6. 7. H.w. ♀. Eng. bot. v. 4. t. 217.
Menyanthes nymphoides. E.B.
2 índica. R.S. (ye.) Indian. E. Indies. 1790. 6. 8. S.w. ♀. Bot. mag. t. 658.
3 sarmentosa. R.S. (ye.) sarmentose. N. S. W. 1806. — G.w. ♀. — t. 1323.
Menyanthes sarmentosa. B.M.
4 lacunòsa. V. (wh.) smooth-flowered. N. America. 1812. 6. 7. G.w. ♀. Venten. choix. 9.
5 renifórmis. B.P. (ye.) kidney-leaved. N. S. W. 1820. — G.w. ♀.
6 parnassifolia. B.P. (ye.) tall. — 1805. 6. 10. G.w. ♀. Bot. mag. t. 1029.
Menyanthes exaltata. B.M. *Swértia parnassifolia.* Lab. n. hol. t. 97.
7 ovàta. R.S. (ye.) oval-leaved. C. B. S. 1786. 5. 7. G.w. ♀. Bot. mag. t. 1909.
- MENYA'NTHE. R.S.** **BUCK-BEAN.** Pentandria Monogynia. L.
1 trifoliàta. E.B. (li.) common. Britain. 6. 7. H.w. ♀. Eng. bot. v. 7. t. 495.
2 americanà. (li.) American. N. America. 4. 6. H.w. ♀.
trifoliàta β minor. P.S.

ORDO CXLI.

BIGNONIACEÆ. *Brown prodr.* 1. p. 470.

- CHILO'PSIS. D.D.** **CHILO'PSIS.** *Didymia Angiospermia.*
linearis. (ro.) linear-leaved. Mexico. 1825. S. h. Cavan. ic. 3. t. 269.
Bignônia? linearis. Cav.
- CATA'LPA. J.** **CATA'LPA.** *Diandria Monogynia. S.S.*
 1 *syriacifolia. s.s. (wh.)* common. N. America. 1726. 6. 8. H. h. Bot. mag. t. 1094.
Bignônia Catálpa. L.
 2 *longissima. s.s. (wh. pu.)* wave-leaved. W. Indies. 1777. S. h. Plum. ic. t. 57.
 3 *microphylla. s.s. (bh.)* small-leaved. Hispaniola. 1820. S. h. ——— t. 55.
- BIGN'ONIA. S.S.** **TRUMPET-FLOWER.** *Didymia Angiospermia. L.*
 1 *Unguis. s.s. (ye.)* Barbadoes. W. Indies. 1759. S. h. Plum. amer. t. 94.
 2 *staminea. s.s. (ye. pu.)* long-stamened. Hispaniola. 1820. 6. 9. S. h. Plum. ic. 56. f. 2.
 3 *capreolata. s.s. (ye. pu.)* four-leaved. N. America. 1710. 6. 8. H. h. Bot. mag. t. 864.
 4 *púbescens. s.s. (ye.)* downy. New Spain. 1759. 6. 7. S. h. ———
 5 *æquinoctialis. s.s. (ye.)* equinoctial. W. Indies. 1768. 6. 8. S. h. Plum. ic. t. 55. f. 1.
 6 *Chamberlaynii. B.M. (ye.)* Chamberlayne's. S. America. 1818. ——— S. h. Bot. mag. t. 2148.
 7 *chrysoleuca. s.s. (ye. wh.)* yellow & white. ——— 1824. ——— S. h. ———
 8 *alliacea. s.s.* garlick-scented. W. Indies. 1790. S. h. ———
 9 *spectabilis. s.s. (pu.)* showy. S. America. 1820. S. h. ———
 10 *picta. K.S. (wh.)* flat-stemmed. ——— ——— S. h. ———
 11 *obliqua. K.S. (re.)* oblique-leaved. Caracas. 1828. ——— S. h. ———
 12 *laurifolia. s.s. (li.)* Laurel-leaved. Guiana. 1804. S. h. ———
 13 *lactiflora. s.s. (wh.)* milk-coloured. Trinidad. 1822. 4. 6. S. h. Vahl. symb. 3. t. 66.
 14 *villösa. s.s. (pu.)* villous. S. America. 1820. S. h. ———
 15 *ophthalmica. A. (ye.)* Anderson's. St. Vincent. 1812. S. h. ———
 16 *rigescens. s.s. (fl. ye.)* rigid-leaved. S. America. 1816. 6. 8. S. h. Jacq. schœn. 2. t. 210.
 17 *grandifolia. B.R. (ye.)* large-leaved. ——— 4. 7. S. h. Bot. reg. t. 418.
 18 *latifolia. s.s. (ye.)* broad-leaved. Cayenne. 1824. S. h. ———
 19 *elongata. s.s. (ye.)* long-racemed. S. America. 1820. S. h. Vahl. ecl. 2. t. 16.
 20 *mollissima. K.S. (pu.)* soft-leaved. Caracas. 1812. S. h. ———
 21 *diversifolia. K.S.* different-leav'd. Mexico. 1824. S. h. ———
 22 *floribunda. K.S.* abundant-flower'd. ——— ——— S. h. ———
 23 *cándicans. s.s. (pu.)* white-leaved. Trinidad. 1822. 9. 12. S. h. ———
 24 *quadranguläris. D.L.* square-stalked. ——— ——— S. h. ———
 25 *colorata. s.s. (ye.)* coloured calyxed. ——— 1824. S. h. ———
 26 *crucigera. s.s. (or.)* cross-bearing. S. America. 1759. 6. 8. S. h. Plum. ic. t. 58.
 27 *Chérère. B.R. (or.)* various-leaved. Guiana. 1820. 6. 10. S. h. Bot. reg. t. 1301.
heterophylla. w.
 28 *venusta. s.s. (or.)* comely. S. America. 1816. 9. 12. S. h. Bot. reg. t. 249.
 29 *incarnatha. s.s. (ro.)* flesh-coloured. Guiana. 1818. 6. 9. S. h. Aub. gui. 3. t. 261.
 30 *mollis. s.s. (ye.)* soft. ——— ——— S. h. Vahl. ecl. 2. t. 10.
tomentösa. Rich. non Th.
 31 *littoralis. K.S. (re.)* sea-side. Mexico. 1824. S. h. ———
 32 *viridiflora. B.C. (gr.)* green-flowered. S. America. 1820. 6. 9. S. h. Lodd. bot. cab. t. 1026.
 33 *triphylla. s.s. (wh.)* three-leaved. Mexico. 1733. ——— S. h. ———
 34 *pálida. B.R. (li.)* pale. S. America. 1823. 7. 8. S. h. Bot. reg. t. 965.
 35 *fluviatilis. s.s. (wh.)* marsh. ——— 1818. ——— S. h. Aub. gui. 2. t. 267.
 36 *Leucóxylon. s.s. (pi.)* white-wooded. W. Indies. 1759. 6. 7. S. h. Andr. reposit. t. 43.
 37 *chrysántha. s.s. (ye.)* golden-flower'd. Caracas. 1822. S. h. Jacq. schœnb. 2. t. 211.
 38 *lepidota. K.S. (ro.)* silver-spotted. Cuba. 1828. S. h. ———
 39 *æsculifolia. K.S. (or.)* Æsculus-leaved. Mexico. 1824. S. h. ———
 40 *serratifolia. s.s. (ye.)* saw-leaved. Trinidad. 1822. S. h. ———
 41 *bijuga. s.s.* Madagascar. Madagascar. ——— ——— S. h. ———
 42 *Clématis. K.S. (wh. ye.)* Clematis-leaved. Caracas. ——— ——— S. h. ———
 43 *chelonoides. s.s. (ye.)* tree. E. Indies. 1808. S. h. Rheed. mal. 6. t. 26.
 44 *variabilis. s.s. (gr. ye.)* variable-leaved. Caracas. 1820. 6. 8. S. h. Jacq. schœnb. 2. t. 212.
 45 *indica. w. (wh. std.)* Indian. E. Indies. 1775. S. h. Rheed. mal. 1. t. 43.
 46 *jasminifolia. K.S.* Jasmine-leaved. S. America. 1824. S. h. ———
 47 *crenata. L.C.* crenated. 1825. S. h. ———
 48 *decipiens. L.C.* doubtful. ——— ——— S. h. ———
 49 *lúcida. L.C.* glossy. S. America. 1824. S. h. ———
 50 *álba. w. (wh.)* white-flowered. Guiana. 1823. S. h. Aub. gui. 2. t. 266.

- 51 echinâta. w. (bh.) bristly-fruited. Guiana. 1804. S. h. ∪. Aub. gui. 2. t. 264.
 52 purpûrea. L.C. (pu.) purple. S. America. 1822. S. h.
 53 tomentôsa. Th. tomentose. Japan. 1823. S. h. Kæmpf. amœn. t. 860.
 54 stipulâta. H.B. stipuled. E. Indies. 1825. S. h.
 55 undulâta. H.B. wave-leaved. ——— 1827. S. h.
 56 suavêolens. H.B. sweet-scented. ——— 1825. S. h.
 57 crispa. H.B. curled. ——— 1822. S. h.
 58 xylocârpa. H.B. woody-podded. ——— 1825. S. h.
 59 am'ena. handsome. ——— 1823. S. h.
 60 spicâta. D.L. spiked-flowered. Trinidad. 1822. S. h. ∪.
 61 multijûga. R. many-leaved. E. Indies. 1826. S. h.
 MILLINGTONIA. L. MILLINGT'ONIA. Didynamia Angiospermia. L.
 hortênsis. L. (wh.) cork-barked. E. Indies. 1818. S. h. Roxb. corom. 3. t. 214.
Bignônia suberôsa. Roxb.
 TECOMA. J. TECOMA. Didynamia Angiospermia. S.S.
 1 splêndida. s.s. (or.) splendid. Brazil. 1826. S. h.
 2 pentaphylla. s.s. (wh.) five-leaved. Jamaica. 1733. S. h. Marc. bras. t. 118.
 3 digitâta. K.S. digitate-leaved. S. America. 1818. S. h.
 4 australis. B.P. (bh.) broad-leaved. N. S. W. 1793. 4. 7. G. h. ∪. Bot. mag. t. 865.
Bignônia Pandôræ. B.M.
 5 meonântha. (bh.) narrow-leaved. ——— 1815. ——— G. h. ∪.
Bignônia meonântha. L.en.
 6 môllis. K.S. (ye.) soft-leaved. Mexico. 1824. S. h.
 7 rádicans. s.s. (or.) Ash-leaved. N. America. 1640. 7. 8. H. h. ∪.
 a mājor. H.K. (or.) great. ——— ——— H. h. ∪. Bot. mag. t. 485.
 β minor. H.K. (or.) smaller. ——— ——— H. h. ∪. Catesb. car. 1. t. 65.
 8 grandiflôra. (or.) large-flowered. China. 1800. 6. 9. G. h. ∪. Bot. mag. t. 1398.
Bignônia grandiflôra. B.M. *Incarvillea grandiflôra*. s.s.
 9 stâns. s.s. (ye.) upright-ash-ld. S. America. 1730. 7. 9. S. h. Plum. ic. t. 54.
 10 incisa. D.L. (ye.) cut-leaved. Trinidad. 1824. ——— S. h.
 11 capênsis. B.R. (or.) Cape. C. B. S. ——— 4. 8. G. h. ∪. Bot. reg. t. 1117.
 JACARA'NDA. S.S. JACARA'NDA. Didynamia Angiospermia. S.S.
 1 tomentôsa. D.D. (pu.) tomentose. Brazil. 1824. S. h.
 2 mimosifolia. B.R. (bl.) Mimosa-leaved. ——— 1818. 4. 5. S. h. Bot. reg. t. 631.
 ovalifolia. Bot. mag. t. 2327.
 3 bahamênsis. B.M. (bl.) Bahama. Bahama Isl. 1724. 7. 8. S. h. Catesb. car. 1. t. 42.
Bignônia cærûlea. w.
 4 Copaia. D.D. (bl.) Box-leaved. Guiana. 1793. S. h. Aub. gui. 2. t. 265.
Bignônia prôcera. w.
 5 rhombifolia. s.s. (pu.) rhomb-leaved. Surinam. 1823. S. h.
 flicifolia. D.D.
 SPATH'ODEA. S.S. SPATH'ODEA. Didynamia Angiospermia. S.S.
 1 uncata. s.s. (ye.) hooked. Guiana. 1804. 6. 9. S. h. ∪. Bot. mag. t. 1511.
Bignônia uncata. B.M.
 2 corymbôsa. s.s. (ye.) corymb-flower'd. Trinidad. 1823. S. h.
 3 Rheedii. s.s. (wh.) Rheede's. E. Indies. 1794. S. h. Roxb. cor. 2. t. 144.
Bignônia spathæa. R.C.
 4 Roxbûrghii. s.s. (ro.) Roxburgh's. ——— 1820. S. h. Roxb. cor. v. 2. t. 145.
Bignônia quadriloculâris. Roxb.
 5 fraxinifolia. K.S. (ye.) Ash-leaved. Caracas. 1821. S. h. ∪.
Bignônia fraxinifolia. s.s.
 AMPHIL'OPHIUM. K.S. AMPHIL'OPHIUM. Didynamia Angiospermia. S.S.
 paniculâtum. K.S. (pu.) paniced. S. America. 1788. S. h. ∪. Jacq. amer. t. 116.
Bignônia paniculâta. Jacq.
 CALA'MPELIS. D.D. CALA'MPELIS. Didynamia Angiospermia.
 scâbra. E.F.G. (or.) rough-podded. Chile. 1823. 7. 11. H. h. ∪. Swt. br. fl. gar. s. 2. t. 30.
Eccremocârpus scâber. Bot. reg. t. 939.
 ECCREMOCA'RPUS. ECCREMOCA'RPUS. Didynamia Angiospermia. S.S.
 longiflorus. K.S. (ye.) long-flowered. Peru. 1824. G. h. ∪. H. et B. pl. æq. 1. t. 65.
 F'ELDIA. Cun. F'ELDIA. Didynamia Angiospermia.
 austrâlis. Cun. (gr.st.) New Holland. N. Holland. 1824. G. h. Hook. ex. flor. t. 232.

ORDO CXLII.

COBŒACEÆ. *D. Don in Edinb. phil. journ.*

COB'ŒA. Cav. COB'ŒA. Pentandria Monogynia.
scândens. Cav. (bl.) climbing. Mexico. 1792. 5. 10. G. h. ∪. Bot. mag. t. 851.

ORDO CXLIII.

PEDALINÆ. *Brown prodr.* 519.

PED'ALIUM. S.S. PED'ALIUM. Didynamia Angiospermia. S.S.
Mûrex. s.s. (ye.) prickly-fruited. E. Indies. 1778. 8. 9. S. ⊙. Lam. ill. t. 538.

ORDO CXLIV.

DIDYMOCARPEÆ. *D. Don.*

STREPTOCA'RPUS. B.R. STREPTOCA'RPUS. Diandria Monogynia.
Réxii. B.R. (bl.) Cape. C. B. S. 1824. 2. 10. S. ∩. Bot. reg. t. 1173.
Didymocárpus Réxii. Hook. ex. flor. t. 227.

ORDO CXLV.

SESAMEÆ. *Brown.*

TOURR'ETIA. S.S. TOURR'ETIA. Didynamia Angiospermia. S.S.
lappæcea. s.s. (sc.) scarlet-flowered. Peru. 1788. 6. 8. S. ⊙. ∪. Sal. stirp. rar. 5. t. 3.
Dombeya lappæcea. Sal.
MARTY'NIA. J. MARTY'NIA. Didynamia Angiospermia. L.
1 diándra. s.s. (re.) two-stamened. New Spain. 1731. 7. 8. S. ⊙. Andr. reposit. t. 575.
2 proboscidea. s.s. (li.) horn-capsuled. America. 1738. 6. 8. G. ⊙. Bot. mag. t. 1056.
 ánua. L.
3 lûtea. B.R. (ye.) yellow. S. America. 1824. 7. 9. H. ⊙. Bot. reg. t. 934.
4 longiflôra. s.s. (pu.) long-flowered. C. B. S. 1781. 7. 8. G. ⊙. Meerb. ic. 1. t. 7.
CRANIOL'ARIA. J. CRANIOL'ARIA. Didynamia Angiospermia. L.
 ánua. K.S. (wh. sp.) annual. S. America. 1733. 7. 8. S. ⊙. Jacq. amer. t. 110.
 Marty'nia Craniolària. w.
SES'AMUM. S.S. OILY-GRAIN. Didynamia Angiospermia. L.
1 orientâle. s.s. (bh.) oriental. E. Indies. 1731. 7. 8. S. ⊙. Rheed. mal. 9. t. 54.
2 índicum. s.s. (bh.) Indian. ———— ———— H. ⊙. Bot. mag. t. 1788.
3 lûteum. s.s. (ye.) yellow. ———— 1825. ———— S. ⊙.

ORDO CXLVI.

POLEMONIACEÆ. *D. Don in Edinb. phil. journ.*

POLEM'ONIUM. S.S. GREEK VALERIAN. Pentandria Monogynia. L.
1 cœrûleum. s.s. (bl.) common. Britain. 6. H. ∩. Eng. bot. t. 14.
 β álbum. (wh.) white-flowered. ———— ———— H. ∩.
 γ maculâtum. s.s. (sp.) spot-flowered. ———— ———— H. ∩.

2	gracile. W.en.	(wh.) slender.	Dahuria.	1818.	6. 7.	H. 4.	
3	mexicanum. s.s.	(bl.) Mexican.	Mexico.	1817.	4. 6.	H. 4.	Bot. reg. t. 460.
4	réptans. s.s.	(bl.) creeping.	N. America.	1758.	4. 5.	H. 4.	Bot. mag. t. 1887.
<i>cærùleum</i> β <i>piliferum</i> . Bot. reg. t. 1303.							
5	villòsum. G.R.	(bl.) dwarf hairy.	Siberia.	1827.	6. 9.	H. 4.	Swt. br. fl. gar. t. 266.
6	Richardsoni. B.M.	(bl.) Richardson's.	N. America.	—	—	H. 4.	Bot. mag. t. 2800.
7	humile. B.M.	(bl.) dwarf.	—	—	—	H. 4.	Bot. reg. t. 1304.
8	sibiricum. D.D.	(wh.) bipinnate.	Siberia.	1800.	6.	H. 4.	Swt. br. fl. gar. t. 182.
PHLOX. R.S. LŶCHNIDEA. Pentandria Monogynia. L.							
1	paniculata. R.S.	(pu.) panicle.	N. America.	1732.	8. 9.	H. 4.	Dill. elth. t. 166. f. 203.
	β <i>alba</i> .	(wh.) white-flowered.	—	1813.	—	H. 4.	
2	undulata. R.S.	(pu.) wave-leaved.	—	1759.	7. 8.	H. 4.	
3	acuminata. R.S.	(pu.) cross-leaved.	—	1812.	6. 8.	H. 4.	Bot. mag. t. 1880.
	<i>decussata</i> . Lyon.	<i>latifolia</i> . Hort. non m.	—	—	—	—	
4	virginica. L.C.	(pu.) Virginian.	—	—	—	H. 4.	
5	intermedia. L.C.	(pu.) intermediate.	—	—	7. 9.	H. 4.	
6	penduliflora. B.F.G.	(pu.) drooping-flower'd.	—	1824.	—	H. 4.	Swt. br. fl. gar. s. 2.
7	corymbosa. B.F.G.	(li.) corymb-flower'd.	—	—	—	H. 4.	
8	acutifolia. B.F.G.	(pu.) sharp-leaved.	—	1825.	—	H. 4.	
9	odorata. B.F.G.	(re.) sweet-scented.	—	1824.	—	H. 4.	Swt. br. fl. gar. t. 224.
10	scabra. B.F.G.	(li.) rough-leaved.	—	1812.	—	H. 4.	— t. 248.
	<i>Sickmänni</i> . Lehman.	—	—	—	—	—	
11	maculata. R.S.	(pu.) spotted-stalked.	—	1740.	7. 8.	H. 4.	Jacq. vind. 2. t. 147.
12	pyramidalis. R.S.	(li.) pyramidal.	—	1800.	6. 8.	H. 4.	Swt. br. fl. gar. t. 233.
13	latifolia. R.S.	(pu.) broad-leaved.	—	1812.	—	H. 4.	
14	carolina. R.S.	(re.pu.) rough-stemmed.	—	1728.	7. 9.	H. 4.	Bot. mag. t. 1344.
15	cordata. E.C.	(li.) heart-leaved.	Carolina.	1826.	6. 9.	H. 4.	Swt. br. fl. gar. s. 2. t. 13.
16	excelsa. H.E.	(pu.) tall upright.	N. America.	1824.	—	H. 4.	
17	Wheeleriàna. B.F.G.	(pi.) Wheeler's.	Hybrid.	—	—	H. 4.	
18	Shepherdii. H.E.	(pu.) Shepherd's.	—	—	—	H. 4.	
19	glaberrima. R.S.	(pu.) smooth-stalked.	N. America.	1725.	6. 8.	H. 4.	Swt. br. fl. gar. s. 2. t. 36.
20	triflora. R.S.	(bh.) flesh-coloured.	—	1816.	7. 9.	H. 4.	* Swt. brit. fl. gar. t. 29.
	<i>cærnea</i> . Bot. mag. t. 2155.	—	—	—	—	—	
21	suavæolens. R.S.	(wh.) white-flowered.	—	1763.	7. 8.	H. 4.	
22	longiflora. B.F.G.	(wh.) long-flowered.	—	1827.	7. 10.	H. 4.	Swt. br. fl. gar. s. 2. t. 31.
23	reflexa. B.F.G.	(d.pu.) reflexed-leaved.	—	1824.	6. 9.	H. 4.	Swt. br. fl. gar. t. 232.
24	suffruticosa. B.R.	(d.pu.) glossy-leaved.	—	1790.	7. 9.	H. 4.	Bot. reg. t. 68.
25	Listoniàna. H.E.	(pu.) Liston's.	—	1816.	5. 7.	H. 4.	
26	ovata. W.	(pu.) ovate-leaved.	—	1759.	—	H. 4.	Bot. mag. t. 528.
27	stolonifera. B.M.	(bl.) creeping.	—	1800.	6. 9.	H. 4.	— t. 563.
	<i>prostrata</i> . H.K.	<i>réptans</i> . m. <i>stolonifera</i> has the right of priority.	—	—	—	—	
28	pilosa. B.M.	(p.bl.) hairy-leaved.	N. America.	1759.	5. 6.	H. 4.	Bot. mag. t. 1307.
	<i>aristata</i> . M.	—	—	—	—	—	
29	aristata. B.M.	(ro.) Fraser's hairy.	—	1809.	6. 7.	H. 4.	Bot. mag. t. 1308.
	<i>pilosa</i> . β . R.S.	—	—	—	—	—	
30	canadensis. B.F.G.	(pa.bl.) Canadian.	Canada.	1826.	5. 7.	H. 4.	Swt. br. fl. gar. t. 221.
31	divaricata. R.S.	(pa.bl.) early-flowering.	N. America.	1746.	4. 6.	H. 4.	Bot. mag. t. 163.
32	procumbens. B.F.G.	(bl.) procumbent.	—	1829.	5. 6.	H. 4.	Swt. br. fl. gar. s. 2. t. 7.
33	subulata. R.S.	(li.pu.) awl-leaved.	—	1786.	4. 6.	H. 4.	Bot. reg. t. 411.
34	nivalis. B.C.	(wh.) snowy white.	—	1820.	—	H. 4.	Swt. br. fl. gar. t. 185.
35	setacea. R.S.	(pi.) bristle-leaved.	—	1786.	4. 5.	H. 4.	Bot. mag. t. 415.
COLLOMIA. N. COLLOMIA. Pentandria Monogynia.							
1	grandiflora. D.	(bf.) large-flowered.	N. America.	1827.	6. 7.	H. 4.	Bot. reg. t. 1174.
2	linearis. D.	(f.) linear-leaved.	—	—	—	H. 4.	— t. 1166.
3	gracilis. D.	(ro.) slender.	—	—	5. 7.	H. 4.	Bot. mag. t. 2924.
	<i>Gilia gracilis</i> . B.M.	—	—	—	—	—	
4	heterophylla. B.M.	(ro.) various-leaved.	—	—	5. 8.	H. 4.	Bot. mag. t. 2895.
GILIA. R.P. GILIA. Pentandria Monogynia. S.S.							
1	inconspicua. B.M.	(bl.) small blue.	America.	1793.	9. 11.	H. 4.	Bot. mag. t. 2883.
	<i>Ipomopsis inconspicua</i> . Sm. exot. bot. 1. t. 14.	—	—	—	—	—	
2	capitata. D.	(bl.) cluster-flowered.	—	1826.	5. 9.	H. 4.	Swt. br. fl. gar. t. 287.
IPOMOPSIS. M. IPOMOPSIS. Pentandria Monogynia.							
1	elegans. Ex.B.	(sc.) elegant.	Carolina.	1726.	8. 9.	G. 4.	Sm. exot. bot. 1. t. 13.
	<i>Cantua coronopifolia</i> . Andr. rep. t.	—	—	—	—	—	
2	pulchella. D.	(sc.) pretty.	N. America.	1827.	—	G. 4.	Bot. reg. t. 1281.
	<i>elegans</i> . Bot. reg. non m.	—	—	—	—	—	
HOITZIA. J. HOITZIA. Pentandria Monogynia. S.S.							
1	coccinea. K.S.	(sc.) scarlet.	Mexico.	1826.	5. 7.	G. 4.	Cavan. ic. 4. t. 365.
2	cærulea. K.S.	(bl.) blue-flowered.	—	1827.	—	G. 4.	— 4. t. 366.

- CALD'ASIA S.S. CALD'ASIA. Pentandria Monogynia.
heterophylla. s.s. (bl.) various-leaved. New Spain. 1813. 5. 12. S. ⊙. Bot. reg. t. 92.
Bonplandia geminiflora. Cav. ic. 6. t. 532.

ORDO CXLVII.

HYDROLEACEÆ. *Kth. synops. 2. p. 234.*

- HYDR'OLEA. S.S. HYDR'OLEA. Pentandria Digynia. L.
1 spinosa. s.s. (bl.) thorny. S. America. 1791. 7. 8. S. h. Bot. reg. t. 566.
2 quadrivalvis. s.s. (bl.) four-valved. Carolina. 1824. — G. 4.
WIGA'NDIA. K.S. WIGA'NDIA. Pentandria Digynia.
1 urens. K.S. (vi.) stinging. Mexico. 1827. 4. 6. G. 4. Flor. peruv. 3. t. 243.
2 caracasana. K.S. (vi.) Caracas. Caracas. 1825. — S. h.
N'AMA. S.S. N'AMA. Pentandria Digynia. L.
1 jamaicensis. s.s. (wh. bl.) Jamaica. Jamaica. 1812. 6. 9. S. ⊙. Lam. ill. t. 184.
2 undulata. K.S. (vi.) wave-leaved. Mexico. 1826. — G. 4.

ORDO CXLVIII.

CONVOLVULACEÆ. *Brown prodr. 1. p. 481.*

- ? RET'ZIA. R.S. RET'ZIA. Pentandria Monogynia. R.S.
spicata. R.S. (br.) spiked. C. B. S. 5. 6. G. h. Lam. ill. t. 103.
CONVO'LVULUS. B.P. BINDWEED. Pentandria Monogynia. L.
1 arvensis. R.S. (pi. wh.) small. Britain. 6. 9. H. 4. Eng. bot. v. 5. t. 312.
2 chinensis. B.R. (pi.) Chinese. China. 1816. — H. 4. Bot. reg. t. 322.
3 Malcolmii. F.I. (wh.) Malcolm's. Persia. 1824. 7. 10. H. 4.
4 emarginatus. s.s. (re.) emarginate. 6. 9. H. 4.
5 bicuspidatus. s.s. (bh.) two-pointed. Davuria. — H. 4.
6 Scammônia. R.S. (st. bh.) Scammony. Levant. 1596. 7. 8. H. 4. Flor. græc. t. 192.
7 erubescens. R.S. (bh.) maiden blush. N. S. W. 1803. 7. 9. G. 3. Bot. mag. t. 1067.
8 quinqueflorus. R.S. (bh.) five-flowered. Mauritius. 1826. — S. h.
9 pannifolius. R.S. (bl.) cloth-leaved. Canaries. 1805. 6. 9. G. h. Bot. reg. t. 222.
10 canariensis. R.S. (pi.) Canary. — 1690. — G. h. Bot. mag. t. 1228.
11 Massoni. R.S. (wh.) Masson's. — 1788. — G. h. Bot. reg. t. 133.
Dryandri. s.s. suffruticosus. B.R.
12 cándicans. R.S. hoary. E. Indies. 1818. S. h.
13 bonariensis. R.S. (std.) stripe-flowered. Buenos Ayres. 1827. 6. 8. G. 4. Cavan. icon. 5. t. 48. f. 2.
14 tiliaceus. R.S. (wh.) Lime-tree-leaved. Brazil. 1820. — S. 4.
15 guianensis. R.S. (bh.) Guiana. Guiana. — S. 4. Aub. gui. 1. t. 52.
16 ciliatus. R.S. (bh.) fringed-leaved. Cayenne. — S. h.
17 pentanthus. R.S. (bl.) five-flowered. W. Indies. 1808. 4. 10. S. h. Bot. reg. t. 439.
18 farinosus. R.S. (bh.) mealy-stalked. Madeira. 1777. 5. 6. G. h. Sal. par. lond. t. 45.
19 Hermánniæ. s.s. (wh.) Peruvian. Peru. 1799. 8. 9. G. 4. L'Herit. stirp. t. 33.
20 tenuissimus. R.S. (li.) slender-leaved. Levant. 6. 10. G. 4. Flor. græc. t. 195.
21 althæoides. R.S. (li.) Althæa-leaved. — 1597. 6. 9. F. 4. — t. 194.
22 bryoniæfolius. R.S. (pu.) Bryony-leaved. China. 1802. 7. 8. G. 4. Bot. mag. t. 943.
23 italicus. R.S. (pi.) Italian. Italy. F. 4. Ten. fl. neap. 1. t. 15.
hirsutus. T.N. non M.B.
24 hirsutus. M.B. (pu. ye.) hairy. Tauria. 1824. — H. 4.
25 alceifolius. R.S. (st. pu.) Hollyhock-leav'd. C. B. S. 1823. — G. 4.
26 macrocarpus. R.S. (pu.) long-fruited. S. America. 1752. — S. ⊙. Burm. amer. t. 91. f. 1.
27 quinquefolius. R.S. (w. pu.) five-leaved. Vera Cruz. S. ⊙. Pluk. alm. t. 167. f. 6.
28 glaber. R.S. (wh.) smooth. Cayenne. 1806. S. h. Aub. gui. 1. t. 53.
29 tenellus. R.S. (wh.) slender. N. America. 1812. 6. 8. H. ⊙. Pluk. alm. t. 166. f. 4.
30 aquaticus. N. (wh.) water-side. — — H. ⊙.
31 sciculus. R.S. (bl.) small-flowered. S. Europe. 1640. — H. ⊙. Bot. reg. t. 445.
32 pseudosciculus. R.S. (wh.) long-peduncul'd. Canaries. 1815. 7. 8. H. ⊙. — t. 498.
elongatus. W. enum.
33 Imperati. R.S. (st.) trailing. Naples. 1824. 6. 9. H. 4. Cyr. pl. rar. fasc. 1. t. 5.
2 B

- 34 sagittifolius. F.G. (bh.) Sibthorp's. Samos. 1823. 7. 8. H. 2. Flor. græc. t. 193.
 35 hirtus. R.S. (bl.) hairy-stalked. E. Indies. 1806. 6. 8. S. ①.
 36 platycarpus. R.S. (li.) flat-podded. Mexico. 1827. 8. 10. F. 2. Cavan. ic. 5. t. 482.
 37 multifidus. R.S. (bh.) multifid. C. B. S. 1822. 6. 8. G. 2.
 38 persicus. M.B. (wh.) Persian. Persia. 1829. — H. 2. Gmel. iter. 3. t. 7.
 39 tricolor. R.S. (bl. ye.) three-coloured. S. Europe. 1629. 7. 9. H. ①. Bot. mag. t. 27.
 β albiflorus. (wh.) white-flowered. — H. ①.
 40 meonanthus. R.S. (bl. ye.) pale blue. Portugal. 1827. — H. ①.
 41 pentapetalus. R.S. (bl.) Majorca. Majorca. 1789. 6. 7. H. ①. Flor. græc. t. 197.
 42 lineatus. R.S. (bh.) dwarf. S. Europe. 1714. — H. 2. — t. 199.
 43 Gerardi. R.S. (bh.) Gerard's. — — H. 2. Barrel. ic. t. 311.
 44 undulatus. R.S. (wh. re.) waved. — 1816. 6. 10. H. ①. Cavan. ic. 3. t. 277. f. 1.
 humilis. Jacq. col. 4. t. 22. f. 3. *evoluloïdes.* F.G. t. 198. *ciliatus.* P.S.
 45 lanatus. R.S. (wh.) woolly-leaved. Levant. 1829. 5. 6. G. 2. Flor. græc. t. 202.
 46 intermedius. R.S. (bh.) intermediate. S. Europe. 1825. 6. 7. H. 2.
 47 Cneorum. R.S. (bh.) silvery-leaved. Levant. 1640. 5. 9. G. 2. Bot. mag. t. 459.
 48 saxatilis. R.S. (bh.) rock. S. Europe. 1796. 6. 8. F. 2. Bocc. mus. 138. t. 96.
 49 floridus. R.S. (bh.) many-flowered. Teneriffe. 1779. 8. 9. G. 2. Jacq. ic. 1. t. 34.
 50 Cantabrica. R.S. (fl.) flax-leaved. S. Europe. 1680. 5. 9. H. 2. Jacq. aust. 3. t. 296.
 51 salvifolius. L.en. (bh.) Sage-leaved. Palestine. 1825. — H. 2.
 52 linearis. R.S. (wh. re.) narrow-leaved. S. Europe. 1770. — G. 2. Bot. mag. t. 289.
 53 suffruticosus. R.S. (bh.) suffrutescent. Levant. 1827. 6. 8. F. 2. Desf. atl. 1. t. 48.
 54 Dorycnium. R.S. (ro.) silky-leaved. — 1806. 6. 7. H. 2. Flor. græc. t. 201.
 55 holosericeus. R.S. (st.) silky. Tauria. 1824. — H. 2.
 56 scoparius. R.S. (wh.) broom. Canaries. 1733. 8. 9. G. 2. Venten. choix. t. 24.
 57 terrestris. F. (wh.) small. Altay. 1828. 7. 9. H. 2.
CALYSTEGIA. B.P. BEARBIND. Pentandria Monogynia. R.S.
 1 sèpium. R.S. (wh.) great hedge. Britain. 6. 9. H. 2. Eng. bot. v. 5. t. 313.
 2 sylvestris. R.S. (wh.) wood. Hungary. 1815. — H. 2. W. et K. hung. t. 261.
 Convolvulus sylvestris. W.en.
 3 inflata. Df. (re.) inflated. N. America. — H. 2. Bot. mag. t. 732.
 sèpium. Ph. *Convolvulus sèpium β incarnata.* B.M.
 4 dahurica. B.M. (pi.) Dahurian. Dahuria. 1820. 7. 8. H. 2. Bot. mag. t. 2609.
 5 Catesbiana. R.S. (ro.) Catesby's. Carolina. 1816. 7. 9. H. 2.
 6 marginata. B.P. (wh.) margined. N. S. W. 1824. 7. 8. F. 2.
 7 stans. M. (wh.) woolly. N. America. 1818. 6. 7. H. 2.
 tomentosa. Ph. *Convolvulus stans.* M.
 8 spithamea. R.S. (wh.) small upright. — 1696. 7. 8. H. 2. Hook. ex. flor. t. 97.
 9 Soldanella. R.S. (pi.) sea-side. Britain. 6. 7. H. 2. Eng. bot. v. 5. t. 374.
 Convolvulus Soldanella. E.B.
 10 reniformis. B.P. (pi.) kidney-leaved. N. S. W. 1822. 6. 8. F. 2. Swt. br. fl. gar. v. 2. t. 181.
 11 hederacea. F.I. (ro.) Ivy-leaved. Nepaul. 1826. — F. 2.
 12 Keriana. (bl.) Mr. Ker's. Mauritius. 1818. — S. ①. Bot. reg. t. 318.
 Convolvulus involucratus. B.R. non Beau. *Convolvulus bicolor.* B.M. 2205. nec aliorum.
IPOMÆA. B.P. IPOMÆA. Pentandria Monogynia. R.S.
 1 Quamoclit. R.S. (sc.) wing-leaved. E. Indies. 1629. 7. 9. S. ①. Bot. mag. t. 244.
 β albiflora. (wh.) white-flowered. — — S. ①.
 2 dissecta. R.S. (wh.) cut-leaved. Tropic's. 1813. 6. 9. S. 2. Willd. phyt. 1. t. 2. f. 3.
 3 tuberosa. R.S. (st. pu.) tuberous-rooted. W. Indies. 1731. 8. 10. S. 2. Bot. reg. t. 768.
 4 digitata. R.S. (sc.) fingered. S. America. — S. 2. Plum. ic. 92. f. 4.
 5 sinuata. R.S. (wh.) sinuated. N. America. 1813. 6. 9. G. 2. Jacq. vind. t. 19.
 dissecta. Ph. non. W. *Convolvulus dissectus.* M.
 6 tuberculata. R.S. (li.) tubercled. Bourbon. 1818. — S. 2. Jacq. schœn. 2. t. 199.
 stipulacea. Jacq.
 7 cairica. (pu.) jagged-leaved. Egypt. 1680. — S. 2. Bot. mag. t. 699.
 Convolvulus cairicus. B.M. *Ipomœa palmata.* R.S.
 8 pendula. B.P. (pu.) pendulous-flower'd. N. S. W. 1808. 5. 10. G. 2. Bot. reg. t. 632.
 9 dasysperma. J.E. (ye. pu.) warted. E. Indies. 1815. 8. 9. G. ①. — t. 86.
 tuberculata. B.R. non R.S. *Convolvulus pedatus.* F.I.
 10 coptica. R.S. (wh.) palmate-leaved. E. Indies. 1824. 8. 10. S. ①.
 11 pès-tigridis. R.S. (bh.) palmated. — 1732. — S. ①. Dill. elth. t. 318. f. 411.
 12 platensis. B.R. (pu.) Plata. S. America. 1817. 6. 9. S. 2. Bot. reg. t. 331.
 13 setosa. B.R. (pu.) bristly-stalked. Brazil. — 8. 10. S. 2. — t. 335.
 14 paniculata. R.S. (pu.) paniced. E. Indies. 1799. 6. 9. S. 2. — t. 62.
 15 insignis. A.R. (pu.) large purple. — 1814. — S. 2. — t. 75.
 gossypifolia. R.S.
 16 senegalensis. R.S. (pu.) Senegal. Senegal. 1822. 6. 10. S. 2.
 17 splendens. G.D. (pu.) splendid. Sierra Leon. — 6. 9. S. 2.
 18 parviflora. R.S. (pu.) small-flowered. Santa Cruz. — 7. 10. S. ①. Sloan. hist. 1. t. 97. f. 1.

- 19 heterophylla. R.S. (bl.) various-leaved. S. America. 1817. 7. 10. S. 2. Jacq. frag. t. 42. f. 4.
 20 macrorhizos. R.S. (sc.) large-rooted. W. Indies. — S. 2. Plum. cat. mss. v. 2. t. 58.
 21 umbellata. R.S. (sc.) umbelled. S. America. 1739. 6. 7. S. 2. Burm. amer. t. 92. f. 2.
 22 carolina. R.S. (pu.) Carolina. Carolina. 1732. 7. 8. G. 2. Dill. elth. t. 84. f. 98.
 23 pulchella. R.S. (vi.) neat. E. Indies. 1824. 5. 8. S. 2.
 24 venosa. R.S. (pu.) veined-leaved. Mauritius. 1820. 7. 8. S. h.
 25 pentaphylla. R.S. (wh.) five-leaved. W. Indies. 1739. 8. 9. S. (O) Jacq. ic. 2. t. 319.
 26 Cavanillesii. R.S. (bh.) Cavanille's. S. America. 1815. — S. h. Cavan. ic. 3. t. 256.
 pentaphylla. Cav. non Jacq.
 27 armata. R.S. (re. vi.) armed-calyxed. Mexico. 1824. 7. 10. S. (O). Cavan. ic. 5. t. 478. f. 2.
 muricata. Cav. non Jacq.
 28 ternata. R.S. (wh.) ternate-leaved. S. America. — 6. 8. S. h. Jacq. schoenb. 1. t. 37.
 29 coccinea. R.S. (sc.) bright-scarlet. W. Indies. 1713. 6. 9. S. (O). Andr. reposit. t. 99.
 30 luteola. R.S. (or.) common scarlet. Guatemala. 1759. — H. (O). Bot. mag. t. 221.
 coccinea. B.M. nec aliorum.
 31 angularis. R.S. (cr.) angular-leaved. E. Indies. 1806. — S. (O).
 phœnicea. F.I.
 32 hastigera. K.S. (fl.) halbert-bearing. Mexico. 1824. 6. 8. S. 2.
 33 longiflora. K.S. (wh.) long-flowered. Cuba. 1803. — S. 2.
 34 sagittata. R.S. (ro.) sagittate. S. Europe. 1826. 7. 9. H. 2. Cavan. icon. 2. t. 107.
 35 bona nœx. R.S. (wh.) large white. America. 1773. 6. 9. G. (O). Bot. mag. t. 752.
 36 lacunosa. R.S. (wh. pu.) starry. N. America. 1640. 7. 8. H. (O). Dill. elth. t. 87. f. 102.
 37 Batatas. R.S. (wh. pu.) sweet potatoe. India. 1597. ... S. 2. Rheed. mal. 7. t. 50.
 Convolvulus Batatas. w.
 38 Turpethum. R.S. (wh.) square-stalked. Ceylon. 1752. 3. 6. S. 2. Bot. reg. t. 279.
 39 chryseides. B.R. (ye.) golden. China. 1817. 6. 10. S. 2. t. 270.
 40 ochracea. B.R. (ye.) pale yellow. Benin. 1826. 8. 10. S. (O). t. 1060.
 41 Jalapa. (ro.) true Jalap. S. America. 1733. 8. 11. S. h. Bot. mag. t. 1572.
 Jalapa. β rōsea. B.R. 621. Convolvulus Jalapa. B.M.
 42 Michauxii. (wh. bh.) Michaux's. Georgia. 1815. — G. 2. Bot. reg. t. 342.
 Jalapa. α. B.R. macrorrhiza. M. non R.S.
 43 sanguinea. R.S. (sc.) blood-flowered. W. Indies. 1812. 2. 11. S. h. Bot. reg. t. 9.
 44 repanda. R.S. (sc.) scalloped. — 1793. 5. 10. S. h. Sal. par. lond. t. 81.
 45 varia. R.S. (bl.) variable-leaved. S. America. 1816. — S. 2.
 Convolvulus pubescens. s.s.
 46 scabra. R.S. (wh.) rough. Egypt. 1804. — H. (O).
 47 scabrida. R.S. (wh.) roughish. S. America. 1824. — H. (O).
 48 hederacea. B.R. (bl.) deep-lobed. N. America. 1729. 8. 10. H. (O). Bot. reg. t. 85.
 barbata. Roth.
 49 cuspidata. R.S. (pu.) sharp-pointed. Peru. 1732. 6. 7. H. (O). Flor. per. 2. t. 119. f. a.
 50 Dillenii. R.S. (bl.) Dillenius's. Guinea. S. (O). Dill. elth. t. 81. f. 93.
 51 Nil. P.S. (bl.) blue. S. America. 1597. 7. 9. S. (O). Bot. mag. t. 188.
 52 cœrulea. B.R. (bl.) East Indian. E. Indies. 1815. — S. (O). Bot. reg. t. 276.
 53 cœrulescens. F.I. (bl.) light blue. — 1820. 6. 8. S. 2.
 54 pudibunda. B.R. (ro.) modest. W. Indies. 1825. 7. 10. S. (O). Bot. reg. t. 999.
 55 triloba. R.S. (vi.) three-lobed. — 1752. 6. 7. S. (O).
 56 hederifolia. R.S. (vi.) Ivy-leaved. S. America. 1773. 7. H. (O). Plum. ic. t. 93. f. 2.
 57 hepaticifolia. R.S. (bl.) Hepatica-leav'd. E. Indies. 1759. 8. 9. S. (O). Burm. ind. t. 20. f. 2.
 58 pictata. R.S. (vi.) spotted-calyx'd. S. America. 7. 11. S. (O). Dill. elth. t. 83. f. 96.
 59 mutabilis. B.R. (bl.) changeable. — 1812. 5. 9. S. h. Bot. reg. t. 39.
 60 acuinata. R.S. (pu.) taper-pointed. S. 2.
 61 cœnutata. R.S. (li.) hairy-capsuled. N. America. H. (O). Dill. elth. t. 84. f. 98.
 carolinus. Ph. Convolvulus carolinus. M. non L.
 62 gemella. R.S. (wh.) twin-flowered. E. Indies. 1827. 7. 9. S. 2. Burm. ind. t. 21. f. 1.
 63 gangetica. (pi.) Ganges. — 1812. 5. 9. S. h.
 Convolvulus gangeticus. F.I.
 64 semidigyna. F.I. (wh.) cleft-styled. — 1826. S. h.
 65 muricata. R.S. (pu.) rough. — 1777. 7. 8. S. (O). Jacq. schoen. 3. t. 323.
 bona nœx β purpurascens. B.R. 290. Convolvulus muricatus. w.
 66 pseudomuricata. L. en. (pu.) rough-stem'd. — 1827. 7. 9. S. h.
 67 cœrea. R.S. (fl.) flesh-coloured. S. America. 1799. 8. 9. S. (O). Jacq. amer. 26. t. 18.
 68 involucrata. R.S. (pu.) involucred. Sierra Leon. 1822. 8. 10. S. (O). Beauv. fl. d'ow. 2. t. 89.
 69 barbiger. B.F.G. (bl.) bearded-calyx'd. America. 1824. 7. 10. H. (O). Swt. br. fl. gar. t. 86.
 70 purpurea. R.S. (pu.) purple. — 1629. 6. 9. H. (O). Bot. mag. t. 113.
 β incarnata. (fl.) flesh-coloured. — H. (O).
 γ leucantha. (wh.) white-flowered. — H. (O).
 δ varia. B.M. (std.) striped-flowered. — H. (O). Bot. mag. t. 1682.
 ε elatior. B.M. (wh. bl.) spotted-flowered. — H. (O). t. 1005.
 discolor. Jacq.

71	violacea. R.S. (vi.) purple-flower'd.S.America.	1732.	8. 9.	S. ☉. ∪.	Plum. ic. t. 93. f. 1.
72	corymbosa. R.S. (wh.) corymbose. India.	1823.	—	S. h.	— t. 89. f. 2.
73	campanulata. R.S. (pu.w.) bell-flowered. E. Indies.	1800.	—	S. ☉.	Rheed. mal. 2. t. 56.
74	polyanthes. R.S. (ye.gr.) umbel-flowered. W. Indies.	1739.	6. 7.	S. 4. ∪.	Plum. amer. 88. t. 102.
<i>Convolvulus umbellatus. w.</i>					
75	multiflora. R.S. (pu.) many-flowered. Jamaica.		—	S. 4. ∪.	Pluk. phyt. t. 167. f. 1.
76	malabarica. R.S. (pu.st.) Malabar. E. Indies.	1823.		S. h. ∪.	Rheed. mal. 2. t. 51.
77	solanifolia. R.S. (ro.) Nightshade-ld. America.	1759.	7. 8.	S. g. ∪.	Plum. ic. 94. f. 1.
78	leucantha. R.S. (wh.) white-flowered. S. America.	1823.	8. 10.	H. ☉. ∪.	Jacq. ic. 2. t. 318.
79	obscura. R.S. (wh.pu.) hairy. E. Indies.	1732.	6. 8.	S. ☉. ∪.	Bot. reg. t. 239.
80	fastigiata. (pu.) crowded.	1816.	—	S. 4. ∪.	—
<i>Convolvulus fastigiatus. F.I.</i>					
81	maxima. (pu.re.) great Ceylon. Ceylon.	1799.	7. 8.	S. h. ∪.	Rheed. mal. 2. t. 53.
82	hirsutula. J.E. (wh.) hairy-stemmed. S. America.	1828.	—	S. ☉.	Jacq. f. eclog. t. 44.
83	blanda. (wh.) fair-flowered.	1820.		S. h. ∪.	—
<i>Convolvulus blandus. F.I.</i>					
84	laurifolia. (ro.) Laurel-leaved.	—	1822.	5. 8.	S. h. ∪.
<i>Convolvulus laurifolius. F.I.</i>					
85	sphærocéphala. (ro.) round-headed.	—	1816.	8. 10.	S. ☉. ∪.
<i>Convolvulus sphærocéphalus. F.I.</i>					
86	sibirica. R.S. (wh.) Siberian. Siberia.	1779.	7. 8.	H. ☉. ∪.	Pall. it. 3. p. 723. t. K.
87	Hardwickii. s.s. (wh.) fringe-calyxed. E. Indies.	1816.	5. 8.	S. 4. ∪.	—
<i>Convolvulus calycinus. F.I. non Kth.</i>					
88	tamniifolia. R.S. (bl.) Tamus-leaved. Carolina.	1732.	7.	H. ☉. ∪.	Dill. elth. t. 318. f. 410.
89	capitata. R.S. (bl.) headed. E. Indies.	1823.	7. 10.	S. 4. ∪.	—
90	triquetra. R.S. (pu.) triquetrous. Santa Cruz.		—	S. h.	—
91	pilosa. (pi.) various-ld. hairy. E. Indies.	1815.	—	S. ☉. ∪.	—
<i>Convolvulus pilosus. F.I.</i>					
92	denticulata. B.P. (ye.) denticulate.	—	1778.	7. 8.	S. ☉. ∪.
<i>Convolvulus Medium. w. non L.</i>					
93	bicolor. (ye.pu.) two-coloured.	—	1815.	—	S. 4. ∪.
<i>Convolvulus bicolor. F.I.</i>					
94	atropurpurea. F.I. (d.pu.) dark purple. Nepaul.	1824.	7. 9.	H. ☉. ∪.	—
95	dentata. F.I. (ye.) toothed-lobed. E. Indies.	1820.	—	S. 4. ∪.	—
96	digitifolia. (pu.) finger-leaved.	1815.	6. 8.	S. h. ∪.	—
<i>Convolvulus digitatus. F.I.</i>					
97	polytricha. (wh.) many-haired.	—	1826.	6. 10.	S. ☉. ∪.
<i>Convolvulus hirsutus. F.I.</i>					
98	heptaphylla. F.I. (pi.) seven-leaved.	—	1827.		S. h. ∪.
99	bogotensis. K.S. (pu.) Bogota. S. America.	1820.	5. 8.	S. h. ∪.	—
100	sidaefolia. K.S. (wh.) Sida-leaved.	1812.	—	S. h. ∪.	—
101	albivenia. (wh.) white-veined. Algoa Bay.	1825.	9. 10.	S. h. ∪.	Bot. reg. t. 1116.
<i>Convolvulus albivenius. B.R.</i>					
102	scrobiculata. B.R. (wh.pu.) furrowed. Trinidad.	1822.	3. 6.	S. h. ∪.	Bot. reg. t. 1076.
103	grandiflora. R.S. (wh.) great-flowered. E. Indies.	1802.	9.	S. h. ∪.	Andr. reposit. t. 188.
104	noctiflora. B.R. (wh.) night-flowered.	1811.	9. 10.	S. h. ∪.	Bot. reg. t. 889.
105	latiflora. R.S. (wh.) broad-flowered. W. Indies.		—	S. h. ∪.	Jacq. vind. 3. t. 69.
106	filiformis. R.S. (pu.) filiform.	1823.	—	S. h. ∪.	Jacq. amer. pict. t. 26.
107	salicifolia. F.I. (wh.) Willow-leaved. E. Indies.	1816.	5. 7.	S. g.	—
108	Roxburghii. (ro.) Roxburgh's.	1817.	—	S. h. ∪.	—
<i>multiflora. F.I. nec aliorum.</i>					
109	sepiaria. F.I. (ro.) hedge.	—	—	S. h. ∪.	Rheed. mal. 11. t. 53.
110	pandurata. B.R. (w.re.) Virginian. N. America.	1732.	6. 9.	G. 4. ∪.	Bot. reg. t. 588.
<i>Convolvulus panduratus. B.M. 1939.</i>					
111	candicans. (wh.) hoary.		6. 8.	G. 4. ∪.	Bot. mag. t. 1603.
<i>Convolvulus candicans. B.M.</i>					
112	glaucofolia. R.S. (fl.) glaucous-leaved. Mexico.	1732.	5. 7.	G. 4. ∪.	Dill. elth. t. 87. f. 101.
113	réptans. R.S. (li.) creeping. E. Indies.	1806.	—	S. 4.	Rumph. am. 5. t. 155. f. 1.
114	angustifolia. R.S. (ye.) narrow-leaved.	1800.	7. 8.	S. ☉. ∪.	Jacq. ic. rar. t. 317.
115	tridentata. R.S. (pu.st.) trifid.	1778.	—	S. ☉. ∪.	Rheed. mal. 2. t. 65.
116	stans. R.S. (vi.) Mexican. Mexico.	1824.	—	S. 4. ∪.	Cavan. icon. 3. t. 250.
117	bignonioides. B.M. (d.pu.) trumpet-flower'd. Cayenne.	1823.	—	S. 4. ∪.	Bot. mag. t. 2645.
118	sagittifolia. B.R. (ro.) arrow-leaved. Carolina.	1819.	6. 9.	G. 4. ∪.	Bot. reg. t. 437.
<i>Convolvulus sagittifolius. R.S.</i>					
119	vitifolia. (ye.) Vine-leaved. E. Indies.	1820.	—	S. h. ∪.	Burm. ind. t. 18. f. 1.
<i>Convolvulus vitifolius. R.S.</i>					
120	stipulacea. (wh.) stipuled.	1805.	8. 10.	S. 4. ∪.	—
<i>Convolvulus stipulaceus. F.I.</i>					
121	pentagona. F.I. (wh.) five-angled.	1824.	5. 8.	S. 4.	—
122	cæspitosa. F.I. (st.) tufted.	1827.	—	S. g.	—

- 123 Beladámboe, R.S. (wh.) whipcord. E. Indies. 1809. 7. 9. S. 2. Rheed. mal. 11. t. 58.
Convolvulus flagelliformis. F.I.
- 124 reniformis. F.I. (ye.) kidney-leaved. ——— 1825. — S. 2.
- 125 bilobata. F.I. (pu.) two-lobed. ——— 1809. 6. 7. S. 2. Rumph. amb. 5. t. 159. f. 1
- 126 brasiliensis. (pu.) three-flowered. Brazil. 1726. — S. 2. Plum. amer. 89. t. 104.
Convolvulus brasiliensis. w.
- 127 pés-capræ. (pu.) single-flowered. E. Indies. 1770. — S. 2. Bot. reg. t. 319.
maritima. B.R. *Convolvulus pés-capræ*. F.I.
- 128 arborëscens. (wh. pu.) tree. Mexico. 1818. S. h.
- ARGYREIA. S.S. ARGYREIA. Pentandria Monogynia. S.S.
- 1 splendens. (ro.) glossy-leaved. E. Indies. 1814. 11. 1. S. h. Bot. mag. t. 2628.
Ipomœa splendens. B.M. *Lettsomia splendens*. F.I.
- 2 speciosa. (pu.) broad-leaved. E. Indies. 1778. 7. 9. S. h. Bot. mag. t. 2446.
Ipomœa speciosa. B.M. *Convolvulus speciosus*. w. *Lettsomia nervosa*. F.I.
- 3 argentea. (pi.) silvery-leaved. E. Indies. 1820. S. h.
- Lettsomia argentea*. F.I.
- 4 setosa. F.I. (pi.) bristly-stemmed. ——— S. h.
- 5 cuneata. B.R. (d. pu.) wedge-leaved. ——— 1817. 6. 9. S. h. Bot. reg. t. 661.
Lettsomia cuneata. F.I. *Ipomœa atrosanguinea*. B.M. 2170.
- 6 cymosa. (li.) cyme-flowered. E. Indies. 1823. S. h.
- Lettsomia cymosa*. F.I.
- 7 pomacea. F.I. (pi.) Apple-fruited. ——— 1828. S. h.
- 8 bona-nôx. F.I. (wh.) night-flowering. ——— 1799. 6. 9. S. h.
- 9 uniflora. F.I. (wh.) kidney-leaved. ——— 1817. S. h.
- 10 ornata. F.I. (wh.) large white-flower'd. ——— 1824. S. h.
- 11 virgata. slender-twigg'd. ——— 1825. S. h.
- DINETUS. B.F.G. DINETUS. Pentandria Monogynia.
- 1 racemosus. B.F.G. (wh.) cluster-flower'd. Nepal. 1823. 7. 11. H. S. Swt. br. fl. gar. t. 127.
Porana racemosa. F.I.
- 2 paniculatus. (wh.) paniced. E. Indies. ——— S. h. Roxb. corom. 3. t. 235.
Porana paniculata. F.I.
- PORANA. W. PORANA. Pentandria Digynia.
- volubilis. w. (wh.) climbing. E. Indies. 1823. S. h. Burm. ind. t. 21. f. 1.
- EVOVLVULUS. S.S. EVOVLVULUS. Pentandria Digynia. R.S.
- 1 nummularius. R.S. (bl.) round-leaved. Jamaica. 1816. 10. S. Jacq. amer. t. 260. f. 23.
- 2 gangeticus. R.S. (bl.) Ganges. E. Indies. 1823. — S.
- 3 emarginatus. R.S. (bl.) kidney-leaved. ——— 1816. — S. Burm. ind. t. 30. f. 1.
- 4 alsinoides. R.S. (bl.) chickweed-leaved. ——— 1733. 6. 7. S. Rheed. mal. 11. t. 64.
- 5 hirsutus. R.S. (pa. bl.) hairy. Cumana. 1825. 6. 8. S. Lam. ill. t. 216. f. 2.
- 6 lanceolatus. Poi. (pa. bl.) spear-leaved. S. America. 1818. — S.
- 7 linifolius. R.S. (bl.) flax-leaved. Jamaica. 1782. 8. 9. S. Brown. jam. t. 10. f. 2.
- 8 sericeus. R.S. (wh.) silky. ——— 1827. 8. 10. S.
- 9 incanus. R.S. (bl.) hoary. Peru. 1824. — S.
- 10 Nuttallianus. R.S. (ye.) Nuttall's. Missouri. 1821. 5. 6. H.
- argenteus*. N.
- 11 latifolius. B.R. (wh.) broad-leaved. Brazil. 1819. 6. 7. S. Bot. reg. t. 401.
- CRESSA. R.S. CRESSA. Pentandria Digynia. L.
- cretica. R.S. (wh.) Cretan. Levant. 1822. 7. 9. H. Flor. græc. t. 256.
- DICHO'NDRA. R.S. DICHO'NDRA. Pentandria Digynia. L.
- 1 repens. R.S. (wh.) creeping. N. S. W. 1803. 6. 8. G. Sm. ic. ined. 1. t. 8.
- 2 rotundifolia. L. en. (wh.) round-leaved. Persia. 1816. — H.
- 3 caroliniana. R.S. (gr.) Carolina. Carolina. 1812. — G.
- 4 sericea. s.s. (wh.) silky. W. Indies. 1793. — S.
- 5 argentea. R.S. (wh.) silvery. New Spain. 1818. — S.
- FALKIA. R.S. FALKIA. Pentandria Digynia. L.
- repens. R.S. (wh.) creeping. C. B. S. 1774. 5. 8. G. Andr. reposit. t. 257.
- CUSCUTA. R.S. DODDER. Pentandria Digynia. R.S.
- 1 europæa. R.S. (wh.) great. England. 8. 9. H. Eng. bot. v. 6. t. 378.
- 2 Epithymum. R.S. (wh.) lesser. Britain. 7. 10. H. v. 1. t. 55.
- 3 epilinum. s.s. (wh.) Flax. Germany. 1821. — H.
- 4 monogyna. R.S. (wh.) one-styled. Levant. — H.
- 5 lupuliformis. R.S. (wh.) rough dotted. Silesia. 1824. — H. Krock. siles. t. 36.
- 6 macrocarpa. Led. (wh.) large-podded. Siberia. 1827. — H.
- 7 chinensis. R.S. (wh.) Chinese. China. 1803. — G.
- 8 australis. B.P. (wh.) New Holland. N. Holland. 1818. — G.
- 9 chilensis. B.R. (wh.) Chili. Chili. 1821. 1. 12. G. Bot. reg. t. 603.
- 10 odorata. R.S. (wh.) sweet-scented. Lima. 1820. — H.
- 11 verrucosa. B.F.G. (wh.) warted-calyc'd. Nepal. 1822. 9. 11. H. Swt. br. fl. gar. t. 6.
- 12 Hookeri. (wh.) Hooker's. E. Indies. 1823. — H. Hook. ex. flor. t. 150.
- reflexa*, var. *verrucosa*. H.E.F. excl. synon. 2 B 3

ORDO CXLIX.

BORAGINEÆ. *Brown prodr. l. p. 492.*

TIARI'DIUM. S.S.		TIARI'DIUM. Pentandria Monogynia. S.S.			
1	indicum. s.s. (li.) Indian.	W. Indies.	1713.	6. 8.	S. ☉ Bot. mag. t. 1837.
	<i>Heliotropium indicum.</i> B.M.				
2	velutinum. R.S. (wh.) villous-stalked.	E. Indies.		—	S. ☉ Rheed. mal. 10. t. 48.
HELIOTROPIUM. S.S. TURNSOLE.		Pentandria Monogynia. L.			
1	peruvianum. s.s. (wh.) Peruvian.	Peru.	1757.	5. 9.	G. h. Bot. mag. t. 141.
	<i>β hybridum.</i> (wh.) <i>More's hybrid.</i>	Hybrid.	1815.	—	G. h.
2	corymbosum. s.s. (bl.) large-flowered.	—	1808.	—	G. h. Bot. mag. t. 1609.
	<i>grandiflorum.</i> L.en.				
3	maroccanum. s.s. (wh.) Morocco.	Morocco.	1821.	—	G. h.
4	parviflorum. s.s. (wh.) small-flowered.	India.	1732.	7. 9.	S. ☉ Dill. elth. t. 146. f. 175.
5	europæum. s.s. (wh.) European.	S. Europe.	1562.	6. 10.	H. ☉ Jacq. aust. 3. t. 207.
6	commutatum. R.S. (wh.) smaller.	—		—	H. ☉
7	oblongifolium. L.en. (w.) oblong-leaved.	—	1827.	—	H. ☉
8	suaveolens. s.s. (wh.) sweet-scented.	Caucasus.	1823.	—	H. ☉
9	coromandelianum. w. (w.) Coromandel.	E. Indies.	1812.	7. 10.	S. ☉
10	crassavicum. s.s. (wh.) glaucous.	S. America.	1731.	6. 7.	S. ☉ Bot. mag. t. 2669.
11	chenopodioides. W.en. (w.) smooth-leaved.	—	1820.	—	S. ☉
12	anisophyllum. B.G. (w.) unequal-leaved.	Africa.	1822.	—	S. ☉ Beau. fl. d. ow. 2. t. 94.
13	zeylanicum. R.S. (wh.) Ceylon.	Ceylon.	1815.	—	S. ☉ Burm. ind. t. 16. f. 2.
14	linifolium. R.S. (wh.) flax-leaved.	C. B. S.	—	—	G. h.
	<i>Myosotis fruticosa.</i> w.				
15	demissum. R.S. (wh.) dwarf.	S. America.	1752.	5. 6.	S. h. Plum. ic. 227. f. 2.
	<i>Tournefortia humilis.</i> w.				
16	supinum. s.s. (wh.) trailing.	S. Europe.	1640.	6. 7.	H. ☉ Flor. græc. t. 157.
LITHOSPERMUM. S.S. GROMWELL.		Pentandria Monogynia. L.			
1	fruticosum. s.s. (re.) shrubby.	S. Europe.	1683.	5. 6.	H. h. Flor. græc. t. 161.
2	prostratum. s.s. (pu.) prostrate.	—	1825.	—	H. h. Lois. fl. gall. add. 1. t. 4.
3	sericeum. s.s. (st.) silky.	N. America.	1824.	—	H. h.
4	divaricatum. s.s. (st.) spreading.	Africa.	1829.	7. 9.	H. h.
5	hispidulum. s.s. (bl.) bristly.	Greece.	1828.	—	F. h.
6	arvense. s.s. (st.) corn.	Britain.		5. 6.	H. ☉ Eng. bot. v. 2. t. 123.
7	officinale. s.s. (ye.) officinal.	—		5. 8.	H. h. — v. 2. t. 134.
8	latifolium. s.s. (st.) broad-leaved.	America.	1816.	—	H. h.
9	distichum. s.s. (st.) two-spiked.	Mexico.	1806.	—	G. h. Jacq. fragm. t. 48. f. 3.
10	orientale. s.s. (ye.) yellow-flower'd.	Levant.	1713.	—	H. h. Bot. mag. t. 515.
11	lineatum. s.s. (st.) lined.		1816.	—	H. h.
12	apulum. s.s. (ye.) small.	S. Europe.	1768.	6. 7.	H. ☉ Flor. græc. t. 158.
13	crassifolium. s.s. (st.) thick-leaved.	Levant.	1825.	5. 8.	H. h.
14	decumbens. s.s. (st.) decumbent.	Persia.	—	7. 9.	H. ☉ Vent. cels. t. 37.
15	villosum. s.s. (pu.) villous.	S. Europe.	1820.	6. 7.	H. h.
16	tinctorium. R.S. (st.) dyer's.	—	1596.	6. 10.	H. h.
17	purpureo-cœruleum. (bl.) creeping.	England.		5. 6.	H. h. Eng. bot. v. 2. t. 117.
18	graminifolium. s.s. (bl.) grass-leaved.	S. Europe.	1826.	—	H. h. Viv. frag. ital. t. 5.
19	tenuiflorum. s.s. (wh.) slender-flower'd.	Egypt.	1796.	—	H. ☉ Jacq. ic. 2. t. 313.
20	disperrum. s.s. (li.) two-seeded.	Spain.	1799.	6. 7.	H. ☉ Linn. dec. 1. t. 7.
21	davuricum. s.s. (bl.) Daurian.	Davuria.	1812.	5. 6.	H. h. Swt. br. fl. gar. t. 121.
	<i>Pulmonaria davurica.</i> B.M. 1743.				
22	denticulatum. s.s. (pu.) toothed.	N. America.	1801.	—	H. h.
23	sibiricum. s.s. (pu.) Siberian.	Siberia.	—	6. 7.	H. h. Gmel. sib. 4. n. 15. t. 39.
24	maritimum. s.s. (bl.) sea-side.	Britain.		—	H. h. Eng. bot. v. 6. t. 368.
	<i>Pulmonaria maritima.</i> E.B.				
25	parviflorum. (bl.) small-flowered.	N. America.	1824.	—	H. h.
26	pulchrum. s.s. (bl.) Virginian.	—	1699.	3. 5.	H. h. Bot. mag. t. 160.
	<i>Pulmonaria virginica.</i> B.M.				
27	paniculatum. s.s. (pu.) panicked.	Hudson's Bay.	1778.	5. 6.	H. h. Bot. reg. t. 146.
	<i>Pulmonaria paniculata.</i> B.R.				
28	lanceolatum. (bl.) margined.	Louisiana.	1813.	—	H. h.
	<i>Pulmonaria lanceolata.</i> Ph. marginata. N.				
29	simplicissimum. s.s. (bl.) simple-stalked.	Siberia.	1829.	—	H. h.
BA'TSCHIA. M.		BA'TSCHIA. Pentandria Monogynia.			
1	Gmelini. M. (ye.) Carolina.	Carolina.	1812.	5. 7.	H. h.
	<i>caroliniana.</i> R.S. <i>Lithospermum hirtum.</i> s.s.				

2	canescens. M.	(ye.) canescent.	N. America.		5. 7.	H. 2.	Mich. amer. 1. t. 14.
3	longiflora. N.	(ye.) long-flowered.	Missouri.	1812.	—	H. 2.	
4	decumbens. N.	(ye.) decumbent.	N. America.	1826.	—	H. 2.	
5	conspicua. B.	(ye.) conspicuous.	—	1827.	—	H. 2.	
PULMONARIA. S.S. LUNGWORT. Pentandria Monogynia. L.							
1	azurea. s.s.	(bl.) azure.	Hungary.	1823.	5.	H. 2.	Moris. his. s. 11. t. 29. f. 5.
2	angustifolia. s.s.	(pu.) narrow-leaved.	Britain.		4. 5.	H. 2.	Eng. bot. v. 23. t. 1628.
3	tuberosa. s.s.	(pu.) tuberous-rooted.	Hungary.	1824.	5.	H. 2.	
4	mollis. s.s.	(pu.) soft-leaved.	—	1816.	—	H. 2.	Swt. br. fl. gar. ic.
5	officinalis. R.S.	(pu.) common.	England.		—	H. 2.	Eng. bot. v. 2. t. 118.
6	saccharata. L.en.	(wh.) white-flowered.	Germany.	1816.	—	H. 2.	Moris. s. 11. t. 29.
7	grandiflora. R.S.	(pu.) large-flowered.	—		—	H. 2.	DC. ic. ined. t. 64.
8	oblongata. Schr.	(pu.) oblong-leaved.	Germany.	1820.	—	H. 2.	
ONOSMODIUM. M. ONOSMODIUM. Pentandria Monogynia. R.S.							
1	hispidum. R.S.	(st.) hispid.	N. America.	1759.	6.	H. 2.	Moris. s. 11. t. 28. f. 3.
2	molle. R.S.	(wh.) soft.	—	1812.	6. 8.	H. 2.	Mich. amer. t. 15.
ONOSMA. R.S. ONOSMA. Pentandria Monogynia. L.							
1	echioides. s.s.	(ye.) hairy.	S. Europe.	1683.	3. 6.	H. 2.	Flor. græc. t. 172.
2	giganteum. s.s.	(ye.) gigantic.	Tauria.	1818.	—	H. 2.	
3	montanum. R.S.	(ye.) mountain.	Levant.	1827.	—	H. 2.	Colum. ecphr p. 183. f. 2.
4	arenarium. R.S.	(ye.) sand.	Hungary.	1804.	3. 7.	H. 2.	W. et K. hung. 3. t. 279.
5	stellatum. W.K.	(ye.) starry-haired.	—	1816.	—	H. 2.	— 2. t. 173.
6	tauricum. B.M.	(go.) golden-flower'd.	Tauria.	1801.	4. 6.	F. 2.	Bot. mag. t. 889.
7	tinctorium. R.S.	(st.) dyer's.	Volga.	1828.	—	H. 2.	
8	rupestre. R.S.	(ye.) rock.	Caucasus.	1823.	—	H. 2.	
9	erectum. R.S.	(ye.) upright.	Crete.	1828.	—	F. 2.	Flor. græc. t. 173.
10	orientale. s.s.	(st.) oriental.	Levant.	1752.	5. 6.	G. 2.	
11	divaricatum. s.s.	(st.) spreading.	Caucasus.	1818.	4. 6.	H. 2.	Pall. it. 2. app. t. 50.
12	simplicissimum. R.S.	(st.) linear-leaved.	Siberia.	1768.	—	H. 2.	Bot. mag. t. 2248.
13	trinervium. s.s.	(st.) three-nerved.	Mexico.	1825.	—	G. 2.	
14	sericeum. R.S.	(ye.) silky-leaved.	Levant.	1752.	6. 7.	F. 2.	
15	synanthemum. F.	(ye.) connected.	Altay.	1827.	—	H. 2.	
MO'LTZIA. R.S. MO'LTZIA. Pentandria Monogynia.							
	cærulea. R.S.	(bl.) blue-flowered.	Persia.	1829.	4. 6.	H. 2.	
SYMPHYTUM. R.S. COMFREY. Pentandria Monogynia. L.							
1	officinale. R.S.	(wh.) common.	Britain.		5. 7.	H. 2.	Eng. bot. v. 12. t. 817.
	β purpurascens.	(pu.) purplish.	—		—	H. 2.	
2	bohemicum. P.S.	(re.) red-flowered.	Bohemia.		—	H. 2.	
3	caucasicum. R.S.	(bl.) Caucasian.	Caucasus.	1816.	—	H. 2.	
4	tuberosum. R.S.	(wh.) tuberous-root'd.	Scotland.		5. 10.	H. 2.	Eng. bot. v. 23. t. 1502.
5	bulbosum. s.s.	 bulbous-rooted.	Levant.	1829.	5. 7.	H. 2.	Reich. icon. t. 220.
6	orientale. R.S.	(wh.) eastern.	Turkey.	1752.	—	H. 2.	Bot. mag. t. 1912.
7	bullatum. s.s.	(wh.) blistered.	Tauria.	1806.	—	H. 2.	— t. 1787.
	tauricum. B.M.	—	—	—	—	—	—
8	cordatum. W.K.	(st.) heart-leaved.	Hungary.	1813.	—	H. 2.	W. et K. hung. 6. t. 7.
9	asperimum. R.S.	(bl.) roughest.	Caucasus.	1799.	5. 9.	H. 2.	Bot. mag. t. 929.
10	echinatum. R.S.	(pu.) bristly.		1824.	—	H. 2.	
11	peregrinum. s.s.	(wh.) oblique-leaved.	Poland.	1816.	5. 7.	H. 2.	
CERINTHE. R.S. HONEYWORT. Pentandria Monogynia. L.							
1	major. R.S.	(ye. pu.) great.	S. Europe.	1596.	7. 8.	H. ⊙.	Bot. mag. t. 333.
2	aspera. R.S.	(pu. ye.) rough.	—	1633.	—	H. ⊙.	Flor. græc. t. 170.
3	retorta. F.G.	(pu. ye.) bent topped.	Levant.	1828.	—	H. ⊙.	— t. 171.
4	minor. R.S.	(ye.) small.	Austria.	1570.	6. 10.	H. ⊙.	Jacq. aust. 2. t. 124.
5	alpina. R.S.	(pu. ye.) alpine.	M. Carpathian.	1827.	—	H. ⊙.	
6	maculata. R.S.	(ye. pu.) spotted.	Tauria.	1804.	—	H. ♂.	
ECHIUM. R.S. VIPER'S-BUGLOSS. Pentandria Monogynia. L.							
1	fruticosum. R.S.	(wh. bh.) frutescent.	C. B. S.	1759.	5. 6.	G. ♂.	Bot. reg. t. 86.
2	hispidum. R.S.	(wh.) hispid-leaved.	—	1816.	—	G. ♂.	
3	verrucosum. R.S.	(wh.) warted.	—	1820.	5. 7.	G. ♂.	
4	laevigatum. R.S.	(wh.) smooth-stalked.	—	1774.	6. 7.	G. ♂.	
5	glaucophyllum. R.S.	(bl.) glaucous-leaved.	—	1792.	6. 8.	G. ♂.	Jacq. ic. t. 312.
6	glabrum. R.S.	(wh.) smooth.	—	1791.	5. 6.	G. ♂.	
7	paniculatum. R.S.	(wh.) panicked.	—	1815.	—	G. ♂.	
8	grandiflorum. R.S.	(ro.) great-flowered.	—	1787.	6. 7.	G. ♂.	Bot. reg. t. 124.
	formosum. P.S.	—	—	—	—	—	—
9	ferocissimum. A.R.	(bl.) prickly-stalked.	—	1794.	—	G. ♂.	Andr. posit. t. 39.
10	petraeum. s.s.	(bl.) rock.	Dalmatia.	1828.	—	H. ♂.	
11	calycinum. R.S.	(bl. ye.) large-calyxed.	S. Europe.	1829.	6. 8.	H. ⊙.	Viv. frag. ital. 1. t. 4.

12	spicatum. R.S.	(wh.)	spiked dwarf.	C. B. S.	1799.	3. 5.	G. ♀.	
13	caudatum. R.S.	(re.)	tailed.	—	1815.	6. 9.	G. ♀.	
14	capitatum. R.S.	(re.)	headed.	—	1822.	—	G. ♀.	
15	sphærocephalon. s.s.(w.)		round-headed.	—	1824.	—	G. ♀.	
16	argenteum. R.S.	(bl.)	silvery.	—	1789.	6. 7.	G. ♀.	Andr. reposit. t. 154.
17	lasophyllum. L.en.(w.)		woolly-leaved.		1819.	—	G. ♀.	
18	Swartzii. R.S.	(bl.)	Swartz's.	C. B. S.	1816.	—	G. ♀.	
19	incanum. R.S.	(bl.)	hoary.	—	—	4. 6.	G. ♀.	
20	strigosum. R.S.	(vi.)	strigose.	—	1819.	6. 7.	G. ♀.	
21	giganteum. R.S.	(wh.)	gigantic.	Canaries.	1779.	7. 11.	G. ♀.	Vent. malm. t. 71.
22	aculeatum. R.S.	(st.)	prickly.	—	1815.	5. 8.	G. ♀.	
23	molle. R.S.	(wh.)	soft-leaved.	—	—	—	G. ♀.	
24	nervosum. H.K.	(bl.)	sinewy-leaved.	Madeira.	1777.	6. 8.	G. ♀.	
25	bifrons. DC.	(bh.)	two-fronted.	Canaries.	1815.	—	G. ♀.	
26	ambiguum. DC.	(bh.)	ambiguous.	—	—	5. 7.	G. ♀.	DC. ic. mons. ined. t. 20.
27	virescens. DC.	(pa.bl.)	green-leaved.	—	—	—	G. ♀.	
28	candicans. R.S.	(bl.)	hoary tree.	Madeira.	1777.	5. 6.	G. ♀.	Bot. reg. t. 44.
29	cynoglossoides. R.S.(bl.)		hound's-tongue-ld.	Canaries.	1816.	—	G. ♀.	
30	densiflorum. DC.	(li.)	dense-flowered.	—	—	—	G. ♀.	DC. ic. m. ined. t. 22.
31	fastuosum. H.K.	(bl.)	fastuous.	—	1779.	4. 8.	G. ♀.	
32	strictum. R.S.	(bl.)	upright.	—	—	5. 12.	G. ♀.	Jacq. schœn. I. t. 35.
33	lineatum. R.S.	(bh.)	lined.	—	1815.	5. 6.	G. ♀.	Jacq. f. eclog. t. 42.
34	macrophyllum. R.S.(bl.)		large-leaved.		1812.	—	G. ♀.	
35	foliosum. R.S.	(wh.)	leafy.		—	—	G. ♀.	
36	simplex. DC.	(wh.)	simple-stalked.	Canaries.	—	5. 12.	G. ♀.	DC. ic. m. ined. t. 21.
37	brachyanthum. R.S.(w.)		short-flowered.	Madeira.	1820.	5. 7.	G. ♀.	
38	scabrum. R.S.	(bl.)	rough.	C. B. S.	—	—	G. ♀.	
39	plantagineum. R.S.(pu.)		Plantain-leav'd.	Italy.	1776.	7. 10.	H. ♂.	Flor. græc. t. 179.
40	lusitanicum. R.S.(bl.)		Portugal.	S. Europe.	1731.	7. 8.	H. ♀.	
41	plantaginoides. R.S.(bl.)		Plantain-like.	—	1825.	—	H. ♂.	Jacq. vind. I. t. 45.
42	prostratum. R.S.(re.)		prostrate.	Egypt.	1824.	—	H. ♀.	
43	macranthum. R.S.(vi.)		large-flowered.	Barbary.	—	7. 10.	H. ♂.	Desf. atl. I. t. 46.
	grandiflorum. Desf.		non Andr.	—	—	—	—	
44	australe. R.S.(re.pu.)		oval-leaved.	S. Europe.	1824.	—	H. ♂.	Swt. br. fl. gar. t. 101.
45	Simsii.	(re.bl.)	Sims's.	—	1816.	—	H. ♂.	Bot. mag. t. 1934.
	creticum. B.M.		non Flor. græc.	—	—	—	—	
46	maritimum. R.S.(bl.)		sea-side.	Italy.	1815.	—	H. ♂.	Bocc. mus. 2. t. 78.
47	italicum. R.S.	(wh.)	white.	Jersey.		7. 8.	H. ♀.	Eng. bot. v. 29. t. 2081.
48	pyrenaicum. R.S.(bl.)		Pyrenean.	Pyrenees.	1815.	—	H. ♀.	
49	asperrimum. M.B.(bl.)		roughest.	Caucasus.	1826.	—	H. ♀.	
50	thyrsoideum. R.S.(bl.)		bunch-flowered.		1823.	—	H. ♀.	
51	rubrum. R.S.	(re.)	red-flowered.	Hungary.	1791.	—	H. ♀.	Bot. mag. t. 1822.
52	vulgare. R.S.	(bl.)	common.	Britain.		—	H. ♀.	Eng. bot. v. 3. t. 181.
	β album.	(wh.)	white-flowered.	—		—	H. ♀.	
53	tuberculatum. R.S.(bl.)		tubercled.	S. Europe.	1826.	—	H. ♀.	
54	violaceum. R.S.(vi.bl.)		violet-flowered.	Austria.	1658.	—	H. ♂.	
55	parviflorum. H.K.(bl.)		small-flowered.	Barbary.	1798.	—	H. ♂.	
	micranthum. R.S.		—	—	—	—	—	
56	ténue. s.s.	(bl.)	slender.	—	1824.	—	H. ♂.	
57	Sibthorpii. R.S.	(ro.)	Sibthorp's.	Naples.	—	—	H. ♀.	Flor. græc. t. 181.
	hispidum. F.G.		nec aliorum. elegans. Lehm.	—	—	—	—	
58	diffusum. R.S.	(re.)	spreading.	Crete.	1827.	7. 9.	H. ♂.	Flor. græc. t. 182.
59	creticum. R.S.	(pu.)	Cretan.	Levant.	1683.	—	H. ♂.	— t. 183.
60	orientale. R.S.	(pu.)	oriental.	—	1780.	7. 8.	H. ♂.	Tourn. it. 2. f. 107.
61	dahuricum. F.	(bl.)	Dahurian.	Dahuria.	1827.	—	H. ♀.	
62	angustifolium. s.s.	(bl.)	narrow-leaved.	Spain.	1826.	—	H. ♂.	
63	Lagascanum. R.S.(li.)		Lagasca's.	—	—	—	H. ♀.	
64	salmanticum. R.S.(pu.)		long-stamened.	—	1824.	—	H. ♂.	
N'ONEA. DC. N'ONEA. Pentandria Monogynia. R.S.								
1	violacea. DC.	(vi.)	violet-coloured.	S. Europe.	1686.	5. 7.	H. ♂.	Moris. s. 11. t. 26. f. 11.
	Lycopsis vesicaria. w.		—	—	—	—	—	
2	nigricans. DC.	(d.pu.)	black-flowered.	—		—	H. ♂.	Zanon. hist. 56. t. 38.
3	palla. DC.	(d.pu.)	dark-flowered.	Germany.	1648.	6. 7.	H. ♀.	Jacq. aust. 2. t. 188.
4	ciliata. R.S.	(ye.)	fringed.	Levant.	1804.	—	H. ♂.	
5	rosea. L.en.	(ro.)	rose-coloured.	Caucasus.	1824.	—	H. ♂.	
	Anchusa rosea. M.B.		Lycopsis rosea. s.s.	—	—	—	—	
6	setosa. R.S.	(ye.)	bristly.	Iberia.	1826.	—	H. ♂.	
7	versicolor.	(bl.wh.)	various-colored.	—	1820.	—	H. ♂.	
	Anchusa versicolor. R.S.		—	—	—	—	—	

8 lutea. DC.	(ye.) pale yellow.	S. Europe.	1805.	6. 7. H. ⊙.	Nocc. hort. tran. t. 3.
<i>Anchusa lutea</i> . R.S. <i>Lycopsis lutea</i> . s.s.					
9 picta.	(bl.std.) painted.	Tauria.	1818.	— H. ⊙.	
<i>Anchusa picta</i> . M.B. <i>Lycopsis picta</i> . s.s.					
LYCOPSIS. L. WILD BUGLOSS. Pentandria Monogynia. L.					
arvensis. L.	(bl.) common.	Britain.		5. 8. H. ⊙.	Eng. bot. v. 14. t. 938.
ASPERUGO. L. GERMAN MADWORT. Pentandria Monogynia. L.					
procumbens. L.	(bl.) procumbent.	Britain.		4. 5. H. ⊙.	Eng. bot. v. 10. t. 661.
ANCHUSA. R.S. BUGLOSS. Pentandria Monogynia. L.					
1 Barrelieri. R.S.	(bl.) Barrelier's.	Italy.	1815.	6. 7. H. ½.	Barrel. ic. 333.
2 paniculata. R.S.	(bl.) panicked.	Levant.	1777.	6. 10. H. ½.	Flor. græc. t. 163.
3 italica. B.R.	(bl.) Italian.	S. Europe.	1597.	— H. ½.	Bot. reg. t. 483.
4 Millieri. R.S.	(ro.) Miller's.			— H. ⊙.	
5 myosotidiflora. s.s.	(bl.) Myosotis-flower'd.	Caucasus.	1828.	— H. ½.	
6 stylösa. R.S.	(bl.) long-styled.	Tauria.	1824.	— H. ⊙.	MB. cent. pl. rar. t. 23.
7 procera. s.s.	(bl.) tall.	Poland.	1822.	— H. ½.	
8 lycopsoides. L. en.	(vi.) Lycopsis-like.			— H. ½.	
9 variegata. s.s.	(bl.cr.) variegated.	Levant.	1683.	6. 7. H. ⊙.	Flor. græc. t. 178.
<i>Lycopsis variegata</i> . F.G.					
10 ovata. s.s.	(bl.) oval-leaved.	—	1796.	— H. ⊙.	Buxb. cent. 5. t. 30.
<i>Lycopsis orientalis</i> . R.S.					
11 tinctoria. R.S.	(bl.) dyer's.	—	1596.	6. 10. H. ½.	Flor. græc. t. 166.
12 parviflora. R.S.	(bl.) small-flowered.	Levant.	1827.	— H. ⊙.	
13 aggregata. s.s.	(bl.) clustered.	—	—	— H. ⊙.	Flor. græc. t. 107.
<i>parviflora</i> . Flor. græc. non w.					
14 hispida. R.S.	(vi.) hispid.	Egypt.	1823.	— H. ½.	
15 tenella. R.S.	(wh.) slender.	China.	1816.	— H. ⊙.	Jacq. f. ed. t. 29.
<i>zeylanica</i> . Jacq.					
16 cæspitosa. F.G.	(bl.) tufted.	Levant.	1828.	— H. ½.	Flor. græc. t. 169.
17 officinalis. R.S.	(vi.) common.	Britain.		— H. ½.	Eng. bot. v. 10. t. 662.
18 incarnata. Schr.	(fl.) flesh-coloured.	Europe.		— H. ½.	
19 undulata. R.S.	(pu.) wave-leaved.	S. Europe.	1739.	6. 8. H. ½.	Bot. mag. t. 2119.
20 ochroleuca. R.S.	(st.) pale-flowered.	Caucasus.	1810.	7. 8. H. ½.	— t. 1608.
21 angustifolia. R.S.	(vi.) narrow-leaved.	Europe.	1640.	5. 6. H. ½.	Flor. græc. t. 164.
22 capensis. R.S.	(vi.) Cape.	C. B. S.	1800.	7. 8. G. ♂.	Andr. reposit. t. 336.
23 hybrida. R.S.	(pu.) villous.	Naples.	1818.	7. 10. H. ⊙.	Ten. fl. neap. t. 11.
24 Gmelini. s.s.	(bl.) Gmelin's.	Siberia.	1829.	— H. ½.	
25 alpestris. s.s.	(bl.) alpine.	Caucasus.	—	— H. ½.	
26 Agårdhii. R.S.	(pu.) tubercle-leav'd.	Siberia.	1823.	7. 9. H. ½.	
27 verrucosa. R.S.	(wh.) warted.	Egypt.	—	7. 10. H. ⊙.	Jacq. vind. 3. t. 21.
<i>Asperugo ægyptiaca</i> . Jacq.					
28 rupëstris. B.P.	(bl.) rock.	Siberia.	1802.	6. 8. H. ½.	Pall. it. 3. ap. t. E. f. 3.
<i>Myosotis rupëstris</i> . w.					
MYOSOTIS. R.S. SCORPION-GRASS. Pentandria Monogynia. L.					
1 palustris. E.B.	(bl.) marsh.	Britain.		6. 9. H.w. ½.	Eng. bot. v. 28. t. 1973.
<i>scorpioides</i> . w.					
2 cæspitosa. s.s.	(bl.) tufted.	—		5. 7. H.w. ½.	
3 intermedia. s.s.	(bl.) intermediate.	—		4. 6. H. ♂.	Fl. dan. 583. f. maj.
4 sylvatica. R.S.	(bl.ye.) wood.	—		6. 8. H. ½.	Raii syn. t. 9. f. 2.
5 commutata. R.S.	(bl.) changed.	Europe.		— H. ♂.	
6 alpestris. R.S.	(bh.) rock.	Scotland.		— H. ½.	Eng. bot. v. 36. t. 2559.
<i>rupicola</i> . E.B.					
7 lithospermifolia. R.S.	(bl.) Gromwell-leav'd.	Caucasus.	1823.	— H. ½.	
8 suaveolens. R.S.	(bl.) sweet-scented.	Europe.	—	— H. ½.	
9 sericea. s.s.	(bl.) silky-leaved.	Siberia.	1802.	— H. ½.	
10 villosa. s.s.	(bh.) villous.	—	1828.	— H. ½.	
11 sparsiflora. R.S.	(wh.) loose-flowered.	Europe.	1818.	— H. ⊙.	
12 stricta. R.S.	(bl.ye.) upright.	—	—	— H. ⊙.	
13 arvensis. E.B.	(bl.) corn.	Britain.		6. 9. H. ⊙.	Eng. bot. v. 36. t. 2558.
14 versicolor. E.B.	(bl.ye.) various-colour'd.	—		4. 6. H. ⊙.	— t. 480. f. 1.
15 nana. R.S.	(bl.) dwarf.	—		6. 8. H. ½.	Hacq. pl. alp. car. t. 2. f. 6.
16 peduncularis. s.s.	(bl.) peduncled.	Astracan.	1822.	— H. ⊙.	
17 clavata. s.s.	(bl.) clavate.	Siberia.	1829.	— H. ⊙.	
18 australis. B.P.	(bl.) southern.	N. S. W.	1824.	— G. ⊙.	
19 unguilata. F.	(bl.) clawed.	Siberia.	1822.	— H. ⊙.	
ECHINOSPERMUM. S.S. ECHINOSPERMUM. Pentandria Monogynia. S.S.					
1 zeylanicum. s.s.	(bl.) Ceylon.	Ceylon.	1826.	6. 9. S. ⊙.	
2 virginianum. s.s.	(pa.) Virginian.	Virginia.	1699.	6. 7. H. ♂.	Moris. s. 11. t. 30. f. 9.
<i>Myosotis virginiana</i> . w. <i>Rochelia virginiana</i> . R.S.					

- 3 deflexum. s.s. (*bl.*) deflexed. Hungary. 1823. 6. 7. H. ♂. Wahl. a. holm. 1810. t. 4.
 4 Láppula. s.s. (*bl.*) common. Europe. 1656. 4. 8. H. ⊙. Flor. dan. t. 692.
 5 squarrosum. L.en. (*bl.*) squarrose. Siberia. 1802. — H. ⊙.
- pátulum. s.s.*
 6 Redówskil. L.A. (*bl.*) Redowski's. Russia. 1821. 6. 7. H. ♂.
 7 barbátum. s.s. (*bl.*) bearded. Tauria. 1819. — H. ⊙.
 8 marginátum. s.s. (*bl.*) margined. Astracan. — H. ⊙.
 9 heteracáanthum. Led. (*bl.*) various-spined. Siberia. 1826. — H. ⊙.
 10 grandiflórum. Led. (*bl.*) large-flowered. — 1827. — H. ⊙.
- OMPHALODES. L.A. OMPHALODES. Pentandria Monogynia. L.en.
 1 nitida. L.A. (*bl.*) shining. Portugal. 1812. 4. 6. H. ♀. Bot. mag. t. 2529.
Cynoglossum nitidum. B.M. Picótia nitida. R.S.
 2 vérna. L.en. (*bl.*) Comfrey-leav'd. S. Europe. 1633. 3. 5. H. ♀. Bot. mag. t. 7.
Cynoglossum Omphalodes. B.M. Picótia vérna. R.S.
 3 brassicáfólia. L. (*wh.*) stem clasping. Spain. 1824. 6. 8. H. ⊙. Lehm. m. ber. 8. 2. t. 6.
amplexicaulis. Lehm. Picótia brassicáfólia. R.S.
 4 littoralis. L.A. (*wh.*) sea-side. France. 1827. — H. ⊙.
 5 linifólia. L.A. (*wh.*) Venus Navelwort. Portugal. 1648. — H. ⊙. Barrel. ic. 1234.
 6 lithospermifólia. L.A. (*bl.*) loose-racemed. Levant. 1828. 4. 6. H. ♀.
 7 scorpioides. L.A. (*bl.*) variable-leaved. Bohemia. 1823. 6. 8. H. ⊙. Lehm. m. ber. 8. 2. t. 7.
 8 sempervirens. D.P. (*bl.*) evergreen. Britain. 5. 6. H. ♀. Eng. bot. v. 1. t. 45.
Anchúsa sempervirens. E.B.
- RINDERA. R.S. RINDERA. Pentandria Monogynia. R.S.
 1 lævigáta. R.S. (*wh.*) smooth. Siberia. 1824. 6. 7. H. ♀. Pall. ross. 2. t. 88.
tetráspis. Pall. Cynoglossum Rindera. Pall. Cynoglossum lævigatum. w.
 2 magellénsis. R.S. (*vi.*) woolly. Italy. 1823. 5. 7. H. ♀.
Cynoglossum magellense. Tenore.
 3 Columñæ. R.S. (*pu.*) Columna's. — 1824. — H. ♂. Column. cephr. 1. t. 178.
 4 cristáta. R.S. (*pu.*) crested. Armenia. 1829. — H. ♂.
- MA'TTIA. R.S. MA'TTIA. Pentandria Monogynia. R.S.
 1 umbelláta. R.S. (*re. ye.*) umbel-flowered. Hungary. 1818. 6. 7. H. ♀. W. et K. hung. 2. t. 148.
 2 lanáta. R.S. (*ro.*) woolly. Levant. 1800. — G. ♀. Tourn. an. mus. 10. t. 37.
Cynoglossum lanatum. w.
- CYNOGLOSSUM. R.S. HOUND'S-TONGUE. Pentandria Monogynia. L.
 1 officinále. R.S. (*ro.*) common. Britain. 6. 7. H. ♂. Eng. bot. v. 13. t. 921.
 2 Hæ'nkii. R.S. (*pu.*) rough-leaved. Hungary. 1815. — H. ♂.
 3 sylváticum. R.S. (*pu.*) green-leaved. Britain. — H. ♂. Eng. bot. v. 23. t. 1642.
 4 Dioscóridis. R.S. (*bl.*) Dioscoride's. Dauphiny. 1818. — H. ♂.
 5 bicolor. R.S. (*wh. re.*) two-coloured. Germany. — — H. ♂.
 6 píctum. R.S. (*re. bl.*) Madeira. Madeira. 1658. 8. G. ♂. Clus. hist. 2. p. 162. f. 2.
 7 lanceolátum. L.A. (*wh. bl.*) spear-leav'd. Africa. 1806. 7. 8. H. ⊙.
 8 virginicum. s.s. (*bl. wh.*) stem-clasping. N. America. 1812. 6. 7. H. ♀.
amplexicaule. M.
 9 clandestinum. R.S. (*vi.*) hidden-flower'd. Barbary. 1823. — G. ♂. Desf. atl. 1. t. 42.
 10 canescens. R.S. (*bl.*) canescent. E. Indies. 1815. 7. 10. G. ⊙. Jacq. schœnb. 4. t. 489.
racemósum. F.I.
- 11 apenninum. R.S. (*vi.*) Apennine. Italy. 1731. 4. 7. H. ♂. Sabb. hort. rom. 2. t. 36.
 12 tomentósum. L.A. (*vi.*) woolly-leaved. — 1823. 5. 8. H. ♀.
 13 magellénse. T.S. (*ro.*) woolly. — 5. 7. H. ♀.
 14 holoseríceum. s.s. (*vi.*) silky. Caucasus. 1827. 5. 9. H. ♂.
 15 diffúsum. L.A. (*wh.*) spreading. E. Indies. 1820. 7. 10. H. ⊙.
 16 austrále. B.P. (*vi.*) New Holland. N. S. W. — 5. 7. G. ♀.
 17 cheirifólium. s.s. (*pu.*) silvery-leaved. Levant. 1596. 6. 7. H. ♂.
Anchúsa lanáta. R.S.
- TRICHODE'SMA. B.P. TRICHODE'SMA. Pentandria Monogynia. R.S.
 1 índicum. R.S. (*bl.*) Indian. E. Indies. 1759. 6. 10. H. ⊙. Pluk. alm. 30. t. 76. f. 3.
Borágo índica. L.
 2 africanum. R.S. (*bl.*) African. C. B. S. — 7. 8. H. ⊙. Isn. act. par. 1718. t. 11.
 3 zeylánicum. R.S. (*bl.*) Ceylon. E. Indies. 1799. — S. ⊙. Jacq. ic. 2. t. 314.
- BORAGO. R.S. BORAGE. Pentandria Monogynia. L.
 1 officinális. R.S. (*bl.*) common. Britain. 6. 9. H. ⊙. Eng. bot. v. 1. t. 36.
β albiflóra. (wh.) white-flowered. — H. ⊙.
 2 orientális. R.S. (*bl.*) oriental. Turkey. 1752. 3. 5. H. ♀. Bot. reg. t. 288.
 3 crética. R.S. (*bh.*) Cretan. Greece. 1823. 5. 6. H. ♀. Flor. græc. t. 176.
 4 laxiflóra. R.S. (*bl.*) bell-flowered. Corsica. 1813. 5. 8. H. ♂. Bot. mag. t. 1798.
 5 crassifólia. R.S. (*f.*) thick-leaved. Persia. 1824. — H. ♀. Venten. cels. t. 100.
- TOURNEFORTIA. R.S. TOURNEFORTIA. Pentandria Monogynia. L.
 1 cymósa. R.S. (*f.*) broad-leaved. Jamaica. 1777. 7. S. ♀. Jacq. ic. 1. t. 31.
 2 foetidíssima. R.S. (*f.*) Tobacco-leav'd. — 1739. 9. S. ♀. Plum. ic. 226. t. 230.

3	bicolor. R.S. (wh.gr.)	two-coloured.	Jamaica.	1812.		S. h.	
4	suffruticosa. R.S. (wh.)	hoary-leaved.	—	1759.	6. 9.	S. h.	Sloan. hist. 2. t. 162. f. 4.
5	mutabilis. R.S. (wh.)	changeable.	Java.	1820.	—	S. h.	Venten. choix. t. 3.
6	maculata. R.S. (st.)	spotted-fruited.	Carthagera.	1828.	—	S. h.	
7	gnaphalodes. R.S. (wh.)	Gnaphalium-like.	W. Indies.	1820.	—	S. h.	Jacq. amer. t. 173. f. 11.
	<i>Heliotropium gnaphalodes</i> . w.						
8	velutina. K.S. (wh.)	velvety.	Mexico.	1826.	—	G. h.	H. et B. am. 3. t. 201.
9	umbellata. K.S. (wh.)	umbel-flower'd.	—	—	—	G. h.	— 3. t. 202.
10	fruticosa. R.S. (wh.)	shrubby.	Canaries.	1779.	6. 10.	G. h.	Bot. reg. t. 464.
	<i>Messerschmidia fruticosa</i> . w.						
11	angustifolia. R.S. (pa.bl.)	narrow-leav'd.	—		—	G. h.	
12	argentea. R.S. (wh.)	silvery-leaved.	E. Indies.	1822.	—	S. h.	Rumph. amb. 4. t. 55.
13	Argusia. R.S. (wh.)	herbaceous.	Siberia.	1780.	—	H. 2.	Gmel. it. 2. t. 27.
MESSERSCHMIDIA. R.S. MESSERSCHMIDIA. Pentandria Monogynia. R.S.							
1	caracasana. K.S. (wh.)	Caracas.	Caracas.	1828.	5. 9.	S. h.	
2	hirsutissima. R.S. (wh.)	very hairy.	S. America.	1818.	5. 8.	S. h.	Sloan. hist. 2. t. 212. f. 1.
	<i>Tournefortia hirsutissima</i> . w.						
3	volubilis. R.S. (gr.)	climbing.	Jamaica.	1752.	7. 8.	S. h.	Sloan. hist. 1. t. 143. f. 2.
	<i>Tournefortia volubilis</i> . w.						
4	scandens. R.S. (gr.)	scandent.	S. America.	1816.	—	S. h.	Flor. peruv. 2. t. 148.
5	laurifolia. R.S. (st.)	Laurel-leaved.	W. Indies.	1823.		S. h.	Venten. choix. t. 2.
BEURERIA. G. BEURERIA. Pentandria Monogynia. R.S.							
1	succulenta. S.S. (wh.)	oval-leaved.	W. Indies.	1758.	5. 7.	S. h.	Jacq. obs. 2. t. 26.
2	exsueca. S.S. (wh.)	dry-fruited.	—	1804.	—	S. h.	Jacq. amer. t. 173. f. 17.
EHR'ETIA. S.S. EHR'ETIA. Pentandria Monogynia. L.							
1	serrata. F.I. (wh.)	saw-leaved.	Nepaul.	1812.	6. 9.	G. h.	
2	tinifolia. S.S. (wh.)	Tinus-leaved.	Jamaica.	1734.	6. 7.	S. h.	Trew Ehret. t. 24.
3	acuminata. B.P. (wh.)	acuminate.	N. S. W.	1820.	—	G. h.	
4	laxa. S.S. (wh.gr.)	loose-flowered.	Mauritius.	1821.	—	S. h.	Jacq. schoen. 1. t. 41.
5	internodis. S.S. (wh.)	axillary-flower'd.	—	—	—	S. h.	L'Herit. stirp. 1. t. 24.
6	l'avis. S.S. (wh.)	smooth.	E. Indies.	1816.		S. h.	Roxb. corom. t. 56.
7	buxifolia. S.S. (wh.)	Box-leaved.	—	—		S. h.	— 1. t. 57.
8	microphylla. S.S. (wh.)	small-leaved.	Nepaul.	1818.	6. 8.	S. h.	Pluk. phyt. t. 31. f. 1.
9	aspera. S.S. (wh.)	rough-leaved.	E. Indies.	1795.	—	S. h.	Roxb. corom. 1. t. 55.
10	divaricata. DC. (wh.)	divaricate.	Havannah.	1820.	—	S. h.	
CO'RDIA. B.P. CO'RDIA. Pentandria Monogynia. L.							
1	latifolia. F.I. (wh.)	broad-leaved.	E. Indies.	1824.	6. 8.	S. h.	Rumph. amb. 2. t. 75.
2	My'xa. R.S. (wh.)	smooth-leaved.	—	1640.		S. h.	Rheed. mal. 4. t. 37.
3	monica. R.S. (wh.)	Birch-leaved.	—	1799.	3. 4.	S. h.	Roxb. corom. 1. t. 58.
4	Collococca. R.S. (gr.)	long-leaved.	Jamaica.	1759.	—	S. h.	Sloan. hist. 2. t. 203. f. 2.
5	micrantha. R.S. (gr.)	small-flowered.	—	1822.		S. h.	
6	serrata. R.S. (wh.)	saw-leaved.	E. Indies.	1824.		S. h.	
7	tetraphylla. R.S. (wh.)	four-leaved.	Trinidad.	1823.	4. 7.	S. h.	Aubl. guian. 1. t. 88.
8	geraschanthoides. K.S. (w.)	taper-leaved.	Cuba.	1824.	—	S. h.	
9	Geraschanthus. R.S. (w.)	Spanish Elm.	W. Indies.	1789.	5.	S. h.	Jacq. amer. t. 175. f. 16.
10	grandis. F.I. (wh.)	great.	E. Indies.	1818.		S. h.	
11	nodosa. R.S. (wh.)	hairy.	Guiana.	1803.	6. 7.	S. h.	Aub. gui. 1. t. 86.
	<i>hirsuta</i> . w. <i>Collococcus</i> . Aub. non L.						
12	flavescens. R.S. (wh.)	yellow-fruited.	—	1818.	—	S. h.	Aub. gui. 1. t. 89.
13	spinifolius. R.S. (wh.)	spiny.	E. Indies.	—	—	S. h.	
14	macrophylla. R.S. (wh.)	broad-leaved.	W. Indies.	1752.	—	S. h.	Sloan. hist. 2. t. 221. f. 1.
15	campanulata. F.I. (ye.)	bell					

- 30 globosa. R.S. (wh.) globe-headed. Cuba. 1820. 7. 8. S. h. Sloan. his. 2. t. 194. f. 2.
 31 mirabiloides. R.S. (wh.) jointed. Hispaniola. 1798. 9. S. h. Jacq. amer. 41. t. 33.
 32 alba. R.S. (wh.) white-flowered. Carthagera. 1818. S. h. Comm. hort. 1. t. 80.
 33 bifurcata. R.S. (wh.) forked. Peru. S. h. Flor. peruv. 2. t. 146. f. a.
Varronia dichotoma. R.P. *parviflora*. P.S.
 PATAG'ONULA. R.S. PATAG'ONULA. Pentandria Monogynia. R.S.
 americana. R.S. (wh.) spear-leaved. S. America. 1732. 6. 8. G. h. Dill. elth. t. 226. f. 293.
Cordia Patagonula. w.

ORDO CL.

HYDROPHYLLEÆ. *Brown.*

- HYDROPHYLLUM. L. WATER-LEAF. Pentandria Monogynia. L.
 1 virginicum. L. (wh. bl.) Virginian. N. America. 1739. 5. 6. H. ♀. Bot. reg. t. 331.
 2 canadense. L. (wh.) Canadian. Canada. 1759. — H. ♀. — t. 242.
 PHAC'ELIA. B.P. PHAC'ELIA. Pentandria Monogynia. R.S.
 1 bipinnatifida. M. (bl.) bipinnatifid. N. America. 1827. 5. 6. H. ♀. Mich. amer. 1. t. 16.
 2 circinnata. J.E. (wh.) woolly. Magellan. 1816. 6. 10. H. ♀. Jacq. f. ecl. t. 91.
Hydrophyllum magellanicum. Lam. *Aldæa circinnata*. W.en.
 3 Aldæa. B.P. (wh.) various-leaved. Peru. 1820. — G. ♀. Flor. peruv. 2. t. 14.
Aldæa pinnata. R.P.
 NEMO'PHILA. N. NEMO'PHILA. Pentandria Monogynia. S.S.
 1 phacelioides. N. (bl.) Phacelia-like. N. America. 1822. 6. 9. H. ♂. Swt. br. fl. gar. t. 32.
 2 paniculata. s.s. (pa. bl.) paniced. — 1812. 5. 6. H. ♀.
Hydrophyllum appendiculatum. M.
 ELL'ISIA. R.S. ELL'ISIA. Pentandria Monogynia. W.
 1 Nyctelea. R.S. (wh.) cut-leaved. Virginia. 1755. 4. 8. H. ♂. Trew pl. select. t. 99.
 2 ambigua. N. (wh.) ambiguous. N. America. 1825. 4. 6. H. ♂.
 E'UTOCA. B. E'UTOCA. Pentandria Monogynia.
 1 multiflora. B.R. (pu.) many-flowered. N. America. 1826. 5. 6. H. ♂. Bot. reg. t. 1180.
 2 Franklinii. s.s. (pu.) Franklin's. Mississippi. 1827. — H. ♂.

ORDO CLI.

SOLANEÆ. *Brown prodr. 1. p. 443.*

Sect. I. PERICARPIUM CAPSULARE.

- ANTHOC'RCIS. B.P. ANTHOC'RCIS. Didynamia Angiospermia. S.S.
 1 littorea. B.P. (ye.) yellow. N. Holland. 1803. 5. 8. G. h. Swt. flor. aust. t. 17.
 2 albicans. F.T. (wh.) white-flowered. — 1823. 4. 6. G. h. — t. 16.
 3 viscosa. B.P. (wh.) viscous. — — G. h. Bot. mag. t. 2961.
 4 ilicifolia. B.M. (wh.) Holly-leaved. — 1829. G. h.
 CE'LSIA. S.S. CE'LSIA. Didynamia Angiospermia.
 1 orientalis. s.s. (ye.) oriental. Levant. 1713. 7. 8. H. ♂. Lam. ill. t. 532.
 2 Arcturus. w. (ye.) scollop-leaved. Candia. 1780. 7. 9. F. ♂. Bot. mag. t. 1962.
 3 coromandina. w. (ye.) Coromandel. E. Indies. 1783. 7. 8. S. ♂. Bot. mag. t. 964.
 4 crética. s.s. (ye. pu.) great-flowered. Crete. 1752. 7. 9. F. ♂.
 5 viscosa. s.s. (ye.) clammy. 1816. — F. ♂.
 6 betonicaefolia. s.s. (ye.) Betony-leaved. Barbary. 1824. — F. ♂.
 7 sublanata. B.R. (ye.) woolly. 1818. — H. ♀.
 8 lanceolata. s.s. (ye.) spear-leaved. Levant. 1816. — F. ♂. Bot. reg. t. 438.
 Venten. cels. t. 27.
 VERBA'SCUM. L. MULLEIN. Pentandria Monogynia. L.
 1 Thapsus. R.S. (st.) Shepherd's club. Britain. 7. 8. H. ♂. Eng. bot. v. 8. t. 549.
 2 elongatum. W.en. (wh.) long-spiked. Europe. 1813. — H. ♂. Tabern. Kraut. 956. ic.
 3 thapsoides. R.S. (ye.) branching. Portugal. H. ♂. Schrad. verb. t. 5. f. 2.
 4 thapsiforme. R.S. (ye.) simple-stalked. Europe. H. ♂.
 5 indicum. Wal. (ye.) Indian. Nepaul. 1827. — F. ♂.
 6 crassifolium. R.S. (ye.) thick-leaved. S. Europe. 1816. — H. ♂. H. et Lk. fl. port. 1. t. 26.
 7 cuspidatum. R.S. (ye.) sharp-pointed. Austria. — — H. ♂. Schrad. verb. t. 1. f. 1.

8	<i>gossypinum</i> . M.B. (ye.)	cottony.	Iberia.	1824.	6. 8.	H. ♂.	
9	<i>niveum</i> . R.S. (ye.)	snowy.	Naples.	—	—	H. ♂.	Ten. fl. neap. t. 22.
10	<i>candidissimum</i> . DC. (ye.)	very white-l'd.	S. Europe.	1825.	—	H. ♂.	
11	<i>densiflorum</i> . R.S. (ye.)	dense-flowered.	Italy.	—	—	H. ♂.	
12	<i>macranthum</i> . R.S. (ye.)	large-flowered.	Portugal.	1823.	—	H. ♂.	H. et Lk. fl. port. t. 27.
13	<i>australe</i> . R.S. (ye.)	southern.	S. Europe.	1816.	—	H. ♂.	Schrad. verb. t. 2.
14	<i>phlomoïdes</i> . R.S. (ye.)	woolly.	Turkey.	1739.	—	H. ♂.	Flor. græc. t. 224.
15	<i>rugulosum</i> . w. (ye.)	rugged-leaved.	S. Europe.	1820.	—	H. ♂.	
16	<i>conocarpon</i> . s.s. (ye.)	conical-capsuled.	Sardinia.	1829.	—	H. ♂.	
17	<i>condensatum</i> . R.S. (ye.)	close-flowered.	Austria.	1818.	—	H. ♂.	Schrad. verb. t. 3.
18	<i>nemorosum</i> . R.S. (ye.)	wood.	—	—	—	H. ♂.	— t. 1. f. 2.
19	<i>montanum</i> . R.S. (st.)	mountain.	Switzerland.	1816.	—	H. ♂.	
20	<i>collinum</i> . R.S. (ye.)	hill.	Germany.	1820.	—	H. ♂.	Schrad. verb. t. 5. f. 1.
21	<i>versiflorum</i> . R.S. (br. re.)	scatter'd-flower'd.	—	1815.	—	H. ♀.	
22	<i>ramigerum</i> . R.S. (ye.)	small-branched.	—	1824.	—	H. ♂.	Schrad. verb. t. 4.
23	<i>Bastardi</i> . R.S. (ye.)	Bastard's.	S. France.	—	—	H. ♂.	
24	<i>auriculatum</i> . F.G. (ye.)	eared-leaved.	Levant.	1826.	—	E. ♂.	Flor. græc. t. 225.
25	<i>sinuatum</i> . R.S. (ye.)	scollop-leaved.	S. Europe.	1570.	7. 8.	H. ♂.	— t. 227.
26	<i>undulatum</i> . M.B. (ye.)	waved-leaved.	Caucasus.	1816.	—	H. ♂.	
27	<i>plicatum</i> . F.G. (ye.)	plaited-leaved.	Greece.	—	—	F. ♀.	Flor. græc. t. 226.
28	<i>bipinnatifidum</i> . B.M. (ye.)	bipinnatifid.	Tauria.	1813.	—	H. ♂.	Bot. mag. t. 1777.
29	<i>pinnatifidum</i> . R.S. (ye.)	pinnatifid.	Archipelago.	1788.	5. 6.	G. ♀.	Flor. græc. t. 228.
30	<i>Chaixi</i> . R.S. (ye.)	French.	France.	1816.	7. 8.	H. ♂.	Vill. delph. 2. t. 13.
31	<i>Boerhaavii</i> . R.S. (ye.)	annual.	S. Europe.	1731.	—	H. ♂.	Mill. ic. 2. t. 273.
32	<i>compactum</i> . R.S. (ye.)	compact-flower'd.	Tauria.	1824.	—	H. ♂.	
33	<i>gnaphalodes</i> . M.B. (ye.)	Gnaphalium-like.	—	—	—	H. ♂.	
34	<i>ovalifolium</i> . B.M. (ye.)	oval-leaved.	Caucasus.	1804.	7. 9.	H. ♀.	Bot. mag. t. 1037.
35	<i>formosum</i> . B.R. (ye. pu.)	beautiful.	Russia.	1814.	7. 8.	H. ♂.	Bot. reg. t. 558.
36	<i>Lychnitis</i> . R.S. (wh.)	white.	Britain.		6. 8.	H. ♂.	Eng. bot. v. 1. t. 58.
37	<i>austriacum</i> . R.S. (st.)	Austrian.	Austria.	1819.	—	H. ♂.	
38	<i>pulverulentum</i> . R.S. (ye.)	powdered.	England.		—	H. ♂.	Eng. bot. v. 7. t. 487.
39	<i>majale</i> . DC. (ye.)	purple-stalked.	Montpelier.	1822.	5. 7.	H. ♂.	
40	<i>Stevèni</i> . F. (ye.)	Steven's.	Siberia.	1820.	6. 8.	H. ♂.	
41	<i>fasciculatum</i> . E. (ye.)	clustered.	Mount Sinai.	1826.	5. 8.	F. ♀.	
42	<i>æthiopicum</i> . E. (ye.)	Ethiopian.	—	1825.	—	F. ♀.	
43	<i>pyramidalum</i> . R.S. (ye.)	pyramidal.	Caucasus.	1804.	7. 8.	H. ♀.	Swt. br. fl. gar. t. 31.
44	<i>ovatum</i> . R.S. (ye.)	oval-leaved.	Spain.	—	—	H. ♂.	Schrad. h. gott. t. 15.
45	<i>rotundifolium</i> . R.S. (ye.)	round-leaved.	Naples.	1826.	—	H. ♂.	Ten. fl. neap. t. 23.
46	<i>flocosum</i> . R.S. (ye.)	wool-bearing.	Hungary.	1805.	6. 7.	H. ♂.	W. et K. hung. 1. t. 79.
47	<i>leptostachyum</i> . R.S. (ye.)	slender-spiked.	S. France.	1824.	7. 9.	H. ♂.	
48	<i>angustifolium</i> . R.S. (ye.)	narrow-leaved.	Naples.	1822.	—	H. ♂.	
49	<i>longifolium</i> . R.S. (ye.)	long-leaved.	—	—	—	H. ♂.	Ten. fl. neap. t. 21.
50	<i>nigrum</i> . R.S. (ye.)	black-rooted.	England.		6. 8.	H. ♀.	Eng. bot. v. 1. t. 59.
51	<i>orientale</i> . R.S. (ye.)	oriental.	Caucasus.	1820.	—	H. ♀.	
52	<i>Alopecurus</i> . R.S. (ye.)	fox-tail.	France.	1818.	—	H. ♀.	
53	<i>virgatum</i> . R.S. (ye.)	slender.	Britain.		8.	H. ♂.	Eng. bot. v. 8. t. 550.
54	<i>speciosum</i> . R.S. (ye.)	splendid.	Austria.	1820.	6. 8.	H. ♂.	Schrad. h. gott. t. 16.
55	<i>grandiflorum</i> . R.S. (ye.)	great-flowered.		1816.	—	H. ♀.	— t. 15.
56	<i>monspessulanum</i> . s.s. (ye.)	Montpelier.	S. France.	1824.	—	H. ♂.	Schrad. ver. p. 2. t. 2. f. 2.
57	<i>lanatum</i> . s.s. (ye.)	woolly-leaved.	S. Europe.	1828.	—	H. ♂.	— pars. 2. t. 2. f. 1.
58	<i>hyoserifolium</i> . s.s. (ye.)	Hyoseris-leav'd.	Levant.	1829.	—	F. ♀.	— pars. 2. t. 3. f. 1.
59	<i>chrysærum</i> . s.s. (ye.)	golden.	Palestine.	1827.	—	F. ♀.	
60	<i>Schottianum</i> . R.S. (ye.)	Schott's.	Austria.	1828.	—	H. ♂.	Schrad. ver. p. 2. t. 3. f. 2.
61	<i>Blattaria</i> . R.S. (ye.)	yellow moth.	Britain.		7. 9.	H. ♂.	Eng. bot. v. 6. t. 393.
62	<i>glabrum</i> . Mil. (wh.)	white moth.			—	H. ♂.	
63	<i>blattarioides</i> . R.S. (wh.)	moth-like.	S. Europe.	1816.	—	H. ♂.	
64	<i>bannaticum</i> . s.s. (ye.)	Hungarian.	Hungary.	1820.	—	H. ♂.	
65	<i>repandum</i> . R.S. (ye.)	waved.		1813.	7. 8.	H. ♂.	
66	<i>hæmorrhoidale</i> . R.S. (ye.)	Madeira.	Madeira.	1777.	6. 8.	G. ♂.	
67	<i>cupreum</i> . R.S. (co.)	copper-colour'd.	Hybrid.	1798.	5. 9.	H. ♀.	Bot. mag. t. 1226.
68	<i>phoeniceum</i> . R.S. (d. pu.)	purple-flower'd.	S. Europe.	1596.	5. 8.	H. ♀.	— t. 885.
69	<i>puniceum</i> . R.S. (pi.)	pink-flower'd.	—	1815.	—	H. ♀.	Schrad. h. gott. t. 14.
70	<i>rubiginosum</i> . R.S. (re. br.)	brown-flower'd.	Hungary.	—	—	H. ♂.	W. et K. hung. 2. t. 197.
71	<i>ferrugineum</i> . R.S. (br.)	rusty.	S. Europe.	1683.	—	H. ♀.	Trew Ehret. t. 16. f. 1.
72	<i>triste</i> . R.S. (da. br.)	dark-flowered.	Levant.	1788.	—	H. ♀.	Andr. reposit. t. 162.
	<i>ferrugineum</i> . A.R. nec aliorum.	—	—	—	—	—	
73	<i>spectabile</i> . M.B. (ye.)	showy.	Tauria.	1822.	6. 8.	H. ♂.	
74	<i>betonicaefolium</i> . R.S. (ye.)	Betony-leav'd.	Levant.	1828.	—	F. ♂.	Desf. ann. mus. 11. t. 4.
75	<i>urticaefolium</i> . R.S. (ye. re.)	spotted-flower'd.		1827.	—	H. ♂.	

76	lyrātum. R.S.	(ye.) lyrate-leaved.	Spain.	1816.	6. 8.	H. ♂.	
77	Ösbéckii. R.S.	(gr.ye.) Ösbeck's.	—	1752.	7. 8.	H. ♂.	Buxb. cent. 5. t. 32.
78	ceratophyllum. s.s.	(ye.) buckshorn-leav'd.	Levant.	1829.	—	H. ♂.	Schrad. verb. p. 2. t. 1. f. 2.
79	spinōsum. R.S.	(ye.) spiny.	Candia.	1824.	5. 8.	G. ♀.	Flor. græc. t. 229.
RAMO'NDA. P.S. RAMO'NDA. Pentandria Monogynia. P.S.							
	pyrenæica. P.S.	(pu.) Borage-leaved.	Pyrenees.	1731.	5.	H. ♀.	Bot. mag. t. 236.
Verbascum Myconi. B.M.							
HYOSC'YAMUS. R.S. HENBANE. Pentandria Monogynia. L.							
1	niger. R.S.	(ye.bk.) common.	Britain.		6. 7.	H. ♂.	Eng. bot. v. 9. t. 591.
2	agræstis. R.S.	(gr.pu.) field.	Hungary.	1816.	6. 9.	H. ♂.	Swt. br. fl. gar. t. 27.
3	pallidus. R.S.	(st.) pale-flowered.	—	1815.	—	H. ♂.	
4	reticulatus. R.S.	(re.) Egyptian.	Egypt.	1640.	7. 9.	H. ♂.	Camer. hort. 77. t. 22.
5	albus. R.S.	(st.pu.) white.	Greece.	1570.	7. 8.	H. ♂.	Flor. græc. t. 230.
6	Clusii. F.C.	(wh.) Clusius's.	S. Europe.	—	—	H. ♂.	Clus. hist. 2. p. 84. f. 1.
	albus β minor. R.S.						
7	albus. R.S.	(ye.pu.) golden.	Levant.	1640.	3. 10.	G. ♀.	Bot. mag. t. 87.
8	Seneciōis. R.S.	(ye.pu.) yellow-flowered.	Egypt.	1812.	—	G. ♀.	
9	canariēsis. B.R.	(ye.pu.) various-leaved.	Canaries.	1816.	1. 12.	G. ♂.	Bot. reg. t. 180.
10	mūticus. R.S.	(wh.pu.) three-coloured.	Egypt.	1818.	5. 8.	G. ♂.	
11	Datōra. F.Æ.	(ye.pu.) Egyptian.	—	1829.	—	F. ♀.	
12	pusillus. R.S.	(ye.bk.) dwarf.	Persia.	1691.	7.	H. ♂.	Pluk. alm. t. 37. f. 5.
13	auriculatus. T.N.	(ye.pu.) leaved.	Naples.	1828.	—	H. ♂.	
14	micrānthus. Led.	(st.pu.) small-flowered.	Siberia.	1829.	—	H. ♂.	
15	māior. Mil.	(st.pu.) large.	Levant.		—	F. ♂.	
16	minor. Mil.	(ye.) lesser.	—		—	F. ♂.	
17	physaloides. R.S.	(d.pu.) purple-flowered.	Siberia.	1777.	3. 4.	H. ♀.	Swt. br. fl. gar. t. 13.
18	orientalis. R.S.	(li.) oriental.	Iberia.	1815.	—	H. ♀.	— t. 12.
SCOP'OLIA. Jacq. SCOP'OLIA. Pentandria Monogynia. R.S.							
	carniōlica. Jacq.	Nightshade-leav'd.	Carniola.	1780.	4. 5.	H. ♀.	Jacq. obs. 1. t. 20.
	atropoides. R.S.	Hyoscyamus Scopōlia.	Bot. mag. t. 1126.				
NICOT'IANA. R.S. TOBACCO. Pentandria Monogynia. L.							
1	chinēsis. R.S.	(ro.) Chinese.	China.	1815.	6. 8.	G. ♀.	
2	fruticōsa. R.S.	(ro.) frutescent.	C. B. S.	1699.	7. 9.	G. ♀.	Mill. icon. t. 185. f. 1.
3	alba. Mil.	(wh.) white-flowered.	Tobago.	—	8. 10.	H. ♂.	
4	latissima. DC.	(ro.) broad-leaved.	America.		7. 9.	H. ♂.	
	macrophylla. R.S.						
5	Tabacum. R.S.	(ro.) Virginian.	—	1570.	—	H. ♂.	Blackw. t. 146.
	a attenuata.	(re.) slender.	—		—	H. ♂.	
	β pallēscens.	(bh.) pale-flowered.	—		—	H. ♂.	
	γ alipes.	(ro.) winged.	—		—	H. ♂.	
	δ serotina.	(ro.) late-flowered.	—		—	H. ♂.	
	ε gracilipes.	(ro.) slender-stalked.	—		—	H. ♂.	
	ζ Vērdan.	(ro.) Verdian.	—		—	H. ♂.	
	η lingua.	(ro.) tongue-leaved.	—		—	H. ♂.	
6	nepalēsis. Ot.	(ro.) Nepaul.	Nepaul.	1829.	—	H. ♂.	
7	brasiliēsis. Ot.	(ro.) Brazilian.	Brazil.	1825.	—	H. ♂.	
8	decūrrēns. Ag.	(ro.) decurrent.	S. America.	1820.	—	H. ♂.	
9	petiolata. Ag.	(ro.) petiolate.	—	—	—	H. ♂.	
10	sanguinea. Ot.	(sc.) scarlet-flowered.	Brazil.	1829.	—	H. ♂.	
11	angustifolia. R.S.	(gr.) narrow-leaved.	Chili.	1822.	—	H. ♂.	Flor. peruv. 2. t. 130. f. a.
12	viscosa. R.S.	(gr.) viscous.	Buenos Ayres.	1824.	—	H. ♂.	
13	pusilla. R.S.	(gr.) Primrose-leaved.	Vera Cruz.	1733.	8.	S. ♂.	Mill. ic. t. 185. f. 2.
14	glutinosa. R.S.	(or.) clammy.	Peru.	1759.	7. 9.	H. ♂.	Swt. br. fl. gar. t. 107.
15	rústica. R.S.	(gr.) common.	America.	1570.	—	H. ♂.	Blackw. t. 437.
	a asiatica. R.S.	(gr.) Asiatic.		—	—	H. ♂.	
	β brasilia. R.S.	(gr.) Brazil.	Brazil.	—	—	H. ♂.	
	γ pumila. R.S.	(gr.) dwarf.	S. America.	—	—	H. ♂.	
16	humilis. L.en.	(gr.) lesser.	America.		—	H. ♂.	
17	paniculata. R.S.	(gr.) panicked.	Peru.	1752.	—	H. ♂.	Flor. peruv. 2. t. 129. f. b.
18	cerinthoides. R.S.	(gr.) honeywort.	America.	1816.	—	H. ♂.	Lehm. nicot. t. 2.
19	Langsdorffii. s.s.	(gr.ye.) Langsdorff's.	S. America.	1824.	—	H. ♂.	Bot. mag. t. 2555.
20	glauca. B.M.	(st.) glaucous.	Buenos Ayres.	1827.	—	H. ♂.	— t. 2837.
21	repanda. R.S.	(bh.) stem-clasping.	Havannah.	1822.	8. 10.	H. ♂.	— t. 2484.
	lyrata. K.S.						
22	plumbaginifolia. R.S.	curled-leaved.	America.	1816.	5. 10.	G. ♀.	Vivian. elench. t. 5.
	crispa. Jacq. fragm. t. 84.						
23	pulmonarioides. K.S.	(wh.) Pulmonaria-like.	S. America.	1828.	—	H. ♂.	
24	bonariēsis. R.S.	(wh.) Buenos Ayres.	Buenos Ayres.	1821.	—	H. ♂.	Lehm. nicot. n. 8. t. 1.
25	suaveolens. R.S.	(wh.) sweet-scented.	N. S. W.	1800.	5. 9.	G. ♀.	Bot. mag. t. 673.
	undulata. Vent. malm. t. 10. non R.P.						

26	vinæflōra. s.s.	(wh.)	Vinca-flowered.	S. America.	1825.	8. 10.	H. ⊙.	
27	dilatāta. L.en.	(wh.)	dilated-leaved.	—	—	—	H. ⊙.	
28	noctiflōra. B.M.	(wh.)	night-flowering.	Andes.	1826.	7. 10.	F. 2.	Swt. br. fl. gar. t. 262.
29	acumināta. B.M.	(wh.)	taper-pointed.	BuenosAyres.	—	—	F. 2.	Bot. mag. t. 2919.
30	nāna. B.R.	(wh.)	dwarf.	S. America.	1822.	8. 10.	H. ⊙.	Bot. reg. t. 833.
31	quadrivālvīs. R.S.	(wh.)	four-valved.	N. America.	1811.	7. 8.	H. ⊙.	Bot. mag. t. 1778.
32	multivālvīs. B.R.	(wh.)	many-valved.	—	1826.	9. 10.	H. ⊙.	Bot. reg. t. 1057.
PETUNIA. J. PETUNIA. Pentandria Monogynia. R.S.								
	nyctaginiflōra. J.(wh.)		large-flowered.	S. America.	1824.	4. 10.	G. 2.	Swt. br. fl. gar. t. 119.
SALPIGLO'SSIS. R.P. SALPIGLO'SSIS. Didynamia Angiospermia.								
1	straminea. H.E.F.(st.)		straw-coloured.	Chile.	1826.	6. 9.	F. 2.	Swt. br. fl. gar. t. 231.
2	picta. B.F.G. (wh.bl.)		painted-flowered.	—	—	—	F. 2.	— v. 3. t. 258.
3	atropurpurea. B.M.(d.pu.)		dark purple.	—	—	—	F. 2.	— v. 3. t. 271.
4	sinuāta. R.P. (cr.)		crimson.	—	1829.	—	F. 2.	Flor.per.v.5.t.515 ined.
DATURA. R.S. THORN-APPLE. Pentandria Monogynia. L.								
1	fērox. R.S. (wh.)		Chinese.	China.	1731.	7. 10.	H. ⊙.	Zanon. hist. t. 162.
2	Stramōnium. R.S.(wh.)		common.	England.		—	H. ⊙.	Eng. bot. v. 18. t. 1288.
	β canēscens. F.I. (st.)		canescent.	Nepaul.	1824.	—	H. ⊙.	
3	Tātula. R.S. (bl.)		light blue.	S. America.	1629.	—	H. ⊙.	Swt. br. fl. gar. t. 83.
4	muricāta. s.s. (wh.)		muricated.		1819.	—	H. ⊙.	
5	hybrida. T.P. (wh.)		hybrid.	Hybrid.	1826.	6. 9.	F. 2.	
6	Métel. R.S. (wh.)		downy.	Asia.	1596.	6. 10.	H. ⊙.	Bot. mag. t. 1440.
7	fruticōsa. L.en. (wh.)		frutescent.	S. America.	1825.	—	S. 2.	
8	quercifolia. K.S. (li.)		Oak-leaved.	Mexico.	1824.	—	H. ⊙.	
9	fastuōsa. R.S. (pu.wh.)		purple.	Egypt.	1629.	—	H. ⊙.	Rumph.am.5.t.243.f.2.
	β flore pleno. (pu.wh.)		double-flowered.	—	—	—	G. ⊙.	
10	dūbia. R.S. (wh.)		doubtful.		—	—	H. ⊙.	
11	lævis. R.S. (wh.)		smooth-fruited.	Africa.	1780.	—	H. ⊙.	Jacq. vind. 3. t. 82.
12	ceratocaula. R.S.(wh.pu.)		horn-stalked.	Cuba.	1805.	8. 10.	H. ⊙.	Jacq. schœn. 3. t.339.
13	guayaquilēnsis. K.S.(wh.)		Guayaquil.	S. America.	1824.	—	H. ⊙.	
BRUGMA'NSIA. P.S. BRUGMA'NSIA. Pentandria Monogynia. R.S.								
1	cāndida. P.S. (wh.)		downy-stalked.	Peru.	1818.	8. 9.	S. 2.	Flor. peruv. 2. t. 128.
	Datura arborea. L.		—	—	—	—	—	
2	suavēolens. (wh.)		smooth-stalked.	S. America.	1733.	—	S. 2.	
	Datura arborea. Hort. suavēolens. W.enum.		—	—	—	—	—	
VESTIA. W. VESTIA. Pentandria Monogynia. W.								
	lycioidēs. W.en.(gr.ye.)		Boxthorn-like.	Chili.	1815.	1. 12.	G. 2.	Bot. reg. t. 299.
? C'ODON. W. C'ODON. Decandria Monogynia. L.								
	Royēni. w. (re.wh.)		prickly.	C. B. S.	1801.	9. 10.	G. 2.	And. repos. t. 325.

Sect. II. PERICARPIUM BACCATUM.

ANIS'ODUS. S.S. ANIS'ODUS. Pentandria Monogynia. S.S.								
	lūridus. s.s. (br.)		lurid.	Nepaul.	1823.	8. 10.	H. 2.	Swt. br. fl. gar. t. 125.
	Whittēya stramonifolia B.F.G.		—	—	—	—	—	
NECTO'UXIA. K.S. NECTO'UXIA. Pentandria Monogynia.								
	formōsa. K.S. (ye.)		pretty.	Mexico.	1826.	7. 10.	H. ⊙.	H.etB.n.g.am.3.t.193.
A'TROPA. R.S. A'TROPA. Pentandria Monogynia. L.								
	Belladōnna. R.S.(br.pu.)		deadly nightshade.	Britain.		6. 7.	H. 2.	Eng. bot. v. 9. t. 592.
SA'RACHA. R.S. SA'RACHA. Pentandria Monogynia.								
1	procūbens. R.P.(st.)		procumbent.	Peru.	1822.	7. 9.	H. 2.	Cavan. ic. 1. t. 72.
	A'tropa procūbens. Cav. Bellinia procūbens. R.S.		—	—	—	—	—	
2	umbellāta. DC. (st.)		umbel-flowered.	Peru.	—	—	H. 2.	Swt. br. fl. gar. t. 85.
MANDRAG'ORA. J. MANDRAKE. Pentandria Monogynia. R.S.								
1	præcox. B.F.G.(st.bh.)		blister-leaved.	Switzerland.	1818.	3. 4.	H. 2.	Swt. br. fl. gar. t. 198.
2	vernālīs. s.s. (bh.)		large-leaved.	S. Europe.	1562.	5. 6.	H. 2.	
3	autumnālīs. s.s. (li.)		autumn-flowered.	Levant.	—	8. 9.	H. 2.	Flor. græc. t. 232.
NOL'ANA. R.S. NOL'ANA. Pentandria Monogynia. L.								
1	prostrāta. R.S. (bl.)		trailing.	Peru.	1761.	7. 9.	H. ⊙.	Bot. mag. t. 731.
2	tenēlla. H.C. (bl.)		slender.	Chile.	1824.	—	F. 2.	
3	paradōxa. B.R. (bl.)		violet-coloured.	Chili.	1822.	—	H. ⊙.	Bot. reg. t. 865.
NICA'NDRA. R.S. NICA'NDRA. Pentandria Monogynia. R.S.								
1	physaloidēs. R.S. (bl.)		American.	America.	1759.	7. 9.	H. ⊙.	Bot. mag. t. 2458.
2	indica. R.S. (bl.)		Indian.	Nepaul.	1823.	—	H. ⊙.	Rumph.amb.6.t.26.f.1.
PHY'SALIS. R.S. WINTER CHERRY. Pentandria Monogynia. L.								
	arborēscens. w. (ye.)		arborescent.	Campeachy.	1733.	6. 8.	S. 2.	Mill. ic. 2. t. 206. f. 2.

2	frutëscens. DC. (ye.)	frutescent.	Spain.	1737.	1. 3.	G. h.	Cavan. ic. 2. t. 102.
	<i>A'tropa frutëscens</i> . R.S.						
3	aristàta. w. (ye.)	bearded.	Canaries.	1779.	5. 8.	G. h.	
	<i>A'tropa aristàta</i> . R.S.						
4	somnifera. R.S. (st.)	clustered.	Levant.	1596.	7. 8.	G. h.	Flor. græc. t. 233.
	β aristàta. (st.)	awned.	Mexico.	1826.	—	G. h.	
5	flexuosa. R.S. (gr.wh.)	flexuose.	E. Indies.	1759.	—	G. h.	Jacq. f. ecl. t. 23.
6	curassàvica. R.S. (st.)	Curassavian.	S. America.	1699.	6. 9.	S. h.	Pluk. alm. t. 111. f. 5.
7	tomentosa. R.S. (ye.)	woolly.	C. B. S.	1816.	—	G. h.	
8	viscosa. R.S. (st.)	clammy.	America.	1732.	7.	H. h.	Bot. mag. t. 2625.
9	lanceolata. R.S. (ye.)	spear-leaved.	N. America.	1780.	—	H. h.	
10	pensylvànica. R.S. (ye.)	Pensylvanian.	—	1726.	7. 9.	H. h.	
11	Jacquini. L.en. (ye.)	Jacquin's.	—		—	H. h.	Jacq. vind. 2. t. 136.
	<i>viscosa</i> . Jacq. non L.						
12	Alkekéngi. R.S. (wh.)	common.	S. Europe.	1548.	—	H. h.	Flor. græc. t. 234.
13	tuberosa. R.S. (ye.pu.)	tuberous-rooted.	—	1816.		S. h.	
14	chenopodifolia. R.S. (ye.)	goose-foot-leav'd.	S. America.	1798.	7. 8.	S. h.	
15	peruviana. R.S. (ye.pu.)	Peruvian.	Peru.	1773.	—	S. h.	
16	edulis. B.M. (ye.pu.)	eatable.	S. America.	—	—	S. h.	Bot. mag. t. 1068.
17	pubëscens. R.S. (ye.pu.)	pubescent.	America.	1640.	—	H. o.	Feuil. per. 3. t. 1.
18	micrantha. L.en. (ye.)	small-flowered.	—	1822.	—	H. o.	
19	nodosa. R.S. (ye.)	knotted.	—		—	H. o.	
20	barbadënsis. R.S. (st.)	Barbadoes.	W. Indies.	1798.	—	H. o.	Jacq. ic. 1. t. 39.
21	dùbia. L.en. (ye.)	dubious.	Brazil.	1819.	—	H. o.	
22	fætidißsima. R.S. (ye.br.)	stinking.	New Spain.	—	—	H. o.	
23	f'ætens. R.S. (ye.br.)	strong-scented.	Peru.	1827.	—	H. h.	
24	angulàta. R.S. (wh.)	angular-branch'd.	India.	1732.	6. 9.	H. o.	Dill. elth. t. 12. f. 12.
25	Rothiana. R.S. (wh.)	Roth's.	E. Indies.	1827.	—	S. h.	
26	philadëlplica. R.S. (ye.)	Philadelphian.	N. America.	1824.	—	H. h.	
27	atriplicifolia. R.S. (ye.)	Àtriplex-leaved.	—	1798.	7. 8.	H. o.	Jacq. frag. t. 85. f. a.
	<i>chenopodifolia</i> . w. non Lamarck.						
28	mínima. R.S. (ye.)	least.	E. Indies.	1759.	—	H. o.	Rheed. mal. 10. t. 70.
29	pruinosa. R.S. (ye.)	hairy annual.	America.	1726.	—	H. o.	Dill. elth. 10. t. 9. f. 9.
30	Lagascii. R.S. (ye.)	Lagasca's.	New Spain.	1824.	—	H. o.	
31	pátula. R.S. (wh.)	spreading.	Vera Cruz.	1731.	7. 9.	S. o.	
32	villosa. R.S. (st.)	villous.	—	—	—	S. o.	
33	cordàta. R.S. (ye.gr.)	heart-leaved.	—	—	—	S. o.	
34	màxima. R.S. (st.)	large annual.	—	—	—	S. o.	
35	abyssínica. Ot. (ye.)	Abyssinian.	Abyssinia.	1828.	—	S. o.	
36	prostràta. R.S. (bl.)	trailing.	Peru.	1782.	—	H. o.	Andr. reposit. t. 75.
CAPSICUM. R.S.		CA'PSICUM.	Pentandria Monogynia.	L.			
1	ánnuum. R.S. (wh.)	annual.	India.	1548.	6. 7.	G. o.	Rheed. mal. 2. t. 35.
2	lóngum. R.S. (wh.)	long-fruited.	—	—	—	G. o.	Dodon.pemph.716.f.3.
3	cordifórme. R.S. (wh.)	heart-shaped.	India.	1731.	—	G. o.	
4	tetragónum. R.S. (wh.)	four-sided.	—	—	—	G. o.	
5	angulòsum. R.S. (wh.)	angular-fruited.	—	—	—	S. o.	
6	sph'ericum. R.S. (wh.)	round-fruited.	—	1807.	4. 7.	S. o.	
7	ovàtum. R.S. (wh.)	oval-fruited.	—	—	—	S. h.	
8	péndulum. R.S. (wh.)	pendulous.	—	1804.	—	S. h.	
9	luteum. R.S. (wh.)	yellow-fruited.	E. Indies.	1820.	—	S. h.	
10	gròssum. R.S. (wh.)	various-fruited.	India.	1759.	5. 8.	S. h.	Besl. eyst. 2. t. 2. f. I.
	α globòsum. R.S. (wh.)	globular-fruited.	—	—	—	S. h.	
	β luteum. R.S. (wh.)	yellow oval-fruited.	—	—	—	S. h.	
	γ bifidum. (wh.)	cleft-fruited.	—		—	S. h.	
11	conoïdes. R.S. (st.)	conical-fruited.	India.	1728.	—	S. h.	
12	pyramidàle. R.S. (wh.)	pyramidal.	Egypt.	1732.	—	S. h.	
13	cerasifórme. R.S. (st.)	Cherry-fruited.	W. Indies.	1759.	—	S. h.	
14	Millèri. R.S. (st.)	Miller's.	New Spain.	—	—	S. h.	
	<i>cerasifórme</i> . Mill. non w.						
15	purpùreum. F.I. (pu.)	purple.	E. Indies.	1824.	—	S. h.	
16	frutëscens. R.S. (wh.)	shrubby.	India.	1656.	6. 9.	S. h.	Rheed. mal. 2. t. 56.
	β torulòsum. (wh.)	twisted.	—		—	S. h.	
17	bicolor. R.S. (pu.)	purple-flower'd.	W. Indies.	1804.	—	S. h.	Bot. mag. t. 1835.
	<i>nigrum</i> . W.en. violàceum. DC.						
18	cærulëscens. R.S. (pu.)	bluish.	—	1827.	—	S. h.	
19	baccàtùm. R.S. (wh.)	Bird pepper.	W. Indies.	1731.	—	S. h.	Sloan. j. 1. t. 146. f. 2.
20	mínimum. F.I. (wh.)	small-berried.	E. Indies.	1728.	—	S. h.	
21	sinënsë. R.S. (wh.)	oval Chinese.	China.	1807.	—	S. h.	Jacq. vind. 3. t. 67.
22	havanënsë. K.S. (wh.)	Havannah.	Havannah.	1826.	—	S. h.	

- 23 microcárpum. R.S. (wh.) small-fruited. S. America. 1824. 6. 9. S. h.
 24 micránthum. R.S. (wh.) small-flowered. Brazil. — S. h.
LYCOPEPERSICUM. R.S. LOVE-APPLE. Pentandria Monogynia. R.S.
 1 pimpinellifólium. R.S. (ye.) Pimpinella-ld. S. America. 6. 8. S. y.
 2 reguláre. R.S. (ye.) regular-leaved. 6. 9. G. ☉.
 3 peruvianum. R.S. (ye.) Peruvian. Peru. 6. 8. G. y. Bot. mag. t. 2814.
Solanum peruvianum. Jacq. icon. t. 327.
 4 dentátum. R.S. (ye.) tooth-leaved. S. America. — H. ☉. Dunal solan. 2. ined. t. 82.
 5 Humbóldtii. R.S. (ye.) Humboldt's. — 1815. — H. ☉. Willd. hort. ber. 1. t. 27.
 6 pyrífórme. R.S. (ye.) Pear-fruited. — H. ☉. Dunal solan. t. 26.
 7 cerasifórme. R.S. (ye.) Cherry-fruited. Peru. 1800. 7. 9. H. ☉. Jacq. vind. 1. t. 11.
Solanum pseudolycopersicum. Jacq.
a ruber. (ye.) red-fruited. — — — H. ☉.
β luteum. (ye.) yellow-fruited. — — — H. ☉.
 8 esculéntum. R.S. (ye.) Tomato. S. America. 1596. — H. ☉. Dunal solan. t. 3. f. 3.
a erythrocarpum. (ye.) red-fruited. — — — H. ☉.
β chrysocarpum. (ye.) yellow-fruited. — — — H. ☉.
γ leucocarpum. (ye.) white-fruited. — — — H. ☉.
 9 procumbens. R.S. (ye.) procumbent. — H. ☉.
SOLANUM. R.S. NIGHTSHADE. Pentandria Monogynia. L.
 1 tuberósum. R.S. (bl.wh.) Potatoe. Peru. 1597. 6. 8. H. y. Plenck. off. t. 121.
 2 appendiculátum. R.S. (wh.) appendaged. Mexico. 1823. — S. h. Dunal solan. ed. 2. t. 84.
 3 Seaforthianum. R.S. (pi.) Seaforth's. Barbadoes. 1804. 7. 9. S. h. Andr. reposit. t. 504.
 4 betáceum. R.S. (bh.) Beet-leaved. New Spain. 1803. 6. 7. S. h. t. 511.
 5 muricátum. R.S. (wh.vi.) warted. Peru. 1785. 7. 8. S. h. Feuil. peruv. 2. t. 26.
 6 diversifólium. R.S. (wh.) different-leaved. Caracas. 1824. — S. h. Dunal solan. ed. 2. t. 88.
 7 Bulbocástanum. R.S. (wh.) tuberous-rooted. Mexico. 1826. 6. 9. H. y. — ed. 2. t. 3.
 8 oligánthum. R.S. (wh.) climbing. Orinoco. 1824. 7. 8. S. h. — ed. 2. t. 90.
 9 reclinátum. R.S. (bl.) reclining. Peru. — S. h. Lam. ill. t. 145. f. 4.
 10 laciníátum. B.P. (ll.) cut-leaved. N. Holland. 1772. — G. h. Bot. mag. t. 349.
a fruticosum. (bl.) frutescent. N. S. W. — G. h.
β herbaceum. (bl.) herbaceous. V. Diem. Isl. — H. ☉.
 11 quercifólium. R.S. (vi.) Oak-leaved. Peru. 1787. 6. 7. H. y. Feuil. per. 2. t. 15?
 12 rádican. R.S. (li.) rooting. — 1771. 7. 8. G. y. Linn. dec. 1. t. 10.
 13 corymbósum. R.S. (vi.) corymb-flowered. — 1786. — S. y. Jacq. ic. 1. t. 40.
 14 Dulcamára. R.S. (bl.) bitter-sweet. Britain. 6. 8. H. h. Eng. bot. v. 8. t. 565.
β álbum. (wh.) white-flowered. — — — H. h.
γ variegátum. (pa.) variegated. — — — H. h.
 15 littorále. L.en. (bl.) sea-side. Europe. — H. h.
 16 Tegóre. R.S. (gr.) hairy-stemmed. Guiana. 1820. — S. h. Aubl. guian. 1. t. 84.
 17 quiténse. s.s. (wh.pu.) Lima. Lima. 1825. — G. h. Bot. mag. t. 2739.
 18 macrocárpum. s.s. (bl.) large-fruited. Peru. 1759. 5. 9. S. h. Mill. ic. 2. t. 294.
 19 calycinum. R.S. (bl.) large-calyxed. Mexico. 1825. — S. h. Dunal sol. ed. 2. t. 29.
 20 racemiflórum. R.S. (bl.) racemed. S. America. 1818. 7. 9. H. ☉. Jacq. schœn. 3. t. 333.
scábrum. Jacq. non Vahl.
 21 æthiopicum. R.S. (wh.) Ethiopian. Ethiopia. 1597. — H. ☉. Jacq. vind. 1. t. 12.
 22 Zuccagnianum. R.S. (wh.) Zuccagni's. 1818. — H. ☉. Dunal solan. t. 11.
 23 pseudo-cápsicum. (wh.) Winter-cherry. Madeira. 1596. 6. 9. G. h. Sabb. h. rom. t. 59.
 24 nodiflórum. R.S. (wh.) knot-flowered. Guiana. 1815. — G. ☉. Jacq. ic. 2. t. 326.
 25 Dillénii. R.S. (wh.) Dillenius's. Hungary. — H. ☉. Dill. elth. t. 275. f. 355.
 26 guineense. R.S. (gr.wh.) large-berried. Guinea. — H. ☉. — t. 274. f. 354.
 27 fistulósum. R.S. (wh.) fistulous-stalked. Mauritius. 1826. — H. ☉.
 28 nigrum. R.S. (wh.) black-berried. Britain. — H. ☉. Eng. bot. v. 8. t. 566.
 29 oleráceum. R.S. (wh.) cultivated. W. Indies. — S. ☉. Piso lib. 4. c. 50. f. 3.
 30 pterocaule. R.S. (wh.vi.) wing-stalked. America. — H. ☉. Dill. elth. t. 275. f. 256.
 31 judaicum. R.S. (wh.) rough-stalked. Europe. — H. ☉.
 32 suffruticosum. R.S. (wh.) suffrutescent. Barbary. 1804. 5. 9. G. h.
 33 quadranguláre. R.S. (wh.) quadrangular. C. B. S. 1812. — H. ☉.
 34 trianguláre. R.S. (wh.) three-sided. E. Indies. 6. 9. S. ☉.
 35 rubrum. R.S. (wh.) red-berried. S. America. — H. ☉.
 36 incértum. R.S. (wh.) uncertain. E. Indies. 1810. — H. ☉.
 37 miniátum. R.S. (wh.) pubescent-stalk'd. Europe. — H. ☉.
 38 humile. R.S. (wh.) small. S. Europe. — H. ☉.
 39 flávum. R.S. (st.) yellow-berried. Hungary. 1816. — H. ☉.
ochroleucum. Dun.
 40 villósum. R.S. (wh.) villous annual. S. Europe. — H. ☉. Dill. elth. t. 274. f. 353.
 41 hirsútum. R.S. (wh.) hairy annual. Egypt. — H. ☉.
 42 decedentátum. R.T. (wh.) ten-toothed. China. 1826. — H. ☉.
 43 Rumphii. R.S. (wh.) Rumphius's. E. Indies. — H. ☉. Rumph. amb. 6. t. 26. f. 1.

44	Besseri. R.S. (wh.) Besser's.	America.	1824.	6. 9.	H. ☉.	
45	cestrifolium. s.s. (wh.) Cestrum-leaved.		1826.	4. 7.	S. h.	
46	longiflorum. R.S. (bl.) long-flowered.	Guiana.	1823.	6. 8.	S. h.	Dunal solan. t. 9.
	longifolium. Dun.					
47	triquetrum. R.S. (wh.) triquetrous.	New Spain.	1821.	—	S. h.	Cavan. ic. 3. t. 259.
48	bombense. R.S. (wh.) Bomba.	S. America.	1818.	—	S. h.	Jacq. f. eclog. t. 24.
49	pubigerum. R.S. (wh.) downy.	Mexico.	1823.	—	S. h.	Dunal sol. t. 6.
	Cervantesii. Lag.					
50	pyrifolium. R.S. (wh.) Pear-leaved.	W. Indies.	1824.	6. 8.	S. h.	Dun. sol. ed. 2. t. 34.
51	macrantherum. R.S. (vi.) large-anthered.	Mexico.	1826.	—	G. h. ∪.	H. et B.gen.am. 3. t. 195.
52	laurifolium. R.S. (wh.) Laurel-leaved.	S. America.	1820.	—	S. h.	Dunal sol. t. 8.
53	spirale. F.R. (wh.) spiral-racemed.	E. Indies.	—	4. 6.	S. h.	
54	Hookerianum. s.s. (bl.) Hooker's.	Mexico.	1825.	6. 9.	G. h.	Bot. mag. t. 2708.
	coriaceum. Bot. mag. nec aliorum.					
55	dealbatum. Lind. (wh.) white-leaved.	Chile.	1826.	10. 11.	G. h.	Bot. mag. t. 2697.
	saponaceum. B.M. non Dunal.					
56	salicifolium. D.L. (wh.) Willow-leaved.	Trinidad.	1822.	6. 9.	S. h.	
57	verbascifolium. R.S. (u.) Mullein-leaved.	W. Indies.	1749.	6. 8.	S. h.	Jacq. vind. 1. t. 13.
58	auriculatum. R.S. (vi.) ear-leaved.	Madagascar.	1773.		S. h.	Scop. del. 3. t. 8.
59	pubescens. R.S. (pu.) pubescent.	E. Indies.	1816.	6. 8.	S. h.	Willd. phyt. 1. t. 3.
60	argenteum. R.S. (wh.) silvery.	Brazil.	—	—	S. h.	Dunal sol. ed. 2. t. 39.
61	nudum. K.S. (wh.) naked.	Mexico.	1824.	3. 6.	S. h.	
62	diphyllum. R.S. (wh.) two-leaved.	W. Indies.	1699.	6. 7.	S. h.	Jacq. ic. 2. t. 322.
63	arboresum. R.S. (wh.) tree.	Cumana.	1819.	—	S. h.	Dunal sol. ed. 2. t. 198.
64	havanense. R.S. (bl.) Havannah.	W. Indies.	1793.	7. 8.	S. h.	Jacq. amer. pict. t. 48.
65	aggregatum. R.S. (li.) crowded.	Guinea.	—	—	S. h.	Jacq. ic. 2. t. 323.
66	Plukenetii. R.S. (wh.) Plukenet's.	S. America.		6. 8.	S. h.	Pluk. phyt. t. 227. f. 2.
67	ericalyx. R.S. (wh.) woolly-calyxed.	Carthage.	1731.	5. 8.	S. h.	
68	umbellatum. R.S. (wh.) umbelled.	S. America.	—	—	S. h.	
69	americanum. R.S. (pu.) American.	Virginia.	1727.	7. 9.	H. ☉.	
70	axilliflorum. R.S. (bl.) axil-flowered.	Vera Cruz.	1728.	6. 9.	S. h. ∪.	
	scandens. Miller.					
71	memphiticum. R.S. (wh.) tooth-stalked.		1823.	—	S. 4.	
72	persicum. R.S. (bl.) Persian.	Persia.	1829.	6. 9.	H. h. ∪.	
73	capsicastrum. Ot. (wh.) Capsicum-like.		1827.	—	S. h.	
74	lycioides. R.S. (li.) spiny.	Peru.	1791.	5. 6.	S. h.	Jacq. ic. 1. t. 46.
75	monanthum. R.S. (fl.) one-flowered.	New Spain.	1816.	—	S. 4.	
76	fugax. R.S. (wh. ye.) fugacious.	Caracas.	—	—	S. h.	Jacq. ic. 2. t. 324.
77	stellatum. R.S. (bl.) starry.	S. America.	—	—	S. h.	— 2. t. 325.
78	virgatum. R.S. (vi.) twiggy.	W. Indies.	1819.	—	S. h.	Dunal sol. ed. 2. t. 40.
79	lérntum. R.S. (vi.) climbing woolly.	New Spain.	1823.	6. 8.	S. h. ∪.	Cavan. ic. 4. t. 308.
80	scandens. R.S. (pu.) climbing.	W. Indies.	1822.		S. h. ∪.	
81	atrosanguineum. Sck. (c.) dark crimson.		1827.		S. h.	
82	elaeagnifolium. R.S. (bl.) Elaeagnus-leaved.	Chile.	1823.	6. 8.	S. h.	Cavan. ic. 3. t. 243.
83	obtusifolium. K.S. (bl.) blunt-leaved.	Mexico.	1826.	—	G. h.	Dunal sol. ed. 2. t. 119.
84	stelligerum. R.S. (li.) starry-haired.	N. Holland.	1820.	—	S. h.	Sm. exot. bot. 2. t. 88.
85	racemosum. R.S. (wh.) wave-leaved.	W. Indies.	1781.	7. 8.	S. h.	Jacq. amer. pict. t. 50.
86	igneum. R.S. (wh.) red-spined.	S. America.	1714.	3. 11.	S. h.	Jacq. vind. 1. t. 14.
87	subarmatum. R.S. (wh.) partly armed.	—	1823.	—	S. h.	
88	bahamense. R.S. (wh. vi.) Bahama.	Bahama.	1732.	6. 7.	S. h.	Dill. elth. t. 271. f. 350.
89	hirtum. R.S. (wh.) hairy-calyxed.	Trinidad.	1823.	—	S. h.	Vahl ic. rar. d. 3. t. 21.
90	tomentosum. R.S. (bl.) tomentose.	S. America.	1662.	—	S. h.	Bocc. sic. 8. t. 5.
91	hybridum. R.S. (pa. bl.) hybrid.	Guinea.	1815.	—	S. h.	Jacq. vind. 2. t. 113.
92	coccineum. R.S. (bh.) scarlet-fruited.		1820.	—	S. h.	Jacq. ic. 1. t. 43.
93	jamaicense. R.S. (li.) Jamaica.	Jamaica.	—	—	S. h.	
94	cuneifolium. R.S. (wh.) wedge-leaved.	W. Indies.		—	S. h.	Dunal sol. t. 22.
95	heterophyllum. R.S. (bh.) variable-leaved.	Guiana.	1823.	7. 9.	S. h.	— ed. 2. t. 62.
96	volubile. R.S. (bl.) twining.	Hispaniola.	—	—	S. h. ∪.	Plum. Mss. t. 4. f. 32.
97	lanceafolium. R.S. (wh.) lance-leaved.	S. America.		—	S. h. ∪.	Jacq. ic. 2. t. 329.
98	coriaceum. R.S. (bl.) leathery-leav'd.	Trinidad.	1824.	6. 9.	S. h. ∪.	Dun. sol. p. 197. t. 14.
99	bonariense. R.S. (wh.) Buenos Ayres.	Buenos Ayres.	1727.	—	H. h.	Dill. elth. t. 272. f. 351.
100	fastigiatum. R.S. (pa. bl.) fastigiate.	S. America.	1820.	—	S. h.	Jacq. f. eclog. t. 6.
101	oporinum. R.S. (bl.) large-leaved.	—	—	—	S. h.	Dunal sol. t. 16.
	macrophyllum. Dun.					
102	subinerme. R.S. (bl.) spear-leaved.	W. Indies.	1752.	7. 8.	S. h.	Jacq. amer. t. 40. f. 3.
103	lanceolatum. R.S. (bl.) lanceolate.	New Spain.		6. 7.	S. h.	Cavan. ic. 3. t. 245.
104	astroites. Jacq. (bl.) Aster-like.	S. America.	1823.	—	S. h.	Jacq. f. eclog. t. 65.
105	glutinösium. R.S. (bl.) glutinous.		1818.	6. 8.	S. h.	Dunal sol. ed. 2. t. 54.
106	Brownii. R.S. (vi.) Brown's.	N. S. W.	1820.	—	S. h.	
	violaceum. B.P. non Jacq.					

107	<i>giganteum</i> . R.S. (<i>wh. vi.</i>) tall.	C. B. S.	1792.	6. 8.	G. $\frac{1}{2}$.	Bot. mag. t. 1921.
108	<i>tórvum</i> . R.S. (<i>wh.</i>) curved-prickled.	W. Indies.	1816.	—	S. $\frac{1}{2}$.	
109	<i>ferrugineum</i> . R.S. (<i>wh.</i>) ferruginous.	—	—	—	S. $\frac{1}{2}$.	Jacq. schœn. 3. t. 334.
110	<i>elatum</i> . L.en. (<i>bl.</i>) tall.	—	1824.	6. 9.	S. $\frac{1}{2}$.	
111	<i>ochroneurum</i> . L.en. (<i>bl.</i>) rusty-branched.	Brazil.	—	6. 8.	S. $\frac{1}{2}$.	
112	<i>mölle</i> . K.S. (<i>wh.</i>) soft-leaved.	Caracas.	1826.	—	G. $\frac{1}{2}$.	
113	<i>Lichtensteini</i> . R.S. ... Lichtenstein's.	C. B. S.	1824.		G. $\frac{1}{2}$.	
114	<i>esculentum</i> . R.S. (<i>li.</i>) eatable.	Tropics.	1597.	6. 9.	G. $\frac{1}{2}$.	Dunal sol. t. 3. f. E.
115	<i>ovigerum</i> . R.S. (<i>pa. bl.</i>) Egg-plant.	Arabia.	—	—	G. $\odot$.	Blackw. t. 549.
	<i>a violaceum</i> . (<i>pa. bl.</i>) violet-fruited.	—		—	G. $\odot$.	
	<i>β album</i> . (<i>pa. bl.</i>) white-fruited.	—		—	G. $\odot$.	
	<i>γ luteum</i> . (<i>pa. bl.</i>) yellow-fruited.	—		—	G. $\odot$.	
	<i>δ ruber</i> . (<i>pa. bl.</i>) red-fruited.	—		—	G. $\odot$.	
116	<i>lóngum</i> . F.I. (<i>vi.</i>) long-fruited.	E. Indies.	1816.	—	S. $\frac{1}{2}$.	
117	<i>insanum</i> . W. (<i>pu.</i>) insane.	—	1815.	8. 10.	S. $\frac{1}{2}$.	Pluk. alm. t. 226. f. 3.
118	<i>melanóxylon</i> . S.S. (<i>vi.</i>) black-wooded.	—	1825.	7. 10.	S. $\odot$.	
119	<i>undatum</i> . R.S. (<i>pa. bl.</i>) waved.	E. Indies.	1818.	6. 9.	S. $\frac{1}{2}$.	Rheed. mal. 2. t. 37.
120	<i>fuscatum</i> . R.S. (<i>vi.</i>) brown-branched.	America.		7. 8.	G. $\odot$.	Jacq. ic. 1. t. 42.
121	<i>sodómeum</i> . R.S. (<i>pu.</i>) black-spined.	Africa.	1688.	6. 7.	G. $\frac{1}{2}$.	Flor. græc. t. 235.
122	<i>incanum</i> . R.S. (<i>re.</i>) hoary.	Mauritius.	1823.	—	S. $\frac{1}{2}$.	Scop. del. 1. t. 1.
123	<i>indicum</i> . R.S. (<i>bl.</i>) Indian.	India.	1732.	7.	S. $\frac{1}{2}$.	Dill. elth. t. 270. f. 349.
124	<i>coágulans</i> . R.S. (<i>bl.</i>) scollop-leaved.	Arabia Felix.	1802.	—	S. $\frac{1}{2}$.	Jacq. schœn. 4. t. 469.
125	<i>sánctum</i> . R.S. (<i>bl. pu.</i>) oblique-leaved.	Egypt.	—	—	S. $\frac{1}{2}$.	
126	<i>marginatum</i> . R.S. (<i>li.</i>) white margined.	Africa.	1775.	6. 9.	G. $\frac{1}{2}$.	Bot. mag. t. 1928.
127	<i>congense</i> . L.en. (<i>bl.</i>) Congo.	—	1815.	—	G. $\frac{1}{2}$.	
128	<i>campechiense</i> . R.S. (<i>li.</i>) purple-spined.	America.	1732.	7.	G. $\frac{1}{2}$.	Dill. elth. t. 268. f. 347.
129	<i>platanifolium</i> . B.M. (<i>vi.</i>) Plane-leaved.	S. America.	1822.	7. 9.	S. $\frac{1}{2}$.	Bot. mag. t. 2618.
130	<i>myriacanthum</i> . R.S. (<i>w.</i>) many-spined.	—	—	—	S. $\frac{1}{2}$.	
131	<i>aculeatissimum</i> . R.S. (<i>w.</i>) very prickly.	—	1800.	—	S. $\frac{1}{2}$.	Jacq. ic. 1. t. 41.
132	<i>spinosissimum</i> . D.L. (<i>w.</i>) very spiny.	Trinidad.	1820.	—	S. $\frac{1}{2}$.	
133	<i>lividum</i> . S.S. (<i>wh.</i>) livid.	Madagascar.	1821.	—	S. $\frac{1}{2}$.	
134	<i>lasiocarpum</i> . R.S. (<i>wh.</i>) four-celled.	E. Indies.	1824.	6. 8.	S. $\frac{1}{2}$.	Rheel. mal. 2. t. 35.
	<i>hirsutum</i> . F.I. non Dunal. <i>quadriculare</i> . S.S.	—	—	—	—	
135	<i>mammosum</i> . R.S. (<i>pa. bl.</i>) nipple.	W. Indies.	1699.	7. 8.	H. $\odot$.	Merian. surin. t. 27.
136	<i>ciliatum</i> . R.S. (<i>pa. bl.</i>) ciliated.	—	1816.	—	H. $\odot$.	Dunal sol. t. 18.
137	<i>stramonifolium</i> . R.S. (<i>bl.</i>) broad-leaved.	E. Indies.	1778.	6. 9.	S. $\frac{1}{2}$.	Jacq. ic. 1. t. 44.
138	<i>flavescens</i> . R.S. (<i>wh.</i>) yellowish.	Trinidad.	1822.	—	S. $\frac{1}{2}$.	
139	<i>ferox</i> . R.S. (<i>li. pu.</i>) Malabar.	Malabar.	1795.	8. 9.	S. $\frac{1}{2}$.	Dunal sol. ed. 2. t. 68.
140	<i>crassipetalum</i> . F.I. (<i>li.</i>) thick-petaled.	Nepaul.	1824.	4. 7.	G. $\frac{1}{2}$.	
141	<i>lysimachioides</i> . F.I. (<i>w.</i>) Loosetrife-like.	E. Indies.	1823.	6. 9.	S. $\frac{1}{2}$.	
142	<i>campanulatum</i> . B.P. (<i>pu.</i>) bell-flowered.	N. S. W.	1818.	8. 9.	G. $\odot$.	
143	<i>armatum</i> . B.P. (<i>pu.</i>) armed.	—	1819.	—	S. $\frac{1}{2}$.	Dunal sol. ed. 2. t. 69.
144	<i>pungetium</i> . B.P. (<i>vi.</i>) pungent.	—	1823.	—	G. $\odot$.	— ed. 2. t. 70.
145	<i>cinereum</i> . B.P. (<i>wh.</i>) grey.	—	—	—	G. $\frac{1}{2}$.	
146	<i>Milléri</i> . R.S. (<i>wh.</i>) Miller's.	C. B. S.	1762.	7. 8.	G. $\frac{1}{2}$.	Jacq. ic. 2. t. 330.
147	<i>trilobatum</i> . R.S. (<i>wh.</i>) three-lobed.	W. Indies.	1759.	8.	S. $\frac{1}{2}$.	Pluk. alm. t. 316. f. 5.
148	<i>acetosæfolium</i> . R.S. (<i>w.</i>) Sorrel-leaved.	E. Indies.	—	—	S. $\frac{1}{2}$.	Burm. ind. t. 22. f. 2.
149	<i>rigescens</i> . R.S. (<i>vi.</i>) rigid.	C. B. S.	1815.	6. 8.	G. $\frac{1}{2}$.	Jacq. schœn. 1. t. 42.
150	<i>carolinense</i> . R.S. (<i>w. bl.</i>) Carolina.	Carolina.	1732.	7. 9.	G. $\frac{1}{2}$.	Jacq. ic. 2. t. 331.
151	<i>violaceum</i> . R.S. (<i>bl.</i>) violet.	E. Indies.	1823.	6. 9.	S. $\frac{1}{2}$.	Jacq. fragm. t. 133. f. 1.
152	<i>pyracanthum</i> . B.M. (<i>pu.</i>) orange-thorn'd.	Madagascar.	1789.	8. 9.	S. $\frac{1}{2}$.	Sm. exot. bot. 2. t. 64.
	<i>β inermis</i> . (<i>pu.</i>) smooth-calyxed.	—	—	—	S. $\frac{1}{2}$.	Bot. mag. t. 2547.
153	<i>virginianum</i> . R.S. (<i>vi.</i>) Virginian.	Virginia.	1662.	5. 8.	H. $\odot$.	Dill. elth. t. 267. f. 346.
154	<i>Jacquinii</i> . R.S. (<i>bl. pu.</i>) Jacquin's.	E. Indies.	1804.	9. 11.	S. $\odot$.	Jacq. ic. 2. t. 332.
155	<i>xanthocarpum</i> . R.S. (<i>bl.</i>) yellow-fruited.	Ethiopia.	1828.	6. 10.	H. $\odot$.	Wend. s. han. 1. t. 2.
156	<i>Balbísii</i> . R.S. (<i>wh.</i>) Balbis's.	S. America.	1816.	4. 9.	S. $\frac{1}{2}$.	Bot. mag. t. 2568.
	<i>decurrens</i> . B.R. 140. <i>brancafolium</i> . Jacq. f. ecl. t. 7. <i>viscosum</i> . DC.	—	—	—	—	
157	<i>tectum</i> . R.S. (<i>ye.</i>) villous-calyxed.	Mexico.	1826.	7. 10.	G. $\frac{1}{2}$.	Cavan. icon. 4. t. 309.
158	<i>capense</i> . R.S. (<i>wh.</i>) Cape prickly.	C. B. S.	1816.	6. 10.	G. $\frac{1}{2}$.	
159	<i>Houstonii</i> . R.S. (<i>wh.</i>) Houston's.	Vera Cruz.	1731.	—	S. $\frac{1}{2}$.	
160	<i>Angúrium</i> . R.S. (<i>ye.</i>) procumbent.	—	—	—	S. $\frac{1}{2}$.	
NYCTERUM. V. NYCTERUM. Pentandria Monogynia.						
1	<i>cordifolium</i> . V. (<i>vi.</i>) Canary.	Canaries.	1779.	3. 4.	G. $\frac{1}{2}$.	Venten. malm. t. 85.
	<i>Solanum vespertilio</i> . R.S.	—	—	—	—	
2	<i>Amazonium</i> . B.M. (<i>bl.</i>) Lambert's.	Brazil.	1814.	5. 9.	S. $\frac{1}{2}$.	Bot. mag. t. 1801.
	<i>Solanum Amazonium</i> . Bot. reg. t. 71.	—	—	—	—	
3	<i>cornutum</i> . L.en. (<i>ye.</i>) horned.	S. America.	1825.	—	S. $\frac{1}{2}$.	Juss. ann. mus. 3. t. 9.
4	<i>lobatum</i> . (<i>ye.</i>) Missouri.	Missouri.	1813.	7. 9.	H. $\odot$.	Pursh fl. amer. 1. t. 7.
	<i>Solanum heterandrum</i> . Ph. <i>Androcera lobata</i> . N.	—	—	—	—	

5	rostratum. L.en. (ye.) beaked.	Mexico.	1823.	7. 9. H. ☉.	Dunal sol. t. 24.
6	Fontanesianum. (ye.) Desfontaine's.	Brazil.	1813.	— H. ☉.	Bot. reg. t. 177.
7	heterodoxum. L.en. (bl.) very prickly.	Mexico.	1824.	— H. ☉.	Dunal sol. t. 25.
WITHERINGIA. R.S. WITHERINGIA. Tetr-Pentandria Monogynia.					
1	solanacea. R.S. (st.) yellow-flowered.	S. America.	1742.	5. 9. S. ♀.	L'Herit. sert. angl. t. 1.
2	stramonifolia. K.S. (st.) Stramonion-ld.	Mexico.	1823.	— S. ♀.	
3	crassifolia. R.S. (li.) thick-leaved.	C. B. S.	1729.	— G. ♀.	Dill. elth. t. 273. f. 352.
4	montana. R.S. (wh. bl.) mountain.	Peru.	1822.	— G. ♀.	Bot. mag. t. 2768.
5	phyllantha. R.S. (bl.) annual.	—	—	7. 9. H. ☉.	Cavan. ic. 4 t. 359. f. 1.
6	pinnatifida. R.S. (li.) pinnatifid.	—	—	6. 8. G. ♀.	Flor. peruv. 2. t. 170. f. b.
CESTRUM. R.S. CESTRUM. Pentandria Monogynia. L.					
1	laurifolium. R.S. (ye.) Laurel-leaved.	W. Indies.	1691.	5. 8. S. ♀.	Smith spicil. 2. t. 2.
2	citrifolium. R.S. (st.) Citron-leaved.	—	1816.	— S. ♀.	
3	macrophyllum. R.S. (st.) large-leaved.	W. Indies.	1812.	— S. ♀.	Venten. choix. t. 18.
4	venenatum. R.S. (st.) poisonous.	C. B. S.	1787.	2. 4. G. ♀.	
5	nocturnum. R.S. (gr. ye.) night-smelling.	E. Indies.	1732.	11. S. ♀.	Dill. elth. t. 153. f. 185.
6	hirtum. R.S. (gr. wh.) hairy.	Jamaica.	1822.	5. 8. S. ♀.	
7	Parqui. R.S. (st.) Willow-leaved.	S. America.	1787.	6. 7. G. ♀.	Bot. mag. t. 1770.
8	thyrsoidum. K.S. (st.) bunch-flowered.	Mexico.	1826.	5. 7. S. ♀.	
9	suberosum. R.S. (gr.) cork-barked.	—	1815.	6. 7. S. ♀.	Jacq. schœn. 4. t. 452.
10	auriculatum. W. (wh.) eared-leaved.	Peru.	1774.	— S. ♀.	L'Herit. s. nov. 1. t. 35.
11	exstipulatum. R.S. (gr.) exstipulate.	S. America.	1824.	— S. ♀.	
12	tinctorium. R.S. (wh.) dying.	Caracas.	1823.	5. 6. S. ♀.	Jacq. schœn. 3. t. 332.
13	undulatum. R.S. (st.) waved-leaved.	Peru.	—	— S. ♀.	Flor. peruv. 2. t. 155.
14	multiflorum. R.S. (gr.) many-flowered.	S. America.	1825.	— S. ♀.	
15	paniculatum. K.S. (gr. ye.) panicked.	Caracas.	1819.	— S. ♀.	
16	latifolium. R.S. (st.) broad-leaved.	Trinidad.	1822.	5. 6. S. ♀.	
17	alaternoides. R.S. (gr. ye.) Alaternus-like.	S. America.	1820.	4. 6. S. ♀.	Bot. mag. t. 2929.
18	hirsutum. R.S. (st.) hairy-stalked.	—	1822.	5. 6. S. ♀.	Jacq. schœn. 3. t. 324.
19	cauliflorum. R.S. (wh.) stem-flowering.	Martinica.	1818.	— S. ♀.	— 3. t. 325.
20	salicifolium. R.S. (st.) Sallow-leaved.	Caracas.	—	3. 6. S. ♀.	— 3. t. 326.
21	pendulum. R.S. (wh.) pendulous.	—	1820.	— S. ♀.	— 3. t. 327.
22	vespertinum. R.S. (wh.) cluster-flowered.	W. Indies.	1759.	5. 7. S. ♀.	— 3. t. 328.
23	pallidum. R.S. (gr. ye.) pale-flowered.	Jamaica.	1732.	— S. ♀.	Sloan. hist. 2. t. 204. f. 2.
24	fœtidissimum. R.S. (ye.) stinking.	—	—	5. 8. S. ♀.	Jacq. schœn. 3. t. 329.
25	bracteatum. B.M. (st.) large-bracted.	S. America.	1828.	12. 2. S. ♀.	Bot. mag. t. 2974.
26	acuminatum. (ye. gr.) tapering-leaved.	Mexico.	1824.	7. 10. F. ♀.	Swt. br. fl. gar. ser. 2.
27	fastigiatum. R.S. (wh.) Honeysuckle.	W. Indies.	—	10. 12. S. ♀.	Bot. mag. t. 1729.
28	odontospermum. R.S. (w.) smooth.	S. America.	1793.	7. 9. S. ♀.	Jacq. schœn. 3. t. 331.
29	diurnum. R.S. (wh.) day smelling.	W. Indies.	1732.	10. 11. S. ♀.	Dill. elth. t. 154. f. 186.
30	roseum. R.S. (ro.) rose-coloured.	Mexico.	1829.	— G. ♀.	
31	tomentosum. R.S. (st.) downy.	S. America.	1790.	6. 7. S. ♀.	
32	angustifolium. B.C. (st.) narrow-leaved.	—	1820.	— S. ♀.	Lodd. bot. cab. t. 618.
LYCIUM. R.S. BOX-THORN. Pentandria Monogynia. L.					
1	afrum. R.S. (vi.) African.	C. B. S.	1712.	6. 7. H. ♀.	Bot. reg. t. 354.
2	ténue. R.S. (pu.) slender.	—	—	— H. ♀.	
3	rigidum. R.S. (vi.) rigid.	—	1795.	— H. ♀.	Trew Ehret. t. 24. f. 1.
	carnosum. P.S. italicum Miller.	—	—	— H. ♀.	
4	microphyllum. R.S. (vi.) small-leaved.	—	—	— H. ♀.	
5	ruthenicum. R.S. (ro.) Russian.	Siberia.	1804.	— H. ♀.	Pall. ros. 1. t. 49.
6	tetrandrum. R.S. (pu.) tetrandrous.	C. B. S.	—	— H. ♀.	
7	barbaram. R.S. (re.) Willow-leaved.	Barbary.	1696.	5. 8. H. ♀.	Wats. dend. brit. t. 9.
8	Shawii. R.S. (wh.) white-flowered.	—	—	— H. ♀.	Shaw afric. f. 349.
9	Trewianum. R.S. (pu.) Trew's.	China.	—	— H. ♀.	Trew Ehret. t. 68.
	chinense. P.S. non Mill.	—	—	— H. ♀.	
10	chinense. R.S. (re.) Chinese.	—	—	— H. ♀.	Wats. dend. brit. t. 8.
	ovatum. P.S. barbaram β chinense. w.	—	—	— H. ♀.	
11	lanceolatum. P.S. (vi.) spear-leaved.	S. Europe.	—	— H. ♀.	Duham. arb. nov. t. 32.
12	turbinatum. P.S. (re.) top-shaped.	China.	1709.	— H. ♀.	— t. 31.
13	cinereum. R.S. (pu.) gray.	C. B. S.	1815.	6. 8. H. ♀.	
14	europeum. R.S. (li.) European.	S. Europe.	1730.	5. 8. H. ♀.	Flor. græc. t. 236.
15	horrîdum. R.S. (wh.) succulent-leav'd.	C. B. S.	1791.	7. 8. H. ♀.	
16	boerhaaviaefolium. (bh.) glaucous-leaved.	Peru.	1780.	4. 5. G. ♀.	L'Herit. stirp. t. 83.
17	arborescens. S.S. (wh.) arborescent.	—	1819.	6. 7. G. ♀.	Flor. peruv. 2. t. 182. f. a.
A'tropa arborescens. R.S.					
18	carolinianum. R.S. (pu.) Carolina.	Carolina.	1806.	7. 9. H. ♀.	
19	capsulare. R.S. (pu.) capsular.	Mexico.	1730.	6. 8. G. ♀.	
SOLAN'DRA. R.S. SOLAN'DRA. Pentandria Monogynia. R.S.					
1	grandiflora. R.S. (li.) large-flowered.	Jamaica.	1781.	3. 8. S. ♀.	Jacq. schœn. 1. t. 45.

2	nítida. R.S.	(st.) glossy-leaved. Jamaica.	1781.	3. 8.	S. h.	Bot. mag. t. 1874.
	<i>grandiflora</i> . B.M. non Jacq.					
3	viridiflora. s.s.	(gr.) green-flowered. Brazil.	1816.	5. 6.	S. h.	Bot. mag. t. 1948.
4	oppositifolia.	opposite-leaved. W. Indies.	1824.		S. h.	
BRUNFELSIA. W. BRUNFELSIA. Didynamia Angiospermia. L.						
1	undulata. w.	(wh.st.) large-flowered. Jamaica.	1780.	6. 7.	S. h.	Bot. reg. t. 228.
2	americana. w.	(wh.st.) American. W. Indies.	1735.	—	S. h.	Bot. mag. t. 393.
	<i>a latifolia</i> . (wh.st.) broad-leaved.				S. h.	
	<i>β angustifolia</i> . (wh.st.) narrow-leaved.				S. h.	
3	violacea. B.C.	(wh.st.) purple-stalked.	1820.	—	S. h.	Lod. bot. cab. t. 792.
4	uniflora. D.D.	(bl.wh.) single-flowered. Brazil.	1827.	1. 12.	S. h.	Bot. mag. t. 2829.
	<i>Franciscea Hopeana</i> . B.M.					
CRESCENTIA. W. CALABASH-TREE. Didynamia Angiospermia. L.						
1	Cujete. w.	(li.ye.) oval-fruited. Jamaica.	1690.		S. h.	Jacq. amer. t. 111.
2	acuminata. K.S.	(li.) acuminate. Cuba.	1822.		S. h.	
3	cucurbitina. w.	(li.ye.) round-fruited. W. Indies.	1733.		S. h.	Plum. ic. t. 109.
4	alata. K.S.	(li.) winged-leaved. Mexico.	1825.		S. h.	
TRIPINNARIA. S.S. TRIPINNARIA. Didynamia Angiospermia.						
	<i>africana</i> . s.s.	(re.) African. Mauritius.	1823.		S. h.	Jacq. coll. 3. t. 18.
	<i>Crescentia pinnata</i> . Jacq. <i>Tanacetum pinnatum</i> . w.					

ORDO CLII.

SCROPHULARINÆ. *Brown prodr.* 1. p. 433.

Sect. I. STAMINA (4) ANTHERIFERA.

BUDDLEA. S.S. BUDDLEA. Tetrandria Monogynia. L.						
1	madagascariensis. (or.)	Madagascar.	1824.	9. 10.	S. h.	Bot. mag. t. 2824.
2	saligna. s.s.	(wh.) Willow-like. C. B. S.	1816.	8. 9.	G. h.	Jacq. schœn. 1. t. 29.
3	paniculata. s.s.	(wh.) panicked. Nepaul.	1823.	—	G. h.	
4	americana. R.S.	(ye.) American. W. Indies.	1824.	7. 10.	S. h.	Sloan. hist. 2. t. 173. f. 1.
5	occidentalis. R.S.	(wh.) occidental. Peru.	1730.		G. h.	Flor. peruv. 1. t. 83.
6	salvifolia. s.s.	(wh.cr.) Sage-leaved. C. B. S.	1760.	8. 9.	G. h.	Jacq. schœn. 1. t. 28.
7	Nœmda. s.s.	(wh.) Nepaul.	1822.	—	G. h.	
8	brasilensis. s.s.	(or.) Brazilian. Brazil.	—	9. 11.	S. h.	Bot. mag. t. 2713.
9	heterophylla. B.R.	(ye.) different-leaved. S. America.	1826.	1. 5.	S. h.	Bot. reg. t. 1259.
10	globosa. s.s.	(ye.) round-headed. Chile.	1774.	5. 7.	H. h.	Bot. mag. t. 174.
11	connata. s.s.	(or.) connate-leaved. Peru.	1826.	5. 6.	G. h.	— t. 2853.
12	salicifolia. s.s.	(ye.) Willow-leaved. S. America.	1823.		S. h.	
13	diversifolia. R.S.	(wh.) various-leaved. Java.	—		S. h.	
SCOPARIA. L. SCOPARIA. Tetrandria Monogynia. L.						
1	dulcis. L.	(wh.) sweet. S. America.	1730.	6. 9.	S. h.	Herm. parad. t. 241.
2	flava. Ot.	(ye.) yellow. —	1829.	—	S. h.	
CAPRARIA. S.S. GOAT-WEED. Didynamia Angiospermia. L.						
1	undulata. s.s.	(ro.) wave-leaved. C. B. S.	1774.	3. 7.	G. h.	Bot. mag. t. 1556.
2	cuneata. s.s.	(ro.) wedge-leaved. S. America.	1759.	6. 8.	S. h.	
3	lanceolata. s.s.	(ye.) spear-leaved. C. B. S.	1774.	5. 7.	G. h.	Pl. sel. h. ber. t. 4.
4	biflora. s.s.	(wh.) two-flowered. S. America.	1752.	7. 8.	S. h.	Jacq. amer. t. 115.
5	humilis. w.	(ro.) dwarf. E. Indies.	1781.	—	S. ♂.	
TEEDIA. S.S. TEEDIA. Didynamia Angiospermia. S.S.						
1	lucida. s.s.	(pu.) shining. C. B. S.	1774.	4. 7.	G. h.	Bot. reg. t. 210.
	<i>Capraria lucida</i> . w. <i>Borkhausenia lucida</i> . Roth.					
2	pubescens. s.s.	(pu.) pubescent. C. B. S.	1816.	5. 10.	G. h.	Bot. reg. t. 214.
HALLERIA. S.S. HALLERIA. Didynamia Angiospermia. L.						
1	lucida. s.s.	(sc.) shining-leaved. C. B. S.	1752.	6. 8.	G. h.	Bot. mag. t. 1744.
2	elliptica. s.s.	(sc.) elliptic-leaved. —	1816.	—	G. h.	Burm. afr. t. 84. f. 1.
STEMODIA. S.S. STEMODIA. Didynamia Angiospermia. W.						
1	suffruticosa. s.s.	(bl.) suffrutescent. S. America.	1823.	5. 8.	S. h.	
2	viscosa. s.s.	(vi.) viscous. E. Indies.	1818.	7. 10.	S. ♂.	Roxb. Corom. t. 163.
3	verticillaris. s.s.	(pu.) whorled. Brazil.	1822.	—	H. ♂.	
4	parviflora. H.K.	(wh.) small-flowered. S. America.	1759.	7. 8.	S. ♀.	
5	maritima. s.s.	(bl.) sea-side. Cuba.	1822.	—	S. ♂.	Jacq. amer. t. 174. f. 66.

- RUSS'ELIA. S.S.** **RUSS'ELIA.** *Didynamia Angiospermia. W.*
 1 floribúnda. K.s. (sc.) abundant-flowering. Mexico. 1824. 6. 8. S. 4.
 2 multiflóra. s.s. (sc.) many-flowered. ——— 1812. — S. 4. Bot. mag. t. 1528.
TREVIR'ANIA. S.S. **TREVIR'ANIA.** *Didynamia Angiospermia. S.S.*
 coccínea. s.s. (sc.) scarlet. Jamaica. 1778. 8. 10. S. 4. Bot. mag. t. 374.
Cyrilla pulchella. B.M. *Achimènes coccínea.* P.S.
COLUMNEA. S.S. **COLU'MNEA.** *Didynamia Angiospermia. L.*
 1 scándens. s.s. (sc.) climbing. W. Indies. 1759. 8. 9. S. 5. Bot. reg. t. 805.
 2 hirsúta. s.s. (li.) hairy. ——— 1780. 8. 11. S. 5. Brown jam. t. 30. f. 3.
 3 trifoliáta. L.en. (bl.) three-leaved. S. America. 1825. — S. 5.
 4 rútilans. s.s. (ye.re.) red-leaved. Jamaica. 1823. — S. 5.
 5 híspida. s.s. (sc.) bristly. ——— 1824. — S. 5.
MAURA'NDIA. S.S. **MAURA'NDIA.** *Didynamia Angiospermia. W.*
 1 semperflóreus. s.s. (ro.) red-flowered. Mexico. 1796. 1. 12. G. 5. Bot. mag. t. 460.
 2 antirrhiniiflóra. s.s. (bl.) blue-flowered. ——— 1814. — G. 5. t. 1643.
 3 Barclayána. B.R. (bl.) Mr. Barclay's. ——— 1826. 4. 11. G. 5. Bot. reg. t. 1108.
LOPHOSPERMUM. D.D. **LOPHOSPERMUM.** *Didynamia Angiospermia.*
 scándens. L.T. (pu.) climbing. Mexico. 1830. 6. 8. G. 5.
DODARTIA. S.S. **DODARTIA.** *Didynamia Angiospermia. L.*
 orientális. s.s. (d.pu.) oriental. Levant. 1752. 7. 8. H. 4. Swt. br. fl. gar. t. 147.
CYMB'ARIA. S.S. **CYMB'ARIA.** *Didynamia Angiospermia. L.*
 davúrica. s.s. (ye.) Daurian. Davuria. 1796. 6. 7. H. 4. Amm. ruth. t. 1. f. 2.
COLLI'NSIA. N. **COLLI'NSIA.** *Didynamia Angiospermia.*
 1 vérna. N. (bl.pu.) large-flowered. N. America. 1827. 4. 11. H. 5. Swt. br. fl. gar. t. 220.
grandiflóra. Bot. reg. t. 1107.
 2 parviflóra. D. (bl.) small-flowered. ——— 6. 9. H. 5. Bot. reg. t. 1082.
NEM'ESIA. S.S. **NEM'ESIA.** *Didynamia Angiospermia. S.S.*
 1 chamædryfólia. s.s. (w.bl.) Chamædry's-ld. C. B. S. 1787. 4. 9. G. 4.
Antirrhinum macrocárpum. w.
 2 bicórne. s.s. (wh.bl.) horned. ——— 1774. 7. 8. G. 5. Burm. afr. t. 75. f. 3.
 3 foetens. s.s. (wh.bl.) fetid. ——— 1798. 4. 9. G. 4. Venten. malm. t. 41.
 4 lineáris. s.s. (sn.ro.) linear-leaved. ——— 1822. — G. 5.
ANARRHINUM. S.S. **ANARRHINUM.** *Didynamia Angiospermia. S.S.*
 1 pubéscens. E. (bl.) pubescent. Mount Sinai. 1826. 5. 8. H. 4.
 2 bellidifólium. s.s. (bl.) Daisy-leaved. France. 1629. 6. 8. H. 5. Bot. mag. t. 2056.
ANTIRRHINUM. S.S. **SNAP-DRAGON.** *Didynamia Angiospermia. L.*
 1 május. s.s. (va.) great. England. 6. 8. H. 4. Eng. bot. v. 2. t. 129.
a albiflórum. (wh.) white-flowered. H. 4.
β róseum. (ro.) rose-coloured. H. 4.
γ coccíneum. (sc.) scarlet. H. 4.
δ bicolor. (re.wh.) two-coloured. H. 4.
ε múltiplex. (sc.) double-flowered. H. 4.
 2 meonanthum. L.en. (re.) smaller-flower'd. S. Europe. 1820. — H. 4. Lk. fl. port. 1. t. 56.
 3 angustifólium. Urv. (re.) narrow-leaved. Italy. 1818. — H. 4.
 4 siculum. s.s. (st.) Sicilian. Sicily. 1804. 7. 8. H. 4.
 5 Oróntium. s.s. (bh.) Calf's-snout. Britain. 7. 9. H. 4. Eng. bot. v. 17. t. 1155.
 6 calycinum. L.en. (wh.) long-calyxed. S. Europe. H. 5.
 7 Asarina. s.s. (wh.) heart-leaved. Italy. 1699. 7. F. 4. Bot. mag. t. 902.
 8 mólle. s.s. (wh.) soft-leaved. Spain. 1752. 7. 10. F. 4.
LIN'ARIA. S.S. **TOAD-FLAX.** *Didynamia Angiospermia. S.S.*
 1 fruticósa. s.s. (ye.) shrubby. Barbary. 1822. 5. 6. G. 5. Desf. atl. 2. t. 135.
 2 frutécens. s.s. (ye.) frutescent. C. B. S. 1816. 5. 7. G. 5.
Antirrhinum frutécens. Th.
 3 dalmática. s.s. (ye.) Dalmatian. Levant. 1731. 6. 7. G. 5. Buxb. cent. 1. t. 24.
 4 scopária. s.s. (ye.) broom-like. Teneriffe. 1815. — G. 5.
 5 Cymbalária. s.s. (bh.) Ivy-leaved. England. 5. 11. H. 4. Eng. bot. v. 7. t. 502.
 6 pállida. T.s. (li.) pale-flowered. Italy. 1824. — H. 4.
pubéscens. T.P. non P.S.
 7 pilósa. s.s. (li.) hairy-leaved. ——— 1800. 6. 9. H. 4. Jacq. obs. 2. t. 48.
 8 hepaticáfólia. s.s. (pu.) Hepatica-leav'd. Corsica. 1828. — F. 4.
 9 æquitríloba. s.s. (d.pu.) equal 3-lobed. Sardinia. ——— F. 4. Bot. mag. t. 2941.
 10 Elátine. s.s. (bl.) sharp-pointed. England. 7. 11. H. 5. Eng. bot. v. 10. t. 692.
 11 cirrhósa. s.s. (bl.wh.) cirrhose. Egypt. 1777. 7. 8. H. 5. Jacq. vind. 1. t. 82.
 12 spúria. s.s. (ye.vi.) round-leaved. England. 7. 9. H. 5. Eng. bot. v. 10. t. 691.
Antirrhinum spúrium. E.B.
 13 lanígera. s.s. (st.) woolly. S. Europe. 1820. — H. 5.
 14 dealbáta. s.s. (ye.) villous-leaved. Portugal. ——— 7. 9. H. 5.
 15 latifólia. s.s. (ye.) broad-leaved. Barbary. 1800. 6. 7. H. 5. Desf. atl. 2. t. 134.
 16 triphy'lla. s.s. (bl.ye.) three-leaved. Sicily. 1596. 6. 9. H. 5. Bot. mag. t. 324.

17	reflexa. s.s.	(wh.) reflex-flowered.	S. Europe.	1824.	6. 9.	H. ⊙.	Flor. græc. t. 593.
18	origanifolia. s.s.	(bl.) Marjoram-leav'd.	—	1785.	—	F. ♀.	Barrel. ic. 598.
19	cretacea. s.s.	(bl.ye.) crowded-flower'd.	Siberia.	1826.	—	H. ⊙.	—
20	virgata. s.s.	(bl.) slender-stalked.	Barbary.	1824.	—	H. ⊙.	Desf. atl. 2. t. 135.
21	thymifolia. s.s.	(ye.) Thyme-leaved.	S. Europe.	—	—	H. ⊙.	—
22	villosa. s.s.	(wh.) villous.	Spain.	1786.	7. 8.	F. ♀.	Barrel. ic. 597.
23	rubrifolia. s.s.	(bl.) red-leaved.	S. France.	1824.	—	F. ♀.	—
24	saxatilis. P.s.	(ye.) rock.	S. Europe.	1827.	6. 8.	H. ♀.	—
25	pubescens. P.s.	(ye.) pubescent.	—	1824.	6. 9.	H. ⊙.	—
26	hirta. s.s.	(ye.) shaggy-leaved.	Spain.	1759.	—	H. ⊙.	Jacq. ic. 1. t. 117.
27	triornithophora.	(pu.) three bird's.	Portugal.	1710.	—	F. ♀.	Bot. mag. t. 523.
28	parviflora. s.s.	(ye.) small flowered.	Sardinia.	1829.	—	H. ⊙.	Desf. atl. 2. t. 137.
29	albifrons. F.G.	(wh.) white fronted.	Greece.	1828.	—	H. ⊙.	Flor. græc. t. 588.
30	bipartita. s.s.	(bl.) cloven flowered.	Barbary.	1801.	—	H. ⊙.	Swt. br. fl. gar. t. 30.
<i>speciosa</i> . Jacq. fil. eclog. t. 95.							
31	minor. s.s.	(pu.ye.) little erect.	England.		6. 11.	H. ⊙.	Eng. bot. v. 28. t. 2014.
<i>Antirrhinum minus</i> . E.B.							
32	littoralis. s.s.	(bl.) shore.	Austria.	1824.	—	H. ⊙.	—
33	chalepensis. s.s.	(wh.) white-flowered.	Levant.	1680.	6. 7.	H. ⊙.	Flor. græc. t. 592.
34	tristis. s.s.	(bk.br.) melancholy.	Spain.	1727.	7. 8.	G. ♀.	Bot. mag. t. 74.
35	versicolor. s.s.	(ye.bl.) various-colour'd.	France.	1777.	7. 9.	H. ⊙.	Jacq. ic. 1. t. 116.
36	linarioides. s.s.	(ye.) toadflax-like.	S. Europe.	1816.	5. 8.	H. ♀.	—
37	micrantha. s.s.	(ye.) small-flowered.	Spain.	1825.	5. 7.	H. ⊙.	Flor. græc. t. 587.
38	viscosa. s.s.	(br.ye.) clammy.	—	1786.	7. 9.	H. ⊙.	Bot. mag. t. 368.
39	purpurea. s.s.	(pu.) purple.	S. Europe.	1648.	7. 9.	H. ♀.	Flor. græc. t. 589.
40	arenaria. s.s.	(ye.) sand.	Hungary.	1825.	—	H. ⊙.	—
41	alpina. s.s.	(bl.) Alpine.	Austria.	1570.	7. 11.	H. ♀.	Bot. mag. t. 205.
42	lusitânica. s.s.	(ye.) Portugal.	S. Europe.	1820.	6. 7.	H. ♀.	—
43	pyrenæica. s.s.	(ye.) Pyrenean.	Pyrenees.	1824.	6. 8.	H. ⊙.	—
44	Hæläva. F.E.	(ye.) hairy calyxed.	Egypt.	1803.	7. 9.	H. ⊙.	—
45	pelisseriæna. s.s.	(vi.) violet-coloured.	S. Europe.	1640.	6. 9.	H. ⊙.	Flor. græc. t. 591.
46	ëlegans. P.s.	(bl.) elegant.	Spain.	1812.	—	H. ⊙.	—
47	repens. H.K.	(std.) creeping rooted.	England.		7. 10.	H. ♀.	Eng. bot. v. 18. t. 1253.
48	amethystina. s.s.	(bl.) bright blue.	S. Europe.	1816.	—	H. ⊙.	Cavan. ic. 1. t. 33. f. 1.
<i>Antirrhinum bipunctatum</i> . Cav. nec aliorum.							
49	supina. s.s.	(ye.) trailing.	Spain.	1728.	—	H. ⊙.	Flor. græc. t. 595.
50	bipunctata. s.s.	(ye.) two-spotted.	—	1749.	6. 8.	H. ⊙.	—
51	sparteæ. s.s.	(ye.) branching.	—	1772.	6. 10.	H. ⊙.	Bot. mag. t. 200.
52	simplex. s.s.	(bl.) upright.	S. Europe.	1816.	7. 8.	H. ⊙.	Jacq. ic. 3. t. 499.
53	arvensis. s.s.	(ye.) corn.	—		—	H. ⊙.	Flor. græc. t. 590.
54	diffusa. s.s.	(ye.bl.) spreading.	Portugal.	1824.	—	H. ⊙.	—
55	multicaulis. s.s.	(wh.bl.) many-stalked.	Levant.	1728.	5. 7.	H. ⊙.	Bocc. sic. t. 19. f. 1.
56	macroûra. L.en.	(ye.) large-spurred.	Caucasus.	1823.	6. 9.	H. ♀.	—
57	incarnata. s.s.	(li.) flesh-coloured.	S. Europe.	1826.	—	H. ⊙.	—
58	reticulata. s.s.	(ye.pu.) netted-flower'd.	Algiers.	1788.	5. 7.	F. ♀.	Smith ic. pict. t. 2.
59	glauca. s.s.	(ye.) glaucous-leaved.	S. Europe.	1800.	6. 8.	H. ⊙.	Buxb. cent. 4. t. 37.
60	ægyptiaca. s.s.	(ye.) Egyptian.	Egypt.	1771.	7.	H. ⊙.	—
61	silenifolia. Lk.	(ye.) Silene-leaved.	Portugal.	1820.	7. 9.	H. ⊙.	—
62	genistifolia. s.s.	(ye.) Broom-leaved.	Austria.	1704.	7. 8.	H. ♀.	Flor. græc. t. 596.
63	linifolia. s.s.	(ye.) flax-leaved.	Italy.	1824.	—	H. ♀.	—
64	vulgaris. s.s.	(ye.) common.	Britain.		6. 9.	H. ♀.	Eng. bot. v. 10. t. 658.
<i>Antirrhinum Linaria</i> . E.B.							
<i>β Peloria</i> . (ye.) regular-flowered.							
65	Loeselii. s.s.	(ye.bl.) Loesel's.	Russia.	1824.	—	H. ♀.	Eng. bot. v. 4. t. 260.
66	odora. M.B.	(ye.bl.) sweet-scented.	Caucasus.	1827.	—	H. ⊙.	—
67	stricta. s.s.	(ye.) upright.	Levant.	1829.	—	H. ⊙.	Flor. græc. t. 594.
68	juncæa. s.s.	(ye.) rush-stalked.	Spain.	1780.	7. 8.	H. ⊙.	—
69	canadensis. s.s.	(vi.) Canadian.	N. America.	1812.	6. 8.	H. ⊙.	Venten. cels. t. 49.
70	acutifolia. F.	(ye.bl.) sharp-leaved.	Levant.	1826.	—	H. ⊙.	—
71	fasciculata. Ot.	(ye.) clustered.		1829.	—	H. ⊙.	—
SCROPHULARIA. L. FIGWORT. Didynamia Angiospermia. L.							
1	marilandica. s.s.	(g.br.) Maryland.	N. America.	1759.	5. 7.	H. ♀.	—
2	peregrina. s.s.	(pu.) Nettle-leaved.	Italy.	1640.	6. 8.	H. ♂.	Flor. græc. t. 597.
3	nodosa. s.s.	(d.pu.) knotty-rooted.	Britain.		5. 7.	H. ♀.	Eng. bot. v. 22. t. 1544.
4	aquatica. s.s.	(d.pu.) water.	—		—	H. ♀.	— v. 12. t. 854.
5	glabrata. s.s.	(pu.ye.) spear-leaved.	Canaries.	1779.	4. 5.	G. ♂.	Jacq. schön. 2. t. 209.
6	biserrata. s.s.	(pu.ye.) double-serrate.		1816.	5. 7.	H. ♀.	—
7	arguta. s.s.	(re.) slender upright.	Canaries.	1778.	—	H. ⊙.	—
8	vernalis. s.s.	(ye.) yellow.	Britain.		3. 5.	H. ♂.	Eng. bot. v. 8. t. 567.

9	Smithii. L.en. (br.ye.)	Smith's.	Canaries.	1815.	4. 8.	G. ♀.	
10	glandulosa. s.s. (br.ye.)	glandular.	Hungary.	1806.	6. 9.	H. ♀.	W. et K. hung. t. 214.
11	rugosa. w.k. (br.ye.)	rugged.		1816.		H. ♀.	
12	Scopolii. P.s. (br.ye.)	Scopoli's.	Germany.	—	—	H. ♀.	Scop. carn. 2. t. 32
13	Scorodonia. s.s. (pu.)	balm-leaved.	Britain.		7. 8.	H. ♀.	Eng. bot. v. 31. 22 J.
14	grandidentata. T.s. (pu.)	great-toothed.	Italy.	1829.	6. 8.	H. ♀.	
15	altaica. s.s. (st.)	white-flowered.	Siberia.	1786.	5. 6.	H. ♀.	Mur. com. got. 4. t. 2.
16	betonicaefolia. s.s. (pu.)	Betony-leaved.	Spain.	1752.	6. 8.	H. ♀.	Barrel. ic. 274.
17	hirsuta. L.en. (pu.ye.)	hairy.	S. Europe.	1822.	—	H. ♀.	
18	appendiculata. s.s. (pu.)	heart-leaved.	Morocco.	1805.	7.	H. ♀.	
19	Balbisii. s.s. (pu.ye.)	Balbis's.	Italy.	1823.	6. 8.	H. ♀.	
20	auriculata. s.s. (br.ye.)	ear-leaved.	Spain.	1772.	7. 8.	H. ♀.	Lobel. ic. 533.
21	micrantha. s.s. (pu.)	small-flowered.	Levant.	1828.	—	H. ♀.	
22	heterophylla. s.s. (pu.ye.)	various-leaved.	—	1827.	—	G. ♀.	
23	trifoliata. s.s. (ye.br.)	three-leaved.	Africa.	1731.	5. 9.	H. ♂.	Jacq. schœn. 3. t. 286.
24	laciniata. w.k. (br.ye.)	jag-leaved.	Hungary.	1806.	7.	H. ♀.	W. et K. hung. 2. t. 170.
25	verbenæfolia. Poir. (br.ye.)	Vervain-leaved.	—	1816.	7. 8.	H. ♀.	
26	cæsia. s.s. (ye.br.)	grey.	Levant.	1828.	—	F. ♂.	
27	ascendens. W.en. (br.ye.)	ascending.	—	1816.	—	H. ♀.	
28	variegata. s.s. (pu.ye.)	variegated.	Caucasus.	—	—	H. ♀.	
29	ebulifolia. s.s. (ye.pu.)	Elder-leaved.	—	1824.	—	H. ♀.	
30	grandiflora. DC. (br.ye.)	large-flowered.	—	1816.	—	H. ♀.	
31	frutescens. s.s. (br.ye.)	shrubby.	Portugal.	1768.	6. 8.	F. ♀.	Herm. lugd. t. 547.
32	rupëstris. s.s. (br.ye.)	rock.	Tauria.	1826.	6. 9.	H. ♀.	
33	orientalis. s.s. (br.ye.)	oriental.	Levant.	1710.	7. 8.	H. ♀.	Schk. hand. 2. t. 173.
34	melissæfolia. s.s. (br.ye.)	balm-like.	—	1823.	—	H. ♀.	
35	lanceolata. s.s. (st.)	spear-leaved.	Pensylvania.	1826.	—	H. ♀.	
36	cretæca. s.s. (ye.)	narrow-leaved.	Siberia.	1828.	—	H. ♀.	
37	lyrata. s.s. (br.pu.)	lyrate-leaved.	Portugal.	1816.	—	H. ♀.	W. hort. ber. 1. t. 55.
38	melifera. s.s. (br.pu.)	honey-bearing.	Barbary.	1786.	—	H. ♀.	Desf. atl. 2. t. 143.
39	sambucifolia. s.s. (br.g.)	Elder-like.	Spain.	1640.	7. 9.	H. ♀.	Mill. ic. 2. t. 231.
40	hispida. s.s. (br.ye.)	hispid.	Levant.	1820.	—	H. ♀.	
41	tanacetifolia. s.s. (br.ye.)	Tansy-leaved.	Tauria.	1804.	—	H. ♀.	W. hort. ber. 1. t. 56.
42	canina. s.s. (or.re.)	wing-leaved.	S. Europe.	1683.	6. 8.	H. ♂.	Flor. græc. t. 598.
43	chrysanthemifolia. (br.pu.)	Chrysanthemum-ld.	Tauria.	1816.	—	H. ♀.	W. hort. ber. 1. t. 59.
44	lucida. s.s. (br.ye.)	shining-leaved.	Levant.	1596.	—	H. ♀.	— 1. t. 57.
45	filicifolia. s.s. (d.pu.)	Fern-leaved.	Crete.		—	H. ♀.	Flor. græc. t. 600.
46	multifida. s.s. (br.ye.)	multifid-leaved.	—	1816.	—	H. ♀.	W. hort. ber. 1. t. 58.
47	glauca. F.G. (pu.)	glaucous.	Greece.	1827.	—	H. ♀.	Flor. græc. t. 599.
48	pubescens. F. (pu.)	pubescent.	—	—	—	H. ♀.	
49	pallida. F. (pu.)	pale-flowered.	Iberia.	—	—	H. ♀.	
50	obtusifolia. F. (pu.)	blunt-leaved.	Hungary.	1821.	—	H. ♀.	
DIGITALIS. S.S.		FOXGLOVE.	Didynamia Angiospermia. L.				
1	Sceptrum. s.s. (or.)	Madeira shrubby.	Madeira.	1777.	7. 8.	G. ♀.	Sm. exot. bot. 2. t. 73.
2	canariensis. s.s. (ye.)	Canary.	Canaries.	1698.	6. 7.	G. ♀.	Bot. reg. t. 48.
3	obscura. s.s. (or.)	Willow-leaved.	Spain.	1778.	7. 8.	H. ♀.	Lind. digit. t. 26.
4	lutea. s.s. (st.)	small yellow.	France.	1629.	—	H. ♀.	— t. 23.
5	hybrida. Sv. (pi.wh.)	hybrid.	Hybrid.		—	H. ♀.	Salv. nou. bull. 3. 337. t. 6.
	lutea γ Lind. digit. t. 25.						
6	fucata. P.s. (pu.)	painted.	—		—	H. ♀.	
	lutea δ Lindl. digit. t. 24.						
7	mèdia. s.s. (ye.)	middle yellow.	Germany.	1816.	—	H. ♀.	
8	micrantha. s.s. (st.)	small-blossom'd.	Switzerland.	1824.	—	H. ♀.	Elm. mon. 46. t. 2.
9	tubiflora. L.D. (st.)	tube-flowered.	S. Europe.	1816.	—	H. ♀.	Lind. digit. t. 22.
10	lutescens. L.D. (st.)	pale yellow.	—	—	—	H. ♀.	— t. 21.
11	purpurascens. s.s. (pi.)	blush-flowered.	Italy.	1776.	—	H. ♀.	— t. 20.
	erubescens. H.K.						
12	rigida. L.D. (pu.ye.)	rigid.	S. Europe.	1824.	—	H. ♀.	Lind. digit. t. 19.
13	viridiflora. L.D. (gr.)	green-flowered.	Levant.	1827.	—	H. ♀.	— t. 18.
14	parviflora. s.s. (pu.)	small-flowered.	—	1798.	6. 8.	H. ♀.	— t. 17.
15	laciniata. B.R. (ye.)	cut-leaved.	Malaga.	1826.	—	H. ♀.	Bot. reg. t. 1201.
16	orientalis. s.s. (li.wh.)	oriental.	Levant.	1818.	7. 8.	H. ♀.	— t. 554.
17	lanata. s.s. (wh.br.)	woolly.	Hungary.	1789.	6. 7.	H. ♀.	Swt. br. fl. gar. t. 291.
18	leucophæa. s.s. (wh.br.)	broad-lipped.	Greece.	1788.	6. 10.	H. ♀.	Lind. digit. t. 14.
19	aurea. s.s. (or.)	golden.	—	1815.	7. 8.	H. ♀.	— t. 13.
20	ferruginea. s.s. (br.)	iron-coloured.	Italy.	1597.	—	H. ♀.	— t. 12.
21	sibirica. L.D. (ye.re.)	Siberian.	Siberia.	1820.	—	H. ♀.	— t. 11.
22	lævigata. s.s. (ye.)	shining-leaved.	Hungary.	1810.	—	H. ♀.	— t. 10.
23	fùlva. s.s. (co.)	tawny.	S. Europe.	1820.	6. 8.	H. ♀.	— t. 9.

- 24 *ambigua*. w. (ye.) greater yellow. Switzerland. 1596. 7. 8. H. 2. Bot. reg. t. 64.
gramtiflora. s.s.
- 25 *ochroleuca*. s.s. (st.) sulphur-color'd. Germany. 1816. — H. 2. Lind. digit. t. 8.
26 *pectens*. s.s. (br.) netted-flower'd. Hungary. 1824. — H. 2.
27 *minor*. s.s. (pu.) dwarf. Spain. 1789. 6. 7. H. 2. Lind. digit. t. 5. 6.
28 *eristachya*. Bes. (pu.) woolly spiked. H. 2.
29 *tomentosa*. s.s. (pu.) tomentose. Portugal. 1820. 6. 8. H. 2. Bot. mag. t. 2194.
30 *Thápsi*. s.s. (pu.) Mullein. Spain. 1752. 5. 8. H. 2. Sm. exot. bot. 1. t. 43.
31 *purpurea*. s.s. (pu.) common. Britain. 6. 9. H. 2. Eng. bot. v. 19. t. 1297.
β álba. (wh.) white-flowered. H. 2.
- CHELONE. S.S.** **CHELONE.** *Didynamia Angiospermia. L.*
- 1 *glábra*. w. (wh.) white-flowered. N. America. 1730. 8. 10. H. 2. Trew pl. select. t. 88.
2 *obliqua*. w. (pu.) red-flowered. 1752. — H. 2. Bot. reg. t. 175.
3 *Lyóni*. s.s. (re.) Lyon's. 1812. 7. 9. H. 2. Swt. br. fl. gar. t. 293.
major. Bot. mag. t. 1864.
- 4 *nemorosa*. D. (pu.) wood. N. America. 1827. 7. 9. H. 2. Bot. reg. t. 1211.
5 *Scouléri*. D. (bl.) Scouler's. Columbia. — 5. 7. H. 2. — t. 1277.
6 *erianthera*. N. (bl.) blue-flowered. Louisiana. 1811. 7. 9. F. 2. Bot. mag. t. 1672.
Pentstemon glábra. B.M.
- 7 *barbata*. s.s. (sc.) scarlet. Mexico. 1794. 6. 9. H. 2. Bot. reg. t. 116.
8 *rosea*. B.F.G. (ro.) rose-coloured. 1825. — H. 2. Swt. br. fl. gar. t. 230.
Pentstemon angustifolium. B.R. t. 1122. *non* Pursh.
- 9 *campanulata*. s.s. (ro.) bell-flowered. Mexico. 1794. 3. 10. F. 2. Bot. mag. t. 1878.
Pentstemon campanulata. Jacq. schœn. 3. t. 362.
- 10 *atropurpurea*. B.F.G. (d. pu.) dark purple. Mexico. 1824. — H. 2. Swt. br. fl. gar. t. 235.
11 *pulchella*. B.R. (pu.) pretty. 1825. 5. 10. H. 2. Bot. reg. t. 1138.
12 *laevigata*. s.s. (pi.) smooth. N. America. 1776. 7. 9. H. 2. Bot. mag. t. 1425.
13 *hirsuta*. s.s. (bl. pi.) narrow-ld hairy. 1758. — H. 2. Moris. s. 11. t. 21. f. 3.
14 *pubescens*. (bl. pu.) broad-ld hairy. H. 2. Bot. mag. t. 1424.
Pentstemon pubescens. B.M.
- 15 *gracilis*. N. (li.) slender. 1825. — H. 2. Bot. mag. t. 2945.
16 *glauca*. D. (li.) glaucous. 1827. 7. 9. H. 2. Bot. reg. t. 1286.
17 *digitalis*. B.F.G. (wh.) foxglove-flower'd. Arkansas. 1824. 6. 8. H. 2. Swt. br. fl. gar. t. 120.
Pentstemon digitalis. Bot. mag. t. 2587.
- 18 *cristata*. s.s. (vi.) crested. Louisiana. 1811. 7. 9. F. 2.
19 *cœrulea*. s.s. (bl.) slender blue. F. 2.
Pentstemon angustifolium. Ph. *non* K.S.
- 20 *grandiflora*. s.s. (pi. wh.) great-flowered. F. 2.
21 *albida*. s.s. (wh.) dwarf. F. 2.
22 *diffusa*. D. (pu.) spreading. Columbia. 1827. 6. 10. H. 2. Bot. reg. t. 1132.
23 *ovata*. D. (bl. pu.) oval-leaved. N. America. — 6. 8. H. 2. Bot. mag. t. 2903.
24 *venusta*. D. (pu.) handsome. 7. 9. H. 2. Bot. reg. t. 1309.
25 *deusta*. D. (pu.) blasted. H. 2.
26 *decussata*. D. (pu.) cross-leaved. H. 2.
27 *glandulosa*. D. (pu.) glandular. H. 2. Bot. reg. t. 1262.
28 *acuminata*. D. (pu.) pointed-leaved. 6. 8. H. 2. — t. 1285.
29 *Richardsœni*. D. (pu.) Richardson's. 7. 10. H. 2. — t. 1121.
30 *attenuata*. D. (st.) taper-pointed. 7. 9. H. 2. — t. 1295.
31 *conferta*. D. (st.) crowded-flower'd. Columbia. H. 2. — t. 1260.
32 *pruinosa*. D. (bl.) blue-leaved. N. America. — 6. 8. H. 2. — t. 1280.
33 *procera*. D. (vi.) tall. H. 2. Bot. mag. t. 2954.
34 *speciosa*. D. (bl.) beautiful. 6. 9. H. 2. Bot. reg. t. 1270.
35 *triphylla*. D. (li.) three-leaved. 7. 9. H. 2. — t. 1245.
36 *serrulata*. D. (pu.) saw-leaved. H. 2.
37 *suffruticosa*. D. (pu.) suffrutescent. H. 2.
- HERPESTIS. G.** **HERPESTIS.** *Didynamia Angiospermia. S.S.*
- 1 *stricta*. s.s. (bl.) upright. Brazil. 1823. 6. 8. S. 2.
2 *Monnieri*. K.S. (wh.) thyme-leaved. S. America. 1772. 7. 9. S. 2. Ehret. pict. t. 14. f. 2.
3 *portulacæa*. B.M. (w.) Purslane-leaved. 1823. — S. 2. Bot. mag. t. 2557.
4 *cuneifolia*. Ph. (bl.) wedge-leaved. N. America. 1812. 8. 9. H. 2.
5 *amplexicaulis*. s.s. (bl.) stem-clasping. Carolina. 1822. 6. 8. H. 2.
6 *micrantha*. Ph. (wh.) small-flowered. N. America. 1827. 7. 8. H. 2.
7 *semiserrata*. Ot. (wh.) semiserrate. Mexico. 1824. — G. 2.
8 *chrysantha*. Ot. (ye.) yellow-flowered. 1829. — G. 2.
- MAZUS. B.P.** **MAZUS.** *Didynamia Angiospermia. S.S.*
- rugosus*. B.P. (wh.) China. China. 1780. 5. 10. H. 2. Swt. br. fl. gar. t. 36.
Lindérnia japonica. Th. *Hornemánia bicolor*. W. en.
- TORËNIA. B.P.** **TORËNIA.** *Didynamia Angiospermia. S.S.*
- 1 *ovata*. (wh.) oval-leaved. Manila. 1823. 5. 10. H. 2. Pl. sel. hort. ber. t. 9.
Hornemánia ovata, L. en. *Tittmánia ovata*, s.s.

- 2 viscosa. (wh.) viscous. E. Indies. 1823. 5. 10. S. ⊙.
Hornemannia viscosa. W. en. *Tittmannia viscosa*. s.s.
- LINDE'RNA. B.P. LINDE'RNA. Didymia Angiospermia. L.
 Pyxidaria. w. (pu.) European. S. Europe. 1789. 6. 8. H. ⊙. Lam. ill. t. 522.
- MIMULUS. L. MONKEY-FLOWER. Didymia Angiospermia. L.
 1 glutinosus. s.s. (ye.) orange-colored. California. 1794. 1. 12. G. h. Bot. mag. t. 354.
 2 ringens. s.s. (li.) gaping. N. America. 1759. 7. 8. H. ½. ——— t. 283.
 3 alatus. s.s. (li.) oval-leaved. ——— 1783. ——— H. ½.
 4 guttatus. DC. (ye.) spotted-flowered. America. 1812. 6. 9. F. ½. Bot. mag. t. 1501.
luteus. B.M. non L.
- 5 luteus. B.R. (ye.) yellow-flower'd. Chile. 1825. ——— H. ½. Feuill. peruv. 2. t. 34.
β rivularis. B.R. (ye. pu.) dark-spotted. Columbia. ——— H. ½. Bot. reg. t. 1030.
 6 floribundus. B.R. (ye.) many-flowered. ——— 1826. 8. 10. H. ⊙. ——— t. 1125.
 7 moschatos. B.R. (ye.) musk-scented. ——— 7. 10. H. ½. ——— t. 1118.
 8 parviflorus. B.R. (st.) small-flowered. Mexico. 1824. 6. 9. H. ⊙. ——— t. 874.
- BROWA'LLIA. L. BROWA'LLIA. Didymia Angiospermia. L.
 1 elata. w. (bl. wh.) upright. Peru. 1768. 6. 9. G. ⊙. Bot. mag. t. 34.
 2 demissa. w. (bl. wh.) spreading. S. America. 1735. ——— G. ⊙. ——— t. 1136.
- ANGELONIA. K.S. ANGELONIA. Didymia Angiospermia. L.
salicariaefolia. K.S. (bl.) *Salicaria*-leav'd. S. America. 1818. 7. 10. S. ½. Bot. reg. t. 415.
- ALONS'OA. R.P. ALONS'OA. Didymia Angiospermia. H.K.
 1 incisifolia. R.P. (sc.) nettle-leaved. Chile. 1795. 5. 10. G. ½. Bot. mag. t. 417.
Celsia urticaefolia. B.M. *Hemimeris urticaefolia*. w.
 2 acutifolia. R.P. (sc.) acute-leaved. Peru. 1790. ——— G. ½.
 3 intermedia. B.C. (or.) intermediate. ——— ——— G. ½. Lodd. bot. cab. t. 1456.
 4 linearis. H.K. (sc.) linear-leaved. ——— 1790. ——— G. ½. Bot. mag. t. 210.
 5 caulilata. R.P. (sc.) wing-stemmed. Chile. 1823. 5. 10. G. ½.
- DIA'SCIA. L. en. DIA'SCIA. Didymia Angiospermia. S.S.
Bergiana. L. en. (re.) *Bergius's*. C. B. S. 1816. 7. 10. H. ⊙. Pluk. phyt. 320. f. 5.
Hemimeris diffusa. w.
- VANDE'LLIA. S.S. VANDE'LLIA. Didymia Angiospermia. L.
diffusa. s.s. (wh.) spreading. S. America. 1824. 7. 9. S. ⊙. Marc. bras. 1. c. 15. f. 1.
- LIMOSE'LLA. L. MUDWORT. Didymia Angiospermia. L.
aquatica. L. (fl.) water. Britain. 7. 9. H. ⊙. Eng. bot. v. 5. t. 357.
- DISA'NDRA. L. DISA'NDRA. Heptandria Monogynia. L.
prostrata. L. (ye.) trailing. Madeira. 1771. 5. 8. G. ½. Bot. mag. t. 218.
- SIBTHO'RPIA. L. SIBTHO'RPIA. Didymia Angiospermia. L.
europæa. L. (wh.) Cornish money-wort. England. 7. 8. H. ½. Eng. bot. v. 10. t. 619.
- ERINUS. S.S. ERINUS. Didymia Angiospermia. L.
 1 Lychnidea. s.s. (wh. pu.) Phlox-flower'd. C. B. S. 1821. 3. 10. G. ½. Bot. reg. t. 748.
 2 fragrans. H.K. (wh. pu.) fragrant. ——— 1776. 5. 6. G. ½. Burm. afr. t. 49. f. 4.
 3 alpinus. P.S. (pu.) smooth-leaved. Pyrenees. 1739. 3. 4. H. ½. Bot. mag. t. 310.
 4 hispanicus. P.S. (pu.) hairy-leaved. Spain. ——— H. ½.
- MAN'ULEA. S.S. MAN'ULEA. Didymia Angiospermia. L.
 1 viscosa. s.s. (re.) clammy. C. B. S. 1774. 6. 11. G. ½. Bot. mag. t. 217.
Buchnera viscosa. B.M.
 2 tomentosa. s.s. (or.) tomentose. ——— 1774. 5. 12. G. ½. Bot. mag. t. 322.
 3 angustifolia. L. en. (or.) narrow-leaved. ——— 1822. ——— G. ½. Pl. sel. hort. ber. t. 20.
 4 rhynchantha. s.s. (or.) wedge-leaved. ——— 1816. 6. 9. G. ½.
 5 oppositifolia. v. (wh.) opposite-leaved. 5. 12. G. ½. Vent. malm. t. 15.
 6 villosa. P.S. (wh.) villous. ——— 1783. 6. 7. G. ⊙. Burm. afr. t. 50. f. 2.
Buchnera capensis. w.
 7 cœrulea. s.s. (bl.) blue-flowered. ——— 1822. ——— G. ½.
 8 rubra. s.s. (re.) red. ——— 1790. 4. 9. G. ½.
 9 Cheiranthus. s.s. (ye.) Wallflower-like. ——— 1795. 6. 8. G. ½. Comm. hort. 2. t. 42.
 10 argentea. s.s. (wh.) silvery. ——— 1801. 7. 11. G. ⊙.
 11 pedunculata. P.S. (wh.) solitary-flower'd. ——— 1790. 6. 11. G. ½. Andr. reposit. t. 84.
 12 fœtida. s.s. (wh.) stinking. ——— 1794. 6. 9. G. ⊙. ——— t. 80.
Buchnera fœtida. A.R.
- 13 violacea. s.s. (vi.) violet-flowered. ——— 1816. ——— G. ½.
 14 cordata. s.s. (wh.) trailing heart-ld. ——— ——— G. ½.
- BUCHN'ERA. S.S. BUCHN'ERA. Didymia Angiospermia. L.
americana. s.s. (bl.) American. N. America. 1733. 6. 8. H. ½.
- EUPH'ASIA. W. EYE-BRIGHT. Didymia Angiospermia. L.
 1 linifolia. s.s. (li.) flax-leaved. S. France. 1823. 7. 9. H. ⊙.
 2 lutea. s.s. (ye.) yellow. S. Europe. 1816. ——— H. ⊙. Jacq. aust. t. 398.
 3 alpina. s.s. (pu.) Alpine. ——— 1823. ——— H. ⊙.
 4 latifolia. s.s. (re.) broad-leaved. ——— 1826. ——— H. ⊙. Magn. monsp. t. 94.
 5 minima. P.S. (wh. pu.) least. Switzerland. 1828. ——— H. ⊙.

6	tricuspidata. s.s. (w.pu.)	three-pointed.	Italy.	1828.	6. 9. H. ⊙.	Pluk. alm. t. 177. f. 1.
7	officinalis. s.s. (wh.pu.)	common.	Britain.		7. 9. H. ⊙.	Eng. bot. v. 20. t. 1416.
BA'RTSIA. S.S. BA'RTSIA. Didynamia Angiosperma. L.						
1	viscosa. s.s. (ye.)	yellow viscid.	Britain.		7. 8. H. ⊙.	Eng. bot. v. 15. t. 1045.
2	alpina. s.s. (vi.)	Alpine.			 H. ⊙.	 v. 6. t. 361.
3	Odontites. s.s. (re.)	red-flowered.			7. 9. H. ⊙.	 v. 20. t. 1415.
4	Trixago. s.s. (ye.)	simple-stalked.	S. Europe.	1820.	 H. ⊙.	Flor. græc. t. 585.
	Trixago rhinanthina. L. enum.					
5	latifolia. F.G. (re.wh.)	broad-leaved.	Greece.	1827.	6. 9. H. ⊙.	Flor. græc. v. 5. t. 586.
CASTILLEJA. S.S. CASTILLEJA. Didynamia Angiosperma. S.S.						
1	integrifolia. s.s. (wh.)	entire-leaved.	S. America.	1825.	 G. ♀.	Sm. ic. ined. t. 39.
2	toluccensis. s.s. (wh.)	procumbent.	Mexico.		 G. ♀.	 v. 6. t. 361.
3	septentrionalis. B.R. (st.)	northern.	N. America.	1824.	7. 8. H. ⊙.	Bot. reg. t. 925.
4	pallida. s.s. (st.)	pale-flowered.	Siberia.	1782.	6. 9. H. ♀.	Gmel. sib. 3. t. 42.
	Bartsia pallida. w.					
5	coccinea. s.s. (or.)	vermilion.	N. America.	1787.	7. 9. H. ⊙.	Bot. reg. t. 1136.
	Bartsia coccinea. w. Eucheroma coccinea. N.					
6	sessiliflora. Ph. (bh.)	sessile-flowered.	Louisiana.	1811.	7. 8. H. ♀.	
	grandiflora s.s. Eucheroma grandiflorum. N.					
RHINANTHUS. W. YELLOW RATTLE. Didynamia Angiosperma. L.						
1	Crista-galli. w. (ye.)	Cock's-comb.	Britain.		6. 8. H. ⊙.	Eng. bot. v. 10. t. 657.
2	major. E.F. (ye.)	larger.	England.		 H. ⊙.	
3	Alcleterolophus. L. en. villous.		Germany.	1816.	 H. ⊙.	Bull. herb. t. 125.
	villösus. P.S.					
MELAMP'YRUM. S.S. Cow-WHEAT. Didynamia Angiosperma. L.						
1	cristatum. E.B. (ye.pu.)	crested.	England.		7. 8. H. ⊙.	Eng. bot. v. 1. t. 41.
2	arvense. E.B. (ye.pu.)	corn-field.			6. 7. H. ⊙.	 v. 1. t. 53.
3	memorosum. s.s. (ye.)	coloured-bracted.	Europe.	1823.	 H. ⊙.	Flor. dan. t. 305.
4	pratense. E.B. (ye.)	common.	Britain.		7. 8. H. ⊙.	Eng. bot. v. 2. t. 113.
5	sylvaticum. E.B. (co.)	wood.			 H. ⊙.	 v. 12. t. 804.
PEDICULARIS. S.S. LOUSEWORT. Didynamia Angiosperma. L.						
1	incarnata. s.s. (fl.)	flesh-coloured.	Austria.	1796.	6. 7. H. ♀.	Jacq. aust. 2. t. 140.
2	rostrata. s.s. (pu.)	beaked.	S. Europe.	1823.	 H. ♀.	 t. 205.
3	tuberosa. s.s. (ye.)	tuberosus.	Switzerland.	1799.	7. 8. H. ♀.	Hall. helv. n. 323. t. 10.
4	ascendens. Schl. (ye.)	ascending.		1825.	 H. ♀.	
5	gyroflexa. s.s. (pu.)	bending.			 H. ♀.	Vill. delph. 2. t. 9.
6	atrorubens. DC. (d.re.)	dark-red.			 H. ♀.	
7	asplenifolia. P.S. (pu.)	Fern-leaved.		1828.	 H. ♀.	Willd. bot. zeit. c. ic.
8	uncinata. s.s. (fl.ye.)	hooked-flowered.	Siberia.	1815.	 H. ♀.	Gmel. sib. 3. t. 45.
9	compacta. s.s. (ye.)	close-headed.			 H. ♀.	
10	resupinata. s.s. (pu.)	resupinate.		1816.	5. 7. H. ♀.	Gmel. sib. 3. t. 44.
11	pulustris. E.B. (pu.)	marsh.	Britain.		6. 7. H. ♀.	Eng. bot. v. 6. t. 399.
12	euphrasiodes. s.s. (ye.re.)	eyebright-leaved.	Siberia.	1816.	 H. ♀.	Gmel. sib. 3. t. 43.
13	striata. s.s. (ye.cr.)	stripe-flowered.	Dahuria.	1826.	 H. ♀.	Pall. it. 3. a.n. 98. t. R. f. 2.
14	canadensis. s.s. (ye.)	Canadian.	N. America.	1800.	7. 8. H. ♀.	Swt. br. fl. gar. t. 37.
15	sylvatica. E.B. (ro.)	common.	Britain.		5. 7. H. ♀.	Eng. bot. v. 6. t. 400.
16	myriophylla. s.s. (ye.)	Milfoil-leaved.	Dahuria.	1816.	 H. ♀.	Pall. it. 3. ap. t. 8. f. 1.
17	rubens. s.s. (pu.)	red-flowered.		1827.	 H. ⊙.	
18	sudetica. s.s. (pu.)	Swedish.	N. Europe.		 H. ♀.	
19	flammea. s.s. (ye.sc.)	upright.		1775.	7. H. ♀.	Hall. helv. t. 8. f. 3.
20	Oederi. s.s. (ye.)	Oeder's.		1827.	 H. ♀.	
21	versicolor. s.s. (ye.br.)	various-coloured.	Switzerland.	1825.	7. 8. H. ♀.	
22	achillæfolia. s.s. (ye.)	Milfoil-leaved.	Siberia.	1827.	 H. ♀.	
23	comosa. s.s. (ye.)	spiked.	Italy.	1775.	 H. ♀.	All. ped. 1. t. 4. f. 1.
24	pallida. s.s. (st.)	pale yellow.	N. America.	1826.	 H. ♀.	
25	spicata. s.s. (pu.)	spike-flowered.	Dahuria.	1827.	 H. ♀.	Pall. it. 3. a.n. 100. t. 8. f. 2.
26	Scéptrum. s.s. (ye.cr.)	sceptred.	Sweden.	1793.	 H. ♀.	Flor. dan. t. 26.
27	flava. s.s. (ye.)	yellow.	Siberia.	1828.	 H. ♀.	Pall. it. 3. a.n. 97. t. R. f. 1.
28	recutita. s.s. (pu.)	jagged-leaved.	Austria.	1787.	 H. ♀.	Jacq. aust. 3. t. 258.
29	foliosa. s.s. (ye.)	leafy.		1786.	 H. ♀.	 2. t. 139.
30	verticillata. s.s. (pu.)	whorled.		1790.	5. 6. H. ♀.	 3. t. 206.
31	proboscidea. s.s.	proboscis-flower'd.	Siberia.	1827.	 H. ♀.	
32	elegans. Led. (pu.)	elegant.			6. 8. H. ♀.	
33	speciosa. Led. (pu.)	beautiful.			 H. ♀.	
34	elata. s.s. (pu.)	lofty.		1826.	 H. ⊙.	
35	exaltata. Led. (pu.)	tall.		1827.	 H. ♀.	
36	rosea. s.s. (ro.)	rose-coloured.	S. Europe.	1825.	7. 8. H. ♀.	Jacq. ic. 1. t. 115.
GERARDIA. S.S. GERARDIA. Didynamia Angiosperma.						
1	delphinifolia. s.s. (ro.)	Larkspur-leav'd.	E. Indies.	1800.	6. 7. S. ♀.	Roxb. corom. 1. t. 90.

2 purpurea. s.s.	(pu.) purple.	N. America.	1772.	7. 8.	H. ♂.	Bot. mag. t. 2048.
3 tenuifolia. s.s.	(pu.) slender-leaved.	—	1812.	—	H. ♂.	Bart. fl. amer. 3. t. 82.
4 maritima. s.s.	(li.) sea-side.	—	1823.	—	H. ♂.	—
5 flava. s.s.	(ye.) yellow.	—	1796.	—	H. ♀.	Pluk. amal. t. 389. f. 3.
6 quercifolia. s.s.	(ye.) oak-leaved.	—	1812.	—	H. ♀.	Pursh amer. 1. t. 19.
7 Pedicularia. s.s.	(ye.) variable.	—	1826.	6. 8.	H. ♂.	Lam. ill. t. 529. f. 2.
SEYMERIA. S.S.	SEYMERIA.	Didynamia Angiospermia. S.S.	—	—	—	—
1 tenuifolia. s.s.	(ye.) slender-leaved.	Carolina.		7. 9.	H. ⊙.	—
	<i>Afzèlia cassioides</i> .	Gmel. <i>Gerardia Afzèlia</i> . M.	—	—	—	—
2 pectinata. s.s.	(ye.) pectinated.	Carolina.		—	H. ⊙.	—

Sect. II. STAMINA (2) ANTHERIFERA.

CALCEOLARIA. R.S.	SLIPPERWORT.	Diandria Monogynia. L.	—	—	—	—
1 Fothergillii. R.S.	(pu.) Fothergill's.	Falkland. Isl.	1777.	5. 8.	G. ♀.	Bot. mag. t. 348.
2 plantaginea. R.S.	(ye.) Plantain-leaved.	Chile.	1826.	6. 9.	F. ♀.	— t. 2305.
3 corymbosa. R.S.	(ye.) corymb-flower'd.	—	1823.	4. 8.	G. ♀.	Bot. reg. t. 723.
4 arachnoidea. B.M.	(pu.) cobweb.	—	1827.	6. 10.	F. ♀.	Bot. mag. t. 2874.
5 purpurea. B.M.	(pu.) purple-flowered.	—	1826.	—	F. ♀.	— t. 2775.
6 petiolaris. R.S.	(ye.) much branched.	—	1827.	6. 9.	G. ♀.	Bot. reg. t. 1214.
	<i>floribunda</i> . B.R. <i>connata</i> .	Bot. mag. t. 2876.	—	—	—	—
7 ascendens. B.R.	(ye.) ascending.	—	1826.	—	G. ♀.	Bot. reg. t. 1215.
8 polifolia. B.M.	(ye.) white-leaved.	—	—	—	G. ♀.	Bot. mag. t. 2897.
9 rugosa. R.P.	(ye.) rugged-leaved.	—	1823.	6. 8.	G. ♀.	Hook. ex. flor. t. 99.
	<i>crenata</i> .	Bot. reg. t. 790.	—	—	—	—
10 integrifolia. R.P.	(ye.) entire-leaved.	—	—	—	G. ♀.	Bot. reg. t. 744.
	<i>rugosa</i> .	Bot. mag. t. 2523.	—	—	—	—
11 angustifolia. (ye.)	narrow-leaved.	—	1826.	—	G. ♀.	Bot. reg. t. 1083.
12 thyrsiflora. B.M.	(ye.) tufted-flowered.	—	1827.	—	G. ♀.	Bot. mag. t. 2915.
13 pinnata. R.S.	(st.) wing-leaved.	Peru.	1773.	7. 9.	H. ⊙.	— t. 41.
14 scabiosifolia. R.S.	(st.) Scabious-leaved.	—	1823.	—	G. ♀.	— t. 2405.
SCHIZANTHUS. R.P.	SCHIZANTHUS.	Diandria Monogynia.	—	—	—	—
1 pinnatus. H.E.F.	(li. pu.) winged-leaved.	Chile.	1823.	7. 10.	H. ⊙.	Swt. br. fl. gar. t. 63.
2 porrigenis. H.E.F.	(wh. pu.) spreading.	—	—	—	H. ⊙.	— t. 76.
SCHWENCKIA. R.S.	SCHWENCKIA.	Diandria Monogynia. W.	—	—	—	—
1 americana. R.S.	(vi.) American.	Cayenne.	1781.	8. 9.	S. ♂.	Schw. h. m. haag. t. 1.
2 browalliaoides. K.S.	(gr. pu.) Browallia-like.	Caracas.	1824.	—	S. ♀.	H. et B. n. g. am. 2. t. 181.
3 Hilariana. DC.	(gr. pu.) St. Hilaire's.	Brazil.	1826.	—	S. ⊙.	DC. pl. rar. genev. t. 10.
BONNAYA. S.S.	BONNAYA.	Diandria Monogynia. S.S.	—	—	—	—
1 brachiata. s.s.	(wh.) brachiate.	E. Indies.	1825.	6. 9.	H. ⊙.	Pl. sel. h. ber. t. 11.
2 brachycarpa. Ot.	(vi.) short-capsuled.	—	1829.	—	S. ⊙.	—
3 veronicaefolia. s.s.	(vi.) Speedwell-leaved.	—	1798.	—	S. ♂.	Roxb. corom. 2. t. 154.
	<i>Gratiola veronicaefolia</i> . w.	—	—	—	—	—
4 réptans. s.s.	(li.) creeping.	—	1820.	—	S. ⊙.	—
GRATIOLA. B.P.	HEDGE-HYSSOP.	Diandria Monogynia. L.	—	—	—	—
1 latifolia. B.P.	(wh.) broad-leaved.	N. S. W.	1822.	6. 8.	G. ♀.	—
2 officinalis. R.S.	(wh.) official.	Europe.	1568.	5. 8.	H. ♀.	Flor. dan. t. 363.
3 virginica. R.S.	(st.) Virginian.	Virginia.	1759.	8.	H. ♀.	—
4 aurea. Ph.	(ye.) golden pert.	N. America.	1826.	7. 9.	H. ♀.	Lodd. bot. cab. t. 1399.
5 quadridentata. Ph.	(st.) four-toothed.	—	—	6. 8.	H. ♀.	Lam. ill. 1. t. 16. f. 2.
6 acuminata. Ph.	(st.) sharp-pointed.	—	1828.	7. 8.	H. ♀.	—
7 pilosa. Ph.	(wh.) hairy.	—	1827.	—	H. ♀.	—
WULFENIA. R.S.	WULFENIA.	Diandria Monogynia. R.S.	—	—	—	—
	<i>carinthiaca</i> . R.S. (bl.) blue-flowered.	Carinthia.	1817.	6. 9.	H. ♀.	Swt. br. fl. gar. t. 66.
PÆDEROTA. R.S.	PÆDEROTA.	Diandria Monogynia. L.	—	—	—	—
1 Ageria. R.S.	(st.) sulphur-coloured.	Italy.	1823.	6. 7.	H. ♀.	Jacq. vind. 2. t. 121.
2 Bonarota. R.S.	(vi.) violet-coloured.	Germany.	1826.	—	H. ♀.	Jacq. aust. 5. t. 39.
LEPTANDRA. N.	LEPTANDRA.	Diandria Monogynia. N.	—	—	—	—
1 virginica.	(wh.) Virginian.	Virginia.	1714.	7. 9.	H. ♀.	Pluk. alm. t. 70. f. 2.
	<i>Veronica virginica</i> . w.	—	—	—	—	—
2 incarnata. G.D.	(li.) lilac-flowered.	—	—	—	H. ♀.	—
3 sibirica. N.	(wh.) Siberian.	Siberia.	1779.	7. 8.	H. ♀.	Amm. ruth. 20. t. 4.
VERONICA. R.S.	SPEEDWELL.	Diandria Monogynia. L.	—	—	—	—
1 foliosa. R.S.	(bl.) leafy.	Hungary.	1805.	7. 9.	H. ♀.	W. et K. hung. 2. t. 102.
2 crenulata. R.S.	(bl.) notch-flowered.	S. Europe.	1804.	—	H. ♀.	Hoff. phyt. p. 95. t. E. f. 3.
3 maritima. R.S.	(bl.) sea-side.	—	1570.	—	H. ♀.	Schrad. ver. t. 1. f. 1.
4 Hostii. R.S.	(bl.) Host's.	Italy.		—	H. ♀.	Tabern. n. kreut. 2. f. 4.

5	spùria. R.S.	(bl.)	spurious.	Siberia.	1731.	7. 9.	H. 2.	Gmel. it. 1. t. 39.
6	paniculàta. R.S.	(bl.)	panicled.	Tartary.	1797.	6. 7.	H. 2.	
7	Stephaniàna. R.S.	(bl.)	Stephan's.	Persia.	1821.	—	H. 2.	
8	complicàta. R.S.	(bl.)	bundled.	S. Europe.	1812.	9. 10.	H. 2.	Hoff. phyt. p.98.t.E.f.4.
9	azùrea. R.S.	(bl.)	azure.		1818.	6. 9.	H. 2.	
10	glàbra. R.S.	(bl.)	smooth.	S. Europe.	1804.	7. 9.	H. 2.	Schrad.ver.p.25.t.1.f.4.
	<i>β albiflora.</i>	(wh.)	white-flowered.	—	—	—	H. 2.	
11	brachyphylla. R.S.	(bl.)	short-leaved.		1818.	—	H. 2.	
	<i>brevifolia.</i> L.en.							
12	elàtior. R.S.	(bl.)	tall.	S. Europe.	1808.	—	H. 2.	
13	exaltàta.	(bl.)	lofty.	Siberia.	1816.	—	H. 2.	
14	falcàta. R.S.	(bl.)	falcate-leaved.		1820.	6. 7.	H. 2.	
15	acùta. R.S.	(bl.)	acute-leaved.		—	7. 9.	H. 2.	
16	argùta. R.S.	(bl.)	sharp-notched.	S. Europe.	1812.	—	H. 2.	Schrad.ver.n.7.t.2.f.2.
17	nitens. R.S.	(bl.)	glossy-leaved.		1816.	—	H. 2.	
18	longibracteàta. R.S.	(bl.)	long-bracted.		—	—	H. 2.	
	<i>β latifolia.</i>	(bl.)	broad-leaved.	—	—	—	H. 2.	
19	mèdia. R.S.	(bl.)	long-spiked.	Germany.	1804.	—	H. 2.	Schrad.ver.n.8.t.1.f.2.
20	persicifolia. R.S.	(bl.)	Peach-leaved.		1819.	—	H. 2.	
21	austràlis. R.S.	(bl.)	pubescent.	S. Europe.	1812.	—	H. 2.	Schrad.ver.n.9.t.2.f.3.
22	longifolia. R.S.	(bl.)	long-leaved.	—	1731.	—	H. 2.	— p.26. t.2. f.1.
23	gròssa. R.S.	(bl.)	stout.	S. Russia.	1827.	6. 9.	H. 2.	
24	ambigua. R.S.	(bl.)	ambiguous.	England.		—	H. 2.	
25	neglecta. R.S.	(bl.)	canescent.	Siberia.	1797.	7. 9.	H. 2.	Swt. br. fl. gar. t. 55.
26	angustifolia. s.s.	(bl.)	narrow-leaved.	—	1823.	—	H. 2.	
27	incàna. R.S.	(bl.)	hoary.	Russia.	1759.	—	H. 2.	Hoff. c. gott. 15. t. 6.
28	rigens. R.S.	(bl.)	rigid.		1824.	—	H. 2.	
29	élegans. R.S.	(ro.)	elegant.	Italy.		—	H. 2.	
30	spicàta. R.S.	(bl.)	spiked.	England.		—	H. 2.	Eng. bot. v. 1. t. 2.
31	Clusii. R.S.	(bl.)	Clusius's.	N. Europe.		—	H. 2.	Flor. dan. t. 52.
32	menthæfolia. R.S.	(bl.)	Mint-leaved.	Austria.	1818.	—	H. 2.	
33	Barrelieri. R.S.	(bl.)	Barrelier's.	S. Europe.		—	H. 2.	Barrel. ic. t. 682.
34	orchidèa. R.S.	(bl.)	Orchis-like.	Europe.		—	H. 2.	
35	crassifolia. R.S.	(vi.)	thick-leaved.	Hungary.	1818.	—	H. 2.	
36	hybrida. R.S.	(bl.)	Welsh.	England.		—	H. 2.	Eng. bot. v. 10. t. 673.
37	confusa. R.S.	(bl.)	confused.		1819.	6. 7.	H. 2.	
38	longiflora. R.S.	(li.)	long-flowered.		1823.	7. 9.	H. 2.	
39	ruthénica. R.S.	(bl.)	Russian.	Russia.	—	—	H. 2.	
40	grándis. R.S.	(wh.)	large white.	Siberia.	1826.	—	H. 2.	
41	Ponæ. R.S.	(bl.)	dwarf.	Pyrenees.	1823.	—	H. 2.	Gouan. ill. t. 1. f. 1.
42	polystachya. R.S.	(bl.)	many-spiked.		1819.	—	H. 2.	
43	præalta. L.C.	(bl.)	tall upright		1817.	6. 8.	H. 2.	
44	incarnàta. G.D.	(pi.)	flesh-coloured.		—	—	H. 2.	
45	cárnea. Ræu.	(pi.)	pale red.		—	—	H. 2.	
46	corymbosa. G.D.	(bl.)	corymbose.		1817.	6. 7.	H. 2.	
47	melancholica. Df.	(bl.)	melancholy.		1820.	—	H. 2.	
48	leucántha. F.	(wh.)	white-flowered.	Siberia.	1824.	—	H. 2.	
49	ascéndens. R.S.	(bl.)	ascending.		1828.	—	H. 2.	
50	villòsa. R.S.	(bl.)	villous.	S. Europe.	1800.	—	H. 2.	Schrad.ver.p.13.t.1.f.3.
51	pinnàta. R.S.	(bl.)	wing-leaved.	Siberia.	1776.	6. 8.	H. 2.	Hoff. c. gott. 15. t. 10.
52	incisa. R.S.	(bl.)	cut-leaved.	—	1779.	—	H. 2.	
53	laciniaàta. R.S.	(bl.)	jagged-leaved.	—	1780.	—	H. 2.	Jung. ic. rar. C. 1. f. 2.
54	gentianoides. F.G.	(vi.)	Gentian-like.	Levant.	1748.	5. 6.	H. 2.	Flor. græc. 1. t. 5.
55	gentianifolia. (pa.bl.)		Gentian-leaved.	—	—	—	H. 2.	Bot. mag. t. 1002.
	<i>Verónica gentianoides.</i> B.M. non Flor. græc.							
56	pállida. R.S.	(pa.)	pale.	—	1816.	—	H. 2.	
57	bellidioides. R.S.	(bl.)	Daisy-leaved.	Switzerland.	1775.	6. 7.	H. 2.	Hall. hist. t. 15. f. 1.
58	fruticulosa. R.S.	(pu.)	flesh-coloured.	Scotland.		6. 8.	H. 2.	Eng. bot. v. 15. t. 1028.
59	saxátilis. R.S.	(bl.)	blue rock.	—		6. 7.	H. 2.	— v. 15. t. 1027.
60	crética. R.S.	(bl.)	Cretan.	Crete.	1819.	5. 6.	H. 2.	
61	Baumgartenii. R.S.	(pa.bl.)	Baumgarten's.	Transylvania.	1826.	—	H. 2.	
62	nummularia. R.S.	(bl.)	moneywort.	Pyrenees.	1820.	6. 8.	H. 2.	Gouan. ill. 1. t. 1. f. 2.
63	alpina. R.S.	(bl.)	Alpine.	Scotland.		5. 6.	H. 2.	Eng. bot. v. 7. t. 484.
	<i>a acutifolia.</i>	(bl.)	acute entire-leav'd.	Europe.		—	H. 2.	
	<i>β pumila.</i> All.	(bl.)	saw-leaved.	—	—	—	H. 2.	Allion. ped. t. 22. f. 5.
	<i>γ obtusifolia.</i>	(bl.)	blunt entire-leav'd.	Scotland.		—	H. 2.	Eng. bot. v. 7. t. 484.
	<i>δ integrifolia.</i> W.	(bl.)	entire-leaved.	Europe.		—	H. 2.	Krocker siles. t. 3.
	<i>ε heterophylla.</i>	(bl.)	various-leaved.	—	—	—	H. 2.	
	<i>ζ rotundifolia.</i>	(bl.)	round-leaved.	—	—	—	H. 2.	Braun. salisb. n. 15. t. 2.

64	Wormskiöldii. R.S. (bl.)	Wormskiöld's.	Greenland.	1819.	5. 6.	H. ♂.	Bot. mag. t. 2975.
65	grandifolia. R.S. (bl.)	large-leaved.	Italy.	1828.	—	H. ♀.	
66	depauperata. R.S. (bl.)	few-flowered.	Hungary.	1819.	—	H. ♀.	W. et K. hung. 3. t. 245.
67	serpyllifolia. R.S. (bl. fl.)	smooth.	Britain.		4. 7.	H. ♀.	Eng. bot. v. 15. t. 1075.
	a ovata. (bl. fl.)	common.	—		—	H. ♀.	
	β tenella. Schm. (bl.)	roundish-leaved.	Europe.		—	H. ♀.	
	γ neglecta. Schm. (pa.)	neglected.	—		—	H. ♀.	
	δ quaternata. (pa. li.)	four-leaved.	—		—	H. ♀.	
	ε nummulariaefolia. (pa.)	moneywort-leaved.	—		—	H. ♀.	
	ζ humifusa. L.T. (pa.)	trailing.	—		—	H. ♀.	
68	hirsuta. R.S. (pa.)	bristly.	Scotland.		—	H. ♀.	
	setigera. S.S.	—	—	—	—	—	—
69	tenella. R.S. (pu.)	slender.	Pyrenees.	1820.	5. 6.	H. ♀.	Allion. ped. t. 22. f. 1.
70	microphylla. R.S. (pu.)	small-leaved.	Hungary.	1824.	—	H. ♀.	
71	parviflora. R.S. (bl.)	small-flowered.	N. Zealand.	1822.	6. 8.	H. ♀.	
72	undulata. R.S. (wh.)	wave-leaved.	E. Indies.	1827.	—	G. ♀.	
73	decussata. R.S. (wh.)	cross-leaved.	Falkland Isl.	1776.	—	F. h.	Bot. mag. t. 242.
74	aphylla. R.S. (bl.)	naked-stalked.	Italy.	1775.	5.	H. ♀.	Seguier. ver. t. 3. f. 2.
75	Beccabunga. R.S. (bl.)	brook-lime.	Britain.		5. 6.	H. w. ♀.	Eng. bot. v. 10. t. 655.
76	Anagallis. R.S. (pa. bl.)	long-leaved water.	—		6. 8.	H. w. ♀.	— v. 11. t. 781.
77	scutellata. R.S. (li.)	marsh.	—		—	H. w. ♀.	— v. 11. t. 782.
78	Parmularia. R.S. (li.)	tooth-leav'd marsh.	Austria.	1816.	—	H. w. ♀.	Trattin. fl. aust. b. 20.
79	caroliniana. R.S. (bl.)	Carolina.	Carolina.	1821.	6. 7.	H. w. ♀.	
80	thymifolia. F.G. (bl.)	thyme-leaved.	Crete.	1827.	5. 7.	F. ♀.	Flor. græc. v. 1. t. 6.
81	pectinata. R.S. (bl.)	pectinated.	Levant.	1820.	6. 8.	H. ♀.	Buxb. C. 1. t. 39. f. 1.
82	orientalis. R.S. (bl.)	various-leaved.	—	1748.	—	H. ♀.	Sal. stirp. rar. 7. t. 4.
83	trichocarpa. R.S. (bl.)	hairy-capsuled.	—	1820.	—	H. ♀.	
	pilocarpa. L.en.	—	—	—	—	—	—
84	Jacquini. R.S. (bl.)	Jacquin's.	Austria.	1748.	—	H. ♀.	Jacq. aust. 4. t. 329.
	austriaca. Jacq. non L.	—	—	—	—	—	—
85	austriaca. R.S. (bl.)	Austrian.	—	—	—	H. ♀.	Moris. h. 2. s. 3. t. 23. f. 12.
	polymorpha. W.en.	—	—	—	—	—	—
86	tenuifolia. R.S. (bl.)	slender-leaved.	Iberia.	1821.	6. 7.	H. ♀.	
87	pinnatifida. W. (bl.)	pinnatifid.		1817.	5. 6.	H. ♀.	
88	multifida. R.S. (bl.)	multifid-leaved.	Siberia.	1748.	6. 8.	H. ♀.	Bot. mag. t. 1679.
89	caucasica. R.S. (wh. bl.)	Caucasean.	Caucasus.	1815.	—	H. ♀.	
90	taurica. W. (bl.)	Taurian.	Caucasus.	—	—	H. ♀.	Lodd. bot. cab. t. 911.
91	Allionii. R.S. (bl.)	shining-leaved.	S. Europe.	1748.	—	H. ♀.	Allion. ped. 1. t. 46. f. 3.
92	officinalis. R.S. (bl.)	officinal.	Britain.		4. 7.	H. ♀.	Eng. bot. v. 11. t. 765.
	β rigida. Gr. (bl.)	rigid-leaved.	Scotland.		—	H. ♀.	
	γ albiflora. (wh.)	white-flowered.	Britain.		—	H. ♀.	
93	Mulleriana. R.S. (bl.)	Muller's.	Styria.	1825.	5. 7.	H. ♀.	
94	Tournefortii. R.S. (bl.)	Tournefort's.	S. France.	1821.	5. 6.	H. ♀.	
95	Chaixi. R.S. (bl.)	Chaix's.	S. Europe.	1825.	5. 7.	H. ♀.	
96	prostrata. R.S. (bl.)	trailing.	Germany.	1774.	5. 6.	H. ♀.	Bauh. hist. 3. p. 287. ic.
97	pilosa. R.S. (bl.)	hairy.	Bohemia.	1819.	—	H. ♀.	
98	acutiflora. R.S. (li.)	acute-flowered.	France.	1821.	—	H. ♀.	
99	plicata. R.S. (bl.)	plaited-leaved.	Bohemia.	1823.	—	H. ♀.	Pohl tent. fl. b. p. 15. f. 1.
100	micrantha. R.S. (wh. pu.)	soft-leaved.	Portugal.	—	—	H. ♀.	Hoff. f. port. t. 57.
	mollis. Zea.	—	—	—	—	—	—
101	latifolia. R.S. (bl.)	broad-leaved.	Austria.	1748.	6. 7.	H. ♀.	Swt. br. fl. gar. t. 23.
102	Teucrium. R.S. (bl.)	saw-leaved.	Europe.	1596.	6. 8.	H. ♀.	Lodd. bot. cab. t. 425.
103	crinita. R.S. (bl.)	very hairy.	Hungary.	1826.	—	H. ♀.	
104	lutetiana. R.S. (pa. bl.)	Portugal.	Portugal.	—	—	H. ♀.	
105	dentata. R.S. (bl.)	tooth-leaved.	S. Europe.	1816.	—	H. ♀.	
106	Schmidtii. R.S. (bl.)	Schmidt's.	Bohemia.	1797.	6. 7.	H. ♀.	
	paniculata. W. non Pall.	—	—	—	—	—	—
107	peduncularis. R.S. (bl.)	long-peduncled.	Caucasus.	1825.	—	H. ♀.	
108	petræa. R.S. (pa. bl.)	Caucasean rock.	—	1821.	—	H. ♀.	
109	umbrosa. M.B. (bl.)	shady wood.	Tauria.	1827.	—	H. ♀.	M. B. cent. ros. 1. t. 7.
110	Chamædrys. R.S. (bl.)	Germander.	Britain.		5. 8.	H. ♀.	Eng. bot. v. 9. t. 623.
111	stolonifera. R.S. (bl.)	creeping.	N. America.	1827.	—	H. ♀.	
112	divaricata. R.S. (bl.)	divaricate.	Sweden.	1828.	—	H. ♀.	
113	Vestiana. R.S. (bl.)	Vest's.		1820.	—	H. ♀.	
114	maxima. R.S. (pa. bl.)	large.	Iberia.	1824.	—	H. ♀.	Buxb. cent. 1. t. 34.
115	urticæfolia. R.S. (pa. bl.)	Nettle-leaved.	Austria.	1776.	6. 7.	H. ♀.	Jacq. aust. 1. t. 59.
116	montana. R.S. (pa.)	mountain.	Britain.		7. 8.	H. ♀.	Eng. bot. v. 11. t. 766.
117	plebeia. B.P. (bl.)	plebeian.	N. S. W.	1822.	6. 8.	G. ♀.	
	arguta. R.S.	—	—	—	—	—	—

118	Brownii. B.P.	(bl.) sharp-toothed.	N. S. W.	1822.	6. 8.	G. 2.	
119	gracilis. B.P.	(bl.) slender.	—	—	—	G. 2.	
120	perfoliata. B.P.	(bl.) perfoliate.	—	1815.	7. 8.	G. 2.	Bot. mag. t. 1936.
121	labiata. B.P.	(pa.bl.) labiated.	N. Holland.	1802.	4. 7.	F. 2.	— t. 1660.
<i>Derwëntia</i> . Andr. reposit. t. 531.							
122	mollissima. R.S.	(bl.) softest.	—	1819.	6. 8.	H. 2.	
123	reniformis. Ph.	(pa.bl.) kidney-leaved.	Missouri.	1827.	5. 8.	H. 2.	
124	Waldsteiniâna. R.S.	(bl.) Waldstein's.	—	1819.	6. 8.	H. 2.	
125	vérna. R.S.	(pa.bl.) vernal.	Britain.	—	4. 5.	H. 2.	Eng. bot. v. 1. t. 25.
126	digitata. R.S.	(bl.) fingered.	Spain.	1805.	6. 7.	H. 2.	Reich. ic. t. 36.
127	triphyllous. R.S.	(bl.) variable-leaved.	Britain.	—	4. 5.	H. 2.	Eng. bot. v. 1. t. 26.
128	hederifolia. R.S.	(pa.bl.) Ivy-leaved.	—	—	3. 10.	H. 2.	— v. 11. t. 784.
129	Cymbalaria. R.S.	(wh.) fleshy-leaved.	Levant.	1823.	4. 8.	H. 2.	Flor. græc. t. 9.
130	peregrina. R.S.	(pa.) knotgrass-leaved.	N. Europe.	1680.	5. 6.	H. 2.	Flor. dan. t. 407.
131	depressa. R.S.	(bl.) depressed.	Hungary.	1826.	4. 8.	H. 2.	
132	glauca. F.G.	(bl.) glaucous.	Greece.	—	—	H. 2.	Flor. græc. v. 1. t. 7.
133	amœna. R.S.	(bl.) fine blue.	Iberia.	1823.	5. 6.	H. 2.	MB. cent. ros. t. 1. f. 18.
134	biloba. R.S.	(wh.) two-lobed.	Levant.	1819.	4. 6.	H. 2.	Buxb. cent. 1. t. 36.
135	præcox. R.S.	(bl.) early-flowered.	Europe.	—	3. 5.	H. 2.	Allion. ped. t. 1. f. 1.
136	acinifolia. R.S.	(pa.bl.) Basil-leaved.	S. Europe.	1788.	4. 5.	H. 2.	Poit. et Turp. par. 1. t. 23.
137	arvensis. R.S.	(bl.) wall.	Britain.	—	4. 7.	H. 2.	Eng. bot. v. 11. t. 734.
138	agræstis. R.I.	(va.) field.	—	—	1. 12.	H. 2.	Reich. ic. C. 3. t. 277.
<i>pulchella</i> . DC. non Bernhard. <i>versicolor</i> . Fries.							
139	opaca. R.I.	(pa.bl.) dull-leaved.	Britain.	—	—	H. 2.	Reich. ic. C. 3. p. 67. t. 278.
140	polita. R.I.	(bl.) polished.	—	—	—	H. 2.	— C. 3. p. 45. t. 246.
141	didyma. T.N.	(bl.) toothed-calyx'd.	Naples.	1827.	—	H. 2.	
142	pulchella. R.S.	(wh.ro.) neat.	—	1823.	3. 6.	H. 2.	
143	Buxbaumii. s.s.	(bl.) Buxbaum's.	S. Europe.	1820.	—	H. 2.	Ten. fl. nap. t. 1.
144	filiformis. s.s.	(bl.) long-stalked.	Levant.	1780.	5.	H. 2.	Buxb. cent. 1. t. 40. f. 1.
145	pérscia. s.s.	(bl.) Persian.	Persia.	1816.	1. 12.	H. 2.	
DIPLOPHYLLUM. S.S. DIPLOPHYLLUM. Diandria Monogynia. S.S.							
<i>veronicaeforme</i> . s.s. (bl.) Speedwell-like.				Caucasus.	1813.	4. 6.	H. 2.
<i>Veronica crista galli</i> . L.T.							
HEMIMERIS. L. HEMIMERIS. Diandria Monogynia.							
<i>montana</i> . L.				(re.) mountain.	C. B. S.	1816.	6. 8. G. 2.
							Lam. ill. t. 532.

ORDO CLIII.

LABIATÆ. *Brown prodr.* 1. p. 499.Tribus I. MENTHOIDÆ. *Bentham in Bot. reg. fol.* 1282.

LYCOPUS. R.S. WATER-HOREHOUND. Diandria Monogynia. L.							
1	australis. B.P.	(wh.) New Holland.	N. S. W.	1823.	5. 7.	G. 2.	
2	euphræus. R.S.	(wh.) European.	Britain.	—	7. 8.	H. 2.	Eng. bot. v. 16. t. 1105.
3	intermedius.	(wh.) intermediate.	Europe.	1816.	—	H. 2.	
4	exaltatus. R.S.	(wh.) tall.	Italy.	1739.	—	H. 2.	Flor. græc. 1. t. 12.
5	virginicus. R.S.	(wh.) Virginian.	N. America.	1760.	8. 9.	H. 2.	
6	sinuatus. E.C.	(wh.) sinuate-leaved.	—	1812.	—	H. 2.	
ISANTHUS. M. ISANTHUS. Didynamia Gymnospermia. S.S.							
<i>cœruleus</i> . M.				(bl.) blue.	N. America.	1732.	6. 8. H. ♂.
							Dill. elt. t. 285. f. 369.
<i>Trichostema brachiata</i> . L.							
AUDIBERTIA. B.R. AUDIBERTIA. Didynamia Gymnospermia.							
<i>pusilla</i> . B.R.				(pu.) small.	Corsica.	1829.	5. 8. H. 2.
<i>Thymus parviflorus</i> . Reuquen.							
MENTHA. L. MINT. Didynamia Gymnospermia. L.							
1	viridis. w.	(pu.) spear.	Britain.	—	8.	H. 2.	Eng. bot. v. 34. t. 2424.
2	lævigata. W.en.	(pu.) smooth-leaved.	Germany.	—	6. 8.	H. 2.	
3	balsamea. W.en.	(pu.) Balsam-scent'd.	Italy.	1804.	7. 8.	H. 2.	
4	crispata. W.en.	(pu.) crumpled.	Europe.	1807.	—	H. 2.	
5	piperita. E.B.	(pu.) pepper.	England.	—	8. 9.	H. 2.	Eng. bot. v. 10. t. 687.
6	nilia. s.s.	(pu.) Egyptian.	Egypt.	1796.	7. 8.	H. 2.	Jacq. vind. 3. t. 87.
7	tenuis. M.	(wh.) slender.	N. America.	1826.	—	H. 2.	

8	sylvéstris. E.B.	(pu.) wild.	Britain.		7. . . . 2.	Eng. bot. v. 10. t. 686.
9	memorosa. W.en.	(pu.) wood.	Europe.		— H. 2.	Flor. dan. t. 84.
10	hirta. W.en.	(pu.) hairy.	Europe.		— H. 2.	
11	pubescens. W.en.	(pu.) pubescent.	Europe.		— H. 2.	
12	Auricularia. w.	(li.) Indian.	E. Indies.	1796.	— S. 2.	Rumph. amb. 6. t. 16.
13	crispa. w.	(pu.) curled.	Siberia.	1640.	— H. 2.	
14	pyramidalis. T.N.	(pu.) pyramidal.	Naples.	1824.	— H. 2.	
15	undulata. W.en.	(pu.) wave-leaved.	Europe.	1816.	— H. 2.	
16	incana. W.en.	(pu.) hoary.	Europe.	1790.	— H. 2.	
17	lavandulacea. W.en.	(pu.) Lavender-leaved.	Spain.	1825.	— H. 2.	
18	capensis. w.	(pu.) Cape.	C. B. S.	1816.	— G. 2.	
19	rotundifolia. E.B.	(pu.) round-leaved.	Britain.		8. 9. H. 2.	Eng. bot. v. 7. t. 446.
	<i>β variegata.</i>	(pu.) variegated.	—		— H. 2.	
20	macrostachya. T.N.	(pu.) long-spiked.	Naples.	1820.	— H. 2.	
21	gratissima. w.	(pu.) oblong-leaved.	Britain.		7. 8. H. 2.	
22	citrata. s.s.	(pu.) Bergamot.	England.		— H. 2.	Eng. bot. v. 15. t. 1025.
	<i>odorata. E.B.</i>					
23	hirsuta. E.B.	(pu.) hairy water.	Britain.		7. 9. H.w. 2.	Eng. bot. v. 7. t. 447.
24	acutifolia. E.B.	(pu.) acute-leaved.	England.		9. H.w. 2.	— v. 34. t. 2415.
25	sativa. E.B.	(re.) tall red.	—		8. 9. H.w. 2.	— v. 7. t. 448.
26	rubra. E.B.	(re.) common red.	Britain.		9. H.w. 2.	— v. 20. t. 1413.
27	gentilis. E.B.	(re.) bushy red.	—		7. 8. H.w. 2.	— v. 30. t. 118.
28	gracilis. H.K.	(re.) narrow-leaved.	—		— H.w. 2.	— v. 7. t. 449.
29	palustris. S.M.	(pu.) marsh.	—		9. H.w. 2.	
30	villosa. S.M.	(pu.) horse.	—		7. 8. H.w. 2.	
31	pratensis. S.M.	(pu.) meadow.	—		— H.w. 2.	Sole's Mints. t. 17.
32	rivalis. S.M.	(pu.) river.	—		— H.w. 2.	
33	paludosa. S.M.	(pu.) brook.	—		9. H.w. 2.	
34	arvensis. E.B.	(li.) corn.	—		7. 9. H. 2.	Eng. bot. v. 30. t. 2119.
35	pratensis. S.M.	(li.) early-flowering.	—		6. H. 2.	Sole's Mints. ic.
36	agrestis. E.B.	(li.) field.	—		7. 8. H. 2.	Eng. bot. v. 30. t. 2120.
37	austriaca. s.s.	(pu.) Austrian.	Austria.	1818.	— H. 2.	
38	dentata. w.	(pu.) toothed.	Germany.	1816.	— H. 2.	
39	canadensis. w.	(pu.) Canadian.	N. America.	1801.	— H. 2.	
40	borealis. M.	(li.) northern.	—	1824.	— H. 2.	
41	elegans. s.s.	(pu.) elegant.	S. Europe.	1828.	— H. 2.	
42	badensis. s.s.	(pu.) Baden.	Italy.	—	— H. 2.	
43	rugosa. Roth.	(pu.) rugged-leaved.	Germany.	1824.	— H. 2.	
44	glabrata. s.s.	(pu.) smooth.	Egypt.	1802.	— H. 2.	
45	Pulegium. s.s.	(li.) Pennyroyal.	Britain.		8. 9. H. 2.	Eng. bot. v. 15. t. 1026.
46	cervina. s.s.	(wh.) Hyssop-leaved.	S. France.	1648.	6. 8. H. 2.	Moris. s. 2. t. 7. f. 7.
COLEBRO'OKIA. S.S. COLEBRO'OKIA. Didynamia Gymnospermia.						
1	oppositifolia. D.P.	(wh.) opposite-leav'd.	Nepaul.	1816.	6. 9. S. 2.	Sm. exot. bot. t. 115.
2	ternifolia. s.s.	(wh.) three-leaved.	E. Indies.	—	— S. 2.	
PERILLA. W. PERILLA. Didynamia Gymnospermia. L.						
1	ocymoides. w.	(wh.) Basil-leaved.	India.	1770.	7. 8. H. 2.	Arduin. spec. 2. t. 13.
2	fruticosa. D.P.	(wh.) frutescent.	Nepaul.	1818.	— S. 2.	
ELSHO'LTZIA. S.S. ELSHO'LTZIA. Didynamia Gymnospermia. W.						
1	cristata. s.s.	(li.) crested.	Siberia.	1789.	5. 7. H. 2.	Bot. mag. t. 2560.
2	ocymoides. s.s.	(li.) Basil-like.	E. Indies.	1823.	— S. 2.	
APHANOCHILUS. B.R. APHANOCHILUS. Didynamia Gymnospermia.						
1	blandus.	(wh.) agreeable.	Nepaul.	1820.	10. 12. G. 2.	DC. pl. rar. gen. t. 8.
	<i>Mentha blanda.</i> DC.					
2	incisus. B.R.	(wh.) cut-leaved.	—	1818.	6. 10. G. 2.	
	<i>Mentha blanda.</i> H.C. non DC.					
DYSOPHYLLA. B.R. DYSOPHYLLA. Didynamia Gymnospermia.						
1	quadrifolia. B.R.	(li.) four-leaved.	Nepaul.	1814.	6. 8. G. 2.	
2	stellata. B.R.	(li.) starry-leaved.	—	1816.	— G. 2.	
3	verticillata. B.R.	(li.) whorl-leaved.	—	1828.	— G. 2.	
4	pumila. B.R.	(li.) dwarf.	—	—	— G. 2.	Bot. mag. t. 2907.
	<i>Mentha verticillata.</i> B.M. pumila. Graham.					
POGOSTEMON. S.S. POGOSTEMON. Didynamia Gymnospermia. S.S.						
	plectanthoides. s.s.	(w.) Plectanthrus-like.	—	1818.	6. 8. S. 2.	Desf. m. mus. 2. t. 6.

Tribus II. SATUREINÆ. *Benth. in Bot. reg.*

BYSTROPOGON. S.S. BYSTROPOGON. Didymia Gymnospermia. S.S.									
1	origanifolius. s.s.	(li.)	Marjoram-leav'd.	Teneriffe.	1815.	7. 8.	G. h.		
2	plumosus. s.s.	(li.)	woolly-flower'd.	Canaries.	1779.	6. 7.	G. h.		
3	canariensis. s.s.	(li.)	Canary.	—	1714.	6. 8.	G. h.	Comm. hort. 2. t. 65.	
4	punctatus. s.s.	(li.)	cluster-flower'd.	Madeira.	1775.	7. 9.	G. h.		
PHYCNA'NTHEMUM. M. PHYCNA'NTHEMUM. Didymia Angiospermia. S.S.									
1	linifolium. s.s.	(wh.)	Flax-leaved.	N. America.	1739.	7. 8.	H. 4.	Herm. parad. t. 218.	
2	lanceolatum. s.s.	(wh.)	spear-leaved.	—	1812.	—	H. 4.		
3	aristatum. s.s.	(wh.)	awned.	—	1752.	8.	H. 4.	Mich. amer. 2. t. 33.	
4	verticillatum. s.s.	(wh.)	whorl-leaved.	—	1816.	7. 8.	H. 4.		
5	Monardella. s.s.	(li.)	Monarda-like.	—	—	—	H. 4.		
6	incanum. s.s.	(bh.)	hoary.	—	1732.	7. 10.	H. 4.	Dill. elt. t. 74. f. 85.	
SATUREJA. S.S. SAVORY. Didymia Gymnospermia. L.									
1	approximata. s.s.	(li.)	bundle-leaved.	Sicily.	1825.	5. 7.	F. h.		
2	spinosa. F.G.	(wh.)	spiny.	Crete.	1827.	—	G. h.	Flor. græc. t. 545.	
3	viminea. s.s.	(li.)	Pennyroyal tree.	Jamaica.	1783.	—	S. h.		
4	montana. s.s.	(li.)	winter.	S. Europe.	1562.	6. 7.	H. h.	Flor. græc. t. 543.	
5	rostrata. s.s.	(wh.)	rock.	Carnioia.	1798.	—	H. 4.	Jacq. ic. 3. t. 494.	
6	obovata. s.s.	(li.)	obovate-leaved.	Spain.	1824.	—	H. h.		
7	tenuifolia. s.s.	(li.)	slender-leaved.	Italy.	1820.	—	H. h.		
8	Juliàna. s.s.	(li.)	linear-leaved.	—	1596.	5. 9.	F. h.	Flor. græc. t. 540.	
9	græca. s.s.	(li.)	Grecian.	Greece.	1759.	6. 7.	F. 4.	— t. 542.	
10	hirsuta. s.s.	(li.)	hairy.	Sicily.	1824.	—	F. 4.		
11	Teneriffæ. s.s.	(pu.)	Teneriffe.	Teneriffe.	1815.	—	F. 4.		
12	hortensis. s.s.	(wh.)	summer.	Italy.	1652.	6. 8.	H. 4.	Lam. ill. t. 504. f. 1.	
13	capitata. w.	(li.)	ciliated.	Levant.	1596.	6. 10.	H. h.	Flor. græc. t. 544.	
14	nervosa. s.s.	(li.)	nerved.	Sicily.	1824.	—	H. h.		
15	Thymbra. s.s.	(li.)	whorl-flowered.	Candia.	1640.	5. 7.	G. h.	Flor. græc. t. 541.	
16	congesta. s.s.	(li.)	close-flowered.		1825.	—	G. h.		
THYMUS. S.S. THYME. Didymia Gymnospermia. L.									
1	villosus. s.s.	(li.)	hairy.	Portugal.	1759.	6. 7.	F. h.	Flor. græc. t. 578.	
2	cephalotus. s.s.	(li.)	great headed.	—	—	7. 8.	H. h.	Hof. et Lk. fl. lus. t. 13.	
3	capitatus. L.en.	(li.)	headed.	—	1823.	—	H. h.		
4	odoratissimus. s.s.	(li.)	very sweet.	Tauria.	—	—	H. h.		
5	acicularis. s.s.	(li.)	needle-shaped.	Hungary.	1806.	6. 8.	H. h.	W. et K. hung. 2. t. 147.	
6	hirsutus. s.s.	(li.)	hairy.	—	1816.	—	H. h.		
7	Zygis. s.s.	(wh.)	Spanish.	Spain.	1771.	8.	H. h.	Flor. græc. t. 574.	
8	Marschallianus. s.s.	(li.)	Marschall's.	Russia.	1815.	6. 8.	H. h.		
9	glabrescens. L.en.	(li.)	smooth.	S. Europe.	1823.	—	H. 4.	Hof. et Lk. fl. lus. t. 15.	
10	angustifolius. s.s.	(li.)	narrow-leaved.	Europe.		—	H. h.		
11	Serpillum. s.s.	(li.)	wild or mother of.	Britain.		—	H. h.	Eng. bot. v. 22. t. 1514.	
12	exserens. s.s.	(li.)	exserted.	—		—	H. h.		
13	citriodorus. L.en.	(li.)	Lemon.	Europe.		—	H. h.		
14	collinus. s.s.	(li.)	hill.	Tauria.	1823.	—	H. h.		
15	montanus. w.k.	(li.)	mountain.	Hungary.	1800.	6. 7.	H. h.	W. et K. hung. 1. t. 71.	
16	nummularius. M.B.	(li.)	moneywort.	Caucasus.	1818.	—	H. h.	Bot. mag. t. 2666.	
17	pannonicus. W.en.	(li.)	Hungarian.	Hungary.	—	—	H. h.		
18	lanuginosus. s.s.	(li.)	woolly.	Europe.		6. 8.	H. h.		
19	tomentosus. s.s.	(li.)	tomentose.	Spain.	1816.	—	H. h.		
20	albicans. s.s.	(li.)	white-leaved.	Portugal.	—	—	H. h.		
21	adscendens. L.en.	(li.)	ascending.	S. Europe.		—	H. h.		
22	lucidus. s.s.	(li.)	shining-leaved.		1816.	—	H. h.		
23	vulgaris. s.s.	(li.)	common.	S. Europe.	1548.	5. 8.	H. h.		
	<i>β latifolius.</i>	(li.)	broad-leaved.	—	—	—	H. h.		
24	Mastichina. s.s.	(li.)	Mastick.	Spain.	1596.	7. 9.	F. h.	Blackw. t. 134.	
25	elongatus. L.en.	(li.)	elongated.		1816.	—	F. h.		
26	graveolens. F.G.	(li.)	strong-scented.	Levant.	1823.	—	F. h.	Flor. græc. t. 576.	
27	Tragoriganum. s.s.	(li.)	goat s.	Candia.	1640.	5. 6.	F. h.	Alp. exot. t. 78.	
28	filiformis. s.s.	(li.)	filiform.	Minorca.	1770.	6. 7.	G. h.		
29	fruticulosus. s.s.	(li.)	frutescent.	Sicily.	1823.	—	H. h.		
30	Teneriffæ. s.s.	(li.)	Teneriffe.	Teneriffe.	1828.	—	F. h.		
31	incanus. s.s.	(wh.)	hoary.	Levant.	—	—	F. 4.	Flor. græc. t. 577.	
32	croaticus. P.s.	(li.)	oval-leaved.	Hungary.	1802.	7. 8.	H. h.	W. et K. hung. t. 156.	
	<i>Piperella. w.k. non l.</i>								
33	ericæfolius. W.en.	(li.)	Heath-leaved.	Spain.	1806.	6. 8.	H. h.		

ORIGANUM. S.S.		MARJORAM.	Didynamia Gymnospermia. L.			
1	vulgare. s.s.	(ro.) common.	Britain.		6. 10.	H. 2. Eng. bot. v. 16. t. 1143.
2	humile. s.s.	(wh.) dwarf.		1827.	—	H. 2.
3	virens. s.s.	(ro.) green.	Portugal.	1816.	—	H. 2. Hoff. et Lk. fl. p. 1. t. 9.
4	heracleoticum. s.s.	(li.) winter, sweet.	S. Europe.	1640.	—	H. 2. Lobel. ic. 492.
5	creticum. s.s.	(li.) Cretan.		1596.	—	H. 2. Schk. hand. 2. t. 164.
6	megastachyum. L.en.	(li.) large-spiked.		1824.	—	H. 2.
7	macrostachyon. s.s.	(li.) long-spiked.	Portugal.	1820.	—	H. 2.
8	hirtum. L.en.	(wh.) hairy.	S. Europe.	—	—	H. 2.
9	oblongatum. L.en.	(wh.) oblong-spiked.		1823.	—	H. 2.
10	smyrnæum. L.	(wh.) Smyrna.	Smyrna.	1722.	6. 7.	G. 2. Flor. græc. t. 571.
11	Onites. s.s.	(wh.) pot.	Sicily.	1759.	7. 11.	H. 2. ——— t. 572.
12	Marù. w.	(li.) Lavender-scented.	Crete.	1822.	—	F. 2. Bot. mag. t. 2605.
13	Majoranoides. w.	(wh.) shrubby sweet.			—	F. 2.
14	Majorana. s.s.	(wh.) knotted.	Portugal.	1573.	6. 7.	F. 2. Moris. s. 11. t. 3. f. 1.
15	indicum. s.s.	(wh.) Indian knotted.	E. Indies.	1820.	—	S. 2.
16	salvifolium. Roth.	(li.) Sage-leaved.			—	F. 2.
17	pallidum. P.S.	(pa.) pale.	Levant.	1821.	—	G. 2.
18	stoloniferum. F.	(li.) creeping.		1828.	—	H. 2.
19	Tournefortii. s.s.	(ro.) Tournefort's.	Amorgos.	1788.	8. 9.	F. 2. Flor. græc. t. 569.
20	sipyleum. s.s.	(ro.) Mount Sipylus.	Levant.	1699.	6. 9.	F. 2. ——— t. 570.
21	Dictamnus. s.s.	(li.) Dittany of Crete.	Candia.	1551.	—	F. 2. Bot. mag. t. 298.
22	ægyptiacum. s.s.	(li.) Egyptian.	Egypt.	1731.	6. 8.	F. 2. Alp. ægypt. t. 95.
LOPHA'NTHUS. B.R.		LOPHA'NTHUS.	Didynamia Gymnospermia.			
1	chinensis. B.R.	(ye.) Mint-leaved.	Siberia.	1752.	8. 9.	H. 2. Jacq. vind. 2. t. 182.
<i>Hyssopus Lophanthus. s.s.</i>						
2	nepetoides. B.R.	(ye.) square-stalked.	N. America.	1692.	8. 10.	H. 2. Jacq. vind. 1. t. 68.
3	scrophularifolius. B.R.	(re.) Figwort-leaved.		1800.	7. 8.	H. 2. Herm. parad. t. 106.
4	anisatus. B.R.	(bl.) Anise-like.		1820.	7. 9.	H. 2. Bot. reg. t. 1282.
5	urticifolius. B.R.	(pu.) Nettle-leaved.		1827.	—	H. 2.
6	multifidus. B.R.	(wh.) multifid.	Siberia.	1797.	7. 8.	H. 2. Gmel. sib. 3. t. 55.
<i>Nepeta multifida. w.</i>						
HYSSOPUS. B.R.		HYSSOP.	Didynamia Gymnospermia.			
1	officinalis. s.s.	(bl.) common.	S. Europe.	1548.	6. 9.	H. 2. Jacq. aust. 3. t. 254.
2	anistalis. w.	(bl.) narrow-leaved.	Caucasus.	1816.	—	H. 2. Bot. mag. t. 2299.
<i>angustifolius. M.B.</i>						
3	discolor. f.	(bl.) two-coloured.	Siberia.	1818.	—	H. 2.
4	septemfidus. E.	 seven-cleft.	Egypt.	1827.		H. 2.
5	septemcrenatus. E.	 seven-notched.		1829.		H. 2.
WESTRINGIA. S.S.		WESTRINGIA.	Didynamia Gymnospermia. S.S.			
1	rosmariniformis. B.P.	(w.) Rosemary like.	N. S. W.	1791.	5. 8.	G. 2. Andr. reposit. t. 214.
2	Dampieri. B.P.	(wh.) Dampier's.	N. Holland.	1803.	5. 7.	G. 2.
3	angustifolia. B.P.	(wh.) narrow-leaved.	V. Diem. Isl.	1823.	—	G. 2.
4	longifolia. B.P.	(wh.) long-leaved.	N. S. W.	1826.	—	G. 2.

Tribus III. AJUGOIDEÆ. *Benth. in Bot. reg.*

LEUCOSCEPTRUM. S.S.		LEUCOSCEPTRUM.	Didynamia Gymnospermia.			
canum. s.s.	(wh.) white-flowered.	Nepaul.	1825.	7. 9.	F. 2.	
TEUCRIMUM. S.S.		GERMANDER.	Didynamia Gymnospermia. L.			
1	fruticans. w.	(bl.) narrow-ld. shrubby.	Spain.	1640.	6. 9.	H. 2. Flor. græc. t. 527.
2	latifolium. L.	(li.) broad-ld. shrubby.		—	—	H. 2. Bot. mag. t. 245.
3	heterophyllum. s.s.	(li.) various-leaved.	Madeira.	1759.	6. 7.	G. 2.
4	Laxmanni. s.s.	(ye. pu.) Laxmann's.	Siberia.	1800.	6. 8.	H. 2.
5	alpêtre. f.G.	(wh.) alpine.	Levant.	1821.	6. 9.	G. 2. Flor. græc. t. 538.
6	brevifolium. s.s.	(li.) short-leaved.	Crete.	1824.	—	H. 2. ——— t. 528.
7	asiaticum. s.s.	(bh.) Asiatic.		1777.	6. 10.	G. 2. Jacq. vind. 3. t. 41.
8	cubense. s.s.	(li.) Cuba.	Cuba.	1733.	5.	S. 2. Jacq. obs. 2. t. 30.
9	Nissoliæum. s.s.	(pu.) Nissolle's.	Spain.	1752.	6. 7.	F. 2. Moris. s. t. 22. f. 19.
10	lævigatum. s.s.	(li.) smooth.	Buenos Ayres.	1829.	—	G. 2.
11	campanulatum. s.s.	(bh.) bell-flowered.	Levant.	1728.	7. 8.	H. 2.
12	regium. s.s.	(pu.) royal.	Spain.	1699.	5. 10.	F. 2. Pluk. alm. t. 65. f. 1.
13	multiflorum. s.s.	(pu.) many-flowered.		1731.	7. 9.	H. 2. Bocc. mus. t. 117.
14	lucidum. s.s.	(re.) shining.	S. Europe.	1730.	6. 9.	H. 2. Flor. græc. t. 532.
15	Chamædrys. s.s.	(pu.) wall.	England.		5. 8.	H. 2. Eng. bot. v. 10. t. 680.
16	Scordium. s.s.	(pu.) water.			7. 8.	H. w. 2. ——— v. 12. t. 828.

17	scordioides. s.s.	(pu.)	likened.	S. Europe.	1816.	7. 8.	H. 4.	
18	bracteatum. s.s.	(pu.)	bracted.	Barbary.	1828.	—	G. 4.	Desf. atl. 2. t. 120.
19	spinosum. s.s.	(wh.)	thorny.	Spain.	1640.	5. 6.	H. 7.	Flor. græc. t. 539.
20	Botrys. s.s.	(pu.)	cut-leaved.	S. Europe.	1633.	7. 9.	H. 10.	Ger. emac. 525. f. 2.
21	trifidum. s.s.	(re.)	trifid-leaved.	C. B. S.	1791.	6. 8.	G. 4.	
22	angustissimum. s.s.	(re.)	narrow-leaved.	Spain.	1818.	—	H. 4.	Barrel. rar. t. 1080.
23	pumilum. s.s.	(re.)	small.	—	1816.	7. 8.	F. 7.	— t. 1092.
24	Libanitis. s.s.	(ye. bh.)	Spanish.	Spain.	1824.	6. 8.	H. 4.	Cavan. ic. 2. t. 118.
25	thymifolium. s.s.	(pu.)	Thyme-leaved.	—	—	6. 10.	F. 7.	
26	supinum. s.s.	(wh.)	procumbent.	Austria.	1752.	—	H. 7.	Jacq. aust. 5. t. 417.
27	montanum. s.s.	(st.)	dwarf mountain.	S. Europe.	1710.	7. 10.	F. 7.	Flor. græc. t. 534.
28	Podium. s.s.	(wh.)	Poley.	—	1562.	7. 9.	F. 7.	— t. 535.
29	cuneifolium. f.g.	(wh.)	wedge-leaved.	Levant.	1828.	6. 8.	F. 4.	— t. 537.
30	Pseudohyssopus. s.s.	(w.)	Hyssop-leaved.	Italy.	1804.	6. 7.	H. 4.	Col. ecphr. 1. t. 67.
31	capitatum. s.s.	(ro.)	round-headed.	Spain.	1731.	7. 8.	F. 7.	Flor. græc. t. 536.
32	lusitanicum. s.s.	(wh.)	Portugal.	Portugal.	1816.	—	F. 4.	
33	pycnophyllum. s.s.	(wh.)	clustered.	Spain.	—	—	H. 4.	Barrel. rar. t. 1096.
34	valentinum. s.s.	(wh.)	Valencia.	—	1826.	—	F. 7.	— t. 1048.
35	gnaphalodes. s.s.	(re.)	woolly-calyx'd.	—	—	7. 9.	F. 4.	— t. 1083.
36	aureum. s.s.	(ye.)	golden Poley.	S. Europe.	1731.	6. 7.	F. 4.	Cavan. ic. 2. t. 117.
37	flavescens. P.s.	(ye.)	yellow Poley.	—	—	7. 9.	F. 7.	Barrel. rar. t. 1073.
38	hyrcanicum. s.s.	(pu.)	Betony-leaved.	Persia.	1763.	8. 10.	H. 4.	Bot. mag. t. 2013.
39	inflatum. s.s.	(pu.)	thick-spiked.	Jamaica.	1778.	—	S. 4.	
40	orchioides. B.R.	(bh.)	Orchis-flowered.	Chile.	1826.	—	F. 7.	Bot. reg. t. 1255.
<i>heterophylla</i> . Cavan. icon. 6. t. 577. non L'Herit.								
41	virginicum. s.s.	(pu.)	Virginian.	N. America.	1768.	5. 6.	H. 4.	Schkuhr. handb. 160.
42	canadense. s.s.	(pu.)	Canadian.	—	—	8. 9.	H. 4.	
43	Arduini. s.s.	(wh.)	Arduini's.	Levant.	1827.	—	H. 4.	Flor. græc. t. 531.
44	abutiloides. s.s.	(ye.)	Mulberry-leaved.	Madeira.	1777.	4. 5.	G. 4.	Jacq. schoen. 3. t. 358.
45	Scorodonia. s.s.	(st.)	wood sage.	Britain.	—	7.	H. 4.	Eng. bot. v. 22. t. 1543.
46	betonicum. s.s.	(pu.)	hoary.	Madeira.	1775.	5. 8.	G. 4.	Bot. mag. t. 1114.
47	flavum. s.s.	(st.)	yellow-flowered.	S. Europe.	1640.	7. 9.	H. 7.	Flor. græc. t. 533.
48	massiliense. s.s.	(li.)	sweet scented.	France.	1731.	6. 7.	H. 4.	Jacq. vind. 1. t. 94.
49	resupinatum. s.s.	(st.)	resupinate.	Barbary.	1801.	7. 8.	H. 10.	Desf. atl. 2. t. 117.
50	Mârum. s.s.	(pu.)	Cat-thyme.	Spain.	1640.	7. 9.	F. 7.	Park. theat. 17. f. 2.
51	subspinosum. s.s.	(pu.)	Minorca.	Minorca.	1816.	—	G. 4.	
52	quadratum. s.s.	(ro.)	many-branched.	Levant.	1828.	—	F. 7.	Flor. græc. t. 530.
53	creticum. s.s.	(ro.)	Cretan.	Crete.	1825.	—	G. 4.	— t. 529.
54	pyrenæicum. s.s.	(pu.)	Pyrenean.	Pyrenees.	1731.	6. 8.	H. 4.	
55	orientale. s.s.	(bl.)	great-flowered.	Levant.	1752.	7. 8.	H. 4.	Bot. mag. t. 1279.
AMETHYSTEA. R.S. AMETHYSTEA. Diandria Monogynia. L.								
	cerulea. R.S.	(bl.)	blue-flowered.	Siberia.	1759.	6. 7.	H. 10.	Bot. mag. t. 2448.
TRICHOSTEMA. S.S. TRICHOSTEMA. Didynamia Gymnospermia. L.								
1	dichotoma. w.	(bl.)	Marjoram-leav'd.	N. America.	1759.	6. 7.	H. 10.	Lam. ill. t. 515.
2	linearis. s.s.	(bl.)	linear-leaved.	—	—	—	H. 10.	
AJUGA. S.S. BUGLE. Didynamia Gymnospermia. L.								
1	Iva. s.s.	(ye.)	musky.	S. Europe.	1759.	7. 8.	H. 10.	Flor. græc. t. 525.
2	réptans. s.s.	(bl.)	common.	Britain.	—	5. 6.	H. 4.	Eng. bot. v. 7. t. 489.
	a cerulea.	(bl.)	blue-flowered.	—	—	—	H. 4.	
	β rubra.	(pu.)	red-flowered.	—	—	—	H. 4.	
	γ alba.	(wh.)	white-flowered.	—	—	—	H. 4.	
3	alpina. s.s.	(bl.)	Alpine.	England.	—	5. 7.	H. 4.	Eng. bot. v. 7. t. 477.
4	genevensis. s.s.	(bl.)	Geneva.	Switzerland.	1656.	5. 6.	H. 4.	Bull. herb. t. 361.
5	pyramidalis. s.s.	(li.)	pyramidal.	Britain.	—	—	H. 4.	Eng. bot. v. 18. t. 1270.
6	oblongata. s.s.	(bl.)	oblong-leaved.	Caucasus.	1829.	—	H. 4.	
7	orientalis. s.s.	(bl.)	oriental.	Levant.	1732.	—	H. 4.	
8	Chamaepitys. s.s.	(ye.)	ground pine.	England.	—	4. 7.	H. 10.	Swt. br. fl. gar. ser. 2.
9	Chia. f.g.	(ye.)	Grecian.	Levant.	1828.	—	H. 10.	Eng. bot. v. 2. t. 77.
10	salicifolia. f.g.	(ye.)	Willow-leaved.	—	—	—	H. 10.	Flor. græc. t. 524.
ANISOMELES. B.P. ANISOMELES. Didynamia Gymnospermia. S.S.								
1	ovata. s.s.	(vi. wh.)	broad-leaved.	E. Indies.	1783.	7. 8.	S. 10.	Burm. zeyl. t. 71. f. 1.
2	malabaria. s.s.	(vi.)	Malabar.	—	1817.	—	S. 4.	Bot. mag. t. 2071.

Tribus IV. MONARDEÆ. Benth. in Bot. reg.

MONARDA. R.S. MONARDA. Diandria Monogynia. L.								
1	fistulosa. R.S.	(pu.)	fistulous.	N. America.	1656.	6. 8.	H. 4.	Mill. ic. t. 122. f. 2.
2	media. R.S.	(da. pu.)	purple-bracted.	—	—	6. 9.	H. 4.	Swt. br. fl. gar. t. 98.

3	móllis. R.S.	(<i>pa.pu.</i>)	soft.	N. America.		6. 7.	H. ½.	
4	oblongàta. R.S.	(<i>pa.pu.</i>)	long-leaved.	_____	1761.	7. 9.	H. ½.	
5	altissima. R.S.	(<i>li.</i>)	tallest.	_____	1818.	—	H. ½.	
6	affinis. L.en.	(<i>li.</i>)	affined.	_____	—	—	H. ½.	
7	menthæfólia. B.M.	(<i>pu.</i>)	Mint-leaved.	_____	1827.	—	H. ½.	Bot. mag. t. 2958.
8	rugòsa. R.S.	(<i>wh.</i>)	white-flowered.	_____	1761.	—	H. ½.	
9	purpurea. R.S.	(<i>pu.</i>)	purple-flowered.	_____	1789.	6. 8.	H. ½.	Bot. mag. t. 145.
	<i> fistulòsa. var. crimson.</i>		B.M.					
10	Kalmiàna. R.S.	(<i>sc.</i>)	pubescent-flower'd.	_____	1813.	—	H. ½.	Pursh. amer. 1. t. 1.
11	didyma. R.S.	(<i>sc.</i>)	Oswego Tea.	_____	1752.	—	H. ½.	Bot. mag. t. 546.
12	Russelliàna. N.	(<i>wh.re.</i>)	Russell's.	_____	1823.	—	H. ½.	Swt. br. fl. gar. t. 166.
13	clinopòdia. Ph.	(<i>st.</i>)	wild basil-leav'd.	_____	1771.	7.	H. ½.	
14	grácilis. R.S.	(<i>st.</i>)	slender.	_____	1824.	7. 8.	H. ½.	
15	punctàta. R.S.	(<i>ye.re.</i>)	spotted.	_____	1714.	6. 10.	F. ½.	Bot. reg. t. 87.
	citriodòra. R.S.	(<i>li.</i>)	Citron-scented.	New Spain.	1823.	—	F. ½.	
BLEPHILIA. B.R. BLEPHILIA. Diandria Monogynia.								
1	ciliàta. B.R.	(<i>bl.</i>)	blue-flowered.	N. America.	1798.	7. 8.	H. ½.	Pluk. alm. t. 164. f. 3.
	<i>Monárda ciliàta. R.S.</i>							
2	hirsùta. B.R.	(<i>li.</i>)	hairy.	_____	—	7. 9.	H. ½.	
ZIZIPHORA. S.S. ZIZIPHORA. Diandria Monogynia. L.								
1	clinopodioides. R.S.	(<i>li.</i>)	headed.	Siberia.	1799.	7. 8.	H. ⊙.	Rud. mem. p. 1810. t. 11.
	<i>Cùila capitàta. L.</i>							
2	acinoïdes. W.en.	(<i>ro.</i>)	Thyme-leaved.	_____	1786.	—	H. ⊙.	
3	mèdia. L.en.	(<i>li.</i>)	middle.		1816.	—	H. ½.	
4	capitàta. R.S.	(<i>ro.</i>)	oval-leaved.	Syria.	1752.	—	H. ⊙.	Flor. græc. 1. t. 13.
5	hispanica. R.S.	(<i>li.</i>)	Spanish.	Spain.	1759.	6.	H. ⊙.	Lam. ill. t. 18. f. 1.
6	tenùior. R.S.	(<i>li.</i>)	spear-leaved.	Levant.	1752.	6. 7.	H. ⊙.	— t. 18. f. 2.
7	taurica. R.S.	(<i>li.</i>)	Taurian.	Tauria.	1816.	7. 9.	H. ⊙.	M.B. cent. pl. rar. 2. t. 82.
8	serpyllacea. R.S.	(<i>li.</i>)	sweet-scented.	Caucasus.	1803.	7. 8.	H. ½.	Bot. mag. t. 906?
9	dasyantha. R.S.	(<i>li.</i>)	hairy-flowered.	Siberia.	—	6. 8.	H. ½.	— t. 1093.
	<i>Pouschkini. B.M.</i>							
CUNILA. N. CUNILA. Diandria Monogynia. L.								
	mariana. N.	(<i>pu.</i>)	Mint-leaved.	N. America.	1759.	7. 9.	H. ½.	Swt. br. fl. gar. t. 243.
HEDEOMA. N. HEDEOMA. Diandria Monogynia. P.S.								
1	pulegioides. N.	(<i>wh.vi.</i>)	Pennyroyal-ld.	N. America.	1777.	6. 8.	H. ⊙.	
2	thymoides. P.S.	(<i>bh.</i>)	Thyme-leaved.	France.	1699.	—	H. ⊙.	Moris. s. 11. t. 19. f. 6.
ROSMARINUS. R.S. ROSEMARY. Diandria Monogynia. L.								
1	officinalis. R.S.	(<i>pa.bl.</i>)	common.	S. Europe.	1548.	1. 4.	H. ½.	Flor. græc. 1. t. 14.
	<i>α angustifolius. (pa.bl.)</i>		narrow-leaved.	_____	—	—	H. ½.	
	<i>β latifolius. (pa.bl.)</i>		broad-leaved.	_____	—	—	H. ½.	
	<i>γ argenteus. (pa.bl.)</i>		silver-striped.	_____	—	—	H. ½.	
	<i>δ aureus. (pa.bl.)</i>		gold-striped.	_____	—	—	H. ½.	
2	chilensis. R.S.	(<i>wh.</i>)	Chili.	Chili.	1795.	7.	G. ½.	
SYNANDRA. N. SYNANDRA. Didynamia Gymnospermia.								
	grandiflora. N.	(<i>st.</i>)	great-flowered.	N. America.	1827.	6. 7.	H. ½.	

Tribus V. NEPETEÆ. Benth. in Bot. reg.

LEONOTIS. S.S. LION'S-EAR. Didynamia Gymnospermia. S.S.								
1	Leonurus. s.s.	(<i>or.</i>)	narrow-leaved.	C. B. S.	1712.	10. 12.	G. ½.	Bot. mag. t. 478.
	<i>Phlomis Leonurus. w.</i>							
2	ovàta. s.s.	(<i>or.</i>)	dwarf shrubby.	_____	1713.	6. 7.	G. ½.	Mill. ic. 2. t. 162. f. 1.
3	intermèdia. s.s.	(<i>or.</i>)	intermediate.	S. Africa.	1823.	—	G. ½.	Bot. reg. t. 850.
4	nepetifolia. s.s.	(<i>or.</i>)	Catmint-leaved.	E. Indies.	1778.	9. 10.	S. ⊙.	— t. 281.
LEUCAS. B.P. LEUCAS. Didynamia Gymnospermia. S.S.								
1	chinensis. s.s.	(<i>wh.</i>)	Chinese.	China.	1822.	6. 8.	S. ½.	
2	zeylanica. s.s.	(<i>wh.</i>)	Ceylon.	E. Indies.	1777.	6. 10.	S. ⊙.	Jacq. ic. 1. t. 111.
3	linifolia. s.s.	(<i>wh.</i>)	Flax-leaved.	_____	1816.	—	S. ⊙.	
4	Pluknetii. s.s.	(<i>wh.</i>)	Pluknet's.	_____	1824.	—	S. ⊙.	
5	cephalotes. s.s.	(<i>wh.pu.</i>)	large-headed.	_____	1811.	—	S. ⊙.	
6	nütans. s.s.	(<i>wh.</i>)	nodding.	_____	1826.	—	S. ⊙.	
7	hirta. s.s.	(<i>wh.</i>)	hairy.	_____	1824.	—	S. ⊙.	
8	aspera. s.s.	(<i>wh.</i>)	rough.	Persia.	1823.	—	S. ⊙.	
9	indica. s.s.	(<i>bh.</i>)	Indian	E. Indies.	1789.	7. 8.	S. ⊙.	
10	urticæfolia. s.s.	(<i>wh.</i>)	Nettle-leaved.	_____	1810.	—	S. ⊙.	

- 11 martinicensis. (wh.) West-Indian. W. Indies. 1781. 7. 8. S. ⊙. Jacq. ic. 1. t. 110.
Phlomis martinicensis. w.
- 12 biflora. s.s. (wh.) two-flowered. E. Indies. 1820. — S. ⊙. Burm. zeyl. t. 63. f. 1.
- PHLOMIS. S.S. JERUSALEM-SAGE. Didynamia Gymnospermia. L.
- 1 fruticosa. s.s. (ye.) shrubby. Spain. 1596. 6. 7. H. h. Flor. græc. t. 563.
- 2 ferruginea. s.s. (ye.) ferruginous. Naples. — H. h.
- 3 lanata. s.s. (ye.) small shrubby. S. Europe. 1596. — H. h.
- 4 crética. s.s. (ye.) Cretan. Crete. 1823. — G. h.
- 5 scariosa. s.s. (ye.) scarioso-bracted. Italy. — F. h.
- 6 virens. s.s. (ye.) green shrubby. Levant. — F. h.
- 7 microphylla. Sie. (ye.) small-leaved. — 1827. — F. h.
- 8 purpurea. s.s. (pu.) purple. S. Europe. 1661. 6. 8. F. h. Smith spicil. 6. t. 3.
- 9 italica. s.s. (pu.) Italian. Italy. — F. h.
- 10 Nissolia. s.s. (ye.) Nissolia's. Levant. 1757. 6. 7. F. h. Mill. ic. 2. t. 204.
- 11 armeniaca. s.s. (ye.) Armenian. Armenia. 1829. — F. h.
- 12 Lychnites. s.s. (ye.) lamp-wick. S. Europe. 1658. 6. 8. G. h. Bot. mag. t. 999.
- 13 floccosa. B.R. (ye.) woolly. Egypt. 1828. 8. 11. F. h. Bot. reg. t. 1300.
- 14 salviaefolia. p.s. (ye. re.) Sage-leaved. 1822. 6. 9. F. h. Jacq. schœnb. 3. t. 359.
- 15 agraria. Led. (pu.) field. Siberia. 1827. — H. h.
- 16 Samia. s.s. (pu.) Samian. N. Africa. 1714. 6. 7. H. h. Flor. græc. t. 564.
- 17 Russelliana. Lag. (ye.) Russell's. Levant. 1821. — H. h. Russ. alep. 2. t. 16.
lunariifolia β *Russelliana*. B.M. 2542.
- 18 Hérba-vénti. s.s. (pu.) rough-leaved. S. Europe. 1596. 7. 9. H. h.
- 19 pungens. s.s. (pu.) pungent. Levant. 1818. 6. 8. H. h. Swt. br. fl. gar. t. 33.
- 20 crinita. s.s. (or.) white woolly. Spain. 1829. — H. h. Cavan. icon. 3. t. 247.
- 21 alpina. s.s. (pu.) Alpine. Siberia. 1802. 6. 9. H. h. Pall. act. pet. 2. t. 13.
- 22 tuberosa. s.s. (pu.) tuberous-root'd. — 1759. 6. 10. H. h. Bot. mag. t. 1555.
- 23 laciniata. s.s. (ye.) jagged-leaved. Levant. 1731. 7. H. h. Swt. br. fl. gar. t. 24.
- BALLOTA. S.S. STINKING HOREHOUD. Didynamia Gymnospermia. L.
- 1 vulgaris. s.s. (pu.) common. Europe. 7. 9. H. h.
- 2 fœtida. L.en. (pu.) strong-scented. Britain. — H. h. Eng. bot. v. 1. t. 46.
- a nigra. (pu.) purple-flowered. — H. h.
- β alba. (wh.) white-flowered. — H. h.
- BERINGERIA. B.R. BERING'ERIA. Didynamia Gymnospermia.
- 1 cinerea. B.R. (li.) cinereous. S. Europe. 1824. 6. 9. H. h.
- Marrubium cinereum*. s.s.
- 2 acetabulosum. B.R. (li.) saucer-leaved. Candia. 1676. 6. 8. F. h. Barrel. icon. 129.
- 3 pseudo-dictamnus. B.R. (li.) shrubby white. — 1596. 7. 8. F. h. Flor. græc. t. 562.
- Marrubium pseudo-dictamnus*. F.G.
- 4 afracanum. B.R. (li.) African. C. B. S. 1710. 7. 9. G. h. Comm. hort. 2. t. 90.
- 5 crispum. B.R. (li.) curled-leaved. S. Europe. 1714. 7. 8. H. h. Herm. parad. t. 200.
- 6 hispanicum. B.R. (li.) Spanish. Spain. — H. h. — t. 201.
- 7 hirsutum. B.R. (li.) hairy. S. Europe. 6. 7. H. h.
- 8 orientale. B.R. (li.) oriental. Levant. 1828. — H. h.
- MOLUCCELLA. S.S. MOLUCCA-BALM. Didynamia Gymnospermia. L.
- 1 tuberosa. s.s. (wh.) tuberous-root'd. Tartary. 1796. 7. H. h. Pall. it. 3. app. t. T.
- 2 lavis. s.s. (wh. re.) smooth. Syria. 1570. 7. 8. H. ⊙. Bot. mag. t. 1852.
- CHASMONIA. B.R. CHASMONIA. Didynamia Gymnospermia.
- 1 incisa. B.R. (wh. re.) spiny. Levant. 1596. 7. 8. H. ⊙. Bot. reg. t. 1244.
- Molucella spinosa*. Flor. græc. t. 567.
- LEONURUS. S.S. MOTHERWORT. Didynamia Gymnospermia. L.
- 1 Cardiac. s.s. (li. wh.) common. Britain. 7. 8. H. h. Eng. bot. v. 4. t. 286.
- 2 villösus. s.s. (li. wh.) villous. Tauria. 1824. — H. h.
- 3 crispus. s.s. (li.) curl-leaved. Siberia. 1658. — H. h. Murr. c. gott. 8. t. 4.
- 4 supinus. s.s. (wh.) procumbent. — 1816. 6. 8. H. h.
- 5 glaucescens. Led. (li.) glaucous-leaved. — 1827. 7. 9. H. h.
- 6 tatarius. s.s. (li.) Tartarian. Tartary. 1756. 8. 10. H. h. Mill. ic. 1. t. 80.
- 7 sibiricus. s.s. (ro.) Siberian. Siberia. 1759. 6. 8. H. h. Swt. br. fl. gar. t. 204.
- 8 condensatus. s.s. (li.) condensed. — 1824. — H. h.
- 9 heterophyllus. B.F.G. (ro.) various-leav'd. S. America. — H. ⊙. Swt. br. fl. gar. t. 197.
- 10 multifidus. Desf. (li.) multifid. — H. ⊙.
- 11 neglectus. Sch. (li.) neglected. — H. h.
- 12 altaicus. s.s. (li.) Altaic. Altay. 1826. — H. h.
- 13 lanatus. s.s. (st.) woolly. Siberia. 1752. — H. h. Gmel. sib. 3. t. 54.
- Ballota lanata*. w.
- GALEO'DOLON. S.S. DEAD-NETTLE. Didynamia Angiospermia. S.S.
- luteum. E.B. (ye.) yellow. Britain. 5. 6. H. h. Eng. bot. v. 11. t. 787.
- GALEO'PSIS. S.S. HEMP-NETTLE. Didynamia Gymnospermia. L.
- 1 Ladanum. E.B. (ro.) red. Britain. 7. 9. H. ⊙. Eng. bot. v. 13. t. 884.

2	angustifolia. P.S. (ro.)	narrow-leaved.	Europe.	1820.	7. 9.	H.⊙.	
3	canescens. S.S. (li.)	canescent.	Germany.	1827.	—	H.⊙.	
4	pubescens. S.S. (wh.re.)	pubescent.	—	1820.	—	H.⊙.	
5	ochroleuca. S.S. (ye.)	downy.	Britain.		7. 8.	H.⊙.	Eng. bot. v. 33. t. 2353.
	villôsa. E.B.						
6	Tetrâhit. E.B. (wh.pu.)	common.	—		—	H.⊙.	Eng. bot. v. 3. t. 207.
7	versicolor. E.B. (ye.vi.)	various-colour'd.	—		—	H.⊙.	— v. 10. t. 667.
	cannabina. W.						
LAMIUM. S.S. ARCHANGEL. Didynamia Gymnospermia. L.							
1	longiflorum. T.N. (pu.)	long-flowered.	S. Europe.		4. 9.	H. 2.	Eng. bot. v. 36. t. 2550.
	maculatum. Eng. bot.	non Flor. Græc.					
2	rugosum. S.S. (pu.)	rough.	Italy.	1766.	7. 8.	H. 2.	Flor. græc. t. 555.
3	maculatum. E.B. (pu.)	spotted.	Britain.		4. 5.	H. 2.	— t. 556.
4	album. E.B. (wh.)	white.	—		4. 9.	H. 2.	Eng. bot. v. 11. t. 768.
5	striatum. F.G. (wh.std.)	striped-flower'd.	Levant.	1829.	—	H. 2.	Flor. græc. t. 557.
6	bifidum. S.S. (wh.)	bifid-helmetted.	Naples.	1825.	—	H. 2.	Cyr. rar. fasc. 1. t. 7.
7	moschatum. S.S. (wh.)	musk-scented.	Levant.	1739.	7. 9.	H. 2.	
8	môlle. S.S. (wh.)	Pellitory-leaved.		1683.	4. 5.	H. 2.	
9	flexuosum. T.N. (wh.)	flexuose.	Naples.	1824.	4. 8.	H. 2.	Ten. flor. nap. ic.
10	garganicum. S.S. (pu.)	woolly.	Italy.	1729.	7. 8.	H. 2.	Sm. exot. bot. 1. t. 48.
11	lævigatum. S.S. (pu.)	smooth.	—	1711.	3. 10.	H. 2.	Pluk. alm. t. 198. f. 1.
12	purpureum. S.S. (pu.)	purple.	Britain.		2. 8.	H.⊙.	Eng. bot. v. 11. t. 769.
	β albidum. (wh.)	white-flowered.	—		—	H.⊙.	
13	incisum. S.S. (li.)	cut-leaved.	England.		5. 7.	H.⊙.	Eng. bot. v. 27. t. 1933.
14	amplexicaule. S.S. (pu.)	Henbit.	Britain.		—	H.⊙.	— v. 11. t. 770.
15	multifidum. S.S. (pu.)	multifid-leaved.	Levant.	1752.	4. 5.	H.⊙.	Comm. rar. t. 26.
ORVALA. DC. ORVALA. Didynamia Gymnospermia.							
1	lamioides. DC. (pu.bh.)	balm-leaved.	Italy.	1596.	4. 7.	H. 2.	Bot. mag. t. 172.
	Lamium Orvâla. B.M.						
2	garganica. DC. (pu.)	Garganian.	—	—	—	H. 2.	
PHYSOSTEGIA. B.R. PHYSOSTEGIA. Didynamia Angiospermia.							
1	virginiana. B.R. (cr.)	Virginian.	N. America.	1683.	7. 9.	H. 2.	Bot. mag. t. 467.
2	speciosa. B.F.G. (ro.)	beautiful.	—	1820.	—	H. 2.	Swt. br. fl. gar. t. 93.
	Dracocéphalum speciosum. B.F.G.						
3	denticulata. B.R. (ro.)	toothed.	—	1787.	8. 9.	H. 2.	Bot. mag. t. 214.
	Dracocéphalum denticulatum. B.M.						
4	variegata. B.R. (re.wh.)	variegated.	—	1812.	—	H. 2.	Vent. cels. t. 44.
SPHA'CELE. B.R. SPHA'CELE. Didynamia Gymnospermia.							
	Lindlêi. B.R. (li.)	Lindley's.	Valparaiso.	1825.	7. 9.	G. ½.	Bot. reg. t. 1226.
	Stâchys Sâlvica. B.R.						
BETONICA. S.S. BETONY. Didynamia Gymnospermia. L.							
1	officinalis. S.S. (pu.)	wood.	Britain.		7. 8.	H. 2.	Eng. bot. v. 16. t. 1142.
2	stricta. S.S. (pu.)	Danish.	Denmark.	1592.	6. 7.	H. 2.	
3	incana. S.S. (pi.)	hoary.	Italy.	1759.	—	H. 2.	Bot. mag. t. 2125.
4	orientalis. S.S. (pu.)	oriental.	Levant.	1737.	—	H. 2.	Lam. ill. t. 507. f. 2.
5	alopeūros. S.S. (st.)	Foxtail.	S. Europe.	1759.	7.	H. 2.	Jacq. aust. 1. t. 78.
6	hirsuta. S.S. (pu.)	hairy.	Italy.	1710.	6. 7.	H. 2.	Mur. com. got. 2. t. 3.
7	grandiflora. S.S. (pu.)	great-flowered.	Siberia.	1800.	—	H. 2.	Bot. mag. t. 700.
STACHYS. S.S. HEDGE-NETTLE. Didynamia Gymnospermia. L.							
1	spinosa. S.S. (wh.)	thorny.	Candia.	1640.	7.	F. ½.	Flor. græc. t. 559.
2	glutinosa. S.S. (wh.)	clammy.	—	1729.	6. 7.	H. 2.	Moris. s. 11. t. 4. f. 17.
3	fruticulosa. S.S. (pu.)	frutescent.	Caucasus.	1825.	—	H. ½.	
4	æthiopica. S.S. (li.)	Ethiopian.	C. B. S.	1770.	4. 7.	G. 2.	Jacq. obs. 4. t. 77.
5	còrsica. S.S. (li.)	Corsican.	Corsica.	1825.	—	H. 2.	
6	angustifolia. S.S. (li.)	narrow-leaved.	Tauria.	1823.	6. 7.	H. 2.	Swt. br. fl. gar. 2. t. 180.
7	rugosa. S.S. (st.)	rough.	C. B. S.	1774.	7. 8.	G. ½.	Jacq. ic. 3. t. 493.
8	betonicaefolia. S.S. (ye.)	Betony-leaved.	Crete.	1812.	6. 7.	H. 2.	
9	strophylla. S.S. (ye.)	linear-leaved.	S. Spain.	1819.	—	F. ½.	
10	orientalis. S.S. (st.)	oriental.	Levant.	1768.	—	H. 2.	Flor. græc. t. 560.
11	maritima. S.S. (ye.)	sea-side.	S. Europe.	1714.	7.	H. 2.	Jacq. vind. 1. t. 70.
12	annua. S.S. (wh.pu.)	annual.	—	1713.	6. 8.	H.⊙.	Jacq. aust. 4. t. 360.
13	hirta. S.S. (ye.pu.)	procumbent.	Spain.	1725.	—	H. 2.	All. ped. 1. t. 2. f. 3.
14	arvensis. S.S. (pu.)	corn.	Britain.		7. 8.	H.⊙.	Eng. bot. v. 17. t. 1154.
15	arenaria. S.S. (pu.)	sand.	Barbary.	1824.	6. 8.	H. 2.	Desf. atl. 2. t. 126.
16	diffusa. Schweig. (re.)	diffuse.	S. Europe.	1804.	—	H. 2.	Bot. mag. t. 1915.
	arenaria. B.M. non Desf. rubra. Donn.						
17	ibérica. B.M. (pu.)	Iberian.	Iberia.	1823.	—	H. 2.	
18	scordifolia. W.en. (pu.)	wedge-leaved.		1816.	7. 8.	H. 2.	
19	aspera. M. (pu.)	harsh-leaved.	N. America.	—	—	H. 2.	

20	hispida. s.s.	(pu.) hispid.	N. America.	1827.	7. 8.	H. ♀.	
21	italica. Mil.	(pu.) Italian.	Italy.	1747.	—	H. ♂.	
22	Balbisi. L.en.	(ye.) Balbis's.	—	1823.	—	H. ♀.	
23	nepetæfolia. s.s.	(pu.) Catmint-leaved.	Levant.	1805.	6. 8.	H. ♀.	
24	arabica. s.s.	(re.) Arabian.	Arabia.	1820.	—	H. ♂.	
25	ambigua. s.s.	(pu.) ambiguous.	Britain.		6. 7.	H. ♀.	Eng. bot. v. 30. t. 2089.
26	sylvatica. s.s.	(pu.) common.	—		7. 8.	H. ♀.	— v. 6. t. 416.
27	circinata. s.s.	(pu.) blunt-leaved.	Barbary.	1777.	5. 7.	H. ♀.	L'Herit. s. nov. t. 26.
	canariensis. Jacq. ic. l. t. 108.						
28	mollissima. W.en. (li.)	soft-leaved.	Corfu.	1806.	7. 8.	F. ♀.	W. hort. ber. t. 60.
29	pubescens. T.s. (st.)	pubescent.	Italy.	1826.	—	H. ♀.	
30	decumbens. P.s. (st.)	decumbent.	S. Europe.	1816.	5; 7.	H. ♀.	
31	coccinea. s.s. (sc.)	scarlet.	S. America.	1798.	6. 8.	F. ♀.	Bot. mag. t. 666.
32	recta. s.s. (ye.)	upright.	S. Europe.	1683.	—	H. ♀.	Jacq. aust. 4. t. 359.
33	heraclea. w. (pu.)	Phlomis-leaved.	Italy.	1816.	6. 7.	H. ♀.	All. ped. t. 84. f. 1.
	phlomoidea. W.en.						
34	obliqua. P.s. (st.)	oblique-leaved.	Hungary.	—	—	H. ♀.	W. et K. hung. t. 133.
35	palustris. s.s. (pu.)	Clown's all-heal.	Britain.		8.	H. ♀.	Eng. bot. v. 24. t. 1675.
36	germanica. s.s. (pu.)	downy.	England.		7. 8.	H. ♀.	— v. 12. t. 829.
37	intermedia. w. (pu.)	oblong-leaved.	Carolina.	1762.	6. 7.	H. ♀.	
38	sibirica. L.en. (pu.)	Siberian.	Siberia.	1822.	6. 8.	H. ♀.	Swt. br. fl. gar. t. 100.
39	polystachya. s.s. (pu.)	many-spiked.	Naples.	1824.	—	H. ♀.	
40	salviaefolia. s.s. (pu.)	Sage-leaved.	—	—	—	H. ♀.	
41	cretica. s.s. (pu.)	Cretan.	Candia.	1640.	—	F. ♀.	Flor. græc. t. 558.
42	dasyantha. Raf. (pu.)	woolly-flower'd.	Sicily.	1829.	—	H. ♀.	
43	exaltata. Ot. (pu.)	tall.		—	—	H. ♀.	
44	alpina. s.s. (pu.)	Alpine.	Germany.	1597.	—	H. ♀.	Lap. pyr. l. t. 8.
45	lanata. s.s. (pu.)	woolly.	Siberia.	1782.	6. 9.	H. ♀.	Jacq. ic. l. t. 107.
46	latifolia. s.s. (pu.)	broad-leaved.		1775.	6. 7.	H. ♀.	
47	biennis. Roth. (pu.)	biennial.	Germany.	1801.	6. 8.	H. ♂.	
48	lusitana. (pu.)	Portugal.	Portugal.	1800.	—	H. ♀.	
	Eriostemon lusitanicum. Lk.						
ZIETENIA. P.S. ZIET'ENIA. Didymia Gymnospermia. P.S.							
	orientalis. P.s. (li.)	Lavender-leaved.	Levant.	1816.	5. 7.	H. ♀.	
	lavandulifolia. L.en. Stachys	lavandulifolia. w.					
CHAITURUS. B.R. CHAIT'URUS. Didymia Gymnospermia.							
	marrubiastrum. Ehr. (li.)	small-flowered.	Austria.	1710.	6. 8.	H. ♂.	Jacq. aust. 5. t. 405.
	Leonurus marrubiastrum. w.						
CRANIO'TOME. B.R. CRANIO'TOME. Didymia Gymnospermia.							
	versicolor. B.R. (re.wh.)	various-coloured.	Nepaul.	1823.	7. 8.	G. ♀.	
	Ajuga furcata. L.enum.	Anisomèles nepalensis. s.s.					
NE'PETA. L. CATMINT. Didymia Gymnospermia. L.							
1	serpyllifolia. s.s. (li.)	Thyme-leaved.	Tauria.	1826.	6. 8.	H. ♀.	
2	parviflora. s.s. (li.)	small-flowered.	—	1828.	—	H. ♀.	
3	sibirica. s.s. (bl.)	Siberian.	Siberia.	1804.	7.	H. ♀.	
4	grandiflora. s.s. (bl.)	large-flowered.	Caucasus.	1806.	7. 8.	H. ♀.	
5	melissæfolia. s.s. (bl.)	Balm-leaved.	Candia.	1752.	—	H. ♀.	
6	colorata. W.en. (vi.)	coloured.	Caucasus.	1806.	—	H. ♀.	
7	longiflora. H.K. (bl.)	long-flowered.	Persia.	1802.	6. 8.	H. ♀.	Venten. cels. t. 66.
8	Mussini. H.K. (bl.)	scollop-leav'd.	Siberia.	1804.	5. 8.	H. ♀.	Bot. mag. t. 923.
	longiflora. B.M. non v.						
9	incana. s.s. (bl.)	hoary.	Levant.	1723.	8.	H. ♀.	
10	graveolens. s.s. (bl.)	strong-smelling.	S. Europe.	1804.	7. 8.	H. ♀.	All. ped. t. 2. f. 1.
11	amethystina. Poir. (bl.)	amethystine.	—	1820.	—	H. ♀.	
12	Nepetella. s.s. (li.)	small.	—	1758.	—	H. ♀.	
13	teucriifolia. s.s. (bl.)	Teucrium-leav'd.	Armenia.	1816.	—	H. ♀.	
14	lamiifolia. s.s. (bl.)	Lamium-leaved.	—	1806.	—	H. ♀.	
15	citriodora. Lag. (wh.)	Citron-scented.	Spain.	1826.	—	H. ♀.	
16	lophantha. f. (bl.)	crested.	Altay.	1821.	—	H. ♀.	
17	angustifolia. s.s. (wh.)	narrow-leaved.	Spain.	1798.	6. 7.	H. ♀.	
18	Cataria. s.s. (wh.)	common.	Britain.		7. 9.	H. ♀.	Eng. bot. v. 2. t. 137.
19	ucranica. s.s. (vi.)	Ukranian.	Ukraine.	1789.	7. 8.	H. ♀.	
20	nuda. L. (li.)	naked.	S. Europe.	1710.	—	H. ♀.	Flor. græc. t. 547.
21	pannonica. L. (li.)	close-flowered.	Hungary.	1683.	8. 10.	H. ♀.	Jacq. aust. 2. t. 129.
22	violacea. s.s. (vi.)	violet-coloured.	Spain.	1723.	7. 9.	H. ♀.	Bocc. mus. t. 36.
23	cœrulea. s.s. (bl.)	blue-flowered.		1777.	5. 6.	H. ♀.	
24	latifolia. s.s. (pu.)	broad-leaved.	Pyrenees.	1818.	7. 8.	H. ♀.	
25	macrura. s.s. (li.)	long-tailed.	Siberia.	—	—	H. ♀.	
26	crispa. s.s. (bl.)	curl-leaved.	Levant.	1800.	—	H. ♀.	

27	diffusa. s.s.	(bl.) spreading.	Siberia.	1820.	7. 8.	H. 2.	
28	imbricata. s.s.	(pu.) imbricated.	Spain.	1825.	—	H. 2.	
29	teucroïdes. s.s.	(br.) Teucrum-like.	Levant.	1819.	—	H. 2.	
30	italica. w.	(wh.sp.) Italian.	Italy.	1640.	6. 8.	H. 2.	Flor. græc. t. 548.
31	marrubioides. W.en.(pu.)	horehound-leav'd.	—	—	—	H. 2.	
32	multibracteata. s.s.(vi.)	many-bracted.	Barbary.	1823.	—	H. 2.	Desf. atl. 2. t. 123.
33	lanata. s.s.	(vi.) woolly.	S. Europe.	1774.	5. 6.	H. 2.	Jacq. obs. 3. t. 75.
34	tuberosa. s.s.	(vi.) tuberous-root'd.	Spain.	1683.	6. 8.	H. 2.	Barrel. ic. t. 602.
35	reticulata. s.s.	(li.) netted.	Morocco.	1801.	7. 8.	H. 2.	Desf. atl. 2. t. 124.
36	Scordotis. s.s.	(wh.) sessile-spiked.	Crete.	1823.	—	G. 2.	Alp. exot. t. 283.
37	suavæolens. Rom.(wh.)	sweet-scented.	—	1804.	—	H. 2.	
38	botryoides. w.	(wh.) annual.	—	1779.	6. 7.	H. 2.	Cavan. ic. 1. t. 49.
	bipinnata. Cav.						
GLE'CHOMA. L. GROUND-IVY. Didynamia Gymnospermia. L.							
1	hederacea. E.B.	(bl.) common.	Britain.	—	3. 5.	H. 2.	Eng. bot. v. 12. t. 853.
2	hirsuta. P.S.	(pu.) hairy.	Hungary.	—	—	H. 2.	W. et K. hung. t. 119.
HEMIG'ENIA. B.P. HEMIG'ENIA. Didynamia Gymnospermia. N. S. W.							
	purpurea. B.P.	(pu.) purple.	N. S. W.	1824.	4. 8.	G. 2.	
SIDE'RITIS. S.S. IRONWORT. Didynamia Gymnospermia. L.							
1	canariensis. s.s.	(ye.) Canary.	Canaries.	1697.	5. 8.	G. 2.	Jacq. vind. 3. t. 30.
2	candicans. s.s.	(ye.) Mullein-leaved.	Madeira.	1714.	4. 7.	G. 2.	Comm. hort. 2. t. 99.
3	cretica. s.s.	(wh.) Cretan.	Crete.	1823.	—	G. 2.	
4	montana. s.s.	(ye.) mountain.	Austria.	1752.	7. 8.	H. 2.	Flor. græc. t. 551.
5	elegans. s.s.	(wh.bl.) dark-flowered.	—	1787.	7.	H. 2.	Murr. com. got. 1. t. 4.
6	romana. s.s.	(wh.) Roman.	Italy.	1759.	6. 8.	H. 2.	Flor. græc. t. 552.
7	syriaca. s.s.	(ye.) Syrian.	Levant.	1597.	6. 9.	G. 2.	— t. 550.
8	taurica. W.en.	(ye.) Taurian.	Tauria.	1818.	—	H. 2.	
9	brutia. T.S.	(ye.) woolly.	Naples.	1827.	—	F. 2.	
10	perfoliata. s.s.	(ye.) perfoliate.	Levant.	1731.	8. 11.	H. 2.	
11	pullulans. s.s.	(wh.) brownish.	—	1828.	—	F. 2.	Vent. cels. 1. t. 98.
12	leucantha. s.s.	(wh.) white-flowered.	Spain.	—	—	F. 2.	Cavan. ic. 2. t. 304.
13	incana. s.s.	(ye.) Lavender-leav'd.	—	1752.	7. 8.	H. 2.	— 2. t. 186.
14	angustifolia. s.s.	(ye.) narrow-leaved.	—	1825.	—	H. 2.	
15	spinosa. s.s.	(ye.) spiny.	—	—	6. 9.	H. 2.	Cavan. ic. 3. t. 209.
16	ilicifolia. s.s.	(ye.) Holly-leaved.	Levant.	—	—	H. 2.	
17	serrata. s.s.	(ye.) saw-leaved.	Spain.	1818.	—	H. 2.	
18	hyssopifolia. s.s.	(ye.) Hyssop-leaved.	Pyrenees.	1597.	6. 11.	H. 2.	Schk. hand. 2. t. 158.
19	fœtida. L.en.	(ye.) strong-scented.	—	—	—	H. 2.	
20	pyrenaica. s.s.	(ye.) Pyrenean.	Pyrenees.	1816.	—	H. 2.	
21	chamædryfolia. s.s.(ye.)	Germander-ld.	Spain.	—	—	H. 2.	Cavan. ic. 4. t. 301.
22	scordioïdes. s.s.	(ye.) scollop-leaved.	France.	1597.	8. 11.	H. 2.	Barrel. ic. t. 343.
23	hirsuta. s.s.	(ye.) hairy.	S. Europe.	1731.	6. 7.	H. 2.	Cavan. ic. 4. t. 302.
24	crispata. s.s.	(ye.) curled-leaved.	Gibraltar.	1816.	6. 9.	F. 2.	
MARRUBIUM. S.S. HOREHOUND. Didynamia Gymnospermia. L.							
1	Alyssum. s.s.	(pu.) plaited-leaved.	Spain.	1597.	7. 8.	H. 2.	Ger. herb. 379. f. 1.
2	astracanicum. s.s.(bl.)	Astracan.	Levant.	1816.	—	H. 2.	Jacq. ic. 1. t. 109.
3	peregrinum. w. (wh.)	Sicilian.	Sicily.	1640.	7. 9.	H. 2.	Jacq. aust. 2. t. 160.
4	candidissimum. s.s.(wh.)	woolly white.	Levant.	1732.	—	H. 2.	Dill. elt. 274. f. 214.
5	creticum. w.	(wh.) Cretan.	—	1596.	—	H. 2.	
6	affine. L.en.	(pu.) related.	Siberia.	1816.	—	H. 2.	
7	supinum. s.s.	(wh.) procumbent.	S. Europe.	1714.	8. 10.	H. 2.	Bocc. mus. 2. t. 96.
8	catariæfolium. s.s.(wh.)	Catmint-leav'd.	Levant.	1823.	7. 9.	H. 2.	
9	velutinum. F.c.	(ye.) velvety.	—	1827.	—	F. 2.	Flor. græc. t. 561.
10	vulgare. s.s.	(wh.) common.	Britain.	—	6. 9.	H. 2.	Eng. bot. t. 6. f. 410.
LAVANDULA. S.S. LAVENDER. Didynamia Gymnospermia. L.							
1	Spica. s.s.	(bl.) common.	S. Europe.	1568.	7. 9.	H. 2.	Schk. hand. 2. t. 157.
	β alba.	(wh.) white-flowered.	—	—	—	H. 2.	
2	latifolia. s.s.	(bl.) broad-leaved.	—	—	—	H. 2.	
3	Stœchas. s.s.	(bl.) French.	S. Europe.	1562.	5. 7.	G. 2.	Flor. græc. t. 549.
4	viridis. s.s.	(bl.) Madeira.	Madeira.	1777.	—	G. 2.	Hoff. et Lk. lus. 1. t. 4.
5	dentata. s.s.	(bl.) tooth-leaved.	Spain.	1597.	6. 9.	G. 2.	Bot. mag. t. 401.
6	pinnata. s.s.	(bl.) pinnated.	Madeira.	1777.	4. 8.	G. 2.	— t. 400.
7	heterophylla. s.s.	(bl.) various-leaved.	—	1816.	—	G. 2.	
8	formosa. L.en.	(bl.) handsome.	Canaries.	—	—	G. 2.	
9	multifida. s.s.	(bl.) cut-leaved.	—	1597.	7. 9.	G. 2.	Lobel. ic. 432.
10	abrotanoides. s.s.	(bl.) Southernwood-ld.	—	1699.	6. 9.	G. 2.	Comm. rar. t. 27.
DRACOC'EPHALUM. DRAGON'S-HEAD. Didynamia Gymnospermia. L.							
1	Ruyschiâna. s.s.	(bl.) Hyssop-leaved.	N. Europe.	1699.	6. 9.	H. 2.	Flor. dan. t. 121.
2	austriacum. s.s.	(bl.) Austrian.	Austria.	1597.	6. 7.	H. 2.	Jacq. ic. 1. t. 112.

- 3 *origanoides*. s.s. (*bl.*) Marjoram-like. Siberia. 1827. 6. 7. H. 2.
- 4 *botryoïdes*. s.s. (*bl.*) woolly-leaved. Caucasus. 1823. — H. 2.
- 5 *palmatum*. s.s. (*bl.*) palmated. Siberia. 1815. 6. 8. H. 2.
- 6 *canariense*. s.s. (*li.*) Balm of Gilead. Canaries. 1697. 7. 9. G. 7. Comm. hort. 2. t. 41.
- 7 *pinnatum*. s.s. (*bl.*) wing-leaved. Siberia. 1827. — H. 7.
- 8 *peregrinum*. s.s. (*bl.*) prickly-leaved. — 1759. 7. 8. H. 2. Bot. mag. t. 1084.
- 9 *argunense*. s.s. (*bl.*) Fischer's. — 1822. 7. 9. H. 2. Swt. br. fl. gar. t. 47.
- 10 *integrifolium*. Led. (*bl.*) entire-leaved. — 1827. — H. 2.
- 11 *grandiflorum*. s.s. (*bl.*) great-flowered. — 1759. — H. 2.
- 12 *altaïense*. s.s. (*bl.*) Betony-leaved. Georgia. 1787. — H. 2. Swt. br. fl. gar. s. 2.
- 13 *Moldávica*. s.s. (*bl.*) Moldavian. Moldavia. 1596. 7. 8. H. 2. Lam. ill. t. 513. f. 1.
- 14 *canescens*. s.s. (*bl.*) hoary-leaved. Levant. 1711. — H. 2. Swt. br. fl. gar. t. 38.
- 15 *ibéricum*. s.s. (*bl.*) Iberian. Iberia. 1827. — H. 2.
- 16 *peltatum*. s.s. (*bl.*) Willow-leaved. Levant. 1711. — H. 2.
- 17 *thymiflorum*. s.s. (*bl.*) small-flowered. Siberia. 1752. 6. 9. H. 2. Lam. ill. t. 513. f. 2.
- 18 *nütans*. s.s. (*bl.*) nodding. — 1731. 7. 8. H. 2. Gmel. sib. 3. t. 50.
- 19 *chamædryoides*. s.s. (*bl.*) Chamædryis-like. — 1828. — H. 2. Bot. reg. t. 841.
- 20 *sibiricum*. s.s. (*bl.*) Siberian. Siberia. 1760. 6. 8. H. 2. Bot. mag. t. 2185.
- HORMINUM. P.S.** **HORMINUM.** Didynamia Gymnospermia. P.S.
- pyrenæicum*. s.s. (*bl.*) Pyrenean. Pyrenees. 1820. 6. 7. H. 2. Swt. br. fl. gar. t. 252.
- MELISSA. S.S.** **BALM.** Didynamia Gymnospermia. L.
- 1 *officinalis*. w. (*bh.*) common. S. Europe. 1573. 6. 10. H. 2.
- 2 *hirsuta*. H.H. (*bh.*) hairy. — — H. 2.
- 3 *cordifolia*. P.S. (*bh.*) heart-leaved. — — H. 2.
- 4 *altissima*. s.s. (*bh.*) tall. — 1823. — H. 2. Flor. græc. t. 579.
- LEPECHINIA. S.S.** **LEPECHINIA.** Didynamia Gymnospermia. W.
- spicata*. s.s. (*st.*) spiked. Mexico. 1800. 7. 8. H. 2. Bot. reg. t. 1292.
- THYMRA. S.S.** **THYMRA.** Didynamia Gymnospermia. L.
- 1 *spicata*. L. (*re.*) spiked-flower'd. Levant. 1699. 6. 7. G. 7. Flor. græc. t. 546.
- 2 *verticillata*. L. (*re.*) whorl-flowered. Spain. 1702. — G. 7.
- ACYNOS. P.S.** **ACYNOS.** Didynamia Gymnospermia. P.S.
- 1 *vulgaris*. P.S. (*vi.*) Basil-leaved. Britain. 6. 8. H. 2. Eng. bot. v. 6. t. 411.
- Thymus A'cinos*. E.B.
- 2 *graveolens*. L.en. (*vi.*) strong-scented. Tauria. 1823. — H. 7.
- 3 *villosus*. P.S. (*vi.*) villous. Germany. 1817. — H. 2.
- 4 *exiguus*. F.G. (*pu.*) small. Levant. 1828. — H. 2. Flor. græc. t. 575.
- 5 *alpinus*. P.S. (*vi.*) Alpine. Austria. 1731. 6. 9. H. 2. Jacq. aust. 1. t. 97.
- 6 *purpurascens*. P.S. (*pu.*) purple. Spain. 1820. — H. 2.
- 7 *patavinus*. P.S. (*pu.*) Marjoram-leav'd. S. Europe. 1776. 6. 8. H. 2. Jacq. obs. 4. t. 87.
- 8 *rotundifolius*. P.S. (*pu.*) round-leaved. Spain. 1820. — H. 7.
- GARDOQUIA. S.S.** **GARDOQUIA.** Didynamia Gymnospermia.
- 1 *discolor*. K.S. (*pu.*) two-coloured. Caracas. 1827. 4. 7. S. 7.
- 2 *origanoides*. s.s. (*pu.*) Marjoram-like. Trinidad. 1824. — S. 7.
- CALAMINTHA. Ph.** **CALAMINT.** Didynamia Gymnospermia.
- 1 *marifolia*. P.S. (*wh.sp.*) Marum-leaved. Spain. 1788. 6. 7. H. 2. Cavan. ic. 6. t. 576.
- Népeta marifolia*. Cav. *Thymus marifolius*. W.en.
- 2 *crética*. P.S. (*pu.*) Cretan. S. Europe. 1596. — F. 7. Barrel. ic. 1166.
- 3 *fruticosa*. P.S. (*pu.*) shrubby. Spain. 1752. 7. 9. F. 7.
- 4 *alba*. L.en. (*wh.*) white. Hungary. 1818. — H. 2.
- 5 *Népeta*. P.S. (*li.*) lesser. England. 7. 10. H. 2. Eng. bot. v. 20. t. 1414.
- Melissa Népeta*. L. *Thymus Népeta*. E.B.
- 6 *vulgaris*. (*li.*) common. England. 7. 8. H. 2. Eng. bot. v. 24. t. 1676.
- Melissa Calamintha*. L. *Thymus Calamintha*. E.B.
- 7 *grandiflora*. P.S. (*ro.*) great-flowered. Italy. 1596. 6. 9. H. 2. Bot. mag. t. 208.
- Melissa grandiflora*. B.M.
- 8 *caroliniana*. N. (*li.*) Carolina. Carolina. 1804. 6. 7. F. 7. Bot. mag. t. 997.
- Thymus grandiflorus*. B.M.
- CLINODIUM. S.S.** **WILD-BASIL.** Didynamia Gymnospermia. L.
- 1 *vulgare*. s.s. (*ro.*) common. Britain. 6. 8. H. 2. Eng. bot. v. 20. t. 1401.
- 2 *atropurpureum*. H.H. (*pu.*) dark purple. S. Europe. 1820. — H. 2.
- 3 *ægyptiacum*. s.s. (*pu.*) Egyptian. Egypt. 1759. — H. 2.
- MELITIS. S.S.** **BASTARD-BALM.** Didynamia Gymnospermia. L.
- 1 *Melissophyllum*. s.s. (*pu.*) common. England. 6. 8. H. 2. Eng. bot. v. 9. t. 577.
- β alpina*. (*pu.wh.*) Alpine. Switzerland. — H. 2.
- 2 *grandiflora*. s.s. (*wh.vi.*) great-flowered. England. 5. H. 2. Eng. bot. v. 9. t. 636.
- MACBRIDEA. E.C.** **MACBRIDEA.** Didynamia Gymnospermia.
- pálchra*. N. (*re.std.*) pretty. Carolina. 1804. 7. 9. G. 7.
- Thymra caroliniana*. Walter.

PRUNELLA. S.S.		SELF-HEAL.	Didynamia Gymnospermia. L.			
1	vulgâris. s.s.	(bl.) common.	Britain.		7. 8.	H. 2. Eng. bot. v. 14. t. 961.
	<i>β alba</i> .	(wh.) white-flowered.				H. 2.
2	austrâlis.	(bl.) New Holland.	N. S. W.	1826.	—	F. 2.
	<i>vulgâris</i> . B.P. nec <i>aliorum</i> .					
3	pensylvânica. s.s.	(bl.) Pensylvanian.	N. America.	1801.	7. 9.	H. 2. W. hort. ber. 1. t. 9.
4	grandiflora. s.s.	(bl.) great-flowered.	Austria.	1596.	—	H. 2. Bot. mag. t. 2014.
5	intermedia. s.s.	(bl.) intermediate.	S. Europe.	1790.	—	H. 2. — t. 337.
	<i>grandiflora</i> . B.M.					
6	incisa. L.en.	(bl.) cut-leaved.			—	H. 2.
7	laciniata. L.	(ye.) yellow-flower'd.	Austria.	1713.	—	H. 2. Lam. ill. t. 516. f. 2.
8	hastata. s.s.	(bl.) halberd-leaved.	Portugal.		—	H. 2.
9	longifolia. P.s.	(bl.) long-leaved.	France.		—	H. 2.
10	hyssopifolia. s.s.	(pu.) hyssop-leaved.	S. Europe.	1731.	—	H. 2. Moris. s. 11. t. 5. f. 7.
CLEONIA. S.S.		CLEONIA.	Didynamia Gymnospermia. L.			
	lusitânica. s.s.	(pa.bl.) sweet-scented.	Portugal.	1710.	6. 7.	H. 2. Mill. ic. 1. t. 70.
SCUTELLARIA. S.S.		SKULLCAP.	Didynamia Gymnospermia. L.			
1	galericulata. s.s.	(bl.) common.	Britain.		6. 9.	H. 2. Eng. bot. v. 8. t. 523.
2	hastifolia. s.s.	(pu.) hastate-leaved.	Germany.	1798.	6. 7.	H. 2. Eng. bot. v. 8. t. 524.
3	minor. s.s.	(ro.) lesser.	Britain.		7. 8.	H. 2. Hook. ex. flor. t. 106.
4	pavula. s.s.	(bl.) slender.	N. America.	1823.	—	H. 2. Jacq. obs. 2. t. 29.
5	havanensis. s.s.	(wh.bl.) Havannah.	Havannah.	1793.	5. 6.	S. 2.
6	humilis. B.P.	(pu.) dwarf.	N. S. W.	1822.	6. 8.	G. 2.
7	grandiflora. s.s.	(re.ye.) large-flowered.	Siberia.	1804.	7. 8.	H. 2. Bot. mag. t. 635.
8	lateriflora. s.s.	(pu.) Virginian.	N. America.	1752.	6. 9.	H. 2.
9	nervosa. s.s.	(bl.) nerved-leaved.		1827.	—	H. 2.
10	orientalis. s.s.	(ye.) yellow-flower'd.	Levant.	1729.	7. 9.	H. 2. Flor. græc. t. 580.
11	altaica. F.	(bl.wh.) Altay.	Siberia.	1816.	—	H. 2. Swt. br. fl. gar. t. 45.
12	viscida. s.s.	(bl.wh.) viscid.	Iberia.	1820.	—	H. 2.
13	variegata. s.s.	(st.bl.) variegated.		—	—	H. 2.
14	alpina. s.s.	(bl.) Alpine.	Hungary.	1752.	6. 10.	H. 2. Swt. br. fl. gar. t. 90.
15	peregrina. s.s.	(d.pu.) Florentine.	Italy.	1733.	—	H. 2. Flor. græc. t. 582.
16	altissima. s.s.	(d.pu.) tall.	Levant.	1731.	7. 8.	H. 2.
17	pallida. s.s.	(pa.) pale-flowered.	Tauria.	1824.	—	H. 2.
18	Columnæ. s.s.	(d.pu.) heart-leaved.	Italy.	1806.	6. 8.	H. 2. Swt. br. fl. gar. t. 52.
19	rubicunda. s.s.	(re.) rubicund.		1815.	—	H. 2.
20	nigræscens. s.s.	(d.pu.) dark.	Crete.	1826.	—	F. 2.
21	albida. s.s.	(wh.) hairy white.	Levant.	1771.	6. 7.	H. 2. Flor. græc. t. 581.
22	lupulina. s.s.	(st.) Tartarian.	Tartary.	1739.	6. 9.	H. 2. Schmid ic. t. 73.
23	integrifolia. s.s.	(bl.) entire-leaved.	N. America.	1731.	—	H. 2. Pluk. alm. t. 441. f. 6.
24	hyssopifolia. w.	(bl.) Hyssop-leaved.		—	—	H. 2.
25	purpuræscens. s.s.	(pu.) purplish.	W. Indies.	1823.	—	S. 2.
26	caroliniana. s.s.	(pu.) Carolina.	Carolina.	1811.	—	H. 2. Lam. ill. t. 515. f. 3.
27	macrantha. F.	(pu.) large-flowered.	Dahuria.	1827.	—	H. 2.
28	pilosa. s.s.	(d.pu.) pilose.	N. America.	—	—	H. 2.
29	serrata. s.s.	(d.pu.) saw-leaved.		1800.	—	H. 2. Andr. reposit. t. 494.
30	scordifolia. F.	(pu.wh.) Scordium-leaved.	Siberia.	1823.	—	H. 2.
31	vérna. Bess.	(wh.pu.) vernal.		—	5. 6.	H. 2.
SALVIA. R.S.		SAGE.	Diandria Monogynia. L.			
1	pomifera. R.S.	(li.) Apple-bearing.	Candia.	1699.	7. 8.	H. 2. Flor. græc. t. 15.
2	calycina. R.S.	(li.) broad-calyxed.	Greece.	1823.	—	G. 2. — t. 16.
3	canariensis. R.S.	(li.) Canary.	Canaries.	1697.	6. 9.	G. 2. Trew. pl. rar. 2. t. 19.
4	aurea. R.S.	(br.) golden.	C. B. S.	1731.	4. 11.	G. 2. Bot. mag. t. 182.
5	dentata. R.S.	(bl.) tooth-leaved.		1774.	12. 1.	G. 2.
6	Régla. R.S.	(sc.) Regla.	Mexico.	1828.	9. 11.	G. 2. Cavan. icon. 5. t. 455.
7	splendens. s.s.	(sc.) splendid.	Brazil.	1823.	8. 3.	S. 2. Bot. reg. t. 687.
8	bracteata. s.s.	(li.) long-bracted.	Syria.	1788.	6. 8.	G. 2. Bot. mag. t. 2320.
9	pilantha. L.en.	(bl.) hairy-flowered.		1823.	6. 9.	G. 2.
10	incarnata. R.S.	(fl.) flesh-coloured.	Levant.	1729.	—	G. 2. Pluk. phyt. t. 194. f. 6.
11	interrupta. R.S.	(wh.bl.) interrupted.	Barbary.	1825.	5. 6.	H. 2. Swt. br. fl. gar. t. 169.
12	pinnata. R.S.	(pu.) winged-leaved.	Levant.	1731.	7.	H. 2. Boer. lugd. 1. t. 167.
13	ringens. F.G.	(li.) ringing.		1827.	—	F. 2. Flor. græc. t. 18.
14	rosaefolia. R.S.	(pu.) Rose-leaved.		—	—	G. 2. Smith ic. ined. 1. t. 5.
15	scabiosæfolia. R.S.	(wh.li.) Scabious-leav'd.	Peru.	1826.	—	G. 2. Jacq. f. ecl. t. 3.
16	Habiziana. R.S.	(w.re.) Taurian.	Tauria.	1795.	8.	H. 2. Bot. mag. t. 1429.
17	vulnerariaefolia. R.S.	(w.bl.) Armenian.	Armenia.	1829.	6. 9.	F. 2.
18	lanceolata. R.S.	(bl.) lance-leaved.	S. America.	1818.	7. 9.	H. 2. Jacq. f. ecl. t. 13.
19	hirsuta. R.S.	(bl.) hirsute.	Mexico.	1801.	5. 6.	H. 2. Jacq. schœn. 3. t. 252.
20	leucantha. R.S.	(wh.) white-flowered.		1825.	7. 10.	G. 2. Cavan. ic. 1. t. 24.

21	angustifolia. R.S. (bl.)	narrow-leaved. Mexico.	1806.	6. 7. G. 4.	Cavan. ic. 4. t. 317.
	réptans. Jacq. schœn. t. 319.				
22	trichostemoides. R.S. (bl.)	Missouri.	1827.	6. 9. H. ☉.	
23	azurea. R.S. (bl.)	azure-flowered. Carolina.	1806.	8. 9. F. 4.	Bot. mag. t. 1728.
24	bengalensis. F.I. (wh.)	Bengal. E. Indies.	1825.	6. 9. S. 4.	
25	occidentalis. R.S. (wh.)	West Indian. W. Indies.	1820.	— S. 4.	
26	pseudococcinea. (sc.)	pale scarlet. S. America.	1797.	6. 8. S. 4.	Jacq. ic. 2. t. 209.
27	amœna. B.M. (bl.)	fine blue. W. Indies.	1793.	9. 12. S. 4.	Bot. mag. t. 1294.
	Boissiana. Jacq. f. ecl. 1. t. 47.	amœna. B.R. 446.			
28	rosea. R.S. (ro.)	rose-coloured. E. Indies.	1816.	6. 9. S. 4.	
29	tubifera. R.S. (sc.)	long-tubed. Mexico.	1824.	— S. 4.	Cavan. ic. 1. t. 25.
30	papilionacea. R.S. (bl.)	butterfly-like. New Spain.	1825.	7. 10. S. 4.	— 4. t. 319.
31	mexicana. R.S. (bl.)	Mexican. Mexico.	1724.	5. 7. G. 4.	— 1. t. 26.
32	chamædryoides. R.S. (re.)	Germander-like. —	1795.	6. 9. G. 4.	Bot. mag. t. 808.
33	cæsia. R.S. (pa.bl.)	grey. S. America.	1813.	— G. 4.	
34	involuta. R.S. (pu.)	large-bracted. Mexico.	1825.	8. 11. G. 4.	Bot. reg. t. 1205.
35	purpurea. R.S. (pu.)	purple. —	—	5. 7. S. 4.	Cavan. ic. 2. t. 166.
36	hispanica. R.S. (bl.)	Spanish. Spain.	1739.	6. 8. H. ☉.	Bot. reg. t. 359.
37	præcox. S.S. (pu.)	early-flowered. N. Africa.	1826.	3. 6. F. 4.	
38	scordiodies. R.S. (wh.)	glandular. —	1824.	5. 8. S. 4.	
39	papillosa. R.S. (wh.)	papillose. —	1827.	6. 8. G. 4.	
40	serotina. R.S. (bl.)	late-flowering. Chio.	1803.	8. 10. G. 4.	Jacq. ic. 1. t. 3.
41	dominica. R.S. (wh.)	Dominican. W. Indies.	1759.	7. S. 4.	Swartz. obs. p. 18. t. 1. f. 1.
42	tenella. R.S. (bl.)	slender. Jamaica.	1821.	6. 9. S. ☉.	Swartz. icon. t. 2.
43	tiliæfolia. R.S. (bl.)	Lime-leaved. S. America.	1793.	6. 8. S. 4.	Jacq. schœn. 3. t. 254.
44	polystachya. R.S. (bl.)	many-spiked. New Spain.	1822.	9. 12. G. 4.	Cavan. ic. 1. t. 27.
45	lamiifolia. R.S. (bl.)	Lamium-leaved. S. America.	1826.	— G. 4.	Jacq. schœn. 3. t. 318.
46	micrantha. R.S. (wh.)	small-flowered. —	1818.	6. 8. S. 4.	
47	leonoroides. R.S. (sc.)	shining-leaved. Peru.	1783.	4. 10. G. 4.	Lam. ill. t. 20. f. 3.
	formosa. B.M. 376.				
48	fulgens. R.S. (sc.)	glossy. Mexico.	1827.	1. 12. G. 4.	Swt. br. fl. gar. s. 2.
49	coccinea. R.S. (sc.)	scarlet-flowered. S. America.	1774.	4. 10. G. 4.	Mirb. an. m. 15. t. 15. f. 8.
50	pulchella. R.S. (sc.)	pretty. —	—	8. 12. G. 4.	Coll. hort. rip. t. 16.
51	amethystina. R.S. (bl.)	amethystine. —	1824.	6. 9. S. 4.	Smith ic. ined. 2. t. 27.
52	amarissima. R.S. (bl.)	bitter. Mexico.	1803.	7. 8. G. 4.	Bot. reg. t. 347.
53	glutinosa. R.S. (st.)	glutinous. Europe.	1596.	6. 9. H. 4.	Sabb. hort. rom. t. 3.
54	nubicola. B.F.G. (st.)	Nepaul. Nepaul.	1824.	8. 10. H. 4.	Swt. br. fl. gar. t. 140.
55	ægyptiaca. R.S. (wh.)	Egyptian. Egypt.	1770.	6. 7. H. ☉.	Jacq. vind. 2. t. 108.
56	crætica. R.S. (vi.)	Cretan. Crete.	1760.	6. 8. F. 4.	Rivin. monop. t. 128.
57	paniculata. R.S. (pu.)	panicked. C. B. S.	1758.	— G. 4.	Mill. ic. t. 225. f. 1.
58	africana. R.S. (bl.)	African. —	1731.	4. 6. G. 4.	Comm. hort. 2. t. 91.
59	colorata. R.S. (bl.cr.)	coloured-calyxed. —	1758.	7. 8. G. 4.	Mill. ic. t. 225. f. 2.
60	officinalis. R.S. (bl.)	garden. S. Europe.	1597.	6. 7. H. 4.	Lam. ill. t. 20. f. 1.
61	chromatica. Hg. (bl.)	variegated. —	—	— H. 4.	
62	tenuior. Df. (bl.)	narrow-leaved. Spain.	—	— H. 4.	
63	hispanorum. Lg. (bl.)	Spanish. —	—	— H. 4.	
64	lavandulæfolia. R.S. (bl.)	Lavender-leaved. —	—	— H. 4.	
65	rosmarinifolia. Lg. (bl.)	Rosemary-leaved. —	—	— H. 4.	
66	Spielmanni. R.S. (bl.)	Spielman's. Caucasus.	1813.	— H. 4.	Jacq. f. ecl. 2. t. 15.
67	phlomoïdes. R.S. (pu.)	Mullein-leaved. Spain.	1805.	5. 6. H. 4.	Rœm. script. his. t. 1. f. 1.
68	urticifolia. R.S. (bl.)	Nettle-leaved. N. America.	1799.	6. 7. H. 4.	Moris. his. 3. t. 13. f. 31.
69	elegans. R.S. (cr.)	elegant. Mexico.	1820.	7. 10. G. 4.	H. et B. pl. am. 2. t. 144.
	incarnata. K.S. non w.				
70	lævigata. K.S. (pu.)	smooth. —	1826.	— G. 4.	H. et B. pl. am. 2. t. 147.
71	bullata. W.en. (re.)	blistered. Spain.	1804.	7. 8. H. 4.	Jacq. f. ecl. t. 38.
	lusitânica. J.E. elongata. Spr.				
72	rugosa. R.S. (wh.)	wrinkle-leaved. C. B. S.	1775.	— H. 4.	
73	verticillata. R.S. (li.)	whorled. Germany.	1658.	6. 11. H. 4.	Mirb. an. m. 15. t. 15. f. 10.
	β parviflora. (li.)	small-flowered. —	—	— H. 4.	
74	indica. R.S. (bl.wh.)	Indian. India.	1731.	5. 7. H. 4.	Bot. mag. t. 395.
75	Tenorii. R.S. (bl.)	Tenore's. Italy.	1820.	5. 8. H. 4.	Swt. br. fl. gar. t. 26.
76	candidissima. R.S. (p.bl.)	hoary-leaved. Levant.	1804.	6. 7. G. 4.	Flor. græc. t. 26.
	crassifolia. F.G. non Cav.				
77	verbascifolia. R.S. (wh.ye.)	Verbascum-ld. Iberia.	1825.	— H. 4.	
78	odorata. R.S. (wh.)	sweet-scented. Bagdad.	1804.	7. F. 4.	Jacq. f. ecl. t. 16.
79	compressa. R.S. (wh.)	compressed. Levant.	1816.	7. 8. H. 4.	Venten. cels. t. 59.
80	mollis. R.S. (ro.)	soft. Siberia.	1596.	6. 10. H. 4.	Jacq. f. ecl. t. 37.
81	grandiflora. R.S. (bl.)	great-flowered. S. Europe.	1616.	6. 9. H. 4.	— t. 36.
82	crassifolia. R.S. (bl.)	thick-leaved. Barbary.	1804.	— F. 4.	

83	pratensis. R.S.	(bl.) meadow.	England.		5. 11.	H. 4.	Eng. bot. v. 3. t. 153.
84	variegata. R.S.	(bl.wh.) variegated.	Hungary.	1814.	6. 8.	H. 4.	
85	hamatodes. R.S.	(bl.) bloody-veined.	Italy.	1699.	7. 8.	H. 4.	Barrel. ic. t. 185.
86	nepetifolia. R.S.	(bl.) Catmint-leaved.		1823.	—	H. 4.	
87	aspidophylla. R.S.	(bl.) slender-leaved.	Peru.	1824.	7. 10.	H. 4.	
88	lineatifolia. Lg.	(bl.) line-leaved.	Mexico.	1823.	6. 9.	G. 7.	
89	melissodora. Lg.	(bl.) balm-scented.	New Spain.	1826.	—	G. 7.	
90	agglutinans. Lg.	(sc.) clammy-stalked.	—	1827.	—	G. 7.	
91	viscosa. R.S.	(wh.cr.) clammy.	Italy.	1773.	5. 6.	H. 4.	Jacq. ic. 1. t. 5.
92	disermas. R.S.	(wh.) long-spiked.	Syria.	—	7.	H. 4.	Barrel. ic. 187.
93	nötans. R.S.	(bl.) nodding.	Russia.	1780.	6. 8.	H. 4.	Bot. mag. t. 2436.
94	betonacifolia. R.S.	(bl.) Betony-leaved.	—	1804.	6. 7.	H. 4.	
95	péndula. R.S.	(bl.) drooping.	—	—	6. 8.	H. 4.	
	<i>β grandiflora.</i>	(d.bl.) large-flowered.	—	—	—	H. 4.	
96	amplexicaulis. R.S.	(li.) stem-clasping.	Levant.	1813.	7. 9.	H. 4.	
97	parviflora. R.S.	(st.) small-flowered.	—	1816.	—	F. 4.	Lab. syr. dec. 4. t. 7.
98	austriaca. R.S.	(st.) Austrian.	Austria.	1776.	6. 7.	H. 4.	Jacq. aust. 2. t. 112.
99	syriaca. R.S.	(bh.) Syrian.	Levant.	1759.	7.	G. 7.	Arduin. spec. 1. t. 1.
100	nubia. R.S.	(bl.) Nubian.	Africa.	1784.	6. 7.	G. 4.	Murr. c. gott. 1778. t. 3.
101	virgata. R.S.	(wh.ro.bl.) long-branched.	Armenia.	1758.	7. 11.	H. 4.	Jacq. schœn. 1. t. 37.
102	campéstris. R.S.	(bl.) field.	Tauria.	1813.	6. 7.	H. 4.	
103	sylvéstris. R.S.	(bl.) wood.	Germany.	1759.	6. 10.	H. 4.	Jacq. aust. 3. t. 212.
104	memorosa. R.S.	(va.) spear-leaved.	—	1728.	—	H. 4.	
105	pátula. R.S.	(bh.) spreading.	Portugal.	1805.	5. 7.	H. 4.	
106	tingitana. R.S.	(st.) Tangier.	Barbary.	1796.	7.	G. 7.	Rivin. monop. 1. t. 52.
107	Scłarea. R.S.	(bh.) common Clary.	Italy.	1562.	7. 9.	H. 4.	Flor. græc. 1. t. 25.
108	spinosa. R.S.	(wh.) thorny-calyxed.	Egypt.	1789.	6.	G. 7.	Jacq. ic. 1. t. 7.
109	Æthiôpis. R.S.	(wh.) woolly.	Austria.	1570.	5. 6.	H. 4.	Jacq. aust. 3. t. 211.
110	argentea. R.S.	(wh.) silvery.	Crete.	1759.	5. 7.	H. 4.	Flor. græc. 1. t. 27.
111	applanata. R.S.	(wh.) short-spined.		1818.	6. 8.	H. 4.	
112	Horminum. R.S.	(pu.) annual Clary.	S. Europe.	1596.	—	H. 4.	Flor. græc. 1. t. 20.
	<i>α violacea.</i>	(bl.) purple-topped.	—	—	—	H. 4.	
	<i>β rubra.</i>	(re.) red-topped.	—	—	—	H. 4.	
113	viridis. R.S.	(li.) green topped.	Italy.	1759.	—	H. 4.	Flor. græc. 1. t. 19.
114	pyramidalis. R.S.	(li.) pyramidal.	—	1825.	—	H. 4.	
115	rubra. s.s.	(re.) red-flowered.	Egypt.	1827.	6. 8.	H. 4.	
116	Simsiana. B.R.	(bl.wh.) Sims's.	Russia.	1820.	6. 7.	H. 4.	Bot. reg. t. 1003.
117	verbenaca. R.S.	(bl.) wild clary.	Britain.		6. 10.	H. 4.	Eng. bot. v. 3. t. 154.
118	oblongata. J.E.	(bh.) oblong-leaved.	Tauria.	1820.	—	H. 4.	Jacq. f. ecl. 1. t. 14.
119	Sibthorpii. F.G.	(li.) Sibthorp's.	Levant.	1829.	6. 9.	F. 4.	Flor. græc. t. 22.
120	triloba. R.S.	(vi.) three-lobed.	S. Europe.	1596.	6. 7.	H. 4.	— 1. t. 17.
121	Clūsii. R.S.	(wh.) Clusius's.	Levant.	1827.	6. 9.	F. 7.	Jacq. schœn. 2. t. 195.
122	gigantea. R.S.	(wh.) giant.		1816.	6. 9.	H. 4.	
123	scorodoniaefolia. R.S.	villous.		1824.	—	F. 7.	
124	lyrata. R.S.	(pu.) lyre-leaved.	N. America.	1728.	—	H. 4.	Moris. s. 11. t. 13. f. 27.
125	abyssinica. R.S.	(pu.) Abyssinian.	Abyssinia.	1775.	6. 7.	G. 4.	Jacq. ic. 1. t. 6.
126	nilotica. R.S.	(bl.) Nilotic.	Egypt.	1780.	6. 8.	H. 4.	Jacq. vind. 3. t. 92.
127	Forskôhlii. R.S.	(bl.) Forskohl's.	Levant.	1800.	—	H. 4.	Bot. mag. t. 988.
128	napifolia. R.S.	(li.) Rape-leaved.	Italy.	1776.	6. 7.	H. 4.	Jacq. vind. 2. t. 262.
129	aurita. R.S.	(li.) ear-leaved.	C. B. S.	1795.	5. 6.	G. 7.	
130	bicolor. R.S.	(bl.ye.) two-coloured.	Barbary.	1793.	6. 7.	H. 4.	Bot. mag. t. 1774.
131	Barrelièri. R.S.	(bl.) Barrelier's.	S. Europe.	1821.	5. 8.	H. 4.	Barrel. ic. 186.
132	laciniaata. R.S.	(bl.wh.) jagged-leaved.		1818.	—	H. 4.	
133	runcinata. R.S.	(bl.) runcinated.	C. B. S.	1795.	—	G. 7.	Jacq. schœn. 1. t. 8.
134	scabra. R.S.	(pu.) rough-leaved.	—	1774.	4. 9.	G. 7.	
135	erosa. R.S.	(st.) erose-leaved.		1823.	6. 9.	H. 4.	
136	polymôrpha. R.S.	(bl.) variable.	Portugal.	1821.	—	H. 4.	Barrel. ic. 220.
137	multifida. F.G.	(pa.bl.) multifid.	S. Europe.	1823.	5. 6.	H. 4.	Flor. græc. 1. t. 23.
138	clandestina. R.S.	(li.) cut-leaved.	Italy.	1739.	4. 7.	H. 4.	— 1. t. 24.
139	ceratophylla. R.S.	(li.) stag's-horn-leav'd.	Persia.	1699.	7. 8.	H. 4.	Pluk. alm. t. 194. f. 5.
140	ceratophylloides. (li.)	branching.	Egypt.	1771.	6. 8.	H. 4.	Arduin. spec. 2. t. 2.
141	prismatica. R.S.	(bl.) slender-spiked.	Mexico.	1822.	—	H. 4.	
COLLINS'ONIA. R.S. COLLINS'ONIA. Diandria Monogynia. L.							
1	canadensis. R.S.	(ye.) Nettle-leaved.	N. America.	1735.	8. 10.	H. 4.	Linn. hort. clif. t. 5.
2	scabriuscula. R.S.	(re.ye.) rough-stalked.	Florida.	1776.	7. 9.	H. 4.	
3	ovâlis. R.S.	(ye.) oval-leaved.	Carolina.	1812.	8.	H. 4.	
4	tuberosa. M.	(ye.) tuberous.	—	1806.	—	H. 4.	
	serotina. R.S.	—	—	—	—	—	
5	anisata. R.S.	(ye.) Anise-scented.	—	—	10.	H. 4.	Bot. mag. t. 1213.

Tribus VI. PRASIÆ. *Benth. in Bot. reg.*

PRASIUM. S.S.	PRASIUM.	Didynamia Gymnospermia. L.	
1 majus. s.s.	(wh.) great.	S. Europe. 1699.	6. 8. G. ♀. Flor. græc. t. 584.
2 minus. s.s.	(wh.) smaller.	1752.	— F. ♀.
PHRYMA. S.S.	PHRYMA.	Didynamia Gymnospermia. L.	
leptostachya. s.s. (wh.)	slender-spiked.	N. America. 1802.	8. 9. H. ♀. Lam. ill. t. 516.

Tribus VII. OCYMOIDEÆ. *Benth. in Bot. reg.*

MOSCHO'SMA. B.R.	MOSCHO'SMA.	Didynamia Gymnospermia.	
1 ocymoides. B.R. (wh.)	Basil-like.	1823.	6. 8. S. ○.
<i>Lumnitzera ocymoides. s.s. O'cymum polycladum. Link.</i>			
2 polystachya. B.R. (wh.)	many-spiked.	E. Indies. 1783.	7. 8. S. ○. Murr. c. gott. 3. t. 3.
O'CYMUM. W.	BASIL.	Didynamia Gymnospermia. L.	
1 thyrsiflorum. s.s. (wh.)	thyrses-flowered.	E. Indies. 1806.	7. 8. S. ♂. Jacq. vind. 3. t. 72.
2 gratissimum. s.s. (wh.)	shrubby.	1752.	— S. ♀. Jacq. ic. 3. t. 495.
3 Basilicum. w. (wh.)	common sweet.	India. 1548.	— H. ○. Blackw. t. 104.
4 pilosum. W.en. (wh.)	hairy.	1816.	7. 9. H. ○.
5 micranthum. s.s. (wh.)	small-flowered.	—	— S. ○.
6 viride. s.s. (wh.)	green.	E. Indies. —	— S. ♀.
7 suave. s.s. (wh.)	sweet-scented.	—	— S. ♀.
8 canum. B.M. (wh.)	hoary.	China. 1822.	— H. ○. Bot. mag. t. 2452.
9 sanctum. s.s. (wh.)	purple-stalked.	E. Indies. 1758.	— S. ○. Rheed. mal. 10. t. 92.
10 febrifugum. s.s. (wh.)	Feverwort.	Sierra Leon. 1821.	— S. ○. Bot. reg. t. 753.
11 album. s.s. (wh.)	large white-fl.	E. Indies. 1816.	— S. ○.
12 americanum. s.s. (wh.)	American.	S. America. 1789.	7. 8. S. ○. Jacq. vind. 3. t. 86.
13 caryophyllatum. H.B. (w.)	Clove-scented.	E. Indies. 1817.	— S. ♀.
14 tenuiflorum. w. (li.)	slender-spiked.	1768.	— S. ♂. Rumph. amb. 5. t. 92. f. 2.
15 menthoides. s.s. (wh.)	Mint-leaved.	1783.	— S. ○.
16 inodorum. Lam. (wh.)	scentless.	1823.	— S. ○.
17 cristatum. H.B. (wh.)	crested.	1812.	— S. ○.
18 grandiflorum. s.s. (wh.)	great-flowered.	Abyssinia. 1802.	9. 10. G. ♀. L'Herit. s. nov. t. 43.
19 minimum. s.s. (wh.)	bush.	Ceylon. 1573.	— H. ○. Schk. handb. 2. t. 166.
20 carnosum. s.s. (wh.)	thick-leaved.	Monte Video. 1828.	6. 8. H. ○.
ORTHOSIPHON. B.R.	ORTHOSIPHON.	Didynamia Gymnospermia.	
1 adscendens. B.R. (wh.)	ascending.	E. Indies. 1828.	6. 8. S. ♀.
<i>O'cymum adscendens. w.</i>			
2 asperum. B.R. (wh.)	rough.	1827.	— S. ♀.
<i>O'cymum asperum. Roth. Plectranthus asper. s.s.</i>			
COLEUS. B.R.	COLEUS.	Didynamia Gymnospermia.	
1 Forskohlæi. B.R. (vi. wh.)	Forskohl's.	Abyssinia. 1806.	10. 11. S. ♀. Bot. mag. t. 2036.
<i>Plectranthus Forskohlæi. B.M. barbatus. Andr. reposit. t. 594.</i>			
2 comosus. B.R. (bl.)	tufted.	Nepaul. 1820.	6. 9. G. ♀. Bot. mag. t. 2318.
3 scutellarioides. B.R. (bl. w.)	Sculcap-like.	E. Indies. 1764.	7. 8. S. ○. — t. 1416.
4 amboinicus. Lour. (bl.)	Amboyna.	1826.	— S. ♀. Rumph. amb. 8. t. 72.
PLECTRANTHUS. S.S.	PLECTRANTHUS.	Didynamia Gymnospermia. S.S.	
1 fruticosus. s.s. (bl.)	shrubby.	C. B. S. 1774.	6. 9. G. ♀. L'Herit. stirp. 85. t. 41.
2 galeatus. s.s. (bl.)	helmetted.	Nepaul. 1820.	7. 8. S. ○.
3 graveolens. B.P. (bl.)	strong-scented.	N. S. W. —	— G. ♀.
4 australis. B.P. (bl.)	New Holland.	1823.	— G. ○.
5 incanus. s.s. (bl.)	hoary.	Nepaul. —	— G. ♀.
6 monachorum. s.s. (bh.)	monk's basil.	E. Indies. 1796.	— S. ○.
<i>O'cymum monachorum. w.</i>			
7 mollis. s.s. (li.)	heart-leaved.	1781.	9. 10. S. ○.
8 strobiliferus. H.B. (bl.)	thick-spiked.	1804.	6. 9. S. ○. Rheed. mal. 10. t. 90.
9 secundus. H.B. (bl.)	side-flowering.	1816.	— S. ○.
10 punctatus. s.s. (wh. bl.)	dotted.	Africa. 1775.	1. 5. G. ♂. L'Herit. stirp. 1. t. 41.
11 rotundifolius. s.s. (bl.)	round-leaved.	Mauritius. 1823.	6. 8. S. ○.
12 parviflorus. s.s. (bl.)	small-flowered.	S. America. 1805.	6. 9. G. ♀. W. hort. ber. 1. t. 65.
13 cordifolius. D.P. (bl.)	heart-leaved.	Nepaul. 1823.	— G. ♀.
14 rubicundus. D.P. (pu.)	rubicund.	1826.	— G. ♀.
15 virgatus. D.P. (bl.)	slender.	—	— G. ♀.
16 coloratus. D.P. (bl.)	coloured bracted.	1823.	— G. ♀.

- 17 Coëta. D.P. (bl.) canescent. Nepaul. 1823. 6. 9. G. 2.
 18 ternifolius. D.P. (bl.) three-leaved. ——— 1825. — G. 2.
 19 ternatus. B.M. (bl.) Omime-root. Madagascar. 1820. 11. S. 2. Bot. mag. t. 2460.
- GENIO'SPORUM. B.R. GENIO'SPORUM. Didymia Gymnospermia.
 prostratum. B.R. (pa. bl.) prostrate. E. Indies. 1812. 6. 9. S. 0.
O'cymum prostratum. w.
- ACROCE'PHALUS. B.R. ACROCE'PHALUS. Didymia Gymnospermia.
 1 capitatus. B.R. (wh.) headed. China. 1806. 7. 9. H. 0.
Lumnitzera capitata. s.s. *O'cymum capitellatum*. w.
 2 villösus. B.R. (wh.) villous. E. Indies. 1817. 7. 8. S. 2.
- ANISOCH'ILUS. B.R. ANISOCH'ILUS. Didymia Gymnospermia.
 carnösus. B.R. (li.) thick-leaved. E. Indies. 1788. 6. 7. S. 2. Linn. amœn. ac. 10. t. 3.
Lavandula carnosa. w. *Plectranthus dubius*. s.s.
- PYCNOT'ACHYS. PYCNOT'ACHYS. Didymia Gymnospermia.
 cœrulea. H.E.F. (bl.) blue-flowered. Madagascar. 1825. 8. 10. F. 0. Hook. ex. flor. t. 202.
- ÆOLLA'NTHUS. M.P. ÆOLLA'NTHUS. Didymia Gymnospermia.
 suavëolens. M.P. B. (wh.) sweet-scented. Brazil. 1829. 7. 10. S. 0.
- HYPTIS. S.S. HYPTIS. Didymia Gymnospermia. S.S.
 1 ebracteata. s.s. (bl.) small-headed. W. Indies. 1778. 10. 1. S. 0. Poit. an. mus. 7. t. 29. f. 2.
Ballota suavëolens. Jacq. schœnb. 3. t. 42.
 2 radiata. s.s. (wh.) Carolina. 1690. 6. 7. G. 2. Poit. an. mus. 7. t. 27. f. 2.
 3 capitata. s.s. (wh.) Jamaica. W. Indies. 1714. — S. 2. Jacq. ic. 1. t. 114.
 4 polyanthos. s.s. (wh.) many-flowered. S. America. 1819. — S. 0.
 5 brevipes. s.s. (li.) short-peduncled. W. Indies. 1822. — S. 0.
 6 recurvata. s.s. (wh.) recurved. Cayenne. — S. 2. Poit. an. mus. t. 4. f. 3.
 7 albida. s.s. (bl.) white-leaved. Mexico. 1825. — S. 2.
 8 persica. P.S. (st.) Persian. Persia. 1800. 7. G. 2. Linn. trans. 6. t. 12.
Brotera persica. L.T.
- 9 spicata. s.s. (bl.) spiked. S. America. 1819. 7. 9. G. 0. Poit. an. mus. t. 28. f. 2.
 10 verticillata. s.s. (wh.) whorled. ——— 1824. — S. 0. Jacq. icon. t. 113.
 11 Plumieri. K.S. (bl.) Plumier's. ——— 1819. — S. 0. Plum. ic. t. 163. f. 1.
 12 stachyodes. s.s. (wh.) whorl-spiked. Brazil. 1820. — S. 0.
 13 pectinata. s.s. (ye.) pectinated. W. Indies. 1776. 12. 1. S. 2. Poit. an. mus. 7. t. 30.
- PROSTANTH'ERA. B.P. PROSTANTH'ERA. Didymia Gymnospermia. S.S.
 1 lasianthos. B.P. (wh.) villous-flowered. N. S. W. 1808. 6. 7. G. 2. Bot. reg. t. 143.
 2 cœrulea. B.P. (bl.) blue-flowered. ——— 1824. 4. 7. G. 2.
 3 prunelloides. B.P. (pu.) Prunella-like. ——— 1826. — G. 2.
 4 incisa. B.P. (wh.) cut-leaved. ——— 1825. — G. 2.
 5 linearis. B.P. (wh.) linear-leaved. ——— 1823. — G. 2.
 6 denticulata. B.P. (wh.) tooth-leaved. ——— — G. 2.
 7 marifolia. B.P. (wh.) Marum-leaved. ——— 1827. 4. 6. G. 2.
 8 saxicola. B.P. (wh.) rock. ——— 1823. — G. 2.
 9 violacea. B.P. (bl.) violet-coloured. ——— — G. 2. Bot. reg. t. 1072.

ORDO CLIV.

SELAGINEÆ. Choisy mem. fam. Selag. 1823. p. 19.

- POLYC'ENIA. C.S. POLYC'ENIA. Didymia Gymnospermia.
 hebenstretioides. C.S. (w.) spike-flowered. C. B. S. 1816. 8. 10. G. 0. Choisy. sel. t. 2. f. 1.
- HEBENSTREITIA. C.S. HEBENSTREITIA. Didymia Angiospermia.
 1 dentata. w. (wh.) dwarf tooth-ld. C. B. S. 1739. 5. 9. G. 0. Bot. mag. t. 483.
 2 integrifolia. w. (ye.) golden. ——— 1792. 4. 6. G. 2. Andr. reposit. t. 252.
aurea. Andr.
- 3 fruticosa. B.M. (wh.) frutescent. ——— 1816. 5. 11. G. 2. Bot. mag. t. 1970.
 4 albiflora. L.en. (wh.) white-flowered. ——— 1815. — G. 2.
 5 chamædryfolia. L.en. Chamædrys-leav'd. ——— 1816. — G. 2.
 6 tenuifolia. H.H. (wh.) slender-leaved. ——— 1826. — G. 2.
 7 scabra. w. (wh.) rough-leaved. ——— 5. 9. G. 2.
 8 cordata. w. (wh. re.) heart-leaved. ——— 1774. 7. 8. G. 2.
- DISCH'SMA. C.S. DISCH'SMA. Didymia Angiospermia.
 1 ciliatum. C.S. (wh.) ciliated. C. B. S. 1815. 5. 7. G. 2.
 2 erinoides. (wh.) Erinus-leaved. ——— 1816. 5. 11. G. 2.
Hebenstretia erinoides. w.

3 hispidum. (wh.) long-spiked.	C. B. S.	1816.	5. 11.	G. ☉.	Burm. afr. 109. t. 41. f. 1.
<i>Hebenstreitia hispida</i> . Lam.	—	—	—	—	—
4 spicatum. c.s. (wh.) spiked.	—	1815.	5. 7.	G. ☉.	—
5 capitatum. c.s. (ye.) headed.	—	1822.	—	G. ☉.	—
AGATHE'LPIIS. C.S. AGATHE'LPIIS.	Diandria Monogynia.	—	—	—	—
1 angustifolia. c.s. (wh.) narrow-leaved.	C. B. S.	1823.	5. 8.	G. ☿.	Burm. afr. t. 47. f. 3.
<i>Eranthemum angustifolium</i> . L. <i>Selago angustifolia</i> . w.	—	—	—	—	—
2 parvifolium. c.s. (wh.) small-leaved.	C. B. S.	1816.	—	G. ☿.	Lam. ill. t. 17. f. 2.
MICRODON. C.S. MICRODON.	Didynamia Gymnospermia.	—	—	—	—
1 lucidum. c.s. (wh.) glossy.	C. B. S.	1812.	6. 7.	G. ☿.	Venten. malm. t. 26.
2 ovatum. c.s. (wh.) oval-headed.	—	1774.	—	G. ☿.	Bot. mag. t. 186.
<i>Selago ovata</i> . B.M.	—	—	—	—	—
SELAGO. C.S. SELAGO.	Didynamia Gymnospermia. L.	—	—	—	—
1 micrantha. c.s. (ye.) small-flowered.	C. B. S.	1824.	5. 7.	G. ☿.	—
2 divaricata. c.s. (wh.) spreading.	—	1816.	—	G. ☿.	—
3 fruticosa. c.s. (wh.) frutescent.	—	1822.	6. 8.	G. ☿.	—
4 minutissima. c.s. (ye.) small.	—	1816.	—	G. ☿.	Chois. sel. t. 3.
5 corymbosa. c.s. (wh.) fine-leaved.	—	1699.	7. 9.	G. ☿.	Comm. hort. 2. t. 40.
6 cinerea. c.s. (vi.) cinereous.	—	1816.	—	G. ☿.	—
7 hispida. c.s. (ye.) hispid.	—	1823.	6. 9.	G. ☿.	—
8 adpressa. c.s. (wh.) close-flowered.	—	1816.	—	G. ☿.	Chois. sel. t. 4.
9 canescens. s.s. (wh.) canescent.	—	1812.	7. 11.	G. ☿.	—
10 spinea. L.en. (wh.) reflex-leaved.	—	1816.	7. 8.	G. ☿.	—
11 diffusa. s.s. (wh.) diffuse.	—	1807.	—	G. ☿.	—
12 spicata. L.en. (wh.) spiked.	—	1816.	—	G. ☿.	—
13 teretifolia. L.en. (wh.) cylinder-leaved.	—	1819.	—	G. ☿.	—
14 rapunculoides. s.s. (vi.) Rampion-like.	—	1790.	7. 11.	G. ☿.	Burm. afr. t. 42. f. 1.
15 fulvomaculata. L.en. (vi.) brown-spotted.	—	1816.	—	G. ☿.	—
16 spuria. s.s. (vi.) linear-leaved.	—	1779.	7. 10.	G. ☿.	Burm. afr. t. 42. f. 3.
17 ramulosa. L.en. (wh.) branching.	—	1815.	6. 9.	G. ☿.	—
18 fasciculata. s.s. (bl.) cluster-flowered.	—	1774.	—	G. ☿.	Bot. reg. t. 184.
19 heterophylla. s.s. (wh.) various-leaved.	—	1829.	—	G. ☿.	—
20 polystachya. s.s. (wh.) many-spiked.	—	1823.	6. 8.	G. ☿.	—
21 bracteata. s.s. (wh.) imbricate-bracted.	—	1816.	6. 9.	G. ☿.	—
22 polygaloides. s.s. (vi.) milkwort-like.	—	1807.	7. 11.	G. ☿.	—
23 rotundifolia. s.s. (wh.) round-leaved.	—	1816.	7. 9.	G. ☿.	—
24 pterophylla. Ot. winged-leaved.	—	1828.		G. ☿.	—
25 ciliata. c.s. (wh.) fringed.	—	1824.	—	G. ☿.	Chois. sel. t. 5.

ORDO CLV.

VERBENACEÆ. *Brown prodr.* 1. p. 510.

CLERODE'NDRUM. B.P. CLERODE'NDRUM.	Didynamia Angiospermia. L.	—	—	—	—
1 pubescens. B.R. (wh.) downy-leaved.	W. Indies.	1824.	7. 9.	S. ♀.	Bot. reg. t. 1035.
2 ligustrinum. s.s. (wh.) Privet-leaved.	Mauritius.	1789.	8. 11.	S. ♀.	Jacq. col. sup. t. 5. f. 1.
3 inerme. s.s. (wh.) smooth.	E. Indies.	1692.	—	S. ♀.	— t. 4. f. 1.
4 angustifolium. s.s. (wh.) narrow-leaved.	Jamaica.	1823.	—	S. ♀.	Lam. ill. t. 544. f. 2.
5 coromandelinum. s.s. (w.) Coromandel.	E. Indies.	1824.	—	S. ♀.	—
6 emirnése. B.M. (wh.) small-flowered.	Madagascar.	1823.	6. 12.	S. ♀. ∪.	Bot. mag. t. 2925.
<i>floribundum</i> . Bot. reg. t. 1035. non B.P.	—	—	—	—	—
7 volubile. s.s. (wh.) climbing.	Guinea.	1822.	8. 11.	S. ♀. ∪.	—
8 buxifolium. s.s. (wh.) Box-leaved.		1818.	7. 8.	S. ♀.	—
<i>Volkameria buxifolia</i> . W.en.	—	—	—	—	—
9 heterophyllum. s.s. (w.) various-leaved.	Mauritius.	1805.	8. 9.	S. ♀.	Andr. reposit. t. 554.
<i>Volkameria angustifolia</i> . A.R.	—	—	—	—	—
10 macrophyllum. B.M. (st. bl.) large-leaved.	—	1822.	—	S. ♀.	Bot. mag. t. 2536.
11 serratum. s.s. (wh.) saw-leaved.	E. Indies.	—	—	S. ♀.	Rheed. mal. 4. t. 29.
12 lividum. B.R. (wh.) livid-bracted.	China.	1824.	9. 11.	S. ♀.	Bot. reg. t. 945.
13 cernuum. Wal. (wh.) drooping.	E. Indies.	1822.		S. ♀.	—
13 Siphonanthus. s.s. (wh.) whorled-leaved.	—	1796.		S. ♀.	Burm. ind. t. 43. f. 1.
<i>Siphonanthus indica</i> et <i>Ovièda mitis</i> . L.	—	—	—	—	—
15 verticillatus. D.P. (wh.) four-leaved.	Nepaul.	1818.		S. ♀.	—
16 hastatum. B.R. (wh.) halbert-leaved.	E. Indies.	1824.	7. 11.	S. ♀.	Bot. reg. t. 1307.

17	odoratum. D.P.	(re.)	odoriferous.	Nepaul.	1820.	7. 8.	S. h.	
18	fœtidum. D.P.	(wh.)	strong-scented.	—	—	—	S. h.	
19	cordatum. D.P.	(wh.)	heart-leaved.	—	1826.	—	S. h.	
20	nūtans. D.P.	(wh.)	nodding.	—	—		S. h.	
21	scādēns. s.s.	(wh.)	scandent.	Guinea.	1822.	7. 9.	S. h.	
22	trichotomum. s.s.	(wh.)	three-forked.	Japan.	1800.	—	G. h.	Banks ic. Kæmp. t. 22.
23	fortunatum. s.s.	(wh.)	spear-leaved.	E. Indies.	1784.	7. 8.	S. h.	Osb. it. t. 11.
24	attenuatum. B.P.	(wh.)	attenuated.	N. S. W.	1824.	5. 8.	G. h.	
25	squamatum. s.s.	(sc.)	scarlet.	China.	1790.	6. 9.	S. h.	Jacq. ic. 3. t. 500.
26	tomentosum. s.s.	(wh.)	downy.	N. S. W.	1794.	3. 5.	G. h.	Bot. mag. t. 1518.
27	infortunatum. s.s.	(wh.)	long-flowered.	E. Indies.			S. h.	
28	phlomoïdes. s.s.	(wh.)	Phlomis like.	—	1820.	5. 7.	S. h.	Burm. ind. t. 45. f. 1.
29	frāgrans. s.s.	(wh.)	fragrant.	China.	1790.	12. 8.	S. h.	Venten. malm. t. 70.
	β <i>mūplex.</i>	(wh.)	double-flowered.	—	—	—	S. h.	Bot. mag. t. 1834.
30	viscosum. s.s.	(wh.)	clammy.	E. Indies.	1796.	5. 8.	S. h.	— t. 1805.
31	dentatum. H.B.	(wh.)	tooth-leaved.	—	1826.	—	S. h.	
32	neriifolium. H.B.	(wh.)	Oleander-leaved.	—	1824.	—	S. h.	
33	paniculatum. s.s.	(sc.)	panicled.	Java.	1809.	7. 10.	S. h.	Bot. reg. t. 406.
34	urticifolium. H.B.	(wh.)	Nettle-leaved.	E. Indies.	1822.	—	S. h.	
35	violaceum. L.en.	(vi.)	violet-coloured.		—		S. h.	
36	japonicum.	(wh.)	Japan.	Japan.	1823.		S. h.	
	<i>Volkameria japonica</i> , Th.							
37	costatum. B.P.	(wh.)	ribbed-leaved.	N. S. W.	1823.	5. 8.	G. h.	
VOLKAMERIA. S.S. VOLKAMERIA.				Didynamia Angiospermia. L.				
	aculeata. s.s.	(wh.)	prickly.	W. Indies.	1739.	8. 10.	S. h.	Brown jam. t. 20. f. 2.
ÆGIPHILA. R.S. ÆGIPHILA.				Tetrandria Monogynia. L.				
1	martinicensis. R.S.	(st.)	Martinico.	W. Indies.	1780.	11. 1.	S. h.	Lodd. bot. cab. t. 132.
2	arborescens. R.S.	(st.)	arborescent.	Trinidad.	1820.		S. h.	Aub. gui. 1. t. 24.
3	lævis. R.S.	(ye.)	smooth.	Guiana.	1824.	6. 7.	S. h.	— 1. t. 25.
4	elata. R.S.	(ye.)	tall.	W. Indies.	1823.	7. 11.	S. h.	Bot. reg. t. 946.
5	fœtida. R.S.	(ye.)	fetid.	—	1800.	6. 7.	S. h.	
6	trifida. R.S.	(wh.)	trifid-flowered.	Jamaica.	1826.	—	S. h.	
7	diffusa. R.S.	(st.)	diffuse.	W. Indies.	1804.	7. 8.	S. h.	Andr. repos. t. 578. f. 1.
8	obovata. R.S.	(st.)	oval-leaved.	—	—	—	S. h.	— t. 578. f. 2.
CALLICARPA. R.S. CALLICARPA.				Tetrandria Monogynia. L.				
1	americana. R.S.	(re.)	American.	Carolina.	1724.	6. 7.	G. h.	Catesb. car. 2. t. 47.
2	cana. R.S.	(li.)	hoary.	E. Indies.	1799.	—	S. h.	
3	lanata. R.S.	(pu.)	woolly.	—	1788.	—	S. h.	Gært. fruct. 1. t. 94.
4	incana. F.I.	(ro.)	white-leaved.	—	1816.	6. 10.	S. h.	
5	macrophylla. R.S.	(ro.)	large-leaved.	—	1808.	—	S. h.	
6	lanceolaria. F.I.	(pu.)	lance-leaved.	—	1816.	—	S. h.	
7	ferruginea. R.S.	(li.)	rusty.	Jamaica.	1794.	6. 7.	S. h.	
8	reticulata. R.S.	(wh.)	netted-leaved.	—	1822.	—	S. h.	
9	longifolia. R.S.	(wh.)	long-leaved.	China.	—	—	S. h.	Hook. ex. flor. t. 133.
10	rubella. B.R.	(re.)	red-flowered.	—	—	—	S. h.	Bot. reg. t. 883.
11	purpurea. F.I.	(pu.)	purple-flowered.	—	—	7. 9.	S. h.	
12	arboorea. F.I.	(p.pu.)	tree.	Nepaul.	—		S. h.	
VITEX. S.S. CHASTE-TREE.				Didynamia Angiospermia. L.				
1	ovata. s.s.	(bl.)	oval-leaved.	China.	1796.	7. 8.	S. h.	
2	triflora. s.s.	(vi.)	three-flowered.	Cayenne.	1823.	—	S. h.	
3	latifolia. s.s.	(bl.)	broad-leaved.	E. Indies.	1820.	—	S. h.	Rheed. mal. 5. t. 2.
4	altissima. s.s.	(vi.)	tall.	Ceylon.	1802.		S. h.	
5	alata. s.s.	(vi.)	winged.	E. Indies.	1818.	6. 8.	S. h.	
6	gigantea. K.S.	(vi.)	giant.	Guayaquil.	1826.		S. h.	
7	bicolor. s.s.	(bl. wh.)	two-coloured.	E. Indies.	1810.	6. 8.	S. h.	
8	trifolia. s.s.	(vi.)	three-leaved.	—	1759.	—	S. h.	Bot. mag. t. 2187.
9	Negundo. s.s.	(bl.)	Ash-leaved.	—		—	S. h.	Rheed. mal. 2. t. 11.
10	umbrosa. s.s.	(vi.)	bushy.	W. Indies.	1824.		S. h.	
11	A'gnus-cástus. w.	(wh.)	common.	Sicily.	1570.	9.	H. h.	
	β <i>latifolia.</i>	(wh.)	broad-leaved.	—	—	—	H. h.	
12	incisa. s.s.	(bl.)	cut-leaved.	China.	1758.	7. 9.	G. h.	Bot. mag. t. 364.
	<i>Negundo</i> , B.M.							
13	arboorea. H.B.	(bl.)	tree.	E. Indies.	1820.		S. h.	
14	bignonioides. K.S.	(bl.)	trumpet-flowered.	Caracas.	1826.		S. h.	
15	saligna. H.B.	(bl.)	Willow-leaved.	E. Indies.	1823.		S. h.	
16	Doniāna.	(vi.)	Don's.	Sierra Leon.	1824.		S. h.	
	<i>umbrosa</i> , H.T. non Sw.							
17	heterophylla. H.B.	(bl.)	various-leaved.	E. Indies.	1820.		S. h.	
18	capitata. P.S.	(bl.)	headed-flowered.	Trinidad.	1822.	6. 8.	S. h.	Vahl. ecl. 2. t. 18.

WALLROTHIA. S.S. WALLROTHIA. <i>Didynamia Angiospermia. S.S.</i>									
1	<i>Leucóxylon. s.s. (pu.)</i>	white-wooded.	Ceylon.	1793.		S. h.			
<i>Vitex Leucóxylon. L.</i>									
CHLOANTHES. B.P. CHLOANTHES. <i>Didynamia Angiospermia. S.S.</i>									
1	<i>stœchadis. B.P. (st.)</i>	white-leaved.	N. S. W.	1822.	6. 8.	G. h.			
2	<i>glandulosa. B.P. (st.)</i>	glandular-leaved.	—	1824.	—	G. h.			
PREMNA. S.S. PREMNA. <i>Didynamia Angiospermia. S.S.</i>									
1	<i>integrifolia. s.s. (wh.)</i>	entire-leaved.	E. Indies.	1822.		S. h.	Rumph. amb. 3. t. 133.		
2	<i>tomentosa. s.s. (wh.)</i>	woolly.	—	1825.		S. h.			
3	<i>reticulata. s.s. (wh.)</i>	netted-leaved.	Jamaica.	1826.		S. h.			
4	<i>spinosa. H.B. (wh.)</i>	spiny.	—	1822.		S. h.			
5	<i>esculenta. H.B. (wh.)</i>	esculent.	—	1821.		S. h.			
6	<i>latifolia. H.B. (wh.)</i>	broad-leaved.	E. Indies.	1827.		S. h.			
7	<i>serratifolia. s.s. (wh.)</i>	saw-leaved.	—	—		S. h.			
HOLMSKIOIDIA. HOLMSKIOIDIA. <i>Didynamia Angiospermia. S.S.</i>									
1	<i>sanguinea. s.s. (sc.)</i>	scarlet.	E. Indies.	1796.	10. 4.	S. h.	Bot. reg. t. 692.		
<i>Hastingsia coccinea. Sm. ex. bot. t. 80.</i>									
2	<i>scandens. (pi.)</i>	climbing.	—	1824.	—	S. h. ~.			
<i>Hastingsia scandens. H.B.</i>									
PETREA. S.S. PETREA. <i>Didynamia Angiospermia. L.</i>									
1	<i>volubilis. s.s. (pu.)</i>	climbing.	Vera Cruz.	1733.	7. 8.	S. h. ~.	Bot. mag. t. 628.		
2	<i>rugosa. K.S. (pu.)</i>	rough-leaved.	Caraccs.	1824.		S. h.			
3	<i>erecta. L.C. (pu.)</i>	upright.	S. America.	—		S. h.			
HOSTA. Jacq. HOSTA. <i>Diandria Monogynia.</i>									
1	<i>cœrulea. Jacq. (bl.)</i>	blue-flowered.	S. America.	1733.	6. 9.	S. h.	Bot. reg. t. 1204.		
<i>Cornutia punctata. B.M. 2611.</i>									
2	<i>latifolia. K.S. (vi.)</i>	broad-leaved.	Mexico.	1824.	—	S. h.			
CORNUTIA. P.S. CORNUTIA. <i>Diandria Monogynia. S.S.</i>									
	<i>pyramidal. P.S. (bl.)</i>	pyramidal.	W. Indies.	1733.		S. h.	Lam. ill. t. 541.		
GMELINA. S.S. GMELINA. <i>Didynamia Angiospermia. L.</i>									
1	<i>arborea. s.s. (br. ye.)</i>	tree.	E. Indies.	1812.		S. h.	Roxb. corom. 3. t. 246.		
2	<i>villosa. s.s. (ye.)</i>	villous.	—	1818.		S. h.			
3	<i>asiatica. s.s. (ye.)</i>	oval-leaved.	—	1792.		S. h.	Lam. ill. t. 542.		
4	<i>parviflora. P.S. (ye.)</i>	small-flowered.	—	1817.		S. h.	Roxb. corom. 1. t. 32.		
<i>parvifolia. s.s.</i>									
	<i>sinuata. L.en. (ye.)</i>	sinuated.	—	1824.		S. h.			
CITHAREXYLUM. W. FIDDLE-WOOD. <i>Didynamia Angiospermia. L.</i>									
1	<i>caudatum. s.s. (wh.)</i>	upright.	Jamaica.	1763.		S. h.	Jacq. ic. 3. t. 501.		
<i>erectum. Jacq.</i>									
2	<i>villosum. s.s. (wh.)</i>	hairy-leaved.	W. Indies.	1784.		S. h.	Jacq. ic. 1. t. 118.		
3	<i>subseriatum. s.s. (wh.)</i>	subseriate.	Hispaniola.	1819.		S. h.			
4	<i>quadrangulare. s.s. (w.)</i>	square-stalked.	Jamaica.	1759.	6. 8.	S. h.	Jacq. vind. 1. t. 22.		
5	<i>cinereum. s.s. (wh.)</i>	ash-coloured.	W. Indies.	1739.	—	S. h.	Jacq. amer. t. 118.		
6	<i>molle. s.s. (wh.)</i>	soft-leaved.		1822.	—	S. h.			
7	<i>pentandrum. s.s. (pu.)</i>	pentandrous.	Portorico.	1815.	—	S. h.	Vent. cels. t. 47.		
DURANTA. S.S. DURANTA. <i>Didynamia Angiospermia. L.</i>									
1	<i>Plumieri. B.R. (bl.)</i>	smooth.	S. America.	1733.	6. 10.	S. h.	Bot. reg. t. 244.		
2	<i>Ellisia. B.M. (bl.)</i>	prickly.	W. Indies.	1739.	8.	S. h.	Bot. mag. t. 1759.		
3	<i>inermis. Mill. (bl.)</i>	unarmed.	S. America.		—	S. h.			
4	<i>xalapensis. K.S. (bl.)</i>	Mexican.	Mexico.	1822.		S. h.			
5	<i>Mutisii. K.S. (bl.)</i>	Mutis's.	S. America.	—	6. 8.	S. h.			
AMASONIA. S.S. AMASONIA. <i>Didynamia Angiospermia. S.S.</i>									
	<i>punicea. s.s. (ye.)</i>	puniceous.	Trinidad.	1823.		S. h.			
LANTANA. S.S. LANTANA. <i>Didynamia Angiospermia. L.</i>									
1	<i>aculeata. s.s. (or.)</i>	changeable-color'd.	W. Indies.	1692.	4. 11.	S. h.	Bot. mag. t. 96.		
2	<i>purpurea. s.s. (pu.)</i>	purple-flowered.	S. America.	1822.	—	S. h.			
3	<i>scabrida. s.s. (or.)</i>	rough.	W. Indies.	1774.	7. 10.	S. h.			
4	<i>mista. w. (st. li.)</i>	Nettle-leaved.	—	1732.	8. 10.	S. h.	Lodd. bot. cab. t. 68.		
5	<i>melissæfolia. s.s. (ye.)</i>	Balm-leaved.	—	—	7. 9.	S. h.	Dill. elt. t. 57. f. 66.		
6	<i>nivea. s.s. (wh.)</i>	snowy white.	E. Indies.	1810.	—	S. h.	Bot. mag. t. 1946.		
7	<i>stricta. s.s. (ro.)</i>	narrow-leaved.	Jamaica.	1733.	—	S. h.	Sloan. jam. 2. t. 195. f. 4.		
8	<i>Rádula. w. (pu.)</i>	Rasp-leaved.	W. Indies.	1803.	—	S. h.			
9	<i>salvæfolia. s.s. (re.)</i>	Sage-leaved.	C. B. S.	1823.	—	G. h.	Jacq. schœnb. 3. t. 285.		
10	<i>recta. s.s. (bh.)</i>	upright.	Jamaica.	1758.	6. 8.	S. h.	— 3. t. 360.		
11	<i>involucrata. s.s. (li.)</i>	round-leaved.	W. Indies.	1690.	5. 7.	S. h.	Pluk. alm. t. 114. f. 5.		
12	<i>odorata. s.s. (wh.)</i>	sweet-scented.	—	1758.	5. 11.	S. h.	Plum. ic. 71. f. 2.		
13	<i>Camara. s.s. (ye.)</i>	various-coloured.	—	1691.	4. 9.	S. h.	Dill. elt. t. 56. f. 65.		
14	<i>trifolia. s.s. (ro.)</i>	three-leaved.	—	1733.	6. 9.	S. h.	Bot. mag. t. 1449.		
15	<i>annua. s.s. (ro.)</i>	annual.	S. America.	—	7. 8.	S. ☉.	— t. 1022.		

- 16 fucata, s.s. (ro.) painted. Brazil. 1822. 7. 8. S. h. Bot. reg. t. 798.
 17 lavandulæa, s.s. (wh.) Lavender-like. S. h.
 18 crœœa, L.en. (or.) saffron-coloured. Jamaica. — S. h. Jacq. schœn. t. 473.
 19 violæa, Desf. (vi.) violet-coloured. S. America. 1824. . . . S. h.
 20 brasiliensis, L.en. (wh.) Brazilian. Brazil. — 7. 8. S. h.
 21 álba, L.en. (wh.) white-flowered. S. America. . . . S. h.
 22 hírta, Gr. (wh.) hairy white. — 1825. 8. 11. S. h.
 23 hórrida, K.s. (ye.) horrid. Mexico. — 7. 8. S. h.
 24 Sellô, L.O. (ro.) Sello's. Monte Video. 1829. 12. 4. S. h. Bot. mag. t. 2981.
 SPIELMA'NNIA, S.S. SPIELMA'NNIA. Didynamia Angiospermia, S.S.
 africâna, s.s. (wh.) African. C. B. S. 1710. 2. 11. G. h. Bot. mag. t. 1899.
 TECT'ONA, W. TEAK-WOOD. Pentandria Monogynia, L.
 grândis, w. (wh.) great. E. Indies. 1777. . . . S. h. Roxb. corom. 1. t. 6.
 STRE'PTIUM, S.S. STRE'PTIUM. Didynamia Angiospermia, S.S.
 ásperum, s.s. (wh.) rough. E. Indies. 1799. 7. 8. S. h. Roxb. corom. 2. t. 146.
Törtula áspera w. *Priva leptostachya*, P.s.
 PRIVA, S.S. PRIVA. Didynamia Angiospermia, S.S.
 1 lappulæa, P.s. (pu.) bristly-fruited. S. America. 1822. 6. 8. S. h. Jacq. obs. 1. t. 24.
echinata, K.s.
 2 mexicâna, P.s. (li.) Mexican. Mexico. 1726. 8. 9. S. h. Dill. elth. t. 302. f. 389.
hispida, K.s. *Verbena mexicana*, L.
 TAM'ONEA, S.S. TAM'ONEA. Diandria Monogynia.
 1 verbenæa, s.s. (bl.) thorny-fruited. W. Indies. 1733. 8. S. ⊙. Banks. vel. Hous. t. 2.
curassávia, P.s. *Ghinia spinosa*, w.
 2 špicâta, K.s. (bl.) spiked. Trinidad. 1824. 8. 10. S. ⊙. Aubl. guian. t. 268.
 STACHYTA'RPHETA, BASTARD Vervain. Diandria Monogynia, S.S.
 1 angustifolia, R.s. (vi.) narrow-leaved. S. America. . . . 6. 9. S. ⊙. Jacq. obs. 4. t. 86.
 2 elatior, R.s. (vi.) tall. Brazil. 1821. 8. 11. S. ⊙.
 3 índica, R.s. (vi.) Indian. Ceylon. 1732. 8. 9. S. ⊙.
 4 urticifolia, B.M. (bl.) Nettle-leaved. S. America. . . . 5. 9. S. ♂. Bot. mag. t. 1848.
 5 jamaicensis, R.s. (bl.) Jamaica. W. Indies. 1714. 6. 9. S. ♂. — t. 1860.
 6 hírta, K.s. (vi.) hairy-leaved. New Granada. 1821. 5. 10. S. h.
 7 cayennensis, s.s. (bl.) Cayenne. Cayenne. 1819. — S. h.
 8 umbrôsa, K.s. (bl.) shade. Cumana. 1829. — S. h.
 9 prismática, R.s. (bl.) Germander-leav'd. W. Indies. 1699. 5. 6. S. ♂. Jacq. ic. 2. t. 208.
 10 orubica, R.s. (vi.) Orubian. S. America. — 6. 8. G. ♂. Ehr. pict. t. 5. f. 1.
 11 mutabilis, R.s. (ro.) changeable-flower'd. — 1801. 3. 9. S. h. Bot. mag. t. 976.
Verbena mutabilis, w. *Cymburus mutabilis*, Par. lond. t. 49.
 12 crassifolia, R.s. (vi.) thick-leaved. Brazil. 1826. 6. 9. S. h.
 13 Zuccagni, R.s. (ro, vi.) Zuccagni's. 1824. — S. h.
 14 hirsutissima, L.en. (bl.) hairy. Brazil. 1821. — S. h.
 ZAP'ANIA, J. ZAP'ANIA. Didynamia Angiospermia, P.S.
 1 stechadifolia, P.s. (wh.) oval-spiked. W. Indies. 1732. 8. 9. S. h. Brown jam. t. 3. f. 1.
 2 nodiflora, B.P. (pi.) knot-flowered. America. 1664. 7. 8. G. h. Flor. græc. t. 553.
Verbena nodiflora, L. *Lippia nodiflora*, s.s.
 ALO'YSIA, P.S. ALO'YSIA. Didynamia Angiospermia, P.S.
 citrodora, P.s. (li.) Lemon-scented. Chile. 1784. 5. 9. G. h. Bot. mag. t. 367.
Verbena triphylla, B.M. *Lippia citrodora*, K.s.
 VERB'ENA, S.S. Vervain. Didynamia Angiospermia, S.S.
 1 angustifolia, s.s. (bl.) narrow-leaved. N. America. 1802. 6. 8. H. h.
rugosa, w.
 2 paniculata, s.s. (pu.) paniced. — 1800. 7. 8. H. h. Bot. reg. t. 1102.
 3 bonariensis, s.s. (bl.) cluster-flower'd. Buenos Ayres. 1732. 7. 10. H. ♂. Dill. elt. t. 300. f. 387.
 4 caroliniana, s.s. (pi.) Carolina. N. America. — 6. 9. H. h. — t. 301. f. 388.
 5 urticifolia, s.s. (wh.) Nettle-leaved. — 1683. 7. 9. H. h. Rob. ic. 26.
 6 stricta, s.s. (bl.) upright. — 1802. 7. 8. H. h. Bot. mag. t. 1976.
 7 lasiostachys, s.s. (bl.) woolly-spiked. California. 1823. — H. h.
 8 bracteosa, s.s. (bl.) long-bracted. N. America. 1812. 7. H. h. Bot. mag. t. 2910.
 9 Aubletia, s.s. (ro.) rose. — 1774. 6. 8. F. ♂. — t. 308.
 10 Lamberti, B.M. (ro.) Lambert's. Peru. 1816. — F. h. — t. 2200.
 11 chamædryfolia, P.s. (sc.) scarlet-flower'd. Buenos Ayres. 1827. 4. 10. F. h. Swt. br. fl. gar. ser. 2. t. 9.
Melindres, Bôt. reg. t. 1184. *Erinus peruvianus*, L.
 12 barbata, Gr. (li.) bearded. Mexico. — 9. 12. G. h.
 13 hastata, s.s. (pu.) halberd-leaved. Canada. 1710. — H. h. Herm. parad. t. 242.
 14 scabra, s.s. (vi.) rough. Mexico. 1822. — H. h.
 15 alata, B.F.G. (pu.) winged-stalked. Monte Video. 1827. 7. 10. F. h. Swt. br. fl. gar. ser. 2. t. 41.
 16 officinalis, E.B. (li.) common. Britain. . . . 6. 9. H. h. Eng. bot. v. 11. t. 769.
 17 sororia, D.P. (li.) sister. Nepaul. 1823. 8. 10. H. h. Swt. br. fl. gar. t. 202.
 18 spuria, s.s. (li.) jagged-leaved. N. America. 1731. 7. 8. H. ♂.

19	erinoïdes. s.s.	(ro.) Erinus-like.	Peru.	1820.	7. 8. H. ⊙.	Flor. peruv. 1. t. 33. f. c.
	<i>multifida</i> . R.P.					
20	pulchella. B.F.G.	(li.) pretty.	Buenos Ayres.	1827.	4. 10. F. 2.	Swt. br. fl. gar. s. 2. t. 295.
21	canesceus. s.s.	(vi.) canescent.	Mexico.	1820.	7. 8. H. 2.	H. et B. 2. t. 136.
22	supina. s.s.	(li.) trailing.	Spain.	1640.	6. 7. H. ⊙.	Flor. græc. t. 554.
	β <i>hirsuta</i> . E.	(li.) hairy.	Egypt.	1829.	— H. ⊙.	
23	prostrata. H.K.	prostrate.	N. America.	1794.	— H. 2.	
	L'IPPJA. J.	L'IPPIA.	Didymia Angiospermia.	S.S.		
	purpurea. s.s.	(pu.) purple.	Mexico.	1823.	6. 8. G. h.	Jacq. f. eclog. t. 85.
	XENOPOMA. S.S.	XENOPOMA.	Didymia Angiospermia.			
	obovatum. s.s.	(wh.) obovate-leaved.	China.	1816.	5. 8. G. h.	Coll. hort. rip. t. 25.

ORDO CLVI.

MYOPORINÆ. *Brown prodr. p. 514.*

MYOP'ORUM. B.P.	MYOP'ORUM.	Didymia Angiospermia.	S.S.			
1	ellipticum. B.P. (wh.) smooth-leaved.	N. S. W.	1789.	1. 3. G. h.		Andr. repôsit. t. 283.
	<i>Pogonia glabra</i> . A.R.					
2	acuminatum. B.P. (wh.) acuminate.	—	1812.	 G. h.		
3	montanum. B.P. (wh.) mountain.	—	1822.	2. 6. G. h.		
4	parvifolium. B.P. (wh.) small-leaved.	N. Holland.	1803.	3. 9. G. h.		Bot. mag. t. 1691.
5	dèbile. B.P. (bl.) procumbent.	N. S. W.	1793.	5. 8. G. h.		— t. 1830.
6	diffusum. B.P. (bl.) diffuse.	N. Holland.		8. 2. G. h.		
7	tuberculatum. B.P. (wh.) tubercled.	—	1803.	5. 8. G. h.		
8	viscosum. B.P. (wh.) viscid.	—	—	— G. h.		
9	crassifolium. s.s. (wh.) thick-leaved.	N. Zealand.	1822.	— G. h.		
10	oppositifolium. s.s. (wh.) opposite-leaved.	N. Holland.	1803.	1. 12. G. h.		
STENOCH'ILUS. B.P.	STENOCH'ILUS.	Didymia Angiospermia.	S.S.			
1	glaber. B.P. (sc.) smooth-leaved.	N. Holland.	1803.	1. 12. G. h.		Bot. mag. t. 1942.
2	maculatus. B.R. (cr.sp.) spotted-flowered.	—	1820.	4. 8. G. h.		Bot. reg. t. 647.
3	viscosus. B.M. (ye.) clammy.	—	1825.	— G. h.		Bot. mag. t. 2930.
BO'NTIA. S.S.	BO'NTIA.	Didymia Angiospermia.	L.			
	daphnoïdes. s.s. (st.) Barbadoes.	W. Indies.	1690.	6. S. h.		Dill. elth. t. 49. f. 57.
AVICE'NNIA. B.P.	AVICE'NNIA.	Didymia Angiospermia.	L.			
	tomentosa. B.P. (wh.) downy-leaved.	India.	1793.	 S. h.		Palisot. d'Owar. t. 47.

ORDO CLVII.

ACANTHACEÆ. *Brown prodr. 1. p. 472.*

ACA'NTHUS. S.S.	BEARS-BREECH.	Didymia Angiospermia.	L.			
1	mollis. w. (wh.) soft-leaved.	Italy.	1548.	7. 9. H. 2.		Lam. ill. t. 550.
2	niger. L.en. (wh.) shining-leaved.	Portugal.	1759.	— H. 2.		
3	spinosus. B.M. (wh.) prickly-leaved.	S. Europe.	1629.	— H. 2.		Bot. mag. t. 1808.
4	spinosissimus. P.s. (wh.) white-spined.	—	—	— H. 2.		
5	carduifolius. s.s. (wh.) Cape.	C. B. S.	1816.	— G. 2.		
6	ilicifolius. s.s. (wh.) Holly-leaved.	E. Indies.	1759.	 S. h.		Rheed. mal. 2. t. 48.
BLEPH'ARIS. J.	BLEPH'ARIS.	Didymia Angiospermia.	P.S.			
1	capensis. s.s. (wh.) simple-spined.	C. B. S.	1816.	5. 9. G. h.		
2	furcata. s.s. (wh.) fork-spined.	—	—	6. 8. G. h.		
3	procumbens. s.s. (wh.) procumbent.	—	1825.	— G. h.		
THUNBER'GIA. S.S.	THUNBER'GIA.	Didymia Angiospermia.	S.S.			
1	grandiflora. s.s. (bl.) large-flowered.	E. Indies.	1822.	3. 8. S. h. ∪.		Bot. reg. t. 495.
2	fragrans. s.s. (wh.) white Indian.	—	1796.	5. 9. S. h. ∪.		Bot. mag. t. 1881.
3	cordata. C.R. (wh.) heart-leaved.	Brazil.	1823.	3. 8. S. h. ∪.		Coll. h. rip. t. 21.
4	capensis. s.s. (wh.) Cape.	C. B. S.	1816.	— G. h. ∪.		
5	alata. B.M. (or.) winged.	Zanzibar.	1825.	1. 12. S. h. ∪.		Bot. mag. t. 2591.
6	angulata. H.E.F. (pu.) angular-stalked.	Mauritius.	1824.	5. 8. S. h. ∪.		Hook. ex. flor. t. 166.
7	coccinea. D.P. (sc.) scarlet-flowered.	Nepaul.	—	6. 2. S. h. ∪.		— t. 195.

- BARLERIA. S.S.** **BARLERIA. Didynamia Angiospermia. L.**
- 1 buxifolia. s.s. (bl.) Box-leaved. E. Indies. 1763. 6. 7. S. h. Rheed. mal. 2. t. 47.
 2 Prionitis. s.s. (ye.) thorny. ——— 1759. 7. 8. S. h. ——— 9. t. 41.
 3 spicata. H.B. (pu.) spiked-flowered. ——— 1822. 4. 8. S. h.
 4 longifolia. s.s. (vi.) long-leaved. ——— 1781. 7. 9. S. f. Pluk alm. t. 133. f. 4.
 5 cristata. s.s. (bl.) crested. ——— 1796. 4. 9. S. h. Bot. mag. t. 1615.
 6 alba. B.C. (wh.) white-flowered. ——— 1818. — S. h. Lodd. bot. cab. t. 360.
 7 ciliata. H.B. (pu.) fringed. ——— 1822. 4. 10. S. h.
 8 tomentosa. s.s. (bl.) woolly. ——— 1825. — S. h.
 9 flava. s.s. (ye.) yellow-flowered. Arabia. 1816. — S. h. Jacq. f. ecl. t. 46.
mitis. B.R. 191. Justicia flava. w. Eranthemum flavum. W.en.
- 10 longiflora. s.s. (vi.) long-flowered. E. Indies. 1816. 6. 9. S. h. Vahl symb. 1. t. 16.
 11 purpurea. B.C. (pu.) purple. ——— 1817. — S. h. Lodd. bot. cab. t. 344.
 12 dichotoma. H.B. (pu.) forked. ——— 1822. — S. h.
 13 cœrulea. H.B. (bl.) blue-flowered. ——— — S. h.
- HYGROPHILA. B.P. HYGROPHILA. Didynamia Angiospermia. S.S.**
rinzens. s.s. (li.) gaping-flowered. E. Indies. 1807. 7. 8. S. h.
- GEISSOMERIA. B.R. GEISSOMERIA. Didynamia Angiospermia.**
 1 longiflora. B.R. (sc.) long-flowered. Brazil. 1825. 8. 10. S. h. Bot. reg. t. 1045.
 2 fulgida. (sc.) bright-flowered. W. Indies. 1804. 7. 8. S. h. Andr. reposit. t. 527.
Ruellia fulgida. A.R.
- RUELLIA. S.S. RUELLIA. Didynamia Angiospermia. L.**
- 1 ocyroides. s.s. (bl.) Basil-like. Mexico. 1815. 7. 8. S. h. Cavan. ic. 5. t. 456.
 2 ciliata. s.s. (li.) fringed. E. Indies. 1806. — S. h.
 3 australis. s.s. (re.) New Holland. N. S. W. 1820. 6. 9. G. h. Cavan. ic. 6. t. 586. f. 1.
 4 foetida. s.s. (vi.) strong-scented. Mexico. 1824. — G. h.
 5 biflora. s.s. (bl.) two-flowered. Carolina. 1765. 7. G. y.
 6 violacea. s.s. (li.) violet-flowered. Guiana. 1822. 6. 9. S. y. Aub. gui. 2. t. 271.
 7 salicifolia. s.s. (vi.) Willow-leaved. E. Indies. — S. h.
 8 ovata. s.s. (bl.) oval-leaved. Mexico. 1800. 7. 8. S. y. Cavan. ic. 3. t. 254.
 9 patula. s.s. (vi.) spreading. E. Indies. 1774. — S. h. Jacq. ic. 1. t. 119.
 10 Sabiniiana. B.R. (vi.) Sabine's. ——— 1827. 4. 8. S. h. Bot. reg. t. 1238.
 11 brasila. Mart. (vi.) Brazil. Brazil. 1828. 8. 9. S. h.
 12 anisophylla. H.E.F. (bl.) unequal-leaved. E. Indies. 1823. 9. 4. S. h. Hook. ex. flor. 191.
persicifolia. Bot. reg. t. 955.
- 13 formosa. s.s. (sc.) splendid. Brazil. 1808. 6. 9. S. h. Bot. mag. t. 1400.
 14 macrophylla. s.s. (re.) large-leaved. S. America. 1820. — S. h. Vahl symb. 2. t. 39.
 15 tuberosa. s.s. (vi.) tuberous-root'd. Jamaica. 1752. 7. 8. S. y. Sloan. jam. 1. t. 95. f. 1.
 16 strepens. s.s. (publ.) whorl-flowered. N. America. 1726. — G. y.
 17 lactea. s.s. (li.) white. Mexico. 1796. 6. 8. G. y. Schk. hand. 2. t. 177.
 18 clandestina. s.s. (bl.) three-flowered. Barbadoes. 1728. 7. 8. S. y. Cavan. ic. 3. t. 255.
 19 paniculata. s.s. (li.) panicked. W. Indies. 1768. 8. 10. S. y. Dill. elth. t. 248. f. 320.
 20 obovata. H.B. (pu.) obovate-leaved. E. Indies. 1820. 7. 11. S. y. Bot. reg. t. 585.
 21 undulata. s.s. (vi.) wave-leaved. ——— 1817. — S. y.
 22 hirta. s.s. (vi.) hairy. ——— — S. y.
 23 pubescens. p.s. (bl.) pubescent. C. B. S. 1816. 5. 7. G. h. Vahl symb. 3. t. 67.
 24 tetragona. s.s. (bl.) four-sided. Brazil. 1818. 6. 9. S. y.
 25 longifolia. s.s. (pu.) long-leaved. E. Indies. 1821. — S. h.
 26 cœrua. H.B. (vi.) cernuous. ——— — S. h.
 27 semitetrandra. Jac. .. semitetrandrous. 1829. S. h.
- BLECHUM. B.P. BLECHUM. Didynamia Angiospermia. S.S.**
 1 Bröwnei. s.s. (li.) dense-spiked. W. Indies. 1780. 6. S. y.
 2 laxiflorum. s.s. (wh.) loose-flowered. ——— 1822. 6. 8. S. y.
 3 angustifolium. s.s. (bl.) narrow-leaved. ——— 1826. 7. 10. S. y.
- APHELANDRA. B.P. APHELANDRA. Didynamia Angiospermia. S.S.**
 cristata. s.s. (sc.) dense-spiked. W. Indies. 1733. 6. 9. S. h. Bot. mag. t. 1578.
Ruellia cristata. A.R. 506. Justicia pulcherrima. L.
- CROSSANDRA. P.S. CROSSANDRA. Didynamia Angiospermia.**
 undulafolia. P.L. (sc.) wave-leaved. E. Indies. 1800. 6. 1. S. h. Bot. reg. t. 69.
Ruellia infundibuliformis. A.R. 542. Harrachia speciosa. Jacq. ecl. t. 21.
- PHAYLOPSIS. W. PHAYLOPSIS. Didynamia Angiospermia. W.**
 1 longifolia. B.M. (wh.) long-leaved. Sierra Leon. 1822. 3. 5. S. h. Bot. mag. t. 2433.
 2 imbricata. (wh.) imbricated. Mauritius. ——— — S. h.
Æthelema imbricata. s.s.
- 3 parviflora. w. (wh.) small-flowered. E. Indies. 1825. 4. 8. S. y.
- LEPIDAGATHIS. W. LEPIDAGATHIS. Didynamia Angiospermia. W.**
 cristata. w. (pu.) crested. E. Indies. 1817. 5. 8. S. y.
- ELYTRARIA. R.S. ELYTRARIA. Diandria Monogynia. S.S.**
 1 crenata. R.S. (wh.) notched-leav'd. E. Indies. 1819. 11. 2. S. y. Roxb. corom. 2. t. 127.
Justicia acutis. F.L.

2	lyrata. R.S.	(wh.)	lyrate-leaved.	E. Indies.	1825.	11. 2.	S. 2.	
3	virgata. R.S.	(wh.)	twiggy.	Carolina.	1813.	7. 8.	H. 2.	Mich. amer. 1. t. 1.
4	ramosa. K.S.	(bl.)	branching.	Mexico.	1825.	—	G. 2.	
5	caulescens. R.S.	(wh.)	caulescent.	Manilla.	1828.	—	G. 2.	
JUSTÍCIA. R.S. JUSTÍCIA. Diandria Monogynia. L.								
1	bicalyculata. R.S.	(li.)	Malabar.	E. Indies.	1785.	8. 10.	S. 2.	Cavan. ic. 1. t. 71.
2	hispidia. R.S.	(wh.)	hispid.	Sierra Leon.	1824.	4. 8.	S. 2.	
3	Ecbolium. R.S.	(pa.bl.)	long-spiked.	E. Indies.	1759.	3. 8.	S. 2.	Bot. mag. t. 1847.
4	ventricosa. B.M.	(sp.)	hop-flowered.	China.	1825.	4. 6.	S. 2.	— t. 2766.
5	calycotricha. s.s.	(ye.)	yellow-flower'd.	Brazil.	—	1. 3.	S. 2.	— t. 2816.
flavicom. Bot. reg. t. 1027.								
6	thyrsiflora. F.I.	(or.)	thyse-flower'd.	E. Indies.	1812.	5. 9.	S. 2.	
7	vitellina. F.I.	(pi.ye.)	reflex-leaved.	—	1818.	—	S. 2.	
8	alba. F.I.	(wh.)	white-flowered.	—	1816.	4. 8.	S. 2.	
9	coccinea. R.S.	(sc.)	scarlet.	S. America.	1770.	12. 4.	S. 2.	Bot. mag. t. 432.
10	polysperma. F.I.	(bl.)	many-seeded.	E. Indies.	1821.	8. 10.	S. 2.	
11	echioides. R.S.	(wh.pu.)	Echium-like.	—	1812.	6. 9.	S. 2.	Rheed. mal. 9. t. 46.
12	quadrifida. R.S.	(sc.)	twiggy.	Mexico.	1795.	3. 9.	S. 2.	Sal. par. lond. t. 50.
virgulatis. P.L.								
13	pumila. R.S.	(sc.)	dwarf.	S. America.	1820.	—	S. 2.	
14	nigricans. R.S.	(wh.re.)	black-striped.	China.	1819.	6. 9.	G. 2.	
15	nitida. R.S.	(wh.sp.)	glossy.	W. Indies.	1790.	3. 9.	S. 2.	Andr. reposit. t. 570.
16	bracteolata. R.S.	(pu.)	bracteolate.	Caracas.	1824.	6. 8.	S. 2.	Jacq. ic. t. 205.
17	picta. R.S.	(cr.)	paint.	E. Indies.	1780.	7. 8.	S. 2.	Rheed. mal. 6. t. 60.
a alba. (cr.) white-marked.								
β lurido-sanguinea. (pu.) purple-leaved.								
18	paniculata. R.S.	(ro.)	paniced.	—	1811.	—	S. 2.	Bot. mag. t. 1870.
19	salicina. R.S.	(re.)	Willow-like.	Peru.	1819.	—	S. 2.	Jacq. f. eclog. t. 34.
20	secunda. R.S.	(pu.)	side-flowering.	W. Indies.	1793.	5. 9.	S. 2.	Bot. mag. t. 2060.
21	geniculata. B.M.	(sc.)	jointed-stalked.	—	1822.	7. 10.	S. 2.	— t. 2487.
22	nodosa. B.M.	(cr.pu.)	swoln-jointed.	Brazil.	1826.	8. 10.	S. 2.	— t. 2914.
23	oblongata. L.O.	(pi.)	oblong-leaved.	Java.	—	9. 10.	S. 2.	
24	ciliaris. R.S.	(wh.)	ciliated.	Cumana.	1780.	7. 8.	S. 2.	Jacq. vind. 2. t. 104.
25	lucida. R.S.	(sc.)	shining-leaved.	W. Indies.	1795.	—	S. 2.	Bot. mag. t. 1014.
26	salviaeflora. R.S.	(sc.)	Sage-flowered.	Mexico.	1823.	—	S. 2.	
27	Gandarussa. R.S.	(vi.)	Willow-leaved.	E. Indies.	1800.	6. 7.	S. 2.	Bot. reg. t. 635.
28	carthaginensis. R.S.	(sc.)	Carthaginian.	Carthage.	1792.	—	S. 2.	— t. 797.
29	pedunculosa. R.S.	(pu.)	long-peduncled.	N. America.	1759.	7. 8.	H. 2.	Bot. mag. t. 2367.
americana. w.								
30	quadrangulatis. B.M.	(pu.)	square-stalked.	Mauritius.	—	1. 3.	S. 2.	Bot. mag. t. 2845.
31	procumbens. R.S.	(ro.)	procumbent.	E. Indies.	1798.	7. 8.	S. 2.	Pluk. alm. t. 56. f. 3.
32	quinquangulatis. F.I.	(ro.)	five-angled.	—	1820.	—	S. 2.	
33	comata. R.S.	(li.)	Balsam-herb.	Jamaica.	1795.	—	S. 2.	Sloan. jam. 1. t. 103. f. 2.
34	eustachiana. R.S.	(pu.)	Eustachian.	St. Eustachia.	1799.	8. 9.	S. 2.	Jacq. amer. pict. t. 5.
35	Keriana. (sc.or.)		Ker's.	China.	1815.	6. 9.	S. 2.	Bot. reg. t. 309.
eustachiana. B.R. Bot. mag. t. 2076. non Jacq.								
36	nasuta. R.S.	(wh.)	white-flowering.	E. Indies.	1790.	2. 10.	S. 2.	Bot. mag. t. 325.
37	lanceolata. F.I.	(ro.)	lance-leaved.	—	1818.	8. 12.	S. 2.	
38	speciosa. F.I.	(pu.)	beautiful.	—	1823.	1. 12.	S. 2.	Bot. mag. t. 2722.
39	Roxburghiana. R.S.	(pi.)	Roxburgh's.	—	1815.	6. 9.	S. 2.	Rumph. amb. 6. t. 22. f. 1.
tinctoria. F.I. non Lour. buphica. s.s.								
40	pectoralis. R.S.	(pu.)	Garden Balsam.	W. Indies.	1787.	5. 6.	S. 2.	Bot. reg. t. 796.
41	periplocæfolia. R.S.	(pu.)	Periploca-leav'd.	S. America.	1799.	6. 8.	S. 2.	Jacq. coll. s. t. 7. f. 2.
42	furcata. R.S.	(vi.)	forked.	Peru.	1795.	4. 8.	S. 2.	Bot. mag. t. 430.
peruviana. B.M. Cavan. ic. 1. t. 28.								
43	lithospermifolia. (vi.)		Gromwell-leav'd.	—	1796.	—	S. 2.	Jacq. schœn. 1. t. 4.
44	caracasana. R.S.	(vi.)	Caracas.	Caracas.	1818.	—	S. 2.	Jacq. ic. 2. t. 206.
45	leucantha. R.S.	(wh.)	dirty white.	Brazil.	1824.	—	S. 2.	
46	Adhatoda. R.S.	(wh.pu.)	Malabar-nut.	Ceylon.	1699.	5. 7.	G. 2.	Bot. mag. t. 861.
47	decussata. F.I.	(li.)	cross-leaved.	E. Indies.	1824.	2. 4.	S. 2.	
48	Betónica. R.S.	(wh.)	Betony-leaved.	—	1739.	—	S. 2.	Rheed. mal. 2. t. 21.
49	ramosissima. F.I.	(wh.)	branching.	—	1812.	8. 12.	S. 2.	
50	plumbaginifolia. R.S.	(re.)	Plumbago-leav'd.	—	1819.	6. 9.	S. 2.	Jacq. f. ecl. t. 12.
51	formosa. R.S.	(pu.)	handsome.	—	—	—	S. 2.	
52	maculata. B.C.	(pu.)	spotted-leaved.	W. Indies.	1823.	—	S. 2.	Lodd. bot. cab. t. 626.
53	divaricata. R.S.	(wh.)	divaricate.	C. B. S.	1822.	3. 6.	G. 2.	
54	pátula. R.S.	(wh.)	spreading-branch'd.	—	1824.	—	G. 2.	
55	hyssopifolia. R.S.	(st.)	Hyssop-leaved.	Canaries.	1690.	3. 8.	G. 2.	Mill. ic. 9. t. 13.
56	orchioïdes. R.S.	(bh.)	Broom-leaved.	C. B. S.	1774.	8	G. 2.	Vent. malm. t. 51.

57	tranquebariënsis. R.S. (bh.)	Tranquebar. E. Indies.	1818.	4. 8.	S. 2.	
58	glåbra. F.I. (ro. ye.)	smooth. ———	1824.	6. 9.	S. 2.	
59	vestita. R.S. (vi.)	clothed. ———	1827.	—	S. 2.	
DICLIPTERA. J. DICLIPTERA. Diandria Monogynia. R.S.						
1	spinosa. B.C. (ye.)	spiny. Madagascar.	1827.	4. 6.	S. 2.	Lodd. bot. cab. t. 1244.
2	chinënsis. R.S. (ro.)	Chinese. China.	1816.	8. 12.	S. 2.	Burm. ind. t. 4. f. 1. ?
3	bivålvus. R.S. (ro.)	two-valved. E. Indies.	1820.		S. 2.	
4	multiflora. R.S. (vi.)	many-flowered. Quito.	1821.	6. 9.	S. 2.	Flor. peruv. 1. t. 14. f. b.
5	retusa. R.S. (pu.)	retuse. Santa Cruz.	1816.	7. 9.	S. 2.	Lodd. bot. cab. t. 724.
6	congesta. K.S. (pu.)	crowded-flowered. Mexico.	1825.	—	S. 2.	
7	resupinata. R.S. (vi.)	resupinate. N. Spain.	1805.	5. 8.	S. 2.	Cavan. ic. 3. t. 203.
8	pectinata. R.S. (bl.)	pectinated. E. Indies.	1801.	7. 9.	S. 2.	Roxb. corom. 2. t. 153.
	<i>Justicia parviflora. w.</i>					
9	repens. R.S. (li.)	creeping. ———	1822.	—	S. 2.	Roxb. corom. 2. t. 152.
10	brasiliënsis. R.S. (pu.)	Brazilian. Brazil.	1824.	—	S. 2.	
11	scorpioides. R.S. (pu.)	Scorpion-grass-ld. Vera Cruz.		—	S. 2.	Reliqu. Houst. t. 1.
12	sexangularis. R.S. (re.)	chickweed-ld. S. America.	1733.	7.	S. 2.	Pluk. alm. t. 279. f. 6.
13	assurgens. R.S. (sc.)	assurgent. W. Indies.	1827.	—	S. 2.	
NELSONIA. B.P. NELSONIA. Diandria Monogynia.						
	lamiifolia. F.I. (pu.)	Lamium-leaved. E. Indies.	1824.	6. 8.	S. 2.	
HYPOESTES. R.S. HYPOESTES. Diandria Monogynia. R.S.						
1	purpurea. R.S. (pu.)	purple-flower'd. China.	1822.	6. 8.	S. 2.	
	<i>Justicia purpurea. l.</i>					
2	verticillaris. R.S. (bh.)	whorl-flowered. C. B. S.	1823.	4. 6.	G. 2.	
3	serpens. R.S. (li.)	creeping-stalked. Mauritius.	1823.	6. 8.	S. 2.	
4	involuta. R.S. (wh.)	involucered. E. Indies.	1811.	7. 8.	S. 2.	
ERANTHEMUM. R.S. ERANTHEMUM. Diandria Monogynia. R.S.						
1	variabile. B.P. (pu.)	variable. N. S. W.	1820.	6. 9.	G. 2.	
2	montanum. F.I. (bl.)	mountain. E. Indies.	1825.	7. 2.	S. 2.	
3	pulchellum. F.I. (bl.)	nervose. ———	1796.	1. 10.	S. 2.	Andr. reposit. t. 88.
	<i>Justicia nervosa. B.M. 1358.</i>					
4	racemosum. F.I. (bh.)	racemed. ———	1826.	7. 2.	S. 2.	
5	barlerioides. F.I. (pa. bl.)	Barleria-like. ———	1824.	—	S. 2.	
6	strictum. F.I. (li.)	upright. ———	1822.	—	S. 2.	Bot. reg. t. 867.
	crenulatum. B.R. (bl.)	crenulate. ———	1824.	10. 2.	S. 2.	— t. 879.
8	bicolor. s.s. (wh. pu.)	two-coloured. Philippines.	1802.	5. 8.	S. 2.	Bot. mag. t. 1423.
	<i>Justicia bicolor. B.M.</i>					
9	spinosum. R.S. (wh.)	thorny. W. Indies.	1733.	7. 8.	S. 2.	Jacq. amer. 2. t. 2. f. 1.
10	acanthophorum. R.S. (li.)	spiny. China.	1822.	—	S. 2.	
11	ambiguum. R.S.	bunch-leaved.	1823.		S. 2.	
	<i>parviflorum. L. enum. nec aliorum.</i>					

ORDO CLVIII.

OROBANCHEÆ. Ventenat.

LATHRÆA. S.S. TOOTHWORT. Didynamia Angiospermia. L.					
	squamaria. s.s. (pu.)	scaly. Britain.		4. H. 2.	Eng. bot. v. 1. t. 50.
OROBANCHE. S.S. BROOM-RAPE. Didynamia Angiospermia. L.					
1	major. E.B. (br. pu.)	greater. Britain.		6. 7. H. 2.	Eng. bot. v. 6. t. 421.
2	elätior. E.B. (br.)	taller. ———		7. 8. H. 2.	— v. 8. t. 568.
3	minor. E.B. (pa. pu.)	smaller. ———		— H. 2.	— v. 6. t. 422.
4	rubra. E.B. (pu. re.)	red. Ireland.		8. H. 2.	— v. 25. t. 1786.
5	cærulea. E.B. (bl.)	blue. Britain.		7. H. 2.	— v. 6. t. 423.
6	ramosa. E.B. (pu. bl.)	branching. ———		8. 9. H. 2.	— v. 3. t. 184.

ORDO CLIX.

LENTIBULARIÆ. Brown prodr. 1. p. 429.

PINGUICULA. L. BUTTERWORT. Diandria Monogynia. L.					
1	vulgäris. s.s. (vi.)	common. Britain.		5. H. w. 2.	Eng. bot. v. 1. t. 70.
2	alpina. s.s. (wh. st.)	Alpine. Europe.	1794.	4. H. w. 2.	Flor. dan. t. 453.

3 grandiflora. s.s.	(bl.) great-flowered.	Ireland.		5. 6.	H.w. 2.	Eng. bot. v. 31. t. 2184.
4 lusitânica. s.s.	(fl.) pale.	Britain.		6. 7.	H.w. 2.	— v. 3. t. 145.
5 lutea. B.R.	(ye.) yellow.	Carolina.	1816.	—	H.w. 2.	Bot. reg. t. 126.
6 edentula. H.E.F.	(ye.) toothless.	N. America.	1821.	4. 5.	H.w. 2.	Hook. ex. flor. t. 16.
UTRICULARIA. L. HOODED MILFOIL. Diandria Monogynia. L.						
1 vulgaris. E.B.	(ye.) common.	Britain.		7.	H. 2.	Eng. bot. v. 4. t. 253.
2 intermedia. E.B.	(ye.) intermediate.	Ireland.		—	H. 2.	— v. 35. t. 2489.
3 minor. E.B.	(st.) lesser.	Britain.		—	H. 2.	— v. 4. t. 254.

ORDO CLX.

PRIMULACEÆ. *Brown prodr. p. 427.*

CYCLAMEN. L. CYCLAMEN. Pentandria Monogynia. L.						
1 cœum. R.S.	(re.) green, round-ld.	S. Europe.	1596.	1. 4.	H. 2.	Bot. mag. t. 4.
2 vernal. B.F.G.	(re.) spring.	—	1814.	2. 5.	H. 2.	Swt. br. fl. gar. t. 9.
3 europæum. R.S.	(li.) round-leaved.	Europe.	1596.	7. 8.	H. 2.	— t. 176.
4 persicum. R.S.	(wh.) Persian.	Cyprus.	1731.	2. 4.	G. 2.	Bot. mag. t. 44.
α inodorum.	(wh.pu.) scentless.	—	—	—	G. 2.	—
β odoratum.	(wh.pu.) sweet-scented.	—	—	—	G. 2.	—
γ albiflorum.	(wh.) pure white.	—	—	—	G. 2.	—
δ laciniatum. R.R.	(wh.pu.) jagged.	—	—	—	G. 2.	Bot. reg. t. 1095.
5 hederæfolium. E.B.	(li.) Ivy-leaved.	Britain.		6. 8.	H. 2.	Eng. bot. v. 8. t. 548.
α purpurascens.	(li.) purplish-flower'd.	—		—	H. 2.	—
β albidum.	(wh.) white-flowered.	—		—	H. 2.	—
6 neapolitanum. T.N.	(re.) Neapolitan.	Naples.	1826.	—	H. 2.	Clus. hist. 1. p. 265. ic.
7 repandum. F.G.	(re.) angular-leaved.	Greece.		3. 4.	F. 2.	Swt. br. fl. gar. t. 117.
8 latifolium. F.G.	(li.) broad-leaved.	—	1823.	4. 5.	F. 2.	Flor. græc. t. 185.
DODECATHEON. L. AMERICAN COWSLIP. Pentandria Monogynia. L.						
Mœadia. R.S.	(li.) Mead's.	Virginia.	1744.	4. 6.	H. 2.	Bot. mag. t. 12.
β albiflora.	(wh.) white-flowered.	—	1820.	—	H. 2.	—
SOLDANE'LLA. R.S. SOLDANE'LLA. Pentandria Monogynia. L.						
1 montana. R.S.	(bl.) mountain.	Bohemia.	1816.	4.	H. 2.	Swt. br. fl. gar. t. 11.
2 alpina. R.S.	(bl.) Alpine.	Switzerland.	1656.	—	H. 2.	Bot. mag. t. 49.
3 pusilla. B.F.G.	(vi.) lesser.	S. Europe.	1824.	—	H. 2.	Swt. br. fl. gar. s. 2. t. 48.
4 minima. R.S.	(bl.) least.	Carp. mount.	1820.	—	H. 2.	— s. 2. t. 53.
CORTUSA. L. BEARS-EAR SANICLE. Pentandria Monogynia. L.						
Mathioli. R.S.	(li.) short calyxed.	Austria.	1596.	4. 6.	H. 2.	Bot. mag. t. 987.
PRIMULA. L. PRIMROSE. Pentandria Monogynia. L.						
1 prænitens. B.R.	(pi.) glossy.	China.	1820.	1. 12.	F. 2.	Bot. reg. t. 539.
sinensis. Lind. col. non	Lour.	—	—	—	—	—
α rosea.	(ro.) rose-coloured.	—	—	—	F. 2.	Bot. mag. t. 2564.
β albiflora. B.F.G.	(wh.) white-flowered.	—	—	—	F. 2.	Swt. br. fl. gar. t. 196.
γ dentiflora.	(ro.) jagged-flowered.	—	—	—	F. 2.	Lindl. coll. bot. t. 7.
2 cortusoides. R.S.	(re.) Cortusa-leaved.	Siberia.	1794.	5. 7.	H. 2.	Bot. mag. t. 399.
3 dentiflora. A.R.	(re.) tooth-flowered.	—		—	H. 2.	Andr. reposit. t. 451.
4 suaveolens. R.S.	(ye.) sweet-scented.	Naples.	1826.	—	H. 2.	Ten. fl. neap. 1. t. 13.
Columnæ. T.N.	—	—	—	—	—	—
5 inflata. R.S.	(ye.) bellied-calyxed.	Hungary.	1824.	—	H. 2.	Swt. br. fl. gar. s. 2.
6 brevistyla. R.S.	(st.) short-styled.	France.		—	H. 2.	—
β versicolor.	(va.) various-coloured.	—		—	H. 2.	—
7 veris. R.S.	(ye.) Cowslip.	Britain.		5. 6.	H. 2.	Eng. bot. v. 1. t. 5.
β rubra.	(re.) red cowslip.	—		—	H. 2.	—
8 acaulis. R.S.	(st.) common.	Britain.		3. 5.	H. 2.	Eng. bot. v. 1. t. 4.
vulgaris. E.B.	—	—	—	—	—	—
β albo-plena.	(wh.) double white.	—		—	H. 2.	—
γ sulphureo-plena.	(st.) double-sulphur.	—		—	H. 2.	—
δ cupreo-plena.	(co.) double-copper.	—		—	H. 2.	—
ε salmoneo-plena.	(pa.) double-salmon.	—		—	H. 2.	—
ζ lilacino-plena.	(li.) double-lilac.	—		—	H. 2.	Bot. mag. t. 229.
η rubro-plena.	(re.) double Scotch.	—		—	H. 2.	—
θ purpureo-plena.	(d.pu.) double dark purple.	—		—	H. 2.	—

9	elätior. R.S.	(st.) Oxlip.	Britain.		3. 5.	H. 2.	Eng. bot. v. 8. t. 518.
	β polyántha.	(va.) Polyanthus.			—	H. 2.	
	γ Fletcheri.	(ve.ye.) Fletcher's defiance.			—	H. 2.	Swt. flor. guid. t. 49.
	δ Burnardiāna.	(ve.ye.) Burnard's Formosa			—	H. 2.	— t. 97.
	ε Shadiāna.	(pu.ye.) Shad's telegraph.			—	H. 2.	— t. 125.
	ζ calycántha.	(va.) coloured-calyxed.			—	H. 2.	
10	Perreiniana. R.S.	(pu.) Perrein's.	Spain.	..	—	H. 2.	Flugg. an. mus. 12. t. 37.
	Flugæāna.	Lehm. mon. prim. p. 36. t. 2.					
11	Pallasii. R.S.	(st.) Pallas's.	Altay.	1820.	—	H. 2.	Bot. reg. t. 896.
12	Auricula. R.S.	(va.) Auricula.	Switzerland.	1596.	4. 5.	H. 2.	Jacq. aust. 5. t. 415.
	β latea.	(ye.) yellow-flowered.			—	H. 2.	
	γ calycántha.	(ye.) yellow-calyxed.			—	H. 2.	
	δ întegerrima.	(va.) entire-leaved.			—	H. 2.	Trattin. tabul. t. 431.
	ε horténsis.	(va.) garden.			—	H. 2.	— t. 432.
	ζ venústa.	(pu.) Howe's Venus.			—	H. 2.	Swt. flor. guid. t. 84.
	η Redmāni.	(bl.) Redman's metropolitan.	..		—	H. 2.	— t. 69.
	θ melanocýcla.	(bk.wh.) Wild's black and clear.			—	H. 2.	— t. 63.
	ι albifolia.	(pu.st.) Taylor's glory.			—	H. 2.	— t. 3.
	κ Hedgeāna.	(pu.st.) Hedge's Britannia.			—	H. 2.	— t. 22.
	λ dílecta.	(pu.wh.) Wood's delight.			—	H. 2.	— t. 131.
	μ Warrisiana.	(ve.gr.) Warris's union.			—	H. 2.	— t. 134.
	ν Moreāna.	(pu.gr.) More's Navarino.			—	H. 2.	— t. 58.
	ο Quiragiāna.	(pu.gr.) Burnard's Gen. Quiraga.			—	H. 2.	— t. 129.
	π Hilliana.	(pu.gr.) Page's Lord Hill.			—	H. 2.	— t. 118.
	ρ violæcea.	(vi.gr.) Moore's Violet.			—	H. 2.	— t. 105.
	σ Oldenbúrgii.	(ve.gr.) Page's Dutchess of Oldenburgh			—	H. 2.	— t. 2.
	τ Alexándri.	(ve.gr.) Stretch's Alexander.			—	H. 2.	— t. 10.
	υ undulata.	(ve.gr.) Page's champion.			—	H. 2.	— t. 15.
	φ Grimesii.	(ve.gr.) Grimes's privateer.			—	H. 2.	— t. 29.
	χ Lawrieāna.	(ve.gr.) Lawrie's Hertfordshire hero.			—	H. 2.	— t. 94.
	ψ indepéndens.	(bk.gr.) Booth's freedom.			—	H. 2.	— t. 91.
	w obscura.	(pu.gr.) Cockup's Eclipse.			—	H. 2.	— t. 45.
	aa Pollitiāna.	(ve.gr.) Pollit's highland boy.			—	H. 2.	— t. 52.
	ββ Smithii.	(ve.gr.) Smith's Waterloo.			—	H. 2.	— t. 76.
	γγ gloriōsa.	(ve.gr.) Lawrie's glory of Cheshunt.			—	H. 2.	— t. 79.
13	Palinuri. R.S.	(ye.) unequal-bracted.	Naples.	1816.	—	H. 2.	Swt. br. fl. gar. t. 8.
14	Balbisii. R.S.	(ye.) Balbis's.	Italy.	1826.	—	H. 2.	Moret. fl. v. cent. p. 7. ic.
15	marginata. B.M.	(ro.) silver-edged.	Switzerland.	1777.	3. 4.	H. 2.	Bot. mag. t. 191.
	crenata. R.S.						
16	longiflora. R.S.	(li.) long-flowered.		1818.	4. 6.	H. 2.	Jacq. aust. 5. t. 46.
17	longifolia. B.M.	(li.) long-leaved.	Levant.	1790.	4. 5.	H. 2.	Bot. mag. t. 392.
	auriculata. R.S.						
18	farinosa. R.S.	(re.) Bird's-eye.	Britain.		4. 7.	H. 2.	Eng. bot. v. 1. t. 6.
19	scotica. S.S.	(pu.) Scotch bird's-eye.	Scotland.		7. 8.	H. 2.	Hook. fl. lond. t. 133.
20	stricta. R.S.	(li.) Horneman's.	N. Europe.	1822.	6. 7.	H. 2.	Flor. dan. t. 1385.
	Hornemanniana. S.S.						
21	davurica. R.S.	(ro.) Siberian bird's-eye.	Davuria.	1806.	5. 6.	H. 2.	Bot. mag. t. 1219.
	intermedia. B.M.						
22	pusilla. S.S.	(li.) American bird's-eye.	N. America.	1819.	—	H. 2.	Hook. ex. flor. t. 68.
23	altaica. R.S.	(li.) pale-flowered.	Altay.	1826.	3. 5.	H. 2.	Lehm. prim. t. 5.
24	finmarchica. R.S.	(vi.) Norwegian.	Norway.	1798.	—	H. 2.	Flor. dan. t. 188.
25	nivalis. R.S.	(pu.) snowy mountain.	Davuria.	1790.	4. 5.	H. 2.	Pall. it. 3. app. t. 9. f. 2.
26	viscosa. R.S.	(pu.) clammy.	Piedmont.	1792.	4.	H. 2.	Trattin. tabul. t. 434.
27	glutinosa. R.S.	(vi.) glutinous.	S. Europe.	1820.	3. 6.	H. 2.	Jacq. aust. t. 26.
28	carniolica. R.S.	(vi.) elliptic-leaved.	Carniola.	1826.	—	H. 2.	— 5. t. 4.
29	glaucescens. S.S.	(pu.) glaucous.	Switzerland.	—	—	H. 2.	Swt. br. fl. gar. t. 254.
30	integrifolia. R.S.	(pu.) entire-leaved.	Pyrenees.	—	6. 7.	H. 2.	Bot. mag. t. 942.
31	Simsii.	(st.) Sims's.	Switzerland.		4. 6.	H. 2.	— t. 1161.
	villosa β flore albo. B.M.						
32	nivea. F.	(wh.) snowy white.	Siberia.		—	H. 2.	
	nivalis. Hort. nec aliorum.						
33	helvetica. B.C.	(pu.) Swiss.	Switzerland.	1790.	—	H. 2.	Lodd. bot. cab. t. 348.
34	pubescens. R.S.	(pu.) pubescent.	Pyrenees.	1768.	—	H. 2.	Trattin. tabul. t. 427.
	villosa. B.M. 14. non Jacq.						
35	villosa. R.S.	(pu.) villous.	S. Europe.	—	—	H. 2.	Jacq. aust. 5. t. 27.
36	ciliata. R.S.	(pu.) ciliated.	Switzerland.		—	H. 2.	Swt. br. fl. gar. s. 2.
	decora. Bot. mag. t. 1922.						
37	minima. R.S.	(pu.) smallest.		1819.	4. 5.	H. 2.	Bot. reg. t. 581.

35 involucrâta. L.O. (ye.) involucred.	Egypt.	1826.	3. 4. F. 2.	Bot. mag. t. 2842.
<i>verticillata</i> . B.M. non Vahl. nec Forsk.				
ANDROSACE. L.	ANDROSACE.	Pentandria Monogynia. L.		
1 maxima. R.S. (wh.) oval-leaved.	Austria.	1597.	3. 6. H. 0.	Jacq. aust. 4. t. 331.
2 elongata. R.S. (wh.) cluster-flowered.	—	1776.	4. 5. H. 0.	— 4. t. 330.
3 nana. R.S. (wh.) dwarf.	S. Europe.	1825.	— H. 0.	—
4 septentrionalis. R.S. (wh.) tooth-leaved.	Russia.	1755.	— H. 0.	Bot. mag. t. 2021.
5 alismoides. H.H. (wh.) Alisma-like.	Siberia.	1827.	— H. 0.	—
6 coronopifolia. A.R. (wh.) Buckshorn-ld.	—	1806.	6. 9. H. 2.	Andr. reposit. t. 647.
<i>lactiflora</i> R.S.				
7 filiformis. R.S. (wh.) filiform.	—	1823.	— H. 0.	Gmel. sib. 4. t. 44. f. 4.
8 villôsa. R.S. (bh.) villous.	Pyrenees.	1790.	6. 7. H. 2.	Bot. mag. t. 743.
9 chamaejasme. R.S. (bh.) grass-leaved.	Austria.	1768.	6. 8. H. 2.	Lodd. bot. cab. t. 232.
10 brevifolia. R.S. (wh.) short-leaved.	Siberia.	1827.	— H. 2.	Vill. delph. 2. t. 15.
11 macrocarpa. Led. (wh.) large-capsuled.	—	—	— H. 0.	—
12 lactea. R.S. (wh.) white-flowered.	—	1752.	— H. 2.	Bot. mag. t. 868.
13 carnea. R.S. (ro.) awl-leaved.	Switzerland.	1768.	7. 8. H. 2.	Lodd. bot. cab. t. 40.
14 obtusifolia. R.S. (bh.) blunt-leaved.	—	1820.	— H. 2.	All. ped. 1. t. 46. f. 1.
15 albana. R.S. (bh.) capitate.	Caucasus.	1827.	— H. 2.	Linn. trans. 11. t. 33.
16 acaulis. Ot. (wh.) stalkless.	Siberia.	1825.	— H. 2.	—
ARETIA. W.	ARETIA.	Pentandria Monogynia. L.		
1 helvetica. w. (st.) imbricated.	Switzerland.	1775.	5. 6. H. 2.	Schk. hand. 1. t. 32.
2 argentea. (st.) silvery.	—	1826.	— H. 2.	Lap. pyr. ic. ined. t. 67.
<i>Androsace argentea</i> . R.S.				
3 alpina. w. (pi.) linear-leaved.	—	1775.	— H. 2.	Jacq. aust. 5. app. t. 18.
4 pubescens. L.C. (pi.) pubescent.	—	1820.	— H. 2.	Lodd. bot. cab. t. 1273.
5 Vitaliana. w. (ye.) grass-leaved.	Pyrenees.	1787.	— H. 2.	— t. 166.
<i>Primula sedifolia</i> . P.L. 107. <i>Androsace Vitaliana</i> . R.S.				
TRIENTALIS. W.	WINTER-GREEN.	Heptandria Monogynia. L.		
1 europæa. w. (wh.) oval-leaved.	Britain.		5. 6. H. 2.	Eng. bot. v. 1. t. 15.
2 americana. Ph. (wh.) spear-leaved.	N. America.	1816.	7. 8. H. 2.	Bart. flor. amer. 2. t. 48.
CORIS. L.	CORIS.	Pentandria Monogynia. L.		
1 monspeliensis. L. (vi.)	Montpelier.	S. Europe.	1640.	6. 7. G. 2.
HOTTONIA. L.	WATER-VIOLET.	Pentandria Monogynia. L.		
1 palustris. E.B. (pi.) marsh.	England.		7. 8. H. w. 2.	Eng. bot. v. 6. t. 364.
LYSIMACHIA. L.	LOOSE-STRIFE.	Pentandria Monogynia. L.		
1 vulgaris. R.S. (ye.) common.	Britain.		7. 9. H. 2.	Eng. bot. v. 11. t. 761.
2 Ephemerum. R.S. (wh.) Willow-leaved.	Spain.	1730.	— H. 2.	Bot. mag. t. 2346.
3 atropurpurea. R.S. (d. pu.) dark purple.	Levant.		— H. 0.	Flor. græc. t. 187.
4 dubia. R.S. (li.) pale purple.	—	1759.	— H. 2.	— t. 188.
5 stricta. R.S. (ye.) upright.	N. America.	1781.	7. 8. H. 2.	Bot. mag. t. 104.
<i>bulbifera</i> . B.M. <i>racemosa</i> . M.				
6 capitata. R.S. (ye.) headed.	—	1813.	5. 7. H. 2.	—
7 thyrsoflora. R.S. (ye.) tufted.	England.		— H. 2.	Eng. bot. v. 3. t. 176.
8 quadrifolia. R.S. (ye.) four-leaved.	N. America.	1798.	7. 8. H. 2.	Lam. ill. 1. t. 101. f. 2.
<i>hirsuta</i> . M.				
9 longifolia. R. S. (ye.) long-leaved.	—	—	— H. 2.	Bot. mag. t. 660.
<i>quadriflora</i> . B.M.				
10 lanceolata. R.S. (ye.) spear-leaved.	—	1826.	— H. 2.	—
11 verticillata. R.S. (ye.) whorl-leaved.	Hungary.	1818.	6. 8. H. 2.	Swt. br. fl. gar. t. 21.
12 ciliata. R.S. (ye.) ciliated.	N. America.	1732.	— H. 2.	Wachend. hort. t. 12.
13 punctata. R.S. (ye.) punctated.	S. Europe.	1658.	7. 8. H. 2.	Jacq. aust. 4. t. 366.
14 angustifolia. R.S. (ye.) narrow-leaved.	N. America.	1803.	7. 9. H. 2.	—
15 hybrida. R.S. (ye.) hybrid.	—	1806.	— H. 2.	—
16 nemorum. R.S. (ye.) wood.	Britain.		5. 7. H. 2.	Eng. bot. v. 8. t. 527.
17 anagalloides. F.G. (ye.) Pimpernell-fl'd.	Crete.	1789.	— F. 2.	Flor. græc. t. 198.
18 maculata. B.P. (ye.) spotted.	N. S. W.	1822.	— G. 2.	—
19 Nummularia. R.S. (ye.) Moneywort.	Britain.		6. 7. H. 2.	Eng. bot. v. 8. t. 528.
LUBINIA. S.S.	LUBINIA.	Pentandria Monogynia. S.S.		
1 atropurpurea. S.S. (pu.) dark-purple.	C. B. S.	1823.	7. 9. H. 2.	Swt. br. fl. gar. s. 2. t. 34.
ASTEROLINON. Lk.	ASTEROLINON.	Pentandria Monogynia. Len.		
1 stellatum. L. en. (bh.) starry.	Italy.	1658.	6. H. 0.	Flor. græc. t. 189.
<i>Lysimachia Linum-stellatum</i> . F.G.				
ANAGALLIS. L.	PIMPERNELL.	Pentandria Monogynia. L.		
1 arvensis. E.B. (sc.) red-flowered.	Britain.		6. 9. H. 0.	Eng. bot. v. 8. t. 529.
<i>phenicea</i> . R.S.				
2 carnea. Schl. (fl.) flesh-coloured.	Switzerland.	—	— H. 0.	—
3 indica. B.F.G. (bl.) Indian.	E. Indies.	1824.	— H. 0.	Swt. br. fl. gar. t. 132.
4 cœrulea. R.S. (bl.) blue-flowered.	Britain.		— H. 0.	Eng. bot. v. 26. t. 1823.

5 collina. R.S.	(sc.) large-flowered.	Morocco.	1803.	5. 7. G. ♂.	Bot. mag. t. 831.
<i>fruticosa</i> . B.M. <i>grandiflora</i> . A.R. 367.					
6 latifolia. R.S.	(bl.) broad-leaved.	Spain.	1759.	— G. ♂.	Bot. mag. t. 238.
7 Monelli. R.S.	(bl.) blue Italian.	Italy.	1648.	5. 9. G. ♀.	— t. 319.
8 linifolia. R.S.	(bl.) Flax-leaved.	Portugal.	1796.	6. 7. G. ♀.	Moris. s. 5. t. 26. f. 3.
9 tenella. R.S.	(ro.) bog.	Britain.		7. 8. H. ♀.	Eng. bot. v. 8. t. 530.
CENTUNCULUS. L.	BASTARD PIMPERNEL.	Tetrandria Monogynia. L.			
minimus. E.B.	(fl.) least.	Britain.		6. 7. H. ☉.	Eng. bot. v. 3. t. 531.
? SAMOLUS. B.P.	BROOK-WEED.	Pentandria Monogynia. L.			
1 Valerandi. E.B. (wh.)	common.	Britain.		6. 8. H. ♀.	Eng. bot. v. 10. t. 703.
2 littoralis. B.P. (wh.)	sea-side.	N. S. W.	1806.	7. 9. G. ♀.	Lab. n. hcll. 1. t. 54.
3 campanuloides. s.s. (w.)	Campanula like.	C. B. S.	1816.	— G. ♀.	
<i>Campanula porosa</i> . W.					

ORDO CLXI.

GLOBULARIÆ. *Lam. et DC. fl. fr. ed. 3. v. 3. p. 427.*

GLOBULARIA. L.	GLOBULARIA.	Tetrandria Monogynia. L.			
1 longifolia. w.	(bl.) Willow-leaved.	Madeira.	1775.	7. 8. G. ♀.	Bot. reg. t. 685.
<i>salicina</i> . R.S.					
2 Alypum. R.S. (pa.bl.)	three-toothed.	S. Europe.	1640.	8. 9. G. ♀.	Garid. aix. t. 42.
<i>β integrifolia</i> . (pa.bl.)		entire-leaved.		— G. ♀.	Rœm. et Ust. b.m. 7. t. 5.
3 linifolia. R.S.	(bl.) Flax-leaved.	Spain.	1818.	5. 6. H. ♀.	
4 vulgaris. R.S.	(bl.) common.	Europe.	1640.	— H. ♀.	Swt. br. fl. gar. t. 20.
5 spinosa. R.S.	(bl.) prickly-leaved.	Spain.	—	F. ♀.	
6 cordifolia. R.S.	(bl.) wedge-leaved.	Germany.	1633.	6. 7. H. ♀.	Swt. br. fl. gar. t. 34.
7 nana. R.S.	(li.) dwarf.	S. France.	1818.	— H. ♀.	DC. ic. pl. gal. rar. 1. t. 3.
8 nudicaulis. R.S.	(bl.) naked-stalked.	Germany.	1629.	— H. ♀.	Jacq. aust. 3. t. 230.
9 bellidifolia. R.S.	(bl.) Daisy-leaved.	Italy.	1824.	— H. ♀.	
10 incanescens. R.S. (pu.)	hoary.	—	1828.	— H. ♀.	Viv. frag. it. 1. t. 3.

**** SUBCLASSIS IV. MONOCHLAMYDEÆ.

ORDO CLXII.

PLUMBAGINEÆ. *Brown prodr. 1. p. 425.*

STATICE. T.	THRIFT.	Pentandria Pentagynia. L.			
1 vulgaris. (pa. li.)	common.	Europe.		6. 8. H. ♀.	Schk. handb. t. 87.
<i>Arméria vulgaris</i> . R.S.					
2 arenaria. P.S.	(li.) sand.	France.		5. 8. H. ♀.	
3 alpina.	(vi.) flattish-stalked.	Carinthia.		— H. ♀.	
4 littoralis.	(vi.) ciliate-leaved.	Portugal.		— H. ♀.	
<i>Arméria littoralis</i> . R.S.					
5 maritima. Mill.	(ro.) sea-side.	Britain.		5. 7. H. ♀.	Eng. bot. v. 4. t. 226.
<i>Arméria</i> . E.B. <i>Arméria maritima</i> . R.S.					
6 humilis. P.S.	(li.) dwarf.	Portugal.		— H. ♀.	
7 juniperifolia. w.	(li.) Juniper-leaved.	Spain.	1818.	— H. ♀.	Quer. hisp. 6. t. 15. f. 1.
8 pinifolia. Brot.	(li.) Pine-leaved.	Portugal.		— H. ♀.	
9 pungens. Brot.	(li.) pungent-leav'd.	—		— H. ♀.	
10 alliacea. w.	(wh.) Garlic-leaved.	Spain.	1798.	5. 6. H. ♀.	Flor. græc. t. 29.
11 scorzonifolia.	(li.) spear-leaved.	S. Europe.	1816.	— H. ♀.	
<i>Arméria scorzonifolia</i> . s.s.					

12	lusitânica. P.S.	(sc.) large-leaved.	S. Europe.	1814.	5. 6.	F. 4.	
13	latifolia. (li.)	broad-leaved.	Portugal.	1740.	5. 7.	H. 4.	Jacq. vind. 1. t. 42.
	cephalotes. H.K.	Arméria latifolia. R.S.					
14	plantaginea. (li.)	Plantain-leav'd.	S. Europe.	1816.	5. 6.	H. 4.	
15	denticulata. Brot. (fl.)	tooth-leaved.	Italy.	—	—	H. 4.	
16	dianthoides. B.F.G. (li.)	Pink-like.	S. Europe.	1824.	5. 7.	H. 4.	Swt. br. fl. gar. ser. 2.
	Arméria dianthoides. s.s.						
17	hirta. (li.)	hairy.	Gibraltar.	1818.	—	H. 4.	
	Arméria hirta. R.S.						
18	fasciculata. P.S. (li.)	bundle-leaved.	Portugal.		4. 8.	H. 7.	Venten. cels. t. 38.
	TAXANTHEMA. B.P.	SEA LAVENDER. Pentandria Pentagynia.					
1	graminifolia. R.S. (sc.)	Grass-leaved.	Siberia.	1780.	6. 7.	H. 4.	
2	Limonium. R.S. (bl.)	common.	England.		5. 8.	H. 4.	Eng. bot. v. 2. t. 102.
	Statice Limonium. E.B.						
3	elata. s.s. (bl.)	tall.	Siberia.	1824.	—	H. 4.	
4	Gmelini. R.S. (bl.)	Gmelin's.	—	1796.	6. 8.	H. 4.	Gmel. sib. 2. t. 90.
5	caroliniana. R.S. (bl.)	Carolina.	N. America.	1824.	—	H. 4.	
6	scoparia. R.S. (bl.)	Broom.	Siberia.	1796.	—	H. 4.	
7	latifolia. R.S. (bl.)	broad-leaved.	—	1791.	5. 7.	H. 4.	Hoff. c. gott. 1796. t. 1.
8	purpurata. R.S. (pu.)	purple.	C. B. S.	1800.	6. 7.	G. 4.	
9	bellidifolia. R.S. (bl.)	Daisy-leaved.	Greece.	1823.	—	G. 4.	Flor. græc. t. 295.
10	globulariaefolia. R.S. (li.)	Globularia-leav'd.	S. Europe.	—	—	F. 4.	— t. 296.
11	oleæfolia. R.S. (vi.)	Olive-leaved.	Italy.	1688.	5. 8.	H. 4.	Lobel. ic. p. 295. f. 2.
12	Willdenowiana. R.S. (vi.)	Willdenow's.	S. France.	1804.	6. 8.	H. 4.	Willd. h. ber. t. 63.
	Statice spathulata. W. non Desf.						
13	auriculæfolia. R.S. (bl.)	Auricula-leav'd.	Barbary.	1781.	7. 8.	F. 4.	
14	incana. B.F.G. (re.)	hoary.	Levant.	1823.	—	H. 4.	Swt. br. fl. gar. t. 272.
	a sanguinea. (cr.)	crimson-flowered.	—	—	—	H. 4.	— t. 272. f. 1.
	β rosea. (ro.)	rose-coloured.	—	—	—	H. 4.	— t. 272. f. 2.
	γ alba. (wh.)	white-flowered.	—	—	—	H. 4.	
15	spatulata. R.S. (bl.)	spatula-leaved.	Barbary.	1804.	6. 8.	F. 4.	Bot. mag. t. 1617.
16	cordata. R.S. (bl.)	retuse-leaved.	S. Europe.	1752.	5. 7.	F. 4.	Barrel. ic. 805.
17	emarginata. R.S. (bl.)	emarginate.	Gibraltar.		—	F. 4.	
18	caspia. R.S. (pa. bl.)	Caspian.	Siberia.		7. 8.	H. 4.	Gmel. sib. 2. t. 89. f. 2.
19	scabra. R.S. (bl.)	rough-branch'd.	C. B. S.	1788.	5. 7.	G. 4.	
20	tetragona. R.S. (bl.)	square-stalked.	—	1816.	—	G. 4.	
21	reticulata. R.S. (bl.)	matted.	England.		7. 8.	H. 4.	Eng. bot. v. 5. t. 328.
	Statice reticulata. E.B.						
22	dichotoma. R.S. (bl.)	forked.	Spain.	1818.	—	H. 4.	Cavan. ic. 1. t. 50.
23	virgata. R.S. (bl.)	twiggy.	—		—	H. 4.	
24	viminea. R.S. (bl.)	slender.		1823.	—	H. 4.	
25	echioides. F.G. (li.)	rough-leaved.	S. Europe.	1752.	—	F. 4.	Flor. græc. t. 299.
26	rorida. F.G. (pa. bl.)	frosted.	Levant.	—	—	F. 4.	— t. 298.
	echioides. Prodr. fl. græc. non L.						
27	palmaris. F.G. (ro.)	rosy-coloured.	—	1826.	—	F. 4.	Flor. græc. t. 297.
28	speciosa. B.F.G. (re.)	Plantain-leaved.	Russia.	1776.	—	H. 4.	Swt. br. fl. gar. t. 105.
	Statice speciosa. Bot. mag. 656.						
29	conspicua. R.S. (re.)	conspicuous.	—	1804.	—	H. 4.	Bot. mag. t. 1629.
	Statice conspicua. B.M.						
30	tatarica. B.F.G. (re.)	Tartarian.	—	1731.	6. 7.	H. 4.	Swt. br. fl. gar. t. 37.
31	acerosa. M.B. (re.)	needle-leaved.	M. Ararat.	1829.	—	F. 4.	Buxb. cent. 2. p. 18. t. 10.
32	flexuosa. R.S. (ro.)	zigzag.	Siberia.	1791.	7. 8.	H. 4.	Gmel. sib. 2. t. 89. f. 1 ?
33	minuta. R.S. (li.)	small.	S. Europe.	1658.	6. 7.	H. 4.	Bocc. sic. t. 13. f. 3.
34	pectinata. R.S. (bl.)	triangular-stalk'd.	Canaries.	1780.	9. 10.	F. 4.	
35	cinerea. R.S. (wh.)	ash-coloured.	C. B. S.	1822.	—	G. 4.	
36	macrophylla. s.s. (bl. wh.)	large-leaved.	Canaries.	1816.	7. 9.	F. 4.	
37	suffruticosa. R.S. (li.)	narrow-leaved.	Siberia.	1779.	5. 9.	H. 7.	Gmel. sib. 2. t. 88. f. 2. 3.
38	monopetala. R.S. (pu.)	Sicilian shrubby.	Sicily.	1731.	7. 8.	F. 7.	Bocc. sic. t. 16. 17.
39	cylindrifolia. R.S. (vi.)	round-leaved.	N. Africa.	1738.	—	G. 7.	
40	ferulacea. R.S. (ye.)	Fennel-like.	Siberia.	1796.	5.	H. 7.	Moris. s. 15. t. 1. f. 23.
41	sinuata. R.S. (bl. ye.)	scollop-leaved.	Levant.	1629.	5. 9.	F. 4.	Bot. mag. t. 71.
42	Thouini. R.S. (bl. ye.)	Thouin's.	Africa.	1738.	6. 10.	F. 4.	Mart. cent. t. 84.
43	alata. R.S. (ye.)	winged.		1806.	—	F. 4.	
44	spicata. R.S. (wh.)	spiked.	Caucasus.	1828.	8. 10.	H. 4.	Gmel. sib. 2. t. 91. f. 2.
45	ægyptiaca. R.S. (wh.)	Egyptian.	Egypt.	1816.	6. 10.	F. 4.	Bot. mag. t. 2363.
46	mucronata. R.S. (li.)	curled.	Barbary.	1784.	—	F. 4.	L'Herit. stirp. t. 13.
	PLUMBAGO. L.	LEADWORT. Pentandria Monogynia. L.					
1	europæa. R.S. (vi.)	European.	S. Europe.	1596.	9. 10.	H. 4.	Bot. mag. t. 2139.
2	lapathifolia. R.S. (wh.)	Dock-leaved.	Iberia.	1824.	—	H. 4.	

3	capensis. R.S.	(bl.) blue-flowered.	C. B. S.	1818.	9. 3.	S. h.	Bot. reg. t. 417.
4	tristis. H.K.	(br.) dark-flowered.	—	1792.	5. 6.	G. h.	
5	zeylânica. R.S.	(wh.) Ceylon.	E. Indies.	1731.	4. 9.	S. h.	Rheed. mal. 10. t. 8.
6	occidentâlis.	(wh.) West Indian.	W. Indies.	1817.	—	S. h.	
	zeylânica β. R.S.	scândens. Hort.					
7	mexicâna. K.S.	(vi.) Mexican.	Mexico.	1829.	4. 8.	S. 2.	
8	rosea. R.S.	(ro.) rose-coloured.	E. Indies.	1777.	3. 7.	S. h.	Bot. mag. t. 230.
9	scândens. R.S.	(wh.) climbing.	W. Indies.	1699.	7. 8.	S. h.	Jacq. amer. pict. t. 13.
10	rhomboïdea. B.M.	(bl.) rhomboid-leaved.		1828.	8. 10.	S. ♂.	Bot. mag. t. 2917.
11	micrântha. F.	(pu.) small-flowered.	Persia.	1829.	6. 8.	H. ♂.	

ORDO CLXIII.

PLANTAGINEÆ. Juss. gen. 89.

GLAUX. L.	BLACK SALTWORT.	Pentandria Monogynia. L.					
maritima. R.S.	(li.) sea-side.	Britain.		5. 6.	H. 2.	Eng. bot. v. 1. t. 13.	
PLANTAGO. L.	PLANTAIN.	Tetrandria Monogynia. L.					
1 major. R.S.	(gr.) greater.	Britain.		5. 7.	H. 2.	Eng. bot. v. 22. t. 1558.	
β rosea.	(gr.) rose-bracted.	—		—	H. 2.		
2 asiatica. R.S.	(li.) broad-leaved.	Siberia.	1787.	7.	H. 2.	Gmel. sib. 4. t. 37. ?	
3 Cornuti. R.S.	(wh.) Cornuti's.	S. Europe.	1801.	7. 8.	H. 2.	Corn. canad. p. 163. ic.	
Gouani. s.s.							
4 Brütia. R.S.	(wh.) Calabrian.	Calabria.	1824.	—	H. 2.		
5 gentianoides. s.s.	(wh.) Gentian-like.	Greece.	1826.	5. 8.	H. 2.		
6 exaltata. R.S.	(wh.) tallest.		1824.	7. 8.	H. 2.		
7 cordata. R.S.	(wh.) heart-leaved.	N. America.	1818.	—	H. 2.	Jacq. f. ecl. t. 72.	
8 máxima. R.S.	(li.) hollow-leaved.	Siberia.	1763.	—	H. 2.	Jacq. ic. 1. t. 26.	
9 crassa. s.s.	(wh.) succulent.	S. Europe.	1793.	6. 7.	H. 2.	Jacq. col. sup. 34. t. 16.	
crispa. Jacq.							
10 média. R.S.	(li.) hoary.	Britain.		5. 7.	H. 2.	Eng. bot. v. 22. t. 1559.	
11 camtschatica. s.s.	(wh.) Kamtschatkan.	Kamtschatka.	1819.	—	H. 2.		
12 lanceolata. R.S.	(br.) Rib-grass.	Britain.		—	H. 2.	Eng. bot. v. 8. t. 507.	
13 sibirica. R.S.	(wh.) Siberian.	Siberia.	1823.	—	H. 2.		
14 eriophora. R.S.	(wh.) woolly-leaved.	Portugal.	1825.	—	H. 2.		
15 montana. R.S.	(wh.) mountain.	S. Europe.	1823.	—	H. 2.		
16 capensis. R.S.	(wh.) Cape.	C. B. S.	1788.	5. 8.	G. 2.		
17 altissima. R.S.	(wh.) tall.	Italy.	1774.	6. 7.	H. 2.	Jacq. obs. 4. t. 83.	
18 Schöttii. R.S.	(br.) Schott's.	Dalmatia.	1829.	—	H. 2.		
19 Lagopus. R.S.	(br.) round-headed.	Spain.	1683.	—	H. 2.	Flor. græc. t. 144.	
20 eriostachya. R.S.	(wh.) woolly-spiked.	Naples.	1825.	7. 8.	H. ♂.		
21 sphaerocéphala. R.S.	(w.) round-headed.	Austria.	1774.	6. 7.	H. 2.	Jacq. vind. 2. t. 125.	
alpina. Jacq. non L.							
22 lusitânica. R.S.	(st.) Portugal.	Portugal.	1781.	7. 8.	H. 2.	Barrel. ic. t. 745.	
23 pseudo-lusitânica. R.S.	five-nerved.	—	1819.	—	H. 2.		
24 virginica. R.S.	(gr.) Virginian.	N. America.	1688.	6. 9.	H. ♂.	Moris. s. 8. t. 15. f. 8.	
25 depressa. R.S.	(br.) depressed.	—	1818.	—	H. 2.		
26 sparsiflora. R.S.	(bh.) scattered-flowered.	—	—	—	H. ♂.		
27 saxatilis. R.S.	(wh.) rock.	Iberia.	1820.	6. 8.	H. 2.		
28 hungarica. R.S.	(br.) Hungarian.	Hungary.	1824.	—	H. 2.	W. et K. hung. 3. t. 203.	
29 sericea. R.S.	(wh.) silky.	—	1820.	—	H. 2.	— t. 151.	
argentea. DC.							
30 albicans. R.S.	(br.) woolly.	S. Europe.	1776.	6. 9.	H. 2.	Flor. græc. t. 145.	
31 mexicana. s.s.	(wh.) Mexican.	Mexico.	1820.	6. 7.	H. 2.		
32 patagonica. R.S.	(wh.) Patagonian.	Patagonia.	1793.	6. 9.	H. ♂.	Jacq. ic. 2. t. 306.	
33 victoriâlis. R.S.	(wh.) Victoria.	S. Europe.	1824.	—	H. 2.		
34 holosericea. R.S.	(wh.) hairy-scaped.	Switzerland.	—	—	H. 2.		
35 microcephala. R.S.	(wh.) small-headed.			—	H. ♂.		
36 Bellardi. R.S.	(br.) Bellardi's.	S. Europe.	1797.	—	H. ♂.	Flor. græc. t. 146.	
37 cretica. R.S.	(st.) Cretan.	Candia.	1711.	6. 7.	H. ♂.	— t. 147.	
38 graminea. R.S.	(wh.) grass-leaved.	France.	1804.	—	H. 2.	Dod. pempt. 108. ic.	
39 maritima. R.S.	(gr.) sea-side.	Britain.		7.	H. 2.	Eng. bot. v. 3. t. 175.	
40 salsa. R.S.	(wh.) saltwort.	Tauria.	1819.	—	H. 2.		
41 crassifolia. R.S.	(br.) thick-leaved.	Egypt.	1824.	—	H. 2.		
42 hirsuta. R.S.	(wh.) hairy.	C. B. S.	1801.	6. 7.	G. 2.	Jacq. schœn. 3. t. 258.	

43	tùmida. L.en.	(wh.)	tumid-capsuled. Chile.	1819.	6. 7.	H. ⊙.	
44	alpina. R.S.	(li.)	Alpine. S. Europe.	1774.	—	H. ½.	
45	tenuiflora. R.S.	(br.)	slender-flowered. Hungary.	1819.	—	H. ⊙.	W. et K. hung. 1. t. 39.
46	bidentata. R.S.	(wh.)	white margined. Switzerland.	1824.	—	H. ½.	
47	serpentina. R.S.	(wh.)	serpentine. S. France.	1826.	—	H. ½.	
48	recurvata. R.S.	(wh.)	recurved-leaved. S. Europe.	1799.	—	H. ½.	Murr. c. gott. 1780. t. 6.
49	Wulfeni. R.S.	(wh.)	Wulfen's. Carinthia.	1802.	—	H. ½.	
50	subulata. R.S.	(wh.)	awl-leaved. S. Europe.	1596.	7.	H. ½.	Lobel. ic. 429.
51	Holosteum. R.S.	(wh.)	Scopoli's. Carniola.	1825.	7. 8.	H. ½.	Jacq. coll. 1. t. 10.
52	elongata. R.S.	(wh.)	long-spiked. Louisiana.	1821.	—	H. ½.	
53	humifusa. Ber.	(wh.)	trailing.	1825.	—	H. ½.	
54	canescens. Schr.	(wh.)	canescent.	1826.	7. 9.	H. ⊙.	
55	micrantha. Led.	(gr.)	small-flowered. Siberia.	1829.	6. 8.	H. ½.	
56	Coronopus. R.S.	(gr.)	star of the earth. Britain.		4. 9.	H. ⊙.	Eng. bot. v. 13. t. 892.
57	Jacquin. R.S.	(wh.)	Jacquin's. S. Europe.	1801.	7. 8.	H. ½.	Jacq. ic. 1. t. 27.
<i>Cornuti. Jacq.</i>							
58	Serraria. R.S.	(wh.)	saw-leaved. Barbary.	1640.	6. 7.	H. ½.	Moris. s. 8. t. 16. f. 19.
59	macrorhiza. R.S.	(br.)	large-rooted. Morocco.	1798.	7. 8.	H. ½.	Bocc. sic. t. 15. f. 2.
60	Læfingii. R.S.	(br.)	narrow-leaved. Spain.		—	H. ⊙.	Jacq. vind. 2. t. 126.
61	amplexicaulis. R.S.	(br.)	stem-clasping.	1797.	6. 7.	H. ⊙.	Cavan. ic. 2. t. 125.
62	villosa. R.S.	(gr.)	villous. Germany.	1804.	—	H. ⊙.	
63	vaginata. R.S.	(li.)	sheathed. Canaries.	1816.	—	G. ½.	Venten. cels. t. 29.
64	Cynops. R.S.	(gr.)	shrubby. S. Europe.	1596.	5. 8.	H. ½.	Jacq. fragm. t. 182.
65	afra. R.S.	(wh.)	Barbary. Barbary.	1640.	6.	F. ½.	Moris. s. 8. t. 17. f. 4.
66	divaricata. R.S.	(wh.)	spreading.	1824.	—	H. ½.	
67	squarrosa. R.S.	(wh.)	leafy-spiked. Egypt.	1787.	8. 9.	H. ⊙.	Jacq. ic. 1. t. 28.
68	Psyllium. R.S.	(bh.)	Fleawort. S. Europe.	1562.	7. 8.	H. ⊙.	Flor. græc. t. 149.
69	arenaria. R.S.	(wh.)	sand. Hungary.	1804.	5. 8.	H. ⊙.	W. et K. hung. 1. t. 51.
70	stricta. R.S.	(bh.)	upright. Morocco.	—	7. 8.	H. ⊙.	Moris. s. 3. 8. t. 17. f. 2.
71	sicula. R.S.	(wh.)	Sicilian. Sicily.	1820.	7. 10.	H. ⊙.	
72	parviflora. R.S.	(br.)	small-flowered. Barbary.	1826.	—	H. ⊙.	
73	Ispaghul. R.S.	(wh.)	East Indian. E. Indies.	1819.	7. 8.	S. ⊙.	
74	indica. R.S.	(wh.)	Indian. India.	1780.	—	H. ⊙.	
75	pumila. R.S.	(wh.)	dwarf. S. Europe.	1790.	—	H. ⊙.	Murr. c. gott. 1778. t. 5.
76	nitida. R.S.	(bl.)	glossy.	1822.	7. 10.	H. ⊙.	
77	brasilensis. B.M.	(wh.)	Brazilian. Brazil.	—	—	S. ½.	Bot. mag. t. 2616.
LITTORELLA. L.							
			SHORE-WEED. Monœcia Tetrandria. L.				
	lacustris. E.B.	(gr.)	Plantain-leaved. Britain.		6. 9.	H. ½.	Eng. bot. v. 7. t. 468.

ORDO CLXIV.

NYCTAGINEÆ. *Juss. gen. 90.*

OXYBA'PHUS. R.S. UMBRELLA-WORT. Triandria Monogynia R.S.							
1	viscosus. R.S.	(pu.)	viscid. Peru.	1793.	5. 9.	H. ½.	Bot. mag. t. 434.
2	glabrifolius. R.S.	(pu.)	smooth-leaved. New Spain.	1811.	7. 8.	H. ½.	Cavan. ic. 4. t. 379.
3	ovatus. R.S.	(re.)	oval-leaved. Peru.	1820.	—	H. ½.	Flor. peruv. 1. t. 75. f. b.
4	Cervantèsii. Lag.	(pu.)	Cervantes'. Mexico.	1822.	7. 10.	H. ½.	Swt. br. fl. gar. t. 84.
5	expansus. R.S.	(pu.)	expanded. Lima.	—	—	H. ½.	Flor. peruv. 1. t. 75. f. a.
6	aggregatus. R.S.	(re.)	aggregate. New Spain.	1811.	—	H. ½.	Cavan. ic. 5. t. 437.
7	nyctaginea. N.	(re.)	heart-leaved. Missouri.	1823.	7. 9.	H. ½.	
<i>Alliönia nyctaginea. n. Calymènia nyctaginea. n.</i>							
8	albida. N.	(li.)	white-leaved. Carolina.	1824.	—	H. ⊙.	
9	pilosa. N.	(re.)	pilose. Missouri.	1812.	—	H. ⊙.	
<i>Calymènia pilosa. n. Alliönia ovata. Ph.</i>							
10	hirsuta. N.	(re.)	hairy. Louisiana.	—	—	H. ½.	
11	angustifolia. (li.)	narrow-leaved. —	—	—	—	H. ½.	
<i>Alliönia linearis. Ph. Calymènia angustifolia. n.</i>							
12	decumbens. N.	(li.)	decumbent. Missouri.	1818.	—	H. ½.	
MIRA'BILIS. R.S. MARVEL OF PERU. Pentandria Monogynia. L.							
1	dichõtoma. R.S.	(re, wh.)	forked. Mexico.	1640.	7. 8.	G. ½.	P'lenck ic. off. t. 139.
	a rubra.	(re.)	red-flowered. —	—	—	F. ½.	
	β alba.	(wh.)	white-flowered. —	—	—	F. ½.	

2	Jalapa. R.S.	(va.) common.	India.	1596.	6. 9.	H. ♀.	Bot. mag. t. 371.
	α alba.	(wh.) white-flowered.	—	—	—	H. ♀.	
	β flava.	(ye.) yellow-flowered.	—	—	—	H. ♀.	
	γ rubra.	(re.) red-flowered.	—	—	—	H. ♀.	
	δ rubro-flava.	(re.ye.) red and yellow.	—	—	—	H. ♀.	
	ε rubro-alba.	(re.wh.) red and white.	—	—	—	H. ♀.	
3	hy'brida. R.S.	(re.) hybrid.	Hybrid.	1818.	6. 9.	H. ♀.	
4	longiflora. R.S.	(wh.) long-flowered.	Mexico.	1759.	—	H. ♀.	Sm. exot. bot. 1. t. 23.
5	suaveolens. K.S.	(wh.) sweet-scented.	—	1824.	—	H. ♀.	
ABR'ONIA. R.S. ABR'ONIA. Pentandria Monogynia. R.S.							
1	umbellata. R.S.	(bh.) flesh-coloured.	California.	1823.	6. 8.	H. ♀.	Hook. ex. flor. t. 194.
2	mellifera. B.M.	(wh.) honey-scented.	—	1827.	5. 9.	H. ♀.	Bot. mag. t. 2879.
ALL'ONIA. K.S. ALL'ONIA. Tetrandria Monogynia. L.							
1	violacea. K.S.	(vi.) violet-coloured.	Cumana.	1820.	7. 9.	H. ♂.	
2	incarnata. K.S.	(bh.) flesh-coloured.	—	—	—	H. ♂.	L'Herit. stirp. t. 31.
BOERHA'VIA. L. HOGWEED. Mono-Di-Tetrandria Monogynia.							
1	erecta. R.S.	(wh.) upright.	W. Indies.	1733.	7. 9.	S. ♀.	Jacq. vind. 1. t. 5. 6.
2	procumbens. F.I.	(w.re.) procumbent.	E. Indies.		—	S. ♀.	Rheed. mal. 7. t. 56.
3	diffusa. R.S.	(sc.) spreading.	W. Indies.	1690.	8. 9.	S. ♀.	
4	adscendens. R.S.	(re.) ascending.	Guinea.	1824.	6. 9.	S. ♀.	
5	hirsuta. R.S.	(sc.) scarlet-trailing.	Jamaica.	1733.	5. 8.	S. ♀.	Jacq. vind. 1. t. 7.
6	plumbaginea. R.S.	(ro.) Plumbago-leaved.	Spain.	1822.	—	S. ♀.	Cavan. ic. 2. t. 112.
7	discolor. K.S.	(bh.) two-coloured.	Guayaquil.	1825.	—	S. ♀.	
8	viscosa. K.S.	(sc.) viscous.	—	—	—	S. ♀.	
9	scandens. R.S.	(gr.) climbing.	Jamaica.	1691.	4. 9.	S. ♀.	Jacq. vind. 1. t. 4.
10	excelsa. R.S.	(pu.) lofty.	S. America.	1820.	—	S. ♀.	
PIS'ONIA. L. PIS'ONIA. Heptandria Monogynia. L.							
1	grandis. B.P.	(wh.) superb.	N. Holland.	1805.		G. ♀.	
2	hirtella. K.S.	(wh.) hairy.	Mexico.	1825.		G. ♀.	
3	fragrans. s.s.	(gr.) fragrant.		—		S. ♀.	
4	macrophylla. L.en.	(w.) long-leaved.		1820.		S. ♀.	
5	obovata. L.en.	(gr.) obovate-leaved.	S. America.	—		S. ♀.	
6	nigricans. s.s.	(wh.) black.	W. Indies.	1806.	5. 7.	S. ♀.	
7	obtusata. s.s.	(gr.) blunt-leaved.	—	1822.		S. ♀.	
8	mexicana. L.en.	(ro.) Mexican.	Mexico.	1825.	6. 8.	H. ♀.	
Boerhaavia arborescens. P s.							
9	nitida. W.en.	(li.) glossy.	Madagascar.	1824.		S. ♀.	
10	aculeata. s.s.	(ye.) prickly.	Jamaica.	1739.	3. 4.	S. ♀.	Lam. ill. t. 861.
BOLD'OA. S.S. BOLD'OA. Triandria Monogynia. S.S.							
	lanceolata. s.s.	(re.) lance-leaved.	Mexico.	1824.	5. 7.	G. ♀.	H. et B. pl. æq. 1. t. 44.
Salpianthus arenarius. K.S.							

ORDO CLXV.

AMARANTHACEÆ. Brown prodr. p. 413.

AMARA'NTHUS. L. AMARANTH. Monœcia Tri-Pentandria. L.							
1	tenuifolius. w	(gr.) fine-leaved.	E. Indies.	1801.	7. 9.	H. ♂.	
2	angustifolius. w.	(gr.) narrow-leaved.	Levant.	1723.	—	H. ♂.	
3	pallidus. s.s.	(pa.) pale.	Tauria.	1823.	—	H. ♂.	
4	persicarioides. s.s.	(re.) Persicaria-like.	Nepaul.	1818.	9. 11.	H. ♂.	
5	Acroglóchin. s.s.	(gr.) spiny-bracted.	—	1820.	—	H. ♂.	
6	álbus. w.	(wh.) white.	N. America.	1778.	7. 9.	H. ♂.	W. amar. 9. t. 1. f. 2.
7	gracizans. w.	(gr.) Pellitory-leaved.	—	1759.	—	H. ♂.	— 8. t. 4. f. 7.
8	polygamus. w.	(gr.) hermaphrodite.	E. Indies.	1780.	—	H. ♂.	Rumph. amb. 5. t. 82.
9	Blitum. E.B.	(gr.) wild.	England.		6. 8.	H. ♂.	Eng. bot. v. 31. t. 2212.
10	viridis. w.	(gr.) green.	Brazil.	1768.	8. 9.	H. ♂.	W. amar. 18. t. 8. f. 16.
11	campéstris. w.	(gr.) field.	E. Indies.	1818.	—	H. ♂.	
12	polygonoides. w.	(gr.) spotted-leaved.	Jamaica.	1778.	7. 8.	H. ♂.	W. amar. 11. t. 6. f. 12.
13	melancholicus. w.	(pu.) melancholy.	E. Indies.	1731.	6. 9.	H. ♂.	— 15. t. 9. f. 18.
14	tricolor. w.	(st.) three-coloured.	—	1548.	—	G. ♂.	Knor. thes. 2. t. A. 3. 5.
15	bicolor. w.	(st.) two-coloured.	—	1802.	7. 9.	H. ♂.	
16	lineatus. B.P.	(gr.) line-leaved.	N. Holland.	1828.	—	H. ♂.	
17	gangeticus. w.	(gr.) oval-spiked.	E. Indies.	1778.	—	H. ♂.	W. amar. 16. t. 6. f. 11.
18	mangostanus. w.	(gr.) rhomb-leaved.	—	1801.	—	H. ♂.	— 13. t. 12.

19	polystachyus. w.	(gr.) many-spiked.	E. Indies.	1816.	7. 9.	H.⊙.	
20	tristis. w.	(pu.) round-headed.	China.	1759.	6. 8.	H.⊙.	W. amar. 21. t. 5. f. 10.
21	inamœnus. w.	(gr.) inelegant.	—	1816.	—	H.⊙.	
22	incomptus. W.en.	(gr.) slovenly.	—	—	—	H.⊙.	
23	lividus. w.	(br.) livid.	N. America.	1759.	7. 9.	H.⊙.	W. amar. 20. t. 1. f. 1.
24	oleraceus. w.	(li.) eatable.	E. Indies.	1764.	7. 8.	H.⊙.	— 17. t. 5. f. 9.
25	lanceafolius. H.B.	(gr.) lance-leaved.	—	1816.	8. 10.	H.⊙.	
26	atropurpureus. H.B.	(pu.) dark-purple.	—	1821.	—	H.⊙.	
27	gracilis. s.s.	(gr.) oval-leaved.	Guinea.	1806.	7. 8.	H.⊙.	Jacq. ic. 2. t. 344.
	<i>Chenopodium caudatum.</i> Jacq.						
28	prostratus. w.	(gr.) trailing.	France.	1739.	7. 9.	H.⊙.	
29	scandens. w.	(gr.) climbing.	S. America.	1796.	7. 8.	S.⊙.	
30	deflexus. w.	(gr.) bending.	—	1805.	—	H.⊙.	W. amar. 10. t. 10. f. 20.
31	fasciatus. H.B.	(gr.) fasciate.	E. Indies.	1820.	8. 10.	H.⊙.	
32	bullatus. s.s.	(gr.) blistered.	—	—	7. 9.	H.⊙.	
33	Arardhanus.	(gr.) Indian.	E. Indies.	1825.	—	G.⊙.	
34	Berchtholdi. H.	(pi. gr.) Berchthold's.	S. Europe.	1826.	—	H.⊙.	
35	bahiensis. Lk.	(gr.) Bahia.	Bahia.	1823.	—	H.⊙.	
36	purpurascens. Ot.	(pu.) purplish.	—	1828.	—	H.⊙.	
37	littoralis. Ot.	(gr.) sea-side.	—	1823.	—	H.⊙.	
38	rigidus. s.	(gr.) rigid.	—	—	—	H.⊙.	
39	tortuosus. H.H.	(gr.) twisted.	—	—	—	H.⊙.	
40	laxifolius. Ot.	(gr.) loose-leaved.	—	—	—	H.⊙.	
41	glomeratus. Ot.	(gr.) glomerate.	—	1829.	—	H.⊙.	
42	spicatus. P.S.	(gr.) spiked.	France.	—	—	H.⊙.	
43	pumilus. s.s.	(gr.) dwarf.	N. America.	—	6. 9.	H.⊙.	
44	curvifolius. s.s.	(gr.) curved-leaved.	Caucasus.	1827.	—	H.⊙.	
45	hybridus. w.	(re.) clustered.	—	1656.	—	H.⊙.	W. amar. 26. t. 9. f. 17.
46	hæcticus. w.	(pi.) oval-spiked.	—	1796.	8. 9.	H.⊙.	— 25. t. 7. f. 13.
47	latus. w.	(re.) blunt-leaved.	Italy.	1799.	7. 9.	H.⊙.	— 28. t. 8. f. 15.
48	strictus. w.	(gr.) upright.	—	1793.	—	H.⊙.	— 27. t. 3. f. 5.
49	paniculatus. w.	(re.) paniced.	N. America.	1798.	—	H.⊙.	— 32. t. 2. f. 4.
50	celosioides. K.S.	(wh.) Spinach-like.	S. America.	1824.	9. 11.	H.⊙.	
51	caracasanus. K.S.	(wh.) Caracas.	Caracas.	1821.	—	H.⊙.	
52	retroflexus. w.	(gr.) hairy.	N. America.	1759.	7. 9.	H.⊙.	W. amar. 33. t. 11. f. 21.
53	flavus. w.	(st.) pale yellow.	India.	—	—	H.⊙.	— 35. t. 3. f. 6.
54	chlorostachys. w.	(ye.) nodding.	—	1796.	—	H.⊙.	— 34. t. 10. f. 19.
55	parisiensis. s.s.	(gr.) Paris.	France.	1819.	—	H.⊙.	
56	hypochondriacus. w.	(re.) Prince's feather.	Virginia.	1684.	—	H.⊙.	
57	sanguineus. w.	(re.) spreading.	Bahama Isl.	1775.	—	H.⊙.	W. amar. 31. t. 2. f. 3.
58	cruentus. w.	(cr.) various-leaved.	China.	1728.	6. 8.	H.⊙.	
59	speciosus. D.P.	(sc.) showy.	Nepaul.	1819.	9. 11.	H.⊙.	Bot. mag. t. 2227.
60	caudatus. w.	(re.) Love lies bleeding.	E. Indies.	1596.	8. 9.	H.⊙.	
	<i>β maximus.</i>	(re.) tree.	—	—	—	H.⊙.	
61	spinosus. w.	(gr.) prickly.	W. Indies.	1683.	7. 9.	H.⊙.	W. amar. 38. t. 4. f. 8.
62	frumentaceus. H.B.	(gr.) cultivated.	E. Indies.	1819.	—	H.⊙.	
	LECANOCARPUS. N.E. <i>LECANOCARPUS.</i> Monœcia Pentandria.						
	<i>nepalensis.</i> N.E.	(gr.) Nepaul.	Nepaul.	1816.	8. 10.	H.⊙.	Nees ab Ess. ic. sel. t. 2.
	<i>Amaranthus cauliflorus.</i> Lk.						
	CELOSIA. R.S.	Cocks-comb.	Pentandria Monogynia.	L.			
1	argentea. R.S.	(bh.) silvery-spiked.	China.	1714.	6. 9.	S.⊙.	Mart. cent. t. 7.
	<i>β linearis.</i>	(bh.) narrow-leaved.	E. Indies.	—	—	S.⊙.	Rheed. mal. 10. t. 39.
2	pyramidalis. R.S.	(wh.) pyramidal.	—	—	—	S.⊙.	Burm. ind. 65. t. 25. f. 1.
3	margaritacea. R.S.	(wh. re.) pearl-flowered.	India.	—	—	S.⊙.	Rheed. mal. 10. t. 38.
4	cristata. R.S.	(re.) common.	Asia.	1570.	—	S.⊙.	Rumph. amb. 5. t. 84.
	<i>α elata.</i>	(re.) tall red.	—	—	—	S.⊙.	Knor. del. 1. t. H. 5. 6.
	<i>β compacta.</i>	(re.) dwarf red.	—	—	—	S.⊙.	
	<i>γ flavescens.</i>	(st.) yellow.	—	—	—	S.⊙.	
5	comosa. R.S.	(re.) tufted.	E. Indies.	1802.	—	S.⊙.	
6	coccinea. R.S.	(sc.) scarlet.	China.	1597.	—	S.⊙.	
7	castrensis. R.S.	(re.) branched.	E. Indies.	1739.	—	S.⊙.	Barrel. rar. t. 1195.
8	cœrnua. A.R.	(sc.) drooping.	—	1809.	7. 8.	S.⊙.	Andr. reposit. t. 635.
9	Monsônia. R.S.	(bh.) downy.	—	1778.	7. 9.	S.⊙.	Pluk. alm. 11. t. 334. f. 4.
	<i>Achyranthes Monsônia.</i> s.s. <i>Illecebrum Monsônia.</i> L.						
10	nodiflora. R.S.	(wh.) knotted.	E. Indies.	1780.	—	S.⊙.	Jacq. vind. 1. t. 98.
	LESTIBUDESIA. R.S. <i>LESTIBUDESIA.</i> Pentandria Monogynia. R.S.						
1	virgata. R.S.	(gr.) wave-leaved.	W. Indies.	1815.	8. 10.	S. h.	Jacq. ic. 2. t. 339.
	<i>Celósia virgata.</i> Jacq.						

- 2 paniculâta. R.S. (st.) panicle. Jamaica. 1733. 6. 9. S. ♂. Sloan, hist. 1. t. 91. f. 2.
 3 trig'yna. R.S. (wh.) oval-leaved. Senegal. 1777. 8. 10. S. ♂. Jacq. vind. 3. t. 15.
- DEERINGIA. R.S. DEERINGIA. Pentandria Trigynia.**
 1 índica. s.s. (wh.) Berry-bearing. E. Indies. 1804. — S. ♂.
 2 celosioídes. B.P. (wh.) Cockscomb-like. N. Holland. 1822. — S. ♀.
- CHAMISS'OA. K.S. CHAMISS'OA. Pentandria Monogynia. R.S.**
 altíssima. K.S. (st.) tall. S. America. 1819. 5. 6. S. ♀. H. et B. n. gen. 2. t. 125.
- CLADOSTACHYS. D.P. CLADOSTACHYS. Pentandria Monogynia.**
 1 frutescens. D.P. (gr.) frutescent. E. Indies. 1777. 8. 11. S. ♀. Rumph. amb. 5. t. 83.
Achyranthes muricata. L. Chamissoa muricata. s.s.
 2 alternifolia. (pu.) alternate-leav'd. E. Indies. 1789. 7. 8. S. ⊙. Pluk. alm. t. 260. f. 1.
Achyranthes alternifolia. w. Desmoch'eta alternifolia. DC.
- ACHYRANTHES. R.S. ACHYRANTHES. Pentandria Monogynia. L.**
 1 argentea. R.S. (ro.) upright. Sicily. 1713. 5. 10. H. ♀. Flor. græc. t. 244.
 2 áspera. R.S. (gr.) rough. India. 1751. — S. ♀. Mill. ic. t. 11. f. 2.
 3 obtusifolia. Lam. (gr.) blunt-leaved. — S. ♀.
 4 crispa. R.S. (gr.) curl-leaved. — 1816. — S. ♀.
 5 virgata. R.S. (gr.) slender. Portorico. 1823. — S. ♀.
 6 fruticosa. R.S. (wh.) shrubby. E. Indies. 1816. — S. ♀.
 7 nivea. R.S. (wh.) white. Canaries. 1780. 5. 7. G. ♀.
 8 pubescens. R.S. (wh.) pubescent. — 1824. — S. ♀.
 9 brachiata. R.S. (wh.) armed. E. Indies. 1829. 8. 10. S. ⊙. Pluk. alm. 2. t. 334. f. 5.
 10 globulifera. F. (wh.) globe-headed. — 1828. — S. ⊙.
- DESMOCH'ETA. R.S. DESMOCH'ETA. Pentandria Monogynia. R.S.**
 1 atropurpurea. DC. (pu.) dark-purple. E. Indies. 1759. 8. 10. S. ♀. Rheed. mal. 10. t. 59.
Achyranthes lappacea. L. Pupalia lappacea. J.
 2 flavescens. DC. (st.) yellowish. E. Indies. — S. ♀. DC. h. mons. ined. t. 79.
 3 pátula. R.S. (wh.) spreading. — 1824. — S. ♀.
 4 prostrata. DC. (pu.) prostrate. — 1793. 7. 8. S. ♀. Rumph. amb. 6. t. 11.
 5 sanguinolenta. Lk. (gr.) bloody-leaved. — 1824. — S. ♀. — t. 27. f. 2.
- ALTERNANTHERA. ALTERNANTHERA. Pentandria Monogynia. R.S.**
 1 sessilis. R.S. (wh.) sessile-flowered. E. Indies. 1778. 7. 10. S. ♂. Rheed. mal. 10. t. 11.
 2 ficoídes. R.S. (wh.) creeping-stalk'd. S. America. 1819. — S. ♀. Jacq. amer. pict. t. 90.
Gomphrena ficoidea. Jacq.
 3 spinosa. R.S. (st.) spiny. — — S. ♀.
axillaris. DC. Achyranthes spinosa. Horn.
 4 denticulata. B.P. (wh.) tooth-leaved. N. S. W. 1822. — G. ♀.
 5 tenella. DC. (wh.) slender. E. Indies. 1828. 7. 9. H. ⊙.
 6 Achyrantha. R.S. (br.) creeping. Buenos Ayres. 1732. 6. 8. S. ♀. Mart. pl. bras. 2. t. 152.
- BUCHO'LZIA. M.P. BUCHOLZIA. Pentandria Monogynia.**
 1 polygonoides. M.P. (w.) Persicaria-leaved. S. America. 1731. — G. ♀. Herm. parad. t. 17.
Illecebrum polygonoides. w. Alternanthera polygonoides. R.S.
 2 frutescens. M.P. (wh.) frutescent. Peru. 1822. — S. ♀. L'Herit. stirp. 1. t. 37.
- ÆRUA. J. ÆRUA. Pentandria Monogynia. R.S.**
 1 lanata. R.S. (wh.) woolly. E. Indies. 1691. 4. 8. S. ♂. Mill. ic. 1. t. 11. f. 1.
Illecebrum lanatum. L.
 2 javánica. R.S. (wh.) spear-leaved. — 1786. — S. ♀. Burm. ind. t. 65. f. 2.
- PHILOXERUS. B.P. PHILOXERUS. Pentandria Monogynia. R.S.**
 1 vermicularis. R.S. (wh.) creeping. S. America. — S. ♀. Herm. parad. t. 15.
 2 aggregatus. R.S. (wh.) clustered. Cumana. 1819. — S. ♀.
- MOGIPHANES. M.P. MOGIPHANES. Pentandria Monogynia.**
 1 brasiliensis. M.P. (wh.) upright. Brazil. 1790. 7. 10. S. ♀. Mart. pl. bras. 2. t. 133.
Gomphrena brasiliensis. Jacq. ic. 2. t. 346. Philoxerus brasiliensis. B.P.
 2 straminea. M.P. (st.) straw-coloured. Brazil. 1790. 7. 10. S. ♀. Mart. pl. bras. 2. t. 135.
- GOMPHRENA. R.S. GLOBE AMARANTH. Pentandria Monogynia. L.**
 1 globosa. R.S. (re.) annual. India. 1714. 5. 10. S. ⊙. Bot. mag. t. 2815.
β alba. (wh.) white-flowered. — S. ⊙.
 2 decumbens. R.S. (pu. wh.) decumbent. Mexico. — S. ⊙. Jacq. schœn. t. 482.
 3 perennis. R.S. (st.) perennial. S. America. 1732. 7. 10. S. ♀. Bot. mag. t. 2614.
 4 arborescens. R.S. (st.) tree. — 1802. — S. ♀.
 5 villosa. s.s. (st.) villous. Monte Video. 1826. 6. 8. S. ♀.
 6 nigricans. M.P. (bk.) dark-flowered. Brazil. 1827. — S. ♀. Mart. pl. bras. 2. t. 113.
 7 callosa. s. calious. S. America. 1829. S. ♀.
 8 carnea. Jac. (fl.) flesh-coloured. S. ♀.
- OPILOTHECA. N. OPILOTHECA. Pentandria Monogynia.**
 1 lactea. M.P. (wh.) milk-coloured. S. America. 1818. 7. 10. S. ♀. DC. h. mons. ined. t. 93.
 2 interrupta. N. (wh.) trailing. W. Indies. 1733. — S. ♂. Jacq. icon. 1. t. 51.
Gomphrena interrupta. R.S.
 3 floridana. N. (wh.) Florida. Florida. 1823. 8. 10. F. ♀. Bot. mag. t. 2003.

BRAND'ESIA. M.P. BRAND'ESIA. Pentandria Monogynia.									
1	pubérula. M.P.	(wh.) pubescent.	Brazil.	1825.	6. 9.	S. ♀.			
	<i>Achyranth s ca, utuliflora.</i> Colla hort. rip. t. 18.								
2	villôsa. M.P.	(wh.) villous.	Brazil.	1826.	—	S. ⊙.		Mart. bras. 2. t. 128.	
3	pórrigens. M.P.	(re.) crimson-flowered.	Peru.	1802.	4. 8.	G. ♀.		Bot. mag. t. 830.	
	<i>Achyranthes pórrigens.</i> B.M.								
PFA'FFIA. M.P. PFA'FFIA. Pentandria Monogynia.									
	gnaphaloides. M.P.(w.)	Cudweed-like.	Brazil.	1822.	6. 8.	S. ♀.			
	<i>Celôsia gnaphaloides.</i> L.								
IRE'SINE. S.S. IRE'SINE. Dioecia Pentandria. L.									
1	celosioïdes. s.s.	(wh.) Florida.	America.	1733.	7. 8.	F. ♀.		Lam. ill. t. 313.	
2	diffûsa. s.s.	(wh.) spreading.	S. America.	1812.	7. 9.	S. ♀.			
3	elongâta. s.s.	(wh.) long-stalked.	—	1822.	—	S. ♀.			
R'OSEA. M.P. R'OSEA. Polygamia Monœcia.									
	elâtior. M.P.	(st.) tall.	S. America.	1820.	8. 10.	S. ⊙.		Sloan. hist. 1. t. 90.	
	<i>Iresine elâtior.</i> w.								

ORDO CLXVI.

PHYTOLACEÆ. Brown.

PHYTOLA'CCA. W. PHYTOLA'CCA. Decandria Decagynia. L.									
1	octândra. w.	(wh.) white-flowered.	Mexico.	1732.	7. 11.	G. ♀.		Dill. elt. t. 230. f. 308.	
2	abyssinica. w.	(wh.) African.	Africa.	1775.	5. 6.	S. ♀.		Hoff. c. gæt. t. 2.	
3	heptândra. s.s.	(wh.) 7-anthered.		1819.	7. 10.	G. ♀.			
4	bogoténsis. K.S.	(wh.) variable anther'd.	S. America.	1823.	—	G. ♀.			
5	decândra. w.	(bh.) Virginian poke.	Virginia.	1615.	8. 9.	H. ♀.		Bot. mag. t. 931.	
6	dodecândra. w.	(bh.) recurved-leaved.			5. 6.	S. ♀.			
7	mexicana. (wh.)	Mexican.	Mexico.	1824.	7. 10.	G. ♀.		Bot. mag. t. 2633.	
	<i>icosândra.</i> B.M. non w.								
8	icosândra. w.	(wh.) red-stemmed.	E. Indies.	1758.	7. 11.	S. ♀.		Mill. ic. t. 207.	
9	dioica. w.	(wh.) tree.	S. America.	1768.		S. ♀.		L'Herit. st. nov. t. 70.	
RIVINA. R.S. RIVINA. Tetrandria Monogynia. L.									
1	humilis. R.S.	(wh.) downy.	W. Indies.	1699.	1. 10.	S. ♀.		Bot. mag. t. 1781.	
2	l'avis. R.S.	(bh.) smooth.	—	1733.	2. 9.	S. ♀.		Lam. ill. t. 81. f. 2.	
3	latifolia. R.S.	(pu.) broad-leaved.	Madagascar.	1826.	7. 9.	S. ⊙.			
4	brasilénsis. R.S.	(gr.) wave-leaved.	Brazil.	1790.	6. 7.	S. ♀.			
5	purpurâscens. R.S.	(pu.) purple.	W. Indies.	1815.	5. 8.	S. ♀.		Schrad. gen. nov. t. 5.	
6	lanceolata. L.en.	(wh.) spear-leaved.	Brazil.	—	—	S. ♀.			
7	octândra. R.S.	(wh.) climbing.	W. Indies.	1752.	5. 6.	S. ♀. ∪.		Plum. ic. 241.	
MICR'OTEA. K.S. MICR'OTEA. Pentandria Digynia. R.S.									
	débilis. K.S.	(wh.) slender.	S. America.	1824.	7. 9.	S. ⊙.			
ANCISTROCA'RPUS. K.S. ANCISTROCA'RPUS. Octandria Tetragynia.									
	maypurénsis. K.S.	(wh.) branching.	S. America.	1822.	5. 6.	H. ⊙.		H. et B. pl. am. 2. t. 122.	
PETIV'ERIA. W. PETIV'ERIA. Heptandria Monogynia. L.									
1	alliacea. w.	(wh.) Garlic-scented.	Jamaica.	1759.	6. 7.	S. ♀.		Lodd. bot. cab. t. 148.	
2	octândra. w.	(wh.) dwarf.	W. Indies.	1737.	—	S. ♀.		Plum. ic. 213. t. 219.	
GIS'EKIA. W. GIS'EKIA. Pentandria Pentagynia. L.									
	pharnacioides. w.	(wh.) trailing.	E. Indies.	1783.	6.	S. ⊙.		Roxb. corom. 2. t. 183.	

ORDO CLXVII.

CHENOPODEÆ. Brown prodr. p. 405.

BASE'LLA. R.S. MALABAR-NIGHTSHADE. Pentandria Trigynia. L.									
1	rûbra. R.S.	(re.) red-flowered.	E. Indies.	1731.	7. 9.	S. ♂. ∪.		Rheed. mal. 7. t. 24.	
2	álba. R.S.	(wh.) white-flowered.	—	1688.	7. 11.	S. ♂. ∪.		Pluk. alm. t. 63. f. 1.	
3	lúcida. R.S.	(wh.) shining.	—	1802.	—	S. ⊙. ∪.			
4	cordifolia. R.S.	(re.) heart-leaved.	—	—	—	S. ⊙. ∪.			
5	tuberôsa. R.S.	(st.) tuberous-rooted.	S. America.	1824.	—	S. ♀. ∪.			

12	Quinoa. R.S.	(gr.) green Quinoa.	Chile.	1822.	7. 9.	H.⊙.	Feuil. peruv. t. 10.
	β rubrum.	(re.) red Quinoa.	—	—	—	H.⊙.	Feuil. per. ed. germ. t. 10.
13	serotinum. R.S.	(gr.) late-flowering.	S. Europe.		8. 9.	H.⊙.	—
14	ficiſolium. E.B.	(gr.) Fig-leaved.	England.		—	H.⊙.	Eng. bot. v. 24. t. 1724.
15	album. E.B.	(gr.) white.	Britain.		6. 9.	H.⊙.	— v. 24. t. 1723.
	β subrotundum.	(gr.) round-leaved.	—		—	H.⊙.	Petiv. h. brit. t. 8. f. 4.
	γ viride. w.	(gr.) green.	—		—	H.⊙.	—
	δ integrifolium.	(gr.) entire-leaved.	—		—	H.⊙.	—
	ε crassifolium.	(gr.) thick-leaved.	—		—	H.⊙.	—
16	opulifolium. R.S.	(gr.) Gnelder-rose-ld.	S. Europe.		—	H.⊙.	Bast. j. bot. 1814. t. 3.
17	hybridum. E.B.	(gr.) Maple-leaved.	Britain.		8. 9.	H.⊙.	Eng. bot. v. 27. t. 1919.
18	blitoides. R.S.	(gr.) Blitum-like.	France.	1827.	—	H.⊙.	—
19	Bötrys. R.S.	(gr.) cut-leaved.	S. Europe.	1548.	6. 9.	H.⊙.	Flor. græc. t. 253.
20	fætidium. W.en.	(gr.) strong-scented.		1823.	6. 8.	H.⊙.	—
21	multifidum. R.S.	(gr.) multifid.	Buenos Ayres.	1732.	6. 10.	G. ♀.	Dill. elt. t. 66. f. 77.
22	botryoides. E.B.	(re.) many-clustered.	Britain.		6. 8.	H.⊙.	Eng. bot. v. 32. t. 2247.
23	ambrosioides. R.S.	(gr.) Mexican.	Mexico.	1640.	6. 10.	H.⊙.	Moris. s. 5. t. 35. f. 8.
24	suffruticolum. R.S.	(gr.) suffrutescent.	—	1819.	—	G. ♀.	—
25	anthelminticum. w.	(gr.) American.	America.	1732.	7. 8.	G. h.	Dill. elt. t. 66. f. 76.
26	gravæolens. R.S.	(gr.) strong-scented.	Mexico.	1819.	8. 11.	H.⊙.	—
27	incisum. R.S.	(gr.) jagged.		1826.	—	H.⊙.	—
28	glaucum. R.S.	(gr.) Oak-leaved.	England.		7. 8.	H.⊙.	Eng. bot. v. 21. t. 1454.
29	crassifolium. R.S.	(cr.) fleshy-leaved.		1820.	—	H.⊙.	—
30	humifusum. R.S.	(pu.) trailing.		1824.	—	H.⊙.	—
31	sèpium. R.S.	(re.) hedge.	Bohemia.	1822.	—	H.⊙.	—
32	radiatum. R.S.	(gr.) rayed.	N. America.	1803.	6. 8.	H.⊙.	W. hort. ber. 1. t. 23.
	Kochia dentata. w.	Salsola platyphylla. m.	—	—	—	—	—
33	olidum. E.B.	(gr.) stinking.	Britain.		7. 8.	H.⊙.	Eng. bot. v. 15. t. 1034.
	fætidium. R.S. Vulværia. w.	—	—	—	—	—	—
34	polyspermum. R.S.	(gr.) Allseed.	—		—	H.⊙.	Eng. bot. v. 21. t. 1480.
35	acutifolium. E.B.	(gr.) acute-leaved.	—		—	H.⊙.	— v. 21. t. 1481.
36	marginatum. R.S.	(gr.) bony-edged.		1824.	—	H.⊙.	—
37	caudatum. R.S.	(gr.) long-tailed.	Guinea.	1806.	—	G.⊙.	Jacq. ic. 2. t. 341.
38	laterale. R.S.	(gr.) oblong-leaved.		1781.	8. 9.	S.⊙.	—
39	strictum. R.S.	(gr.) upright.	E. Indies.	—	9. 11.	H.⊙.	—
40	aristatum. R.S.	(gr.) bearded.	Siberia.	1771.	6. 9.	H.⊙.	Gmel. sib. 3. t. 15. f. 1.
41	lanceolatum. R.S.	(gr.) spear-leaved.	Pensylvania.	1809.	7.	H.⊙.	—
42	fruticolum. R.S.	(gr.) shrubby.	England.		8. 9.	H. ♀.	Eng. bot. v. 9. t. 635.
	Salsola fruticosa. E.B.	—	—	—	—	—	—
43	parvifolium. R.S.	(gr.) small-leaved.	Caucasus.	1829.		H. ♀.	Pall. ill. 3. t. 44.
44	altissimum. R.S.	(wh.) Grass-leaved.	Russia.	1775.	7. 8.	H.⊙.	Schrad. d. hal. t. 1. f. 3
	Salsola altissima. w.	Suaeda altissima.	Pall. ill. t. 42.	—	—	—	—
45	trigynum. R.S.	(gr.) trigynous.	Spain.	—	—	H.⊙.	Cavan. icon. 3. t. 289.
46	hirsutum. R.S.	(gr.) hairy.	Denmark.	1791.	—	H.⊙.	Flor. dan. t. 187.
	Salsola hirsuta. F.D.	—	—	—	—	—	—
47	salsum. R.S.	(gr.) Saltwort.	Astracan.	1782.	8. 9.	H.⊙.	Jacq. vind. 3. t. 83.
48	spicatum. R.S.	(gr.) spiked.	Spain.	1816.	8. 10.	H.⊙.	Cavan. ic. 3. t. 290.
49	setigerum. R.S.	(gr.) setiferous.	—	—	—	H.⊙.	DC. h. mons. ined. t. 87.
50	maritimum. R.S.	(gr.) sea blite.	Britain.		8.	H.⊙.	Eng. bot. v. 9. t. 633.
ATRIPLEX. R.S. ORACHE. Polygamia Monœcia. L.							
1	Hålímus. R.S.	(wh.) tall shrubby.	Spain.	1640.	7. 8.	H. ♀.	Park. theat. 724. f. 2.
2	portulacoides. R.S.	(gr.) dwarf shrubby.	Britain.		—	H. ♀.	Eng. bot. v. 4. t. 261.
3	verruciferum. R.S.	(gr.) warted-fruited.	Caucasus.	1827.	—	H. ♀.	—
4	albicans. R.S.	(bh.) white.	C. B. S.	1774.	6. 7.	G. ♀.	—
5	glaucum. w.	(gr.) glaucous.	S. Europe.	1732.	7. 8.	F. ♀.	Dill. elt. t. 40. f. 46.
6	linifolium. K.S.	(gr.) Flax-leaved.	S. America.	1819.	—	G. ♀.	—
7	polygamum. R.S.	(gr.) polygamous.	New Spain.	1826.	—	F. ♀.	—
8	coriaceum. R.S.	(gr.) leathery.	Egypt.	1828.	6. 9.	F. ♀.	—
9	roseum. R.S.	(gr.) rose-like.	S. Europe.	1739.	6. 7.	H.⊙.	Schk. hand. 3. t. 350.
10	foliosum. R.S.	(gr.) leafy.	Portugal.	1824.	—	H.⊙.	—
11	sibiricum. R.S.	(wh.) Siberian.	Siberia.	1783.	7. 8.	H.⊙.	Schk. hand. 3. t. 350.
12	tataricum. R.S.	(gr.) Tartarian.	Tartary.	1778.	—	H.⊙.	— 3. p. 539. t. 349.
13	bengalense. R.S.	(gr.) Bengal.	E. Indies.		—	H.⊙.	—
14	hortense. R.S.	(gr.) garden.	Tartary.	1548.	—	H.⊙.	Blackw. t. 99 et 552.
	β intermedium.	(re.) intermediate.	—	—	—	H.⊙.	—
	γ rubrum.	(re.) red garden.	—	—	—	H.⊙.	—
15	nitens. R.S.	(gr.) glossy.	Hungary.	1746.	—	H.⊙.	Schkuhr hand. t. 348.
16	acuminatum. R.S.	(gr.) acuminate.	—	1820.	—	H.⊙.	W. et K. hung. t. 103.
17	venetum. R.S.	(gr.) Venetian.	Venice.	—	—	H.⊙.	—

18 incanum. R.S.	(gr.) hoary-leaved.	Spain.	1818.	7. 8.	H.⊙.	
19 album. R.S.	(gr.) white-leaved.	Italy.	1826.	—	H.⊙.	
20 incisum. M.B.	(gr.) cut-leaved.	Tauria.	1829.	—	H.⊙.	
21 laciniatum. R.S.	(gr.) frosted sea.	Britain.		—	H.⊙.	Eng. bot. v. 3. t. 165.
22 Besseriānum. R.S.	(gr.) Besser's.	Hungary.	1825.	—	H.⊙.	
23 hastatum. R.S.	(gr.) halberd-leaved.	Europe.		—	H.⊙.	Flor. dan. t. 1286.
24 prostratum. DC.	(gr.) prostrate.	—		—	H.⊙.	
25 obtusum. R.S.	(gr.) blunt-leaved.	Siberia.	1825.	—	H.⊙.	
26 microspERMUM. R.S.	(w.) small-seeded.	Hungary.	1800.	—	H.⊙.	W. et K. hung. t. 250.
27 oblongifolium. R.S.	(gr.) oblong-leaved.	—	—	—	H.⊙.	— t. 221.
28 patulum. R.S.	(gr.) spreading.	Britain.		6. 9.	H.⊙.	Eng. bot. v. 13. t. 936.
29 angustifolium. R.S.	(gr.) narrow-leaved.	—		6. 8.	H.⊙.	— v. 25. t. 1774.
30 erectum. R.S.	(gr.) upright.	England.		8.	H.⊙.	— v. 31. 2223.
31 littorale. E.B.	(gr.) grass-leaved.	Britain.		8. 9.	H.⊙.	— v. 10. t. 708.
32 pedunculatum. R.S.	(gr.) pedunculated.	England.		7. 9.	H.⊙.	— v. 4. t. 232.
33 oppositifolium. R.S.	(gr.) opposite-leaved.	France.	1827.	—	H.⊙.	
34 verticillatum. R.S.	(gr.) whorl-leaved.	Spain.	1822.	—	H.⊙.	Cavan. H. R. M. t. 21.
35 sulcatum. R.S.	(gr.) sulcate.		—	—	H.⊙.	
BETA. R.S. BEET. Pentandria Digynia. L.						
1 vulgaris. R.S.	(gr.) common.	S. Europe.	1548.	—	H.♂.	Schk. hand. 1. t. 56.
a viridis.	(gr.) green.	—	—	—	H.♂.	Plenck off. t. 169.
β rubra.	(gr.) red.	—	—	—	H.♂.	
γ lutea.	(gr.) yellow.	—	—	—	H.♂.	Kern. abbild. t. 235.
δ macrorrhiza.	(gr.) mangold-wortzel.	—		—	H.♂.	
2 Cicla. R.S.	(gr.) white.	Portugal.	1570.	—	H.♂.	Plenck off. t. 170.
3 crispa. R.S.	(gr.) curled-leaved.			—	H.♂.	
4 trigyna. R.S.	(wh.) Hungarian.	Hungary.	1796.	7. 8.	H.♀.	W. et K. hung. 1. t. 35.
5 maritima. E.B.	(gr.) sea-side.	Britain.		6. 8.	H.♀.	Eng. bot. v. 4. t. 285.
6 macrorrhiza. R.S.	(gr.) large-rooted.	Caucasus.	1827.	—	H.♀.	
7 foliosa. E.	(gr.) leafy.	Egypt.	1826.	7. 9.	H.⊙.	
8 patula. R.S.	(gr.) spreading.	Madeira.	1778.	8. 9.	G.♂.	
SPINACIA. W. SPINAGE. Diœcia Pentandria. L.						
oleracea. w.	(gr.) common.		1568.	3. 10.	H.⊙.	Schk. hand. 3. t. 324.
a spinosa. w.	(gr.) prickly.		—	—	H.⊙.	
β inermis.	(gr.) round.		—	—	H.⊙.	
ACN'IDA. W. VIRGINIAN HEMP. Diœcia Pentandria. L.						
1 cannabina. w.	(gr.) common.	N. America.	1640.	6. 7.	H.⊙.	
2 ruscocarpa. w.	(gr.) rugged-capsuled.	Virginia.	1824.	—	H.⊙.	Mich. fl. amer. 2. t. 50.
BOSEA. R.S. GOLDEN-ROD. Pentandria Digynia. L.						
yervamora. R.S.	(br.) tree.	Canaries.	1728.	6. 9.	G.♀.	Jacq. f. eclog. t. 25.
CORISPERMUM. L. TICK-SEED. Monandria Digynia. L.						
1 hyssopifolium. R.S.	(wh.) Hyssop-leaved.	Europe.	1739.	7.	H.⊙.	Flor. græc. 1. t. 1.
2 nitidum. R.S.	(wh.) glossy.	Hungary.	1827.	8. 9.	H.⊙.	
3 Redowski. R.S.	(wh.) Redowski's.	Caucasus.	1828.	—	H.⊙.	
4 spicatum. R.S.	(wh.) spiked.		—	—	H.⊙.	
5 canescens. R.S.	(wh.) canescent.	Hungary.	1822.	7. 9.	H.⊙.	
6 intermedium. R.S.	(wh.) intermediate.	Prussia.	—	—	H.⊙.	
7 tenue. L.en.	(wh.) slender.		1823.	—	H.⊙.	
8 squarrosum. R.S.	(wh.) rough-spiked.	Russia.	1759.	8. 9.	H.⊙.	Pall. ros. 2. t. 99.
9 Marschallii. R.S.	(wh.) Marschall's.	Caucasus.	1829.	—	H.⊙.	
10 latifolium. Lk.	(wh.) broad-leaved.	—	1826.	—	H.⊙.	
11 sabulosum. Led.	(wh.) gravel.	Siberia.	1827.	—	H.⊙.	
BL'ITUM. R.S. STRAWBERRY-BLITE. Monandria Digynia. L.						
1 capitatum. R.S.	(re.) berry-headed.	Austria.	1633.	5. 8.	H.⊙.	Poif. et T. fl. p. 1. t. 2.
2 virgatum. R.S.	(re.) slender.	S. Europe.	1680.	5. 9.	H.⊙.	Bot. mag. t. 276.
3 petiolare. L.en.	(re.) petiolate.		1818.	—	H.⊙.	
4 chenopodioides. R.S.	(gr.) Goosefoot-like.		1826.	—	H.⊙.	
5 maritimum. N.	(gr.) sea-side.	N. America.	1823.	—	H.⊙.	
CERATOCARPUS. L. CERATOCARPUS. Monœcia Monandria. L.						
arenarius. L.	(gr.) sand.	Tartary.	1757.	6. 7.	H.⊙.	Buxb.in. act. pet. 1. t. 9.
SALICORNIA. L. GLASSWORT. Monandria Monogynia. L.						
1 herbacea. s.s.	(gr.) marsh.	Britain.		8. 9.	H.⊙.	Eng. bot. v. 6. t. 415.
2 procumbens. E.B.	(gr.) procumbent.	England.		—	H.⊙.	— v. 35. t. 2475.
3 radicans. E.B.	(gr.) rooting.	Britain.		9.	H.♀.	— v. 24. t. 1691.
4 pygmaea. R.S.	(gr.) small.	Caucasus.	1827.	—	H.♀.	
5 perennans. R.S.	(gr.) perennial.	Siberia.	1823.	8. 9.	H.♀.	Pall. it. 1. ap. T. D. f. 1.
6 fruticosa. E.B.	(gr.) shrubby.	Britain.		—	H.♀.	Eng. bot. v. 35. t. 2467.
7 arabica. R.S.	(gr.) Arabian.	Arabia.	1758.	—	G.♀.	Moris. s. 2. t. 33. f. 7.
8 foliosa. R.S.	(gr.) leafy.	Siberia.	1827.	—	H.♀.	

HALOCN'EMUM. M.B. HALOCN'EMUM. Monandria Digynia.			
caspicum. R.S. (gr.) Caspian.	Caucasus.	1827.	7. 8. H. ♀.
POLYCN'EMUM. R.S. POLYCN'EMUM. Triandria Monogynia. L.			
1 arvénse. R.S. (wh.) trailing.	S. Europe.	1640.	7. H. ♂.
2 recúrvum. R.S. (wh.) recurved-leaved.	Switzerland.	1824.	7. 8. H. ♂.
3 sálsum. R.S. (gr.) saltwort.	Tartary.	1828.	— H. ♂.
4 sibíricum. R.S. (wh.) Siberia.	Siberia.	1829.	— H. ♂.
5 oppositifólium. R.S. (wh.) opposite-leaved.	Tartary.	1820.	— H. ♂.
6 crassifólium. R.S. (wh.) thick-leaved.	Astracan.	1828.	— H. ♂.
7 sclerospérnum. R.S. (w.) hard-seeded.	—	1821.	— H. ♂.
8 pubéscens. Led. (wh.) pubescent.	Siberia.	1827.	— H. ♂.
CAMPHORO'SMA. L. CAMPHORO'SMA. Tetrandria Monogynia. L.			
1 monspeliacum. w. (wh.) hairy.	S. Europe.	1640.	8. 9. G. ♀.
perénne. Pall. ill. pl. imp. cogn. t. 57.			
2 ovátum. R.S. (wh.) Hungarian.	Hungary.	1823.	— H. ♂.
GALENIA. W. GALENIA. Octandria Digynia. L.			
africana. w. (pa.) African.	C. B. S.	1752.	6. 8. G. ♀.
AXYRIS. W. AXYRIS. Monœcia Triandria. L.			
1 amaranthoides. w. (gr.) simple-spiked.	Siberia.	1758.	6. 7. H. ♂.
2 hybrida. w. (gr.) bastard.	—	1780.	6. 8. H. ♂.
3 prostrata. w. (gr.) trailing.	—	1798.	7. 8. H. ♂.
DIOTIS. W. DIOTIS. Monœcia Tetrandria. L.			
ceratoides. w. (wh.) shrubby.	Siberia.	1780.	8. H. ♀.
Axyris ceratoides. Jacq. Ceratospérnum papposum. P.S.			

ORDO CLXVIII.

BEGONIACEÆ. Ventenat. et Don prodr. p. 223.

BEG'ONIA. L. BEG'ONIA. Monœcia Polyandria. L.			
1 nítida. s.s. (bh.) shining-leaved.	Jamaica.	1777.	5. 12. S. ♀.
2 dichótoma. s.s. (wh.) forked.	Caracas.	1800.	7. 8. S. ♀.
3 renifórmis. s.s. (wh.) kidney-leaved.	Brazil.	1823.	— S. ♀.
4 spatuláta. s.s. (wh.) spatula-leaved.	W. Indies.	1813.	8. 10. S. ♀.
5 odoráta. s.s. (wh.) sweet-scented.	S. America.	1823.	6. 8. S. ♀.
6 sanguínea. s.s. (pi.) bloody.	Brazil.	1828.	6. 10. S. ♀.
7 Sellóii. L.O. (wh.) Sello's.	—	—	S. ♀.
8 unduláta. B.M. (wh.) wave-leaved.	—	1825.	8. 12. S. ♀.
9 semperflórens. B.C. (w.) ever-blowing.	Mexico.	1829.	1. 12. S. ♀.
10 Hookeri. (pi.) Hooker's.		1827.	— S. ♀.
semperflórens. B.M. non. B.C.			
11 disticha. s.s. (wh.) distichous.	S. America.	1820.	6. 8. S. ♀.
12 macrophylla. s.s. (bh.) large-leaved.	Jamaica.	1793.	5. 9. S. ♀.
13 hirtélla. s.s. (wh.) fringed.	W. Indies.	1818.	— S. ♀.
14 Evansiana. A.R. (pi.) Evans's.	China.	1804.	— S. ♀.
discolor. H.K. published 1813. Evansiana. A.R. published 1811. B.M. 1812.			
15 picta. Sm. (pi.) painted.	Nepaul.	1823.	5. 9. S. ♀.
16 palmáta. D.P. (pi.) palmated.	—	1825.	— S. ♀.
17 vitifolia. L.O. Vine-leaved.	Brazil.	1829.	 S. ♀.
18 platanifolia. L.O. Plane-leaved.	—	—	 S. ♀.
19 diversifolia. B.M. (pi.) various-leaved.	Mexico.	1827.	9. 12. S. ♀.
20 villósa. B.R. (wh.) villous.	Brazil.	—	8. 10. S. ♀.
21 pauciflora. B.R. (bh.) few-flowered.	W. Indies.	1816.	5. 9. S. ♀.
22 pátula. H.S.S. (bh.) spreading.	Brazil.	1811.	— S. ♀.
23 bulbifera. L.O. (pi.) bulb-bearing.	—	1829.	9. 11. S. ♀.
24 monóptera. L.O. (pi.) one-winged.	—	—	— S. ♀.
25 tuberósa. s.s. (pi.) tuberous.	Amboyna.	1810.	7. 9. S. ♀.
26 acutifolia. s.s. (wh.) acute-leaved.	W. Indies.	1822.	— S. ♀.
27 acumináta. s.s. (wh.) pointed-leaved.	Jamaica.	1790.	5. 12. S. ♀.
28 lúcida. H.R. (wh.) polished.	Trinidad.	1820.	— S. ♂.
29 argyrostigma. B.R. (pi.) silver-spotted.	Brazil.	1819.	7. 9. S. ♀.
maculáta. s.s.			
30 dipétala. B.M. (pi.) two-petaled.	E. Indies.	1826.	4. 8. S. ♀.
31 papillósa. B.M. (pi.) papillose.	S. America.	1823.	— S. ♀.

32 insignis. B.M.	(pi.) handsome.	Brazil.	1828.	1. 12.	S. h.	Bot. mag. t. 2900.
33 incarnata. L.O.	(pi.) flesh-coloured.	————	1829.	————	S. h.	————
34 Martiana. L.O.	(pi.) Martius's.	————	————	————	S. h.	————
35 suaveolens. B.C.	(wh.) fragrant.	W. Indies.	1816.	5. 9.	S. h.	Lodd. bot. cab. t. 69.
36 humilis. H.E.F.	(wh.) dwarf.	————	1788.	10.	S. f.	Hook. ex. flor. t. 17.
37 hirsuta. s.s.	(wh.) shaggy-leaved.	————	1789.	5. 6.	S. f.	Aub. gui. 2. t. 348.
38 ulmifolia. s.s.	(bh.) Elm-leaved.	S. America.	1820.	6. 1.	S. h.	Hook. ex. flor. t. 57.
39 scandens. s.s.	(gr.) climbing.	Jamaica.	1824.	7. 9.	S. h.	Aub. gui. 2. t. 349.

ORDO CLXIX.

POLYGONEÆ. *Brown prodr. p. 419.*

COCCOLOBA. L.		SEASIDE-GRAPE. Octandria Trigynia. L.				
1 uvifera. s.s.	(wh.) round-leaved.	W. Indies.	1690.		S. h.	Jacq. amer. t. 73.
2 pubescens. s.s.	(wh.) downy.	————	————		S. h.	Pluk. phyt. 222. f. 8.
3 excoriata. s.s.	(wh.) oval-leaved.	————	1733.		S. h.	Plum. ic. t. 146. f. 1.
4 nivea. s.s.	(st.) snowy.	Jamaica.	1826.		S. h.	————
5 punctata. s.s.	(wh.) spear-leaved.	W. Indies.	1733.		S. h.	Jacq. amer. 114. t. 77.
6 laurifolia. W.en.	(wh.) Laurel-leaved.	S. America.	1816.	8. 9.	S. h.	————
7 diversifolia. s.s.	(wh.) different-leaved.	Hispaniola.	————		S. h.	Hook. ex. flor. t. 102.
8 obtusifolia. s.s.	(wh.) blunt-leaved.	S. America.	1823.		S. h.	Jacq. amer. t. 74.
9 microstachya. s.s.	(wh.) small-spiked.	W. Indies.	————		S. h.	————
10 barbadensis. s.s.	(wh.) Barbadoes.	Barbadoes.	1790.		S. h.	Jacq. obs. 1. t. 8.
11 latifolia. s.s.	(wh.) broad-leaved.	S. America.	1812.		S. h.	Lam. ill. t. 316. f. 4.
12 acuminata. k.s.	(wh.) sharp-pointed.	————	1824.		S. h.	————
13 longifolia. L.en.	(wh.) long-leaved.	————	1818.		S. h.	————
14 tenuifolia. s.s.	(wh.) small-leaved.	Jamaica.	1824.		S. h.	Brown. jam. 210. f. 3.
BRUNNICHIA. S.S. BRUNNICHIA.		Decandria Trigynia. W.				
cirrhosa. s.s.	(gr.) Carolina.	Carolina.	1787.		G. h.	Gært. s. 1. t. 48. f. 2.
POLYGONUM. L.		PERSICARIA. Tetr-Octandria Di-Trigynia.				
1 Bistorta. w.	(pi.) Snake-weed.	Britain.	————	5. 9.	H. 2.	Eng. bot. v. 8. t. 509.
2 bistortoides. Ph.	(bh.) Snake-weed-like.	N. America.	1828.	6. 7.	H. 2.	————
3 viviparum. E.B.	(gr.) alpine bistort.	Britain.		5. 9.	H. 2.	Eng. bot. v. 10. t. 669.
4 petiolatum. D.P.	(pi.) petiolate.	Nepaul.	1823.	—	H. 2.	————
5 macrophyllum. D.P.	(pu.) large-leaved.	————	1822.	—	H. 2.	————
6 affine. D.P.	(ro.) related.	————	1823.	—	H. 2.	————
7 mite. P.S.	(li.) tasteless.	N. America.	1818.	6. 9.	H. 2.	————
8 hydropiperoides. Ph.	(w.) acrid.	————	1824.	—	H. 2.	————
9 tenuiflorum. s.s.	(li.) slender-flowered.	Sicily.	1826.	—	H. 2.	————
10 scandens. w.	(pi.) climbing.	N. America.	1749.	7. 9.	H. 2.	Pluk. alm. t. 177. f. 7.
11 Fagopyrum. w.	(pi.) Buck-wheat.	England.		7. 8.	H. 2.	Eng. bot. v. 15. t. 1044.
12 emarginatum. w.	(pi.) Indian buck-wheat.	Nepaul.	1796.	—	H. 2.	Bot. reg. t. 1065.
13 tataticum. w.	(gr.) Tartarian.	Siberia.	1759.	—	H. 2.	Gmel. sib. 3. t. 13. f. 1.
14 Convolvulus. w.	(bh.) common climbing.	Britain.		5. 9.	H. 2.	Eng. bot. v. 14. t. 941.
15 dumetorum. w.	(li.) bush.	S. Europe.	1803.	—	H. 2.	Flor. dan. t. 759.
16 adpressum. B.P.	(pi.) polygamous.	N. S. W.	1822.	—	G. h.	Lab. n. hol. 1. t. 127.
17 sagittatum. w.	(wh.) arrow-leaved.	N. America.	1759.	7. 8.	H. 2.	Bart. fl. amer. t. 101.
18 chinense. w.	(pi.) Chinese.	China.	1795.	—	H. 2.	Burm. ind. t. 30. f. 3.
19 patens. D.P.	(pi.) spreading.	Nepaul.	1823.	—	H. 2.	————
20 elegans. s.s.	(wh.) elegant.	Naples.	1824.	—	H. 2.	————
21 alpinum. w.	(wh.) Alpine.	Italy.	1816.	—	H. 2.	Bocc. mus. 2. t. 27.
22 undulatum. w.	(wh.) wave-leaved.	Siberia.	1789.	6. 7.	H. 2.	Gmel. sib. 3. t. 10.
23 divaricatum. w.	(wh.) divaricated.	————	1759.	7. 8.	H. 2.	— 3. t. 11. f. 1.
24 salignum. w.	(wh.) Willow-like.	————	1816.	5. 8.	H. 2.	————
25 acdulum. w.	(wh.) narrow-leaved.	————	—	6. 7.	H. 2.	————
26 cymosum. s.s.	(wh.) cyme-flowered.	Naples.	1827.	7. 9.	H. 2.	————
27 aviculare. E.B.	(ro.) Knot-grass.	Britain.		4. 10.	H. 2.	Eng. bot. v. 18. t. 1252.
28 Dryandri. s.s.	(bh.) Dryander's.	E. Indies.	1796.	4. 8.	S. 2.	————
<i>elegans. H.K. nec aliorum.</i>						
29 arenarium. w.K.	(pu.) sand.	Hungary.	1807.	5. 8.	H. 2.	W. et K. hung. t. 67.
30 ramosum. L.en.	(wh.) branching.	Siberia.	1822.	6. 8.	H. 2.	————
31 littorale. L.en.	(wh.) sea-side.	S. Europe.	1816.	5. 8.	H. 2.	————
32 Bellardi. P.S.	(wh.) Bellardi's.	————	1822.	—	H. 2.	All. ped. t. 90. f. 2.
33 patulum. M.E.	(wh.) spreading-branch'd.	Tauria.	—	—	H. 2.	————

- 34 maritimum. w. (wh.) sea-shore. S. Europe. 1816. 6. 8. H. $\frac{1}{2}$. Flor. græc. t. 363.
 35 acetosum. M.B. (li.) Sorrel-leaved. Astracan. 1823. — H. $\frac{1}{2}$.
 36 erectum. w. (wh.) upright. N. America. 1792. 7. 8. H. $\frac{1}{2}$.
 37 linifolium. B.A. (bh.) Flax-leaved. — 1824. 6. 8. H. $\odot$. Bart. fl. amer. 3. t. 95. f. 2.
 38 herniarioides. s.s. (wh.) Egyptian. Egypt. 1822. — F. $\frac{1}{2}$.
 39 pensylvanicum. w. (ro.) Pennsylvanian. N. America. 1819. 7. 8. H. $\odot$.
 40 orientale. w. (re.) common. E. Indies. 1707. 7. 10. H. $\odot$. Bot. mag. t. 213.
 β album. (wh.) white-flowered. — — — H. $\odot$.
 41 barbatum. s.s. (re.) bearded. China. 1822. 6. 9. F. $\frac{1}{2}$. Rheed. mal. 12. t. 77.
 42 tinctorium. w. (re.) dyer's. — 1776. 7. 8. G. $\frac{1}{2}$.
 43 decipiens. B.P. (ro.) decipient. N. S. W. 1822. — G. $\frac{1}{2}$.
 44 plebeium. B.P. (bh.) linear-leaved. — — — G. $\frac{1}{2}$.
 45 Persicaria. (li.) spotted. Britain. — H. $\odot$. Eng. bot. v. 11. t. 756.
 46 lapathifolium. s.s. (gr.) Dock-leaved. — — — 7. 10. H. $\odot$. — v. 20. t. 1382.
 47 incanum. W.en. (li.) hoary. Germany. 1804. — H. $\odot$. Schrank. bav. 1. t. 3.
 48 persicarioides. K.S. (w.) Mexican. Mexico. 1825. — H. $\frac{1}{2}$.
 49 Hypociper. E.B. (gr.) Water pepper. Britain. 7. 9. H. $\odot$. Eng. bot. v. 14. t. 969.
 50 glabrum. w. (gr.) smooth. E. Indies. 1822. — S. $\frac{1}{2}$.
 51 minus. E.B. (li.) slender. England. — H. $\odot$. Eng. bot. v. 15. t. 1043.
 52 repens. (wh.) rooting-branched. Fulham. 8. 10. H. $\odot$.
 53 tortuosum. D.P. (wh.) twisting. Nepaul. 1824. 7. 10. F. $\frac{1}{2}$.
 54 equisetiforme. s.s. (wh.) Equisetum-like. Britain. — H. $\odot$. Flor. græc. t. 364.
 55 oxyspermum. Led. (gr.) sharp-seeded. Siberia. 1827. — H. $\frac{1}{2}$.
 56 arifolium. w. (bh.) Arum-leaved. N. America. 1816. 5. 10. H. $\odot$. Bart. fl. amer. t. 100.
 57 ocreatum. w. (bh.) spear-leaved. Siberia. 1780. 6. 9. H. $\frac{1}{2}$. Gmel. sib. 3. t. 8.
 58 virginianum. w. (pa.) Virginian. N. America. 1640. 8. 9. H. $\frac{1}{2}$. Park. theat. 857. f. 6.
 59 amphibium. w. (ro.) amphibious. Britain. 6. 8. H. w. $\frac{1}{2}$. Eng. bot. v. 7. t. 436.
 60 gracile. B.P. (pi.) slender-stalked. N. S. W. 1822. — G. $\frac{1}{2}$.
 61 acetosafolium. P.S. (re.) Brazilian. Brazil. — — S. $\frac{1}{2}$. Venten. cels. t. 88.
TRAGOPYRUM. M.B. TRAGOPYRUM. Octandria Trigynia.
 1 lanceolatum. M.B. (pi.) spear-leaved. Siberia. 1770. 7. 8. H. $\frac{1}{2}$. Bot. reg. t. 255.
 Polygonum frutescens. B.R.
 2 buxifolium. M.B. (pi.) Box-leaved. Caucasus. 1800. — H. $\frac{1}{2}$. Bot. mag. t. 1065.
 Polygonum crispulum. B.M.
ATRAPHA'XIS. L. ATRAPHA'XIS. Hexandria Digynia. L.
 1 spinosa. s.s. (gr.) prickly. Levant. 1732. 8. G. $\frac{1}{2}$. L'Herit. stirp. 1. t. 14.
 2 undulata. s.s. (gr.) waved-leaved. C. B. S. — 6. 7. G. $\frac{1}{2}$. Dill. elt. t. 32. f. 36.
OXYRIA. Sm. MOUNTAIN SORREL. Hexandria Digynia. Sm.
 reniformis. Sm. (gr.) kidney-leaved. Britain. 6. 7. H. $\frac{1}{2}$. Eng. bot. v. 13. t. 910.
 Rumex digynus. E.B.
RUMEX. L. Dock. Hexandria Trigynia. L.
 1 Hydrolapathum. s.s. (gr.) great water. Britain. 7. 8. H. w. $\frac{1}{2}$. Eng. bot. v. 30. t. 2104.
 aquaticus. E.B.
 2 Britannica. s.s. (gr.) Virginian. N. America. 6. 7. H. $\frac{1}{2}$.
 3 maximus. s.s. (gr.) great. Europe. — H. $\frac{1}{2}$.
 4 acutus. E.B. (gr.) sharp. Britain. — H. $\frac{1}{2}$. Eng. bot. v. 11. t. 724.
 5 Nemolapathum. w. (gr.) flat-valved. Europe. 1816. — H. $\frac{1}{2}$.
 6 nemorosus. W.en. (gr.) wood. — — — H. $\frac{1}{2}$.
 7 sanguineus. E.B. (gr.) bloody-veined. England. 6. 7. H. $\frac{1}{2}$. Eng. bot. v. 22. t. 1533.
 8 condylodes. M.B. (gr.) spreading. Caucasus. 1823. — H. $\frac{1}{2}$.
 9 crispus. E.B. (gr.) curled. Britain. — H. $\frac{1}{2}$. Eng. bot. v. 28. t. 1998.
 10 Patientia. w. (gr.) Patience. Italy. 1573. — H. $\frac{1}{2}$.
 11 confertus. W.en. (gr.) close-leaved. — 1816. — H. $\frac{1}{2}$.
 12 brasiliensis. L.en. (gr.) Brazilian. Brazil. 1823. — G. $\frac{1}{2}$.
 13 verticillatus. s.s. (gr.) whorled. N. America. 1818. — H. $\frac{1}{2}$.
 14 spatulatus. P.S. (gr.) spatulate-leav'd. C. B. S. 1824. 8. 2. G. $\frac{1}{2}$.
 15 purpureus. P.S. (gr.) purple-veined. Europe. 6. 7. H. $\frac{1}{2}$.
 16 linearis. s.s. (gr.) linear-leaved. C. B. S. 1824. 8. 12. G. $\frac{1}{2}$.
 17 salicifolius. s.s. (gr.) Willow-leaved. California. 1821. 7. 10. F. $\frac{1}{2}$.
 18 laevigatus. s.s. (gr.) smooth. 1828. — H. $\frac{1}{2}$.
 19 sylvestris. s.s. (gr.) wood. Germany. 1826. 6. 8. H. $\frac{1}{2}$.
 20 obtusifolius. E.B. (gr.) broad-leaved. Britain. — H. $\frac{1}{2}$. Eng. bot. v. 28. t. 1999.
 21 nepalensis. s.s. (gr.) Nepalese. Nepaul. 1823. — H. $\frac{1}{2}$.
 22 palustris. E.B. (ye.) yellow marsh. England. 7. 8. H. $\frac{1}{2}$. Eng. bot. v. 27. t. 1982.
 23 maritimum. E.B. (ye.) sea-side. Britain. — H. $\frac{1}{2}$. — v. 11. t. 725.
 24 divaricatus. w. (gr.) divaricate. Italy. 1793. — H. $\frac{1}{2}$. Till. pis. t. 37. f. 2.
 25 strictus. L.en. (gr.) upright. 1824. — H. $\frac{1}{2}$.
 26 persicarioides. w. (gr.) Persicaria-like. N. America. 1773. 6. 7. H. $\frac{1}{2}$.
 27 dentatus. w. (gr.) dentated. Egypt. 1782. 7. 8. H. $\odot$. Dill. elt. t. 158. f. 191.

28 ægyptiacus. w.	(gr.) Egyptian.	Egypt.	1734.	6. 7. H. ⊙.	Till. pis. t. 37. f. 1.
29 ucranicus. s.s.	(gr.) Ukraine.	Ukraine.	1820.	— H. ⊙.	
30 crispátulus. m.	(gr.) curled-leaved.	N. America.	—	— H. ⊙.	
31 cristátus. dc.	(gr.) crested.		—	— H. 4.	
32 púlcher. E.B.	(gr.) fiddle.	Britain.		6. 8. H. 4.	Eng. bot. v. 22. t. 1576.
33 aquáticus. s.s.	(gr.) water.	Europe.	1818.	— H. w. 4.	
34 scutátus. w.	(gr.) French sorrel.	France.	1596.	6. 7. H. 4.	Jacq. ic. 1. t. 67.
35 hastifólius. M.B.	(gr.) hastate-leaved.	Caucasus.	1816.	— H. 4.	
36 vesicárius. w.	(gr.) bladder.	Africa.	1656.	7. 8. H. ⊙.	Moris. s. 5. t. 28. f. 7.
37 tingitánus. w.	(gr.) Tangier.	Barbary.	1680.	6. 8. H. 4.	Zanon. hist. 9. t. 6.
38 longifólius. K.S.	(gr.) long-leaved.	S. America.	1827.	7. 10. F. 4.	
39 sarcorhizus. L.en.	(gr.) fleshy-rooted.	C. B. S.	1824.	8. 12. G. 4.	
40 Burchéllii. s.s.	(gr.) Burchell's.	—	1816.	8. 10. G. 4.	
41 Lunária. w.	(gr.) tree.	Canaries.	1698.	6. 7. G. 4.	
42 orientális. Bern.	(gr.) oriental.	Levant.	1821.	7. 9. H. 4.	Pluk. alm. t. 252. f. 3.
43 conspérus. Ot.	(gr.) scattered.		1824.	— H. 4.	
44 domésticus. s.s.	(gr.) various-leaved.	Sweden.	1823.	— H. 4.	
45 róseus. w.	(gr.) rose.	Egypt.	1737.	7. 8. H. ⊙.	
46 lácerus. s.s.	(gr.) torn-leaved.	—	1825.	— H. ⊙.	
47 bucephalóphorus.	(gr.) Basil-leaved.	Italy.	1683.	6. H. ⊙.	Cavan. ic. 1. t. 41. f. 1.
48 fimbriátus. s.s.	(gr.) fringe-valved.	C. B. S.	1816.	7. 9. G. 4.	
49 Brównii. s.s.	(gr.) Brown's fringed.	N. S. W.	1824.	— G. 4.	
50 Acetósa. E.B.	(gr.) common Sorrel.	Britain.		6. 8. H. 4.	Eng. bot. v. 2. t. 127.
51 Acetosélla. E.B.	(st.) sheep's sorrel.	—		5. 7. H. 4.	— v. 24. t. 1674.
52 abyssínicus. Jacq.	(gr.) Abyssinian.	Abyssinia.	1823.	— G. 4.	Jacq. vind. 3. t. 98.
53 tuberósus. w.	(gr.) tuberous-rooted.	S. Europe.	1752.	6. 8. H. 4.	
54 arifólius. s.s.	(gr.) Arum-leaved.	Africa.	1775.	12. 4. G. 4.	
55 trianguláris. dc.	(gr.) triangular-leaved.	S. Europe.	1824.	— F. 4.	
56 amplexicaúlis. s.s.	(gr.) stem-clasping.	Pyrenees.	1816.	6. 8. H. 4.	
57 luxuriáns. s.s.	(gr.) luxuriant.	S. Europe.		— H. 4.	
58 alpinus. w.	(gr.) Alpine.	France.	1597.	6. 7. H. 4.	Zorn. ic. 261.
59 frutésceus. s.s.	(gr.) frutescent.	Tristan d'Ac.	1816.	6. 9. G. 4.	
60 gigánteus. H.K.	(gr.) tall.	Sandwich Isl.	1796.	6. 8. G. 4.	
EMEX. S.S.		EMEX. Hexandria Trigynia. S.S.			
spinósus. s.s.	(gr.) spiny-seeded.	Candia.	1656.	6. 7. H. ⊙.	
Rámex spinósus. w.					
PODO'PTERUS. K.S.	PODO'PTERUS. Hexandria Trigynia. S.S.				
mexicánu. K.S. (wh.)	Mexican.	Mexico.	1825.	 G. 4.	H. et B. pl. am. 2. t. 107.
TRIPLARIS. K.S.	TRIPLARIS. Diœcia Enneandria. L.				
américána. K.S. (ro. pu.)	American.	S. America.	1823.	5. 8. S. 4.	Jacq. amer. 13. t. 173. f. 5.
RHEUM. L.	RHUBARB. Enneandria Trigynia. L.				
1 Rhapónticum. w. (wh.)	common.	Asia.	1573.	5. 6. H. 4.	Sabb. hort. 1. t. 34.
2 undulátum. w. (wh.)	wave-leaved.	China.	1734.	— H. 4.	L. amen. acad. 3. t. 4.
3 crispum. And. (wh.)	curl-leaved.		1820.	— H. 4.	
4 compáctum. w. (wh.)	thick-leaved.	Tartary.	1758.	— H. 4.	Mill. ic. 2. t. 218.
5 tatáricum. w. (wh.)	Tartarian.	—	1793.	— H. 4.	
6 hybridum. w. (wh.)	bastard.	Asia.	1778.	— H. 4.	Murr. c. gott. t. 1.
7 austriacum. And. (wh.)	Austrian.	Austria.	1819.	— H. 4.	
8 sibíricum. And. (wh.)	Siberian.	Siberia.	—	— H. 4.	
9 fenestrátum. F. (wh.)	windowed.		1760.	— H. 4.	
10 rotundifólium. And. (w.)	round-leaved.			— H. 4.	
11 nútans. F. (wh.)	nodding.	Asia.	1824.	— H. 4.	
12 Ribes. w. (wh.)	warted-leaved.	Levant.	1724.	— H. 4.	Ann. mus. 1. t. 49.
13 palmátum. w. (wh.)	palmated.	China.	1763.	4. 5. H. 4.	Linn. fasc. 7. t. 4.
14 austrále. D.P. (d. pu.)	Nepaul.	Nepaul.	1826.	— H. 4.	Swt. br. fl. gar. t. 269.
ERIO'GONUM. M.	ERIO'GONUM. Enneandria Trigynia. N.				
1 tomentósum. M. (wh.)	woolly.	Carolina.	1811.	5. 6. H. 4.	Mich. amer. v. 1. t. 24.
2 flávum n. (ye.)	ilky.	Missouri.	—	7. H. 4.	
seríceu. m. Ph.					
3 pauciflórum. Ph. (wh.)	few-flowered.	Louisiana.	1812.	— H. 4.	
4 longifólium. n. (wh.)	long-leaved.	Arkansa.	1824.	— H. 4.	
CALLI'GONUM. W.	CALLI'GONUM. Dodecandria Tetragynia. L.				
1 Pallásiá. w. (wh. gr.)	Caspian.	Caspian shores.	1780.	8. H. 4.	Pall. ros. 2. t. 77. 78.
2 Pandéri. w. (gr. wh.)	Fischer's.	—	1824.	7. 9. H. 4.	
3 comósum. P.S. (gr. wh.)	tufted.	Persia.	1829.	 H. 4.	
KCENI'GIA. W.	KCENI'GIA. Triandria Trigynia. L.				
islándica. w. (gr.)	Iceland.	Iceland.	1773.	4. H. ⊙.	Lam. ill. gen. t. 51.

ORDO CLXX.

LAURINÆ. *Brown prodr. p. 401.*

LA'URUS. W.		LA'URUS. Enneandria Monogynia. L.			
1	nobilis. w. (gr.ye.)	Sweet Bay.	S. Europe.	1561.	4. 5. H. h.
	<i>β undulata.</i> (gr.ye.)	wave-leaved.	—	—	H. h.
	<i>γ salicifolia.</i> (gr.ye.)	Willow-leaved.	—	—	H. h.
	<i>δ variegata.</i> (gr.ye.)	variegated.	—	—	H. h.
2	coriacea. s.s. (gr.ye.)	leathery-leaved.	Jamaica.	1822.	 S. h.
3	salicifolia. s.s. (gr.)	Willow-leaved.	W. Indies.	—	 S. h.
4	Catesb'æi. P.S. (wh.)	Catesby's.	Florida.	1811.	4. 6. F. h.
5	carolinensis. M. (gr.ye.)	Carolina.	N. America.	1806.	— F. h.
	<i>α glabra.</i> (gr.ye.)	smooth-leaved.	—	—	F. h.
	<i>β pubescens.</i> (gr.ye.)	downy.	—	—	F. h.
	<i>γ obtusa.</i> (gr.ye.)	blunt-leaved.	—	—	F. h.
6	Borbônia. w. (gr.ye.)	Bourbon.	S. America.	1739.	— F. h.
7	thyrsiflora. s.s. (gr.ye.)	bunch-flowered.	Madagascar.	1824.	 S. h.
8	indica. w. (gr.ye.)	royal bay.	Madeira.	1665.	10. 3. G. h.
9	fœtens. w. (gr.ye.)	Madeira or Til.	—	1760.	— G. h.
10	canariensis. W.en.(st.)	Canary.	Canaries.	1815.	— G. h.
11	aggregata. B.M. (wh.)	clustered.	China.	1812.	— S. h.
12	Chloroxylon. w. (gr.ye.)	Cogwood-tree.	Jamaica.	1778.	 S. h.
13	péndula. w. (gr.ye.)	pendulous.	—	1822.	 S. h.
14	glauca. w. (gr.ye.)	glaucous.	Japan.	1806.	 G. h.
15	æstivâlis. w. (gr.ye.)	veined-leaved.	N. America.	1765.	4. 5. G. h.
16	Benzôin. w. (gr.ye.)	Benjamin-tree.	—	1683.	— H. h.
17	Diöspyrus. P.S. (gr.ye.)	twiggy.	—	1810.	— H. h.
18	geniculata. M. (gr.ye.)	flexuose.	—	1759.	— H. h.
19	Sassafras. w. (gr.ye.)	Sassafras-tree.	—	1633.	5. 6. H. h.
20	albida. N. (gr.ye.)	white Sassafras.	—		— H. h.
PÉRSEA. G.		ALLIGATOR-PEAR. Enneandria Monogynia. S.S.			
	gratissima. G. (st.)	common.	W. Indies.	1739.	4. 6. S. h.
	<i>Laürus Pérsea. w.</i>				
CINNAMOMUM. B.P. CINNAMON.		Enneandria Monogynia.			
1	Cássia. s.s. (gr.)	pubescent.	E. Indies.	1768.	5. 9. S. h.
	<i>Laürus Cinnamòdum. A.R. Pérsea Cássia. s.s.</i>				
2	vèrum. (gr.)	true.	Ceylon.	1763.	6. 9. S. h.
	<i>Laürus Cássia. B.M. Pérsea Cinnamòdum. s.s.</i>				
3	dúlcis. s.s. (gr.wh.)	sweet.	E. Indies.	1824.	 S. h.
4	nítidum. H.E.F. (gr.)	glossy-leaved.	Sumatra.	—	6. 9. S. h.
5	Bejolphôta. (gr.)	square-branch'd.	E. Indies.	1805.	 S. h.
	<i>Laürus Bejolphôta. L.T. Laürus malabáthrica. H.B?</i>				
6	Culitlâban. (gr.)	three-flowered.	Moluccas.		 S. h.
	<i>Laürus Culitlâban. H.B.</i>				
7	grácile. Hort. (gr.)	slender.	E. Indies.	1805.	 S. h.
8	Camphora. (wh.)	Camphire-tree.	Japan.	1727.	3. 6. G. h.
	<i>Laürus Camphora. B.M. Pérsea Camfôra. s.s.</i>				
OC'OTEA. K.S.		Oc'OTEA. Dodecandria Monogynia.			
	psychotrioides. K.S. (gr.)	spear-leaved.	Mexico.	1828.	 G. h.
CRYPTOC'ARYA. B.P. CRYPTOC'ARYA.		Dodecandria Monogynia.			
1	glaucescens. B.P. (gr.)	glaucous-leaved.	N. S. W.	1820.	 G. h.
2	obovata. B.P. (gr.)	obovate-leaved.	—	1823.	 G. h.
TETRANTH'ERA. B.P. TETRANTH'ERA.		Dieceia Enneandria.			
1	laurifolia. B.R. (gr.wh.)	Laurel-leaved.	Japan.	1823.	1. 5. G. h.
	<i>apetala. B.P. (gr.wh.)</i>	petalless.	E. Indies.	—	G. h.
3	dealbata. B.P. (gr.)	white-leaved.	N. S. W.	1824.	 G. h.
4	involutâta. Rox. (gr.)	involved.	E. Indies.	1820.	1. 5. G. h.
CASSYTHA. L.		CASSYTHA. Dodecandria Monogynia.			
1	filifórmis. L. (wh.)	slender.	C. B. S.		5. 8. G. 2. ∪.
2	glabélla. B.P. (wh.)	smooth.	N. S. W.	1822.	— G. 2. ∪.
3	paniculata. B.P. (wh.)	panicked.	—	1824.	— G. 2. ∪.

Flor. græc. t. 365.

Catesb. car. 1. t. 2b.
— 1. t. 63.

Plum. gen. 4.

Pluk. alm. t. 304. f. 1.

Bot. mag. t. 2497.

Brown. jam. t. 7. f. 1.

Comm. hort. 1. t. 97.
Bot. mag. t. 1470.— t. 1471.
Catesb. car. 1. t. 55.

Bot. reg. t. 1258.

Andr. reposit. t. 596.

Bot. mag. t. 1636.

Hook. ex. flor. t. 176.

Rumph. amb. 2. t. 14.

Bot. mag. t. 2658.

Bot. reg. t. 893.

Roxb. corom. 2. t. 147.

Rumph. amb. 5. t. 184. f. 4

LAURINIS AFFINE.

GYROCARPUS. B.P. GYROCARPUS. Polygamia Monœcia.

1	americanus. w.	(ye.) American.	W. Indies.	1816.		S. h.	Jacq. amer. t. 178. f. 80.
2	asiaticus. w.	(ye.) Asiatic.	E. Indies.	1812.		S. h.	Roxb. corom. 1. t. 1.

Jacquini. R.C.

HERNANDIA. L. JACK IN A BOX. Monœcia Triandria. L.

1	sonora. w.	(wh.) peltate-leaved.	W. Indies.	1693.		S. h.	Rumph. amb. 2. t. 85.
2	guianensis. w.	(wh.) Guiana.	Guiana.	1823.		S. h.	Aub. gui. 2. t. 309.
3	ovigera. w.	(wh.) oval-leaved.	E. Indies.	1820.		S. h.	Rumph. amb. 3. t. 123.

ORDO CLXXI.

MYRISTICÆÆ. Brown prodr. p. 399.

MYRISTICA. W. NUTMEG. Diœcia Monadelphica. L.

1	moschata. w.	(ye.) true.	E. Indies.	1795.		S. h.	Hook. ex. flor. t. 155-156
	officinalis. H.E.F.	aromatica. Lam.					
2	sebifera. s.s.	(ye.) woolly-fruited.	S. America.	1829.		S. h.	
3	fatua. s.s.	(ye.) tasteless.	Surinam.	1812.		S. h.	Pluk. alm. t. 250. f. 6.

ORDO CLXXII.

PROTEACEÆ. Brown Linn. trans. 10. p. 46.

AULAX. P.L. AULAX. Diœcia Tetrandria. H.K.

1	pinifolia. L.T.	(ye.) Pine-leaved.	C. B. S.	1780.	7. 9.	G. h.	Andr. reposit. t. 76.
	Prœtea pinifolia. A.R.						
2	umbellata. L.T.	(ye.) umbelled.		1774.	6. 8.	G. h.	Andr. reposit. t. 248.
	LEUCADE'NDRON. L.T.	LEUCADE'NDRON. Diœcia Tetrandria. H.K.					
1	argenteum. L.T.	(st.) Silver-tree.	C. B. S.	1693.	6. 8.	G. h.	Bot. reg. t. 979.
	Prœtea argentea. w.						
2	stellatum. L.T.	(ye.) feathered.		1774.	—	G. h.	Thunb. diss. 40. t. 4.
	Prœtea parviflora. Th.						
3	retusum. L.T.	(ye.) retuse-leaved.		1825.	—	G. h.	
4	spathulatum. L.T.	(ye.) spathulate.		1812.	6. 8.	G. h.	
5	angustatum. L.T.	(ye.) narrow-leaved.		1824.	—	G. h.	
6	imbricatum. L.T.	(ye.) imbricated.		1790.	—	G. h.	
7	buxifolium. L.T.	(ye.) Box-leaved.		1812.	—	G. h.	Wend. h. herr. t. 14?
8	Levisanus. L.T.	(ye.) short-leaved.		1774.	4. 6.	G. h.	t. 1.
9	linifolium. L.T.	(ye.) Flax-leaved.		1809.	—	G. h.	Jacq. schœn. 1. t. 26.
10	stellatum.	(ye.) starry.		—	5. 6.	G. h.	Bot. mag. t. 881.
	Prœtea stellaris. B.M.	squarrosa. K.P.					
11	fusciflorum. L.T.	(br.) brown-flowered.		1812.	—	G. h.	Jacq. schœnb. 1. t. 27.
12	tortum. L.T.	(ye.) twisted-leaved.		1790.	3. 5.	G. h.	Bot. reg. t. 826.
13	cinereum. L.T.	(ye.) gray-leaved.		1774.	7. 8.	G. h.	
14	corymbosum. L.T.	(ye.) corymbed.		1790.	4. 7.	G. h.	Bot. reg. t. 402.
15	decorum. L.T.	(ye.) decorous.		—	5. 8.	G. h.	
16	squarrosus. L.T.	(ye.) squarrose.		1812.	—	G. h.	Boerh. lug. 2. p. 197. c. ic.
	Prœtea strobilina. L.						
17	concolor. L.T.	(ye.) one-coloured.		1774.	3. 6.	G. h.	Andr. reposit. t. 307.
	Prœtea globosa. B.M.	878. strobilina. Schrad. s. han. 1. t. 1.					
18	grandiflorum. L.T.	(ye.) great-flowered.	C. B. S.	1789.	4. 6.	G. h.	Sal. par. lond. t. 105.
19	ovale. L.T.	(ye.) oval-leaved.		1818.	—	G. h.	
20	venosum. L.T.	(ye.) veined-leaved.		1815.	—	G. h.	
21	decurrens. L.T.	(ye.) decurrent.		1812.	6. 8.	G. h.	
22	glabrum. L.T.	(ye.) smooth.		—	3. 6.	G. h.	

23	strictum. L.T.	(ye.) upright.	C. B. S.	1795.	4. 6. G. h.	Sal. par. lond. t. 75.
	<i>Euryspermum salicifolium</i> . P.L. <i>Pròtea confèra</i> . Andr. rep. t. 541.					
24	virgatum. L.T.	(ye.) slender.	C. B. S.	—	G. h.	
25	adscendens. L.T.	(ye.) ascending.	—	1774.	6. 8. G. h.	Pluk. mant. t. 229. f. 6.
26	concinnum. L.T.	(ye.) neat.	—	1800.	—	G. h.
27	salignum. L.T.	(ye.) Willow-leaved.	—	1774.	4. 6. G. h.	Boer. lugd. 2. p. 204. ic.
28	uliginosum. L.T.	(ye.) swamp.	—	1795.	—	G. h.
29	floridum. L.T.	(ye.) florid.	—	—	—	G. h.
	<i>Pròtea saligna</i> mas. et fem. Andr. rep. t. 572?					
30	platyspermum. L.T.	(ye.) flat-seeded.	—	1818.	—	G. h.
31	comosum. L.T.	(ye.) tufted.	—	1812.	5. 8. G. h.	
32	æmulum. L.T.	(ye.) related.	—	1789.	6. 9. G. h.	
	<i>Pròtea incurva</i> . Andr. rep. t. 429.					
33	abietinum. L.T.	(ye.) Pine-leaved.	—	—	7. 9. G. h.	Andr. reposit. t. 461.
	<i>Pròtea teretifolia</i> . Andr. rep. t. 461.					
34	scabrum. L.T.	(ye.) rough.	—	1812.	4. 6. G. h.	
35	sericeum. L.T.	(ye.) silky-leaved.	—	1818.	—	G. h.
36	Globularia. L.T.	(ye.) globe-headed.	—	1810.	—	G. h.
37	pubescens. L.T.	(ye.) pubescent.	—	1822.	—	G. h.
38	ericifolium. L.T.	(ye.) Heath-leaved.	—	—	—	G. h.
39	inflexum. L.en.	(ye.) inflexed.	—	1812.	—	G. h.
40	caudatum. L.en.	(ye.) tailed.	—	—	—	G. h.
41	marginatum. L.en.	(ye.) villous-margined.	—	1818.	—	G. h.
42	crassifolium. L.T.	(ye.) thick-leaved.	—	1816.	—	G. h.
43	cartilagineum. L.T.	(ye.) bony-margined.	—	—	—	G. h.
	PETROPHILA. L.T. PETROPHILA. Tetrandria Monogynia. R.S.					
1	teretifolia. L.T.	(wh.) round-leaved.	N. Holland.	1824.	 G. h.	
2	filifolia. L.T.	(wh.) thread-leaved.	—	—	 G. h.	
3	acicularis. L.T.	(wh.) needle-leaved.	—	—	 G. h.	
4	pulchella. L.T.	(wh.) Fennel-leaved.	N. S. W.	1790.	7. 8. G. h.	Bot. mag. t. 796.
5	pedunculata. L.T.	(st.) peduncled.	—	1824.	4. 8. G. h.	
6	diversifolia. L.T.	(wh.) various-leaved.	N. Holland.	1803.	4. 6. G. h.	
7	trifida. L.T.	(wh.) trifid-leaved.	—	1824.	 G. h.	
	ISOPOGON. L.T. ISOPOGON. Tetrandria Monogynia. R.S.					
1	teretifolius. L.T.	(wh.) round-leaved.	N. Holland.	1824.	4. 8. G. h.	
2	anethifolius. L.T.	(wh.) Dill-leaved.	N. S. W.	1796.	3. 6. G. h.	Cavan. ic. 6. t. 549.
3	formosus. L.T.	(li.) handsome.	N. Holland.	1805.	—	G. h.
4	anemonifolius. L.T.	(st.) Anemone-leav'd.	N. S. W.	1791.	7. 9. G. h.	Bot. reg. t. 1288.
5	divaricatus. A.R.	(ye.) spreading.	—	—	—	G. h.
6	trilobus. L.T.	(wh.) three-lobed.	N. Holland.	1803.	5. 6. G. h.	Andr. rep. t. 465.
7	longifolius. L.T.	(ye.) long-leaved.	—	1820.	—	G. h.
8	propinquus. M.C.	(ye.) related.	—	1824.	 G. h.	Bot. reg. t. 900.
9	attenuatus. L.T.	(wh.) attenuated.	—	—	5. 6. G. h.	
10	polycéphalus. L.T.	(wh.) many-headed.	—	—	 G. h.	
11	axillaris. L.T.	 axillary.	—	—	 G. h.	
	PROTEA. L.T. PRÓTEA. Tetrandria Monogynia. L.					
1	cynaroides. L.T.	(re.) Artichoke-fl'd.	C. B. S.	1774.	11. 3. G. h.	Bot. mag. t. 770.
2	latifolia. L.T.	(sc.) ray-flowered.	—	1806.	7. 9. G. h.	— t. 1717.
	<i>a coccinea.</i>	(sc.) scarlet-flower'd.	—	—	—	G. h.
	<i>β viridiflora.</i>	(gr.) green-flowered.	—	—	—	G. h.
3	compacta. L.T.	(pu.) compact.	—	1810.	—	G. h.
4	longiflora. L.T.	(st.) long-flowered.	—	1795.	1. 4. G. h.	Sm. exot. bot. 2. t. 81.
	<i>ochroleuca</i> . Sm. <i>lucticolor</i> . Par. lond. t. 27.					
5	coccinea. L.T.	(sc.) scarlet-flowered.	—	1810.	5. 6. G. h.	
6	speciosa. L.T.	(wh.br.) splendid.	—	1786.	3. 6. G. h.	Knight's prot. c. ic.
7	obtusa.	(pa. pi.) obtuse.	—	—	—	G. h.
	<i>speciosa</i> . B.M. 1183. <i>Erodéndrum obtusum</i> . K.P.					
8	macrophylla. L.T.	(wh.) large-leaved.	—	1810.	—	G. h.
9	formosa. L.T.	(sc.) handsome.	—	1789.	5. 6. G. h.	Bot. mag. t. 1713.
	<i>coronata</i> . A.R. 469. <i>Erodéndrum formosum</i> . Par. lond. t. 76.					
10	melaleuca. L.T.	(bk.) black-fringed.	—	1786.	3. 7. G. h.	Andr. reposit. t. 103.
11	Lepidocarpon. L.T.	(bk.) crested.	—	1806.	—	G. h.
12	nerifolia. L.T.	(pu.) Oleander-leaved.	—	—	2. 4. G. h.	Wein. phyt. 4. t. 895.
13	pulchella. L.T.	(pu.) wave-leaved.	—	1795.	3. 8. G. h.	Bot. reg. t. 208.
	<i>a ciliata.</i>	(pu.bk.) fringe-leaved.	—	—	—	G. h.
	<i>β glabra.</i>	(pu.bk.) smooth-leaved.	—	—	—	G. h.
	<i>γ speciosa.</i>	(pu.bk.) specious.	—	—	—	G. h.
14	pátens. L.T.	(st.bk.) spreading.	—	1789.	3. 6. G. h.	— t. 20.
15	magnifica. A.R.	(pu.bk.) magnificent.	—	—	—	G. h.
	— t. 270.					
	— t. 277.					
	— t. 442.					
	— t. 543.					
	— t. 438.					

16	incompta. L.T. (wh.)	villous-branched.	C. B. S.	1807.	5. 7.	G. h.	
17	longifolia. L.T. (st.bk.)	long-leaved.	—	1798.	3. 8.	G. h.	Bot. reg. t. 47.
18	umbonalis. (st.pu.)	embossed.	—	—	—	G. h.	Andr. reposit. t. 144.
	longifolia. var. cono turbinato. A.R.	Erodendrum umbonale. K.P.	—	—	—	—	
19	ligulafolia. (st.pu.)	strap-leaved.	—	1798.	3. 8.	G. h.	Andr. reposit. t. 133.
	longifolia ferruginoso-purpurea. A.R.	Erodendrum ligulafolium. K.P.	—	—	—	—	
20	mellifera. L.T. (ro.wh.)	honey-bearing.	—	1774.	12. 5.	G. h.	Bot. mag. t. 346.
	β alba. (wh.)	white-flowered.	—	—	—	G. h.	Andr. reposit. ic.
21	grandiflora. L.T. (ro.w.)	great-flowered.	—	1787.	5. 6.	G. h.	Bot. mag. t. 2447.
	β marginata. (ro.wh.)	red margined.	—	—	—	G. h.	Bot. reg. t. 569.
22	Scolymus. L.T. (ro.wh.)	small-flowered.	—	1780.	—	G. h.	Bot. mag. t. 698.
23	mucronifolia. L.T. (wh.ro.)	dagger-leaved.	—	1803.	7. 12.	G. h.	Andr. rep. t. 500.
24	nana. L.T. (cr.)	dwarf.	—	1787.	4. 7.	G. h.	Sm. exot. bot. 1. t. 44.
	rosacea. Sm. acufolia. Par. lond. t. 2.	—	—	—	—	—	
25	pendula. L.T. (wh.gr.)	pendulous.	—	1806.	3. 6.	G. h.	
26	ténax. L.T. (st.)	tough.	—	1801.	2. 5.	G. h.	Sal. par. lond. t. 70.
27	canaliculata. L.T. (pi.)	channel-leaved.	—	1800.	12. 2.	G. h.	Andr. reposit. t. 437.
28	acuminata. B.M. (cr.)	sharp-pointed.	—	1809.	3. 6.	G. h.	Bot. mag. t. 1694.
29	acaulis. L.T. (st.br.)	short-stalked.	—	1802.	5. 9.	G. h.	Wein. phyt. 4. t. 898.
30	glaucophylla. P.L. (st.br.)	glaucous-leaved.	—	—	7. 9.	G. h.	Sal. par. lond. t. 11.
31	elongata. L.T. (st.br.)	elongated.	—	1810.	—	G. h.	
32	angustata. L.T. (st.)	narrow-leaved.	—	1809.	—	G. h.	
33	revoluta. L.T. (wh.)	revolute-leaved.	—	1818.	—	G. h.	
34	tenuifolia. L.T. (wh.br.)	slender-leaved.	—	1816.	—	G. h.	
35	lævis. L.T. (ro.gr.)	smooth-leaved.	—	1806.	5. 7.	G. h.	Bot. mag. t. 2439.
	longifolia. Par. lond. t. 37.	—	—	—	—	—	
36	scabra. L.T. (wh.br.)	rough-leaved.	—	1809.	—	G. h.	
37	repens. L.T. (re.wh.)	creeping.	—	1800.	6. 8.	G. h.	Wein. phyt. 4. t. 897.a.
38	lorea. L.T. (wh.)	thong-leaved.	—	1812.	—	G. h.	
39	turbiniflora. L.T. (ro.)	turfy.	—	1803.	4. 5.	G. h.	Sal. par. lond. t. 103.
40	Scolopendrium. L.T. (wh.br.)	Hart's-tongue.	—	1802.	—	G. h.	
41	cordata. L.T. (cr.)	heart-leaved.	—	1790.	3. 5.	G. h.	Andr. reposit. t. 289.
42	amplexicaulis. L.T. (re.)	stem-clasping.	—	1802.	1. 3.	G. h.	Sal. par. lond. t. 67.
43	humilis. L.T. (pu.)	low-flowering.	—	—	6. 8.	G. h.	Andr. reposit. t. 532.
44	acerosa. L.T. (cr.)	Pine-leaved.	—	1803.	3. 5.	G. h.	Bot. reg. t. 351.
LEUCOSPERMUM. L.T. LEUCOSPERMUM. Tetrandia Monogynia. R.S.							
1	lineare. L.T. (ye.)	linear-leaved.	C. B. S.	1774.	8. 9.	G. h.	Thunb. dis. n. 35. t. 4.
2	attenuatum. L.T. (ye.)	attenuated.	—	1810.	—	G. h.	
3	Tottum. L.T. (ye.)	smooth-bracted.	—	1774.	6. 8.	G. h.	
4	medium. L.T. (ye.)	oval-leaved.	—	1794.	—	G. h.	Andr. reposit. t. 17?
	Prætea formosa. A.R. ?	—	—	—	—	—	
5	ellipticum. L.T. (ye.)	elliptic.	—	1803.	5. 1.	G. h.	
6	Conocarpum. L.T. (go.)	many-toothed.	—	1774.	—	G. h.	Boer. lugd. 2. p. 196. ic.
7	grandiflorum. L.T. (go.)	great-flowered.	—	1800.	5. 7.	G. h.	Sal. par. lond. t. 116.
	Leucadendron grandiflorum. P.L.	—	—	—	—	—	
8	puberum. L.T. (ye.)	downy-leaved.	—	1774.	5. 8.	G. h.	
9	buxifolium. L.T. (ye.)	Box-leaved.	—	1822.	—	G. h.	
10	pátulum. L.T. (ye.)	spreading.	—	1816.	—	G. h.	
11	spatulatum. L.T. (ye.)	spathulate.	—	1810.	—	G. h.	
12	tomentosum. K.P. (ye.)	cottony.	—	1789.	8. 9.	G. h.	
13	parile. K.P. (ye.)	matched.	—	1790.	—	G. h.	
14	cándicans. (or.)	Rose-scented.	—	—	—	G. h.	Andr. reposit. t. 294.
	Prætea cándicans. A.R.	—	—	—	—	—	
15	Hypophyllum. L.T. (ye.)	trifid-leaved.	—	1787.	—	G. h.	Pluk. mant. t. 440. f. 3.
16	crinitum. L.T. (ye.li.)	villous-bracted.	—	1824.		G. h.	
17	oleæfolium. L.T. (ye.)	Olive-leaved.	—	1822.	4. 6.	G. h.	
18	diffusum. L.T. (ye.)	diffuse.	—	1823.	—	G. h.	
MIMETES. L.T. MIMETES. Tetrandia Monogynia. R.S.							
1	hirta. L.T. (ye.cr.)	hairy.	C. B. S.	1774.	6. 8.	G. h.	Wein. phyt. 4. t. 899. f.a.
2	capitulata. L.T. (re.)	small-headed.	—	1322.	—	G. h.	
3	pauciflora. L.T. (re.)	few-flowered.	—	1816.	—	G. h.	
4	palustris. K.P. (re.)	marsh.	—	1802.	—	G. h.	Boer. lugd. 2. p. 194. ic.
5	cucullata. L.T. (re.)	three-toothed.	—	1789.		G. h.	Pluk. alm. t. 304. f. 6.
	Prætea cucullata. w.	—	—	—	—	—	
6	Hartogii. L.T. (re.)	woolly-leaved.	—	1810.		G. h.	Wein. phyt. 4. t. 906. a.
7	divaricata. L.T. (wh.)	divaricate.	—	1795.	6. 9.	G. h.	
8	vacciniifolia. (re.wh.)	Vaccinium-leaved.	—	1800.	—	G. h.	
	Diastella vacciniifolia. K.P.	—	—	—	—	—	
9	purpurea. L.T. (pu.)	Heath-leaved.	—	1789.	11. 12.	G. h.	

SERR'URIA. L.T.		SERR'URIA. Tetrandria Monogynia. R.S.	
1	acrocárpa. L.T. (li.) sharp-fruited.	C. B. S.	1822. 4. 6. G. h.
2	eleváta. L.T. (li.) sandy-hill.	—	1821. — G. h.
3	Aitôni. L.T. (li.) Aiton's.	—	1823. — G. h.
4	diffûsa. L.T. (li.) diffuse.	—	1810. 6. 8. G. h.
5	abrotanifolia. K.P. (li.) Southernwood-leaved.	—	1803. — G. h. Andr. reposit. t. 522.
<i>Prôtea abrotanifolia hirta. A.R.</i>			
6	millefôlia. K.P. (li.) thousand-leaved.	—	— G. h. Andr. reposit. t. 337.
7	artemisiaefolia. K.P. (li.) Wormwood-leaved.	—	1789. — G. h. — t. 264.
8	pinnâta. L.T. (li.) slender.	—	1803. — G. h. — t. 512.
9	arenâria. L.T. (li.) sand.	—	— G. h. —
10	cyanoïdes. L.T. (li.) trifold-leaved.	—	— G. h. Pluk. mant. t. 345. f. 6.
11	scariôsa. L.T. (li.) scaly-bracted.	—	1816. 5. 7. G. h.
12	pedunculâta. L.T. (li.) woolly-headed.	—	1789. 5. 8. G. h. Andr. reposit. t. 264.
<i>Prôtea glomerâta. A.R.</i>			
13	scopâria. L.T. (li.) Broom.	—	1809. — G. h.
14	Nivêni. L.T. (li.) Niven's.	—	1800. — G. h. Andr. reposit. t. 349.
<i>Prôtea decumbens. A.R. non Th.</i>			
15	villôsa. L.T. (li.) villous.	—	1810. 4. 7. G. h.
16	fœniculâcea. L.T. (li.) Fennel-leaved.	—	1816. — G. h.
17	ciliâta. L.T. (li.) ciliated.	—	1803. — G. h.
18	congêsta. L.T. (li.) crowded.	—	1816. — G. h.
19	squarrôsa. L.T. (li.) squarrose.	—	1810. — G. h.
20	phlycoïdes. L.T. (li.) Phylla-flowered.	—	1788. — G. h. Andr. reposit. t. 507. f. 4.
<i>Prôtea abrotanifolia. A.R.</i>			
21	æmula. L.T. (li.) grey-branched.	—	1803. — G. h.
22	pârilis. K.P. (li.) matched.	—	— G. h. Andr. reposit. t. 507.
23	odorâta. (li.) sweet-scented.	—	— G. h. — t. 545.
<i>Prôtea abrotanifolia odorâta. A.R.</i>			
24	emarginâta. (li.) emarginate.	—	1800. — G. h. Andr. reposit. t. 536.
<i>arenâria. K.P. non Br. abrotanifolia minor. A.R.</i>			
25	decumbens. L.T. (li.) decumbent.	—	1816. — G. h. Thunb. diss. 1. t. 1.
26	flagellâris. L.T. (li.) procumbent.	—	— G. h.
27	glomerâta. L.T. (li.) many-headed.	—	1789. — G. h. Burm. afr. t. 99. f. 2.
28	decipiens. L.T. (li.) decipient.	—	1806. — G. h.
29	Roxbûrgiî. L.T. (li.) Roxburgh's.	—	— G. h.
30	Burmânî. L.T. (li.) Burmann's.	—	1786. — G. h. Burm. afr. t. 99. f. 1.
<i>Prôtea Serrâria. L.</i>			
31	tritenâta. L.T. (wh.) silvery-flowered.	—	1802. — G. h. Andr. reposit. t. 447.
<i>Prôtea argentiflora. A.R.</i>			
32	elongâta. L.T. (li.) long-peduncled.	—	1800. — G. h.
33	crithmifolia. L.T. (li.) Samphire-leaved.	—	1816. — G. h.
NIVENIA. L.T.		NIVENIA. Tetrandria Monogynia. R.S.	
1	Scéptrum. L.T. (pu.) sceptre-like.	C. B. S.	1790. 5. 6. G. h. Sparm. a. st. 1777. t. 1.
2	spatulâta. L.T. (pu.) maiden hair-leaved.	—	— 7. 8. G. h. Thunb. dis. n. 58. t. 5.
3	parvifolia. L.T. (pu.) small-leaved.	—	1810. — G. h. Thunb. t. 5. quoad fig.
4	spicâta. L.T. (pu.) spiked.	—	1786. 6. 8. G. h.
5	crithmifolia. L.T. (pu.) Samphire-leaved.	—	1797. — G. h. Andr. reposit. t. 243.
<i>Prôtea Lagôpus. A.R. non Thunb.</i>			
6	mêdia. L.T. (bh.) middle.	—	1803. — G. h. Andr. reposit. t. 234?
<i>Prôtea spicâta. A.R.?</i>			
7	Lagôpus. L.T. (pu.) Hare's-foot.	—	1810. — G. h.
SOROCE'PHALUS. L.T.		SOROCE'PHALUS. Tetrandria Monogynia. R.S.	
1	imbêrbis. L.T. (pu.) smooth.	C. B. S.	1806. 6. 8. G. h.
2	spatilloïdes. L.T. (pu.) club-bearing.	—	1803. — G. h.
3	tenuifolia. L.T. (pu.) slender-leaved.	—	1802. — G. h.
4	lanâtus. L.T. (pu.) woolly.	—	1790. 6. 9. G. h. Thunb. dis. n. 30. t. 3.
5	imbricâtus. L.T. (ro.) imbricated.	—	1794. 4. 7. G. h. Andr. reposit. t. 517.
6	diversifoliûs. L.T. (pu.) various-leaved.	—	1807. — G. h.
SPATA'LLA. L.T.		SPATA'LLA. Tetrandria Monogynia. R.S.	
1	pedunculâta. L.T. (pu.) long-peduncled.	C. B. S.	1822. 4. 8. G. h.
2	nîvea. L.T. (li.) snowy-bearded.	—	1806. 4. 8. G. h.
3	ramulôsa. L.T. (pu.) branching.	—	1812. — G. h.
4	bracteâta. L.T. (pu.) bracteate.	—	— 5. 9. G. h.
5	prolifera. L.T. (pu.) proliferous.	—	1800. 6. 8. G. h. Thunb. dis. n. 27. t. 4.
6	pyramidalis. L.T. (pu.) pyramidal.	—	1821. — G. h.
7	incûrva. L.T. (pu.) incurved-leaved.	—	1789. 5. 6. G. h. Thunb. dis. n. 22. t. 3.
8	caudâta. L.T. (pu.) tailed.	—	1812. — G. h. — sec. ic. t. 2.
9	Thunbêrgiî. L.T. (pu.) Thunberg's.	—	1806. — G. h.

ADENA'NTHOS. L.T. ADENA'NTHOS. Tetrandria Monogynia.

- 1 obovâta. L.T. (li.) obovate-leaved. N. Holland. 1824. G. h. Labil. n. hol. 1. t. 37.
 2 cuneâta. L.T. (li.) wedge-leaved. G. h. v. 1. t. 36.
 3 sericea. L.T. (li.) silky-leaved. G. h. v. 1. t. 38.

CONOSPERMUM. L.T. CONOSPERMUM. Triandria Monogynia.

- 1 ellipticum. L.T. (wh.) elliptic-leaved. N. S. W. 1822. 5. 7. G. h. Bot. mag. t. 2724.
 2 taxifolium. L.T. (st.) Yew-leaved. 1823. 4. 6. G. h. t. 2850.
 3 ericifolium. L.T. (bh.) Heath-leaved. 1820. G. h. Sm. exot. bot. 2. t. 82.
 4 longifolium. L.T. (wh.) long-leaved. 1824. G. h.
 5 canalicolium. Gr. (wh.) scymeter-leaved. 1824. 4. 6. G. h.
 6 tenuifolium. L.T. (wh.) slender-leaved. G. h.

AGAST'ACHYS. L.T. AGAST'ACHYS. Tetrandria Monogynia. R.S.

- odorâta. L.T. (ye.) sweet-scented. V. Diem. Isl. 1824. 4. 7. G. h.

PERSO'ONIA. L.T. PERSO'ONIA. Tetrandria Monogynia. R.S.

- 1 teretifolia. L.T. (ye.) round-leaved. N. Holland. 1824. 5. 6. G. h. Linn. trans. 10. t. 16. f. 1.
 2 pinifolia. L.T. (ye.) Pine-leaved. N. S. W. 1818. 5. 7. G. h. Lab. n. holl. 1. t. 45.
 3 juniperina. L.T. (ye.) Juniper-leaved. V. Diem. Isl. 1823. G. h. Lodd. bot. cab. t. 327.
 4 hirsuta. L.T. (ye.) hairy. N. S. W. 1800. G. h.
 5 mollis. L.T. (ye.) soft. 1818. G. h.
 6 lineâris. L.T. (ye.) linear-leaved. 1794. 7. 8. G. h. Bot. mag. t. 760.
 7 pallida. Gr. (st.) pale. N. S. W. 1824. 9. 10. G. h.
 8 lucida. L.T. (ye.) shining. 6. 8. G. h.
 9 flexifolia. L.T. (ye.) bending-leaved. 1822. G. h. Lodd. bot. cab. 922.
 10 chamæpitys. F.T. (ye.) ground-pine. N. S. W. 1824. G. h.
 11 scabra. L.T. (st.) rough. N. Holland. G. h.
 12 nutans. L.T. (ye.) nodding. N. S. W. 1821. G. h.
 13 pruinosa. M.C. (ye.) frosted. N. Holland. 1824. G. h.
 14 lanceolata. L.T. (st.) spear-leaved. 1791. 6. 7. G. h. Andr. reposit. t. 74.
 β latifolia. B.P. (st.) broad-leaved. G. h. t. 280?
 15 salicina. L.T. (st.) Willow-leaved. 1795. 6. 7. G. h. Cavan. ic. 4. t. 389?
 16 ferruginea. L.T. (ye.) ferruginous. 1818. G. h. Sm. exot. bot. 2. t. 83.

BRAB'EJUM. L.T. AFRICAN ALMOND. Polygamia Monœcia. L.

- stellatifolium. L.T. common. C. B. S. 1731. 3. 4. G. h. Hou. n. h. par. 2. t. 6. f. 37.

GREVILLEA. L.T. GREVILLEA. Tetrandria Monogynia. R.S.

- 1 punicea. L.T. (sc.) scarlet-flowered. N. S. W. 1822. 4. 9. G. h. Bot. reg. t. 1319.
 2 dubia. L.T. (ro.) doubtful. G. h.
 3 sericea. L.T. (ro.) silky. 1790. G. h. Bot. mag. t. 862.
 4 lineâris. L.T. (li.) linear-leaved. G. h. Andr. reposit. t. 272.
 α incarnata. B.M. (pi.) flesh-coloured. G. h. Bot. mag. t. 2661.
 β alba. B.C. (bh.) white-flowered. G. h. Lodd. bot. cab. t. 858.
 5 stricta. L.T. (li.) upright. 1822. G. h.
 6 riparia. L.T. (li.) river-side. 1791. 4. 5. G. h.
 7 rosmarinifolia. F.T. (li.) Rosemary-leaved. 1824. G. h. Swt. flor. aust. t. 30.
 8 parviflora. L.T. (st.) small-flowered. 1824. G. h.
 9 juniperina. L.T. (gr. st.) Juniper-like. 1821. G. h. Lodd. bot. cab. t. 1003.
 10 concinna. L.T. (st. ro.) pretty. N. Holland. 1824. 3. 8. G. h. Swt. flor. aust. t. 7.
 11 arenaria. L.T. (li.) sand. N. S. W. 1803. 4. 9. G. h.
 12 montana. L.T. (gr.) mountain. G. h.
 13 acuminata. L.T. (gr.) acute-leaved. 1805. G. h. Swt. flor. aust. t. 55.
 14 cinerea. L.T. (gr.) grey. 1821. G. h. Lodd. bot. cab. t. 857.
 15 mucronulata. L.T. (gr.) mucronulate. 1809. G. h. Swt. flor. aust. t. 38.
 16 Baueri. L.T. (bh.) Bauer's. 1823. 4. 8. G. h. Hook. ex. flor. t. 216.
 pubescens. Hooker, et Lodd. bot. cab. t. 1229.
 17 sulphurea. F.T. (st.) sulphur-coloured. 1823. G. h.
 18 sphacelata. L.T. (br.) sphacelate. 1825. G. h.
 19 phylloides. L.T. (br.) Phylla-like. G. h.
 20 collina. K.P. (br.) hill. 1812. G. h.
 21 buxifolia. L.T. (pu.) Box-leaved. 1790. 2. 9. G. h. Bot. reg. t. 443.
 22 podalyriaefolia. C.C. (pu.) Podalyria-leaved. N. Holland. 1821. 5. 8. I. h.
 23 podocarpifolia. Podocarpus-leav'd. 1823. I. h.
 24 berberifolia. C.C. Berberry-leaved. I. h.
 25 acanthifolia. F.T. (gr.) Acanthus-leaved. I. h. Bot. mag. t. 2807.
 26 Gaudichaudii. B. (ye.) Gaudichaud's. 1823. I. h.
 27 trifurcata. C.C. three-forked. I. h.
 28 asplenifolia. L.T. (st.) Spleenwort-leaved. N. S. W. 1806. I. h.
 29 Flindersii. M.C. Flinders's. N. Holland. 1823. I. h.

H'AKEA. L.T. H'AKEA. Tetrandria Monogynia. R.S.

- 1 pugioniformis. L.T. (wh.) dagger-fruited. N. S. W. 1796. 5. 6. G. h. Lodd. bot. cab. t. 353.
 2 parilis. K.P. (wh.) matched. V. Diem. Isl. G. h.

3	epiglóttis. L.T.	(wh.) curved-fruited.	V. Diem. Isl. 1822.	5. 6.	G. h.	Lab. nov. hol. 1. t. 40.
4	nodosa. L.T.	(wh.) knot-podded.	N. Holland. 1824.	—	G. h.	
5	flexilis. L.T.	(wh.) bending.	—	—	G. h.	
6	obliqua. L.T.	(wh.) oblique-flowered.	N. Holland. 1803.	6. 9.	G. h.	
7	subulata. ψ.	(wh.) awl-leaved.	— 1824.	—	G. h.	
8	petrophiloides. ψ.	(wh.) Petrophila-like.	— 1825.	—	G. h.	
9	lissosperma. L.T.	(wh.) smooth-seeded.	V. Diem. Isl. 1824.	—	G. h.	
10	gibbosa. L.T.	(st.) gibbous-fruited.	N. S. W. 1790.	5. 6.	G. h.	Cavan. ic. 6. t. 534.
11	acicularis. L.T.	(wh.) needle-leaved.	—	—	G. h.	Venten. malm. t. 111.
<i>Cónchium aciculare. v.</i>						
12	suavolens. L.T.	(wh.) sweet-scented.	N. Holland. 1803.	11. 1.	G. h.	
13	Lamberti. N.L.F.	(wh.) Lambert's.	— 1823.	—	G. h.	
14	microcarpa. L.T.	(wh.) small-fruited.	V. Diem. Isl. 1818.	4. 8.	G. h.	Bot. reg. t. 475.
15	trifurcata. L.T.	(wh.) trifurcate.	N. Holland. 1824.	—	G. h.	
16	echinata. ψ.	(wh.) bristly-podded.	— 1825.	—	G. h.	
17	angustifolia. ψ.	(wh.) narrow-leaved.	— 1824.	—	G. h.	
18	linearis. L.T.	(wh.) linear-leaved.	—	—	G. h.	Swt. flor. aust. t. 43.
19	florida. L.T.	(wh.) many-flowered.	— 1803.	5. 6.	G. h.	Bot. mag. t. 2579.
20	ilicifolia. L.T.	(wh.) Holly-leaved.	—	7. 9.	G. h.	
21	nitida. L.T.	(wh.) glossy.	—	6. 8.	G. h.	Bot. mag. t. 2246.
22	amplexicaulis. L.T.	(wh.) smooth-stalked.	—	—	G. h.	
23	prostrata. L.T.	(wh.) pubescent.	—	—	G. h.	
24	ceratophylla. L.T.	(wh.) horn-leaved.	—	—	G. h.	
25	acanthophylla. L.en.	(w.) Acanthus-leaved.	—	—	G. h.	
26	undulata. L.T.	(wh.) wave-leaved.	—	6. 8.	G. h.	
27	repanda. ψ.	(wh.) repand.	— 1824.	—	G. h.	
28	propinqua. F.T.	(wh.) related.	— 1823.	—	G. h.	
29	oleifolia. L.T.	(wh.) Olive-leaved.	— 1794.	6. 7.	G. h.	
30	saligna. L.T.	(wh.) Willow-leaved.	— 1791.	3. 7.	G. h.	Swt. flor. aust. t. 27.
31	marginata. L.T.	(wh.) marginate.	— 1824.	4. 7.	G. h.	
32	ruscifolia. L.T.	(st.) Ruscus-leaved.	—	—	G. h.	Lab. nov. holl. 1. t. 39.
33	cinerea. L.T.	(wh.) hoary-leaved.	— 1803.	6. 7.	G. h.	
34	canescens. L.en.	(wh.) canescent.	N. S. W. 1800.	6. 8.	G. h.	
35	dactyloides. L.T.	(wh.) neried-leaved.	— 1790.	—	G. h.	Cavan. ic. 6. t. 535.
36	elliptica. L.T.	(wh.) oval-leaved.	N. Holland. 1794.	—	G. h.	
37	ferruginea. S.F.A.	(wh.) rusty-stemmed.	— 1824.	4. 8.	G. h.	Swt. flor. aust. t. 45.
38	culcata. ψ.	(wh.) hollow-leaved.	—	—	G. h.	
39	clavata. L.T.	(wh.) clavate.	— 1824.	—	G. h.	Lab. nov. holl. 1. t. 41.
EMBOTHRUM. EMBOTHRUM. Tetrandria Monogynia.						
	strobilinum. Lab. (st.)	cone-flowered.	N. Holland. 1824.	3. 6.	G. h.	Lab. nov. holl. 2. t. 265.
LAMBERTIA. L.T. LAMBERTIA. Tetrandria Monogynia. R.S.						
1	uniflora. L.T.	(re.) single-dowered.	N. Holland. 1824.	—	G. h.	Bauer ic. ined.
2	inermis. L.T.	(or.) unarmed.	—	—	G. h.	— ic. ined.
3	formosa. L.T.	(ro.) handsome.	N. S. W. 1788.	6. 8.	G. h.	Bot. reg. t. 528.
4	echinata. L.T.	(ro.) lobe-leaved.	N. Holland. 1824.	—	G. h.	Bauer ic. ined.
XYLOMELUM. L.T. WOODEN-PEAR-TREE. Tetrandria Monogynia. R.S.						
	pyriforr. L.T. (wh.)	prickly-leaved.	N. S. W. 1789.	6. 8.	G. h.	Cavan. ic. 6. t. 536.
RHOPALA. L.T. RHOPALA. Tetrandria Monogynia. R.S.						
1	montana. L.T.	(st.) mountain.	Guiana. 1823.	4. 6.	S. h.	Aub. gui. 1. t. 32.
2	nitida. L.T.	(st.) glossy.	— 1826.	—	S. h.	Rudge pl. gui. 1. t. 39.
3	dentata. L.T.	(st.) tooth-leaved.	— 1802.	5. 8.	S. h.	
4	sessilifolia. L.T.	(st.) sessile-leaved.	— 1803.	—	S. h.	Rudg. gui. 1. t. 31.
TELOPEA. L.T. WARATAH. Tetrandria Monogynia. R.S.						
	speciosissima. L.T. (cr.)	splendid.	N. S. W. 1789.	5. 7.	G. h.	Bot. mag. t. 1128.
<i>Embothrium speciosissimum. B.M.</i>						
LOMATIA. L.T. LOMATIA. Tetrandria Monogynia. R.S.						
1	silaifolia. L.T.	(wh.) cut-leaved.	N. S. W. 1792.	6. 8.	G. h.	Bot. mag. t. 1272.
2	tinctoria. L.T.	(st.) various-leaved.	V. Diem. Isl. 1822.	—	G. h.	Lab. n. holl. 1. t. 42-43.
3	polymorpha. L.T.	(st.) variable.	— 1823.	—	G. h.	
4	ilicifolia. L.T.	(st.) Holly-leaved.	N. Holland. 1824.	—	G. h.	
5	longifolia. L.T.	(wh.) long-leaved.	N. S. W. 1816.	5. 8.	G. h.	Bot. reg. t. 442.
6	dentata. L.T.	(st.) tooth-leaved.	Chile. 1824.	—	G. h.	Flor. peruv. 1. t. 94. a.
STENOCAERPUS. L.T. STENOCAERPUS. Tetrandria Monogynia. R.S.						
	saligna. L.T. (wh.)	sweet-scented.	N. S. W. 1815.	6. 9.	G. h.	Bot. reg. t. 441.
BOTRYCERAS. W. BOTRYCERAS. Tetrandria Monogynia. R.S.						
	laurinum. W. (gr.)	Laurel-like.	N. Holland. 1820.	6. 9.	G. h.	W.m.b. 1811. t. 19. f. 10.
BAÑKSIA. L.T. BAÑKSIA. Tetrandria Monogynia. R.S.						
1	pulchella. L.T.	(st.) small-flowered.	N. Holland. 1803.	2. 8.	G. h.	
2	sphaerocarpa. L.T. (st.)	round-fruited.	— 1803.	—	G. h.	

3	nūtans. L.T.	(st.)	nodding-flowered.	N. Holland.	1803.	4. 6.	G. h.	
4	ericifolia. L.T.	(st.)	Heath-leaved.	N. S. W.	1788.	1. 12.	G. h.	Bot. mag. t. 738.
5	spinulosa. L.T.	(st.)	spiny-leaved.	—	—	12. 5.	G. h.	Andr. reposit. t. 457.
6	collina. L.T.	(st.)	hill.	—	1800.		G. h.	
7	occidentalis. L.T.	(st.)	west-coast.	N. Holland.	1803.	4. 8.	G. h.	
8	littoralis. L.T.	(ye.)	sea-side.	—	—	4. 7.	G. h.	
9	marginata. L.T.	(gr.)	various-leaved.	N. S. W.	1804.	5. 8.	G. h.	Bot. mag. t. 1947.
10	australis. L.T.	(gr.)	southern.	V. Diem. Isl.	1816.	—	G. h.	Bot. reg. t. 787.
	marcescens. Hooker	bot. mag.	2803. nec aliorum.	—	—	—	—	
11	insularis. L.T.	(gr.)	Island.	—	1823.		G. h.	
12	Cunninghamii. s.s.	(st.)	Cunningham's.	N. Holland.	1822.	—	G. h.	
13	integrifolia. L.T.	(st.)	entire-leaved.	N. S. W.	1788.	5. 8.	G. h.	Bot. mag. t. 2770.
14	compár. L.T.	(st.)	related.	N. Holland.	1823.		G. h.	
15	verticillata. L.T.	(st.)	whorl-leaved.	—	1794.	7. 11.	G. h.	Hook. ex. flor. t. 96.
16	coccinea. L.T.	(sc.)	scarlet-flowered.	—	1803.		G. h.	Bauer. n. holl. ic.
17	paludosa. L.T.	(st.)	marsh.	N. S. W.	1805.	1. 4.	G. h.	Bot. reg. t. 697.
18	intermedia. ψ.	(st.)	intermediate.	N. Holland.	1824.		G. h.	
19	oblongifolia. L.T.	(st.)	oblong-leaved.	N. S. W.	1788.	5. 8.	G. h.	Lodd. bot. cab. t. 241.
20	latifolia. L.T.	(st.)	broad-leaved.	—	1802.	—	G. h.	Cavan. ic. 6. t. 543.
21	marcescens. L.T.	(st.)	short-leaved.	N. Holland.	1794.	1. 12.	G. h.	Swt. flor. aust. t. 14.
	præmorsa. Andr.	rep. t. 258.	aspleniifolia. K.P.	—	—	—	—	
22	attenuata. L.T.	(st.)	attenuated, smooth-fl.	—	1794.	1. 10.	G. h.	
23	serrata. L.T.	(st.)	saw-leaved.	N. S. W.	1788.	7. 9.	G. h.	Andr. reposit. t. 82.
	undulata. Bot. reg.	t. 1316.	—	—	—	—	—	
24	æmula. L.T.	(st.)	deeply-sawed.	—	—	1. 6.	G. h.	Bot. reg. t. 688.
25	dentata. L.T.	(st.)	tooth-leaved.	N. Holland.	1822.		S. h.	
26	quercifolia. L.T.	(st.)	Oak-leaved.	—	1805.		G. h.	
27	dryandroides. s.f.a.	(br.)	Dryandra-like.	—	1824.	3. 6.	G. h.	Swt. flor. aust. t. 56.
28	speciosa. L.T.	(wh.)	long-leaved.	—	1805.	5. 8.	G. h.	
29	grandis. L.T.	(st.)	great-flowered.	—	1794.		G. h.	
30	prostrata. ψ.	(st.)	prostrate.	—	1824.		G. h.	
31	repens. L.T.	(st.)	creeping.	—	1803.		G. h.	Lab. voy. 1. t. 23.
32	ilicifolia. L.T.	(st.)	Holly-leaved.	—	1824.		G. h.	
	DRYANDRA. L.T.	DRYANDRA.	Tetrandria Monogynia. R.S.	—	—	—	—	
1	floribunda. L.T.	(ye.)	many-flowered.	N. Holland.	1803.	1. 12.	G. h.	Bot. mag. t. 1581.
2	cuneata. L.T.	(st.)	wedge-leaved.	—	—	11. 2.	G. h.	
	a brevifolia.	(st.)	short-leaved.	—	—	—	G. h.	
	β longifolia.	(st.)	long-leaved.	—	—	—	G. h.	
3	armata. L.T.	(ye.)	acute-leaved.	—	—	1. 12.	G. h.	
4	falcata. L.T.	(ye.)	falcate-leaved.	—	1824.		G. h.	
5	formosa. L.T.	(or.)	Apricot-scented.	—	1803.	1. 12.	G. h.	Swt. flor. aust. t. 53.
6	mucronulata. L.T.	(ye.)	pointed-leaved.	—	1824.		G. h.	
7	plumosa. L.T.	(ye.)	feathered.	—	1803.	1. 8.	G. h.	
8	obtusa. L.T.	(ye.)	blunt-leaved.	—	—		G. h.	
9	nivea. L.T.	(ye.)	white-leaved.	—	—	7. 9.	G. h.	Lab. voy. 1. t. 24.
10	longifolia. L.T.	(ye.)	long-leaved.	—	1805.	1. 12.	G. h.	Swt. flor. aust. t. 3.
11	Baxteri. ψ.	(ye.)	Baxter's.	—	1824.		G. h.	
12	tenuifolia. L.T.	(ye.)	slender-leaved.	—	1803.	3. 5.	G. h.	
13	nervosa. s.f.a.	(ye.)	nerved-leaved.	—	1824.	3. 12.	G. h.	Swt. flor. aust. t. 22.
14	pteridifolia. L.T.	(ye.)	Pteris-leaved.	—	—	—	G. h.	

ORDO CLXXIII.

THYMELÆÆ. *Brown prodr. p. 358.*

DI'CA. W.		LEATHER-WOOD.	Octandria Monogynia. L.		
palustris. w.	(ye.)	marsh.	Virginia. 1750.	3. 4. H. h.	Bot. reg. t. 292.
LAGE'TTA. J.		LACE-BARK.	Octandria Monogynia. S.S.		
linteaia. J.	(wh.)	Jamaica.	Jamaica. 1793.	12. 1. S. h.	Lam. ill. t. 289.
DA'PNE. W.		DA'PNE.	Octandria Monogynia. L.		
1 Mezereum. w. (re. wh.)		Mezereum.	England.	 2. 4. H. h.	Eng. bot. v. 20. t. 1381.
α album.	(wh.)	white-flowered.		 H. h.	
β rubrum.	(re.)	red-flowered.		 H. h.	
γ autumnale.	(re.)	autumnal-flowered.		8. 12. H. h.	

2	Laureola. w.	(gr.)	spurge-laurel.	Britain.		1. 3.	H. $\frac{1}{2}$.	Eng. bot. v. 2. t. 119.
3	pónica. w.	(gr.ye.)	Pontic.	Pontus.	1759.	4. 5.	H. $\frac{1}{2}$.	Bot. mag. t. 1282.
4	tinifolia. w.	(st.)	Bonace-bark.	Jamaica.	1733.	5. 7.	S. $\frac{1}{2}$.	
5	Gnidium. w.	(wh.)	Flax-leaved.	Spain.	1597.	6. 8.	H. $\frac{1}{2}$.	Lodd. bot. cab. t. 150.
6	odora. w.	(bh.)	sweet-scented.	China.	1771.	12. 3.	G. $\frac{1}{2}$.	Bot. mag. t. 1587.
7	hybrida. B.F.G.	(ro.)	Dauphin.	Hybrid.	1826.	1. 6.	F. $\frac{1}{2}$.	Swt. br. fl. gar. t. 200.
8	alpina. w.	(wh.)	Alpine.	Italy.	1759.	5. 7.	H. $\frac{1}{2}$.	Lodd. bot. cab. t. 66.
9	altaica. w.	(wh.)	Altaic.	Siberia.	1796.	4. 5.	H. $\frac{1}{2}$.	Bot. mag. t. 1875.
10	Cneorum. w.	(ro.)	trailing.	Austria.	1752.	4. 9.	H. $\frac{1}{2}$.	— t. 313.
11	striata. s.s.	(pi.)	streaked.	Hungary.		—	H. $\frac{1}{2}$.	
12	collina. s.s.	(re.)	hairy.	Italy.	1752.	1. 6.	H. $\frac{1}{2}$.	Bot. mag. t. 428.
13	sericea. s.s.	(li.)	silky-leaved.	Levant.	1818.	—	H. $\frac{1}{2}$.	
14	oleoides. s.s.	(li.)	Olive-leaved.	Crete.	1815.	1. 12.	H. $\frac{1}{2}$.	Bot. mag. t. 1917.
15	napolitana. B.C.	(re.)	Neapolitan.	Italy.	1823.	1. 6.	H. $\frac{1}{2}$.	Lodd. bot. cab. t. 719.
collina β neapolitana. B.R. 822.								
16	Thymelæa. w.	(st.)	smooth-leaved.	Spain.	1815.	2. 4.	H. $\frac{1}{2}$.	Pluk. alm. t. 229. f. 2.
17	Tårton-råira. w.	(st.)	silvery-leaved.	France.	1640.	5. 7.	H. $\frac{1}{2}$.	— t. 318. f. 6.
GNIDIA. L. GNIDIA. Octandria Monogynia. L.								
1	pinifolia. w.	(wh.)	Pine-leaved.	C. B. S.	1768.	5. 6.	G. $\frac{1}{2}$.	Bot. reg. t. 19.
2	radiata. B.C.	(wh.)	radiate.	—	1818.	—	G. $\frac{1}{2}$.	Lodd. bot. cab. t. 29.
3	imbérbis. H.K.	(st.)	smooth-scaled.	—	1792.	8. 4.	G. $\frac{1}{2}$.	Bot. mag. t. 1463.
4	simplex. H.K.	(ye.)	Flax-leaved.	—	1786.	5. 6.	G. $\frac{1}{2}$.	— t. 812.
5	juniperifolia. w.	(wh.)	Juniper-leaved.	—	1822.	—	G. $\frac{1}{2}$.	
6	capitata. w.	(wh.)	purple-twiggd.	—	1788.	6. 7.	G. $\frac{1}{2}$.	
7	imbricata. w.	(st.)	imbricated.	—	1822.	4. 8.	G. $\frac{1}{2}$.	Bot. reg. t. 757.
denudata. B.R.								
8	oppositifolia. H.K.	(ye.)	opposite-leaved.	—	1783.	5. 7.	G. $\frac{1}{2}$.	Bot. reg. t. 2.
9	tomentosa. s.s.	(st.)	tomentose.	—	1822.	—	G. $\frac{1}{2}$.	
10	sericea. w.	(ye.)	silky.	—	1786.	—	G. $\frac{1}{2}$.	Andr. reposit. t. 225.
oppositifolia. A.R. nec aliorum.								
LACHNÆA. W. LACHNÆA. Octandria Monogynia. L.								
1	buxifolia. Lam.	(wh.)	green box-leaved.	C. B. S.	1800.	5. 7.	G. $\frac{1}{2}$.	Bot. mag. t. 1657.
2	glauca. H.K.	(wh.)	glaucous.	—	—	—	G. $\frac{1}{2}$.	— t. 1658.
3	purpurea. w.	(pu.)	purple-flowered.	—	—	—	G. $\frac{1}{2}$.	— t. 1594.
4	ericephala. w.	(wh.)	woolly-headed.	—	1793.	6. 7.	G. $\frac{1}{2}$.	— t. 1295.
5	conglomerata. w.	(wh.)	clustered.	—	1773.	—	G. $\frac{1}{2}$.	
PASSERINA. W. SPARROW-WORT. Octandria Monogynia. L.								
1	uniflora. w.	(wh.)	one-flowered.	C. B. S.	1759.	4. 7.	G. $\frac{1}{2}$.	Wend. obs. t. 2. f. 18.
2	laxa. w.	(wh.)	loose.	—	1804.	6. 7.	G. $\frac{1}{2}$.	Lodd. bot. cab. t. 755.
3	tenuiflora. w.	(st.)	slender-flowered.	—	1812.	—	G. $\frac{1}{2}$.	
4	filiformis. w.	(st.)	filiform.	—	1752.	6. 8.	G. $\frac{1}{2}$.	Wend. obs. t. 2. f. 15.
5	capitata. w.	(wh.)	headed.	—	1789.	6. 10.	G. $\frac{1}{2}$.	— t. 2. f. 17.
6	hirsuta. w.	(st.)	hairy.	S. Europe.	1759.	—	G. $\frac{1}{2}$.	Bot. mag. t. 1949.
7	striata. Lam.	(wh.)	striate.	C. B. S.	1822.	—	G. $\frac{1}{2}$.	
8	ericoides. w.	(st.)	Heath-like.	—	—	—	G. $\frac{1}{2}$.	
9	ciliata. w.	(wh.)	fringed.	—	1819.	—	G. $\frac{1}{2}$.	Seb. mus. 2. t. 12. f. 9.
10	grandiflora. w.	(wh.)	great-flowered.	—	1789.	5. 6.	G. $\frac{1}{2}$.	Bot. mag. t. 292.
11	spicata. w.	(wh.)	spiked.	—	1787.	5. 7.	G. $\frac{1}{2}$.	Lodd. bot. cab. t. 311.
12	anthylloides. w.	(st.)	Anthyllus-like.	—	1816.	—	G. $\frac{1}{2}$.	
STELLERA. W. STELLERA. Octandria Monogynia. L.								
1	Passerina. w.	(ye.)	Flax-leaved.	S. Europe.	1759.	7. 8.	H. $\odot$.	Jacq. ic. 1. t. 68.
Passerina annua. s.s.								
2	altaica. P.S.	(wh.)	Altay.	Altay.	1824.	—	H. $\odot$.	
3	dichotoma. F.	(wh.)	forked.	Dahuria.	—	—	H. $\odot$.	
D'ALIS. L. D'ALIS. Decandria Monogynia. L.								
	cotinifolia. w.	(pi.)	Cotinus-leaved.	C. B. S.	1776.	6. 7.	G. $\frac{1}{2}$.	Bot. mag. t. 147.
STRUTHIOLA. L. STRUTHIOLA. Tetrandria Monogynia. L.								
1	virgata. H.K.	(re.)	twiggy.	C. B. S.	1779.	4. 8.	G. $\frac{1}{2}$.	Andr. reposit. t. 139.
2	ciliata. A.R.	(st.)	ciliated.	—	—	—	G. $\frac{1}{2}$.	— t. 149.
3	lateriflora. R.S.	(wh.)	side-flowering.	—	1816.	—	G. $\frac{1}{2}$.	
4	pubescens. R.S.	(re.)	downy.	—	1790.	—	G. $\frac{1}{2}$.	Bot. mag. t. 1212.
5	longiflora. R.S.	(wh.)	long-flowered.	—	1824.	—	G. $\frac{1}{2}$.	Lam. ill. t. 78.
6	glabra. R.S.	(wh.)	upright smooth.	—	1798.	4. 9.	G. $\frac{1}{2}$.	Wendl. obs. t. 2. f. 10.
erecta. w. stricta. Donn.								
7	juniperina. R.S.	(wh.)	drooping.	—	1758.	—	G. $\frac{1}{2}$.	Bot. mag. t. 222.
erecta. B.M. nec aliorum.								
8	angustifolia. R.S.	(st.)	narrow-leaved.	—	1816.	—	G. $\frac{1}{2}$.	
9	incana. B.C.	(ye.)	hoary.	—	1802.	7. 8.	G. $\frac{1}{2}$.	Lodd. bot. cab. t. 11.
10	imbricata. R.S.	(ye.)	tiled-leaved.	—	1794.	4. 8.	G. $\frac{1}{2}$.	Andr. reposit. t. 113.

11 ovata. R.S.	(wh.) oval-leaved.	C. B. S.	1792.	2. 6.	G. h.	Andr. reposit. t. 119.
12 tomentosa. R.S.	(wh.) downy-leaved.	—	1799.	8. 9.	G. h.	— t. 334.
PIMEL'EA. B.P.	PIMEL'EA. Diandria Monogynia. R.S.					
1 linifolia. B.P.	(wh.) flax-leaved.	N. S. W.	1793.	2. 8.	G. h.	Bot. mag. t. 891.
2 paludosa. B.P.	(wh.) marsh.	—	1826.	—	G. h.	
3 glauca. B.P.	(wh.) glaucous-leaved.	—	1822.	—	G. h.	Linn. trans. 10. t. 13. f. 2.
4 ligustrina. B.P.	(wh.) Privet-like.	—	1823.	—	G. h.	Lab. nov. holl. 1. t. 3.
5 decussata. B.P.	(re.) cross-leaved.	—	—	4. 8.	G. h.	Swt. flor. aust. t. 8.
ferruginea. Lab.						
6 rosea. B.P.	(ro.) rose-coloured.	N. Holland.	1800.	3. 9.	G. h.	Bot. mag. t. 1458.
7 linoïdes. F.T.	(wh.) flax-like.	N. S. W.	1824.	—	G. h.	
8 filamentosa. L.T.	(wh.) filamentose.	N. Holland.	1826.	—	G. h.	Linn. trans. 10. t. 14. f. 1.
9 pauciflora. B.P.	(ye.) few-flowered.	V. Diem. Isl.	1812.	—	G. h.	Lodd. bot. cab. t. 179.
10 humilis. B.P.	(wh.) dwarf.	—	1825.	6. 9.	G. h.	Bot. reg. t. 1268.
11 clavata. B.P.	(ye.) clubbed.	N. Holland.	1826.	3. 6.	G. h.	
12 incana. B.P.	(st.) hoary.	V. Diem. Isl.	—	4. 8.	G. h.	
13 drupacea. B.P.	(wh.) drupe-bearing.	—	1820.	—	G. h.	Swt. flor. aust. t. 52.
14 spicata. B.P.	(wh.) spiked.	N. S. W.	1824.	—	G. h.	Linn. trans. 10. t. 14. f. 2.
? TROP'PHIS. W.	RAMOON-TREE. Diœcia Tetrandria. W.					
1 americana. w.	(gr.) American.	W. Indies.	1789.	4. 5.	S. h.	Brown. jam. t. 37. f. 1.
2 aspera. w.	(gr.) rough-leaved.	E. Indies.	1802.	—	S. h.	
3 spinosa. s.s.	(gr.) spiny.	—	1826.		S. h.	

ORDO CLXXIV.

OSYRIDEÆ. Brown.

OSYRIS. W.	POET'S CASSIA. Diœcia Triandria. L.					
alba. w.	(wh.) white.	S. Europe.	1739.		G. h.	Lam. ill. t. 802.
EXOCARPOS. B.P.	EXOCARPOS. Pentandria Monogynia.					
1 cressifolmis. B.P.	(wh.) Cypress-like.	N. Holland.	1820.		G. h.	Labill. voy. 1. t. 14.
2 humifusa. B.P.	(gr.) low-procumbent.	V. Diem. Isl.	1822.		G. h.	
3 stricta. B.P.	(gr.) upright.	N. S. W.	—		G. h.	

ORDO CLXXV.

SANTALACEÆ. Brown prodr. p. 350.

SANTALUM. B.P.	SANTAL-WOOD. Tetrandria Monogynia. W.					
1 album. F.I.	(ye. pu.) white.	E. Indies.	1804.		S. h.	Rumph. amb. 2. t. 11.
2 myrtifolium. F.I.	(li.) Myrtle-leaved.	—	1819.		G. h.	Roxb. corom. 1. t. 2.
3 obtusifolium. B.P.	blunt-leaved.	N. S. W.	1823.		G. h.	
FUSANUS. B.P.	FUSANUS. Tetrandria Monogynia.					
1 compressus. H.K.	(gr.) flat-stalked.	C. B. S.	1776.		G. h.	Berg. cap. 38. t. 1. f. 1.
LEPTOMERIA. B.P.	LEPTOMERIA. Pentandria Monogynia. R.S.					
1 acidula. B.P.	(wh.) acid.	N. S. W.	1823.		G. h.	
2 Billardieri. B.P.	(wh.) Labillardiere's.	—	—		G. h.	Lab. nov. hol. 1. t. 93.
Thesium drupaceum. Lab.						
THESIUUM. R.S.	THESIUUM. Pentandria Monogynia. L.					
1 linophyllum. R.S.	(gr.) common.	England.		6. 7.	H. 2.	Eng. bot. v. 4. t. 247.
2 intermedium. R.S.	(wh.) intermediate.	Germany.	1818.	—	H. 2.	Schkuhr hand. t. 51.
3 montanum. R.S.	(wh.) mountain.	Europe.		—	H. 2.	Hayn. sc. j. t. 119.
4 alpinum. R.S.	(wh.) Alpine.	—	1814.	—	H. 2.	Jacq. aust. 5. t. 416.
5 ramosum. R.S.	(wh.) branching.	—	1824.	—	H. 2.	Hayn. sc. j. p. 30. t. 7.
6 ebracteatum. R.S.	(gr.) blunt-leaved.	Germany.	—	—	H. 2.	— l. c. t. 7.
? amplexicaule. R.S.	(gr.) stem-clasping.	C. B. S.	1787.	—	G. h.	
COMANDRA. N.	COMANDRA. Pentandria Monogynia. N.					
umbellata. N.	(wh.) umbelled.	N. America.	1782.	6.	H. 2.	Pluk. mant. t. 342. f. 1.
Thesium umbellatum. w.						

HAMILTONIA. W.		OIL-NUT. Polygamia Dioecia. W.	
oleifera. w.	(gr. ye.)	Olive-bearing. N. America. 1800.	 G. h. Pursh. amer. 1. t. 13.
<i>Pyrulária pùbera. m.</i>			
NYSSA. R.S.		TUPELO. Polygamia Dioecia. L.	
1 villòsa. R.S.	(gr.) hairy-leaved.	N. America. 1806.	5. H. h. Mich. arb. 2. t. 21.
2 aquática. R.S.	(gr.) water.	1739.	4. 5. H. h. ——— 2. t. 22.
<i>biflòra. w.</i>			
3 cándicans. R.S.	(gr.) Ogechee-lime.	1812.	 H. h. Mich. arb. 2. t. 20.
4 capitata. H.K.	(gr.) headed.	Carolina. 1806.	 H. h.
5 tomentòsa. R.S.	(gr.) tomentose.	1812.	 H. h. Mich. arb. 2. t. 19.
6 denticulàta. R.S.	(gr.) toothed.	N. America. 1795.	5. 6. H. h. Catesb. car. 1. t. 60.

ORDO CLXXVI.

ELÆAGNEÆ. *Don prodr. p. 67.*

HIPPO'PHAE. L.		SEA-BUCKTHORN. Dioecia Tetrandria. L.	
1 rhamnoides. w.	(st.) common.	England.	4. 5. H. h. Eng. bot. t. 425.
2 salicifolia. D.P.	(st.) Willow-leaved.	Nepaul. 1819.	 H. h.
SHEPHERDIA. N.		SHEPHERDIA. Dioecia Octandria. N.	
1 argentea. N.	(st.) silvery.	Missouri. 1818.	 H. h.
<i>Hippophæe argentea. Ph.</i>			
2 canadensis. N.	(st.) Canadian.	1759.	4. 5. H. h.
<i>Hippophæe canadensis. w.</i>			
ELÆAGNUS. L.		OLEASTER. Tetrandria Monogynia. L.	
1 angustifolia. R.S.	(wh.) narrow-leaved.	S. Europe. 1633.	7. H. h. Bot. reg. t. 1156.
2 songaricus. F.	(st.) Fischer's.	Siberia. 1821.	— H. h.
3 orientalis. R.S.	(wh.) oriental.	Levant. 1748.	7. 8. G. h. Pall. ros. 1. t. 5.
4 spinosa. R.S.	(wh.) spiny.	Egypt. 1826.	— F. h.
5 argentea. Ph.	(wh.) silvery.	N. America. 1813.	— H. h. Wats. dend. brit. t. 16.
6 arborea. F.I.	(wh.) tree.	Nepaul. 1819.	 H. h.
7 conferta. F.I.	(st.) close-flowered.	—	 H. h.
8 latifolia. R.S.	(wh.) broad-leaved.	E. Indies. 1712.	7. 8. S. h. Burm. zeyl. t. 39. f. 2.
9 triflora. F.I.	(wh.) three-flowered.	Nepaul. 1825.	 H. h. ——— t. 39. f. 1.
10 umbellata. D.P.	(wh.) umbelled.	1829.	 H. h. Thunb. jap. t. 14.

ORDO CLXXVII.

ASARINÆ. *Kunth synops. 1. p. 442.*

A'SARUM. L.		ASARABACCA. Dodecandria Monogynia. L.	
1 europæum. s.s.	(pu.) common.	England.	5. H. 2. Eng. bot. v. 16. t. 1083.
2 canadense. s.s.	(pu.) Canadian.	Canada. 1713.	4. 7. H. 2. Swt. br. fl. gar. t. 95.
3 virginicum. w.	(pu.) Virginian.	Virginia. 1759.	4. 5. H. 2. ——— t. 18.
4 arifolium. s.s.	(pu.) Arum-leaved.	Carolina. 1818.	5. 6. H. 2. Hook. ex flor. t. 40.
ARISTOLOCHIA. W.		BIRTHWORT. Gynandria Hexandria. L.	
1 bilobata. w.	(pu.) two-lobed.	W. Indies. 1822.	6. 8. S. h. Plum. amer. t. 106.
2 trilobata. w.	(pu.) three-lobed.	S. America. 1775.	6. 7. S. h.
3 ringens. w.	(br.) gaping.	1820.	— S. h. Vahl. symb. 2. t. 47.
4 labiosa. B.R.	(br.) lipped.	—	5. 9. S. h. Bot. reg. t. 689.
5 pentandra. w.	(pu.) pentandrous.	Cuba. 1828.	 S. h. Jacq. ic. pict. t. 224.
6 panduriformis. w.	(pu.) fiddle-leaved.	Caracas. 1823.	 S. h.
7 maxima. w.	(pu.) great.	New Spain. 1759.	7. S. h. Jacq. amer. t. 146.
8 Sipro. w.	(br.) broad-leaved.	N. America. 1763.	6. 7. H. h. Bot. mag. t. 534.
9 tomentosa. B.M.	(ye.) downy.	1799.	— H. h. ——— t. 1369.
10 odoratissima. w.	(pu.) sweet-scented.	Jamaica. 1737.	7. S. h. Sloan. jam. 1. t. 104. f. 1.
11 barbata. w.	(pu.) bearded.	Caracas. 1796.	6. 8. S. h. Jacq. ic. 3. t. 608.
12 bilabiata. w.	(pu.) two-lipped.	Cuba. 1829.	 S. h.
13 indica. w.	(pu.) Indian.	E. Indies. 1780.	6. 7. S. h. Rheed. mal. 8. t. 25.
14 acuminata. w.	(pu.) taper-pointed.	Mauritius. 1820.	 S. h.

15 fœtida. K.s.	(pu.) fetid.	Mexico.	1822.	6. 8. S. h. ∞.	H. et B. 2. t. 114.
16 hastata. K.s.	(pu.) halberd-leaved.	Havannah.	—	 S. h. ∞.	— 2. t. 116.
17 bœtica. w.	(pu.) Spanish.	Spain.	1596.	5. 6. H. h. ∞.	Moris. s. 12. t. 17. f. 6.
18 glauca. w.	(ye.) glaucous.	Barbary.	1785.	6. 8. G. h. ∞.	Bot. mag. t. 1115.
19 sempervirens. w.	(pu.) evergreen.	Candia.	1727.	5. 6. G. h. ∞.	— t. 1116.
20 longa. w.	(pu.) long-rooted.	S. Europe.	1548.	6. 10. H. 4.	Mill. ic. t. 51. f. 2.
21 microphylla. W.en.	(pu.) small-leaved.		1826.	— G. 4.	—
22 Serpentaria. w.	(pu.) Snake-root.	N. America.	1632.	6. 7. H. 4.	Jacq. schoen. 3. t. 385.
23 sagittata. Muhl.	(pu.) arrow-leaved.	—	1819.	— H. 4.	—
24 bracteata. w.	(pu.) bracteate.	E. Indies.	1793.	7. S. 4.	—
25 Pistolochia. w.	(pu.) small.	S. Europe.	1597.	6. 7. H. 4.	—
26 rotunda. w.	(pu.) round-rooted.	—	1596.	3. 10. G. 4.	—
27 pallida. w.	(pa.) pale-flowered.	Italy.	1640.	5. 8. H. 4.	Moris. s. 12. t. 18. f. 2.
28 hirta. w.	(pu.) hairy.	Chio.	1759.	5. 6. G. 4.	Tourn. it. 1. t. 147.
29 Clematitis. w.	(ye.) common.	England.		5. 8. H. 4.	Eng. bot. v. 6. t. 398.
30 arborëscens. w.	(pu. ye.) tree.	America.	1737.	6. 7. G. h.	—

ORDO CLXXVIII.

CYTINÆ. *Brogniart.*

NEPE'NTHE'S. L. PITCHER-PLANT. Diœcia Monadelphia. L.

1 distillatoria. w.	(gr.) cylindrical.	Ceylon.	1789.	4. 5. S.w. 4.	Burm. zeyl. 42. t. 17.
2 Phyllamphora. w.	(gr.) ventricose.	China.	1822.	6. 8. S.w. 4.	Bot. mag. t. 2629.

ORDO CLXXIX.

STACKHOUSEÆ. *Brown.*

STACKHO'USIA. Lab. STACKHO'USIA. Pentandria Trigynia.

1 linariifolia. F.T.	(st.) Linaria-leaved.	N. S. W.	1823.	3. 6. G. h.	—
2 spatulata. s.s.	(wh.) spatulate-leaved.	—	1825.	4. 6. G. h.	—

ORDO CLXXX.

EUPHORBIACEÆ. *Juss. gen. 384.*

MERCURIALIS. W. MERCURY. Diœcia Enneandria. L.

1 perennis. w.	(gr.) perennial.	Britain.		4. 5. H. 4.	Eng. bot. v. 26. t. 1872.
2 ambigua. w.	(gr.) doubtful.	Spain.	1806.	7. 8. H. ∞.	Linn. f. dec. 1. t. 8.
3 annua. w.	(gr.) annual.	Britain.		7. 9. H. ∞.	Eng. bot. v. 8. t. 559.
4 elliptica. w.	(gr.) oval-leaved.	Portugal.	1802.	5. 7. G. h.	Venten. cels. t. 12.
5 tomentosa. w.	(gr.) woolly.	Spain.	1640.	7. 9. H. h.	—

PEDILA'NTHUS. Neck. SLIPPER-SPURGE. Dodecandria Trigynia. L.en.

1 tithymaloides. B.R.	(sc.) Myrtle-leaved.	S. America.	1699.	6. 7. D.S. h.	Bot. reg. t. 837.
<i>myrtifolius. L.en. Crepidaria myrtifolia. H.s.s.</i>					
2 carinatus.	(sc.) keel-leaved.	W. Indies.	1809.	— D.S. h.	Bot. mag. t. 2514.
<i>Euphorbia carinata. B.M. Crepidaria carinata. H.s.s.</i>					
3 subcarinatus. H.R.	(sc.) small-keeled.	W. Indies.	1819.	— D.S. h.	—
4 canaliculatus.	(sc.) channelled-leaved.	—	—	— D.S. h.	Lodd. bot. cab. t. 727.
<i>Euphorbia canaliculata. B.C.</i>					
5 padifolius. H.s.	(sc.) Padus-leaved.	—	1699.	— D.S. h.	Dill. elt. t. 288. f. 372.
6 cordellatus.	(sc.) small-heart-leaved.	—	1795.	— D.S. h.	—
<i>Crepidaria cordellata. H.s.</i>					

- EUPHOR'BIA. W. SPURGE. Dodecandria Trigynia. L.**
- 1 *uncinata*. DC. (*gr.ye.*) twin-spined. C. B. S. 1795. 6. 8. D.G. $\frac{1}{2}$. DC. plant. gras. t. 151.
Scolopendria. H.S. *procumbens*. Meerb. ic. rar. t. 55. ex H.P.
- 2 *squarrôsa*. H.P. (*gr.ye.*) squarrose. C. B. S. 1825. — D.G. $\frac{1}{2}$.
- 3 *trigona*. H.S. (*gr.ye.*) upright 3-sided. E. Indies. 1768. 7. 8. D.S. $\frac{1}{2}$.
- 4 *antiquorum*. H.S. (*gr.ye.*) spreading 3-sided. — 1688. — D.S. $\frac{1}{2}$. Comm. hort. 1. t. 12.
- 5 *lacteâ*. H.S. (*gr.ye.*) marbled. — 1804. — D.S. $\frac{1}{2}$.
- 6 *grandidéns*. H.P. (*gr.ye.*) large-toothed. C. B. S. 1820. — D.G. $\frac{1}{2}$.
- 7 *canariénsis*. W. (*br.re.*) Canary. Canaries. 1697. 3. 4. D.G. $\frac{1}{2}$. DC. plant. gras. t. 140.
- 8 *cærulêscens*. H.P. (*st.*) blue-stemmed. C. B. S. 1825. — D.G. $\frac{1}{2}$.
- 9 *tetrâgona*. H.P. (*gr.ye.*) four-sided. — — D.G. $\frac{1}{2}$.
- 10 *heptâgona*. W. (*br.re.*) seven-angled. — 1731. 7. 11. D.G. $\frac{1}{2}$. Bradl. suc. 2. t. 13.
α nigra. H.S. (*br.re.*) black-spined. — — D.G. $\frac{1}{2}$.
β rubra. H.S. (*br.re.*) red-spined. — — D.G. $\frac{1}{2}$.
- 11 *pentâgona*. H.P. (*gr.ye.*) five-sided. — 1825. — D.G. $\frac{1}{2}$.
- 12 *enneâgona*. H.S. (*gr.ye.*) nine-angled. — 1790. 7. 10. D.G. $\frac{1}{2}$.
- 13 *mammillâris*. W. (*gr.ye.*) warty-angled. — 1759. 7. 8. D.G. $\frac{1}{2}$. Comm. præl. t. 9.
- 14 *cereifôrmis*. W. (*gr.ye.*) naked. — 1731. 6. 7. D.G. $\frac{1}{2}$. Burm. afr. t. 9. f. 3.
- 15 *officinârum*. W. (*ye.*) official. Africa. 1597. — D.G. $\frac{1}{2}$. DC. plant. gras. t. 77.
- 16 *odontophylla*. W. en. (*gr.*) white-spined. C. B. S. 1824. — D.G. $\frac{1}{2}$.
- 17 *stellâspina*. H.P. (*gr.ye.*) starry-spined. — — D.G. $\frac{1}{2}$.
- 18 *polygona*. H.S. (*gr.ye.*) many-angled. — 1790. 7. 9. D.G. $\frac{1}{2}$. Lodd. bot. cab. t. 1334.
- 19 *nereifolia*. W. (*re.*) Oleander-leaved. India. 1690. 6. 7. D.S. $\frac{1}{2}$. DC. plant. gras. t. 46.
- 20 *Hy'strix*. W. (*st.*) Porcupine. C. B. S. 1695. — D.G. $\frac{1}{2}$. Jacq. schœn. 2. t. 207.
loricâta. P.S. *Treisia Hy'strix*. H.S.
- 21 *vârians*. H.S. (*gr.ye.*) variable-stemm'd. E. Indies. 1800. 6. 9. D.S. $\frac{1}{2}$.
- 22 *grandifolia*. H.S. (*gr.ye.*) great-leaved. Sierra Leon. 1798. — D.S. $\frac{1}{2}$.
- 23 *erôsa*. W. en. (*gr.ye.*) erose. 1818. D.S. $\frac{1}{2}$.
- 24 *tribuloides*. S.S. (*wh.*) Caltrops-like. Canaries. 1816. 6. 9. D.G. $\frac{1}{2}$.
- 25 *Millii*. Desm. (*sc.*) splendid. Madagascar. 1828. — D.S. $\frac{1}{2}$. Bot. mag. t. 2902.
splendens. B.M. ann. 1829. *Millii*. Desm. ann. 1826.
- 26 *cucumerina*. W. (*gr.*) Cucumber-like. C. B. S. 5. 9. D.G. $\frac{1}{2}$. Vail. it. t. 5.
- 27 *meloformis*. W. (*ye.*) Melon-like. — 1774. — D.G. $\frac{1}{2}$. Andr. reposit. t. 617.
- 28 *clava*. W. (*gr.*) club. — — 3. 12. D.G. $\frac{1}{2}$. Jacq. ic. 1. t. 85.
- Treisia tuberculata*. H.S.
- 29 *Haworthii*. (*gr.*) Haworth's. — — — D.G. $\frac{1}{2}$.
Treisia clava. H.S. excl. syn. W.
- 30 *bupleurifolia*. W. (*gr.*) cone-shaped. — 1791. 6. 7. D.G. $\frac{1}{2}$. Jacq. schœn. 1. t. 106.
- 31 *Caput medusæ*. W. (*gr.*) great Medusa's head. Africa. 1731. 8. D.G. $\frac{1}{2}$. Lodd. bot. cab. t. 1315.
Medusea major. H.S.
- β humilis*. (*gr.*) dwarfed. — 1768. — D.G. $\frac{1}{2}$. Burm. afr. t. 8.
- 32 *tessellata*. H.S. (*gr.*) chequer'd-M'-head. 1788. — D.G. $\frac{1}{2}$.
- 33 *fructus-pini*. H.S. (*gr.*) small M'-head. C. B. S. 1731. — D.G. $\frac{1}{2}$. DC. plant. gras. t. 150.
β geminata. (*gr.*) twin-branched. — — D.G. $\frac{1}{2}$. Burm. afr. 18. t. 9. f. 1.
- 34 *procumbens*. H.S. (*gr.*) least M'-head. — 1768. — D.G. $\frac{1}{2}$. — t. 10. f. 1.
- 35 *pâtula*. Mill. (*br.gr.*) spreading. — — D.G. $\frac{1}{2}$.
- Dactylanthus pâtula*. H.S.
- 36 *anacantha*. W. (*br.gr.*) scaly. — 1727. 9. 10. D.G. $\frac{1}{2}$. Bot. mag. t. 2520.
- 37 *globosa*. B.M. (*br.gr.*) roundish-jointed. — 1822. 6. 11. D.G. $\frac{1}{2}$. — t. 2624.
Dactylanthus globosa. H.P.
- 38 *tuberculata*. W. (*wh.*) tuberculate. — 1805. 6. 8. D.G. $\frac{1}{2}$. Jacq. schœn. 2. t. 208.
- 39 *hamata*. H.S. (*br.gr.*) hooked. — 1795. — D.G. $\frac{1}{2}$. Burm. afr. t. 6. f. 3.
- 40 *Commelinii*. DC. (*br.gr.*) Commelin's. Africa. — D.S. $\frac{1}{2}$.
- 41 *Ornithopus*. W. en. (*w.*) Bird's-foot. — 1816. — G. $\frac{1}{2}$. Jacq. fragm. t. 120.
- 42 *clandestina*. S.S. (*gr.*) clandestine. — 1824. — D.G. $\frac{1}{2}$.
- 43 *lophogona*. W. (*gr.*) curl-winged. Madagascar. — — D.S. $\frac{1}{2}$. DC. plant. gras. ic.
- 44 *pendula*. L. en. (*gr.*) pendulous. 1808. — D.S. $\frac{1}{2}$.
- Tithymalus pendulus*. H.
- 45 *Tirucalli*. W. (*wh.*) Indian tree. India. 1690. D.S. $\frac{1}{2}$. Rheed. mal. 2. t. 34.
- 46 *mauritanica*. W. (*ye.*) Barbary. Africa. 1732. 6. 8. D.G. $\frac{1}{2}$. Dill. elt. t. 289. f. 373.
- 47 *Lamarckii*. H.S. L. (*gr.*) Lamarck's. — 1808. — D.G. $\frac{1}{2}$.
mauritanica. Lam. nec aliorum. *virgata*. P.S. non W.K.
- 48 *aphylla*. W. en. (*gr.*) leafless. Teneriffe. 1815. — D.G. $\frac{1}{2}$.
- 49 *atropurpurea*. W. en. (*pu.*) dark purple. — — D.G. $\frac{1}{2}$.
- 50 *piscatoria*. W. (*gr.ye.*) smooth spear-ld. Canaries. 1777. — D.G. $\frac{1}{2}$.
- 51 *balsamifera*. W. (*gr.ye.*) balsam. — 1779. — D.G. $\frac{1}{2}$.
- 52 *laurifolia*. P.S. (*gr.ye.*) Laurel-leaved. Peru. 1820. — D.G. $\frac{1}{2}$.
- 53 *bracteata*. S.S. (*gr.*) bracteated. 1809. — D.S. $\frac{1}{2}$. Jacq. schœn. t. 276.
- 54 *dendroides*. W. (*ye.*) tree-like. Italy. 1768. — H. $\frac{1}{2}$. Barrel. ic. 910.

55 l'æta. w.	(st.) Mezereon-leaved. S. Europe.	1758.	6. 8. D.G. h.	Jacq. ic. 1. t. 87.
56 punicea. w.	(cr.) scarlet-flowered. Jamaica.	1778.	1. 9. D.S. h.	Bot. reg. t. 190.
57 heterophylla. w.	(sc.) various-leaved. W. Indies.	1690.	4. 9. D.S. h.	Plum. ic. t. 251. f. 3.
58 cyathophora. w.	(ye.pt.) coloured. S. America.	1806.	7. 8. D.S. h.	Jacq. ic. 3. t. 480.
59 repanda.	(gr.ye.) waved. E. Indies.	1808.	8. D.S. h.	
<i>Tithymalus repandus</i> . H.S.				
60 biglandulosa. H.S.	(gr.) twin-glanded. Isl. Bourbon.	—	9. D.S. h.	
61 geniculata. P.S.	(st.) jointed. Cuba.	1823.	7. 10. S. ⊙.	Jacq. schœn. 3. t. 277.
<i>prunifolia</i> . H.K. <i>Tithymalus prunifolius</i> . H.S.				
62 nudiflora. s.s.	(st.) naked-flowered. Jamaica.	1800.	8. D.S. h.	Jacq. ic. 3. t. 470.
63 verticillata. s.s.	(gr.) whorled. W. Indies.	1826.	— D.S. h.	
64 cotinifolia. w.	(wh.) Cotinus-leaved. S. America.	1690.	7. 8. D.S. h.	Hook. ex. flor. t. 59.
65 petiolaris. H.K.	(ye.) long-stalked. W. Indies.	1800.	5. 6. D.S. h.	Bot. mag. t. 883.
66 mellifera. w.	(pu.gr.) honey-bearing. Madeira.	1784.	4. 5. G. h.	— t. 1305.
67 glabrata. s.s.	(gr.ye.) smooth-leaved. W. Indies.	1824.	— D.S. h.	
68 toxicaria. L.en.	(gr.) poisonous.	1825.	— D.S. h.	
69 picta. w.	(gr.) painted. S. America.	1789.	5. 7. S. 2.	Jacq. ic. 3. t. 477.
70 silenifolia.	(gr.ye.) Silene-leaved. C. B. S.	1821.	— G. 2.	
<i>Tithymalus silenifolius</i> . H.R.				
71 crispa. H.R.	(gr.ye.) curl-leaved. —	—	G. 2.	
72 tuberosa. w.	(gr.ye.) tuberous. Ethiopia.	1800.	10. 12. G. h.	Burm. afr. 9. t. 4.
73 affinis. DC.	(gr.ye.) affined.	1823.	6. 8. G. h.	
74 linarifolia. w.	(ye.) toad-flax-leaved.	1794.	— S. h.	Jacq. ic. 1. t. 86.
75 linifolia. w.	(ye.) Flax-leaved. W. Indies.	—	— S. h.	
76 ocymoidea. w.	(ye.) Basil-leaved. S. America.	1733.	— S. ⊙.	
77 dentata. M.	(ye.) dentated. N. America.	1806.	6. 7. H. ⊙.	
78 hypericifolia. w.	(wh.) Hypericum-leaved. America.	1727.	6. 9. H. ⊙.	Hook. ex. flor. t. 36.
79 Humboldtii. W.en.	(gr.) Humboldt's. S. America.	1809.	7. 10. S. 2.	
80 prostrata. w.	(pu.) trailing-red. W. Indies.	1758.	— S. ⊙.	
81 rosea. w.	(ro.) rosy. E. Indies.	1808.	8. S. ⊙.	
82 maculata. w.	(ye.) spotted. S. America.	1660.	7. H. ⊙.	Jacq. vind. 2. t. 186.
83 humifusa. W.en.	(ye.) trailing.	1824.	6. 8. H. ⊙.	
84 pilulifolia. w.	(gr.) globular. E. Indies.	1800.	— S. 2.	Jacq. ic. 3. t. 478.
85 hyssopifolia. w.	(gr.) Hyssop-leaved. W. Indies.	1787.	8. 9. S. ⊙.	
86 scordifolia. s.s.	(wh.) Scordium-leaved. S. America.	1826.	6. 8. S. h.	Jacq. icon. t. 476.
87 tannensis. s.s.	(gr.) Tanna. N. Hebrides.	—	— G. h.	
88 thymifolia. w.	(wh.) Thyme-leaved. India.	1699.	7. 8. S. ⊙.	Pluk. alm. t. 113. f. 2.
89 parviflora. w.	(wh.) small-flowered. E. Indies.	1818.	— S. ⊙.	Burm. zeyl. t. 105. f. 2.
90 variegata. B.M.	(wh.) variegated. Louisiana.	1811.	6. 8. H. ⊙.	Bot. mag. t. 1747.
91 canescens. w.	(wh.re.) canescent. Spain.	1818.	7. 8. H. ⊙.	Cavan. ic. 1. t. 63.
92 Chamæyce. w.	(wh.) scollop-leaved. S. Europe.	1752.	— H. ⊙.	Moris. s. 10. t. 2. f. 19.
93 Péplis. w.	(ye.) purple. Devonshire.	—	— H. ⊙.	Eng. bot. v. 28. t. 2002.
94 polygonifolia. w.	(st.) knotgrass-leaved. N. America.	1704.	6. 7. H. ⊙.	Jacq. col. sup. t. 13. f. 3.
95 Ipecacuanhæ. w.	(gr.) Ipecacuanha. —	1812.	— H. 2.	Bot. mag. t. 1494.
96 Péplus. w.	(gr.) petty. Britain.	—	7. 8. H. ⊙.	Eng. bot. v. 14. t. 959.
97 peplodes. DC.	(gr.) least. S. Europe.	1800.	7. 9. H. ⊙.	
<i>Esula minima</i> . H.S.				
98 falcata. w.	(ye.) sickle-leaved. —	1699.	6. 8. H. ⊙.	Jacq. aust. 2. t. 121.
99 acuminata. M.B.	(gr.) acuminate. Iberia.	1823.	— H. ⊙.	
100 exigua. w.	(gr.) dwarf. Britain.	—	7. H. ⊙.	Eng. bot. v. 19. t. 1336.
101 diffusa. w.	(gr.ye.) diffuse. Austria.	1798.	7. 8. H. ⊙.	Jacq. ic. 1. t. 88.
102 undulata. M.B.	(wh.) undulate. Caucasus.	1820.	— H. 2.	
103 micrantha. w.	(gr.) small-flowered. Persia.	1803.	7. 9. H. ⊙.	
104 Lagascana. s.s.	(gr.) Lagasca's. Spain.	1827.	7. 10. H. ⊙.	
105 Lathyris. w.	(gr.) Capér. England.	—	5. 10. H. 2.	Eng. bot. v. 32. t. 2255.
106 terracina. w.	(ye.) refuse-leaved. S. Europe.	1818.	7. 10. H. ⊙.	
107 valentina. P.S.	(ye.) Spanish. Spain.	1804.	7. 8. H. ⊙.	
108 'Apios. w.	(ye.) pear-rooted. Candia.	1596.	6. 7. H. 2.	
109 genistoides. w.	(ye.) Genista-like. C. B. S.	1808.	7. 8. G. h.	
110 condensata. s.s.	(ye.) tufted. Iberia.	1828.	6. 8. H. 2.	
111 spinosa. w.	(ye.) prickly. Levant.	1710.	6. 7. F. h.	Wats. dend. brit. t. 45.
112 fruticosa. L.en.	(ye.) shrubby. Sicily.	1825.	— F. h.	Biv. pl. sic. cent. 1. 35.
113 epithymoides. w.	(ye.) broad-leaved. Austria.	1805.	5. 6. H. 2.	Andr. reposit. t. 616.
114 villosa. w.K.	(sn.) villous. Hungary.	1818.	6. 9. H. 2.	W. et K. hung. t. 93.
115 tenuifolia. s.s.	(ye.) slender-leaved. S. Europe.	1827.	— H. ⊙.	
116 echinocarpa. s.s.	(ye.) prickly-podded. Crete.	1828.	— H. 2.	
117 condylocarpa. M.B.	(ye.) warted-fruited. Caucasus.	1824.	— H. 2.	
118 obtusata. Ph.	(ye.) blunt-bracted. N. America.	1826.	— H. 2.	
119 mercuriana. Ph.	(ye.) Mercury-like. —	1824.	— H. 2.	

120	marginàta. Ph. (wh.)	white-margined.	N. America.	1816.	6. 9.	H. ⊙.	
121	dúlcis. w. (pu.)	sweet.	S. Europe.	1759.	5. 6.	H. 2.	Jacq. aust. 3. t. 213.
122	ambigua. w.k. (ye.)	ambiguous.	Hungary.	1824.	—	H. 2.	W. et K. hung. t. 135.
123	carniolica. w. (ye.)	Carniolian.	Carniola.	1795.	8.	H. 2.	Scop. carn. t. 21.
124	angulàta. w. (ye.)	angular-stalked.	Austria.	1819.	7. 8.	H. 2.	Jacq. ic. t. 481.
125	nummulariæfolia. (ye.)	moneywort-leaved.		1800.	7.	G. h.	
126	erythrina. L.en. (gr.)	purple-margined.	C. B. S.	1816.	6. 8.	G. 2.	
127	neapolitana. T.N. (wh.)	Neapolitan.	Naples.	1825.	7. 8.	H. 2.	Ten. fl. neap. t. 42.
128	Pithyusa. w. (gr.)	Juniper-leaved.	S. Europe.	1741.	6. 7.	F. h.	Bocc. sic. t. 5.
129	portàndica. w. (ye.)	Portland.	Britain.		5. 9.	H. 2.	Eng. bot. v. 7. t. 441.
130	saxatilis. w. (ye.)	rock.	Austria.	1816.	6. 8.	H. 2.	Jacq. aust. t. 345.
131	glareosa. M.B. (ye.)	stony.	Caucasus.	1819.	—	H. 2.	
132	Paralias. w. (ye.)	sea.	England.		7. 9.	H. 2.	Eng. bot. v. 3. t. 195.
	β suffruticosa. (ye.)	shrubby sea.			—	F. h.	
133	júncea. w. (ye.)	rushy.	Madeira.	1779.	7. 8.	G. 2.	Jacq. schœn. 1. t. 107.
134	congèsta. W.en. (ye.)	fiddle-leaved.	Spain.	1817.	—	H. 2.	
135	alèppica. w. (ye.)	Aleppo.	Crete.	1739.	—	F. 2.	Alp. exot. t. 64.
136	taurinensis. W.en. (ye.)	Italian.	Italy.	1818.	—	H. 2.	Ali. ped. 2. t. 83. f. 2.
137	segetalis. w. (ye.)	corn.	S. Europe.	1699.	—	H. ⊙.	Jacq. aust. 5. t. 450.
138	gracilis. s.s. (ye.)	slender.	Ukraine.	1826.	—	H. 2.	
139	cæspitosa. T.N. (ye.)	tufted.	Naples.	—	—	H. 2.	
140	pinèa. s.s. (ye.)	Pine-leaved.	—	—	—	H. 2.	
	linifolia. T.N. non w.						
141	biumbellàta. DC. (ye.)	double-umbel'd.	Barbary.	1780.	8.	H. ⊙.	Poir. it. ed. germ. t. 1.
142	angustifolia. (ye.)	narrow-leaved.		—	7. 8.	H. 2.	
	Esula angustifolia. H.s.						
143	multicorymbosa. (ye.)	many-flowered.		1805.	—	H. 2.	
144	provincialis. w. (ye.)	linear-leaved.	S. Europe.	1800.	8. 11.	H. ⊙.	
145	juncoides. H.s. (ye.)	Rush-like.	—	—	7. 8.	H. ⊙.	
146	helioscopia. w. (ye.)	Wartwort.	Britain.		—	H. ⊙.	Eng. bot. v. 13. t. 883.
147	stellulàta. Sn. (ye.)	starry.	Europe.	1823.	—	H. ⊙.	
148	bialàta. L.en. (ye.)	two-winged.		1819.	—	H. ⊙.	
149	serràta. w. (ye.)	narrow notch-ld.	S. Europe.	1710.	7.	G. 2.	Jacq. ic. 3. t. 483.
150	uralensis. F. (ye.)	Fischer's.	Tauria.	1824.	—	H. 2.	
151	crética. w. (ye.)	Cretan hoary.	Levant.	1768.	—	H. 2.	
152	rigens. (ye.)	stiff.		1795.	7. 8.	H. h.	
	Galarhæus rigidus. H.s.						
153	verrucosa. w. (ye.)	warted.	France.	1809.	6.	H. 2.	Moris. s. 10. t. 3. f. 3.
154	corollàta. w. (wh.)	great-flowered.	N. America.	1803.	7. 9.	H. 2.	Lodd. bot. cab. t. 390.
155	spathulæfolia. H.s. (gr.)	spatula-leaved.		1800.	8.	G. h.	
156	corallioides. w. (ye.)	Coral-stalked.	S. Europe.	1752.	6. 9.	H. 2.	
157	mollis. Gm. (ye.)	soft.	—	1823.	—	H. 2.	
158	androsemifolia. H.s. (ye.)	Tutsan-leav'd.	Hungary.	1804.	7. 9.	H. 2.	
159	pilosa. w. (ye.)	hairy.	Siberia.	1758.	5. 8.	H. 2.	Gmel. sib. 2. t. 93.
160	orientalis. w. (st.)	oriental.	Levant.	1739.	6. 7.	H. 2.	
161	fragifera. L.en. (ye.)	Strawberry-like.	Italy.	1825.	—	H. 2.	
162	virgàta. w.k. (ye.)	twigg.	Hungary.	1807.	7.	H. 2.	W. et K. hung. t. 162.
163	platyphyllo. H.s. (ye.)	annual warted.	England.		7. 8.	H. ⊙.	Jacq. aust. t. 376.
164	stricta. E.B. (ye.)	upright warted.	—		—	H. ⊙.	Eng. bot. v. 5. t. 333.
165	literàta. w. (st.)	blotch-leaved.		1790.	8.	H. ⊙.	Jacq. ic. 3. t. 482.
166	crispàta. L.en. (ye.)	crisp-leaved.		1819.	7. 9.	H. 2.	
167	pubescens. s.s. (ye.)	pubescent.	Barbary.	1827.	—	H. 2.	Jacq. f. ecl. t. 66.
168	lutescens. Led. (ye.)	yellowish.	Siberia.	—	—	H. 2.	
169	Ehrenbergii. (ye.)	Ehrenberg's.	Egypt.	1826.	6. 9.	H. ⊙.	
	heterophylla. Ehr. non w.						
170	trigonocarpa. F. (ye.)	three-sided podded.	Russia.	1821.	—	H. ⊙.	
171	retusa. C.I. (gr.)	notch-leaved.	S. Europe.	—	—	H. ⊙.	Cavan. ic. t. 34. f. 3.
172	Esula. w. (gr.)	leafy-branched.	Britain.		5. 7.	H. 2.	Eng. bot. v. 20. t. 1399.
173	Gerardiàna. w. (ye.)	Gerard's.	Germany.	1801.	7.	H. 2.	Jacq. aust. t. 436.
174	Cyparissias. w. (ye.)	Cypress.	England.		5. 9.	H. 2.	Eng. bot. v. 12. t. 840.
175	nicaeensis. w. (ye.)	sharp-leaved.	Spain.	1809.	—	F. 2.	Jacq. ic. 3. t. 485.
176	myrsinites. w. (ye.)	glaucous.	S. Europe.	1570.	4. 6.	H. 2.	
177	rigida. M.B. (ye.)	rigid.	Tauria.	1819.	6. 8.	H. 2.	Bot. reg. t. 274.
178	imbricatà. w. (ye.)	imbricated.	Portugal.	1804.	8. 9.	F. h.	
179	glaucescens. W.en. (ye.)	glaucous.		1819.	—	H. 2.	
180	agrària. M.B. (ye.)	field.	Tauria.	—	6. 8.	H. 2.	
181	palustris. w. (ye.)	marsh.	Sweden.	1570.	5. 8.	H. 2.	Flor. dan. t. 866.
182	pallida. w. (ye.)	pale.	Hungary.	1818.	6. 8.	H. 2.	
183	lúcida. w.k. (ye.)	glossy.	—	1820.	—	H. 2.	W. et K. hung. t. 55.

CROTON. W.		Cr'oton. Monœcia Monadelphica. L.			
1	variegatus. W. (gr.)	variegated.	E. Indies.	1804.	6. 9. S. h.
	<i>a latifolius. H.B. (gr.)</i>	broad-leaved.	—	—	S. h.
	<i>β crispus. H.B. (gr.)</i>	curl-leaved.	—		S. h.
	<i>γ medius. H.B. (gr.)</i>	narrow-leaved.	—	1820.	S. h.
2	pictus. B.C. (gr.)	painted-leaved.	—	—	S. h.
3	linearis. s.s. (gr.)	Willow-leaved.	W. Indies.	1733.	7. S. h.
4	Cascarilla. s.s. (gr.)	Cascarilla.	S. America.	1778.	7. 8. S. h.
5	maritimus. s.s. (gr.wh.)	sea-side.	Carolina.	1786.	G. h.
6	gracilis. k.s. (gr.)	slender.	Mexico.	1824.	7. 8. S. h.
7	glabellus. s.s. (gr.wh.)	Laurel-leaved.	Jamaica.	1778.	5. 8. S. h.
8	hirtus. s.s. (gr.wh.)	hairy.	Trinidad.	1821.	S. ♂.
9	argenteus. s.s. (gr.)	silvery-leaved.	S. America.	1733.	7. 8. S. ♂.
10	Tigilium. w. (wh.)	purging.	E. Indies.	1796.	8. 9. S. h.
11	glandulosus. s.s. (gr.)	glandular.	W. Indies.	1818.	S. ♂.
12	subluteus. s.s. (gr.ye.)	yellowish.	Trinidad.	1822.	S. h.
13	populifolius. s.s. (gr.wh.)	Poplar-leaved.	Jamaica.	1824.	S. h.
14	tiliaefolius. P.S. (gr.wh.)	Lime-tree-leaved.	St. Vincent.	1825.	S. h.
15	Elutaria. s.s. (gr.wh.)	sea-side Balsam.	Jamaica.	1748.	S. h.
16	lucidus. s.s. (gr.wh.)	shining.	—	1822.	7. 9. S. h.
17	micans. s.s. (gr.ye.)	glittering.	—	1815.	S. h.
18	pungens. s.s. (gr.ye.)	pungent.	Caracas.	1791.	S. h.
19	penicillatus. s.s. (gr.)	pencilled.	Cuba.	1799.	7. 8. S. h.
20	flavens. s.s. (ye.gr.)	pale yellow.	W. Indies.	1822.	S. h.
21	macrophyllus. s.s. (wh.)	large-leaved.	Jamaica.	—	S. h.
22	aromaticus. s.s. (wh.)	aromatic.	Ceylon.	1793.	S. h.
23	humilis. s.s. (wh.gr.)	humble.	Jamaica.	1799.	S. h.
24	farinosus. s.s. (wh.)	mealy.	Madagascar.	1826.	 S. h.
25	Astroites. w. (gr.wh.)	woolly-leaved.	W. Indies.	1782.	7. 8. S. h.
26	lobatus. s.s. (wh.)	notched-leaved.	Vera Cruz.	1730.	S. ♂.
27	gossypifolius. s.s. (wh.)	Cotton-leaved.	Trinidad.	1823.	S. h.
28	tomentosus. L.en.	tomentose.			S. h.
CROZOPHORA. J.		CROZOPHORA. Monœcia Pentandria.			
1	plicata. J. (wh.gr.)	plaited.	E. Indies.	1824.	6. 8. G. ♂.
2	tinctoria. J. (wh.gr.)	official.	S. Europe.	1570.	7. 8. H. ♂.
	<i>Cröton tinctorium. w.</i>				
3	verbascifolia. J. (wh.gr.)	Mullein-leaved.	Greece.	1826.	— H. ♂.
ROTTLEA. W.		ROTTLEA. Diœcia Icosandria. W.			
1	brasiliensis. s.s. (gr.)	Brazilian.	Brazil.	1820.	 S. h.
2	tinctoria. s.s. (gr.)	dyer's.	E. Indies.	1810.	 S. h.
GELONIUM. W.		GELONIUM. Diœcia Icosandria. W.			
1	bifarium. w. (gr.)	oval-leaved.	E. Indies.	1793.	6. 8. S. h.
2	lanceolatum. H.B. (gr.)	spear-leaved.	—	1825.	— S. h.
TREWIA. W.		TREWIA. Diœcia Polyandria. W.			
	nudiflora. w. (gr.)	naked-flowered.	E. Indies.	1796.	 S. h.
HYÆNANCHE. H.K.		HYÆNA-POISON. Diœcia Dodecandria.			
	globosa. H.K. (gr.wh.)	Cape.	C. B. S.	1783.	4. 9. G. h.
EUCLEA. W.		EUCLEA. Diœcia Dodecandria. W.			
1	racemosa. w. (wh.)	round-leaved.	C. B. S.	1722.	11. 12. G. h.
2	undulata. w. (wh.)	wave-leaved.	—	1794.	6. 10. G. h.
JATROPHA. W.		PHYSIC-NUT. Monœcia Monadelphica. L.			
1	gossypifolia. w. (sc.)	Cotton-leaved.	W. Indies.	1690.	5. 8. S. h.
2	panduræfolia. w. (sc.)	fiddle-leaved.	Cuba.	1800.	— S. h.
3	integerrima. w. (sc.)	spicy.	—	1809.	— S. h.
4	Cúrcas. w. (gr.)	angular-leaved.	S. America.	1731.	 S. h.
5	multifida. w. (sc.)	multifid.	—	1696.	6. 8. S. h.
6	coccinea. L.en. (sc.)	scarlet.		1822.	— S. h.
CNIDOSCOLUS. P.B.		CNIDOSCOLUS. Monœcia Monadelphica.			
1	urens. P.B. (wh.)	stinging.	Brazil.	1690.	5. 7. S. h.
	<i>Jatropha urens. Jacq.</i>				
2	stimulosus. Ph. (wh.)	stimulous.	N. America.	1812.	— F. h.
	<i>Jatropha stimulosa. Ph.</i>				
3	napæifolia. w. (wh.)	Napæa-leaved.	Antilles.	1823.	7. 8. S. h.
4	fragrans. k.s. (wh.)	fragrant.	Cuba.	1822.	6. 8. S. h.
5	herbacea. w. (wh.)	annual.	Vera Cruz.	1759.	7. 8. S. ♂.
6	Marcgrævi. P.B. (wh.)	Marcgrave's.	Brazil.	1823.	— S. h.
7	vitifolius. P.B. (wh.)	Vine-leaved.	—	—	S. h.
MA'NIHOT. P.B.		MA'NIHOT. Monœcia Decandria.			
1	fœtida. P.B. (bl.br.)	strong-scented.	Mexico.	1824.	7. 8. S. h.

Rheed mal. 6. t. 61.

Rumph. amb. 4. t. 26. f. 2.

— 4. t. 25.

Lodd. bot. cab. t. 870.

Jacq. amer. t. 162. f. 4.

Catesb. car. 2. t. 46.

Sloan. jam. 2. t. 174. f. 2.

L'Herit. stirp. 17. t. 9.

Rheed. mal. 2. t. 33.

Jacq. ic. 1. t. 194.

Aubl. guian. 2. t. 339.

Plum. mss. 4. t. 123.

Sloan. hist. 2. t. 174. f. 2.

Pluk. alm. t. 220. f. 5.

Jacq. ic. 3. t. 622.

Venten. choix. t. 12.

Rumph. amb. 3. t. 126.

Mart. dec. 5. t. 46.

Vahl. symb. t. 49.

Burm. ind. t. 62. f. 1.

Niss. act. par. 1712. t. 17.

Roxb. corom. 2. t. 168.

Rheed. mal. 1. t. 42.

Lamb. cinch. 52. t. 10.

Jacq. fragm. 3. t. 1. f. 5.

Bot. reg. t. 746.

Bot. mag. t. 604.

— t. 1464.

Jacq. vind. 3. t. 63.

Sal. par. lond. t. 91.

Jacq. vind. 1. t. 21.

Pluk. alm. t. 220. f. 3.

Reliq. houst. 6. t. 15.

Pohl. flor. bras. 1. t. 50.

— 1. t. 52.

2	Jánipha. P.B. (br.gr.)	Læfving's.	S. America.	1824.	7. 8.	S. h.	Jacq. amer. t. 162. f. 1.
	<i>Játropha carthaginensis</i> .	Jacq. <i>Jánipha</i> .	w. <i>Jánipha</i>	<i>Læfvingii</i> .	K.S.		
3	grácilis. P.B. (br.gr.)	slender.	Brazil.	1822.	7. 8.	S. h.	Pohl. pl. bras. 1. t. 16.
4	anómala. P.B. (br.)	anomalous.	—	—	—	S. h.	— 1. t. 21.
5	pruinósa. P.B. (bl.br.)	frosted.	—	1824.	—	S. h.	— 1. t. 22.
6	digitifórmis. P.B. (bl.br.)	finger-formed.	—	1826.	—	S. h.	— 1. t. 27.
7	digitata.	finger-leaved.	N. S. W.	1810.		G. h.	
	<i>Crôton digitatum</i> .	F.					
8	diversifolia.	different-leaved.	N. Holland.	1822.		G. h.	
9	tenuifolia. P.B. (bl.br.)	slender-leaved.	Brazil.	—	6. 8.	S. h.	Pohl. pl. bras. 1. t. 29.
10	æsculifolia. K.S. (bl.br.)	Æsculus-leaved.	S. America.	1825.	5. 8.	S. h.	H. et B. 2. t. 109.
11	cannabina. (bl.br.)	Cassava.	—	1739.	7. 8.	S. h.	Sloan. jam. 1. t. 85.
	<i>Játropha Mánihot</i> .	w. <i>Jánipha Mánihot</i> .	K.S.				
12	caricæfolia. P.B. (bl.br.)	Papaw-leaved.	Brazil.	1822.	—	S. h.	Pohl. pl. bras. 1. t. 32.
13	Dalechampiæfórmis. P.B. (br.)	Dalechampia-like.	—	1818.	—	S. h.	— 1. t. 36.
14	sinuata. P.B. (br.)	sinuate-leaved.	—	1824.	—	S. h.	— 1. t. 41.
ALEURITES. W. ALEURITES. Monœcia Monadelphina. L.							
1	triloba. w. (wh.)	three-lobed.	Society Isles.	1793.		S. h.	
2	Ambinux. P.S. (wh.)	Molucca.	Ceylon.	1803.		S. h.	
	<i>Crôton moluccanum</i> .	w.					
RICINUS. W. PALMA-CHRISTI. Monœcia Monadelphina. L.							
1	communis. w. (re.st.)	Castor-oil plant.	E. Indies.	1548.	7. 8.	H. O.	Lam. ill. t. 792.
2	Kráppa. L.O. (wh.fl.)	Krappe.	—	1827.	8. 11.	H. O.	
3	leucocárpus. L.O. (wh.bh.)	white-capsuled.	—	—	—	F. O.	
4	macrophyllus. L.O. (w.r.)	large-leaved.	—	—	—	F. O.	
5	paniculatus. L.O. (re.wh.)	panicled.	—	1824.	8. 10.	F. O.	
6	rutilans. L.O. (re.wh.)	red-stalked.	—	1827.	—	F. O.	
7	undulatus. L.O. (re.wh.)	wave-leaved.	—	—	—	F. O.	
8	viridis. w. (bh.wh.)	green.	E. Indies.	1802.	8.	H. O.	W. hort. ber. 1. t. 49.
9	africanus. w. (re.wh.)	African.	Africa.	—	7. 8.	G. h.	
10	lividus. w. (re.wh.)	livid-leaved.	C. B. S.	1795.	—	G. h.	Jacq. ic. 1. t. 196.
11	inermis. w. (re.st.)	smooth-capsuled.	India.	1756.	—	S. J.	— 1. t. 195.
12	armatus. A.R. (re.wh.)	rough-capsuled.	Malta.	1847.	—	S. J.	Andr. reposit. t. 430.
MAPPA. J. MAPPA. Monœcia Monadelphina. L.							
1	moluccana. s.s. (wh.)	Molucca.	Moluccas.	1828.		S. h.	
2	Tanária. s.s. (wh.)	scollop-leaved.	E. Indies.	1810.	7. 9.	S. h.	Rumph. amb. 3. t. 121.
	<i>Ricinus Tanarius</i> .	w.					
OMPHALEA. W. OMPHALEA. Monœcia Monadelphina. L.							
	triandra. w. (wh.)	long-leaved.	Jamaica.	1763.	6. 7.	S. h.	ot. cab. t. 519.
HIPPOMANE. W. MANCHINEEL-TREE. Monœcia Monadelphina. L.							
1	Mancinella. w. (gr.)	common.	W. Indies.	1690.		S. J.	tesb. car. 2. t. 95.
2	spinosa. s.s. (gr.)	spiny.	—	1820.		S. J.	i. ic. 171. f. 1.
	<i>Sapium ilicifolium</i> .	w.					
SAPIUM. W. SAPIUM. Monœcia Monadelphina. L.							
1	aucuparium. s.s.	single-spiked.	W. Indies.	1692.		S. h.	Jacq. amer. t. 158.
2	Hippomane. s.s. (gr.)	two-glanded.	—	1824.		S. h.	
3	indicum. w. (gr.)	Indian.	E. Indies.	1817.		S. h.	
SIPHONIA. W. ELASTIC-GUM-TREE. Monœcia Monadelphina. W.							
	Cahuchu. w. (gr.)	common.	S. America.	1823.		S. h.	Lam. ill. t. 790.
	<i>elastica</i> .	P.S.					
AGYN'EJA. W. AGYN'EJA. Monœcia Monadelphina. W.							
1	impubes. w. (gr.)	smooth.	China.	1820.	7. 9.	H. O.	
2	pùbera. w. (gr.)	woolly.	—	1823.		S. h.	
STILLINGIA. W. STILLINGIA. Monœcia Monadelphina. W.							
1	syliatica. w. (ye.)	wood.	Carolina.	1787.	7. 8.	G. h.	
2	ligustrina. w. (st.)	Privet-leaved.	N. America.	1812.	—	G. h.	
3	sebífera. w. (st.)	Tallow-tree.	China.	1703.	9.	S. h.	Pluk. anal. t. 390. f. 2.
HURA. W. SANDOMEX-TREE. Monœcia Monadelphina. W.							
1	strépens. W.en. (gr.)	unequal-toothed.	S. America.		7. 9.	S. h.	
2	crépítans. W.en. (gr.)	equal-toothed.	—	1733.	—	S. h.	Lam. ill. t. 793.
BRADLEJA. W. BRADLEJA. Monœcia Monadelphina. W.							
1	sinica. w. (wh.)	Chinese.	China.	1816.	7. 9.	S. h.	Gært. sem. 2. t. 109. f. 1.
2	nítida. H.B. (wh.)	glossy.	E. Indies.	1820.	—	S. h.	
3	multilocularis. s.s. (wh.)	multilocular.	—	—	—	S. h.	
PHYLLANTHUS. W. PHYLLANTHUS. Monœcia Monadelphina. W.							
1	obovatus. w. (wh.)	annual.	N. America.	1803.	7. 8.	H. O.	
2	maderaspaténsis. w. (gr.)	Madras.	E. Indies.	1783.	—	S. h.	
3	grácilis. H.B. (gr.)	slender.	—	1820.	—	S. h.	
4	longifolius. w. (gr.)	long-leaved.	Isl. Bourbon.	1822.	—	S. h.	Lam. ill. t. 156. f. 1.

5 lanceolatus. w. (gr.) spear-leaved.	Isl. Bourbon. 1822.	6. 8.	S. h.	
6 nutans. w. (bh.st.) nodding.	Jamaica.	—	S. h.	Jacq. schœn. 2. t. 193.
7 grandifolius. w. (gr.) great-leaved.	Portorico. 1771.	—	S. h.	
8 virosus. w. (gr.) venomous.	E. Indies. 1802.	—	S. h.	
9 turbinatus. B.M. (gr.) shining-leaved.	China.	7. 9.	S. h.	Bot. mag. t. 1862.
10 Conami. w. (gr.) Brazilian.	Brazil. 1791.	—	S. h.	Aub. gui. 2. t. 354.
11 obcordatus. H.B. (gr.) obcordate.	E. Indies. 1818.	—	S. 4.	
12 retusus. H.B. (gr.) r tuse-leaved.	— 1822.	—	S. 4.	
13 reticulatus. B.C. (bh.) netted.	— 1818.	8. 9.	S. h.	Lodd. bot. cab. t. 577.
14 lucens. w. (gr.) thick-veined.	China. 1822.	7. 9.	S. h.	
15 cantoniensis. L.en. (gr.) Canton.	— 1819.	7. 8.	H. ○.	
16 cuneatus. W.en. (gr.) wedge-leaved.	—	—	H. ○.	
17 Niruri. w. (gr.) Indian.	E. Indies. 1692.	6. 9.	S. ○.	Rheed. mal. 10. t. 15.
18 Urinaria. w. (gr.) sagging.	— 1819.	—	S. ○.	Rumph. amb. 6. t. 17. f. 2.
19 microphyllus. K.S. (gr.) small-leaved.	S. America. 1824.	—	S. h.	
20 polyphyllus. w. (gr.) many-leaved.	E. Indies. 1805.	7. 9.	S. h.	
21 mimosoides. w. (gr.) Mimosa-like.	W. Indies. 1820.	—	S. h.	Lodd. bot. cab. t. 721.
22 rhamnoides. w. (gr.) Rhamnus-like.	E. Indies. —	—	S. h.	
23 strictus. H.B. (gr.) upright.	— 1823.	—	S. h.	
24 fraxinifolius. B.C. (gr.) Ash-leaved.	 1818.	—	S. h.	Lodd. bot. cab. t. 731.
25 juglandifolius. W.en. (gr.) Walnut-leaved.	New Spain. —	6. 9.	S. h.	
26 scandens. Roxb. (gr.) climbing.	E. Indies. 1803.	—	S. h.	
EMBLICA. L.T. EMBLICA. Monœcia Syngenesia. L.T.				
1 officinalis. L.T. (st.) official.	E. Indies. 1768.	6. 9.	S. h.	Lodd. bot. cab. t. 548.
2 racemosa. s.s. (st.) racemed.	— 1793.	7. 8.	S. h.	
Phyllanthus racemosus. w.				
KIRGAN'ELIA. J. KIRGAN'ELIA. Monœcia Monadelphia.				
1 elegans. J. (gr.) elegant.	Mauritius. 1820.	6. 9.	S. h.	
Phyllanthus Kirgan'elia. w.				
XYLOPHY'LLA. W. XYLOPHY'LLA. Monœcia Monadelphia. W.				
1 longifolia. w. (re.) long-leaved.	E. Indies. 1816.	1. 12.	S. h.	Rumph. amb. 7. t. 12.
Phyllanthus ceramica. P.S.				
2 latifolia. w. (wh.) Seaside Laurel.	S. America. 1783.	8. 10.	S. h.	Bot. mag. t. 1021.
3 speciosa. (wh.) handsome.	Jamaica. 1818.	—	S. h.	Jacq. ic. 3. t. 616.
arbuscula. w. Phyllanthus speciosus. Jacq.				
4 angustifolia. w. (wh.) narrow-leaved.	— 1789.	7. 8.	S. h.	
5 linearis. P.S. (re.) linear-leaved.	— 1822.	—	S. h.	
6 elongata. B.C. (re.) elongated.	—	—	S. h.	Lodd. bot. cab. t. 1091.
7 montana. w. (or.) mountain.	— 1820.	11. 4.	S. h.	Bot. mag. t. 2652.
8 falcata. w. (re.) sickle-leaved.	Bahama Isl. 1699.	7. 9.	S. h.	Bot. reg. t. 373.
9 ramiflora. w. (u.) branched.	Siberia. 1785.	7. 8.	H. h.	Pall. it. 3. t. E. f. 2.
10 ovata. W.en. (re.) ovate-leaved.	—	—	S. h.	
ANDRA'CHNE. W. ASTARD ORPINE. Monœcia Gynandria. L.				
1 telephioides. w. (st.) leafy.	Italy. 1732.	7. 8.	H. ○.	Lam. ill. t. 797.
BRID'ELIA. W. BRID'ELIA. Polygamia Monœcia. W.				
1 scandens. w. (wh.) climbing.	E. Indies. 1804.	7. 9.	S. h.	Roxb. corom. 2. t. 173.
2 montana. s.s. (st.) mountain.	— 1825.	—	S. h.	— v. 2. t. 171.
3 fruticosa. P.S. (st.) frutescent.	— 1827.	—	S. h.	— v. 2. t. 172.
CLUY'TIA. W. CLUY'TIA. Diœcia Gynandria. L.				
1 collina. w. (st.) hill.	E. Indies. 1807.		S. h.	Roxb. corom. 2. t. 169.
2 patula. w. (st.) spreading.	— 1812.		S. h.	— 2. t. 170.
3 pulchella. w. (st.) broad-leaved.	C. B. S. 1739.	1. 6.	G. h.	Bot. mag. t. 1945.
4 heterophylla. w. (st.) various-leaved.	— 1816.	2. 4.	G. h.	
5 tomentosa. w. (st.) tomentose.	— 1812.	4. 6.	G. h.	
6 pubescens. w. (st.) pubescent.	— 1817.	—	G. h.	
7 polifolia. w. (wh.) Poley-leaved.	— 1790.	—	G. h.	Jacq. schœn. 2. t. 50.
8 ericoides. w. (wh.) Heath-leaved.	—	—	G. h.	Bot. reg. t. 779.
9 daphnoides. w. (wh.) Daphne-like.	— 1731.	5. 6.	G. h.	W. hort. ber. t. 52.
10 polygonoides. (wh.) Polygonum-like.	— 1790.	12. 3.	G. h.	— t. 51.
11 alaternoides. w. (wh.) narrow-leaved.	— 1692.	—	G. h.	Bot. mag. t. 1321.
EXCÆC'ARIA. W. EXCÆC'ARIA. Diœcia Monadelphia. L.				
1 lucida. s.s. (wh.) shining-leaved.	Jamaica. 1824.	4. 6.	S. h.	
2 glandulosa. s.s. (wh.) glandular.	—	—	S. h.	Sloan. hist. 2. t. 158. f. 2.
3 Agallôcha. s.s. (gr.ye.) Indian.	E. Indies. 1823.		S. h.	Rumph. amb. 2. t. 79. 80.
4 serrata. H.K. (wh.) saw-leaved.	Chile. 1796.	11. 2.	G. h.	
ADELIA. W. ADELIA. Diœcia Monadelphia. L.				
1 Bernardia. w. (gr.wh.) villous-leaved.	Jamaica. 1768.	7. 8.	S. h.	
2 Ricinella. w. (gr.wh.) smooth-leaved.	—	—	G. 8.	S. h.
3 Acidoton. w. (gr.wh.) Box-leaved.	—	6. 7.	S. h.	

LOURE'IRA. W.		LOURE'IRA. Diœcia Monadelphia. W.			
1	cuneifolia. w. (bh.)	wedge-leaved.	Mexico.	1824.	6. 8. G. h. Cavan. ic. 5. t. 429.
	<i>Mozinna spathulata.</i> Ort. dec. 8. t. 13.				
2	glandulosa. w. (bh.)	glandulous.	————	1799.	— G. h. Cavan. ic. 5. t. 430.
B'ORYA. W.		B'ORYA. Diœcia Diandria. W.			
1	porulosa. w. (gr.wh.)	Florida.	Florida.	1806.	7. 8. H. h.
2	ligustrina. w. (gr.wh.)	Privet-leaved.	N. America.	1812.	— H. h.
3	prinoïdes. W.en. (gr.wh.)	Prinos-like.	————	1816.	— H. h.
4	nitida. W.en. (gr.wh.)	glossy-leaved.	————	—	— H. h.
5	retusa. W.en. (gr.wh.)	retuse-leaved.	————	1812.	— H. h.
6	acuminata. w. (gr.wh.)	pointed.	————	—	— H. h. Mich. amer. 2. t. 48.
	<i>Adelia acuminata.</i> M.				
SECURI'NEGA. J.		SECURI'NEGA. Monœcia Pentandria.			
	nitida. p.s. (wh.)	Otaheite Myrtle.	Otaheite.	1793.	3. 8. S. h. Lindl. collect. t. 9.
TR'AGIA. W.		TR'AGIA. Monœcia Triandria. W.			
1	volubilis. w. (gr.)	twining.	W. Indies.	1739.	6. 7. S. h. Trew. pl. rar. 2. t. 15.
2	involutrata. w. (gr.)	involucrated.	E. Indies.	1759.	— S. C. Jacq. ic. 1. t. 190.
3	mercurialis. w. (gr.)	Mercury-like.	————	1818.	— S. C. Rheed. mal. 10. t. 82.
4	urticæfolia. s.s. (gr.)	nettle-leaved.	N. America.	1812.	— H. C.
5	hirsuta. D.L. (gr.)	hairy.	Trinidad.	1820.	— S. C.
6	urens. w. (gr.)	stinging.	Virginia.	1699.	8. H. C. Pluk. alm. t. 107. f. 5.
7	cannabina. w. (gr.)	Hemp-leaved.	————	1699.	6. 7. S. 4. Burm. ind. t. 63. f. 1.
MICROSTACHYS. J.		MICROSTACHYS. Monœcia Triandria.			
1	corniculata. (gr.)	two-horned.	Trinidad.	1820.	6. 7. S. C.
	<i>Tragia corniculata.</i> Vahl. <i>Cnemidostachys Vahl.</i> s.s.				
2	Chamaelea. J. (gr.)	lance-leaved.	E. Indies.	1793.	— S. C. Rheed. mal. 2. t. 34.

ORDO CLXXXI.

EMPETREÆ. *D. Don on the affinities of the Empetreae. p. 3.*

EMP'ETRUM. D.D.		EMP'ETRUM. Diœcia Triandria. L.			
	nigrum. w. (gr.)	black-berried.	Britain.		4. 5. H. h. Eng. bot. v. 8. t. 526.
COR'EMA. D.D.		COR'EMA. Diœcia Triandria.			
	album. D.D. (gr.)	white-berried.	Portugal.	1774.	4. 6. H. h.
	<i>Empetrum album.</i> w.				
CERATIOLA. M.		CERATIOLA. Monœcia Diandria. N.			
	ericoides. M. (st.)	Heath-like.	N. America.	1810.	4. 6. H. h. Parsh. fl. amer. 1. t. 13.

ORDO CLXXXII.

ANTIDESMEÆ.

ANTIDE'SMA. W.		ANTIDE'SMA. Diœcia Pentandria. L.			
1	alexiteria. w. (gr.)	Laurel-leaved.	E. Indies.	1793.	5. 6. S. h. Rheed. mal. 5. t. 11.
2	pubescens. w. (gr.)	pubescent.	————	1818.	— S. h. Roxb. corom. 2. t. 167.
3	paniculata. w. (gr.)	panicked.	————	1800.	— S. h.
STIL'AGO. W.		STIL'AGO. Diœcia Triandria. W.			
1	Bunius. w. (gr.)	Laurel-leaved.	E. Indies.	1757.	8. 10. S. h. Rheed. mal. 4. t. 56.
2	diandra. w. (gr.)	diandrous.	————	1800.	— S. h. Roxb. corom. 2. t. 166.

ORDO CLXXXIII.

URTICEÆ. *Juss. gen. 400.*

FICUS. L.		FIG-TREE. Polygamia Diœcia. W.			
1	religiosa. R.S. (gr.)	Poplar-leaved.	E. Indies.	1731.	 S. h. Rheed. mal. 1. t. 27.
2	superstitiosa. L.en. (gr.)	superstitious.	————		 S. h.

3	<i>nymphæifolia</i> . R.S. (gr.)	Water-lily-leaved.	E. Indies.	1759.		S. h.	
4	<i>cordata</i> . R.S. (gr.)	heart-leaved.	C. B. S.	1802.	4. 6.	S. h.	Thunb. fic. p. 8. c. ic.
5	<i>oblongata</i> . L.en. (gr.)	oblong-leaved.	—	1816.		S. h.	
6	<i>crassinervia</i> . R.S. (gr.)	thick-nerved.	S. America.	—		S. h.	
7	<i>rubrinervia</i> . L.en. (gr.)	red-nerved.	Brazil.	1824.		S. h.	
8	<i>rubiginosa</i> . R.S. (gr.)	ferrugineous.	N. S. W.	1789.	3. 6.	G. h.	Venten. malm. t. 114.
	<i>australis</i> . W.						
9	<i>costata</i> . R.S. (gr.)	rib-leaved.	E. Indies.	1763.		S. h.	
10	<i>laevigata</i> . R.S. (gr.)	smooth.	W. Indies.	1822.		S. h.	
11	<i>lentiginosa</i> . R.S. (gr.)	veined-leaved.	—	1826.		S. h.	
12	<i>citrifolia</i> . R.S. (gr.)	Citron-leaved.	—	1824.		S. h.	
13	<i>coronata</i> . R.S. (gr.)	red-crowned.	N. S. W.	1807.	3. 6.	G. h.	Colla hort. rip. t. 8.
14	<i>lucida</i> . R.S. (gr.)	shining-leaved.	E. Indies.	1772.	4. 6.	S. h.	
15	<i>scandens</i> . R.S. (gr.)	climbing.	S. America.	1816.	—	S. h.	
16	<i>stipulata</i> . R.S. (gr.)	trailing.	China.	1771.	—	G. h.	
17	<i>pedunculata</i> . R.S. (gr.)	Willow-leaved.	S. America.	1776.	5. 7.	S. h.	Pluk. alm. t. 178. f. 4.
18	<i>venosa</i> . R.S. (gr.)	vein-leaved.	E. Indies.	1763.	6. 8.	S. h.	Rheed. mal. 3. t. 64.
19	<i>leucotoma</i> . R.S. (gr.)	white-spotted.	—		—	S. h.	W. hort. ber. 1. t. 36.
	<i>venosa</i> . W. non H.K.						
20	<i>tinctoria</i> . R.S. (gr.)	Otaheite.	Society Isl.	1783.	5. 6.	S. h.	
21	<i>septica</i> . R.S. (gr.)	rough.	E. Indies.	1826.		S. h.	Rumph. amb. 3. t. 96.
22	<i>benjamina</i> . R.S. (gr.)	oval-leaved.	—	1757.		S. h.	Rheed. mal. 1. t. 26.
23	<i>padifolia</i> . K.S. (gr.)	Padus-leaved.	Mexico.	1826.		S. h.	
24	<i>complicata</i> . K.S. (gr.)	complicated.	—	—		S. h.	
25	<i>glabrata</i> . K.S. (gr.)	smooth.	Teneriffe.	1816.		G. h.	
26	<i>benghalensis</i> . R.S. (gr.)	Bengal.	E. Indies.	1690.	4. 5.	S. h.	Rheed. mal. 1. t. 28.
27	<i>microcarpa</i> . R.S. (gr.)	small-fruited.	Guinea.	1823.	—	S. h.	
28	<i>americana</i> . R.S. (gr.)	American.	Jamaica.	1822.		S. h.	Plum. spec. t. 132. f. 2.
29	<i>racemosa</i> . R.S. (gr.)	clustered.	E. Indies.	1759.	4. 6.	S. h.	Rheed. mal. 1. t. 25.
30	<i>pertusa</i> . R.S. (gr.)	Laurel-leaved.	S. America.	1780.	—	S. h.	
31	<i>terebrata</i> . R.S. (gr.)	obovate-leaved.	Mauritius.	1822.		S. h.	Bory it t. 17.
32	<i>pumila</i> . R.S. (gr.)	dwarf.	China.	1759.	4. 6.	G. h.	Kæmp. amœn. t. 804.
33	<i>comosa</i> . R.S. (gr.)	tufted.	E. Indies.	1825.		S. h.	Roxb. corom. 2. t. 125.
34	<i>glomerata</i> . R.S. (gr.)	crowded.	—	1818.		S. h.	— 2. t. 123.
35	<i>Hookeri</i> . (gr.)	Hooker's.	W. Indies.	1816.	1. 4.	S. h.	Hook. ex. flor. t. 111.
	<i>nitida</i> . H.E.F. nec <i>aliorum</i> .						
36	<i>nitida</i> . R.S. (gr.)	glossy-leaved.	E. Indies.	1786.	3. 6.	S. h.	Rheed. mal. 3. t. 55.
37	<i>ciliolata</i> . R.S. (gr.)	fringe stipuled.	—	1816.	—	S. h.	
38	<i>rubra</i> . R.S. (re.)	vermilion-fruited.	E. Indies.	1826.		S. h.	Rumph. amb. 3. t. 85?
39	<i>cotinifolia</i> . K.S. (gr.)	Cotinus-leaved.	Mexico.	1824.	3. 6.	S. h.	
40	<i>obtusifolia</i> . K.S. (gr.)	blunt-leaved.	—	—		S. h.	
41	<i>coriacea</i> . R.S. (gr.)	leathery-leaved.	E. Indies.	1772.		S. h.	
42	<i>populnea</i> . R.S. (gr.)	Poplar-leaved.	—			S. h.	
43	<i>macrophylla</i> . R.S. (gr.)	large-leaved.	N. Holland.	1816.	4. 6.	G. h.	
44	<i>elastica</i> . H.B. (gr.)	Indian rubber.	E. Indies.	1815.		G. h.	
45	<i>Brassii</i> . H.T. (gr.)	Brass's.	Sierra Leon.	1822.		S. h.	
46	<i>lasiophylla</i> . L.en. (gr.)	downy-leaved.	—	1816.		S. h.	
47	<i>glaucophylla</i> . R.S. (gr.)	glaucous-leaved.	S. America.	1824.		S. h.	
48	<i>insipida</i> . R.S. (gr.)	insipid.	Caracas.	1829.		S. h.	
49	<i>retusa</i> . R.S. (gr.)	retuse-leaved.	E. Indies.	1793.	4. 6.	S. h.	
50	<i>laurifolia</i> . R.S. (gr.)	Laurel-leaved.	W. Indies.	1759.	—	S. h.	Sloan. jam. 2. t. 223.
	<i>martinicensis</i> . W.						
51	<i>calyculata</i> . R.S. (gr.)	calyculate.	Vera Cruz.	1760.	4. 6.	S. h.	
52	<i>brasiliensis</i> . L.en. (gr.)	Brazilian.	Brazil.	1820.		S. h.	
53	<i>cuneata</i> . R.S. (gr.)	wedge-leaved.	—	1826.		S. h.	
54	<i>indica</i> . R.S. (gr.)	Banyan-tree.	E. Indies.	1759.		S. h.	Rheed. mal. 3. t. 63.
55	<i>salicifolia</i> . R.S. (gr.)	Willow-leaved.	Arabia.	1818.		S. h.	
56	<i>aurantiaca</i> . Lod. (or.)	orange-coloured.	—	—		S. h.	
57	<i>pendula</i> . L.en. (gr.)	pendulous.	—	1824.	5. 7.	S. h.	
58	<i>myrtifolia</i> . L.en. (gr.)	Myrtle-leaved.	—	—		S. h.	
59	<i>pubescens</i> . R.S. (gr.)	pubescent.	E. Indies.	—		S. h.	
60	<i>nervosa</i> . R.S. (gr.)	strong-nerved.	—	1826.		S. h.	
61	<i>elliptica</i> . K.S. (gr.)	elliptic-leaved.	S. America.	1824.		S. h.	
62	<i>acuminata</i> . L.C. (gr.)	acuminate.	—	—		S. h.	
63	<i>longifolia</i> . L.C. (gr.)	long-leaved.	—	—		S. h.	
64	<i>caudata</i> . L.C. (gr.)	tailed.	—	—		S. h.	
65	<i>dumosa</i> . L.C. (gr.)	bushy.	—	—		S. h.	
66	<i>viscifolia</i> . L.C. (gr.)	Viscum-leaved	—	—		S. h.	
67	<i>lanceolata</i> . H.B. (gr.)	spear-leaved.	E. Indies.	1820.		S. h.	

- 68 obtusàta, L.en. (gr.) obtuse-toothed. 1820. S. h.
 69 mûntia, L.en. (gr.) rough-leaved. N. Holland. 1818. G. h.
 70 ulmifolia, R.S. (gr.) Elm-leaved. Philippine. 1825. S. h.
 71 capensis, R.S. (gr.) Cape. C. B. S. 1816. G. h.
 72 exasperàta, R.S. (gr.) very rough. Guinea. 1822. S. h. Willden. fic. t. 2.
scabra, w. non Forst.
 73 hispida, R.S. (gr.) opposite-leaved. E. Indies. 1802. S. h. Roxb. corom. 2. t. 124.
oppositifolia, Rox. *scabra*, Jacq. schœn. 3. t. 315.
 74 Lichtensteinii, L.en. (gr.) Lichtenstein's. C. B. S. 1824. G. h.
 75 aquatica, w. (gr.) water. E. Indies. 1758. 4. 6. S. h.
 76 heterophylla, R.S. (gr.) various-leaved. ——— 1816. S. h. Rheed. mal. 3. t. 62.
 77 repens, R.S. (gr.) creeping-stemmed. ——— 1805. S. h.
 78 virgata, H.B. (gr.) twiggy. ——— 1817. G. h.
 79 Carica, R.S. (gr.) common. S. Europe. 1548. 6. 7. H. h. Trew-Ehret. t. 73. 74.
BROSIMUM, W. BREAD-NUT. Polygamia Diœcia, W.
 1 Alicastrum, w. (gr.) Jamaica. Jamaica. 1776. S. h. Sw. fl. ind. oc. 1. f. 1. f. 1.
 2 spurium, w. (gr.) Milkwood. ——— 1789. S. h.
 3 Galactodendron, D.D. (gr.) Cow-tree. Caracas. 1829. S. h.
Galactodendron utile, K.S. Palo de Vacca, Humboldt.
ARTOCARPUS, W. BREAD-FRUIT. Monœcia Monandria, W.
 1 incisa, w. (gr.) true. S. Sea Isles. 1793. S. h. Rumph. amb. 1. t. 33.
a nucifera, (gr.) nut-bearing. ——— S. h.
β apyrœna, (gr.) seedless. ——— S. h. Rumph. amb. 1. t. 32.
 2 integrifolia, w. (gr.) Jaca-tree. E. Indies. 1778. 6. S. h. Rheed. mal. 3. t. 26-28.
β heterophylla, Lam. various-leaved. ——— S. h. Rumph. amb. 1. t. 30.
MACLURA, N. MACLURA, Diœcia Tetrandria, N.
 1 aurantiaca, N. (gr.) Osage Apple. Missouri. 1824. H. h. Lamb. pin. v. 2. ap. t. 12.
 2 tinctoria, D.D. (gr.) Fustick-wood. W. Indies. 1739. S. h. Plum. ic. t. 204.
Morus tinctoria, w. *Broussonetia tinctoria*, K.S.
BROUSSENETIA, W. PAPER MULBERRY. Diœcia Tetrandria, W.
papyrifera, w. (gr. br.) common. Japan. 1751. 4. 7. H. h. Andr. reposit. t. 488.
MORUS, W. MULBERRY. Monœcia Tetrandria, L.
 1 alba, w. (gr.) white. China. 1596. 6. H. h. Schk. hand. 3. t. 290.
 2 tatârica, w. (gr.) Tartarian. Tartary. 1784. ——— H. h. Pall. ros. 2. t. 52.
 3 itâlica, w. (gr.) Italian. Italy. ——— H. h.
 4 constantinopolitana, (gr.) Constantinople. Constantinople. ... ——— H. h.
 5 nigra, w. (gr.) common. Italy. 1548. ——— H. 5. Wats. dend. brit. t. 159.
 6 rubra, w. (gr.) red. N. America. 1629. 6. 7. H. 5.
 7 scâbra, W.en. (gr.) rough. ——— 1812. ——— H. h.
 8 pensylvânica, L.C. (gr.) Pennsylvanian. ——— ——— H. h.
 9 pûmila, L.C. (gr.) dwarf. ——— H. h.
 10 îndica, w. (gr.) Indian. E. Indies. 1820. S. h. Rheed. mal. 1. t. 49.
 11 sinensis, L.C. (gr.) Chinese. China. G. h.
 12 mauritiâna, w. (gr.) Mauritius. Mauritius. S. h. Jacq. ic. 3. t. 617.
CONOCEPHALUS, B.J. CONOCEPHALUS, Monœcia Tetrandria.
naucleiflorus, B.R. (ye.) Nauclea-flower'd. E. Indies. 1816. 10. 4. S. h. Bot. reg. t. 1203.
BœHMERIA, W. BœHMERIA, Monœcia Tetrandria, W.
 1 caudata, w. (gr.) tailed. W. Indies. 1822. 4. 8. S. h.
 2 cylindrica, w. (gr.) cylindrical. Virginia. 1759. 6. 8. H. h. Sloan. jam. 1. t. 82. f. 2.
 3 macrophylla, D.P. (gr.) large-leaved. Nepaul. 1820. ——— G. h.
 4 rotundifolia, D.P. (gr.) round-leaved. ——— 1819. ——— G. h.
 5 patiphylla, D.P. (gr.) rough-leaved. ——— 1818. 6. 10. G. h.
 6 spicata, s.s. (gr.) spiked. Japan. 1824. ——— H. h. Hout. syst. 10. t. 72. f. 2.
 7 ramiflora, w. (gr.) branch-flowering. W. Indies. 1822. ——— S. h. Lam. ill. t. 763.
Caturus ramiflorus, L. *Prêcheria ramiflorus*, Lam.
 8 elongata, L.en. (gr.) elongated. Brazil. ——— 7. 9. H. 5.
 9 lateriflora, w. (gr.) side-flowering. N. America. 1816. 6. 8. H. h.
 10 rubescens, w. (gr.) tree. Canaries. 1779. 2. 5. G. h. Jacq. frag. n. 30. t. 5. f. 1.
Urtica arborea, L'Her. stirp. t. 20.
 11 salicifolia, D.P. (gr.) Willow-leaved. Nepaul. 1826. 7. 10. G. h.
 12 frondosa, D.P. (gr.) frondose. ——— 1818. ——— G. h.
 13 ternifolia, D.P. (gr.) three-leaved. ——— 1827. ——— G. h.
 14 frutescens, w. (gr.) frutescent. ——— 1819. ——— G. h.
URTICA, W. NETTLE. Monœcia Tetrandria, L.
 1 pilulifera, w. (gr.) Roman. England. 6. 8. H. 5. Eng. bot. v. 3. t. 148.
 2 baleàrica, w. (gr.) Balearic. Balearic Isl. 1731. 6. 7. H. 5. Blackw. t. 321. f. 1.
 3 Dodartii, w. (gr.) Dodart's. S. Europe. 1683. 7. 8. H. 5.
 4 pûmila, w. (gr.) dwarf. N. America. 1817. ——— H. 5.
 5 crassifolia, w. (gr.) thick-leaved. S. America. 1822. ——— S. h.

6	grandifolia. w.	(gr.) great-leaved.	Jamaica.	1793.	7. 8. S. h.	Sloan. jam. 1. t. 83. f. 2.
7	reticulata. w.	(gr.) net-leaved.	—	—	6. 8. S. h.	—
8	involucrata. B.M.	(gr.) imbossed.	W. Indies.	1809.	10. 11. S. 2.	Bot. mag. t. 2481.
9	diffusa. w.	(gr.) spreading.	—	—	8. 10. S. h.	—
10	rufa. w.	(gr.) rusty.	Jamaica.	1793.	6. 9. S. h.	—
11	scabrilla. L.en.	(gr.) rough.	E. Indies.	1815.	10. 12. G. h.	—
12	scripta. D.P.	(gr.) black-lined.	Nepaul.	1823.	6. 8. H. 2.	—
13	rupëstris. s.s.	(gr.) rock.	Sicily.	1828.	— H. h.	—
14	convexa. H.H.	(gr.) convex-leaved.	—	1824.	6. 9. H. 0.	—
15	urens. w.	(gr.) small.	Britain.	—	6. 10. H. 0.	Eng. bot. v. 18. t. 1236.
16	dioica. w.	(gr.) common.	—	—	7. 9. H. 0.	— v. 25. t. 1750.
17	chamædryoides. Ph.	(gr.) Germander-like.	Georgia.	1813.	— H. 0.	—
18	membranacea. w.	(gr.) membranaceous.	S. Europe.	1818.	— H. 2.	—
19	angustifolia. f.	(gr.) narrow-leaved.	Russia.	1824.	— H. 2.	—
20	ardens. L.en.	(gr.) burning.	Nepaul.	1819.	8. 11. H. 0.	—
21	cannabina. w.	(gr.) Hemp-leaved.	Siberia.	1749.	7. 9. H. 2.	Amm. ruth. 249. t. 25.
22	rugosa. w.	(gr.) rough-leaved.	Jamaica.	1793.	5. 7. S. 3.	—
23	gracilis. w.	(gr.) slender-stalked.	Hudson's Bay.	1782.	6. 8. H. 2.	—
24	Parietaria. w.	(gr.) Pellitory-leaved.	Jamaica.	1793.	7. 9. S. h.	Sloan. j. 1. t. 93. f. 1.
25	ciliata. w.	(gr.) ciliated.	—	1815.	— S. h.	—
26	radicans. s.s.	(gr.) rooting.	—	1809.	— H. h.	—
27	nummularifolia. w.	(gr.) moneywort-leaved.	—	1822.	— S. h.	Sloan. hist. 1. t. 131. f. 4.
28	depressa. w.	(gr.) depressed.	—	—	— S. 2.	—
29	microphylla. w.	(gr.) small-leaved.	W. Indies.	1793.	4. 5. S. 2.	Sloan. j. 1. t. 93. f. 2.
30	trianthemoides. P.s.	(gr.) branching.	—	1824.	— S. 2.	—
31	serrulata. s.s.	(gr.) saw-leaved.	Jamaica.	—	— S. 2.	—
32	lucida. s.s.	(gr.) glossy-leaved.	—	1808.	— S. h.	—
33	recurva. H.H.	(gr.) recurved.	—	1826.	6. 9. H. 0.	—
34	macrostachya. L.O.	(gr.) long-spiked.	S. America.	1824.	— S. h.	—
35	pulchella. L.en.	(gr.) neat.	E. Indies.	1816.	— S. h.	—
36	æstivans. w.	(gr.) Surinam.	Surinam.	1803.	6. 7. S. 3.	Jacq. schœn. 3. t. 388.
37	capitata. w.	(gr.) headed.	N. America.	1820.	— H. 2.	—
38	canadensis. w.	(gr.) Canadian.	Canada.	1656.	8. 10. H. 2.	Pluk. alm. t. 239. f. 2.
39	nivea. w.	(gr.) white-leaved.	China.	1739.	8. 9. H. 2.	Jacq. vind. 2. t. 166.
40	caracasana. w.	(gr.) Caracas.	Caracas.	1820.	— S. h.	Jacq. schœn. 3. t. 386.
41	caravellana. L.en.	(gr.) pointed-leaved.	S. America.	—	8. 10. H. 0.	—
42	baccifera. w.	(gr.) berry-bearing.	—	1793.	7. 8. S. h.	—
43	elongata. w.	(gr.) elongated.	Philippines.	1823.	— S. h.	Andr. reposit. t. 454.
44	capitellata. s.s.	(gr.) small-headed.	Java.	1816.	4. 8. S. h.	—
45	ferocissima. (gr.)	ferocious.	Nepaul.	1805.	8. 10. H. 0.	—
<i>horrída. L.en. non k.s.</i>						
46	pentandra. H.B.	(gr.) pentandrous.	E. Indies.	—	— S. 2.	—
47	arborescens. L.en.	(gr.) arborescent.	Manila.	1822.	— S. h.	—
48	diversifolia. L.en.	(gr.) different-leaved.	E. Indies.	1820.	— S. h.	—
49	heterophylla. D.P.	(gr.) various-leaved.	Nepaul.	1823.	6. 8. H. 2.	—
FORSKÖHLEA. L. FORSKÖHLEA. Monœcia Monandria. J.						
1	fruticosa. w.	(gr.) frutescent.	Teneriffe.	1816.	6. 8. G. h.	—
2	tenacissima. w.	(gr.) clammy.	Egypt.	1767.	7. 8. H. 0.	Jacq. vind. 1. t. 48.
3	candida. w.	(gr.) rough.	C. B. S.	1774.	6. 7. G. 2.	—
4	viridis. E.	(gr.) green.	Arabia.	1828.	— G. 0.	—
5	angustifolia. w.	(gr.) narrow-leaved.	Teneriffe.	1779.	7. 8. H. 0.	Murr. c. gott. p. 24. t. 2.
PARIETARIA. W. PELLITORY. Polygamia Monœcia. L.						
1	indica. w.	(gr.) Indian.	E. Indies.	1790.	4. 5. S. 2.	—
2	officinalis. w.	(gr.) common.	Britain.	—	6. 9. H. 2.	Eng. bot. v. 13. t. 879.
3	judæica. w.	(gr.) Basil-leaved.	Germany.	1728.	— H. 2.	Schkuh. hand. 3. t. 34.
4	pensylvanica. w.	(gr.) Pennsylvanian.	N. America.	1816.	— H. 0.	—
5	urticæfolia. w.	(gr.) Nettle-leaved.	Isl. Bourbon.	1700.	— S. 0.	—
6	lusitânica. w.	(gr.) chickweed-leaved.	Spain.	1710.	7. 8. H. 0.	Bocc. sic. t. 24. f. 13.
7	crética. w.	(gr.) Cretan.	Crete.	1818.	— H. 0.	—
8	prostrata. L.en.	(gr.) prostrate.	—	1823.	— H. 2.	—
9	polygonoides. w.	(gr.) Polygonum-leav'd.	Armenia.	1728.	— H. 0.	Mart. cent. pl. rar. t. 8.
PILEA. L.col. P'LEA. Monœcia Tetrandria.						
	muscosa. L.col.	(gr.) mossy.	W. Indies.	1793.	4. 5. S. 2.	Lindl. col. t. 4.
CANNABIS. W. HEMP. Diœcia Tetrandria. L.						
	sativa. w.	(gr.) common.	India.	—	6. 7. H. 0.	Schk. hand. 3. t. 325.
HUMULUS. W. HOP. Diœcia Tetrandria. L.						
	Lupulus. w.	(gr.) common.	Britain.	—	6. 8. H. 2.	Eng. bot. v. 6. t. 427.
THELYGONUM. W. DOG'S-CABBAGE. Monœcia Polyandria. L.						
	Cynocrámbe. w.	(gr.) common.	S. Europe.	1710.	7. H. 0.	Schk. hand. 3. t. 299.

GNETUM. W.	GNETUM.	Monœcia Monadelphica. L.				
Gnèmon. w. (gr.)	Indian.	India.	1815.		S. h.	Rumph. amb. 1. t. 71.
CECROPIA. W.	SNAKE-WOOD.	Diœcia Diandria. L.				
1 peltata. w. (gr.)	peltated.	Jamaica.	1778.		S. h.	Lam. ill. t. 800.
2 palmata. w. (gr.)	palmated.	Brazil.	1823.		S. h.	
3 cóncolor. w. (gr.)	self-coloured.	—	—		S. h.	
GUNNERA. W.	GUNNERA.	Gynandria Diandria. L.				
perpènsa. w. (gr.)	marsh-marygold-ld.	C. B. S.	1688.	4. 6.	G. y.	Bot. mag. t. 2376.
DORSTENIA. W.	DORSTENIA.	Monœcia Diandria.				
1 cordifolia. w. (gr.)	heart-leaved.	W. Indies.	1822.	5. 8.	S. y.	Swart. obs. t. 7. f. 2.
2 brasiliënsis. w. (gr.)	Brazilian.	S. America.	1792.	3. 4.	S. y.	
3 Houstonia. w. (gr.)	Houstoun's.	—	1747.	6. 7.	S. y.	Bot. mag. t. 2017.
4 arifolia. w. (gr.)	Arum-leaved.	Brazil.	1823.	—	S. y.	Lodd. bot. cab. t. 999.
5 Contrayerva. w. (gr.)	Contrajerva-root.	S. America.	1748.	5. 8.	S. y.	Jacq. ic. 3. t. 614.
6 Drakena. w. (gr.)	round-rooted.	Vera Cruz.	1729.	—	S. y.	Lodd. bot. cab. t. 667.
7 tubicina. B.M. (gr.)	tubed.	Trinidad.	1824.	7. 9.	S. y.	Bot. mag. t. 2804.
8 ceratosánthes. B.C. (gr.)	pu. horned.	S. America.	—	4. 6.	S. y.	Lodd. bot. cab. t. 1216.
MERTENSIA. K.S.	MERTENSIA.	Polygamia Monœcia. R.S.				
1 lævigata. K.S. (ye.)	Mexican.	Mexico.	1825.		S. h.	H. et B. n. gen. 2. t. 103.
2 ignæna. R.S. (ye.)	Jamaica.	Jamaica.	1791.	4. 6.	S. h.	
	<i>Rhâmus ignæus. L.</i>	<i>Zizyphus ignæna. P.S.</i>	<i>Céltis aculeata. w.</i>			
3 rhamnoides. R.S. (ye.)	Rhamnus-like.	—	1791.	4. 6.	S. h.	Cavan. ic. 3. t. 294.
CELTIS. K.S.	NETTLE-TREE.	Polygamia Monœcia. L.				
1 micrantha. w. (gr.)	smooth.	Jamaica.	1739.	8. 9.	S. h.	Plum. ic. t. 206. f. 1.
2 orientalis. B.M. (gr.)	oriental.	E. Indies.	1820.	—	S. h.	Rheed. mal. 4. t. 20.
3 pumila. Ph. (gr.)	dwarf.	N. America.	1812.	5.	H. h.	
4 crassifolia. w. (gr.)	heart-leaved.	—	—	5. 6.	H. h.	Duham. arb. 2. t. 9.
	<i>cordifolia. Duh.</i>					
5 occidentalis. w. (gr.)	American.	—	1656.	4. 5.	H. h.	Wats. dend. brit. t. 147.
	<i>γ cordata. R.S. (gr.)</i>	<i>heart-leaved.</i>	—	—	H. h.	
	<i>γ scabriuscula. R.S. (gr.)</i>	<i>rough-leaved.</i>	—	—	H. h.	
6 Willdenowiana. R.S. (gr.)	Willdenow's.	China.	—	—	H. h.	
7 sinënsis. R.S. (gr.)	Chinese.	—	—	—	H. h.	
8 lævigata. R.S. (gr.)	smooth.	Louisiana.	1812.	4. 5.	H. h.	
9 Tournefortii. w. (gr.)	Tournefort's.	Levant.	1738.	—	H. h.	Tourn. it. 2. t. 41.
10 australis. w. (gr.)	European.	S. Europe.	1796.	5.	H. h.	Wats. dend. brit. t. 105.
PLANERA. M.	PLANERA.	Tetrandria Digynia. S.S.				
1 Richárdi. M. (br. gr.)	Richard's.	N. America.	1766.	4. 5.	H. h.	
	<i>Ulmus nemoralis. H.K.</i>					
2 carpinifolia. W.D. (gr.)	Hornbeam-leaved.	Siberia.	—	—	H. h.	Wats. dend. brit. t. 106.
3 parvifolia. (gr.)	small-leaved.	Caucasus.	—	—	H. h.	Jacq. schœnb. t. 262.
	<i>Ulmus parvifolia. Jacq.</i>					
4 Gmelini. M. (br. gr.)	Gmelin's.	N. America.	1816.	—	H. h.	
	<i>aquatica. N.</i>					
ULMUS. R.S.	ELM-TREE.	Pentandria Digynia. L.				
1 campëstris. E.B. (pu.)	common English.	Britain.	—	4. 5.	H. h.	Eng. bot. v. 27. t. 1886.
2 suberosa. E.B. (pu.)	cork-barked.	—	—	3. 4.	H. h.	— v. 31. t. 2161.
3 glabra. E.B. (pu.)	smooth.	—	—	—	H. h.	— v. 32. t. 2248.
4 majör. E.B. (br.)	declining-branch'd.	—	—	—	H. h.	— v. 36. t. 2542.
5 montana. E.B. (gr.)	Wych.	—	—	4. 5.	H. h.	— v. 27. t. 1887.
6 effusa. w. (gr.)	spreading-flowered.	—	—	—	H. h.	Schk. hand. t. 57.
7 álba. w. (br.)	white.	Hungary.	1816.	—	H. h.	
8 crispa. w. (br.)	curl-leaved.	N. America.	—	—	H. h.	
9 americana. w. (gr.)	large-leaved.	—	1752.	—	H. h.	
10 pendula. W.en. (gr.)	pendulous.	—	—	—	H. h.	
11 fulva. M. (br.)	slippery.	—	—	—	H. h.	Mich. arb. 3. t. 6.
12 scabra. Mill. (br.)	rough.	—	—	—	H. h.	
13 pumila. w. (br.)	dwarf.	Siberia.	1771.	—	H. h.	Pall. ros. 1. t. 48.
14 microphylla. P.S. (br.)	jagged-leaved.	—	—	—	H. h.	Pall. r. 1. t. 48. f. A.B.C.
15 alata. M. (br.)	winged.	N. America.	1816.	—	H. h.	Mich. arb. 3. t. 5.
16 chinënsis. P.S.	Chinese.	China.	—	—	G. h.	

ORDO CLXXXIV.

JUGLANDEÆ. *DC. theor. ed.* 1. p. 215.

JUGLANS. N.		WALNUT-TREE. Monœcia Polyandria. L.			
1	regia. w. (gr.) common.	Persia.	1562.	4. 5.	H.5. Lam. ill. t. 781.
	β maxima. P.S. (gr.) double-fruited.	—	—	—	H.5.
	γ serotina. P.S. (gr.) late-fruited.	—	—	—	H.5.
2	nigra. w. (gr.) black.	N. America.	1629.	—	H.5. Wats. dend. brit. t. 158.
3	cinerea. w. (gr.) shell bark.	—	1656.	—	H.5. — v. 1. t. 192.
	cathartica. Mich. arb. 1. t. 2.	—	—	—	—
4	fraxinifolia. s.s. (gr.) Ash-leaved.	—	—	—	H.5.
5	pterocarpa. s.s. (gr.) winged-fruited.	Caucasus.	1828.		H.5.
	Rhû obscurum. M.B.	—	—	—	—
C. N.		HICKORY NUT. Monœcia Tetr-Hexandria.			
1	ermis. N. (gr.) Pecan nut.	N. America.		4. 5.	H.5. Mich. arb. 1. t. 3.
2	angustifolia. H.K. (gr.) narrow-leaved.	—	1766.	—	H.5.
3	sulcata. N. (gr.) shell-bark.	—	1804.	—	H.5. Mich. arb. 1. t. 8.
4	alba. N. (gr.) shag-bark.	—	1730.	—	H.5. — 1. t. 7.
	Juglans compressa. w.	—	—	—	—
5	tomentosa. N. (gr.) mocker nut.	—	1629.	—	H.5. Mich. arb. 1. t. 6.
	Juglans alba. w. non M.	—	—	—	—
	β maxima. N. (gr.) large-fruited.	—	1824.	—	H.5.
6	pubescens. L.en. (gr.) pubescent.	—		—	H.5.
7	microcarpa. N. (gr.) small-fruited.	—	1824.	—	H.5.
8	amara. N. (gr.) bitter nut.	—	1800.	5.	H.5.
9	porcina. N. (gr.) Pig nut.	—	1812.	4. 5.	H.5. Mich. arb. 1. t. 9. f. 3-4.
	Juglans obcordata. w.	—	—	—	—
10	glabra. w. (gr.) smooth-leaved.	—	1799.		H.5. Mich. arb. 1. t. 9. f. 1-2.
	Juglans porcina β ficiformis. M.	—	—	—	—
11	aquatica. N. (gr.) water.	Carolina.	1826.		H.5. Mich. arb. 1. t. 5.
12	integrifolia. s.s. (gr.) entire-leaved.	Louisiana.	—		H.5.
	Hicorius integrifolius. Rafin.	—	—	—	—

ORDO CLXXXV.

CUPULIFERÆ. *Kth. synopsis.* 1. p. 353.

QUERCUS. W.		OAK. Monœcia Polyandria. L.			
1	Phellos. w. (y.gr.) Willow-leaved.	N. America.	1723.	5. 6.	H.5. Mich. arb. 1. t. 12.
	β humilis. Ph. (y.gr.) dwarf.	—	1812.	—	H. h. Catesb. car. 1. t. 22.
2	maritima. w. (y.gr.) sea.	—	1811.	—	H. h. Mich. querc. t. 13. f. 1.
3	sericea. w. (y.gr.) running.	—	1724.	—	H. h. Mich. arb. 2. t. 15.
4	virens. w. (y.gr.) live.	—	1739.	5.	H.5. — 2. t. 11.
5	cinerea. w. (y.gr.) ash-coloured.	—	1789.	5. 6.	H.5. — 2. t. 14.
6	imbricaria. w. (y.gr.) tile-cupped.	—	1786.	—	H.5. — 2. t. 13.
7	laurifolia. w. (y.gr.) Laurel-leaved.	—	—	5.	H.5. Mich. querc. t. 17.
	β obtusa. Ph. (y.gr.) blunt-leaved.	—	—	—	H.5. — t. 18.
8	lutea. w. (y.gr.) yellow-leaved.	Mexico.	1825.		H.5.
9	glauca. w. (y.gr.) glaucous.	Japan.	1822.		H.5. Banks ic. Kæmp. t. 17.
10	gramuntia. w. (y.gr.) Holly-leaved.	S. France.	1730.	6.	H. h.
11	Ballota. w. (y.gr.) Barbary.	Barbary.	1818.	—	H. h.
12	rotundifolia. w. (y.gr.) round-leaved.	Spain.	—	—	H. h.
13	Ilex. w. (y.gr.) evergreen.	S. France.	1581.	5. 6.	H. h. Wats. dend. brit. t. 90.
	a integrifolia. H.K. (y.gr.) entire-leaved.	—	—	—	H. h.
	β serrata. H.K. (y.gr.) saw-leaved.	—	—	—	H. h. Duham. arb. 1. t. 123.
	γ oblonga. H.K. (y.gr.) long-leaved.	—	—	—	H. h. — 1. t. 124.
	δ fagifolia. L.C. (y.gr.) Beech-leaved.	—		—	H. h.
	ε crispa. L.C. (y.gr.) curl-leaved.	—		—	H. h.
14	variifolia. (y.gr.) different-leaved.	S. Europe.		—	H. h.
	heterophylla. Lam. non Ph.	—	—	—	—

15	crenata. Lam. (y.gr.) crenated.	S. Europe.		5. 6.	H. h.	
16	lusitânica. Lam. (y.gr.) Portugal.	Portugal.	1824.	—	H. h.	Cavan, icon. 2. t. 129.
17	calycina. Poir. (y.gr.) calycine.	S. Europe.		—	H. h.	
18	expansa. Poir. (y.gr.) spreading.	—		—	H. h.	
19	Lezermiãna. Poir. (y.gr.) glossy-leaved.	—		—	H. h.	
20	castellana. Bosc. (y.gr.) subdeciduous.	—		—	H. h.	
21	Süber. w. (y.gr.) Cork-tree.	S. France.	1699.	6.	H. h.	Wats. dend. brit. t. 89.
22	coccifera. w. (y.gr.) Kermes.	—	1683.	5.	H. h.	— t. 91.
23	prasina. Bosc. (y.gr.) glaucous-leaved.	Spain.	1824.	—	H. h.	
24	humilis. P.s. (y.gr.) low.	S. Europe.		—	H. h.	Lobel, ic. 2. p. 157.
25	infectoria. w. (y.gr.) Levant.	Levant.	1812.		H. h.	
26	Turneri. W.en. (y.gr.) Turner's.	—	—		H. 5.	
27	Prinus. w. (y.gr.) Chestnut-leaved.	N. America.	1730.	5. 6.	H. 5.	Mich. arb. 2. t. 7.
28	bicolor. w. (y.gr.) two-coloured.	—	1811.	5.	H. 5.	
29	montana. w. (y.gr.) rock Chestnut.	—	1800.	—	H. 5.	Mich. arb. 2. t. 8.
30	Michauxii. n. (y.gr.) swamp white.	—	1812.		H. 5.	— 2. t. 6.
	<i>Prinos discolor. m.</i>					
31	Castanea. w. (y.gr.) yellow Chestnut.	—	1816.	5.	H. 5.	Mich. arb. 2. t. 9.
32	prinoïdes. w. (y.gr.) dwarf Chestnut.	—	—	—	H. h.	— 2. t. 10.
	<i>Chinquapin. Ph.</i>					
33	agrifolia. w. (y.gr.) spiny-leaved.	—	1827.		H. 5.	Pluk. phyt. t. 196. f. 3.
34	heterophylla. Ph. (y.gr.) various-leaved.	—		—	H. 5.	Mich. arb. 2. t. 16.
35	aquatica. Ph. (y.gr.) water.	—	1723.	—	H. 5.	— 2. t. 17.
36	hemisphærica. w. (y.gr.) hemispherical.	—	1816.	—	H. 5.	Mich. querc. t. 20. f. 2.
37	nana. w. (y.gr.) dwarf.	—	1738.	—	H. h.	Abb. ins. 2. t. 59.
38	triloba. w. (y.gr.) three-lobed.	—	1800.	—	H. 5.	Mich. querc. t. 26.
39	nigra. w. (y.gr.) black.	—	1739.	—	H. h.	Mich. arb. 2. t. 18.
40	tinctoria. w. (y.gr.) dyer's.	—	1800.	—	H. 5.	Mich. querc. t. 24.
41	discolor. w. (y.gr.) two-coloured.	—	1763.	—	H. 5.	— t. 25.
42	lanuginosa. D.P. (y.gr.) Nepaul.	Nepaul.	1818.		G. 5.	
43	Phullata. D.P. (y.gr.) slender-pointed.	—	1824.		G. 5.	
44	coccinea. w. (y.gr.) scarlet.	N. America.	1691.	5.	H. 5.	Mich. arb. 2. t. 23.
45	ambigua. M. (y.gr.) gray.	—	1800.	—	H. 5.	— 2. t. 24.
46	rùbra. w. (y.gr.) champion.	—	1739.	—	H. 5.	— 2. t. 26.
47	Catesbæi. w. (y.gr.) barren scrub.	—	1820.	—	H. h.	— 2. t. 20.
48	falcata. M. (y.gr.) downy-leaved.	—	1763.	—	H. 5.	— 2. t. 21.
	<i>elongata. w.</i>					
49	palustris. w. (y.gr.) marsh.	—	1800.	—	H. 5.	Mich. arb. 2. t. 25.
50	Banisteri. M. (y.gr.) Banister's.	—	—	—	H. h.	— 2. t. 19.
	<i>ilicifolia. w.</i>					
51	stellata. w. (y.gr.) starred.	—	—	—	H. 5.	Mich. arb. 2. t. 4.
	<i>obtusiloba. M.</i>					
52	macrocarpa. w. (y.gr.) overcup white.	—	1800.	—	H. 5.	Mich. arb. 2. t. 3.
53	pseudo-süber. w. (y.gr.) cork-like.	Spain.	1818.	—	H. h.	Sant. itin. 156. t. 4.
54	Ægilops. w. (y.gr.) Velanida.	S. Europe.	1731.		H. 5.	Mill. dict. n. 7. t. 215.
55	alba. w. (y.gr.) white.	N. America.	1724.	5.	H. 5.	Mich. arb. 2. t. 1.
56	repanda. L.en. (y.gr.) repand.	—		—	H. 5.	Mich. querc. t. 5. f. 2.
57	E'sculus. w. (y.gr.) Italian.	S. Europe.	1739.	—	H. 5.	
58	Röbur. w. (y.gr.) sessile-fruited.	Britain.		4. 5.	H. 5.	Eng. bot. v. 26. t. 1845.
	<i>sessiliflora. E.B.</i>					
59	pedunculata. w. (y.gr.) common.	—		—	H. 5.	Eng. bot. v. 19. t. 1342.
	<i>Röbur. E.B. non w.</i>					
60	pubescens. w. (y.gr.) Durmast.	England.		—	H. 5.	Second. d. chen. t. 5.
61	fastigiata. Lam. (y.gr.) Cypress.	Pyrenees.	1822.		H. 5.	
62	conglomerata. P.s. (y.gr.) clustered.	Europe.		4. 5.	H. 5.	
63	olivæformis. M. (y.gr.) mossy-cup.	N. America.	1811.	5.	H. 5.	Mich. arb. 2. t. 2.
64	lyrata. w. (y.gr.) lyre-leaved.	—	1786.	—	H. 5.	— 2. t. 5.
65	faginea. P.s. (y.gr.) Beech-like.	S. Europe.	1824.		H. 5.	
66	haliphleôs. P.s. (y.gr.) hispid-cupped.	France.		4. 5.	H. 5.	
67	Tauzin. P.s. (y.gr.) soft jagged-leav'd.	S. Europe.		—	H. 5.	
	<i>β laciniata. Desv. (y.gr.) cut-leaved.</i>	—		—	H. 5.	
	<i>γ digitata. Desv. (y.gr.) fingered.</i>	—		—	H. 5.	
68	Cériss. w. (y.gr.) Turkey.	Turkey.	1735.	—	H. 5.	Wats. dend. brit. t. 92.
	<i>α frondosa. H.K. (y.gr.) common.</i>	—	—	—	H. 5.	
	<i>β bullata. H.K. (y.gr.) rough-leaved.</i>	—	—	—	H. 5.	
	<i>γ sinuata. H.K. (y.gr.) narrow-leaved.</i>	—	—	—	H. 5.	
	<i>? δ dentata. W.D. (y.gr.) Fulham.</i>	—		6.	H. 5.	Wats. dend. brit. t. 93.
69	Lucombeana. (y.gr.) Lucombe's.	Levant.		5. 6.	H. 5.	
	<i>exoniensis. L.C.</i>					

70 austriaca. W.en.(y.gr.) Austrian.	Austria.		4. 5. H.5.	Clus. hist. 1. p. 20. c. ic.
71 mexicāna. K.S. (y.gr.) Mexican.	Mexico.	1824.	 G. h.	H. et B. pl. æq. 2. t. 82.
72 spicāta. K.S. (y.gr.) spiked.	—	—	 G. h.	— 2. t. 89.
73 Bonplandiāna. (y.gr.) Bonpland's.	—	—	 G. h.	— 2. t. 93.
<i>ambigua. K.S. non m.</i>				
FAGUS. W.	BEECH.	Monœcia Polyandria. L.		
1 americanā. (y.gr.) white.	N. America.		5. H.5.	Mich. arb. 2. t. 8.
<i>sybiatica β americanā. N.</i>				
2 sylvatica. w. (y.gr.) common.	Britain.		4. 5. H.5.	Eng. bot. v. 26. t. 1846.
β purpurea. H.K. (pu.) dark purple.	Germany.		— H.5.	—
3 ferruginea. w. (y.gr.) ferruginous.	N. America.	1796.	5. 6. H.5.	Mich. arb. 2. t. 9.
4 comptoniæfolia. Df. (y.gr.) Fern-leaved.			— H. h.	—
<i>sybiatica γ aspleniifolia. H.S.L.</i>				
CASTANEA. G.	CHESTNUT.	Monœcia Polyandria. W.		
1 americanā. P.S. (y.gr.) American.	N. America.		5. 6. H.5.	Mich. arb. 2. t. 6.
<i>vésca β americanā. N.</i>				
2 vésca. w. (y.gr.) common.	England.		— H.5.	Eng. bot. v. 13. t. 886.
β variegata. (y.gr.) striped-leaved.	—		— H.5.	—
γ aspleniifolia. (y.gr.) fern-leaved.			— H. h.	—
3 pumila. w. (y.gr.) dwarf.	N. America.	1699.	7. H. h.	Mich. arb. 2. t. 7.
CORYLUS. W.	NUT-TREE.	Monœcia Polyandria. L.		
1 Avellāna. w. (y.re.) common Hazel.	Britain.		2. 4. H.5.	Eng. bot. v. 11. t. 723.
β álba. H.K. (y.re.) white Filbert.			— H.5.	—
γ rubra. H.K. (y.re.) red Filbert.			— H.5.	—
δ ovata. Lam. (y.re.) oval-fruited.			— H.5.	—
ε barcelonensis. L.C. (y.re.) Barcelona.	Spain.		— H.5.	—
ζ grādis. H.K. (y.re.) Cob-nut.			— H.5.	—
η glomerata. H.K. (y.re.) clustered.			— H.5.	—
2 tubulosa. w. (y.re.) Lambert's.	S. Europe.	1759.	3. 4. H.5.	Lam. ill. t. 780.
3 heterophylla. F. (y.re.) various-leaved.	Danube.	1829.	 H. h.	—
4 americanā. w. (y.re.) Cuckold.	N. America.	1798.	3. 4. H.5.	Wang. amer. t. 29. f. 63.
5 humilis. w. (st.re.) dwarf cuckold.	—		— H. h.	—
6 rostrata. w. (st.re.) common cuckold.	—	1745.	— H.5.	Willd. arb. t. 1. f. 2.
7 Colurna. w. (st.re.) Constantinople.	Constantinople.	1665.	— H.5.	Wats. dend. brit. t. 99.

ORDO CLXXXVI.

BETULINEÆ. *Kth. synops. 1. p. 363.*

O'STRYA. W.	HOP-HORNBEAM.	Monœcia Polyandria. W.		
1 vulgaris. w. (gr.) common.	Italy.	1724.	5. H.5.	Wats. dend. brit. t. 143.
2 virginica. w. (gr.) American.	N. America.	1692.	5. 6. H.5.	Abb. ins. 2. t. 75.
CARPINUS. W.	HORNBEAM.	Monœcia Polyandria. L.		
1 Bétulus. w. (gr.) common.	Britain.		3. 5. H.5.	Eng. bot. v. 29. t. 2032.
β variegata. (gr.) striped-leaved.	—		— H.5.	—
γ incisa. H.K. (gr.) cut-leaved.			— H.5.	—
δ quercifolia. Desf. (gr.) Oak-leaved.			— H.5.	—
2 americanā. w. (gr.) American.	N. America.	1812.	— H.5.	Wats. dend. brit. t. 157.
3 orientalis. w. (gr.) eastern.	Levant.	1739.	5. 6. H.5.	— t. 98.
BETULA. W.	BIRCH.	Monœcia Polyandria. L.		
1 álba. w. (gr.) common.	Britain.		4. 6. H.5.	Eng. bot. v. 31. t. 2198.
β verrucosa. Ehr. (gr.) warted.	—		— H.5.	—
γ pendula. Roth. (gr.) weeping.	—		— H.5.	—
δ dalecarlica. L. (gr.) palmate-leaved.			— H.5.	—
ε macrocarpa. (gr.) large-fruited.			— H.5.	—
2 pónica. Df. (gr.) eastern.	Asia.		— H.5.	Wats. dend. brit. t. 94.
3 pubescens. P.S. (gr.) pubescent.	Europe.		4. 6. H.5.	—
4 populifolia. w. (gr.) Poplar-leaved.	N. America.	1750.	7. H.5.	Wats. dend. brit. t. 151.
5 excelsa. w. (gr.) tall.	—	1767.	5. H.5.	— t. 95.
6 davurica. w. (gr.) Daurian.	Dauria.	1786.	7. H.5.	Pall. ros. 1. t. 39.
7 nigra. w. (gr.) black.	N. America.	1736.	7. 8. H.5.	Wats. dend. brit. t. 153.
8 lutea. M. (gr.) yellow.	—	1816.	5. 6. H.5.	—
9 lanulosa. M. (gr.) woolly.	—	1812.	— H.5.	Willd. arb. t. 2. f. 1.
<i>rubra. Mich. arb. 2. t. 3.</i>				

10	papyræa. w.	(gr.) paper.	N. America.	1750.	5. 6.	H. 5.	Wats. dend. brit. t. 151.
11	lénta. w.	(gr.) soft.	—	1759.	7.	H. 5.	— t. 144.
12	carpinifolia. W. en.	(gr.) Hornbeam-leaved.	—	1825.	—	H. 5.	—
13	carpáthica. Kit.	(gr.) Carpathian.	Carpathian mt.	1825.	—	H. 5.	—
14	ováta. w.	(gr.) oval-leaved.	Europe.		6. 7.	H. h.	Wats. dend. brit. t. 96.
	<i>viridis</i> . Vill. <i>A'lhus viridis</i> . Dc.	—	—	—	—	—	—
15	fruticósa. w.	(gr.) shrubby.	Siberia.	1816.	—	H. h.	Wats. dend. brit. t. 154.
16	glandulósa. m.	(gr.) glandular.	N. America.	—	5.	H. h.	—
17	pùmila. w.	(gr.) hairy dwarf.	—	1762.	4. 5.	H. h.	Wats. dend. brit. t. 97.
18	nàna. w.	(gr.) smooth dwarf.	Scotland.		5.	H. h.	Eng. bot. v. 33. t. 2326.
	β macrophy'lla. Sch.	(gr.) large-leaved.	Switzerland.	1823.	—	H. h.	—
19	tristis. L. en.	(gr.) dark.	Kamtschatka.	1824.		H. h.	—
	A'LNUŠ. W.	ALDER. Monœcia Tetrandria. W.	—	—	—	—	—
1	glutinósa. w.	(gr.) common.	Britain.		3. 4.	H. 5.	Eng. bot. v. 21. t. 1508.
	β emarginàta.	(gr.) emarginate.	—		—	H. 5.	—
	γ incisa. w.	(gr.) cut-leaved.	—		—	H. 5.	—
	δ laciniàta. w.	(gr.) jagged-leaved.	—		—	H. 5.	—
	ϵ quercifolia.	(gr.) Oak-leaved.	—		—	H. 5.	—
2	incàna. w.	(gr.) hoary-leaved.	Europe.	1780.	6.	H. 5.	—
	β angulàta. H. K.	(gr.) angular-leaved.	—	—	—	H. 5.	—
	γ pinnàta.	(gr.) pinnated.	—		—	H. 5.	—
3	oblongàta. w.	(gr.) oblong-leaved.	S. Europe.	1730.	7.	H. 5.	—
	β elliptica.	(gr.) elliptic-leaved.	—	—	—	H. 5.	—
4	undulàta. w.	(gr.) undulate.	N. America.	1782.	5. 6.	H. h.	—
	<i>crispa</i> . Ph. <i>Bétula crispa</i> . H. K.	—	—	—	—	—	—
5	glàuca. s. s.	(gr.) glaucous.	—	1812.	3. 4.	H. 5.	—
6	serrulàta. w.	(gr.) notch-leaved.	—	1769.	3.	H. h.	Abb. ins. 2. t. 92.
7	rugósa. s. s.	(gr.) rugged-leaved.	—	—	—	H. h.	—
8	sibírica. f.	(gr.) Siberian.	Siberia.	1820.		H. h.	—
9	cordifolia. T. P.	(gr.) heart-leaved.	Naples.	—	3. 4.	H. h.	Ten. flor. nap. t. 99.
10	macrophy'lla. Df.	(gr.) large-leaved.	—	—		H. h.	—
11	rùbra. Df.	(gr.) red.	—	—		H. h.	—
12	pùmila. L. C.	(gr.) dwarf.	—	—		H. h.	—
13	oxyacanthifolia. L. C.	(gr.) Hawthorn-leaved.	—	1812.		H. h.	—
14	subrotúnda. Df.	(gr.) roundish-leaved.	—	1822.		H. h.	—

ORDO CLXXXVII.

SALICEÆ. *Kth. synops.* 1. p. 364.

SA'LIX. W.	WILLOW. Diœcia 1-2-3-5-andra-Monadelphæ.	—	—	—	—	—
1	pr'æcox. s. s.	(g. ye.) early.	Europe.		2. 3.	H. 5. Salic. woburn. t. 26.
2	pomeránica. W. en.	(g. ye.) Pomeranian.	Pomerania.	1816.	3. 5.	H. 5.
3	cinèrea. E. B.	(g. ye.) gray.	Britain.		5.	H. 5. Eng. bot. v. 27. t. 1897.
4	angustàta. Ph.	(g. ye.) narrow-leaved.	Pensylvania.	1811.	3. 4.	H. 5.
5	Wulfeniàna. s. s.	(br. st.) Wulfen's.	Scotland.	—	4. 5.	H. 5. Salic. woburn. t. 48.
6	silesiaca. s. s.	(g. ye.) Silesian.	Silesia.	1820.	—	H. 5.
7	Ammanniàna. s. s.	(g. ye.) Amman's.	Carinthia.	—	—	H. 5. Hoffm. salic. 1. t. 17. f. 2.
8	acutifolia. s. s.	(g. ye.) acute-leaved.	Caucasus.	1824.	2. 3.	H. 5.
9	hastàta. w.	(g. ye.) halberd-leaved.	Lapland.	1780.	5.	H. 5. Salic. woburn. t. 35.
10	malifolia. E. B.	(g. ye.) Apple-leaved.	England.		4.	H. 5. Eng. bot. v. 23. t. 1617.
11	serrulàta. w.	(g. ye.) saw-leaved.	Lapland.	1820.	5.	H. 5. Flor. dan. t. 1238.
	<i>hastàta</i> . F. D.	—	—	—	—	—
12	Pontederàna. w.	(g. ye.) Pontedera's.	Germany.	1818.	—	H. 5. Salic. woburn. t. 43.
13	phylicifolia. E. B.	(g. ye.) Tea-leaved.	Scotland.		—	H. h. Eng. bot. v. 28. t. 1958.
14	Andersoniàna. E. B.	(g. ye.) Anderson's.	—		—	H. h. — v. 33. t. 2343.
15	tenuifolia. E. B.	(g. ye.) slender-leaved.	Britain.		5. 6.	H. h. — v. 31. t. 2186.
16	corúscans. w.	(g. ye.) glittering.	Switzerland.	1824.	—	H. 5. Jacq. aust. t. 408.
	<i>Arbúscula</i> . Jacq. non E. B.	—	—	—	—	—
17	frágilis. E. B.	(g. ye.) crack.	Britain.		4. 5.	H. 5. Eng. bot. v. 26. t. 1807.
18	Russelliàna. E. B.	(g. ye.) Bedford.	England.		—	H. 5. — v. 26. t. 1808.
19	Treviràni. L. en.	(g. ye.) Treviranus's.	Germany.	1825.	—	H. 5.
20	hippophàfolia. L. en.	(g. ye.) Sea-buckthorn-ld.	—	1823.	—	H. 5.
21	virèscens. s. w.	(g. ye.) greenish.	Switzerland.	—	—	H. 5. Salic. woburn. t. 7.

22	triandra. E.B. (g.ye.) long-leaved.	Britain.		5. 8.	H.5.	Eng. bot. v. 20. t. 1435.
23	amygdalina. E.B. (g.ye.) Almond-leaved.	—		4. 5.	H.5.	— v. 27. t. 1936.
24	Hoppeana. w. (g.ye.) Hoppe's.	Switzerland.	1817.	—	H.5.	—
25	ambigua. Ph. (gr.ye.) ambiguous.	N. America.	1813.	3. 4.	H.5.	—
26	decipiens. E.B. (gr.ye.) varnished.	England.		5.	H.5.	Eng. bot. v. 27. t. 1937.
27	vitellina. E.B. (gr.ye.) yellow twigged.	—		3. 5.	H.5.	— v. 20. t. 1389.
28	alba. E.B. (gr.ye.) common white.	Britain.		4. 5.	H.5.	— v. 34. t. 2430.
29	cœrulea. E.B. (gr.ye.) blue-leaved.	England.		5. 8.	H.5.	— v. 34. t. 2431.
30	pedicellaris. s.s. (gr.ye.) pedicellated.	N. America.	1811.	4. 5.	H.5.	—
	pensylvanica. Salic. Woburn. t. 95. ?	—	—	—	—	—
31	babylonica. w. (g.st.) weeping.	Levant.	1692.	5. 6.	H.5.	Salic. woburn. t. 22.
32	annularis. s.w. (g.st.) annular-leaved.		1823.	—	H.5.	— t. 21.
33	myricoides. s.s. (g.ye.) Myrica-like.	N. America.	1811.	4.	H.5.	Ann. bot. 2. t. 5. f. 2.
34	lucida. s.s. (g.ye.) shining.	—	—	5.	H.5.	— 2. t. 5. f. 7.
35	rigida. s.s. (g.ye.) rigid.	—	—	4. 5.	H.5.	— 2. t. 5. f. 4.
36	cordata. s.s. (gr.ye.) heart-leaved.	—	—	—	H. h.	— 2. t. 5. f. 8.
37	nigra. s.s. (g.ye.) black.	—	—	5.	H.5.	— 2. t. 5. f. 5.
38	riparia. w. (g.ye.) rivulet.	Europe.	1820.	—	H.5.	—
39	incana. dc. (g.ye.) hoary.	—	—	4.	H.5.	Salic. woburn. t. 90.
40	incanescens. Sch. (g.ye.) incanescens.	Switzerland.	1823.	3. 4.	H.5.	— t. 120.
41	lanata. E.F. (gr.ye.) woolly.	Scotland.	—	—	H. h.	— t. 71.
42	pentandra. E.B. (gr.ye.) Bay-leaved.	Britain.		5. 6.	H. h.	Eng. bot. v. 26. t. 1805.
43	Meyeriana. s.s. (g.st.) Meyer's.	Germany.	1823.	4. 5.	H. h.	Salic. woburn. t. 33.
44	Forbesii. (g.st.) Forbes's.	Switzerland.	—	—	H.5.	— t. 32.
	lucida. s.w. nec aliorum.	—	—	—	—	—
45	tetrasperma. w. (g.ye.) four-seeded.	E. Indies.	1796.	—	S. h.	Roxb. corom. 1. t. 97.
46	gariepina. B.T. (g.ye.) Cape.	C. B. S.	1816.	—	G. h.	—
47	Humboldtiana. w. (bl.) Humboldt's.	Peru.	1821.		G. h.	H. et B. 2. t. 99, 100.
48	Bonplandiana. K.S. (br.) Bonpland's.	Mexico.	—		G. h.	— 2. t. 101, 102.
49	Houstoniana. Ph. (gr.ye.) Houston's.	America.	1812.	4. 5.	H. h.	Salic. woburn. t. 11.
50	Lyoni. s.w. (g.ye.) Lyon's.	Switzerland.	1816.	—	H. h.	— t. 10.
51	finmarchica. s.s. (g.ye.) Finmark.	Sweden.	1821.	—	H. h.	Flor. dan. t. 1051.
52	Villarsiana. w. (g.ye.) Villars's.	S. France.	1818.	5. 6.	H. h.	Salic. woburn. t. 17.
53	myrtilloides. s.s. (br.ye.) Myrtle-leaved.	Sweden.	1772.	4. 8.	H. h.	— t. 66.
54	retusa. w. (g.ye.) blunt-leaved.	Italy.	1763.	—	H. h.	— f. 139.
55	serpyllifolia. w. (g.ye.) Thyme-leaved.	Switzerland.	1818.	—	H. h.	— t. 65.
56	Kitaibeliana. w. (g.ye.) Kitaibel's.	Carpathian m.	1816.	—	H. h.	— t. 64.
57	Uva-ursi. s.s. (g.ye.) Bearberry-like.	Labrador.	1811.	4. 5.	H. h.	— f. 151.
58	berberifolia. w. (g.ye.) Barberry-leaved.	Davuria.	1824.	—	H. h.	Pall. ros. 2. t. 82.
59	herbacea. E.B. (g.ye.) least.	Britain.		6.	H. h.	Eng. bot. v. 27. t. 1907.
60	monandra. Ard. (g.ye.) monandrous.	Europe.		3. 4.	H. h.	Salic. woburn. t. 4.
61	purpurea. E.B. (g.ye.) bitter purple.	England.		3.	H. h.	Eng. bot. v. 20. t. 1388.
62	Hélix. E.B. (g.ye.) Rose.	Britain.		3. 4.	H. h.	— v. 19. t. 1343.
63	Lambertiana. E.B. (g.ye.) Boyton.	England.		—	H. h.	— v. 19. t. 1359.
64	rubra. E.B. (g.ye.) red-stemmed.	—		4. 3.	H. h.	— v. 16. t. 1145.
65	Forbiāna. E.B. (g.ye.) basket osier.	—		4.	H. h.	— v. 19. t. 1344.
66	viminālis. E.B. (g.ye.) common osier.	Britain.		4. 5.	H. h.	— v. 27. t. 1898.
67	mollissima. s.s. (g.ye.) softest.	Germany.		3. 4.	H. h.	—
68	Smithiana. s.s. (g.ye.) Smith's.	England.		—	H. h.	Salic. woburn. t. 134.
	mollissima. Eng. bot. v. 21. t. 1509. nec aliorum.	—	—	—	—	—
69	acuminata. E.B. (g.ye.) acuminate.	Britain.		4.	H.5.	Eng. bot. v. 20. t. 1434.
70	holosericea. w. (g.ye.) holosericeous.	Germany.	1822.	—	H.5.	—
71	aurita. w. (g.ye.) eared.	Britain.		4. 5.	H.5.	Hoff. sal. 1. t. 22. f. 1.
72	uliginosa. W.en. (g.ye.) marsh.	—		4. 6.	H.5.	Eng. bot. v. 21. t. 1487.
	aurita. E.B. non w.	—	—	—	—	—
73	paludosa. L.en. (g.ye.) fen.	Germany.		—	H.5.	—
74	aquatica. E.B. (g.ye.) water.	Britain.		4.	H.5.	Eng. bot. v. 20. t. 1437.
75	spatulata. W.en. (g.ye.) spatulate.	Germany.		—	H.5.	—
76	caprea. E.B. (g.ye.) great round-leaved.	Britain.		4. 5.	H.5.	Eng. bot. v. 21. t. 1488.
77	sphacelata. E.B. (g.ye.) withered-pointed.	Scotland.		—	H. h.	— v. 33. t. 2333.
78	laurina. w. (g.ye.) Laurel-leaved.	England.		—	H. h.	— v. 26. t. 1806.
	bicolor. E.B. non Ehr.	—	—	—	—	—
79	bicolor. w. (g.ye.) two-coloured.	Germany.	1818.	—	H. h.	—
80	Forsteriana. E.B. (g.ye.) Forster's.	Scotland.		—	H.5.	Eng. bot. v. 33. t. 1403.
81	nigricans. E.B. (g.ye.) dark broad-leaved.	England.		4.	H.5.	— v. 17. t. 1213.
82	violacea. s.s. (g.ye.) violet.	Russia.		3. 4.	H.5.	Andr. reposit. t. 581.
83	conformis. s.w. (g.ye.) uniform-leaved.			2. 3.	H.5.	Salic. woburn. t. 24.
84	Weigeliāna. s.s. (g.ye.) long-styled.	Silesia.	1820.	—	H.5.	— t. 51.
85	cotinifolia. E.B. (g.ye.) Quince-leaved.	Britain.		4.	H.5.	Eng. bot. v. 20. t. 1403.

86	conifera. s.s.	(g.ye.) cone-bearing.	N. America.	1800.	5.	H. 5.	Wang. amer. t. 31. f. 72.
87	prinoides. s.s.	(g.ye.) Prinoid-like.	—	1811.	3. 4.	H. 5.	Salic. woburn. t. 40.
88	fuscata. s.s.	(g.ye.) brown-stemmed.	—	—	—	H. 5.	—
89	recurvata. s.s.	(g.ye.) recurve-flowered.	—	—	4.	H. h.	—
90	tristis. s.s.	(g.ye.) linear-leaved.	—	1765.	3. 4.	H. h.	Salic. woburn. f. 150.
91	Muhlenbergiana. (re.ye.)	Muhlenberg's.	—	1811.	4.	H. h.	Ann. bot. 2. t. 5. f. 9.
92	grisea. W.en.	(br.ye.) brown.	—	1816.	—	H. h.	—
93	lanceolata. E.B.	(g.ye.) sharp-leaved.	England.		4. 5.	H. h.	Eng. bot. v. 20. t. 1436.
94	stipularis. E.B.	(g.ye.) auricled.	Britain.		3.	H. h.	— v. 17. t. 1214.
95	undulata. s.s.	(g.ye.) wave-leaved.	Germany.	1819.	4. 5.	H. h.	Salic. woburn. t. 13.
96	virgata. s.w.	(g.ye.) twiggy.	—		5. 6.	H. h.	— t. 12.
97	Hoffmanniana. (g.ye.)	Hoffman's.	Switzerland.		5.	H. h.	— t. 16.
98	montana. w.	(g.ye.) mountain.	—		5. 6.	H. 5.	— t. 19.
99	monspeliensis. s.w.	(g.ye.) Montpelier.	Montpelier.		4. 5.	H. h.	— t. 30.
100	pátens. s.w.	(g.ye.) spreading.	—		5. 8.	H. h.	— t. 39.
101	Willdenowiana. s.w.	(g.ye.) Willdenow's.	—		4. 8.	H. h.	— t. 41.
102	crispa. s.w.	(g.st.) curled.	—		3.	H. h.	— t. 42.
103	nitens. s.w.	(g.ye.) glossy.	Scotland.		4. 5.	H. h.	— t. 44.
104	Borrieriana. s.w.	(g.st.) Borrer's.	—		4.	H. h.	— t. 45.
105	Davalliana. s.w.	(br.st.) Davall's.	—		—	H. h.	— t. 47.
106	petiolaris. E.B.	(br.st.) dark long-leaved.	N. America.		4.	H. h.	Eng. bot. v. 16. t. 1147.
107	pátula. s.s.	(g.ye.) spreading.	Italy.	1818.	—	H. h.	—
108	oleifolia. E.B.	(g.ye.) Olive-leaved.	Britain.		3.	H. 5.	Eng. bot. v. 20. t. 1402.
109	cándida. s.s.	(r.st.) hoary.	N. America.	1811.	2. 3.	H. h.	Salic. woburn. t. 91.
110	discolor. s.s.	(g.ye.) brown-branched.	—	—	4.	H. h.	Ann. bot. 2. t. 5. f. 1.
111	arenaria. E.B.	(g.ye.) sand.	Scotland.		5.	H. h.	Eng. bot. v. 26. t. 1809.
112	repens. E.B.	(br.ye.) creeping.	Britain.		5.	H. h.	— v. 3. t. 183.
113	incubacea. w.	(bh.ye.) trailing.	—	1775.	—	H. h.	Salic. woburn. t. 79.
114	rosmarinifolia. E.B.	(g.ye.) Rosemary-leaved.	—		4. 5.	H. h.	Eng. bot. v. 19. t. 1365.
115	Arbúscula. E.B.	(g.ye.) little tree.	Scotland.		4.	H. h.	— v. 19. t. 1366.
116	fúscá. E.B.	(g.st.) brown.	Britain.		5.	H. h.	— v. 28. t. 1960.
117	parvifolia. E.B.	(g.ye.) small-leaved.	England.		4. 5.	H. h.	— v. 28. t. 1961.
118	adscéndens. E.B.	(g.ye.) ascending.	—		5.	H. h.	— v. 28. t. 1962.
119	prostrata. E.B.	(g.ye.) prostrate.	Britain.		5.	H. h.	— v. 28. t. 1959.
120	canéscens. W.en.	(g.ye.) canescent.	Germany.	1815.	4. 5.	H. h.	—
121	leucophylla. W.en.	(g.ye.) white-leaved.	—	—	—	H. h.	—
122	elæagnóides. L.en.	(g.ye.) Elæagnus-like.	Switzerland.	1823.	4. 8.	H. h.	Salic. woburn. t. 69.
123	argétea. E.B.	(g.ye.) silky sand.	Britain.		5.	H. h.	Eng. bot. v. 19. t. 1364.
124	procumbens. s.w.	(g.ye.) procumbent.	Scotland.		—	H. h.	Salic. woburn. t. 61.
125	ramifúscá. s.w.	(g.ye.) brown branched.	Britain.		4. 7.	H. h.	— t. 53.
126	floribúnda. s.w.	(g.ye.) many flowered.	—		—	H. h.	— t. 54.
127	versifolia. s.s.	(g.ye.) various-leaved.	N. Europe.	1824.	5.	H. h.	—
128	prunifolia. E.B.	(g.ye.) Plum-leaved.	Scotland.		4. 5.	H. h.	Eng. bot. v. 19. t. 1361.
129	Dicksoniana. E.B.	(g.ye.) Dickson's.	—		5.	H. h.	— v. 20. t. 1390.
130	húmilis. W.en.	(g.ye.) humble.	—	1824.	—	H. h.	—
131	formósa. w.	(g.ye.) handsome.	Switzerland.	1820.	—	H. h.	—
132	myrsinites. E.B.	(g.ye.) Whortle-leaved.	Scotland.		4. 6.	H. h.	Eng. bot. v. 19. t. 1360.
133	venulósa. E.B.	(g.ye.) veiny-leaved.	—		4. 5.	H. h.	— v. 19. t. 1362.
134	vacciniifolia. E.B.	(g.ye.) Bilberry-leaved.	—		—	H. h.	— v. 33. t. 2341.
135	carinata. E.B.	(g.ye.) folded-leaved.	—		—	H. h.	— v. 19. t. 1363.
136	arbutifolia. w.	(g.ye.) Arbutus-leaved.	Switzerland.	1818.	—	H. h.	—
137	rupéstris. E.B.	(g.ye.) rock.	Scotland.		4.	H. h.	Eng. bot. v. 33. t. 2342.
138	lappónum. w.	(g.ye.) Lapland.	Lapland.		—	H. h.	Salic. woburn. t. 73.
139	helvética. Vil.	(g.ye.) Swiss.	Switzerland.	1824.	4. 8.	H. h.	—
140	leucophylla. w.	(g.ye.) white-leaved.	—	—	—	H. h.	—
141	lívda. s.s.	(g.ye.) livid.	Lapland.	—	4.	H. h.	—
142	poláris. s.s.	(g.ye.) polar.	—	—	4. 7.	H. h.	Salic. woburn. t. 63.
143	longifolia. s.s.	(g.ye.) long-leaved.	N. America.	1819.	4. 5.	H. h.	Ann. bot. 2. t. 5. f. 6.
144	gláucia. E.B.	(g.ye.) glaucous.	Scotland.		5.	H. h.	Eng. bot. v. 26. t. 1810.
145	sericea. w.	(wh.ye.) silky.	Alps Europe.	1816.	—	H. h.	Salic. woburn. t. 74.
146	Stuartiana. E.B.	(w.ye.) Stuart's.	Scotland.		7. 8.	H. h.	Eng. bot. v. 36. t. 2586.
147	reticulata. E.B.	(re.) wrinkled.	Britain.		6. 7.	H. h.	— v. 27. t. 1908.
148	hírta. E.B.	(g.ye.) hairy-branched.	England.		4. 5.	H. 5.	— v. 20. t. 1404.
149	Croweana. E.B.	(g.ye.) Crowe's.	—		—	H. h.	— v. 16. t. 1146.
150	fagifolia. w.	(g.ye.) Beech-leaved.	Hungary.	1819.	—	H. h.	—
151	cordifolia. Ph.	(g.ye.) heart-shaped.	N. America.	1811.	—	H. h.	Salic. woburn. f. 143.
152	planifolia. Ph.	(g.ye.) flat-leaved.	Labrador.	—	—	H. h.	—
153	falcata. Ph.	(g.ye.) sickle-leaved.	N. America.	—	—	H. h.	Salic. woburn. f. 148.
154	tetrápia. L.en.	(g.ye.) elegant.	Scotland.	1824.	4.	H. h.	— t. 49.

155 obtusa, L.en. (g.ye.) blunt-leaved.	Switzerland.	1820.	4.	H. h.	
156 eriántha, L.en. (g.ye.) woolly-flowered.	—	—	—	H. h.	
157 cæsia, Vill. (g.ye.) cæsius.	N. Europe.	—	4. 5.	H. h.	Vill. delph. 3. t. 50. f. 11.
158 ulmifolia, W.en. (g.ye.) Elm-leaved.	Switzerland.	—	4.	H. h.	
159 foliösa, w. (g.ye.) leafy.	Lapland.	1818.	—	H. h.	
160 obtusifolia, w. (g.ye.) obtuse-leaved.	—	—	—	H. h.	
161 atrovirens, s.w. (g.ye.) dark-green.	Switzerland.	1824.	—	H. h.	Salic. woburn. t. 108.
162 australis, s.w. (g.ye.) southern.	—	—	5.	H. h.	— t. 103.
163 carpinifolia, s.w. (g.ye.) Hornbeam-leaved.	Germany.	—	3. 4.	H. h.	
164 cydoniifolia, Sch. (g.ye.) Cydonia-leaved.	Switzerland.	—	—	H. h.	
165 subalpina, s.w. (g.ye.) subalpine.	—	—	4. 5.	H. h.	Salic. woburn. t. 93.
166 proteafolia, s.w. (g.ye.) Protea-leaved.	—	1820.	—	H. h.	— t. 75.
167 strépida, s.w. (g.ye.) creaking.	—	—	3. 4.	H. h.	— t. 100.
168 pyrenæica, s.s. (g.ye.) Pyrenean.	Pyrenees.	1823.	4.	H. h.	
169 Jacquiniana, w. (g.ye.) Jacquin's.	Austria.	1818.	—	H. h.	Jacq. aust. t. 409.
<i>fusca</i> , Jacquin. <i>nec aliorum</i> .					
170 Schraderianum, w. (g.ye.) Schrader's.	Germany.	1820.	—	H. h.	
171 finmarchica, w. (g.ye.) Swedish.	Sweden.	1825.	4. 5.	H. h.	
172 serrulata, w. (g.ye.) serrulate.	Lapland.	1822.	—	H. h.	
173 versicolor, s.w. (g.ye.) various-coloured.	Switzerland.	—	5.	H. h.	Salic. woburn. t. 77.
174 Doniana, E.F. (br.ye.) Mr. Don's.	Scotland.		4. 5.	H. h.	— t. 88.
175 linearis, s.w. (br.st.) linear-leaved.	Switzerland.	1820.	—	H. h.	— t. 89.
176 villösa, s.w. (g.ye.) villous.			—	H. h.	— t. 92.
177 refléxa, s.w. (g.ye.) reflexed.			3.	H. h.	— t. 94.
178 petræa, s.w. (g.ye.) rock-side.	Britain.		4.	H. h.	— t. 97.
179 grisonensis, s.w. (g.ye.) Grisons.	Grisons.	1820.	3. 4.	H. h.	— t. 99.
180 sordida, s.w. (g.st.) sordid.	Switzerland.	—	4.	H. h.	— t. 101.
181 glabrata, Sch. (g.ye.) smooth.	—	1823.	4. 5.	H. h.	
182 decumbens, s.w. (g.ye.) decumbent.	—	—	5.	H. h.	Salic. woburn. t. 88.
183 heterophylla, Deb. (g.ye.) different-leaved.		—	—	H. h.	
184 murina, Sch. (g.ye.) wall.	Switzerland.	1824.	3. 4.	H. h.	
185 nervösa, Sch. (g.ye.) nerve.	—	—	—	H. h.	
186 pannösa, s.w. (g.ye.) cloth-leaved.	—	—	4. 5.	H. h.	Salic. woburn. t. 123.
187 pallescens, Sch. (g.st.) pallid.	—	—	—	H. h.	
188 pallida, s.w. (g.ye.) pale.	—	—	5.	H. h.	Salic. woburn. t. 96.
189 alaternoides, s.w. (ye.) Alaternus-like.	—	1823.	4. 5.	H. h.	— t. 76.
190 albescens, Sch. (g.st.) whitish.	—	—	—	H. h.	
191 rivularis, s.w. (g.ye.) rivulet.	—	1824.	5.	H. h.	Salic. woburn. t. 102.
192 rotundata, s.w. (g.ye.) rounded-leaved.	—	—	4. 5.	H. h.	— t. 104.
193 düra, s.w. (g.ye.) hardy.	—	—	—	H. 5.	— t. 105.
194 firma, s.w. (g.ye.) firm.	—	—	3. 4.	H. h.	— t. 106.
195 Ansoniana, s.w. (g.ye.) Anson's.	—	—	—	H. h.	— t. 107.
196 coriacea, s.w. (g.ye.) leathery.	—	1822.	3.	H. h.	— t. 112.
197 crassifolia, s.w. (g.ye.) thick-leaved.			4. 5.	H. h.	— t. 115.
198 vaudensis, s.w. (g.ye.) Vaudois.	Switzerland.	1824.	3. 4.	H. h.	— t. 117.
199 latifolia, s.w. (g.ye.) broad-leaved.	—	—	3.	H. h.	— t. 118.
200 ferruginea, s.w. (br.st.) ferruginous.	Britain.		4.	H. h.	— t. 128.
201 geminata, s.w. (g.ye.) twin-flowered.	—	—	3.	H. h.	— t. 129.
202 macrostipulacea, s.w. (g.y.) large-stipul'd.	Switzerland.	1822.	4. 5.	H. 5.	— t. 130.
203 Micheliána, s.w. (g.ye.) Michel's.	—	—	4.	H. 5.	— t. 135.
204 atropurpurea, s.w. (g.ye.) dark-purple.	—	1824.	—	H. h.	
205 damascéna, s.w. (g.ye.) Damask.	—	—	3. 4.	H. h.	
206 mutabilis, s.w. (g.ye.) changeable.	—	—	—	H. h.	
207 cerasifolia, Sch. (g.ye.) Cherry-leaved.	—	—	4.	H. h.	
208 cinnamomea, Sch. (g.ye.) Cinnamon-scented.	—	—	4. 5.	H. h.	
209 clethræfolia, Sch. (g.ye.) Clethra-leaved.	—	—	—	H. h.	
210 grisophylla, s.w. (g.ye.) gray-leaved.	—	—	4.	H. h.	Salic. woburn. t. 119.
211 lacustris, s.w. (g.ye.) lake.	—	—	3.	H. h.	— t. 116.
212 mespilifolia, Sch. (g.ye.) Mespilus-leaved.	—	—	4. 5.	H. h.	
213 obtuseserrata, Sch. (g.ye.) bluntly-sawed.	—	—	—	H. h.	
214 pyrifolia, Sch. (g.ye.) Pear-leaved.	—	—	—	H. h.	
215 Schleicheriana, s.w. (g.ye.) Schleicher's.	—	—	—	H. h.	Salic. woburn. t. 98.
216 velutina, W.en. (g.ye.) velvety.		1826.	3. 4.	H. h.	
217 Starkeana, w. (g.ye.) Starke's.	Silesia.	1820.	4. 5.	H. h.	
PO'PULUS. L. POPLAR. Diæcia Octandria. L.					
1 álba, E.B. (fl.) Abele-tree.	Britain.		3. 4.	H. 5.	Eng. bot. v. 23. t. 1618.
2 canescens, E.B. (fl.) gray.	England.		—	H. 5.	— v. 23. t. 1619.
3 nivea, w. (fl.) snowy.	Europe.		—	H. 5.	
4 trépida, w. (fl.) trembling.	N. America.	1812.	—	H. 5.	Mich. arb. 3. t. 8. f. 1.

5	trémula. w.	(fl.) Aspen.	Britain.		3. 4.	H.5.	Eng. bot. v. 27. t. 1909.
6	lævigata. w.	(fl.) smooth.	N. America.	1769.	—	H.5.	Mich. arb. 3. t. 11.
7	tremuloïdes. M.	(fl.) trembling-like.	—	1811.	—	H.5.	Duham. arb. 2. t. 53.
8	græca. w.	(fl.) Athenian.	Archipelago.	1779.	—	H.5.	— 184. t. 54.
9	nigra. w.	(fl.) black.	Britain.		—	H.5.	Eng. bot. v. 27. t. 1910.
10	acladésca. Lind.	(re.) black Italian.	N. America.		5.	H.5.	—
11	hudsônica. M. betulifolia. Ph.	(fl.) American black.	—		—	H.5.	Mich. arb. 3. t. 10. f. 1.
12	dilatata. w.	(sc.) Lombardy.	Italy.	1758.	—	H.5.	—
13	vimínea. Df.	(fl.) slender-twigg'd.	N. America.	1824.	4. 5.	H.5.	—
14	monilifera. w.	(fl.) Canadian.	Canada.	1772.	3. 5.	H.5.	Wats. dend. brit. t. 102.
15	angulata. w.	(fl.) Carolina.	Carolina.	1738.	3.	H.5.	Mich. arb. 3. t. 12.
16	grandidentata. M. β péndula. N.	(fl.) large-toothed. (fl.) weeping.	N. America.	1812. 1820.	4. —	H.5. H.5.	—
17	balsamifera. w.	(gr.) Tacamahac.	—	1692.	—	H.5.	Mich. arb. 3. t. 13. f. 1.
18	cándicans. w.	(gr.) heart-leaved.	—	1772.	3.	H.5.	Catesb. car. 1. t. 34.
19	heterophylla. w.	(gr.) various-leaved.	—	1765.	4. 5.	H.5.	Mich. arb. 3. t. 9.
20	laurifolia. Led.	(fl.) Laurel-leaved.	Altay.	1827.		H.5.	—

ORDO CLXXXVIII.

PLATANÆ.

PLATANUS. W.	PLANE-TREE.	Monœcia Polyandria. L.				
1 orientális. w.	(gr.) oriental.	Levant.	1548.	4. 5.	H.5.	Wats. dend. brit. t. 101.
2 cuneata. w.	(gr.) wave-leaved.	—	1739.	—	H.5.	—
3 acerifolia. w.	(gr.) Maple-leaved.	—	1724.		H.5.	—
4 occidentális. w.	(gr.) American.	N. America.	1640.	—	H.5.	Wats. dend. brit. t. 100.
5 mexicâna. (gr.) Mexican.	Mexico.	1826.		F.5.		
LIQUIDAMBAR. W.	SWEET-GUM-TREE.	Monœcia Polyandria. L.				
1 Styraciflua. w. (gr.wh.)	Maple-leaved.	N. America.	1683.	3. 4.	H.5.	Catesb. car. 2. t. 65.
2 imberbe. w. (gr.wh.)	oriental.	Levant.	1759.		H.5.	—

ORDO CLXXXIX.

MYRICEÆ. *Kth. synopsis. 1. p. 361.*

COMPTONIA. W.	COMPTONIA.	Monœcia Triandria. W.				
asplenifolia. w. (br.)	Fern-leaved.	N. America.	1714.	3. 5.	H. h.	Wats. dend. brit. t. 166.
MYRICA. W.	CANDLEBERRY-MYRTLE.	Diœcia Tetrandria. L.				
1 Gâle. w.	(br.) Sweet Gale.	Britain.		5.	H. h.	Eng. bot. v. 8. t. 562.
2 cerifera. w.	(br.) common.	N. America.	1699.	5. 6.	H. h.	Catesb. car. 1. t. 69.
3 carolinénsis. Ph.	(br.) broad-leaved.	—	1730.	5.	H. h.	— 1. t. 13.
4 pensylvânica. Ph.	(br.) Pensylvanian.	—		—	H. h.	Duham. arb. ed. n. 2. t. 55.
5 Fáya. w.	(br.) Azorian.	Azores.	1777.	6. 7.	F. h.	— 2. t. 56.
6 mexicâna. W. en.	(br.) Mexican.	Mexico.	1821.	6. 8.	G. h.	—
7 esculénta. D.P.	(br.) eatable.	Nepaul.	—		G. h.	—
8 segregata. w.	(br.) netted-leaved.	S. America.	—		G. h.	Jacq. ic. 3. t. 625.
9 æthiopica. w.	(br.) African.	C. B. S.	1795.	6. 7.	G. h.	Pluk. alm. t. 48. f. 8.
10 serrata. w.	(br.) saw-leaved.	—	1793.	8.	G. h.	Burm. afr. t. 98. f. 1.
11 laciniata. W. en.	(br.) smooth Oak-ld.	—	1752.	6. 7.	G. h.	Jacq. frag. 2. t. 1. f. 4.
12 quercifolia. W. en.	(br.) hairy Oak-leav'd.	—	—	—	G. h.	—
13 cordifolia. w.	(br.) heart-leaved.	—	1759.	5. 7.	G. h.	Pluk. alm. t. 319. f. 7.
14 integrifolia. H.B.	(br.) entire-leaved.	E. Indies.	1824.		S. h.	—
NAGEIA. W.	NAGEIA.	Diœcia Tetrandria.				
1 japónica. w. (gr.)	Japan.	Japan.	1812.	2. 4.	G. h.	—
	Buxus dioica. Hort.	Myrica Nâgi. Thunb.	—	—	S. h.	—
2 Putranjiva. H.B.	(gr.) grey-barked.	E. Indies.	1822.	—	S. h.	—
CASUARINA. W.	SHRUBBY HORSETAIL.	Monœcia Monandria. W.				
1 equisetifolia. w. (br.re.)	Horse-tail-leav'd.	S. Sea Island.	1793.		S. h.	Rumph. amb. 3. t. 57.
2 nodiflora. w. (br.re.)	knotted-flower'd.	—	1818.		S. h.	—

3	glauca. s.s.	(br.re.) glaucous.	N. S. W.	1818.	11. 4.	G. h.	
4	paludosa. s.s.	(br.re.) marsh.	—	1822.	—	G. h.	
5	stricta. w.	(br.re.) upright.	—	1775.	11. 2.	G. h.	Andr. reposit. t. 346.
6	distyla. w.	(br.re.) two-styled.	—	1812.	—	G. h.	Vent. dec. pl. nov. t. 62.
7	quadrivalvis. P.s.	(br.re.) four-valved.	N. Holland.	—	—	G. h.	Lab. nov. hol. 2. t. 218.
8	torulosa. w.	(br.re.) cork-barked.	N. S. W.	1772.	4. 6.	G. h.	
9	muricata. L.en.	(br.re.) muricate.	E. Indies.	1816.		S. h.	
10	tenuissima. s.s.	(br.re.) slender.	N. S. W.	1824.	4. 6.	G. h.	
11	nana. s.s.	(br.re.) dwarf.	—	—	—	G. h.	

ORDO CXC.

HAMAMELIDEÆ. *Brown.*

HAMAMELIS. W.		WITCH-HAZEL.	Tetrandria Digynia.	L.			
1	virginica. w.	(ye.) Virginian.	N. America.	1736.	11. 5.	H. h.	Lodd. bot. cab. t. 598.
2	macrophylla. Ph.(ye.)	large-leaved.	—	1812.	—	H. h.	
FOTHERGILLA. W.		FOTHERGILLA.	Polyandria Digynia.	L.			
1	alnifolia. w.	(wh.) obtuse-leaved.	N. America.	1765.	4. 6.	H. h.	Bot. mag. t. 1341.
2	majör. B.M.	(wh.) large-leaved.	—	—	5. 6.	H. h.	— t. 1342.
3	Gardëni. Jacq.	(wh.) acute-leaved.	—	—	—	H. h.	Jacq. ic. 1. t. 100.
4	serotina. B.M.	(wh.) green-leaved.	—	—	—	H. h.	

ORDO CXCI.

CONIFERÆ. *Juss. gen. 411.*SUBORDO I. TAXINÆ. *Richard.*

SALISB'URIA. R.		MAIDENHAIR-TREE.	Monœcia Polyandria.	H.K.			
	adiantifolia. L.T.(g.st.)	Japan.	Japan.	1754.	4. 5.	H. 5.	Wats. dend. brit. t. 168.
	Gingko biloba. L.						
PHYLLOCLADUS. R.		PHYLLOCLADUS.	Monœcia Monadelphia.				
	rhomboidalis. R. (ye.)	Fern-leaved.	V. Diem. Isl.	1825.		G. h.	Rich. conif. pl. 3.
	Podocarpus asplenifolia.	Labill. nov. holl. 2. t. 221.					
PODOCARPUS. L'H.		PODOCARPUS.	Monœcia Monadelphia.				
1	Chilinus. R.	(ye.) sharp-leaved.	C. B. S.	1774.	7.	G. h.	Rich. conif. pl. 1. f. 1.
2	elongatus. R.	(ye.) Chinese.	China.	—	5. 7.	H. h.	— pl. 1. f. 2.
	Taxus chinensis. H.B.						
3	coriaceus. R.	(ye.) leathery-leaved.	—	1824.	—	G. h.	Rich. conif. pl. 1. f. 3.
4	verticillatus. (ye.)	whorl-leaved.	Japan.	1812.		G. h.	
5	macrophyllus. L.en.(ye.)	large-leaved.	China.	1804.	7. 8.	G. h.	Kæmpf. ic. t. 24.
6	neriifolius. L.P.	(ye.) Wax-Dammar.	P. Wales Isl.	1809.		S. h.	Rumph. amb. 3. t. 26.
TAXUS. W.		YEW-TREE.	Dicœcia Monadelphia.	L.			
1	baccata. w.	(ye.) common.	Britain.		2. 4.	H. 5.	Eng. bot. v. 11. t. 746.
2	hibernica. (ye.)	Irish.	Ireland.		—	H. h.	
3	canadensis. w.	(ye.) Canadian.	Canada.	1818.	—	H. 5.	
4	nucifera. w.	(ye.) Acorn-bearing.	China.	1764.		G. h.	Kæmpf. amœn. t. 815.
DACRYDIUM. L.P.		DACRYDIUM.	Monœcia Monadelphia.				
	cupressinum. L.P.(ye.)	N. Zealand spruce.	N. Zealand.	1825.		G. h.	Lamb. pin. v. 1. t. 41.
	Thalamia cupressina. s.s.						

SUBORDO II. CUPRESSINÆ. *Richard.*

CALLITRIS. R.		CALLITRIS.	Monœcia Monadelphia.				
1	quadrivalvis. R. (ye.)	jointed.	Barbary.	1815.	2. 5.	F. h.	Rich. conif. pl. 8. f. 1.
	Thuja articulata.	Vahl. symb. 2. t. 48.					
2	arenosa. (ye.)	sand.	N. Holland.	1824.		F. h.	
3	pyramidalis. (ye.)	pyramidal.	—	—		F. h.	

4	austrâlis.	(ye.) southern.	N. S. W.		4. 5.	F. ½.	
	<i>Cuprëssus austrâlis.</i>	P.s.					
5	oblônga. R.	(ye.) oblong-scaled.	-----	1822.	---	G. ½.	Rich. conf. pl. 18. f. 2.
6	rhombôidea. R.	(ye.) rhomboid-scal'd.	N. Holland.	-----	---	G. ½.	----- pl. 18. f. 1.
THUJA. W. ARBOR-VITÆ. Monœcia Monadelphia. L.							
1	occidentâlis. w.	(ye.) American.	N. America.	1596.	5.	H. ½.	Wats. dend. brit. t. 150.
2	pyramidâlis. T.P.	(ye.) pyramidal.	-----	1824.	---	H. ½.	
3	orientâlis. w.	(ye.) Chinese.	China.	1752.	2. 3.	H. ½.	Wats. dend. brit. t. 149.
4	plicatâ. L.P.	(ye.) Nee's.	Nootka sound.	1796.	---	H. ½.	Lamb. pin. v. 2. p. 19. t.
5	cupressoides. w.	(ye.) African.	C. B. S.	1799.		G. ½.	
6	dolabrâtâ. w.	(ye.) ovate-leaved.	China.	1822.	---	H. ½.	Lamb. pin. app. t. 1.
7	sphæroïdea. s.s.	(ye.) White Cedar.	N. America.	1736.	4. 5.	H. ½.	Wats. dend. brit. t. 156.
	<i>Cuprëssus thyoides.</i>	w.					
8	péndula. L.P.	(ye.) weeping.	Tartary.	1810.	2. 5.	H. ½.	Lamb. pin. v. 2. t. 51.
CUPRESSUS. W. CYPRESS. Monœcia Monadelphia. L.							
1	sempervirens. w.	(ye.) common.	Candia.	1548.	5.	H. ½.	Pall. ros. 2. t. 53.
	<i>a stricta.</i>	(ye.) upright.	-----	---	---	H. ½.	
	<i>β horizontâlis.</i>	(ye.) horizontal.	-----	---	---	H. ½.	
2	torulôsa. D.P.	(ye.) twisting.	Nepaul.	1826.		H. ½.	
3	lusitânica. w.	(ye.) Cedar of Goa.	Goa.	1683.	4. 5.	F. ½.	Lamb. pin. 95. t. 49.
4	péndula. Th.	(ye.) pendulous.	Japan.	1818.		F. ½.	----- t. 50.
5	baccifôrmis. W.en.	(ye.) berry-like.	-----	---	4. 5.	H. ½.	
6	juniperoïdes. w.	(ye.) African.	C. B. S.	1756.	---	G. ½.	
TAXODIUM. Rich. TAXODIUM. Monœcia Monadelphia.							
	<i>distichum.</i>	Rich. (ye.) deciduous.	America.	1640.	5.	H. 5.	Mich. arb. 3. t. 1.
	<i>Cuprëssus disticha.</i>	w. Schubertia. Mirb.					
	<i>a patens.</i>	H.K. (ye.) spreading.	-----	---	---	H. 5.	
	<i>β nutans.</i>	H.K. (ye.) long-leaved.	-----	---	---	H. 5.	
JUNIPERUS. W. JUNIPER. Diœcia Monadelphia. L.							
1	thurifera. w.	(ye.) Spanish.	S. Europe.	1752.	5. 6.	H. ½.	
2	barbadensis. w.	(ye.) Barbadoes.	Barbadoes.	1811.	---	G. ½.	Pluk. alm. t. 197. f. 4.
3	bermudiâna. w.	(ye.) Bermudas Cedar.	Bermudas.	1683.	---	F. ½.	Herm. lugd. t. 347.
4	chinensis. w.	(ye.) Chinese.	China.	1804.	---	H. ½.	
5	excelsa. w.	(ye.) tall.	Siberia.	1806.	---	H. ½.	
6	Hermânni. s.s.	(ye.) Hermann's.	-----		---	H. ½.	
7	Sabina. w.	(ye.) Savin.	S. Europe.	1548.	---	H. ½.	
	<i>β variegata.</i>	(ye.) variegated.	-----	---	---	H. ½.	
8	tamariscifolia.	(ye.) Tamarisk-leav'd.	-----	---	---	H. ½.	
9	prostrata. P.S.	(ye.) prostrate.	N. America.		---	H. ½.	
10	daurica. A.R.	(ye.) Daurian.	Dauria.	1791.	6. 8.	H. ½.	Andr. reposit. t. 534.
11	virginiana. w.	(ye.) red Cedar.	N. America.	1664.	5. 6.	H. ½.	Mich. arb. 3. t. 5.
12	glauca. W.en.	(ye.) glaucous.	China.	1814.	---	H. ½.	
13	squamata. D.P.	(ye.) scaly-branched.	Nepaul.	1824.		H. ½.	
14	recurva. D.P.	(ye.) recurve-branch'd.	-----	1822.	5. 6.	H. ½.	
15	communis. w.	(ye.) common.	Britain.		---	H. ½.	Eng. bot. v. 16. t. 1100.
16	suëcica. Mill.	(ye.) Swedish.	N. Europe.		---	H. ½.	
17	nana. w.	(ye.) dwarf.	Siberia.	1815.	---	H. ½.	Pall. ros. 2. t. 54. f.A.B.
	<i>sibirica.</i>	Burgsd. communis γ. H.K.					
18	hemisphærica. s.s.	(ye.) hemispherical.	Sicily.	1828.		H. ½.	
19	oblônga. M.B.	(ye.) oblong.	Armenia.	1829.		H. ½.	
20	Oxycedrus. w.	(ye.) brown-berried.	Spain.	1739.	---	H. ½.	Duham. arb. 2. t. 128.
21	phœnicea. w.	(ye.) Phœnician.	S. Europe.	1683.	---	H. ½.	Pall. ros. 2. t. 57.
22	ly'cia. w.	(ye.) Lycian.	-----	1693.	---	H. ½.	----- 2. t. 56.
23	capensis. Lam.	(ye.) Cape.	C. B. S.	1816.		G. ½.	
24	drupacea. Lab.	(ye.) drupaceous.	-----	---		H. ½.	Lab. pl. syr. 2. t. 8.
EPHEDRA. EPH'EDRA. Diœcia Monadelphia. L.							
1	distachya. w.	(st.) great.	France.	1570.	6. 7.	H. ½.	Schk. hand. 3. t. 339.
2	monostachya. w.	(st.) small.	Siberia.	1772.	9. 11.	H. ½.	Wats. dend. brit. t. 142.
3	altissima. w.	(st.) tall.	Barbary.	1823.		H. ½.	Desf. atl. 2. t. 253.

SUBORDO III. ABIETINÆ. Richard.

DA'MMARA. L.P. DAMMAR PINE. Monœcia Monadelphia. L.en.							
1	austrâlis. L.P.	(ye.) Cowrie-tree.	N. Zealand.	1823.		G. ½.	Lamb. pin. 2. p. 14. t. 6.
2	orientâlis. L.P.	(ye.) Amboyna pitch-tree.	Amboyna.	1804.		S. ½.	----- v.1.t.38.-v.2.p.16.
	<i>loranthifolia.</i>	L.en. <i>Pinus Dammara.</i>	w. <i>A'gathis loranthisfolia.</i>	Sal.			
ARAUC'ARIA. J. ARAUC'ARIA. Diœcia Monadelphia. W.							
1	imbricatâ. w.	(ye.) Chile Pine.	Chile.	1796.		H. 5.	Lamb. pin. 2. p. 9. t. 4.B.

2	brasiliana. L.P.	(ye.) Brazil Pine.	Brazil.	1816.		G.5.	Lamb. pin. 2. p.12. t. 5.
3	excelsa. H.K.	(ye.) Norfolk Island.	Norfolk Isl.	1793.		G.5.	— 1. t. 39. 40.
	<i>Dombeya excelsa.</i> L.P.						
4	Cunninghamii. (ye.)	Cunningham's.	N. Holland.	1827.		G.5.	
B'ELIS. L.T.		B'ELIS. Monocia	Monadelphia.				
	lanceolata. (ye.)	spear-leaved.	China.	1804.	12. 1.	G. ½.	Lamb. pin. 1. t. 34.
	<i>jaculifolia.</i> L.T.	<i>Pinus lanceolata.</i> L.P.	<i>Cunninghamia lanceolata.</i>				Bot. mag. t. 2743.
PINUS. W.		PINE or FIR.	Monocia Monadelphia.	W.			
	PINUS.	PINE-TREE.					
1	sylvestris. w.	(ye.) Scotch.	Scotland.		5.	H.5.	Lamb. pin. 1. t. 1.
2	Laricio. P.S.	(ye.) Corsican.	Corsica.	1814.	4. 5.	H.5.	— v. 2. p. 28. t. 9.
3	uncinata. DC.	(ye.) hooked.	Pyrenees.	1820.	—	H.5.	
4	Pumilio. w.	(ye.) upright-coned.	Carniola.	1779.	—	H.5.	Lamb. pin. p. 5. t. 2.
5	Mughus. w.	(ye.) nodding-coned.	Austria.		—	H.5.	Jacq. ic. 1. t. 193.
6	pungens. M.	(ye.) prickly-coned.	N. America.	1804.		H.5.	Mich. arb. 1. t. 5.
7	Banksiana. Ph.	(ye.) Hudson's Bay.	Hudson's bay.	1785.	5. 6.	H.5.	Lamb. pin. p. 7. t. 3.
8	Pallasiana. L.P.	(ye.) Pallas's.	Crimea.	1804.	—	H.5.	— v. 2. p. 1. t. 1.
9	Pinaster. w.	(ye.) cluster.	S. Europe.	1596.	4. 5.	H.5.	— v. 1. p. 9. t. 4. 5.
10	Pinea. w.	(ye.) stone.	—	1548.	5.	H.5.	— v. 1. p. 11. t. 6. 7. 8.
11	maritima. w.	(ye.) maritime.	—	1759.	5. 6.	H.5.	— v. 2. p. 30. t. 10.
12	halepensis. w.	(ye.) Aleppo.	Levant.	1683.	5.	H.5.	— v. 1. p. 15. t. 11.
13	inops. Ph.	(ye.) Jersey.	N. America.	1739.	—	H.5.	— v. 1. p. 18. t. 13.
14	resinosa. Ph.	(ye.) pitch.	—	1756.	—	H.5.	— v. 1. p. 20. t. 14.
15	variabilis. Ph.	(ye.) 2 and 3-leaved.	—	1739.	5. 6.	H.5.	— v. 1. p. 22. t. 15.
16	canariensis. DC.	(ye.) Canary.	Canaries.	1815.	3. 4.	G.5.	DC. pl. rar. gen. t. 1-2.
17	Tæda. Ph.	(ye.) frankincense.	N. America.	1713.	5. 6.	H. h.	Lam. p. v. 1. p. 23. t. 16. 17.
18	lutea. Walt.	(ye.) yellow.	—		—	H.5.	
19	serotina. Ph.	(ye.) Fox-tail.	—	1713.	5. 6.	H.5.	Mich. arb. 1. t. 7.
20	rigida. Ph.	(ye.) three-leaved.	—	1759.	—	H.5.	Lamb. pin. p. 25. t. 18. 19.
21	ponderosa. D.	(ye.) ponderous.	—	1827.		H.5.	
22	palustris. Ph.	(ye.) swamp.	—	1730.		H.5.	Lamb. p. 27. t. 20.
23	longifolia. w.	(ye.) long-leaved.	E. Indies.	1801.		S.5.	— p. 29. t. 21.
24	Gerardi. Wal.	(ye.) Gerard's.	Nepaul.	1824.		H.5.	
25	occidentalis. w.	(ye.) West Indian.	W. Indies.	1820.		S. h.	Plum. sp. 17. t. 161.
26	adunca. Bosc.	(ye.) crooked.		1822.		H.5.	
27	romana. H. Bel.	(ye.) Roman.	Italy.	—		H.5.	
28	sibirica. Dut.	(ye.) Siberian.	Siberia.	—		H.5.	
	STROBUS.	WEYMOUTH PINE.					
29	Cembra. w.	(ye.) Siberian stone.	Siberia.	1746.	5.	H.5.	Lamb. pin. p. 34. t. 23. 24.
30	pygmaea. F.	(ye.) pigmy.	—	1816.		H. ½.	
31	Strobus. w.	(ye.) Weymouth.	N. America.	1705.	4.	H.5.	Lamb. pin. p. 31. t. 22.
32	Lambertiana. L.P.	(ye.) Lambert's.	California.	1827.		H.5.	— pin. c. icon.
33	excelsa. D.P.	(ye.) Bhotan.	Nepaul.	1822.		H.5.	— v. 2. p. 5. t. 3.
	CEDRUS.	CEDAR.					
34	Cedrus. w.	(ye.) Cedar of Lebanon.	Levant.	1683.	5.	H.5.	Lamb. pin. v. 1. p. 59. t. 37
35	Deodara. L.P.	(ye.) Indian Cedar.	Nepaul.	1822.		H.5.	— v. 2. p. 8. t. 4.
	LARIX.	LARCH.					
36	pendula. w.	(ye. re.) black Larch.	N. America.	1739.	5.	H.5.	Lamb. pin. v. 1. p. 56. t. 36.
37	microcarpa. w.	(ye. re.) red Larch.	—	1760.	—	H.5.	— p. 58. t. 37.
38	Larix. w.	(ye. re.) common Larch.	Germany.	1629.	3. 4.	H.5.	— p. 53. t. 35.
39	dahurica. F.	(ye. re.) Dahurian.	Dahuria.	1827.		H.5.	
40	intermedia. F.	(ye. re.) intermediate.	Altay.	1828.		H.5.	
	PEUCE.	SILVER FIR.					
41	canadensis. w.	(ye.) hemlock Spruce.	N. America.	1736.	5.	H.5.	Lamb. pin. p. 50. t. 32.
42	dumosa. D.P.	(ye.) bushy.	Nepaul.	1820.		H.5.	
43	taxifolia. Ph.	(ye.) Yew-leaved.	Columbia.	1822.		H.5.	Lamb. pin. v. 1. p. 51. t. 33
44	spectabilis. D.P.	(ye.) purple-coned.	Nepaul.	1825.		H.5.	— v. 2. p. 3. t. 2.
45	Picea. w.	(ye.) Silver-Fir.	Germany.	1603.	5.	H.5.	— 1. p. 36. t. 40.
46	Pichta. F.	(ye.) Fischer's.	Altay.	1824.		H. ½.	
47	Douglasii. D.	(ye.) Douglas's.	N. America.	1827.		H.5.	
48	Balsamea. w.	(ye.) Balm of Gilead.	—	1696.	5.	H.5.	Lamb. pin. v. 1. p. 48. t. 31
49	Fraseri. Ph.	(ye.) double Balsam.	Pensylvania.	1811.		H.5.	
	ABIES.	SPRUCE FIR.					
50	nigra. Ph.	(ye.) black Spruce.	N. America.	1700.	5.	H.5.	Lamb. pin. v. 1. p. 41. t. 27
51	rubra. Ph.	(ye.) red Spruce.	—	1755.	—	H.5.	— v. 1. p. 43. t. 28.
52	Clanbrassiliana. L. en.	(ye.) dwarf.	—	1810.		H. ½.	
53	alba. Ph.	(ye.) white Spruce.	—	1700.	5. 6.	H.5.	Lamb. pin. v. 1. p. 39. t. 26
54	'Abies. w.	(ye.) Norway Spruce.	N. Europe.	1548.	4.	H.5.	— v. 1. p. 37. t. 25.
55	orientalis. w.	(ye.) oriental.	Levant.	1824.		H.5.	— v. 1. p. 45. t. 29.

CLASSIS II.

MONOCOTYLEDONEÆ seu ENDOGENÆ. DC.

* SUBCLASSIS 1. PHANEROGANEÆ. DC.

ORDO CXCI.

CYCADEÆ. *Brown prodr.* 346.

ZAMIA. W.	ZAMIA. Diœcia Polyandria. W.				
1 pûngens. w. (br.) needle.	C. B. S.	1775.	6. 8.	G. h̄.	Till. pis. 129. t. 45.
2 cycadifolia. w. (br.) Cycas-leaved.	_____	_____	_____	G. h̄.	Jacq. frag. 1. t. 25. 26.
3 tridentata. w. (br.) three-toothed.	_____	1820.	_____	G. h̄.	_____
4 angustifolia. Jac. (br.) narrow-leaved.	Bahama Isl.		_____	S. h̄.	Jacq. ic. 3. t. 636.
5 tenuis. w. (br.) slender-leaved.	_____	1823.	_____	S. h̄.	_____
6 media. w. (br.) intermediate.	W. Indies.		_____	S. h̄.	Bot. mag. t. 1838.
7 debilis. w. (br.) weak.	_____	1777.	_____	S. h̄.	Comm. hort. 1. t. 58.
8 integrifolia. w. (br.) dwarf.	_____	1768.	_____	S. h̄.	Bot. mag. t. 1851.
9 pygmæa. B.M. (g.br.) least.	_____		5.	S. 4.	_____ t. 1741.
10 furfuracea. w. (br.) chaffy.	_____	1691.	7. 8.	S. h̄.	Trew. ehret. t. 61.
11 spiralis. B.P. (br.) spiral.	N. S. W.	1796.	_____	G. 4.	_____
12 longifolia. w. (br.) long-leaved.	C. B. S.	1820.	6. 7.	G. h̄.	Jacq. frag. 1. t. 29.
13 lanuginosa. w. (br.) woolly.	_____		_____	G. h̄.	_____ 1. t. 30. 31.
14 Cycadis. w. (br.) Cycas-like.	_____	1775.	5. 6.	G. h̄.	Thunb. act. ups. 2. t. 6.
15 horrida. w. (br.) glaucous spiny.	_____	1800.	6. 8.	G. h̄.	Jacq. frag. t. 27. 28.
16 latifolia. L.C. (br.) broad-leaved.			_____	G. h̄.	_____
17 prunifera. L.C. (br.) Plum-like.			_____	S. h̄.	_____
18 pumila. L.C. (ye.) small.		1812.	_____	S. 4.	Bot. mag. t. 2006.
19 repanda. L.C. (br.) repand.			_____	S. h̄.	_____
CYCAS. W.	CYCAS. Diœcia Polyandria. W.				
1 circinalis. w. (br.) broad-leaved.	E. Indies.	1700.	5. 6.	S. h̄.	Bot. mag. t. 2826. 2827.
2 glauca. L.en. (br.) glaucous-leaved.	_____	1814.		S. h̄.	_____
3 revoluta. w. (br.) narrow-leaved.	China.	1737.	7. 8.	S. h̄.	Linn. trans. 6. t. 29.
4 squamosa. L.C. (br.) scaly.				S. h̄.	_____

ORDO CXCI.

HYDROCHARIDEÆ. *Brown prodr.* 344.

VALLISNERIA. L.	VALLISNERIA. Diœcia Diandria. L.				
spiralis. L. (wh.) spiral.	S. Europe.	1818.		G.w. 4.	Mich.n.g. 12. t. 10. f. 1. 2.
HYDROCHARIS. L.	FROG-BIT. Diœcia Enneandria. L.				
Morsus-ranæ. L. (wh.) common.	Britain.		6. 7.	H.w. 4.	Eng. bot. v. 12. t. 808.
DAMASONIUM. W.	DAMASONIUM. Hexandria Polygynia. W.				
1 indicum. w. (wh.) Indian.	E. Indies.	1800.	7. 9.	S.w. 4.	Bot. mag. t. 1201.
2 ovalifolium. B.P. (wh.) oval-leaved.	N. S. W.	1820.	_____	G.w. 4.	_____
STRATOTES. W.	WATER-SOLDIER. Diœcia Dodecandria. L.				
aloides. w. (wh.) Aloe-like.	England.		6. 7.	H.w. 4.	Eng. bot. v. 6. t. 379.

ORDO CXCIV.

ALISMACEÆ. *Kth. synopsis. 1. p. 261.*

- SAGITTARIA. W. ARROW-HEAD. Monœcia Polyandria. L.**
1 sagittifolia. w.	(wh.) common.	England.		6. 8.	H.w. 2.	Eng. bot. v. 2. t. 84.
2 latifolia. Ph.	(wh.) broad-leaved.	N. America.	1816.	—	H.w. 2.	
β flore pleno.	(wh.) double-flowered.	—	—	—	H.w. 2.	
3 sinensis. B.M.	(wh.) Chinese.	China.	1812.	9. 11.	G.w. 2.	Bot. mag. t. 1731.
4 obtusifolia. s.s.	(wh.) blunt-leaved.	—	1804.	7. 8.	G.w. 2.	Rheed. mal. 11. t. 45.
5 Doniana.	(wh.) Don's.	Nepaul.	1820.	—	G.w. 2.	
hastata. D.P. non Ph.						
6 hastata. Ph.	(wh.) hastate-leaved.	N. America.	1816.	—	H.w. 2.	
7 obtusa. Ph.	(wh.) obtuse-leaved.	—	1822.	6. 9.	H.w. 2.	
8 heterophylla. Ph.	(wh.) various-leaved.	—	—	6. 8.	H.w. 2.	
9 lancifolia. w.	(wh.) lance-leaved.	W. Indies.	1787.	6. 7.	G.w. 2.	Bot. mag. t. 1792.
10 angustifolia. B.R.	(wh.) narrow-leaved.	—	1827.	4. 8.	S.w. 2.	Bot. reg. t. 1141.
11 falcata. Ph.	(wh.) falcate-leaved.	Carolina.	1811.	6. 7.	H.w. 2.	
12 rigida. B.M.	(wh.) brittle-leaved.	N. America.	1806.	—	H.w. 2.	Bot. mag. t. 1632.
13 graminea. Ph.	(wh.) grass-leaved.	Carolina.	1812.	7. 8.	H.w. 2.	
14 natans. M.	(wh.) floating.	—	—	—	H.w. 2.	
- ACTINOCARPUS. B.P. ACTINOCARPUS. Hexandria Hex-Octagynia.**
1 minor. B.P.	(wh.) small.	N. S. W.		5. 8.	G.w. 2.	
2 Damasonium.	(wh.) common.	England.		6. 8.	H.w. 2.	Eng. bot. t. 1615.
Alisma Damasonium. E.B.	Damasonium stellatum. P.S.					
- ALISMA. B.P. WATER-PLANTAIN. Hexandria Polygynia. L.**
1 Plantago. w.	(wh.) greater.	Britain.		6. 7.	H.w. 2.	Eng. bot. t. 837.
2 lanceolata. With.	(wh.) spear-leaved.			—	H.w. 2.	
3 trivialis. Ph.	(wh.) blunt-leaved.	N. America.	1816.	—	H.w. 2.	
4 parnassifolia. w.	(wh.) Parnassus-leav'd.	Italy.	1824.	—	H.w. 2.	
5 natans. E.B.	(wh.) floating.	Wales.		7. 8.	H.w. 2.	Eng. bot. t. 775.
6 ranunculoides. E.B.	(w.) lesser.	Britain.		8.	H.w. 2.	— t. 326.
7 repens. E.F.	(wh.) creeping.	Wales.		9. 10.	H.w. 2.	Cavan. ic. 1. t. 55.

ORDO CXCV.

BUTOMEÆ. *Kth. synopsis. 1. p. 260.*

- BUTOMUS. L. FLOWERING RUSH. Enneandria Hexagynia. L.**
1 umbellatus. L.	(ro.) umbelled.	Britain.		6. 7.	H.w. 2.	Eng. bot. v. 10. t. 651.
2 latifolius. D.P.	(wh.) broad-leaved.	Nepaul.	1823.	—	H.w. 2.	
- LIMNOCHARIS. K.S. LIMNOCHARIS. Polyandria Polygynia. B.M.**
Plumieri. K.S.	(ye.) Plumier's.	S. America.	1822.	6. 10.	S. ♂.	Bot. mag. t. 2525.
emarginata. H. et B. pl. æq. 1. t. 34.	Alisma flava. L.					

ORDO CXCVI.

JUNCAGINEÆ. *Kth. synopsis. 1. p. 258.*

- SCHEUCHZERIA. L. SCHEUCHZERIA. Hexandria Trigynia. L.**
palustris. E.B. (br.gr.)	marsh.	England.		5. 6.	H.w. 2.	Eng. bot. v. 26. t. 1801.
- TRIGLOCHIN. L. ARROW-GRASS. Hexandria Trigynia. L.**
1 elatus. N.	(gr.) long-spiked.	N. America.	1820.	5. 8.	H.w. 2.	
2 maritimum. E.B.	(gr.) sea-side.	Britain.		—	H.w. 2.	Eng. bot. v. 4. t. 255.
3 palustre. E.B.	(gr.) marsh.	—		7. 8.	H.w. 2.	— v. 6. t. 366.
4 decipiens. B.P.	(gr.) New Holland.	N. S. W.	1820.	—	G. 2.	
5 Barrelieri. s.s.	(gr.) Barrelier's.	Italy.	1825.	—	H. 2.	
6 bulbosum. B.M. (pu.ye.)	bulbous-rooted.	C. B. S.	1806.	10.	G. 2.	Bot. mag. t. 1445.

ORDO CXCVII.

FLUVIALES. *Kth. synopsis. 1. p. 131.*

POTAMOGETON. L. POND-WEED.		Tetrandria Tetragynia. L.	
1 natans. E.B.	(br.) broad-leaved.	Britain.	 7. 8. H.w. 2. Eng. bot. v. 26. t. 1822.
2 heterophyllum. E.B.	(br.) various-leaved.	-----	 7. 9. H.w. 2. ----- v. 18. t. 1285.
3 perfoliatum. E.B.	(br.) perfoliate.	-----	 7. 8. H.w. 2. ----- v. 3. t. 168.
4 densum. E.B.	(br.) close-leaved.	-----	 5. 7. H.w. 2. ----- v. 6. t. 397.
5 fluitans. E.B.	(br.) long-leaved.	-----	 7. 9. H.w. 2. ----- v. 18. t. 1286.
6 lucens. E.B.	(br.) shining.	-----	 6. 8. H.w. 2. ----- v. 6. t. 376.
7 lanceolatum. E.B.	(br.) spear-leaved.	England.	 7. 8. H.w. 2. ----- v. 28. t. 1985.
8 crispum. E.B.	(br.) curled.	Britain.	 6. 7. H.w. 2. ----- v. 15. t. 1012.
9 compressum. E.B.	(br.) flat-stalked.	-----	 ----- H.w. 2. ----- v. 6. t. 418.
10 cuspidatum. E.F.	(br.) sharp-pointed.	-----	 7. H.w. 2. ----- Loes. pruss. t. 66.
11 gramineum. E.B.	(br.) Grass-leaved.	-----	 7. 8. H.w. 2. ----- Eng. bot. v. 32. t. 2253.
12 pusillum. E.B.	(br.) small.	-----	 ----- H.w. 2. ----- v. 3. t. 215.
13 pectinatum. E.B.	(br.) Fennel-leaved.	-----	 6. 7. H.w. 2. ----- v. 5. t. 323.
RUPPIA. L. RUPPIA. Tetrandria Tetragynia. L.			
maritima. E.B.	(br.) sea.	Britain.	 8. 9. H.w. 2. Eng. bot. v. 2. t. 136.
APONOGETON. L. APOGONETON. Hex-Dodecandria Tri-Tetragynia.			
1 monostachyon. w.	(wh.) simple-spiked.	E. Indies.	1803. 8. 10. S.w. 2. Andr. reposit. t. 406.
2 distachyon. w.	(wh.) broad-leaved.	C. B. S.	1788. 5. 7. G.w.b. Bot. mag. t. 1293.
3 angustifolium. w.	(wh.) narrow-leaved.	-----	 4. 9. G.w.b. ----- t. 1268.
N'AJAS. L. N'AJAS. Monœcia Tetrandria. L.			
monosperma. w.	(gr.) single-seeded.	Europe.	1816. 7. 9. H.w. 2. Mich. N. gen. 11. t. 8. f. 2.
ZANNICHELLIA. L. WATER-WEED. Monœcia Monandria. L.			
palustris. E.B.	(gr.) horned.	Britain.	 7. 8. H.w. 2. Eng. bot. v. 26. t. 1844.
ZOSTERA. W. SEA MATWEED. Monandria Monogynia. L.			
marina. w.	(gr.) common.	Britain.	 8. 9. H.w. 2. Eng. bot. v. 7. t. 467.
LEMNA. L. DUCK-WEED. Monœcia Diandria.			
1 trisulca. E.B.	(wh.) Ivy-leaved.	Britain.	 5. 6. H.w. 2. Eng. bot. v. 13. t. 926.
2 minor. E.B.	(wh.) lesser.	-----	 6. 7. H.w. 2. ----- v. 16. t. 1095.
3 gibba. E.B.	(wh.) thick-leaved.	-----	 ----- H.w. 2. ----- v. 18. t. 1233.
4 polyrrhiza. E.B.	(wh.) greater.	-----	 7. 8. H.w. 2. ----- v. 35. t. 2458.

ORDO CXCVIII.

PANDANEÆ. *Brown prodr. 340.*

PANDANUS. L. SCREW-PINE. Diœcia Monandria. L.			
1 pævis. Lour.	(wh.) entire-leaved.	China.	1823. S. h.
2 odoratissimus. w.	(wh.) green-spined.	-----	1771. S. h. Roxb. corom. 1. t. 94--6.
3 utilis. W.en.	(wh.) red-spined.	-----	 S. h.
4 humilis. w.	(wh.) dwarf.	Mauritius.	 S. h. Jacq. fragm. t. 14. f. 2.
5 latifolius. L.C.	(wh.) broad-leaved.	E. Indies.	1820. S. h.
6 fœtidus. H.B.	(wh.) strong scented.	-----	1822. S. h.
7 marginatus. H.B.	(wh.) red-margined.	Mauritius.	1823. S. h.
8 furcatus. H.B.	(wh.) forked.	E. Indies.	 S. h. Rheed. mal. 2. t. 8.
9 pedunculatus. B.P.	(wh.) peduncled.	N. Holland.	1825. S. h.
10 spiralis. B.P.	(wh.) spiral.	-----	1805. S. h.
11 candelabrum. P.B.	(wh.) chandelier.	Guinea.	1822. S. h. Beauv. fl. owar. 1. t. 21.
12 sessilis. Boj.	(wh.) sessile-fruited.	Pembu.	1825. S. h.
13 elegans. s.s.	(wh.) elegant.	Isle France.	1826. S. h.
14 muriatus. s.s.	(wh.) oblong-leaved.	Madagascar.	 S. h.
15 edulis. s.s.	(wh.) eatable.	-----	1825. S. h.
16 amaryllifolius. H.B.	(wh.) Amaryllis-leav'd.	E. Indies.	1820. S. h.
17 inermis. H.B.	(wh.) spineless.	-----	 S. h.
18 albus. L.C.	(wh.) white-spined.	-----	1823. S. h.
19 reflexus. L.C.	(wh.) reflexed-leaved.	-----	1820. S. h.
20 longifolius. L.C.	(wh.) long-leaved.	-----	1823. S. h.
21 turbinatus. L.C.	(wh.) top-shaped.	-----	 S. h.
PHYTELEPHAS. R.P. PHYTELEPHAS. Diœcia Polyandria. P.S.			
macrocarpa. R.P.	(wh.) large-fruited.	Peru.	1822. S. h.

ORDO CXCIX.

TYPHINÆ. *Kth. synops. 1. p. 132.*

TYPHA. L.		CAT'S-TAIL.	Monœcia Triandria. L.				
1	latifolia. E.B.	(br.) great.	Britain.		7.	H.w. 2.	Eng. bot. v. 21. t. 1455.
2	media. DC.	(br.) dwarf.	England.		—	H.w. 2.	— v. 21. t. 1457.
	minor. E.B.						
3	angustifolia. E.B.	(br.) lesser.	Britain.		—	H.w. 2.	Eng. bot. v. 21. t. 1456.
4	minima. w.	(br.) least.	Europe.	1819.	—	H.w. 2.	
5	dænatica. E.	(br.) Egyptian.	Egypt.	1825.	—	H.w. 2.	
SPARGANIUM. L.		BUR-REED.	Monœcia Triandria. L.				
1	ramosum. E.B.	(wh.) branched.	Britain.		7. 8.	H.w. 2.	Eng. bot. v. 11. t. 744.
2	simplex. E.B.	(wh.) unbranched.	—		—	H.w. 2.	— v. 11. t. 745.
3	americanum. N.	(wh.) American.	N. America.	1823.	—	H.w. 2.	
4	natans. E.B.	(wh.) floating.	England.		7.	H.w. 2.	Eng. bot. v. 4. t. 273.

ORDO CC.

AROIDEÆ. *Juss. gen. 23.*

Sect. I. *ORONTIACEÆ. Brown prodr. 1. p. 337.*

P'OTHOS. L.		P'OTHOS.	Tetrandria Monogynia. L.				
1	scandens. R.S.	(gr.) climbing.	E. Indies.	1818.	4. 6.	S. 2.	Rheed. mal. 7. t. 40.
2	officinalis. F.I.	(st.) officinal.	—	1820.	4. 7.	S. 2.	—
3	Peepia. F.I.	(st.) Peeplee.	—	—	—	S. 2.	—
4	gigantea. F.I.	(pu. ye.) gigantic.	—	1824.		S. 2.	—
5	pertusa. F.I.	(gr.) perforated.	—	—		S. 2.	Rheed. mal. 12. t. 20. 21.
6	lanceolata. R.S.	(vi.) lance-leaved.	Barbadoes.	1790.	4. 7.	S. 2.	Plum. amer. 47. t. 62.
7	acaulis. R.S.	(gr.) stemless.	W. Indies.	—	—	S. 2.	Lodd. bot. cab. t. 483.
8	gracilis. R.S.	(gr.) slender.	Trinidad.	1826.	—	S. 2.	Rudg. pl. gui. 1. t. 32.
9	violacea. R.S.	(g. wh.) blue-fruited.	Jamaica.	1793.	4. 6.	S. 2.	Hook. exot. flor. t. 55.
10	cannæfolia. R.S.	(wh.) sweet-scented.	W. Indies.	1785.	4. 5.	S. 2.	Bot. mag. t. 603.
11	crassinervia. R.S.	(gr.) thick-nerved.	S. America.	1796.	4. 6.	S. 2.	Jacq. ic. 3. t. 609.
12	cordata. R.S.	(gr.) heart-leaved.	—	1770.	4.	S. 2.	Plum. ic. 26. t. 38.
13	sagittata. B.M.	(g. br.) arrow-leaved.	W. Indies.	1800.	8.	S. 2.	Bot. mag. t. 1584.
14	macrophylla. R.S.	(gr.) large-leaved.	—	1794.	5. 6.	S. 2.	Jacq. ic. 3. t. 610.
15	obtusifolia. R.S.	(g. br.) blunt-leaved.	Barbadoes.	1790.	—	S. 2.	—
16	coriacea. H.E.F.	(g. br.) leathery.	Brazil.	1824.	6.	S. 2.	Hook. ex. flor. t. 210.
17	Harrisii. H.E.F.	(g. br.) Harris's.	—	—	—	S. 2.	— t. 211.
18	caudata. F.I.	(gr.) tailed.	E. Indies.	1824.		S. 2.	—
19	pinnata. w.	(gr.) wing-leaved.	—	1820.		S. 2.	Rumph. am. 5. t. 183. f. 2.
20	decursiva. F.I.	(gr.) pinnatifid-leaved.	—	1824.		S. 2.	—
21	pinnatifida. F.I.	(gr.) pinnatifid.	—	1825.		S. 2.	—
22	heterophylla. F.I.	(pu.) various-leaved.	—	1822.		S. 2.	—
23	Lasia. F.I.	(re.) prickly.	—	1819.		S. 2.	—
24	digitata. R.S.	(pu.) fingered.	Caracas.	1823.		S. 2.	Jacq. ic. 3. t. 611.
25	palmata. R.S.	(g. pu.) palmated.	S. America.	1803.	6. 7.	S. 2.	Plum. amer. t. 64. 65.
26	pentaphylla. R.S.	(bl.) five-leaved.	Cayenne.	—	10. 11.	S. 2.	Bot. mag. t. 1375.
27	rubrinervia. L.en.	(pu.) red-nerved.	S. America.	1820.		S. 2.	—
28	microphylla. B.M.	(br.) small-leaved.	Brazil.	—	8. 10.	S. 2.	Bot. mag. t. 2953.
SYMPLOCARPUS. N.		SCUNKWEED.	Tetrandria Monogynia. N.				
	fœtidus. N.	(d. pu.) fetid.	N. America.	1735.	3. 5.	H. 2.	Swt. br. fl. gar. t. 57.
<i>Pöthos fœtida</i> B.M. 836. <i>Dracœntium fœtidum</i> . w.							
DRACONTIUM. W.		DRAGON.	Heptandria Monogynia. L.				
1	polyphyllum. w.	(d. pu.) purple-stalked.	India.	1759.	3. 6.	S. 2.	Bot. reg. t. 700.
2	spinosum. w.	(d. pu.) prickly.	Ceylon.	—	4. 5.	S. 2.	—
GYMNOSTACHYS. B.P.		GYMNOSTACHYS.	Tetrandria Monogynia.				
	anceps. B.P.	(gr.) flat-stemmed.	N. S. W.	1820.	6. 8.	G. 2.	—
HOULTUYNIA. J.		HOULTUYNIA.	Polyandria Polygynia. P.S.				
	cordata. P.S.	(wh.) heart-leaved.	China.	1820.	6. 8.	G. 2.	Bot. mag. t. 2731.

- CARLUDO VICA. R.P. CARLUDO VICA.** Monœcia Polyandria. P.S.
 1 palmâta. R.S. (br.) palmate. S. America. 1818. S. 7.
Sâlmia palmâta. R.S. *Ludôvia palmâta*. P.S.
 2 latifolia. R.P. (br.) broad-leaved. Peru. 1819. 4. 6. S. 7. Bot. mag. t. 2950. et 2951.
 3 angustifolia. R.P. (br.) narrow-leaved. ——— S. 7.
 4 palmæfolia. R.S. (br.) Palm-leaved. St. Domingo. 1826. S. 4. Plum. ic. t. 39.
Sâlmia palmæfolia. w.
 5 jamaicensis. L.C. (br.) Jamaica. Jamaica. 1823. S. 7.
CYCLANTHUS. S.S. CYCLANTHUS. Monœcia Monadelphica.
 1 Plumieri. S.S. (gr.) Plumier's. W. Indies. 1820. S. 4.
 2 bipartitus. S.S. (gr.) cleft-leaved. Trinidad. ——— S. 4.
A'CORUS. L. SWEET-FLAG. Hexandria Monogynia. L.
 1 Calamus. S.S. (gr.) common. Britain. 6. 7. H.w. 4. Eng. bot. v. 5. t. 356.
 2 térrêstris. S.S. (gr.) Chinese. China. 1822. ——— H.w. 4.
 3 gramineus. S.S. (gr.) grass-leaved. ——— 1786. 2. H.w. 4. Smith spic. 15. t. 17.
ORONTIUM. L. ORONTIUM. Hexandria Monogynia. L.
 aquaticum. S.S. (st.) aquatic. N. America. 1775. 6. H.w. 4. Hook. ex. flor. t. 19.
ROHDEA. S.S. ROHDEA. Hexandria Monogynia. S.S.
 japonica. S.S. (ye.) Japan. Japan. 1783. 1. 4. H. 4. Bot. mag. t. 898.
Orôntium japonicum. B.M.
TUPISTRA. B.M. TUPISTRA. Hexandria Monogynia. S.S.
 1 squâlida. B.M. (br.) brown-flowered. E. Indies. 1810. 4. 6. S. 4. Bot. reg. t. 704.
 2 nutans. B.R. (br.) nodding-flowered. ——— 1818. 11. 12. S. 4. ——— t. 1223.
ASPIDISTRA. B.R. ASPIDISTRA. Octandria Monogynia. S.S.
 lûrida. B.R. (br. pu.) brown-flowered. China. 1820. 2. 4. S. 4. Bot. reg. t. 628.
punctata. B.R. 977.

Sect. II. AROIDEÆ VERÆ. Brown prodr. 335.

- CA'LLA. K.S. CA'LLA.** Heptandria Monogynia. L.
 1 palâstris. w. (wh.) marsh. N. Europe. 1768. 7. 8. H.w. 4. Bot. mag. t. 1831.
 2 pertûsa. K.S. (st.) perforated. W. Indies. 1752. 4. 6. S. 4. Jacq. schœn. 2. t. 184. 5.
Dracôntium pertûsum. Jacq.
 3 aromatica. B.M. (wh.) aromatic. E. Indies. 1817. ——— S. 4. Bot. mag. t. 2279.
 4 occûlta. B.C. (wh.) hidden-spiked. China. ——— 5. 7. G. 4. Lodd. bot. cab. t. 12.
RICHA'RDIA. Kth. RICHA'RDIA. Heptandria Monogynia.
 æthiôpica. Kth. (wh.) Ethiopian. C. B. S. 1731. 1. 5. G. 4. Bot. mag. t. 832.
Calla æthiôpica. B.M.
'ARUM. W. 'ARUM. Monœcia Polyandria. L.
 1 crinitum. w. (d. pu.) hairy-sheathed. Minorca. 1777. 3. 4. F. 4. Bot. reg. t. 831.
 2 Dracunculus. w. (pu.) common Dragon. S. Europe. 1548. 6. 7. H. 4. Moris. s. 13. t. 5. f. 46.
 3 Dracôntium. w. (gr.) green Dragon. N. America. 1759. 6. H. 4. Bot. reg. t. 668.
 4 bulbiferum. B.M. (st. br.) bulb-bearing. E. Indies. 1813. 3. 6. S. 4. Bot. mag. t. 2508.
 5 venosum. w. (ye. pu.) purple-flowered. 3. S. 4. Bot. reg. t. 1017.
 6 campanulatum. H. B. (pu.) bell-flowered. E. Indies. 1816. 4. 6. S. 4.
 7 triphyllum. w. (std.) three-leaved. N. America. 1664. 5. 6. H. 4. Lodd. bot. cab. t. 820.
β Zêbrinum. B.M. (std.) striped. ——— H. 4. Bot. mag. t. 950.
 8 pedatum. W. en. (bl. ye.) pedate-leaved. S. America. 1815. ——— S. 4. Pl. sel. hort. ber. t. 8.
 9 polyphyllum. L. en. (pu.) many-leaved. 1818. ——— S. 4.
 10 ringens. w. (pu.) gaping. Japan. 1822. ——— G. 4.
 11 atrorubens. w. (d. re.) purple-stalked. N. America. 1758. 6. 7. H. 4. Pluk. alm. t. 77. f. 5.
 12 ternatum. w. (pu.) Japan. Japan. 1774. 5. 7. F. 4.
 13 Colocasia. w. (br.) Egyptian. Levant. 1551. 6. 8. G. 4. Rumph. amb. 5. t. 109.
 14 orixense. B.P. (re.) Orixian. E. Indies. 1802. 8. 10. S. 4. Bot. reg. t. 450.
 15 macrorhizon. w. (wh.) long-rooted. ——— 1803. S. 4. Herm. parad. t. 73.
 16 pictum. w. (d. pu.) white-veined. S. Europe. 1820. 5. 6. H. 4.
 17 divaricatum. w. (gr.) divaricated. E. Indies. 1759. 6. 7. S. 4. Rheed. mal. 11. t. 20.
 18 trilobatum. w. (pu.) three-lobed. Ceylon. 1714. 5. 6. S. 4. Bot. mag. t. 339.
β auriculatum. B.M. (pu.) eared. ——— S. 4. ——— t. 2324.
 19 maculatum. w. (gr.) common. Britain. 5. 7. H. 4. Eng. bot. v. 19. t. 1298.
 20 orientale. M.B. (br.) oriental. Caucasus. 1818. ——— H. 4.
 21 italicum. w. (gr.) Italian. Italy. 1683. 5. 6. H. 4. Bot. mag. t. 2432.
 22 viviparum. L.C. (gr.) viviparous. 1817. ——— S. 4. Lodd. bot. cab. t. 281.
 23 minutum. w. (re.) small. E. Indies. 1812. 5. 7. S. 4. Rheed. mal. 11. t. 17.
 24 proboscideum. w. (w. pu.) proboscis. Apennines. 1825. ——— H. 4. Bocca. mus. 2. t. 50.
 25 Arisærum. w. (gr.) Friar's Cowsl. S. Europe. 1596. 4. 6. F. 4. Jacq. schœn. 2. t. 192.
 26 tenuifolium. w. (d. pu.) grass-leaved. ——— 1570. ——— H. 4. Bot. reg. t. 512.

spirale. w.	(<i>pu.</i>) spiral.	E. Indies.	1816.	4. 6.	S. 2.	Bot. mag. t. 2220.
28 gramineum. s.s.	(<i>pu.</i>) grass-leaved.	S. Europe.	1824.	—	H. 2.	
29 flagelliforme. B.C.	(<i>pu.</i>) whip-cord.	E. Indies.	—	—	S. 2.	Lodd. bot. cab. t. 396.
30 sagittifolium. L.en.	.. arrow-leaved.				S. 2.	
31 hederaceum. w.	(<i>pu.</i>) Ivy-leaved.	W. Indies.	1793.	5. 6.	S. 2.	Jacq. amer. t. 152.
32 obtusilobum. L.en.	(<i>pu.</i>) blunt-lobed.		1816.	—	S. 2.	
33 indicum. Lour.	(<i>pu.</i>) Indian.	China.	—		S. 2.	
34 ramosum. L.en.	(<i>pu.</i>) branching.		—	—	S. 2.	
35 lingulatum. w.	(<i>ye.</i>) tongue-leaved.	W. Indies.	1793.	—	S. 2.	Plum. ic. 26. t. 37.
36 integrifolium. L.en.	(<i>gr.</i>) entire-leaved.		1820.		S. 2.	
CALADIUM. V. CALADIUM. Monœcia Polyandria. W.						
1 helloborifolium. w.	(<i>wh.</i>) Hellebore-leaved.	Caracas.	1796.	6. 7.	S. 2.	Jacq. ic. 3. t. 613.
2 pinnatifidum. w.	(<i>pu.</i>) pinnatifid.	—	1817.	—	S. 2.	Jacq. schœn. 2. t. 187.
3 bicolor. w.	(<i>wh.</i>) two-coloured.	Brazil.	1773.	—	S. 2.	Bot. mag. t. 2543.
4 nymphæifolium. w.	(<i>sn.</i>) Water-lily-leaved.	E. Indies.	1800.		S. 2.	Rheed. mal. 11. t. 22.
5 esculentum. w.	(<i>g. pu.</i>) esculent.	America.	1739.	6. 8.	S. 2.	Sloan. jam. 1. t. 106. f. 1.
6 odorum. B.R.	(<i>gr.</i>) odoriferous.	E. Indies.	1818.	5. 7.	S. 2.	Bot. reg. t. 641.
7 viviparum. H.P.	(<i>wh.</i>) viviparous.	—	1816.	—	S. 2.	Lodd. bot. cab. t. 281.
8 sagittifolium. w.	(<i>wh.</i>) arrow-leaved.	W. Indies.	1710.	—	S. 2.	Jacq. vind. 2. t. 157.
9 virginicum. H.E.F.	(<i>st.</i>) Virginian.	N. America.	1759.	6. 7.	H. 2.	Hook. ex. flor. t. 182.
'Arum virginicum. w.						
10 seguinum. w.	(<i>gr.</i>) Dumb Cane.	America.	—	5.	S. 2.	Hook. ex. flor. t. 1.
11 maculatum. B.C.	(<i>gr.</i>) spotted.	Trinidad.	1820.	4. 12.	S. 2.	Lodd. bot. cab. t. 608.
seguinum β maculatum. Bot. mag. t. 2606.						
12 scandens. s.s.	(<i>wh.</i>) climbing.	Guinea.	1822.		S. 2.	Beauv. fl. owar. t. 3.
13 cucullatum. P.S.	(<i>gr.</i>) hooded.	China.	1816.		S. 2.	
14 xanthorhizum. w.	(<i>st.</i>) yellow-rooted.		—	4. 8.	S. 2.	Jacq. schœn. 2. t. 188.
15 grandifolium. w.	(<i>wh.</i>) large-leaved.	Caracas.	1803.	3. 7.	S. 2.	Bot. mag. t. 2643.
16 arborescens. w.	(<i>wh.</i>) tree.	W. Indies.	1759.	6. 7.	S. 2.	Plum. amer. 44. t. 60.
17 lacerum. w.	(<i>gr.</i>) torn-leaved.	Caracas.	1822.		S. 2.	
18 tripartitum. w.	(<i>wh.</i>) ternate-leaved.	—	1816.		S. 2.	Jacq. schœn. 2. t. 190.
19 auritum.	(<i>wh.</i>) ear-leaved.	S. America.	1739.	6. 8.	S. 2.	— 2. t. 191.
20 pedatum. H.E.F.	(<i>ye.</i>) pedate-leaved.	Brazil.	1824.	—	S. 2.	Hook. ex. flor. t. 206.
21 aculeatum. s.s.	(<i>wh.</i>) prickly.	Surinam.	1822.		S. 2. 2.	
AMBROSINIA. W. AMBROSINIA. Monœcia Monandria. W.						
1 Bässii. w.	(<i>gr. pu.</i>) flat oval-leaved.	S. Europe.	1823.	6. 8.	H. 2.	Lam. ill. t. 737.
2 ciliaris. s.s.	(<i>gr. pu.</i>) fringed-spated.	E. Indies.	1824.		S. 2.	

Sect. III. TACCACEÆ.

TA'CCA. W.		TA'CCA. Hexandria Monogynia. L.				
1 pinnatifida. w.	(<i>pu.</i>) Salep.	E. Indies.	1793.	6. 8.	S. 2.	Lodd. bot. cab. t. 692.
2 aspera. H.B.	(<i>pu.</i>) rough-stemmed.	—	1820.		S. 2.	
3 lævis. H.B.	(<i>pu.</i>) smooth.	—	—		S. 2.	
4 integrifolia. B.M.	(<i>pu.</i>) entire-leaved.	—	1810.	5. 7.	S. 2.	Bot. mag. t. 1488.

ORDO CCI.

PIPERACEÆ. *Kth. synops.* 1. p. 103.

SAURURUS. W.		LIZARD'S-TAIL. Heptandria Tetragynia. L.				
1 cernuus. w.	(<i>wh.</i>) drooping.	Virginia.	1759.	9.	H. w. 2.	Lam. ill. t. 1.
2 lucidus. s.s.	(<i>wh.</i>) shining.	N. America.	1791.	8. 10.	H. w. 2.	Jacq. ecl. t. 18.
3 chinensis. Hort.	(<i>wh.</i>) Chinese.	China.	1819.	—	H. w. 2.	
PIPER. R.P.		PEPPER. Diandria Trigynia. L.				
1 coriaceum. R.S.	(<i>gr.</i>) coriaceous.	E. Indies.	1815.	7. 8.	S. 2.	Lodd. bot. cab. t. 128.
2 nitidum. R.S.	(<i>wh.</i>) glossy.	Jamaica.	1793.	5. 6.	S. 2.	
3 peltatum. R.S.	(<i>gr.</i>) peltated.	W. Indies.	1748.		S. 2.	Plum. amer. t. 74.
4 umbellatum. R.S.	(<i>gr.</i>) umbelled.	—	—	5. 7.	S. 2.	Flor. peruv. 1. t. 59. f. a.
5 macrophyllum. R.S.	(<i>gr.</i>) broad-leaved.	—	1800.		S. 2.	Sloan. hist. 1. t. 88. f. 1.
6 geniculatum. R.S.	(<i>gr.</i>) jointed.	—	1826.		S. 2.	
7 aduncum. R.S.	(<i>gr.</i>) hooked.	Jamaica.	1748.	5.	S. 2.	Jacq. ic. 2. t. 210.

8	hirsutum. R.S.	(br.) hairy-leaved.	Jamaica.	1793.	7.	S. h.	
9	hispidum. R.S.	(gr.) hispid.	S. America.	—	—	S. h.	
10	tuberculatum. R.S.	(gr.) tuberculate.	—	1816.		S. h.	Jacq. ic. 2. t. 211.
11	ovatum. R.S.	(gr.) oval-leaved.	Trinidad.	1824.		S. h.	
12	Amalago. R.S.	(gr.) rough-leaved.	Jamaica.	1759.		S. h.	Sloan. hist. 1. t. 87. f. 1.
13	Betle. R.S.	(gr.) Betle.	E. Indies.	1804.		S. h.	Rheed. mal. 7. t. 15.
14	nigrum. R.S.	(gr.) black.	—	1790.		S. h.	— 7. t. 12.
15	trioicum. F.I.	(gr.) glaucous-leaved.	—	1818.		S. h.	
16	reticulatum. R.S.	(gr.) netted.	W. Indies.	1748.	8.	S. h.	Plum. amer. t. 75.
17	decumanum. R.S.	(gr.) great.	Carthageria.	1768.		S. h.	Jacq. ic. 2. t. 215.
18	Siriboa. R.S.	(gr.) Siriboa.	E. Indies.	—		S. h.	Rumph. am. 5. t. 117. f. 2.
19	longum. R.S.	(gr.) long.	—	1788.		S. h.	Rheed. mal. 7. t. 14.
20	glabrum. H.S.S.	(gr.) smooth.	Campeachy.	1768.		S. h.	
21	laurifolium. H.S.S.	(gr.) Laurel-leaved.	Jamaica.	—		S. h.	
22	racemosum. H.S.S.	(gr.) racemed.	Campeachy.	—		S. h.	
<i>Staphyle. R.S.</i>							
23	acutifolium. R.S.	(gr.) acute-leaved.	Peru.	1823.		S. h.	Flor. per. 1. t. 64. f. a.
24	colubrinum. L.en.	(gr.) spotted-stalked.	Brazil.	1820.		S. h.	
25	plantagineum. R.S.	(gr.) Plantain-leaved.	W. Indies.	—		S. h.	Jacq. ic. 1. t. 8.
<i>medium. Jacq.</i>							
26	marginatum. L.en.	(gr.) purple-edged.	S. America.	1811.		S. h.	Jacq. ic. 2. t. 215.
27	unguiculatum. R.S.	(gr.) claw-pointed.	Peru.	1822.		S. h.	Flor. per. 1. t. 57. f. b.
<i>glaucescens. Jacq. ecl. 1. t. 76.</i>							
28	humile. Mill.	(gr.) humble.	Jamaica.	1768.		S. h.	
29	tomentosum. H.S.S.	(gr.) oval-leaved downy.	Vera Cruz.	—		S. h.	
30	sidaefolium. L.en.	(gr.) Sida-leaved.	S. America.	1821.	5. 7.	S. h.	Lk. et Ot. ic. sel. 1. t. 6.
PEPEROMIA. R.P. PEPEROMIA.							
<i>Diandria Trigynia.</i>							
1	brachyphylla. (gr.)	short-leaved.	—	1818.		S. h.	
<i>Piper brachyphyllum. R.S.</i>							
2	amplexicaulis. R.S.	(gr.) stem-clasping.	W. Indies.	1793.	6. 9.	S. y.	
3	magnoliaefolia. R.S.	(gr.) Magnolia-leaved.	—	—	1. 3.	S. y.	Jacq. ic. 2. t. 213.
4	obtusifolia. R.S.	(gr.) blunt-leaved.	S. America.	1739.	4. 7.	S. y.	Trew chret. 54. t. 96.
5	clusiaefolia. B.M.	(gr.) Clusia-leaved.	—	1739.	4. 7.	S. y.	Bot. mag. t. 2943.
6	cuneifolia. R.S.	(gr.) wedge-leaved.	Caracas.	1809.	—	S. y.	Jacq. ic. 2. t. 214.
7	alata. R.P.	(gr.) winged.	S. America.	1812.		S. y.	Flor. per. 1. t. 48. f. b.
8	acuminata. R.S.	(gr.) acuminate.	W. Indies.	—	4. 9.	S. y.	Bot. mag. t. 1882.
9	maculosa. R.S.	(gr.) spot-stalked.	St. Domingo.	1790.	9.	S. y.	Hook. ex. flor. t. 92.
10	pellucida. K.S.	(gr.) pellucid.	S. America.	1748.	4. 9.	S. y.	Plum. amer. t. 72.
11	concinna. K.R.	(gr.) small heart-leaved.	Jamaica.	1821.	—	S. y.	
12	rotundifolia. K.S.	(gr.) round-leaved.	S. America.	1823.		S. y.	Plum. amer. t. 69.
13	hispidula. R.S.	(gr.) annual hispid.	Jamaica.	1818.	8. 10.	S. y.	Swartz icon. t. 4.
14	nummularifolia. K.S.	(gr.) money-wort-leaved.	—	—	4. 9.	S. y.	
15	pubescens. R.S.	(gr.) pubescent.	—	—	—	S. y.	
16	subrotunda. H.S.S.	(gr.) small Clusia-leaved.	—	1811.	—	S. y.	
17	repens. K.S.	(gr.) creeping.	S. America.	1823.	—	S. y.	
18	serpens. R.S.	(gr.) trailing.	Jamaica.	—	—	S. y.	
19	incana. H.E.F.	(gr.) great downy.	Brazil.	1814.	2. 6.	S. y.	Hook. ex. flor. t. 66.
20	amplexifolia. L.en.	(gr.) clasping-leaved.	Jamaica.	1822.	—	S. y.	
21	talinifolia. K.S.	(gr.) Talinum-leaved.	S. America.	—	4. 8.	S. y.	H. et B. n. gen. 1. t. 8.
22	pulchella. R.S.	(gr.) small-leaved.	Jamaica.	1778.	7. 10.	S. y.	Lodd. bot. cab. t. 574.
23	pereskiaefolia. K.S.	(gr.) Pereskia-leaved.	S. America.	1820.	5. 6.	S. y.	Hook. ex. flor. t. 67.
24	blanda. K.S.	(gr.) villous.	Caracas.	1802.	5. 11.	S. y.	— t. 21.
25	verticillata. R.S.	(gr.) whorl-leaved.	Jamaica.	1816.	6. 10.	S. y.	
26	polystachia. H.E.F.	(gr.) many-spiked.	W. Indies.	1775.	6. 7.	S. y.	Hook. ex. flor. t. 23.
27	quadrifolia. H.E.F.	(gr.) four-leaved.	Santa Cruz.	1818.	5. 10.	S. y.	— t. 22.
28	Haworthii. (gr.)	Haworth's.	India.	1809.	9. 10.	S. y.	
<i>Piper pubescens. H.S. non Vahl.</i>							
29	inaequalifolia. R.P.	(gr.) unequal-leaved.	Peru.	1800.	8. 10.	S. y.	Flor. peruv. 1. t. 46. f. a.
30	stellata. R.S.	(gr.) starry.	Jamaica.	1802.	5. 7.	S. y.	Jacq. vind. 2. t. 217.
31	rubricaule. L.en.	(gr.) red-stalked.	W. Indies.	1815.	—	S. y.	Nees. hort. ber. t. 8.
32	rubella. H.E.F.	(gr.) red-leaved.	Jamaica.	1820.	—	S. y.	Hook. ex. flor. t. 58.
33	trifolia. R.S.	(gr.) three-leaved.	S. America.	1802.	6. 8.	S. y.	Plum. amer. t. 68.
34	distachya. R.S.	(gr.) two-rowed.	W. Indies.	1793.	—	S. y.	— t. 67.
35	discolor. R.S.	(gr.) two-coloured.	Jamaica.	1821.	7. 8.	S. h.	Lodd. bot. cab. t. 610.
36	capensis. R.S.	(gr.) Cape.	C. B. S.	1816.	—	G. h.	
37	tricarinata. H.S.S.	(gr.) triple-keeled.	—	1817.	—	S. h.	

ORDO CCII.

ORCHIDEÆ. *Juss. gen. 64.*

O'RHIS. B.P.	O'RHIS. Gynandria Monandria. H.K.				
1 Mōrio. w. (pu.) meadow.	Britain.		4. 6. H.b. 2.	Eng. bot. v. 29. t. 2059.	
2 longicōrnu. w. (pu.) flat-spurred.	Barbary.	1815.	— H.b. 2.	Swt. br. fl. gar. t. 249.	
3 pāllens. w. (st.) pale.	Switzerland.	1825.	5. 6. H.b. 2.	Jacq. aust. t. 45.	
4 máscula. w. (pu.) early purple.	Britain.		4. 5. H.b. 2.	Eng. bot. v. 9. t. 631.	
5 palūstris. w. (li.) marsh.	Europe.	1824.	— H.b. 2.	Jacq. ic. t. 181.	
6 pauciflōra. T.N. (ye.) few-flowered.	Italy.	1825.	6. 7. H.b. 2.	Ten. fl. nap. t. 88.	
7 Nicodēmi. T.N. (pu.) Nicodemus's.	—	—	— H.b. 2.	— t. 90.	
8 Cyrilli. T.N. (ye.) Cyrillo's.	Naples.	—	— H.b. 2.	— t. 87.	
9 parviflōra. T.N. (pu.) small-flowered.	Italy.	—	— H.b. 2.	—	
10 ustulāta. w. (pu.) dwarf.	England		5. 6. H.b. 2.	Eng. bot. v. 1. t. 18.	
11 militāris. w. (pu.) military.	Switzerland.	1825.	4. 6. H.b. 2.	Swt. br. fl. gar. t. 163.	
12 Rivini. B.F.G. (li.pu.) Rivinus's.	—	—	5. 6. H.b. 2.	— t. 162.	
13 Smithii. B.F.G. (ro.pa.) Smith's.	England.		— H.b. 2.	Eng. bot. v. 27. t. 1873.	
<i>militāris. E.B. non v.</i>					
14 fūscā. w. (br.re.) brown.	—		— H.b. 2.	Jacq. aust. 4. t. 307.	
15 Simia. P.S. (pa.bh.) Ape.	—		— H.b. 2.	—	
16 undulatiflōia. B.B. (li.) wave-leaved.	Italy.	1818.	— H.b. 2.	Bot. reg. t. 375.	
17 tephrosānthos. w. (pa.) ash-coloured.	England.		— H.b. 2.	Vaill. bot. t. 31. f. 25-26.	
18 acumināta. w. (li.wh.) pointed-flower'd.	S. Europe.	1815.	4. 6. H.b. 2.	Bot. mag. t. 1932.	
19 variegāta. w. (li.wh.) variegated.	Switzerland.	1825.	— H.b. 2.	Hall. helv. t. 30.	
20 globōsa. w. (pu.) round-spiked.	—	1792.	6. 7. H.b. 2.	Jacq. aust. 3. t. 265.	
21 coriōphora. w. (pu.) strong-scented.	S. Europe.	1825.	5. 6. H.b. 2.	Swt. br. fl. gar. t. 219.	
22 hircina. w. (gr.pu.) Lizard.	England.		6. 7. H.b. 2.	Eng. bot. v. 1. t. 34.	
<i>Satyrium hircinum. E.B.</i>					
23 Robertiana. P.S. (pu.) long-bracted.	S. Europe.	1818.	5. 6. H.b. 2.	Ten. fl. nap. t. 91.	
24 longibractea. s.s. (pu.) long-bracted.	—	—	— H.b. 2.	Bot. reg. t. 357.	
25 quadripunctāta. T.N. (pu.) four-spotted.	Italy.	1828.	— H.b. 2.	Ten. flor. nap. t. 89.	
26 saccāta. T.N. (pu.) saccate.	Sicily.	—	— H.b. 2.	—	
27 papilionācea. w. (pu.) papilionaceous.	S. Europe.	1788.	6. 7. H.b. 2.	Bot. reg. t. 1155.	
28 pseudosambucina. T.N. (pu.) Elder-smelling.	Italy.	1828.	— H.b. 2.	Ten. flor. nap. t. 86.	
β lutescens. T.N. (ye.) pale yellow.	—	—	— H.b. 2.	— t. 86. f. b.	
29 sulphūrea. B.M. (st.) pale-yellow.	S. Europe.	1823.	5. 6. H.b. 2.	Bot. mag. t. 2569.	
30 sambucina. w. (ye.) Elder-scented.	Europe.	1825.	4. 5. H.b. 2.	Swt. br. fl. gar. t. 299.	
31 Schleicheri. B.F.G. (re.) Schleicher's.	Switzerland.	—	— H.b. 2.	— t. 199.	
<i>sambucina β rubra. Sch. non Jacq.</i>					
32 latiflōia. w. (pu.) broad-leaved.	Britain.		5. 6. H.b. 2.	Eng. bot. v. 33. t. 2308.	
33 maculāta. w. (li.pu.) spotted-palmate.	—		6. 7. H.b. 2.	— v. 9. t. 632.	
34 spectābilis. w. (wh.pu.) showy American.	N. America.	1801.	— H.b. 2.	Swt. br. fl. gar. t. 65.	
ANACAMPTIS. R.O. ANACAMPTIS. Gynandria Monandria.					
pyramidālis. R.O. (er.) pyramidal.	Britain.		6. 7. H.b. 2.	Eng. bot. v. 2. t. 110.	
<i>O'rchis pyramidālis. E.B.</i>					
GYMNADENIA. H.K. GYMNA'DENIA. Gynandria Monandria. H.K.					
1 conōpsea. H.K. (ro.) fragrant.	Britain.		6. 7. H.b. 2.	Eng. bot. v. 1. t. 10.	
<i>O'rchis conōpsea. E.B.</i>					
2 odoratissima. R.O. (li.) sweet-scented.	Switzerland.	1824.	— H.b. 2.	Jacq. aust. 3. t. 264.	
3 viridis. R.O. (gr.) Frog.	Britain.		— H.b. 2.	Eng. bot. v. 2. t. 94.	
<i>Satyrium viride. E.B. O'rchis viridis. H.K.</i>					
4 ālbida. R.O. (wh.) small white.	—		— H.b. 2.	Eng. bot. v. 8. t. 505.	
A'CERAS. H.K. A' CERAS. Gynandria Monandria. H.K.					
anthropōphora. H.K. (gr.) green-man.	England.		6. H.b. 2.	Swt. br. fl. gar. t. 168.	
HERMI'NIUM. H.K. HERMI'NIUM. Gynandria Monandria. H.K.					
Monōrchis. H.K. (st.) musk.	England.		6. 7. H.b. 2.	Eng. bot. v. 1. t. 71.	
<i>Ophrys Monōrchis. E.B.</i>					
CHAMO'RHIS. R.O. CHAMO'RHIS. Gynandria Monandria.					
alpina. R.O. (wh.) Alpine.	Switzerland.	1825.	6. 7. H.b. 2.	Jacq. vind. 1. t. 9.	
<i>Chamærèpes alpina. s.s. Ophrys alpina. Jacq.</i>					
NIGRITE'LLA. R.O. NIGRITE'LLA. Gynandria Monandria.					
angustiflōia. R.O. (d.pu.) dark-flowered.	N. Europe.	1759.	6. 7. H.b. 2.	Flor. dan. t. 998.	
<i>Satyrium nigrum. L. O'rchis nigra. Sw. Habenaria nigra. H.K.</i>					
PLATAN'THERA. R.O. PLATAN'THERA. Gynandria Monandria.					
biflōia. R.O. (wh.) Butterfly.	Britain.		5. 6. H.b. 2.	Eng. bot. v. 1. t. 22.	
<i>O'rchis biflōia. E.B. Habenaria biflōia. H.K.</i>					

- HABEN'ARIA. H.K. HABEN'ARIA. Gynandria Monandria. H.K.**
- 1 leptoceras. w. (gr. ye.) slender-spurred. S. America. 1825. 10. S.b. 2. Bot. mag. t. 2726.
 2 macroceras. w. (g. wh.) long-horned. Jamaica. 1828. 9. 10. S.b. 2. — t. 2947.
 3 bracteata. H.K. (gr.) long-bracted. N. America. 1805. 5. 6. H.b. 2. Swt. br. fl. gar. t. 62.
 4 hyperborea. H.K. (gr.) northern. N. Europe. — 6. 7. H.b. 2. Retz. obs. 4. t. 3.
 5 herbiola. H.K. (gr.) American. N. America. 1789. — H.b. 2. —
 6 dilatata. H.E.F. (wh.) dilated. — 1822. 7. 8. H.b. 2. Hook. ex. flor. t. 95.
 7 orbiculata. H.E.F. (st.) round-leaved. — 1823. — H.b. 2. — t. 145.
 8 tridentata. H.E.F. (wh.) three-toothed. — 1819. 5. 6. H.b. 2. — t. 81.
 9 ciliaris. H.K. (ye.) yellow-fringed. — 1796. 6. 7. H.b. 2. Bot. mag. t. 1668.
 10 blephariglottis. s.s. (w.) white fringed. — 1822. — H.b. 2. Hook. ex. flor. t. 87.
 11 cristata. H.K. (ye.) yellow crested. — 1806. 9. H.b. 2. —
 12 psycodes. s.s. (ye.) yellow jagged. — 1823. 6. 8. H.b. 2. —
Orchis psycodes. w.
- 13 lacera. B.C. (st.) torn-flowered. — 1818. 7. H.b. 2. Lodd. bot. cab. t. 229.
 14 fimbriata. H.K. (pu.) purple-fringed. — 1777. — H.b. 2. Bot. reg. t. 405.
- BARTHOLINA. H.K. BARTHOLINA. Gynandria Monandria. H.K.**
- pectinata. H.K. (wh.) pectinated. C. B. S. 1787. 10. G.b. 2. Jour. Sc. v. 4. t. 8. f. 2.
Orchis Burmanniana. Sw. pectinata. w.
- BON'ATEA. W. BON'ATEA. Gynandria Monandria.**
- speciosa. w. (gr. wh.) handsome. C. B. S. 1820. 7. 9. G.b. 2. Lodd. bot. cab. t. 284.
- SERAPIAS. H.K. SERAPIAS. Gynandria Monandria. H.K.**
- 1 lingua. w. (re.) tongue-lipped. S. Europe. 1786. 5. 6. F.b. 2. Hook. ex. flor. t. 11.
 2 longipetala. (st.) long-flowered. Italy. 1825. — H.b. 2. Bot. reg. t. 1189.
Helleborine longipetala. Ten. fl. nap. t. 98.
 3 cordigera. w. (pu.) heart-lipped. S. Europe. 1806. 7. 8. F.b. 2. Andr. reposit. t. 475.
- 'OPHRYS. H.K. 'OPHRYS. Gynandria Monandria. H.K.**
- 1 apifera. w. (bk.) Bee. England. 6. 7. H.b. 2. Eng. bot. v. 6. t. 383.
 2 tenthredinifera. w. (re. y.) Saw-fly. S. Europe. 1815. 4. 5. H.b. 2. Bot. reg. t. 205.
β minor. B.R. (br. ye.) lesser. — 1826. — H.b. 2. — t. 1093.
 3 grandiflora. T.N. (re. y. br.) large-flowered. Italy. 1828. — H.b. 2. Ten. flor. nap. t. 94.
 4 hiulca. s.s. (br. ye.) Roman. Rome. 1826. — H.b. 2. —
 5 arachnites. w. (bh. br.) black Spider. Switzerland. 1805. — H.b. 2. Bot. mag. t. 2516.
 6 aranifera. w. (d. br.) common Spider. England. — H.b. 2. Eng. bot. v. 1. t. 65.
limbata. B.R. (da.) dark-limbed. S. Europe. 1826. — H.b. 2. Bot. reg. t. 1197.
 7 arachnoides. A.R. (br. bh.) Spider-like. Italy. 1805. — H.b. 2. Andr. reposit. t. 470.
 8 ciliata. T.N. (br. wh.) fringe-flowered. — 1826. — H.b. 2. Ten. flor. nap. t. 95.
 9 speculum. B.R. (br. bl.) looking-glass. S. Europe. 1818. — H.b. 2. Bot. reg. t. 370.
 10 lutea. H.E.F. (ye.) yellow. — 1821. — H.b. 2. Swt. br. fl. gar. t. 206.
 11 exaltata. T.N. (bh. br.) tall. Italy. 1826. — H.b. 2. Ten. flor. nap. t. 96.
 12 muscifera. E.B. (pu. bl.) Fly. England. 5. 6. H.b. 2. Eng. bot. v. 1. t. 64.
myodes. w.
- 13 fusca. B.R. (br. ye.) dull purple. S. Europe. 1826. 3. 4. H.b. 2. Bot. reg. t. 1071.
 14 atrata. B.R. (gr. pu.) dark-flowered. Rome. — — H.b. 2. — t. 1087.
- SATYRIUM. H.K. SATYRIUM. Gynandria Monandria. H.K.**
- 1 cucullatum. H.K. (g. ye.) cucullate. C. B. S. 1787. 6. 9. F.b. 2. Bot. reg. t. 416.
 2 parviflorum. Sw. (g. bh.) small-flowered. — 1787. 5. 6. F.b. 2. Jacq. schenb. 2. t. 179.
 3 membranaceum. w. (g. y.) membranaceous. — 1822. — F.b. 2. —
 4 coriifolium. w. (ye. or.) leather-leaved. — 1819. 5. 6. F.b. 2. Swt. br. fl. gar. s. 2. t. 3.
 5 foliosum. s.s. (pu.) leafy. — 1828. 7. 8. F.b. 2. —
 6 carneum. H.K. (bh.) great-flowered. — 7. 9. F.b. 2. Bot. mag. t. 1512.
- PTERYG'ODIUM. W. PTERYG'ODIUM. Gynandria Monandria. H.K.**
- 1 alatum. s.s. (ye.) winged. C. B. S. 1821. 6. 8. F.b. 2. —
 2 catholicum. s.s. (ye.) large-flowered. — 1826. — F.b. 2. —
 3 volucris. s.s. (ye.) arrow-lipped. — 1797. 6. 7. F.b. 2. —
- D'ISA. W. D'ISA. Gynandria Monandria. H.K.**
- 1 grandiflora. w. (sc.) large-flowered. C. B. S. 1823. 7. 8. F.b. 2. Bot. reg. t. 926.
 2 cornuta. w. (bh.) horned. — 1805. 6. 7. F.b. 2. —
 3 longicornis. w. (bl.) long-spurred. — 1824. 5. 7. F.b. 2. —
 4 draconis. w. (wh. pu.) Dragon. — 1823. — F.b. 2. —
 5 ferruginea. w. (br.) ferruginous. — 1816. 6. 7. F.b. 2. —
 6 chrysostachya. w. (ye.) golden-spiked. — 1826. — F.b. 2. —
 7 bracteata. w. (gr.) small-flowered. — 1818. — F.b. 2. Bot. reg. t. 324.
 8 flexuosa. w. (st.) flexuose. — 1822. — F.b. 2. —
 9 prasinata. B.R. (gr. pu.) green-flowered. — 1815. — F.b. 2. Bot. reg. t. 209.
 10 spatulata. w. (li.) spatulate. — 1805. — F.b. 2. Journ. sc. v. 4. t. 8. f. 3.
 11 physodes. w. (pu.) nodding. — 1824. — F.b. 2. —
 12 graminifolia. s.s. (bl.) Grass-leaved. — 1822. — F.b. 2. Journ. sc. v. 6. t. 1. f. 2.
 13 maculata. w. (bl.) spotted-stalked. — 1816. 7. 8. F.b. 2. —

- DI'SPERIS. W.** **DI'SPERIS.** Gynandria Monandria. H.K.
 1 capensis. w. (cr.) Cape. C. B. S. 1816. 5. 6. F.b. 2.
 2 cucullata. w. (li.) cucullate. ——— 1822. 6. 7. F.b. 2.
 3 secunda. w. (st.) side-flowering. ——— 1797. — F.b. 2.
CORY'CIIUM. W. **CORY'CIIUM.** Gynandria Monandria.
 1 orobanchoides. w. (ye.) Orobanche-like. C. B. S. 1825. 6. 8. F.b. 2.
 2 crispum. w. (ye.) curled-leaved. ——— 5. 6. F.b. 2. Buxb. cent. 3. t. 11.
GLO'SSULA. B.R. **GLO'SSULA.** Gynandria Monandria.
 tentaculata. B.R. (gr.) horned. China. 1824. 5. 6. F.b. 2. Bot. reg. t. 862.
GOODY'ERA. H.K. **GOODY'ERA.** Gynandria Monandria. H.K.
 1 repens. H.K. (wh.) creeping. Scotland. 7. 8. H. 2. Eng. bot. v. 5. t. 289.
Satyrium repens. E.B. *Neottia repens.* w.
 2 tessellata. B.C. (wh.) tessellated. N. America. 1823. 6. 7. H. 2. Lodd. bot. cab. t. 952.
Neottia repens. Ph. *Goodyera pubescens.* β minor. B.M. 2540.
 3 pubescens. H.K. (wh.) downy. N. America. 1802. — H. 2. Swt. br. fl. gar. s. 2. t. 47.
 4 procera. H.E.F. (wh.) Nepaul. Nepaul. 1821. 7. 12. G. 2. Hook. ex. flor. t. 39.
Neottia procera. B.R. 639.
 5 discolor. B.R. (wh.) red-leaved. S. America. 1815. 10. 12. S. 2. Bot. reg. t. 271.
PELE'XIA. B.R. **PELE'XIA.** Gynandria Monandria. B.R.
 spiranthoides. B.R. (gr.) decurrent-lipped. W. Indies. 1823. 3. S. 2. Bot. reg. t. 985.
Neottia adnata. Sw.
STENORHY'NCHUS. R.O. **STENORHY'NCHUS.** Gynandria Monandria.
 1 speciosus. R.O. (sc.) showy. W. Indies. 1790. 3. 6. S. 2. Bot. mag. t. 1374.
Neottia speciosa. Hook. ex. flor. t. 39.
 2 orchoides. R.O. (pu.) frosted-flowered. Jamaica. 1806. — S. 2. Bot. reg. t. 701.
 3 plantagineus. H. (pu.) Plantain-leaved. W. Indies. 1825. — S. 2. Hook. ex. flor. t. 226.
Neottia plantaginea. Hooker.
 4 aphylla. (br. li.) leafless. Trinidad. — S. 2. Bot. mag. t. 2797.
Neottia aphylla. B.M.
NEO'TTIA. H.K. **NEO'TTIA.** Gynandria Monandria. H.K.
 1 macrantha. (wh.) great-flowered. W. Indies. 1827. 3. 6. S. 2. Bot. mag. t. 2956.
Neottia? grandiflora. B.M. t. 2956. non t. 2730.
 2 grandiflora. B.M. (gr.) large-flowered. Brazil. 1825. 2. 5. S. 2. Bot. mag. t. 2730.
Spiranthes grandiflora. Bot. reg. t. 1043.
 3 bicolor. B.R. (wh.) two-coloured. W. Indies. 1821. 7. 8. S. 2. Bot. reg. t. 794.
 4 elata. w. (wh.) tall. ——— 1790. 4. 6. S. 2. Bot. mag. t. 2026.
 5 picta. H.K. (wh.) painted-leaved. Trinidad. 1805. 2. 4. S. 2. ——— t. 1562.
 6 cernua. H.K. (wh.) nodding-flowered. N. America. 1796. 8. 10. H. 2. Swt. br. fl. gar. t. 42.
 7 tortilis. w. (wh.) twisting-spiked. W. Indies. 1822. 6. 7. S. 2.
 8 æstivalis. m. (wh.) summer. N. America. — H. 2.
tortilis. Ph. non Sw.
 9 spiralis. H.K. (wh.) Ladies-traces. Britain. 8. 9. H.b. 2. Eng. bot. v. 8. t. 541.
Ophrys spiralis. E.B.
 10 pudica. (bh.) modest. China. 1819. 9. 12. H.b. 2. Lindl. coll. t. 30.
australis. β. B.R. t. 602. *Spiranthes pudica.* Lindl. col.
 11 australis. B.P. (wh.) southern. N. S. W. 1826. — F.b. 2.
CALOC'HILUS. B.P. **CALOC'HILUS.** Gynandria Monandria. B.P.
 1 campéstris. B.P. (wh.) field. N. S. W. 1826. 4. 6. F.b. 2.
 2 paludosus. B.P. (wh.) marsh. ——— F.b. 2.
PONTHIE'VA. H.K. **PONTHIE'VA.** Gynandria Monandria. H.K.
 1 glandulosa. H.K. (gr.) glandular. W. Indies. 1800. 1. 3. S. 2. Bot. mag. t. 842.
 2 petiolata. B.R. (br.) stalked. ——— 1823. 7. 8. S. 2. Bot. reg. t. 760.
PRASOPHY'LLUM. B.P. **PRASOPHY'LLUM.** Gynandria Monandria. B.P.
 1 elatum. B.P. tall. N. S. W. 1826. F.b. 2.
 2 flavum. B.P. (ye.) yellow. ——— 4. 6. F.b. 2.
 3 striatum. B.P. (std.) streaked. ——— F.b. 2.
 4 fuscum. B.P. (br.) brown. ——— 5. 6. F.b. 2.
 5 patens. B.P. spreading. ——— F.b. 2.
 6 rufum. B.P. (br.) rufous. ——— 5. 6. F.b. 2.
 7 fimbriatum. B.P. fringed. ——— 1826. F.b. 2.
CRYPTO'STYLIS. B.P. **CRYPTO'STYLIS.** Gynandria Monandria. B.P.
 1 erecta. B.P. (br.) upright. N. S. W. 1826. 4. 6. F.b. 2.
 2 longifolia. B.P. (br.) long-leaved. ——— 1822. 5. 6. F.b. 2. Lab. n. holl. 2. t. 212.
Malaxis subulata. Lab.
ORTHO'CERAS. B.P. **ORTHO'CERAS.** Gynandria Monandria. B.P.
 strictum. B.P. upright. N. S. W. 1826. F.b. 2.
DI'URUS. B.P. **DI'URUS.** Gynandria Monandria. B.P.
 1 maculata. B.P. (ye. sp.) spotted. N. S. W. 1823. 3. 5. F.b. 2. Sm. exot. bot. 1. t. 30.
 2 aurea. B.P. (go.) golden-flowered. ——— 1810. 4. 5. F.b. 2. ——— 1. t. 9.

- 3 pedunculâta. B.P. (*ye*) peduncled. N. S. W. 1822. 2. 4. F.b. 2.
 4 sulphûrea. B.P. (*st*) sulphur-coloured. ——— 1826. ——— F.b. 2.
 5 elongâta. B.P. (*pu*) elongated. ——— ——— F.b. 2.
THELYMITRA. B.P. THELYMITRA. Gynandria Monandria. B.P.
 1 ixioides. B.P. (*bl.sp.*) spotted blue. N. S. W. 1810. 4. 6. F.b. 2. Sm. ex. bot. 1. t. 29.
 2 média. B.P. (*bl.*) middle. ——— 1820. ——— F.b. 2.
 3 pauciflôra. B.P. (*bl.*) few-flowered. ——— 1826. ——— F.b. 2.
 4 angustiflôia. B.P. (*bl.*) narrow-leaved. ——— 5. 6. F.b. 2.
 5 carneâ. B.P. (*fl.*) flesh-coloured. ——— 1823. ——— F.b. 2.
 6 venôsa. B.P. (*wh.*) veined. ——— 1826. 3. 5. F.b. 2.
LIST'ERA. H.K. LIST'ERA. Gynandria Monandria. H.K.
 1 ovâta. H.K. (*gr.*) Tway-blade. Britain. 5. 6. H. 2. Eng. bot. v. 22. t. 1548.
Ophrys ovâta. E.B. Epipactis ovâta. w.
 2 cordâta. H.K. (*br.gr.*) heart-leaved. Britain. 6. 7. H. 2. Eng. bot. v. 5. t. 358.
 3 convallarioides. N. (*br.gr.*) small green. N. America. 1826. 5. 6. H. 2. Bart. fl. amer. t. 39. f. 1.
 4 Nidus âvis. (*br.*) Bird's-nest. Britain. 5. H. 2. Eng. bot. v. 1. t. 48.
Ophrys Nidus âvis. E.B. Epipactis Nidus âvis. E.F. Neottia Nidus âvis. R.O.
EIPA'CTIS. H.K. EIPA'CTIS. Gynandria Monandria. H.K.
 1 latiflôia. w. (*pu.*) broad-leaved. Britain. 7. 8. H. 2. Eng. bot. v. 4. t. 269.
Serapias latiflôia. E.B.
 2 palûstris. w. (*pu.wh.*) marsh. ——— H. 2. Eng. bot. v. 4. t. 270.
 3 pâllens. w. (*wh.*) white. ——— 6. H. 2. ——— v. 4. t. 271.
Serapias grandiflôra. E.B.
 4 ensiflôia. w. (*wh.*) narrow-leaved. ——— H. 2. Eng. bot. v. 7. t. 494.
 5 rûbra. w. (*pu.wh.*) purple. ——— 6. 7. H. 2. ——— v. 7. t. 437.
ARETH'USA. H.K. ARETH'USA. Gynandria Monandria. H.K.
 1 bulbôsa. H.K. (*pu.*) bulbous. N. America. 5. 6. H.b. 2. Bot. mag. t. 2204.
 2? plicâta. A.R. (*pu.*) plaited. E. Indies. 1806. 6. 8. S.b. 2. Andr. reposit. t. 321.
POG'ONIA. H.K. POG'ONIA. Gynandria Monandria. H.K.
 1 divaricatâ. H.K. (*pi.*) Lily-leaved. N. America. 1787. 6. 7. H. 2. Catesb. car. 1. t. 58.
 2 ophioglossoides. B.R. (*pi.*) Adder's-tongue. ——— 1816. ——— H. 2. Bot. reg. t. 148.
 3 pëndula. B.R. (*pi.*) drooping. ——— 1824. ——— H. 2. ——— t. 906.
Arethusa pëndula. w. parviflôra. M. Triphora pëndula. N.
MICR'OTIS. B.P. MICR'OTIS. Gynandria Monandria. B.P.
 parviflôra. B.P. (*gr.*) small-flowered. N. S. W. 1826. 4. 6. F.b. 2.
ACIA'NTHUS. B.P. ACIA'NTHUS. Gynandria Monandria. B.P.
 1 fornicâtus. B.P. (*br.*) enclosed. N. S. W. 1822. 4. 6. F.b. 2.
 2 exsértus. B.P. (*br.*) exerted. ——— ——— F.b. 2.
 3 caudâtus. B.P. (*br.*) long-awned. ——— 1826. ——— F.b. 2.
CYRTO'STYLIS. B.P. CYRTO'STYLIS. Gynandria Monandria. B.P.
 renifôrmis. B.P. (*br.*) kidney-leaved. N. S. W. 1824. 4. 5. F. 2.
CHIOGLOTTIS. B.P. CHIOGLOTTIS. Gynandria Monandria. B.P.
 diphy'lla. B.P. (*br.*) two-leaved. N. S. W. 1826. 4. 6. F.b. 2.
PRESC'OTIA. H.E.F. PRESC'OTIA. Gynandria Monandria.
 plantaginiflôia. H.E.F. (*gr.*) Plantain-ld. Rio Janeiro. 1822. 9. 4. S. 2. Hook. ex. flor. t. 115.
LI'PARIS. Rich. LI'PARIS. Gynandria Monandria. H.K.
 1 foliôsa. B.R. (*y.gr.*) leafy. Mauritius. 1823. 9. S. 2. Bot. reg. t. 882.
 2 bituberculâta. B.R. (*gr.br.*) two-warted. Nepal. 1822. 2. 3. S. 2. Hook. ex. flor. t. 116.
 3 Loesêlii. B.R. (*ye.*) Loesel's. Britain. 7. H.b. 2. Eng. bot. v. 1. t. 47.
Malaxis Loesêlii. E.B.
 4 longiflôia. B.A. (*gr.*) long-leaved. N. America. 1827. ——— H.b. 2. Bart. flor. amer. t. 75.
 5 Correânâ. N. (*ye.gr.*) two-leaved. ——— 1823. 5. 6. H.b. 2.
 6 liliflôia. B.R. (*pa.bl.*) Lily-leaved. ——— 1758. 6. 7. H.b. 2. Bot. mag. t. 2004.
Malaxis liliflôia. B.M. Ophrys liliflôia. A.R. 65.
 7 reflêxa. B.R. (*gr.*) reflexed. N. Holland. 1820. ——— G.b. 2.
 8 elâta. B.R. (*br.pu.*) tall. Brazil. ——— S. 2. Bot. reg. t. 1175.
ERIOCH'ILUS. B.P. ERIUCH'ILUS. Gynandria Monandria. B.P.
 autumnâlis. B.P. (*bh.*) autumnal. N. S. W. 1823. 9. 10. G.b. 2. Lab. n. holl. 2. t. 211. f. 2.
Epipactis cucullâta. Lab.
CALAD'ENIA. B.P. CALAD'ENIA. Gynandria Monandria. H.K.
 1 âlba. B.P. (*wh.*) white. N. S. W. 1810. 7. 8. G.b. 2.
 2 carneâ. B.P. (*fl.*) flesh-coloured. ——— 1826. 6. 7. G.b. 2.
 3 corûlea. B.P. (*bl.*) blue-flowered. ——— ——— G.b. 2.
 4 alâta. B.P. (*li.*) winged. ——— 1823. 6. 8. G.b. 2.
 5 testâcea. B.P. fringe-flowered. ——— 1826. G.b. 2.
LYPERA'NTHUS. B.P. LYPERA'NTHUS. Gynandria Monandria. B.P.
 1 suavêolens. E.P. (*d.br.*) sweet-scented. N. S. W. 1822. 5. 7. F.b. 2.
 2 ellipticus. B.P. (*d.br.*) elliptic-leaved. ——— 1826. ——— F.b. 2.
 3 nîgricans. B.P. (*bk.*) heart-leaved. ——— ——— F.b. 2.

- GLOSS'ODIA. B.P. GLOSS'ODIA. Gynandria Monandria. B.P.**
 1 mājor. B.P. (bl.) larger. N. S. W. 1810. 6. 8. F.b. 2.
 2 minor. B.P. (bl.) lesser. ——— 1826. ——— F.b. 2.
- PTERO'STYLIS. B.P. PTERO'STYLIS. Gynandria Monandria. B.P.**
 1 concinna. B.P. (st.) neat. N. S. W. 1826. 4. 6. F.b. 2.
 2 ophioglossa. B.P. (st.) adder's-tongue. ——— ——— F.b. 2.
 3 cūrta. B.P. (st.) short-lipped. ——— 1822. 4. 6. F.b. 2.
 4 acumināta. B.P. (st.) taper-pointed. ——— 1826. ——— F.b. 2.
 5 cucullāta. B.P. (st.) hooded. V. Diem. Isl. 1823. 5. 7. F.b. 2.
 6 nūtans. B.P. (st.) nodding. N. S. W. 1826. ——— F.b. 2.
 7 obtūsa. B.P. (st.) blunt-lipped. ——— 1810. 7. 8. F.b. 2.
 8 reflēxa. B.P. (st.) reflexed. ——— 1826. 4. 6. F.b. 2.
 9 grandiflōra. B.P. (st.) large-flowered. ——— ——— F.b. 2.
 10 longifolia. B.P. (st.) long-leaved. ——— 1823. 6. 8. F.b. 2.
 11 gibbōsa. B.P. (st.) gibbous. ——— 1826. 5. 6. F.b. 2.
- CORYSA'NTHES. B.P. CORYSA'NTHES. Gynandria Monandria. B.P.**
 1 fimbriāta. B.P. (br.) fringed. N. S. W. 1822. 5. 7. F.b. 2.
 2 unguiculāta. B.P. (br.) pendulous-flowered. ——— ——— F.b. 2.
 3 bicalcarāta. B.P. (br.) two-spurred. ——— F.b. 2. Sal. par. lond. t. 83. ?
- Cōrybas aconitiflorus. P.L. ?*
- C'ALEYA. H.K. C'ALEYA. Gynandria Monandria. H.K.**
 1 mājor. H.K. (br.gr.) smooth-lipped. N. S. W. 1810. 6. 7. F.b. 2.
 2 minor. (br.gr.) tubercle-lipped. ——— 1822. ——— F.b. 2.
Caleana minor. B.P.
- CALOP'OGON. H.K. CALOP'OGON. Gynandria Monandria. H.K.**
 pulchellus. H.K. tuberous-rooted. N. America. 1771. 7. 8. H.b. 2. Swt. br. fl. gar. t. 115.
Limodōrum tuberosum. B.M. 116. Cymbidium pulchellum. w.
- BL'ETIA. H.K. BL'ETIA. Gynandria Monandria. H.K.**
 1 Tankervillea. H.K. (wh. pu.) LyTankerville's. China. 1778. 3. 4. S. 2. Bot. mag. t. 1924.
Limodōrum Tankervillea. w.
 2 pallida. B.C. (li.) pale-flowered. China. 1820. 4. 8. S. 2. Lodd. bot. cab. t. 629.
 3 flōrida. H.K. (pu.) purple. W. Indies. 1786. 7. 8. S. 2. Redoute. lil. t. 83.
Limodōrum purpureum. R.L.
 4 guineensis. G.D. (pu.) Guinea. Guinea. 1822. S. 2.
 5 verecūda. H.K. (pu.) tall. W. Indies. 1733. 1. 5. S. 2. Bot. mag. t. 930.
Limodōrum altum. B.M. Cymbidium verecundum. w.
 6 hyacinthina. B.K. (pu.) hyacinthine. China. 1802. 3. 9. G. 2. Bot. mag. t. 1492.
Cymbidium hyacinthinum. B.M.
 7 capitāta. H.K. (pu.) capitate. W. Indies. 1795. 5. 7. S. 2.
 8 Woodfordii. B.M. (ye. or.) Woodford's. Trinidad. 1820. 4. 8. S. 2. Bot. mag. t. 2719.
- GEOD'ORUM. H.K. GEOD'ORUM. Gynandria Monandria. H.K.**
 1 purpureum. H.K. (pu.) purple. E. Indies. 1800. 6. 8. S. 2. Roxb. cor. 1. t. 40.
Limodōrum nūtans. R.C.
 2 citrinum. H.K. (st.) Lemon-coloured. E. Indies. ——— 10. 12. S. 2. Andr. reposit. t. 626.
 3 dilatatum. H.K. (pi.) shovel-lipped. ——— 5. 8. S. 2. Bot. reg. t. 675.
Limodōrum recurvum. R.C. 1. t. 39.
- CALY'PSO. H.K. CALY'PSO. Gynandria Monandria. H.K.**
 americana. H.K. (pu.) American. N. America. 1805. 5. 6. H.b. 2. Sal. par. lond. t. 89.
borealis. H.E.F. t. 12.
- MALA'XIS. Rich. MALA'XIS. Gynandria Monandria. H.K.**
 paludosa. E.B. (ye.) marsh. England. 7. H.b. 2. Eng. bot. v. 1. t. 47.
- MICRO'STYLIS. N. MICRO'STYLIS. Gynandria Monandria. N.**
 ophioglossoides. N. (gr.) Adder's-tongue. N. America. 1820. 4. 5. H.b. 2. Lodd. bot. cab. t. 1146.
β mexicana. B.R. (gr.) Mexican. Mexico. 1828. ——— H. 2. Bot. reg. t. 1290.
- CORALLORRHIZA. H.K. CORALLORRHIZA. Gynandria Monandria. H.K.**
 1 innāta. H.K. (st.) spurless. Scotland. 6. 7. H. 2. Eng. bot. v. 22. t. 1547.
 2 multiflōra. H.E.F. (st.) many-flowered. N. America. 1824. 5. 6. H. 2. Hook. ex. flor. t. 174.
 3 odontorrhiza. N. (w. pu.) tooth-rooted. ——— 6. 7. H. 2.
- ST'ELIS. H.K. ST'ELIS. Gynandria Monandria. H.K.**
 1 ophioglossoides. H.K. (st.) Adder's-tongue. W. Indies. 1791. 5. 6. S. 2. Bot. reg. t. 935.
 2 micrāntha. H.K. (st.) small-flowered. Jamaica. 1805. 11. 12. S. 2. Hook. ex. flor. t. 158.
- RODRIGUEZIA. R.P. RODRIGUEZIA. Gynandria Monandria. B.R.**
 secūda. K.S. (re.) side-flowering. S. America. 1819. 6. 12. S. 2. Bot. reg. t. 930.
- GOMEZA. B.M. GOMEZA. Gynandria Monandria. B.M.**
 recurva. B.M. (ye.) recurved. Brazil. 1814. 5. 6. S. 2. Bot. mag. t. 1748.
- NOTY'LIA. B.R. NOTY'LIA. Gynandria Monandria.**
 punctāta. B.R. (wh.) dotted. Trinidad. 1823. 7. 8. S. 2. Bot. reg. t. 759.
Pleurothallis punctata. B.R. Gomèza tenuiflōra. Lod. bot. cab. t. 806.

- CIRRHÆA. B.R.** *CIRRHÆA. Gynandria Monandria.*
dependens. B.R. (ye.gr.) depend. China. 1824. 6. 8. S. 2. Lodd. bot. cab. t. 936.
Cymbidium dependens. B.C.
- CYMBIDIUM. H.K.** *CYMBIDIUM. Gynandria Monandria. H.K.*
 1 aloifolium. H.K. (d.pu.) Aloe-leaved. China. 1789. 5. 6. S. 2. Bot. mag. t. 387.
 2 sinense. H.K. (d.pu.) Chinese. ———— 1793. 9. 10. S. 2. ———— t. 888.
 3 lancifolium. H.E.F. (y.re.) lance-leaved. E. Indies. 1823. 5. 8. S. 2. Hook. ex. flor. t. 51.
 4 ensifolium. H.K. (st.br.) sword-leaved. China. 1780. 6. 10. S. 2. Bot. mag. t. 1751.
 5 xiphifolium. B.R. (gr.) Xiphium-leaved. ———— 1814. 5. 8. S. 2. Bot. reg. t. 529.
 6 iridioides. D.P. (wh.) Iris-leaved. Nepaul. 1828. — S. 2.
 7 suave. B.P. (gr.br.) sweet-scented. N. S. W. 1826. — G. 2.
 8 tripterum. w. (wh.) triangular-fruited. Jamaica. 1790. 6. 7. S. 2. Sm. ic. pict. t. 14.
- ANISOPETALUM. H.E.F. ANISOPETALUM. Gynandria Monandria.**
Careyanum. H.E.F. (br.pu.) Carey's. Nepaul. 1823. 8. 10. G. 2. Hook. ex. flor. t. 149.
- BRASSIA. H.K.** *BRASSIA. Gynandria Monandria. H.K.*
 1 maculata. H.K. (w.st.pu.) spotted. Jamaica. 1806. 6. 7. S. 2. Bot. mag. t. 1691.
 2 caudata. B.R. (g.y.re.) long-tailed. W. Indies. 1823. — S. 2. Bot. reg. t. 832.
- ANGULO. K.S.** *ANGULO. Gynandria Monandria.*
grandiflora. K.S. (ye.pu.) large-flowered. S. America. 1823. 6. 8. S. 2. H. et B. pl. æq. 1. t. 27.
- CATASETUM. K.S.** *CATASETUM. Gynandria Monandria. B.M.*
 1 tridentatum. H.E.F. (ye.) three-toothed. Trinidad. 1823. 8. 12. S. 2. Bot. mag. t. 2559.
 2 Claveringi. B.R. (y.pu.) Clavering's. Brazil. — S. 2. Bot. reg. t. 840.
 3 floribundum. H.E.F. (y.pu.) many-flowered. — S. 2. Hook. ex. flor. t. 151.
 4 semiapertum. H.E.F. (gr.) greenish-flowered. — 1825. 5. S. 2. ———— t. 213.
 5 Hookeri. L.col. (y.pu.) Hooker's. — 1816. — S. 2. Lindl. coll. t. 40.
 6 cristatum. B.R. (g.wh.) crested. — 1823. — S. 2. Bot. reg. t. 966.
- CYRTOPODIUM. B.R.** *CYRTOPODIUM. Gynandria Monandria. H.K.*
 1 Andersoni. H.K. (ye.) Anderson's. W. Indies. 1804. 4. 8. S. 2. Bot. mag. t. 1800.
 2 glutinosum. Mey. (ye.) gummy. S. America. 1825. S. 2.
 3 Woodfordii. B.M. (pu.) Woodford's. — 1814. 10. S. 2. Bot. mag. t. 1814.
- LISSOCHILUS. B.R.** *LISSOCHILUS. Gynandria Monandria. B.R.*
speciosus. B.R. (ye.) showy. C. B. S. 1818. 5. 6. S. 2. Bot. reg. t. 573.
- ONCIDIUM. H.K.** *ONCIDIUM. Gynandria Monandria. H.K.*
 1 altissimum. w. (ye.) sharp-petaled. W. Indies. 1793. 8. 9. S. 2. Jacq. amer. t. 141.
 2 carthagenense. w. (g.br.) spread-eagle. — 1791. 5. 6. S. 2. Bot. mag. t. 777.
Epidendrum undulatum. B.M.
 3 luridum. B.R. (g.br.) lurid. Trinidad. 1818. 2. 6. S. 2. Bot. reg. t. 727.
 4 variegatum. w. (wh.pu.) variegated. Jamaica. 1825. 7. 8. S. 2. Sloan. hist. 1. t. 148. f. 2.
 5 divaricatum. B.R. (br.y.re.) spreading. Brazil. 1826. 9. 11. S. 2. Bot. reg. t. 1050.
 6 pubes. B.R. (br.re.) pubescent. — 1824. 3. 6. S. 2. ———— t. 1007.
 7 ornithorhynchum. K.S. (ye.) long-beaked. Mexico. 1826. 8. 10. S. 2. H. et B. n. gen. 1. t. 80.
 8 Papilio. B.R. (y.or.pu.) Butterfly. Trinidad. 1823. 4. 6. S. 2. Bot. reg. t. 910.
 9 flexuosum. B.M. (ye.) Zigzag. Brazil. 1818. 6. 7. S. 2. Bot. mag. t. 2203.
 10 barbatum. L.col. (ye.) bearded. S. America. — 4. 5. S. 2. Lindl. coll. t. 27.
 11 pumilum. B.R. (ye.) dwarf. Brazil. 1824. 6. 7. S. 2. Bot. reg. t. 920.
 12 bifolium. H.K. (ye.) two-leaved. S. America. 1811. 7. 8. S. 2. Bot. mag. t. 1491.
 13 pulchellum. B.M. (bh.or.) elegant. Demerara. 1825. 6. 7. S. 2. ———— t. 2773.
 14 triquetrum. H.K. (ye.) triangular-leaved. Jamaica. 1793. 7. 8. S. 2.
 15 tetrapetalum. w. (pu.ye.) four-petaled. — 1824. — S. 2. Jacq. amer. t. 142.
 16 Cebollata. w. (br.) awl-leaved. Carthagera. — S. 2. ———— t. 131. f. 2.
- MACRADENIA. B.R.** *MACRADENIA. Gynandria Monandria. B.R.*
lutescens. B.R. (ye.) yellowish. Trinidad. 1821. 12. 2. S. 2. Bot. reg. t. 612.
- CÆLOGYNE. B.R.** *CÆLOGYNE. Gynandria Monandria.*
 1 fimbriata. B.R. (st.) fringed. China. 1824. 9. S. 2. Bot. reg. t. 868.
 2 nitida. L.O. (ye.) shining-leaved. E. Indies. 1822. S. 2.
 3 punctulata. L.O. (ys.) dot-flowered. ———— S. 2.
- MEGACLIINIUM. B.R.** *MEGACLIINIUM. Gynandria Monandria. B.R.*
falcatum. B.R. (ye.re.) falcate. Sierra Leone. 1824. 6. 9. S. 2. Bot. reg. t. 989.
- TRIZEUXIS. L.col.** *TRIZEUXIS. Gynandria Monandria.*
falcata. L.col. (gr.) falcate. Trinidad. 1820. 2. 6. S. 2. Lindl. coll. t. 2.
- PLEUROTHALLIS. H.K.** *PLEUROTHALLIS. Gynandria Monandria. H.K.*
 1 ruscifolia. H.K. (st.) Ruscus-leaved. W. Indies. 1791. 5. 6. S. 2. Hook. ex. flor. t. 197.
 2 racemiflora. H.E.F. (st.) racemed. — 1822. 7. 8. S. 2. ———— t. 123.
 3 prolifera. B.R. (ro.) proliferous. Brazil. 1825. 1. 12. S. 2. Bot. reg. t. 1298.
 4 foliosa. B.M. (st.ye.) leafy. ———— 2. 6. S. 2. Bot. mag. t. 2746.
- ORNITHOCEPHALUS. BIRD'S-HEAD. Gynandria Monandria.**
gladiatus. H.E.F. (gr.) sword-leaved. Trinidad. 1822. 5. 8. S. 2. Hook. ex. flor. t. 127.
- OCTOMERIA. H.K.** *OCTOMERIA. Gynandria Monandria. H.K.*
 1 graminifolia. H.K. (st.) Grass-leaved. W. Indies. 1793. 4. 7. S. 2. Bot. mag. t. 2764.

- 2 serratifolia. B.M. (st.br.) saw-leaved. Brazil. 1826. 10. 12. S. 2. Bot. mag. t. 2823.
3 spicata. D.P. (wh.) spiked. Nepaul. 1823. 5. 8. S. 2.
TRIBRACHIA. B.R. TRIBRACHIA. Gynandria Monandria.
péndula. B.R. (gr.) pendulous-spiked. Sierra Leon. 1822. 6. 11. S. 2. Bot. reg. t. 963.
SOPHRONITIS. B.R. SOPHRONITIS. Gynandria Monandria.
cérnuæ. B.R. (ro.) cernuous. Brazil. 1826. 11. 12. S. 2. Bot. reg. t. 1129.
GONG'ORA. R.P. GONG'ORA. Gynandria Monandria.
1 atropurpurea. H.E.F. (d.pu.) dark-flowered. Trinidad. 1824. 6. 7. S. 2. Hook. ex. flor. t. 178.
2 speciosa. B.M. (ye.or.) beautiful. Brazil. 1826. 4. 6. S. 2. Bot. mag. t. 2755.
3 viridipurpurea. B.M. (g.pu.) green & purple. ——— 1827. 6. 8. S. 2. ——— t. 2978.
HETEROTAXIS. B.R. HETEROTAXIS. Gynandria Monandria.
crassifolia. B.R. (ye.) thick-leaved. Jamaica. 1823. 6. 8. S. 2. Bot. reg. t. 1028.
DIP'ODIUM. B.P. DIP'ODIUM. Gynandria Monandria. B.P.
punctatum. B.P. (pu.) spotted. N. S. W. 1822. 6. 8. G. 2. Sm. exot. bot. 1. t. 12.
Dendrobium punctatum. Sm.
CAMARI'DIUM. B.R. CAMARI'DIUM. Gynandria Monandria. B.R.
ochroleucum. B.R. (st.) pale-flowered. Trinidad. 1823. 7. 10. S. 2. Bot. reg. t. 844.
Dendrobium? album. H.E.F. t. 142.
'ERIA. B.R. 'ERIA. Gynandria Monandria. B.R.
1 stellata. B.R. (st.) stary. Nepaul. 1818. 5. 6. S. 2. Bot. reg. t. 904.
2 pubescens. B.R. (ye.) pubescent. E. Indies. 1820. 3. 4. S. 2. Hook. ex. flor. t. 124.
Dendrobium pubescens. H.E.F.
3 rosea. B.R. (bh.) rose-coloured. China. 1824. 10. S. 2. Bot. reg. t. 978.
XYLOBIUM. B.R. XYLOBIUM. Gynandria Monandria.
1 squaleus. B.R. (ye.br.) squalid. Brazil. 1822. 7. 8. S. 2. Bot. reg. t. 732.
Dendrobium squaleus. B.R. *Maxillaria squaleus.* Bot. mag. t. 2955.
2 racemosum. (ye.or.) racemed. Brazil. 1825. 6. 8. S. 2. Bot. mag. t. 2789.
Maxillaria racemosa. B.M.
MAXILLARIA. R.P. MAXILLARIA. Gynandria Monandria. B.R.
1 pallidiflora. B.M. (st.) pale-flowered. St. Vincent's. 1826. 8. 11. S. 2. Bot. mag. t. 2806.
2 ciliata. B.R. (gr.) fringe-lipped. S. America. 1827. 5. 8. S. 2. Bot. reg. t. 1206.
3 Barringtonia. B.R. (gr.) Barrington's. W. Indies. 1790. 6. 8. S. 2. Sm. ic. pict. t. 25.
Dendrobium Barringtonia. Hook. ex. flor. t. 119.
4 Harrisonia. B.R. (st.pu.) Mrs. Harrison's. Brazil. 1820. 4. 8. S. 2. Bot. mag. t. 2927.
5 Parkeri. B.M. (wh.pu.) Parker's. W. Indies. 1826. — S. 2. — t. 2729.
6 parvula. H.E.F. (st.pu.) small. Brazil. 1824. 3. 5. S. 2. Hook. ex. flor. t. 217.
7 aromatica. H.E.F. (ye.) aromatic. ——— 1825. 5. S. 2. ——— t. 219.
SARCOCHILUS. B.P. SARCOCHILUS. Gynandria Monandria. B.P.
falcatus. B.P. (pu.) falcate. N. S. W. 1821. 5. 8. G. 2.
DENDROBIUM. H.K. DENDROBIUM. Gynandria Monandria. H.K.
1 speciosum. B.P. (bh.re.) showy. N. S. W. 1801. 6. 8. G. 2. Sm. exot. bot. 1. t. 10.
2 æmulum. B.P. (wh.) rival. ——— 1822. 4. 2. G. 2. Bot. mag. t. 2906.
3 rigidum. B.P. rigid. N. Holland. 1824. S. 2.
4 linguiforme. B.P. (w.st.) tongue-leaved. N. S. W. 1810. 4. 8. G. 2. Sm. exot. bot. 1. t. 11.
5 teretifolium. B.P. (pu.) filiform-leaved. ——— 1823. — G. 2.
6 longicornu. B.R. (bh.) long-spurred. E. Indies. 1828. 4. 6. S. 2. Bot. reg. t. 1315.
7 secundum. B.R. (ro.) secund. Sumatra. — S. 2. — t. 1291.
8 cucullatum. B.R. (bh.) cucullate. E. Indies. 1815. 3. 5. S. 2. Bot. reg. t. 548.
9 Pierardi. H.E.F. (bh.) Pierard's. ——— 12. 6. S. 2. Hook. ex. flor. t. 9.
10 Calceolaria. H.E.F. (re.y.) hollow-lipped. ——— 1820. — S. 2. — t. 184.
11 fimbriatum. H.E.F. (ye.) fringed. ——— 1818. 4. 6. S. 2. — t. 71.
12 chrysanthum. B.R. (ye.) yellow-flower'd. Nepaul. 1828. 2. 4. S. 2. Bot. reg. t. 1299.
13 crumenatum. w. (pu.) pouched. Java. 1822. 4. 6. S. 2. Rumph. amb. 6. t. 47. f. 2.
14 moniliforme. w. (pu.) glassy. China. 1822. 6. 12. S. 2. Bot. reg. t. 1314.
15 ancepis. B.R. (st.) two-edged. E. Indies. 1826. 2. 9. S. 2. — t. 1239.
ORNITHIDIUM. H.K. ORNITHIDIUM. Gynandria Monandria. H.K.
1 coccineum. H.K. (sc.) scarlet-flower'd. W. Indies. 1790. 1. 12. S. 2. Hook. ex. flor. t. 38.
Cymbidium coccineum. Bot. mag. t. 1437.
2 reflexum. Gr. (sc.) reflexed. W. Indies. 1825. 9. 12. S. 2.
ISOCHILUS. H.K. ISOCHILUS. Gynandria Monandria. H.K.
1 linearis. H.K. (re.) linear-leaved. W. Indies. 1791. 5. 7. S. 2. Bot. reg. t. 745.
Epidendrum lineare. Jacq. amer. t. 131. f. 1. *Cymbidium lineare.* w.
2 graminoides. H.E.F. (st.) grass-like. W. Indies. 1823. — S. 2. Hook. ex. flor. t. 196.
3 prolifer. H.K. (wh.) proliferous. ——— 1793. 6. 11. S. 2. Bot. reg. t. 825.
PHOLIDOTA. B.R. PHOLIDOTA. Gynandria Monandria.
imbricata. B.R. (br.wh.) imbricated. Nepaul. 1824. 2. 8. S. 2. Bot. reg. t. 1213.
POLYSTACHIA. H.E.F. POLYSTACHIA. Gynandria Monandria.
1 luteola. H.E.F. (y.gr.) smooth. W. Indies. 1818. 7. 8. S. 2. Hook. ex. flor. t. 103.
Dendrobium polystachyum. w.

- 2 pubérula. B.R. (*y.gr.*) downy. Sierra Leone. 1821. 8. S. 2. Bot. reg. t. 851.
- BRASSAVOLA. H.K. BRASSAVOLA. Gynandria Monandria. H.K.
- 1 cucullata. H.K. (*wh.*) single-flowered. W. Indies. 1793. 6. 7. S. 2. Bot. mag. t. 543.
- 2 tuberculata. B.M. (*wh.st.*) tuberculated. Brazil. 1826. 6. 9. S. 2. ——— t. 2878.
- 3 nodosa. Ly. (*wh.*) many-flowered. W. Indies. 1824. 10. S. 2.
- BROUGHTONIA. H.K. BROUGHTONIA. Gynandria Monandria. H.K.
- 1 sanguinea. H.K. (*cr.*) blood-coloured. Jamaica. 1793. 6. 7. S. 2. Lodd. bot. cab. t. 793.
- 2 nitida. W.H. (*re.*) glossy. E. Indies. 1824. — S. 2.
- ZYGOPETALON. B.M. ZYGOPETALON. Gynandria Monandria.
- 1 Mackaili. B.M. (*gr.bl.*) Mackay's. Brazil. 1825. 2. 5. S. 2. Bot. mag. t. 2748.
- 2 rostratum. B.M. (*wh.pu.*) beaked. Demarara. — 9. 11. S. 2. ——— t. 2819.
- CATTLEYA. L.col. CATTLEYA. Gynandria Monandria. H.E.F.
- 1 labiata. L.col. (*vi.*) great-lipped. S. America. 1818. 4. 10. S. 2. Lindl. coll. t. 33.
- 2 Loddigèsii. H.E.F. (*vi.*) Loddiges'. — 1810. — S. 2. Hook. ex. flor. t. 186.
- Epidendrum violaceum*. Lodd. bot. cab. t. 337.
- 3 Forbesii. B.R. (*ye.*) yellow. Brazil. 1823. 9. S. 2. Bot. reg. t. 953.
- 4 crispata. B.R. (*wh.pu.*) curled-lipped. Trinidad. 1820. — S. 2. ——— t. 1172.
- 5 intermedia. B.M. (*ro.*) intermediate. Brazil. 1824. 3. 5. S. 2. Bot. mag. t. 2851.
- CERATOCYLUS. B.C. CERATOCYLUS. Gynandria Monandria.
- 1 grandiflorus. B.C. (*wh.*) large-flowered. Trinidad. 1827. 3. 8. S. 2. Lodd. bot. cab. t. 1414.
- 2 insignis. (*st.pu.*) splendid. S. America. 1818. 9. 4. S. 2. Bot. mag. t. 2948-2949.
- Stanhopea insignis*. B.M.
- EPIDENDRUM. H.K. EPIDENDRUM. Gynandria Monandria. H.K.
- 1 cochleatum. W. (*d.pu.*) shell-flowered. W. Indies. 1786. 1. 12. S. 2. Bot. mag. t. 572.
- 2 fragrans. W. (*st.*) sweet-scented. — 1778. 10. S. 2. ——— t. 1669.
- 3 secundum. W. (*re.*) pale-flowered. — 1793. 6. 7. S. 2. Jacq. amer. t. 137.
- 4 polybulbon. W. (*wh.*) many-bulbed. — 1822. — S. 2. Hook. ex. flor. t. 112.
- 5 verrucosum. W. (*st.*) warted. — 1824. — S. 2. Lodd. bot. cab. t. 1084.
- 6 nutans. W. (*gr.*) nodding. — 1794. — S. 2. Hook. ex. flor. t. 50.
- 7 umbellatum. W. (*st.*) umbelled. Jamaica. 1793. — S. 2. Bot. reg. t. 80.
- 8 diffusum. W. (*gr.*) diffuse. W. Indies. 1818. 4. 5. S. 2. Lodd. bot. cab. t. 846.
- 9 anceps. B.C. (*gr.*) two-edged. — 1820. 8. 10. S. 2. ——— t. 887.
- 10 nocturnum. W. (*gr.*) night-smelling. — — 4. 6. S. 2. ——— t. 713.
- 11 pallidiflorum. B.M. (*st.*) pale-flowered. — 1828. 5. 6. S. 2. Bot. mag. t. 2980.
- 12 fuscatum. W. (*br.*) brown. — 1790. 6. 7. S. 2. Bot. reg. t. 67.
- 13 elongatum. W. (*re.*) long-stalked. Caracas. 1798. 5. 8. S. 2. Bot. mag. t. 611.
- 14 ellipticum. H.E.F. (*re.*) elliptic-leaved. Brazil. 1824. 3. 8. S. 2. Hook. ex. flor. t. 207.
- 15 conopseum. H.K. (*st.*) Florida. Florida. 1775. 8. S. 2.
- 16 monophyllum. H.E.F. (*gr.*) one-leaved. W. Indies. 1822. 7. S. 2. Hook. ex. flor. t. 109.
- 17 ciliare. B.R. (*wh.*) fringed. — 1790. 6. 10. S. 2. Bot. reg. t. 784.
- 18 cuspidatum. B.R. (*wh.*) pointed. — 1808. — S. 2. ——— t. 783.
- ENCYCLIA. B.M. ENCYCLIA. Gynandria Monandria.
- viridiflora. B.M. (*gr.*) green-flowered. Brazil. 1826. 2. 6. S. 2. Bot. mag. t. 2831.
- FERNANDESIA. R.P. FERNANDESIA. Gynandria Monandria.
- elegans. B.C. (*st.pu.*) elegant. Trinidad. 1822. 4. 10. S. 2. Lodd. bot. cab. t. 1212.
- Lockhartia elegans*. Bot. mag. t. 2715.
- CRYPTARRHENA. B.R. CRYPTARRHENA. Gynandria Monandria. B.R.
- lunata. B.R. (*ye.*) crescent-lipped. W. Indies. 1815. 5. 8. S. 2. Bot. reg. t. 153.
- EULOPHIA. B.R. EULOPHIA. Gynandria Monandria. B.R.
- 1 virens. B.R. (*gr.*) green. E. Indies. 1823. 6. 8. S. 2. Roxb. corom. 1. t. 38.
- Limodorum virens*. R.C.
- 2 guineensis. B.R. (*pi.*) Guinea. Sierra Leone. 1822. 11. 2. S. 2. Bot. reg. t. 686.
- 3 gracilis. B.R. (*gr.*) slender. — — 6. 9. S. 2. ——— t. 742.
- 4 streptopetala. B.R. (*ye.*) twisted-petaled. C. B. S. — 12. 6. S. 2. ——— t. 1002.
- 5 ensata. B.R. (*st.*) sword-leaved. — 1826. 7. 8. S. 2. ——— t. 1147.
- 6 tristis. B.R. (*da.*) dark-flowered. — 1825. 5. 6. G. 2.
- 7 longicornis. B.R. (*ye.*) long-spurred. — — 6. 8. G. 2.
- 8 barbata. B.R. (*ye.*) bearded. — 1822. — G. 2.
- CALANTHE. B.R. CALANTHE. Gynandria Monandria. B.R.
- 1 veratrifolia. B.R. (*wh.*) Veratrum-leav'd. E. Indies. 1819. 1. 9. S. 2. Bot. reg. t. 720.
- 2 sylvestris. Ly. (*wh.*) loose-spiked. Madagascar. 1823. 6. 7. S. 2.
- ANGRÆCUM. L.col. ANGRÆCUM. Gynandria Monandria. B.R.
- 1 maculatum. B.R. (*fl.*) spotted. S. America. 1819. 10. 12. S. 2. Bot. reg. t. 618.
- 2 falcatum. L.col. (*wh.*) falcate. China. 1815. — S. 2. ——— t. 283.
- Limodorum falcatum*. B.R.
- 3 luridum. Ly. (*br.*) lurid. Sierra Leone. 1822. 7. S. 2.
- IONOPsis. K.S. IONOPsis. Gynandria Monandria.
- utricularioides. L.col. (*w.*) pale-flowered. Trinidad. 1822. 6. 9. S. 2. Hook. ex. flor. t. 113.
- Iantha pallida*. H.E.F.

AERANTHES. B.R.		AERANTHES.		Gynandria Monandria. B.R.	
1	grandiflora. B.R. (st.)	large-flowered.	Madagascar.	1823.	7. 8. S. 2.
2	sesquipedalis. Ly. (wh.)	long-flowered.	—	—	S. 2.
AERIDES. H.K.		AIR-PLANT.		Gynandria Monandria. H.K.	
1	odoratum. H.K. (pi.)	fragrant.	China.	1800.	 S. 2.
2	arachnites. W. (br. pu.)	common.	Japan.	1793.	 S. 2.
3	guttatum. W.H. (sp.)	spotted-flowered.	E. Indies.	1824.	— S. 2.
4	costatum. W.H.	ribbed.	—	—	S. 2.
SARCANTHUS. L.col.		SARCANTHUS.		Gynandria Monandria. B.R.	
1	paniculatus. L.col. (ye.)	panicled.	China.	1812.	5. 8. S. 2.
2	succisus. B.R. (ye. br.)	bitten.	—	1824.	— S. 2.
3	rostratus. B.R. (y. or. li.)	rostrate.	—	1819.	6. 12. S. 2.
4	teretifolius. B.R. (pu. ye.)	round-leaved.	—	—	S. 2.
<i>Vanda teretifolia. B.R.</i>					
TRICHORHIZA. Ly.		TRICHORHIZA.		Gynandria Monandria.	
	teretifolia. L.C. (br. pu.)	round-leaved.	E. Indies.	1819.	10. S. 2.
<i>Vanda? trichorhiza. H.E.F.</i>					
VA'NDA. B.R.		VA'NDA.		Gynandria Monandria. B.R.	
1	cruenta. L.C. (cr.)	red-flowered.	China.	1819.	 S. 2.
2	multiflora. L.col. (ye.)	many-flowered.	—	1800.	6. 10. S. 2.
3	roxburghii. B.R. (w. pu.)	Roxburgh's.	E. Indies.	1816.	10. 12. S. 2.
4	tessellata. L.C. (pu. ye.)	tessellate.	—	—	 S. 2.
<i>Cymbidium tessellatum. R.C.</i>					
RENANTHERA. B.R.		RENANTHERA.		Gynandria Monandria.	
	coccinea. B.R. (sc.)	scarlet-flowered.	China.	1816.	8. 4. S. 2.
VANILLA. W.		VANILLA.		Gynandria Monandria. H.K.	
1	aromatica. H.K. (wh.)	aromatic.	S. America.	1739.	6. 8. S. 2.
2	planifolia. H.K. (wh.)	flat-leaved.	W. Indies.	1800.	4. 6. S. 2.
CYPRIPEDIUM. W.		LADIES'-SLIPPER.		Gynandria Diandria. H.K.	
1	Calceolus. W. (ye.)	common.	England.		5. 7. H. 2.
2	parviflorum. W. (ye.)	small-flowered.	N. America.	1759.	— H. 2.
3	pubescens. W. (ye.)	yellow-downy.	—	1790.	— H. 2.
4	guttatum. W. (ye.)	spotted.	Siberia.	1829.	4. 5. H. 2.
5	macranthos. W. (d. pu.)	great-flowered.	—	—	H. 2.
6	ventricosum. W. (d. pu.)	bellied.	—	—	H. 2.
7	spectabile. W. (pu. wh.)	showy.	N. America.	1731.	6. 7. H. 2.
<i>album. Bot. mag. t. 216.</i>					
	<i>α incarnatum. B.F.G. (w. pu.)</i>	flesh-coloured.	—	—	H. 2.
	<i>β album. B.F.G. (wh.)</i>	white-flowered.	—	1827.	— H. 2.
8	humile. W. (pu. wh.)	two-leaved.	—	1786.	5. 6. H. 2.
9	arietinum. W. (re.)	ram's-head.	—	1808.	— H. 2.
10	venustum. B.R. (pu. gr.)	handsome.	Nepaul.	1816.	7. 10. S. 2.
11	insigne. L.col. (gr. pu.)	noble.	—	1819.	— S. 2.

ORDO CCIII.

SCITAMINEÆ. *Brown prodr. 1. p. 305.*

GLO'BBA. L.		GLO'BBA.		Monandria Monogynia. L.	
1	marantina. W. (ye.)	marantine.	E. Indies.	1800.	7. 8. S. 2.
2	bulbifera. F.I. (ye.)	bulb-bearing.	—	1818.	— S. 2.
3	orixensis. F.I. (or.)	Orixian.	—	1819.	— S. 2.
4	versicolor. EX.B. (y. vi.)	various-colour'd.	—	1820.	— S. 2.
<i>Hura. F.I.</i>					
5	pendula. F.I. (ye.)	pendulous-flower'd.	—	1822.	6. 8. S. 2.
6	Careyana. F.I. (ye.)	Carey's.	—	1821.	— S. 2.
7	sessiliflora. B.M. (ye.)	sessile-flower'd.	—	1807.	— S. 2.
MANTISIA. B.M.		MANTISIA.		Monandria Monogynia. B.M.	
1	saltatoria. B.M. (bl. ye.)	Opera-girl's.	E. Indies.	1808.	6. S. 2.
<i>Globba subulata. F.I. purpurea. A.R. 615. saltatoria. R. scit. t. 111.</i>					
2	spatulata. R.S. (bl. ye.)	spatulate.	E. Indies.	1822.	6. 8. S. 2.
<i>Globba spatulata. F.I.</i>					
CURCUMA. W.		TURMERIC.		Monandria Monogynia. L.	
1	aromatica. P.L. (ye. pi.)	aromatic.	E. Indies.	1797.	4. 8. S. 2.
<i>Zerumbet. F.I. Rheed. mal. v. 11. t. 7.</i>					

Bot. reg. t. 817.

Kæmpf. jap. t. 869. f. 1.

Bot. reg. t. 220.

— t. 1014.

— t. 981.

— t. 676.

Hook. ex. flor. t. 72.

Lindl. coll. t. 38.

Bot. reg. t. 506.

Roxb. cor. 1. t. 42.

Bot. reg. t. 1131.

Plum. ic. 183. t. 188.

Andr. reposit. t. 538.

Eng. bot. v. 1. t. 1.

Swt. br. fl. gar. t. 80.

— t. 71.

Amman. ruth. p. 133. t. 22

Bot. mag. t. 2938.

Swt. br. fl. gar. s. 2. t. 1.

Lodd. bot. cab. t. 697.

Swt. br. fl. gar. t. 240. B.

— t. 240. A.

Bot. mag. t. 192.

Swt. br. fl. gar. t. 213.

Bot. reg. t. 788.

Lindl. coll. t. 32.

Exot. bot. 2. t. 103.

Sm. exot. bot. 2. t. 117.

Rosc. scit. t. 110.

Bot. mag. t. 1428.

Bot. mag. t. 1320.

Sal. par. lond. t. 96.

2	Zedoària. B.M. (<i>ye.pi.</i>) silky-leaved.	E. Indies.	1797.	4. 8.	S. 2.	Bot. mag. t. 1546.
3	zanthorrhiza. F.I. (<i>re.cr.</i>) yellow-rooted.	Ambouyna.	1819.	4. 5.	S. 2.	
4	latifolia. R.Sc. (<i>ye.pi.</i>) broad-leaved.	E. Indies.	—	—	S. 2.	Rosc. scitam. t. 108.
5	elata. F.I. (<i>ye.pu.</i>) tall.	—	—	—	S. 2.	— t. 104.
6	càsia. F.I. (<i>ye.re.</i>) clouded-leaved.	—	—	5. 6.	S. 2.	
7	æruginosa. F.I. (<i>ye.re.</i>) verdigrease.	—	1807.	4. 8.	S. 2.	Rosc. scitam. t. 106.
8	ferruginea. F.I. (<i>ye.re.</i>) rusty.	—	1819.	—	S. 2.	— t. 105.
9	rubescens. F.I. (<i>re. ye.</i>) red.	—	—	4. 6.	S. 2.	— t. 107.
10	comosa. F.I. (<i>ye.pi.</i>) close-flowered.	—	—	—	S. 2.	
11	leucorrhiza. F.I. (<i>y.ro.</i>) white-rooted.	—	—	—	S. 2.	Rosc. scitam. t. 102.
12	angustifolia. F.I. (<i>y.pu.</i>) narrow-leaved.	—	1822.	—	S. 2.	
13	lõnga. F.I. (<i>st.bh.</i>) long-rooted.	—	1759.	6. 8.	S. 2.	Bot. reg. t. 886.
14	Amada. F.I. (<i>st.li.</i>) Mango-ginger.	—	1819.	—	S. 2.	Rosc. scitam. t. 99.
15	viridiflora. F.I. (<i>gr.st.</i>) green-flowered.	—	1820.	—	S. 2.	
16	montana. F.I. (<i>ye.ro.</i>) mountain.	—	1823.	4. 6.	S. 2.	Roxb. corom. 2. t. 151.
17	reclinata. F.I. (<i>pi.</i>) reclining.	—	1824.	—	S. 2.	
18	petiolata. F.I. (<i>ye.pu.</i>) petiolate.	—	1822.	—	S. 2.	Rosc. scitam. t. 100.
19	rubricaulis. L.T. (<i>re. ye.</i>) red-stalked.	—	1818.	—	S. 2.	
20	amarissima. R.Sc. (<i>re. ye.</i>) bitter.	—	1822.	—	S. 2.	Rosc. scitam. t. 101.
KÆMPFERIA. L. KÆMPFERIA. Monandria Monogynia. L.						
1	Galanga. w. (<i>pu.wh.</i>) officinal.	E. Indies.	1724.	6. 9.	S. 2.	Bot. mag. t. 850.
2	rotunda. w. (<i>pu.bh.</i>) round-rooted.	—	1768.	7. 8.	S. 2.	— t. 920.
3	latifolia. s.s. (<i>wh.</i>) broad-leaved.	—	1803.	4. 7.	S. 2.	
4	Roscoeana. B.R. (<i>wh.</i>) Roscoe's.	Ava.	1828.	—	S. 2.	Bot. reg. t. 1212.
5	angustifolia. F.I. (<i>pu.w.</i>) narrow-leaved.	E. Indies.	1797.	—	S. 2.	Rosc. scitam. t. 94.
6	pandurata. F.I. (<i>ro.</i>) fiddle-lipped.	—	1812.	—	S. 2.	Bot. reg. t. 173.
7	ovalifolia. F.I. (<i>pu.wh.</i>) oval-leaved.	—	1819.	—	S. 2.	Rosc. scitam. t. 95.
8	marginata. R.S. (<i>pu.</i>) red-margined.	—	1820.	—	S. 2.	— t. 93.
ROSCOEIA. L.T. ROSCOEA. Monandria Monogynia.						
1	purpurea. L.T. (<i>pu.</i>) purple-flower'd.	Nepaul.	1819.	7. 8.	S. 2.	Rosc. scitam. t. 64.
2	gracilis. L.T. (<i>pu.</i>) slender.	—	1820.	—	S. 2.	
3	elätior. L.T. (<i>pu.</i>) tall.	—	—	—	S. 2.	
4	spicata. L.T. (<i>pu.</i>) spiked.	—	1821.	—	S. 2.	
5	capitata. L.T. (<i>pu.</i>) headed.	—	1819.	—	S. 2.	
ZINGIBER. L.T. GINGER. Monandria Monogynia. H.K.						
1	officinale. F.I. (<i>pu.st.</i>) narrow-leaved.	E. Indies.	1605.	6. 8.	S. 2.	Rosc. scitam. t. 83.
2	Zerumbet. F.I. (<i>st.</i>) broad-leaved.	—	1690.	9. 11.	S. 2.	Sm. exot. bot. 2. t. 112.
3	Cassumunar. B.M. (<i>wh.</i>) downy-leaved.	—	1796.	8.	S. 2.	Bot. mag. t. 1426.
<i>purpureum</i> . L.T. <i>Amomum Cliffordia</i> . And. repos. t. 555.						
4	roseum. F.I. (<i>ro.st.</i>) rose-coloured.	E. Indies.	1822.	6. 8.	S. 2.	Roxb. corom. 2. t. 126.
5	ligulatum. F.I. (<i>pi. ye.</i>) ligulate.	—	—	—	S. 2.	
6	rubens. F.I. (<i>re.</i>) red-flowered.	—	1820.	5. 11.	S. 2.	Rosc. scitam. t. 88.
7	squarrosum. F.I. (<i>wh.</i>) squarrose.	—	—	—	S. 2.	— t. 89.
8	panduratum. F.I. (<i>st. re.</i>) fiddle-leaved.	—	1819.	5. 8.	S. 2.	
9	Mioga. L.T. (<i>pi.</i>) Japanese.	Japan.	1796.	—	S. 2.	Kæmpf. ic. Banks. t. 1.
10	chrysanthum. R.Sc. (<i>ye.</i>) yellow-flower'd.	Nepaul.	1821.	—	S. 2.	Rosc. scitam. t. 86.
11	capitatum. F.I. (<i>ye.</i>) headed.	E. Indies.	1820.	6. 9.	S. 2.	— t. 90.
12	elatum. F.I. (<i>ye.</i>) tall.	—	—	—	S. 2.	— t. 91.
AMOMUM. F.I. AMOMUM. Monandria Monogynia. L.						
1	Afzëlii. L.T. (<i>pi.</i>) sweet-scented.	Sierra Leone.	1795.	5. 6.	S. 2.	Ann. bot. 1. t. 13.
2	grandiflorum. R.S. (<i>pi. w.</i>) large-flower'd.	—	—	6. 7.	S. 2.	Sm. exot. bot. t. 3.
3	sylvëstre. R.S. (<i>ye.</i>) wood.	Jamaica.	1804.	5. 7.	S. 2.	Sloan. hist. 1. t. 105. f. 2.
4	Cardamomum. F.I. (<i>ye.</i>) bastard Cardamon.	E. Indies.	1820.	4. 6.	S. 2.	Rumph. amb. 5. t. 65. f. 1.
5	angustifolium. F.I. (<i>re. y.</i>) narrow-leaved.	Madagascar.	—	—	S. 2.	Sonnerat. it. 2. f. 137.
6	aculeatum. F.I. (<i>or. cr.</i>) bristly-capsuled.	E. Indies.	1823.	6. 8.	S. 2.	
7	máximum. F.I. (<i>re. ye.</i>) great.	—	—	—	S. 2.	Bot. reg. t. 929.
8	dealbatum. F.I. (<i>wh.</i>) insipid-seeded.	—	1819.	—	S. 2.	
9	subulatum. F.I. (<i>ye.</i>) subulate-bracted.	—	—	5. 7.	S. 2.	
10	aromaticum. F.I. (<i>st.</i>) aromatic.	—	1823.	—	S. 2.	
11	sericeum. F.I. (<i>wh. pi.</i>) silky-leaved.	—	1819.	6. 8.	S. 2.	
12	grana-paradisi. w. (<i>re.</i>) Grains of Paradise.	Madagascar.	2. 4.	S. 2.		Blackw. t. 385.
COSTUS. F.I. COSTUS. Monandria Monogynia. L.						
1	speciosus. F.I. (<i>wh.</i>) large-flowered.	E. Indies.	1794.	8. 9.	S. 2.	Jacq. ic. 1. t. 1.
2	nepalensis. R.Sc. (<i>wh.</i>) Nepaul.	Nepaul.	1818.	—	S. 2.	Rosc. scitam. t. 80.
<i>speciosus</i> β. Bot. reg. 665.						
3	cylindricus. R.S. (<i>wh. re.</i>) cylindrical-spiked.	Brazil.	1822.	5. 9.	S. 2.	Rosc. scitam. t. 78.
<i>Pisónis</i> . Bot. reg. t. 899.						
4	áfer. B.R. (<i>wh.</i>) African.	Sierra Leone.	—	—	S. 2.	Bot. reg. t. 683.
5	discolor. R.Sc. (<i>wh.</i>) two-coloured.	Maranham.	1823.	—	S. 2.	Rosc. scitam. t. 81.

- 6 maculatus. R.Sc. (wh.) spotted-stalked. Sierra Leone. 1822. 5. 9. S. 2½. Rosc. scitam. t. 82.
 7 lanatus. L.C. (wh.) woolly. S. 2½.
 8 spicatus. L.T. (ye.) spiked. S. America. 1793. 6. S. 2½. Rosc. scitam. t. 77.
 9 comosus. L.T. (re. ye.) tufted. 1815. — S. 2½. Jacq. ic. 3. t. 202.
Alpinia comosa. Jacq.
 10 spiralis. L.T. (re.) spiral. 5. 7. S. 2½. Jacq. schœn. 1. t. 1.
 11 villosissima. R.S. (ye.) villous. W. Indies. 1823. — S. 2½. Jacq. fragm. t. 80.
 12 arabicus. L.T. (wh.) Arabian. Arabia. 1752. 8. S. 2½.
HELL'ENIA. B.P. **HELL'ENIA.** Monandria Monogynia. W.
 cœrulea. B.P. (bh.) blue-berried. N. Holland. 1820. 5. 6. G. 2½. Rosc. scitam. t. 76.
ALP'INIA. L.T. **ALP'INIA.** Monandria Monogynia. L.
 1 Allúghas. F.I. (wh. re.) glossy-leaved. E. Indies. 1796. 2. 3. S. 2½. Rosc. scitam. t. 67.
Hellénia Allúghas. Andr. reposit. t. 501.
 2 racemosa. L.T. (wh.) clustered. W. Indies. 1752. 7. 9. S. 2½. Plum. ic. 11. t. 20.
 3 Galanga. F.I. (g. wh.) Galanga-major. E. Indies. 1818. 6. 10. S. 2½. Rumph. amb. 5. t. 63.
 4 Roxbúrgii. (w. cr.) Roxburgh's. 1820. — S. 2½.
bracteata. F.I. non L.T.
 5 malaccensis. F.I. (w. y. cr.) woolly-leaved. 1799. 4. 6. S. 2½. Bot. reg. t. 328.
 6 nütans. F.I. (re. ye.) nodding-flower'd. 1792. — S. 2½. Bot. mag. t. 1903.
Renealmia nütans. A.R. 360.
 7 cernua. B.M. (y. wh. pu.) drooping. 1790. — S. 2½. Bot. mag. t. 1900.
 8 auriculata. R.Sc. (y. re.) eared. 1815. — S. 2½. Rosc. scitam. t. 74.
 9 diffissa. L.T. (ye.) cloven. China. 4. 6. S. 2½. — t. 71.
 10 mítica. F.I. (ye. re.) spurless. E. Indies. 1811. 4. 9. S. 2½. — t. 69.
 11 calcarata. F.I. (re. or.) upright spiked. China. 1804. 9. S. 2½. Andr. reposit. t. 421.
 12 spicata. F.I. (wh. pu.) spiked. E. Indies. 1823. 6. 9. S. 2½.
 13 striata. L. en. (std.) striated. 1818. — S. 2½.
 14 bracteata. L.T. (ye. re.) bracted. China. 1823. 5. 8. S. 2½. Rosc. scitam. t. 70.
Roscoeana. R.S.
 15 magnifica. R.Sc. (sc.) magnificent. Madagascar. 1826. S. 2½. Rosc. scitam. t. 75.
RENE'ALMIA. R.Sc. **RENE'ALMIA.** Monandria Monogynia.
 1 occidentalis. (pa.) occidental. Jamaica. 1793. 5. 7. S. 2½. Gart. fruct. 1. t. 12.
Alpinia occidentalis. L.T.
 2 exaltata. R.Sc. (re.) tubular-flowered. Demarara. 1820. 7. 8. S. 2½. Rosc. scitam. t. 65.
Alpinia tubulata. Bot. reg. t. 777.
 3 punicea. (cr.) bright red. E. Indies. — S. 2½.
Alpinia punicea. F.I.
 4 Cardamomum médium. (re.) 9-winged. — S. 2½.
 5 linguiformis. F.I. (re.) tongue-lipped. 1825. S. 2½.
ELETT'ARIA. L.T. **CARDAMON.** Monandria Monogynia.
 Cardamomum. L.T. (w. pu.) true. E. Indies. 1815. S. 2½. Linn. trans. 10. t. 4. 5.
Alpinia Cardamomum. F.I. *Amomum Cardamomum*. L.
HEDY'CHUM. F.I. **GARLAND-FLOWER.** Monandria Monogynia. L.
 1 angustifolium. R.Sc. (sc.) narrow-leaved. E. Indies. 1815. 5. 12. S. 2½. Rosc. scitam. t. 60.
 2 aurantiacum. R.Sc. (or.) orange-coloured. — S. 2½. — t. 61.
angustifolium. B.R. 157. non Roxb.
 3 coccineum. R.Sc. (sc.) scarlet. Nepaul. 1818. 5. 12. S. 2½. Rosc. scitam. t. 58.
angustifolium. B.M. non Roxb.
 4 longifolium. R.Sc. (sc.) long-leaved. E. Indies. 1819. 6. 11. S. 2½. Rosc. scitam. t. 59.
 5 carneum. R.Sc. (re.) flesh-coloured. — S. 2½. Bot. mag. t. 2637.
 6 flavum. R.Sc. (ye.) yellow. 1818. — S. 2½. Rosc. scitam. t. 49.
 7 flavescens. R.Sc. (st.) yellowish. 1821. — S. 2½. — t. 50.
 8 thyrsoforme. s.s. (wh.) thyrse-flowered. 1819. 7. 11. S. 2½. — t. 56.
heteromallum. Bot. reg. t. 767.
 9 villösium. F.I. (st.) villous. 1815. 6. 11. S. 2½. Rosc. scitam. t. 54.
 10 glaucum. R.Sc. (wh.) glaucous. 1820. — S. 2½. — t. 53.
 11 ellipticum. R.Sc. (wh.) elliptic-leaved. 5. 8. S. 2½. — t. 55.
 12 acuminatum. R.Sc. (w. or.) taper-pointed. 1822. — S. 2½. Bot. mag. t. 2969.
 13 elatum. B.R. (bh.) tall. Nepaul. 1818. 7. 12. S. 2½. Bot. reg. t. 526.
 14 speciosum. F.I. (ye.) beautiful. E. Indies. 1823. 8. 10. S. 2½.
 15 maximum. R.Sc. (wh.) large-flowered. 1819. 5. 9. S. 2½. Rosc. scitam. t. 52.
 16 coronarium. F.I. (wh.) sweet-scented. 1793. 7. 9. S. 2½. Bot. mag. t. 708.
 17 Gardnerianum. R.Sc. (ye.) Gardner's. Nepaul. 1818. — S. 2½. Bot. reg. t. 771.
 18 spicatum. B.M. (bh.) spiked. 1820. 8. 11. S. 2½. Bot. mag. t. 2300.
 19 gracile. F.I. (wh.) slender. E. Indies. 1821. — S. 2½.

ORDO CCIV.

CANNEÆ. *Brown prodr.* 1. p. 307.

PHRY'NIUM. R.Sc.	PHRY'NIUM.	Monandria Monogynia. L.			
1 dichotomum. F.I. (wh.) forked.	E. Indies.	1807.	6. 9.	S. 2.	Rumph. amb. 4. t. 7.
2 virgatum. F.I. (wh.) slender-stem'd.	—	1818.	—	S. 2.	—
3 spicatum. F.I. (wh.) spiked.	—	—	—	S. 2.	—
4 imbricatum. F.I. (li.) imbricated.	—	1824.	5. 8.	S. 2.	—
5 grandiflorum. R.Sc. (st.) great-flowered.	Brazil.	1819.	6. 8.	S. 2.	Rosc. scitam. t. 33.
6 parviflorum. F.I. (ye.) small-flowered.	E. Indies.	—	5. 9.	S. 2.	— t. 34.
7 capitatum. F.I. (ro.) capitate.	—	1820.	—	S. 2.	Rheed. mal. 11. t. 34.
8 violaceum. R.Sc. (vi.) violet-coloured.	Brazil.	1823.	6. 8.	S. 2.	Rosc. scitam. t. 37.
<i>Calathæa violæa.</i> Bot. reg. t. 961.	—	—	—	—	—
9 comosum. R.Sc. (ye.) tufted.	Trinidad.	1812.	—	S. 2.	Rosc. scitam. t. 35.
10 zebrinum. R.Sc. (pu.) Zebra plant.	Brazil.	1815.	4. 7.	S. 2.	— t. 36.
<i>Maránta zebrina.</i> Bot. reg. t. 385. <i>Calathæa zebrina.</i> B.R.	—	—	—	—	—
11 flavescens. (ye.) yellowish.	Brazil.	1823.	6. 8.	S. 2.	Bot. reg. t. 932.
<i>Calathæa flavescens.</i> B.R.	—	—	—	—	—
12 Alloiya. R.Sc. (wh.) variegated.	Guiana.	1824.	—	S. 2.	Rosc. scitam. t. 38.
13 Myrósuma. R.Sc. (wh.) Canna-like.	Surinam.	1825.	—	S. 2.	— t. 39.
14 cylindricum. R.Sc. (st.) cylindrical.	Brazil.	—	2. 3.	S. 2.	— t. 40.
15 setosum. R.Sc. bristly.	—	1826.	—	S. 2.	— t. 41.
<i>Maránta secúnda.</i> Gr.	—	—	—	—	—
16 Parkéri. R.Sc. (ye.) Parker's.	Grenada.	—	—	S. 2.	Rosc. scitam. t. 42.
17 Casúpo. R.Sc. (ye.) two-coloured.	Trinidad.	1823.	6. 8.	S. 2.	— t. 43.
<i>Calathæa discolor.</i> s. <i>Maránta Casúpo.</i> Jacq. frag. t. 63. f. 4.	—	—	—	—	—
18 ellipticum. R.Sc. (st.) elliptic-leaved.	Guiana.	1823.	—	S. 2.	Rosc. scitam. t. 44.
19 Róssii. L.C. (ye.) Ross's.	Brazil.	1825.	4. 7.	S. 2.	—
20 villósum. L.C. (ye.) villous.	—	—	—	S. 2.	—
21 lúteum. (wh.) yellow-bracted.	Caracas.	1809.	6. 7.	S. 2.	Jacq. ic. 2. t. 20.
<i>Maránta lútea.</i> Jacq. <i>Jacquini.</i> R.S.	—	—	—	—	—
22 obliquum. L.C. (ye.) oblique-leaved.	E. Indies.	1824.	5. 9.	S. 2.	—
23 angustifolium. L.C. (ye.) narrow-leaved.	—	—	—	S. 2.	—
24 littorále. Led. (ye.) sea-side.	Brazil.	1827.	—	S. 2.	—
25 longibracteatum. (li.) long-bracted.	—	1824.	6. 7.	S. 2.	Bot. reg. t. 1020.
26 grandifolium. (ye.) large-leaved.	Brazil.	1825.	—	S. 2.	— t. 1210.
27 macilentum. B.R. (wh.) meagre.	—	—	—	S. 2.	—
TH'ALIA. W.	TH'ALIA.	Monandria Monogynia. W.			
1 dealbata. L.T. (da.pu.) mealy.	Carolina.	1791.	7. 9.	H. w. 2.	Bot. mag. t. 1690.
2 geniculata. R.Sc. (bl.) jointed.	Demerara.	1824.	6. 8.	S. 2.	Rosc. scitam. t. 45.
CANNA. W.	INDIAN SHOT.	Monandria Monogynia. L.			
1 índica. R.Sc. (sc.) common.	W. Indies.	1570.	1. 12.	S. 2.	Rosc. scitam. t. 1.
2 coccinea. L.T. (sc.) scarlet.	—	1731.	—	S. 2.	— t. 11.
3 lútea. L.T. (ye.) yellow.	S. America.	1629.	—	S. 2.	— t. 18.
4 orientális. R.Sc. (sc.) oriental.	E. Indies.	1570.	—	S. 2.	— t. 12.
<i>β fláva.</i> (ye.) yellow Indian.	—	—	—	S. 2.	— t. 13.
<i>γ maculata.</i> (sc. ye.) spotted-flowered.	—	—	—	S. 2.	Bot. mag. t. 2085.
5 pátens. B.R. (sc. ye.) spreading.	China.	1771.	7. 10.	H. 2.	Bot. reg. t. 576.
6 speciosa. B.M. (sc. ye.) showy.	Nepaul.	1820.	—	H. 2.	Bot. mag. t. 2317.
7 gigántea. B.R. (or.) gigantic.	S. America.	1788.	1. 12.	S. 2.	Bot. reg. t. 206.
8 latifolia. R.Sc. (sc.) broad-leaved.	—	—	—	S. 2.	Rosc. scitam. t. 4.
9 edulis. B.R. (sc.) eatable.	Pern.	1820.	6. 10.	S. 2.	Bot. reg. t. 775.
10 discolor. B.R. (sc.) crimson-leaved.	Trinidad.	1827.	8. 12.	S. 2.	— t. 1231.
11 Lambérti. B.R. (cr.) Mr. Lambert's.	—	1818.	5. 8.	S. 2.	— t. 470.
12 excélsa. B.C. (sc.) tall.	Brazil.	1820.	1. 12.	S. 2.	Lodd. bot. cab. t. 743.
13 limbata. R.Sc. (sc. ye.) bordered.	—	1818.	—	S. 2.	Rosc. scitam. t. 9.
<i>auro-vittata.</i> Lodd. bot. cab. t. 449.	—	—	—	—	—
14 pállida. R.Sc. (st.) pale.	W. Indies.	1823.	—	S. 2.	Rosc. scitam. t. 19.
<i>Lagunénsis.</i> Bot. reg. t. 1311.	—	—	—	—	—
<i>β punctata.</i> (ye.) spotted-flowered.	—	—	—	S. 2.	Rosc. scitam. t. 20.
15 aurantiaca. R.Sc. (or.) orange-coloured.	Brazil.	—	—	S. 2.	— t. 21.
16 compácta. R.Sc. (cr.) compact.	S. America.	—	—	S. 2.	— t. 22.
17 pedunculata. R.Sc. (ye.) stalked.	Brazil.	1820.	—	S. 2.	— t. 8.
18 denudata. R.Sc. (sc. ye.) naked-stalked.	—	—	—	S. 2.	— t. 23.
19 sylvéstris. R.Sc. (cr.) wood.	S. America.	1813.	—	S. 2.	— t. 10.
20 lanuginosa. R.Sc. (sc.) woolly-stem'd.	Maranham.	1823.	—	S. 2.	— t. 16.

MARANTA. R.S.		ARROW-ROOT	Monandria Monogynia.	L.	S. 2.	Bot. mag. t. 2002.
1	arundinacea. R.S. (wh.)	Indian.	S. America.	1732.	7. 8. S. 2.	Bot. mag. t. 2307.
2	indica. R.S. (wh.)	smooth-leaved.	India.		S. 2.	Sloan. jam. t. 149.
3	divaricata. R.Sc. (wh.)	spreading.	Brazil.	1825.	— — S. 2.	Rosc. scitam. t. 27.
	<i>3 purpurea. R.Sc. (pu.)</i>	<i>purple-flowered.</i>	— — — —	— — — —	S. 2.	— — — — t. 28.
4	Tónchat. R.S. (pa. bl.)	ovate.	E. Indies.	1819.	 S. 2.	Rumph. amb. 4. t. 7.
5	angustifolia. B.M. (li.)	narrow-leaved.	W. Indies.	1820.	7. 8. S. 2.	Bot. mag. t. 2398.
6	cuspidata. R.Sc. (ye.)	cuspidate.	Sierra Leone.	1822.	— — S. 2.	Rosc. scitam. t. 31.
7	bicolor. B.R. (wh.)	two-coloured.	S. America.	1823.	1. 12. S. 2.	Bot. reg. t. 786.
8	gibba. R.S. (wh.)	gibbous.	— — — —	— — — —	S. 2.	Rosc. scitam. t. 29.
9	obliqua. R.S. (re.)	oblique.	Guiana.	1803.	10. 1. S. 2.	Rudg. gui. t. 11.
10	sylvatica. L.T. (wh.)	wood.	W. Indies.	1799.	8. 9. S. 2.	

MUSACEÆ. *Juss. gen.* 61.

URANIA. W.		URANIA. Hexandria Monogynia. W.			
speciosa. w.	(wh.)	Plantain-leaved. Madagascar. 1813.		S. h.	Jacq. schœn. 1. t. 93.
<i>Ravenalia madagascariensis</i> . Jacq.					
STRELITZIA. H.K.		STRELITZIA. Pentandria Monogynia. H.K.			
1 augusta. H.K.	(wh.)	Plantain-like.	C. B. S.	1791.	2. 5. S. h.
2 regina. H.K.	(ye.bl.)	Canna-leaved.	—	1773.	4. 5. I. 2.
3 ovata. H.K.	(ye.bl.)	oval-leaved.	—	1777.	2. 4. I. 2.
4 humilis. L.en.	(ye.bl.)	dwarf.	—		I. 2.
5 farinosa. H.K.	(ye.bl.)	meale-stalked.	—	1795.	I. 2.
6 angustifolia. H.K.	(ye.bl.)	narrow-leaved.	—	1778.	5. 6. I. 2.
7 parvifolia. H.K.	(ye.bl.)	small-leaved.	—	1796.	5. 7. I. 2.
<i>β juncea. B.R.</i>		<i>(ye.bl.) rush-like.</i>	—	—	I. 2.
HELICONIA. R.S.		HELICONIA. Pentandria Monogynia. L.			
1 Bihai. w.	(re.sn.)	Plantain-leaved.	W. Indies.	1786.	4. 5. S. 2.
2 humilis. R.S.	(sc.)	dwarf.	Caracas.	1798.	5. 6. S. 2.
3 psittacorum. R.S.	(ye.re.)	Parrot-beaked.	W. Indies.	1797.	8. 9. S. 2.
4 Swartziana. R.S.	(or.)	Swartz's.	Jamaica.	—	S. 2.
<i>psittacorum β. B.M.</i>					
5 dealbata. L.C.	(ye.)	mealy.	S. America.	1823.	— S. 2.
6 hirsuta. R.S.	(ye.)	hairy-bracted.	—	—	S. 2.
7 buccinata. F.I.	(st.)	Indian.	E. Indies.	1820.	6. 8. S. 2.
Rumph. amb. 5. t. 62. f. 2.					

IRIDEÆ. *Brown prodr.* 302.

IRIS. B.M.	FLOWER-DE-LUCE. Triandria Monogynia. L.				
1 susiana. R.S.	(br.bl.) Chalcedonian. Levant.	1596.	3. 4.	H. 2.	Bot. mag. t. 91.
2 livida. Trat.	(pu.bl.) livid.	—	—	H. 2.	Redout. lil. 1. t. 18.
<i>susiana</i> , Redoute non B.M.					

3	florentina. R.S. (wh.)	Florentine.	S. Europe.	1596.	5. 6.	H. 7.	Bot. mag. t. 671.
4	germánica. R.S. (bl.)	German.	Germany.	1573.	—	H. 7.	— t. 670.
5	subbiflora. B.M. (bl.)	double-bearing.	Portugal.	1596.	4. 5.	H. 7.	— t. 1130.
6	pállida. R.S. (pa.bl.)	pale Turkey.	Turkey.	—	5. 6.	H. 7.	— t. 685.
	nepalensis. Bot. reg. 818.	non Don. prodr.	—	—	—	—	—
7	longiflora. R.S. (pa.bl.)	long-flowered.	—	1824.	—	H. 7.	—
8	flavescens. R.S. (st.)	pale yellow.	Switzerland.	1825.	—	H. 7.	Swt. br. fl. gar. s. 2. t. 36.
9	sórdida. W.en. (pa.ye.)	dull-flowered.	—	1818.	—	H. 7.	Bot. mag. t. 2861.
	lutescens. Bot. mag. t. 2861.	nec aliorum.	—	—	—	—	—
10	sambucina. R.S. (pu.wh.)	Elder-scented.	S. Europe.	1658.	6.	H. 7.	Bot. mag. t. 187.
11	squálens. R.S. (pu.ye.)	brown-flowered.	—	1768.	—	H. 7.	— t. 787.
12	lúrida. R.S. (da.pu.)	dark brown.	—	1758.	4. 5.	H. 7.	— t. 669. 986.
13	variegata. R.S. (pa.ye.)	variegated.	Hungary.	1597.	5. 6.	H. 7.	— t. 16.
	β limbata. R.S. (pu.ye.)	yellow-limbed.	N. America.	—	—	H. 7.	—
14	neglecta. R.S. (bl.wh.)	Horneman's.	—	1820.	6.	H. 7.	Bot. mag. t. 2435.
15	virescens. R.L. (st.)	greenish-flowered.	—	1824.	5. 6.	H. 7.	Redout. lil. 5. t. 295.
16	Swertii. R.S. (bl.wh.)	reflex-flowered.	—	1748.	—	H. 7.	— 6. t. 360.
17	plícata. R.S. (bl.)	plaited-leaved.	Hungary.	1823.	—	H. 7.	Bot. mag. t. 870.
18	amœna. R.L. (pu.wh.)	pretty.	—	—	—	H. 7.	Redout. lil. 8. t. 336.
19	biflora. R.S. (vi.pu.)	two-flowered.	S. Europe.	1596.	4. 9.	H. 7.	Besl. h. cyst. 8. f. 1.
20	furcata. R.S. (bl.)	forked.	Tauria.	1822.	3. 4.	H. 7.	Bot. reg. t. 801.
21	crístata. R.S. (bl.ye.)	crested.	N. America.	1756.	5.	H. 7.	Bot. mag. t. 412.
22	fimbriata. V. (bl.)	fringed.	China.	1792.	5. 6.	F. 7.	Vent. cels. t. 9.
	chinensis. Bot. mag. t. 373.	—	—	—	—	—	—
23	dichótoma. R.S. (vi.pu.)	forked.	Dauria.	1784.	6. 8.	H. 7.	Swt. br. fl. gar. t. 96.
24	nudicaulis. R.S. (pu.wh.)	naked-stalked.	—	1748.	5. 6.	H. 7.	—
	aphylla. W. —	—	—	—	—	—	—
25	arenaria. R.S. (ye.)	sand.	Hungary.	1802.	—	H. 7.	Bot. reg. t. 549.
26	lutescens. R.S. (ye.)	dwarf yellow.	Germany.	1748.	4. 5.	H. 7.	Redout. lil. 5. t. 263 ?
	pumila. var. lutea. Bot. mag. t. 1209.	—	—	—	—	—	—
27	flavissima. R.S. (ye.)	bright yellow.	Siberia.	1814.	5. 6.	H. 7.	Jacq. ic. 3. t. 220.
28	pumila. R.S. (bl.)	dwarf.	Austria.	1596.	4. 5.	H. 7.	Bot. mag. t. 9.
29	violæea. (vi.)	violet-coloured.	S. Europe.	—	—	H. 7.	— t. 1261.
	pumila. var. violæea. B.M. —	—	—	—	—	—	—
30	hungarica. R.S. (bl.)	Hungarian.	Hungary.	1815.	5.	H. 7.	Swt. br. fl. gar. t. 74.
31	iberica. R.S. (vi.)	Iberian.	Iberia.	1821.	5. 6.	H. 7.	—
32	Pseud-Acorus. R.S. (ye.)	yellow-water.	Britain.	—	6.	H. 7.	Eng. bot. v. 9. t. 578.
	β pallido-flæa. B.M. (ye.)	pale yellow.	N. America.	1812.	—	H. 7.	Bot. mag. t. 2239.
33	Monnières. R.S. (ye.)	Le Monnier's.	Levant.	1820.	6. 7.	H. 7.	Redout. lil. 4. t. 236.
34	taurica. B.C. (ye.)	Taurian.	Tauria.	1826.	5. 6.	H. 7.	Lodd. bot. cab. t. 1506.
35	fœtidissima. R.S. (br.bl.)	Gladwyn.	Britain.	—	6.	H. 7.	Eng. bot. v. 9. t. 596.
	β variegata. (br.bl.)	striped-leaved.	—	—	—	H. 7.	—
36	versicolor. R.S. (pu.ye.)	various-coloured.	N. America.	1732.	5. 6.	H. 7.	Bot. mag. t. 21.
37	fúva. B.M. (co.)	copper-coloured.	—	1812.	6. 7.	H. 7.	— t. 1496.
	cúprea. Ph. published 1814.	fúva. B.M. published 1812.	—	—	—	—	—
38	tridentata. Ph. (bl.)	three-toothed.	N. America.	1824.	7.	H. 7.	Swt. br. fl. gar. t. 274.
	tripétala. Bot. mag. t. 2886.	scarcely the same species.	—	—	—	—	—
39	virginica. R.S. (bl.pu.)	Virginian.	Virginia.	1758.	6. 7.	H. 7.	Bot. mag. t. 703.
40	gracilis. Bolt. (pu.ye.)	Bolton's.	N. America.	1812.	—	H. 7.	—
	Boltoniana. R.S. —	—	—	—	—	—	—
41	spúria. B.M. (bl.)	spurious.	Siberia.	1759.	7.	H. 7.	Bot. mag. t. 58.
42	nótha. M.B. (bl.)	hybrid.	—	1780.	—	H. 7.	Bieb. cent. pl. ros. 2. t. 77.
	halóphila. Bot. mag. t. 875.	—	—	—	—	—	—
43	ochroleuca. L. (st.)	sulphur-coloured.	Levant.	1757.	—	H. 7.	Bot. mag. t. 61.
44	halóphila. Pal. (st.)	long-leaved.	Siberia.	1780.	7. 9.	H. 7.	— t. 1131.
45	stenógyna. R.L. (st.)	cream-coloured.	Caucasus.	1804.	7.	H. 7.	— t. 1515.
46	desertorum. Guld. (bl.st.)	sweet-scented.	Russia.	1811.	—	H. 7.	— t. 1514.
	spatulata. W.en. —	—	—	—	—	—	—
47	heterophylla. s.s. (st.)	various-leaved.	—	—	—	H. 7.	—
48	lævigata. F.	smooth.	Dahuria.	1828.	—	H. 7.	—
49	vérna. M. (bl.)	vernal.	N. America.	1748.	4. 5.	H. 7.	Swt. br. fl. gar. t. 68.
50	ventricósa. R.S. (pa.bl.)	bellied.	Dahuria.	1800.	6.	H. 7.	Pall. it. 3. t. B. f. 1.
51	sibírica. R.S. (bl.st.)	flaccid-leaved.	Siberia.	1596.	5. 6.	H. 7.	Bot. mag. t. 50.
52	flexuósa. R.S. (wh.)	flexuose.	Germany.	—	—	H. 7.	Murr. c. gotf. 7. t. 4.
	sibírica. β alba. B.M. t. 1163.	Redoute liliac. t. 438.	acuta β alba. W.enum.	—	—	H. 7.	—
53	acuta. W.en. (bl.)	straight-leaved.	Siberia.	—	—	H. 7.	—
54	triflora. W.en. (bl.)	three-flowered.	Italy.	1816.	—	H. 7.	—
55	hamatophylla. F. (bl.)	red-leaved.	Siberia.	1790.	4. 5.	H. 7.	Swt. br. fl. gar. t. 118.
	sanguinea. R.S. sibírica γ sanguinea.	Bot. mag. t. 1604.	—	—	—	—	—

- lacustris. N. (pa.bl.) marsh. N. America. 1825. 5. 6. H. 2.
- 50 prismatic. R.S. (bl.) New Jersey. 1812. — H. 2. Bot. mag. t. 1504.
- 60 graminea. R.S. (bl.pu.) grass-leaved. Austria. 1597. 6. H. 2. — t. 681.
- 61 humilis. M.B. (bl.) pigmy. Siberia. 1804. 5. 6. H. 2. — t. 1123.
- 62 ruthénica. R.S. (bl.) Russian. Russia. 1810. 4. 5. H. 2. — t. 1393.
- 63 humilis. R.S. (bh.wh.) two-glumed. Siberia. 1829. — H. 2. Pall. it. 3. app. t. 6. f. 1.
- 64 tenuifolia. w. (pa.bl.) slender-leaved. Dauria. 1796. 5. H. 2. — 3. t. C. f. 2.
- 5 nepalensis. D.P. (bl.) Nepaul. Nepaul. 1824. 6. 7. H. 2. Swt. br. fl. gar. s. 2. t. 11.
- Pallasii. B.M. (bl.) Pallas's. Siberia. 1820. — H. 2.
- β chinensis. B.M. (bl.) Chinese. China. — H. 2. Bot. mag. t. 2331.
- 67 longispátha. B.M. (bl.) long-spathed. Russia. 1822. — H. 2. — t. 2528.
- 68 brachycúspis. B.M. (bl.) short-pointed. Siberia. 1819. 6. H. 2. — t. 2326.
- 69 coelestina. N. (bl.) sky-blue. N. America. 1824. — F. 2.
- 70 ténax. B.R. (pu.) tough-leaved. California. 1827. 4. 5. H. 2. Bot. reg. t. 1218.
- 71 tuberósa. R.S. (vi.) snake's-head. Levant. 1597. 3. 4. H. 2. Bot. mag. t. 531.
- 72 reticulata. R.S. (bl.) netted-rooted. Iberia. 1821. 4. 5. H. b. 2.
- 73 Xiphium. R.S. (ca.) small bulbous. Spain. 1596. 6. H. b. 2. Bot. mag. t. 686.
- 74 lusitánica. R.S. (ye.) Portuguese. Portugal. — 4. 5. H. b. 2. — t. 679.
- 75 Xiphiodes. R.S. (ca.) great bulbous. Spain. 1571. 6. H. b. 2. — t. 687.
- 76 caucásica. R.S. (st.) Caucasian. Caucasus. 1821. 2. 3. H. b. 2. Swt. br. fl. gar. t. 255.
- 77 alata. Lam. (bl.) winged. S. Europe. 1801. H. b. 2. Desf. atl. 1. t. 6?
- scorpioides. Redout. líliac. t. 211.
- 78 persica. R.S. (bl.ye.) Persian. Persia. 1629. 3. H. b. 2. Bot. mag. t. 1.
- DIETES. Sal. DIETES. Triandria Monogynia.
- 1 iridioides. (wh.bl.) Iris-flowered. C. B. S. 1758. 4. 8. F. 2. Bot. mag. t. 693.
- Mor'ea iridioides. B.M. Iris moræoides. Ker.
- 2 catenulata. (wh.bl.) chain-dotted. Madagascar. 1826. — F. 2. Bot. reg. t. 1074.
- Mor'ea catenulata. B.R.
- MOR'EA. B.M. MOR'EA. Triandria Monogynia. L.
- 1 Sisyrinchium. B.M. (bl.) Spanish nut. S. Europe. 1597. 5. 6. F. b. Bot. mag. t. 1407.
- 2 Tenoreana. B.F.G. (bl.) Tenore's. Naples. 1824. 6. 7. F. b. Swt. br. fl. gar. t. 110.
- Iris fagar. Ten. flor. nap. t. 4. nec aliorum.
- 3 minuta. B.R. (ye.) small. C. B. S. 1825. — F. b.
- 4 papilionacea. B.R. (ye.) Butterfly. 1795. 5. 6. F. b. Bot. mag. t. 750.
- 5 ciliata. B.R. (ye.) fringed-leaved. 1787. 4. 6. F. b. — t. 1061.
- 6 barbigerá. Sal. (ro.) bearded. 4. 5. F. b. — t. 1012.
- 7 crispa. B.R. (std.) short-spathed. 1803. — F. b. — t. 1284.
- 8 tristis. B.R. (bl.ye.) dull-coloured. 1768. — F. b. — t. 577.
- 9 tricolor. A.R. (br.re.ye.) three-coloured. 1809. — F. b. Andr. reposit. t. 83.
- 10 lúrida. B.R. (d.pu.) Mr. Griffin's. 1817. 6. 7. F. b. Bot. reg. t. 312.
- 11 ramósa. B.R. (ye.) branching. 1789. 5. 6. F. b. Bot. mag. t. 771.
- 12 plumária. B.R. (bl.) feathered. 1825. — F. b.
- 13 viscária. B.R. (br.) bird-limed. 1800. 6. F. b. Bot. mag. t. 587.
- 14 bituminósa. B.R. (ye.) clammy. 1787. 4. 5. F. b. — t. 1045.
- 15 polystachya. B.R. (bl.) many-spiked. 1825. 6. 7. F. b.
- 16 longiflora. B.R. (ye.) long-flowered. 1801. 6. 7. F. b. Bot. mag. t. 712.
- 17 setacea. B.R. (bl.) bristle-leaved. 1825. — F. b. Thunb. Ir. t. 1. f. 1.
- 18 edulis. B.M. (li.bl.) long-leaved. 1792. 5. 6. F. b. Bot. mag. t. 613.
- 19 odóra. P.L. (wh.) sweet-scented. — F. b. Sal. par. lond. t. 10.
- 20 longifolia. A.R. (st.) pale-yellow. 1808. — F. b. Andr. reposit. t. 45.
- edulis γ lutescens. Bot. mag. t. 1238.
- 21 angusta. B.R. (st.) rolled-leaved. 1790. — F. b. Bot. mag. t. 1276.
- MA'RICA. H.K. MA'RICA. Triandria Monogynia. H.K.
- 1 corúlea. B.C. (bl.) blue. Brazil. 1810. 4. 10. S. 2. Bot. reg. t. 713.
- 2 Sabini. H.T. (bl.) Sabine's. St. Thomas. 1822. 9. 11. S. 2. Hort. trans. v. 6. pl. 1.
- 3 Northiána. H.K. (wh.br.) broad-stemmed. Brazil. 1789. 4. 8. S. 2. Bot. mag. t. 654.
- Mor'ea Northiána. Andr. rep. t. 255.
- 4 paludosa. B.M. (wh.) marsh. Guiana. 1792. 7. 8. S. 2. Bot. mag. t. 646.
- 5 semiapérta. B.C. (ye.) half-opened. Brazil. 1820. 5. 7. S. 2. Lodd. bot. cab. t. 685.
- 6 humilis. B.C. (wh.ye.) dwarf. 1823. — S. 2. — t. 1081.
- 7 longifolia. L.O. (st.) long-leaved. Brazil. 1830. 6. 10. S. 2. Lk. et Ot. abb. t. 58.
- 8 martinicensis. H.K. (ye.) Martinico. W. Indies. 1782. 5. 7. S. 2. Bot. mag. t. 416.
- Iris martinicensis. B.M. Cipara martinicensis. K.S. Trimèzia lúrida. Sal.
- HERBERTIA. B.F.G. HERBERTIA. Monadelphia Triandria.
- 1 pulchella. B.F.G. (bl.) plaited-leaved. Maldonado. 1827. 6. 8. F. b. Swt. br. fl. gar. t. 222.
- 2 pusilla. (st.) small. Brazil. 1830. — F. b. Lk. et Ot. abb. t. 59.
- Ferrária pusilla. Lk. et Otto.
- CYPE'LLA. B.M. CYPE'LLA. Monadelphia Triandria. B.M.
- Herbérti. B.M. (or.) Mr. Herbert's. Buenos Ayres. 1823. 6. 9. F. b. Swt. br. fl. gar. s. 2. t. 33.
- Tigridia Herbérti. B.M. t. 2599. Mor'ea Herbérti. B.R. t. 949.

VIEUSSEUXIA, DC. VIEUSSE'UXIA. Triandria-Monadelphia Monogynia.

- 1 tripetaloides, DC. (bh.) three petal-like. C. B. S. 1802. 4. 5. F.b. Bot. mag. t. 702.
Mor'æa tripétala. B.M. *Iris tripétala*. w.
 2 pavonia, DC. (or.gr.) Peacock. 1790. 5. 6. F.b. Bot. mag. t. 1247.
Mor'æa pavonia. B.M. *Iris pavonia*. w.
 3 villôsa, s.s. (pu.bl.) villous-leaved. C. B. S. 1789. 4. 5. F.b. Bot. mag. t. 571.
 4 tricuspis, s.s. (pu.) trident-petaled. 1776. 6. F.b. t. 696.
 5 glaucopsis, DC. (wh.bl.) white-flowered. 5. 7. F.b. Redout. lil. 1. t. 42.
Iris pavonia. Bot. mag. t. 168. *nec aliorum*.
 6 Bellendéni. (ye.) Mr. Ker's. 1803. 6. 7. F.b. Bot. mag. t. 772.
Mor'æa tricuspis γ *lutea*. B.M. certainly a very distinct species.
 7 tenuis, R.S. (or.) slender. C. B. S. 1807. 5. 6. F.b. Bot. mag. t. 1047.
 8 spirâlis, R.S. (ye.) spiral-flowered. 1825. — F.b. De la Roch. dis. t. 5.
 9 unguiculâris, R.S. (bh.) long-clawed. 1802. — F.b. Bot. mag. t. 593.

HOMERIA, V. HOMERIA. Monadelphia Triandria.

- 1 spicâta. (ye.or.pu.) spiked. C. B. S. 1785. 5. 6. F.b. Bot. mag. t. 1283.
Mor'æa spicâta. B.M.
 2 collina. (pi.) hill. 1768. — F.b. Bot. mag. t. 1033.
Mor'æa collina. B.M.
 3 ochroleuca, Sal. (ye.) straw-coloured. — — F.b. Bot. mag. t. 1103.
Mor'æa collina. γ . B.M. 1103.
 4 lineata, B.F.G. (pi.) lined-leaved. 1825. — F.b. Swt. br. fl. gar. t. 178.
 5 porrifolia, B.F.G. (sc.) leek-leaved. — — F.b. — ic.
 6 elegans. (or.gr.) elegant. — — F.b. Jacq. schœn. 1. t. 2.
 7 aurantiaca, R.S. (or.) flaccid-petaled. 1810. — F.b. Bot. mag. t. 1612.
Mor'æa collina. (a) *miniata minor*. B.M. 1612.
 8 miniata, B.F.G. (pi.) spot-flowered. 1799. — F.b. Swt. br. fl. gar. t. 152.

HEXAGLOTTIS, Vt. HEXAGLOTTIS. Monadelphia Triandria.

- 1 flexuosa. (ye.) flexuose. C. B. S. 1803. 5. 6. F.b. Bot. mag. t. 695.
longifolia. Vent. *Mor'æa flexuosa*. B.M.
 2 virgata. (ye.) slender. 1825. — F.b. Jacq. icon. 2. t. 228.

PARDA'NTHUS, S.S. PARDA'NTHUS. Triandria Monogynia. S.S.

- 1 chinensis, s.s. (or.) Chinese. China. 1759. 6. 7. H. γ . Bot. mag. t. 171.
Ixia chinensis. B.M. *Belamcânda chinensis*. DC.
 2 nepalensis. (or.) Nepaul. Nepaul. 1823. — H. γ .

BOBA'RTIA, L. BOBA'RTIA. Triandria Monogynia. L.

- 1 gladiata, K.I. (ye.) hairy-stalked. C. B. S. 1815. 6. 8. G. γ . Bot. reg. t. 229.
Márica gladiata. B.R. *Mor'æa gladiata*. w.
 2 spathacea, L. (ye.) sheathed. 1798. 7. G. γ . Thunb. dis. p. 9. t. 1.

SISYRI'NCHIUM, L. SISYRI'NCHIUM. Monadelphia Triandria.

- 1 latifolium, H.K. (wh.) broad-leaved. W. Indies. 1737. 6. 8. S. γ . Bot. mag. t. 655.
Márica plicata. B.M. *Mor'æa plicata*. w.
 2 bermudianum, w. (bl.) Iris-leaved. Bermudas. 1732. 5. 7. G. γ . Bot. mag. t. 94.
iridioides. B.M.
 3 Nuttalli. (bl.) Nuttall's. N. America. 1823. — H. γ .
bermudianum. N. *nec aliorum*.
 4 chilense, B.M. (bl.) blue Chilean. Chile. 1826. 6. 7. F. γ . Bot. mag. t. 2786.
 5 graminifolium, B.R. (ye.) grass-leaved. 1825. 4. 8. F. γ . Bot. reg. t. 1067.
 6 flexuosum, B.R. (ye.) flexuose. — — F. γ .
 7 anceps, w. (bl.) narrow-leaved. N. America. 1693. 6. 7. H. γ . Bot. mag. t. 464.
 8 mucronatum, M. (bl.) pointed-flowered. 1812. — H. γ .
 9 convolutum, w. (ye.) convolute. S. America. 1816. 5. 7. F. γ . Wild. h. ber. t. 91.
 10 tenuifolium, w. (ye.) slender-leaved. Mexico. — — F. γ . — t. 92.
 11 luteum, L.en. (ye.) yellow-flowered. 1823. — H. γ .
 12 californicum, H.K. (ye.) Californian. California. 1796. 5. 2. F. γ . Bot. mag. t. 983.
Márica californica. B.M.

- 13 pedunculatum, B.M. (ye.) long-peduncled. Chile. 1827. 6. 8. F. γ . Bot. mag. t. 2965.
 14 micranthum, w. (st.) small-flowered. Peru. 1822. 5. 9. F. γ . — t. 2116.
 15 iridifolium, K.S. (st.vi.) Iris-leaved. S. America. — — F. γ . Bot. reg. t. 646.

- laxum*. Bot. mag. t. 2312. *Márica iridifolia* B.R.
 16 odoratissimum, B.R. (std.) sweet-scented. S. America. 1828. 6. 10. F. γ . Bot. reg. t. 1283.
 17 striatum, H.K. (ye.std.) streaked-flowered. Mexico. 1788. — F. γ . Sm. ic. pict. t. 9.

- Márica striata*. B.M.
 18 palmifolium, w. (wh.) Palm-leaved. Brazil. 1799. 1. 5. S. γ .

ORTHROSA'NTHUS. MORNING-FLOWER. Monadelphia Triandria.

- multiflorus, S.F.A. (bl.) many-flowered. N. Holland. 1825. 5. 8. G. γ . Swt. flor. aust. t. 11.

LIBERTIA, S.S.

- LIBERTIA. Triandria-Monadelphia Monogynia.
 1 paniculata, s.s. (wh.) panicked. N. S. W. 1823. 5. 8. F. γ .
 2 grandiflora. (wh.) large-flowered. N. Zealand. 1822. 4. 9. H. γ . Swt. br. fl. gar. t. 64.
Renealmia grandiflora. S.F.A. the old genus *Renealmia* is restored by Roscoe.
 3 pulchella, s.s. (wh.) neat. N. S. W. 1823. 4. 9. F. γ .

PATERSONIA. B.P.		PATERSONIA. Monadelphia Triandria. H.K.			
1	sericea. B.P. (pu.) silky.	N. S. W.	1803.	5. 7.	F. 2.
2	lanata. B.P. (pu.) woolly-spated.	N. Holland.	1825.	5. 8.	F. 2.
3	longifolia. B.P. (bl.) long-leaved.	N. S. W.	1822.	5. 7.	F. 2.
4	media. B.P. (bl.) middle.	—	1824.	—	F. 2.
5	glabrata. B.P. (bl.) smooth.	—	1814.	—	F. 2.
6	longiscapa. S.F.A. (bl.) long-stalked.	N. Holland.	1825.	5. 8.	F. 2.
7	glauca. B.P. (bl.) glaucous.	N. S. W.	1826.	—	F. 2.
WITSÉNIA. H.K.		WITSÉNIA. Triandria Monogynia.			
1	maura. H.K. (or.) downy-flowered.	C. B. S.	1790.	11. 1.	G. 7.
2	corymbosa. H.K. (bl.) corymbose.	—	1803.	4. 9.	G. 7.
3	ramosa. S.S. (ye.bl.) branching.	—	1809.	—	G. 7.
4	partita. K.I. (bl.) parted-flowered.	—	1822.	—	G. 7.
ARISTEA. Ker.		ARISTEA. Triandria Monogynia. L.			
1	cyanea. H.K. (bl.) woolly-headed.	C. B. S.	1759.	4. 6.	G. 2.
2	pusilla. B.M. (bl.) flat-stemmed.	—	1806.	6. 7.	G. 2.
3	spiralis. H.K. (wh.br.) spiral-flowered.	—	1795.	4. 5.	G. 2.
4	capitata. H.K. (bl.) tallest.	—	1790.	7. 8.	G. 2.
<i>major</i> . A.R. 160. <i>Moræa cærulea</i> . Th. mor. t. 2. f. 2.					
5	melaleuca. H.K. (bl.blk.) three-coloured.	C. B. S.	1786.	5. 6.	G. 2.
FERRARIA. Ker.		FERRARIA. Monadelphia Triandria. H.K.			
1	angustifolia. (st.) narrow-leaved.	C. B. S.	1825.	4. 6.	F.b.
2	antherosa. B.M. (gr.) green variegated.	—	1800.	3. 7.	F.b.
<i>Ferraria</i> H.K. <i>viridiflora</i> . A.R. t. 285.					
3	uncinata. B.F.G. (br.bl.) hook-leaved.	—	1825.	—	F.b.
4	undulata. W. (br.wh.) curled.	—	1755.	—	F.b.
5	atrata. L.C. (da.) dark-flowered.	—	1825.	—	F.b.
6	divaricata. B.F.G. (da.) spreading-anther'd.	—	—	—	F.b.
7	obtusifolia. B.F.G. (pu.br.) blunt-leaved.	—	—	—	F.b.
TIGRIDIA. J.		TIGRIDIA. Monadelphia Triandria. H.K.			
1	pavonia. H.K. (sc.) red-flowered.	Mexico.	1796.	5. 9.	H.b.
<i>Ferraria pavonia</i> . A.R. 178. <i>Tigridia</i> . B.M. 532.					
2	conchiflora. B.F.G. (ye.) yellow-flowered.	Mexico.	1824.	—	H.b.
GALAXIA. Ker.		GALAXIA. Monadelphia Triandria. H.K.			
1	ovata. W. (ye.) oval-leaved.	C. B. S.	1799.	5. 9.	F.b.
2	grandiflora. A.R. (ye.) large-flowered.	—	—	—	F.b.
3	mucronularis. Sal. (ro.) mucronated.	—	—	—	F.b.
4	versicolor. Sal. (ro.ye.) various-coloured.	—	—	—	F.b.
5	graminea. W. (ye.) narrow-leaved.	—	1795.	7. 8.	F.b.
PEYROUSIA.		PEYROUSIA. Triandria Monogynia. H.K.			
1	corymbosa. B.M. (bl.) level-topped.	C. B. S.	1791.	5. 6.	F.b.
2	falcata. B.M. (bl.) sickle-leaved.	—	1825.	—	F.b.
3	fasciculata. B.M. (wh.) fascicled.	—	—	—	F.b.
<i>Galaxia plicata</i> . Jacq. <i>Ixia heterophylla</i> . Vahl. <i>Ovioida fasciculata</i> . S.S.					
4	fissifolia. B.M. (ro.) leafy-spiked.	C. B. S.	1809.	8. 9.	F.b.
5	bracteata. B.M. (wh.) bracteate.	—	1825.	—	F.b.
6	aculeata. B.F.G. (wh.) prickly-stemmed.	—	—	5. 7.	F.b.
7	anceps. E.F.G. (bl.) flat-stemmed.	—	—	—	F.b.
8	silenoides. B.M. (pu.) Silene-like.	—	1822.	—	F.b.
9	fabricii. B.M. (wh.) slender-branched.	—	1825.	—	F.b.
ANOMATHECA. Ker.		ANOMATHECA. Triandria Monogynia. H.K.			
1	junceæ. H.K. (ro.) cut-leaved.	C. B. S.	1791.	4. 5.	F.b.
<i>Lapeyrousia juncea</i> . B.M. <i>Gladiolus polystachyus</i> . A.R. 66.					
BABIANA. Ker.		BABIANA. Triandria Monogynia. S.S.			
1	nana. S.S. (bl.re.) dwarf.	C. B. S.	1807.	4. 6.	F.b.
<i>Gladiolus nanus</i> . A.R.					
2	rubro-cyanea. B.M. (bl.re.) red and blue.	—	1794.	—	F.b.
3	villosa. B.M. (cr.) dark red.	—	1778.	8.	F.b.
<i>Ixia punicea</i> . Jacq. ic. 2. t. 287.					
4	obtusifolia. B.M. (vi.) blunt-leaved.	—	1825.	5. 6.	F.b.
<i>Ixia villosa</i> . Jacq. non H.K.					
5	purpurea. B.M. (d.pu.) dark purple.	—	1806.	—	F.b.
6	stricta. B.M. (bl.wh.) upright.	—	1757.	—	F.b.
7	angustifolia. (bl.) narrow-leaved.	—	—	—	F.b.
<i>stricta</i> (a) B.M. <i>Ixia villosa</i> var. Jacq. frag. t. 14. f. 3.					
8	tenuiflora. B.F.G. (bl.) slender-flowered.	C. B. S.	1825.	—	F.b.
9	sulphurea. B.M. (st.) pale-flowered.	—	1803.	—	F.b.
10	mucronata. B.M. (pu.ye.) mucronate.	—	1825.	—	F.b.
11	plicata. B.M. (pa.bl.) sweet-scented.	—	1774.	—	F.b.
12	disticha. B.M. (pa.bl.) two-ranked.	—	—	6. 7.	F.b.
<i>Gladiolus plicatus</i> . Jacq. ic. t. 237. <i>nec aliorum</i> .					

- 13 pállida. w.h. (pa.) pale-flowered. Hybrid. 6. 7. F.b.
 14 ochroleuca. (st.) cream-colour'd. C. B. S. 1825. 5. 7. F.b.
 15 spathæa. B.M. (bl.wh.) stiff-leaved. 1801. — F.b. Bot. mag. t. 638.
 16 sambucina. B.M. (da.bl.) Elder-scented. 1799. 4. 5. F.b. — t. 1019.
 17 tubata. (wh.re.) long-flowered. 1774. — F.b. — t. 680.
Gladiolus tubatus. Jacq. ic. 2. t. 264.
 18 tubiflora. B.M. (wh.re.) long-tubed. — — F.b. Bot. mag. t. 847.
 19 ringens. B.M. (pu.) gaping-flowered. 1752. 5. 6. F.b. Lodd. bot. cab. t. 1006.
 20 Thunbergii. B.M. (pu.) many-spiked. 1774. — F.b.
Antholyza plicata. w.
 ANTHOLYZA. Ker. ANTHOLYZA. Triandria Monogynia. L.
 1 æthiopica. B.M. (sc.or.) flag-leaved. C. B. S. 1759. 1. 4. F.b. Bot. mag. t. 561.
 2 præalta. DC. (sc.or.) tall. — F.b. Redout. lil. 7. t. 387.
æthiopica. var. *β*. B.M. 1172. vittigera. Sal.
 3 montana. B.C. (pu.) mountain. 1824. 5. 7. F.b. Lodd. bot. cab. t. 1022.
 4 lucidor. B.M. (pu.) shining. 1825. — F.b.
 ANISANTHUS. B.F.G. ANISANTHUS. Triandria Monogynia.
 1 splendens. B.F.G. (sc.) splendid. C. B. S. 1825. 4. 6. F.b. Swt. br. fl. gar. ic. ined.
 2 Cunonia. B.F.G. (sc.) scarlet. 1756. 5. 6. F.b. Bot. mag. t. 343.
Antholyza Cunonia. B.M. *Gladiolus Cunonia*. H.K.
 PETAMENES. Sal. PETAMENES. Triandria Monogynia.
 quadrangulâris. (ye.sc.) four-sided. C. B. S. 1790. 4. 5. F.b. Bot. mag. t. 567.
Gladiolus quadrangulâris. B.M. *abbreviatus*. Andr. repos. t. 166.
 WATSONIA. Ker. WATSONIA. Triandria Monogynia. H.K.
 1 aletroides. B.M. (ro.) Aletris-flower'd. C. B. S. 1774. 5. 7. F.b. Bot. mag. t. 441.
 2 brevifolia. B.M. (ro.) variegated. — — F.b. — t. 533.
 3 angusta. K.I. (sc.) narrow-flowered. 1825. — F.b. Jacq. ic. 2. t. 231.
 4 humilis. B.M. (re.) lake-coloured. 1754. — F.b. Bot. mag. t. 631.
 4 Meriana. B.M. (ro.) red-flowered. 1750. — F.b. — t. 418.
 5 iridifolia. Jac. (fl.) Iris-leaved. 1795. — F.b. Jacq. ic. 2. t. 234.
 6 fulgida. Sal. (sc.) scarlet. — — F.b. Bot. mag. t. 600.
Antholyza fulgens. A.R. 192.
 7 roseo-âlba. B.M. (w.bh.) two-coloured. 7. 8. F.b. Bot. mag. t. 537.
β variegata. (wh.ro.) variegated-flower'd. — F.b. — t. 1193.
 8 brevifolia. B.M. (sc.) short-leaved. 1794. 5. 7. F.b. — t. 601.
 9 rosea. B.M. (ro.) pyramidal. 1803. 7. 8. F.b. — t. 1072.
 10 strictiflora. B.M. (ro.) straight-flower'd. 1810. 6. 7. F.b. — t. 1406.
 11 marginata. B.M. (ro.) broad-leaved. 1774. — F.b. — t. 608.
β minor. B.M. (ro.) shining-leaved. 1812. — F.b. — t. 1530.
 12 rubens. K.I. (re.) red-spated. 1825. — F.b.
 13 punctata. H.K. (bl.) dotted-flowered. 1800. 4. 5. F.b. Andr. reposit. t. 177.
Varia punctata. A.R.
 14 plantaginea. B.M. (bl.) Fox-tail. 1774. 6. 7. F.b. Bot. mag. t. 553.
 15 spicata. B.M. (bh.) hollow-leaved. 1791. 5. — F.b. — t. 523.
Varia fistulosa. B.M.
 GLADIOLUS. Ker. CORN-FLAG. Triandria Monogynia. L.
 1 viperatus. B.M. (gr.pu.) perfumed. C. B. S. 1787. 4. 5. F.b. Swt. br. fl. gar. t. 156.
 2 alatus. B.M. (sc.ye.) wing-flowered. 1795. 5. 6. F.b. — t. 187.
 3 algoensis. (co.pu.y.) Algoa bay. 1824. 7. — F.b. Bot. mag. t. 2608.
alatus β algoensis. B.M.
 4 namaquensis. B.M. (sc.y.) thick-leaved. 1800. 5. 6. F.b. Bot. mag. t. 592.
 5 perneabilis. R.S. (re.y.) tall. 1825. — F.b. De la Roch. dis. t. 2.
 6 Watsonius. B.M. (sc.) Watson's. 1791. 3. 5. F.b. Bot. mag. t. 450.
β variegata. (sc.ye.) variegated-flower'd. 1801. — F.b. — t. 569.
 7 brevifolius. H.K. (fl.) short-leaved. 1802. — F.b. — t. 727.
 8 hirsutus. H.K. (ro.) rose-coloured. 1795. 4. 6. F.b. — t. 574.
roseus. Andr. reposit. t. 11.
 9 merianellus. K.I. (pu.ye.) slender-flower'd. — — F.b.
 10 puniceus. Lam. (pu.) dark purple. — — F.b. Breyn. cent. 24. t. 12. f. 1.
villosus. K.I. *Lamârcii*. R.S.
 11 aphyllus. K.I. (fl.) leafless. — — F.b. Bot. mag. t. 992.
 12 versicolor. B.M. (re.ye.) various-colour'd. 1794. 5. 6. F.b. Andr. reposit. t. 19.
 13 lævis. K.I. (br.re.st.) two-nerved. 1806. — F.b. Bot. mag. t. 1042. ε.
versicolor ε. binervis. B.M.
 14 Breynianus. K.I. (br.y.) Breynius's. — — F.b. Breyn. afr. 2. t. 7. f. 1.
 15 suaveolens. K.I. (br.y.) sweet-scented. 1799. — F.b. Bot. mag. t. 556.
 16 elongatus. K.I. (bl.ye.) long-leaved. — — F.b. Jacq. ic. 2. t. 244.
 17 recurvus. B.M. (pu.ye.) Violet-scented. 1758. 4. 5. F.b. Bot. mag. t. 578.
 18 inflatus. K.I. (pa.pu.) inflated. 1825. — F.b.
 19 gracilis. B.M. (pa.bl.) slender. 1800. — F.b. Bot. mag. t. 562.

20	débilis. B.M. (wh.pu.) weak.	C. B. S.	1822.	4. 5.	F.b.	Bot. mag. t. 2585.
21	trichonemifolius. B.M. (ye.) slender-leaf'd.	—	1810.	5. 6.	F.b.	— t. 1483.
22	cóncolor. P.L. (st.) pale-yellow.	—	1790.	—	F.b.	Sal. par. lond. t. 8.
23	trístis. B.M. (st.br.) square-leaved.	—	1745.	—	F.b.	Bot. mag. t. 272.
24	hyalinus. K.I. (wh.st.pu.) transparent.	—	1825.	—	F.b.	Jacq. ic. 2. t. 242.
25	tenéllus. K.I. (st.br.) feeble.	—	—	—	F.b.	— t. 248.
26	Colvillii. B.F.G. (re.ye.) Colvill's.	Hybrid.	1823.	—	F.b.	Swt. br. fl. gar. t. 155.
27	cárneus. B.M. (pu.pu.) flesh-coloured.	C. B. S.	1796.	—	F.b.	Bot. mag. t. 591.
28	cuspidátus. B.M. (w.pu.) sharp-pointed.	—	1795.	4. 5.	F.b.	— t. 582.
29	angústus. B.M. (st.re.) narrow-leaved.	—	1757.	—	F.b.	— t. 602.
	hastátus. Thunb. non B.M.	—	—	—	—	—
30	vomérculus. K.I. (bh.vi.) spade.	—	1816.	—	F.b.	Bot. mag. t. 1564.
31	involutus. K.I. (ro.pu.) involute.	—	1757.	5. 6.	F.b.	Mill. ic. t. 286. f. 1.
32	édulis. B.R. (wh.pu.ye.) eatable-rooted.	—	—	—	F.b.	Bot. reg. t. 169.
33	undulátus. B.M. (st.pu.) waved-flowered.	—	1760.	4. 5.	F.b.	Bot. mag. t. 647.
34	fasciátus. R.S. (pi.pu.) fasciate.	—	—	—	F.b.	— t. 538.
	undulátus β. Bot. mag.	—	—	—	—	—
35	blandus. B.M. (bh.ro.) fairest.	—	1774.	6.	F.b.	Bot. mag. t. 625.
36	álbidus. w. (wh.) white-flowered.	—	—	—	F.b.	— t. 648.
37	campanulátus. A.R. (pu.) bell-flowered.	—	1794.	5. 6.	F.b.	Andr. reposit. t. 188.
	blandus γ purpureo-albescens. B.M.	—	—	—	—	—
38	excélsus. K.I. (pi.) painted-flower'd.	—	—	—	F.b.	Bot. mag. t. 1665.
	blandus δ. excélsus. B.M.	—	—	—	—	—
39	trímaculátus. K.I. (bh.pu.) three-spotted.	—	—	—	F.b.	Lam. ill. 1. t. 32. f. 3.
40	flexuosus. B.M. (bh.) flexuose.	—	1825.	—	F.b.	Thunb. diss. t. 1. f. 1.
41	floribúndus. B.M. (pi.w.) large-flowered.	—	1788.	5. 7.	F.b.	Bot. mag. t. 610.
42	Milléri. B.M. (wh.pu.) Miller's.	—	1751.	4. 5.	F.b.	— t. 632.
43	cardínalis. B.M. (sc.) superb.	—	1789.	7. 8.	F.b.	— t. 135.
44	bockveldiënsis. W.H. (co.) Bockveld.	—	1826.	—	F.b.	—
45	spofforthianus. W.H. (va.) Blando-cardinalis.	Hybrid.		—	F.b.	—
46	mitchamiënsis. W.H. (va.) Tristi-hirsutus.	—		—	F.b.	—
47	rigidus. W.H. (va.) Tristi-blandus.	—		—	F.b.	—
48	propínquus. W.H. (var.) Floribundo-blandus.	—		—	F.b.	—
49	frágrans. W.H. (va.) Recurvo-trístis.	—		—	F.b.	—
50	Haylockiánus. W.H. (va.) Versicolori-blandus.	—		—	F.b.	—
51	Herbertiánus. (va.) Tristi-Spofforthianus.	—		—	F.b.	—
52	odorátus. W.H. (va.) Hirsuto-Spofforthianus.	—		—	F.b.	—
53	delicátus. W.H. (va.) Recurvo-blandus.	—		—	F.b.	—
54	byzantinus. B.M. (pu.) Turkish.	Turkey.	1629.	6. 7.	H.b.	Bot. mag. t. 874.
55	communis. B.M. (re.) common.	S. Europe.	1596.	—	H.b.	— t. 86.
	β cárneus. B.M. (bh.) pale-flowered.	—	—	—	H.b.	— t. 1575.
SPHÆROSPORA. SPHÆROSPORA. Triandria Monogynia.						
1	imbricatá. (re.wh.) European.	S. Europe.	1596.	6. 7.	H.b.	Bot. mag. t. 719.
	Gladiolus ségetum. B.M. Gladiolus imbricatús. K.I.	—	—	—	—	—
2	triphýlla. (re.) three-leaved.	Greece.	1825.	—	H.b.	Flor. græc. 1. t. 38.
SYNNOTIA. B.F.G. SYNNO'TIA. Triandria Monogynia.						
1	variegatá. B.F.G. (bl.ye.) variegated-flower'd.	C. B. S.	1825.	4. 6.	F.b.	Swt. br. fl. gar. t. 150.
2	bícolor. B.F.G. (ye.bl.) two-coloured.	—	1786.	3. 4.	F.b.	Bot. mag. t. 548.
	Ixia bicolor. B.M. Sparáxis bicolor. Ker. Gladiolus bicolor. w.	—	—	—	—	—
3	galeatá. B.F.G. (vi.ye.) helmet-flower'd.	—	1825.	—	F.b.	Jacq. ic. 2. t. 258.
	Gladiolus galeátus. Jacq.	—	—	—	—	—
STREPTANTH'ERA. B.F.G. STREPTANTH'ERA. Triandria Monogynia.						
1	élegans. B.F.G. (w.re.ye.) elegant.	C. B. S.	1825.	6. 7.	F.b.	Swt. br. fl. gar. t. 209.
2	cúprea. (co.ve.) copper-coloured.	—	—	—	F.b.	—
SPARAXIS. Ker. SPARAXIS. Triandria Monogynia. H.K.						
1	trícolor. H.K. (cr.ve.y.) three-coloured.	C. B. S.	1789.	5.	F.b.	Bot. mag. t. 381.
2	versicolor. (cr.bl.y.) various-coloured.	—	1811.	—	F.b.	Swt. br. fl. gar. t. 160.
3	Griffini. (pu.ve.y.) Mr. Griffin's.	—	—	—	F.b.	Bot. mag. t. 1482. f. inf.
	trícolor γ violáceo-purpurea. B.M.	—	—	—	—	—
4	blánda. (bh.) blush-flowered.	—	—	—	F.b.	Bot. mag. t. 1482. f. med.
	trícolor. δ. subróseo-álbida. B.M.	—	—	—	—	—
5	grandiflora. H.K. (pu.) large-flowered.	—	1758.	4. 5.	F.b.	Bot. mag. t. 541.
	a purpurea. (pu.) velvet-flowered.	—	—	—	F.b.	Andr. reposit. t. 87.
	β striatá. (pu.st.) streaked-flower'd.	—	—	—	F.b.	Bot. mag. t. 779.
6	Liliágo. (wh.bh.) Lily-flowered.	—		—	F.b.	Redout. lil. 2. t. 109.
	Ixia Liliágo. R.L. Sparáxis grandiflora γ Liliágo.	Bot. reg. t. 258.	—	—	—	—
7	bulbífera. H.K. (ye.) bulb-bearing.	C. B. S.	1758.	5. 6.	F.b.	Bot. mag. t. 545.
8	frágrans. B.M. (ye.) fragrant.	—	1825.	—	F.b.	Jacq. ic. 2. t. 274.
9	anemonæflora. B.M. (st.) Anemone-flower'd.	—	—	—	F.b.	— 2. t. 273.
	Ixia anemonæflora. Jacq.	—	—	—	—	—

TRITONIA. Ker.		TRITONIA. Triandria Monogynia. H.K.			
1	crispa. H.K. (ro.wh.)	curled-leaved. C. B. S.	1787.	4. 5.	F.b. Bot. mag. t. 678.
2	anigozanthiflora. (gr.)	Anigozanthus-fl'd.	1825.	6. 8.	F.b.
3	viridis. B.M. (gr.)	green-flowered.	1788.	7.	F.b. Bot. mag. t. 1275.
4	rosea. H.K. (wh.ro.)	rosy.	1793.	6. 7.	F.b. t. 618.
5	capensis. B.M. (st.pu.)	Cape.	1811.	8. 10.	F.b. t. 1531.
6	pallida. B.M. (st.)	pale-flowered.	1806.	—	F.b. Jacq. ic. 2. t. 262.
7	longiflora. B.M. (st.re.)	long-flowered.	1774.	6. 8.	F.b. Bot. mag. t. 256.
<i>Hexaglottis longiflora</i> . V. <i>Gladiolus longiflorus</i> . Jacq. <i>I'xia longiflora</i> . B.M.					
8	tenuiflora. R.S. (st.)	slender-flower'd. C. B. S.	1811.	4. 6.	F.b. Bot. mag. t. 1502.
9	concolor.	(st.) self-coloured.	—	—	F.b. t. 1502.f.minor
10	Rocheana. (st.ro.)	bending-flowered.	—	8.	F.b. t. 1503.
11	pectinata. B.M. (bh.)	pectinated.	1825.	5. 6.	F.b.
12	striata. B.M. (st.vi.)	streaked.	—	—	F.b. Jacq. ic. 2. t. 260.
13	lineata. B.M. (st.br.)	pencilled.	1774.	—	F.b. Bot. mag. t. 487.
14	securigera. B.M. (co.ye.)	copper-coloured.	—	5.	F.b. t. 383.
15	flava. B.M. (ye.)	yellow.	1780.	4. 6.	F.b. Bot. reg. t. 747.
16	refracta. B.R. (ye.)	reflexed.	1815.	5. 6.	F.b. t. 135.
17	squalida. B.M. (pi.bh.)	sweet-scented.	1774.	—	F.b. Bot. mag. t. 581.
18	fenestrata. B.M. (sn.)	open-flowered.	1801.	—	F.b. t. 704.
19	purpurea. K.I. (pu.)	purple.	1825.	—	F.b.
20	crocata. B.M. (sn.)	Crocus-flowered.	1758.	—	F.b. Bot. mag. t. 184.
<i>I'xia crocata</i> . B.M.					
21	deusta. B.M. (sn.vi.)	spotted-flower'd.	1774.	—	F.b. Bot. mag. t. 622.
22	miniata. B.M. (ye.)	late-flowered.	1795.	8.	F.b. t. 609.
23	xanthospila. s.s. (wh.)	yellow-spotted.	1825.	5. 6.	F.b. Redout. lil. 3. t. 124.
MORPHIXIA. K.I.		MORPHIXIA. Triandria Monogynia.			
1	linearis. K.I. (bh.)	slender. C. B. S.	1796.	4. 5.	F.b. Bot. mag. t. 570.
<i>I'xia linearis</i> . R.S. <i>capillaris a gracillima</i> . B.M. <i>Hyàlis gracilis</i> . Salisb.					
2	capillaris. K.I. (bh.)	wire-stemmed. C. B. S.	1774.	—	F.b. Bot. mag. t. 617.
<i>Hyàlis latifolia</i> . Salisb. <i>I'xia lancea</i> . Jacq. ic. 2. t. 281. <i>capillaris</i> β <i>stricta</i> . B.M.					
3	aùlica. K.I. (ro.)	rose-coloured. C. B. S.	1774.	—	F.b. Bot. mag. t. 1013.
<i>I'xia aùlica</i> . H.K. <i>capillaris</i> γ <i>aùlica</i> . B.M. <i>Hyàlis aùlica</i> . Salisb.					
4	incarnata. K.I. (fl.)	flesh-coloured. C. B. S.	1774.	—	F.b. Jacq. ic. 2. t. 282.
IXIA. Ker.		IXIA. Triandria Monogynia. L.			
1	fucata. B.M. (bh.)	painted. C. B. S.		6. 7.	F.b. Bot. mag. t. 1379.
2	aristata. B.M. (pi.)	salver-flowered.	1800.	—	F.b. t. 589.
3	flexuosa. B.M. (va.)	flexuose.	1757.	4. 5.	F.b. t. 624.
4	hybrida. B.M. (wh.ro.)	spurious.	—	—	F.b. t. 128.
5	leucantha. P.S. (wh.)	white-flowered.	1779.	5. 8.	F.b. Jacq. ic. 2. t. 278.
6	pátens. B.M. (cr.)	spreading-flower'd.	—	4. 6.	F.b. Bot. mag. t. 522.
7	crateroides. B.M. (cr.)	crimson.	1778.	—	F.b. t. 594.
8	monadélpha. B.M. (bl.gr.)	monadelphous.	1792.	—	F.b. t. 607.
9	cúrta. A.R. (or.)	shortened.	—	—	F.b. Andr. reposit. t. 554.
<i>monadélpha</i> β . Bot. mag. t. 1378.					
10	columellaris. B.M. (pu.b.vi.)	variegated.	1790.	6. 8.	F.b. Bot. mag. t. 630.
11	conica. B.M. (or.vi.)	orange-color'd.	1757.	4. 5.	F.b. t. 539.
12	fusco-citrina. R.S. (ye.br.)	yellow and brown.	—	—	F.b. Redoute lilac. t. 86.
13	dùbia. R.S. (ye.pu.)	doubtful.		—	F.b. 2. t. 64.
14	viridiflora. R.S. (gr.pu.)	green-flowered.	1780.	5. 6.	F.b. t. 476.
15	maculata. W. (va.)	spot-flowered.	—	—	F.b. Jacq. schœn. t. 20. 21. &c.
16	ovata. A.R. (wh.pu.)	ovate-spiked.	—	—	F.b. Andr. reposit. t. 23.
17	capitata. A.R. (wh.bk.)	headed.	—	—	F.b. t. 159.
18	ochroleuca. (st.br.)	cream-coloured.	1809.	—	F.b. Bot. mag. t. 1285.
19	erecta. H.K. (wh.)	upright.	1757.	—	F.b. Jacq. schœn. 1. t. 18.
<i>a albiflora</i> . (wh.) white-flowered.					
β <i>incarnata</i> . (fl.) flesh-coloured.					
γ <i>lutea</i> . (ye.) yellow-flowered.					
20	odorata. (ye.)	sweet-scented.	—	—	F.b. Bot. mag. t. 846.
21	retusa. H.K. (ro.)	retuse.	1793.	2. 4.	F.b. t. 1173.
<i>polystachia</i> . Bot. mag. t. 629.					
22	scillaris. B.M. (ro.)	Squill-flowered.	1787.	—	F.b. Bot. mag. t. 542.
23	crispa. B.M. (ro.)	curled-leaved.	—	4. 5.	F.b. t. 599.
MELASPIERULA. Ker.		MELASPIERULA. Triandria Monogynia. H.K.			
1	iridiflora. B.F.G. (wh.br.)	Iris-leaved. C. B. S.	1825.	2. 4.	F.b. Swt. br. fl. gar. ic.
2	intermedia. (pu.st.)	intermediate.	1787.	4. 8.	F.b. Bot. mag. t. 615.
<i>graminea</i> . B.M. excl. synonym.					
3	graminea. (wh.br.)	grass-leaved.	1825.	2. 5.	F.b. Jacq. ic. 2. t. 236.
<i>Gladiolus gramineus</i> . Jacq. <i>Diàsiagraminifolia</i> . Red. lil. t. 163.					
4	parviflora. L.C. (wh.)	small-flowered. C. B. S.	1825.	—	F.b. Lodd. bot. cab. t. 1444.

HESPERA'NTHA. Ker. EVENING-FLOWER. Triandria Monogynia. H.K.									
1	cinnamomea. H.K. (wh.br.)	curled-leaved.	C. B. S.	1787.	4. 5.	F.b.	Bot. mag. t. 1054.		
2	falcata. H.K. (wh.br.)	sickle-leaved.	—	—	—	F.b.	— t. 566.		
3	graminifolia. (wh.br.)	Grass-leaved.	—	1808.	8. 9.	F.b.	— t. 1254.		
	<i>pilosa</i> <i>β foliis nudis, floribus minoribus.</i> B.M.								
4	pilosa. H.K. (wh.br.)	hairy.	C. B. S.	1811.	4. 5.	F.b.	Bot. mag. t. 1475.		
5	angusta. B.M. (wh.)	narrow-leaved.	—	1825.	—	F.b.	Jacq. ic. 2. t. 279.		
	<i>Ixia angusta.</i> Jacq.								
6	radiata. H.K. (wh.br.)	nodding-flowered.	—	1794.	4. 6.	F.b.	Bot. mag. t. 573.		
GEISSORHIZA. Ker. TILE-ROOT. Triandria Monogynia. H.K.									
1	Rocheana. (bl.pu.)	plaid.	C. B. S.	1790.	5.	F.b.	Bot. mag. t. 598.		
2	monantha. (bl.)	one-flowered.	—	—	—	F.b.	Houtt. syst. 11. t. 78. f. 1.		
3	setacea. B.M. (st.re.)	bristle-leaved.	—	1809.	6. 7.	F.b.	Bot. mag. t. 1255.		
4	obtusata. H.K. (st.)	pale-yellow.	—	1801.	5.	F.b.	— t. 672.		
5	vaginata. B.F.G. (ye.)	sheathed.	—	1825.	6. 9.	F.b.	Swt. br. fl. gar. t. 138.		
6	secunda. B.M. (bl.)	one-ranked.	—	1795.	5. 6.	F.b.	Jacq. ic. 2. t. 277.		
	<i>a cœrulea.</i> (bl.)	blue-flowered.	—	—	—	F.b.	Bot. mag. t. 597.		
	<i>β albescens.</i> (wh.bl.)	whitish-flowered.	—	—	—	F.b.	— t. 1105.		
7	sublutea. B.M. (st.)	yellowish.	—	1825.	—	F.b.			
	<i>I'xia sublutea.</i> Lam.								
8	humilis. K.I. (st.bh.)	dwarf.	—	1822.	—	F.b.			
9	erecta. W.H. (st.bl.)	erect.	—	1824.	—	F.b.			
10	imbricata. B.M. (st.re.)	imbricated.	—	—	—	F.b.			
11	hirta. B.M. (pa.bl.)	hairy.	—	—	—	F.b.			
12	ciliaris. Sal. (st.)	fringed.	—		—	F.b.			
	<i>inflæxa.</i> K.I. <i>I'xia inflæxa.</i> De la Roche.								
13	excisa. B.M. (wh.pi.)	dwarf-cut-leaved.	—	1789.	4. 5.	F.b.	Bot. mag. t. 584.		
	<i>I'xia excisa.</i> B.M.								
SPATALANTHUS. B.F.G. RIBBON-FLOWER. Monadelphia Triandria.									
	<i>speciosus.</i> B.F.G. (sc.ye.)	beautiful.	C. B. S.	1825.	8. 10.	F.b.	Swt. br. fl. gar. t. 300.		
TRICHONEMA. Ker. TRICHONEMA. Triandria Monogynia. H.K.									
1	Bulbocodium. H.K. (pu.)	channel-leaved.	S. Europe.	1739.	3. 4.	H.b.	Bot. mag. t. 265.		
2	purpurascens. (pu.)	purple.	Naples.	1825.	—	H.b.	Ten. fl. nap. v. 1. t. 2.		
	<i>I'xia purpurascens.</i> T.S.								
3	Columnæ. T.P. (st.li.)	Columna's.	—	—	—	H.b.	Redout. lil. t. 88. f. A.		
4	celestinum. (bl.)	blue.	N. America.	1820.	—	H.b.	Bartr. it. t. 3.		
	<i>I'xia celestina.</i> Ph.								
5	roseum. B.M. (ro.)	rose-coloured.	C. B. S.	1808.	6. 7.	F.b.	Bot. mag. t. 1225.		
6	speciosum. B.M. (ro.)	crimson.	—	—	3. 4.	F.b.	— t. 1476.		
7	pudicum. B.M. (ro.)	blush.	—	—	6. 8.	F.b.	— t. 1244.		
8	cruciatum. S.S. (ro.)	square-leaved.	—	1758.	5. 6.	F.b.	Jacq. ic. 2. t. 290.		
9	longifolium. Sal. (ro.)	small-flowered.	—	—	—	F.b.	Bot. mag. t. 575.		
	<i>cruciatum.</i> B.M. non Jacq.								
10	filifolium. K.I. (ye.)	slender-leaved.	—	1812.	—	F.b.	Redout. lil. t. 251. f. 2.		
11	recurvifolium. K.I. (st.)	recurve-flowered.	—	—	—	F.b.	— t. 251. f. 1.		
12	tortuosum. K.I. (ye.)	twisted-leaved.	—	1822.	—	F.b.			
13	caulescens. B.M. (ye.)	caulescent.	—	1810.	6. 7.	F.b.	Bot. mag. t. 1392.		
14	chloroleucum. B.M. (st.)	milk-coloured.	—	1825.	5. 7.	F.b.	Jacq. ic. 2. t. 270.		
CR'OCUS. L. Cr'ocus. Triandria Monogynia. L.									
1	vernus. E.B. (va.)	spring.	England.		2. 4.	H.b.	Eng. bot. v. 5. t. 344.		
	<i>β plumbæus.</i> H.T. (bl.)	lead-coloured.	—	—	—	H.b.	Hort. t. v. 7. t. 11. 12. f. 10.		
	<i>γ albus major.</i> H.T. (wh.)	large-white.	—	—	—	H.b.	— v. 7. t. 11. 12. f. 11.		
	<i>δ leucorhynchus.</i> H.T. (w.)	white.	—	—	—	H.b.	— v. 7. t. 11. 12. f. 12.		
	<i>ε inflatus.</i> H.T. (bl.)	bellied.	—	—	—	H.b.	— v. 7. t. 11. 12. f. 13.		
	<i>ζ fucatus.</i> H.T. (bh.pu.)	painted.	—	—	—	H.b.	— v. 7. t. 11. 12. f. 14.		
	<i>η pictus.</i> H.T. (li.pu.)	pencilled.	—	—	—	H.b.	— v. 7. t. 11. 12. f. 15.		
	<i>θ Anderssonii.</i> H.T. (wh.)	Anderson's.	—	—	—	H.b.	— v. 7. t. 11. 12. f. 16.		
	<i>ι Sabini.</i> H.T. (bl.)	Sabine's.	—	—	—	H.b.	— v. 7. t. 11. 12. f. 17.		
	<i>κ Glorianus.</i> H.T. (wh.bl.)	Queen of Portugal's.	—	—	—	H.b.	— v. 7. t. 11. 12. f. 18.		
	<i>λ pulchellus.</i> H.T. (li.bl.)	pretty.	—	—	—	H.b.	— v. 7. t. 11. 12. f. 19.		
	<i>μ neapolitanus.</i> R.S. (std.)	Neapolitan.	Naples.	—	—	H.b.	Bot. mag. t. 860.		
	<i>ν obovatus.</i> R.S. (wh.)	obovate-flowered.	S. Europe.	—	—	H.b.	— t. 2240.		
2	striatus. L.en. (wh.vi.)	striated.	—	—	—	H.b.			
3	versicolor. H.K. (wh.bl.)	party-coloured.	—	1629.	—	H.b.	Bot. mag. t. 1110.		
	<i>a purpureus.</i> H.T. (pu.)	purple-flowered.	—	—	—	H.b.	Hort. tr. v. 7. t. 11. 12. f. 6.		
	<i>β plumosus.</i> H.T. (pu.w.)	feathered.	—	—	—	H.b.	— v. 7. t. 11. 12. f. 7.		
	<i>γ elegans.</i> H.T. (pu.wh.)	elegant.	—	—	—	H.b.	— v. 7. t. 11. 12. f. 8.		
	<i>δ urbanus.</i> H.T. (wh.li.)	homebred.	—	—	—	H.b.	— v. 7. t. 11. 12. f. 9.		

4	biflorus. H.K. (wh.pu.)	Scotch. Crimea.	1629.	2. 3.	H.b.	Bot. mag. t. 845.
	<i>β Parkinsonii</i> . H.T. (wh.bl.)	Parkinson's. —	—	—	H.b.	Hort. tr. v. 7. t. 11. f. 4.
5	pusillus. R.S. (wh.pu.)	small. Italy.	1824.	—	H.b.	Swt. br. fl. gar. t. 106.
6	minus. R.L. (pu.wh.)	small. Corsica.	1828.	—	H.b.	Redout. lil. t. 81.
7	præcox. E.B. (pu.wh.)	early. Britain.		—	H.b.	Eng. bot. t. 2645.
8	argenteus. H.T. (pu.wh.)	silvery.		—	H.b.	Hort. tr. v. 7. t. 11. 12. f. 8.
9	albiflorus. R.S. (wh.)	white-flowered. Hungary.	—	2. 4.	H.b.	—
10	variegatus. R.S. (ye.pu.)	variegated. Levant.	1828.	—	H.b.	Hop. et Hor. a. Meer. c. ic
11	reticulatus. M.B. (ye.vi.)	netted-bulbed. Caucasus.	1825.	—	H.b.	M. B. cent. pl. rar. t. 1.
12	susianus. H.K. (ye.pu.)	Cloth of Gold. Turkey.	1605.	—	H.b.	Bot. mag. t. 652.
13	stellaris. H.T. (ye.pu.)	starry cloth of gold. S. Europe.	1629.	—	H.b.	Hort. trans. 1. p. 136. ic.
14	sulphureus. B.M. (st.)	pale yellow. —	—	—	H.b.	Bot. mag. t. 1384.
15	lacteus. H.T. (st.vi.)	milk-coloured.		—	H.b.	—
	<i>β penicillatus</i> . H.T. (st.vi.)	pencilled.		—	H.b.	Hort. t. v. 7. t. 11. 12. f. 3.
16	lagenæflorus. P.L. (st.)	Gourd-flowered. Greece.		—	H.b.	Bot. mag. t. 2655.
17	aureus. F.G. (go.)	golden-flowered. —		—	H.b.	Eng. bot. t. 2646.
18	luteus. R.S. (ye.)	common yellow. Levant.	1620.	—	H.b.	Bot. mag. t. 45.
	<i>vérnus</i> . B.M. <i>nec aliorum</i> .	—	—	—	—	—
19	masiacus. B.M. (ye.)	great yellow. Greece.	1629.	—	H.b.	Bot. mag. t. 1111.
20	sativus. R.S. (vi.)	saffron. England.		9. 10.	H.b.	Eng. bot. v. 5. t. 343.
21	serotinus. R.S. (vi.)	late-flowered. S. Europe.	1629.	9. 11.	H.b.	Bot. mag. t. 1267.
22	Pallasii. M.B. (vi.)	autumnal. Tauria.		—	H.b.	—
	<i>autumnalis</i> . R.S.	—	—	—	—	—
23	nudiflorus. E.B. (vi.)	naked-flowered. England.		10. 11.	H.b.	Eng. bot. v. 7. t. 491.

ORDO CCVII.

HÆMODORACEÆ. *Brown prodr.* 299.

WACHENDO'RFIA. L. WACHENDO'RFIA. Triandria Monogynia. L.						
1	thyrsiflora. R.S. (ye.)	tall-flowered. C. B. S.	1759.	5. 6.	G. 2.	Bot. mag. t. 1060.
2	paniculata. R.S. (ye.)	panicled. —	1700.	2. 5.	F. b.	— t. 616.
3	Herbæti. (ye.)	Herbert's. —	1823.	—	F. b.	— t. 2610.
	<i>paniculata</i> . <i>β</i> . H. in B.M.	—	—	—	—	—
4	hirsuta. R.S. (ye.)	hairy. —	1687.	4. 6.	F. b.	Bot. mag. t. 614.
5	brevifolia. B.M. (ye.)	short-leaved. —	1795.	3. 4.	F. b.	— t. 1166.
6	Breniâna. R.S. (pu. ye.)	Brenius's. —	1825.	—	F. b.	Breyn. cent. f. 37.
7	graminea. s.s. (ye.)	Grass-leaved. —	1810.	6.	G. 2.	—
8	tenella. R.S. (pu.)	slender-leaved. —	1816.	—	G. 2.	—
XIPHIDIUM. J. XIPHIDIUM. Triandria Monogynia. W.						
1	albidum. s.s. (wh.)	white. W. Indies.	1787.	6. 8.	S. 2.	Sw. fl. ind. oc. 1. t. 2.
	<i>floribundum</i> . Swartz.	—	—	—	—	—
2	coruleum. s.s. (bl.)	blue. —	1793.	—	S. 2.	Aub. gui. 1. t. 11.
HÆMODORUM. B.P. HÆMODORUM. Triandria Monogynia. R.S.						
1	planifolium. B.P. (st.)	flat-leaved. N. S. W.	1810.	7. 11.	F. 2.	Bot. mag. t. 1610.
2	teretifolium. B.P. (st.)	round-leaved. —	1822.	—	F. 2.	—
DILATRIS. Ker. DILATRIS. Triandria Monogynia. R.S.						
1	corymbosa. w. (pu.)	broad-petaled. C. B. S.	1790.	5. 6.	F. 2.	Sm. exot. bot. 1. t. 16.
	<i>umbellata</i> . L.	—	—	—	—	—
2	viscosa. w. (pu.)	clammy. —	1795.	—	F. 2.	—
3	paniculata. w. (pu. ye.)	panicled. —	1825.	—	F. 2.	—
GYROTHECA. H.T. GYROTHECA. Triandria Monogynia.						
	<i>tinctoria</i> . (re.)	red-rooted. N. America.	1812.	6. 7.	H. 2.	Mich. amer. 1. t. 4.
	<i>Lachnâthes tinctoria</i> . Ell. <i>Dilatris tinctoria</i> . Ph. <i>Heritiera Gmelini</i> . M.	—	—	—	—	—
LOPHIOLA. B.M. LOPHIOLA. Hexandria Monogynia. B.M.						
	<i>aurea</i> . B.M. (ye.)	golden-flowered. N. America.	1811.	5. 7.	H. 2.	Bot. mag. t. 1596.
	<i>Conostylis americana</i> . Ph.	—	—	—	—	—
LAN'ARIA. W. LAN'ARIA. Hexandria Monogynia. W.						
	<i>plumosa</i> . w. (pu.)	woolly. C. B. S.	1787.	6. 7.	G. 2.	—
CONOSTYLIS. B.P. CONOSTYLIS. Hexandria Monogynia. S.S.						
1	aculeata. B.P. (st.)	prickly-leaved. N. Holland.	1824.	9. 2.	F. 2.	Bot. mag. t. 2989.
2	serrulata. B.P. (st.)	serrulate. —	—		F. 2.	—
ANIGOZANTHOS. B.P. ANIGOZANTHOS. Hexandria Monogynia.						
1	flavida. B.P. (br. gr.)	russet-green. N. Holland.	1803.	5. 9.	F. 2.	Bot. mag. t. 1151.
2	rufa. B.P. (br. gr.)	rufous. —	1824.	—	F. 2.	Labill. voy. 1. t. 22.

ORDO CCVIII.

HYPOXIDEÆ. *Brown.*

HYPOXIS. L.	HYPOXIS.	Hexandria Monogynia. L.		
1 júncea. w. (ye.)	rushy.	Carolina. 1787.	6. 7. H.b.	Sm. spic. 15. t. 16.
2 hygrométrica. B.P. (ye.)	hairy-leaved.	N. Holland. 1820.	— F.b.	Lab. nov. holl. 1. t. 8.
3 álba. w. (wh.)	white.	C. B. S. 1806.	— F.b.	Lodd. bot. cab. t. 1074.
4 lineàris. A.R. (ye.)	linear-leaved.	— 1792.	4. 5. F.b.	Andr. reposit. t. 171.
5 stellàta. w. (ye.)	yellow starry.	— 1752.	4. 6. F.b.	Bot. mag. t. 662.
6 élegans. P.S. (wh.)	white starry.	— —	— F.b.	— t. 1223.
<i>stellàta</i> β. B.M. <i>certainly a distinct species.</i>				
7 serràta. w. (ye.)	saw-leaved.	— 1788.	6. 7. F.b.	Bot. mag. t. 709.
8 ovàta. w. (ye.)	smooth-leaved.	— 1806.	2. 5. F.b.	— t. 1010.
9 veratrifolia. w. (ye.)	plaited-leaved.	— 1788.	6. 7. F. 2.	Jacq. ic. 2. t. 367.
<i>plicàta</i> . Jacq.				
10 carolinénsis. M. (ye.)	Carolina.	Carolina. 1822.	— F.b.	
11 decumbens. w. (ye.)	decumbent.	Jamaica. 1755.	6. 9. S. 2.	Mill. ic. 1. t. 39. f. 2.
12 stellipilis. B.R. (ye.)	starry-haired.	C. B. S. 1821.	6. 12. F. 2.	Bot. reg. t. 663.
13 obliqua. w. (ye.)	oblique-leaved.	— 1795.	6. 7. F. 2.	Andr. rep. t. 195.
14 praténsis. B.P. (ye.)	field.	N. S. W. 1822.	— F.b.	
15 erécta. s.s. (ye.)	upright.	N. America. 1752.	— H.b.	Bot. mag. t. 710.
16 grácilis. Ot. (ye.)	slender.	S. America. 1828.	— G.b.	
17 Selloii. Ot. (ye.)	Sello's.	Buenos Ayres. 1827.	— F.b.	
18 sobolífera. w. (ye.)	creeping.	C. B. S. 1774.	6. 9. F. 2.	Bot. mag. t. 711.
19 villòsa. w. (ye.)	villous.	— —	— F. 2.	Jacq. ic. 2. t. 307.
20 obtùsa. B.R. (ye.)	obtuse.	— 1816.	— F. 2.	Bot. reg. t. 169.
21 aquática. w. (ye.)	water.	— 1787.	6. 7. F. 2.	
CURCULIGO. B.P.	CURCULIGO.	Hexandria Monogynia. S.S.		
1 plicàta. B.R. (ye.)	plaited.	C. B. S. 1788.	6. 7. F.b.	Jacq. schœn. 1. t. 80.
β glàbra. (ye.)	smooth-leaved.	— 1816.	— F.b.	Bot. reg. t. 345.
2 orchioídes. s.s. (ye.)	narrow-leaved.	E. Indies. 1800.	— S. 2.	Roxb. corom. 1. t. 13.
3 brevifolia. s.s. (ye.)	short-leaved.	— 1804.	5. 7. S. 2.	Bot. mag. t. 1076.
4 latifolia. s.s. (ye.)	broad-leaved.	— —	5. 8. S. 2.	Bot. reg. t. 754.
5 sumatràna. B.C. (ye.)	Sumatra.	Sumatra. 1818.	— S. 2.	Lodd. bot. cab. t. 443.
6 recurvata. s.s. (ye.)	recurved.	Bengal. 1805.	— S. 2.	Bot. reg. t. 770.
BARBACENIA. Vand.	BARBACENIA.	Hexandria Monogynia.		
purpurea. B.M. (pu.)	purple-flower'd. Brazil.	1825.	8. 9. S. 2.	Bot. mag. t. 2777.
VELLOSLIA. Vand.	VELLOSLIA.	Polyandria Monogynia.		
squamata. P.B. (bl.)	scaly.	Brazil. 1829.	 S. 2.	Pohl. bras. ic. v. 1. t. 9.

ORDO CCIX.

AMARYLLIDEÆ. *Brown prodr. p. 296.*

STERNBERGIA. W.K.	STERNBERGIA.	Hexandria Monogynia.		
1 colchiciflora. B.R. (ye.)	Colchicum-flower'd. Hungary.	1816.	9. 10. H.b.	W. et K. hung. 2. t. 157.
2 clusiàna. B.R. (ye.)	Clusius's. Constantinople.	— —	— H.b.	Clus. hist. 1. t. 163.
3 lùtea. B.R. (ye.)	common yellow. S. Europe.	1596.	— H.b.	Bot. mag. t. 290.
<i>Amaryllis lùtea</i> . B.M.				
β angustifolia. (ye.)	narrow-leaved.	— — — —	— H.b.	
ZEPHYRANTHES. H.A.	ZEPHYRANTHES.	Hexandria Monogynia.		
1 chloroleuca. H.A. (st.)	one-leaved.		5. 8. G.b.	Ker's rev. pl. 8. f. 1.
2 Atamásco. H.A. (wh.)	Atamasco Lily. N. America.	1629.	5. 6. H.b.	Bot. mag. t. 239.
<i>Amaryllis Atamásco</i> . B.M.				
3 tubispátha. H.A. (wh.)	tube-sheathed. S. America.		5. 7. S.b.	Bot. mag. t. 1586.
<i>Amaryllis tubispátha</i> . B.M.				
4 cándida. B.M. (wh.)	white-flowered. Peru.	1822.	7. 10. H.b.	Bot. mag. t. 2607.
<i>Amaryllis cándida</i> . Bot. reg. t. 724.				
5 ròsea. B.R. (ro.)	rose-coloured. Havannah.	—	9. 10. G.b.	Bot. reg. t. 821.

6	striata. B.M. (bh.wh.) striped.	Mexico.	1824.	6. 8.	H.b.	Bot. mag. t. 2593.
7	verecúnda. B.M. (bh.) modest.	_____	_____	_____	H.b.	_____ t. 2583.
8	carinata. B.M. (ro.) keeled-leaved.	_____	_____	_____	H.b.	Swt. br. fl. gar. s. 2. t. 4.
9	grandiflora. B.R. (ro.) large-flowered.	_____	1825.	_____	H.b.	Bot. reg. excl. fol. t. 902.
HABRA'NTHUS. B.M. HABRA'NTHUS. Hexandria Monogynia.						
1	gracilifolius. B.M. (ro.) slender-leaved.	S. America.	1823.	9. 11.	G.b.	Bot. mag. t. 2464.
2	angustus. B.M. (pu.) narrow.	BuenosAyres.	1825.	_____	G.b.	_____ t. 2639.
3	versicolor. B.M. (bh.) changeable.	S. America.	1823.	1. 4.	G.b.	_____ t. 2485.
4	lorifolius. B.M. (ro.) lorate-leaved.	_____	1824.		G.b.	_____
5	bifidus. B.M. (ro.) two-cleft.	BuenosAyres.	1825.	6. 9.	G.b.	Bot. mag. t. 2597.
6	spathaceus. B.M. (pu.) broad-spathed.	_____	_____		G.b.	_____
7	robusta. W.H. (li.) robust.	_____	1827.	7. 9.	F.b.	Swt. br. fl. gar. s. 2. t. 14.
8	Andersoni. W.H. (ye.) Anderson's.	S. America.	1829.	5. 6.	F.b.	_____ s. 2.
	α aurea. (ye.) golden.	_____	_____	_____	F.b.	_____
	β cuprea. (co.) copper-coloured.	_____	_____	_____	F.b.	_____
9	advena. W.H. (std.) streaked.	_____	1807.	_____	F.b.	Bot. mag. t. 1125.
	<i>Amaryllis advena.</i> Bot. reg. t. 849.					
10	intermedia. W.H. (re.) intermediate.	Brazil.	1827.	1. 3.	S.b.	Bot. reg. t. 1148.
	<i>Amaryllis intermedia.</i> B.R.					
BELLADO'NNA. BELLADO'NNA LILY. Hexandria Monogynia.						
1	purpurascens. (pu.) light purple.	C. B. S.	1712.	7. 9.	H.b.	Bot. mag. t. 783.
	<i>Amaryllis Belladonna.</i> L.					
2	pálida. (pa.li.) pale-flowered.	_____		_____	F.b.	Bot. reg. t. 714.
3	púdica. (ro.) modest.	_____	1795.	5. 7.	F.b.	Ker's rev. t. 8. f. 2.
	<i>Amaryllis púdica.</i> K.R.					
4	blánda. (bh.) charming.	_____	1754.	_____	F.b.	Bot. mag. t. 1450.
AMARYLLIS. L. AMARYLLIS. Hexandria Monogynia. L.						
1	reticulata. W. (pu.wh.) netted-veined.	Brazil.	1777.	4. 5.	S.b.	Bot. mag. t. 657.
2	striatifolia. (pu.wh.) striped-leaved.	_____	1815.	_____	S.b.	Bot. reg. t. 352.
3	Sweetii. W.H. (va.) Striatifolio-Johnsoni.	Colvill's.	1821.	1. 12.	S.b.	_____
	α brevifolia. C.C. (pu.w.) short-leaved.	Colvill's.	1820.	_____	S.b.	_____
	β superba. C.C. (cr.wh.) superb-flowered.	_____	_____	_____	S.b.	_____
	γ obscura. C.C. (re.wh.) clouded.	_____	_____	_____	S.b.	_____
	δ recurvata. C.C. (re.bh.) recurved-flowered.	_____	_____	_____	S.b.	_____
	ε Wellsiana. C.C. (re.w.) Mr. Wells's.	_____	_____	_____	S.b.	_____
	ζ Vallèti. (pu.wh.) Vallets'.	_____	_____	_____	S.b.	_____
	η rugosa. C.C. (pu.wh.) rugged-flowered.	_____	_____	_____	S.b.	_____
	θ versicolor. (re.wh.) various-coloured.	_____	_____	_____	S.b.	_____
	ι am'æna. (re.wh.) delightful.	_____	_____	_____	S.b.	_____
	κ affinis. (re.wh.) likened.	_____	_____	_____	S.b.	_____
	λ undulæflora. (pu.wh.) wave-flowered.	_____	_____	_____	S.b.	_____
	μ palliiflora. (li.wh.) pale-flowered.	_____	_____	_____	S.b.	_____
	ν discolor. (re.wh.) two-coloured.	_____	_____	_____	S.b.	_____
	ξ expansa. (sc.wh.) expanded.	_____	_____	_____	S.b.	_____
	ο variegata. C.C. (re.wh.) variegated-flowered.	_____	_____	_____	S.b.	_____
	π nótha. (pu.wh.) bastard.	_____	_____	_____	S.b.	_____
	ρ lineata. (re.wh.) line-petaled.	_____	_____	_____	S.b.	_____
	σ modesta. (wh.re.) modest.	_____	_____	_____	S.b.	_____
	τ patentissima. (sc.) spreading-flower'd.	_____	_____	_____	S.b.	_____
	υ salmonea. (re.) salmon-coloured.	_____	_____	_____	S.b.	_____
	φ bistriata. (cr.da.) two-lined.	_____	_____	_____	S.b.	_____
	ψ ligulæflora. (re.wh.) strap-flowered.	_____	_____	_____	S.b.	_____
	χ Annesleyana. (re.wh.) Lord Mountnorris's.	_____	_____	_____	S.b.	Miss Chapman's ic. ined.
4	Colvillii. (va.) Reticulato-Johnsoni.	_____	_____	_____	S.b.	_____
	α atrorubens. (da.pu.w.) dark-red.	_____	_____	_____	S.b.	_____
	β purpurascens. (pu.re.) purplish.	_____	_____	_____	S.b.	_____
	γ costata. (re.wh.) ribbed-leaved.	_____	_____	_____	S.b.	_____
	δ dioica. (re.pu.) barren-anthered.	_____	_____	_____	S.b.	_____
	ε æmula. (re.wh.) red and white.	_____	_____	_____	S.b.	_____
	ζ nervifolia. (pu.re.) strong-nerved.	_____	_____	_____	S.b.	_____
	η phænicea. (da.pu.) dark purple red.	_____	_____	_____	S.b.	_____
	θ stenantha. (pa.pu.w.) narrow-petaled.	_____	_____	_____	S.b.	_____
	ι flaccida. (re.pu.w.) flaccid-leaved.	_____	_____	_____	S.b.	_____
	κ bracteata. (re.pu.) large-bracted.	_____	_____	_____	S.b.	_____
	λ párcula. (pu.wh.) small-flowered.	_____	_____	_____	S.b.	_____
5	præclara. W.H. (va.) Johnsoni-striatifolia.	Colvill's.	_____	_____	S.b.	_____
	α párens. (pu.wh.) spreading-flowered.	_____	_____	_____	S.b.	_____
	β Colvilliana. (re.p.w.) Colvill's.	_____	_____	_____	S.b.	_____
	γ decora. (re.pu.) neat.	_____	_____	_____	S.b.	_____

6	Johnsöni. (sc. wh.)	Reginæ-vittata. Johnson.	1810.	1. 12.	G.b.	Lodd. bot. cab. t. 159.
	spectabilis. B.C.	brasilienſis. Redout. liliac. c. ic.				
	a Scaramôuch. W.H.	(sc. wh.) Mr. Herbert's. Mitcham.	1811.	—	G.b.	
	β Mâter. W.H.	(sc. wh.) dame.	—	—	G.b.	
	γ Sorëlla. W.H.	(sc. wh.) sister.	—	—	G.b.	
	δ quârta. W.H.	(sc. wh.) fourth.	—	—	G.b.	
	ε pëndula. W.H.	(sc. wh.) pendulous.	—	—	G.b.	
	ζ Ponceauuëlla. W.H.	(sc. wh.) related.	—	—	G.b.	
	η bârbe blâche. W.H.	(sc. wh.) white-bearded. Highclere.	—	—	G.b.	
7	reginæ. W.	(sc.) Mexican Lily. S. America.	1725.	5. 7.	S.b.	Bot. mag. t. 453.
8	formôsa. W.H.	(va.) Striatifolio-reginæ. Colvill's.	1820.	—	S.b.	
	a grandiflôra. (pu. wh.)	large-flowered.	—	—	S.b.	
	β pallëscens. (pa. re. w.)	pale red and white.	—	—	S.b.	
	γ rubicûnda. (ve. re.)	velvety red.	—	—	S.b.	
	δ coccinea. (sc.)	dark-veined scarlet.	—	—	S.b.	
	ε ringens. (re. wh.)	gaping-flowered.	—	—	S.b.	
	ζ carnëscens. (fl. wh.)	flesh-coloured.	—	—	S.b.	
	η dilûta. (pa. re. wh.)	stained-flowered.	—	—	S.b.	
	θ imbûta. (re.)	stained red.	—	—	S.b.	
	i compâcta. (pa. re.)	compact.	—	—	S.b.	
9	gloriôsa. (va.)	Reticulato-reginæ.	—	—	S.b.	
	a sulcâta. (re. wh.)	channelled-leaved.	—	—	S.b.	
	β rubëscens. (re. wh.)	pale red.	—	—	S.b.	
	γ rôseo-âlba. (ro. wh.)	rosy and white.	—	—	S.b.	
	δ accëdens. (ve. re.)	velvety.	—	—	S.b.	
10	consanguinea. (sc. wh.)	Valletti-reginæ.	1824.	—	S.b.	
	β sericea. (pu.)	silky-flowered.	—	—	S.b.	
11	intermëdia. (re. wh.)	Reginæ-equestris.	1820.	—	S.b.	
12	spathæa. B.M.	(sc.) large-spathed. Hybrid.	—	—	S.b.	Bot. mag. t. 2315.
13	vittata. W.	(sc. wh.) striped. S. America.	1769.	4. 5.	S.b.	— t. 129.
	β latifolia. L.col.	(sc. wh.) broad-leaved.	1816.	—	G.b.	Lindl. coll. bot. ic.
14	lineâta. Colla. (sc. wh.)	lined-flowered.	1820.	—	S.b.	Coll. hort. rip. ic.
	vittata γ. Harrisônæ.	Bot. reg. t. 988.	—	—		
15	magnifica. (sc. wh.)	Striatifolio-vittata. Colvill's.	1823.	—	S.b.	
16	pûlchra. C.C.	(sc. wh.) Reticulato-vittata.	—	—	S.b.	
17	rûtila. K.R.	(sc.) fiery. Brazil.	1815.	1. 12.	S.b.	Bot. reg. t. 23.
18	splëndens. H.A.	(sc. wh.) Rutilo-equestri-vittata. Spofforth.	1819.	—	F.b.	Herb. append. p. 52. ic.
	a Mars. W.H.	(sc. wh.) Mars.	1822.	—	F.b.	
	β Vësta. W.H.	(sc. wh.) Vësta.	—	—	F.b.	
	γ Bellôna. W.H.	(sc. wh.) Bellona.	—	—	F.b.	
	δ âlta. W.H.	(sc. wh.) tallest.	—	—	F.b.	
	ε ignëscens. (sc.)	flame-coloured. Colvill's.	—	—	F.b.	
19	sanguinea. W.H.	(cr. wh.) Rutilo-vittata. Highclere.	1819.	—	G.b.	
20	micans. W.H.	(re. co.) Rutilo-crocata.	1820.	—	S.b.	
21	angûsta. (sc. pu.)	Johnsoni-rutila. Colvill's.	1822.	—	S.b.	
22	rîgida. (re. co. g.)	Crocato-rutila.	—	—	S.b.	
23	incl'ÿta. W.H.	(sc. wh.) Fulgido-vittata. Highclere.	1819.	—	S.b.	
24	Carnarvônî. W.H.	(sc. w.) Vittato-reginæ.	—	—	G.b.	
25	ârdens. W.H.	(sc. co.) Crocato-reginæ. Spofforth.	1820.	—	S.b.	
	a salmônea. W.H.	(pa. re.) salmon-coloured.	—	—	S.b.	
	β charbon brulant. (pa. r.)	shining-flowered.	—	—	S.b.	
26	fulgida. K.R.	(sc.) fulgid. Brazil.	1810.	—	S.b.	Bot. reg. t. 226.
27	subbarbâta. (or. sc.)	slightly bearded.	1823.	—	S.b.	Bot. mag. t. 2475.
28	flôrida. W.H.	(sc. wh.) Fulgido-rutila. Spofforth.	1820.	—	S.b.	
29	mâjus. W.H.	(sc. co.) Acuminato-rutila.	—	—	S.b.	
	β fratërna. (sc.)	brother. Colvill's.	1821.	—	S.b.	
30	venôsa. W.H.	(sc. wh.) Vittato-Johnsoni. Highclere.	—	—	G.b.	
31	invërſa. W.H.	(sc. wh.) Johnsoni-vittata. Liverpool.	1812.	—	G.b.	
	β Sâturn. W.H.	(sc. wh.) Saturn.	—	—	G.b.	
	γ Plûto. W.H.	(sc. wh.) Pluto. Spofforth.	1814.	—	G.b.	
	δ Andromache. W.H.	(sc.) Andromache.	—	—	G.b.	
32	sidërea. W.H.	(sc.) Sanguineo-subbarbata. Spofforth.	1820.	—	S.b.	
33	stellâta. W.H.	(sc.) Subbarbato-sanguinea.	—	—	S.b.	
34	renovâta. W.H.	(sc. wh.) Splendente-fulgida.	—	—	S.b.	
35	expânsa. W.H.	(sc. wh.) Equestri-florida.	—	—	S.b.	
36	Beatum. W.H.	(sc. co.) Johnsoni-acuminata. Wentworth.	—	—	S.b.	
	β Beatrice. W.H.	(sc. co.) Beatrice.	—	—	S.b.	
	γ tricolor. (re. pu. gr.)	three-coloured. Colvill's.	1821.	—	S.b.	
	δ macrântha. (re. co.)	large-flowered.	—	—	S.b.	

	<i>ε crispata.</i>	(re.co.)	curled-edged.	Colvill's.	1821.	1. 12.	S.b.	
	<i>ζ tricuspis.</i>	(sc.or.)	three-pointed.	—	—	—	S.b.	
36	<i>lugubris.</i>	W.H. (sc.or.)	Styloso-Johnsoni.	Spofforth.	1814.	—	S.b.	
	<i>α sombrélla.</i>	W.H. (co.)	sombre.	—	—	—	S.b.	
	<i>β grisélina.</i>	W.H. (pa.)	greyish.	—	—	—	S.b.	
	<i>γ porporina.</i>	W.H. (br.)	brownish.	—	—	—	S.b.	
37	<i>tristis.</i>	W.H. (sc.co.)	Johnsoni-stylosa.	—	—	—	S.b.	
38	<i>Brookesii.</i>	W.H. (sc.co.)	Crocato-Johnsoni.	Brookes's.	1820.	—	S.b.	
	<i>β Creusa.</i>	W.H. (sc.co.)	Creusa.	—	—	—	S.b.	
39	<i>aurantiaca.</i>	W.H. (or.)	Reginæ-acuminata.	Spofforth.	—	—	S.b.	
	<i>α Camillus.</i>	W.H. (or.sc.)	Camillus.	—	—	—	S.b.	
	<i>β Gustavus.</i>	W.H. (or.sc.)	Gustavus.	—	—	—	S.b.	
	<i>γ amabilis.</i>	(sc.or.)	brilliant.	Colvill's.	1821.	—	S.b.	
	<i>δ fúlva.</i>	(co.)	coppery.	—	—	—	S.b.	
40	<i>platypétala.</i>	(sc.or.)	Acuminato-reginæ.	—	—	—	S.b.	
41	<i>Hoodii.</i>	(sc.wh.)	Reginæ-fulgida.	—	1820.	—	S.b.	
42	<i>intermixta.</i>	C.C. (re.wh.)	Equestri-reginæ.	—	—	—	S.b.	
43	<i>Coopéri.</i>	W.H. (co.)	Crocato-acuminata.	Wentworth.	—	—	S.b.	
	<i>β transparens.</i>	(co.gr.)	transparent.	Colvill's.	1821.	—	S.b.	
44	<i>élegans.</i>	W.H. (sc.wh.)	Formoso-vittata.	Highclere.	—	—	G.b.	
45	<i>Burghcleriana.</i>	W.H. (sc.wh.)	Splendente-vittata.	Burghclere.	—	—	G.b.	
46	<i>ancéps.</i>	W.H. (sc.wh.)	Florido-Johnsoni.	Spofforth.	—	—	G.b.	
47	<i>concinna.</i>	W.H. (sc.wh.)	Formoso-Johnsoni.	—	—	—	G.b.	
	<i>α Roundhead.</i>	W.H. (sc.wh.)	Roundhead.	—	—	—	G.b.	
	<i>β Peter.</i>	W.H. (sc.wh.)	Peter.	—	—	—	G.b.	
	<i>γ John.</i>	W.H. (sc.wh.)	John.	—	—	—	G.b.	
	<i>δ Jeffrey.</i>	W.H. (sc.wh.)	Jeffrey.	—	—	—	G.b.	
48	<i>incóstant.</i>	(sc.or.)	Acuminato-Johnsoni.	Colvill's.	—	—	G.b.	
	<i>α vendsa.</i>	(re.co.)	purple-veined.	—	—	—	G.b.	
	<i>β lateritia.</i>	(re.co.)	brick-coloured.	—	—	—	G.b.	
	<i>γ glaucéscens.</i>	(re.co.)	glaucous.	—	—	—	G.b.	
	<i>δ cóncolor.</i>	(co.)	self-coloured.	—	—	—	G.b.	
	<i>ε vária.</i>	(re.co.)	variable-coloured.	—	—	—	G.b.	
	<i>ζ crispiflóra.</i>	(sc.)	scarlet curl-flowered.	—	—	—	G.b.	
	<i>η pustulósa.</i>	(sc.co.)	pustulose-flowered.	—	—	—	G.b.	
	<i>θ breviflóra.</i>	(re.co.)	short-tubed.	—	—	—	G.b.	
	<i>ι fúlvo-cínta.</i>	(re.co.)	brown-edged.	—	—	—	G.b.	
	<i>κ dílecta.</i>	(sc.)	bright-scarlet.	—	—	—	G.b.	
	<i>λ tortuliflóra.</i>	(sc.or.)	twisted-flowered.	—	—	—	G.b.	
	<i>μ veniflóra.</i>	(ye.re.)	veined-flowered.	—	—	—	G.b.	
	<i>ν lineoláta.</i>	(re.)	dark-lined.	—	—	—	G.b.	
	<i>ξ basiflóra.</i>	(re.pu.)	purple-bottomed.	—	—	—	G.b.	
	<i>o imperiális.</i>	(sc.)	imperial.	—	—	—	G.b.	
	<i>π punctulósa.</i>	(pa.sc.)	purple spotted.	—	—	—	G.b.	
	<i>ρ unipárvula.</i>	(re.pu.)	lower small petaled.	—	—	—	G.b.	
	<i>σ purpáreo-rúbens.</i>	(pu.re.)	purplish red.	—	—	—	G.b.	
	<i>τ flexuósa.</i>	(pu.re.)	flexuose-petaled.	—	—	—	G.b.	
	<i>υ delicáta.</i>	(sc.pu.)	purple-striped scarlet.	—	—	—	G.b.	
49	<i>crocáta.</i>	K.R. (sn.)	saffron-coloured.	Brazil.	1810.	4. 6.	S.b.	Bot. reg. t. 38.
50	<i>stylósa.</i>	(co.re.)	long-styled.	Maranham.	1821.	2. 6.	S.b.	Bot. mag. t. 2278.
	<i>maranénsis.</i>	B.R. 719.	<i>Hippeastrum stylósum.</i>	B.M.	—	—	—	—
51	<i>acumináta.</i>	B.R. (co.)	acute-flowered.	Maranham.	—	4. 8.	S.b.	Bot. reg. t. 534.
	<i>Hippeastrum pulveruléntum.</i>	Bot. mag. t. 227.	—	—	—	—	—	—
52	<i>spúria.</i>	(sc.co.)	Acuminato-reginæ.	Colvill's.	1822.	—	S.b.	
	<i>α sórdida.</i>	(co.)	dull-copper.	—	—	—	S.b.	
	<i>β carináta.</i>	(re.co.)	keeled-flowered.	—	—	—	S.b.	
53	<i>striatiflóra.</i>	(sc.wh.)	Acuminato-Sweetii.	β.	1823.	—	S.b.	
	<i>β consobrina.</i>	(pi.pu.)	cousin.	—	—	—	S.b.	
	<i>γ diversicolor.</i>	(re.u.pu.)	different-coloured.	—	—	—	S.b.	
54	<i>nóbile.</i>	W.H. (st.pu.)	Acuminato-striatifolia.	Spofforth.	1820.	—	S.b.	
55	<i>venústa.</i>	W.H. (sc.pu.w.)	Fulgido-striatifolia.	—	—	—	S.b.	
56	<i>dílecta.</i>	W.H. (sc.pu.)	Equestri-striatifolia.	Colvill's.	—	—	S.b.	
57	<i>Góweni.</i>	W.H. (pu.co.)	Striatifolio-acuminata.	Highclere.	—	—	S.b.	
	<i>α Cavalier.</i>	W.H. (pu.co.)	Cavalier.	—	—	—	S.b.	
	<i>β Biondelta.</i>	W.H. (pu.c.)	Biondelta.	—	—	—	S.b.	
	<i>γ Agatha.</i>	W.H. (pu.co.)	Agatha.	—	—	—	S.b.	
58	<i>Harrisoni.</i>	W.H. (sc.pu.)	Striatifolio-stylosa.	Harrison's.	1824.	—	S.b.	
59	<i>triplex.</i>	W.H. (sc.pu.w.)	Goweni-vittatum.	Highclere.	1820.	—	S.b.	

60	pulcherrima. W.H. (p.co.) Sweetii-pulverulenta. Spofforth. 1824. 4. 8.	S.b.	
	α Vezzosa. (pu.re.co.) Vezzosa.	S.b.	
	β Gratian. (pu.re.co.) Gratian.	S.b.	
	γ Amorosetta. (pu.re.co.) Amorosetta.	S.b.	
	δ Salamander. (pu.re.co.) changing-coloured.	S.b.	
	ε Calisto. (pu.re.co.) Calisto.	S.b.	
61	bélla. W.H. (pu.re.w.) Sweetii-Carnarvoni.	S.b.	
62	discolor. W.H. (sc.br.) Johnsoni-tristis.	S.b.	
63	variata. W.H. (sc.pu.) Formoso-inversum.	S.b.	
64	quintuplex. W.H. (pu.re.) Harrisoni-tristis.	1826.	S.b.
65	eximia. W.H. (va.) Goweni-Highcleriāna. Highclere. . .	S.b.	
66	equestris. K.R. (sc.) Barbadoes Lily. W. Indies. 1710. 7. 10.	S.b.	Bot. mag. t. 305.
	β mājor. B.R. (sc.) larger.		Bot. reg. t. 234.
	γ plēna. (sc.) double-flowered.	1809.	S.b.
67	miniāta. R.P. (se.) vermilion. S. America.	S.b.	
68	solandriflōra. L.col. (st.) Solandra-flowered.	1820. 4. 6.	S.b.
	α chloroleuca. (st.) dull-coloured.	S.b.	
	β rubro-striāta. (st.) red-striped.	S.b.	Bot. mag. t. 2573.
	γ purpurāscens. (st.pu.) purple-tubed.	S.b.	
	δ striāta. (pu.st.) purple-striped.	S.b.	Bot. reg. t. 876.
69	Haylōcki. W.H. (st.pu.) Solandriflōro-acuminata.	S.b.	
70	Herbēti. (va.) Solandriflōro-stylosa. Spofforth.	S.b.	
	α lōnga. (va.) long-flowered.		S.b.
	β carnēlla. (fl.) flesh-coloured.		S.b.
	γ magnīfica. (va.) magnificent.		S.b.
71	Highcleriāna. W.H. (va.) Styloso-Solandriflōra. Highclere. . .	S.b.	
	β picta. (va.) painted lady. Spofforth.	S.b.	
	γ Dominie. (va.) Dominie.		S.b.
72	calyptrāta. K.R. (gr.) green-flowered. Brazil. 1816. 5. 8.	S.b.	Bot. reg. t. 164.
73	aūlica. K.R. (sc.gr.) crowned.	1. 6.	S.b.
74	psittācina. K.R. (sc.gr.) parrot-like.	1. 12.	S.b.
75	Griffini. W.H. (sc.gr.) Psittacino-Johnsoni. Griffin's. 1820.	S.b.	
	α Napoleōna. W.H. (sc.gr.) Napoleon's.	S.b.	
	β Victor. W.H. (sc.gr.) Victor.	S.b.	
	γ Alompra. W.H. (sc.gr.) Alompra.	S.b.	
	δ retinērvia. (sc.gr.) netted-nerved. Colvill's. 1822.	S.b.	
	ε recurviflōra. (sc.gr.) recurve-pointed.	S.b.	
	ζ campanulāta. (re.gr.) bell-flowered.	S.b.	
	η quadrilineāta. (sc.pu.g.) four-lined.	S.b.	
	θ albocincta. (wh.sc.) white-edged.	S.b.	
	ι quadrīcolor. (sc.pu.g.w.) four-coloured.	S.b.	
76	affine. (sc.gr.) Psittacino-reginæ.	S.b.	
	α canaliculāta. (sc.gr.) channel-leaved.	S.b.	
	β membranācea. (re.pu.g.) membranous-edged.	S.b.	
	γ purpurestriāta. (re.pu.) purple-striped.	S.b.	
	δ latifida. (re.pu.g.) broad-segmented.	S.b.	
77	tortuosa. (sc.gr.) Psittacino-equestris.	S.b.	
78	multistriāta. (sc.wh.) Psittacino-Valleti.	S.b.	Miss Chapman ic.
	β retiflōra. (sc.w.g.) netted-flowered.	S.b.	
79	pretiosum. W.H. (sc.gr.) Psittacino-Griffini. Highclere. 1824.	S.b.	
80	sinistrum. W.H. (sc.w.g.) Griffini-vittatum.	S.b.	
SPREIK'ELIA. H.A. JACOBÆA LILY. Hexandria Monogynia.			
	formosissima. H.A. (cr.) crimson. S. America. 1658. 5. 6.	F.b.	Bot. mag. t. 47.
	Amary'llis formosissima. B.M.		
LYC'ORIS. H.A. LYC'ORIS. Hexandria Monogynia.			
	1 aūrea. H.A. (ye.) golden. China. 1777. 8. 12.	G.b.	Bot. reg. t. 611.
	Amary'llis aūrea. B.R.		
	2 radiāta. H.A. (pi.) Snowdrop-leaved. ——— 1758. 9. 10.	G.b.	Bot. reg. t. 596.
	Amary'llis radiāta. B.R.		
NER'INE. H.A. NER'INE. Hexandria Monogynia.			
	1 curvifolia. H.A. (sc.) curve-leaved. C. B. S. 1794. 7. 9.	F.b.	Bot. mag. t. 725.
	Amary'llis curvifolia. B.M. Fothergillia. Andr. reposit. t. 163.		
	2 corūscā. H.A. (sc.) brilliant. C. B. S. 1809. ———	F.b.	Bot. mag. t. 1089.
	3 rōsea. B.M. (ro.) rose-coloured.	F.b.	——— t. 2124.
	4 venūsta. H.A. (ro.) poppy-coloured. 1806. 6. 8.	F.b.	——— t. 1090.
	5 sarniēnsis. H.A. (re.) Guernsey Lily. 1659. 9. 10.	F.b.	——— t. 294.
	6 pulchēlla. H.A. (re.) pretty. 1820. 7. 9.	F.b.	——— t. 2407.
	7 flexuosa. H.A. (pa.re.) zigzag. 1795. 9. 10.	F.b.	Bot. reg. t. 172.
	8 hūmilis. H.A. (re.) small. ——— 7. 10.	F.b.	Bot. mag. t. 726.

- 9 undulâta. H.A. (*pa.re.*) waved-flower'd. C. B. S. 1767. 7. 10. F.b. Bot. mag. t. 369.
 10 versicolor. H.A. (*li.*) changeable-col'd. Hybrid. 1815. — F.b. Herb. append. ic.
- IXIOLIRION. H.A. IXIOLIRION. Hexandria Monogynia.**
 1 montanum. R.S. (*bl.*) mountain. Persia. 1829. — H.b. Redout. lilic. t. 241.
Amaryllis montana. Labill. syr. dec. 2. p. 5. t. 1. *Alstromeria montana*. Ker.
 2 tatâricum. R.S. (*bl.*) Tartarian. Tartary. 1822. 4. 6. H.b. Pall. it. 3. ap. 85. t. D. f. 1.
Amaryllis tatârica. M.B.
- STRUMARIA. Ker. STRUMARIA. Hexandria Monogynia. L.**
 1 truncâta. W. (*wh.bh.*) truncated. C. B. S. 1795. 4. 5. F.b. Jacq. ic. 2. t. 357.
 2 rubella. W. (*li.*) pale red. — 5. 6. F.b. — 2. t. 358.
 3 angustifolia. W. (*wh.li.*) narrow-leaved. — 4. 5. F.b. — 2. t. 359.
 4 linguæfolia. W. (*wh.*) tongue-leaved. — 1812. — F.b. — 2. t. 356.
 5 filifolia. B.R. (*wh.*) fine-leaved. — 1774. 10. 12. F.b. Bot. reg. t. 440.
 6 spirâlis. B.M. (*ro.wh.*) spiral-stalked. — 4. 8. F.b. Bot. mag. t. 1383.
 7 crispa. B.M. (*ro.li.*) curled-flowered. — 1790. — F.b. — t. 1363.
Amaryllis crispa. Jacq. schœn. t. 72.
 8 undulâta. W. (*wh.ro.*) waved. — 1825. — F.b. Jacq. ic. t. 360.
 9 stellâris. B.M. (*pi.*) starry. — 1794. 10. 11. F.b. Jacq. schœn. 1. t. 71.
 10 gemmâta. B.M. (*wh.*) gynoandrous. — 1810. 8. 10. F.b. Bot. mag. t. 1620.
- IMHO'FIA. H.A. IMHO'FIA. Hexandria Monogynia.**
 marginâta. H.A. (*pu.*) red margined. C. B. S. 1795. 9. 10. F.b. Jacq. schœn. 1. t. 65.
Brunsvigia marginata. H.K. *Amaryllis marginata*. Jacq.
- BUPH'ONE. H.A. BUPH'ONE. Hexandria Monogynia.**
 1 disticha. H.A. (*pu.*) distichous. C. B. S. 1823. 9. 10. F.b. Patters. iter. t. 1.
 2 toxicaria. H.A. (*li.*) Poison-bulb. — 1774. — F.b. Bot. reg. t. 567.
β obtusifolia. H.A. (*li.*) wave-leaved. — 1816. — F.b.
 3 ciliâris. H.A. (*pa.pu.*) fringe-leaved. — 1752. 6. 8. F.b. Bot. reg. t. 1153.
Brunsvigia ciliâris. B.R. *Amaryllis ciliâris*. L. *Hemánthus ciliâris*. W.
- AMMO'CHARIS. H.A. AMMO'CHARIS. Hexandria Monogynia.**
 1 corânica. H.A. (*pu.*) Mr. Burchell's. C. B. S. 1816. 7. 8. F.b. Bot. reg. t. 139.
Amaryllis corânica. B.R.
β pallida. B.R. (*li.*) pale-flowered. — — F.b. Bot. reg. t. 1219.
 2 falcâta. H.A. (*pu.*) sickle-leaved. — 1774. 5. 6. F.b. Bot. mag. t. 1443.
Brunsvigia falcata. B.M. *Amaryllis falcata*. H.K. *Crinum falcatum*. Jacq. Jacq. vind. 3. t. 60.
- BRUNSVIGIA. Ker. BRUNSVIGIA. Hexandria Monogynia. H.K.**
 1 laticôma. (*pa.pu.*) broad-headed. C. B. S. 1818. 3. 6. F.b. Bot. reg. t. 497.
lucida. H.A. *Amaryllis laticôma*. B.R.
 2 minor. B.R. (*ro.*) lesser. — 1820. — F.b. Bot. reg. t. 954.
 3 multiflora. B.M. (*sc.gr.*) many-flowered. — 1752. 6. 8. F.b. Bot. mag. t. 1619.
Amaryllis orientalis. W.
β rubricaulis. H.A. (*cr.*) red-stemmed. — 1812. — F.b. Jacq. schœn. 1. t. 39.
 4 Josephina. B.R. (*sc.*) Josephine's. — 1814. — F.b. Redout. lil. t. 370-372.
β minor. B.R. (*ro.*) smaller. — — F.b. Bot. reg. t. 192, 193.
γ striata. B.M. (*pu.std.*) striped-flowered. — 1823. — F.b. Bot. mag. t. 2578.
 5 striata. H.K. (*pu.*) striated. — 1795. 9. 10. F.b. Jacq. schœn. 1. t. 70.
 6 rádula. H.K. (*pu.*) rasp-leaved. — 1790. 4. 8. F.b. — 1. t. 68.
- PHYCE'LLA. B.R. PHYCE'LLA. Hexandria Monogynia.**
 1 ignea. B.R. (*sc.ye.*) fiery. Chili. 1824. 8. 10. G.b. Bot. reg. t. 809.
β glauca. (*sc.ye.*) glaucous-leaved. — — G.b. Bot. mag. t. 2687.
 2 cyrtanthoides. B.R. (*sc.ye.*) Cyrtanthus-like. — 1821. 6. 8. G.b. — t. 2399.
Amaryllis cyrtanthoides. B.M.
- GRIFFINIA. B.R. GRIFFINIA. Hexandria Monogynia. B.R.**
 1 hyacinthina. B.R. (*bl.*) largest. Brazil. 1815. 6. 9. S.b. Bot. reg. t. 163.
Amaryllis hyacinthina. B.R.
 2 intermedia. B.R. (*bl.*) intermediate. — 1825. 5. 7. S.b. Bot. reg. t. 990.
 3 parviflora. B.R. (*bl.*) small flowered. — 1820. — S.b. — t. 511.
- HÆMA'NTHUS. W. BLOOD-FLOWER. Hexandria Monogynia. L.**
 1 coccineus. S.S. (*sc.*) salmon-colour'd. C. B. S. 1629. 8. 10. F.b. Bot. mag. t. 1075.
 2 coarctatus. S.S. (*sc.*) compressed. — 1795. 2. 3. F.b. Bot. reg. t. 181.
 3 tigrinus. S.S. (*sc.*) Tiger-spotted. — 1790. 12. 2. F.b. Bot. mag. t. 1705.
 4 rotundifolius. S.S. (*sc.*) round-leaved. — 6. 10. F.b. — t. 1618.
 5 crassipes. S.S. (*sc.*) thick-leaved. — 1816. — F.b.
 6 hyalocarpus. S.S. (*re.*) clear-berried. — — F.b. Jacq. schœn. 4. t. 409.
 7 quadrivalvis. S.S. (*re.*) four-valved. — 1790. 9. 10. G.b. Bot. mag. t. 1523.
 8 humilis. S.S. (*re.*) small. — 1825. — F.b.
 9 Pumilio. S.S. (*re.*) dwarf. — 1789. 8. 9. F.b. Jacq. schœn. 1. t. 61.
 10 pubescens. S.S. (*wh.*) villous-leaved. — 1774. — F.b. Bot. reg. t. 382.
 11 albiflos. W. (*wh.*) smooth-broad-ld. — 1791. 4. 8. F.b. — t. 984.
 12 carneus. S.S. (*ro.*) flesh-coloured. — 1819. 6. 8. F.b. — t. 509.

13 lanceafolius. s.s. (re.) spear-leaved.	C. B. S.	1794.	9. 10.	F.b.	Jacq. schœn. 1. t. 60.
14 carinatus. P.S. (re.) keel-leaved.	————	1759.	8. 9.	F.b.	————
15 amarylloides. s.s. (re.) Amaryllis-like.	————	1825.	————	F.b.	————
16 moschatous. s.s. (re.) musk-scented.	————	1816.	————	F.b.	————
17 sanguineus. s.s. (sc.) crimson.	————	1820.	6. 8.	F.b.	————
18 puniceus. s.s. (sc.) waved-leaved.	————	1722.	5. 9.	G.b.	Bot. mag. t. 1315.
19 multiflorus. s.s. (sc.) many-flowered.	Sierra Leon.	1783.	————	S.b.	———— t. 1995 & 961.
CRINUM. W.H. CRINUM. Hexandria Monogynia.					
1 pedunculatum. B.P. (wh.) New Holland.	N. S. W.	1790.	4. 8.	G.b.	Bot. reg. t. 52.
2 exaltatum. H.A. (wh.) high.	E. Indies.	1820.	————	S.b.	————
3 canaliculatum. K.R. (wh.) channelled-leaved.	————	1810.	————	S.b.	————
4 brachyandrum. K.R. (wh.) short-anthered.	N. Holland.	1819.	————	G.b.	————
5 brevilimbium. H.A. (wh.) short-limbed.	Pacific Isl.	1820.	6. 8.	S.b.	————
6 procerum. H.A. (bh.) tall.	Rangoon.	1822.	————	S.b.	Bot. mag. t. 2684.
7 sinicum. H.A. (wh.) Chinese.	China.	1819.	————	S.b.	————
8 anomalum. H.A. (wh.) plaited-leaved.	————	1822.	————	S.b.	————
9 asiaticum. K.R. (wh.) Poison bulb.	————	1732.	————	S.b.	Bot. mag. t. 1073.
10 plicatum. B.M. (wh.) plicate-leaved.	————	1823.	4. 6.	S.b.	———— t. 2908.
11 declinatum. H.A. (wh.) declined.	E. Indies.	1819.	4. 8.	S.b.	———— t. 2231.
12 bracteatum. W. (wh.) short-leaved.	Mauritius.	1810.	6. 8.	S.b.	Bot. reg. t. 179.
brevifolium. H.B. published 1814. bracteatum. w. 1799. Jacq. schœn. 4. t. 495 in 1804.					
β angustifolium. H.A. (wh.) narrow-leaved.	————	————	————	S.b.	————
13 erubescens. K.R. (re.wh.) blush-coloured.	S. America.	1789.	————	S.b.	Bot. mag. t. 1232.
α rubrilimbium. (re.) red-limbed.	————	————	————	S.b.	————
β major. H.A. (re.wh.) larger.	————	————	————	S.b.	————
γ minor. H.A. (re.wh.) lesser.	————	————	————	S.b.	————
δ corantynum. W.H. (bh.) Corantyne.	Berbice.	1820.	————	S.b.	————
ε aquaticum. W.H. (wh.) water.	Brazil.	1823.	————	S.b.	————
ζ glabrum album. W.H. (wh.) shining-leaved.	Maranham.	1820.	————	S.b.	————
η glabrum rubrum. W.H. (re.wh.) smooth red.	————	1823.	————	S.b.	————
θ undulatum. W.H. (wh.) wave-leaved.	Brazil.	————	————	S.b.	Hook. ex. flor. t. 200.
Crinum undulatum. Hooker.					
14 cruentum. B.R. (re.) red-flowered.	S. America.	1810.	————	S.b.	Bot. reg. t. 171.
15 sumatranum. K.R. (wh.) Sumatra.	Sumatra.	————	————	S.b.	———— t. 1049.
16 macrocarpon. H.A. (wh.) large-fruited.	Pegu.	1820.	————	S.b.	————
17 elegans. H.A. (wh.) elegant.	————	————	9. 11.	S.b.	Bot. mag. t. 2592.
18 venustum. H.A. pretty.	E. Indies.	————		S.b.	————
19 canaliculatum. H.A. (wh.) channelled.	————	————	6. 9.	S.b.	————
β major. W.H. (wh.) larger.	————	1825.	————	S.b.	————
20 longifolium. K.R. (wh.) long-leaved.	————	1810.	————	S.b.	————
21 lorifolium. K.R. (wh.) lorate-leaved.	————	1819.	————	S.b.	————
22 americanum. W. (wh.) American.	S. America.	1752.	7. 9.	S.b.	Bot. mag. t. 1034.
23 Commelin. K.R. (wh.) Commelin's.	————	1798.	6. 9.	S.b.	Jacq. schœn. 2. t. 202.
24 strictum. B.M. (wh.) upright.	S. America?	1820.	8. 10.	S.b.	Bot. mag. t. 2635.
25 defixum. K.R. (wh.) marsh.	E. Indies.	1810.	4. 8.	S.b.	———— t. 2208.
26 ensifolium. K.R. (bh.) sword-leaved.	————	1820.	————	S.b.	———— t. 2301.
27 amœnum. K.R. (wh.) delightful.	————	1810.	————	S.b.	————
28 multiflorum. Df. (wh.) many-flowered.		1822.	————	S.b.	————
29 verecundum. H.A. (bh.) blush.	E. Indies.	1820.	6. 9.	S.b.	————
30 humile. B.M. (wh.) humble.	————	1816.	4. 8.	S.b.	Bot. mag. t. 2636.
31 confertum. B.M. (wh.) crowded-flowered.	N. Holland.	1822.	6. 7.	G.b.	———— t. 2522.
32 angustifolium. B.P. (wh.) rough-edged.	————	1823.	————	G.b.	————
33 arenarium. B.M. (wh.) sand.	————	1818.	5. 8.	G.b.	Bot. mag. t. 2355.
β blandum. B.M. (bh.) blush-flowered.	————	1821.	————	G.b.	———— t. 2531.
34 purpurascens. W.H. (pu.) purplish.	Fernando Po.	1826.	————	S.b.	————
35 erythrophyllum. W.H. (pu.) red-leaved.	Rangoon.	1824.	————	S.b.	————
36 amabile. K.R. (pu.wh.) beautiful.	Sumatra.	1810.	1. 12.	S.b.	Bot. mag. t. 1605.
37 augustum. B.P. (pu.wh.) august.	Mauritius.	1819.	4. 8.	S.b.	———— t. 2397.
38 mauritianum. B.C. (wh.) Mauritius.	————	1816.	6. 9.	S.b.	Lodd. bot. cab. t. 650.
39 submersum. B.M. (pu.wh.) lake.	Brazil.	1823.	8. 10.	S.b.	Bot. mag. t. 2463.
40 scabrum. B.M. (cr.wh.) rough-leaved.	S. America.	1810.	1. 12.	S.b.	———— t. 2180.
41 zeylanicum. H.A. (cr.wh.) Ceylon.	Ceylon.	1771.	7. 8.	S.b.	———— t. 1171.
Amaryllis zeylanica. B.M.					
42 latifolium. H.A. (bh.) broad-leaved.	E. Indies.	1806.	7. 9.	S.b.	Bot. reg. t. 1297.
43 longistylum. W.H. (bh.) long-styled.	————	1819.	6. 10.	S.b.	————
44 insigne. W.H. (cr.wh.) noble.	————	————	4. 8.	S.b.	Bot. reg. t. 579.
45 Carey anum. B.M. (bh.) Carey's.	Mauritius.	1820.	1. 12.	S.b.	Bot. mag. t. 2466.
46 speciosum. B.M. (w.ro.) specious.	E. Indies.	1819.	6. 9.	S.b.	———— t. 2217.
47 moluccanum. B.M. (w.bh.) Molucca.	Moluccas.	————	————	S.b.	———— t. 2292.

- 48 giganteum. A.R. (wh.) gigantic. Sierra Leone. 1792. 7. 10. S.b. Andr. rep. t. 169.
petiolatum. H.A. *Amaryllis gigantea*. Bot. mag. t. 92.
- 49 Broussoneti. H.A. (wh. pu.) Broussonet's. ———— S.b. Bot. mag. t. 2121.
- 50 yuccæides. H.A. (re.wh.) Yucca-flowered. ———— 1740. 6. 10. S.b.
- 51 distichum. H.A. (re.wh.) distichous. ———— S.b. Bot. mag. t. 1253.
Amaryllis ornata A. B.M.
- 52 Lancei. W.H. (re.wh.) Lance's. Surinam. 1825. ———— S.b.
- 53 flaccidum. B.M. (wh.) flaccid. N. S. W. 1820. 7. 9. G.b. Bot. mag. t. 2133.
- 54 Förbesi. W.H. (re.wh.) Forbes's. Delagoa Bay. 1824? ———— S.b.
- 55 longiflorum. H.A. (re.wh.) long-flowered. W. Indies. 1816. 5. 8. S.b. Bot. reg. t. 303.
Amaryllis longifolia β longiflora. B.R.
- 56 capense. H.A. (wh.) common Cape. C. B. S. 1752. 7. 11. H.b. Bot. mag. t. 661.
Amaryllis longifolia. B.M.
- 57 β minor. W.H. (re.wh.) lesser. Highclere. 1819. ———— G.b.
- 58 riparium. H.A. (cr.wh.) bank. ———— 1816. 6. 9. H.b. Bot. mag. t. 2688.
- 59 revolutum. H.A. (wh. re.) revolute. ———— 1774. 8. 10. G.b. Bot. reg. t. 623.
Amaryllis revoluta. A.—B.R.
- 59 crassifolium. H.A. (wh. ro.) thick-leaved. ———— ———— G.b. Bot. reg. t. ————
Amaryllis revoluta. B.—B.R.
- 60 algoense. W.H. (re.wh.) Algoa-bay. C. B. S. 1826. ———— G.b.
- 61 caffrum. W.H. (re.wh.) Caffre. ———— 1825. ———— G.b.
- 62 aquaticum. H.A. (ro. bh.) water. ———— 1816. 5. 8. G.b. Bot. mag. t. 2352.
- 63 Gowenianum. W.H. (bh.) zeylanico-capense. Highclere. 1813. 6. 9. G.b. Hort. trans. ic.
- 64 Herbertianum. (re.wh.) Scabro-capense. Spofforth. 1818. ———— G.b.
- Spofforthianum*. Herbert Mss.
- 65 fertile. W.H. (wh.) Canaliculato-capense. ———— ———— G.b.
- β grandiflorum. W.H. (wh.) larger-flowered. ———— ———— G.b.
- 66 ingens. W.H. (wh.) Pedunculato-capense. Highclere. ———— ———— G.b.
- 67 erectus. W.H. (bh.) Corantyno-capense. Spofforth. ———— ———— G.b.
- 68 Highclerianum. W.H. (wh.) Asiatico-capense. Highclere ———— ———— G.b.
- 69 elongatum. W.H. (wh.) Brevifolio-capense. Spofforth. 1819. ———— G.b.
- 70 modestum. W.H. (bh.) Specioso-capense. ———— ———— G.b.
- 71 pudicum. W.H. (bh.) Careyano-capense. ———— ———— G.b.
- 72 cupitum. W.H. (re.wh.) Cruento-capense. ———— ———— G.b.
- 73 tortuosum. W.H. (wh.) Defixo-capense. ———— ———— G.b.
- 74 Félix. W.H. (bh.) Latifolio-capense. ———— 1828. ———— G.b.
- 75 microsperrum. W.H. (bh.) Revoluta-capense. ———— ———— G.b.
- 76 egrégium. W.H. (re.wh.) Pedunculato-riparium. ———— 1826. ———— G.b.
- 77 præstans. W.H. (re.wh.) Canaliculato-riparium. ———— ———— G.b.
- 78 vittatum. W.H. (re.wh.) Scabro-exaltatum. ———— 1818. ———— S.b.
- 79 Digweedi. W.H. (re.wh.) Scabro-americanum. Highclere. 1826. ———— S.b.
- 80 Cooperi. W.H. (re.wh.) Specioso-longifolium. Wentworth. ———— S.b.
- 81 amatum. W.H. (re.wh.) Zeylanico-pedunculatum. Highclere. ———— S.b.
- 82 Bacóni. W.H. (re.wh.) Zeylanico-erubescens. Mr. Bacon's. ———— S.b.
- 83 candidum. W.H. (wh.) Americano-bracteatum. Spofforth. ———— S.b.
- 84 rubicaule. W.H. (bh.) Erubescenti-bracteatum. ———— S.b.
- 85 pulchrum. W.H. (re.wh.) Scabro-erubescens. Highclere. ———— S.b.
- 86 bulbulosum. W.H. (bh.) Capensi-erubescens. ———— ———— G.b.
- 87 duplex. W.H. (bh.) Americano-erubescens. Spofforth. ———— S.b.
- β minor. W.H. (bh.) lesser. Highclere. ———— S.b.
- 88 flaccidulum. W.H. (bh.) Specioso-defixum. Spofforth. ———— S.b.
- 89 promissum. W.H. (re.wh.) Forbesi-Careyanum. ———— S.b.
- 90 mirabile. W.H. (wh.) Flaccido-canaliculatum. ———— S.b.
- 91 unicum. W.H. (wh.) Flaccido-bracteatum. ———— S.b.
- 92 triplex. W.H. (wh.) Careyano-fertile. ———— S.b.
- 93 diversum. W.H. (wh.) Careyano-tortuosum. ———— S.b.
- 94 quadruplex. W.H. (wh.) Candido-fertile. ———— S.b.
- VALL'OTA. H.A. VALL'OTA. Hexandria Monogynia.
- purpurea. H.A. (re.) purple-stalked. C. B. S. 1774. 5. 8. F.b. Jacq. schœn. 1. t. 62.
Amaryllis purpurea. W. elata. Jacq.
- α major. (re.) larger. ———— ———— F.b. Bot. mag. t. 1430.
- β minor. (re.) lesser. ———— ———— F.b. Bot. reg. t. 552.
- GASTRON'EMA. H.A. GASTRON'EMA. Hexandria Monogynia.
- clavatum. H.A. (re.wh.) clavate. C. B. S. 1816. 5. 8. F.b. Bot. mag. t. 2291.
- Cyrtanthus uniflorus*. Bot. reg. t. 168. *Amaryllis Pumilio*. H.K.
- CYRTANTHUS. W. CYRTANTHUS. Hexandria Monogynia. W.
- 1 obliquus. W. (or.gr.) oblique-leaved. C. B. S. 1774. 5. 8. G.b. Bot. mag. t. 1133.
- 2 striatus. B.M. (ye.sc.) striped. ———— 1823. ———— G.b. ———— t. 2534.

3 vittatus. s.s.	(std.) ribbon.	C. B. S.	1823.	5. 8.	G.b.	
4 spirâlis. B.R.	(sc.) spiral-leaved.	————	1790.	————	G.b.	Bot. reg. t. 167.
5 collinus. B.R.	(sc.) hill.	————	1816.	————	G.b.	———— t. 162.
6 pâllidus. B.M.	(fl.) pale-flowered.	————	1822.	————	G.b.	Bot. mag. t. 2471.
7 ventricôsus. w.	(sc.) bellied.	————	1770.	————	G.b.	Jacq. schœn. 1. t. 76.
8 angustifolius. w.	(sc.) narrow-leaved.	————	1774.	5. 6.	G.b.	Bot. mag. t. 271.
9 odorûs. B.R.	(sc.) sweet-scented.	————	1818.	5. 7.	G.b.	Bot. reg. t. 503.
COBURGHIA. B.F.G. COBURGHIA. Hexandria Monogynia.						
incarnâta. B.F.G.	(sc.) splendid.	Quito.	1820.	8. 9.	F.b.	Swt. br. fl. gar. s.2. t.17.
STENOMÆSSON. H.A. STENOMÆSSON. Hexandria Monogynia.						
1 flâvum. B.M.	(ye.) slender-toothed.	Peru.	1823.	5. 11.	G.b.	Bot. mag. t. 2641.
<i>Chrysiphiala flâva. B.R. 778.</i>						
2 curvidentâtum. B.M.	(ye.) curve-toothed.	————	1824.	————	G.b.	Bot. mag. t. 2640.
3 pauciflorum.	(ye.) few-flowered.	————	1822.	————	G.b.	Hook. ex. flor. t. 132.
<i>Chrysiphiala pauciflora. H.E.F.</i>						
CHLIDANTHUS. H.A. CHLIDANTHUS. Hexandria Monogynia.						
frâgrans. H.A.	(ye.) yellow fragrant.	S. America.	1821.	6. 8.	G.b.	Bot. reg. t. 640.
EUCROSIA. B.R. EUCROSIA. Hexandria Monogynia.						
bico ^r . B.R.	(or. re.) two-coloured.	Cape Horn.	1816.	4. 5.	S.b.	Bot. reg. t. 207.
CALOSTEMMA. B.P. CALOSTEMMA. Hexandria Monogynia.						
1 luteum. B.R.	(ye.) yellow.	N. Holland.	1819.	8. 10.	F.b.	Bot. reg. t. 421.
2 purpureum. B.P.	(pu.) purple.	————	————	————	F.b.	———— t. 422.
3 album. B.P.	(wh.) white-flowered.	————	1824.	————	G.b.	————
EURYCLES. Sal. EURYCLES. Hexandria Monogynia.						
1 nuda.	(wh.) naked stamen'd.	E. Indies.	1822.	5. 7.	S.b.	
<i>Crinum nervosum. H.B.</i>						
2 alata.	(wh.) wing-stamen'd.	N. Holland.	1821.	————	S.b.	Bot. reg. t. 715.
<i>Pancrâtium australasicum. B.R.</i>						
3 coronata.	(wh.) crowned.	E. Indies.	1759.	————	S.b.	Bot. mag. t. 1419.
<i>Pancrâtium amboinense. B.M. Prôiphys amboinensis. H.A.</i>						
Three very distinct species, all flowered at Mr. Colvill's.						
HYMENOCALLIS. H.A. HYMENOCALLIS. Hexandria Monogynia.						
1 speciosa. K.R.	(wh.) large-flowered.	W. Indies.	1759.	5. 9.	S.b.	Bot. mag. t. 1453.
<i>Pancrâtium speciosum. B.M.</i>						
2 ovata. K.R.	(wh.) broad-leaved.	————		————	S.b.	Bot. reg. t. 43.
3 amœna. K.R.	(wh.) handsome.	Guiana.	1790.	————	S.b.	Bot. mag. t. 1467.
4 frâgrans. L.T.	(wh.) fragrant.	W. Indies.		————	S.b.	Lodd. bot. cab. t. 834.
5 guianensis. B.R.	(wh.) Guiana.	Guiana.	1818.	————	S.b.	Bot. reg. t. 265.
6 caribœa. K.R.	(wh.) Caribbean.	W. Indies.	1730.	————	S.b.	Bot. mag. t. 826.
<i>Pancrâtium caribœum. B.M.</i>						
7 declinata. B.C.	(wh.) declining.	Brazil.		————	S.b.	Lodd. bot. cab. t. 558.
8 undulata. K.R.	(wh.) wave-leaved.	S. America.		————	S.b.	
9 expansa. B.M.	(wh.) expanded.	W. Indies.	1818.	————	S.b.	Bot. mag. t. 1941.
10 pedâlis. B.C.	(wh.) foot-flowered.	Brazil.	1815.	————	S.b.	Lodd. bot. cab. t. 809.
11 pâtenis. K.R.	(wh.) spreading.	W. Indies.		————	S.b.	Redout. fil. 6. t. 380.
12 littoralis. K.R.	(wh.) sea side.	S. America.	1758.	————	S.b.	Jacq. vind. 3. t. 75.
13 Dryândri. K.R.	(wh.) Dryander's.	————		————	S.b.	Bot. mag. t. 825.
14 disticha. H.A.	(wh.) two-ranked.	————		————	S.b.	
15 angusta. K.R.	(wh.) narrow-leaved.	————		————	S.b.	Bot. reg. t. 221.
16 tenuiflora. H.A.	(wh.) slender-flowered.			————	S.b.	
17 crassifolia. H.A.	(wh.) thick-leaved.	S. America.		————	S.b.	
18 acutifolia.	(wh.) acute-leaved.	Mexico.	1824.	————	G.b.	Bot. reg. t. 940.
<i>Pancrâtium mexicanum. B.R. nec aliorum. Hymenocallis litoralis. δ acutifolia. B.M. 2621.</i>						
19 rotata. H.A.	(wh.) large-crowned.	Carolina.	1803.	7. 9.	G.b.	Bot. mag. t. 827.
20 mexicana. K.R.	(wh.) Mexican.	Mexico.	1732.	8.	G.b.	Ker's review. pl.3. f.2.
21 caroliniana. H.A.	(wh.) Carolina.	Carolina.	1759.	6. 7.	G.b.	———— pl. 3. f. 1.
22 Staplesi. W.H.	(wh.) Mr. Staples's.	Mexico.	1826.	————	G.b.	
23 ovalifolium. W.H.	(wh.) oval-leaved.	S. America.	1820.	————	S.b.	
PANCERATIUM. H.A. PANCERATIUM. Hexandria Monogynia.						
1 maritimum. K.R.	sea Daffodil.	S. Europe.	1597.	5. 7.	G.b.	Bot. reg. t. 161.
<i>carolinianum. B.R. 927. nec aliorum.</i>						
2 canariense. B.R.	Canary.	Canaries.	1815.	6. 7.	G.b.	Bot. reg. t. 174.
3 illyricum. K.R.	Illyrian.	S. Europe.	1615.	5. 6.	G.b.	Bot. mag. t. 718.
4 verecundum. K.R.	Narcissus-leav'd.	E. Indies.	1776.	6. 8.	G.b.	Bot. reg. t. 413.
5 zeylanicum. K.R.	one-flowered.	Ceylon.	1752.	————	S.b.	Bot. mag. t. 2538.
ISMENE. Sal. ISMENE. Hexandria Monogynia.						
1 nutans. H.A.	(wh.) nodding.	Brazil.	1810.	6. 8.	S.b.	Bot. mag. t. 1561.
<i>Pancrâtium calathinum. B.M. non R.L.</i>						
2 calathinum. H.A.	(wh.) cup-flowered.	————	————	6. 7.	S.b.	Bot. reg. t. 215.

- 3 Amáncaes. H.A. (ye.) Narcissus-flower'd. Peru. 1804. 6. 7. S.b. Bot. mag. t. 1224.
Pancratium Amáncaes. B.M. *Narcissus Amáncaes.* R.P. 3. t. 283. f. a.
- NARCISSUS. L. NARCISSUS. Hexandria Monogynia. L.**
- AJAX. H.S.S.**
- 1 obvallaris. H.S.S. (ye.) Sibthorp's. S. Europe. 3. 4. H.b. Bot. mag. t. 1301. f. inf.
 2 bicolor. L. (wh. ye.) two-coloured. Spain. 1629. 4. 5. H.b. ——— t. 1187.
Ajax lorifolius. H.S.S.
- 3 tubæfórus. S.P. (wh. ye.) tube-flowered. S. Europe. 3. 5. H.b.
Ajax bicolor. H.S.S.
- 4 moschátus. B.M. (wh. st.) greater white. Spain. 1629. 4. H.b. Bot. mag. t. 924.
 5 álbus. L.T. (wh. st.) white flowered. ——— 1759. 3. 4. H.b. ——— t. 1300.
moschátus. δ. B.M. *Ajax álbus.* H.S.S.
- 6 cérnuus. R.B. (wh. st.) drooping-flowered. 1828. — H.b.
 β plénus. (wh. st.) double-flowered. — H.b.
- 7 abscissus. H.S.S. (ye.) clipt trunk. — H.b. Park. parad. t. 107. f. 1.
 8 mājor. B.M. (ye.) large. Spain. 1629. — H.b. Bot. mag. t. 51.
 9 propinquus. S.P. (ye.) great jagged. S. Europe. — H.b. ——— t. 301. f. sup.
mājor β. B.M. *Ajax propinquus.* H.S.S.
- 10 Telamónius. H.S.S. (ye.) Telamonian. — H.b.
 β plénus. H.S.S. (ye.) double Daffodil. — H.b.
 γ grandiplénus. H.S.S. (ye.) great double. — H.b. Park. parad. t. 101. f. 7.
- 11 nobilis. H.S.S. (ye.) noble. — H.b.
 12 spúrius. H.S.S. (ye.) spurious. England. — H.b.
- 13 serrátus. H.S.S. (st. ye.) serrate. — H.b. Eng. bot. ic. ined.
 β suávis. H.S.S. (st. ye.) sweet-scented. — H.b.
- 14 Pseud-Narcissus. (st. ye.) Daffodil. 3. 4. H.b. Eng. bot. v. 1. t. 17.
 β scóticus. H.S.S. (st. ye.) Scotch Daffodil. Scotland. — H.b.
 γ plénus. H.S.S. (ye.) double French. — H.b. Park. parad. t. 101. f. 9.
 δ plenissimus. H.S.S. (ye.) rose double. — H.b. ——— t. 101. f. 6.
- 15 lobuláris. H.P. (ye.) lobe-crowned. England. — H.b. Eng. bot. c. ic. ined.
 16 púmilus. S.P. (ye.) small wedge-fl'd. S. Europe. 3. H.b. Besl. eyst. 3. fol. 5. f. 4.
Ajax cuneiflorus. H.S.S.
- 17 minor. B.M. (ye.) small. Spain. 1629. 3. 5. H.b. Bot. mag. t. 6.
 α mínimus. H.S.S. (ye.) smallest. — H.b.
 β mīnor. H.S.S. (ye.) small. — H.b. Park. parad. t. 107. f. 2.
 γ mēdius. H.S.S. (ye.) middle-sized. — H.b.
 δ conspicuus. H.S.S. (ye.) conspicuous. — H.b.
 ε angústus. H.S.S. (ye.) narrow-leaved. — H.b.
- DIOMEDES. H.S.S.**
- 18 Macleái. B.M. (st. ye.) Mac Leay's. Levant. 4. 5. H.b. Bot. mag. t. 2588.
Diomedes mājor. H.P.
- 19 Sabini. B.R. (st. ye.) Sabine's. — H.b. Bot. reg. t. 762.
Diomedes mīnor. H.P.
- CORBULARIA. H.S.S.**
- 20 tenuifolius. L.T. (ye.) slender-leaved. Biscay. 1760. 3. 4. H.b. Swt. br. fl. gar. t. 114.
 21 lobulátus. H.S.S. (ye.) lobed. — H.b. Park. parad. t. 107. f. 7.
 22 obésus. S.P. (ye.) inflated. Portugal. 1796. — H.b.
 β mīnor. H.S.S. (ye.) smaller. — H.b. Park. parad. t. 107. f. 8?
 23 álbianus. H.S.S. (wh. st.) Trompet Marin. 1629. — H.b. Lobel. advers. 462. ic.
 24 Bulbocódium. w. (ye.) hoop petticoat. S. Europe. — H.b. Bot. mag. t. 88.
- QUÉLTIA. H.S.S.**
- 25 aurántius. H.S.S. (ye.) orange rimmed. — H.b. Park. parad. t. 71. f. 2.
 β lúteo-aurántius. (wh. ye.) Butter and eggs. — H.b.
- 26 incomparábilis. B.M. (st. ye.) peerless. Portugal. 4. 5. H.b. Bot. mag. t. 121.
 27 sulphúreus. (st.) self coloured peerless. 1629. — H.b.
- Quéltia cóncolor.* H.S.S.
 β plénus. (st.) double orange crown. — H.b.
- 28 semipartitus. H.S.S. (st. ye.) cloven-cupped. 1818. 3. 4. H.b.
 29 Quéltia. (wh. st.) peerless white. — 4. H.b.
Quéltia álba. H.S.S.
 β níveo-aurántius. (wh. st.) Orange Phoenix. — H.b.
- 30 montánus. B.R. (wh. st.) mountain. Pyrenees. 1620. — H.b. Bot. reg. t. 123.
 31 galanthifolius. H.S. (wh. st.) Snowdrop-leav'd. 1720. 5. H.b. Park. parad. t. 73.
 32 cápax. H.S.S. (wh. st.) capacious. Levant. — H.b. Redout. lil. t. 177.
- calathinus.* R.L. *Quéltia cápax.* H.S.S.
 33 Redoutei. (wh. st.) long-tubed. — H.b. Redout. lil. t. 410.
calathinus. R.L. non L. nec aliorum.

SCHISANTHES. H.S.S.

- 34 *orientalis. L. (st. ye.) oriental. Levant. 1778. 4. 5. H.b. Bot. mag. t. 948.*
incomparabilis. B. B.M. Schisanthes orientalis. H.S.S.

GANYMEDES. H.S.S.

- 35 *ochroleucus. H.R. (st.) drooping. Portugal. 1620. 4. H.b. Bot. mag. t. 48.*
triandrus. B.M. non L. Ganymedes cernuus. H.S.S. ochroleucus. H.R.
 36 *triandrus. L. (wh.) white drooping. S. Europe. 1629. — H.b. Park. parad. t. 93. f. 2.*
Ganymedes albus. H.R.

- 37 *nütans. H.S.S. (ye.) yellow cupped. — 1789. 3. 5. H.b. Bot. mag. t. 945.*
trilobus. B.M. Ganymedes nütans. H.S.S.

- 38 *cóncolor. H.S.S. (st.) self-coloured. — 1626. 4. H.b.*

- 39 *striátulus. H.S.S. (ye. st.) faint-striped. — — H.b.*

- 40 *pulchellus. H.S.S. (ye. wh.) white-cupped. — 1620. — H.b.*

PHYLOGYNE. H.S.S.

- 41 *rugulosus. H.S.S. (ye.) wrinkle-cupped. — — H.b.*

- 42 *odorus. L. (ye.) starry-flowered. Corsica. 1720. 3. H.b. Bot. mag. t. 934.*

calathinus. a. B.M. Phylogyne odora. H.S.S.

- 43 *interjéctus. H.S.S. (ye.) great curled cup. S. Europe. 4. H.b.*

- 44 *trilobus. L. (ye.) three-lobed. Spain. 1629. 3. H.b. Bot. mag. t. 78.*

odorus. B.M. Phylogyne triloba. H.S.S. calathina. Sal.

- 45 *heminális. H.S.S. (ye.) lesser curled cup. 4. H.b. Park. parad. t. 93. f. 4.*

- 46 *párvulus. (ye.) small. 1629. — H.b.*

Phylogyne minor. H.S.S.

- β regina. (ye.) Queen Ann's Jonquil. — — H.b.*

HERMIONE. H.S.S.

- 47 *Jonquilla. B.M. (ye.) Jonquil. Spain. 1596. 4. 5. H.b. Bot. mag. t. 15.*

- β plenus. (ye.) double Jonquil. — H.b.*

- 48 *similis. H.S.S. (ye.) lesser Jonquil. S. Europe. 1626. — H.b.*

- 49 *bifrons. B.M. (ye.) double-faced. 1807. 4. H.b. Bot. mag. t. 1186.*

- 50 *compréssus. L.T. (ye.) Jasmine Jonquil. 1790. 3. 4. H.b.*

- 51 *primulinus. H.S. (ye.) Cowslip-cupped. — — H.b. Bot. mag. t. 1299.*

bifrons. B. B.M. Hermione primulina. H.S.S.

- 52 *calathinus. L. (ye.) many-flowered. Levant. — H.b. Rudb. elys. 2. p. 60. f. 5.*

- 53 *tereticaulis. L.T. (st.) cream-coloured. 4. H.b. Bot. mag. t. 1298 ?*

- 54 *citrinus. H.S.S. (wh. ye.) Citroniere. — H.b. — t. 946.*

orientalis. γ. B.M.

- 55 *floribundus. H.S.S. (wh. ye.) grand monarque. — H.b.*

- 56 *Trewianus. B.M. (wh. ye.) Bazelman major. — H.b. Bot. mag. t. 940.*

Hermione grandiflora. H.S.S.

- 57 *crenulatus. H.S. (wh. ye.) Bazelman minor. — H.b. Park. parad. t. 81. f. 5.*

- 58 *Tazetta. L. (wh. ye.) French Daffodil. 1626. — H.b. — t. 81. f. 3.*

- 59 *dubius. P.S. (wh.) doubtful. S. France. — H.b. Redout. lil. t. 429.*

- 60 *pátulus. D.C. (wh. ye.) spreading. Isl. Hyeres. — H.b.*

- 61 *fistulosus. H.S. (wh. ye.) pipe-stemmed. Levant. — H.b.*

- 62 *cerinus. H.S. (wh. ye.) waxen cupped. 5. H.b.*

- 63 *Luna. H.S.S. (wh.) broad white. 4. F.b.*

- 64 *papyratus. B.M. (wh.) paper white. Italy. 2. 3. F.b. Bot. mag. t. 947.*

Hermione papyratis. H.S.S.

- 65 *unicolor. T.N. (wh.) one-coloured. Naples. — H.b. Ten. fl. nap. 1. t. 26.*

- 66 *præcox. T.N. (st. ye.) early-flowered. — H.b. — 1. t. 27.*

- 67 *italicus. B.M. (st. ye.) Italian. Italy. — F.b. Bot. mag. t. 1188.*

Hermione italica. H.S.S.

- a semiplenus. (wh.) semidouble. 3. F.b.*

- β plenus. (wh.) double Roman. — F.b.*

- 68 *gracilis. B.R. (pa. ye.) slender. 4. H.b. Bot. reg. t. 816.*

- 69 *tenior. B.M. (pa. ye.) slender 2-flowered. Italy. 1626. — H.b. Bot. mag. t. 379.*

- 70 *latifolius. H.S.S. (ye.) broad-ld. orange. Levant. 4. 5. H.b.*

- 71 *multiflorus. H.S.S. (ye.) common yellow. — H.b. Bot. mag. t. 925.*

Tazetta. B.M. non L.

- 72 *intermedius. R.L. (pa. ye.) intermediate. Pyrenees. — H.b. Redout. lil. t. 426.*

*orientalis δ. Bot. mag. t. 1026. Hermione multiflora. β aurea. H.S.S. ?***NARCISSUS. H.S.S.**

- 73 *poëticus. L. (wh.) Poet's. Greece. 1620. 4. F.b. Park. parad. t. 75. f. 3.*

- 74 *angustifolius. B.M. (wh.) narrow-leaved. Switzerland. 1626. — H.b. Bot. mag. t. 193.*

- 75 *majalis. B.M. (wh.) May-flowering. England ? 5. H.b. Eng. bot. v. 4. t. 275.*

poëticus. E.B. non L. patellaris. S.P.

- β exsertus. H.S.S. (wh.) long-stamened. — H.b.*

- γ plenus. H.S.S. (wh.) double-flowered. — H.b.*

- 76 *biflorus. B.M. (wh.) two-flowered. 4. 5. H.b. Park. parad. t. 75. f. 1.*

- Eng. bot. v. 4. t. 276.*

- 77 *niveus*. W.en. (*wh.*) snowy white. S. Europe. 4. 5. H.b.
CHLORASTER. H.P.
- 78 *viridiflorus*. B.M. (*gr.*) green-flowered. Barbary. 1629. 9. 10. F.b. Bot. mag. t. 1687.
Chloraster fissus. H.P.
- 79 *integer*. H.P. (*gr.*) entire-cupped. ———— ———— ———— F.b. Park. parad. t. 93. f. 6.
80? *obsoletus*. H. s.s. (*w. ye.*) leafy autumnal. Spain. ———— ———— ———— F.b. ———— 90. t. 89. f. 4.
81? *serotinus*. w. (*wh.*) late-flowered. Barbary. ———— ———— ———— F.b. Clus. hist. t. 252.
- GALANTHUS. L. SNOWDROP. Hexandria Monogynia. L.
- 1 *nivalis*. w. (*wh.*) common. Britain. 1. 3. H.b. Eng. bot. v. 1. t. 19.
2 *plicatus*. B.R. (*wh.*) plaited. S. Europe. 1818. 2. 4. H.b. Bot. reg. t. 545.
- LEUCOJUM. L. SNOWFLAKE. Hexandria Monogynia. L.
- 1 *vénum*. w. (*wh.*) spring. Germany. 1596. 2. 4. H.b. Bot. mag. t. 46.
2 *carpathicum*. (*wh.*) Carpathian. Carpathian mt. 1816. ———— ———— H.b. ———— t. 1993.
3 *æstivum*. w. (*wh.*) summer. England. 4. 5. H.b. ———— t. 1210.
4 *pulchellum*. P.L. (*wh.*) neat. ———— ———— ———— H.b. Sal. par. lond. t. 74.
- 'ACIS. P.L. 'Acis. Hexandria Monogynia.
- 1 *rosea*. S.F.G. (*ro.*) rose-coloured. S. Europe. 1826. 8. 9. H.b. Swt. br. fl. gar. t. 297.
2 *grandiflora*. S.F.G. (*bh.*) large-flowered. ———— 1828. ———— H.b. Redout. liliac. t. 217.
3 *trichophylla*. S.F.G. (*wh.*) many-flowered. Barbary. 1812. 1. 2. F.b. Bot. reg. t. 544.
Leucojum trichophyllum. B.R.
- 4 *autumnalis*. P.L. (*bh.*) autumnal. Portugal. 1629. 9. F.b. Bot. mag. t. 960.
Leucojum autumnale. B.M.
- GETHYLLIS. L. GETHYLLIS. Hexandria Monogynia. L.
- 1 *spiralis*. w. (*wh.*) spiral-leaved. C. B. S. 1780. 6. 7. G.b. Bot. mag. t. 1088.
2 *ciliaris*. w. (*wh.*) fringed. ———— 1788. ———— G.b. Jacq. schœn. 1. t. 79.
3 *villôsa*. w. (*wh.*) hairy. ———— 1787. ———— G.b.
4 *lanceolata*. w. (*wh.*) spear-leaved. ———— 1790. ———— G.b.
- ALSTRÆMERIA. W. ALSTRÆMERIA. Hexandria Monogynia. L.
- 1 *Pelegrina*. w. (*re. bh.*) spotted flower'd. Peru. 1753. 6. 9. H. ½. Bot. mag. t. 139.
β albida. (*wh. gr.*) white flowered. ———— 1820. ———— H. ½.
2 *Simsii*. s.s. (*sc. ye.*) red-flowered. Chili. 1822. ———— H. ½. Swt. br. fl. gar. t. 267.
pulchella. B.M. 2353. Hook. ex. flor. t. 64.
3 *Hookeri*. (*ro.*) rose-coloured. Chili. 1822. ———— H. ½. Hook. ex. flor. t. 181.
rosea. H.E.F. non R.P.
- 4 *Flôs Martini*. B.R. (*w. p. y.*) St. Martin's. ———— ———— H. ½. Bot. reg. t. 731.
pulchra. Bot. mag. t. 2421. *tricolor*. Hook. ex. flor. t. 65.
- 5 *bicolor*. B.C. (*ye. wh.*) two-coloured. Chili. 1826. ———— H. ½. Lodd. bot. cab. t. 1497.
6 *psittacina*. s.s. (*sc. gr.*) Parrot-like. Mexico. 1829. 7. 9. H. ½. Swt. br. fl. gar. s. 2. t. 15.
7 *acutifolia*. Ot. (*or.*) sharp-leaved. S. America. ———— 9. 10. F. ½.
8 *pallida*. Ot. (*pa.*) pale-flowered. Chili. ———— ———— H. ½.
9 *Curtisiâna*. R.S. (*wh. sc.*) striped-flowered. Brazil. 1776. 2. 4. S. ½. Bot. mag. t. 125.
Ligtu. B.M. nec *aliorum*.
- 10 *ovata*. s.s. (*sc.*) oval-leaved. Peru. 1824. H. ½. Cavan. ic. 1. t. 76.
11 *Salsilla*. w. (*pu. gr.*) climbing. ———— 1806. 6. 7. H. ½. Feuille. per. 2. p. 713. t. 6.
12 *edulis*. Tus. (*ro. gr.*) eatable-rooted. W. Indies. 1801. 6. 9. S. ½. Andr. reposit. t. 649.
- Salsilla*. Bot. mag. t. 1613. non L.
- 13 *hirtella*. K.S. (*pi. gr.*) hairy. Mexico. 1824. H. ½. Swt. br. fl. gar. t. 228.
- CLIVIA. B.R. CLIVIA. Hexandria Monogynia.
- nobilis*. B.R. (*sc. gr.*) scarlet. C. B. S. 1820. 7. 10. G. ½. Bot. reg. t. 1182.
Imatophyllum Aitôni. Bot. mag. t. 2856.
- DORYANTHES. B.P. DORYANTHES. Hexandria Monogynia. S.S.
- excelsa*. B.P. (*sc.*) gigantic. N. S. W. 1800. 7. 10. G. ½. Bot. mag. t. 1685.

ORDO CCX.

HEMEROCALLIDÆ. *Brown prodr. 1. p. 295.*

HEMEROCALLIS. S.S. DAY LILY. Hexandria Monogynia. L.

- 1 *graminea*. B.M. (*ye.*) narrow-leaved. Siberia. 1759. 6. 7. H. ½. Bot. mag. t. 873.
2 *flava*. B.M. (*ye.*) yellow. ———— 1596. ———— H. ½. ———— t. 19.
3 *speciosa*. W.H. (*co.*) specious. Jamaica. 1816. ———— G. ½.
4 *disticha*. B.F.G. (*co.*) fan-like. China. 1798. 5. 7. H. ½. Swt. br. fl. gar. t. 28.
5 *fulva*. B.M. (*co.*) copper-coloured. Levant. 1596. 6. 8. H. ½. Bot. mag. t. 64.

FU'NKIA. S.S.		FU'NKIA. Hexandria Monogynia. S.S.		
1 álba.	(wh.) white-flowered.	Japan.	1790. 8. 9. H. 4.	Bot. mag. t. 1433.
<i>subcordata</i> . s.s. <i>Hemerocállis japonica</i> . B.M. álba.		Andr. reposit.	t. 75.	
2 cœrùlea.	(wh.) blue-flowered.	—	6. 8. H. 4.	Bot. mag. t. 894.
<i>ovata</i> . s.s. <i>Hemerocállis cœrùlea</i> . B.M.				
AGAP'ANTHUS. W.		AFRICAN LILY. Hexandria Monogynia. L.		
1 umbellátus. w.	(bl.) large-flowered.	C. B. S.	1692. 1. 12. G. 4.	Bot. mag. t. 500.
<i>β variegátus</i> .		(bl.) striped-leaved.	—	G. 4.
2 præcox. W.en.	(bl.) early-flowering.	—	1. 4. G. 4.	
3 minor. B.C.	(bl.) small.	—	—	G. 4.
Lodd. bot. cab. t. 42.				
POLIA'NTHESES. L.		POLIA'NTHESES. Hexandria Monogynia. L.		
1 grácilis. L.en.	(wh.) slender.	Brazil.	1822. 8. 10. S. 4.	
2 tuberósa. w.	(wh.) common.	E. Indies.	1629. —	S. 4.
<i>β flore pleno</i> .		(wh.) double-flowered.	—	S. 4.
Bot. reg. t. 63.				
BLANDFORDIA. B.P.		BLANDFORDIA. Hexandria Monogynia. S.S.		
1 nobilis. B.P.	(sc.ye.) noble.	N. S. W.	1803. 7. 8. G. 4.	Bot. reg. t. 286.
2 grandiflora. B.P.	(sc.ye.) large-flowered.	—	1824. —	G. 4.
3 punicea.	(cr.) large-leaved.	N. Holland.	1812. —	G. 4.
Lab. nov. hol. 1. t. 111.				
<i>Alétris punicea</i> . Labillardiere.				
TRITOMA. B.M.		TRITOMA. Hexandria Monogynia. S.S.		
1 Uvária. H.K.	(or.) great.	C. B. S.	1707. 8. 9. H. 4.	Bot. mag. t. 758.
2 Burchellii. W.H.	(or.) Mr. Burchell's.	—	1816. —	H. 4.
3 média. H.K.	(sc.or.) lesser.	—	1789. 12. 6. H. 4.	Bot. mag. t. 744.
4 pùmila. H.K.	(sc.or.) least.	—	1774. 9. 11. F. 4.	—
t. 764.				
VELTHEIMIA. B.M.		VELTHEIMIA. Hexandria Monogynia. W.		
1 viridifolia. w.	(sc.or.) green-leaved.	C. B. S.	1768. 11. 4. G. b.	Bot. mag. t. 501.
<i>Alétris capensis</i> . B.M.				
2 intermédia.	(ro.ye.) subglaucous.	—	1819. —	G. b.
3 glauca. w.	(ro.ye.) glaucous.	—	1781. 1. 4. G. b.	Bot. mag. t. 1091.
ALE'TRIS. W.		COLIC-ROOT. Hexandria Monogynia. L.		
1 farinosa. w.	(wh.) common.	N. America.	1768. 6. H. 4.	Bot. mag. t. 1418.
2 aurea. Ph.	(wh.) golden-tipped.	—	1811. 7. 8. H. 4.	Willd. hort. ber. t. 8.
SANSEVIERA. W.		SANSEVIERA. Hexandria Monogynia. W.		
1 glauca. H.S.	(wh.) glaucous.	Sierra Leon.	 6. 10. S. 4.	
2 polyphylla. H.S.	(wh.) upright-glaucous.	—	 —	S. 4.
3 guineensis. H.S.	(wh.) Guinea.	Guinea.	1690. 6. 11. S. 4.	Bot. mag. t. 1180.
4 lætevirens. H.S.	(wh.) light green.	—	 —	S. 4.
5 longiflora. B.M.	(wh.) long-flowered.	—	 7. 8. S. 4.	Bot. mag. t. 2634.
6 spicata. H.S.	(wh.) spiked.	—	 —	S. 4.
7 fulvocincta. H.S.	(wh.) brown-edged.	Brazil.	1818. 6. 9. S. 4.	Cavan. ic. 3. t. 246.
8 zeylanica. H.S.	(wh.) Ceylon.	Ceylon.	1731. 6. 11. S. 4.	Bot. reg. t. 160.
9 lanuginosa. w.	(wh.) woolly.	E. Indies.	 —	S. 4.
10 ensifolia. H.S.	(wh.) sword-leaved.	—	 —	S. 4.
11 grandicuspis. H.S.	(wh.) large-pointed.	—	 —	S. 4.
12 pùmila. H.S.	(wh.) dwarf.	C. B. S.	1796. S. 4.	
13 stenophylla. L.en.	(wh.) slender-leaved.	—	1818. 6. 8. S. 4.	
14 carnea. A.R.	(ro.) flesh-coloured.	China.	1792. 4. 10. H. 4.	Andr. reposit. t. 361.
TULBAGIA. W.		TULBAGIA. Hexandria Monogynia. L.		
1 alliacea. w.	(gr.) Narcissus-leaved.	C. B. S.	1774. 5. 7. G. 4.	Bot. mag. t. 806.
2 affinis. L.en.	(gr.) linear-leaved.	—	1820. —	G. 4.
3 cepacea. w.	(gr.) Onion-scented.	—	1795. 4. G. 4.	
BRODIAEA. L.T.		BRODIAEA. Triandria Monogynia. L.T.		
1 grandiflora. L.T.	(bl.) large-flowered.	Georgia.	1806. 6. H. b.	Bot. reg. t. 1183.
<i>Hodkera coronaria</i> . Sal. par. lond. t. 98.				
2 congesta. L.T.	(bl.) close-headed.	—	5. H. b.	Linn. trans. v. 10. t. 1.
PHYLL'OMA. B.M.		PHYLL'OMA. Hexandria Monogynia.		
1 aloiflorum. B.M.	(ye.) Aloe-like.	Bourbon.	1766. 4. 6. D.S. 4.	Bot. mag. t. 1585.
<i>Lomatophyllum borbonicum</i> . w. <i>Dracæna marginata</i> . H.K. <i>dentata</i> . p.s.				
2 macrum. L.en.	(ye.) lean.	Mauritius.	1817. 6. 7. D.S. 4.	
3 rufocinctum.	(ye.) rosy-edged.	E. Indies.	1818. D.S. 4.	
<i>Aloe rufocincta</i> . H.S.S.				
PACHIDE'NDRON. H.R.		PACHIDE'NDRON. Hexandria Monogynia. H.R.		
1 africanum. H.R.	(ye.) African.	C. B. S.	1731. 7. D.G. 4.	
<i>α latum</i> . H.R.		(ye.) broad-leaved.	—	D.G. 4.
<i>β angustum</i> . H.R.		(ye.) narrow-leaved.	—	D.G. 4.
Bot. mag. t. 2517.				
<i>Aloe pseudo-africana</i> . L.en. <i>Aloe africana</i> . <i>β angustior</i> . B.M.				
2 principis. H.R.	(ye.) revolving red-spined.	—	 D.G. 4.	
3 angustifolium. H.R.	(ye.) narrow-leaved.	—	1812. D.G. 4.	
4 ferox. H.R.	(st.re.) great hedgehog.	—	1759. 4. 5. D.G. 4.	Bot. mag. t. 1975.
<i>Aloe ferox</i> . B.M.				

5	pseudo-ferox. H.R. (st.)	false hedgehog.	C. B. S.	1759.	4. 5. D.G. h.	Comm. prælud. t. 20.
6	supralæve. H.R. (ye.)	upright hedgehog.	—	1731.	 D.G. h.	
A'LOE. H.R. ALOE. Hexandria Monogynia. L.						
1	dichotoma. H.S.	smooth-stemmed.	C. B. S.	1780.	 D.G. h.	
2	purpurascens. H.S. (re.gr.)	purple.	—	1789.	7. 10. D.G. h.	Bot. mag. t. 1474.
3	soccotrina. H.S. (sc.gr.)	soccotrine.	—	1731.	4. 6. D.G. h.	t. 472.
4	spicata. H.R. (wh.gr.)	white spotted.	—	1795.	 D.G. h.	
5	pluridens. H.P.	many-toothed.	—	1822.	 D.G. h.	
6	arborescens. H.S. (sc.)	tree.	—	1731.	11. 3. D.G. h.	Bot. mag. t. 1306.
7	gracilis. H.P.	slender-stalked.	—	1822.	 D.G. h.	
8	flavispina. H.S. (sc.)	yellow-spined.	—	1790.	8. D.G. h.	
9	mitræformis. H.S. (sc.)	mitre.	—	1732.	 D.G. h.	Bot. mag. t. 1270.
10	nobilis. H.S. (sc.)	great mitre.	—	1800.	7. 8. D.G. h.	
11	Commelini. H.R. (sc.)	Commeline's.	—	1813.	 D.G. h.	
	β mitræformis. H.R.	yellowish-toothed.	—		 D.G. h.	
12	distans. H.S. (sc.gr.)	small mitre.	—	1732.	8. D.G. h.	Bot. mag. 1362.
	γ depressa. H.R. (sc.gr.)	depressed.	—		 D.G. h.	
13	xanthacantha. H.S. (sc.)	yellow mitre.	—	1817.	 D.G. h.	
14	vulgaris. DC. (ye.or.)	yellow-flowered.	W. Indies.	1596.	8. D.S. h.	DC. plant. gras. t. 27.
	barbadensis. H.S.	—	—	—	—	—
15	chinensis. H.S. (ye.)	Chinese.	China.	1817.	 D.G. h.	
16	cæsia. H.S.	cæsious tree.	C. B. S.	1818.	 D.G. h.	
	β elatior. H.S.	tall.	—		 D.G. h.	
17	frutescens. H.S. (sc.)	lesser tree.	—		 D.G. h.	
18	albispina. H.S. (sc.)	white-spined.	—	1796.	 D.G. h.	
19	glauca. H.S. (sc.gr.)	glaucous red-spined.	—	1731.	1. 9. D.G. h.	
	α major. H.S. (sc.gr.)	larger.	—		 D.G. h.	
	β rhodacantha. B.M. (sc.gr.)	lesser red-spined.	—		 D.G. h.	Bot. mag. t. 1278.
	γ spinosior. H.R. (sc.gr.)	long-spined.	—	1820.	 D.G. h.	
20	lineata. H.S. (sc.gr.)	striped red-spined.	—	1789.	 D.G. h.	
	α viridis. H.R. (sc.gr.)	greenest-leaved.	—		 D.G. h.	
	β glaucescens. H.R. (sc.)	glaucous.	—		 D.G. h.	
21	dorsalis. R.S. (ye.)	spiny-keeled.	—	1826.	 D.G. h.	
22	depressa. H.S. (sc.ye.)	depressed.	—	1731.	8. D.G. h.	Bot. mag. t. 1332.
23	brevifolia. H.S. (sc.gr.)	short-leaved.	—	—	6. 8. D.G. h.	Bot. reg. t. 996.
24	prolifera. H.R. (or.y.)	proliferous.	—	1818.	 D.G. h.	
25	serra. DC. (re.gr.)	saw-leaved.	—	—	 D.G. h.	Jacq. eclóg. t. 61.
26	striata. H.S. (re.gr.)	streaked.	—	1795.	 D.G. h.	Jacq. fragm. t. 68.
	paniculata. Jacquin.	—	—	—	—	—
27	striatula. H.P.	stripe-sheathed.	—	1820.	 D.G. h.	
28	ciliaris. H.P. (sc.gr.)	fringe-leaved.	—	—	 D.G. h.	
29	tenuior. H.P. (ye.)	green-sheathed.	—	1819.	 D.G. h.	
30	albocincta. H.S. (sc.g.)	pearl edged.	—	1812.	 D.G. h.	
31	serrulata. H.S. (pi.)	serrulated.	—	1789.	7. 8. D.G. h.	Bot. mag. t. 1415.
32	obscura. H.S. (sc.or.)	great soap.	—	1727.	6. 10. D.G. h.	— t. 1323.
	picta. a. B.M.	—	—	—	—	—
	β glaucior. H.R. (sc.or.)	glaucous-leaved.	—	1819.	 D.G. h.	
	γ magnidens. H.R. (sc.or.)	large-toothed.	—		 D.G. h.	
33	pallescens. H.R. (pi.gr.)	pale serrulate.	—	1820.	 D.G. h.	
34	latifolia. H.S. (sc.or.)	broad-leaved.	—	1795.	7. 8. D.G. h.	Bot. mag. t. 1346.
35	grandidentata. R.S. (sc.g.)	great-toothed.	—		 D.G. h.	
36	saponaria. H.S. (sc.or.)	common soap.	—	1727.	 D.G. h.	Bot. mag. t. 1460.
	β luteo-striata. H.R. (sc.)	yellow-striped.	—	1821.	 D.G. h.	
37	microcantha. H.S. (re.)	small-spined.	—	1819.	 D.G. h.	Bot. mag. t. 2272.
38	virens. H.S. (sc.)	apple green.	—	1790.	8. 9. D.G. h.	— t. 1355.
39	suberecta. H.S. (sc.ye.)	lesser hedgehog.	—	1789.	3. 6. D.G. h.	
	β semiguttata. H.R. (sc.g.)	half-warted.	—	1819.	 D.G. h.	
40	acuminata. H.S. (sc.ye.)	middle hedgehog.	—	1795.	 D.G. h.	Bot. mag. t. 757.
	humilis. B.M. non H.S.	—	—	—	—	—
41	echinata. H.R. (sc.gr.)	great tubercled.	—	1821.	3. 6. D.G. h.	
42	tuberculata. H.S. (sc.gr.)	tubercled.	—	1796.	 D.G. h.	
43	aristata. H.P. (sc.gr.)	bearded many-leaved.	—	1819.	 D.G. h.	
44	subtuberculata. H.P. (sc.)	rough & smooth.	—	—	 D.G. h.	
45	humilis. H.S. (sc.gr.)	dwarf hedgehog.	—	1731.	 D.G. h.	DC. plant. gras. t. 39.
46	incurva. H.S. (sc.gr.)	incurved hedgehog.	—	1796.	 D.G. h.	Bot. mag. t. 828.
	humilis β incurva. B.M.	—	—	—	—	—
47	tenuifolia. H.R. (sc.gr.)	thin-leaved.	—	1821.	 D.G. h.	
48	variegata. H.S. (sc.gr.)	partridge-breast.	—	1720.	3. 12. D.G. h.	Bot. mag. t. 513.

RHIPIDODE'NDRON. W. RHIPIDODE'NDRON.		Hexandria Monogynia.		
1	<i>plicatilis</i> . H.R. (re.gr.) fan.	Africa.	1723.	6. 7. D.G. ½. Bot. mag. t. 457.
	<i>distichum</i> . W. <i>A'loe plicatilis</i> . B.M.			
	β <i>majior</i> . H.R. (re.) larger fan.		1820.	— D.G. ½.
2	<i>dichotomum</i> . W. (re.gr.) dichotomous.	C. B. S.	1780.	— D.G. ½. Patt. journ. t. 3. 4. 5.
GASTERIA. H.S. TONGUE-ALOE. Hexandria Monogynia. H.S.				
1	<i>obliqua</i> . H.S. (ro.w.g.) broad-marbled.	C. B. S.	1759.	6. 8. D.G. ½. Bot. mag. t. 979.
	<i>maculata</i> . H.P. <i>A'loe lingua</i> . a. B.M.			
2	<i>pulchra</i> . H.S. (ro.gr.) narrow-marbled.		1759.	7. 8. D.G. ½. Bot. mag. t. 765.
	<i>A'loe maculata</i> . B.M.			
3	<i>picta</i> . H.P. (ro.gr.) painted.		1824.	— D.G. ½.
	<i>A'loe Bowieana</i> . R.S.			
4	<i>formosa</i> . H.P. (sc.gr.) beautiful.		1826.	— D.G. ½.
5	<i>fasciata</i> . H.P. (ro.gr.) marbled.		1820.	— D.G. ½.
	β <i>laxa</i> . H.P. (ro.gr.) loose-leaved.		—	— D.G. ½.
6	<i>retata</i> . H.P. (ro.gr.) chequered.		1826.	— D.G. ½.
	<i>A'loe dictyodes</i> . R.S.			
7	<i>nigricans</i> . H.S. (re.gr.) dark-leaved.		1790.	6. 7. D.G. ½. Bot. mag. t. 838.
8	<i>marmorata</i> . H.P. (re.g.) marble-leaved.		—	— D.G. ½.
9	<i>crassifolia</i> . H.P. (re.gr.) thick-leaved.		1820.	— D.G. ½.
10	<i>brevifolia</i> . H.S. (re.gr.) short-leaved.		1809.	7. 8. D.G. ½.
	α <i>latevirens</i> . H.P. (re.gr.) pale-green.		—	— D.G. ½.
	β <i>pervirens</i> . H.P. (re.gr.) darker-green.		—	— D.G. ½.
11	<i>obtusifolia</i> . H.R. (re.g.) blunt-leaved.		—	— D.G. ½.
12	<i>mollis</i> . H.R. (re.gr.) soft muddy-leaved.		1819.	— D.G. ½.
13	<i>subnigricans</i> . H.P. (re.g.) dark-leaved.		1820.	— D.G. ½.
	β <i>glabrior</i> . H.P. (re.gr.) smoother.		—	— D.G. ½.
14	<i>disticha</i> . H.P. (re.gr.) distichous.		1819.	— D.G. ½. Comm. hort. ams. 2. t. 8.
	α <i>minor</i> . H.P. (re.gr.) lesser.		—	— D.G. ½.
	β <i>majior</i> . H.P. (re.gr.) larger.		—	— D.G. ½.
15	<i>conspurcata</i> . H.R. (re.g.) dirtied.		1796.	3. 11. D.G. ½.
16	<i>angulata</i> . H.P. (re.gr.) angular.		—	— D.G. ½. Bot. mag. t. 1322. f. 3.
17	<i>sulcata</i> . H.P. (re.w.g.) furrowed.		1791.	— D.G. ½. — t. 1322. f. 5.
18	<i>excavata</i> . H.P. (re.gr.) excavated.		1824.	— D.G. ½. — t. 1322. f. 4.
19	<i>angustifolia</i> . H.S. (re.g.) narrow.		1731.	— D.G. ½. — t. 1322. f. 2.
20	<i>lævis</i> . H.P. (re.gr.) smooth.		1820.	— D.G. ½.
21	<i>subverrucosa</i> . H.P. (re.g.) large-warted.		—	— D.G. ½.
	α <i>grandipunctata</i> . H.R. large-dotted.		—	— D.G. ½.
	β <i>parvipunctata</i> . H.B. small-dotted.		—	— D.G. ½.
22	<i>verrucosa</i> . H.S. (re.g.) pearl.		1731.	3. 11. D.G. ½. Bot. mag. t. 837.
	β <i>latifolia</i> . H.R. (re.g.) broad-leaved.		1820.	— D.G. ½.
23	<i>intermedia</i> . H.S. (re.g.) intermediate.		1790.	— D.G. ½. Bot. mag. t. 1322. f. 1.
	β <i>asperima</i> . H.R. (re.g.) rough-leaved.		1820.	— D.G. ½.
	γ <i>lævior</i> . H.P. (re.gr.) smoother.		—	— D.G. ½.
	δ <i>långior</i> . H.P. (re.gr.) longer-leaved.		—	— D.G. ½.
24	<i>repens</i> . H.R. (re.gr.) creeping-rooted.		—	— D.G. ½.
25	<i>pârva</i> . H.P. (re.gr.) smallest.		1824.	— D.G. ½.
26	<i>decipiens</i> . H.P. (re.gr.) deceiving.		1823.	7. 10. D.G. ½.
27	<i>carinata</i> . H.S. (sc.gr.) rough-keeled.		1731.	6. 7. D.G. ½. Bot. mag. t. 1331.
28	<i>strigata</i> . H.P. (re.gr.) rough strigate.		1824.	7. 10. D.G. ½.
29	<i>lætipunctata</i> . H.P. (re.gr.) pale-spotted.		1821.	— D.G. ½.
30	<i>subcarinata</i> . H.S.S. (re.) slightly-keeled.		1820.	6. 7. D.G. ½.
	β <i>striata</i> . H.R. (re.gr.) striated.		—	— D.G. ½.
31	<i>undata</i> . H.P. (re.gr.) waved.		1825.	— D.G. ½.
32	<i>glabra</i> . H.S. (re.gr.) smooth-keeled.		1796.	6. 7. D.G. ½.
	β <i>minor</i> . H.R. (re.gr.) smaller.		1820.	— D.G. ½.
33	<i>nitida</i> . B.M. (sc.gr.) shining.		—	7. 8. D.G. ½. Bot. mag. t. 2304.
	α <i>parvipunctata</i> . H.R. small dotted.		—	— D.G. ½.
	β <i>grandipunctata</i> . H.R. large-dotted.		—	— D.G. ½.
34	<i>trigona</i> . H.R. (li.gr.) trigonal.		—	— D.G. ½.
35	<i>obtusa</i> . H.P. (re.gr.) smooth obtuse.		—	— D.G. ½.
36	<i>acinacifolia</i> . H.R. (ro.g.) long sword-leaved.		1818.	— D.G. ½. Bot. mag. t. 2369
37	<i>nitens</i> . H.P. (re.gr.) sparse-spotted.		1819.	— D.G. ½.
38	<i>venusta</i> . H.P. (re.gr.) charming.		1822.	— D.G. ½.
39	<i>pluripunctata</i> . H.P. (re.gr.) many-spotted.		—	— D.G. ½.
40	<i>ensifolia</i> . H.P. (re.gr.) long sword-leaved.		1820.	— D.G. ½.
41	<i>candicans</i> . H.R. (re.) rough marbled white.		1818.	7. 8. D.G. ½.
42	<i>linita</i> . H.P. (re.) smeared.		1822.	— D.G. ½.
43	<i>bicolor</i> . H.P. (re.) half-marbled.		—	— D.G. ½.

BOWTEA. H.P.		BOWTEA. Hexandria Monogynia.					
1	africana. H.P. (ye.) African.	C. B. S.	1820.	4. 10.	D.G. 2.		
2	myriacantha. H.P. (ro. gr.) many-spined.				D.G. 2.		
HAWO'RTHTIA. H.S.S. HAWO'RTHTIA. Hexandria Monogynia. H.S.							
1	viscosa. H.S. (wh. re.) clammy.	C. B. S.	1732.	5. 7.	D.G. 2.	Bot. mag. t. 814.	
	<i>A'loe viscosa</i> . B.M.						
	<i>a</i> major. (wh. re.) largest.				D.G. 2.		
	<i>β</i> minor. (wh. re.) lesser.				D.G. 2.		
	<i>γ</i> parvifolia. (wh. re.) smaller-leaved.				D.G. 2.		
2	aspera. H.S. (wh. re.) rough-triangular.		1795.		D.G. 2.		
3	indurata. H.R. (wh. re.) hard branchy.		1819.		D.G. 2.		
4	subtortuosa. R.S. (wh. re.) twisted triangular.		1818.		D.G. 2.		
5	torquata. H.P. (wh. re.) long-twisted.		1824.		D.G. 2.		
6	concinna. H.S.S. (wh. re.) neat triangular.				D.G. 2.		
7	cordifolia. H.S.S. (wh. re.) heart-leaved.				D.G. 2.		
8	asperiuscula. H.S.S. (w. re.) roughish.		1818.		D.G. 2.		
9	tortuosa. H.S. (wh. re.) twisted.		1794.	5. 9.	D.G. 2.	Bot. mag. t. 1337.	
	<i>A'loe rigida</i> . B.M. non DC.						
	<i>β</i> curta. H.R. (wh. re.) short twisted.		1817.		D.G. 2.		
	<i>γ</i> tortella. H.R. (wh. re.) lesser twisted.				D.G. 2.		
10	expansa. H.S. (wh. re.) spreading-leaved.		1795.	7. 10.	D.G. 2.		
11	rigida. H.R. (wh. gr.) great rigid.		1824.		D.G. 2.	DC. plant. gras. t. 62.	
12	hybrida. H.R. (wh. re.) bastard pearl.		1821.	5. 9.	D.G. 2.		
13	scabra. H.R. (wh. re.) rugged.		1818.		D.G. 2.		
14	sordida. H.R. (wh. re.) sordid.				D.G. 2.		
15	recurva. H.R. (wh. re.) recurved.		1795.	8.	D.G. 2.	Bot. mag. t. 1353.	
16	nigricans. H.P. (wh. re.) granulated black.		1820.	5. 9.	D.G. 2.		
17	parva. H.P. (wh. re.) dwarf.				D.G. 2.		
18	tessellata. H.P. (wh. re.) dark chequered.		1822.		D.G. 2.		
19	asperula. H.P. (wh. re.) pale rough.				D.G. 2.		
20	multifaria. H.P. (wh. re.) many-leaved.				D.G. 2.		
21	retusa. H.S. (wh. gr.) smooth cushion.		1720.		D.G. 2.	Bot. mag. t. 455.	
	<i>A'loe retusa</i> . B.M.						
22	mutica. H.R. (wh. gr.) blunt cushion.		1819.		D.G. 2.		
23	mirabilis. H.S.S. (wh. ro.) rough cushion.		1795.		D.G. 2.	Bot. mag. t. 1354.	
24	turgida. H.S.S. (wh. ro.) turgid cushion.		1818.		D.G. 2.		
25	late-virens. H.S.S. (w. re.) light green.				D.G. 2.		
26	papillosa. H.S.S. (w. re.) papillose.				D.G. 2.		
	<i>β</i> semipapillosa. H.R. partly warted.				D.G. 2.		
27	erecta. H.R. (wh. re.) upright pearl.		1818.		D.G. 2.	DC. plant. gras. t. 57.	
	<i>margaritifera</i> . DC.						
28	fasciata. H.S.S. (wh. re.) barred pearl.				D.G. 2.		
29	subulata. R.S. (wh. re.) awl-pointed.				D.G. 2.		
30	claripera. H.P. (wh. re.) bright-pearled.		1824.		D.G. 2.		
31	granata. H.S.S. (wh. re.) small pearl.		1732.		D.G. 2.	Dill. elth. t. 16. f. 18.	
	<i>A'loe margaritifera</i> . <i>γ</i> . minima. Dill.						
32	brevis. H.S.S. (wh. ro.) short-leaved.		1810.		D.G. 2.	Bot. mag. t. 1360.	
	<i>A'loe margaritifera</i> . <i>γ</i> . minima. B.M.						
33	minor. H.S. (pu. gr.) lesser pearl.			5. 8.	D.G. 2.	Bot. mag. t. 815.	
34	margaritifera. H.S.S. (wh.) pearl.		1725.		D.G. 2.	Bradl. succ. 3. t. 21.	
35	semiglabrata. H.S.S. (w. gr.) half-smoothed.		1810.		D.G. 2.		
36	radula. H.S. (ro. wh.) raspy pearl.		1805.	6. 9.	D.G. 2.	Jacq. schœn. t. 35.	
37	attenuata. H.S. (wh. re.) chalky pearl.		1790.	5. 8.	D.G. 2.	Bot. mag. t. 1345.	
	<i>A'loe radula</i> . B.M. non Jacq.						
38	Reinwardti. H.R. (wh. re.) chequered-pearl.		1821.		D.G. 2.		
39	semimargaritifera. (wh.) semi-pearly.		1801.		D.G. 2.		
	<i>α</i> maxima. H.S.S. (wh. re.) largest.				D.G. 2.	Comm. hort. 2. t. 10.	
	<i>β</i> major. H.S.S. (wh. re.) large.		1817.		D.G. 2.		
	<i>γ</i> minor. H.S.S. (wh. re.) smaller.		1818.		D.G. 2.		
	<i>δ</i> multiperlata. (wh. re.) many pearled.				D.G. 2.		
40	coarctata. H.P. (w. re.) upright dull-spotted.		1822.		D.G. 2.		
41	albicans. H.S. (wh. re.) white-edged.		1795.	9. 10.	D.G. 2.	Bot. mag. t. 1452.	
42	lævis. H.R. (wh. re.) narrow-bordered.		1820.		D.G. 2.	Comm. hort. 2. t. 7.	
43	ramifera. H.R. (wh. re.) branching white.				D.G. 2.		
44	virescens. H.R. (wh. re.) bordered green.				D.G. 2.		
	<i>β</i> minor. H.R. (wh. re.) lesser.				D.G. 2.		
45	arachnoides. H.S. (li. gr.) cobweb.		1727.	8. 9.	D.G. 2.	Bot. mag. t. 756.	
46	translucens. H.S.S. (bh.) transparent.		1795.	5. 8.	D.G. 2.	t. 1417.	
	<i>A'loe arachnoides β translucens</i> . B.M.						

47	setàta. H.S.S. (<i>wh.re.</i>) bristle-edged.	C. B. S.	1818.	5. 8.	D.G. 2.	
	β nigricans. H.R. (<i>wh.re.</i>) blackish.	—	—	—	D.G. 2.	
	γ mèdia. H.R. (<i>wh.re.</i>) middle.	—	—	—	D.G. 2.	
	δ mājor. H.R. (<i>wh.re.</i>) larger.	—	—	—	D.G. 2.	
48	pállida. H.R. (<i>wh.re.</i>) pale green.	—	—	—	D.G. 2.	
49	atrovirens. H.R. (<i>wh.bh.</i>) dark green.	—	1752.	5.	D.G. 2.	Bot. mag. t. 1361.
	<i>A'loe atrovirens</i> . DC. <i>arachnoides pùmila</i> . B.M.	—	—	—	—	—
50	chlorocántha. H.R. (<i>w.re.</i>) green-toothed.	—	1820.	5. 8.	D.G. 2.	
51	angustifólia. H.P. (<i>w.re.</i>) slender-leaved.	—	—	6. 7.	D.G. 2.	
52	reticulàta. H.S. (<i>wh.</i>) netted.	—	1794.	5. 8.	D.G. 2.	Bot. mag. t. 1314.
	<i>A'loe arachnoides</i> γ <i>reticulàta</i> . B.M.	—	—	—	—	—
53	cymbifórmis. H.S. (<i>w.pu.</i>) boat-leaved.	—	1795.	6. 8.	D.G. 2.	Bot. mag. t. 802.
	<i>concàva</i> . H.R.	—	—	—	—	—
54	altilínea. H.P. (<i>wh.re.</i>) ridge-lined.	—	1821.	—	D.G. 2.	
55	obtùsa. H.P. (<i>wh.re.</i>) small blunt-leaved.	—	—	—	D.G. 2.	
56	planifólia. H.P. (<i>wh.re.</i>) flat oval-leaved.	—	—	—	D.G. 2.	
57	mucronàta. H.R. (<i>w.pu.</i>) membrane-pointed.	C. B. S.	1818.	—	D.G. 2.	
58	límpida. H.R. (<i>w.pu.</i>) limpid.	—	—	—	D.G. 2.	
59	aristàta. H.R. (<i>w.pu.</i>) pin-pointed.	—	—	—	D.G. 2.	
60	cuspidàta. H.R. (<i>w.pu.</i>) sharp-pointed.	—	—	—	D.G. 2.	
61	denticulàta. H.R. (<i>w.re.</i>) pale pin-pointed.	—	—	—	D.G. 2.	
A'PICRA. H.S.S. A'PICRA. Hexandria Monogynia. H.S.S.						
1	spiràlis. H.S.S. (<i>wh.g.</i>) great spiral.	C. B. S.	1790.	8. 9.	D.G. 2.	
2	spirélla. H.S.S. (<i>wh.g.</i>) small spiral.	—	1808.	—	D.G. 2.	
3	bullulàta. H.S.S. (<i>st.gr.</i>) blistered.	—	1818.	—	D.G. 2.	Jacq. frag. t. 109.
4	pentagòna. H.S.S. (<i>wh.</i>) five sided.	—	1731.	6. 8.	D.G. 2.	Bot. mag. t. 1338.
5	quinquangulàris. R.S. (<i>w.st.</i>) five-angled.	—		—	D.G. 2.	
6	rigida. w. (<i>wh.re.</i>) gunpowdered.	—	1818.	—	D.G. 2.	Jacq. frag. t. 108.
	<i>pseudò-rigida</i> . H.S.S.	—	—	—	—	—
7	áspera. H.S.S. (<i>wh.st.</i>) rough triangled.	—	—	—	D.G. 2.	
	α mīnor. H.S.S. (<i>wh.st.</i>) lesser.	—	—	—	D.G. 2.	
	β mājor. H.S.S. (<i>wh.st.</i>) larger.	—	1795.	—	D.G. 2.	
8	bicarínàta. H.S.S. (<i>w.st.</i>) double-keeled.	—	1819.	—	D.G. 2.	
9	nigra. H.P. (<i>wh.</i>) rough black.	—	1820.	5. 8.	D.G. 2.	
10	imbricàta. H.R. (<i>st.</i>) rough-flowered.	—	1731.	6. 7.	D.G. 2.	Bot. mag. t. 1455.
	<i>A'loe spiràlis</i> . B.M. non H.S.	—	—	—	—	—
11	foliolòsa. H.P. (<i>wh.</i>) many small-leaved. —	—	1795.	6. 8.	D.S. 2.	Bot. mag. t. 1352.

ORDO CCXI.

DIOSCOREÆ. *Brown prodr.* 1. p. 294.

RAJ'ANIA. W.		RAJ'ANIA. Diœcia Hexandria. L.			
1	hastàta. w. (<i>gr.</i>) halberd-leaved.	W. Indies.	1822.	7. 8.	S. 2. ∪. Plum. amer. 84. t. 98.
2	cordàta. w. (<i>gr.</i>) heart-leaved.	—	1786.	—	S. 2. ∪. Plum. ic. 155. f. 1.
3	quinquefólia. w. (<i>gr.</i>) five-leaved.	—	1820.	—	S. 2. ∪. — 155. f. 2.
DIOSCOREA. W.		YAM. Diœcia Hexandria. L.			
1	pentaphýlla. w. (<i>gr.</i>) five-leaved.	E. Indies.	1768.		S. 2. ∪. Rheed. mal. 7. t. 35.
2	triphyýlla. w. (<i>gr.</i>) three-leaved.	—	1818.		S. 2. ∪. Jacq. ic. t. 627.
3	quinquelòba. w. (<i>gr.</i>) five-lobed.	Japan.	1822.	7. 9.	G. 2. ∪. Kæmpf. ic. t. 15.
4	brasiliénsis. w. (<i>gr.</i>) Brazilian.	Brazil.	1818.	—	S. 2. ∪. —
5	heterophýlla. H.B. (<i>gr.</i>) various-leaved.	E. Indies.	—		S. 2. ∪. —
6	aculeàta. w. (<i>gr.</i>) prickly-stemmed.	—	1803.	7. 9.	S. 2. ∪. Rheed. mal. 7. t. 37.
7	rubélla. H.B. (<i>re.g.</i>) reddish.	—	—	—	S. 2. ∪. —
8	purpùrea. H.B. (<i>pu.g.</i>) purple.	—	1816.	—	S. 2. ∪. —
9	angustifólia. s.s. (<i>gr.</i>) narrow-leaved.	Pern.	1821.	—	S. 2. ∪. —
10	nummulària. w. (<i>gr.</i>) Money-wort.	E. Indies.	1820.		S. 2. ∪. Rumph. amb. 5. t. 162.
11	alàta. w. (<i>gr.</i>) wing-stalked.	—	1739.		S. 2. ∪. Rheed. mal. 7. t. 38.
12	bulbífera. w. (<i>gr.</i>) bulb-bearing.	—	1692.	7. 9.	S. 2. ∪. Sal. par. lond. t. 17.
13	crispàta. H.B. (<i>gr.</i>) curl-stalked.	—	1818.	—	S. 2. ∪. —
14	altíssima. s.s. (<i>gr.</i>) tallest.	Martinica.	1821.	—	S. 2. ∪. Plum. ic. 117. f. 2.
15	coriàcea. s.s. (<i>gr.</i>) leathery.	S. America.	1818.	—	S. 2. ∪. —
16	anguína. H.B. (<i>gr.</i>) snake.	E. Indies.	1803.	—	S. 2. ∪. —
17	pulchélia. H.B. (<i>gr.</i>) pretty.	—	1819.		S. 2. ∪. —

18 atropurpûrea. H.B. (<i>pu.g.</i>) dark purple.	C. B. S.	1820.		S. 4. ∞.
19 globôsa. H.B. (<i>gr.</i>) globular.	—	1818.		S. 4. ∞.
20 fasciculâta. H.B. (<i>gr.</i>) bundled.	—	1817.		S. 4. ∞.
21 glâbra. H.B. (<i>gr.</i>) smooth.	—	1803.	7. 9.	S. 4. ∞.
22 sativa. w. (<i>gr.</i>) common.	W. Indies.	1733.	—	S. 4. ∞. Rheed. mal. 8. t. 51.
23 piperifolia. w. (<i>gr.</i>) Pepper-leaved.	S. America.	1817.		S. 4. ∞. Plum. ic. 117. f. 1.
24 nepalensis. (<i>gr.</i>) Nepaul.	Nepaul.	1816.	7. 8.	H. 4. ∞.
25 cinnamomifolia. B.M. (<i>g.</i>) Cinnamon-leav'd.	Brazil.	1826.	11. 12.	S. 4. ∞. Bot. mag. t. 2825.
26 quaternâta. Ph. (<i>re.g.</i>) four-leaved.	N. America.	1811.	7.	H. 4. ∞.
27 villôsa. Ph. (<i>re.g.</i>) pubescent.	—	1752.	8.	H. 4. ∞. Jacq. ic. 3. t. 626.
28 oppositifolia. L. (<i>gr.</i>) opposite-leav'd.	E. Indies.	1803.		S. 4. ∞. Petiv. gaz. t. 31. f. 6.
TESTUDIN'ARIA. B.T. TESTUDIN'ARIA. Dicoëia Hexandria.				
1 Elephântipes. B.R. (<i>gr.</i>) Elephant's-foot.	C. B. S.	1774.	7. 8.	G. 4. ∞. Bot. reg. t. 92.
<i>Tamus Elephântipes.</i> Bot. mag. t. 1347.				
2 montâna. B.T. (<i>gr.</i>) glaucous-leaved.	—	1816.	—	G. 4. ∞.

ORDO CCXII.

TAMEÆ. *Brown prodr. 294 in obs.*

TAMUS. L.	BLACK BRYONY. Dicoëia Hexandria. L.			
1 communis. w. (<i>gr.</i>) common.	England.		5. 8.	H. 4. ∞. Eng. bot. t. 91.
2 crética. w. (<i>gr.</i>) Cretan.	Candia.	1739.	7. 8.	H. 4. ∞.

ORDO CCXIII.

SMILACEÆ. *Brown prodr. 292.*

SMILAX. L.	SM'ILAX. Dicoëia Hexandria. L.			
1 âpera. s.s. (<i>w.gr.</i>) rough bindweed.	S. Europe.	1648.	9.	H. 4. ∞. Schk. handb. 3. t. 328.
β auriculâta. (<i>w.gr.</i>) ear-leaved.	—	—	—	H. 4. ∞. Pluk. alm. t. 110. f. 3.
2 nigra. s.s. (<i>w.gr.</i>) black.	—	1817.	—	H. 4. ∞.
3 catalonica. s.s. (<i>w.gr.</i>) Catalanian.	—	—	—	H. 4. ∞.
4 mauritanica. s.s. (<i>w.gr.</i>) red-berried.	—	1820.	8. 10.	F. 4. ∞.
5 excelsa. s.s. (<i>w.gr.</i>) tall.	Syria.	1739.	8. 9.	F. 4. ∞. Buxb. cent. 1. t. 32.
6 hórrida. s.s. (<i>w.gr.</i>) straight-spined.	N. America.	1820.	—	H. 4. ∞.
7 zeylanica. s.s. (<i>w.gr.</i>) Ceylon.	E. Indies.	1778.	—	S. 4. ∞. Rumph. amb. 5. t. 161.
8 quadrangulâris. s.s. (<i>w.g.</i>) square-stalked.	N. America.	1812.	6. 8.	H. 4. ∞. Wats. dend. brit. t. 109.
9 longifolia. s.s. (<i>w.gr.</i>) long-leaved.	Cayenne.	1823.		S. 4. ∞.
10 Watsoni. (<i>w.gr.</i>) Watson's.	N. America.	1811.	7. 8.	H. 4. ∞. Wats. dend. brit. t. 110.
<i>longifolia.</i> w.D. non Rich.				
11 Sarsaparilla. s.s. (<i>w.gr.</i>) medicinal.	—	1664.	—	H. 4. ∞. Wats. dend. brit. t. 111.
12 brasiliensis. s.s. (<i>w.gr.</i>) Brazilian.	Brazil.	1820.	—	S. 4. ∞.
13 hastata. s.s. (<i>w.gr.</i>) halberd-leaved.	Carolina.	1822.	—	F. 4. ∞. Pluk. alm. t. 111. f. 3.
14 China. s.s. (<i>w.gr.</i>) Chinese.	China.	1759.		G. 4. ∞. Kæmpf. amoen. t. 782.
15 acuminata. s.s. (<i>w.gr.</i>) sharp-pointed.	W. Indies.	1822.	6. 7.	S. 4. ∞. Plum. ic. 83.
16 glauca. B.M. (<i>wh.</i>) glaucous-leaved.	N. America.	1811.	5. 7.	H. 4. ∞. Bot. mag. t. 1846.
17 australis. B.P. (<i>w.gr.</i>) oblong-leaved.	N. S. W.	1815.		G. 4. ∞.
18 rotundifolia. s.s. (<i>w.g.</i>) round-leaved.	N. America.	1760.	7. 8.	H. 4. ∞.
19 laurifolia. s.s. (<i>w.gr.</i>) Laurel-leaved.	—	1739.	—	H. 4. ∞. Catesb. car. 1. t. 15.
20 tannoides. s.s. (<i>w.gr.</i>) Tamus-leaved.	—	—	6. 7.	H. 4. ∞. — 1. t. 52.
21 caduca. s.s. (<i>w.gr.</i>) deciduous.	—	1759.	—	H. 4. ∞.
22 havanensis. s.s. (<i>w.gr.</i>) Havannah.	S. America.	1823.		S. 4. ∞. Jacq. amer. t. 179. f. 102.
23 ovalifolia. D.P. (<i>w.gr.</i>) oval-leaved.	Nepaul.	1822.		H. 4. ∞.
24 Bona-nôx. s.s. (<i>w.gr.</i>) fringed.	N. America.	1739.	6. 7.	H. 4. ∞. Pluk. alm. t. 111. f. 1.
25 maculata. D.P. (<i>w.gr.</i>) spotted.	Nepaul.	1819.		H. 4. ∞.
26 prolifera. H.B. (<i>w.gr.</i>) proliferous.	E. Indies.	—		S. 4. ∞.
27 glâbra. H.B. (<i>w.gr.</i>) smooth.	—	1820.		S. 4. ∞.
28 Alpini. s.s. (<i>w.gr.</i>) Grecian.	Greece.	—	6. 8.	F. 4. ∞.
29 latifolia. B.P. (<i>w.gr.</i>) broad-leaved.	N. Holland.	1791.		F. 4. ∞.
30 lanceolata. Ph. (<i>w.gr.</i>) spear-leaved.	N. America.	1785.	5. 6.	H. 4. ∞. Catesb. car. 2. t. 84.

- 31 herbæcea. s.s. (gr.) herbaceous. N. America. 1669. 7. H. 2. Bot. mag. t. 1920.
- 32 peduncularis. s.s. (gr.) long-peduncled. ——— 1812. 5. 7. H. 2. —
- 33 globifer. s.s. (w.gr.) Surinam. 1819. S. h. —
- 34 macrophylla. s.s. (w.g.) large-leaved. W. Indies. 1822. S. h. —
- 35 Pseudo-china. s.s. (w.g.) Bastard China. S. America. 1739. 5. 6. S. h. Sloan. jam. l. t. 143. f. 1.
- 36 glycyphylia. B.P. (w.g.) Botany-bay Tea. N. S. W. 1815. — S. h. —
- 37 canariensis. s.s. (w.gr.) Canary. Canaries. 1816. — F. h. —
- 38 pubera. s.s. (w.g.) downy. N. America. 1806. — H. h. —
- 39 rubens. w.D. (pi.) pink-flowered. ——— 1811. 7. 8. H. h. Wats. dend. brit. t. 108.
- RIPOG'ONUM. B.P. RIPOG'ONUM. Hexandria Monogynia.**
- album. B.P. (wh.) white-flowered. N. S. W. 1820. 4. 6. G. h. —
- RUSCUS. L. BUTCHER'S-BROOM. Dicaea Monadelphia. L.**
- 1 aculeatus. w. (w.gr.) prickly. England. 12. 6. H. h. Eng. bot. v. 8. t. 560.
- 2 laxus. L.T. (w.gr.) loose. Europe. 1. 6. H. h. —
- 3 Hypophyllum. w. (g.y.) thick-leaved. Italy. 1640. 5. 6. H. h. Bot. mag. t. 2049.
- β latifolius. w. (g.y.) broad-leaved. S. Europe. ——— H. h. Dill. elt. t. 251. f. 303.
- 4 Hypoglossum. w. (g.y.) double-leaved. Italy. 1596. 4. 5. H. h. Schk. handb. 3. t. 340.
- 5 andrógynus. w. (g.y.) climbing. Canaries. 1713. — G. h. Bot. mag. t. 1898.
- 6 reticulatus. w. (g.y.) netted-leaved. C. B. S. 1816. — G. h. —
- 7 volubilis. w. (g.y.) many-nerved. ——— G. h. —
- 8 ruscus. w. (g.wh.) Alexandrian Laurel. Portugal. 1713. 6. H. h. Wats. dend. brit. t. 145.
- POLYGONATUM. D. SOLOMON'S-SEAL. Hexandria Monogynia.**
- 1 verticillatum. R.L. (w.g.) whorl-leaved. Scotland. 6. 7. H. 2. Redout. liliac. t. 244.
- Convallaria verticillata. Eng. bot. v. 2. t. 128.
- 2 bracteatum. Th. (wh.g.) bracted. Switzerland. 1827. — H. 2. —
- 3 leptophyllum. D.P. slender-leaved. Nepaul. 1816. 6. 7. H. 2. —
- 4 oppositifolium. D.P. opposite-leaved. ——— H. 2. Lodd. bot. cab. t. 640.
- Convallaria oppositifolia. B.C.
- 5 vulgare. R.L. (w.gr.) common. England. 5. 6. H. 2. Redout. liliac. t. 258.
- Convallaria Polygonatum. Eng. bot. v. 4. t. 280.
- 6 pubescens. Ph. (w.g.) pubescent. N. America. 1812. — H. 2. Willd. hort. ber. t. 45.
- 7 canaliculatum. Ph. (w.g.) channel-leaved. ——— 6. H. 2. —
- 8 angustifolium. Ph. (st.g.) narrow-leaved. ——— 1824. 5. 6. H. 2. —
- 9 multiflorum. R.L. (w.g.) many-flowered. Britain. H. 2. Eng. bot. v. 4. t. 279.
- 10 latifolium. R.L. (st.) broad-leaved. Europe. 1802. — H. 2. Redout. liliac. t. 243.
- 11 macrophyllum. (w.g.) large-leaved. N. America. 1823. — H. 2. —
- latifolium. Ph. nec aliorum.
- 12 polyanthemum. M.B. (w.) many-flowered. Caucasus. ——— H. 2. —
- SMILACINA. Df. SMILACINA. Hexandria Monogynia. Ph.**
- 1 racemosa. Df. (wh.) cluster-flowered. N. America. 1640. 5. 6. H. 2. Redout. liliac. t. 230.
- Convallaria racemosa. Bot. mag. t. 899.
- 2 stellata. Df. (wh.) star-flowered. ——— 1633. — H. 2. Bot. mag. t. 185.
- 3 trifolia. Df. (wh.) three-leaved. ——— 1812. 6. 7. H. 2. Gmel. sib. 1. t. 6.
- 4 canadensis. Ph. (wh.) Canadian. ——— H. 2. Redout. lil. t. 216. f. 1.
- 5 bifolia. Df. (wh.) least. N. Europe. 1596. 5. 6. H. 2. Bot. mag. t. 510.
- Convallaria bifolia. B.M. Majanthemum bifolium. Redout. liliac. t. 216. f. 2.
- 6 borealis. B.M. (g.ye.) oval-leaved. N. America. 1778. 5. 6. H. 2. Bot. mag. t. 1403.
- 7 umbellata. Df. (wh.) umbel-flowered. ——— H. 2. — t. 1155.
- OPHIOPOGON. B.M. SNAKE'S-BEARD. Hexandria Monogynia. B.M.**
- 1 japonicus. B.M. (wh.) Japan. Japan. 1784. 6. F. 2. Bot. mag. t. 1063.
- 2 spicatus. B.R. (bl.) spiked. China. 1821. 8. 10. F. h. Bot. reg. t. 593.
- 3 intermedius. D.P. (wh.) intermediate. Nepaul. 1824. — F. 2. —
- CONVALLARIA. D. LILY OF THE VALLEY. Hexandria Monogynia. L.**
- majalis. E.B. (wh.) common. Britain. 5. 6. H. 2. Eng. bot. v. 15. t. 1035.
- α alba. (wh.) white-flowered. ——— H. 2. —
- β rosea. (ro.) rose-coloured. ——— H. 2. —
- γ plena. (wh.) double-flowered. ——— H. 2. —
- STREPTOPUS. M. STREPTOPUS. Hexandria Monogynia. Ph.**
- 1 amplexifolius. R.L. (g.y.) heart-leaved. Europe. 1752. 5. H. 2. W. et K. hung. t. 167.
- 2 distortus. M. (g.y.) distorted. N. America. ——— H. 2. —
- 3 roseus. M. (ro.) rose-coloured. ——— 1806. 6. 7. H. 2. Bot. mag. t. 1489.
- Ucularia rosea. B.M.
- 4 lanuginosus. M. (g.y.) woolly. ——— 1812. — H. 2. Bot. mag. t. 1490.
- 5 simplex. D.P. (br.gr.) simple-stalked. Nepaul. 1822. — H. 2. —
- MEDEOOLA. S.S. INDIAN CUCUMBER. Hexandria Trigynia. L.**
- virginica. s.s. (gr.) Virginian. Virginia. 1759. 6. H. 2. Bot. mag. t. 1316.
- Gyromia virginica. N.
- TRI'LLIUM. L. TRI'LLIUM. Hexandria Trigynia. L.**
- 1 sessile. s.s. (da.pu.) sessile-flowered. N. America. 1759. 4. 5. H. 2. Bot. mag. t. 40.

2	petiolatum. s.s. (d.pu.)	Plantain-leaved. N.America.	1811.	4. 5.	H. 2.	
3	erythrocarpum. m. (w.re.)	painted-flowered. ———	——	5. 6.	H. 2.	Swt. br. fl. gar. t. 212.
	pictum. Ph.					
4	undulatum. s.s. (wh.)	wave-flowered. ———	——	——	H. 2.	
5	pusillum. s.s. (pu.)	dwarf. Carolina.	1812.	——	F. 2.	
6	ovatum. s.s. (pa.pu.)	purple-flowered. N. America.	——	——	F. 2.	
7	cernuum. s.s. (wh.)	drooping-flowered. ———	1758.	4. 5.	H. 2.	Bot. mag. t. 954.
8	erectum. w. (d.pu.)	stinking. ———	1759.	——	H. 2.	t. 470.
9	pendulum. s.s. (wh.)	white-flowered. ———	1805.	——	H. 2.	W. hort. ber. 1. t. 35.
	erectum. β.	Bot. mag. t. 1027.				
10	obovatum. s.s. (d.ro.)	obovate-petaled. ———	1824.	——	H. 2.	
11	grandiflorum. s.s. (wh.)	large-flowered. ———	1799.	4. 6.	H. 2.	Sal. par. lond. t. 1.
	erythrocarpum. B.M.	non M.				
12	stylolum. N. (ro.)	long-styled. Carolina.	1823.	——	F. 2.	
	P'ARIS. L.	HERB-PARIS. Octandria Tetragynia. L.				
1	quadrifolia. E.B. (gr.)	True-love or l-berry. England.	5. 6.	H. 2.		Eng. bot. v. 1. t. 7.
2	verticillata. M.B. (gr.)	whorl-leaved. Siberia.	1825.	——	H. 2.	
3	polyphylla. D.P. (gr.)	many-leaved. Nepaul.	1816.	——	H. 2.	

ORDO CCXIV.

ASPHODELEÆ. *Brown prodr. 1. p. 274.*

ASPHODELUS. L.	ASPHODEL.	Hexandria Monogynia. L.				
1	clavatus. H.B. (wh.)	club-seeded. E. Indies.	1808.	7. 10.	S. 2.	
2	fistulosus. s.s. (wh.)	Onion-leaved. S. Europe.	1596.	6. 9.	H. 2.	Bot. mag. t. 984.
3	intermedius. L.en. (wh.)	intermediate. Canaries.	1824.	——	F. 2.	
4	albus. s.s. (wh.)	upright. S. Europe.		5. 7.	H. 2.	Blackw. t. 238.
5	æstivus. s.s. (wh.)	summer. Portugal.	1819.	——	H. 2.	
6	asiaticus. R.S. (wh.)	Asiatic. Levant.		——	H. 2.	
7	ramosus. s.s. (wh.)	branched. S. Europe.	1551.	——	H. 2.	Bot. mag. t. 799.
8	prolifer. M.B. (wh.)	proliferous. Armenia.	1824.	6. 10.	H. 2.	Hoff.com.m.1.p.1.t.43.
9	tenuor. s.s. (ye.gr.)	slender-leaved. Caucasus.	1823.	7.	H. 2.	Bot. mag. t. 2626.
10	creticus. s.s. (ye.gr.)	Cretan. Candia.	1821.	6. 7.	H. 2.	Lodd. bot. cab. t. 915.
11	liburnicus. R.S. (ye.gr.)	oriental. Levant.	——	——	H. 2.	Jacq. f. eclog. t. 77.
12	tauricus. s.s. (ye.gr.)	Taurian. Tauria.	1812.	5. 7.	H. 2.	Redout. lilac. t. 470.
13	capillaris. R.S. (ye.gr.)	awl-leaved. ———	——	——	H. 2.	t. 380.
14	luteus. s.s. (ye.)	common yellow. Sicily.	1596.	5. 6.	H. 2.	Bot. mag. t. 773.
EREMURUS. S.S.	EREMURUS.	Hexandria Monogynia. S.S.				
	spectabilis. s.s. (ye.)	channel-leaved. Caucasus.	1800.	5. 6.	H. 2.	Swt. br. fl. gar. t. 188.
	Asphodelus altaicus. w.					
CZACKIA. S.S.	ST. BRUNO'S LILY.	Hexandria Monogynia. S.S.				
	Liliastrum. s.s. (wh.)	Savoy Spiderwort. Switzerland.	1629.	5. 6.	H. 2.	Bot. mag. t. 318.
	Anthericum Liliastrum. B.M.	Hemerocallis Liliastrum. W.en.				
PHALANGIUM. J.	PHALANGIUM.	Hexandria Monogynia.				
1	Liliago. B.M. (wh.)	grass-leaved. S. Europe.	1596.	5. 6.	H. 2.	Redout. lil. t. 269.
	α major. B.M. (wh.)	larger. ———	——	——	H. 2.	Bot. mag. t. 1635.
	β minor. B.M. (wh.)	lesser. ———	——	——	H. 2.	t. 914.
2	ramosum. B.M. (wh.)	branching. ———	1570.	——	H. 2.	t. 1055.
	Anthericum ramosum. w.					
3	græcum. Lam. (wh.)	Grecian. Greece.	1828.	——	F. 2.	Flor. græc. t. 336.
4	nepalense. B.R. (wh.)	Nepaul. Nepaul.	1822.	6. 10.	F. 2.	Bot. reg. t. 998.
5	glaucom. P.S. (wh.)	glaucous. S. America.	1816.	——	G. 2.	
6	pomeridianum. (wh.)	afternoon-flower'd. ———	1818.	——	G. 2.	Bot. reg. t. 564.
	Anthericum pomeridianum. B.R.	Scilla pomeridiana. DC.				
ANTHERICUM.	ANTHERICUM.	Hexandria Monogynia. L.				
1	hirsutum. R.S. (wh.)	hairy-leaved. ———	1822.	6. 10.	G. 2.	
2	blepharophoron. R.S. (w.pu.)	fringed. ———	——	——	G. 2.	
3	bipedunculatum. (wh.)	two-flowered. ———	1825.	4. 5.	G. 2.	Jacq. ic. 2. t. 410.
4	triflorum. w. (wh.)	three-flowered. ———	1782.	8. 10.	G. 2.	
5	undulatum. w. (wh.)	wave-leaved. ———	1825.	4. 6.	G. 2.	
6	pilosum. w. (wh.)	pilose. ———	——	——	G. 2.	Jacq. ic. 2. t. 416.
7	longifolium. w. (wh.)	long-leaved. ———	——	——	G. 2.	t. 413.
8	graminifolium. w. (wh.)	grass-leaved. ———	1794.	6. 7.	G. 2.	t. 411.
9	vespertinum. w. (w.re.)	afternoon-flower'd. ———	1803.	5. 9.	G. 2.	Bot. mag. t. 1040.

10	Jacquinianum. R.S. (w.)	Jacquin's.	C. B. S.	1795.	5. 9.	G. 2.	Jacq. ic. 2. t. 412.
11	divaricatum. R.S. (wh.)	divaricate.	—	—	—	G. 2.	Jacq. schœn. 4. t. 414.
12	revolutum. w. (wh.)	curled-flowered.	—	1731.	9. 12.	G. 2.	Bot. mag. t. 1044.
13	floribundum. w. (st.)	thick-spiked.	—	1774.	3. 4.	G. 2.	—
14	squameum. w. (wh.)	scaly.	—	1820.	—	G. 2.	—
15	filiforme. w. (wh.gr.)	thread-leaved.	—	1774.	4.	G. 2.	—
16	elongatum. R.S. (wh.g.)	long-racemed.	—	1822.	—	G. 2.	—
17	flexifolium. w. (wh.)	flexuose-leaved.	—	1795.	5. 6.	G. 2.	—
BULBINE. L. BULBINE. Hexandria Monogynia. L.							
1	hispida. L. (bh.gr.)	hairy-leaved.	C. B. S.	1774.	5. 6.	D.G. 2.	Jacq. ic. 2. t. 409.
2	canaliculata. s.s. (wh.)	channel-leaved.	—	—	4. 5.	D.G. 2.	Bot. mag. t. 1124.
3	semibarbata. s.s. (ye.)	half bearded.	N. S. W.	1820.	4. 8.	D.G. 2.	Lodd. bot. cab. t. 320.
<i>Anthëricum semibarbatum. B.P.</i>				—	—	—	—
4	australis. s.s. (ye.)	bulbous.	—	1819.	—	D.G.b.	—
<i>Anthëricum bulbosum. B.P.</i>				—	—	—	—
5	annua. s.s. (ye.)	annual.	C. B. S.	1731.	5. 6.	H. ☉.	Bot. mag. t. 1451.
<i>Anthëricum annuum. B.M.</i>				—	—	—	—
6	incurva. R.S. (ye.)	incurved-leaved.	—	1822.	—	D.G. 2.	—
7	longiscapa. s.s. (ye.)	glaucous-leaved.	—	1759.	4. 8.	D.G.b.	Bot. mag. t. 1339.
8	favosa. R.S. (ye.)	conical-rooted.	—	1824.	—	D.G. 2.	—
9	asphodeloides. s.s. (ye.)	upright-leaved.	—	1759.	6. 8.	D.G. 2.	Jacq. vind. t. 181.
10	rostrata. s.s. (ye.)	glaucous shrubby.	—	1812.	3. 8.	D.G. 2.	Jacq. ic. 2. t. 403.
11	frutescens. w. (ye.)	shrubby.	—	1702.	—	D.G. 2.	Bot. mag. t. 816.
12	pugioniformis. s.s. (ye.)	dagger-leaved.	—	1793.	4. 6.	D.G.b.	— t. 1454.
13	bisulcata. H.P. (ye.)	two-channelled.	—	1825.	—	D.G.b.	—
14	triquetra. s.s. (wh.)	triquetrous.	—	—	—	D.G. 2.	—
15	scabra. s.s. (wh.)	rough.	—	—	—	D.G. 2.	—
16	dubia. R.S. (wh.)	doubtful.	—	1822.	—	D.G. 2.	—
17	ciliata. s.s. (wh.re.)	fringed.	—	—	—	D.G. 2.	—
18	cauda-felis. R.S. (wh.)	Cats-tail.	—	1825.	—	D.G. 2.	—
19	planifolia. R.S. (ro.w.)	two-coloured.	S. Europe.	1824.	—	H. 2.	Desf. atl. 1. t. 90.
<i>Phalangium bicolor. Redout. liliac. t. 215.</i>				—	—	—	—
20	mesembryanthoides. H.P. (ye.)	Figwort-like.	C. B. S.	1824.	—	D.G. 2.	—
21	crispa. R.S. (ye.)	curled-leaved.	—	1825.	—	D.G. 2.	—
22	præmorsa. s.s. (ye.)	bitten-rooted.	—	1816.	—	D.G.b.	Jacq. ic. 2. t. 406.
23	graminea. H.R. (ye.)	Grass-leaved.	—	1819.	6. 8.	D.G.b.	—
24	alooides. R.S. (ye.)	Aloe-leaved.	—	1732.	4. 8.	D.G.b.	Bot. mag. t. 1317.
<i>Anthëricum aloides. B.M.</i>				—	—	—	—
25	nutans. s.s. (st.gr.)	nodding.	—	1812.	—	D.G. 2.	Jacq. ic. 2. t. 407.
26	latifolia. s.s. (ye.gr.)	broad-leaved.	—	—	—	D.G. 2.	— 2. t. 408.
ARTHROPODIUM. B.P. ARTHROPODIUM. Hexandria Monogynia. S.S.							
1	cirrhatum. B.R. (wh.)	large-flowered.	N. Zealand.	1819.	5. 8.	F. 2.	Bot. reg. t. 709.
2	paniculatum. B.P. (w.pu.)	panicked.	N. S. W.	1800.	6. 9.	F. 2.	Bot. mag. t. 1421.
<i>minus. Bot. reg. 866. non B.P. Anthëricum milleflorum. Redout. liliac. t. 58.</i>				—	—	—	—
3	minus. B.P. (wh.pu.)	simple-racemed.	—	1819.	—	F. 2.	—
4	pendulum. s.s. (vi.)	pendulous-flower'd.	N. Holland.	1817.	—	F. 2.	—
<i>Anthëricum pendulum. W.en.</i>				—	—	—	—
5	strictum. B.P. (wh.pu.)	upright.	V. Diem. Isl.	1826.	—	G. 2.	—
6	fimbriatum. B.P. (wh.)	fringe-flowered.	N. S. W.	1825.	—	F. 2.	—
STYPANDRA. B.P. STYPANDRA. Hexandria Monogynia.							
1	glauca. B.P. (bl.)	glaucous.	N. S. W.	1819.	4. 6.	F. 2.	—
2	cæspitosa. B.P. (bl.)	turfy.	—	1824.	—	F. 2.	—
3	umbellata. B.P. (bl.)	umbel-flowered.	—	1820.	—	F. 2.	—
CÆSIA. B.P. CÆSIA. Hexandria Monogynia. S.S.							
	vittata. B.P. (wh.)	nodding-flowered.	N.S.W.	1816.	7. 8.	F. 2.	—
TRICORYNE. B.P. TRICORYNE. Hexandria Monogynia. S.S.							
1	simplex. B.P. (ye.)	simple-stalked.	N. S. W.	1819.	7. 9.	H. ☉.	—
2	elator. B.P. (ye.)	tall.	—	1825.	—	G. 2.	—
CHLOROPHYTUM. B.P. CHLOROPHYTUM. Hexandria Monogynia. S.S.							
1	inornatum. B.M. (gr.)	green-flowered.	Sierra Leone.	—	6. 8.	S. 2.	Bot. mag. t. 1071.
2	orchidastrum. B.R. (wh.)	Orchis-like.	—	1822.	1. 12.	S. 2.	Bot. reg. t. 813.
3	elatum. B.P. (wh.)	tall.	C. B. S.	1751.	8. 9.	G. 2.	Redout. lil. t. 191.
<i>Anthëricum elatum. H.K. Phalangium elatum. R.L.</i>				—	—	—	—
PUSCHKINIA. M.B. PUSCHKINIA. Hexandria Monogynia. M.B.							
	scilloides. M.B. (w.bl.)	Squill-like.	Iberia.	1819.	5. 6.	H.b.	Bot. mag. t. 2244.
<i>Adamsia scilloides. Lindl. coll. bot. t. 24.</i>				—	—	—	—
ALBUCA. Ker. ALBUCA. Hexandria Monogynia. L.							
1	altissima. w. (wh.gr.)	tall.	C. B. S.	1780.	4. 5.	F.b.	Jacq. ic. 1. t. 63.
2	cornuta. R.L. (wh.gr.)	three-horned.	—	1812.	—	F.b.	Redout. liliac. t. 70.
3	majior. w. (ye.gr.wh.)	great.	—	1759.	—	F.b.	Bot. mag. t. 804.

4	minor. w.	(ye.gr.) small.	C. B. S.	1768.	5. 6.	F.b.	Bot. mag. t. 720.
5	flaccida. w.	(ye.gr.) flaccid.	_____	1791.	_____	F.b.	Jacq. ic. 2. t. 444.
6	viridiflora. w.	(ye.gr.) green-flowered.	_____	1794.	6. 7.	F.b.	Bot. mag. t. 1656.
7	coarctata. w.	(ye.) channel-leaved.	_____	1774.	5. 6.	F.b.	_____
8	fastigiata. w.	(wh.) level-topped.	_____	_____	_____	F.b.	Andr. reposit. t. 450.
9	caudata. w.	(wh.gr.) upright-flowered.	_____	1791.	5. 7.	F.b.	Jacq. ic. 2. t. 442.
10	setosa. w.	(gr.ye.) bristly-rooted.	_____	1795.	_____	F.b.	Bot. mag. t. 1481.
11	aurea. w.	(ye.gr.) golden-flowered.	_____	1825.	_____	F.b.	Jacq. ic. 2. t. 441.
12	abyssinica. w.	(w.y.g.) African.	_____	_____	_____	F.b.	Redout. liliac. t. 195.
13	fragrans. w.	(ye.gr.) sweet-scented.	_____	1791.	6. 7.	F.b.	Jacq. schœn. 1. t. 81.
14	viscosa. w.	(w.y.g.) clammy-leaved.	_____	1779.	5. 6.	F.b.	Jacq. ic. 2. t. 445.
15	spiralis. w.	(st.gr.) spiral-leaved.	_____	1795.	6.	F.b.	_____ 2. t. 439.
16	vittata. B.M.	(ye.gr.) ribbon.	_____	1802.	7. 8.	F.b.	Bot. mag. t. 1329.
17	parviflora. R.S.	(ye.gr.) small-flowered.	_____	1812.	_____	F.b.	_____
18	physodes. B.M.	(w.pu.) dingy-flowered.	_____	1804.	6. 7.	F.b.	Bot. mag. t. 1046.
19	nematodes.	(w.pu.) slender-leaved.	_____	1812.	_____	F.b.	_____
<i>Anthéricum nematodes. R.S.</i>							
20	exuviata. B.M.	(w.pu.) Adder skin.	_____	1795.	5. 7.	F.b.	Bot. mag. t. 871.
<i>Anthéricum exuviatum. Jacq. ic. 2. t. 415.</i>							
21	anthericoides. (ye.gr.)	Anthericum-like.	_____	1788.	8.	F.b.	_____
<i>Anthéricum albucoides. w.</i>							
22	filifolia. Ker.	(wh.gr.) filiform-leaved.	_____	1825.	7. 8.	F.b.	Jacq. ic. 2. t. 414.
23	fugax. B.R.	(wh.pu.) fugacious.	_____	1795.	4. 6.	F.b.	Bot. reg. t. 311.
<i>Anthéricum fragrans. Jacq. schœn. 1. t. 86.</i>							
ORNITHOGALUM. L. STAR OF BETHLEHEM.				Hexandria Monogynia. L.			
1?	uniflorum. w.	(ye.) one-flowered.	Siberia.	1781.	5. 6.	H.b.	Nov. act. pet. 18. t. 6. f. 3.
2	ixioides. H.K.	(wh.) Ixia-like.	California.	1796.	_____	H.b.	_____
3	montanum. T.N.	(w.g.) mountain.	Naples.	1825.	_____	H.b.	Swt. br. fl. gar. s. 2. t. 42.
4	collinum. R.S.	(wh.gr.) hill.	Sicily.	1829.	_____	H.b.	_____
5	umbellatum. E.B.	(w.g.) common.	England.		4. 6.	H.b.	Eng. bot. v. 2. t. 130.
6	refractum. W.en.	(w.g.) reflexed.	S. Europe.	1825.	_____	H.b.	Swt. br. fl. gar. s. 2. t. 58.
7	tenuifolium. R.S.	(w.g.) slender-leaved.	Sicily.	1830.	_____	H.b.	_____
8	exscapum. T.N.	(w.g.) short-stalked.	Naples.	1823.	_____	H.b.	Ten. fl. nap. v. 1. t. 34.
9	fimbriatum. M.B.	(w.g.) fringed.	Tauria.	1820.	2. 3.	H.b.	Swt. br. fl. gar. s. 2.
10	comosum. w.	(wh.gr.) short-spiked.	Austria.	1596.	6. 8.	H.b.	Jacq. ic. 2. t. 426.
11	conicum. w.	(wh.) conical.	C. B. S.	1818.	_____	F.b.	_____ 2. t. 428.
12	niveum. w.	(wh.) snowy.	_____	1774.	_____	F.b.	Bot. reg. t. 235.
13	ovatum. w.	(wh.gr.) oval-leaved.	_____	1816.	4. 8.	F.b.	_____
14	notatum. R.S.	(ye.br.) brown-marked.	_____	1825.	6. 8.	F.b.	Jacq. coll. 2. t. 18. f. 13.
<i>maculatum. Jacq. non Thunb.</i>							
15	ciliatum. w.	(wh.) ciliated.	_____	1818.	4. 6.	F.b.	_____
16	crenulatum. w.	(st.) crenulate.	_____	1825.	6. 8.	F.b.	_____
17	maculatum. R.S.	(sn.br.) spotted-flowered.	_____	_____	_____	F.b.	_____
18	secundum. R.S.	(st.br.) one-ranked.	_____	1816.	_____	F.b.	Jacq. ic. 2. t. 433.
19	graminifolium. R.S.	(w.g.) grass-leaved.	_____	_____	_____	F.b.	_____
20	tenellum. w.	(st.gr.) slender.	_____	1816.	5. 8.	F.b.	Jacq. ic. 2. t. 427.
21	pilosum. w.	(wh.) hairy-leaved.	_____	_____	_____	F.b.	_____
22	revolutum. w.	(wh.gr.) revolute-flowered.	_____	1795.	4. 8.	F.b.	Bot. reg. t. 315.
23	corymbosum. B.R.	(wh.) corymbose.	Peru.	1822.	_____	H.b.	_____ t. 906.
24	Rudolphi. R.S.	(wh.) Rudolph's.	C. B. S.	1812.	_____	F.b.	Jacq. ecl. t. 20.
<i>tenuifolium. Redout. liliac. t. 312. non Guss.</i>							
25	prasinum. B.R.	(gr.) green-flowered.	_____	1816.	6. 7.	F.b.	Bot. reg. t. 158.
26	virens. B.R.	(gr.) greenish.	_____	1823.	_____	F.b.	_____ t. 814.
27	suaveolens. w.	(gr.ye.) fragrant.	_____	1816.	_____	F.b.	Jacq. ic. 2. t. 431.
28	barbatum. w.	(ye.gr.) bearded.	_____	1795.	5. 7.	F.b.	Jacq. schœn. 1. t. 91.
29	polyphyllum. w.	(g.y.) many-leaved.	_____	1825.	_____	F.b.	Jacq. ic. 2. t. 430.
30	rupestre. w.	(wh.gr.) rock.	_____	1795.	5. 8.	F.b.	_____
31	juncifolium. w.	(w.pu.) Rush-leaved.	_____	1794.	7. 8.	F.b.	Bot. mag. t. 792.
32	fuscatum. w.	(br.gr.) brown-flowered.	_____	1825.	4. 6.	F.b.	Jacq. ic. 2. t. 429.
33	odoratum. w.	(gr.ye.) sweet-scented.	_____	1795.	5. 6.	F.b.	Andr. reposit. t. 260.
34	elatum. A.R.	(wh.) Egyptian.	Egypt.	1804.	6. 7.	H.b.	_____ t. 528.
35	pyramidale. w.	(wh.) pyramidal.	Spain.	1752.	_____	H.b.	Jacq. ic. 2. t. 425.
36	latifolium. w.	(wh.) broad-leaved.	Egypt.	1629.	_____	H.b.	Bot. mag. t. 876.
37	longebracteatum. w.	(w.) long-bracted.	C. B. S.	1812.	7. 12.	F.b.	Jacq. vind. 1. t. 29.
38	caudatum. w.	(wh.gr.) long-spiked.	_____	1774.	2. 8.	F.b.	Bot. mag. t. 805.
39	scilloides. w.	(wh.gr.) Squill-like.	_____	1795.	6. 7.	F.b.	Jacq. schœn. 1. t. 888.
40	trigynum. R.L.	(wh.gr.) three styled.		1825.	_____	F.b.	Redout. liliac. t. 417.
41	narbonne. w.	(w.g.) Narbonne.	S. Europe.	1810.	7. 8.	H.b.	Bot. mag. t. 2510.
42	pyrenaicum. w.	(st.) spiked.	England.		6. 7.	H.b.	Eng. bot. v. 7. t. 499.

43	sulfureum. R.S. (st.) straw-coloured. Hungary. 1818.	6. 10. H.b.	Bot. mag. t. 2623.
	<i>Anthéricum sulphureum</i> . Walds. et Kit. pl. hung. 1. t. 95.	<i>Phalangium sulfureum</i> . Poiret.	
44	stachyoides. w. (w.g.) close-spiked. S. Europe. 1771.	4. 7. H.b.	Renealm. spec. t. 90.
45	lacteum. w. (st.gr.) milk white. C. B. S. 1796.	6. 7. F.b.	Bot. mag. t. 1134.
46	nūtans. w. (wh.gr.) nodding. Britain.	4. 5. H.b.	Eng. bot. v. 28. t. 1997.
47	coarctatum. w. (wh.) close-flowered. C. B. S. 1804.	6. 7. F.b.	Jacq. ic. 2. t. 435.
48	aureum. w. (go.) golden. ———— 1790.	— F.b.	Bot. mag. t. 190.
49	flavissimum. Jacq. (ye.) great yellow. ————	— F.b.	Jacq. ic. 2. t. 436.
50	miniatum. Jacq. (ye.) stained. ————	— F.b.	— t. 438.
51	thyrsoides. w. (wh.br.) thyrsé-flowered. ———— 1757.	— F.b.	Bot. mag. t. 1164.
	<i>α album</i> . (wh.br.) white-flowered. ————	— F.b.	Bot. reg. t. 316.
	<i>β flavescens</i> . (st.br.) pale-yellow. ————	— F.b.	— t. 305.
52	bicolor. R.S. (wh.br.) two-coloured. ———— 1816.	— F.b.	
53	tuberosum. R.S. (ye.) large-rooted. ———— 1787.	— F.b.	
54	arabicum. w. (wh.) great-flowered. Egypt. 1629.	3. 4. F.b.	Bot. mag. t. 728.
55	brachystachys. F. (wh.) short-spiked. Dahuria. 1821.	— H.b.	
56	Bérghii. R.S. (wh.gr.) Bergius's. ———— 1816.	— F.b.	
57	maritimum. Lam. (wh.) officinal Squill. S. Europe. 1629.	4. 5. F.b.	Bot. mag. t. 918.
	<i>Squilla</i> . B.M. <i>Scilla maritima</i> . w.		
58	concinnum. S.P. (wh.) neat. Portugal. 1797.	— H.b.	Bot. mag. t. 953.
59	unifolium. B.M. (wh.) one-leaved. Gibraltar. 1805.	6. 7. F.b.	— t. 935.
G'AGEA. S.A.B. G'AGEA. Hexandria Monogynia.			
1	fascicularis. S.A.B. (ye.) bunch-rooted. Britain.	3. 4. H.b.	Bot. mag. t. 1200.
	<i>lutea</i> . B.M. 1200. <i>Ornithogalum luteum</i> . Eng. bot. v. 1. t. 21. non L.		
2	glauca. B.F.G. (ye.) glaucous-leaved. Switzerland. 1825.	— H.b.	Swt. br. fl. gar. t. 177.
3	bracteolaris. S.A.B. (ye.) sheathing-bracted. ————	— H.b.	— t. 158.
	<i>Ornithogalum luteum</i> . L. non E.B. v. s. in herb. linn.		
4	minima. R.S. (ye.) corn-field. Europe. 1825.	— H.b.	Swt. br. fl. gar. s.2. t.29.
	<i>stellaris</i> . S.A.B. <i>Ornithogalum arvense</i> . s.s. <i>Sternbergii</i> . Hop. v. s. in herb. linn.		
5	spathacea. R.S. (ye.) sheathed. Germany. 1759.	5. H.b.	Flor. græc. t. 331.
6	reticulata. R.S. (ye.) netted-sheathed. Tauria. 1829.	— H.b.	Pall. it. 3. ap. t. D. f. 2.
7	pusilla. R.S. (ye.) small. Bohemia. 1823.	— H.b.	Reichenb. ic. t. 117.
8	Clusiæna. R.S. (ye.) Clusius's. S. Europe.	— H.b.	
9	podolica. R.S. (ye.) Polish. Poland. 1827.	— H.b.	
10	erubescens. R.S. (y.bh.) blush. ————	— H.b.	
11	Liotardii. R.S. (ye.) fistulous-leaved. S. Europe. 1825.	— H.b.	Sternb. denks. 2. t. 3.
	<i>Ornithogalum fistulosum</i> . Redout. liliac. t. 221.		
12	pygmæa. R.S. (ye.) pigmy. Spain. 1826.	— H.b.	
13	arvense. R.S. (ye.) villous-stalked. Europe.	— H.b.	Flor. græc. t. 332.
	<i>Ornithogalum villosum</i> . M.B.		
14	bohemicum. R.S. (ye.g.) Bohemian. Bohemia. 1828.	— H.b.	Sturm. flor. t. 23.
15	saxatilis. R.S. (gr.ye.) rock. Germany. ————	— H.b.	
16	bulbifera. R.S. (ye.g.) bulbiferous. Tauria. 1829.	— H.b.	Reichenb. ic. t. 117.
BARNARDIA. B.R. BARNARDIA. Hexandria Monogynia.			
1	scilloides. B.R. (ro.) Squill-like. China. 1824.	9. 10. H.b.	Bot. reg. t. 1029.
2	japonica. R.S. (pu.) Japan. Japan. 1821.	6. 8. H.b.	
	<i>Ornithogalum japonicum</i> . w.		
LLOYDIA. Sal. LLOYDIA. Hexandria Monogynia.			
1	serotina. (wh.std.) mountain. Wales.	6. 7. H.b.	Eng. bot. v. 12. t. 793.
	<i>Anthéricum serotinum</i> . E.B. <i>Phalangium serotinum</i> . Redout. liliac. t. 270.	<i>Gagea serotina</i> . Ker.	
2	striata. (wh.std.) stripe-flowered. Siberia. 1789.	5. 7. H.b.	
	<i>Ornithogalum striatum</i> . S.s.		
SCILLA. W. SQUILL. Hexandria Monogynia. L.			
1	non scripta. L.en. (bl.) Harebells. Britain.	3. 6. H.b.	Eng. bot. v. 6. t. 377.
	<i>nūtans</i> . E.B. <i>Hyacinthus non scriptus</i> . L.		
2	cérnua. R.S. (ro.) flesh-coloured. Spain.	— H.b.	Bot. mag. t. 1461.
3	pátula. R.S. (bl.) spreading. S. Europe. 1633.	4. 6. H.b.	Redout. liliac. t. 225.
	<i>campanulata</i> . B.M. t. 1102. non t. 128.		
4	campanulata. w. (bl.) bell-flowered. Spain. ————	5. 6. H.b.	Bot. mag. t. 128.
5	corymbosa. S.S. (ro.) Cape. C. B. S. 1793.	8. 12. F.b.	— t. 991.
	<i>Massonia corymbosa</i> . B.M. <i>Hyacinthus corymbosus</i> . L.		
6	brevifolia. R.S. (wh.) short-leaved. ———— 1822.	1. 3. F.b.	
7	brachyphylla. R.S. (bh.) blush. ———— 1811.	— F.b.	Bot. mag. t. 1468.
	<i>Scilla brevifolia</i> . B.M. non Thunb.		
8	sibirica. H.K. (bl.) Siberian. Siberia. 1796.	2. 3. H.b.	Andr. rep. t. 365.
9	amœnula. R.S. (bl.) pretty. Russia. 1822.	3. 4. H.b.	Bot. mag. t. 2408.
10	amœna. R.S. (bl.) nodding. Levant. 1596.	— H.b.	— t. 341.
11	pumila. R.S. (pa.bl.) small. Portugal. 1819.	4. 5. H.b.	Brot. phyt. lus. t. 46. f. 2.
	<i>monophyllos</i> . Link ex R.S.		

12	bifolia. w.	(va.) two-leaved.	England.		2. 4.	H.b.	Eng. bot. v. 1. t. 24.
	a cærulea.	(bl.) blue-flowered.	—		—	H.b.	
	β alba.	(wh.) white-flowered.	—		—	H.b.	
13	carnea.	(ro.) rosy.		—	—	H.b.	Bot. mag. t. 746. f. sinis.
14	præcox. w.	(bl.) early-flowering.		1790.	—	H.b.	
15	Lilio-hyacinthus. w.	(bl.) Lily-rooted.	S. Europe.	1597.	5. 7.	H.b.	Redout. lil. t. 205.
16	véna. w.	(bl.) vernal.	Britain.		4. 5.	H.b.	Eng. bot. v. 1. t. 23.
17	umbellata. s.s.	(bl.) umbel-flowered.	Pyrenees.	1817.	—	H.b.	Redout. liliac. t. 166.
18	italica. s.s.	(bl.) Italian.	Italy.	1605.	4. 7.	H.b.	Bot. mag. t. 663.
19	autumnalis. w.	(pu.) autumnal.	England.		8.	H.b.	Eng. bot. v. 2. t. 78.
20	intermedia. R.S.	(bl.) intermediate.	Sicily.	1829.	—	H.b.	
21	obtusifolia. R.S.	(vi.bl.) blunt-leaved.	Barbary.	1828.	—	H.b.	Redout. liliac. 4. t. 190.
22	undulata. R.S.	(li.) wave-leaved.	S. Europe.	—	—	H.b.	Desf. atl. 1. t. 47.
23	lingulata. R.S.	(bl.) tongue-leaved.	Barbary.	—	—	H.b.	Redout. liliac. t. 321.
24	vinentina. R.S.	(bl.) spreading-flowered.	Portugal.	1827.	—	H.b.	
25	peruviana. w.	(va.) corymbose.	Spain.	1607.	5.	H.b.	Bot. mag. t. 749.
	a cærulea.	(bl.) blue-flowered.	—	—	—	H.b.	— t. 749.
	β alba.	(wh.) white-flowered.	—	—	—	H.b.	
26	Cupaniâna. R.S.	(bl.) Cupani's.	Sicily.	1826.	—	H.b.	Cup. panph. sic. 5. t. 20. 1.
27	lusitanica. B.M. (pa.bl.)	Portugal.	Portugal.	1777.	—	H.b.	Bot. mag. t. 1999.
28	hyacinthoides. w.	(bl.) Hyacinth-like.	Madeira.	1585.	8.	H.b.	— t. 1140.
29	esculenta. B.M. (pa.bl.)	Quamash.	N. America.	1811.	5. 7.	H.b.	— t. 1574.
	Phalângium Quamash.	Ph.					
HYACINTHUS. S.S. HYACINTH. Hexandria Monogynia. L.							
1	orientalis. w.	(bl.) common.	Levant.	1596.	3. 5.	H.b.	Bot. reg. t. 995.
	a cæruleus.	(bl.) blue-flowered.	—	—	—	H.b.	
	β lyricus.	(bl.) Lyra grandis.	—		—	H.b.	Swt. flor. guid. t. 96.
	γ ruber.	(re.) red-flowered.	—	1596.	—	H.b.	
	δ flavus.	(ye.) yellow-flowered.	—	—	—	H.b.	
	ε albus.	(wh.) white-flowered.	—	—	—	H.b.	
	ζ semiplenus.	(va.) semidouble.	—	—	—	H.b.	
	η plenus.	(va.) double-flowered.	—	—	—	H.b.	
	θ multiplex.	(va.) full-flowered.	—	—	—	H.b.	
	ι atroceruleus.	(bl.) Pourpre fonce.	—		—	H.b.	Swt. flor. guid. t. 99.
	κ sceptriformis. (pa.bl.)	Porcelaine sceptre.	—		—	H.b.	— t. 51.
	λ sanguinolentus. (re.)	Waterloo.	—		—	H.b.	— t. 1.
	μ ornatus.	(pi.) L'honneur d'Amsterdam.	—		—	H.b.	— t. 108.
	ν ranunculiflorus. (ye.)	yellow Ophir.	—		—	H.b.	— t. 123.
2	amethystinus. w.	(bl.) Amethyst-coloured.	S. Europe.	1759.	4. 5.	H.b.	Swt. br. fl. gar. t. 135.
UROPETALON. B.R. UROPETALON. Hexandria Monogynia. B.R.							
1	viride. B.R.	(gr.) green-flowered.	C. B. S.	1774.	8.	F.b.	Redout. lil. t. 203.
	Hyacinthus viridis. L.	Zuccagnia viridis. Th.	Lachenalia viridis. w.				
2	glaucom. B.R.	(gr.br.) glaucous-leaved.	C. B. S.	1816.	7. 8.	F.b.	Bot. reg. t. 156.
3	crispum. B.R.	(br.gr.) curled-leaved.	—	—	—	F.b.	
4	longifolium. B.R.	(br.gr.) long-leaved.	—	1822.	—	F.b.	Bot. reg. t. 974.
5	hyacinthoides. R.S.	(re.) Hyacinth-like.	—	—	—	F.b.	
6	serotinum. B.R.	(bl.) late-flowering.	Spain.	1629.	6. 8.	F.b.	Bot. mag. t. 859.
7	falvum. H.S.L.	(re.br.) tile-red.	Mogador.	1808.	6. 9.	F.b.	— t. 1185.
	Scilla serotina β. B.M.	Hyacinthus fulvus. Cav.					
BELLEVALLIA. Lap. BELLEVALLIA. Hexandria Monogynia.							
	româna. (wh.)	Roman.	Italy.	1596.	5.	H.b.	Bot. mag. t. 939.
	operculata. Lap.	Scilla româna. B.M.	Hyacinthus românus. L.				
MUSCARI. S.S. GRAPE HYACINTH. Hexandria Monogynia. S.S.							
1	moschatum. s.s.	(br.) musk.	Levant.	1596.	4. 5.	H. b.	Bot. mag. t. 734.
2	ambrosiacum. R.L.	(wh.) strong-scented.	—		—	H.b.	Redout. liliac. t. 132.
3	macrocarpum. B.F.G.	(ye.) large-capsuled.	Turkey.	1812.	—	H.b.	Swt. br. fl. gar. t. 210.
	moschatum β flavum.	Bot. mag. t. 1565.					
4	comosum. s.s.	(br.pu.) purple.	S. Europe.	1596.	—	H.b.	Bot. mag. t. 133.
	β monstrosum.	(pu.) feathered.	—	—	—	H.b.	Moris. s. 4. t. 11. f. 2.
5	ciliatum. s.s.	(w.pu.) ciliated.	Tauria.	1818.	—	H.b.	Bot. reg. t. 394.
6	pallens. s.s.	(pa.bl.) pale-flowered.	—	—	—	H.b.	Swt. br. fl. gar. t. 259.
7	glaucom. B.R.	(pa.) glaucous-leaved.	Persia.	1825.	—	H.b.	Bot. reg. t. 1085.
8	racemosum. s.s.	(bl.) starch.	Britain.		—	H.b.	Eng. bot. v. 27. t. 1391.
9	commutatum. R.S.	(d.bl.) confused.	Sicily.		—	H.b.	
10	parviflorum. R.S.	(bl.) small-flowered.	—	1827.	—	H.b.	
11	botryoides. s.s.	(va.) bunch-flower'd.	Italy.	1596.	—	H.b.	Bot. mag. t. 157.
	a azureum. B.F.G.	(bl.) bright-blue.	—	—	—	H.b.	Swt. br. fl. gar. 15. f. a.
	β pallidum. B.F.G.	(pa.) pale blue.	—	—	—	H.b.	— 15. f. c.
	γ album. B.F.G.	(wh.) white-flowered.	—	—	—	H.b.	— 15. f. b.

LACHEN'ALIA. W.		LACHEN'ALIA.		Hexandria Monogynia. W.	
1	pendula. w. (y.re.g.)	pendulous.	C. B. S.	1774.	3. 4. F.b.
	a viridifolia. (y.re.g.)	green-leaved.	—	—	F.b.
	β maculata. (y.re.g.)	spotted-leaved.	—	—	F.b.
2	quadricolor. B.M. (va.)	four-coloured.	—	1789.	3. 5. F.b.
	a viridifolia. (y.sc.g.)	green-leaved.	—	—	F.b.
	β colorata. (y.sc.g.)	coloured-leaved.	—	—	F.b.
3	lutæola. Jacq. (ye.)	yellow-flowered.	—	1774.	4. 5. F.b.
	a viridifolia. (ye.)	green-leaved.	—	—	F.b.
	β maculata. (ye.)	spotted-leaved.	—	—	F.b.
4	tricolor. B.M. (y.re.g.)	three-coloured.	—	—	F.b.
5	rubida. w. (re.)	dotted-flowered.	1803.	9. 10. F.b.	— t. 82.
6	punctata. s.s. (w.re.)	spotted-flowered.	1825.	6. 8. F.b.	— t. 993.
7	flava. A.R. (ye.)	bright-yellow.	1805.	5. 6. F.b.	Jacq. ic. 2. t. 397.
8	isopétala. w. (pa.br.)	equal-flowered.	1804.	— F.b.	Andr. reposit. t. 77.
9	hirta. R.S. (w.bl.)	hairy-leaved.	1825.	— F.b.	Jacq. ic. 2. t. 401.
10	sessiliflora. A.R. (bh.)	sessile-flowered.	1804.	— F.b.	Andr. rep. t. 460.
11	unifolia. w. (bl.re.)	one-leaved.	1795.	3. 4. F.b.	Bot. mag. t. 766.
12	rosea. A.R. (ro.)	rose-coloured.	1800.	4. 5. F.b.	Andr. rep. t. 296.
13	pusilla. w. (wh.)	dwarf.	1825.	— F.b.	Jacq. ic. 2. t. 385.
14	reflexa. R.S. (ye.)	reflex-leaved.	—	— F.b.	—
15	bifolia. B.M. (ro.wh.)	cowl-leaved.	1813.	3. 4. F.b.	Bot. mag. t. 1611.
16	contaminata. w. (w.br.)	contaminated.	1774.	2. 4. F.b.	— t. 1401.
17	purpurea. w. (pu.w.)	purple.	1819.	4. 5. F.b.	Jacq. ic. 2. t. 393.
18	violæa. w. (g.vi.)	violet.	1795.	3. 4. F.b.	— 2. t. 394.
19	lucida. B.M. (w.br.)	glossy-leaved.	1798.	3. 5. F.b.	Bot. mag. t. 1372.
20	racemosa. B.M. (wh.)	racemed.	1811.	5. F.b.	— t. 1517.
21	fragrans. w. (wh.)	sweet-scented.	1798.	3. 5. F.b.	Jacq. schoen. 1. t. 82.
22	unicolor. B.M. (li.)	self-coloured.	1806.	5. 6. F.b.	Bot. mag. t. 1373.
23	anguinea. S.F.G. (w.g.)	snake.	1825.	4. 5. F.b.	Swt. br. fl. gar. t. 179.
24	purpureo-cærulea. (bl.)	purple-blue.	1798.	— F.b.	Bot. mag. t. 745.
25	pustulata. w. (w.st.)	blistered.	1790.	1. 4. F.b.	— t. 817.
26	liliflora. w. (wh.)	Lily-flowered.	1820.	4. 6. F.b.	Jacq. ic. 2. t. 387.
27	orthopétala. R.S. (w.gr.)	wedge-flowered.	1825.	— F.b.	— 2. t. 383.
28	pátula. w. (wh.ro.)	spreading-flower'd.	1795.	4. 5. F.b.	— 2. t. 384.
29	nervosa. B.M. (br.pu.)	nerved-leaved.	1810.	6. F.b.	Bot. mag. t. 1497.
30	angustifolia. w. (wh.)	narrow-leaved.	1793.	4. 5. F.b.	— t. 735.
31	hyacinthoides. w. (wh.)	Hyacinth-flower'd.	1812.	3. 4. F.b.	Jacq. ic. 2. t. 382.
32	pállida. w. (pa.bl.)	pale-flowered.	1782.	— F.b.	Bot. reg. t. 314.
33	mediána. R.S. (st.gr.)	intermediate.	—	— F.b.	Jacq. ic. t. 392.
34	mutabilis. S.F.G. (ye.)	changeable.	1825.	2. 5. F.b.	Swt. br. fl. gar. ser. 2.
35	orchioïdes. w. (ye.)	Orchis-like.	1752.	2. 4. F.b.	Bot. mag. t. 1269.
36	glaucina. w. (wh.bl.)	sea-green.	1795.	3. 4. F.b.	Jacq. ic. 2. t. 391.
DRIM'IA. S.S.		DRIM'IA.		Hexandria Monogynia. S.S.	
1	lanceolata. R.S. (y.gr.)	spear-leaved.	C. B. S.	1774.	8. 10. F.b.
	Lachenalia reflexa.	Andr. rep. t. 299.	—	—	Andr. reposit. t. 299.
2	lanceafolia. B.M. (g.pu.)	lance-leaved.	C. B. S.	1800.	9. 10. F.b.
3	longipedunculata. (g.pu.)	long-stalked.	—	—	F.b.
4	acuminata. B.C. (g.br.)	taper-leaved.	—	—	F.b.
5	Gawléri. R.S. (gr.pu.)	revolute-flowered.	—	1774.	F.b.
	Hyacinthus revolutus. H.K.	—	—	—	—
6	ovalifolia. R.S. (gr.pu.)	oval-leaved.	1812.	—	F.b.
7	undulata. s.s. (g.pu.)	wave-leaved.	1825.	8. 10. F.b.	Lodd. bot. cab. t. 278.
8	purpurascens. s.s. (pu.)	purplish.	—	—	F.b.
9	ciliáris. s.s. (g.pu.)	ciliated.		—	F.b.
10	pusilla. s.s. (gr.)	dwarf.	1793.	5. 6. F.b.	Bot. mag. t. 1444.
11	média. s.s. (w.pu.)	semicylindrical.	1818.	7. 8. F.b.	Jacq. ic. 2. t. 374.
12	elata. s.s. (g.w.)	tall.	1799.	10. 11. F.b.	— 2. t. 375.
13	altissima. s.s. (wh.)	tallest.	1791.	8. 9. F.b.	Bot. mag. t. 822.
	—	—	—	—	— t. 1074.
ERIOSPE'RMUM. W.		ERIOSPE'RMUM.		Hexandria Monogynia. W.	
1	parvifolium. s.s. (wh.)	small-leaved.	C. B. S.	1795.	6. 8. F.b.
2	latifolium. s.s. (wh.)	broad-leaved.	—	1800.	— F.b.
3	Bellendèni. (wh.)	Mr. Ker's.	—	—	F.b.
	latifolium a. B.M. non Jacq.	—	—	—	Bot. mag. t. 1382.
4	lanceafolium. s.s. (st.)	lance-leaved.	1795.	—	F.b.
5	pubescens. s.s. (wh.)	pubescent.	1820.	—	F.b.
6	lanuginosum. s.s. (st.)	woolly-leaved.	—	—	F.b.
7	folioliferum. B.M. (w.g.)	leaflet-bearing.	1806.	—	F.b.
8	paradoxicum. B.M. (w.g.)	paradoxical.	1820.	—	F.b.
	—	—	—	—	Jacq. col. sup. 81. t. 1.

MASS'ONIA. S.S.		MASS'ONIA. Hexandria Monogynia. W.			
1	grandiflora. B.R. (wh.)	honey-bearing. C. B. S.	1825.	1. 4.	F.b. Bot. reg. t. 958.
2	candida. B.T. (wh.)	white-flowered. ———	1816.	2. 5.	F.b. ——— t. 694.
	<i>longifolia</i> β. <i>candida</i> . B.R.				
3	longifolia. s.s. (wh.)	long-leaved. ———	——	——	F.b.
4	latifolia. s.s. (g.pu.)	broad-leaved. ———	1775.	3. 4.	F.b. Bot. mag. t. 848.
5	cordata. s.s. (wh.)	heart-leaved. ———	1820.	——	F.b.
6	muricata. s.s. (wh.)	prickly-leaved. ———	1790.	4. 5.	F.b. Bot. mag. t. 559.
7	scabra. H.K. (wh.)	shagreen-leaved. ———	——	1. 4.	F.b. Andr. reposit. t. 220.
	<i>pustulata</i> . Bot. mag. t. 642.				
8	echinata. s.s. (wh.)	rough-leaved. ———	——	5.	F.b.
9	pauciflora. s.s. (wh.)	few-flowered. ———	——	——	F.b.
10	angustifolia. s.s. (wh.)	narrow-leaved. ———	1775.	3. 4.	F.b. Bot. mag. t. 736.
11	undulata. s.s. (wh.)	wave-leaved. ———	1791.	4.	F.b.
12	ensifolia. s.s. (pi.)	trumpet-flowered. ———	1790.	9. 2.	F.b. Bot. mag. t. 554.
	<i>violacea</i> . A.R. 46. <i>Agapanthus ensifolius</i> . w. <i>Hyacinthus bifolius</i> . Cav.				
EUCOMIS. S.S.		EUCOMIS. Hexandria Monogynia. W.			
1	nana. s.s. (gr.)	dwarf. C. B. S.	1774.	5.	F.b. Bot. mag. t. 1495.
2	bifolia. s.s. (gr.st.)	two-leaved. ———	1792.	4. 5.	F.b. ——— t. 840.
3	purpureocaulis. s.s. (gr.)	purple-stalked. ———	1794.	3. 4.	F.b. Andr. reposit. t. 369.
4	regia. s.s. (g.wh.)	tongue-leaved. ———	1702.	3. 5.	F.b. Dill. elth. t. 92. f. 109.
5	undulata. s.s. (g.wh.)	wave-leaved. ———	1760.	——	F.b. Bot. mag. t. 1083.
6	punctata. s.s. (g.wh.)	spotted. ———	1783.	7.	F.b. ——— t. 913.
7	striata. H.K. (g.wh.)	streaked. ———	1790.	6. 12.	F.b. ——— t. 1539.
A'LLIUM. L.		GARLIC. Hexandria Monogynia. L.			
1	sativum. G.D. (re.)	common. Sicily.	1548.	6. 9.	H.b. Lobel. ic. t. 158.
2	Ophioscörodon. G.D. (br.)	Rocambole. Crete.	1596.	8.	H.b. Clus. his. p. 191. t. 210.
3	contraversum. G.D. (pu.)	simple-rooted. Egypt.	1823.	——	H.b. Cord. hist. p. 144. f. 1.
	<i>Ophioscörodon</i> . L.en.				
4	arenarium. G.D. (re.)	sand. Britain.		6. 8.	H.b. Eng. bot. v. 19. t. 1358.
5	Scorodopräsum. G.D. (re.)	wild Rocambole. Denmark.	1596.	7.	H.b. Flor. dan. t. 219. et 1455.
6	littöreum. G.D. (re.)	Italian sand. Italy.	1824.	8.	H.b.
	<i>monspessulanum</i> . w.				
7	vineale. G.D. (ro.)	Crow. Britain.		6. 8.	H.b. Eng. bot. v. 28. t. 1974.
8	compactum. G.D. (ro.)	two-headed crow. France.	1819.	——	H.b. Moris. sect. 4. t. 15. f. 3.
9	Pürshii. G.D. (da.pu.)	Pursh's crow. N. America.	1824.	——	H.b.
	<i>vineale</i> . Ph. nec aliorum.				
10	proliferum. G.D. (wh.)	tree Onion. Egypt.		7.	H.b. Bot. mag. t. 1469.
	<i>Cepa bulbifera</i> . B.M.				
11	Pörrum. G.D. (gr.pu.)	Leek. Switzerland.	1562.	5. 7.	H.b. Plenck. ic. t. 421.
12	Ampelopräsum. G.D. (pa.)	blue Leek. England.		7. 8.	H.b. Eng. bot. v. 24. t. 1657.
13	rotundum. G.D. (pu.)	round-headed. S. Europe.	1819.	6. 7.	H.b. Clus. hist. p. 195. t. 220.
14	Hallerii. G.D. (pa.pu.)	Haller's. ———	1818.	——	H.b. Flor. græc. t. 312.
15	rubicundum. G.D. (re.)	marbled leek. C. B. S.		7. 8.	F.b. Bot. mag. t. 1560.
	<i>ampelopräsum</i> β. B.M.				
16	Waldsteini. G.D. (d.pu.)	Waldstein's. Smyrna.	1824.	6. 7.	H.b. W. et K. hung. t. 82.
17	exsértum. G.D. (ro.)	long-stamen'd. Russia.	1819.	7. 8.	H.b.
18	erectum. G.D. (wh.)	upright leek. C. B. S.	1824.	——	F.b.
19	acutiflorum. G.D. (re.)	sharp-flowered. France.	——	——	H.b. Moris. sect. 4. t. 15. f. 4.
20	Synnótil. G.D. (li.)	Synnot's. C. B. S.	1825.	6. 7.	F.b.
21	verrucösium. G.D. (li.)	warted-flower'd. ———	——	——	F.b.
22	multiflorum. G.D. (vi.)	many-flowered. Barbary.	1826.	7. 8.	F.b.
23	descendens. G.D. (d.pu.)	early flowering. Switzerland.	1766.	6.	H.b. Flor. græc. t. 316.
24	sphaerocéphalon. G.D. (pu.)	late-flowered. Germany.	1759.	7.	H.b. Bot. mag. t. 1764.
25	pruinatum. G.D. (li.)	frosted. Portugal.	1819.	6. 8.	H.b.
26	carneum. G.D. (li.)	blush-coloured. France.	1816.	6. 7.	H.b.
27	ascalonicum. G.D. (li.)	Shallot. Palestine.	1548.	——	H.b. Moris. sect. 4. t. 14. f. 4.
	<i>β chinense</i> . G.D. (li.) <i>Chinese Shallot</i> . China.				
28	fissile. (gr.)	Scallion. Asia minor.		——	H.b. Matt. opus. p. 420. ic.
	<i>Cepa fissilis</i> . Matt.				
29	Cepa. G.D. (wh.gr.)	Onion.		6.	H. ♂. b. Flor. græc. t. 326.
	<i>β aggregatum</i> . G.D. (w.g.) <i>Potatoe Onion</i>				
30	Schenopräsum. G.D. (pu.)	Chives. Britain.		5. 6.	H.b. Eng. bot. v. 34. t. 2441.
31	foliosum. G.D. (pu.)	leafy Chives. France.	1820.	——	H.b. Redout. lil. 4. t. 214.
32	sibiricum. G.D. (li.)	Siberian Chives. Siberia.	1778.	6. 8.	H.b. Bot. mag. t. 1141.
33	fistulosum. G.D. (gr.)	Welsh Onion. ———	1629.	6. 7.	H. ♂. b. ——— t. 1230.
	<i>β altaicum</i> . Pallas. (gr.) <i>Altaic</i> . Altay.				
34	cepeforme. G.D. (w.g.)	Onion-like.	1824.	——	H.b. Pall. it. 2. n. 108. t. R.
35	obliquum. G.D. (st.)	oblique-leaved. Siberia.	1759.	——	H.b. Bot. mag. t. 1408.

36	ramosum. G.D.	(st.) branching	Chives. Siberia.	1824.	6.	H.b.	
37	angustum. G.D.	(pu.) narrow-leaved.	—	—	—	H.b.	
38	Pallásii. G.D.	(pu.) Pallas's	Chives. Russia.		—	H.b.	Murr.c.got.6.1775.t.3.
39	pusillum. G.D.	(li.) small.	Italy.	1824.	6. 7.	H.b.	Redout. liliac. 2. t. 118.
40	rubellum. G.D.	(ro.) reddish.	Siberia.	1825.	7. 8.	H.b.	
41	reticulatum. G.D.	(wh.) netted.	N. America.	1811.	—	H.b.	Bot. mag. t. 1840.
42	oxypetalum. G.D.	(bh.) acute-petal'd.	Switzerland.	1822.	7.	H.b.	
43	oleraceum. G.D.	(st.pu.) purple-striped.	England.		—	H.b.	Eng. bot. v. 7. t. 488.
44	carinatum. G.D.	(st.br.) keeled.	—		5. 6.	H.b.	— v. 24. t. 1658.
45	fœtidum. W.	(da.pu.) twisted.	Siberia.	1823.	—	H.b.	
46	violaceum. G.D.	(vi.) violet-flowered.	Hungary.	1819.	7.	H.b.	W. et K. hung. 3. t. 278.
<i>flexum. W.K.</i>							
47	asperum. G.D.	(vi.) rough-leaved.	S. Europe.	1820.	—	H.b.	Red. lil. 7. t. 368.
<i>carinatum. R.L. nec aliorum.</i>							
48	longispathum. G.D.	(g.pu.) long-spathed.	—	1779.	6. 7.	H.b.	Red. lil. 6. t. 316.
<i>pallens. Bot. mag. t. 1420.</i>							
49	paniculatum. G.D.	(bh.) panicked.	—	1780.	—	H.b.	Bot. mag. t. 1432.
50	pallens. G.D.	(pa.wh.) pale-flowered.	—	1779.	—	H.b.	Redout. lil. 5. t. 272.
51	tenuiflorum. G.D.	(ro.) slender-flowered.	Italy.	1824.	—	H.b.	Ten. fl. nap. 1. t. 30.
52	pulchellum. G.D.	(vi.) beautiful.	Russia.	1819.	8.	H.b.	Redout. lil. 5. t. 252.
<i>paniculatum. R.L. coloratum. s.s.</i>							
53	flavum. G.D.	(ye.) yellow-leafy.	S. Europe.	1759.	6. 7.	H.b.	Bot. mag. t. 1330.
54	caucasicum. G.D.	(ro.) Caucasian.	Caucasus.	1810.	—	H.b.	— t. 973.
55	rupestre. G.D.	(ro.) small Caucasian.	—	1824.	—	H.b.	
56	globosum. G.D.	(li.) globular-headed.	Siberia.	1820.	7.	H.b.	Gmel. sib. v. 1. t. 10.
57	montanum. G.D.	(ro.) mountain.	Greece.	—	6. 8.	H.b.	Flor. græc. t. 319.
58	parviflorum. G.D.	(br.) small-flowered.	S. Europe.	1781.	6. 7.	H.b.	
59	moschatum. G.D.	(w.pu.) small-leaved.	Hungary.	1805.	7. 8.	H.b.	W. et K. hung. 1. t. 68.
<i>setaceum. W.K.</i>							
60	Stellerianum. G.D.	(g.w.) Steller's.	Siberia.	1829.	—	H.b.	Gmel. sib. 1. t. 16. f. 1 et 2.
61	saxatile. G.D.	(wh.) rock.	Caucasus.	1825.	6. 7.	H.b.	
62	strictum. G.D.	(ro.) upright.	Siberia.	1820.	7.	H.b.	Schrad. h. gott. 1. t. 1.
63	lineare. G.D.	(re.) linear-leaved.	—	1819.	7. 8.	H.b.	Gmel. sib. 1. t. 13. 14. f. 1.
64	nütans. G.D.	(fl.) great nodding.	—	1785.	—	H.b.	Bot. mag. t. 1143.
65	senescens. G.D.	(li.) Narcissus-leaved.	—	1596.	7.	H.b.	Gmel. sib. 1. t. 11. f. 2.
66	Anderssonii. G.D.	(li.) Anderson's.	—	1819.	—	H.b.	
67	spûrium. G.D.	(li.) spurious.	—		—	H.b.	
68	glaucum. G.D.	(pu.) glaucous.	—	1596.	6. 7.	H.b.	Bot. mag. t. 1150.
<i>senescens. B.M. non L. baicalense. W.en.</i>							
69	angulosum. G.D.	(pu.) angular-stalked.	—	1739.	—	H.b.	Bot. mag. t. 1149.
70	acutangulum. G.D.	(pu.) acute-angled.	—	1816.	—	H.b.	Ger. emac. p. 186. ic.
71	danubiale. G.D.	(pu.) short-leaved.	—	—	—	H.b.	
72	laxum. G.D.	(pu.) loose umbelled.	Russia.	1824.	—	H.b.	
73	serotinum. G.D.	(pu.) late-flowering.	Switzerland.	—	8.	H.b.	
74	albidum. G.D.	(wh.) whitish-flower'd.	Caucasus.	1823.	6. 8.	H.b.	
75	flavescens. G.D.	(st.) half naked.	Siberia.	1819.	8.	H.b.	Redout. lil. 6. t. 357.
<i>denudatum. R.L.</i>							
76	rubens. G.D.	(pu.) red-rooted.	S. Europe.	1805.	5.	H.b.	Bot. mag. t. 1318.
<i>bisulcum. Redout. liliac. t. 286.</i>							
77	prostratum. G.D.	(li.) small trailing.	Siberia.		6.	H.b.	
78	congestum. G.D.	(pu.) crowded-flower'd.	—		—	H.b.	
79	pedemontanum. G.D.	(ro.) Piedmont.	Piedmont.	1820.	7. 8.	H.b.	Allion. ped. t. 254.
80	narcissiflorum. G.D.	(ro.) large-flowered.	France.	1818.	—	H.b.	Vill. dauph. 2. t. 6.
81	suaveolens. G.D.	(w.pu.) sweet-scented.	—	1801.	6. 8.	H.b.	Jacq. ic. 2. t. 364.
82	ochroleucum. G.D.	(st.) cream-colour'd.	Hungary.	1816.	7.	H.b.	W. et K. hung. 2. t. 186.
83	cérnum. G.D.	(bh.) drooping.	N. America.	1806.	6. 7.	H.b.	Bot. mag. t. 1324.
84	stellatum. G.D.	(li.) starry-flowered.	—	1811.	—	H.b.	— t. 1576.
85	carolinianum. G.D.	(li.) Carolina.	—	1819.	—	H.b.	Redout. lil. 2. t. 101.
86	paradoxum. G.D.	(wh.) paradoxical.	Siberia.	1823.	4.	H.b.	
87	scorzonerifolium. G.D.	(ye.) Scorzonera-leaved.	S. Europe.	—	6. 7.	H.b.	Redout. liliac. 2. t. 99.
88	canadense. G.D.	(ro.) Canadian.	N. America.	1739.	—	H.b.	Kalm. it. v. 3. p. 79.
89	mutabile. G.D.	(bh.) changeable.	—		7.	H.b.	Redout. lil. 4. t. 240.
90	mâgicum. G.D.	(st.) broad-leaved.	Spain.	1596.	6. 7.	H.b.	Park. parad. p. 141.
91	ambiguum. G.D.	(ro.) ambiguous.	Levant.		5. 6.	H.b.	Flor. græc. t. 327.
<i>incarnatum. s.s. roseum β. Bot. mag. t. 978.</i>							
92	amœnum. G.D.	(ro.) fine red-flowered.	Italy.	1820.	—	H.b.	Ten. fl. nap. t. 28.
<i>cárneum. T.N.</i>							
93	roseum. G.D.	(ro.) rose-coloured.	Spain.	1752.	6.	H.b.	Redout. lil. 4. t. 213.
94	illyricum. G.D.	(pi.) Illyrian.	Austria.		6. 7.	H.b.	Jacq. ic. 2. t. 365.

- 95 subhirsutum. G.D. (wh.) hairy. S. Europe. 1596. 6. H.b. Cyr. pl. r. nap. 2. t. 3.
β obtusum. (wh.) blunt-flowered. ———— ———— H.b. Bot. mag. t. 774.
- 96 Clusianum. G.D. (wh.) Clusius's. ———— 1803. 6. 8. H.b. Clus. hist. 1. p. 192.
- 97 Chamæ-Moly. G.D. (w.) dwarf-Moly. ———— 1774. 2. 4. F.b. Bot. mag. t. 1203.
- 98 majale. G.D. (wh.) large Moly. Italy. 1825. 6. F.b. Ten. fl. nap. 1. t. 28.
- 99 brachystemon. R.L. (w.) short-stamened. S. France. 1826. ———— H.b. Redout. liliac. 7. t. 374.
- 100 longifolium. G.D. (pu.) long-leaved. Mexico. ———— 8. 10. F.b. Bot. reg. t. 1034.
- 101 Cowani. B.R. (wh.) Cowan's. Chili. 1824. 5. F.b. ———— t. 758.
- 102 neapolitanum. G.D. (w.) Neapolitan. Italy. ———— 4. 5. H.b. Swt. br. fl. gar. t. 201.
- album.* Bivon.
- 103 triquetrum. G.D. (wh.) triquetrous. S. Europe. 1759. 5. 6. H.b. Bot. mag. t. 869.
- 104 medium. G.D. (wh.) intermediate. Hungary. 1824. 5. H.b. ————
- 105 pendulinum. G.D. (w.) pendulous Italian. Italy. ———— 4. 5. H.b. Ten. fl. nap. 1. t. 31.
- 106 nigrum. G.D. (wh.) black. S. Europe. 1596. 6. H.b. Bot. mag. t. 1148.
- magicum.* B.M.
- β rubescens.* (bh.) pale red-flowered. Greece. ———— H.b. Flor. græc. t. 323.
- 107 atropurpureum. G.D. (d.pu.) dark purple. Hungary. 1825. ———— H.b. W. et K. hung. 1. t. 17.
- 108 Moly. G.D. (ye.) large yellow. S. Europe. 1604. ———— H.b. Bot. mag. t. 499.
- 109 tricoccum. G.D. (wh.) three-seeded. N. America. 1770. 7. H.b. ————
- 110 ursinum. G.D. (wh.) Ramson. Britain. 4. 5. H.b. Eng. bot. v. 2. t. 122.
- 111 sulcatum. G.D. (wh.) furrowed. 1823. ———— H.b. Redout. liliac. 8. t. 482.
- 112 Victoriælis. G.D. (st.) long-rooted. Austria. 1739. 5. H.b. ————
- 113 odorum. G.D. (wh.pu.) sweet-flowered. Siberia. 1787. 6. 7. H.b. Redout. lil. 2. t. 98.
- tataricum.* Bot. mag. t. 1142.
- 114 inodorum. B.M. (bh.) fragrant. Carolina. 1776. 3. 4. H.b. Bot. mag. t. 1129.
- fragrans.* Vent. cels. t. 26. *gracile.* w.
- 115 striatum. G.D. (bh.w.) striated. America. 1800. 5. 6. H.b. Bot. mag. t. 1524 & 1035.
- Ornithogalum gramineum.* B.M. 2419.
- 116 caspium. G.D. (bh.) Caspian. Astracan. 1820. 4. 5. H.b. Pall. it. 2. ap. t. 2.
- Amaryllis caspica.* w. *Crinum caspicum.* Pal.
- 117 Akaka. F. Persian. Persia. 1829. H.b. ————
- SOWERB'ÆA. B.P. SOWERB'ÆA. Hexandria Monogynia. S.S.
- junceæ.* B.P. (ro.) Rush-leaved. N. S. W. 1792. 5. 7. G. 4. Bot. mag. t. 1104.
- LAXMA'NNIA. B.P. LAXMA'NNIA. Hexandria Monogynia. S.S.
- gracilis.* B.P. (wh.) slender. N. S. W. 1822. 5. 7. G. 4. ————
- APHYLLA'NTHE'S. L. LILY PINK. Hexandria Monogynia.
- monspeliensis.* L. (bl.) Rush-like. France. 1791. 6. 7. H. 4. Bot. mag. t. 1132.
- THYSAN'OTUS. B.P. THYSAN'OTUS. Hexandria Monogynia. S.S.
- 1 tuberösus. B.P. (bl.) tuberous-rooted. N. S. W. 1822. 7. 9. G. 4. ————
- 2 elatior. B.P. (bl.) tall. ———— ———— G. 4. ————
- 3 isantherus. B.P. (bl.) equal-anthered. V. Diem. Isl. ———— ———— G. 4. Bot. reg. t. 655.
- 4 juncus. B.P. (bl.) rush-like. N. S. W. ———— ———— G. 4. ———— t. 656.
- Chlamyspörum juncifolium.* Par. lond. t. 103.
- CYANE'LLA. L. CYANE'LLA. Hexandria Monogynia. L.
- 1 alba. s.s. (wh.) 1-flowered white. C. B. S. 1825. 4. 6. F.b. Th. in a. hol. 1794. t. 7. f. 2.
- 2 lutea. s.s. (ye.) yellow-flowered. ———— 1788. 5. 12. F.b. Bot. mag. t. 1252.
- 3 orchidiformis. s.s. (bl.) Orchis-like. ———— 1825. 4. 8. F.b. Jacq. ic. 2. t. 447.
- 4 lineata. B.T. (std.) lined. ———— 1816. ———— F.b. Bot. reg. t. 1111.
- odoratissima.* B.R.
- 5 capensis. s.s. (pu.) purple-flowered. ———— 1768. ———— F.b. Bot. mag. t. 568.
- CONANTH'ERA. R.P. CONANTH'ERA. Hexandria Monogynia. P.S.
- bifolia.* R.P. (bl.) two-leaved. Chile. 1823. 3. 5. F.b. Lodd. bot. cab. t. 904.
- CUMMI'NGIA. D.D. CUMMI'NGIA. Hexandria Monogynia.
- campanulata.* D.D. (bl.) Hyacinth-flowered. Chile. 1823. 4. 6. F.b. Swt. br. fl. gar. t. 257.
- Conanthera campanulata.* Hook. ex. flor. t. 214. *bifolia.* B.M. 2496. *nec aliorum.*
- LEUCOCO'RYNE. B.R. LEUCOCO'RYNE. Hexandria Monogynia.
- 1 odorata. B.R. (wh.) sweet-scented. Chile. 1826. 8. 9. F. 4. Bot. reg. t. 1293.
- 2 ixioides. B.R. (bl.) Ixia-like. ———— 1821. 7. 9. F.b. Bot. mag. t. 2382.
- Brodiaea ixioides.* B.M.
- TRITEL'IA. B.R. TRITEL'IA. Hexandria Monogynia.
- grandiflora.* B.R. (bl.) large-flowered. N. America. 1827. 7. 8. H. 4. ————
- HESPEROSCO'RDUM. B.R. MISSOURI HYACINTH. Hexandria Monogynia.
- hyacinthinum.* B.R. (bl.) largest-flowered. N. America. 1827. 7. H.b. ————
- Brodiaea grandiflora.* Pursh non Smith.
- DIANE'LLA. B.P. DIANE'LLA. Hexandria Monogynia. W.
- 1 ensifolia. B.M. (wh.) whitish-flowered. E. Indies. 1731. 8. S. 4. Bot. mag. t. 1404.
- Dracæna ensifolia.* H.K.
- 2 nemorosa. Lam. (bl.) blue Indian. 6. 8. S. 4. Rumph. amb. 5. t. 73.
- 3 cœrulea. B.P. (bl.) rough-edged. N. S. W. 1783. 5. 8. F. 4. Bot. mag. t. 505.

4	longifolia. B.P.	(bl.) long-leaved.	N. S. W.	1820.	5. 8.	F. 2.	Bot. reg. t. 731.
5	l'avis. B.P.	(bl.) smooth-leaved.	—	1823.	—	F. 2.	—
6	revoluta. B.P.	(bl.) revolute-margined.	—	1822.	—	F. 2.	—
7	divaricata. B.P.	(bl.) divaricated.	N. Holland.	1805.	7. 8.	G. 2.	—
8	strumosa. B.R.	(bl.) strumous.	—	1822.	5. 8.	G. 2.	Bot. reg. t. 751.
LUZUR'IA. B.P. LUZUR'IA. Hexandria Monogynia. S.S.							
1	cymosa. B.P.	(pu.) cymose.	N. S. W.	1820.	4. 6.	G. 2.	—
2	montana. B.P.	(pu.) mountain.	—	1823.	—	G. 2.	—
EUSTR'EPHUS. B.P. EUSTR'EPHUS. Hexandria Monogynia. S.S.							
1	latifolius. B.P.	(pu.) broadest-leaved.	N. S. W.	1800.	6. 9.	G. 2.	Bot. mag. t. 1245.
2	angustifolius. B.P.	(pu.) narrow-leaved.	N. Holland.	1816.	—	G. 2.	—
MYRSIPH'YLLUM. S.S. MYRSIPH'YLLUM. Hexandria Trigynia. S.S.							
1	asparagoides. s.s.	(wh.) broadest-leaved.	C. B. S.	1702.	10. 3.	G. 2.	Redout. liliac. t. 442.
<i>Medeola asparagoides. L.</i>							
2	angustifolium. s.s.	(bh.) narrow-leaved.	—	1752.	12. 3.	G. 2.	Redout. liliac. t. 393.
HERR'ERIA. R.P. HERR'ERIA. Hexandria Monogynia.							
1	stellata. R.P.	(ye.) prickly-stalked.	Chile.	1825.	6. 9.	G. 2.	Flor. peruv. 3. t. 303. f. a.
2	parviflora. B.R.	(gr.) small-flowered.	Brazil.	—	—	S. 2.	Bot. reg. t. 1042.
ASPA'RAGUS. L. ASPA'RAGUS. Hexandria Monogynia. L.							
1	amarus. s.s.	(ye.) bitter.	S. France.	1820.	6. 8.	H. 2.	Redout. liliac. t. 446.
2	officinalis. s.s.	(gr.) common.	England.	—	—	H. 2.	Eng. bot. v. 5. t. 339.
3	tenuifolius. DC.	(ye.) slender-leaved.	Hungary.	—	—	H. 2.	Redout. liliac. t. 434.
<i>syliaticus. W. et. K. hung. 3. t. 201.</i>							
4	declinatus. s.s.	(st.) long-leaved.	C. B. S.	1759.	—	F. 2.	—
5	decumbens. s.s.	(wh.) decumbent.	—	1792.	5.	F. 2.	Jacq. schœn. 1. t. 97.
6	flexuosus. s.s.	(wh.) flexuose.	—	—	7. 8.	F. 2.	—
7	davuricus. s.s.	(st.) Daurian.	Dauria.	1819.	6. 8.	H. 2.	—
8	caspius. R.S.	(gr. wh.) Caspian.	Caucasus.	1821.	—	H. 2.	—
9	maritimus. s.s.	(gr. wh.) sea-side.	Siberia.	1820.	—	H. 2.	—
10	tricarinatus. DC.	(g. y.) three-keeled.	—	—	—	G. 2.	Redout. liliac. t. 451.
11	verticillatus. s.s.	(g. y.) whorl-leaved.	Caucasus.	1752.	—	H. 2.	Buxb. cent. 5. ap. t. 37.
12	umbellatus. R.S.	(g. w.) umbel-flowered.	Canaries.	1816.	—	G. 2.	—
13	grandiflorus. R.S.	(wh.) large-flowered.	Teneriffe.	1828.	—	G. 2.	—
14	longifolius. F.	(gr. ye.) long-leaved.	Russia.	1827.	—	H. 2.	—
15	acutifolius. s.s.	(ye.) needle-leaved.	Spain.	1640.	—	H. 2.	Flor. græc. t. 337.
16	racemosus. s.s.	(wh.) branching.	E. Indies.	1808.	—	S. 2.	—
17	sarmentosus. s.s.	(wh.) linear-leaved.	Ceylon.	1710.	8.	S. 2.	Redout. liliac. t. 460.
18	falcatus. s.s.	(wh.) sickle-leaved.	E. Indies.	1792.	—	S. 2.	Burm. zeyl. t. 13 f. 2.
19	retrofractus. s.s.	(wh.) Larch-leaved.	Africa.	1759.	8. 9.	G. 2.	Pluk. alm. t. 375. f. 3.
20	capensis. s.s.	(wh. re.) Cape.	C. B. S.	1691.	4. 5.	G. 2.	Jacq. schœn. 3. t. 266.
21	æthiopicus. W.	(wh.) angular-stalked.	—	1816.	—	G. 2.	—
22	scandens. W.	(wh. vi.) climbing.	—	1795.	5. 6.	G. 2.	—
23	asiaticus. s.s.	(wh.) Asiatic.	Asia.	1759.	—	G. 2.	Pluk. alm. t. 14. f. 4.
24	subulatus. s.s.	(wh.) awl-leaved.	C. B. S.	1811.	—	G. 2.	—
25	Nivenianus. R.S.	(w. pu.) Niven's.	—	—	—	G. 2.	—
26	lanceus. R.S.	(wh.) spear-leaved.	—	—	—	G. 2.	—
27	laricinus. R.S.	(wh.) Larch-leaved.	—	1816.	—	G. 2.	—
28	tetragonus. R.S.	(wh.) square-leaved.	—	1822.	—	G. 2.	—
29	albus. s.s.	(wh.) white.	Spain.	1540.	5. 7.	F. 2.	Moris. s. J. t. 1. f. 3.
30	aphyllus. s.s.	(ye.) prickly.	S. Europe.	1640.	—	F. 2.	Flor. græc. t. 338.
31	horrifolius. s.s.	(ye.) long-spined.	—	1819.	—	F. 2.	t. 239.
32	Broussoneti. L. en.	(st.) Broussonet's.	Canaries.	1815.	—	F. 2.	Jacq. eclog. 2. t. 40.
CHARLWO'ODIA. S.F.A. CHARLWO'ODIA. Hexandria Monogynia.							
1	congesta. S.F.A.	(pu.) crowded-panicled.	N. Holland.	1821.	5. 7.	S. 2.	Swt. flor. aust. t. 18.
2	stricta. S.F.A.	(bl.) loose-panicled.	—	—	—	S. 2.	Bot. reg. t. 956.
<i>Dracæna stricta. Bot. mag. t. 2575.</i>							
DRAC'ENA. W. DRAGON-TREE. Hexandria Monogynia. L.							
1	Draco. s.s.	(wh.) common.	E. Indies.	1640.	—	S. 2.	Blackw. t. 358.
2	ensifolia. H.S.	(wh.) sword-leaved.	—	1800.	—	S. 2.	—
3	indivisa. s.s.	(wh.) undivided.	N. Zealand.	1819.	6. 8.	G. 2.	—
4	australis. s.s.	(wh.) Forster's.	—	—	—	G. 2.	Bot. mag. t. 2835
5	marginata. s.s.	(wh.) red-margined.	Madagascar.	1816.	—	S. 2.	—
<i>Dracæna stricta. W. enum.</i>							
6	arbores. s.s.	(wh.) tree.	Africa.	1810.	3. 5.	S. 2.	—
7	fragrans. s.s.	(wh.) fragrant.	—	1768.	2. 5.	S. 2.	Bot. mag. t. 1081.
8	ferrea. L.	(wh.) dark-purple.	China.	1771.	3. 4.	S. 2.	t. 2053.
9	terminalis. W.	(wh.) red-leaved.	India.	1812.	4. 8.	S. 2.	Lodd. bot. cab. t. 1224.
10	umbraculifera. s.s.	(wh.) umbrella.	Mauritius.	1788.	4. 6.	S. 2.	t. 289.
11	cérnua. s.s.	(st. li.) drooping.	—	—	—	S. 2.	Jacq. schœn. 1. t. 96.

12 mauritiāna. s.s. (wh.)	Mauritius.	Mauritius.	1816.		S. h.	
13 undulāta. s.s. (wh.)	wave-leaved.	C. B. S.	—		G. h.	
14 ovāta. B.M. (li.)	oval-leaved.	Sierra Leon.	1790.	8. 9.	S. h.	Bot. mag. t. 1180.
15 nodōsa. L.C. (wh.)	knotted.		1822.		S. h.	
16 reflēxa. s.s. (li.)	reflex-leaved.	Madagascar.	1816.	5. 8.	S. h.	Redout. liliac. t. 92.
17 surculōsa. B.R. (st.)	trailing.	Sierra Leone.	1822.	—	S. h.	Bot. reg. t. 1169.
CORDYL'INE. B.P. CORDYL'INE. Hexandria Monogynia.						
1 hemichr'ysa. P.S. (wh.)	golden-leaved.	Bourbon.	1823.		S. h.	
2 parviflōra. s.s. (wh.)	small-flowered.	Mexico.	1828.		S. h.	H. et B.n. gen. 3. t. 674.
PHO'RMIUM. W. FLAX-LILY. Hexandria Monogynia. W.						
tēnax. w. (ye.)	Iris-leaved.	N. Zealand.	1788.	8.	F. 4.	Redout. liliac. t. 448-449.
XANTHORRH'ŒA. B.P. GUM-TREE. Hexandria Monogynia. S.S.						
1 arbōrea. B.P. (wh.)	tree.	N. S. W.	1828.		G. h.	
2 austrālis. B.P. (wh.)	southern.	V. Diem. Isl.	1820.		F. h.	
3 hāstīle. B.P. (wh.)	yellow gum.	N. S. W.	1803.	4. 5.	F. h.	
4 mēdia. B.P. (wh.)	intermediate.	—	1819.	—	F. h.	
5 minor. B.P. (wh. br.)	small.	—	1804.	4. 6.	F. 4.	
6 bractēata. B.P. (wh.)	long-bracted.	—	1810.	4. 5.	F. 4.	
ROXBURGHIA. W. ROXBURGHIA. Octandria Monogynia.						
1 gloriosoides. R.C. (st. pu.)	cordate-leaved.	E. Indies.	1803.	4. 6.	S. 4.	Roxb. corom. 1. t. 32.
2 viridiflōra. Ex. B. (st. cr.)	elliptic-leaved.	—	—	—	S. 4.	Sm. exot. bot. 1. t. 57.
	gloriōsa. Bot. mag. t. 1500.					

ORDO CXXV.

BROMELIACEÆ. Juss. gen. 49.

AG'AVE. L. AG'AVE. Hexandria Monogynia. L.						
1 americanā. H.S. (gr.)	large American.	S. America.	1640.	8. 10.	D. G. 4.	Andr. reposit. t. 438.
2 Millēri. H.S. (gr.)	Miller's.	—	1768.	—	D. G. 4.	
3 flāccida. H.S. (gr.)	flaccid.	—	1790.	—	D. S. 4.	
4 lūrida. B.M. (gr.)	Vera Cruz.	Vera Cruz.	1731.	6. 7.	D. S. 4.	Bot. mag. t. 1522.
5 brachystāchys. s. (gr.)	short-spiked.	Mexico.	1826.		D. G. 4.	Redout. liliac. t. 485.
	spicāta. R.L. non Cavan.					
6 spicāta. s. (gr. ye.)	spiked.	Havannah.	1825.		D. S. 4.	Cav. h. reg. mad. ic. ined.
7 angustifōlia. H.S. (gr.)	narrow-leaved.	St. Helena.	1770.		D. S. 4.	
8 yuccæfōlia. H.S. (g. y.)	Yucca-leaved.	S. America.	1817.		D. S. 4.	Redout. liliac. t. 328, 329.
9 mexicanā. H.S. (gr.)	Mexican.	Mexico.	1818.		D. G. 4.	
10 Karātto. H.S. (gr.)	Karatto.	S. America.	1768.		D. S. 4.	
11 vivipara. H.S. (gr. ye.)	viviparous.	—	1731.	8. 10.	D. S. 4.	Comm. præl. t. 15.
12 polyacantha. H.R. (g. y.)	black-spined.		1800.		D. S. 4.	
13 virginica. H.S. (gr. ye.)	Virginian.	N. America.	1765.	9.	F. 4.	Bot. mag. t. 1157.
FURCR'ŒA. V. FURCR'ŒA. Hexandria Monogynia. H.S.						
1 gigātea. (gr. wh.)	gigantic.	S. America.	1690.	9. 1.	D. S. h.	DC. plant. gras. t. 126.
	Agave foetida. w.					
2 tuberōsa. H.K. (gr. wh.)	tuberous.	—	1739.	8. 9.	D. S. h.	Comm. hort. 2. f. 19.
3 cubēnsis. H.S. (wh. gr.)	Cuba.	—	—		D. S. h.	Jacq. am. pic. t. 260. f. 25.
4 rigida. H.S. (gr. ye.)	Vera Cruz.	—	1768.		D. S. h.	Spin. cat. 1812. c. ic.
5 austrālis. H.S.	entire-leaved.	N. Holland.	1811.		D. S. 4.	
6 madagascariēnsis. H.	Madagascar.	Madagascar.	1818.		D. S. 4.	
7 cantala. H.S.	Canton.	China.	—		D. G. 4.	
LITT'ŒA. H.S.S. LITT'ŒA. Hexandria Monogynia. H.S.S.						
geminiiflōra. H.S.S. (gr.)	twin-flowered.	S. America.	1810.		S. h.	Bot. reg. t. 1145.
	Agave geminiiflōra. Ker. Buonaparteā jūncea. H.S. nec aliorum.					
ANANA'SSA. B.H. PINE-APPLE. Hexandria Monogynia. L.						
1 sativa. B.R. (bl.)	common.	S. America.	1690.	1. 12.	S. 4.	Bot. mag. t. 1554.
2 semiserrata. s.s. (bl.)	semiserrate.	—		—	S. 4.	
3 lūcida. W.en. (bl.)	shining-leaved.	—		—	S. 4.	
4 débilis. B.R. (bl.)	waved-leaved.	—	1826.	—	S. 4.	
5 bractēata. B.R. (bl. sc.)	red-bracted.	Jamaica.	1785.	9. 10.	S. h.	Bot. reg. t. 1081.
BILLBERGIA. Th. BILLBERGIA. Hexandria Monogynia.						
1 zebrina. B.M. (ye.)	white-barred.	Brazil.	1825.	6. 7.	S. 4.	Bot. mag. t. 2686.
2 fasciata. B.R. (bl.)	banded.	—	—	8. 10.	S. 4.	Bot. reg. t. 1130.

3	iridifolia, B.R. (ye.bl.)	drooping.	Brazil.	1826.	3. 5. S. 2.	Bot. reg. t. 1068.
4	amœna, B.R. (ye.bl.)	pale-flowered.	S. America.	1810.	3. 11. S. 2.	Lodd. bot. cab. t. 76.
<i>Bromelia pallida</i> , Bot. reg. t. 344.						
5	pyramidalis, B.R. (cr.)	pyramidal.	Brazil.		2. 4. S. 2.	Bot. reg. t. 203.
<i>Bromelia nudicaulis</i> , B.R. pyramidalis.						
<i>β bicolor</i> , B.R. (cr.bl.) two-coloured.						
6	nudicaulis, B.R. (st.)	naked-stalked.	Trinidad.	1822.	4. 6. S. 2.	Bot. reg. t. 1181.
7	cruenta, B.M. (bl.)	blood-stained.	Brazil.	1824.	— S. 2.	Hook. ex. flor. t. 143.
BROMELIA, B.R. BROMELIA, Hexandria Monogynia.						
1	melanantha, B.R. (bk.)	black-flowered.	Trinidad.	1823.	5. 7. S. 2.	Bot. reg. t. 766.
2	fastuosa, L.col. (pu.)	noble.	S. America.	1815.	8. 10. S. 2.	Lindl. col. bot. t. 1.
3	lingulata, s.s. (ye.)	tongue-leaved.	—	1759.	5. 6. S. 2.	Plum. ic. t. 64. f. 1.
4	Karatas, s.s. (ro.)	upright-leaved.	W. Indies.	1739.	 S. 2.	Jacq. vind. 1. t. 31. 32.
5	humilis, s.s. (bl.)	dwarf.	—	1789.	3. S. 2.	Jacq. ic. 1. t. 60.
6	Pinguin, s.s. (re.)	broad-leaved.	—	1699.	3. 4. S. 2.	Jacq. am. ed. pict. t. 91.
7	chrysantha, s.s. (ye.)	yellow-flowered.	S. America.	1820.	— S. 2.	Jacq. schœn. 1. t. 55.
8	exdans, B.C. (ye.)	clammy.	—	1816.	— S. 2.	Lodd. bot. cab. t. 801.
9	paniculigera, s.s. (sc.)	panicked.	W. Indies.	1822.	— S. 2.	—
10	sylvestris, s.s. (cr.)	wild.	S. America.	1820.	7. 8. S. 2.	Bot. mag. t. 2392.
11	Acanga, s.s. (ye.)	recurved.	—	1824.	 S. 2.	Pis. bras. t. 91.
12	sessiliflora, L.C.	sessile-flowered.	—		S. 2.	—
GUZMA'NNIA, R.P. GUZMA'NNIA, Hexandria Monogynia, S.S.						
tricolor, R.P. (g.st.ro.) three-coloured.						
—	—	—	S. America.	1818.	5. 6. S. 2.	Lind. coll. bot. t. 8.
PITCAIRNIA, S.S. PITCAIRNIA, Hexandria Monogynia, L.						
1	staminea, s.s. (sc.)	long-stamened.	S. America.	1823.	1. 3. S. 2.	Bot. mag. t. 2411.
2	integrifolia, s.s. (sc.)	entire-leaved.	W. Indies.	1800.	8. S. 2.	— t. 1462.
3	latifolia, s.s. (sc.)	broad-leaved.	—	1785.	8. 9. S. 2.	— t. 856.
4	bracteata, R.L. (sc.)	large bracted-red.	—	1799.	4. 5. S. 2.	— t. 2313.
5	sulphurea, A.R. (st.)	yellow-flowered.	—	1797.	6. 8. S. 2.	Andr. reposit. t. 249.
<i>bracteata β sulphurea</i> , Bot. mag. t. 1416.						
6	suaveolens, B.R. (st.)	sweet-scented.	Brazil.	1826.	6. 7. S. 2.	Bot. reg. t. 1069.
7	albiflos, B.M. (wh.)	white-flowered.	—	1824.	9. 12. S. 2.	Bot. mag. t. 2642.
8	bromeliæfolia, s.s. (sc.)	Pine-apple-leaved.	Jamaica.	1781.	6. 8. S. 2.	— t. 824.
9	angustifolia, s.s. (sc.)	narrow-leaved.	Santa Cruz.	1777.	12. 1. S. 2.	— t. 1547.
10	furfuracea, B.M. (ro.)	mealy.	S. America.	1818.	7. 9. S. 2.	— t. 2657.
11	flammea, B.R. (sc.)	flame-coloured.	Brazil.	1823.	11. 12. S. 2.	— t. 1092.
12	media, L.C. (sc.)	intermediate.	S. America.	—	7. 9. S. 2.	—
13	radiflora, L.C. (sc.)	Iris-flowered.	—	—	S. 2.	—
14	humilis, L.C. (sc.)	dwarf.	—	—	S. 2.	—
POURRE'ETIA, R.P. POURRE'ETIA, Hexandria Monogynia, S.S.						
1	lanuginosa, R.P. (gr.)	woolly.	S. America.	1826.	4. 8. S. 2.	Flor. peruv. 3. t. 256.
2	pyramidal, K.S. (st.)	pyramidal.	—	1822.	4. 6. S. 2.	— 3. t. 257.
3	coarctata, R.P. (ye.)	crowded-spiked.	Chili.	—	 S. 2.	Feuil. per. 3. t. 39.
TILLANDSIA, L. TILLANDSIA, Hexandria Monogynia, L.						
1	usneoides, s.s. (ye.gr.)	moss-like.	W. Indies.	1823.	4. 8. S. 2.	Sloan. hist. t. 122. f. 2-3.
2	Bartramii, s.s.	Bartram's.	Carolina.	1825.	 S. 2.	—
3	recurvata, s.s. (pu.)	recurve-leaved.	Jamaica.	1793.	7. S. 2.	Sloan. jam. 1. t. 121. f. 1.
4	xiphioides, B.R. (wh.)	Xiphium-like.	Buenos Ayres.	1815.	— S. 2.	Bot. reg. t. 105.
5	serrata, s.s. (ye.)	saw-leaved.	Jamaica.	1793.	6. 7. S. 2.	Plum. ic. 63. t. 75. f. 1.
6	lingulata, s.s. (ye.)	tongue-leaved.	—	1776.	— S. 2.	Jacq. amer. t. 62.
7	acaulis, B.R. (wh.)	stemless.	Brazil.	1826.	7. 9. S. 2.	Bot. reg. t. 1157.
8	psittacina, B.M. (or.y.)	gaudy-flowered.	—	1827.	4. 8. S. 2.	Bot. mag. t. 2841.
9	setacea, s.s. (st.)	bristle-leaved.	Jamaica.	1822.	— S. 2.	—
10	stricta, s.s. (bl.)	stiff-leaved.	Brazil.	1810.	11. S. 2.	Bot. mag. t. 1529.
11	bulbosa, H.E.F. (bl.)	bulbous.	Trinidad.	1823.	8. 9. S. 2.	Hook. ex. flor. t. 173.
12	aloifolia, H.E.F. (st.)	Aloe-leaved.	—	1824.	11. 12. S. 2.	— t. 205.
13	pulchra, H.E.F. (wh.)	pretty.	—	1822.	10. 11. S. 2.	— t. 154.
14	anceps, B.C. (bl.)	two-edged.	W. Indies.	1819.	7. S. 2.	Lodd. bot. cab. t. 771.
15	uticulata, s.s. (st.)	bottle.	S. America.	1793.	7. 8. S. 2.	—
16	tenuifolia, s.s. (sc.)	slender-leaved.	W. Indies.	1822.	— S. 2.	Plum. ic. 232. f. 2.
17	acutifolia, L.en. (st.)	acute-leaved.	Brazil.	1815.	— S. 2.	Bot. reg. t. 749.
<i>flexuosa β pallida</i> , B.R.						
18	flexuosa, s.s. (sc.)	flexuose.	W. Indies.	1790.	— S. 2.	Jacq. amer. t. 63.
19	nutans, s.s. (bl.)	nodding-spiked.	—	1793.	— S. 2.	—
20	fasciculata, s.s. (st.)	bundled.	—	1822.	— S. 2.	—
21	nitida, H.E.F. (wh.)	shining-leaved.	Jamaica.	1823.	11. 12. S. 2.	Hook. ex. flor. t. 218.
22	polystachya, s.s. (st.)	many-spiked.	W. Indies.	1820.	7. 9. S. 2.	—
23	angustifolia, s.s. (st.)	narrow-leaved.	—	1822.	— S. 2.	—
24	paniculata, s.s. (st.)	panicked.	—	1817.	— S. 2.	Plum. ic. t. 237.

25	coarctata. G.C.	crowded.	W. Indies.	1822.		S. 4.
26	compressa. G.C.	compressed.	—	—	—	S. 4.
27	gracilis. G.C.	slender.	—	—	—	S. 4.
28	ramosa. G.C.	branching.	—	—	—	S. 4.
29	rigida. G.C.	rigid.	—	—	—	S. 4.
BUONAPARTEA. R.P. BUONAPARTEA. Hexandria Monogynia.						
	junceæ. R.P. (bl.)	rush-leaved.	Peru.	1800.		S. 4.

Flor. peruv. 3. t. 242.

ORDO CCXVI.

TULIPACEÆ. *Kth. synops. 1. p. 292.*

YUCCA. L.		ADAM'S-NEEDLE. Hexandria Monogynia. L.				
1	conspicua. H.S.S. (wh.)	broad rough-edged.	1810.	8. 10.	F. h.	
2	aloifolia. H.S.S. (wh.)	Aloe-leaved. W. Indies.	1696.	—	G. h.	Bot. mag. t. 1700.
3	serrulata. H.S.S. (wh.)	narrow saw-leaved. Carolina.	1808.		F. h.	
4	Draconis. H.S.S. (wh.)	drooping-leaved. —	1732.	8. 9.	F. h.	Dill. elt. t. 324. f. 417.
5	crenulata. H.S.S. (wh.)	rough-edged oblique. —	1818.		F. h.	
6	arcuata. H.S.S. (wh.)	arcuated. —	1817.		F. h.	
7	tenuifolia. H.S.S. (wh.)	slender-leaved. Malta?	—		F. h.	
8	concava. H.S.S. (wh.)	hollow-thready. N. America.	1816.	7. 8.	H. 4.	
9	filamentosa. H.S.S. (wh.)	common-thready. Virginia.	1675.	7. 10.	H. 4.	Bot. mag. t. 900.
10	flaccida. H.S.S. (wh.)	flaccid-thready. N. America.	1816.	—	H. 4.	
11	puberula. H.P. (wh.)	pubescent-stemmed. —	1822.	—	H. 4.	Swt. br. fl. gar. t. 251.
12	glaucescens. H.S.S. (wh.)	glaucous. —	1815.	7. 8.	H. 4.	— t. 53.
13	recurva. P.L. (wh.)	recurved-leaved. Georgia.	1795.	8. 9.	H. 4.	Sal. par. lond. t. 31.
14	glauca. B.M. (st.)	glaucous-leaved. Carolina.	1812.	—	H. 4.	Bot. mag. t. 2662.
15	stricta. B.M. (gr. pu.)	straight-leaved. —	1811.	—	H. 4.	— t. 2222.
16	angustifolia. H.S.S. (gr.)	narrow-leaved. Missouri.	—	—	H. 4.	— t. 2236.
17	superba. H.S.S. (wh.)	superb.		8. 10.	G. h.	Andr. reposit. t. 473.
	<i>gloriosa. A.R. nec aliorum.</i>					
18	acuminata. S.F.G. (br. w.)	tapering-flowered. America.		7. 9.	H. h.	Swt. br. fl. gar. t. 195.
19	gloriosa. H.S.S. (wh.)	handsome. —	1596.	7. 8.	H. h.	Bot. mag. t. 1260.
20	rufocincta. H.S.S. (wh.)	rufous-edged. —	1816.	—	H. 4.	
21	obliqua. H.S.S. (wh.)	oblique-leaved. —	1808.	—	H. 4.	
	<i>β major. H.S.S. (wh.)</i>	<i>larger.</i> —	—	—	H. 4.	
22	spinosa. K.S. (pu. or.)	spiny-leaved. Mexico.	1829.		G. h.	
TULIPA. L.		TULIP. Hexandria Monogynia. L.				
1	altaica. R.S. (ye.)	Altaiæ. — Altay mount.	1822.	4. 5.	H. b.	
2	saxatilis. R.S. (ye.)	rocky. Crete.	1827.	—	H. b.	Reich. ic. rar. t. 396.
3	pâdens. R.S. (wh. g. y.)	spreading-flowered. Siberia.	1829.	—	H. b.	
4	stellata. B.M. (bh. wh.)	starry. E. Indies.	1827.	3. 4.	G. b.	Bot. mag. t. 2762.
5	montana. B.R. (cr.)	mountain. Persia.	1826.	—	H. b.	Bot. reg. t. 1106.
6	biflora. S.S. (wh. vi. ye.)	two-flowered. Russia.	1806.	4.	H. b.	— t. 535.
7	tricolor. F.	three-coloured. —	1823.		H. b.	
8	Celsiana. S.S. (ye. re.)	Cels's. Levant.		6. 7.	H. b.	Bot. mag. t. 717.
	<i>Breyntiana. B.M. nec aliorum.</i>					
9	Biebersteiniâna. R.S. (y. pu.)	Bieberstein's. Siberia.	1820.	—	H. b.	
	<i>repens. F.?</i>					
10	sylvêstris. S.S. (ye.)	wild. England.		4. 5.	H. b.	Eng. bot. v. 1. t. 63.
11	turcica. Roth. (ye.)	Florentine. S. Europe.		—	H. b.	Swt. br. fl. gar. t. 186.
12	Clusiâna. R.S. (sc. wh.)	Clusius's. Sicily.	1636.	5. 6.	H. b.	Bot. mag. t. 1390.
13	maculata. R.S. (ye. gr.)	spotted-flowered. Spain.		—	H. b.	
14	mêdia. R.S. (sc. wh.)	intermediate.	1828.	—	H. b.	
15	cornuta. R.S. (va.)	horn-petaled. Levant.	1816.	5.	H. b.	Bot. reg. t. 127.
16	undulata. (sc. ve.)	wave-leaved. Whitley's.	1820.	5. 6.	H. b.	
17	ôculus sôlis. S.S. (sc. ve.)	Sun's-eye. S. Europe.	1816.	—	H. b.	Redout. liliac. t. 219.
18	pr'æcox. S.S. (sc. gr.)	early-flowering. Naples.	1825.	3. 4.	H. b.	Swt. br. fl. gar. t. 157.
19	pêrsica. (sc. ve.)	Persian. Persia.	1826.	—	H. b.	Bot. reg. t. 1143.
20	suavêolens. S.S. (sc. ye.)	Van-Thol. S. Europe.	1603.	—	H. b.	Bot. mag. t. 839.
21	pubescens. S.S. (va.)	woolly-stalked. —		—	H. b.	Swt. br. fl. gar. t. 78.
22	Gesneriâna. S.S. (va.)	common. Levant.	1577.	4. 5.	H. b.	
	<i>a coccinea. (sc. ve.)</i>	<i>scarlet-flowered. Constantinople.</i>	1816.	—	H. b.	Bot. reg. t. 380.
	<i>β versicolor. (va.)</i>	<i>various-coloured. Levant.</i>	—	—	H. b.	Bot. mag. t. 1135.
	<i>γ simploniensis. (st. pu.)</i>	<i>Sempron.</i>		—	H. b.	Swt. flor. guid. t. 53.

- 17 verticillata. F. (pu.) acute-leaved. Siberia. 1820. 4. 5. H.b.
 18 scandens. F. (st.) blunt-leaved. ——— 1827. ——— H.b.
 19 leucantha. F. (wh.) white-flowered. Altay. ——— H.b.
 20 Imperialis. w. (y.re.) Crown Imperial. Persia. 1596. 3. 4. H.b.
 a rubra. (re.) red-flowered. ——— H.b.
 β flava. (ye.) yellow-flowered. ——— H.b.
 CYCLOBO'THRA. S.F.G. CYCLOBO'THRA. Hexandria Monogynia.
 1 barbata. S.F.G. (ye.) bearded. Mexico. 1827. 7. 8. H.b. Bot. mag. t. 194.
 Fritillaria barbata. K.s. ——— t. 1215.
 2 purpurea. S.F.G. (pu.y.) purple-flowered. ——— H.b. Swt. br. fl. gar. ser. 2. t. 20.
 CALOCHO'RTUS. Ph. CALOCHO'RTUS. Hexandria Monogynia.
 1 macrocarpus. B.R. (pu.) long-fruited. Columbia. 1826. 7. 8. H.b. Bot. reg. t. 1152.
 2 nitidus. D. (pu.ye.) glossy. ——— H.b.
 AMBLI'RION. Raf. AMBLI'RION. Hexandria Monogynia.
 1 pūdicum. (ye.) dwarf. N. America. 1825. H.b. Pursh. fl. amer. t. 8.
 Lilium pūdicum. Ph. ———
 2 lanceolatum. (pu.) spear-leaved. ——— 1823. H.b.
 Fritillaria lanceolata. Ph. *Lilium affine*. R.s. ———
 3 camtschatcense. (pu.) Camtschatka. Camtschatka. 1759. 5. H.b. Linn. trans. 10. t. 11.
 Lilium camtschatcense. L.T. ———
 4 album. (wh.) white-flowered. N. America. 1825. 4. H.b.
 Fritillaria alba. N. ———
 LIL'LIUM. L. LILY. Hexandria Monogynia. L.
 1 cānidum. w. (wh.) common white. Levant. 1596. 6. 7. H.b. Bot. mag. t. 278.
 β striatum. (wh.re.) striped-flowered. H.b.
 γ spicatum. (wh.) monstrous-flowered. H.b.
 δ variegatum. (wh.) striped-leaved. H.b.
 2 peregrinum. R.S. (wh.) drooping-flowered. H.b. Hayn. getr. dars. 8. t. 27.
 3 lancifolium. R.S. (wh.) spear-leaved. Japan. 1824. F.b.
 4 longiflorum. R.S. (wh.) long-flowered. ——— 1819. 7. 9. F.b.
 β suarcolens. R.S. (wh.) one-flowered. F.b. Bot. reg. t. 560.
 5 japonicum. R.S. (wh.) Japan. 1804. F.b. Bot. mag. t. 1591.
 6 bulbiferum. R.S. (or.) bulb-bearing. Italy. 1596. H.b. ——— t. 36.
 β umbellatum. B.M. (or.) umbel-flowering. H.b. ——— t. 1018.
 7 croceum. R.S. (sn.) saffron-color'd. S. Europe. H.b. Redout. lilac. t. 210.
 8 latifolium. L.en. (or.) broad-leaved. H.b.
 9 pubescens. R.S. (or.) pubescent. H.b.
 10 spectabile. F. (or.) showy Siberian. Siberia. 1754. ——— H.b. Swt. br. fl. gar. t. 75.
 pensylvanicum. B.M. t. 872. *dauricum*. B.M. 1210. in note.
 11 monadelphum. B.M. (y.) monadelphous. Caucasus. 1800. 6. 7. H.b. Bot. mag. t. 1405.
 12 cōcolor. s.s. (sc.or.) self-coloured. ——— 1806. 7. 8. F.b. ——— t. 1165.
 13 pūmulum. s.s. (sc.) dwarf. Dahuria. 1816. 6. 8. H.b. Bot. reg. t. 132.
 linifolium. Horn. *tenuifolium*. R.S. ———
 14 andinum. N. (sc.) umbel-flowered. Andes. 1811. 7. 8. H.b. Bot. reg. t. 504.
 umbellatum. Ph. *philadelphicum* *β andinum*. B.R. ———
 15 philadelphicum. w. (or.) Philadelphian. N. America. 1757. ——— H.b. Bot. mag. t. 519.
 16 Catesb'æi. w. (sc.y.) Catesby's. Carolina. 1787. 7. 9. H.b. ——— t. 259.
 17 carolinianum. M. (ye.) Carolina. 1820. ——— H.b. Bot. reg. t. 580.
 18 canadense. B.M. (ye.) Canadian. N. America. 1629. 7. 8. H.b. Bot. mag. t. 800.
 β penduliflorum. R.L. red-flowered. ——— H.b. Redout. lil. t. 105.
 canadense *β rubra*. Bot. mag. t. 858.
 19 sup'rbum. w. (ye.) superb. ——— 1727. 6. 8. H.b. Bot. mag. t. 936.
 20 Martagon. w. (va.) Turk's-cap. Germany. 1596. 6. 7. H.b. Redout. lil. t. 146.
 α glabrum. (pu.) smooth-stalked. ——— H.b. Bot. mag. t. 1634.
 β pubescens. (pu.) hairy-stalked. ——— H.b. ——— t. 893.
 γ pallidum. H. (li.) pale-flowered. ——— H.b.
 δ elatum. H. (pu.) tall. ——— H.b.
 ε dorsipunctum. H. (pu.) spotted backed. ——— H.b.
 ζ purpureum. H. (pu.) purple. ——— H.b.
 η perpurpureum. H. (pu.) dark purple. ——— H.b.
 θ ocellare. H. (pu.) eyed. ——— H.b.
 ι petiolare. H. (pu.) petioled. ——— H.b.
 κ purpureo-plenum. H. (pu.) double purple. ——— H.b.
 λ album. H. (wh.) white-flowered. ——— H.b.
 μ albo-plenum. (wh.) double white. ——— H.b.
 21 tigrinum. B.M. (or. bh.) tiger-spotted. China. 1804. 7. 9. H.b. Bot. mag. t. 1237.
 22 pyrenaicum. s.s. (ye.) Pyrenean. Pyrenees. 1596. 6. 7. H.b. Redout. lilac. t. 145.
 23 chalcadonicum. w. (sc.) scarlet Martagon. Levant. ——— H.b. Bot. mag. t. 30.
 24 pomponium. w. (sc.) scarlet pompon. Siberia. 1629. 5. 6. H.b. ——— t. 971.

- 25 pulchellum. F. pretty. Dahuria. 1829. H.b.
GLORTOSA. L. **GLORIOSA.** Hexandria Monogynia. L.
 1 virescens. B.M. (gr.) greenish-flowered. Mozambique. 1822. 7. 8. S. 2. Bot. mag. t. 2539.
 2 superba. L. (or.) superb. E. Indies. 1690. — S. 2. Bot. reg. t. 77.
 3 simplex. L. (bl.) simple-leaved. Senegal. 1756. — S. 2.
Methonica gloriosa. Sal.
ERYTHRONIUM. L. **DOG'S TOOTH VIOLET.** Hexandria Monogynia. L.
 1 dens canis. w. (pu.) common. Europe. 1596. 3. 4. H.b. Redout. lilac. t. 194.
 2 americanum. B.M. (ye.) yellow-flower'd. N. America. 1665. 4. 5. H.b. Bot. mag. t. 1113.
lanceolatum. Ph.
 3 albidum. N. (wh.) white American. ——— 1825. — H.b.

ORDO CCXVII.

MELANTHACEÆ. *Brown prodr.* 272.

- BULBOC'ODIUM. W.** **BULBOC'ODIUM.** Hexandria Monogynia. L.
 1 verum. s.s. (li.) spring-flowering. Spain. 1629. 2. 3. H.b. Bot. mag. t. 153.
 2 versicolor. s.s. (li. ye.) various-colour'd. Russia. 1820. 9. 10. H.b. Bot. reg. t. 571.
Colchicum versicolor. B.R.
CO'LC'ICUM. S.S. **MEADOW SAFFRON.** Hexandria Trigynia. L.
 1 byzantinum. s.s. (li.) broad-leaved. Levant. 1629. 9. 10. H.b. Bot. mag. t. 1122.
 2 autumnale. E.B. (li.) common. Britain. — H.b. Eng. bot. v. 2. t. 133.
β album. (wh.) white flowered. — H.b.
γ multiplēx. (li.) double-flowered. — H.b.
 3 crociflorum. B.M. (li.) Crocus-flowered. — H.b. Bot. mag. t. 2673.
 4 variegatum. w. (std.) chequer-flowered. Greece. 1629. 8. 10. H.b. ——— t. 1028.
 5 arenarium. s.s. (li.) sand. Hungary. 1816. 9. 10. H.b. W. et K. hung. 2. t. 179.
 6 umbrinum. F. (li.) wood. Siberia. ——— H.b. Bot. reg. t. 541.
 7 montanum. s.s. (li.) mountain. S. Europe. 1818. — H.b.
UVULARIA. S.S. **UVULARIA.** Hexandria Monogynia. L.
 1 perfoliata. s.s. (gr. ye.) perfoliate. N. America. 1710. 5. 6. H. 2. Sm. exot. bot. 1. t. 49.
 2 flava. s.s. (ye.) yellow-flowered. — H. 2. ——— 1. t. 50.
 3 lanceolata. H.K. (ye.) spear-leaved. 1710. 7. 8. H. 2. Cornut. canad. t. 41.
 4 grandiflora. H.K. (ye.) large yellow. 1802. 5. 6. H. 2. Sm. exot. bot. 1. t. 51.
 5 sessilifolia. s.s. (st.) sessile-leaved. 1790. 6. H. 2. ——— 1. t. 52.
 6 puberula. s.s. (ye.) pubescent. 1818. — H. 2. Swt. br. fl. gar. s. 2. t. 21.
DISP'ORUM. D.P. **DISP'ORUM.** Hexandria Monogynia.
 1 parviflorum. D.P. (ye.) small-flowered. Nepaul. 1823. 6. 8. F. 2.
 2 pitsitum. D.P. (ye.) umbel-flowered. 1826. — F. 2.
 3 fulvum. Sal. (br. pu.) brown-flowered. China. 1801. 6. 11. F. 2. Bot. mag. t. 916.
Uvularia chinensis. E.M.
SCHELHAMM'ERA. B.P. **SCHELHAMM'ERA.** Hexandria Monogynia. S.S.
 1 undulata. B.P. (ro.) wave-leaved. N. S. W. 1825. 6. 9. F. 2. Bot. mag. t. 2712.
 2 multiflora. B.P. (ro.) many-flowered. 1826. — F. 2.
BURCHARDIA. B.P. **BURCHARDIA.** Hexandria Monogynia. S.S.
 umbellata. B.P. (wh.) umbel-flowered. N. S. W. 1825. 6. 8. F. 2.
ANGUILLARIA. B.P. **ANGUILLARIA.** Hexandria Trigynia.
 1 dioica. B.P. (br.) dioecious. N. S. W. 1826. F. 2.
 2 biglandulosa. B.P. (br.) two-glanded. 1822. 6. 8. F. 2.
 3 indica. B.P. (d. pu.) Indian. E. Indies. ——— F. 2.
Melanthium indicum. L.
ORNITHOGLOSSUM. S.S. **BIRD'S-TONGUE.** Hexandria Trigynia. S.S.
 1 undulatum. B.F.G. (g. pu.) wave-leaved. C. B. S. 1825. 8. 10. F.b. Swt. br. fl. gar. t. 131.
 2 viride. s.s. (gr. br.) green-flowered. 1788. 10. 11. F.b. Sal. par. lond. t. 54.
Melanthium viride. Bot. mag. t. 994.
ANDROC'YMBIUM. W. **ANDROC'YMBIUM.** Hexandria Trigynia. S.S.
 1 melanthioides. s.s. (gr.) narrow-leaved. C. B. S. 1825. 8. 10. F.b.
 2 eucomioides. s.s. (gr.) Tulip-leaved. 1794. 3. 5. F.b. Swt. br. fl. gar. t. 165.
Melanthium eucomioides. B.M. 641.
 3 volutare. B.T. (gr.) rolled-leaved. 1816. — F.b.
MELANTHIUM. W. **MELANTHIUM.** Hexandria Trigynia. L.
 1 janceum. w. (li.) Rush-leaved. C. B. S. 1788. 6. 11. F.b. Bot. mag. t. 558.
 2 secundum. w. (wh.) side-flowering. 1812. — F.b. Lam. ill. t. 269. f. 2.

- 3 capense. w. (wh.) spotted-flowered. C. B. S. 1768. 5. 6. F.b.
 4 ciliatū. w. (wh.) fringed. ——— 1825. — F.b.
 5 gramineum. s.s. (wh.) grassy. Barbary. 1823. — F.b. Cavan. icon. t. 587. f. 1.
KO'LBEA. R.S. **KO'LBEA.** Hexandria Trigynia.
 Breyniāna. R.S. (ye.) Breynius's. C. B. S. 1787. 6. 7. F.b. Bot. mag. t. 767.
Melanthium uniflorum. w.
WURMB'EA. W. **WURMB'EA.** Hexandria Trigynia. W.
 1 campanulata. w. (wh.) bell-flowered. C. B. S. 1788. 5. 6. F.b. Bot. mag. t. 1291.
Melanthium monopetalum. B.M.
 2 purpurea. H.K. (pu.) purple. ——— — F.b. Bot. mag. t. 694.
Melanthium spicatum. B.M. Wurmb'ea capensis. Andr. reposit. t. 221.
 3 pumila. w. (wh.) dwarf. C. B. S. 1800. 5. 6. F.b.
 4 longiflora. w. (wh.) long-flowered. ——— — F.b.
TOF'IELDIA. L.T. **TOF'IELDIA.** Hexandria Trigynia. S.S.
 1 palustris. L.T. (st.) Scotch. Britain. 7. 8. H. ȳ. Eng. bot. v. 8. t. 536.
 2 racemosa. Hop. (st.) racemed. Germany. 1827. — H. ȳ.
 3 alpina. L.T. (st.) Alpine. Europe. 7. 8. H. ȳ. Redout. lil. t. 256.
palustris. DC.
 4 pubens. L.T. (st.) downy. N. America. 1790. 4. 5. H. ȳ. Pluk. mant. 29. t. 342. f. 3.
 5 glutinosa. L.T. (ye.) glutinous. ——— 1827. — H. ȳ. Linn. trans. v. 12. t. 8. f. 2.
XEROPHYLLUM. M. **XEROPHYLLUM.** Hexandria Trigynia. S.S.
 1 gramineum. s.s. (wh.) grass-leaved. N. America. 1812. 5. 6. H. ȳ. Bot. mag. t. 1599.
Helonias graminea. B.M.
 2 tenax. s.s. (wh.) tough-leaved. ——— 1811. — H. ȳ. Pursh. amer. 1. t. 9.
 3 asphodeloides. s.s. (wh.) Asphodel-like. ——— 1765. — H. ȳ. Bot. mag. t. 748.
Helonias asphodeloides. B.M.
HEL'ONIAS. W. **HEL'ONIAS.** Hexandria Trigynia. L.
 1 bullata. w. (pu.) broad-leaved. N. America. 1758. 4. 5. H. ȳ. Bot. mag. t. 747.
latifolia. M.
 2 erythrosperma. M. (wh.) channel-leaved. ——— 1770. 6. H. ȳ. Bot. mag. t. 803.
læta. B.M. Melanthium lætum. w.
 3 angustifolia. M. (wh.) narrow-leaved. ——— 1812. — H. ȳ. Bot. mag. t. 1540.
ZIGAD'ENUS. M. **ZIGAD'ENUS.** Hexandria Monogynia. S.S.
 1 glaberrimus. w. (wh.) smooth-leaved. N. America. 1811. 5. 6. H. ȳ. Mich. amer. 1. t. 22.
Helonias glaberrima. Bot. mag. t. 1680.
 2 bracteatus. (wh.) bracted. ——— — H. ȳ. Bot. mag. t. 1703.
Helonias bracteata. B.M.
 3 elegans. Ph. (wh.) elegant. ——— 1830. 6. 7. H. ȳ.
NOL'INA. M. **NOL'INA.** Hexandria Trigynia. S.S.
 georgiana. M. (wh.) Georgian. Georgia. 1812. 7. 8. H. ȳ. Pluk. mant. t. 342. f. 1.
LEIMANTHIUM. W. **LEIMANTHIUM.** Polygamia Monœcia.
 virginicum. w. (wh.) Virginian. N. America. 1768. 6. 7. H. ȳ. Bot. mag. t. 985.
Helonias virginica. B.M. Melanthium virginicum. Ph.
 2 monoicum. (wh.) monoecious. ——— 1817. — H. ȳ.
Melanthium monoicum. Ph.
 3 hybridum. (wh.) hybrid. ——— 1822. — H. ȳ.
Melanthium hybridum. Ph. racemodsum. M.
PELIOSA'NTHE. A.R. **PELIOSA'NTHE.** Hexandria Monogynia.
 1 humilis. A.R. (gr.) small. E. Indies. 1809. 5. 6. S. ȳ. Bot. mag. t. 1532.
 2 Teta. A.R. (gr.) large. ——— 1807. 4. S. ȳ. ——— t. 1302.
CYMATION. S.S. **CYMATION.** Hexandria Trigynia. R.S.
 lævigatum. s.s. (bl.) smooth. C. B. S. 1824. 4. 5. G.b.
Lichtensteinia lævigata. w.
VER'ATRUM. L. **WHITE HELLEBORE.** Polygamia Monœcia. L.
 1 nigrum. w. (da. pu.) dark-flowered. Siberia. 1596. 6. 7. H. ȳ. Bot. mag. t. 963.
 2 album. w. (wh.) white-flowered. S. Europe. 1548. 6. 8. H. ȳ. Flor. dan. t. 1120.
 3 Lobeliānum. W. en. (wh.) Lobel's. ——— 1818. — H. ȳ.
 4 viride. w. (gr.) green-flowered. N. America. 1742. 7. 8. H. ȳ. Bot. mag. t. 1096.
 5 parviflorum. M. (gr.) small-flowered. ——— 1809. — H. ȳ.
 6 angustifolium. Ph. (gr.) narrow-leaved. ——— 1823. — H. ȳ.
CHAMÆLIRIUM. W. **CHAMÆLIRIUM.** Diœcia Hexandria.
 carolinianum. w. (st.) spiked-flowered. N. America. 1759. 7. 8. H. ȳ. Bot. mag. t. 1062.
Helonias lutea. B.M. dioica. Ph. Ophyostachys virginica. Redout. lilac. t. 464.

ORDO CCXVIII.

PONTEDEREÆ. *Kth. synops.* 1. p. 273.

- PONTEDERIA. L. PONTEDERIA. Hexandria Monogynia. L.**
1 cordata. s.s. (bl.) heart-leaved. N. America. 1759. 6. 8. H.w. 2. Bot. mag. t. 1156.
2 azurea. s.s. (pu.) large-flowered. Jamaica. 1822. — S.w. 2. — t. 2932.
3 lanceolata. s.s. (bl.) lanceolate. Carolina. 8. 9. G.w. 2. Lodd. bot. cab. t. 613.
4 angustifolia. s.s. (bl.) narrow-leaved. N. America. 1806. 6. 8. H.w. 2.
5 crassipes. s.s. (bl.) thick-footstalked. Brazil. 1822. — S.w. 2. Mart. n. pl. bras. t. 4.
4 dilatata. s.s. (bl.) spreading. E. Indies. 1806. 5. S.w. 2. Andr. reposit. t. 490.
- HETERANTHERA. R.S. HETERANTHERA. Triandria Monogynia. W.**
1 reniformis. R.S. (wh.) kidney-leaved. S. America. 1812. 6. 7. G.w. 2. Flor. per. 1. t. 71. f. a.
2 acuta. w. (wh.) acute-leaved. N. America. — H.w. 2.
3 limosa. R.S. (bl.) oval-leaved. W. Indies. 1822. — S.w. 2. Mich. amer. 1. t. 5. f. 1.
- LEPTANTHUS. M. LEPTANTHUS. Triandria Monogynia. Ph.**
 gramineus. M. (ye.) grass-like. N. America. 1823. 7. 8. H.w. 2. Hook. ex. flor. t. 94.
Heteranthera graminea, Ph. *Schöllera graminifolia*, w.

ORDO CCXIX.

COMMELINEÆ. *Brown prodr.* 1. p. 268.

- DICHORISANDRA. S.S. DICHORISANDRA. Hexandria Monogynia. S.S.**
1 thyrsiflora. s.s. (bl.) bunch-flowered. Brazil. 1820. 8. 10. S. 2. Bot. reg. t. 682.
2 gracilis. s.s. (bl.) slender. — 1824. — S. 2.
3 oxypetala. B.M. (pu.) sharp-flowered. — 1825. 6. 9. S. 2. Bot. mag. t. 2721.
4 puberula. s.s. (bl.) pubescent. — — S. 2.
- CAMPBELIA. K.S. CAMPBELIA. Hexandria Monogynia. S.S.**
 Zanonia. K.S. (wh.) Gentian-leaved. S. America. 1759. 7. 12. S. 2. Redout. lil. 4. t. 192.
Commelina Zanonia, R.L. *Tradescantia Zanonia*, w. *Zanonia bibracteata*, Cram.
- TRADESCANTIA. L. SPIDERWORT. Hexandria Monogynia. L.**
1 fuscata. s.s. (bl.) rusty. S. America. 1820. 8. 12. S. 2. Bot. reg. t. 482.
2 malabaria. s.s. (pu.) Grass-leaved. E. Indies. 1776. 7. 8. S. 2. Rheed. mal. 9. t. 63.
3 tuberosa. s.s. (bl.) tuberous-rooted. — 1817. — S. 2.
4 speciosa. s.s. (pu.) handsome. Mexico. 1825. — S. 2.
5 discolor. s.s. (wh.) purple-leaved. S. America. 1783. 4. 9. S. 2. Bot. mag. t. 1192.
6 cordifolia. s.s. (pu.) heart-leaved. Jamaica. 1822. — S. 2.
7 erecta. s.s. (bl.) upright. Mexico. 1794. 7. 8. H. 2. Bot. mag. t. 1340.
8 undata. s.s. (bl.) wave-leaved. S. America. 1817. 8. 10. H. 2.
9 pulchella. s.s. (pu.) pretty. Mexico. 1825. — G. 2.
10 crassifolia. s.s. (pu.) thick-leaved. — 1796. 7. 10. H. 2. Bot. mag. t. 1598.
11 subaspera. s.s. (bl.) Lyon's. N. America. 1812. 5. 10. H. 2. — t. 1597.
12 virginica. s.s. (bl.) Virginian. — 1629. 5. 8. H. 2. Park. parad. t. 151. f. 4.
a caerulea. (bl.) blue-flowered. — — H. 2. Bot. mag. t. 105.
β rubra. (re.) red-flowered. — — H. 2.
γ albida. (wh.) whitish-flowered. — — H. 2.
δ nivea. (wh.) snowy white. — 1824. — H. 2.
ε pilosa. B.R. (bl.) hairy. — 1827. — H. 2. Bot. reg. t. 1055.
13 congesta. H.E. (bl.) close-flowered. — 1825. — H. 2.
14 rosea. s.s. (ro.) rose-coloured. Carolina. 1802. 5. 10. H. 2. Swt. br. fl. gar. t. 181.
15 multiflora. s.s. (wh.) many-flowered. Jamaica. 1824. — S. 2.
16 crassula. B.M. (wh.) white-flowered. Brazil. 1826. 12. 1. S. 2. Bot. mag. t. 2935.
17 procumbens. s.s. (wh.) procumbent. Caracas. 1823. — S. 2. Jacq. ic. 2. t. 355.
multiflora, Jacq. non w.
- 18** parviflora. s.s. (bl.) small-flowered. Peru. 1822. — H. 2. Flor. per. 3. t. 272. f. 2.
19 latifolia. s.s. (vi.) broad-leaved. Lima. 1820. 9. 11. H. 2. — 3. t. 272.
20 divaricata. s.s. (bl.) spreading. Trinidad. — 5. 8. S. 2. Aub. gui. 1. t. 12.
21 geniculata. s.s. (wh.) knotted. W. Indies. 1783. 7. 8. S. 2. Jacq. amer. t. 64.
22 paniculata. s.s. (bl.) paniced. E. Indies. 1824. — S. 2.

CYAN'OTIS. D.P.		CYAN'OTIS.	Hexandria Monogynia.				
1	axillaris. D.P.	(bl.)	axil-flowered.	E. Indies.	1822.	8. 10. S. ⊙.	Rheed. mal. 10. t. 13.
2	cristata. D.P.	(bl.)	crest-bunched.	Ceylon.	1770.	7. 9. S. ⊙.	Bot. mag. t. 1435.
<i>Tradescantia cristata</i> . B.M.							
3	barbata. D.P.	(bl.)	bearded.	Nepaul.	1824.	— H. ⊙.	
CARTON'EMA. B.P.		CARTON'EMA.	Hexandria Monogynia.				
	spicatum. B.P.	(ye.)	spiked.	New Holland.	1822.	7. 8. S. ♀.	
CALLISIA. L.		CALLISIA.	Triandria Monogynia. L.				
	repens. L.	(gr.)	creeping.	W. Indies.	1776.	6. 7. S. ♀.	Jacq. amer. t. 11.
ANEILEMA. B.P.		ANEILEMA.	Triandria Monogynia.				
1	biflora. B.P.	(bl.)	two-flowered.	N. S. W.	1820.	7. 8. F. ♀.	
2	acuminata. B.P.	(bl.)	sharp-pointed.	—	1822.	— F. ♀.	
3	longifolia. H.E.F.	(bl.)	long-leaved.	Zanzibar.	1823.	8. 9. S. ♀.	Hook. ex. flor. t. 204.
4	sinica. B.R.	(bl.)	Chinese.	China.	1820.	5. 6. G. ♀.	Bot. reg. t. 659.
5	nudiflora. B.P.	(bl. pu.)	naked-flowered.	E. Indies.	—	8. 10. S. ⊙.	Rheed. mal. 9. t. 63.
6	spirata. B.P.	(bl.)	spoor-leaved.	—	1783.	7. 8. S. ⊙.	
<i>Commelina spirata</i> . L.							
7	affinis. B.P.	(bl.)	rough-angled.	N. S. W.	1825.	— F. ♀.	
COMMELINA. B.P.		COMMELINA.	Triandria Monogynia. L.				
1	angustifolia. R.S.	(bl.)	narrow-leaved.	Carolina.	1812.	7. 8. F. ♀.	
2	truncata. R.S.	(pa. bl.)	truncate-bracted.	—	1822.	7. 9. H. ♀.	
3	cyanea. B.P.	(bl.)	bright blue.	N. S. W.	1820.	— F. ♀.	
4	dianthifolia. DC.	(bl.)	Pink-leaved.	—	1816.	— S. ♀.	Redout. lil. 7. t. 390.
5	longicaulis. R.S.	(bl.)	long-stalked.	Caracas.	1806.	8. S. ♀.	Jacq. ic. 2. t. 294.
6	hirtella. R.S.	(bl.)	hairy.	N. America.	1820.	7. 8. H. ♀.	
7	virginica. R.S.	(bl.)	Virginian.	—	1779.	— H. ♀.	Pluk. alm. t. 174. f. 4.
8	africana. R.S.	(ye.)	yellow-flowered.	C. B. S.	1759.	5. 10. G. ♀.	Bot. mag. t. 1431.
9	fasciculata. R.S.	(bl.)	woolly tubered.	Lima.	1817.	— H. ♀.	Flor. per. 1. t. 72. f. b.
10	communis. R.S.	(bl.)	common.	America.	1732.	6. 7. H. ⊙.	Redout. lil. 4. t. 206.
11	polygama. R.S.	(bl.)	polygamous.	Japan.	—	— H. ♀.	Kämpf. am. p. 888. ic.
12	caroliniana. R.S.	(bl.)	Carolina.	Carolina.	—	— H. ♀.	
13	dubia. R.S.	(bl.)	dubious.	—	1819.	7. 9. H. ♀.	Redout. lil. 6. t. 359.
14	tuberosa. R.S.	(bl.)	tuberous-rooted.	Mexico.	1732.	— H. ♀.	Andr. reposit. t. 399.
15	coelestis. R.S.	(bl.)	sky-blue.	—	1813.	7. 10. H. ♀.	Swt. br. fl. gar. t. 3.
16	pallida. R.S.	(bl.)	pale-flowered.	Mexico.	1822.	— H. ♀.	Willd. hort. ber. 2. t. 87.
<i>rubens</i> . Redoute liliac. 7. t. 367.							
17	turbinata. R.S.	(bl.)	top-shaped.	Santa Cruz.	1824.	— S. ♀.	
18	obliqua. R.S.	(bl.)	oblique-leaved.	S. America.	1827.	— S. ♀.	
19	erecta. R.S.	(bl.)	upright.	Virginia.	1732.	8. 9. H. ♀.	Dill. elt. 94. t. 77. f. 88.
20	mollis. R.S.	(bl.)	soft.	Caracas.	1804.	— H. ♀.	Jacq. ic. 2. t. 293.
21	bengalensis. R.S.	(bl.)	Bengal.	Bengal.	1794.	6. S. ♀.	Burm. ind. t. 7. f. 3.
22	parviflora. L.en.	(bl.)	small-flowered.	—	1823.	— S. ♀.	
23	deficiens. B.M.	(bl.)	deficient.	Brazil.	1825.	1. 12. S. ♀.	Bot. mag. t. 2644.

ORDO CCXX.

PALMÆ. *Brown prodr. p. 266.*

CHAMÆD'OREA. W.		CHAMÆD'OREA.	Diœcia Hexandria. W.				
1	gracilis. W.	(st.)	slender.	Caracas.	1803.	 S. ♀.	Jacq. schœn. 2. t. 247-8.
2	fragrans. M.P.	(st.)	fragrant.	Peru.	1823.		Martius Palm. ic.
SABAL. P.S.		SABAL.	Hexandria Trigynia. P.S.				
1	Adansonii. B.M.	(st.)	dwarf.	Florida.	1810.	6. 8. S. ♀.	Bot. mag. t. 1434.
<i>Corypha minor</i> . Jacq. vind. 3. t. 8. <i>Chamærops acaulis</i> . M.							
2	Blackburniana. L.C.	(st.)	Blackburn's.	S. America.	1824.	 S. ♀.	
3	graminifolia. L.C.	(st.)	grass-leaved.	—	1822.	 S. ♀.	
4	umbraculifera. L.C.	(st.)	umbrella.	—	—	 S. ♀.	
RHA'PIS. W.		RHA'PIS.	Polygamia Monœcia. W.				
1	flabelliformis. W.	(st.)	creeping-rooted.	China.	1774.	8. S. ♀.	Bot. mag. t. 1371.
2	arundinæa. W.	(st.)	simple-leaved.	Carolina.	1765.	9. G. ♀.	
CHAMÆROPS. W.		CHAMÆROPS.	Polygamia Diœcia. W.				
*1	excelsa. L.C.	(st.)	tall.	Nepaul.	1822.	 S. ♀.	
2	gracilis. L.C.	(st.)	slender.	S. America.	—	 S. ♀.	
3	guianensis. L.C.	(st.)	Guiana.	Guiana.	1824.	 S. ♀.	
4	humilis. S.S.	(st.)	dwarf fan palm.	S. Europe.	1731.	2. 3. G. ♀.	Andr. reposit. t. 599.

5 serrulâta. s.s.	(st.) saw-leaved.	N. America.	1809.		G. h.	
6 Hy'strix. s.s.	(st.) Porcupine.	Georgia.	1801.		G. h.	
7 Palmétto. s.s.	(st.) smooth-stemm'd.	Carolina.	1809.		G. h.	
LIVISTONA. B.P.	LIVIST'ONA.	Hexandria Monogynia.	S.S.			
1 inermis. B.P.	(st.) spineless.	N. Holland.	1823.		S. h.	
2 humilis. B.P.	(st.) dwarf spiny.	—	—		S. h.	
LODOYCEA. S.S.	DOUBLE COCOA-NUT.	Diœcia Monadelphia.				
Sechellârum. B.M.	(st.) Seychelle's Island.	Seychelle's Isl.	1827.		S. h.	Bot. mag. t. 2734-2738.
LATANIA. W.	LAT'ANIA.	Diœcia Monadelphia.	W.			
1 rubra. w.	(st.) red.	Mauritius.	1788.		S. h.	Jacq. frag. 1. t. 8.
2 glaucophylla. L.C.	(st.) glaucous-leaved.	—	1821.		S. h.	
3 borbônica. w.	(st.) Bourbon.	Bourbon.	—		S. h.	Jacq. frag. 1. t. 11.
chinensis. Jacq.	Livistonæ species? B.P.					
CORYPHA. L.	FAN PALM.	Hexandria Monogynia.	W.			
1 australis. B.P.	(st.) New Holland.	N. S. W.	1822.		S. h.	
2 elâta. H.B.	(st.) tall.	E. Indies.	1820.		S. h.	
3 glaucescens. L.C.	(st.) glaucescent.	—	—		S. h.	
4 umbraculifera. w.	(st.) great.	—	1742.		S. h.	Rheed. mal. 3. t. 1-12.
5 Utân. s.s.	(st.) Molucca.	—	1822.		S. h.	
TALIERA. S.S.	TAL'IERA.	Hexandria Monogynia.	S.S.			
bengalensis. s.s.	(st.) Bengal.	E. Indies.	1822.		S. h.	
Corypha Taliera. H.B.						
PHŒNIX. W.	DATE PALM.	Diœcia Hexandria.	W.			
1 dactylifera. w.	(st.) common.	Levant.	1597.		G. h.	Kæmpf. am. 686. t. 1.2.
2 sylvestris. H.B.	(st.) wood.	E. Indies.	1820.		S. h.	
3 paludosa. H.B.	(st.) marsh.	—	—		S. h.	
4 reclinâta. w.	(st.) reclining.	C. B. S.	1792.		G. h.	Jacq. frag. 1. t. 24.
o farinifera. w.	(st.) small.	E. Indies.	1800.		S. h.	Roxb. corom. 1. t. 74.
6 acaulis. s.s.	(st.) stalkless.	—	1820.		S. h.	
7 leonensis. L.C.	(st.) African.	Sierra Leon.	—		S. h.	
8 pygmæa. L.C.	(st.) pigmy.	—	—		S. h.	
SAGUS. W.	SAGO PALM.	Monœcia Hexandria.	W.			
1 Rumphii. w.	(st.) Rumphius's.	E. Indies.	1800.		S. h.	Rumph. amb. 1. t. 17. 18.
2 vinifera. P.S.	(st.) prickly-leaved.	Africa.	1820.		S. h.	Beauv. fl. d'ow. t. 45.
3 Ruffia. w.	(st.) Madagascar.	Madagascar.	—		S. h.	Jacq. frag. p. 7. t. 4. f. 2.
4 pedunculâta. Poir.	(st.) peduncled.	—	—		S. h.	
HYPHÆNE. G.	HYPH'ÆNE.	Diœcia Hexandria.				
coriacea. G.	(st.) leathery.	Egypt.	1822.		S. h.	
Cucifera thebæica. Del.						
ARECA. W.	CABBAGE-TREE.	Monœcia Monadelphia.	W.			
1 Câtechu. w.	(st.) medicinal.	E. Indies.	1690.		S. h.	Roxb. corom. 1. t. 75.
2 humilis. w.	(st.) dwarf.	—	1814.		S. h.	Rumph. amb. 1. t. 7.
3 rubra. w.	(st.) red.	Isl. France.	1823.		S. h.	
4 crinita. w.	(st.) hairy.	—	1819.		S. h.	
5 oleracea. w.	(st.) esculent.	W. Indies.	1656.		S. h.	Jacq. amer. t. 170.
6 triandra. H.B.	(st.) three-anthered.	E. Indies.	1819.		S. h.	
7 lutescens. w.	(st.) yellowish.	Mauritius.	—		S. h.	
8 exilis. L.C.	(st.) slender.	—	1822.		S. h.	
9 Manicot. L.C.	(st.) Manicot.	—	—		S. h.	
10 montana. L.C.	(st.) mountain.	—	1819.		S. h.	
CENOCARPUS. M.P.	CENOC'RPUS.	Monœcia Hexandria.				
Batâna. M.P.	(st.) American.	S. America.	1822.		S. h.	Martius. palm. ic.
EUTERPE. G.	EUTE'RPE.	Polygamia Monœcia.				
1 globosa. G.	(st.) globular.	E. Indies.	1819.		S. h.	
Arëca spicata. Lam.						
2 pisifera. G.	(st.) Pea-bearing.	—	—		S. h.	
WALLICHIA. S.S.	WALL'CHIA.	Polygamia Monœcia.				
caryotoides. s.s.	(st.) Caryota-like.	E. Indies.	1818.		S. h.	Roxb. corom. ic.
ELAIS. W.	OILY PALM.	Diœcia Hexandria.	W.			
1 guineensis. w.	(st.) Guinea.	Guinea.	1730.		S. h.	Jacq. amer. t. 172.
2 melanococca. G.	(st.) black-fruited.	S. America.	1820.		S. h.	
3 pernambucana. L.C.	(st.) Pernambuco.	—	—		S. h.	
SYAGRUS. M.P.	SYA'GRUS.	Polygamia Monœcia.				
cocoïdes. M.P.	(st.) Cocoa-like.	Brazil.	1823.		S. h.	Mart. palm. ic.
ELATE. W.	EL'ATE.	Monœcia Hexandria.				
1 sylvestris. w.	(st.) prickly-leaved.	E. Indies.	1763.	4. 6.	S. h.	Rheed. mal. 3. t. 22-25.
ACROCOMIA. M.P.	ACROC'OMIA.	Monœcia Hexandria.				
1 sclerocarpa. M.P.	(st.) dry-fruited.	Brazil.	1822.		S. h.	Mart. palm. ic.
2 aculeata. L.C.	(st.) prickly.	W. Indies.	1796.		S. h.	Jacq. amer. 278. t. 169.
Cocos aculeata. w.						

3 fusifórmis.	(st.) great Macaw-tree.	W. Indies.	1731.		S. h.	
<i>Cocos fusifórmis</i> . w.						
4 minor. L.C.	(st.) lesser.	S. America.	1823.		S. h.	
C'OCOS. W.	COCOA-NUT-TREE. Monœcia Hexandria. W.					
1 nucifera. w.	(st.) common.	E. Indies.	1690.		S. h.	Roxb. corom. 1. t. 73.
2 flexuosa. M.P.	(st.) flexuose.	Brazil.	1823.		S. h.	Mart. palm. ic.
3 plumosa. L.C.	(st.) feathered.	W. Indies.	—		S. h.	
MAXIMILI'ANA. M.P.	MAXIMILI'ANA. Polygamia Monœcia.					
regia. M.P.	(st.) membranous-fld.	Brazil.	1822.		S. h.	Mart. palm. ic.
THR'INAX. W.	THR'INAX. Hexandria Monogynia. W.					
parviflora. w.	(st.) small.	Jamaica.	1778.		S. h.	
ASTROC'ARYUM. M.P.	ASTROC'ARYUM. Monœcia Hexandria.					
1 acule. M.P.	(st.) stalkless.	Brazil.	1823.		S. 2.	Mart. palm. ic.
2 campêtre. M.P.	(st.) field.	—	1824.		S. h.	— ic.
3 aculeatum. s.s.	(st.) prickly.	Guiana.	—		S. h.	
4 vulgare. M.P.	(st.) common.	Brazil.	1823.		S. h.	Mart. palm. ic.
5 Murumuru. M.P.	(st.) tall.	—	—		S. h.	— ic.
GEON'OMA. W.	GEON'OMA. Diœcia Hexandria.					
1 simplicifrons. w.	(st.) simple-fronded.	S. America.	1823.		S. 2.	
2 macrostachys. M.P.	(st.) large-spiked.	—	—		S. 2.	Mart. palm. ic.
3 aculis. M.P.	(st.) stalkless.	Brazil.	1822.		S. 2.	— ic.
4 pinnatifrons. w.	(st.) pinnated.	S. America.	—		S. 2.	
5 Schottiana. L.C.	(st.) Schott's.	Brazil.	—		S. 2.	
MAURIT'IA. L.	MAURIT'IA. Diœcia Hexandria. W.					
1 flexuosa. w.	(st.) flexuose.	W. Indies.	1819.		S. h.	
2 armata. M.P.	(st.) spiny.	Brazil.	1822.		S. h.	Mart. palm. ic.
3 vinifera. M.P.	(st.) straight-stem'd.	—	—		S. h.	— ic.
LICU'ALA. W.	LICU'ALA. Hexandria Monogynia. W.					
1 spinosa. w.	(st.) spiny.	E. Indies.	1802.		S. h.	Rumph. amb. 1. t. 9.
2 peltata. H.B.	(st.) peltate.	—	1819.		S. h.	
CA'LAMUS. W.	CA'LAMUS. Hexandria Monogynia. S.S.					
1 verus. s.s.	(st.) true.	E. Indies.	1820.		S. h.	Rumph. amb. 5. t. 54.
2 niger. s.s.	(st.) black.	—	—		S. h.	— 5. t. 52.
3 rudéntum. s.s.	(st.) common.	China.	1812.		S. h.	
4 Zalacca. s.s.	(st.) Java.	E. Indies.	—		S. h.	Gært. fr. 2. t. 139. f. 2.
5 albus. P.S.	(st.) common.	—	—		S. h.	Rumph. amb. 5. f. 52.
6 Draco. s.s.	(st.) Dragon.	—	1819.		S. h.	— 5. t. 58. f. 1
SEAFO'RTHIA. B.P.	SEAFO'RTHIA. Polygamia Monœcia.					
elegans. B.P.	(st.) elegant.	N. Holland.	1822.		S. h.	
CARY'OTA. W.	CARY'OTA. Monœcia Polyandria. W.					
1 urens. w.	(st.) torn-leaved.	E. Indies.	1788.		S. h.	Rheed. mal. 1. t. 11.
2 hórrida. w.	(st.) horrid.	S. America.	1820.		S. h.	
DIPLOTHEMIUM. M.P.	DIPLOTHEMIUM. Polygamia Monœcia.					
1 maritimum. M.P.	(st.) sea-side.	Brazil.	1823.		S. 2.	Mart. palm. ic.
2 campêtre. M.P.	(st.) field.	—	—		S. 2.	— ic.
ATT'ALEA. K.S.	ATT'ALEA. Monœcia Polyandria.					
1 humilis. M.P.	(st.) dwarf.	Brazil.	1823.		S. h.	Mart. palm. ic.
2 cómpita. M.P.	(st.) decked.	—	—		S. h.	— ic.
3 funifera. M.P.	(st.) rope-bearing.	—	—		S. h.	— ic.
4 excélsa. M.P.	(st.) lofty.	—	—		S. h.	— ic.
5 speciosa. M.P.	(st.) handsome.	—	1824.		S. h.	— 3. 2. ic.
6 Róssii. L.C.	(st.) Ross's.	—	—		S. h.	
7 spectabilis. L.C.	(st.) showy.	—	—		S. h.	
GOM'UTUS. S.S.	GOM'UTUS. Monœcia Polyandria.					
saccharifer. s.s.	(st.) sugar-bearing.	E. Indies.	1820.		S. h.	
MANIC'ARIA. G.	MANIC'ARIA. Polygamia Monœcia.					
saccifera. G.	(st.) bag-like.	E. Indies.	1822.		S. h.	Gært. sem. 2. t. 176.
BORA'SSUS. W.	BORA'SSUS. Diœcia Hexandria. W.					
flabellifórmis. w.	(st.) fan-leaved.	E. Indies.	1771.		S. h.	Roxb. corom. 1. t. 71. 72.
N'IPA. W.	N'IPA. Monœcia Monadelphina. W.					
fruticans. w.	(st.) shrubby.	E. Indies.	1822.		S. h.	Rumph. amb. 1. t. 16.
DESMO'NCUS. M.P.	DESMO'NCUS. Monœcia Monadelphia.					
1 polyacanthus. M.P.	(st.) many-spined.	Brazil.	1822.		S. h.	Mart. palm. ic.
2 orthacanthus. M.P.	(st.) long-spined.	—	—		S. h.	— ic.
3 americanus. L.C.	(st.) American.	S. America.	1823.		S. h.	
4 dubius. L.C.	(st.) doubtful.	—	—		S. h.	
BA'C'TRIS. W.	BA'C'TRIS. Monœcia Hexandria. W.					
1 pectinata. M.P.	(st.) pectinated.	Brazil.	1825.		S. h.	Mart. palm. ic.
2 cuspidata. M.P.	(st.) sharp-pointed.	—	—		S. h.	

3 minor. w.	(st.) lesser.	S. America.	1691.		S. h.	Jacq. amer. t. 171. f. 1.
4 macracantha. M.P.	(st.) large-spined.	Brazil.	1822.		S. h.	Mart. palm. ic.
5 major. w.	(st.) greater.	Carthageria.	1800.		S. h.	Jacq. amer. t. 171. f. 2.
6 caryotæfolia. M.P.	(st.) Caryota-leaved.	Brazil.	1825.		S. h.	Mart. palm. ic.

ORDO CCXXI.

JUNCEÆ. *Brown prodr. 1. p. 257.*

KI'NGIA. L.T.	GRASS-TREE.	Hexandria Monogynia.				
austrâlis. L.T.	(st.) southern.	N. Holland.	1830.		G. h.	
XER'OTES. B.P.	XER'OTES.	Diœcia Hexandria.				
1 flexifolia. B.P.	(st.) bending-leav'd.	N. S. W.	1819.	6. 8.	F. 2.	Thunb. diss. drac. 17. f. 2.
2 mucronata. B.P.	(st.) mucronated.	—	1823.	—	F. 2.	
3 filiformis. B.P.	(st.) filiform.	—	—	—	F. 2.	Th. dis. drac. n. 1. ic.
	<i>Dracæna filiformis.</i> Th.					
4 denticulata. B.P.	(st.) toothed.	—	1825.	—	F. 2.	
5 laxa. B.P.	(st.) loose-flowered.	—	1819.	—	F. 2.	
6 rigida. B.P.	(st.) stiff-leaved.	N. Holland.	1796.	6. 7.	F. 2.	Lodd. bot. cab. t. 798.
	<i>Lomandra rigida.</i> Lab. n. hol. 1. t. 120.					
7 montana. B.P.	(st.) mountain.	N. S. W.	1824.	—	F. 2.	
8 longifolia. B.P.	(st.) long-leaved.	—	1796.	—	F. 2.	Lab. nov. hol. 1. t. 19.
	<i>Lomandra longifolia.</i> Lab.					
9 Hy'strix. E.P.	(st.) Porcupine.	—	1823.	—	F. 2.	
10 æmula. B.P.	(st.) rival.	—	—	—	F. 2.	
11 echinata. M.C.	(st.) bristly.	N. Holland.	1824.	—	F. 2.	
PLE'EA. M.	PLE'EA.	Enneandria Trigynia. Ph.				
tenuifolia. M.	(br.) slender-leaved.	Carolina.	1812.	5. 8.	F. 2.	Bot. mag. t. 1956.
NARTHECIUM. E.B.	NARTHECIUM.	Hexandria Monogynia.				
1 ossifragum. E.B.	(ye.) Lancashire Asphodel.	Britain.		7. 8.	H. 2.	Eng. bot. v. 8. t. 535.
2 americanum. B.M.	(ye.) American.	N. America.	1811.	—	H. 2.	Bot. mag. t. 1505.
LUZULA. DC.	WOODRUSH.	Hexandria Monogynia. S.S.				
1 pilosa. R.S.	(br.) spring.	Britain.		3. 5.	H. 2.	Eng. bot. v. 11. t. 736.
2 flavescens. S.S.	(st.) yellowish.	S. Europe.	1817.	—	H. 2.	Host. gram. 3. t. 94.
3 Forstèri. DC.	(br.) Forster's.	England.		5. 6.	H. 2.	Eng. bot. v. 18. t. 1293.
4 glabrata. S.S.	(br.) smooth.	Switzerland.	1825.	—	H. 2.	Desv. j. bot. 1. t. 5. f. 3.
5 albidâ. DC.	(wh. br.) white.	—	1815.	—	H. 2.	Leers. herb. t. 13. f. 6.
6 lutea. DC.	(st.) yellow.	—	—	—	H. 2.	
7 spadicea. DC.	(da. br.) light red.	Europe.	1816.	—	H. 2.	Vill. delph. 2. t. 6.
8 parviflora. S.	(br.) small-flowered.	Switzerland.	1824.	—	H. 2.	Rost. junc. p. 26. t. 1. f. 1.
9 nivea. DC.	(wh.) snowy.	—	1770.	—	H. 2.	Scheuch. gram. t. 7. f. 7.
10 sylvatica. S.	(br. wh.) wood.	Britain.		5.	H. 2.	Eng. bot. v. 11. t. 737.
	<i>Juncus sylvaticus.</i> E.B.					
11 pallescens. S.	(br.) palish.	N. Europe.	1828.	—	H. 2.	Linn. fl. lap. t. 10. f. 2.
12 hyperborea. S.	(br.) northern.	—	—	—	H. 2.	
13 arcuata. S.	(wh. br.) fringe-bracted.	Scotland.		7.	H. 2.	Wahl. lapp. t. 4.
14 spicata. DC.	(br.) spiked.	—	—	—	H. 2.	Eng. bot. v. 17. t. 1176.
15 congesta. S.S.	(br.) close-headed.	Britain.		6.	H. 2.	Purt. suppl. t. 9.
	<i>Juncus liniger.</i> Purt.					
16 sudetica. DC.	(br.) Swedish.	Sweden.	1824.	—	H. 2.	Host. gram. 4. t. 99.
17 pediformis. DC.	(br.) foot-shaped.	S. Europe.	1822.	5. 6.	H. 2.	
18 campestris. DC.	(br.) field.	Britain.		4. 5.	H. 2.	Eng. bot. v. 10. t. 672.
19 multiflora. S.S.	(br.) many-flowered.	Europe.	1822.	5. 6.	H. 2.	
JUNCUS. DC.	RUSH.	Hexandria Monogynia. L.				
1 multicapitatus. S.	(br.) many-headed.	Scotland.		6. 7.	H. 2.	
	<i>polycéphalus.</i> E.F. non Mich.					
2 fusco-ater. S.	(br.) dark brown.	Europe.	1825.	—	H. 2.	
3 obtusiflorus. L.T.	(bh.) blunt-flowered.	Britain.		7. 8.	H. 2.	Eng. bot. v. 30. t. 2144.
4 lampocarpus. L.T.	(br.) shining-fruited.	—		—	H. 2.	— v. 30. t. 2143.
5 acutiflorus. L.T.	(br.) sharp-flowered.	—		6. 7.	H. 2.	— v. 4. t. 238.
	<i>articulatus.</i> E.B.					
6 Holoschœnus. B.P.	(br.) stripe-seeded.	N. S. W.	1824.	—	F. 2.	
7 subverticillatus. L.T.	(br.) whorled.	Britain.		7. 8.	H. 2.	Flor. dan. t. 817.
8 tenuis. S.	(gr. pu.) slender.	N. America.	1826.	—	H. 2.	
9 castaneus. E.B.	(br.) black-spiked.	Scotland.		7.	H. 2.	Eng. bot. v. 13. t. 900.

10	Jacquini. s. (br.pu.)	Jacquin's.	S. Europe.	1824.	7.	H. 2.	Jacq. fl. aust. t. 221.
	<i>biglumis.</i> Jacq.	vind. t. 4. f. 2. <i>nec aliorum.</i>					
11	<i>biglumis.</i> E.B.	(br.) two-flowered.	Scotland.		8.	H. 2.	Eng. bot. v. 13. t. 898.
12	<i>triglumis.</i> E.B.	(br.) three-flowered.	Britain.		7.	H. 2.	— v. 13. t. 899.
13	<i>capitatus.</i> S.S.	(br.g.) headed.	—		5. 7.	H. 2.	Weig. obs. t. 2. f. 5.
14	<i>supinus.</i> L.T.	(br.) dwarf.	—		7.	H. 2.	Flor. dan. t. 1099.
15	<i>uliginosus.</i> E.B.	(br.) little bulbous.	—		7. 8.	H. 2.	Eng. bot. v. 12. t. 801.
16	<i>trifidus.</i> E.B.	(br.) three-leaved.	Scotland.		—	H. 2.	— v. 21. t. 1482.
17	<i>Gésneri.</i> E.F.	(g.br.) Gesner's.	—		7.	H. 2.	— v. 31. t. 2174.
	<i>gracilis.</i> E.B. non B.P.						
18	<i>bufonius.</i> E.B.	(pa.) toad.	Britain.		6. 8.	H. 2.	Eng. bot. v. 12. t. 802.
19	<i>cœnosus.</i> L.T.	(br.) mud.	—		7. 8.	H. 2.	Flor. dan. t. 431.
20	<i>compressus.</i> L.T. (g.br.)	round-fruited.	—		—	H. 2.	Eng. bot. v. 13. t. 934.
	<i>bulbosus.</i> E.B.						
21	<i>quarrôsus.</i> E.B.	(br.) Goose-corn.	—		6. 7.	H. 2.	Eng. bot. v. 13. t. 933.
22	<i>Tenagêja.</i> S.S.	(g.br.) annual.	Europe.	1816.	—	H. 2.	Flor. dan. t. 1160.
23	<i>aristulatus.</i> M.	(br.) awned.	N. America.	1820.	—	H. 2.	
24	<i>plebeius.</i> B.P. (pa.pu.)	linear-leaved.	N. S. W.	1816.	—	F. 2.	
25	<i>planifolius.</i> B.P. (br.pu.)	flat-leaved.	—	1822.	7. 8.	F. 2.	
26	<i>pauciflorus.</i> B.P. (pa.)	few-flowered.	—	—	—	F. 2.	
27	<i>vaginatus.</i> B.P.	(st.) sheathed.	—	1823.	—	F. 2.	
28	<i>polycéphalus.</i> M.	(gr.) panicked.	N. America.	1828.	—	H. 2.	
29	<i>macrostemon.</i> S.	(gr.) large-stamened.	—	1826.	—	H. 2.	
30	<i>filiformis.</i> E.B.	(gr.) least.	Britain.		8.	H. 2.	Eng. bot. v. 17. t. 1175.
31	<i>pallidus.</i> B.P.	(pa.) pale-flowered.	N. Holland.	1829.	—	F. 2.	
32	<i>arcticus.</i> W.	(da.br.) arctic.	Scotland.		7. 8.	H. 2.	Flor. dan. t. 1095.
33	<i>bálticus.</i> S.	(br.) Baltic.	Baltic.	1821.	—	H. 2.	
34	<i>effusus.</i> E.B.	(gr.) soft.	Britain.		5. 8.	H. 2.	Eng. bot. v. 12. t. 836.
35	<i>conglomeratus.</i> E.B. (br.)	common.	—		6. 7.	H. 2.	— v. 12. t. 833.
36	<i>glaucus.</i> E.B.	(br.) glaucous.	—		7. 8.	H. 2.	— v. 10. t. 665.
37	<i>marítimus.</i> E.B.	(br.) sea-side.	—		8.	H. 2.	— v. 24. t. 1725.
38	<i>acutus.</i> E.B.	(g.br.) great sharp sea.	—		7. 8.	H. 2.	— v. 23. t. 1614.
39	<i>globulosus.</i> E.	(br.) globular.	Egypt.	1829.	—	H. 2.	
<hr/>							
? FLAGELLARIA. L.				FLAGELLARIA. Hexandria Trigynia. L.			
	<i>indica.</i> L.	(st.) Indian.	India.	1782.	6. 7.	S. 2.	Redout. lil. t. 257.
? PHILYDRUM. B.P.				PHILYDRUM. Monandria Monogynia. B.M.			
	<i>lanuginosum.</i> B.P. (ye.)	woolly.	N. S. W.	1801.	6. 7.	S.w. ♂.	Bot. mag. t. 783.
? BURMA'NNIA. L.				BURMA'NNIA. Triandria Monogynia.			
1	<i>distachya.</i> B.P.	(bl.) two-spiked.	N. S. W.	1822.	6. 8.	G.w. 2.	Burm. zeyl. t. 20. f. 1.
2	<i>biflora.</i> L.	(bl.) two-flowered.	Virginia.		9.	G.w. 2.	
? GILLIESIA. B.R.				GILLIESIA. Hexandria Monogynia.			
	<i>graminea.</i> B.R.	(st.) Grass-like.	S. America.	1824.	5. 7.	G. 2.	Bot. reg. t. 992.

ORDO CCXXII.

RESTIACEÆ. *Brown prodr. p. 243.*

X'YRIS. B.P.		X'YRIS. Triandria Monogynia. L.					
1	<i>lævis.</i> B.P.	(ye.) smooth.	N. S. W.	1819.	6. 8.	G. 2.	
2	<i>bractæata.</i> B.P.	(ye.) bracteate.	—	1825.	—	G. 2.	
3	<i>júncea.</i> B.P.	(ye.) rushy.	—	1822.	—	G. 2.	
4	<i>gracilis.</i> B.P.	(ye.) slender.	V. Diem. Isl.	1821.	—	G. 2.	
5	<i>operculata.</i> B.P.	(ye.) rush-leaved.	N. S. W.	1804.	6. 7.	G. 2.	Bot. mag. t. 1158.
6	<i>Purshii.</i>	(ye.) Pursh's.	N. America.	1825.	—	F. 2.	
	<i>indica.</i> Ph. non Vahl.						
7	<i>indica.</i> W.	(ye.) Indian.	E. Indies.	1822.	5. 7.	S. 2.	Rheed. mal. 9. t. 71.
8	<i>ancéps.</i> R.S.	(ye.) flat-edged.	Malabar.	1824.	—	S. 2.	
9	<i>americana.</i> R.S.	(bl.) blue-flowered.	Trinidad.	1825.	—	S. 2.	Aubl. guian. 40. t. 15.
10	<i>caroliniana.</i> R.S.	(ye.) Carolina.	N. America.	1812.	—	G. 2.	
11	<i>capensis.</i> R.S.	(ye.) Cape.	C. B. S.	1822.	—	G. 2.	
12	<i>brevifolia.</i> M.	(ye.) short-leaved.	Carolina.	1812.	6. 8.	F. 2.	
ERIOCAULON. L.		PIPEWORT. Triandria Trigynia. L.					
1	<i>septangulare.</i> E.B. (wh.)	jointed.	Scotland.		9.	H.w. 2.	Eng. bot. v. 11. t. 733.
2	<i>australe.</i> B.P.	(wh.) New Holland.	N. S. W.	1822.	8. 10.	G.w. 2.	

DEVĀ'UXIA. B.P.		DEVĀ'UXIA.	Monandria	Monogynia.				
1	Patersoni. B.P.	(gr.) Paterson's.	N. S. W.	1825.	6. 7.	F. 2.	Linn.trans.v.10.t.12.f.2	
	<i>Centrolepis æmula.</i> L.T.							
2	Billardiæri. B.P.	(gr.) Billardiere's.				F. 2.	Linn.trans.v.10.t.12.f.1	
	<i>Centrolepis cuspidigera.</i> L.T. <i>fascicularis.</i> Lab. nov. holl. 1. p. 7. t. 1.							
HYPOLÆNA. B.P.		HYPOLÆNA.	Diœcia	Triandria.				
1	fastigiata. B.P.	(br.) crowded.	N. S. W.	1821.	6. 8.	F. 2.		
2	exsulca. B.P.	(br.) round-stalked.				F. 2.		
LEPTOCARPUS. B.P.		LEPTOCARPUS.	Diœcia	Triandria.				
1	tênax. B.P.	(br.) tough.	N. S. W.	1824.	6. 8.	F. 2.	Lab. nov. holl. 2. t. 229.	
	<i>Schœnödum tênax fœmina.</i> Lab.							
2	imbricatus. s.s.	(br.) imbricated.	C. B. S.			G. 2.		
ELÆGIA. W.		ELÆGIA.	Diœcia	Triandria. W.				
1	júncea. w.	(br.) Rush-like.	C. B. S.	1789.	7. 8.	F. 2.	Rotth. gram.10.t.3. f.2.	
2	racemosa. w.	(br.) racemed.		1804.	5. 6.	F. 2.	Lam. ill. t. 884. f. 4.	
LEPYRODIA. B.P.		LEPYRODIA.	Diœcia	Triandria. W.				
	gracilis. B.P.	(br.) slender.	N. S. W.	1823.	5. 6.	F. 2.		
WILLDENOVIA. S.S.		WILLDENOVIA.	Diœcia	Triandria. W.				
1	striata. s.s.	(br.) striated.	C. B. S.	1816.	6. 8.	F. 2.	Th.act.hol.1790. t.2. f.1.	
2	tères. s.s.	(br.) round-stalked.		1790.		F. 2.	1790. t. 2. f.2.	
THAMNOCHORTUS. B.P.		THAMNOCHORTUS.	Diœcia	Triandria.				
1	dichotomus. B.P.	(br.) forked.	C. B. S.	1816.	6. 8.	F. 2.	Rotth. gram. t. 2. f. 1.	
2	scariosus. s.s.	(br.) scariosæ.		1822.		G. 2.	Berg. cap. t. 5. f. 8.	
RESTITIO. B.P.		ROPE-GRASS.	Diœcia	Triandria. L.				
1	australis. B.P.	(br.) southern.	V. Diem. Isl.	1812.	4. 6.	F. 2.		
2	gracilis. B.P.	(br.) slender.	N. S. W.	1823.	6. 8.	F. 2.		
3	complanatus. B.P.	(br.) flat-stemmed.				F. 2.		
4	tectorum. s.s.	(br.) thatch.	C. B. S.	1793.	5. 6.	F. 2.	Rotth.gram.10.t.3.f.2.	
5	vaginatus. s.s.	(br.) sheathed.		1816.		F. 2.		
6	fastigiatus. B.P.	(br.) crowded.	N. S. W.	1824.		F. 2.		
7	virgatus. s.s.	(br.) twiggy.	C. B. S.	1816.		F. 2.	Rotth. gram. t. 1. f. 2.	
8	paniculatus. s.s.	(br.) panicled.				F. 2.	t. 2. f. 3.	
9	lateriflorus. B.P.	(br.) side-flowering.	N. S. W.	1819.		F. 2.	Labil. nov. hol. 2. t.228.	
	<i>Calorophus elongata.</i> Lab.							
10	tetraphyllus. B.P.	(br.) four-leaved.		1825.		F. 2.	Labil. nov. hol. 2. t. 226.	

ORDO CCXXIII.

CYPERACEÆ. *Brown prodr. 1. p. 212.*

CAREX. L.		SEDGE.	Monœcia	Triandria L.				
1	dioica. w.	(br.) dioecious.	Britain.		5. 6.	H. 2.	Eng. bot. v. 8. t. 543.	
2	Davalliãna. w.	(br.) Davall's.				H. 2.	v. 30. t. 2123.	
3	pauciflora. E.B.	(st.) few-flowered.			6.	H. 2.	v. 29. t. 2041.	
4	pyrenaica. s.s.	(br.) Pyrenean.	Pyrenees.	1816.		H. 2.	Schk.caric.5.t.D.f.15.	
5	pulicaris. E.B.	(br.) Flea.	Britain.		6. 7.	H. 2.	Eng. bot. v. 15. t. 1051.	
6	Fraseriãna. H.K.	(wh.) Fraser's.	N. America.	1809.	4. 6.	H. 2.	Bot. mag. t. 1391.	
7	cyperoides. s.s.	(br.) Bohemian.	Bohemia.	1801.	6. 7.	H. 2.	Schk. caric. t. A. f. 5.	
8	fœtida. s.s.	(br.) stinking.	Switzerland.	1791.	7. 8.	H. 2.	t. Hh. f.96.	
9	incurva. E.B.	(br.) curved.	Scotland.			H. 2.	Eng. bot. v. 13. t. 927.	
10	stenophylla. s.s.	(br.) slender-leaved.	Europe.	1824.		H. 2.	Schk. caric. t. G. f. 32.	
11	chordorrhiza. s.s.	(br.) creeping-rooted.	Germany.			H. 2.	t. G. f. 31.	
12	baldensis. s.s.	(br.) three-styled.	Mount Baldo.	1829.	5. 7.	H. 2.	t. Y. f. 81.	
13	stellulata. E.B.	(br.) little prickly.	Britain.		5. 6.	H. 2.	Eng. bot. v. 12. t. 806.	
14	rosea. s.s.	(ro.) Rose.	N. America.	1812.		H. 2.	Schk. caric. Zzz. f.179.	
15	retroflœxa. s.s.	(br.) retroflexed.	Pensylvania.	1826.		H. 2.	t. Kkk.f.140.	
16	triceps. s.s.	(br.) three-headed.	N. America.	1825.		H. 2.	t. Zzz. f. 180.	
17	fœnea. s.s.	(br.) short-spiked.		1819.		H. 2.		
18	muricata. E.B.	(br.) greater prickly.	Britain.			H. 2.	Eng. bot. v. 16. t. 1097.	
19	brizoides. s.s.	(br.) Briza-like.	Germany.	1815.	5. 7.	H. 2.	Host. gram. 36. t. 47.	
20	argyrolœchin.s.s.	(wh.) silver-spiked.		1823.		H. 2.		
21	straminea. s.s.	(st.) slender-stalked.	N. America.	1803.	6. 7.	H. 2.	Sch.caric.t.Xxx.f.174.	
22	stipata. s.s.	(br.) sharp-scaled.		1820.		H. 2.	t. Hhh.f.132.	
23	Muhlenbergii.s.s.	(gr.) Muhlenberg's.		1824.		H. 2.	t. Yyy.f.178.	

24	Schrëberi. s.s.	(br.) Schreber's.	Germany.	1800.	6. 7.	H. 2.	Host. gram. 1. t. 46.
25	ovalis. E.B.	(gr.br.) oval-spiked.	Britain.		—	H. 2.	Eng. bot. v. 5. t. 306.
26	cúrta. E.B.	(wh.) white.	—		6.	H. 2.	— v. 20. t. 1386.
27	divisa. E.B.	(bk.) bracteated.	—		5. 7.	H. 2.	— v. 16. t. 1096.
28	sparganioides. s.s.	(br.) Sparganium-like.	N. America.	1822.	—	H. 2.	Schk. caric. t. Lll. f. 142.
29	arenária. E.B.	(br.) sand.	Britain.		6. 7.	H. 2.	Eng. bot. v. 13. t. 928.
30	intermedia. E.B.	(br.) soft brown.	—		5. 7.	H. 2.	— v. 29. t. 2042.
31	schenoides. w.	(br.) Schœnus-like.	Austria.	1819.	—	H. 2.	Host. gram. 1. t. 45.
32	lagopodioides. w.	(br.) Hare's-foot.	N. America.	1805.	6. 7.	H. 2.	Schk. caric. t. Yyy. f. 177.
33	elongata. E.B.	(br.gr.) elongated.	England.		5. 6.	H. 2.	Eng. bot. v. 27. t. 1920.
34	remôta. E.B.	(wh.) remote.	Britain.		—	H. 2.	— v. 12. t. 832.
35	axillâris. E.B.	(br.) axillary.	England.		—	H. 2.	— v. 14. t. 993.
36	divûsa. E.B.	(wh.) gray.	Britain.		5.	H. 2.	— v. 9. t. 629.
37	nemorôsa. s.s.	(gr.) shady wood.	Germany.		5. 7.	H. 2.	—
38	vulpina. E.B.	(gr.) great spiked.	Britain.		5. 8.	H. 2.	Eng. bot. v. 5. t. 307.
39	appressa. B.P.	(gr.) close-spiked.	N. S. W.	1802.	—	F. 2.	—
40	inversa. B.P.	(gr.) inversed.	—	1820.	—	F. 2.	—
41	scoparia. w.	(gr.) broom.	N. America.	1812.	6. 7.	H. 2.	Schk. caric. t. Xxx. f. 175.
42	multiflora. w.	(gr.) many-flowered.	—	1819.	—	H. 2.	— t. Lll. f. 144.
43	paradoxâ. w.	(gr.) paradoxical.	Germany.		—	H. 2.	— t. E. f. 21.
44	teretiûscula. E.B.	(br.) lesser-panicled.	Britain.		5. 6.	H. 2.	Eng. bot. v. 15. t. 1065.
45	paniculata. E.B.	(br.) great panicled.	England.		6. 7.	H. 2.	— v. 15. t. 1064.
46	tenella. E.F.	(br.) slender.	Scotland.		6.	H. 2.	Schk. caric. t. P. f. 104.
47	norvêgica. w.	(gr.) Norway.	Norway.	1823.	—	H. 2.	— t. S. f. 66.
48	atrata. E.B.	(bk.) black.	Britain.		6. 7.	H. 2.	Eng. bot. v. 29. t. 2044.
49	bicolor. w.	(br.ye.) two-coloured.	Switzerland.	1823.	—	H. 2.	Sch. car. t. Aaaa. f. 181.
50	pedunculata. w.	(gr.) peduncled.	N. America.	—	5. 7.	H. 2.	— t. Ggg. f. 131.
51	longifolia. B.P.	(gr.) long-leaved.	N. S. W.	—	—	F. 2.	—
52	thuringiaca. w.	(gr.) Thuringian.	Hungary.	—	—	H. 2.	Schk. caric. t. Ppp. f. 155.
53	Buxbaumii. w.	(br.) Buxbaum's.	S. Europe.	1819.	5. 6.	H. 2.	— t. X. f. 76.
54	glareosa. w.	(br.) narrow-leaved.	Norway.	—	—	H. 2.	— t. Aaa. f. 97.
55	clandestina. E.B.	(wh.) dwarf silvery.	Britain.		5.	H. 2.	Eng. bot. v. 30. t. 2124.
56	digitata. E.B.	(pu.) fingered.	England.		5. 6.	H. 2.	— v. 9. t. 615.
57	plantaginea. w.	(br.) broad-leaved.	N. America.	1805.	—	H. 2.	Schk. caric. t. U. f. 70.
58	pilulifera. E.B.	(br.) round-headed.	Britain.		4. 6.	H. 2.	Eng. bot. v. 13. t. 885.
59	montana. s.s.	(br.) mountain.	Europe.	1819.	5. 6.	H. 2.	Schk. caric. t. F. f. 29.
	collina. w.	—	—	—	—	—	—
60	ciliata. w.	(br.) fringed.	Germany.	—	—	H. 2.	Schk. caric. t. I. f. 42.
61	præcox. E.B.	(st.) vernal.	Britain.		4.	H. 2.	Eng. bot. v. 16. t. 1099.
62	tomentosa. E.B.	(st.) downy-fruited.	England.		6.	H. 2.	— v. 29. t. 2046.
63	extensa. E.B.	(gr.) long-bracted.	Britain.		—	H. 2.	— v. 12. t. 833.
64	flava. E.B.	(ye.) yellow.	—		5. 6.	H. 2.	— v. 18. t. 1294.
65	Ederi. E.B.	(ye.) Eder's.	England.		6. 7.	H. 2.	— v. 25. t. 1773.
66	alba. w.	(wh.) bristle-leaved.	Germany.	1819.	—	H. 2.	Host. gram. 1. t. 59.
67	Mielichóferi. E.B.	(gr.) loose-spiked.	Scotland.		7. 8.	H. 2.	Eng. bot. v. 32. t. 2293.
68	ferruginea. w.	(br.) ferruginous.	Europe.	1820.	6. 8.	H. 2.	Schk. caric. t. M. f. 48.
69	saxatilis. w.	(st.) rock.	N. Europe.	—	—	H. 2.	— t. I. f. 40.
70	rigida. E.B.	(bk.) rigid.	Britain.		6. 7.	H. 2.	Eng. bot. v. 29. t. 2047.
71	pûlla. E.B.	(bk.br.) russet.	Scotland.		7.	H. 2.	— v. 29. t. 2045.
72	cæspitosa. E.B.	(gr.) tufted bog.	Britain.		5. 6.	H. 2.	— v. 21. t. 1507.
73	stricta. E.B.	(br.) straight-leaved.	—		4. 5.	H. 2.	— v. 13. t. 914.
74	alpêstris. w.	(br.) Alpine.	Europe.	1804.	5. 6.	H. 2.	Schk. caric. t. G. f. 35.
75	nitida. w.	(br.) glossy.	Austria.	1805.	—	H. 2.	Host. gram. 1. t. 71.
76	umbrosa. w.	(gr.) shade.	—	1818.	6. 7.	H. 2.	— 1. t. 69.
77	granularis. w.	(gr.) grain-seeded.	N. America.	1807.	—	H. 2.	Sch. caric. t. Vvv. f. 169.
78	anceps. w.	(gr.) two-edged.	—	1805.	7. 8.	H. 2.	— t. Fff. f. 128.
79	demissa. s.s.	(br.) low.	Norway.	1825.	—	H. 2.	—
80	binêrvis. E.B.	(bk.) green-ribbed.	Britain.		6.	H. 2.	Eng. bot. v. 18. t. 1235.
81	distans. E.B.	(br.) loose.	—		—	H. 2.	— v. 18. t. 1234.
82	fûlva. E.B.	(ye.br.) tawny.	—		6. 7.	H. 2.	— v. 18. t. 1295.
83	loliacea. w.	(br.) Ray-grass-like.	Sweden.	1810.	—	H. 2.	Schk. car. t. Pp. f. 104.
84	lucôrum. W.en.	(gr.) grove.	N. America.	1825.	—	H. 2.	—
85	Michëlii. w.	(br.) Micheli's.	Europe.	1818.	—	H. 2.	Host. gram. 1. t. 72.
86	pêndula. E.B.	(gr.) great pendulous.	Britain.		5. 6.	H. 2.	Eng. bot. v. 33. t. 2315.
87	strigosa. E.B.	(gr.) loose pendulous.	—		—	H. 2.	— v. 14. t. 994.
88	depauperata. E.B.	(gr.) starved-wood.	England.		6. 7.	H. 2.	— v. 16. t. 1098.
89	pilosa. s.s.	(gr.) hairy.	Germany.	1819.	—	H. 2.	Schk. caric. t. M. f. 49.
90	panicæa. E.B.	(bk.) Pink-leaved.	Britain.		5. 7.	H. 2.	Eng. bot. v. 21. t. 1505.
91	oligocarpa. w.	(gr.) few-seeded.	N. America.	1825.	—	H. 2.	Schk. caric. t. Vvv. f. 178.

92	rostrâta. w.	(gr.) beaked.	N. America.	1818.	5. 7. H. 2.	Schk. caric. t. Hhh. f. 134
93	conglobâtâ. w.	(gr.) globular-fruited.	Hungary.	—	— H. 2.	—
94	sylvâtica. E.B.	(gr.) wood.	Britain.		5. 6. H. 2.	Eng. bot. v. 14. t. 995.
<i>Drimeja. w.</i>						
95	Pseudocypêrus. w.	(gr.) Bastard Cypress.	—		6. 7. H. 2.	Eng. bot. v. 4. t. 242.
96	júncea. s.s.	(gr.) rush-like.	N. America.	1823.	— H. 2.	—
97	palêscens. E.B.	(g. ye.) pale.	Britain.		4. 6. H. 2.	Eng. bot. v. 31. t. 2185.
98	limôsa. E.B.	(ye. gr.) green and gold.	—		6. H. 2.	— v. 29. t. 2043.
99	râsiflôra. E.B.	(bk.) loose-flowered.	Scotland.		— H. 2.	— v. 35. t. 2516.
100	capillâris. E.B.	(br.) capillary.	Britain.		7. 8. H. 2.	— v. 29. t. 2069.
101	lævigâtâ. E.B.	(gr.) smooth-stalked.	—		5. 6. H. 2.	— v. 20. t. 1387.
102	ustulâtâ. E.B.	(bk.) scorched alpine.	Scotland.		6. 7. H. 2.	— v. 34. t. 2404.
103	flexuôsa. w.	(br.) bending.	N. America.	1807.	— H. 2.	Schk. car. t. Ddd. f. 124.
104	recurva. E.B.	(bk. br.) glaucous heath.	England.		5. 6. H. 2.	Eng. bot. v. 21. t. 1506.
<i>β Micheliâna. E.B. (bk.) smooth-fruited.</i>						
105	nûtans. w.	(br.) nodding.	Austria.	1815.	6. 7. H. 2.	Host. gram. 1. t. 83.
106	acuminâtâ. w.	(br.) taper-pointed.	Istria.	1819.	— H. 2.	— 1. t. 97.
107	hirtâ. E.B.	(br.) hairy.	Britain.		5. 6. H. 2.	Eng. bot. v. 10. t. 685.
108	filifôrmis. E.B.	(bk.) slender-leaved.	—		6. 7. H. 2.	— v. 13. t. 904.
109	acûtâ. E.B.	(bk.) slender-spiked.	—		5. 6. H. w. 2.	— v. 9. t. 580.
110	paludôsa. E.B.	(bk.) lesser common.	—		— H. w. 2.	— v. 12. t. 807.
111	ripâria. E.B.	(bk.) great common.	—		4. 6. H. w. 2.	— v. 9. t. 579.
112	vesicâria. E.B.	(bk.) short-spiked.	—		5. 6. H. 2.	— v. 11. t. 779.
113	ampullâcea. E.B.	(st.) slender-beaked.	—		— H. 2.	— v. 11. t. 780.
114	bullâtâ. w.	(st.) blistered.	N. America.	1811.	6. H. 2.	Schk. caric. Uuu. f. 166.
115	hordeifôrmis. w.	(gr.) Barley-like.	France.	1805.	6. 7. H. 2.	—
116	crinîta. w.	(gr.) haired.	N. America.	1807.	— H. 2.	Schk. caric. t. Eee f. 125.
117	aquâtîlis. w.	(gr.) water.	Lapland.	1819.	— H. w. 2.	—
118	secalîna. w.	(br.) rye-like.	Europe.	1820.	— H. 2.	Schk. caric. t. Ddd. f. 121
119	salîna. w.	(br.) salt marsh.	Norway.		6. H. 2.	—
120	erîôphora. f.	(wh.) wool-bearing.	Dahuria.	1828.	— H. 2.	—
121	pentastâchys. f.	(br.) five-spiked.	Kamtschatka.	1821.	— H. 2.	—
122	côrsica. Ot.	(br.) Corsican.	Corsica.	1825.	— H. 2.	—
KOBR'ESIA. W.						
caricina. w.		(gr.) Carex-like.	Britain.		8. H. 2.	Eng. bot. v. 20. t. 1410.
<i>Schœnus monoicus. E.B. Cæx hy'brida. s.s.</i>						
SCLERIA. W.		SCLERIA.		Monœcia Triandria. W.		
1	Flagellum. s.s.	(gr.) climbing.	W. Indies.	1822.	 S. 2.	Gært. sem. 1. p. 13. t. 2.
2	latifolia. s.s.	(gr.) broad-leaved.	—	1824.	 S. 2.	—
3	verticillâtâ. s.s.	(gr.) whorled.	N. America.	1825.	6. 7. H. 2.	—
4	hirtella. s.s.	(gr.) hairy.	—	1822.	— H. 2.	—
5	auricôma. Ot.	(ye.) golden-locks.	—	1826.	7. 9. H. 2.	—
6	ciliâtâ. w.	(gr.) fringed.	—	1823.	— H. 2.	—
SCH'ÆNUS. B.P.		BOG-RUSH.		Triandria Monogynia. L.		
1	nigricans. w.	(bk.) black-headed.	Britain.		7. H. w. 2.	Eng. bot. v. 16. t. 1121.
2	pusillus. R.S.	(br.) small.	W. Indies.	1824.	7. 8. S. 2.	Swtz. fl. ind. oc. ic. t. 6.
3	mucronâtus. R.S.	(br. pu.) clustered.	S. Europe.	1781.	4. 5. H. w. 2.	Flor. græc. 1. t. 43.
4	imbêrbis. B.P.	(bk.) beardless.	N. S. W.	1818.	— F. 2.	—
5	melanostâchys. B.R.	(br.) black-spiked.	—	1822.	6. 8. F. 2.	—
CHÆTO'SPORA. B.P.		CHÆTO'SPORA.		Triandria Monogynia. S.S.		
1	ferruginea. s.s.	(br.) brown.	Switzerland.	1818.	7. 8. H. w. 2.	Host. gram. 4. t. 71.
<i>Schœnus ferrugineus. R.S.</i>						
2	turbinâtâ. B.P.	(br.) turbinate.	N. S. W.	1822.	— F. 2.	—
3	paludôsa. B.P.	(br.) marsh.	—	1824.	— F. w. 2.	—
LEPIDOSPERMA. B.P.		LEPIDOSPERMA.		Triandria Monogynia. S.S.		
1	gladiâtâ. B.P.	(br.) flat-stemmed.	N. Holland.	1819.	7. 8. F. w. 2.	Lab. nov. hol. 1. t. 12.
2	concâva. B.P.	(br.) concave.	—	1824.	— F. 2.	—
3	exaltâtâ. B.P.	(gr.) tall.	—	1816.	— H. 2.	—
DUL'CHIUM. P.S.		DUL'CHIUM.		Triandria Monogynia. S.S.		
1	spathæcum. P.S.	(br.) sheathed.	N. America.	1818.	7. 8. H. w. 2.	Pluk. alm. t. 301. f. 1.
2	canadêse. Ph.	(gr.) Canadian.	Canada.	1826.	— H. 2.	—
RHYNCHO'SPORA. R.S.		RHYNCHO'SPORA.		Triandria Monogynia. S.S.		
1	aurea. R.S.	(ye.) golden.	W. Indies.	1825.	7. 8. S. 2.	Rotth. gram. t. 21. f. 1.
2	lâxa. R.S.	(br.) loose.	N. America.	1827.	— H. w. 2.	—
3	âlba. R.S.	(wh.) white-headed.	Britain.		8. H. w. 2.	Eng. bot. v. 14. t. 985.
<i>Schœnus âlbus. E.B.</i>						
4	fûsca. R.S.	(br.) brown-headed.	—		— H. w. 2.	Eng. bot. v. 22. t. 1575.
5	distans. Ph.	(br.) filiform-leaved.	N. America.	1820.	7. 8. H. w. 2.	—
6	comâtâ. R.S.	(br.) leafy.	Brazil.	—	— S. w. 2.	—

CLADIUM. B.P.

CLADIUM. Diandria Monogynia. S.S.

- 1 Mariscus. B.P. (br.) prickly. England. 7. 8. H.w. 2. Eng. bot. v. 14. t. 950.
germānicum. R.S. *Schœnus Mariscus*. E.B.
 2 occidentāle. R.S. (br.) West Indian. W. Indies. 1824. — S.w. 2.
 3 glomerātum. B.P. (br.) close-headed. N. S. W. 1819. — F.w. 2.
 4 juncum. B.P. (br.) rushy. — 1823. — F.w. 2.
 5 schœnoides. B.P. (br.) Bogrush-like. — — F.w. 2. Lab. nov. hol. 1. t. 18.
Schœnus acutus. Lab.

FIMBRISTYLIS. B.P. FIMBRISTYLIS. Triandria Monogynia. R.S.

- 1 annua. R.S. (br.) annual. S. Europe. 1818. 7. 9. H.w. 2. Host. gram. 3. t. 63.
 2 puberula. R.S. (br.) pubescent. N. America. 1820. 7. 8. H. 2.
 3 dichõtoma. R.S. (br.) forked. E. Indies. 1817. 7. 9. S.w. 2. Rottb. gram. t. 13. f. 1.
 4 autumnālis. R.S. (br.) autumnal. N. America. 1822. 7. 9. H. 2.
 5 ferruginea. R.S. (br.) rusty. Jamaica. 1825. — S.w. 2. Sloan. hist. 1. t. 77. f. 1.

ABILDG'AARDIA. B.P. ABILDG'AARDIA. Triandria Monogynia. R.S.

- monostachya. B.P. (wh.) one-spiked. W. Indies. 1819. 6. 8. S. 2. Sloan. jam. 1. t. 79. f. 2.

ELEOCHARIS. B.P. ELEOCHARIS. Triandria Monogynia. R.S.

- 1 acuta. B.P. (br.) acute-scaled. N. S. W. 1819. 7. 8. F.w. 2.
 2 geniculata. R.S. (br.) jointed. America. — F.w. 2. Sloan. hist. 1. t. 83. f. 3.
 3 plantaginea. R.S. (br.) Plantain-like. E. Indies. 1826. 7. 9. S.w. 2. Rottb. gram. t. 15. f. 2.
 4 palustris. R.S. (br.) marsh. Britain. 7. H.w. 2. Eng. bot. v. 2. t. 131.
Scirpus palustris. E.B.

- 5 ovata. R.S. (br.) ovate. Germany. 1818. 7. 8. H.w. 2. Host. gram. 3. t. 56.

- 6 multicaulis. E.F. (br. pu.) many-stalked. Britain. 7. H.w. 2. Eng. bot. v. 17. t. 1187.
Scirpus multicaulis. E.B.

- 7 acicularis. R.S. (br.) upright needle. — — H.w. 2. Eng. bot. v. 11. t. 749.

- 8 obtusa. R.S. (br.) obtuse-scaled. N. America. 1818. 7. 8. H.w. 2.

- 9 glaucescens. R.S. (br.) glaucous. — 1819. — H.w. 2.

- 10 tenuis. R.S. (br.) slender. — — H.w. 2.

- 11 capitata. R.S. (br.) headed. America. 1824. — H.w. 2. Rottb. gram. t. 15. f. 3.

- 12 intermedia. R.S. (br.) intermediate. Pennsylvania. 1826. — H.w. 2.

ISOLEPIS. B.P. ISOLEPIS. Triandria Monogynia. R.S.

- 1 fluitans. R.S. (br.) floating. Britain. 7. 8. H.w. 2. Eng. bot. v. 3. t. 216.
Scirpus fluitans. E.B.

- 2 gracilis. (br.) knotted. N. Holland. 1820. — G.w. 2.

- nodosa. B.P. *Scirpus gracilis*. Linn. trans. 10. t. 15. f. 2.

- 3 setacea. R.S. (br. gr.) bristle-like. Britain. — H.w. 2. Eng. bot. v. 24. t. 1693.

- 4 Vahlîi. R.S. (br. gr.) Vahl's. S. America. 1828. — S.w. 2.

- 5 Micheliāna. R.S. (st.) Micheli's. S. Europe. — — H.w. 2. Host. gram. 3. t. 69.

- 6 Holoschœnus. R.S. (br.) round-headed. Britain. — H.w. 2. Eng. bot. v. 23. t. 1612.

- β australis. R.S. (br.) southern. S. Europe. — H.w. 2. Pluk. phyt. t. 40. f. 5.

- 7 romana. w. (br.) Roman. England. — H.w. 2. Jacq. aust. 5. t. 448.

- 8 complanata. R.S. (br.) flat-stemmed. E. Indies. 1820. — S.w. 2.

- 9 angularis. R.S. (br.) angular-stemmed. — 1827. — S.w. 2.

- 10 curvifolia. R.S. (br.) curve-leaved. — — S.w. 2.

- 11 pubigera. Schr. (br.) pubescent. — S.w. 2.

- 12 Ehrenbergii. Ot. (br.) Ehrenberg's. Egypt. 1825. — H.w. 2.

SCIRPUS. B.P. CLUB-RUSH. Triandria Monogynia. L.

- 1 cæspitosus. E.B. (br.) scaly-stalked. Britain. 7. H.w. 2. Eng. bot. v. 15. t. 1029.

- 2 campēstris. R.S. (pu. st.) field. S. Europe. 1824. 7. 9. H.w. 2. Hayn. term. bot. t. 25. f. 4.

- 3 pauciflorus. E.B. (br.) chocolate-headed. — 8. H.w. 2. Eng. bot. v. 16. t. 1122.
Bæothryon. R.S.

- 4 pungens. R.S. (br.) pungent. Europe. 8. 9. H.w. 2.

- 5 mucronatus. R.S. (gr. br.) mucronated. Britain. — H.w. 2. Scheuch. agr. t. 9. f. 14.

- 6 Luzulæ. R.S. (br.) clustered. E. Indies. 1776. 7. 9. S.w. 2.

- 7 lacustris. E.B. (br.) tall. Britain. 7. H.w. 2. Eng. bot. v. 10. t. 666.

- 8 glaucus. E.B. (br.) glaucous. England. 7. 8. H.w. 2. — v. 33. t. 2321.

- 9 carcinus. S.S. (br.) compressed. Britain. 7. H.w. 2. — v. 11. t. 791.
Schœnus compressus. E.B.

- 10 rufus. S.S. (br.) rusty. — 6. 7. H.w. 2. Eng. bot. v. 15. t. 1010.
Schœnus rufus. E.B.

- 11 triqueter. E.B. (re. br.) triangular. England. 8. H.w. 2. Eng. bot. v. 24. t. 1694.

- 12 carinatus. E.B. (br.) blunt-edged. — 7. 8. H.w. 2. — v. 28. t. 1983.

- 13 maritimus. E.B. (br.) salt marsh. Britain. 7. 9. H.w. 2. — v. 8. t. 542.

- 14 sylvaticus. E.B. (br. gr.) wood. — — H.w. 2. — v. 13. t. 919.

- 15 radicans. R.S. (br. gr.) rooting. Germany. — H.w. 2. Schk. in Ust. an. 4. t. 1.

- 16 atrovirens. R.S. (da. g.) dark green. N. America. 1818. — H.w. 2.

- 17 quinquangulāris. R.S. (br.) five-angled. E. Indies. 1823. S.w. 2.

- 18 thyrsoiflorus. F. (br.) thyrses-flowered. Siberia. 1821. 7. 9. H.w. 2.

CYPERUS. L.		CYPERUS. Triandria Monogynia. L.	
1	Aitōni. R.S. (br.) Aiton's.	C. B. S.	
2	articulātus. R.S. (st.) jointed.	S. America.	1820.
3	viscōsus. R.S. (gr.br.) clammy.	Jamaica.	1781.
4	tenēllus. R.S. (gr.br.) slender.	C. B. S.	1819.
5	mucronātus. R.S. (wh.) pointed.	Levant.	—
6	pannōnicus. R.S. (g.w.) dwarf.	Hungary.	1781.
7	margaritāceus. R.S. (wh.) pearl.	Guinea.	1822.
8	monocéphalus. F.I. (da.br.) one-headed.	E. Indies.	1816.
9	pygmæus. R.S. (gr.) dwarf.	—	1827.
10	filifōrmis. R.S. (br.) filiform.	Jamaica.	1825.
11	tenuis. R.S. (gr.) slender.	—	—
12	polystāchys. R.S. (br.) many-spiked.	E. Indies.	1819.
13	brūneus. R.S. (br.) brown-spiked.	W. Indies.	1826.
14	brizæus. R.S. (br.) Briza-like.	—	1824.
15	diāndrus. R.S. (br.) two-stamened.	N. America.	1827.
16	Purshii. R.S. (br.wh.) Pursh's.	—	1816.
17	Háspan. R.S. (br.) digitate-spiked.	Trinidad.	1824.
18	alternifolius. R.S. (br.) alternate-leaved.	Madagascar.	1781.
19	élegans. R.S. (re.) elegant.	Jamaica.	1801.
20	compréssus. R.S. (pu.st.) compressed.	S. America.	1819.
21	vegētus. R.S. (br.) smooth.	America.	1790.
<i>compréssus. Jacq. non w.</i>			
22	formōsus. R.S. (ye.) handsome.	N. America.	1827.
23	Luzulæ. R.S. (gr.br.) compact.	W. Indies.	
<i>polycéphalus. Lam. non L.en.</i>			
24	confertus. R.S. (ye.) crowded-spiked.	W. Indies.	1825.
25	squarrosus. R.S. (br.) globe-headed.	E. Indies.	1828.
26	paniculātus. R.S. (br.) panicked.	W. Indies.	1804.
27	flavescens. R.S. (br.ye.) yellowish.	Germany.	1776.
28	fuscus. R.S. (br.) brown.	Fulham.	—
29	conglomeratus. R.S. many-flowered.	Java.	1820.
30	erubescens. L.en. (bh.) bluish.		—
31	tuberosus. R.S. (g.pu.) tuberous-rooted.	N. America.	1827.
32	rotundus. R.S. (g.pu.) round-rooted.	Africa.	1828.
33	glāber. R.S. (br.) smooth.	S. Europe.	1820.
34	austrālis. R.S. (br.) southern.	—	—
35	Tenoreanus. R.S. (ye.) Tenore's.	Naples.	1825.
36	punctatus. R.S. (br.gr.) spotted-seeded.	E. Indies.	1820.
37	Ornithopus. R.S. (st.pu.) bird's-foot.	St. Domingo.	1824.
38	esculentus. R.S. (st.) Rush-nut.	S. Europe.	1597.
39	Hydra. M. (gr.wh.) American.	N. America.	1812.
40	Pangorei. R.S. (br.) Ceylon.	Ceylon.	1823.
41	badius. R.S. (br.) saw-leaved.	Algiers.	1800.
42	pátulus. R.S. (br.st.) spreading.	Hungary.	1818.
43	lóngus. E.B. (br.gr.) sweet.	England.	
44	procerus. R.S. (br.wh.) tall rough.	E. Indies.	1826.
45	tenuiflorus. R.S. (br.) slender-flower'd.	S. Europe.	1818.
46	Mónti. R.S. (pu.gr.) spreading-spiked.	—	—
47	Paramátta. R.S. (br.pu.) tuberous-rooted.	—	—
48	spēctabilis. Schreb. (pu.) showy.	—	1827.
49	diāndrus. R.S. (st.br.) diandrous.	N. America.	1828.
50	planifolius. R.S. (br.) flat-leaved.	W. Indies.	1824.
51	Linkianus. R.S. (br.gr.) Link's.	S. Europe.	1819.
<i>polycéphalus. L.enum. non Lam.</i>			
52	strigōsus. R.S. (br.st.) bristle-spiked.	W. Indies.	1786.
53	Michauxianus. R.S. (g.w.) Michaux's.	N. America.	1812.
54	flavicomus. R.S. (ye.) yellow-spiked.	—	1826.
55	Iria. R.S. (st.gr.) tall.	E. Indies.	1802.
56	dístans. R.S. (br.st.) distant.	W. Indies.	1820.
57	tegētum. R.S. (br.) creeping-rooted.	E. Indies.	1822.
58	gigānteus. R.S. (st.) gigantic.	Trinidad.	1824.
59	fastigiātus. R.S. (ye.) lofty.	E. Indies.	1800.
60	alopécuroides. R.S. (g.br.) fox-tailed.	C. B. S.	1804.
61	crúentus. R.S. (pu.) purple-spotted.	Arabia.	1820.
62	glomerātus. R.S. (br.) round-headed.	Italy.	1804.
63	ligulāris. R.S. (br.gr.) ligulate.	C. B. S.	1820.
64	diffōrmis. R.S. (br.) deformed.	Levant.	1819.
65	protrāctus. L.en. (br.) protracted.	Egypt.	1820.
6. 8.	G.w. 21.	—	—
—	S.w. 21.	Sloan. hist. 1. t. 81. f. 1.	—
5. 8.	S.w. 21.	Jacq. ic. 2. t. 295.	—
7. 9.	H. 21.	—	—
—	F.w. 21.	Flor. græc. 1. t. 49.	—
7. 8.	H. 21.	Jacq. aust. ap. t. 6.	—
7. 9.	S.w. 21.	—	—
—	S.w. 21.	—	—
—	S.w. 21.	Rottb. gr. 20. t. 14. f. 4-5.	—
—	S.w. 21.	—	—
—	S.w. 21.	—	—
—	S.w. 21.	Rottb. gram. t. 11. f. 1.	—
—	S.w. 21.	—	—
7. 8.	S.w. 21.	—	—
—	H.w. 21.	—	—
—	H.w. 21.	—	—
—	S.w. 21.	—	—
—	S.w. 21.	Jacq. ic. 2. t. 298.	—
5. 9.	S. 3.	Sloan. jam. 1. t. 75. f. 1.	—
—	S.w. 21.	Rottb. gram. t. 9. f. 3.	—
—	G.w. 21.	Jacq. vind. 3. t. 12.	—
7. 9.	H.w. 21.	—	—
—	S.w. 21.	Rottb. gram. t. 13. f. 2.	—
7. 9.	S.w. 21.	—	—
—	S.w. 21.	Rottb. gram. t. 6. f. 3.	—
5. 7.	S.w. 21.	Vahl. ic. pl. am. t. 12.	—
6. 9.	F.w. 21.	Flor. græc. t. 47.	—
7. 9.	H. 21.	—	—
5. 9.	S.w. 21.	Rottb. gram. t. 15. f. 7.	—
—	S.w. 21.	—	—
—	H.w. 21.	Rottb. gram. t. 7. f. 1.	—
—	H.w. 21.	Scheuch. agrost. t. 9. f. 3.	—
—	H.w. 21.	Reich. ic. C. 3. t. 204.	—
—	H. 21.	Segnier. veron. 3. t. 2. f. 2.	—
—	H.w. 21.	Reich. ic. C. 3. t. 212.	—
—	S.w. 21.	Pluck. t. 192. f. 3.	—
—	S.w. 21.	—	—
7.	H. 21.	Host. gram. 3. t. 75.	—
—	H. 21.	—	—
7. 9.	S.w. 21.	Rottb. gram. t. 7. f. 3.	—
—	F.w. 21.	Desf. atl. 1. t. 7. f. 2.	—
—	H.w. 21.	Host. gram. 3. t. 74.	—
7.	H.w. 21.	Eng. bot. v. 19. t. 1309.	—
7. 9.	S.w. 21.	Rheed. mal. 12. t. 50.	—
7. 8.	H.w. 21.	Jacq. ic. 2. t. 296.	—
—	H.w. 21.	Host. gram. 4. t. 67.	—
—	H.w. 21.	—	—
—	H.w. 21.	—	—
—	H.w. 21.	Sloan. his. 1. t. 74. f. 2. 3.	—
6. 8.	H.w. 21.	—	—
7. 9.	S.w. 21.	—	—
—	H.w. 21.	—	—
—	H.w. 21.	—	—
7.	S.w. 21.	Rheed. mal. 12. t. 56.	—
7. 8.	S.w. 21.	Jacq. ic. t. 299.	—
—	S.w. 21.	—	—
—	S.w. 21.	Rudg. guian. t. 21.	—
5. 8.	S.w. 21.	Rottb. gram. t. 7. f. 2.	—
—	G.w. 21.	—	—
—	S.w. 21.	—	—
—	H. 21.	Segu. ver. 3. p. 68. t. 2. f. 2.	—
—	G.w. 21.	Rottb. gram. t. 11. f. 2.	—
6. 8.	S.w. 21.	Flor. græc. t. 46.	—
—	H.w. 21.	Delil. æg. 152. t. 5. f. 3.	—

66	dives. s.s.	(ye.) large-bracted.	Egypt.	1820.	7.	H.w.⊙.	Delil. æg. 149. t. 4. f. 3.
67	chlorostachys. Stev.	(gr.) green-spiked.	Siberia.	1823.	—	H.w. 7.	
68	múltiplex. Lk.	(br.) many-spiked.		1829.	—	H.w. 7.	
69	scáber. Lag.	(br.) rough.	Spain.	1823.	—	H.w.⊙.	
70	xanthócoma. Ot.	(ye.) yellow-haired.	Sicily.	1829.	—	H.w. 7.	
PAPYRUS. S.S. PAPER-RUSH. Triandria Monogynia. S.S.							
1	antiquórum. s.s. (br.y.)	common.	Egypt.	1802.	7. 9.	S.w. 7.	Michel. gen. pl. t. 19.
<i>Cyperus Papyrus. r.s.</i>							
2	laxiflórus. s.s.	(br.) loose-flowered.	Madagascar.	1822.	—	S.w. 7.	
3	odorátus. s.s.	(st.) fragrant.	W. Indies.	1819.	—	S.w. 7.	Rudg. guian. p. 17. t. 20.
MARI'SCUS. R.S. MARI'SCUS. Triandria Monogynia. R.S.							
1	capilláris. R.S. (st.br.)	capillary.	Trinidad.	1824.	7. 10.	S.w. 7.	
2	aggregátus. R.S. (g.br.)	clustered.		1820.	7. 9.	S.w. 7.	
3	l'avis. B.P.	(br.g.) smooth.	N. S. W.	1819.	6. 8.	G.w. 7.	
4	ovuláris. R.S. (br.g.)	oval-spiked.	Carolina.	1818.	—	F.w. 7.	Pluk. alm. t. 91. f. 4.
5	retrofráctus. R.S. (st.pu.)	retrofracted.	N. America.	1827.	—	H.w. 7.	— t. 415. f. 4.
6	umbellátus. R.S. (br.g.)	umbelled.	E. Indies.	1789.	—	S.w. 7.	Rottb. gram. t. 4. f. 2.
7	elátus. R.S. (br.g.)	tall.	—	1805.	—	S.w. 7.	Jacq. ic. 2. t. 300.
8	conflexus. L.en. (br.g.)	contracted.	Brazil.	1819.	7. 8.	S.w. 7.	
KYLLINGA. W. KYLLINGA. Triandria Monogynia. L.							
1	monocéphala. R.S. (wh.)	one-headed.	India.	1793.	6. 7.	S.w. 7.	Rottb. gram. t. 4. f. 4.
2	crucifórmis. R.S. (wh.)	cross-formed.	E. Indies.	1825.	—	S.w. 7.	Swartz. hort. gott. ic.
3	intermédia. B.P. (wh.)	intermediate.	N. S. W.	1822.	—	G.w. 7.	
4	triceps. R.S. (wh.pu.)	three-headed.	E. Indies.	1776.	9. 11.	S.w. 7.	Rottb. gram. t. 4. f. 6.
5	uncinátá. L.en. (gr.)	hook-seeded.	Brazil.	1820.	7. 8.	S.w. 7.	
6	odorátá. R.S. (gr.)	fragrant.	S. America.	1822.	—	S.w. 7.	
7	polycéphala. L.en. (wh.)	many-headed.	Brazil.	1820.	—	S.w. 7.	
FUIR'ENA. B.P. FUIR'ENA. Triandria Monogynia. L.							
1	umbellátá. R.S. (br.)	umbelled.	W. Indies.	1822.	6. 8.	S.w. 7.	Rottb. gram. t. 19. f. 3.
2	glomerátá. R.S. (pu.g.)	crowded.	E. Indies.	1827.	—	S.w.⊙.	— t. 17. f. 1.
EL'YNA. R.S. EL'YNA. Triandria Monogynia. R.S.							
	spicátá. R.S. (br.)	simple-spiked.	Europe.	1819.	6. 8.	H.w. 7.	Vill. delph. 2. t. 6.
<i>Carex Bellardi.</i> Host. gram. 4. t. 77.							
TRICHO'PHORUM. P.S. TRICHO'PHORUM. Triandria Monogynia. P.S.							
1	cyperinum. P.S. (br.st.)	cyperine.	N. America.	1802.	5. 9.	H.w. 7.	Pluk. mant. t. 419. f. 3.
2	alpinum. P.S. (br.st.)	Alpine.	Scotland.		7.	H.w. 7.	Eng. bot. v. 5. t. 311.
<i>Eriophorum alpinum.</i> E.B.							
ERIO'PHORUM. L. COTTON-GRASS. Triandria Monogynia. L.							
1	vaginátum. E.B. (br.)	Hare's-tail.	Britain.		3. 4.	H.w. 7.	Eng. bot. v. 13. t. 873.
2	capitátum. E.B. (br.)	round-headed.	Scotland.		8. 9.	H.w. 7.	— v. 34. t. 2387.
3	grácile. E.B. (bk.g.)	slender.	—		7. 8.	H.w. 7.	— v. 34. t. 2402.
4	angustifólium. (pu.g.)	narrow-leaved.	Britain.		4. 5.	H.w. 7.	— v. 8. t. 564.
5	virgínicum. R.S. (pu.g.)	Virginian.	N. America.	1802.	5. 8.	H.w. 7.	Pluk. alm. t. 299. f. 4.
6	polystachion. E.B. (pu.g.)	broad-leaved.	Britain.		4.	H.w. 7.	Eng. bot. v. 8. t. 563.
7	pubéscens. E.F. (bk.)	pubescent.	—		4. 5.	H.w. 7.	

ORDO CCXXIV.

GRAMINEÆ. Juss. gen. p. 28.

REMIR'EA. R.S. REMIR'EA. Triandria Monogynia.							
	marítima. R.S.		sea-side.	America.	1822.	7. 8.	G.w. 7. Aubl. guian. 1. t. 16.
NARDUS. R.S. MAT-GRASS. Triandria Monogynia. L.							
	stricta. E.B.		upright.	Britain.		6. 7.	H.w. 7. Eng. bot. v. 5. t. 290.
ORYZO'PSIS. M. ORYZO'PSIS. Triandria Monogynia. R.S.							
	asperifolia. M.		rough-leaved.	N. America.	1822.	7. 8.	H. 7. Mich. amer. 1. t. 9.
LYG'EUM. R.S. LYG'EUM. Triandria Monogynia. L.							
	Spártum. R.S.		rush-leaved.	Spain.	1776.	5. 6.	H. 7. Schreb. gram. t. 52. 53.
CORNUCOPIÆ. R.S. HORN OF PLENTY. Triandria Monogynia. L.							
	cucullátum. R.S.		hooded.	Levant.	1788.	8.	H.⊙. Flor. græc. 1. t. 51.
CEN'CHRUS. R.S. CEN'CHRUS. Triandria Monogynia. L.							
	1 tribulóides. R.S.		spinous.	N. America.	1818.	5. 8.	H.⊙. Sloan. hist. 1. t. 65. f. 1.
	2 echinátus. R.S.		rough-spiked.	W. Indies.	1691.	8. 12.	S. ♂. Cavan. ic. 5. p. 39. t. 462.
	3 austrális. B.P.		New Holland.	N. S. W.	1822.	6. 8.	H.⊙.

PENNISSETUM. R.S.		PENNISSETUM. Triandria Monogynia. R.S.	
1	setosum. R.S. setose.	W. Indies.	1804. 7. 8. H.⊙.
2	polystachyum. R.S. many-spiked.	E. Indies.	— H.⊙.
3	cenchroides. R.S. ciliated.	C. B. S.	1777. 7. 8. H.⊙.
<i>Cénchrus ciliaris</i> . L.			
4	orientale. R.S. oriental.	Levant.	1819. — F. 7.
5	violaceum. R.S. violet-spiked.	Senegal.	1829. — S.⊙.
6	compressum. B.P. flat-stemmed.	N. S. W.	1820. — H. 7.
7	holcoides. R.S. Holcus-like.	E. Indies.	1823. — S.⊙.
<i>Panicum holcoides</i> . F.I.			
8	barbatum. R.S. bearded.	—	— S.⊙.
9	dichotomum. R.S. forked.	Egypt.	1824. — H. 7.
10	nepalense. s.s. Nepaul.	Nepaul.	1822. — H.⊙.
11	asperum. R.S. rough-leaved.	C. B. S.	1823. — G. 7.
PENICILLARIA. R.S.		PENICILLARIA. Polygamia Monocia. W.	
1	spicata. R.S. spiked.	E. Indies.	1592. 6. 7. H.⊙.
2	alopeuroides. Fox-tail.	Jamaica.	1739. 7. 10. H.⊙.
<i>ciliata</i> . W.en. <i>cylindrica</i> . R.S. <i>Panicum alopecuroides</i> . L. <i>Alopecurus indicus</i> . L.			
SETARIA. R.S.		SETARIA. Triandria Digynia. R.S.	
1	sericea. R.S. silky.	W. Indies.	1780. 5. 9. H.⊙.
2	verticillata. R.S. rough.	England.	 7. 8. H.⊙.
3	viridis. R.S. green.		 H.⊙.
<i>Panicum viride</i> . E.B. <i>Pennisetum viride</i> . B.P.			
4	pumila. R.S. dwarf.		1819. — H.⊙.
5	macrochaeta. R.S. long-spiked.		— H.⊙.
6	purpurascens. R.S. purplish.	S. America.	1822. — H.⊙.
7	intermedia. R.S. intermediate.	E. Indies.	1819. 8. 10. H.⊙.
8	Weinmanni. R.S. Weinman's.	Teneriffe.	1816. — H.⊙.
9	glauca. R.S. glaucous.	S. Europe.	1771. 7. 8. H.⊙.
10	helvola. R.S. pale red.	E. Indies.	1822. 8. 10. H.⊙.
11	corrugata. R.S. rugged-flowered.	Carolina.	1828. — H.⊙.
12	erubescens. R.S. blush.	S. America.	1822. — H.⊙.
13	geniculata. R.S. jointed.	Antilles.	1805. 7. 8. H.⊙.
14	maritima. R.S. sea-side.		1818. — H.⊙.
15	germanica. R.S. German.	Germany.	1548. — H.⊙.
16	italica. R.S. Italian.	Italy.	1616. — H.⊙.
<i>Panicum italicum</i> . Host. gram. 4. t. 14. <i>Pennisetum italicum</i> . B.P.			
17	composita. R.S. compound.	S. America.	1823. — H.⊙.
18	cylindrica. R.S. cylindrical.		— H.⊙.
19	setosa. R.S. bristly.	W. Indies.	1822. — H.⊙.
20	polystachia. R.S. many-spiked.	Brazil.	1824. — S. 7.
21	tenacissima. R.S. tough.		1819. — H.⊙.
22	Pennisetum. R.S. Indian.	E. Indies.	1820. 6. 8. S.⊙.
23	scandens. R.S. climbing.		— H.⊙.
24	caudata. R.S. tailed.	Trinidad.	1824. — H.⊙.
25	muricata. R.S. sea-side.	N. America.	1819. — H.⊙.
26	auricomma. Lk. golden-headed.		1826. — H.⊙.
ANTHOXANTHUM. R.S.		SPRING-GRASS. Diandria Digynia. L.	
1	odoratum. E.B. sweet-scented.	Britain.	 5. H. 7.
<i>β laxum</i> loose-spiked.		—	 H. 7.
<i>γ pubescens</i> downy-spiked.		—	 H. 7.
<i>δ ramosum</i> branching-spiked.		—	 H. 7.
2	amarum. R.S. bitter.	S. Europe.	1810. 7. H. 7.
3	gracile. R.S. slender.	Italy.	1825. 7. 8. H.⊙.
4	ovatum. R.S. oval-spiked.	Spain.	1824. — H.⊙.
SPARTINA. R.S.		SPARTINA. Triandria Monogynia. R.S.	
1	cynosuroides. R.S. Dog's-tail.	N. America.	1781. 8. 9. H. 7.
<i>Dactylis cynosuroides</i> . L. <i>Trachynotia cynosuroides</i> . M. <i>Limnætis cynosuroides</i> . P.S.			
2	stricta. R.S. upright.	Britain.	 8. H. 7.
<i>Dactylis stricta</i> . E.B. <i>Limnætis pungens</i> . P.S.			
3	glabra. R.S. smooth.	N. America.	1827. — H. 7.
4	alterniflora. R.S. alternate-flower'd.	S. Europe.	— H. 7.
5	polystachia. R.S. many-spiked.	N. America.	1781. 8. 9. H. 7.
6	pumila. R.S. dwarf.	—	1820. — H. 7.
7	pectinata. pectinated.	—	1827. — H. 7.
8	junceæ. R.S. rushy.	—	1781. 7. 8. H. 7.
9	pâtenis. R.S. spreading.	—	— H. 7.
10	geniculata. R.S. jointed.	Java.	1822. — S. 7.
11	arundinæa. R.S. Reed-like.	Tristan d'Acunha.	1820. — G. 7.

Rumph. amb. 6. t. 7. f. 2.
Giseck. ic. 1. t. 23.

Delil. ægyp. t. 8. f. 3.

Pluk. alm. t. 32. f. 4.
— t. 92. f. 5.

Eng. bot. v. 13. t. 874.
— v. 13. t. 875.

Host. gram. 2. t. 16.

Host. gram. 2. t. 15.
Rumph. amb. 3. t. 76. f. 2.

Eng. bot. v. 9. t. 647.
Loes. ic. 22.

Trin. ic. gram. t. 14.
— t. 13.

Linn. fil. fasc. 1. t. 9.
Eng. bot. v. 6. t. 380.

Burm. ind. t. 12. f. 3.

ZO'YSIA. R.S.	ZO'YSIA. Triandria Digynia. W.			
pungens. R.S.	E. Indies. 1819.	6. 8. S. 4.		
LE'ERSIA. B.P.	LE'ERSIA. Triandria Digynia. W.			
1 oryzoides. S.S.	Rice-like. S. Europe. 1793.	7. 8. H.w. 2.	Host. gram. 1. t. 35.	
2 virginica. S.S.	Virginian. N. America. —	— H.w. 2.		
3 australis. B.P.	southern. N. S. W. 1819.	— H.w. 2.		
4 lenticularis. S.S.	round-glumed. N. America. 1825.	— H.w. 2.		
5 brasiliensis. R.S.	Brazilian. Brazil. 1826.	— S.w. 2.		
PER'OTIS. R.S.	PER'OTIS. Triandria Digynia. W.			
latifolia. R.S.	broad-leaved. E. Indies. 1777.	8. 9. S. 0.	Rheed. mal. 12. t. 62.	
ALOPECURUS. R.S.	FOXTAIL-GRASS. Triandria Digynia. L.			
1 agrestis. E.B.	slender. Britain.	7. 8. H. 0.	Eng. bot. v. 12. t. 848.	
2 utriculatus. R.S.	bladdered. Italy. 1777.	— H. 0.	Flor. græc. t. 63.	
3 echinatus. R.S.	rough. C. B. S. 1822.	— G. 0.		
4 pratensis. E.B.	meadow. Britain.	5. H. 2.	Eng. bot. v. 11. t. 759.	
5 nigricans. R.S.	blackish. Europe. 1815.	6. 7. H. 2.	Jacq. ecl. gram. t. 13.	
<i>Tauntoniensis</i> . Sinc. gr. wob. p. 232.				
6 trivialis. S.O.	long-awned. Bohemia. 1827.	— H. 2.		
7 scaber. S.O.	scabrous. —	— H. 2.		
8 Giesekeanus. R.S.	Gieseke's. N. Europe. 1828.	— H. 2.	Flor. dan. t. 1565.	
<i>ovatus</i> . F.D. non Forst.				
9 geniculatus. E.B.	floating. Britain.	5. 8. H.w. 2.	Eng. bot. v. 18. t. 1250.	
10 fulvus. E.B.	orange-spiked. England.	6. H.w. 2.	— v. 21. t. 1467.	
11 alpinus. E.B.	Alpine. Scotland.	5. 6. H. 2.	— v. 16. t. 1126.	
12 ramosus. R.S.	branching. N. America. 1823.	— H. 2.		
13 arundinaceus. R.S.	Reed-like. 1819.	— H. 2.		
14 macrostachyos. S.S.	large-spiked. Barbary. 1824.	6. 8. H. 2.		
15 bulbosus. E.B.	bulbous. England.	7. H. 2.	Eng. bot. v. 18. t. 1249.	
16 colobachnoides. R.S.	Siberian. Siberia. 1826.	6. 7. H. 2.		
17 Gerardi. Trin.	Gerard's. S. Europe. 1820.	6. 8. H. 2.	Jacq. ic. t. 301.	
<i>Phlœum Gerardi</i> . R.S.				
PHL'ÆUM. R.S.	CAT'S-TAIL-GRASS. Triandria Digynia. L.			
1 pratense. R.S.	common. Britain.	7. H. 2.	Eng. bot. v. 15. t. 1076.	
a majus. S.G.W.	greater. —	— H. 2.	Sinc. gr. wob. p. 195. ic.	
β minus. S.G.W.	lesser. —	7. 8. H. 2.	— p. 197. ic.	
2 nodosum. W.	knotted. —	7. 9. H. 2.	Flor. dan. t. 380.	
3 Bertolonii. R.S.	Bertoloni's. France. 1818.	— H. 2.		
4 alpinum. R.S.	alpine. Scotland.	7. H. 2.	Eng. bot. v. 8. t. 519.	
5 commutatum. R.S.	confused. Piedmont. 1819.	— H. 2.		
6 felinum. R.S.	Grecian. Greece. 1822.	— H. 0.		
7 echinatum. R.S.	hedgohog. Dalmatia. —	8. 9. H. 0.	Host. gram. 3. t. 11.	
ACHNODONTON. R.S.	ACHNODONTON. Triandria Digynia. R.S.			
1 Bellardi. R.S.	bulbous. Spain. 1798.	6. 7. H. 0.		
<i>Phalaris Bellardii</i> . w. bulbosa. L.				
2 tenue. R.S.	slender. S. Europe. 1826.	— H. 0.	Host. gram. t. 36.	
3 arenaria. L.en.	sand. Britain.	6. 7. H. 0.	Eng. bot. v. 4. t. 222.	
<i>Phalaris arenaria</i> . E.B. <i>Phlœum arenarium</i> . F.D. t. 915. <i>Chilochloa arenaria</i> . R.S.				
CHILOCHLOA. R.S.	CHILOCHLOA. Triandria Digynia. R.S.			
1 Bœhméri. R.S.	Phalaris-like. England.	7. 9. H. 2.	Eng. bot. v. 7. t. 459.	
<i>Phalaris phleoides</i> . E.B. <i>Phlœum phalaroides</i> . Kœl. <i>Bœhméri</i> . w.				
2 cuspidata. R.S.	sharp-pointed. Tyrol. 1824.	7. 8. H. 2.	Host. gram. 4. t. 20.	
3 Michëlii. L.en.	Micheli's. Scotland.	6. 7. H. 2.	Eng. bot. v. 32. t. 2265.	
<i>Phlœum Michëlii</i> . E.B.				
4 aspera. R.S.	rough. England.	7. H. 0.	Eng. bot. v. 15. t. 1077.	
<i>Phlœum paniculatum</i> . E.B. <i>Phlœum asperum</i> . Jacq. ic. t. 14. <i>Phalaris aspera</i> . w.				
5 annua. R.S.	annual. Caucasus. 1825.	7. 8. H. 0.		
SCHMI'DTIA. S.S.	SCHMI'DTIA. Diandria Digynia. S.S.			
sùbtilis. S.S.	close umbelled. Bohemia. 1824.	6. 8. H. 0.	Tratt. fl. aus. t. 451.	
<i>Coleanthus sùbtilis</i> . R.S.				
POLYPOGON. R.S.	POLYPOGON. Triandria Digynia. W.			
1 monspeliensis. R.S.	chaffy. Britain.	7. 8. H. 0.	Eng. bot. v. 24. t. 1704.	
<i>Agróstit panicea</i> . E.B.				
2 littoralis. E.F.	sea-side. —	8. H. 2.	Eng. bot. v. 18. t. 1251.	
3 Lagascæ. R.S.	Lagasca's. Spain. 1824.	— H. 2.		
4 maritimus. R.S.	shore. S. Europe. 1822.	— H. 0.		
5 glomeratus. R.S.	clustered. N. America. —	7. 8. H. 2.		
6 tatàricus. F.	Tartarian. Tartary. 1825.	— H. 0.		
CER'ESIA. P.S.	CER'ESIA. Triandria Digynia. P.S.			
élegans. P.S.	elegant. Peru. 1818.	8. 9. H. 2.	Jacq. frag. t. 86.	
<i>Paspalum membranaceum</i> . S.S.				

PA'SPALUM. W.	PA'SPALUM.	Triandria Digynia. L.			
1 dissectum. s.s.	dissected.	S. America. 1822.	8. 10.	H. ⊙.	
2 scrobiculatum. s.s.	dimpled.	E. Indies. 1778.	7. 9.	S. 4.	Hout. n. his. t. 89. f. 3.
3 stoloniferum. s.s.	purple.	Peru. 1794.	—	G. 4.	Jacq. ic. 2. t. 302.
4 paniculatum. s.s.	panicked.	W. Indies. 1782.	—	S. ⊙.	Sloan. hist. 1. t. 72. f. 2.
5 virgatum. s.s.	twiggy.	— 1822.	—	S. 4.	— 1. t. 69. f. 2.
6 l'ave. M.	smooth.	N. America. 1818.	—	H. 4.	Lecomt. pasp. t. 91.
7 mucronatum. R.S.	mucronate.	— 1825.	—	H. ⊙.	
8 Lecomteanum. R.S. ..	Lecomte's.	— 1827.	—	H. 4.	Lecomt. pas. t. 91.
9 latifolium. R.S.	broad-leaved.	—	—	H. 4.	
10 platense. R.S.	Monte Video.	Monte Video. 1824.	—	H. 4.	
11 difforme. R.S.	deformed.	N. America. 1818.	7. 9.	H. 4.	Lecomt. pas. t. 91. p. 284.
12 pusillum. R.S.	small.	St. Thomas. 1822.	—	S. 4.	
13 conjugatum. s.s.	conjugate.	W. Indies. —	—	S. 4.	Gært. fruct. 2. t. 80. f. 4.
14 notatum. s.s.	two-spiked.	— 1776.	7.	S. 3.	Swartz obs. t. 2. f. 1.
15 vaginatum. R.S.	sheathed.	— 1824.	—	S. 4.	
16 platycaule. R.S.	flat-stalked.	—	—	S. 4.	
17 molle. s.s.	soft.	St. Thomas. 1822.	—	S. 4.	
18 Kora. R.S.	smooth-flowered.	E. Indies. 1818.	7. 8.	S. 4.	
19 longiflorum. R.S.	long-flowered.	— 1824.	—	S. 4.	
20 setaceum. M.	bristly.	N. America. —	—	H. 4.	
21 pilosum. R.S.	hairy.	S. America. 1826.	—	S. 4.	
22 incertum. R.S.	uncertain.	 1812.	—	H. 4.	
23 dubium. s.s.	doubtful.	 1818.	—	H. 4.	
24 glabrum. s.s.	smooth.	W. Indies. 1823.	—	S. 4.	
25 tenellum. w.	elegant.	 1817.	—	S. 4.	
<i>élégans. s.s.</i>					
26 laxum. R.S.	loose.	S. America. 1819.	—	S. 4.	
27 inæquale. L. en.	unequal-valved.	Manilla. 1822.	—	S. 4.	
AMPHIPOGON. B.P.	AMPHIPOGON.	Triandria Digynia. S.S.			
strictus. B.P.	upright.	N. S. W. 1823.	5. 6.	G. 4.	
GASTRIDUM. R.S.	GASTRIDUM.	Triandria Digynia. R.S.			
1 australe. R.S.	yellow.	England.	8.	H. 4.	Eng. bot. v. 16. t. 1107.
<i>Milium lendigerum. E.B.</i>					
2 muticum. R.S.	beardless.	Sicily. 1819.	7. 8.	H. ⊙.	
CHÆTURUS. R.S.	CHÆTURUS.	Triandria Digynia. R.S.			
fasciculatus. R.S.	fascicled.	S. Europe. 1815.	7. 9.	H. ⊙.	
MILIUM. R.S.	MILLET-GRASS.	Triandria Digynia. L.			
1 nigricans. R.S.	Guinea maize.	Peru. 1824.	6. 8.	H. ⊙.	
2 effusum. E.B.	common.	Britain.	6. 7.	H. 4.	Eng. bot. v. 16. t. 1106.
3 vernale. R.S.	vernal.	Caucasus. 1819.	4. 5.	H. ⊙.	
4 scabrum. R.S.	rough.	S. Europe. 1826.	—	H. ⊙.	
5 confertum. R.S.	close-flowered.	Italy. —	—	H. 4.	
6 ampicarpon. R.S.	earth-fruited.	N. America. 1827.	—	H. 4.	Pursh. am. sept. 2. t. 2.
7 gallicicum. R.S.	capillary.	Gallicia. 1819.	6. 8.	H. 4.	
8 velutinum. R.S.	downy.	Mexico. 1823.	—	H. ⊙.	
9 filiforme. Lag.	slender.	New Spain. 1824.	—	H. 4.	
10 microspERMUM. R.S.	small-seeded.	— 1822.	—	H. ⊙.	
11 phleoides.	Phleum-like.	E. Indies. 1820.	—	S. 4.	
PIPTATHERUM. R.S.	PIPTATHERUM.	Triandria Digynia. R.S.			
1 paradoxum. R.S.	black-seeded.	France. 1771.	6. 7.	H. ⊙.	Host. gram. 3. t. 23.
<i>Agróstis paradoxá. L. Milium paradoxum. w. Uráchné viréscens. Trin.</i>					
2 cœrulescens. R.S.	blueish.	Barbary. 1819.	—	H. 4.	Desf. atl. 1. t. 12.
3 multiflorum. R.S.	many-flowered.	S. Europe. 1778.	—	H. 4.	Host. gram. 3. t. 45.
<i>Milium arundinaceum. F.G. t. 66. Agróstis miliacea. L.</i>					
4 punctatum. R.S.	dotted.	W. Indies. 1824.	—	S. 4.	
CALAMAGRO'STIS. S.S.	CALAMAGRO'STIS.	Triandria Digynia. S.S.			
1 epigejos. s.s.	wood.	Britain.	7.	H. 4.	Eng. bot. v. 6. t. 403.
2 intermedia. R.S.	intermediate.	Carlsruhe. 1827.	—	H. 4.	
3 littorea. s.s.	sea-side.	Switzerland. 1824.	7. 8.	H. 4.	Schrad. fl. ger. 1. t. 4. f. 2.
4 laxa. Host.	loose.	—	—	H. 4.	Host. gram. 4. t. 23.
5 glauca. R.S.	glaucous.	N. America. —	—	H. 4.	
6 Halleriana. s.s.	Haller's.	Switzerland. 1819.	—	H. 4.	Schrad. fl. ger. 1. t. 4. f. 3.
<i>Arádo pseudophragmites. R.S.</i>					
7 stricta. s.s.	upright.	Scotland.	7. 8.	H. 4.	Eng. bot. v. 30. t. 2160.
8 varia. Host.	various.	S. Europe. 1813.	—	H. 4.	Host. gram. 4. t. 47.
9 acutiflora. DC.	sharp-flowered.	Germany. 1819.	—	H. 4.	
10 sylvatica. DC.	wood.	Europe. 1813.	—	H. 4.	Host. gram. 4. t. 49.
<i>arundinacea. Roth. Agróstis arundinacea. L. pyramidalis. Host.</i>					

11	purpurascens. Br.		purplish.	N. America.	1827.	7. 8.	H. ♀.	
12	Schwábii. s.s.		Saxon.	Saxony.	1828.	—	H. ♀.	
13	Langsdorffii. s.s.		Langsdorff's.		1823.	—	H. ♀.	
14	confinis. s.s.		hairy-flowered.	N. America.	1820.	—	H. ♀.	
15	montana. Host.		mountain.	Europe.	—	—	H. ♀.	Host. gram. 4. t. 46.
16	Höstii. R.S.		Host's.	—	—	—	H. ♀.	4. t. 48.
	<i>sylvatica. Host. nec aliorum.</i>							
17	canadensis. N.		Canadian.	N. America.	1826.	—	H. ♀.	
18	lanceolata. s.s.		common.	England.		7.	H. ♀.	Eng. bot. v. 30. t. 2159.
	<i>Arundo Calamagrostis. E.B. Agróstitis lanceolata. R.S.</i>							
19	speciosa. Host.		beautiful.	Germany.	1813.	7. 8.	H. ♀.	Host. gram. 4. t. 45.
	<i>Agróstitis Calamagrostis. R.S.</i>							
STIPA. R.S. FEATHER-GRASS. Triandria Digynia. L.								
1	pennata. E.B.		common.	Britain.		7. 8.	H. ♀.	Eng. bot. v. 19. t. 1356.
2	tortilis. R.S.		twisted-awned.	S. Europe.	1823.	—	H. ♂.	Desf. atl. 1. t. 31. f. 1.
3	juncea. R.S.		rushy.	France.	1772.	—	H. ♀.	Flor græc. 1. t. 85.
4	gigantea. R.S.		gigantic.	Spain.	1823.	—	H. ♀.	
5	Lagascæ. R.S.		Lagasca's.	—	1822.	—	H. ♀.	Desf. atl. 1. t. 28.
6	capillata.		capillary.	S. Europe.	—	—	H. ♀.	Host. gram. 3. t. 5.
7	tenacissima. R.S.		tough.	—	1822.	—	H. ♀.	Desf. atl. 1. t. 30.
8	Aristella. R.S.		awned.	Montpelier.	1806.	—	H. ♀.	Host. gram. 4. t. 34.
9	Redówszii. L.A.		Redowski's.	Altay.	1828.	—	H. ♀.	Ledeb. ic. t. 98.
10	mollis. B.P.		soft.	N. S. W.	1824.	—	F. ♀.	
11	conferta. R.S.		close panicked.		1819.	—	H. ♀.	
12	sibirica. R.S.		Siberian.	Siberia.	1777.	—	H. ♀.	Ledeb. ic. t. 99.
AGRAULUS. P.B. AGRULUS. Triandria Digynia. R.S.								
1	canina. P.B.		brown.	Britain.		7.	H. ♀.	Eng. bot. v. 26. t. 1856.
	<i>Agróstitis canina. E.B. Trichodium caninum. R.S.</i>							
2	alpina. P.B.		Alpine.	S. Europe.	1818.	7. 8.	H. ♀.	Host. gram. 3. t. 49.
3	rupéstris. R.S.		rock.	Pyrenees.	—	—	H. ♀.	3. t. 50.
4	neglecta. R.S.		neglected.	Hungary.	1822.	—	H. ♀.	
5	flavescens.		yellowish.	S. Europe.	—	—	H. ♀.	Host. gram. 4. t. 52.
6	setacea.		bristly.	Britain.		—	H. ♀.	Eng. bot. v. 17. t. 1188.
	<i>Agróstitis setacea. E.B. Trichodium setaceum. R.S.</i>							
7	rubra. R.S.		red.	Lapland.	1820.	—	H. ♀.	
8	hybrida. R.S.		hybrid.	Switzerland.	—	—	H. ♀.	
9	diffusa. L'en.		spreading.		1823.	—	H. ♀.	
TRICHODIUM. M. WINTER-GREEN-GRASS. Triandria Digynia.								
1	decumbens. R.S.		decumbent.	N. America.	1786.	6. 7.	H. ♀.	Fraser mon. c. ic.
2	laxiflorum. R.S.		loose-flowered.	—	1816.	—	H. ♂.	Mich. amer. 1. t. 8.
3	élegans. R.S.		elegant.	France.	—	7. 9.	H. ♂.	Lois journ. bot. 2. t. 8. f. 1.
AGRÓSTITIS. R.S. BENT-GRASS. Triandria Digynia. R.S.								
1	stolonifera. R.S.		creeping.	Britain.		7. 8.	H. ♀.	Eng. bot. v. 22. t. 1532.
	<i>α latifolia. S.G.W. Fiorin grass.</i>							
	<i>β angustifolia. S.G.W. narrow-leaved.</i>							
	<i>γ aristata. S.G.W. awned.</i>							
	<i>δ nemoralis. S.G.W. wood.</i>							
	<i>ε palustris. S.G.W. marsh.</i>							
2	dulcis. Df.		sweet.	S. France.	1824.	—	H. ♀.	
3	stolonizans. R.S.		stoloniferous.	Poland.	1827.	—	H. ♀.	
4	diffusa. R.S.		spreading.	Europe.	1816.	—	H. ♀.	Host. gram. 4. t. 55.
5	neglecta. R.S.		neglected.	Hungary.	—	—	H. ♀.	
6	capillaris. R.S.		capillary.	S. Europe.	—	—	H. ♂.	Sm. ic. ined. 3. t. 54.
7	tenella. R.S.		slender.	Switzerland.	1824.	—	H. ♀.	Schad. fl. ger. 1. t. 5. f. 1.
8	alba. R.S.		white rooted.	Britain.		7.	H. ♀.	Sinc. gr. wob. p. 342. ic.
	<i>β purpurascens. purplish.</i>							
	<i>γ vivipara. viviparous.</i>							
9	párvula. R.S.		small.	Hungary.	1826.	—	H. ♀.	Leers fl. herb. t. 4. f. 3.
10	tenuifolia. R.S.		slender-leaved.	Caucasus.	1819.	7. 8.	H. ♀.	Trin. icon. gr. t. 35.
11	pátula. R.S.		knotted spreading.	Switzerland.	1824.	—	H. ♀.	
12	valentina. R.S.		Valentia.	Spain.	—	—	H. ♀.	
13	dúbia. R.S.		doubtful.	Germany.	1818.	—	H. ♀.	Leers fl. herb. t. 4. f. 4.
14	gigánteæ. R.S.		gigantic.	Caucasus.	—	—	H. ♀.	
15	frondosa. R.S.		frondose.	Naples.	1824.	—	H. ♀.	
16	vulgáris. R.S.		fine.	Britain.		—	H. ♀.	Eng. bot. v. 24. t. 1671.
17	ambigua. R.S.		ambiguous.	Germany.	1820.	—	H. ♀.	Host. gram. t. 56.
18	Juréssi. R.S.		close panicked.	—	—	—	H. ♀.	Trin. ic. gram. t. 29.
19	virginica. R.S.		Virginian.	N. America.	—	—	H. ♀.	Lab. nov. holl. 1. t. 23.
20	brasiliensis. R.S.		Brazilian.	Brazil.	1828.	—	S. ♀.	

- 21 marítima. R.S. sea-side. S. Europe. 1825. 7. 8. H. 2.
- 22 Forsteri. R.S. Forster's. N. Zealand. 1822. — H. 2.
- Avèna filiformis*. Forst.
- 23 Billardieri. B.P. Labillardiere's. N. Holland. 1806. — H. 2. Lab. nov. holl. 1. t. 31.
- 24 plebeia. B.P. plebeian. N. S. W. 1822. — H. 2.
- 25 æmula. B.P. flat-leaved. — 1806. — H. 2.
- 26 retrofracta. R.S. broad-leaved. — 4. 5. F. 2.
- 27 hirsuta. R.S. hairy. Teneriffe. 1810. — F. 2.
- 28 Spica vénti. E.B. silky. England. 6. 7. H. 2. Eng. bot. v. 14. t. 951.
- 29 pállida. DC. pale. France. 1818. — H. 2.
- 30 interrúpta. R.S. interrupted. S. Europe. — H. 2. Host. gram. 3. t. 48.
- 31 purpúrea. R.S. purple. — 1820. — H. 2.
- 32 pauciflora. R.S. few-flowered. Switzerland. 1824. 6. 8. H. 2. Schrad. fl. ger. 1. t. 3. f. 2.
- 33 decumbens. Host. decumbent. Hungary. — H. 2. Host. gram. 4. t. 54.
- SPORO'BOLUS. B.P. SPORO'BOLUS. Triandria Digynia.**
- 1 diándrus. R.S. diandrous. E. Indies. 1820. 6. 8. S. 2.
- 2 pulchellus. R.S. pretty. N. Holland. 1828. — F. 2.
- 3 indicus. B.P. Indian. India. 1773. 8. 10. H. 2. Sloan. hist. 1. t. 73. f. 1.
- 4 purpurascens. R.S. purplish. Jamaica. 1820. — S. 2.
- 5 tenacissimus. L. en. tough. W. Indies. 1801. — S. 2. Jacq. ic. 1. t. 16.
- 6 elongatus. B.P. elongated. N. S. W. 1822. — H. 2.
- 7 micranthus. small-flowered. Monte Video. 1825. — H. 2.
- COLPODIUM. Trin. COLPODIUM. Triandria Digynia.**
- 1 Stevèni. Trin. various-coloured. Caucasus. 1823. 7. 8. H. 2.
- Agrostis vèrsicolor*. Stev.
- 2 latifolium. Br. broad-leaved. Melville Isl. 1821. — H. 2.
- TRICHOCHLOA. Tr. TRICHOCHLOA. Triandria Digynia.**
- 1 tenuiflora. slender-flowered. N. America. 1820. 7. 8. H. 2. Willd. hort. ber. t. 12.
- longiseta*. Tr. *Agrostis tenuiflora*. w. *Cinna tenuiflora*. L. en.
- 2 mexicana. Tr. Mexican. America. 1780. 6. 9. H. 2.
- 3 foliosa. Tr. leafy. N. America. 1819. 7. 8. H. 2.
- Agrostis filiformis*. W. en. *Cinna filiformis*. L. en.
- 4 sobolifera. Tr. soboliferous. N. America. 1819. 7. 8. H. 2.
- 5 microspérma. DC. small-seeded. Mexico. 1818. 8. 10. H. 2.
- 6 capillaris. DC. capillary. Carolina. — H. 2.
- 7 expansa. DC. expanded. — 1822. — H. 2. P. B. agros. nov. t. 8. f. 2.
- purpurea*. P. B.
- 8 polypogon. DC. many-bearded. — 1812. — H. 2. P. B. agros. nov. t. 8. f. 3.
- CINNA. L. CINNA. Monandria Digynia. L.**
- 1 arundinacea. L. Reed-like. Canada. 1789. 7. H. 2. Schreb. gram. t. 49.
- 2 crinita. Tr. rough-keeled. N. Zealand. 1822. — F. 2. Lab. nov. hol. 2. t. 263.
- 3 monandra. R.S. monandrous. N. America. 1826. — H. 2.
- KNA'PPIA. E.B. KN'APPIA. Triandria Digynia. S.S.**
- agrostidea*. E.B. small. Wales. 3. 4. H. 2. Eng. bot. v. 16. t. 1127.
- Agrostis minima*. w. *Chamagrostis minima*. R.S. *Stúrnia vérna*. P. S.
- COLOBA'CHNE. R.S. COLOBA'CHNE. Triandria Digynia. R.S.**
- vaginata*. R.S. sheathed. Levant. 1818. 4. H. 2. Flor. græc. t. 64.
- Alopecurus angustifolius*. F. G. *Polypogon vaginatus*. w.
- HELEOCHLOA. Host. HELEOCHLOA. Triandria Monogynia.**
- 1 alepcuróides. R.S. Foxtail-like. Germany. 1816. 7. 8. H. 2. Host gram. 1. t. 29.
- 2 phalaróides. P. B. Phalaris-like. Caucasus. 1827. — H. 2.
- 3 schœnoídes. R.S. Schœnus-like. S. Europe. 1783. — H. 2. Jacq. ic. 1. t. 15.
- CRYP'SIS. Host. CRYP'SIS. Triandria Monogynia.**
- aculeata*. R.S. prickly. S. Europe. 1783. — H. 2. Host. gram. 1. t. 31.
- LAPPA'GO. W. LAPPA'GO. Triandria Digynia. W.**
- 1 racemosa. W. branching. S. Europe. 1771. — H. 2. Flor. græc. t. 101.
- Tragus racemösus*. R.S. *Cénchrus racemösus*. L.
- 2 aliena. S.S. Brazilian. Brazil. 1826. 6. 8. S. 2.
- 3 biflora. F. I. two-flowered. E. Indies. 1824. — S. 2.
- MUHLENBERGIA. W. MUHLENBERGIA. Triandria Digynia. W.**
- diffusa*. R.S. spreading. N. America. 1816. 5. 6. H. 2. Schreb. gram. t. 51.
- CHÆTARIA. R.S. CHÆTARIA. Triandria Digynia. R.S.**
- 1 adscensiónis. R.S. West Indian. W. Indies. 1822. 7. 8. S. 2. Sloan. hist. 1. t. 2. f. 56.
- Aristida adscensiónis*. w.
- 2 Hy'strix. R.S. Porcupine. E. Indies. S. 2. Pluk. alm. t. 191. f. 5.
- 3 oligántha. R.S. long-glumed. N. America. 1826. — H. w. 2.
- 4 pállens. R.S. pale. Chile. 1825. — H. 2.
- 5 divaricata. R.S. spreading. S. America. 1818. 7. 8. G. 2. Jacq. eclog. gram. t. 6.

6	gigánteæ. R.S.		gigantic.	Teneriffe.	1824.	7. 8.	F. 2.	
7	cærulêscens. R.S.		blueish.	Canaries.	1818.	—	H. ☉	Desf. atl. t. 21. f. 2.
CURTOPOGON. R.S. CURTOPOGON. Triandria Digynia.								
	dichôtomus. R.S.		forked.	N. America.	1826.	6. 8.	H. ♂	Spr. act. pet. 2. t. 6.
<i>Aristida dichôtoma.</i> Ph.								
ARI'STIDA. R.S. ARI'STIDA. Triandria Digynia. L.								
1	obtûsa. R.S.		blunt-awned.	Egypt.	1828.	6. 8.	H. ☉	Delil. ægyp. t. 13. f. 2.
2	vâgans. R.S.		spreading-panicled.	N. S. W.	1820.	7. 8.	F. 2.	Cavan. ic. 5. t. 471.
HORDEUM. R.S. BARLEY. Triandria Digynia. L.								
1	vulgære. R.S.		spring.	Levant.		7.	H. ☉	Host. gram. 3. t. 34.
	<i>β</i> <i>gigánteum.</i>		<i>giant.</i>	—	—	—	H. ☉	
2	cæléste. R.S.		naked-seeded.	Levant.		—	H. ☉	Viborg cereal. t. 1.
3	nigrum. R.S.		black-seeded.	—		—	H. ♂	
4	hexástichon. R.S.		winter.	—		—	H. ☉	Viborg cereal. t. 2.
5	bulbôsum. R.S.		bulbous.	S. Europe.	1770.	—	H. 2.	Flor. græc. 1. t. 98.
6	jubâtum. R.S.		long-bearded.	N. America.	1782.	7. 8.	H. ♂	
7	Sieberianum. R.S.		Sieber's.	Egypt.	1828.	—	H. ☉	
8	disticum. R.S.		common.	Tartary.		7.	H. ☉	Viborg cereal. t. 3.
	<i>β</i> <i>imberbe.</i> R.S.		<i>beardless.</i>	—		—	H. ☉	
9	nûdum. R.S.		naked seeded.	—		—	H. ☉	Arduin. sag. t. II. f. 4.
10	Zêcriton. R.S.		Battledore.	—		8.	H. ☉	Viborg cereal. t. 4.
11	murinum. R.S.		wall.	Britain.		4. 8.	H. ☉	Eng. bot. v. 28. t. 1971.
12	pratêse. R.S.		meadow.	—		6.	H. 2.	— v. 6. t. 409.
13	maritimum. E.B.		sea-side.	—		6. 7.	H. ☉	— v. 17. t. 1205.
14	nepalêse.		wall.	Nepaul.	1825.	7. 8.	H. ☉	
15	Hy'strix. R.S.		hedgehog.	Spain.	1817.	—	H. ☉	
16	bifarium. R.S.		two-ranked.	—	1822.	—	H. ☉	
ÆGOPOGON. R.S. ÆGOPOGON. Triandria Digynia. R.S.								
1	pusillus. R.S.		small.	S. America.	1822.	7. 8.	H. ☉	Cav. h. r. mad. 1. t. 5. f. 2.
2	trisêtus. R.S.		three awned.	—	—	—	H. ☉	— 1. t. 5. f. 3.
MICROCHLOA. B.P. MICROCHLOA. Triandria Digynia. R.S.								
	setâcea. B.P.		bristly.	Tropics.	1806.	7.	H. ☉	Roxb. corom. 2. t. 132.
MELINIS. S.S. MELINIS. Triandria Digynia. S.S.								
	minutiflora. s.s.		glutinous.	Brazil.	1822.	6. 7.	S. 2.	Nees Hor. ber. 54. t. 7.
<i>Tristêgis glutinosa.</i> Nees. <i>Suârdia picta.</i> Schrank h. mon. 11. t. 58.								
DIGITARIA. R.S. DIGITARIA. Triandria Digynia. R.S.								
1	sanguinalis. R.S.		slender-spiked.	Britain.		8.	H. ☉	Eng. bot. v. 12. t. 849.
<i>Panicum sanguinale.</i> E.B.								
2	bicôrnis. R.S.		two-horned.	E. Indies.	1825.	8. 9.	H. ☉	
3	affinis. R.S.		related.	S. America.	1820.	7. 8.	H. ☉	
4	ægyptiaca. R.S.		Egyptian.	Egypt.	1794.	—	H. ☉	Jacq. obs. 3. t. 30.
5	filifôrmis. s.s.		filiform.	N. America.	1781.	—	H. ☉	
6	Roxbûrghii. s.s.		Roxburgh's.	E. Indies.	1823.	—	H. ☉	
<i>Panicum filifôrme.</i> F.I.								
7	villôsa. s.s.		villous.	N. America.	1781.	7. 9.	H. ☉	
8	dêbilis. s.s.		weak.	Barbary.	1824.	—	H. ☉	
9	glâbra. R.S.		smooth.	S. Europe.	1817.	—	H. ☉	Schrad. germ. 1. t. 3. f. 6.
<i>Syntherisma glâbrum.</i> Schrad.								
10	paspalôdes. R.S.		trailing.	N. America.	—	—	H. ☉	
11	ciliaris. R.S.		fringed.	S. Europe.	1804.	—	H. ☉	Host. gram. 4. t. 15.
12	barbâta. R.S.		bearded.	E. Indies.	1824.	—	H. ☉	
13	bifôrmis. R.S.		two-formed.	Canaries.	1820.	—	H. ☉	
14	marginâta. R.S.		marginèd.	Brazil.	1825.	—	H. ☉	
15	lineâris. R.S.		linear-spiked.	India.	1804.	—	H. ☉	Burm. ind. 25. t. 10. f. 3.
16	inæquâlis. s.s.		hairy-sheathed.	Manila.	1824.	7. 8.	S. ☉	
17	serotina. M.		late-flowered.	N. America.	—	—	H. ☉	
<i>Paspalum serotinum.</i> R.S.								
18	Andersôni. Ot.		Anderson's.	Monte Video.	1825.	6. 8.	F. 2.	
19	erigôna. Schr.		woolly-angled.	S. America.	—	—	S. 2.	
20	mollissima. Schr.		soft.	—	1826.	—	S. 2.	
21	piligera. Lk.		hairy.	Monte Video.	—	—	H. ☉	
22	violâscens. Lk.		violet.	—	—	—	H. ☉	
CYN'ODON. R.S. CYN'ODON. Triandria Digynia. R.S.								
1	Dâctylon. R.S.		creeping.	England.		7. 8.	H. 2.	Eng. bot. v. 12. t. 850.
	<i>β</i> <i>indicus.</i>		<i>Doob-grass.</i>	India.	1820.	—	S. 2.	Sinc. gr. wob. p. 290. ic.
2	lineâris. R.S.		linear-leaved.	E. Indies.	1796.	—	S. 2.	
3	stellâtus. R.S.		starry.	St. Helena.	1823.	—	S. 2.	
4	virgâtus. R.S.		twiggy.	E. Indies.	1826.	—	S. 2.	

- 5 *præcox*. R.S. early-flowered. N. America. 1823. 6. 7. H. γ .
Digitaria sanguinalis. M.
- BRACHYELYTRUM**. R.S. BRACHYELYTRUM. Triandria Digynia.
aristatum. R.S. awned. N. America. 1827. 6. 7. H. γ . Schreb. gram. t. 50.
Muhlenbergia erecta. Ph. *Dilep'yrum aristosum*. M.
- PHALARIS**. R.S. CANARY-GRASS. Triandria Digynia. R.S.
1 *canariensis*. R.S. common. Britain. 6. 8. H. $\odot$. Eng. bot. v. 19. t. 1310.
2 *microstachya*. DC. small-spiked. N. America. 1818. — H. $\odot$.
3 *aquatica*. R.S. water. Egypt. 1778. 6. 7. H. $\odot$. Host. gram. 2. t. 38.
4 *nitida*. R.S. glossy. Sicily. 1824. — H. $\odot$.
5 *commutata*. R.S. changed. Italy. 1823. — H. $\odot$. Barrel. ic. 700. f. 2.
6 *capensis*. R.S. Cape. C. B. S. 1804. — G. γ .
7 *bulbosa*. R.S. bulb-bearing. Spain. 1824. — H. γ .
8 *variegata*. R.S. variegated. Sicily. 1825. — H. γ .
9 *cærulescens*. R.S. bluish. S. Europe. 1824. — H. $\odot$. Buxb. cent. 4. t. 53.
10 *nodosa*. R.S. knotted. — 1825. — H. γ . Flor. græc. t. 56.
11 *paradoxa*. R.S. paradoxical. — — — H. $\odot$. — 1. t. 58.
12 *appendiculata*. R.S. appendaged. Egypt. 1823. — H. $\odot$.
- DIGRAPHIS**. Tr. DIGRAPHIS. Triandria Digynia.
1 *arundinacea*. Tr. Reed-like. Britain. 7. H. w. γ . Eng. bot. v. 6. t. 402.
Arundo colorata. E.B. *Phalaris arundinacea*. L. *Baldingera*. Fl. wet.
 β variegata. striped-leaved. — — — H. γ .
2 *americana*. s.s. American. N. America. — H. γ .
- LAGURUS**. R.S. HARE'S-TAIL-GRASS. Triandria Digynia. L.
ovatus. E.B. oval-spiked. Guernsey. 6. H. $\odot$. Eng. bot. v. 19. t. 1334.
- ECHINOPOGON**. R.S. ECHINOPOGON. Triandria Digynia.
ovatus. R.S. ovate panicle. N. Holland. 1820. 7. 8. H. γ . Lab. nov. holl. 1. t. 21.
Agröstis ovata. Lab.
- HIEROCHLOA**. P.B. HIEROCHLOA. Triandria Digynia. R.S.
1 *borealis*. R.S. northern. Scotland. 5. 6. H. γ . Sinc. gr. wob. p. 167. ic.
Holcus odoratus. F.D. t. 963. *repens*. Host. gram. 3. t. 3.
2 *australis*. R.S. southern. S. Europe. 1777. 6. 7. H. γ . Host. gram. 1. t. 4.
3 *fragrans*. R.S. fragrant. N. America. — — H. γ .
4 *alpina*. R.S. Alpine. Melville Isl. 1827. — H. γ . Flor. dan. t. 1508.
5 *pauciflora*. R.S. few-flowered. — — — H. γ .
- CATABR'OSA**. R.S. CATABR'OSA. Triandria Digynia. R.S.
1 *aquatica*. R.S. water. Britain. 5. 6. H. w. γ . Eng. bot. v. 22. t. 1557.
Aira aquatica. E.B.
2 *viridula*. R.S. close-panicked. 1718. — H. w. γ .
3 *humilis*. Tr. dwarf. Caucasus. 1824. 6. 7. H. γ .
- AIRA**. R.S. HAIR-GRASS. Triandria Digynia. L.
1 *flexuosa*. E.B. waved. Britain. 7. 8. H. γ . Eng. bot. v. 22. t. 1519.
2 *uliginosa*. R.S. marsh. Germany. 1825. — H. γ . Reich. ic. r. C. 2. t. 150.
3 *versicolor*. R.S. various-color'd. S. Europe. 1823. — H. γ .
4 *caryophyllæa*. E.B. silver. Britain. — H. $\odot$. Eng. bot. v. 12. t. 812.
5 *elegans*. R.S. elegant. Switzerland. 1824. — H. $\odot$. Host. gram. 4. t. 35.
6 *pulchella*. R.S. pretty. Spain. 1820. — H. $\odot$.
7 *pallens*. R.S. pale. N. America. — — H. γ .
8 *arundinacea*. R.S. Reed-like. Cumana. 1823. — S. γ .
9 *semineutra*. s.s. doubtful. Hungary. 1819. 6. 7. H. γ .
- DESCHAMPSIA**. R.S. DESCHAMPSIA. Triandria Digynia. R.S.
1 *cæspitosa*. R.S. turf. Britain. 8. H. γ . Eng. bot. v. 21. t. 1453.
Aira cæspitosa. E.B.
2 *Biebersteiniana*. R.S. Bieberstein's. Caucasus. 1823. 6. 8. H. γ .
3 *refracta*. R.S. reflexed. Spain. 1822. — H. γ .
4 *alpina*. R.S. Alpine. Scotland. 5. 6. H. γ . Eng. bot. v. 30. t. 2102.
Aira lævigata. E.B. *alpina*. L. *Avèna alpina*. Tr.
5 *brevifolia*. R.S. short-leaved. Melville Isl. 1827. — H. γ .
6 *bótnica*. Tr. bristle-leaved. Bottnia. 1824. — H. γ .
Aira bótnica. R.S. *montana*. R.S.
- SCHISMUS**. R.S. SCHISMUS. Triandria Digynia. R.S.
1 *Gouani*. Tr. Gouan's. Montpellier. 1820. 6. 7. H. γ .
Aira media. Gouan. *Deschampsia media*. et *discolor*. R.S.
2 *marginatus*. R.S. margined. Spain. 1781. — H. $\odot$. Cavan. ic. 1. t. 44. f. 2.
Festuca calycina. W. *Kæleria calycina*. DC.
3 *fasciculatus*. P.B. fascicled. St. Domingo. 1827. — S. $\odot$.
Digitaria horizontalis. W.
- DUPONTIA**. R.S. DUPONTIA. Triandria Digynia.
Fischéri. R.S. Fischer's. Melville Isl. 1827. 6. 8. H. γ .

CORYNEPHORUS. R.S. CORYNEPHORUS. Triandria Digynia. R.S.

- 1 canescens. R.S. canescent. England. 7. 8. H. 2. Eng. bot. v. 17. t. 1190.
Aira canescens. E.B.

- 2 articulatus. R.S. jointed. S. Europe. 1824. — H. 2. Desf. atl. 1. t. 13.

PERIBALLIA. Tr. PERIBALLIA. Triandria Digynia. R.S.

- hispanica. Tr. Spanish. Spain. 1820. 6. 7. H. 2. Cavan. ic. 1. t. 44. f. 1.
Aira involocrata. Cav. *Airopsis involocrata*. R.S.

AIROPSIS. R.S. AIROPSIS. Triandria Digynia. R.S.

- 1 globosa. R.S. globe-flowered. S. Europe. 1823. 6. 8. H. 2. Cavan. ic. 3. t. 274. f. 1.

- 2 obtusata. R.S. blunt-flowered. N. America. — 6. 7. H. 2.

- 3 brevifolia. R.S. short-leaved. Missouri. 1818. — H. 2.

- 4 agrostidea. R.S. Agrostis-like. S. Europe. 1823. — H. 2. DC. ic. rar. t. 1.

Poa agrostidea. DC. *Aira agrostidea*. Lois.

MELICA. R.S. MELIC-GRASS. Triandria Digynia. L.

- 1 ciliata. R.S. ciliated. Europe. 1771. 7. H. 2. Flor. græc. 1. t. 70.

- 2 nutans. R.S. mountain. Britain. 6. 7. H. 2. Eng. bot. v. 15. t. 1059.

- 3 uniflora. R.S. wood. — 5. 6. H. 2. — v. 15. t. 1058.

- 4 minuta. R.S. small. S. Europe. 1825. — H. 2. Cavan. ic. 2. t. 175. f. 2.

- 5 Baubini. R.S. Italian. Italy. 1806. 6. 7. H. 2. Host. gram. 4. t. 23.

- 6 pyramidalis. R.S. pyramidal. Barbary. 1804. — H. 2. Barrel. ic. t. 96. f. 1.

- 7 speciosa. R.S. handsome. N. America. 1812. — H. 2. Schreb. gram. t. 54.

glabra. Ph. *rariflora*. Schreb.

- 8 altissima. R.S. tallest. Siberia. 1770. 7. 8. H. 2. Host. gram. 2. t. 9.

- 9 diffusa. R.S. spreading. N. America. 1824. — H. 2.

- 10 pallida. R.S. pale. Quito. 1825. — S. 2.

- 11 exasperata. R.S. exasperate. — H. 2.

- 12 digitata. R.S. fingered. E. Indies. 1824. — S. 2.

- 13 refracta. R.S. reflexed. — — H. 2.

- 14 latifolia. R.S. broad-leaved. — 1822. — S. 2.

MOLINIA. P.B. MOLINIA. Triandria Digynia. R.S.

- 1 cœrulea. P.B. purple. Britain. 8. H. 2. Eng. bot. v. 11. t. 750.

varia. S.S. *Melica cœrulea*. E.B. *Enodium cœruleum*. R.S.

- 2 sylvatica. R.S. wood. Europe. 1824. — H. 2.

DINEBA. R.S. DINEBA. Triandria Digynia. R.S.

- 1 americana. R.S. American. S. America. 1822. 6. 8. S. 2.

- 2 arabica. R.S. Arabian. Levant. 1816. 8. 9. H. 2. Jacq. fragm. t. 121. f. 1.

- 3 divaricata. R.S. spreading. Egypt. 1823. — H. 2.

WANGENHEIMIA. Tr. WANGENHEIMIA. Triandria Digynia. R.S.

- Lima. Tr. imbricated. Spain. 1776. 7. 8. H. 2. Cavan. ic. 1. t. 91.

Cynosurus Lima. Cav. *Dineba Lima*. R.S.

SACCHARUM. R.S. SUGAR-CANE. Triandria Digynia. L.

- 1 officinarum. R.S. common. India. 1597. S. 2. Rumph. amb. 5. t. 74. f. 1.

- 2 sinense. F.I. Chinese. China. 1822. S. 2. Roxb. corom. 3. t. 232.

- 3 procerum. F.I. lofty. E. Indies. S. 2.

- 4 violaceum. R.S. violet-coloured. W. Indies. 1816. S. 2.

- 5 caudatum. R.S. tailed. — S. 2. Sloan. hist. 1. t. 70. f. 1.

- 6 contractum. R.S. contracted. S. America. 1823. S. 2.

- 7 exaltatum. F.I. tall. E. Indies. 1826. S. 2.

- 8 polystachyum. R.S. many-spiked. W. Indies. S. 2.

- 9 Munja. F.I. slender. E. Indies. 1805. S. 2.

IMPERATA. R.S. IMPERATA. Triandria Digynia. R.S.

- 1 arundinacea. R.S. Reed-like. N. Holland. 1820. 7. 8. F. 2. Cyril. ic. fasc. 2. t. 11.

- 2 Thunbergii. R.S. Thunberg's. E. Indies. 1822. S. 2.

- 3 Koenigii. R.S. Koenig's. W. Indies. 1818. S. 2.

- 4 spontanea. R.S. spontaneous. E. Indies. S. 2.

TRICHOLÆNA. R.S. TRICHOLÆNA. Triandria Digynia. R.S.

- micrantha. R.S. small-flowered. S. Europe. 1816. 7. 8. H. 2. Jacq. ecl. gram. t. 34.

Saccharum Teneriffæ. Jacq.

ERIA'NTHUS. R.S. ERIA'NTHUS. Triandria Digynia. R.S.

- 1 saccharoides. R.S. Sugar-cane-like. N. America. 1816. 7. 8. H. 2.

Saccharum giganteum. Ph.

- 2 brevibarbis. R.S. short-bearded. — 1822. — H. 2.

- 3 strictus. R.S. upright. — 1828. — H. 2.

RIPIDUM. Tr. RIPIDUM. Polygamia Monœcia. Tr.

- 1 Ravennæ. Tr. rough. S. Europe. 1816. 7. 8. H. 2. Host. gram. 3. t. 1.

Andropogon Ravennæ. Host. *Saccharum Ravennæ*. w.

- 2 strictum. Tr. upright. Hungary. 1802. — H. 2. Host. gram. 2. t. 2.

Saccharum adpressum. Kit. *Andropogon strictus*. Host.

ANDROP'OGON. R.S. ANDROP'OGON. Polygamia Monœcia. L.									
1	alopecuroides. R.S. . . .	Foxtail.	America.	1818.		G. 2.		Sloan. hist. 1. t. 14.	
2	milliformis. R.S.	Millet-like.	E. Indies.	—		S. 2.			
	<i>miliæus</i> , F.I. non Forsk.								
3	argenteus. DC.	silvery.	Mexico.	1822.		G. 2.		DC. hort. m. ined. t. 68.	
4	saccharoides. R.S.	Sugar-cane-like.	Jamaica.	1818.	—	S. 2.			
5	laguroides. R.S.	hares-tail-like.	New Spain.	1820.		S. 2.		DC. h. mons. ined. t. 69.	
6	hirtus. R.S.	hairy.	S. Europe.	1802.	7. 8.	S. 2.		Host. gram. 4. t. 1.	
7	angustifolius. R.S.	narrow-leaved.	—	1818.	—	H. 2.		Jacq. aust. 4. t. 384.	
8	Ischæmum. R.S.	woolly.	—	1768.	—	H. 2.		Gerard. gall. p. 107. t. 4.	
9	serratus. R.S.	saw-leaved.	Japan.	1816.		G. 2.			
	<i>laxus</i> , w.								
10	comosus. R.S.	tufted.	Egypt.	1824.		H. 2.			
11	annulatus. R.S.	annular.	—	—		H. 2.		Forsk. egyp. t. 7.	
12	furcatus. R.S.	forked.	N. America.	1818.	7. 8.	H. 2.			
CHRYSOPOGON. Tr. CHRYSOPOGON. Polygamia Monœcia.									
1	Gryllus. Tr.	purple-flowered.	S. Europe.	1791.	6. 7.	H. 2.		Flor. græc. 1. t. 67.	
	<i>Andropogon Gryllus</i> , F.G. <i>Holcus Gryllus</i> , B.P.								
2	aciculatus. Tr.	sharp-pointed.	E. Indies.	1825.	6. 8.	S. 2.		Rheed. mal. 12. t. 43.	
LEPEOCERCIS. Tr. LEPEOCERCIS. Polygamia Monœcia.									
	serrata. Tr.	serrated.	E. Indies.	1812.	6. 8.	S. 2.			
	<i>Andropogon serratum</i> , w.								
POLLINIA. R.S. POLLINIA. Polygamia Monœcia.									
1	distachya. R.S.	two-spiked.	S. Europe.	1805.	7. 8.	H. 2.		Flor. græc. 1. t. 69.	
2	striata. R.S.	nerve-glumed.	E. Indies.	1793.	8.	S. 2.			
3	undata. R.S.	waved.	Mauritius.	1823.	7. 9.	S. 2.		Jacq. ic. 3. t. 361.	
CYMBOPOGON. R.S. CYMBOPOGON. Polygamia Monœcia.									
1	élegans. R.S.	elegant.	E. Indies.	1816.	6. 8.	S. 2.			
2	prostratus.	prostrate.	—	—	—	S. 2.			
	<i>glandulosus</i> , R.S. <i>Anthistiria prostrata</i> , F.I. <i>Andropogon prostratus</i> , L.								
3	Schoenanthus. R.S. . .	Lemon-grass.	E. Indies.	1786.		S. 2.		Rumph. amb. 5. t. 72. f. 2.	
	<i>Andropogon Schoenanthus</i> , w.								
4	arundinæus. R.S. . .	Reed-like.	E. Indies.	1820.	6. 8.	S. 2.			
HETEROPOGON. R.S. HETEROPOGON. Polygamia Monœcia.									
1	Allionii. R.S.	Allionii's.	S. Europe.	1816.	7. 8.	H. 2.		Allion. fl. ped. t. 91. f. 4.	
2	contortus. R.S.	twisted.	E. Indies.	1779.	7. 9.	S. 2.		Schk. hand. t. 342. f. a.	
	<i>Andropogon contortus</i> , w.								
APLUDA. R.S. APL'UDA. Polygamia Monœcia. L.									
1	aristata. R.S.	awned.	E. Indies.	1820.		S. 2.		Schreb. gram. 2. t. 42.	
2	villösa. R.S.	villous.	—	—		S. 2.			
ANATHERUM. R.S. ANATHERUM. Polygamia Monœcia.									
1	muricatum. R.S.	muricate.	E. Indies.	1820.		S. 2.			
	<i>Andropogon muricatus</i> , Retz. <i>squarröus</i> , w.								
2	virginicum. R.S.	Virginian.	N. America.	1819.	7. 8.	H. 2.		Sloan. jam. 1. t. 68. f. 2?	
3	bicörne. R.S.	two-horned.	W. Indies.	1825.	—	S. 2.		Sloan. hist. 1. t. 15.	
4	caudatum. R.S.	tailed.	—	1826.	—	S. 2.			
5	müticum. R.S.	smooth-spiked.	C. B. S.	1794.	7. 9.	G. 2.			
CALAMINA. R.S. CALAM'INA. Polygamia Monœcia.									
1	gigantea. R.S.	gigantic.	Isl. Luzon.	1822.	7. 8.	G. 2.		Cavan. ic. 5. t. 458.	
2	mütica. R.S.	awnless.	E. Indies.	1816.	—	S. 2.			
	<i>Aplada mütica</i> , L.								
CYMBA'CHNE. R.S. CYMBA'CHNE. Polygamia Monœcia.									
	ciliata. R.S.	fringed.	E. Indies.	1824.	7. 8.	S. 2.			
ANTHIST'IRIA. R.S. ANTHIST'IRIA. Polygamia Monœcia. L.									
1	ciliata. R.S.	fringed.	Jamaica.	1821.	8. 10.	S. ○.		Cavan. ic. 5. t. 459.	
2	barbata. R.S.	bearded.	Japan.	1816.	—	G. ○.		Desf. j. ph. 40. p. 294. t. 2.	
3	polystachya. R.S.	many-spiked.	E. Indies.	1824.	—	S. ○.			
4	heteroclita. R.S.	jointed.	—	—	—	S. ○.			
5	australis. B.P.	New Holland.	N. Holland.	1818.	—	F. 2.			
SO'RGHUM. R.S. SO'RGHUM. Polygamia Monœcia.									
1	vulgäre. R.S.	Indian Millet.	India.	1596.	7.	H. ○.		Host. gram. 4. t. 2.	
2	nigrum. R.S.	black-glumed.	—	—	—	H. ○.		Ard. sag. pad. 1. t. 5. f. 1.	
3	bicolor. R.S.	two-coloured.	Persia.	1731.	—	H. ○.		Mieg. ac. helv. 8. t. 4. f. 4.	
4	cérnuum. R.S.	nodding.	—	—	—	H. ○.		Host. gram. 4. t. 3.	
5	rübens. R.S.	red.	Africa.	1817.	—	H. ○.			
6	nervösüm. R.S.	nerved-leaved.	China.	1827.	—	H. ○.			
7	saccharatum. R.S.	yellow-seeded.	India.	1759.	7. 8.	S. 2.		Host. gram. 4. t. 4.	
8	cafförum. R.S.	Cape.	C. B. S.	1816.	—	H. ○.		Ard. sag. pad. 1. t. 1. f. 1.	
	<i>Arduini</i> , Jacq. ecl. gram. t. 18.								

9	avenaceum. R.S.	Oat-like.	C. B. S.	1816.	7. 9.	H. ☉.	
10	halepense. R.S.	panicled.	Syria.	1691.	7. 8.	H. ♀.	Flor. græc. 1. t. 68.
11	elongatum. R.S.	long-panicled.	N. Holland.	1823.	—	F. ♀.	
HOLCUS. R.S. SOFT-GRASS. Polygamia Monœcia. L.							
1	mollis. R.S.	creeping.	Britain.		7. 8.	H. ♀.	Eng. bot. v. 17. t. 1170.
2	lanatus. R.S.	meadow.	—		6. 7.	H. ♀.	— v. 17. t. 1169.
ARRHENATHERUM. R.S. ARRHENATHERUM. Polygamia Monœcia.							
1	avenaceum. R.S.	Oat-like.	Britain.		6. 7.	H. ♀.	Eng. bot. v. 12. t. 813.
	<i>Holcus avenaceus</i> . E.B.	<i>Avēna elatior</i> . F.D. t. 165.					
	<i>β muticum</i>	awnless.	Scotland.		—	H. ♀.	
2	bulbosum. Presl.	bulbous.	Germany.		—	H. ♀.	Host. gram. 4. t. 30.
	<i>Holcus bulbosus</i> . Host.	<i>Avēna bulbosa</i> . w.					
ATHEROPOGON. R.S. ATEROPOGON. Polygamia Monœcia.							
	apludoïdes. R.S.	Apluda-like.	N. America.	1808.	6. 7.	H. ♀.	Jacq. ecl. gram. t. 7.
	<i>Chloris cartipendula</i> . M.						
CHLORIS. R.S. CHLORIS. Polygamia Monœcia. L.							
1	foliosa. R.S.	leafy.	St. Thomas.	1822.	7. 9.	S. ♀.	
2	ciliata. R.S.	ciliated.	Jamaica.	1779.	—	S. ☉.	
3	radiata. R.S.	many spiked.	W. Indies.	1739.	8. 9.	S. ☉.	Hayn. term. bot. t. 40. f. 2
4	pallida. R.S.	pale-spiked.	S. France.	1816.	—	H. ☉.	
5	barbata. R.S.	bearded.	E. Indies.	1777.	6. 7.	S. ☉.	Jacq. ecl. gram. 1. t. 8.
6	Roxburghiana. R.S.	Roxburgh's.	—	1824.	7. 8.	S. ☉.	
7	inflata. R.S.	inflated.	California.	—	—	H. ♀.	
8	fasciculata. R.S.	crowded.	Brazil.	—	—	H. ☉.	
9	caribæa. R.S.	Caribbean.	W. Indies.	1827.	—	S. ☉.	
10	polydactyla. R.S.	many-spiked.	—	1818.	—	S. ☉.	Jacq. ecl. gram. 1. t. 9.
11	elegans. R.S.	elegant.	Mexico.	1825.	—	H. ☉.	H. et B. n. gen. 1. t. 49.
12	compressa. R.S.	compressed.	S. France.	1820.	6. 8.	H. ☉.	
13	megastachya. R.S.	long-spiked.	N. Holland.	1825.	—	F. ♀.	
14	ventricosa. B.P.	swelled.	N. S. W.	1818.	—	G. ♀.	
15	truncata. B.P.	truncated.	—	1822.	—	G. ♀.	
16	pubescens. R.S.	pubescent.	Peru.	1824.	—	H. ☉.	
17	filiformis. R.S.	filiform.	—	1825.	—	H. ☉.	
18	distichophylla. R.S.	fan-leaved.	Chile.	1822.	—	H. ♀.	
19	retusa. R.S.	retuse-glumed.	—	—	—	H. ☉.	
20	dolichostachya. R.S.	long-spiked.	Philippine Isl.	1824.	7. 8.	H. ☉.	
21	crinita. R.S.	crowded-spiked.	—	—	—	H. ☉.	
22	rufescens. R.S.	rufescent.	—	—	—	H. ☉.	
23	tenella. R.S.	slender.	E. Indies.	1825.	—	S. ☉.	
24	gracilis. s.s.	slender.	S. America.	1824.	—	S. ♀.	
25	Durandiana. R.S.	Durand's.	—	—	—	H. ☉.	
EUSTACHYS. R.S. EUSTACHYS. Polygamia Monœcia.							
1	petræa. R.S.	flat-stalked.	Jamaica.	1779.	7. 8.	S. ♀.	Jacq. ecl. gram. 1. t. 11.
	<i>Chloris petræa</i> . w.						
2	submutica. R.S.	Mexican.	Mexico.	1827.	—	H. ☉.	H. et B. pl. am. 1. t. 50.
CHRYSURUS. R.S. CHRYSURUS. Polygamia Monœcia.							
1	aureus. s.s.	golden-spiked.	Levant.	1770.	7.	H. ☉.	Host. gram. 3. t. 4.
	<i>Cynosuroides</i> . R.S.	<i>Cynosurus aureus</i> . F.G. 1. t. 79.	<i>Lamarckia aurea</i> . DC.				
2	echinatus. R.S.	rough.	England.		8.	H. ☉.	Eng. bot. v. 19. t. 1333.
	<i>Cynosurus echinatus</i> . E.B.						
3	effusus. R.S.	spreading.	S. Europe.	1824.	7. 8.	H. ☉.	
4	elegans. R.S.	elegant.	—	—	—	H. ☉.	Desf. atl. 1. t. 17.
ISCHÆMUM. S.S. ISCHÆMUM. Polygamia Monœcia. L.							
1	muticum. R.S.	awnless.	E. Indies.	1824.	6. 8.	S. ♀.	Rheed. mal. 12. t. 49.
2	conjugatum. R.S.	yoked.	—	1826.	—	S. ♀.	
3	australe. B.P.	southern.	N. S. W.	1822.	7. 8.	F. ♀.	
4	rugosum. s.s.	rough.	E. Indies.	1791.	—	S. ☉.	Sal. stirp. rar. 1. t. 1.
MEO'SCHIUM. R.S. MEOSCHIUM. Polygamia Monœcia.							
1	aristatum. R.S.	awned.	E. Indies.	1808.	6. 7.	S. ♀.	
	<i>Ischæmum aristatum</i> . s.s.						
2	barbatum. R.S.	bearded.	Java.	—	—	S. ♀.	Houtt. syst. 12. t. 93. f. 4.
ROTTBOELLIA. R.S. ROTTBOELLIA. Triandria Digynia. L.							
1	exaltata. R.S.	tall.	E. Indies.	1806.		S. ♂.	
2	perforata. R.S.	perforated.	—	1822.		S. ♀.	Roxb. corom. t. 182.
3	glabra. R.S.	smooth.	—	—	—	S. ♀.	
HEMARTHRIA. B.P. HEMARTHRIA. Triandria Digynia.							
	compressa. B.P.	flat-spiked.	N. S. W.	1822.	6. 7.	G. ♀.	
LODICULARIA. P.B. LODICULARIA. Triandria Digynia.							
	fasciculata. P.B.	fascicled.	S. Europe.	1826.	6. 7.	H. ♀.	P. Beauv. agros. t. 11. f. 6.
	<i>Rottboellia fasciculata</i> . Desf. atl. 1. t. 36.						

STENOTA'PHRUM. Tr. STENOTA'PHRUM. Polygamia Monœcia.					
1 glábrum. Tr.	smooth.	Carolina.	1826.	6. 7.	H. 4.
2 dimidiátum.	creeping-rooted.	W. Indies.	1822.	—	S. 4.
<i>americanum</i> . Schk.					
3 complanátum. Schk. ...	flat-spiked.	E. Indies.	1824.	—	S. 4.
LEPTURUS. B.P.		HARD-GRASS. Triandria Digynia.			
1 incurvátus. Tr.	sea-side.	Britain.		7.	H. 0.
<i>Rottbœllia incurvata</i> . E.B. <i>Ophiurus incurvatus</i> . R.S.					
2 filifórmis. Tr.	thready.	S. Europe.	1800.	—	H. 4.
3 cylíndricus. Tr.	cylindrical.	Portugal.	1806.	—	H. 0.
<i>Rottbœllia cylíndrica</i> . W. <i>subulata</i> . DC. <i>Monérma subulata</i> . R.S.					
PHOLIURUS. Tr.		PHOLIURUS. Triandria Digynia.			
pannónicus. Tr.		Hungarian.	1804.	—	H. 0.
MONERMA. R.S.		MONERMA. Monandria Digynia.			
monándra. R.S.		monandrous.	Spain.	1804.	—
monándra. R.S.		monandrous.	Spain.	1804.	—
<i>Rottbœllia monándra</i> . Cav. <i>Nardus aristata</i> . L. <i>Psilurus nardoides</i> . Tr.					
MANIS'URIS. R.S.		MANIS'URIS. Polygamia Monœcia. W.			
granuláris. R.S.		round grained.	E. Indies.	1784.	6. 7. S. 0.
ANTHE'PHORA. R.S.		ANTHE'PHORA. Triandria Monogynia.			
1 élegans. R.S.	elegant.	Jamaica.	1776.	8. 9.	S. 0.
<i>Tripsacum hermaphroditum</i> . L. <i>Cénchrus lævigatus</i> . S.S.					
2 villosa. R.S.	villosus.	W. Indies.	1824.	—	S. 0.
TRIPSACUM. S.S.		TRIPSACUM. Monœcia Triandria. L.			
1 dactyloides. S.S.	rough-seeded.	Virginia.	1640.	8.	H. 4.
2 monostáchyon. S.S.	single-spiked.	N. America.	1815.	—	H. 4.
ECHINOCHLOA. R.S.		ECHINOCHLOA. Triandria Digynia. R.S.			
1 stagnina. R.S.	pond.	E. Indies.	1802.	7. 8.	H. w. 0.
2 commutata. R.S.	Hungarian.	Hungary.	—	—	H. w. 0.
<i>Panicum stagninum</i> . Host.					
3 intermédia. R.S.	intermediate.		1816.	—	H. 0.
4 erythrospérma. R.S.	red-seeded.		1825.	—	H. 0.
5 hispida. R.S.	hispid.	Egypt.	1829.	—	H. 0.
6 Crus-Córvi. R.S.	Crow's-foot.	E. Indies.	1781.	—	H. 0.
7 Crus-Gállí. R.S.	Cock's-foot.	England.		—	H. 0.
<i>Panicum Crus-Gállí</i> . E.B.					
8 echinata. R.S.	bristly.	N. America.	1825.	—	H. 0.
9 setigera. R.S.	setigerous.	E. Indies.	1820.	—	S. 0.
ORTHOPOGON. B.P.		ORTHOPOGON. Triandria Digynia. S.S.			
1 hirtéllus. S.S.	hairy.	W. Indies.	1795.	6. 7.	S. 3.
2 setárius. S.S.	bristly.		1823.	—	S. 0.
3 undulatifólius. S.S.	wave-leaved.	S. Europe.	1795.	6. 7.	H. 0.
<i>Panicum hirtéllum</i> . Host. <i>non</i> L.					
4 Burmánni. R.S.	Burman's.	E. Indies.	1819.		S. 0.
5 africánus.	African.	Africa.	1822.	7. 9.	S. 0.
<i>Oplismenus africánus</i> . R.S.					
6 compositus. S.S.	compound spiked.	E. Indies.	1819.	—	S. 0.
7 flaccidus. B.P.	flaccid.	N. S. W.	1824.	—	H. 0.
8 imbecillis. B.P.	feeble.		—	—	H. 0.
PANICUM. R.S.		PANIC-GRASS. Triandria Digynia. R.S.			
1 colónum. R.S.	purple.	E. Indies.	1699.	7. 8.	H. 0.
2 fluitans. R.S.	floating.		1825.	—	S. w. 0.
3 brizóides. R.S.	Briza-like.		1801.	6. 7.	S. 3.
4 flavídum. R.S.	yellowish.		1823.	—	S. 3.
5 mólle. R.S.	soft.	W. Indies.	1824.	—	H. 0.
6 Michauxiánum. R.S.	Michaux's.	N. America.	—	—	H. 0.
<i>Panicum mólle</i> . Mich. <i>non</i> Swartz.					
7 fasciculátum. R.S.	fascicled.	Jamaica.	1801.	—	H. 0.
8 plicátum. R.S.	plaited.	E. Indies.	1824.	6. 8.	S. 4.
9 palmifólium. R.S.	Palm-leaved.		1804.	—	S. 4.
10 neuródes. R.S.	nerved-leaved.	Nepaul.	1823.	—	G. 4.
<i>nervosum</i> . F.I. <i>non</i> Lam.					
11 costátum. F.I.	ribbed.	Mauritius.	1805.	—	S. 4.
12 carthagínense. R.S.	Carthagera.	S. America.	1818.	—	S. 4.
13 conglomerátum. R.S.	conglomerate.	E. Indies.	—	—	S. 4.
14 índicum. F.I.	Indian.		—	—	S. 4.
15 hispídulum. R.S.	hispid.		1804.	7. 8.	H. 0.
16 frumentáceum. F.I.	cultivated.		1810.	—	H. 0.
17 dichotómum. R.S.	forked.	N. America.	1817.	—	H. 0.
18 colorátum. R.S.	coloured.	Egypt.	1771.	7. 9.	H. 0.

Schränk. h. monac. t. 98.

Burm. ind. t. 8. f. 5.

Eng. Bot. v. 11. t. 760.

Barrel. ic. t. 6.

Giorn. pis. 4. f. 4-8.

Host. gram. 1. t. 24.

Cavan. ic. t. 39. f. 1.

Roxb. corom. 2. t. 118.

Schreb. gram. t. 44.

Lam. ill. t. 750.

Willd. hort. ber. t. 1.

Host. gram. 3. t. 51.

Eng. bot. v. 13. t. 876.

Jacq. ecl. gram. t. 20.

Host. gram. 3. t. 52.

Burm. ind. t. 12. f. 1.

Pal. fl. d'ow. 2. t. 67. f. 1.

Linn. phl. sys. 12. t. 96. f. 1.

Ehret pict. t. 3. f. 3.

Jacq. gram. fasc. t. 2.

Jacq. ecl. gram. t. 1.

Sp. m. act. pet. 1810. t. 4.

Jacq. ic. 1. t. 58?

19	répens. R.S.	slender.	S. Europe.	1777.	7. 9.	H.⊙	Flor. græc. 1. t. 61.
20	proliferum. R.S.	proliferous.	N. America.	1816.	—	H.⊙	
21	difforme. R.S.	deformed.	E. Indies.	1825.	—	S. 4.	
22	numidiânium. R.S.	Numidian.	Barbary.	1816.	—	H.⊙	Desf. atl. 1. t. 11.
23	miliaceum. R.S.	Millet.	E. Indies.	1596.	—	H.⊙	Host. gram. 2. t. 20.
24	ténue. R.S.	slender.	—	1824.	—	S. 4.	
25	tenuissimum. R.S.	very slender.	Brazil.	1827.	—	S. 4.	
26	attenuâtum. R.S.	attenuated.	—	1825.	—	H.⊙	
27	gongylôdes. R.S.	branching-flowered.	—	1823.	—	H. 4.	
28	miliare. R.S.	Millet-like.	E. Indies.	1824.	—	H.⊙	
29	muricâtum. R.S.	prickly.	—	1805.	—	H.⊙	
30	capillare. R.S.	hair-panicked.	America.	1758.	6. 8.	H.⊙	
	β minor. R.S.	smaller.	—	—	—	H.⊙	Host. gram. 4. t. 16.
31	tenellum. R.S.	slender-branch'd.	Sierra Leon.	1820.	—	S.⊙	
32	grossarium. R.S.	cultivated.	W. Indies.	1810.	—	H.⊙	
33	maximum. R.S.	Guinea-grass.	Tropics.	1822.	—	S. 4.	Jacq. ic. 1. t. 13.
34	asprimum. R.S.	rough.	S. America.	1824.	7. 9.	H.⊙	
35	fuscum. R.S.	brown.	Jamaica.	1822.	—	S. 4.	
36	latifolium. R.S.	broad-leaved.	N. America.	1765.	8. 9.	H. 4.	Moris. his. 3. t. 5. f. 4.
37	macrocarpon. R.S.	large-fruited.	—	1825.	—	H. 4.	
38	microcarpon. R.S.	small-fruited.	—	1822.	—	H. 4.	
39	diffusum. R.S.	diffuse.	W. Indies.	1823.	—	S.⊙	
40	oryzoides. R.S.	Rice-like.	—	1824.	—	S.⊙	
41	clandestinum. R.S.	hidden-flowered.	N. America.	1802.	7.	H. 4.	
42	virgatum. R.S.	twiggy.	—	1781.	8. 9.	H. 4.	Spr. m. act. pet. 2. t. 5.
43	anceps. R.S.	flat-edged.	—	1816.	7. 8.	H. 4.	
44	uliginosum. R.S.	marsh.	E. Indies.	1819.	—	S. w. 4.	
45	nitidum. R.S.	glossy.	N. America.	1811.	—	H.⊙	
46	arundinaceum. R.S.	Reed-like.	Jamaica.	1819.	—	S. 4.	
47	triphëron. R.S.	brown-seeded.	E. Indies.	1820.	6. 8.	S.⊙	
	tenellum. F.T. nec aliorum. Roxburghii. s.s.	—	—	—	—	—	
48	brevifolium. R.S.	short-leaved.	—	1800.	7. 8.	S. 4.	Pluk. alm. t. 189. f. 4.
49	divaricatum. R.S.	divaricate.	Jamaica.	—	—	S. 4.	Jacq. schœn. 1. t. 25.
50	interrûptum. R.S.	interrupted.	E. Indies.	1820.	—	S. 4.	
51	arborëscens. R.S.	arborescent.	—	1776.	3. 4.	S. 4.	
52	pâten. R.S.	spreading.	—	1804.	7. 8.	S. 4.	Burm. ind. t. 10. f. 3.
53	altissimum. R.S.	lofty.	—	1816.	—	H.⊙	
54	erigônium. R.S.	woolly-angled.	N. Holland.	1824.	—	G. 4.	
55	marginatum. B.P.	margin-leaved.	N. S. W.	1822.	—	F. 4.	
56	bicolor. B.P.	two-coloured.	—	—	—	F. 4.	
	ISA'CHNE. B.P.	ISA'CHNE. Triandria Digynia.	R.S.	—	—	—	
	austrâlis. B.P.	New Holland.	N. S. W.	1820.	6. 8.	H. w. 4.	
	MONA'CHNE. R.S.	MONA'CHNE. Triandria Digynia.	R.S.	—	—	—	
	unilaterâlis. R.S.	one-sided.	Jamaica.	1819.	6. 8.	S. 4.	Sloan. hist. 1. t. 14. f. 2.
	Milium villôsum. w.	—	—	—	—	—	
	AXO'NOPUS. R.S.	AXO'NOPUS. Triandria Digynia.	R.S.	—	—	—	
1	digitatus. R.S.	fingered.	Jamaica.	1818.	6. 8.	H.⊙	
2	cimicinus. R.S.	spotted.	E. Indies.	1778.	7. 9.	H.⊙	
	Panicum cimicinum. w. Milium cimicinum. l.	—	—	—	—	—	
	BECKMA'NNIA. R.S.	BECKMA'NNIA. Triandria Digynia.	R.S.	—	—	—	
	erucaeformis. R.S.	linear-spiked.	Europe.	1773.	7.	H.⊙	Host. gram. 3. t. 6.
	SECALE. R.S.	RYE. Triandria Digynia.	R.S.	—	—	—	
1	cereale. R.S.	common.	Tauria.	—	6. 7.	H.⊙	
	α hybërum. R.S.	winter.	—	—	—	H. 4.	Blackw. t. 424.
	β vërum. R.S.	spring.	—	—	—	H.⊙	Host. gram. 2. t. 48.
	γ compôsitum. R.S.	compound-spiked.	—	—	—	H.⊙	
2	fragile. R.S.	brittle.	—	1816.	—	H.⊙	
3	villôsum. F.G.	villous.	S. Europe.	1790.	—	H.⊙	Flor. græc. t. 97.
	Triticum villôsum. R.S.	—	—	—	—	—	
4	sylvëstre. Host.	wood.	Hungary.	1816.	—	H. 4.	Host. gram. 4. t. 2.
5	crëticum. w.	Cretan.	Candia.	—	—	H. 4.	
	TETRAPOGON. S.S.	TETRAPOGON. Polygamia Monœcia.	—	—	—	—	
	villôsus. S.S.	villous.	Barbary.	1818.	7. 8.	H.⊙	Desf. atl. 2. t. 255.
	TRITICUM. R.S.	WHEAT. Triandria Digynia.	L.	—	—	—	
1	æstivum. R.S.	summer.	Baschios.	—	6. 7.	H.⊙	Host. gram. 3. t. 26.
	α ambigens. LG.	β Bahi. LG.	γ Bâncos. LG.	δ Câlôt. LG.	ε cândidum. LG.	ζ compâctum. LG.	
	η Lamârcikii. LG.	θ Rôyo. LG.	ι truncâtulum. LG.	κ variegâtum. LG.	λ confërtum. LG.		
	μ hûmile. LG.	ν mëdium. LG.	ξ mâjus. LG.	o Pâstor. LG.	π versicolor. LG.		

- 2 *hybérnum*. R.S. *Lammas*. 6. 7. H. ♂. Host. gram. 3. t. 26. f. 8
a candidissimum. L.G. β *compactum*. L.G. γ *Morisóni*. L.G. δ *Pòlo*. L.G. ε *Tessieri*. L.G.
- 3 *sibiricum*. R.S. *Siberian*. — H. ⊙.
- 4 *velutinum*. R.S. *velvet-spiked*. — H. ♂. Rod. Schub. cer. n. 4. f. 4.
- 5 *compositum*. R.S. *Egyptian*. *Egypt*. 1799. — H. ⊙. Host. gram. 3. t. 27.
a aureum. L.G. β *compositum*. L.G. γ *edentulum*. L.G. δ *prismaticum*. L.G. ε *rubrum*. L.G.
- 6 *Linneænum*. R.S. *Linnean*. *Egypt*. 6. 7. H. ⊙.
a Caballero. L.G. β *dubium*. L.G. γ *Lajusticia*. L.G. δ *depilatum*. L.G. ε *piceo-cæruleum*. L.G.
- 7 *turgidum*. R.S. *turgid*. 6. 7. H. ⊙. Host. gram. 3. t. 28.
a Collado. L.G. β *compositum*. L.G. γ *montanum*. L.G. δ *Tournefortii*. L.G. ε *Cæmels*. L.G.
ζ Lapidra. L.G.
- 8 *fastuosum*. R.S. *thick-grained*. 6. 7. H. ⊙.
a albèllum. L.G. β *A'sso*. L.G. γ *Cannabate*. L.G. δ *Castro*. L.G. ε *Echeandia*. L.G. ζ *Jurado*. L.G.
η Alvarez. L.G. θ *Lobelii*. L.G.
- 9 *Gartnerianum*. R.S. *Gartner's*. H. ⊙.
a Bernal. L.G. β *calvum*. L.G. γ *ciliòsum*. L.G. δ *Graells*. L.G. ε *Oliet*. L.G. ζ *Plà*. L.G.
η speltioides. L.G. θ *truncatum*. L.G. ι *Vasallo*. L.G. κ *yèpes*. L.G. λ *Halleri*. L.G. μ *Pärck*. L.G.
ν Valcárcel. L.G. ξ *Xixóna*. L.G. ο *Cleméte*. L.G. π *Colóna*. L.G. ρ *Gerardi*. L.G. σ *Gleichen*. L.G.
τ Morales. L.G. υ *Plukenet*. L.G. φ *Sanmartin*. L.G. χ *Theophrasti*. L.G. ψ *Thouini*. L.G.
- 10 *platystachyum*. R.S. .. *flat-spiked*. 6. 7. H. ⊙.
- 11 *cochleare*. R.S. *spoon-like*. — H. ⊙.
a aristatum. L.G. β *mucronatum*. L.G.
- 12 *Cevállos*. R.S. *Trigo Moro*. — H. ⊙.
- 13 *durum*. R.S. *Barbary*. — H. ⊙.
- 14 *villòsum*. Host. *villous*. — H. ⊙. Host. gram. 4. t. 6.
- 15 *siculum*. R.S. *Sicilian*. — H. ⊙.
- 16 *hordeiforme*. R.S. *Barley form*. — H. ⊙. Host. gram. 4. t. 5.
- 17 *compactum*. R.S. *compact*. — H. ⊙. — 4. t. 7.
- 18 *polonicum*. R.S. *Polish*. 1692. — H. ⊙. — 3. t. 31.
- 19 *monococcon*. R.S. *one-grained*. 1648. — H. ⊙. — 3. t. 32.
a glabrum. L.G. β *pubescens*. L.G.
- 20 *dicoccum*. R.S. *two-grained*. — H. ⊙. Rod. Schub. cer. n. 15. f. 2.
a album. — H. ⊙.
β rufum. — H. ⊙.
- 21 *atratum*. R.S. *dark-spiked*. — H. ⊙. Host. gram. 4. t. 8.
- 22 *tricoccum*. R.S. *three-grained*. — H. ⊙. Rod. Schub. cer. n. 17. f. 3.
- 23 *Cienfuegos*. R.S. *tooth-valved*. — H. ⊙.
- 24 *Bauhini*. R.S. *truncate-valved*. — H. ⊙.
- 25 *Spélta*. R.S. *Spelt*. — H. ⊙. Host. gram. 3. t. 29.
Zea. Host.
a Asturum. L.G. β *rufescens*. L.G. γ *submuticum*. L.G. δ *album*. L.G. ε *cyaneum*. L.G.
- 26 *venulosum*. R.S. *veined*. *Egypt*. 6. 7. H. ⊙.
- 27 *ichyostachyum*. R.S. .. *slender-spiked*. — H. ⊙.
- AGROPYRUM. R.S. COUCH-GRASS. Triandria Digynia. R.S.
- 1 *juncum*. R.S. *rushy*. *England*. 6. 7. H. ♀. Eng. bot. v. 12. t. 814.
Triticum juncum. E.B.
- 2 *acutum*. R.S. *acute-glumed*. *France*. 1816. — H. ♀.
- 3 *littorale*. Host. *sea-side*. *Mediterranean*. — H. ♀. Host. gram. 4. t. 9.
- 4 *rigidum*. R.S. *rigid*. *S. Europe*. 1805. — H. ♀.
- 5 *intermedium*. Host. *intermediate*. *Germany*. — H. ♀. Host. gram. 2. t. 22.
- 6 *glauum*. R.S. *glaucous*. *Switzerland*. 1824. — H. ♀. — 4. t. 10 ?
- 7 *rupèstre*. R.S. *rock*. *Siberia*. 1822. — H. ♀.
- 8 *obtusiflorum*. R.S. *blunt-flowered*. — H. ♀.
- 9 *pungens*. R.S. *pungent*. *S. Europe*. 1824. — H. ♀.
- 10 *densiflorum*. R.S. *close-flowered*. *Siberia*. — H. ♀.
- 11 *giganteum*. R.S. *gigantic*. *S. Europe*. 1805. — H. ♀. Host. gram. 2. t. 23.
Triticum elongatum. Host.
- 12 *repens*. R.S. *common*. *Britain*. 7. 8. H. ♀. Eng. bot. v. 13. t. 909.
a arvense. R.S. *field*. — H. ♀. Trattin. tab. t. 566.
β subulatum. R.S. *subulate-glumed*. — H. ♀. Schreb. gram. t. 26. f. 2.
γ dumetorum. R.S. *many-flowered*. — H. ♀. — f. II. IV. f. 3.
δ Vaillantianum. R.S. *Vaillant's*. — H. ♀. — f. 6.
ε Leersianum. R.S. .. *Leers's*. — H. ♀. Leers fl. herb. t. 12. f. 4.
ζ capillare. R.S. *hair-awned*. — H. ♀.
- 13 *sibiricum*. R.S. *Siberian*. *Siberia*. 1825. — H. ♀.
- 14 *dasyanthum*. R.S. *thick-flowered*. *Russia*. — H. ♀.
- 15 *caninum*. R.S. *bearded*. *Britain*. — H. ♀. Eng. bot. v. 20. t. 1372
- 16 *distichum*. R.S. *two-ranked*. *C. B. S.* 1816. — G. ♀.
- 17 *prostratum*. R.S. *prostrate*. *Siberia*. 1780. 6. H. ⊙. Jacq. vind. 3. t. 44.

18	orientale. R.S.	 hairy-spiked.	Levant.	1807.	6. 7. H. ♂	Will.n.act.ber.2.t.4.f.3.
	<i>Secale orientale.</i> w.					
19	pátulum. Tr.	 spreading.	Egypt.	1800.	— H. ⊙	
	<i>Triticum squarròsum.</i> R.S.	<i>Buonapàrtis.</i> Spr.				
20	imbricatùm. R.S.	 imbricated.	Caucasus.	1824.	6. 8. H. ♀	Gmel.sib.1.n.51.t.23.
21	pectinifòrme.R.S.	 comb-like.	Tauria.	—	— H. ♀	Buxb. cent.1. t.50. f.3.
22	cristatùm. R.S.	 crested.	—	—	— H. ♀	Eng. bot. v. 32. t. 2267.
23	desertòrum. R.S.	 desert.	Altay.	1822.	— H. ♀	Ledeb. ic. alt. t. 246.
24	angustifòlium. R.S.	 narrow-leaved.	Siberia.	—	— H. ♀	
25	muricatùm. R.S.	 bristly.	—	1825.	— H. ♀	
26	pectinatùm. R.S.	 pectinated.	V. Diem. Isl.	1822.	— H. ♀	
27	variegatùm. R.S.	 variegated.		1818.	— H. ♀	
L'OLIUM. R.S. DARNEL. Triandria Digynia. L.						
1	perènne. R.S.	 Rye-grass.	Britain.		5. 6. H. ♀	Eng. bot. v. 5. t. 315.
	<i>a vulgàre.</i> R.S.	 common.	—		— H. ♀	Host. gram. 1. t. 25.
	<i>β ténue.</i> R.S.	 slender.	—		— H. ♀	Sinc. gra.wob. p.211. ic.
	<i>γ compòsitum.</i> R.S.	 compound.	—		— H. ♀	Scheuch. agr. 1. f. 7. D.
	<i>δ ramòsum.</i> R.S.	 branching.	—		— H. ♀	Leers gram. t. 12. f. 1.
	<i>ε Russellianum.</i> H.G.W.	<i>Russell's.</i>	—		— H. ♀	Sinc. gra.wob. p. 216. ic.
	<i>ζ Whitworthii.</i> H.G.W.	<i>Whitworth's.</i>	—		— H. ♀	
	<i>η Stickneyanum.</i> H.G.W.	<i>Stickney's.</i>	—		— H. ♀	
	<i>θ paniculatum.</i> H.G.W.	<i>panicled.</i>	—		— H. ♀	
	<i>ι monstròsum.</i> H.G.W.	<i>monstrous-flowered.</i>	—		— H. ♀	
	<i>κ viviparum.</i> R.S.	 viviparous.	—		— H. ♀	
	<i>λ multiflorum.</i> R.S.	 many-flowered.	—		— H. ♀	
	<i>μ humile.</i> R.S.	 dwarf.	—		— H. ♀	
2	multiflorum. R.S.	 many-flowered.	Europe.	1816.	— H. ⊙	Vaill. par. t. 17. f. 3.
3	arvénse. R.S.	 beardless.	England.		7. H. ⊙	Eng. bot. v. 16. t. 1125.
4	canadénse. Panz.	 Canadian.	Canada.	1822.	— H. ⊙	
5	complanatùm. L.en.	 rigid.	Switzerland.	1825.	— H. ⊙	
	<i>rigidum.</i> R.S.					
6	temuléntum. R.S.	 bearded.	Britain.		7. 8. H. ⊙	Eng. bot. v. 16. t. 1124.
7	speciosum. R.S.	 pretty.	Tauria.	1824.	— H. ⊙	
ÆGILOPS. R.S. HARD-GRASS. Polygamia Monœcia. L.						
1	caudata. R.S.	 tailed.	Candia.	1820.	7. 8. H. ⊙	
2	cylindrica. R.S.	 cylindrical.	Hungary.	1805.	6. 7. H. ⊙	Host. gram. 2. t. 7.
3	ovata. R.S.	 oval-spiked.	S. Europe.	1683.	— H. ⊙	Flor. græc. 1. t. 93.
4	triaristata. R.S.	 three-awned.	—	1739.	7. 8. H. ⊙	Host. gram. 2. t. 6.
	<i>truncialis.</i> Host. non w.					
5	truncialis. R.S.	 long-spiked.	—	—	— H. ⊙	Schreb. gram. t. 10. f. 1.
6	comosa. R.S.	 tufted.	Greece.	1828.	— H. ⊙	
7	squarrosa. w.	 rough-spiked.	Levant.	1794.	6. 7. H. ♀	Schreb.gram.2.t.27.f.2.
	<i>Triticum squarròsum.</i> R.S.					
8	Hy'strix. N.	 hedgehog.	Missouri.	1819.	7. 8. H. ♀	
ELYMUS. R.S. LYME-GRASS. Triandria Digynia. L.						
1	arenarius. E.B.	 sand.	Britain.		4. 6. H. ♀	Eng. bot. v. 24. t. 1672.
2	geniculatus. E.B.	 pendulous.	England.		7. H. ♀	— v. 23. t. 1586.
3	Delileanus. R.S.	 Delile's.	Egypt.	1827.	— H. ⊙	Delil. egypt. t. 13. f. 1.
4	sabulosus. R.S.	 glaucous.	Siberia.	1806.	6. 7. H. ♀	
5	giganteus. R.S.	 gigantic.	N. America.	1790.	7. 8. H. ♀	
6	mexicanus. R.S.	 Mexican.	Mexico.	1823.	6. 8. H. ♀	Jacq. ecl. gr. t. 19.
7	sibiricus. R.S.	 Siberian.	Siberia.	1758.	6. 7. H. ♀	Schreb. gram. 1. t. 21. f. 1.
8	mollis. R.S.	 soft.	Kamtschatka.	1829.	— H. ♀	
9	racemosus. R.S.	 racemed.		1816.	— H. ♀	
10	téner. R.S.	 tender.	Siberia.	1801.	— H. ♀	
11	philadelphicus. R.S.	 Philadelphian.	N. America.	1790.	7. 8. H. ♀	
12	canadensis. R.S.	 Canadian.	—	1699.	— H. ♀	Moris. s. 8. t. 2. f. 10.
13	glaucifolius. R.S.	 glaucous.	—	1816.	— H. ♀	
14	villösus. R.S.	 villous.	—	1802.	6. 7. H. ♀	
15	virginicus. R.S.	 Virginian.	—	1781.	— H. ♀	
16	striatus. R.S.	 striated.	—	1790.	— H. ♀	
	<i>β minor.</i> R.S.	 lesser.	—		— H. ♀	
17	europæus. R.S.	 European.	England.		— H. ♀	Eng. bot. v. 19. t. 1317.
18	crinitus. R.S.	 long-awned.	Smyrna.	1806.	7. 8. H. ⊙	Host. gram. 1. t. 27.
19	intermedius. R.S.	 intermediate.	Iberia.	1819.	7. 9. H. ⊙	Buxb. cent. 1. t. 52.
20	altaicus. F.	 Altaic.	Altay.	1829.	— H. ♀	
21	pauciflorus. R.S.	 few-flowered.		1824.	— H. ⊙	
22	Caput Medusæ. R.S.	 Portuguese.	Portugal.	1784.	— H. ⊙	Schreb. gram. 2. t. 24. f. 2.
23	juncæus. R.S.	 rushy.	Siberia.	1823.	7. 8. H. ♀	

24	hordeifórmis. R.S.	Barley-like.		1816.	7. 8.	H.⊙.	
25	Hy'strix. R.S.	rough.	Levant.	1770.	—	H.⊙.	Jacq. ic. 2. t. 305.
	<i>Asprélla Hy'strix</i> . W.en.						
26	pseudó-hy'strix. R.S.	rough American.	N. America.	1818.	—	H.⊙.	
ENNEAP'OGON. R.S. ENNEAP'OGON. Triandria Digynia. R.S.							
1	nígricans. R.S.	blackish.	N. S. W.	1822.	7. 8.	F. 2.	
2	pállidus. R.S.	pale.	—	1824.	—	F. 2.	
	<i>Pappóphorum pállidum</i> . B.P.						
3	phleoides. R.S.	Phleum-like.	S. America.	1822.	—	F. 2.	
PAPPOPHORUM. B.P. PAPPOPHORUM. Triandria Digynia. R.S.							
1	alopecuroídeum. R.S.	Foxtail-like.	S. America.	1825.	6. 8.	S. 2.	
2	laguroídeum. R.S.	Hare-tail-like.	W. Indies.	1826.	—	S. 2.	
ECHIN'ARIA. R.S. ECHIN'ARIA. Triandria Digynia. R.S.							
	capitáta. R.S.	headed.	S. Europe.	1771.	5. 8.	H.⊙.	Flor. græc. 1. t. 100.
	<i>Cénchrus capitátus</i> . F.G. <i>Sésleria echinàta</i> . Host. gram. 3. t. 8.						
SESL'ERIA. R.S. SESL'ERIA. Triandria Digynia. R.S.							
1	elongàta. R.S.	long-spiked.	Austria.	1805.	6. 7.	H. 2.	Host. gram. 2. t. 97.
2	cylíndrica. R.S.	cylindrical.	S. Europe.	1818.	—	H. 2.	Sav. Ust. ann. 1800. ic.
3	tenuifólia. R.S.	slender-leaved.	—	—	4. 6.	H. 2.	Host. gram. 4. t. 22.
4	cœrúlea. R.S.	blue.	Britain.		4. 5.	H. 2.	Eng. bot. v. 23. t. 1613.
5	álbicans. R.S.	whitish.	Carpathian Mts.	1826.	—	H. 2.	
6	nítida. R.S.	glossy.	Italy.	1825.	5. 6.	H. 2.	
7	tenélla. R.S.	weak.	Switzerland.	1810.	—	H. 2.	Host. gram. 2. t. 100.
8	sphærocépala. R.S.	round-headed.	—	—	—	H. 2.	— 2. t. 99.
9	dísticha. R.S.	distichous.	—	1824.	—	H. 2.	— 2. t. 76.
	<i>Poa disticha</i> . Host.						
TRI'ODIA. B.P. TRI'ODIA. Triandria Digynia. R.S.							
	decúbens. R.S.	decumbent.	Britain.		7. 8.	H. 2.	Eng. bot. v. 11. t. 792.
	<i>Poa decúbens</i> . E.B. <i>Festúca decúbens</i> . W. <i>Danthônia decúbens</i> . DC.						
TRIDENS. R.S. REDTOP-GRASS. Triandria Digynia. R.S.							
	quinquéfida. R.S.	five-cleft.	N. America.	1816.	7. 8.	H. 2.	Jacq. ecl. gr. 2. t. 16.
	<i>Triodia cupr'æa</i> . Jacq. <i>Windsória poe'fórmis</i> . N. <i>Poa quinquéfida</i> . Ph.						
DANTH'ONIA. DC. DANTH'ONIA. Triandria Digynia. R.S.							
1	longifólia. B.P.	long-leaved.	N. S. W.	1823.	7. 8.	F. 2.	
2	semiannuláris. B.P.	semiannular.	N. Holland.	1822.	—	F. 2.	Labill. n. holl. 1. t. 33.
	<i>Arúdo semiannuláris</i> . Lab.						
3	pílosa. B.P.	hairy.	N. S. W.	1823.	—	F. 2.	
4	provinciális. R.S.	Provence.	S. Europe.	1818.	6. 7.	H. 2.	Vill. delph. 2. t. 2. f. 9.
5	spicàta. R.S.	spiked.	N. America.	1823.	—	H. 2.	
6	strigòsa. R.S.	bristle-pointed.	Britain.		—	H. 2.	Eng. bot. v. 18. t. 1266.
	<i>Avèna strigòsa</i> . E.B.						
7	macránta. R.S.	large-flowered.	C. B. S.	1816.	—	H.⊙.	
8	curvifólia. R.S.	curve-leaved.	—	—	—	G. 2.	
9	calycina. R.S.	glossy-calyxed.	—	1822.	—	G. 2.	
KŒL'ERIA. R.S. KŒL'ERIA. Triandria Digynia. R.S.							
1	cristàta. R.S.	crested.	Europe.		6. 8.	H. 2.	Host. gram. 2. t. 75.
	<i>β glàbra</i> . R.S.	smooth.	Britain.		7. 8.	H. 2.	Eng. bot. v. 9. t. 648.
	<i>Aíra cristàta</i> . E.B. <i>Pòa cristàta</i> . W.						
2	grandiflora. R.S.	great-flowered.	S. Europe.	1824.	6. 8.	H. 2.	
3	glàuca. DC.	glaucous.	Germany.	1816.	—	H. 2.	
4	pensylvánica. DC.	Pennsylvanian.	N. America.	1818.	—	H. 2.	Spr. mem. p. 2. 1810. t. 7.
5	nítida. R.S.	glossy.	—	1828.	—	H. 2.	
6	macránta. R.S.	large-flowered.	Russia.	1824.	—	H. 2.	
7	albescens. R.S.	whitish.	S. France.	1829.	—	H. 2.	
8	valesiaca. R.S.	Swiss.	Switzerland.	1824.	—	H. 2.	
9	setacea. R.S.	bristly.	S. Europe.	1825.	—	H. 2.	
10	tuberosa. P.S.	tuberous.	—	1802.	7. 8.	H. 2.	Lam. ill. t. 45. f. 4.
11	hirsuta. R.S.	hairy.	Switzerland.	1824.	—	H. 2.	
12	villòsa. R.S.	villous.	S. Europe.	1800.	6. 7.	H. 2.	
	<i>Aíra pubescens</i> . W. <i>Phálaris pubescens</i> . Lam.						
13	phleoides. R.S.	cat's-tail.	Portugal.	1802.	7. 8.	H.⊙.	Desf. atl. 1. t. 23.
14	hispida. R.S.	hispid.	S. Europe.	1819.	6. 7.	H.⊙.	Savi fl. pis. t. 1. f. 5.
15	brachystachya. R.S.	short-spiked.		—	—	H.⊙.	
16	parviflora. Len.	small-flowered.	S. Europe.	—	—	H.⊙.	Desf. atl. 1. t. 32.
	<i>Avèna parviflora</i> . Desf. <i>Trisetum parviflorum</i> . R.S.						
17	ægyptiaca. Lk.	Egyptian.	Egypt.	1826.	—	H.⊙.	
18	láxa. Th.	loose-flowered.	—	1829.	—	H.⊙.	
AVENA. R.S. OAT-GRASS. Triandria Digynia. L.							
1	pr'æcox. R.S.	early-flowering.	Britain.		5. 6.	H.⊙.	Eng. bot. v. 18. t. 1296.
	<i>Aíra pr'æcox</i> . E.B.						

2	brëvis. R.S.	 short.	Germany.	1804.	5. 6.	H.⊙.	Host. gram. 3. t. 42.
3	álba. R.S.	 white.	France.		6. 7.	H.⊙.	
4	satíva. R.S.	 common.	S. America.		—	H.⊙.	Host. gram. 2. t. 59.
	<i>a melanospërma.</i>	 black Oat.	—		—	H.⊙.	
	<i>β leucospërma.</i>	 white Oat.	—		—	H.⊙.	
5	orientális. R.S.	 Tartarian.	Levant.	1798.	—	H.⊙.	Host. gram. 3. t. 44.
6	nüda. R.S.	 naked.			—	H.⊙.	— 3. t. 43.
7	fátua. R.S.	 wild.	Britain.		8.	H.⊙.	Eng. bot. v. 31. t. 2221.
8	hirsúta. R.S.	 hairy.	S. Europe.	—	6. 8.	H.⊙.	
9	stérilis. R.S.	 bearded.	—	1640.	7. 8.	H.⊙.	Jacq. ic. 1. t. 23.
10	sempervirens. R.S.	 evergreen.	Pyrenees.	1816.	6. 7.	H.⊙.	Host. gram. 3. t. 41.
11	fállax. R.S.	 fallacious.	S. Europe.	1824.	—	H.⊙.	
12	pállens. R.S.	 pale.	Portugal.	—	—	H.⊙.	
13	praténsis. R.S.	 narrow-leaved.	Britain.		—	H.⊙.	Eng. bot. v. 17. t. 1204.
14	cantábrica. R.S.	 evergreen.		1825.	—	H.⊙.	
15	bromoides. R.S.	 Bromus-like.	S. Europe.		—	H.⊙.	
16	planícúlmis. R.S.	 flat-stalked,	Hungary.	1822.	—	H.⊙.	Schrad. fl. ger. 1. t. 6. f. 2.
	<i>latifólia.</i> Host. gram. 4. t. 32.						
17	versicolor. R.S.	 various-colored.	Europe.	1816.	6. 8.	H.⊙.	Host. gram. 2. t. 52.
GAUD'INIA. R.S. GAUD'INIA. Triandria Digynia. R.S.							
	<i>frágilis.</i> R.S.	 brittle.	S. Europe.	1770.	7. 8.	H.⊙.	Host. gram. 2. t. 54.
	<i>Avèna frágilis.</i> Host.						
TRIS'ETUM. R.S. TRISE'TUM. Triandria Digynia. R.S.							
1	ténue. R.S.	 slender.	Europe.	1804.	7. 8.	H.⊙.	Host. gram. 2. t. 55.
	<i>striatum.</i> P.S. <i>Avèna ténuis.</i> Host.						
2	psylvánicum. R.S.	 Pensylvanian.	N. America.	1785.	6. 7.	H.⊙.	
3	micránthum. R.S.	 small-flowered.	S. Europe.	1823.	—	H.⊙.	
4	negléctum. R.S.	 neglected.	—	—	—	H.⊙.	Savi fl. pis. 1. t. 1. f. 4.
5	alopecùrus. R.S.	 Foxtail.		1816.	—	H.⊙.	
6	Loeflingianum. R.S.	 Loefling's.	S. Europe.	1770.	—	H.⊙.	W.berl. mag. 2. t. 8. f. 3.
7	condensatum. R.S.	 close-flowered.	Sicily.	1824.	—	H.⊙.	
8	pilòsum. R.S.	 hairy.	Iberia.	—	—	H.⊙.	
9	pubescens. R.S.	 pubescent.	Britain.		7. 8.	H.⊙.	Eng. bot. v. 23. t. 1640.
	<i>Avèna pubescens.</i> E.B.						
10	rigidum. R.S.	 rigid.	Caucasus.	1825.	—	H.⊙.	
11	alpinum. R.S.	 Alpine.	Scotland.		7.	H.⊙.	Eng. bot. v. 30. t. 2141.
	<i>Avèna planícúlmis.</i> E.B. non Schrad.						
12	carpáthicum. R.S.	 Carpathian.	Carp. mount.	1818.	7. 8.	H.⊙.	Host. gram. 4. t. 31.
13	flavescens. R.S.	 golden.	Britain.		6. 7.	H.⊙.	Eng. bot. v. 14. t. 952.
	<i>pratense.</i> P.S. <i>Avèna flavescens.</i> E.B.						
14	alpèstre. R.S.	 mountain.	S. Europe.	1816.	—	H.⊙.	Host. gram. 3. t. 39.
15	brevifólium. R.S.	 short-leaved.	—	—	—	H.⊙.	— 3. t. 40.
16	argénteum. R.S.	 silvery.	Switzerland.	1791.	—	H.⊙.	— 2. t. 53.
17	distichophyllum. R.S.	 fan-leaved.	—	1796.	—	H.⊙.	Vill. delph. 2. t. 4. f. 4.
18	airoides. R.S.	 Aira-like.	—	1800.	—	H.⊙.	Flor. dan. t. 228.
	<i>Avèna airoides.</i> DC. <i>Aira subspiciata.</i> W.						
19	glabrátum. R.S.	 smooth.	Portugal.	1818.	7. 8.	H.⊙.	
CENTOTHECA. R.S. CENTOTHECA. Triandria Digynia. R.S.							
	<i>lappacea.</i> R.S.	 Bur.	India.	1773.	7.	S.⊙.	Pal. de Beau. ag. t. 14. f. 7.
	<i>Cénchrus lappaceus.</i> L.						
CABR'ERA. LG. CABR'ERA. Triandria Digynia.							
	<i>chrysoblépharis.</i> LG.	golden-spiked.	S. America.	1822.	6. 7.	S.⊙.	
P'OA. R.S. MEADOW-GRASS. Triandria Digynia. L.							
1	praténsis. R.S.	 smooth-stalked.	Britain.		5. 6.	H.⊙.	Eng. bot. v. 15. t. 1073.
2	angustifólia. DC.	 narrow-leaved.	—		5.	H.⊙.	Sinc. gra. wob. p. 184. ic.
3	humilis. R.S.	 short-blueish.	—		5. 6.	H.⊙.	Eng. bot. v. 14. t. 1004.
	<i>subcærulea.</i> E.B.						
4	víridis. R.S.	 green.	N. America.	1812.	—	H.⊙.	
5	hy'brida. R.S.	 hybrid.	Switzerland.	1824.	—	H.⊙.	
6	Torreyana. R.S.	 Torrey's.	N. America.	1825.	—	H.⊙.	
7	trivialis. E.B.	 common.	Britain.		6. 8.	H.⊙.	Eng. bot. v. 15. t. 1072.
8	Gmelini. R.S.	 Gmelin's.	Germany.	1825.	—	H.⊙.	
9	ánua. E.B.	 annual.	—		1. 12.	H.⊙.	Eng. bot. v. 16. t. 1141.
10	cæspitòsa. R.S.	 tufted.	N. Zealand.	1822.	6. 8.	H.⊙.	
11	grácilis. R.S.	 slender.	Siberia.	1818.	—	H.⊙.	
12	bulbòsa. R.S.	 bulbous.	England.		5. 6.	H.⊙.	Eng. bot. v. 15. t. 1071.
13	láxa. R.S.	 loose.	Scotland.		7.	H.⊙.	Host. gram. 3. t. 15.
	<i>flexuosa.</i> Eng. bot. v. 16. t. 1123.						
14	distichophylla. R.S.	 fan-leaved.	Switzerland.	1829.	—	H.⊙.	Host. gram. 4. t. 26.

15	árctica. R.S.	 arctic.	Melville Isl.	1827.	7.	H. 7.	
16	angustàta. R.S.	 narrow.	—	—	—	H. 7.	
17	abbreviàta. R.S.	 shortened.	—	—	—	H. 7.	
18	Halleri. R.S.	 Haller's.	Switzerland.	Haller	—	H. 7.	
	<i>pállens. Hall.</i>						
19	cenisia. R.S.	 soft.	Mt. Cenis.	1791.	7. 8.	H. 7.	Host. gram. 3. t. 16.
20	alpina. R.S.	 Alpine.	Scotland.		6. 7.	H. 7.	Eng. bot. v. 14. t. 1003.
21	collina. R.S.	 hill.	Europe.	1800.	—	H. 7.	Host. gram. 2. t. 66.
22	concinna. R.S.	 neat.	Switzerland.	1815.	—	H. 7.	
23	Molinèri. R.S.	 Molineri's.	—	1816.	—	H. 7.	Balb. misc. t. 5. f. 1.
24	badénsis. w.	 Baden.	Baden.	1826.	—	H. 7.	
25	brevifolia. DC.	 short-leaved.	France.	1822.	—	H. 7.	
26	supina. R.S.	 trailing.	Switzerland.	—	—	H. 7.	Host. gram. 4. t. 27.
27	miliàcea. R.S.	 Millet like.	Hungary.	1824.	—	H. 7.	
28	nemoràlis. R.S.	 wood.	—		6.	H. 7.	Eng. bot. v. 18. t. 1265.
	<i>β angustifolia. H. G. W. narrow-leaved.</i>		—		—	H. 7.	Sinc. gr. wob. p. 182. ic.
29	Gaudini. R.S.	 Gaudin's.	Switzerland.	1820.	—	H. 7.	
	<i>àspera. Gaud. non Spreng.</i>						
30	versicolor. R.S.	 various-color'd.	Tauria.	1825.	6. 7.	H. 7.	
31	coarctàta. L. en.	 crowded.	Europe.		—	H. 7.	
32	glauca. E. B.	 glaucous.	Britain.		—	H. 7.	Eng. bot. v. 24. t. 1720.
33	cæsia. E. B.	 sea-green.	Scotland.		—	H. 7.	— v. 24. t. 1719.
34	brachyphylla. R.S.	 short-leaved.	N. America.	1816.	—	H. 7.	
35	depauperàta. R.S.	 few-flowered.	Hungary.	—	—	H. 7.	
36	stérilis. R.S.	 barren-ground.	Tauria.	1824.	—	H. 7.	
37	nervàta. R.S.	 nerved.	N. America.	1812.	—	H. 7.	Sinc. gr. wob. p. 190. ic.
38	imbecilla. R.S.	 weak.	N. Zealand.	1822.	7. 8.	H. 7.	
39	anceps. R.S.	 flat-edged.	—	—	—	H. 7.	
40	flàva. R.S.	 yellow.	N. America.	—	—	H. 7.	
41	hirsùta. R.S.	 hairy.	—	—	—	H. 7.	
42	índica. R.S.	 Indian.	E. Indies.	—	—	S. 7.	
43	Poirètii. R.S.	 Poiret's.		1816.	6. 8.	H. 7.	
44	serotina. R.S.	 late-flowering.	Germany.	1800.	7. 9.	H. 7.	
45	effùsa. R.S.	 spreading.	Hungary.	1823.	6. 8.	H. 7.	
46	sudética. R.S.	 broad-leaved.	Germany.	1802.	7. 8.	H. 7.	Vill. delph. 2. t. 3.
47	àspera. S.S.	 rough-branch'd.	E. Indies.	1829.	—	S. 7.	
48	viridis. Ph.	 green.	N. America.	1812.	—	H. 7.	
49	crocàta. M.	 saffron.	—	1818.	—	H. 7.	
50	commutàta. R.S.	 changed.	Spain.	1822.	—	H. 7.	
51	contràcta. R.S.	 contracted.	E. Indies.	1823.	—	S. 7.	
52	amboinénsis. R.S.	 Amboyna.	—	1800.	6. 7.	S. 7.	Rumph. amb. 6. t. 7. f. 3.
53	chinénsis. R.S.	 China.	China.	—	—	H. 7.	
54	austràlis. B.P.	 southern.	N. S. W.	1822.	—	H. 7.	Lab. nov. hol. 1. t. 35.
	<i>Arundo poeiformis. Lab.</i>						
55	plebeia. B.P.	 plebeian.	—	—	—	H. 7.	
56	comprésa. E. B.	 compressed.	Britain.		6. 8.	H. 7.	Eng. bot. v. 6. t. 365.
57	complanàta. R.S.	 flattened.	Sicily.	1827.	—	H. 7.	
58	festucæfórmis. R.S.	 Fescue-like.	Dalmatia.	1800.	7. 9.	H. 7.	Host. gram. 3. t. 17.
59	convolùta. R.S.	 convolute.		1819.	—	H. 7.	
60	atrovirens. R.S.	 dark green.	Barbary.	1825.	—	H. 7.	Desf. atl. 1. t. 17.
61	scariòsa. R.S.	 scariöse.	Spain.	1826.	—	H. 7.	
62	coromandeliana. R.S.	 Coromandel.	E. Indies.	1824.	—	S. 7.	
63	bromoides. R.S.	 Bromus-like.		—	—	G. 7.	
64	Uniolæ. R.S.	 Uniola-like.	C. B. S.	1826.	—	G. 7.	
65	peruviana. R.S.	 Peruvian.	Peru.	1802.	7. 8.	H. 7.	Jacq. ic. 1. t. 18.
66	papillòsa. R.S.	 papillose.	C. B. S.	1816.	—	H. 7.	
67	digitàta. B.P.	 fingered.	N. S. W.	1800.	—	H. 7.	
68	nútans. R.S.	 nodding.	E. Indies.	1820.	—	S. 7.	
69	pállens. R.S.	 pale.	Buenos Ayres.	1824.	—	H. 7.	
70	diándra. F. I.	 diandrous.	E. Indies.	1820.	—	S. 7.	
71	unioloides. R.S.	 Uniola-like.	—	1824.	—	S. 7.	
72	pellúcida. R.S.	 pellucid.	N. Holland.	1829.	—	G. 7.	
73	semineùtra. Tr.	 Hairgrass-like.	Hungary.	1818.	—	H. 7.	
	SCLEROCHLOA. R.S. SCLEROCHLOA. Triandria Digynia. R.S.						
1	divaricàta. R.S.	 spreading.	S. Europe.	1802.	7. 8.	H. 7.	Gouan. ill. 4. t. 2. f. 1.
2	procumbens. R.S.	 procumbent.	Britain.		—	H. 7.	Eng. bot. v. 8. t. 532.
	<i>Poa procumbens. E. B. Glycèria procumbens. E. F.</i>						
3	dùra. R.S.	 rigid.	S. Europe.	1776.	7. 8.	H. 7.	Host. gram. 2. t. 73.
	<i>Poa dùra. Host. Cynosùrus dùrus. L.</i>						

4	<i>rígida</i> . L.en.	 hard.	England.		6. 7.	H.⊙.	Eng. bot. v. 20. t. 1371.
	<i>Poa rígida</i> . E.B.	<i>Glycèria rígida</i> . E.F.	<i>Megastachya rígida</i> . R.S.				
5	<i>articulàta</i> . L.en.	 jointed.	Barbary.	1816.	—	H.⊙.	Desf. atl. 1. t. 22.
6	<i>marítima</i> .	 sea-side.	Europe.		—	H.⊙.	Cyrrill.neap.fasc.2.t.2.
	<i>dichótoma</i> . L.en.	<i>Triticum maritimum</i> . L.	<i>Festuca marítima</i> . DC.				
HYDROCHLOA . Har. HYDROCHLOA . Triandria Digynia.							
1	<i>distans</i> . Har.	 distant.	Britain.		7.	H.w.⌒.	Eng. bot. v. 14. t. 986.
	<i>Poa distans</i> . E.B.	<i>Glycèria distans</i> . E.F.					
2	<i>aquática</i> . Har.	 water.	—		—	H.w.⌒.	Eng. bot. v. 19. t. 1315.
	<i>Poa aquática</i> . E.B.	<i>Glycèria aquática</i> . E.F.					
3	<i>arundinæa</i> .	 Reed-like.	Caucasus.	1825.	—	H.w.⌒.	
	<i>Poa arundinæa</i> . M.B.						
4	<i>marítima</i> . Har.	 sea-side.	Britain.		—	H.w.⌒.	Eng. bot. v. 16. t. 1140.
	<i>Poa marítima</i> . E.B.	<i>Glycèria marítima</i> . E.F.					
GLYCERIA . B.P. SWEET-GRASS. Triandria Digynia. R.S.							
	<i>fluitans</i> . B.P.	 floating.	Britain.		5. 8.	H.⌒.	Eng. bot. v. 22. t. 1520.
	<i>Poa fluitans</i> . E.B.	<i>Festuca fluitans</i> . w.					
ERAGROSTIS . R.S. ERAGROSTIS . Triandria Digynia. R.S.							
1	<i>poëoides</i> . R.S.	 Poa-like.	Italy.	1699.	7.	H.⊙.	Flor. græc. t. 73.
	<i>Poa Eragrostis</i> . F.G.						
2	<i>tephrosanthos</i> . R.S.	.. Martinica.	Martinica.	1824.	7. 9.	S.⊙.	
3	<i>pilosa</i> . R.S.	 hairy.	Italy.	1804.	7. 8.	H.⊙.	Host. gram. 2. t. 68.
4	<i>verticillàta</i> . R.S.	 whorled.	S. Europe.	1816.	—	H.⊙.	Cavan. ic. 1. t. 93.
5	<i>punctàta</i> . R.S.	 spotted.	E. Indies.	—	—	S.⊙.	
6	<i>egyptiaca</i> . R.S.	 Egyptian.	Egypt.	1812.	—	H.⊙.	Descr. de l'Egyp. t. 10.
7	<i>purpurascens</i> . R.S.	.. purplish.		1822.	—	H.⊙.	
8	<i>despicens</i> . R.S.	 doubtful.		—	—	H.⊙.	
9	<i>tenella</i> . R.S.	 slender.	E. Indies.	1781.	—	S.⊙.	Rheed. mal. 12. t. 41.
10	<i>cynosuroides</i> . R.S.	 Dogstail.	Egypt.	1824.	—	H.⊙.	Descr. de l'Egyp. t. 10.
	<i>Poa cynosuroides</i> . w.						
11	<i>capillaris</i> . L.en.	 hair-panicled.	N. America.	1781.	10. 11.	H.⊙.	Moris. s. 3. t. 6. f. 33.
	<i>Poa capillaris</i> . R.S.						
12	<i>mexicana</i> . L.en.	 Mexican.	Mexico.	1816.	9. 10.	H.⊙.	
13	<i>abyssinica</i> . L.en.	 Abyssinian.	Abyssinia.	1824.	—	H.⊙.	Jacq. icon. 1. t. 17.
14	<i>plumosa</i> . R.S.	 feathered.	E. Indies.	1826.	—	S.⊙.	Rheed. mal. 12. t. 41.
MEGASTACHYA . R.S. MEGASTACHYA . Triandria Digynia. R.S.							
1	<i>Eragrostis</i> . R.S.	 Love-grass.	S. Europe.	1776.	7. 8.	H.⊙.	Schreb. gram. t. 38.
	<i>Poa megastachya</i> . P.S.	<i>Briza Eragrostis</i> . w.	<i>Eragrostis major</i> . Host.	gram. 4. t. 24.			
2	<i>nigricans</i> . R.S.	 blackish.	S. America.	1823.	—	S.⌒.	
3	<i>amabilis</i> . R.S.	 purple.	E. Indies.	1802.	—	S.⊙.	L. pfl. syst. 12. t. 91. f. 2.
	<i>Poa amabilis</i> . L.						
4	<i>spectabilis</i> . R.S.	 showy.	N. America.	1816.	—	H.⊙.	
5	<i>pulchella</i> . R.S.	 pretty.	Tauria.	1825.	—	H.⊙.	
6	<i>elongata</i> . R.S.	 long-panicled.	E. Indies.	1812.	—	S.⌒.	Jacq. ecl. gr. t. 3.
7	<i>ciliaris</i> . R.S.	 ciliated.	Jamaica.	1776.	—	S.⊙.	Jacq. ic. 2. t. 304.
8	<i>rupëstris</i> . R.S.	 rock.	E. Indies.	1823.	—	S.⊙.	
9	<i>Boryana</i> . R.S.	 Bory's.	Mauritius.	1822.	—	S.⊙.	
10	<i>riparia</i> . R.S.	 crowded.	E. Indies.	1824.	—	S.⊙.	
11	<i>mucronata</i> . R.S.	 mucronated.	Africa.	1822.	7. 9.	S.⌒.	Beauv. fl. ow. 1. t. 4.
12	<i>polymorpha</i> . R.S.	 variable.	Tropics.	1826.	—	S.⌒.	
DACTYLIS . R.S. COCK'S-FOOT-GRASS . Triandria Digynia. L.							
1	<i>glomerata</i> . R.S.	 rough.	Britain.		6. 7.	H.⌒.	Eng. bot. v. 5. t. 335.
2	<i>glaucescens</i> . R.S.	 glaucescent.	Europe.	1816.	—	H.⌒.	
3	<i>hispanica</i> . R.S.	 Spanish.	Spain.	1814.	—	H.⌒.	
4	<i>glauca</i> . R.S.	 glaucous.		1823.	—	H.⌒.	
5	<i>capitata</i> . R.S.	 headed.	Sardinia.	1824.	—	H.⌒.	
6	<i>altaica</i> . R.S.	 Altaic.	Altay.	1826.	—	H.⌒.	
7	<i>marítima</i> . R.S.	 sea-side.	Caucasus.	1823.	—	H.⌒.	Schrad. fl. ger. 1. t. 6. f. 1.
8	<i>littoralis</i> . R.S.	 shore.	S. Europe.	1816.	—	H.⌒.	Lam. ill. t. 45. f. 5.
9	<i>repens</i> . R.S.	 creeping.	—	1824.	—	H.⌒.	Desf. atl. 1. t. 15.
10	<i>ascendens</i> . R.S.	 ascending.	C. B. S.	1823.	—	G.⌒.	
11	<i>lagopodioides</i> . R.S.	 harefoot.	E. Indies.	1826.	—	S.⌒.	Burm. ind. t. 12. f. 2.
12	<i>brevifolia</i> . R.S.	 short-leaved.	—	—	—	S.⌒.	
13	<i>cynosuroides</i> . R.S.	 Dog's-tailed.	—	1823.	—	S.⌒.	
14	<i>aristata</i> . E.	 awned.	Egypt.	1828.	—	H.⊙.	
BRIZA . R.S. QUAKING-GRASS . Triandria Digynia. R.S.							
1	<i>minor</i> . R.S.	 small.	England.		7.	H.⌒.	Eng. bot. v. 19. t. 1316.
2	<i>virens</i> . R.S.	 green.	S. Europe.	1800.	7. 8.	H.⊙.	Hayn. term. bot. t. 25. f. 6.
3	<i>media</i> . E.B.	 common.	Britain.		5. 6.	H.⌒.	Eng. bot. v. 5. t. 340.

4 Clūsii. R.S.	 Clusius's.	S. Europe.	1823.	5. 6.	H. 7.	Fouc. j. bot. 3. t. 24. f. 2.
5 geniculata. R.S.	 jointed.	C. B. S.	1816.	7. 8.	H. 7.	
6 elatior. R.S.	 tall.	Greece.	1788.	—	H. 7.	Flor. græc. 1. t. 75.
7 maxima. R.S.	 great-spiked.	S. Europe.	1633.	6. 7.	H. 7.	— 1. t. 76.
8 humilis. R.S.	 dwarf.	Tauria.	1818.	—	H. 7.	Scheuch. agr. 4. t. 4. f. 10.
9 rubra. R.S.	 red.	S. Europe.	—	—	H. 7.	
CYNOSURUS. R.S.	DOGSTAIL-GRASS.	Triandria Digynia.	L.			
cristata. E.B.	 crested.	Britain.		8.	H. 7.	Eng. bot. v. 5. t. 316.
UNIOLA. R.S.	SEASIDE OAT.	Triandria Digynia.	L.			
1 paniculata. R.S.	 panicked.	N. America.	1793.	6. 7.	H. 7.	Catesb. car. 1. t. 32.
2 latifolia. R.S.	 broad-leaved.	—	1809.	—	H. 7.	
3 spicata. R.S.	 spiked.	—	1790.	7.	H. 7.	
4 distichophylla. R.S.	 two-ranked.	—	1789.	6. 7.	H. 7.	
<i>Festuca distichophylla</i> . Ph.						
CERATOCHLOA. R.S.	CERATOCHLOA.	Triandria Digynia.	R.S.			
unioloides. R.S.	 Uniola-like.	N. America.	1796.	6. 7.	H. 7.	Willd. h. ber. t. 3.
<i>Festuca unioloides</i> . w.						
GRAPHEPHORUM. R.S.	GRAPHEPHORUM.	Triandria Digynia.				
melicoides. R.S.	 Melic-like.	N. America.	1824.	6. 8.	H. 7.	
<i>A'ira melicoides</i> . m.						
LEPTOCHLOA. R.S.	LEPTOCHLOA.	Triandria Digynia.	R.S.			
1 cynosuroides. R.S.	 filiform.	E. Indies.	1818.	8. 9.	H. 7.	
2 procera. R.S.	 tall.	Brazil.	1823.	—	S. 7.	
3 filiformis. R.S.	 slender.	S. America.	1818.	—	H. 7.	Jacq. ecl. gram. t. 4.
4 virgata. R.S.	 fine-spiked.	—	1727.	7. 9.	H. 7.	Sloan. jam. 1. t. 70. f. 2.
5 tenerrima. R.S.	 slenderest.	China.	1820.	—	H. 7.	
6 domingensis. L. en.	 close-spiked.	W. Indies.	—	6. 8.	S. 7.	
ELEUSINE. R.S.	ELEUSINE.	Triandria Digynia.	R.S.			
1 coracana. R.S.	 thick-spiked.	E. Indies.	1714.	7. 9.	H. 7.	Schreb. gram. 2. t. 35.
2 stricta. R.S.	 upright.	—	1822.	—	H. 7.	
3 indica. R.S.	 Indian.	India.	1714.	—	H. 7.	Rheed. mal. 12. t. 69.
4 rigida. R.S.	 rigid.	Monte Video.	1826.	—	H. 7.	
5 verticillata. R.S.	 whorled.	E. Indies.	1823.	—	H. 7.	
6 calycina. R.S.	 calycine.	—	—	—	H. 7.	
7 cerealis. E.	 Rye-like.	Egypt.	1827.	—	H. 7.	
8 ovalis. E.	 oval-spiked.	—	—	—	H. 7.	
9 tristachya. E.	 three-spiked.	—	—	—	H. 7.	
DACTYLOCTENIUM. DACTYLOCTENIUM.	Triandria Digynia.	R.S.				
ægyptiacum. R.S.	 Egyptian.	Egypt.	1770.	7. 9.	H. 7.	Moris. s. 8. t. 3. f. 7.
<i>Cynosurus ægyptius</i> . L. <i>Eleusine ægyptiaca</i> . p. s.						
RHABDOCHLOA. R.S.	RHABDOCHLOA.	Triandria Digynia.	R.S.			
1 cruciata. R.S.	 cross-spiked.	W. Indies.	1818.	7. 9.	H. 7.	Sloan. his. 1. t. 69. f. 1.
<i>Chloris cruciata</i> . w. <i>Agrostis cruciata</i> . L.						
2 mucronata. R.S.	 mucronate.	N. America.	1820.	—	H. 7.	Lam. ill. t. 48. f. 2.
3 virgata. R.S.	 slender.	W. Indies.	—	—	H. 7.	
4 domingensis. R.S.	 West Indian.	—	1820.	—	S. 7.	Jacq. icon. 1. t. 22.
CHONDROSIUM. K.S.	CHONDROSIUM.	Triandria Digynia.	R.S.			
1 procumbens. Desv.	 procumbent.	Philippines.	1816.	7. 9.	H. 7.	Jacq. ecl. gr. t. 12.
<i>Antinochloda procumbens</i> . R.S. <i>Atheropogon procumbens</i> . Jacq.						
2 tenue. K.S.	 slender.	Mexico.	1823.	—	H. 7.	H. et B. n. gen. 1. t. 57.
3 prostratum.	 prostrate.	—	—	—	H. 7.	
<i>Antinochloda prostrata</i> . R.S. <i>Bouteloua prostrata</i> . Lag.						
4 hirsutum.	 hairy.	—	—	—	H. 7.	
CORYCARPUS. Zea.	CORYCARPUS.	Diandria Digynia.	S.S.			
arundinaceus. S.S.	 Reed-like.	N. America.	1810.	6. 7.	H. 7.	Mich. amer. 1. t. 10.
<i>Festuca diandra</i> . M. <i>Diarrhena americana</i> . R.S. <i>Ræmèria Zeæ</i> . R.S.						
DIPLACHNE. R.S.	DIPLACHNE.	Triandria Digynia.	R.S.			
fascicularis. R.S.	 fascicled.	N. America.	1818.	6. 8.	H. 7.	
<i>Festuca polystachya</i> . M.						
SCHEDONORUS. R.S.	SCHEDONORUS.	Triandria Digynia.	R.S.			
1 pratensis. R.S.	 meadow.	Britain.		6. 7.	H. 7.	Eng. bot. v. 23. t. 1592.
<i>Festuca pratensis</i> . E.B.						
2 phænicoides. R.S.	 creeping-rooted.	Switzerland.	1824.	—	H. 7.	
3 elatior. R.S.	 tall.	Britain.		—	H. 7.	Eng. bot. v. 23. t. 1593.
<i>Festuca elatior</i> . E.B. et Sinc. gr. wob. p. 361. ic.						
4 cærulescens. R.S.	 blueish.	Barbary.	1818.	6. 7.	H. 7.	
5 spadiceus. R.S.	 Gerard's.	Italy.	1775.	4. 6.	H. 7.	Host. gram. 3. t. 20.
6 inermis. R.S.	 naked-spiked.	Hungary.	1816.	6. 7.	H. 7.	— 1. t. 9.
7 calamarius. R.S.	 Reed-like.	Scotland.		7. 8.	H. 7.	Eng. bot. v. 14. t. 1005.

8 deciduus.	deciduous.	England.		6. 7. H. ½.	Eng. bot. v. 32. t. 2266.
<i>Festuca decidua</i> . E.B.					
9 exaltatus. R.S.	high upright.	Sicily.	1827.	— H. ½.	
10 sylvaticus. R.S.	wood.	Germany.	1804.	7. 8. H. ½.	Host. gram. 2. t. 78.
11 serotinus. R.S.	late-flowering.	S. Europe.	1818.	7. 9. H. ½.	— 2. t. 92.
12 loliaceus. R.S.	spiked.	England.		6. 7. H. ½.	Eng. bot. v. 26. t. 1821.
13 Scheuchzeri. R.S.	Scheuchzer's.	S. Europe.	1822.	— H. ½.	
14 violaceus. R.S.	violet coloured.	Europe.		— H. ½.	
15 nutans. R.S.	nodding.	Hungary.	1823.	— H. ½.	Host. gram. 4. t. 61.
16 nigrescens. R.S.	blackish.	Switzerland.		— H. ½.	
17 poaeformis. R.S.	Poa-like.		1818.	— H. ½.	Host. gram. 2. t. 81.
18 pumilus. R.S.	dwarf.	S. Europe.		— H. ½.	— 2. t. 91.
19 nitidus. R.S.	glossy.	Hungary.	1827.	— H. ½.	
20 tenellus. R.S.	slender.	N. America.	1804.	7. 8. H. ⊙.	
<i>Festuca tenella</i> . Ph. <i>Brachypodium festuoides</i> . Len.					
FESTUCA. R.S.	FESCUE-GRASS.	Triandria Digynia.	L.		
1 cynosuroides. R.S. ..	dogs-tail.	Barbary.	1825.	6. 8. H. ⊙.	Desf. atl. 1. t. 21.
2 Fénas. R.S.	tough.	Spain.	1822.	— H. ½.	
<i>Poa ténax</i> . Len.					
3 ovina. R.S.	Sheep's.	Britain.		6. H. ½.	Eng. bot. v. 9. t. 585.
4 brachyphylla. R.S. ..	short-leaved.	Melville Isl.	1827.	— H. ½.	
<i>brevifolia</i> . Br. non Muhlenberg.					
5 tenuifolia. Len.	slender-leaved.	Britain.		— H. ½.	
6 cæsia. E.B.	gray.	England.		6. 7. H. ½.	Eng. bot. v. 27. t. 1917.
7 vivipara. E.B.	viviparous.	Britain.		7. H. ½.	— v. 19. t. 1355.
8 glauca. R.S.	glaucous.	S. Europe.		6. 7. H. ½.	
9 pallens. R.S.	pale.	Germany.	1816.	— H. ½.	Host. gram. 2. t. 88.
10 stricta. Host.	upright.			— H. ½.	— 2. t. 86.
11 hirsuta. Host.	hairy.			— H. ½.	— 2. t. 85.
12 Halleri. R.S.	Haller's.	Europe.	1820.	— H. ½.	
13 curvula. R.S.	curved.	Switzerland.		— H. ½.	
14 alpina. R.S.	Alpine.			— H. ½.	
15 amethystina. R.S.	blue.	S. Europe.	1804.	— H. ½.	
16 picta. R.S.	painted.	Hungary.	1826.	— H. ½.	
17 varia. R.S.	variable.	S. Europe.	1823.	— H. ½.	Host. gram. 2. t. 90.
18 vallesiaca.	Vallesian.	Vallesia.		— H. ½.	
19 pannonica. R.S.	Hungarian.	Hungary.		— H. ½.	Host. gram. 4. t. 62.
20 xanthina. R.S.	yellow.	Switzerland.	1818.	— H. ½.	— 3. t. 19.
<i>flavescens</i> . Host. non Bellardi.					
21 flavescens. DC.	yellowish.			— H. ½.	
22 duriuscula. E.B.	hard.	Britain.		— H. ½.	Eng. bot. v. 7. t. 470.
23 dumetorum. S.G.W. ..	pubescent.			— H. ½.	
24 glabra. S.G.W.	smooth.			6. H. ½.	Sinc. gr. wob. p. 180. ic.
25 hordeiformis. S.G.W. ..	Barley-like.			— H. ½.	— p. 159. ic.
26 càmbrica. S.G.W.	Welsh.	Wales.		— H. ½.	— p. 157. ic.
27 heterophylla. R.S. ..	various-leaved.	S. Europe.	1812.	6. 7. H. ½.	Host. gram. 3. t. 18.
28 rubra. E.B.	red creeping.	Britain.		7. H. ½.	Eng. bot. v. 29. t. 2056.
29 vaginata. R.S.	sheathed.	Hungary.	1804.	6. 7. H. ½.	
30 Kitaiabeliana. R.S.	Kitaihel's.		1818.	— H. ½.	
<i>pubescens</i> . Len. non Zea.					
31 laxa. R.S.	loose.	Switzerland.	1824.	— H. ½.	Host. gram. 2. t. 80.
32 decolorans. R.S.	discoloured.			— H. ½.	
<i>laxa</i> . Gaud. nec aliorum.					
33 nutans. R.S.	nodding.	N. America.	1805.	— H. ½.	
34 rubens. R.S.	red.	S. Europe.	1776.	— H. ⊙.	Flor. græc. t. 83.
<i>Bròmus rubens</i> . F.G.					
35 scabra. R.S.	rough.	C. B. S.	1826.	— G. ½.	
36 bracteata. DC.	leafy-bracted.			— H. ½.	
37 l'ævis. F.	smooth.	Russia.	1806.	7. H. ½.	
38 grandiflora. Ph.	large-flowered.	N. America.	1812.	6. 7. H. ½.	
39 asperima. Ot.	roughest.		1825.	— H. ½.	
40 rupèstris. Ot.	rock.			— H. ½.	
MYGALURUS. Len. MOUSETAIL-GRASS. Triandria Digynia. Len.					
1 bromoides. Len.	barren.	Britain.		6. H. ⊙.	Eng. bot. v. 20. t. 1411.
2 caudatus. Len.	wall.	England.		— H. ⊙.	— v. 20. t. 1412.
<i>Festuca Myurus</i> . E.B.					
3 alopecuroides. Len.	Fox-tail.	Barbary.	1799.	6. 8. H. ⊙.	Desf. atl. 1. t. 25.
4 ciliata. Lk.	fringed.	Portugal.	1827.	— H. ⊙.	Host. gram. 4. t. 65.
5 uniglumis. Len.	single-husked.	England.		— H. ⊙.	Eng. bot. v. 20. t. 1430.

6	delicatulus. L.en. delicate.	Spain.	1817.	7. 8.	H. ⊙.	
7	geniculatus. L.en. jointed.	S. Europe.	1793.	6. 7.	H. ⊙.	
<i>Brômus geniculatus. R.S. Festuca stipoides. R.S.</i>						
BRACHYPODIUM. R.S. BRACHYPODIUM. Triandria Digynia. R.S.						
1	pinnatum. R.S. spiked heath.	Britain.		6. 8.	H. ⊙.	Eng. bot. v. 11. t. 730.
<i>Brômus pinnatus. E.B. Triticum pinnatum. DC. Festuca pinnata. E.F.</i>						
2	rupëstre. R.S. rock.	S. Europe.	1816.	—	H. ⊙.	Host. gram. 4. t. 17.
3	strigosum. R.S. strigose.	Tauria.	1824.	—	H. ⊙.	
4	cæspitosum. R.S. tufted.	S. Europe.	—	—	H. ⊙.	Host. gram. 4. t. 18.
5	ramosum. R.S. branched.	—	1818.	—	H. ⊙.	Flor. græc. t. 84.
6	phænicoides. R.S. pointed-leaved.	S. France.	1824.	—	H. ⊙.	
7	obtusifolium. R.S. blunt-leaved.	Spain.	1818.	—	H. ⊙.	
8	Tenorianum. R.S. Tenore's.	Naples.	1824.	—	H. ⊙.	
9	Barrelieri. R.S. Barrelier's.	—	1827.	—	H. ⊙.	
10	longifolium. R.S. long-leaved.	Barbary.	1818.	—	H. ⊙.	
11	sylvaticum. R.S. wood.	Britain.		—	H. ⊙.	Eng. bot. v. 11. t. 729.
<i>Brômus sylvaticus. E.B. Triticum sylvaticum. DC. Festuca sylvatica. E.F.</i>						
12	distachyum. R.S. two-spiked.	S. Europe.	1772.	—	H. ⊙.	Host. gram. 1. t. 20.
13	megastachyum. R.S. long-spiked.	—	1826.	—	H. ⊙.	
14	macrostachyum. R.S. large-spiked.	—	—	—	H. ⊙.	
15	asperum. R.S. stiff-leaved.	Spain.	1818.	—	H. ⊙.	
16	unioloides. L.en. Uniola-like.	Sicily.	1758.	7. 8.	H. ⊙.	Jacq. icon. 2. t. 303.
17	brevisetum. R.S. short-awned.	—	1825.	—	H. ⊙.	
18	fragile. R.S. brittle.	Europe.	1824.	—	H. ⊙.	
19	Halleri. R.S. Haller's.	S. Europe.	1818.	—	H. ⊙.	Vivian. fr. fl. it. t. 26. f. 1.
20	hispânicum. Viv. slender-stem'd.	—	—	—	H. ⊙.	— t. 23. f. 2.
<i>teniculum. R.S.</i>						
21	tenuiflorum. R.S. slender-flowered.	—	1823.	—	H. ⊙.	Host. gram. 2. t. 26.
22	Nardus. L.en. slender.	—	—	—	H. ⊙.	
<i>tenellum. R.S. Triticum Nardus. DC.</i>						
23	loliaceum. R.S. spiked sea.	Britain.		6. 7.	H. ⊙.	Eng. bot. v. 4. t. 221.
<i>Triticum loliaceum. E.B.</i>						
24	Poa. R.S. meadow-grass.	France.	1824.	—	H. ⊙.	Pluk. phyt. t. 32. f. 7.
25	biunciale. R.S. small.	S. Europe.	1818.	6. 8.	H. ⊙.	Viv. fl. it. fr. t. 24.
26	unilaterale. R.S. one-sided.	—	1824.	—	H. ⊙.	Bocc. mus. t. 57. f. 2.
27	canicam. Bes. Mexican.	Mexico.	1816.	7. 9.	H. ⊙.	
<i>Festuca mexicana. R.S.</i>						
TRICHËTA. R.S. TRICHËTA. Triandria Digynia. R.S.						
	ovata. R.S. oval-spiked.	Spain.	1824.	6. 8.	H. ⊙.	Cavan. ic. 6. t. 591. f. 2.
<i>Brômus ovatus. Cav. Trisetum ovatum. P.S.</i>						
BROMUS. R.S. BROME-GRASS. Triandria Digynia. R.S.						
1	secalinus. R.S. smooth Rye.	England.		6. 8.	H. ⊙.	Eng. bot. v. 17. t. 1171.
2	elongatus. R.S. elongated.	Switzerland.	1823.	—	H. ⊙.	
3	commutatus. R.S. downy Rye.	Britain.	—	—	H. ⊙.	Host. gram. 1. t. 11.
4	velutinus. R.S. hairy-headed.	—		—	H. ⊙.	Eng. bot. v. 27. t. 1884.
<i>multiflorus. E.B.</i>						
5	Trinianus. R.S. Trinius's.	Gilan.	1826.	—	H. ⊙.	Trin. m. ac. pet. 1813. t. 9.
6	mollis. R.S. soft.	Britain.		5. 7.	H. ⊙.	Eng. bot. v. 15. t. 1078.
7	confertus. R.S. close-spiked.	Iberia.	1825.	—	H. ⊙.	Jacq. ecl. gr. t. 14.
8	racemosus. R.S. smooth.	England.		6. 8.	H. ⊙.	Eng. bot. v. 15. t. 1079.
9	erectus. E.B. upright.	—		—	H. ⊙.	— v. 7. t. 471.
10	Biebersteinii. R.S. Bieberstein's.	Caucasus.	1825.	—	H. ⊙.	
11	australis. B.P. southern.	N. S. W.	1823.	—	H. ⊙.	
12	lanceolatus. R.S. spear-leaved.	Canaries.	1798.	—	H. ⊙.	Buxb. cent. ap. t. 19.
13	lanuginosus. R.S. woolly.	S. Europe.	1824.	—	H. ⊙.	
14	variegatus. R.S. variegated.	Caucasus.	—	—	H. ⊙.	
15	squarrosus. R.S. corn.	England.		—	H. ⊙.	Eng. bot. v. 27. t. 1885.
16	vestitus. R.S. clothed.	C. B. S.	1816.	—	G. ⊙.	
17	wolgensis. R.S. Wolga.	Caucasus.	—	—	H. ⊙.	Jacq. ecl. gr. t. 15.
18	laxus. R.S. loose.	—	—	—	H. ⊙.	
19	alopæcuroides. R.S. Fox-tail.	S. Europe.	1799.	—	H. ⊙.	Desf. atl. 1. t. 25.
<i>contortus. Desf.</i>						
20	purgans. R.S. purging.	Canada.	1793.	—	H. ⊙.	
21	pubescens. R.S. pubescent.	N. America.	1816.	—	H. ⊙.	
22	asper. E.B. hairy wood.	England.		—	H. ⊙.	Eng. bot. v. 17. t. 1172.
23	hirsutissimus. Cyr. very hairy.	S. Europe.	1822.	—	H. ⊙.	
24	pendulinus. R.S. pendulous.	New Spain.	1823.	—	H. ⊙.	
25	glauus. R.S. glaucous.	Pyrenees.	—	—	H. ⊙.	Lap. fl. pyren. t. 53. bis.
26	altissimus. R.S. tallest.	N. America.	1812.	—	H. ⊙.	

27	giganteus. R.S.		gigantic.	Britain.		7. 8. H. ♀.	Eng. bot. v. 26. t. 1820.
28	triflorus.		three-flowered.	—		— H. ♀.	— v. 27. t. 1918.
	<i>Festuca triflora</i> . E.B.						
29	montanus. R.S.		mountain.	Switzerland.	1827.	— H. ♂.	
30	longiflorus. R.S.		long-flowered.	—	1818.	— H. ♀.	
31	stenophyllus. R.S.		slender-leaved.	—	1824.	— H. ♀.	
32	angustifolius. M.B.		narrow-leaved.	Caucasus.	—	— H. ♀.	
33	ciliatus. R.S.		ciliated.	N. America.	1802.	6. 8. H. ♀.	
34	arvensis. R.S.		field.	Britain.		7. H. ♀.	Eng. bot. v. 28. t. 1984.
35	sterilis. R.S.		barren.	—		6. 7. H. ♂.	— v. 15. t. 1030.
36	tectorum. R.S.		nodding.	Europe.	1776.	6. 8. H. ♂.	Flor. græc. t. 82.
37	matritensis. R.S.		wall.	Britain.		6. H. ♂.	Eng. bot. v. 14. t. 1006.
	<i>diandrus</i> . E.B.						
38	ligusticus. R.S.		contracted.	Italy.	1824.	6. 8. H. ♂.	Barrel. ic. 76. n. 2.
39	rigidus. R.S.		rigid.	S. France.	1822.	— H. ♂.	Host. gram. 1. t. 18.
40	pilosus. R.S.		hairy wall.	S. Europe.	—	— H. ♂.	
41	jubatus. R.S.		loose panicle.	Italy.	1824.	— H. ♂.	
42	maximus. R.S.		great.	Morocco.	1804.	— H. ♂.	Desf. atl. 1. t. 26.
43	scoparius. R.S.		broom.	S. Europe.	1824.	— H. ♂.	Cavan. ic. 1. t. 45. f. 2.
44	humilis. R.S.		low.	Spain.	—	— H. ♂.	— ic. 6. t. 589. f. 2.
45	scaberrimus. R.S.		roughest.	Italy.	—	— H. ♂.	
46	coarctatus. H.H.		close-flowered.	—	1826.	— H. ♀.	
47	parviflorus. Df.		small-flowered.	—	1824.	— H. ♀.	
48	tortilis. Presl.		twisted.	Sicily.	1825.	— H. ♀.	
49	caucasicus. F.		Caucasian.	Caucasus.	—	— H. ♀.	
	ROSTRARIA. Tr.		ROSTRARIA.	Triandria Digynia.			
	pubescens. Tr.		pubescent.	—	1824.	6. 8. H. ♂.	
	<i>Brómus dactyloides</i> . Roth.		<i>Dactylis pungens</i> . Horn.				
	PHRAGMITES. Tr.		REED.	Triandria Digynia. R.S.			
	communis. Tr.		common.	Britain.		7. 8. H. w. ♀.	Eng. bot. v. 6. t. 401.
	<i>Arundo phragmites</i> . E.B.						
	ARUNDO. S.S.		REED-GRASS.	Triandria Digynia. S.S.			
	1 Dénax. s.s.		manured.	S. Europe.	1648.	7. 8. H. ♀.	Host. gram. 4. t. 38.
	β versicolor.		striped.	—		— H. ♀.	Moris. s. 8. t. 8. f. 9.
	2 ténax. s.s.		tough.	—	1823.	— H. ♀.	Cyril. neap. f. 2. t. 12.
	3 festucæa. W. en.		Fescue-like.	Germany.	—	— H. w. ♀.	
	PSAMMA. R.S.		SEA MATWEED.	Triandria Trigynia. R.S.			
	arenaria. R.S.		common.	Britain.		6. 7. H. ♀.	Eng. bot. v. 8. t. 520.
	<i>Arundo arenaria</i> . E.B.						
	ARUNDINARIA. R.S.		CANE-BRAKE.	Triandria Monogynia. S.S.			
	1 glaucescens. R.S.		glaucous.	E. Indies.	1818.	 S. ♀.	
	<i>Ludófia glaucescens</i> . w.						
	OLYRA. W.		OLYRA.	Monœcia Triandria. L.			
	paniculata. w.		broad-leaved.	W. Indies.	1783.	7. S. ♀.	Sloan. jam. 1. t. 64. f. 2.
	ZEA. W.		INDIAN CORN.	Monœcia Triandria. L.			
	1 Máys. w.		common.	America.	1562.	6. 7. H. ♂.	Lam. ill. t. 749.
	2 Curáguá. s.s.		saw-leaved.	Chile.	1820.	— H. ♂.	
	COIX. W.		JOB'S-TEARS.	Monœcia Triandria. L.			
	1 Láchryma. s.s.		common.	E. Indies.	1596.	6. 7. S. ♀.	Bot. mag. t. 2479.
	2 agréstis. s.s.		round-fruited.	—	1812.	— S. ♀.	Rumph. amb. 6. t. 9. f. 1.
	3 exaltata. s.s.		tall.	China.	1816.	— S. ♀.	Jacq. ic. gram.
	4 arundinæa. s.s.		reed-like.	Mexico.	1824.	— S. ♀.	
	5 Kœnigii. s.s.		Kœnig's.	E. Indies.	1818.	— S. ♀.	
	6 gigantea. H.B.		gigantic.	Bengal.	1820.	— H. ♀.	
	BAMBUA. W.		BAMBOO-CANE.	Hexandria Monogynia. W.			
	1 arundinæa. w.		common.	India.	1730.	 S. ♀.	Roxb. corom. 1. t. 79.
	2 verticillata. w.		whorl-flowered.	—	1802.	 S. ♀.	— 1. t. 80.
	MELOCA'NNA. Tr.		MELOCA'NNA.	Hexandria Monogynia. S.S.			
	bambusoides. Tr.		berry bearing.	E. Indies.	1818.	 S. ♀.	
	<i>Bambusa bacéfera</i> . Roxb.						
	PHARUS. W.		PHARUS.	Monœcia Hexandria. W.			
	1 latifolius. w.		broad-leaved.	Jamaica.	1793.	7. 8. S. ♀.	Brown. jam. t. 38. f. 3.
	2 angustifolius. D.L.		narrow-leaved.	Trinidad.	1821.	— S. ♀.	
	EHRHARTIA. W.		EHRHARTIA.	Hexandria Monogynia. S.S.			
	1 panicea. w.		Panic-grass.	C. B. S.	1790.	5. 7. G. ♀.	Sm. ined. 1. t. 9.
	2 melicoides. s.s.		Melica-like.	—	1816.	— G. ♀.	
	MICROLÆNA. B.P.		MICROLÆNA.	Tetrandria Digynia. B.P.			
	stipoides. B.P.		Stipa-like.	N. S. W.	1822.	7. 8. F. ♀.	Lab. n. hol. 1. t. 118.
	<i>Ehrharta stipoides</i> . Lab.						

POTAMO'PHILA. B.P.	POTAMO'PHILA.	Polygamia Monœcia.	B.P.	
parviflora. B.P.	 small-flowered.	N. S. W.	1820.	6. 7. F.w. 2.
ORYZA. W.	RICE.	Hexandria Digynia.	L.	
sativa. w.	 common.	Ethiopia.	1596.	7. S.w. ①.
ZIZANIA. W.	CANADA RICE.	Monœcia Hexandria.	W.	
1 aquatica. H.K.	 water.	N. America.	1790.	7. 9. H.w. 2. Linn. trans. 7. t. 13.
2 miliacea. M.	 Millet-like.	Carolina.	1816.	— H.w. 2.
3 fluitans. M.	 floating.	N. America.	1824.	7. 8. H.w. 2.
PARTANA. W.	PARTANA.	Monœcia Polyandria.	W.	
campêstris. w.	Cayenne.	Cayenne.	1803.	 S. 2. Aubl. gui. 2. t. 337.

** SUBCLASSIS II. CRYPTOGAMEÆ. DC.

ORDO CCXXV.

CHARACEÆ. *Kth. synops. v. 1. p. 102.*

CH'ARA. L.	CH'ARA.	Monœcia Monandria.	W.	
1 vulgaris. E.B.	 common.	Britain.		7. 8. H.w. ①. Eng. bot. v. 5. t. 336.
2 hispida. E.B.	 prickly.	—		6. 9. H.w. ①. — v. 7. t. 463.
NITELLA. Ag.	NITELLA.	Monœcia Monandria.		
1 tomentosa. w.	 tomentose.	—		6. 7. H.w. ①. Moris. s. 15. t. 4. f. 9.
2 flexilis. Ag.	 smooth.	Britain.		7. 8. H.w. ①.
3 opaca. Ag.	 opaque.	—		— H.w. ①. Eng. bot. v. 15. t. 1070.
Ch'ara flexilis. E.B.				
4 translucens. Ag.	 great transparent.	—		— H.w. ①. Eng. bot. v. 26. t. 1855.
5 nidifica. Ag.	 proliferous.	—		— H.w. ①. — v. 24. t. 1703.
6 gracilis. Ag.	 slender.	—		— H.w. ①. — v. 30. t. 2140.

ORDO CCXXVI.

EQUISETACEÆ. *DC. fl. fr. ed. 3. v. 2. p. 28.*

EQUISETUM. W.	HORSE-TAIL.	Cryptogamia Gonopterides.	W.	
1 arvense. w. (br.ye.)	corn.	Britain.		3. 4. H. 2. Eng. bot. v. 29. t. 2020.
2 fluviatile. w. (br.ye.)	great water.	—		4. 5. H. 2. — v. 29. t. 2022.
3 umbròsum. W.en. (br.y.)	shade.	Germany.	1818.	— H. 2.
4 sylvaticum. w. (br.ye.)	wood.	Britain.		— H. 2. Eng. bot. v. 27. t. 1874.
5 limòsum. w. (br.ye.)	smooth naked.	—		6. 7. H. 2. — v. 13. t. 929.
6 palustre. w. (br.ye.)	marsh.	—		— H. 2. — v. 29. t. 2021.
7 pratense. w. (br.ye.)	meadow.	Germany.	1820.	— H. 2.
8 scirpoides. w. (br.ye.)	American.	N. America.	1812.	— H. 2.
9 hyemale. w. (br.ye.)	Shave grass.	Britain.		7. 8. H. 2. Eng. bot. v. 13. t. 915.
10 variegatum. w. (br.ye.)	variegated.	Scotland.		6. 7. H. 2. — v. 28. t. 1987.
11 filiforme. (br.ye.)	thready.	N. America.	1800.	7. 8. H. 2.

ORDO CCXXVII.

MARSILEACEÆ. *Brown prodr. p. 166.*

PILULARIA. W.	PILLWORT.	Cryptogamia Hydropterides.	W.	
globulifera. w. (br.)	Pepper-grass.	Britain.		6. 9. H.w. 2. Eng. bot. v. 8. t. 521.
ISOETES. W.	QUILLWORT.	Cryptogamia Hydropterides.	W.	
lacustris. w.	 marsh.	Britain.		5. 10. H.w. 2. Eng. bot. v. 16. t. 1084.

SALVINIA. W.	SALVINIA.	Cryptogamia Hydropterides. W.	
nâtans. w.	 floating.	Europe. 1818.	5. 8. H.w. 4. Schkuhr filic. t. 173.
MARSILEA. W.	MARSILEA.	Cryptogamia Hydropterides. W.	
quadrifolia. w.	four-leaved.	S. Europe. 1820.	6. 8. H.w. 4. J.mem.ac.sci.par.1740.

ORDO CCXXVIII.

LYCOPODIACEÆ. *Kth. synopsis. 1. p. 95.*

LYCOPODIUM. W.	CLUB-MOSS.	Cryptogamia Stachyopterides. W.	
1 carolinianum. w. (br.)	Carolina.	Carolina. 1812.	7. 8. H. 4. Dill. musc. t. 62. f. 5.
2 clavatum. w. (br.)	common.	Britain.	— H. 4. Eng. bot. v. 4. t. 224.
3 complanatum. w. (br.)	Arbor Vitæ-leav'd.	N. America. 1770.	— H. 4. Flor. dan. t. 78.
4 alpinum. w. (br.)	Savin-leaved.	Britain.	8. H. 4. Eng. bot. v. 4. t. 234.
5 dendroideum. w. (br.)	fan.	N. America. 1770.	7. H. 4. Hook. ex. flor. t. 7.
6 annotinum. w. (br.)	interrupted.	Britain.	6. 8. H. 4. Eng. bot. v. 24. t. 1727.
7 inundatum. w. (br.)	marsh.	—	— H.w. 4. — v. 4. t. 239.
8 alopecuroides. w. (br.)	Fox-tail.	N. America. 1816.	— H. 4. Schkuhr filic. t. 160.
9 Selaginoides. w. (br.)	prickly.	Britain.	8. H. 4. Eng. bot. v. 16. t. 1148.
10 ornithopodioides. w. (br.)	Bird's-claw.	 1812.	6. 8. H. 4. Dill. musc. t. 66. f. 1. B.
11 helveticum. w. (br.)	Swiss.	Switzerland. 1779.	— H. 4. — t. 64. f. 2.
12 rupestre. w. (br.)	rock.	N. America. 1818.	— H. 4. — t. 63. f. 11.
13 denticulatum. w. (br.)	toothed.	Switzerland. 1779.	7. H. 4. — t. 66. f. 1. A.
14 depressum. w. (br.)	depressed.	C. B. S. 1816.	7. 8. G. 4.
15 Selago. w. (br.)	Fir.	Britain.	6. 8. H. 4. Eng. bot. v. 4. t. 233.
16 apodum. w. (br.)	distichous.	N. America. 1815.	7. H. 4. Dill. musc. t. 64. f. 3.
17 lucidulum. w. (br.)	glossy.	— 1822.	— H. 4. Schkuhr filic. t. 159.
18 densum. B.P. (br.)	dense.	N. S. W. —	7. 8. G. 4. Lab. nov. hol. 2. t. 251. f. 1
PSILOTUM. B.P.	PSILOTUM.	Cryptogamia Stachyopterides. W.	
triquetrum. B.P. (ye.)	triangular.	N. S. W. 1793.	7. 8. G. 4. Schkuhr filic. t. 165. b.
<i>Lycopodium nudum. L. Bernhãrdia dichõtoma. w.</i>			

ORDO CCXXIX.

FILICES. *Juss. gen. 14.*

SUBORDO I. OPHIOGLOSSÆ. Brown prodr. p. 163.

OPHIOGLOSSUM. W.	ADDER'S-TONGUE.	Cryptogamia Stachyopterides. W.	
1 vulgatum. E.B. (br.)	common.	Britain.	5. 6. H. 4. Eng. bot. v. 2. t. 108.
2 bulbosum. w. (br.)	bulbous-rooted.	N. America.	— H. 4.
3 lusitanicum. w. (br.)	Portugal.	Portugal.	— H. 4.
4 gramineum. w. (br.)	grass-like.	N. Holland. 1822.	— G. 4. Willd.s.erf. 1802. t. 1. f. 1
5 costatum. B.P. (br.)	ribbed.	N. S. W. —	— G. 4.
6 reticulatum. w. (br.)	netted.	W. Indies. 1793.	— S. 4. Plum. fil. t. 164.
7 petiolatum. w. (br.)	petiolate.	— 1822.	1. 3. S. 4. Hook. ex. flor. t. 56.
BOTRYCHIUM. W.	MOONWORT.	Cryptogamia Stachyopterides. W.	
1 Lunaria. w. (br. ye.)	common.	Britain.	5. 6. H. 4. Eng. bot. v. 5. t. 318.
<i>Osmunda lunaria. E.B.</i>			
2 fumarioides. w. (br. ye.)	Fumitory-leaved.	Carolina. 1806.	7. 8. H. 4. Schkuhr fil. t. 157.
3 obliquum. w. (br. ye.)	oblique.	N. America. 1821.	6. 7. H. 4. Pluk. mant. t. 427. f. 7.
4 dissectum. w. (br. ye.)	cut-leaved.	— 1806.	7. H. 4. Schkuhr fil. t. 158.
5 virginicum. w. (br. ye.)	Virginian.	— 1790.	8. H. 4. — t. 156.
6 australe. B.P. (br. ye.)	southern.	N. S. W. 1823.	7. 8. H. 4.
7 gracile. Ph. (br. ye.)	slender.	N. America. 1824.	— H. 4.

SUBORDO II. *OSMUNDACEÆ*. Brown prodr. p. 161.

- LYG'ODIUM**. B.P. SNAKE'S-TONGUE. *Cryptogamia Schismatopterides*. W.
 1 polymórphum. K.S. (br.y.) variable. S. America. 1816. 5. 9. S. 2. √. Cav. ic. 6. t. 595. f. 1.
Ugèna polymórpha. Cav. *Hydroglóssum hirsútum*. w.
 2 scándens. Sw. (br.ye.) climbing. E. Indies. 1793. 5. 9. S. 2. √. Lodd. bot. cab. t. 742.
 3 microphy'llum. B.P. (br.y.) small-leaved. N. Holland. 1818. — S. 2. √. Cavan. icon. 6. t. 595. f. 2.
 4 venústum. Sw. (br.y.) elegant. S. America. 1812. — S. 2. √.
 5 circinátum. Sw. (br.y.) rounded. W. Indies. 1818. — S. 2. √.
 6 palmátum. Sw. (br.y.) palmate. N. America. 1823. — S. 2. √. Schkuhr filic. t. 140.
Hydroglóssum palmátum. w.
ANEI'MIA. W. ANEI'MIA. *Cryptogamia Schismatopterides*. W.
 1 fraxinifólia. Rad. (br.y.) Ash-leaved. Brazil. 1829. 9. 12. S. 2.
 2 hirta. w. (br.ye.) hairy-leaved. W. Indies. 1824. — S. 2.
 3 collina. Rad. (br.ye.) hill. Brazil. 1829. — S. 2.
 4 hirsúta. w. (br.ye.) hairy. W. Indies. 1794. S. 2. Plum. fil. t. 162.
 5 laciniáta. w. (br.ye.) jagged. — — S. 2.
 6 adiantifólia. w. (br.ye.) Maiden-hair-leav'd. — 1793. 8. 9. S. 2. Plum. fil. t. 158.
 7 lanceoláta. w. (br.ye.) spear-leaved. — 1820. — S. 2.
OSMU'NDA. W. OSMU'NDA. *Cryptogamia Schismatopterides*. W.
 1 cinnamómea. w. (br.) woolly. N. America. 1772. 6. H. 2. Schkuhr fil. t. 146.
 2 regális. w. (br.ye.) flowering fern. Britain. 7. 8. H. 2. Eng. bot. v. 3. t. 209.
 3 Claytoniana. w. (br.ye.) Clayton's. N. America. 1772. 8. H. 2.
 4 interrúpta. w. (br.ye.) interrupted. — 6. 7. H. 2. Schkuhr fil. t. 144.
 5 spectábilis. w. (br.ye.) showy. — 1811. 7. H. 2. Pluk. alm. t. 184. f. 4.
 6 hūmilis. w. (br.ye.) dwarf. — 1823. 6. 8. H. 2. Hook. ex. flor. t. 28.
T'ODEA. W. T'ODEA. *Cryptogamia Schismatopterides*. W.
 africāna. w. (br.ye.) African. C. B. S. 1805. 5. 8. G. 2. Schkuhr fil. t. 147.
Osmúnda barbáta. B.P.
SCHIZ'ÆA. W. SCHIZ'ÆA. *Cryptogamia Schismatopterides*. W.
 1 penicilláta. w. (br.ye.) pencilled. S. America. 1816. 6. 7. S. 2.
 2 pusilla. Ph. (br.ye.) small. N. America. 1825. — H. 2. H. et G. ic. fil. t. 47.
 3 rupéstris. B.P. (br.ye.) rock. N. S. W. 1822. — G. 2. — t. 48.
 4 bífida. B.P. (br.ye.) bifid. — — G. 2. Willd. mem. farr. t. 3. f. 2.

SUBORDO III. *GLEICHENEÆ*. Brown prodr. p. 160.

- GLEICH'ENIA**. B.P. GLEICH'ENIA. *Cryptogamia Poropterides*. W.
 1 pubéscens. K.S. (br.) pubescent. Vera Cruz. 1822. 6. 8. S. 2.
Merténsia pubéscens. w.
 2 Spelúncæ. B.P. (br.) various-leaved. N. S. W. — — G. 2.
 3 Hermánni. B.P. (br.) Hermann's. India. 1829. S. 2. H. et G. ic. fil. t. 14.
 4 microphy'lla. B.P. (br.ye.) small-leaved. N. S. W. 1825. 6. 8. G. 2.
 5 flabelláta. B.P. (br.) fan-leaved. — 1823. — G. 2.
MARAT'TIA. W. MARAT'TIA. *Cryptogamia Poropterides*. W.
 aláta. w. (br.ye.) winged. Jamaica. 1793. 5. 8. S. 2. Sm. ic. ined. t. 46.

SUBORDO IV. *PARKERIACEÆ*. Hook et Grev. ic. fil. 97.

- PARK'ERIA**. H.F. PARK'ERIA. *Cryptogamia Poropterides*.
 1 pteridóides. H.F. (br.) Brake-like. W. Indies. 1822. 5. 10. S. 2. H. et G. ic. fil. t. 97.
 2 Lockhárti. H.F. (br.) Lockhart's. Trinidad. 1824. — S. 2.
CERATÓPTERIS. S.S. CERATÓPTERIS. *Cryptogamia Poropterides*.
 thalictroídes. s.s. (br.) Thalictrum-like. E. Indies. 1818. 6. 10. S. 2. Pluk. alm. t. 215. f. 3.
Ellobocárcpus oleráceus. Kaulfuss.

SUBORDO V. *POLYPODIACEÆ*. Brown prodr. p. 145.

- ACRO'STICHUM**. W. ACRO'STICHUM. *Cryptogamia Filices*. L.
 1 viscósium. H.F. (br.ye.) viscous. W. Indies. 1826. 6. 10. S. 2. H. et G. ic. fil. t. 61.
 2 simplex. w. (br.ye.) simple. Jamaica. 1793. 5. 7. S. 2. Lodd. bot. cab. t. 709.
 3 apódum. H.F. (br.ye.) stemless. W. Indies. 1824. — S. 2. H. et G. ic. fil. t. 99.

- 4 crinitum. w. (*br. ye.*) hairy. W. Indies. 1793. 5. 7. S. 2. H. et G. ic. fil. t. 1.
5 alciócórne. B.P. (*br.*) Elk's-horn. N. S. W. 1808. 8. 10. G. 2. Bot. reg. t. 262-3.
6 Stemária. Beau. (*br.*) Stag's-horn. Guinea. 1822. 5. 8. S. 2. Beau. fl. d'ow. v. 1. pl. 2.
7 appendiculátum. H. (*br.*) appendaged. W. Indies. 1824. 6. 8. S. 2. Hook. ex. flor. t. 108.
8 aúreum. w. (*br. ye.*) golden. America. 1820. 7. 8. G. 2. Schkuhr fil. t. 1.
NOTHOLÆNA. B.P. NOTHOLÆNA. Cryptogamia Filices.
1 Marántæ. B.P. (*br. ye.*) Swiss. Switzerland. 1824. 6. 8. H. 2. Spreng. crypt. t. 2. f. 18.
Acróstichum Marántæ. w.
2 distans. B.P. (*br. ye.*) distant. N. S. W. 1823. — G. 2.
3 lanuginósa. s.s. (*br. ye.*) woolly. Madeira. 1778. 8. 9. G. 2. Desf. atl. 2. t. 256.
Acróstichum vélleum. H. K.
HEMION'ITIS. W. HEMION'ITIS. Cryptogamia Filices. W.
palmáta. w. (*br. ye.*) palmated. W. Indies. 1793. 6. 8. S. 2. Hook. ex. flor. t. 33.
GYMNOGRAMMA. GYMNOGRAMMA. Cryptogamia Filices.
1 pedátá. s.s. (*br. ye.*) pedate. New Spain. 1822. 6. 9. S. 2. Swtz. syn. fil. t. 1. f. 3.
2 rúfa. s.s. (*br. ye.*) rusty-haired. Jamaica. 1793. 6. 8. S. 2. Schkuhr fil. t. 17. 21.
Hemionitis rúfa. w.
3 tartára. s.s. (*br. ye.*) whitened. S. America. 1817. — S. 2. Willd. hort. ber. 1. t. 40.
Acróstichum tartáreum. Swtz. Hemonitis dealbata. w.
4 peruviana. s.s. (*br. ye.*) Peruvian. Peru. 1822. 6. 8. G. 2.
5 trifoliáta. s.s. (*br. ye.*) three-leaved. Jamaica. 1810. — S. 2. Plum. fil. t. 144.
6 calomelános. s.s. (*br. y.*) mealy. W. Indies. 1790. 7. 8. S. 2. Willd. hort. ber. 1. t. 41.
7 chrysophylla. s.s. (*br. y.*) golden-leaved. — 1824. — S. 2.
8 sulphúrea. s.s. (*br. ye.*) sulphur-colored. Jamaica. 1808. — S. 2. Schkuhr crypt. t. 4.
9 leptophylla. s.s. (*br. ye.*) slender-leaved. S. Europe. 1824. 5. 8. H. 2. H. et G. ic. fil. t. 25.
10 chærophylla. s.s. (*br. y.*) Chervil-leaved. Brazil. 1825. 6. 8. S. 2. — t. 45.
MENISCIUM. W. MENISCIUM. Cryptogamia Filices. W.
1 triphyllum. s.s. (*br. ye.*) three-leaved. E. Indies. 1820. 6. 8. S. 2. H. et G. ic. fil. t. 120.
2 sorbifolium. s.s. (*br. ye.*) Service-leaved. S. America. 1825. — S. 2.
3 reticulátum. w. (*br. ye.*) netted. Martinico. 1793. 6. 8. S. 2. Plum. fil. t. 110.
XIPHOPTERIS. K.F. SWORD FERN. Cryptogamia Filices.
1 serruláta. K.F. (*br. ye.*) saw-leaved. W. Indies. 1823. 6. 8. S. 2. Hook. ex. flor. t. 78.
Grammitis serrulata. w.
2 myosuroides. s.s. (*br. y.*) Mousetail-like. — 1824. — S. 2.
GRAMMITIS. Sw. GRAMMITIS. Cryptogamia Filices. W.
1 austrális. B.P. (*br. ye.*) southern. N. S. W. 1822. 6. 8. G. 2.
2 lineáris. s.s. (*br. ye.*) linear-leaved. Jamaica. 1823. — S. 2.
3 lanceoláta. s.s. (*br. ye.*) spear-leaved. Mauritius. 1824. — S. 2. H. et G. ic. fil. t. 43.
4 elongáta. s.s. (*br. ye.*) long-leaved. W. Indies. — S. 2. Schkuhr crypt. t. 7.
5 furcáta. H.F. (*br. ye.*) forked-leaved. Trinidad. 1825. — S. 2. H. et G. ic. fil. t. 62.
CETERACH. W. CETERACH. Cryptogamia Filices.
officinárum. w. (*br.*) common. Britain. 5. 10. H. 2. Lodd. bot. cab. t. 15.
Scolopéndrium Ceterach. Eng. bot. v. 18. t. 1244.
POLYBOTRYA. S.S. POLYBOTRYA. Cryptogamia Filices.
1 vivipara. H.E.F. (*br. y.*) viviparous. W. Indies. 1823. 5. 8. S. 2. Hook. ex. flor. t. 107.
2 cervína. s.s. (*br. ye.*) hart's-tongue. — — S. 2. H. et G. ic. fil. t. 81.
NIPHOBOLUS. K.F. NIPHOBOLUS. Cryptogamia Filices.
1 pertusus. s.s. (*br. ye.*) bored. China. 1817. 7. 10. G. 2. Hook. ex. flor. t. 162.
Polypodium pertusum. Hooker.
2 rupéstris. s.s. (*br. ye.*) rock. N. S. W. 1824. — G. 2. H. et G. ic. fil. t. 93.
3 conflúens. s.s. (*br. ye.*) confluent. — 1822. — G. 2.
4 Língua. s.s. (*br. ye.*) tongue-like. Japan. 1817. — G. 2. Thunb. jap. t. 38.
POLYPODIUM. W. POLYPODY. Cryptogamia Filices. L.
1 sérpens. w. (*ye.*) trailing. W. Indies. 1822. 3. 8. S. 2. Plum. fil. 105. t. 121.
2 angustifolium. w. (*ye.*) narrow-leaved. S. America. — S. 2.
3 lanceolátum. w. (*ye.*) spear-leaved. — 1824. — S. 2. Plum. fil. t. 137.
4 attenuátum. B.P. (*ye.*) attenuated. N. S. W. 1823. — G. 2.
5 piloselloides. w. (*ye.*) Mouse-ear. W. Indies. 1793. — S. 2. Plum. fil. t. 118.
6 vacciniifolium. s.s. (*ye.*) Whortle-leaved. Brazil. 1826. — S. 2.
7 tæniösom. s.s. (*ye.*) jointed. S. America. 1815. — S. 2.
8 lycopodioides. w. (*ye.*) Club-moss. W. Indies. 1793. — S. 2. Schkuhr fil. t. 8. c. p.
9 phyllitidis. w. (*ye.*) Hart's-tongue. — — S. 2. Plum. fil. 114. t. 130.
10 irioides. s.s. (*ye.*) Iris-leaved. E. Indies. 1824. — S. 2. H. et G. ic. fil. t. 125.
11 crassifolium. w. (*ye.*) thick-leaved. W. Indies. 1816. — S. 2. Plum. fil. 107. t. 127.
12 répens. w. (*ye.*) creeping. S. America. — S. 2. — 115. t. 131.
13 lineáre. s.s. (*ye.*) linear-leaved. Japan. 1822. — G. 2. Thunb. ic. jap. t. 18.
14 Billardiéri. B.P. (*ye.*) La Billardiere's. V. Diem. Isl. 1823. — G. 2. Lab. nov. hol. 2. t. 240.
15 aúreum. w. (*ye.*) golden. W. Indies. 1742. 3. 5. S. 2. Plum. fil. 59. t. 76.
16 phymatodes. w. (*ye.*) warted. — 1816. — S. 2.

17	<i>quercifolium</i> . s.s. (ye.)	Oak-leaved.	E. Indies.	1824.	3. 5.	S. 2.	Rumph. amb. 6. t. 36.
18	<i>curvatum</i> . s.s. (ye.)	curve-leaved.	Jamaica.	1822.	—	S. 2.	Eng. bot. v. 16. t. 1149.
19	<i>vulgare</i> . E.B. (ye.)	common.	Britain.		5. 10.	H. 2.	Bolt. fil. t. 2. f. 5. a.
	<i>β cambricum</i> . (ye.)	Welsh.	Wales.		—	H. 2.	Plum. fil. t. 77.
20	<i>virginianum</i> . w. (ye.)	Virginian.	N. America.		7.	H. 2.	H. et G. ic. fil. t. 56.
21	<i>Scouleri</i> . H.F. (ye.)	Scouler's.	—	1827.	—	H. 2.	Lodd. bot. cab. t. 748.
22	<i>pectinatum</i> . w. (ye.)	comb-leaved.	W. Indies.	1793.	6. 9.	S. 2.	H. et G. ic. fil. t. 42.
23	<i>Plumula</i> . w. (ye.)	feather.	S. America.	1822.	5. 8.	S. 2.	Plum. fil. 66. t. 85.
24	<i>scopolendrioides</i> . H.F. (y.)	hart's-tongue-ld.	Jamaica.	1824.	—	S. 2.	— 85. t. 102. f. A.
25	<i>tenuifolium</i> . w. (ye.)	slender-leaved.	S. America.	1822.	—	S. 2.	Schkuhr fil. t. 11. b.
26	<i>asplenifolium</i> . w. (ye.)	Spleenwort-leav'd.	Martinico.	1790.	—	S. 2.	— p. 11. t. 10.
27	<i>incanum</i> . w. (ye.)	hoary.	America.	1811.	7.	H. 2.	
28	<i>trichomanoides</i> . w. (ye.)	Trichomaneslike.	W. Indies.	1822.	5. 8.	S. 2.	
29	<i>decumanum</i> . s.s. (ye.)	robust.	Brazil.	1818.	—	S. 2.	
30	<i>juglandifolium</i> . w. (ye.)	Walnut-leaved.	S. America.	1822.	—	S. 2.	
31	<i>proliferum</i> . s.s. (ye.)	proliferous.	Brazil.	1829.	9. 12.	S. 2.	
32	<i>crenatum</i> . w. (ye.)	crenated.	S. America.	1824.		S. 2.	
33	<i>fraxinifolium</i> . w. (ye.)	Ash-leaved.	Caracas.	1822.	5. 8.	S. 2.	
34	<i>tenellum</i> . B.P. (ye.)	slender.	N. S. W.	—	5. 7.	S. 2.	
35	<i>tetragonum</i> . s.s. (ye.)	four-sided.	W. Indies.	1826.	6. 9.	S. 2.	
36	<i>Phegopteris</i> . E.B. (ye.)	sun-fern.	Britain.		6. 7.	H. 2.	Eng. bot. v. 31. t. 2224.
37	<i>hexagonopterum</i> . w. (y.)	triangular.	N. America.	1811.	—	H. 2.	Pluk. alm. t. 284. f. 2.
38	<i>pruinatum</i> . w. (ye.)	white-leaved.	Jamaica.	1793.	5. 8.	S. 2.	Sloan. jam. 1. t. 57. f. 3.
39	<i>effusum</i> . w. (ye.)	spreading.	—	1769.	11.	S. 2.	Eng. bot. v. 9. t. 616.
40	<i>Dryopteris</i> . w. (ye.)	tender-branched.	Britain.		6. 9.	H. 2.	
41	<i>connectile</i> . w. (ye.)	connected.	N. America.	1812.	7.	H. 2.	
42	<i>calcæreum</i> . w. (ye.)	rigid-branched.	Britain.		—	H. 2.	Eng. bot. v. 22. t. 1525.
WO'ODSIA. L.T. Wo'ODSIA. Cryptogamia Filices. L.							
1	<i>pubescens</i> . s.s. (br.ye.)	pubescent.	Brazil.	1826.	1. 12.	S. 2.	
2	<i>glabella</i> . s.s. (br.ye.)	smooth.	N. America.	1827.	6. 9.	H. 2.	
3	<i>hyperborea</i> . L.T. (br.y.)	hairy Alpine.	Scotland.		7. 9.	H. 2.	Eng. bot. v. 29. t. 2023.
4	<i>ilvensis</i> . L.T. (br.ye.)	rock.	N. America.	1812.	6. 7.	H. 2.	Schkuhr fil. t. 19.
5	<i>vestita</i> . Spr. (br.ye.)	clothed.	—	1816.	—	H. 2.	
6	<i>Perriniana</i> . H.F. (br.y.)	Perrin's.	—	1825.	8. 11.	G. 2.	H. et G. ic. fil. t. 68.
ALSOPHILA Perriniana. s.s.							
PLEOPELTIS. K.S. PLEOPELTIS. Cryptogamia Filices.							
1	<i>ensifolia</i> . H.E.F. (br.y.)	sword-leaved.	C. B. S.	1823.	5. 6.	S. 2.	Hook. ex. flor. t. 62.
2	<i>latifolia</i> . L.C. (br.ye.)	broad-leaved.	—	—	—	S. 2.	
3	<i>nuda</i> . D.P. (br.ye.)	naked.	Nepaul.	—	—	S. 2.	Hook. ex. flor. t. 63.
4	<i>angusta</i> . s.s. (br.ye.)	narrow-leaved.	Mexico.	1826.	—	S. 2.	
ASPIDIUM. B.P. SHIELD-FERN. Cryptogamia Filices. W.							
1	<i>Hookeri</i> . (br.ye.)	Hooker's.	W. Indies.	1812.	6. 9.	S. 2.	H. et G. ic. fil. t. 96.
PROLIFERA. H.F. non B.P.							
2	<i>rhizophyllum</i> . H.F. (br.y.)	rooting-leaved.	Jamaica.	1816.	—	S. 2.	H. et G. ic. fil. t. 59.
3	<i>trifoliatum</i> . w. (br.ye.)	three-leaved.	W. Indies.	1769.	4. 8.	S. 2.	Jacq. ic. 3. t. 638.
4	<i>cicutarium</i> . w. (br.ye.)	Cicuta-leaved.	N. America.	1823.	—	H. 2.	Pluk. alm. t. 289. f. 4.
5	<i>pâens</i> . w. (br.ye.)	pubescent.	W. Indies.	1784.	7. 9.	S. 2.	Schkuhr fil. t. 334.
6	<i>dentatum</i> . w. (br.ye.)	toothed.	Scotland.		7.	H. 2.	Eng. bot. v. 23. t. 1588.
CYATHEA dentata. E.B.							
7	<i>Halleri</i> . w. (br.ye.)	Haller's.	Switzerland.	1824.	4. 8.	H. 2.	
8	<i>bulbiferum</i> . w. (br.ye.)	bulbiferous.	N. America.	1638.	7. 8.	H. 2.	
9	<i>rhæticum</i> . w. (ye.)	stone.	Switzerland.		—	H. 2.	
10	<i>fragile</i> . w. (ye.)	brittle.	Britain.		6. 8.	H. 2.	Eng. bot. v. 23. t. 1587.
11	<i>regium</i> . w. (ye.)	laciniated.	—		6.	H. 2.	— v. 3. t. 163.
CYATHEA incisa. E.B.							
12	<i>æmulum</i> . w. (ye.)	dwarf.	Madeira.	1779.		F. 2.	
13	<i>alpinum</i> . w. (ye.)	Alpine.	S. Europe.	1825.	6. 8.	H. 2.	Jacq. ic. 3. t. 642.
14	<i>montanum</i> . w. (ye.)	mountain.	—	—	—	H. 2.	
15	<i>irriguum</i> . E.B. (ye.)	brook.	Britain.		6.	H. 2.	Eng. bot. v. 31. t. 2199.
16	<i>atomarium</i> . w. (ye.)	small.	N. America.	1822.	6. 8.	H. 2.	
NEPHRODIDIUM. B.P. NEPHRODIDIUM. Cryptogamia Filices.							
1	<i>Lonchitis</i> . H.S.L. (ye.)	rough Alpine.	Britain.		5. 8.	H. 2.	Eng. bot. v. 12. t. 797.
ASPIDIUM Lonchitis. E.B.							
2	<i>auriculatum</i> . H.S.L. (ye.)	earled.	E. Indies.	1793.	7.	S. 2.	Burm. zeyl. t. 44. f. 2.
3	<i>acrostichoides</i> . M. (ye.)	Acrostichum-like.	N. America.	1824.	5. 8.	H. 2.	Schkuhr fil. t. 30.
4	<i>mucronatum</i> . s.s. (ye.)	mucronate.	Jamaica.	1826.	—	S. 2.	
5	<i>exaltatum</i> . B.P. (ye.)	lofty.	—	1793.	5. 8.	S. 2.	Schkuhr fil. t. 32. b.
6	<i>unitum</i> . B.P. (ye.)	smooth united.	E. Indies.	—	—	S. 2.	Burm. zeyl. t. 44. f. 1.
7	<i>propinquum</i> . B.P. (ye.)	pubescent.	—	—	—	S. 2.	

8	mólle. B.P.	(ye.) soft.	N. S. W.	1822.	5. 8. G. 2.	Jacq. ic. t. 640.
9	sesquipedale. s.s.	(ye.) black-spotted.	W. Indies.	1824.	— S. 2.	
10	hirsútulum. s.s.	(ye.) hairy.	E. Indies.	1823.	— S. 2.	
11	édule. D.P.	(ye.) eatable-rooted.	Nepaul.	1826.	— G. 2.	
12	semicordátum. s.s.	(ye.) half cordate.	W. Indies.	1822.	— S. 2.	
13	noveboracénse. H.S.L.	(y.) river-side.	N. America.	1812.	7. H. 2.	Schkuhr fil. t. 46.
14	pectinátum.	(ye.) comb-like.		1823.	5. 8. S. 2.	— t. 296.
<i>Aspidium trapezoides</i> . Schk.						
15	Oreópteris. H.S.L.	(ye.) Heath.	Britain.		7. H. 2.	Eng. bot. v. 15. t. 1019.
16	Thelypteris. H.S.L.	(ye.) Lady fern.			7. 8. H. 2.	— v. 15. t. 1018.
17	sérta. s.s.	(ye.) saw-like.	Jamaica.	1819.	— S. 2.	
18	parasíticum. w.	(ye.) parasitical.	E. Indies.	1824.	— S. 2.	
19	Goldianum. H.F.	(ye.) Goldie's.	N. America.	1822.	— H. 2.	H. et G. ic. fil. t. 102.
20	cristátum. H.S.L.	(ye.) crested heath.	Britain.		6. 7. H. 2.	Eng. bot. v. 30. t. 2125.
21	aculéatum. H.S.L.	(ye.) common prickly.			6. 8. H. 2.	— v. 22. t. 1562.
22	pubescens. H.F.	(ye.) pubescent.	Jamaica.	1824.	— S. 2.	H. et G. ic. fil. t. 162.
23	marginale. H.S.L.	(ye.) marginal-flower'd.	N. America.	1772.	6. 9. H. 2.	Schkuhr fil. t. 45. b.
24	Filix-más. H.S.L.	(ye.) Male fern.	Britain.		6. 8. H. 2.	Eng. bot. v. 21. t. 1458.
<i>β Smithii</i> .		(ye.) Smith's.			— H. 2.	— v. 28. t. 1949.
<i>Aspidium cristatum</i> . E.B. 1949. non 2-25.						
<i>γ erósum</i> . Ph.		(ye.) jagged.	N. America.	1812.	— H. 2.	Schkuhr fil. t. 45.
25	lancastriénse. s.s.	(ye.) Lancaster.		1825.	— H. 2.	
26	frágrans. H.F.	(ye.) fragrant.	Europe.		— H. 2.	H. et G. ic. fil. t. 70.
27	platyphýllum. s.s.	(ye.) flat-leaved.	S. America.	1826.	— S. 2.	
28	lobátum. H.S.L.	(ye.) close-leaved.	England.		6. 9. H. 2.	Eng. bot. v. 22. t. 1563.
29	intermédiu. w.	(ye.) intermediate.	N. America.	1816.	— H. 2.	
30	spinulósium. H.S.L.	(ye.) crested prickly.	Britain.		6. 8. H. 2.	Eng. bot. v. 21. t. 1460.
31	dilatátum. H.S.L.	(ye.) great crested.			— H. 2.	— v. 21. t. 1461.
32	obtúsium. w.	(ye.) blunt leaved.	N. America.	1827.	— H. 2.	Schkuhr fil. t. 21.
33	rigídum. w.	(ye.) rigid.	Germany.	1816.	— H. 2.	
34	elongátum. H.S.L.	(ye.) cut-leaved.	Madeira.	1799.	7. 8. F. 2.	
35	villósium. H.S.L.	(ye.) villous.	W. Indies.	1793.	7. S. 2.	Schkuhr fil. t. 46. b.
36	decompósitum. B.P.	(ye.) decomposit.	N. S. W.	1820.	6. 8. F. 2.	
37?	Baromez.	 Baromez.	Tartary.	1824.	 S. 2.	
ALLANTODIA. B.P.		ALLANTODIA.	Cryptogamia Filices.			
1	umbrosa. B.P.	(ye.) Madeira.	Madeira.	1779.	6. 9. F. 2.	Schkuhr fil. t. 61.
2	axilláris. s.s.	(ye.) slender.		—	— F. 2.	
<i>Polypodium axillare</i> . H.K. <i>Aspidium axillare</i> . Sw.						
3	austrális. B.P.	(ye.) southern.	V. Diem. Isl.	1820.	— F. 2.	
4	ténere. B.P.	(ye.) membranaceous.	N. S. W.	—	— F. 2.	
ASPLENIUM. B.P.		SPLEENWORT.	Cryptogamia Filices.	L.		
1	acútum. s.s.	(br.) acute.	Canaries.	1818.	4. 7. F. 2.	
2	fissum. s.s.	(br.) cleft-leaved.	Hungary.	1825.	— H. 2.	
3	fontánum. B.P.	(st.) smooth rock.	England.		6. 8. H. 2.	Eng. bot. v. 29. t. 2024.
<i>Aspidium fontanum</i> . E.B.						
4	Filix-fémína. B.P.	(st.) female fern.	Britain.		6. 9. H. 2.	Eng. bot. v. 21. t. 1459.
5	Michauxii. s.s.	(st.) Michaux's.	N. America.	1812.	— H. 2.	
6	Athyrium. s.s.	(st.) American.		1820.	— H. 2.	Schkuhr filic. t. 78.
<i>Nephrodium asplenoides</i> . M.						
7	Halleri. s.s.	(st.) Haller's.	Switzerland.	1825.	— H. 2.	
8	Adiantum-nigrum. w.	(br.) black.	Britain.		4. 10. H. 2.	Eng. bot. v. 28. t. 1950.
9	lanceolátum. E.B.	(br.) lanceolate.	England.		6. 10. H. 2.	— v. 4. t. 240.
10	rádicans. s.s.	(br.) rooting-branched.	W. Indies.	1822.	— S. 2.	
11	bisséctum. s.s.	(br.) bifid.	Jamaica.	1821.	— S. 2.	
12	montánum. w.	(br.) mountain.	N. America.	1812.	7. H. 2.	
13	frágrans. w.	(br.) fragrant.	Jamaica.	1793.	— S. 2.	
14	Ruta murária. w.	(br.) Wall-rue.	Britain.		6. 10. H. 2.	Eng. bot. v. 3. t. 150.
15	cicutárium. H.S.	(br.) Cicutá-like.	S. America.	1822.	— S. 2.	Plum. fil. t. 48. a.
16	formósium. w.	(br.) handsome.	Santa Cruz.	—	— S. 2.	
17	præmórsum. w.	(br.) snip-leaved.	Jamaica.	1793.	— S. 2.	Pluk. alm. t. 73. f. 5.
18	striátum. w.	(br.) striated.	W. Indies.	—	6. 8. S. 2.	Plum. fil. t. 18. 19.
19	thelypteroides. w.	(br.) Ladyfern-like.	N. America.	1823.	7. H. 2.	Schkuhr fil. t. 76. b.
20	sulcátum. s.s.	(br.) furrowed.	W. Indies.	1827.	— S. 2.	Plum. fil. t. 46.
21	pumilum. s.s.	(br.) dwarf.		1823.	— S. 2.	— t. 66. A.
22	canariénse. s.s.	(br.) Canary Island.	Canaries.	1824.	— G. 2.	
23	rhizóphorum. w.	(br.) root-bearing.	Jamaica.	1793.	6. 8. S. 2.	Sloan. j. 1. t. 29. 30. f. 1.
24	viride. w.	(br.) green.	Britain.		6. 9. H. 2.	Eng. bot. v. 32. t. 2257.
25	melanocaulon. w.	(br.) black-stalked.	N. America.	1812.	7. H. 2.	
26	Trichómanes. w.	(br.) Maiden hair.	Britain.		5. 10. H. 2.	Eng. bot. v. 8. t. 576.

- 27 *germánicum*. w. alternate-leaved. Scotland. 6. 10. H. 2. Eng. bot. v. 32. t. 2258.
alternifolium. E.B. *Breynii*. Sw.
28 *ebéneum*. w. (br.) ivory striped. N. America. 1779. 9. H. 2. Lodd. bot. cab. t. 5.
trichomanoides. M.
29 *bipartitum*. s.s. (br.) two-parted. W. Indies. 1822. — S. 2.
30 *dimidiátum*. s.s. (br.) narrow-leaved. — 1827. — S. 2.
31 *aúritum*. s.s. (br.) eared. — 1829. 9. 12. S. 2.
32 *zamíæfolium*. s.s. (br.) Zamia-leaved. S. America. 1818. 6. 10. S. 2. Lodd. bot. cab. t. 854.
33 *falcátum*. B.P. (br.) sickle-leaved. N. S. W. 1825. 6. 7. F. 2.
34 *monánthemum*. w. (br.) one-flowered. C. B. S. 1790. 7. G. 2. Sm. ined. t. 73.
35 *resécútum*. s.s. (br.) cut-leaved. Mauritius. 1820. — S. 2. H. et G. ic. fil t. 114.
36 *marinun*. w. (br.) sea-side. Britain. 6. 10. H. 2. Eng. bot. v. 6. t. 392.
37 *dentátum*. H.F. (br.) tooth-leaved. Jamaica. 1824. — S. 2. H. et G. ic. fil. t. 72.
38 *fiabellifolium*. w. (br.) fan-leaved. N. S. W. 1825. 6. 7. G. 2. Hook. ex. flor. t. 208.
39 *déntex*. w. (br.) toothed. C. B. S. 1790. 6. 10. G. 2.
40 *diffórme*. B.P. (br.) deformed. N. S. W. 1822. 6. 7. F. 2.
41 *Shephérdii*. s.s. (br.) Shepherd's. Jamaica. 1824. 6. 9. S. 2.
42 *angustifolium*. s.s. (br.) narrow-leaved. N. America. 1812. — H. 2. Schkuhr fil. t. 69.
43 *septentrionale*. w. (br.) forked. Britain. 6. 10. H. 2. Eng. bot. v. 15. t. 1017.
44 *palmátum*. s.s. (br.) palmated. S. Europe. 1816. 7. 10. F. 2. Lodd. bot. cab. t. 868.
45 *attenuátum*. B.P. (br.) slender. N. S. W. 1825. 6. 7. F. 2.
46 *rhizophyllum*. w. (br.) rooting-leaved. N. America. 1680. — H. 2.
47 *serrátum*. w. (br.) saw-leaved. W. Indies. 1793. — S. 2. Schkuhr fil. t. 64.
48 *Nidus*. B.P. (br.) nest. N. Holland. 1822. — F. 2.
CÆNOPTERIS. S.S. CÆNOPTERIS. Cryptogamia Filices.
1 *Odontites*. s.s. (br.) long-leaved. N. Holland. 1822. 6. 10. G. 2. Thunb. n. ac. pet. t. E. f. 1.
Asplenium Odontites. B.P. *Dàrea Odontites*. w.
2 *appendiculata*. s.s. (br.) loose. V. Diem. Isl. — G. 2. Lab. n. holl. 2. t. 243.
3 *rhizophylla*. s.s. (br.) rooting-leaved. W. Indies. 1827. — S. 2.
SCOLOPENDRIUM. W. HART'S-TONGUE. Cryptogamia Filices. W.
1 *officinàrum*. w. (br.) common. Britain. 7. 8. H. 2. Eng. bot. v. 16. t. 1150.
β crispum. (br.) curled-leaved. — H. 2.
γ undulátum. (br.) waved-leaved. — H. 2. Pluk. phyt. 248. f. 1.
δ multifidum. (br.) clustered. — H. 2.
ε ramòsum. (br.) branching. — H. 2. Pluk. phyt. 248. f. 2.
2 *Hemionitis*. s.s. (br.) Mule's fern. Canaries. 1779. 6. 7. G. 2. Schkuhr crypt. t. 66.
Asplenium Hemionitis. L.
DO'ODIA. B.P. DO'ODIA. Cryptogamia Filices.
1 *áspera*. B.P. (br.) rough-stalked. N. S. W. 1808. 3. 9. G. 2. Hook. ex. flor. t. 8.
2 *caudàta*. B.P. (br.) tailed. — 1822. — G. 2. — t. 25.
WOODWARDIA. W. WOODWARDIA. Cryptogamia Filices. W.
1 *onocleoides*. w. (br.) Onoclea-like. N. America. 1812. 8. 10. H. 2. Schkuhr fil. t. 111.
2 *virginica*. w. (br.) Virginian. — 1774. 8. 9. H. 2. Pluk. alm. t. 179. f. 2.
3 *rádicans*. w. (br.) rooting-leaved. Madeira. 1779. 9. 10. G. 2. Schkuhr fil. t. 112.
BLECHNUM. W. BLECHNUM. Cryptogamia Filices. W.
1 *brasiliénse*. s.s. (br.) Brazilian. Brazil. 1828. 9. 11. S. 2.
2 *cartilaginèum*. B.P. (br.) cartilaginous. N. S. W. 1822. 6. 8. F. 2.
3 *denticulátum*. s.s. (br.) toothed. Teneriffe. 1826. 6. 9. F. 2.
4 *lævigatum*. B.P. (br.) smooth. N. S. W. 1820. 3. 9. G. 2.
5 *angustifolium*. s.s. (br.) narrow-leaved. Trinidad. 1824. — S. 2.
6 *longifolium*. s.s. (br.) long-leaved. — 1826. — S. 2. Bot. mag. t. 2818.
7 *glandulòsum*. s.s. (br.) glandular. Brazil. 1823. — S. 2.
8 *occidentàle*. w. (br.) American. S. America. 1777. — S. 2. Jacq. ic. 3. t. 644.
9 *australe*. w. (br.) Cape. C. B. S. 1691. — G. 2. Schkuhr fil. t. 110. b.
10 *polypodioides*. s.s. (br.) Polypody-leav'd. Brazil. 1829. 8. 12. S. 2.
11 *Lanceòla*. s.s. (br.) spear-leaved. — — S. 2.
LOMARIA. W. LOMARIA. Cryptogamia Filices. W.
1 *nùda*. w. (br.) naked. V. Diem. Isl. 1822. 4. 8. F. 2. Lab. n. hol. 2. t. 246.
Onoclea nuda. Lab. *Stegània nuda*. B.P.
2 *Spicant*. s.s. (br.) northern. Britain. 7. 9. H. 2. Eng. bot. v. 17. t. 1159.
Osmúnda Spicant. L. *Bléchnum boreàle*. E.B.
3 *onocleoides*. s.s. (br.) Onoclea-like. Jamaica. 1824. — S. 2.
4 *sorbifolia*. s.s. (br.) Service-leaved. W. Indies. 1793. — S. 2. Plum. fil. t. 117.
Acróstichum sorbifolium. L.
5 *longifolia*. s.s. (br.) long-leaved. — 1810. 6. 9. S. 2. Plum. fil. t. 117. dextr.
6 *procera*. s.s. (br.) lofty. N. Holland. 1822. 4. 8. F. 2. Lab. n. hol. 2. t. 247.
Bléchnum procèrum. Lab. *Stegània procera*. B.P.
ONOCLEA. W. ONOCLEA. Cryptogamia Filices. L.
1 *sensibilis*. w. (br.) sensitive fern. Virginia. 1799. 8. H. 2. Schkuhr fil. t. 102.
2 *obtusilobàta*. Ph. (br.) blunt-lobed. N. America. 1812. 7. H. 2. — t. 103.

STRUTHIOPTERIS. *W. STRUTHIOPTERIS.* Cryptogamia Filices.

1 *germánica*. s.s. (*br.*) German. Europe. 1760. 7. 8. H. 2. Schkuhr fil. t. 105.

Osmunda Struthiopteris. L. *Onoclea Struthiopteris*. w.

2 *pensylvánica*. w. (*br.*) Pennsylvanian. N. America. 1812. — H. 2. Schkuhr fil. t. 104.

Onoclea nodulosa. Schkuhr.

VITTARIA. *W. VITTARIA.* Cryptogamia Filices. *W.*

lineata. w. (*br.*) linear-leaved. America. 1793. S. 2. Schkuhr fil. t. 101. b.

ANTROPHYUM. *S.S. ANTROPHYUM.* Cryptogamia Filices.

lanceolatum. s.s. (*br.*) spear-leaved. W. Indies. 1793. 6. 10. S. 2. Schkuhr fil. t. 6.

Hemionitis lanceolata. L.

DIPLAZIUM. *W. DIPLAZIUM.* Cryptogamia Filices. *W.*

1 *plantaginæum*. s.s. (*br.*) Plantain-leav'd. W. Indies. 1822. S. 2.

2 *grandifolium*. w. (*br.*) large-leaved. Jamaica. 1793. 8. 10. S. 2.

3 *juglandifolium*. s.s. (*br.*) Walnut-leaved. — 1825. S. 2.

4 *seramporense*. s.s. (*br.*) East Indian. E. Indies. 1827. S. 2.

5 *auriculatum*. s.s. (*br.*) eared. S. America. 1820. 8. 10. S. 2.

6 *barbadense*. w. (*br.*) Barbadoes. W. Indies. 1822. S. 2.

7 *malabarium*. s.s. (*br.*) Malabar. E. Indies. 1818. 6. 8. S. 2.

Asplenium ambiguum. Swartz.

8 *arborescens*. s.s. (*br.*) arborescent. Mauritius. 1824. S. 2.

9 *esculentum*. w. (*br.*) eatable. Ceylon. 1822. S. 2.

CRYPTOGRAMMA. *Br. CRYPTOGRAMMA.* Cryptogamia Filices.

1 *acrostichoides*. Br. (*st.*) Acrostichum-like. N. America. 1827. 7. 9. H. 2. H. et G. ic. fil. t. 29.

Allosorus acrostichoides. s.s.

2 *crispa*. Br. (*st.*) curled. Britain. — H. 2. Eng. bot. v. 17. t. 1160.

Allosorus crispus. s.s. *Pteris crispa*. E.B. *Osmunda crispa*. L.

PTERIS. *W. BRAKE.* Cryptogamia Filices. *L.*

1 *pedata*. w. (*st.*) pedate. W. Indies. 1816. 5. 8. S. 2. Pet. t. 176. t. 8. f. 12.

2 *palmata*. w. (*br. st.*) palmated. — 1823. 6. 7. S. 2. Lodd. bot. cab. t. 1299.

3 *argentea*. w. (*st. br.*) silvery. Siberia. — — H. 2.

4 *longifolia*. w. (*st. br.*) long-leaved. W. Indies. 1770. 7. 9. S. 2. Jacq. sch. 3. t. 339. 400.

5 *grandifolia*. w. (*st. br.*) large-leaved. — 1793. S. 2. Schkuhr fil. t. 89.

6 *serrulata*. w. (*st. br.*) various-leaved. India. 1770. 8. 9. S. 2. — — — — t. 91.

7 *denticulata*. s.s. (*st. br.*) toothed. Brazil. 1824. 5. 9. S. 2. H. et G. ic. fil. t. 28.

8 *crética*. w. (*st. br.*) Cretan. Candia. 1818. 5. 7. G. 2.

9 *atropurpurea*. w. (*br.*) dark purple. N. America. 1770. 8. 9. S. 2. Schkuhr fil. t. 101.

10 *memoralis*. W. en. (*st. br.*) wood. Africa. 1823. 5. 8. S. 2.

11 *biaurita*. s.s. (*st. br.*) two-eared. W. Indies. 1824. — S. 2. H. et G. ic. fil. t. 142.

12 *Plumieri*. s.s. (*st. br.*) Plumier's. S. America. 1818. — S. 2.

13 *arguta*. w. (*st. br.*) sharp-notched. Madeira. 1778. 8. 9. F. 2. Pluk. alm. t. 290. f. 2.

14 *umbrosa*. B.P. (*st. br.*) shade. N. S. W. 1823. 5. 8. F. 2.

15 *cordata*. w. (*st. br.*) heart-leaved. Mexico. 1825. — G. 2.

16 *sagittata*. w. (*st. br.*) arrow-leaved. S. America. 1820. — S. 2.

17 *vespertilionis*. B.P. (*st.*) Bat-winged. N. S. W. 1823. — F. 2. Lab. nov. hol. 2. t. 245.

18 *trémula*. B.P. (*st. br.*) trembling. — 1822. — F. 2.

19 *esculenta*. B.P. (*st. br.*) esculent. — 1815. — F. 2. Lab. nov. hol. 2. t. 244.

20 *gracilis*. w. (*st. br.*) slender. Canada. 1823. 7. H. 2.

21 *hastata*. w. (*st. br.*) hastate. W. Indies. — 5. 8. S. 2.

22 *aculeata*. w. (*st. br.*) prickly-stem'd. — 1793. S. 2. Plum. fil. t. 5. et 11.

23 *falcata*. B.P. (*st. br.*) falcate. N. S. W. 1820. 5. 7. F. 2.

24 *caudata*. w. (*st. br.*) American. N. America. 1777. 9. 12. H. 2. Jacq. ic. 3. t. 645.

25 *aquilina*. E.B. (*st. br.*) common. Britain. 7. 8. H. 2. Eng. bot. v. 24. t. 1679.

26 *lanuginosa*. w. (*st. br.*) woolly. Bourbon. 1818. — S. 2.

27 *intramarginalis*. K.F. (*br.*) Mexican. Mexico. 1828. 7. 12. S. 2.

TENITIS. *W. TENITIS.* Cryptogamia Filices. *W.*

1 *lanceolata*. s.s. (*br.*) spear-leaved. W. Indies. 1818. 6. 9. S. 2. Plum. fil. t. 132.

2 *angustifolia*. s.s. (*br.*) narrow-leaved. — 1823. — S. 2.

3 *graminifolia*. H.E.F. (*br.*) grass-leaved. Trinidad. 1820. 6. 8. S. 2. Hook. ex. flor. t. 77.

4 *furcata*. s.s. (*br.*) forked. — 1824. — S. 2. H. et G. ic. fil. t. 7.

5 *chinensis*. s.s. (*br.*) Chinese. China. 1828. — G. 2.

ADIANTHUM. *W. MAIDENHAIR.* Cryptogamia Filices. *L.*

1 *reniforme*. w. (*br.*) kidney-leaved. Madeira. 1699. 6. 9. G. 2. Lodd. bot. cab. t. 841.

2 *obliquum*. s.s. (*br.*) oblique-leaved. W. Indies. 1826. 4. 8. S. 2.

3 *macrophyllum*. w. (*br.*) large-leaved. Jamaica. 1793. — S. 2. H. et G. ic. fil. t. 132.

4 *lunulatum*. s.s. (*br.*) lunulate. E. Indies. 1826. — S. 2. — — — — t. 104.

5 *deltoidum*. s.s. (*br.*) deltoid-leaved. Jamaica. 1824. — S. 2.

6 *denticulatum*. s.s. (*br.*) toothed-leaved. W. Indies. 1825. — S. 2.

7 *serrulatum*. w. (*br.*) saw-leaved. Jamaica. 1823. 6. 8. S. 2. Sloan. j. 17. t. 36. f. 2.

8 *radiatum*. w. (*br.*) radiated. W. Indies. 1776. 4. 8. S. 2. Plum. fil. t. 100.

9 *pedatum*. w. (*br.*) Canadian. N. America. 1640. 8. 9. H. 2. Schkuhr fil. t. 115.

0	hispidulum. B.P. (br.)	bristly.	N. Holland.	1822.	5. 8.	G. 4.	
1	striatum. s.s. (br.)	streaked.	W. Indies.	—	—	S. 4.	
2	villosum. w. (br.)	hairy-stalked.	Jamaica.	1775.	6. 9.	S. 4.	Schkuhr fil. t. 120.
3	pulverulentum. w. (br.)	dusty.	W. Indies.	1793.		S. 4.	— t. 119.
11	triangulum. s.s. (br.)	triangular.	Trinidad.	1824.	—	S. 4.	
1	Capillus-v. is. w. (br.)	true.	Britain.		5. 9.	H. 4.	Eng. bot. v. 22. t. 1564.
1	trapezifolium. (br.)	rhomb-leaved.	—	1793.		S. 4.	Schkuhr fil. t. 122.
1	pentadactylum. (br.)	five-fingered.	Brazil.	1828.	—	S. 4.	H. et G. ic. fil. t. 98.
1	cuneatum. (br.)	wedge-leaved.	—	1824.	—	S. 4.	— ic. fil. t. 30.
1	aspidium. (br.)	likened.	N. S. W.	1823.	5. 8.	G. 4.	Lab.n.hol.2.t.248.f.2.
2	formosum. (br.)	handsome.	—	1822.	—	G. 4.	
2	tenerum. (br.)	tender.	Jamaica.	1793.	7.	S. 4.	Pluk. alm. t. 254. f. 1.
CHEILANTHES. Cryptogamia Filices. W.							
1	ferrugineum. s. (br.)	ferruginous.	Peru.	1816.	5. 8.	S. 4.	
1	gracile. (br.)	slender.	Canada.	1827.	—	H. 4.	
1	pteroides. s.s. (br.)	Pteris-like.	C. B. S.	1775.	7. 9.	G. 4.	Hout. n. hist. t. 96. f. 3.
1	odora. s.s. (br.)	sweet-scented.	S. Europe.	1824.	—	F. 4.	
1	suaveolens. s.s. (br.)	scented.	Madeira.	1778.	—	G. 4.	
1	fragrans. s.s. (br.)	fragrant.	E. Indies.	—	—	S. 4.	Sw. syn. fil. t. 3. f. 6.
1	micropylla. s.s. (br.)	small-leaved.	W. Indies.	1822.	5. 8.	S. 4.	
1	vestita. s.s. (br.)	clothed.	N. America.	1812.	7.	H. 4.	Schkuhr fil. t. 124.
1	hirta. s. (br.)	hairy.	C. B. S.	1816.	5. 8.	G. 4.	
1	lenderigera. (br.)	chaffy.	S. America.	1822.	—	S. 4.	
1	tenuifolia. B. (br.)	slender-leaved.	N. S. W.	1824.	—	G. 4.	
1	spectabilis. s.s. (br.)	showy.	Brazil.	1829.	9. 12.	S. 4.	
1	repens. s.s. (br.)	creeping.	W. Indies.	1824.	6. 10.	S. 4.	
LONCHITIS. Cryptogamia Filices. W.							
1	pedata. (br.)	pedate.	Jamaica.	1793.	6. 8.	S. 4.	Brown. jam. 89. t. 1.
2	hirsuta. s. (br.)	hairy.	W. Indies.	—		S. 4.	Schkuhr fil. t. 86.
LINDSÆA. Cryptogamia Filices. W.							
1	reniformis. (br.)	kidney-leaved.	Trinidad.	1826.	5. 7.	S. 4.	Linn. trans. v. 3. t. 7. f. 1.
2	linearis. (br.)	linear-leaved.	N. S. W.	1820.	4. 6.	G. 4.	Sw. fil. 118. t. 3. f. 3.
3	falcata. L.T. (br.)	halberd-leaved.	—	1824.	5. 8.	S. 4.	Linn. trans. v. 3. t. 7. f. 1.
4	trapeziformis. L.T. (br.)	trapezoid-leaved.	W. Indies.	1825.	—	S. 4.	— v. 3. t. 9.
5	microphylla. B.P. (br.)	small-leaved.	N. S. W.	1820.	4. 6.	G. 4.	
DAVALLIA. Cryptogamia Filices. W.							
1	pyxidata. B.P. (ye.)	box-like.	N. S. W.	1808.	4. 9.	G. 4.	
2	canariensis. w. (ye.)	Hare-foot fern.	Canaries.	1699.	—	G. 4.	Jacq. ic. 1. t. 200.
3	gibberosa. s.s. (br. ye.)	gibbous-flower'd.	N. Zealand.	1825.	—	G. 4.	Swt. flor. aust. t. 31.
4	fumarioides. s.s. (br. ye.)	Fumitory-like.	W. Indies.	1828.	6. 10.	S. 4.	
5	flaccida. B.P. (br. ye.)	flaccid.	N. Holland.	1826.	—	G. 4.	
BALANTHIUM. Cryptogamia Filices.							
	Culcita. K.S. (br. ye.)	shining-leaved.	Madeira.	1779.	9. 10.	F. 4.	
	Dicksônia Culcita. w. (br.)	—	—	—	—	—	
DICKSONIA. Cryptogamia Filices. W.							
1	pilosiuscula. w. (br. ye.)	hairy.	N. America.	1811.	7. 9.	H. 4.	Schkuhr fil. t. 131.
2	arborescens. w. (br. ye.)	tree.	S. Helena.	1786.	6. 12.	S. 4.	Jacq. ic. t. 201.
3	dissecta. w. (br. ye.)	cut-leaved.	Jamaica.	1793.	9. 10.	S. 4.	
4	adiantoides. s.s. (br. st.)	Adiantum-like.	W. Indies.	1828.	8. 12.	S. 4.	
CYATHÆA. Cryptogamia Filices. W.							
1	arborea. w. (br. ye.)	tree.	W. Indies.	1793.		S. 4.	Plum. fil. 1. t. 1. 2.
2	excelsa. s.s. (br. ye.)	tall.	Mauritius.	1825.		S. 4.	
ALSO'PHILA. Cryptogamia Filices.							
1	australis. B.P. (br. st.)	southern.	N. S. W.	1820.		G. 4.	
2	aspera. s.s. (br. ye.)	rough.	W. Indies.	1824.		S. 4.	
HEMITELIA. Cryptogamia Filices.							
	multiflora. s.s. (br. ye.)	many-flowered.	Jamaica.	1824.		S. 4.	
TRICHOMANES. Cryptogamia Filices. W.							
1	membranaceum. w. (br.)	membranaceous.	W. Indies.	1820.	5. 8.	S. 4.	Hook. ex. flor. t. 76.
2	floribundum. s.s. (br. ye.)	many-flowered.	—	1825.	—	S. 4.	H. et G. ic. fil. t. 9.
3	brevistylum. H.K. (br. ye.)	short-styled.	Britain.		5. 6.	H. 4.	Eng. bot. v. 20. t. 1417
	Hymenophyllum alatum. E.B. (br.)	—	—	—	—	—	
4	alatum. s.s. (br. ye.)	wing-leaved.	W. Indies.	1824.	—	S. 4.	H. et G. ic. fil. t. 11.
5	crispum. s.s. (br. ye.)	curled.	—	1828.	—	S. 4.	— ic. fil. t. 12.
HYMENOPHYLLUM. FILMY-LEAF. Cryptogamia Filices. W.							
1	polyanthos. s.s. (br. ye.)	many-flowered.	W. Indies.	1824.	6. 9.	S. 4.	H. et G. ic. fil. t. 128.
2	tunbridgensis. w. (br.)	Tunbridge.	Britain.		5. 6.	H. 4.	Eng. bot. v. 3. t. 162.
3	hirsutum. s.s. (br. ye.)	hairy.	Trinidad.	1823.	5. 9.	S. 4.	H. et G. ic. fil. t. 84.

ADDENDA et CORRIGENDA.

RANUNCULACEÆ. p. 1.

CLE'MATIS. p. 1.	VIRGIN'S BOWER.				
grandiflora. p. 1. (gr.)	large-flowered.	Sierra Leone. 1822.	7. 9.	S. h. ~.	Bot. reg. t. 1234.
chlorantha. B. Reg.					
43 viornoides. Jac. (li.)	Viorna-like.	N. America. 1826.	6. 9.	H. h. ~.	
ANEM'ONÆ. p. 3.	ANEM'ONE.				
26 Richardsoni. H.A. (ye.)	Richardson's.	N. America. 1827.	4. 7.	H. y.	Hook. fl. b. am. t. 4. A.
27 deltoidea. H.A. (wh.)	deltooid.	Columbia. —	—	H. y.	— t. 3. A.
RANUN'CLUS. p. 4.	CROWFOOT.				
98 rhomboideus. H.A. (ye.)	rhomboid-leav'd.	N. America. 1825.	5. 6.	H. y.	Edin. phi. jou. 6. t. 11. f. 1.
99 glaberrimus. H.A. (ye.)	smoothest.	— 1827.	—	H. y.	Hook. fl. b. am. t. 5. A.
100 ovalis. H.A. (ye.)	oval-leaved.	—	—	H. y.	— t. 6. B.
101 brevicaulis. H.A. (ye.)	short-stalked.	—	—	H. y.	— t. 7. A.
102 cardiophyllus. H.A. (y.)	heart-leaved.	—	—	H. y.	Bot. mag. t. 2999.
103 pygmæus. DC. (ye.)	pygmy.	—	—	H. y.	Wahl. lapp. t. 8. f. 1.
104 Eschscholtzii. H.A. (ye.)	Eschscholtz's.	—	—	H. y.	
105 pedatifidus. DC. (ye.)	pedatifid.	—	—	H. y.	
106 recurvatus. DC. (ye.)	recurved.	—	—	H. y.	
107 Schlechtendalii. H.A. (ye.)	Schlechtendahl's.	—	—	H. y.	Schlec. an. s. 2. t. 2.
fascicularis. Schlec. non Muhl.					
CAL'THA. p. 7.	MARSH MARYGOLD.				
9 biflora. H.A. (wh.)	two-flowered.	N. America. 1827.	5. 7.	H. w. y.	
10 leptosépala. H.A. (wh.)	slender-sepaled.	—	—	H. w. y.	Hook. fl. b. am. t. 10.
CO'PTIS. p. 7.	CO'PTIS.				
2 aspleniifolia. H.A. (wh.)	Fern-leaved.	N. America. 1827.	6. 7.	H. y.	Hook. fl. b. am. t. 11.
ACONITUM. p. 9.	MONKSHOOD.				
129 Nuttallii. (pa.)	Nuttall's.	N. America. 1828.	7. 8.	H. y.	
pallidum. N. non R.A.					
130 glábrum. DC. (pa.)	smooth.	 1829.	—	H. y.	

DILLENIACEÆ. p. 12.

TRACHYTE'LLA. DC.	TRACHYTE'LLA.	Polyandria Monogynia.			
Actæa. DC. (wh.)	spear-leaved.	China. 1826.	6. 8.	H. h. ~.	

MAGNOLIACEÆ. p. 13.

TALA'UMA. DC.	TALA'UMA.	Polyandria Polygynia.			
Candollii. Bl. (st.)	De Candolle's.	Java. 1827.	4. 6.	S. h.	Blum. pl. jav. c. ic.
Magnolia odoratissima. Hort.					

BERBERIDEÆ. p. 16.

BERBERIS. p. 16.	BARBERRY.				
19 caroliniana. N. (ye.)	Carolina.	Carolina. 1828.	5. 7.	H. h.	
20 cratægina. DC. (ye.)	Hawthorn-like.	Levant. 1829.		H. h.	
21 glumacea. DC. (ye.)	glumaceous.	N. America. 1827.		H. h.	
A'CHLYS. DC.	A'CHLYS.	Polyandria Monogynia.			
triphylla. DC. (wh.)	three-leaved.	N. America. 1827.	4. 6.	H. y.	Hook. fl. b. am. t. 12.
EPIMÉDIUM. p. 16.	BARRENWORT.				
2 hexándrum. H.A. (li.)	hexandrous.	N. America. 1827.	4. 5.	H. y.	Hook. fl. b. am. t. 13.

NYMPHÆACEÆ. p. 17.

NYMPHÆA. p. 17.	WATER-LILY.				
odorata. p. 18.	sweet-scented.	N. America.			
β maxima. N.	(wh.) largest.	_____	1828.	7. 8.	H.w. 2.
20 sanguinea. N.	(re.) bloody.	_____	_____	_____	H.w. 2.
N'UPHAR. p. 18.	N'UPHAR.				
advēna. p. 18.	striped-flowered.	N. America.			
β lutea. N.	(ye.) yellow-flowered.	_____	1828.	_____	H.w. 2.

SARRACENIÆ. p. 18.

SARRACENIA. p. 18.	SIDE-SADDLE-FLOWER.				
1 minor. N.	(pu.) small.	Carolina.	1829.	6. 7.	H. 2. Swt. br. fl. gar. s. 2.

PAPAVERACEÆ. p. 18.

ARGEMONE. p. 19.	ARGEM'ONE.				
5 intermedia.	(wh.) intermediate.	Mexico.	1828.	7. 10.	H. 2.
SANGUINARIA. p. 19.	PUCCOON.				
2 grandiflora. Ros.	(wh.) large-flowered.	N. America.	1812.	3. 5.	H. 2. Rosc. flor. ill. sea. t. 8.
RŒM'ERIA. p. 19.	RŒM'ERIA.				
	vermiculata. Lehm. (re.)	red-flowered.	Persia.	1829.	6. 9. H. ♂.
GLA'UCIUM. p. 19.	HORN POPPY.				
5 rubrum. DC.	(re.) red-flowered.	Levant.	_____	_____	H. ♂. Flor. græc. t. 488.
6 persicum. DC.	(re. re.) red and velvet.	Persia.	_____	_____	H. ⊙.

CRUCIFERÆ. p. 21.

NASTURTIUM. p. 22.	NASTU'RTIUM.				
1 natans. DC.	(st.) floating.	N. America.	1827.	5. 9.	H.w. 2. Deles. ic. sel. 2. t. 15.
BRA'YA. p. 22.	BRA'YA.				
3 pilosa. H.A.	(pu.) hairy.	N. America.	_____	4. 6.	H. 2. Hook. fl. b. am. t. 17. f. A.
ARABIS. p. 22.	WALL-CRESS.				
47 retrofracta. Gr.	(bh.) bending.	N. America.	_____	4. 7.	H. 2.
	Turritis retrofracta. H.A.				
48 patula. W.K.	(pu.) spreading.	Hungary.	_____	_____	H. 2. W. et K. hung. 1. t. 59.
49 lævigata. DC.	(wh.) smooth.	N. America.	_____	_____	H. 2.
MACRŒPODIUM. p. 2.	MACROP'ODIUM.				
2 laciniatum. H.A.	(wh.) cut-leaved.	N. America.	_____	6. 9.	H. ⊙. Hook. bot. mis. p. III. ic
PA'RRYA. p. 24.	PA'RRYA.				
3 macrocarpa. Br.	(pu.) large-podded.	N. America.	_____	5. 6.	H. 2. Hook. fl. b. am. t. 15.
DR'ABA. p. 25.	WHILLOW-GRASS.				
35 crassifolia. Gr.	(ye.) thick-leaved.	N. America.	_____	4. 5.	H. 2.
ERY'SIMUM. p. 30.	ERY'SIMUM.				
	crepidifolium. s.s. (ye.)	Crepis-leaved.	N. America.	1829.	5. 6. H. ♂.
ÆTHION'EMA. p. 32.	ÆTHION'EMA.				
5 membranaceum. DC. (li.)	membranous-podded.	Persia.	_____	6. 8.	H. 2. Swt. br. fl. gar. s. 2. t. 69.
SIN'APIS. p. 34.	MUSTARD.				
30 amplexicaulis. DC. (ye.)	stem-clasping.	Algiers.	_____	6. 9.	H. ⊙. Desf. atl. 2. t. 153.

CAPPARIDEÆ. p. 37.

CLE'OME. p. 37.	CLE'OME.				
20 speciosissima. B.R. (pu.)	pretty.	Mexico.	1827.	8. 11.	H. ⊙. Bot. reg. t. 1312.
CAPPARIS. p. 38.	CAPER-TREE.				
acutifolia.	(wh.) sharp-pointed.	S. America.	_____	6. 8.	S. h. Bot. reg. t. 1320.
acuminata.	Bot. reg. nec aliorum.				

VIOLARIEÆ. p. 43.

VIOLA. p. 43.	VIOLET.				
89 pedatífida. G.D. (bl.)	pedatífid.	N. America.	1827.	5. 7. H. 2.	
90 attenuàta. B.F.G. (wh.)	attenuated.	————	1812.	4. 8. H. 2.	Swt. br. fl. gar. s. 2.
	<i>lanceolàta.</i> Pursh et Nuttall <i>non</i> Lin.	————	1827.	4. 6. H. 2.	Bot. reg. t. 1254.
91 præmórsa. B.R. (ye.)	bitten-rooted.	————	1827.	4. 6. H. 2.	
HYMENANTH'ERA. DC.	HYMENANTH'ERA.	Monadelphia	Pentandria.		
dentàta. DC. (ye.)	toothed.	N. S. W.	1822.	3. 5. G. 2.	

POLYGALEÆ. p. 46.

POLY'GALA. p. 46.	MILKWORT.				
42 rubélla. Ph. (ro.)	pale red.	N. America.	1828.	6. 7. H. 2.	

FRANKENIACEÆ. p. 48.

FRANK'ENIA. p. 48.	SEA HEATH.				
9 corymbósa. DC. (ro.)	corymb-flowered.	Barbary.	1829.	6. 8. F. 2.	Desf. atl. 1. t. 93.

CARYOPHYLLEÆ. p. 48.

DIA'NTHUS. p. 49.	PINK.				
97 ciliátus. Lehm. (pi.)	fringed.		1829.	6. 8. H. 2.	
98 sículus. s.s. (pi.)	Sicilian.	Sicily.	——	—— H. 2.	
AREN'ARIA. p. 56.	SANDWORT.				
68 glomeràta. DC. (wh.)	close-headed.	Tauria.	1829.	7. 9. H. 2.	
SPERG'ULA. p. 55.	SPURREY.				
9 pilífera. DC. (wh.)	piliferous.	Corsica.	1829.	6. 8. H. 2.	

LINEÆ. p. 58.

L'INUM. p. 58.	FLAX.				
41 altaícum. F. (bl.)	Altay.	Altay.	1829.	6. 8. H. 2.	

MALVACEÆ.

MA'LV. p. 59.	MALLOW.				
72 Munroàna. B.R. (sc.)	Munro's.	N. America.	1827.	5. 10. H. 2.	Bot. reg. t. 1306.
HIBI'SCUS. p. 61.	HIBI'SCUS.				
86 Telfáiria. (va.)	Mrs. Telfair's.	Hybrid.	1825.	1. 12. S. 2.	
a ròseus. (ro.)	rose-coloured.	——	——	—— S. 2.	Bot. mag. t. 2891.
β lilacínus. (li.)	pink.	——	——	—— S. 2.	
γ cárneus. (fl.)	flesh-coloured.	——	——	—— S. 2.	
δ fulvéscens. (bf.)	buff-coloured.	——	——	—— S. 2.	
ε òchroleùcus. (st.)	straw-coloured.	——	——	—— S. 2.	
S'IDA. p. 63.	S'IDA.				
59 repánda. DC. (st.)	repanded.		1829.	6. 8. S. 2.	

BUTTNERIACEÆ. p. 66.

RE'EYESIA. B.R.	RE'EYESIA.	Polyadelphia	Polyandria.		
thyrsóidea. B.R. (wh.)	thyrsé-flowered.	China.	1818.	1. 7. G. 2.	Bot. reg. t. 1236.
STERC'ULIA. p. 66.	STERC'ULIA.				
16 lanceolàta. B.R. (br.)	spear-leaved.	——	1822.	5. 6. G. 2.	Bot. reg. t. 1256.
DOMB'EYA. p. 69.	DOMB'EYA.				
4 angulàta. DC. (ro.)	angle-leaved.	Mauritius.	1826.	4. 8. S. 2.	Bot. mag. t. 2905.

HYPERICINEÆ. p. 76.

HYPERICUM. p. 76. ST. JOHN'S-WORT.

77 Geblèri. Led. (ye.) Geblèr's. Altay. 1829. 6. 8. H. h.

GUTTIFERÆ. p. 78.

GARCINIA. p. 78. GARCINIA.

5 purpurea. H.B. (pu.) purple. E. Indies. 1828. S. h.

GERANIACEÆ. p. 88.

PHYMATANTHUS. p. 89. WART-FLOWER.

6 intertinctus. s.g. (re. w. v.) stained.	Hybrid.	1827.	2. 10.	G. h.	Swt. ger. ser. 2. t. 54.
PELAGRONIUM. p. 92. STORK'S-BILL.					
504 nodosum. s.g. (cr. v.) knotted-stalked.	Hybrid.	1824.	4. 11.	G. h.	Swt. ger. ser. 2. t. 68.
505 bipinnatifidum. s.g. (pu.) bipinnatifid.		1827.		G. h.	ser. 2. t. 62.
506 Darnleyanum. s.g. (cr.) Earl of Darnley's.		1826.		G. h.	ser. 2. t. 63.
507 pullaceum. s.g. (sc. v.) dark brown.		1827.	5. 10.	G. h.	ser. 2. t. 76.
508 contiguum. s.g. (sc.) contiguous.		1828.		G. h.	ser. 2. t. 73.
509 iconicum. s.g. (sc. bk.) figured.				G. h.	ser. 2. t. 88.
510 Bluntianum. s.g. (sc. ve.) Miss Blunt's.				G. h.	ser. 2. t. 79.
511 eriophorum. s.g. (sc. ve.) wool-bearing.				G. h.	ser. 2. t. 90.
512 obtusidentatum. s.g. (sc.) blunt-toothed.				G. h.	ser. 2. t. 92.
513 melancholicum. s.g. (sc. ve.) dark-edged.		1827.		G. h.	ser. 2. t. 53.
514 Speculum. s.g. (re. ve.) looking-glass.				G. h.	ser. 2. t. 52.
515 anacampton. s.g. (re. ve.) recurved-calyx'd.				G. h.	ser. 2. t. 64.
516 Peytonia. s.g. (re. ve.) Lady Peyton's.				G. h.	ser. 2. t. 46.
517 ursinum. s.g. (re.) shaggy-calyxed.		1828.		G. h.	ser. 2. t. 94.
518 suffusum. s.g. (pi. re.) suffused.		1827.		G. h.	ser. 2. t. 47.
519 laxulum. s.g. (ro. ve.) loose-umbelled.		1828.		G. h.	ser. 2. t. 75.
520 conchylatum. s.g. (vi. ve.) violet-purple.				G. h.	ser. 2. t. 95.
521 porphyreon. s.g. (pu.) bright-purple.				G. h.	ser. 2. t. 89.
522 mollifolium. s.g. (pi. ve.) soft-leaved.		1827.		G. h.	ser. 2. t. 77.
523 Colleyanum. s.g. (pu.) Colley's.		1828.		G. h.	ser. 2. t. 83.
524 Littleanum. s.g. (pu. li.) Little's.		1827.		G. h.	ser. 2. t. 72.
525 dædaleum. s.g. (pi. re.) variable-coloured.				G. h.	ser. 2. t. 100.
526 Veitchianum. s.g. (pu.) Veitch's.				G. h.	ser. 2. t. 81.
527 implicatum. s.g. (pu.) implicated.				G. h.	ser. 2. t. 86.
528 insculptum. s.g. (li. pu.) engraved-petal'd.		1828.		G. h.	ser. 2. t. 65.
529 lanosum. s.g. (li. ve.) wool-bearing.				G. h.	ser. 2. t. 84.
530 flabellifolium. s.g. (std.) fan-leaved.				G. h.	ser. 2. t. 48.
531 cordiforme. s.g. (wh. pu.) heart-shaped.		1827.		G. h.	ser. 2. t. 49.
532 præclarum. s.g. (wh. pu.) clear-coloured.				G. h.	ser. 2. t. 67.
533 calathratum. s.g. (pi. ve.) burred-petaled.				G. h.	ser. 2. t. 85.
534 instratum. s.g. (wh. ve.) spreading-spotted.		1828.		G. h.	ser. 2. t. 78.
535 Yeatmanianum. s.g. (pu. ve.) Miss Yeatman's.		1827.		G. h.	ser. 2. t. 59.
536 mirabile. s.g. (li. ve.) admirable.				G. h.	ser. 2. t. 57.
537 latum. s.g. (pi. pu.) genteel.				G. h.	ser. 2. t. 91.
538 commixtum. s.g. (re. ve.) mingled.				G. h.	ser. 2. t. 71.
539 compactum. s.g. (bh. re.) compact.		1828.		G. h.	ser. 2. t. 70.
540 exquisitum. s.g. (wh. pu.) dainty-flowered.		1824.		G. h.	ser. 2. t. 55.
541 politum. s.g. (bh. re.) polished.		1827.		G. h.	ser. 2. t. 87.
542 Atkinsianum. s.g. (bh. pu.) Mr. Atkins's.		1828.		G. h.	ser. 2. t. 99.
543 atrovirens. s.g. (bh. pu.) dark green-leav'd.		1827.		G. h.	ser. 2. t. 74.
544 adventitium. s.g. (pu. ve.) adventitious.		1826.		G. h.	ser. 2. t. 80.
545 peramplum. s.g. (li.) very large-flower'd.				G. h.	ser. 2. t. 61.
546 glabrescens. s.g. (w. pu.) smoothish-leav'd.		1824.		G. h.	ser. 2. t. 45.
547 Hillianum. s.g. (w. pu.) Hill's.		1828.		G. h.	ser. 2. t. 51.
548 pallidulum. s.g. (pi.) pale pink.				G. h.	ser. 2. t. 97.
549 urbanum. s.g. (pi.) home bred.				G. h.	ser. 2. t. 50.
550 dissimile. s.g. (re. l. ve.) dissimilar.				G. h.	ser. 2. t. 60.
551 fastuosum. s.g. (re. ve.) fastuous.				G. h.	ser. 2. t. 93.
552 succulentum. s.g. (sc. ve.) succulent-leav'd.		1827.		G. h.	ser. 2. t. 69.
553 Drakeæ. s.g. (cr. ve.) Mrs. Drake's.		1828.		G. h.	ser. 2. t. 96.

554	Annesleyanum. s. g. (<i>re. ve.</i>) Miss Annesley's Hybrid.	1828.	5. 10.	G. h.	Swt. ger. ser. 2. t. 56.
555	Glorianum. s. g. (<i>cr. ve.</i>) Queen of Portugal's.	—	—	G. h.	— ser. 2. t. 82.
556	Kenrickæ. s. g. (<i>re. ve.</i>) Mrs. Kenrick's.	—	—	G. h.	— ser. 2. t. 58.
557	nütans. s. g. (<i>sc. ve.</i>) nodding-flowered.	1827.	—	G. h.	— ser. 2. t. 66.
558	Sweetianum. Sm. (<i>cr. ve.</i>) Sweet's.	1829.	—	G. h.	—
559	staphysagroides. s. g. (<i>pu.</i>) Stavesacre-ld. C. B. S.	1827.	—	G. h.	Swt. ger. ser. 2. t. 98.

BALSAMINEÆ. p. 101.

IMPATIENS. p. 102. TOUCH-ME-NOT.

pállida. p. 102.	pale-flowered.	N. America.	1812.	6. 10.	H. ☉.	Eng. bot. v. 14. t. 937.
Nòli-tàngere. E. B. <i>nec aliorum.</i>						
7 boreàlis. (<i>ye.</i>) northern.		Denmark.		—	H. ☉.	Flor. dan. t. 582.
Nòli-tàngere. F. D. <i>non L.</i>						
Nòli-tàngere. L. (<i>y. re.</i>) English.		England.		—	H. ☉.	

OXALIDEÆ. p. 102.

O'XALIS. p. 102. WOOD-SORREL.

113 tortuòsa. B. R. (<i>ye.</i>) twisted.	Chile.	1825.	6. 8.	G. h.	Bot. reg. t. 1249.
114 floribúnda. Leh. (<i>ro.</i>) many-flowered.	Brazil.	1829.	4. 9.	F. 2.	Swt. br. fl. gar. s. 2.
úrlica. Hil. (<i>li.</i>) Martius's.		1828.	5. 9.	F. 2.	
Martiana. Zuc. p. 102. ex S. S. Lodd. bot. cab. ic.					

ZYGOPHYLLÆ. p. 104.

LA'RREA. p. 104. LA'RREA.

2 divaricàta. DC. (<i>ye.</i>) spreading-lobed.	Buenos Ayres.	1829.	6. 9.	G. h.	Cavan. icon. 6. t. 560. f. 1.
---	---------------	-------	-------	-------	-------------------------------

RUTACEÆ. p. 105.

APLOPHY'LLUM. p. 105. APLOPHY'LLUM.

patavina, tuberculàta, villòsa, linifòlia et dahùrica, lege patavinum, tuberculàtum, villòsum, linifòlium, et dahùricum.					
9 Buxbaumii. J. R. (<i>ye.</i>) Buxbaum's.	Levant.	1828.	6. 8.	H. 2.	Buxb. cent. 2. t. 28. f. 2.
Ruta Buxbaumii. DC.					
DICTA'MNUS. p. 105. FRAXINELLA.					
3 angustifolius. S. F. G. (<i>pu.</i>) narrow-leaved.	Siberia.	1829.	5. 7.	H. 2.	Swt. br. fl. gar. ser. 2.

CELASTRINEÆ. p. 109.

EUO'NYMUS. p. 109. SPINDLE-TREE.

16 nànus. DC. (<i>st.</i>) dwarf.	Caucasus.	1829.	5. 7.	H. h.	
17 gróssus. F. I. (<i>wh.</i>) large.	Nepaul.	1828.	6. 8.	F. h.	

RHAMNEÆ. p. 112.

TRAV'OA. H. M. TRAV'OA. Pentandria Monogynia.

quinquenervia. H. M. (<i>w.</i>) five-nerved.	Chile.	1827.	5. 7.	F. h.	
---	--------	-------	-------	-------	--

HOMALINEÆ. p. 116.

BLACKWE'LLIA. p. 11. BLACKWE'LLIA.

7 padifòlia. B. R. (<i>wh.</i>) Padus-leaved.	China.	1826.	8. 9.	G. h.	Bot. reg. t. 1305.
---	--------	-------	-------	-------	--------------------

CASSUVIEÆ. p. 117.

MELANORRH'ŒA. W. MELANORRH'ŒA. Polygamia Diccia.

usitàta. W. I. (<i>re.</i>) useful.	E. Indies.	1828.		S. h.	Wall. ind. pl. t. 11. 12.
HOLIGA'RNA. DC. HOLIGA'RNA. Polygamia Monœcia.					
longifòlia. DC. (<i>wh.</i>) long-leaved.	E. Indies.	1828.		S. h.	Roxb. corom. 3. t. 282.

BURSERACEÆ. p. 120.

IC'ICA. DC.	IC'ICA.	Octo-Decandria Monogynia.			
1 enneándria. DC. (wh.)	nine-stamened.	Guiana.	1825.	 S. h.	Aubl. guian. 1. t. 134.
2 decándra. DC. (wh.)	ten-stamened.	————	————	 S. h.	
3 altíssima. DC. (wh.)	tallest.	————	1822.	 S. h.	Aubl. guian. 1. t. 132.

LEGUMINOSÆ. p. 122.

Subordo I. PAPILIONACEÆ.

S'OPHORA. p. 122.	S'OPHORA.				
12 velutina. B.R. (pu.)	velvetty.	China.	1826.	6. 7. G. h.	Bot. reg. t. 1185.
BAPTISIA. p. 123.	BAPTISIA.				
10 minor. Lehm. (bl.)	lesser.	N. America.		6. 7. H. 4.	
ANTHYLLIS. p. 132.	KIDNEY-VETCH.				
22 polycéphala. DC. (ye.)	many-headed.	Barbary.	1829.	6. 7. H. 4.	Desf. atl. 2. t. 195.
HOSA'CKIA. B.R.	HOSA'CKIA.	Diadelphia Decandria.			
1 bicolor. B.R. (y.w.)	two-coloured.	N. America.	1823.	7. 9. H. 4.	Bot. reg. t. 1257.
	<i>Lótus pinnátus.</i>	Bot. mag. t. 2913.			
2 Purshiana. B.R. (ye.)	Pursh's.	————	1827.	— H. 4.	
3 decúbens. B.R. (ye.)	decumbent.	————	————	— H. 4.	
4 parviflora. B.R. (ye.)	small-flowered.	————	————	— H. 4.	
TEPHROSIA. p. 141.	TEPHROSIA.				
38 chinénsis. H.C. (li.)	Chinese.	China.	1822.	5. 8. G. h.	
ASTRAGALUS. p. 145.	MILK VETCH.				
120 succulentus. B.R. (pu.)	succulent.	N. America.	1827.	6. 7. H. 4.	Bot. reg. t. 1324.
KENNEDYA. p. 156.	KENNEDYA.				
monophylla. p. 157.	simple-leaved.	N. S. W.	1790.	3. 8. G. h. ∪.	Vent. malm. t. 106.
β longeracemosa. (pi.)	long-racemed.	————	1828.	— G. h. ∪.	Bot. reg. t. 1336.
LUPINUS. p. 159.	LUPINE.				
34 pulchellus. (bl.)	handsome.	Mexico.	—	6. 10. F. h.	Swt. br. fl. gar. s.2. t.67.

Subordo III. MIMOSEÆ.

ACACIA. p. 164.	ACACIA.				
209 graveólens. L.C. (ye.)	strong-scented.	N. Holland.	1825.	3. 5. G. h.	Lodd. bot. cab. t. 1460.
uncinata. p. 165. (st.)	hooked.	N. Holland.	1823.	8. 1. G. h.	Bot. reg. t. 1332.
210 albida. B.R. (ye.)	white spiny.	Peru.	1824.	4. 6. G. h.	———— t. 1317.

Subordo IV. CÆSALPINEÆ.

CASTANOCARPUS. MORETON BAY CHESTNUT.	Decandria Monogynia.				
austrális. (wh.)	southern.	N. Holland.	1829.	 G. h.	
CA'SSIA. p. 169.	CA'SSIA.				
116 brevifolia. DC. (ye.)	short-leaved.	Madagascar.	1824.	6. 7. S. h.	

ROSACEÆ. p. 178.

RUBUS. p. 187.	BRAMBLE AND RASPBERRY.				
85 flavus. D.P. (wh.)	yellow-fruited.	Nepaul.	1827.	 F. h.	
86 setosus. DC. (wh.)	bristly-stalked.	N. America.	—	5. 7. H. h.	
87 nutkanus. DC. (wh.)	Nootka sound.	————	—	— H. h.	Swt. br. fl. gar. s. 2.
DRYAS. p. 190.	DRYAS.				
3 Drummondii. B.M. (ye.)	Drummond's.	————	—	4. 8. H. 4.	Bot. mag. t. 2972.
POTENTILLA. p. 190.	CINQUEFOIL.				
nívea. p. 190. (ye.)	snowy-leaved.	N. Europe.	1816.	6. 8. H. 4.	
β macrophylla. B.M. (y.)	large-leaved.	N. America.	1827.	— H. 4.	Bot. mag. t. 2982.
101 grácilis. B.M. (ye.)	slender.	————	—	— H. 4.	———— t. 2984.
102 Hopwoodiana. S.F.G. (ro.s.)	Hopwood's. Recto-formosa.	1829.	6. 9. H. 4.		Swt. br. fl. gar. s.2. t.61.

COMBRETACEÆ. p. 195.

- POIVREA. p. 196. POIVREA.
 6 Afzëlii. D.D. (sc.) Afzelius's. Sierra Leone. 1824. 7. 10. S. h. ∪. Bot. mag. t. 2944.
Combretum grandiflorum. B.M. not G.D. in Linn. trans., which is a true *Combretum*, with 8 stamens; we have adopted M. Decandolle's division of the genus, as Mr. Don informed us, he found the same distinctions as given by Decandolle, and was inclined to divide them himself, but afterwards arranged them in distinct sections, by which they might be readily divided, one genus having irregular convolute cotyledons, and the other straight plaited ones; this circumstance he mentioned to us before his paper was published, and before M. Decandolle's volume had arrived.

VOCHYSIÆ. p. 197.

- QU'ALEA. M.P. QU'ALEA. Monandria Monogynia.
 violæcea. M.P. (vi.) violet-coloured. Brazil. 1824. S. h. Mart. pl. bras. 1. t. 81.
 ERI'SMA. DC. ERI'SMA. Monandria Monogynia.
 floribunda. DC. (bl.) many-flowered. Guiana. 1825. S. h. Tratt. tab. t. 105.

ONAGRARIÆ. p. 197.

- FU'CHSIA. p. 197. FU'CHSIA.
 11 thymifolia. DC. (re.) Thyme-leaved. Mexico. 1829. 4. 10. F. h. Swt. br. fl. gar. s. 2. t. 25.

MELASTOMACEÆ. p. 203.

- PLER'OMA. p. 204. PLER'OMA.
 3? villösium. DC. (pu.) villous. S. America. 1820. 5. 10. S. h. Bot. mag. t. 2630.
Melastoma villösa. B.M.

PASSIFLOREÆ. p. 216.

- PASSIFL'ORA. p. 216. PASSION-FLOWER.
 65 Cavanillësi. DC. (co.) Cavanille's. W. Indies. 1822. 7. 10. S. h. ∪. Cavan. dis. 10. t. 273.
 66 Andersöniü. DC. (st.) Anderson's. St. Vincent. 1823. — S. h. ∪.
 67 Raddiäna. DC. (st. pu.) Raddi's. Brazil. 1829. — S. h. ∪.
 68 cephalëima. DC. crowded-leaved. — 1826. S. h. ∪. Bory. an. gen. 2. t. 22. f. 2.
 69 obscura. H.C. (gr. st.) obscure. S. America. 1823. 2. 10. S. h. ∪.

CACTEÆ. p. 235.

- MAMMILL'ARIA. p. 235. MAMMILL'ARIA.
 23 fulvispina. H.P. (re.) brown-spined. Brazil. 1822. 8. 10. D.S. h.
 24 pülchra. H.B.R. (pu.) pretty. Mexico. 1828. 6. 10. D.S. h. Bot. reg. t. 1329.
 25 deprëssa. DC. (wh. re.) depressed. S. America. 1800. 6. 8. D.S. h. DC. diss. t. 2. f. 2.
 discolor. DC. dis. non Haw. *Spinii*. Colla hort. rip. ic.
 24 discolor. H.S. (wh. re.) two-coloured. S. America. — — D.S. h.
 26 stëhàris. H.S. (ro.) starry. — 1816. 6. 9. D.S. h. Lodd. bot. cab. t. 79.
 non pusilla. DC. ex. H.P.
 ECHINOCA'CTUS. p. 235. ECHINOCA'CTUS.
 22 cornigerus. DC. (wh.) horn-spined. Mexico. 1830. 6. 9. D.S. h. DC. diss. cact. t. 7.
 23 nobilis. H.P. (wh.) noble. — 1796. — D.S. h.
 24 Hy'strix. H.P. (wh.) Porcupine. S. America. 1818. — D.S. h.
 C'EREUS. p. 236. C'EREUS.
 74 mágnus. H.P. (wh.) great 12-angled. St. Domingo. 1830. 6. 10. D.S. h.
 75 fërox. H.P. (wh.) fierce upright. Brazil. 1828. — D.S. h.
 76 Æthiops. H.P. (wh.) black-spined. — — D.S. h.
 77 setiger. H.P. small quadrangular. — 1826. D.S. h.
 78 undätus. H.P. triangular China. China. 1824. D.S. h.
 79 crispätus. H.P. curly-edged. Brazil. 1826. D.S. h.
 80 Colvillii. (ro.) Colvill's. Grandiflora-speciosissimus. — D.S. h.

OPUNTIA. p. 237.		INDIAN FIG.					
38 longispina. H.P.	(ye.) long-spined.	Brazil.	1826.	6. 10.	D.S. $\frac{1}{2}$.		
39 glomerata. H.P.	(ye.) long flat-spined.	_____	_____	_____	D.S. $\frac{1}{2}$.		
40 rosea. DC.	(ro.) rose-coloured.	Mexico.	1830.		D.S. $\frac{1}{2}$.	DC. diss. cact. t. 15.	
41 imbricata. DC.	(ro.) imbricated.	S. America.	1820.		D.S. $\frac{1}{2}$.		
<i>Cereus imbricatus</i> . p. 237.							
42 cylindrica. DC.	(ro.) cylindrical.	Peru.	1779.		D.S. $\frac{1}{2}$.		
<i>Cereus cylindricus</i> . p. 237.							
RHIPSALIS. p. 238.		RHIPSALIS.					
8 cereuscula. H.P.	 Cereus-like.	Brazil.	1828.		D.S. $\frac{1}{2}$.		

GROSSULARIÆ. p. 238.

RIBES. p. 238.		CURRANT AND GOOSEBERRY.					
45 punctatum. DC.	(st.) spotted.	Chile.	1825.	3. 5.	H. $\frac{1}{2}$.	Bot. reg. t. 1278.	

ESCALLONEÆ. p. 239.

ESCALLONIA. p. 239.		ESCALLONIA.					
5 bifida. Ot.	(pi.) bifid.	Mexico.	1827.		F. $\frac{1}{2}$.		
6 viscosa. Ot.	(wh.) viscous.	Mendoza.	1829.		G. $\frac{1}{2}$.		

SAXIFRAGÆ. p. 239.

SAXIFRAGA. p. 239.		SAXIFRAGÆ.					
102 spicata. L.T.	(sp.) spiked.	N. America.	1827.	5. 6.	H. $\frac{1}{2}$.		
103 arguta. L.T.	(sp.) deep-notched.	_____	_____	_____	H. $\frac{1}{2}$.		
104 nudicaulis. L.T.	(wh.) naked-stalked.	_____	_____	_____	H. $\frac{1}{2}$.		
105 ferruginea. Gr.	(wh.) ferruginous.	_____	_____	_____	H. $\frac{1}{2}$.		
106 pyrolifolia. L.T.	(wh.) Pyrola-leaved.	_____	_____	_____	H. $\frac{1}{2}$.		
107 tricuspidata. L.T.	(ye.) three-pointed.	Greenland.	1827.	_____	H. $\frac{1}{2}$.		
HEUCHERA. p. 242.		HEUCHERA.					
1 micrantha. B.R.	(gr.) small-flowered.	Columbia.	_____	6. 7.	H. $\frac{1}{2}$.	Bot. reg. t. 1302.	
2 Richardsoni. D.	(gr.) Richardson's.	N. America.	_____	_____	H. $\frac{1}{2}$.		
TIARELLA. p. 242.		TIARELLA.					
5 colorans. Gr.	(wh.) coloured.	N. America.	_____	4. 6.	H. $\frac{1}{2}$.		
MITELLA. p. 242.		MITELLA.					
5 trifida. Gr.	(wh.) trifid.	N. America.	_____	5. 7.	H. $\frac{1}{2}$.		
DRUMMONDIA. DC.		DRUMMONDIA.					
<i>Mitella pentandra</i> . Bot. mag. t. 2933.		Pentandria Digynia.					

UMBELLIFERÆ. p. 243.

ERYNGIUM. p. 244.		ERYNGO.		Pentandria Digynia.			
36 Andersoni. LG.	(bl.) Anderson's.			8. 9.	H. $\frac{1}{2}$.		
DISCOLEURA. p. 245.		DISCOLEURA.					
2 capillacea. DC.	(wh.) capillary.	N. America.	1824.	7. 9.	H. $\odot$.		
<i>Anni capillaceum</i> . M.							
FERULA. p. 250.		GIANT-FENNEL.					
21 linearis. Cerv.	(ye.) linear-leaved.	Mexico.	1828.	8. 10.	F. $\frac{1}{2}$.		
ANTHRISCUS. p. 254.		ROUGH CHERVILL.					
9 torquata. DC.	(wh.) twisted.	France.	1726.	6. 7.	H. $\frac{1}{2}$.	Jacq. aust. 1. t. 63.	
<i>Cherophyllum bulbosum</i> . Jacq.							
ARPIITIUM. Neck.		ARPIITIUM.		Pentandria Digynia.			
simplex.	(wh.) simple-stalked.	Switzerland.	1824.	6. 8.	H. $\frac{1}{2}$.	Jacq. misc. 2. t. 2.	
<i>Laserpitium simplex</i> . L.		<i>Gaya simplex</i> . Gaud. fl. helv. 2. t. 6.		non <i>Gaya</i> . Kth.			

ARALIACEÆ. p. 256.

ADAMIA. W.I.		ADAMIA.		Didynamia Angiospermia.			
cyanea. w.i.	(bl.) blue-flowered.	E. Indies.	1829.		S. $\frac{1}{2}$.	Wall. ind. t. 26.	

CAPRIFOLIACEÆ. p. 257.

SYMPHORIA. p. 258. ST. PETER'S-WORT.

3 montana. K.S. (lt.) mountain. Mexico. 1829. 7. 10. H. h̄. H. et B. nov. gen. 3. t. 296.

LORANTHÆ. p. 259.

A'UCUBA. W. A'UCUBA. Diœcia Tetrandria.

japónica. (pu.) blotch-leaved. Japan. 1783. 5. 7. H. h̄. Bot. mag. t. 1197.

LORANTHUS. p. 259. LORANTHUS.

2 terrestris.terrestrial. N. Holland. 1830. G. h̄.

RUBIACEÆ. p. 260.

ASPERULA. p. 266. WOODRUFF.

25 nitida. F.G. (br.) glossy. Greece. 1829. 7. 9. H. 4. Flor. græc. t. 124.

DIPSACEÆ. p. 269.

ASTEROCEPHALUS. p. 270. STARHEAD.

paucisetus. Jac. (st.) few-bristled. S. Europe. 1827. 7. 9. H. 4.

COMPOSITÆ. p. 271.

CR'EPIS. p. 273.

CR'EPIS.

33 macrorrhiza. B.M. (ye.) large-rooted. Madeira. 1829. 7. 9. H. 4. Bot. mag. t. 2988.

CHUQUIR'AGA. p. 280. CHUQUIR'AGA.

2 spinosa. L.T. (ye.) spiny. Peru. 1825. 4. 5. F. h̄.

Bacàzia spinosa. p. 286.

JU'NGIA. L.

JU'NGIA. LABIATIFLORÆ. Syngenesia Æqualis.

paniculata. D.D. (ye.) panicked. Chile. 1825. 7. 9. H. 4. DC. an. mus. 19. t. 7.

Dumerília paniculata. p. 260.

CENTA'UREA. p. 285. CENTAURY.

141 arguta. s.s. (st.) sharp notched. Canaries. 1829. — F. h̄.

142 decipiens. Thu. (pu.) deceiving. France. — — H. 4.

VERN'ONIA. p. 289. VERN'ONIA.

14 tomentosa. Ot. (pu.) tomentose. Brazil. 1827. 9. 11. S. h̄.

DELISLIA. S.S. DELISLIA. Syngenesia Necessaria.

Bertèrii. s.s. (ye.) Bertero's. Isl. Magdalen. 1829. 6. 8. G. ⊙. Mart. dec. 47. f. 1.

Millèria biflora. p. 313.

CALE'NDULA. p. 313. MARYGOLD.

22 tomentosa. s.s. (ye.) tomentose. C. B. S. 1828. — H. ⊙.

CLADA'NTHUS. p. 319. CLADA'NTHUS.

2 canescens. S.F.G. (ye.) canescent. Canaries. 1829. 3. 8. F. h̄. Swt. br. fl. gar. ser. 2.

LOBELIACEÆ. p. 322.

LOB'ELIA. p. 322. LOB'ELIA.

84 purpurea. B.R. (pu.) purple. Chile. 1825. 8. 9. G. h̄. Bot. reg. t. 1325.

CAMPANULACEÆ. p. 325.

LIGHTFO'OTIA. p. 325. LIGHTFO'OTIA.

Loddigèsii. A.DC. (pa.) Loddiges'. C. B. S. 1824. 6. 8. G. h̄. Lodd. bot. cab. t. 1038.

tenella. B.C.

PLATYC'ODON. A.DC. PLATYC'ODON. Pentandria Monogynia.

grandiflorum. DC. (bl.) great-flowered. Siberia. 1782. 6. 8. H. 4. Bot. mag. t. 252.

Campánula grandiflora. B.M. Wahlenbèrgia grandiflora. p. 325.

WAHLENBERGIA. A.DC. WAHLENBERGIA.

- 3 Kitaibëli. A.DC. (vi.) Kitaibel's. Hungary. 1823. 6. 8. H. 2. W. et K. hung. 2. t. 154.
Campánula graminifolia. p. 327. W. et K. hung. non Flor. græc.
- 4 tenuifolia. A.DC. (vi.) slender-leaved. Hungary. 1820. 5. 9. H. 2. W. et K. hung. 2. t. 155.
 5 capensis. A.DC. (vi.) Cape. C. B. S. 1803. 7. 10. H. 2. Bot. mag. t. 782.
- Campánula capensis*. B.M. *Roëlla decurrens*. Andr. rep. t. 238.
- 6 cernua. A.DC. (wh.) nodding-flowered. C. B. S. 1804. 7. 9. G. 2.
 7 linearis. A.DC. (wh.) linear-leaved. ——— 1822. 7. 10. H. 2.
 8 procumbens. A.DC. (bl.) procumbent. ——— 1824. — H. 2. Alph. DC. camp. t. 15.
 9 hederacea. A.DC. (pa.bl.) Ivy-leaved. England. 5. 6. H. 2. Eng. bot. v. 2. t. 73.
Campánula hederacea. p. 328. *Aikinia hederacea*. Salisb.
- 10 arvatica. (bl.) Spanish. Spain. 1825. 5. 7. H. 2. Pluk. phyt. t. 23. f. 1.
Campánula arvatica. LG.
- 11 gracilis. A.DC. (bl.) slender. N. S. W. 1794. 4. 8. G. 2. Bot. mag. t. 691.
Campánula gracilis. B.M.
- 12 stricta. (bl.) upright. ——— ——— G. 2. Sm. exot. bot. t. 45.
Campánula stricta. Exot. bot. non Linn. *erecta*. p. 326.
- 13 capillaris. B.C. (bl.) capillary. N. Holland. 1824. — G. 2. Lodd. bot. cab. t. 1406.
 14 littoralis. Lab. (bl.) sea side. V. Diem. Isl. 1820. — G. 2. Lab. nov. holl. 1. t. 70.
 15 quadrifida. A.DC. (bl.) four-cleft. N. S. W. 1822. — G. 2.
 16 saxicola. A.DC. (bl.) small rock. V. Diem. Isl. 1825. 5. 10. G. 2.
 17 Siebéri. A.DC. (bl.) Sieber's. N. S. W. 1826. — G. 2.
 18 undulata. A.DC. (bl.) waved. C. B. S. 1822. 5. 7. G. 2.
- Campánula undulata*. p. 326.
- 19 hispidula. A.DC. (bl.wh.) hispid-calyxed. ——— 1816. 6. 9. H. 2. Comm. hort. 2. t. 37.
Campánula hispidula. p. 326.
- 20 capillacea. A.DC. (wh.) capillary. C. B. S. 1822. 5. 7. H. 2.
 lobelioides. A.DC. (bh.) Lobelia-like. Canaries. 1777. 7. 8. H. 2. Alph. DC. camp. t. 17.
péndula. p. 323.
- SYMPHIA'NDRA. A.DC. SYMPHIA'NDRA. Monadelphia Pentandria.
péndula. A.DC. (st.) pendulous. Caucasus. 1824. 6. 8. H. 2. Swt. br. fl. gar. s. 2. t. 66.
Campánula péndula. p. 327. n. 102.
- SPECULARIA. A.DC. VENUS-LOOKING-GLASS. Pentandria Monogynia.
- 1 Spéculum. A.DC. (bl.) common. S. Europe. 1596. 5. 8. H. 2. Bot. mag. t. 102.
Campánula Spéculum. B.M. *Primatocárpus Spéculum*. L'H. *Lagússia arvensis*. Dur.
 2 álba. (wh.) white-flowered. ——— ——— H. 2.
- 2 hirsuta. A.DC. (bl.) hairy. Italy. 1822. 5. 8. H. 2. Ten. fl. nap. t. 19.
 3 hy'brida. A.DC. (bl.) corn. England. — H. 2. Eng. bot. v. 6. t. 375.
Campánula hy'brida. E.B. *Primatocárpus hy'bridus*. L'H.
- 4 falcata. A.DC. (bl.) falcate. Italy. 1822. — H. 2. Ten. fl. nap. t. 20.
 5 pentagônia. A.DC. (bl.) large-flowered. Turkey. 1686. — H. 2. Bot. reg. t. 56.
Campánula pentagônia. B.R.
- 6 perfoliata. A.DC. (bl.) perfoliate. N. America. 1680. — H. 2. Moris. s. 5. t. 2. f. 23.
- MU'SSCHIA. A.DC. MU'SSCHIA. Pentandria Monogynia.
- aúrea. A.DC. (ye.) golden-flowered. Madeira. 1777. 7. 9. G. 2. Bot. reg. t. 57.
Campánula aúrea. p. 326. n. 38.
- a latifolia. A.DC. (ye.) broad-leaved. ——— ——— G. 2. Duham. ed. nov. t. 41.
 3 angustifolia. A.DC. (ye.) narrow-leaved. ——— ——— G. 2. Jacq. schœn. 4. t. 472.
- PETROMAR'ULA. A.DC. PETROMAR'ULA. Pentandria Monogynia.
- pinnata. A.DC. (bl.) winged-leaved. Candia. 1640. 6. 8. F. 2. Flor. græc. t. 220.
Phyteuma pinnatum. p. 328.
- JAS'IONE. p. 828. JAS'IONE. Monadelphia Pentandria.
- 4 hùmilis. A.DC. (bl.) dwarf. S. France. 1824. 6. 7. H. 2.

ERICAÆ. p. 330.

ANDRO'MEDA. p. 331. ANDRO'MEDA.

- 23 tetragôna. s.s. (bh.) four-sided. N. America. 1827. H. 2. Pall. ross. 2. t. 73. f. 4.

EBENACEÆ. p. 349.

DIO'SPYROS. p. 349. DATE PLUM.

- 19 Mabôla. B.R. (st.) Mabola-tree. Philippines. 1822. 4. 5. S. 2. Bot. reg. t. 1139.

APOCINÆÆ. p. 353.

- PACHYPODIUM. B.R. PACHYPODIUM. Pentandria Monogynia.
 succulentum. (*wh.re.*) succulent. C. B. S. 1820. 4. 6. D.G. 7. Bot. reg. t. 1321.
 tuberosum. B.R. *Echites succulenta*. Jacq. fragm. t. 117. see p. 355.

ASCLEPIADEÆ. p. 356.

- ASCLEPIAS. p. 360. SWALLOW-WORT.
 33 Greeniana. N. Green's. N. America. 1828. 6. 8. H. 4.

POLEMONIACEÆ. p. 367.

- POLEMONIUM. p. 367. GREEK VALERIAN.
 9 pulcherrimum. B.M. (*bl.*) bright blue. N. America. 1827. 7. 8. H. 4. Bot. mag. t. 2979.
 10 moschatum. Gr. (*bl.*) musk-scented. ———— ———— ———— H. 4.
 GILIA. p. 368. GILIA.
 3 pungens. B.M. (*bl.*) pungent-leaved. N. America. 1827. 6. 8. H. 4. Bot. mag. t. 2977.
 BONPLANDIA. Cav. BONPLANDIA. Pentandria Monogynia.
 geminiflora. Cav. (*bl.*) twin-flowered. New Spain. 1813. 5. 12. S. 4. Bot. reg. t. 92.
Caldasia heterophylla, w. non *Caldasia*, DC.

BORAGINÆÆ. p. 374.

- ONOSMA. p. 375. ONOSMA.
 16 Gmelini. L.A. (*st.*) Gmelin's. Altay. 1829. 4. 8. H. 4. Ledeb. ic. alt. t. 280.
 17 polyphyllum. L.A. (*st.*) crowded-leav'd. Tauria. ———— 7. 8. H. 4. ———— t. 24.
 18 rigidum. L.A. (*pa.ye.*) rigid. ———— 1826. ———— H. 4. ———— t. 238.

HYDROPHYLLEÆ. p. 380.

- EUTOCA. p. 380. EUTOCA.
 3 sericea. B.M. (*bl.*) silky. N. America. 1827. 5. 7. H. 4. Bot. mag. t. 3003.
 To Franklinii, p. 380, add Bot. mag. t. 2985.

SOLANÆÆ. p. 380.

- CELSIA. p. 380. CELSIA.
 9 heterophylla. P.S. (*ye.*) various-leaved. 1829. 7. 9. F. 3.
 SALPIGLOSSIS. p. 383. SALPIGLOSSIS.
 5 intermedia. S.F.G. (*br.ye.*) intermediate. Chile. 1829. 6. 9. F. 4. Swt. br. fl. gar. s. 2.

SCROPHULARINÆ. p. 389.

- SCROPHULARIA. p. 391. FIGWORT.
 51 lanata. F. (*br.*) woolly. Siberia. 1828. 7. 11. H. 4.
 MIMULUS. p. 394. MONKEY-FLOWER.
 9 propinquus. B.R. (*ye.*) related. N. America. 1827. 4. 10. H. 4. Bot. reg. t. 1330.
 CALCEOLARIA. p. 396. SLIPPERWORT.
 15 Herbertiana. B.R. (*ye.*) Mr. Herbert's. Chile. 1828. 5. 10. G. 4. Bot. reg. t. 1313.

LABIATÆ. p. 399.

- STACHYS. p. 406. HEDGE-NETTLE.
 49 sericea. (*li.*) silky. Nepaul. 1830. 7. 9. H. 4.
 OCYMUM. p. 413. BASIL.
 21 montanum. B.M. (*wh.*) mountain. W. Indies. 1825. 5. 8. S. 4. Bot. mag. t. 2996.
 HYPTIS. p. 414. HYPTIS.
 14 madagascariensis. (*bl.*) Madagascar. Madagascar. 1828. 6. 8. S. 3.

VERBENACEÆ. p. 415.

LANT'ANA. p. 417.	LANT'ANA.				
25 mollis. Gr.	(ro.) soft.	Mexico.	1826.	4. 8.	G. h.

ACANTHACEÆ. p. 419.

RUE'LLIA. p. 420.	RUE'LLIA.				
28 picta. B.R.	(bl.) painted.	St. Domingo.	1826.	4. 8.	S. h.
JUSTI'CIA. p. 421.	JUSTI'CIA.				
60 guttata. B.R.	(ye.sp.) spotted.	E. Indies.	1828.	4. 8.	S. 4.

PRIMULACEÆ. p. 423.

DOCE'ATHEON. p. 423.	AMERICAN COWSLIP.				
1 Meadia. p. 423.	Mead's.	Virginia.	1744.	4. 6.	H. 4.
a lilacinum.	(li.) common lilac.	—	—	—	H. 4.
β albiflorum.	(wh.) white-flowered.	—	1824.	—	H. 4.
γ elegans. S.F.G.	(ro.) rose-coloured.	—	1827.	4. 7.	H. 4.
δ giganteum.	(li.) gigantic.	—	—	—	H. 4.
2 integrifolium.	(vi.) entire-leaved.	N. America.	1829.	—	H. 4.
ANDROS'ACE. p. 425.	ANDROS'ACE.				
17 carinata. Tor.	(st.) keeled.	N. America.	1827.	4. 7.	H. 4.
18 linearis. Gr.	(bh.) linear-leaved.	—	—	—	H. 4.

BEGONIACEÆ. p. 437.

BEG'ONIA. p. 437.	BEG'ONIA.				
40 longipes. B.M.	(wh.) long-stalked.	Mexico.	1828.	3. 8.	S. h.

POLYGONEÆ. p. 438.

POLYG'ONUM. p. 438.	PERSICARIA.				
61 injucundum. B.R.	(st.) unattractive.	—	1825.	5. 6.	G. h.
RHE'UM. p. 440.	RHUBARB.				
15 leucorhizum. F.	(st.) white-rooted.	Siberia.	1827.	5. 6.	H. 4.

AROIDEÆ. p. 479.

P'OTHOS. p. 479.	P'OTHOS.				
29 longifolia. R.S.	(br.) long-leaved.	Brazil.	1828.	9. 10.	S. 4.
30 reflexa. Ot.	(br.) reflexed.	—	—	—	S. 4.
31 reptans. Ot.	(br.) creeping.	—	—	—	S. h.
32 rubescens. Ot.	(br.) reddish.	—	—	—	S. 4.

ORCHIDEÆ. p. 483.

APLE'CTRUM. N.	APLE'CTRUM.	Gynandria Monandria.			
hyemale. N.	(br.) winter.	N. America.	1827.	—	H. 4.
RODRIGU'EZIA. p. 487.	RODRIGU'EZIA.				
2 planifolia. H.C.	(ar.) flat-leaved.	S. America.	1826.	6. 12.	S. 4.

CANNEÆ. p. 494.

PHRY'NIUM. p. 494.	PHRY'NIUM.				
28 coloratum. B.M.	(ar.) orange-coloured.	Brazil.	1828.	4. 5.	S. 4.

MUSACEÆ. p. 495.

M'USA. p. 495.	PLANTAIN-TREE.				
chinénsis.	(sc.) dwarf Chinese. China.	1829.		S. 4.	

IRIDEÆ. p. 495.

TRICHON'EMA. p. 503.	TRICHON'EMA.				
ramiflora.	(pu.) branching-flower'd. Naples.	1830.	5. 6.	H. b.	
<i>Ixia ramiflora</i> . T. N.					
CR'OCUS. p. 503.	CR'OCUS.				
24 Thomásii. T. N.	(bl.) Thomas's. Naples.	1830.		H. b.	
25 odorus. T. N.	 sweet-scented.	—	—	H. b.	
26 suavcolens. T. N.	 fragrant.	—	—	H. b.	
27 Imperàti. s. s.	(vi.) Imperati's.	—	2. 4.	H. b.	Ten. mem. croc. t. 3.

AMARYLLIDEÆ. p. 505.

ZEPHYRANTHES. p. 505.	ZEPHYRANTHES.				
10 mesochlœa. W. H. (bh.)	green-centred. S. America.	1828.	6. 9.	F. b.	
BRUNSVIGIA. p. 510.	BRUNSWICK-LILY.				
7 grandiflora. B. R. (pi.)	large-flowered. C. B. S.	1827.	8. 9.	F. b.	Bot. reg. t. 1335.
PHYC'ELLA. p. 510.	PHYC'ELLA.				
3 Herbertiana. B. R. (re. y.)	Mr. Herbert's. Chile.	1825.	5. 7.	F. b.	Bot. reg. t. 1341.
4 corúsca. Gr. (sc. or.)	glossy.	—	—	F. b.	
NARCIS'SUS. p. 514.	NARCIS'SUS.				
82 neglectus. Ten. (wh. y.)	neglected. Naples.	1830.	4. 5.	H. b.	

ASPHODELEÆ. p. 524.

SCI'LLA. p. 527.	SQUILL.				
30 odorata. R. S. (bl.)	sweet-scented. Portugal.	1818.	5. 6.	H. b.	
31 praténsis. R. S. (bl.)	meadow. Hungary.	1827.	—	H. b.	W. et K. hung. t. 189.
32 rosea. Leh. (ro.)	rose-coloured. Numidia.	—	—	H. b.	
33 mauritànica. R. S. (bl.)	Mauritanian. Africa.	1819.	—	H. b.	
DRI'MIA. p. 513.	DRI'MIA.				
14 villôsa. B. R. (g. st.)	villous. C. B. S.	1826.	5. 6.	F. b.	Bot. reg. t. 1346.
A'LLIUM. p. 530.	GARLICK.				
118 euôsmon. Ot. (br.)	good-scented. S. America.	1829.	5. 6.	F. b.	
119 glandulôsum. Ot. (br.)	glandular.	—	—	F. b.	
120 nudicaule. Leh.	naked-stalked. Altay.	—		H. b.	
121 guttatum. G. D. (wh.)	spotted. Odessa.	1819.	7. 8.	H. b.	
122 Fischéri.	Fischer's. Siberia.	1829.		H. b.	
123 acutum. s. s. (li.)	acute.	1819.	7. 8.	H. b.	
124 intermédium. G. D. (w.)	intermediate. S. Europe.	1827.	—	H. b.	
125 fuscum. W. K. (br.)	brown-flowered. Hungary.	1820.	—	H. b.	W. et K. hung. t. 241.
126 juncifolium. G. D. (wh.)	Rush-leaved. Chile.	1826.	—	H. b.	
127 striatellum. G. D. (st.)	striped.	1823.	—	H. b.	Bot. mag. t. 2419.
128 cinereum. Lehm. (st.)	grey. Siberia.	1829.	—	H. b.	
M'ILLA. C. I.	M'ILLA. Hexandria Monogynia.				
biflora. C. I. (wh.)	two-flowered. Mexico.	1826.	5. 6.	F. 4.	Cavan. icon. 2. t. 196.

BROMELIACEÆ. p. 534.

POURRETIA. p. 535.	POURRETIA.				
4 cœrûlea. Miers. (bl.)	blue. Chile.	1827.	4. 8.	S. 4.	
5 rubricaulis. Mier. (bl. re.)	red-stemmed.	—	—	S. 4.	
6 magnispátha. Col. (g. w.)	large-spathed. S. America.	1829.	—	S. 4.	Coll. h. rip. t. 19.
CARAGU'ATA. Plum.	CARAGU'ATA. Hexandria Monogynia.				
lingulata. Ly. (ye.)	tongue-leaved. Jamaica.	1776.	6. 7.	S. 4.	Jacq. amer. t. 62.
<i>Tillandsia lingulata</i> . p. 535.					

BUONAPA'RTEA. p. 536. BUONAPA'RTEA.

2 grácilis. slender. Mexico. 1828. G. 4.

TULIPACEÆ. p. 536.

YU'CCA. p. 536.

ADAM'S-NEEDLE.

23 grácilis. Lk. (wh.) slender. Mexico. 1829. G. 4.

ERYTHRONIUM. p. 539. DOG'S-TOOTH VIOLET.

Déns cànis. L. (pu.) common. Europe. 1596. 3. 4. H. b. Swt. br. fl. gar. s. 2.

Déns cànis. Redoute liliac. t. 193. non Bot. mag.

4 bifida. S. F. G. (ro.) cleft-stigma'd. Switzerland. — H. b. Swt. br. fl. gar. s. 2.

β albiflora. (wh.) white-flowered. — H. b. — s. 2.

MELANTHACEÆ. p. 539.

ZIGAD'ENUS. p. 540. ZIGAD'ENUS. Hexandria Trigynia.

3 elegans. Ph. (wh.) elegant. N. America. 1828. 5. 6. H. 4.

COMMELINEÆ. p. 541.

TRADESCANTIA. p. 541. SPIDERWORT.

23 crássipes. (bl.) thick-stalked. Mexico. 1827. 5. 10. H. 4.

24 diurética. M. P. (bl.) diuretic. Brazil. 1825. 6. 8. S. 4.

COMMEL'INA. p. 542. COMMEL'INA.

24 cucullata. H. C. (bl.) hooded. Brazil. 1825. 6. 9. G. ☉.

25 caripensis. H. S. (bl.) rough-leaved. Trinidad. 1826. 6. 8. S. 4.

RESTIACEÆ. p. 546.

ERIOCA'ULON. p. 546. PIPEWORT.

3 decanguläre. Ph. (uh.) ten-angled. N. America. 1826. 8. 10. H. w. 4. Lodd. bot. cab. t. 1310.

4 fasciculatüm. R. S. (wh.) fascicled. Guiana. 1825. — S. w. 4. Lam. enc. 3. t. 50. f. 3.

CYPERACEÆ. p. 547.

CA'REX. p. 547.

SEDGE.

123 rupéstris. s. s. (br.) rock. Switzerland. 1819. 6. 7. H. 4. All. ped. t. 92. f. 1.

124 cúrvula. s. s. (br.) curved. S. Europe. 1824. — H. 4. Schk. caric. t. D. f. 17.

125 lobata. w. (br.) lobed. Switzerland. 1819. 5. 7. H. 4. — t. D. f. 18.

126 répens. s. s. (br.) creeping. — 1823. 6. 7. H. 4. — t. I. f. 11.

127 leporina. w. (br.) hare. — 1819. — H. 4. — t. Fff. f. 1. 29.

128 lóngipes. D. P. (br.) long-stalked. Nepaul. 1823. — H. 4. —

129 microstáchya. s. s. (br.) small-spiked. N. Europe. 1822. 5. 6. H. 4. Schk. caric. t. 6. f. 11.

130 mucronata. s. s. (br.) bristle-pointed. S. Europe. 1819. 6. 7. H. 4. — t. K. f. 44.

131 phæostáchys. E. F. (br.) brown-spiked. Scotland. 6. H. 4.

132 stictocárpa. E. F. (br.) dotted-fruited. — 6. 7. H. 4.

133 angustifolia. E. F. (br.) narrow-leaved. — H. 4.

134 podocárpa. s. s. (br.) foot-podded. N. America. 1827. — H. 4.

135 brachystáchys. s. s. (br.) short-spiked. S. Europe. 1819. — H. 4. Schk. car. t. P. f. 58.

SCH'ÆNUS. p. 549. BOG-RUSH.

6 ferrugineus. R. S. (br.) rusty. Europe. 1829. 7. 8. H. w. 4. Host. gram. 4. t. 71.

DICHROM'ENA. R. S. DICHROM'ENA. Triandria Monogynia.

leucocéphala. R. S. (wh.) white-spiked. W. Indies. 1822. 9. 12. S. w. 4.

Sch'ænus stellatus. w.

FIMBRI'STYLIS. p. 550. FIMBRI'STYLIS.

6 diphylla. R. S. (br.) two-leaved. E. Indies. 1822. 6. 8. S. w. 4.

ABILDGAA'RDIA. R. S. ABILDGAA'RDIA.

2 tristáchya. R. S. (wh.) three-spiked. E. Indies. 1824. 6. 8. S. 4.

ISO'LEPIS. p. 550. ISO'LEPIS.

13 supina. R. S. (br.) trailing. Europe. 1826. 7. 8. H. w. 4. Host. gram. 3. t. 64.

SCIRPUS. p. 550.	CLUB-RUSH.				
19 elongatus. D.P. (br.)	elongated.	Nepaul.	1825.	7. 9.	H.w. 2.
20 articulatus. R.S. (br.)	jointed.	E. Indies.	1826.	8. 10.	S.w. 2. Rheed. mal. 12. t. 71.
CYPHERUS. p. 551.	CYPHERUS.				
71 niloticus. R.S. (br.)	Nile.	Egypt.	1810.	8. 10.	H. 2.
72 compactus. R.S. (br. pu.)	compact.	China.	1819.	7. 8.	H. 2.
73 kyllingæoides. R.S. (br.)	Kyllinga-like.	N. America.	1828.	—	H. 2.
74 dubius. w. (br.)	doubtful.	E. Indies.	1802.	7. 9.	S. 2. Rottb. gram. t. 4. f. 5.
75 leucocephalus. R.S. (wh.)	white-headed.	—	1819.	—	S. 2.
76 trifolcus. D.P. (br.)	three-furrowed.	Nepaul.	1830.	—	H. 2.
77 caricinus. D.P. (br.)	Carex-like.	—	1826.	—	H. 2.
78 rigidus. R.S. (re. wh.)	rigid.	Madagascar.	—	—	S. 2.
HYPŒELYTRUM. R.	HYPŒELYTRUM.	Triandria Monogynia.			
argenteum. R.S. (wh. pu.)	silvery.	E. Indies.	1824.	7. 8.	S. 2.
MARISCUS. p. 552.	MARISCUS.				
9 panicus. R.S. (br. st.)	Panic-like.	E. Indies.	1820.	6. 7.	S.w. 2. Rottb. gram. t. 4. f. 1.
KYLLINGA. p. 552.	KYLLINGA.				
8 brevifolia. R.S. (gr.)	short-leaved.	E. Indies.	1817.	5. 6.	S.w. 2. Rottb. gram. t. 4. f. 3.

FILICES. p. 576.

LYGŒIDIUM. p. 577.	SNAKE'S-TONGUE.				
7 volubile. s.s. (br.)	twining.	W. Indies.	1819.	5. 9.	S. 2. Sloan. jam. 1. t. 46. f. 1.
8 hastatum. w. (br.)	halber-leaved.	Maranham.	1820.	—	S. 2.
ANEŒMIA. p. 577.	ANEŒMIA.				
8 Phyllitidis. s.s. (br.)	flat-leaved.	Trinidad.	1824.	5. 8.	S. 2. Plum. fil. t. 156.
SCHIZÆA. p. 577.	SCHIZÆA.				
5 elegans. s.s. (br.)	elegant.	Trinidad.	1825.	5. 8.	S. 2. Vahl. symb. 2. t. 50.
GLEICHENIA. p. 577.	GLEICHENIA.				
6 pectinatum. s.s. (br.)	pectinated.	S. America.	1824.	6. 8.	S. 2.
DANÆA. S.S.	DANÆA. Cryptogamia Poropterides.				
alata. s.s. (br.)	winged.	W. Indies.	1823.	6. 8.	S. 2. Plum. fil. t. 109.
ACROSTICHUM. p. 577.	ACROSTICHUM.				
9 longifolium. s.s. (br.)	long-leaved.	W. Indies.	1827.	5. 10.	S. 2.
10 glandulosum. H.F. (br.)	glandular.	Jamaica.	1825.	—	S. 2. H. et G. ic. fil. t. 3.
11 fimbriatum. s.s. (br.)	fringed.	S. America.	1824.	—	S. 2.
NOTHOLÆNA. p. 578.	NOTHOLÆNA.				
4 piloselloides. s.s. (br. ye.)	simple-leaved.	E. Indies.	1822.	6. 8.	S. 2. Houtt. pflanz. t. 96. f. 2.
MENISCUM. p. 578.	MENISCUM.				
4 proliferum. s.s. (br.)	proliferous.	E. Indies.	1820.	5. 6.	S. 2.
NIPHO'BOLUS. p. 578.	NIPHO'BOLUS.				
5 adnascens. s.s. (br.)	woolly-leaved.	E. Indies.	1824.	4. 8.	S. 2.
ASPENIUM. p. 580.	SPLEENWORT.				
49 viviparum. H.K. (br.)	viviparous.	Mauritius.	1820.	6. 9.	S. 2.
50 bulbiferum. s.s. (br.)	bulb-bearing.	N. Zealand.	—	—	G. 2. Schk. crypt. t. 79.
51 difforme. B.P. (br.)	two-formed.	N. Holland.	1823.	—	G. 2.
52 Petrarchæ. DC. (br.)	Petrarch's.	France.	1819.	—	H. 2. H. et G. ic. fil. t. 152.
53 obtusatum. s.s. (br.)	obtuse.	N. Zealand.	1824.	—	F. 2. Lab. nov. hol. 2. t. 242.
54 cultrifolium. s.s. (br.)	keen-leaved.	W. Indies.	1820.	—	S. 2. Plum. fil. t. 3. f. 1.
55 brasiliense. s.s. (br.)	Brazilian.	Brazil.	1822.	—	S. 2.
DOODIA. p. 581.	DOODIA.				
3 media. B.P. (br.)	middle-sized.	N. Holland.	1823.	3. 9.	G. 2.
BLECHNUM. p. 581.	BLECHNUM.				
12 pectinatum. s.s. (br.)	pectinate.	S. America.	1827.	5. 8.	S. 2.
13 serrulatum. s.s. (br.)	saw-leaved.	N. America.	1818.	—	H. 2.
14 striatum. s.s. (br.)	striated.	N. Holland.	1824.	—	F. 2.
LOMARIA. p. 581.	LOMARIA.				
7 falcata. s.s. (br.)	falcate.	—	1823.	5. 8.	F. 2. Lab. nov. hol. 2. t. 248.
DIPLAZIUM. p. 582.	DIPLAZIUM.				
10 castaneæfolium. s.s. (br.)	Chestnut-leaved.	Guinea.	1824.	8.	S. 2.
PTERIS. p. 582.	BRAKE.				
28 sagittæfolia. s.s. (br.)	arrow-leaved.	Brazil.	1825.	6. 8.	S. 2.
29 rotundifolia. s.s. (br.)	round-leaved.	N. Zealand.	1824.	7. 8.	F. 2.
30 elegans. s.s. (br.)	elegant.	E. Indies.	—	8. 10.	S. 2.
31 discolor. s.s. (br.)	discoloured.	Brazil.	1825.	—	S. 2.
32 heterophylla. s.s. (br.)	various-leaved.	W. Indies.	—	—	S. 2. Plum. fil. t. 37.
33 leptophylla. s.s. (br.)	slender-leaved.	Brazil.	—	—	S. 2.
34 chinensis. L.C. (br.)	Chinese.	China.	—	—	G. 2.

35 crenulâta. L.C.	(br.) crenulated.		1827.	7. 8.	S. 4.	
36 Cervantesii. H.L.	(br.) Cervantes'.	Mexico.	1824.	—	G. 4.	
ADIAN'TUM. p. 582. MAIDENHAIR.						
22 varium. s.s.	(br.) variable.	S. America.	1820.	7. 9.	S. 4.	
23 ternatum. s.s.	(br.) ternate.	—	—	—	S. 4.	
24 patens. w.	(br.) spreading.	Brazil.	1824.	8. 10.	S. 4.	
25 rhomboideum. s.s.	(br.) rhomboid.	S. America.	1820.	6. 9.	S. 4.	
CHEILANTHES. p. 583. CHEILANTHES.						
14 caudata. B.P.	(br.) tailed.	N. Holland.	1824.	6. 8.	F. 4.	
LINDS'ÆA. p. 583.	LINDS'ÆA.					
6 media. B.P.	(br.) intermediate.	N. Holland.	1823.	4. 6.	F. 4.	
DAVAL'LLIA. p. 583. DAVALLIA.						
6 elegans. s.s.	(br.) elegant.	N. Holland.	1824.	4. 9.	G. 4.	Schk. crypt. t. 127.
7 dubia. B.P.	(br.) doubtful.	—	1826.	—	G. 4.	
8 concavadenis. L.C.	(br.) Concavado.	Brazil.	1823.	—	S. 4.	
CIBOTIUM. S.S. CIBOTIUM. Cryptogamia Filices.						
Billardièri. s.s.	(br.) Labillardiere's.	N. Holland.	1824.		G. 4.	

VIOLARIÆ. p. 43.

ANCHIETIA. Hil.	ANCHIETIA. Pentandria Monogynia.					
pyrifolia. Hil.	(wh.) Pear-leaved.	Brazil.	1822.		S. 4.	Mart. bras. t. 16.
Noisettia pyrifolia. Martius. see our p. 43.						

TILIACEÆ. p. 70

LUHEA. W.	LUHEA. Polyadelphia Polyandria.					
paniculata. M.P.	(ro.) panicked.	Brazil.	1828.		S. 4.	Mart. bras. t. 62.

RUBIACEÆ. p. 260.

LIPOSTOMA. D.D.	LIPOSTOMA. Tetrandria Monogynia.					
campanuliflora. D.D.	(bl) bell-flowered.	Brazil.	1825.	2. 10.	S. 4.	Bot. mag. t. 2840.
Hedyotis campanuliflora. p. 263. Aeginetia capitata. Gr.						

PROTEACEÆ. p. 443.

SIMSIA. B.P.	SIMSIA. Tetrandria Monogynia.					
anethifolia. B.P.	(ye.) Dill-leaved.	N. Holland.	1825.		G. 4.	
ANADENIA. B.P.	ANADENIA. Tetrandria Monogynia.					
pulchella. B.P.	(ro.) pretty.	N. Holland.	1824.		G. 4.	
GUEVINA. Mol.	GUEVINA. Tetrandria Monogynia.					
Avellana. L.T.	(st.) variable-leaved.	Chile.	1826.		G. 4.	Feuil. per. 3. t. 33.
Quadraria heterophylla. Flor. per. 1. t. 99. f. b.						

NATURAL ORDER NOT DETERMINED.

BREXIA. B.R.	BREXIA. Pentandria Monogynia.					
1 spinosa. B.R.	(wh.) spiny-leaved.	Madagascar.	1815.	7. 8.	S. 4.	Bot. reg. t. 872.
2 madagascariensis. (wh.)	Madagascar.	—	—	—	S. 4.	t. 730.
Venana madagascariensis. Lamarck.						
3 chrysophylla. (wh.)	golden-leaved.	—	1820.		S. 4.	
LAUROPHYLLUS. Th. LAUROPHYLLUS. Polygamia Dioecia.						
capensis. w.	(gr.) Cape.	C. B. S.	1801.		G. 4.	
PORANTHERA. L.T. PORANTHERA. Pentandria Trigynia.						
ericifolia. L.T.	(st.) Heath-leaved.	N. S. W.	1825.	5. 8.	G. 4.	Linn. trans. 10. t. 22. f. 2

- PHLO'X.** p. 368. **LYCHNIDEA.**
 36 speciosa. B.R. (ro.) showy. N. America. 1827. 5. 7. H. 2. Bot. reg. t. 1351.
- STERC'ULIA.** p. 66. **STERC'ULIA.**
 Tragacantha. B.R. (st.) Tragacanth-tree. Sierra Leone. 1822. 5. 6. S. 2. Bot. reg. t. 1353.
- SCI'LLA.** p. 527. **SQUILL.**
 34 plúmbea. B.R. (bl.) lead-coloured. C. B. S.? 1812. 4. 6. F. b. Bot. reg. t. 1355.
- LOB'ELIA.** p. 322. **LOB'ELIA.**
 85 Kraússi. B.M. (sc.) Krauss's. St. Domingo. 1828. 1. 3. S. 2. Bot. mag. t. 3012.
- VANGU'ERIA.** p. 260. **VANGU'ERIA.**
 3 velutina. B.M. (gr.) velvety. Madagascar. 1828. 5. 6. S. 2. Bot. mag. t. 3014.
- BRACHYSTE'LMA.** p. 359. **BRACHYSTE'LMA.**
 2 spathulátum. B.R. (br.) spatulate-leaved. C. B. S. 1824. 8. 10. D.G. 2. Bot. reg. t. 1113.
 3 crípum. B.M. (br.y.) wave-leaved. ——— 1829. ——— D.G. 2. Bot. mag. t. 3016.
- CEROPE'GIA.** p. 359. **CEROPE'GIA.**
 9 élegans. B.M. (pu.) elegant. E. Indies. 1828. 8. 10. S. 2. Bot. mag. t. 3015.
- ENCY'CLIA.** p. 490. **ENCY'CLIA.**
 2 pápens. B.M. (br.) spreading-flowered. Brazil. 1829. 4. 8. S. 2. Bot. mag. t. 3013.
- Omitted at page 378.
- COLD'ENIA.** L. **COLD'ENIA.** Tetrandria Tetragynia.
 procumbens. L. (wh.) procumbent. E. Indies. 1699. 7. 8. S. ☉. Lamarck. illus. t. 89.
- Page 75.
- G'ELA.** Lour. **G'ELA.** Octandria Monogynia
 lanceolata. B.C. (st.) spear-leaved. China. 1820. 4. 8. G. 2. Lodd. bot. cab. t. 938.
Ximènia? lanceolata. DC. *Sèlas lanceolata.* s.s.
- Page 364.
- OPHIORRH'IZA.** L. **SNAKE-ROOT.**
 Múngos. L. (wh.) petiolate. E. Indies. 1820. 5. 8. S. 2.

INDEX GENERUM.

	Page.		Page.		Page.		Page.
' <i>Abies</i>	475	<i>Adámsia</i>	525	<i>Agrimônia</i>	192	<i>Alternanthera</i> ..	432
ABIE'TINÆ	474	Adansônia	65	Agrop'yrum	565	<i>Alternanthera</i> ..	432
Abildgárdia 550, 597		Adélia	459	Agrostemma	54	Alth'æa	60
Abrôma	67	<i>Adélia</i>	460	<i>Agrostemma</i>	54	Alysicarpus	152
Abrônia	430	Adenándra	105	Agróstis	556	ALYSS'INÆ ..	24
A'brus	156	Adenándra	106	<i>Agróstis</i> 554, 555, 556,		Aly'ssum	25
Abûta	16	Adenanthèra	164	557, 559, 571		<i>Aly'ssum</i> ..	24, 25, 31
Abùtilon	64	Adenánthos	446	Agynèja	458	Aly'xia	353
Acácia	164, 589	Adenàrium	57	Ailánthus	121	AMARANTHACEÆ	
<i>Acácia</i> ..	162, 163	Adenocárpus	131	Aíra	559		430
Ac'æna	192	Adenóphora	325	<i>Aíra</i> 559, 560, 567, 568,		Amaránthus	430
Acálypha	456	Adenóstyles	302	569, 571		<i>Amaránthus</i>	431
ACANTH'ACEÆ 419		Adenotricha	304	Airópsis	560	AMARYLLIDÆÆ	
Acánthus	419	Adésmia	149	<i>Airópsis</i>	560		505
Acárna	285	Adiántum 582, 599		Aitônia	85	Amary'llis	506
'Acer	82	Adina	263	Aizôon	234	<i>Amary'llis</i> 505, 506, 509,	
'Acer	82	Adlúmia	20	<i>Aizôon</i>	234	510, 511, 512, 532	
A'ceras	483	Adónis	4	A'jax	514	Amasônia	417
Acêrates	361	Adóxa	242	Ajûga	402	Ambliirion	538
Acerátium	71	Adysêton	25	<i>Ajûga</i>	407	AMBROS'ACEÆ ..	314
ACERINÆÆ ..	82	Ægicêras	348	AJUGOI'DEÆ ..	402	Ambrosia	314
<i>Achânia</i>	61	Ægilops	566	ALANGIÆÆ ..	206	Ambrosínia	481
Achillæa	319	<i>Æginètia</i>	599	Alángium	206	Amelánchier	177
<i>Achillæa</i>	316	Ægiphila	416	Albûca	525	Améllus	298
<i>Achîmenes</i>	390	'Egle	75	Alchimilla	192	<i>Améllus</i>	298
A'chlys	584	Ægopódium	245	<i>Alcina</i>	313	Amerimnum	162
Achnodónton	554	Ægopôgon	558	<i>Alida</i>	380	<i>Amerimnum</i> 143, 161	
'Achras	349	Æollánthus	414	Aldrovánda	46	Amethy'stea	403
Achyranthes	432	Æranthes	491	Alêtris	517	Ammánia	201
<i>Achyranthes</i> 431, 432,		Ærides	491	<i>Alêtris</i>	517	A'mmi	245
433		Ærua	432	Aleurites	458	<i>A'mmi</i> 245, 246, 248, 591	
Achyronia	127	Æschynómene ..	149	<i>Aleurites</i>	457	AMM'INÆÆ ..	244
Achyrophorus	276	Æschynómene 143, 148,		ALH'AGEÆ ..	15	Ammbóhium	291
Acianthus	486		150	Alhâgi	152	Ammbócharis	510
Acicárfha	271	Æ'sculus	83	Alisma	477	Ammysine	344
Acidóton	456	<i>Æ'sculus</i>	83	<i>Alisma</i>	477	Amómum	492
Acilêpis	284	<i>Ætheiléma</i>	420	ALISM'ACEÆ ..	477	<i>Amómum</i> ..	492, 493
Aciotis	204	Æthionéma ..	32, 585	Allamánda	354	Amôra	86
'Acis	516	Æthônia	275	Allantodia	580	Amôrpha	142
Acsanthèra	202	Æthûsa	247	Alliária	30	AMPELI'DEÆ ..	86
Acmadènia	106	<i>Æthûsa</i>	245	Alliônia	430	Ampelópsis	87
Acmélla	307	Afzèlia	171	<i>Alliônia</i>	429	Ampheréphis	288
Acmèna	212	<i>Afzèlia</i>	86, 396	'Al'ium ..	530, 596	Amphicárpæa ..	156
Acnida	436	Agapánthus	517	<i>Allosôrus</i>	582	Amphilóphium ..	366
Aconitum	9, 584	<i>Agapánthus</i>	530	'Al'nus	468	Amphipôgon	555
A'corus	480	Agástachys	446	A'loe	518	A'mphodus	157
Acrocéphalus	414	Agasy'llis	252	<i>A'loe</i> 517, 519, 520, 521		Amsonia	355
Acrocómia	543	Agath'æa	305	Alómia	301	AMYDAL'INÆÆ 173	
Acroglóchin	434	<i>A'gathis</i>	474	Alonsôa	394	Amy'dalus	173
Acróstichum 577, 598		Agathélpis	415	Alopecûrus	554	AMYRI'DEÆ ..	119
<i>Acróstichum</i> 578, 581		Agathósma	106	<i>Alopecûrus</i> ..	553, 557	Am'yris	119
Acrótriche	346	Agathýrsus	277	Aloy'sia	418	<i>Am'yris</i>	119
Act'æa	11	Agâti	143	Alpinia	493	Anábasis	434
<i>Act'æa</i>	11	Agave	534	<i>Alpinia</i>	493	Anacámpseros ..	219
<i>Actinèlla</i>	322	<i>Agave</i>	534	<i>Alsine</i>	55, 56	<i>Anacámpseros</i> ..	225
Actinocárpus	477	Agênora	276	ALSINÆÆ ..	54	Anacámptis	483
Actinóchloa	571	Agerátum	301	Alsodeia	45	Anacárdium	117
Actinómeris	309	<i>Agerátum</i>	301	ALSOD'INÆÆ ..	45	Anacýclus	318
<i>Actinophy'llum</i> ..	256	Aglaia	75	Alsóphila	583	Anadènia	599
Actinôtus	243	Agonis	209	<i>Alsóphila</i>	579	Anagállis	425
Ac'ynos	409	Agraulus	556	Alstônia	355	Anag'yris	122
Adámia	591	Agrimônia	192	Alströmèria	516	Ananássa	534

	Page.		Page.		Page.		Page.
Anántherix	361	Anthéricum	524	Arduina	353	Astartèa	207
Anarrhinum	390	Anthéricum	524, 525,	Arèca	543	Astélma	292
Anastática	28		526	Arèca	543	Astélma	292
Anastática	28	Anthistíria	561	Aremônia	192	Astéphanus	362
ANASTATI'CEÆ	28	Anthistíria	561	Arenària	56, 556	A'ster	295
Anathèrum	561	Anthocércis	380	Arenària	56, 57	A'ster	294, 295, 297
Anchiétia	599	A'nthodon	79	Arethusa	486	AST'EREÆ	288
ANCHON'IEÆ	32	Antholôma	79	Arètia	425	Asterocéphalus	270
Anchusa	377	Antholyza	500	Argània	349	Asterolinon	425
Anchusa	376, 377, 378	Antholyza	500	Argemône	19	Astíle	242
Ancistrocárpus	433	Anthospérnum	265	Argemône	19	ASTR'AGALEÆ	145
Andersônia	345	Anthoxánthum	553	Argyreia	373	Astrágalus	145, 589
Andira	168	Anthriscus	254, 591	Argyrochæta	314	Astrágalus	122, 145, 151
Andráchne	459	Anthriscus	254	Aristea	499	Astránthus	117
Andreòska	29	Anthyllis	132, 589	Aristida	558	Astrántia	244
Androcy'mbium	539	Anthyllis	128, 147, 152	Aristida	557, 558	Astrántia	244
Andromáchia	298	Antidésmas	460	Aristolôchia	451	Astrapæa	69
Andrómeda	331, 593	ANTIDE'SMEÆ	460	Aristotélia	117	Astrocáryum	544
Andrómeda	331, 332	Antiphyl'la	241	Armeniaca	174	Astrolôbium	148
Andropôgon	561	Antirrhinum	390	Armeria	426, 427	Astrolôma	346
Andropôgon	560, 561	Antirrhinum	390	Armoràcia	26	Astrônium	119
Androsàce	425	Antrophium	582	A'rnica	299	Astrótricha	243
Androsàce	425	Aòtus	124	A'rnica	299	Astydamia	251
Androsæmum	76	Apalatôa	172	Arnopôgon	279	Atalánthus	277
Andr'yala	274	Apárgia	274	Arnoéseris	275	Atalántia	75
Andr'yala	274	Apárgia	275	ARO'DEÆ	475	Atamánta	248
Aneilêma	542	Apêiba	71	Arónia	177	Atamánta	248, 250, 255
Aneimia	577, 598	Aphânes	192	Arpítium	591	Athanàsia	315
Anemône	3	Aphanochilus	400	Arracacia	255	Atheropôgon	571
Anemône	3	Aphelandra	420	Arrhenathèrum	562	Athrixia	307
Anesorhiza	247	Aphelêxis	293	Artabôtrys	15	Atráctylis	285
Anèthum	251	Aphyllánthes	532	Artèdia	253	Atráctylis	280, 285
Anèthum	247	Apicra	521	Artemisia	316	Atragène	2
Angélica	249	Apios	157	Arthropôdium	525	Atragène	3
Angélica	248, 249, 251	Apios	157	Arthrostemma	204	Atropháxis	438
ANG'ELICEÆ	249	Apium	245	Arthrostemma	203	Atrèma	256
Angelônia	394	Apléctrum	595	Artocárpus	462	A'triplex	435
Angiánthus	288	Apoply'llum	105, 588	'Arum	480	A'tropa	383
Angóphora	209	Apluda	561	'Arum	481	A'tropa	383, 384, 388
Angræcum	490	Apluda	561	Arundinària	574	Attàlea	544
Anguillària	539	APOCI'NEÆ	353	Arúndo	574	Aubletia	71
Angulôa	488	Apocynum	356	Arúndo	555, 556, 559,	Aubriètia	24
Angùria	216	Apocynum	361		567, 569, 574	Aúcuba	592
Anigozánthus	504	Aponogeton	478	Arungana	76	Audibértia	399
Anisánthus	500	AQUIFOLI'ACEÆ	110	ASA'RINEÆ	451	Audouínia	116
Anisochilus	414	Aquillària	117	A'sarum	451	Aúlax	442
Anisodus	383	AQUILARINEÆ	117	Ascaricida	289	Auláxis	240
Anisómeles	403	Aquillègia	8	ASCLEPTADEÆ	355	AURANTI'ACEÆ	75
Anisómeles	407	A'rabis	22, 485	Asclépias	360, 394	Avèna	567
Anisopétalum	488	ARABI'DEÆ	21	Asclépias	360, 361	Avèna	557, 562, 567, 568
Anisum	246, 247	A'rachis	167	A'scyrum	77	Averrhôa	102
Aneslèa	17	A'rachis	149	Asimina	14	Avicénnia	419
Aneslèa	163	Aràlia	256	Aspalathus	129	Axonopus	564
Annôna	14, 15	Aràlia	256, 257	Aspáragus	533	A'xyris	437
Anôda	63	ARALI'ACEÆ	256	Asperugo	377	A'xyris	437
Anôda	63	Araucària	474	Asperugo	377	A'yenia	67
Anodóntea	25	A'rbutus	331	Aspérula	266, 592	Azàlea	344
Anomathèca	499	A'rbutus	330	Aspérula	264	Azàlea	343, 344
Anôna	14	Archangélica	249	ASPHODELEÆ	524	Azima	261
ANON'ACEÆ	14	Archemôra	251	Asphodélus	524	Azorélla	243
Anópterus	239	A'rtium	280	Asphodélus	524	Babiàna	498
Anredèra	434	A'rtium	284	Aspidistra	480	Bacàzia	280, 592
Antennària	291	Arctôpus	255	Aspidium	579	Baccharis	289
ANTHEMI'DEÆ	315	Arctostaphylos	330	Aspidium	579, 580	Baccharis	289, 290
A'nthemis	318	Arctothèca	312	Asplénium	580, 598	Bactris	544
A'nthemis	317, 318, 319,	Arctôtis	312	Asplénium	581, 582	Bæ'ckia	210
	321	Arctôtis	312, 313	Asprélla	567	Balanites	104
Anthéphora	563	Ardisia	348	Assônia	69	Balanitum	583

Page.		Page.		Page.		Page.	
Balbisia	308	Besleria	329	Botryceras	447	Buchnera	394
Ballota	405	Beta	436	Botrychium	576	Buchnera	394
Ballota .. 405, 414		Betonica	406	Bouteloua	571	Bucholzia	432
Balsamina	101	BETULINEÆ	467	Bouvardia	263	Bucida	195
BALSAMINEÆ	101	Bétula	467	Bowiea	520	Buddlea	389
Balsamita	315	Beurreria	379	Bowlesia	243	Buffonia	54
Balsamodendron	120	Bidens	311	Brabejum	446	Bulbine	525
Baltimora	314	Bidens	306	Brachyachyris ..	298	Bulbocodium	539
Bambusa	574	Biforis	256	Brachyelytrum ..	559	Bulbocodium	539
Bambusa	574	Bigelovia	265	Brachylæna	289	Bulliarda	222
Banisteria	81	Bignonia	365	Brachypodium ..	573	Bumalda	109
BANISTERIÆ	81	Bignonia 353, 365, 366		Brachypodium ..	572	Bumelia	348
Banksia	447	BIGNONIACEÆ		Brachyris	298	Bunchosia	81
Baphia	162		365	Brachysema	123	BUNIADEÆ	36
Baptisia 123, 589		Billardiæra	48	Brachystelma 359, 600		Bünias	36
Baptisia	122	Billbergia	534		458	Bünias	28, 35
Barbacenia	505	Billottia	210	Brandesia	433	Bünium	246
Barbarea	22	Biophytum	102	Brasenia	17	Bünium 245, 246, 247,	
Barkhausia	278	Biscutella	27	Brassavola	490		249
Barleria	420	Biscutella	28	Brassia	488	Buonapartea .. 536, 597	
Barnardia	527	Biserrula	148	Brassica	33	Buonapartea	534
Barosma	105	Bivonæa	32	Brassica .. 31, 34, 35		Buphone	510
Barringtonia	213	Bixa	40	BRASSICÆÆ	33	Buphthalmum ..	309
Barringtonia	213	BIXINEÆ	40	Braya	22, 485	Buphthalmum ..	309
BARRINGTONIÆ	213	Blackwellia 116, 588		Bræxia	599	Bupleurum	246
Bartholina	484	Blæria	332	Bridelia	459	Bupleurum .. 247, 251	
Bartonia	218	Blæria	332	Brignolia	247	Burchardia	539
Bartsia	395	Blakea	206	Briza	570	Burchellia	262
Bartsia	395	Blandfordia	517	Briza	570	Burglaria	111
Barýosma	168	Bléchnum .. 581, 598		Brodiaea	517	Burmanna	546
Basella	443	Bléchnum	581	Brodiaea	532	Bursaria	48
Basella	434	Bléchnum	420	Brogniartia	168	Bursera	120
Bassia	349	Blépharis	419	Bromelia	535	BURSERACEÆ	120
Bastardia	64	Blephilia	404	Bromelia	535	Burtonia	124
Batschia	374	Blètia	487	BROMELTACEÆ		Butea	161
Bauera	243	Blighia	84		534	BUTOMEÆ	477
Bauhinia	172	Blitum	436	Brõmus	573	Butõmus	477
Beaufortia	207	Blumenbachia ..	218	Brõmus	573	Buttneria	67
Beaumontia	356	Bobartia	497	Brõsimum	462	BUTTNERIACEÆ ..	
Beckmannia	564	Boccõnia	19	Brossæa	332		66
Befaria	345	Boccõnia	19	Brotera	288	BUTTNERIÆ	67
Begonia .. 437, 595		Bœbera	305	Brõtera .. 69, 287, 414		Búxus	456
BEGONTACEÆ	437	Bœhmia	462	Broughtonia	490	Búxus	472
Behrnia	274	Bœobotrys	347	Broussonetia	462	Byblis	46
Bejaria	345	Boerhaavia	430	Broussonetia .. 122, 462		Byrsõnima	80
Belis	475	Boerhaavia	430	Browallia	394	Bystropogon	401
Belladonna	506	Boldoa	430	Brõwnia	168	Cabõmba	17
Bellevàlia	528	Boltonia	298	Brownlowia	71	Cabrera	568
Bellidiastrum	299	BOMBACEÆ	65	Brucea	121	Cacalia	302
Bellinia	383	Bõmbax	66	Brucea	121	Cacalia 302, 303	
Bellis	299	Bõmbax .. 66, 73		Brugmansia	383	Càchrys	255
Bellium	299	Bonatea	484	Brunellia	121	Càchrys 244, 249, 252,	
Benincasa	214	Bonnaya	396	Brunfelsia	389		255
Berardia	116	Bonplandia	594	Brunia	115	CACTEÆ	235
Berardia	284	Bõntia	419	Brunia	115	Cactus 235, 236, 237, 238	
BERBERIDEÆ	16	BORAGINEÆ	375	BRUNTACEÆ	115	Cacoucia	196
Berberis .. 16, 584		Borago	378	Brunnichia	438	Càdia	169
Berchemia	112	Borago	378	Brunsvigia .. 510, 596		Cælestina	301
Bereckheya	312	Borassus	544	Brunsvigia	510	Cænópteris	581
Bergenia	239	Borbõnia	126	Br'ya	162	Cæsalpinia	168
Bergera	75	Borbõnia .. 126, 127		Bryonia	214	Cæsalpinia .. 168, 169	
Bergia	55	Borkhousenia ..	389	Bryonia	214	CÆSALPINIÆ	167
Beringeria	405	Borõnia	107	Bryophyllum	224	Cæsia	525
Bernhardia	576	Borya	460	Bubon	251	Cæstulia	288
Berrya	71	Bõscia	38	Bubon .. 247, 248, 250		Cajanus	159
Berteroa	24	Bõsea	436	Bubroma	67	Cakile	28
Bertholletia	213	Bossiæa	126	Bucco	106	Cakile	36
Berzèlia	115	Boswellia	120	Buchanania	117	CAKILIÆ	28

	Page.		Page.		Page.		Page.
Caladènia	486	CAMELLI'Æ ..	73	Carrihtëra	35	Centunculus ..	420
Caladium	481	Camerària	355	Càrthamus	284	Cephaëlis	264
Calamagròstis ..	555	Camerària ..	354, 355	Càrthamus	284	CEPHALA'NTHEÆ	263
Calamina	561	Campànula	324	Cartonèma	542	Cephalanthus ..	263
Calamintha	409	Campànula ..	324, 328, 593	Càrum	245	Cephalària	270
Calámpelis	366	CAMPANULACEÆ		Càrum	248	Cephalóphora ..	315
Cálamus	544		324, 592	Carunculària ..	358	Cephalòtus	192
Calandrinia	219	Campèlia	541	Càrya	465	Ceranthèra	45
Calánthe	490	Camphorósma ..	437	Caryòcar	83	Cerástium	57
Calàthea	494	Campomanèsia ..	210	CARYOPHYLLÆ		Cerástium ..	54, 55
Calceolària ..	396, 494	CAMPYLOSPE'RMEÆ			48	Cérasmus	174
Caldàsia	369, 594		253	Caryophyllus ..	212	Ceratiola	460
Càlea	307	Campylia	90	Caryòta	544	Ceratocàrpus ..	436
Càlea ..	289, 306, 307	Canarina	324	Casèaria	116	Ceratocéphalus ..	4
Calcéacte	307	Canàrium	120	Càssia ..	169, 589	Ceratochilus ..	490
Calèndula ..	313, 592	Canavàlia	159	CASSI'Æ ..	168	Ceratòchloa	571
Calèpina	35	Candóllea	13	Cassine	110	Ceratònia	169
Calèana	487	Canèlla	79	Cassine	110	Ceratopétalum ..	243
Calèya	487	Cànnà	494	Cassinia	291	CERATOPHYLL-	
Càlla	480	Cànnabis	463	Cassinia	288	LEÆ	201
Càlla	480	CA'NNEÆ	494	CASSUVI'Æ ..	117	Ceratophyllum ..	201
Callicàrpa	416	Cànthium	261	Cassuvium	117	Ceratòpteris	577
Callicoma	243	Càntua	368	Cass'ytha	441	Ceratocánthes ..	215
Calligonum	440	Caperònia	456	Castàlia	18	Ceratospèrmum ..	437
Calliopèa	275	Capnophyllum ..	251	Castànea	467	Cérbera	354
Calliòpsis	311	CAPPARI'DEÆ	37	Castanocàrpus ..	589	Cérbera	354
Callisàce	251	CAPPAR'Æ ..	38	Castilleja	395	Cérceis	271
Callisia	542	Cápparis ..	38, 585	Casuarina	472	Cercocàrpus	193
Callistàchys	123	Cápparis ..	38, 39	Catabròsa	559	Cercòdia	201
Callistèma	297	Caprària	389	Catàlpa	365	CERCODI'ANEÆ	200
Callistèmon	209	Caprària	389	Catanàanche ..	280	Cerèsia	554
Callitriche	201	CAPRIFOLIACEÆ		Catàppa	195	Cérèus	236, 590
CALLITRICHI'NEÆ	201		257	Catasètum	488	Cèreus	591
Callitris	473	Caprifòlium	258	Catesb'æa	262	Cerínthe	375
Callùna	332	Capsèlla	27	Cathartocàrpus ..	169	Ceropègia ..	359, 600
Calochilus	485	Cápsicum	384	Cattlèya	490	Cestrinus	284
Calochòrtus	538	Caragàna	144	Catùrus	462	Céstrum	388
Calodèndron ..	105	Caraguàta	596	CAUCALI'NEÆ	253	Céterach	578
Calóphaca	144	Caràllia	197	Caúcalis	253	Chærophyllum ..	254
CALOPHYLLÆ ..	78	Carallùma	359	Caicalis ..	253, 254	Chærophyllum	254, 255,
Calophyllum ..	78	Caràpa	86	Caulophyllum ..	16		591
Calopògon	487	Carapíchea	264	Ceanòthus	113	Chætanthèra ..	280
Calorophus	547	Cardamine	23	Ceanòthus ..	113, 114	Chætària	557
Calostemma	513	Cardàmine ..	23, 24	Cecròpia	464	Chætocalyx	141
Calothámnus ..	207	Cardiospèrmum ..	83	Cedrelà	86	Chætogàstra ..	204
Calòtis	294	Cardópatum ..	287	CEDR'ELÆ ..	86	Chætony'chia	220
Calótropis	361	Carduncèllus ..	284	Cèdrus	475	Chætóspara	549
Cáltha	7, 584	Càrduus	281	CELASTR'INEÆ	109	Chætùrus	555
CALYCAN'THEÆ		Càrduus	282, 283	Celàstrus	110	Chailletia	117
.....	194	CARDU'ACEÆ	280	Celàstrus	110	CHAILLETTACEÆ	
Calycánthus	194	Càrex	547, 597	Celòsia	431		117
Calycánthus	195	Càrex	552	Celòsia	431, 433	Chaitùrus	407
CALYCCEREÆ	271	Carèya	213	Célsia	380, 494	Chamadòrea	542
CALYCI'FLORÆ ..	109	Cargillia	349	Célsia	394	CHAMÆLA'UCIÆ	28
Calycòtome	131	Càrica	216	Céltis	464	Chamelaucium ..	207
Calymènia	429	Carissa	353	Céltis	464	Chamelaucium ..	207
Calýpso	487	Caríssa	353	Cénchrus	552	Chamèlirium ..	540
Calyptránthes ..	211	Carlina	284	Cénchrus 553, 557, 563,		Chamænèron ..	197
Calyptránthes	211, 212	Carlina	281		567, 568	Chamærèpes ..	483
Calýption	43	Carlowízia	284	Cènia	318	Chamæròps	542
Calystègia	370	Carludóvia	480	Cenolòphium ..	248	Chamæròps	542
Cálythrix	206	Carimich'èlia ..	139	Centaurèa ..	285, 592	Chamagròstis ..	557
Camaridium ..	489	Carolinia	66	Centaurèa 281, 285, 287		Chamissòa	432
Cambessèdia ..	117	Carpèsium	290	Centothèca	568	Chamissòa	432
Camelina	31	Càrpinus	467	Centránthus ..	268	Chamórchis	483
CAMELI'NEÆ ..	31	Carpodinus	256	Centrocàrpha ..	310	Chaptàlia	280
Camèllia	73	Carpodòntus ..	77	Centrolèpis	547	Chaptàlia	280
Camèllia	73	Carpopògon	159	Centrospèrmum ..	321	Chàra	575

Page.		Page.		Page.		Page.	
<i>Chàra</i>	575	<i>Cibòtium</i>	599	<i>COBÆACEÆ</i> ..	367	<i>Cònium</i> 247, 251,	255
<i>CHAR'ACEÆ</i> ..	575	<i>Cicca</i>	456	<i>Cobúrgia</i>	513	<i>CONNAR'ACEÆ</i>	
<i>Chardínia</i>	294	<i>Cicéndia</i>	364	<i>Coccocy'pselum</i> ..	262		121
<i>Charlwoódia</i> ..	533	<i>Cicer</i>	153	<i>Coccocy'pselum</i> ..	262	<i>Connàrus</i>	121
<i>Chasmonia</i>	405	<i>Cicer</i>	154	<i>Coccolóba</i>	438	<i>Conocàrpus</i>	196
<i>Cheilánthes</i> ..	583, 599	<i>CICHOR'ACEÆ</i> ..	271	<i>Cócculus</i>	15	<i>Conocéphalus</i>	462
<i>Cheiránthus</i>	21	<i>Cichòrium</i>	279	<i>Cócculus</i>	15	<i>Conospermum</i>	446
<i>Cheiránthus</i> 22, 29, 30,	31, 32, 37	<i>Cicòonium</i>	100	<i>Cochleària</i>	26	<i>Conostégia</i>	205
<i>Cheirínia</i> .. 29, 30, 31		<i>Cicùta</i>	244	<i>Cochleària</i> .. 26, 31		<i>Conóstylis</i>	504
<i>Cheirostemon</i>	66	<i>Ciliària</i>	240	<i>Cochlospermum</i> ..	73	<i>Conringia</i>	31
<i>Chelidonium</i>	19	<i>Cimicifùga</i>	11	<i>Còcos</i>	544	<i>Convallària</i>	523
<i>Chelidonium</i>	19	<i>CINCH'ONEÆ</i> ..	262	<i>Còcos</i> 543, 544		<i>Convallària</i>	523
<i>Chelone</i>	393	<i>Cinchóna</i> .. 260, 262		<i>Codàrium</i>	172	<i>CONVOLVUL'A-</i>	
<i>Chenòlea</i>	434	<i>Cinerària</i>	304	<i>Còdon</i>	383	<i>CEÆ</i>	369
<i>CHENOP'ODEÆ</i> 433		<i>Cinerària</i> .. 304, 305		<i>Codonóphora</i>	329	<i>Convólulus</i>	369
<i>Chenopodium</i>	434	<i>Cinna</i>	557	<i>Ceológyne</i>	488	<i>Convólulus</i> 370, 371,	
<i>Chenopodium</i> 431, 434		<i>Cinnamomum</i> ..	441	<i>CÆLOSPE'RMEÆ</i> 256			372, 373
<i>Cherlèria</i>	57	<i>Circ'æa</i>	200	<i>Coffea</i>	264	<i>Con'ya</i>	289
<i>Chilóchloa</i>	554	<i>CIRC'ÆÆ</i>	200	<i>Coffea</i>	264	<i>Con'ya</i> 289, 294	
<i>Chilóchloa</i>	554	<i>Cirrh'æa</i>	488	<i>COFFÆ'ACEÆ</i> ..	263	<i>Còkia</i>	75
<i>Chililóttis</i>	486	<i>Cirsium</i>	282	<i>Còix</i>	574	<i>Copaífera</i>	171
<i>Chilópsis</i>	365	<i>Cissampelos</i>	15	<i>Colbértia</i>	13	<i>Cóptis</i>	7, 584
<i>Chimáphila</i>	341	<i>Cissampelos</i>	16	<i>Cólchicum</i>	539	<i>Corallorrhiza</i>	487
<i>Chimonanthus</i> ..	195	<i>Cissus</i>	86	<i>Cólchicum</i>	539	<i>Corbulària</i>	514
<i>Chiococca</i>	264	<i>Cissus</i>	87	<i>Coldènia</i>	600	<i>Córchorus</i>	70
<i>Chionanthus</i>	351	<i>CISTINEÆ</i> .. 40		<i>Coleáanthus</i>	554	<i>Córchorus</i>	194
<i>Chiranthodéndron</i>	66	<i>Cístus</i>	40	<i>Colebroókia</i>	400	<i>Córdia</i>	379
<i>Chirónia</i>	363	<i>Cístus</i>	41, 42	<i>Coleonèma</i>	106	<i>Córdia</i>	380
<i>Chlamy'sporum</i> ..	532	<i>Citharéxylum</i> ..	417	<i>Còleus</i>	413	<i>Cordyline</i>	534
<i>CHLEN'ACEÆ</i> 72		<i>Citrus</i>	75	<i>Coll'æa</i>	140	<i>Cordylócarpus</i> ..	36
<i>Chlidánthus</i>	513	<i>Cladánthus</i> 319, 592		<i>Collètia</i>	113	<i>Corema</i>	460
<i>Chlidánthes</i>	417	<i>Cládium</i>	550	<i>Collètia</i>	113	<i>Coreópsis</i>	311
<i>Chlòra</i>	363	<i>Cladóstachys</i>	91	<i>Collinsia</i>	390	<i>Coreópsis</i> 307, 309, 311	
<i>CHLORANTHEÆ</i>		<i>Clárkia</i>	199	<i>Collinsónia</i>	412	<i>CORTA'NDREÆ</i> ..	256
.....	259	<i>Clausènia</i>	75	<i>Collomia</i>	368	<i>Coriàndrum</i>	256
<i>Chloránthus</i>	259	<i>Clavija</i>	353	<i>Colobáchne</i>	557	<i>Coriàndrum</i>	256
<i>Chloráster</i>	516	<i>Claytonia</i>	220	<i>Cologània</i>	140	<i>CORIARIEÆ</i> ..	109
<i>Chlòris</i>	562	<i>CLEMATIDÆÆ</i> ..	1	<i>Colophònia</i>	120	<i>Coriària</i>	109
<i>Chlòris</i> .. 562, 571		<i>Clématis</i>	1, 584	<i>Colopodium</i>	557	<i>Còrion</i>	256
<i>Chloróphytum</i> ..	525	<i>Clématis</i>	2	<i>Colubrina</i>	113	<i>Còris</i>	425
<i>Chloroxylon</i>	86	<i>Cleòme</i>	37, 585	<i>Columèllia</i>	308	<i>Corispermum</i> ..	436
<i>Chomèlia</i>	264	<i>Cleòme</i> .. 31, 37, 38		<i>Columènea</i>	390	<i>Cornucòpiæ</i>	552
<i>Chondrilla</i>	277	<i>CLE'OMEÆ</i>	37	<i>Colùria</i>	189	<i>Córnus</i>	257
<i>Chondròsea</i>	240	<i>Cleònia</i>	410	<i>Colútea</i>	144	<i>Cornùtia</i>	417
<i>Chondròsium</i> ..	571	<i>Clerodéndrum</i> ..	415	<i>Colútea</i>	144	<i>Cornùtia</i>	417
<i>Chorisma</i>	274	<i>Clèthra</i>	332	<i>Comándra</i>	450	<i>COROLLIFLOREÆ</i>	
<i>Chorispora</i>	28	<i>Cleyèra</i>	72	<i>Comarópsis</i>	189		347
<i>Chorizema</i>	123	<i>Clidèmia</i>	205	<i>Cómarum</i>	192	<i>Coronilla</i>	148
<i>Chorozema</i>	123	<i>Cliffórtia</i>	193	<i>COMBRETACEÆ</i>		<i>Coronilla</i>	143
<i>Christia</i>	149	<i>Cliftonia</i>	332		195	<i>CORONILLEÆ</i> ..	148
<i>Chrysanthellum</i> ..	308	<i>Clinopodium</i>	409	<i>Combretum</i>	196	<i>Corónopus</i>	31
<i>Chrysanthemum</i> 320		<i>Clintonia</i>	324	<i>Combretum</i> 196, 590		<i>Corrèa</i>	107
<i>Chrysanthemum</i> 321,		<i>Clitòria</i>	140	<i>Comesperma</i>	47	<i>Corrigiola</i>	220
.....	322	<i>Clitòria</i>	140	<i>Commelina</i> .. 542, 597		<i>Cortusa</i>	423
<i>Chrysiphala</i>	513	<i>CLIT'ORIEÆ</i> ..	138	<i>Commelina</i> .. 541, 542		<i>Córybas</i>	487
<i>CHRYSOBALA-</i>		<i>Clivia</i>	516	<i>COMMELINEÆ</i> 541		<i>Corycàrpus</i>	571
<i>NEÆ</i>	173	<i>Clusia</i>	78	<i>Commersonia</i>	67	<i>Cory'cium</i>	485
<i>Chrysobálanus</i> ..	173	<i>CLUSIEÆ</i>	78	<i>Commersonia</i>	67	<i>Corydàlis</i>	20
<i>Chrysocoma</i>	298	<i>Cluy'tia</i>	459	<i>Comoclàdia</i>	119	<i>Córylus</i>	467
<i>Chrysocoma</i> 291, 298		<i>Clypeola</i>	25	<i>COMPO'SITÆÆ</i> ..	271	<i>Corynélla</i>	144
<i>Chrysophyllum</i> ..	349	<i>Cnemidóstachys</i> ..	460	<i>Comptònia</i>	472	<i>Corynéphorus</i> ..	560
<i>Chrysopogon</i>	561	<i>Cneòrum</i>	121	<i>Conanthera</i>	532	<i>Córypha</i>	543
<i>Chrysópsis</i>	291	<i>Cnèstis</i>	121	<i>Cónchium</i>	447	<i>Córypha</i> 542, 543	
<i>Chrysópsis</i>	295	<i>Cnicus</i> .. 282, 283, 287		<i>Condàlia</i>	112	<i>Corysánthes</i>	487
<i>Chrysosplénium</i> ..	242	<i>Cnidium</i>	248	<i>Condylocàrpus</i> ..	252	<i>Coscínium</i>	15
<i>Chrysurus</i>	562	<i>Cnidium</i> 248, 249		<i>CONIFERÆ</i> .. 473		<i>Cósmos</i>	310
<i>Chuquiraga</i> 280, 592		<i>Cnidóscolus</i>	457	<i>Conioselinum</i> ..	249	<i>Cósmea</i>	311
		<i>Cob'æa</i>	367	<i>Cònium</i>	255	<i>Cosmèlia</i>	345

	Page.		Page.		Page.		Page.
Cossignia	84	CUCURBITACEÆ	213	Cyphia	324	Deschampsia	559
Cóstus	492	Cullümia	312	Cypripedium	491	Desmánthus	163
Cotoneáster	176	CUMINEÆ	252	Cyrilla	332	Desmochæta	432
Cótula	318	Cumínus	252	Cyrilla	390	Desmochæta	432
Cótula	318	Cumínus	252	Cyrtánthus	512	Desmódium	149
Cotylèdon	224	Cummingia	352	Cyrtánthus	512	Desmódium	149
Cotylèdon	225	Cùnila	404	Cyrtopodium	488	Desmónus	544
Coulteria	168	Cùnila	404	Cyrtostylis	486	DETARIEÆ	171
Coumarotina	168	Cunninghamia	475	Cysticápnos	20	Detarium	171
Couroúpita	213	Cunônia	243	CYTIINEÆ	452	Devauxia	547
Coursétia	143	CUNONTACEÆ	242	Cytisus	130	Devèrra	247
Contària	262	Cupània	84	Cytisus	123, 126, 131,	Dialium	172
Contoubea	364	Cùphea	202		143, 144, 159	Dianella	532
Crámbe	35	CUPRESSINEÆ	473	Czackia	524	Diánthus	49, 586
Craniolària	367	Cuprèssus	474	Dacrydium	473	Diapénsia	342
Craniótome	407	Cuprèssus	474	Dactylanthus	453	Diapénsia	342
Crassula	222	CUPULIFERÆ	465	Dactylis	570	Diarrhena	571
Crassula	222, 223, 224,	Curatella	13	Dactylis	553, 574	Diáscia	394
	226	Curculigo	505	Dactyloctenium	571	Diàsia	502
CRASSULACEÆ	222	Curcuma	491	Dahlia	310	Diastella	444
	222	Curtisia	111	Dæmia	361	Dicera	72
Cratægus	175, 176, 177	Curtogyne	223	Dais	449	Dicérma	151
Cratæva	38	Curtopogon	558	Dalbèrgia	161	Dichilus	128
Creòdus	259	Cuscuta	373	Dalbèrgia	142	Dichondra	373
Crepidaria	452	CUSPARIÆ	108	DALBERGLIÆ	161	Dichorisandra	126
Crepis	273, 592	Cussonia	256	Dalea	141	Dichromena	597
Crèpis	273, 274, 275,	Cyamus	17	Dalea	141	Dicksônia	583
	276, 278, 279	Cyanella	532	Dalechampia	456	Dicksônia	583
Crescèntia	389	Cyanotis	542	Dalibarda	189	Dicliptera	422
Crescèntia	389	Cyânus	286	Dalibarda	189	Diclytra	20
Crèssa	373	Cyathæa	583	Dalrymplea	109	DICOTYLED'ONÆ	1
Crinum	511	Cyathæa	579	Dalrymplea	109	Dictamnus	105, 588
Crinum	513, 532	Cyathodes	346	Damasonium	476	Didelta	312
Cristària	63	CYC'ADEÆ	476	Damasonium	477	Didiscus	243
Crithum	249	Cycas	476	Dammara	474	DIDYMOCARPEÆ	367
Crithum	251	Cyclamen	423	Dampiera	325		367
Critônia	299	Cyclánthus	400	Danæa	598	Didymocarpus	367
Cròcus	503, 596	Cyclobóthra	538	Danthônia	567	Diervilla	258
Crossandra	420	Cyclopia	123	Danthônia	567	Diètes	497
Crotalaria	123, 126, 128	Cydônia	178	Daphne	448	Digitális	392
Cròton	457	Cylipogon	141	Darea	561	Digitaria	558
Cròton	456, 457, 458	Cylista	160	Darlingtonia	163	Digitaria	559
Crowea	107	Cymation	549	Darwinia	207	Digitaphis	559
Crozóphora	457	Cymbachne	561	Dasytemon	222	Dilatris	504
Crucianella	265	Cymbària	390	Datisca	39	Dilatris	504
CRUCIFERÆ	21	Cymbidium	488	DATISCEÆ	39	Dilepyrum	559
Crùdia	172	Cymbidium	487, 488, 489	Datura	383	Dillenia	1
Crupina	285	Cymbopogon	561	Datura	383	Dillenia	13
Crypsis	557	Cymbùrus	418	Daubentonia	144	DILLENTACEÆ	12
Cryptandra	114	Cymínosma	107	Daucus	253	Dillwynia	124
Cryptarrhena	490	Cymópterus	252	DAUCINEÆ	253	Dillwynia	124
Cryptocarya	441	Cynanchum	361	Davallia	583, 599	Dimacria	91
CRYPTOGAMEÆ	575	Cynanchum	360, 361,	Davièia	125	Dimocarpus	84
	575		362	Davièia	124	Dimorpha	171
Cryptogramma	582	Cynara	284	Décodon	202	Dineba	560
Cryptolépis	355	Cynara	284	Decumaria	206	Dineba	560
Cryptospermum	268	Cynodon	558	Deeringia	432	Dinèba	560
Cryptostegia	356	Cynoglossum	378	Delima	13	Dinèus	373
Cryptostemma	312	Cynoglossum	378	DELIM'ACEÆ	12	Dioclea	159
Cryptostylis	485	Cynomètra	171	Delisia	592	Diòdia	265
Cryptotænia	246	Cynosurus	571	Delphinium	8	Diomèdea	309
Cucifera	543	Cynosurus	560, 562, 569,	Dendrobium	489	Diomèdes	514
Cucubalus	51		571	Dendrobium	489	Dionæa	46
Cucubalus	51, 53	Cynthia	276	Dentaria	24	Dioscorea	521
Cucularia	197	Cypella	497	Dentella	263	DIOSCOREÆ	521
Cucumis	214	CYPERACEÆ	547	Dermasea	240	Diósma	106
Cucumis	214	Cyperus	551, 598	Derris	161	Diósma	105, 106, 116
Cucurbita	215	Cyperus	552	Deschampsia	559	Diosmea	105

	Page.		Page.		Page.		Page.
Diospyros ..	349, 593	Dryandra	448	Embóthrium	447	Eriosynáphe	250
Diótis	437	Dryas	190, 589	Embóthrium	447	Erisma	590
Diphylleia	16	Dryas	189	Embryópterus	350	Erithalis	260
Diplachne	571	Drymária	55	Emericia	356	Ernödea	264
Diplázium	582, 598	Dryypis	54	Emex	440	Erodéndrum	443, 444
DIPLECOLOBEÆ	36	Duchésnia	189	Emilæa	302	Eródium	89
Diplochita	205	Dulichium	549	EMPETREÆ	460	Erophila	26
Diplocoma	299	Dumásia	140	Empètrum	460	Erpétion	45
Diplopèpis	361	Dumerfilia	280	Empètrum	460	Eruca	35
Diplopáppus	294	Dumerília	592	Empleurum	107	Erucaria	36
Diplophyllum	399	Dupóntia	559	Enarthrocárpus	36	ERUCARIEÆ	36
Diplostegium	204	Duránta	417	Encèlia	308	Ervilia	154
Diplostèphium	295	Duroia	261	Enchylæna	434	Ervum	154
Diplostaxis	34	Duvallia	356	Encyclia	490	Eryngium	244, 591
Diplothèmium	544	Duvaúa	119	ENDOGENÆ	476	Erysimum	30, 585
Dipódium	489	Dyssodia	305	Enkiánthus	331	Erysimum 22, 29, 30, 31	
DIPSACEÆ	269	EBENACEÆ	349	Enneapógon	567	Erythræa	363
Dipsacus	269	E'benus	152	Enodium	560	Erythrina	160
Diptera	240	Ecastaphyllum	162	Enslénia	360	Erythrina	161
Dipterix	168	Eccremocárpus	66	Entàda	162	Erythrolæna	283
Dirca	448	Eccremocárpus	66	Entelæa	70	Erythrònium	539, 597
Disa	484	Echevèria	225	EPACRIDÆÆ	345	Erythrophlèum	163
Disándra	394	Echinacea	310	E'paceris	45	ERYTHROXYLÆÆ	
Dischidia	360	Echinaria	567	E'paceris	345, 346		80
Dischisma	414	Echinocactus	235, 590	Epáltes	315	Erythroxylum	80
Dischisma	414	Echinóchioa	563	Ephèdra	474	Erythroxylon	80
Discoleura	245, 591	Echinóphora	255	Ephèllis	84	ESCALLONEÆ	239
Disemma	217	Echinopógon	559	Epidéndrum	490	Escallonia	239, 591
Disophylla	400	Echinops	287	Epidéndrum	488, 489,	Eschschóltzia	19
Disperis	485	ECHINOPSIDÆÆ	287		490	E'sula	454, 455
Disorum	539	Echinospèrnum	377	Epigæa	342	Ethulia	315
Dissolèna	354	Echites	355	Epilóbium	198	Ethulia	315
Diurus	485	Echites	356	Epilóbium	197, 198	Eucalyptus	208
Dodártia	390	Echium	375	Epimédium	16, 584	Euchètes	106
Dodecátheon	423, 595	Eclipta	308	Epipáctis	486	Euchilus	124
Dodonæa	85	Edwardsia	122	Epipáctis	486	Euchroma	395
DodonæACEÆ	85	Ehrètia	379	Epiphyllum	237	Euclea	457
Dólichos	158	Ehrhártia	574	EQUISETACEÆ	575	EUCLEIDÆÆ	28
Dólichos	158, 159	Ehrhártia	574	Equisetum	575	Euclidium	28
Doliocárpus	12	Ekebérgia	86	Eragrostis	570	Eucomis	530
Dombeya	69, 586	ELÆAGNEÆ	451	Eragrostis	570	Eucrosia	513
Dombeya	367, 475	Elæágnus	451	Eránthemum	422	Eudésmia	208
DOMBEYACEÆ	69	ELÆOCARPEÆ	71	Eránthemum	415, 420	Eugénia	212
Dóndia	244	Elæocárpus	71	Eránthus	7	Eugénia 211, 212, 213	
Dónia	298, 299	Elæodéndron	110	Eremurus	524	EUHEDYSAREÆ	148
Dóodia	581, 598	Elæodéndron	111, 349	Eria	489	EULEPTOSPERMEÆ	
Dóodia	149	Elàis	543	Erica	332		208
Doronicum	299	Eláphrium	120	Erica	332, 341	Eulòphia	490
Doronicum	298, 299	Elàte	543	ERICEÆ	330	EUONYMEÆ	109
Dorstenia	464	Elatèrium	215	Erigènia	243	Eunymus	109, 588
Doryánthes	516	Elatine	55	Erigeron	294	Euosma	364
Dorycnium	137	Elègia	547	Erigeron	290	EUPATOREÆ	299
Dràba	25, 585	Eleiòtis	152	Erinus	394	Eupatòrium	300
Dràba	25, 26	Eleócharis	550	Eriobòtrya	176	Eupatòrium	291, 301
Dracæna	533	Elephántopus	288	Eriocàlia	243	Euphòrbia	453
Dracæna 517, 532, 533		Elettaria	492	Eriocáulus	546, 597	Euphòrbia	452
Dracocéphalum	408	Eleusine	571	Eriocéphalus	317	EUPHORBIACEÆ	
Dracocéphalum	406	Eleusine	571	Eriochilus	486		452
Dracóntium	479	Ellichrysium	292, 293	Eriocoma	314	Euphòria	84
Dracóntium	479, 480	Ellisia	380	Eriodéndron	66	Euphrasia	394
Dracophyllum	345	Ellobocárpus	577	Eriogonum	440	Eurya	72
Drepània	275	Elòdea	76	Eriolæna	69	Euryle	17
Drepanocárpus	161	Elshóltzia	400	Eriophorum	552	Eurycles	513
Drepanophyllum	245	Elymus	566	Eriophorum	552	Euryspèrnum	443
Drimia	529	Elyna	552	Eriophyllum	322	Eurycoma	121
Drims	13	Elytraria	420	Eriospèrnum	529	Eustachys	562
Drosèra	45	Embèlia	348	Eriostemon	107	Eustègia	361
DROSERACEÆ	45	Emblia	459	Eriostemon	407	Eustoma	364
Drummóndia	591						

	Page.		Page.		Page.		Page.
<i>Eùstrephus</i>	533	<i>Fragària</i>	189	<i>Gaúra</i>	198	<i>Glossòdia</i>	497
<i>Eutàxia</i>	124	<i>Fragària</i>	192	<i>Gay'a</i>	64	<i>Glóssula</i>	485
<i>Eutérpe</i>	543	<i>Franciscea</i>	389	<i>Gay'a</i>	591	<i>Glottidium</i>	143
<i>Eùthales</i>	324	<i>Frankènia</i> ..	48, 586	<i>Gazània</i>	312	<i>Gloxínia</i>	329
<i>Euthàmia</i>	298	FRANKENTACEÆ ..	48	<i>Geissomèria</i> ..	420	<i>Glycèria</i>	570
<i>Eùtoca</i> ..	380, 594	<i>Fransèria</i>	315	<i>Geissorhiza</i> ...	503	<i>Glycèria</i>	569, 570
<i>Euxènia</i>	315	<i>Frasèra</i>	363	<i>Gèla</i>	600	<i>Gly'cine</i>	140
<i>Euzòmum</i>	35	<i>Fráxinus</i>	350	<i>Gelònium</i>	457	<i>Gly'cine</i> 127, 141, 149,	
<i>Evax</i>	294	<i>Fráxinus</i>	351	<i>Gelsèmium</i>	353	 156, 157, 168	
<i>Evòdia</i>	107	<i>Frezièra</i>	72	<i>Genety'llis</i>	207	<i>Glycósmiss</i>	75
<i>Evólulus</i>	373	FREZI'EREÆ ..	72	<i>Geniòsporum</i> ...	414	<i>Glycirr'hiza</i>	141
<i>Exacum</i>	364	<i>Fritièra</i>	72	<i>Genipa</i>	261	<i>Gmelina</i>	417
<i>Exacum</i>	364	<i>Fritillària</i>	537	<i>Genista</i>	129	<i>Gnaphàlium</i>	291
<i>Excacària</i>	459	<i>Fritillària</i>	538	<i>Genista</i>	131	<i>Gnaphàlium</i> 291, 292,	
<i>Exocàrpus</i>	450	<i>Fúchia</i>	197, 590	GENI'STEÆ	125	 293, 308	
EXOG'ENÆ ..	1	FUCHSI'Æ	197	<i>Gentiana</i>	362	<i>Gnètum</i>	464
<i>Exostémma</i>	262	<i>Fuirèna</i>	552	<i>Gentiana</i>	364	<i>Gnídia</i>	449
<i>Fàba</i>	153	<i>Fumària</i>	20	GEN'TIANEÆ	362	<i>Godóya</i>	78
<i>Fabricia</i>	210	<i>Fumària</i>	20	<i>Geodòrum</i>	487	<i>Goldbàchia</i>	32
<i>Fabricia</i>	209	FUMARIACEÆ ..	20	<i>Geo'ffrèe</i>	167	<i>Gomèza</i>	487
<i>Fagàra</i>	107, 120	<i>Fúncia</i>	517	<i>Geoffròya</i>	168	<i>Gomèza</i>	487
<i>Fagèlia</i>	157	<i>Furc'œa</i>	534	<i>Geónoma</i>	544	<i>Gómphia</i>	109
<i>Fagònia</i>	104	<i>Fusànus</i>	450	<i>Geóphila</i>	264	<i>Gomphocàrpus</i> ..	361
<i>Fagr'œa</i>	353	<i>Gartnèra</i>	81	<i>Georgina</i>	310	<i>Gomphocàrpus</i> ..	361
<i>Fàgus</i>	467	<i>Gàgea</i>	527	GERANTACEÆ ..	88	<i>Gompholòbium</i> ..	124
<i>Falcària</i>	245	<i>Gàgea</i>	527	GERANI'Æ	88	<i>Gompholòbium</i> ..	123
<i>Fàlka</i>	373	<i>Gagnebina</i>	163	<i>Gerànium</i>	88	<i>Gomphrèna</i>	432
<i>Farsètia</i>	24	<i>Gaillardia</i>	310	<i>Gerànium</i> 88, 90, 91,		<i>Gomphrèna</i>	432
<i>Farsètia</i>	24	GALACI'NEÆ ..	345	92, 93, 94, 97, 98, 99,		<i>Gomütus</i>	544
<i>Fèdia</i>	268	<i>Galàctia</i>	140	 100, 101		<i>Gongòra</i>	489
<i>Fèdia</i>	269	<i>Galactites</i>	285	<i>Geràrdia</i>	395	<i>Goniocàrpus</i>	200
<i>Ferdinándia</i> ..	318	<i>Galactodéndron</i> ..	462	<i>Geràrdia</i>	396	<i>Gonolobus</i>	360
<i>Fernandèsia</i> ..	490	<i>Galanthus</i>	516	<i>Gerbèria</i>	299	<i>Gonostèmon</i>	358
<i>Fernèlia</i>	262	<i>Galar'hœus</i>	455	<i>Geropògon</i>	279	<i>Gonostèmon</i>	357
<i>Ferònia</i>	75	<i>Gàlax</i>	345	<i>Gesnèria</i>	329	<i>Goodènia</i>	324
<i>Ferrària</i>	499	<i>Galàxia</i>	499	<i>Gesnèria</i>	329	<i>Goodènia</i> ..	324, 325
<i>Ferrària</i>	497, 499	<i>Galàxia</i>	499	GESNER'EÆ ..	329	GOODENOVIÆ ..	324
<i>Ferreòla</i>	349	G'ALEÆ	265	<i>Gethy'llis</i>	516	<i>Goòdia</i>	126
<i>Férula</i>	250, 591	<i>Galedùpa</i>	161	<i>Getònia</i>	196	<i>Goòdia</i>	126
<i>Férula</i> ..	249, 250, 253	<i>Galèga</i>	141	<i>Gèum</i>	190	<i>Goodyèra</i>	485
<i>Festùca</i>	572	<i>Galèga</i> 142, 144,	156	<i>Gèum</i>	189, 190	<i>Gordònia</i>	73
<i>Festùca</i> 559, 567, 570,		<i>Galènia</i>	437	<i>Ghinia</i>	418	GORDONI'Æ ..	73
.. 571, 572, 573, 574		<i>Galeóbdolon</i>	405	<i>Gília</i>	368, 594	<i>Gortèria</i>	312
<i>Feuillœa</i>	215	<i>Galeópsis</i>	405	<i>Gília</i>	368	<i>Gossy'pium</i>	63
<i>Fibigia</i>	24	<i>Galinsògea</i>	308	<i>Gillènia</i>	194	<i>Gonània</i>	114
<i>Ficària</i>	7	<i>Galinsògea</i>	308	<i>Gilliesia</i>	546	<i>Gr'œmia</i>	315
FICOI'DEÆ ..	227	<i>Galipèa</i>	108	<i>Ginginsia</i>	220	GRAMI'NEÆ ..	552
<i>Ficus</i>	460	<i>Galium</i>	266	<i>Ginkgo</i>	473	<i>Grammànthes</i> ..	223
<i>Fièldia</i>	366	<i>Galium</i>	266	<i>Ginòria</i>	202	<i>Grammitis</i>	578
<i>Filàgo</i>	294	<i>Galphímia</i>	81	<i>Gisèkia</i>	433	<i>Grammitis</i>	578
FL'ICES	576	<i>Garcinia</i> ..	78, 587	<i>Githàgo</i>	54	GRAN'ATEÆ ..	195
<i>Fimbristylis</i> 550, 597		GARCI'NIÆ	78	<i>Gladiolus</i>	500	<i>Gràngea</i>	318
<i>Fischeria</i>	358	<i>Gardènia</i>	261	<i>Gladiolus</i> 499, 500, 501,		<i>Grangèria</i>	173
<i>Flacòrtia</i>	40	<i>Gardènia</i> ..	260, 261	 502		<i>Graphèphorum</i> ..	571
FLACOURTIANEÆ		GARD'ENIÆ ..	260	<i>Glaucium</i>	19, 585	<i>Gratiola</i>	396
..... 40		<i>Gardòquia</i>	409	<i>Glaúx</i>	428	<i>Gratìda</i>	396
<i>Flagellària</i>	546	<i>Garidèlia</i>	8	<i>Glechòma</i>	408	<i>Grenvillea</i>	96
<i>Flavèria</i>	313	<i>Garùga</i>	120	<i>Gleditschia</i>	168	<i>Grevillea</i>	446
<i>Fléminga</i>	152	<i>Gasteria</i>	519	<i>Gleichènia</i> 577, 598		<i>Grèwia</i>	70
<i>Flindèrsia</i>	86	<i>Gastònia</i>	256	GLEICHEN'EÆ ..	577	<i>Grèwia</i>	206
<i>Florestina</i>	306	<i>Gastridium</i>	555	<i>Glinus</i>	234	<i>Grias</i>	213
FLUVIALES ..	478	<i>Gastrocàrpha</i> ..	280	<i>Glòbba</i>	491	GR'ELEÆ	89
<i>Feniculum</i>	247	<i>Gastrolòbium</i> ..	124	<i>Glòbba</i>	491	<i>Grìclum</i>	89
<i>Feniculum</i>	245	<i>Gastronèma</i>	512	<i>Globalària</i>	426	<i>Griff'nia</i>	510
<i>Fontanèsia</i>	351	<i>Gaudichadàdia</i> ..	81	GLOBULARI'Æ ..		<i>Grindèlia</i>	298
<i>Forskòhlea</i>	463	<i>Gaudínia</i>	568	 426		<i>Gríslea</i>	202
<i>Fothergilla</i>	473	<i>Gaulthèria</i>	331	<i>Globùlea</i>	223	<i>Gronòvia</i>	216
<i>Fothergilla</i> ..	205	<i>Gaulthèria</i> ..	330	<i>Gloriosa</i>	539	GROSSULARI'Æ ..	238

Page.		Page.		Page.		Page.	
Guaiacum	104	<i>Hebenstreitia</i>	414, 415	<i>Hesperántha</i>	503	<i>Houstônia</i>	361
Guàrea	86	<i>Hedeoma</i>	404	<i>Héssperis</i>	29	<i>Houttuy'nia</i>	479
Guatteria	15	<i>Hédera</i>	256	<i>Héssperis</i> .. 22, 29, 30		<i>Hòvea</i>	125
Guazuma	67	<i>Hédera</i>	87	<i>Hesperoscórdum</i>	532	<i>Hovénia</i>	113
<i>Guepínia</i>	27	<i>Hedy'chium</i>	493	<i>Heteránthemis</i>	321	<i>Hóya</i>	359
<i>Guettárda</i>	260	<i>HEDYOTI'DEÆ</i>	262	<i>Heteranthera</i>	541	<i>Hudsonia</i>	43
<i>GUETTA'RDEÆ</i>	260	<i>Hedyótis</i>	262	<i>Heteromórpha</i>	247	<i>Huérnia</i>	359
<i>Guevina</i>	599	<i>Hedyótis</i>	599	<i>Heteropògon</i>	561	<i>Hugônia</i>	72
<i>Guilandina</i>	168	<i>Hedy'pnois</i>	275	<i>Heterópteris</i>	82	<i>Hùmea</i>	291
<i>Guilandina</i>	168	<i>Hedy'pnois</i>	275	<i>Heterospermum</i>	306	<i>Hùmulus</i>	463
<i>Gundelia</i>	288	<i>HEDY'SAREÆ</i>	148	<i>Heterotáxis</i>	489	<i>Hunnemánia</i>	19
<i>Gunnèra</i>	12	<i>Hedy'sarum</i>	151	<i>Heterótrichum</i>	205	<i>Hùra</i>	458
<i>Gustàvia</i>	213	<i>Hedy'sarum</i> 127, 140,		<i>Heterótrichum</i>	281	<i>Hutchínsia</i>	27
<i>GUTTI'FERÆ</i>	78	149, 150, 151, 152, 153		<i>Heuchèra</i>	242	<i>Hutchínsia</i>	27
<i>Guzmánia</i>	533	<i>Helmia</i>	202	<i>Heylândia</i>	127	<i>Hyacinthus</i>	528
<i>Gymnadenia</i>	483	<i>Helénium</i>	307	<i>Hey'nea</i>	86	<i>Hyacinthus</i> 527, 528,	
<i>Gymnema</i>	360	<i>Heleóchloa</i>	557	<i>Hexaglóttis</i>	498	 529, 530	
<i>Gymnocladus</i>	168	<i>Helianthemum</i>	41	<i>Hexaglóttis</i>	502	<i>Hyális</i>	502
<i>Gymnográmma</i>	578	<i>HELIA'NTHEÆ</i>	306	<i>Hibbertia</i>	13	<i>Hyánanche</i>	457
<i>Gymnoloma</i>	309	<i>Helianthus</i>	309	<i>Hibiscus</i>	61, 586	<i>Hydrangea</i>	242
<i>Gymnóstachys</i>	479	<i>Helianthus</i>	312	<i>Hicòrius</i>	465	<i>Hydrástris</i>	4
<i>Gymnóstylis</i>	317	<i>Helich'rysum</i>	292	<i>HIER'ACIÆ</i>	271	<i>HYDROCHARI-</i>	
<i>Gynandropsis</i>	37	<i>Helich'rysum</i>	294	<i>Hieracium</i>	271	<i>DEÆ</i>	476
<i>Gypsóphila</i>	48	<i>Helicònia</i>	495	<i>Hieracium</i> .. 273, 275		<i>HYDROCAR'YÆÆ</i>	200
<i>Gypsóphila</i>	51	<i>Helictes</i>	65	<i>Hieróchloe</i>	559	<i>Hydrocharis</i>	476
<i>Gyrocarpus</i>	442	<i>Heliocarpus</i>	70	<i>Híllia</i>	262	<i>Hydróchloa</i>	570
<i>Gyromia</i>	523	<i>Helio'phila</i>	36	<i>Hippéastrum</i>	508	<i>Hydrocòtyle</i>	243
<i>Gyrostemon</i>	71	<i>HELIOPHI'LEÆ</i>	36	<i>Hippia</i>	317	<i>Hydrocòtyle</i>	243
<i>Habenaria</i>	484	<i>Helio'spis</i>	309	<i>Hippia</i>	317	<i>HYDROCOTYL'INÆÆ</i>	
<i>Habenaria</i>	483	<i>Heliotrópium</i>	374	<i>Hippion</i>	364	 243	
<i>Hablützia</i>	434	<i>Heliotrópium</i> 374, 379		<i>HIPPOCASTA-</i>		<i>Hydroglóssum</i>	577
<i>Habranthus</i>	506	<i>Helleborine</i>	485	<i>NEÆ</i>	83	<i>Hydròlea</i>	369
<i>Hacquetia</i>	244	<i>HELLEB'OREÆ</i>	7	<i>Hippocratea</i>	79	<i>HYDROLE'ACEÆ</i>	
<i>Hæmadictyon</i>	356	<i>Helleborus</i>	7	<i>HIPPOCRATE'A-</i>		 369	
<i>Hæmanthus</i>	510	<i>Hellénia</i>	493	<i>CEÆ</i>	79	<i>HYDROPELTI'DEÆ</i>	17
<i>Hæmatóxylon</i>	169	<i>Hellénia</i>	493	<i>Hippocrèpis</i>	148	<i>Hydropéltis</i>	17
<i>HÆMODOR'ACEÆ</i>		<i>Helmínthia</i>	276	<i>Hippomane</i>	458	<i>HYDROPHY'LLÆÆ</i>	
..... 504		<i>Helónis</i>	540	<i>Hippomaráthrum</i>	255	 380	
<i>Hæmodorum</i>	504	<i>Helónias</i>	540	<i>Hippóphae</i>	451	<i>Hydrophy'llum</i>	380
<i>Hæga</i>	221	<i>Helosciadium</i>	245	<i>Hippóphae</i>	451	<i>Hydrophy'llum</i>	380
<i>Hæka</i>	446	<i>Hemárrhia</i>	562	<i>HIPPURI'DEÆ</i>	201	<i>Hygróphila</i>	420
<i>Halèsia</i>	347	<i>HEMEROCALLI-</i>		<i>Hippuris</i>	201	<i>Hymen'æa</i>	172
<i>Halimodéndron</i>	144	<i>DEÆ</i>	516	<i>Hiptage</i>	81	<i>Hymenanthera</i>	586
<i>Halleria</i>	389	<i>Hemerocállis</i>	516	<i>HIP'T'AGEÆ</i>	81	<i>Hymenocállis</i>	513
<i>Hállia</i>	127	<i>Hemerocállis</i>	517	<i>Hir'æa</i>	81	<i>Hymenocarpus</i>	132
<i>Halocháris</i>	282	<i>Hemidésmus</i>	356	<i>Hirculus</i>	240	<i>Hymenodictyon</i>	262
<i>Halocnènum</i>	437	<i>Hemigènia</i>	408	<i>Hirtèlla</i>	173	<i>Hymenoglyne</i>	234
<i>HALOR'AGEÆ</i>	200	<i>Hemimeris</i>	399	<i>Hòarea</i>	90	<i>Hymenopáppus</i>	306
<i>Halorágis</i>	200	<i>Hemimeris</i>	394	<i>Hoffmanséggia</i>	169	<i>Hymenophy'llum</i>	583
<i>Halorágis</i>	201	<i>Hemionitis</i>	578	<i>Hoitzia</i>	368	<i>Hymenophy'llum</i>	583
<i>HAMAMELI'DEÆ</i>		<i>Hemionitis</i> 578, 582		<i>Hólcus</i>	562	<i>Hyosc'yamus</i>	382
..... 473		<i>Hemitelia</i>	583	<i>Hólcus</i> .. 559, 561, 562		<i>Hyosc'yamus</i>	382
<i>Hamamelis</i>	473	<i>Hepática</i>	4	<i>Holigárna</i>	588	<i>Hyóseris</i>	276
<i>Hamèlia</i>	260	<i>Heracantha</i>	284	<i>Holmskiöldia</i>	417	<i>Hyóseris</i> .. 275, 276	
<i>HAMELI'ACEÆ</i>	260	<i>Heraclèum</i>	251	<i>Holóstèum</i>	55	<i>Hypécoum</i>	19
<i>Hamiltonia</i>	451	<i>Héracleum</i>	252	<i>Holóstèum</i>	55	<i>Hyperanthera</i>	168
<i>Hamiltonia</i>	263	<i>Herbértia</i>	497	<i>HOMALI'NEÆ</i>	116	<i>HYPERICI'NEÆ</i>	76
<i>Hapalostèphium</i>	273	<i>Heritièra</i>	66	<i>Homáium</i>	116	<i>Hypéricum</i>	76
<i>Hardwickia</i>	169	<i>Heritièra</i>	504	<i>Homèria</i>	498	<i>Hyph'æne</i>	543
<i>Haróngea</i>	76	<i>Hermánia</i>	68	<i>Hoódia</i>	359	<i>Hypocaly'ptus</i>	128
<i>Harpályce</i>	274	<i>Hermánia</i>	69	<i>Hookèra</i>	517	<i>HYPOCHÆRI'DEÆ</i>	276
<i>Harráchia</i>	420	<i>HERMANNI'EÆ</i>	67	<i>Hòpea</i>	347	<i>Hypoch'æris</i>	276
<i>Harrisonia</i>	361	<i>Hérmas</i>	255	<i>Hórdeum</i>	558	<i>Hypoch'æris</i>	276
<i>Hartògia</i>	111	<i>Hermínium</i>	483	<i>Horkèlia</i>	189	<i>Hypòlytrum</i>	598
<i>Hasselquistia</i>	252	<i>Hermione</i>	515	<i>Horminum</i>	409	<i>Hypoestes</i>	422
<i>Hastíngia</i>	417	<i>Hernándia</i>	442	<i>Hornemánia</i> 393, 394		<i>Hypol'æna</i>	547
<i>Havètia</i>	78	<i>Herniária</i>	220	<i>Hosáckia</i>	589	<i>Hyppòithys</i>	342
<i>Haworthia</i>	520	<i>Herniária</i>	393	<i>Hósta</i>	417	<i>HYPOXI'DEÆ</i>	505
<i>Hebenstreitia</i>	414	<i>Herrèria</i>	533	<i>Hottônia</i>	425	<i>Hypòxis</i>	505

	Page.		Page.		Page.		Page.
<i>Hyptis</i>	414, 594	<i>Jacaranda</i>	366	<i>Kundmannia</i>	247	<i>Lawsônia</i>	202
<i>Hyssopus</i>	402	<i>Jacksônia</i>	124	<i>Kùlnia</i>	299	<i>Laxmânia</i>	532
<i>Hyssopus</i>	402	<i>Jacquinia</i>	348	<i>Kuhnistèria</i> ..	141	<i>Lebéckia</i>	129
<i>Iantha</i>	490	<i>JACOB'Æ</i>	301	<i>Ky'dia</i>	69	<i>Lebéckia</i>	139
<i>Iberis</i>	27	<i>Jambolifera</i>	107	<i>Kyllinga</i> 552,	598	<i>Lebretônia</i>	61
<i>Iberis</i>	27	<i>Jambosa</i>	212	<i>LABIAT'Æ</i>	399	<i>Lecanocarpus</i> ..	431
<i>Ibbetsônia</i>	123	<i>Janipha</i>	458	<i>LABIATIFLOR'Æ</i>	280	<i>Lechèa</i>	43
<i>Ichnocarpus</i> ..	356	<i>Jasione</i> ..	328, 593	<i>Láblab</i>	159	<i>Lechenaultia</i> ...	324
<i>I'ceia</i>	589	<i>JASMI'NE'Æ</i> ..	352	<i>Lachenalia</i> ..	529	<i>LEC'THY'DE'Æ</i> ..	213
<i>Ilex</i>	111	<i>Jasminum</i>	352	<i>Lachn'æa</i>	449	<i>Lécythis</i>	213
<i>Ilex</i>	110, 111	<i>Jasônia</i>	294	<i>Lachnánthes</i> ..	504	<i>Lécythis</i>	213
<i>ILLECEBRE'Æ</i> ..	220	<i>Játropha</i>	457	<i>Lactuca</i>	277	<i>Ledebaria</i>	246
<i>Illecebrum</i>	220	<i>Játropha</i> ..	457, 458	<i>Lactuca</i>	277	<i>Lèdum</i>	344
<i>Illecebrum</i> 220, 221,	431,	<i>Jeffersônia</i>	17	<i>LACT'UCE'Æ</i> ..	277	<i>Lèdum</i>	344
.....	432	<i>Jenkinsônia</i>	100	<i>L'ætia</i>	40	<i>Leèa</i>	87
<i>Illicium</i>	13	<i>Johannia</i>	280	<i>Lagásca</i>	288	<i>LEE'ACE'Æ</i>	87
<i>Imatophyllum</i> ..	516	<i>Jóhnia</i>	80	<i>Lagáscea</i>	288	<i>Leérsia</i>	554
<i>Imbricaria</i>	349	<i>Jolífia</i>	215	<i>Lagenaria</i>	213	<i>LEGUMIN'OS'Æ</i>	122
<i>Imbôfia</i>	510	<i>Jonèsia</i>	169	<i>Lagerstr'œmia</i> ..	202	<i>Leimánthium</i> ...	540
<i>Impatiens</i> ..	102, 588	<i>Jonidium</i>	45	<i>LAGERSTR'œMIE'Æ</i>	202	<i>Leiophyllum</i> ...	344
<i>Impatiens</i>	101	<i>Jonidium</i>	43, 45	<i>Lagétta</i>	448	<i>Lémna</i>	478
<i>Imperata</i>	560	<i>Jossinia</i>	211	<i>Lag'œcia</i>	255	<i>Léns</i>	154
<i>Imperatoria</i>	251	<i>JUGLA'NDE'Æ</i>	465	<i>Lagony'chium</i> ..	164	<i>LENTIBULARI'Æ</i>	
<i>Imperatoria</i> 249, 250,		<i>Júglans</i>	465	<i>Lagosëris</i>	273		422
.....	251	<i>Júglans</i>	465	<i>Lagosëris</i>	278	<i>Leonotis</i>	404
<i>Indigófera</i>	139	<i>JUNCAGI'NE'Æ</i>	477	<i>Laguncularia</i> ..	196	<i>Leontice</i>	16
<i>Inga</i>	163	<i>JU'NCE'Æ</i>	545	<i>Lagunèa</i>	65	<i>Leóntodon</i>	274
<i>Inga</i>	163	<i>Júncus</i>	545	<i>Lagun'æa</i>	62	<i>Leóntodon</i>	275
<i>Inocarpus</i>	348	<i>Júncus</i>	545	<i>Lagurus</i>	559	<i>Leontopodium</i> ..	291
<i>Inula</i>	290	<i>Júngia</i>	592	<i>Laháya</i>	221	<i>Leonurus</i>	405
<i>Inula</i>	291	<i>Juniperus</i>	474	<i>Lamárcchia</i> 110,	562	<i>Leonurus</i>	407
<i>Ionópsis</i>	490	<i>Jussi'æa</i>	199	<i>Lambértia</i>	447	<i>Lepechinia</i>	409
<i>Ipom'æa</i>	370	<i>Jussi'ÆÆ</i>	199	<i>Lâmium</i>	406	<i>Lepeocercis</i> ...	561
<i>Ipom'æa</i>	373	<i>Justicia</i> ..	421, 595	<i>Lâmium</i>	406	<i>Lepidagáthis</i> ...	420
<i>Ipomopsis</i>	368	<i>Justicia</i>	420, 422	<i>Lanaria</i>	504	<i>LEPIDI'NE'Æ</i> ..	31
<i>Ipomopsis</i>	368	<i>Kæmpferia</i>	492	<i>Lancisia</i>	318	<i>Lepidium</i>	31
<i>Iresine</i>	433	<i>Kalanchoë</i>	224	<i>Lantana</i> 417,	595	<i>Lepidium</i>	27
<i>Iresine</i>	433	<i>Kálmia</i>	342	<i>Lapeyroúsia</i>	499	<i>Lepidosperma</i> ..	549
<i>IRI'DE'Æ</i>	495	<i>Kalosánthes</i>	224	<i>LAPL'ACE'Æ</i>	73	<i>Leptandra</i>	396
<i>Iris</i>	495	<i>Kaulfússia</i>	305	<i>Láppa</i>	281	<i>Leptánthus</i>	541
<i>Iris</i>	497, 498	<i>Kennèdya</i> 156,	589	<i>Lappago</i>	557	<i>Leptæsa</i>	240
<i>Isáchne</i>	564	<i>Kernèra</i>	26	<i>Lapsana</i>	274	<i>Leptocarp'æa</i> ..	22
<i>Isánthus</i>	399	<i>Kérria</i>	194	<i>Lapsana</i> 275,	276	<i>Leptocarpus</i> ...	547
<i>ISATI'DE'Æ</i>	32	<i>Kiggelària</i>	40	<i>Larbèra</i>	55	<i>Leptocaulis</i> ...	245
<i>Isàtis</i>	32	<i>KIGGEL'ARI'Æ</i> ..	40	<i>Lària</i>	475	<i>Leptóchloa</i>	571
<i>Isch'æmum</i>	562	<i>Kíngia</i>	545	<i>Lárrea</i> 104,	588	<i>Leptomèria</i>	450
<i>Isch'æmum</i>	562	<i>Kirganèlia</i>	459	<i>Laserpitium</i>	252	<i>LEPTOSPERME'Æ</i>	207
<i>Isértia</i>	260	<i>Kitaibèlia</i>	60	<i>Laserpitium</i> 249, 252,		<i>Leptospermum</i> ..	210
<i>Ismène</i>	513	<i>Kleinhòvia</i>	67		355, 591	<i>Leptospermum</i> ..	209
<i>Isnàrda</i>	200	<i>Kleinia</i>	301	<i>Lasiandra</i>	204	<i>Leptostélma</i> ...	299
<i>Isocárpha</i>	307	<i>Knáppia</i>	557	<i>Lasiopérmum</i> ...	279	<i>Lepturus</i>	563
<i>Isochilus</i>	489	<i>Knaútia</i>	271	<i>Lasiopérmum</i> ...	308	<i>Leptyrodia</i>	547
<i>Isóetes</i>	575	<i>Knaútia</i>	271	<i>Lasiopétalum</i> ..	67	<i>Lèria</i>	280
<i>Isólepis</i>	550, 597	<i>Knowltônia</i>	4	<i>Lasiopétalum</i> ..	67	<i>Lespèdeza</i>	152
<i>Isoptalum</i>	101	<i>Knóxia</i>	265	<i>Latania</i>	543	<i>Lespèdeza</i>	149
<i>Isopogon</i>	442	<i>Kobrésia</i>	549	<i>Lathr'æa</i>	422	<i>Lessértia</i>	144
<i>Isoyrum</i>	7	<i>Kòchia</i>	434	<i>Láthyrys</i>	155	<i>Lestibudèsia</i> ...	431
<i>Isótoma</i>	324	<i>Kòchia</i>	434, 435	<i>Láthyrys</i> 143,	154	<i>Lettsônia</i>	72
<i>I'tea</i>	345	<i>Køleria</i>	567	<i>Làgeria</i>	260	<i>Lettsônia</i>	373
<i>I'tea</i>	48, 332	<i>Køleria</i>	559	<i>LAURI'N'Æ</i>	441	<i>Leucadéndron</i> ..	442
<i>I'va</i>	314	<i>Kølpinia</i>	275	<i>Laurophy'llus</i> ...	599	<i>Leucadéndron</i> ..	444
<i>I'xia</i>	502	<i>Køltreutèria</i>	85	<i>Laurus</i>	141	<i>Leucas</i>	404
<i>I'xia</i> 498, 499, 500,		<i>Kønigia</i>	440	<i>Laurus</i>	141	<i>Leucèria</i>	280
.....	501, 502	<i>Kólbea</i>	540	<i>Lavándula</i>	408	<i>Leucocóryne</i> ...	532
<i>Ixiolirion</i>	510	<i>Kòniga</i>	25	<i>Lavándula</i>	414	<i>Leucòjum</i>	516
<i>Ixòdia</i>	291	<i>Krígia</i>	276	<i>Lavatèra</i>	60	<i>Leucopogon</i> ...	346
<i>Ixòra</i>	263	<i>Krígia</i>	276	<i>Lavènia</i>	308	<i>Leucoscéptrum</i> ..	402
<i>Ixòra</i>	263	<i>Krùbera</i>	252	<i>LAVOISI'ERE'Æ</i> ..	203	<i>Leucospermum</i> ..	444

	Page.		Page.		Page.		Page.
Leucostemma	293	Loddigèsia	128	Lyónsia	356	Mariálva	78
Leuzea	285	Lodiculária	562	Lyperanthus	486	Márica	497
Leuzea	282	Lodoicea	543	Lysimachia	425	Márica	498
Levisticum	249	Lœflingia	222	Lysimachia	425	Márika	78
Lewisia	227	Lógania	364	Lysinema	345	Mariscus	552, 598
Leysera	301	Loiseleuria	344	LYTHRARTEÆ	201	Márlea	213
Leysera	281, 307, 308	Lòlium	566	Lythrum	202	Marrubium	408
Liàtris	289	Lomandra	545	Lythrum	202	Marrubium	405
Libanotis	248	Lomaria	581, 598	Maba	349	Marsdenia	360
Libertia	498	Lomatia	447	Macbridea	409	Marshallia	306
Lichtensteinia	247	Lomatophyllum	517	Macleaya	19	Marsilea	576
Lichtensteinia	540	Lonchitis	583	Maciura	462	MARSILEACEÆ	576
Licuala	544	Lonchocarpus	143	Macradenia	488	Marty'nia	367
Lidbeckia	318	Longchampsia	308	Macranthus	156	Massonia	530
Lidbeckia	318	Lonicera	258	Macrocnemum	262	Massonia	527
Lightfootia	325, 592	Lonicera	258, 259	Macrocnemum	261	Matixa	308
Ligularia	240	Lopezia	200	Macrolobium	172	Matyba	84
Ligusticum	248	Lophanthus	402	Macropodium	23, 585	Mathiola	21
Ligusticum	245, 248,	Lophiola	504	Macrostylis	106	Matricaria	319
	249, 250, 255	Lophira	259	Macrotropis	122	Matthiola	260
Ligustrum	352	LOPHIREÆ	259	Macrotys	11	Mattia	378
Lilium	538	Lophosciadium	253	Madia	306	Maurandia	390
Lilium	538	Lophospermum	390	Mæsa	347	Mauria	119
Limeum	220	Lopimia	63	Magnolia	14	Mauritia	544
Limnætis	553	LORANTHEÆ	259	Magnolia	484	Maxillaria	489
Limnócharis	477	Loranthus	259, 592	MAGNOLIACEÆ	13	Maxillaria	489
Limodorum	487, 490	Lorèya	205	Magydaris	255	Maximiliana	544
Limonia	75	LOTEÆ	125	Mahernia	68	Máytenus	110
Limonia	75	Lòtus	137	Mahonia	16	Mæzus	393
Limosella	394	Lòtus	132, 137, 138,	Mahurea	78	Meconopsis	19
Linaria	390		139	Maieta	205	Medeola	523
Lincônia	116	Lourea	149	Mairania	330	Medeola	533
Lindernia	394	Loureira	460	Majanthemum	523	Medicago	132
Lindernia	394	Lówea	178	Malabaila	251	Medusa	453
Lindsæa	583, 599	Lubinia	425	Malachodendron	73	Megacarpæa	28
L'INEÆ	58	Luculia	260	Malachra	60	Megaclinium	488
Linnæa	259	Lucuma	349	Malaxis	487	Megasea	239
Linociera	351	Ludia	40	Malaxis	485, 486	Megastachya	570
Linum	58, 586	Ludia	40	Malconia	28	Melaleuca	207
Linum	58	Ludolfa	574	Malloccoca	70	Melaleuca	207, 210
Liparia	127	Ludovia	480	Malocchia	159	MELALEUCEÆ	207
Liparia	127	Ludwigia	200	Málope	58	Melampyrum	395
Liparis	486	Ludwigia	200	Malpighia	80	Melampodium	313
Lipostoma	599	Lúfia	214	Malpighia	80, 81	Melananthera	306
Lippia	419	Luhæa	599	MALPIGHTACEÆ		Melanorrhæa	588
Lippia	418	Lumnitzera	413, 414		80	Melanoselinum	253
Liquidambar	472	Lunaria	24	Málva	59, 586	Melanosticta	169
Liriodendron	14	Lunaria	24	MALVACEÆ	58	MELANTHACEÆ	
Lisianthus	364	Lupinaster	137	Malvaviscus	61		539
Lisianthus	364	Lupinus	159, 589	Mammæa	78	Melanthium	539
Lissanthus	346	Luzula	545	Mammillaria	235, 590	Melanthium	539, 540
Lissochilus	488	Luzuriaga	532	Mandragora	383	Melaspheula	502
Listera	486	Lychnis	54	Manettia	263	Melastoma	204
Lita	363	Lychnis	52, 53, 54	Mangifera	117	Melastoma	203, 204, 205,
Lithospermum	374	Lygium	389	Mangifera	117		206
Littæa	534	Lycopersicum	385	Mangilia	348	MELASTOMACEÆ	
Littorælla	429	LYCOPODIACEÆ		Manicaria	544		203
Livistona	543		576	Manisuris	563	Melhania	69
Llodyia	527	Lycopodium	576	Mantisia	491	Melia	85
Loasa	218	Lycopodium	576	Manulea	394	MELIACEÆ	85
Loasa	218	Lycopsis	377	Mappa	458	Melianthus	104
LOASEÆ	218	Lycopsis	376, 377	Maranta	495	Mélica	560
Lobadium	119	Lycopsis	399	Maranta	494	Mélica	560
Lobaria	240	Lycoris	509	Marattia	577	Melichrus	346
Lobelia	322, 592	Lygèum	552	Marcgravia	79	Melococca	84
Lobelia	324, 325	Lygodemia	277	MARCGRAVIA-		Melicope	107
LOBELIACEÆ	322	Lygodium	577, 598	CEÆ	79	Melicytus	40
Lockhartia	490	Lyonia	331	Margyricarpus	192	Melilotus	134

	Page.		Page.		Page.		Page.
<i>Melilòtus</i>	134	<i>Milium</i>	555	<i>Moronòbea</i>	79	<i>Narthècium</i>	545
<i>Melinis</i>	558	<i>Milium</i> 555, 564		<i>Morphixia</i>	502	<i>Nastàrtium</i> ..	21, 585
<i>Melissa</i>	409	<i>Milla</i>	596	<i>Mòrus</i>	462	<i>Nauclea</i>	263
<i>Melissa</i>	409	<i>Millèria</i>	313	<i>Mòrus</i>	462	<i>Nauenbùrgia</i> ..	288
<i>Melittis</i>	409	<i>Millingtonia</i>	366	<i>Moschòsma</i>	413	<i>Nebèlia</i>	116
<i>Melocactus</i>	235	<i>Mimètes</i>	444	<i>Mongeòtia</i>	68	<i>Negúndo</i>	82
<i>Melocánnna</i>	574	<i>Mimòsa</i>	163	<i>Mouriria</i>	195	<i>Nèja</i>	299
<i>Melòchia</i>	67	<i>Mimòsa</i> 163, 164, 165,		<i>Mozinna</i>	460	<i>Nèlitrìs</i>	210
.....		 166, 167		<i>Mucuna</i>	159	<i>Nelsonia</i>	422
<i>Melodinus</i>	356	<i>MIMOSEÆ</i>	163	<i>Muhlenbèrgia</i> ..	557	<i>Nelumbium</i> ..	17
<i>Melóthria</i>	215	<i>Mimulus</i> .. 394, 594		<i>Muhlenbèrgia</i> ..	559	<i>NELUMB'ONÆ</i> ..	17
<i>MEMECY'LEÆ</i> 195		<i>Mimùsops</i>	349	<i>MULINÆÆ</i>	243	<i>Nectòuxia</i>	383
<i>Memècyron</i>	195	<i>Minuártia</i>	221	<i>Mullera</i>	142	<i>Néctris</i>	17
<i>Meniòcus</i>	25	<i>MINUA'RTIÆÆ</i> ..	221	<i>Múndia</i>	47	<i>Negrètia</i>	159
<i>Meniscium</i> .. 578, 598		<i>Miràbilis</i>	429	<i>Muntingia</i>	71	<i>Nemesia</i>	390
MENISPERMA-		<i>Mirbèlia</i>	125	<i>Muràltia</i>	47	<i>Nemopánthes</i> ..	111
CEÆ	15	<i>Miscopétalum</i> ..	240	<i>Murràya</i>	75	<i>Nemòphila</i> ..	380
<i>Menispermum</i> ..	15	<i>Mitchèlla</i>	263	<i>Muruchia</i>	218	<i>Néftia</i>	485
<i>Menispermum</i> ..	15	<i>Mitèlla</i>	242	<i>Mùsa</i> 495, 596		<i>Néftia</i> .. 485, 486	
<i>Méntha</i>	399	<i>Mitèlla</i> 242, 591		MUS'ACEÆ ..	495	<i>Nepénthes</i> ..	452
<i>Méntha</i>	400	<i>Mitrásacme</i>	364	<i>Muscària</i>	241	<i>Nepèta</i>	407
<i>MENTHO'DEÆ</i> 399		<i>Minàrum</i>	221	<i>Muscàri</i>	528	<i>Nepèta</i> .. 402, 409	
<i>Mentzèlia</i>	218	<i>Modècca</i>	218	<i>Mussa'nda</i>	260	<i>NEP'ETEEÆ</i>	404
<i>Menyanthes</i>	364	<i>Mòehringia</i>	55	<i>Mussa'nda</i> 260, 261, 262		<i>Nephèlium</i>	84
<i>Menyanthes</i>	364	<i>Mòe'nchia</i>	55	<i>Músschia</i>	593	<i>Nephrodium</i> ..	579
<i>Menzièsia</i>	341	<i>Mogiphànes</i>	432	<i>Mutisia</i>	280	<i>Nephrodium</i> ..	580
<i>Meòschium</i>	562	<i>Moldenhàweria</i> ..	169	<i>Myagrum</i>	32	<i>Nerine</i>	509
<i>Mercuriàlis</i>	452	<i>Molin'æa</i>	84	<i>Myagrum</i> 31, 36		<i>Nèrium</i>	354
<i>Meriània</i>	203	<i>Molínia</i>	560	<i>Mygalùrus</i>	572	<i>Nèrium</i> 354, 355	
<i>Meriània</i>	204	<i>Móllia</i>	221	<i>Mygàdia</i>	111	<i>Nes'æa</i>	202
<i>Mertiénsia</i>	464	<i>Mollùgo</i>	55	<i>Mylocàrium</i>	332	<i>Nes'æa</i>	202
<i>Mertiénsia</i>	577	<i>Mollùgo</i>	55	MYOPORINÆ 419		<i>Néslia</i>	31
<i>Mesembryánthemum</i>		<i>Molopospèrium</i> 255		<i>Myòporum</i>	419	<i>Nestlèra</i>	308
..... 227		<i>Móltkia</i>	375	<i>Myòseris</i>	278	<i>Neurocàrpum</i> ..	140
<i>Mesembryánthemum</i>		<i>Moluccèlla</i>	405	<i>Myosòtis</i>	377	<i>Neurol'æna</i>	307
..... 234		<i>Moluccèlla</i>	405	<i>Myosòtis</i>	377	<i>Neurolòma</i>	24
MESEMBRYANTH-		<i>Momórdica</i>	215	<i>Myosùrus</i>	4	<i>Nicàndra</i>	383
MEÆ	227	<i>Momórdica</i>	214	<i>My'ricia</i>	210	<i>Nicolòsiana</i>	149
<i>Méspilus</i>	175	<i>Momàchne</i>	564	<i>Myrica</i>	472	<i>Nicotiana</i>	382
<i>Méspilus</i> .. 176, 177		<i>Monánthes</i>	226	<i>Myrica</i>	472	<i>Niebhùria</i>	39
<i>Messerschmídia</i> ..	378	<i>Monàrda</i>	403	<i>Myricària</i>	203	<i>Nigèlla</i>	8
<i>Messerschmídia</i> ..	378	<i>Monàrda</i>	404	<i>MYRI'CEÆ</i>	472	<i>Nigritèlla</i>	483
<i>Metàlalia</i>	292	<i>MONA'RDEÆ</i>	403	<i>Myriophyllum</i> ..	201	<i>Nintoòia</i>	258
<i>Metastélma</i>	362	<i>Monèrma</i>	563	<i>Myristica</i>	442	<i>Nipa</i>	544
<i>Methónica</i>	539	<i>Monèrma</i>	563	<i>MYRISTI'CEÆ</i> 442		<i>Niphòbolus</i>	578
<i>Metrosidèros</i>	209	<i>Monètia</i>	261	<i>Myròdia</i>	65	<i>Nissòlia</i>	142
<i>Metrosidèros</i> 207, 209		<i>Monnièra</i>	108	<i>Myrospèrium</i> ..	122	<i>Nitèlla</i>	575
<i>Mèum</i>	249	MONOCHLAMY-		<i>Myróxylum</i> ..	122	<i>Nitrària</i>	235
<i>Mèum</i> 245, 247		DEÆ	426	<i>My'rphis</i>	255	<i>Nivènia</i>	445
<i>Meyèra</i>	308	MONOCOTYLE-		<i>My'rphis</i> 246, 254, 255		<i>Nócca</i>	288
<i>Michaúxia</i>	325	D'ONEÆ	476	<i>My'r sine</i>	348	<i>Noissetia</i>	43
<i>Michèlia</i>	13	<i>Monodòra</i>	14	<i>My'r sine</i>	348	<i>Nolàna</i>	383
<i>Micònia</i>	205	<i>Monòpsis</i>	324	MYRSINÆÆ ..	347	<i>Nolina</i>	540
<i>MicònieÆ</i>	205	<i>Monòtoca</i>	346	<i>Myrsiphyllum</i> ..	533	<i>Nonatèlia</i>	260
<i>Micranthèra</i>	78	<i>Monòtropa</i>	342	MYRT'ACEÆ ..	206	<i>Nònea</i>	276
<i>Micránthes</i>	240	MONOTRÒPEÆ ..	342	<i>MYRT'ÆÆ</i>	210	<i>Noràntea</i>	79
<i>Microcèle</i>	364	<i>Monsònia</i>	88	<i>My'rtus</i>	210	<i>NORA'NTEÆ</i>	79
<i>Microchloa</i>	558	<i>Monsònia</i>	88	<i>My'rtus</i> .. 211, 212		<i>Notel'æa</i>	351
<i>Microcos</i>	70	<i>Móntia</i>	220	<i>Nagèia</i>	472	<i>Nothol'æna</i> ..	578, 598
<i>Micròdon</i>	415	<i>Montinia</i>	197	<i>Nàjas</i>	472	<i>Notóceras</i>	22
<i>Microl'æna</i>	574	MONTINIEÆ ..	197	<i>Nàma</i>	369	<i>Nóthria</i>	48
<i>Microlícia</i>	203	<i>Mor'æa</i>	497	<i>Nandina</i>	16	NOTORHIZEÆ ..	28
<i>Microlòma</i>	362	<i>Mor'æa</i> .. 497, 498		<i>Nap'æa</i>	64	<i>Noty'lia</i>	487
<i>Micropus</i>	294	<i>Moricándia</i>	34	<i>Naravèlia</i>	2	<i>Nùphar</i> 18, 585	
<i>Microstachys</i>	460	<i>Morina</i>	269	<i>Narcissus</i> .. 514, 596		<i>Nuttàlia</i>	63
<i>Microstýlis</i>	487	<i>Morinda</i>	263	<i>Narcissus</i>	515	NYCTAGINEÆ 429	
<i>Microtea</i>	433	<i>Moringa</i>	168	<i>Nàrdus</i>	552	<i>Nyctánthes</i>	352
<i>Micròtis</i>	486	<i>Morisònia</i>	39	<i>Nàrdus</i>	563	<i>Nycterisition</i>	349
<i>Mikània</i>	300						

	Page.		Page.		Page.		Page.
Nyctèrium ..	387	Oplothèca	432	Oxystélma	361	Patrisia	40
Nymph'æa ..	17, 585	Opópanax	249	Oxy'tropis	145	PATRI'SIÆ	40
Nymph'æa	18	Oporínia	275	Oxy'tropis	146	Paullínia	84
NYPH'ÆACEÆ ..	17	Opúntia	237, 591	Ozothámnus ..	291	Paullínia	84
Ný'ssa	451	OPUNT'ACEÆ ..	235	Pachidéndron ..	517	PAULL'NIÆ	83
Obèsia	358	O'rbea	357	Pachira	66	Pavétta	263
O'chna	108	ORCHIDÆ	483	Pachypòdium ..	594	Pàvia	83
O'chna	109	O'rchis	483	Pachyrhizus ..	159	Pavònia	61
OCHN'ACEÆ ..	108	O'rchis	483, 484	Pachysándra ..	456	Pectinària	357
Ochròma	66	Oreoselinum ..	250	Pachysándra ..	456	Péctis	306
Ochròsia	354	Origanum	402	Pæderia	265	Péctis	308
O'chrus	155	Orl'aya	253	Pæderòta	396	PEDALI'NEÆ ..	367
Ochthódium ..	28	Ormocárpum ..	149	Pælimbia	250	Pedálum	367
Ocôtea	441	Ormosia	122	Pæonia	12	Pediculàris ..	395
Octomèria ..	488	Ornithídium ..	489	PÆONI'ACEÆ ..	11	Pedilánthus ..	452
O'cymum ..	413, 594	Ornithocéphalus	488	Palafoxia	301	Péganum	105
O'cymum ..	413, 414	Ornithógalum ..	526	Paliurus	63	Péganum	105
OCYMOI'DEÆ ..	413	Ornithógalum 527, 532		Paliurus	112	Pèkea	213
Odontites ..	247	Ornithoglòssum ..	539	Pallasia	398	PELARGONI'Æ ..	89
Oedera	288	Ornithopus	148	PA'LMÆ	542	Pelargòonium 92, 587	
Edmánnia ..	126	Ornithopus	148	Panax	256	Pelargòonium 89, 90, 91,	
Enánthe	247	Ornitrophe	84	Pancrátium	513	 92, 100, 101	
Enánthe ..	247, 251	O'rnus	351	Pancrátium	513	Pelèxia	485
Enocárpus ..	543	Orobánche	422	PAND'ANEÆ ..	478	Peliosánthes ..	540
Enóphia	112	OROBANCHEÆ 422		Pandanus	478	Peltària	25
Enothèra ..	198	O'robis	156	Panicum	563	Pen'æa	346
Enothèra ..	200	O'robis 143, 155, 156		Panicum 553, 558, 563,		PEN'ÆACEÆ ..	346
OLACI'NEÆ ..	74	ORONT'ACEÆ ..	479	 564		Penicillària ..	553
O'olax	74	Oróntium	480	Papàver	18	Pennisètum ..	553
Oldenlándia ..	262	Oróntium	480	PAPAVER'ACEÆ		Pennisètum ..	553
O'lea	351	Oróstachys	225	 18		Pentadésma ..	78
O'lea	110, 351	Ortègia	221	PAPILION'ACEÆ	122	Pentápetes	69
OLE'INÆ	350	Orthóceras	485	Pappóphorum ..	567	Pentaphy'llon ..	137
Olínia	115	Orthopògon	563	Pappóphorum ..	567	Pentáptera	196
Olisbea	197	Orthosánthus ..	498	Pap yrus	552	Pentatáxis	292
Olivèria	255	Orthosiphon ..	413	Pardánthus	498	PENTH'OREÆ ..	227
Oly'ra	574	ORTHOSPERMEÆ	243	Pariàna	575	Penthòrum	227
Omalánthus ..	456	Orv'ala	406	Parietària	463	Pentstèmon	383
Omphàlea ..	458	Ory'za	575	Parinàrium	173	Pentzia	316
Omphalòbium ..	121	Oryzòpsis	552	Pàris	524	Peperòmia	482
Omphalòdes ..	378	Osbéckia	204	Parivòla	171	Péplis	201
ONAGR'ARIEÆ	197	OSBE'CKIÆ	204	Parkèria	577	Peráltea	168
Oncídium	488	Osmites	311	PARKERI'ACEÆ	577	Perdícium	280
Onobróma	284	Osmorhiza	255	Parkia	163	Perdícium	280
Onobróma ..	284	Osmúnda	577	Parkinsonia ..	169	Peréskia	238
Onobr'ychis ..	151	Osmúnda 577, 581, 582		Parnássia	46	Pergulària	359
Onoclèa	581	OSMUND'ACEÆ ..	577	Paróchetus ..	159	Pergulària	356
Onoclèa ..	581, 582	Oss'æa	205	Parony'chia ..	220	Peribállia	500
Onónis	131	Osteospermum ..	314	PARONYCHEÆ ..		Perilla	400
Onopórdum ..	283	Ostèricum	249	 220		Periplòca	356
Onopórdum ..	284	O'strya	467	PAROPSI'Æ	216	Periplòca	356
Onosèris	278	OSYRI'DEÆ ..	450	Pàrrya	24, 485	Periptera	63
Onósma ..	375, 594	Os'yris	450	Parsonsia	356	Peritoma	37
Onosmódium ..	375	Otánthus	315	Parthénium ..	314	Perlèbia	255
Operculària ..	268	Othónna	305	Pascàlia	308	Perojòia	346
Operculària ..	268	Otídia	90	Páspalum	555	Peròtis	554
OPERCULARI'Æ ..		Otóptera	140	Páspalum ..	554, 558	Pérsea	441
..... 268		Oútea	172	Passerina	449	Pérsea	441
OPHIOL'GLOSSEÆ	576	Ovièdia	499	Passerina	449	Persoónia	446
Ophioglòssum ..	576	OXALI'DEÆ ..	102	Passiflòra ..	216, 590	Persoónia	306
Ophiopògon ..	523	O'xalis	102, 588	Passiflòra ..	217, 218	Petalácte	292
Ophiorhiza ..	600	Oxyánthus	261	PASSIFL'OREÆ	216	Petalòma	195
Ophiostáchyis ..	540	Oxybáphus	429	Pastinàca	251	Petalostèmum ..	141
Ophiócydon ..	354	Oxycócus	330	Pastinàca ..	249, 251	Petámenes	500
Ophiúrus	563	Oxylòbium	123	Patagòonium ..	149	Petivèria	433
O'phrys	484	Oxypétalum	361	Patagónula	380	Petr'æa	417
O'phrys ..	483, 485	Oxy'ria	439	Patersonia ..	499	Petròbium	306
Oplismènus ..	563	Oxy'spora	203	Patrinia	268	Petrocállis	25

	Page.		Page.		Page.		Page.
Petromarula	593	PHYTOL'ACEÆ	433	Podaly'ria	123	Portulaca	219
Petrophila	443	Piaranthus	359	Podaly'ria	123	Portulaca	219
Petroselinum	245	Picodtia	378	Podanthes	358	Portulacaria	220
Petunia	383	Picramnia	119	Podanthus	315	PORTULACEÆ	219
Peuce	475	Picridium	279	Podocarpus	473	Posoqueria	261
PEUCED'ANEÆ	249	Picris	276	Podocarpus	473	Possira	162
Peucedanum	250	Picris	273, 275	Podolepis	299	Potamogeton	478
Peucedanum	249, 252	Pictetia	148	Podolobium	123	Potamophila	575
Peyrouisia	499	Pilea	463	PODOPHY'LLÆ		Potentilla	190, 589
Pfaffia	433	Pileanthus	207		17	POTENT'ILLÆ	187
Phaca	145	Pilularia	575	Podophyllum	17	Poterium	193
Phaca 143, 144, 145, 147		Pimella	450	Podophyllum	17	Pothos	479, 595
Phacelia	380	Pimpinella	246	Podopterus	440	Pothos	479
Phalangium	524	Pimpinella	245	Podospermum	279	Poupartia	120
Phalángium	525, 527,	Pinckneya	262	Podostigma	361	Pourretia	535, 596
	528	Pinguicula	422	Pogonia	486	Pozoa	243
Phalaris	559	Pinus	475	Pogonia	419	PRASI'Æ	413
Phalaris 554, 559, 567		Pinus	474, 475	Pogostemon	400	Prasium	413
PHANEROG'ANEÆ	476	Piper	481	Poinciana	169	Prasophyllum	485
Pharnaceum	55	Piper	482	Poirètia	149	Prænna	417
Pharnaceum	220	PIPER'ACEÆ	481	Poit'æa	143	Prenanthes	274
Pharus	574	Piptanthus	122	Poirvrea	196, 590	Prenanthes	274, 277
PHASE'OLEÆ	156	Piptatherum	555	Polanisia	38	Prescotia	486
Phaseolus	157	Piqueria	301	POLEMON'ACEÆ		Prestonia	355
Phaylopsis	420	Piriqueta	218		367	Priestleya	127
Phebaliun	107	Piscidia	143	Polemonium	367, 594	Primula	423
Phellandrium	247, 249	Pisodia	430	Poliánthes	517	Primula	425
PHILADE'LPHEÆ		Pistacia	119	Pollichia	221	PRIMUL'ACEÆ	423
	206	Pistorinia	225	POLLICH'ÆÆ	221	Prinos	111
Philadelphus	206	Pisum	154	Pollinia	561	Prismatocarpus	328
Philly'rea	351, 352	Pisum	155	Polybotrya	578	Priva	418
Philotheca	107	Pitcairnia	535	Polycarp'æa	221	Priva	418
Philoxerus	432	PITTOSP'OREÆ	48	POLYCARP'ÆÆ	221	Prœckia	40
Philoxerus	432	Pittosporum	48	Polycarp'æa	221	Prœcris	462
Philydrium	546	Plagianthus	65	Polycenia	414	Proiphys	513
Phileum	554	Plagiolobium	126	Polyenemum	437	Proserpinaca	201
Phileum	554	Planera	464	Polygala	46, 586	Prœsopis	164
Phlomis	405	PLANTAG'INEÆ	428	Polygala	47	Prostanthera	414
Phlomis	404, 405	Plantago	428	POLYGALEÆ	46	Prœtea	443
Phlox	368, 599	Platanthera	483	Polygonatum	523	Prœtea 442, 443, 444, 445	
Phœnix	543	PLAT'ANEÆ	472	POLYGO'NEÆ	438	PROTEACEÆ	442
Phœnœcoma	293	Platanus	472	Polygonum	438, 595	Prunella	410
Pholidota	489	Platyodon	592	Polygonum	434, 439	Prunus	174
Pholius	563	Platylobium	126	Polyomia	313	Prunus	173, 174
Phœrnum	534	Platylodium	126	POLYPODIA'CEÆ		Psamma	574
Photinia	176	Platypetalum	24		577	Pseudosophora	122
Phragmites	574	Platypteris	306	Polypodium	578	Psadia	299
Phryma	413	Platystylis	155	Polypodium	578, 580	Psidium	210
Phrynum	494, 595	Plectranthus	413	Polypogon	554	Psilothum	576
Phycella	510, 596	Plectranthus	413	Poly'spora	72	Psilurus	563
Phylla	114	Plectronia	110	Poly'stachya	489	Psophocarpus	159
Phylla	114, 115	Pleea	545	POM'ACEÆ	175	Psoralea	138
Phyllanthus	458	Pleopeltis	578	Pomaderris	113	Psoralea	141
Phyllanthus	459	Pleroma	204, 590	Pomaria	169	Psychine	35
Phyllis	265	Pleurandra	13	Pombalia	45	PSYCH'INEÆ	35
Phyllocladus	473	PLEUORRH'IZEÆ	21	Poncelletia	345	Psychotria	264
Phyllodium	151	Pleurospermum	255	Pongamia	161	Psychotria	260, 264
Phyllodium	159	Pleurothallis	488	PONTE'DEREÆ	541	Ptelea	121
Phylloma	517	Pleurothallis	487	Pontederia	541	PTELEACEÆ	121
Phyllogyne	515	Plœcama	265	Ponthiœva	485	Ptelidium	110
Phymatanthus	89, 587	Plukenetia	456	Populus	471	Pteris	582, 598
Physalis	383	PLUMBAG'INEÆ		Porana	373	Pteris	582, 583
Physospermum	255		426	Porana	373	Pterocarpus	161
Physostegia	406	Plumbago	427	Poranthera	599	Pterocarpus	161, 162
Phytelèphas	478	Plumèria	355	Porliera	104	Pteroccephalus	271
Phyteuma	328	Poa	568	Portenschlagia	110	Pteroneurum	24
Phyteuma	593	Poa	567, 569, 570	Portlandia	262	Pteronia	285
Phytolacca	433	Pocockia	134	Portlandia	262	Pterospermum	69

	Page.		Page.		Page.		Page.
<i>Pterostylis</i>	487	<i>Retanilla</i>	113	<i>Róthia</i>	274	SANTALACEÆ ..	450
<i>Pterygódium</i> ..	484	<i>Rétzia</i>	369	<i>Róthia</i>	156	<i>Santalum</i>	450
<i>Ptilostephium</i> ..	308	<i>Rhabdóchloa</i> ..	571	<i>Rottboéllia</i>	562	<i>Santolina</i>	315
<i>Ptychotis</i>	245	<i>Rhagadiolus</i>	275	<i>Rottboéllia</i> ..	562, 563	<i>Santolina</i>	315
<i>Puerária</i>	140	<i>Rhagadiolus</i>	275	<i>Rottliera</i>	457	<i>Sanvitalia</i>	308
<i>Pulicária</i>	291	<i>Rhagodia</i>	434	<i>Rourea</i>	121	SAPINDACEÆ ..	83
<i>Pulmonária</i>	375	RHAMNEÆ ..	112	<i>Roxbúrgia</i>	534	<i>Sapindus</i>	84
<i>Pulmonária</i>	374	<i>Rhamnus</i>	112	<i>Royena</i>	350	<i>Sápium</i>	458
<i>Pulsatilla</i>	3	<i>Rhamnus</i> 112, 113, 464	464	<i>Rúbia</i>	266	<i>Sápium</i>	458
<i>Pulten'æa</i>	124	<i>Rhâpis</i>	542	RUBTACEÆ ..	260	<i>Saponária</i> ..	51
<i>Pulten'æa</i>	123	<i>Rhapontica</i>	287	<i>Rûbus</i>	187, 589	<i>Saponária</i>	51
<i>Púnica</i>	195	<i>Rhêum</i>	440	<i>Rûbus</i>	189	SAPOTÆÆ ..	348
<i>Pupátia</i>	432	<i>Rhéxia</i>	203	<i>Rudbéckia</i>	310	<i>Sáraca</i> ..	169
<i>Purgósea</i>	223	<i>Rhéxia</i> ..	203, 204	<i>Rudbéckia</i> ..	307, 310	<i>Sáracha</i>	383
<i>Púrshia</i>	193	RHEXIÆ	203	<i>Rudólphia</i>	161	<i>Sarcánthus</i>	491
<i>Puschkinia</i>	525	<i>Rhinanthus</i>	395	<i>Ruélia</i>	420, 595	<i>Sarcocápnos</i> ..	20
<i>Pycnánthemum</i> ..	401	<i>Rhipidodéndron</i> ..	519	<i>Ruélia</i>	420	<i>Sarcocaulon</i> ..	83
<i>Pycnostachys</i>	414	RHIPSALIDÆÆ ..	238	<i>Ruízia</i>	69	<i>Sarcocéphalus</i> ..	263
<i>Pyrêthrum</i>	321	<i>Rhipsalis</i>	238, 591	<i>Ruízia</i>	84	<i>Sarcophilus</i>	489
<i>Pyrolo</i>	341	RHIZOBOLÆÆ ..	83	<i>Rulingia</i>	67	<i>Sarcococca</i>	456
<i>Pyrulária</i>	451	<i>Rhizóphora</i>	197	<i>Rulingia</i>	219	<i>Sarcólobus</i>	360
<i>Pyrus</i>	177	RHIZOPHOREÆ ..	197	<i>Rûmex</i>	439	<i>Sarcophyllum</i> ..	129
<i>Pyrus</i> .. 176, 177, 178	178		197	<i>Rûmex</i>	439, 440	<i>Sarcostemma</i>	361
<i>Pyxidanthera</i>	342	<i>Rhodiola</i>	225	<i>Rûmia</i>	244	<i>Saróthra</i>	77
<i>Quádria</i>	599	<i>Rhododéndron</i> ..	342	<i>Rûmia</i>	251	<i>Sarracénia</i> ..	18, 585
<i>Quáleá</i>	590	<i>Rhodora</i>	343	<i>Rúppia</i>	478	SARRACENTÆÆ ..	18
<i>Quássia</i>	108	RHODORACEÆ ..	342	<i>Rúscus</i>	523	SATUREIÆÆ ..	401
<i>Quélitia</i>	514	<i>Rhopala</i>	447	<i>Russelia</i>	390	<i>Saturêja</i>	401
<i>Quércus</i>	465	<i>Rhus</i>	117	<i>Rûta</i>	105	<i>Satyrium</i>	484
<i>Quéria</i>	221	<i>Rhus</i> 84, 118, 119, 465	465	<i>Rûta</i>	105	<i>Satyrium</i> ..	483, 485
<i>Quéria</i>	220	<i>Rhynchósia</i> ..	157	RUTACEÆ ..	105	<i>Saurája</i>	72
QUERIACEÆ ..	221	<i>Rhynchóspora</i> ..	549	<i>Rûyschia</i>	79	SAURAUJÆÆ ..	72
<i>Quisqualis</i>	196	<i>Ribes</i>	238, 591	<i>Rýanea</i>	40	<i>Saurûrus</i>	481
<i>Quivisia</i>	85	<i>Richardia</i>	480	<i>Sábal</i>	542	<i>Saussûrea</i>	281
<i>Radiola</i>	58	<i>Richardsonia</i>	265	<i>Sabbátia</i>	363	<i>Sauvagesia</i>	45
<i>Ráfnia</i>	126	<i>Rícinus</i>	458	<i>Sabicea</i>	260	<i>Saxifraga</i> ..	239, 591
<i>Ráfnia</i> 123, 126	126	<i>Rícinus</i>	458	<i>Sácccharum</i>	560	SAXIFRAGEÆ ..	239
<i>Rajania</i>	521	<i>Ricótia</i>	24	<i>Sácccharum</i> ..	560	<i>Scabiösa</i>	269
<i>Ramónda</i>	382	<i>Riedlêia</i>	68	<i>Sagerétia</i>	112	<i>Scabiösa</i> 269, 270, 271	271
<i>Rándia</i>	260	<i>Rindera</i>	578	<i>Sagina</i>	54	<i>Scæ'vola</i>	324
RANUNCULACEÆ ..	1	<i>Ripidium</i>	560	<i>Sagittaria</i>	477	<i>Scália</i>	299
.....	1	<i>Ripogonum</i>	523	<i>Sagr'æa</i>	205	SCANDICINÆÆ ..	254
RANUNCULÆÆ ..	4	<i>Ritchiea</i>	48	<i>Ságus</i>	543	<i>Scándix</i>	254
<i>Ranunculus</i>	4	<i>Rittèra</i>	162	SALICARIEÆ ..	201	<i>Scándix</i>	254
<i>Ranunculus</i> ..	7	<i>Rivina</i>	433	SALICÆÆ	468	<i>Schæfferia</i>	115
RAPHANÆÆ ..	35	<i>Robértia</i>	276	<i>Salicórnia</i>	436	<i>Schedonòrus</i>	571
<i>Raphanus</i>	36	<i>Robertsônia</i> ..	239, 240	<i>Salisbúria</i>	473	<i>Schelhammèra</i> ..	539
<i>Raphiölêpis</i>	176	<i>Robínia</i>	143	<i>Sálfix</i>	468	<i>Scheuchzèria</i>	477
<i>Rapistrum</i>	36	<i>Robínia</i> 141, 142, 143, 144, 168	143, 168	<i>Sálmea</i>	307	<i>Schinus</i> ..	119
<i>Rapistrum</i>	31		144, 168	<i>Sálmia</i>	480	<i>Schinus</i>	119
<i>Raspália</i>	115	<i>Róchea</i>	223	<i>Salomônia</i>	47	<i>Schismus</i>	559
<i>Rauwólfa</i>	353	<i>Rodígia</i>	276	<i>Salpiánthus</i>	430	<i>Schiveréckia</i>	25
<i>Rauwólfa</i>	353	<i>Rodígia</i>	276	<i>Salpiglóssis</i> ..	383, 594	<i>Schiz'æa</i> ..	577, 598
<i>Ravenália</i>	495	<i>Rodríguezia</i> ..	487	<i>Salsöla</i>	434	<i>Schizándra</i>	16
<i>Reaumúria</i>	235	<i>Roélla</i>	328	<i>Salsöla</i>	434, 435	<i>Schizándrea</i> ..	16
REAUURIÆÆ ..	235	<i>Roélla</i>	327	<i>Sálvia</i>	410	<i>Schizánthus</i>	396
<i>Redoutèa</i>	63	<i>Römèria</i> ..	19, 585	<i>Salvínia</i>	576	SCHIZOPETALÆÆ ..	37
<i>Reevèsia</i>	586	<i>Römèria</i>	571	<i>Sámara</i>	348	<i>Schizopetalum</i> ..	37
<i>Relhânia</i>	307	<i>Roeperia</i>	104	<i>Sambucus</i>	257	<i>Schkuhria</i>	306
<i>Remírea</i>	552	<i>Röhèda</i>	480	<i>Samèlus</i>	426	<i>Schmáltzia</i>	119
<i>Renanthèra</i>	491	<i>Rolándra</i>	287	<i>Sam'yda</i>	116	<i>Schmidèlia</i>	84
<i>Reneálmia</i>	493	<i>Rondelètia</i>	262	SAMYDEÆ ..	116	<i>Schmidtia</i>	554
<i>Reneálmia</i> ..	493, 498	<i>Rösa</i>	178	<i>Sandóricum</i>	85	<i>Schæmódum</i>	547
<i>Requiénia</i>	132	ROSACEÆ ..	178	<i>Sanguinária</i> ..	19, 585	<i>Sch'ænus</i> ..	549, 597
<i>Resèda</i>	39	<i>Roscöea</i>	492	<i>Sanguisórba</i>	193	<i>Sch'ænus</i> ..	549, 550
RESEDACEÆ ..	39	<i>Rosèa</i>	433	SANGUISORBEÆ ..	192	<i>Schæpfia</i>	347
RESTTACEÆ ..	546	<i>Rosmarinus</i>	404	<i>Sanicula</i>	244	<i>Schöllera</i> ..	330, 541
<i>Réstio</i>	547	<i>Rostrária</i>	574	SANICULEÆ ..	243	<i>Schötia</i>	172
				<i>Sansevièra</i>	517	<i>Schoús'b'æa</i>	196

	Page.		Page.		Page.		Page.
Schránkia	163	Seriola	276	SMILA'CEÆ	522	Spinácia	436
Schrebëra	111	Serzola	276	Smilacina	523	Spir'æa	194
Schubértia	474	Seriphium	288	Smilax	522	Spir'æa	194
Schultzia	245	Serissa	264	Smithia	149	SPIR'ÆACEÆ	193
Schwénckia	396	Serpícula	200	SMY'RNEÆ	255	Spiráleps	292
Scilla .. 527, 596, 599		Serrátula	281	Smy'rniun	255	Spiranthëra	108
Scilla .. 527, 528		Serrátula 281, 282, 283		Smy'rniun .. 245, 251		Spiránthes	485
Sciodaphyl'lum	256	Serrùria	445	Sobolëwska	32	SPIROLOBEÆ	36
Scirpus	550, 598	Sersalsia	349	Soja	158	SPONDIACEÆ	120
Scirpus	550	SES'AMEÆ	367	Solandra	388	Spóndias	120
SCITAMI'NEÆ	491	Sésamum	367	SOLANEÆ	380	Sporóbulus	557
SCLERA'NTHEÆ	221	Sesbània	143	Solànun	385	Spreikëlia	509
Scleránthus	221	Sesbània	143	Solànun .. 385, 387		Sprengëlia	345
Sclëria	549	Séseli	248	Soldanëlla	423	Staavía	115
Sclerocárpus	312	Séseli	245, 248	Soldevilla	276	Stáchys .. 406, 594	
Scleróchloa	569	SESELI'NEÆ	247	Sòlea	45	Stáchys .. 406, 407	
Sclerosciádium	247	Seslëria	567	Solidàgo	297	Stachytárfheta	418
Sclerothámnus	124	Seslëria	567	Solidàgo	298, 307	STACKHOUSEÆ	
Scolopéndrium	581	Sesúvium	234	Soliva	317		452
Scolopéndrium	578	Setària	553	Sónchus	278	Stackhódsia	452
Scólymus	280	Sèthia	80	Sónchus .. 277, 279		Stæhelina	285
Scopària	389	Seymëria	396	Sonnerátia	210	Stæhelina	281
Scopólia	382	Seymóuria	92	Sophòra .. 122, 589		Stanhópea	490
Scopólia	121	Shephërdia	451	Sophòra .. 122, 123		Stanlëya	31
Scorpiúrus	148	Sherárdia	266	SOPH'OREÆ	122	Stapëlia	357
Scorzonëra	278	Sherárdia	267	Sopronitis	489	Stapëlia 356, 357, 358,	
Scorzonëra	279	Sibbáldia	192	Sórbus	177		359
SCORZON'EREÆ	278	Sibthórpia	394	Sórghum	561	Staphylëa	109
Scóttia	126	Sicyos	215	Sorocépalus	445	STAPHYLE'ACEÆ	109
Scrophulària 391, 594		Sida	63, 586	Soulángia	114	Stárkea	298
SCROPHULARI- NÆ	389	Sida	63, 64, 65	Southwëllia	66	Státice	426
Scutellària	410	Sideránthus	298	Sowerb'æa	532	Stauracáanthus	129
Scùtia	113	Sideritis	407	Spallanzània	192	Stegània	581
Scyphánthus	218	Siderodéndron	264	Spanánthe	243	Stëlis	487
Scytàlia	84	Sideróxylon	349	Sparáxis	501	Stellària	55
Seafórtia	544	Sideróxylon 115, 348, 349		Sparáxis	501	Stellària	55
Seb'æa	364	Siegesbëckia	308	Spargànium	479	Stellèra	449
Secàle	564	Sievërsia	190	Spargánophorus	315	Stemódia	389
Secàle	566	Sievërsia	189	Sparrmánnia	70	Stenanthëra	346
Secamòne	356	Silàs	249	Spartina	553	Stenocárpus	447
Sèchium	215	Silène	51	Spartianthus	129	Stenochilus	419
Securidàca	47	SIL'ENEÆ	48	Spártium	129	Stenomësson	513
Securigera	148	Siler	252	Spártium 129, 130, 131		Stenorh'ychnus	485
Securinëga	460	Siler	252	Spatalánthus	503	Stenospërmum	209
Sèdum	225	SILER'INEÆ	252	Spatàlia	445	Stenotáphrum	563
Sèdum	225	Silphium	314	Spathëlia	121	Stephània	39
SELAGI'NEÆ	414	Silybum	282	Spathòdea	366	Sterculia .. 66, 599	
Selàgo	415	Simàba	108	Spatulària	240	STERCULI'ÆÆ	66
Selínium	249	Simarùba	108	Speculària	593	Stereóxylon	239
Selinum 248, 249, 250,		SIMAR'UBEÆ	108	Spennera	203	Sterigma	32
.....		Sínsia	599	Spergùla .. 55, 586		Steriphoma	39
Sellòa	301	Sínsia	307, 311	Spermacòce	265	Sternbëckia	79
Semecárpus	117	Sinàpis	34, 585	Spermacòce	265	Sternbërgia	505
Sempervivum	226	Sinàpis	35	SPERMAC'OCÆÆ	265	Stevënia	22
Sempervivum	226	Singàna	79	Sperma'dictyon	263	Stèvia	300
Senàcia	48	Sinningia	329	Spermáxyrum	75	Stèvia	301, 306
Senàcia	110	Siphonánthus	414	Sphácele	406	Stilàgo	460
Senebiëra	31	Siphonia	458	Sphæránthus	288	Stillingia	458
Senecillis	304	Sison	245	Sphærolóbium	124	Stipa	556
Senécio	302	Sison 245, 246, 247, 252		Sphæroph'ysa	144	Stizolóbium	159
Senécio	305	SISY'MBREÆ	28	Sphæróspora	501	Stob'æa	284
Séptas	222	Sisy'mbrium	29	Sphallerocárpus	255	St'ebe	288
Serápias	484	Sisy'mbrium 22, 29, 35		Sphenógyne	312	Stokësia	285
Serápias	486	Sisy'rinchium	498	Sphenótoma	345	Stratiòtes	476
Seriàna	83	Sium	246	Spielmánnia	418	Stravádium	213
Seringia	67	Sium 245, 246, 247, 251		Spigëlia	364	Strelitzia	495
		Sloànea	71	Spilánthes	306	Streptanthëra	501
		Smeathmánnia	216	Spilánthes	306, 307	Stréptium	418

	Page.		Page.		Page.		Page.
<i>Streptocarpus</i> ..	397	<i>Tamarix</i>	203	<i>Thelymitra</i>	486	<i>Tradescantia</i> 541,	542
<i>Streptopus</i>	523	<i>Tamarix</i>	203	<i>Thenardia</i>	355	<i>Tragacantha</i> ..	147
<i>Strobilus</i>	475	<i>TAMEÆ</i>	522	<i>Theobroma</i>	67	<i>Tragia</i>	460
<i>Strophanthus</i> ..	354	<i>Tamonia</i>	418	<i>Theophrasta</i> ..	353	<i>Tragia</i>	460
<i>Strumaria</i>	510	<i>Tamus</i>	522	<i>Thermopsis</i>	123	<i>Tragium</i>	246
<i>Struthiola</i>	449	<i>Tanacetum</i>	316	<i>Thesium</i>	450	<i>Tragopogon</i>	279
<i>Struthiopteris</i> ..	582	<i>Tanacetum</i>	316	<i>Thesium</i>	450	<i>Tragopyrum</i> ..	439
<i>Strychnos</i>	353	<i>Tanacetum</i>	389	<i>Thespesia</i>	63	<i>Tragus</i>	557
<i>Stuartia</i>	73	<i>TARAXACEÆ</i> ..	274	<i>Thlaspi</i>	37	<i>Trapa</i>	200
<i>Stuertia</i>	73	<i>Tarchonanthus</i> ..	315	<i>Thlaspi</i> .. 27, 31,	32	<i>Trattenickia</i> ...	306
<i>Sturmia</i>	557	<i>Tasmannia</i>	13	<i>THLASPIDÆÆ</i> ..	27	<i>Travoa</i>	588
<i>Stylandra</i>	361	<i>Tauscheria</i>	32	<i>Thomasia</i>	67	<i>Trèisia</i>	453
<i>STYLI'DEÆ</i>	324	<i>Taxanthema</i>	427	<i>Thrinax</i>	544	<i>TREMA'NDREÆ</i> ..	47
<i>Stylidium</i>	324	<i>Taxodium</i>	474	<i>Thrinax</i>	275	<i>Trevirania</i>	390
<i>Stylosanthus</i> ..	149	<i>TAXINEÆ</i>	473	<i>Thryallis</i>	81	<i>Tréwia</i>	557
<i>Stypandra</i>	525	<i>Taxus</i>	473	<i>Thuja</i>	474	<i>Trianthema</i>	219
<i>Styphelia</i>	346	<i>Taxus</i>	473	<i>Thuja</i>	473	<i>Tribrachia</i>	489
<i>Styphelia</i>	346	<i>Tecoma</i>	366	<i>Thunbergia</i>	419	<i>Trifolium</i>	104
<i>STYPH'ELLÆ</i> ..	346	<i>Tectonia</i>	418	<i>Thymbra</i>	409	<i>Trichæta</i>	573
<i>STYRACINEÆ</i> ..	347	<i>Tecdia</i>	389	<i>Thymbra</i>	409	<i>Trichera</i>	269
<i>Styrax</i>	347	<i>Teesdalia</i>	27	<i>THYMEL'ÆÆ</i> ..	448	<i>Trichilia</i>	85
<i>Suaeda</i>	435	<i>TELEPH'ÆÆ</i> ..	220	<i>Thymus</i>	401	<i>TRICH'LIÆÆ</i> ..	85
<i>Suardia</i>	558	<i>Telephium</i>	220	<i>Thymus</i> 399,	409	<i>Trichocéphalus</i> ..	114
<i>Subularia</i>	37	<i>Telfairia</i>	215	<i>Thysanotus</i>	532	<i>Trichochloa</i>	557
<i>SUBUL'ARIEÆ</i> ..	37	<i>Tellima</i>	242	<i>Thysanotum</i> 250,	251	<i>Trichodésma</i>	378
<i>Succisa</i>	269	<i>Telopea</i>	447	<i>Tiarélla</i>	242	<i>Trichodium</i>	556
<i>Succowia</i>	35	<i>Templetonia</i>	126	<i>Tiarélla</i>	242	<i>Trichodium</i>	556
<i>Sutherlandia</i> ..	144	<i>Tenoria</i> 247,	251	<i>Tiaridium</i>	374	<i>Tricholæna</i>	560
<i>Swainsona</i>	144	<i>Tephrosia</i> 141,	589	<i>Tibouchina</i>	204	<i>Trichomanes</i>	583
<i>Swartzia</i>	162	<i>Tephrosia</i>	156	<i>Ticorea</i>	108	<i>Trichonema</i> ..503,	596
<i>SWARTZ'IEÆ</i> ..	162	<i>Tephrothamnus</i> ..	126	<i>Tigrida</i>	193	<i>Trichophorum</i> ..	552
<i>Swertia</i>	156	<i>Tephrothamnus</i> ..	156	<i>Tigridia</i>	499	<i>Trichophyllum</i> ..	322
<i>Swertia</i>	363	<i>TEREBINTH'ACEÆ</i>		<i>Tigridia</i>	497	<i>Trichorhiza</i>	491
<i>Swietenia</i>	86		119	<i>Tilia</i>	71	<i>Trichosanthus</i> ..	215
<i>Swietenia</i>	86	<i>Terminalia</i>	195	<i>TILI'ACEÆ</i> ..	70	<i>Trichosanthus</i> ..	215
<i>Syagrus</i>	543	<i>TERMIN'ALIEÆ</i> ..	195	<i>Tiliacora</i>	15	<i>Trichostema</i>	403
<i>Symphianandra</i> ..	593	<i>Termostroma</i>	72	<i>Tillæa</i>	222	<i>Trichostema</i>	399
<i>Symphonia</i>	79	<i>TERNSTREMI'ACEÆ</i>		<i>Tillandsia</i>	535	<i>Tricoryne</i>	525
<i>SYMPH'ONIEÆ</i> ..	79		72	<i>Tithonia</i>	312	<i>Tridactylites</i>	241
<i>Symphoria</i> 258,	592	<i>Terpanthus</i>	108	<i>Tithymalus</i> 453,	454	<i>Tridax</i>	308
<i>Symphytum</i> ..	375	<i>Testudinaria</i>	522	<i>Tittmannia</i>	116	<i>Tridens</i>	567
<i>Sympieza</i>	332	<i>Tetracera</i>	12	<i>Tittmannia</i> .. 393,	394	<i>Tridentea</i>	358
<i>Symplocarpus</i> ..	479	<i>Tetradium</i>	121	<i>Tococa</i>	205	<i>Tridentalis</i>	425
<i>SYMPLOCI'NEÆ</i>		<i>Tetragonia</i>	234	<i>Toddalia</i>	121	<i>TRIFOLI'ÆÆ</i> ..	132
.....	347	<i>Tetragonia</i>	201	<i>Todea</i>	577	<i>Trifolium</i>	135
<i>Symplocos</i>	347	<i>Tetragonolobus</i> ..	138	<i>Tofieldia</i>	540	<i>Trifolium</i> .. 134,	137
<i>Synandra</i>	404	<i>Tetragonotheca</i> ..	307	<i>Tolpis</i>	275	<i>Triglôchin</i>	477
<i>Syncarpha</i>	281	<i>Tetramerium</i>	264	<i>Tonsella</i>	79	<i>Trigonella</i>	134
<i>Synedrella</i>	308	<i>Tetranema</i>	149	<i>Tontella</i>	79	<i>Trigonia</i>	80
<i>Synnottia</i>	501	<i>Tetranthera</i>	441	<i>TORDYLI'NEÆ</i> ..	252	<i>Trigonis</i>	84
<i>Syntherisma</i>	558	<i>Tetrapogon</i>	564	<i>Tordylium</i>	252	<i>Trillium</i>	523
<i>Sytenia</i>	30	<i>Tetrapteris</i>	81	<i>Tordylium</i> .. 251,	252	<i>Trinia</i>	245
<i>Syringa</i>	352	<i>Tetraphæa</i>	47	<i>Torenia</i>	393	<i>Triodia</i>	567
<i>Syzygium</i>	211	<i>Tetrazygia</i>	205	<i>Torilis</i>	254	<i>Triodia</i>	567
<i>Tabernæmontana</i> 354		<i>Teucrium</i>	402	<i>Torilis</i>	253	<i>Triopteris</i>	81
<i>Tacca</i>	481	<i>Thalâmia</i>	473	<i>Tormentilla</i>	190	<i>Triosteum</i>	259
<i>TACC'ACEÆ</i> ..	481	<i>THALAMIFL'ORÆI</i>		<i>Tortula</i>	418	<i>Triphasia</i>	75
<i>Tachigalia</i>	169	<i>Thalia</i>	494	<i>Tournefortia</i>	378	<i>Triphora</i>	486
<i>Tacsônia</i>	218	<i>Thalictrum</i>	2	<i>Tournefortia</i> 374,	379	<i>Triplinaria</i>	389
<i>Tænitis</i>	582	<i>Thamnea</i>	116	<i>Tourretia</i>	367	<i>Triplaris</i>	440
<i>Tagetes</i>	305	<i>Thamnochortus</i> ..	547	<i>Touchiroda</i>	172	<i>Tripsacum</i>	563
<i>Taliera</i>	543	<i>Thapsia</i>	252	<i>Trachellum</i>	328	<i>Tripsacum</i>	563
<i>Talauma</i>	584	<i>Thapsia</i>	248	<i>Trachymene</i>	243	<i>Triptilion</i>	280
<i>Talinum</i>	219	<i>THAPSI'ÆÆ</i>	252	<i>Trachymene</i>	243	<i>Trisetum</i>	568
<i>Talinum</i>	219	<i>Thaspium</i>	248	<i>Trachynotia</i>	553	<i>Trisetum</i> 567,	573
<i>Tamarindus</i>	169	<i>Thaspium</i>	245	<i>Trachyspermum</i> ..	245	<i>Tristania</i>	207
<i>TAMARISCI'NEÆ</i>		<i>Thèa</i>	73	<i>Trachytella</i>	584	<i>Tristegis</i>	558
.....	203	<i>Thelygonum</i>	463	<i>Tradescantia</i> 541,	597	<i>Triteleia</i>	532

	Page.		Page.		Page.		Page.
<i>Triticum</i>	564	VACCINIEÆ	329	<i>Viola</i>	43, 45	<i>Wulfenia</i>	396
<i>Triticum</i> 564, 565, 566,		<i>Vaccinium</i>	329	VIOLARIEÆ ..	43	<i>Wurmbea</i>	540
.....	573	<i>Vaccinium</i>	330	<i>Virgilia</i>	122	<i>W'yilia</i>	254
<i>Tritoma</i>	517	<i>Valántia</i>	266	<i>Virgilia</i>	122	<i>Xanthium</i> ..	314
<i>Tritonia</i>	502	<i>Valántia</i> 266, 267		<i>Viscaria</i>	53	<i>Xanthochymus</i> ..	78
<i>Triumfetta</i>	70	<i>Valeriana</i>	268	<i>Viscum</i>	259	<i>Xanthorrhæa</i> ..	534
<i>Trixago</i>	395	<i>Valeriana</i> 268, 269		<i>Vismia</i>	76	<i>Xanthosia</i>	243
<i>Trixis</i>	280	VALERIANEÆ 268		VISMIEÆ	76	<i>Xenopoma</i>	419
<i>Trixis</i>	280	<i>Valerianella</i>	269	<i>Visnaga</i>	245	<i>Xeranthemum</i> ..	294
<i>Trizeuxis</i>	488	<i>Vallaris</i>	356	<i>Visnea</i>	350	<i>Xeranthemum</i> 292, 293,	
<i>Trochiscanthus</i> ..	248	<i>Vallésia</i>	353	<i>Vitex</i>	416		294
<i>Trochocarpa</i> ..	346	<i>Vallisneria</i>	476	<i>Vitex</i>	417	<i>Xerophyllum</i> ..	540
<i>Trollius</i>	7	<i>Vallota</i>	512	<i>Vitis</i>	87	<i>Xerotes</i> ..	545
<i>Tromotriche</i> ..	358	<i>Vanda</i>	491	<i>Vitis</i>	87	<i>Ximenesia</i> ..	307
TROPÆOLEÆ 101		<i>Vanda</i>	491	<i>Vittaria</i>	582	<i>Ximènia</i>	75
<i>Tropæolum</i>	101	<i>Vandellia</i>	394	<i>Voandzeia</i>	168	<i>Ximènia</i>	104
<i>Trophis</i>	450	<i>Vangueria</i> 260, 600		<i>Vochysia</i>	197	<i>Xiphidium</i> ..	504
<i>Tróximón</i>	276	<i>Vanilla</i>	491	VOCHYSIEÆ ..	197	<i>Xiphopteris</i> ..	578
<i>Tróximón</i>	276	<i>Varronia</i> 379, 380		<i>Voehria</i>	363	<i>Xylóbium</i>	489
<i>Tulbagia</i>	517	<i>Vascôa</i>	126	<i>Volkameria</i>	416	<i>Xylomelum</i> ..	447
<i>Tulipa</i>	536	<i>Vauanthes</i>	223	<i>Volkameria</i> ..	415, 416	<i>Xylophylla</i> ..	459
TULIPACEÆ 536		<i>Velèzia</i>	54	<i>Vouapa</i>	172	<i>Xylopia</i> ..	15
<i>Tupistra</i>	480	<i>Vella</i>	35	<i>Wachendorfia</i> ..	504	<i>Xylosteum</i> ..	258
<i>Turgènia</i>	254	<i>Vella</i>	35	<i>Wahlenbergia</i> 325, 593		<i>X'yris</i>	546
<i>Turnera</i>	218	VE'LEÆ	35	<i>Waldsteinia</i> ..	189	<i>Xysmalobium</i> ..	361
TURNERACEÆ 218		<i>Vellèia</i>	324	<i>Waldsteinia</i> ..	189	<i>Yucca</i>	536, 597
<i>Turpinia</i>	109	<i>Vellèia</i>	324	<i>Walkera</i>	109	<i>Zacintha</i> ..	276
<i>Turpinia</i> ..	109, 149	<i>Vellòsia</i>	505	<i>Wallichia</i>	543	<i>Zaluzania</i> ..	318
<i>Turraea</i>	85	<i>Veltheimia</i>	517	WALLICHIEÆ ..	69	<i>Zamia</i> ..	476
<i>Turritis</i>	22	<i>Venàna</i>	599	<i>Wallrothia</i>	249	<i>Zannichellia</i>	478
<i>Turritis</i> 22, 23, 34, 585		<i>Ventenatia</i> ..	324, 346	<i>Wallrothia</i>	417	<i>Zanonia</i>	540
<i>Tussilago</i>	302	<i>Ventilago</i>	114	<i>Waltheria</i>	68	<i>Zapània</i> ..	418
<i>Tussilago</i>	280	<i>Veratrum</i>	540	<i>Wangenheimia</i> ..	560	<i>Zanthorhiza</i> ..	12
<i>Tylóphora</i>	589	<i>Verbascum</i>	380	<i>Watsonia</i>	500	<i>Zanthoxylum</i> ..	107
<i>Typha</i>	479	<i>Verbascum</i>	382	<i>Webèra</i>	261	<i>Zea</i> ..	574
TYPHINEÆ ..	479	<i>Verbena</i>	418	<i>Webèra</i>	261	<i>Zephyranthes</i> ..	505
<i>Ugèna</i>	577	<i>Verbena</i>	418	<i>Wedelia</i>	309	<i>Zexmenia</i> ..	309
<i>Ulex</i>	129	VERBENACEÆ 415		<i>Wedelia</i>	313	<i>Zièria</i> ..	107
<i>Ulmus</i>	464	<i>Verbesina</i>	308	<i>Weinmannia</i>	242	<i>Zietènia</i> ..	407
<i>Ulmus</i>	464	<i>Verbesina</i>	308	<i>Wendlandia</i> ..	15	<i>Zigadenus</i> ..	540
UMBELLIFERÆ ..		<i>Vernonia</i> ..	289, 592	<i>Westonia</i>	156	<i>Zilla</i>	35
.....	243	<i>Vernonia</i> ..	289	<i>Westringia</i>	402	ZILL'Æ ..	35
<i>Umbilicus</i>	225	VERNONIACEÆ 288		<i>Whittleya</i>	383	<i>Zingiber</i> ..	492
<i>Uncaria</i>	263	<i>Verónica</i>	396	<i>Wibelia</i>	274	<i>Zinnia</i>	307
<i>Uniola</i>	571	<i>Verónica</i> ..	396, 399	<i>Wiborgia</i>	308	<i>Zizania</i>	575
<i>Unona</i>	15	<i>Verticordia</i>	207	<i>Wigandia</i>	369	<i>Zizia</i> ..	245
<i>Urachne</i>	555	<i>Vesicaria</i> ..	24	<i>Willdenovia</i> ..	547	<i>Ziziphora</i>	404
<i>Urània</i>	495	<i>Vestia</i>	383	<i>Willemetia</i>	113	<i>Zizyphus</i> ..	112
<i>Urària</i>	149	<i>Viborgia</i>	128	<i>Willughbeia</i> ..	356	<i>Zizyphus</i> ..	112, 464
<i>Uraspermum</i> ..	255	<i>Viburnum</i>	257	<i>Windsoria</i>	567	<i>Z'ægia</i> ..	285
<i>Urèna</i>	60	<i>Vicia</i>	153	<i>Wintèra</i> ..	13	<i>Zórnia</i>	149
<i>Uropetalon</i> ..	528	<i>Vicia</i> ..	143, 154, 156	<i>Winterana</i> ..	13	<i>Zórnia</i>	150
<i>Urtica</i>	462	VICI'Æ	153	WINTEREÆ ..	13	<i>Zosmia</i> ..	252
<i>Urtica</i>	462	<i>Vieusseuxia</i>	498	<i>Wisteria</i>	157	<i>Zostera</i> ..	478
URTI'CEÆ ..	460	<i>Vigna</i>	159	<i>Witheringia</i>	388	<i>Zóysia</i> ..	554
<i>Urvillæa</i>	83	<i>Viguiera</i>	310	<i>Witsenia</i>	499	<i>Zuccagnia</i> ..	528
<i>Utricularia</i>	423	<i>Villarsia</i>	364	<i>Wittlesbackia</i> ..	73	<i>Zuringera</i> ..	108
<i>Uvária</i>	15	<i>Vilmorinia</i>	140	<i>Woodfordia</i> ..	202	<i>Zygopetalum</i> ..	496
<i>Uvária</i>	15	<i>Viminaria</i>	124	<i>Woodsia</i>	579	ZYGOPHYLLÆ ..	
<i>Uvulària</i>	539	<i>Vinca</i>	354	<i>Woodwardia</i> ..	581		104
<i>Uvulària</i> 523, 539		VINIFERÆ ..	86	<i>Wormia</i>	13	<i>Zygophyllum</i> ..	104
<i>Vaccaria</i>	51	<i>Viola</i>	43, 586	<i>Wrightia</i>	354	<i>Zygophyllum</i> ..	104

ENGLISH INDEX.

Page.		Page.		Page.		Page.	
Abele-tree	471	Balsam-herb	421	Birch-tree	467	Burnet	193
Achania	61	Balsam of Capevi	171	Bird Cherry	175	Burnet Saxifrage	246
Adam's needle	536	Balsam of Peru	122	Bird's-eye Primrose	424	Bur Parsley	253
Adder's-tongue	576	Balsam of Tolu	122	Bird's-foot	148	Bur-reed	479
African Almond	446	Balsam-seed	122	Bird's-foot Trefoil	134, 137	Butcher's Broom	523
African fleabane	315	Balsam-tree	78, 220			Butter and eggs	514
African Lily	517	Balsam-wood	122	Bird's-head	488	Butter-bur	302
African Marygold	305	Bamboo-cane	574	Bird's-nest	486	Butterfly-plant	483, 488
Agrimony	192	Bane-berries	11	Bird Pepper	384	Butter-nut	83
Akee-tree	84	Banana tree	495	Bird's-tongue	304, 539	Butter-tree	78, 349
Alaternus	112	Barbadoes Gooseberry	238	Birthwort	451	Butterwort	422
Alder	468		238	Bishop's-weed	245	Button-tree	196
Alexander's	255	Barberry	16, 584	Bitter-sweet	385	Button-weed	265
Alkekengi	384	Barley	558	Bitter Vetch	156	Button-wood	263
Alligator Pear	441	Barren-wort	16, 584	Bitter-wood	15	Cabbage	33
Akee-seed	58, 221, 435	Base Rocket	39	Blackberry	188	Cabbage-tree	543
Allspice	212	Basil	413	Black Bryony	522	Cajuputi-tree	207
Allspice-tree	194	Bastard Balm	409	Black Knapweed	285	Calabash-tree	389
Allum-root	242	Bastard Cabbage-tree	168	Black Parsley	253	Calaba-tree	78
Almond	173		168	Black Saltwort	428	Calamint	409
Almond Peach	173	Bastard Cardamon	492	Bladder Ketmia	62	Calathian Violet	362
Aloe-wood	117	Bastard Cedar	67, 86	Bladder-nut	109	Calf's-snout	390
Althæa-frutex	61	Bastard Cress	27	Bladder Senna	144	Caltrops	104
Amaranth	430	Bastard Cypress	549	Bleberry	329	Cammock	132
Amber-tree	265	Bastard Flower-fence	164	Blessed Thistle	287	Campion	51
Amboy na pitch tree	474		164	Bloodwort	19	Camphire-tree	441
American birds-eye	424	Bastard Hare's-ear	265	Blue-bottle	286	Canada Rice	575
American Cowslip	423	Bastard Indigo	142	Bog-rush	549	Canary Tea	63
Anchovy Pear	213	Bastard Mangeneel	355	Bonace-bark	449	Candleberry Myrtle	472
Andaman red wood	161	Bastard Orpine	459	Borage	378	Candy-tuft	27
Angelica	249	Bastard Pimpernell	426	Borecole	33	Cane-brake	574
Angelica-tree	256	Bastard Quince	177	Box-thorn	388	Canterbury bells	327
Anise	246	Bastard Saffron	284	Box-tree	456	Cape Aster	305
Aniseed-tree	13	Bastard Vervain	418	Brake	582	Cape Holly	110
Anotta	40	Bastard Vetch	145	Bramble	178	Cape Jasmine	261
Ape Orchis	483	Bawd-money	249	Brasiletto	168	Cape Phillyrea	110
Apple	177	Bay-tree	441	Bread-fruit	462	Caper-bush	38, 585
Apple-berry	48	Bead-tree	85	Bread-nut	462	Caper Sponge	454
Apricot	174	Bean	153	Bread-root	138	Carambola-tree	102
Arbor-vita	474	Bean-caper	104	Broccoli	33	Caraway	245
Archangel	406	Bean-trefoil	122	Brome-grass	573	Cardamon	493
Arracacha	255	Bear-berry	330	Brook-lime	398	Cardinal-flower	323
Arrow-grass	477	Bearbind	370	Brookweed	426	Cardoon	284
Arrow-head	477	Bear's-breech	419	Broom	131	Carline thistle	284
Arrow-root	495	Bear's-ear Sanicle	423	Broom-rape	422	Carnation	50
Artichoke	284	Bedstraw	266	Brown Knapweed	286	Carob-tree	169
Asarabacca	451	Beech-tree	467	Brussels sprouts	33	Carrión-flower	357
Ash-tree	350	Bee Ophrys	484	Bryony	214	Carrot	253
Asparagus	533	Beet	436	Buck-bean	364	Cascarilla	457
Aspen	472	Belladonna Lily	506	Buckler Mustard	27	Cashew-nut	117
Asphodel	524	Bell-flower	325	Buck's-eye tree	83	Cassava	458
Atamasco Lily	505	Bengal Quince	75	Buckthorn	112	Cassia	441
Auricula	425	Benjamin-tree	441	Buck-wheat	438	Cassioberry-bush	258
Avens	190	Bent-grass	556	Buck-wheat tree	332	Castor-oil nut	458
Awl-wort	37	Berry-bearing Alder	113	Buffalo-clover	136	Catalpa-tree	365
Azorele	176		113	Bugle	403	Catchfly	51
Bahama red-wood	113	Betle	482	Bugloss	377	Cat-chop	228
Balm	409	Betony	406	Bugwort	11	Catmint	407
Balm of Gilead	409	Bilimbi-tree	102	Bullace-tree	174	Cat's-ear	276
Balsam	101	Billberry	329	Bullet-grape	87	Cat's-tail	479
Balsam Apple	215	Bindweed	369	Burdock	280	Cat's-tail grass	554

	Page.		Page.		Page.		Page.
Cat Thyme . . .	403	Cornelian Cherry . . .	257	Dragon's-head . . .	408	Fox-chop . . .	227
Cauliflower . . .	33	Corn Cockle . . .	54	Dragon-tree . . .	533	Foxglove . . .	392
Cedar . . .	474, 475	Corn-flag . . .	500	Dropwort . . .	194	Fox-Grape . . .	87
Cedar of Goa . . .	474	Cornish Moneywort . . .	394	Drumstick-tree . . .	169	Foxtail-grass . . .	554
Cedar of Lebanon . . .	475	Costiary . . .	315	Duck-weed . . .	478	Fraxinella . . .	105, 588
Celandine . . .	19	Cotton-grass . . .	552	Duck's-foot . . .	17	French Honeysuckle . . .	156
Celery . . .	245	Cotton-Rose . . .	294	Dumb Cane . . .	481	French Marygold . . .	305
Centaur . . .	285, 592	Cotton-Thistle . . .	283	Dwarf fan palm . . .	542	French Sorrel . . .	440
Chamomile . . .	318	Cotton-tree . . .	63	Dyer's green-weed . . .	130	Friar's-cowl . . .	480
Charlock . . .	34	Couch-grass . . .	565	Dyer's-weed . . .	39	Fringe-tree . . .	351
Chaste-tree . . .	416	Cowbane . . .	244	Earth-nut . . .	167, 246	Fritillary . . .	537
Chaw-stick . . .	114	Cow-berry . . .	330	Earth Pea . . .	155	Frog-bit . . .	476
Cheese-rennet . . .	267	Cow-grass . . .	135	Egg-plant . . .	387	Frog Orchis . . .	483
Cherimolli . . .	14	Cowitch . . .	159	Egyptian-thorn . . .	166	Fumitory . . .	20
Cherry-tree . . .	174	Cow Parsnep . . .	251	Elastic gum tree . . .	458	Furze . . .	129
Chervil . . .	254	Cowrie Pine . . .	471	Elder . . .	257	Fustick-wood . . .	463
Chestnut . . .	467	Cowslip . . .	423	Elecampane . . .	290	Gambier-tree . . .	263
Chestnut Oak . . .	466	Cow-tree . . .	462	Elephant Apple . . .	75	Garden Balsam . . .	421
Chicasaw . . .	174	Cow-wheat . . .	395	Elephant-foot . . .	288	Garland flower . . .	493
Chickling Vetch . . .	155	Crab . . .	177	Elephant's-foot . . .	522	Garlic . . .	530
Chick Pea . . .	153	Cranberry . . .	330	Elm-tree . . .	464	Garlic-Pear . . .	38
Chickweed . . .	55	Crane's-bill . . .	88	Enchanter's Nightshade . . .	200	Genip-tree . . .	261
Chile Pine . . .	474	Creeping Cereus . . .	236	Endive . . .	280	Gentian . . .	362
China Aster . . .	297	Cress Rocket . . .	35	English Mercury . . .	434	Germander . . .	402
Chinese varnish . . .	118	Crosswort . . .	265	Ermine-chop . . .	228	German madwort . . .	377
Chives . . .	530	Crown Imperial . . .	538	Eryngo . . .	244, 591	Giant Fennel . . .	250, 591
Chocho . . .	215	Crow-foot . . .	4, 584	Evening-flower . . .	503	Ginger . . .	492
Chocolate-nut . . .	67	Crow-garlic . . .	530	Evening Primrose . . .	198	Gingerbread Plum . . .	173
Christmas Rose . . .	7	Crow's-foot-grass . . .	563	Evergreen Thorn . . .	175	Ginseng . . .	256
Christ's thorn . . .	112	Cuckold-tree . . .	166	Everlasting . . .	291	Gladwyn . . .	496
Cicely . . .	254	Cuckoo-flower . . .	23	Everlasting Pea . . .	155	Glasswort . . .	436
Cinnamon . . .	441	Cucumber . . .	214	Eye-bright . . .	394	Glastonbury-thorn . . .	176
Cinquefoil . . .	190, 589	Cumin . . .	252	Fan Palm . . .	543	Globe Amaranth . . .	432
Citron . . .	75	Cup-flower . . .	218	Feather-grass . . .	556	Globe-flower . . .	7
Clary . . .	412	Currant . . .	238, 591	Felwort . . .	363	Globe Thistle . . .	287
Clearing-nut . . .	353	Custard Apple . . .	14	Female Fern . . .	580	Goat's-beard . . .	194, 279
Cleavers . . .	267	Cypress . . .	474	Fennel . . .	247	Goat's Rue . . .	141
Cloth of Gold . . .	504	Daffodil . . .	514	Fenugreek . . .	134	Goat's Thorn . . .	147
Clove . . .	49	Dahlia . . .	310	Fescue-grass . . .	572	Gold of pleasure . . .	31
Clover . . .	136	Dahoon Holly . . .	111	Feverfew . . .	321	Golden-pert . . .	396
Clove-tree . . .	212	Daisy . . .	299	Fewerwort . . .	259	Golden Poley . . .	403
Clown's all heal . . .	407	Dammar Pine . . .	474	Fiddle-wood . . .	417	Golden-rod . . .	297
Club-moss . . .	576	Dandelion . . .	274	Fig Marygold . . .	227	Golden-rod tree . . .	436
Club-rush . . .	550	Darnel . . .	567	Fig-tree . . .	460	Golden Saxifrage . . .	242
Cochineal-fig . . .	237	Date Palm . . .	543	Figwort . . .	391	Golden Thistle . . .	280
Cockscomb . . .	431	Date Plum . . .	349	Filbert . . .	467	Goldy-locks . . .	298
Cocksfoot-grass . . .	570	Day Lily . . .	516	Filmy-leaf . . .	583	Gooseberry . . .	238
Cockshead . . .	152	Deadly Carrot . . .	215	Florin-grass . . .	556	Goosefoot . . .	434
Cockspur-thorn . . .	175	Deadly Nightshade . . .	383	Fir-tree . . .	475	Gourd . . .	213
Cocoa-nut-tree . . .	544	Dead Nettle . . .	405	Fishbone Thistle . . .	283	Gout-weed . . .	235
Cocoa-Plum . . .	173	Deodar . . .	475	Fish-poison . . .	142	Grains of Paradise . . .	492
Codlins and cream . . .	198	Deptford Pink . . .	49	Flat Pea . . .	126	Grape . . .	87
Coffee-tree . . .	264	Devil's-bit . . .	269	Flax . . .	58, 586	Grape Hyacinth . . .	528
Cogwood-tree . . .	441	Dewberry . . .	188	Flax Lily . . .	534	Grass-tree . . .	545
Coleseed . . .	33	Dill . . .	251	Fleabane . . .	289	Great Burnet . . .	193
Colewort . . .	35	Dittany of Crete . . .	402	Fleawort . . .	291	Greater Knapweed . . .	286
Colic-root . . .	517	Dock . . .	439	Flixweed . . .	29	Greek Valerian . . .	367
Colpoon-tree . . .	110	Dodder . . .	373	Flower de luce . . .	495	Green Dragon . . .	480
Coltsfoot . . .	302	Dog-chop . . .	227	Flower-fence . . .	169	Green-man . . .	483
Columbine . . .	8	Dog's-bane . . .	356	Flowering Ash . . .	351	Green Quinoa . . .	435
Comfrey . . .	375	Dog's Cabbage . . .	463	Flowering Fern . . .	577	Gromwell . . .	374
Common Cress . . .	31	Dog's-tail grass . . .	553	Flowering Raspberry . . .	188	Ground Ivy . . .	408
Common Dragon . . .	480	Dog's-tooth Violet . . .	539, 597	Flowering Rush . . .	477	Ground Pine . . .	403
Common Orpine . . .	225	Dogwood . . .	257	Fly Honeysuckle . . .	258	Groundsel . . .	302
Contrajerva-root . . .	464	Doob-grass . . .	558	Fly Ophrys . . .	484	Groundsel-tree . . .	289
Coral-tree . . .	160	Double Cocoa-nut . . .	543	Fool's Parsley . . .	247	Guaco . . .	300
Coriander . . .	256	Dragon . . .	479			Guava . . .	210
Cork-tree . . .	466					Guelder Rose . . .	257

	Page.		Page.		Page.		Page.
Guernsey Lily . . .	509	Indian-corn . . .	574	Lettuce . . .	277	Meadow Rue . . .	2
Gum Arabic . . .	166	Indian Cress . . .	101	Licca-tree . . .	108	Meadow Saffron . . .	539
Gum Cistus . . .	41	Indian Cucumber . . .	523	Lignum vitæ . . .	104	Meadow Saxifrage . . .	248
Gum Succory . . .	277	Indian Fig . . .	237, 591	Lilac . . .	352	Meadow-sweet . . .	194
Gum-tree . . .	534	Indian Lotus . . .	17	Lily . . .	538	Medick . . .	132
Hair-grass . . .	559	Indian Madder . . .	262	Lily of the valley . . .	523	Medlar . . .	175
Hairy green-weed . . .	130	Indian Millet . . .	561	Lily Pink . . .	532	Medusa's-head . . .	453
Hard-grass . . .	563, 567	Indian Shot . . .	494	Lily-thorn . . .	262	Melic-grass . . .	560
Hare's-ear . . .	246	Indigo . . .	139	Lime . . .	75	Melilot . . .	134
Hare's-foot Fern . . .	583	Ipecacuanha . . .	454	Lime-tree . . .	71	Melon . . .	214
Hare's-foot Trefoil . . .	135	Irish Heath . . .	341	Lion's-ear . . .	404	Melon Thistle . . .	235
Hare's-tail Grass . . .	559	Iron-tree . . .	264	Lion's-foot . . .	274, 291	Mercury . . .	452
Hart's-tongue . . .	581	Iron-wood . . .	209, 349	Lion's-leaf . . .	16	Mexican Lily . . .	507
Hartwort . . .	252	Ironwort . . .	408	Liquorice . . .	141	Mezereum . . .	448
Hassagay-tree . . .	111	Ivy . . .	256	Lizard Orchis . . .	483	Michælmass daisy . . .	296
Hatchet Vetch . . .	148	Jaca-tree . . .	464	Lizard's-tail . . .	481	Mignonette . . .	39
Hawkweed . . .	271	Jack in a box . . .	442	Lobel's Catchfly . . .	53	Milfoil . . .	319
Hawthorn . . .	176	Jacoba Lily . . .	509	Locust-tree . . .	143, 172	Milk Parsley . . .	249
Heart's-ease . . .	45	Jalap . . .	371	Logwood . . .	169	Milk Thistle . . .	282
Heart-seed . . .	83	Jamaica Birch . . .	120	London-pride . . .	240	Milk Vetch . . .	145, 589
Heath . . .	332	Jamaica Dogwood . . .	143	London Rocket . . .	29	Milkwort . . .	46, 586
Hedgehog . . .	134	Jamaica Ebony . . .	162	Looking-glass plant . . .	66	Milk-wood . . .	462
Hedge Hyssop . . .	396	Jambolana-tree . . .	211	Loose-strife . . .	425	Mint . . .	399
Hedge Mustard . . .	29	Japan Allspice . . .	195	Loquat . . .	176	Misseltoe . . .	259
Hedge Nettle . . .	406	Jasmine . . .	352	Lord Anson's Pea . . .	155	Mocker-nut . . .	465
Hellebore . . .	7	Jerusalem Artichoke . . .	309	Lousewort . . .	395	Moldavian balm . . .	409
Hemlock . . .	255	Jerusalem Sage . . .	405	Lovage . . .	249	Molucca balm . . .	405
Hemp . . .	463	Job's-tears . . .	574	Love Apple . . .	385	Moly . . .	530
Hemp Agrimony . . .	300	Jonquill . . .	515	Love-grass . . .	570	Monkey-flower . . .	394
Hen and chicken . . .	299	Judas-tree . . .	172	Love lies bleeding . . .	431	Monk's Basil . . .	413
Henbane . . .	382	Juniper . . .	474	Lucerne . . .	133	Monkshood . . .	9, 584
Henbit . . .	406	Jupiter's-beard . . .	132	Lungwort . . .	375	Moon-seed . . .	15
Herb Paris . . .	524	Kanguru Vine . . .	86	Lupine . . .	159, 589	Moonwort . . .	576
Herb Robert . . .	89	Kentucky Coffee-tree . . .	168	Lychnidea . . .	368	Moreton bay Chestnut . . .	589
Herb's-bill . . .	89	Kidney-bean . . .	157	Lyme-grass . . .	566	Morning-flower . . .	498
Hickory-nut . . .	465	Kidney Vetch . . .	132, 589	Madder . . .	266	Moschatel . . .	242
Hog Plum . . .	120	Knawel . . .	221	Madwort . . .	25	Motherwort . . .	405
Hogweed . . .	430	Knotted Marjoram . . .	402	Maidenhair . . .	582	Mountain Ash . . .	177
Holly . . .	111	Knot-grass . . .	220, 438	Maidenhair-tree . . .	473	Mountain Rose . . .	168, 203
Hollyhock . . .	60	Laburnum . . .	130	Maiden Plum . . .	119	Mountail Sorrel . . .	439
Honesty . . .	24	Lace-bark . . .	448	Mahogany-tree . . .	86	Mouse-chop . . .	228
Honey-berry . . .	84	Lady Fern . . .	580	Malabar nightshade . . .	433	Mouse-ear . . .	271
Honey-flower . . .	104	Ladies-mantle . . .	192	Malabar-nut . . .	420	Mouse-ear Chickweed . . .	57
Honeyuckle . . .	258	Ladies-slipper . . .	491	Malay Apple . . .	212	Mouse-tail . . .	4
Honeywort . . .	375	Ladies-smock . . .	23	Male Fern . . .	580	Mouse-tail grass . . .	572
Hooded Milfoil . . .	423	Ladies-traces . . .	485	Mallow . . .	59, 586	Moving-plant . . .	150
Hop . . .	463	Lamb's-chop . . .	228	Mammee-tree . . .	78	Moxa . . .	317
Hop Hornbeam . . .	467	Lamb's Lettuce . . .	269	Manchineel-tree . . .	458	Mudwort . . .	394
Horehound . . .	408	Lamp-wick . . .	405	Mandrake . . .	383	Mugwort . . .	317
Hornbeam . . .	467	Lancashire Asphodel . . .	545	Mango-ginger . . .	492	Mulberry . . .	462
Horn Gourd . . .	215	Lance-wood . . .	15	Mango-tree . . .	117	Mule Fern . . .	581
Horn Poppy . . .	19, 585	Larch . . .	475	Mangosteen . . .	78	Mullein . . .	380
Hornwort . . .	201	Larkspur . . .	8	Manna Ash . . .	351	Musk Melon . . .	215
Horse Chestnut . . .	83	Laserwort . . .	252	Maple . . .	82	Musk Okro . . .	62
Horse Radish . . .	26	Laurel . . .	175	Mare's-tail . . .	201	Musk Thistle . . .	281
Horse-radish tree . . .	168	Laurestine . . .	258	Marjoram . . .	402	Mustard . . .	34, 585
Horse-shoe Vetch . . .	148	Lavender . . .	408	Marrowfat Pea . . .	154	Myrobalan . . .	174
Horse-thistle . . .	282	Lavender-cotton . . .	315	Marsh Mallow . . .	60	Myrrh . . .	255
Hottentot Cherry . . .	110	Leadwort . . .	427	Marsh Marygold . . .	7, 584	Myrtle . . .	211
Hottentot Fig . . .	230	Leather-wood . . .	448	Marsh Pennywort . . .	243	Mysore-thorn . . .	169
Hound's-tongue . . .	378	Lee Chee . . .	84	Marsh Thistle . . .	282	Naseberry-tree . . .	349
Houseleek . . .	226	Leek . . .	530	Martagon . . .	538	Navelwort . . .	224
Humble plant . . .	162	Lemon . . .	75	Marygold . . .	313, 592	Navev . . .	33
Hyacinth . . .	528	Lemon-grass . . .	561	Marvel of Peru . . .	429	Nectarine . . .	173
Hyæna-poison . . .	457	Lentil . . .	154	Masterwort . . .	250, 251	Nettle . . .	462
Hyssop . . .	402	Leopard's-bane . . .	299	Mastick-tree . . .	119	Nettle-tree . . .	464
Ice-plant . . .	232			May Apple . . .	17		
Indian buckwheat . . .	438			Meadow-grass . . .	568		

	Page.		Page.		Page.		Page.
New Jersey Tea	113	Pepper	481	Redtop-grass	567	Screw-tree	65
New Zealand cork-tree	70	Peppermint	399	Red-water tree	163	Scrubby Oak	259
New Zealand Spruce	473	Peppermint-tree	208	Reed	574	Scurvy-grass	26
New Zealand Tea	210	Pepper Vine	87	Reed-grass	574	Sea-buckthorn	451
Nicker-tree	198	Perriwinkle	354	Rest-harrow	131	Sea Chickweed	57
Nightshade	385	Petty whin	130	Rhubarb	440	Sea Daffodil	513
Nippelwort	274	Pheasant's eye	4	Ribbon-flower	503	Sea-egg	134
Norfolk Island Pine	475	Phillyrea	351, 352	Rib-grass	428	Sea Heath	48, 586
Nutmeg	442	Physic-nut	457	Rice	575	Sea Holly	244
Nut-tree	467	Picotée	49, 50	Rocambole	530	Sea Kale	35
Oak	465	Pigeon Pea	159	Rocket	29	Sea Lavender	427
Oat-grass	567	Pigeon Plum	173	Rock-Rose	40	Sea Matweed	478, 574
Oats	568	Pig-nut	465	Rope-grass	547	Sea Parsnep	255
Ogechee-Lime	451	Pilewort	7	Rose	178	Sea Rocket	28
Oil-nut	451	Pillwort	575	Rose Acacia	143	Seaside Balsam	457
Oil-seed	308	Pimpernell	425	Rose Campion	54	Seaside grape	438
Oily-grain	367	Pine Apple	534	Rosemary	404	Seaside Laurel	458
Oily-Palm	543	Pine-tree	475	Rose of Jericho	28	Seaside Oat	571
Old man's beard	279	Pink	49, 50, 586	Rose-root	225	Sedge	547
Oleander	354	Pin-pillow	237	Rough Chervil	254, 591	Self-heal	410
Oleaster	451	Pipewort	546	Rough Plum	173	Sengreen	25
Olibanum-tree	120	Polshamin	355	Rue	105	Senna	170
Olive	399	Pistachia-tree	118	Rupture-wort	220	Sensitive Fern	581
Olive-bark tree	195	Pitcher-leaf	192	Rush	545	Sensitive-plant	162
Olive-wood	110	Pitcher-plant	452	Rush-nut	551	Septfoil	190
Omime-root	414	Plane-tree	472	Rye	564	Serpent-wood	353
Onion	513	Plantain	428	Rye-grass	566	Service-tree	177
Opera girls	491	Plantain-tree	495	Sacred Bean	17	Shaddock	75
Orache	435	Plank-plant	126	Sage	410	Shallon	331
Orange-Gourd	216	Plowman's spikenard	289	Sago-Palm	543	Shallot	530
Orange-tree	75	Plum-tree	170	Saintfoin	151	Sheep's-beard	279
Orpine	220	Poet's Cassia	454	St. Andrew's cross	77	Sheep's Scabious	328
Osage Apple	462	Poison bulb	510, 511	St. Barnaby's thistle	287	Sheep's Sorrel	440
Oswego Tea	404	Poison-nut	353, 354	St. Bruno's Lily	524	Shepherd's club	380
Otaheite Apple	120	Poison Oak	118	St. John's bread	169	Shepherd's Cress	27
Otaheite Chestnut	348	Poley	403	St. John's wort	76, 587	Shepherd's purse	27
Otaheite Myrtle	460	Polypody	578	St. Martin's flower	516	Shield Fern	579
Ox-eye	309	Pomegranate	195	St. Peter's-wort	258, 592	Shore-weed	429
Ox-eye Daisy	320	Pond-weed	478	Salep	481	Shrubby-horsetail	472
Ox-lip	424	Poplar	478	Salt-tree	144	Shrubby Trefoil	121
Ox-tongue	276	Poppy	18	Saltwort	434	Shumee-tree	166
Paony	12	Portugal Laurel	175	Samphire	249	Siberian bird's-eye	424
Palma Christi	458	Potatée	385	Sandal-wood	450	Siberian Crab	177
Palms	542, 545	Primrose	423	Sandbox-tree	457	Side-saddle flower	18,
Palo de vacca	462	Prince's feather	431	Sand Myrtle	344		585
Panic-grass	563	Privet	352	Sandwort	56, 586	Silk cotton tree	66
Papaw-tree	216	Puccoon	98, 585	Sanicle	244	Silver Fir	475
Paper Mulberry	462	Pumpkin	215	Sapota	349	Silver-tree	442
Paper Rush	552	Purslane	219	Sappan fruit	163	Single-seeded Cucum-	
Paraguay Tea	111	Purslane-tree	220	Sarsaparilla	522	ber	215
Parsley	245	Pyracantha	175	Satin-wood	86	Skirret	246
Parsley-piert	192	Quaking-grass	570	Savanna-flower	355	Skull-cap	410
Parsnep	251	Quamash	528	Savin	474	Slipper Spurge	452
Pasque-flower	3	Quillwort	575	Savory	401	Slipperwort	396
Passion-flower	216, 590	Quince	178	Savoy	33	Sloe-tree	174
Patience Dock	439	Radish	36	Savoy Spiderwort	524	Small Burdock	314
Pea	154	Ragged Robin	54	Sawfly Ophrys	484	Snail-flower	157
Peach	173	Ragwort	303, 305	Sawwort	281	Snake Cucumber	214
Pear	177	Rambootan	84	Saxifrage	239, 591	Snake Gourd	215
Pearlwort	54	Ramoon-tree	450	Scabious	269	Snakeroot	11, 452
Pecan-nut	465	Rampion	326	Scallion	530	Snake's-beard	523
Pellitory	463	Ramson	532	Scammony	369	Snake's-tongue	577
Pellitory of Spain	318	Rape	34	Scarlet-runner	157	Snake's-weed	438
Penny-cress	27	Raspberry	188	Scorpion-grass	377	Snakewood	464
Pennyroyal	400	Red Cedar	474	Scorpion Senna	148	Snakewort	300
Pennyroyal-tree	401	Red Quinoa	435	Scotch bird's-eye	424	Snap-dragon	390
Pennywort	225	Red Sandal-wood	161	Scotch Laburnum	130	Sneezewort	319
				Screw-Pine	478	Snowball-tree	257

	Page.		Page.		Page.		Page.
Snowberry . . .	258	Stork's-bill . . .	92, 587	Tree Mallow . . .	60	Water-soldier . . .	476
Snowberry-bush . . .	264	Stramonium . . .	383	Tree Onion . . .	530	Water Starwort . . .	201
Snowdrop . . .	516	Strapwort . . .	220	Trefoil . . .	135	Water Violet . . .	425
Snowdrop-tree . . .	347	Strawberry . . .	89	Triclor . . .	430	Water-weed . . .	478
Snowflake . . .	516	Strawberry-blite . . .	436	Trompet Marin . . .	514	Waterwort . . .	55
Soap-berry . . .	84	Strawberry-tree . . .	331	True Chervil . . .	254	Wax Dammar . . .	473
Soapwort . . .	51	Succory . . .	279	Trumpet-flower . . .	365	Wayfaring-tree . . .	257
Soft-grass . . .	562	Sugar-cane . . .	560	Trumpet Honeysuckle . . .	259	Weasel-chop . . .	228
Soldier-wood . . .	163	Sulphurwort . . .	250		259	Weymouth Pine . . .	475
Solomon's seal . . .	523	Sumach . . .	117	Tuberose . . .	517	Wheat . . .	564
Sorrel . . .	440	Summer Cypress . . .	434	Tulip . . .	536	Whipcord . . .	222
Sorrel-tree . . .	331	Sundew . . .	45	Tulip-tree . . .	14	Whiplash . . .	227
Sour-gourd . . .	65	Sunflower . . .	309	Tupelo . . .	451	Whitebeam . . .	177
Soursop . . .	14	Sun-Rose . . .	41	Turk's-cap . . .	235	White Cedar . . .	474
Southernwood . . .	316	Supple Jack . . .	84	Turmeric . . .	491	White Hellebore . . .	540
South-sea Myrtle . . .	210	Swallow-wort . . .	360	Turnep . . .	33	White Ipecacuanha . . .	35
South-sea Tea . . .	111	Sweet Bay . . .	441	Turnep Cabbage . . .	33	Whitlow-grass 25, 585	
Sow-thistle . . .	278	Sweet Briar . . .	179	Turnsole . . .	374	Whortle-berry . . .	329
Soy . . .	158	Sweet-flag . . .	480	Turpentine-tree . . .	119	Widow wail . . .	121
Spanish Broom . . .	129	Sweet Gale . . .	472	Twayblade . . .	486	Wild Basil . . .	409
Spanish Cress . . .	31	Sweet-grass . . .	570	Umbrella-wort . . .	429	Wild Bugloss . . .	377
Spanish Elm . . .	379	Sweet-gum tree . . .	472	Valerian . . .	268	Wild Chamomile . . .	319
Spanish-nut . . .	497	Sweet Maudlin . . .	319	Velvet-leaf . . .	15	Wild Cumin . . .	255
Sparrow-wort . . .	449	Sweet Pea . . .	155	Velvet Tamarind . . .	172	Wild Liquorice . . .	156
Spear-mint . . .	399	Sweet Potatoe . . .	371	Venus Flytrap . . .	46	Wild Rosemary . . .	331
Speedwell . . .	396	Sweet Scabious . . .	270	Venus looking-glass . . .	593	Wild Service . . .	177
Spider Ophrys . . .	484	Sweet-sop . . .	14	Venus Navelwort . . .	378	Wild Tansey . . .	191
Spiderwort . . .	541	Sweet Sultan . . .	285	Venus's comb . . .	254	Willow . . .	468
Spinel . . .	248	Sweet William . . .	49	Vervain . . .	418	Willow-herb . . .	198
Spinage . . .	436	Sword Fern . . .	578	Vetch . . .	153	Winged Pea . . .	138
Spindle-tree . . .	109, 588	Syrian Rue . . .	105	Vine . . .	87	Winter Aconite . . .	7
Spleenwort . . .	580	Syringa . . .	206	Violet . . .	43, 586	Winter-bark . . .	13
Sponge-tree . . .	166	Tacamahac . . .	472	Viper's Bugloss . . .	375	Winter-berry . . .	111
Spread-eagle . . .	488	Tallow-tree . . .	458	Viper's-grass . . .	278	Winter Cherry . . .	383
Spring-grass . . .	553	Tamarind . . .	169	Virginian creeper . . .	87	Winter Cress . . .	22
Spruce Fir . . .	475	Tamarisk . . .	203	Virginian Hemp . . .	436	Winter Grape . . .	77
Spurge . . .	453	Tangier Pea . . .	155	Virginian Silk . . .	356	Winter-green 341, 425	
Spurge Laurel . . .	449	Tansy . . .	316	Virgin's Bower . . .	1	Winter-green grass 556	
Spurless Violet . . .	45	Tare . . .	154	Wall-cress . . .	22, 585	Witch-Hazel . . .	473
Spurrey . . .	55, 586	Tarragon . . .	317	Wallflower . . .	21	Woad . . .	32
Squash . . .	215	Teak-wood . . .	418	Wall Rocket . . .	34	Wolfbane . . .	11
Squill . . .	527	Teasel . . .	269	Wall Rue . . .	580	Wolf-chop . . .	228
Squirting Cucumber . . .	215	Tea-tree . . .	73	Walnut-tree . . .	465	Woodbine . . .	259
		Thistle . . .	281	Wampee-tree . . .	75	Wooden-pear-tree 447	
Staff tree . . .	110	Thorn Apple . . .	383	Waratah . . .	447	Woodruff . . .	266, 592
Star Apple . . .	345	Thrift . . .	426	Wart-flower . . .	89, 587	Wood-rush . . .	545
Starch Hyacinth . . .	528	Throatwort . . .	328	Wartwort . . .	455	Wood-sage . . .	403
Starfish . . .	357	Tick-seed . . .	436	Water-caltrops . . .	200	Wood Sorrel . . .	102, 588
Star-flower . . .	117	Tiger-chop . . .	228	Water Chickweed . . .	220	Woolhead . . .	307
Starhead . . .	270, 592	Tiger-flower . . .	499	Water Cress . . .	22	Worm-grass . . .	364
Star of Bethlehem . . .	526	Tile-root . . .	503	Water Dropwort . . .	247	Wormwood . . .	316
Star of the earth . . .	429	Toad-flax . . .	390	Water Hemlock . . .	247	Yam . . .	521
Starry Scabious . . .	285	Tobacco . . .	382	Water Horehound . . .	398	Yarrow . . .	320
Star-thistle . . .	287	Tonquin Bean . . .	168	Water-leaf . . .	380	Yellow bird's-nest . . .	342
Starwort . . .	295	Toothpick . . .	245	Water Lily . . .	17, 585	Yellow Poley . . .	403
Sterile Strawberry . . .	192	Toothwort . . .	24, 422	Water Melon . . .	214	Yellow rattle . . .	395
Stichwort . . .	55	Touch me not . . .	102, 588	Water Milfoil . . .	201	Yellow-root . . .	4, 12
Stinking Horehound . . .	405	Tower Mustard . . .	22	Water Parsnep . . .	246	Yellow Sultan . . .	285
Stock . . .	21	Traveller's joy . . .	1	Water Pepper . . .	439	Yellow-wort . . .	363
Stonecrop . . .	225	Treacle Mustard . . .	25	Water Plantain . . .	477	Yew-tree . . .	473
Storax . . .	347	Tree Celadine . . .	19	Water Purslane . . .	201	Zebra-plant . . .	494

N.B. Mr. SWEET having now finished several of his Botanical Works, and many of his Friends having expressed a wish, that he would Cultivate some handsome, rare, and choice Plants for Sale, finding them at present so difficult to attain, has some intention of commencing in that way; and will be obliged to any of his Friends for their Orders, which will be punctually Executed, and the Plants sent with their proper Names.

WORKS

ON

BOTANY, AGRICULTURE, & RURAL ECONOMY,

Now Publishing, or in the Press.

SUPERIOR BOTANICAL WORK.

In Monthly Numbers, with Eight Coloured Plates, Royal 8vo. price 4s.

EDWARDS'S BOTANICAL REGISTER; or, Ornamental Flower Garden and Shrubbery. No. VIII. Third Volume of the New Series, for October, 1830. Continued by JOHN LINDLEY, Esq. F.R.S., Professor of Botany in the University of London, &c. &c.

Each Number contains Eight finely coloured Portraits, (to equal Drawings,) of the handsomest Plants and Shrubs grown in the Gardens and Public and Private Establishments of this Country, accompanied by their History, Mode of Treatment in Cultivation, Propagation, &c.

The thirteen Volumes completed, may be had either together or separately, price 2l. 9s. each, or by Numbers, 4s. each.

"What we consider the most valuable feature of this Work, and what distinguishes it peculiarly in its class, is the judicious selection of its subjects, and the constant introduction of greenhouse and hardy flowers and shrubs, in preference to those which are to be preserved only in the hot-house.—*Literary Gazette*.

"Mr. Douglas has sent home, to the Horticultural Society, more new and beautiful hardy herbaceous plants, from North America, than were ever before introduced by an individual from any country. These are beautifully figured in the Botanical Register, and are the more valuable as being fit for the open garden in every part of the Island.—*Loudon's Magazine of Botany*, &c.

"The Botanical Register, from containing most or all of the new plants introduced by the Horticultural Society, from the great care with which its plates are executed, and the judicious remarks on culture and general habit by Mr. Lindley, is, in consequence, the superior publication."—*Idem*.

"The Botanical Register has now, therefore, our unqualified approbation, and we shall lose no opportunity of saying so."—*Gardener's Magazine*, No. XXVI. for June, 1830, page 279.

BY THE FIRST AUTHORITY.

In Royal 8vo. with Plates coloured to equal Drawings, (to be continued Monthly,) price 5s. No. XXXVI, for October 1, 1830.

THE POMOLOGICAL MAGAZINE, or Figures and Descriptions of the most important Varieties of Fruit cultivated in Great Britain for the Dessert; with any Information resulting from successful Practice calculated to improve their Cultivation, pointing out the best or most proper Aspects, Situations, &c. Conducted by two Gentlemen intimately connected with the Horticultural Society of London.

"Handsomely, we may say splendidly got up, with forty-eight accurately drawn and finely coloured Plates. We cannot too highly recommend this work, as valuable to consult in the choice of fruits, and beautiful to look upon."—*Literary Gazette*, Dec. 13, 1828.

Valuable Works now Publishing by J. RIDGWAY.

"This is one of the most pleasing publications that we have met with for some time past, and is well worthy the attention of those whose delight is in the cultivation of Fruit. The various specimens of the Fruits given are coloured, and exceedingly well executed." — *Morning Herald*, Feb. 5, 1829.

Volumes I. and II., handsomely bound in Cloth, Price 3*l.* 3*s.* each.

*New Edition, Royal 8vo. Nineteen Plates, 21*s.**

ROSARUM MONOGRAPHIA; or, a Botanical History of Roses. To which is added an APPENDIX, for the Use of Cultivators, in which the most remarkable Garden Varieties are systematically arranged: with Nineteen Plates; Eighteen beautifully Coloured. By JOHN LINDLEY, Esq. F.R.S. L.S. and G.S., Professor of Botany at the University of London.

A TREATISE ON BULBOUS ROOTS; containing a Botanical Arrangement and Description of the Plants heretofore included under the Genera AMARYLLIS, CYRTANTHUS, CRINUM, and PANCRACTIUM; with general Observations and Directions for their Cultivation. By the Hon. and Rev. WILLIAM HERBERT. In royal 8vo. with coloured Plates. Price 5*s.*

SWEET'S GERANIACEÆ; or beautifully coloured Figures of the finest Geraniums; with their History, and plain Directions for their Cultivation, Propagation, &c. 5 vols. royal 8vo. price 3*l.* 16*s.* each, or by Numbers, 3*s.* each.

The FLORIST'S GUIDE; publishing in Monthly Numbers, at 3*s.* Each Number contains Four correctly and handsomely coloured Figures of the Flowers most esteemed by Florists, such as Tulips, Ranunculus, Auriculas, Hyacinths, Carnations, Pinks, Roses, &c. with the most approved methods of cultivation, directions for raising new varieties from seeds, &c. No. 40 was published on the 1st of October, 1830.

This Work is to be completed in Two Volumes, when it will comprise a Treatise for the Cultivation and Management of every Florist Flower.

The FLORA AUSTRALASICA. By ROBERT SWEET, F.L.S. Published in One handsome royal octavo Volume, containing fifty-six elegantly coloured Figures, of the most beautiful and curious Plants, natives of New Holland, and the South Sea Islands, (generally called Botany Bay Plants;) they are well adapted for a Greenhouse or Conservatory, and many will survive the Winters in the open ground, with a very little protection. Price £2. 2*s.* 6*d.* in Fourteen Numbers, Index, &c.; or Single Numbers, at 3*s.* each.

SWEET'S CISTINEÆ: An Account of the Family of CISTUS, or Rock-Rose, illustrated by handsomely coloured Figures, with the best Method of Cultivation and Propagation. The greater part of the species succeed well in the open borders, or in rock-work, and produce their showy flowers nearly all the Summer; the others may be protected through the Winter in a garden frame, or in the Greenhouse. Completed in one handsome Volume, royal octavo, price £4. 8*s.* bound in cloth, or, if preferred, the Work may be had in Numbers, 3*s.* each.

Sweet's Catalogue of Plants, Second Edition, with the Colour of the Flowers, &c. Price One Guinea.

SWEET's HORTUS BRITANNICUS; or, a Catalogue of all the Plants grown in the Gardens or found wild in Great Britain, arranged according to the Natural Orders to which they belong, with the addition of the Linnean Class and Order to each Genus; their Systematic and English Names, when first cultivated, the Colour of the Flowers, Accentuations, whether Trees, Shrubs, Evergreens, Climbers, Perennials, Bulbs, Water-plants, Biennials, or Annuals, references to Figures, and numerous Synonyms, with many other improvements. The whole brought down to the present time, and contains many hundreds of Plants not yet enumerated in any Catalogue of this country.

* * The rapid Sale of the last Edition proves the preference of the Arrangement in Natural Orders to that of the Linnean; and, in the present, the Author has spared neither labour nor expense to render it worthy the pre-eminence with which that was honoured.

In Monthly Royal 8vo. Numbers, price 3s.

The BRITISH FLOWER GARDEN and Ornamental Shrubbery. By ROBERT SWEET, F.L.S. No. XVII. for October 1. New Series.

Each Number contains four full and highly coloured Figures, with Dissections of the more essential parts, of the most beautiful, rare, curious, or interesting Herbaceous Plants or Flowering Shrubs, that are cultivated in the open Borders, Shrubberies, &c. in the Gardens of this Country; with a full Account of the best and most successful Mode of Management in Culture and Propagation, the Soils and Situations most suitable for them. Twenty-five Numbers will form each Volume, and three Volumes will complete the Series. The First Series, in Three Volumes, may be had, price 3*l.* 16*s.* each.

"The British Flower Garden ought to be in the hands of all Cultivators of hardy, flowering Plants."—*London's Gardener's Mag.*

In the Press, Fifth Edition, nearly ready.

SWEET'S HOTHOUSE and GREENHOUSE MANUAL; or, BOTANICAL CULTIVATOR. This Volume contains a full account of the best method of Cultivation and Propagation of all Plants grown in the Hothouses, Greenhouses, Frames, or in the open ground of the Gardens, or Plantations in this Country; with a full account of the Management of Bulbs, and the Parasitical and other Orchideous Plants. Price 12. boards.

"Indeed, what Mr. Sweet has said on the culture of Bulbs and Epiphytes in the last edition of his Botanical Cultivator, may be considered as the *ultimatum* on this subject for the British Gardener."—*London's Gardener's Magazine.*

IRIDEARUM GENERA, cum Ordinis Characteres Naturali, Specierum Enumeratione, Synonymisque. Auctore JOHN BELLENDEN KER, Esq. price 6*s.* 6*d.*

The GARDENRE'S REMEMBRANCER, & APIARIAN'S MONTHLY CALENDAR; The Gardener's Vegetable Seed Calendar, and Fruit Calendar; beautifully printed in Typolithography, and ornamented, on imperial drawing paper. It shews, at one view, every thing necessary to be done in Rural Affairs, to ensure a pro-

per succession of Crops, &c. with proper directions for the Management and Propagation of Bees, &c. &c. Price 5s. 6d.

"The work we have at present in hand contains, on one sheet, every direction necessary to the practical gardener, and will be found invaluable to lady florists." *Athenæum*.

CUSTOMS AND HUSBANDRY OF COUNTIES.

In Two Volumes, with Plates, price 15s. each.

THE PRESENT STATE OF THE TENANCY OF LAND IN GREAT BRITAIN, showing the principal Customs and Practices between Incoming and Outgoing Tenants, and the most usual method under which Land is now held in the several Counties; with Notices of the Husbandry and Implements in use; from an actual Survey in 1827, 1828, and 1829. By **LEWIS KENNEDY**, and **T. B. GRAINGER**.

* * The Second Volume comprises, the **HIGHLAND AND GRAZING DISTRICTS**. Also, Facts relative to the present state of the Woolgrowers, the general Mode of Management of Sheep Farms, with a Brief History of Sheep in Great Britain. And may be had separately.

"Interesting, not only to the Land-owner and Farmer, but, where such matters are under legal investigation, by suggesting important questions, it is calculated greatly to promote an expeditious and equitable decision on the subjects under consideration."—*Times*.

SHEEP HUSBANDRY.

EARL STANHOPE on SHEEP HUSBANDRY; being a Letter to the Owners and Occupiers of Sheep Farms; with the Evidence taken before a Select Committee of the House of Lords, appointed to take into consideration the State of the British Wool Trade; classed under different Heads. Price 4s.

PRACTICAL OBSERVATIONS on the National Advantages of the Arable System of SHEEP HUSBANDRY, and on the Improvement of **BRITISH FINE WOOL**, without deteriorating the Value of the Carcass. By **JOSHUA KIRBY TRIMMER**. Price 3s.

OBSERVATIONS on the Disease which has lately been so destructive to Sheep, called Bane, or Coath, particularising the Causes, and minutely describing the Modes of effecting its Cure; and pointing out those means which ought to be adopted to prevent its recurrence. By **JOHN DAVEY**. Read at the Annual Meeting of the Bath and West of England Society, and ordered to be printed. 2s. 6d.

DAIRY HUSBANDRY.

THE COMPLETE HISTORY of DAIRY HUSBANDRY; and particularly with reference to the System pursued for many years at the celebrated Establishment at Willow Bank, near Glasgow; including Improved Modes for Ventilating Stables, Reclaiming Waste Lands, Management of Hedge Row Fences, and other Information highly important to the Farmer and Rural Economist. By **WILLIAM HARLEY**. One Volume, 8vo. Copper-plates. 21s. bound in Cloth.

Second Edition, Price 3s. 6d.

IMPROVED SHORT HORNS, and their Pretensions stated; being an Account of this celebrated Breed of Cattle, derived from Authentic Sources. To which is added, An Enquiry as to their Value for general purposes, placed in competition with the improved Herefords. By the Rev. HENRY BERRY. Dedicated to Sir CHARLES MORGAN, Bart. M. P.

MANGEL WURTZEL, *Price 6d.*

REPORT of the COMMITTEE of the DONCASTER AGRICULTURAL ASSOCIATION, on the Advantages of MANGEL WURTZEL, as a Fallow Crop; founded on Returns received in answer to Queries issued by the Committee.

BONE MANURE.

A REPORT of the COMMITTEE of the DONCASTER AGRICULTURAL ASSOCIATION on the Advantages of Bones as a Manure, founded on Returns received in answer to certain Queries issued by the Committee.

Returns were received from forty-nine practical Farmers of every variety of Soil in the County.

"This Report is so important, is so ably drawn up, and embodies such a compendium of practical information, that we feel it our duty to the Farming Interest of Britain to recommend its perusal."—*Farmers' Journal*.

IMPROVEMENT OF MEADOW AND PASTURE LANDS.

HORTUS GRAMINEUS WOBURNENSIS; or, an Account of the Results of various Experiments on the Produce and Fattening Properties of different Grasses, and other Plants, used as the Food of the more valuable domestic Animals; carried on for a number of years at Woburn Abbey, by command of the Duke of Bedford, and, being now matured, are presented for the benefit of the agricultural community. Illustrated with numerous Specimens of the Plants and Seeds, in Sixty Plates, with Practical Observations on their natural habits, the Soils best suited to their Growth, with Instructions for the Preservation of their Seed; pointing out the kinds most profitable for Permanent Pasture, Irrigated Meadows, Dry or Upland Pasture, and the Alternate Husbandry. Accompanied with the discriminating Character of the Species and Varieties. By G. SINCLAIR, F.L.S. and F.H.S., Gardener to his Grace the Duke of Bedford, &c. &c. Third Edition. Price £1. 10s. plain, and coloured £2. 2s. under the Author's immediate inspection.

"The Hortus Gramineus Woburnensis does honour to our country."***—*Monthly Critical Gazette*.

Second Edition, in 8vo. with Engravings, 9s. boards,

THE BRITISH FARMER; to which is added, **THE PLOUGH-MAN'S GUIDE**. By JOHN FINLAYSON, Esq.

"One of the most valuable Tracts on Agriculture that has appeared for a number of years.—*London's Gardeners' Magazine*.

AN ESSAY ON THE WEEDS OF AGRICULTURE; with Practical Remarks on their Destruction. By the late B. HOLDITCH, Esq. and G. SINCLAIR, F.L.S. F.H.S. Author of *Hortus Gramineus Woburnensis*. Second edition. 3s. 6d.

"If we were at liberty to follow our inclinations, we should treat this pamphlet, not according to its bulk, but its importance, and follow Mr. Holditch, and his editor, (for it is only the 1st chap. that is strictly, in its present form at least, attributable to the former,) through their respective chapters on "Weeds which infest Samples of Corn; Fallow Weeds; Weeds which are principally objectionable, as they encumber the Soil, or whose Roots are annual, and whose Seeds pass the corn-sieve; Weeds that never rise in the crop, nor come into the sickle; Pasture Weeds, &c. &c." * * * The passages we have marked in our progress, as worthy of quotation, might form a valuable little Manual for the Practical Farmer."—*Monthly Magazine*.

A SYSTEM FOR MANAGING HEAVY AND WET LANDS WITHOUT SUMMER FALLOWS; under which a considerable Farm in Hertfordshire is kept perfectly clean, and made productive. By THOMAS GREG, Esq. Third Edition, with an Appendix, pointing out how the infant Turnip may be protected from Insects. To which are added, Extracts from some Letters written by the Earl of Thanet, proving the infallibility of the Plan; as presented to the Board of Agriculture, and now published at their request. Price 5s. with Plates.

ELLIOT'S FARMER'S ACCOUNT BOOK for 1831; being the result of many years extensive practice. By Double Entry in one Book, the arrangements are clear and concise; printed and ruled ready for filling up, under the heads of Day Labour, Task Labour, Bills, Debts owing and owed, Live Stock, Green Crops, Corn, Hay, and Straw, Rent, Taxes, Cash, &c. Illustrated by a Michaelmas Valuation, and a Weekly Account, filled up for examples, &c. Price 1l. 1s. for one year, and 10s. 6d. for a half year.

"No Farmer desirous of knowing the exact state of his expences, ought to be without this Work."

PONTEY'S PROFITABLE PLANTER; a Practical Treatise on Planting Forest Trees in every description of Soil and Situation. 1 vol. 8vo. plates, 10s. 6d. boards. Fourth edition.

"Pontey, one of the most extensive and successful Planters now living, and also a Landscape Gardener of no small distinction."—*Vide Sir Henry Stuart, Bart. on Planting, page 62.*

PONTEY'S FOREST PRUNER, or Timber Owner's Assistant. 1 vol. 8vo. plates, 12s. Fourth edition.

PONTEY'S RURAL IMPROVER; a Practical Treatise on the Management of such Rural Scenes and Objects as are necessary to promote the Comfort, Convenience, and Embellishment of the Residences of the higher Ranks of Society. With plates, 1 vol. 4to. 2l. 2s.

* * The above three Works are by W. PONTEY, Planter and Forest Pruner to the Duke of Bedford.

THE FRUIT GROWER'S INSTRUCTOR; or a Practical Treatise on Fruit Trees, from the Nursery to Maturity; to which is added an effectual Remedy for, and Prevention from the American Blight, which causes the Canker in Apple Trees. By G. BLISS, Nurseryman. 6s.

"This is a Practical Treatise on the Culture and Preservation of Fruit Trees in general, and more particularly the Apple Tree, by one of the most extensive growers in the kingdom. The best modes of Grafting, Pruning, and Budding, are laid down with the utmost clearness. A very ample Catalogue of our Fruit Trees, and a description of the appearance, flavour, and qualities of their production, is also given." * * * * "But the most valuable part of this volume is that which relates to the Canker, and the remedy which Mr. Bliss has discovered for this destructive blight." * * *—*Monthly Critical Gazette.*

THE BRITISH FARMER'S (QUARTERLY) MAGAZINE, No. XVI. published on August 1, 1830, contains—

Branch I. Original Communications: Portrait, Short-horned Bull.—On the Improvement of Waste Land, by Mr. Aiton, (concluded.)—On the Advantages of Shallow Sowing, (concluded.)—Remarks on Ditto.—Mr. Gray's Letter to the late Lord Castlereagh, on the Currency, (concluded.)—Remarks on Mr. Taylor's Letter on the Wheat Fly, by Delta.—Mr. Gray's further Observations on "Observer."—Mr. Berry, on the Improved Breeds of Cattle, in Reply to Mr. Hayward.—On the Anglesea Breed of Cattle, by Mr. Berry.—On the Choice of a Farm.—Mr. Gray's Address to Electors of Great Britain and Ireland.—On Tithes.

Review of Agricultural Publications: Billington's Facts and Observations on Forest Pruning.—Colonization.—Irish Cottagers, by Mr. Doyle.—Webster's Dictionary.—The British Co-operator.—Oracle of Health.

Branch II. Agricultural Intelligence: Miscellaneous Extracts and Observations. Agricultural Quarterly Reports: For England.—For Scotland.—Corn Trade, —Smithfield, Mrak Lane.—Wool Trade.—Provision Trade.—Hop Trade.—State of Ireland.—Hamburg Prices of Grain.—Principal Fairs.

Branch III. Sporting Intelligence.

No. XVII. will be published on November 1st.

The Three Volumes of this Work, (comprising Nos. 1. to XIII.) illustrated by Eleven finely engraved Portraits of celebrated Cattle, Ground Plan and Sections of a New Barn and Offices, on improved and tried principles; may be had, price 2l. 18s., neatly half bound, in calf; or in Numbers, at 4s. each.

A PRACTICAL TREATISE on BREEDING, REARING, and FATTENING DOMESTIC POULTRY, &c. After Plans pursued with advantage and profit in France. Second edition. 5s.

A SERIES of FACTS, HINTS, OBSERVATIONS, and EXPERIMENTS, on the different Modes of raising YOUNG PLANTATIONS of OAK, "For future Navies," from the Acorn, Seedling, and larger Plants; shewing the Difficulties and Objections that have occurred in the Practical Part; with Remarks upon the Fencing, Draining, Pruning, and Training Young Trees; and Experimental Remarks upon Fruit Trees. By WILLIAM BILLINGTON, C.H.S. Superintendent of His Majesty's Land in the Forest of Dean, in the County of Durham, &c. &c. 12s.

SAMUEL CHILD'S, EVERY MAN HIS OWN BREWER.

A PRACTICAL TREATISE, explaining the Art and Mystery of Brewing PORTER, ALE, TWOPENNY, and TABLE BEER; intended to reduce the Expenses of Families. By SAMUEL CHILD, Common Brewer. A new Edition, 1s.

* * * Upwards of Eleven Thousand of this little Tract have been sold.

THE ENGLISH RACE HORSE.

A TREATISE ON THE CARE, TREATMENT, AND TRAINING, OF THE ENGLISH RACE HORSE; with important Details applicable to bettering the Condition of Horses in general. By R. DARVILL, V.S. to the Seventh Hussars. Illustrated by Plates, 1 vol. 8vo. 1l. 1s.

"Never before was such a book written in any language, so replete with those minute but indispensable particulars of practice, and by a writer who has personally performed his part throughout the whole of the practice. This is the true book of reference for every stud and training groom, and every jockey.—*Vide Lawrence on the Horse*, p. 297; also the *Sporting Magazine* and *British Farmer's Magazine*.

THE VETERINARY TABLET; or a Concise View of all the Diseases of the Horse; with their Cause, Symptoms, and most approved and effectual Modes of Cure. By a Veterinary Surgeon. 1s. 6d.

THE YOUNG HORSEWOMAN'S COMPENDIUM OF THE MODERN ART OF RIDING. In progressive Lessons; designed to give a secure and graceful Seat on Horseback; at the same time so effectually to form the Hand, that, in a short time, perfect command of the Horse may be obtained. By EDWARD STANLEY, Royal Artillery, and late of Vernon's Establishment, near Hyde Park; with illustrative Plates, 10s. boards.

"But we have said enough of this Manual, and have only to add, that it is a very sensible and judicious Publication."—*Literary Gazette*.

Preparing for Publication, by Subscription, and to be ready early in the Spring of 1831, dedicated, by express permission, to the Most Noble the Marquess of Bute,

OBSERVATIONS on the present Defective State of ENGLISH TIMBER; the Causes which retard its Growth, together with the means which ought to be immediately adopted to prevent the further premature decay of this valuable description of property, of which its owners in general seem not aware. By P. LAUDER, of Cardiff, Member of the Bristol, Glamorgan, and Monmouth Horticultural Societies, &c. &c.

The Work will be in octavo, with numerous illustrative Plates; the price One Guinea, to be paid on delivery of the Work.

Nearly Two Hundred Names have already been received; and amongst them some of the principal Members of the Peerage and Baronetage. A List of Subscribers will accompany the Work.

Also, to be ready early in the Spring of 1831,

THE FOSSIL FLORA of GREAT BRITAIN; or, Figures and Descriptions of the Vegetable Remains found in a Fossil state in this Country. By JOHN LINDLEY, Esq. F.R.S. L.S. & G.S.; and WILLIAM HUTTON, Esq., F.G.S., &c. To appear in Quarterly Parts. Royal 8vo. Price 6s. Each Part will contain Ten Copper-plates, and about forty pages of Letter-press.

As a correct list of Subscribers' names is purposed being printed in the Work, Noblemen, Gentlemen, and Ladies, are requested to forward them, written as they would wish them to appear, addressed to the Publishers, Messrs. RIDGWAY, Piccadilly.

cut