Historic, Archive Document

Do not assume content reflects current scientific
knowledge, policies, or practices

62.13

1779

A
DESCRIPTIVE CATALOGUE
OF
VEGETABLES

No. 14

Associated Seed Growers, Inc.

New Haven, Connecticut

Foreword

IN RECENT years much progress has been made toward the development of varieties, hybrids and strains intended to meet the needs and desires of vegetable growers and gardeners for higher yield and quality, increased resistance to disease or better adaptation to particular conditions. To this progress we are happy to think that the Asgrow program of research and breeding has contributed materially, as is evidenced by some of the new listings in the following pages.

Less evident but even more important is the work continually carried on at our breeding stations to keep our parent seed stocks of popular varieties and hybrids at their highest standards, without reversion to the rougher forms from which they were originally developed and toward which cultivated vegetables continually tend to revert. In another department of our work, research and experimentation have led to some changes in our methods of processing seeds, and for further modernization some of our warehouses have been remodeled and equipped with more efficient machinery. By these and other efforts we hope to maintain our trade name Asgrow as synonymous with the best in vegetable seeds.

In this catalog, names given in parentheses represent, for the most part, older strains or varieties which differ by little, if anything, from the variety with which they are listed. Names printed in capitals are those of the more desirable or popular varieties.

The number of days is relative in each case and intended to provide a basis of comparison, not a fixed interval between planting and harvest, which is obviously conditioned by variable factors. So also with the measurements of size and weight, but the figures and information have been compiled from the averages of our observations and records extending over many years.

It is almost impossible that such a catalog as this should be entirely free from error, and we shall welcome corrections, criticisms or suggestions which will help to make the descriptions in a future edition of greater service.

ASSOCIATED SEED GROWERS, INC.

New Haven, Conn.
March 17, 1949

Associated Seed Growers, Inc.

Main Office: New Haven 2, Connecticut

Growing stations and warehouses

Ashton, Idaho	Milford, Connecticut
Bozeman, Montana	Mt. Vernon, Washington
Carson City, Michigan	Nampa, Idaho
Dolores, Colorado	Omaha, Nebraska
Elgin, Oregon	Powell, Wyoming
Fairfield, Montana	Rexburg, Idaho
Fairfield, Washington	Rigby, Idaho
Filer, Idaho	Ronan, Montana
Gervais, Oregon	Rupert, Idaho
Gonzales, California	St. Anthony, Idaho
Greeley, Colorado	Salinas, California
Hamilton, Montana	Salmon, Idaho
Kalispell, Montana	Sheboygan, Wisconsin
Brooks and Medicine Hat, Alberta, Canada	

Breeding stations

Franklin, Indiana	Orange, Connecticut
Hamilton, Montana	Palmetto, Florida
Milpitas, California	Robstown, Texas
Twin Falls, Idaho	

Central Germination and Analytical Laboratory: New Haven 2, Conn.

Sales branches and distributing warehouses

Atlanta 2, Georgia	Memphis 2, Tennessee
Cambridge, New York	Milford, Connecticut
Indianapolis 4, Indiana	Oakland 4, California
Los Angeles 21, California	Salinas, California

Packet Seeds

RICE DIVISION, CAMBRIDGE, N. Y.

Distributors for Texas and New Mexico

ASSOCIATED SEEDS, INC., SAN ANTONIO 6, TEXAS

Lubbock Robstown Tyler Weslaco

International Division

ASGROW EXPORT CORPORATION

New Haven 2, Connecticut

Cable Address : Asgrow

ASSOCIATED SEED GROWERS, INC., gives no warranty, express or implied, as to the productiveness of any seeds or bulbs it sells, and will not be responsible for the crop. Its liability, in all instances, is limited to the purchase price of the seeds or bulbs.

U. S. ASGROW

PRODUCTION BRANCHES

- 1 Ashton, Idaho P
- 2 Bozeman, Mont. P
- 3 Carson City, Mich GS
- 4 Dolores, Col. B
- 5 Elgin, Ore. P
- 6 Fairfield, Mont. P
- 7 Fairfield, Wash. P
- 8 Filer, Idaho P-B-C-GS
- 9 Gervais, Ore. GS
- 10 Gonzales, Cal. P-B-C-GS
- 11 Greeley, Col. GS
- 12 Hamilton, Mont. P
- 13 Kalispell, Mont. P
- 14 Milford, Conn. C-GS
- 15 Mt. Vernon, Wash. GS
- 16 Nampa, Idaho B-C-GS
- 17 Omaha, Neb. P-B-C
- 18 Powell, Wyo. P-B-GS
- 19 Rexburg, Idaho P-C
- 20 Rigby, Idaho P
- 21 Ronan, Mont. P
- 22 Rupert, Idaho B
- 23 St. Anthony, Idaho P-B
- 24 Salinas, Cal. P-B-C-GS
- 25 Salmon, Idaho P
- 26 Sheboygan, Wis. P-B-C

PRODUCT KEY

- P - Peas
- B - Beans
- C - Corn
- GS - Garden Seed

Breeding and Research Stations

- 1 Franklin, Ind.
- 2 Hamilton, Mont.
- 3 Milpitas, Cal.
- 4 Orange, Conn.
- 5 Palmetto, Fla.
- 6 Robstown, Tex.
- 7 Twin Falls, Idaho
- 8 New Haven, Conn.

SALES BRANCHES

- 1 Atlanta, Ga.
- 2 Cambridge, N. Y. (Rice Division)
- 3 Indianapolis, Ind.
- 4 Indianapolis, Ind. (Rice Division)
- 5 Los Angeles, Cal.
- 6 Lubbock, Tex.
- 7 Memphis, Tenn.
- 8 Milford, Conn.
- 9 Milford Export Branch, Conn.
- 10 Oakland, Cal.
- 11 Robstown, Tex.
- 12 Salinas, Cal.
- 13 Salinas, Cal. (Rice Division)
- 14 San Antonio, Tex.
- 15 Tyler, Tex.
- 16 Weslaco, Tex.

A Associated Seeds, Inc.
San Antonio, Texas

B Grimm Alfalfa Seed Growers of Alberta, Ltd.
Brooks, Alberta, Canada

C Asgrow Export Corporation
New Haven, Conn.

The Asgrow Program of Research and Breeding

The food standards of today are not satisfied by Nature's products as they would normally grow, unaided by man. Some plants, indeed, such as corn, could not continue to exist without cultivation, while others would revert to coarser forms unacceptable as food.

Particular conditions of environment, including soil, climate and the devastating effects of ever-increasing insects and diseases, demand new varieties or the adaption of others. Advancement in the knowledge and technique of preserving foods calls for types especially suited to canning, freezing and dehydrating. In addition, the quality of older varieties which are in general use for whatever purpose must continually be maintained, so that they may not deteriorate from accepted standards.

Seven Asgrow breeding stations are now in operation, situated in as many different parts of the country, their locations having been determined by the needs of the species to be grown at each. The stations are charged with the following duties:

- (1) The maintenance of high quality parent Asgrow stocks to be multiplied annually in seed crops destined for distribution to our customers.
- (2) The production of new or improved types to meet special needs.
- (3) To cooperate with federal and state agricultural experiment stations.
- (4) To determine the value of new or improved strains for particular localities.
- (5) To render service to customers by investigating special problems or furnishing specific information.

Pacific Coast Asgrow Breeding Station, Milpitas, California

ALL-AMERICA SELECTIONS

The All-America Selections Council, sponsored by the American Seed Trade Association, has each year since 1933 made awards to distinctively new varieties. These coveted awards are made on the results of trials conducted in twenty different sections of the country by impartial judges, to whom the entries are known only by numbers, and who allot marks for Distinctiveness, General Usefulness, Adaptability, and Uniformity.

The Asgrow record in these trials is as follows:

GOLD MEDAL

Asgrow Stringless Green Pod Bean	1933
Asgrow Wonder Beet	1934
Scarlet Dawn Tomato	1935

SILVER MEDAL

Asgrow Black Valentine Bean	1933
Clark's Special Cucumber	1933
Imperator Carrot	1933
Asgrow Canner Beet	1936
Golden Colonel Corn	1936
Teton Pea	1937
Baby Potato Lima Bean*	1940
Decatur Pole Bean	1942

BRONZE MEDAL

Stowell's Evergreen Hybrid Sweet Corn	1934
Ruby King Pepper, Asgrow Strain	1935
Canner King Pea	1937
Ioana Hybrid Sweet Corn†	1940
Allegheny Hybrid Sweet Corn	1941
Medal Refugee Bean	1942
Marketer Cucumber	1943
Potomac Pole Bean	1943
Cubit Cucumber	1944
Ranger Bean	1946

HONORABLE MENTION

Cardinal Tomato	1938
Erie Hybrid Sweet Corn	1947

* Cooperatively, see page 16

† Cooperatively, see page 40

ARTICHOKE

Cynara scolymus

Large Green Globe

Plant thistle-like, 3-5 ft. tall. Heads 3"-4" diameter, round but slightly elongated, deep green; edible base of scales thick and of delicate flavor.

ASPARAGUS

Asparagus officinalis

MARY WASHINGTON

Developed by the U. S. Department of Agriculture for resistance to asparagus rust, and now by far the most extensively grown variety. Large green spears with tight purple-tinted tips, of fine quality. Heavily productive and very uniform.

BEANS

Phaseolus vulgaris

Through hybridization and intensive selection we have developed many of the leading varieties of stringless beans. In addition to creating new and better types at our breeding stations, a continuous program of pure-line breeding is carried on, so that Asgrow stocks of standard varieties may be maintained at their best.

DAYS: In listing the number of days from planting to marketable condition, we have used the average results secured over a period of years. These figures apply to plantings under normal conditions, and will vary somewhat in different sections of the country, but the number of days indicated will serve to show the relative maturity of the varieties.

Bush Varieties

	Length of pod inches	Width of pod inches	Days
ASGROW BLACK VALENTINE	6 $\frac{3}{4}$	$\frac{3}{8}$	50
All-America Silver Medal. Highly popular with quality shippers and market gardeners. Plant large, erect, prolific. Very attractive oval pods, nearly straight, dark green, strictly stringless, and of fine quality and delicate flavor; retain color and texture in shipping long distances. Seeds solid black: 90 per oz.			
ASGROW STRINGLESS GREEN POD (Tendergreen)	5 $\frac{3}{4}$	$\frac{3}{8}$	50
All-America Gold Medal; one of the most popular varieties for truckers, canners and home gardens. Hardy and widely adapted. Plant medium large, erect, somewhat thick stemmed. Pods nearly straight, dark green, round, meaty, succulent; entirely stringless, totally without fiber, of outstanding quality. Seeds oblong, purple mottling on buff with brownish cast: 65 per oz.			
Black Valentine	6	$\frac{3}{8}$	49
Pods oval, dark green, but stringy. Seeds black: 90 per oz.

Asgrow Stringless Green Pod (Tendergreen): All-America Gold Medal

Cherokee: a prolific new wax-pod variety

	Length of pod inches	Width of pod inches	Days
BOUNTIFUL An early variety grown for northern and eastern markets. Plant medium large, prolific, thrifty. Pods flat, light green, stringless when young. Seeds straw colored: 65 per oz.	6½	1½	47
BRITTLE WAX (Round Pod Kidney Wax) An outstanding variety for canning and freezing originated by Calvin N. Keeney. Plant large, erect, medium green. Pods medium yellow, round, slightly curved, brittle, fleshy, succulent, stringless and fiberless; the standard of quality. Seeds white, kidney shaped, with black eye: 80 per oz.	5¾	3⁄8	53
BURPEE'S STRINGLESS GREEN POD, IMPROVED Since its origination in 1894 by Calvin N. Keeney we have markedly improved this sturdy variety. Plant bushy and productive. Pods nearly round, slightly curved, stringless and fiberless. Seeds coffee-brown: 75 per oz.	5½	7⁄16	50
CHEROKEE (Valentine Wax) Developed from an original selection made by Dr. W. C. Barnes of South Carolina in a field of Asgrow Black Valentine, which it closely resembles except for pod color. Plant large and erect; pods golden wax, oval, nearly straight, stringless at all stages, tender and of good quality. The most prolific wax-podded variety, equal in yield to the best green-podded types. Seeds black: 80 per oz.	6½	7⁄16	50
Commodore, Improved Plant medium, erect and vigorous. Pods dark, round, creasebacked, curved; in shape and flavor rather like Kentucky Wonder but stringless. Seeds red wine colored: 70 per oz.	7½	1⁄2	58
Dwarf Horticultural Used for snap beans; also for green shelled beans, which are edible in about 62 days. Plant medium in height and prolific. Pods green at early stage, splashed with carmine at maturity; thick-flat, stringless, somewhat fibrous. Seeds pinkish buff, spotted and streaked with maroon: 60 per oz.	5	5⁄8	54

BUSH BEANS (continued)

	Length of pod inches	Width of pod inches	Days
Flight	5 $\frac{1}{4}$	$\frac{3}{8}$	63
A new variety of Refugee type developed at our bean-breeding station and introduced for 1949 season. Plant large and spreading, with drooping branches, heavily productive, resistant to common bean mosaic. Pods medium green with slight purple splashing, fully round, brittle, stringless and fiberless. Seeds dark purple or purple blue splashed with pale buff: 100 per oz.			
FLORIDA BELLE	6 $\frac{1}{2}$	$\frac{3}{8}$	59
Developed by the U. S. Regional Vegetable Breeding Station and the Florida Agricultural Experiment Station from Asgrow Black Valentine and U. S. No. 5 Refugee. Plant medium, considerably resistant to common bean mosaic and to several forms of bean rust and mildew. Foliage very dark green. Pods largely straight, flattened oval, medium light green, stringless, fairly brittle. Adapted to hot weather conditions on muck and heavier soils. Seeds buff, much mottled with pale purple: 95 per oz.			
French's Horticultural	7	$\frac{5}{8}$	68
A New England green shelled variety. Plant compact, with short runners. Pods attractive in appearance but stringy, with heavy splashing of deep carmine. Seeds pinkish buff, mottled and streaked with ox-blood red: 60 per oz.			
FULCROP	6	$\frac{3}{8}$	50
Developed by W. J. Zaumeyer of the U. S. Department of Agriculture, Beltsville, Md., from a cross of Full Measure and U. S. No. 5 Refugee; awarded the All-America Selections Gold Medal and announced to be introduced for 1950 season. Plant vigorous and very prolific; less tall than Full Measure and carries its pods lower. Resistant to common bean mosaic. Pods medium green, round, very straight, stringless. This promising new variety most nearly resembles Rival. Seeds oblong; brown mottled with tan: 75 per oz.			
Full Measure	6	$\frac{3}{8}$	53
An excellent variety under favorable conditions but less hardy and more susceptible to disease than others. Plant upright and prolific. Pods round, nearly straight, very fleshy, stringless and tender; medium green. Seeds reddish brown mottled with buff: 65 per oz.			
GIANT STRINGLESS GREEN POD	5 $\frac{3}{4}$	$\frac{1}{2}$	53
Originated by Calvin N. Keeney. Plant large, sturdy, prolific. Pods almost round when fully matured, meaty, strictly stringless and brittle, with marked indentations between the beans; color medium green. Seeds solid yellowish brown: 70 per oz.			
Idaho Refugee	5	$\frac{3}{8}$	64
Plant of true Refugee type, strongly prolific and resistant to common bean mosaic. Pods straight, round, silver-green, with some purple splashing, stringless, without fiber; seeds purple-blue splashed with buff: 100 per oz.			
Improved Golden Wax	4 $\frac{1}{2}$	$\frac{1}{2}$	51
Plant small but vigorous. Pods straight, thick-flat, creamy yellow in color; stringless but fibrous. Seeds short-oval, white, with mottling of violet and light yellow around eye and ends: 65 per oz.			
Improved Kidney Wax	5 $\frac{1}{2}$	$\frac{5}{16}$	58
Originated by Calvin N. Keeney. Plant large and erect. Pods oval, light yellow in color, brittle, stringless and fleshy. Seeds white, kidney shaped with black eye: 75 per oz.			

	Length of pod inches	Width of pod inches	Days
LANDRETH'S STRINGLESS GREEN POD Plants large and erect; pods approximately round, slightly curved, medium green, stringless and of fine quality. Seeds coffee brown: 80 per oz.	5 ³ / ₄	7 ¹ / ₆	50
LOGAN Developed at the U. S. Vegetable Breeding Laboratory from U. S. No. 5 Refugee and Asgrow Black Valentine primarily for resistance to adverse conditions in the Southeast. Resistant to common bean mosaic and powdery mildew but susceptible to halo blight. Pods will set in hot weather but are borne rather low; round, green, stringless and relatively resistant to spotting from bacterial blight. Seeds chocolate brown, mottled with dun: 70 per oz.	6	3 ³ / ₈	55
Low's Champion Plant medium, erect, moderately productive. Pods light green, straight, flat, stringless, and of good flavor. Seeds ox-blood red with white eye: 50 per oz.	5	5 ⁵ / ₈	55

Fulcrop: the new All-America Gold Medal winner

PENCIL POD BLACK WAX A leading wax variety for home and market gardens, originated by Calvin N. Keeney. Plant large, stocky, vigorous, and strongly productive. Pods round, slightly curved, fleshy, golden yellow, tender, entirely stringless, without fiber, brittle and of finest quality. Seeds oblong, slightly flattened, solid black: 90 per oz.	6	7 ¹ / ₆	55
Plentiful Introduced by Ferry-Morse Seed Co. and awarded All-America Bronze Medal for 1939. Primarily a black-seeded Bountiful, obtained by crossing that variety with Sure Crop Wax. Plants strong and productive, pods flat, light green, fairly straight, stringless and of good quality. Seeds 75 per oz.	7	7 ¹ / ₆	50

BUSH BEANS (continued)

	Length of pod inches	Width of pod inches	Days
RANGER	5	$\frac{3}{8}$	56
All-America Bronze Medal 1947. A new type, developed by Asgrow, distinguished by its unusual habit of growth, disease-resistance, high yield and excellent quality, whether used fresh, canned, frozen or for dry beans. Plant spreading and with half-runners, vigorous and very prolific; resistant to common bean mosaic and downy mildew. Leaves of Refugee form. Pods round, mostly straight, stringless, silvery green, the set largely concentrated in the crown. Seeds white and cylindrical: 110 per oz.

Ranger: our prolific new half-runner variety

Red Kidney	5 $\frac{1}{2}$	$\frac{1}{2}$	95
A commercial variety of fine quality for dry use. Plant large, vigorous, productive. Pods waxy green color, oval-flat, stringy, tough and fibrous. Seeds reddish brown: 50 per oz.			
Red Valentine	4 $\frac{3}{4}$	$\frac{3}{8}$	52
An old variety still used in the South. Plant medium, hardy, erect, heavily productive. Pods not quite so dark as Black Valentine, crease-backed, brittle, curved, stringy, of fair quality. Seeds purplish red splashed with pale buff: 80 per oz.			
Red Valentine, Stringless	4 $\frac{1}{2}$	$\frac{3}{8}$	54
A stringless strain of Red Valentine similar in other respects to the regular stocks of this well-known variety except that pods are slightly shorter and more curved.			
RIVAL	6	$\frac{3}{8}$	50
Introduced by the U. S. Department of Agriculture from a cross between U. S. No. 5 Refugee and Full Measure. Plant more spreading than Full Measure but less so than the Refugee types, vigorous and highly tolerant to common bean mosaic. Pods yellowish green, slightly creasebacked, straight and smooth. Seeds oblong, purple-brown mottled: 85 per oz.			

	Length of pod inches	Width of pod inches	Days
State	4	$\frac{7}{16}$	52
A variety of the half-runner type, used in the Midwest and South. Highly resistant to nematodes. Pods light green, straight to slightly curved, oval in section. Seeds white: 100 per oz.			
Streamliner (Granda)	$7\frac{1}{2}$	$\frac{3}{8}$	50
A European introduction which as Granda received All-America Silver Medal for 1938. Bush of medium size and prolific; pods long, straight, oval, medium green, somewhat fibrous, of fair quality. Seeds white, small: 90 per oz.			
Sulphur (Brimstone)	4	$\frac{3}{8}$	55
An old variety of the field bean type. Plant bushy and spreading. Pods light green, nearly round, not stringless but esteemed for flavor in parts of the Midwest and South. Seeds sulphur colored with brown eye: 70 per oz.			
SURE CROP WAX	$5\frac{1}{2}$	$\frac{7}{16}$	53
Sometimes called Bountiful Wax. Originated by Calvin N. Keeney and introduced in 1911. Plant large, sturdy, very productive. Pods thick-flat, golden yellow, brittle, strictly stringless; very little fiber, fine texture and quality. Seed jet black: 65 per oz.			
Tendergreen: See Asgrow Stringless Green Pod.			
TENDERLONG	$6\frac{5}{8}$	$\frac{3}{8}$	48
An Asgrow green pod variety, produced by hybridization and selection, introduced in 1945. Plant erect and vigorous, pods similar to those of Asgrow Stringless Green Pod (Tendergreen) but longer, a shade darker in green color, round, trim, entirely stringless, of excellent quality. Tenderlong produces relatively few ill-shaped pods, even under adverse conditions, and is suited to mechanical picking. Seeds purplish black, mottled buff, dull, not lustrous: 75 per oz.			
We have also developed a mosaic-resistant strain of Tenderlong and this is now available for use in areas which have become infested with the virus.			
Tennessee Green Pod (Brown Bunch)	$6\frac{1}{4}$	$\frac{5}{8}$	50
Plant medium, dark green, spreading, hardy, productive. Pods flat, broad, curved, medium green, depressed between seeds, stringy, somewhat tough but of particularly good flavor. Seeds broad, flat, solid dark hazel: 70 per oz.			
Top Notch Wax	$5\frac{1}{4}$	$\frac{1}{2}$	51
An attractive type of Golden Wax. Plant medium small, compact, with ample foliage; pods creamy yellow, straight, flat-oval, stringless and brittle. Seeds solid white with brown eye: 70 per oz.			
U. S. No. 5 Refugee	5	$\frac{3}{8}$	53
Developed and introduced in 1935 by the U. S. Department of Agriculture. Highly resistant to common bean mosaic. Plant similar to regular Refugee, pods slightly smaller in diameter and longer; light silver-green and devoid of purple splashing, round, straight, stringless and fiberless. Seeds of Refugee type but mottled brown: 105 per oz.			
White Kidney	$5\frac{3}{4}$	$\frac{1}{2}$	100
A commercial variety for baking. Plant large, compact and productive. Seeds long, white, kidney shaped: 50 per oz.			
White Navy Pea-Bean	$3\frac{1}{2}$	$\frac{3}{8}$	110
Extensively grown for baked beans. Plant low but spreading with many runners. Pods short and inedible, contain 6-7 seeds. Dry seed small, white: 130 per oz.

Kentucky Wonder: a standard variety of the older type

Pole Varieties

	Length of pod inches	Width of pod inches	Days
Alabama No. 1 Developed for Southern growers by the Alabama Experiment Station. Resembles Ideal Market but is very resistant to root knot nematodes. Pods thick oval, silvery green, almost straight. Develops purple pigmentation. Seeds black: 115 per oz.	6	3/8	67
Blue Lake Developed from a selection of White Creaseback. Widely used in the West for processing. Pods round, medium green, stringless when young, and of very good canning quality. Seeds small, ivory white: 110 per oz.	6	3/8	64
Stringless Blue Lake: see page 14.			
Burger's White Kentucky Wonder Plant medium, 4-5 ft. tall, not a good climber. Pods nearly round, silvery green, tender, fleshy, nearly stringless, fiberless. Good for dry shelled as well as snap beans. Seeds oval-flat, white: 90 per oz.	6	1/2	64
Cutshort (Red Speckled: Corn Hill: Cornfield Pole) Used in Southern home gardens and often grown in corn. Plant is a good climber and bears over a long season. Pods for snap beans; small, dark green, thick oval. Seeds small, light fawn splashed with purplish crimson: 105 per oz.	3 1/2	3/8	72
Ideal Market (Black Valentine Pole: Black Creaseback) Particularly for Southern gardens and shippers; their earliest pole bean. Plant hardy, not tall. Pods creasebacked, slightly curved; stringless when young; slight pigmentation of stem and older pods. Seeds solid black: 140 per oz.	5 1/2	3/8	57

	Length of pod inches	Width of pod inches	Days
KENTUCKY WONDER Through careful breeding the Asgrow strain is distinguished by productivity, earliness and freedom from flat pods. A strong climber, hardy, and prolific over a long season. Long pods in clusters, curved and indented; plump and almost round, meaty, brittle, fiberless, but slightly stringy, with a distinctive and pleasing flavor. Seeds buff brown: 80 per oz.	9	$\frac{1}{2}$	65
KENTUCKY WONDER WAX Plant vigorous and resistant to several forms of rust, good climber, productive. Pods waxy yellow, oval, nearly stringless, somewhat fibrous, meaty. Seeds flattish oval, chocolate-brown: 80 per oz.	7	$\frac{1}{2}$	68
Lazy Wife For the home garden as snap, green shelled or dry beans. Pods in clusters and thus easy to pick, thick, fleshy, stringless, little fiber, glossy green. Seeds roundish, solid white: 70 per oz.	$5\frac{1}{2}$	$\frac{5}{8}$	74
LONDON HORTICULTURAL (Speckled Cranberry) For home and market gardens as a snap and green shelled bean. Hardy and a good climber. Pods flat-oval, dark green when young, splashed with red, slightly curved, constricted, stringless, little fiber and very fleshy. Shelled beans of good flavor. Seeds large, buff splashed with dark red: 50 per oz.	5	$\frac{5}{8}$	70
McCASLAN Of Georgia origin, introduced by H. G. Hastings Co. in 1912; an excellent sort for dry shelled as well as snap beans. Plant vigorous and a good climber. Pods large, thick-flat, medium green, meaty, stringless when young, tender, and of good quality. Seeds ivory white, flat: 80 per oz.	$7\frac{1}{2}$	$\frac{9}{16}$	65
Mild White Giant Developed by C. L. Isbell at the Alabama Polytechnic Institute and introduced commercially by Asgrow in 1948. Used for snap, green shelled and dry beans. Plant tall and a good climber, productive over a long season. Pods stringless when immature, nearly straight, thick oval, creasebacked at maturity, light green occasionally splashed with red, and of mild flavor. Green shelled beans light green to white. Seeds white, delicately veined: 80 per oz.	$7\frac{1}{2}$	$\frac{1}{2}$	70
Missouri Wonder (Nancy D.) Usually planted in corn for use as green shelled beans or as snap beans when young. Plant large, good climber, prolific. Pods nearly round; medium green, later splashed with red; become tough, stringy and fibrous. Seeds large, oblong oval-flat, grey-buff mottled with tan: 70 per oz.	6	$\frac{1}{2}$	66
Oregon Giant Stringless An Asgrow-bred strain of this Northwestern garden variety, with larger, more prolific plants, and pods stringless at all stages. The plants are sturdy and climb well; the pods are thick oval, stringless, very meaty, light green, splashed purplish blue. Seeds pinkish light brown with broken blackish stripes: 50 per oz.	$8\frac{1}{2}$	$\frac{9}{16}$	71

Potomac: a modern type of pole bean

POLE BEANS (continued)

	Length of pod inches	Width of pod inches	Days
POTOMAC	6½	¾	66
All-America Bronze Medal, 1943. Bred by us primarily to replace the old Ideal Market with a more vigorous, better-climbing stringless type. Widely adapted and very prolific, resistant to common bean mosaic and some forms of rust; pods trim, dark green, straight and practically round; stringless at all stages, meaty and of fine table quality. Seeds black: 100 per oz.			
RIALTO	7	⅞	60
A variety of white-seeded Kentucky Wonder type, developed at our Pacific Coast breeding station. Resistant to powdery mildew, to some forms of rust, and highly tolerant to bean mosaic. Plant vigorous and productive; pods round to near round, smooth, fairly straight, stringless at all stages, and of excellent quality. Seeds white: 85 per oz.			
Scarlet Runner <i>Phaseolus coccineus</i>	5	⅝	90
Of large plant growth, 12-15 ft. with brilliant scarlet flowers. Used for decorative purposes as well as for snap and green shelled beans. Pods broad, oval, meaty. Seeds long-oval, dark purple mottled with bluish violet, but vary in different strains: 25 per oz.			
STRINGLESS BLUE LAKE (Strain No. 231)	6¾	¾	64
Developed at our Pacific Coast breeding station. The pods differ from those of regular Blue Lake in being stringless at all stages, fully round, somewhat longer and darker in color. Plant heavy, vigorous and productive; resistant to common bean mosaic and certain strains of rust. Provides an excellent canned or frozen pack from the fleshy, stringless pods, which retain their quality through the larger sieve sizes. Seeds small, white: 100 per oz.			
STRINGLESS BLUE LAKE B-5 (Strain No. 228)	6¾	¾	58
Same as Strain No. 231 but earlier maturing.			

	Length of pod inches	Width of pod inches	Days
Striped Creaseback (Genuine Cornfield) An old variety for snap bean use. Pods thick oval, straight, medium green at picking stage, mottled with purplish brown at later stages; fleshy, of fair quality, stringy. Seeds tan with brown mottling and stripes: 120 per oz.	6	$\frac{7}{16}$	72
Tennessee Wonder Plant of good climbing habit, lightly productive. Pods light green, round, constricted and creasebacked, nearly stringless and fiberless, somewhat coarse in texture. Seeds slate-gray with long stripes of dark olive-green: 65 per oz.	8	$\frac{5}{8}$	70
U. S. No. 4 (White Kentucky Wonder) Developed by the U. S. Department of Agriculture as a high yielding type of White Kentucky Wonder, resistant to certain forms of rust. Plant vigorous, with dark leaves; pods oval, smooth, straight, dark green, stringless when young. Seeds white: 60 per oz.	8	$\frac{1}{2}$	65
WHITE CORNFIELD Popular in the South for green snap and dry shelled beans. Plant vigorous and prolific with long bearing period. Pods medium green, round. Seeds white: 110 per oz.	5	$\frac{1}{2}$	80
WHITE CREASEBACK Early, vigorous; strongly productive. Snap pods oval-round, dull green, fleshy, stringless when young. Seeds small, ivory white: 120 per oz.	5	$\frac{1}{2}$	64
Yard Long (Asparagus Bean) <i>Vigna sesquipedalis</i> A member of the cowpea group, grown for forage or as a curiosity. Pods greatly elongated, nearly round, with light string. Seeds reddish brown with black eye: 175 per oz.	18	$\frac{1}{4}$	72

Stringless Blue Lake: two Asgrow strains are available

Clark's Bush Lima: a green-seeded type developed by Asgrow

LIMA BEANS: Bush Varieties

Phaseolus lunatus

	Length of pod inches	Width of pod inches	Days
Baby Potato	2¾	¾	72
All-America Silver Medal for 1940. Originally selected by Prof. W. A. Huelsen, University of Illinois; developed and introduced by Associated Seed Growers, Inc. The beans are small but thick, of bright green color when fresh, and somewhat similar in flavor to Fordhook. Seeds white: 65 per oz.			
Burpee's Bush	4½	1	77
Plant medium large, vigorous, productive. Pods slender with 3-4 large, broad, flat beans, of good quality. Seeds large, grayish white: 25 per oz.			
Burpee's Improved Bush	5	1¼	75
Plant large, vigorous and productive; pods in clusters of 5 or 6, averaging 4 beans each. Seeds large, plump, flat-oval, white with greenish tinge: 20 per oz.			
CLARK'S BUSH	2¾	¾	67
Exclusively a product of the Asgrow breeding program, this is a distinct variety of Henderson's Bush type, resembling the original in plant and pod but distinguished by its freedom from white beans at all picking stages and its heavier yield. Chiefly of value to processors but is also an attractive small-seeded type for the garden. Seeds mainly pale green: 70 per oz.			

	Length of pod inches	Width of pod inches	Days
EARLY BABY POTATO	2½	¾	66
Developed at our Pacific Coast station to retain the desirable features of Baby Potato but with earlier maturity, making this variety suitable for areas of shorter season or as a succession crop. Pods are a little smaller than Baby Potato and slightly lighter. Seeds white: 65 per oz.			
Early Market	4½	1	70
Introduced by the U. S. Department of Agriculture and awarded an All-America Bronze Medal for 1945. Plant medium large, with a heavy early yield. Pods curved, uniform in size, shape and fill; usually contain 3, sometimes 4 large, broad green beans. Seeds greenish cream: 25 per oz.

Fordhook, Asgrow Concentrated: a single plant

FORDHOOK, ASGROW CONCENTRATED	3¾	1	71
Bred at our Pacific Coast breeding station. Markedly different from the old Fordhook in that the pods are concentrated not only in regard to position but also in time of reaching maturity. The beans make an excellent product either canned or frozen. The plants are stocky, without tendrils, and very prolific. Can be harvested and vined similarly to Henderson's Bush. Seeds white, tinged green: 20 per oz.			
FORDHOOK 242	3½	1	75
Developed by the U. S. Department of Agriculture. Plant large and productive. Pods slightly curved, containing 3-4 large, thick-oval, light green beans. Yields well under high temperature conditions. Seeds greenish cream and light green: 30 per oz.			

LIMA BEANS (continued)

	Length of pod inches	Width of pod inches	Days
HENDERSON'S BUSH	2¾	¾	65
Sometimes called Baby Lima, and known in the South as a Butter Bean. The Asgrow strain has been bred for increased yield and concentration in season. Plant small, dark green, erect, bushy, very early. Pods flat, containing 3-4 flattish, small oval beans. Seeds creamy white: 70 per oz.			
JACKSON WONDER	3	¾	65
Of Georgia origin and well adapted to the South. Plant small to medium, spreading, glossy, dark green, drought resistant, thrifty and productive; resembles Henderson's Bush. Pods flat, contain 3-4 strongly flavored beans. Seeds small, flat, light, buff mottled with purplish black: 75 per oz.			
Peerless	3½	1	71
A dwarf Fordhook type introduced by the U. S. Department of Agriculture, developed from a cross of Fordhook x Sieva. Plant somewhat larger than Henderson's Bush, with distinctive gray-green foliage; pods similar to Fordhook. Seeds, both immature and dry, somewhat smaller than Fordhook: 40 per oz.			
Triumph	2½	⅞	70
Developed by the U. S. Department of Agriculture from a cross between Fordhook and Sieva; awarded the All-America Silver Medal for 1949. Plants somewhat more compact than Henderson's Bush, with dull dark green leaves; productive, with concentrated basal set. Pods straight, blunt and tightly filled, mostly with three beans of Baby Lima type but plumper. Seeds white, heavily dimpled and wrinkled: 65 per oz.

Fordhook, Asgrow Concentrated : Fordhook 242 : Triumph : Peerless
Early Market : Clark's Bush : Henderson's Bush : Early Baby Potato

Pole Varieties

	Length of pod inches	Width of pod inches	Days
Challenger (Fordhook Pole) A potato lima with pods and seeds of Fordhook type. Plant vigorous, hardy, a good climber, very productive. Pods straight, smooth. Seeds large, almost as wide as long, flattish oval, white with greenish tinge: 30 per oz.	4	1¼	92
FLORIDA BUTTER SPECKLED A popular variety in the South. Plant similar to Sieva, tall, vigorous, prolific over a long bearing season, stands up well in summer weather. Pods borne in clusters: 3 beans per pod. Seeds small; color buff splashed with reddish brown: 65 per oz.	3¼	7⁄8	78
Giant Butter Speckled Tall and strong plants, later than Florida Butter Speckled but with larger pods and beans. Seeds 4-5 per pod, large oval, greenish white with reddish-brown mottling: 35 per oz.	4½	1¼	90

Florida Butter Speckled : Challenger : Giant Butter Speckled : Giant Podded

GIANT PODDED (Carpinteria: Large White: Leviathan) Plant 8-10 ft., dependably vigorous and productive. Large pods contain 4-5 oval-flat beans of excellent quality. Seeds large, dull white: 20 per oz.	7	13⁄8	90
KING OF THE GARDEN Plant tall, good climber, hardy and vigorous, heavily productive. Pods flat, smooth, with 4-5 large, oval greenish white beans. Seeds large, flat, white: 25 per oz.	6	1¼	88
SIEVA Grown extensively in the South where it is known as Butter Bean. Plant 10 ft. tall, hardy, vigorous climber, bears over long season. Pods medium green, contain 3-4 beans of fair quality. Seeds white, flat, smooth: 75 per oz.	3	¾	77
Willow Leaf Similar to Sieva but with narrow, willow-like leaves and thus more resistant to the conditions of hot, dry weather in those sections of the South where it is grown. Seeds 80 per oz.	3	¾	80

Asgrow Wonder

Crosby's Egyptian

Perfected Detroit

Asgrow Canner

Ohio Canner

BEET

Beta vulgaris

In the production of leading varieties of beet we have bred pedigreed strains for the critical market garden, shipping and canning trade. Earliness, evenness of maturity, depth of color and small tap roots are features of these stocks grown from mother beets selected with discriminating care.

The number of days shows the time required under average conditions in the North from seed to the development of roots about 13¼" in diameter.

ASGROW CANNER	Days
All-America Silver Medal 1936. Top strong and erect, medium tall, about 14", green. Root smooth, globe-shaped; dark maroon-red. Flesh lively deep ox-blood red; exceptionally vivid and attractive when cut; richly colored juice.	65
ASGROW WONDER	57
All-America Gold Medal 1934. A pedigreed stock, the result of many years of breeding; unsurpassed in earliness, uniformity, and in depth of interior color. Top erect, green, uniform in size and color, bunching attractively for market. Root round when young, flattened globe later, deep red, smooth, with small tap root. Flesh deep dark red, tender, and of excellent quality.	
CROSBY'S EGYPTIAN, IMPROVED	60
A standard early variety popular with market gardeners. Top large and tall. Root thick flat to turnip shape, with slender tap root. Flesh purplish red. The Asgrow strain has comparatively indistinct lighter zones.	

	Days
DETROIT DARK RED	68
A standard variety for truckers, produce shippers and canners. The Asgrow pure-bred strain is of excellent quality, with shorter top, dark green tinged with red. Root nearly globular, smooth, uniform, attractive, with small tap root. Color deep ox-blood red. Flesh dark red with indistinct lighter red zones.	
Early Blood Turnip (Edmands': Crimson Globe)	68
For home and market gardens. Top medium, but somewhat coarse. Root turnip-shaped. Flesh bright red with zones of lighter shade.	
Early Flat Red Egyptian	54
Used for forcing to reach the earliest market. Top small and erect. Root flattish, medium dark red. Flesh bright blood red with lighter zones.	
Early Wonder	58
Top medium and green. Root semi-globular, dark purplish red, with small tap root. Flesh blood red with zones of somewhat lighter shade.	
Eclipse	65
Root flattened globe shaped, of medium size, dark red. Interior bright red with whitish zones.	
Green Top Bunching	56
Medium sized, lustrous green top which holds well in shipping and helps to maintain fresh appearance. Root similar in shape to Asgrow Wonder but with less absence of zoning.	
Long Smooth Blood	78
Top erect, large. Root to 10"-12" long; 2"-2½" diameter. Flesh deep purplish red with inconspicuous zones; of good quality and suited for winter storage.	
Lutz' Green Leaf	75
For home gardens. Top glossy green, with pink mid-rib. Root half long, top-shaped; dark, purplish red. Flesh deep blood red with indistinct zones. Of good keeping and table quality.	
Ohio Canner	73
Top medium small, erect. Root flattened globe in shape, smooth, ox-blood red; flesh dark red with indistinct slightly lighter zones.	
PERFECTED DETROIT	70
Top tall, green and red. Root globular, medium smooth, deep red; flesh dark red and practically free from zoning; of good quality. Adapted to market gardener and canner.	
Vermilion Crosby	58
A strain of Crosby's Egyptian; flesh distinctly vermilion in color, otherwise plant and root are similar to the original. Quality fair.	

MANGEL WURZEL

Beta vulgaris

	Days
Giant Half Sugar, Rose	90
A heavy yielding, valuable variety for feeding. Root long, oval; skin white with rose-colored shoulder; flesh white, with good sugar content.	
Giant Half Sugar, White	90
Root long, oval, with white skin; flesh white; a good feeding variety.	
Golden Tankard	100
Root large, nearly cylindrical, grayish above ground, deep yellow below. The only yellow-fleshed variety. Does well on light soils.	

MANGEL WURZEL (continued)

	Days
MAMMOTH LONG RED	110
The most popular variety and the best cropper. Root extremely large, long, slightly tapering; grows half above ground. Color light red; flesh white.	
Sludstrup	110
A good cropper and of high feeding value. Root long, oval, reddish yellow; grows half above ground, easily harvested. Flesh white, tinged with yellow.	

SUGAR BEET

Beta saccharifera

Klein Wanzleben	90
A variety largely used for sugar manufacture on account of high sugar content; is also good for stock feeding. Root long with heavy shoulder; tapered; skin gray-white; flesh solid white.

Common Green: Lucullus: White Silver: Fordhook Giant

SWISS CHARD

Also known as Leaf Beet

Beta cicla

Common Green (Spinach Beet: Perpetual Spinach)	55
Smooth leaves of medium green with slender ribs of lighter green; leaves used for greens.	
FORDHOOK GIANT	55
Tall and sturdy. Leaves broad, heavily crumpled, dark green; stems broad, thick, white.	
LUCULLUS	50
Leaves crumpled, bright yellowish green; stems thick, broad, and pale green.	
White Silver	50
A medium tall sort with broad, smooth, medium green leaves. Stems fleshy, broad, white with greenish tinge.

BROCCOLI

Sprouting or Italian type
Brassica oleracea var. *italica*

De Cicco	80
A second early type suitable for summer and early fall harvest along Atlantic and Gulf coasts and in Pacific Northwest. Produces a large center head, which may be somewhat loose and of variable color, followed by a good yield of shoots. Useful for freezing and the fresh market.	
Early (Calabrese)	70
The first early variety for home or market gardens and for processing; widely adapted, but not to California. The compact bluish-green head is followed by many small shoots.	
FREEZERS'	75
For commercial quick-freezing. Many individual sprouts with small heads are formed, but are not concentrated into a central head, thus providing more suitable freezing material and facilitating picking and packing.	
LATE	150
A very late strain for spring harvesting on the Pacific Coast. Produces large central head but few side shoots.	
MEDIUM	95
The principal variety for shipping and freezing in southwestern states. Plant vigorous, producing a large, attractive compact center head, followed by a high yield of side shoots suitable for freezing or bunching for fresh market. Generally grown for harvesting during late fall and winter months, cutting over a relatively long season.	
Midway	85
As the name implies, this strain matures between the first early group and Medium. Plant and head characteristics similar to De Cicco, but Midway is slower to flower and is therefore better adapted for early fall harvest in the southwestern areas. Plant smaller than Medium with less vigorous side shoot development.	
Broccoli Rab (Italian Turnip)	
For description see listing under Turnip (page 93).	

BRUSSELS SPROUTS

Brassica oleracea var. *gemmifera*

Half Dwarf Improved, Long Island strain	70
Plants 22"-26" tall; stems thickly set, with firm cabbage-like balls about 1½" diameter, maturing successively.	

CABBAGE

Brassica oleracea var. *capitata*

Our cabbage seed is produced largely in the Puget Sound section at our western Washington production branch from seed stocks of highest quality. Each year the various varieties are checked at our Eastern breeding station, Orange, Conn., to guard the vital factors of earliness, evenness of maturity and uniformity.

The column of Days gives the relative period to maturity from setting out plants.

Varieties marked y.r. have been developed, mainly at the University of Wisconsin, for resistance to the cabbage-yellows disease. It is recommended that only these varieties be planted in infested areas.

	Diameter of head inches	Weight of head pounds	Days
All Head Early	9	6	78
Head deep, medium flat, slightly rounded at top and slightly sloping at base, 7" deep, solid, uniform. Outer leaves gray green.			
Bugner	10	8	105
A late variety long grown in parts of Indiana and Illinois for its hardiness and partial resistance to yellows. Head large and flat, of rather coarse texture.			
CHARLESTON WAKEFIELD	6½	4	74
Used in the South for winter shipping to northern markets. Head pointed and fairly firm, 7"-8" long, outer leaves dark green.			
COPENHAGEN MARKET	6½	3½	69
Outer leaves few and of gray green color, short stem; head round, solid, and of superior quality. An excellent short season type.

Danish Ball Head: a deservedly popular, late variety

	Diameter of head inches	Weight of head pounds	Days
Cornell Danish Ball Head Developed at Cornell University and recently introduced. Plant compact, with thick leaves tending to fold over head. Earlier than standard stocks of Danish Ball Head and slightly smaller. Head somewhat flattened, compact and solid.	7	5	85
DANISH BALL HEAD (Hollander) Plant fairly large, sturdy, with short stem; outer leaves medium. Head deep round, very hard; interior decidedly compact, leaves composing head smooth and closely arranged. Texture crisp; flavor good; ideal for high quality kraut.	7½	6½	103
Early Glory A recent introduction intended primarily to provide shippers with a variety of the popular Glory of Enkhuizen type, but earlier. Head very similar, globular and solid, but a little smaller.	7	4½	71

Glory of Enkhuizen: excellent for midseason cabbage

Early Round Dutch Plant small with short stem. Relatively non-bolting under winter growing conditions. Head nearly round, 5½"-6½" deep, solid and of good quality.	7½	4½	71
Fottler's Early Drumhead An old second early variety for home garden or local market. Stem very short; head large, flat, fairly firm.	10	9	85
GLORY OF ENKHUIZEN Head large, round, solid, with large gray-green outer leaves of excellent quality. A popular all-purpose, midseason variety grown extensively for produce shipping, local markets and sauerkraut.	8	5	77

Golden Acre: a popular variety for early markets

CABBAGE (continued)

	Diameter of head inches	Weight of head pounds	Days
GOLDEN ACRE	6	3	64
An early Copenhagen type with small, round, quite solid heads, maturing with Jersey Wakefield. Plant dwarf, with few outer leaves; used by truckers for the early markets.			
GREEN ACRE	6	3	66
An attractive strain of Golden Acre. The type and general characteristics are similar, but Green Acre holds its green color longer and is thus of added value to market gardeners and shippers.			
Improved Globe, y.r.	8	6	77
An improved, resistant strain of Glory of Enkhuizen. Large, round, solid head.			
Jersey Queen, y.r.	5	2½	66
A selection from Jersey Wakefield. Head small, compact, conical; leaves smooth, dark green.			
Jersey Wakefield	5	2½	63
A popular extra early variety, with small, fairly compact, conical head 7" long. Plant small, with short stems, permitting close setting in the row, leaf color dark green. Used principally by market gardeners and shippers.			
Mammoth Red Rock (Red Danish: Red Dutch)	7	7	100
A large-sized strain of the standard red cabbage. Head round, very hard; color purplish red; an excellent keeper.			
MARION MARKET, y.r.	6½	4½	79
A development from Copenhagen Market but with slightly larger, later maturing, round, firm head; leaves more blue-green. Grown for market or kraut on yellows-infested soils and for winter production in the South.			

	Diameter of head inches	Weight of head pounds	Days
Midseason Market	8	6	78
Plant vigorous and rapid growing. Head large, hard, globe-shaped on short stems, medium yellowish green leaves with creamy white center, of crisp texture.			
Penn State Ball Head	7½	5½	105
Head very hard, flattened globe, 6"-7" deep. Suitable for winter storage and for kraut in districts free of the cabbage-yellows disease.			
PREMIUM LATE FLAT DUTCH (Drumhead: Surehead)	12	12	100
Popular for its heavy yield. Head very large, flat, and solid; leaves light gray green; 6½"-7" deep.			
Red Acre	7½	6	74
The earliest red variety. Plants small, compact and short stemmed; head of medium size, round, hard, deep red, uniform in shape and color.			
Resistant Golden Acre, y.r.	6	3	65
A Golden Acre type from Denmark into which yellows-resistance has been bred. Medium small, round head.			
SAVOY, PERFECTION DRUMHEAD	8	6	90
The best of the Savoy type for general use. Head nearly round, full and hard; outer leaves large, coarsely crimped, rich dark green, interior blanched; of very good table quality.			
STEIN'S FLAT DUTCH	11	10	90
A favorite variety of the flat type for main crop in Fall; used also for Fall planting in the South. Plant medium, vigorous, with very large, solid, flat head, leaf color gray-green, 6" deep.

Savoy, Perfection Drumhead: the selected Asgrow strain

CABBAGE (continued)

	Diameter of head inches	Weight of head pounds	Days
Succession (All Seasons)	10	8	88
Head large, flat, thick; 7½" deep, short stem; a reliable cropper of good storage quality.			
Wisconsin All Seasons, y.r.	10	9	95
A hardy drumhead variety which shows considerable resistance to drought and mosaic as well as to yellows. For fall markets in the North and Southern winter crop.			
Wisconsin Ball Head, y.r.	7	7	100
Head very hard, smaller but more uniform and smoother than Wisconsin Hollander, short stem, blue-green leaves.			
Wisconsin Hollander, y.r.	7½	8	105
Selected from Danish Ball Head at the University of Wisconsin. Head round, becoming slightly flattened, color blue-green.

*Chihli: excellent for salads***CHINESE CABBAGE***Brassica pekinensis*

Also called Celery Cabbage, though the correct name of the species is Pe-Tsai.

	Length	Days
CHIH LI	18	75
Head 3"-4" thick, tall and cylindrical, tapered at tip, solid, well blanched, sweet and crisp. A superior variety.		
Wong Bok	9	85
A short, stout, oval variety, about 7" in diameter; compact and well blanched. Grown principally in the South.		

CANTALOUPE AND MUSKMELON

Cucumis melo

The days to maturity for the different varieties are based on average results obtained from our crops in Colorado and elsewhere.

	Length inches	Diameter inches	Days
Banana An unusual type, somewhat resembling a huge banana in shape; 3½-4 lb. Exterior creamy yellow with sparse netting or none; flesh salmon, very sweet; seed cavity large.	18	4	90
Casaba (Golden Beauty) Grown chiefly in the hotter sections of California. Fruits medium large, globe shaped; 6 lb.; outer color golden yellow; surface wrinkled. Flesh white.	8	7	110
Cranshaw A productive variety for California conditions. Fruits large, oblong with tapered stem end. Rind dark green turning to creamy yellow when mature; surface corrugated, not netted. Seed cavity small; flesh thick, sweet and juicy with mild, pleasant flavor, of light salmon color.	10	7	110
DELICIOUS (Early Bender: Bender's Surprise) Similar to the original Bender's Surprise but earlier and of superior quality. Fruits 5½ lb.; coarse netting with prominent ribs; rind hard, creamy green at maturity. Flesh bright salmon; thick and of delicious quality.	6½	6	83
Eden Gem A good shipper. Slightly oval shape, 3½ lb.; heavily covered with fine netting, and without ribs. Flesh green, tinted salmon at center. Vine is rust resistant.	5½	5	85

Delicious: early and of high quality

MELON (continued)

Hale's Best, Jumbo strain

	Length inches	Diameter inches	Days
Emerald Gem For home gardens. Outer color emerald green yellowing at maturity; distinctly ribbed, with slight netting; 3 lb. Flesh thick, deep rich salmon color, sweet and of spicy flavor.	4½	5½	85
Extra Early Hackensack Fruits large, globular, flattened; 3 lb.; heavily ribbed with coarse netting; flesh green. For local use.	5½	6½	80
HALE'S BEST No. 36, Asgrow Strain Our improved strain, developed for uniformity in shape and heavy netting with sutures nearly eliminated. An outstanding shipping variety. Fruits 3-4 lb. with thick, deep salmon colored flesh; sweet, aromatic and of very fine quality.	6	5½	80
HALE'S BEST, JUMBO STRAIN A large-fruited strain of this leading variety. Fruits oval, 5-6 lb.; ribbing somewhat prominent, heavily netted. Flesh thick, salmon-orange, sweet and of excellent quality; seed pocket rather large as compared with No. 36.	7½	6	83
Hearts of Gold For local markets. Fruits nearly round, 3 lb.; distinctly ribbed, deep green, covered with fine gray netting. Flesh thick, deep salmon; tender, juicy, sweet and aromatic.	6	6	90
Honey Ball Fruits round, 3½ lb., yellowish white; smooth, with sparse, coarse netting. Flesh pale green, juicy, with sweet, slightly spicy flavor.	5	5	105

A pink-fleshed strain is also available.

	Length inches	Diameter inches	Days
HONEY DEW A distinct type, grown chiefly in California and Colorado. Fruits large, round-oval; 6 lb. Rind hard, not netted, creamy white. Flesh light green, thick, juicy, and with characteristic flavor.	7½	6½	115
Honey Rock (Sugar Rock) Introduced by the J. C. Robinson Seed Co. All-America Gold Medal for 1933. Fruits nearly round, 4 lb. Skin gray-green, covered with coarse, sparse netting. Flesh thick, juicy, orange-salmon, with fine flavor; ¼" green ring beneath rind.	6	5½	81
IMPROVED PERFECTO Introduced by Garwood and Woodside. All-America Silver Medal for 1933. Fruits nearly round; 3 lb., with hard gray netting, no ribs. Flesh thick with small seed cavity, deep salmon color; fine grained, juicy, sweet.	5½	5	88
Large Hackensack A very large type for local use. Fruits somewhat flattened, 7 lb.; prominently ribbed and with heavy netting. Flesh thick, green, juicy and sweet.	6½	8½	88
Milwaukee Market Fruits nearly round, 6 lb.; with prominent ribs and sparse, coarse netting; color light green. Flesh thick with small seed pocket. Salmon colored and of high sugar content.	7	6	85
No. 5, Powdery Mildew Resistant Introduced by the U. S. Department of Agriculture and California Agricultural Experiment Station in 1942. Vine large and productive, resistant to both forms of powdery mildew found in the Imperial Valley. Fruits round, slightly ribbed, fairly well netted, with firm, sweet flesh and small cavity.	6	5½	90
No. 6, Powdery Mildew Resistant Introduced by the U. S. Department of Agriculture and the California Agricultural Experiment Station in 1945. Vine of medium size, producing heavy crown set, resistant to both forms of powdery mildew in the Imperial Valley, the area for which this variety is specially intended. Fruits round, well netted, slightly ribbed, with firm, good quality flesh.	6	5½	90
No. 45, POWDERY MILDEW RESISTANT Fruits short-oval, with indistinct ribbing and well netted. Flesh thick, firm, sweet and of good quality, light orange in color. Similar to Hale's Best. Can be picked on full slip (mature stage) for distant shipping	6¼	5½	85
Ohio Sugar Resembles a green-fleshed Tip Top; 6-8 lb.; a good variety of this type for the home garden.	7½	6½	91
Osage (Miller's Cream) For home and market gardens. Fruits oval, 5½ lb.; exterior very dark green, deeply ribbed, covered with slight gray netting. Flesh thick, orange-salmon, of distinct flavor.	7	6	95
Persian Grown in California. Fruits globular; 6 lb., rind very dark green, netting fine but sparse. Flesh thick, orange in color; of distinctive flavor.	8	7	115

MELON (continued)

Improved
Perfecto

Pride of
Wisconsin

Delicious

Hale's Best,
Jumbo strain

Honey
Rock

	Length inches	Diameter inches	Days
PRIDE OF WISCONSIN (Queen of Colorado: Wayside Market) Introduced in 1937 by R. Buist Co. from a cross of Honey Rock and Hearts of Gold. Fruits oval, 3¾ lb.; rind pearly gray, faintly ribbed, with sparse, coarse netting. Orange flesh, solid and thick, with small seed cavity. For home gardens and short distance shipping.	6½	6	90
Rocky Ford (Netted Gem) Fruits are small with rather large seed cavity, nearly round, 2½ lb.; with very faint ribs, and heavily covered with hard gray netting; flesh thick, green in color, with salmon tinge at center.	5½	5	92
Schoon's Hardshell Of the same general type as Delicious but with harder rind which makes it better adapted for shipping. Exterior color grayish yellow, netting rather open, sutures very marked. Flesh salmon pink.	7	6	90
Texas Resistant No. 1 Developed at the Texas Agricultural Experiment Station. Highly resistant to aphids, partially resistant to downy mildew. Vine vigorous, leafy and prolific; fruits of desirable shipping size, with firm rind, moderately netted; flesh salmon colored and sweet.	5½	5	85
Tip Top For home gardens and local markets. Fruits large, slightly oval, 6½ lb.; skin pale green, turning to yellow at maturity; distinctly ribbed and slightly netted; flesh bright salmon.	7¼	6½	90

CARDOON

Cynara cardunculus

Smooth Solid
An almost spineless variety 4-4½ ft. high with broad solid stalks of good blanching quality.

CARROT

Daucus carota

Planting stocks are developed at our breeding stations from individual progenies which have met the most exacting specifications in performance. Smoothness and shapeliness of roots with depth of exterior and interior color are vital factors in rating parent lines.

In giving the number of days for the development of roots, we have used the average of readings for a period of years. These will vary considerably in different locations.

	Length of root inches	Diameter at shoulder inches	Days
Airliner (Short Top Shipper) An Asgrow variety bred for the shipping trade. Top short, dark green, strong enough for good bunching. Root long, deep orange, tapering to blunt end, resembling a shorter, stouter Emperor. Flesh bright orange, tender and of good quality.	7½	1¾	75
CHANTENAY A well known and popular all-purpose variety for home and market gardens, and for canners in packing diced carrots. Root deep orange, smooth, tapered, stump-rooted; flesh deep orange with indistinct core. Also available is our strain No. 122, with longer, more slender roots.	6	2	72
Danvers Half Long An old favorite that still retains its popularity with some growers. Orange roots, with broad shoulder and blunt tip.	6	2	75
Early Scarlet Horn For early markets. Top slender and short; roots tapered and blunt. Crisp, red-orange flesh.	3½	1¼	64

Chantenay : Red Core Chantenay : No. 122

CARROT (continued)

Imperator: our standard and special long strains

	Length of root inches	Diameter at shoulder inches	Days
French Forcing	2¼	1¾	60
For earliest planting and forcing. Top very small; root nearly round, red-orange. Flesh medium orange, crisp and of good flavor.			
Hutchinson	10	2¼	80
Used chiefly in New England gardens. Top medium. Root pointed, with green shoulder; flesh yellowish orange.			
IMPERATOR	8	1½	77
Our introduction; received All-America Silver Medal for 1933. The original strain, developed to provide shippers with a long, smooth, handsome carrot, and probably the most extensively grown variety. Top medium, but strong enough for good bunching. Root has rounded shoulder, smooth, deep rich orange; uniformly tapered to a semi-blunt end. Flesh rich orange color, extending to center of root; fine grained, tender and of excellent quality.			
We have also developed a longer strain, which is available for special conditions.			
Long Orange (St. Valery)	11	2¼	88
Large, strong top, roots tapered to a point; red-orange. Flesh similar in color to exterior, with core of lighter shade.			
Luc, Half Long	6	1¾	75
Root midway between Danvers and Chantenay in type; bright orange, tapered, stump-rooted. Flesh bright deep orange; fine grained and tender.			
NANCY	6	1½	70
Developed at our Pacific Coast breeding station to provide a variety intermediate between Nantes and Chantenay. Root larger at shoulder than Nantes, tapering slightly to a blunt end, with short top, strongly attached. An attractive variety of high table quality, with reddish-orange flesh and small core of similar color, crisp, tender and of fine flavor.			

	Length of root inches	Diameter at shoulder inches	Days
NANTES An excellent variety for the home garden. Top small. Root bright orange, cylindrical, blunt ended. Flesh reddish orange, crisp, tender, and of delicate flavor.	6	1¼	70
Oxheart For heavy or stony soils. Root thick, stumpy, blunt ended. Flesh coarse, yellowish orange. Top relatively short but strong; easily harvested.	4½	2½	72
RED CORE CHANTENAY A desirable Chantenay for canners and market gardeners. Root somewhat shorter than regular Chantenay; flesh reddish orange, with indistinct core of nearly the same color as the surrounding flesh.	5	2	72
RED CORE DANVERS An attractive long strain developed at our Pacific Coast breeding station and introduced in 1937; used by home and market gardeners, and extensively for shipping. Root tapered to a blunt end, bright orange with core of very similar color, tender, and of fine quality.	7	1¾	75
White Belgian For stock feed. Grows partly out of ground; skin green above ground, white below. Flesh creamy white.	12	3	95
Yellow Belgian Very similar to White Belgian, except for color. Pale yellow flesh, with green shoulder; hardy and productive.	12	3	95

Harvesting a crop of Emperor in California

CAULIFLOWER

Brassica oleracea var. *botrytis*

	Diameter of head inches	Days from setting of plants
SNOWBALL	7¼	65
Plants have short pale green leaves. Head medium, firm, compact, and of fine quality; a dependable header.		
Snowdrift	7½	65
Plant of medium height with upstanding, medium green outer leaves. Head slightly larger than Snowball, firm, solid.		
SUPER-SNOWBALL	7	55
Starts heading early and uniformly. Head medium large, compact; much used by produce growers and shippers.		

CELERY

Apium graveolens

The time of maturity for the several varieties varies considerably in different sections, but may average about 120 days.

Cornell No. 19

A heavy-yielding variety of the golden type, with thick stalks which blanch easily to ivory white. Plant erect and uniform, about 20" overall, and 7" to first joint.

DWARF GOLDEN SELF BLANCHING

Plant medium in height, stocky and compact; foliage yellowish green; stalks very solid, broad, of delicate flavor; blanches readily to golden yellow.

EASY BLANCHING (Sanford Superb)

An excellent second early green variety. Vigorous and compact in habit of growth, it blanches readily to attractive white. Stalks slightly taller than Dwarf Golden Self Blanching, are thick, solid and of good flavor.

Emperor (Fordhook)

Plant dwarf and stocky, with large full golden heart. Stalks thick, broad and tender; not a good shipper.

Florida Green Pascal (Summer Pascal)

A compact green type, partially resistant to blight. Has fewer stalks than Utah, but more than Giant Pascal; long, solid, crisp and of excellent table quality.

GIANT PASCAL

A green variety, good for fall and winter storage. Plant large, stocky, with dark green leaves. Stalks long, broad, and solid, blanching to yellow-white.

Golden Plume (Wonderful)

Similar to Golden Self Blanching, but earlier. Plant of medium height with compact, full heart; blanches readily to golden yellow.

Tall Golden Self Blanching

Earlier than the original strain, with taller, less sturdy stalks. Mainly for truckers, not so well suited to shipping; blanches readily.

UTAH No. 16

A very desirable green type. Plant tall, stout, and compact; blanches readily. Stems thick, solid, medium broad; of nutty flavor and fine quality with relatively few strings.

White Plume

An early variety. Leaves bright green, tinged with white; stalks medium.

CELERIAC

Apium graveolens var. *rapaceum*

Large Smooth Prague

A turnip-rooted celery. Plant dark green with hollow stalks. Root spherical, 2"-3" in diameter.

CHICORY

Cichorium intybus

Cicoria di Catalogna

Also known as Asparagus or Sprouting Chicory. An annual with leaves like dandelion, used for early greens.

Large Rooted (Magdeburg)

Dried roots are roasted and mixed with ground coffee. Root 12"-14" long, 2" in diameter at top; tapered.

Witloof (French Endive)

Used extensively for salads. The parsnip-shaped roots are reset for forcing in cold frame or greenhouse, and the blanched new leaf growth forms an attractive, compact head, 5"-7" long, having a pleasantly sharp flavor.

Utah No. 16: an Asgrow strain of increasing popularity

COLLARD

Brassica oleracea var. *acephala*

A non-heading type of cabbage, used extensively in the South for "greens."

Cabbage Collard (Carolina Short Stem)

Medium tall, with a cluster of loose folding, tender leaves, which can be left on the plant and picked as needed.

Georgia (Southern)

The old standard variety. Plant to 3 ft. tall, vigorous, with large, undulated leaves; hardy, and tolerant of adverse conditions of weather and soil.

SWEET CORN

Zea mays var. *saccharata*

For three generations we have pioneered in sweet corn, since the time when, according to accepted tradition, Everett B. Clark grew the first crop of it which was intended to be used only for seed. In the following half-century we introduced several popular open-pollinated varieties and then, with the advent of modern breeding methods, were privileged to be the first to offer hybrid seed commercially, the hybrid being Redgreen, developed by Dr. D. F. Jones of the Connecticut Agricultural Experiment Station. The oldest inbred lines still in use are believed to be our No. 5 and No. 14, the parents of that Stowell's Evergreen Hybrid, 14 x 5, which received one of the earliest All-America medals.

Most of our development work on sweet corn is conducted at the Eastern and Midwest Asgrow breeding stations, but in recent years our Southern stations have also had a share in the extensive program, which has produced many of the hybrids listed below, each one adapted to some special conditions of growth or use.

The column headed Days is based on many recorded trials but is meant primarily to indicate relative periods to the picking stage, since maturity is likely to vary with differing conditions of climate and soil.

Varieties marked (y) have yellow kernels; those marked (w) have white.

HYBRIDS

	Height of stalk feet	Length of ear inches	Days
Calumet (No. 57) (y)	7	8½	86
A recently introduced Asgrow hybrid which has proven itself widely adapted, from Texas to New England. Plant vigorous, relatively resistant to drought and almost suckerless, with dark green leaves and ear carried 6"-8" higher than Golden Cross Bantam. Ear long, slender and cylindrical, well filled to tip and with husks of good length. Kernels light yellow, medium wide, in 10-16 rows but mainly 12-14. Very uniform in maturing, high yielding, and suitable for mechanical harvesting.

Calumet: a new Asgrow hybrid of wide adaptation

Erie: an Asgrow introduction with long, slender ears

	Height of stalk feet	Length of ear inches	Days
Carmelcross (y)	5½	7	79
A second early hybrid developed by the Connecticut Experiment Station, New Haven. Vigorous and heavy yielding in comparison to its earliness. Medium sized, gently tapering ears, with 12-14 rows of yellow kernels.			
Cogent 19 x 24 (w)	8	8	94
A Country Gentleman hybrid of our breeding and exclusive production. For areas of heavy, rich soil in the Eastern states. Stalk erect, with good foliage. Ears long, slightly tapered, well filled at tips, not in rows.			
COUNTRY GENTLEMAN (Ill.) 8 x 6 (w)	7	8	99
An extremely drought-resistant hybrid originated by W. A. Huelsen of the University of Illinois. Kernels not in rows. Notable for its high percentage of cut-off.			
Country Gentleman (Ill.) 5 x 10 (w)	7½	7½	98
Also originated by Prof. Huelsen. A prolific hybrid, giving high yields except under conditions of drought.			
COUNTRY GENTLEMAN (Ill.) No. 13 (w)	7½	7½	100
Another Huelsen hybrid of the non-rowed ear type. Plant vigorous, with sturdy stalk, relatively few suckers and excellent tassels. Ear said to "hold" well in the field.			
COUNTRY GENTLEMAN (Ill.) No. 15 (w)	7½	7½	97
Also developed by Prof. Huelsen. Plant tall, upright, frequently double-eared. Ears cylindrical with slight taper, kernels set irregularly, medium in size, with high cut-off.			
ERIE (y)	6½	9	88
An exclusive Asgrow hybrid, having long cylindrical ears slightly tapered, mainly 12-14 rowed. Plants wilt resistant, vigorous, and relatively resistant to drought. In comparison with Golden Cross Bantam, this hybrid produces a plant 6" taller, bearing ears 4" higher on the stalk, maturing 3-4 days later. Widely adapted and high yielding. Awarded Honorable Mention in the All-America Selections for 1947.			

CORN, HYBRIDS (continued)

	Height of stalk feet	Length of ear inches	Days
GOLDEN CROSS BANTAM (y)	6	8	85
Long a popular, widely-adapted hybrid, originally developed by Glenn M. Smith of Purdue University. Plant sturdy and upright, highly resistant to bacterial wilt. Ear 10-14 rowed, cylindrical; kernels of rich yellow color, medium in depth and width.			
GOLDEN HYBRID No. 2439 (y)	7	7¾	87
An exclusive Asgrow development well adapted to the East and irrigated sections. Plant vigorous, uniform, comparatively free from suckers; leaves wide, dark green and numerous. Highly resistant to bacterial wilt. Ears cylindrical, 12-16 rowed, with long husks. Kernels medium-narrow and deep, a shade brighter yellow than Golden Cross Bantam.			
HURON (y)	7	9	89
This new Asgrow hybrid shows unusual resistance to heat and drought. Plant sturdy, with few or no suckers; foliage dark green, ears carried high. Ears with 12-16 rows, usually 14; deeper and narrower than those of Golden Cross Bantam and a little lighter in color. The yield is higher, in both gross weight and husked corn.			
IOANA (y)	6½	8	87
Originated by Iowa State College, commercially developed and entered by us in the All-America Trials for 1939, when it was awarded a Bronze Medal. An attractive hybrid, highly resistant to wilt. Plants tall and sturdy. Ears 12-14 rowed, cylindrical; well filled with medium-narrow, light yellow kernels.			
Kennebec (y)	6	7½	82
Developed at our Eastern breeding station. Ears a little shorter than Golden Cross Bantam but otherwise very similar, including kernel type and husk coverage; 12-14 rowed, cylindrical.

Huron: an attractive Asgrow hybrid of high yield

Oto: slim, attractive yellow ears

	Height of stalk feet	Length of ear inches	Days
Lincoln (y) Developed by the Connecticut Agricultural Experiment Station and awarded the All-America Bronze Medal for 1942. Vigorous, well-foliaged plants; tapering ears with 12-16 rows of bright yellow kernels	6	7½	83
MARCROSS C13.6 (y) Developed by the Connecticut Experiment Station as a first early market and home-garden type. Stalks short but sturdy, highly resistant to bacterial wilt. Ears long, plump, abruptly tapered at tips; 10-14 rowed, with light cream-yellow, medium broad kernels.	5½	7½	76
NARROW GRAIN (Ill.) 14 x 11 (w) Developed primarily to provide canners with a late white type of heavy yield and high quality in shape and texture of kernels. Stalks tall and strong; ears large and well filled with 18-22 rows of narrow, deep kernels.	8½	7¾	90
Narrow Grain 26 x 15 (w) An exclusive product of Asgrow inbred lines. Very uniform and highly desirable for canning. Stalk sturdy, upright with no suckers; leaves wide, dark green. Ears uniformly tapered with 18-22 rows. Kernels narrow, deep, tender.	8	7	98
OTO (y) An exclusive Asgrow development. A long eared, wilt resistant hybrid with cylindrical 8-12 rowed ears of attractive appearance, with unusually small cob and excellent husk coverage. Plant very vigorous, relatively resistant to drought. Oto produces a plant 14" taller than Golden Cross Bantam, bearing ears 8" higher on the stalk, maturing about 2 days later.	7	9	87

CORN, HYBRIDS (continued)

	Height of stalk feet	Length of ear inches	Days
Pawnee (y) One of our newer hybrids from the Asgrow Midwest breeding station, developed to produce high yields of good quality even under conditions of heat and drought. Plant tall, vigorous and thrifty, with dark green leaves. Ears long and cylindrical, with 14-16 rows of sweet, tender kernels, narrower and deeper than those of Golden Cross Bantam. Husks relatively long and tight.	7½	8½	88
PEORIA (No. 66) (w) A high quality, late hybrid recently developed at our Midwest breeding station. Plant tall and vigorous, almost suckerless, with ears carried high. Ear long and cylindrical, with 12-16 rows of very white, tender kernels; has consistently shown low ear worm damage. An exceptionally high-yielding hybrid.	9	8½	94
Sachem (y) An exclusive Asgrow hybrid, introduced as an early companion to Golden Cross Bantam. Plant vigorous and very resistant to bacterial wilt. Ears long, trim and well filled to tips with 10-14 rows of medium-deep, bright orange-yellow kernels.	6	7¾	82
Shoepeg 19 x 9 (w) Exclusively an Asgrow production from our own inbred lines. Particularly suitable as a fine-kerneled corn for canners in Eastern areas. Plant sturdy, with ears 3½-4 ft. from ground. Ears long, cylindrical, well filled at tips. Kernels very fine and deep, tender and of excellent quality.	8½	7¾	96

Marcross C13.6: one of the best early hybrids

	Height of stalk feet	Length of ear inches	Days
SPANCROSS C13.3 (y)	5½	6½	70
One of the best first early hybrids. Highly resistant to bacterial wilt. Well tipped small ears of 10-12 rows; kernels golden yellow, sweet, and tender.			
STOWELL'S EVERGREEN 14 x 5 (w)	8	8	93
Our development from crossing inbred evergreen lines Asgrow 14 x Asgrow 5; awarded the All-America Bronze medal. Plant sturdy with close growing, upright ears, 4 ft. from ground; foliage medium green. Ears very slightly tapered, uniform, with 16-18 rows. Kernels white, medium-wide, deep; medium cob.

Golden Hybrid No. 2439: of well established popularity

Tendergold (Top Cross Sunshine) (y)	5½	7½	83
Plant sturdy; highly resistant to bacterial wilt. Ear nearly cylindrical, 12-16 rowed, kernels medium in width and depth, golden yellow, tender and of good quality.			
TOP CROSS MAINE BANTAM (y)	6	7½	83
Our development; has proven highly successful for canners and gardeners in short season areas. Plant sturdy with deep green foliage; ear slightly shorter than Golden Cross Bantam and somewhat thicker, very slightly tapered with 12-16 rows; kernels medium-narrow and golden yellow, tender. Highly resistant to bacterial wilt.			

CORN (continued)

Golden Cross Bantam : Calumet : Oto : Erie : Huron : Pawnee

OPEN-POLLINATED

	Height of stalk feet	Length of ear inches	Days
Alameda (w)	5½	7	88
A California variety. Ears 12-16 rowed with long husks.			
Bantam Evergreen (y)	8	8	95
Our development from Golden Bantam x Stowell's Evergreen. Evergreen type of ear with 14-18 rows. Kernels deep and of fine quality.			
Black Mexican (w)	6	7½	88
Ears 8 rowed. Kernels tender, exceptionally sweet; white at eating stage, changing to blue-black at maturity.			
CLARK'S EARLY EVERGREEN (w)	8½	7½	90
Originated by Everett B. Clark on our Milford, Connecticut, farms many years ago. Ears 16-20 rowed. Kernels very deep, ivory-white.			
Country Gentleman (Shoepeg) (w)	7	7	95
Kernels very deep, slender, and set irregularly without row formation.			
Early Surprise (w)	5	7	72
For the earliest markets. Ears 8-12 rowed. Kernels tender and of good quality.			
GOLDEN BANTAM (y)	5½	6½	79
Ears 8 rowed; kernels broad, sweet, and of very fine flavor.			
Golden Early Market (y)	4½	6½	72
Ears 8-12 rowed. Kernels tender and of good flavor.			
Golden Sunshine (y)	5½	6½	74
Ears 10-12 rowed. Kernels medium broad.			
Honey June (w)	9	8	105
A Southern variety. Ears large, tapered, 12-18 rowed with tight-fitting, protruding husks; highly resistant to ear worm.			
Howling Mob (w)	7	7½	83
Ears 12-16 rowed with thick butts and strong husks.			

	Height of stalk feet	Length of ear inches	Days
Improved Golden Bantam, 10-14 Rowed (y) Our development from Golden Bantam. Ears 10-14 rowed; kernels medium-wide, deep and sweet.	5½	7	82
Stowell's Evergreen (w) Ears 16-20 rowed; kernels deep and rather broad.	8½	8	95
Whipple's Early White (w) Ears 14-18 rowed; kernels deep, medium-narrow.	6	6½	85
Whipple's Early Yellow (y) Ears 12-14 rowed; kernels golden yellow, fairly deep.	7	7	87

GARDEN CORN FOR ROASTING EARS

Adams' Early (Ideal) (w) Like Extra Early Adams but larger and later.	6	7½	72
Adams' Extra Early Dwarf (w) Used in the South for roasting ears. Ears 12-14 rowed; reasonably tender and sweet when young.	5½	6	66
Adams' Large Improved (w) A large eared, roasting variety. Ears 12-14 rowed.	7½	9	74
TRUCKER'S FAVORITE (w) Ears 12-16 rowed; kernels white, fairly tender, and moderately sweet.	7½	9	77

POP CORN

Zea mays var. *everta*

There are three types of pop corn, kernel shape being the determining factor: Pearl, with broad smooth kernels and heavy cob chaff (flower glumes) on tips; Hulless, with shoepeg kernels and very light chaff; and Rice, with pointed kernels and rather heavy chaff.

Golden Queen Long, slim ears having 12-16 rows of smooth, yellow pearl-type kernels.	7	7	90
Hulless (Japanese) Ears chunky and without row formation; kernels white, pointed, narrow, pop to snowy white.	5	3½	85
Minhybrid 250 Deveoped by the Minnesota Experiment Station from Japanese Hulless, over which it shows a marked improvement in yield, equivalent to about 15% more per acre, with 25-30% greater expansion on popping which gives increased tenderness; kernels white.	6	5	90
Purdue No. 31 A prolific hybrid developed by the Purdue Experiment Station. Plant vigorous and stands well to maturity. Ears, usually at least two per stalk, with 14-16 rows of medium yellow kernels high in quality and popping expansion.	6½	7½	95
South American Giant (T.N.T.) Large ears, 12-16 rowed. The golden yellow kernels of pearl type are large and creamy white when popped.	7½	7	100
White Rice An old standard early variety. Kernels pointed, of translucent appearance; white when popped.	6½	6	90

Cubit: distinguished by cylindrical shape and rich color

CORN SALAD

Valerianella olitoria

Sometimes used in spring or winter salads, but mixed with more piquant herbs such as peppergrass, since the leaves are almost tasteless. May also be cooked as spinach.

Large Leaved

A strong growing, large sort, with rounded leaves of gray-green color.

CRESSES

Pepper-grass *Lepidium sativum*

A hardy, quick growing annual, having finely curled, deep green foliage, with pleasing, pungent flavor.

Upland (Spring) Cress *Barbarea verna*

Dwarf plant with slender stalks, and oval, notched leaves rather like water cress in shape and flavor.

Water Cress *Nasturtium officinale*

Perennial aquatic plant, with long stems and small thick leaves with pungent flavor. For salads and garnishing.

CUCUMBER

Cucumis sativus

The number of days indicates the relative time required from planting of seed to first picking of fruits for slicing. The figure should be reduced by several days for small pickles and increased slightly for full grown fruits.

The letters b.s. indicate black spined varieties and w.s. white spined.

	Length of fruit inches	Diameter of fruit inches	Days
A & C, w.s. Introduced by Abbott & Cobb; a leading variety for shipping and market gardens. Fruits uniform, nearly cylindrical, exterior dark green, tapering at ends. Attractive in appearance and holds its color well.	8½	2¼	65
Chicago Pickling, b.s. Fruits medium green, nearly square ended; very prolific; well warted and ribbed at pickle size.	6½	2¼	59
CLARK'S SPECIAL, w.s. Our introduction. All-America Silver Medal for 1933. Fruits dark green, gently tapered at both ends; flesh crisp, firm, and of good eating quality.	8½	2½	63
COLORADO, w.s. Introduced by J. C. Robinson Seed Co. All-America Silver Medal for 1935. A very attractive slicing variety. Fruits dark green, cylindrical, tapering slightly at stem end, with small seed area.	8½	2¼	65
CUBIT, w.s. Developed at our Pacific Coast breeding station and awarded the All-America Bronze Medal for 1944. Has quickly become an important shipping variety, distinguished by unusually dark green, uniform exterior color and long, blunt-ended, cylindrical shape. Of smooth crisp texture, with small seed area and admirably adapted for slicing. Holds its fresh quality well in shipping or at market.	9¼	2¼	60

Model: a shapely and well colored pickling variety

CUCUMBER (continued)

	Length of fruit inches	Diameter of fruit inches	Days
Earliest of All, w.s. Used in the South for first shipments. Fruits slightly but abruptly tapered at both ends; color deep green. Does not hold its color so well as other shipping varieties.	7	2½	60
Early Russian, b.s. A small, early, pickling variety. Short oval, medium green.	4	2	54
Gherkin, West India <i>Cucumis anguria</i>, b.s. Not a true cucumber. Fruits pale green, covered with prickly spines; oval and uniform. Used for very small pickles.	2½	1	60
Improved Long Green, b.s. For the home garden. Fruits deep green, slightly tapered; heavily warted.	8½	2½	70
Longfellow, w.s. Fruits dark green, uniform, straight and exceptionally long.	12	2½	70
Long Stays Green, w.s. A long strain of Stays Green, for fall and early spring planting in the South. Fruits medium dark green, cylindrical.	8	2½	63
MARKETER, w.s. A distinctive Asgrow variety developed at our Eastern breeding station. Awarded the All-America Bronze Medal for 1943 and at once acclaimed for the trim appearance and uniformity of its many fruits, with their rich dark color carried well down to the blossom end. Vine very vigorous and yields heavily through a long bearing season; fruits slightly tapered, seed area exceptionally small.	8	2¼	65
MODEL, w.s. A new pickling variety developed at our Eastern breeding station. Of similar shape and size to National Association Pickling but white-spined and of darker green exterior color. Trim in appearance and uniform.	6	2½	56

Marketer: exceptionally prolific, with trim, uniform fruits

Improved Long Green : Clark's Special : Cubit : Colorado : A & C : Straight-8 : Marketer : Long Stays Green : Stays Green

	Length of fruit inches	Diameter of fruit inches	Days
NATIONAL ASSOCIATION PICKLING, b.s. A popular variety developed at the Michigan Agricultural College in collaboration with the National Pickle Packers' Association. Fruits dark green, symmetrical and full ended.	6	2½	56
PACKER, b.s. Bred at our Pacific Coast breeding station to provide a pickling cucumber of National Association type but blockier in shape and more uniformly dark green in color. High yielding and gives a very attractive pack.	6	2½	56
Palmetto, w.s. Developed by W. C. Barnes at Clemson College, S. C., from a cross of Puerto Rico 40 x Cubit. Vine similar to Cubit but with more deeply lobed leaves and highly resistant to downy mildew, making this new variety particularly valuable for fall production in southern areas. Fruits slightly pointed toward ends, with dark green exterior and relatively small seed cavity.	8	2¼	67
PRODUCER, w.s. A distinctive pickling variety developed at our Eastern breeding station. The vine bears a high percentage of female blossoms, beginning nearer the base of the vine than usual, leading to more compact plants with earlier and higher yield. The fruits are somewhat more stubby than those of National Association and much more plentiful but somewhat lighter in color.	5½	2¼	54
SNOW'S PERFECTION PICKLING, b.s. Early, prolific, and rightly popular. Fruits deep green, and dis- tinctly square ended, uniform, and attractive.	5½	2¾	56
Stays Green (Black Diamond), w.s. Used by Southern shippers. Fruits symmetrical, nearly square ended. Very dark green, holds color and firmness well when shipped long distances.	7	2⅜	60
STRAIGHT-8, w.s. Introduced by the Ferry-Morse Seed Co. All-America Gold Medal for 1935. Fruits uniformly cylindrical, rounded at ends, medium green. An attractive variety.	8	2¼	60
White Wonder, b.s. Grown for its unusual color, which is greenish white. Fruits weigh up to 2 lbs.; cylindrical with rounded ends.	7	2½	60

DANDELION

Taraxacum officinale

Arlington Thick Leaf (French Broad Leaf)
Plant forms a 20" rosette of large, broad leaves, thick and easily blanched.

Cicoria di Catalogna
See listing under Chicory, page 37.

DILL

Anethum graveolens

Plant 2-2½ ft. high, with leaves cut into thread-like divisions. Seeds very flat; of strong, bitter flavor.

EGG PLANT

Solanum melongena

	Height of plant Inches	Days
Badger State Developed by the Wisconsin College of Agriculture as a variety for areas where earliness is important. Plant more upright than New Hampshire hybrid; fruits purple, 6-7 inches long, tapering evenly to the base.	24	72
BLACK BEAUTY Medium sized plant. The large globe to oval shaped fruits, 4-6 per plant, are smooth, very dark purple, holding color well after picking.	26	80
Florida High Bush Plant upstanding, holding fruits off the ground. Fruits elongated, tapering towards stem; dark purple. A hardy variety, showing resistance to drought and root rot.	32	85

Black Beauty: the standard variety for broad-oval fruits

	Height of plant Inches	Days
New Hampshire Hybrid Bred by the New Hampshire Agricultural Experiment Station to provide a crop in short season areas. Fruits round to olive shape, carried low on the bush.	18	70
New York Spineless Plant spreading, spineless, bearing 4-5 fruits near or on the soil. The black-purple, glossy fruits are longer and somewhat larger than Black Beauty.	30	83

Full Heart, otherwise known as Escarole

ENDIVE

Cichorium endivia

	Days
FULL HEART (Florida Deep Heart: Escarole) Plant about 12" in diameter; of upright growth, with a dense mass of thick, slightly crumpled leaves strongly bunched to give a well blanched heart. Extensively used by market gardeners and shippers.	71
Pancalier A late sort with large, curly, deeply cut leaves. The crowded foliage, dense at the center, readily blanches itself. The midribs are tinged with rose.	76
RUFFEC Plant 16"-18" in diameter, tufty and full in center; midrib pale green, thick, tender, and fleshy; blanches readily. A good Fall variety.	76
White Curled A very distinct, small sort. Plant 12"-13" in diameter; leaves finely curled, with broad ribs slightly rose tinged. Creamy white at the heart.	73

FENNEL

Foeniculum dulce

Known by some shippers as anise, though this name is properly applied only to another herb of the parsley family (*Pimpinella anisum*).

For Sweet Fennel, *Foeniculum vulgare*, see Herbs, page 101.

FLORENCE FENNEL (Finocchio)

Plant 30"-36" tall, with broad overlapping stalks something similar to celery stalks but forming a flat-oval, bulb-like enlargement at the base of the stem. This bulb, the "apple," used like celery, is sweet and anise flavored.

KALE

Brassica oleracea var. *acephala*

	Height of plant Inches	Days
DWARF BLUE SCOTCH	14	55
Plant has wide-spreading, finely curled blue-green, plume-like leaves. Used as a vegetable, and for ornament. The Asgrow pedigreed strain is uniform and handsome.		
DWARF GREEN SCOTCH	14	55
Similar in habit of growth and appearance to Dwarf Blue Scotch, except for color, which is bright, deep dark green. The Asgrow pedigreed strain is large and attractive.		
DWARF SIBERIAN (Sprouts)	14	65
Plant hardy and vigorous, very spreading. Leaves large, coarse, plain at center, with cut and frilled edges; deep bluish green in color. Largely grown in the South.		
Tall Green Curled Scotch	30	60
Hardy plant with leaves deeply cut, curled at the edges, light green in color; more tender after exposure to frosty weather.

Dwarf Green Curled Scotch kale

KOHL RABI

Brassica caulorapa

	Days
Purple Vienna	62
Spreading plant with short green leaves with purple stems and veins. Bulbs globular, purple, with white, tender flesh.	
WHITE VIENNA	55
The more popular variety. Leaves 8"-10" long, with slender stems. Bulbs 2"-3" in diameter at best edible stage; globular, very light green; flesh clear white, tender and crisp.

Kohl Rabi: White Vienna

LEEK

Allium porrum

Giant Carentan
Large stems, 6"-8" long; 2"-3" thick. Leaves very dark green. Hardy, prolific; for fall and early winter use.
LARGE AMERICAN FLAG (London Flag)
An early popular sort. Stems 8"-10" long, 1½" thick; white, and attractive. Leaves large, medium green.

LETTUCE

Lactuca sativa

The column of Days represents the time required to develop marketable heads from the planting of seed, under average conditions, but since maturity varies with weather and growing conditions, the figures indicate relative rather than exact periods.

The letters b.s. indicate black seeded varieties, and w.s. white seeded.

The Imperial strains and varieties developed by the late I. C. Jagger, U. S. D. A., are resistant to brown blight, a destructive soil borne disease.

	Days
Bibb, b.s.	60
A small, early variety of butter-head type, with thick, tender leaves, deep green outside blanched within to creamy yellow.	
BIG BOSTON (Trocadero), w.s.	75
A popular butter head variety. Head of medium size and compact, with creamy yellow heart. Leaves smooth, glossy; wavy at the edge, which is slightly tinged with reddish brown.	
California Cream Butter, b.s.	75
For market gardens. Head large, globular, solid, with golden yellow interior. Leaves large, thick, dark green, tinged and spotted with brown.	
Chicken Lettuce, w.s.	60
A hardy, non-heading, dark green variety, growing to 4 ft. high and producing the largest amount of leaves of any lettuce, for poultry and rabbit feed.	
Crisp as Ice (Hartford Bronze Head), b.s.	74
A compact, medium sized head. Leaves thick and crumpled; deep green with dark brown cast, giving the plant a bronzed appearance.	
Dark Green Cos, w.s.	66
A medium large, self-closing sort; leaves very dark green, slightly crumpled.	
Eiffel Tower Cos, b.s.	65
An Asgrow introduction: a tall, compact variety with well folded leaves, more cylindrical than the more usual cos shape.

White Boston: similar to Big Boston but for color

Great Lakes: a vigorous and reliable variety

	Days
GRAND RAPIDS, b.s.	43
One of the most popular loose-leaved varieties. Plants erect and compact; leaves light green, broad, wavy, curly, and heavily fringed.	
GREAT LAKES, w.s.	83
A sure-heading variety, dependable for summer production, developed at the Michigan Agricultural Experiment Station. Leaves large, thick, glossy and well-folded; ribs heavy. Slow-bolting, shows considerable resistance to tipburn.	
HANSON (Nonpareil), w.s.	80
An old hardy variety for home and market gardens. Head large, globular, compact; leaves large, broad and curly, light yellowish green.	
Iceberg, w.s.	84
For home gardens and local markets. Head soft, crumpled, with light green leaves tinged at the edges with reddish brown. Quite different from the shipping variety, New York, which is usually called Iceberg in the produce trade.	
Imperial No. 17, b.s.	83
A distinctive variety of limited adaptation in the Southwest, developed by the U. S. Department of Agriculture and California Experiment Station. Head large with interior well bleached, ribs small. Foliage dark green with spiral arrangement effectively covering the head.	
Imperial No. 44, w.s.	82
A development from Imperial No. 152; heads better in warm weather and is appreciably less subject to tipburn. Hard, well formed head, with long leaves.	
Imperial No. 101, w.s.	86
Very similar to No. 615, from which it was selected by the Hollister Seed Co., but coarser. Relatively slow to bolt.	
Imperial D, w.s.	83
Resistant to brown blight and partially resistant to mildew. Suffers from tipburn, but good for fall planting in the warmer areas. Head dark green, large, firm, somewhat coarse, of good quality. Resists frost damage better than most other New York types.	

LETTUCE (continued)

	Days
Imperial No. 152, w.s.	83
Resistant to brown blight and dependable in heading. Head medium large, solid, attractive; long, well folded leaves.	
IMPERIAL No. 615, w.s.	86
Bred from Imperial No. 152 but somewhat later; resistant to brown blight. For fall, winter and spring harvest in California and Arizona. Head medium dark green, very large, solid and firm.	
IMPERIAL No. 847, b.s.	84
Originally developed as a brown-blight-resistant variety for California, now more widely grown. Head medium large, hard, fine and well covered by the inner leaves. Stands up well in summer weather, resisting tipburn.

Progress: a new tipburn resistant variety

May King, w.s.	63
Leaves yellowish green, tinged with brown at edges. Head small, compact, with golden yellow interior, and buttery flavor. Scorches rather easily.	
Mignonette, b.s.	67
Small and compact. Leaves much crumpled, frilled, medium brown with a bronze tinge. Head round, hard, with well blanchd, white heart; of excellent quality for the home garden.	
NEW YORK (Wonderful; Los Angeles), w.s.	80
The pioneer of long distance shipping varieties. A large, curled, heading lettuce, now largely superseded by New York No. 12.	
NEW YORK No. 12, w.s.	77
Introduced by the Pieters-Wheeler Seed Co., this strain of the older New York is earlier, lighter in color and more compact than the original. A large, heading variety for shipping, well blanchd, and crisp.	
No. E-4, b.s.	85
A large shipping variety for the coastal area of central California. Head solid, almost spherical, with well-folded leaves.	
Oak Leaf, w.s.	40
An old, loose-leaf variety which has returned to favor among home gardeners because of its tender texture and resistance to heat. Leaves somewhat similar in outline to large oak leaves, medium green, compactly set.	

Pennlake, w.s.	Days 83
Developed at the Pennsylvania Experiment Station from a cross of Great Lakes x Imperial No. 847. All-America Bronze Medal for 1947. Head compact and well colored, protected from scald by broad wrapper leaves. Less ribby than Great Lakes but equally solid and resistant to tipburn.	
Premier Great Lakes, w.s.	75
Developed from a single plant selection of Great Lakes at Pennsylvania State College. All-America Bronze Medal for 1947. Head solid, practically round, up to 7" in diameter and two pounds in weight. Slow to bolt and very resistant to tipburn.	
Prize Head, w.s.	47
An early non-heading sort for home garden use. Plants of medium size, crisp and tender; color light reddish brown on a medium green base; leaves crumpled and highly frilled at the edges.	
Progress, w.s.	82
Developed by the U. S. Department of Agriculture and the New Jersey Experiment Station from a cross of Imperial No. 44 and a tipburn resistant hybrid of mixed parentage including New York, Hanson, Iceberg and White Paris Cos. Leaves thick, dark green, heavily savoyed. Relatively resistant to tipburn. Apparently adapted to the same areas as No. 44 and of better quality.	
SIMPSON'S CURLED, b.s.	46
A popular early loose leaved variety, large and compact, with broad, light green leaves, crumpled and frilled on the edges; crisp and tender. Used extensively in home and market gardens.	
SIMPSON'S EARLY CURLED (Early Curled Silesia), w.s.	45
Probably the most widely used of all varieties for home gardens. Early, hardy, and dependable; loose leaved, with large leaves, somewhat less crumpled and frilled than black-seeded Simpson, forming a compact central bunch; color yellowish green.

Simpsons Early Curled: the favorite home garden lettuce

LETTUCE (continued)

	Days
Slobolt, b.s.	43
Introduced by the U. S. Department of Agriculture; similar in type and general appearance to Grand Rapids but with unusual resistance to bolting in warm weather.	
WHITE BOSTON (Ocoee), w.s.	76
Similar to Big Boston, but with leaves slightly lighter green and free from a brown tint; heart yellow; of succulent quality.	
WHITE PARIS COS (Trianon), w.s.	66
A medium large self-folding variety, with medium dark green, erect, smooth, concave leaves. Head compact, solid, crisp, with greenish white interior.

Fordhook Fancy: the attractive Asgrow strain

MUSTARD

Brassica juncea

Chinese Broad Leaf	45
Plant medium large, vigorous; leaves broad, large, slightly crumpled, oblong, medium green, scalloped at edges.	
Florida Broad Leaf	50
Large, upright growing plant; leaves exceptionally large and thick, bright green; smooth with toothed edges, and pale green midribs.	
FORDHOOK FANCY	50
A handsome, upright growing, mild variety; leaves bright green, plume-like, deeply fringed and cut. The Asgrow strain is exceptionally fancy.	
SOUTHERN GIANT CURLED	40
The earliest and most popular sort. Leaves long and wide, light green, tinged with yellow, heavily crumpled and curled at the edges. Used widely in the South.	
Also available is a longer-standing strain.	
TENDERGREEN (Mustard Spinach) Brassica perviridis	35
A quick growing variety particularly suited to the South. Leaves oblong, thick, fairly smooth, dark green with lighter green ribs; slow to seed, resistant to heat and drought; combines flavors of mustard and spinach.

Perkins' Spineless: Green Velvet: Clemson Spineless

OKRA

Hibiscus esculentus

Plant height in okra is largely conditioned by climatic factors and particularly water supply. The velvet types are tall-growing, varying in the South from 6 to 10 ft. depending upon moisture and whether the pods are kept picked.

	Height of plant feet	Mature pods inches	Days
CLEMSON SPINELESS Developed by the South Carolina Experiment Station. All-America Silver Medal for 1939. A very uniform, spineless variety. Plant has less foliage than Perkins'; pods rich green, angular, ridged.	4½	6	55
Green Velvet Developed by the Louisiana Experiment Station; suited to canners and preservers as the pods retain their color when processed.	6	6½	58
PERKINS' SPINELESS An improved smooth-podded variety bred by the Campbell Soup Co. replacing the old spiny Perkins' Mammoth, to which it is much superior. Plants dwarf, early and prolific; pods bright green, slender, ribbed and spineless.	3	7	50
WHITE VELVET (Lady Finger) An improved strain of White Velvet. Plant tall, early and prolific. Pods creamy white, slender, spineless, ribless.	6	6½	58

ONION

Allium cepa

The varieties listed in capitals are, in our judgment, the most important.

The number of days indicates the time from planting of seed to maturity of bulbs under midwestern and eastern growing conditions. Length of daylight is also a factor in the time required to form bulbs.

	Days
ASGROW 19	90
A hybrid onion of mild, sweet type developed at our Pacific Coast breeding station and grown exclusively by us. Comparable to Early Yellow Globe but earlier, and the bulbs average about 15% heavier, with equal keeping quality. Bulb nearly full globe-shaped, attractive in appearance, uniform and solid.	
Australian Brown	100
A standard variety, noted for keeping quality, pure lemon-yellow flesh and chestnut-brown scale color. Bulb deep-flat or semi-globular in shape; with tough tight-fitting skin; flavor very strong; flesh cooks rather dark.	
BRIGHAM YELLOW GLOBE	109
Bulb globular with rounded bottom, a deeper, rounder type than Yellow Globe Danvers; solid, well covered with tight-fitting thick skin; foliage dark green; partially resistant to aphids. Of fine quality.	
CRYSTAL WAX	93
Sometimes called White Bermuda. Grown extensively in Texas for first early shipments to Northern markets. Bulb very flat, medium sized, clear white; of mild, delicate flavor. The Asgrow strain represents many years of continuous selection.	
EARLY YELLOW GLOBE	98
An exceptionally good keeper for so early a variety. Bulb medium large in size, yellow, with clinging skin, solid, uniform and attractive. Earliness in maturity insures minimum damage from thrips.

Asgrow 19, a new hybrid, with parent types in background

Excel: an early variety for the South and Southwest

EBENEZER	Days 100
An excellent variety, particularly for producing sets of good keeping quality. Bulb deep-flat, of medium size; dark yellow, very firm, with thick skin.	
EXCEL (Bermuda 986)	83
Excel is a heavy-yielding variety of the yellow Bermuda type developed by the U. S. Department of Agriculture in cooperation with the California and Texas Experiment Stations. Earlier than other Bermuda varieties and more resistant to splitting and bolting. Uniformly thick-flat, with small top and neck. All-America 1948 sectional award for the Bermuda onion growing areas of the South and Southwest.	
Golden Globe (Golden Marvel: Bottle Neck)	110
Popular for growing globe-shaped sets. Bulb oblong-globe or bottle neck in shape, rich golden yellow; firm and hard. Also desirable for market or storage.	
Lord Howe Island (Red Shipper)	95
A red Bermuda type, of very deep, attractive color and sweet flavor. Bulb shape similar to Yellow Bermuda but thicker. Color a very deep dark red. A short-day, slow bolting variety for first early market in Pacific coast areas.	
Nebuka (Japanese Bunching) <i>Allium fistulosum</i>	
A bulbless bunching variety, grown for its very long, pure white stems; long standing, tender and of delicate flavor. Resistant to pinkroot, thrips and smut.	
Red Wethersfield	100
An old variety of excellent keeping quality, used for red sets and for storage. Bulb medium large, flat on the bottom, with sloping top; purplish red; flesh fine grained, firm, white, lightly flushed with pink; of strong flavor.	
SAN JOAQUIN	93
Developed by the U. S. Department of Agriculture and California Experiment Station from a cross of Stockton Yellow Globe (G36) x Early Grano. Bulb of large size and semi-globe shape with straw-yellow skin. Highly non-bolting and relatively early.	

ONION (continued)

	Days
Southport Red Globe	110
The finest of the red onions and a good keeper. Bulb globular of good size, with small neck and thick, deep purplish red skin; flesh white, tinged with pink; of strong flavor.	
SOUTHPORT WHITE GLOBE	110
One of the best white varieties. Bulb round, medium sized, solid, white; skin thin and delicate; flesh waxy white, fine grained, and mild. Keeps well in storage.	
TEXAS GRANO (Early Yellow)	88
Selected from Babosa at the Winter Haven Experiment Station, for greater uniformity of maturity and earliness. A desirable strain for Texas, grading a high percentage of U. S. No. 1 bulbs.	
WHITE BABOSA	100
Developed at our Pacific Coast breeding station and introduced in 1942. Similar to Babosa except that the shape is somewhat more spherical and the skin color is a clear attractive Silverskin white.	
White Ebenezer	100
A white variety for sets and general purposes, of White Portugal type. Bulb thicker than Ebenezer, white and hard.	
White Lisbon	
Grown almost exclusively as an early bunching onion. Bulb at maturity large, thick-flat, with thick neck; clear white in color.	
WHITE PORTUGAL (Silverskin)	100
An all-purpose variety, for sets, pickling, green bunching, and storage. Bulb medium sized, thick-flat, clear white, hard, fine grained.	
White Queen (Barletta: Pearl)	90
Valuable for early market, sometimes used for bunching and for pickles. Bulb small, flat, clear white, firm and mild.

Texas Grano: early and uniform

WHITE SWEET SPANISH	Days 110
The largest of the white onions. Bulb globular, pure white; flesh clear white, firm and mild. Attractive in appearance and a fair keeper.	
YELLOW BABOSA	95
A short-day relatively non-bolting variety of particular value for Fall seeding in Texas and the Pacific Southwest. Bulb top-shaped, medium large with straw-colored skin; flesh white, mild and of excellent flavor. Largely resistant to thrips.	
Yellow Bermuda	93
A medium sized, flat sort for early market. Skin light straw color, thin and loose; flesh nearly white, sweet and mild. Grown extensively in Texas and Southern California for early shipments to Northern markets.	
YELLOW GLOBE DANVERS	110
A popular strain of Yellow Globe. Hardy and a good cropper; used largely for storage. Bulb medium large, round, yellow, firm, solid with small neck. Flesh white, with slight yellow tone.	
YELLOW SWEET SPANISH	110
A popular large yellow variety. Globular, with yellow-brown skin; flesh white, mild, sweet and of pleasing flavor, desirable for shipping.	

PARSLEY

Petroselinum hortense

MOSS CURLED (Triple Curled)	Days 70
A compact plant with dark green leaves, exceedingly finely cut; for garnishing and for decorative purposes.	
MULTICURL	85
A new strain of curled type developed at our Pacific Coast breeding station. Leaves bright green and very finely cut and curled, giving the fresh appearance of a dense piece of moss. Stems stout, well adapted for bunching. Somewhat slow growing but most attractive in appearance and quality.	
Paramount	85
Plant slow growing, leaves much curled, very dark green, with stout stems for bunching.	
Plain (Single)	72
Used largely for flavoring. Leaves bright green, deeply cut, flat, not curled: stem small, solid, without purple coloration.	
Rooted (Hamburg) <i>Petroselinum hortense</i> var. <i>radicosum</i>	90
Forms thick, fleshy, edible roots, 8"-10" long, used for flavoring. Leaves plain, deeply cut; stems coarse and tough, hollow, tinged with purple.	

PARSNIP

Pastinaca sativa

ALL-AMERICAN	Days 95
Root large and broad-shouldered, of medium length, fine texture, white color, and with small core; very free from side rootlets.	
HOLLOW CROWN (Guernsey)	95
Root 10"-12" long, 2½"-3" in diameter at shoulder; hollow crowned, uniformly tapered.	

PEAS

Pisum sativum

In climatic conditions approaching the ideal for its purpose, one of the most important Asgrow plant breeding stations is located at Hamilton, Montana, high in the Rocky Mountains, and our operations there are confined exclusively to peas. Its first duty is the maintenance of standard varieties at their best, thus avoiding that relapse to coarser, rougher forms which so frequently occurs in cultivated plants without man's skilled control. Its next duty is the development of improved strains or new varieties embodying disease resistance, yield, quality or other desired characters to meet particular needs.

Among the recent introductions from our pea breeding station which have speedily won wide acceptance are Cody, Signal, Yukon and Shasta; several other entirely new varieties are listed hereunder, and some of them may prove equally successful.

The figures given in the column of days are intended only to be of assistance in comparing relative earliness or lateness. They have been compiled from our records of many observations, but obviously will be subject to some variance in different seasons and under widely divergent conditions of soil and climate.

Smooth - Seeded

	Height of plant inches	Length of pod inches	Days
Alaska	28	2 $\frac{5}{8}$	57
The Asgrow strain—the first progeny line, pedigreed stock of this variety ever developed—is noted for its pod size and productivity. Fully resistant to Fusarium wilt. Used very extensively for canning and by some gardeners for a first early variety. Plant slender, light green, very uniform in maturing. Pods single, blunt, light green, round, straight, contain 6-8 peas. Seeds small, round, smooth, bluish green: 140 per oz.			
Bountiful (Ameer)	30	3	60
Popular in some sections with market gardeners for early planting; resistant to Fusarium wilt. Plant medium green. Pods single, somewhat curved, pointed, medium green, contain 7-8 peas of only fair quality. Seeds medium, round, dimpled, bluish green: 125 per oz.			
Canada Field	48	2 $\frac{1}{4}$	85
A commercial sort for field culture, resistant to Fusarium wilt. Plant very tall, medium green. Pods single, blunt, light green; contain 6 peas. Seeds small, smooth, creamy white: 150 per oz.			
Creole	70	3	74
A tall, hardy, distinctive variety long grown in Louisiana, sometimes as a winter cover crop. Pods single and double; seeds round and usually smooth, occasionally wrinkled: 135 per oz.			
Laxton's Superb (Early Bird: Improved Laxtonian)	16	4	61
The earliest large podded, dwarf sort. Plant light green, coarse. Pods single and double, curved, pointed, medium green, attractive; contain 9-10 peas of fair quality. Seeds dark green, dimpled: 90 per oz.			
Mammoth Podded Extra Early	30	3	60
For home and market gardens. Plant medium heavy, deep green, productive. Pods light to medium green, broad, round, blunt; taper slightly from blossom to stem end; contain 6-7 peas of fair quality. Seeds round, dimpled, cream colored: 95 per oz.			

	Height of plant inches	Length of pod inches	Days
Pedigree Extra Early (First and Best) Developed and introduced by Calvin N. Keeney. Plant hardy and resistant to Fusarium wilt. Pods single, light green, blunt, plump, contain 6-7 peas of fair quality. Seeds round, dimpled, creamy white: 140 per oz.	30	3	58
White Marrowfat A commercial sort, grown for dried peas; resistant to Fusarium wilt. Plant dark green. Pods single and double, plump, blunt, straight, light green; contain 6-7 peas of poor quality. Seeds large, round, creamy white: 100 per oz.	60	3¼	80
Willett's Wonder Of Georgia origin and in favor there. Plants dark green, of dwarf type with small pods produced in pairs. Very resistant to cold. Seeds 165 per oz.	26	2½	70
YUKON A more vigorous Alaska type recently developed at the Asgrow pea-breeding station. Pods slightly larger than those of our regular Alaska and about two days later. A reliable cropper under adverse conditions and resistant to Fusarium wilt. Of particular value to packers of Alaska type peas, helping to meet AIS standards and offering larger yields of high quality, small sieve sizes when harvested early. Seeds 130 per oz.	35	2¾	59

Yukon: hardy, vigorous and prolific

PEAS (continued)**Wrinkled - Seeded**

	Height of plant inches	Length of pod inches	Days
ALDERMAN (Telephone)	60	4½	74
A handsome, large-podded late variety for home gardens, truckers, shipping and freezing; resistant to Fusarium wilt. Plant dark green, coarse. Pods single, large, plump, straight, dark green, pointed; contain 8-10 peas of highest quality. Seeds large, light green: 90 per oz.			
CANNER KING	34	3½	67
A main-crop Asgrow canning variety resistant to Fusarium wilt, awarded the All-America Bronze Medal for 1937. Plant similar to Perfection but with more open habit of growth; color medium green. Pods slightly curved, single and double, medium green, blunt, contain 7-9 peas of very high canning quality. Seeds green, of medium size: 100 per oz.			
Climax	36	2¾	66
A second early canning variety. Plant slender, medium green, resistant to Fusarium wilt. Pods single and double, light green, blunt ended; contain 6-7 peas. Seeds small, green: 140 per oz.			
CODY	32	3¾	57
A first early market and freezing variety recently developed by Asgrow. Of Gradus type but earlier and resistant to Fusarium wilt. Plant light green, medium heavy. Pods single, dark green, pointed, broad, plump, containing 7-9 large oblong deep green tender peas. Seeds large: 90 per oz.			
Dwarf Telephone (Daisy)	24	4½	76
Plant light green, stocky and branching, resistant to Fusarium wilt. Pods single and double, medium light green, lightly curved, broad, pointed; contain 8-10 peas of excellent quality. Seeds large, green with bluish cast: 80 per oz.			
EARLY HARVEST	32	2¾	60
Our development, resistant to Fusarium wilt. An early-sweet canning type showing more vigor than either Surprise or Wisconsin Early Sweet. Plant slender, medium green. Pods single, light green, plump, blunt; contain 6-8 peas having tender skins and excellent flavor. Seeds small, green: 140 per oz.			
Everbearing	28	3	76
Plant dark green, coarse and branching; resistant to Fusarium wilt. Pods double, light green, plump, blunt; contain 4-5 large peas. Seeds large, light green, flat: 95 per oz.			
FROSTIE	38	3¾	63
An improved Gradus type for freezing. Plant medium green, stocky. Pods single, broad, plump, pointed, medium green; contain 8-10 large, sweet, delicious peas. Frozen peas oblong, deep green. Seeds large, cream and green: 100 per oz.			
GLACIER	32	3¼	61
Developed at our pea-breeding station to meet the need for a variety of the same general type as Thomas Laxton but resistant to Fusarium wilt. The plants are dark green and medium heavy. Pods single, dark green, blunt ended, plump and well filled with 7-8 deep green, semi-round peas of excellent quality. Seeds large, cream and green: 100 per oz.			
Gradus	35	3½	60
Plant medium green, stocky. Pods single, broad, pointed, medium green; contain 6-8 large, sweet peas. Seeds large, cream and green: 100 per oz.

Hardy: an early, vigorous canning variety

	Height of plant inches	Length of pod inches	Days
HARDY	32	3¼	66
Developed at our pea-breeding station to combine for canners the quality and productivity of Perfection with earliness, hardiness and wilt resistance. Plant dark green, vigorous; pods mostly double, blunt, plump, light green; contain 7-8 peas of very good canning quality. Seeds green: 130 per oz.			
Hundredfold (Blue Bantam: Laxtonian)	18	4¼	63
Plant dark green, stout. Pods single, broad, deep green, pointed, curved; contain 8 large peas of fine quality. Seeds large, wrinkled, yellow and green, somewhat flat: 100 per oz.			
Laurel	24	3	62
A new early Perfection type developed by Asgrow for canners desiring a dwarf pea maturing a week before regular Perfection. Podding very concentrated and prolific. Plant dark green and determinate. Pods double, light green, and straight. Seeds small, green: 135 per oz.			
LAXTON'S PROGRESS	16	4½	62
Developed by Laxton Bros. and introduced in 1922. The largest podded and most attractive of the Laxtonian family. Plant medium dark green. Pods single, 7⁄8" wide, dark green, somewhat curved, pointed, handsome; contain 7-9 large peas of good quality. Seeds large, cream with green: 85 per oz.			
Little Marvel	18	3	64
An older variety of high quality and yield. Plant dark green, medium stocky. Pods single and double, dark green, blunt, plump, well filled with 7-8 tender peas. Seeds light green, squarish: 110 per oz.			
Lolo	38	3	63
A new, very hardy and vigorous, double podded early-sweet type developed by Asgrow for high temperature conditions. Reaches canning stage about 2 days after Surprise and Surpass. Fully resistant to Fusarium wilt. Plant very vigorous, medium green. Pods double, light green, plump, blunt, contain 6-8 peas of good quality and flavor. Seeds small, wrinkled, green: 130 per oz.			

PEAS (continued)

	Height of plant inches	Length of pod inches	Days
LOYALTY	28	3¼	63
An early-sweet type possessing ability to crop under adverse conditions. In developing this canning variety at our pea-breeding station, particular attention was given to incorporating the factors for resistance to heat, moisture, and aphids. Fully resistant to Fusarium wilt. Plant dark green, with concentrated pod setting; pods double, straight, plump, well filled with 7 to 9 medium green round peas. Seeds 120 per oz.			
Miracle	48	4	70
This English variety, which has given good results in quick freezing, may be described as of Alderman type but with shorter, lighter-colored vine and smaller pod; not resistant to wilt. Plant medium green; pods large, single, slightly curved, pointed, with very dark green peas. Seeds 100 per oz.			
Morse's Market	24	4¼	70
For market gardens and shipping. Plant sturdy, somewhat coarse. Pods dark green, single, plump, curved, pointed; contain 7-9 peas. Seeds large, cream with green: 90 per oz.			
Morse's No. 60	29	5	75
Introduced by the Ferry-Morse Seed Co. Very similar to Number 40. Plant vigorous, dark green, resistant to Fusarium wilt. Pods large, slightly curved, pointed, contain 8-10 large peas. Seeds green: 90 per oz.

Alderman : No. 40 : Rondo : Shasta : Wyola

	Height of plant inches	Length of pod inches	Days
Multifold A recent Asgrow introduction of large Hundredfold type, developed at our pea-breeding station for shipping, quick freezing and general use. Resistant to Fusarium wilt. Plant dark green, strong and prolific. Pods single and double, broad, dark green, pointed and slightly curved. Seeds large, green: 100 per oz.	24	4 $\frac{3}{8}$	66
Nott's Excelsior (American Wonder) One of the older varieties now mainly used in the packet trade. Plant dark green, slender. Pods single, blunt, round, plump, light green with 6-7 medium sized peas. Seeds square, light green: 130 per oz.	16	2 $\frac{3}{4}$	62
NUMBER 40 A late variety of high quality for shippers and market gardeners, originally selected by us from Giant Stride and pure-lined. Plant dark green, stocky and branching, resistant to Fusarium wilt. Pods single and double, round, dark green, plump, pointed, curved at tip; contain 8-10 large succulent peas. Seeds large, green: 90 per oz.	28	5	74
Number 4683 An early canning variety adapted to Wisconsin conditions. Plant slender, light green. Pods single, straight, blunt, with 6-8 peas similar to Alaska but sweet and semi-wrinkled. Seeds small, wrinkled, green: 195 per oz.	28	2 $\frac{3}{4}$	60
Onward Plant medium light green, with heavy stem and foliage. Of excellent quality and strong productivity. Pods single and double, $\frac{3}{4}$ " wide, medium green, blunt, straight, attractive; contain 6-8 large, tender peas. Seeds large, green: 100 per oz.	26	3 $\frac{3}{4}$	70
PERFECTION The Asgrow strain of this popular canning variety is known for its uniform, large, attractive pods. Plant medium green, stocky; resistant to Fusarium wilt. Pods double, medium green, blunt, slightly curved; contain 7-9 peas. Seeds green, of medium size: 130 per oz.	30	3 $\frac{1}{4}$	70
Premium Gem (Resistant Gem) Plant dark green, medium, productive; resistant to Fusarium wilt. Pods single and double, light green, round, straight, blunt; contain 6-7 peas of good quality. Seeds green, medium sized: 120 per oz.	22	2 $\frac{3}{4}$	64
PRIDE Developed at the Asgrow pea-breeding station and introduced in 1936. Plant dark green, sturdy, uniform; resistant to Fusarium wilt and relatively tolerant of aphids. Pods mainly double, slightly back curved, plump, dark green, well filled with 7-9 medium green, semi-round peas; concentrated in season and produces crops of quality peas under adverse conditions. Seeds medium, green: 120 per oz.	30	3 $\frac{1}{2}$	65
Profusion (Prince of Wales) Plant medium green, with stout stem, resistant to Fusarium wilt. Pods single and paired, light green, plump, straight, blunt; contain 5-6 large, oblong peas of good canning quality. Seeds large, cream and green: 90 per oz.	42	3 $\frac{1}{4}$	76
Progress No. 9 Of the same general type as Laxton's Progress but resistant to Fusarium wilt and slightly larger in plant and pods. Adapted to Southwestern conditions. Seeds 90 per oz.	20	4 $\frac{1}{2}$	60

PEAS (continued)

	Height of plant inches	Length of pod inches	Days
Resistant Early Perfection	36	3¼	66
A new Asgrow development of Early Perfection type possessing resistance to Fusarium wilt. Plant dark green and vigorous. Pods double, light green, contain 7-8 peas of high quality. Seeds small, green: 140 per oz.			
Rice's Early Dwarf (Sutton's Excelsior)	18	3¼	63
For the home garden. Plant medium green, stocky. Pods single, light green, broad, blunt, straight; contain 6-8 medium large peas of good quality. Seeds large, flat, light green: 100 per oz.			
RONDO	28	4½	72
A dwarf variety for market garden, shipping and freezing recently developed at our pea-breeding station. Plants dark green and heavy-yielding; pods largely double, very similar to Alderman, slender and straight, well filled with excellent quality peas giving good hamper weight. Seeds green: 95 per oz.			
SHASTA	28	3¾	67
A very attractive variety recently developed at the Asgrow pea-breeding station to meet the need for a variety to follow Thomas Laxton in season. Plant medium green and sturdy; resistant to Fusarium wilt. Pods dark green, a little larger than Thomas Laxton and of similar shape, borne mainly in pairs. Peas deep green, of excellent quality and highly suitable for either fresh use or freezing. Seeds large, green: 100 per oz.

Rondo: a true Dwarf Alderman type

Shasta: for peas of the highest quality

	Height of plant inches	Length of pod inches	Days
SIGNAL A late dwarf Profusion type but with green rather than yellow cotyledons, developed at our pea-breeding station to meet the need of canners for a late large sized run-of-pod variety of determinate growth habit. Plant dark green; fully resistant to Fusarium wilt. Pods paired, light green, plump, containing 6-8 very large peas of olive shape and excellent quality. Seeds 85 per oz.	34	3¼	74
SURPASS (Resistant Surprise) Developed at the Asgrow pea-breeding station and introduced in 1940 to provide a variety with the desirable canning qualities of Surprise, plus resistance to Fusarium wilt. The new variety is somewhat more prolific, but plant and pod type are, in general, identical with Surprise. Seeds 150 per oz.	28	2⅝	57
Surprise An early canning variety popular for its tenderness of skin and sweetness of flavor. Plant medium green, slender. Pods single, light green, plump, blunt; contain 6-8 peas. Seeds small, green: 150 per oz.	28	2⅝	58
Telephone: see Alderman.			
TETON Developed at our pea-breeding station: All-America Silver Medal for 1937. Excellent for market gardens, shipping, canning and freezing. Plant dark green, medium heavy, fully resistant to Fusarium wilt. Pods single, large, straight, blunt, dark green, concentrated in season; well filled with 7-8 large, succulent peas of very fine quality. Seeds large, cream and green: 105 per oz.	34	3¼	65

PEAS (continued)

	Height of plant inches	Length of pod inches	Days
THOMAS LAXTON, DARK-PODDED Original light-colored strain introduced by Laxton Bros. in 1898. The Asgrow dark podded strain is more attractive in both plant and pod; an excellent all-purpose variety. Plant deep green and medium heavy. Pods single, deep green, plump, broad, blunt; contain 7-8 large, tender peas of high quality. Seeds of medium size, cream and green: 100 per oz.	36	3½	62
Wisconsin Early Sweet Plant medium green, slender. Pods single, light green, plump, blunt; contain 6-7 round, light green peas. Seeds medium small, green: 150 per oz.	28	2½	59
World's Record Of Gradus type, but a little earlier. Plant light green, medium heavy. Pods single, medium green, pointed, broad, plump; contain 7-8 large tender peas of good quality. Seeds large, cream and green: 100 per oz.	30	3½	57
WYOLA An entirely new type, developed at our pea-breeding station primarily to provide the freezing industry with a midseason variety of small-sized dark-colored peas. Plant of medium length, wilt-resistant and very prolific. Pods dark, highly double, blunt, well filled with 7-9 small, dark peas. Seeds small, green: 125 per oz.	30	3	68

Recording statistics of field trials at the Asgrow Pea Breeding Station, Hamilton, Montana

Edible Podded or Sugar Peas

Pisum sativum saccharatum

	Height of plant inches	Length of pod inches	Days
Dwarf Gray Sugar Plant slender and wiry with purple blossoms; resistant to Fusarium wilt. Pods double, light green, much curved and indented. Seeds small, mottled, gray, round: 230 per oz.	28	3	65
MAMMOTH MELTING SUGAR The most generally used variety of this type. Plant light green, coarse; resistant to Fusarium wilt. Pods single, very broad, indented, light, blunt; brittle, fleshy, stringless, free from fiber, of good quality. Seeds large, round, creamy white: 100 per oz.	54	5	74

For Southern Growers

The following varieties of the species *Vigna sinensis*, the cowpea, might more properly be grouped with beans but are commonly known in the South as Table Peas, as distinguished from Garden or English Peas. The Days shown are to maturity.

	Height of plant inches	Length of pod inches	Days
Black Eye Strong semi-bush plants. Pods large, long and easily shelled. Green peas large and attractive; reach full maturity about 15 days later and have good keeping qualities as dried peas. Seeds 160 per oz.	40	7	70
Brown Crowder A widely used, all-purpose variety. Plant dark green, thick-stemmed and branching. Pods round, plump, blunt, medium green, filled with brownish peas crowded tightly together. Seeds buff-brown with small darker brown eye. Seeds 155 per oz.	28	7	80
Bunch Purple Hull Popular among canners and also used for green shelled peas. Pods purple; seeds smooth and almost round, slightly smaller than vining Purple Hull, cream-white with purple eye: 190 per oz.	20	8	75
Calhoun Crowder A new introduction, bred by the Louisiana Experiment Station for resistance to wilt and nematodes. Plant upright and prolific; pods rather tough and stringy, making for easier shelling. Seeds 100 per oz.	26	7	70
Cream Crowder Quite similar to Brown Crowder. Plant vigorous, dark green, with tendrils at top. Pods round, blunt, medium green, contain light green peas closely crowded together. Seeds smooth, medium, cream with buff eye: 150 per oz.	28	7	80
Cream Lady A good variety of this group for table use. Plant stocky, dark green, branching. Pods oval, medium green, straight, blunt, closely filled with light green tender peas. Seeds small, smooth, creamy white: 215 per oz.	26	6	80
Purple Hull (Brown Eye) A popular variety for canning and green shelled peas. Plant of vining type. Pods purple. Seeds cream-white with buff to brown eye: 170 per oz.	48	7	75

Tuscany: a new Asgrow variety, early and prolific

PEPPER

Capsicum frutescens

Development of new varieties and the maintenance of standard sorts are carried on at our Eastern breeding station, Orange, Conn., and our Pacific Coast station, Milpitas, Calif.

The seasonal relationship among varieties is shown by average reading of maturity dates, the column of Days indicating relative time from setting-out of plants to picking.

	Length inches	Diameter at stem inches	Days
Anaheim (California) Chili	7	1½	80
A medium hot variety, grown mainly in the Southwest, for the fresh market and for drying. Plant large, somewhat spreading, very prolific. Fruits pendent, long, tapered, smooth, deep green turning to deep scarlet.			
CALIFORNIA WONDER	4½	3¾	75
Plant vigorous, upright, prolific. Fruits largely 4-lobed, upright and pendent; short oblong with little or no taper; very attractive, smooth, uniform and deep green, changing to bright crimson; flesh very thick, sweet and mild.			
An Asgrow strain adapted to Western requirements is also available.			
Chinese Giant	4½	4½	80
A very large, sweet pepper. Plant short, stocky, and light green. Fruits pendent, chunky, square ended, and slightly crumpled; deep green changing to deep scarlet.			
EARLY CALWONDER	4	3½	69
An Asgrow early strain of California Wonder maturing a week to ten days earlier. Plant stocky and sturdy, vigorous, prolific. Fruits 3- and 4-lobed, upright, attractive, smooth, uniform; deep green changing to bright crimson at maturity; thick, sweet and mild. Particularly desirable in areas of shorter season. Packs well because of its uniformity.			

	Length inches	Diameter at stem inches	Days
Floral Gem A hot variety used chiefly in the Southwest by canners and pickle packers. Fruits small, conical, green, turning deep red at maturity.	2¼	1	75
Golden Queen A large yellow variety, of sweet and mild flavor, resembling Ruby King in shape and size. Fruits 3-lobed, pendent, tapered, deep green, becoming an attractive yellow.	4	3½	78
Harris' Early Giant An early sweet variety. Plant dwarf, upright, productive. Fruits pendent, gently tapered, 3-lobed; of mild flavor; deep green changing to bright red.	4¼	3½	63
Hungarian Yellow Wax A first early, hot variety. Plant dwarf and prolific. Fruits pendent, medium slender, tapering, smooth and very pungent. Color waxy yellow changing to bright crimson at maturity.	6	1¼	65
King of the North An early strain of Ruby King, introduced by Joseph Harris Co. for shorter season areas. Prolific plants, somewhat smaller than regular Ruby King, though fruits are of good size and quality.	5	3	64
Long Red Cayenne, thick type This Asgrow strain of the favorite hot pepper is notably more substantial, averaging an inch in diameter at the shoulder or somewhat larger, and borne plentifully.	5¼	1	70
Long Red Cayenne, Original thin type Used largely for canning, and in sauces, pickles, etc. Plant large and productive. Fruits tapering, pendent, frequently twisted; very pungent; deep green changing to brilliant red.	5	½	70
Neapolitan A very early, medium large, prolific variety. Fruits upright in growth, 3-lobed; yellowish green, becoming bright red; flesh mild and sweet.	4	2	60
Oshkosh A medium early, productive variety. Fruits mild, fairly smooth, broad at base tapering to blunt point; deep glossy green in color turning to canary yellow at maturity.	4½	3½	70
Ozark Giant (Memphis Giant) A large and heavy yielding Southern strain of the Giant type. Fruits similar in shape to Chinese Giant but smoother, mostly 4-lobed and of large size but medium weight.	4½	4½	80
Pepperencino (Small Sweet Italian Pickling) A very mild variety used in California for pickling when about half grown. Plant medium, upright, prolific. Fruits of medium size, thin walled, non-pungent, tapered to a 3-lobed tip.	4	1	75
PIMENTO (Perfection) Primarily a canning variety; good also for home and market gardens. Plant large, erect, prolific. Fruits heart-shaped, pendent, very smooth; color dark green, changing to bright crimson; flesh unusually thick, sweet and mild.	3½	2½	80
Red Cherry For use in pickles. Plant vigorous, upright, prolific. Fruits round, smooth, solid, very pungent; color deep green changing to deep scarlet.	1	1	82

PEPPER (continued)

	Length inches	Diameter at stem inches	Days
Red Chili	1¾	½	82
Plant of low spreading growth, 18" tall, very productive. Fruits erect, conical, extremely pungent; color light to medium green, changing to deep red.			

RUBY KING	5¼	3½	68
This pedigreed Asgrow strain, bred for size and uniformity, was awarded the All-America Bronze Medal for 1935. Plant medium sized, erect and productive. Fruits pendent, borne off ground; 3-lobed, tapered, dark green, turning to bright deep red at maturity. Flesh comparatively thick, sweet and mild.

California Wonder: World Beater: Early Calwonder: Harris' Early Giant: Ruby King

Sunnybrook	2½	2¾	73
A home garden variety. Plant vigorous and very productive. Fruits tomato-shaped, smooth; color deep green turning to deep red; flesh thick and mild.			

Tabasco	1	¾	95
A late, hot variety. Plant large and spreading. Fruits small, tapering smooth; color greenish yellow, turning to scarlet-red.			

TUSCANY	4	3½	66
An early large-fruited variety developed at our Eastern Breeding Station. Plant stocky and upright; fruits 3- and 4-lobed, thick-fleshed, resembling World Beater but reasonably smooth, attractive in appearance on the early market.			

Windsor-A	4½	2¼	57
Developed at the Connecticut Experiment Station. All-America Silver Medal for 1937. Plant of medium height, sturdy, early and prolific. Fruits mostly 3-lobed; smooth, medium green.			

WORLD BEATER	5	3¾	70
A valuable large variety for market gardens and shippers, from a cross of Chinese Giant and Ruby King. Plant vigorous, upright, and very productive. Fruits 4-lobed, smooth; color glossy green changing to bright red; flesh thick, mild and sweet. Our strain is No. 13, resistant to at least one form of mosaic.			

PUMPKIN and SQUASH

Cucurbita spp.

The words "pumpkin" and "squash" are not clearly defined and in some cases a variety may be called a squash by some and a pumpkin by others. Botanically they are divided into *pepo*, *moschata* (musky) and *maxima* (large), but for easier reference we list them hereunder in alphabetical order.

Varieties commonly known as pumpkins are denoted by (p); the bush or summer squashes by (b.s.); the vining or winter squashes by (v.s.)

The figures given in the column of Days represent the relative periods to full development and the measurements apply to fully grown fruits, though the summer squashes are eaten when small and immature.

	Length inches	Diameter inches	Days
Alagold <i>C. moschata</i> (p) Selected from a bell-shaped African type by the Alabama Agricultural Experiment Station. Vine very long; fruits average about 5 lbs. and vary in shape from nearly cylindrical to bell, with orange rind and deep yellow flesh.	10	5	100
Banana <i>C. maxima</i> (v.s.) Cylindrical and pointed at blossom end, with thin, gray rind; 10-12 lb. Flesh thick, fine grained, yellowish orange.	20	5	105
Black Zucchini <i>C. pepo</i> (b.s.) Developed from Italian Marrow; chiefly popular in the West and South. Fruits are cylindrical, long, smooth, dark green-black; flesh greenish white at eating stage.	13	4½	62
Blue Hubbard <i>C. maxima</i> (v.s.) A popular New England type. Superior in edible quality to other Hubbard strains. Fruits corrugated, pointed at both ends; slightly ridged, with very hard blue-gray rind; weigh 12-14 lb. Flesh yellow-orange, thick.	14	9	110
BOSTON MARROW <i>C. maxima</i> (v.s.) A productive variety, extensively used for canning. Resembling Hubbard in size and shape, the fruits weigh 6-8 lb. The deep orange skin is somewhat rough, and quite hard; flesh is yellow, thick, fine grained, moist.	12	9	97

Boston Marrow: orange fruits of Hubbard type

PUMPKIN and SQUASH (continued)

Butternut: of excellent table quality

	Length inches	Diameter inches	Days
Buttercup <i>C. maxima</i> (v.s.) Developed by Prof. A. F. Yeager at North Dakota Agricultural College. Shape similar to that of Turban, 3½ lb. Rind thin and tough, dark green with narrow gray stripes and slight mottling; flesh orange, dry and well-flavored.	4½	6½	100
BUTTERNUT <i>C. moschata</i> (p or s) A development from one of the Cushaw types—Canada Crookneck or yellow Cushaw—introduced by Joseph Breck & Sons. Fruits 3-4 lb., 8"-10" long, bulbous at the blossom end, where the small seed cavity is located; the thick neck is solid. Rind thin and tough, creamy-yellow in color; flesh fine-grained, nutty and of excellent baking quality.	9	3½	90
CONNECTICUT FIELD <i>C. pepo</i> (p) Grown for pies, canning, and stock feed. Fruits partly globe shaped; 15-20 lb. Surface smooth, somewhat ribbed; deep orange in color; flesh thick, orange-yellow, somewhat coarse.	12	14	118
COZINI <i>C. pepo</i> (b.s.) A prolific, early variety developed at our Pacific Coast breeding station from Black Zucchini x Long Black Cocozelle. Plant open, with large, entire leaves. Fruits smooth, dark green, straight and blocky, firm fleshed and remaining edible over a long period, with fine cooking quality and flavor.	15	4	48
EARLY PROLIFIC STRAIGHTNECK <i>C. pepo</i> (b.s.) Introduced by Ferry-Morse Seed Co. All-America Silver Medal for 1938. An attractive, productive and popular variety with bright lemon-yellow fruits, tender and succulent.	14	3½	50

	Length inches	Diameter inches	Days
EARLY YELLOW SUMMER CROOKNECK <i>C. pepo</i> (b.s.)	10	4	52
An extensively used summer sort. Plants very prolific. Fruits curved at neck, light yellow at edible early stage.			
English Vegetable Marrow <i>C. pepo</i> (b.s.)	15	4½	56
A prolific summer variety. Fruits cylindrical but somewhat larger at blossom end; pale greenish exterior, lighter colored interior. A long vining strain of this variety is also available.			
Giant Summer Crookneck <i>C. pepo</i> (b.s.)	20	4½	58
Similar to Early Yellow Summer Crookneck, but larger and later. Fruits weigh 4-5 lb. at maturity; neck curved; skin lemon-yellow, warted; flesh thick and yellow.			
GIANT SUMMER STRAIGHTNECK <i>C. pepo</i> (b.s.)	18	4½	60
Packs for shipping to better advantage than Crookneck. Fruits thick-necked, heavily warted, straight, lemon-yellow; flesh thick, light yellow.			
GOLDEN DELICIOUS MARROW <i>C. maxima</i> (v.s.)	11	8	100
Originated by Gill Bros. Seed Co. Desirable for canning on account of its dry flesh. Fruits top-shaped, about 7 lb. Color bright reddish orange, with deep green tip at blossom end. Flesh thick, medium grained, golden orange, sweet and dry.			
Golden Hubbard <i>C. maxima</i> (v.s.)	11	8	100
Similar to Green Hubbard, but smaller and more prolific. Fruits somewhat pointed at each end, 8-10 lb., moderately warted, orange-red, with faint cream colored stripes toward blossom end; flesh deep orange, dry, and of fine quality; keeps well.			
Green Delicious <i>C. maxima</i> (v.s.)	11	8	102
Top-shaped fruits, 7-8 lb. Skin dark green, with light green stripes toward the blossom end; flesh orange, dry.			
GREEN HUBBARD <i>C. maxima</i> (v.s.)	12	9	105
Fruits 10-12 lb. pointed at both ends, slightly warted, dark bronze-green in color; rind hard and tough; flesh thick, orange-yellow, dry.

Early Prolific Straightneck squash

PUMPKIN and SQUASH (continued)

	Length inches	Diameter inches	Days
GREEN TINT, Asgrow Strain <i>C. pepo</i> (b.s.)	3	8	55
A superior strain of Bush Scallop. Plant large and prolific. Fruits uniform in scalloping and in the favored shade of pale green; hold this desirable color until long after marketable stage; devoid of knots or warts.			
Benning is an older green tinted scallop type, becoming warted and yellowish buff at maturity.			
Japanese Pie <i>C. moschata</i> (p)	12	8	110
Resembles the Cushaws in shape, but is earlier and larger. Skin dark green, with lighter green stripes. Flesh deep yellow, and of good quality. Weight 12 lb. Seeds have markings somewhat resembling Japanese characters.			
Kentucky Field <i>C. moschata</i> (p)	10	13	120
Used for canning, and for stock feed, particularly through the South. Fruits large, slightly ribbed, not fixed in shape, some being flat, others globular and elongated; 10-15 lb.; color dull orange; flesh deep yellow, coarse.			
LONG COCOZELLE <i>C. pepo</i> (b. s.)	20	4½	65
Of Italian Marrow type, increasingly popular with market gardeners and shippers. Fruits cylindrical when young, smooth, dark green with lighter green stripes which change to deep yellow at maturity; flesh very firm, greenish white.			
Mammoth Chili (King of the Mammoths) <i>C. maxima</i> (v.s. or p)	22	18	120
Exceptionally large type, grown mainly for stock feeding or exhibition purposes. Fruits globular, slightly ribbed, flattened; 60-75 lb.; skin light yellow, mottled with orange, and sometimes slightly netted; flesh solid, yellow-orange, coarse.			
Mammoth White Bush Scallop <i>C. pepo</i> (b.s.)	3½	9	56
Our special strain of White Bush Scallop, selected for size and uniformity. Fruits deep, smooth, attractive and evenly scalloped; retain their white color at later stages.			
Short Cocozelle <i>C. pepo</i> (b.s.)	12	5	63
A well known variety of Italian origin. Fruits weigh 3-4 lb.; cylindrical, smooth, dark green, with lighter green, changing to golden stripes; flesh greenish white.			
SMALL SUGAR (New England Pie) <i>C. pepo</i> (p)	8	10	108
One of the best varieties for general use. Of small handy size, but tonnage equals others. Fruits round, flattened at ends, 6-8 lb.; skin hard, smooth, somewhat ribbed, deep orange; flesh thick, sweet and dry, of bright orange color and high quality.			
Striped Cushaw <i>C. moschata</i> (p)	18	10	112
Fruits crooknecked, 14-16 lb.; skin hard, thin, smooth, dull white with irregular green stripes; flesh thick, yellow, somewhat coarse in texture.			
TABLE QUEEN (Des Moines: Acorn) <i>C. pepo</i> (v.s.)	6	4½	85
Oval fruits, pointed at the blossom end, ribbed, smooth, thin-shelled, dark green; 1¼-1¾ lb. Flesh light yellow; bakes well with sweet, inviting flavor.			
Golden Table Queen is similar except for external color.			
Tennessee Sweet Potato <i>C. moschata</i> (p)	14	10	110
A popular variety in the South. Fruits pear-shaped, with good keeping quality, 12-15 lb.; skin creamy white with faint light green stripes; flesh yellow and of sweet potato flavor.

Long Cocozelle: an early, prolific Italian marrow

	Length inches	Diameter inches	Days
Turban <i>C. maxima</i> (v.s.)	8	10	100
Fruits 9-10 lb., of distinctive shape: cylindrical, flattened, with a prominence set in a depression at the blossom end, "a squash within a squash." Skin orange-red in color, somewhat rough; flesh deep orange.			
WARTED HUBBARD <i>C. maxima</i> (v.s.)	13	9½	110
Somewhat larger than Green Hubbard, and more thickly covered with warts. Fruits about 14 lb., pointed at each end, very dark green; flesh deep orange-yellow.			
WHITE BUSH SCALLOP (Patty pan) <i>C. pepo</i> (b.s.)	3	7½	52
An old favorite for home and market gardens. Fruits pale green when young, becoming white as they grow, to 2½ lb.; shaped somewhat like a round pie or patty with scalloped edges.			
White Cushaw <i>C. moschata</i> (p)	18	7	110
Smaller, and with shorter, straighter neck than other Cushaw types. Exterior color nearly white.			
Wood's Early Prolific <i>C. pepo</i> (b.s.)	3½	7	52
A White Bush Scallop strain. Fruits cream-white, only slightly scalloped. Not so uniform in color as the white scallop varieties listed above.			
Yellow Bush Scallop <i>C. pepo</i> (b.s.)	3	8	58
Similar to White Bush Scallop in size and shape of fruits and habit of growth, but deep yellow in color.			
Yellow (Golden) Cushaw <i>C. moschata</i> (p)	20	9	112
Fruits crooknecked, medium large, 15-20 lb. Skin golden yellow, smooth, hard; flesh thick, yellow, dry and sweet.			
Zucchini <i>C. pepo</i> (b.s.)	12	4	50
A well known Italian Marrow type. Fruits very nearly cylindrical, straight. Color medium green, mottled with creamy-gray and lighter green lace pattern; flesh very firm, and of delicate flavor.

French Breakfast *Sparkler*
Saxa *Cavalier* *Early Scarlet Globe*

RADISH

Raphanus sativus

Proven seed stocks produced each year from carefully selected and transplanted roots are the basis of our field plantings of the principal varieties. Northern grown radish leads in quality and Asgrow stocks, bred for the critical market garden trade, are reproduced there in well isolated fields.

	Days
Brightest Long Scarlet (Cardinal)	26
The earliest of the long red varieties. Root 4"-4½" long, tapering; vivid scarlet with white tip.	
Buccaneer	23
A new Asgrow development, notable for uniformity and attractive market appearance. Top short; root globe-shaped, crisp-textured, with lustrous scarlet exterior.	
CAVALIER	23
An attractive variety of short topped Scarlet Globe; primarily for forcing in greenhouse or frame. Top about 1" shorter than standard Scarlet Globe; root olive-shaped, bright scarlet.	
Celestial (Chinese White Winter)	60
Root large, 8" long; 2½"-3" in diameter, cylindrical, with heavy shoulder; flesh white, rather mild in flavor.	
Chartier (Long Rose)	35
Root 7"-8" long and 1" thick; bright rose color on the upper part, shading to white at the tip.	

Chinese Rose Winter (Scarlet China)	Days 52
Root 4"-6" long, 2" in diameter, cylindrical, but thicker at the lower end; blunt, smooth, bright rose-red in color; flesh white, firm and pungent.	
Cincinnati Market (Long Scarlet Short Top)	28
Root 6"-7" long, cylindrical, with tapering end, exterior deep red; flesh white, crisp, mild.	
Comet	24
Of Scarlet Globe type, with globular, scarlet root and short top. A little radish of crisp and solid texture which holds this quality well for market.	
CRIMSON GIANT	28
Root large, globular, 1"-1½" in diameter, deep crimson outside. The white flesh holds its firmness well.	
EARLY SCARLET GLOBE, Medium Top	23
Similar to the foregoing except that top is of deeper green and root is globe-shaped. This Asgrow strain is uniform and attractive.	
EARLY SCARLET GLOBE, RICE'S Medium Top	24
Our pedigreed, originator's stock of this popular variety is outstanding, and well adapted to both field culture and greenhouse forcing. Roots olive-shaped, with medium top; bright scarlet, crisp, and of fine quality.	
EARLY SCARLET GLOBE, Short Top	23
A neat variety bred especially for the use of shippers and market growers. Root bright red and spherical, similar to Early Scarlet Globe, Medium Top; top shorter, yet strong enough to bunch well.

Cincinnati Market, or Long Scarlet Short Top

RADISH (continued)

White Icicle: an attractive, mild and brittle variety

	Days
Early Scarlet Turnip	26
Top small; root round, slightly top-shaped, with small tap root; 1" in diameter, dark scarlet-red; flesh pinkish white and crisp.	
French Breakfast	25
Top small, root oblong, thicker toward the bottom, dull scarlet with white tip; 1½" long, ½"-¾" thick. Becomes pithy unless pulled at first maturity.	
Long Black Spanish	58
A good winter keeping variety. Root cylindrical, slightly tapered at tip, 7"-10" long, 2"-2½" in diameter; skin black; flesh white, solid and pungent.	
Philadelphia White Box (White Turnip)	28
A medium early, white variety for forcing or outside culture. Root round, slightly top-shaped, 1⅜" in diameter; flesh white and crisp.	
Round Black Spanish	56
Root round, 3"-4" in diameter; skin black; flesh white, crisp, and of strong flavor; keeps well for winter use.	
Saxa	22
Principally for forcing. Top very small. Root small, spherical, ⅞" in diameter, bright scarlet.	
Southern Market Globe	24
An attractive strain of Early Scarlet Globe, Medium Top, introduced by the Ferry-Morse Seed Co. Root globular, deep scarlet. Top slightly shorter than Medium Top.	

SPARKLER (Early Scarlet Turnip White-tipped)	Days 26
Popular with market gardeners. Root round, smooth, dull scarlet-red, one-third white at bottom.	
WHITE ICICLE	27
Root 5"-5½" long, slender; tapering at the tips, very white; flesh clear white, brittle and of mild flavor.	
White Strasbourg	39
Root about 5" long, 1½" thick at the shoulder, tapering and smooth. Skin and flesh white, crisp and slightly pungent.	

SALSIFY

Tragopogon porrifolius

A hardy, slow growing species; requires all season, and is better if frosted. Roots 8"-9" long, 1"-1½" thick, tapering gradually.

SPINACH

Spinacia oleracea

The time from planting to cutting of marketable plants varies considerably with the season of the year in which the sowings are made. The column of Days applies to spring plantings in the Northern states.

Varieties marked s.s. are smooth seeded; those marked p.s. are prickly seeded.

BLOOMSDALE SAVOY, LONG STANDING, s.s.	Days 42
A few days later than other Bloomsdales, but holds 12-14 days longer before throwing seed stalks. Plant large, uniform, erect and sturdy, with dark green leaves, highly crumpled.	
DARK GREEN BLOOMSDALE, s.s.	40
Distinguished by its deep color and therefore esteemed by long-distance shippers as it retains a fresh appearance at market.	
GIANT NOBEL (Giant Thick Leaf), s.s.	45
Introduced by Zwaan & Van der Molen: All-America Silver Medal for 1933. Plant vigorous and spreading; slow to form seed stalks, and a heavy yielder. Leaves large, thick, smooth, pointed with rounded tip; medium green, tender. The best of the smooth, thick-leaved sorts.	
HOLLANDIA (Prickly Winter), p.s.	39
More attractive and productive than the old Prickly Winter. The leaves are large, broad, arrow-shaped, and dark green. Popular in California.

Bloomsdale Savoy, Long Standing

SPINACH (continued)

Dark Green Bloomsdale: favored by shippers

	Days
King of Denmark, s.s.	46
The large, spreading plant carries broad, rounded, very dark green leaves, which are somewhat crumpled.	
New Zealand <i>Tetragonia expansa</i> , p.s.	70
Not a true spinach, though somewhat similar when cooked. Quite distinct in habit of growth; thrives in hot, dry weather. Plant large and spreading, with small, thick, pointed, deep green leaves, which can be picked repeatedly throughout the season. Seeds are large, hard and horned.	
Old Dominion, s.s.	40
Resistant to mosaic and of long standing character. Bred from Virginia Savoy x King of Denmark; plant similar to Virginia Savoy but leaves somewhat more pointed.	
Perpetual Spinach: See Swiss Chard, Common Green, page 22.	
VIKING (Northland: Heavy Pack) s.s.	45
Introduced by Sluis en Groot: All-America Silver Medal for 1935. A darker-leaved selection from Nobel. Plant large, spreading, vigorous, long standing and heavily productive. Leaves large, thick, medium dark green.	
VIRGINIA SAVOY (Blight Resistant), s.s.	39
Bred at the Virginia Experiment Station for mosaic resistance. Vigorous and not long standing. Leaves somewhat smoother than other strains of Savoy.	
Viroflay, s.s.	40
An old, vigorous growing variety, with long, broad, pointed, thick, smooth, deep green leaves. Adapted to fall and winter in California and Texas.	

TOMATO

Lycopersicum esculentum

The number of days indicated represents the time required from setting of plants to produce marketable fruits.

Varieties marked r. are red fruited; y. yellow; p. pink; and s.f. small fruited.

	Days
Beefsteak (Red Ponderosa) r.	90
Plant open in habit of growth, heavy, rather light green, vigorous. Fruits of mild flavor; large, flat, scarlet.	
Break o' Day, r.	70
Has considerable resistance to wilt and nail-head rust. Plant light, of open, spreading habit. Fruits medium large, orange-red, globe-shaped, smooth.	
Cardinal, r.	78
Our Improved Stone type but in the main crop class. Large, handsome, semi-globe fruits of rich scarlet with unusually deep interior color; smooth, thick-walled and solid.	
CERTIFIED ASSOCIATED BALTIMORE, r.	79
This earlier, deeper-fruited Asgrow strain is particularly desirable for canners and market gardeners of the East and Midwest; certified free from seed-borne diseases by Purdue University Agricultural Experiment Station. Plant large with medium heavy foliage. Fruits large, deep, flattened, smooth, rich red, solid and attractive; good for juice as well as regular pack.	
Clark's Special Early (Bonny Best: Chalk's Early Jewel: John Baer), r.	72
Plant of medium growth, open, prolific. Fruits medium large, globe-shaped, bright scarlet, smooth, solid, with thick walls.	
Dwarf Champion, p.	86
For use where space is limited. Plant dwarf with dark green leaves. Fruits medium, smooth, pink; flattened globe.	
EARLIANA, r.	66
Useful in areas of shorter season. Plant open, spreading, medium small, with finely cut foliage. Fruits flattened, medium sized, firm, bright red, quite smooth.

Certified Associated Baltimore: a deep-fruited strain

TOMATO (continued)

Marglobe: the Asgrow strain of this popular variety

Early Baltimore, r.	Days 73
Developed by Prof. W. A. Huelsen, University of Illinois. Fruits oblate, smooth. Particularly adapted to midwestern conditions.	
Early Santa Clara, r.	83
An early strain of this standard California canning tomato. Fruits large, flat, uniform but not smooth, of sweet, non-acid flavor.	
Garden State, r.	84
Developed by Campbell Soup Co. from crosses involving Pritchard, Marvel and Pink Topper. Plant vigorous, partially resistant to Fusarium wilt and late blight; fruits slightly flattened globe shape, attractive in color and size, thick-walled and mild flavored.	
Gem, r.	69
Developed at the New York Experiment Station, Geneva, N. Y. Can be set closer than normal, on good soil. Plant determinate; small and compact, with rather sparse foliage. Fruits almost round, slightly flattened, medium in size and color.	
Golden Queen, y.	84
The old standard yellow variety. Plant of medium size. Fruits flattened globe, medium large, golden yellow; of mild flavor.	
Greater Baltimore, r.	82
Mainly a canning variety. Plant large, vigorous, somewhat open. Fruits flat, medium large, deep scarlet, fairly solid and firm.	
Grothen's Globe, r.	68
Used in the South mainly for green-wrap shipping. Resembles Break o' Day but has a positive bright red color. Fruits medium large, globular; firm, and solid; interior ripens slowly.	
Gulf State Market, p.	80
A Southern shipping variety. Plant vigorous, rather open, medium height. Fruits medium large, globular, smooth, purplish pink, thick-skinned, very solid and relatively free from cracking.	

JEFFERSON, r.	Days 82
Our recent introduction for canning, green-wrap shipping and general use. Plant medium to heavy, vigorous and prolific, resistant to Fusarium wilt. Fruits globe-shaped, a little smaller than Rutgers in size, dark red in color both inside and outside, thick-walled with small core and relatively free from cracking.	
JUNE PINK, p.	69
The earliest of the pink fruited varieties. Plant open, spreading, and rather short. Fruits of medium size, flattened, smooth; color purplish pink.	
LIVINGSTON'S GLOBE, p.	82
Originated by Livingston Seed Co.; used largely in the South for shipping. Plant strong and prolific, with heavy foliage; leaves broad, light green. Fruits large, full globe, smooth; purplish rose; ripen evenly.

Jefferson: a new Asgrow variety, highly resistant to wilt

Longred, r.	75
Developed at the New York Experiment Station, Geneva, N. Y. Plant medium in size, with many branches; leaves small but abundant. Fruits globular to deep globular, of medium size, solid and well colored.	
MARGLOBE, r.	77
Introduced by the U. S. Department of Agriculture in 1925. Plant vigorous, with heavy foliage, partially resistant to Fusarium wilt and nail-head rust. Fruits medium large, deep globe, smooth, solid, with thick walls. The Asgrow strain of this widely used variety is distinguished for its freedom from puffiness, increased depth and heavier yield.	
Certified Marglobe, in sealed Asgrow containers, is our strain with State Department of Agriculture certification of trueness to type and freedom from seed-borne diseases.	

TOMATO (continued)

Rutgers: widely adapted and extensively grown

	Days
Moscow (Wasatch Beauty), r.	70
Plant compact and prolific, with branches terminating in clusters of fruits, which are round, firm and smooth.	
Norton, r.	88
A partially wilt resistant variety, similar to Stone, introduced by the U. S. Department of Agriculture. Plant medium heavy and productive. Fruits large, flattened globe, deep cardinal-red; solid.	
Oxheart, p.	90
Plant open, spreading, only moderately productive. Fruits large, roughly heart-shaped, pink; meaty, and of mild flavor.	
Pan America, r.	73
Developed by the U. S. Department of Agriculture from a cross of a small-fruited Peruvian variety and Marglobe. Plant semi-open with moderately heavy foliage; highly resistant to Fusarium wilt, though not to early blight. Fruits globular, medium large, bright red, and thick-walled.	
PEARSON S, r.	85
Developed at the College of Agriculture, Davis, California, and improved at the Asgrow Pacific Coast breeding station. Vigorous self-topping plants with ample foliage and heavy set, fruits medium large, smooth, semi-globe and of good red color. Unusually free from cracks or other defects.	
PEARSON C is an Asgrow strain particularly adapted for canning because of its larger fruit size. The fruits are somewhat flatter than on Pearson S.	
Ponderosa (Brimmer), p.	90
One of the largest varieties. Plant large and spreading. Fruits very large, flat, purplish pink, somewhat rough, with tendency to crack; of mild, subacid flavor.	
PRITCHARD (Scarlet Topper), r.	76
Introduced by the U. S. Department of Agriculture. All-America Gold Medal 1934. Plant self-topping, partially resistant to Fusarium wilt and nail-head rust. Fruits nearly globular, with thick walls; color bright scarlet.	

Red Cherry, s.f.	Days 75
For preserving, and as a novelty. Fruits cherry-like in size; borne in clusters.	
Red Jacket, r.	72
Developed at the New York Experiment Station, Geneva, N. Y. Plant medium in size, with potato-leaf type of foliage. Fruits large, slightly flattened, well colored.	
Red Pear, s.f.	75
Very similar to Red Cherry, except that fruits are pear-shaped.	
Red Plum, s.f.	75
Somewhat resembles the size and shape of a plum. Grown as a novelty, and for preserves.	
RUTGERS, r.	86
An excellent all-purpose variety of wide adaptation. Plant large and prolific with thick stems and vigorous growth; partially resistant to Fusarium wilt. Fruits globular, bright red, smooth, with thick walls and small seed cells. By careful selection over a period of years, we have developed a very choice deep fruited strain, notable for its uniformity and high yield of U. S. No. 1 fruits.	
Certified Rutgers, in sealed Asgrow containers, is our strain with State Department of Agriculture certification of trueness to type and freedom from seed-borne diseases.	
San Marzano (Improved King Humbert), s.f.	80
A small fruited variety used for canning solid pack and puree. Plant medium, rather open, very prolific. Fruits largely rectangular, 3½" long x 1½", two-celled, borne in clusters, deep red, with little juice and of very mild flavor. The Asgrow strain is notably thick walled, uniform and solid.	
SCARLET DAWN, r.	70
Developed at the Asgrow Eastern breeding station from a cross of Clark's Early and Marglobe; earlier in season than either parent. All-America Gold Medal for 1935; an attractive early variety for garden, shipping and canning. Plant fairly open, very prolific. Fruits medium large with thick wall structure, globular, smooth; bright scarlet, ripening well to the stem.	
Sioux, r.	70
Developed from All Red x Stokesdale at the Nebraska Experiment Station. Plant relatively open, with finely-divided leaves; fruits of medium size, almost globular, thick-walled and practically free from hard core, juicy with good acid flavor. This variety possesses the uniform ripening factor.

Marglobe : Rutgers : Garden State : Baltimore : Jefferson : Longred
Pritchard : Clark's Early : Scarlet Dawn : Sioux : Valiant : Southland

TOMATO (continued)

Southland: a disease-resistant introduction by U.S.D.A.

SOUTHLAND, r.	Days 85
Developed at the U. S. Department of Agriculture Vegetable Breeding Laboratory, Charleston, S. C., in cooperation with 13 southern stations and introduced in 1948. Plant vigorous and leafy, with high resistance to disease: nearly immune to Fusarium wilt, highly resistant to Alternaria collar rot, considerably resistant to late blight, early blight and blossom end rot. Fruits somewhat oblate, or slightly flattened globe, not so deep as Rutgers, well colored and free from puff.	
Stokesdale, r.	73
Introduced by the Francis C. Stokes Co., an attractive second early variety of wide adaptability and heavy yielding ability. Fruits smooth and practically spherical, medium large in size and of good red color.	
Store, r.	86
Plant large, dense, very productive. Fruits large, flattened but deep, smooth, attractive scarlet-red of fine flavor. The Asgrow strain ripens evenly and is uniform.	
Valiant, r.	70
Introduced by Francis C. Stokes Co. in 1936; adapted to short-season areas and the early market. Plant sparse and open; fruits large for an early variety, globe shaped and of bright scarlet color.	
Wisconsin No. 55, r.	75
Introduced by the College of Agriculture, University of Wisconsin. Plant vigorous, with some resistance to early blight and blossom end rot, open but fairly leafy. Fruits medium large, slightly flattened, of good scarlet color.	
Yellow Cherry, s.f.	75
Fruits are small, round, yellow, with shape and size of a cherry. Grown for preserving and as a novelty.	
Yellow Pear, s.f.	75
Very similar to Red Pear, except for color.	
Yellow Plum, s.f.	75
A yellow fruited sort, with oval plum-shaped fruit.	
Yellow Ponderosa, y.	90
Plant large, spreading, somewhat resistant to wilt. Fruits very large, flat, rather rough, of mild flavor.	

TURNIP

Brassica rapa

The number of days represents the time required from sowing of seeds to roots of marketable or storage size, at our Eastern breeding station, Orange, Connecticut.

Varieties marked (w) are white fleshed: those marked (y) are yellow: the tops of those marked (g) are used for "greens."

	Diameter inches	Days
Amber Globe (Yellow Globe) (y)	6	75
Principally a stock feed variety; also used for table when young. Top large, cut leaved. Root round, large, smooth globe-shaped, light yellow with green shoulder; flesh yellowish white.		
Broccoli Rab (Italian Turnip) <i>Brassica ruvo</i> (g)	—	—
Grown for tops and tender flower shoots used as greens. Plant 18"-22" tall; strap leaved, medium green. Of value to truck gardens as first early greens for market.		
Cow Horn (w)	2	70
Top large, upstanding, with deeply cut leaves. Root white with light green shoulder, one-third out of ground, 9"-10" long, tapering, often crooked. A mild, tender variety.		
Golden Ball (y)	3½	65
An attractive sort for the home garden and for truckers. Top small, erect, cut leaved. Root medium sized, round, smooth, yellow; flesh deep yellow, of fine texture and flavor.		
Pomeranian White Globe (White Norfolk) (w)	4½	75
Used mainly in the South. Top large, with cut leaves. Root large, globe-shaped, slightly flattened; white throughout, smooth, firm.		
Purple Top Milan (w)	3½	45
An extra early variety of mild flavor. Top small, strap leaved. Root very flat, white with purple top; flesh white.

Electronic and visual seed sorting

TURNIP (continued)

Cow Horn: Purple Top White Globe: Yellow Aberdeen Purple Top

	Diameter inches	Days
PURPLE TOP STRAP LEAF (w)	4	45
A popular mild variety. Top medium small, compact. Root flat, purple-red at the top, white below; flesh white.		
PURPLE TOP WHITE GLOBE (w)	4	55
Top dark green, large, erect, cut leaved. Root large, globe-shaped, smooth, with irregularly marked purple cap; flesh white, sweet, crisp and tender. The Asgrow strain of this popular variety is very uniform in size and coloration.		
SEVEN TOP (g) <i>Brassica septiceps</i>	—	—
Grown principally in the South, for greens or forage. The young leafy shoots are tender; roots unsuitable for food.		
Shogoin (g)	—	30
A quick growing variety, for early greens and small roots. Top 18"-20" tall, erect, bright green, strap leaved. Root semi-globular, white throughout.		
Snow Ball (w)	2½	40
Top small and erect. Root medium sized, round, white throughout, crisp and mild.		
WHITE EGG (w)	2¼	60
Top medium sized, upright, cut leaved. Root white, egg-shaped, 3"-3½" long, white throughout; smooth and fine grained.		
WHITE FLAT DUTCH (w)	4	45
Top small, erect, strap leaved. Root flat, 1½" in depth, white throughout.		

	Diameter inches	Days
White Milan (w) Top small, compact, strap leaved. Root medium small, flat, white throughout.	3½	40
Yellow Aberdeen, Purple Top (y) Grown chiefly for winter use. Top cut leaved; root globular, color purple at top, yellow below; flesh firm, light yellow.	4½	80

American Purple Top rutabaga

RUTABAGA: SWEDE TURNIP

Brassica napobrassica

	Diameter inches	Days
AMERICAN PURPLE TOP Also called Long Island Improved. Root large, globular, inclined toward top shape, with relatively small neck; yellow with purple top; flesh light yellow, of firm texture.	5	90
Golden Neckless Resembles American Purple Top but with medium top and very small neck. Root flattened globe in shape, yellow with purple top; flesh yellow and firm.	4½	85
Sweet Russian (White Swede) A productive variety grown for table and stock. Root large, globular, with medium neck, color mainly white, with bronze-green top; flesh white.	5	90

Dixie Queen: a shipping variety of high quality

WATERMELON

Citrullus vulgaris

In addition to work on standard varieties, attention is directed at our Southern breeding station to the development of improved strains resistant to Fusarium wilt. The number of days represents the time required to produce full-grown fruits in the seed-growing sections.

	Weight pounds	Days
BLACKLEE	30	95
Developed by M. N. Walker of the Florida Experiment Station from Leesburg x Hawkesbury. Very resistant to Fusarium wilt. Fruits of Tom Watson type but somewhat thicker and shorter; rind dark green, thin but tough; flesh bright red, of good texture and flavor. Seeds black, medium size.		
Chilean	18	85
A nearly round variety of medium size. Outside color medium green with darker green stripes. Rind thin and tough, flesh deep, red, medium sweet. There are two strains of this variety: the more common one black seeded, the other white.		
Citron, Green-seeded	12	95
Used only for preserving. Fruits round with dark and light green striping. Flesh white and solid; seeds glossy green.		
Citron, Red-seeded	10	95
Practically identical with Green-seeded Citron, except slightly smaller and with red seeds. Used for preserving.		
Cletex (Spotted Watson)	30	90
Similar in size and shape to Tom Watson but with dark green irregular mottling on lighter green background of rind. Flesh red, rind tough enough for shipping. Seeds brown.		
Cole's Early (Harris' Early)	20	75
An early variety grown in the North. Fruits medium sized, short, oval, with alternate dark and light green stripes; tender rind. Flesh pink-red; seeds black.		

	Weight pounds	Days
DIXIE QUEEN	30	85
Sometimes incorrectly described as white-seeded Cuban Queen. A prolific and popular shipping variety. Fruits oval-round, light green with dark green stripes; rind thin but tough. Flesh bright red, crisp, and quite free from fiber; seeds small, white and few. A wilt-resistant strain is also available.		
Dude Creek	40	90
Fruits large and cylindrical; rind thin but hard, with longitudinal irregular stripes of dark and pale green; flesh sweet and of fine texture. Seeds white with light brown edging.		
Early Kansas (Indiana Striped: Kansas Queen)	30	80
Fruits large, nearly round, bright green with broad, wavy stripes of lighter green. Flesh bright red, thick, free from stringy heart; rind thin and tough; seeds maroon when immature, changing to buff when dry.		
Florida Favorite	40	90
Fruits large, cylindrical; medium green rind with irregular dark green stripes; moderately tough. Flesh bright red and of good quality; seeds white.		
FLORIDA GIANT (Cannon Ball: Black Diamond)	40	95
Vine vigorous and productive. Fruits very dark green, nearly round; flesh firm and red, somewhat coarse in texture. Ships well, though rather large for some markets, and is one of the best all-purpose varieties. Seeds dark, heavy brown flecking on tan ground.		
Garrison (Coker: Darlington: Dove)	35	85
A popular variety for Southern local markets. Fruits large, with irregular longitudinal dark green stripes and veining on cream ground. Flesh bright red, sweet. Seeds white.

Florida Giant: a very large variety of Southern adaptation

WATERMELON (continued)

Early Kansas: well adapted to Midwestern conditions

	Weight pounds	Days
Georgia Rattlesnake	28	90
Fruits large, elongated, gray-green, with irregular very dark green stripes; rind tough. Flesh light red; seeds dull white with black tip.		
Golden Honey (Honey Cream: Golden Sweet)	20	85
Fruits chunky, nearly round, medium sized, light green with mottled darker green stripes; rind brittle. Flesh amber-yellow, seeds brown.		
Long Luscious Golden Honey is of similar type but different shape.		
Graystone	35	90
Introduced by H. G. Hastings Co. All-America Silver Medal for 1933. Of Stone Mountain type but with thin, tough, mottled gray-green rind. Flesh crisp, red and sweet. Seeds white.		
Halbert's Honey	30	85
Fruits long, cylindrical, with blunt ends, slightly ridged, dark green, lightly veined; rind tender. Flesh bright red; seeds white with blackish tip.		
Hawkesbury	35	85
A wilt-resistant shipping variety developed by the Australian Department of Agriculture. Of the Irish Gray type; long and sloping toward either end, light gray with fine veining of green. Flesh dark pink; seeds brownish black.		
Irish Gray	30	95
Hardy and productive. Fruits large, long, smooth, gray-green; rind tough and hard. Flesh bright red and firm; seeds white.		
Kleckley's No. 6	30	85
A wilt resistant variety developed by J. J. Wilson at the Iowa Experiment Station; of the same type as Kleckley's Sweet and with as high a sugar content. Rind thin, but tough. Seeds white.		

	Weight pounds	Days
KLECKLEY'S SWEET (Wondermelon)	30	85
For local use, not shipping. Fruits large, cylindrical, dark bluish green with thin, tender rind. Flesh bright red, tender and sweet; seeds creamy white with traces of brown.		
Klondike, Dark Green	25	80
Popular in California. Fruits oblong, slightly tapering to the blossom end, solid dark green rind. Flesh very sweet and of fine texture; seeds small, black.		
Klondike R7	25	80
A Fusarium wilt resistant green Klondike type developed at the College of Agriculture, Davis, California. Fruits oblong, slightly tapering to blossom end; rind dark green, tough though thin. Flesh bright deep red. Seeds small, varying from tan to black.		
Miles	30	85
Named for Dr. L. E. Miles of Mississippi State College, where the original cross, Dixie Queen x Klondike R7, was made; developed by the Mississippi and West Tennessee Experiment Stations. Vine vigorous and highly resistant to Fusarium wilt. Fruits of similar shape to Florida Giant, rind light green with dark green stripes, thin but tough. Flesh bright red, without white or hard heart. Seeds white.		
Mountain Hoosier	50	90
Fruits very large, round oval with blunt ends; rind tough, dark green. Flesh bright red and sweet, of fine eating quality. Seeds white, edged with black.		
Peerless (Ice Cream)	20	85
Fruits oblong, medium green, with fine veining; rind thin. Flesh bright red, sweet; seeds white.

Hawkesbury: a wilt-resistant shipping variety

STONE MOUNTAIN	35	90
Introduced by H. G. Hastings Co. Fruits very large, oval-round with blunt ends; medium green with indistinct veining, rind thin but fairly tough. Flesh rich scarlet, fine grained and sweet; seeds white with black tip.		
Stone Mountain No. 5	25	80
A Fusarium wilt resistant strain of this widely used variety developed by the Iowa Experiment Station. Earlier and smaller than the original strain; does not ship so well.		

WATERMELON (continued)

	Weight pounds	Days
Striped Klondike	25	85
Fruits oblong, of medium size, with irregular dark green stripes on lighter ground; rind medium hard. Flesh deep red; sweet and crisp; seeds small, varying in color from white to black.		
Blue Ribbon is a development of Striped Klondike type from the California Agricultural Experiment Station. Resistant to Fusarium wilt.		
Sweet Heart	20	85
Fruits medium sized, nearly round, gray-green with fine veining of darker green; rind tough and elastic. Flesh pink; seeds black.		
Thurmond Gray	35	95
Similar to Irish Gray but darker, somewhat larger and more resistant to disease. Fruits large, cylindrical, gray-green with darker veining; rind tough. Flesh deep red; seeds brown.		
TOM WATSON	35	95
Long a standard shipping variety of the Southeast. Fruits very large, uniform, cylindrical, with deep green, veined, tough rind. Flesh deep red, somewhat coarse; seeds brown.		
White Mountain (Midget)	5	65
A small, early, ice-box type, 7" long x 6" diameter, introduced by the New Hampshire Experiment Station. Rind rather thin, light green with darker, irregular stripes, flesh red and sweet. Seeds black.		
Winona	40	95
Resembles a long type of Florida Giant. Fruits large, short cylindrical, blunt-ended, with tough, dark green rind. Flesh bright red, solid and sweet. Seeds black.

Tom Watson: the old favorite

HERBS: Aromatic and Medicinal

A.—Annual; B.—Biennial; P.—Perennial

	Height, inches	Part used
Anise <i>Pimpinella anisum</i>A.	18	Seeds
Not to be confused with Florence Fennel (Page 52) or Sweet Fennel, below.		
Balm (Lemon Balm) <i>Melissa officinalis</i>P.	18	Leaves
Borage <i>Borago officinalis</i>A.	18	Leaves
Caraway <i>Carum carui</i>B.	15	Seeds
Chervil <i>Anthriscus cerefolium</i>A.	12	Leaves
Coriander <i>Coriandrum sativum</i>A.	24	Seeds
Dill <i>Anethum graveolens</i> . See page 50A.	36	Seed heads and leaves
Horehound <i>Marrubium vulgare</i>P.	30	Leaves
Hyssop <i>Hyssopus officinalis</i>P.	15	Leaves
Lavendar <i>Lavandula officinalis</i>P.	30	Dried flowers
Rosemary <i>Rosmarinus officinalis</i>P.	50	Leaves
Rue <i>Ruta graveolens</i>P.	30	Leaves
Sage <i>Salvia officinalis</i>P.	24	Leaves
Summer Savory <i>Satureia hortensis</i>A.	15	Leaves and tops
Sweet Basil <i>Ocimum basilicum</i>A.	18	Leaves and buds
Sweet Fennel <i>Foeniculum vulgare</i>A.	40	Seeds and stems
Not to be confused with Florence Fennel (Page 52).		
Sweet Marjoram <i>Majorana hortensis</i>A.	20	Leaves
Thyme <i>Thymus vulgaris</i>P.	9	Leaves
Winter Savory <i>Satureia montana</i>P.	15	Leaves

The Asgrow Germination and Analytical Laboratory

Apparatus for cold-testing seed corn under conditions approximately those of early spring in the field.

"Good" seed shall be viable, clean, disease-free, and true to type.

The most essential character of any lot of Asgrow seed is its ability to germinate and produce normal plants under average conditions.

One of the primary functions of a seed laboratory is that of determining seed viability so that such seed may be evaluated for use by our customers. Viability implies ability to germinate and grow when proper environmental conditions are provided. A seed may be considered to have germinated when it develops those structures which are commonly recognized in different varieties, species, or families of plants as essential to normal seedlings. Broken, malformed or other seedlings which are known to be incapable of producing plants under suitable laboratory conditions are to be considered as not having germinated.

A chemical test for viability

The Asgrow Germination and Analytical Laboratory (continued)

A second function of a seed laboratory is to determine the purity of seed stocks. This is accomplished by computing freedom from dirt, chaff, other crop seeds, and weed seeds. If weed seeds or other crop seeds are present, it is necessary to identify them accurately and to report if any noxious weeds are present.

A third function of a seed laboratory is to determine if seed may be contaminated either internally or externally with bacterial or fungous organisms that are pathogenic to the seed or the plants that are expected to develop from the seed.

The Asgrow germination and analytical laboratory at New Haven, Connecticut, is properly equipped and staffed to perform these functions efficiently and on a large scale. As we handle a large number of samples "room" germinators are used. These rooms are sealed with 2" to 3" of cork; the temperature and humidity are accurately controlled by thermostats and humidostats; and they are lighted by fluorescent lamps. One room is capable of holding 3,000 samples in duplicate when tested by the blotter method, or 670 samples in sand test.

The best equipment available is used in connection with the purity work — Binoculars, Iowa air blast separators, sieves, Boerner seed sampler, Chain-o-matic Balances, special Neon lighted work boards and counting plates.

Complete and accurate records are made and kept of all operations in the laboratory. These records are on permanent file, for ready reference. Purity and germination samples are retained in a systematic file, usually for at least one year after the receipt of the sample in the laboratory.

A corner of the main Asgrow laboratory

A PLANTING TABLE

Species	Seed for 100 ft., ounces	Seed for an acre, pounds	Approx. no. seeds per oz.	Rows apart, feet	Plants apart in rows, inches	Planting depth, inches
Asparagus	60 plants		800	2½	20	6
Beans, bush	8	50-70	60-90	2	3-4	1½
Beans, pole	6	30-40	70-120	3-4	9, or hills	1½
Lima beans, bush ..	8	35-60	20-70	2-2½	3-4	1½
Lima beans, pole ..	6	25-40	20-65	3-4	9, or hills	1½
Soy beans	8	40-50	50-70	2½	3-4	1½
Beet	½	8-10	1,500	1½-2	3-4	½
Chard, Swiss	¼	3-4	1,200	2	15	½
Broccoli	⅛	¼	9,000	2	18	¼
Brussels Sprouts	⅛	¼	8,000	2	18	¼
Cabbage, early	⅛	¼	8,500	2	12	¼
Cabbage, late	⅛	¼	8,500	2	18	¼
Chinese cabbage	⅛	¼	17,000	2	12	¼
Carrot	⅛	2-3	25,000	1½	3	¼
Cauliflower	⅛	¼	10,000	2	18	¼
Celeriac	⅛	¼	60,000	2	4	⅛
Celery	⅛	¼	60,000	2-3	5	⅛
Chicory	⅛	¼	17,000	2	10	¼
Collard	⅛	¼	8,000	2½	24	¼
Corn, early	2	6-8	100-200	2½	9	1
Corn, main crop	2	6-8	100-200	3	12	1
Cucumber	½	1½-2	1,000	4	24	¾
Egg Plant	⅛	¼-½	6,000	3	30	½
Endive	⅛	2-3	25,000	1½	9	¼
Kale	⅛	¼	7,500	2½	24	¼
Kohl Rabi	⅛	¼	8,000	2	8	¼
Leek	¼	2	10,000	1½	6	½
Lettuce, leaf	⅛	3	25,000	2	12	¼
Lettuce, head	⅛	3	25,000	2	12	¼
Muskmelon	⅛	2-3	1,200	5	48	1
Mustard	¼	1	15,000	2	9	¼
Okra	¼	5-6	500	3	15	1
Onion	¼	3-4	8,000	1½	3-4	½
Parsley	¼	4	15,000	1½	4	¼
Parsnip	¼	4-5	10,000	1½	4	½
Peas	8-12	4-5 bu.	90-150	2-3	1-2	1
Pepper	⅛	¼	4,000	2½	24	¼
Pumpkin	⅛	1-2	100	8	60	1
Radish	½	4-6	2,500	1	1-2	½
Rhubarb	20 plants		1,700	4	48	
Spinach	¼	10-15	2,500	1½	6	¾
Squash, bush	½	3-4	300	4	36	1
Squash, vining	¼	2-3	100	6	60	1
Tomato	⅛	¼	11,000	3-4	36	¼
Turnip	⅛	2-3	10,000	1½	4-6	¼
Rutabaga	⅛	1-2	10,000	2	6	¼
Watermelon	⅛	3-4	200-300	8	96	¾