Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

CANCELS ALL PREVIOUS LISTS.

FALL 1902 TRADE LIST

1840 Old Colony Nursery, 1902

T. R. Watson,
Plymouth, Massachusetts.

Prices of this list net, and subject to stock not being sold.

TERMS.—Cash with order or satisfactory reference, except where parties are known. Bills of regular customers become due June 1st for Spring shipments; January 1st for Fall shipments. Packing: boxes from 10 cents to 50 cents; bales from 50 cents to \$1.00; cases 2x2x4 ft., \$1.00; 2x2x6 ft., \$1.25; 2x2x8 ft., \$1.50; larger cases from \$1.75 to \$3.00.

The following list of stock is all nursery grown, and all transplanted in last three seasons, except where noted; nearly all of it transplanted in 1901 and 1902. From this list 50 at the 100 rate, 5 at the 10 rate.

ORNAMENTAL TREES AND SHRUBS.

			Per 10	Per 100
50	Acer Pennsylvanicum,	4 to 5 ft.	\$2.50	\$20.00
50	“ platanoides, Norway Maple	8 to 9 ft.	3.00	25.00
50	“ “ Schwedleri	3 to 4 ft.	2.50	20.00
100	“ polymorphum, (type) Japanese Maple	24 in.	2.00	15.00
100	“ “ atropurpureum, Japanese Maple	18 to 24 in.	3.00	25.00
100	“ Pseudo-platinus, Sycamore Maple	4 to 6 ft.	1.50	12.00
500	“ saccharinum, Sugar Maple	4 to 5 ft.	1.25	15.00
50	“ spicatum	5 to 6 ft.	2.50	20.00
200	“ Tartaricum Giunala	2 to 3 ft.	1.20	10.00
100	“ “ “	3 to 4 ft.	1.50	15.00
50	Æsculus Hippocastaneum	4 to 5 ft.	2.50	20.00
100	“ macrostachia, (Pavia macrostachia)	1 to 2 ft.	1.00	9.00
500	Alnus incana	2 to 3 ft.	.75	6.00
100	Amorpha fruticosa	4 to 5 ft.	1.00	8.00
50	Andromeda arborea	2 to 3 ft.	2.00	15.00
200	“ Mariana	1 to 2 ft.	1.50	12.00
25	Aralia Spinoza	4 to 6 ft.	2.00	
200	Azalea Mollis, strong, stocky	12 in.	3.00	25.00
200	“ “	3 to 6 in.	1.00	8.00
1000	Baccharis halimifolia	2 to 4 ft.	.75	6.00
300	Berberis aquifolium	1 to 2 ft.	1.00	8.00
2000	“ critica from seed bed	6 to 10 in.	.50	4.00
2000	“ Sinensis, “ “	6 to 10 in.	.50	4.00
1000	“ Thunbergii	12 to 18 in.	1.00	7.00
2000	“ “ from seed bed	8 to 12 in.	.50	4.00
800	“ vulgaris	12 to 18 in.	.40	3.00
1000	“ “ purpurea	3 to 4 ft.	.60	5.00
800	“ “ “	10 to 12 in.	.40	3.00
500	Betula alba	2 to 4 ft.	1.00	8.00
200	“ lutea	4 to 5 ft.	1.50	12.00
100	“ nigra	2 to 3 ft.	1.25	10.00
200	“ papyrifera	5 to 7 ft.	1.25	10.00
500	“ “	2 to 3 ft.	1.00	8.00
100	“ populifolia	5 to 6 ft.	1.25	10.00
500	“ “	2 to 3 ft.	1.00	8.00
500	Caragana arborescens	3 to 4 ft.	1.00	8.00
200	Carya amara	1 ft.	.75	6.00
100	Castanea sativa, American Chestnut	4 to 5 ft.	2.50	20.00
500	Catalpa speciosa	3 to 4 ft.	1.00	8.00
1000	Ceanothus Americanus	2 ft.	1.00	8.00
50	Celtis occidentalis	2 to 4 ft.	2.00	15.00
50	Cephalanthus occidentalis	3 to 4 ft.	1.00	8.00
500	Cercis Canadense	3 to 4 ft.	1.25	10.00
50	Chionanthus Virginica, White Fringe	2 to 3 ft.	2.00	15.00
500	Cladrastis tinctoria	3 to 4 ft.	1.50	12.00
1000	Clethra alnifolia	2 to 3 ft.	1.00	8.00
100	Cornus circinata	1 to 2 ft.	1.25	10.00
100	“ florida	3 to 4 ft.	1.50	12.00
500	“ “	1 to 2 ft.	.80	7.00
200	“ Mas	1 to 2 ft.	1.25	12.00

					Per 10	Per 100
300	Cornus Mas. var. from Japan	.	.	.	2 to 3 ft.	2.00 15.00
1000	" panniculata	.	.	.	2 to 3 ft.	1.00 8 00
200	" sanguinea	.	.	.	3 to 4 ft.	1.00 8.00
500	" sericea	.	.	.	4 to 5 ft.	1.25 10.00
1000	" stolonifera Siberica	.	.	.	2 to 3 ft.	1.25 10.00
200	Cotoneaster Simonsii	.	.	.	2 ft.	1.00 8.00
1500	Crataegus Crus-galli	.	.	.	1 to 2 ft.	.75 6.00
300	" mollis	.	.	.	1 to 2 ft.	.75 6.00
500	" seedlings, in 20 varieties	.	.	.	1 to 3 ft.	1.25 10.00
200	Cytisus scoparius, Scotch Broom	.	.	.	2 to 3 ft.	1.25 10.00
500	Dentzia gracilis	.	.	.	1 to 2 ft.	.75 5.00
300	" scabra, dble. rose	.	.	.	2 to 3 ft.	.75 6.00
300	" " white	.	.	.	2 to 3 ft.	.75 6.00
300	" " Fortune's new white	.	.	.	2 to 3 ft.	.75 6.00
300	" " Pride of Rochester	.	.	.	2 to 3 ft.	.75 6.00
300	" " Wellsii	.	.	.	2 to 3 ft.	.75 6.00
500	" " in above varieties	.	.	.	4 to 5 ft.	1.25 10.00
200	Eleagnus hortensis, Bohemian Olive	.	.	.	5 to 6 ft.	2.00 15.00
500	" " " "	.	.	.	3 to 4 ft.	1.25 10.00
500	" longipes (edulis)	.	.	.	2 ft.	1 00 8.00
100	Euonymous Americanus	.	.	.	2 to 3 ft.	1.25 10.00
50	" Europæus	.	.	.	3 to 4 ft.	1.50 15.00
200	" Japonicus var. radicans	.	.	3 yr. from layers.		1.00 8.00
100	Fagus ferruginea	.	.	.	2 to 3 ft.	1.25 10.00
50	" sylvatica	.	.	.	5 to 6 ft.	3.00 25.00
25	" " purpurea, seedlings	.	.	.	5 to 6 ft.	4.00
25	" " " grafted	.	.	.	5 to 6 ft.	10 00
500	Forsythia Fortunei	.	.	.	12 to 24 in.	.80 7.00
1000	" suspensa	.	.	.	4 to 5 ft.	1.00 8.00
50	Fraxinus Americana, White Ash	.	.	.	7 to 9 ft.	2.50 20.00
100	" sambucifolia	.	.	.	1 ft.	.75 5.00
50	Ginkgo biloba	.	.	.	4 to 5 ft.	3.00 25.00
50	Gymnocladus Canadense	.	.	.	4 to 5 ft.	1.75 15.00
50	Halesia tetraptera	.	.	.	8 to 10 ft.	3.00 25.00
500	Hamamelis Virginiana	.	.	.	2 to 3 ft.	1.50 12.00
500	" " extra good	.	.	.	1 to 2 ft.	1.00 8.00
200	Hibiscus Syriacus, Althea, dble, named	.	.	.	2 to 3 ft.	.80 7.00
100	" " " single, mixed	.	.	.		.80 7.00
1000	Hippophae rhamnoides	.	.	.	1 to 2 ft.	.75 6.00
200	Hydrangea panniculata	.	.	.	18 to 24 in.	1.00 8 00
500	" " grandiflora	.	.	.	2 to 3 ft.	2.00 15.00
500	" " "	.	.	.	12 to 18 in.	1.00 8.00
150	Hypericum aureum	.	.	.	18 in.	2.00 15.00
200	" prolyficum	.	.	.	2 ft.	1.00 8.00
100	Ilex glabia	.	.	.	1 to 2 ft.	1.50 12 00
2000	" verticillata, seed bed	.	.	.	1 to 3 in.	3.00
200	Juglans cineria, butter-nut	.	.	.	2 ft.	1.25 10.00
200	Jasminium nudiflorum	.	.	.	10 to 18 in.	1.25 10 00
200	Kerria Japonica, single, yellow	.	.	.	1 to 2 ft.	1.00 8.00
100	" " variegata	.	.	.	1 to 2 ft.	1 00 8.00
100	Koelreuteria panniculata	.	.	.	2 to 3 ft.	1.25 10.00
500	Ligustrum Iboia	.	.	.	12 to 18 in.	.75 5.00
2000	" Japonicum, California Privet	.	.	.	2 to 3 ft.	.50 4.00
5000	" " " " 1 yr.	.	.	.	12 to 18 in.	.20 1 50
500	" media	.	.	.	4 to 8 in.	.50 4.00
1000	" vulgare	.	.	.	3 to 4 ft.	.50 4 00
1000	" " 1 yr.	.	.	.	1 to 2 ft.	.20 1.50
1000	" Reglianum	.	.	.	18 to 24 in.	.75 5.00
50	Liquidamber Styraciflua	.	.	.	3 to 4 ft.	2.50 20.00
200	Liriodendron Tulipifera, Tulip Tree	.	.	.	5 to 6 ft.	1.25 10.00
100	Lonicera Bella alvida	.	.	.	3 to 4 ft.	1.00 8.00
100	" " atrorosea	.	.	.	3 to 4 ft.	1.00 8.00
200	" " candida	.	.	.	4 to 5 ft.	.75 6.00
100	" " rosea	.	.	.	3 to 4 ft.	1.00 8 00
100	" Korolkowii	.	.	.	3 to 4 ft.	1.50 12.00
100	" Ruprectiana	.	.	.	3 to 4 ft.	1.25 10.00
25	Magnolia acuminata	.	.	.	4 to 5 ft.	2.00
25	" tripetala	.	.	.	8 to 10 ft.	2.50
200	Myrica asplenifolia	.	.	.	2 ft.	.75 6.00
500	" cerifera, fine	.	.	.	12 to 18 in.	.75 6.00
25	Nyssa sylvatica	.	.	.	2 to 3 ft.	3.00

			Per 10	Per 100
500	Philadelphus coronarius	3 to 4 ft.	.75	6.00
500	“ graudiflorus	3 to 4 ft.	.75	6.00
200	Physocarpus opulifolia	3 to 4 ft.	1.00	8.00
300	Platinus Americanus	2 to 4 ft.	1.25	10.00
50	Populus balsamifera	8 to 9 ft.	1.50	12.00
200	“ monolifera, Carolina Poplar	8 to 9 ft.	1.25	10.00
200	“ nigra	10 to 12 ft.	1.25	10.00
200	“ “ var. Italica, Lombardy Poplar	9 to 10 ft.	1.25	10.00
300	“ “ “ “ “ “	5 to 6 ft.	.75	6.00
25	Prunus Americana	4 to 6 ft.	2.50	
100	“ avium, fl. pl. dble, flowering Cherry	4 ft.	3.00	25.00
400	“ cerasifera, Myroloian Plum	2 to 3 ft.	.75	6.00
100	“ Japonica, dble Almond, rose and white	18 in.	2.00	15.00
50	“ Pissardi	5 to 6 ft.	2.00	
200	“ pumila	2 to 3 ft.	1.25	10.00
25	“ triloba	4 to 5 ft.	2.00	
100	Pyrus arbutifolia, red fruited	3 to 4 ft.	1.25	10.00
500	“ baccata (seedlings)	2 to 3 ft.	.60	5.00
25	“ betulaefolia	4 to 5 ft.	1.50	
100	“ coronaria	3 ft.	2.00	15.00
100	“ floribunda, 1 yr.	2 to 3 ft.	1.25	10.00
100	“ “ Parkmanii, 1 yr.	2 to 3 ft.	1.25	10.00
1000	“ Japonica, Japan Pear	3 to 4 ft.	.75	6.00
1000	“ “ “ “ “ “	1 to 2 ft.	.50	4.00
200	“ spectabile fl. alba pl. and fl. rosea pl., 1 yr.,	2 to 3 ft.	1.25	10.00
1000	Quercus coccinea, from seed bed	8 to 12 in.	.40	3.00
200	“ palustris	3 to 4 ft.	1.25	10.00
500	“ “	2 to 3 ft.	1.00	8.00
200	“ rubra	3 to 4 ft.	1.25	10.00
1000	“ “ from seed bed	2 to 3 ft.	.50	4.00
500	Rhamnus catharticus	3 to 4 ft.	.50	4.00
1000	“ “	6 to 12 in.	.25	2.00
300	“ frangula	1 to 2 ft.	.50	4.00
200	Rhodotypos kerrioides	3 to 4 ft.	1.00	8.00
50	Rhus Canadense	3 to 4 ft.	1.50	
500	“ copallina	1 to 3 ft.	.75	6.00
500	“ glabra	2 to 3 ft.	.75	6.00
500	“ typhina	2 to 3 ft.	1.00	8.00
200	Ribes aureum	2 to 3 ft.	.75	6.00
2000	Rosa Carolina (heavy)	3 ft.	.75	6.00
100	“ canina (heavy)	3 to 4 ft.	.40	5.00
100	“ crimson Rambler	3 to 4 ft.	1.75	15.00
500	“ lucida	1 to 2 ft.	.75	6.00
500	“ “ alba	1 ft.	3.00	25.00
500	“ multiflora	1 to 2 ft.	.50	4.00
200	“ rubrifolia	2 to 3 ft.	1.50	12.00
500	“ rubiginosa	3 to 4 ft.	.75	6.00
1000	“ “ seed bed, small			1.00
300	“ rugosa	2 to 3 ft.	1.25	10.00
200	“ “ alba	2 ft.	1.75	15.00
1000	“ setigera	3 to 4 ft.	1.00	8.00
160	“ stylosa	2 to 3 ft.	.60	5.00
200	“ tomentosa	2 to 3 ft.	.60	5.00
100	“ “ foetida	2 to 3 ft.	.60	5.00
300	“ Wichuriana	2 to 3 ft.	1.25	10.00
200	“ Virginiana	2 to 3 ft.	.60	5.00
200	Salix alba	4 to 6 ft.	.75	6.00
500	“ “ vitellina, var. from Russia	4 to 6 ft.	.75	6.00
200	“ Babylonica, Napoleon Weeping Willow	8 to 10 ft.	1.00	9.00
200	“ “ var. Wisconsin Weeping Willow	8 to 10 ft.	1.00	9.00
50	“ myrtifolia	3 to 4 ft.	1.50	
500	“ pentandra, Laurel-leaved Willow	3 to 4 ft.	.80	7.00
100	“ rosmarinifolia	4 to 5 ft.	1.00	8.00
100	“ Solomon's Palm	8 to 10 ft.	1.00	9.00
500	Sambucus Canadense	2 to 3 ft.	1.00	8.00
500	“ “ var. aurea	2 to 3 ft.	1.25	10.
50	“ racemosa	4 to 6 ft.	1.50	
25	Sassafras officinale	4 to 5 ft.	2.00	
100	Spiraea Anthony Waterer	1 ft.	1.25	12.00
100	“ arguta multiflora	2 to 3 ft.	1.25	12.00

			Per 10	Per 100
200	<i>Spiraea</i> Billardii	4 to 5 ft.	1.00	8.00
100	" Bumalda	2 to 3 ft.	1.25	10.00
60	" Cantoniensis fl. pl. (Reevesianna)	3 ft.	1.25	10.00
100	" discolor, var. aerifolia	2 to 3 ft.	1.30	12.00
100	" Japonica (callosa) Fortune's red	2 to 3 ft.	1.00	8.00
100	" prunifolia fl. pl.	4 to 5 ft.	1.00	8.00
500	" Thunbergii	12 to 18 in.	.75	7.00
100	" tomentosa, pink	3 to 4 ft.	.75	7.00
500	" Van Houttei		1.25	10.00
50	<i>Staphylea</i> Colchica	3 ft.	1.50	
25	<i>Styrax</i> Japonica	2 to 3 ft.	2.00	
3000	<i>Symphoricarpus</i> racemosa	2 to 3 ft.	.40	3.00
2000	" vulgaris	2 to 3 ft.	.50	4.00
100	<i>Syringa</i> Josikaea	18 to 24 in.	1.00	8.00
400	" Persica, in four varieties	3 to 4 ft.	1.75	15.00
200	" villosa	2 ft.	1.75	15.00
250	" vulgaris	3 ft.	1.25	10.00
250	" " alba	3 ft.	1.25	10.00
200	" " in twelve named varieties	1 ft.	2.00	15.00
200	<i>Tilea</i> Americana	4 to 6 ft.	1.00	8.00
25	" Argentea	5 to 6 ft.	3.00	
500	" Europæa	2 to 3 ft.	.75	6.00
50	<i>Ulmus</i> Americana, stocky, selected	9 to 10 ft.	5.00	
200	" "	9 to 10 ft.	3.00	25.00
200	" campestris	2 to 3 ft.	1.00	8.00
500	<i>Viburnum</i> cassinoides	12 to 15 in.	1.50	12.00
300	" dentatum	1 to 2 ft.	1.00	8.00
200	" Lantana	3 to 4 ft.	1.00	8.00
5000	" opulus from seed bed, small			1.00
200	" " sterilis	2 to 3 ft.	1.25	10.00
50	" plicatum	2 ft.	2.00	
200	" tomentosum	2 to 3 ft.	2.50	20.00
30	<i>Xanthoceras</i> sorbifolia	8 to 12 in.	3.00	
500	<i>Xanthorrhiza</i> apiifolia, single shoots		.75	5.00
200	<i>Yucca</i> filimentosa, strong		1.25	10.00

VINES AND CLIMBERS.

			Per 10	Per 100
50	<i>Akebia</i> quinata		1.50	
1000	<i>Ampelopsis</i> quinquefolia, strong,		.75	6.00
500	" Vetchii		1.25	10.00
500	<i>Apios</i> tuberosa		.50	4.00
300	<i>Arctostaphylos</i> Uva-Ursi, pot plants		1.25	10.00
500	<i>Bignonia</i> radicans, strong		.75	6.00
150	<i>Celastrus</i> scandens,	1 to 2 ft.	.75	6.00
50	" paniculata, strong,		1.25	10.00
500	" " from seed bed	6 to 10 in.		3.00
200	<i>Clematis</i> apiifolia, strong field grown		1.25	12.00
100	" coccinea, " " "		1.75	15.00
200	" paniculata from three-inch pots		1.25	10.00
100	" Virginiana		.75	6.00
200	<i>Euonymus</i> Japonicus var. radicans		1.00	8.00
50	<i>Hedera</i> helix (a hardy form) small plants		1.25	10.00
200	<i>Lonicera</i> Japonica, heavy,		.75	6.00
500	" " var. Halleana		1.25	10.00
100	<i>Periploca</i> Graeca	1 to 2 ft.	1.00	8.00
40	<i>Wisteria</i> Sinensis, strong		1.75	15.00
200	" frutescens, strong		.75	6.00
50	" multijuga, strong		2.50	
50	" " alba, strong		3.00	

COMMONWEALTH OF MASSACHUSETTS—STATE BOARD OF AGRICULTURE

Official Certificate No. 7.

Boston, August 27, 1902.

To WHOM IT MAY CONCERN:

This is to certify that I have this twenty-seventh day of August, 1902, completed the inspection of the nursery stock of Old Colony Nurseries, T. R. Watson, prop'r, grown at Plymouth, State of Massachusetts, and find it to be apparently free from the San José Scale and other injurious insects and diseases which might be transferred on nursery stock from the nursery to the orchard or garden,

This certificate is good until July 1, 1903.

(Signed) H. T. FERNALD, Inspector.