RECORD

J. R. Forbes

 

[illegible]

 

```
 
```

 

[illegible]

 

[illegible]

1990-1991

... and what object?

1991-1992

200-000 1000 10000 100000 1000000

[illegible]

40 National Research Council
Washington 25, D.C. USA

Collection and Field Note Book

No. 60

(March 10, 1961 - March 24, 1961)

(41456 -- 41722)

Hawaiian Islands

Oahu-Kauai.....	1-24
Specimens collected 41456-41466 ..	2-3
41467-41479...	14-17
Molokai.....	25-26
Honolulu-Maui flight.....	25-27
Maui.....	26-63

Specimens collected

Kula Pipeline	41479-41480
41481-41496	38-39
Auwahi	41497-41518a	42-45
Kailua Stream	41519a-41520a	44-45
Waikamoi Stream	41524a	46-47
Haleakala	41525a-41530a
41531a-41532a	46-47
50-51
Kapoho House Lots	41533a	50-51
Coast south of Kū Flow	41534a-41535a	50-51
Kalapana Beach	41536a-41538a	50-51

Hawaii

64

J. R. Forsberg

Hawaii

Pages

Kulani-Mauna Loa Road...	41539a-41540a...	94-95
	41541a-41550a	94-95
Road to Kulani Prison Camp	41551a-41564a	96-99
Road from Hilo to Kulani Prison Camp	41565a-41570a...	98-99
Road from Kulani Prison Camp to Hilo	41571-41589a....	98-101
Hilina Pali.....	41585a-41588a...	100-101
Savanna btwn Hilina Pali and Kipuka Nene	41589a-41591a...	108-109
Hilina Pali Road above Kipuka Nene
& below Hlaka Crater	41592a-41599a...	108-109
Wright Road Farm Lots...	41600-41610.....	114-117
Akaka Falls.....	41611-41620.....	116-117
Napoopoo Road.....	41621.....	146-147
Honaunau	41622.....	146-147
Manuka Park	41623-41632	146-147
Waiohinu, 1868 Lava Flow, 41633.....		148-149
Kahaluu Forest	41638	148-149
Keauhou	41639-41641 ...	148-149,
Keauhou No. 2	41642-41643 ...	166-167
Waha Pele.....	41644-41650 ...	166-169
Kauunuoku	41651-41659 ...	168-171
Poikahi	41660-41667 ...	170-171
East Hualalai	41668-41677 ...	170-173
Kaupulehu	41678-41691 ...	172-175
Waimea-Kona Road	41692	186-187
Alakahi Gorge (Kobala Mt) 41693-41717...		186-191
Waimea-Kona Road	41718-41722...	190-191

Kalepahuay Kailua - Hilo,
Airport jet

192 to end.

Washington 25, D.C. USA

F. R. Fosberg
Field note book # 40
beginning with
41456
ending with # 41722

Standard Miniature Blank Book

No. 665 9 1/2 x 6 120 Pages Units
No. 667 9 1/2 x 6 200 Pages Units
No. 668 9 1/2 x 6 300 Pages Units

Made in the Following Bindings
Journals, Day or Cash Books, Double & and Cts.
S. L. Ledgers, & and Cts.
Double Entry Ledgers
Records with Margin Line

When ordering give Number and Binding desired

Made in U. S. A.

A BOORUM & PEASE PRODUCT

Reward will be paid.
If found please return
to F. R. Fosberg
Pacific Vegetation Project
46 National Research Council
Washington 25, D.C. USA

F. R. Fosberg
Field note book # 40
beginning with
41456
ending with # 41722

Standard Miniature Blank Book

No. 665 9½ x 6 120 Pages Units
No. 667 9½ x 6 200 Pages Units
No. 668 9½ x 6 300 Pages Units

Made in the Following Holdings:

Journals, Day or Cash Books, Double S and Cts.
S. E. Ledgers, S and Cts.
Double Entry Ledgers
Records with Margin Line

When ordering give Number and Binding desired

Made in U. S. A.

A BOORUM & PEASE PRODUCT

Reward will be paid.

If found please return
to F. R. Fosberg
Pacific Vegetation Project
40 National Research Council
Washington 25, D.C. USA

Robt. Allerton - Hawaii Kai, Kala
John Wyatt Gregg

Take records. Japanese Victor Corp.

samples of heat sent to
Estelle Leopold. It is probably
overlain by lava flows. Two layers
separated by clay layer?

1

March 10 - flight from
Honolulu to Kawai. 6⁰⁵ am.

Only about half of the
Ewa Coral Plain Mauna forest
still in forest. Refinery is
actually on Barber's Point.
Some bad erosion, perhaps
bulldozer erosion, on
first of main ridges
coming down bet. Ewa and
Manakuli.

Kawai - flats on east side
are all in sugar cane
plantations. Mango trees in
gullies. near Fihue.

Kato tells me that there is
forest in Kiloheua Crater
that has probably not
had cattle in it.

Also says there is *Pisonia inermis*
at 3500-4000' on Pua Waalua, Hawaii.
Says there seem to be 4
Pisonias in H.I. (2 *leodes*, one
with lvs. petiolate, other sessile).

Sam Patterson - says most of
bauxite areas are under cane or
pasture, with solid growths of
Sesuvium bush; a bit under rain forest
and some bauxite under *Leuca leucae*
bog. Bauxite developed on old flow slopes.
Knows a place where 2 thick buried peat layers.

Mar. 10 - Round Top, Honolulu

41456

Lamburus mexicanus

3

established on bushy slope

Mar. 10 Manoa Cliff Trail
in degraded hoo forest

2 57

Ficus

planted

2 58

Elaeocarpus

planted

3 59

Psychotria (Straussii) haduana
occasional to common

2 60

melast.

rare

3 61

Psychotria (Straussii) mainiana

common

3 62

Psychotria hexandra

rare

Mar. 11 Head of Kalalau Valley, east of Lookout

3 62

*Myrsine*edge of degraded *Metrosideros* forest

4 63

Nertera granadensis var. *insularis* (Hilleb.)common on ~~fractured~~ clay

banks at roadside in cloud forest

64 ~~Scavola~~

Mar. 11 - Kalalau Lookout,

head of Kalalau Valley

3 64

*Scavola*edge of *Metrosideros* forest

3 65

*Coprosma*edge of *Metrosideros* forest back of cliff

3 66

Gouldia

edge of cliff in wet forest

(ctd. on p. 14)

280 m

small tree 4 m. tall, a
few ~~leaves~~ leaves ~~with~~
~~lower leaflets~~ slightly
bipinnate at base; flowers white.

420 m

strangler, sterile.

tree, sterile.

shrub, fls. white 5-6 parted.
infl. somewhat drooping
sterile shrub.shrub, fls. white 4-5 parted
infl. stiff.
shrub 1.5 m. tall, sterile.

?900 m.

Shottish.

small tree 5 m. tall, sterile;
leaves appearing chlorotic.
very coarse,
prostrate, light green,
fls. yellow, fruit red.

?900 m.

shrub 3 m. tall, erect,
fruit black.shrub 2.5 m. tall,
fruit immature.shrub 1.5 m. tall; fls. dark purple outside,
green inside.

Mar. 11 Road w. of Lihue
Big ravines with Pandanus
& lowland forest.
Lower slopes of first
range - open Pandanus forest
irregular, patchy.

300 yds n.e. Kundaen Gap - Kona Rd. 7 ft.
Just west of here - exposure
of gray clay with bauxite
under a red weathered flow
with bauxite, thin several feet
thick. 30' down is a black
peaty layer. (sample not sent
to Denver). Clays all way down.

Gray clay is buried swamp clay.
Alpinia speciosa likes
roads in places. Melastoma
abundant. Pineapples.

Low ridges wooded with
open woods, with Gleichenia.
Much planted Crevarina, Jewell
Eugenia jambolana, Araucaria, etc.
Around Kalahoe sugar cane
on lower slopes, pineapple above.

Kanapepe Gulch - walls
covered by Scaevola scrub - some
Kiaue (Elaeagnus + above), Opuntia.
Kiaue - Opuntia forest patches.

Beyond Kanapepe soil very red.
Low flat canyon mouth
open Kiaue forest or savanna
pasture.

Waima R.

Thin Scaevola on walls of canyon
at Waima. Kiaue at bottom.

Flats at w. of mouth of
river old lagoon bottom.
mostly cane
Kekaha. Bluffs with
Kiaue - Scaevola - cactus. etc.
Pluchea odorata along Kokee
rd in lower part.

Upper slopes of canyon
wall pili grass, some
shrubs & cactus. Dadouae
Flow slope in cane.

Badly eroded gulches.
Grevillea plantings
above cane area are in very
bad shape - disease? fire?
Pteridium. higher, Styphelia
scrub. scattered Koa.
Wilkesia.

Koa more abundant
upward. Also planted
Grevillea, Melaleuca & Casuarina
locally.

Some Lihue up a bit
but basically Koa forest.
Koa forest becomes closed
upward. Some Lantana

Locally dense under layer.
Waima Canyon lookout - 3400'

Little green on ^{upper} canyon walls
except on steeper slopes. Tiny
strings of kukui in ravines.
Slopes at top of walls densely
wooded. Lowest slopes fairly
well wooded.

2500'

photos

Photo of lehua forest at Lookout
Acacia dealbata & Grevillea planted
in it, but not in photo.

Erosion around river.
Tibouchina along road
above Lookout.

Very little lehua. Styphelia
abundant along road.

Up a mile or so much
planting - Eucalyptus, Argemone,
Cherokee rose established.
Fore houses.

Podocarpus common.

Lehua becomes more abundant
also other native trees
around PMR establishment.
Draecena. But still ~~are~~
mostly lehua. Rubus abundant.
Kokee Park - lehua forest.

Pit in flat area in Kokee
stream drainage at about
(Camp Ten Rd.) in a mottled
clay and goethite mixture,
somewhat hardened into black
ironstone. Ground water podzol?
(sample). Looks much like
profile in Ivory Coast (deep pit).
Lehua forest with ~~many~~ many
planted exotics.

Wine ridges have lehua.

Kalalau Road - lehua gives way
to lehua somewhat above
Kokee. Much Rubus.

^{June}
(99-MF air photos, show
bog areas in Alakai Swamp.
Much lehua forest
flattened by Hurricane Dot.
Lehua Macanui has very
thin peat, hard rock.
Patches farther in Alakai
Swamp, peat up to 6'
Patterson got about 8
peat cores with hand auger.
(On frames K1-58 & K1-33).
Photos show a striking
mosaic of bog & forest.
Bogs underlain by a white
clay - largely halimite.
Probably much of
this underlain by material
like that in Kokee pit.
Lehua Macanui much
drier than other bogs. Peat
1-2").

Forest rather open and
degraded in most areas,
thick undergrowth with
Rubus.

^{photos}
Kalalau Lookout - clear day.
ridges and steep slopes
rather badly eroded.
Lower slopes with scrub.
kukui in gulches. Valley
bottom forested. Cliffs

forested at top and upper $\frac{1}{2}$ to $\frac{2}{3}$, lower steeper parts almost bare but grassy, or with thin scrub.

Lookout surrounded by lehua forest - some *Gleichenia* forest 10-15 m. tall, gnarled not very mossy. Canopy rather open. Moderate undergrowth, some *Rubus*. *Athyrium* abundant. *Doodia* also on ground.

Canopy open but trees closely spaced, small average 8-15 cm. some larger to 20-30 cm.

Jeep road east of lookout. Photos of road and of plateau back. Solid lehua forest.

Head of valley here has cliffs thinly wooded from top to bottom.

End of road is in cloud forest, mainly lehua, on deep peaty layer overlying clay bed (photos begin roll 2)

Photos in forest, stature to 10 m. Some *Cheirodendron*. *Asplenium* (a very small slender one) on tree trunks.

Tibouchina down as far as Puna Ka Paka.

Small gulch that Kokee Rd. crosses has grassy upper slopes, esp. on west more bushy on east, esp. with *Leucaena*, *Alnus*, cacti. *Erythrina* common locally. Gulch bottom *Miconia* - *Leucaena* forest, much *Pluchea* in very bottom.

Road to Wahiawa

sugar cane. Then across a gulch wooded esp. with *Eugenia curvirostris*. More sugar.

Turn left to Thain place. Through gate, then pasture. Second gate. Hill to rt. with *koa* forest. Planted *Casuarina*, *Grevillea* on some slopes. *Acacia confusa* and *Eucalyptus*, a *Melaleuca* with very small leaves. *Albizia*. Waiwi.

Along road an almost completely exotic forest. Peat reservoir.

Much *Gleichenia*. some lehua. then a degraded lehua forest, some *koa*.

Area east of Wahiawa
Bog - trees almost
completely dead. *Gleichenia*
and low bushes left
with standing dead trunks.
Much *Lycopodium cernuum*
shrubs representing most
of the trees of former forest.
Scaevola abundant.

Bog covers about 20 acres.
general level of vegetation
about 3-4 dm.

- a *Metrosideros*
- a *Gleichenia* lin.
- a *Lycopodium cernuum*
- a *Rhynchospora*
- o *Lobelia*
- a *Ilex*
- o *Cheirodendron*
- o-c *Machaerina ang.*
- c *Euphorbia multiflora*
- o *Santalum*
- a *Pelea*
- x *Styphelia*
- a *Myrsine* spp.
- a *Viola*
- l *Carex*
- ol *Oreobolus*
- a *Eugenia cf. hookeriana*
- xl *Paspalum* sp.
- a *Polygodium tamar.*
- a *Wikstroemia* sp.
- l grass

~ similar

Scattered through bog
are larger shrubs of
Metrosideros, *Cheirodendron*,
Eugenia, *Pelea*, *Lobelia*, *Myrsine*
Ilex.

Scattered small pools
and irregular sinking
trashes filled with water.

Some spots, especially low
muddy ones dominated
by *Rhynchospora* & grass.

Lauai?

Gulch down from Kahala
to spawning Harb.
Buccaria scrub, *Eugenia*
curvata, *Hibiscus* til.
planted *Eucalyptus*, etc.

W. extension of Haukapu Range
south slopes with grass
and thin woods & scattered
trees, upper slopes *Gleichenia*.
+ scattered trees

W. of this *Hibiscus* *hibiscus*
& *Pandanus*. Lower slopes
planted *Eucalyptus*, forest.

Lihue to Kapaa —
 Hills beyond Hanalei
 badly eroded, mostly
 covered by thin soil with
 scattered trees, more wooded
 on lower slopes. Bluffs and
 ledges grassy. Much
 red clay exposed in
 great erosion scars.

- 41467 *Lysimachia*
on edge of cliff in wet forest
- 68 *Broussaisia arguta* Gand. f. *arguta*
on edge of cliff in wet forest

March 11 - Wahiawa Bog,
south base of Kahihi Peak,
east of Hanalei River
in open bog with depressed vegetation

- 69 *Drosera*
very common on mud
- 70 grass *Saccolipis contracta* (W & A.) Hitchc.
common locally
- 71 *Labellia*
common
- 72 *Viola kavaensis* Gray
rare
- 73 *Santalum ellipticum* Gand.
occasional
- 74 *Korthalsella*
occasional, parasitic on
Metrosideros
- 75 *Rhynchospora cavanum* Gand.
abundant
- 76 *Myrsine*
rare
- 77 *Polypodium tamariscinum* Karst.
rare, on base of shrubs
- 78 *Styphelia douglasii* var. *struthioloides*
common

- shrub 1 m. tall, buds and
pedicels glutinous, corolla
white, flushed distally with pink.
- shrub 1 m. tall, flowers
and cyms deep maroon purple.

6.80 m

- hairs on leaves reddish,
bud white (only one seen)
spikes blackish.

- shrub with latex, 1 m. tall,
racemes from rosette
at top of stem, corolla
white with dark purple
lines in middle of lobes.
flower white within,
purple lined without.
- shrub 0.6 m. tall, dull
reddish green; fruit green.
cylindrical, branching
decussately.

- shrub 1 m. tall leaves slightly
chlorotic, fruit black.

- shrub 0.4 m. tall, flowers
white, 5-merous.

- 4147^{3a} *Pelea waialeale* Waura
occasional
2 74² *Ilex anomala* H. & A.
occasional

Mar. 12 - west slope Nono Range,
above Opaekaa stream.

- 3 75² *Munroidendron racemosum*
in secondary forest on
steep slope

Mar 12 - ridge east of
Hanalei Valley

- 7 76² *Wikstroemia*
in boggy sparse low
forest on white clay
4 77² *Fouldia terminalis* v. *maurocarpa*
in boggy sparse low
forest on white clay
3 78 *Ageratum houstonianum*
abundant on roadside

shrub, 1 m. tall,
buds greenish white
shrub, 1 m. tall, flowers
white.

250

old tree 12 m. tall, 4 dm dbh.
with thick branches.
dish maroon, glossy,
on immature fruit; buds
unopened.

300

shrub, 1 m. tall, sterile.

shrub, 1 m. tall, decumbently
divaricately branched;
flowers dull purple outside,
green within; fruit blue.
erect, aromatic; flowers
bright lavender purple.

Mar. 12 NE. face Waialeale
(~ photos) - thin forest on
steep slopes or cliffs. Bright
patches green, prob. *Gleichenia* on
sides of ridges at base.
Cliff has narrow vertical
valleys.

Flat land back of
Nono - mostly pasture
thickets of *Eugenia cumini*,
hib. til. Mango; planted
Eucalyptus acacia hedges in
hedges.

U. of H. Agr. Exp. Sta. Bauxite Reclamation
Project. front of Maalealea Mt.

Kolor flow slopes, cut by
deep ravines. Has evidently
been pastured and abandoned
(or not abandoned?), now
covered by grass (*Melinis*?)
with patches of
Gleichenia, scattered
trees - *Eugenia*, *Psidium*,
Cattleya, scattered
Pandanus. (3 photos with 2)
Melastoma.

Check plot - no treatment
Pasp. ob.

glennwood grass
Pennisetum glaucum
Mimosa
Stachytarpheta
Richardia

Pasp. Cong.
Sporobolus
Cyncha
Ernia var.
Elephantopus mollis.
Digitaria chinensis
7 in on top soil - removed
and replaced.

On untreated subsoil
it was a year before any
plants appeared.

first publ. Bauxite Recl. Proj.
mineralogical report.
M. Takahashi Norman, Thurman.

Nonou Mts. - (Sleeping Giant)
back side densely
wooded down to pastures
at base. Mixed grass + Mimosa.
Forest at base of strawberry
guava, some *Eugenia cumini*.
Ground cover of *Oplismenus*
with occ. *Polypod. scol.*
+ *Thelypteris dentata*.
Upward and occ. *Aleurites* & *Pandanus*.
Abundant str. guava
seedlings, no native plant
seedlings.

Upward into ravine
Eugenia malaccensis becomes
dominant - ~~on slopes~~ under

Muhuri - on side slope
 near Pandanus, Psidium
 guajava. This becomes
 abundant locally.
 Up the gulch the Psidium
 littorale becomes abundant
 again but not such
 a closed vegetation.
 Trees here to 2 1/2 - 3 dm. dbh
 + 15 m. tall. Much
 Nephrolepis, Fletypteris,
 Microcladia + Polypodium
 with the A. plasmium.

Road up Paehoa Pk.

Ravine filled with
 hau and java plum. Flow
 slopes pineapple + cane.
 Steeper slopes guava brush,
 scattered Eugenia, mango,
 planted Casuarina, some
 fewcane, Fournarea. Planted
 Eucalyptus.

Road around Kapua to Hanalei
 Flow overlying old soil - charred
 roots in soil at contact.

Pineapple fields - gulches
 between filled with Eugenia
 cumini.

Hills on left - ridges
 and steepest slopes grassy.
 Slope loosely is densely
 wooded. More so around

toward Lualaba.

Wood in lower valleys
 mostly java plum, some
 hau. Psidium litt. Lamanas
 headbutt. Mango guava.

Molokaa Beach.

Pasture on slopes. Wood
 in ravines. Gevillia
 sp. planted abundantly
 (red fls.)

Then came on flats or
 flow slopes.

Tuff cone some distance
 to rt. said to have broken
 thru a coral reef.

Kilauea.

Kaliuwai V. bluff
 wooded with hau, hala,
 Eugenia cumini. These,
 with milo, casuarina
 etc. in flow some grass.

Casuarina on bluffs to n.w.

Some pasture with guava
 + brush, some pineapples.

Steepest mts. inland densely
 wooded except for areas of
 Gleichenia on slopes.

Flow slopes in pasture
 lower ones pineapple or pasture.

Rows of Eucalyptus or
 Eugenia cumini along roads.
 Guava and hau in thickets.
 some Pandanus.

Hanalei V. Flat bottom has rice field, garden pastures. (Rice is sticky rice).

Lower ^{middle} slopes ~~with~~ ^{gleichenia} scattered trees. Upper wooded. Extensive low forest in valley bottom & on lower e. slope.

Pastures on east have been added to Pargola. P. def.

East slopes steep, partly gleichenia, partly thickets of quava, strawberry quava, C. hylae, Pandanus, and, above forest reserve boundary, some lehua.

Asperatum houstonianum abundant along east ridge.

Well up on sloping flats there is lehua forest in which the trees are mostly dead or dying. Thick low brush and gleichenia.

An area of white clay 15-20' deep on which is an open low lehua 3-5 m. tall with much gleichenia. Thin peat or much larger 3-6", pH 7.8 acc. pattern. Looks like a bog but with sl. larger trees.

These areas, a few acres or 102 of acres in extent scattered on the flat slopes bet. ravines.

Well above this, on red soil is further broken down lehua forest, ~~lots of~~ very tall slender *Pritchardia* scattered through area. Large trees dead. Small epiphytic lehua on most of trunks, sending down roots like a strangling fig. Clusters of small *Astelia* on them, also *Elaphoglossum*. (quite a few photos).

Road runs along ridge through cloud forest, predominantly lehua but very rich. Few dead trees.

At end of road view ahead of some isolated flat plateau-like areas. Few or many dead trees.

Bananas in deep gulches even here. Few palms on steep slopes. Rather deeply weathered red-brown to red soil, a few feet.

Very irregular canopy. Some staghorn.

Photos across Hanalei V. and on ridge east, those of secondary wood + gleichenia.

Bluffs west of Hanalei covered by Pandanus forest and in more exposed places by Scaevola. (photos) ^{will} less exposed by hau, quava, Casuarina.

Lower slopes beyond Wainiha grassy with scattered round trees.

Beach forest of Casuarina, Neronia, Croc, Arancaria, Haena. Hau tangles with Casuarina, quava on flats.

Cliffs with Bidens conspicuously in bloom. ^{Euphorbia} grass, small shrubs, pockets of wood in cirque-like valleys.

Pandanus on lower slope. Kukui also.

Pandanus also up as high ridges.

This corresponds to pits grass on dry cliffs and ledges.

Mar. 13 - flight Lihue to Honolulu at end of point directly in line with runway. The scrub back of the beach shows excellent wind situation.

Mar. 14 - Honolulu - Maui flight. About 2/3 of the floor of Diamond Head Crater and part of lower slopes are densely wooded. Outside slopes only very slightly vegetated, mostly toward base.

Photos of Koko Head area.

Molokai on right -

Apparently a marsh back of second long beach from west end, surrounded by kiawe forest on flat.

Uplands east of this open, with considerable red erosion scars. Momomi sand strip largely revegetated by kiawe? forest. also slopes of ravine S.E. of it.

Otherwise considerable grass with red scars and scattered small trees or bushes or no woody vegetation at all.

Pineapple fields on most of upland flat ground.

Generally the thickest woody vegetation is on steeper slopes, but not consistent.

Slopes up to East Molokai grassy, cut by wooded ravines. Interfluvies wooded.

upward. Cliffs more and more wooded eastward.

Kalaupapa pen. all grassy except talus at foot of cliffs, which is wooded.

East Molokai mostly cloud-covered. Lower part of cliffs and mouths of valleys visible, sparsely and irregularly wooded, otherwise grassy.

Some open flat spots above cliffs but. Wailau Halawa, possibly open bog.

Ridges n. of ~~Wailau~~ Halawa rather dry and denuded, some erosion. Flow slopes s. of ~~Wailau~~ Halawa very green, gulches dry and sparsely wooded. Small islet grassy.

West Maui - Flow slopes cultivated, gulches wooded, but lower parts only sparsely so ^{or not at all} west side. Upper parts of flow slopes grassy up very high on n.w. side. Gulches on north side very deep wooded except near mouths. Flow slopes bright green, ~~pasture~~ pasture. Cliffs ~~sparsely~~ thinly vegetated. An ~~islet~~ Kahului side

car goes up to break in slope. Road comes down to line.

Around bay w. of Kahului are rather bare somewhat eroded hills, valleys and ravines in them wooded.

Much Keawe forest back of Kahului on Isthmus, rest of Isthmus cane. some rows of trees along roads. trees around villages.

(33 min. Hono - Kahului.)

Maui - Wailuku to Iao Valley by taxi.

Planted Casuarina on lower slopes - Mixed wood of *Persea*, *Alseodaphne*, *Eugenia cumini*, *Lamanea*, *Melia*, *Mangifera*, etc. in valley bottom. *Quercus*.

In canyon steeper slopes are grassy, but steep have open to closed scrub. ^{leaves etc.} *Alseodaphne* in little hanging valleys and in side gulch bottoms. Uppermost slopes, ridges, cliffs wooded, but rather sparsely.

Up in valley *Quercus* scrub on lower slopes above the Kihui which here fills

Persea
scrub

the valley bottom

Cliffs here thin vegetation.

Cordyline at bases,
above guava forest.

End of road at view of
needle. Hair point ~~above~~
road end. Patch of native
forest on steep slope on
south side above kukui.

Many
planted
ornamentals

Several other smaller bits
on slopes at foot of cliffs
but mostly kukui.

Little but thin grass on
cliffs.

Around lookout and
trail immediately above
it mostly guava scrub.
Some small Metrosideros
on side toward Needle.

Cordyline
Eupatorium
Scaevola
Sporobolus
Tithonia
Rantania

Weeds on trail, ~~Passiflora~~ ^{Paspalum} ~~Setaria~~
Sphenocarpus & Nephrolepis
exaltata abundant,
a little Psidium nudum.
Scaevola and Microlepia
over edge toward Needle.

Stupendous erosion,
cliffs, peaks, waterfalls
to Needle, a basalt
spine. Bed of stream
with great boulders.

Some Scaevola sericea but
mostly planted.

Mar. 14 - Wailuku - Kahului
patches of briars, buildings,
ponds with Scaevola marsh.
Weed patches.

Mar. 14 - Kahului - Olinda -
Waikamoi 8:30 - 12:40

~~Pl~~ Plantations on level
ground of Isthmus and
up lower slopes of Haleakala.
road lined with Grevillea,
Savanna, Eugenia, etc. at
first. Not on slopes.

Cravines filled with Lantana,
Guava, Scaevola, cactus.
Maui

Pukalani. Jct. Rt. 37 - Rt. 40.

Pineapple fields. some pasture.

Eucalyptus, Persen, Grevillea
Makawao. turn on Rt. 39.

Above Makawao ~~pasture~~
pasture with patches
of Eucalyptus forest.
with guava undergrowth
some mixture of Acacia
dealbata.

Road lined by E. globulus
Olinda Prison Camp.

Gorse begins

Eucalyptus first. Then
stretch of pasture, some
with ~~Scaevola~~ Scaevola and

few other native plants.

Then the road enters a forest, at first mostly planted, *Cupressus macrocarpa* and *Eucalyptus*, then changing at once to native montane rain forest - *lehua* forest with strong admixture of *koa* and *Cheirodendron*.

Drive for about 2 mile through excellent forest of this character to intersection with road to Waikamoi pump.

Stop here and proceed on foot down road toward pump.

Dense trees at entrance are *lehua*, *Cheirodendron* - several small trees immediate on left. Small *Cibotium* beneath trees on both sides. Very fine - leaved large shrub immediately to right of entrance *Stypholobos* *tam.* *ternate* leaved shrub *is Broussaisia*. Opposite it, on left, *Coprosma* 20 paces in, on right, the tree with narrow leaves ^{light bark} *acacia koa*.

To the left of the road the forest has been cleared along the pole line. *Rubus* sp.

had invaded this area, also *Gleichenia glauca*, *granulosa*, *Lycopodium complanatum*, *Gleichenia linearis*, some regrowth of *lehua*, etc.

Of the two large ferns along the ~~to~~ road, the bipinnate one is *Sadleria souleyetiana*, the tripinnate one *Cibotium*.

Along roadside a form of *Prunella vulgaris*, *Poa*? *Holcus*, *Cyperus*.

On mossy banks and tree bases *Mertensia granulosa* var. *insularis* is abundant - creeping, with ^{small} *vermillion* fleshy fruits.

Athyrium cf. *pointianum* common.

Cross pole-line clearing and descent into low forest of *koa*, *lehua*, *Cheirodendron*. *Gleichenia* here approaches *G. lin.* var. *tomentosa*.

Careful examination of *Cheirodendron* may yield *Korthalsella platyphylla*, a leafless *loranthaceous* parasite.

Just at first sharp turn in road, *Clermontia* sp. may be seen straight ahead - oblong

leafed shrub in brush up on bank. *Vaccinium calycinum* is small shrub on roadside here. Good examples of *Cibotium* cf. *glaucom* or *chamissonis* just below this turn.

Around the next turn, a few feet off trail to right, a half fallen trunk with *Astelias* sp.

Undergrowth along road has much *Eupatorium adenophorum*, *Gleichenia*, *Lycopodium cernuum* some *Lycopodium*, *Vaccinium* *Zantedeschia* intro. along road.

On old tree fern trunk on right *Grammitis pseudo-grammitis* and *Hymenophyllum obtusum*?

Myrsine sp. a slender shrub on right just below this.

Lehua dominant here.

Off the trail the undergrowth contains a profusion of ferns, incl several *Thelypteris* (*T. cyathoides* s. aff. etc.), *Adiantum*, *Albuginum* ~~sp.~~ *Cibotium*, a very large *Carex*.

on fallen logs *Hymenophyllum* *cernuum*. *Peperomia* sp. *Nertera*, *Astelias*, *Polypodium* sp. *Tuckermans* *barnebyi*.

P. tamariscifolium
Albuginum
Polypodium
pell.

shrubs include *Islea* 2 spp.
Broussaisia, *Coprosma* spp.
Myrsine (*Rapanea*) spp.
Hymenophyllum on tree trunks
Clusia - *Alyxia*, *Smilax*,
Stenogyne sp. *Vaccinium* cal.,
Gouldia term. var. *cordata*
(*Scrambler*), *Rubus sandwicensis*
(*shrub*), *Cyrtandra*
cf. *cordifolia*, *Clermontia* sp.
Cyanea sp. (large lvs. *spinosa* hair).

Good place to go in forest to left 50' before first bridge. 2 photos in opening with tree with *Astelias*.

Beyond bridge 30m. on left, *Gouldia hillbrandii*.

At turn, *Freyrinetia* on left. Good understory of tree ferns in open *Lehua* forest. *Gleich. lin.*

Abundance of young *Chenodendron* doubt there due to opening of road.

Beyond bridge *Clermontia* fairly common. *Rubus* sand (as well as *P. penetrans* & *P. ros.*) *Pipturus* at first turn on left.

Beyond second turn large *Lehua* tree over road with excellent display of epiphytic *Astelias*.

Polygod. cf. saffordii
 Claph. hirtum, Polygod. pell.
 Asplenium sp. (tiny, at base)
 4 Photos in the forest.

1 1/2 mi.
 in

On road cut - 9 curv
 with large tree on either
 side. Koa dominant here
 Acacia koa
 Cheimodendron
 Metrosideros collina
 Scaevola souleyotiana
 Cibotium chamissoi
 Myrsine cf. lessertiana
 Gouldia tum. v. cordata,
 Broussaisia angusta v. pellucida
 Coprosma ~~sp.~~
 Clermontia
 Yucca calycina
 Rubus penetrans
 R. sandwicensis
 Cyrtandra rubr.
 Cyanea sp.

Epiphytes

Claphoglossum hirtum
~~Claphoglossum~~
 Polypodium thurberianum
 D. pellucidum
 Cheimodendron seedlings
 Broussaisia seedlings
 Claphoglossum
 Clermontia shrub
 Peperomia sphaerocoma detaches

on my
 lava
 tube

Hymenophyllum laevigatum
 Astelia

Jams

Athyrium cf. poneticum
 A. sandwicensis
 Trichomanes bauerianum

Pamalahani

Stenogyne sp.
 Gouldia hillebrandii

Makawao - Ulapalakua R.

RA. 40 12:50 -

E. of Makawao - pastures
 with scattered planted
 Eucalyptus, Cupressus, Grevillea,
 etc.

Pahalauni pt. Pineapple
 left on rt. 37. Through
 pineapple fields.

Turn on lower Kula Rd.

Pine fields. gulches
 with Opuntia, Lantana
 Weedy roadside with
 Chloris gayana Trichocereus,
 Ricinus pastures.

Planted Grevillea, Acacia
 in gulches.

Thick Opuntia in
 pastures. Abutilon. Lantana
~~Kahoolawe~~ can be seen on rt.

Waiakoa Ormaspis

Gulch with *Acacia* &
Pteridium in patches.

Waialea.

Schinus. *Acacia*

Hwy 37 again.

Much *Acacia dealbata*.

Scattered farms.

Vegetable gardens.

Lava flows with patches
Lantana heavily parasitized.

Hebe - *Kula* *Savaterra*

Rough pasture on lava.
much *Lantana* & cactus.

Vast expanses treeless.

Motokini alced in
strait this side of Lanai.
Melia trees.

Cinder cone below on point.
Grevillea. *Neritium glauca*
Melia. *Argemone*.

Eucalyptus plantings
around Ulapalaka Ranch.

Prospect Hill - early
Eucalypt. plantings.

Kalanchoe

Purpurea

4000'

Osmanthus

Lophora

Chaptalia obovata

Dracaena

Pilea spp.

Tetraplasandra

Myrsine

Chenodendron

Myoporum

Ochroma

Alyxia olivaceifolia (maile tree)

Dodonaea

Osteomeles

Euphorbia celsa

Coprosma

Alphitonia

Metrosideros

Styphelia

Santalum haleakalae

Pipturus

Nothocestrum

Pontania

Claoxylon

Weeds

Bidens pilosa

Solanum sodomaeum

Eriobotrya elongata

Nicholaea

Hypochaeris radiata

Stellaria media

Passiflora sp.

Conyza bonariensis

Euphorbia peples

Plantago lance.

Chenopodium murale
C. botry
Commelina diffusa
Rumex giganteus
Oxalis corniculatus
Agrostis
Physalis peruviana
Cocculus
Verbena officinalis
Heterostemma grandifolium
Cyperus
Geranium carolinianum
Pennisetum clandestinum
Carex
Eupatorium aden.
Solanum nigrum
Lycium
Cirsium
Koehlersia - plant on *Osmunda*
 Ferns
Polypodium polypodioides
P. thunbergii
Pteridium
Psilotum nudum
Pteris
Asplenium

March 14 - Kula Pipeline west
 of Waikamoi Stream, Hailu Uka
 In montane rain forest dominated by *Metrosideros*

- 41479 *Grammitis tenella* Kaulf.
 epiphytic on tree trunk
 2 80 *Clermontia*
 occasional

Photos of *Osmunda*,
Santalum, *Euphorbia*,
Dodonaea

Forest fades out into
 scrub of *Dodonaea* &
Styphelia, then into
Styphelia & *Asterocaulis*.

Ruddy turnstones, 4-5.

Lava flow above Waipalakea
 has mostly *Leucaena*.
Pellaea ternstroemia & *Psilotum*

Just beyond Waipalakea
 beyond Eucalyptus on st. 37
 a *Leucaena* grove. then
 lava with *Kalanchoe*.
Baccharis putrescens naturalized.
Hemiphragma mexicanum
 on slope of cinder cone.

Henry Inciong - state forestry.

1250 M

4000-4200'

dominated by *Metrosideros*

shrub 1.5 m. tall, lactiferous,

- 41481 *Carex*
in small opening
- 1 82 *Pipturus albidus* (H. & A.) Gray
rare
- 1 83 *Asplenium*
rare, epiphytic on base of tree,
- 2 84 *Rubus penetrans* Bailey
very common in openings
- 2 85 *Cheirodendron turgidum* (G. & A.) Heller
very common, especially
in clearing along pipeline
- 2 86 *Holcus lanatus* L.
common along roadside
- 1 87 *Hymenophyllum recurvum*
epiphytic on ^{fallen} tree trunk
- 1 88 *Hymenophyllum recurvum*
epiphytic on living tree trunk
- 1 89 *Hymenophyllum obtusum*
epiphytic on tree trunk
- 1 90 *Grammitis tenella* Kaulf.
epiphytic on tree trunk
- 1 91 *Pelea* sp. *olowaluensis* Dr. John
occasional
- 1 92 *Pelea* ~~*clausenifolia*~~ *haleakalae* Stone? ^{det. off.}
occasional (Hawaii)
- 1 93 *Polygodium & Grammitis*
rare, epiphytic
- 1 94 *Carex*
locally abundant in ^{places} much
- 2 95 *Coprosma stephanocarpa* Hbd.
common in undergrowth
- 1 96 *Rubus sandwicensis* ^{Hawaiian}
common in undergrowth

branching at base
nearly erect.
shrub 1.5 m. tall, ^{principal} leaf veins
reddish beneath.

canes low arching,
flowers 3 cm across, white,
fruit black when ripe.
small tree 4 m. tall, aromatic,
fruit purplish brown.
erect

trunk bent downward

shrub 1 m. tall flowers
green
shrub 1 m. tall, buds green.

erect; leaves glaucous
beneath.
shrub 3 m. tall.

shrub 2 m. tall; flowers
rose purple.

March 14 - Anuwahi,
s.e. Puu Ouli, s. slope of
Haleakala

in dry open sclerophyllous
forest on aa lava flow

41497 *Usnea*

2 abundant on dead branches
of trees

1 98 *Pipturus*
rare1 99 *Carex wahuensis* Mey.
rare41500a *Styphelia*
1 abundant1 01a *Dodonaea*
abundant1 02a *Dodonaea*
abundant1 03a *Polypodium thumbergianum* (Lam.) (Kaulf.) E. Christ.
rare in crevices in lava2 04a *Clavysylon*
rare1 05a *Asplenium adiantum nigrum* L.
rare in rock crevices2 06a *Dryopteris undulata* (Hook. & Arn.) Chr.
rare on ledges Det. D. Palmer 8/96

07 common on open ridge

2 07a *Cyperus hillebrandii* Boeckl.
common on open ridge1 08a *Styphelia*
occasional1 09a *Cheirodendron trigynum* (Gardner) Hall var.
occasional

3800-4000'

1200M

shrub 1.5 m. tall,

fruits carmine

shrub 1.5 m. tall,

fruit light green, somewhat
turning tawny on drying. inflatedshrub 1.5 m. tall; fruit
very dark purple, glossy,
rather inflated.

small tree.

scattered solitary culms

shrub 0.7 m. tall, fruit carmine.

tree 6 m. tall, fruits dark brown.

- 44 1961 Hawaiian Is.
 41511a ~~Polypodium~~ *Polypodium sandwicense* (Gray) Kuhnigk.
 3 occasional umbellifer (Frut.) Sam.
 2 12 *Pisonia sandwicense* rare ~~Leptocarpus Endlicher~~ ~~Walp.~~ ~~Schumacher~~
 2 13 *Coprosma stephanocarpa* Hbkd.
 3 14 *Alphitonia ponderosa* Hbkd.
 3 15 *Santalum haleakalense* locally common
 2 16 *Euphorbia cactoides* locally abundant
 1 17 *Pteris cretica* L. det D. Kuhnigk 8/96
 very local in grass
 18 ~~Carex~~
 2 18 *Asplenium adnigrum* ~~uniquum~~ rare

March 14 - ~~Kula~~ Headwaters
 of Kailua Stream, ~~at~~ west
 of Waikamoi gulch,
 Hailin Ula, n. w. slopes Haleakala
 in montane rain forest
 dominated by acacia grove

- 1 19 *Coprosma stephanocarpa* Hbkd.
 common
 1 20 *Scheides diffusa* Gray?
 rare, epiphytic in acacia grove
 21 ~~Coprosma~~

Mani
 tree 4 m. tall, ribs fruit yellow. 45
 tree 5 m. tall

same tree as # 42033

tree 5 m. tall

tree 4 m. tall, ^{young} leaves
 coppery beneath.

small tree 4 m. tall (others
 much larger), flowers
 bright red, scarcely
 any odor, ribs fruit black.
 flat topped tree, ~~tree~~ 4 m.
 tall, lactiferous.

4220'
 1280 m.

shrub 2 m. tall

loose climber, sterile.

March 14 - Kula Pipeline west
of Waikamoi Stream

Hailuukha, n.w. slope Haleakala

41521 *Coprosma ochracea* Oliv. var. *ochracea*
occasional

222 *Nertera granadensis* var. *insularis*
abundant on mossy
banks, logs and tree trunks.

1 230 *Trichomanes*
common on ground.

March 15 - Waikamoi ~~gully~~ stream
at Hana Road

1 241 *Tibouchina Schmidtiana* (Schrank) Mart.
bank of small rivulet
in bottom of gulch

March 15 - west slopes of
Haleakala along highway
to summit.

in open scrub on weathered lava.

3 250 *Lepachinus hastata* (Gray) Epling
very local, colony of 5 clumps.

1 260 *Luzula ^{hawaiiensis} canifolia* var.
occasional under ~~tuft~~ *Styphelia*

1 270 *Styphelia*
abundant

1 280 *Styphelia*
abundant

1 290 *Asplenium trichomanes*
rare in crevices in rocks

1 300 *Asplenium ^{adiantum} ~~adiantum~~*
occasional in crevices in rocks

4000'

1220 M

shrub 2 m. tall; flowers
green.

Sloottish.

creeping; light green;
fruits vermillion

170 M

Cogn. & Sch.

slender erect shrub
2 m. tall; sterile.

1830

erect, 0.7 m. tall,
many stems from
base, ^{nodes} deep rose purple;
plant strongly aromatic when
broken.

bushes.

shrub 1 m. tall,
flowers white.
shrub 1 m. tall,
fruit pinkish white.

Std. sp. 50

Mar. 15 - Wailuku to top of
Haleakala. 7:50 -

Then came fields to Pukalani
jet. (see p. 29). *Tricholaena*
conspicuous along roadsides.
Chloris gayana and *Panicum*
maximum also.

Many small farms
and gardens just below
and about Pukalani and
Makawao. Pineapple fields
over most of country bet
Pukalani and somewhat
above Lower Kula Rd. Then
only on rt. Pasture with
patches of *Eucalyptus* on
left. From 2000' all pasture
with patches of *Eucalyptus*
scattered *Casuarina* and
Grevillea. Rows of *Eucalyptus*
and large blocks. a few
Cupressus macrocarpa on left
at 2400'.

Row of *Jacaranda* on rt at
about 2400. *Grevillea*
planted below road. More
Eucalyptus. Then open
pasture. *Opuntia* in gulches
and scattered in pastures.
More *Jacaranda* along road
at 3000' then *Eucalyptus*
and *Acacia dealbata*.
Small farms. Blocks
of *Acacia dealbata*, dominating

landscape to Haleakala
turnoff. Scattered clumps
on up the road. Many
~~some~~ homes and notable
flower gardens, many
escapes. Patches of
Acacia, some *Cupressus*.
~~And~~ and other conifers.
Myrica faya occasional.

Scattered *Lycopodium* on
at about 3800'. *Acacia*
and *Eucalyptus* patches,
and small farms.
Planting of *Diospyros* here
at about 4000'.

Belt of *Eucalyptus* at 4200'.
Magnificent view of
Haleakala and West Maui
from just below this (stop?).

Above this belt open
rather rough pasture.
Pteridium rather common.
But generally the pasture
is in good shape. *Eucalyptus*
plantation on left at 4700-4900'.
Eucalyptus in ravines on rt.
Sparse scrub, mostly
Lycopodium from about 5500'.
much grazed. Much
Pteridium. Becomes dense
and mixed at about 6000'.

50

1961 Hawaiian Is.

(ctd. from p. 46)

41531a (grass) *Holcus lanatus* L.
commonMarch 15 - rim of Haleakala
crater at Kalahakū Overlook2 32a (grass) *Deschampsia nubigena* Hb. ex B.
common on loose volcanic
debris

March 17 - Kapiolani House Lots

1 33a *Pipturus argenteus* var. *Pandanus*
common in undergrowth in *Pandanus* forest
on lava.March 17 - coast south of
where Kīū flow of 1955 reached sea
in scrub forest of *Metrosideros*
on aa lava.1 34a *Diospyros ferrea* var. *sandwicensis*
occasional2 35a *Canthium odoratum* (Forst.) Seem.
commonMarch 17 - Kalapana Beach
on dunes of black sand1 36a *Digitaria henryi* Rendle
very local, holding sand1 37a *Digitaria ciliaris* (Retz.) Koel.
common locally, holding sand1 38a *Panicum repens* L.
common on sand flat
around brackish pond.

Maui - Hawaii 51

panicles purplish.

2680m.

dense tufts.

2 m.

shrub 3 m. tall leaves
glaucous green beneath,
with red veins.

4 m.

shrub 3 m. tall

shrub 1.5 m. tall, leaves
glossy.

1 m.

prostrate, forming thin mat.

forming dense sod.

6200'

Stop at small bridge at
 large bush of *Rubus*
~~sandwicensis~~ (?) just below bridge.

Trisetum common here.
 Large rosettes of *Polystichum*
~~haleakalae~~ *paleacum* below bridge
 on walls of ravine.

Several intr. grasses here
 incl. *Anthoxanthum odoratum*.
 also *Oenothera stricta*, *Epilobium*
Rumex acetosella, *Eupatorium*
adenophorum.

In scrub *Coprosma montana*,
C. erioderides, *Sophora*
chrysophylla (bush on
 rt. wall of gully below bridge)
~~Rubus~~ *Dubautia stratholoides*,
Vaccinium cf. reticulatum,
 are all common.
 Several bushes of *Santalum*
haleakalense in ravine
 75 m. above bridge.

Geranium cuneatum var.
tridens on left somewhat
 above that.

Asplenium sp. and
Polypodium pellucidum
 in crevices on wall of
 ravine. *Carex* sp. and
Dianella, also *Asplenium trichomanes*
Pteridium abundant.

A few scattered compact
Metrosideros coll. ~~several vars.~~

Dodonaea, also, esp. above and
 below next small bridge.

Styphelia and *Vaccinium*
 dominant on relatively
 gentle slopes.

Sophora, *Metrosideros*,
Dubautia, *Dodonaea*, *Coprosma*
 Photos of West Maui and
 of scrub.

Planted *Eucalyptus* at
 cattle guard.

Pine plantings below
 road over considerable area.

Entrance to Park.

Eucalyptus and pine planting
 about Park ~~the~~ residences.

Above here *Sophora* becomes
 a very important component
 of scrub. *Geranium*
 becomes common.

Park #9

Proportions of species gradually
 change upward. *Vaccinium*
 and *Geranium* and *Coprosma*
montana become more important.
Santalum very rare.

Dubautia becomes common
 upward, 2 spp.

Scrub becomes more sparse
 upward.
 Plover.

1000'

3000'

Considerable bare lava.
Small clump of planted
eucalyptus and conifers
below road.

Sophora fair sized in very
open scrub or shrub savanna.

Shrubs more and more
sparse, also more depressed
at perhaps 3900'. Almost grassland.

flowers.

Sophora, Styphelia most
abundant with some
Vaccinium + Dubautia on
lava beds.

Side road to left, to
Kalahala Overlook.

Small patch of *Eryngium*
in enclosure.

Low bushes here almost
all *Styphelia longlasii*.
Grasses *Trisetum* and

Hypochaeris radicata
is yellow dandelion like flower.

Tetramolopium humile
just outside Overlook enclosure
to left. *Luzula camp.* v. *hawaiiensis* also

Below is enormous caldera
a lava desert with
a dozen or so big cinder
cones and a black lava
flow in f.g. running
down to left to Kaemae Gap.

Varied relief. very dwarfed
here.

On up. desert of broken
lava, with scattered
depressed *Styphelia*,
some *Dubautia* - taller
shrubs. Road along crater
rim.

Observatory 9800'

Cliffs below have scattered
Dubautia shrubs.

Trail to White Hill 380 ft.
Lava boulder desert with
scattered *Dubautia* bushes
tufts of *Trisetum* and
rosettes of *Hypochaeris*
between rock. Light gray
slabby rock very dense.

A little *Tetramolopium* in
crevices.

Cabbage butterfly here.

Road to Red Hill - almost
complete desert. several *Dubautia*
bushes only.

Red Hill and Magnetic Hill
piles of red clinker.

Hawaii can be seen
in distance to E. Lanai. Molokai
to west.

Highest *Perovskia* seen
about 3500'. Scrub well
developed mostly closer
or almost so below here.

Dodonaea doesn't go far above

partly Hg. *Geranium*
abundant ^{150m} above Hg.
Silene stetholoides
along rd. at about 8900.

Lepechinia hastata above
road is open *Rhyphelis*.

Vaccinium scrub.

Cratogeomys, *Polyphid. pelt.*

Pteridium common

Seyoula, *Carex wehmannii*

(at culvert no. 378 A 218

small branch rd. just below
6000'. On top of low road cut.
about 5 clumps.

Beyond a bridge and pole line
about 100-150 m.

Trentepohlia on bark of
Eucalyptus at middle alts.
Bright orange. Just above last
houses. Also on *Acacia*.

Myrica faya rather common
among small farms.

Pityrogramma on road cut
in pasture above pineapple fields.
Bark at Parkalani at 12:20.

Mar. 15. Mokawao toward Hana -
Many ornamentals in village
some small pineapple fields.
Then pastures and small
farms - thickets of *Acacia*.
Kohonoano.

Eucalyptus, some *Cupressus*.

Pastures. *Guava* forest and
some *Kuhui* in gulches.

Kaupakahu.

Pastures with clumps of
trees mostly *Eucalyptus*.

Guava + *Kuhui* in gulches.

Dirt road. Large *Eucalyptus*
forest on right in distance.

Deep gulch with *Gleichenia*,
Guava forest, grass scrub.

Pineapple on right.

Gulches with *guava*.
Eucalyptus, *mango*. Pastures
and *guava* thickets, *Acacia*.
Eucalyptus clumps.

Peahi.

Leptochloa and *guava*
along rd. *Kuhui* - *guava* -
Pandanus forest in gulches
and hills to rt.

Join Rt. 36, turn rt.

Kahiki gulch - mixed
lowland forest - *guava*,
mango, *Kuhui*, *Pandanus*,
strawberry *guava*.

Hills with low *guava*

scrub and pasture.
Road cuts with a few
Styphelia, Leuca, Hoa
shrubs.

Paved hwy. Pastures
some scattered brush -
guava, pandanus, mangs

Sphenomeris, Rhipidolobium
cinnamomum on road cuts.

Gulches with guava,
Gleichenia, etc. Eucalyptus
forest above. Pastures on hills.

Gulches with hau, guava,
kului

Breadfruit, rose apple.

Huelo.

Ward sheared rose apple.
much mangs, some hau, much
guava, Eugenia cumini.

Gleichenia, Pandanus, kului.
Gulches and hills with
small pastures and patches
of scrub. Ferns - Nephrolepis
Sphenomeris abundant on cuts.

Occ. Hoa and Eugenia
malaccensis up gulches
Kaula - hau, small
farms.

Much hau forest.

Eucalyptus groves. Asaucaie.
Bamboo on gulches.

Mixed lowland forest

in gulches and on slopes.
with many planted trees.
Melaleuca, Eucalyptus.
much hau.

~~Sphenomeris~~
Spathoglottis in cuts
with fern.

Huge bamboo clump at
Kaeia gulch.

Some Hoa, mountain
apple.

Eucalyptus and Melaleuca
gleichenia on bluffs.

Waikanae Gulch. Water top.
Bamboo forest on e. side. on w side
a mixture of guava, kului,
pandanus, hau, with Hoa
and Eucalyptus above on ridge.
Many introduced ornamentals
near bridge -

Xanthosoma, Buddlejia
Impatiens, Melastoma. Cori.
Lemna, Adiantum cuneatum,
Thelypteris sp. Nephrolepis
hirsutula, Paspalum ^{Commersonia}
~~on~~ Drymaria on dripping cliffs
under bamboo. Antheceros.

Breadfruit on left just
before turn out of Waikanae.

Guava scrub on hills
inading pastures.

Ridges with gleichenia
and planted forest of Hoa
Melaleuca, Eucalyptus, Asaucaie
Confusa

gulches with kukui
Pandanus, Acacia confusa,
Eugenia mal. guava.
Haplophragma (n.)

Kaunahine Park - stop
trees labelled: view.

Pandanus on bluffs, Leucaena.

Honolulu gulch

Mixed forest incl. Haplophragma
much on forest on lower
slope, kukui in gulches.
mountain apple, guava, mango,
Pandanus, Coccoloba. Datura arborea.

On e. side - have forest below,
Pandanus above. much
gleichenia also.

Same general mixture
for several valleys. Pandanus,
kukui, abundant.

Artemisia on bare cliffs
somewhat before Keane.

Forest at Keane - largely
an exotic mixture.

Keane Pen. view. Two patches.
Mouth of Koolau gap. in it.

Breadfruit trees just
after Keane, before Koolau Gap.
View up gap.

Two patches below on sea
side. View. Waialeale Lookout.
Falls. Waialeale Falls.

Some native plants in
thickets and on cliffs. Koa.

Koa abundant for
a little distance,
Chromolaena + Hibiscus
on cliffs.

Koa to well into West
Waialeale. also beyond
it into East Waialeale.
Lycopodium. Chromolaena
scattered below. Planted
Melaleuca, much Koa.
almost into Kopiliu.
Nice waterfall.

Road up on final top
with mixed Koa and
exotic forest. then Koa
with below + guava

Puukoa Park.

Waialeale Gulch - above
water fountain - a clump
of Touchardia latifolia.

Polytrichum scolopendria
common on cliffs.

From Jct. 36 + 40, along 76 to
Kalihi -

Rolling pasture land with
some pineapples.
gulches with guava bush
+ some kukui. Some pastures
invaded by guava, + Schinus molle.
Plover
Ulae - Hailu

Panwela - mostly pineapple plantations, wooded or bushy gulches. Wind break of Casuarina on left, sheltering mango orchard.

Lowlands along sea - some kiawe, Leucaena, Eugenia cumini, - in gulch with new bridge. More pineapples, then cane plantations to Kahului. Kiawe in gulches.

Mar. 19 - Air trip Kahului - Hilo.
narrow strip of kiawe back of beach at head of bay, not on north side.

Northwest slope is mostly pasture, wooded gulches. Lower slope pineapples.

North slope is generally wooded - native forest except a belt on west side.

Pastures extend around much farther on lower slopes than above.

locally much invaded by guava (?).

Pasture punches out just before first large bay and gulch. 2 gulches before Keanae Peninsula. Pans in bottom of lower

part of largest valley. Beyond here it seems to be wooded to sea, except for patches of Gleichenia on a few flat ridge tops and a few clearings and small areas of pasture above sea cliffs, some areas up or slopes may have been cleared.

Hana area has extensive pastures above and west of airport, also some to east of this above and east of Hana. Forest separates airport area from this. Lower gentle slopes around coast from Hana are in pasture.

March 17 - KMC to Observatory
Low open lehua forest
or scrub with scattered
trees - scrub of *Styphelia*
and *Vaccinium*. Some *Ladleria*
and *Dodonaea*.

Turn toward Observatory
both scrub and trees
more sparse. Mostly *Styphelia*
but some *Dodonaea*. Gradually
more sparse to Observatory.

KMC to Volcano House
Sparse forest.
Steaming flats.

Volcano House to Olaa -

Lehua forest with *Gleichenia*
some *Ladleria*. ^{*Gleichenia*} Very soon
changing to taller lehua
with well developed understory
of *Cibotium*.

Park Boundary.

Concentration of *Cibotium*
along road for short distance.

Row of *Cryptomeria*.

Tibouchina very abundant
More *Cryptomeria*.

Low lehua with some
Cibotium, *Ladleria*, *Gleichenia*.
much *Tibouchina* locally
along road.

On it a large cleared
area with *Andropogon* and

Other grasses, some slight
invasion or sprouting of
lehua.

Lehua forest on left
with a little planting of
exotics.

Then a considerable
stretch of medium lehua
with *Cibotium*, *Gleichenia*
and *Ladleria*. *Tibouchina*
abundant along roadside.
(m.p. 23)

From here on much
planting of exotics.

Eucalyptus, *Melaleuca*,
Casuarina, an *Areoid*
palm.

Forest more and more
irregular.

m.p. 21-20-19

Road bordered by *Cibotium*.
Forest irregular, much
Eucalyptus, *Melaleuca* -
still some lehua, especially
young trees. Locally lehua
still dominant.

Hedycheium abundant
bet. m.p. 19 & 18. At m.p. 18
much strawberry guava.

From here much less
lehua, not many tree ferns.
Thickets of strawberry guava.
~~Not much~~ *Eucalyptus*.
Melaleuca bet. m.p. 17-18. Then

on left cleared land.
Mountain View.

From here down - sugar
cane plantation, house
gardens. Just beyond Mt. View
bamboo mexicana on left.
Cane plantations (mp. 13-14-15)
Then bushy cleared land
with strawberry guava.
At mp. 13 grove of palms
then more cane plantation.
Lehua forest in distance to
right.

More strawberry guava
bush. Then mp. 12 more
cane plantation, scattered
dwellings. Well before mp. 11
to it and after - more numerous
dwellings along road, cane
away from road. Came to mp. 10.
Village. more cane.

Above Kuniakuni kuni - breadfruit on mt.
Olaa - ~~Kapaa~~ Pahoa.

Cane fields. Large Lamanas
and mangos just out of Olaa.
and 0.8 mi. out a large Chinese
Banyan in yard on rt. some
palms.

Guava scrub with
Gleichenia and then Gleichenia
with scattered lehua.

This for some distance.
a mile or so, then with
many regaling road.
+ 91.5 common land with andropogon

Upper
outcrops
of Olaa
2 large
breadfruit
on left

41771.0

Cane plantation, grove
of Casuarina. Open land
with andropogon, sparse
small lehua. Then
more Gleichenia
with sparse lehua
on it. Andropogon and
lehua on left. - this for
some distance, with
lehua becoming larger
and more dense.

91.3

92.3 Then Gleichenia with little
lehua, then lehua

becoming more plentiful.
92.7 Andropogon, more Gleichenia

sparse to less sparse lehua.
93.1 Large grassy field on it.

Sparse lehua on it
across field. Andropogon

sparse lehua on left,
then on it also. Archid

very common in these
fields which stretch

with patches of Gleichenia.
for 2.5 miles. Then on

it. Gleichenia with more
abundant lehua, then also

on left, some patches of
Andropogon, some of Gleichenia

on either side, with
fairly large and abundant.

but open to sparse lehua.
96.9 Andropogon with lehua

97.4 Coffee on left, then more

92 *Gleichenia* and *Lehua*.
 Some houses & clearings.
Andropogon & *Lehua*.
 They *Gleichenia* - *Lehua*.
 to Pahoa
 Citrus trees in town.

Left at Jet. Lava tree
 Pahoa - tree mold park.
 Small cane field just
 out of Pahoa. Gardens with
 orange trees, many ornamentals,
 coffee, scattered along this rd.
 Exotic trees incl. *Eucalyptus*
robusta. Patches of *Lehua*.
 Then a grove of very large
Albizia falcata.

Ageratum houstonianum
 along rd. under these.

Then open *Lehua* with
 deep *Gleichenia*.

Then more *Albizia*, with
 great surface roots on lava.
 Denser *Lehua* forest, *Albizia*
 only along road. Then
 almost immediately much
 smaller *Lehua*, with denser
Gleichenia (1840 flow). Still
 much *Albizia* along rd.

Then taller denser *Lehua* and
Albizia along road. Large *Albizia*.
 Lava tree park. Stop in
 parking lot. to rt. rather
 dense tall *Lehua* forest
 with tangle of *Gleichenia*.

linearis var. *tormentosa*.

Just inside park gate
 some planted exotics and
 native ~~to~~ plants. *Plumeria*
zavanna, *Tibouchina* ? 2-4-41.
Albizia falcata.
Nephrolepis abundant also
 exotic orchid.

Gardenia ruyi planted
 just past first lava
 trees, and a small *Coprosma*
 on it. in edge of wood (native)
Diospyros ferrea v. *sandw.*
 on small lava mound
 in first group of lava trees.

Planted *Calophyllum*
brachense v. *antillarum*.

On rt. of trail a small
 planted *Pittosporum bormii*.
 in second group of lava trees.
~~Pitt~~ *Pipturus* on it.
Machalaena angustifolia.

Open area with many
 lava trees. Plants controlled
 by spraying.

Plant of *Metrosideros lucida*
 (253.) near little shelter.

At end of loop on rt. a
 tall *Wikstroemia*.

Calophyllum inophyllum
 but not doing well.
 also *Thorpia* seedling.

On left in lava
several *Clermontia* cf. *trachema*?
some small *Styphelia*

7 ft. off trail a small
planted *Rumex crispus* sandw. (has)
also *sew. Tetraphysandra*, *meiandra*

On trail back *Machaeris*
mezerii, 2 clumps on it.

On left *Casuarina papuana*
and *C. ex oligodon*.

On mt. off trail Cordes sub.

On left Gunnera sp.

Psychotria hawaiiensis, small plant in crack on rt.

Also 2 plants *Piper nigrum*
on poles, back of them a small
Piper methysticum.

Pipturus in each cell

Broussonetia papyrifera
where trail comes back to parking lot

Asplenium nidus in crotch
of Albizia ~~between~~ ⁱⁿ
fork of trail at barugbat.

Back of toilets ~~for~~ Pritchard's
seedlings. Large creek
94' deep.

Around parking lot -
Gardenia jasminoides, *Alpinia*
purpurata, torch ginger, *Acrostichum*
 colored *Cadyline*. planted.

some *Hippoboscina* as used.
Monsters ^{or} ^{insects} Banana and
"mahe banana" double bush.

Lava Tree park to Kapoho

Open Gleichenia with
very small lehua on 1840 flow.

Pine Hornuaults - wooded
under cane on rt. Much
Scorvols chamissonis on
lava. Then large coffee
plantation on rt. There
lehua, *Nephrolepis* grass
on left. Cane field on
rt. Patches of forest in
open lehua on left.

Cane fields.

Then 1955 vents, shatter
cones, and a flow.

Danmodium
glaucum local
in 1956 & 1960 has largely
been put in Vanda.

Pluchea, *Erechtites* var.
Pluchea, *Emilia* var. *Sonchus*,
Cyperus, *Brachyotum*, *Euphorbia*
glomerulifera, *Vernonia* *cuneata*,
Euphorbia *hirta*, *Drymaria*
cordata, *Cyperus* *compressus*,
Digitaria *chinensis*, *Ageratum*
conyzoides, *Erechtites* *hier.*

Neptrolepis all very common.

6 m rope flow itself,
covered by 1960 spatter.

Nephtolites abundant
in cracks, fruiting.

(photos)

Pan Kii, to left of road.
cinder cone covered by guano

1st per. from 1.74

Don't see Kii flow. cane growing in areas not covered. Little but *Nephrolepis* on aa. They came on old flows to Kapoho Crater - an old cinder cone covered by guava bushes, some kukui.

Papaya plantation on left. farms. *Casuarina*, not *Tabernaemontana*.

Pandanus
(new one)

Ruin of Kapoho. Cinder cone and cinder beds back of it. no veg. In ruins are old cult. plants of many sorts. The side of Kapoho Crater toward the cinder cone had veg. destroyed or almost so. Small lehuas recovering. Many weeds and ferns. Young *Casuarina*.

Cassia alata around parking lot. Low stretchers to sea westward.

Eruption Jan. 13 - Feb. 4.
of low covered 1725 acres (400 new ??)

Road toward sea s. of Kapoho Cr. through cane fields. Breadfruit trees and abundant kukui on s. side of Kapoho Cr. Papaya plantation below crater. *Kiawe* is abundant.

new flow on left in distance. Road turns toward sea on old lava. Scattered lehua. Much *Cassytha*. Planted to coconuts. *Pandanus* become common. Beach lots.

1966 flow where it reached sea. Turn back to take other fork. *Pandanus* forest toward land from beach lots.

On other fork, older lava dwarf lehua, *Schinus*, *P. lucida*, on lava flats.

Near coast *Scaevola sericea* dominant. Much *Schinus* and *Leucaena* a little.

Patch of *Pandanus*. Low low *Calophyllum*.

Nearer beach mostly bare lava. some *Scaevola*, very depressed, *Sesuvium* in low spots. The *Sesuvium* has stems greenish above, reddish on side toward ground, glossy lvs., pink fls.

Sesuvium only nearer shore. Much *Fimbristylis cymosa* on bare lava. *Waltheria*, *Chrysopsis*, various weeds near road.

photo

Braconish nooks.

Road comes to Kii flow and circles back, through low lehua & *Schinus* to rejoin same road near fork.

bush and sparse lehua.
Other little old vents, some
with cane on outside.

Came on it off Kii flow.
Lehua across from it.

Pandanus forest at Kapoho
Beach Cots - dense, irregular
solid stand, 10-15 m. high,
canopy open, undergrowth
clobed with young Pandanus,
Pipturus albidus, Planchetia
guava.

Tangled esp. around
edges with Thunbergia
stata (white), Canavalia,
Passiflora foetida.
Ipomoea indica, Commelina
diffusa. Papaya + Nephrolepis
abundant edges. Molasses grass.

Going back lehua scrub
some Pandanus. Then sparse
lehua with abundant
Cassytha.

Turn on Poiki Rd.

Low sparse lehua with
some Cassytha. Scattered
small mango esp. along rd.

Out on bare Kii flow. Sea.
No veg. Crossed it.
Then low lehua scrub,
fored to ~~2~~ 3 m. dense,
with Canthium, Diospyros

Wikstroemia. on older
aa. a little Schinus,
Guava. coccoloba. Neph.
Palandus. Lachneria
haevola serena
Pipturus Cassytha
Patches of Pandanus.

Calophyllum grove. Houses
& coconuts. Clear way
to sea with coconuts.
Scrub - guava mango
canthium on it.

Then on both sides.
Coconut grove with
canthium under story
on it, Calophyllum grove
on left.

Then mixed forest - mango,
milo, Pandanus, Calophyllum
Mounds in undergrowth
of Calophyllum.

Calophyllum grove -
Isaac Hale park with
Calophyllum trees, black
sand.

Back of this same
with guava, etc.

Then mixed guava
scrub, forest, etc. Coconuts
mango. Pandanus seedlings
abundant
in guava forest.

Low scrub of guava, etc.
patches of Pandanus at
other forest. More lehua
scrub forest. Coconut grove
guava scrub with scattered
Pandanus.

Malama - Ki Forest
Reserve. Ropy pahoehoe
lava with low leeward
on sea side. Leavola,
lehua (1-2 m.) + Styphelia on
mauka side. Some W. Metrosideros,
Cassytha, Spathoglottis,
Walteria, Osteomeles.
Passiflora foetida, Ischaemum
lyonis, Fimbristylis
cymosa.

Below rd. a little way
further ^{Polished soil. Osteomeles, lehua} much leeward,
Ischaemum comm. Then
a zone of 10-15 m. with
just tufts of Fimbristylis
and mats of Ischaemum.

Then a vegetation-free
zone ~~10-15~~ 10-15 m wide. Bathed
by salt ~~water~~ ^{at least} ends in low
spray + splash ~~coral~~ ^{coral cliffs}
in 10 m. while I was
there with rather quiet
sea no significant
amount of whitecaps.
Ropy pahoehoe surface

photos

From here on considerable
Casuarina but well back
from sea cliffs.
Leavola on pahoehoe
with a little lehua.
Then aa with much
better veg. Lehua 3-4 m.
much admixture of
other things.

Much Casuarina around
Mackenzie Park.
More lehua + lea scrub
forest on aa.

Albizia planted
Coconut grove. Back of
it Pandanus - lehua,
Pipturus, lehua.

Then Pandanus - lehua
small cedar cone on left.

Guava forest with
Calophyllum grove then
leua lehua Pandanus.

+ guava + pandanus.
Eug. cumini, Calophyllum
Mouinda.

Clearing with ^{low} guava
scrub on left
Coconuts and banana.

Mixed forest largely exot.
Coconut grove on rt.

7-ing village. Opitihana.

Ape on left.
wood sheared Calophyllum
with c. ~~leua~~ leua etc.

Calophyllum Pandanus.
then with much guava
Lehua forest with Pandanus
Pine Pandanus on it.
Cleared land grown back
to scrub on left - Pipturus,
Pluchea, Guava, etc.

Bananas on it.

Pandanus forest.

Pandanus - Lehua - guava

Pandanus on left, some
admixture of Lumniera
Lehua, etc.

Then 1955 Kaula as a flow
absolutely bare. (photo of 1955)

~~A~~ A ~~little~~ of Lehua with
a little Pandanus ~~cut~~

off by ~~transverse~~ flow. Then
mixed guava & Pandanus.

Eugenia cunila.

Clearing with guava
lantana. Then

Eugenia cunila.

More guava Eugenia scrub
Calophyllum grove.

Guava scrub.

Roa Eugenia. A few Pandanus
lumps in extensive
guava scrub.

Then the black as with
scattered small Lehua
Pine Lehua forest then
1955 Kaula as a flow.

More black as with
scattered Lehua.
Apparently only thinly
and not completely
covered by 1955 flow.

~~Kaula~~ of Lehua
Lehua wood.

1955 Kaula as a flow
small hepuas.

~~Cyperus~~ Guava
brush with some Pandanus
on left.
Guava forest.

Open Lehua forest on ^{is tall} aa,
w/ nephrolepis & Lumniera.
Styphelia. Further on
Wilkesonia.

Extends some distance,
gets lower, to 2m. then
3-4 m. or 5 m. low again.
then very low and
sparse 1-2 m. and after
savanna some Andropogon.

Then denser again but low.
Spathoglottis all along here.
There and more mixture
of Wilkesonia and guava.
Suddenly guava scrub
for short distance.

Then open Lehua on aa.
on left almost bare aa 100 m.
to sea.

Then low guava scrub
with scattered trees

of *Lamanea mang*
Engelmannia. *Crematophylla*
 Coconuts.

Jct. Kaimu Beach.

Coconut grove on black
 sand beach flat.

to *Pluchea* scrub. *Guava*
 Coconut grove on it,
guava scrub on left.
 More *Pluchea* scrub.
 Then *Pandanus* & *Pluchea*.
 Coconut grove.
 Kalapahua Park and
 village. Wind sheared
Euphorbia scrub & taller
 tree scrub.

Around park - *Pandanus*
 and *Aleurites* trees, a few
 here.

In edges of pond - *Bacopa*
monnieri, *Eclipta alba*,
Hydrocotyle vulgaris?,
Commelina diffusa,
Parhalum
Polyphodium scolopendria,
Pluchea odorata
Emilia parviflora a little back.

On dunes 6-9 m. high of black
 sand mostly *Sporobolus*
per-carrac, *Cynodon*,
Stenotaphrum secundatum
Digitaria pruriens, *D. sp.*
Xanthium,

Panicum sp. on sand
 around pond back of dunes.

Back to Pahoa by upper
 road.

Guava brush, with
Pluchea along road
 then *Pluchea* with
 scattered small *Eugenia*
 and a few *guava* on
 smooth old lava.

Then an area flow
 with lichens and
 widely spaced *lehua*
 6-8 m. tall, *Aepholopha*
 very sparse, locally
 dense.

Then *guava* brush
 with scattered *lehua*,
 large *guava* with
 large *mango*.

Then *lehua* open scrub
 forest.

Guava, *mango*, with
 occasional houses with
 other trees. *Aepholopha*
 along rd.

Then *guava* scrub,
 then with some *mango* and
lehua.

Dense to open *lehua*,
 trees to 6 m. *Gleichenia*
 and *Andropogon* - *Phaenocarpa*

and other orchid.

Then ~~for~~ dense but still open lehua forest some of it rather ~~low~~ tall.

Clearing with sharp quava and Cordyline. Mango trees.

Then fairly good lehua forest 10-15 m.

Keolu has forest reserve Dense 15-20 m. lehua with Freziera etc.

Then 1955 Keolu flow cones & left. Some striking hepehas, esp. on right. Lehua forest.

Hepehas road.

Lehua forest with Abotium stream crack on left, then Kamaili vents of 1955 eruption on it. scatter cones, skeletons of lehua killed by gas. Other lehua below were apparently killed, but have now put forth abundant short branches. (photos)

Nephrolepis abundant prob. N. hirsuta.

Pluchea, Pityrogramma, Jussiaea, Commelina diffusa, Ageratum com. Stachys sp. Dichotoma abundant on roadside & on clinker.

Good dense tall lehua forest, but with some strawberry quava.

Then smaller lehua with Gleichenia, then tall lehua again. Some small hepehas, & Rutile plant.

Good lehua forest for some distance, with Eubotium layer.

(being subdivided as Leilani estates.)

Coffee plantations - don't look healthy. Cane fields with patches of lehua with Gleichenia and of dense lehua forest.

More coffee on left.

Village and intersection with Kapiho Rd.

Mar. 18 - KMC - Park Hg.

Open scrub of Styphelia etc. with widely spaced small lehua. hepehas. patches of Gleichenia.

Steaming flats - sparse to dense grass with Vaccinium moss.

Then ^{rather} low lehua forest. Hedyotis along road. Gleichenia.

March 13 - Oloa - Hills.

mixed thicket with
kukui, lehua, Pandanus,
various introduced trees,
Cibotium, Heterocentron,
Hedychium flavum, Freziera,
Malvaviscus, red form
of Acalypha hispida, Lehua,
Nephrolepis etc. in undergrowth
Cecropia, Heliconia, Spatho-
dea

Then down to m.p. 5.

then farms and pasture -
Panicum purpurascens,
Nephrolepis, etc. with
thickets, mango and
eucalyptus trees.

Pandanus forest with
guava, etc. on it

Then mixed brush, largely
guava. Then industrial
district.

Open residence area with
many ornamentals.

Vanda nurseries.

Pandanus on ^{right} ~~left~~, guava
scrub. more industry on left
Airport Jct.

Going into town large
open area cleared by tsunami

Above Jct.
of 2 parallel
roads
antecarpus
heterophylla
on rt side
widely
spread
for
several
miles.
dark
contrast
trees.

Hilo to Kula

Out Rt. 11, Volcano Rd. past
Vanda nurseries, residences, etc.
industrial areas.

Pandanus thickets with guava,
etc. Farms.

Staunbach Hwy. -

Mixed thicket with
guava, Heliconia, Cecropia,
some lehua. Roadside
lined with Pluchea.

Waialeale Forest Res.

Melastoma abundant
along rd. with Heliconia
about 4 m. tall. Some Pluchea.
Open lehua behind this.
Some Spathodea, some guava.
Cibotium.

Then better lehua forest
with Cibotium under
story. Rather open and
brushy.

Occasional Rhus javanica
along road.

Then open scattered large
lehua with Freziera
and Cibotium layers.
Locally lehua is denser.
Occ. Pipturus. Still
much Melastoma, Pluchea
Andropogon along rd.

On right better forest
a little way back from rd.
Steadily climbing.

Melastema drops out
and forest improves
but still is a rather
open forest. Pluchea
still common.

Cibotium prominent.
Lehua tree. Large but
not dense. Occ. Freycinetia
then forest more open.

Fern layer dense.

Occ. planted palms.

Forest very

Volcano rd. to left.

Forest very open. becomes
very brushy with
young lehua.

Stop at crossroad
and old flume. borrow pits.

Plants in borrow pits:

Lycopodium cernuum

Eupatorium riparium

Machaelina meyenii

Gleichenia linearis v. tomentosa

Fadleria cyathoides

Pluchea odorata

Spathoglottis

(other orchid)

Stachytarpheta dich.

Andropogon

Sphenomeris chinensis

Nephrolepis exaltata

Tritoma

Plants in degraded forest.

Coprosma

Psychotria (Straussia) hawaiiensis

Cibotium chamissoi

Metrosideros

Cyanea

Psidium cattleianum f. lucidum

Antidesma plalyphylla

Broussaisia arguta v. pallens

(sp.) Psidium sp. ~~sp.~~

Freycinetia arborea

(sh) Polypodium saffordii

Xylocarpus

(sh) Nephrolepis cordifolia ?

Alyxia olivaeformis

Ilex anomala

Rubus rosaeifolius

(sh) Peperomia sp.

(sh) Hypnophyllum

(sh) Grammitis

(sh) Vaccinium

Pelea aff. chusiofolia

(sh) Elaphoglossum sp.

Machaelina meyenii

Cibotium glaucum

Persea sandwicensis

(200 m. on road to n. or st.)

Cibotium menziesii

Eupatorium riparium

Commelina diffusa

Lycopodium cernuum

Gleichenia lin.

Passiflora edulis

P. ligularis

Walls in to rt. & lot of
first small rise.

Psychotria on rt. also a large
down short slope - *Buddleia* ^{sp.}

Cyanea on left.

Note striking variation
in leaf size, shape, texture
pubescence, infl. pubescence
in *Lehua*.

Nothing different on
road in other direction.

On way the forest continues
to be open and filled with
Gleichenia etc. *Cibotium*.

25.9 Group of *Pritchardia* on
left and on rt.

Forest here about same
but with *Gouldia terminalis*,
Pipturus, another *Opuntia*,
Athyrium ^{sandw.}

Thelypteris cyathodes?

Cheilanthes

Gleichenia glauca

720m here along *Pritchard*
occasional *Pipturus*
abundant shrub at edge
of forest, also *Coprosma*.

Pluchea + *Hachytarpheta*
still abundant.

Freyinetia abundant.

Tetraphlasandra rare.

27.3 Road to rt. Then on to left

18.2

Forest overgrows.

High, rather dense *Lehua*

With thick undergrowth.

Cyrtandra 3 m. abundant

Peperomia abundant

Trichomanes bauerianum

Myrsine cf. *sandw.*

Fabroea sp.

Sadleria souleyetiana

Gouldia terminalis

Myrsine sp.

Coniogramme?

Forest about 20 m. tall
very mossy below,
a tangle of fallen trunks
Cyrtandra, *Broussaisia*,
Gouldia and ferns
abundant in undergrowth.
Lehua (*Cheilanthes*)
form closed canopy.

Buddleia common along

road, with *Leucaena*,

Pipturus, *Tritoma*,

Andropogon, *Madia* ^{sp.}

Myrsine *Eupatorium*

Cyncha canadensis, *Fuchsia*,

Cyperus ^{sp.} *Luzula*, *Pluchea* (*not common now*)

Coprosma, *Lyc. cernuum*, *Orchid*

31.9 Forest becomes lower + sparser,
few layers. *Lobatum*, *Ladleria*
+ *Gleichenia* better developed.
no more palms.

34.4 (4692' el)

35.9 Better forest but still rather
open canopy.

36.0 Rulani Camp gate.

Low lehua forest.

Coprosma. *Rubus* sandy.

5360'

540 Inside on cleared ground

Ladleria,

Styphelia

Myrtus

Machraera

Coprosma *errod.*

Grass with scattered
big lehua.

Then open to closed lehua
forest. *Cheerodendron* etc in
second story.

Ferns - *Ladleria* + *Lob.*
under this.

More closed but lower
upward.

40 Gate. *Coprosma* *errod.* at gate.
Forest grazed. Some lehua.

Lehua becomes dominant.
Myoporum abundant.

Gate at 5820'. 1942 flow
Black lava gray with
lichen - *Stereocaulon*.

Polypodium pellucidum

Coprosma *errodoides*

Diabautia *scabra*,

Metrosideros

Epilobium

Vacc. *ret.*

Vacc. *berberid.* colonizing
mostly on disturbed place

Kipuka just inside of it
over aa. lehua low
open scrub forest of
lehua (*truncatum*)

and a mixture of
Deschambusa + *Coprosma*
errodoides on ground.
Trees 3-5 m.

Styphelia

Lyc. *venustum*

Gahnia *par.*

Sphenomeria *chrysos.*

Gleichenia *lun.* *com.*

Ladleria

Carex

Fragaria

Vacc. *ret.*

Vacc. *beb.?*

Joachim?

Lyc. *cerinum*

This *hipok* about
like forest just outside
flow. Open, grassy
low *lehu*. *Myrsine*,
Hypericum japonicum.
In decadent *hoca*
forest considerable repro-
duction of *lehu*.
Considerable *Rubus* and
Myrsine. *Coprosma*
~~*lehu*~~ *Chenodendron*
~~but~~ *Cibotium*,
Dryopteris pal. *Ladleria*
but is going fast.
Illus. of what happened
in Maui.

Lehu forest outside
middle gate - *Antelia*
Styphelia in open spots.

Stop once here.

Just above camp - in
cleared area - a second landscape
of *Ladleria* and *Dryopteris*.

46.3

Gate

54.5

down to palms. 2200'

57.3

cross road.

2200' (1900')

59.1

rd. to Mt. View.

Broken down forest - scattered
*lehu*s, thickets of *Coprosma*,
Peperomia, *Glenchene*, *Cibotium*.

Then open area. Then
denser young *lehu*.

Then cleared land,
abandoned farm, etc.
Heterocentron thickets,
Glenchene, *Tibouchina*,
tall palms. Patches of
rather dense small *lehu*.
Cleared area of *Andropogon*
+ scattered poor small
trees, clumps of saplings
and *Glenchene*.

Then open regrowth of
lehu - *Panicum* perp.
+ *Glenchene*. Grassy.
Then cane fields.
Several flowers.

62.0

Highway.

March 13 - just ~~outside~~ below
1942 aa lava flow on
Kulani - Mauna Loa Road
in open ~~forest~~ ^{metrosideros} forest on old lava.

- 41539a *Coprosma ochracea* var. *rolfsiana*
occasional ~~in~~ in understory
40a *Vaccinium bartramifolium* V.
common, with *V. reticulatum*

March 13 - ~~same~~ kipuka in
1942 aa lava flow near
Kulani - Mauna Loa Road.
in low open *metrosideros*
woodland with *Deschampsia*.

- 41a *Gahnia javanica* ~~gahniifolia~~ *gahniifolia*
common
42a *Coprosma erodeoides* Gray
abundant, forming a
large proportion of ground cover
43a *Coprosma ochracea* var. *rolfsiana* Oliv.
occasional
44a *Coprosma ochracea* var. *rolfsiana*
occasional
45a *Styphelia*
common f. *varia* f. *alba* (Elmh.) Rydb.
46a *Fragaria* ~~chelonoides~~ *anomala*?
rare
47a *Carex*
rare
48a *Lycopodium venustum*
rare near *peleamum* Shredd.
49a *Vaccinium reticulatum*
rare
50a *Vaccinium reticulatum* Sm.
common

1790m

5820'

Oliv.

shrub 2.5' m. tall; fruit
vermillion, fleshy.

peleamum
Shredd.

shrub 0.3 - 0.4 m. tall.

1790m

5860'

(gand.) Heller

tufts, not hanging,
black, glossy.

creeping shrub to 1 m. or more
long; fruits black, glossy,
juicy.

shrub 1 m. tall

Oliv.

shrub 0.7 m. tall.

shrub 3 dm. tall; flowers
white, fruit dull maroon.
petals white; fruit white,
achenes almost superficial.
small tufts

creeping

dwarf shrub 2 - 3 dm. tall;
fruit dull maroon, fleshy.
dwarf shrub 2 - 4 dm. tall;
fruit dull orange to vermillion, fleshy.

March 18 - Road to Kulani
Prison Camp, ~~1/2~~ 1 mi. below
Prison Camp
in dense wet *Metrosideros*
forest on old lava

- 41551a *Cyperus haspan* L. ^{sp. new}
2 abundant in excavated
area at side of road
3 52a *Abutilon auritum* ^{(Wall. ex Link.) Sweet.} ~~det. Fryxell, 1927~~
common in excavated area
at side of road
1 53a *Scaevola chamissoniana*
common in cleared area along road
2 54a *Pipturus argenteus* var.
abundant in cleared area along road
3 55a *Fuchsia magellanica* Lam.
~~also~~ common on roadside
6 56a *Gouldia terminalis* var.
common in undergrowth
3 57a *Trichomanes* ^{*Callistopteris bavariana* (Endl.) Copel.} ~~det. D. Palomte 2/9/61~~
occasional, terrestrial,
1 58a *Cyrtandra*
rare
1 59a *Nephrolepis cordifolia*
occasional, epiphytic,
1 60a *Cyrtandra*
very common
7 61a *Coniogramme pilosa* (Mack.) Hier.
occasional, terrestrial
3 62a *Cyrtandra*
common
1 63a *Astelia menziesiana* Sm.
occasional, terrestrial

850 m
2800'

to Hawaii

- shrub 1.5 m. tall, flowers
white; fruit black, fleshy.
shrub 1.5 m. tall; fruit
white, fleshy.
slender shrub 2 m. tall,
branches arching and
pendent; flowers pendent,
calyx red, corolla deep purple.
slender tree 4 m. tall,
fruits dark blue.
shrub slender shrub 2 m.
tall, flower white.
erect, fruit white,
fleshy.
erect shrub 0.3 to 1.5 m tall,
fruit white, translucent.
flowers greenish white.

41564 *Stenogyne*
common

4

Mar. 18 - Road from Hilo &
Kulanui Prison Camp, ~~10~~^{9 1/2} mi
below Prison Camp
in moist *Metrosideros* woods on lava

2 65a *Thelypteris*
occasional in palm grove

2 66a *Gleichenia glauca*
rare

3 67a *Coprosma pubens* Gray
common

3 68a *Pipturus albidus* var.
common

3 69a *Psychotria* (Strauss) *hawaiiensis*
common

1 70a *Coprosma pubens* Gray
~~common~~ common

March 19 - Road from Kulanui Prison
Camp & Hilo, 11 miles below
Prison Camp
in rather open *Metrosideros* forest

3 71a *Cyanea*
common

4 72a *Coprosma pubens* Gray
common in opening

3 73a *Cyanea*
common

3 74a *Antidesma platyphylla*
common

scrambler, flowers
red purple.

6704
2200'

fronds rather closely
spaced on horizontal rhizome.
fronds tangled, elongate,
glaucous beneath.
slender shrub or small
tree 4 m. tall.
shrub; leaf nerves ^{dark} red
beneath.
shrub 2.5 m. tall;
flowers white.
shrub, flowers greenish.

600 m.
1900'

shrub 1.5 m. tall, flowers
purple without, ~~greenish~~
white within.
slender shrub 4 m. tall

shrub 1.2 m. tall, flowers
purplish green without,
white within.
shrub 3 m. tall.

- 41575a *Cyanea*
occasional
- 7 76a *Hymenophyllum obtusum*
on tree trunks
- 2 77a *Psilotum complanatum* Sw. det. D. P. P. 8/96
common on tree trunks
- 1 78a *Grammitis* *tenella* Kauff.
common on tree trunks
- 1 79a *Polypodium*
rare, on tree trunks
- 2 80a *Psychotria* (*straussii*) *heerwaniensis*
common
- 1 81a *Peperomia*
common, epiphytic on logs
and trunks
- 1 82a *Polypodium saffordii*
occasional, epiphytic
- 1 83a *Polypodium tamariscinum*
common, epiphytic
- 1 84a *Hymenophyllum recurvum*

March 19 - Hilina Pali

on bare lava ledges

- 1 85a ~~*Plectranthus*~~ *Plectranthus australis*
rare
- 1 86a *Dryopteris* ~~*decipiens*~~ *decipiens* var. *decipiens*
common

- 1 87a *Linaria canadensis*
common on patches of soil
above cliff

March 19 - Kipuka Nene

- 1 88a *Veronica* ~~*habeata*~~ *plebeia* R. Br.
in openings

shrub 2 m. tall, flowers
dark purple without,

bending downward

leaves dark green above,
red with green vein margins
beneath.

680 m.

stem fleshy below,
calyx deep purple, corolla
pale lavender.

905 m.

prostrate, forming mat.

March 19: area bet. KMC and
Observatory -
to corner fairly dense low
scrub with

after corner sparser scrub,
almost desert, on loose lapilli
scattered small lehua.

Extends along crater rim
road about ^{3/4} way to KMC.

Then dense scrub again.

In sparse scrub *Oenothera*
is common, less so in dense
scrub. *Bulbostylis* also.

KMC to Chain of Craters.

steaming flats.

Scrub forest with *Gleichenia*
denser forest on left. to Volcano
House. Many ornamentals
around V.H. + ascension area.

Yellow ginger + Kahili ginger.

Toward Kilauea Iki - rather
dense but scrubby. Then
denser and taller - 7-10 m.

Open story of *Cibotium*, larger
over on roadside. *Fuchsia*
on roadside.

Beyond Thurston Lava Tube
parking lot forest is a little
less dense, perhaps lower.
Better *Cibotium* story toward
Kilauea Iki. Beyond K.I. overlook

road almost no fern layer
bet. of Chain of Craters
rd. damage to forest
from 1959 eruption - to the
Mauna crater - mechanical
damage from pumice.

Open scrub forest with
shrub layer. *Dodonaea*
notable.

Puhimau Crater - stop.
Low lehua forest around
it with grass, tufts of
Cratogeomys *angustifolium*
Sporobolus elongatus, *Carex*
macloviana, *Ladleria*, etc.
Styphelia, *Wikstroemia*
Vaccinium shrubs.

On opp. side more open
with *Gleichenia*.

Nephrolepis abundant on
ledges and top of talus
in crater. *Fragaria* just
over wall on crater rim, elsewhere.

Polypodium pellucidum.

Forest lower and more
open on lower road. Shrub
and *Ladleria* layer prominent
(next crater). Farther on
some *Gleichenia*, but local
areas only.

Then, near Kilingale road,
bushy? open *gahochae* with
scattered lehua bushes.
Then section through

under cone, with incident
scrub.

Low scattered trees + scrub.
Heale Crater on left.

Very open scrub forest.
to scrub with scattered trees
Coprosma, *Ilex*, *Pipturus*.
Metrosideros shows more
variation here.

Panahi Crater

Phaius grandiflora established.
Dodonaea, *Osteococcus*, ~~etc~~ *Coprosma*
Coprosma erubescens +
Gahnia var. on edge of crater.

Open scrub forest to
scrub and scattered trees
with *Gleichenia*.

Aloi Hot area. Steaming ground

Low sparse grass and
Gleichenia, scattered tiny
shrubs. *Andropogon*. *Arundinaria*
Eriopodium cernuum.

Aloi Crater. Forested.

Andropogon *Metrosideros*
savanna.

Pum Huluhulu on left.

Then open forest with
Gleichenia

Aloi Crater - walls and
talus more or less wooded.
floor of lava pool with
very sparse forest.

Clermontia bush on
left roadside just
before Kane Nui O Hama lava
cone seg. Lava bubble.
Santalum paniculatus
on rt.

Then taller forest
with rank *Gleichenia*.
Forest gets thicker
just before end of
road. 7914'. *Makaofuku* Cr.

Low forest of *Leuca*
around crater. At overlook
a bush of *Gouldia terminalis*
v. *antiqua* (?). *Leuca chama*.

Around parking area
Nephrolepis exaltata
abundant. Weeds.

Machaena ^{arg.} generally
common to abundant.

Andropogon general in
open areas.

Diebania very common.

Aloi flat started steaming
in 1922?

Hilina Pali Rd.

scrub with scattered trees
Leuca hila.

Low open bubbly *porolith*
Styphelia, *Dodonaea*,
Diebania, *Machaena* etc.

Much bubble, pahoehoe with very sparse scrub or scattered tree.

Varies much in density from open scrub forest to desert (esp. lower down).

Then an area of open forest of trees 20-25 m. tall and up to 6-7 dm dbh. Kipuka Nene.

Understory of Sophora 2-4 m high here. Much Commelina diffusa.

Bidens pilosa, Ipomoea indica, Pteridium, Mimosa hebecarpa, Coccoloba, etc. One Styphelia + Dodonaea. Much Kohia planted. - seedlings 1-2 m. tall, unbranched.

Farther over this forest is more or less closed.

Locally Styphelia is abundant in thicker parts of open forest and Sophora bushes 3000'.

Then open pahoehoe lava desert. Then more forest. Then more desert.

Then lava area of Andropogon, Melinis, Pteridium.

Apparently on a slightly older pahoehoe with new soil on it. Large lehua scattered irregularly, esp. on the rim.

Pellaea ternstroemia very common on lava in crevices.

Carex macloviana, Psilotum nudum. Cladonia in bare surface, also Parmelia. Poryopteris. Many weeds. Bidens pilosa var. white rays.

Kipuka fairly dense lehua with Sophora. gets thinner farther on.

Hilina Pali. Great fault scar 1500' high, covered by grass mostly Andropogon, glomeratus, Melinis, Pellaea, Poryopteris, Waltheria, Bidens pilosa, Pteridium, Emilia, common. Various other weeds.

On cliff are strips of lehua forest.

Coastal flat below seems to be all grassland with a few scattered bare trees.

Some areas to right gray and black, without much grass. On ledges of cliff itself are.

Ladleria, Pityrogramma, Sphenomeria, Lantana. Nephrolepis cf. hirsutula. Goats seen below.

Above pali lehua forest in both directions in distance. Wharves very sparse to with denser north.

no seedlings planted.

photo

March 19 - Savanna between
Hilina Pali and Kipuka Nene
in open grassland

3 41529 *Shida* *rhombifolia* L.

3 902 *Shida*

3 910 *Shida*

local colony on pahohoe

March 19 - Hilina Pali Road
above Kipuka Nene
in open pahohoe ^{land}
with scattered big ^{Metrosideros} trees

1 92 *Emilia javanica*
common in crevices

1 93 *Congea canadensis* var. *puella*
common in loose soil pockets

1 94 *Linaria canadensis*
common in soil pockets

1 95 *Pellaea ternifolia*
very common in crevices

1 96 *Festuca myuros*
common in soil pockets.

1 96 *Polystichum capillaris*
abundant on sandy patches

March 19 - Pushimau Crater

1 97 *Carex wahuensis* Mey.
rare in low grassy
Metrosideros forest

March 19 - Hilina Pali Rd. just
below ~~the~~ ^{the} ~~the~~ Crater
in open scrub forest

1 98 *Scaevola bilauae*

4 99 *Scaevola bilauae* Des.
very local *S. mangilensis*

850 m

shrub 1.5 m. tall; very
definitely woody;
flowers dull orange.
(extreme variation in leaf shape)

950 m.

~~950 m.~~

flowers pale brick red.

flowers white.

tufts

1100 m.

1000 m.

leaves
shrub 1-1.5 m. tall; ~~flowers~~
thick, stiff; flowers white
with dull yellow tube, turning dull
yellowish.

from Crater Rim Dr.
Parking area

Mar. 19 - Boardwalk -

Lehua forest recovering
from fire damage
sending out innumerable
small branchlets on old
branches and trunks.

(photos) Road covered
by pumice. (note speed limit
sign) *Sadleria* survived
Drymaria & *Cyperus*
serifolius well developed
on pumice. *Astelia*
and *Coprosma erubescens*
on it a few feet off trail.
More and more dead lehua
and less recovery. *Pteridium*
on left, then on rt. just before
last living lehua.

Cibotium sporlings on edge
of last living lehua.

Skeleton forest. many
fallen trees. No ferns in
this part. Along where
material is scoriaceous
a few tiny sporlings in the mounds
then a few at bases of
standing dead trees, more
and more near to second platform

Then an area where
Rubus roseifolius is spreading
in from recovering forest on cone
shatter. also *Cyperus* sp.

+ *Cyp. bar.* *Lonicera*, *Saxifraga*?
Astelia, *Commelina diffusa*

at Kilauea Iki Park

this near end of walk.

Views of new lava pool
and collapsed face of
cone from platform at
edge, off road.

Note Byron ledge,
separating Kilauea Iki from
Kilauea Caldera.

Here to Hg. excellent
treefern layer in place.
Thick lehua forest. Per.
lex.

Mar. 19. Wright Rd. (Rt. 148)

Dense low lehua forest
on it. *Rubus penetrans*
and *R. sp.* on side.

Tibouchina.

Clearing with *Pyraeantha*,
Rubus sp. *Cupressus lusitanica*
for Christmas trees

Cupressus also along road.

Cleared tall lehua forest.
They open lehua with
well developed *Cibotium*
stratum.

More clearing & low regrowth.

Dense lehua on left,

opened up on rt. Subtropical.

Then very open and
tangled *Cibotium* layer
on both sides.

Rt. angle turn. Forest
has been changed to pasture
to

Roberts place.

Pit for cesspool.

Very dark soil at top
with thin layers of
reticulite.

gradually gets redder
downward till it is bright
red brown. Then suddenly
a firm friable gray layer.

In back - an open
forest of large spreading
leaves 20 m. with an
under layer of *Libotium*

Pipturus
to 5 m.

The *Pipturus* lines
the road, perhaps resulting
from opening up.

Tree to rt. has *Uncinia*,
Peperomia, *Astelias*
and on its base, ~~*Clusia*~~
Cyanea. Some *Coprosma*.

Fragaria abundant
on ground.

Clearing with *Laspalum*
dilatatum. A *Pritchardia*
on other side. Many weeds.

Then trail into forest
again. *Conyza*.
Athyrium & *sandw.*

Smilax.

Cheirodendron on left.

Phytalis peruv. in trail.

Cibotium glaucum large,
well developed. *fulva*.

Rumex giganteus at fork
in trail and on down. *Penotia* to
D. Thelypteris cyathoides ^{left hand fork}
common. *Athyrium* *poratum*
in road.

Trichomanes laevigatum
abundant on mossy fallen
trunks.

Astelias, *Elaphoglossum*
hirtum, tree ferns, *Coprosma*
etc. common epiphytes
on *leaves*. *Cheirodendron* also.

Also *Grammitis*, *Trich. laevig.*
Asplenium caudatum?

Cyrtandra, *Alysicarpus* etc.

On left br.

Asplenium on trunk on left
50 m. in from fork.

Rubus sandw. and
Vaccinium calycinum var. (also
R. rozaefolius)

Coprosma on left
(large lft. hairs) at second
main fork.

Solanum nigrum in trail.

Ilex & *Cheirodendron*.

other
Weeds in trail
Ludwigia
Cuphea
Scaevola
Hypericum
Cyperus tenuifolius
Pluchea

March 19 - Wright Road farm
Lots, just below Kilauea
in Metrosideros - Cibotium
forest.

- 41600 Asplenium
1 rare, epiphytic
1 01 Asplenium ~~lat~~ lobulatum Mett.
rare, epiphytic
2 02 Asplenium cf. falcatum Lam.
occasional, epiphytic
2 03 Asplenium cf. falcatum Lam. var.
occasional, epiphytic
1 04 Phytolacca brachystachya
rare on roadside
2 05 Ludwigia
in middle of trail
2 06 Peperomia
common, epiphytic
2 07 Cyrtandra
occasional
2 08 Scaevola chamissoniana ^{var.}
locally common along road.
4 09 Rubus
common in cleared area

1140
1140 m.

- flowers magenta,
stem and leaf veins
purple.
prostrate, forming small
mats.
erect, leaves narrow beneath,
with green veins and
area along veins.
erect shrub 1.7 m tall
flowers white.
shrub, flowers white
with purplish tube; fruit black.
~~erect~~ primocanes erect, 2 m. tall,
floricate, arching and scrambling,
flowers pinkish white; berries yellow, hollow.

- 41610 Lotus
very local in clearing
- Mar. 20 - Akaka Falls
- 2 11 Psilotum complanatum Sw. ^{det D. P. Donnell 8/910}
epiphytic on mossy Metrosideros trunk
- 2 12 Eugenia
~~the~~ planted on edge of gorge
- 1 13 Alnus nepalensis D. Don
planted on edge of gorge

Mar. 20 - Mauna Loa Strip
Scenic Drive, above Kipuka Puaulu
in open scrub with koa
patches

- 2 14 ~~Panicum~~ Panicum tenuifolium H. & A.
very common
- 1 15 Carex macloviana var.
rare, in grass tussocks
- 1 16 Carex macloviana wahuensis var.
rare
- 2 17 Deschampsia nubigena Hbd. 215
very common
- 1 18 Bromus catharticus
local in disturbed weedy area
in koa grove
- 1 19 Anthoxanthum odoratum
local in disturbed weedy area.
- 1 20 Holcus lanatus L.
local in trail in shade

forming a dense patch; -
flower bright yellow;
"giant trefoil".

stems horizontal with
distal parts pendent.
tree 10 m tall; stamens whitish.

tree 10 m tall; leaves grayish
green beneath.

2030 m
6662'

dense tufts

May

dense tussocks

erect

Mar. 20. - KMC to Bird Park
and Truck Road.

Open low lehua with
Styphelia-Vaccinium scrub
Occ. small Santalum.

Sadleria, Dodonaea.

Same on road to Bird Park.

On old Pahoehe.

Down hill the lehua gets
taller, still open.

Mauka Loa strip, scenic Pk.
Some admixture of hoo.

Young hoo in it. Grass
and Pteridium. Sappora
is the low dark tree. some
Sapindus. The Hupha is
on the right.

Then patchy hoo and
large lehua.

Dodonaea is dominant in
shrub layer.

Excellent open lehua
forest with Dodonaea shrub
layer.

Then very good hoo
Sapindus forest with
tall shrub layer.

Then excellent hoo
forest in places almost
closed. Occ. lehua and
naio.

Open lehua forest then
hoo.

Koa savanna with
patches of young hoo
forest. Open Dodonaea
scrub, with grass
and Pteridium.

A Sappora to the left.

Large area of Dodonaea-
Styphelia scrub in
places closed.

Then a patch of hoo
forest. Then irregular
hoo park-land and
savanna, with grass
and scattered bushes.

mostly Styphelia, some
Dodonaea. Occ. Senothera.

Koa patches, mostly
quite young, in between
grass with Pteridium.
Then area with hoo
reproduction, and
some Styphelia.

Anoa blow. Then
more grass and patches
of hoo. Then grass
and bushes. Good
high alt. scrub, mostly
Styphelia, at 5000'.

closed to quite open, to
shrub savanna.

Styphelia with a little
diplocaen.

Patch of open forest,
hoo, lehua, mamani.

with young hwa above. Scrub with scattered patches of young hwa forest, there rather dense, usually young growth around a few old trees. Open scrub on left and between these patches.

Then scrub with scattered lophora, a few small hwa patches.

Shrub savanna with grass *Pteridium*, *Jatropha*. Shrubs are *Styphelia*.

A flow on rd. cross it. lophora *Styphelia* *Cephaelis*

On other side hwa forest with *Dodonea*, *Lophora* *Myoporum*. irregular but closed. hwa dominant and reproducing abundantly. Some open grassy areas with *Styphelia*.

Then a hwa park land. large spreading trees and patches with grassy intervals, with scattered *Styphelia*.

Then a patchwork of scrub and hwa forest patches. Scrub is matrix,

open to almost closed. scattered lophora.

Then mixed low woodland of lophora, *Styphelia*. patches of dense young hwa. patches of *Styphelia* scrub. More scrub than hwa.

A flow on left, then cross it. scattered lophora & *Styphelia*.

Then a mixed open scrub of *Styphelia*, *Cratogeomys*, hwa, with some *Dodonea*, *Vaccinium* a very few scattered small hwa.

This gets lower and more dense upward.

End of rd. at 6662.

Magnificent view of Kilauea, Halemaumahu. patchwork of forest, grassland between here and Kilauea. High alt. scrub in foreground.

Plants in scrub

- lg *Acacia* hwa
- lg *Styphelia douglasii*
- a *Vacc. reticulatum*
- a *Deschampsia*
- lg *Pteridium*
- a *Hypochaeris radicata*

- c *Lophora chrysophylla*
- a *Styphelia tameiameia*
- o *Rumex acetosella*
- lc *Sporobolus elongatus*
- c *Pellaea ternifolia*
- c *Coprosma eriotheca*
- ~ *Asplenium trichomanes*
- ~ *Carex macrocarpa*
- c *Doctonaea viscosa*
- ~ *Carex sp.*
- lc *Gahnia jav.*
- o *Metrosideros*
- l *Geranium carolinianum*
- l *Anthoxanthum odoratum*
- l *Holcus lanatus*!
- l *Bromus catharticus* (unidentified)
- l *Raphanus sativus*
- l *Plantago lanceolata*
- c *Aira* (a *Panicum*?)
- ~ *Verbena bonariensis*

Grove of trees around pavilion.

Vaccinium very variable.

Many figs in area, doing extensive damage.

2 photos of scrub. rest of roll on fig damage.

Goat droppings seen, but not fresh.

Mostly weathered pahoehoe flows; pockets of soil.

Mar. 20 - Hilo.

Towed airport, on it.
A very large jacaranda with several trunks, showing natural grafts.

Hilo - Alaka Falls. 2:30 -
cross river.

Breadfruit trees on left.
Coconut breadfruit, mango on it. Row of small *Melaleuca*.
Royal palms on left above first overpass.
Sugar mill on it. note order.
Road goes along top of sea cliffs. *Gleichenia* on banks.
Cemetery on left. *Cassia glauca* on it. Cane fields.

Wooded gorge.
Second gorge. Breadfruit on it on bank of gorge.
3rd gorge. *Phallodes*. *Musa*.
Casuarina windbreak along cliffs.

Small gorges with grassy banks.
Breadfruit here and there.
Mango trees also common on edges of ravine and rough ground.

Cane fields & villages.
Aibotium much used as ornamental.
Small clumps of bananae.
Rhus javanica occasional on edges of cuts & cliffs.

nephrolepis on road cut.
 Eupatorium inparium
 Honoan turn-off -
 @ fine breadfruit trees on right
 as we enter town. Avocado.
 bananas. Breadfruit common.
 After double turn, Macaranga
 macrophylla on left as we
 go up hill. Many Epidendrum
 relict. Hibiscus hedges.
 Azalea. many other ornamentals.
 Cane fields
 Parking lot. Dense row of
 Champolidocarpus luteus
 beside lot. Large Eucalyptus
 robusta, Albizia sp. over lot.
 Leptospermum under Eucalyptus.
 Rhus parvifolia in thicket
 by wall bet. lot and gully.
 Numerous planted ornamental
 shrubs.
 Circle path - turn right.
 Clump of giant Heliconia.
 Torch ginger.
 Schizanthus on bank.
 Coffee tree on st. below bridge.
 Barringtonia acuminata up
 small stream.
 Azaleas. Ardisia sp. banyan
 Almost nothing native
 except occ. Calceolaria, Libothamnium,
 Psilotum, Gleichenia, Psychotria
 hirsuta on cliff opposite
 below falls.

Lancea
 Dieffenbachia
 Phyllodendron sp.
 Fittoua?
 Cecropia (on cliff in front of falls)
 Solandra
 Costus
 Monstera large vine on
 stairs beyond falls.
 Cordyline - row along path
 + stairs beyond falls.
 Melastoma in thickets.
 Eupatorium inparium
 Polyscias guil.
 Brassia
 Impatiens sultana
 Alpinia speciosa (beyond end of hill)
 Eugenia sp.

Calceolaria grove on top of hill
 and on ridge to Calceolaria falls.
 In this second grove Costus
 a clump of Astelia, also off much
 Psilotum sp. and Polypodium
 tamnifolium, ^{grammitis} on mossy
 trunks. Lycopodium ~~ret~~
 Phyllanthus on arched
 root at branch to toilet above
 Calceolaria falls. Elaphoglossum sp.
 A small Cyanea where
 off tree just off. and beyond guil.
 off Calceolaria falls
 Pteris cretica on steps by
 pavilion

Rhus jav. on edge of cliff below Kaluana Falls overlook. Asteris along wall of walk back toward parking lot.

Coix.

Giant clumps of Bambusa on trail up, at end of railing above small bridge. Ophioglossum pendulum and Lycopodium phyllanthum on lehua trunk.

Rhus jav above trail in open part.

Adiantum cuneatum on cut.

March 21 KMC - Kani - Kona, 50133.7 4:35 420

Low open lehua wood, or Styphelia Dodonaea scrub with scattered small lehua. Some low rebostruction on it. Beyond Bird Park Rd.

Beyond camp ground (Eucalyptus grove) hipukas can be seen on hills across depression bet Kelavea & Mauna Koa.

Mauna Koa viewed forward and to it. Grassland on lower slopes, scattered trees.

Lehua become sparser
36.3 aa lava on it. when road cuts thru the flow - aa beds on both sides with scattered bushes for some distance - to Ostermeles occ.

Scarp on it across lava beds is smooth and grassy with trees in ravines and some spots.

Aa has lehua, Styphelia, Vaccinium, Dodonaea.

Lehua forest in depression at foot of scarp to right. approaches the road - also ~~so~~ grassy scarp much closer now.

Occ. patches of planted Eucalyptus on grassy slopes of scarp.

End of aa flow.

Old pahoe-hoe with scattered bushes. Then open scrub lehua forest.

mp. 41

patches of lehua and of Dodonaea scrub.

Rolling grasslands on lower slopes to right, scattered bushes.

On left a loose mixture of Dodonaea scrub and lehua thicket.

cult. pastures to right.

Pahoe-hoe with rather to very sparse irregular scrub.

Lehua trees dead at tops.

In distance on right Mauna Koa slopes covered by low forest.

m.p. 44

45

Patches of poor scrub behind forest. Sparse scrub on old palaocho.
Palaocho to rt. grassy with scattered small planted trees.

47

Then an area where most of trees are dead. Low grass, scrub on left. Lower slopes of Mauna Loa densely wooded here. Most trees on flat to be dead (planted trees).

48

Cane fields on slopes to right. Beyond here most trees still living. Open brushy pasture with thin Dodonaea scrub, scattered small lehua.

49

Cane fields conspicuous on slopes in distance to rt. Old palaocho with sparse Dodonaea, occ. Styphelia, there low. 1 m. scattered lehua 2-3 m tall. Some Andropogon and other grasses.

50

View of South Point ahead. Eucalyptus plantings on cane slopes to right.

Lantana scrub, open to closed, some guava, in pastures. Some Schinus.

51

Grevillea wind break on left. Lantana and some Grevillea on rt. Heavily grazed pasture.

52

Another wind break, of Eucalyptus & Casuarina. Pasture with numerous scattered Lantana.

53
(55.5)

Pahala rd. Eucalyptus planted around village. Mill to right. Grass below village is mostly Panicum maximum. Many ornamentals in village. 2 large Cyperus circinalis in rt on road up hill. (rt. 191). Above town planted mixed forest and cane fields. Much Eucalyptus, row along rd. on rt. Some Aulani.

Cane fields. Planted patches of forest on steep slopes to left. Planted woods in ravine.

Some native woods around head of cirque-like valley to left. Much Eucalyptus planted around Cherry Village, Kapapa. Some native trees under Eucalyptus.

Wood Valley

Forest around head of this valley is almost pure *lehua*, large trees 20+ m. 3-4 dm dbh, rather open in spacing, almost completely lacking epiphytes. *Psidium nudum* seen, but rare. I see *Psychotria hawaiiensis*.

A solid understory 4 m. tall of *Ciborium glaucum*. Occasionally abundant locally.

Athyrium sp. also.

Pipturus and ? *Podocarpus* common around edge.

Some *Rubus rosaeifolius*. Many vines, *Sporoclea indica* etc. around margin.

This forest has an appearance quite different from ordinary *lehua* forest. It is not var. *incana*,

but a less condensed type.

The complete lack of moss and other epiphytes gives it a thin appearance.

This is on a residual steep slope with rock exposed in gullies and in places on ridges. Soil fairly well developed.

Talus at base of first slash soil with rocks in it has been cleared and planted, very recently to coffee, with catch crop of dry land taro.

70.6
2600'

Highway, again at Ikalala.

Pastures with *Lamanea*.

Leucaena. or. *Prosopis*.

Eugenia p. curvata along water course.

An open grassland with very few trees extending down gentle slopes toward sea. A green depression between here and sea.

More pasture with *Lamanea* and sisal. very local.

Much *Lantana* with very scattered *Leucaena*.

73.8 Patch of *Crucian* surrounded by *Leucaena* scrub.

~~On the~~

Beyond Punaluu rd.

A lava with *Leucaena*, *Lantana*, *Schinus* scrub. Some *Opuntia*.

75.4 Several of these old aa flows with *Canthium* common.

75.8 Then a rather fresh very rough aa flow with scattered low *lehua*.

76.4 Extensive low gray *Lantana* scrub on old pahoehoe. Scattered *Canthium* and *Schinus*, *Leucaena*. A few windbreak *Prosopis* on left. Patches of thick *Leucaena* scrub. Some grass.

77.7 Rather fresh aa with only

very widely scattered
 low *Myoporum*, some
Leucaena and *Pluchea*.

Then tussocky grassland
 with some *Prosope*.

79.1 *Hutchinsonia* sugar mill.

Dry slope, grassy above
 D rt. mostly *Leucaena*
 scrub with *Prosope* along
 road.

Then grass with scattered
Prosope, on rather steep slope.

80.5 Vast treeless grassy slopes,
 with cattle. Tussocky
 grass with occ. small
Leucaena shrubs.

Small ranch houses with
 trees.

82.3 *Naalehu*.

Sugar on rt. pasture on left.
 Then thickets of *Schinus*,
 with some *Guava* etc.
 in places forming a dense
 scrub 4 m. or more high.

84.6 Village. *Waoahine*?

Coffee. orange bar.
 then hills covered by
Schinus *Guava* thicket.
 for some distance, occ.

87 trees of *Eugenia caryophyllata* locally
 Coffee plantations, planted
Eucalyptus. A little *Schinus*
 locally. Much *Schinus*.
Lehua becomes more common

87.6 open stand of small
Lehua. Locally much
Schinus. Planted
Eucalyptus, etc.

88.4 Pastures with scattered
 medium *Lehua*.

88.7 South Point Rd.

Guava brush along road,
 pastures with *Lehua* away
 from Rd. Planted *Eucalyptus*
 groves and rows.

89.4 Fairly dense but low
Lehua on 1869 flow.

more scrubby and sparser
 in places, ranging from
 1 to 3-4 m. tall.

Then *Kilueya* grass
 pastures.

More lava, this rather
 bare.

1948 flow is bare *Palafoxia*
 with depressed patches
 of *Subantia scabra*, very
 sparse ~~and~~ small *Lehua*,
Psilostium nudum tufts,
Styphelia bushes up to
 2 m tall in sheltered spots.
Nephrolepis exaltata
 in crevices on cliffs.
Cladonia tufts abundant.
Polypodium polypodioides in cracks.
Rhacomitrium lanuginosum
 deep crevices. *Ladina* var.
Vaccinium ret. rare in
 rough places.

Very locally in low spot
a little grass, *Cordyline*,
blueberries, *Lehinus*, *Hypo-*
chaeris, *Factura*.
Rumex - shrub, along rd.

Then apparently slightly
older palaochoc with
larger *lehua*.

Then still older, with
grass. Then open forest
with *Styphel* & scrub on
aa. trees 3-5 m. tall.

Some *Myoporum*.

Then bare aa with
grassy *kupuka* with
scattered larger *lehua*,
much *Lehinus*.

On the aa a very few
Ladleria, near two little
lehua. mostly a barren
black clinker surface.

Being crushed for road metal.

913 *Kupuka* of older aa probably
1837, with scattered small
lehua.

1907 aa has no plants
but a small *kupuka* or two
of older lava.

Then an older, brown aa flow
with scattered *lehua* 2-5
m. tall, very gnarled, in
some places rather closely
spaced, a few *Lophos*.

955

an older grassy palaochoc
surface, scattered
lehua. a *kubui* patch.

Then a mamane woodland
with occ. *Dracaena*,
Canthium, etc.

Then taller open *lehua*
forest on aa. no
undergrowth except
scattered *Dodonea*, etc.

Almost closed in places.

Patch of mixed scrub -
Lophos, *Dodonea*, *Asteromela*, etc.

Then tall *lehua* forest
closed to open, some other
trees, on aa.

Gets lower and thicker.

Then a bare aa flow, 1907
with conspicuous lichen
growth, scattered small
lehua (1 m.), *Ladleria*, etc.

Then older aa with open
small *lehua* forest, 2-4 m.
tall.

Then larger and denser,
also on old aa. stature
varies locally, also density
and undergrowth.

995

Then tall dense *lehua*, a few
other trees in with it, but
very few, locally rare.
aa. orange & green.

Manuka Park

grassy with planted trees
both native and exotic,
named. Pavilion, tables, etc.

surrounded by dense tall
lehua forest on very mossy
and *Polytrichum reflexum* common
in ^{new growth} ~~water~~. *Nephrolepis exaltata*.
Coccoloba, *Wikstroemia*
Pithecolobium boissieri
on it just off trail 10 m. in
thin tangled undergrowth
of *Lantana*, *Guava*.

Osmanthus about 15-20
m. in. Many small
Psychotria hawaiiensis
Lipturus, a few *Cibotium*
a tall slender *Reynoldsia*.
Alphitonia on it, 100 m. + in.
Drymaria abundant
on ground, esp. on trail.

Asplenium caudatum
on ground. *Linaria cymbalaria*.
Myrsine sp. *Canthium* -
shrubs at end of trail.

Alyxia curatella

Peled sp. *Psilotum nudum*

on ground.

Antidesma buxifolium

Gouldia terminalis

Phaius grandifolius

Polypod. thunbergii

Coprosma sp. (aff. *pauciflora*)

Lycopodium phyllanthum

Cibotium menziesii.

Ophioglossum pendulum (terrestrial)

Rubus rosaeifolius

Carex. *Microlepia*

Osmanthus common, also

Psychotria.

n. humid.

Off lava flow into deeply
weathered soil -

Guava bush, with
lower story of *Rubus*
rosaeifolius, a few
widely spaced very tall
lehuas. *Canthium*.

Nephrolepis,
a few young *Psychotria*

Stachytarpheta sp.

Cordyline (rare)

Wikstroemia

Osteomeles anth. (ulei)

Tall lehua forest but
near road much choked
with *Guava*. in places
very sparse.

then rough as with
sparse lehua.

Then large area of low
dense *Guava* bush with
scattered tall slender lehuas.

forest becomes denser but still tangled with tall guava. Occ. small kukui.

205.4

Then open guava scrub. Open lehua with guava and kukui. Then denser lehua forest with some kukui and guava in undergrowth.

206.9

Then guava forest with a few, then no, lehua. Some lehua and kukui with guava. Then none. No stone wall on rt. and rose apple grove.

Pasture invaded by guava. Then coffee plantations.

Hoopuloo flow ~~1925~~ 1926. aa. scattered small lehua. Nephrolepis.

Stereocaulon makes rock gray.

Guava thicket on ~~rt.~~ coffee on left.

Open tall lehua forest. Considerable guava in undergrowth - tangled. Freziera.

Coffee. Casuarina grove on rt. Then patches of guava scrub, lehua, coffee. Occ. kukui. Hedyscium abundant.

Mixed thickets of guava, Scheuchzeria, lehua, ^{kukui} many, etc. Some areas of tall lehua.

10.5

Open degraded lehua forest with areas of pasture. Alelia 1919 aa flow, many small lehua, Nephrolepis, lichen.

Then tall lehua choked with guava and Scheuchzeria. Persea occ. Less tangled farther on. Then rather open medium lehua on aa. Thick in places. Some kukui.

Then some open pasture, mostly Nephrolepis.

1935 ^{Kapuna} aa flow, but except for Nephrolepis, thins out near road.

Kipuka visible up hill on right. Some lehua forest killed by lava.

Farms, guava, Fouquieria, Pandanus, kukui, forming thickets, which are around coffee fields and between farms.

Coffee plantation. lehua forest above on right. Then some on left.

Some open land, scrub on left.

Then irregular forest,
guava scrub mosaic.
Farms. Ficuses conspicuous.
Schinus common. Mangos.

16.6

Large Ceiba on right
Don't left farther on
spectacular Cassytha.
Pastures with Mango trees.
very weedy.

1950 Kaohi aa flow. narrow
tongue. Nephrolepis.

Pastures. Mango trees.
Guava - kukui thickets.
Alae school.

Open pastures. Guava
thickets. Samanea and
Grevillea trees. Plummers
above road, just before
Honolulu 1950 aa flow. Pav
except Nephrolepis.

Guava thickets.
Cassytha on Schinus on left.
Kukui.

Guava and man. with
kukui.

Pasture below rd.
Schinus thickets above
with Cassytha.

Low open Schinus with
Lantana undergrowth.
Kukui-guava.

Open weedy pastures.
Coffee plantations above
road. Thicket with

Cassytha below.
thickets both sides.
Kukui above.

~~Guava~~ Cemetery.
Farms and pastures.
Mixed thickets.

Hooker rd.
More thickets. farms
Albizia lebbek above
road. across from school.
Farms.

Datura arborea on it.
Farms with breadfruit
trees rather common.

Mangos.
Schinus. kukui thickets.
Pastures - papaya plants.
Coffee.

Honolulu road. —
Down it.

Coffee. Mixed thickets
with many. Occ. breadfruit.

Guava - Schinus thickets.
Coffee. Thickets. Kukui.

Pastures. Many papayas.
Breadfruit common. Bananas
occ. Pandanus.

Turn down through
weedy pasture with
Melia fairly closely spaced.
Samanea around school.
Pithecellobium - Leucaena
open thicket. gets denser
down-wind. then more open.

some pasture with *Panicum maximum* and much *Pithecellobium*. Occ. *Prosopis* and *Lamanea*.

Then low scrub and grass on lava - *Santana* ^{*Pithecellobium*} tangled with vns. *Cucurbitatus*

Honauan - *Prosopis* - on left. *Pithecellobium* forest

City of Refuge. Big ^{some *Schinus*} *Couroupatis* at entrance.

Coconut grove with *Morinda*, *Pandanus*, *Cordyline*.

Cyperus laevigatus near pond
Ipomoea per-caprae

Fimbristylis cymosa.
various weeds, all in courtyard.

Large *heiau*. *Cyperus javanicus* under coconuts. *Fimbristylis cymosa*.

Palaehoc flats in front tufts of *Fimbristylis*.

Back of this *Lepernia* of *Cyperus jav.*

Beyond last wall, on berm above flat, in front of *hiawe*.
Opiuma fruit

Ipomoea per-caprae
Datura metel

Cardiastachya

Passiflora foetida

Cynodon dactylon

Catharanthus roseus

Chenopodium murale

Sida fallax

Waltheria

Euphorbia glomerata

Leucaena

Morinda

Prosopis is mainly along beach. Back on flats *Pithecellobium* dominant. Spreading flattish topped trees to 6 m. or more tall, rather open beneath, trunks to 25 cm. dbh, often several smaller ones from base. Sapling common. some slender *Leucaena*. Average shading of larger trees 3-5 m. Ground practically bare.

Photos of *heiau*, of front of *hiawe* front of inside of *Opiuma* fort.

Boerhavia mutabilis common on rocks near first enclosure, on st. with *Emilia javanica* + other weeds.

Large *Prosopis* back of parking area.

Leaving by other road.
Census on walls. Fuching
village.

~~Low~~ scrub of blv.
Pithecellobium, Leucaena,
Passiflora foetida.

After shots on palmetto with
grass and Nepliolepis.

Low small Samanea scattered
here and there, locally
abundant. This scrub
on lavaflats of Kesi
Battlefield

On right a low grassy area
with scattered Prosopis (?)
trees.

Scrub gets denser and
taller, mostly Pithecellobium,
on st. higher ground

as field with very little
vegetation.

Village with tall dense
Prosopis. Many planted
trees - Pines, Locos, Plumers,
Lamane.

Climb up slope through
Samanea scrub. Some Opuntia.

Farms, pastures.

Kuhui grove & rt below.

Main road.

Farms, thickets. Pantang.
clumps of lehua. Coffee.

Mainly coffee planta-
tions from here to
Captain Cook. Large Lamanas
and Jacaranda, some
pastures.

Large Pasture & Mugainvilles
on it.

Back on main highway
many houses.

Jacaranda common,
also Spathodea.
Acacia.

March 21 - Napoos Road

below Captain Cook, S. Kona

- 91621 *Caesalpinia sepiaria* Roxb.
3 locally common

Mar. 21 - Honaunau, S. Kona

- 1 22 *Cyperus laevigatus* L.
edge of pond in City of Refuge

Mar. 21 - Manukā Park
in thick ~~low~~ *Metrosideros*
forest on aa lava flow

- 3 23 *Antidesma kapaue*
common in understory

- 3 24 *Gouldia terminalis* var.
~~occasional~~

- 2 25 *Alphitonia ponderosa*?
occasional

- 1 26 *Pelea* ~~oblongifolia~~ *grandifolia* (H. Bd.)
rare

- 1 27 *Psilatum nudum* (L.)
common on mossy rocks

- 1 28 *Ophiorhiza pendulum*
var. *falcatum*
rare on ^{mossy} fallen log

- 1 29 *Carex brunnea*?
rare on mossy rocks

- 1 30 *Polypodium thurbergianum*?
rare on mossy rocks

- 1 31 *Gouldia terminalis* var.
rare

- 3 32 *Peperomia*
common on mossy rocks

380
~~400~~ m.

scrambling prickly
woody vine; racemes
erect, flowers yellow

0 m.

500 m.

small tree, sterile.

slender shrub 3 m. tall,
flowers green with
~~dark~~ dark purple tube.

— slender small tree, sterile.

St. John & Hume slender sparsely branched
shrub 3 m. tall.

(Kauai.) C. Cho.

shrub 1 m. tall; fruit
black when ripe.

leaves subfleshy, green or
marbled with red beneath.

March 21 - 1868 Lava Flow,
east of Waiohine

41633
3

~~roadside~~ on
pahoehoe lava
Rumex giganteus

March 21 - Wood Valley, Kau Dist.
n. of ~~the~~ Pahala

~~Metrosideros~~ -

Cibotium forest on steep slope

4 34 *Dodonaea viscosa*
occasional

2 35 ?

common at lower edge of

3 36 *Pipturus albidus* (H. & A.) Gray
common at lower edge of

8 37 *Helaginella ^{arbuscula} menziesii* (Kaulf.) Spring
abundant on floor
of forest in ~~wet~~
areas of exposed rock

March 22 - Kahaluu Forest
Reserve, Hualalai Road

3 38 *Vaccinium calycinum* Benth.
occasional in tall wet
Metrosideros forest.

March 22 - Keaunohu, on Hualalai
Road,

in thin ~~the~~ *Metrosideros* forest with

2 39 *Myrsine sandwicensis*
forming an open shrub layer

5007

800 m.

low spreading tree
with distate branches
shrub 2-3 m. tall, no
bitter almonds odor when
broken; sterile.

shrub 3 m. tall, leaves
greenish white beneath,
veins somewhat reddish
or not on same plant.

820 m.

2700'

sparsely branched erect
shrub 3.5 m. tall; fruit scarlet.

1060 m.

3500'

moss on lava.

shrub 1.5 m. tall.

(to H. 166)

Mar. 22 - Captain Cook to Hualalai
Farm + houses, many
ornamentals - Jacaranda very
common.

Capt. Cook to Keauhou - coffee
plantations - mango trees,
bananas, papaya, persimmon,
oc. Pandanus. Kalanchoe
very abundant on banks.

Lehua forest on it. just
at turn up hill.

coffee to 1st gate.

Lehua forest, guava thicket
Fraxinaria at first.

Stand of Touchardia along rd.
Some moss on trunks. Cibotium
Pipturus abundant. Broussaisia
Lehua to 125'.

Stop at 2000-2200'.

a Metrosideros, Psittac.

c-a Psych. hawaiiensis (secondary)

Perrottetia

Cibotium cham.

Pipturus albidus

Freycinetia alba.

Cyrtandra

Broussaisia

Peperomia

Antidesma

Alyssa

Hymenophyllum rec.

Phelip. cyath.

Elaph. retic.

Trich. bauerianum

The epiphytes are mainly
down in the lower few m.
of the forest

Psilatum nudum

Vaccinium cal.

Tangles of weeds
along rd.

Up about 3000' forest
of somewhat lower stature.
Pittosporum hornemii(?) on left
on flat ground. Less Psychotria
here. Less Cyrtandra.

Fraxinus mexicana plantation
in large clearing
Top of clearing is Kahala
forest reserve line. (40" ~~is~~ rainfall.)

Much lower lehua 10-15 m.
more open Gleichenia.
No epiphytes. Dry. pal.
Cyanea very common.

Experimental clearing 3400'
Flora dense but small
Lehua with no epiphytes
except in lower m. of bamboo
canopy thin. Thick

2x
behave

moss large on ground
spacing of trees 1-2 m.

Lyc. cernuum abundant
Machaena Hed. glomerata
Isachne *Styphelia*
Myrsine *sandw.*?
Lycopod. venustum
Nephrolepis exaltata
Sphenopus
Styphelia Tam.
Thelypt. cyath.
Coprosma sp.
Gahnia var.
Nephrolepis cordifolia
Poly pod. fol.
Rubus sandw.
Alyxia
Peperomia
Liparis
Aspidistra

Trees very rapidly diminish
and open up. *Dubautia*
little moss. *Coprosma* *ernod.*

Becomes open low woodland,
not over 6 m. tall at about 4250'
Boundary.

Styphelia scrub with
tany *lehua* trees 2-4 m.
Coprosma *ernod.* *Dodonaea*
Vaccinium *Dubautia* 2 spp.

On a very thin scrub
with sparse *lehua*.

Rumex rare 415-4600

Most only in narrow ravine

Styphelia *Myrsine*
Exocarpos + *Sophora*
rare at 47-4800.

5000'

An older soil, deeper,
grassy with *koa*, *Sophora*,
Santalum, *Myrsine*.
badly grazed, many trees dead.
Myrsine.

Open grass. *Koa*.

Koa - *lehua* savanna

then *lehua*.

These on lapilla soil.

Styphelia - *Dodonaea* scrub
with scattered *lehua*.

Sophora, rare.

Verbascum abundant

5500'

Santalum on lapilli soil
in loose *Styphelia* scrub
with *mamani*. a few
lehua. some *nais*. locally
Coprosma mont. *C. ernod.*

Myrsine

Trisetum *Pallaea*.

Cyperus

Carex macrocarpa

Ilanella

Wikstroemia

Osteomeles

scrub more luxuriant
really open scrub forest,
on cones.
Lapilla beds. scrub very
mixed.

6500' ^{lapilla} ash on pahoehoe
spectacular lava balls
laminated from rolling.
Lava river a gorge
with rolled sides, broken
in places. Lehua,
Styphelia, luxuriant
in them. Stenogyne.

Scrub on ash very sparse
with scattered lehua.
Cone nearby - ~~Kamela~~ ^{no chrys}
very sparsely vegetated.
Those on ahead less so.

Brown aa. partly covered
by brown fine lapilla ash.

Lava course, lined by spatter
ramparts.

- D Styphelia
- C Coprosma mont.
- A Dodonaea
- E Dubautia
- D Stenidium
- A Pellaea
- A Vace. ret.
- C Geranium
- C Deschampsia

- La Epilobium
- C Coprosma eriod.
- C Galenia
- " Asplenium sp.
- " Asplenium (Lichmanian)
- C Polypod. pet.
- " Polypod. thurb.
- " L. ascula sp.
- " Gasteria rugosa
- " Tetramolopium

^{open to}
low sparse scrub, denser
in ravines and on cones.

up hill scrub is much
more dense

"Vernal" pool with
Veronica fine yellow soil
but. as fragment.

7500 oasis of Myoporum
Lophos etc.

- Tagetes ~~minuta~~ Cirsium
- Conyza bon.
- Hydrochaeris
- Geranium
- Epilobium
- Verbascum

- Pteridium
- Trisetum
- Tetramolopium abundant

Top saddle sparse
Styphelia scrub *Dodonea*
 little *lehua*.
Pandanus *pahoehoe*
 Curious ad rampart

Dying ~~in~~ *Sophora* forest.
 on grassy lava slope.
 Many planted *Eucalyptus*.

Small cone with
 well dev. craters.

Epilobium
Verbascum *Gnaphalium*
Hypochaeris spp.
Lythrum
Verbena bonariensis
Rumex acetosella
Holcus? *Tagetes minuta*
Asplenium trichomanes
 abundant.
Asteridium
Sophora
Dodonea
Pellaea
Deschampsia
Trisetum
Luzula
Styphelia

saddle
 back of
 cones
 beautiful
 view of
 Kahoala
 from
 here
 6000'

Low flow - aa - on way
 down. scrub. scattered
mamane & *lehua*.

Slope down is scrub
 gradually increasing in
 ht. to 2-3 m. down to clusters
 of cones. Scattered *Sophora*,
 sea urchin *lehua*.

Stature low again as cones
 are approached. Side of them
 toward Hualalai rather
 barren, sparse scrub.

On sea side more moist
 open low *lehua* forest.
 Moss on ground. even
 below in scrub with
 scattered *lehua*.

Top. Dryopteris *indurata* acc.
Copros. erodioides abundant
 Pit crater about 300' across
 and deep.

Veg. of *Cyanea*, *Pipturus*,
Ilex?, *Sadleria*, *Dryopteris*
pallescens and a very long-leaved
Durbania.

Around this - open scrub
 with some *lehua*. *Geranium*
 close to Kapulehu Trig. Sta.

Telephone Station
Kapuāhā. 2500' ±
Xenolith exposure.
Collapse pit with great
mass of Xenoliths nodules
covered over with 10-15
cm. Pahoehoe

Grassland of *Pennisetum*
on pahoehoe flow.
aa bare in places except
for scattered lehua.

Grassy slope on older lava
just above highway
scattered dry priest trees
Chen. oahuensis. Dracaena.
at Kapuāhā
some *Grevillea*.

Road to Kona - savanna
of *Pennisetum* with
Grevillea + some native trees,
Lophosiphium, etc.

Then reforested land
mostly *Grevillea*. Some
pasture. *Pennisetum* local.
Melinis.

Lava on coastal flats
black - flows very
striking.

Small farms. guava
brush. thickets. occ.
breadfruit, mango.

70.8 Coffee on it.
71.7 Guava brush. Pastures.
Holuāloa Rd.
Coffee and farms. thickets.
Mixed thickets for some
distance.

Then farms
73.2 forest to left.
low mixed scrub below.
lehua with the sisal.
Scrub drier & drier.

Then open *Prosopis* with some
lehua and some *Leucaena*.
75.2 Kailua - airport - volcano pt.
Large banyan, to left.
beyond on beach road -
Prosopis, *Leucaena*.
Beach house.

Leucaena with *Prosopis*.
Along coast. Some good
Prosopis forest on left.
Much *Leucaena* scrub.

Coconut grove at Kāhala Park.
Prosopis - savanna - *Pithecellobium*
- Lava flow - aa - bottom of
81.7 experimental lawn. Keahon
switchback on flow.

Capparis on it. No.
Leucaena - thinnier on aa
farms. + thickets. Kalamaki
84.4 main rd. Thickets + farms.
85.1 mixed scrub. *Reynoldsia* on it.

Alexandra Palm - Olua

For Waikiki trip - start early
as fog comes in after noon.
Follow ditch trail around
heads of valleys

Come out at Puu Alaa
where cars can get into
edge of forest on Water Authority
Road.

State Dev. Forestry 5 jeeps
S.C.F. several jeeps
Bishop Estate. 2 jeeps
Northrup Castle 1 "

std. open patchy lehua
with Lantana, etc.
farms.

95.9

Haleakala Rd.
much coffee.
open lehua.
farms & coffee

Temple on rt. Buddhist. Kailua

left Macaranga macrophylla

Blighia sapida on rt. just
before hospital. Kealahou.

summary of Hualalai Rd.

Up Kealahou 1, through
coffee on lower slopes.
into Kahaluu Forest
Reserve, into wet forest
of magnificent lehua,
to 40m. with second story
of Psychotria hawaiiensis
20-25m. much wet
undergrowth.

This more or less the same
to big clearing, perhaps
somewhat lower stature
up ^{toward} clearing.

Top of clearing, at 3400',
lehua forest resumes, but
becomes lower. On up the
road it is lower, less
epiphytes. To second clearing.
3500'? Here forest is much
lower, dense but with
very open canopy because
crowns are so narrow.
Epiphytes all non vascular,
bryophytes only on basal
1m. or less of trunks, crustose
lichens farther up. The
ground has a thick moss
layer, ^{mold as fern} with Hypopodium
cervinum and other pteridophytes.
shrub layer of Myrsine.

Trachne distichophylla common.

Above this the forest rapidly
diminished in height and

became more open, less mossy, with *Coprosma* *enoderoides* and *Dubautia*. At 4250', the upper boundary of Kauruohu, it has become a low open woodland not over 6 m. tall. By 4500' it has become a *Styphelia*-*Dodonaea*-*Vaccinium* scrub with scattered 2-4 m. *lehua*.

At 4550-4600 The road goes over an aa flow with very thin scrub and very sparse *lehua*. *Excoecaria*, *Myrsine*, *Sophora* at 4700-4800' but very rare.

At about 5000' the road comes out on the edge of a broad flat area of an older deeper soil - grassy with *koa*, *Santalum pilgeri*, *Myoporum*, *Myrsine*, etc. badly grazed. Then open grass, then *koa*-*lehua* savanna, then sparse *lehua*. The soil from here is of yellow-brown lapilli somewhat larger than pea size. Up slopes of *Styphelia*-*Dodonaea* scrub with scattered *lehua*, *Sophora*, *Myoporum*. *Verbena thapsus* is very abundant.

This becomes looser and lower, ~~lehua~~ *Sophora* a bit more common.

Santalum pilgeri? occasional, *Coprosma enoderoides*.

Then up hill on lapilla beds. On such cones as the one east of Kauruohu, the scrub becomes more luxuriant, really ~~scrub~~ forest. On lapilla beds a very mixed scrub. At 4500' south of Kauruohu, on left of rd. spectacular rolled lava "snowballs" and a "lava river" or mawae, a gorge, becoming a tube in places. In this luxuriant vegetation of *Styphelia* and some *lehua*.

Cones, beginning with ~~the~~ Kauruohu, less and less vegetated, rather barren.

Then a ~~aa~~ ^{brown} aa flow partially buried with brown fine lapilli.

At about 7150', n. w. of Poikali, in open scrub in a mawae lined by spatter ramparts, a scrub 1-1.5 m. tall, mixed. *Geranium cuneatum* small plants rare in other bushes.

An open to somewhat dense, low to tall scrub covers the passes and cones in the area from here to highest

saddle at just under 8000' on Puu Hualalai, n.e. of Hama Crater.

On the west slope there are a very few lehuas, mostly a grassy lava slope with an open, but dying *Sophora* forest. Much planted *Eucalyptus* to take its place, not very large.

At about 7500' a small cone has very little vegetation. The general aspect above this is sparse scrub, with almost nothing on a ponded lava flow at 7200'.

On the west slope between 7500' and 6000' the scrub remains about the same except to increase in stature till it is about 2' m. tall, down to a cluster of small cones above the Kaupalehu Flow. These, on the east side, are rather barren, on west side a low but rather dense lehua forest. This at about 5700-6000'. At about 5500' the vegetation is an open scrub, especially of *Styphelia* with some scattered lehuas. A thick soft moss layer on ground, *Lycopodium* are pit crater.

From here down the road follows the Kaupalehu aa flow, with sparse ^{faintly large} lehua, the only undergrowth of patches of *Nephrolepis*. Very rough.

This extends down to just above the telephone relay station, which is on grassy to bare pahoehoe. Xenolith station.

Below this a grassland of *Pennisetum* on pahoehoe flow. crosses a bar aa flow into more grassland with scattered planted grevillea and dry forest trees.

166

(coll. from 11. 148)

1961

Hawaiian Is.

41640

Selaginella arbuscula (Paulf.) Spring.
common in deep moss

same

in open meadows forest

4

41

Myrsine
rareMarch 22 - Keauhou no. 2,
on Hualalai Rd.

2

42

Rumex giganteus f. *coccineus* Forb.

rare on aa lava flow

in very sparse vegetation

5

43

Exocarpos gaudichaudii A. DC. (2. str.)
occasionalMar. 22. Flats southeast of
Waha Pele, Keauhou no. 2

4

44

Santalum ellipticum var. *pilgeri*
common locally in savannaMar. 22 Between Waha Pele and
Puu Ikaaka,

in tall scrub

45

Santalum ellipticum var. *pilgeri*

45

occasional

Mar. 22 Southeast of Waha Pele
Keauhou no. 2.

46

Dodonaea viscosa

4

occasional in open ~~th~~ scrub

Hawaii, Hualalai,

North Kong

167

erect, somewhat revolute.

1320 m

4000'

1400 m

4600'

1450 m

4750'

1800 m

5000'

1620 m

5300'

1550 m

5100'

erect shrub, m. tall,
flowers and especially ~~young~~
fruiting calyxes scarlet.
low broom-like shrub, green but
tips maroon; fruiting
receptacle globose, yellow,
fruit maroon.spreading trees 4 m. tall,
leaves rather glossy, ~~yet~~
dull yellowish green; flowers
greenish, fragrant.shrub 3 m. ~~2~~ tall, leaves
dull yellowish green

spreading tree 4 m. tall.

41640a Dodonaea viscosa
in open scrub
41640b Dodonaea viscosa
in open scrub
41640c Dodonaea viscosa
in open scrub
41640d Dodonaea viscosa
in open scrub
41640e Dodonaea viscosa
in open scrub
41640f Dodonaea viscosa
in open scrub
41640g Dodonaea viscosa
in open scrub
41640h Dodonaea viscosa
in open scrub
41640i Dodonaea viscosa
in open scrub
41640j Dodonaea viscosa
in open scrub
41640k Dodonaea viscosa
in open scrub
41640l Dodonaea viscosa
in open scrub
41640m Dodonaea viscosa
in open scrub
41640n Dodonaea viscosa
in open scrub
41640o Dodonaea viscosa
in open scrub
41640p Dodonaea viscosa
in open scrub
41640q Dodonaea viscosa
in open scrub
41640r Dodonaea viscosa
in open scrub
41640s Dodonaea viscosa
in open scrub
41640t Dodonaea viscosa
in open scrub
41640u Dodonaea viscosa
in open scrub
41640v Dodonaea viscosa
in open scrub
41640w Dodonaea viscosa
in open scrub
41640x Dodonaea viscosa
in open scrub
41640y Dodonaea viscosa
in open scrub
41640z Dodonaea viscosa
in open scrub

- 41647 *Myrsine*
 1 common, ~~in~~ forming grove
 48 ~~sand~~, *Myrsine*
 7, 13 ~~near~~ occasional in open flat

March 22 - between Wake Pole
 and Pua Ikaaha

- 41 49 *Santalum ellipticum* var. *pilgeri*
 occasional in tall scrub
 3 50 *Coprosma montana* Hbd. var. *montana*
 occasional in tall scrub

Mar. 22 - between Pua Ikaaha
 and Pua Ikaaha, S.E. of Kaimukua

- 3 51 *Santalum ellipticum* var. *pilgeri*
 occasional in scrub
 on lapilli ash.
 2 52 *Rumex giganteus* var. *coarctatus* Forst.
 rare in scrub on lapilli ash

~~53 *Coprosma montana*
 occasional~~

- 3 53 *Coprosma montana* Hbd. var.
 occasional in scrub
 4 54 *Wikstroemia*
 occasional in scrub
 3 55 *Santalum ellipticum* var. *pilgeri*
 occasional in low scrub
 3 56 *Exocarpos gaudichaudii* A.D.C. (2. str.)
 occasional in scrub

(nest P. at top, date other)

- 4 57 *Cyperus hillebrandii* Boeckl. (L. v. *marianus*)
 occasional on bare ground in open scrub

tree 12 m. tall, with new
 leaves.

tree 8 m. tall, fruit black.

1690m

5700'

shrub 2.5 m. high, leaves
 stiff yellow-green, fruit immature
 shrub 1.5 m. tall, ♂.

(*Myrsine*?)

1920m

6300'

shrub 2 m. tall, leaves
 dark dull purplish green
 when old, light green when
 young; flowers green, fragrant.
 shrub 1 m. tall fruiting
 calyx red; flowers red with
 white style.
 stiff shrub

(*Myrsine*?)

(*Myrsine*?)
 (road leaved
 form)

stiff shrub 2 m. tall,
 fruit orange, juicy.
 low compact shrub,
 1 m. tall, flowers yellow.
 shrub 0.4 m. tall, flowers
 yellow-green, fragrant,
 fruit black, juicy when ripe.
 low bush 0.6 m. tall, spreading,
 tips maroon; fruit red, receptacle
 yellow.

(*Myrsine*?)
 (degenerate
 form)

Mar. 22 - just south of Kaimukī
in open scrub on ash

41658 *Tetramolopium*
rare

5-59 *Heterogynis*
rare in small lava
ravine tangled in small
Metrosideros shrub

March 22 - Pass n.e. of Poikali
in scrub in shallow ravine

60 *Tetramolopium*
rare

61 *Trisetum glomeratum* (Kunth) Trin.
rare

62 *Luzula hawaiiensis* Benth.
occasional

63 (grass) *Sporobolus* ^{*aficanus* (Poir.) Robinson} ~~*capensis* Willd.~~
common

64 *Geranium cuneatum* var. *cuneatum*
very local, in stiff shrubs
where goats can't reach it.

65 *Asplenium trichomanes*
occasional in crevices in lava

66 *Asplenium adnatum* ~~*nigrum* L.~~
rare in crevices

67 *Veronica sempillifolia* L.
local, in desiccating pool.

March 22 - East Hualalai,
below summit
on ~~at~~ spatter premices

68 *Pteris*
rare in small *Myoporum* grove, grazed

1980m
6500'

tiny tufts.

Tangled herbaceous vine;
flowers bronze-brown.

2160m
7100'

tussocks

dwarf shrub, sterile;
leaves consistently green
on both sides.

flowers bluish white.

5480m
8150'

- 41669 *Conyza bonariensis* (L.) Cronq.
rare on open lava slope
- 70 *Geranium carolinianum* var. *ovoides* (Benth.) Fock.
rare on open grazed lava slope
- 71 *Tagetes*
common on grazed ravine walls
- 72 *Myoporum sandwicense*
small grove on high slope
- 73 *Helichrysum*
rare in head of ravine
- 74 *Myoporum sandwicense*
small grove on high slope
- 75 *Veronica plebeia* R. Br.
rare on grazed slope
- March 22 - Flat east of Puu
Hualalai
- 76 *Veronica oerpyllifolia* L.
locally abundant in desiccated pool
- Mar. 22 - saddle north of
highest point of Puu Hualalai
- 77 *Styphelia douglasii*
abundant
- March 22 - small cone
north of sheep station, Kaupulehu
- 78 *Graptolium japonicum*
rare on bare soil.
- Mar. 22 - cones at head of
Kaupulehu Lava Flow
- 79 *Geranium cuneatum* var. *cuneatum*
rare in scrub

41674a. *Metrosideros collina* var. *small tree*
rare on high slope

prostrate.

erect rays white, odor very strong.

spreading low tree 4 m. tall, flowers rose purple, very fragrant.

shrub 3 m. tall; flowers white, fragrant prostrate.

9160m

7160'

prostrate, fls. bluish white.

9390m

7850'

stiff shrub 1 m. tall, flowers white.

1860m

6100'

1940m

1780m

5500'

shrub 0.3 dm tall, petals white.

March 22 - above deep pit crater
at head of Kaupulehu lava flow
in mossy ground in
open scrub on gentle slope

41630 *Centaurium umbellatum* Gillib.
common

1 31 *Lupinus communis*
occasional

1 32 *Cerastium*
occasional

1 33 *Plantago virginiana*
occasional

2 34 *Hemiphragma*
rare in semi shade

4 35 *Isopogon* acre
common

March 22 - Telephone Relay
Station, Kaupulehu
on open pahoehoe lava

4 36 *Peperomia*
plentiful

1 37 *Senecio sylvaticus* (vulgaris?)
very local

1 38 *Galinsoga* *parviflora* Cav.
occasional

7 39 *Plectranthus australis* R.Br.
common

1 40 *Therapsid arvensis*
on crushed lava parking lot

March 22 - slope below Telephone
Relay Station, Kaupulehu

1 91 *Euphorbia* *peplus* L.
locally abundant

1570 m
5150'

flowers pink

flowers yellow.

flowers white.

low arching stems. rhizome
thick, white; flowers deep purple
roots yellow, acid to taste;
flowers yellow.

760 m
2500'

clumps, growing from
thick fleshy, horizontal rhizome;
leaves fleshy.

flowers vary from very pale
lavender to almost blue.
prostrate

7700

erect, lower parts red.

- March 23 + Kona to Maunaloa
 56.9 Jct. of upper & lower road.
 Quava brush, small clearings.
 Melina on road banks and cuts.
 Mango, Persia, kukui etc.
 farms.
 Quava brush and pastures.
 Views of coastal lava flats
 to left. Kukui on it.
 61.1 Plantings of Grevillea robusta.
 62.0 kukui grove. More Grevillea
 and Eucalyptus.
 62.5 Pennisetum grasslands with
 scattered Grevillea.
 63.8-4 View of extensive lava flows
 on left.
 64.4 Kāpulehu forest reserve.
 Then Kāpulehu aa flow.
 65.5 Grassland with native trees
 between 2 aa flows.
 Several hupukas, with
 Nothofagus sandwicensis
 and other dry forest trees
 in Pennisetum.
 66.7 Fair dry woodland on
 both sides of road. - ranging
 from savanna to open forest,
 ever closed in places.
 68.6 Forest ends. A thinly grassy aa
 flow.
 69.1 More dry forest.
 Punu waa waa in distance on rt.
 70.2 Cactus occasional. Good
 dry forest and savanna

- 70.7 photos of dry forest.
 Santalum occasional.
 Some Grevillea scattered
 in it also Jacaranda.
 71.9 Forest ends. pasture begins.
 72.4 planted Grevillea, much
 Opuntia, Melia, some
 Jacaranda.
 73.5 Then scattered dry forest trees
 then an aa flow. with
 little vegetation ex. Pennisetum.
 74.1 Open dry forest and grass
 on old aa flow. Much of
 this is lehua.
 View of Mauna Kea ahead.
 Kohala Mt. to left.
 74.7 Some Santalum mixed with
 dry open forest and savanna.
 The grass through this
 region is almost all Pennisetum.
 77.8 Forest much lower.
 79.3 Forest essentially ends.
 Grass with abundant
 Opuntia, scattered hupukas.
 Then another scrub of
 Scheuchzeria, Pandanus, Dodonaea, etc.
 with Opuntia.
 79.5 Gate. Scrub with Cactus on
 rt. grass with Cactus on left
 Eucalyptus planted on it.
 80.8 overgrazed pasture with
 Opuntia.
 Planting of Eucalyptus.
 more pasture.

82.0 Mauna Kea to rt. in distance.
Open pasture with scattered
Opuntia. patches of *Dodonaea*
scrub.

82.5 Eucalyptus on rt. pasture
on left with low scrub of
Dodonaea. *Dodonaea* also in
Eucalyptus.

83.5 ^{very low} *Dodonaea* scrub with some
grass. over large areas. scattered
Opuntia. some *Sida fallax*.

85.9 Some grassy areas, esp. below
road. *Pennisetum* lacking
here. Badly overgrazed.

87.1 Jct. with Saddle Rd. Rt. 10.
Some patches of scrub still,
esp. about road. Mostly thin
overgrazed grass. Considerable
Opuntia.

Vast level expanse of
pasture

Argemone. *Sida*.

Much Eucalyptus planted
around Waiman.

Fields and green pastures.
Eucalyptus and Monterey Cypress
wind breaks. Honey factory on rt.

Into pasture thru gate. Kikuyu
pasture. Ravines with *Rhus*
pauciflora etc on sides. Past reservoir
thru gate. Native forest on rt.

but with *Ardisia*, Eucalyptus
planted on edges. *Cryptomeria*
alnus

Sadleria, *Sphenomeria* on
steep slope in pasture.
Sparganium etc. dominant in
pasture.

Ravine on left with
Sida forest.

Enter forest gate.
Planted forest, some
native things. *Cibotium*.
Opening with *Gleichenia*.
+ *brake*. *Sadleria*. Much
Eubotium sp. *Virgularia*
scrub south of *Sida*,
Cheirodendron, *Cibotium*,
Sadleria, etc.

Eucalyptus along pipe.
Low vegetation continues,
with less disturbed
appearance to edge of
Waipio Pali. Then even
lower and more depressed
and windswept vegetation
along edge to end of road.
Sphagnum along road.

At end of road small
clearing for turning cars.

This is lined with *Sadleria*
hillebrandii, *Cibotium* cf. *glaucescens*
tall shrubs with trembling
leaves *Cheirodendron*.

On left side (facing Waipio)
Gouldia *terrestris* v. *purpurea*
Broussaisia arguta *Ilex anomala*.
Vaccinium calycinum, *Myrsine* spp.

and *Metrosideros*. *Carex* sander,
along edge of road.

On other side small
Sphagnum bog, much
Ladleria, *Cibotium*, very
depressed. Most of same
shrubs. *Machaena*
angustifolia.

Clearing weedy.

Across ditch at head
of Valley on edge *Pipturus*
sp. *Grass*, *Dubautia*
cf. *plantaginifolia*, *Heterogynis*,
~~*Clusia*~~ *Clermontia* sp., *Cyanea* sp.
Just to left in bank - *Gunnera*
petaloides - common down over
bank.

Along trail to left -
Hypericum japonicum,

Agrostis sp.
15 m. along. *Cyanea* sp. overhead
on bank. *Nertera granadensis*
creeping on mossy bank.

Sphagnum lines banks of
small watercourse. *Cladonia*
on rocks. *Vernicia plicata*
on rocks and bank.

Patch of *Hedyotis* sp.

Boggy low scrub away
from ditch - low *Metrosideros*

Cibotium cf. *glauca*. ✓
Athyrium cf. *porietanum* ✓
Carex cf. *sandwicensis* ✓
Elaphoglossum griseum ✓
Ladleria hillebrandii ✓
Peperomia sp. ✓

Nertera ✓

Hymenophyllum acuminatum ✓

Thelypteris ✓

Lycopodium complanatum ✓

Agrostis sp. ✓

Vaccinium cal. ✓

Pilea cf. *clusiaefolia* ✓

Hypericum ✓

Juncus sp. ✓

Myrsine cf. *lesertiana* ✓

Alysic ✓

Juncus sub. ✓

Cheimodendron ✓

Racciolobis ✓

Along road -

Ilex anomala on it.

Cheimodendron ..

Gouldia

Myrsine sander.

Open *Sphagnum* bog

Tamatobelia. Carex,

Fragaria (rare) in low scrub.

Baccharis distachyophylla

Machaena angust.

Edge of cliff
Gouldia hillebr.
Broussaisia
Cibotium
Mypsis sandw.
Mypsis lessert.
Gouldia tenu.
Cyanea
Metrosideros
Chenodendron
Coprosma
Lobelia
Cibotium
Sadleria
Athyrium
Pilea clus.
Clermontia
Dubautia
Peperomia
Cleistanthus
Rubus sandw.

Between 2 small bridges can
 be seen a bog on a vertical cliff. *Jan 10*
 Trail along ditch from
 2 bridges -
Cibotium menziesii
Clermontia
Rubus

The low vegetation, in
 general, is dominated by
Metrosideros, but with
 abundant emergents of
Chenodendron. *Plax combon*

General height 1-1.5 m.
 emergent to 2.5
 Pig rooting everywhere.

Ravine - taller veg.

Forest taller away from
 pali.

02.7

On way back -
 scrub in open country well
 south of Saddle Road jet.
 is about 80% *Dodonaea*
 20% *Wikstroemia* with
 a little *Sida fallax*.
Tricholaena rosea
 fine yellow-red ash soil,
 but rather thin.

0.6-1 m. tall. a few
 other weeds & *Ipomoea*

Verbena sp. *Opuntia*, etc.
Waltheria, none numerically
 important.

11.0

well developed dry forest.

Most of the dry forest here
 seems a mixture of *Metrosideros*
 and *Diopis*.

13.4

Reynoldsia (makai)

15.5

" (makai)

16.6

Dracaena (makai)

17.7

Erythrina, etc. (makai)

18.4 many *Reynoldsia*
 18.7 interesting forest

- 19.0

20.1 *Notholochium*

20.9-30.0 51

22.2 a flow.

lava river with spatter ramparts.
 23.6-8. rich forest, *Notholochium*, *Pentstemon*

24.7 1201 flow.

Sambucus around many
 of houses in town. medicinal?

30.0 Jct. Honolulu - Kailua rds.

32.3 *Reynoldsia* in sical area mounds.

33.9 Jct. with Volcano Rd above Kailua.

Thick ^{to open} *Prosopis* forest.
 locally *Senecio* with *Prosopis*.
 and locally with *Lamprocarpa*.

- Mar. 23 - Waimea-Kona Road
opposite Puna Waa Waa
41692 *Tantulum ellipticum* var. *pilgeri*
4 Dry open forest on aa lava

Mar. 23 - head of Alakahi gorge
Kohala Mts.

- in low shrubby vegetation
near edge of cliff
93 *Myrsine sandwicensis*
common
94 *Pelea clusiaefolia* A. Gray ^{subsp. *can.*}
occasional
95 ~~*Lobelia*~~
~~*sas*~~
95 *Gouldia hillebrandii* var.
occasional
96 *Coprosma pubens* Gray
occasional
97 *Gouldia terminalis* var. *purpurea* Forst.
common
98 ~~*Freycinetia grandis*~~ *Freycinetia grandis*
occasional
98 ~~*Stenogyne*~~
3 *Stenogyne*
occasional
99 *Pipturus albidus* (H. & A.) Gray var.
4 common
41700 *Cyanea*
occasional
01 *Clermontia*
rare

650 m.

shrub 2 m. tall, leaves
yellow-green, glossy above,
flowers green, yellowish
within, fragrant.

1180 m.

shrub 1.5 m. tall; fruit black.

94 *Cookiana* (Rock) Stone
shrub 1.5 m. tall, buds green.
♀

shrub 2 m. tall, flowers
green, ripe fruit black.
shrub 2 m. tall; flowers
greenish.
shrub 2 m. tall.

woody scrambling
vine; flowers curved, deep purple.
shrub 1.5 m. tall; leaves
stiff, rugose, main
nerves red beneath.
lactiferous shrub 1.2 m. tall, flower buds
purple; fruit orange, soft.
shrub 1.5 m. tall, petals and
sepals black-maroon

same - on ^{moist} earth cut above ditch
 41702 (grass) *Deschampsia nubigena* Hbkd. s.l.
 2 abundant

1 03 *Cyperus polytachys* Rothb.
 common

1 04 *Nertera granadensis* v. *insularis*
 occasional

same - in low boggy
 vegetation on flats back from
 cliff edge.

4 05 *Carex*
 abundant

2 06 *Clermontia*
~~stems~~ rare

4 07 *Cheirodendron trigynum* (Edgew.) Heller
 very common

4 08 *Vaccinium calycinum* var.?
 common

2 09 *Athyrium microphyllum* (J. Sm.) Alston
 common det. R. Palmer 8/96

1 10 *Thelypteris*
 rare

same - in *Sphagnum* bog
 1 11 *Lobelia hypoleuca*
 rare

1 12 *Lobelia*
 rare

4 ~~13 *Scleranthus*~~
~~very local~~

2 13 *Sphagnum*
 abundant

ditch

Shrub.

prostrate, closely clinging
 to earth; fruit orange.

~~small~~ tufts of a
 number of stems.
 lactiferous shrub 1.5 m. tall,
 corolla + calyx blackish
 maroon within.

shrub ~~2.5 m.~~ 3 m. tall,
 aromatic; fruit maroon.

shrub, m. tall; leaves
 somewhat glaucous beneath;
 fruit red when ripe, glossy.
 rhizome erect,
 fronds translucent

lactiferous
 shrub, sparsely branched,
 sterile,
 dead fruiting plant.

~~tufts~~

forming deep pale green cushions.

41714 (grass) *Deschampsia nubigena* Hb. & S.P.
3 abundant ~~is~~

same - in eroded boggy
slope where clay is exposed

- 4 15 *Eleocharis obtusa* (Willd.) Schults.
very local
6 16 *Juncus flammifolius* R. Br.
common
2 17 *Juncus bufonius*
occasional

Mar. 23 - 2 mi. S. of junction
of Waimanalo-Kona Road with
Saddle Road
in low scrub in overgrazed
pasture

- 4 18 *Sida*
common
3 19 *Wikstroemia*
very common
3 20 *Dodonaea viscosa*
abundant, dominant
3 21 *Wikstroemia*
very common
3 22 *Dodonaea viscosa*
abundant, dominant

tufted

tufted

small tufts.

300m.

shrubs 0.3 - 0.4 m. tall.

shrub 0.7 m. tall; fruit red.

shrub 0.8 m. tall.

shrub 0.5 m. tall, fruiting
abundantly, fruit red, globose.
(only a few plants with
abundant fruit).
shrub 0.9 m. tall.

March 24 - Kealahakua

Sambucus is generally planted around small houses, just as in Colombia, etc.

Mar. 24 - Kailua - Hilo via saddle.

60.1592

Kailua - ~~Haleakala~~ Kamuela - airport jct

ornamentals.

Kiawe - blue thickets, with *Leucaena*, on gentle lower flow slopes. *Samanea* common in upper part.

61.7 Old sisal plantation (Byrsonima tree marks at about 62.7) to 62.7

63.7 Farms: guava thickets, coffee, etc. breadfruit trees on left.

64.0 jct. with upper rd.

66.1 balsa tree on it a bit away from rd.

67.7 black lava flows down on flats to left.

68.3 Grevillea plantings.

71.7 Kapaemahu Forest Reserve Gate.

Thicket of *Nothofragum* sandwicense just below road. with trees of *Diospyros* ferns around ~~the~~ it.

Brighter green, small leafed trees are *Canthium*.

Slightly to right and 10-15 m. below road a tree of *Kokia*.

Just above road, inside gate, *Chenopodium oahuense*. 2.5 m.

To left, just inside gate, *Santalum*. Just above this a sizeable bush of *Osteria* ^{62.5 m}
Chenopodium general in

undergrowth. *Cyperus trachysanthos* and a narrow leafed form of *Cocculus* in grass here. Grass is *Pennisetum*.

Straight up slope on left a tree of *Columnea oppositifolia*, with a slender one of *Nothocestrum* and one of *Santalum*.

Sida fallax shrub.

Much *Diospyros*.

On it, a fine *Columnea* and around a boulder in center *Canavalia galeata*.

Red mint is *Salvia* spp.

Small blue one *Plectranthus*

Peperomia sp. with it on bare rocks.

Santalum common.

Above left hand *Santalum* another *Nothocestrum*.

Circling to left we find slender *Sophora*, and

a large tree of *Pouteria* sp.

above it *Canthium*.

a thicket of *Sida*.

Trees of *Diospyros* parasitized by *Korthalsella*.

Asplenium trichomanes on rocks. *Sicyos* sp. on rocks in open spots.

Kokia planted.

2 forms of *Cocculus* one with emarginate petals.

weeds

Solanum nigrum
Physalis peruviana
Passeflora foetida
Lantana camara

~~*Coccoloba*~~*Euphorbia peplos**Salvia coriacea**Pennisetum suppelletis**Sorghum alacale*~~*Senecio*~~~~*Senecio*~~ *Cypripedium* ^{balsamino}*Momordica charantia**Stellaria media**Cupressus latifolia* sp. (planted)*Opuntia* sp.*Emilia garouana**Conyza bonariensis*

Amongst below fence

*Kobria**Dracaena amara**Osmanthus sandw.**Pellaea**Nephrolepis exaltata**Argemone glauca* var. (smooth buds)Photos of *Kobria* and roll 7, print

4 roll 8 (1st 3 overexp.?)

Photos of general aspect,
of Argemone. more of gen aspect.

Lower rt. corner

Xylocarpus haw.?*Lipochlaena**Thomaea indica**Hibiscadelphus hualalaiensis* planted*Opuntia* (n.)*Sidens*
nidosa var.

Below rd. green trees 50m. down
 with pendulous bits. *Xylocarpus*
 Tall brownish are *Pouteria*,
 lower greenish brown ones,
Cultrina.
Plumbago zeylanica beneath.
 Also a *Dracaena*.

Lantana abundant but
 in bad shape.

25.0 Erythrina grove mauka
 with abundant *Erythrina*
 also *Prosopis*, *Canthium*,
Lophora. *Mycoporum*.
 Some *Nothocentrum*
Dracaena. *Nototrichium*,
 1 *Reynoldsia* tree, 200m.
 mauka.

Cattle have been
 doing considerable damage.
 No seedlings or very young
 trees.

Photos of *Erythrina*
 and general aspect. finish
 roll.

78.6 grove of *Reynoldsia* mauka.
 79.0 photos of *Pine Wae Wae* & in
 other directions - dry forest.
 79.3 *Punaaula* school
 81.1 1359 flow.

then a good patch of
 open dry forest. largely

- Metrosideros and Diospyros but some other native species. Stature gets lower northward to just beyond Pua (at 85.0) where it fades out into grassland, and Dodonaea scrub. Last trees are Lophos.
- 85.8 out into grassland, and Dodonaea scrub. Last trees are Lophos.
- 87.8 Cross section of cinder cone on mt.
- 94.2 Jct. Saddle Rd. Bare under cone to mt. Mainly Dodonaea scrub some Opuntia, some open grass with more or less Opuntia. Patchy, more scrub than grass lower down, grass increasing upward.
- 97.7 patches of scrub rather sparse Eucalyptus planting on left, to 98.9. Then grass. No more scrub. Pasture of Sporobolus elongatus.
- 99.4 Patch of Eucalyptus on mt. Patch of Cupressus macrocarpa and rows of Eucalyptus
- 400.2 Acacia dealbata, Cupressus, Eucalyptus etc. Ranch bldgs left. Windbreaks of Eucalyptus. Pasture land.
- 02.3 Old cone with crater to mt. (bare)
- 2.9 Remnant of Lophos forest to left.
- 3.4 more scattered Lophos.
- 4.2 Myoporum + some Lophos, scattered

- up in watercourse. a little Dodonaea.
- 4.8 Wooded cone to left, some bare ones ahead. Mauna Kea ahead, Hualalai to mt.
- 5.2 Mauna Kea to left. Training area. (Pohakuloa) grass much more luxuriant, more Dodonaea. A little Lophos and Myoporum.
- 6.2 Chenopodium common. Road badly torn up by heavy military equipment.
- 7.2 Cones in Mauna Kea slope to left fairly well wooded. Here scrappy veg. of Chenopodium, Myoporum, Lophos, Portulaca scattered in tussock grassland. Cones in all directions.
- 09.2 (39 mi. to Hilo) Puna Kaho Chenopodium scrub, open, badly beaten up.
- 10.0 Dunes of ash. A definite belt of scrub part way up Mauna Kea on left. Grassy slope below, bare (or grassy) above. Belt is about $\frac{1}{4}$ or $\frac{1}{3}$ the width of slope, but becomes broader ahead until it reaches down to level of saddle at military camp.

- 412.7 Pohakuwa Army Camp.
Above this open *Sophora*
Myoporum woodland with
~~some~~ *Chenopodium* and
tussock grass.
- 13.7 Hunting Lodge and picnic
ground.
Woodland horribly beaten
up by manwaving.
- 14.3 Base
aa on right, then
on left. That on left older,
covered by scattered *Sophora*
and *Myoporum* with *Chenopod.*
- 15.4 New aa flow (1943) no vegetation.
In distance to left some fair
Sophora - *Myoporum* forest.
- 16.9 Good *Sophora* - *Myoporum*
- 18.6 forest just to left across aa.
- 17.4-18.6 Pahoehe flow on it. across aa.
- 18.9 Hill with *Myoporum* - *Sophora*
on left, poor condition.
- 19.0 highest point - aa field.
- 19.7 Badly damaged *Sophora* *Myoporum* forest
to left.
- 19.9 Pahoehe field.
- 21.0 Humulus sheepste. on left,
Pua Haluhulu on it.

photos
of Pahoehe
+ of Mauna Kea

Forest on Pua Haluhulu badly
damaged by grazing.

Myoporum
Coprosma
Sophora
Acacia koa
Styphelia
Rubus mauri
Metrosideros *Podocarpus*

The grassy veg. is completely
weedy.

Rumex acetosella
Cerastium vulgatum
Festuca myuros
Bromus rigidus
Geranium carolinianum
Poa compressa
Bromus sp.
Sonchus oleraceus or cf. *arvensis*?
Stellaria media
Pteridium
Lapsana
Taraxacum vulgare
Hypochaeris radicata
Bidens pilosa var.
Ludwigia palustris
Epilobium
Bromus catharticus, a *unioide*
Physalis peruv.
Hypochaeris glabra
Lepidium virginicum
Anthoxanthum odoratum

Side toward Mauna Kea
grassy with a few *Myoporum*
Sophora, *Coprosma*. To also.
Other side has forest with
much *Coprosma*, a little
lehua, some *Myoporum* a few
bushes *Styphelia* (tall) and patches
of *Rubus* moss.

Around base a bit of
Styphelia scrub. + *Coprosma*
Bryum argenteum on
cinders along rd.

some
cinders
quarried
out of
M. K. m.

- Pahoehoe flat toward Kil.
 aa on rt side with
 low lehua woodland.
 21.9 Fresh aa field.
 22.4 Complicated pattern of
 aa, pahoehoe, and old
 flows with low scrub
 on flat in saddle.
 Degraded forest to left,
 grazed.
 Fresh flows along rd.
 for some distance. aa
 24.1 Many small kipuka
 with small lehua and
 low scrub or dwarf scrub.
 24.7 Lichens abundant on
 aa flows.
 25.8 Pahoehoe with lichens & ferns.
 Then more aa with lichens.
 17-9- Dwarf scrub on left.
 26.5 Lehua forest across flow to rt.
 27.5 Lehua forest on left.
 More and more veg. on aa
 lichens very thick. Ladderia,
 Cyprip. errod. Polypod. f. l.
 lehua (small) Vaccinium.
 30.0 (19 mi Hills) Small lehua, 1-2 m.
 common. ferns more and
 more abundant.
 30.6 Low open forest
 30.7 Patch of taller forest on rt.
 more and more tall forest.
 Low forest more and more
 developed.
 31.0 Gleichenia. Tall forest on rt.

33.0 Mosaic of low open and
 tall, rather dense forest.

33.5 Open low forest with
 Gleichenia & Ladderia

This for some miles.

35.0 stop. Open scrub forest
 of lehua 2-4 m. tall, with
 Gleichenia, Hypopodium cernuum,
 Machaerina angustifolia.

Coprosma ^{sp.} Styphelia (s)
 Laccidolepis ^{cont.} (in trail) Vaccinium ret.?
 Cyprip. errod. Cyprip. compressum (in trail)
 In places the Machaerina

is dominant in ground layer,
 in places Gleichenia.

Hedyotis glomerata

Ladderia cyathoides

Dubautia scabra(?)

Hypochaeris radicata (in trail)

On rocky pahoehoe. Covers
 ground completely.

(14.2 mi. above file) (small
 back off place on rt. & trail
 into wood.

Taller forest on left.)

37. Tall dense lehua forest with
 well developed Libotium large on left.
 then lower, tangled with
 Gleichenia.

37.6 Open fern. Machaerina with
 scattered lehua. Andropogon along rd.
 Thickens up barrier down. some lehua.

sent booklet

Dwight E. Walker
Paloa, Hawaii

Harland & Acahi
Pentax

41.0 = cleared & regrowth
patches of low. patches of
fern lehua. mostly open
degraded forest or open scrub.

42.1 *Rhus javanica* on left.
Machraera with scattered
small lehua.

42.9 *Melastoma*.

43.2 fruit house.

dense small lehua on left,
open with *Gleichenia* &
machraera on it.

43.3 Thicket of small lehua
and *Gleichenia*.

44.2 (Hilo outskirts) Kaumana

45 Cane on left, grass ~~brush~~ on it.
Kaumana forest.
Cane field.

45.4 Kaumana cave. Lehua - dense but
955 973 cane field, grass ^{small} thickets.
125 sparse lehua, *Carex*.

46 House.