Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

6257
1906-7

TRADE-LIST OF

1906-7

American Plants and Shrubs

U. S. Department of Agriculture
Washington, D. C.

HIBISCUS MOSCHEUTOS
Specimen Plant, in our Grounds.

COLLECTED AND GROWN BY WM. F. BASSETT

HAMMONTON, NEW JERSEY, U. S. A.

Filling a fifteen carload order for *Kalmia Latifolia*. This work is all done under personal supervision

NEW YORK ZOOLOGICAL PARK, Aug. 18th, 1906.

MR. WM. F. BASSETT : Dear Sir : The *Kalmias*, ten carloads in all, that we received from you, have done exceedingly well, as might be expected from stock as carefully dug as yours was. We expect a fine show next season, and I hope to be able to send you some photographs of them.

Yours very truly,
HERMANN W. MURKEL, Chief Forester and Constructor.

Terms and Remarks.

OUR TERMS are net cash, and are for the quantities named, except that 5, 50, and 500 will be furnished at the ten, hundred, and thousand rates, respectively. Persons not known by us to be responsible and reliable, will be expected to send cash with order, or good references.

SHIPPING FACILITIES. Our nurseries are within 30 miles of Philadelphia (two railroads), 100 miles of New York, and freight rates very low.

MAILING PLANTS. Small orders will be filled by mail when so requested, if the size of plant will permit ; but postage will be added to bills so forwarded.

COLLECTED PLANTS. This is our original specialty, and we collect plants in New Jersey, Pennsylvania, Delaware, and Maryland, and we also have arrangements with special collectors in the New England and other states. This collecting is all done by skilled men, and the plants so collected are not to be compared with "cheap collected plants" PULLED UP by irresponsible parties at so much per thousand. We aim to get the very best, especially in those species that are difficult to transplant, and we send out only such as we could succeed with ourselves ; but as we cannot control weather conditions or other circumstances where we send them, we cannot, of course, assume any responsibility further than to ship them in good order.

TRANSPLANTED STOCK. To meet the wants of an increasing list of customers, we have for several years been transplanting the best varieties of our native shrubs and hardy plants into our nursery grounds, and growing them under culture for one or more years.

PACKING, which is done in a most thorough manner, is charged at cost. We use the best of sphagnum moss.

To our European Friends.

We have a good list of European customers, and our system of packing is such that our shipments have arrived in perfect condition. We wish, however, to say to this class of customers that Fall orders are much more desirable, as the dormant condition of stock shipped at that season admits of closer packing, and consequently safer transit.

Certificate of Inspection.

A copy of the Certificate of Inspection will accompany each shipment.
We will fumigate stock WHEN REQUESTED.

Novelties and Specialties.

Bright Red Pyrus,—*Arbutifolia*, var. *Brilliantissima*.

It is not necessary to say to those who are familiar with the common *Pyrus arbutifolia*, that the fruit varies in color from red to almost black, and that the greater portion, even of those which are light red when first ripening, turn quite dark and dull later in the season. Our *Brilliantissima* has been propagated from a few plants we found, which produced bright scarlet berries and retain their bright color until late in the winter. This is so decidedly superior to the ordinary form that we are growing it exclusively.

Plants not in this List.

There are many native plants not included in this list, which we can collect if desired. We can collect nine varieties of *Eupatorium*, twenty varieties of *Aster*, eighteen varieties of *Solidago*, and many others.

Seeds.

We collect American tree and shrub seeds ON ORDERS ONLY. Prices quoted on application.

Shrubs for Immediate Effect.

We make a specialty of large plants, collected with ball of earth, in carload lots. In this list may be mentioned *Ilex opaca*, *Kalmia latifolia*, *Azalea viscosa*, *Vaccinium corymbosum*, *Viburnum cassinoides*, etc. These are unusually fine specimens of each variety, ranging in size from one to six feet, according to variety.

SPECIAL PRICES on carload lots.

Hardy Perennial Phlox.

We offer the following selection in strong field-grown plants. This selection is the best of a large collection.

Price, except where noted: 15 c. each; \$1 for 10; \$6 per 100; \$55 per 1000
These prices good for Fall delivery only.

Aquilon. Tall. Bright Tyrian rose, with rich crimson eye.

Andreas Hoffer. Medium. An early and continuous-flowering pure white.

Boquet Flouri. Dwarf. Pure white, with crimson-carmine eye; free flowering;
each branch a perfect boquet.

Bridesmaid. Tall. White, with large crimson-carmine centre.

Beranger. Dwarf. Ground color white, delicately suffused with rosy pink, and
distinct amaranth red eye.

Bacchante. Tall. Tyrian rose, with crimson carmine eye.

Blanc Nain. Very dwarf. Pure white.

Colibri. Tall. White, with crimson carmine centre; very late.

Champs Elysee. Medium. A very bright rosy magenta, of an effective shade.

- Crystal Palace.* Tall. Lilac, with white markings and deeper color centre.
- Cyclon.* Very dwarf. White suffused with lilac, aniline red eye in form of a star.
- Eclairneur.* Tall. Brilliant rosy magenta with large lighter halo,—excellent variety.
- Eugene Danzanvillier.* Tall. Lilac, shading white towards the edges; large white centre.
- Esclarmonde.* Tall. Lilac, marked with white; aniline red eye.
- Edmond Audran.* Medium. Deep mauve.
- Fantome.* Tall. Bluish lilac, washed with white on edges, with large dark crimson centre.
- Graff von Ungerer.* Tall. Large flower, white, suffused throughout with rosy lilac, and dark crimson eye.
- H. O. Wijers.* Tall. Pure white, with crimson-carmine eye.
- Inspector Peiker.* Purplish mauve, washed with white.
- Joanne d'Arc.* Tall. A late flowering pure white.
- La Vague.* Medium. Pure mauve, with aniline red eye; one of the best phlox in our collection.
- La Solell.* Medium. Rosy magenta, with carmine eye and light halo.
- Mozart.* Tall. Ground color white, suffused with salmon; aniline red eye.
- Miremar.* Dwarf. Reddish violet, with faint white markings.
- Mme. Marie Kuppenheim.* Dwarf. A fine late pure white.
- Offenbach.* Dwarf. Light purple, with lighter shadings.
- Otto Thalacker.* Dwarf. Tyrian rose, with deep red eye and light halo.
- Obergartner Wittig.* Medium. Bright magenta, with crimson-carmine eye; large flower and truss; the best of its type.
- Pantheon.* Tall. Bright carmine rose.
- Pecheur d'Islands.* Tall. Crimson red suffused with cochineal red, carmine red eye.
- P. Bonnetaine.* Medium. Deep rosy magenta.
- Professor Schlieman.* Tall. Pure mauve, with crimson-carmine eye; an effective late flowering variety.
- Papillon.* Medium. Bright violet purple, peculiarly marked with white.
- Philibert Audelbrand.* Tall. Pure white, carmine centre; large flower.
- R. P. Struthers.* Tall. Rosy carmine, with claret red eye; one of the best Phlox in cultivation.
- Roxclane.* Tall. Reddish violet, with aniline red eye.
- Sunshine.* Dwarf. Large flower; aniline red, with crimson red eye, light halo.
- Simplon.* Tall. White, with aniline red eye.
- Semiramis.* Rosy magenta, with lighter centre.
- Schlessgartner Reichenaut.* Dwarf. Solferino red.
- Thebaide.* Dwarf. Carmine lake, with brighter shadings and aniline red.
- Talma.* Dwarf. Rosy magenta; small white eye.
- The Pearl.* The best pure white. 10 c. each; 75 c. per 10; \$4 per 100; \$35 per 1000. We have a large stock of this variety, in field-grown plants.
- Vou Goethe.* Tall. Tyrian Rose, suffused with carmine lake, and carmine red eye.
- Wm. Miihle.* Tall. Carmine purple, with crimson eye.
- Zouave.* Medium. Bright rosy magenta, with red centre.

General List of Hardy Perennials.

We have a large and varied stock of Hardy Perennials, including the very best standard varieties and many of the newer sorts. Parties intending to plant largely of this class of stock should send their list for special estimate. A liberal discount on orders amounting to twenty-five dollars or more.

	Each	10	100	1000
<i>Achillea eupatoria</i>	\$0.15	0.75		
“ <i>millefolium roseum</i>	10	.50	3.00	25.00
“ <i>The Pearl</i>	10	.40	2.50	20.00
“ <i>tomentosa</i>	15	.50		
<i>Acorus calamus</i> , collected	10	.50	3.00	
<i>Adiantum pedatum</i>	15	.60	3.00	25.00
<i>Aletris farinosa</i> , col	10	.50	2.00	12.00
<i>Amsonia salicifolia</i>	15	1.00		
<i>Andropogon macrourus</i> , col	10	.50	2.00	15.00
<i>Anemone Pennsylvanica</i>	20	.75		
“ <i>nemerosa</i>	15	.60	5.00	
<i>Anemonella thalictroides</i> , col	15	.60	3.00	
<i>Apios tuberosa</i>	10	.30	1.00	8.00
<i>Aquilegia Canadensis</i> , col		.50	3.00	25.00
“ <i>hybrida</i>	25	.75	4.00	
<i>Aralia hispida</i> , col	15	.75		
<i>Arenaria squarrosa</i> , col	20	.70	3.00	25.00
<i>Arisaema Dracontium</i> , col	20	.80	4.00	
“ <i>triphyllum</i> , col	10	.50	2.00	15.00
<i>Asarum Canadense</i>	15	.50	4.00	
<i>Asclepias incarnata</i> , col	10	.50	3.00	20.00
“ <i>obtusifolia</i> , col	20	1.00		
“ <i>pulchra alba</i>	50			
“ <i>tuberosa</i> , col	20	1.00	6.00	40.00
<i>Aspidium acrostichoides</i>	10	.50	2.00	15.00
“ <i>aculeatum</i> var. <i>Braunii</i> , col	30	1.25		
“ <i>cristatum</i> , col	20	.70	4.00	
“ <i>goldianum</i>	25	1.25		
“ <i>marginale</i> , col	10	.50	2.00	15.00
“ <i>novaboracensis</i> , col	10	.50	2.00	15.00
“ <i>spinulosum</i> , col	15	.75	3.00	25.00
“ <i>thelypteris</i> , col	10	.50	2.00	15.00
<i>Asplenium ebeneum</i> , col	10	.50	2.00	15.00
“ <i>trichomanes</i> , col	15	.60	3.00	
<i>Aster concolor</i> , col	15	1.00		
“ <i>linariifolius</i> , col	10	.50	2.00	15.00
“ <i>longifolius</i> , col	15	1.00		
“ <i>Nova Anglae</i>	15	.60	3.50	
“ “ <i>rosea</i>	15	1.00	8.00	
“ <i>Mrs. F. Raynor</i>	15	1.00		

All plants in this list are nursery grown, unless otherwise specified.

	Each	10	100	1000
Aster laevis	15	.75	5.00	
“ laevis floribunda	25	1.00		
“ patens, col	10	.50		
“ puniceus, col	20	.75		
“ spectabilis, col	10	.50	2.50	15.00
“ tradescantii, col	10	.40	2.50	15.00
“ Tartaricus	15	.75	3.00	25.00
Baptisia tinctoria, col	25	1.00	4.00	
Boltonia asteroides	15	.75	4.00	
“ glastifolia	25	1.00	4.00	
“ latasquamae	15	.75	4.00	
Botrychium Virginicum, col	20	.60	4.00	
Brasenia peltata, col	10	.50	2.00	15.00
Breweria Pickeringii, col	25	1.00	6.00	
Brunella vulgaris	10	.50	2.00	15.00
Calamagrostis brevipilis, col	25	1.00	5.00	
“ Nuttaliana, col	25	1.00	6.00	
Calla palustris, col	15	.75	4.00	
Calopogon pulchellus, col	15	.60	4.00	
Caltha palustris, col	15	.60	3.00	25.00
Camptosorus rhizophyllus, col	15	.60	2.50	
Cassia Marylandica	15	.50	3.00	
Chelone glabra, col	10	.50	3.00	
Chimaphila maculata, col	15	.60	4.00	
“ umbellata, col	15	.75	6.00	
Chrysopsis falcata, col	20	.50	3.00	10.00
“ Mariana, col	10	.50	2.50	15.00
Cimicifuga racemosa, col	15	.60	3.00	20.00
Claytonia Virginica, col	15	.60	4.00	
Clintonia borealis, col	15	.60	3.00	
Coreopsis grandiflora	15	.75	3.00	
“ lanceolata	10	.50	2.00	15.00
Coronilla varia	10	.60	4.00	
Cunilla Mariana, col	20	.60	3.00	
Cypripedium acaule, col	15	.75	4.00	
“ “ large selected roots			6.00	
Dallibarda repens	15	1.00		
Dentaria laciniata, col	15	.60	3.00	
Dicentra Canadensis, col	15	.75	2.50	15.00
“ cucullaria, col	15	.60	2.00	15.00
Dicksonia piliosusiuscula	15	.60	2.00	10.00
Digitalis gloxinoides	15	.75		
Dioscorea villosa, col	25	1.50		
Dracocephalum Virginicum	10	.50	2.00	
Drosera filiformis, col	15	.60	1.50	10.00
“ intermedia	15	.60	3.00	

All plants in this list are nursery grown, unless otherwise specified.

	Each	10	100	1000
Elodes Virginica, col	15	.60	3.00	15.00
Epilobium angustifolium, col	15	1.00	6.00	50.00
Erianthus alopecuroides, col	15	.60	3.00	
Eriocaulon gnaphalodes, col	15	.60	2.50	
“ decangulare, col	15	.60	2.50	
Eriophorum Virginicum, col	15	.75		
“ gracile	10	.75	5.00	40.00
Eryngium amethystinum	25	1.00	5.00	
“ Virginicum	15	1.00	5.00	
Erythronium Americanum, col	15	.60		
Eulalia gracillima	10	.50	2.00	18.00
“ Japonica variegata		.50		
“ “ zebrina	15	.60	2.50	18.00
Eupatorium ageratoides	15	.75	4.00	
“ “ col	15	.60	3.00	20.00
“ purpureum, col	15	.60	4.00	30.00
Euphorbia corollata	15	.50	2.50	10.00
“ ipecacuanhæ, col	10	.60	3.00	
Funkia lancifolia	15	.60	3.00	25.00
“ Sieboldii	25	2.00		
Gaillardia grandiflora	20	1.00	5.00	
Galactea glabella	20	.80		
Galtonia (Hyacinthus) Candicans		.50	1.50	
Gentiana Andrewsii, col	25	1.25	7.00	
“ angustifolia, col	25	1.50		
“ saponaria, col	25	1.00	7.00	
Geranium maculatum, col	15	.60	2.50	
“ sanguineum	15	.80	5.00	
Gerardia flava, col	20	.75	5.00	
Goodyera pubescens	30	1.00		
Gratiola aurea, col	15	.60	3.00	
Gypsophyla repens	25	1.50		
Habenaria blephariglottis, col	15	.70	5.00	
“ ciliaris, col	15	.75		
“ lacera	25	.75	5.00	
Helenium autumnale	15	.60	2.00	15.00
“ pumilum	15	1.00		
Helianthus angustifolius, col	15	.60	3.00	20.00
“ divaricatus, col	15	.60	4.00	25.00
“ giganteus	15	.60	3.00	
“ lætiflorus	10	.50	2.00	10.00
“ mollis, col	20	.75	3.00	
Heliopsis Pitcheriana	25	1.00	4.00	
Helonias bullata, col	20	.85	4.00	30.00
Hemerocallis Dumortieri	15	.60	3.00	25.00
“ florham	30			

On page 13, *Mimuber ringens* should read “*Mimulus ringens*.”

All plants in this list are nursery grown, unless otherwise specified.

	Each	10	100	1000
<i>Hemerocallis flava</i>	20	.75	4.00	35.00
“ <i>fulva</i>	10	.60	2.00	15.00
“ <i>Middendorffiana</i>	25	2.00		
“ <i>Kwanso plena</i> , var	25	1.25		
“ <i>Thunbergii</i>	20	.75	4.00	
<i>Hepatica acutiloba</i> , col	15	.60	4.00	25.00
“ <i>triloba</i> , col	15	.60	4.00	25.00
<i>Heuchera Americana</i>	15	.75		
“ “ col	15	.50	2.00	15.00
<i>Hibiscus moscheutos</i>	15	.60	3.00	20.00
“ “ <i>Crimson Eye</i>	15	.60	3.00	20.00
“ <i>militaris</i>	15	.75	2.00	
<i>Houstonia coerulea</i> , col	15	.50	4.00	
<i>Hypericum angulosum</i> , col	15	1.00		
“ <i>ascyron</i>	25			
<i>Iberis sempervirens</i>	20	.50	4.00	
“ “ <i>superba</i>	25	.75	4.00	
<i>Ipomœa pandurata</i> , col	25	1.00	7.00	
<i>Iris Germanica</i> , <i>Madam Cherau</i>		.75	4.00	
“ “ <i>mixed</i>		.50	2.00	
“ <i>aurea</i>	25	1.00		
“ <i>prismatica</i> , col	15	.60	2.00	15.00
“ <i>pumila</i>	15	.60	2.50	
“ <i>pseudacorus</i>	10	.50		
“ <i>Siberica</i>	15	.50	3.00	
“ “ <i>alba</i>	25	.60		
“ <i>versicolor</i>		.75	2.00	15.00
<i>Lacnanthes tinctoria</i>	10	.50	2.00	15.00
<i>Liatris graminifolia</i> , col	10	.50	2.00	15.00
“ <i>cylindriaca</i>	15	1.00		
“ <i>pycnostachia</i>	25	1.25	5.00	
“ <i>spicata</i>	20	.75	4.00	
<i>Lilium Philadelphicum</i> , col	25	.80	5.00	
“ <i>superbum</i>	20	.75	5.00	
“ <i>Canadense</i>	20	.75	5.00	
<i>Linaria Canadense</i>	10	.50	2.00	10.00
“ <i>vulgaris</i>	15	.50	2.00	15.00
<i>Liparis liliifolia</i>	25	1.25	8.00	
<i>Lobelia cardinalis</i> , col	20	.60	3.00	20.00
“ <i>syphilitica</i> , col	25	.80	5.00	
<i>Lophiola aurea</i> , col	25	1.00	5.00	30.00
<i>Lysimachia ciliata</i>	15	.60	3.00	
“ <i>clethroides</i>	15	.60	4.00	
“ <i>Nummularia</i>	15	.60	2.00	
“ <i>punctata</i>	15	.60	4.00	
“ <i>quadrifolia</i> , col	15	.60	2.50	

All plants in this list are nursery grown, unless otherwise specified.

	Each	10	100	1000
<i>Lysimachia stricta</i> , col	15	.60	3.00	
<i>Lythrum salicaria</i> superba	15	.80	4.00	
<i>Mertensia Virginica</i> , col	20	.75	3.50	25.00
<i>Mikania scandens</i> , col	25	1.00		
<i>Mitchella repens</i> , col	10	.50	2.00	15.00
<i>Mentha piperita</i>	15	.75	3.00	
“ <i>viridis</i>	15	.75	3.00	
<i>Narthecium Americanum</i> , col	30	1.50	5.00	40.00
<i>Nepeta glechoma</i>	10	.50	2.00	
<i>Nesæa verticillata</i> , col	25	1.00	5.00	
<i>Nuphar advena</i> , col	25	1.00	6.00	
<i>Nymphæa odorata</i> , col	25	.75	3.00	
“ “ <i>minor</i> , col	25	.75	3.00	
<i>Ænothera fruticosa</i> , col	15	.60	2.00	18.00
“ <i>Youngii</i>	15	.75		
<i>Onoclea sensibilis</i> , col	15	.50	2.00	10.00
“ <i>struthiopteris</i> , col	15	.70	6.00	
<i>Opuntia Raffinesquii</i>	15	.60	2.00	15.00
<i>Orontium Aquaticum</i> , col	25	.90	6.00	45.00
<i>Osmunda cinnamomea</i> , col	20	1.00	6.00	45.00
“ <i>Claytoniana</i> , col	20	.85	4.00	35.00
“ <i>gracilis</i> , col	25	1.00	6.00	40.00
“ <i>regalis</i> , col	20	1.00	6.00	40.00
<i>Oxalis violacea</i> , col	15	.60	3.00	
<i>Panicum virgatum</i> , col	15	.60	2.00	15.00
<i>Pardanthus Chinensis</i>	10	.50	2.00	15.00
<i>Pentstemon barbatus</i> Torreyi	20	.75	4.00	
“ <i>grandiflorus</i>	20	.75	5.00	
“ <i>digitalis</i>	20	1.00	5.00	
“ <i>pubescens</i> , col	15	.60	2.50	20.00
<i>Peltandra Virginica</i> , col	30	1.50	8.00	60.00
<i>Phegopteris dryopteris</i>	15	.60		
“ <i>hexagonoptera</i>	15	.60	3.00	
“ <i>polypodioides</i>	15	.60		
<i>Phlox divaricata</i> , col	20	.75	3.00	25.00
“ <i>maculata</i> , col	20	.75	3.50	
“ <i>subulata</i>	15	.60	2.50	
“ “ <i>alba</i>	15	.60	2.50	
“ <i>The Pearl</i>	10	.60	4.00	35.00
<i>Physostegia Virginica</i>	15	1.00		
“ “ <i>alba</i>	15	1.00	5.00	
<i>Platycodon grandiflorum</i>	25	.60	5.00	
“ “ <i>album</i>	25	.60	5.00	
<i>Podophyllum peltatum</i> , col	15	.60	2.00	15.00
<i>Pogonia ophioglossoides</i> , col	20	.75		
<i>Polypodium vulgare</i>	15	.60	2.00	12.00

All plants in this list are nursery grown, unless otherwise specified.

	Each	10	100	1000
<i>Pontederia cordata</i> , col	20	.75	4.00	30.00
<i>Pteris aquilina</i> , col	15	.50	2.00	10.00
<i>Pycnanthemum linifolium</i>	10	.50	4.00	
<i>Pyrola chlorantha</i> , col	15	.60	3.00	
“ <i>elliptica</i> , col	15	.60	3.00	
“ <i>rotundifolia</i> , col	15	.60	3.00	
<i>Pyxidanthera barbulata</i> , col	20	.75	3.00	25.00
<i>Rudbeckia hirta</i> , col	15	.60	2.50	20.00
“ <i>laciniata</i>	15	.60	3.00	25.00
“ “ <i>fl. pl.</i> (Golden Glow)	10	.50	3.50	
“ <i>speciosa</i>	15	.80		
<i>Sabbatia chloroides</i> , col	25	.75	5.00	40.00
“ <i>lanceolata</i> , col	15	.60	4.00	35.00
<i>Sagittaria latifolia</i>	15	1.00	6.00	
“ <i>Englemanni</i>	15	1.00	6.00	
<i>Salvia lyrata</i>	10	.50	2.00	15.00
“ <i>azurea grandiflora</i>	25	.75	5.00	
<i>Sanguinaria Canadensis</i>	15	.60	2.00	18.00
<i>Sarracenia purpurea</i> , col	25	.75	3.00	25.00
<i>Scirpus Eriophorum</i> , col	15	.60	3.00	
<i>Sedum acre</i>	10	.50	3.00	20.00
“ <i>album</i>	10	.50	2.00	10.00
“ <i>spectabile</i>	15	.75	5.00	
“ <i>ternatum</i>	15	.60	3.00	20.00
<i>Silene Pennsylvanicum</i>	20	.75	5.00	
“ <i>stellata</i>	15	.60	3.00	
<i>Smilacina bifolia</i> , col	20	.75	3.00	25.00
“ <i>racemosa</i> , col	20	.75	3.00	25.00
<i>Solidago altissimum</i> , col	15	.60	2.50	
“ <i>cæsia</i> , col	15	.50		
“ <i>Canadensis</i>	15	.60	2.50	
“ <i>lanceolata</i> , col	10	.50	2.00	15.00
“ <i>nemoralis</i> , col	15	.60	2.00	15.00
“ <i>odora</i> , col	10	.50	2.00	15.00
“ <i>puberula</i> , col	15	.60		
“ <i>sempervirens</i>	10	.60	2.50	20.00
“ <i>tenuifolia</i> , col	10	.50	2.00	15.00
“ <i>virgata</i> , col	20	.75	3.00	25.00
<i>Stokesia cyanea</i>	10	.75	4.00	30.00
<i>Tephrosia Virginica</i> , col	15	.60	3.00	25.00
<i>Thalictrum cornuti</i> , col	20	.75	3.00	25.00
“ <i>dioicum</i> , col	20	.75	3.50	30.00
<i>Tradescantia Virginica</i>	15	.60	3.00	25.00
“ “ <i>alba</i>	20	.75	3.50	
“ “ <i>fl. pl.</i>	25	1.00	3.00	
<i>Trientalis Americana</i>	10	.75	5.00	35.00
<i>Trillium erectum</i> , col	15	.60	3.00	

All plants in this list are nursery grown, unless otherwise specified.

	Each	10	100	1000
<i>Trillium erectum album</i> , col	20	.75	4.00	
“ <i>grandiflorum</i>	15	.50	2.50	15.00
“ “ <i>roseum</i>	20	.75	5.00	
<i>Typha angustifolia</i> , col	15	.60	5.00	
“ <i>latifolia</i> , col	15	.60	5.00	
<i>Vernonia hybrida</i>	15	1.00	5.00	
“ <i>novaboracensis</i> , col	20	.80	5.00	
<i>Veronica Circaeoides</i>	15	.75	3.00	
“ <i>officinalis</i>	25	.50	2 00	18.00
“ <i>longifolia subsessilis</i>	25	1.00	5.00	
<i>Viola cucullata</i>	10	.50	1.50	10.00
“ <i>pedata</i> , col	15	.50	2.50	20.00
“ <i>Pink Gem</i>	25	.75	5.00	
“ <i>Pinehurst</i>	15	1.00	5.00	
“ <i>primulæfolia</i>	15	.60		
<i>Woodwardia angustifolia</i> , col	15	.60	2.50	20.00
“ <i>Virginica</i> , col	15	.60	2.00	15.00
<i>Xerophyllum asphodeloides</i> , col	15	.60	2.00	15.00
“ “ <i>in strong clumps</i> , col	25	1.50	10.00	
<i>Yucca filamentosa</i>	20	.70	3.50	30.00
“ “ <i>(heavy plants)</i>	25	1.50	7.00	

Trees, Shrubs, and Woody Climbers.

<i>Acer Platanoides</i> , 1 to 2 feet	10	.50	2.50	
“ “ <i>seedlings</i> , 4 to 6 inches		.25	1.00	
“ <i>rubrum</i> , 5 to 8 feet, col	25	1.25	8.00	
“ “ <i>4 to 5 feet</i> , col	20	.80	4.00	
“ “ <i>3 to 4 feet</i> , col	20	.75	3.00	
“ “ <i>2 to 3 feet</i> , col	15	.50	2.50	15.00
“ <i>spicatum</i> , col		1.00	4.00	
<i>Akebia quinata</i> , 2 years	15	.50	3.00	
<i>Amelanchier Botryapium</i> , col	15	.80	6.00	30.00
“ <i>Canadensis</i> , 2 to 4 feet, trans	15	1.00	6.00	
“ “ <i>col</i>		.60	3.00	
“ <i>rotundifolia</i> , 2 to 3 ft	25	1.00	5.00	
“ “ <i>1 to 2 ft</i>	15	.75	3.00	
<i>Ampelopsis quinquefolia</i> , 2 years	15	.60	3.00	
<i>Andromeda arborea</i> , 10 to 15 inches	15	1.00	6.00	
“ <i>calyculata</i> , col		.60	2.00	15.00
“ <i>ligustrina</i> , trans	15	.75		
“ “ <i>col</i>		.60	3.00	25.00
<i>Andromeda Mariana</i> , 1 to 2 feet	20	1.00	5.00	
“ “ <i>6 to 12 inches</i>	15	.75	4.00	
“ “ <i>col</i>		.75	3.50	25.00
“ <i>polifolia</i>	25	.75	4.00	

All plants in this list are nursery grown, unless otherwise specified.

	Each	10	100	1000
<i>Audromeda racemosa</i> , 2 to 3 feet	25	1.50	10.00	
“ “ col		.60	2.50	20.00
<i>Asimina triloba</i>	35	2.50		
<i>Ascyrum Crux-Andræ</i> , col	15	.60	3.00	
“ stans, col	15	.60	3.00	
<i>Azalea arborescens</i> , 2 to 3 feet	40			
“ <i>Amoena</i>	40	3.00		
“ <i>calendulacea</i> , 1 to 2 feet	35	2.00	18.00	
“ “ 2 to 3 feet	50	4.00		
“ <i>nudiflora</i>	50	2.00	10.00	
“ “ col		.60	3.00	25.00
“ <i>Vaseyi</i> , 2 to 3 feet	40			
“ <i>viscosa</i> , 1 to 2 feet	15	1.00	7.50	
“ “ col		.60	3.00	25.00
“ “ 3 to 6 feet, with ball, col	1.40	10.00		
<i>Baccharis halimifolia</i> , col	15	.75	5.00	30.00
<i>Berberis Thunbergii</i>	15	1.00	8.00	
“ <i>vulgaris</i> , 10 to 12 inches	10	.40	2.00	
<i>Betula lenta</i> , 5 to 6 feet—XXX	25	2.00	15.00	
“ “ col		.50	2.50	18.00
“ <i>populifolia</i> , col		.50	1.50	10.00
“ <i>lutea</i> , 5 to 10 feet, extra	40	2.50		
<i>Calycanthus Floridus</i> , 1 to 2 feet	15	1.00	6.00	
<i>Carpinus Americana</i> , 2 to 4 feet, twice trans	25	1.00	7.00	
<i>Celastrus scandens</i> , col		.50	2.00	15.00
<i>Cephalanthus occidentalis</i> , 2 to 3 feet	25	2.00	8.00	
“ “ 1 to 2 feet	10	.50	3.00	
<i>Cercis Canadensis</i> , 1 to 2 feet	25	1.00	6.00	
“ “ 5 to 6 feet	30	2.00	10.00	
“ “ col		.60	4.00	30.00
<i>Chionanthus Virginica</i>	15	.60	5.00	
<i>Clematis Virginica</i> , col		.50	2.50	18.00
<i>Clethra alnifolia</i> , 2 to 3 feet	15	.80	5.00	
“ “ 1 to 2 feet	10	.50	3.00	25.00
“ “ col		.50	2.00	15.00
<i>Comptonia asplenifolia</i> , bushy	25	1.00	9.00	
“ “ col		.50	2.50	15.00
<i>Cornus Florida</i> , 2 to 3 feet	15	1.00	10.00	
“ “ col		.60	3.50	20.00
“ <i>mas.</i> , 2 to 3 feet	15	.90		
“ <i>paniculata</i> , 2 to 3 feet	20	1.00	8.00	
“ “ col		.60	3.00	25.00
“ <i>sericea</i> , 3 to 4 feet	20	.75	7.50	
“ “ col		.60	2.50	20.00
<i>Corylus Americana</i> , 2 to 3½ feet, trans	30	2.00	10.00	
“ “ col		.60	3.00	20.00
<i>Cratægus parvifolia</i> , 2 to 3 feet, heavy	30	1.75		
“ “ col		.60	4.00	35.00

All plants in this list are nursery grown, unless otherwise specified.

	Each	10	100	1000
Cupressus thyoides, col		.50	1.50	8.00
Diervilla trifida, trans	15	.60	6.00	
“ “ col		.60	3.00	25.00
“ sessilifolia	20	1.00	7.50	
Dimorphanthus Mandschuricus, 5 to 10 ft	50	1.00		
“ “ 2 to 5 feet		.50		
Diospyros Virginica, col	20	.75	4.00	
Dirca palustris, trans	20	1.00		
Epigea repens, col. seedlings, with ball	25	1.00	6.00	
Euonymus Americanus, col		.60	2.50	20.00
“ radicans	15	.60	3.50	
“ “ variegated	15	.75		
“ Europæus, 3 to 4 feet	20	1.00	4.00	
“ “ 2 to 3 feet	15	.60	3.00	
Forsythia Fortunei, 3 to 4 feet	15	.60	4.00	
Fothergilla alnifolia	25	1.50		
Gaultheria procumbens, col	10	.40	1.50	10.00
“ “ col. clumps		.50	2.00	15.00
Gaylussacia Dumosa, col	15	.60	3.50	
“ “ frondosa, col	15	.60		
“ resinosa, col	15	.50	2.00	15.00
Hammamelis Virginica	25	1.25	10.00	
“ “ col		.60	3.50	30.00
Hudsonia ericoides, col	10	.50	2.00	15.00
“ tomentosa, col		.60	4.00	20.00
Hydrangea arborescens, 1 to 2 feet	15	.75	6.00	
“ “ 2 to 3 feet	25	1.00	7.50	
“ “ col		.60	3.00	25.00
Hypericum densiflorum, col	15	.60	2.00	10.00
“ perforatum	10	.75	5.00	
Ilex glabra, 6 to 12 inch, col	15	.60	3.00	
“ 1 to 2 feet, with ball, col	15	3.00	17.00	
“ 2 to 3 feet, with ball, col	1.00	6.00	40.00	
Ilex Opaca; col. seedlings		.75	4.00	35.00
“ col, 1 to 2 feet, bushy		1.50	12.00	
Prices quoted on larger sizes on application.				
We cut leaves from all Ilex Opaca as soon as dug.				
Ilex verticillata, col		.85	4.00	
Itea Virginica, 1 to 2 feet	15	.50	4.00	
“ 2 to 3 feet	25	.80	6.00	
“ col		.50	3.00	
Juniperus Virginiana, col	15	.50	2.00	15.00
Kalmia angustifolia, col		.60	2.00	15.00
“ latifolia, 6 to 12 inches, col		.60	2.50	15.00
“ “ 2 feet, with ball, col	40	2.50	20.00	

We have a fine lot of this grade of Kalmias growing on land which was burned over some years ago, which we can furnish by thousand or carload at special prices.

All plants in this list are nursery grown, unless otherwise specified.

	Each	10	100	1000
Kolreuteria paniculata, 1 to 3 ft., trans	10	.50	3.00	
Ledum latifolium, col	20	1.00	5.00	
Leiophyllum buxifolium, col	15	.60	4.00	35.00
Leucothoe Catesbæii, 6 to 12 in	20	1.00	7.00	
Lindera Benzoin, 12 to 18 in	20	.80	5.00	
“ “ col		.60	3.00	25.00
Liquidambar styraciflua, 6 to 8 ft., twice trans	50	3.50		
“ “ 4 to 6 ft	35	3.00	25.00	
“ “ col		.60	2.00	
Lonicera Brachypoda, col	15	.60	3.00	25.00
“ fragrantissima, 3 to 5 ft	15	.50		
“ Halleana, 2 years	35	.75	3.50	25.00
Lyceum vulgare	10	.50	2.50	
Magnolia glauca, transplanted	25	1.50		
Menispermum Canadense, col	15	.60	2.50	20.00
Mimuber ringens	25	1.25		
Myrica cerifera			6.00	
“ “ 2 to 3 ft—XXX	30	2.00	15.00	
“ “ col		.75	3.50	
“ gale, 1 ½ to 2 ½ feet, bushy	25	1.00	7.50	
“ “ col		.75	3.50	30.00
Ostrya Virginica		1.25	8.00	
Platanus orientalis, 10 ft., trans	40	3.00		
“ “ 5 to 8 ft., trans	25	2.00	15.00	
“ “ 3 to 5 ft., trans	15	1.00	8.00	
Prunus maritima, col	15	.60	3.00	20.00
“ serotina, col	15	.60	3.00	20.00
“ Virginiana, col	15	.60	3.00	25.00
Pyrus arbutifolia, var. Brilliantissima, 2 to 3 feet, bushy	25	1.00	5.00	
“ “ var. Brilliantissima, 1 to 2 ft	15	.75	4.00	
“ melanocarpa, black fruited	15	.75	4.50	35.00
“ “ col		.60	3.00	
Rhododendron maximum, 1 to 2 ft	35	2.00	12.00	
“ “ col. seedlings, 6 to 12 in		.75	2.00	18.00
“ “ Catawbiense	25	2.00	15.00	
Rhus copalina, 2 to 3 feet—XX		1.00	7.50	
“ “ col		.50	2.00	15.00
“ glabra, col		.75	3.00	
“ typhina, col	15	.60	2.50	20.00
Robinia hispida	15	.50	3.00	25.00
Rosa blanda	15	1.00	7.00	
“ Carolina, col		.60	2.00	18.00
“ lucida, trans	20	1.25	7.00	
“ “ col		.50	4.00	30.00
“ nitida	20	1.25	7.00	

All plants in this list are nursery grown, unless otherwise specified.

	Each	10	100	1000
<i>Rosa setigera</i>	15	1.25	7.00	
<i>Rubus Canadensis</i> , col	10	.40	1.50	10.00
“ <i>cuneifolius</i> , col	10	.40	2.00	15.00
“ <i>hispidus</i> , col		.50	1.50	7.50
“ <i>odoratus</i> , col		.50	2.00	15.00
<i>Sambucus Canadensis</i> , col	20	.75	5.00	
<i>Sassafras</i> , trans	25	2.00	15.00	
“ col		.50	3.00	25.00
<i>Smilax rotundifolium</i> , col	15	.60	3.00	25.00
“ <i>Walterii</i> , col	25	1.00	6.00	
<i>Spiræa</i> Anthony Waterer, 1 to 2 feet	25	1.75	6.00	
“ <i>tomentosa</i> , col		.60	2.00	15.00
“ <i>VanHouttii</i> , 3 to 4 feet	25	1.00	7.50	
“ <i>Callosa superba</i>	25	1.00		
<i>Staphylea trifolia</i> , col	15	.60	3.00	25.00
<i>Stuartia pentagynia</i> , 8 to 12 in	15	1.00		
<i>Symphoricarpus vulgaris</i> , 2 to 3 feet	10	.50	2.50	20.00
<i>Tecoma radicans</i>	10	.50	2.50	
<i>Ulmus Americana</i> , 6 to 8 ft., twice trans	15	1.00	10.00	
<i>Vaccinium corymbosum</i> , trans	15	1.25	10.00	
“ “ col		.60	3.00	25.00
“ <i>macrocarpon</i> , col	10	.50	1.50	10.00
“ <i>Pennsylvanicum</i> , col		.60	3.00	25.00
“ <i>stamineum</i> , 8 to 12 inch	15	.80	6.00	
“ “ col		.75	4.00	30.00
“ <i>vacillans</i> , col		.60	3.00	25.00
<i>Viburnum acerifolium</i> , 1 to 2 feet	15	1.00	7.00	
“ “ col		.60	3.00	25.00
“ <i>cassinoides</i>	25	1.50	10.00	
“ <i>dentatum</i> , trans	25	1.50	8.00	
“ <i>nudum</i> , col		.60	3.00	25.00
<i>Virgilia lutea</i> , 6 to 12 inch	15	1.00	6.00	
<i>Xanthoxylum Americanum</i>	25	.80		
“ “ col		.75	4.00	30.00
<i>Xanthorhiza apiifolia</i>	20	1.25	6.00	50.00

Coniferous Evergreens.

<i>Arborvitæ</i> , dwarf, 1 to 2 feet	25	1.50		
<i>Pinus rigidia</i> , seedlings, col		.50	1.50	12.00

All plants in this list are nursery grown, unless otherwise specified.

PYXIDANTHERA BARBULATA

KALMIA LATIFOLIA
Specimen Plant.