Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

aZ5076
.A1U54

c

United States
Department of
Agriculture

National
Agricultural
Library

Beltsville,
Maryland 20705

and

United States
Environmental
Protection Agency

Office of Pesticide
Programs

Bibliographies
and Literature
of Agriculture
Number 97

September 1990

The Protection of Tropical and Subtropical Fruits, 1979 - April 1990

Citations from AGRICOLA Concerning Diseases and other Environmental Considerations

United States
Department of
Agriculture

National
Agricultural
Library

Beltsville,
Maryland 20705

and

United States
Environmental
Protection Agency

Office of Pesticide
Programs

Bibliographies
and Literature
of Agriculture
Number 97

September 1990

The Protection of Tropical and Subtropical Fruits, 1979 - April 1990

Citations from AGRICOLA Concerning Diseases and other Environmental Considerations

Compiled and Edited by

Charles N. Bebee
National Agricultural Library

National Agricultural Library
Beltsville, Maryland
1990

National Agricultural Library Cataloging Record:

Beebe, Charles N.

The protection of tropical and subtropical fruits, 1979-April 1990 : citations from AGRICOLA concerning diseases and other environmental considerations.

(Bibliographies and literature of agriculture ; no. 97)

1. Tropical fruit – Diseases and pests – Bibliography. 2. Plants, Protection of – Bibliography. I. Title.

aZ5076.A1U54 no.97

FOREWORD

This is the 33d volume in a series of commodity-oriented environmental bibliographies resulting from a memorandum of understanding between the U.S. Department of Agriculture, National Agricultural Library (USDA-NAL), and the U.S. Environmental Protection Agency, Office of Pesticide Programs (EPA-OPP).

This close working relationship between the two agencies will produce a series of bibliographies which will be useful to EPA in the regulation of pesticides, as well as to any researcher in the field of plant or commodity protection. The broad scope of information contained in this series will benefit USDA, EPA, and the agricultural community as a whole.

The sources referenced in these bibliographies include the majority of the latest available information from U.S. publications involving commodity protection throughout the growing and processing stages for each agricultural commodity.

We welcome the opportunity to join this cooperative effort between USDA and EPA in support of the national agricultural community.

JOSEPH H. HOWARD, Director
National Agricultural Library

DOUGLAS D. CAMPT, Director
Office of Pesticide Programs

INTRODUCTION

The citations in this bibliography, *The Protection of Tropical and Subtropical Fruits*, are selected from the AGRICOLA (AGRICultural OnLine Access) database limited to those produced by North American authors. They cover articles or monographic publications added to the database from 1979 - April 1990.

This is the 33d bibliography in a series of commodity-oriented listings of citations from AGRICOLA jointly sponsored by the U.S. Department of Agriculture, National Agricultural Library (USDA-NAL), and the U.S. Environmental Protection Agency, Office of Pesticide Programs (EPA-OPP). Additional volumes issued recently include *The Protection of Cotton, 1985 - 1989*, *The Protection of Soybeans, 1985 - 1989*, *The Protection of Small Fruits and Berries*, *The Protection of Grapes and Cherries*, *The Protection of Ornamental Plants*, *The Protection of Farm Animals*, and *The Protection of Wildlife and Vertebrate Pest Control*. The 1990 volumes include *The Protection of Tropical and Subtropical Fruits*, *The Protection of Small Grains (other than Wheat, Rice or Sorghums)*, *The Protection of Cucurbits*, *The Protection of Minor Vegetable Crops*, *The Protection of Beans, Peas, and Lentils*, and *The Protection of Forestry*.

Entries in the bibliography are subdivided into a series of section headings used in the contents of the *Bibliography of Agriculture*. Each item appears under every section heading assigned to the cited document. A personal author index is also included in the publication and a site index to plants follows the personal author index.

The U.S. Environmental Protection Agency contact for this project is Richard B. Peacock, Office of Pesticides and Toxic Substances.

Any comments or questions concerning this bibliography may be addressed to the compiler and editor:

Charles N. Bebee
Special Services Branch
USDA-NAL, Room 1402
Beltsville, MD 20705
(301) 344-3875

Errata

5, 17, 29, 86, 89, 112, 286, 393, 460, 596

EPA BIBLIOGRAPHY

The Protection of Tropical and Subtropical Fruits, 1979 - April 1990

Contents

	<u>Item Number</u>
Meteorology and Climatology	1 - 6
History	7 - 8
Legislation	9 - 18
Economics of Agricultural Production	19 - 20
Farm Organization and Management	21 - 23
Distribution and Marketing	24 - 27
Grading, Standards, Labelling	28 - 29
Plant Production - Horticultural Crops	30 - 93
Plant Production - Range	94
Plant Breeding	95 - 129
Plant Ecology	130 - 135
Plant Structure	136 - 148
Plant Nutrition	149 - 162
Plant Physiology and Biochemistry	163 - 300
Plant Taxonomy and Geography	301 - 302
Protection of Plants	303 - 305
Pests of Plants - General and Misc.	306 - 309
Pests of Plants - Insects	310 - 397
Pests of Plants - Nematodes	398 - 416
Plant Diseases - General	417 - 423
Plant Diseases - Fungal	424 - 491
Plant Diseases - Bacterial	492 - 494
Plant Diseases - Viral	495 - 514
Plant Diseases - Physiological	515 - 520
Miscellaneous Plant Disorders	521 - 532
Protection of Plant Products	
- General and Misc.	533 - 561
Protection of Plant Products - Insects	562 - 594
Weeds	595 - 608
Pesticides - General	609 - 624
Soil Biology	625
Soil Chemistry and Physics	626 - 628
Soil Fertility - Fertilizers	629 - 640
Forestry Related	641
Forest Products - Wood	642
Entomology Related	643 - 651
Animal Physiology and Biochemistry	652
Pest of Animals - Helminths	653
Nonfood and Nonfeed	654 - 656
Farm Equipment	657
Water Resources and Management	658
Drainage and Irrigation	659 - 662

Food Science, Horticultural Crop	663 - 664
Food Processing	665 - 666
Food Processing, Horticultural Crop	667 - 670
Food Storage	671
Food Storage, Horticultural Crop	672 - 692
Food Contamination and Toxicology	693
Food Contamination, Horticultural Crop	694 - 699
Food Composition, Horticultural Crop	700 - 713
Agricultural Products - Plant	714 - 716
Pollution	717 - 718
Mathematics and Statistics	719 - 720
Life Sciences	721
Human Medicine, Health, and Safety	722 - 724
Technology	725

Index

Author Index	111 - 116
Site Index	117 - 119

EPA BIBLIOGRAPHY

METEOROLOGY AND CLIMATOLOGY

0001

An agrometeorological model for assessing the effect of heat stress during the flowering and early fruit set on avocado yields.
JOSHE. Lomas, J. Alexandria, Va. : The Society. Journal of the American Society for Horticultural Science. Jan 1988. v. 113 (1). p. 172-176. Includes references. (NAL Call No.: DNAL 81 S012).

0002

Coming winter will stress avocado trees.
Palmer, T.Y. Vista, Calif., Rancher Publications. Avocado grower. July 1980. v. 4 (7). p. 40-41. map. (NAL Call No.: SB379.A9A9).

0003

Observations on the overwintering of Oriental persimmons in Maryland.
NONGA. Shanks, J.B. Hamden, Conn. : The Association. Annual report of the Northern Nut Growers Association. 1984. (75th). p. 21-27. ill. (NAL Call No.: DNAL 94.69 N81).

0004

The use of artificial windbreaks for protecting kiwifruit in New Zealand.
Richards, P.J. Bozeman, Mont. : Montana State University. Cooperative Extension Service. Great Plains Agriculture i.e. Agricultural Council publication. Paper presented at the "International Symposium on Windbreak Technology," June 23-27, 1986, Lincoln, Nebraska. 1986. (117). p. 221-222. (NAL Call No.: DNAL S27.A3).

0005

Using calendar dates for cutting propagation.
ANURA. Blazich, F.A. Chicago, Ill. : American Nurseryman Publishing Co. American nurseryman. Apr 1, 1987. v. 165 (7). p. 140-143. (NAL Call No.: DNAL 80 AM371).

0006

Wind-rub damage to kiwifruit: an interpretation of contrasting windbreak and trellis effectiveness.
McAneney, K.J. Judd, M.J. Bozeman, Mont. : Montana State University. Cooperative Extension Service. Great Plains Agriculture i.e. Agricultural Council publication. Paper presented at the "International Symposium on Windbreak Technology," June 23-27, 1986, Lincoln, Nebraska. 1986. (117). p. 189-190. ill. (NAL Call No.: DNAL S27.A3).

HISTORY

0007

History and development of fruit differentiation growth and ripening control in pineapple.

PPGGD. Williams, D.D.F. Lake Alfred, Fla. : The Society. Proceedings annual meeting - Plant Growth Regulator Society of America. 1987. (14th). p. 413-422. Includes references. (NAL Call No.: DNAL SB128.P5).

0008

Pineapple nematode research in Hawaii: past, present, and future.

JONEB. Caswell, E.P. Apt, W.J. Raleigh, N.C. : Society of Nematologists. Journal of nematology. Literature review, Apr 1989. v. 21 (2). p. 147-157. ill. Includes references. (NAL Call No.: DNAL QL391.N4J62).

LEGISLATION

0009

Avocado tree called Barr Duke.
Coffey, M.D. Guillemet, F.B. Washington, D.C. : The Office. A new and distinct rootstock variety of avocado tree characterized by its high yield resistance to Phytophthora root rot caused by Phytophthora cinnamomi. This variety has a high level of resistance comparable to the 'Duke 7' rootstock variety. It is also characterized under some field conditions by producing a somewhat smaller tree, when grafted with a 'Haas' scion, than that typical of a 'Duke 7' rootstock. Plant patent - United States Patent and Trademark Office. Feb 21, 1989. (6627). 1 p. plates. (NAL Call No.: DNAL 156.65 P69).

0010

Avocado tree called Thomas.
Coffey, M.D. Guillemet, F.B. Washington, D.C. : The Office. A new and distinct rootstock variety of avocado tree characterized by its high field resistance to Phytophthora root rot caused by Phytophthora cinnamomi. This variety has the highest level of resistance of any rootstock currently identified. It is characterized by relative ease of propagation using the etiolation method and graft compatibility with commercial scion varieties, including 'Hass', 'Gwen', 'Pinkerton', 'Fuerte', 'Bacon' and 'Zutano'. Plant patent - United States Patent and Trademark Office. Feb 21, 1989. (6628). 2 p. plates. (NAL Call No.: DNAL 156.65 P69).

0011

Borchard avocado tree.
Borchard, E.C. Washington, D.C. : The Office. Abstract: The new avocado tree is characterized by its relatively greater usefulness compared to the Topa Topa as a root stock and in prevention of chlorosis in soil conditions where trees are prone to become chlorotic. United States patent. Plant - United States Patent and Trademark Office. June 17, 1986. (5 750). 1 p. plates. (NAL Call No.: DNAL 156.65 P69).

0012

EDB (ethylene dibromide) update (Use for post-harvest fumigation of papayas, Rebuttable Presumption Against Registration, Hawaii).
Fujiyama, S. Honolulu : The Institute. Research extension series - Hawaii Institute of Tropical Agriculture and Human Resources. Oct 1982. Presented at the 17th Annual Hawaii Papaya Industry Association Conference, September, 1981. Oct 1982. (O20). p. 47-50. (NAL Call No.: S481.R4).

0013

Exporting bananas overseas (from Hawaii, includes quarantine regulations and a list of fumigation facilities).
Hu, B.K.S. Honolulu : The Institute. Research extension series - Hawaii Institute of Tropical Agriculture and Human Resources. Oct 1982. Presented at the 13th Annual Hawaii Banana Industry Association Conference, October, 1981. Oct 1982. (O21). p. 42-45. (NAL Call No.: S481.R4).

0014

Food irradiation: an update.
Morrison, R.M. Washington, D.C. : The Service. Extract: This article highlights recent regulatory and commercial activity on food irradiation internationally and in the United States. Irradiation's role in the U.S. food system may soon be expanding. The Environmental Protection Agency's (EPA) recent decision to suspend the use of ethylene dibromide (EDB) as a fumigant on stored grains, milling machinery, citrus fruits, and papayas has focused attention on finding alternative, nonchemical substitutes. National food review NFR - United States Dept. of Agriculture, Economic Research Service. 1984. (26). p. 11-14. Includes 4 references. (NAL Call No.: DNAL AGE aHD9001.N275).

0015

Further steps taken to eliminate EDB (ethylene dibromide, pesticide residues in citrus fruits and papayas, U.S. Federal Food, Drug, and Cosmetic Act, U.S. Environmental Protection Agency, legislation).
Washington : Office of Public Awareness. EPA Environmental Protection Agency journal. Apr 1984. v. 10 (4). p. 18-19. ill. (NAL Call No.: TD171.U5).

0016

If insect pheromones are pesticides, so are bananas.
Segelken, R. Canton, N.Y. : Agricultural Division, St. Lawrence County Cooperative Extension Association. St. Lawrence County cooperative extension news. Apr 1989. v. 73 (4). p. 11-12. (NAL Call No.: DNAL S544.3.N7S3).

0017

Pay attention to package dates when purchasing food products.
Atlanta, Ga. : Department of Agriculture. Farmers & consumers market bulletin. Dec 5, 1984. v. 70 (49). p. 1, 12. (NAL Call No.: DNAL 280.39 G292).

(LEGISLATION)

0018

Quarantine system for Papaya.

Couey, H.M. Hayes, C.F. Washington, D.C.? :
The Department. Abstract: A novel system to
ensure that papaya are free of fruit flies so
as to meet quarantine restrictions is
described. Papaya are subjected to selection on
the basis of color in combination with a
two-stage heated fluid treatment wherein time
and temperature of the treatment are maintained
within narrowly defined parameters. With this
system, excellent fruit quality is maintained.
The system is suitable for commercial use.
United States Department of Agriculture
patents. Copies of USDA patents are available
for a fee from the Commissioner of Patents and
Trademarks, U.S. Patents and Trademarks Office,
Washington, D.C. 20231. Oct 21, 1986.
(4,618,497). 1 p. Includes references. (NAL
Call No.: DNAL aT223.V4A4).

ECONOMICS OF AGRIC. PRODUCTION

0019

Poor returns spur interest in minor crops.
Linden, T. Newport Beach, Calif. : Western
Grower & Shipper Publishing Co. Western grower
and shipper. Sept 1985. v. 56 (9). p. 7-8, 28.
ill. (NAL Call No.: DNAL 280.38 W52).

0020

Quality control in fruit processing.
JUASD. Eng, T.G. Tat, M.M. Champaign, Ill. :
The Society. Journal of the American Oil
Chemists' Society. Paper presented at the
"World Conference on Processing of Palm, Palm
Kernei and Coconut Oils," 1984, Kuala Lumpur,
Malaysia. Feb 1985. v. 62 (2). p. 274-282. ill.
Includes 19 references. (NAL Call No.: DNAL
307.8 J82).

FARM ORGANIZATION AND MANAGEMENT

0021

Hot-water immersion appliance for quarantine research.

JEENAI. Sharp, J.L. Lanham, Md. : Entomological Society of America. A hot-water immersion appliance (HWIA) was assembled and used as a research tool in the development of a hot-water immersion quarantine treatment to disinfest mangos in Haiti, Mexico, and Florida that were infested with immature Tephritidae. The HWIA consists of a metal container (approximately 57.2 cm inside diameter and 85.1 cm height) adapted with a metal screen platform positioned inside the container 25.4 cm above the bottom. A submersible pump mounted to the bottom of the platform circulated 1,514-1,893 liters heated water per hour within the container through flexible polybutylene tubing. The water was heated by flames provided by a two-burner, propane gas, hot plate located below the container. The HWIA was easily assembled, durable, mobile, and inexpensive. Journal of economic entomology. Feb 1989. v. 82 (1). p. 189-192. Includes references. (NAL Call No.: DNAL 421 J822).

0022

Managing pricklypear with herbicides and fire.

Ueckert, D.N. Petersen, J.L.; Potter, R.L.; Whipple, J.D.; Wagner, M.W. College Station, Tex. : Texas Agricultural Experiment Station. Sheep and goat, wool and mohair. In the series analytic: Research Reports--Sheep and Goat, Wool and Mohair, 1988. Forward by Carl Menzies. Sept 1988. (4570). p. 10-15. Includes references. (NAL Call No.: DNAL SF375.4.T4S43).

0023

Selecting avocado rootstocks for specific conditions.

Ben Yaccov, A. Fallbrook, Calif. : Rancher Publications. California grower. May 1988. v. 12 (5). p. 14. (NAL Call No.: DNAL SB379.A9A9).

DISTRIBUTION AND MARKETING

0024

The cherimoya.

Gomez, M.C. Fullerton : California Rare Fruit Growers, Inc. California Rare Fruit Growers yearbook. 1983. v. 15. p. 5-29. Includes references. (NAL Call No.: DNAL SB354.C3).

0025

Exporting bananas overseas (from Hawaii, includes quarantine regulations and a list of fumigation facilities).

Hu, B.K.S. Honolulu : The Institute. Research extension series - Hawaii Institute of Tropical Agriculture and Human Resources. Oct 1982. Presented at the 13th Annual Hawaii Banana Industry Association Conference, October, 1981. Oct 1982. (021). p. 42-45. (NAL Call No.: S481.R4).

0026

Injury to avocados by insufficient oxygen and excessive carbon dioxide during transit (Persea americana, Europe, California, Florida).

Spalding, D.H. Marousky, F.J. S.l.. The Society. Proceedings of the ... annual meeting of the Florida State Horticultural Society. 1981 (pub. 1982). v. 94. p. 299-301. ill. Includes 7 ref. (NAL Call No.: 81 F66).

0027

The role of the surveyor.

JJASD. Supramaniam, S. Champaign. Ill. : The Society. Journal of the American Oil Chemists' Society. Paper presented at the "World Conference on Processing of Palm, Palm Kernel and Coconut Oils," 1984, Kuala Lumpur, Malaysia. Feb 1985. v. 62 (2). p. 443-448. ill. Includes 1 references. (NAL Call No.: DNAL 307.8 J82).

GRADING, STANDARDS, LABELLING

0028

Food irradiation: an update.

Morrison, R.M. Washington, D.C. : The Service.
Extract: This article highlights recent regulatory and commercial activity on food irradiation internationally and in the United States. Irradiation's role in the U.S. food system may soon be expanding. The Environmental Protection Agency's (EPA) recent decision to suspend the use of ethylene dibromide (EDB) as a fumigant on stored grains, milling machinery, citrus fruits, and papayas has focused attention on finding alternative, nonchemical substitutes. National food review NFR - United States Dept. of Agriculture, Economic Research Service. 1984. (26). p. 11-14. Includes 4 references. (NAL Call No.: DNAL AGE aHD9001.N275).

0029

Pay attention to package dates when purchasing food products.

Atlanta, Ga. : Department of Agriculture.
Farmers & consumers market bulletin. Dec 5, 1984. v. 70 (49). p. 1, 12. (NAL Call No.: DNAL 280.39 G292).

PLANT PRODUCTION - HORTICULTURAL CROPS

0030

Banana.
Israeli, Y. Lahav, E. Boca Raton, Fla. : CRC Press, 1986. CRC handbook of fruit set and development / edited by Shaul P. Monselise. Literature review. p. 45-73. ill. Includes references. (NAL Call No.: DNAL SB357.28.C73).

0031

Borchard avocado tree.
Borchard, E.C. Washington, D.C. : The Office. Abstract: The new avocado tree is characterized by its relatively greater usefulness compared to the Topa Topa as a root stock and in prevention of chlorosis in soil conditions where trees are prone to become chlorotic. United States patent. Plant - United States Patent and Trademark Office. June 17, 1986. (5,750). 1 p. plates. (NAL Call No.: DNAL 156.65 P69).

0032

Carambola production in Florida.
Campbell, C.W. Knight, R.U. Jr.; Olszack, R. S.L. : The Society. Proceedings of the ... annual meeting of the Florida State Horticulture Society. 1986. v. 98. p. 145-149. ill. Includes references. (NAL Call No.: DNAL SB319.2.F6F56).

0033

Cariflora, a papaya for south Florida with tolerance to papaya ringspot virus.
Conover, R.A. Litz, R.E.; Malo, S.E. Gainesville : The Institute. Circular S - Florida Agricultural Experiment Stations, Institute of Food and Agricultural Sciences, University of Florida. May 1986. (329). 4 p. ill. (NAL Call No.: DNAL 100 F66CI).

0034

Chemical defoliation of fig nursery stock using ethephon, harvade, and D-WK surfactant.
Dozier, W.A. Jr. Gilliam, C.H.; Knowles, J.W. Washington, D.C. : Horticultural Research Institute. Journal of environmental horticulture. Sept 1987. .v. 5 (3). p. 116-119. Includes references. (NAL Call No.: DNAL SB1.J66).

0035

The cherimoya.
Gomez, M.C. Fullerton : California Rare Fruit Growers, Inc. California Rare Fruit Growers yearbook. 1983. v. 15. p. 5-29. Includes references. (NAL Call No.: DNAL SB354.C3).

0036

Classification of olive varieties for effective mechanical harvesting.
TAAEA. Tsatsarelis, C.A. Akritidis, C.B.; Siatras, A.U. St. Joseph, Mich. : The Society. Transactions of the ASAE - American Society of Agricultural Engineers. Nov/Dec 1984. v. 27 (6). p. 1669-1673. Includes references. (NAL Call No.: DNAL 290.9 AM32T).

0037

Container size and potting medium affect growth rate of weeping fig and loquat.
McConnell, D.B. S.L. : The Society. Proceedings of the ... annual meeting of the Florida State Horticulture Society. Aug 1988. v. 100. p. 337-339. Includes references. (NAL Call No.: DNAL SB319.2.F6F56).

0038

Control of black rot of pineapples in transit /by C.O. Bratley and A.S. Mason.
Bratley, C. D. 1903-1948. Mason, A. S. 1890-. Washington, D.C. : U.S. Dept. of Agriculture. 1939. Caption title. 12 p. : ill. ; 23 cm. (NAL Call No.: DNAL 1 Ag84C no.511).

0039

Control of mango anthracnose with foliar sprays.
McMillan, R.T. Jr. S.L. : The Society. Proceedings of the ... annual meeting of the Florida State Horticulture Society. June 1985. v. 97. p. 344-345. Includes references. (NAL Call No.: DNAL SB319.2.F6F56).

0040

Control of papaya ringspot virus by cross protection.
PLDIDE. Yen, S.D. Gonsalves, D.; Wang, H.L.; Namba, R.; Chiu, R.U. St. Paul, Minn. : American Phytopathological Society. Plant disease. May 1988. v. 72 (5). p. 375-380. ill. Includes references. (NAL Call No.: DNAL 1.9 P69P).

0041

Control of sprouts on topworked avocado stumps with NAA formulations.
CAVYA. Boswell, S.B. Bergh, B.O.; Whitsell, R.H. Saticoy, Calif. : The Society. Yearbook - California Avocado Society. 1984. v. 68. p. 187-189. ill. Includes references. (NAL Call No.: DNAL 81 C128).

(PLANT PRODUCTION - HORTICULTURAL CROPS)

0042

Current status of papaya improvement program (Breeding, disease resistant cultivars, Hawaii).
Nakasone, H.Y. Aragaki, M. Honolulu : The Institute. Research extension series - Hawaii Institute of Tropical Agriculture and Human Resources. July 1983. Presented at the 18th annual Hawaii Papaya Industry Association Conference, Honolulu, October, 1982. July 1983. (O33). p. 51-55. (NAL Call No.: S481.R4).

0043

Dissipation of phytotoxic diuron residues in Hawaii pineapple soils /V.A. Elder ... et al. --.
Elder, V. A. 1948-. Honolulu : HITAH, College of Tropical Agriculture and Human Resources, University of Hawaii, 1981. "March 1981".-- Cover title. 13 p. ; 26 cm. --.
Bibliography: p. 12-13. (NAL Call No.: DNAL S539.5.R43 no.006).

0044

Effect of aluminum tents on the success of shoot tip grafting on avocados in the late spring (*Persea americana*).
Maxwell, N. Weslaco, Tex., The Society. Journal of the Rio Grande Valley Horticultural Society. 1982. v. 35. p. 53-58. ill. Includes 3 ref. (NAL Call No.: 81 L95).

0045

Effect of dwarfing rootstocks on tree size and yield of selected mango varieties.
JAUPA. Cedeno-Maldonado, A. Perez, A.; Reyes-Soto, I. Mayaguez : University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. Jan 1988. v. 72 (1). p. 1-8. Includes references. (NAL Call No.: DNAL 8 P832J).

0046

Effect of indolebutyric acid on rooting kiwifruit and guava hardwood cuttings (*Actinidia chinensis*, *Psidium guajava*).
Treeby, M.T. Boulder : International Plant Propagators' Society. The Plant propagator. Jan 1983. v. 28 (4). p. 7-10. Includes references. (NAL Call No.: 81 P692).

0047

Effect of night temperature on flowering and fruit size in pineapple (*Ananas comosus* (L.) Merrill (Hawaii).
Friend, D.J.C. Chicago, University of Chicago Press. Botanical gazette. June 1981. v. 142 (2). p. 188-190. ill. Bibliography p. 190. (NAL Call No.: 450 B652).

0048

Effect of nitrogen and boron application on *Carica papaya* L. I. Growth and yield (Fertilizer levels, Puerto Rico).
Perez-Lopez, A. JAUPA. Reyes-Jurado, R.D. Rio Piedras : University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. July 1983. v. 67 (3). p. 181-187. ill. Includes references. (NAL Call No.: 8 P832J).

0049

Effect of planting distance and fertilizer level on the mineral content of the leaf of two varieties of *Carica papaya* L. (Papaya nutrition, Puerto Rico).
Perez Lopez, A. Rio Piedras, University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. Oct 1982. v. 66 (4). p. 286-292. 6 ref. (NAL Call No.: 8 P832J).

0050

Effects of drip irrigation and nitrogen fertilization on vegetative growth, fruit yield, and mineral composition of the petioles and fruits of papaya.
HAWTA. Awada, M. Wu, I.P.; Suehisa, R.H.; Padgett, M.M. Honolulu, Hawaii : The Station. Technical bulletin - Hawaii Agricultural Experiment Station, University of Hawaii. Includes statistical data. Dec 1979. (103). 20 p. Includes references. (NAL Call No.: DNAL 100 H313T).

0051

Effects of flooding and phytophthora root rot on net gas exchange and growth of avocado.
PHYTAJ. Ploetz, R.R. Schaffer, B. St. Paul, Minn. : American Phytopathological Society. Greenhouse studies were conducted to determine the effects of Phytophthora root rot (caused by *Phytophthora cinnamomi*) and flooding on avocado (*Persea americana*). In addition to standard disease assessments (root necrosis, root colonization, wilt, and defoliation), dry weight accumulations and gas exchange characteristics were monitored as indicators of host distress. In a peat-perlite potting medium with a high water-holding capacity, net CO2 assimilation, transpiration, stomatal conductance for CO2, and root and shoot dry

(PLANT PRODUCTION - HORTICULTURAL CROPS)

weights were reduced by root rot (P less than 0.05). In this medium, flooding alone generally did not reduce these parameters after 5 days. In a calcareous soil used for avocado production in south Florida (with a lower water-holding capacity than the potting medium), root rot reduced assimilation, transpiration, and conductance in a series of three experiments, although not consistently. In this soil, flooding alone reduced these parameter as well. After 4 wk of flooding, assimilation, transpiration, and conductance declined to nondetectable levels. However, when plants with root rot were flooded, these physiological parameters were reduced as soon as 3 days after flooding began, and they declined to nondetectable levels within 1 wk. These plants also had reduced root, shoot, and total plant dry weight accumulations and increased defoliation when compared with nonflooded plants without root rot. Although similar reductions occurred for nonflooded plants with root rot and flooded plants without root rot, these reductions were not as great or consistent as those detected for the combined root rot and flooding treatment. In combination, *Phytophthora* root rot and flooding dramatically impaired photosynthesis and normal stomatal function and reduced the root and shoot biomass in avocado. *Phytopathology*. Feb 1989. v. 79 (2). p. 204-208. Includes references. (NAL Call No.: DNAL 464.8 P56).

0052

Effects of nitrogen and potassium fertilization on growth, fruiting, and petiole composition of bearing papaya plants /M. Awada, R.S. de la Pena, R.H. Suehisa. --. Awada, M. De la Pena, R. S. 1936-; Suehisa, R. H. Honolulu, Hawaii : Hawaii Institute of Tropical Agriculture and Human Resources, College of Tropical Agriculture and Human Resources, University of Hawaii at Manoa, 1986. 11 p. : ill. ; 26 cm. --. Bibliography: p. 11. (NAL Call No.: DNAL S539.5.R43 no.043).

0053

Effects of thinning, cultivation and replanting on concentrations of leaf-N and K (nitrogen and potassium) and on bunch weight in an established "Williams" banana planting (Hawaii). Lower, R.A. Fox, R.L. Honolulu : The Institute. Research extension series - Hawaii Institute of Tropical Agriculture and Human Resources. Oct 1982. Presented at the 13th Annual Hawaii Banana Industry Association Conference, October, 1981. Oct 1982. (021). p. 17-31. ill. (NAL Call No.: S481.R4).

0054

Evaluation of the adaptation of *Cocos nucifera* L. 'Maypan' to the Florida landscape (Coconut palms). Donselman, H.M. S.I., The Society. Proceedings of the ... annual meeting of the Florida State Horticultural Society. 1981 (pub. 1982). v. 94. p. 200-201. Includes 2 ref. (NAL Call No.: 81 F66).

0055

Glyphosate residues on avocado (Herbicide, *Persea americana*). Thompson, N.P. Lynch, A.A.; Bardalaye, P.C.; Phillips, R.L. S.I., The Society. Proceedings of the ... annual meeting of the Florida State Horticultural Society. 1980 (pub 1981). v. 93. p. 159-160. ill. 1 ref. (NAL Call No.: 81 F66).

0056

Groundwater contamination by nematicides: influence of recharge timing under pineapple crop. WARBA. Oki, D.S. Giambelluca, T.W. Minneapolis, Minn. : American Water Resources Association. Water resources bulletin. Apr 1989. v. 25 (2). p. 285-294. maps. Includes references. (NAL Call No.: DNAL 292.9 AM34).

0057

Growth and yield of mango trees at three stages of development influenced by rootstock, scion variety. JAUPA. Perez, A. Cedeno-Maldonado, A.; Reyes, I.; Lopez, J. Mayaguez : University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. Oct 1987. v. 71 (4). p. 341-348. Includes references. (NAL Call No.: DNAL 8 P832J).

0058

Growth, yield, nutrient content and fruit quality of *Carica papaya* L. under controlled conditions. I. Nitrogen effects. Perez, A. Childers, N.F. Rio Piedras, University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. Apr 1982. v. 66 (2). p. 71-79. ill. 21 ref. (NAL Call No.: 8 P832J).

(PLANT PRODUCTION - HORTICULTURAL CROPS)

0059

Growth, yield, nutrient content and fruit quality of *Carica papaya* L. under controlled conditions. II. Boron effects.
Perez, A. Childers, N.F. Rio Piedras, University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. Apr 1982. v. 66 (2). p. 80-88. ill. 19 ref. (NAL Call No.: 8 P832J).

0060

Harvest and postharvest handling of Chinese date.
CAGRA. Kader, A.A. Chordas, A.; Li, Y. Berkeley : The Station. California agriculture - California Agricultural Experiment Station. Jan/Feb 1984. v. 38 (1/2). p. 8-9. ill. (NAL Call No.: DNAL 100 C12CAG).

0061

History and development of fruit differentiation growth and ripening control in pineapple.
PPGGD. Williams, D.D.F. Lake Alfred, Fla. : The Society. Proceedings annual meeting - Plant Growth Regulator Society of America. 1987. (14th). p. 413-422. Includes references. (NAL Call No.: DNAL SB128.P5).

0062

Influence of temperature and applied auxins during winter propagation of kiwifruit.
HUHSA. Testolin, R. Vitagliano, C. Alexandria, Va. : American Society for Horticultural Science. HortScience. Aug 1987. v. 22 (4). p. 573-574. Includes references. (NAL Call No.: DNAL SB1.H6).

0063

Interplanting: is it worth the headaches? (Citrus and avocados, *Phytophthora cinnamomi*, cultural control).
Vista, Calif., Rancher Publications. Avocado grower. Nov 1980. v. 4 (11). p. 26-27. ill. (NAL Call No.: SB379.A9A9).

0064

Kiwifruit.
Hopping, M.E. Boca Raton, Fla. : CRC Press, 1986. CRC handbook of fruit set and development / edited by Shaul P. Monselise. Literature review. p. 217-232. ill. Includes references. (NAL Call No.: DNAL SB357.28.C73).

0065

Kiwifruit.
AFREA. Luh, B.S. Wang, Z. Orlando, Fla. : Academic Press. Advances in food research. 1984. v. 29. p. 279-309. Includes references. (NAL Call No.: DNAL 389 M87).

0066

Large market potential seen for the Chinese date (jujube).
Sweet, C. Vista, Calif. : Rancher Pub. California grower. Dec 1985. v. 9 (12). p. 41-43, 48. Includes references. (NAL Call No.: DNAL SB379.A9A9).

0067

A look at current avocado rootstocks.
Coffey, M. Fallbrook, Calif. : Rancher Publications. California grower. Apr 1987. v. 11 (4). p. 15-17. (NAL Call No.: DNAL SB379.A9A9).

0068

Loquat (Production, chemical composition).
Shaw, P.E. Westport, Conn., AVI Pub. Co., 1980. Tropical and subtropical fruit : composition, properties, and uses, by Steven Nagy, Philip E. Shaw. Literature review. p. 479-491. Bibliography p. 489-491. (NAL Call No.: TX557.N33).

0069

Management and nutrition of kiwifruit vines.
JPNUDS. Ferguson, A.R. Turner, N.A.; Bank, R.J. New York, N.Y. : Marcel Dekker. Journal of plant nutrition. Paper presented at the "Tenth International Plant Nutrition Colloquium," August 4-9, 1986, Beltsville, Maryland. 1987. v. 10 (9/16). p. 1531-1537. Includes references. (NAL Call No.: DNAL QK867.J67).

0070

Modeling of PAR interception and productivity of a prickly pear cactus, *Opuntia ficus-indica* L., at various spacings.
AGJ0AT. Cortazar, V.C. de. Nobel, P.S. Madison, Wis. : American Society of Agronomy. Agronomy journal. Jan/Feb 1986. v. 78 (1). p. 80-85. ill. Includes references. (NAL Call No.: DNAL 4 AM34P).

(PLANT PRODUCTION - HORTICULTURAL CROPS)

0071

A new approach to thinning olives (Chemicals). Martin, G.C. CA. Lavee, S.; Sibbett, G.S.; Nishijima, C.; Carlson, S.P. Berkeley, Calif., The Station. California agriculture - California Agricultural Experiment Station. Aug/Sept 1980. v. 34 (8/9). p. 7-8. ill. (NAL Call No.: 100 C12CAG).

0072

Papaya fruit yield and quality as influenced by crop rotation, cover cropping, liming, and soil fumigation in Hawaii /O.R. Younge and D.L. Plucknett.

Younge, O. R. 1901-. Plucknett, Donald L.,_1931-. Honolulu, Hawaii (2500 Dole St. Krauss Hall 108, Honolulu 96822) : Hawaii Institute of Tropical Agriculture and Human Resources, College of Tropical Agriculture and Human Resources, University of Hawaii, 1981. 30 p. : ill. ; 23 cm. Bibliography: p. 28-30. (NAL Call No.: DNAL 100 H313 (1) no.155).

0073

Pineapple.

Bartholomew, D.P. Paull, R.E. Boca Raton, Fla. : CRC Press, 1986. CRC handbook of fruit set and development / edited by Shaul P. Monselise. Literature review. p. 371-388. Includes references. (NAL Call No.: DNAL SB357.28.C73).

0074

Pineapple cultureVIThe effect of fertilizers upon the quality of the fruit /by A.W. Blair and R.N. Wilson.

Blair, A. W. 1866-. Wilson, R. N._1888-. Gainesville, Fla. : Florida Agricultural Experiment Station, 1910. Cover title. p. 27 -42 ; 23 cm. (NAL Call No.: DNAL 100 F66S (1) no.101).

0075

Pineapple cultureVIINitrates in the soil /by A.W. Blair and R.N. Wilson.

Blair, A. W. 1866-. Wilson, R. N._1888-. Gainesville, Fla. : University of Florida Agricultural Experiment Station, 1910. Cover title. p. 29 -51 : charts ; 23 cm. (NAL Call No.: DNAL 100 F66S (1) no.104).

0076

Poor returns spur interest in minor crops.

Linden, T. Newport Beach, Calif. : Western Grower & Shipper Publishing Co. Western grower and shipper. Sept 1985. v. 56 (9). p. 7-8, 28. ill. (NAL Call No.: DNAL 280.38 W52).

0077

Possible rejuvenation of adult avocado by graftage onto juvenile rootstocks in vitro. HUHSA. Pliego-Alfaro, F. Murashige, T. Alexandria, Va. : American Society for Horticultural Science. HortScience. Dec 1987. v. 22 (6). p. 1321-1324. ill. Includes references. (NAL Call No.: DNAL SB1.H6).

0078

Postharvest handling systems: tropical fruits.

Sommer, N.F. Berkeley, Calif. : Coop Ext. Univ of California, Div of Agric and Natural Resources, 1985. Postharvest technology of horticultural crops / Adel A. Kadar et al. . p. 157-169. ill. Includes references. (NAL Call No.: DNAL SB319.7.P67).

0079

Problems and progress in banana disease research.

Boston, Mass. : Dept. of Research, United Fruit Company, 1958. Prepared for 50th anniversary meetings, American Phytopathological Society. ix, 36 p. : ill. ; 22 cm. Bibliography: p. 33-36. (NAL Call No.: DNAL SB608.B16P7).

0080

Rapid multiplication of bananas and plantains by in vitro shoot tip culture.

Croneauer, S.S. Krikorian, A.D. Alexandria, Va. : American Society for Horticultural Science. HortScience. Apr 1984. v. 19 (2). p. 234-235. ill. Includes references. (NAL Call No.: SB1.H6).

0081

Reaction of the avocado tree in various degrees of salinity in irrigation water.

Steinhardt, R. Kelmar, D.; Lahav, E.; Shoihevet, Y. Fallbrook, Calif. : Rancher Publications. California grower. June 1988. v. 12 (6). p. 28. (NAL Call No.: DNAL SB379.A9A9).

0082

Relationship of guava (Psidium guajava L.) fruit detachment force to the stage of fruit development and chemical composition (Mechanical harvesting, abscission).

Paull, R.E.HUHSA. Goo, T. Alexandria : American Society for Horticultural Science. HortScience. Feb 1983. v. 18 (1). p. 65-67. ill. Includes references. (NAL Call No.: SB1.H6).

(PLANT PRODUCTION - HORTICULTURAL CROPS)

0083

Sapodilla and prickly pear (Varieties, chemical composition).

Lakshinarayana, S. Westport, Conn., AVI Pub. Co., 1980. Tropical and subtropical fruit : composition, properties, and uses, by Steven Nagy, Philip E. Shaw. Literature review. p. 415-441. Bibliography p. 438-441. (NAL Call No.: TX557.N33).

0084

Somatic embryogenesis and plant regeneration in suspension cultures of dessert (AA and AAA) and cooking (ABB) bananas (*Musa* spp.).

Novak, F.J. Afza, R.; Van Duren, M.; Perea-Dallos, M.; Conger, B.V.; Xiaolang, T. New York, N.Y. : Nature Publishing Company. Bio/technology. Feb 1989. v. 7 (2). p. 154-159. ill. Includes references. (NAL Call No.: DNAL QH442.B5).

0085

Somatic embryogenesis in cell cultures of *Carica stipulata* (Large-scale production model).

Litz, R.E. Conover, R.A. Alexandria, Va., American Society for Horticultural Science. HortScience. Dec 1980. v. 15 (6). p. 733-735. ill. 11 ref. (NAL Call No.: SB1.H6).

0086

***Trichocereus* as a potential nursery crop in southern Arizona, with discussion of the *Opuntia* Borer (*Cerambycidae*: *Moneilema gigas*) as a serious threat to its cultivation.**

Crosswhite, C.D. Crosswhite, F.S. Superior : University of Arizona. Desert plants. 1986. v. 7 (4). p. 195-203. ill. Includes references. (NAL Call No.: DNAL QK938.D4D4).

0087

Urea retention and uptake by avocado and apple leaves.

JPNUDS. Klein, I. Zilkah, S. New York, N.Y. : Marcel Dekker. Journal of plant nutrition. 1986. v. 9 (11). p. 1415-1425. Includes references. (NAL Call No.: DNAL QK867.J67).

0088

The use of artificial windbreaks for protecting kiwifruit in New Zealand.

Richards, P.J. Bozeman, Mont. : Montana State University, Cooperative Extension Service. Great Plains Agriculture i.e. Agricultural Council publication. Paper presented at the "International Symposium on Windbreak Technology," June 23-27, 1986, Lincoln, Nebraska. 1986. (117). p. 221-222. (NAL Call

No.: DNAL S27.A3).

0089

Using calendar dates for cutting propagation.

ANURA. Blazich, F.A. Chicago, Ill. : American Nurseryman Publishing Co. American nurseryman. Apr 1, 1987. v. 165 (7). p. 140-143. (NAL Call No.: DNAL 80 AM371).

0090

Volatile constituents of mountain papaya (*Carica candamarcensis*, syn. *C. pubescens* Lenne et Koch) fruit.

JAFCAU. Idstein, H. Keller, T.; Schreier, P. Washington, D.C. : American Chemical Society. Journal of agricultural and food chemistry. July/Aug 1985. v. 33 (4). p. 663-666. Includes references. (NAL Call No.: DNAL 381 J8223).

0091

Evaluation of insecticides and application methods for controlling the banana corm weevil (*Cosmopolites sordidus* Germar). Spanish.

JAUPA. Ingles, R. Rodriguez, J. Rio Piedras, R.R. : University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. Apr 1989. v. 73 (2). p. 97-107. Includes references. (NAL Call No.: DNAL 8 P832J).

0092

Foliar application of potassium nitrate for advancing and inducing the flowering of the Manila mango cultivar in Mexico (Harvesting control). Spanish.

Mosqueda Vazquez, R. Santos de la Rosa, F. de los. (v.p.) : The Society. Proceedings of the Tropical Region, American Society for Horticultural Science : annual meeting. 1982. v. 25. p. 311-316. Includes references. (NAL Call No.: 81 AM325).

0093

Treatments for the defoliation and growth, flowering, and production of soursop trees (*Annona muricata* L.). Spanish.

JAUPA. Cruz-Castillo, J.G. Cedeno-Maldonado, A. Rio Piedras, R.R. : University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. Apr 1989. v. 73 (2). p. 141-148. ill. Includes references. (NAL Call No.: DNAL 8 P832J).

PLANT PRODUCTION - RANGE

0094

Internal temperatures of pricklypear cladophylls during prescribed fire in west Texas (Cactus control, *Opuntia lindheimeri*, *Opuntia edwardsii*, range management, ecology). Potter, R.L. Ueckert, D.N.; Petersen, J.L. College Station : The Station. PR - Texas Agricultural Experiment Station. July 1983. July 1983. (4132). 10 p. Includes references. (NAL Call No.: 100 T31P).

PLANT BREEDING

0095

Abscission of mango fruitlets as influenced by enhanced ethylene biosynthesis.
PLPHA, Nunez-Elisea, R. Davenport, T.L. Rockville, Md. : American Society of Plant Physiologists. Plant physiology. Dec 1986. v. 82 (4). p. 991-994. Includes references. (NAL Call No.: DNAL 450 P692).

0096

Agrobacterium-mediated gene transfer in papaya.
JOSH B. Pang, S.Z. Sanford, J.C. Alexandria, Va. : The Society. Journal of the American Society for Horticultural Science. Mar 1988. v. 113 (2). p. 287-291. ill. Includes references. (NAL Call No.: DNAL 81 S012).

0097

Aseptic culture techniques for banana and plantain improvement (Black Sigatoka disease, breeding for disease resistance, tissue culture).
Krikorian, A.D. Cronauer, S.S. New York, N.Y. : New York Botanical Garden. Economic botany. July/Sept 1984. v. 38 (3). p. 322-331. ill. Includes 37 references. (NAL Call No.: 450 EC7).

0098

Avocado research: a progress report.
Bender, G. Fallbrook, Calif. : Rancher Publications. California grower. July 1988. 3b v. 12 (7). p. 21-22, 25. ill. (NAL Call No.: DNAL SB379.A9A9).

0099

Avocado tree called Barr Duke.
Coffey, M.D. Guillemet, F.B. Washington, D.C. : The Office. A new and distinct rootstock variety of avocado tree characterized by its high yield resistance to Phytophthora root rot caused by Phytophthora cinnamomi. This variety has a high level of resistance comparable to the 'Duke 7' rootstock variety. It is also characterized under some field conditions by producing a somewhat smaller tree, when grafted with a 'Haas' scion, than that typical of a 'Duke 7' rootstock. Plant patent - United States Patent and Trademark Office. Feb 21, 1989. (6627). 1 p. plates. (NAL Call No.: DNAL 156.65 P69).

0100

Avocado tree called Thomas.
Coffey, M.D. Guillemet, F.B. Washington, D.C. : The Office. A new and distinct rootstock variety of avocado tree characterized by its high field resistance to Phytophthora root rot caused by Phytophthora cinnamomi. This variety has the highest level of resistance of any rootstock currently identified. It is characterized by relative ease of propagation using the etiolation method and graft compatibility with commercial scion varieties, including 'Hass', 'Gwen', 'Pinkerton', 'Fuerte', 'Bacon' and 'Zutano'. Plant patent - United States Patent and Trademark Office. Feb 21, 1989. (6628). 2 p. plates. (NAL Call No.: DNAL 156.65 P69).

0101

'Cariflora'---a papaya ringspot virus-tolerant papaya for south Florida and the Caribbean.
HUHSA. Conover, R.A. Litz, R.E.; Malo, S.E. Alexandria, Va. : American Society for Horticultural Science. HortScience. Aug 1986. v. 21 (4). p. 1072. ill. Includes references. (NAL Call No.: DNAL SB1.H6).

0102

Cariflora, a papaya for south Florida with tolerance to papaya ringspot virus.
Conover, R.A. Litz, R.E.; Malo, S.E. Gainesville : The Institute. Circular S - Florida Agricultural Experiment Stations, Institute of Food and Agricultural Sciences, University of Florida. May 1986. (329). 4 p. ill. (NAL Call No.: DNAL 100 F66CI).

0103

Chemistry and ripening of the date /by A.E. Vinson ; Ripening dates by incubation / by G.F. Freeman.
Vinson, A. E. 1873-. Freeman, George Fouche, 1876-1930. Tucson, Ariz. : University of Arizona, 1911. "May 1, 1911."~ Cover title. p. 403-456 : ill. ; 23 cm. Includes bibliographical references. (NAL Call No.: DNAL 100 Ar4 no.66).

0104

Coconut cadang-cadang viroid.
Randles, J.W. Orlando, Fla. : Academic Press, 1985. Subviral pathogens of plants and animals : viroids and prions / edited by Karl Maramorosch, John J. McKelvey. p. 39-74. ill. Includes references. (NAL Call No.: DNAL QR500.S83).

0105

Control of papaya ringspot virus by cross protection.

PLDIDE. Yeh, S.D. Gonsalves, D.; Wang, H.L.; Namba, R.; Chiu, R.J. St. Paul, Minn. : American Phytopathological Society. Plant disease. May 1988. v. 72 (5). p. 375-380. ill. Includes references. (NAL Call No.: DNAL 1.9 P69P).

0106

Cultivar identification of Japanese persimmon by leaf isozymes.

HUJSA. Tao, R. Sugiura, A. Alexandria, Va. : American Society for Horticultural Science. HortScience. Oct 1987. v. 22 (5). p. 932-935. ill. Includes references. (NAL Call No.: DNAL SB1.H6).

0107

Current status of breeding for papaya virus resistance.

Nakasone, H.Y. HI. Honolulu, The Service. Miscellaneous publication - Hawaii University. Cooperative Extension Service. Apr 1980. Apr 1980. (178). p. 12. (NAL Call No.: S544.3.H3H3).

0108

Current status of papaya improvement program (Breeding, disease resistant cultivars, Hawaii).

Nakasone, H.Y. Aragaki, M. Honolulu : The Institute. Research extension series - Hawaii Institute of Tropical Agriculture and Human Resources. July 1983. Presented at the 18th annual Hawaii Papaya Industry Association Conference, Honolulu, October, 1982. July 1983. (033). p. 51-55. (NAL Call No.: S481.R4).

0109

Diallel analysis of root rot resistance in papaya (Phytophthora palmivora, Hawaii).

Mosqueda-Vazquez, R. Nakasone, H.Y. Alexandria, Va., American Society for Horticultural Science. HortScience. June 1982. v. 17 (3). p. 384-385. 6 ref. (NAL Call No.: SB1.H6).

0110

Effect of dwarfing rootstocks on tree size and yield of selected mango varieties.

JAUPA. Cedeno-Maldonado, A. Perez, A.; Reyes-Soto, I. Mayaguez : University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. Jan 1988. v. 72 (1). p. 1-8. Includes references. (NAL Call No.: DNAL 8 P832J).

0111

Epidemiology and control of bacterial canker of papaya caused by an Erwinia sp. on St. Croix, U.S. Virgin Islands.

PLDRA. Webb, R.R. St. Paul, Minn. : American Phytopathological Society. Plant disease. Apr 1985. v. 69 (4). p. 305-309. ill. Includes 12 references. (NAL Call No.: DNAL 1.9 P69P).

0112

Evaluation and induction of resistance to blue mold in tobacco genotypes differing in contents of duvatrienediols.

PHYTAJ. Rao, M.N. Siegel, M.R.; Nielson, M.T.; Wigglesworth, M.D.; Burton, H.R.; Kuc, J. St. Paul, Minn. : American Phytopathological Society. The alpha- and beta-4.8,13-duvatriene-1,3-diols (DVT) are fungitoxic leaf-surface components of tobacco. Tobacco Introductions (TI), double haploid breeding lines, and cultivar Ky 14, with different DVT contents, were evaluated for resistance to blue mold caused by Peronospora tabacina Adam. DVT contents varied significantly in plants grown at different times of the year and increased with age. TI 1068 and the double haploid breeding lines, DH 944-1, DH 909-2, and DH-960, had higher DVT contents than Ky 14 and were more resistant to blue mold than Ky 14. However, although DH 909-2 was the most resistant genotype in greenhouse tests, it did not have the highest DVT contents. TI 1406, with lower contents of DVT than Ky 14, was somewhat more susceptible in greenhouse tests and considerably more susceptible in field tests. TI 1112, however, with little or no DVT, was highly resistant in greenhouse and field tests. In greenhouse tests, systemic resistance was induced in all types of tobacco by stem injection with sporangiospores of P. tabacina, except in TI 1112, which already was highly resistant. DVT contents did not significantly change in stem-injected plants. Removal of DVT by acetone dipping increased susceptibility to blue mold in the early stages of growth, but not in the later stages of field-grown tobacco, which contained DVT. For all genotypes, the oldest plants sampled in the field test (83 days after transplanting) appeared immune. Linear correlations of disease with DVT for individual sampling dates indicated no significant effect of variation in DVT contents among genotypes on disease severity. The disease resistance-DVT relationship is very complex. DVT contents were apparently not responsible for induced resistance or the high resistance of plants sampled late in the season (83 days after transplanting). DVT contents are not the only factors determining resistance to blue mold; however, they may have a contributory role. Phytopathology. Mar 1989. v. 79 (3). p. 271-275. Includes references. (NAL Call No.: DNAL 464.8 P56).

0113

Evaluation of the adaptation of *Cocos nucifera* L. 'Maypan' to the Florida landscape (Coconut palms).

Donselman, H.M. S.I., The Society. Proceedings of the ... annual meeting of the Florida State Horticultural Society. 1981 (pub. 1982). v. 94. p. 200-201. Includes 2 ref. (NAL Call No.: 81 F66).

0114

Genetic selection during the abscission of avocado fruitlets.

HJHSA. Degani, C. Goldring, A.; Gazit, S.; Lavi, U. Alexandria, Va. : American Society for Horticultural Science. HortScience. Oct 1986. v. 21 (5). p. 1187-1188. Includes references. (NAL Call No.: DNAL SB1.H6).

0115

Growth and yield of mango trees at three stages of development influenced by rootstock, scion variety.

JAUPA. Perez, A. Cedeno-Maldonado, A.; Reyes, I.; Lopez, J. Mayaguez : University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. Oct 1987. v. 71 (4). p. 341-348. Includes references. (NAL Call No.: ONAL 8 P832U).

0116

Hot-water quarantine treatment for mangoes from Mexico infested with Mexican fruit fly and West Indian fruit fly (Diptera: Tephritidae).

JEENAI. Sharp, J.L. Ouye, M.T.; Ingle, S.J.; Hart, W.G. Lanham, Md. : Entomological Society of America. Heated water was used in the development of a quarantine treatment to kill Mexican fruit fly, *Anastrepha ludens* (Loew), and West Indian fruit fly, *A. obliqua* (Macquart) infestations in mango, *Mangifera indica* L. Mangoes from Mexico were infested in the laboratory and immersed in water at 46.1 degrees C for 10-70 min to estimate time-mortality relationships. Probit analysis of the data estimated the immersion time needed to reach Probit 9 security for a laboratory strain of *A. ludens* as 65.1 min for mixed cultivars ('Haden', 'Tommy Atkins', 'Keitt', and 'Kent'). For a feral strain (wild) in 'Haden', the estimated immersion time was 71.4 min. The estimated immersion times for Probit 9 security for *A. obliqua* in 'Kent' were 66.8 min for a laboratory strain and 83.6 min for a wild strain. A large-scale test resulted in no survivors based on number of normal pupae when 187,114 *A. ludens* (laboratory) in 4,864 'Keitt' and 'Oro'; 226,054 *A. ludens* (wild) in 5,530 'Haden' and 'Tommy Atkins'; 116,869 *A. obliqua* (wild) in 7,703 'Kent'; and 101,049 *A. obliqua* (laboratory) in 8,775 'Keitt', 'Haden', and 'Tommy Atkins' were immersed in water at 46.1 degrees C for 90 min. The market quality of

mangoes immersed in water at 46.1 degrees C depended on cultivar, size and shape, maturity, and handling procedures. 'Oro' mangoes immersed in water for 75 min were not damaged. The percentage of acceptable 'Oro' immersed for 90, 105, and 120 min was reduced to 80, 85, and 15%, respectively. 'Kent', 'Tommy Atkins', and 'Keitt' mangoes immersed in water at 46.1 degrees C for 90 min and refrigerated at 11.1 degrees C for 7, 11, and 14 d were not damaged. 'Haden' mangoes immersed in water at 46.1 degrees C for 90 min, not refrigerated, and held at 23.9 +/- 1 degrees C. were acceptable for 12 d. Journal of economic entomology. Dec 1989. v. 82 (6). p. 1657-1662. Includes references. (NAL Call No.: DNAL 421 J822).

0117

Infestation of carambolas by laboratory-reared Caribbean fruit flies (Diptera: Tephritidae): effects of fruit ripeness and cultivar.

JEENAI. Howard, D.F. Kenney, P. College Park, Md. : Entomological Society of America. Journal of economic entomology. Apr 1987. v. 80 (2). p. 407-410. Includes references. (NAL Call No.: ONAL 421 J822).

0118

Interrelationship of gene expression, polysome prevalence, and respiration during ripening of ethylene and/or cyanide-treated avocado fruit (*Persea americana*).

Tucker, M.L. Laties, G.G. Rockville, Md. : American Society of Plant Physiologists. Plant physiology. Feb 1984. v. 74 (2). p. 307-315. ill. Includes references. (NAL Call No.: 450 P692).

0119

Large market potential seen for the Chinese date (*jujube*).

Sweet, C. Vista, Calif. : Rancher Pub. California grower. Dec 1985. v. 9 (12). p. 41-43, 48. Includes references. (NAL Call No.: DNAL SB379.A9A9).

0120

Light-dependence for fruiting body formation and its inheritance in *Phoma caricae-papayae* (Fungi, genetic basis).

Honda, Y. MYCOA. Aragaki, M. Bronx : The New York Botanical Garden. Mycologia. Jan/Feb 1983. v. 75 (1). p. 22-29. ill. 20 ref. (NAL Call No.: 450 M99).

0121

Mealybug wilt, mealybugs, and ants on pineapple.

PLDIDE. Rohrbach, K.G. Beardsley, J.W.; German, T.L.; Reimer, N.U.; Sanford, W.G. St. Paul, Minn. : American Phytopathological Society. Plant disease. July 1988. v. 72 (7). p. 558-565. ill. Includes references. (NAL Call No.: DNAL 1.9 P69P).

0122

Proximate characteristics and composition of sapodilla fruits grown in Mexico (Manilkara achras, Achras sapota, Cultivar, selection, morphology, chemistry).

Lakshminarayana, S. Moreno Rivera, M.A. s.l., The Society. Proceedings of the ... annual meeting of the Florida State Horticultural Society. June 1, 1980. v. 92. p. 303-305. 9 ref. (NAL Call No.: 81 F66).

0123

Resistance of pineapple variety '59-656' to field populations of oriental fruit flies and melon flies (Diptera: Tephritidae) (Dacus cucurbitae, Dacus dorsalis).

Armstrong, J.W. JEENA. Vargas, R.I. College Park : Entomological Society of America. Journal of economic entomology. Oct 1982. v. 75 (5). p. 781-782. Includes references. (NAL Call No.: 421 J822).

0124

Resistance of 'Sharwil' avocados at harvest maturity to infestation by three fruit fly species (Diptera: Tephritidae) in Hawaii (Ceratitis capitata, Dacus cucurbitae, Dacus dorsalis).

Armstrong, J.W. Mitchell, W.C.; Farias, G.U. College Park, Md. : Entomological Society of America. Journal of economic entomology. Feb 1983. v. 76 (1). p. 119-121. Includes references. (NAL Call No.: 421 J822).

0125

Screening of Carica papaya L. seedlings for resistance to root rot caused by Phytophthora palmivora Butl. (Breeding for disease resistance).

Mosqueda-Vazquez, R. Aragaki, M.; Nakasone, H.Y. Alexandria, Va., The Society. Journal of the American Society for Horticultural Science. July 1981. v. 106 (4). p. 484-487. 13 ref. (NAL Call No.: 81 S012).

0126

Shelf-life and acceptability of hot water-treated mangos.

JAUPA. Diaz, N. Rodriguez, T.; Coloni, I.B. de. Mayaguez : University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. July 1988. v. 72 (3). p. 469-474. Includes references. (NAL Call No.: DNAL 8 P832J).

0127

Structure and development of surface deformations on avocado fruits.

HUUSA. Fisher, J.B. Davenport, T.L. Alexandria, Va. : American Society for Horticultural Science. HortScience. Oct 1989. v. 24 (5). p. 841-844. ill. Includes references. (NAL Call No.: DNAL SB1.H6).

0128

Tulare, a County in search of a frost-resistant variety (Avocado).

Toumey, J. Vista, Calif. : Rancher Pub. Avocado grower. Aug 1982. v. 6 (8). p. 14-15, 17-18. ill. (NAL Call No.: SB379.A9A9).

0129

Zygotic polyembryony in interspecific hybrids of Carica papaya and C. cauliflora.

JOSH. Manshardt, R.M. Wenslaaff, T.F. Alexandria, Va. : The Society. A study of reproductive barriers limiting interspecific hybridization between Carica papaya L. and C. cauliflora Jacq. was undertaken in four reciprocal interspecific crosses using two different lines of each species. Particular attention was focused on determining whether polyembryonic clusters produced in these crosses were of maternal or zygotic origin. Prezygotic barriers were unimportant; pollen tube penetration and zygote formation were similar in intra- and interspecific crosses. Substantial postzygotic disruptions were observed, including disorganized growth and abortion of hybrid embryos and lack of normal endosperm development. In most crosses, disorganized embryos aborted before differentiating into polyembryonic structures. However, crosses employing UH345 (C. cauliflora) as female parent produced some embryos that developed to maturity (6 months), and, in these crosses, embryogenic proliferation from zygotic tissue became evident as early as the beginning of the 3rd month. There was no evidence of somatic embryogenesis from maternal tissues in any cross. Embryos rescued 3 to 6 months after pollination continued embryogenic growth in vitro on basal Murashige and Skoog (MS) medium and germinated on medium containing 0.2 mg BA/liter and 0.5 mg NAA/liter. Zymograms assayed for isocitrate dehydrogenase, malate dehydrogenase, and phosphoglucosmutase activity confirmed the zygotic origin of tissues taken

(PLANT BREEDING)

from in vitro cultures and recovered plantlets. Vigor, viability, and fertility (less than 1% stainable pollen) of hybrids recovered from embryo culture were low. Journal of the American Society for Horticultural Science. July 1989. v. 114 (4). p. 684-689. ill. Includes references. (NAL Call No.: DNAL 81 S012).

0130

Coming winter will stress avocado trees.
Palmer, T.Y. Vista, Calif., Rancher
Publications. Avocado grower. July 1980. v. 4
(7). p. 40-41. map. (NAL Call No.: SB379.A9A9).

0131

Control and ecology of plains pricklypear
cactus (*Opuntia polyacantha*).
Mueller, D.M. Laycock, W.A. Portland, Or., The
Society. Abstracts of papers presented at the
... annual meeting of the American Society of
Range Management. American Society of Range
Management. 1981. 1981. x (34th). p. 7. (NAL
Call No.: SB193.A44).

0132

Internal temperatures of pricklypear
cladophylls during prescribed fire in west
Texas (Cactus control, *Opuntia lindheimeri*,
Opuntia edwardsii, range management, ecology).
Potter, R.L. Ueckert, D.N.; Petersen, J.L.
College Station : The Station. PR - Texas
Agricultural Experiment Station. July 1983.
July 1983. (4132). 10 p. Includes references.
(NAL Call No.: 100 T31P).

0133

Some environmental effects on photosynthesis
and water relations of avocado leaves.
Scholefield, P.B. Walcott, J.J.; Kriedemann,
P.E.; Ramadasan, A. Saticoy, Calif., The
Society. Yearbook - California Avocado Society.
1980. v. 64. p. 93-94, 96-105. ill. 21 ref.
(NAL Call No.: 81 C128).

0134

Studies on the hybridization, competition, and
community ecology of a coastal *Opuntia*-complex
in southern California / by Gotthard Francis
Schussler. -
Schussler, Gotthard Francis, 1941-. 1970.
Thesis (Ph.D.)--University of California,
Irvine, 1970. Photocopy. Ann Arbor, Mich. :
University Microfilms, 1971. xiii, 224 leaves ;
21 cm. Bibliography: leaves 206-213. (NAL Call
No.: DISS 71-4,301).

0135

The yeast community associated with decaying
Opuntia stricta (Haworth) in Florida with
regard to the moth, *Cactoblastis cactorum*
(Berg).
FLSCA. Starmer, W.T. Aberdeen, V.; Lachance,
M.A. Orlando, Fla. : Florida Academy of
Sciences. Florida scientist. Winter 1988. v. 51
(1). p. 7-11. Includes references. (NAL Call
No.: DNAL 500 F66).

0136

Effect of growth rate, morphogenic activity, and phylogeny on shoot apical ultrastructure in *Opuntia polyacantha* (Cactaceae).
 AUBOA. Mauseth, J.D. Baltimore, Md. : Botanical Society of America. American journal of botany. Oct 1984. v. 71 (9). p. 1283-1292. Includes references. (NAL Call No.: DNAL 450 AM36).

0137

Kiwifruit: a botanical review.
 Ferguson, A.R. Westport, Conn. : Avi. Horticultural reviews. Literature review. 1984. v. 6. p. 1-64. ill. Includes references. (NAL Call No.: DNAL SB317.5.H6).

0138

Long term effects of gibberellin and cytokinin on coconut trees.
 PRNCA. Fisher, J.B. Theobald, W.F. Lawrence. Kan. : The International Palm Society. Principes. Jan 1989. v. 33 (1). p. 5-17. ill. Includes references. (NAL Call No.: DNAL 80 P932).

0139

Modeling of PAR interception and productivity of a prickly pear cactus, *Opuntia ficus-indica* L., at various spacings.
 AGUOAT. Cortazar, V.C. de. Nobel, P.S. Madison, Wis. : American Society of Agronomy. Agronomy journal. Jan/Feb 1986. v. 78 (1). p. 80-85. ill. Includes references. (NAL Call No.: DNAL 4 AM34P).

0140

Opuntia cymochila Eng. & Big.: a species lost in the shuffle.
 CSUJA. Ferguson, D.J. Santa Barbara, Calif. : Cactus and Succulent Society of America. Cactus and succulent journal. Nov/Dec 1987. v. 59 (6). p. 256-260. ill. Includes references. (NAL Call No.: DNAL 451 C11).

0141

Papain in seedlings of papaya.
 Mustard, M.J. s.l. : The Society. Proceedings of the ... annual meeting of the Florida State Horticulture Society. 1986. v. 98. p. 149-152. ill. Includes references. (NAL Call No.: DNAL SB319.2.F6F56).

0142

Papaya.
 Nakasone, H.Y. Boca Raton, Fla. : CRC Press, 1986. CRC handbook of fruit set and development / edited by Shaul P. Monselise. Literature review. p. 277-301. ill. Includes references. (NAL Call No.: DNAL SB357.28.C73).

0143

Persimmon.
 Ito, S. Boca Raton, Fla. : CRC Press, 1986. CRC handbook of fruit set and development / edited by Shaul P. Monselise. p. 355-370. ill. Includes references. (NAL Call No.: DNAL SB357.28.C73).

0144

Proximate characteristics and composition of sapodilla fruits grown in Mexico (*Manilkara achras*, *Achras sapota*, Cultivar, selection, morphology, chemistry).
 Lakshminarayana, S. Moreno Rivera, M.A. s.l., The Society. Proceedings of the ... annual meeting of the Florida State Horticultural Society. June 1, 1980. v. 92. p. 303-305. 9 ref. (NAL Call No.: 81 F66).

0145

Reinitiation of vegetative growth from aseptically cultured terminal floral apex of banana.
 AUBOA. Cronauer, S.S. Krikorian, A.D. Baltimore, Md. : Botanical Society of America. American journal of botany. Oct 1985. v. 72 (10). p. 1598-1601. ill. Includes references. (NAL Call No.: DNAL 450 AM36).

0146

A scanning electron microscope study of the formation and surface characteristics of the peel of the banana fruit during its development.
 BOGAA. Williams, M.H. Vesk, M.; Mullins, M.G. Chicago, Ill. : University of Chicago Press. Botanical gazette. Mar 1989. v. 150 (1). p. 30-40. ill. Includes references. (NAL Call No.: DNAL 450 B652).

0147

Some root characteristics of avocado (*Persea americana* Mill.) seedlings of the West Indian and Guatemalan races.
 CAVYA. Borys, M.W. Barrera-Guerra, J.L.; Luna-Lopez, J. Saticoy, Calif. : The Society. Yearbook - California Avocado Society. 1985. v. 69. p. 111-122. Includes references. (NAL Call No.: DNAL 81 C128).

0148

Ultrastructural changes in the walls of
ripening avocados: transmission, scanning, and
freeze fracture microscopy.

Platt-Aloia, K.A. Thomson, W.W.; Young, R.E.
Chicago. University of Chicago Press. Botanical
gazette. Dec 1980. v. 141 (4). p. 366-373. ill.
26 ref. (NAL Call No.: 450 B652).

PLANT NUTRITION

0149

Effect of nitrogen and boron application on Carica papaya L. I. Growth and yield (Fertilizer levels, Puerto Rico). Perez-Lopez, A. JAUPA. Reyes-Jurado, R.D. Rio Piedras : University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. July 1983. v. 67 (3). p. 181-187. ill. Includes references. (NAL Call No.: 8 P832J).

0150

Effect of nitrogen and boron applications on Carica papaya L. II. Petiole and fruit nutrient content and N and B index for leaf tissue analysis. JAUPA. Perez-Lopez, A. Reyes, R.D. Mayaguez : University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. Jan 1984. v. 68 (1). p. 5-17. Includes 16 references. (NAL Call No.: DNAL 8 P832J).

0151

Effect of planting distance and fertilizer level on the mineral content of the leaf of two varieties of Carica papaya L. (Papaya nutrition, Puerto Rico). Perez Lopez, A. Rio Piedras, University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. Oct 1982. v. 66 (4). p. 286-292. 6 ref. (NAL Call No.: 8 P832J).

0152

The effect of temperature on the iron content of banana suckers (Nutrient uptake). Lahav, E. Turner, D.W. New York, N.Y. : Marcel Dekker. Journal of plant nutrition. 1984. Presented at the "Second International Symposium on Iron Nutrition and Interactions in Plants." August 2-5, 1983, Utah State University, Logan. v. 7 (1/5). p. 725-731. ill. Includes references. (NAL Call No.: QK867.J67).

0153

Effects of thinning, cultivation and replanting on concentrations of leaf-N and K (nitrogen and potassium) and on bunch weight in an established "Williams" banana planting (Hawaii). Lower, R.A. Fox, R.L. Honolulu : The Institute. Research extension series - Hawaii Institute of Tropical Agriculture and Human Resources. Oct 1982. Presented at the 13th Annual Hawaii Banana Industry Association Conference, October, 1981. Oct 1982. (Q21). p. 17-31. ill. (NAL Call No.: S481.R4).

0154

Evaluation of a rapid sap nitrate test for young kiwifruit vines. CSOSA2. Prasad, M. Ravenwood, I.C. New York, N.Y. : Marcel Dekker. Communications in soil science and plant analysis. 1986. v. 17 (8). p. 829-837. Includes 13 references. (NAL Call No.: DNAL S590.C63).

0155

Growth, yield, nutrient content and fruit quality of Carica papaya L. under controlled conditions. I. Nitrogen effects. Perez, A. Childers, N.F. Rio Piedras, University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. Apr 1982. v. 66 (2). p. 71-79. ill. 21 ref. (NAL Call No.: 8 P832J).

0156

Growth, yield, nutrient content and fruit quality of Carica papaya L. under controlled conditions. II. Boron effects. Perez, A. Childers, N.F. Rio Piedras, University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. Apr 1982. v. 66 (2). p. 80-88. ill. 19 ref. (NAL Call No.: 8 P832J).

0157

Management and nutrition of kiwifruit vines. JPNUDS. Ferguson, A.R. Turner, N.A.; Bank, R.J. New York, N.Y. : Marcel Dekker. Journal of plant nutrition. Paper presented at the "Tenth International Plant Nutrition Colloquium," August 4-9, 1986, Beltsville, Maryland. 1987. v. 10 (9/16). p. 1531-1537. Includes references. (NAL Call No.: DNAL QK867.J67).

0158

Nutrient relations and productivity of prickly pear cacti. AGJOAT. Nobel, P.S. Russell, C.E.; Felker, P.; Medina, J.G.; Acuna, E. Madison, Wis. : American Society of Agronomy. Agronomy journal. May/June 1987. v. 79 (3). p. 550-555. Includes references. (NAL Call No.: DNAL 4 AM34P).

0159

Nutrient uptake and dry matter composition in the plant crop and first ratoon of the Grand Nain banana grown on an Ultisol. JAUPA. Irizarry, H. Rivera, E.; Rodriguez, J. Mayaguez : University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico.

July 1988. v. 72 (3). p. 337-351. Includes references. (NAL Call No.: DNAL 8 P832J).

0160

Translocation of foliar-applied urea 15N to reproductive and vegetative sinks of avocado and its effect on initial fruit set.

JOSHB. Zilkah, S. Klein, I.; Feigenbaum, S.; Weinbaum, S.A. Alexandria, Va. : The Society. Journal of the American Society for Horticultural Science. Nov 1987. v. 112 (6). p. 1061-1065. Includes references. (NAL Call No.: DNAL 81 S012).

0161

Urea retention and uptake by avocado and apple leaves.

JPNUDS. Klein, I. Zilkah, S. New York, N.Y. : Marcel Dekker. Journal of plant nutrition. 1986. v. 9 (11). p. 1415-1425. Includes references. (NAL Call No.: DNAL QK867.J67).

0162

Variation in mineral composition of mango leaves as contributed by leaf sampling factors.

Thakur, R.S. Prasada Rao, G.S.; Chadha, K.L.; Samra, J.S. New York, Marcel Dekker. Communications in soil science and plant analysis. 1981. v. 12 (4). p. 331-343. ill. 10 ref. (NAL Call No.: S590.C63).

PLANT PHYSIOLOGY AND BIOCHEMISTRY

0163

Abscission of mango fruitlets as influenced by enhanced ethylene biosynthesis.

PLPHA. Nunez-Elisea, R. Davenport, T.L. Rockville, Md. : American Society of Plant Physiologists. Plant physiology. Dec 1986. v. 82 (4). p. 991-994. Includes references. (NAL Call No.: DNAL 450 P692).

0164

Absorption and translocation of picloram by Lindheimer pricklypear (*Opuntia lindheimeri*).
WEESA6. Mayeux, H.S. Jr. Johnson, H.B. Champaign, Ill. : Weed Science Society of America. Removing the epicuticular wax from mature pads (cladophylls) of Lindheimer pricklypear increased picloram absorption by four- to sixfold in the laboratory, while the addition of surfactant had little effect on absorption. Absorption decreased with increasing pH of the picloram solution, indicating that picloram diffused through the cuticle as the undissociated molecule. Picloram entered detached pads at the areoles more readily than through the surrounding cuticle. In the glasshouse, whole plants consisting of an old, mature pad supporting a young, growing pad absorbed picloram very slowly whether picloram was applied as a spray to old or young pads or to the soil. About 90 and 80% of the applied picloram remained on the waxy surface of old and new pads, respectively, and about 2% of the applied picloram was recovered from within the epicuticular wax after 30 days. Picloram concentrations within pads treated in the glasshouse were greater when the herbicide was applied to new pads (4.6 microgram/g) than old pads (1.9 microgram/g) after 30 days. More picloram was translocated basipetally from treated new pads to untreated old pads than in the opposite direction, but concentrations in untreated oads were low (less than 1 microgram/g). Little picloram was absorbed by roots, compared to pads, and little was translocated into or out of roots. These results conflict with the view that the effectiveness of picloram for pricklypear control is attributable to extensive root uptake and acropetal transport. However, observations of plants 6 months after treatment indicated that soil applications were more effective than sprays in the glasshouse. Weed science. Mar 1989. v. 37 (2). p. 161-166. Includes references. (NAL Call No.: DNAL 79.8 W41).

0165

An agrometeorological model for assessing the effect of heat stress during the flowering and early fruit set on avocado yields.

JQSHB. Lomas, J. Alexandria, Va. : The Society. Journal of the American Society for Horticultural Science. Jan 1988. v. 113 (1). p. 172-176. Includes references. (NAL Call No.: DNAL 81 SD12).

0166

Avocado fruit development and ripening physiology.

Bower, J.P. Cutting, J.G. Portland, Dr. : Timber Press. Horticultural reviews. Literature review. 1988. v. 10. p. 229-271. ill. Includes references. (NAL Call No.: DNAL SB317.5.H6).

0167

Avocado mesocarp; browning potential, carotenoid content, polyphenol oxidase, catalase and peroxidase activities: comparison between six avocado cultivars.

Sharon-Raber, D.JFDSA. Kahn, V. Chicago : Institute of Food Technologists. Journal of food science. Nov/Dec 1983. v. 48 (6). p. 1874-1875. Includes references. (NAL Call No.: 389.8 F7322).

0168

Avocado pectinmethylesterase activity in relation to temperature, ethylene, and ripening.

Awad, M. Young, R.E. Alexandria, Va., The Society. Journal of the American Society for Horticultural Science. Sept 1980. v. 105 (5). p. 638-641. ill. 17 ref. (NAL Call No.: 81 SD12).

0169

Avocado research: a progress report.

Bender, G. Fallbrook, Calif. : Rancher Publications. California grower. July 1988. 3b v. 12 (7). p. 21-22, 25. ill. (NAL Call No.: DNAL SB379.A9A9).

0170

Banana.

Israeli, Y. Lahav, E. Boca Raton, Fla. : CRC Press, 1986. CRC handbook of fruit set and development / edited by Shaul P. Monselise. Literature review. p. 45-73. ill. Includes references. (NAL Call No.: DNAL SB357.28.C73).

0171

Bananas--physiology and biochemistry of storage and ripening for optimum quality.

Marriott, J. Boca Raton, Fla., CRC Press. CRC critical reviews in food science and nutrition. 1980. Literature review. v. 13 (1). p. 41-88. ill. 287 ref. (NAL Call No.: TP368.C7).

0172

Bulbil-shoot production from clonally propagated coconuts.

Davis, T.A. Sudasrip, H.; Azis, H. Miami, Palm Society. Principles. July 1981. v. 25 (3). p. 124-129. ill. 24 ref. (NAL Call No.: 80 P932).

0173

Bullatacin and bullatacinone: two highly potent bioactive acetogenins from Annona bullata.

JNPRDF. Hui, Y.H. Liu, Y.M.; Anderson, J.E.; Smith, D.L.; Chang, C.J.; McLaughlin, J.L. Pittsburgh, Pa. : American Society of Pharmacognosy. Journal of natural products. May/June 1989. v. 52 (3). p. 463-477. Includes references. (NAL Call No.: DNAL 442.8 L77).

0174

Changes in chemical constituents of kiwifruit during post-harvest ripening (Actinidia chinensis).

Matsumoto, S.JFDSA. Obara, T.; Luh, B.S. Chicago : Institute of Food Technologists. Journal of food science. Mar/Apr 1983. v. 48 (2). p. 607-611. Includes references. (NAL Call No.: 389.8 F7322).

0175

Changes in sugars, enzymic activities and acid phosphatase isoenzyme profiles of bananas ripened in air or stored in 2.5% O₂ with and without ethylene.

PLPHA. Kanellis, A.K. Solomos, T.; Mattoo, A.K. Rockville, Md. : American Society of Plant Physiologists. This study investigates the effect of 2.5% O₂, both alone and in combination with ethylene, on respiration, sugar accumulation and activities of pectin methylesterase and acid phosphatase during ripening of bananas (Musa paradisiaca sapientum). In addition, the changes in the phosphatase isoenzyme profiles are also analyzed. Low oxygen diminished respiration and slowed down the accumulation of sugars and development of the yellow color. Furthermore, low O₂ prevented the rise in acid phosphatase activities and this suppression was not reversed by the inclusion of 100 microliters per liter ethylene in 2.5% O₂ atmosphere. Gel electrophoresis of both the soluble and particulate cell-free fractions under nondenaturing conditions revealed the presence of 8 and 9 isoenzymes in the soluble and particulate fractions, respectively. Low O₂ suppressed the appearance of all isoenzymes, and the addition of 500 microliters per liter ethylene to the low decline in pectin methylesterase that was observed in air-ripened fruits was prevented of 2.5% O₂ alone and in combination with 500 microliters per liter ethylene. Plant physiology. May 1989. v. 90 (1). p. 251-258. Includes references. (NAL Call No.: DNAL 450 P692).

0176

Chemistry and ripening of the date /by A.E. Vinson ; Ripening dates by incubation / by G.F. Freeman.

Vinson, A. E. 1873-. Freeman, George Fouche, 1876-1930. Tucson, Ariz. : University of Arizona, 1911. "May 1, 1911."~ Cover title. p. 403 -456 : ill. ; 23 cm. Includes bibliographical references. (NAL Call No.: DNAL 100 Ar4 no.66).

0177

The cherimoya.

Gomez, M.C. Fullerton : California Rare Fruit Growers, Inc. California Rare Fruit Growers yearbook. 1983. v. 15. p. 5-29. Includes references. (NAL Call No.: DNAL SB354.C3).

0178

Container size and potting medium affect growth rate of weeping fig and loquat.

McConnell, D.B. S.l. : The Society. Proceedings of the ... annual meeting of the Florida State Horticulture Society. Aug 1988. v. 100. p. 337-339. Includes references. (NAL Call No.: DNAL SB319.2.F6F56).

0179

Cross-pollination in 'Gordal Sevillana' olives.

HJHSA. Fernandez-Escobar, R. Gomez-Vallador, G. Alexandria, Va. : American Society for Horticultural Science. HortScience. Apr 1985. v. 20 (2). p. 191-192. ill. Includes 9 references. (NAL Call No.: DNAL SB1.H6).

0180

Cultivar identification of Japanese persimmon by leaf isozymes.

HJHSA. Tao, R. Sugiura, A. Alexandria, Va. : American Society for Horticultural Science. HortScience. Oct 1987. v. 22 (5). p. 932-935. ill. Includes references. (NAL Call No.: DNAL SB1.H6).

0181

Cytokinins of the developing mango fruit.

Isolation, identification, and changes in levels during maturation (Mangifera indica). Chen, W.S.PLPHA. Rockville : American Society of Plant Physiologists. Plant physiology. Feb 1983. v. 71 (2). p. 356-361. 24 ref. (NAL Call No.: 450 P692).

0182

Detecting endogenous growth regulators on the sarcotesta, sclerotesta, endosperm, and embryo by paper chromatography on fresh and old seeds of two papaya varieties.

Reyes, M.N. PR. Perez, A.; Cuevas, J. Rio Piedras, The Station. The Journal of agriculture of the University of Puerto Rico. Puerto Rico. Agricultural Experiment Station. Apr 1980. v. 64 (2). p. 164-172. ill. 21 ref. (NAL Call No.: 8 P832J).

0183

The effect of growing location and harvest maturity on the storage performance and quality of Hayward' kiwifruit (California).

Crisosto, G.U. Mitchell, F.G.; Arpaia, M.L.; Mayer, G. Alexandria, Va. : The Society. Journal of the American Society for Horticultural Science. July 1984. v. 109 (4). p. 584-587. ill. Includes references. (NAL Call No.: 81 S012).

0184

Effect of growth rate, morphogenic activity, and phylogeny on shoot apical ultrastructure in *Opuntia polyacantha* (Cactaceae).

AJBOA. Mauseth, J.D. Baltimore, Md. : Botanical Society of America. American journal of botany. Oct 1984. v. 71 (9). p. 1283-1292. Includes references. (NAL Call No.: DNAL 450 AM36).

0185

The effect of manganese on pineapple plants and the ripening of the pineapple fruit /by E.V. Wilcox and W.P. Kelley.

Wilcox, Earley Vernon, 1869-. Kelley, W. P. 1878-. Washington, D.C. : U.S. Govt. Print. Off., 1912. 20 p., 2 leaves of plates : ill. ; 23 cm. Includes bibliographical references. (NAL Call No.: DNAL 100 H313 (1) no.28).

0186

Effect of night temperature on flowering and fruit size in pineapple (*Ananas comosus* (L.) Merrill (Hawaii)).

Friend, D.J.C. Chicago, University of Chicago Press. Botanical gazette. June 1981. v. 142 (2). p. 188-190. ill. Bibliography p. 190. (NAL Call No.: 450 B652).

0187

Effect of photoperiod and growth regulators on growth of three cactaceae.

HJHSA. Sanderson, K.C. Ho, Y.S.; Martin, W.C. Jr.; Reed, R.B. Alexandria, Va. : American Society for Horticultural Science. HortScience. Dec 1986. v. 21 (6). p. 1381-1382. Includes

references. (NAL Call No.: DNAL SB1.H6).

0188

Effect of progressive soil salinity on the leaf water potential and stomatal conductance in avocado (*Persea americana* Mill.).

CAVYA. Salazar-Garcia, S. Larque-Saavedra, S. Saticoy, Calif. : The Society. Yearbook - California Avocado Society. 1985. v. 69. p. 101-104. Includes references. (NAL Call No.: DNAL 81 C128).

0189

The effect of temperature on the iron content of banana suckers (Nutrient uptake).

Lahav, E. Turner, D.W. New York, N.Y. : Marcel Dekker. Journal of plant nutrition. 1984. Presented at the "Second International Symposium on Iron Nutrition and Interactions in Plants," August 2-5, 1983, Utah State University, Logan. v. 7 (1/5). p. 725-731. ill. Includes references. (NAL Call No.: QK867.J67).

0190

The effect of two mycorrhizal fungi (isolates of *Glomus fasciculatus*) upon growth and nutrition of avocado seedlings grown with six fertilizer treatments.

Menge, J.A. LaRue, J.; Labanauskas, C.K.; Johnson, E.L.V. Alexandria, Va., The Society. Journal of the American Society for Horticultural Science. American Society for Horticultural Science. May 1980. v. 105 (3). p. 400-404. ill. 22 ref. (NAL Call No.: 81 S012).

0191

Effects of flooding and phytophthora root rot on net gas exchange and growth of avocado.

PHYTAU. Ploetz, R.R. Schaffer, B. St. Paul, Minn. : American Phytopathological Society. Greenhouse studies were conducted to determine the effects of *Phytophthora* root rot (caused by *Phytophthora cinnamomi*) and flooding on avocado (*Persea americana*). In addition to standard disease assessments (root necrosis, root colonization, wilt, and defoliation), dry weight accumulations and gas exchange characteristics were monitored as indicators of host distress. In a peat-perlite potting medium with a high water-holding capacity, net CO₂ assimilation, transpiration, stomatal conductance for CO₂, and root and shoot dry weights were reduced by root rot (P less than 0.05). In this medium, flooding alone generally did not reduce these parameters after 5 days. In a calcareous soil used for avocado production in south Florida (with a lower water-holding capacity than the potting medium), root rot reduced assimilation, transpiration, and conductance in a series of three experiments, although not consistently. In this soil, flooding alone reduced these

parameter as well. After 4 wk of flooding, assimilation, transpiration, and conductance declined to nondetectable levels. However, when plants with root rot were flooded, these physiological parameters were reduced as soon as 3 days after flooding began, and they declined to nondetectable levels within 1 wk. These plants also had reduced root, shoot, and total plant dry weight accumulations and increased defoliation when compared with nonflooded plants without root rot. Although similar reductions occurred for nonflooded plants with root rot and flooded plants without root rot, these reductions were not as great or consistent as those detected for the combined root rot and flooding treatment. In combination, *Phytophthora* root rot and flooding dramatically impaired photosynthesis and normal stomatal function and reduced the root and shoot biomass in avocado. *Phytopathology*. Feb 1989. v. 79 (2). p. 204-208. Includes references. (NAL Call No.: DNAL 464.8 P56).

0192

Effects of flooding and *Phytophthora* root rot on photosynthetic characteristics of avocado. Ploetz, R.C. Schaffer, B. S.I. : The Society. Proceedings of the ... annual meeting of the Florida State Horticulture Society. Aug 1988. v. 100. p. 290-294. Includes references. (NAL Call No.: DNAL SB319.2.F6F56).

0193

Effects of low oxygen concentration on fruit respiration: nature of respiratory diminution (Apples, bananas, sweet potato). Solomos, T. Beaverton, Or. : Timber Press. (1982). Proc. Third Natl. Controlled Atmosphere Research Conf. on Controlled Atmospheres for Storage and Transport of Perishable Agric. Commodities, July 22-24, 1981, Ore. State Univ., Corvallis / D.G. Richardson, M.M. Meheriuk, eds. p. 161-170. 24 ref. (NAL Call No.: TP373.3.C66 1982).

0194

Essential oil of *Eugenia jambolana* (Brazilian plant). Craveiro, A.A.LLOYA. Andrade, C.H.S.; Matos, F.J.A.; Alencar, J.W.; Machado, M.I.L. Cincinnati : American Society of Pharmacognosy. Journal of natural products. July/Aug 1983. v. 46 (4). p. 591-592. Includes references. (NAL Call No.: 442.8 L77).

0195

Estimating soil water use of young avocado trees. Steinhardt, R. Kalmar, D.; Lahav, E.; Shalhevet, J.; Naor, A. Logan, Utah : Utah State University, 1987? . Proceedings of International Conference on Measurement of Soil

and Plant Water Status : in commemoration of the centennial of Utah State University, July 6-10, 1987, Logan, Utah. v. 1 p. 61-62. Includes references. (NAL Call No.: DNAL QK870.I5 1987).

0196

Ethylene production in avocado flowers and fruit: its role in senescence and abscission. Davenport, T.L.PPGD. Lake Alfred : The Society. Proceedings annual meeting - Plant Growth Regulator Society of America. 1983. 1983. (10th). p. 213-215. Includes references. (NAL Call No.: SB128.P5).

0197

Evaluation of a rapid sap nitrate test for young kiwifruit vines. CSOSA2. Prasad, M. Ravenwood, I.C. New York, N.Y. : Marcel Dekker. Communications in soil science and plant analysis. 1986. v. 17 (8). p. 829-837. Includes 13 references. (NAL Call No.: DNAL S590.C63).

0198

Evaluation of the mid-infrared (1.45 to 2.0 micrometer) with a black-and-white infrared video camera. PERSD. Everitt, J.H. Escobar, D.E.; Blazquez, C.H.; Hussey, M.A.; Nixon, P.R. Falls Church, Va. : American Society of Photogrammetry and Remote Sensing. Photogrammetric engineering and remote sensing. Oct 1986. v. 52 (10). p. 1655-1660. ill. Includes references. (NAL Call No.: DNAL 325.28 P56).

0199

Exploitation of animal mobility. NATUAS. Moore, P.D. Neptune, N.J. : Macmillan Journals. Nature. Sept 26/Oct 2, 1985. v. 317 (6035). p. 288. ill. Includes references. (NAL Call No.: DNAL 472 N21).

0200

Fig. Crane, J.C. Boca Raton, Fla. : CRC Press, 1986. CRC handbook of fruit set and development / edited by Shaul P. Monselise. Literature review. p. 153-165. ill. Includes references. (NAL Call No.: DNAL SB357.28.C73).

(PLANT PHYSIOLOGY AND BIOCHEMISTRY)

0201

Fooling Mother Nature.

Kavanaugh, M. Pleasanton, Calif. : Sun-Diamond Growers of California. Sun-diamond grower. Summer 1987. v. 6 (2). p. 14-15. 30. ill. (NAL Call No.: DNAL SB401.A1D5).

0202

Fruit growth of loquat (*Eriobotrya japonica*).

Blumenfeld, A. Alexandria, Va., The Society. Journal of the American Society for Horticultural Science. Sept 1980. v. 105 (5). p. 747-750. ill. 22 ref. (NAL Call No.: 81 S012).

0203

Further characterization and immunochemical studies on the carbohydrate specificity of jackfruit (*Artocarpus integrifolia*) lectin.

JBCHA3. Ahmed, H. Chatterjee, B.P. Baltimore, Md. : American Society for Biochemistry and Molecular Biology. The Journal of biological chemistry. June 5, 1989. v. 264 (16). p. 9365-9372. Includes references. (NAL Call No.: DNAL 381 J824).

0204

Gas exchange in the avocado leaves under water stress and recovery.

Ramadasan, A. Saticoy, Calif., The Society. Yearbook - California Avocado Society. 1980. v. 64. p. 147-151. 12 ref. (NAL Call No.: 81 C128).

0205

Genetic selection during the abscission of avocado fruitlets.

HUJSA. Degani, C. Goldring, A.; Gazit, S.; Lavi, U. Alexandria, Va. : American Society for Horticultural Science. HortScience. Oct 1986. v. 21 (5). p. 1187-1188. Includes references. (NAL Call No.: DNAL SB1.H6).

0206

Germination of two papaya varieties: effect of seed aeration, K (potassium)-treatment, removing of the sarcotesta, high temperature, soaking in distilled water, and age of seeds.

Perez, A. PR. Reyes, M.N.; Cuevas, J. Rio Piedras, The Station. The Journal of agriculture of the University of Puerto Rico. Puerto Rico. Agricultural Experiment Station. Apr 1980. v. 64 (2). p. 173-180. ill. 6 ref. (NAL Call No.: 8 P832J).

0207

Germination requirements of lotebush (*Ziziphus obtusifolia* var. *obtusifolia*) (in Texas, Arizona, New Mexico and northern Mexico).

Speer, E.R. Wright, H.A. Denver, Society for Range Management. Journal of range management. Sept 1981. v. 34 (5). p. 365-368. ill. 19 ref. (NAL Call No.: 60.18 J82).

0208

Growth and compositional changes during development of lanzone fruit.

HUJSA. Paull, R.E. Goo, T.; Chen, N.J. Alexandria, Va. : American Society for Horticultural Science. HortScience. Dec 1987. v. 22 (6). p. 1252-1253. Includes references. (NAL Call No.: DNAL SB1.H6).

0209

Growth and yield of mango trees at three stages of development influenced by rootstock, scion variety.

JAUPA. Perez, A. Cedeno-Maldonado, A.; Reyes, I.; Lopez, J. Mayaguez : University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. Oct 1987. v. 71 (4). p. 341-348. Includes references. (NAL Call No.: DNAL 8 P832J).

0210

Hydrolytic enzyme activities and protein pattern of avocado fruit ripened in air and in low oxygen, with and without ethylene.

PLPHA. Kanellis, A.K. Solomos, T.; Mattoo, A.K. Rockville, Md. : American Society of Plant Physiologists. The effect of 2.5% O₂ atmosphere with and without ethylene on the activities of hydrolytic enzymes associated with cell walls, and total protein profile during ripening of avocado fruits (*Persea americana* Mill., cv Hass) were investigated. The low 2.5% O₂ atmosphere prevented the rise in the activities of cellulase, polygalacturonase, and acid phosphatase in avocado fruits whose ripening was initiated with ethylene. Addition of 100 microliters per liter ethylene to low O₂ atmosphere did not alter these suppressive effects of 2.5% O₂. Furthermore, 2.5% O₂ atmosphere delayed the development of a number of polypeptides that appear during ripening of avocado fruits while at the same time new polypeptides accumulated. The composition of the extraction buffer and its pH greatly affected the recovery of cellulase activity and its total immunoreactive protein. Plant physiology. May 1989. v. 90 (1). p. 259-266. ill. Includes references. (NAL Call No.: DNAL 450 P692).

(PLANT PHYSIOLOGY AND BIOCHEMISTRY)

0211

Hypoglycin and metabolically related inhibitors (Ackee fruit, *Blighia sapida*).
Billington, D. Sherratt, H.S.A. New York, Academic Press. Methods in enzymology. 1981. v. 72 (pt.D). p. 610-616. ill. Includes 21 ref. (NAL Call No.: 390 C71).

0212

Influence of nut removal on growth and ripening of the cashew-apple.
Pratt, H.K. Mendoza, D.B. Jr. Alexandria, Va., The Society. Journal of the American Society for Horticultural Science. July 1980. v. 105 (4). p. 540-542. ill. 9 ref. (NAL Call No.: 81 SD12).

0213

The influence of salinity and rootstock on avocado seedling growth. Progress report.
CAVYA. Oster, J.D. Brokaw, R.; Strohmman, R.A.; Tracy, J.E. Saticoy, Calif. : The Society. Yearbook - California Avocado Society. 1985. v. 69. p. 105-110. Includes references. (NAL Call No.: DNAL '81 C128).

0214

Influence of soil and mineral stresses on cacti.
JPNUDS. Berry, W.L. Nobel, P.S. New York, N.Y. : Marcel Dekker. Journal of plant nutrition. 1985. v. 8 (8). p. 679-696. Includes 19 references. (NAL Call No.: DNAL OK867.J67).

0215

Influence of temperature and applied auxins during winter propagation of kiwifruit.
HJHSA. Testolin, R. Vitagliano, C. Alexandria, Va. : American Society for Horticultural Science. HortScience. Aug 1987. v. 22 (4). p. 573-574. Includes references. (NAL Call No.: DNAL SB1.H6).

0216

An inhibitor of catalase induced by cold in chilling-sensitive plants.
PLPHA. Patterson, B.D. Payne, L.A.; Chen, Y.Z.; Graham, D. Rockville, Md. : American Society of Plant Physiologists. Plant physiology. Dec 1984. v. 76 (4). p. 1014-1018. ill. Includes 27 references. (NAL Call No.: DNAL 450 P692).

0217

Inhibitory effects of various flavonoids isolated from leaves of persimmon on angiotensin-converting enzyme activity.
JNPRDF. Kameda, K. Takaku, T.; Dkuda, H.; Kimura, Y.; Dkuda, T.; Hatano, T.; Agata, I.; Arichi, S. Pittsburgh, Pa. : American Society of Pharmacognosy and the Lloyd Library and Museum. Journal of natural products. July/Aug 1987. v. 50 (4). p. 680-683. Includes references. (NAL Call No.: DNAL 442.8 L77).

0218

Interrelationship of gene expression, polysome prevalence, and respiration during ripening of ethylene and/or cyanide-treated avocado fruit (*Persea americana*).
Tucker, M.L. Laties, G.G. Rockville, Md. : American Society of Plant Physiologists. Plant physiology. Feb 1984. v. 74 (2). p. 307-315. ill. Includes references. (NAL Call No.: 450 P692).

0219

Kiwifruit.
Hopping, M.E. Boca Raton, Fla. : CRC Press, 1986. CRC handbook of fruit set and development / edited by Shaul P. Monselise. Literature review. p. 217-232. ill. Includes references. (NAL Call No.: DNAL SB357.28.C73).

0220

Kiwifruit.
AFREA. Luh, B.s. Wang, Z. Orlando, Fla. : Academic Press. Advances in food research. 1984. v. 29. p. 279-309. Includes references. (NAL Call No.: DNAL 389 M87).

0221

Kiwifruit: a botanical review.
Ferguson, A.R. Westport, Conn. : Avi. Horticultural reviews. Literature review. 1984. v. 6. p. 1-64. ill. Includes references. (NAL Call No.: DNAL SB317.5.H6).

0222

Large market potential seen for the Chinese date (jujube).
Sweet, C. Vista, Calif. : Rancher Pub. California grower. Dec 1985. v. 9 (12). p. 41-43, 48. Includes references. (NAL Call No.: DNAL SB379.A9A9).

0223

Light-dependence for fruiting body formation and its inheritance in *Phoma caricae-papayae* (Fungi, genetic basis).
Honda, Y. MYCOA. Aragaki, M. Bronx : The New York Botanical Garden. Mycologia. Jan/Feb 1983. v. 75 (1). p. 22-29. ill. 20 ref. (NAL Call No.: 450 M99).

0224

Lipid changes in olive fruit under saline conditions.
Marzouk, B. Zarrouk, M.; Cherif, A. Champaign, Ill. : American Oil Chemists' Society, 1986. Proceedings World Conference on Emerging Technologies in the Fats and Oils Industry, Cannes, France, November 3-8, 1985 / edited by A.R. Baldwin. p. 408-409. Includes references. (NAL Call No.: DNAL TP669.5.W67 1985).

0225

Long term effects of gibberellin and cytokinin on coconut trees.
PRNCA. Fisher, J.B. Theobald, W.F. Lawrence, Kan. : The International Palm Society. Principes. Jan 1989. v. 33 (1). p. 5-17. ill. Includes references. (NAL Call No.: DNAL 80 P932).

0226

Manage avocado tree growth.
Whiley, W.W. Saranah, J.B.; Cull, B.W.; Pegg, K.G. Fallbrook, Calif. : Rancher Publications. California grower. June 1988. v. 12 (6). p. 5, 9-10, 12-14, 19-20. (NAL Call No.: DNAL SB379.A9A9).

0227

Management and nutrition of kiwifruit vines.
JPNUDS. Ferguson, A.R. Turner, N.A.; Bank, R.J. New York, N.Y. : Marcel Dekker. Journal of plant nutrition. Paper presented at the "Tenth International Plant Nutrition Colloquium," August 4-9, 1986, Beltsville, Maryland. 1987. v. 10 (9/16). p. 1531-1537. Includes references. (NAL Call No.: DNAL QK867.J67).

0228

Modeling of PAR interception and productivity of a prickly pear cactus, *Opuntia ficus-indica* L., at various spacings.
AGUOAT. Cortazar, V.C. de. Nobel, P.S. Madison, Wis. : American Society of Agronomy. Agronomy journal. Jan/Feb 1986. v. 78 (1). p. 80-85. ill. Includes references. (NAL Call No.: DNAL 4 AM34P).

0229

Molluscicides from the cashew *Anacardium occidentale* and their large-scale isolation.
JAFCAU. Kubo, I. Komatsu, S.; Ochi, M. Washington, D.C. : American Chemical Society. Journal of agricultural and food chemistry. Nov/Dec 1986. v. 34 (6). p. 970-973. Includes references. (NAL Call No.: DNAL 381 J8223).

0230

Mycorrhizal infection and cold hardiness of *Carissa grandiflora* natal plum.
Hummel, R.L. Johnson, C.R. Nashville : The Association. Proceedings of SNA Research Conference - annual report - Southern Nurserymen's Association. 1984. (29th). p. 101-105. Includes 8 references. (NAL Call No.: DNAL SB403.S68).

0231

N (nitrogen)-demethylation of p (para)-chloro-N-methylaniline catalyzed by subcellular fractions from the avocado pear (*Persea americana*) (Pesticide oxidation).
Dohn, D.R. Krieger, R.I. New York, N.Y. : Academic Press. Archives of biochemistry and biophysics. June 1984. v. 231 (2). p. 416-423. ill. Includes references. (NAL Call No.: 381 AR2).

0232

Net gas exchange as a damage indicator for *Phytophthora* root rot of flooded and nonflooded avocado.
HJHSA. Schaffer, B. Ploetz, R.C. Alexandria, Va. : American Society for Horticultural Science. HortScience. Aug 1989. v. 24 (4). p. 653-655. Includes references. (NAL Call No.: DNAL SB1.H6).

0233

New gibberellins in developing loquat fruit and hypothetical metabolic pathway.
PPGGD. Yuda, E. Yokota, T.; Nonaka, M.; Fukushima, Y.; Nakagawa, S.; Katsura, N.; Ota, Y.; Murofushi, N.; Takahashi, N. Lake Alfred, Fla. : The Society. Proceedings annual meeting - Plant Growth Regulator Society of America. 1987. (14th). p. 167-173. Includes references. (NAL Call No.: DNAL SB128.P5).

0234

New maturity standard to be in effect for 1983-84 season (California avocados).
Froide, J.T. Vista, Calif. : Rancher Pub. Avocado grower. June 1983. v. 7 (6). p. 28, 30. ill. (NAL Call No.: SB379.A9A9).

0235

Nitrogen and potassium fertilization effects on fruiting and petiole composition of 24- to 48-month old papaya plants.

Awada, M. Long, C. Alexandria, Va., The Society. Journal of the American Society for Horticultural Science. July 1980. v. 105 (4). p. 505-507. ill. 9 ref. (NAL Call No.: 81 S012).

0236

A note on the phytochemistry of Opuntia (Cactaceae).

Meyer, B.N. McLaughlin, J.L. Santa Barbara, Abbey Garden Press. Cactus and succulent journal. Sept/Oct 1982. Literature review. v. 54 (5). p. 226-228. ill. 40 ref. (NAL Call No.: 451 C11).

0237

Nutrient relations and productivity of prickly pear cacti.

AGJOAT. Nobel, P.S. Russell, C.E.; Felker, P.; Medina, J.G.; Acuna, E. Madison, Wis. : American Society of Agronomy. Agronomy journal. May/June 1987. v. 79 (3). p. 550-555. Includes references. (NAL Call No.: DNAL 4 AM34P).

0238

Nutrient uptake and dry matter composition in the plant crop and first ratoon of the Grand Nain banana grown on an Ultisol.

JAUPA. Irizarry, H. Rivera, E.; Rodriguez, J. Mayaguez : University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. July 1988. v. 72 (3). p. 337-351. Includes references. (NAL Call No.: DNAL 8 P832U).

0239

Observations on the overwintering of Oriental persimmons in Maryland.

NONGA. Shanks, J.B. Hamden, Conn. : The Association. Annual report of the Northern Nut Growers Association. 1984. (75th). p. 21-27. ill. (NAL Call No.: DNAL 94.69 N81).

0240

Optimizing somatic embryo production in mango. JOSHB. Dewald, S.G. Litz, R.E.; Moore, G.A. Alexandria, Va. : The Society. Medium components and characteristics that affect the growth of embryogenic mango (*Mangifera indica* L.) nucellar cultures and production of somatic embryos in vitro were studied. These included the role of complex organic supplements, basal medium formulations, solidifying agents, and liquid vs. solid media. Growth of embryogenic

cultures in suspension was more efficient than on solid medium; however, subculture onto solid medium was essential for high-frequency production of morphologically normal somatic embryos, and Gelrite was more effective in this respect than Difco Bacto-agar. Modified B-5 basal medium was better for maintenance of cultures and for production of morphologically normal somatic embryos than either Murashige and Skoog or Woody Plant Medium. Sucrose concentrations at 5% to 6% were optimal for somatic embryo production, and also increased the frequency of recovery of normally differentiated early heart-shaped somatic embryos. Coconut water (20%, v/v) enhanced somatic embryo production by 18%; other complex organic addenda alone or in combination with coconut water were either ineffective (casein hydrolysate) or highly inhibitory (yeast extract) in comparison with basal medium alone. Journal of the American Society for Horticultural Science. July 1989. v. 114 (4). p. 712-716. ill. Includes references. (NAL Call No.: DNAL 81 S012).

0241

Palm tissue culture : state of the art and its application to the coconut / by A. Kovoov. -. Kovoov, A. Rome Food and Agriculture Organization of the United Nations 1981. Paper presented at the fifth session of the FAO Technical Working Party on Coconut Production, Protection and Processing, Manila, December 1979 -AGPC/MISC/77. 69 p. : ill. ; 28 cm. --. Bibliography: p. 62-69. (NAL Call No.: SB13.F6 no.30).

0242

Papain in seedlings of papaya.

Mustard, M.O. s.l. : The Society. Proceedings of the ... annual meeting of the Florida State Horticulture Society. 1986. v. 98. p. 149-152. ill. Includes references. (NAL Call No.: DNAL SB319.2.F6F56).

0243

Papaya.

Nakasone, H.Y. Boca Raton, Fla. : CRC Press, 1986. CRC handbook of fruit set and development / edited by Shaul P. Monselise. Literature review. p. 277-301. ill. Includes references. (NAL Call No.: DNAL SB357.28.C73).

0244

Persimmon.

Ito, S. Boca Raton, Fla. : CRC Press, 1986. CRC handbook of fruit set and development / edited by Shaul P. Monselise. p. 355-370. ill. Includes references. (NAL Call No.: DNAL SB357.28.C73).

(PLANT PHYSIOLOGY AND BIOCHEMISTRY)

0245

Physiological gradient in avocado fruit.
CAVYA. Schroeder, C.A. Saticoy, Calif. : The Society. Yearbook - California Avocado Society. 1985. v. 69. p. 137-143. ill. Includes 16 references. (NAL Call No.: DNAL 81 C128).

0246

Pineapple.
Bartholomew, D.P. Paull, R.E. Boca Raton, Fla. : CRC Press, 1986. CRC handbook of fruit set and development / edited by Shaul P. Monselise. Literature review. p. 371-388. Includes references. (NAL Call No.: DNAL SB357.28.C73).

0247

Possible rejuvenation of adult avocado by graftage onto juvenile rootstocks in vitro.
HUHSA. Pliego-Alfaro, F. Murashige, T. Alexandria, Va. : American Society for Horticultural Science. HortScience. Dec 1987. v. 22 (6). p. 1321-1324. ill. Includes references. (NAL Call No.: DNAL SB1.H6).

0248

Preharvest respiratory trend of the fruit of prickly pear (*Opuntia amygdala* T).
Rivera, M.A.M. Alvarado y Sosa, L.; Lakshminarayana, S. s.l., The Society. Proceedings of the ... annual meeting of the Florida State Horticultural Society. June 1, 1980. v. 92. p. 235-237. ill. 15 ref. (NAL Call No.: 81 F66).

0249

Proximate characteristics and composition of sapodilla fruits grown in Mexico (*Manilkara achras*, *Achras sapota*, Cultivar, selection, morphology, chemistry).
Lakshminarayana, S. Moreno Rivera, M.A. s.l., The Society. Proceedings of the ... annual meeting of the Florida State Horticultural Society. June 1, 1980. v. 92. p. 303-305. 9 ref. (NAL Call No.: 81 F66).

0250

Quantitation of a bioactive metabolite in undisturbed rhizosphere--benzyl isothiocyanate from *Carica papaya* L. (Papaya).
Tang, C.S. JCECD. Takenaka, T. New York : Plenum Press. Journal of chemical ecology. Aug 1983. v. 9 (8). p. 1247-1253. ill. Includes references. (NAL Call No.: QD415.A1J6).

0251

Rapid multiplication of bananas and plantains by in vitro shoot tip culture.
Croneauer, S.S. Krikorian, A.D. Alexandria, Va. : American Society for Horticultural Science. HortScience. Apr 1984. v. 19 (2). p. 234-235. ill. Includes references. (NAL Call No.: SB1.H6).

0252

A rapid sap nitrate test for kiwifruit.
JPNUOS. Prasad, M. Spiers, T.M.; Lill, R.E. New York, N.Y. : Marcel Dekker. Journal of plant nutrition. Paper presented at the "Tenth International Plant Nutrition Colloquium", August 4-9, 1986, Beltsville, Maryland. 1987. v. 10 (9/16). p. 1689-1697. Includes references. (NAL Call No.: DNAL QK867.J67).

0253

Regulation of climacteric respiration in ripening avocado fruit.
PLPHA. Bennett, A.B. Smith, G.M.; Nichols, B.G. Rockville, Md. : American Society of Plant Physiologists. Plant physiology. Apr 1987. v. 83 (4). p. 973-976. Includes references. (NAL Call No.: DNAL 450 P692).

0254

Reinitiation of vegetative growth from aseptically cultured terminal floral apex of banana.
AUBOA. Cronauer, S.S. Krikorian, A.D. Baltimore, Md. : Botanical Society of America. American journal of botany. Oct 1985. v. 72 (10). p. 1598-1601. ill. Includes references. (NAL Call No.: DNAL 450 AM36).

0255

Relationships between photosynthetically active radiation, nocturnal acid accumulation, and CO₂ (carbon dioxide) uptake for a crassulacean acid metabolims plant, *Opuntia ficus-indica*.
Nobel, P.S. PLPHA. Hartsock, T.L. Rockville : American Society of Plant Physiologists. Plant physiology. Jan 1983. v. 71 (1). p. 71-75. 29 ref. (NAL Call No.: 450 P692).

0256

Relationships of ethanol production by seeds of different types of Japanese persimmons and their tannin content (*Diospyros kaki*, pollination, astringency).
Sugiura, A. HUHSA. Tomana, T. Alexandria : American Society for Horticultural Science. HortScience. June 1983. v. 18 (3). p. 319-321. ill. Includes references. (NAL Call No.: SB1.H6).

0257

Respiration during postharvest development of soursop fruit, *Annona muricata* L.
PLPHA. Bruinsma, J. Paull, R.E. Rockville, Md.
: American Society of Plant Physiologists.
Plant physiology. Sept 1984. v. 76 (1). p.
131-138. ill. Includes 24 references. (NAL Call
No.: DNAL 450 P692).

0258

Respiratory CO₂ as carbon source for nocturnal
acid synthesis at high temperatures in three
species exhibiting crassulacean acid
metabolism.
PLPHA. Winter, K. Schroppel-Meier, G.;
Caldwell, M.M. Rockville, Md. : American
Society of Plant Physiologists. Plant
physiology. June 1986. v. 81 (2). p. 390-394.
Includes 15 references. (NAL Call No.: DNAL 450
P692).

0259

Respiratory rate, ethylene production, and
ripening response of avocado fruit to ethylene
or propylene following harvest at different
maturities.
Eaks, I.L. Alexandria, Va., The Society.
Journal of the American Society for
Horticultural Science. Sept 1980. v. 105 (5).
p. 744-747. ill. 13 ref. (NAL Call No.: 81
S012).

0260

Response of container-grown banana, ixora,
citrus, and *Dracaena* to elevated root
temperatures.
HUHSA. Ingram, D.L. Ramcharan, C.; Nelli, T.A.
Alexandria, Va. : American Society for
Horticultural Science. HortScience. Apr 1986.
v. 21 (2). p. 254-255. Includes references.
(NAL Call No.: DNAL SB1.H6).

0261

Role of ethylene in avocado fruitlet
abscission.
Davenport, T.L. PPGGD. Lake Alfred : The
Society. Proceedings annual meeting - Plant
Growth Regulator Society of America. 1982.
1982. (9th). p. 147-152. ill. Includes
references. (NAL Call No.: SB128.P5).

0262

Root/shoot relation and some root
characteristics in seedlings of avocado and
chinini.
CAVYA. Borys, M.W. Saticoy, Calif. : The
Society. Yearbook - California Avocado Society.
1986. v. 70. p. 175-198. Includes references.

(NAL Call No.: DNAL 81 C128).

0263

A scanning electron microscope study of the
formation and surface characteristics of the
peel of the banana fruit during its
development.
BOGAA. Williams, M.H. Vesek, M.; Mullins, M.G.
Chicago, Ill. : University of Chicago Press.
Botanical gazette. Mar 1989. v. 150 (1). p.
30-40. ill. Includes references. (NAL Call No.:
DNAL 450 B652).

0264

Seasonal patterns in chemical composition of
the fruit of *actinidia chinensis* (Chinese
gooseberry fruits or "kiwifruit").
Reid, M.S. Heatherbell, D.A.; Pratt, H.K.
Alexandria, Va., The Society. Journal of the
American Society for Horticultural Science. Mar
1982. v. 107 (2). p. 316-319. Includes 15 ref.
(NAL Call No.: 81 S012).

0265

The selective advantages of anthocyanins in
developing leaves of mango and cacao.
BTRDA. Lee, D.W. Brammeier, S.; Smith, A.P. St.
Louis : Association for Tropical Biology.
Biotropica. Mar 1987. v. 19 (1). p. 40-49.
Includes references. (NAL Call No.: DNAL
QH301.B52).

0266

Sesquiterpene hydrocarbons in pineapple fruit
(Isolated under enzyme inhibition, enriched by
liquid-liquid extraction, and fractionated on
silica gel).
Berger, R.G. JAFCA. Drawert, F.; Nitz, S.
Washington : American Chemical Society. Journal
of agricultural and food chemistry. Nov/Dec
1983. v. 31 (6). p. 1237-1239. ill. Includes
references. (NAL Call No.: 381 J8223).

0267

Somatic embryogenesis and plant regeneration in
suspension cultures of dessert (AA and AAA) and
cooking (ABB) bananas (*Musa* spp.).
Novak, F.J. Afza, R.; Van Duren, M.;
Perea-Dallos, M.; Conger, B.V.; Xiaolang, T.
New York, N.Y. : Nature Publishing Company.
Bio/technology. Feb 1989. v. 7 (2). p. 154-159.
ill. Includes references. (NAL Call No.: DNAL
QH442.B5).

(PLANT PHYSIOLOGY AND BIOCHEMISTRY)

0268

Somatic embryogenesis in cell cultures of *Carica stipulata* (Large-scale production model).
Litz, R.E. Conover, R.A. Alexandria, Va., American Society for Horticultural Science. HortScience. Dec 1980. v. 15 (6). p. 733-735. ill. 11 ref. (NAL Call No.: SB1.H6).

0269

Some environmental effects on photosynthesis and water relations of avocado leaves.
Scholefield, P.B. Walcott, J.J.; Kriedemann, P.E.; Ramadan, A. Saticoy, Calif., The Society. Yearbook - California Avocado Society. 1980. v. 64. p. 93-94, 96-105. ill. 21 ref. (NAL Call No.: 81 C128).

0270

Some root characteristics of avocado (*Persea americana* Mill.) seedlings of the West Indian and Guatemalan races.
CAVYA. Borys, M.W. Barrera-Guerra, J.L.; Luna-Lopez, J. Saticoy, Calif.: The Society. Yearbook - California Avocado Society. 1985. v. 69. p. 111-122. Includes references. (NAL Call No.: DNAL 81 C128).

0271

Source-sink relations during avocado fruitlet development.
PPGGD. Finazzo, S.F. Davenport, T.L. Lake Alfreo, Fla.: The Society. Proceedings annual meeting - Plant Growth Regulator Society of America. 1987. (14th). p. 233-235. (NAL Call No.: DNAL SB128.P5).

0272

A sperm-agglutinating lectin from seeds of jack fruit (*Artocarpus heterophyllus*).
BBRCA. Namjuntra, P. Muanwongvathi, P.; Chulavatnatol, M. New York, N.Y.: Academic Press. Biochemical and biophysical research communications. Apr 30, 1985. v. 128 (2). p. 833-839. ill. Includes 13 references. (NAL Call No.: DNAL 442.8 85236).

0273

The stability of the symbiosis between dioecious figs and their pollinators: a study of *Ficus carica* L. and *Blastophaga psenes* L.
EVOLA. Kjellberg, F. Gouyon, P.H.; Ibrahim, M.; Raymond, M.; Valdeyron, G. Lawrence, Kan.: Society for the Study of Evolution. Evolution. July 1987. v. 41 (4). p. 693-704. Includes references. (NAL Call No.: DNAL 443.8 EV62).

0274

Studies of the fat content of some avocado varieties / Guillinta, M. G. -.
Guillinta, M. G. Karachi Saad Publications, Translations Division 1979. Translated from Spanish for the Agricultural Research Service, U. S. Dept. of Agriculture and National Science Foundation, TT 78-53189 -Translated from: Beitrage Trop. Landwirtsch. Veterinarmed., vol. 12. no. 4: 431-437, 1974. 9 leaves. (NAL Call No.: TRANSL 24740).

0275

Studies on enzymes involved in the biogenesis of lipid derived volatiles in ripening mango (*Mangifera indica* L.) fruit.
JFBID. Selvaraj, Y. Trumbull, Conn.: Food and Nutrition Press. Journal of food biochemistry. 1989. v. 12 (4). p. 289-299. Includes references. (NAL Call No.: DNAL TX545.J6).

0276

Studies on the enzymic hydrolysis of bound aroma components from *Carica papaya* fruit.
JAFCAU. Schwab, W. Mahr, C.; Schreier, P. Washington, D.C.: American Chemical Society. Journal of agricultural and food chemistry. July/Aug 1989. v. 37 (4). p. 1009-1012. Includes references. (NAL Call No.: DNAL 381 J8223).

0277

Studies on the hybridization, competition, and community ecology of a coastal *Opuntia*-complex in southern California / by Gotthard Francis Schussler. -.
Schussler, Gotthard Francis, 1941-. 1970. Thesis (Ph.D.)--University of California, Irvine, 1970. Photocopy. Ann Arbor, Mich.: University Microfilms, 1971. xiii, 224 leaves: 21 cm. Bibliography: leaves 206-213. (NAL Call No.: DISS 71-4,301).

0278

Studies on the volatile components of two mango varieties (*Alphonso*, *Baladi*, *Mangifera indica*).
Engel, K.H. JAFCA. Tressl, R. Washington: American Chemical Society. Journal of agricultural and food chemistry. July/Aug 1983. v. 31 (4). p. 796-801. Includes references. (NAL Call No.: 381 J8223).

0279

Sugar /acid composition and development of sweet and tart carambola fruit.
 JDSHB. Campbell, C.A. Koch, K.E. Alexandria, Va. : The Society. The oxalic-acid-accumulating fruit of carambola (*Averrhoa carambola* L. Oxalidaceae) was examined during development to characterize changes in sugars and acids and to evaluate potential maturity indices. Commercial maturity (color break) occurred 65 and 60 days after fruit set of sweet 'Arkin' and tart 'Golden Star', respectively. Fruit size at this stage was highly variable (51 to 103 mm long) and not a reliable indicator of maturity. Total soluble sugar concentration, mainly glucose and fructose, was almost 25% greater in the sweet 'Arkin' fruit (approximately 27 mg.g⁻¹ fresh weight) than in the tart 'Golden Star' carambolas (22 mg.g⁻¹ fresh weight). At harvest, sucrose made up only 15% to 20% of the total soluble sugars. Oxalic acid was the predominant organic acid in young fruit of both cultivars, but levels differed dramatically between sweet 'Arkin' (approximately 1 mg.g⁻¹ fresh weight) and tart 'Golden Star' (approximately 7 mg.g⁻¹ fresh weight). Malic acid (less than 1.5 mg.g⁻¹ fresh weight) was also present. Acidity in sweet 'Arkin' carambolas declined rapidly during early growth, but remained high during development of tart 'Golden Star'. Sugar accumulation, acid reduction, and color development continued for at least 7 days after color break if fruit remained on trees, but such fruit were not firm enough for typical commercial handling. *Journal of the American Society for Horticultural Science*. May 1989. v. 114 (3). p. 455-457. Includes references. (NAL Call No.: DNAL 81 S012).

0280

A tool for sampling flat jointed Opuntia.
 JRMGA. Huffman, A.H. Jacoby, P.W. Jr. Denver, Colo. : Society for Range Management. *Journal of range management*. Jan 1985. v. 38 (1). p. 94. ill. Includes references. (NAL Call No.: DNAL 50.18 J82).

0281

Total phenolics and high-performance liquid chromatography of phenolic acids of avocado.
 JAFCAU. Torres, A.M. Mau-Lastovicka, T.; Rezaaiyan, R. Washington, D.C. : American Chemical Society. *Journal of agricultural and food chemistry*. Nov/Dec 1987. v. 35 (6). p. 921-925. Includes references. (NAL Call No.: DNAL 381 J8223).

0282

Translocation of foliar-applied urea 15N to reproductive and vegetative sinks of avocado and its effect on initial fruit set.
 JDSHB. Zilkah, S. Klein, I.; Feigenbaum, S.; Weinbaum, S.A. Alexandria, Va. : The Society. *Journal of the American Society for Horticultural Science*. Nov 1987. v. 112 (6). p. 1061-1065. Includes references. (NAL Call No.: DNAL 81 S012).

0283

Tropical tissue culture for better bananas.
 Timm, M. New York, N.Y. : Nature Pub. Co. *Bio/technology*. July 1987. v. 5 (7). p. 667. ill. (NAL Call No.: DNAL QH442.B5).

0284

Ultrastructural changes in the walls of ripening avocados: transmission, scanning, and freeze fracture microscopy.
 Platt-Aloia, K.A. Thomson, W.W.; Young, R.E. Chicago, University of Chicago Press. *Botanical gazette*. Dec 1980. v. 141 (4). p. 366-373. ill. 26 ref. (NAL Call No.: 450 B652).

0285

Urea retention and uptake by avocado and apple leaves.
 JPNUDS. Klein, I. Zilkah, S. New York, N.Y. : Marcel Dekker. *Journal of plant nutrition*. 1986. v. 9 (11). p. 1415-1425. Includes references. (NAL Call No.: DNAL QK867.J67).

0286

Using calendar dates for cutting propagation.
 ANURA. Blazich, F.A. Chicago, Ill. : American Nurseryman Publishing Co. *American nurseryman*. Apr 1, 1987. v. 165 (7). p. 140-143. (NAL Call No.: DNAL 80 AM371).

0287

Variation in mineral composition of mango leaves as contributed by leaf sampling factors.
 Thakur, R.S. Prasada Rao, G.S.; Chadha, K.L.; Samra, J.S. New York, Marcel Dekker. *Communications in soil science and plant analysis*. 1981. v. 12 (4). p. 331-343. ill. 10 ref. (NAL Call No.: S590.C63).

0288

Volatile components of papaya (*Carica papaya* L.) with particular reference to glucosinolate products.
MacLeod, A.J. JAFCA. Pieris, N.M. Washington : American Chemical Society. Journal of agricultural and food chemistry. Sept/Oct 1983. v. 31 (5). p. 1005-1008. Includes references. (NAL Call No.: 381 J8223).

0289

Volatile components of pineapple guava.
JAFCAU. Binder, R.G. Flath, R.A. Washington, D.C. : American Chemical Society. Journal of agricultural and food chemistry. May/June 1989. v. 37 (3). p. 734-736. Includes references. (NAL Call No.: DNAL 381 J8223).

0290

Volatile constituents from guava (*Psidium guajava*, L.) fruit.
JAFCAU. Idstein, H. Schreier, P. Washington, D.C. : American Chemical Society. Journal of agricultural and food chemistry. Jan/Feb 1985. v. 33 (1). p. 138-143. Includes references. (NAL Call No.: DNAL 381 J8223).

0291

Volatile constituents of carambola (*Averrhoa carambola* L.).
JAFCAU. Wilsin, C.W. III. Shaw, P.E.; Knight, R.J. Jr.; Nagy, S.; Klim, M. Washington, D.C. : American Chemical Society. Journal of agricultural and food chemistry. Mar/April 1985. v. 33 (2). p. 199-201. Includes references. (NAL Call No.: DNAL 381 J8223).

0292

Volatile constituents of loquat (*Eriobotrya japonica* Lindl.) fruit (Japanese plum).
Shaw, P.E. JFDA. Wilson, C.W. III. Chicago : Institute of Food Technologists. Journal of food science. Sept/Oct 1982. v. 47 (5). p. 1743-1744. Includes references. (NAL Call No.: 389.8 F7322).

0293

Volatile constituents of mountain papaya (*Carica candamarcensis*, syn. *C. pubescens* Lenne et Koch) fruit.
JAFCAU. Idstein, H. Keller, T.; Schreier, P. Washington, D.C. : American Chemical Society. Journal of agricultural and food chemistry. July/Aug 1985. v. 33 (4). p. 663-666. Includes references. (NAL Call No.: DNAL 381 J8223).

0294

Water relations, diurnal acidity changes, and productivity of a cultivated cactus, *Opuntia ficus-indica*.
Acevedo, E. PLPHA. Badilla, I.; Nobel, P.S. Rockville : American Society of Plant Physiologists. Plant physiology. July 1983. v. 72 (3). p. 775-780. Includes references. (NAL Call No.: 450 P692).

0295

Water relations of cacti during desiccation: distribution of water in tissues (*Carnegiea gigantea*, *Ferocactus acanthodes* var. *acanthodes*, *Opuntia basilaris*).
Barcikowski, W. Nobel, P.S. Chicago, Ill. : University of Chicago Press. Botanical gazette. Mar 1984. v. 145 (1). p. 110-115. Includes references. (NAL Call No.: 450 B652).

0296

Withaphysalin D, a new withaphysalin from *Physalis minima* Linn. var. *indica*.
Sahai, M. Kirson, I. Cincinnati, Ohio : American Society of Pharmacognosy. Journal of natural products. May/June 1984. v. 47 (3). p. 527-529. ill. Includes 11 references. (NAL Call No.: 442.8 L77).

0297

Zygotic polyembryony in interspecific hybrids of *Carica papaya* and *C. cauliflora*.
JOSH5. Manshardt, R.M. Wenslaff, T.F. Alexandria, Va. : The Society. A study of reproductive barriers limiting interspecific hybridization between *Carica papaya* L. and *C. cauliflora* Jacq. was undertaken in four reciprocal interspecific crosses using two different lines of each species. Particular attention was focused on determining whether polyembryonic clusters produced in these crosses were of maternal or zygotic origin. Prezygotic barriers were unimportant; pollen tube penetration and zygote formation were similar in intra- and interspecific crosses. Substantial postzygotic disruptions were observed, including disorganized growth and abortion of hybrid embryos and lack of normal endosperm development. In most crosses, disorganized embryos aborted before differentiating into polyembryonic structures. However, crosses employing UH345 (*C. cauliflora*) as female parent produced some embryos that developed to maturity (6 months), and, in these crosses, embryogenic proliferation from zygotic tissue became evident as early as the beginning of the 3rd month. There was no evidence of somatic embryogenesis from maternal tissues in any cross. Embryos rescued 3 to 6 months after pollination continued embryogenic growth in vitro on basal Murashige and Skoog (MS) medium and germinated on medium containing 0.2 mg BA/liter and 0.5 mg NAA/liter. Zymograms

assayed for isocitrate dehydrogenase, malate dehydrogenase, and phosphoglucomutase activity confirmed the zygotic origin of tissues taken from in vitro cultures and recovered plantlets. Vigor, viability, and fertility (less than 1% stainable pollen) of hybrids recovered from embryo culture were low. Journal of the American Society for Horticultural Science. July 1989. v. 114 (4). p. 684-689. ill. Includes references. (NAL Call No.: DNAL 81 S012).

0298

2-hydroxyacetophenone: principal root volatile of the East African medicinal plant, *Carissa edulis*. JNPRDF. Bentley, M.D. Brackett, S.R.; Chapya, A. Cincinnati, Ohio : American Society of Pharmacognosy. Journal of natural products. Nov/Dec 1984. v. 47 (6). p. 1056-1057. Includes 7 references. (NAL Call No.: DNAL 442.8 L77).

0299

Foliar application of potassium nitrate for advancing and inducing the flowering of the Manila mango cultivar in Mexico (Harvesting control). Spanish. Mosqueda Vazquez, R. Santos de la Rosa, F. de los. (v.p.) : The Society. Proceedings of the Tropical Region, American Society for Horticultural Science : annual meeting. 1982. v. 25. p. 311-316. Includes references. (NAL Call No.: 81 AM325).

0300

Treatments for the defoliation and growth, flowering, and production of soursop trees (*Annona muricata* L.). Spanish. JAUPA. Cruz-Castillo, J.G. Cedenio-Maldonado, A. Rio Piedras, R.R. : University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. Apr 1989. v. 73 (2). p. 141-148. ill. Includes references. (NAL Call No.: DNAL 8 P832J).

PLANT TAXONOMY AND GEOGRAPHY

0301

Kiwifruit: a botanical review.

Ferguson, A.R. Westport, Conn. : Avi.

Horticultural reviews. Literature review. 1984.

v. 6. p. 1-64. ill. Includes references. (NAL

Call No.: DNAL SB317.5.H6).

0302

Opuntia cymochila Eng. & Big.: a species lost
in the shuffle.

CSUJA. Ferguson, D.J. Santa Barbara, Calif. :

Cactus and Succulent Society of America. Cactus

and succulent journal. Nov/Dec 1987. v. 59 (6).

p. 256-260. ill. Includes references. (NAL Call

No.: DNAL 451 C11).

PROTECTION OF PLANTS

0303

Carambola production in Florida.

Campbell, C.W. Knight, R.J. Jr.; Olszack, R.
s.l. : The Society. Proceedings of the ...
annual meeting of the Florida State
Horticulture Society. 1986. v. 98. p. 145-149.
ill. Includes references. (NAL Call No.: DNAL
SB319.2.F6F56).

0304

Evaluation of the adaptation of *Cocos nucifera* L. 'Maypan' to the Florida landscape (Coconut palms).

Donselman, H.M. S.l., The Society. Proceedings
of the ... annual meeting of the Florida State
Horticultural Society. 1981 (pub. 1982). v. 94.
p. 200-201. Includes 2 ref. (NAL Call No.: 81
F66).

0305

Integrated plant protection in bananas and plantains.

Stover, R.H. Ostmark, H.E. Minneapolis, Minn. :
Published for the Congress by Burgess Pub.,
c1981. Proceedings of symposia : IX
International Congress of Plant Protection,
Washington, D.C., U.S.A., August 5-11, 1979 /
editor, Thor Kommedahl. p. 564-567. Includes 19
ref. (NAL Call No.: SB951.I5 1979).

PESTS OF PLANTS - GENERAL AND MISC.

0306

Control of *Helix aspersa* on citrus and avocado.
Morse, J.G. Sakovich, N.J. Clemson, S.C. :
South Carolina Entomological Society. Journal
of agricultural entomology. Oct 1986. v. 3 (4).
p. 342-349. Includes references. (NAL Call No.:
DNAL SB599.J69).

0307

Field evaluation of single and multiple dose
anticoagulant rodenticides in reducing rodent
populations and damages in coconut plantations.
PVPCB. Advani, R. Davis, Calif. : University of
California. Proceedings ... Vertebrate Pest
Conference. June 1986. (12th). p. 166-172. ill.
Includes references. (NAL Call No.: DNAL
SB950.A1V4).

0308

New approach to pest management for papayas
(Integrated Pest Management).
Marsden, D. HI. Honolulu, The Service.
Miscellaneous publication - Hawaii University.
Cooperative Extension Service. Apr 1980. Apr
1980. (178). p. 13-15. (NAL Call No.:
S544.3.H3H3).

0309

A review of pest control in avocados.
Gustafson, C.D. Saticoy, Calif., The Society.
Yearbook - California Avocado Society. 1979.
1979. p. 58-60. 62-65. (NAL Call No.: 81 C128).

PESTS OF PLANTS - INSECTS

0310

Abundance, distribution, and dispersion indices of the oriental fruit fly and melon fly (Diptera: Tephritidae) on Kauai, Hawaiian Islands.

JEENAI. Vargas, R.I. Stark, J.D.; Nishida, T. Lanham, Md. : Entomological Society of America. Capture rates for male oriental fruit fly, *Dacus dorsalis* Hendel, were 5-10 times higher on the windward side than on the leeward side of the island of Kauai. In contrast, capture rates for melon fly, *D. cucurbitae* Coquillett, were 3-8 times higher on the leeward side than on the windward side of the island. Peak *D. dorsalis* trap captures occurred during spring and fall after guava, *Psidium guajava* L. and *P. cattleianum* Sabine, fruited in a guava belt above coastal agricultural areas. Peak *D. cucurbitae* trap captures occurred during winter and spring after the wild hosts bitter melon, *Momordica charantia* L., and spiny cucumber, *Cucumis dipsaceus* Ehrenberg ex Spach, fruited and during summer when truck crops were cultivated in agricultural areas. In a typical agricultural area, *D. dorsalis* capture rates were higher outside than inside crop production areas. In contrast, *D. cucurbitae* capture rates were higher inside than outside crop production areas. Results are discussed with respect to population management programs for fruit flies. Journal of economic entomology. Dec 1989. v. 82 (6). p. 1609-1615. maps. Includes references. (NAL Call No.: DNAL 421 J822).

0311

AC-217,300, a promising new insecticide for use in baits for control of the bighead ant in pineapple (Pheidole megacephala) nurses mealybugs that transmit pineapple wilt). Su, T.H. Beardsley, J.W.; McEwen, F.L. College Park, Md., Entomological Society of America. Journal of economic entomology. Dec 1980. v. 73 (6). p. 755-756. 2 ref. (NAL Call No.: 421 J822).

0312

Acoustical detection of oriental fruit fly (Diptera: Tephritidae) larvae in papaya. JEENAI. Hansen, J.D. Webb, J.C.; Armstrong, J.W.; Brown, S.A. College Park, Md. : Entomological Society of America. Abstract: Ultrasensitive sound detection equipment was evaluated for identifying larvae of the oriental fruit fly, *Dacus dorsalis* Hendel (Diptera: Tephritidae), in papaya (*Carica papaya* L.). In each of the eight laboratory tests, 25 fruit were artificially infested at a rate of 20 eggs per fruit; another 25 fruit were used as controls. After larval eclosion, each fruit was examined daily for 2 min using a computer program developed to recognize larval feeding. Accuracy in detecting infested fruit approached 100% 5 d after fruit infestation. The system correctly identified control fruit ca. 85% of the time until the sixth day, when tissue deterioration also produced signals. Factors causing false positives and problems

with implementing the system in the laboratory are discussed. Journal of economic entomology. June 1988. v. 81 (3). p. 963-965. Includes references. (NAL Call No.: DNAL 421 J822).

0313

Alternative quarantine treatments for papaya (Fruit flies). Couey, H.M. Seo, S.T. Honolulu, The Institute. Research extension series - University of Hawaii, Hawaii Institute of Tropical Agriculture and Human Resources. May 1981. May 1981. (006). p. 13-15. (NAL Call No.: S481.R4).

0314

Amorbia cuneana, a pest of avocados in California: discovery of sibling species through the use of pheromones. CAVYA. Bailey, J.B. McDonough, L.M.; Olsen, K.N. Saticoy, Calif. : The Society. Yearbook - California Avocado Society. 1986. v. 70. p. 151-156. Includes references. (NAL Call No.: DNAL 81 C128).

0315

Argentine ant management in cherimoyas. CAGRA. Phillips, P.A. Bekey, R.S.; Goodall, G.E. Berkeley, Calif. : The Station. California agriculture - California Agricultural Experiment Station. Mar/Apr 1987. v. 41 (3/4). p. 8-9. ill. (NAL Call No.: DNAL 100 C12CAG).

0316

Avocado brown mite feeding injury on avocado (Oligonychus punicae). Sances, F.V. Toscano, N.C.; Hoffmann, M.P.; LaPre, L.F.; Johnson, M.W.; Bailey, J.B. Saticoy, Calif., The Society. Yearbook - California Avocado Society. 1981. v. 65. p. 119-123. ill. (NAL Call No.: 81 C128).

0317

Biological control of black scale in olives. CAGRA. Daane, K.M. Caltagirone, L.E. Berkeley, Calif. : The Station. California agriculture - California Agricultural Experiment Station. Jan/Feb 1989. v. 43 (1). p. 9-11. ill. (NAL Call No.: DNAL 100 C12CAG).

0318

Biological control of the coconut moth, Batrachedra arenosella by Chelonus parasites in Indonesia. PHESA. Baringbing, W.A. Honolulu : The Society. Proceedings of the Hawaiian Entomological Society. Dec 15, 1986. v. 27. p. 41-44.

(PESTS OF PLANTS - INSECTS)

Includes references. (NAL Call No.: DNAL 420 H312).

0319

Biological control of two avocado pests.
CAGRA. Oatman, E.R. Platner, G.R. Berkeley : The Station. California agriculture - California Agricultural Experiment Station. Nov/Dec 1985. v. 39 (11/12). p. 21-23. ill. (NAL Call No.: DNAL 100 C12CAG).

0320

Biological pest control: kicking the chemical habit.
Thompson, W. Vista, Calif. : Rancher Pub. Avocado grower. Jan 1984. v. 8 (1). p. 23-27. ill. (NAL Call No.: DNAL SB379.A9A9).

0321

Biology and control of avocado insects and mites /by Howard L. McKenzie.
McKenzie, Howard L. 1910-. Berkeley, Cal. : Agricultural Experiment Station, 1935. Cover title. - "Paper no. 318, University of California Citrus Experiment Station and Graduate School of Tropical Agriculture, Riverside, California.". 48 p. : ill. ; 23 cm. Bibliography: p. 44-48. (NAL Call No.: DNAL 100 C12S no.592).

0322

Biology and control of the banana root borer (*Cosmopolites sordidus*, Hawaii).
Mau, R.F.L. Honolulu : The Institute. Research extension series - Hawaii Institute of Tropical Agriculture and Human Resources. Oct 1982. Presented at the 13th Annual Hawaii Banana Industry Association Conference, October, 1981. Oct 1982. (021). p. 32-35. (NAL Call No.: S481.R4).

0323

Blacklight monitoring of two avocado insect pests.
CAGRA. Bailey, J.B. Hoffmann, M.P.; Olsen, K.N. Berkeley, Calif. : The Station. California agriculture - California Agricultural Experiment Station. Mar/Apr 1988. v. 42 (2). p. 26-27. ill. (NAL Call No.: DNAL 100 C12CAG).

0324

Blossom end defects and fruit fly infestation in papayas following hot water quarantine treatment.
HJHSA. Zee, F.T. Nishina, M.S.; Chan, H.T. Jr.; Nishijima, K.A. Alexandria, Va. : American Society for Horticultural Science. HortScience. Apr 1989. v. 24 (2). p. 323-325. ill. Includes references. (NAL Call No.: DNAL SB1.H6).

0325

The coconut palm eriophyid mite, *Eriophyes guerreronis* (Keifer) in Puerto Rico (Acarina: Eriophyidae).
JAUPA. Medina-Gaud, S. Abreu, E. Mayaguez : University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. July 1986. v. 70 (3). p. 223-224. Includes references. (NAL Call No.: DNAL 8 P832J).

0326

Colony revival, and notes on rearing and life history of the big-headed ant.
PHESA. Chang, V.C.S. Honolulu : The Society. Proceedings of the Hawaiian Entomological Society. Mar 1, 1985. v. 25. p. 53-58. ill. Includes references. (NAL Call No.: DNAL 420 H312).

0327

Control of fall webworm.
Williams, M.L. Sheffer, B.J.; Miller, G.L.; Hendricks, H.J. Auburn, Ala. : The Station. Research report series - Alabama Agricultural Experiment Station, Auburn University. In the series analytic: Research Report 1987--Ornamentals. Aug 1987. (5). p. 24. (NAL Call No.: DNAL S541.5.A2R47).

0328

Effect of diflubenzuron on egg viability, fecundity, and adult longevity of the banana fruit fly, *Zaprionus paravittiger* (Diptera: Drosophilidae).
JEENAI. Rup, P.J. Chopra, P.K. College Park, Md. : Entomological Society of America. Journal of economic entomology. Oct 1985. v. 78 (5). p. 1118-1119. Includes references. (NAL Call No.: DNAL 421 J822).

0329

Effect of mixtures of custard-apple oil and neem oil on survival of *Nephotettix virescens* (Homoptera: Cicadellidae) and on rice tungro virus transmission (*Annona squamosa*, *Azadirachta indica*).
Mariappan, V. Saxena, R.C. College Park, Md. :

Entomological Society of America. Journal of economic entomology. Apr 1984. v. 77 (2). p. 519-521. Includes references. (NAL Call No.: 421 J822).

0330

Effect of nonedible seed oils on survival of *Nephotettix virescens* (Homoptera: Cicadellidae) and on transmission of rice tungro virus. JEENAI. Mariappan, V. Jayaraj, S.; Saxena, R.C. College Park, Md. : Entomological Society of America. In a greenhouse study, nonedible oils extracted from seeds of "karanj," *Pongamia pinnata* Pierre; "mahua," *Madhuca longifolia* Koen. Macbr. var. *latifolia* Roxb. Cheval; and "pinna," *Calophyllum inophyllum* L., trees were more effective than the oil of neem, *Azadirachta indica* A. Juss., in reducing the survival of the rice green leafhopper, *Nephotettix virescens* (Distant), and its transmission of the rice tungro viruses (RTV), and as effective as oil of custard-apple, *Annona squamosa* L. Insect mortality was 100% after 4 d on rice plants sprayed with oils at 5% concentration in contrast to 69% insect survival on control plants. RTV infection was 17-35% in oil-treated plants and 51% in the control. Journal of economic entomology. Oct 1988. v. 81 (5). p. 1369-1372. Includes references. (NAL Call No.: DNAL 421 J822).

0331

The effect of re-release of *Oryctes rhinoceros* baculovirus in the biological control of rhinoceros beetles in Western Samoa (Coconut pest). Marschall, K.J. Ioane, I. New York, Academic Press. Journal of invertebrate pathology. May 1982. v. 39 (3). p. 267-276. ill. 6 ref. (NAL Call No.: 421 J826).

0332

Effects of age, mating, and time of day on behavioral responses of female papaya fruit fly, *Toxotrypana curvicauda* Gerstaecker (Diptera: Tephritidae), to synthetic sex pheromone. EVETEX. Lanoolt, P.J. Heath, R.R. College Park, Md. : Entomological Society of America. Environmental entomology. Feb 1988. v. 17 (1). p. 47-51. Includes references. (NAL Call No.: DNAL QL461.E532).

0333

Effects of diflubenzuron on larval development of *Zaprionus paravittiger* (Godble and Vaidya) (Diptera: Drosophilidae). GENsAB. Chopra, P.K. Rup, P.J. Athens, Ga. : The Society. Journal of Entomological Science. Jan 1985. v. 20 (1). p. 109-114. ill. Includes references. (NAL Call No.: DNAL QL461.G4).

0334

Effects of ionizing irradiation (used for control of *Cryptorhynchus mangiferae* and fruit flies) on 'Haden' mangoes (Tolerance and shelf life).

Akamine, E.K. HI. Goo, T. Honolulu. The Station. Research report. Hawaii. Agricultural Experiment Station. Apr 1979. Apr 1979. (205). 11 p. ill. 16 ref. (NAL Call No.: 100 H313P).

0335

The epizootiology of the baculovirus of the coconut palm rhinoceros beetle (*Oryctes rhinoceros*) in Tonga (Biological control). Young, E.C. Longworth, J.F. New York, Academic Press. Journal of invertebrate pathology. Nov 1981. v. 38 (3). p. 362-369. 16 ref. (NAL Call No.: 421 J826).

0336

Extension of model to predict survival from heat treatment of papaya infested with oriental fruit flies (Diptera: Tephritidae). JEENAI. Hayes, C.F. Young, H. Lannam, Md. : Entomological Society of America. The previously published model used for calculating survival of *Dacus dorsalis* Hendel in papaya (*Carica papaya* L. var. Solo) subjected to a hot-water immersion treatment is extended. The new model allows the calculation of survival for treatments including the vapor heat and dry air treatments. The physical parameter needed to extend the model to these treatments is h, the surface heat transfer coefficient. Measurements of h are reported for papaya in high- and low-humidity environments of moving and static air. Journal of economic entomology. Aug 1989. v. 82 (4). p. 1157-1160. Includes references. (NAL Call No.: DNAL 421 J822).

0337

Field development of the sex pheromone for the western avocado leafroller, *Amorbia cuneana* (Biological control, California). Bailey, J.B. Hoffman, M.P.; McDonough, L.M. Saticoy, Calif., The Society. Yearbook - California Avocado Society. 1981. v. 65. p. 143-145, 147-149, 151. Includes 2 ref. (NAL Call No.: 81 C128).

0338

Field-testing the sex pheromone for *Amorbia cuneana* in avocados. CAGRA. Bailey, J.B. Hoffmann, M.P.; McDonough, L.M.; Olsen, K.N. Berkeley, Calif. : The Station. California agriculture - California Agricultural Experiment Station. May/June 1988. v. 42 (3). p. 17-18. ill. (NAL Call No.: DNAL 100 C12CAG).

(PESTS OF PLANTS - INSECTS)

0339

Flexible acoustical device to detect feeding sounds of Caribbean fruit fly (Diptera: Tephritidae) larvae in mango, cultivar Francis. JEENAI. Sharp, J.L. Thalman, R.K.; Webb, J.C.; Masuda, S. Lanham, Md. : Entomological Society of America. A flexible detector that transmits feeding sounds of larvae of the Caribbean fruit fly, *Anastrepha suspensa* (Loew), is described. The detector was tested on mango, *Mangifera indica* L., cultivar 'Francis,' which is elongated in shape and compressed laterally. Flexibility eliminates the need for different detectors for each mango size. The detector can be constructed to fit spherical mangos of different sizes or other commodities such as citrus, pome fruits, and stone fruits. Journal of economic entomology. Feb 1988. v. 81 (1). p. 406-409. ill. Includes references. (NAL Call No.: DNAL 421 J822).

0340

Fumigation of avocado fruit with methyl bromide (for fruit fly, *Dacus dorsalis*, *Dacus cucurbitae*, and *Ceratitis capitata*). Ito, P.J. Hamilton, R.A. Alexandria, Va., American Society for Horticultural Science. HortScience. Oct 1980. v. 15 (5). p. 593. 4 ref. (NAL Call No.: SB1.H6).

0341

Greenhouse thrips emerging as number one avocado pest. CAVYA. Bekey, R. Saticoy, Calif. : The Society. Yearbook - California Avocado Society. 1986. v. 70. p. 99-102. (NAL Call No.: DNAL 81 C128).

0342

Hawaiian fruit flies (Diptera: Tephritidae): toxicity of benzyl isothiocyanate against eggs or 1st instars of three species (*Carica papaya*, *Ceratitis capitata*, *Dacus cucurbitae*, *Dacus dorsalis*). Sec. S.T. JEENA. Tang, C.S. College Park : Entomological Society of America. Journal of economic entomology. Dec 1982. v. 75 (6). p. 1132-1135. 7 ref. (NAL Call No.: 421 J822).

0343

Hawaiian fruit flies in papaya, bell pepper, and eggplant: quarantine treatment with gamma irradiation. JEENAI. Seo, S.T. Kobayashi, R.M.; Chambers, D.L.; Dollar, A.M.; Hanaoka, M. College Park, Md. : Entomological Society of America. Journal of economic entomology. Aug 1973. v. 66 (4). p. 937-939. Includes references. (NAL Call No.: DNAL 421 J822).

0344

High-temperature, forced-air quarantine treatment for papayas infested with tephritid fruit flies (Diptera: Tephritidae). JEENAI. Armstrong, J.W. Hansen, J.D.; Hu, B.K.S.; Brown, S.A. Lanham, Md. : Entomological Society of America. A high-temperature forced-air (HTFA) disinfestation treatment using four temperature stages was developed to disinfect Hawaii-grown papaya, *Carica papaya* L. cv. Solo, of the egg and larval stages of Mediterranean fruit fly, *Ceratitis capitata* (Wiedemann); melon fly, *Dacus cucurbitae* Coquillett; and oriental fruit fly, *D. dorsalis* Hendel. The four-stage treatment forced 43 +/- 1, 45 +/- 1, 46.5 +/- 1, and 49 +/- 0.5 degrees C hot air over the papaya surfaces until the fruit center temperatures at the end of each temperature stage reached 41 +/- 1.5, 44 +/- 1, 46.5 +/- 0.75, and 47.2 degrees C, respectively. Each of the first three temperature stages required about 2 h to heat the fruit to the corresponding fruit center temperatures; the last temperature stage required less than 1 h to raise the fruit center temperatures to 47.2 degrees C. Relative humidity of 40-60% during treatment prevented fruit damage. When the fruit center temperatures reached 47.2 degrees C, the papayas were immediately hydrocooled until the fruit center temperatures were less than or equal to 30 degrees C. Phytotoxicity tests showed that the HTFA treatment was not detrimental to fruit quality. Survival tests with the HTFA treatment until final fruit center temperatures were 43.2, 45.2, or 46.2 degrees C showed little or no survival between 46.2 and 47.2 degrees C for *C. capitata*, and between 45.2 and 46.2 degrees C for *D. cucurbitae* and *D. dorsalis*. *D. cucurbitae* was more susceptible to the HTFA treatment than *C. capitata* or *D. dorsalis*. Survival tests also showed that either first or third instars were more susceptible to the HTFA treatment than eggs for all three fruit fly species. Journal of economic entomology. Dec 1989. v. 82 (6). p. 1667-1674. Includes references. (NAL Call No.: DNAL 421 J822).

0345

Hot water as a quarantine treatment for Florida mangos infested with Caribbean fruit fly. Sharp, J.L. Spalding, D.H. s.l. : The Society. Proceedings of the ... annual meeting of the Florida State Horticulture Society. June 1985. v. 97. p. 355-357. Includes references. (NAL Call No.: DNAL SB319.2.F6F56).

0346

Hot-water immersion appliance for quarantine research. JEENAI. Sharp, J.L. Lanham, Md. : Entomological Society of America. A hot-water immersion appliance (HWIA) was assembled and used as a research tool in the development of a hot-water immersion quarantine treatment to disinfest mangos in Haiti, Mexico, and Florida that were

infested with immature Tephritidae. The HWIA consists of a metal container (approximately 57.2 cm inside diameter and 85.1 cm height) adapted with a metal screen platform positioned inside the container 25.4 cm above the bottom. A submersible pump mounted to the bottom of the platform circulated 1,514-1,893 liters heated water per hour within the container through flexible polybutylene tubing. The water was heated by flames provided by a two-burner, propane gas, hot plate located below the container. The HWIA was easily assembled, durable, mobile, and inexpensive. Journal of economic entomology. Feb 1989. v. 82 (1). p. 189-192. Includes references. (NAL Call No.: DNAL 421 J822).

0347

Hot-water quarantine treatment for mangoes from Mexico infested with Mexican fruit fly and West Indian fruit fly (Diptera: Tephritidae). JEENAI. Sharp, J.L. Ouye, M.T.; Ingle, S.J.; Hart, W.G. Lanham, Md. : Entomological Society of America. Heated water was used in the development of a quarantine treatment to kill Mexican fruit fly, *Anastrepha ludens* (Loew), and West Indian fruit fly, *A. obliqua* (Macquart) infestations in mango, *Mangifera indica* L. Mangoes from Mexico were infested in the laboratory and immersed in water at 46.1 degrees C for 10-70 min to estimate time-mortality relationships. Probit analysis of the data estimated the immersion time needed to reach Probit 9 security for a laboratory strain of *A. ludens* as 65.1 min for mixed cultivars ('Haden', 'Tommy Atkins', 'Keitt', and 'Kent'). For a feral strain (wild) in 'Haden', the estimated immersion time was 71.4 min. The estimated immersion times for Probit 9 security for *A. obliqua* in 'Kent' were 66.8 min for a laboratory strain and 83.6 min for a wild strain. A large-scale test resulted in no survivors based on number of normal pupae when 187,114 *A. ludens* (laboratory) in 4,864 'Keitt' and 'Oro'; 226,054 *A. ludens* (wild) in 5,530 'Haden' and 'Tommy Atkins'; 116,869 *A. obliqua* (wild) in 7,703 'Kent'; and 101,049 *A. obliqua* (laboratory) in 8,775 'Keitt', 'Haden', and 'Tommy Atkins' were immersed in water at 46.1 degrees C for 90 min. The market quality of mangoes immersed in water at 46.1 degrees C depended on cultivar, size and shape, maturity, and handling procedures. 'Oro' mangoes immersed in water for 75 min were not damaged. The percentage of acceptable 'Oro' immersed for 90, 105, and 120 min was reduced to 80, 85, and 15%, respectively. 'Kent', 'Tommy Atkins', and 'Keitt' mangoes immersed in water at 46.1 degrees C for 90 min and refrigerated at 11.1 degrees C for 7, 11, and 14 d were not damaged. 'Haden' mangoes immersed in water at 46.1 degrees C for 90 min, not refrigerated, and held at 23.9 +/- 1 degrees C. were acceptable for 12 d. Journal of economic entomology. Dec 1989. v. 82 (6). p. 1657-1662. Includes references. (NAL Call No.: DNAL 421 J822).

0348

Hot-water quarantine treatment for mangoes from the state of Chiapas, Mexico, infested with Mediterranean fruit fly and *Anastrepha serpentina* (Wiedemann) (Diptera: Tephritidae). JEENAI. Sharp, J.L. Ouye, M.T.; Ingle, S.J.; Hart, W.G.; Enkerlin H., W.R.; Celedonio H., H.; Toledo A., J.; Stevens, L.; Quintero, E.; Reyes F., J.; Schwarz, A. Lanham, Md. : Entomological Society of America. Heated water was used in the development of a quarantine treatment to kill tephritid larval infestations in mango, *Mangifera indica* L., from the state of Chiapas, Mexico. Infested mangoes were immersed for 20-80 min in water at 45.9-47.1 degrees C for laboratory tests. Probit analysis of the data estimated immersion times needed to reach Probit 9 was 67.5 min for the Mediterranean fruit fly, *Ceratitidis capitata* (Wiedemann), and 64.5 min for *Anastrepha serpentina* (Wiedemann). Confirmatory tests resulted in no survivors when 138,443 *C. capitata* larvae in 13,797 infested mangoes and 111,031 *A. serpentina* larvae in 12,089 infested mangoes were immersed in water at 45.9-47.1 degrees C for 90 min. 'Ataulfo' mangoes immersed in water at 46.1 degrees C for 90 min were not damaged; however, none were acceptable after 7 d at 23.9 degrees C. Most mangoes (93.3%) were acceptable if immersed in water at 46.1 degrees C for 90 min and refrigerated at 11.1 degrees C for 14 d, and 13.3% were acceptable after 7 d at 23-24 degrees C. Only 10% were acceptable if immersed in water at 46.1 degrees C for 90 min and refrigerated at 11.1 degrees C for 21 d. Journal of economic entomology. Dec 1989. v. 82 (6). p. 1663-1666. Includes references. (NAL Call No.: DNAL 421 J822).

0349

Hot-water treatment for control of *Anastrepha suspensa* (Diptera: Tephritidae) in mangos. JEENAI. Sharp, J.L. College Park, Md. : Entomological Society of America. Journal of economic entomology. June 1986. v. 79 (3). p. 706-708. Includes references. (NAL Call No.: DNAL 421 J822).

0350

Immersion of Florida mangos in hot water as a quarantine treatment for Caribbean fruit fly (Diptera: Tephritidae). JEENAI. Sharp, J.L. Ouye, M.T.; Hart, W.; Ingle, S.; Hallman, G.; Gould, W.; Chew, V. Lanham, Md. : Entomological Society of America. Heated water was tested as a quarantine treatment to destroy all instars of the Caribbean fruit fly, *Anastrepha suspensa* (Loew), in mangos, *Mangifera indica* L., from Florida. Infested 'Tommy Atkins' and 'Keitt' were immersed for 20-60 min in water at 46.1-46.7 degrees C. Probit analysis of the data estimated the immersion time required to reach 99.9968% mortality (Probit 9 security) as 60 and 60.5 min for 'Tommy Atkins' and 'Keitt', respectively. A large-scale test resulted in

(PESTS OF PLANTS - INSECTS)

zero survivors based on the number of normal appearing pupae when 116,031 *A. suspensa* larvae in 3,828 infested 'Tommy Atkins,' 'Keitt,' 'Jubilee,' and 'Kent' were immersed in water at 46.1-46.7 degrees C for 90 min. *Journal of economic entomology*. Feb 1989. v. 82 (1). p. 186-188. Includes references. (NAL Call No.: DNAL 421 J822).

0351

Important insect pests of *Annona* spp. in Florida.

Pena, J.E. Glenn, H.; Baranowski, R.M. s.l. : The Society. Proceedings of the ... annual meeting of the Florida State Horticulture Society. June 1985. v. 97. p. 337-340. Includes references. (NAL Call No.: DNAL SB319.2.F6F56).

0352

Individual shrink wrapping: a technique for fruit fly disinfestation in tropical fruits. HJHSA. Shetty, K.K. Klowden, M.J.; Jang, E.B.; Kochan, W.J. Alexandria, Va. : American Society for Horticultural Science. *HortScience*. Apr 1989. v. 24 (2). p. 317-319. Includes references. (NAL Call No.: DNAL SB1.H6).

0353

Infection of (leafmining beetle) *Promecotheca papuana* with (the fungus) *Synnematum jonesii* (Biological control of coconut pests). Prior, C. Perry, C.H. New York, Academic Press. *Journal of invertebrate pathology*. Jan 1980. v. 35 (1). p. 14-19. ill. 6 ref. (NAL Call No.: 421 J826).

0354

The infectivity of *Metarhizium anisopliae* to two insect pests of coconuts.

JIVPA. Prior, C. Arura, M. New York, N.Y. : Academic Press. *Journal of invertebrate pathology*. Mar 1985. v. 45 (2). p. 187-194. Includes references. (NAL Call No.: DNAL 421 J826).

0355

Infestation of carambolas by laboratory-reared Caribbean fruit flies (Diptera: Tephritidae): effects of fruit ripeness and cultivar. JEENAI. Howard, D.F. Kenney, P. College Park, Md. : Entomological Society of America. *Journal of economic entomology*. Apr 1987. v. 80 (2). p. 407-410. Includes references. (NAL Call No.: DNAL 421 J822).

0356

Insect disinfestation of packed dates by gamma-radiation.

Ahmed, M.S.H. Hameed, A.A.; Kadhum, A.A.; Ali, S.R. Honolulu : Hawaii Institute of Tropical Agric. & Human Resources, Univ. of Hawaii, Manoa, 1985. Radiation disinfestation of food and agricultural products : proceedings of an international conference, Honolulu, Hawaii, November 14-18, 1983 / edited by James H. Moy. p. 374-380. Includes 10 references. (NAL Call No.: DNAL TP371.8.R284).

0357

Insect pests of the avocado and their control /D.O. Wolfenbarger.

Wolfenbarger, D. O. Gainesville, Fla. : University of Florida Agricultural Experiment Station, 1958. Cover title.- "A contribution from the Subtropical Experiment Station"-- T.p. 51 p. : ill. ; 23 cm. (NAL Call No.: DNAL 100 F66S (1) no.605).

0358

Insecticide evaluation for the control of *Carpophilus humeralis* F. in pineapple fields of Puerto Rico.

Gallardo-Covas, F. JAUPA. Ingles-Casanova, R. Rio Piedras : University of Puerto Rico, Agricultural Experiment Station. *The Journal of agriculture of the University of Puerto Rico*. Apr 1983. v. 67 (2). p. 174-175. Includes references. (NAL Call No.: 8 P832J).

0359

Insects injurious to the mango in Florida and how to combat them /by G.F. Moznette.

Moznette, G. F. 1890-. Washington, D.C. : U.S. Dept. of Agriculture, 1922. Cover title.- "Contribution from the Bureau of Entomology." 22 p. : ill., 1 map ; 23 cm. (NAL Call No.: DNAL 1 Ag84F no.1257).

0360

Insects injurious to the mango in Florida and how to combat them by G.F. Moznette . --.

Moznette, G. F. Washington, D.C. : U.S. Dept. of Agriculture, 1922. 22 p. : ill. --. (NAL Call No.: DNAL Fiche S-70 no.1257).

0361

Isolation, identification, and synthesis of male-produced sex pheromone of papaya fruit fly, *Toxotrypana curvicauda* Gerstaecker (Diptera: Tephritidae).

JCECD. Chuman, T. Landolt, P.J.; Heath, R.R.; Tumlinson, J.H. New York, N.Y. : Plenum Press. *Journal of chemical ecology*. Sept 1987. v. 13

(PESTS OF PLANTS - INSECTS)

(9). p. 1979-1992. Includes references. (NAL Call No.: DNAL QD415.A1J6).

0362

Looper, amorbia pose threat to growers (Avocado pests, biological control, in southern California).

Toumey, J. Vista, Calif. : Rancher Pub. Avocado grower. May 1983. v. 7 (5). p. 16-19, 54. (NAL Call No.: SB379.A9A9).

0363

Loss in coconut yield due to *Oryctes rhinoceros* damage (in Western Samoa).

Zelazny, B. Rome. World Reporting Service on Plant Diseases and Pests, Food and Agriculture Organization of the United Nations. Plant protection bulletin. 1979. v. 27 (3). p. 65-70. ill. 11 ref. (NAL Call No.: 421 P692).

0364

Mangoes (*Mangifera indica* L.) susceptibility to *Aulacaspis tubercularis* Newstead (Homoptera: Diaspididae) in Puerto Rico (Resistant varieties, orchard pests, scale insects).

Gallardo-Covas, F. JAUPA. Rio Piedras : University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. Apr 1983. v. 67 (2). p. 179. (NAL Call No.: 8 P832J).

0365

Mealybug wilt, mealybugs, and ants on pineapple.

PLDIDE. Rohrbach, K.G. Beardsley, J.W.; German, T.L.; Reimer, N.J.; Sanford, W.G. St. Paul, Minn. : American Phytopathological Society. Plant disease. July 1988. v. 72 (7). p. 558-565. ill. Includes references. (NAL Call No.: DNAL 1.9 P69P).

0366

Methyl bromide fumigation as a quarantine treatment for latania scale, *Hemiberlesia lataniae* (Homoptera: Diaspididae) (Nursery stock, avocado fruit).

Witherell, P.C. Gainesville, Fla. : Florida Entomological Society. Florida entomologist. June 1984. v. 67 (2). p. 254-262. Includes references. (NAL Call No.: 420 F662).

0367

Microbial control of coconut leaf beetle (*Brontispa longissima*) with green muscardine fungus, *Metarhizium anisopliae* var. *anisopliae*. JIVPA. Liu, S.D. Lin, S.C.; Shiau, J.F. Duluth, Minn. : Academic Press. Journal of invertebrate pathology. May 1989. v. 53 (3). p. 307-314. ill. Includes references. (NAL Call No.: DNAL 421 J826).

0368

Novel system for monitoring and controlling the papaya fruit fly / P.J. Landolt, R.R. Heath and H.R. Agee .

Landolt, P. J. Heath, R. R.; Agee, Herndon R., 1933-. Washington, DC : Dept. of Agriculture, 1988. Cover title.- "6 Sep 88."- "Report nos.: PAT-APPL-7-240-312"--P. i. i, 18. 4 p. : ill. (NAL Call No.: DNAL aSB608.P23L3).

0369

Oriental fruit fly: ripening of fruit and its effect on index of infestation of Hawaiian papayas (*Dacus dorsalis*, *Carica papaya*).

Seo, S.T. Farias, G.J.; Harris, E.J. College Park, Md., Entomological Society of America. Journal of economic entomology. Apr 1982. v. 75 (2). p. 173-178. ill. 12 ref. (NAL Call No.: 421 J822).

0370

Packinghouses downgrade avocados damaged by thrips.

Bailey, J.B. Vista, Calif. : Rancher Pub. Avocado grower. Oct 1984. v. 8 (10). p. 28, 30, 32-33, 40. ill. (NAL Call No.: DNAL SB379.A9A9).

0371

Permethrin as a control for the papaya fruit fly (*Toxotrypana curvicauda*, Florida).

Conover, R.A. Waddill, V.H. S.I., The Society. Proceedings of the ... annual meeting of the Florida State Horticultural Society. 1981 (pub. 1982). v. 94. p. 353-355. Includes 5 ref. (NAL Call No.: 81 F66).

0372

Pesticide experiments for California avocado IPM (Integrated Pest Management) Program (Looper, *Sabulodes aegrotata*, western avocado leafroller, *Amorbia cuneana*, *Heliothrips haemorrhoidalis*).

Bailey, J.B. Hoffmann, M.P. Saticoy, Calif., The Society. Yearbook - California Avocado Society. 1980. v. 64. p. 107, 109, 111, 113-116, 118-122. 2 ref. (NAL Call No.: 81

(PESTS OF PLANTS - INSECTS)

C128).

0373

Physiological responses of avocado leaves to avocado brown mite feeding injury (*Oligonychus punicae*).

Sances, F.V. Toscano, N.C.; Hoffmann, M.P.; LaPre, L.F.; Johnson, M.W.; Bailey, J.B. College Park, Md., Entomological Society of America. Environmental entomology. Apr 15, 1982. v. 11 (2). p. 516-518. ill. Ref. (NAL Call No.: QL461.E532).

0374

Possible new race of *Amorbia cuneana* discovered in avocado.

CAGRA. Bailey, J.B. Olsen, K.N.; McDonough, L.M.; Hoffmann, M.P. Berkeley, Calif. : The Station. California agriculture - California Agricultural Experiment Station. Sept/Oct 1988. v. 42 (5). p. 11-12. (NAL Call No.: DNAL 100 C12CAG).

0375

Predation of the Mediterranean fruit fly (Diptera: Tephritidae) by the Argentine ant (Hymenoptera: Formicidae) in Hawaii.

JEENAI. Wong, T.T.Y. McInnis, D.O.; Nishimoto, J.I.; Ota, A.K.; Chang, V.C.S. College Park, Md. : Entomological Society of America. Journal of economic entomology. Dec 1984. v. 77 (6). p. 1454-1458. ill. Includes references. (NAL Call No.: DNAL 421 J822).

0376

Presence of the baculovirus of *Oryctes rhinoceros* (Coconut pest, biological control, India).

Zelazny, B. Rome. World Reporting Service on Plant Diseases and Pests, FAO. Plant protection bulletin. 1981. v. 29 (3/4). p. 77-78. ill. 1 ref. (NAL Call No.: 421 P692).

0377

Previously imported parasite may control invading whitefly (*Tetraleurodes*, *Cales noacki*, avocados, biological control, California).

Rose, M. Woolley, J.B. Berkeley : The Station. California agriculture - California Agricultural Experiment Station. Mar/Apr 1984. v. 38 (3/4). California ill. (NAL Call No.: 100 C12CAG).

0378

Quarantine procedure for Hawaiian papaya using fruit selection and a two-stage hot-water immersion.

JEENAI. Couey, H.M. Hayes, C.F. College Park, Md. : Entomological Society of America. Journal of economic entomology. Oct 1986. v. 79 (5). p. 1307-1314. Includes references. (NAL Call No.: DNAL 421 J822).

0379

Quarantine system for Papaya.

Couey, H.M. Hayes, C.F. Washington, D.C. : The Department. Abstract: A novel system to ensure that papaya are free of fruit flies so as to meet quarantine restrictions is described. Papaya are subjected to selection on the basis of color in combination with a two-stage heated fluid treatment wherein time and temperature of the treatment are maintained within narrowly defined parameters. With this system, excellent fruit quality is maintained. The system is suitable for commercial use. United States Department of Agriculture patents. Copies of USDA patents are available for a fee from the Commissioner of Patents and Trademarks, U.S. Patents and Trademarks Office, Washington, D.C. 20231. Oct 21, 1986. (4,618,497). 1 p. Includes references. (NAL Call No.: DNAL aT223.V4A4).

0380

Radioactive measurement of brown mite injury on avocados (*Brown mite*, *Oligonychus punicae*).

Sances, F.V. Toscano, N.C.; Hoffmann, M.P.; LaPre, L.F.; Johnson, M.W.; Bailey, J.B. Berkeley, Calif., The Station. California agriculture - California Agricultural Experiment Station. May/June 1982. v. 36 (5/6). p. 22-23. ill. (NAL Call No.: 100 C12CAG).

0381

Radioactive study: researchers measure brown mite injury (*Oligonychus punicae*, in southern California avocado-growing areas).

Sances, F.V. Toscano, N.C.; Hoffmann, M.P.; LaPre, L.F.; Johnson, M.W.; Bailey, J.B. Vista, Calif. : Rancher Pub. Avocado grower. Sept 1982. v. 6 (9). p. 46-47. ill. (NAL Call No.: SB379.A9A9).

0382

Relationship of fruit ripeness to infestation in 'Sharwil' avocados by the Mediterranean fruit fly and the Oriental fruit fly (Diptera: Tephritidae).

JEENAI. Oi, D.H. Mau, R.F.L. Lanham, Md. : Entomological Society of America. Harvested and unharvested 'Sharwil' avocados, *Persea americana* Mill., were individually exposed to gravid females of Mediterranean fruit fly,

(PESTS OF PLANTS - INSECTS)

Ceratitidis capitata (Wiedemann), or Oriental fruit fly, *Dacus dorsalis* Hendel. Infestations of 0-30% were obtained from avocados exposed at 0-2 postharvest; infestations of 66.7-100% at 3-7 d postharvest. Percent infestations of 15.8 and 4.8% were obtained from unharvested avocados exposed to *C. capitata* and *D. dorsalis*, respectively. Mean puparial recoveries ranged from 0 to 4.8 puparia per exposed fruit from the unharvested avocados and avocados exposed at 0-2 d postharvest, and recoveries ranged from 7.7 to 135.5 from avocados exposed at 3-7 postharvest. The hard avocado skin seemed to provide a physical barrier which resulted in lower infestations of both fruit fly species in unharvested avocados, and in avocados that were within 3 d postharvest. *Journal of economic entomology*. Apr 1989. v. 82 (2). p. 556-560. ill. Includes references. (NAL Call No.: DNAL 421 J822).

0383

Research shows: nature begins to wipe out two major avocado pests (omnivorous looper, western avocado leaf roller, biological control). Vista, Calif., Rancher Publications. Avocado grower. July 1980. v. 4 (7). p. 26-28, 53. (NAL Call No.: SB379.A9A9).

0384

Resistance of pineapple variety '59-656' to field populations of oriental fruit flies and melon flies (Diptera: Tephritidae) (*Dacus cucurbitae*, *Dacus dorsalis*). Armstrong, J.W. JEENA. Vargas, R.I. College Park : Entomological Society of America. *Journal of economic entomology*. Oct 1982. v. 75 (5). p. 781-782. Includes references. (NAL Call No.: 421 J822).

0385

Resistance of 'Sharwil' avocados at harvest maturity to infestation by three fruit fly species (Diptera: Tephritidae) in Hawaii (*Ceratitidis capitata*, *Dacus cucurbitae*, *Dacus dorsalis*). Armstrong, J.W. Mitchell, W.C.; Farias, G.U. College Park, Md. : Entomological Society of America. *Journal of economic entomology*. Feb 1983. v. 76 (1). p. 119-121. Includes references. (NAL Call No.: 421 J822).

0386

A review of pest control in avocados. Gustafson, C.D. Saticoy, Calif., The Society. *Yearbook - California Avocado Society*. 1979. 1979. p. 58-60, 62-65. (NAL Call No.: 81 C128).

0387

Shelf-life and acceptability of hot water-treated mangos. JAUPA. Diaz, N. Rodriguez, T.; Coloni, I.B. de. Mayaguez : University of Puerto Rico, Agricultural Experiment Station. *The Journal of agriculture of the University of Puerto Rico*. July 1988. v. 72 (3). p. 469-474. Includes references. (NAL Call No.: DNAL 8 P832J).

0388

Solar heating reduces insect infestations in ripening and drying figs. HUJSA. Shorey, H.H. Ferguson, L.; Wood, D.L. Alexandria, Va. : American Society for Horticultural Science. *HortScience*. June 1989. v. 24 (3). p. 443-445. Includes references. (NAL Call No.: DNAL SB1.H6).

0389

Structure and development of surface deformations on avocado fruits. HUJSA. Fisher, J.B. Davenport, T.L. Alexandria, Va. : American Society for Horticultural Science. *HortScience*. Oct 1989. v. 24 (5). p. 841-844. ill. Includes references. (NAL Call No.: DNAL SB1.H6).

0390

A study of *Neoscona oaxacensis* (Araneae: Araneidae) in commercial avocado orchards in San Diego County, California (Control of insect pests). Pascoe, F.H. Saticoy, Calif., The Society. *Yearbook - California Avocado Society*. 1980. v. 64. p. 153-156, 158-186. ill. Bibliography p. 182-183. (NAL Call No.: 81 C128).

0391

Submersion of 'Francis' mango in hot water as a quarantine treatment for the West Indian fruit fly and the Caribbean fruit fly (Diptera: Tephritidae). JEENAI. Sharp, J.L. Ouye, M.T.; Thaiman, R.; Hart, W.; Ingle, S.; Chew, V. College Park, Md. : Entomological Society of America. Heated water was tested as a quarantine treatment to control infestations of 1- to 6-d-old larvae of the West Indian fruit fly, *Anastrepha obliqua* (Macquart), and the Caribbean fruit fly, *A. suspensa* (Loew), in mango, *Mangifera indica* L., 'Francis.' Submersion of infested fruit for 15-60 min at 46.1-46.7°C reduced the number of surviving pupae. Probit analysis of the data estimated submersion time needed to reach 99.9968% mortality (probit 9 security) as 58.0 and 44.3 min for *A. obliqua* and *A. suspensa*, respectively. A confirmatory test resulted in no survivors based on adult emergence when 147,993 *A. obliqua* larvae in 4,738 infested fruits were submerged in water at 46.1-46.7°C

(PESTS OF PLANTS - INSECTS)

for 65 min, and no survivors when 102,509 A. suspensa larvae in 1,892 infested fruits were submerged in water at 46.1-46.7°C for 60 min. 'Francis' mangos submerged in water at 46.1-46.7°C for 75 min and then stored at 25-27°C for 8 d were not damaged. 'Francis' submerged in water at 46.1-46.7°C for 2 h and then refrigerated at 11.1°C for 7 d were not damaged. Percentage of acceptable mangos treated with hot water decreased as exposure time in water at 46.1-46.7°C increased to 4 h, when all mangos were damaged and were not acceptable following storage at 11.1°C for 7 d or more. Journal of economic entomology. Oct 1988. v. 81 (5). p. 1431-1436. Includes references. (NAL Call No.: DNAL 421 J822).

0392

Temperature control as an alternative to ethylene dibromide fumigation for the control of fruit flies (Diptera: Tephritidae) in papaya (*Dacus dorsalis*).

Hayes, C.F. Chingon, T.G.; Nitta, F.A.; Wang, W.U. College Park, Md. : Entomological Society of America. Journal of economic entomology. June 1984. v. 77 (3). p. 683-686. Includes references. (NAL Call No.: 421 J822).

0393

Trichocereus as a potential nursery crop in southern Arizona, with discussion of the *Opuntia* Borer (*Cerambycidae*: *Moneilema gigas*) as a serious threat to its cultivation.

Crosswhite, C.D. Crosswhite, F.S. Superior : University of Arizona. Desert plants. 1986. v. 7 (4). p. 195-203. ill. Includes references. (NAL Call No.: DNAL OK938.D4D4).

0394

Use of fluvalinate for the protection of kiwifruit from contamination by twospotted spider mite (*Acari*: *Tetranychidae*).

JEENAI. Hern, M.D. Penman, D.R.; Chapman, R.B. College Park, Md. : Entomological Society of America. Abstract: Protection or disinfection of harvested kiwifruit, *Actinidia deliciosa* Planch., from contamination by diapausing twospotted spider mite, *Tetranychus urticae* Koch, was examined by treating fruit with sublethal doses of fluvalinate. Repellent or irritant activity was used to induce runoff. Tests on leaf disks of broad bean, *Vicia faba* L., showed that diapausing mites were more susceptible than nondiapausing forms to runoff when exposed to fluvalinate residues. Harvested fruit were dipped before infestation to simulate a protective treatment after harvest, or were dipped 24 h after infestation by nondiapausing mites to simulate treatment before harvest. Two rates of fluvalinate were tested (0.1 and 0.01 g AI /liter). Treatment before infestation reduced the proportion of subsequently infested fruit at the two rates by 19 and 26% after storage at 10 degrees C, and 29 and 49% at 20 degrees C. Dipping previously

colonized fruit reduced the proportion of infested fruit by 48 and 47% for the two rates at 10 degrees C, and 68 and 75% at 20 degrees C. Disinfestation between the two rates of fluvalinate did not differ significantly, but the effectiveness of treatments was increased at higher storage temperatures after treatment. The possibility of using low rates of pyrethroids for disinfection or protection of harvested crops from contamination by spidermites is discussed. Journal of economic entomology. June 1988. v. 81 (3). p. 863-866. Includes references. (NAL Call No.: DNAL 421 J822).

0395

Vulnerability of stressed palms to attack by *Rhynchophorus cruentatus* (Coleoptera: Curculionidae) and insecticidal control of the pest.

JEENAI. Giblin-Davis, R.M. Howard, F.W. Lanham, Md. : Entomological Society of America. One field study and two experiments were done to test whether palms must be stressed for successful infestation by *Rhynchophorus cruentatus* (F.). In the field study, 8% of 290 transplanted mature cabbage palmettos, *Sabal palmetto* (Walter), in a site in Broward County, Fla., became infested with immatures of *R. cruentatus* and died, compared with no infestations or mortality in a control group of 92 undisturbed palms after 140 d. In Experiment 1, 2-yr-old potted Canary Island date palms, *Phoenix canariensis* Hortorum ex Chabaud, were grown in a screened enclosure and either stressed by severe pruning or left unstressed. All palms were bagged with fine-meshed polyethylene netting and each was challenged with two male and two female *R. cruentatus*. Thirty-one percent of the 13 stressed palms were infested with immatures of *R. cruentatus* and died within 56 d compared with a 15% infestation and mortality level in 13 unstressed palms. In Experiment 2, fine-meshed polyethylene bags were used to confine 10 males and 10 females of *R. cruentatus* onto individual mature cabbage palmettos in the field that were either stressed by severing of the stem or unstressed. All of the three stressed palms were infested with *R. cruentatus*, compared with none of the five undisturbed palms within 84 to 112 d. These data suggest that *R. cruentatus* is a secondary invader of stressed or dying palms and not a threat to healthy palms. Propoxur (70% wettable powder WP, 21.0 g AI /liter); chlorpyrifos (50% WP, 1.2 g AI /liter); lindane (25% WP, 0.6 g AI /liter); dimethoate (0.49kg/liter emulsifiable concentrate EC, 1.2 g AI /liter) and methomyl (90% WP, 1.0 g AI /liter) killed *R. cruentatus* adults in a bioassay done with pineapple tops, although methomyl failed to produce 100% mortality after 168 h. The mean time to mortality for *R. cruentatus* was less than 24 h for chlorpyrifos, propoxur, and lindane and 42 h for dimethoate. Prophylactic insecticide treatment applied to palms before transp. Journal of economic entomology. Aug 1989. v. 82 (4). p. 1185-1190. Includes references. (NAL Call No.: DNAL 421 J822).

0396

Western avocado leafroller, *Amorbia cuneana* (Walsingham), (Lepidoptera: Tortricidae): Discovery of populations utilizing different ratios of sex pheromone components. JCECD. Bailey, J.B. McDonough, L.M.; Hoffmann, M.P. New York, N.Y. : Plenum Press. Journal of chemical ecology. June 1986. v. 12 (6). p. 1239-1245. Includes references. (NAL Call No.: DNAL QD415.A1J6).

0397

Evaluation of insecticides and application methods for controlling the banana corm weevil (*Cosmopolites sordidus* Germar). Spanish. JAUPA. Ingles, R. Rodriguez, J. Rio Piedras, R.R. : University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. Apr 1989. v. 73 (2). p. 97-107. Includes references. (NAL Call No.: DNAL 8 P832J).

PESTS OF PLANTS - NEMATODES

0398

Biochemical identification of the two races of *Radopholus similis* by polyacrylamide gel electrophoresis (Banana and citrus pests). Huettel, R.N. Dickson, D.W.; Kaplan, D.T. Ames, Iowa : Society of Nematologists. Journal of nematology. July 1983. v. 15 (3). p. 345-348. ill. Includes references. (NAL Call No.: QL391.N4J62).

0399

Biochemical identification of the two races of *Radopholus similis* by starch gel electrophoresis (Banana and citrus pests). Huettel, R.N. Dickson, D.W.; Kaplan, D.T. Ames, Iowa : Society of Nematologists. Journal of nematology. July 1983. v. 15 (3). p. 338-344. Includes references. (NAL Call No.: QL391.N4J62).

0400

Control of *Helicotylenchus multicinctus* parasitising bananas using systemic nematicides.

Jones, R.K. Gainesville, Fla., Organization of Tropical American Nematologists. Nematropica. Oct 1979. v. 9 (2). p. 147-150. ill. 7 ref. (NAL Call No.: SB998.N4N4).

0401

Control of nematodes on bananas, 1979 (Banana (*Musa* sp.), *Rotylenchus juvenis*, *Hoplolaimus* sp., *Helicotylenchus* sp., *Meloidogyne* sp.). Pathan, I.H. Jagirdar, H.A. (s.l.), The Society. Fungicide and nematicide tests; results - American Phytopathological Society. 1980. v. 35. p. 168-169. (NAL Call No.: 464.9 AM31R).

0402

Control of spiral nematodes infesting bananas, 1980 (Banana (*Musa* AAA 'Dwarf Cavendish'), spiral nematode; *Helicotylenchus multicinctus*). Jones, R.K. (s.l.), The Society. Fungicide and nematicide tests; results - American Phytopathological Society. 1981. v. 36. p. 189-190. (NAL Call No.: 464.9 AM31R).

0403

Effects of *Heterodera fici* on the growth of commercial fig seedlings in pots (*Ficus carica*).

Di Vito, M. Inserra, R.N. Ames, Iowa, Society of Nematologists. Journal of nematology. July 1982. v. 14 (3). p. 416-418. 9 ref. (NAL Call No.: QL391.N4J62).

0404

Effects of vesicular-arbuscular mycorrhizal fungi on infection of tamarillo (*Cyphomandra betacea*) by *Meloidogyne incognita* in fumigated soil.

PLDIDE. Cooper, K.M. Grandison, G.S. St. Paul, Minn. : American Phytopathological Society. Plant disease. Dec 1987. v. 71 (12). p. 1101-1106. ill. Includes references. (NAL Call No.: DNAL 1.9 P69P).

0405

The effects of yield on bananas from the control of spiral nematodes, trial 2, 1980 (Banana (*Musa* AAA 'Dwarf Cavendish' and 'Williams'), spiral nematodes; *Helicotylenchus multicinctus*).

Jones, R.K. (s.l.), The Society. Fungicide and nematicide tests; results - American Phytopathological Society. 1981. v. 36. p. 190-191. (NAL Call No.: 464.9 AM31R).

0406

The effects on yield of bananas from the control of spiral nematodes, trial 1, 1980 (Banana (*Musa* AAA 'Dwarf Cavendish'), spiral nematode; *Helicotylenchus multicinctus*). Jones, R.K. (s.l.), The Society. Fungicide and nematicide tests; results - American Phytopathological Society. 1981. v. 36. p. 190. (NAL Call No.: 464.9 AM31R).

0407

Insect pests of the avocado and their control /D.O. Wolfenbarger.

Wolfenbarger, D. O. Gainesville, Fla. : University of Florida Agricultural Experiment Station, 1958. Cover title. - "A contribution from the Subtropical Experiment Station" -- T.p. 51 p. : ill. : 23 cm. (NAL Call No.: DNAL 100 F66S (1) no.605).

0408

Nematode and disease problems of pineapple.

PLDRA. Rohrbach, K.G. Apt, W.J. St. Paul, Minn. : American Phytopathological Society. Plant disease. Jan 1986. v. 70 (1). p. 81-87. ill. Includes 18 references. (NAL Call No.: DNAL 1.9 P69P).

0409

Nematode problems of the banana plant.

Wehant, E.J. Holdeman, Q.L. S.l. : The Society. Proceedings - Soil and Crop Science Society of Florida. Paper presented at a meeting held November 30, December 1-2, 1959, in Gainesville, Florida. 1959. v. 19. p. 435-422. ill. Includes references. (NAL Call

(PESTS OF PLANTS - NEMATODES)

No.: DNAL 56.9 S032).

0410

Nitrogen nutrition of the pineapple plant, *Ananas comosus* (L.) Merr., soil nitrogen status, and dynamics of the reniform nematode population, *Rotylenchulus reniformis* Linford and Oliveira, in relation to the form of nitrogen fertilizer, soil acidity, and fumigation / by Edward Jerome Englerth, Jr. -. Englerth, Edward Jerome, 1931-. 1969. Thesis (Ph.D.)--University of Hawaii, 1969. Photocopy. Ann Arbor, Mich. : University Microfilms, 1971. viii, 88 leaves ; 21 cm. Bibliography: leaves 84-88. (NAL Call No.: DISS 70-19,508).

0411

Occupational exposure to 1,3-dichloropropene (Telone II) in Hawaiian pineapple culture. AEHLA. Albrecht, W.N. Washington, D.C. : Heldref Publications. Archives of environmental health. Sept/Oct 1987. v. 42 (5). p. 286-291. Includes references. (NAL Call No.: DNAL RC963.A1A7).

0412

Papaya diseases and their control (Hawaii). Nishijima, W. Honolulu : The Institute. Research extension series - Hawaii Institute of Tropical Agriculture and Human Resources. July 1983. Presented at the 18th annual Hawaii Papaya Industry Association Conference, Honolulu, October, 1982. July 1983. (033). p. 74-78. (NAL Call No.: S481.R4).

0413

Pineapple nematode research in Hawaii: past, present, and future. JONEB. Caswell, E.P. Apt. W.J. Raleigh, N.C. : Society of Nematologists. Journal of nematology. Literature review. Apr 1989. v. 21 (2). p. 147-157. ill. Includes references. (NAL Call No.: DNAL QL391.N4U62).

0414

Progress in breeding for resistance to *Radopholus similis* on bananas (Honduras). Pinochet, J. Rowe, P.R. Gainesville, Fla., Organization of Tropical American Nematologists. Nematropica. Apr 1979. v. 9 (1). p. 76-78. ill. 3 ref. (NAL Call No.: SB998.N4N4).

0415

Effect of the nematicide-insecticide oxamyl applied to the soil and to the leaf axils of banana plants (*Phytonematodes*, Puerto Rico). Spanish. Robalino, G. Roman, J.; Cordero, M. Auburn, Ala. : Organization of Tropical American Nematologists. Nematropica. Dec 1983. v. 13 (2). p. 135-143. ill. Includes references. (NAL Call No.: SB998.N4N4).

0416

Effects of the nematicides Aldicarb, Aldoxycarb and DBCP on nematode control and yield of bananas. SPANISH. Figueroa, A. Gainesville, Fla., Organization of Tropical American Nematologists. Nematropica. Apr 1980. v. 10 (1). p. 15-20. 12 ref. (NAL Call No.: SB998.N4N4).

PLANT DISEASES - GENERAL

0417

Avocado diseases /by H.E. Stevens.
Stevens, H. E. 1880-. Gainesville, Fla. :
University of Florida Agricultural Experiment
Station, 1922. Cover title. 23 p. : ill. ; 23
cm. Includes bibliographical references. (NAL
Call No.: DNAL 100 F66S (1) no.161).

0418

Control of root (wilt) disease of coconut
(Cocos nucifera) with micronutrients, phenolic
compounds, and ascorbic acid (Cause of the
disease is unknown).
Dwivedi, R.S. Amma, S.K.; Mathew, C.; Ray, P.K.
St. Paul, Minn., American Phytopathological
Society. Plant disease. Sept 1980. v. 64 (9).
p. 843-844. 9 ref. (NAL Call No.: 1.9 P69P).

0419

Disease management strategies and the survival
of the banana industry.
APPYA. Stover, R.H. Palo Alto : Annual Reviews,
Inc. Annual review of phytopathology. 1986. v.
24. p. 83-91. Includes references. (NAL Call
No.: DNAL 464.8 AN72).

0420

Evaluation of a spray mixture for lethal
yellowing control (in coconut palms, Florida).
McCoy, R.E.PFSHA. Williams, D.S.; Portier, K.M.
Lake Alfred : The Society. Proceedings of the
... annual meeting - Florida State
Horticultural Society. 1982. v. 95. p. 258-259.
ill. Includes references. (NAL Call No.: 81
F66).

0421

Minimizing postharvest diseases of kiwifruit
(Methods for handling, storage, and
transportation, California).
Sommer, N.F.CAGRA. Fortlage, R.J.; Edwards,
D.C. Berkeley : The Station. California
agriculture - California Agricultural
Experiment Station. Jan/Feb 1983. v. 37 (1/2).
p. 16-18. ill. (NAL Call No.: 100 C12CAG).

0422

Problems and progress in banana disease
research.
Boston, Mass. : Dept. of Research, United Fruit
Company, 1958. Prepared for 50th anniversary
meetings, American Phytopathological Society.
ix, 36 p. : ill. ; 22 cm. Bibliography: p.
33-36. (NAL Call No.: DNAL SB608.B16P7).

0423

Trichocereus as a potential nursery crop in
southern Arizona, with discussion of the
Opuntia Borer (Cerambycidae: Moneilema gigas)
as a serious threat to its cultivation.
Crosswhite, C.D. Crosswhite, F.S. Superior :
University of Arizona. Desert plants. 1986. v.
7 (4). p. 195-203. ill. Includes references.
(NAL Call No.: DNAL QK938.D4D4).

PLANT DISEASES - FUNGAL

0424

Aseptic culture techniques for banana and plantain improvement (Black Sigatoka disease, breeding for disease resistance, tissue culture).

Krikorian, A.D. Cronauer, S.S. New York, N.Y. : New York Botanical Garden. Economic botany. July/Sept 1984. v. 38 (3). p. 322-331. ill. Includes 37 references. (NAL Call No.: 450 EC7).

0425

Avocado black streak.

CAVYA. Ohr, H.D. Murphy, M.K. Saticoy, Calif. : The Society. Yearbook - California Avocado Society. 1985. v. 69. p. 97-100. (NAL Call No.: DNAL 81 C128).

0426

Avocado research: a progress report.

Bender, G. Fallbrook, Calif. : Rancher Publications. California grower. July 1988. 3b v. 12 (7). p. 21-22, 25. ill. (NAL Call No.: DNAL SB379.A9A9).

0427

Avocado root rot disease--probing approaches to its annihilation.

Pinchas, Y. Fallbrook, Calif. : Rancher Publications. California grower. May 1988. v. 12 (5). p. 14-15, 27. (NAL Call No.: DNAL SB379.A9A9).

0428

Avocado stem injection of fosetyl-ai for control of Phytophthora root rot.

McMillan, R.T. Jr. Tepper, B. s.l. : The Society. Proceedings of the ... annual meeting of the Florida State Horticulture Society. 1986. v. 98. p. 143-144. Includes references. (NAL Call No.: DNAL SB319.2.F6F56).

0429

Avocado tree called Barr Duke.

Coffey, M.D. Guillemet, F.B. Washington, D.C. : The Office. A new and distinct rootstock variety of avocado tree characterized by its high yield resistance to Phytophthora root rot caused by Phytophthora cinnamomi. This variety has a high level of resistance comparable to the 'Duke 7' rootstock variety. It is also characterized under some field conditions by producing a somewhat smaller tree, when grafted with a 'Haas' scion, than that typical of a 'Duke 7' rootstock. Plant patent - United States Patent and Trademark Office. Feb 21, 1989. (6627). 1 p. plates. (NAL Call No.: DNAL 156.65 P69).

0430

Avocado tree called Thomas.

Coffey, M.D. Guillemet, F.B. Washington, D.C. : The Office. A new and distinct rootstock variety of avocado tree characterized by its high field resistance to Phytophthora root rot caused by Phytophthora cinnamomi. This variety has the highest level of resistance of any rootstock currently identified. It is characterized by relative ease of propagation using the etiolation method and graft compatibility with commercial scion varieties, including 'Hass', 'Gwen', 'Pinkerton', 'Fuerte', 'Bacon' and 'Zutano'. Plant patent - United States Patent and Trademark Office. Feb 21, 1989. (6628). 2 p. plates. (NAL Call No.: DNAL 156.65 P69).

0431

Biological control of phytophthora root rot of papaya with virgin soil (Carica papaya).

Ko, W.H. St. Paul, Minn. : American Phytopathological Society. Plant disease. June 1982. v. 66 (6). p. 446-448. ill. Includes 8 ref. (NAL Call No.: 1.9 P69P).

0432

Blossom end defects and fruit fly infestation in papayas following hot water quarantine treatment.

HJHSA. Zee, F.T. Nishina, M.S.; Chan, H.T. Jr.; Nishijima, K.A. Alexandria, Va. : American Society for Horticultural Science. HortScience. Apr 1989. v. 24 (2). p. 323-325. ill. Includes references. (NAL Call No.: DNAL SB1.H6).

0433

California avocado diseases.

Bekey, R. Fallbrook, Calif. : Rancher Publications. California grower. July 1987. v. 11 (7). p. 18-21. ill. (NAL Call No.: DNAL SB379.A9A9).

0434

Can interplanting citrus control Phytophthora cinnamomi disease? (California avocado).

Borst, G. Vista, Calif. : Rancher Pub. Avocado grower. Apr 1982. v. 6 (4). p. 27-28. ill. Includes references. (NAL Call No.: SB379.A9A9).

0435

Chemical control of Phytophthora cinnamomi on avocado rootstocks.

Goffey, M.D. Ohr, H.D.; Campbell, S.D.; Guillemet, F.B. St. Paul, Minn. : American Phytopathological Society. Plant disease. Nov 1984. v. 68 (11). p. 956-958. Includes 12

(PLANT DISEASES - FUNGAL)

references. (NAL Call No.: 1.9 P69P).

0436

Colony revival, and notes on rearing and life history of the big-headed ant.

PHESA. Chang, V.C.S. Honolulu : The Society. Proceedings of the Hawaiian Entomological Society. Mar 1, 1985. v. 25. p. 53-58. ill. Includes references. (NAL Call No.: DNAL 420 H312).

0437

Comparison of hot-water spray and immersion treatments for control of postharvest decay of papaya (Stem-end rots and anthracnose).

Couey, H.M. Alvarez, A.M.; Nelson, M.G. St. Paul, Minn. : American Phytopathological Society. Plant disease. May 1984. v. 68 (5). p. 429-435. Includes references. (NAL Call No.: 1.9 P69P).

0438

Control of anthracnose of papaya fruit, 1980 (Papaya (*Carica papaya*), anthracnose; *Colletotrichum gloeosporioides*).

Conover, R.A. (s.l.), The Society. Fungicide and nematicide tests; results - American Phytopathological Society. 1982. v. 37. p. 56-57. (NAL Call No.: 464.9 AM31R).

0439

Control of avocado root rot by trunk injection with phosethyl-A1 (*Phytophthora cinnamomi*, aluminum content of the treated trees, phytotoxicity, South Africa).

Darvas, J.M. Toerien, J.C.; Milne, D.L. St. Paul, Minn. : American Phytopathological Society. Plant disease. Aug 1984. v. 68 (8). p. 691-693. ill. Includes 14 references. (NAL Call No.: 1.9 P69P).

0440

Control of banana leaf spot, 1979 (Banana (*Musa* sp.), leaf spot; *Alternaria alternata*).

Jagirdar, H.A. Pathan, I.H. (s.l.), The Society. Fungicide and nematicide tests; results - American Phytopathological Society. 1980. v. 35. p. 168. (NAL Call No.: 464.9 AM31R).

0441

Control of black rot of pineapples in transit /by C.O. Bratley and A.S. Mason.

Bratley, C. O. 1903-1948. Mason, A. S. 1890-. Washington, D.C. : U.S. Dept. of Agriculture, 1939. Caption title. 12 p. : ill. ; 23 cm. (NAL Call No.: DNAL 1 Ag84C no.511).

0442

Control of damping off and root rot of seedling papayas, 1981 (Papaya (*Carica papaya*), damping off and root rot, *Phytophthora* sp.).

Conover, R.A. (s.l.), The Society. Fungicide and nematicide tests; results - American Phytopathological Society. 1982. v. 37. p. 57. (NAL Call No.: 464.9 AM31R).

0443

The control of dothiorella rot on avocado fruits /W.T. Horne and D.F. Palmer.

Horne, W. T. 1876-. Palmer, D. F. 1899-. Berkeley, Cal. : Agricultural Experiment Station, 1935. Cover title. ~ "Paper No. 320, University of California Citrus Experiment Station and Graduate School of Tropical Agriculture, Riverside, California.". 16 p. : ill. ; 24 cm. (NAL Call No.: DNAL 100 C12S no.594).

0444

Control of mango anthracnose with foliar sprays.

McMillan, R.T. Jr. s.l. : The Society. Proceedings of the ... annual meeting of the Florida State Horticulture Society. June 1985. v. 97. p. 344-345. Includes references. (NAL Call No.: DNAL SB319.2.F6F56).

0445

Control of mango powdery mildew with triforine (*Didium* sp., *Mangifera indica*).

McMillan, R.T. Jr. PFSHA. Lake Alfred : The Society. Proceedings of the ... annual meeting - Florida State Horticultural Society. 1982. v. 95. p. 122-124. Includes references. (NAL Call No.: 81 F66).

0446

Control of *Phytophthora palmivora* in papaya orchards with weekly sprays of chlorothalonil (Fungi, Hawaii).

Alvarez, A.M. Nelson, M.G. St. Paul, Minn., American Phytopathological Society. Plant disease. Jan 1982. v. 66 (1). p. 37-39. (NAL Call No.: 1.9 P69P).

0447

Control of pineapple disease of sugarcane with propiconazole.

PLDRA. Comstock, J.C. Ferreira, S.A.; Ching, S.A.; Hilton, H.W. St. Paul, Minn. : American Phytopathological Society. Plant disease. Dec 1984. v. 68 (12). p. 1072-1075. Includes 4 references. (NAL Call No.: DNAL 1.9 P69P).

0448

Control of pineapple heart rot, caused by *Phytophthora parasitica* and *Phytophthora cinnamomi*, with metalaxyl, fosetyl A1, and phosphorous acid.

PLDRA. Rohrbach, K.G. Schenck, S. St. Paul, Minn. : American Phytopathological Society. Plant disease. Apr 1985. v. 69 (4). p. 320-323. Includes 11 references. (NAL Call No.: DNAL 1.9 P69P).

0449

Control of postharvest (fungal) decay of papaya.

Couey, H.M. AR-W. Farias, G. Alexandria, Va., American Society for Horticultural Science. HortScience. Dec 1979. v. 14 (6). p. 719-721. ill. 5 ref. (NAL Call No.: SB1.H6).

0450

Detached root inoculation--a new method to evaluate resistance to *Phytophthora* root rot in avocado trees.

PHYTAJ. Zilberstein, M. Pinkas, Y. St. Paul, Minn. : American Phytopathological Society. Phytopathology. June 1987. v. 77 (6). p. 841-844. Includes references. (NAL Call No.: DNAL 464.8 P56).

0451

Diallel analysis of root rot resistance in papaya (*Phytophthora palmivora*, Hawaii).

Mosqueda-Vazquez, R. Nakasone, H.Y. Alexandria, Va., American Society for Horticultural Science. HortScience. June 1982. v. 17 (3). p. 384-385. 6 ref. (NAL Call No.: SB1.H6).

0452

Effect of morphactin on the storage behaviour of guava fruits (Postharvest decay control, *Gloeosporium psidii*, *Pestalotia psidii*).

Gupta, V.K. Mukherjee, D. Mount Vernon, Va., The Society. Journal of the American Society for Horticultural Science. American Society for Horticultural Science. Jan 1980. v. 105 (1). p. 115-119. ill. 33 ref. (NAL Call No.: 81 S012).

0453

Effect of postharvest treatments on *Stemphylium* rot of papaya (*Stemphylium lycopersici*).

Glazener, J.A. Couey, H.M. St. Paul, Minn. : American Phytopathological Society. Plant disease. Nov 1984. v. 68 (11). p. 986-988. Includes 8 references. (NAL Call No.: 1.9 P69P).

0454

The effect of temperature on growth and pathogenesis of *Phytophthora cinnamomi* and on growth of its avocado host.

Zentmyer, G.A. St. Paul, Minn.. American Phytopathological Society. Phytopathology. Sept 1981. v. 71 (9). p. 925-928. ill. 14 ref. (NAL Call No.: 464.8 P56).

0455

Effect of wilt disease and age on the strength properties of coconut palm stem wood.

WOSTBE. Gnanaharan, R. Dhamodaran, T.K. Secaucus, N.J. : Springer-Verlag. Wood science and technology. 1989. v. 23 (3). p. 205-209. Includes references. (NAL Call No.: DNAL SD433.A1W6).

0456

Effects of flooding and *phytophthora* root rot on net gas exchange and growth of avocado.

PHYTAJ. Ploetz, R.R. Schnaffer, B. St. Paul, Minn. : American Phytopathological Society. Greenhouse studies were conducted to determine the effects of *Phytophthora* root rot (caused by *Phytophthora cinnamomi*) and flooding on avocado (*Persea americana*). In addition to standard disease assessments (root necrosis, root colonization, wilt, and defoliation), dry weight accumulations and gas exchange characteristics were monitored as indicators of host distress. In a peat-perlite potting medium with a high water-holding capacity, net CO₂ assimilation, transpiration, stomatal conductance for CO₂, and root and shoot dry weights were reduced by root rot (P less than 0.05). In this medium, flooding alone generally did not reduce these parameters after 5 days. In a calcareous soil used for avocado production in south Florida (with a lower water-holding capacity than the potting medium), root rot reduced assimilation, transpiration, and conductance in a series of three experiments, although not consistently. In this soil, flooding alone reduced these parameter as well. After 4 wk of flooding, assimilation, transpiration, and conductance declined to nondetectable levels. However, when plants with root rot were flooded, these physiological parameters were reduced as soon as 3 days after flooding began, and they declined to nondetectable levels within 1 wk. These plants also had reduced root, shoot, and total plant dry weight accumulations and increased defoliation when compared with

(PLANT DISEASES - FUNGAL)

nonflooded plants without root rot. Although similar reductions occurred for nonflooded plants with root rot and flooded plants without root rot, these reductions were not as great or consistent as those detected for the combined root rot and flooding treatment. In combination, *Phytophthora* root rot and flooding dramatically impaired photosynthesis and normal stomatal function and reduced the root and shoot biomass in avocado. *Phytopathology*. Feb 1989. v. 79 (2). p. 204-208. Includes references. (NAL Call No.: DNAL 464.8 P56).

0457

Effects of flooding and *Phytophthora* root rot on photosynthetic characteristics of avocado. Ploetz, R.C. Schaffer, B. S.I. : The Society. Proceedings of the ... annual meeting of the Florida State Horticulture Society. Aug 1988. v. 100. p. 290-294. Includes references. (NAL Call No.: DNAL SB319.2.F6F56).

0458

Effects of organophosphorous pesticides on cutinase activity and infection of papayas by *Colletotrichum gloeosporioides* (*Carcia papaya*). Dickman, M.B. PHYTA. Patil, S.S.; Kolattukudy, P.E. St. Paul : American Phytopathological Society. *Phytopathology*. Aug 1983. v. 73 (8). p. 1209-1214. Includes references. (NAL Call No.: 464.8 P56).

0459

Effects of temperature, moisture, and stage of inflorescence development on infection of pineapple by *Penicillium funiculosum* and *Fusarium moniliforme* var. *subglutinans*. Rohrbach, K.G. Taniguchi, G. St. Paul, Minn. : American Phytopathological Society. *Phytopathology*. Aug 1984. v. 74 (8). p. 995-1000. ill. Includes 14 references. (NAL Call No.: 464.8 P56).

0460

Evaluation and induction of resistance to blue mold in tobacco genotypes differing in contents of duvatrienediols.

PHYTAU. Rao, M.N. Siegel, M.R.; Nielson, M.T.; Wigglesworth, M.D.; Burton, H.R.; Kuc, J. St. Paul, Minn. : American Phytopathological Society. The alpha- and beta-4,8,13-duvatrien-1,3-diols (DVT) are fungitoxic leaf-surface components of tobacco. Tobacco Introductions (TI), double haploid breeding lines, and cultivar Ky 14, with different DVT contents, were evaluated for resistance to blue mold caused by *Peronospora tabacina* Adam. DVT contents varied significantly in plants grown at different times of the year and increased with age. TI 1068 and the double haploid breeding lines, DH 944-1, DH 909-2, and DH-960, had higher DVT

contents than Ky 14 and were more resistant to blue mold than Ky 14. However, although DH 909-2 was the most resistant genotype in greenhouse tests, it did not have the highest DVT contents. TI 1406, with lower contents of DVT than Ky 14, was somewhat more susceptible in greenhouse tests and considerably more susceptible in field tests. TI 1112, however, with little or no DVT, was highly resistant in greenhouse and field tests. In greenhouse tests, systemic resistance was induced in all types of tobacco by stem injection with sporangiospores of *P. tabacina*, except in TI 1112, which already was highly resistant. DVT contents did not significantly change in stem-injected plants. Removal of DVT by acetone dipping increased susceptibility to blue mold in the early stages of growth, but not in the later stages of field-grown tobacco, which contained DVT. For all genotypes, the oldest plants sampled in the field test (83 days after transplanting) appeared immune. Linear correlations of disease with DVT for individual sampling dates indicated no significant effect of variation in DVT contents among genotypes on disease severity. The disease resistance-DVT relationship is very complex. DVT contents were apparently not responsible for induced resistance or the high resistance of plants sampled late in the season (83 days after transplanting). DVT contents are not the only factors determining resistance to blue mold; however, they may have a contributory role. *Phytopathology*. Mar 1989. v. 79 (3). p. 271-275. Includes references. (NAL Call No.: DNAL 464.8 P56).

0461

Evaluation of a strain of *Myrothecium roridum* as a Potential biocontrol agent against *Phytophthora cinnamomi*.

PHYTA. Gees, R. Coffey, M.D. St. Paul, Minn. : American Phytopathological Society. Potential antagonists of *Phytophthora cinnamomi* were evaluated from among 36 fungi and 110 bacteria isolated from the rhizosphere of avocado roots growing in a soil suppressive to *Phytophthora* where *P. cinnamomi* had been present for 40-50 yr. Strain TW of *Myrothecium roridum* proved to be the most active antagonist in controlling *P. cinnamomi* in repeated greenhouse pot tests with highly susceptible seedlings of *Persea indica* inoculated with *P. cinnamomi*. *M. roridum* was grown on a wheat-bran medium and introduced into a peat-perlite mixture at 2.5% (w/v) 2 wk before inoculation with *P. cinnamomi*. In a UC-mixture with *P. indica* inoculated with zoospores of *P. cinnamomi*, *M. roridum* suppressed root infection by 50-94% compared with uninoculated controls. In the same experiments there was no significant difference in the level of control achieved by either *M. roridum* or the fungicide potassium phosphonate (2.5 mg/pot). In three naturally infested field soils, root infection ranged from 12 to 54% in the presence of *M. roridum*, compared with 58 to 93% for controls over the same 4-wk period. On a selective medium containing carbendazim, a fungicide-resistant mutant of strain TW, TWm14, was isolated consistently from the root tips of *P. indica* growing in infested soil 4 wk after

transfer, demonstrating the apparent rhizosphere competence of this strain in all three soils. *Phytopathology*. Oct 1989. v. 79 (10). p. 1079-1084. Includes references. (NAL Call No.: DNAL 464.8 P56).

0462

Evaluation of fungicides for control of anthracnose in avocados, 1982 (*Glomerella cingulata* var. *minor* infecting *Persea americana*). Fitzell, R.D.FNETD. Peak, C.M.; Peasley, D. (s.l.) : The Society. Fungicide and nematocide tests : results - American Phytopathological Society. 1983. v. 38. p. 202-203. (NAL Call No.: 464.9 AM31R).

0463

Exploitation of animal mobility. NATUAS. Moore, P.D. Neptune, N.J. : Macmillan Journals. *Nature*. Sept 26/Oct 2, 1985. v. 317 (6035). p. 288. ill. Includes references. (NAL Call No.: DNAL 472 N21).

0464

Field evaluations of top cop for papaya disease control, 1980 (Papaya (*Carica papaya* L 'Kapoho solo'), anthracnose; *Colletotrichum gloeosporioides*, black spot; *Cercospora papayae*, *Phytophthora* fruit rot; *Phytophthora palmivora*). Alvarez, A.M. Nelson, M.G. (s.l.), The Society. Fungicide and nematocide tests; results - American Phytopathological Society. 1981. v. 36. p. 49. (NAL Call No.: 464.9 AM31R).

0465

Fungicides for control of avocado root rot (*Phytophthora cinnamomi*). Zentmyer, G.A. Vista, Calif. : Rancher Pub. Avocado grower. Sept 1982. v. 6 (9). p. 44-45. (NAL Call No.: SB379.A9A9).

0466

Injection of established avocado trees for the effective control of *Phytophthora* root rot. Darvas, J.M. Torien, J.C.; Milne, D.L. Saticoy, Calif. : The Society. Yearbook - California Avocado Society. 1983. v. 67. p. 141-146. Includes references. (NAL Call No.: 81 C128).

0467

An integrated approach to the control of avocado root rot. CAVYA. Coffey, M. Saticoy, Calif. : The Society. Yearbook - California Avocado Society. 1984. v. 68. p. 61-65, 67-68. ill. (NAL Call No.: DNAL 81 C128).

0468

Integrated control of avocado root rot. Kotze, J.M. Darvas, J.M. Saticoy, Calif. : The Society. Yearbook - California Avocado Society. 1983. v. 67. p. 33-86. Includes references. (NAL Call No.: 81 C128).

0469

Interplanting: is it worth the headaches? (Citrus and avocados, *Phytophthora cinnamomi*, cultural control). Vista, Calif., Rancher Publications. Avocado grower. Nov 1980. v. 4 (11). p. 26-27. ill. (NAL Call No.: SB379.A9A9).

0470

Laboratory screening technique for assessing resistance of four avocado rootstocks to *Phytophthora cinnamomi*. PLDRA. Dolan, T.E. Coffey, M.D. St. Paul, Minn. : American Phytopathological Society. Plant disease. Feb 1986. v. 70 (2). p. 115-118. Includes 13 references. (NAL Call No.: DNAL 1.9 P69P).

0471

Net gas exchange as a damage indicator for *Phytophthora* root rot of flooded and nonflooded avocado. HUJSA. Schnaffer, B. Ploetz, R.C. Alexandria, Va. : American Society for Horticultural Science. *HortScience*. Aug 1989. v. 24 (4). p. 653-655. Includes references. (NAL Call No.: DNAL SB1.H6).

0472

Occurrence of free and conjugated 12,13-epoxytrichothecenes and zearalenone in banana fruits infected with *Fusarium moniliforme*. APMBA. Chakrabarti, D.K. Ghosal, S. Washington, D.C. : American Society for Microbiology. Applied and environmental microbiology. Jan 1986. v. 51 (1). p. 217-219. ill. Includes 15 references. (NAL Call No.: DNAL 448.3 AP5).

(PLANT DISEASES - FUNGAL)

0473

Organic matter helps control root rot spread (Phytophthora cinnamomi, avocado).
Borst, G. Vista, Calif. : Rancher Pub. Avocado grower. Dec 1983. v. 7 (12). p. 38-39, 47. ill. Includes references. (NAL Call No.: SB379.A9A9).

0474

Papaya diseases and their control (Hawaii).
Nishijima, W. Honolulu : The Institute. Research extension series - Hawaii Institute of Tropical Agriculture and Human Resources. July 1983. Presented at the 18th annual Hawaii Papaya Industry Association Conference, Honolulu, October, 1982. July 1983. (033). p. 74-78. (NAL Call No.: S481.R4).

0475

Phytophthora root rot of avocado.
Coffey, M. Vista, Calif. : Rancher Pub. Avocado grower. Aug 1984. v. 8 (7). p. 19-25. ill. (NAL Call No.: DNAL SB379.A9A9).

0476

Phytophthora root rot of avocado: an integrated approach to control in California.
PLDIDE. Coffey, M.D. St. Paul, Minn. : American Phytopathological Society. Plant disease. Nov 1987. v. 71 (11). p. 1046-1052. ill. Includes references. (NAL Call No.: DNAL 1.9 P69P).

0477

Post harvest disease control at the farm level (Fungicide sprays, sanitation, injury reduction, Hawaii).
Nishijima, W.T. Honolulu : The Institute. Research extension series - Hawaii Institute of Tropical Agriculture and Human Resources. Oct 1982. Presented at the 17th Annual Hawaii Papaya Industry Association Conference. September, 1981. Oct 1982. (020). p. 33-35. (NAL Call No.: S481.R4).

0478

Postharvest disease control of papaya (Fungicidal spray).
Alvarez, A. Nelson, M. Honolulu. The Institute. Research extension series - University of Hawaii, Hawaii Institute of Tropical Agriculture and Human Resources. May 1981. May 1981. (006). p. 21-26. (NAL Call No.: S481.R4).

0479

Progress of research on root rot reviewed (Use of nonphytotoxic soil fungicides to control Phytophthora cinnamomi, for avocados in California).
Vista, Calif. : Rancher Pub. Avocado grower. Aug 1983. v. 7 (8). p. 40-41. ill. (NAL Call No.: SB379.A9A9).

0480

Resistance of mango pathogens to fungicides used to control postharvest diseases.
PLDRA. Spalding, D.H. St. Paul, Minn. : American Phytopathological Society. Plant disease. Dec 1982. v. 66 (12). p. 1185-1186. Includes references. (NAL Call No.: DNAL 1.9 P69P).

0481

Resistant rootstocks for control of Phytophthora cinnamomi (Root rot of avocado).
Zentmyer, G.A. Vista, Calif. : Rancher Pub. Avocado grower. Nov 1982. v. 6 (11). p. 32-35. (NAL Call No.: SB379.A9A9).

0482

Root rot control: integrated approach best path.
Thompson, W. Vista, Calif. : Rancher Pub. Avocado grower. June 1984. v. 8 (6). p. 23, 26-27. (NAL Call No.: DNAL SB379.A9A9).

0483

Screening of Carica papaya L. seedlings for resistance to root rot caused by Phytophthora palmivora Butl. (Breeding for disease resistance).
Mosqueda-Vazquez, R. Aragaki, M.; Nakasone, H.Y. Alexandria, Va., The Society. Journal of the American Society for Horticultural Science. July 1981. v. 106 (4). p. 484-487. 13 ref. (NAL Call No.: 81 S012).

0484

Selecting avocado rootstocks for specific conditions.
Ben Yaccov, A. Fallbrook, Calif. : Rancher Publications. California grower. May 1988. v. 12 (5). p. 14. (NAL Call No.: DNAL SB379.A9A9).

0485

Soil fumigants for root rot control (Phytophthora cinnamomi, in avocado groves). Zentmyer, G.A. Vista, Calif. : Rancher Pub. Avocado grower. Oct 1982. v. 6 (10). p. 40-41. (NAL Call No.: SB379.A9A9).

0486

Soil is said to influence biological control efforts (on root rot, caused by Phytophthora cinnamomi in avocados). Borst, G. Vista, Calif. : Rancher Pub. Avocado grower. Aug 1983. v. 7 (8). p. 34-35. Includes references. (NAL Call No.: SB379.A9A9).

0487

Suppression of germination, hyphal growth and sporulation of anthracnose fungi with fungicides, 1979 (Mango (Mangifera indica L.), anthracnose; Colletotrichum gloeosporioides var minor, Colletotrichum acutatum). Fitzell, R.D. (s.l.), The Society. Fungicide and nematicide tests; results - American Phytopathological Society. 1981. v. 36. p. 48. (NAL Call No.: 464.9 AM31R).

0488

Systemic translocation of ¹⁴C (carbon isotope)-labeled metalaxyl (fungicide) in tomato, avocado, and Persea indica. Zaki, A.I. Zentmyer, G.A.; LeBaron, H.M. Laramie, The Station. Science monograph - University of Wyoming, Agricultural Experiment Station. May 1981. v. 71 (5). p. 509-514. ill. 13 ref. (NAL Call No.: S131.E2).

0489

Terrazole (fungicide, Phytophthora cinnamomi) gets mixed reception from Fallbrook Avocado Growers. Vista, Calif., Rancher Publications. Avocado grower. June 1980. v. 4 (6). p. 18-20. (NAL Call No.: SB379.A9A9).

0490

Thiabendazole to control post-harvest decay on papayas. Couey, H.M. HI-AR-W. Farias, G. Honolulu, The Service. Miscellaneous publication - Hawaii University. Cooperative Extension Service. Apr 1980. Apr 1980. (178). p. 17-19. 5 ref. (NAL Call No.: S544.3.H3H3).

0491

The use of antioxidants to delay the onset of anthracnose and stem end decay in avocado fruits after harvest. PLDIDE. Prusky, D. St. Paul, Minn. : American Phytopathological Society. Plant disease. May 1988. v. 72 (5). p. 381-384. ill. Includes references. (NAL Call No.: DNAL 1.9 P69P).

PLANT DISEASES - BACTERIAL

0492

Bacterial decomposition of olives during pickling /by W.V. Cruess and E.H. Guthier. Cruess, W. V. 1886-. Guthier, E. H. 1895-. Berkeley, Cal. : Agricultural Experiment Station, 1923. Cover title. 15 p. : ill., 1 chart ; 24 cm. (NAL Call No.: DNAL 100 C12S (1) no.368).

0493

Effects of lethal yellowing on the composition of the phloem sap from coconut palms in Jamaica (Cocos nucifera, possible mycoplasma-like causal agent). Stemmer, W.P.C. Archer, D.B.; Daniels, M.J.; Davies, A.M.C.; Eden-Green, S.J. St. Paul, American Phytopathological Society. Phytopathology. June 1982. v. 72 (6). p. 672-675. 30 ref. (NAL Call No.: 464.8 P56).

0494

Epidemiology and control of bacterial canker of papaya caused by an Erwinia sp. on St. Croix, U.S. Virgin Islands. PLDRA. Webb, R.R. St. Paul, Minn. : American Phytopathological Society. Plant disease. Apr 1985. v. 69 (4). p. 305-309. ill. Includes 12 references. (NAL Call No.: DNAL 1.9 P69P).

PLANT DISEASES - VIRAL

0495

California avocado diseases.

Bekey, R. Fallbrook, Calif. : Rancher Publications. California grower. July 1987. v. 11 (7). p. 18-21. ill. (NAL Call No.: DNAL SB379.A9A9).

0496

'Cariflora'--a papaya ringspot virus-tolerant papaya for south Florida and the Caribbean.

HJHSA. Conover, R.A. Litz, R.E.; Malo, S.E. Alexandria, Va. : American Society for Horticultural Science. HortScience. Aug 1986. v. 21 (4). p. 1072. ill. Includes references. (NAL Call No.: DNAL SB1.H6).

0497

Cariflora, a papaya for south Florida with tolerance to papaya ringspot virus.

Conover, R.A. Litz, R.E.; Malo, S.E. Gainesville : The Institute. Circular S - Florida Agricultural Experiment Stations, Institute of Food and Agricultural Sciences, University of Florida. May 1986. (329). 4 p. ill. (NAL Call No.: DNAL 100 F66CI).

0498

Coconut cadang-cadang viroid.

Randles, J.W. Orlando, Fla. : Academic Press. 1985. Subviral pathogens of plants and animals : viroids and prions / edited by Karl Maramorosch, John J. McKelvey. p. 39-74. ill. Includes references. (NAL Call No.: DNAL QR500.S83).

0499

Control of papaya ringspot virus by cross protection.

PLDIDE. Yeh, S.D. Gonsalves, D.; Wang, H.L.; Namba, R.; Chiu, R.J. St. Paul, Minn. : American Phytopathological Society. Plant disease. May 1988. v. 72 (5). p. 375-380. ill Includes references. (NAL Call No.: DNAL 1.9 P69P).

0500

Current status of breeding for papaya virus resistance.

Nakasone, H.Y. HI. Honolulu, The Service. Miscellaneous publication - Hawaii University. Cooperative Extension Service. Apr 1980. Apr 1980. (178). p. 12. (NAL Call No.: S544.3.H3H3).

0501

Effect of mixtures of custard-apple oil and neem oil on survival of *Nephotettix virescens* (Homoptera: Cicadellidae) and on rice tungro virus transmission (*Annona squamosa*, *Azadirachta indica*).

Mariappan, V. Saxena, R.C. College Park, Md. : Entomological Society of America. Journal of economic entomology. Apr 1984. v. 77 (2). p. 519-521. Includes references. (NAL Call No.: 421 J822).

0502

Effect of nonedible seed oils on survival of *Nephotettix virescens* (Homoptera: Cicadellidae) and on transmission of rice tungro virus.

JEENAI. Mariappan, V. Jayaraj, S.; Saxena, R.C. College Park, Md. : Entomological Society of America. In a greenhouse study, nonedible oils extracted from seeds of "karanj," *Pongamia pinnata* Pierre; "mahua," *Madhuca longifolia* Koen. Macbr. var. *latifolia* Roxb. Cheval; and "pinnai," *Calophyllum inophyllum* L., trees were more effective than the oil of neem, *Azadirachta indica* A. Juss, in reducing the survival of the rice green leafhopper, *Nephotettix virescens* (Distant), and its transmission of the rice tungro viruses (RTV), and as effective as oil of custard-apple, *Annona squamosa* L. Insect mortality was 100% after 4 d on rice plants sprayed with oils at 5% concentration in contrast to 69% insect survival on control plants. RTV infection was 17-35% in oil-treated plants and 51% in the control. Journal of economic entomology. Oct 1988. v. 81 (5). p. 1369-1372. Includes references. (NAL Call No.: DNAL 421 J822).

0503

Effect of sex type, season, and other factors on in vitro establishment and culture of *Carica papaya* L. explants (Tissue culture, papaya ringspot virus).

Litz, R.E. Conover, R.A. Alexandria, Va., The Society. Journal of the American Society for Horticultural Science. Nov 1981. v. 106 (6). p. 792-794. Includes 5 ref. (NAL Call No.: 81 S012).

0504

Effectiveness of cross-protection by a mild mutant of papaya ringspot virus for control of ringspot disease of papaya in Florida.

McMillan, R.T. Jr. Gonsalves, D. S.I. : The Society. Proceedings of the ... annual meeting of the Florida State Horticulture Society. Aug 1988. v. 100. p. 294-296. Includes references. (NAL Call No.: DNAL SB319.2.F6F56).

(PLANT DISEASES - VIRAL)

0505

Effectiveness of cross-protection by mild mutants of papaya ringspot virus for control of ringspot disease of papaya in Taiwan.
PLDRA. Wang, H.L. Yeh, S.D.; Chiu, R.J.; Gonsalves, D. St. Paul, Minn. : American Phytopathological Society. Plant disease. June 1987. v. 71 (6). p. 491-497. ill. Includes references. (NAL Call No.: DNAL 1.9 P69P).

0506

Evaluation of induced mutants of papaya ringspot virus for control by cross protection.
Yeh, S.D. Gonsalves, D. St. Paul, Minn. : American Phytopathological Society. Phytopathology. Sept 1984. v. 74 (9). p. 1086-1091. ill. Includes 39 references. (NAL Call No.: 464.8 P56).

0507

History, spread, and other palm hosts of lethal yellowing of coconut palms.
Martyn, R.D. Midcap, J.T. Gainesville, Fla. : The Service. Circular - Florida Cooperative Extension Service. 1975. (405). 15 p. ill., maps. (NAL Call No.: DNAL 275.29 F66C).

0508

The 'Mayayan dwarf'--a lethal yellowing resistant coconut palm.
Midcap, J.T. Martyn, R.D. Gainesville, Fla. : The Service. Circular - Florida Cooperative Extension Service. 1975. (404). 7 p. ill. (NAL Call No.: DNAL 275.29 F66C).

0509

Papaya mosaic virus control program.
Holtzmann, O.V. HI. Honolulu. The Service. Miscellaneous publication - Hawaii University. Cooperative Extension Service. Apr 1980. Apr 1980. (178). p. 10-11. (NAL Call No.: S544.3.H3H3).

0510

The primary structure of papaya mosaic virus coat protein.
VIRLA. Short, M.N. Turner, D.S.; March, J.F.; Pappin, D.J.C.; Parente, A.; Davies, J.W. Orlando, Fla. : Academic Press. Virology. July 15, 1986. v. 152 (1). p. 280-283. Includes 20 references. (NAL Call No.: DNAL 448.8 V81).

0511

Quantitative comparison of the resistance to Phytophthora root rot in three avocado rootstocks.
PHYTAJ. Kellam, M.K. Coffey, M.D. St. Paul, Minn. : American Phytopathological Society. Phytopathology. Feb 1985. v. 75 (2). p. 230-234. ill. Includes 17 references. (NAL Call No.: DNAL 464.8 P56).

0512

Resistance to papaya ringspot virus in Cucumis metuliferus and its relationship to resistance to watermelon mosaic virus 1.
Provvidenti, R. Gonsalves, D. Washington, D.C., American Genetic Association. The Journal of heredity. May/June 1982. v. 73 (3). p. 239-240. Includes 13 ref. (NAL Call No.: 442.8 AM3).

0513

Structure and in vitro assembly of papaya mosaic virus.
AbouHaidar, M.G. Erickson, J.W. Boca Raton, Fla. : CRC Press, c1985. Molecular plant virology / editor, Jeffrey W. Davies. Literature review. v. 1 p. 85-121. ill. Includes references. (NAL Call No.: DNAL QR351.M64).

0514

The structure of viroids and virusoids.
Keese, P. Symons, R.H. Boca Raton, Fla. : CRC Press. 1987. Viroids and viroid-like pathogens / editor, Joseph S. Semancik. p. 1-47. Includes references. (NAL Call No.: DNAL QR500.V57).

PLANT DISEASES - PHYSIOLOGICAL

0515

Abscission of mango fruitlets as influenced by enhanced ethylene biosynthesis.

PLPHA, Nunez-Elisea, R. Davenport, T.L. Rockville, Md. : American Society of Plant Physiologists. Plant physiology. Dec 1986. v. 82 (4). p. 991-994. Includes references. (NAL Call No.: DNAL 450 P692).

0516

California avocado diseases.

Bekey, R. Fallbrook, Calif. : Rancher Publications. California grower. July 1987. v. 11 (7). p. 18-21. ill. (NAL Call No.: DNAL SB379.A9A9).

0517

Effect of potassium deficiency on kiwifruit.

JPNUDS. Smith, G S. Clark, C.U.; Buwalda, J.G. New York, N.Y. : Marcel Dekker. Journal of plant nutrition. Paper presented at the "Tenth International Plant Nutrition Colloquium", August 4-9, 1986, Beltsville, Maryland. 1987. v. 10 (9/16). p. 1939-1946. Includes references. (NAL Call No.: DNAL OK867.J67).

0518

Fe-deficiency tolerance in papaya (Carica papaya L.): H reduction and chlorosis recovery in response to stress.

JPNUDS. Kannan, S. New York, N.Y. : Marcel Dekker. Journal of plant nutrition. 1985. v. 8 (12). p. 1191-1197. ill. Includes 9 references. (NAL Call No.: DNAL OK867.J67).

0519

Manganese chlorosis of pineapples its cause and control /by Maxwell O. Johnson.

Johnson, Maxwell Oscar, 1892-1951. Washington : Government Printing Office, 1924. Cover title. 38 p., 4 p. of plates : ill. ; 23 cm. Literature cited: p. 36-38. (NAL Call No.: DNAL 100 H313 (1) no.52).

0520

Postharvest handling systems: subtropical fruits.

Kader, A.A. Berkeley, Calif. : Coop Ext, Univ of California, Div of Agric and Natural Resources, 1985. Postharvest technology of horticultural crops / Adel A. Kadar et al. . p. 152-156. Includes references. (NAL Call No.: DNAL SB319.7.P67).

MISCELLANEOUS PLANT DISORDERS

0521

Canopy reflectance of two drought-stressed shrubs.
 PERSD. Everitt, J.H. Nixon, P.R. Falls Church, Va. : American Society of Photogrammetry and Remote Sensing. Photogrammetric engineering and remote sensing. Aug 1986. v. 52 (8). p. 1189-1192. ill. Includes references. (NAL Call No.: DNAL 325.28 P56).

0522

Control of avocado root rot by trunk injection with phosethyl-A1 (Phytophthora cinnamomi, aluminum content of the treated trees, phytotoxicity, South Africa).
 Darvas, J.M. Toerien, J.C.; Milne, D.L. St. Paul, Minn. : American Phytopathological Society. Plant disease. Aug 1984. v. 68 (8). p. 691-693. ill. Includes 14 references. (NAL Call No.: 1.9 P69P).

0523

Effects of flooding and Phytophthora root rot on photosynthetic characteristics of avocado.
 Ploetz, R.C. Schaffer, B. S.I. : The Society. Proceedings of the ... annual meeting of the Florida State Horticulture Society. Aug 1988. v. 100. p. 290-294. Includes references. (NAL Call No.: DNAL SB319.2.F6F56).

0524

Frost protection--are you ready? (Frost, avocados, California).
 Vista, Calif., Rancher Publications. Avocado grower. Sept 1980. v. 4 (9). p. 36-37. ill. (NAL Call No.: SB379.A9A9).

0525

Growth inhibition from guava root exudates (Psidium guajava, allelopathy, glyphosate application).
 Brown, R.L. HUJSA. Tang, C.S.; Nishimoto, R.K. Alexandria : American Society for Horticultural Science. HortScience. June 1983. v. 18 (3). p. 316-318. ill. Includes references. (NAL Call No.: SB1.H6).

0526

Impact of certain pesticides on avocado (Phytotoxicity).
 Sances, F.V. CAVYA. Ting, I.P.; Hogenson, R.O.; McDonald, J.E. Saticoy : The Society. Yearbook - California Avocado Society. 1982. v. 66. p. 145-147, 149-151, 153-154. ill. (NAL Call No.: 81 C128).

0527

Manganese toxicity in Avocado (Persea americana Mill.) (in San Diego County, California).
 Tracy, J.E. Saticoy, Calif. : The Society. Yearbook - California Avocado Society. 1983. v. 67. p. 147-149, 152-158. ill. Includes references. (NAL Call No.: 81 C128).

0528

Nitrogen fertilization, a guarantee for relative resistance of avocado trees to frost.
 JPNUDS. Lahav, E. Kalmar, D.; Bar, Y. New York, N.Y. : Marcel Dekker. Journal of plant nutrition. Paper presented at the "Tenth International Plant Nutrition Colloquium", August 4-9, 1986, Beltsville, Maryland. 1987. v. 10 (9/16). p. 1859-1868. ill. Includes references. (NAL Call No.: DNAL QK867.J67).

0529

Observations on the overwintering of Oriental persimmons in Maryland.
 NONGA. Shanks, J.B. Hamden, Conn. : The Association. Annual report of the Northern Nut Growers Association. 1984. (75th). p. 21-27. ill. (NAL Call No.: DNAL 94.69 N81).

0530

Reaction of the avocado tree in various degrees of salinity in irrigation water.
 Steinhardt, R. Kelmar, D.; Lahav, E.; Sholhevet, Y. Fallbrook, Calif. : Rancher Publications. California grower. June 1988. v. 12 (6). p. 28. (NAL Call No.: DNAL SB379.A9A9).

0531

Tulare, a County in search of a frost-resistant variety (Avocado).
 Toumey, J. Vista, Calif. : Rancher Pub. Avocado grower. Aug 1982. v. 6 (8). p. 14-15, 17-18. ill. (NAL Call No.: SB379.A9A9).

0532

Wind-rub damage to kiwifruit: an interpretation of contrasting windbreak and trellis effectiveness.
 McAneney, K.J. Judd, M.J. Bozeman, Mont. : Montana State University, Cooperative Extension Service. Great Plains Agriculture i.e. Agricultural Council publication. Paper presented at the "International Symposium on Windbreak Technology," June 23-27, 1986, Lincoln, Nebraska. 1986. (117). p. 189-190. ill. (NAL Call No.: DNAL S27.A3).

PROTECTION OF PLANT PRODUCTS - GENERAL AND MISC.

0533

Association of pectolytic strains of *Xanthomonas campestris* with soft rots of fruits and vegetables at retail markets.
PHYTAU. Liao, C.H. Wells, J.M. St. Paul, Minn. : American Phytopathological Society. Phytopathology. Mar 1987. v. 77 (3). p. 418-422. Includes references. (NAL Call No.: DNAL 464.8 P56).

0534

Bacterial decomposition of olives during pickling /by W.V. Cruess and E.H. Guthier.
Cruess, W. V. 1886-. Guthier, E. H. 1895-. Berkeley, Cal. : Agricultural Experiment Station, 1923. Cover title. 15 p. : ill. 1 chart ; 24 cm. (NAL Call No.: DNAL 100 C12S (1) no.368).

0535

Comparison of hot-water spray and immersion treatments for control of postharvest decay of papaya (Stem-end rots and anthracnose).
Couey, H.M. Alvarez, A.M.; Nelson, M.G. St. Paul, Minn. : American Phytopathological Society. Plant disease. May 1984. v. 68 (5). p. 429-435. Includes references. (NAL Call No.: 1.9 P69P).

0536

Control of papaya postharvest diseases with Sisthane and other experimental fungicides, 1980 (Papaya (*Carica papaya* L 'Kapoho solo') anthracnose; *Colletotrichum gloeosporioides*, surface rots; *Phomopsis* sp., *Stemphylium* sp., *Phytophthora palmivora*, stem-end rots; *Ascochyta caricae-papayae* (*Mycosphaerella* sp.), *Botryodiplodia theobromae*, *Fusarium* sp., *Phomopsis* sp., *Stemphylium* sp.).
Alvarez, A.M. Nelson, M.G. (s.l.). The Society. Fungicide and nematicide tests; results - American Phytopathological Society. 1981. v. 36. p. 49. (NAL Call No.: 464.9 AM31R).

0537

Control of postharvest (fungal) decay of papaya.
Couey, H.M. AR-W. Farias, G. Alexandria, Va., American Society for Horticultural Science. HortScience. Dec 1979. v. 14 (6). p. 719-721. ill. 5 ref. (NAL Call No.: SB1.H6).

0538

Control of postharvest rots, 1979 (Banana (*Musa* sp.), postharvest rots; *Aspergillus flavus*, *Botryodiplodia theobromae*, *Colletotrichum musae*, *Fusarium* spp.).
Jagirdar, H.A. Pathan, I.H. (s.l.). The Society. Fungicide and nematicide tests; results - American Phytopathological Society. 1980. v. 35. p. 168. (NAL Call No.: 464.9 AM31R).

0539

Culture of five commonly used acid-producing bacteria (*Lactobacillus bulgaricus*, *Streptococcus thermophilus*, *Streptococcus faecalis*) on banana pulp (Fruit preservation).
Aegerter, P. Dunlap, C. Washington, D.C., American Society for Microbiology. Applied and environmental microbiology. May 1980. v. 39 (5). p. 937-942. ill. 4 ref. (NAL Call No.: 448.3 AP5).

0540

Development and prevention of chilling injury in papaya fruit.
JDSHB. Chen, N.M. Pauli, R.E. Alexandria, Va. : The Society. Journal of the American Society for Horticultural Science. July 1986. v. 111 (4). p. 639-643. Includes references. (NAL Call No.: DNAL 81 S012).

0541

Effect of morphactin on the storage behaviour of guava fruits (Postharvest decay control, *Gloeosporium psidii*, *Pestalotia psidii*).
Gupta, V.K. Mukherjee, D. Mount Vernon, Va., The Society. Journal of the American Society for Horticultural Science. American Society for Horticultural Science. Jan 1980. v. 105 (1). p. 115-119. ill. 33 ref. (NAL Call No.: 81 S012).

0542

Effect of orchard spray treatments on postharvest disease control of papaya, 1982 (Anthracnose, spots, stem and rots, *Carica papaya*).
Alvarez, A.M. FNETD. Nelson, M.G. (s.l.) : The Society. Fungicide and nematicide tests : results - American Phytopathological Society. 1983. v. 38. p. 203-204. (NAL Call No.: 464.9 AM31R).

(PROTECTION OF PLANT PRODUCTS - GENERAL AND MISC.)

0543

Effect of postharvest treatments on *Stemphylium* rot of papaya (*Stemphylium lycopersici*). Glazener, J.A. Couey, H.M. St. Paul, Minn. : American Phytopathological Society. Plant disease. Nov 1984. v. 68 (11). p. 986-988. Includes 8 references. (NAL Call No.: 1.9 P69P).

0544

Effectiveness of various postharvest treatments for mango decay control.

McMillan, R.T. Jr. Spalding, D.H.; Reeder, W.F. S.l. : The Society. Proceedings of the ... annual meeting of the Florida State Horticulture Society. Aug 1988. v. 100. p. 7-9. Includes references. (NAL Call No.: DNAL SB319.2.F6F56).

0545

Effects of chilling on respiration and ethylene production of "Hass" avocado fruit at 20 degrees Celsius (Injury).

Eaks, I.L.HJHSA. Alexandria : American Society for Horticultural Science. HortScience. Apr 1983. v. 18 (2). p. 235-237. Includes references. (NAL Call No.: SB1.H6).

0546

Effects of delays in establishing controlled atmospheres on kiwifruit softening during and following storage.

JOSHÉ. Arpaia, M.L. Mitchell, F.G.; Mayer, G.; Kader, A.A. Alexandria, Va. : The Society. Journal of the American Society for Horticultural Science. Nov 1984. v. 109 (6). p. 768-770. Includes 11 references. (NAL Call No.: DNAL 81 S012).

0547

Evaluation of CGA 64251 for postharvest disease control of papaya, 1980 (Papaya (*Carica papaya* L 'Kapoho solo'), anthracnose; *Colletotrichum gloeosporioides*, surface rots; *Phomopsis* sp., *Stemphylium* sp., *Phytophthora palmivora*, Stem-end rots; *Ascochyta caricae-papayae* (*mycosphaerella* sp.), *Botryodiplodia theobromae*, *Fusarium* sp., *Phomopsis* sp., *Stemphylium* sp.).

Alvarez, A.M. Nelson, M.G. (s.l.), The Society. Fungicide and nematocide tests; results - American Phytopathological Society. 1981. v. 36. p. 50. (NAL Call No.: 464.9 AM31R).

0548

Evaluation of various treatments for control of postharvest decay of Florida mangos.

Spalding, D.H. s.l. : The Society. Proceedings of the ... annual meeting of the Florida State Horticulture Society. 1986 (pub. 1987). v. 99. p. 97-99. ill. Includes references. (NAL Call No.: DNAL SB319.2.F6F56).

0549

Feasibility and storage stability of aseptically processed guava and papaya (A progress report).

Chan, H.T. Jr. Cavaletto, C.G. Honolulu, The Institute. Research extension series - University of Hawaii, Hawaii Institute of Tropical Agriculture and Human Resources. May 1981. May 1981. (006). p. 18-20. (NAL Call No.: S481.R4).

0550

Growth inhibition of papaya postharvest pathogens, 1980 (Papaya (*Carica papaya* L 'Kapoho solo'), anthracnose; *Colletotrichum gloeosporioides*, surface rots; *Phomopsis* sp., *Stemphylium* sp., *Phytophthora palmivora*, Stem-end rots; *Ascochyta caricae-papayae* (*Myco-sphaerella* sp.), *Botryodiplodia theobromae*, *Fusarium* sp., *Phomopsis* sp., *Stemphylium* sp.).

Alvarez, A.M. Nelson, M.G. (s.l.), The Society. Fungicide and nematocide tests; results - American Phytopathological Society. 1981. v. 36. p. 50. (NAL Call No.: 464.9 AM31R).

0551

Induction of chilling injury in stored avocados with exogenous ethylene.

Chaplin, G.R.HJHSA. Wills, R.B.H.; Graham, D. Alexandria : American Society for Horticultural Science. HortScience. Dec 1983. v. 18 (6,sec.1). p. 952-953. Includes references. (NAL Call No.: SB1.H6).

0552

Minimizing postharvest diseases of kiwifruit (Methods for handling, storage, and transportation, California).

Sommer, N.F.CAGRA. Fortlage, R.J.; Edwards, D.C. Berkeley : The Station. California agriculture - California Agricultural Experiment Station. Jan/Feb 1983. v. 37 (1/2). p. 16-18. ill. (NAL Call No.: 100 C12CAG).

(PROTECTION OF PLANT PRODUCTS - GENERAL AND MISC.)

0553

Peroxidase and chilling injury in banana fruit. JAFCAU. Toraskar, M.V. Modi, V.V. Washington, D.C. : American Chemical Society. Journal of agricultural and food chemistry. Nov/Dec 1984. v. 32 (6). p. 1352-1354. Includes references. (NAL Call No.: DNAL 381 J8223).

0554

Post harvest disease control at the farm level (Fungicide sprays, sanitation, injury reduction, Hawaii). Nishijima, W.T. Honolulu : The Institute. Research extension series - Hawaii Institute of Tropical Agriculture and Human Resources. Oct 1982. Presented at the 17th Annual Hawaii Papaya Industry Association Conference, September, 1981. Oct 1982. (020). p. 33-35. (NAL Call No.: S481.R4).

0555

Postharvest control of banana fruit rots, 1979 (Banana (*Musa* sp.), postharvest fruit rots; *Aspergillus* spp., *Botryodiplodia theobromae*, *Colletotrichum musae*, *Fusarium* spp.). Pathan, I.H. Saad, A.T. (s.l.), The Society. Fungicide and nematicide tests; results - American Phytopathological Society. 1980. v. 35. p. 169. (NAL Call No.: 464.9 AM31R).

0556

Postharvest diseases of papaya. PLDRA. Alvarez, A.M. Nishijima, W.T. St. Paul, Minn. : American Phytopathological Society. Plant disease. Aug 1987. v. 71 (8). p. 681-686. ill. Includes references. (NAL Call No.: DNAL 1.9 P69P).

0557

Postharvest handling systems: subtropical fruits. Kader, A.A. Berkeley, Calif. : Coop Ext, Univ of California, Div of Agric and Natural Resources, 1985. Postharvest technology of horticultural crops / Adel A. Kadar et al. . p. 152-156. Includes references. (NAL Call No.: DNAL SB319.7.P67).

0558

Postharvest handling systems: tropical fruits. Sommer, N.F. Berkeley, Calif. : Coop Ext, Univ of California, Div of Agric and Natural Resources, 1985. Postharvest technology of horticultural crops / Adel A. Kadar et al. . p. 157-169. ill. Includes references. (NAL Call No.: DNAL SB319.7.P67).

0559

Prevention of postharvest stress cracks in husked coconuts during transit. Bruton, B.D. Alexandria, The Society. Journal of the American Society for Horticultural Science. Sept 1982. v. 107 (5). p. 905-907. ill. 13 ref. (NAL Call No.: 81 S012).

0560

Resistance of mango pathogens to fungicides used to control postharvest diseases. PLDRA. Spalding, D.H. St. Paul, Minn. : American Phytopathological Society. Plant disease. Dec 1982. v. 66 (12). p. 1185-1186. Includes references. (NAL Call No.: DNAL 1.9 P69P).

0561

Temperature sensitivity of avocado fruit in relation to C2H4 (ethylene) treatment (Chilling injury, stored products). Lee, S.K. Young, R.E. Alexandria, Va. : The Society. Journal of the American Society for Horticultural Science. Sept 1984. v. 109 (5). p. 689-692. Includes references. (NAL Call No.: 81 S012).

PROTECTION OF PLANT PRODUCTS - INSECTS

0562

Acoustical system to detect larvae in infested commodities.
FETMA. Webb, J.C. Slaughter, D.C.; Litzkow, C.A. Gainesville, Fla. : Florida Entomological Society. Florida entomologist. Dec 1988. v. 71 (4).-p. 492-504. ill. Includes references. (NAL Call No.: DNAL 420 F662).

0563

Alternative quarantine treatments for papaya (Fruit flies).
Couey, H.M. Seo, S.T. Honolulu, The Institute. Research extension series - University of Hawaii, Hawaii Institute of Tropical Agriculture and Human Resources. May 1981. May 1981. (006). p. 13-15. (NAL Call No.: S481.R4).

0564

Calculation of survival from double hot-water immersion treatment for papayas infested with oriental fruit flies (Diptera: Tephritidae).
JEENAI. Hayes, C.F. Chingon, H.T.G.; Nitta, F.A.; Leung, A.M.T. College Park, Md. : Entomological Society of America. Journal of economic entomology. Aug 1987. v. 80 (4). p. 887-890. Includes references. (NAL Call No.: DNAL 421 J822).

0565

Caryedon serratus (Oliver) (Bruchidae) established in northern South America with additional host and locality records from Mexico.
COBLA. Johnson, C.D. Washington, D.C. : Coleopterists Society. The Coleopterists' bulletin. Sept 1986. v. 40 (3). p. 264. Includes references. (NAL Call No.: DNAL 421 C674).

0566

Delayed light emission as a means of predicting papaya susceptibility to fruit fly infestation.
JOSHB. Forbus, W.R. Jr. Chan, H.T. Jr. Alexandria, Va. : The Society. Papayas (*Carica papaya* L.) at seven stages of maturity were harvested in Hawaii and evaluated for differences in intensity of delayed light emission (DLE) and Hunter 'b' values. There was a high correlation ($r = -0.92$) between DLE intensity and Hunter 'b' values for freshly harvested papayas at seven stages of maturity. DLE has a high potential as a rapid screening technique for detecting papayas that are ripe enough to be susceptible to fruit fly infestation. Journal of the American Society for Horticultural Science. May 1989. v. 114 (3). p. 521-525. ill. Includes references. (NAL Call No.: DNAL 81 S012).

0567

Development and prevention of chilling injury in papaya fruit.
JOSHB. Chen, N.M. Paull, R.E. Alexandria, Va. : The Society. Journal of the American Society for Horticultural Science. July 1986. v. 111 (4). p. 639-643. Includes references. (NAL Call No.: DNAL 81 S012).

0568

Development of a hot-water immersion quarantine treatment for Hawaiian-grown 'Brazilian' bananas (Mediterranean fruit fly, *Ceratitidis capitata*).
Armstrong, J.W. JEENA. College Park : Entomological Society of America. Journal of economic entomology. Oct 1982. v. 75 (5). p. 787-790. Includes references. (NAL Call No.: 421 J822).

0569

Disinfection of papaya by microwave radiation (Alternative to fumigation for the control of fruit flies, *Dacus dorsalis*).
Hayes, C.F. Honolulu : The Institute. Research extension series - Hawaii Institute of Tropical Agriculture and Human Resources. July 1983. Presented at the 18th annual Hawaii Papaya Industry Association Conference, Honolulu, October, 1982. July 1983. (033). p. 79-80. ill. (NAL Call No.: S481.R4).

0570

EDB (ethylene dibromide) update (Use for post-harvest fumigation of papayas, Rebuttable Presumption Against Registration, Hawaii).
Fujiyama, S. Honolulu : The Institute. Research extension series - Hawaii Institute of Tropical Agriculture and Human Resources. Oct 1982. Presented at the 17th Annual Hawaii Papaya Industry Association Conference, September, 1981. Oct 1982. (020). p. 47-50. (NAL Call No.: S481.R4).

0571

Effect of postharvest heat treatments for insect control on the quality and market life of avocados.
HUHSA. Kerbel, E.L. Mitchell, F.G.; Mayer, G. Alexandria, Va. : American Society for Horticultural Science. HortScience. Feb 1987. v. 22 (1). p. 92-94. Includes references. (NAL Call No.: DNAL SB1.H6).

0572

Effects of heat treatments on the ethylene forming enzyme system in papayas. JFDAZ. Chan, H.T. Jr. Chicago, Ill. : The Institute. Journal of food science : an official publication of the Institute of Food Technologists. May/June 1986. v. 51 (3). p. 581-583. Includes references. (NAL Call No.: DNAL 389.8 F7322).

0573

Foods of *Caulophilus* spp. particularly the broadnosed grain weevil, *Caulophilus oryzae* (Gyllenhal), based on interception records (Coleoptera: Curculionidae: Cossoninae) (Pest of avocado seed and other stored products). Whitehead, D.R. Washington, D.C., The Society. Proceedings - Entomological Society of Washington. Jan 1982. v. 84 (1). p. 81-84. 8 ref. (NAL Call No.: 420 W27).

0574

Fumigation of dates with phosphine (for control of *Ephestia cautella*). Leesch, J.G. Redlinger, L.M.; Gillenwater, H.B.; Zehner, J.M. College Park, Entomological Society of America. Journal of economic entomology. Aug 1982. v. 75 (4). p. 685-687. 8 ref. (NAL Call No.: 421 J822).

0575

Gamma irradiation as a quarantine treatment for Caribbean fruit fly infested mangos. Windeguth, D.L. von. s.l. : The Society. Proceedings of the ... annual meeting of the Florida State Horticulture Society. 1986 (pub. 1987). v. 99. p. 131-134. Includes references. (NAL Call No.: DNAL SB319.2.F6F56).

0576

High-temperature, forced-air quarantine treatment for papayas infested with tephritid fruit flies (Diptera: Tephritidae). JEENAI. Armstrong, J.W. Hansen, J.D.; Hu, B.K.S.; Brown, S.A. Lanham, Md. : Entomological Society of America. A high-temperature forced-air (HTFA) disinfestation treatment using four temperature stages was developed to disinfect Hawaii-grown papaya, *Carica papaya* L. cv. Solo, of the egg and larval stages of Mediterranean fruit fly, *Ceratitis capitata* (Wiedemann); melon fly, *Dacus cucurbitae* Coquillett; and oriental fruit fly, *D. dorsalis* Hendel. The four-stage treatment forced 43 +/- 1, 45 +/- 1, 46.5 +/- 1, and 49 +/- 0.5 degrees C hot air over the papaya surfaces until the fruit center temperatures at the end of each temperature stage reached 41 +/- 1.5, 44 +/- 1, 46.5 +/- 0.75, and 47.2 degrees C, respectively. Each of the first three temperature stages required about 2 h to heat

the fruit to the corresponding fruit center temperatures; the last temperature stage required less than 1 h to raise the fruit center temperatures to 47.2 degrees C. Relative humidity of 40-60% during treatment prevented fruit damage. When the fruit center temperatures reached 47.2 degrees C, the papayas were immediately hydrocooled until the fruit center temperatures were less than or equal to 30 degrees C. Phytotoxicity tests showed that the HTFA treatment was not detrimental to fruit quality. Survival tests with the HTFA treatment until final fruit center temperatures were 43.2, 45.2, or 46.2 degrees C showed little or no survival between 46.2 and 47.2 degrees C for *C. capitata*, and between 45.2 and 46.2 degrees C for *D. cucurbitae* and *D. dorsalis*. *D. cucurbitae* was more susceptible to the HTFA treatment than *C. capitata* or *D. dorsalis*. Survival tests also showed that either first or third instars were more susceptible to the HTFA treatment than eggs for all three fruit fly species. Journal of economic entomology. Dec 1989. v. 82 (6). p. 1667-1674. Includes references. (NAL Call No.: DNAL 421 J822).

0577

Hot-water immersion appliance for quarantine research. JEENAI. Sharp, J.L. Lanham, Md. : Entomological Society of America. A hot-water immersion appliance (HWIA) was assembled and used as a research tool in the development of a hot-water immersion quarantine treatment to disinfest mangos in Haiti, Mexico, and Florida that were infested with immature Tephritidae. The HWIA consists of a metal container (approximately 57.2 cm inside diameter and 85.1 cm height) adapted with a metal screen platform positioned inside the container 25.4 cm above the bottom. A submersible pump mounted to the bottom of the platform circulated 1,514-1,893 liters heated water per hour within the container through flexible polybutylene tubing. The water was heated by flames provided by a two-burner, propane gas, hot plate located below the container. The HWIA was easily assembled, durable, mobile, and inexpensive. Journal of economic entomology. Feb 1989. v. 82 (1). p. 189-192. Includes references. (NAL Call No.: DNAL 421 J822).

0578

Hot-water quarantine treatment for mangoes from Mexico infested with Mexican fruit fly and West Indian fruit fly (Diptera: Tephritidae). JEENAI. Sharp, J.L. Ouye, M.T.; Ingle, S.J.; Hart, W.G. Lanham, Md. : Entomological Society of America. Heated water was used in the development of a quarantine treatment to kill Mexican fruit fly, *Anastrepha ludens* (Loew), and West Indian fruit fly, *A. obliqua* (Macquart) infestations in mango, *Mangifera indica* L. Mangoes from Mexico were infested in the laboratory and immersed in water at 46.1 degrees C for 10-70 min to estimate time-mortality relationships. Probit analysis

(PROTECTION OF PLANT PRODUCTS - INSECTS)

of the data estimated the immersion time needed to reach Probit 9 security for a laboratory strain of *A. ludens* as 65.1 min for mixed cultivars ('Haden', 'Tommy Atkins', 'Keitt', and 'Kent'). For a feral strain (wild) in 'Haden', the estimated immersion time was 71.4 min. The estimated immersion times for Probit 9 security for *A. obliqua* in 'Kent' were 66.8 min for a laboratory strain and 83.6 min for a wild strain. A large-scale test resulted in no survivors based on number of normal pupae when 187,114 *A. ludens* (laboratory) in 4,864 'Keitt' and 'Oro'; 226,054 *A. ludens* (wild) in 5,530 'Haden' and 'Tommy Atkins'; 116,869 *A. obliqua* (wild) in 7,703 'Kent'; and 101,049 *A. obliqua* (laboratory) in 8,775 'Keitt', 'Haden', and 'Tommy Atkins' were immersed in water at 46.1 degrees C for 90 min. The market quality of mangoes immersed in water at 46.1 degrees C depended on cultivar, size and shape, maturity, and handling procedures. 'Oro' mangoes immersed in water for 75 min were not damaged. The percentage of acceptable 'Oro' immersed for 90, 105, and 120 min was reduced to 80, 85, and 15%, respectively. 'Kent', 'Tommy Atkins', and 'Keitt' mangoes immersed in water at 46.1 degrees C for 90 min and refrigerated at 11.1 degrees C for 7, 11, and 14 d were not damaged. 'Haden' mangoes immersed in water at 46.1 degrees C for 90 min, not refrigerated, and held at 23.9 +/- 1 degrees C. were acceptable for 12 d. Journal of economic entomology. Dec 1989. v. 82 (6). p. 1657-1662. Includes references. (NAL Call No.: DNAL 421 J822).

0579

Hot-water quarantine treatment for mangoes from the state of Chiapas, Mexico, infested with Mediterranean fruit fly and Anastrepha serpentina (Wiedemann) (Diptera: Tephritidae). JEENAI. Sharp, J.L. Ouye, M.T.; Ingle, S.J.; Hart, W.G.; Enkerlin H., W.R.; Celedonio H., H.; Toledo A., J.; Stevens, L.; Quintero, E.; Reyes F., J.; Schwarz, A. Lanham, Md. : Entomological Society of America. Heated water was used in the development of a quarantine treatment to kill tephritid larval infestations in mango, *Mangifera indica* L., from the state of Chiapas, Mexico. Infested mangoes were immersed for 20-80 min in water at 45.9-47.1 degrees C for laboratory tests. Probit analysis of the data estimated immersion times needed to reach Probit 9 was 67.5 min for the Mediterranean fruit fly, *Ceratitis capitata* (Wiedemann), and 64.5 min for *Anastrepha serpentina* (Wiedemann). Confirmatory tests resulted in no survivors when 138,443 *C. capitata* larvae in 13,797 infested mangoes and 111,031 *A. serpentina* larvae in 12,089 infested mangoes were immersed in water at 45.9-47.1 degrees C for 90 min. 'Ataulfo' mangoes immersed in water at 46.1 degrees C for 90 min were not damaged; however, none were acceptable after 7 d at 23.9 degrees C. Most mangoes (93.3%) were acceptable if immersed in water at 46.1 degrees C for 90 min and refrigerated at 11.1 degrees C for 14 d, and 13.3% were acceptable after 7 d at 23-24 degrees C. Only 10% were acceptable if immersed in water at 46.1 degrees C for 90 min and refrigerated at 11.1 degrees C for 21 d. Journal of economic

entomology. Dec 1989. v. 82 (6). p. 1663-1666. Includes references. (NAL Call No.: DNAL 421 J822).

0580

Hunter b color measurements of papaya using a two-filter system.

HJHSA. Hayes, C.F. Chingon, H.T.G.; Young, H.G.C. Alexandria, Va. : American Society for Horticultural Science. HortScience. Apr 1988. v. 23 (2). p. 399. Includes references. (NAL Call No.: DNAL SB1.H6).

0581

Immersion of Florida mangos in hot water as a quarantine treatment for Caribbean fruit fly (Diptera: Tephritidae).

JEENAI. Sharp, J.L. Ouye, M.T.; Hart, W.; Ingle, S.; Hallman, G.; Gould, W.; Chew, V. Lanham, Md. : Entomological Society of America. Heated water was tested as a quarantine treatment to destroy all instars of the Caribbean fruit fly, *Anastrepha suspensa* (Loew), in mangos, *Mangifera indica* L., from Florida. Infested 'Tommy Atkins' and 'Keitt' were immersed for 20-60 min in water at 46.1-46.7 degrees C. Probit analysis of the data estimated the immersion time required to reach 99.9968% mortality (Probit 9 security) as 60 and 60.5 min for 'Tommy Atkins' and 'Keitt', respectively. A large-scale test resulted in zero survivors based on the number of normal appearing pupae when 116,031 *A. suspensa* larvae in 3,828 infested 'Tommy Atkins', 'Keitt', 'Jubilee', and 'Kent' were immersed in water at 46.1-46.7 degrees C for 90 min. Journal of economic entomology. Feb 1989. v. 82 (1). p. 186-188. Includes references. (NAL Call No.: DNAL 421 J822).

0582

Insect disinfestation of packed dates by gamma-radiation.

Ahmed, M.S.H. Hameed, A.A.; Kadhum, A.A.; Ali, S.R. Honolulu : Hawaii Institute of Tropical Agric. & Human Resources, Univ. of Hawaii, Manoa, 1985. Radiation disinfestation of food and agricultural products : proceedings of an international conference, Honolulu, Hawaii, November 14-18, 1983 / edited by James H. Moy. p. 374-380. Includes 10 references. (NAL Call No.: DNAL TP371.8.R284).

0583

Laboratory trials of methoprene-impregnated waxes for preventing survival of adult oriental fruit flies (Diptera: Tephritidae) from infested papayas.

JEENAI. Saul, S.H. Mau, R.F.L.; Kobayashi, R.M.; Tsuda, D.M.; Nishina, M.S. College Park, Md. : Entomological Society of America. Journal of economic entomology. Apr 1987. v. 80 (2). p.

(PROTECTION OF PLANT PRODUCTS - INSECTS)

494-496. Includes references. (NAL Call No.: DNAL 421 J822).

0584

Papayas get into hot water, leave Hawaii.
AGREA. Whorton, J. Washington, D.C. : The Administration. Agricultural research - U.S. Department of Agriculture, Agricultural Research Service. Feb 1985. v. 33 (2). p. 12. ill. (NAL Call No.: DNAL 1.98 AG84).

0585

Quarantine procedure for Hawaii papaya, using a hot-water treatment and high-temperature, low-dose ethylene dibromide fumigation.
JEENAI. Couey, H.M. Armstrong, J.W.; Hylin, J.W.; Thornburg, W.; Nakamura, A.N.; Linse, E.S.; Ogata, J.; Vetro, R. College Park, Md. : Entomological Society of America. Journal of economic entomology. Aug 1985. v. 78 (4). p. 879-884. Includes references. (NAL Call No.: DNAL 421 J822).

0586

Quarantine procedure for Hawaiian papaya using fruit selection and a two-stage hot-water immersion.
JEENAI. Couey, H.M. Hayes, C.F. College Park, Md. : Entomological Society of America. Journal of economic entomology. Oct 1986. v. 79 (5). p. 1307-1314. Includes references. (NAL Call No.: DNAL 421 J822).

0587

Quarantine procedure for Hawaiian papayas using heat and cold treatments (*Ceratitis capitata*, *Dacus dorsalis*).
Couey, H.M. Linse, E.S.; Nakamura, A.N. College Park, Md. : Entomological Society of America. Journal of economic entomology. Aug 1984. v. 77 (4). p. 984-986. Includes 9 references. (NAL Call No.: 421 J822).

0588

Relationship of fruit ripeness to infestation in 'Sharwil' avocados by the Mediterranean fruit fly and the Oriental fruit fly (Diptera: Tephritidae).
JEENAI. Oi, D.H. Mau, R.F.L. Lanham, Md. : Entomological Society of America. Harvested and unharvested 'Sharwil' avocados, *Persea americana* Mill., were individually exposed to gravid females of Mediterranean fruit fly, *Ceratitis capitata* (Wiedemann), or Oriental fruit fly, *Dacus dorsalis* Hendel. Infestations of 0-30% were obtained from avocados exposed at 0-2 postharvest; infestations of 66.7-100% at 3-7 d postharvest. Percent infestations of 15.8 and 4.8% were obtained from unharvested

avocados exposed to *C. capitata* and *D. dorsalis*, respectively. Mean puparial recoveries ranged from 0 to 4.8 puparia per exposed fruit from the unharvested avocados and avocados exposed at 0-2 d postharvest, and recoveries ranged from 7.7 to 135.5 from avocados exposed at 3-7 postharvest. The hard avocado skin seemed to provide a physical barrier which resulted in lower infestations of both fruit fly species in unharvested avocados, and in avocados that were within 3 d postharvest. Journal of economic entomology. Apr 1989. v. 82 (2). p. 556-560. ill. Includes references. (NAL Call No.: DNAL 421 J822).

0589

Responses of 'Fuyu' persimmon to gamma-irradiation.
HUHSA. Wheeler, D.R. Packer, J.E.; MacRae, E.A. Alexandria, Va. : American Society for Horticultural Science. HortScience. Aug 1989. v. 24 (4). p. 635-637. Includes references. (NAL Call No.: DNAL SB1.H6).

0590

Solar heating reduces insect infestations in ripening and drying figs.
HUHSA. Shorey, H.H. Ferguson, L.; Wood, D.L. Alexandria, Va. : American Society for Horticultural Science. HortScience. June 1989. v. 24 (3). p. 443-445. Includes references. (NAL Call No.: DNAL SB1.H6).

0591

A study of ultrasound and microwaves for the control of fruit flies in papaya (Postharvest treatment, Hawaii).
Hayes, C.F. Honolulu : The Institute. Research extension series - Hawaii Institute of Tropical Agriculture and Human Resources. Oct 1982. Presented at the 17th Annual Hawaii Papaya Industry Association Conference, September, 1981. Oct 1982. (O2O). p. 51. (NAL Call No.: S481.R4).

0592

Submersion of 'Francis' mango in hot water as a quarantine treatment for the West Indian fruit fly and the Caribbean fruit fly (Diptera: Tephritidae).
JEENAI. Sharp, J.L. Ouye, M.T.; Thalman, R.; Hart, W.; Ingle, S.; Chew, V. College Park, Md. : Entomological Society of America. Heated water was tested as a quarantine treatment to control infestations of 1- to 6-d-old larvae of the West Indian fruit fly, *Anastrepha obliqua* (Macquart), and the Caribbean fruit fly, *A. suspensa* (Loew), in mango, *Mangifera indica* L., 'Francis.' Submersion of infested fruit for 15-60 min at 46.1-46.7°C reduced the number of surviving pupae. Probit analysis of the data estimated submersion time needed to reach

(PROTECTION OF PLANT PRODUCTS - INSECTS)

99.9968% mortality (probit 9 security) as 58.0 and 44.3 min for *A. obliqua* and *A. suspensa*, respectively. A confirmatory test resulted in no survivors based on adult emergence when 147,993 *A. obliqua* larvae in 4,738 infested fruits were submerged in water at 46.1-46.7°C for 65 min, and no survivors when 102,509 *A. suspensa* larvae in 1,892 infested fruits were submerged in water at 46.1-46.7°C for 60 min. 'Francis' mangos submerged in water at 46.1-46.7°C for 75 min and then stored at 25-27°C for 8 d were not damaged. 'Francis' submerged in water at 46.1-46.7°C for 2 h and then refrigerated at 11.1°C for 7 d were not damaged. Percentage of acceptable mangos treated with hot water decreased as exposure time in water at 46.1- 46.7°C increased to 4 h, when all mangos were damaged and were not acceptable following storage at 11.1°C for 7 d or more. Journal of economic entomology. Oct 1988. v. 81 (5). p. 1431-1436. Includes references. (NAL Call No.: DNAL 421 J822).

0593

Temperature control as an alternative to ethylene dibromide fumigation for the control of fruit flies (Diptera: Tephritidae) in papaya (*Dacus dorsalis*).

Hayes, C.F. Chingon, T.G.; Nitta, F.A.; Wang, W.J. College Park, Md. : Entomological Society of America. Journal of economic entomology. June 1984. v. 77 (3). p. 683-686. Includes references. (NAL Call No.: 421 J822).

0594

Tolerance of Florida avocado cultivars to methyl bromide fumigation treatments effective against fruit flies (Tephritidae).

Witherell, P.C. PFSHA. Spalding, D.H.; Benschoter, C.A. Lake Alfred : The Society. Proceedings of the ... annual meeting - Florida State Horticultural Society. 1982. v. 95. p. 227-229. Includes references. (NAL Call No.: 81 F66).

0595

Absorption and translocation of picloram by Lindheimer pricklypear (*Opuntia lindheimeri*).
WEESA6. Mayeux, H.S. Jr. Johnson, H.B. Champaign, Ill. : Weed Science Society of America. Removing the epicuticular wax from mature pads (cladophylls) of Lindheimer pricklypear increased picloram absorption by four- to sixfold in the laboratory, while the addition of surfactant had little effect on absorption. Absorption decreased with increasing pH of the picloram solution, indicating that picloram diffused through the cuticle as the undissociated molecule. Picloram entered detached pads at the areoles more readily than through the surrounding cuticle. In the glasshouse, whole plants consisting of an old, mature pad supporting a young, growing pad absorbed picloram very slowly whether picloram was applied as a spray to old or young pads or to the soil. About 90 and 80% of the applied picloram remained on the waxy surface of old and new pads, respectively, and about 2% of the applied picloram was recovered from within the epicuticular wax after 30 days. Picloram concentrations within pads treated in the glasshouse were greater when the herbicide was applied to new pads (4.6 microgram/g) than old pads (1.9 microgram/g) after 30 days. More picloram was translocated basipetally from treated new pads to untreated old pads than in the opposite direction, but concentrations in untreated pads were low (less than 1 microgram/g). Little picloram was absorbed by roots, compared to pads, and little was translocated into or out of roots. These results conflict with the view that the effectiveness of picloram for pricklypear control is attributable to extensive root uptake and acropetal transport. However, observations of plants 6 months after treatment indicated that soil applications were more effective than sprays in the glasshouse. Weed science. Mar 1989. v. 37 (2). p. 161-166. Includes references. (NAL Call No.: DNAL 79.8 W41).

0596

Accumulation and metabolism of bromacil in pineapple sweet orange (*Citrus sinensis*) and Cleopatra mandarin (*Citrus reticulata*) (Herbicide).
Jordan, L.S. Clerx, W.A. Champaign, Ill., Weed Science Society of America. Weed science. Jan 1981. v. 29 (1). p. 1-5. 9 ref. (NAL Call No.: 79.8 W41).

0597

Banana poka control in Hawaii Volcanoes National Park.
Santos, G.L. Cuddihy, L.W.; Stone, C.P. S.I. : The Society. Research progress report - Western Society of Weed Science. 1988. p. 99. (NAL Call No.: DNAL 79.9 W52R).

0598

Behavioral responses of the cactus bug, *Chelinidea vittiger* Uhler, to fire damaged host plants (Prickly pear cactus, *Opuntia* spp.).
Sickerman, S.L. SENTD. Wangberg, J.K. College Station : Southwestern Entomological Society. The Southwestern entomologist. Dec 1983. v. 8 (4). p. 263-267. Includes references. (NAL Call No.: QL461.S65).

0599

Control and ecology of plains pricklypear cactus (*Opuntia polyacantha*).
Mueller, D.M. Laycock, W.A. Portland, Or., The Society. Abstracts of papers presented at the ... annual meeting of the American Society of Range Management. American Society of Range Management. 1981. 1981. x (34th). p. 7. (NAL Call No.: SB193.A44).

0600

Influence of certain small quantities of 2, 4-D on bananas / by J.W. Hendrix.
Hendrix, J. W. 1915-. Honolulu : Hawaii Agricultural Experiment Station, University of Hawaii College of Agriculture, 1952. 20 p. : ill. ; 23 cm. (NAL Call No.: DNAL 100 H313 (1) no.106).

0601

Internal temperatures of pricklypear cladophylls during prescribed fire in west Texas (Cactus control, *Opuntia lindheimeri*, *Opuntia edwardsii*, range management, ecology).
Potter, R.L. Ueckert, D.N.; Petersen, J.L. College Station : The Station. PR - Texas Agricultural Experiment Station. July 1983. July 1983. (4132). 10 p. Includes references. (NAL Call No.: 100 T31P).

0602

Long-term effects of fire on cactus (*Opuntia phaeacantha*, *Opuntia imbricata*, *Opuntia leptocaulis*) in the southern mixed prairie of Texas.
Bunting, S.C. Wright, H.A.; Neuenschwander, L.F. Denver, Society for Range Management. Journal of range management. Mar 1980. v. 33 (2). p. 85-88. ill. 13 ref. (NAL Call No.: 60.18 J82).

0603

Lotebush: thorny confusion.
Landers, J. San Angelo : Scott Campbell, Texas Sheep and Goat Raisers' Association Office. Ranch magazine. Aug 1985. v. 66 (11). p. 14. ill. (NAL Call No.: DNAL 45.8 SH3).

(WEEDS)

0604

Managing pricklypear with herbicides and fire. Ueckert, D.N. Petersen, J.L.; Potter, R.L.; Whipple, J.D.; Wagner, M.W. College Station, Tex. : Texas Agricultural Experiment Station. Sheep and goat, wool and mohair. In the series analytic: Research Reports--Sheep and Goat, Wool and Mohair, 1988. Forward by Carl Menzies. Sept 1988. (4570). p. 10-15. Includes references. (NAL Call No.: DNAL SF375.4.T4S43).

0607

Status of weed control in papayas. Nishimoto, R. HI. Honolulu, The Service. Miscellaneous publication - Hawaii University. Cooperative Extension Service. Apr 1980. Apr 1980. (178). p. 16. (NAL Call No.: S544.3.H3H3).

0608

The yeast community associated with decaying *Opuntia stricta* (Haworth) in Florida with regard to the moth, *Cactoblastis cactorum* (Berg). FLSCA. Starmer, W.T. Aberoeeen, V.; Lachance, M.A. Orlando, Fla. : Florida Academy of Sciences. Florida scientist. Winter 1988. v. 51 (1). p. 7-11. Includes references. (NAL Call No.: DNAL 500 F66).

0605

Natural enemies of *Dactylopius confusus* (Homoptera: Dactylopiidae): exclusion and subsequent impact on *Opuntia* (Cactaceae). EVETEX. Gilreath, M.E. Smith, J.W. Jr. College Park, Md. : Entomological Society of America. Collections of *Opuntia* spp. (Cactaceae) cladophylls infested with *Dactylopius confusus* (Cockerell) from two sites in west central Texas during 1982-84 yielded seven natural enemies, all predators. Major predators were *Laetilia coccidivora* (Comstock), *Leucopis bellula* Williston, and *Hyperaspis trifurcata* Schaeffer. Several parasites and hyperparasites were reared from these predators. No parasites or pathogens of *D. confusus* were detected. Continuous exclusion of natural enemies from cladophylls artificially infested with *D. confusus* resulted in high densities of *D. confusus*. When natural enemies were continuously admitted for comparison, *D. confusus* populations remained below the original infestation levels, and natural enemies admitted after *D. confusus* population densities had increased through at least one generation resulted in an immediate decrease in the *D. confusus* density. When natural enemies were continuously excluded from *D. confusus*-infested cladophylls, up to 81% of the cladophylls became necrotic, and only 4% produced new growth the following spring. However, where natural enemies were admitted, only 8% of the cladophylls manifested necrosis, and 75% produced new growth. Environmental entomology. Aug 1988. v. 17 (4). p. 730-738. Includes references. (NAL Call No.: DNAL QL461.E532).

0606

Preemergence weed control studies emphasizing Surflan (Herbicides, papaya tolerance, Hawaii). Nishimoto, R.K. Honolulu : The Institute. Research extension series - Hawaii Institute of Tropical Agriculture and Human Resources. Oct 1982. Presented at the 17th Annual Hawaii Papaya Industry Association Conference, September, 1981. Oct 1982. (020). p. 45-46. Includes references. (NAL Call No.: S481.R4).

PESTICIDES - GENERAL

0609

Analysis of ethylene dibromide distribution in the soil profile following shank injection for nematode control in pineapple culture.
Wong, L. Honolulu, Hawaii : The Service. Research extension series - College of Tropical Agriculture and Human Resources, University of Hawaii, Cooperative Extension Service. In the series analytic: Toxic organic chemicals in Hawaii's water resources / edited by P.S.C. Rao and R.E. Green. Nov 1987. (086). p. 28-40. maps. Includes references. (NAL Call No.: DNAL S481.R4).

0610

Antipest secondary metabolites from African plants.
ACSMC. Hassanali, A. Lwande, W. Washington, D.C. : The Society. ACS Symposium series - American Chemical Society. 1989. v. 387. p. 78-94. ill. Includes references. (NAL Call No.: DNAL QD1.A45).

0611

Biodegradation of metalaxyl in avocado soils.
PHYTAJ. Bailey, A.M. Coffey, M.D. St. Paul, Minn. : American Phytopathological Society. Phytopathology. Feb 1985. v. 75 (2). p. 135-137. ill. Includes 12 references. (NAL Call No.: DNAL 464.8 P56).

0612

Dissipation of phytotoxic diuron residues in Hawaii pineapple soils / V.A. Elder ... et al. --.
Elder, V. A. 1948-. Honolulu : HITAHR, College of Tropical Agriculture and Human Resources, University of Hawaii, 1981. "March 1981". - Cover title. 13 p. : 26 cm. --.
Bibliography: p. 12-13. (NAL Call No.: DNAL S539.5.R43 no.006).

0613

Effects of organophosphorous pesticides on cutinase activity and infection of papayas by *Colletotrichum gloeosporioides* (Carcia papaya).
Dickman, M.B. PHYTA. Patil, S.S.; Kolattukudy, P.E. St. Paul : American Phytopathological Society. Phytopathology. Aug 1983. v. 73 (8). p. 1209-1214. Includes references. (NAL Call No.: 464.8 P56).

0614

Further steps taken to eliminate EDB (ethylene dibromide, pesticide residues in citrus fruits and papayas, U.S. Federal Food, Drug, and Cosmetic Act, U.S. Environmental Protection Agency, legislation).
Washington : Office of Public Awareness. EPA Environmental Protection Agency journal. Apr 1984. v. 10 (4). p. 18-19. ill. (NAL Call No.: TD171.U5).

0615

Glyphosate residues on avocado (Herbicide, *Persea americana*).
Thompson, N.P. Lynch, A.A.; Bardalaye, P.C.; Phillips, R.L. s.l., The Society. Proceedings of the ... annual meeting of the Florida State Horticultural Society. 1980 (pub 1981). v. 93. p. 159-160. ill. 1 ref. (NAL Call No.: 81 F66).

0616

Growth inhibition from guava root exudates (*Psidium guajava*, allelopathy, glyphosate application).
Brown, R.L. HJHSA. Tang, C.S.; Nishimoto, R.K. Alexandria : American Society for Horticultural Science. HortScience. June 1983. v. 18 (3). p. 316-318. ill. Includes references. (NAL Call No.: SB1.H6).

0617

High performance liquid chromatography of thiabendazole residues in banana and citrus fruits.
Isshiki, K. Tsumura, S.; Watanabe, T. Arlington, Va., The Association. Journal of the Association of Official Analytical Chemists. July 1980. v. 63 (4). p. 747-749. ill. 13 ref. (NAL Call No.: 381 AS7).

0618

If insect pheromones are pesticides, / so are bananas.
Segelken, R. Canton, N.Y. : Agricultural Division, St. Lawrence County Cooperative Extension Association. St. Lawrence County cooperative extension news. Apr 1989. v. 73 (4). p. 11-12. (NAL Call No.: DNAL S544.3.N7S3).

0619

Impact of certain pesticides on avocado (Phytotoxicity).
Sances, F.V. CAVYA. Ting, I.P.; Hogenson, R.O.; McDonald, J.E. Saticoy : The Society. Yearbook - California Avocado Society. 1982. v. 66. p. 145-147, 149-151, 153-154. ill. (NAL Call No.: 81 C128).

(PESTICIDES - GENERAL)

0620

Methyl bromide residues in fumigated mangos.
JAFCAU. Stein, E.R. Wolfenbarger, D.A.
Washington, D.C. : American Chemical Society.
Journal of agricultural and food chemistry.
Nov/Dec 1989. v. 37 (6). p. 1507-1509. Includes
references. (NAL Call No.: DNAL 381 J8223).

0621

N (nitrogen)-demethylation of p
(para)-chloro-N-methylaniline catalyzed by
subcellular fractions from the avocado pear
(*Persea americana*) (Pesticide oxidation).
Dohn, D.R. Krieger, R.I. New York, N.Y. :
Academic Press. Archives of biochemistry and
biophysics. June 1984. v. 231 (2). p. 416-423.
ill. Includes references. (NAL Call No.: 381
AR2).

0622

Occupational exposure to 1,3-dichloropropene
(Telone II) in Hawaiian pineapple culture.
AEHLA. Albrecht, W.N. Washington, D.C. :
Heldref Publications. Archives of environmental
health. Sept/Oct 1987. v. 42 (5). p. 286-291.
Includes references. (NAL Call No.: DNAL
RC963.A1A7).

0623

Quantification of carbaryl in pineapples by
HPLC (high performance liquid chromatography)
and GCMS-CI-NH3 (gas chromatography mass
spectrometry using ammonia ionization).
Cairns, T. Siegmund, E.G.; Doose, G.M.;
Langham, W.S.; Chiu, K.S. New York, N.Y. :
Springer-Verlag. Bulletin of environmental
contamination and toxicology. Mar 1984. v. 32
(3). p. 310-315. Includes references. (NAL Call
No.: RA1270.P35A1).

0624

Search for new pesticides from higher plants.
ACSMC. Alkofahi, A. Rupprecht, J.K.; Anderson,
J.E.; McLaughlin, J.L.; Mikolajczak, K.L.;
Scott, B.A. Washington, D.C. : The Society. ACS
Symposium series - American Chemical Society.
1989. v. 387. p. 24-43. Includes references.
(NAL Call No.: DNAL QD1.A45).

SOIL BIOLOGY

0625

Nitrogen nutrition of the pineapple plant, *Ananas comosus* (L.) Merr., soil nitrogen status, and dynamics of the reniform nematode population, *Rotylenchulus reniformis* Linford and Oliveira, in relation to the form of nitrogen fertilizer, soil acidity, and fumigation / by Edward Jerome Englerth, Jr. - Englerth, Edward Jerome, 1931-. 1969. Thesis (Ph.D.)--University of Hawaii, 1969. Photocopy. Ann Arbor, Mich. : University Microfilms, 1971. viii, 88 leaves ; 21 cm. Bibliography: leaves 84-88. (NAL Call No.: DISS 70-19,508).

SOIL CHEMISTRY AND PHYSICS

0626

Analysis of ethylene dibromide distribution in the soil profile following shank injection for nematode control in pineapple culture.
Wong, L. Honolulu, Hawaii : The Service.
Research extension series - College of Tropical Agriculture and Human Resources, University of Hawaii, Cooperative Extension Service. In the series analytic: Toxic organic chemicals in Hawaii's water resources / edited by P.S.C. Rao and R.E. Green. Nov 1987. (086). p. 28-40. maps. Includes references. (NAL Call No.: DNAL S481.R4).

0627

Dissipation of phytotoxic diuron residues in Hawaii pineapple soils /V.A. Elder ... et al. --.
Elder, V. A. 1948-. Honolulu : HITAHR, College of Tropical Agriculture and Human Resources, University of Hawaii, 1981. "March 1981".~ Cover title. 13 p. : 26 cm. --.
Bibliography: p. 12-13. (NAL Call No.: DNAL S539.5.R43 no.006).

0628

Estimating soil water use of young avocado trees.
Steinhardt, R. Kalmar, D.; Lahav, E.; Shalhevet, J.; Naor, A. Logan, Utah : Utah State University, 1987? . Proceedings of International Conference on Measurement of Soil and Plant Water Status : in commemoration of the centennial of Utan State University, July 6-10, 1987, Logan, Utah. v. 1 p. 61-62. Includes references. (NAL Call No.: DNAL QK870.I5 1987).

SOIL FERTILITY - FERTILIZERS

0629

Effect of nitrogen and boron applications on Carica papaya L. II. Petiole and fruit nutrient content and N and B index for leaf tissue analysis.

JAUPA. Perez-Lopez, A. Reyes, R.D. Mayaguez : University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. Jan 1984. v. 68 (1). p. 5-17. Includes 16 references. (NAL Call No.: DNAL 8 P832J).

0630

Effect of planting distance and fertilizer level on the mineral content of the leaf of two varieties of Carica papaya L. (Papaya nutrition, Puerto Rico).

Perez Lopez, A. Rio Piedras, University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. Oct 1982. v. 66 (4). p. 286-292. 6 ref. (NAL Call No.: 8 P832J).

0631

The effect of two mycorrhizal fungi (isolates of Glomus fasciculatus) upon growth and nutrition of avocado seedlings grown with six fertilizer treatments.

Menge, J.A. LaRue, J.; Labanauskas, C.K.; Johnson, E.L.V. Alexandria, Va., The Society. Journal of the American Society for Horticultural Science. American Society for Horticultural Science. May 1980. v. 105 (3). p. 400-404. ill. 22 ref. (NAL Call No.: 81 S012).

0632

Effects of nitrogen and potassium fertilization on growth, fruiting, and petiole composition of bearing papaya plants /M. Awada, R.S. de la Pena, R.H. Suenisa. --.

Awada, M. De la Pena, R. S. 1936-; Suenisa, R. H. Honolulu, Hawaii : Hawaii Institute of Tropical Agriculture and Human Resources, College of Tropical Agriculture and Human Resources, University of Hawaii at Manoa, 1986. 11 p. : ill. ; 26 cm. --. Bibliography: p. 11. (NAL Call No.: DNAL S539.5.R43 no.043).

0633

Manage avocado tree growth.

Whiley, W.W. Saranah, J.B.; Cull, B.W.; Pegg, K.G. Fallbrook, Calif. : Rancher Publications. California grower. June 1988. v. 12 (6). p. 5, 9-10, 12-14, 19-20. (NAL Call No.: DNAL SB379.A9A9).

0634

Nitrogen and potassium fertilization effects on fruiting and petiole composition of 24- to 48-month old papaya plants.

Awada, M. Long, C. Alexandria, Va., The Society. Journal of the American Society for Horticultural Science. July 1980. v. 105 (4). p. 505-507. ill. 9 ref. (NAL Call No.: 81 S012).

0635

Nitrogen fertilization, a guarantee for relative resistance of avocado trees to frost.

JPNUDS. Lanav, E. Kalmar, D.; Bar, Y. New York, N.Y. : Marcel Dekker. Journal of plant nutrition. Paper presented at the "Tenth International Plant Nutrition Colloquium", August 4-9, 1986, Beltsville, Maryland. 1987. v. 10 (9/16). p. 1859-1868. ill. Includes references. (NAL Call No.: DNAL QK867.J67).

0636

Nutrient relations and productivity of prickly pear cacti.

AGJQAT. Nobel, P.S. Russell, C.E.; Felker, P.; Medina, J.G.; Acuna, E. Madison, Wis. : American Society of Agronomy. Agronomy journal. May/June 1987. v. 79 (3). p. 550-555. Includes references. (NAL Call No.: DNAL 4 AM34P).

0637

Nutrient uptake and dry matter composition in the plant crop and first ratoon of the Grand Nain banana grown on an Ultisol.

JAUPA. Irizarry, H. Rivera, E.; Rodriguez, J. Mayaguez : University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. July 1988. v. 72 (3). p. 337-351. Includes references. (NAL Call No.: DNAL 8 P832J).

0638

Pineapple culture VI. Nitrates in the soil /by A.W. Blair and R.N. Wilson.

Blair, A. W. 1866-. Wilson, R. N. 1888-. Gainesville, Fla. : University of Florida Agricultural Experiment Station, 1910. Cover title. p. 29 -51 : charts ; 23 cm. (NAL Call No.: DNAL 100 F66S (1) no.104).

0639

Soil is said to influence biological control efforts (on root rot, caused by Phytophthora cinnamomi in avocados).

Borst, G. Vista, Calif. : Rancher Pub. Avocado grower. Aug 1983. v. 7 (8). p. 34-35. Includes references. (NAL Call No.: SB379.A9A9).

(SOIL FERTILITY - FERTILIZERS)

0640

Foliar application of potassium nitrate for advancing and inducing the flowering of the Manila mango cultivar in Mexico (Harvesting control). Spanish.

Mosqueda Vazquez, R. Santos de la Rosa, F. de los. (v.p.) : The Society. Proceedings of the Tropical Region, American Society for Horticultural Science : annual meeting. 1982. v. 25. p. 311-316. Includes references. (NAL Call No.: 81 AM325).

FORESTRY RELATED

0641

Banana poka control in Hawaii Volcanoes
National Park.

Santos, G.L. Cuddihy, L.W.; Stone, C.P. S.I.
: The Society. Research progress report -
Western Society of Weed Science. 1988. p. 99.
(NAL Call No.: DNAL 79.9 W52R).

0642

Effect of wilt disease and age on the strength properties of coconut palm stem wood.

WOSTBE. Gnanaharan, R. Dhamodaran, T.K.

Secaucus, N.J. : Springer-Verlag. Wood science and technology. 1989. v. 23 (3). p. 205-209.

Includes references. (NAL Call No.: DNAL SD433.A1W6).

ENTOMOLOGY RELATED

0643

Behavioral responses of the cactus bug, *Chelinidea vittiger* Uhler, to fire damaged host plants (Prickly pear cactus, *Opuntia* spp.).
Sickerman, S.L. SENTD. Wangberg, J.K. College Station : Southwestern Entomological Society. The Southwestern entomologist. Dec 1983. v. 8 (4). p. 263-267. Includes references. (NAL Call No.: QL461.S65).

Journal of chemical ecology. Sept 1987. v. 13 (9). p. 1979-1992. Includes references. (NAL Call No.: DNAL QD415.A1J6).

0650

The stability of the symbiosis between dioecious figs and their pollinators: a study of *Ficus carica* L. and *Blastophaga psenes* L.
EVOLA. Kjellberg, F. Gouyon, P.H.; Ibrahim, M.; Raymond, M.; Valdeyron, G. Lawrence, Kan. : Society for the Study of Evolution. Evolution. July 1987. v. 41 (4). p. 693-704. Includes references. (NAL Call No.: DNAL 443.8 EV62).

0644

Biological control of black scale in olives.
CAGRA. Daane, K.M. Caltagirone, L.E. Berkeley, Calif. : The Station. California agriculture - California Agricultural Experiment Station. Jan/Feb 1989. v. 43 (1). p. 9-11. ill. (NAL Call No.: DNAL 100 C12CAG).

0651

The yeast community associated with decaying *Opuntia stricta* (Haworth) in Florida with regard to the moth, *Cactoblastis cactorum* (Berg).
FLSCA. Starmer, W.T. Aberdeen, V.; Lachance, M.A. Orlando, Fla. : Florida Academy of Sciences. Florida scientist. Winter 1988. v. 51 (1). p. 7-11. Includes references. (NAL Call No.: DNAL 500 F66).

0645

Exploitation of animal mobility.
NATUAS. Moore, P.D. Neptune, N.J. : Macmillan Journals. Nature. Sept 26/Oct 2, 1985. v. 317 (6035). p. 288. ill. Includes references. (NAL Call No.: DNAL 472 N21).

0646

Fooling Mother Nature.
Kavanaugh, M. Pleasanton, Calif. : Sun-Diamond Growers of California. Sun-diamond grower. Summer 1987. v. 6 (2). p. 14-15, 30. ill. (NAL Call No.: DNAL SB401.A1D5).

0647

Insects injurious to the mango in Florida and how to combat them /by G.F. Moznette.
Moznette, G. F. 1890-. Washington, D.C. : U.S. Dept. of Agriculture. 1922. Cover title.~ "Contribution from the Bureau of Entomology". 22 p. : ill., 1 map ; 23 cm. (NAL Call No.: DNAL 1 Ag84F no.1257).

0648

Insects injurious to the mango in Florida and how to combat them by G.F. Moznette. --.
Moznette, G. F. Washington, D.C. : U.S. Dept. of Agriculture. 1922. 22 p. : ill. --. (NAL Call No.: DNAL Fiche S-70 no.1257).

0649

Isolation, identification, and synthesis of male-produced sex pheromone of papaya fruit fly, *Toxotrypana curvicauda* Gerstaecker (Diptera: Tephritidae).
JCECD. Chuman, T. Landolt, P.J.; Heath, R.R.; Tumlinson, J.H. New York, N.Y. : Plenum Press.

0652

Isolation, identification, and synthesis of male-produced sex pheromone of papaya fruit fly, *Toxotrypana curvicauda* Gerstaecker (Diptera: Tephritidae).

JCECD. Chuman, T. Landolt, P.J.; Heath, R.R.; Tumlinson, J.H. New York, N.Y. : Plenum Press. Journal of chemical ecology. Sept 1987. v. 13 (9). p. 1979-1992. Includes references. (NAL Call No.: DNAL QD415.A1J6).

PEST OF ANIMALS - HELMINTHS

0653

Molluscicides from the cashew *Anacardium occidentale* and their large-scale isolation.
JAFCAU. Kubo, I. Komatsu, S.; Ochi, M.
Washington, D.C. : American Chemical Society.
Journal of agricultural and food chemistry.
Nov/Dec 1986. v. 34 (6). p. 970-973. Includes
references. (NAL Call No.: DNAL 381 J8223).

NONFOOD AND NONFEED

0654

Effect of mixtures of custard-apple oil and neem oil on survival of *Nephotettix virescens* (Homoptera: Cicadellidae) and on rice tungro virus transmission (*Annona squamosa*, *Azadirachta indica*).

Mariappan, V. Saxena, R.C. College Park, Md. Entomological Society of America. Journal of economic entomology. Apr 1984. v. 77 (2). p. 519-521. Includes references. (NAL Call No.: 421 J822).

0655

Quality control in fruit processing.

JUASD. Eng, T.G. Tat, M.M. Champaign, Ill. : The Society. Journal of the American Oil Chemists' Society. Paper presented at the "World Conference on Processing of Palm, Palm Kernel and Coconut Oils," 1984, Kuala Lumpur, Malaysia. Feb 1985. v. 62 (2). p. 274-282. ill. Includes 19 references. (NAL Call No.: DNAL 307.8 J82).

0656

A sperm-agglutinating lectin from seeds of jack fruit (*Artocarpus heterophyllus*).

BBRCA. Namjuntra, P. Muanwongyathi, P.; Chulavatnatol, M. New York, N.Y. : Academic Press. Biochemical and biophysical research communications. Apr 30, 1985. v. 128 (2). p. 833-839. ill. Includes 13 references. (NAL Call No.: ONAL 442.8 B5236).

FARM EQUIPMENT

0657

Classification of olive varieties for effective mechanical harvesting.

TAAEA. Tsatsarelis, C.A. Akritidis, C.B.;
Siatras, A.U. St. Joseph, Mich. : The Society.
Transactions of the ASAE - American Society of
Agricultural Engineers. Nov/Dec 1984. v. 27
(6). p. 1669-1673. Includes references. (NAL
Call No.: DNAL 290.9 AM32T).

WATER RESOURCES AND MANAGEMENT

0858

Groundwater contamination by nematicides:
influence of recharge timing under pineapple
crop.

WARBA. Oki, D.S. Giambelluca, T.W. Minneapolis,
Minn. : American Water Resources Association.
Water resources bulletin. Apr 1989. v. 25 (2).
p. 285-294. maps. Includes references. (NAL
Call No.: DNAL 292.9 AM34).

DRAINAGE AND IRRIGATION

0659

Effects of drip irrigation and nitrogen fertilization on vegetative growth, fruit yield, and mineral composition of the petioles and fruits of papaya.

HAWTA. Awada, M. Wu, I.P.; Suenisa, R.H.; Padgett, M.M. Honolulu, Hawaii : The Station. Technical bulletin - Hawaii Agricultural Experiment Station, University of Hawaii. Includes statistical data. Dec 1979. (103). 20 p. Includes references. (NAL Call No.: DNAL 100 H313T).

0660

Estimating soil water use of young avocado trees.

Steinhardt, R. Kalmar, D.; Lahav, E.; Shalhevet, J.; Naor, A. Logan, Utah : Utah State University, 1987? . Proceedings of International Conference on Measurement of Soil and Plant Water Status : in commemoration of the centennial of Utah State University, July 6-10, 1987, Logan, Utah. v. 1 p. 61-62. Includes references. (NAL Call No.: DNAL QK870.I5 1987).

0661

Manage avocado tree growth.

Whiley, W.W. Saranah, J.B.; Cull, B.W.; Pegg, K.G. Fallbrook, Calif. : Rancher Publications. California grower. June 1988. v. 12 (6). p. 5, 9-10, 12-14, 19-20. (NAL Call No.: DNAL SB379.A9A9).

0662

Reaction of the avocado tree in various degrees of salinity in irrigation water.

Steinhardt, R. Kelmar, D.; Lahav, E.; Shalhevet, Y. Fallbrook, Calif. : Rancher Publications. California grower. June 1988. v. 12 (6). p. 28. (NAL Call No.: DNAL SB379.A9A9).

0663

Comparison of hot-water spray and immersion treatments for control of postharvest decay of papaya (Stem-end rots and anthracnose). Couey, H.M. Alvarez, A.M.; Nelson, M.G. St. Paul, Minn. : American Phytopathological Society. Plant disease. May 1984. v. 68 (5). p. 429-435. Includes references. (NAL Call No.: 1.9 P69P).

0664

Exporting bananas overseas (from Hawaii, includes quarantine regulations and a list of fumigation facilities). Hu, B.K.S. Honolulu : The Institute. Research extension series - Hawaii Institute of Tropical Agriculture and Human Resources. Oct 1982. Presented at the 13th Annual Hawaii Banana Industry Association Conference, October, 1981. Oct 1982. (O21). p. 42-45. (NAL Call No.: S481.R4).

FOOD PROCESSING

0665

Food irradiation: an update.

Morrison, R.M. Washington, D.C. : The Service.
Extract: This article highlights recent regulatory and commercial activity on food irradiation internationally and in the United States. Irradiation's role in the U.S. food system may soon be expanding. The Environmental Protection Agency's (EPA) recent decision to suspend the use of ethylene dibromide (EDB) as a fumigant on stored grains, milling machinery, citrus fruits, and papayas has focused attention on finding alternative, nonchemical substitutes. National food review NFR - United States Dept. of Agriculture, Economic Research Service. 1984. (26). p. 11-14. Includes 4 references. (NAL Call No.: DNAL AGE aHD9001.N275).

0666

Quality control in fruit processing.

JUASD. Eng. T.G. Tat, M.M. Champaign, Ill. : The Society. Journal of the American Oil Chemists' Society. Paper presented at the "World Conference on Processing of Palm, Palm Kernel and Coconut Oils," 1984, Kuala Lumpur, Malaysia. Feb 1985. v. 62 (2). p. 274-282. ill. Includes 19 references. (NAL Call No.: DNAL 307.8 J82).

FOOD PROCESSING, HORTICULTURAL CROP

0667

Harvest and postharvest handling of Chinese date.

CAGRA. Kader, A.A. Choudas, A.; Li, Y. Berkeley : The Station. California agriculture - California Agricultural Experiment Station. Jan/Feb 1984. v. 38 (1/2). p. 8-9. ill. (NAL Call No.: DNAL 100 C12CAG).

0668

Kiwifruit.

AFREA. Luh, B.s. Wang, Z. Orlando. Fla. : Academic Press. Advances in food research. 1984. v. 29. p. 279-309. Includes references. (NAL Call No.: DNAL 389 M87).

0669

Papayas get into hot water, leave Hawaii.

AGREA. Whorton, J. Washington. D.C. : The Administration. Agricultural research - U.S. Department of Agriculture, Agricultural Research Service. Feb 1985. v. 33 (2). p. 12. ill. (NAL Call No.: DNAL 1.98 AG84).

0670

Postharvest handling systems: tropical fruits.

Sommer, N.F. Berkeley, Calif. : Coop Ext, Univ of California, Div of Agric and Natural Resources, 1985. Postharvest technology of horticultural crops / Adel A. Kadar et al. . p. 157-169. ill. Includes references. (NAL Call No.: DNAL SB319.7.P67).

FOOD STORAGE

0671

The role of the surveyor.

JUASD. Subramaniam, S. Champaign, Ill. : The Society. Journal of the American Oil Chemists' Society. Paper presented at the "World Conference on Processing of Palm, Palm Kernel and Coconut Oils," 1984, Kuala Lumpur, Malaysia. Feb 1985. v. 62 (2). p. 443-448. ill. Includes 1 references. (NAL Call No.: DNAL 307.8 J82).

FOOD STORAGE, HORTICULTURAL CROP

0672

Bananas--physiology and biochemistry of storage and ripening for optimum quality.
Marriott, J. Boca Raton, Fla., CRC Press. CRC critical reviews in food science and nutrition. 1980. Literature review. v. 13 (1). p. 41-88. ill. 287 ref. (NAL Call No.: TP368.C7).

0673

Changes in chemical constituents of kiwifruit during post-harvest ripening (Actinidia chinensis).
Matsumoto, S. JFDSA. Obara, T.; Luh, B.S. Chicago : Institute of Food Technologists. Journal of food science. Mar/Apr 1983. v. 48 (2). p. 607-611. Includes references. (NAL Call No.: 389.8 F7322).

0674

Changes in sugars, enzymic activities and acid phosphatase isoenzyme profiles of bananas ripened in air or stored in 2.5% O₂ with and without ethylene.
PLPHA. Kanellis, A.K. Solomos, T.; Mattoo, A.K. Rockville, Md. : American Society of Plant Physiologists. This study investigates the effect of 2.5% O₂, both alone and in combination with ethylene, on respiration, sugar accumulation and activities of pectin methylesterase and acid phosphatase during ripening of bananas (*Musa paradisiaca sapientum*). In addition, the changes in the phosphatase isoenzyme profiles are also analyzed. Low oxygen diminished respiration and slowed down the accumulation of sugars and development of the yellow color. Furthermore, low O₂ prevented the rise in acid phosphatase activities and this suppression was not reversed by the inclusion of 100 microliters per liter ethylene in 2.5% O₂ atmosphere. Gel electrophoresis of both the soluble and particulate cell-free fractions under nonoxygenating conditions revealed the presence of 8 and 9 isoenzymes in the soluble and particulate fractions, respectively. Low O₂ suppressed the appearance of all isoenzymes, and the addition of 500 microliters per liter ethylene to the low decline in pectin methylesterase that was observed in air-ripened fruits was prevented of 2.5% O₂ alone and in combination with 500 microliters per liter ethylene. Plant physiology. May 1989. v. 90 (1). p. 251-258. Includes references. (NAL Call No.: DNAL 450 P692).

0675

Development and prevention of chilling injury in papaya fruit.
JOSH.B. Chen, N.M. Paul, R.E. Alexandria, Va. : The Society. Journal of the American Society for Horticultural Science. July 1986. v. 111 (4). p. 639-643. Includes references. (NAL Call No.: DNAL 81 S012).

0676

The effect of growing location and harvest maturity on the storage performance and quality of Hayward' kiwifruit (California).
Crisosto, G.U. Mitchell, F.G.; Arpaia, M.L.; Mayer, G. Alexandria, Va. : The Society. Journal of the American Society for Horticultural Science. July 1984. v. 109 (4). p. 584-587. ill. Includes references. (NAL Call No.: 81 S012).

0677

Effect of potassium deficiency on kiwifruit.
JPNUDS. Smith, G.S. Clark, C.J.; Buwalda, J.G. New York, N.Y. : Marcel Dekker. Journal of plant nutrition. Paper presented at the "Tenth International Plant Nutrition Colloquium", August 4-9, 1986, Beltsville, Maryland. 1987. v. 10 (9/16). p. 1939-1946. Includes references. (NAL Call No.: DNAL QK867.J67).

0678

Effects of delays in establishing controlled atmospheres on kiwifruit softening during and following storage.
JOSH.B. Arpaia, M.L. Mitchell, F.G.; Mayer, G.; Kader, A.A. Alexandria, Va. : The Society. Journal of the American Society for Horticultural Science. Nov 1984. v. 109 (6). p. 768-770. Includes 11 references. (NAL Call No.: DNAL 81 S012).

0679

Effects of ionizing irradiation (used for control of *Cryptorhynchus mangiferae* and fruit flies) on 'Haden' mangoes (Tolerance and shelf life).
Akamine, E.K. HI. Goo, T. Honolulu, The Station. Research report. Hawaii. Agricultural Experiment Station. Apr 1979. Apr 1979. (205). 11 p. ill. 16 ref. (NAL Call No.: 100 H313P).

0680

Effects of low oxygen concentration on fruit respiration: nature of respiratory diminution (Apples, bananas, sweet potato).
Solomos, T. Beaverton, Or. : Timber Press. (1982). Proc. Third Natl. Controlled Atmosphere Research Conf. on Controlled Atmospheres for Storage and Transport of Perishable Agric. Commodities, July 22-24, 1981, Ore. State Univ., Corvallis / D.G. Richardson, M.M. Meheriuk, eds. p. 161-170. 24 ref. (NAL Call No.: TP373.3.C66 1982).

0681

Hydrolytic enzyme activities and protein pattern of avocado fruit ripened in air and in low oxygen, with and without ethylene.
 PLPHA. Kanellis, A.K. Solomos, T.; Mattoo, A.K. Rockville, Md. : American Society of Plant Physiologists. The effect of 2.5% O₂ atmosphere with and without ethylene on the activities of hydrolytic enzymes associated with cell walls, and total protein profile during ripening of avocado fruits (*Persea americana* Mill., cv Hass) were investigated. The low 2.5% O₂ atmosphere prevented the rise in the activities of cellulase, polygalacturonase, and acid phosphatase in avocado fruits whose ripening was initiated with ethylene. Addition of 100 microliters per liter ethylene to low O₂ atmosphere did not alter these suppressive effects of 2.5% O₂. Furthermore, 2.5% O₂ atmosphere delayed the development of a number of polypeptides that appear during ripening of avocado fruits while at the same time new polypeptides accumulated. The composition of the extraction buffer and its pH greatly affected the recovery of cellulase activity and its total immunoreactive protein. *Plant physiology*. May 1989. v. 90 (1). p. 259-266. ill. Includes references. (NAL Call No.: DNAL 450 P692).

0682

Injury to avocados by insufficient oxygen and excessive carbon dioxide during transit (*Persea americana*, Europe, California, Florida).
 Spalding, D.H. Marousky, F.J. S.I., The Society. Proceedings of the ... annual meeting of the Florida State Horticultural Society. 1981 (pub. 1982). v. 94. p. 299-301. ill. Includes 7 ref. (NAL Call No.: 81 F66).

0683

Insect disinfestation of packed dates by gamma-radiation.
 Ahmed, M.S.H. Hameed, A.A.; Kadhum, A.A.; Ali, S.R. Honolulu : Hawaii Institute of Tropical Agric. & Human Resources, Univ. of Hawaii. Manoa, 1985. Radiation disinfestation of food and agricultural products : proceedings of an international conference, Honolulu, Hawaii, November 14-18, 1983 / edited by James H. Moy. p. 374-380. Includes 10 references. (NAL Call No.: DNAL TP371.8.R284).

0684

Minimizing postharvest diseases of kiwifruit (Methods for handling, storage, and transportation, California).
 Sommer, N.F. CAGRA. Fortlage, R.J.; Edwards, D.C. Berkeley : The Station. California Agriculture - California Agricultural Experiment Station. Jan/Feb 1983. v. 37 (1/2). p. 16-18. ill. (NAL Call No.: 100 C12CAG).

0685

Persimmon.
 Itoo, S. Boca Raton, Fla. : CRC Press, 1986. CRC handbook of fruit set and development / edited by Shaul P. Monselise. p. 355-370. ill. Includes references. (NAL Call No.: DNAL SB357.28.C73).

0686

Pineapple.
 Bartholomew, D.P. Paull, R.E. Boca Raton, Fla. : CRC Press, 1986. CRC handbook of fruit set and development / edited by Shaul P. Monselise. Literature review. p. 371-388. Includes references. (NAL Call No.: DNAL SB357.28.C73).

0687

Postharvest handling systems: subtropical fruits.
 Kader, A.A. Berkeley, Calif. : Coop Ext, Univ of California, Div of Agric and Natural Resources, 1985. Postharvest technology of horticultural crops / Adel A. Kadar et al. . p. 152-156. Includes references. (NAL Call No.: DNAL SB319.7.P67).

0688

Resistance of mango pathogens to fungicides used to control postharvest diseases.
 PLDRA. Spalding, D.H. St. Paul, Minn. : American Phytopathological Society. *Plant disease*. Dec 1982. v. 66 (12). p. 1185-1186. Includes references. (NAL Call No.: DNAL 1.9 P69P).

0689

Respiratory rate, ethylene production, and ripening response of avocado fruit to ethylene or propylene following harvest at different maturities.
 Eaks, J.L. Alexandria, Va., The Society. *Journal of the American Society for Horticultural Science*. Sept 1980. v. 105 (5). p. 744-747. ill. 13 ref. (NAL Call No.: 81 S012).

0690

Responses of 'Fuyu' persimmon to gamma-irradiation.
 HJHSA. Wheeler, D.R. Packer, J.E.; MacRae, E.A. Alexandria, Va. : American Society for Horticultural Science. *HortScience*. Aug 1989. v. 24 (4). p. 635-637. Includes references. (NAL Call No.: DNAL SB1.H6).

(FOOD STORAGE, HORTICULTURAL CROP)

0691

Shelf-life and acceptability of hot water-treated mangos.

JAUPA. Diaz, N. Rodriguez, T.; Coloni, I.B. de. Mayaguez : University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. July 1988. v. 72 (3). p. 469-474. Includes references. (NAL Call No.: DNAL 8 P832J).

0692

Thiabendazole to control post-harvest decay on papayas.

Couey, H.M. HI-AR-W. Farias, G. Honolulu, The Service. Miscellaneous publication - Hawaii University. Cooperative Extension Service. Apr 1980. Apr 1980. (178). p. 17-19. 5 ref. (NAL Call No.: S544.3.H3H3).

FOOD CONTAMINATION AND TOXICOLOGY

0693

The role of the surveyor.

JJASD. Subramaniam, S. Champaign, Ill. : The Society. Journal of the American Oil Chemists' Society. Paper presented at the "World Conference on Processing of Palm, Palm Kernel and Coconut Oils," 1984, Kuala Lumpur, Malaysia. Feb 1985. v. 62 (2). p. 443-448. ill. Includes 1 references. (NAL Call No.: DNAL 307.8 J82).

FOOD CONTAMINATION, HORTICULTURAL CROP

0694

EDB (ethylene dibromide) update (Use for post-harvest fumigation of papayas, Rebuttable Presumption Against Registration, Hawaii). Fujiyama, S. Honolulu : The Institute. Research extension series - Hawaii Institute of Tropical Agriculture and Human Resources. Oct 1982. Presented at the 17th Annual Hawaii Papaya Industry Association Conference, September, 1981. Oct 1982. (020). p. 47-50. (NAL Call No.: S481.R4).

0699

Quantification of carbaryl in pineapples by HPLC (high performance liquid chromatography) and GCMS-CI-NH3 (gas chromatography mass spectrometry using ammonia ionization). Cairns, T. Siegmund, E.G.; Doose, G.M.; Langham, W.S.; Chiu, K.S. New York, N.Y. : Springer-Verlag. Bulletin of environmental contamination and toxicology. Mar 1984. v. 32 (3). p. 310-315. Includes references. (NAL Call No.: RA1270.P35A1).

0695

Further steps taken to eliminate EDB (ethylene dibromide, pesticide residues in citrus fruits and papayas, U.S. Federal Food, Drug, and Cosmetic Act, U.S. Environmental Protection Agency, legislation).

Washington : Office of Public Awareness. EPA Environmental Protection Agency journal. Apr 1984. v. 10 (4). p. 18-19. ill. (NAL Call No.: TD171.U5).

0696

High performance liquid chromatography of thiabendazole residues in banana and citrus fruits.

Isshiki, K. Tsumura, S.; Watanabe, T. Arlington, Va., The Association. Journal of the Association of Official Analytical Chemists. July 1980. v. 63 (4). p. 747-749. ill. 13 ref. (NAL Call No.: 381 AS7).

0697

Methyl bromide residues in fumigated mangos.

JAFCAU. Stein, E.R. Wolfenbarger, D.A. Washington, D.C. : American Chemical Society. Journal of agricultural and food chemistry. Nov/Dec 1989. v. 37 (6). p. 1507-1509. Includes references. (NAL Call No.: DNAL 381 J8223).

0698

Occurrence of free and conjugated 12,13-epoxytrichothecenes and zearalenone in banana fruits infected with *Fusarium moniliforme*.

APMBA. Chakrabarti, D.K. Ghosal, S. Washington, D.C. : American Society for Microbiology. Applied and environmental microbiology. Jan 1986. v. 51 (1). p. 217-219. ill. Includes 15 references. (NAL Call No.: DNAL 448.3 AP5).

FOOD COMPOSITION, HORTICULTURAL CROP

0700

Avocado mesocarp; browning potential, carotenoid content, polyphenol oxidase, catalase and peroxidase activities: comparison between six avocado cultivars.
Sharon-Raber, O. JFDA. Kahn, V. Chicago : Institute of Food Technologists. Journal of food science. Nov/Dec 1983. v. 48 (6). p. 1874-1875. Includes references. (NAL Call No.: 389.8 F7322).

0701

Changes in sugars, enzymic activities and acid phosphatase isoenzyme profiles of bananas ripened in air or stored in 2.5% O₂ with and without ethylene.
PLPHA. Kanellis, A.K. Solomos, T.; Mattoo, A.K. Rockville, Md. : American Society of Plant Physiologists. This study investigates the effect of 2.5% O₂, both alone and in combination with ethylene, on respiration, sugar accumulation and activities of pectin methylesterase and acid phosphatase during ripening of bananas (*Musa paradisiaca sapientum*). In addition, the changes in the phosphatase isoenzyme profiles are also analyzed. Low oxygen diminished respiration and slowed down the accumulation of sugars and development of the yellow color. Furthermore, low O₂ prevented the rise in acid phosphatase activities and this suppression was not reversed by the inclusion of 100 microliters per liter ethylene in 2.5% O₂ atmosphere. Gel electrophoresis of both the soluble and particulate cell-free fractions under non-denaturing conditions revealed the presence of 8 and 9 isoenzymes in the soluble and particulate fractions, respectively. Low O₂ suppressed the appearance of all isoenzymes, and the addition of 500 microliters per liter ethylene to the low decline in pectin methylesterase that was observed in air-ripened fruits was prevented of 2.5% O₂ alone and in combination with 500 microliters per liter ethylene. Plant physiology. May 1989. v. 90 (1). p. 251-258. Includes references. (NAL Call No.: DNAL 450 P692).

0702

Effects of heat treatments on the ethylene forming enzyme system in papayas.
JFDAZ. Chan, H.T. Jr. Chicago, Ill. : The Institute. Journal of food science : an official publication of the Institute of Food Technologists. May/June 1986. v. 51 (3). p. 581-583. Includes references. (NAL Call No.: DNAL 389.8 F7322).

0703

Growth and compositional changes during development of lanzone fruit.
HUHSA. Paull, R.E. Goo, T.; Chen, N.J. Alexandria, Va. : American Society for Horticultural Science. HortScience. Dec 1987. v. 22 (6). p. 1252-1253. Includes references. (NAL Call No.: DNAL SB1.H6).

0704

Growth, yield, nutrient content and fruit quality of *Carica papaya* L. under controlled conditions. I. Nitrogen effects.
Perez, A. Childers, N.F. Rio Piedras, University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. Apr 1982. v. 66 (2). p. 71-79. ill. 21 ref. (NAL Call No.: 8 P832J).

0705

Growth, yield, nutrient content and fruit quality of *Carica papaya* L. under controlled conditions. II. Boron effects.
Perez, A. Childers, N.F. Rio Piedras, University of Puerto Rico, Agricultural Experiment Station. The Journal of agriculture of the University of Puerto Rico. Apr 1982. v. 66 (2). p. 80-88. ill. 19 ref. (NAL Call No.: 8 P832J).

0706

Hydrolytic enzyme activities and protein pattern of avocado fruit ripened in air and in low oxygen, with and without ethylene.
PLPHA. Kanellis, A.K. Solomos, T.; Mattoo, A.K. Rockville, Md. : American Society of Plant Physiologists. The effect of 2.5% O₂ atmosphere with and without ethylene on the activities of hydrolytic enzymes associated with cell walls, and total protein profile during ripening of avocado fruits (*Persea americana* Mill., cv Hass) were investigated. The low 2.5% O₂ atmosphere prevented the rise in the activities of cellulase, polygalacturonase, and acid phosphatase in avocado fruits whose ripening was initiated with ethylene. Addition of 100 microliters per liter ethylene to low O₂ atmosphere did not alter these suppressive effects of 2.5% O₂. Furthermore, 2.5% O₂ atmosphere delayed the development of a number of polypeptides that appear during ripening of avocado fruits while at the same time new polypeptides accumulated. The composition of the extraction buffer and its pH greatly affected the recovery of cellulase activity and its total immunoreactive protein. Plant physiology. May 1989. v. 90 (1). p. 259-266. ill. Includes references. (NAL Call No.: DNAL 450 P692).

(FOOD COMPOSITION, HORTICULTURAL CROP)

0707

Lipid changes in olive fruit under saline conditions.

Marzouk, B. Zarrouk, M.; Cherif, A. Champaign, Ill. : American Oil Chemists' Society, 1986. Proceedings World Conference on Emerging Technologies in the Fats and Oils Industry, Cannes, France, November 3-8, 1985 / edited by A.R. Baldwin. p. 408-409. Includes references. (NAL Call No.: DNAL TP669.5.W67 1985).

0708

Loquat (Production, chemical composition).

Shaw, P.E. Westport, Conn., AVI Pub. Co., 1980. Tropical and subtropical fruit : composition, properties, and uses, by Steven Nagy, Philip E. Shaw. Literature review. p. 479-491. Bibliography p. 489-491. (NAL Call No.: TX557.N33).

0709

Physiological gradient in avocado fruit.

CAVYA. Schroeder, C.A. Saticoy, Calif. : The Society. Yearbook - California Avocado Society. 1985. v. 69. p. 137-143. ill. Includes 16 references. (NAL Call No.: DNAL 81 C128).

0710

Sapodilla and prickly pear (Varieties, chemical composition).

Lakshinarayana, S. Westport, Conn., AVI Pub. Co., 1980. Tropical and subtropical fruit : composition, properties, and uses, by Steven Nagy, Philip E. Shaw. Literature review. p. 415-441. Bibliography p. 438-441. (NAL Call No.: TX557.N33).

0711

Studies on enzymes involved in the biogenesis of lipid derived volatiles in ripening mango (*Mangifera indica* L.) fruit.

JFBID. Selvaraj, Y. Trumbull, Conn. : Food and Nutrition Press. Journal of food biochemistry. 1989. v. 12 (4). p. 289-299. Includes references. (NAL Call No.: DNAL TX545.J6).

0712

Sugar /acid composition and development of sweet and tart carambola fruit.

JQSHB. Campbell, C.A. Koch, K.E. Alexandria, Va. : The Society. The oxalic-acid-accumulating fruit of carambola (*Averrhoa carambola* L. Oxalidaceae) was examined during development to characterize changes in sugars and acids and to evaluate potential maturity indices. Commercial maturity (color break) occurred 65 and 60 days after fruit set of sweet 'Arkin' and tart 'Golden Star', respectively. Fruit size at this

stage was highly variable (51 to 103 mm long) and not a reliable indicator of maturity. Total soluble sugar concentration, mainly glucose and fructose, was almost 25% greater in the sweet 'Arkin' fruit (approximately 27 mg.g⁻¹ fresh weight) than in the tart 'Golden Star' carambolas (22 mg.g⁻¹ fresh weight). At harvest, sucrose made up only 15% to 20% of the total soluble sugars. Oxalic acid was the predominant organic acid in young fruit of both cultivars, but levels differed dramatically between sweet 'Arkin' (approximately 1 mg.g⁻¹ fresh weight) and tart 'Golden Star' (approximately 7 mg.g⁻¹ fresh weight). Malic acid (less than 1.5 mg.g⁻¹ fresh weight) was also present. Acidity in sweet 'Arkin' carambolas declined rapidly during early growth, but remained high during development of tart 'Golden Star'. Sugar accumulation, acid reduction, and color development continued for at least 7 days after color break if fruit remained on trees, but such fruit were not firm enough for typical commercial handling. Journal of the American Society for Horticultural Science. May 1989. v. 114 (3). p. 455-457. Includes references. (NAL Call No.: DNAL 81 S012).

0713

The use of antioxidants to delay the onset of anthracnose and stem end decay in avocado fruits after harvest.

PLDIDE. Prusky, D. St. Paul, Minn. : American Phytopathological Society. Plant disease. May 1988. v. 72 (5). p. 381-384. ill. Includes references. (NAL Call No.: DNAL 1.9 P69P).

AGRICULTURAL PRODUCTS - PLANT

0714

Effect of mixtures of custard-apple oil and neem oil on survival of *Nephotettix virescens* (Homoptera: Cicadellidae) and on rice tungro virus transmission (*Annona squamosa*, *Azadirachta indica*).

Mariappan, V. Saxena, R.C. College Park, Md. Entomological Society of America. Journal of economic entomology. Apr 1984. v. 77 (2). p. 519-521. Includes references. (NAL Call No.: 421 J822).

0715

Quality control in fruit processing.

JJASD. Eng, T.G. Tat, M.M. Champaign, Ill. : The Society. Journal of the American Oil Chemists' Society. Paper presented at the "World Conference on Processing of Palm, Palm Kernel and Coconut Oils," 1984, Kuala Lumpur, Malaysia. Feb 1985. v. 62 (2). p. 274-282. ill. Includes 19 references. (NAL Call No.: DNAL 307.6 J82).

0716

A sperm-agglutinating lectin from seeds of jack fruit (*Artocarpus heterophyllus*).

BBRCA. Namjuntra, P. Muanwongyathi, P.; Chulavatnatol, M. New York, N.Y. : Academic Press. Biochemical and biophysical research communications. Apr 30, 1985. v. 128 (2). p. 833-839. ill. Includes 13 references. (NAL Call No.: DNAL 442.8 85236).

POLLUTION

0717

Analysis of ethylene dibromide distribution in the soil profile following shank injection for nematode control in pineapple culture.

Wong, L. Honolulu, Hawaii : The Service. Research extension series - College of Tropical Agriculture and Human Resources, University of Hawaii, Cooperative Extension Service. In the series analytic: Toxic organic chemicals in Hawaii's water resources / edited by P.S.C. Rao and R.E. Green. Nov 1987. (086). p. 28-40. maps. Includes references. (NAL Call No.: DNAL S481.R4).

0718

Groundwater contamination by nematicides: influence of recharge timing under pineapple crop.

WARBA. Oki, D.S. Giambelluca, T.W. Minneapolis, Minn. : American Water Resources Association. Water resources bulletin. Apr 1989. v. 25 (2). p. 285-294. maps. Includes references. (NAL Call No.: DNAL 292.9 AM34).

MATHEMATICS AND STATISTICS

0719

An agrometeorological model for assessing the effect of heat stress during the flowering and early fruit set on avocado yields.
JOSHB. Lomas, U. Alexandria, Va. : The Society. Journal of the American Society for Horticultural Science. Jan 1988. v. 113 (1). p. 172-176. Includes references. (NAL Call No.: DNAL 81 S012).

0720

Extension of model to predict survival from heat treatment of papaya infested with oriental fruit flies (Diptera: Tephritidae).
JEENAI. Hayes, C.F. Young, H. Lanham, Md. : Entomological Society of America. The previously published model used for calculating survival of *Dacus dorsalis* Hendel in papaya (*Carica papaya* L. var. Solo) subjected to a hot-water immersion treatment is extended. The new model allows the calculation of survival for treatments including the vapor heat and dry air treatments. The physical parameter needed to extend the model to these treatments is h , the surface heat transfer coefficient. Measurements of h are reported for papaya in high- and low-humidity environments of moving and static air. Journal of economic entomology. Aug 1989. v. 82 (4). p. 1157-1160. Includes references. (NAL Call No.: DNAL 421 J822).

LIFE SCIENCES

0721

Palm tissue culture : state of the art and its application to the coconut / by A. Kovoov. -. Kovoov, A. Rome Food and Agriculture Organization of the United Nations 1981. Paper presented at the fifth session of the FAO Technical Working Party on Coconut Production, Protection and Processing, Manila, December 1979 ~AGPC/MISC/77. 69 p. : ill. ; 28 cm. --. Bibliography: p. 62-69. (NAL Call No.: SB13.F6 no.30).

HUMAN MEDICINE, HEALTH AND SAFETY

0722

Inhibitory effects of various flavonoids isolated from leaves of persimmon on angiotensin-converting enzyme activity.

JNPRDF. Kameda, K. Takaku, T.; Okuda, H.; Kimura, Y.; Okuda, T.; Hatano, T.; Agata, I.; Arichi, S. Pittsburgh, Pa. : American Society of Pharmacognosy and the Lloyd Library and Museum. Journal of natural products. July/Aug 1987. v. 50 (4). p. 680-683. Includes references. (NAL Call No.: DNAL 442.8 L77).

0723

Molluscicides from the cashew *Anacardium occidentale* and their large-scale isolation.

JAFAU. Kubo, I. Komatsu, S.; Ochi, M. Washington, D.C. : American Chemical Society. Journal of agricultural and food chemistry. Nov/Dec 1986. v. 34 (6). p. 970-973. Includes references. (NAL Call No.: DNAL 381 J8223).

0724

Occupational exposure to 1,3-dichloropropene (Telone II) in Hawaiian pineapple culture.

AEHLA. Albrecht, W.N. Washington, D.C. : Heldref Publications. Archives of environmental health. Sept/Oct 1987. v. 42 (5). p. 286-291. Includes references. (NAL Call No.: DNAL RC963.A1A7).

TECHNOLOGY

0725

Evaluation of the mid-infrared (1.45 to 2.0 micrometer) with a black-and-white infrared video camera.

PERSD. Everitt, J.H. Escobar, D.E.; Blazquez, C.H.; Hussey, M.A.; Nixon, P.R. Falls Church, Va. : American Society of Photogrammetry and Remote Sensing. Photogrammetric engineering and remote sensing. Oct 1986. v. 52 (10). p. 1655-1660. ill. Includes references. (NAL Call No.: DNAL 325.28 P56).

AUTHOR INDEX

- Aberdeen, V. 135, 608, 651
 AbouHaidar, M.G. 513
 Abreu, E. 325
 Acevedo, E. 294
 ACSMC. 610, 624
 Acuna, E. 158, 237, 636
 Advani, R. 307
 Aegerter, P. 539
 AEHLA. 411, 622, 724
 AFREA. 65, 220, 668
 Afza, R. 84, 267
 Agata, I. 217, 722
 Agee, Herndon R., 1933-. 368
 AGUOAT. 158, 237, 636, 70, 139, 228
 AGREA. 584, 669
 Ahmed, H. 203
 Ahmed, M.S.H. 356, 582, 683
 AJOA. 145, 254, 136, 184
 Akamine, E.K. 334, 679
 Akritidis, C.B. 36, 657
 Albrecht, W.N. 411, 622, 724
 Alencar, J.W. 194
 Ali, S.R. 356, 582, 683
 Alkofahi, A. 624
 Alvarado y Sosa, L. 248
 Alvarez, A. 478
 Alvarez, A.M. 556, 437, 535, 863, 542, 550, 547, 536, 464, 446
 Amma, S.K. 418
 Anderson, J.E. 173, 624
 Andrade, C.H.S. 194
 ANURA. 5, 89, 286
 APMBA. 472, 698
 APPYA. 419
 Apt, W.J. 8, 413, 408
 Aragaki, M. 42, 108, 120, 223, 125, 483
 Archer, D.B. 493
 Arichi, S. 217, 722
 Armstrong, J.W. 344, 576, 312, 585, 124, 385, 568, 123, 384
 Arpaia, M.L. 546, 678, 183, 676
 Arura, M. 354
 Awad, M. 168
 Awada, M. 50, 659, 52, 632, 235, 634
 Azis, H. 172
 Badilla, I. 294
 Bailey, A.M. 611
 Bailey, J.B. 338, 374, 323, 314, 396, 370, 381, 380, 373, 337, 316, 372
 Bank, R.J. 69, 157, 227
 Bar, Y. 528, 635
 Baranowski, R.M. 351
 Barcikowski, W. 295
 Bardalaye, P.C. 55, 615
 Baringbing, W.A. 318
 Barrera-Guerra, J.L. 147, 270
 Bartholomew, D.P. 73, 246, 686
 BBRCA. 272, 656, 716
 Beardsley, J.W. 121, 365, 311
 Bekey, R. 341, 433, 495, 516
 Bekey, R.S. 315
 Ben Yaccov, A. 23, 484
 Bender, G. 98, 169, 426
 Bennett, A.B. 253
 Benschoter, C.A. 594
 Bentley, M.D. 298
 Berger, R.G. 266
 Bergh, B.O. 41
 Berry, W.L. 214
 Billington, D. 211
 Binder, R.G. 289
 Blair, A. W. 1886-. 75, 638, 74
 Blazich, F.A. 5, 89, 286
 Blazquez, C.H. 198, 725
 Blumenfeld, A. 202
 BOGAA. 146, 263
 Borchard, E.C. 11, 31
 Borst, G. 473, 486, 639, 434
 Borys, M.W. 262, 147, 270
 Boswell, S.B. 41
 Bower, J.P. 166
 Brackett, S.R. 298
 Brammeier, S. 265
 Bratley, C. O. 1903-1948. 38, 441
 Brokaw, R. 213
 Brown, R.L. 525, 616
 Brown, S.A. 344, 576, 312
 Bruinsma, J. 257
 Bruton, B.D. 559
 BTR0A. 265
 Bunting, S.C. 802
 Burton, H.R. 112, 460
 Buwalda, J.G. 517, 677
 CAGRA. 317, 644, 338, 374, 323, 315, 319, 60, 667, 421, 552, 684
 Cairns, T. 623, 699
 Caldwell, M.M. 258
 Caltagirone, L.E. 317, 644
 Campbell, C.A. 279, 712
 Campbell, C.W. 32, 303
 Campbell, S.D. 435
 Carlson, S.P. 71
 Caswell, E.P. 8, 413
 Cavaletto, C.G. 549
 CAVYA. 262, 314, 341, 245, 709, 147, 270, 213, 188, 425, 41, 467, 526, 619
 Cedeno-Maldonado, A. 93, 300, 45, 110, 57, 115, 209
 Celedonio H., H. 348, 579
 Chadha, K.L. 162, 287
 Chakrabarti, D.K. 472, 698
 Chambers, D.L. 343
 Chan, H.T. Jr. 566, 324, 432, 572, 702, 549
 Chang, C.J. 173
 Chang, V.C.S. 326, 436, 375
 Chaplin, G.R. 551
 Chapman, R.B. 394
 Chapya, A. 298
 Chatterjee, B.P. 203
 Chen, N.J. 208, 703
 Chen, N.M. 540, 567, 675
 Chen, W.S. 181
 Chen, Y.Z. 216
 Cherif, A. 224, 707
 Chew, V. 350, 581, 391, 592
 Childers, N.F. 59, 156, 705, 58, 155, 704
 Ching, S.A. 447
 Chingon, H.T.G. 580, 564

AUTHOR INDEX

- Chingon, T.G. 392, 593
 Chiu, K.S. 623, 699
 Chiu, R.J. 40, 105, 499, 505
 Chopra, P.K. 328, 333
 Chordas, A. 60, 667
 Chulavatnatol, M. 272, 656, 716
 Chuman, T. 361, 649, 652
 Clark, C.J. 517, 677
 Clerx, W.A. 596
 COBLA. 565
 Coffey, M. 67, 467, 475
 Coffey, M.D. 461, 9, 99, 429, 10, 100, 430, 476, 470, 511, 611
 Coloni, I.B. de. 126, 387, 691
 Comstock, J.C. 447
 Conger, B.V. 84, 267
 Conover, R.A. 33, 102, 497, 101, 496, 442, 438, 371, 503, 85, 268
 Cooper, K.M. 404
 Cordero, M. 415
 Cortazar, V.C. de. 70, 139, 228
 Couey, H.M. 18, 379, 378, 586, 585, 453, 543, 587, 437, 535, 663, 313, 563, 490, 692, 449, 537
 Crane, J.C. 200
 Craveiro, A.A. 194
 Crisosto, G.U. 183, 676
 Cronauer, S.S. 145, 254, 97, 424
 Croneauer, S.S. 80, 251
 Crosswhite, C.D. 86, 393, 423
 Crosswhite, F.S. 86, 393, 423
 Cruess, W. V. 1886-. 492, 534
 Cruz-Castillo, J.G. 93, 300
 CSQSA2. 154, 197
 CSUJA. 140, 302
 Cuddihy, L.W. 597, 641
 Cuevas, J. 206, 182
 Cull, B.W. 226, 633, 661
 Cutting, J.G. 166
 Daane, K.M. 317, 644
 Daniels, M.J. 493
 Darvas, J.M. 466, 468, 439, 522
 Davenport, T.L. 127, 389, 271, 95, 163, 515, 196, 261
 Davies, A.M.C. 493
 Davies, J.W. 510
 Davis, T.A. 172
 De la Pena, R. S. 1936-. 52, 632
 Degani, C. 114, 205
 DeWald, S.G. 240
 Dhamodaran, T.K. 455, 642
 Di Vito, M. 403
 Diaz, N. 126, 387, 691
 Dickman, M.B. 458, 613
 Dickson, D.W. 398, 399
 Dohn, D.R. 231, 621
 Dolan, T.E. 470
 Dollar, A.M. 343
 Donseiman, H.M. 54, 113, 304
 Doose, G.M. 623, 699
 Dozier, W.A. Jr. 34
 Drawert, F. 266
 Dunlap, C. 539
 Dwivedi, R.S. 418
 Eaks, I.L. 545, 259, 689
 Eden-Green, S.J. 493
 Edwards, D.C. 421, 552, 684
 Elder, V. A. 1948-. 43, 612, 627
 Eng, T.G. 20, 655, 666, 715
 Engel, K.H. 278
 Englerth, Edward Jerome, . 410, 625
 Enkerlin H., W.R. 348, 579
 Erickson, J.W. 513
 Escobar, D.E. 198, 725
 Everitt, J.H. 198, 725, 521
 EVETEX. 605, 332
 EVOLA. 273, 650
 Farias, G. 490, 692, 449, 537
 Farias, G.J. 124, 385, 369
 Feigenbaum, S. 160, 282
 Felker, P. 158, 237, 636
 Ferguson, A.R. 69, 157, 227, 137, 221, 301
 Ferguson, D.J. 140, 302
 Ferguson, L. 388, 590
 Fernandez-Escobar, R. 179
 Ferreira, S.A. 447
 FETMA. 562
 Figueroa, A. 416
 Finazzo, S.F. 271
 Fisher, J.B. 127, 389, 138, 225
 Fitzell, R.D. 462, 487
 Flath, R.A. 289
 FLSCA. 135, 608, 651
 FNETD. 542, 462
 Forbus, W.R. Jr. 566
 Fortlage, R.J. 421, 552, 684
 Fox, R.L. 53, 153
 Freeman, George Fouche, 1876-1930. 103, 176
 Friend, D.J.C. 47, 186
 Froide, J.T. 234
 Fujiyama, S. 12, 570, 694
 Fukushima, Y. 233
 Gallardo-Covas, F. 364, 358
 Gazit, S. 114, 205
 Gees, R. 461
 GENSAB. 333
 German, T.L. 121, 365
 Ghosal, S. 472, 698
 Giambelluca, T.W. 56, 658, 718
 Giblin-Davis, R.M. 395
 Gillenwater, H.B. 574
 Gilliam, C.H. 34
 Gilreath, M.E. 605
 Glazener, J.A. 453, 543
 Glenn, H. 351
 Gnanaharan, R. 455, 642
 Goffey, M.D. 435
 Goldring, A. 114, 205
 Gomez-Valledor, G. 179
 Gomez, M.C. 24, 35, 177
 Gonsalves, D. 40, 105, 499, 504, 505, 506, 512
 Goo, T. 208, 703, 82, 334, 679
 Goodall, G.E. 315
 Gould, W. 350, 581
 Gouyon, P.H. 273, 650
 Graham, D. 216, 551
 Grandison, G.S. 404
 Guillemet, F.B. 9, 99, 429, 10, 100, 430, 435
 Guillinta, M. G. 274
 Gupta, V.K. 452, 541
 Gustafson, C.D. 309, 386
 Guthier, E. H. 1895-. 492, 534
 Hallman, G. 350, 581
 Hameed, A.A. 356, 582, 683
 Hamilton, R.A. 340
 Hanaoka, M. 343
 Hansen, J.D. 344, 576, 312
 Harris, E.J. 369
 Hart, W. 350, 581, 391, 592
 Hart, W.G. 116, 347, 578, 348, 579
 Hartsock, T.L. 255
 Hassanali, A. 610
 Hatano, T. 217, 722
 HAWTA. 50, 659
 Hayes, C.F. 336, 720, 580, 18, 379, 564, 378, 586, 392, 593, 569, 591

AUTHOR INDEX

- Heath, R. R. 368
 Heath, R.R. 332, 361, 649, 652
 Heatherbell, D.A. 264
 Hendricks, H.J. 327
 Hendrix, J. W. 1915-. 600
 Hern, M.D. 394
 Hilton, H.W. 447
 HJHSA. 127, 389, 232, 471, 589, 690, 388, 590,
 324, 432, 352, 580, 77, 247, 208, 703, 106,
 180, 62, 215, 260, 571, 187, 114, 205, 101,
 496, 179, 551, 256, 525, 616, 545, 82
 Ho, Y.S. 187
 Hoffman, M.P. 337
 Hoffmann, M.P. 338, 374, 323, 396, 381, 380,
 373, 316, 372
 Hogenson, R.O. 526, 619
 Holdeman, Q.L. 409
 Holtzmann, O.V. 509
 Honda, Y. 120, 223
 Hopping, M.E. 64, 219
 Horne, W. T. 1876-. 443
 Howard, O.F. 117, 355
 Howard, F.W. 395
 Hu, B.K.S. 344, 576, 13, 25, 664
 Huettel, R.N. 398, 399
 Huffman, A.H. 280
 Hui, Y.H. 173
 Hummel, R.L. 230
 Hussey, M.A. 198, 725
 Hylin, J.W. 585
 Ibrahim, M. 273, 650
 Idstein, H. 90, 293, 290
 Ingle, S. 350, 581, 391, 592
 Ingle, S.J. 116, 347, 578, 348, 579
 Ingles-Casanova, R. 358
 Ingles, R. 91, 397
 Ingram, D.L. 260
 Inserra, R.N. 403
 Ioane, I. 331
 Irizarry, H. 159, 238, 637
 Israeli, Y. 30, 170
 Isshiki, K. 617, 696
 Ito, P.J. 340
 Itoo, S. 143, 244, 685
 Jacoby, P.W. Jr. 280
 JAFCA. 266, 288, 278
 JAFCAU. 620, 697, 276, 289, 281, 229, 653, 723,
 90, 293, 291, 290, 553
 Jagirdar, H.A. 401, 538, 440
 Jang, E.B. 352
 JAUPA. 93, 300, 91, 397, 126, 387, 691, 159,
 238, 637, 45, 110, 57, 115, 209, 325, 150, 629,
 48, 149, 364, 358
 Jayaraj, S. 330, 502
 JBCHA3. 203
 JCECD. 361, 649, 652, 396, 250
 JEENA. 568, 123, 384, 342
 JEENAI. 116, 347, 578, 348, 579, 344, 576, 310,
 382, 588, 395, 336, 720, 21, 346, 577, 350,
 581, 339, 391, 592, 330, 502, 312, 394, 564,
 583, 117, 355, 343, 378, 586, 349, 328, 585,
 375
 JFBID. 275, 711
 JFDAZ. 572, 702
 JFDSA. 167, 700, 292, 174, 673
 JIVPA. 367, 354
 JJASD. 27, 671, 693, 20, 655, 666, 715
 JNPRDF. 173, 217, 722, 298
 Johnson, C.D. 565
 Johnson, C.R. 230
 Johnson, E.L.V. 190, 631
 Johnson, H.B. 164, 595
 Johnson, M.W. 381, 380, 373, 316
 JONEB. 8, 413
 Jones, R.K. 405, 406, 402, 400
 Jordan, L.S. 596
 JOSH. 240, 129, 297, 566, 279, 712, 96, 1,
 165, 719, 160, 282, 540, 567, 675, 546, 678
 JPNUDS. 69, 157, 227, 517, 677, 528, 635, 252,
 87, 161, 285, 518, 214
 JRMGA. 280
 Judd, M.J. 6, 532
 Kader, A.A. 520, 557, 687, 60, 667, 546, 678
 Kadhum, A.A. 356, 582, 683
 Kahn, V. 167, 700
 Kalmar, D. 195, 628, 660, 528, 635
 Kameda, K. 217, 722
 Kanellis, A.K. 210, 681, 706, 175, 674, 701
 Kannan, S. 518
 Kaplan, D.T. 398, 399
 Katsura, N. 233
 Kavanaugh, M. 201, 646
 Keese, P. 514
 Kellam, M.K. 511
 Keller, T. 90, 293
 Kelley, W. P. 1878-. 185
 Kelmar, D. 81, 530, 662
 Kenney, P. 117, 355
 Kerbel, E.L. 571
 Kimura, Y. 217, 722
 Kirson, I. 296
 Kjellberg, F. 273, 650
 Klein, I. 160, 282, 87, 161, 285
 Klim, M. 291
 Klowden, M.J. 352
 Knight, R.J. Jr. 32, 303, 291
 Knowles, J.W. 34
 Ko, W.H. 431
 Kobayashi, R.M. 583, 343
 Koch, K.E. 279, 712
 Kochan, W.J. 352
 Kolattukudy, P.E. 458, 613
 Komatsu, S. 229, 653, 723
 Kotze, J.M. 468
 Kovoov, A. 241, 721
 Kriedemann, P.E. 133, 269
 Krieger, R.I. 231, 621
 Krikorian, A.D. 145, 254, 97, 424, 80, 251
 Kubo, I. 229, 653, 723
 Kuc, J. 112, 460
 Labanauskas, C.K. 190, 631
 Lachance, M.A. 135, 608, 651
 Lahav, E. 195, 628, 660, 81, 530, 662, 528,
 635, 30, 170, 152, 189
 Lakshinarayana, S. 83, 710
 Lakshminarayana, S. 122, 144, 249, 248
 Landers, J. 603
 Landolt, P. J. 368
 Landolt, P.J. 332, 361, 649, 652
 Langham, W.S. 623, 699
 LaPre, L.F. 381, 380, 373, 316
 Larque-Saavedra, S. 188
 LaRue, J. 190, 631
 Laties, G.G. 118, 218
 Lavee, S. 71
 Lavi, U. 114, 205
 Laycock, W.A. 131, 599
 LeBaron, H.M. 488
 Lee, D.W. 265
 Lee, S.K. 561
 Leesch, J.G. 574
 Leung, A.M.T. 564
 Li, Y. 60, 667
 Liao, C.H. 533
 Lill, R.E. 252
 Lin, S.C. 367

AUTHOR INDEX

- Linden, T. 19, 76
 Linse, E.S. 585, 587
 Litz, R.E. 240, 33, 102, 497, 101, 496, 503, 85, 268
 Litzkow, C.A. 562
 Liu, S.D. 367
 Liu, Y.M. 173
 iLOYA. 194
 Lomas, J. 1, 165, 719
 Long, C. 235, 634
 Longworth, J.F. 335
 Lopez, J. 57, 115, 209
 Lower, R.A. 53, 153
 Luh, B.S. 65, 220, 668, 174, 673
 Luna-Lopez, J. 147, 270
 Lwande, W. 610
 Lynch, A.A. 55, 615
 Machado, M.I.L. 194
 MacLeod, A.J. 288
 MacRae, E.A. 589, 690
 Mahr, C. 276
 Malo, S.E. 33, 102, 497, 101, 496
 Manshardt, R.M. 129, 297
 March, J.F. 510
 Mariappan, V. 330, 502, 329, 501, 654, 714
 Marousky, F.J. 26, 682
 Marriott, J. 171, 672
 Marschall, K.J. 331
 Marsden, D. 308
 Martin, G.C. 71
 Martin, W.C. Jr. 187
 Martyn, R.D. 507, 508
 Marzouk, B. 224, 707
 Mason, A. S. 1890-. 38, 441
 Masuda, S. 339
 Mathew, C. 418
 Matos, F.J.A. 194
 Matsumoto, S. 174, 673
 Mattoo, A.K. 210, 681, 706, 175, 674, 701
 Mau-Lastovicka, T. 281
 Mau, R.F.L. 382, 588, 583, 322
 Mauseth, J.D. 136, 184
 Maxwell, N. 44
 Mayer, G. 571, 546, 678, 183, 676
 Mayeux, H.S. Jr. 164, 595
 McAneney, K.J. 6, 532
 McConnell, D.B. 37, 178
 McCoy, R.E. 420
 McDonald, J.E. 526, 619
 McDonough, L.M. 338, 374, 314, 396, 337
 McEwen, F.L. 311
 McInnis, D.O. 375
 McKenzie, Howard L. 321
 McLaughlin, J.L. 173, 624, 236
 McMillan, R.T. Jr. 504, 544, 39, 444, 428, 445
 Medina-Gaud, S. 325
 Medina, J.G. 158, 237, 636
 Mendoza, D.B. Jr. 212
 Menge, J.A. 190, 631
 Meyer, B.N. 236
 Midcap, J.T. 507, 508
 Mikolajczak, K.L. 624
 Miller, G.L. 327
 Milne, D.L. 466, 439, 522
 Mitchell, F.G. 571, 546, 678, 183, 676
 Mitchell, W.C. 124, 385
 Modi, V.V. 553
 Moore, G.A. 240
 Moore, P.D. 199, 463, 645
 Moreno Rivera, M.A. 122, 144, 249
 Morrison, R.M. 14, 28, 665
 Morse, J.G. 306
 Mosqueda Vazquez, R. 92, 299, 640
 Mosqueda-Vazquez, R. 109, 451, 125, 483
 Moznette, G. F. 360, 648
 Moznette, G. F. 1890-. 359, 647
 Muanwongyathi, P. 272, 656, 716
 Mueller, D.M. 131, 599
 Mukherjee, D. 452, 541
 Mullins, M.G. 146, 263
 Murashige, T. 77, 247
 Murofushi, N. 233
 Murphy, M.K. 425
 Mustard, M.J. 141, 242
 MYCOA. 120, 223
 Nagy, S. 291
 Nakagawa, S. 233
 Nakamura, A.N. 585, 587
 Nakasone, H.Y. 142, 243, 42, 108, 109, 451, 125, 483, 107, 500
 Namba, R. 40, 105, 499
 Namjuntra, P. 272, 656, 716
 Naor, A. 195, 628, 660
 NATUAS. 199, 463, 645
 Nell, T.A. 260
 Nelson, M. 478
 Nelson, M.G. 437, 535, 663, 542, 550, 547, 536, 464, 446
 Neuenschwander, L.F. 602
 Nichols, B.G. 253
 Nielson, M.T. 112, 460
 Nishida, T. 310
 Nishijima, C. 71
 Nishijima, K.A. 324, 432
 Nishijima, W. 412, 474
 Nishijima, W.T. 556, 477, 554
 Nishimoto, J.I. 375
 Nishimoto, R. 607
 Nishimoto, R.K. 606, 525, 616
 Nishina, M.S. 324, 432, 583
 Nitta, F.A. 564, 392, 593
 Nitz, S. 266
 Nixon, P.R. 198, 725, 521
 Nobel, P.S. 158, 237, 636, 70, 139, 228, 214, 295, 294, 255
 Nonaka, M. 233
 NONGA. 3, 239, 529
 Novak, F.J. 84, 267
 Nunez-Elisea, R. 95, 163, 515
 Oatman, E.R. 319
 Obara, T. 174, 673
 Ochi, M. 229, 653, 723
 Ogata, J. 585
 Ohr, H.D. 425, 435
 Oi, D.H. 382, 588
 Oki, D.S. 56, 658, 718
 Okuda, H. 217, 722
 Okuda, T. 217, 722
 Olsen, K.N. 338, 374, 323, 314
 Olszack, R. 32, 303
 Oster, J.D. 213
 Ostmark, H.E. 305
 Ota, A.K. 375
 Ota, Y. 233
 Ouye, M.T. 116, 347, 578, 348, 579, 350, 581, 391, 592
 Packer, J.E. 589, 690
 Padgett, M.M. 50, 659
 Palmer, D. F. 1899-. 443
 Palmer, T.Y. 2, 130
 Pang, S.Z. 96
 Pappin, D.J.C. 510
 Parente, A. 510
 Parez, A. 59, 156, 705
 Pascoe, F.H. 390
 Pathan, I.H. 555, 401, 538, 440

AUTHOR INDEX

- Patil, S.S. 458, 613
Patterson, B.D. 216
Pauli, R.E. 208, 703, 73, 246, 686, 540, 567, 675, 257, 82
Payne, L.A. 216
Peak, C.M. 462
Peasley, D. 462
Pegg, K.G. 226, 633, 661
Pena, J.E. 351
Penman, D.R. 394
Perea-Dallos, M. 84, 267
Perez Lopez, A. 49, 151, 630
Perez-Lopez, A. 150, 629, 48, 149
Perez, A. 45, 110, 57, 115, 209, 58, 155, 704, 206, 182
Perry, C.H. 353
PERSD. 198, 725, 521
Petersen, J.L. 22, 604, 94, 132, 601
PFSHA. 420, 594, 445
PHESA. 318, 326, 436
Phillips, P.A. 315
Phillips, R.L. 55, 615
PHYTA. 461, 458, 613
PHYTAJ. 112, 460, 51, 191, 456, 450, 533, 511, 611
Pieris, N.M. 288
Pinchas, Y. 427
Pinkas, Y. 450
Pinochet, J. 414
Platner, G.R. 319
Platt-Aloia, K.A. 148, 284
PLDIDE. 121, 365, 491, 713, 40, 105, 499, 404, 476
PLDRA. 556, 480, 580, 688, 505, 470, 408, 448, 111, 494, 447
Pliego-Alfaro, F. 77, 247
Ploetz, R.C. 232, 471, 192, 457, 523
Ploetz, R.R. 51, 191, 456
PLPHA. 210, 681, 706, 175, 674, 701, 253, 95, 163, 515, 258, 216, 257, 294, 181, 255
Plucknett, Donald L., 1931-. 72
Portier, K.M. 420
Potter, R.L. 22, 604, 94, 132, 601
PPGGD. 7, 61, 271, 233, 196, 261
Prasad, M. 252, 154, 197
Prasada Rao, G.S. 162, 287
Pratt, H.K. 264, 212
Prior, C. 354, 353
PRNCA. 138, 225
Provvidenti, R. 512
Prusky, D. 491, 713
PVPCB. 307
Quintero, E. 348, 579
Ramadasan, A. 204, 133, 269
Ramcharan, C. 260
Randles, J.W. 104, 498
Rao, M.N. 112, 460
Ravenwood, I.C. 154, 197
Ray, P.K. 418
Raymond, M. 273, 650
Redlinger, L.M. 574
Reed, R.B. 187
Reeder, W.F. 544
Reid, M.S. 264
Reimer, N.J. 121, 365
Reyes F., J. 348, 579
Reyes-Jurado, R.D. 48, 149
Reyes-Soto, I. 45, 110
Reyes, I. 57, 115, 209
Reyes, M.N. 206, 182
Reyes, R.D. 150, 629
Rezaaiyan, R. 281
Richards, P.J. 4, 88
Rivera, E. 159, 238, 637
Rivera, M.A.M. 248
Robalino, G. 415
Rodriguez, J. 91, 397, 159, 238, 637
Rodriguez, T. 126, 387, 691
Rohrbach, K.G. 121, 365, 408, 448, 459
Roman, J. 415
Rose, M. 377
Rowe, P.R. 414
Rup, P.J. 328, 333
Rupperecht, J.K. 624
Russell, C.E. 158, 237, 636
Saad, A.T. 555
Sahai, M. 296
Sakovich, N.J. 306
Salazar-Garcia, S. 188
Samra, J.S. 162, 287
Sances, F.V. 381, 526, 619, 380, 373, 316
Sanderson, K.C. 187
Sanford, J.C. 96
Sanford, W.G. 121, 365
Santos de la Rosa, F. de los. 92, 299, 640
Santos, G.L. 597, 641
Saranah, J.B. 226, 633, 661
Saul, S.H. 583
Saxena, R.C. 330, 502, 329, 501, 654, 714
Schaffer, B. 232, 471, 51, 191, 456, 192, 457, 523
Schenck, S. 448
Scholefield, P.B. 133, 269
Schreier, P. 276, 90, 293, 290
Schroeder, C.A. 245, 709
Schroppel-Meier, G. 258
Schussler, Gotthard Francis, . 134, 277
Schwab, W. 276
Schwarz, A. 348, 579
Scott, B.A. 624
Segelken, R. 16, 618
Selvaraj, Y. 275, 711
SENTD. 598, 643
Seo, S.T. 343, 342, 369, 313, 563
Shalhevet, J. 195, 628, 660
Shanks, J.B. 3, 239, 529
Sharon-Raber, O. 167, 700
Sharp, J.L. 116, 347, 578, 348, 579, 21, 346, 577, 350, 581, 339, 391, 592, 345, 349
Shaw, P.E. 291, 292, 68, 708
Sheffer, B.J. 327
Sherratt, H.S.A. 211
Shetty, K.K. 352
Shiau, J.F. 367
Sholhevet, Y. 81, 530, 662
Shorey, H.H. 388, 590
Short, M.N. 510
Siatras, A.J. 36, 657
Sibbett, G.S. 71
Sickerman, S.L. 598, 643
Siegel, M.R. 112, 460
Siegmond, E.G. 623, 699
Slaughter, D.C. 562
Smith, A.P. 265
Smith, D.L. 173
Smith, G.M. 253
Smith, G.S. 517, 677
Smith, J.W. Jr. 605
Solomos, T. 210, 681, 706, 175, 674, 701, 193, 680
Sommer, N.F. 78, 558, 670, 421, 552, 684
Spalding, D.H. 544, 480, 560, 688, 548, 345, 594, 26, 682
Speer, E.R. 207
Spiers, T.M. 252
Stark, J.D. 310

AUTHOR INDEX

- Starmer, W.T. 135, 608, 651
 Stein, E.R. 620, 697
 Steinhardt, R. 195, 628, 660, 81, 530, 662
 Stemmer, W.P.C. 493
 Stevens, H. E. 1880-. 417
 Stevens, L. 348, 579
 Stone, C.P. 597, 641
 Stover, R.H. 419, 305
 Strohman, R.A. 213
 Su, T.H. 311
 Subramaniam, S. 27, 671, 693
 Sudasrip, H. 172
 Suehisa, R. H. 52, 632
 Suehisa, R.H. 50, 659
 Sugiura, A. 106, 180, 256
 Sweet, C. 66, 119, 222
 Symons, R.H. 514
 TAAEA. 36, 657
 Takahashi, N. 233
 Takaku, T. 217, 722
 Takenaka, T. 250
 Tang, C.S. 250, 525, 616, 342
 Taniguchi, G. 459
 Tao, R. 106, 180
 Tat, M.M. 20, 655, 666, 715
 Tepper, B. 428
 Testolin, R. 62, 215
 Thakur, R.S. 162, 287
 Thalman, R. 391, 592
 Thalman, R.K. 339
 Theobald, W.F. 138, 225
 Thompson, N.P. 55, 615
 Thompson, W. 482, 320
 Thomson, W.W. 148, 284
 Thornburg, W. 585
 Timm, M. 283
 Ting, I.P. 526, 619
 Toerien, J.C. 439, 522
 Toledo A., J. 348, 579
 Tomana, T. 256
 Toraskar, M.V. 553
 Torier, J.C. 466
 Torres, A.M. 281
 Toscano, N.C. 381, 380, 373, 316
 Toumey, J. 362, 128, 531
 Tracy, J.E. 213, 527
 Treeby, M.T. 46
 Tressl, R. 278
 Tsatsarelis, C.A. 36, 657
 Tsuda, D.M. 583
 Tsumura, S. 617, 696
 Tucker, M.L. 118, 218
 Tumlinson, J.H. 361, 649, 652
 Turner, D.S. 510
 Turner, D.W. 152, 189
 Turner, N.A. 69, 157, 227
 Ueckert, D.N. 22, 604, 94, 132, 601
 Valdeyron, G. 273, 650
 Van Duren, M. 84, 267
 Vargas, R.I. 310, 123, 384
 Vesik, M. 146, 263
 Vetro, R. 585
 Vinson, A. E. 1873-. 103, 176
 VIRLA. 510
 Vitagliano, C. 62, 215
 Waddill, V.H. 371
 Wagner, M.W. 22, 604
 Walcott, J.J. 133, 269
 Wang, H.L. 40, 105, 499, 505
 Wang, W.J. 382, 593
 Wang, Z. 65, 220, 668
 Wangberg, J.K. 598, 643
 WARBA. 56, 658, 718
 Watanabe, T. 617, 696
 Webb, J.C. 562, 339, 312
 Webb, R.R. 111, 494
 WEESA6. 164, 595
 Wehunt, E.J. 409
 Weinbaum, S.A. 160, 282
 Wells, J.M. 533
 Wenslaff, T.F. 129, 297
 Wheeler, D.R. 589, 690
 Whitley, W.W. 226, 633, 661
 Whipple, J.D. 22, 604
 Whitehead, D.R. 573
 Whitsell, R.H. 41
 Whorton, J. 584, 669
 Wigglesworth, M.D. 112, 460
 Wilcox, Earley Vernon, 1869-. 185
 Williams, D.D.F. 7, 61
 Williams, D.S. 420
 Williams, M.H. 146, 263
 Williams, M.L. 327
 Wills, R.B.H. 551
 Wilsin, C.W. III. 291
 Wilson, C.W. III. 292
 Wilson, R. N. 1888-. 75, 638, 74
 Windeguth, D.L. von. 575
 Winter, K. 258
 Withereill, P.C. 366, 594
 Wolfenbarger, D. O. 357, 407
 Wolfenbarger, D.A. 620, 697
 Wong, L. 609, 626, 717
 Wong, T.T.Y. 375
 Wood, D.L. 388, 590
 Woolley, J.B. 377
 WOSTBE. 455, 642
 Wright, H.A. 207, 602
 Wu, I.P. 50, 659
 Xiaolang, T. 84, 267
 Yeh, S.D. 40, 105, 499, 505, 506
 Yokota, T. 233
 Young, E.C. 335
 Young, H. 336, 720
 Young, H.G.C. 580
 Young, R.E. 561, 148, 284, 168
 Younge, O. R. 1901-. 72
 Yuda, E. 233
 Zaki, A.I. 488
 Zarrouk, M. 224, 707
 Zee, F.T. 324, 432
 Zehner, J.M. 574
 Zelazny, B. 376, 363
 Zentmyer, G.A. 481, 485, 465, 454, 488
 Zilberstein, M. 450
 Zilkah, S. 160, 282, 87, 161, 285
 1931-. 410, 625
 1941-. 134, 277

Annona species (other)

93,173,257,300,329,330,351,501,502,624,654,714

Avocados

1,2,9,10,11,19,23,26,31,41,44,51,55,63,67,76,77,81,87,98,99,100,
114,118,124,127,128,130,133,147,148,160,161,165,166,167,168,169,
188,190,191,192,195,196,204,205,210,213,218,226,231,232,234,245,
247,253,259,261,262,269,270,271,274,281,282,284,285,306,309,314,
316,319,320,321,323,337,338,340,341,357,362,366,370,372,373,374,
377,380,381,382,383,385,386,389,390,396,407,417,425,426,427,428,
429,430,433,434,435,439,443,450,454,456,457,461,462,465,466,467,
468,469,470,471,473,475,476,479,481,482,484,485,486,488,489,491,
495,511,514,516,520,522,523,524,526,527,528,530,531,545,551,557,
561,571,573,588,594,611,615,619,621,628,631,633,635,639,660,661,
662,681,682,687,689,700,706,709,713,719

Bananas

13,16,25,30,53,78,79,80,84,91,97,145,146,152,153,159,170,171,175,
189,193,238,251,254,260,263,267,283,305,322,328,333,397,398,399,
400,401,402,405,406,409,414,415,416,419,422,424,440,472,538,539,
553,555,558,568,597,600,617,618,637,641,664,670,672,674,680,696,
698,701

Carambolas

32,117,279,291,303,355,712

Cashews

212,229,653,723

Charimoyas

24,35,177,315

Chinini

262

Coconut

20,27,54,104,113,138,172,225,241,304,307,318,325,331,335,353,354,
363,367,376,418,420,455,493,498,507,508,559,642,655,666,671,693,
715,721

Dates

103,176,356,395,574,582,683

Duku fruits and Lansium
208,703

Eugenia (Brazilian Cherry)
194,610

Figs
34,37,178,200,201,273,388,403,590,646,650

Groundcherry
296

Guavas
46,82,289,290,310,452,525,541,549,616

Jackfruit
203,272,656,716

Jujube, Ziziphus Chines date
60,66,119,207,222,603

Kiwifruits
4,6,46,62,64,65,69,88,137,154,157,174,180,183,197,215,219,220,
221,227,252,264,301,394,421,517,532,546,552,668,673,676,677,
678,684

Loquats
37,68,178,202,230,233,292,375,708

Mangos
21,39,45,57,78,92,95,110,115,116,126,162,163,181,209,240,265,275,
278,287,299,334,339,345,346,347,348,349,350,352,359,360,364,387,
391,444,445,480,487,515,544,548,558,560,562,575,577,578,579,581,
592,620,640,647,648,670,688,691,697,711

Olives
36,71,179,224,317,492,534,644,657,707

Papayas
12,14,15,18,28,33,40,42,48,49,50,52,59,72,78,85,90,96,101,102,
105,107,108,109,111,120,125,129,141,142,149,150,151,155,156,182,

Papayas continued:

206,223,235,242,243,268,276,288,293,297,308,312,313,324,332,336,
342,343,344,361,368,369,371,378,379,392,412,431,432,437,438,442,
446,449,451,453,458,464,474,477,478,483,490,494,496,497,499,500,
503,504,505,506,509,510,512,513,518,533,535,536,537,540,542,543,
547,549,550,554,556,558,563,564,566,567,569,570,572,576,580,584,
585,586,587,591,593,606,607,613,614,629,630,632,634,649,652,659,
663,665,669,670,675,676,692,694,695,702,704,705,720

Passionfruit

216

Persimmons

3,106,143,217,239,244,256,327,521,529,589,685,690,722

Pineapples

7,8,38,43,47,56,58,61,73,74,75,78,121,123,185,186,246,250,266,
311,326,358,365,384,408,410,411,413,436,441,447,448,459,519,558,
609,612,622,623,625,626,627,638,658,670,686,699,717,718,724

Pricklypears

22,70,83,94,131,132,134,135,136,139,140,158,164,184,187,198,214,
228,236,237,248,255,258,277,280,294,295,302,393,423,595,598,599,
601,602,604,605,608,636,643,651,710,725

Sapodillas

83,122,144,211,249,710

Tamarillo

404

Vaccinium

199,463,645

* NATIONAL AGRICULTURAL LIBRARY

1022245819

2

NATIONAL AGRICULTURAL LIBRARY

1022245819