A
T R E A T I S E
ON THE
INOCULATION OF HORSES,
FOR THE
S T R A N G L E S ;

IN WHICH IS CLEARLY LAID DOWN,
THE MANNER AND TIME OF THE OPERATION;
THE
PREPARATION NECESSARY PREVIOUS THERETO;
AND THE MODE OF TREATMENT
DURING THE CONTINUANCE OF THE DISORDER;
THE WHOLE BEING THE
Result of long and repeated Experience.

By RICHARD FORD,
OF BIRMINGHAM;

WHO HAS MADE THE COMPLAINTS OF HORSES HIS STUDY
FOR MORE THAN FIFTY YEARS PAST.

B I R M I N G H A M :
PRINTED BY E. PIERCY, IN BULL STREET,
AND SOLD BY
J. JOHNSON, ST. PAUL'S CHURCH YARD, LONDON.
[*Entered at Stationer's Hall.*]

SUBSCRIBERS NAMES.

A.

ADAMS, Mr. Worcester
 Adams, Mr. Daventry
 Ainge, Mr. Yarmouth
 Allen, Mr. Hockley
 Allen, Mr. Samuel, Banbury Oxfordshire
 Allen, Mr. Northamptonshire
 Allen, Mr. Joseph, ditto
 Allens, John Esq. Worcester
 Alston, Mr. Winslow-green
 Ashford, Mr. Suffolk-street

B.

Bateman, Right Honourable Lord Viscount
 Beache, Dr. Birmingham
 Barrs, Mr. Thomas ditto
 Barker, Mr. John, Cherry-street ditto
 Barlow, Mr. Edgbaston
 Bayley, Mr. Surgeon, Shifnal
 Baxter, Mr. James Moor-street, Birmingham
 Barr, Mr. Surgeon, - ditto
 Baldwin, Mr. Sen. Shirley
 Barton, Mr. John Colehill
 Barber, James, Esq. Tipton
 Bentley, Mr. Birmingham
 Bedford, Mr. Samuel Birlingham
 Bennet, Mr. Saltley
 Benbow, Mr. Worcester two copies
 Bernecker, Mr. Birmingham
 Bedford, Mr. I. Pershore

Birch,

x S U B S C R I B E R S N A M E S.

Birch, George Esq. Hampstead two copies
 Bingley, Mr. Five-ways
 Bingham, Mr. John Birmingham two copies
 Bingham, Mr. James ditto
 Blakefley, Mr at Brunton, Forbes & Co. ditto
 Blount, Mr. Surgeon, Birmingham
 Blunt, Mr. ditto
 Bolton, Matthew Esq. Soho two copies
 Bonney, Rev. Mr. Tanzer, Northamptonshire
 Bradburn, Samuel Esq. Birmingham
 Brooke, Mr. Attorney ditto
 Brothers, Mr. G. ditto
 Brown, Mr. T. ditto
 Brand, Mr. John Gainsborough
 Burrows, Mr. Walsall
 Bullock, Mr. John-street Birmingham
 Burgess, Mr. John Great Wigstone Liecestershire
 Butler, Mr. Whitaker
 Bullstrode, G. G. Esq. Worcesterhire
 Buchanan, Mr. Birmingham
 Burley, Mr. James ditto
 Buck, Mr. Joseph Northamptonshire
 Budd, Mr. J. D. Birmingham

C.

Carles, Joseph Esq. Handsworth fine paper
 Capper, Peter Esq. Birmingham
 Carver, Edward Esq. ditto
 Capper, Mr. Bull-street ditto
 Cappe, Mr. Hockley
 Cattle, Mr. Sen. Knowl-hall
 Cave, Mr. Northamptonshire
 Cappe, Rev. Newcome York
 Cannop, Mr. Worcester

Chancer,

SUBSCRIBERS NAMES. xi

Chancer, Henry Esq. Jun. Vernon's Oak
 Chace, Mr. Bull-street Birmingham
 Chambers, Mr. Yardley
 Chance, Mr. New-hall-street Birmingham
 Chevase, Mr. Surgeon Walsall
 Chamberlain, Mr. at Hotel Birmingham
 Chew, Mr. Thomas Northamptonshire
 Chew, Mr. Joseph ditto
 Chambers, R. Esq. Whitburme
 Clay, Henry Esq. Birmingham
 Clutton, Thomas Esq. Kinnerley
 Clarke, Rev. Mr. Worcester
 Cockett, Mr. New-street Birmingham
 Cope, Mr. John druggist ditto
 Cope, Mr. chymist ditto
 Conquest, Mr. New-hall-street ditto
 Cottrill, Mr. Samuel Deritend ditto
 Cottrill, Mr. John Smallbrook-street ditto
 Cope, Mr. John Liquor-merchant ditto
 Cooke, Captain Birmingham heath
 Cooper, Mr. Handsworth
 Corbett, Mr.
 Cooke, Mr. T. Worcester
 Collins, Mr. William London, 1 fine & 1 course
 Cottrill, Mr. Walsall
 Crofts, Mr. William Livery-street Birmingham
 Crooke, Mr. Thomas Haddington five copies
 Creshall, Mr. Square Birmingham
 Crockett, Mr. Handsworth
 Curtis, Rev. Mr. Birmingham

D.

Davis, David Esq. Pipe-hall
 Dadley, Mr. London

Davis,

xii SUBSCRIBERS NAMES.

Davis, Mr. Barr
 Davis, Mr. Edgbaston-street Birmingham
 Darwall, Rev. Mr. ditto
 Danks, Mr. Oldbury
 Darby, Mr. Daniel Birmingham two copies
 Deykin, Mr. Bell Wood-street London
 Dearman, Mr. John Petty
 Dixon, Mr. Dudley
 Dixon, Mr. Barr
 Dobbs, Mr. T. King's Norton
 Dolphin, Mr. Surgeon Birmingham
 Dolphin, Mr. Sen. New-street Birmingham
 Dowler, Mr. Great-charles-street ditto
 Dutton, Mr. Hagley-row

E

Edwards, Mr. Castle Inn, Birmingham
 Edwards, Mr. John
 Egginton, Mr. Jun. Handsworth
 Egginton, Mr. Francis Handsworth
 Ellis, Mr. Thomas Oundle, Northamptonshire
 Ellis, Major Worcester
 Everton, Mr. John Birmingham

F

Fletcher, Mr. Hedgford
 Forbes, Mr. Alexander, Birmingham
 Forbes, Mr. John, Birmingham
 Ford, Mr. Colehill-street, ditto
 Forrest, Mr. St. Paul's square, ditto
 Freer, Mr. John jun. surgeon, ditto
 Freer, Mr. John sen. ditto
 Freer, Mr. Thomas, druggist ditto
 Francis, Mr. William Moat ditto
 Freeme, Mr. William Worcester

Garbett,

G

Garbett, Francis Esq. Herefordshire
 Gayd, Mr. Garnet
 Geast, Richard Esq. Handsworth
 Gill, Mr. Thomas Birmingham
 Gilby, Dr Birmingham
 Gibbs, Mr. Birmingham
 Gimblett, Mr. John Birmingham
 Glaze, Mr. Friday-street, Birmingham
 Goodbehere, Mr. Birmingham
 Godwaltz, Mr. Birmingham
 Gorge, Mr. Worcester
 Green, Joseph Esq. Birmingham
 Gregg, Mr. Samuel Birmingham
 Gray, Mr. William, New-street, Birmingham
 Griffiths, Mr. Birmingham-heath
 Greaves, Mr. New-hall-street, Birmingham
 Green, Mr. John, New-street, Birmingham

H

Hanson, Mr. Smethwick
 Halford, Mr. H. West-bromwich
 Hawkins, Mr. Wm. Edmund-street, Birmingham
 Hand, Mr. Heycock Green
 Hammersley, Rev. Mr. Birmingham
 Hackett, Andrew Esq. Moxall
 Haynes, Mr. Worcester 2 copies
 Hardware, Mr. Bull's-head, Westbromwich
 Haynes, Mr. Northamptonshire
 Hart, Mr. Edward Swan Inn, Birmingham
 Hands, Mr. Samuel Birmingham
 Handley, Mr. William Kenilworth
 Hall, Mr. Market-Harborough
 Hector, Mr. Birmingham Herbert,

xiv SUBSCRIBERS NAMES.

Herbert, Mr. William, Birmingham
 Hewett, Rev. Mr. Northamptonshire
 Hewson, Mr. John Oundle, Northamptonshire
 Hicks, Mr. Digbeth, Birmingham
 Higginson, Mr. Paradise-row, ditto
 Hinchley Mr. jun. ditto
 Hodgkinson, Mr. Northampton
 Hooper, Mr. Aston
 Homer, Mr. New-hall-street, Birmingham
 Hufley, Mr. John ditto
 Hufley, P. Esq. Little Wyrley near Lichfield
 Hunt, Mr. T. Corn-factor
 Hunt, Thomas Esq.
 Humphries, George Esq. Birmingham
 Hyatt, Mr. New Castle-under-Line

I

Javins, Mr. B.
 Iddins, Mr. Birmingham-heath
 Ingram, Thomas Esq.
 Johnstone, Dr. Birmingham
 Johnson, Mr. C. Bull-street, ditto
 Johnson, Mr. C. at Miss Robins's Newstreet, ditto
 Jones, Mr. E. Livery-stables, ditto
 Jones, Mr. James Birmingham

K

Keir, James Esq. Tipton
 Keay, Mr. Beekes, Smethwick
 Kennedy, Mr. Surgeon, Birmingham
 Kettle, John, Esq. ditto
 Kilby, Mr. James Birmingham.
 King, Mr. Colmore-row, ditto
 Kinder, Mr. Willam Stafford

Landel.

L

Landel, Mr. Edmund-street, Birmingham
 Lane, Rev. Mr. Handsworth
 Lawrence, Mr. Charles London
 Lawrence, S. Bull street, Birmingham
 Lake, Sir James Winter Bart. Edmonton, Middlesex
 Lewin, Mr. Furrier Market-harborough
 Lord, Mr. Edward Birmingham
 Lowdell, Joseph Coventry, Esq. London
 Lowdell, Isaac Esq. ditto
 Lloyd, Mr. Hen and Chickens Inn. Birmingham

M

Montagu, his Grace the Duke of 16 copies
 Marston, Mr. Paradise-row, Birmingham
 Malkin, Mr. St. Paul's-square ditto
 March, W. M. D. Coventry
 Marindan, Mr. Cannon-street, Birmingham
 Mainwaring, Mr. A. Attorney, ditto 2 copies
 Male, Mr.
 Mason, Mr. Temple-street, Birmingham 2 copies
 Martin, Mr. Thomas Northamptonshire
 Male, Mr. J. Handsworth
 Mardin, Mr. F. London
 Mander, Mr. J. R. Birmingham
 Masters. Mr. Stafford,
 Mead, Mr, Wm. head groom to Lord Dartmouth
 Meadows, Mr. Lionel-street, Birmingham
 Merry, Mr. Temple row, ditto
 Moore, Samuel Esq. London
 Mofs, Mr. Birmingham
 Montague, James Esq. Equery to his Majesty
 Mynors. Mr. Surgeon, Birmingham
 Mynd, Mr. Thomas ditto Newsham

N

Newnham, Counsellor
 Newbold, Mr. William Birmingham
 Nevil, Mr. Charles, ditto

O

Orton Mr. Birmingham
 Osborne, Mr. G. Barkswell

P

Palmer, Mr. Maxstock
 Palmer, Mr. C. Attorney, Coleshill
 Parrott, Francis, M. D. Birmingham
 Parker, Mr. B. Attorney, ditto
 Parker, Mr. Joseph Coventry
 Parkes, Mr. R. Brickiln-lane, Birmingham
 Parkes, Mr. E. Birmingham
 Parkes, Mr. Exeter-row, ditto
 Parrock, Mr. Worcester
 Pemberton, Mr. Snow-hill, Birmingham
 Perry, Mr. M. Upper-priory, ditto
 Perrott, G. Esq. Perfhore
 Piercy, Mr. E. Bull-street, Birmingham
 Pickering, Mr. Winfon-green
 Plaisters, M. J. Worcester
 Power, Mr. C. Colmore-row. Birmingham
 Powell, Mr. Gofly-green, ditto
 Powell, Rev. Mr. Rector of Church Lawford
 Pritchard, Mr. General Hospital
 Price, Mr. Theodore Birmingham
 Priestley, Rev. Dr. ditto
 Price, Mr. Lichfield-street, ditto
 Price, Mr. John ditto
 Purton, Mr. Attorney, Sutton
 Pywell, Mr. T. Northamptonshire

Richards

R

Richards, Mr. T. Birmingham
 Richards, Mr. Theophilus ditto 2 copies
 Richards, Mr. Wm. New street, ditto
 Richards, Mr. Sheldon
 Robinson, Mr. Easy-row, Birmingham
 Rose, Mr. Great Charles-street, ditto
 Roberts, Major Dragoon Guards
 Rokeby, Rev. Mr. Biddlefden-park, near Brackley,
 Robins, Mr. King's-norton
 Robbins, Mr. Attorney, Stourbridge
 Roe, Mr. Frankley
 Rowe, Rev. Mr. Shrewsbury
 Ruston, Mr. Joseph
 Ruff, Mr. John Oundle, Northamptonshire
 Rutter, Mr. Love-lane, London 4 copies
 Ryland, Mr. S. Jun. Birmingham
 Ryland, Mr. S. Sen. New-street, ditto
 Ryland, Mr. Jun. High-street, ditto

S

Sanders, Mr. Northamptonshire
 Shenstone, Mr. Oldbury
 Shaw, Counsellor
 Sherratt, Mr. Birmingham
 Sharp, Mr. John ditto
 Simms, Mr. Gun-maker, ditto
 Simpson, Mr. Green-lanes
 Sketchley, Mr. Moor-street, ditto
 Smart, Mr. Wolverhampton, 6 copies
 Smith, Mr. John Coach Maker, Birmingham
 Smith Mr. Wm. Colmore-row, ditto
 Smith, Mr. New-hall-street, ditto
 Smith, Mr. Temple-street, ditto

xviii SUBSCRIBERS NAMES.

Smallbroke, The Worshipful Richard, L. L. D.
 Chancellor of the Diocese of Lichfield and
 Coventry
 Smith, Mr. G. Northamptonshire
 Snape, Mr. Moxall
 Stanley, Mr. Boughton-hall
 Story, Mr. D. Birmingham
 Stretton, Mr. Warston-lane, ditto
 Startin, Mr. New-hall-street ditto
 Startin, Mr. jun. Snow-hill, ditto
 Startin, Mr. Charles ditto
 Summers, Mr. Bull-street ditto
 Spooner, Mr. Horse Infirmary, ditto

T.

Taylor, John Esq.
 Taylor, Mr. General Hospital
 Taylor, Mr. James New-hall-street Birmingham
 Taylor, Rev. Mr. John Park-street ditto
 Tabberner, Mr. Shirley
 Tebbat, Mr. Sander
 Thomason, Mr. Colemore-row Birmingham
 Tibbats, Ambrose Esq. Sterlingshire
 Timmins, Mr. James
 Tomlinson, Mr. Surgeon Birmingham
 Tonks, Mr. Peter Stonall
 Twamley, Mr. Sutton

V.

Vaughton, Roger Esq.
 Vaux, Mr. Surgeon Moor-street Birmingham
 Vickers, Mr. ditto ditto
 Villers, J. Esq. Handsworth

U.

Undrill, Mr. Newton-street Birmingham

SUBSCRIBERS NAMES, xix

W.

Walcott, William Esq. Oundle, Northamptonshire
Walcott, Dr. ditto
Waldron, Mr John Attorney Frankly
Ward, Mr. Bull ring Birmingham
Ward, Mr. John Jun. ditto
Ward, Mr. John Sen. ditto
Walker, Mr. William Sand-street ditto
Westwood, Mr. John ditto
Welch, Mr. William Jun. Colmore-row
Webb, Mr. Bell-street ditto
Webster, Mr. Richard ditto
Wells, Mr. Shirley
Wheeley, Mr. Worcester
Whately, Mr. Henry
Whateley, Mr. John
Whateley, Mr. John Birmingham
Wheeley, Mr. Francis ditto
Whitaker, Mr. Worcester
Withering, William M. D. Birmingham
Wilkin, Mr. Worcester
Willmore. Mr. Surgeon ditto
Wilbon, Mr. Farrier
Williams. Mr. Surgeon Rugby
Willetts, Mr. Thomas Birmingham
Wright, Mr. West-bromwich
Wyatt, Mr. John

Y.

Yates, Richard Esq. London [shire
York, Mr. John Surgeon, Oundle Northampton-
Young, Rev Mr. St. Paul's Square, Birmingham

TO HIS GRACE THE MOST NOBLE
THE DUKE OF MONTAGUE,
MASTER OF THE HORSE TO HIS MAJESTY;
THIS SMALL TREATISE,
WHICH HIS GRACE,
WITH A CONDESCENSION, AND PUBLIC SPIRIT,
BECOMING
HIS ILLUSTRIOUS FAMILY AND EXALTED STATION,
HAS BEEN PLEASED TO HONOUR
WITH
HIS GENEROUS COUNTENANCE AND SUPPORT,
IS DEDICATED,
WITH ALL POSSIBLE HUMILITY,
AND THE SINCEREST GRATITUDE,
BY HIS GRACE'S MOST DEVOTED,
AND MOST OBLIGED HUMBLE SERVANT,
THE AUTHOR.

Rich^d. Ford

P R E F A C E.

EVERY endeavour to become useful to society, to whatever branch of those arts which constitute its chiefest comforts and happiness, our pursuits have been directed, should, if it does not raise us to any public testimony of approbation, at least secure us from uncandid and ill-natured criticism.

The great utility of the practice recommended in the following pages, and the advantages which may be derived from it, is the best, and I hope, will be deemed a sufficient apology, for my offering them to the attention of the public. No wish to acquire credit for originality, or novelty of thought, could have determined me, independent of the above consideration

vi. P R E F A C E.

consideration, to have commenced author.

A little reflection will be sufficient to make us sensible, how many and great blessings we derive from that most serviceable of all brute animals, the Horse: and at the same time will, I hope, persuade to a just valuation of them: for in whatever view we consider his services, whether in time of war or of peace, as securing to us those two essentials to all human felicity, Liberty and Health, they are equally apparent, and demand in return our support and care, and a humane attention to all his sufferings.

It is much to be lamented, that the practice of Farriery has so generally been hitherto confined to the
most

most ignorant and illiterate part of mankind; yet custom has thrown a stumbling-block in the way of removing it from such professors, by annexing something degrading to the study of it.

In England this is particularly the case; nor is the encouragement here given to it, such as is likely to make it become a subject of attention to persons better adapted by education to encrease its advantages.

This neglect and contempt of a study so highly beneficial to the community at large, and to every individual belonging to it, appears the more strange in being shewn by the inhabitants of that soil and climate which produce horses of more real value and excellence. than that of
any

any other in the world. And this pre-eminence which nature has given us to boast of, would, one might imagine, make us the more anxious to preserve and cherish the indulgence.

Our neighbours, the French, are far from treating the art of Farriery with disregard. They have erected public schools, for the purpose of instructing pupils in this art, to which lecturers are appointed by government to attend; where dissections are frequently made, and the diseases of horses, with their methods of cure, properly taught. If such encouragement was given to it in England, it is not to be doubted but it would turn to good account, as well on the score of humanity, as of national interest.

T R E A T I S E, &c.

THE Strangles is a disorder too well known to need any very particular description. It is marked by an inflammation and suppuration of the sub-maxillary glands, attended with more or less general fever, cough, running at the nose, &c. It is highly contagious, and communicable by the same means as other infectious distempers.

Mr. Soleyfell has supposed it analogous to the small pox in the human species, by observing, that no horse

is subject to take the infection more than once. The power of transmitting it by inoculation, which I have invariably experienced, draws a still nearer parallel between the two disorders; yet the very dissimilar appearances they make in the two species, the constant locality of the one, and the general diffusion of the other, will not allow us to think them different modifications of the same disease.

The Strangles has for its cause, a specific poison, which seems either to enter into the original constitution of all horses, or which they are predisposed to generate, when exposed to certain situations and treatment, favourable to its formation. Whichever is the case, the poison is certainly destroyed, or the disposition to generate it is removed by the appearance of the disorder; since no horse
can

can be affected twice by it. It is a distemper that all horses are disposed to, and there are few that escape it. The common, as well as most dangerous time for their having it, is during the breaking of them; and it always proves most obstinate when it happens at this time, or to horses of an advanced age, than in younger horses, especially such as have not been broke. This I think may be easily accounted for, by considering the treatment they are then subjected to; the excessive heats and fatigue they are made to suffer; their being allowed to become cool suddenly; the unnatural position in which the head is confined (especially of colts on the bit) by affecting the mass of humours in general, and the glands of the head and neck in particular, are sufficient to explain the cause of the different degrees of danger attending this disorder before, and during, or

after breaking. It cannot be doubted but that horses suffer much injury by the violent treatment offered them during this process, since many diseases are the visible and immediate consequences of it; such as the farcin, grease, &c. In no case can it ever be necessary; and in general, encouragement will do more than severity. Nor are their tempers less affected by this treatment than their natural constitutions; and both may be truly said to be broke, many being rendered dull and dispirited by it, that would otherwise have made active and valuable horses.

The most desirable time, therefore, at which horses can have the Strangles, is, whilst they are young, and before the breaking of them; and this consideration induced me to endeavour to find out
some

some safe and effectual method of communicating the distemper to them at this time. There were also other motives I had for wishing to accomplish it, independent of the less degree of danger attending this disorder in young colts; which were, to prevent the great inconvenience of having horses attacked by it whilst on a journey (which I have more than once experienced) from considering likewise that no time is lost, nor any expence incurred, by colts having it at an age when they are of no use to us. And again, that should it ever prove fatal, it is better to happen before the expence of three or four years useless keep is bestowed upon them.

I am happy in having it in my power to say, that I have been successful beyond my expectation; for as well as

being able to communicate the disorder whenever I have wished, the means which I have used for doing it, have constantly produced it in a much flighter degree, than when it is caught in the natural way ; and this I have effected by Inoculation.

All horses in health are proper subjects for Inoculation ; but foals or colts are the most so ; and many advantages will attend the performing the operation at an early age, as well as the important one of securing them from taking infection by the natural means.

I have inoculated horses at all ages ; from two days old, to seven years, and have always observed that the younger the subject was (provided it was healthy)
the

the more favourable every symptom of the disorder appeared. Out of two hundred colts on which I have performed this operation, not one has died ; and I am encouraged by this to hope, that the practice which I here recommend, will, when known, be generally adopted.

For the reasons before given, I would advise the operation to be done at an early age, and would prefer inoculating the foal whilst it sucks of the mare, to any other time ; and in this case, the earlier the infection is given the better : which may be safely done at a month or six weeks old. For towards the latter end of the year, the quantity of the mare's milk is lessened, and during this disorder the foal may not take to grazing ; or if it should, the grass does not afford that nourishment at this sea-

son which it does in the spring and summer.

It frequently happens too, that foals, especially those which thrive apace, grow lean about the time they leave the mare and take to grazing, when inoculation would not be adviseable, and had better be deferred till the following spring. Another reason why I would recommend the operation to be performed at an early age, is, the thinness of the skin ; for as the disorder is more naturally and effectually carried off by the formation and breaking of an abscess, less difficulty is likely to occur at this time, than when the skin by becoming thicker, is capable of giving greater resistance to the matter to be evacuated : by which the cure may be protracted.

The

The higher in health the colt is, the sooner matter is formed, and the disorder terminated ; as a certain degree of inflammation is necessary for that purpose, which sickly and weak colts are not disposed to. Foals and colts which are healthy and at grass, require no preparation previous to giving them the infection ; but horses which have been long kept in the stable, and are intended to remain there during their having the disorder, it may be necessary to prepare, and this will chiefly consist in emptying the stomach and intestines of any foulness which may have been generated there.

To answer this purpose, I have usually given half a drachm of calomel well levigated with double the quantity of prepared chalk, and made up into a ball, with conserve of hipps in the evening ;
and

and a solution of a pound of Epsom salts on the following morning. This is the usual dose, but must be varied according to the strength and habit of body of the horse it is intended for. It should be repeated three times within the fortnight preceding inoculation, and the last dose given on the same day the operation is performed.

Having determined the most proper and advantageous time for inoculating, and the preparatory treatment of such horses as may require it, the next thing to be considered, is, the place and method of performing the operation. These I have frequently varied, and have found none so convenient and successful, as the following, which I now constantly practise.

I make

I make an incision on the inside of the upper lip, about an inch from its junction with the lower one, and at equal distances from its outer edge, and where it attaches itself to the gum. This incision is best made with a lancet, such as is generally used in bleeding of horses, which is to be introduced at the place before directed, immediately under the skin, and which may be easily done by inverting the lip, and holding it tightly turned with the left thumb and finger over the under part of the same hand. When the lancet is introduced to about the depth of half or three quarters of an inch, the point of it is to be moved on each side, in such a manner as to make the bottom of the wound wider than its orifice, which latter needs not be larger than the lancet requires for its insertion. When the incision is thus made, I take a small piece
of

of lint, or fine tow, impregnated with the infectious matter, and with a probe introduce it into the wound beyond its edges, so that no part of it be suffered to hang out, otherwise it may be thrown out again immediately, by the action of the lip against the teeth and gum. The lint I suffer to remain in the wound till it is discharged either by accident or by suppuration. I have preferred the upper lip to the lower one for making the incision in, on account of the dependant situation of the wound, thereby preventing any future mischiefs which might arise from a lodgment of the lint or matter.

In one of the colts which I inoculated in the under lip, an abscess was formed, which discharged itself exteriorly, leaving a hole quite through the lip; but no accident of this kind has happened

happened when the incision was made in the upper one. The right side of the lip will be found more convenient than the left.

There are many methods of applying the infectious matter.

It may be done by charging a lancet with it, and simply puncturing the inside of the lip; or the matter may be inserted into the wound (in the manner before directed for the lint) in a concentrated state; and is procured by catching it from the glands of a distempered horse, in a glazed basin or glass vessel, and suffering it to inspissate without heat into a gluey or horney consistence, in which state it will remain active, if well secured from the air, many months,

months. But the way I would recommend, as being the most sure and effectual, is by means of prepared lint, as I have before directed.

The matter that is made use of for charging this lint, should be taken from the Strangles of some young horse, in which the disorder has not been of long standing; for it is to be observed, that the matter is efficacious in proportion to the early state of suppuration in the abscess from which it is taken. In this matter the lint is to be dipped, and should be kept for use in a well corked phial in a damp place, where it will remain good a long time. After some time keeping it will loose its moisture, and become dry, when, if occasion offers for using it, it may be held over the steam of warm water for about a minute
before

before it is applied; yet this is not absolutely necessary to be observed, as the warm blood from the wound will answer the intent of the steam in setting at liberty the active particles of the matter.

In two or three days after inoculation, the lip will begin to inflame and swell; and in seven or eight days more, the glands under the jaw will be affected in like manner. These will continue swelling for about a week, and will generally be attended with fever, cough, and a difficulty of swallowing. In about three weeks from the operation, matter will begin to be formed under the lower jaw, and most frequently on the same side as the lip inoculated. In less than a week more, suppuration will have fully taken place, as will be evident by the looseness of the hair covering the swelling,

ling, the oozing of matter through the skin, and the fluctuation to be felt on touching it.

In this state it may be suffered to remain for two or three days, but if a disposition to break should not be observed, and the skin covering it should still remain thick, it will be proper to open it. This opening should be made lengthways with a small knife, or lancet, the whole extent of the abscess; the contents of which are to be pressed out, and the wound is to be dressed with yellow basilican, or a digestive composed of equal parts of olive oil, horse turpentine, bees-wax, and honey, boiled together, spread upon soft tow, and inserted down to the bottom of the wound, which is to be kept open, by this manner of dressing till the discharge begins
to

to abate ; for if it is suffered to heal too soon, other abscesses will be formed in the adjacent glands, and sometimes in different parts of the body. A running at the nose too, which is a disagreeable, and frequently a dangerous symptom, may be prevented by this treatment.

Though I have recommended an opening of the abscess to be made, yet care is to be taken that this is not done before the matter is compleatly formed in it, otherwise the lips of the wound, as well as the glands themselves will become hard and callous, and require perhaps a second operation before it can be healed. On the other hand, the matter should not be suffered to remain too long confined, for in this case, by insinuating itself among the glands, and between the interstices of the muscles, it will form

B

snuffles

sinusses which may afterwards prove tedious and troublesome to cure, or by making its way down to the bone may render that foul and carious.

If any very great degree of swelling should occur, attended with much difficulty in breathing or swallowing, yet no disposition to suppurate should appear, a poultice made of a strong decoction of linseed and marsh-mallows, boiled up with oatmeal, to a proper consistence, to which a little ointment of elder is added, may be applied to the throat every night and morning, will in general procure relief, by hastening the formation of the abscess, and when that breaks, the difficulty of breathing, &c. will be removed, and nothing more will be required than good feeding and a dry situation.

Horses

Horses which are suffered to remain in the field after Inoculation, and during the progress of infection, do much better than those which are confined in the stable; and here they require very seldom either medicine or assistance.

Nothing is more likely to procure a favourable termination of the disorder, than the preserving the temperament of the body during the inflammatory stage, in as near a state to that of health as may be. And nothing conduces more to this, than grafts, and a constant exposure to the air: nor do I know any disorder in which their good effects are more visible than in the Strangles; so that I would wish particularly to recommend their being always allowed to remain in the field, except the extreme

B 2

coldness

coldness or inclemency of the weather should forbid it.

Bleeding, in any stage of this disorder, should be always if possible, avoided. I have had many occasions of witnessing the danger attending it; and it will certainly be found that wherever it is practised, the recovery will at least always prove tedious. It should therefore never be thought of, but when there is fear of suffocation; which is an accident not likely to happen to those horses which are kept out of doors.

The fever which is raised by the introduction of the virulent matter, if it should be too immoderate, is best restrained by small and repeated doses of
James's

James's antimonial powder; to which if there should be much cough, an opiate may occasionally be added. After the abscess is healed, two or three doses of purging physic will be advisable,

The directions before given, will be found sufficient for inoculated horses in general, and will be all that are necessary in most cases.

There are, however, some other symptoms besides those I have mentioned, that may appear; but as they do not specifically belong to the Strangles, but to many other disorders in common with it, I have not thought it worth while to encrease these few pages by an enumeration of them; especially as the treatment of them may be learned bet-

ter from a study of diseases in general, than of any one in particular. My chief plan has been to ascertain the undoubted safety of inoculating colts, and to put it into the power of every person to perform that operation himself.

When I first thought of giving an account of the experiments which I had made, with my sentiments of the disorder, I did not foresee the many causes of delay and disappointment, that have attended it. An almost constant engagement in business, has precluded me the power of paying all that attention which the subject so well merits.

At some future day, I hope to have it in my power to add much to it; but should any thing occur to prevent

vent this, I shall nevertheless be happy in thinking, that I may have been the means of procuring it the attention of men of more leisure and greater capacity.

The desire I have for not withholding longer a secret of such importance from the public, and the haste which this prompts me to, will I hope, apologize for my brevity, but had time permitted me to swell this pamphlet out to what some men would call a reasonable number of pages, it might perhaps, at last, have not proved of more real value or utility.

F I N I S.