Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62, 13
SECTION OF NOMENCLATURE
RETURN TO POMOLOGY

MAY 5 - 1916

LIBRARY
RECEIVED
★
★
U.S. Department of Agriculture.

PRICE-LIST, 1910

RETURN TO POMOLOGY OF
SECTION OF NOMENCLATURE

Native Ferns, Wild Flowers and Shrubs

IRVING HOLCOMB
Simsbury, Connecticut

All stock collected to order.

All stock packed and delivered at express or freight station in Simsbury, Conn.

All stock shipped at purchaser's risk.

Terms.—Cash with order from unknown parties, or satisfactory reference.

Address all communications to

IRVING HOLCOMB

Simsbury, Conn.

R. F. D. No. 1

WILD FLOWERS

	Per 10	100	1,000
Acorus Calamus	\$0 15	\$1 00	\$9 00
Aletris farinosa	25	1 60	
Apios tuberosa	15	1 25	
Asarum Canadense	25	2 00	
Actæa alba	80		
Adlumia cirrhosa	75		
Calopogon pulchellus	20	1 75	14 00
Caltha palustris	20	1 25	8 00
Campanula rotundifolia	40	4 00	
Chimaphila umbellata	15	1 00	8 00
Chimaphila maculata	30	3 00	
Coptis trifolia	15	1 00	7 00
Cypripedium acaule	30	2 00	12 00
Clintonia borealis	35	2 75	15 00
Claytonia Virginica	50	4 50	
Clematis Virginiana	1 00		
Collinsonia Canadensis	50	3 00	
Chelone glabra	1 00		
Drosera rotundifolia	25		
Epigæa repens	20	1 50	
Erythronium Americanum	20	1 75	
Equisetum hiemale	30	3 00	
Gaultheria procumbens	15	1 00	8 00
Gentiana Andrewsii	50	4 00	
Geranium Robertianum	20	1 00	8 00
Goodyera pubescens	20	1 75	14 00
Hemerocallis fulva	20	1 00	8 00
Hepatica triloba	20	2 00	
Hydrastris Canadensis	50	4 50	
Iris versicolor	25	2 00	15 00
Lilium Canadense	30	2 25	19 00

WILD FLOWERS, continued

	Per 10	100	1,000
<i>Lilium Philadelphicum</i>	\$0 35	\$2 50	\$21 00
<i>Lobelia cardinalis</i>	30	2 00	
<i>Limnanthemum lacunosum</i>	50	4 00	
<i>Menyanthes trifoliata</i>	35	3 00	
<i>Mitchella repens</i>	20	75	5 00
<i>Melissa officinalis</i>	40	3 00	
<i>Mentha piperita</i>	30	2 00	
<i>Nepeta Glechoma</i>	15	1 00	
<i>Nepeta Cataria</i>	50		
<i>Nymphæa odorata</i>	60		
<i>Orontium aquaticum</i>	30	3 00	
<i>Ranunculus bulbosus</i>	20	1 25	8 00
<i>Rhexia Virginica</i>	20	1 25	8 00
<i>Sagittaria variabilis</i>	25	2 25	8 00
<i>Sanguinaria Canadensis</i>	25	1 50	12 00
<i>Sarracenia purpurea</i>	50		
<i>Smilacina racemosa</i>	30	2 00	
<i>Senecio aureus</i>	35	3 00	15 00
<i>Trillium erectum</i>	25	2 00	15 00
<i>Tanacetum vulgare</i>	30	2 00	14 00
<i>Veronica Virginica</i>	75	5 00	
<i>Viola blanda</i>	25	2 00	14 00
<i>Viola pubescens</i>	40		
<i>Viola rotundifolia</i>	30	2 75	
<i>Viola pedata</i>	20	1 75	10 00
<i>Viola sagittata</i>	20	1 75	11 00

FERNS

<i>Adiantum pedatum</i>	35	2 00	12 00
<i>Aspidium cristatum</i>	30	2 00	
<i>Aspidium marginale</i>	20	1 50	11 00
<i>Aspidium spinulosum</i>	20	1 75	12 00
<i>Aspidium Thelypteris</i>	15	1 00	7 00
<i>Aspidium Noveboracense</i>	25	2 00	
<i>Asplenium ebeneum</i>	20	1 50	
<i>Asplenium Trichomanes</i>	20	1 25	11 00
<i>Asplenium thelypteroides</i>	30	2 25	
<i>Asplenium Filix-fœmina</i>	25	1 75	15 00
<i>Botrychium Virginianum</i>	35	3 00	
<i>Botrychium ternatum</i>	30	3 00	
<i>Cystopteris fragilis</i>	30	2 50

MAY 5 - 1916

NATIVE TREES, SHRUBS AND WOODY VINES GROWING IN GRANBY, CONN., AND VICINITY

White Oak	<i>Quercus alba</i>	L.	Dwarf Sumach	<i>Rhus copallina</i>	L.
Swamp White Oak	<i>Quercus bicolor</i>	Willd.	Poison Ivy	<i>Rhus Toxicodendron</i>	L.
Chestnut Oak	<i>Quercus Prinus</i>	L.	Poison Sumach	<i>Rhus Venenata</i>	D. C.
Scarlet Oak	<i>Quercus Coccinea</i>	Wang.	Fox Grape	<i>Vitis Labrusca</i>	L.
Black Oak	<i>Quercus tinctoria</i>	Bartram.	Summer Grape	<i>Vitis æstivalis</i>	Michx.
Red Oak	<i>Quercus rubra</i>	L.	Frost Grape	<i>Vitis cordifolia</i>	Michx.
Pin Oak	<i>Quercus palustris</i>	Du Roi.	Virginian Creeper	<i>Ampelopsis quinquefolia</i>	Michx.
Black Scrub Oak	<i>Quercus ilicifolia</i>	Wang.	Red Root	<i>Ceanothus Americanus</i>	L.
Dwarf Chestnut Oak	<i>Quercus humilis</i>	Marsh.	Bladder Nut	<i>Staphylea trifolia</i>	L.
Chestnut	<i>Castanea Vesca</i>	L.	Meadow Sweet	<i>Spiræa salicifolia</i>	L.
American Beach	<i>Fagus ferruginea</i>	Ait.	Hardhack	<i>Spiræa tomentosa</i>	L.
Hop Hornbeam	<i>Ostrya Virginica</i>	Willd.	Scarlet Fruited Thorn	<i>Cratægus coccinea</i>	L.
Blue Beach	<i>Carpinus Americana</i>	Michx.	Cockspur Thorn	<i>Cratægus Crus-galli</i>	L.
Black Birch	<i>Betula lenta</i>	L.	Wild Gooseberry	<i>Ribes Cynosdati</i>	L.
Yellow Birch	<i>Betula lutea</i>	Michx.	Wild Black Currant	<i>Ribes floridum</i>	L.
White Birch	<i>Betula alba</i>	Spach.	Flowering Dogwood	<i>Cornus Florida</i>	L.
Paper Birch	<i>Quercus papyracea</i>	Ait.	Round Leaved Dogwood	<i>Cornus Circinata</i>	L. Fer.
Large Toothed Aspen	<i>Populus grandidentata</i>	Michx.	Silky Cornus	<i>Cornus sericea</i>	L.
American Aspen	<i>Populus tremuloides</i>	Michx.	Red Osier	<i>Cornus stolonifera</i>	Michx.
Sugar Maple	<i>Acer saccharinum</i>	Wang.	Panicked Dogwood	<i>Cornus paniculata</i>	L. Hea.
Silver Maple	<i>Acer dasycarpum</i>	Ehrhart	Alternate Leaved Dogwood	<i>Cornus alternifolia</i>	L.
Red Maple	<i>Acer rubrum</i>	L.	Dwarf Cornel	<i>Cornus Canadensis</i>	L.
Mountain Maple	<i>Acer spicatum</i>	Lam.	Redberried Elder	<i>Sambucus pubens</i>	Michx.
Striped Maple	<i>Acer Pennsylvanicum</i>	L.	Common Elder	<i>Sambucus Canadensis</i>	L.
Red Ash	<i>Fraxinus Pubescens</i>	Lam.	Button Bush	<i>Cephalanthus occidentalis</i>	L.
White Ash	<i>Fraxinus Americana</i>	L.	Sweet Viburnum	<i>Viburnum Lentago</i>	L.
Black Ash	<i>Fraxinus sambucifolia</i>	Lam.	Arrow Wood	<i>Viburnum dentatum</i>	L.
Sycamore	<i>Platanus occidentalis</i>	L.	Maple Leaved Arrow Wood	<i>Viburnum acerifolium</i>	L.
Butternut	<i>Juglans cinerea</i>	L.	Hobble Bush	<i>Viburnum lantanoides</i>	Michx.
Black-Walnut	<i>Juglans nigra</i>	L.	Cranberry Bush	<i>Viburnum Opulus</i>	L.
Shellbark Hickory	<i>Carya alba</i>	Nutt.	Downy Arrow Wood	<i>Viburnum pubescens</i>	Push.
Whitehearted Hickory	<i>Carya tomentosa</i>	Nutt.	With-rod	<i>Viburnum cassinoides</i>	L.
Brown Hickory	<i>Carya porcina</i>	Nutt.	Black Huckleberry	<i>Gaylussacia resinosa</i>	Torr. & Gray.
Swamp Hickory	<i>Carya amara</i>	Nutt.	Dangleberry	<i>Gaylussacia frondosa</i>	Torr. & Gray.
Pepperidge	<i>Nyssa multiflora</i>	Wang.	Dwarf Blueberry	<i>Vaccinium Pennsylvanicum</i>	Lam.
Mountain Ash	<i>Pyrus Americana</i>	D. C.	Blueberry	<i>Vaccinium vacillans</i>	Sabads.
Choke Berry	<i>Pyrus arbutifolia</i>	L.	Swamp Blueberry	<i>Vaccinium corymbosum</i>	L.
Dog Berry	<i>Pyrus nigra</i>	Marsh.	Leather Leaf	<i>Cassandra calyculata</i>	Don.
Shadbush	<i>Amelanchier Canadensis</i>	Torry & Gray.	Rosemerry	<i>Andromeda polifolia</i>	L.
Wild Yellow Plum	<i>Prunus Americana</i>	Marshall	Andromeda	<i>Andromeda ligustrina</i>	Muhl.
Choke Cherry	<i>Prunus Virginiana</i>	L.	Mountain Laurel	<i>Kalmia latifolia</i>	L.
Wild Red Cherry	<i>Prunus Pennsylvanica</i>	L.	Sheep Laurel	<i>Kalmia augustifolia</i>	L.
Black Cherry	<i>Prunus serotina</i>	Ehrhart	Pale Laurel	<i>Kalmia glauca</i>	Ait.
Dwarf Cherry	<i>Prunus pumila</i>	L.	Great Laurel	<i>Rhododendron maximum</i>	L.
White Pine	<i>Pinus Strobus</i>	L.	White Honeysuckle	<i>Azalea viscosa</i>	L.
Red Pine	<i>Pinus resinosa</i>	Ait.	Purple Azalea	<i>Azalea nudiflora</i>	L.
Pitch Pine	<i>Pinus ridigia</i>	Miller	Rodora	<i>Rhodora Canadensis</i>	L.
Black Spruce	<i>Abies nigra</i>	Poir.	Black Alder	<i>Ilex verticillata</i>	Gray.
Hemlock	<i>Abies Canadensis</i>	Michx.	Smooth Winterberry	<i>Ilex lævigata</i>	Gray.
Hackmatack	<i>Larix Americana</i>	Michx.	Spice Bush	<i>Lindera Benzoin</i>	Meisner.
Juniper	<i>Juniperus communis</i>	L.	Moose Wood	<i>Disca palustris</i>	L.
Red Cedar	<i>Juniperus Virginiana</i>	L.	Sweet Fern	<i>Comptonia asplenifolia</i>	Ait.
Ground Hemlock	<i>Taxus Canadensis</i>	Willd.	Wax-Myrtle	<i>Myrica cerifera</i>	L.
Hackberry	<i>Celtis occidentalis</i>	L.	Wax Work	<i>Celastrus scandens</i>	L.
Red Elm	<i>Ulmus fulva</i>	Mich.	Fly Honeysuckle	<i>Lonicera ciliata</i>	Muhl.
White Elm	<i>Ulmus Americana</i>	L.	Mountain Fly Honeysuckle	<i>Lonicera cærulea</i>	L.
Red Mulberry	<i>Morus rubra</i>	L.	Small Honeysuckle	<i>Lonicera parviflora</i>	Lam.
Speckled Alder	<i>Alnus incana</i>	Willd.	Hazel-nut	<i>Corylus Americana</i>	Walt.
Smooth Alder	<i>Alnus serrulata</i>	Ait.	Beaked Hazel-nut	<i>Corylus rostrata</i>	Ait.
Heartleaved Willow	<i>Salix cordata</i>	Muhl.	Mountain Holly	<i>Nemopanthus Canadensis</i>	D. C.
Glaucus Willow	<i>Salix discolor</i>	Muhl.	Bearberry	<i>Arctostaphylos Uva-ursi</i>	L.
Silky Willow	<i>Salix sericea</i>	Marshall	Green Brier	<i>Smilax rotundifolia</i>	L.
Prairie Willow	<i>Salix humilis</i>	Marshall	Green Brier	<i>Smilax gluca</i>	Walt.
Bibb's Willow	<i>Salix rostrata</i>	Richards	Shining Rose	<i>Rosa lucida</i>	Ehrh.
Dwarf Gray Willow	<i>Salix tristis</i>	Ait.	Swamp Rose	<i>Rosa Carolina</i>	L.
Hoary Willow	<i>Salix candida</i>	Willd.	Purple Flowering Raspberry	<i>Rubus odoratus</i>	L.
Black Willow	<i>Salix falcata</i>	Pursh.	Black Raspberry	<i>Rubus occidentalis</i>	L.
Sassafras	<i>Sassafras officinale</i>	Nees.	High Blackberry	<i>Rubus Villosus</i>	Ait.
Witch Hazel	<i>Hamamelis Virginica</i>	L.	Running Blackberry	<i>Rubus hispidus</i>	L.
Tulip Tree	<i>Liriodendron Tulipifera</i>	L.	Dwarf Blackberry	<i>Rubus triflorum</i>	Rich.
Basswood	<i>Tilia Americana</i>	L.	Dewberry	<i>Rubus Canadensis</i>	L.
Prickly Ash	<i>Zanthoxylum Americanum</i>	Mill.	Bush Honeysuckle	<i>Diervilla trifida</i>	L.
Staghorn Sumach	<i>Rhus typhina</i>	L.	Red Raspberry	<i>Rubus strigosus</i>	Michx.
Smooth Sumach	<i>Rhus Glabra</i>	L.	Shrubby Cinquefoil	<i>Potentilla fruticosa</i>	Linn.

FERNS, continued

	Per 10	100	1,000
Dicksonia punctilobula	\$0 15	\$0 75	\$6 00
Lygodium palmatum	60	3 25	
Onoclea sensibilis	15	90	6 00
Osmunda cinnamomea	1 00	6 00	
Osmunda Claytoniana	85	5 00	26 00
Osmunda regalis	75	4 00	22 00
Phegopteris hexagonoptera	20	2 00	12 00
Phegopteris Dryopteris	30	2 00	12 00
Polypodium vulgare	15	1 00	6 00
Polystichum acrostichoides	25	1 25	9 00
Pteris aquilina	20	1 00	7 00
Woodsia Ilvensis	25	1 50	11 00
Woodsia obtusa	40	3 00	
Woodwardia Virginica	25	1 75	11 00

FERN ALLIES

Selaginella lopus	35	3 00	
Selaginella rupestris	40	3 75	
Equisetum hiemale	40	2 00	10 00
Lycopodium lucidulum	40	2 00	11 00
Lycopodium clavatum	40	2 00	11 00

SHRUBS AND TREES

	Size in in.	Per 10	100	1,000
Acer Pennsylvanicum	10 to 30 . .	\$1 50	\$10 00	
Acer spicatum	8 to 30 . .	1 00	10 00	
Azalea nudiflora	8 to 24 . .	2 00	15 00	
Arctostaphylos Uva-Ursi	4 to 12 . .	1 00	4 00	
Azalea viscosa	8 to 24 . .	2 00	14 00	
Cassandra calyculata	6 to 12 . .	40	2 00	\$12 00
Ceanothus Americanus	8 to 12 . .	50	5 00	18 00
Comptonia asplenifolia	8 to 12 . .	50	4 00	12 00
Cornus florida	20 to 35 . .	1 00	9 00	
Cornus paniculata	20 to 30 . .	50	3 00	12 00
Corylus Americana	20 to 35 . .	40	2 00	10 00
Diervilla trifida	6 to 12 . .	30	2 00	10 00
Kalmia angustifolia	6 to 12 . .	50	7 00	
Kalmia latifolia	6 to 20 . .	3 00		
Myrica cerifera	8 to 10 . .	80	8 00	
Rhodora Canadensis	10 to 15 . .	80	7 00	
Rhus copallina	12 to 24 . .	80	6 00	
Rosa Carolina	12 to 24 . .	80	7 00	
Rubus odoratus	12 to 18 . .	40	2 50	9 00
Rubus strigosus	12 to 20 . .	30	1 00	8 00
Spiræa tomentosa	12 to 18 . .	20	1 00	6 00
Viburnum acerifolium	12 to 30 . .	25	1 50	10 00

IRVING HOLCOMB, Simsbury, Conn.

Don't do only a small business
in local trees and shrubs.
(No Fruit trees as before)