Cryp.

edlinder
n, Berlin.

ROYAL GARDENS, KEW.

William Maxwell

H A N D - L I S T

(906)

OF

HERBS AND FERN ALLIES

CULTIVATED IN

THE ROYAL GARDENS.

L O N D O N :

SOLD AT THE ROYAL GARDENS, KEW.

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY EYRE AND SPOTTISWOODE,
PRINTERS TO THE QUEEN'S MOST EXCELLENT MAJESTY.

1895.

Price Sixpence.

410076

OK
523
K43Y
BOT.

ROYAL / GARDENS, / KEW.

H A N D - L I S T

OF

FERN S AND / FERN ALLIES //

CULTIVATED IN

THE ROYAL GARDENS.

L O N D O N :

SOLD AT THE ROYAL GARDENS, KEW.

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY EYRE AND SPOTTISWOODE,
PRINTERS TO THE QUEEN'S MOST EXCELLENT MAJESTY.

1895.

Price Sixpence.

THE UNIVERSITY OF CHICAGO

1210 EAST

CHICAGO, ILLINOIS 60607

CHICAGO, ILLINOIS

CHICAGO, ILLINOIS 60607

P R E F A C E.

THE general purpose of the series of Hand-lists of the plants cultivated in the Royal Gardens which is in course of publication, and of which the present one is a part, is sufficiently indicated in the preface to that which enumerates the Trees and Shrubs.

The collection of Ferns, whether tropical or temperate, is perhaps, next to that of Palms, the most important feature of the cultivation under glass in the Royal Gardens.

A special interest attaches to it, because it has been used so much in the preparation of most of the books and papers dealing with ferns which have been published in this country during the last half century. The celebrated botanical artist, Francis Bauer, was resident draughtsman for 50 years (1790-1840) to the Royal Botanic Garden at Kew, and the beautiful series of analytical drawings of ferns which he made were published by Sir William Hooker, after his death in 1842, with descriptive letter-press and additions, under the title of *Genera Filicum*. During the 25 years (1840-1865) for which Sir William Hooker was the director of the gardens his attention was specially concentrated on ferns. Under the title of *Species Filicum* he published an elaborate work in five volumes, in which all the known species of typical ferns are fully described, and their synonymy and geographical distribution worked out, with copious illustrations by Mr. Walter Fitch.

Of this, the first volume appeared in 1846, and the last in 1864. He planned also a condensed hand-book of all the known ferns, to be called *Synopsis Filicum*, intended specially for the use of colonists and travellers. All the drawings for this had been made, but the letter-press was not far advanced when he died in the autumn of 1865. It was completed by Mr. J. G. Baker, F.R.S., now Keeper of the Herbarium, in 1868, and a second edition was brought out in 1874. Since that date many hundred new species have been discovered, and a volume of Hooker's *Icones Plantarum*, containing plates and descriptions of the more interesting of the novelties, was published in 1887. Mr. Baker has also published in the *Annals of Botany* (1891) a summary of new ferns discovered or described since 1874. The type specimens from which most of the descriptions and plates contained in this series of books have been made are deposited in the Kew Herbarium.

The living collection in the garden owes its completeness very largely to the zeal and assiduity with which the veteran pteridologist, Mr. John Smith, curator of the Royal Gardens from 1841-63, watched over it for more than 40 years.

In his privately printed *Records of Kew* (pp. 322, 323) he gives the following particulars of its origin and development:—"In the year 1822 I found the collection of ferns at Kew extremely poor, especially as regards tropical species, very many of those introduced in previous years having been lost and very few new ones added. . . . The tender exotic species were more or less of them growing without any arrangement in different houses, and unnamed, their number

amounting to about 40. In 1825 I arranged the tropical species in a group at the end of the then lean-to house . . . now included in the tropical fern house, the area they occupied being 6 ft. by 12 ft. These formed the nucleus of the now great collection. They were successively added to by importations of living plants, as also plants raised from spores obtained from herbarium specimens."

"The collection continued yearly to increase, and in 1846 [1845] I drew up a list of the collection, which was published in an Appendix to the *Botanical Magazine*, for that year; the number then amounted to 400 [378] species. This in 1857 [1856] was followed by another list, entitled 'Catalogue of Cultivated Ferns,' in which 600 [504] species are enumerated."

The principal books published by Mr. Smith are his *Ferns, British and Foreign*, issued in 1866, which contains a classified list of all the species then known in cultivation, full directions for the cultivation of ferns of the different climatic types and by far the most complete history of their gradual introduction which has ever appeared in print, and his *Historia Filicum*, issued in 1875, which contains woodcuts of 220 types and gives a full exposition of his views on fern classification.

In 1868 the last published list was prepared by Mr. J. G. Baker. It enumerates 802 species and varieties of ferns and 48 of fern allies.

The present list comprises 1,116 species and varieties of ferns and 97 of fern allies; this is exclusive of British ferns of which 586 varieties are in cultivation.

The collection falls into three great groups:—(i.) Tropical; (ii.) Temperate; and (iii.) Hardy Ferns.

The TROPICAL FERNS are cultivated in No. II. House.

The TEMPERATE FERNS are cultivated in No. III.; the Filmy Ferns have a separate House (No. II A.) constructed for the special treatment which they require. The fine collection of Temperate Tree ferns is contained in the Temperate House.

The HARDY FERNS are arranged on and about a small rockery, $\frac{7}{E}$ of the Key Plan, and forming the south boundary of Lawn L.

The structural development of the buildings in which the collection is housed has kept pace with its growth. Their history may be given briefly.

The Tropical Fern House (No. II.) is a span-roofed house 129 feet long, 34 feet broad, and 15 feet high in the centre. It has a wide transept on the south side, 40 feet long, 33 feet wide, and 19 feet high.

In 1841 the site of this house was occupied by two lean-to houses used for miscellaneous collections of stove plants. They are enumerated in Dr. Lindley's Report to the Treasury (1838) as Nos. 2 and 3; the former stood to the west and was 50 feet long; the length of the other was 60 feet. It was in No. 2 that, as stated above, John Smith first arranged the nucleus of the collection of Tropical Ferns.

In 1843, No. 2 was doubled and made into a span house.

In 1845, No. 3 was entirely taken down and a new span-roofed house erected in its place. It joined on to

No. 2, which was kept at a somewhat lower temperature, but opened into it through a partition. The centre was filled up with slate shelf staging, and the sides with stone shelves. No. 2 was used as a stove for rare Palms and large Tropical Ferns. No. 3 was at first occupied by the Woburn collection of orchids presented by Her Majesty the Queen; for this purpose it proved eventually unsuited. The orchids were gradually replaced by *Aroidae* and Ferns. Ultimately the latter obtained possession of the whole house. According to John Smith (Records, p. 334), "the centre of the house was a raised sloping rockery, amongst which the plants were growing in a natural state, forming fine bushy specimens."

A small house for tree ferns was built in 1861; this was connected with the principal house in 1868, and now forms the transept.

In 1879 the Tropical Fern House, which from the decay of the timbers had lapsed into an almost ruinous condition, was further severely damaged by the hail storm of August 3rd; 1,152 panes of glass in it were broken. It was subsequently put into a thorough state of repair, but the collections received considerable damage.

In 1887 the west end of the house was set back a few feet; the staging was partly re-arranged and the broad path through the transept was made.

The humid conditions necessary for the cultivation of tropical ferns are unfortunately not conducive to the preservation of the structures in which they are grown when they are built of wood. In 1889 it therefore again

became necessary to renew the east wing of No. II. house. In order to secure greater durability it was decided to use iron for the principal framework, and wood only for the lights. The top-ventilation was provided for by means of a lantern instead of by the older and more clumsy method of sliding sashes. At the same time the use of green glass in the re-constructed wing was abandoned. This was introduced at Kew in 1846 on the recommendation of the late Mr Robert Hunt, F.R.S., who advocated its use on theoretical grounds which are now known to be mistaken. The resulting improvement in the growth of the plants, especially the species of *Adiantum* was very marked, and in 1892 a portion of the west wing was re-glazed with equally satisfactory results.

The TEMPERATE FERNS are now collected in a house (No. III.), which was also built on the system of mixed iron and wood construction. It was erected in 1892 to take the place of a decayed and obsolete structure composed of two small greenhouses united together, Nos. 4 and 5 of Dr. Lindley's Report. The former (the northern wing) was erected in 1803, and in 1840 contained New Holland and Cape plants; the latter, which was "remodelled" in 1825, was filled with succulents.

The reconstructed No. III. is a span-roofed house 60 feet long, 23 feet wide, and 13 feet high. It contains a broad central and two side stages, with paths on both sides.

The north wing of the former No. III. had been latterly devoted almost exclusively to Filmy Ferns after the Kew collection had been enriched by the gift of that formed

by the late John Cooper Forster, which was presented to the Royal Gardens in 1888 by his widow.

The collection is now contained in the new Filmy Fern House (No. II. A.) erected on the north side of No. II. It is 50 feet long by 14 feet wide, with a central path and two cases running the full length of the house.

The HARDY FERNS occupy the rockery originally devoted to Alpine plants (before the construction of the Rock Garden in 1882), and it extends over part of the adjacent ground. A collection was established here in 1874, and the rockery itself was reconstructed in 1888.

The collection as a whole is now probably the richest in existence in garden forms of British species. This is due to the munificent bequest by W. C. Carbonell, Esq., of the extensive collection formed by him at Rhiew Castel, Usk, Monmouthshire. The whole was removed to Kew in 1887. It consisted of 4,261 specimens, many probably unique, besides some hundreds of seedlings.

The total number of well-marked species of ferns and the vascular Cryptogamia (Fern Allies) now mounts up to 3,500. Not more than one-third of these have been brought into cultivation, and Kew is always glad to receive any additions, if possible in the form of well-established plants; if not, in the shape of dry spores, which can be collected and sent very easily by post in small packets.

The following table, which shows the per-centage of the total number of ferns found in different parts of the

world was drawn up by Mr. Baker in 1867; but he does not think that the discoveries of the last 20 years will have altered any of the figures materially :—

Arctic Zone	-	-	-	1 per cent.
Europe	-	-	-	4 „
Temperate Asia, including				
Himalayas	-	-	-	18 „
Temperate N. America			-	5 „
Temperate S. Africa	-	-		7 „
Australia and N. Zealand			-	9 „
South temperate America			-	5 „
Tropical Africa	-	-	-	15 „
Tropical Asia	-	-	-	39 „
Tropical America	-	-	-	42 „

The present hand-list is divided into three parts :—

- (i) FERNS proper (pp. 13-133);
- (ii) FERN ALLIES (pp. 135-143); and
- (iii) as an APPENDIX, a list of garden forms of British species (pp. 145-183).

With regard to (i) Ferns proper, the arrangement is alphabetical and synonyms have been only sparingly introduced, those included being chiefly such as are in use in gardens and which are here referred to the correct name in each case. It has not been thought necessary, therefore, to supply an index. Those who wish to pursue the study of fern-nomenclature further may fall back on Hooker and Baker's *Synopsis Filicum*, upon which the present hand-list is substantially based.

The Fern allies (ii) have also been grouped alphabetically. It has not been thought necessary for the

present purpose to separate them according to a botanical classification.

The cultivated and feral varieties of British Ferns (iii) have been enumerated in an Appendix. Although the collection of them at Kew is very rich they stand in a different position to the collection of recognised and well-determined species. Apart from their intrinsic beauty, which is often striking, they are of considerable scientific interest as showing the range of variation due to crossing and seminal reproduction. The amateurs and cultivators who have raised them have furnished them with Latin names, often cumbrous and fantastic, which have received no formal definition. They cannot, therefore, be fixed or quoted for any scientific purpose ; they have, in fact, the same relationship to the species from which they have originated as Bedding Pelargoniums bear to *Pelargonium zonale* or as the Drumhead and other cabbages to *Brassica oleracea*.

I. FERN S.

Acrophorus. *See* Davallia.

Acrostichum, *L.*

A. acuminatum, *Hook.* Brazil.

A. alienum, *Sw.* Tropical America.

A. apodum, *Kaulf.* Tropical America.

A. appendiculatum, *Willd.* Tropical Asia.

A. aureum, *L.* Tropical and sub-tropical regions.

A. Burchellii, *Baker.* Brazil.

A. Cænopteris, *Kze.* Tropical America.

A. cervinum, *Sw.* Tropical America.

A. conforme, *Sw.* Tropical and sub-tropical regions.

Var. *alatum* (*Fée*). Tropical and sub-tropical regions.

A. crassinerve, *Kze.* *See* *latifolium*.

A. crinitum, *L.* Tropical America.

A. crispatulum, *Wall.* *See* *virens*.

A. decoratum, *Kze.* West Indies, Guiana, &c.

A. drynarioides, *Hook.* Penang, Solomon Isles.

A. flagelliferum, *Wall.* Tropical Asia.

A. gramineum, *Baker.* West Indies.

A. Herminieri, *Bory.* West Indies.

A. heteromorphum, *Kl.* Colombia, Ecuador.

A. hybridum, *Bory.* Tropical Africa, Tropical America.

360141

1915

1915

1915

1915

1915

1915

1915

1915

1915

1915

1915

1915

1915

1915

1915

1915

1915

1915

1915

1915

1915

1915

Acrostichum, *L.*—*cont.*

- A. latifolium*, *Sw.* Tropics.
 Var. *angustifolium*, *Hort.* Tropical America.
 Var. *callæfolium* (*Bl.*). Tropical Asia.
 Var. *conopodium*, *Hort.*
 Var. *crassinerve* (*Kze.*). Brazil.
 Var. *Sartorii* (*Liebm.*). Mexico.
- A. Lingua*, *Raddi.* Tropical America.
A. longifolium, *Jacq.* See *latifolium*.
- A. luridum*, *Fée.* Trinidad, Guiana.
- A. magnum*, *Baker.* Demerara.
- A. melanopus*, *Kze.* Venezuela.
- A. muscosum*, *Sw.* Tropical America.
- A. osmundaceum*, *Hook.* Tropical America.
 Var. *frondosum*, *Hort.*
- A. pallidum*, *Baker.* West Indies.
- A. peltatum*, *Sw.* Tropical America.
- A. Prestoni*, *Baker.* Rio Janeiro.
- A. quercifolium*, *Retz.* Tropical Asia.
- A. repandum*, *Bl.* Tropical Asia.
 Var. *quoyanum* (*Gaud.*). Tropical Asia.
- A. Sartorii*, *Liebm.* See *latifolium*.
- A. scandens*, *J. Sm.* Tropical America.
- A. simplex*, *Sw.* Cuba to Brazil.
- A. sorbifolium*, *L.* Tropics.
 Var. *buxifolium* (*Kze.*).
- A. spicatum*, *L.* Tropics of Old World.
- A. squamosum*, *Sw.* Tropics.

Acrostichum, *L.*—*cont.*

- A. Taylora*, *Bailey*. Queensland.
A. tenuifolium, *Baker*. Mascarene Islands.
A. tomentosum, *Bory*. Bourbon.
A. undulatum, *Willd.* *See villosum*.
A. variabile, *Hook.* Tropical Asia.
A. villosum, *Sw.* Tropical America.
 Var. undulatum (Willd.).
A. virens, *Wall.* Tropical Asia.
 Var. crispatum (Wall.).
A. viscosum, *Sw.* Tropics.

Actiniopteris, *Link.*

- A. radiata*, *Link.* Tropical Asia, Tropical Africa.
 Var. australis, (Link.).

Adiantopsis. *See Cheilanthes.**Adiantum*, *L.*

- A. æthiopicum*, *L.* Tropical and south temp. zones.
 Var. assimile (Sw.). Australia.
 Var. chilense (Kaulf.). Chili.
 Var. pellucidum, (M. & G.). Mexico.
 Var. scabrum (Kze.).
A. affine, *Hook.* *See diaphanum*.
A. amabile, *Moore.* *See Moorei*.
A. aneitense, *Carruth.* Aneiteum.
A. assimile, *Sw.* *See æthiopicum*.
A. Bausei, *Moore.* Garden origin.
A. bellum, *Moore.* Bermuda.
A. Birkenheadii, *Hort.* Garden origin.

Adiantum, *L.*—*cont.*

- A. *Capillus-veneris*, *L.* Tropical and temp. zones.
 Var. Loweii, *Hort.* Crimea.
 Var. moritzianum (*Klotzsch*). South America.
- A. cardiochlaena*, *Kze.* See *polyphyllum*.
- A. Catherinæ*, *J. Sm.* See *trapeziforme*.
- A. caudatum*, *L.* Tropics everywhere.
 Var. ciliatum, *Hort.*
- A. Collisii*, *Moore.* Garden origin.
- A. colpodes*, *Moore.* Tropical America.
 Var. elegans, *Hort.*
- A. concinnum*, *H.B.K.* Tropical America.
 Var. Flemingii, *Hort.*
 Var. latum, *Moore.*
- A. cristatum*, *L.* Tropical America.
- A. cultratum*, *J. Sm.* See *trapeziforme*.
- A. cuneatum*, *L. & F.* Tropical America.
 Var. æmulum (*Moore*).
 Var. deflexum, *Hort.*
 Var. dissectum, *Hort.*
 Var. elegans, *Hort.*
 Var. elegantissimum, *Hort.*
 Var. fragrantissimum, *Hort.*
 Var. gracillimum (*Moore*).
 Var. grandis, *Hort.*
 Var. grandiceps, *Hort.*
 Var. lambertianum, *Hort.*
 Var. Lawsoni, *Hort.*

* For garden varieties, see p. 145.

Adiantum, *L.*—*cont.*

A. cuneatum, *L. & F.* Tropical America—*cont.*

Var. *Legrandi*, *Hort.*

Var. *mundulum* (*Moore*).

Var. *Pacotti*, *Hort.*

Var. *Rœnbeckii*, *Hort.*

Var. *reginae*, *Hort.*

Var. *schizophyllum*, *Hort.*

Var. *strictum*, *Hort.*

A. curvatum, *Kaulf.* Tropical America.

Var. *brasiliense* (*Raddi*).

A. cyclosorum, *Moore.* Andes.

A. decorum, *Moore.* See *Wagneri*.

A. deflexum. See *cuneatum*.

A. diaphanum, *Bl.* New Zealand, &c.

A. digitatum, *Presl.* Brazil, Peru, &c.

Var. *palmatum* (*Moore*).

Var. *speciosum*, (*Hook.*).

A. dolabriforme, *Hook.* See *lunulatum*.

A. dolosum, *Kze.* Tropical America.

A. Edgeworthii, *Hook.* India and China.

A. elegans, *Hort.* Garden Origin.

A. emarginatum, *Bory.* See *æthiopicum*.

A. excisum, *Kze.* Chili.

Var. *Leyi*, *Hort.*

Var. *multifidum*, *Hort.*

A. Fergusoni, *Moore.* Ceylon.

A. formosum, *R. Br.* Australia.

A. fovearum, *Raddi.* See *tetraphyllum*.

Adiantum, *L.*—*cont.*

- A. fulvum*, *Raoul*. New Zealand.
- A. Funckii*, *Hort.* See *trapeziforme*.
- A. glaucophyllum*, *Hook.* Mexico.
- A. grandiceps*, *Hort.* See *cuneatum*.
- A. Hendersoni*, *Linden.* See *tetraphyllum*.
- A. henslovianum*, *Hook. f.* Colombia, Peru, &c.
- A. hippocrepis*, *Hort.*
- A. hispidulum*, *Sw.* Tropics, &c. of Old World.
 Var. tenellum, *Moore.* Australia.
- A. Hosei*, *Baker.* Borneo.
- A. intermedium*, *Sw.* Tropical America.
- A. Kaulfussii*, *Kze.* Tropical America.
- A. Lathomii*, *Hort.* See *tenerum*.
- A. Legrandi*, *Hort.* See *cuneatum*.
- A. luddemannianum*, *Hort.* Garden origin.
- A. lunulatum*, *Burm.* Tropics everywhere.
 Var. dolabriforme (*Hook.*).
- A. macrophyllum*, *Sw.* Tropical America.
 Var. bipinnatum, *Jenm.* Jamaica.
 Var. albstriatum, *Hort.*
- A. magnificum*, *Hort.* See *Wagneri*.
- A. matthewsianum*, *Hook.* See *polyphyllum*.
- A. monochlamys*, *Eaton.* Japan.
- A. Moorei*, *Baker.* Andes of Peru.
- A. moritzianum*, *Klotzsch.* See *Capillus-veneris*.
- A. neo-caledoniæ*, *Keys.* New Caledonia.
- A. neoguineense*, *Moore.* New Guinea.

Adiantum, *L.*—*cont.*

- A. obliquum*, *Willd.* Tropical America.
 Var. *minus*, *Hort.*
- A. Pacotti*, *Hort.* See *cuneatum*.
- A. pellucidum*. See *æthiopicum*.
- A. pedatum*, *L.* North America, &c.
- A. peruvianum*, *Klotzsch.* Peru.
- A. polyphyllum*, *Willd.* Tropical America.
- A. prionophyllum*, *H.B.K.* See *tetraphyllum*.
- A. pulverulentum*, *L.* Tropical America.
- A. reginæ*, *Hort.* See *Capillus-veneris*.
- A. reniforme*, *L.* Madeira and Teneriffe.
 Var. *asarifolium* (*Willd.*). Mauritius.
- A. rhodophyllum*, *Moore.* Garden origin.
- A. rhomboideum*, *Hort.* See *obtusum*.
- A. Roebelini*, *Hort.*
- A. rubellum*, *Moore.* Bolivia.
- A. scabrum*, *Kze.* See *æthiopicum*.
- A. scutum*, *Hort.* See *tenerum*.
- A. Seemanni*, *Hook.* Guatemala.
- A. sessilifolium*, *Hook.* See *henslovianum*.
- A. setulosum*, *J. Sm.* See *diaphanum*.
- A. speciosum*, *Hook.* See *digitatum*.
- A. tenerum*, *Sw.* Tropical America.
 Var. *alcicorne*, *Hort.*
 Var. *Farleyense*, *Moore.*
 Var. *Lathomii*, *Hort.*
 Var. *scutum*, *Hort.*
 Var. *Victoriæ* (*Moore*).

Adiantum, *L.*—*cont.*

A. tetragonum, *Schrad.* Brazil.

A. tetraphyllum, *Willd.* Tropical America.

Var. *acuminatum*, *Hort.*

Var. *gracile*, *Hort.*

A. tinctum, *Moore.* Tropical America.

A. trapeziforme, *L.* Tropical America.

Var. *Catherinæ*, *J. Sm.*

Var. *cultratum*, *J. Sm.*

Var. *Funckii*, *Hort.*

A. triangulatum, *Kaulf.* See *intermedium*.

A. veitchianum, *Moore.* Andes of Peru.

A. Veitchii, *Hance.* See *monochlamys*.

A. velutinum, *Moore.* Tropical America.

A. venustum, *Don.* Himalaya.

Var. *integrifolium*, *Baker.* Himalaya.

A. Victoriæ, *Moore.* See *tenerum*.

A. villosum, *L.* Tropical America.

A. Wagneri, *Mett.* Andes of Peru.

Var. *magnificum* (*Hort.*).

A. Weigandii, *Moore.* Garden origin.

A. Williamsii, *Moore.* Andes.

A. Wilsoni, *Hook.* See *dolosum*.

Aglaomorpha. See *Polypodium*.

Aleuritopteris. See *Cheilanthes*.

Allosorus. See *Pellæa* and *Cryptogramme*.

Alsophila, *R. Br.*

A. aculeata, *J. Sm.* See *ferox*.

The first of these is the fact that the
 
the hundredth is the fact that the

Alsophila, *R. Br.*—*cont.*

- A. Andersoni*, *Scott.* Sikkim.
- A. armata*, *Presl.* Tropical America.
- A. aspera*, *R. Br.* West Indies.
- A. atrovirens*, *Presl.* Tropical America.
- A. australis*, *R. Br.* Australia, &c.
- A. Colensoi*, *Hook. fil.* New Zealand.
- A. contaminens*, *Wall.* Java and Malaya.
- A. crinita*, *Hook.* Ceylon, &c.
- A. excelsa*, *R. Br.* Norfolk Island.
- A. ferox*, *Presl.* Tropical America.
- A. glabra*, *Hook.* East Indies.
- A. infesta*, *Kze.* Andes and Brazil.
 Var. phalerata, *Mart.*
- A. latebrosa*, *Hook.* East Indies.
- A. leichardtiana*, *F. Muell.* Australia.
- A. Malzinei*, *Hort.* Mexico.
- A. paleolata*, *Mart.* Colombia and Brazil.
- A. phalerata*, *Mart.* *See infesta.*
- A. podophylla*, *Hook.* Hong Kong.
- A. procera*, *Kaulf.* Tropical America.
- A. pruinata*, *Kaulf.* Tropical America.
- A. radens*, *Kaulf.* Brazil.
- A. Rebeccæ*, *F. Muell.* Rockingham Bay.
- A. Taenitis*, *Hook.* Brazil.
- A. tomentosa*, *Hook.* East Indies.

Alsophila, *R. Br.*—*cont.*

A. truncata, *Brack.* Fiji, &c.

A. Van Geertii, *Hort.* See *Cyathea mexicana*.

Amphicosmia. See *Hemitelia*.

Anapeltis. See *Polypodium*.

Anchistea. See *Woodwardia*.

Anemia, *Swartz.*

A. collina, *Raddi.* Brazil.

A. dregeana, *Kze.* Natal.

A. fraxinifolia, *Raddi.* See *Phyllitidis*.

A. mandioccana, *Raddi.* Brazil.

A. Phyllitidis, *Sw.* Tropical America.

Var. *foetida*, *Hort.*

A. tomentosa, *Sw.* Tropical America.

Var. *fulva*, (*Sw.*).

Anemidictyon. See *Anemia*.

Anetium. See *Hemionitis*.

Angiopteris, *Hoffm.*

A. evecta, *Hoffm.* Tropics of Old World.

Var. *brongniartiana* (*De Vriese*). Tahiti.

Var. *hypoleuca* (*De Vriese*). Java.

Var. *macrophylla* (*De Vriese*). Java.

Var. *miqueliana* (*De Vriese*). Java.

Var. *pruinosa* (*Kze.*). Java.

Var. *teysmanniana* (*De Vriese*). Java.

Anisogonium. See *Asplenium*.

Antigramme. See *Scolopendrium*.

Arthropteris. See *Polypodium tenellum*, *Nephrodium albo-punctatum*, and *Nephrolepis*.

Aspidium, Swartz.

A. acrostichoides, Sw. North America.

Var. *incisum (Hort.)*.

*A. *aculeatum, Sw.* Ubiquitous.

Var. *angulare (Willd.)*.

Var. *lobatum (Sw.)*.

Var. *moritzianum, (Kze.)*. South America.

Var. *setosum, (Wall.)*. Himalaya.

Var. *tsus-simense (Hook.)*.

A. amabile, Bl. Japan, &c.

A. angulare, Willd. See *aculeatum*.

A. anomalum, H. & A. Ceylon.

A. aristatum, Sw. Tropical Asia.

Var. *coniifolium (Wall.)*.

Var. *variegatum, Hort.*

A. atratum, Wall. See *Nephrodium hirtipes*.

A. auriculatum, Sw. East Indies.

A. Blumei. See *Nephrodium*.

A. capense, Willd. S. Temp. zone, &c.

A. caryotideum, Wall. See *falcatum*.

A. concavum, Hort. See *laserpitiifolium*.

A. confluens. See *Nephrodium*.

A. coniifolium, Wall. See *aristatum*.

A. erythrosorum, Hort. See *Nephrodium*.

A. Fadyeni. See *Fadyenia prolifera*.

A. falcatum, Sw. Japan, &c.

Var. *caryotideum (Wall.)*. East Indies, &c.

* For garden varieties, see p. 145.

Aspidium, Swartz—cont.

A. falcatum, Sw. Japan, &c.—cont.

Var. *Fortunei* (*J. Sm.*). Japan.

Var. *pendulum*, *Hort.*

A. falcinellum, Sw. Madeira.

A. flexum, *Kze.* Juan Fernandez.

A. frondosum, *Lowe.* Madeira.

A. laserpitiifolium, *Mett.* Japan.

A. lepidocaulon, *Hook.* Japan.

A. lobatum, Sw. See *aculeatum*.

A. Lonchitis. Sw. N. temp. zone.

A. macrophyllum, *Hort.* See *Nephrodium*.

A. marginale. See *Nephrodium*.

A. meniscioides, *Schrad.* Tropical America.

A. mucronatum, Sw. West Indies.

A. munitum, *Kaulf.* W. North America.

Var. *imbricans*, *Hort.*

A. Plumieri, *Presl.* See *trifoliatum*.

A. proliferum, R. Br. See *aculeatum*.

A. pungens, *Kaulf.* South Africa.

A. repandum, *Willd.* Tropical Asia.

A. Richardi, *Hook.* New Zealand.

A. Standishii, *Hort.* See *laserpitiifolium*.

A. subtriphyllum, *Hook.* See *Nephrodium*.

A. triangulum, Sw. West Indies.

Var. *ilicifolium*, *Fee.*

A. trifoliatum, Sw. Tropical America.

Var. *Plumieri* (*Presl.*).

Aspidium, Swartz—cont.

A. tripteron, Kze. Japan.

A. uliginosum, Hort. See *Nephrodium cristatum*.

A. variolosum, Wall. See *Nephrodium*.

A. varium, Sw. Japan, &c.

A. vestitum, Sw. See *aculeatum*.

Asplenium, L.

A. abscissum, Willd. Tropical America.

A. achilleæfolium, Liebm. Mexico.

A. Adiantum-nigrum, L. North and South temp. zones.

Var. *acutum* (Willd.).

A. alatum, H. B. K. Tropical America.

A. angustifolium, Mich. North America.

A. anisophyllum, Kze. Natal.

A. apicidens, Moore. See *Vieillardii*.

A. arboreum, Willd. Tropical America.

A. Arnottii, Baker. Sandwich Islands.

A. attenuatum, R. Br. Australia.

Var. *integrum*, Hort.

A. aureum, Link. See *Ceterach*.

A. auritum, Sw. Tropical America.

Var. *macilentum* (Kze.).

Var. *rigidum* (Sw.).

A. australasicum, Hook. See *Nidus*.

A. axillare, Ait. See *umbrosum*.

A. bantamense, Baker. Tropical Asia.

A. Baptistii, Hort. See *Vieillardii*.

Asplenium, *L.*—*cont.*

- A. Belangeri*, *Kze.* Malayan Islands.
- A. brachypterum*, *Kze.* Tropical Africa.
- A. Bradleyi*, *Eaton.* North America.
- A. bulbiferum*, *Forst.* Australia, &c.
 - Var. *fabianum* (*H. & J.*).
 - Var. *laxum* (*R. Br.*).
 - Var. *minus*, *Baker.* New Zealand.
- A. caryotaefolium*, *Hort.* See *cuneatum*.
- A. caudatum*, *Forst.* Tropical and sub-tropical regions.
- A. celtidifolium*, *Kze.* Tropical America.
- A. Ceterach*, *L.* Europe and temp. Asia.
 - Var. *aureum* (*Link*).
- A. cicutarium*, *Sw.* Tropical America.
- A. Colensoi*, *Hook. fil.* New Zealand.
- A. compressum*, *Sw.* St. Helena.
- A. conchatum*, *Moore.* West Indies.
- A. contiguum*, *Kaulf.* Polynesia, &c.
 - Var. *fissum*, *Hort.*
- A. cordifolium*, *Mett.* Malaya, &c.
- A. costale*, *Sw.* West Indies and Peru.
- A. crenulatum*, *Baker.* Tropical America.
- A. cultrifolium*, *L.* West Indies.
- A. cuneatum*, *Lam.* Tropical America, &c.
- A. decurrens*, *Bedd.* India.
- A. decussatum*, *Sw.* Tropics of Old World.
- A. dilatatum*, *Hook.* See *latifolium*.

Asplenium, *L.*—*cont.*

- A. dimidiatum*, *Sw.* Tropical America.
A. dimorphum, *Kze.* Norfolk Island.
A. divaricatum, *Kze.* Chili and Peru.
A. ebenenum, *Ait.* Temp. regions.
A. elongatum, *Sw.* *See tenerum.*
A. erectum, *Bory.* *See lunulatum.*
A. erosum, *L.* West Indies.
A. esculentum, *Presl.* Tropical Asia.
 Var. glabrum, *Hort.*
 Var. serampurense (*Spr.*).
A. fabianum, *H. & J.* *See bulbiferum.*
A. falcatum, *Lam.* Tropics and sub-tropics, Old World.
 Var. erosum, *Hort.*
A. fernandezianum, *Kze.* *See lunulatum.*
A. fijiense, *Brack.* Fiji Islands.
*A. *Filix-fœmina*, *Bernh.* Ubiquitous.
A. firmum, *Kze.* *See abscissum.*
A. flabellifolium, *Cav.* Australia.
A. flaccidum, *Forst.* Australia, &c.
A. fontanum, *Bernh.* North temp. zone.
A. formosum, *Willd.* Tropical America.
A. fragrans, *Sw.* Tropical America.
 Var. fœniculaceum (*H. B. K.*)

* For garden varieties, *see* p. 157.

Asplenium, *L.*—*cont.*

- A. Franconis*, *Mett.* Tropical America.
A. fraxinifolium, *Wall.* See *bantamense*.
A. furcatum, *Thunb.* Tropical and sub-tropical regions.
 Var. tripinnatum, *Baker.* Natal.
A. gemmiferum, *Schrad.* South Africa.
A. germanicum, *Weiss.* Europe.
A. Godmani, *Baker.* West Indies.
A. goringianum, *Mett.* See *macrocarpum*.
A. grandifolium, *Sw.* Tropical America.
A. griffithianum, *Hook.* Himalaya.
A. Hemionitis, *L.* South Europe and North Africa.
A. heterocarpum, *Wall.* East Indies.
A. heterophlebium, *Mett.* Himalaya.
A. hians, *Kze.* West Indies.
A. hookerianum, *Colenso.* New Zealand.
A. horridum, *Kaulf.* Sandwich Islands, &c.
A. incisum, *Thb.* Japan.
A. japonicum, *Thb.* Japan.
A. Klotzschii, *Mett.* Colombia and Venezuela.
A. laffanianum, *Baker.* Bermuda.
A. lanceolatum, *Huds.* Europe.
A. lanceum, *Thunb.* Japan.
A. lasiopteris, *Mett.* See *Peterseni*.
A. latifolium, *Don.* Tropical Asia.
A. laxum, *R. Br.* See *bulbiferum*.

1. The first of these is the
2. The second is the
3. The third is the
4. The fourth is the
5. The fifth is the
6. The sixth is the
7. The seventh is the
8. The eighth is the
9. The ninth is the
10. The tenth is the
11. The eleventh is the
12. The twelfth is the
13. The thirteenth is the
14. The fourteenth is the
15. The fifteenth is the
16. The sixteenth is the
17. The seventeenth is the
18. The eighteenth is the
19. The nineteenth is the
20. The twentieth is the

Asplenium, *L.*—*cont.*

A. lineatum, *Sw.* Mauritius.

Var. *bifidum* (*Presl*).

A. longissimum, *Bl.* Java, &c.

A. lucidum, *Forst.* See *obtusatum*.

A. lunulatum, *Sw.* Tropics.

Var. *erectum* (*Bory*).

Var. *lobatum* (*P. & R.*). South Africa.

Var. *pteropus* (*Kaulf.*). Tropical America.

Var. *fernandezianum* (*Kze.*).

Var. *tenellum* (*Roxb.*). St. Helena, &c.

Var. *tripinnatifidum*, *Hort.*

A. macilentum, *Kze.* See *auritum*.

A. macrocarpum, *Bl.* Tropical Asia.

Var. *goringianum* (*Mett.*).

A. macrophyllum, *Sw.* Tropical Asia.

A. marginatum, *L.* Tropical America.

A. marinum, *L.* Europe, &c.

Var. *imbricatum*, *Hort.*

Var. *ramosum*, *Hort.*

A. maximum, *Don.* West Indies to Ceylon.

A. Michauxii, *Spreng.* See *Filix fœmina*.

A. monanthemum, *L.* Temperate regions.

A. monticulum, *Jenm.* Jamaica.

A. Nidus, *L.* Tropics, Old World.

Var. *australasicum*, (*Hook.*). Australia.

A. nigripes, *Bl.* Tropical Asia.

A. nigro-paleaceum, *Baker.* St. Helena.

Asplenium, *L.*—*cont.*

A. niponicum, *Mett.* Japan.

Var. *cristatum*, *Hort.*

A. nitens, *Sw.* Mauritius.

A. nitidum, *Sw.* East Indies.

A. nobile, *Hort.* See *viviparum*.

A. nodulosum, *Hort.* See *lineatum*.

A. novæ-caledoniæ, *Hook.* New Caledonia.

A. obliquum, *Forst.* See *obtusatum*.

A. obtusatum, *Forst.* Australia, &c.

Var. *lucidum* (*Forst.*).

Var. *Lyallii*, *Hook.* New Zealand.

Var. *obliquum* (*Forst.*).

A. obtusifolium, *L.* Tropical America.

A. obtusilobum, *Hook.* Polynesia.

A. oligophyllum, *Kaulf.* Tropical America.

A. paleaceum, *R. Br.* Tropical Australia.

A. paradoxum, *Bl.* Java, &c.

A. Peterseni, *Kze.* East Indies.

Var. *lasiopteris* (*Mett.*).

A. planicaule, *Wall.* Himalaya.

A. plantagineum, *L.* Tropical America.

A. polyodon, *Forst.* See *falcatum*.

A. polypodioides, *Mett.* Tropical Asia.

A. præmorsum, *Sw.* See *furcatum*.

A. proliferum, *Lam.* See *decussatum*.

A. prolongatum, *Hort.* See *rutæfolium*.

A. pteridoides, *Baker.* Lord Howe's Island.

Asplenium, *L.*—*cont.*

- A. pteropus*, Kaulf. *See* *lunulatum*.
A. pubescens, Hort. *See* *esculentum*.
A. reclinatum, Moore. *See* *lunulatum*.
A. refractum, Moore. *See* *fontanum*.
A. resectum, *Sm.* Tropical Asia.
A. rhizophyllum, *Kze.* Tropical America.
A. rhizophorum, *L.* Tropical America.
A. rutæfolium, *Kze.* Ceylon, South Africa, &c.
 Var. prolongatum (*Hook.*).
A. Ruta-muraria, *L.* North temp. zone.
A. scandens, *J. Sm.* New Guinea and Philippines.
A. Schimperii, *A. Br.* East Africa.
A. semihastatum, *Kze.* Cuba.
A. septentrionale, *Hoffm.* North temp. zone.
A. Serra, *L. & F.* Tropical America.
 Var. natalensis.
A. serratum, *L.* Tropical America.
A. Shepherdii, *Spreng.* Tropical America.
A. sinuatum, *Beauv.* Tropical Africa.
A. speciosum, *Mett.* Tropical Asia.
A. splendens, *Kze.* South Africa.
A. squamulatum, *Bl.* East Indies.
A. striatum, *L.* *See* *Shepherdii*.
A. sylvaticum, *Presl.* Tropics.
A. tenellum, *Roxb.* *See* *lunulatum*.

Asplenium, *L.*—*cont.*

A. tenerum, *Forst.* Malaya, &c.

Var. *elongatum* (*Sw.*).

A. thelypteroides, *Mich.* North America.

A. Thwaitesii, *A. Br.* Ceylon, &c.

A. tomentosum, *Hook.* East Indies, &c.

*A. *Trichomanes*, *L.* Temp. regions.

A. umbrosum, *J. Sm.* Madeira.

Var. *tenuifolium*, *Kirk.* New Zealand.

A. vagans, *Baker.* Isle of St. Thomas.

A. unilaterale, *Lam.* See *resectum*.

A. veitchianum, *Moore.* See *Belangeri*.

A. Vieillardii, *Mett.* New Caledonia.

Var. *apicidens* (*Moore*).

Var. *Baptistii* (*Hort.*).

A. viride, *Huds.* North temp. zone.

A. viviparum, *Presl.* Mauritius.

Var. *nobile*, *Hort.*

A. zamiioides, *Hook.* See *paradoxum*.

A. zeylanicum, *Hook.* Ceylon.

Athyrium. See *Asplenium*.

Balantium. See *Dicksonia*.

Blechnum, *L.*

B. australe, *L.* South Africa and Madagascar.

B. boreale, *Sw.* See *Lomaria Spicant*.

B. brasiliense, *Desv.* Tropical America.

Var. *corcovadense* (*Raddi*).

* For garden varieties, see p. 169.

Blechnum, *Linn.*—*cont.*

- B. cartilagineum*, *Sw.* Australia.
- B. corcovadense*, *Raddi.* See *brasiliense*.
- B. Gilliesii.* See *Lomaria procera*.
- B. glandulosum*, *Link.* See *occidentale*.
- B. gracile*, *Kaulf.* See *longifolium*.
- B. hastatum*, *Kaulf.* Temperate South America.
- B. lanceola*, *Sw.* Tropical America.
- B. latifolium*, *Hort.* See *longifolium*.
- B. longifolium*, *H. B. K.* Tropical America.
 - Var. *fraxineum* (*Willd.*).
 - Var. *gracile* (*Kaulf.*).
- B. melanopus*, *Hook.* India.
- B. occidentale*, *L.* Tropical America.
 - Var. *glandulosum* (*Link*).
- B. polypodioides*, *Raddi.* See *unilaterale*.
- B. punctulata.* See *Lomaria*.
- B. rugosum*, *Moore.* Origin unknown.
- B. triangulare*, *Link.* See *unilaterale*.
- B. unilaterale*, *Willd.* Tropical America.
- B. volubile*, *Kaulf.* Tropical America.

Bolbitis. See *Acrostichum*.

Botrychium, *Swartz.*

- B. Lunaria*, *Sw.* Temperate regions.
- B. ternatum*, *Sw.* North and south temp. zones.
 - Var. *dissectum*, *Muhl.*
- B. virginianum*, *Sw.* North and south temp. zones.

Brainea, Hook.

B. insignis, Hook. Hong Kong and Khasia.

Cænopteris. See Asplenium.

Callipteris. See Asplenium.

Campyloneuron. See Polypodium.

Camptosorus. See Scolopendrium.

Campteria. See Pteris.

Cassebeera, Kaulf.

C. triphylla, Kaulf. South Brazil.

Cephalomanes. See Trichomanes.

Ceratopteris, Brong.

C. thalictroides, Brong. Tropics.

Ceropteris. See Gymnogramme.

Ceterach. See Asplenium.

Cheilanthes, Swartz.

C. alabamensis, Baker. North America.

C. californica, Harv. See Hypolepis.

C. chlorophylla, Sw. Tropical America.

C. Clevelandii, Eaton. California.

C. dicksonioides, Endl. See Hypolepis tenuifolia.

C. elegans, Desv. See myriophylla.

C. ellisiana, Hort. See hirta.

C. farinosa, Kaulf. Tropics everywhere.

Var. *anceps (Blandf.). Himalaya.*

Var. *punctata, Hort.*

C. fragrans, W. & B. Europe, &c.

Cheilanthes, Swartz.—cont.

C. hirta, Sw. South America.

Var. *ellisiana*, Hort.

C. multifida, Sw. St. Helena.

C. myriophylla, Desv. Tropical America.

Var. *elegans*, (Desv.).

C. profusa, Kze. See *Pellæa involuta*.

C. pulveracea, Hook. See *Nothochlæna sulphurea*.

C. radiata, R. Br. Tropical America.

C. spectabilis, Kaulf. See *chlorophylla*.

C. tomentosa, Link. North Carolina, &c.

C. vestita, Sw. North America.

Chrysodium. See *Acrostichum*.

Cibotium. See *Dicksonia*.

Cincinalis. See *Nothochlæna*.

Cionidium. See *Deparia*.

Coniogramme. See *Gymnogramme*.

Craspedaria. See *Polypodium*.

Cryptogramme, R. Br.

C. crispa, R. Br. North temp. zone.

Cyathea, Smith.

C. arborea, J. Sm. Tropical America.

C. beyrichiana. See *Hemitelia setosa*.

C. dealbata, Sw. New Zealand.

Var. *tricolor* (Col.).

C. Dregei, Kze. Tropical Africa.

Var. *Burkei*, Hook. South Africa.

 

Cyathea, Smith—cont.

C. Hookeri, *Thw.* Ceylon.

C. imrayana, *Hook.* See *Tussacii*.

C. insignis, *Eaton.* West Indies.

C. medullaris, *Sw.* New Zealand.

C. mexicana, *Schlecht.* Mexico.

C. princeps, *J. Sm.* See *insignis*.

C. Schanschin, *Mart.* South America.

C. serra, *Willd.* Tropical America.

C. Smithii, *Hook.* See *Hemitelia Smithii*.

C. spinulosa, *Wall.* India.

C. tricolor, *Col.* See *dealbata*.

C. Tussacii, *Desv.* West Indies.

C. sinuata, *H. & G.* Ceylon.

Cyclodium. See *Aspidium*.

Cyclopeltis. See *Aspidium*.

Cyrtogonium. See *Acrostichum*.

Cyrtomium. See *Aspidium*.

Cyrtophlebium. See *Polypodium*.

Cystopteris, Bernh.

C. alpina, *Desv.* Europe.

C. bergiana. See *Hypolepis*.

C. bulbifera, *Bernh.* North America.

C. fragilis, *Bernh.* Cosmopolitan.

Var. *angustata* (*Sm.*).

Var. *canariensis* (*Moore*).

Var. *dickeana* (*Moore*).

Var. *sempervirens* (*Moore*). Madeira.

Cystopteris, *Bernh.*—*cont.*

C. montana, *Link.* Europe.

C. tenuis, *Schott.* See *fragilis*.

Darea. See *Asplenium*.

Davallia, *Smith.*

D. aculeata, *Sw.* West Indies.

D. affinis, *Hook.* Tropical and sub-tropical Asia.

D. alpina, *Bl.* Malaya, &c.

D. angustata, *Wall.* Tropical Asia.

D. assamica, *Baker.* Bhotan.

D. bullata, *Wall.* Tropical Asia.

Var. *decora* (*Moore*). Java.

Var. *Mariesii* (*Moore*). Japan.

D. canariensis, *Sm.* Europe and Canaries.

Var. *alopecuroides*.

D. chærophylla, *Wall.* East Indies.

D. ciliata, *Hook.* Philippines.

D. concinna, *Schr.* Tropical Africa and America.

D. cristata, *J. Sm.* See *strigosa*.

D. decorata, *Moore.* See *bullata*.

D. dissecta, *J. Sm.* Java.

D. divaricata, *Bl.* Malaya.

D. elata, *Sw.* See *elegans*.

D. elegans, *Sw.* Tropical Asia, &c.

Var. *elata* (*Sw.*).

Var. *Kunzei*, *Hort.* Malaya.

Var. *polydactyla*, *Hort.*

D. epiphylla, *Bl.* Java.

Davallia, *Smith*--*cont.*

- D. ferruginea*, *Desv.* Madagascar.
- D. fijiensis*, *Hook.* Fiji Islands.
 - Var. *major*, *Hort.*
 - Var. *plumosa*, *Hort.*
- D. foeniculacea*, *Hook.* Fiji.
- D. griffithiana*, *Hook.* Himalaya, &c.
- D. hemiptera*, *Bory.* See *repens*.
- D. heterophylla*, *Sm.* Tropical Asia.
- D. hirsuta*, *Sw.* Japan, &c.
 - Var. *angustata*.
- D. hirta*, *Kaulf.* Tropical and sub-tropical Asia.
 - Var. *cristata*.
- D. immersa*, *Wall.* Tropical and sub-tropical Asia.
- D. khasyana*, *Hook.* See *strigosa*.
- D. kunzeana*, *Hook.* See *davallioides*.
- D. Lindleyi*, *Hook.* See *solida*.
- D. Lorrainei*, *Hance.* Malaya.
- D. lonchitidea*, *Wall.* See *platyphylla*.
- D. lucida*, *Hort.* See *solida*.
- D. marginalis*, *Baker.* Tropical Asia.
- D. Mariesii*, *Moore.* See *bullata*.
- D. membranulosa*, *Wall.* East Indies.
- D. mooreana*, *Masters.* See *pallida*.
- D. multidentata*, *Hk.* Himalaya.
- D. Novæ zealandiæ*, *Col.* New Zealand.
- D. ornata*, *Wall.* See *solida*.

Davallia, *Smith*—*cont.*

- D. pallida*, *Mett.* Malaya and Polynesia.
- D. parvula*, *Wall.* Malaya.
- D. pedata*, *Sm.* Tropical and sub-tropical Asia.
- D. pentaphylla*, *Bl.* Malaya.
- D. pinnata*, *Cav.* East Indies.
- D. platyphylla*, *Don.* East Indies.
- D. polyantha*, *Hook.* *See* *divaricata*.
- D. polypodioides*, *Don.* *See* *Speluncæ*.
- D. pulchra*, *Don.* Himalaya.
- D. pycnocarpa*, *Brack.* *See* *pentaphylla*.
- D. pyxidata*, *Cav.* Australia.
- D. repens*, *Desv.* East Indies.
- D. retusa*, *Cav.* *See* *Lindsaya retusa*.
- D. rhomboidea*, *Wall.* Tropical and sub-tropical Asia.
- D. rubiginosa*, *Kaulf.* Tropical America.
- D. scabra*, *Don.* *See* *marginalis*.
- D. solida*, *Sw.* Tropical Asia and Africa.
 Var. *Lindleyi* (*Hook.*).
 Var. *ornata* (*Wall.*).
- D. Speluncæ*, *Baker.* Tropics, ubiquitous.
- D. strigosa*, *Sw.* Tropical and sub-tropical Asia.
 Var. *rhomboidea* (*Wall.*). North India.
- D. tenuifolia*, *Sw.* Tropics of Old World.
 Var. *stricta*, *Hort.*
 Var. *Veitchii*, *Hort.*
- D. trichosticha*, *Hook.* *See* *Speluncæ*.

Davallia, Smith—cont.

D. Tyermanni, *Baker*. China.

D. vestita, *Bl.* Java and Ceylon.

D. villosa, *Wall.* See *marginalis*.

Dennstædtia. See *Dicksonia*.

Diacalpe, Blume.

D. aspidioides, *Bl.* Tropical Asia.

D. fœniculacea, *C. B. Cl.* See *Aspidium fœniculaceum*.

Dicksonia, Smith.

D. adiantoides, *H. B. K.* Tropical America.

D. antarctica, *Lab.* Australia.

D. apiifolia, *Hook.* Andes of Ecuador and Peru.

D. Barometz, *Link.* Sub-tropical Asia.

D. berteriana, *Hook.* Juan Fernandez.

D. Billardieri. See *antarctica*.

D. Chamissoi, *Hook. fil.* Sandwich Islands.

D. cicutaria, *Sw.* Tropical America.

D. Culcita, *L'Herit.* Madeira, Azores, and Spain.

D. davallioides, *R. Br.* Australia.

D. Deplanchei, *Vicill.* New Caledonia.

D. fibrosa, *Col.* New Zealand.

D. gracilis, *Col.* New Zealand.

D. Herberti, *Moore.* Queensland.

D. Lathamii, *Moore.* Garden origin.

D. Menziesii, *H. & B.* Sandwich Islands.

D. obtusifolia, *Willd.* See *adiantoides*.

D. princeps, *Hort.* See *Cyathea insignis*.

Dicksonia, Smith—cont.

D. regalis, Baker. Mexico.

D. Schiedei, Baker. Tropical America.

D. sellowiana, Hook. South Brazil.

Var. *karsteniana (Klotzch).*

D. spectabilis, Hort. See *Wendlandi*.

D. squarrosa, Sw. New Zealand.

D. tenera, Hort. See *apiifolia*.

D. Wendlandi, Baker. Guatemala.

Var. *Verschaffeltii, Hort.*

D. Youngiæ, C. Moore. New South Wales.

Dictyogramme. See *Gymnogramme*.

Dictyopteris. See *Polypodium*.

Didymochlæna, Desv.

D. lunulata, Desv. Tropics everywhere.

D. sinuosa, Desv. See *lunulata*.

D. truncatula, J. Sm. See *lunulata*.

Didymoglossum. See *Hymenophyllum*.

Diplazium. See *Asplenium*.

Dipteris. See *Polypodium*.

Disphenia. See *Cyathea*.

Doodia, R. Br.

D. aspera, R. Br. Australia.

Var. *multifida, Hort.*

D. blechnoides, Cun. Australia.

D. caudata, R. Br. Australia and New Zealand.

Var. *scabrida.*

Doodia, *R. Br.*—*cont.*

D. dives, *Kze.* Ceylon.

D. kunthiana, *Gaud.* Sandwich Islands.

D. lunulata, *R. Br.* *See media.*

D. media, *R. Br.* Australia and New Zealand.

Doryopteris. *See Pteris.*

Drymoglossum, *Presl.*

D. carnosum, *Hook.* East Himalaya.

Var. *subcordatum* (*Fee.*). China and Japan.

D. piloselloides, *Presl.* Tropical Asia.

Drynaria. *See Polypodium.*

D. diversifolia, *J. Sm.* *See Polypodium rigidulum.*

D. morbillosa, *J. Sm.* *See P. Heracleum.*

Egenolfia. *See Acrostichum.*

Elaphoglossum. *See Acrostichum.*

Eupodium. *See Marattia.*

Fadyenia, *Hook.*

F. prolifera, *Hook.* West Indies.

Feea. *See Trichomanes.*

Gleichenia, *Smith.*

G. circinata, *Sw.* Australia and New Zealand.

Var. *Mendelii*, *Hort.* Australia.

Var. *microphylla* (*R. Br.*).

Var. *semivestita* (*Lab.*).

Var. *Speluncæ* (*R. Br.*).

Gleichenia, *Smith*—*cont.*

G. dicarpa, *R. Br.* Australia and New Zealand.

Var. *alpina* (*R. Br.*).

Var. *glauca*, *Moore*.

Var. *longipinnata*, *Hort.*

G. dichotoma, *Willd.* Tropical and sub-tropical regions.

Var. *nana*, *Hort.*

G. excelsa, *Sm.* See *longissima*.

G. flabellata, *R. Br.* Australia, &c.

G. longipinnata, *Hort.* See *dicarpa*.

G. longissima, *Bl.* Tropics.

G. rupestris, *R. Br.* Australia.

Var. *gigantea*, *Hort.*

Var. *glaucescens*, *Hort.*

Goniophlebium. See *Polypodium*.

Goniopteris. See *Polypodium*.

Gymnogramme, *Desv.*

G. ampla, *Baker.* Australia.

G. calomelanos, *Kaulf.* Tropical America.

Var. *Alstoni*, *Hort.*

Var. *chrysophylla* (*Kaulf.*).

Var. *cristata*, *Hort.*

Var. *lauchiana* (*K. Koch*).

Var. *grandiceps*, *Hort.*

Var. *Martensii* (*Kaulf.*).

Var. *Massoni*, *Hort.*

Var. *peruviana* (*Desv.*).

Var. *Parsonsi*, *Hort.*

G. cantoniensis, *Baker.* China.

Gymnogramme, *Desv.*—*cont.*

- G. caudiformis*, *Hook.* Tropical Asia.
- G. chrysophylla*, *Kaulf.* See *calomelanos*.
- G. decomposita*, *Baker.* Garden origin.
- G. decurrens*, *Hook.* See *elliptica*.
- G. diplazioides*, *Desv.* Tropical America.
- G. dobroydense*, *Hort.* Garden origin.
- G. elegantissima*, *Hort.* See *decomposita*.
- G. elliptica*, *Baker.* Tropical Asia, &c.
- G. Feei*, *Hook.* Malaya.
- G. fraxinea*, *Don.* See *javanica*.
- G. gracilis*, *Hew.* Jamaica.
- G. hamiltoniana*, *Hook.* E. Himalaya.
- G. japonica*, *Hook.* Japan, &c.
- G. leptophylla*, *Desv.* Cosmopolitan.
- G. laucheana*, *K. Koch.* See *calomelanos*.
- G. L'Herminieri*, *Link.* See *calomelanos*.
- G. linkiana*, *Kze.* See *diplazioides*.
- G. Mathewsii*, *Hook.* Peru.
- G. Muelleri*, *Hook.* Australia.
- G. multiceps*, *Hort.* See *calomelanos*.
- G. Parsonsi.* See *calomelanos*.
- G. Pearcei*, *Moore.* Peru.
- Var. *robusta*, *Hort.*
- G. peruviana*, *Desv.* See *calomelanos*.
- G. pulchella*, *Linden.* Tropical America.
- Var. *wettenhalliana*, *Hort.*
- Var. *Mayi*, *Hort.*

Gymnogramme, *Desv.*—*cont.*

G. rupestris, Kze. *See* diplazioides.

G. schizophylla, Baker. Jamaica.

Var. *gloriosa*, Hort.

G. sulphurea, *Desv.* West Indies.

Var. *grandiceps*, Hort.

G. tartarea, *Desv.* Tropical America.

G. tomentosa, *Desv.* South America.

G. Totta, *Schlecht.* Tropics.

G. triangularis, Kaulf. Vancouver Island, &c.

G. trifoliata, *Desv.* Tropical America.

G. vestita, Hk. N. Himalaya, &c.

Gymnopteris. *See* Acrostichum.

Haplopteris. *See* Vittaria.

Helminthostachys, Kaulf.

H. dulcis, Kaulf. *See* zeylanica.

H. zeylanica, Hook. Tropical Asia, &c.

Hemidictyum. *See* Asplenium.

Hemionitis, L.

H. cordata, Roxb. East Indies.

H. palmata, L. Tropical America.

Hemitelia, R. Br.

H. brunoniana, C. B. Cl. Himalaya.

H. capensis, R. Br. S. Africa and Brazil.

H. horrida R. Br. West Indies, &c.

H. setosa, Mett. Brazil.

H. Smithii, Hook. New Zealand.

H. Walkeræ, Hook. Ceylon.

Humata. *See* Davallia.

Hymenodium. *See* Acrostichum.

Hymenolepis. *See* Acrostichum.

Hymenophyllum, *Smith*.

H. abruptum, *Hook.* Jamaica and South America.

H. æruginosum, *Carm.* Isle of Tristan d'Acunha.

H. asplenoides, *Sw.* Tropical America, &c.

H. bivalve, *Sw.* New Zealand.

H. Catherinæ, *Hook.* Jamaica.

H. caudiculatum, *Mart.* Tropical America, &c.

H. chilense, *Hook.* Isle of Chiloe, &c.

H. ciliatum, *Sw.* Tropical America.

H. crispum, *H. B. K.* Tropical America.

H. cruentum, *Cav.* Chili.

H. demissum, *Sw.* Australia and New Zealand.

Var. *nitens*, *Hort.*

H. dilatatum, *Sw.* New Zealand, &c.

Var. *forsterianum*, (*Hort.*).

H. elegans, *Spr.* *See* lineare.

H. elegantulum, *V. D. B.* Andes.

H. flabellatum, *Lab.* Australia and New Zealand.

H. forsterianum, *Hort.* *See* dilatatum.

H. fuciforme, *Sw.* Chili and Juan Fernandez.

H. fucoides, *Sw.* Tropical America.

H. hirsutum, *Sw.* Tropical America.

H. javanicum, *Spreng.* Tropical Asia, &c.

Var. *crispatum* (*Wall.*).

Var. *flexuosum* (*Cunn.*).

Var. *tamariscifolium* (*Hort.*).

Hymenophyllum, *Smith*—cont.

H. lineare, *Sw.* Tropical America.

H. magellanicum, *Willd.* South America.

H. multifidum, *Sw.* New Zealand and Pacific Isles.

H. pectinatum, *Cav.* Chili, Chiloe, &c.

Var. *superbum*, *Hort.*

H. polyanthos, *Sw.* Tropics everywhere.

H. pulcherrimum, *Col.* New Zealand.

H. rarum, *R. Br.* Mauritius, New Zealand, &c.

H. scabrum, *A. Rich.* New Zealand.

H. sericeum, *Sw.* Tropical America.

H. subtilissimum, *Kze.* New Zealand.

H. tamariscifolium, *Hort.* See *javanicum*.

H. tunbridgense, *Sw.* Ubiquitous.

Var. *Wilsoni*, *Hook.*

H. villosum, *Col.* See *polyanthos*.

Hypoderris, *R. Br.*

H. Brownii, *J. Sm.* Trinidad.

Hypolepis, *Bernh.*

H. anthriscifolia, *Presl.* Tropical Africa.

H. bergiana, *Hook.* South Africa.

H. californica, *Hook.* California.

H. distans, *Hook.* New Zealand.

H. millefolia, *Hook.* New Zealand.

H. repens, *Presl.* Tropical America.

H. tenuifolia, *Bernh.* Polynesia, &c.

Isoloma. See *Lindsaya*.

Lastrea. *See* Nephrodium.

L. aristata, Hort. *See* Aspidium aristatum.

Lecanopteris, *Bl.*

L. carnosa, *Bl.* Malaya.

Lepicystis. *See* Polypodium.

Leptochilus. *See* Acrostichum.

Leptogramme. *See* Gymnogramme.

Leptopteris. *See* Todea.

Leucostegia. *See* Davallia.

Lindsaya, *Dry.*

L. davallioides, *Bl.* Malaya.

L. ensifolia, *Sw.* Old World Tropics.

L. flabellulata, *Dry.* Tropical Asia.

L. heterophylla, *Dry.* Tropical Asia.

L. Lowii. *See* Acrostichum sorbifolium.

L. reniformis, *Dry.* Guiana.

L. retusa, *Mett.* Philippines, &c.

Litobrochia. *See* Pteris.

Lomaria, *Willd.*

L. alpina, *Spreng.* South temperate zone.

L. attenuata, *Willd.* Tropical and south temperate regions.

Var. *gigantea* (*Kaulf.*). South Africa.

Var. *heterophylla* (*Hort.*).

L. Banksii, *Hook. fil.* New Zealand.

L. boryana, *Willd.* Tropical and south temperate regions.

Var. *cycadæfolia* (*Colla*). Chili.

L. capensis, *Willd.* *See* procera.

1. *Chrysomelidae* (the Beetles)
 2. *Curculionidae* (the Weevils)
 3. *Chrysomelidae* (the Beetles)

4. *Chrysomelidae* (the Beetles)

5. *Chrysomelidae* (the Beetles)

6. *Chrysomelidae* (the Beetles)

7. *Chrysomelidae* (the Beetles)

8. *Chrysomelidae* (the Beetles)

9. *Chrysomelidae* (the Beetles)

10. *Chrysomelidae* (the Beetles)

11. *Chrysomelidae* (the Beetles)

12. *Chrysomelidae* (the Beetles)

13. *Chrysomelidae* (the Beetles)

14. *Chrysomelidae* (the Beetles)

15. *Chrysomelidae* (the Beetles)

16. *Chrysomelidae* (the Beetles)

17. *Chrysomelidae* (the Beetles)

18. *Chrysomelidae* (the Beetles)

19. *Chrysomelidae* (the Beetles)

20. *Chrysomelidae* (the Beetles)

21. *Chrysomelidae* (the Beetles)

22. *Chrysomelidae* (the Beetles)

23. *Chrysomelidae* (the Beetles)

24. *Chrysomelidae* (the Beetles)

25. *Chrysomelidae* (the Beetles)

26. *Chrysomelidae* (the Beetles)

27. *Chrysomelidae* (the Beetles)

28. *Chrysomelidae* (the Beetles)

29. *Chrysomelidae* (the Beetles)

30. *Chrysomelidae* (the Beetles)

Lomaria, Willd.—cont.

- L. ciliata*, Moore. New Caledonia.
- L. crenulata*, Moore. See *Germainii*.
- L. discolor*, Willd. Australia and New Zealand.
 Var. *bipinnatifida*, Hort.
 Var. *falcata* (Spreng).
 Var. *nuda* (R. Br.).
- L. fluviatilis*, Spreng. Australia and New Zealand.
- L. Germainii*, Hook. Chili.
- L. gibba*, Lab. New Caledonia, &c.
 Var. *tincta*, Hort.
- L. gigantea*, Kaulf. See *attenuata*.
- L. Gilliesii*, Hook. & Grev. See *procera*.
- L. heterophylla*, Hort. See *attenuata*.
- L. lanceolata*, Spr. Australia.
- L. L'Herminieri*, Bory. Tropical America.
- L. magellanica*, Desv. See *boryana*.
- L. membranacea*, Col. New Zealand.
- L. minor*, R. Br. See *procera*.
- L. neo-caledonica*, Hort. See *gibba*.
- L. nigra*, Col. New Zealand.
- L. Patersoni*, Spreng. Australia.
 Var. *elongata* (Bl.).
- L. procera*, Spreng. Australia, &c.
- L. pumila*, Raoul. New Zealand.
- L. punctulata*, Kze. South Africa.
- L.* Spicant*, Desv. North temperate zone.

* For garden varieties, see p. 169.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Laurent, W. 1884-1885.

Lomaria, Willd.—cont.

L. tuberculata, J. Sm. *See* *procera*.

L. zamifolia, Hort. *See* *boryana*.

Lomariopsis. *See* Acrostichum.

L. buxifolium, Fee. *See* *A. sorbifolium*, var. *buxifolium*.

Lonchitis, L.

L. pubescens, Willd. Tropics.

Lopholepis. *See* Polypodium.**Lophosoria. *See* Alsophila.****Lorinseria. *See* Woodwardia.****Lotzea. *See* Asplenium.****Lygodietycn. *See* Lygodium.****Lygodium, Sw.**

L. circinatum, Sw. *See* *dichotomum*.

L. dichotomum, Sw. Tropical Asia.

L. flexuosum, J. Sm. *See* *dichotomum*.

L. Forsteri, J. Sm. *See* *reticulatum*.

L. japonicum, Sw. Tropics, &c., Old World.

L. lanceolatum, Desv. Madagascar.

L. palmatum, Sw. United States.

L. pinnatifidum, Sw. Tropics, &c., Old World.

L. reticulatum, Schk. Polynesia.

L. scandens, Sw. Tropics, &c., Old World.

Var. *microphyllum* (R. Br.).

L. venustum, Sw. West Indies, &c.

L. volubile, Sw. South America.

1. *Adiantum* L.

2. *Polypodium* L.

3. *Asplenium* L.

4. *Phlegmaria* L.

5. *Adiantum* L.

6. *Polypodium* L.

7. *Asplenium* L.

8. *Phlegmaria* L.

9. *Adiantum* L.

10. *Polypodium* L.

11. *Asplenium* L.

12. *Phlegmaria* L.

13. *Adiantum* L.

14. *Polypodium* L.

15. *Asplenium* L.

16. *Phlegmaria* L.

17. *Adiantum* L.

18. *Polypodium* L.

19. *Asplenium* L.

20. *Phlegmaria* L.

21. *Adiantum* L.

22. *Polypodium* L.

23. *Asplenium* L.

24. *Phlegmaria* L.

25. *Adiantum* L.

Marattia, Smith.

M. alata, *J. Sm.* West Indies.

M. attenuata, *Lab.* New Caledonia.

Var. **Moorei** (*Hort.*).

M. Ascensionis, *J. Sm.* See *fraxinea*, var. *purpurascens*.

M. cristata, *J. Sm.* See *fraxinea*, var. *purpurascens*.

M. cicutæfolia, *Kaulf.* Brazil.

M. Cooperi, *Hort.* See *attenuata*.

M. elegans, *Endl.* See *fraxinea*.

M. fraxinea, *Sm.* Tropics, &c., Old World.

Var. **purpurascens** (*De Vriese.*). Ascension Island.

M. Kaulfussii, *J. Sm.* Tropical America.

M. laxa, *Kze.* Mexico.

M. Moorei, *Hort.* See *attenuata*.

M. sorbifolia, *Bory.* See *fraxinea*.

Meniscium, Schreb.

M. angustifolium, *Willd.* West Indies, &c.

M. deltigerum. See *Acrostichum virens*.

M. reticulatum, *Sw.* Tropical America.

Var. **macrophyllum** (*Kze.*).

Var. **oligophyllum**, *Hort.*

M. serratum, *Cav.* Tropical America.

M. simplex, *Hook.* Tropical and sub-tropical Asia.

Mertensia. See *Gleichenia*.

Mesochlæna. See *Didymochlæna*.

Microlepia. See *Davallia*.

Microsorium. See *Polypodium*.

1871-1872

1. *Algebra* (1871-1872)
 2. *Algebra* (1871-1872)
 3. *Algebra* (1871-1872)
 4. *Algebra* (1871-1872)
 5. *Algebra* (1871-1872)
 6. *Algebra* (1871-1872)
 7. *Algebra* (1871-1872)
 8. *Algebra* (1871-1872)
 9. *Algebra* (1871-1872)
 10. *Algebra* (1871-1872)
 11. *Algebra* (1871-1872)
 12. *Algebra* (1871-1872)
 13. *Algebra* (1871-1872)
 14. *Algebra* (1871-1872)
 15. *Algebra* (1871-1872)

1873-1874

1. *Algebra* (1873-1874)
 2. *Algebra* (1873-1874)
 3. *Algebra* (1873-1874)
 4. *Algebra* (1873-1874)
 5. *Algebra* (1873-1874)
 6. *Algebra* (1873-1874)
 7. *Algebra* (1873-1874)
 8. *Algebra* (1873-1874)
 9. *Algebra* (1873-1874)
 10. *Algebra* (1873-1874)
 11. *Algebra* (1873-1874)
 12. *Algebra* (1873-1874)
 13. *Algebra* (1873-1874)
 14. *Algebra* (1873-1874)
 15. *Algebra* (1873-1874)

1875-1876

1. *Algebra* (1875-1876)
 2. *Algebra* (1875-1876)
 3. *Algebra* (1875-1876)
 4. *Algebra* (1875-1876)
 5. *Algebra* (1875-1876)
 6. *Algebra* (1875-1876)
 7. *Algebra* (1875-1876)
 8. *Algebra* (1875-1876)
 9. *Algebra* (1875-1876)
 10. *Algebra* (1875-1876)
 11. *Algebra* (1875-1876)
 12. *Algebra* (1875-1876)
 13. *Algebra* (1875-1876)
 14. *Algebra* (1875-1876)
 15. *Algebra* (1875-1876)

Mohria, Sw.

M. caffrorum, *Desv.* South Africa.

Var. *achilleæfolia*, *Hort.*

M. thurifraga. See *caffrorum*.

Monogramme, Sch.

M. seminuda, *Baker.* West Indies, &c.

Myriopteris. See *Cheilanthes*.

Neottopteris. See *Asplenium*.

Nephrodium, Rich.

N. æmulum, *Baker.* Britain and Madeira.

N. affine, *Lowe.* See *Filix-mas*.

N. albopunctatum, *Desv.* Guinea, Natal, &c.

N. atratum (Wall.). See *hirtipes*.

N. atrovirens (J. Sm.). See *decompositum*.

N. Blumei, *Hook.* See *intermedium*.

N. boryanum, *Baker.* Himalaya.

N. calcaratum, *Hook.* East Indies.

N. canum, *Baker.* Himalaya.

N. catopterion, *Hook.* South Africa.

N. chinense, *Baker.* China and Japan.

N. chrysolobum, *Fée.* Brazil and Colombia.

N. cicutarium, *Baker.* Tropics, ubiquitous.

N. confluens, *F. Muell.* Queensland.

N. coruscum, *Hort.* See *Aspidium varium*.

N. cristatum, *Mich.* Europe and North America.

Var. *uliginosum*, *Newm.*

N. cuspidatum, *Baker.* West Indies and Ceylon.

1880-1881

1. 1. 1880-1881. 1. 1. 1880-1881.

2. 2. 1880-1881. 2. 2. 1880-1881.

3. 3. 1880-1881. 3. 3. 1880-1881.

4. 4. 1880-1881. 4. 4. 1880-1881.

5. 5. 1880-1881. 5. 5. 1880-1881.

6. 6. 1880-1881. 6. 6. 1880-1881.

7. 7. 1880-1881. 7. 7. 1880-1881.

8. 8. 1880-1881. 8. 8. 1880-1881.

9. 9. 1880-1881. 9. 9. 1880-1881.

10. 10. 1880-1881. 10. 10. 1880-1881.

11. 11. 1880-1881. 11. 11. 1880-1881.

12. 12. 1880-1881. 12. 12. 1880-1881.

13. 13. 1880-1881. 13. 13. 1880-1881.

14. 14. 1880-1881. 14. 14. 1880-1881.

15. 15. 1880-1881. 15. 15. 1880-1881.

16. 16. 1880-1881. 16. 16. 1880-1881.

17. 17. 1880-1881. 17. 17. 1880-1881.

18. 18. 1880-1881. 18. 18. 1880-1881.

19. 19. 1880-1881. 19. 19. 1880-1881.

20. 20. 1880-1881. 20. 20. 1880-1881.

21. 21. 1880-1881. 21. 21. 1880-1881.

22. 22. 1880-1881. 22. 22. 1880-1881.

23. 23. 1880-1881. 23. 23. 1880-1881.

24. 24. 1880-1881. 24. 24. 1880-1881.

25. 25. 1880-1881. 25. 25. 1880-1881.

26. 26. 1880-1881. 26. 26. 1880-1881.

Nephrodium, *Rich.*—*cont.*

- N. cyatheoides*, *Kaulf.* Tropical Asia.
- N. decompositum*, *R. Br.* Australia and New Zealand.
 Var. glabellum (*Cunn.*).
 Var. Shepherdii (*Kze.*).
- N. decurrens*, *Baker.* Tropical Asia.
- N. decursivo-pinnatum*, *Baker.* China and Japan.
- N. deltoideum*, *Desv.* Tropical America.
- N. denticulatum*, *Hook.* Tropical America.
- N. dilatatum*, *Desv.* *See spinulosum.*
- N. dissectum*, *Desv.* Tropics of Old World.
 Var. membranifolium (*Presl.*).
- N. divergens*, *Willd.* *See effusum.*
- N. effusum*, *Baker.* Tropical America.
 Var. divergens (*Willd.*).
- N. elongatum*, *H. & G.* *See Filix-mas.*
- N. eriocarpum*, *D.C.* *See odoratum.*
- N. erythrosorum*, *Hook.* Japan.
 Var. prolificum (*Maxim.*).
- N. extensum*, *Hook.* Ceylon.
- N.* Filix-mas*, *Desv.* Temperate regions, ubiquitous.
 Var. elongatum (*Hook. & Gr.*). Sub-tropical regions.
 Var. schimperianum (*Hochst.*). Simla.
- N. floridanum*, *Hook.* Louisiana and Florida.
- N. Fœnisecii*, *Lowe.* *See æmulum.*
- N. glabellum*, *Cunn.* *See decompositum.*

* For garden varieties, *see* p. 171.

Nephrodium, Rich.—cont.

- N. goldieanum*, *Hook.* North America.
N. Grisebachii, *Baker.* Cuba.
N. hirtipes, *Hook.* Tropical Asia.
N. hispidum, *Hook.* New Zealand.
N. incisum, *Baker.* West Indies.
N. intermedium, *Baker.* Tropical Asia.
N. irregulare, *Brack.* See *latifolium*.
N. Jenmani, *Baker.* Jamaica.
N. lacerum, *Baker.* Japan.
N. latifolium, *Baker.* Polynesia.
N. lepidum, *Moore.* Polynesia.
N. leuzeanum, *Hook.* Tropical Asia.
N. macrophyllum, *Baker.* Tropical America.
 Var. calvatum, *Hort.*
N. marginale, *Misch.* North America.
N. membranifolium, *Presl.* See *dissectum*.
N. molle, *Desv.* Ubiquitous.
 Var. polydactylon, *Hort.* Tropics.
 Var. violascens, *Link.*
N. montanum, *Baker.* Europe.
N. nevadense, *Baker.* North America.
N. noveboracense, *Desv.* North America.
N. odoratum, *Baker.* Tropical Asia, &c.
N. Oreopteris, *Desv.* See *montanum*.
N. patens, *Desv.* Tropics, &c.
N. polymorphum, *Baker.* Tropical Asia.

Nephrodium, *Rich.*—*cont.*

N. prolificum, Maxim. *See erythrosorum.*

N. pubescens, *Desv.* West Indies.

N. recedens, *Hook.* Ceylon, &c.

N. recurvum, *Hort.* *See æmulum.*

N. Richardsi, *Baker.* New Caledonia.

Var. *multifidum*, *Hort.*

N. rigidum, *Desv.* North temp. zone.

Var. *argutum* (*Kaulf.*).

N. rodigasianum, *Morr.* Samoa.

N. scabrosum, *Baker.* Nilgherries.

N. setigerum, *Baker.* Japan and tropical Asia.

Var. *cristatum*, *Hort.*

N. setosum, *Baker.* Java.

N. Sieboldii, *Hook.* Japan.

N. Sloanei, *Baker.* Tropical America.

N. sparsum, *Don.* Tropical Asia.

N. spinulosum*, *Desv.* North temp. zone.

Var. *dilatatum* (*Desv.*).

N. subtriphyllum, *Baker.* Tropical Asia.

N. tenericaule, *Hook.* *See setigerum.*

N. Thelypteris, *Desv.* North and South temp. zones.

N. Thwaitesii, *Baker.* Ceylon.

N. Trimeni, *Beddome.* Ceylon.

N. truncatum, *Presl.* East Indies, &c.

N. unitum, *R. Br.* Tropical and sub-tropical regions.

* For garden varieties, *see* p. 175.

Nephrodium, Rich.—cont.

N. varians, Fée. Trinidad.

N. variolosum, Baker. Malaya.

N. villosum, Presl. Tropical America.

Var. *lachnopodium* (*J. Sm.*).

Nephrolepis, Schott.

N. acuta, Presl. Tropics everywhere.

N. Bausei, Hort. Garden origin.

N. biserrata, Schott. See *acuta*.

N. cordifolia, Baker. Tropics every where.

Var. *compacta*, Hort.

Var. *pectinata* (*Schott*).

Var. *philippensis* (*Hort.*).

Var. *tuberosa* (*Presl.*).

N. davallioides, Kze. Java.

Var. *furcans*, Hort.

N. Duffi, Moore. Australia.

N. ensifolia, Presl. See *acuta*.

N. exaltata, Schott. Tropics everywhere.

Var. *Barteri*, Hort. West Tropical Africa.

Var. *hirsutula*, Presl.

N. pectinata, Schott. See *cordifolia*.

N. philippinensis, Hort. See *cordifolia*.

N. Pluma, Moore. Madagascar.

N. ramosa, Moore. Tropics, Old World.

N. recurvata, Hort. See *exaltata*.

N. rufescens, Presl. Tropics.

Var. *tripinnatifida*, Baker. Solomon Islands.

Nephrolepis, *Schott.*—*cont.*

N. tuberosa, Presl. *See cordifolia.*

N. undulata, J. Sm. *See cordifolia.*

Neurocallis. *See Acrostichum.*

Niphobolus. *See Polypodium.*

N. rupestris, Spr. *See Polypodium serpens.*

Niphopsis. *See Polypodium.*

Nothochlæna, *R. Br.*

N. affinis, Hook. Mexico, &c.

N. eckloniana, Kze. South Africa.

N. ferruginea, Hook. South America and West Indies.

N. flavens, Moore. Tropical America.

N. Hookeri, Lowe. *See nivea.*

N. lævis, M. & G. *See sinuata.*

N. lanuginosa, Desv. South Europe, &c.

N. Marantæ, *R. Br.* South Europe, &c.

N. nivea, Desv. Tropical America.

N. rufa, Presl. *See ferruginea.*

N. sinuata, Kaulf. Tropical America.

N. sulphurea, J. Sm. California, Mexico, &c.

N. trichomanoides, *R. Br.* Jamaica, Cuba.

Odontosoria. *See Davallia.*

Oleandra, *Cav.*

O. articulata, Cav. Tropical Africa.

O. nodosa, Presl. Tropical America.

Olfersia. *See Acrostichum.*

1. *Thymus* *sp.*
 2. *Thymus* *sp.*
 3. *Thymus* *sp.*
 4. *Thymus* *sp.*
 5. *Thymus* *sp.*
 6. *Thymus* *sp.*
 7. *Thymus* *sp.*
 8. *Thymus* *sp.*
 9. *Thymus* *sp.*
 10. *Thymus* *sp.*
 11. *Thymus* *sp.*
 12. *Thymus* *sp.*
 13. *Thymus* *sp.*
 14. *Thymus* *sp.*
 15. *Thymus* *sp.*
 16. *Thymus* *sp.*
 17. *Thymus* *sp.*
 18. *Thymus* *sp.*
 19. *Thymus* *sp.*
 20. *Thymus* *sp.*
 21. *Thymus* *sp.*
 22. *Thymus* *sp.*
 23. *Thymus* *sp.*
 24. *Thymus* *sp.*
 25. *Thymus* *sp.*
 26. *Thymus* *sp.*
 27. *Thymus* *sp.*
 28. *Thymus* *sp.*
 29. *Thymus* *sp.*
 30. *Thymus* *sp.*
 31. *Thymus* *sp.*
 32. *Thymus* *sp.*
 33. *Thymus* *sp.*
 34. *Thymus* *sp.*
 35. *Thymus* *sp.*
 36. *Thymus* *sp.*
 37. *Thymus* *sp.*
 38. *Thymus* *sp.*
 39. *Thymus* *sp.*
 40. *Thymus* *sp.*
 41. *Thymus* *sp.*
 42. *Thymus* *sp.*
 43. *Thymus* *sp.*
 44. *Thymus* *sp.*
 45. *Thymus* *sp.*
 46. *Thymus* *sp.*
 47. *Thymus* *sp.*
 48. *Thymus* *sp.*
 49. *Thymus* *sp.*
 50. *Thymus* *sp.*
 51. *Thymus* *sp.*
 52. *Thymus* *sp.*
 53. *Thymus* *sp.*
 54. *Thymus* *sp.*
 55. *Thymus* *sp.*
 56. *Thymus* *sp.*
 57. *Thymus* *sp.*
 58. *Thymus* *sp.*
 59. *Thymus* *sp.*
 60. *Thymus* *sp.*
 61. *Thymus* *sp.*
 62. *Thymus* *sp.*
 63. *Thymus* *sp.*
 64. *Thymus* *sp.*
 65. *Thymus* *sp.*
 66. *Thymus* *sp.*
 67. *Thymus* *sp.*
 68. *Thymus* *sp.*
 69. *Thymus* *sp.*
 70. *Thymus* *sp.*
 71. *Thymus* *sp.*
 72. *Thymus* *sp.*
 73. *Thymus* *sp.*
 74. *Thymus* *sp.*
 75. *Thymus* *sp.*
 76. *Thymus* *sp.*
 77. *Thymus* *sp.*
 78. *Thymus* *sp.*
 79. *Thymus* *sp.*
 80. *Thymus* *sp.*
 81. *Thymus* *sp.*
 82. *Thymus* *sp.*
 83. *Thymus* *sp.*
 84. *Thymus* *sp.*
 85. *Thymus* *sp.*
 86. *Thymus* *sp.*
 87. *Thymus* *sp.*
 88. *Thymus* *sp.*
 89. *Thymus* *sp.*
 90. *Thymus* *sp.*
 91. *Thymus* *sp.*
 92. *Thymus* *sp.*
 93. *Thymus* *sp.*
 94. *Thymus* *sp.*
 95. *Thymus* *sp.*
 96. *Thymus* *sp.*
 97. *Thymus* *sp.*
 98. *Thymus* *sp.*
 99. *Thymus* *sp.*
 100. *Thymus* *sp.*

Onoclea, L.

O. germanica, Willd. Europe and North America.

O. pennsylvanica, Willd. See *germanica*.

O. sensibilis, L. North America.

Onychium, Kaulf.

O. auratum, Kaulf. Himalaya.

O. japonicum, Kze. Japan and Himalaya.

Var. *multisectum, Henders.*

O. lucidum, Spr. See *japonicum*.

Ophioglossum, L.

O. pendulum, L. Tropics, Old World.

O. vulgatum, L. Ubiquitous.

Osmunda, L.

O. cinnamomea, L. North America, &c.

O. claytoniana, L. North America, &c.

O. interrupta, Mich. See *claytoniana*.

O. japonica, Thunb. See *regalis*.

O. javanica, Bl. Java, &c.

O. regalis, L. North and South temp. regions.

Var. *corymbifera, Hort.*

Var. *cristata, Hort.*

Var. *japonica (Thunb).* Japan, &c.

Var. *palustris, Hort.*

Var. *purpurascens, Hort.*

O. spectabilis, Willd. See *regalis*.

Paragramma. See *Polypodium*.

Pellaea, Link.

P. adiantifolia, Hort. See *hastata*.

Pellæa, *Link.*—*cont.*

- P. alabamensis*, *Baker.* Alabama.
P. andromedæfolia, *Fée.* California and South Africa.
P. atropurpurea, *Link.* North America.
P. brachyptera, *Baker.* California.
P. cordata, *J. Sm.* Mexico.

Var. *flexuosa* (*Link.*).

- P. densa*, *Hook.* North America.
P. falcata, *Fée.* Tropical Asia and Australia.
P. geraniæfolia, *Fée.* Tropics.
P. gracilis, *Hook.* North temp. zone.
P. hastata, *Link.* South Africa.
P. intramarginalis, *J. Sm.* Mexico.
P. involuta, *Baker.* East Africa.
P. mucronata, *Eaton.* California, &c.
P. paradoxa, *Hook.* Australia.
P. ternifolia, *Fée.* Tropical America.
P. wrightiana, *Hook.* See *mucronata*.

Phegopteris. See *Polypodium.*

- P. lachnopoda*, *J. Sm.* See *Nephrodium amplum.*
P. submarginalis, *J. Sm.* See *N. caripense.*
P. trichodes, *J. Sm.* See *N. setigerum.*

Phlebodium. See *Polypodium.**Phymatodes.* See *Polypodium.*

- P. vulgare*, *Presl.* See *Polypodium Phymatodes.*

Platyserium, *Desv.*

- P. æthiopicum*, *Hook.* Tropical Africa.

1. *...*
2. *...*
3. *...*
4. *...*
5. *...*
6. *...*
7. *...*
8. *...*
9. *...*
10. *...*
11. *...*
12. *...*
13. *...*
14. *...*
15. *...*
16. *...*
17. *...*
18. *...*
19. *...*
20. *...*
21. *...*
22. *...*
23. *...*
24. *...*
25. *...*
26. *...*
27. *...*
28. *...*
29. *...*
30. *...*
31. *...*
32. *...*
33. *...*
34. *...*
35. *...*
36. *...*
37. *...*
38. *...*
39. *...*
40. *...*
41. *...*
42. *...*
43. *...*
44. *...*
45. *...*
46. *...*
47. *...*
48. *...*
49. *...*
50. *...*

Platynerium, Desv.—cont.

P. alpicorne, Desv. Australia.

Var. *Hillii* (Moore).

P. grande, J. Sm. Tropical Asia and North Australia.

P. Stemmaria, Beauv. See *æthiopicum*.

P. Wallickii, Hook. Malaya.

P. Willinckii, Moore. Java.

Platyloma. See *Pellæa*.

Pleocnemia. See *Nephrodium*.

Pleopeltis. See *Polypodium*.

Pleuridium. See *Polypodium*.

Pœcilopteris. See *Acrostichum*.

Polybotrya. See *Acrostichum*.

Polypodium, L.

P. adnascens, Sw. Tropical Asia.

Var. *lævis* (J. Sm.).

P. adnatum, Kze. South America.

P. albopunctatissimum, Linden. See *crassifolium*.

P. albosquamatum, Bl. Malaya.

P. alpestre, Hoppe. North temp. zone.

Var. *flexile* (Newm.). Scotland.

P. amœnum, Wall. North India.

P. amphostemon, Kze. See *angustifolium*.

P. angustatum, Sw. Tropical Asia.

P. angustifolium, Sw. Tropical America.

P. appendiculatum, Wall. East Himalaya.

P. areolatum, H. B. K. See *aureum*.

1. *Phragmites communis* Trin. - common
 2. *Scirpus palustris* L. - abundant
 3. *Juncus acutiflorus* (L.) Rostk. - common
 4. *Eleocharis acicularis* (L.) Rostk. - common
 5. *Sagittaria arifolia* (L.) Rostk. - common
 6. *Sparganium angustifolium* Michx. - common
 7. *Alisma plantago-foliosa* L. - common
 8. *Utricularia vulgaris* L. - common
 9. *Utricularia intermedia* (L.) Rostk. - common
 10. *Utricularia flexuosa* (L.) Rostk. - common
 11. *Utricularia purpurea* (L.) Rostk. - common
 12. *Utricularia minor* (L.) Rostk. - common
 13. *Utricularia vulgaris* L. - common
 14. *Utricularia flexuosa* (L.) Rostk. - common
 15. *Utricularia purpurea* (L.) Rostk. - common
 16. *Utricularia minor* (L.) Rostk. - common
 17. *Utricularia vulgaris* L. - common
 18. *Utricularia flexuosa* (L.) Rostk. - common
 19. *Utricularia purpurea* (L.) Rostk. - common
 20. *Utricularia minor* (L.) Rostk. - common
 21. *Utricularia vulgaris* L. - common
 22. *Utricularia flexuosa* (L.) Rostk. - common
 23. *Utricularia purpurea* (L.) Rostk. - common
 24. *Utricularia minor* (L.) Rostk. - common
 25. *Utricularia vulgaris* L. - common
 26. *Utricularia flexuosa* (L.) Rostk. - common
 27. *Utricularia purpurea* (L.) Rostk. - common
 28. *Utricularia minor* (L.) Rostk. - common
 29. *Utricularia vulgaris* L. - common
 30. *Utricularia flexuosa* (L.) Rostk. - common
 31. *Utricularia purpurea* (L.) Rostk. - common
 32. *Utricularia minor* (L.) Rostk. - common
 33. *Utricularia vulgaris* L. - common
 34. *Utricularia flexuosa* (L.) Rostk. - common
 35. *Utricularia purpurea* (L.) Rostk. - common
 36. *Utricularia minor* (L.) Rostk. - common
 37. *Utricularia vulgaris* L. - common
 38. *Utricularia flexuosa* (L.) Rostk. - common
 39. *Utricularia purpurea* (L.) Rostk. - common
 40. *Utricularia minor* (L.) Rostk. - common
 41. *Utricularia vulgaris* L. - common
 42. *Utricularia flexuosa* (L.) Rostk. - common
 43. *Utricularia purpurea* (L.) Rostk. - common
 44. *Utricularia minor* (L.) Rostk. - common
 45. *Utricularia vulgaris* L. - common
 46. *Utricularia flexuosa* (L.) Rostk. - common
 47. *Utricularia purpurea* (L.) Rostk. - common
 48. *Utricularia minor* (L.) Rostk. - common
 49. *Utricularia vulgaris* L. - common
 50. *Utricularia flexuosa* (L.) Rostk. - common
 51. *Utricularia purpurea* (L.) Rostk. - common
 52. *Utricularia minor* (L.) Rostk. - common
 53. *Utricularia vulgaris* L. - common
 54. *Utricularia flexuosa* (L.) Rostk. - common
 55. *Utricularia purpurea* (L.) Rostk. - common
 56. *Utricularia minor* (L.) Rostk. - common
 57. *Utricularia vulgaris* L. - common
 58. *Utricularia flexuosa* (L.) Rostk. - common
 59. *Utricularia purpurea* (L.) Rostk. - common
 60. *Utricularia minor* (L.) Rostk. - common
 61. *Utricularia vulgaris* L. - common
 62. *Utricularia flexuosa* (L.) Rostk. - common
 63. *Utricularia purpurea* (L.) Rostk. - common
 64. *Utricularia minor* (L.) Rostk. - common
 65. *Utricularia vulgaris* L. - common
 66. *Utricularia flexuosa* (L.) Rostk. - common
 67. *Utricularia purpurea* (L.) Rostk. - common
 68. *Utricularia minor* (L.) Rostk. - common
 69. *Utricularia vulgaris* L. - common
 70. *Utricularia flexuosa* (L.) Rostk. - common
 71. *Utricularia purpurea* (L.) Rostk. - common
 72. *Utricularia minor* (L.) Rostk. - common
 73. *Utricularia vulgaris* L. - common
 74. *Utricularia flexuosa* (L.) Rostk. - common
 75. *Utricularia purpurea* (L.) Rostk. - common
 76. *Utricularia minor* (L.) Rostk. - common
 77. *Utricularia vulgaris* L. - common
 78. *Utricularia flexuosa* (L.) Rostk. - common
 79. *Utricularia purpurea* (L.) Rostk. - common
 80. *Utricularia minor* (L.) Rostk. - common
 81. *Utricularia vulgaris* L. - common
 82. *Utricularia flexuosa* (L.) Rostk. - common
 83. *Utricularia purpurea* (L.) Rostk. - common
 84. *Utricularia minor* (L.) Rostk. - common
 85. *Utricularia vulgaris* L. - common
 86. *Utricularia flexuosa* (L.) Rostk. - common
 87. *Utricularia purpurea* (L.) Rostk. - common
 88. *Utricularia minor* (L.) Rostk. - common
 89. *Utricularia vulgaris* L. - common
 90. *Utricularia flexuosa* (L.) Rostk. - common
 91. *Utricularia purpurea* (L.) Rostk. - common
 92. *Utricularia minor* (L.) Rostk. - common
 93. *Utricularia vulgaris* L. - common
 94. *Utricularia flexuosa* (L.) Rostk. - common
 95. *Utricularia purpurea* (L.) Rostk. - common
 96. *Utricularia minor* (L.) Rostk. - common
 97. *Utricularia vulgaris* L. - common
 98. *Utricularia flexuosa* (L.) Rostk. - common
 99. *Utricularia purpurea* (L.) Rostk. - common
 100. *Utricularia minor* (L.) Rostk. - common

Polypodium, *L.*—*cont.*

P. aureum, *L.* Tropical America.

Var. *areolatum* (*H. B. K.*).

Var. *glaucum*, *Hort.*

Var. *pulvinatum* (*Link.*).

Var. *sporodocarpon* (*Willd.*).

P. Billardieri, *R. Br.* Australia and New Zealand.

P. biseriale, *Baker.* Peru, &c.

P. calcareum, *Sm.* See *Dryopteris*.

P. californicum, *Kaulf.* California.

P. calvatum, *Baker.* China.

P. cambricum, *L.* See *vulgare*.

P. cameroonianum, *Hook.* Cameroon Mountains.

P. Catherinæ, *J. Sm.* See *loriceum*.

P. caudiceps, *Moore.* Formosa.

P. chnoodes, *Spreng.* Tropical America.

P. clathratum, *C. B. Clarke.* Simla.

P. colpodes, *Kze.* See *plesiosorum*.

P. conjugatum, *Lam.* Tropical Asia.

P. contiguum, *Wall.* See *longifolium*.

P. coronans, *Wall.* See *conjugatum*.

P. crassifolium, *L.* Tropical America.

Var. *albopunctatissimum* (*Linden.*) Brazil.

P. cuspidatum, *Bl.* See *persicæfolium*.

P. dissimile, *Hook.* See *chnoodes*.

P. distans, *Raddi.* See *diversifolium*.

P. diversifolium, *Sw.* Tropical America.

1. *Journal of the Royal Society of Medicine*, 1911, 4, 1.
2. *Journal of the Royal Society of Medicine*, 1911, 4, 1.
3. *Journal of the Royal Society of Medicine*, 1911, 4, 1.
4. *Journal of the Royal Society of Medicine*, 1911, 4, 1.
5. *Journal of the Royal Society of Medicine*, 1911, 4, 1.
6. *Journal of the Royal Society of Medicine*, 1911, 4, 1.
7. *Journal of the Royal Society of Medicine*, 1911, 4, 1.
8. *Journal of the Royal Society of Medicine*, 1911, 4, 1.
9. *Journal of the Royal Society of Medicine*, 1911, 4, 1.
10. *Journal of the Royal Society of Medicine*, 1911, 4, 1.
11. *Journal of the Royal Society of Medicine*, 1911, 4, 1.
12. *Journal of the Royal Society of Medicine*, 1911, 4, 1.
13. *Journal of the Royal Society of Medicine*, 1911, 4, 1.
14. *Journal of the Royal Society of Medicine*, 1911, 4, 1.
15. *Journal of the Royal Society of Medicine*, 1911, 4, 1.
16. *Journal of the Royal Society of Medicine*, 1911, 4, 1.
17. *Journal of the Royal Society of Medicine*, 1911, 4, 1.
18. *Journal of the Royal Society of Medicine*, 1911, 4, 1.
19. *Journal of the Royal Society of Medicine*, 1911, 4, 1.
20. *Journal of the Royal Society of Medicine*, 1911, 4, 1.

Polypodium, *L.*—*cont.*

- P. drepanum*, *Hook.* Madeira.
- P. Dryopteris*, *L.* North temp. zone.
 Var. robertianum (*Hoffm.*).
- P. effusum.* *See* *Nephrodium.*
- P. ensifolium*, *Willd.* *See* *angustifolium.*
- P. elasticum*, *Rich.* Tropical America.
- P. fraxinifolium*, *Jacq.* *See* *diversifolium.*
- P. fossum*, *Baker.* Malaya.
- P. Gardneri*, *Mett.* Ceylon.
- P. glaucophyllum*, *Kze.* West Indies.
 Var. glaucum, *Hort.*
 Var. viride, *Hort.*
- P. griseum*, *Liebm.* Mexico and Guatemala.
- P. guatemalense*, *Hook.* Tropical America.
- P. harpeodes*, *Link.* *See* *loriceum.*
- P. hastæfolium*, *Sw.* West Indies.
- P. hastatum*, *Thunb.* Japan, &c.
- P. hemionitideum*, *Wall.* Tropical Asia.
- P. Heracleum*, *Kze.* Tropical Asia.
- P. hexagonopterum*, *Mich.* North America.
- P. hirsutum*, *Sw.* Brazil.
- P. hymenodes*, *Bl.* *See* *superficiale.*
- P. inæquale*, *Moore.* *See* *guatemalense.*
- P. incanum*, *Sw.* South Africa and America.
- P. incurvatum*, *Bl.* Malaya, &c.
- P. intermedium*, *H. & A.* *See* *californicum.*

Polypodium, *L.*—*cont.*

P. irioides, *Lam.* Tropics and sub-tropics, Old World.

P. juglandifolium, *Don.* Himalaya.

Var. *tenuicauda* (*Hook.*).

P. karwinskianum, *A. Br.* See *plebeium*.

P. lachnopus, *Wall.* N. India.

P. lævigatum, *Cuv.* Tropical America.

P. lanceolatum, *L.* Tropics.

P. leiorrhizon, *Wall.* Tropical Asia.

P. lepidopteris, *Kze.* Tropical America.

Var. *sepultum* (*Kaulf.*).

P. Lingua, *Sw.* Tropical Asia, &c.

Var. *corymbiferum*, *Hort.*

Var. *Heteractis* (*Mett.*). Himalaya.

P. longissimum, *Bl.* Tropical Asia.

P. longifolium, *Mett.* Malaya.

P. loriceum, *L.* Tropical America.

Var. *pinnatifidum*, *Baker.*

Var. *vacillans* (*Link.*).

P. lycopodioides, *L.* Tropics everywhere.

Var. *maximum*, *Hort.*

Var. *owariense* (*Desv.*). Tropical Africa.

Var. *salicifolium* (*Willd.*). Tropical America.

Var. *squamulosum*, *Kaulf.* Brazil.

P. macrourum, *Baker.* Australia.

P. megalodus, *Schk.* See *tetragonum*.

P. membranaceum, *Don.* N. India.

P. menisciifolium, *L. & F.* Brazil,

Polypodium, *L.*—*cont.*

- P. meyenianum*, *Schott.* Philippines.
- P. musæfolium*, *Bl.* Malaya.
- P. multilineatum*, *Wall.* N. India.
- P. neriifolium*, *Schk.* Tropical America.
- P. nigrescens*, *Bl.* Malaya, &c.
- P. nigripes*, *Hook.* Venezuela.
- P. nitidum*, *J. Sm.* See lycopodioides.
- P. owariense*, *Desv.* See lycopodioides.
- P. pectinatum*, *L.* Tropical America.
 Var. *Paradiseæ* (*L. & F.*).
 Var. *plumosum*, *Hort.*
- P. peltideum*, *Link.* See Phymatodes.
- P. pennigerum*, *Forst.* New Zealand.
- P. percussum*, *Cav.* Tropical America.
- P. persicæfolium*, *Desv.* Tropical Asia.
 Var. *grandidens*, *Kze.* Java.
- P. Phegopteris*, *L.* North temp. zone.
 Var. *cristatum*, *Hort.*
- P. Phyllitidis*, *L.* Tropical America.
 Var. *brevifolium* (*Link.*).
 Var. *obscurum* (*Mett.*).
- P. Phymatodes*, *L.* Tropics, Asia and Africa.
 Var. *longipes* (*Link.*).
 Var. *terminale* (*Link.*).
- P. pictum*, *Baker.* Polynesia.
- P. piloselloides*, *L.* Tropical America.
- P. plebeium*, *Schlecht.* Mexico.

Polypodium, *L.*—*cont.*

- P. plesiosorum*, *Kze.* Tropical America.
 Var. *appendiculatum* (*Klotzsch*).
P. Plumula, *H. B. K.* See *elasticum*.
P. preslianum, *Link.* See *neriifolium*.
P. propinquum, *Wall.* Tropical Asia.
P. pulvinatum, *Link.* See *aureum*.
P. pustulatum, *Forst.* Australia and New Zealand.
P. quercifolium, *L.* Tropical Asia, &c.
 . *repens*, *L.* Tropical America.
 Var. *undulatum*, *Hort.*
P. reptans, *Sw.* Tropical America.
 Var. *asplenioides*, (*Sw.*).
P. rigidulum, *Sw.* N. Australia, &c.
P. robertianum, *Hoffm.* See *Dryopteris*.
P. rostratum, *Hook.* N. India.
P. rubidum, *Hook.* Philippines.
P. rupestre, *Bl.* Java, &c.
P. Scouleri, *H. & G.* N.W. America.
P. sepultum, *Kaulf.* See *lepidopteris*.
P. serpens, *Forst.* Australia.
P. simplex, *Sw.* See *lineare*.
P. spectrum, *Kaulf.* Sandwich Isles.
P. sphærocephalum, *Wall.* See *angustatum*.
P. sporodocarpon, *Willd.* See *aureum*.
P. squamulosum, *Kaulf.* See *lycopodioides*.
P. stigmaticum, *Presl.* Tropical America.

Polypodium, *L.*—*cont.*

P. subauriculatum, *Bl.* Tropical Asia &c.

Var. *Reinwardtii* (*Kze.*).

P. subpetiolatum, *Hook.* Central America.

P. superficiale, *Bl.* East Indies.

P. suspensum, *L.* Tropical America.

P. tæniosum, *Hort.* See *angustifolium*.

P. tenellum, *Forst.* Australia, &c.

P. tenuicauda, *Hook.* See *juglandifolium*.

P. tetragonum, *Sw.* Australia, &c.

Var. *megalodus* (*Schk.*).

P. tricuspe, *Sw.* Japan.

P. vacillans, *Link.* See *loriceum*.

P. vacciniifolium, *L. and F.* Tropical America.

Var. *album*, *Hort.*

P. venosum, *Desv.* See *stigmaticum*.

P. verrucosum, *Wall.* Malaya.

*P. *vulgare*, *L.* North temp. zone.

P. Xiphias, *Moore.* Polynesia.

P. Zippelii, *Bl.* See *heterocarpum*.

Polystichum. See *Aspidium*.

Prosaptia. See *Davallia*.

Pseudathyrium. See *Polypodium*.

Pteris, L.

P. aquilina, *L.* Cosmopolitan.

P. arguta, *Ait.* South Europe and Azores.

* For garden varieties, see p. 175.

Pteris, L.—cont.

P. argyræa, Moore. See *quadriaurita*.

P. Bausei. See *semipinnata*.

P. biaurita, L. Tropics.

Var. *memoralis variegata*.

P. collina, Raddi. See *palmata*.

P. crassipes, Ag. See *gigantea*.

P. crenata, Sw. See *ensiformis*.

P. cretica, L. Tropical and sub-tropical regions.

Var. *albolineata*, Hort.

Var. *cristata*, Hort.

Var. *Mayi*, Hort.

Var. *nobilis*, Hort.

P. elata, Ag. Tropical America.

P. ensiformis, Burm. Tropical Asia.

Var. *Victoriæ*, Hort.

Var. *cristata*, Hort.

P. flabellata, Thunb. South Africa.

P. Ghiesbreghtii, J. Sm. See *laciniata*.

P. gigantea, Willd. West Indies.

P. glaucovirens, Linden. See *quadriaurita*.

P. heterophylla, L. West Indies.

Var. *internata* (Moore).

P. incisa, Thunb. Tropical and sub-tropical regions.

P. laciniata, Willd. Tropical America.

Var. *Ghiesbreghtii*, J. Sm.

P. leptophylla, Sw. Brazil.

Page 1 - 10

 

Pteris, *L.*—*cont.*

P. longifolia, *L.* Tropical and sub-tropical regions.

Var. *Mariesii*, *Hort.* Japan.

P. ludens, *Wall.* Tropical Asia.

P. moluccana, *Bl.* Malaya, &c.

P. memorialis, *Willd.* See *biaurita*.

P. nobilis, *Hort.* See *palmata*.

P. Ouvrardii, *Hort.* See *serrulata*.

P. palmata, *Willd.* Tropical America, &c.

Var. *collina* (*Raddi*).

Var. *nobilis*, *Hort.*

P. patens, *Hook.* Tropics of Old World.

P. podophylla, *Sw.* Tropical America, &c.

P. quadriaurita, *Retz.* Tropics.

Var. *argyræa* (*Moore*).

Var. *rubricaulis* (*J. Sm.*).

Var. *tricolor* (*Hort.*).

P. robusta, *Hort.* See *aculeata*.

P. sagittifolia, *Raddi.* Brazil.

P. scaberula, *A. Rich.* New Zealand.

P. semipinnata, *L.* Tropical and sub-tropical Asia.

Var. *Bausei*, *Hort.*

P. serrulata, *L. fil.* China and Japan.

Var. *compacta*, *Hort.*

Var. *cristata*, *Hort.*

Var. *densa*, *Hort.*

Var. *gracilis*, *Hort.*

Var. *gloriosa*, *Hort.*

Pteris. *L.*—*cont.*

P. serrulata, *L. fil.* China and Japan—*cont.*

Var. *Leyi*, *Hort.*

Var. *maxima*, *Hort.*

Var. *Ouvrardii*, *Hort.*

Var. *undulata*, *Hort.*

P. straminea, *Mett.* Chili.

P. sulcata, *Link.* See *quadriaurita*.

P. tremula, *R. Br.* Australia.

Var. *elegans*, *Hort.*

Var. *kingiana* (*Endl.*).

Var. *smithiana*, *Hort.*

P. umbrosa, *R. Br.* Australia.

P. undulata, *Moore.* Fiji.

P. Victoriae, *Hort.* See *ensiformis*.

P. wallichiana, *Ag.* Himalaya.

Pteropsis. See *Tænitis*.

Pycnopteris. See *Nephrodium*.

Rhipidopteris. See *Acrostichum*.

Saccoloma. See *Davallia*.

Sadleria, *Kaulf.*

S. cyathæoides, *Kaulf.* Sumatra and Sandwich Islands.

Sagenia. See *Nephrodium*.

Salpichlæna. See *Lomaria*.

Schelleleipsis. See *Polypodium*.

Schizocæna. See *Cyathea*.

Schizoloma. See *Lindsaya*.

Scolopendrium, Sm.

S. brasiliense, Kze. Brazil.

S. Krebsii, Kze. See *Lomaria punctulata*.

*S. *vulgare*, Sm. North temperate zone.

Selliguea. See *Gymnogramme*.

Sitolobium. See *Davallia*.

Soromanes. See *Acrostichum Cænopteris*.

Stegania. See *Lomaria*.

Stenochlæna. See *Acrostichum*.

Stenolomana. See *Davallia*.

Stenosemia. See *Acrostichum*.

Struthiopteris. See *Onoclea*.

Taeniopsis. See *Vittaria*.

Thyrsopteris, Kze.

T. elegans, Kze. Juan Fernandez.

Todea, Willd.

T. africana, Willd. See *barbara*.

T. barbara, Moore. South Africa, Australia, and New Zealand.

T. Fraseri, H. & G. Australia, &c.

Var. *wilkesiana* (Brack.). Polynesia.

T. grandipinnula, Moore. See *Moorei*.

T. hymenophylloides, R. & L. New Zealand.

T. Moorei, Baker. Lord Howe's Island.

T. pellucida, Carm. See *hymenophylloides*.

T. rivularis, Sieb. See *barbara*.

* For garden varieties, see p. 179.

Todea, Willd.—cont.

T. superba, Col. New Zealand.

T. wilkesiana, Brack. See *Fraseri*.

Trichomanes, L.

T. alatum, Sw. Tropical America.

Var. *attenuatum* (Hook.).

T. angustatum, Carm. See *tenerum*.

T. apiifolium, Presl. Polynesia, &c.

T. auriculatum, Bl. Tropical Asia, &c.

T. Bancroftii, H. & G. Tropical America.

T. bipunctatum, Poir. See *Filicula*.

T. Bojeri, H. & G. See *cuspidatum*.

T. boschianum, Sturm. See *radicans*.

T. crispum, L. Tropical America.

T. cuspidatum, Willd. Mauritius.

T. elongatum, Cunn. See *rigidum*.

T. exsectum, Kze. Chili, &c.

T. Filicula, Bory. Tropical Asia and Africa.

T. fœniculaceum, Bory. Mauritius, &c.

T. humile, Forst. Polynesia, &c.

T. javanicum, Bl. Malaya.

T. Kaulfussii, Hook. *fil.* West Indies.

T. luschnathianum, Presl. See *radicans*.

T. maximum, Bl. Malaya and Polynesia.

T. meifolium, Hort. See *apiifolium*.

T. membranaceum, L. Tropical America.

The first of these is the fact that the
  
 maintaining the peace.

Trichomanes, *L.*—*cont.*

- T. muscoides*, *Sw.* Tropics.
- T. parviflorum*, *Poir.* See *fœniculaceum*.
- T. parvulum*, *Poir.* Tropics of Old World.
- T. Petersii*, *A. Gray.* Alabama.
- T. pinnatum*, *Sw.* Tropical America.
- T. Prieurii*, *Kze.* Tropical America.
- T. pulcherrimum*, *Col.* New Zealand.
- T. pyxidiferum*, *L.* Tropics everywhere.
 Var. olivaceum (*Kze.*). Tropical America.
- T. quercifolium*, *H. & G.* See *pusillum*.
- T. radicans*, *Sw.* Tropical and sub-tropical regions.
 Var. alabamense, *A. Gray.*
 Var. Andrewsii, *Newm.* Ireland.
 Var. boschianum (*Sturm.*).
 Var. crispum, *Hort.*
 Var. dilatatum, *Hort.*
 Var. frondosum (*Fée.*).
 Var. luschnathianum (*Presl.*). Brazil.
- T. reniforme*, *Forst.* New Zealand.
- T. reptans*, *Sw.* Tropical America.
- T. rigidum*, *Sw.* Tropics everywhere.
 Var. elongatum (*Cunn.*). New Zealand.
- T. scandens*, *L.* Central America.
- T. spicatum*, *Hedw.* West Indies.
- T. strictum*, *Menz.* New Zealand.
- T. tenerum*, *Spreng.* Tropical America.
- T. trichoideum*, *Sw.* Tropical America.
- T. venosum*, *R. Br.* Australia.

Vittaria, Smith.

V. elongata, Sw. Tropics of Old World.

V. lineata, Sw. Tropical America.

V. scolopendrina, Thwaites. Ceylon, &c.

V. stipitata, Kze. Colombia to Peru.

Woodsia, R. Br.

W. glabella, R. Br. North temperate zone.

W. ilvensis, R. Br. North temperate zone.

W. oregana, Eat. Rocky Mountains.

W. polystichoides, Eat. Japan.

W. scopulina, Eat. North America.

Woodwardia, Smith.

W. angustifolia, Sm. See *areolata*.

W. orientalis, Sw. Japan, &c.

W. radicans, Sw. North temperate zone.

Var. *Brownii*, Hort.

II. FERN ALLIES.

Azolla, *Lam.*

A. caroliniana, *Willd.* Tropical and sub-tropical America.

A. pinnata, *R. Br.* Australia.

Equisetum, *L.*

E. arvense, *L.* North temperate and arctic regions.

E. fluviatile, *Sm.* See *limosum*.

E. giganteum, *L.* Tropical America.

E. hyemale, *L.* North temperate and arctic regions.

E. limosum, *L.* North temperate and arctic regions.

E. maximum, *Lam.* North temperate regions.

E. palustre, *L.* North temperate and arctic regions.

E. pratense, *Ehrh.* North temperate and arctic regions.

E. robustum, *A. Br.* North America.

E. scirpoides, *Michx.* North temperate and arctic regions.

E. silvaticum, *L.* North temperate and arctic regions.

E. Telmateia, *Ehrh.* See *maximum*.

E. variegatum, *Schleich.* North temperate and arctic regions.

Isoetes, *L.*

I. Duriæi, *Bory.* Mediterranean region.

I. lacustris, *L.* Europe and North America.

Var. *Morei*, *Moore.* Ireland.

Lycopodium, *L.*

L. alpinum, *L.* Europe.

L. complanatum, *L.* Europe.

L. clavatum, *L.* Europe.

L. Hippuris, *Desv.* See *squarrosum*.

THE HISTORY OF THE

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

Lycopodium, L.—cont.

- L. Hookeri*, Wall. See *squarrosum*.
L. nummularifolium, Bl. Malaya, &c.
L. Phlegmaria, L. Tropics.
L. Selago, L. Europe.
L. squarrosum, Forst. Tropical Asia.
L. strictum, Baker. Madagascar.
L. taxifolium, Sw. Tropical America.

Marsilea, L.

- M. Drummondii*, A. Br. Australia.
 Var. *salvatrix* (Hans.).
M. hirsuta, R. Br. Australia.
M. macropus, Englm. Texas.
M. quadrifoliata, L. Europe and Asia.
M. salvatrix, Hans. See *Drummondii*.

Pilularia, L.

- P. globulifera*, L. Europe.

Psilotum, Sw.

- P. triquetrum*, Sw. Tropics.
 Var. *mascarenica*, Hort.
 Var. *nudum* (Griseb.).

Salvinia, Schreb.

- S. natans*, Hoffm. Sub-tropics of Old World.

Selaginella, Spring.

- S. africana*, A. Br. See *Vogelii*.
S. albonitens, Spring. West Indies.
S. albospica, Hort. See *tenophylla*.
S. amœna, Hort. See *caulescens*.
S. apus, Spring. North America.

 
 obtained by other methods.

Selaginella, *Spring*—*cont.*

S. argentea, *Spring*. *See* *caulescens*.

S. atroviridis, *Spring*. Tropical Asia.

S. bakeriana, *Bailey*. Queensland.

S. Braunii, *Baker*. China.

S. cæsia, *Hort*. *See* *uncinata*.

S. canaliculata, *Baker*. Tropical Asia.

S. caudata, *Spring*. *See* *canaliculata*.

S. caulescens, *Spring*. Tropical Asia.

Var. *amœna*, *Hort*.

Var. *minor*, *Hort*.

S. cognata. *See* *Lobbii*.

S. concinna, *Spring*. Mascaren Isles, &c.

S. conferta, *Moore*. *See* *canaliculata*.

S. convoluta, *Spring*. Tropical America.

S. cuspidata, *Link*. Tropical America.

Var. *elongata*, *Spring*.

S. denticulata, *Link*. Europe.

S. denticulata, *Hort*. *See* *kraussiana*.

S. dichroa, *Hort*. *See* *Vogelii*.

S. Douglasii, *Spring*. United States.

S. emiliana, *Hort*.

S. erythropus, *Spring*. Tropical America.

Var. *minor*, *Hort*.

S. filicina, *Spring*. *See* *hæmatodes*.

S. flabellata, *Spring*. Tropics.

S. flagellifera, *Hort*. *See* *plumosa*.

S. flexuosa, *Spring*. South Brazil.

 
differential equations.

Selaginella, *Spring*—cont.

S. Galeottei, *Spring*. Mexico.

S. grandis, *Moore*. Borneo.

S. Griffithii, *Spring*. Tropical Asia.

S. hæmatodes, *Spring*. Tropical America.

S. inæqualifolia, *Spring*. Tropical Asia.

Var. *bellula* (*Moore*). See var. *perelegans*.

Var. *perelegans* (*Moore*).

S. involvens, *Spring*. China and Japan.

Var. *texta*, *Baker*.

Var. *variegata*, *Hort*.

S. kraussiana, *A. Br.* South Africa, Azores, &c.

Var. *aurea*, *Hort*.

Var. *Brownii*, *Hort*.

Var. *Stansfieldii*, *Hort*.

Var. *variegata*, *Hort*.

S. lævigata, *Baker*. Madagascar.

Var. *Lyallii* (*Spring*).

S. lepidophylla, *Spring*. Tropical America.

S. leptostachya, *Bailey*. See *bakeriana*.

S. Lyallii, *Spring*. See *lævigata*.

S. Martensii, *Spring*. Mexico.

Var. *divaricata*, *Hort*.

Var. *stolonifera*, *A. Br.*

Var. *variegata*, *Hort*.

S. Mettenii, *A. Br.* Garden origin.

S. molliceps, *Spring*. Upper Guinea.

S. mutabilis, *Hort*. See *serpens*.

S. patula, *Spring*. West Indies.

S. pilifera, *A. Br.* Texas.

Selaginella, *Spring*—*cont.*

S. plumosa, *Baker*. Tropical Asia.

Var. *flagellifera*, *Hort*.

S. radiata, *Baker*. Tropical America.

S. radicata, *Spring*. See *plumosa*.

S. rubella, *Moore*. Garden origin.

S. rubricaulis, *Hort*. See *suberosa*.

S. serpens, *Spring*. West Indies.

S. stenophylla, *A. Br.* Mexico.

Var. *albospecta*, *Hort*.

S. suberosa, *Spring*. Tropical Asia.

S. texta, *Hort*. See *involuta*.

S. uncinata, *Spring*. China.

S. usta, *Vieill.* New Caledonia.

S. Victoriae, *Moore*. Borneo.

S. viridangula, *Spring*. Polynesia.

S. viticulosa, *Klotzsch*. Tropical America.

S. Vogelii, *Spring*. Tropical Africa.

Var. *dichroa* (*Hort.*).

S. Wallichii, *Spring*. Tropical Asia.

S. Warszewiczii, *Klotzsch*. See *radiata*.

S. Willdenovii, *Baker*. Tropical Asia.

Tmesipteris, *Bernh.*

T. Forsteri, *Endl.* See *tannense*.

T. tannense, *Bernh.* Australia and Polynesia.

III. APPENDIX.

Cultural forms of British Ferns.

Adiantum, *L.*A. *Capillus-veneris*, *L.*

- Var. *admirable*, *Lowe*.
- Var. *concinnum*, *Hort*.
- Var. *cornubiense*, *Moore*.
- Var. *daphnites*, *Lowe*.
- Var. *fissum*, *Moore*.
- Var. *grande*, *Moore*.
- Var. *imbricatum*, *Lowe*.
- Var. *laciniatum*, *Hort*.
- Var. *magnificum*, *Fraser*.
- Var. *Mariesii*, *Moore*.
- Var. *maximum*, *Moore*.
- Var. *obrienianum*, *Birkenhead*.
- Var. *optandrum*, *Lowe*.
- Var. *perfectum*, *Padley*.
- Var. *Roperi*, *Hort*.
- Var. *semilunatum*, *Lowe*.
- Var. *tenuis*, *Hort*.
- Var. *undulatum*, *Moore*.

Aspidium, *Swartz* (*Polystichum*).A. *aculeatum*, *Sw.* Europe.

- Var. *acrocladon*, *Lowe*.
- Var. *Barnesii*, *Jones*.

Aspidium, Swartz (Polystichum)—cont.**A. aculeatum, Sw. Europe—cont.**Var. *Braunii*, *Hort.*Var. *capitatum*, *Jones.*Var. *cristatum*, *Moore.*Var. *cruciatum*, *Jones.*Var. „ *polydactylon.*Var. *dubium*, *Woll.*Var. *grandiceps*, *Jones.*Var. *Kitsonae*, *Jones.*Var. *meritum*, *Lowe.*Var. *multifidum*, *Woll.*Var. *proliferum*, *Woll.*Var. *pulcherrimum*, *Jones.*Var. *subcristatum*, *Jones.***A. angulare,* Willd. Europe.**Var. *acuto-dissectum*, *Carbonell.*Var. *acuto-divaricatum*, *Carbonell.*Var. *acuto-divisilobum*, *Carbonell.*Var. *acutilobum*, *Woll.*Var. „ *acutum*, *Lowe.*Var. „ *proliferum*, *Moore.*Var. *alatum*, *Moore.*Var. „ *pterophorum*, *Moore.*Var. *apuaeforme*, *Moore.*Var. *assimile*, *Jones.*Var. *athyroides*, *Woll.*Var. *Bayliae*, *Lyell.*Var. *brachiatum*, *Moore.*Var. „ *cristatum*, *Jarvis.*

* This is a sub-species of *A. aculeatum*, but for garden purposes it is more convenient to treat it as a species.

Aspidium, Swartz (Polystichum)—cont.**A. angulare, Willd. Europe—cont.**

Var. Buckleae, *Lowe*.

Var. calomelanos, *Jones*.

Var. capitatum, *Clap*.

Var. caudatum, *Carbonell*.

Var. Claphami, *Jones*.

Var. concinnum, *Moore*.

Var. confluens, *Moore*.

Var. congestum, *Moore*.

Var. conspicuulobum, *Lowe*.

Var. „ acutum, *Carbonell*.

Var. cristatum, *Moore*.

Var. „ biceps, *Carbonell*.

Var. „ gracile, *Woll*.

Var. cruciato-polydactylum, *Jones*.

Var. cruciatum, *Lowe*.

Var. „ majus, *Jones*.

Var. „ proliferum, *Hort*.

Var. curvato-pinnum, *Carbonell*.

Var. decompositum, *Moore*.

Var. „ densum, *Carbonell*.

Var. „ grande, *Jones*.

Var. „ grandiceps, *Jones*.

Var. „ plumosum, *Jones*.

Var. „ polydactylum, *Jones*.

Var. „ robustum, *Jones*.

Var. „ splendens, *Jones*.

Var. decurrens, *Moore*.

Var. densum, *Moore*.

Var. „ polydactylum, *Jones*.

Var. divisilobum, *Woll*.

Aspidium, *Swartz* (*Polystichum*)—*cont.*

A. angulare, *Willd.* Europe—*cont.*

Var. *divisilobum acutum*, *Jones.*

Var. „ *cristatum*, *Ivery.*

Var. „ *decorum*, *Jones.*

Var. „ *deltoideum*, *Jones.*

Var. „ *densum*, *Carbonell.*

Var. „ *elegans*, *Jones.*

Var. „ *foliosum*, *Jones.*

Var. „ *grandiceps*, *Jones.*

Var. „ *laxum*, *Jones.*

Var. „ *lineare*, *Jones.*

Var. „ *multifidum*, *Jones.*

Var. „ *polydactylum*, *Jones.*

Var. „ *proliferum*, *Woll.*

Var. „ *reflexum*, *Jones.*

Var. „ *robustum*, *Jones.*

Var. „ *splendidissimum*, *Jones.*

Var. *flexuosum*, *Woll.*

Var. „ *polydactylum*, *Jones.*

Var. *folioso-decompositum*, *Jones.*

Var. *foliosum*, *Woll.*

Var. „ *bulbiferum*, *Lowe.*

Var. *frondosum*, *Jones.*

Var. „ *decompositum*, *Jones.*

Var. „ *polydactylum*, *Jones.*

Var. *gracile*, *Woll.*

Var. *grandiceps*, *Moore.*

Var. *grandidens*, *Jones.*

Var. „ *minus*, *Sim.*

Var. „ *truncatum*, *Woll.*

Var. *imbricatum*, *Moore.*

Var. „ *congestum*, *Jones.*

Aspidium, Swartz (*Polystichum*)—*cont.***A. angulare**, Willd. Europe—*cont.*Var. *inciso-acutum*, Jones.Var. *inciso-laciniatum*, Jones.Var. *incisum*, Woll.Var. „ *variegatum*, Woll.Var. *interruptum*, Woll.Var. *Kitsonae*, Moore.Var. *laciniatum*, Woll.Var. *lanceolatum*, Moore.Var. *latifolium*, Woll.Var. „ *grandiceps*, Jones.Var. *laxo-crispum*, Jones.Var. *lineare*, Moore.Var. „ *minus*, Jones.Var. „ *polydactylum*, Jones.Var. *lineatum*, Moly.Var. *multifidum*, Woll.Var. „ *densum*, Jones.Var. *multilobum*, Woll.Var. „ *deltoideum*, Jones.Var. „ *densum*, Jones.Var. „ *latum*, Jones.Var. „ *laxum*, Jones.Var. „ *multifidum*, Jones.Var. „ *ovale*, Woll.Var. „ *polydactylum*, Jones.Var. „ *revolvens*, Jones.Var. *oxyphyllum*, Moore.Var. *parvissimum*, Moore.Var. *pendens*, Jones.Var. *perserratum*, Jones.

Aspidium, Swartz (*Polystichum*)—*cont.**A. angulare*, Willd. Europe—*cont.*

Var. *plumosum*, Woll.

Var. „ *elegantissimum*, Jones.

Var. *polydactylum*, Moore.

Var. „ *capitatum*, Jones.

Var. „ *cruciatum*, Lowe.

Var. „ *grande*, Jones.

Var. „ *grandiceps*, Jones.

Var. „ *laxum*, Jones.

Var. „ *multifidum*, Jones.

Var. „ „ *grandiceps*, Jones.

Var. „ *robustum*, Jones.

Var. *proliferum*, Moore.

Var. „ *densum*, Carbonell.

Var. „ *holeanum*, Moore.

Var. *pulchellum*, Woll.

Var. *pulcherrimum*, Moore.

Var. *pulchrum*, Moore.

Var. *ramo-varians*, Jones.

Var. *remoto-decurrens*, Woll.

Var. *revolvens*, Moore.

Var. *revolvens grandiceps*, Jones.

Var. „ *polydactylum*, Jones.

Var. *scalptum*, Carbonell.

Var. *Stansfieldii*, Lowe.

Var. *stipatum*, Woll.

Var. *stipitatum*, Moore.

Var. *stipulatum*, Jones.

Var. *subplumosum*, Woll.

Var. *Thompsonae*, Moore.

Var. *torto-cristatum*, Padley.

Aspidium, Swartz (Polystichum)—cont.**A. angulare, Willd. Europe—cont.**Var. tripinnatum, *Moore*.Var. „ acutum, *Moore*.Var. „ densum, *Jones*.Var. „ laciniatum, *Jones*.Var. „ polydactylum, *Jones*.Var. venustum, *Moore*.Var. Widworthyi, *Carbonell*.Var. Wollastoni, *Lowe*.Var. „ majus, *Hort*.**A. Lonchitis, Sw. North temperate zone.****Asplenium, L.****A. Adiantum-nigrum, L. Europe, &c.**Var. acutum, *Pollini*.**A. Ceterach, L. Europe.**Var. major, *O'Kelly*.**A.^s Filix-fœmina, Bernh. Europe.**Var. abasiphyllum, *Lowe*.Var. acrocladon, *Moore*.Var. „ densum, *Stansf*.Var. adpresso-cristatum, *Jones*.Var. angustatum, *Lowe*.Var. apuæforme, *Barnes*.Var. axminsterense, *Lowe*.Var. canaliculatum, *Stansf*.Var. cancellatum, *Sim*.Var. „ cristatum, *Jones*.Var. ceratophyllum, *Mapp*.Var. clarissima, *Jones*.Var. caudiculatum, *Mapp*.

Asplenium, *L.*—*cont.*A. *Filix-fœmina*, *Bernh.* Europe—*cont.*

- Var. *congestum-cristatum*, *Stansf.*
- Var. *congestum findlayanum*, *Stansf.*
- Var. „ *grandiceps*, *Stansf.*
- Var. *conoides*, *Appleby.*
- Var. „ *cristatum*, *Stansf.*
- Var. *cornutum*, *Carbonell.*
- Var. *coronatum*, *Lowe.*
- Var. *corymbiferum*, *Moore.*
- Var. *Craigii*, *Moore.*
- Var. „ *angustatum*, *Jones.*
- Var. „ *laciniatum*, *Jones.*
- Var. *crispato-laciniatum*, *Jones.*
- Var. *crispum*, *Moore.*
- Var. „ *coronatum*, *Jones.*
- Var. „ *cristatum*, *Carbonell.*
- Var. *cristatum*, *Woll.*
- Var. „ *capitatum*, *Carbonell.*
- Var. „ *caudatum*, *Lowe.*
- Var. „ *corymbiferum*, *Carbonell.*
- Var. „ *defecto-furcillans*, *Mapp.*
- Var. „ *densum*, *Carbonell.*
- Var. „ *magnificum*, *Lowe.*
- Var. „ *reflexum*, *Carbonell.*
- Var. *cruciato-capitatum*, *Carbonell.*
- Var. „ *-coronatum*, *Carbonell.*
- Var. „ *-cristatum*, *Jones.*
- Var. „ *-gracile*, *Jones.*
- Var. „ *-grandiceps*, *Jones.*
- Var. „ *-magnificum*, *Jones.*
- Var. „ *-multifidum*, *Stansf.*

Asplenium, *L.—cont.*A. *Filix-fœmina*, *Bernh.* Europe—*cont.*

Var. *cruciatum*, *Jones*.

Var. „ *angustum*, *Lowe*.

Var. *curtum*, *Woll*.

Var. „ *cristatum*, *Stansf*.

Var. *daphnites*, *Glave*.

Var. „ *capitatum*, *Glave*.

Var. *defecto-gracile*, *Mapp*.

Var. *diffidum*, *Jones*.

Var. *diffiso-multifidum*, *Moore*.

Var. *digitale*, *Jones*.

Var. „ *capitatum*, *Jones*.

Var. „ *purpureum*, *Jones*.

Var. *Elworthii*, *Moore*.

Var. *Fieldæ*, *Moore*.

Var. „ *minus*, *Jones*.

Var. *fissidens*, *Moore*.

Var. „ *elegans*, *Mapp*.

Var. *flabellatum*, *Jones*.

Var. *flabelliceps*, *Carbonell*.

Var. *flexuosum*, *Woll*.

Var. *foliosa-crispatum*, *Carbonell*.

Var. „ *-cristatum*, *Woll*.

Var. *Frizellæ*, *Moore*.

Var. „ *cristatum*, *Jones*.

Var. „ *multifidum*, *Barnes*.

Var. „ *nanum*, *Ivery*.

Var. *furcans*, *Moore*.

Var. *Girdlestoni*, *Ivery*.

Var. *glomeratum*, *Moore*.

Var. „ *grandiceps*, *Jones*.

Asplenium, *L.*—*cont.*A. Filix-fœmina, *Bernh.* Europe—*cont.*

- Var. *gracile*, *Moore*.
- Var. *grammicon*, *Lowe*.
- Var. *grandiceps*, *Moore*.
- Var. „ *globosum*, *Sim*.
- Var. „ *minus*, *Carbonell*.
- Var. „ *pumilum*, *Sim*.
- Var. *Harrisæ*, *Lowe*.
- Var. *Howardæ*, *Moore*.
- Var. *imbricatum*, *Carbonell*.
- Var. *incisum*, *Newm*.
- Var. *inæquale*, *Woll*.
- Var. „ *cristatum*, *Jones*.
- Var. *interruptum*, *Moore*.
- Var. *irregulare*, *Moore*.
- Var. *kalothrix*, *Lowe*.
- Var. *kilmorensis*, *Carbonell*.
- Var. *laceratum*, *Moore*.
- Var. *laciniatum*, *Moore*.
- Var. „ *angustatum*, *Jones*.
- Var. „ *congestum*, *Stansf*.
- Var. „ *Craigii*, *Jones*.
- Var. „ *cristatum*, *Lowe*.
- Var. „ *elegans*, *Stansf*.
- Var. „ *flabelliforme*, *Jones*.
- Var. „ *furcans*, *Jones*.
- Var. „ *ramulosum*, *Stansf*.
- Var. *Lowæ*, *Lowe*.
- Var. „ *capitatum*, *Lowe*.
- Var. *minimum*, *Birkenhead*.
- Var. *Moorei*, *Jones*.

Asplenium, *L.*—*cont.***A. Filix-fœmina**, *Beruh.* Europe—*cont.*

Var. *multiceps*, *Moore.*

Var. *multifidum*, *Moore.*

Var. „ *cristatum*, *Jones.*

Var. „ *laxum*, *Jones.*

Var. „ *tenue*, *Jones.*

Var. *nodosum*, *Jones.*

Var. „ *multifidum*, *Jones.*

Var. „ *nanum*, *Jones.*

Var. „ *ramulosum*, *Jones.*

Var. „ *truncatum*, *Jones.*

Var. *orbiculatum*, *Lowe.*

Var. *pannosum*, *Moore.*

Var. „ *cristatum*, *Jones.*

Var. *Parsonsi*, *Moore.*

Var. *paucidentatum*, *Mapp.*

Var. „ *cristatum*, *Mapp.*

Var. *pectinatum*, *Moore.*

Var. „ *Stableri*, *Mapp.*

Var. *percristatum*, *Lowe.*

Var. *perfectum*, *Carbonell.*

Var. *phylomanes*, *Mapp.*

Var. *plumosum*, *Moore.*

Var. „ *divaricatum*, *Moore.*

Var. „ *Edwardsi*, *Sim.*

Var. „ *elegans*, *Parsons.*

Var. „ *Jacksoni*, *Carbonell.*

Var. „ *kalothrix*, *Lowe.*

Var. „ *multifidum*, *Stansf.*

Var. *polydactylum*, *Moore.*

Var. „ *grandiceps*, *Jones.*

Var. *Pritchardii*, *Stansf.*

Asplenium, *L.*—*cont.***A. Filix-fœmina**, *Bernh.* Europe—*cont.*

Var. „ *cristatum*, *Stansf.*

Var. *proteoides*, *Lowe.*

Var. *proteum*, *Clap.*

Var. „ *cristatum*, *Jones.*

Var. *pulcherrimum*, *Jones.*

Var. „ *cristatum*, *Jones.*

Var. *Pulleri*, *Moore.*

Var. *ramosum ramo-cristatum*, *Jones.*

Var. *rectangulare*, *Moore.*

Var. *refractum*, *Moore.*

Var. *reflexum*, *Woll.*

Var. *reflexum cristatum*, *Jones.*

Var. *regale*, *Moore.*

Var. *rhæticum*, *Moore.*

Var. „ *reflexum*, *Mapp.*

Var. *rotundatum*, *Woll.*

Var. „ *lunulatum*, *Carbonell.*

Var. *Ryleyæ*, *Carbonell.*

Var. *sagittatum*, *Moore.*

Var. „ *lunulatum*, *Carbonell.*

Var. *setigerum*, *Jones.*

Var. *Stableri*, *Lowe.*

Var. *Stansfieldii*, *Lowe.*

Var. *stipatum*, *Moore.*

Var. „ *capitatum*, *Carbonell.*

Var. *subplumosum*, *Padley.*

Var. „ *cristatum*, *Carbonell.*

Var. *todeoides*, *Stansf.*

Var. *tortile*, *Moore.*

Var. *torto-cristatum*, *Carbonell.*

Asplenium, *L.*—*cont.***A. Filix-fœmina**, *Bernh.* Europe—*cont.*

- Var. „ -*grandiceps*, *Carbonell.*
- Var. *truncato-pinnulum*, *Jones.*
- Var. *unco-cristatum*, *Jones.*
- Var. „ -*ramulosum*, *Stansf.*
- Var. *variegatum*, *Wol.*
- Var. *Vernonæ*, *Jervis.*
- Var. „ *corymbiferum*, *Stansf.*
- Var. „ *crispum*, *Stansf.*
- Var. „ *cristatum*, *Mapp.*
- Var. *Victoriæ*, *Lowe.*
- Var. *Williamsii*, *Jones.*

A. Trichomanes, *L.* Temperate regions.

- Var. *cristatum*, *Moore.*
- Var. *incisum*, *Moore.*
- Var. *trogyense*, *Lowe.*

C. fragilis, *Bernh.* Europe.

- Var. *angustata*, *Smith.*
- Var. *dickieana*, *Moore.*

Lomaria, *Willd.***L. Spicant**, *Desv.* Europe.

- Var. *apiculata*, *Moore.*
- Var. *caudata*, *Moore.*
- Var. *concinna*, *Moore.*
- Var. *congesta*, *Barnes.*
- Var. *lineare*, *Moore.*
- Var. *multifurcata*, *Moore.*
- Var. *plumosa*, *Barnes.*

Lomaria, *Willd.*—*cont.*

L. Spicant, *Desv.* Europe—*cont.*

Var. *ramo-cristata*, *Woll.*

Var. *trinervia*, *Moore.*

Nephrodium, *Rich.* (*Lastrea*.)

N. æmulum, *Baker.* Europe.

Var. *cristatum*, *Jones.*

N. Filix-mas, *Desv.* Europe.

Var. *attenuatum*, *Padley.*

Var. *Barnesii*, *Moore.*

Var. *Bollandæ*, *Moore.*

Var. *capitatum*, *Carbonell.*

Var. *Clowesii*, *Moore.*

Var. *crispatissimum*, *Jones.*

Var. *crispulatum*, *Hort.*

Var. *crispum*, *Sim.*

Var. „ *gracile*, *Lyell.*

Var. *crista-galli*, *Carbonell.*

Var. *cristatum*, *Lowe.*

Var. „ *angustatum*, *Moore.*

Var. „ *caudatum*, *Ivery.*

Var. *cronkleyense*, *Lowe.*

Var. *depauperatum*, *Padley.*

Var. *digitatum*, *Lowe.*

Var. *Ellacombei*, *Lowe.*

Var. *elongatum*, *Moore.*

Var. *erosum*, *Clowes.*

Var. „ *crispatum*, *Carbonell.*

Var. *fluctuosum*, *Moore.*

Var. *furcans*, *Moore.*

Var. *grandiceps*, *Sim.*

Var. *Ingrami*, *Moore.*

Nephrodium, *Rich.* (*Lastrea*)—*cont.*

N. Filix-mas, *Desv.* Europe—*cont.*

- Var. *interruptum*, *Moore.*
- Var. *intermedium*, *Carbonell.*
- Var. *Jervisii*, *Moore.*
- Var. *lineare*, *Woll.*
- Var. *Marsdeniæ*, *Lowe.*
- Var. *multiforme*, *Barnes.*
- Var. *paleaceum*, *Don.* (*pseudo-mas*, *Woll.*)
- Var. „ *Belperi*, *Lowe.*
- Var. „ *cristatum*, *Moore.*
- Var. „ „ *intermedium*, *Sim.*
- Var. „ *furcillatum*, *Woll.*
- Var. „ *Lyelli*, *Lowe.*
- Var. „ *ramo-furcillatum*, *Woll.*
- Var. „ *recurvum*, *Moore.*
- Var. „ *revolvens*, *Woll.*
- Var. *polydactylum*, *Lowe.*
- Var. *propinquum*, *Woll.*
- Var. „ *cristatum*, *Moore.*
- Var. „ *excurrens*, *Moore.*
- Var. „ *Gottii*, *Lowe.*
- Var. „ *gracile*, *Moore.*
- Var. „ *grandiceps*, *Moore.*
- Var. „ *laciniatum*, *Lowe.*
- Var. „ *parviceps*, *Barnes.*
- Var. „ *polydactylum*, *Barnes.*
- Var. *Pulleri*, *Jones.*
- Var. *ramo-cristatum*, *Stansf.*
- Var. „ *-furcillatum*, *Carbonell.*
- Var. *ramosum*, *Barnes.*
- Var. *ramulosissimum*, *Woll.*

Nephrodium, Rich. (Lastrea)—cont.**N. Filix-mas, Desv.** Europe—*cont.*Var. *revolvens*, *Humphreys*.Var. *subcristatum*, *Carbonell*.Var. *variegatum*, *Lowe*.**N. montanum, Baker.** Europe.Var. *cristatum*, *Woll*.**N. spinulosum, Desv.** Europe.Var. *dilatatum* (*Desv.*).Var. „ *angusti-pinnulum*, *Sim*.Var. „ *calomelanos*, *Jones*.Var. „ *crispato-cristatum*, *Jones*.Var. „ *crispum*, *Woll*.Var. „ *grandiceps*, *Barnes*.Var. „ *Howardæ*, *Jones*.Var. *lepidotum*, *Moore*.**Osmunda, L.****O. regalis, L.** Europe, &c.Var. *cristata*, *Moore*.Var. *palustris*, *Hort*.Var. *purpurascens*, *Moore*.**Polypodium, L.****P. alpestre, Hoppe.** Europe.Var. *flexile*, *Newm*. Scotland.**P. Phegopteris, L.** Europe.Var. *cristatum*, *Jones*.Var. *strictum*, *Barnes*.**P. vulgare, L.** Europe.Var. *acuto-serratum*, *Jones*.Var. *attenuatum*, *Moore*.Var. *bifidum*, *Francis*.

Verfahren des Erfinders

1. Verfahren des Erfinders

2. Verfahren des Erfinders

3. Verfahren des Erfinders

4. Verfahren des Erfinders

5. Verfahren des Erfinders

6. Verfahren des Erfinders

7. Verfahren des Erfinders

8. Verfahren des Erfinders

9. Verfahren des Erfinders

10. Verfahren des Erfinders

11. Verfahren des Erfinders

12. Verfahren des Erfinders

13. Verfahren des Erfinders

14. Verfahren des Erfinders

15. Verfahren des Erfinders

Verfahren des Erfinders

16. Verfahren des Erfinders

17. Verfahren des Erfinders

18. Verfahren des Erfinders

19. Verfahren des Erfinders

20. Verfahren des Erfinders

Verfahren des Erfinders

21. Verfahren des Erfinders

22. Verfahren des Erfinders

23. Verfahren des Erfinders

24. Verfahren des Erfinders

25. Verfahren des Erfinders

26. Verfahren des Erfinders

27. Verfahren des Erfinders

28. Verfahren des Erfinders

29. Verfahren des Erfinders

30. Verfahren des Erfinders

P. vulgare, *L.* Europe—*cont.*

- Var. *bifido-cristatum*, *Mapp.*
- Var. *cambricum* (*L.*).
- Var. „ *Barrowi*, *Barnes.*
- Var. *cornubiense*, *Moore.*
- Var. „ *elegantissimum*, *Stansf.*
- Var. „ *Fowleri*, *Lowe.*
- Var. *cornutum*, *Jones.*
- Var. *crenatum*, *Moore.*
- Var. *crispum*, *Jones.*
- Var. *cristatum*, *Moore.*
- Var. „ *Morleyi*, *Jones.*
- Var. *dentatum*, *Moore.*
- Var. *dentatum Barnesii*, *Moore.*
- Var. „ *Whitakeri*, *Moore*
- Var. *divisilobum*, *Hort.*
- Var. *Elworthii*, *Ivery.*
- Var. *falcatum*, *Jones.*
- Var. *folioso-abruptum*, *Barnes.*
- Var. *glomeratum*, *Moly.*
- Var. *irregulare*, *Moore.*
- Var. *marginatum*, *Moore.*
- Var. *marginato-attenuatum*, *Jones.*
- Var. *multifido-cristatum*, *Stansf.*
- Var. *omnilacerum*, *Moore.*
- Var. „ *truncatum*, *Wilson.*
- Var. *pulcherrimum*, *Moore.*
- Var. *ramosum*, *Moore.*
- Var. „ *Hillmani*, *Carbonell.*
- Var. *semilacerum* (*Link.*).
- Var. „ *obtusum*, *Dadds.*
- Var. „ *truncatum*, *Barnes.*
- Var. *serratum*, *Moore.*

*Polypodium, L.—cont.**P. vulgare, L. Europe—cont.*Var. *suprasoriferum, Woll.*Var. *trichomanoides, Backh.*Var. *truncatum, Lowe.**Pteris, L.**P. aquilina, L. Cosmopolitan.*Var. *cristata, Moore.**Scolopendrium, Smith.**S. vulgare, L. Europe.*Var. *aduncum, Moore.*Var. *angustifrons, Ivery.*Var. *bimarginatum, Moore.*Var. *bimarginato-tenue, Jones.*Var. *bulbiferum, Lowe.*Var. *chelæfrons, Woll.*Var. *concevum, Lowe.*Var. *Coolingii, Lowe.*Var. *cornutum, Lowe.*Var. *corrugatum, Lowe.*Var. *crispum, Grey.*Var. „ *Cowburni, Lowe.*Var. „ *densum, Sim.*Var. „ *fimbriatum, Lowe.*Var. „ *grande, Lowe.*Var. „ *latum, Moore.*Var. „ *majus, Moore.*Var. „ *multifidum, Jones.*Var. „ *reflexum, Wills.*Var. „ *robustum, Jones.*

Scolopendrium, *Smith*—*cont.**S. vulgare*, *L.* Europe—*cont.*

- Var. *crispum*, *serratum*, *Jones*.
- Var. *crista-galli*, *Woll*.
- Var. *cristatum*, *Moore*.
- Var. „ *variegatum*, *Carbonell*.
- Var. *cristatum cristato-digitatum*, *Sim*.
- Var. *cuspidis*, *Carbonell*.
- Var. *elegantissimum*, *Hort*.
- Var. *fissidens*, *Woll*.
- Var. *fisso-crenatum*, *Jones*.
- Var. *fissum*, *Moore*.
- Var. *Fowleri*, *Hort*.
- Var. *grandiceps*, *Jones*.
- Var. *Hankeyi*, *Lowe*.
- Var. *illustre*, *Lowe*.
- Var. *involverens*, *Mapp*.
- Var. „ *minus*, *Hort*.
- Var. *iveryanum*, *Ivery*.
- Var. *Kelwayi*, *Lowe*.
- Var. *laceratum*, *Moore*.
- Var. *labyrinthum*, *Lowe*.
- Var. *lonchophorum*, *Moore*.
- Var. *macrosorum*, *Moore*.
- Var. *Moonæ*, *Lowe*.
- Var. *Malcolmsonæ*, *Stansf*.
- Var. *marginale*, *Hort*.
- Var. *marginatum*, *Moore*.
- Var. „ *fissum*, *Lowe*.
- Var. *marginato-angustum*, *Clap*.
- Var. „ *-multifidum*, *Moore*.

Scolopendrium, *Smith*—*cont.*S. vulgare, *L.* Europe—*cont.*

Var. marginato-muricatum, *Jones.*

Var. muricatum, *Lowe.*

Var. muricato-cristatum, *Woll.*

Var. omnilacerum, *Lowe.*

Var. „ truncatum, *Hort.*

Var. periferens, *Woll.*

Var. pulcherrimum, *Hort.*

Var. ramoso-minus, *Jackson.*

Var. ramulosissimum, *Woll.*

Var. sculpturatum, *Moore.*

Var. submarginato-fissum, *Wills.*

Var. supralineatum, *Moore.*

Var. undulatum, *Moore.*

Var. „ capitatum, *Hort.*

Var. „ cochleatum, *Jones.*

Var. „ marginatum, *Jones.*

Var. „ reflexum, *Hort.*

Var. *Veloisii*, *Moore.*

Var. variable, *Lowe.*

Var. variegatum, *Woll.*

Var. „ aureolum, *Lowe.*

GUIDES ON SALE AT THE ROYAL GARDENS, KEW.

Key Plan and Index to the Royal Botanic Garden and Arboretum, Kew. 3rd ed. 1893. *Price 2d.*

Official Guide to the Museums of Economic Botany. No. 1: Dicotyledons and Gymnosperms. 2nd ed., revised and augmented. 1886. *Price 4d.*

Official Guide to the Museums of Economic Botany. No. 2: Monocotyledons and Cryptogams. 1894. *Price 4d.*

Official Guide to the Museums of Economic Botany. No. 3: Timbers. 2nd ed., revised and augmented. 1893. *Price 3d.*

Official Guide to the North Gallery. 5th ed., revised and augmented. 1892. *Price 6d.*

Hand-list of Trees and Shrubs grown in Arboretum. Part I.: Polypetalæ. 1894. *Price 8d.*

Hand-list of Ferns and Fern-Allies cultivated in the Royal Gardens. 1895. *Price 6d.*