Howe, R. H., Jr. - Birds of Brookline, Mass.

(1900)

A-H [owe,
R. H., Jr.]
Brookline
1900

HARVARD UNIVERSITY.

LIBRARY

OF THE

MUSEUM OF COMPARATIVE ZOÖLOGY

44.943

GIFT OF

Outram Bangs

January 19, 1917.

Compendium of the collection

JAN 19 1917

44,443

THE BIRDS

OF

Brookline, Massachusetts

By

REGINALD HEBER HOWE, JR.

Reprinted from The Chronicle, Brookline

Published in Eight Parts :

March 10, 17, 24 and 31 ; April 7 ; May 19 and 26 ; June 2, 1900

BROOKLINE:

THE RIVERDALE PRESS : C. A. W. SPENCER

1900

Y 0100827005.00
Y 0100827005.00

The Birds of Brookline.

By Reginald Heber Howe, Jr.

Since the publication of the list of the Birds of Brookline, prepared by me, appeared in three parts in *The Chronicle*, January, 1897, and reprinted in Mr. Charles K. Bolton's "*Brookline—the History of a Favored Town*," May, 1897, I have gathered together a considerable amount of new data from various sources, among the most important, from Mr. Gordon Plummer's collection of birds, of which the work of instalment in the Brookline High School fell to me. The lists published heretofore were only barely annotated; in the present one it will be my purpose to annotate much more fully wherever it is possible. Besides the annotations, the dates of arrival and departure of resident species, and the periods the migrants are with us will be given.

1. *Podilymbus podiceps* (Linn.). Pied-billed Grebe. Formerly probably not uncommon, when Muddy creek and our ponds were in wilder surroundings. Mr. W. A. Eldridge took a bird on Muddy creek (now Parkway) in 1883. This is the last record for the species in the town.
2. *Allealle* (Linn.). Dovekie. Mr. Moses Williams writes me that one was found lying dead in one of the roads in Brookline about 1859 or 1860; he thinks it must have been blown in by a gale.
3. *Larus argentatus* (Brunn.). Herring Gull. Occasionally seen during the winter months flying over, either going to or coming from the Charles river.
4. *Querquedula discors* (Linn.). Blue-winged Teal. Undoubtedly formerly not uncommon. Mr. F. H. Allen saw a single bird on Weld pond on October 26, 1884.

[The American Golden-eye (*Clangula c. americana*), during the winter months is not uncommonly seen on Jamaica pond (Roxbury) just over the Brookline line. Four were seen there on Nov. 20th, 1899, by Mr. H. B. Bigelow. Of course they are always common in winter on the Charles river.]

5. *Æx sponsa* (Linn.). Wood Duck. Formerly a rare summer resident. Mr. N. A. Francis tells me that this species many years ago bred near Lost pond.
6. *Branta canadensis* (Linn.). Canada Goose. A not uncommon migrant. A few birds not infrequently on migrations drop into the Chestnut Hill Reservoir (Newton, Brighton) to rest, but I have never heard of them being seen in recent years in any of our Brookline ponds. March, April.
7. *Botaurus lentiginosus* (Montag.). American Bittern. An uncommon migrant, formerly much more common before the Muddy creek was improved.
8. *Ardetta exilis* (Gmel.). Least Bittern. Formerly a summer resident, having been driven from its breeding ground, Leverett pond, by civilization.
9. *Ardea herodias* (Linn.). Great Blue Heron. A not uncommon migrant, especially to the Putterham meadows. A single bird spent the week previous to December 15, 1898, at Hall's pond, Longwood. April 3 to June 26, September 9 to October 10.
10. *Butorides virescens* (Linn.). Green Heron. A summer resident, known at least to breed just outside town limits. A bird remained at Hall's pond, Longwood, from June 1 to 19, 1897.
11. *Nycticorax nycticorax naevius* (Bodd.). Black-crowned Night Heron. A permanent resident, wintering not at all uncommonly.
12. *Rallus virginianus* (Linn.). Virginia Rail. Formerly a summer resident, but like the Least Bittern (*Ardetta exilis*) now deprived of its old breeding place, Leverett pond.
13. *Porzana carolina* (Linn.). Sora. Formerly a common summer resident with the preceding species now only found as an uncommon migrant.
14. *Fulica americana* (Gmel.). American Coot. Formerly undoubtedly not an uncommon migrant. Of late years unrecorded. Mr. George R. Wales shot a single bird on Muddy creek about 1883.
15. *Philohela minor* (Gmel.). American Woodcock. A not uncommon migrant, and rare summer resident. March 22 to —.

16. *Gallinago delicata* (Ord.). Wilson's Snipe. An uncommon migrant. Just over the town line, however, to the marsh in the Parkway south of Brookline avenue this species is not an uncommon and regular migrant. April (?) to —, September (?) to October 28.

In the same locality above spoken of, in the Parkway south of Brookline avenue, the Pectoral Sandpiper (*Tringa maculata*) is not an uncommon fall migrant, the Greater Yellow-legs (*Totanus melanoleucus*) has been observed by Mr. H. V. Greenough in October, 1899, and the Golden Plover (*Charadrius dominicus*) by Mr. N. A. Francis on September 10 (?), 1899.

17. *Tringa minutilla* (Vieill.). Least Sandpiper. A not uncommon migrant. Three birds were taken at Weld pond, May 8, 1890, by Mr. A. L. Reagh. They have also been observed at Hall's pond, and on the Brookline avenue marsh. — to October 13.

18. *Totanus flavipes* (Gmel.). Yellow-legs. One bird was taken in August, 1888, at Weld pond by Mr. A. L. Reagh.

19. *Actitis macularia* (Linn.). Spotted Sandpiper. A not uncommon migrant; breeding, Mr. A. L. Reagh records, near Weld pond in 1888. April 27 to October 3.

There was a Long-billed Curlew (*Numenius longirostris*) taken by Mr. Arthur Smith on the Chestnut Hill Reservoir (Newton, Brighton) just beyond town borders many years ago.

20. *Helodromus solitarius* (Wils.). Solitary Sandpiper. A common migrant, especially in the spring. May 2 to 30.

21. *Ægialitis semipalmata* (Bonap.). Semipalmated Plover. There is a specimen in the Plummer Collection, now in the Brookline High School Building, taken in Brookline, August 5, 1880.

22. *Colinus virginianus* (Linn.). Bob-white. A permanent resident. During the last five years, however, much decreased in numbers.

23. *Bonasa umbellus* (Linn.). Ruffed Grouse. A common permanent resident.

24. *Ectopistes migratorius* (Linn.). Passenger Pigeon. Formerly reported as a rare migrant.

25. *Circus hudsonius* (Linn.). Marsh Hawk. A not uncommon migrant and rare summer resident, now only found breeding in the wilder upper portions of the town. April 26 to October 31.

26. *Accipiter velox* (Wils.). Sharp-shinned Hawk. An uncommon summer and winter resident, and a common migrant.
27. *Accipiter cooperii* (Bonap.). Cooper's Hawk. A common summer resident and migrant, and rare winter visitant. February 2 to —.
28. *Buteo lineatus* (Gmel.). Red-shouldered Hawk. A common permanent resident. A careful article on our Brookline Red-shouldered Hawks by Mr. F. H. Kennard, with map, will be found in the Auk, Vol. XI, No. 4, p. 197, 1894; also see Auk, Vol. XI, No. 4, p. 271, 1894.
29. *Buteo latissimus* (Wils.). Broad-winged Hawk. Mr. F. H. Kennard states that this species is a rare migrant in Brookline. Mr. N. A. Francis writes that they are not uncommon.
30. *Archibuteo lagopus saneti-johannis* (Gmel.). American Rough-legged Hawk. Mr. N. A. Francis writes that they are not rare as a spring migrant. A single bird was seen by Mr. A. L. Reagh on January 16, 1897, only a few hundred yards over the town line in West Roxbury. The bird undoubtedly entered Brookline.
31. *Haliaeetus leucocephalus* (Linn.). Bald Eagle. A very rare visitant. It has been taken on Single Tree Hill, and elsewhere in the town.
32. *Falco columbarius* (Linn.). Pigeon Hawk. A not uncommon migrant, sometimes seen in winter. April 16 to 24. September 15.
33. *Falco sparverius* (Linn.). American Sparrow Hawk. An uncommon summer resident. A pair bred in the town in 1897. April 10 to November 14.
34. *Pandion haliaëtus carolinensis* (Gmel.). American Osprey. An uncommon migrant. April 19 to May 30. October 3.
35. *Asio wilsonianus* (Less.). American Long-eared Owl. A rare local resident just outside town boundaries. It has, however, been observed within the town. A Short-eared Owl (*Asio accipitrinus*) was seen by Mr. H. V. Greenough in the Brookline avenue marsh just over the boundary.
36. *Syrnium nebulosum* (Forst.). Barred-Owl. Formerly not an uncommon permanent resident. Now only perhaps as a winter visitant.
37. *Nyctala acadica* (Gmel.). Saw-whet Owl. An uncommon winter visitant.

38. *Megascops asio* (Linn.). Screech Owl. A common permanent resident, commonly met with in the thickly settled portions of the town.
39. *Bubo virginianus* (Gmel.). Great Horned Owl. Formerly a rare summer resident. Now seen, Mr. N. A. Francis writes, not uncommonly in winter. Years ago, Mr. N. A. Francis tells me, it bred in the Putterham woods. A pair bred near Lost pond in 1893, and birds were also seen in March, 1898.
40. *Nyctea nyctea* (Linn.). Snowy Owl. An accidental visitant. Mr. F. H. Kennard states that they have been reported from upper Brookline. Three were seen or taken in Longwood, November 26, December 15 and 16, 1882, and reported by Mr. F. Lewis in *Forest and Stream*, Vol. 19, No. 21, p. 409.
41. *Coccyzus americanus* (Linn.). Yellow-billed Cuckoo. A common summer resident. May 7 to --.
42. *Coccyzus erythrophthalmus* (Wils.). Black-billed Cuckoo. A common summer resident. May 11 to --.
43. *Ceryle alcyon* (Linn.). Belted Kingfisher. A permanent resident. Rare in the winter, but wintering regularly. Common as a migrant, and not rare as a summer resident. April 7 to October.
44. *Dryobates villosus* (Linn.). Hairy Woodpecker. A fairly common migrant, and winter visitant. A female (?) stayed about Hall's pond from March 3 to May 5, 1897. December 27 to May 13.
45. *Dryobates pubescens medianus* (Swains.). Northern Downy Woodpecker. A common permanent resident.
46. *Sphyrapicus varius* (Linn.). Yellow-bellied Sapsucker. A common migrant. Mr. F. H. Kennard reported in *The Auk*, Vol. XXI, No. 3, p. 301, the capture of an immature male in the town on February 6, 1895. April 16 to May 6, September 25 to October 24.
47. *Melanerpes erythrocephalus* (Linn.). An irregular visitant. Mr. N. A. Francis writes that they used to breed in a swamp near Francis street. During the winter of 1881-2 they appeared in numbers in the town as they did throughout this region. (See "Birds in the Bush," Bradford Torrey, p. 205, also article by same author, *Atlantic Monthly*, Vol. 55, No. 21, p. 409).
48. *Colaptes auratus* (Linn.). Flicker. A permanent resident. Not uncommon in the winter, abundant in the summer.

49. *Antrostomus vocifera* (Wils.). Whip-poor-will. An uncommon migrant and summer resident.
50. *Chordeiles virginianus* (Gmel.). Night Hawk. A common migrant. Does not breed to my knowledge. Mr. N. A. Francis writes that it breeds in Newton. May 21 to October 3.
51. *Chætura pelagica* (Linn.). Chimney Swift. A common summer resident. April 26 to October 2.
52. *Trochilus colubris* (Linn.). Ruby-throated Humming bird. A common summer resident. May 15 to September 16.
53. *Tyrannus tyrannus* (Linn.). Kingbird. An abundant summer resident. May 4 to —.
54. *Myiarchus crinitus* (Linn.). Crested Flycatcher. A common summer resident. May 9 to October 15.
55. *Sayornis phœbe* (Lath.). Phœbe. A common summer resident. March 25 to October 29.
56. *Nuttallornis borealis* (Swains.). Olive-sided Flycatcher. One record of a bird probably taken in Brookline by J. J. Audubon, from whose interesting account I quote verbatim. "On the 8th of August, 1832, while walking out from Boston towards the country-seat of the Honourable Thomas H. Perkins, along with my friend Nuttall, we were suddenly saluted with the note of this bird. As I had never seen it, I leaped over the fence beside us, and cautiously approached the tree in which a male was perched and singing. Desiring my friend to go in search of a gun, I watched the motions of the devoted bird. He returned with a large musket, a cow's horn filled with powder, and a handful of shot nearly as large as peas; but, just as I commenced charging this curious piece, I discovered that it was flintless! We were nearly a mile distant from Mr. Perkins' house, but as we were resolved to have the bird, we proceeded to it with all despatch, procured a gun, and returned to the tree, found the Flycatcher, examined its flight and manners for awhile, and at length shot it. As the representative of a species, I made a drawing of this individual, which you will find copied in the plate indicated above." (From "The Birds of America," Vol. I, p. 213, plate 58.)
57. *Horizopus virens* (Linn.). Wood Pewee. A common summer resident. May 18 to —.

58. *Empidonax minimus* (Baird.). Least Fly-catcher. An abundant summer resident. April 26 to —.
59. *Cyanocitta cristata* (Linn.). Blue Jay. A permanent resident. Common in winter, abundant in summer.
60. *Corvus americanus* (Aud.). American Crow. An abundant permanent resident.
61. *Dolichonyx oryzivorus* (Linn.). A common summer resident. May 5 to —.
62. *Molothrus ater* (Bodd.). Cowbird. A common summer resident. March 14 to September 15.
63. *Agelaius phoeniceus* (Linn.). Red-winged Blackbird. A common summer resident. March 6 to —.
64. *Sturnella magna* (Linn.). Meadow Lark. A not uncommon summer resident. March 8 to November 26.
65. *Icterus galbula* (Linn.). Baltimore Oriole. An abundant summer resident. May 5 to September 1.
66. *Scolecophagus carolinus* (Müll.). Rusty Grackle. Abundant spring, and uncommon fall migrant. March 3 to October 19.
67. *Quiscalus quiscula æneus* (Ridgw.). Bronzed Grackle. An abundant local summer resident. March 11 to November 22.
68. *Pinicola enucleator canadensis* (Cab.). Canadian Pine Grosbeak. A common irregular winter visitant. During the 1892-3 migration they were very abundant in all parts of the town; since then, however, they have visited us but twice, and in small numbers.
69. *Carpodacus purpureus* (Gmel.). Purple Finch. A permanent resident, rare in winter, common in summer, and abundant on migrations. February 24 to October 21.
70. *Passer domesticus* (Linn.). House or English Sparrow. An abundant permanent resident.
71. *Loxia curvirostra minor* (Brehm.). American Crossbill. A common migrant, and occurring irregularly at all seasons.
72. *Loxia leucoptera* (Gmel.). White-winged Crossbill. An irregular winter visitant. During this winter, 1899-00, as over all New England, the species has been very abundant. The birds were first reported in the town this winter, November 20, and were still here though in but small numbers on April 1.

73. *Acanthis linaria* (Linn.). Redpoll. A common irregular winter visitant. January 21 to March 11.
74. *Acanthis linaria rostrata* (Coues.). Greater Redpoll. Mr. H. V. Greenough took a single male on February 24, 1900, on Chestnut Hill.
75. *Astragalinus tristis* (Linn.). American Goldfinch. An abundant permanent resident.
76. *Spinus pinus* (Wils.). Pine Siskin. A common winter visitant. October 22 to May 12.
77. *Carduelis carduelis* (Linn.). European Goldfinch. I observed a male in May, 1892, in Longwood. The bird may have been an escaped cage bird, or one of the goldfinches or their offspring that were imported to this country. (See Auk, Vol. XII, No. 2, p. 182).
78. *Plectrophenax nivalis* (Linn.). Snow Bunting. A rare winter visitant. I have only observed them in the town on Denny's Hill. Mr. N. A. Francis writes that they used to be very common on the Longwood marshes. November 23 to —.
79. *Poœcetes gramineus* (Gmel.). Vesper Sparrow. A not uncommon summer resident, and common migrant. April 2 to September 12.
80. *Ammodramus sandwichensis savanna* (Wils.). Savannah Sparrow. A common migrant. April 15 to —, ——— to October 31.
81. *Zonotrichia albicollis* (Gmel.). White-throated Sparrow. A common migrant, and not uncommon winter resident. (See Auk, Vol. XIII, No. 2, p. 178, 1896). April 6 to May 16. September 21 to November 19.
82. *Zonotrichia leucophrys* (Forst). White-crowned Sparrow. There is a male in the Brookline High School collection taken in the town by Mr. Gordon Plummer on May 24, 1882.
83. *Spizella monticola* (Gmel.). Tree Sparrow. A common winter resident. October 16 to April 28.
84. *Spizella socialis* (Wils.). Chipping Sparrow. An abundant summer resident. April 10 to October 16.
85. *Spizella pusilla* (Wils.). Field Sparrow. A common summer resident. April 20 to October 10.
86. *Junco hiemalis* (Linn.). Snowbird. An abundant migrant, and common winter resident. September 24 to May 2.

87. *Melospiza melodia* (Wils.). Song Sparrow. An abundant summer, and uncommon winter resident. March 14 to November 19.
88. *Melospiza georgiana* (Lath.). Swamp Sparrow. A common migrant, and common summer resident. March 23 to October 31.
89. *Passerella iliaca* (Merr.). Fox Sparrow. A common migrant. March 22 to April 15. October 25 to November 18.
90. *Pipilo erythrophthalmus* (Linn.) Towhee. A common summer resident. There is one record of the wintering of a male in Longwood from December 25, 1895, to April 16, 1896. (See Auk, Vol. XIII, No. 2, p. 178, and No. 3, p. 260, 1896). April 2 to September 28.
91. *Cardinalis cardinalis* (Linn.). Cardinal. A male wintered and spent the spring and summer, a wife being provided for him, in the town during (October) 1897-98 (August 8). For an interesting account of this individual, see Bird-Lore, Vol. I, No. 3, p. 83, 1899.
92. *Zamelodia ludoviciana* (Linn.). Rose-breasted Grosbeak. A common summer resident. May 2 to —.
93. *Guiraca caerulea* (Linn.). Blue Grosbeak. A male was taken by Mr. Gordon Plummer in the town on May 29, 1880. (See Bull. Nat. Orn. Club. Vol. V, No. 3, p. 184, 1880, also Minot's Land-birds and Game-birds of New England, revised by William Brewster, p. 239, 1895.).
94. *Passerina cyanea*. (Linn.). Indigo Bird. A common summer resident. May 13 to October 29.
95. *Passerina ciris* (Linn.). Painted Bunting. One was taken on June 5, 1896, by Mr. H. V. Greenough in Longwood. This bird, however, was quite probably an escaped cage bird. (See Auk, Vol. XIII, No. 2, p. 261, 1896.)
96. *Piranga erythromelas* (Vieill.). Scarlet Tanager. A common summer resident. May 10 to September 27.
97. *Progne subis* (Linn.). Purple Martin. A rare migrant. Formerly a rare summer resident. April 16 to —.
98. *Petrochelidon lunifrons* (Say.). Eave Swallow. A rare migrant. Formerly a common summer resident. May 22 to —.
99. *Hirundo erythrogastra* (Bodd.). Barn Swallow. Formerly a common summer resident, now almost rare, except as a migrant. April 19 to September 29.

100. *Tachycineta bicolor* (Vieill.). Tree Swallow. A common migrant, and a rare summer resident. Formerly very common. April 15 to September 29.
101. *Clivicola riparia* (Linn.). Formerly not an uncommon summer resident.
102. *Ampelis cedrorum* (Vieill.). Cedar Waxwing. A common permanent resident, though less common in midwinter. February to November.
103. *Lanius borealis* (Vieill.). Northern Shrike. A common winter resident. November 25 to April 6.
104. *Vireo olivaceus* (Linn.). Red-eyed Vireo. An abundant summer resident. May 5 to September 29.
105. *Vireo gilvus* (Vieill.). Warbling Vireo. A common summer resident. May 1 to September 1.
106. *Vireo flavifrons* (Vieill.). Yellow-throated Vireo. A common summer resident. May 2 to —.
107. *Vireo solitarius* (Wils.). Solitary Vireo. A common migrant, and uncommon summer resident. April 27 to —.
108. *Vireo noveboracensis* (Gmel.). White-eyed Vireo. Mr. N. A. Francis writes that it is an uncommon summer resident, and that he has found its nest.
109. *Mniotilta varia* (Linn.). Black and White Warbler. A common migrant, and summer resident. April 20 to October 29.
110. *Helminthophila chrysoptera* (Linn.). Golden-winged Warbler. A common migrant, and uncommon summer resident. May 10 to —.
111. *Helminthophila rubricapilla* (Wils.). Nashville Warbler. A common migrant, and not uncommon summer resident. May 1 to —. September 23.
112. *Compsothylpis americana usneæ* (Brewst.). Northern Parula Warbler. An abundant migrant. May 1 to 26. October 9.
113. *Dendroeca tigrina* (Gmel.). Cape May Warbler. I secured a male on Lyman's Hill on May 9, 1897. (See Chronicle, Dec 18, 1897, p. 6.) Miss M. B. Hall also saw two males, one on May 16 and one on May 20, 1900, in Longwood.
114. *Dendroeca æstiva* (Gmel.). Yellow Warbler. An abundant summer resident. April 23 to —.
115. *Dendroeca cærulescens* (Gmel.). Black-throated Blue Warbler. A common migrant. May 5 to —.

116. *Dendroëca coronata* (Linn.). Yellow-rumped Warbler. An abundant migrant, and rare winter resident. April 13 to May 18. October 17 to November 26.
117. *Dendroëca maculosa* (Gmel.). Magnolia Warbler. A common migrant. May 5 to 27. September 23.
118. *Dendroëca pennsylvanica* (Linn.). Chestnut-sided Warbler. A common summer resident, an abundant migrant. May 2 to —.
119. *Dendroëca castanea* (Wils.). Bay-breasted Warbler. A rare migrant. May 10 to 24. September 24.
120. *Dendroëca striata* (Forst.). Black-poll Warbler. A common spring, and abundant fall migrant. May 11 to 29. September 18 to October 23.
121. *Dendroëca blackburniæ* (Gmel.). Blackburnian Warbler. An uncommon migrant. May 5 to 26.
122. *Dendroëca virens* (Gmel.). Black-throated Green Warbler. An abundant summer resident. April 20 to October 2.
123. *Dendroëca vigorsii* (Aud.). Pine Warbler. A common migrant, and summer resident. April 16 to —.
124. *Dendroëca palmarum hypochrysea*. (Ridgw.). Yellow Palm Warbler. A common migrant. April 14 to May 10. September 23 to October 3.
125. *Dendroëca discolor* (Vieill.). Prairie Warbler. A common migrant, and rare summer resident. May 8 to —.
126. *Siurus aurocapillus* (Linn.). Oven-bird. An abundant summer resident. May 3 to September 7.
127. *Siurus noveboracensis* (Gmel.). Water-Thrush. A common migrant. May 3 to 27. August 12 to September 30.
128. *Geothlypis agilis* (Wils.). Connecticut Warbler. A rare fall migrant. September 8 to October 8.
129. *Geothlypis trichas* (Linn.). Maryland Yellow-throat. A common summer resident. May 7 to October 21.
130. *Icterus virens* (Linn.). Yellow-breasted Chat. Mr. A. L. Reagh records one in 1890.
131. *Wilsonia pusilla* (Wils.). Wilson's Warbler. A uncommon migrant. May 7 to 27.
132. *Wilsonia canadensis* (Linn.). Canadian Warbler. A common migrant, and rare local summer resident. May 13 to September 5.

133. *Setophaga ruticilla* (Linn.). American Redstart. An abundant summer resident. April (18) 25 to September 23.
134. *Anthus pennsilvanicus* (Lath.). American Pipit. A common spring and fall migrant. — to —, October 4 to 15.
135. *Galeoscoptes carolinensis* (Linn.). Catbird. An abundant summer resident. May 1 to October 8.
136. *Harporrhynchus rufus* (Linn.). A common migrant, and summer resident. May 1 to September 29.
137. *Troglodytes aëdon* (Vieill.). A local summer resident. Formerly common in all sections of the town. I now know of at least a dozen pairs that breed regularly every year. May 7 to —.
138. *Anorthura hiemalis* (Vieill.). Winter Wren. An uncommon migrant. One winter record from November 16 to December 25, 1895. (Auk, Vol. XIII, No. 2, p. 178.) November 16 to April 8.
139. *Cistothorus palustris* (Wils.). Long-billed Marsh Wren. A rare migrant. Formerly a common summer resident in the old Brookline marsh, now Leverett pond. May 13 to —.
140. *Certhia familiaris americana* (Bonap.). Brown Creeper. An abundant winter resident. A male was taken on May 24, 1895, near Hammond's pond, just over into Newton. September 22 to May 12.
141. *Sitta carolinensis* (Lath.). White-breasted Nuthatch. A common winter resident, and rare local summer resident.
142. *Sitta canadensis* (Linn.). Canada Nuthatch. A common, often abundant migrant, and winter resident. September 22 to May 21.
143. *Parus atricapillus* (Linn.). An abundant permanent resident.
144. *Regulus satrapa* (Licht.). Golden-crowned Kinglet. A common winter resident. September 19 to April 21.
145. *Regulus calendula* (Linn.). Ruby-crowned Kinglet. A common migrant. April 7 to May 10, September — to October 2.
146. *Polioptila cærulea* (Linn.). Blue Gray Gnatcatcher. One was taken September 8, 1887, by Mr. A. L. Reagh.
147. *Hylocichla mustelina* (Gmel.). Wood Thrush. A common summer resident. May 4 to —.
148. *Hylocichla fuscescens* (Steph.). Wilson's Thrush. An abundant summer resident. May 7 to September 19.

149. *Hylocichla aliciae* (Baird.). Gray-cheeked Thrush. There is one, taken in October, 1876, in the New England collection of the Boston Natural History Society—E. A. and O. Bangs; also another taken by W. L. Green. A male was taken May 23, 1896, by Mr. G. C. Shattuck. One was also taken in May, 1900, by Mr. Louis Shaw.
150. *Hylocichla aliciae bicknelli* (Ridgw.). Bicknell's Thrush. A male was taken on October 16, 1890, by Mr. G. C. Shattuck. Both this and the foregoing species are undoubtedly not very uncommon migrants, but overlooked.
151. *Hylocichla ustulatus swainsonii* (Cab.). Olive-backed Thrush. A common migrant. May 7 to 27, October 2 to 5.
152. *Hylocichla guttata pallasii* (Cab.). Hermit Thrush. A common migrant. April 4 to May 11, September 19 to October 29.
153. *Merula migratoria* (Linn.). American Robin. An abundant summer, and not uncommon winter resident. March 12 to November 23.
154. *Sialia sialis* (Linn.). Bluebird. A common summer resident. March 10 to October 19.

APPENDIX.

Empidonax flaviventris (Baird.) Yellow-billed Flycatcher. One was observed in Longwood by Miss M. B. Hall on May 10, 1900.

Icterus spurius (Linn.). Orchard Oriole. Miss M. B. Hall saw a male on May 20, 1899. This is the only record for the town.

BIBLIOGRAPHY.

- 1840 Audubon, John James. "The Birds of America." Record of Olive-sided Flycatcher. Vol. I, p. 213, plt. 58.
- 1880 Allen, J. A. "First Captive of the Blue Grosbeak in Massachusetts." Bull. Nat. Orn. Club. Vol. V. No. 3, p. 184.
- 1882 Lewis, F. "Capture of Snowy Owls in Longwood." Forest and Stream, Vol. 19, No. 21, p. 409.
- 1885 Torrey, Bradford. "Red-headed Woodpeckers at Longwood." Atlantic Monthly, Vol. 55, p. 166-7.
- 1885 Torrey, Bradford. "Birds in the Bush." Red-headed Woodpeckers in Longwood. p. 205.

- 1894 Kennard, Fred. H. "The Habits and Individualities of the Red-shouldered Hawk (*Buteo lineatus*) in the vicinity of Brookline, Massachusetts," with map. *Auk*, Vol. XI, No. 3, p. 197.
- 1894 Kennard, Fred. H. "The Young of the Red-shouldered Hawk (*Buteo lineatus*)." *Auk*, Vol. XI, No. 4, p. 271.
- 1895 Howe, Reginald Heber, Jr. "The Goldfinch (*Carduelis carduelis*) near Boston, Mass." *Auk*, Vol. XII, No. 2, p. 182.
- 1895 Kennard, F. H. "January Occurrence of the 'Sapsucker' in Brookline, Mass." *Auk*, Vol. XXI, No. 3, p. 301.
- 1895 Minot, H. D. "Land Birds and Game Birds of New England." Edited by William Brewster. Houghton, Mifflin & Co., Boston. p. 239.
- 1896 Howe, Reginald Heber, Jr. "Three Winter Notes from Longwood, Massachusetts." *Auk*. Vol. XIII, No. 2, p. 178.
- 1896 Howe, Reginald Heber, Jr. "The Nonpareil at Longwood, Mass." *Auk*, Vol. XIII, No. 2, p. 261.
- 1896 Howe, Reginald Heber, Jr. "Correction." *Auk*, Vol. XIII, No. 3, p. 266.
- 1896 Howe, Reginald Heber, Jr. "The Wintering of the Towhee at Longwood, Massachusetts." *Auk*, Vol. XIII, No. 3, p. 260.
- 1897 J. A. Allen. "Howe's Birds of Brookline, Mass." Review. *Auk*, Vol. XIV, No. 2, p. 264.
- 1897 Howe, Reginald Heber, Jr. "Birds of Brookline, Massachusetts." *The Chronicle* [in three parts], Brookline, Mass., January 16, 23, 30, 1897.
- 1897 Howe, Reginald Heber, Jr. "The Birds of Brookline," in "Brookline—the History of a Favored Town," by C. K. Bolton, Brookline, p. 191-194.
- 1897 [Howe, Reginald Heber, Jr.] Addition to "The Birds of Brookline." *The Chronicle*, December 18, 1897, p. 6.
- 1898 Kennard, Fred. H. "Habits of the Blue Jay." *Auk*, Vol. XV, No. 3, p. 269.
- 1899 Ives, Ella Gilbert. "The Cardinal at the Hub." *Bird-Lore*, Vol. I, No. 3, p. 83.

DECEMBER 1, 1900.

Addition to the List of Brookline Birds.

BY REGINALD HEBER HOWE, JR.

In looking through The Journal of the Boston Zoölogical Society I find in a list of The Rarer Birds of Massachusetts, by [Dr.] A. P. Chadbourne, the following records of birds new to my recent [Chronicle, spring, 1900] list of the birds of Brookline. These birds were also recorded in the Bulletin of the Nuttall Ornithological Club as below cited.

Lanius ludovicianus [migrans]. Migrant Shrike, A young male was taken by Mr. Arthur Smith, and then in his possession in February, 1879. (Brewster Bull. Nutt Orn. Club, Vol. VI., p. 55, 1881) and (Jour. Bos. Zoo. Soc., Vol. I., p. 20, 1883).

Vireo philadelphia. Philadelphia Vireo. One taken in late September (1880?) by Mr. Arthur Smith in the Collection of Mr. C. B. Cory. (Brewster Bull. Nutt. Orn. Club, Vol. VI., p. 56, 1881) and (Jour. Bos. Zoo. Soc., Vol. I., p. 20, 1883).

Dendroeca palmarum. Palm Warbler. One taken by Mr. Arthur Smith in the middle of October, 1878, recorded by Mr. Ruthven Deane as *D. p. hypochrysea* but later stated by Dr. A. P. Chadbourne to be referable to the above species. (Deane, Bull. Nutt. Orn. Club, Vol. IV., p. 60, 1879) and (Jour. Bos. Zoo. Soc., Vol. I., p. 35, 1883).

Icteria virens: Yellow-breasted Chat. "A nest was found in Brookline, in 1852, by Mr. Theodore Lyman." (See Baird, Brewer and Ridgway, Land Birds, Vol. I, p. 309, 1874.)

Wilsonia mitrata. Hooded Warbler. A male was taken on June 25, 1879, by Mr. William Adair. (Deane, Bull. Nutt. Orn. Club, Vol. V., p. 117, 1880) and (Jour. Bos. Zoo. Soc., Vol. I, p. 5, 1882).

Parus hudsonius. Hudson Bay Chickadee. One was "found" by S. Eliot Greene "near his house" prior to 1839. (Peabody, Rep. Ornith. Mass., p. 402, 1839) and (Jour. Bos. Zoo. Soc., Vol. I., p. 4, 1882).

I find also recorded in Minot's Revised Land Birds and Game Birds of New England a note by Mr. William Brewster recording the following:—

Thryothorus ludovicianus. Carolina Wren. One was taken by Mr. Arthur Smith on November 4, 1883. (p. 72.)

In the Collection of the Boston Society of Natural History there is also a Blue-headed Pigeon (*Starnaenas cyanocephalus*), probably an escape cage bird, taken on October 10, 1870.

With these additional species added to the list it now numbers one hundred and sixty-three birds that have been recorded from 1839 to 1900 in the town.

CORRECTION.

The Long-billed Curlew (*Numenius longirostris*) spoken of in the former list I find to be the Hudsonian Curlew (*Numenius hudsonicus*).

BROOKLINE, MASS.

FRANCIS W. LAWRENCE, Pres.

REUBEN S. SWAN, Vice-Pres.

WILLIAM S. KEMP, Cashier.

THE

Brookline National Bank

LOWE BUILDING,

Harvard Sq., cor. Kent Street,

BROOKLINE, MASS.

Office Hours: . . . 9 A. M., to 3 P. M.
Saturdays, 8 to 12 only.

DISCOUNT: Tuesday mornings, 9.45 o'clock.

Interest allowed on accounts of Executors
Administrators and Trustees.

DRAFTS ON ALL PARTS OF EUROPE

Safety Deposit Department.

SAFES TO RENT, FROM \$10
TO \$50 PER ANNUM.

DIRECTORS:

GEO. H. WORTHLEY, FRANCIS W. LAWRENCE
C. H. W. FOSTER, M. W. QUINLAN,
THOMAS B. GRIGGS, REUBEN S. SWAN.

WM. H. LINCOLN, Pres. WM. E. LINCOLN, Treas.

Brookline Savings Bank

SAVINGS BANK BUILDING,

Washington St., opposite Library

BROOKLINE, MASS.

Open for Deposits and Drafts as follows: Daily
from 9 A. M. to 1 P. M.; on Mondays and Wednes-
days from 3 to 5 P. M., and on Saturdays from 6 to
8 P. M.

RICHARDSON, HILL & CO.,

S. W. RICHARDSON, WILLIAM H. HILL,
HENRY W. DODD, FRANK E. JAMES.

Bankers & Stock Brokers

40 Water Street, BOSTON.

(Members of New York and Boston Stock Ex-
changes.)

Orders, on Commission, executed in all
Markets.

Connected by Private Wire with New York,
Philadelphia, Baltimore and Washington.

REMOVAL.

Dr. Bertha L. Hoskins

—HAS—

Removed her private Sanitarium
to 97 Francis Street.

Telephone 911-2 Brookline.

WALLACE,

ESTABLISHED 1848

Gaylord Bros.
Makers
Syracuse, N. Y.
PAT. JAN. 21, 1908

MCZ ERNST MAYR LIBRARY

3 2044 128 443 447