The image shows the front cover of an old book. The cover is decorated with a traditional marbled paper pattern, specifically a 'stone' or 'shell' pattern, featuring large, irregular, yellowish-gold spots separated by a dark, branching network. The left edge of the cover is bound in a brown, textured cloth. A small, rectangular, cream-colored paper label is pasted in the upper center of the cover. The label has a decorative, scalloped border and contains handwritten text in cursive script.

R. Sweet,
Hortus Suburbanus
Londinensis.

288

BOEKERIJ
A. P. M. DE KLUJIS
TILBURG

£20

D. Nicolson (1576)

Smithsonian
Institution
Libraries

Gift of

DR. DAN H. NICOLSON

D.H. Nicolson
1576

Smith
Hortus Suburbanus Londinensis :

OR,

A CATALOGUE OF PLANTS

CULTIVATED IN

THE NEIGHBOURHOOD OF LONDON;

ARRANGED ACCORDING TO

THE LINNEAN SYSTEM:

WITH THE ADDITION OF THE

*Natural Orders to which they belong, References to Books where they are described,
their native Places of Growth, when introduced, Time of Flowering,
and Reference to Figures.*

— BY ROBERT SWEET, F.L.S. —

London :

PRINTED FOR JAMES RIDGWAY, 170, PICCADILLY.

1818.

QK
306
394
1818
SCHWAB

ADVERTISEMENT.

AN appeal to the numerous and rapidly succeeding editions of works of the same stamp as the one now offered to the Public, supersedes the necessity of enlarging upon the utility such may possess. The Compiler of the present has, from his infancy to the present time, been unceasingly employed in the cultivation of exotic plants as the means of his livelihood; and, as far as a laborious business and his opportunities of acquirement have admitted, he has industriously endeavoured to combine the scientific with the practical part of his calling. That no one can have possessed better or readier means of inspecting the plants contained in the collections and gardens of this country, is what he knows will not be contradicted by any one enabled to judge, and what the extent of his employment entitles him to say. Whether he has availed himself of these means in a way to have rendered himself equal to the present task, is for those into whose hands his publication may fall to decide. More than a thousand species have been added to the latest edition of any work of the same scope that has come to his knowledge. Every species which has been represented by a figure, is recorded with its figure for the synonym. No species has been taken up without reference to an authentic document. In one material point the present compilation has an advantage over any other, viz. the addition of the natural orders, which has been made without disturbing the sequence and facility of the Linnean method, maintained throughout. Natural orders, independent of their relation to science, are in some degree useful in practice, in as

far as they point out to the cultivator the vegetable relatives, between which there is always the greatest probability of success in attempting the union, either by engrafting or inarching, or mixing the breed. At least, such natural groups generally indicate the confines, out of which species cannot be united by any of those means. All plants contained in the various periodical publications where the vegetables cultivated amongst us are treated of, have been most carefully enumerated up to the present moment; and this Compilation may be so far considered as a general index to them.

BOOKS QUOTED.

- Act. her.* Mémoires de l'Académie Royale des Sciences et Belles Lettres.
- Act. helv.* Acta Helvetica physico, mathematico, botanico-medica.
- Act. par.* Histoire de l'Académie Royale des Sciences, avec les Mémoires de Mathématique et de Physique.
- Act. pet.* Acta Academiae Scientiarum Imperialis Petropolitanae.
- Act. soc. h. nat. par.* Actes de la Société d'Histoire Naturelle de Paris.
- Act. stock.* Kongl. Vetenskaps Akademien Handlingar. Stockholm.
- Act. ups.* Acta Societatis Regiae Scientiarum Upsaliensis.
- Ait. Kew.* Aiton's Hortus Kewensis.
- All. ped.* Car. Allionii Flora Pedemontana.
- All. rar.* Car. Allionii Rariorum Pedemontii Stirpium Specimen.
- All. taur.* Car. Allionii Miscellanea Philosophico-mathematica Societatis privatae Taurinensis.
- Alp. aegypt.* Prosp. Alpini de Plantis Aegypti Liber.
- Alp. exot.* Prosp. Alpini de Plantis exoticis Libri 2.
- Ann. ruth.* Stirpium rariorum in Imperio Rutheno sponte provenientium Icones et Descriptiones collectae à Jo. Ammano.
- And. ger.* Geraniums; or, a Monograph of the Genus Geranium. By H. C. Andrews.
- And. heaths.* Coloured Engravings of Heaths. By H. C. Andrews.
- Ann. mus.* Annales du Muséum d'Histoire Naturelle. Par les Professeurs de cet Etablissement.
- Ann. bot.* Annals of Botany. By C. König and J. Sims.
- Arđ. mem.* Memoria di Osservazioni, e di Sperienze sopra la Coltura, e gli Usi di varie Pianta. Da P. Arduino.
- Arđ. spec.* Petr. Arduini Animadversionum Botanicarum Specimen 1, Patavii, 1759. Specimen 2, Venetiis, 1764.
- Asiat. res.* Asiatic Researches; or, Transactions of the Society instituted in Bengal.
- Aub. gui.* Histoire des Plantes de la Guiane Française. Par M. Fusée Anblot.
- Balb. mis.* Balbis (Joh. Bapt.) Miscellanea Botanica. 1 Fasc. in 4. ex Actis Academiae Taurinensis, exserta.
- B. Houst.* Reliquiae Houstounianae, in Bibliotheca Jos. Banks asservatis.
- Barr. ic.* { Plantae per Galliam, Hispaniam, et Italiam, observatae, Iconibus aeneis exhibitae à Jac. Barreliero.
- Barr. rar.* {
- Bartr. it.* { Travels through North and South Carolina, Georgia, East and West Florida, &c. By W. Bartram.
- Bartr. trav.* {
- Bauh. prod.* Casp. Bauhini Πεδεγονας Theatri Botanici.
- Berg. cap.* Petr. Jon. Bergii Descriptiones Plantarum ex Capite Bonae Spei.
- Besl. cyst.* Bas. Besleri Hortus Eystettensis.
- Blackw.* Blackwell (Elizabeth). A curious Herbal, containing 500 Cuts of the useful Plants.
- Boc. mus.* Museo di Pianta rare. Di Don Paolo Boccone.
- Boc. sic.* Icones et Descriptiones rariorum Plantarum Siciliae, Melitae, Galliae, et Italiae. Auctore Paulo Boccone.
- Boer. lugd.* Herm. Boerhaave Index alter Plantarum quae in Horto Academiae Lugduno Batavae aluntur.
- Bot. mag.* Curtis's Botanical Magazine.
- Bot. reg.* The Botanical Register.
- Bot. rep.* The Botanist's Repository for new and rare Plants. By H. Andrews.
- Bradl. suc.* Ric. Bradley Historia Plantarum succulentarum.
- Breyn. cent.* Jac. Breynii Exoticarum aliarumque minus cognitarum Plantarum Centuria prima.
- Breyn. ic.* Jac. Breynii Icones rariorum et exoticarum Plantarum.
- Bro. jam.* The civil and natural History of Jamaica. By Patr. Browne.
- Bull. herb.* Herbarium de la France. Par Mr. Bulliard.
- Burm. afr.* Jo. Burmanni rariorum Africanarum Plantarum Decades 10.
- Burm. ind.* Nic. Laur. Burmanni Flora Indica.
- Burm. zeyl.* Jo. Burmanni Thesaurus Zeylanicus.
- Buxb. cent.* Joh. Chr. Buxbaumii Plantarum minus cognitarum Centuria 5.
- Camer. hort.* Joach. Camerarii Hortus medicus et philosophicus.
- Cat. car.* The natural History of Carolina, Florida, and the Bahama Islands. By Mark Catesby.
- Cav. dis.* Monadelphicae Classis Dissertationes decem. Auctore Ant. Jos. Cavanilles.
- Cav. ic.* Ant. Jos. Cavanilles, Icones et Descriptiones Plantarum quae aut sponte in Hispania crescant, aut in Hortis hospitantur.
- Clus. his.* Car. Clusii rariorum Plantarum Historia.
- Col. ecphr.* Fab. Columnae minus cognitarum Stirpium Ecphrasis.
- Col. phyt.* Fab. Columnae Phytobasanos sive Plantarum aliquot Historia.
- Com. hort.* Horti medici Amstelodamensis rariorum Plantarum Descriptio et Icones. Auctore Jo. Commelino.
- Com. prael.* Casp. Commelini Praeludia Botanica.
- Com. rar.* Casp. Commelini Plantae rariores exoticae Horti Medici Amstelodamensis.
- Com. pet.* Commentarii Academiae Scientiarum Imperialis Petropolitanae.
- Com. got.* Commentarii Societatis Regiae Scientiarum Gottingensis.
- Cor. can.* Jac. Cornuti Canadensium Plantarum, aliarumque nondum editarum Historia.
- Cyr. neep.* Dom. Cyrilli Plantarum rariorum Regni Neapolitani.
- D. Asso arag.* (Ign. de Asso) Synopsis Stirpium indigenarum Aragoniae.
- Dec. ann. mus.* Annales du Muséum d'Histoire Naturelle.

- Dec. astrag.* Augustini Pyrami Decandolle Astragalologia.
- Dec. pl. gras.* Histoire des Plantes Grasses. Par A. P. Decandolle. Avec leurs Figures en Couleurs. Dessinées par P. J. Redouté.
- Delar. eryng.* Eryngiorum Historia. Auctore F. Delaroche.
- Desf. ann. mus.* Annales du Muséum d'Histoire Naturelle.
- Desf. atl. Flora Atlantica.* Auctore Renato Desfontaines.
- Dill. elt.* Joh. Jac. Dillenii Hortus Elthamensis.
- Dill. musc.* Joh. Jac. Dillenii Historia Muscorum.
- Dod. mem.* Mémoires pour servir à l'Histoire des Plantes. Par M. Dodart.
- Duham arb.* Traité des Arbres et Arbustes, qui se cultivent en France en pleine Terre. Par M. Du Hamel du Monceau.
- Ehr. pict.* Plantæ et Papiliones rariores. Depictæ et Ari incisæ, à Ge. Dion. Ehret.
- Eng. bot.* English Botany. By J. E. Smith: the Figures by J. Sowerby.
- Exot. bot.* Exotic Botany. By J. E. Smith: the Figures by J. Sowerby.
- Feuil. it.* { Journal des Observations faites sur les
Few. per. { Cotes orientales de l'Amérique Meridionale. Par le R. P. Louis Feuillée.
- Fl. dan.* Icones Plantarum sponte nascentium in Regnis Daniæ et Norvegiæ. Editæ à Ge. Chr. Oeder, Oth. Frid. Muller, et Mart. Vahl.
- Fl. græc.* Flora Græca; sive Plantarum rariorum Historia quas in Provinciis aut Insulis Græciæ legit, investigavit, et depingi curavit Joh. Sibthorp; Characteres omnium, Descriptiones et Synonyma elaboravit Jac. Edw. Smith.
- Fl. per.* Ruiz et Pavon Flora Peruviana et Chilensis.
- Forsk. ic.* Icones Rerum naturalium, quas in Itinere Orientali depingi curavit Petr. Forskal.
- Fuchs. hist.* Leon. Fuchsi de Historia Stirpium Commentarii.
- Gært. de fruct.* { Jos. Gärtner de Fructibus et Semi-
Gært. se. { nibus Plantarum.
- Garid. prov.* Histoire des Plantes qui naissent en Provence et principalement aux Environs d'Aix. Par Mr. Garidel.
- Ger. enac.* J. Gerard's Herball, enlarged by Th. Johnson.
- Ger. herb.* J. Gerard's Herball.
- Ger. prov.* Lud. Gerard Flora Gallo-provincialis.
- Giseke ic.* Giseke et Schulze Icones Plantarum.
- Gmel. it.* Sam. G. Gmelin, Reise durch Russland.
- Gmel. sib.* Jo. G. Gmelin, Flora Sibirica.
- Gouan. ill.* Ant. Gouan Illustrationes et Observationes Botanicae.
- Hacq. pl. alp.* Hacquet (Balth.) Plantæ Alpine Carniolicae.
- Hall. hist.* Alb. v. Haller Historia Stirpium indigenarum Helvetiæ inchoata.
- Hall. opus.* Halleri Opuscula Botanica.
- Hayne in ust. ann.* Hayne in Usteri Annalen der Botanik.
- Herm. par.* P. Hermanni Paradisus Batavus.
- Hill. exot.* Hill (John). Exotic Botany illustrated.
- Hof. et L. lus.* { Flore Portugaise. Par J. C.
H. et L. fl. por. { Comte de Hoffmansegg et H. F. Link.
- Hort. ang.* A Catalogue of Trees, Shrubs, Plants, and Flowers, which are propagated for Sale in the Gardens near London.
- Hort. Kew.* Aiton's Hortus Kewensis.
- Hort. trans.* Transactions of the Horticultural Society.
- Host. gram.* Nic. Thomæ Host Icones et Descriptiones Graminum Austriacorum.
- Houst. phil. trans.* Philosophical Transactions of the Royal Society.
- Hout. nat. his.* { Natuurlyke Historie of Nitvoerige
Hout. sys. { Beschryving der Dieren. Planten en Mineralen, Volgens het Samenstel van den Heer Linnæus (Door Mart. Houttuyn).
- Icon. hort. kew.* Delineations of exotic Plants cultivated in the Royal Garden at Kew. Drawn by Francis Bauer; published by W. T. Aiton.
- Icon. Kämpf.* Icones selectæ Plantarum quas in Japonia collegit et delineavit Engelb. Kämpfer; ex Archetypis in Museo Britannico asservatis (edidit Jos. Banks).
- Isnard act. par.* Vid. Act. par.
- Jac. amer.* Nic. Jos. Jacquin selectarum Stirpium Americanarum Historia.
- Jac. am. ed. pict.* N. J. Jacquin Stirpium Americanarum Historia. Ed. additis Tab. pictis.
- Jac. aust.* N. J. Jacquin Flora Austriaca.
- Jac. col.* N. J. Jacquin Collectanea ad Botanicam, Chemiam et Historiam Naturalem spectantia.
- Jac. frag.* N. J. Jacquin Fragmenta Botanica.
- Jac. ic.* Icones Plantarum rariorum. Editæ à N. J. Jacquin.
- Jac. mis.* N. J. Jacquin Miscellanea Austriaca ad Botanicam etc. spectantia.
- Jac. obs.* N. J. Jacquin Observationes Botanicae.
- Jac. ox.* Oxalis Monographia Iconibus illustrata. Auctore N. J. Jacquin.
- Jac. schæn.* Plantarum rariorum Horti Cæsarei Schœnbrunnensis Descriptiones et Icones. Opera N. J. Jacquin.
- Jac. stap.* N. J. Jacquin Stapeliæ cultæ.
- Jac. vind.* N. J. Jacquin Hortus Botanicus Vindobonensis.
- Jour. of sc.* J. B. Ker, in Journal of Science and the Arts.
- Jung. ic. rar.* Junghans's (Phil. Casp.) Icones Plantarum ad Vitam impressæ.
- Kämp. amæn.* Engelb. Kämpfer Amœnitates exoticæ.
- Ker's rev.* Ker's Review of the Genera Amaryllis, Crinum, and Pancratium, in the Journal of Science and the Arts.
- Knight's prot.* Knight (Joseph). Horticultural Essays on the natural Order of Proteæe.
- Kniph. cent.* Kniphoff (Joh. Hier.) Botanica in originali seu Herbarium vivum, Centuriæ 12.
- Knorr. thes.* Thesaurus Rei herbariæ hortensique universalis. Apud Ge. Wölg. Knorri Hæredes.
- Krock. sil.* Krocker (Ant. Joh.) Flora Silesiaca renovata.
- Lab. nov. hol.* Novæ Hollandiæ Plantarum Specimen. Auctore Jac. Jul. Labillardière.
- Lab. syr.* Icones Plantarum Syriæ rariorum. Auctore Jac. Jul. Labillardière.
- Lam. enc.* Encyclopédie Methodique Botanique. Par M. le Chevalier de Lamarck.
- Lam. ill.* Tableau Encyclopédique et Methodique des trois Regnes de la Nature, Botanique: Illustration des Genres. Par M. de Lamarck.
- Lamb. cinch.* A Description of the Genus Cinchona. By A. B. Lambert.
- Lamb. pin.* A Description of the Genus Pinus. By Aylmer Bourke Lambert.

- Lap. pyr.* { Figures de la Flore des Pyrénées. Par Lapey. *fl.* } Phil. Picot Lapeyrouse.
- Leers herb.* Joh. Dan. Leers Flora Herbornensis.
- L'Her. ger.* Car. Lud. L'Heritier Geraniologia.
- L'Her. sert.* Car. Lud. L'Heritier Sertum Anglicum.
- L'Her. stipp.* Stirpes novæ Descriptionibus et Iconibus illustratæ. A Car. Lud. L'Heritier.
- Lin. act. ups.* Vid. *Act. ups.*
- L. amæn. ac.* Caroli Linnæi Amœnitates Academicæ.
- Lin. fl. dec.* Car. Linnæi Fil. Decas 1 & 2. Plantarum rariorum Horti Upsaliensis.
- Lin. fl. fasc.* Car. Linnæi Fil. Plantarum rariorum Horti Upsaliensis Fasciculus 1.
- Lin. hort. cliff.* Car. Linnæi Hortus Cliffortianus.
- Lin. trans.* Transactions of the Linnean Society of London.
- Lin. zeyl.* Car. Linnæi Flora Zeylanica.
- Lind. alsat.* Von Lindern (Fr. Balth.) Hortus Alsatius Plantas in Alsatia nobili designans.
- Lob. hist.* Plantarum seu Stirpium Historia Matthiæ de Lobel.
- Lob. ic.* Plantarum seu Stirpium Icones.
- Lœf. it.* Lœffling (Petr.) Iter Hispanicum, eller Resa til Spanska, &c. 1 vol. in 8.
- Læs. prus.* Joh. Læselii Flora Prussica. Auxit et edidit Joh. Gottsched.
- Ludw. ect.* Ludwig (C. Gottl.) Ectypa Vegetabilium Usibus medicis destinatum.
- Magn. b. mons.* Petri Magnol Botanicon Monspelense.
- Magn. h. mons.* Petri Magnol Hortus Regius Monspelensis.
- Marcg. bras.* (Guil. Pisonis et Ge. Marcgravi) Historia naturalis Brasiliæ.
- Mart. dec.* Jo. Martyn Historia Plantarum rariorum.
- Mass. stap.* Stapeliæ Novæ; or, a Collection of several new Species of that Genus discovered in the interior Parts of Africa. By Fras. Masson.
- Mat. com.* Petri Andr. Matthioli Commentarii in Libros Dioscoridis de Medica Materia.
- Meerb. ic. 1.* Afbeeldingen van Zeldzaame Gewassen. Door Nic. Meerburgh.
- Meerb. ic. 2.* Plantarum selectarum Icones pictæ. Editæ à N. Meerburgh.
- Mem. de l'Ins.* Mémoires de l'Institut National des Sciences et Arts, Sciences mathématiques et physiques.
- Mem. de l'Soc. his. nat.* Mémoires de l'Société d'Histoire Naturelle de Paris.
- Merian. sup.* Maria Sibylla Merian de Generatione et Metamorphosis Insectorum Surinamensium.
- Mich. gen.* Nova Plantarum Genera. Auctore Petro Ant. Michelio.
- Mich. hort.* Petr. Ant. Michellii Catalogus Plantarum Horti Casarei Florentini.
- Mich. amer.* Andr. Michaux Flora Boreali-Americana.
- Mich. arb.* Histoire des Arbres forestiers de l'Amérique Septentrionale. Par F. André Michaux.
- Mich. querc.* Histoire des Chênes de l'Amérique Septentrionale. Par André Michaux.
- Mill. dict.* Phil. Miller's Gardener's Dictionary.
- Mill. ic.* Figures of Plants described in the Gardener's Dictionary. By Phil. Miller.
- J. Mill. ic.* Seven coloured Plates of Plants. By John Miller.
- J. Mill. ill.* Joh. Miller Illustratio Systematis sexualis Linnæi.
- J. F. Mill. ic.* Sixty coloured Plates of Plants and Animals. By Joh. Fred. Miller.
- Mis. tæst.* Melanges de Philosophie et de Mathématique de la Société Royale de Turin.
- Miss Lawr. pas.* Six numbers of coloured Figures of Passion-flowers. By Miss Lawrance.
- Miss Lawr. ros.* A Collection of Roses from Nature. By Miss Lawrance. Ninety Plates.
- Mænch. h. m.* Conrad Mænchi Methodus Plantas Horti et Agri Marburgensis describendi.
- Mænch. h. weis.* Verzeichniß Ausländischer Baume und Stauden des Lustschlosses Weissenstein bey Cassel. Von C. Mönch.
- Mont. act. ups.* Vid. *Act. ups.*
- Moris. his.* { Rob. Morison Historia Plantarum uni-
- Moris. s.* { versalis Oxoniensis.
- Meris. umb.* Rob. Morison Plantarum umbelliferarum Distributio nova.
- Murr. com. goett.* Vid. *Com. got.*
- Nissolle in act. par.* Vid. *Act. par.*
- Nov. act. ac. nat. cur.* Nova Acta Physico-medica Academicæ Cæsareæ Naturæ Curiosorum.
- Nov. act. ber.* Der Gessellschaft Naturforschender Freunde zu Berlin Neue Schriften.
- Nov. act. pet.* Nova Acta Academicæ Scientiarum Imperialis Petropolitaneæ.
- Nov. act. ups.* Nova Acta Regiæ Societatis Scientiarum Upsaliensis.
- Nou. com. got.* Novi Commentarii Societatis Regiæ Scientiarum Gottingensis.
- Nou. com. pet.* Novi Commentarii Academicæ Scientiarum Imperialis Petropolitaneæ.
- Ort. dec.* Cas. Gom. Ortægæ novarum aut rariorum Plantarum Horti Reg. Botan. Matrit. Descriptionum Decades.
- Osbeck. it.* Pehr Osbecks Dagbok öfver en Ostindisk resa.
- Palis. d. Owar.* Palisot de Beauvois Flore des Royaumes d'Oware et de Benin.
- Pall. act. pct.* Vid. *Act. pet.*
- Pall. astrag.* Species Astragalorum descriptæ et Iconibus coloratis illustratæ. A P. S. Pallas.
- Pall. it.* P. S. Pallas Reise durch Verschiedene Provinzen des Russischen Reichs.
- Pall. ros.* Flora Rossica. Edidit P. S. Pallas.
- Par. lon.* The Paradisus Londinensis.
- Park. par.* J. Parkinson Paradisi in Sole Paradisus terrestris.
- Park. theat.* J. Parkinson Theatrum Botanicum.
- Pass. hort.* Crispinus Passarus Hortus floridus.
- Paters. it.* A Narrative of four Journeys into the Country of the Hottentots and Caffraria. By Will. Patterson.
- Pers. in ust. an.* Persoon in Paul Usteri Annalen der Botanik.
- Pet. H. Brit.* James Petiver Herbarii Britannici Catalogus.
- Pet. gaz.* Jac. Petiver Gazophylacium Naturæ et Artis.
- Phil. trans.* Philosophical Transactions of the Royal Society of London.
- Pic. hort. pan.* Hortus Pansianicus, o sia Catalogo delle Piantæ esotiche nel Giardino della Villa detta la Loggia. Descritto da Gius. Piccioli.
- Pis. bras.* Gul. Pisonis de Indiæ utriusque re naturalis et medica, Libri 14.
- Plant. grass.* Histoire des Plantes Grasses. Par A. P. Decandolle. Avec leurs Figures en Couleurs. Dessinées par P. J. Redouté.
- Pl. rar. hung.* Franc. Comitis Waldstein et Pauli Kitaibel Descriptiones et Icones Plantarum rariorum Hungariæ.

- Pluk. alm.* Leon. Plukenett *Almagestum Botanicum*.
- Pluk. amalth.* L. Plukenett *Amalthenm Botanicum*.
- Pluk. mant.* L. Plukenett *Mantissa Almagesti Botanici*.
- Pluk. phyt.* L. Plukenett *Phytographia*.
- Plum. amer.* Description des Plantes de l'Amérique, avec leurs Figures. Par le R. P. Charles Plumier.
- Plum. fl.* Charles Plumier *Traité des Fougères de l'Amérique*.
- Plum. ic.* *Plantarum Americanarum Fasciculi 10*, continentes Plantas quas olim Car. Plumierius detexit et depinxit. Edidit Jo. Burmannus.
- Poir. it. ed. germ.* Poiret (J. L. M.) *Voyage en Barbarie*.
- Poit. ann. mus.* Vid. *Ann. Mus.*
- Poit. et T. arb.* *Traité des Arbres fruitiers*. Par Du Hamel du Monceau. Nouvelle Edition, augmentée. Par A. Poiteau et P. Turpin.
- Poit. et T. fl. par.* *Flore Parisienne*. Par A. Poiteau et P. Turpin.
- Pursh. fl. amer.* *Flora Americae Septentrionalis*; or, A Systematic Arrangement and Description of the Plants of North America. By Frederick Pursh.
- Rauw. it.* Der vierte Thail Leonh. Rauwolfen, etlicher Schoner Aussländischer Kreuter, deren in Seiner Rayss in die Morgenlander Gethon, Gedacht wirt, lebendige Contrafactur.
- Red. lil.* Les Liliacées. Par P. J. Redouté.
- Regn. bot.* Regnault (Sr. et De.) *La Botanique mise à la portée de tout le Monde*.
- Reliqu. houst.* Vid. *B. Houst.*
- Ren. spec.* Pauli Renealmi *Specimen Historiæ Plantarum*.
- Ret. obs.* And. Jah. Retzii *Observationes Botanicae*.
- Ret. Stock.* And. Jah. Retzii *Floræ Scandinaviæ Prodromus*.
- Rheed mal.* *Hortus Indicus Malabaricus*. Adornatus per Henr. van Rhee de van Drakenstein.
- Riv. non.* Aug. Quir. Rivini *Ordo Plantarum*, quæ sunt *Floræ irregulari monopetalæ*.
- Riv. tetr.* Aug. Quir. Rivini *Ordo Plantarum*, quæ sunt *Floræ irregulari tetrapetalæ*.
- Riv. pent.* A. Q. Rivini *Ordo Plantarum*, quæ sunt *Floræ irregulari pentapetalæ*.
- Rob. ic.* Three Hundred and Nineteen Plates of Plants. Engraved by Nic. Robert, A. Bosse, and Lud. de Chastillon.
- Roche diss.* De la Roche (Daniel) *Specimen Botanicum inaugurale sistens Descriptiones Plantarum aliquot novarum*.
- Rœm. arch.* Archiv für die Botanik. Herausgegeben von Joh. Jac. Rœmer.
- Rœm. pl. hisp. lus.* Joh. Jac. Rœmer *Scriptores de Plantis Hispanicis, Lusitanicis et Brasiliensibus*.
- Roth abhand.* Botanische Abhandlungen und Beobachtungen von Albr. Wilh. Roth.
- Rott. gram.* C. Friis Rottboli *Descriptiones et Icones Plantarum rariorum*.
- Roxb. cor.* Plants of the Coast of Coromandel. By Will. Roxburgh.
- Rudb. elys.* Campi Elysi Liber 2dus, Opera Olai Rudbeckii, Patris et Filii.
- Rudge pl. gu.* Rudge (Edward) *Plantarum Guianæ rariorum Icones et Descr.*
- Rum. amb.* Ge. Everh. Rumphii *Herbarium Amboinense*.
- Sabb. hort.* Sabbati (Liberatus) *Hortus Romanus*.
- Sal. stirp.* R. A. Salisbury *Icones Stirpium rariorum Descriptionibus illustratæ*.
- Scheuch. gram.* Joh. Scheuchzer, *Agrostographia, sive Graminum, Juncorum, Cyperorum, iisque affinium Historia*.
- Schlk. bot. hand.* { Botanisches Handbuch. Von Schk. hand. } Christ. Schkuhr.
- Schlk. car.* C. Schkuhr *Abbildungen der Riedgraser*.
- Schlk. fl.* C. Schkuhr *Abbildungen der Farnkrauter*.
- Schmidel. ic.* Cas. Christ. Schmidel *Icones Plantarum*.
- Schmidt arb.* Franz Schmidt, *Oesterreichs Allgemeine Baumzucht*.
- Schneev. ic.* G. Voorhelm Schneevogt *Icones Plantarum rariorum*.
- Schous. maroc.* P. K. A. Schousboe's *Beobachtungen uber das Gewachstreich in Marokko*.
- Schr. bot. Journ.* Journal für die Botanik. Herausgegeben von Schrader.
- Schr. neu. jour.* Neues Journal für die Botanik. Herausgegeben von Schrader.
- Schr. sert. han.* { H. A. Schrader *Sertum Hannover-Sert. han.* } anum.
- Schr. ver.* H. A. Schrader *Comentatio super Veronicis Spicatis Linnæi*.
- Sch. gram.* J. C. D. Schreber's Beschreibung der Graser.
- Sch. ic.* J. C. D. Schreber *Icones Plantarum minus cognitarum Decas 1.*
- Schw. bes.* M. W. Schwencke, *Kruidkundige Beschryving der Gewassen*.
- Scop. carn.* Jo. Ant. Scopoli *Flora Carniolicæ*.
- Scop. ins.* J. A. Scopoli *Deliciæ Floræ et Faunæ Insulariæ*.
- Seb. mus.* Alb. Sebæ *locupletissimi Rerum naturalium Thesauri Descriptio*.
- Sec. du chen.* Mémoires sur l'Histoire naturelle du Chêne. Par M. de Secondat.
- Segu. ver.* *Plantæ Veronenses*. Auctore Jo. Franc. Seguiæ.
- Slo. jam.* { A Voyage to the Islands Madeira, Barbadoes, Nieves, S. Christopher's, and Jamaica; with the natural History of the last of those Islands. By Hans Sloane. }
- Slo. hist.* { Sloane. }
- Smith ic.* *Icones pictæ Plantarum rariorum*. Auctore J. E. Smith.
- Sm. ined.* *Plantarum Icones hactenus ineditæ*. Auctore J. E. Smith.
- Sm. n. holl.* A Specimen of the Botany of New Holland. By J. E. Smith.
- Sm. spicil.* *Spicilegium Botanicum*. Auctore J. E. Smith.
- Smith's tracts.* Tracts relating to natural History. By J. E. Smith.
- Sole's mints.* *Menthæ Britannicæ*; being a new botanical Arrangement of all the British Mints hitherto discovered. By W. Sole.
- Sonn. it.* Voyage aux Indes Orientales et à la Chine. Par M. Sonnerat.
- Sonn. n. gui.* Voyage à la nouvelle Guinée. Par M. Sonnerat.
- Sparr. act. st.* Vid. *Act. stock.*
- Spreng. fl. hal.* Kurt Sprengel *Floræ Halensis Tentamen novum*.
- Swart. obs.* *Observationes botanicæ*. Auctore Olof Swartz.
- Tabern. ic.* *Eicones Plantarum* (eadem ac in *Tabernæmontani Krauterbuch*).
- Th. act. hafs.* C. P. Thunberg *Acta medica et philosophica Hafniensis*.

Thunb. act. st. Vid. *Act. stock.*

Thunb. diss. C. P. Thunberg Dissertationes.

Thunb. eric. C. P. Thunberg Presidis Dissertatio de Erica.

Thu. gar. C. P. Thunberg Diss. de Gardenia.

Thunb. jap. C. P. Thunberg Flora Japonica.

Thunb. prot. C. P. Thunberg Diss. de Protea.

Till. pis Mich. Aug. Tilli Catalogus Plantarum Horti Pisani.

Tourn. ins. Jos. Pitton Tournefort Institutiones Rei herbariae.

Tourn. it. Relation d'un Voyage du Levant. Par M. Pitton de Tournefort.

Trew ehret. Plantæ selectæ, quarum Imagines pinxit Ge. Dion. Ehret, collegit et illustravit Christ. Jac. Trew.

Trew pl. rar. Plantæ rariores, quas depingendas Ærique incidendas curavit Chr. Jac. Trew.

Tri. obs. { Observationes de Ortu ac Vegetatione
Plantarum, cum novarum Stirpium
Triumf. obs. { Historia Iconibus illustrata. Auc-
tore Jo. Bapt. Triumfetti.

Triumf. præl. Prælusio ad publicas Herbarum Ostensiones, à Jo. B. Triumfetti, cui accesserunt novarum Stirpium Descriptiones et Icones.

Turrp. ann. mus. Vid. *Ann. mus.*

Tuss. fl. d. ant. Flore des Antilles. Par F. R. de Tussac.

Uster. ann. bot. Annalen der Botanik. Herausgegeben von Paul Usteri.

Vahl symb. Mart. Vahl Symbolæ Botanicae.

Vahl eclog. Mart. Vahl Eclogæ Americanae, et Icones Plantarum in Eclogis descriptarum.

Vail. par. Seb. Vaillant Botanicum Parisiense, Leide, et Amsterdam.

Vent. cels. Description des Plantes nouvelles et peu connues cultivées dans le Jardin de J. M. Cels; avec Figures. Par E. P. Ventenat.

Vent. choix. Choix de Plantes dont la plupart sont cultivées dans le Jardin de Cels. Par E. P. Ventenat.

Vent. desc. pl. nov. E. P. Ventenat Decas Generum novorum.

Vent. mal. Jardin de la Malmaison. Par E. P. Ventenat.

Vent. sc. phys. Vid. *Act. par.*

Vill. dauph. { Histoire des Plantes de Dauphiné. Par

Vill. delph. { M. Villars.

Volck. norib. Joh. Go. Volckameri Flora Noribergensis.

Voya. de Lab. Relation du Voyage à la Recherche de la Pérouse. Par le C. Labillardière.

Waldst. et Kit. Vid. *Pl. rar. hung.*

Walth. hort. Designatio Plantarum quas Hortus Aug. Frid. Waltheri complectitur; accedunt novæ Plantarum Icones 24.

Wang. amer. F. A. J. von Wangenheim Anpflanzung North Amerikanischer Holzarten.

Wein. phyt. Joh. Wilh. Weinmann Phytanthozai-conographia.

Wend. eric. Ericarum Icones et Descriptiones. Auctore J. C. Wendland.

Wend. her. Hortus Herrenhusanus. Auctore J. C. Wendland.

Wend. in Rœm. archiv. Vid. *Rœm. arch.*

Wend. obs. Botanische Beobachtungen. Von J. C. Wendland.

Wend. sert. han. Sertum Hannoveranum. Auctore J. C. Wendland.

Willd. amar. Historia Amaranthorum. Auctore Car. Lud. Willdenow.

Willd. arb. Berlinische Baumzucht. Von C. L. Willdenow.

Willd. ber. { C. L. Willdenow Hortus Berolinen-
W. hort. ber. { sis.

W. N. act. ber. Vid. *Nov. act. ber.*

Willd. phyt. C. L. Willdenow Phytographia.

Zanon hist. Jac. Zanonii rariorum Stirpium Historia.

Zorn. ic. Icones Plantarum medicinalium. (Von Joh. Zorn.)

ABBREVIATIONS.

- A. G. Andrews's Geraniums.
 A. H. Andrews's Heaths.
 B. Robert Brown, in Transactions of the Wernerian Society.
 B. M. Botanical Magazine.
 B. P. Brown's Prodrömus Floræ Novæ Hollandiæ.
 B. R. Botanist's Repository.
 B. reg. Botanical Register.
 Cav. Cavanilles.
 D. Decandolle's Regni vegetabilis Systema naturale.
 Dec. Decandolle's Astragalogia, &c.
 Desf. Desfontaine's Flora Atlantica.
 E. B. English Botany.
 F. P. Flora Peruviana.
 G. Gärtner.
 H. K. Hortus Kewensis. Second Edition.
 H. R. Enumeratio Plantarum Horti Botanici Regiontani,
 H. S. Haworth on Succulent Plants.
 J. Jussieu's Genera Plantarum.
 Jac. Jacquin.
 Kn. P. Joseph Knight on the natural Order of Proteææ.
 K. R. Ker's Review of Amaryllideæ in the Journal of Science and Arts.
 L. Linnæus.
 Lam. Lamarck.
 L'Her. L'Heritier.
 L. T. Transactions of the Linnæan Society of London.
 M. n. Miscellanea naturalia. By A. H. Haworth.
 Mi. Mich. Michaux Flora Boreali-Americana.
 Ph. Pursh's Flora of North America.
 P. L. Paradisus Londinensis.
 P. S. Persoon's Synopsis Plantarum.
 R. L. Les Liliacées. Par P. J. Redouté.
 Ros. Roscoe, in Transactions of the Linnæan Society.
 Rox. Roxburgh.
 Ru. Rudge (Edward) Plantarum Guianæ rariorum Icones et Descr.
 Sc. Schrader.
 Sm. Smith.
 S. M. Sole's Mints.
 S. P. Salisbury's Prodrömus.
 Sw. Swartz.
 Th. Thunberg.
 V. Vent. Ventenat.
 Vill. Villars.
 W. Willdenow's Species Plantarum.
 W. en. Willdenow Enumeratio Plantarum Horti Bot. Berolinensis.
 1.2. &c. Flowering the first and second month, &c.
 1.12. Flowering all the year.
 — Same as the line above it.
 Uncertain.
 H. h. Hardy shrub or tree.
 F. h. Shrubs requiring the protection of a frame or mat.
 G. h. Greenhouse shrub.
 S. h. Stove shrub.
 D. S. h. Dry stove shrub, requiring but little water.
 ½. Perennial.
 ½. Biennial.
 ©. Annual.
 C. B. S. Cape of Good Hope.
 N. S. W. New South Wales.
 N. Holl. New Holland.
 V. Diem. I. Van Diemen's Island.
 W. Ind. West Indies.
 E. Ind. East Indies.
 S. Eur. South of Europe.
 N. Eur. North of Europe.
 S. Amer. South America.
 N. Amer. North America,

HORTUS SUBURBANUS LONDINENSIS,

&c,

CLASS I.—ORDER I, MONANDRIA MONOGYNIA.

<i>Systematic Name.</i>	<i>English Name.</i>	<i>Natural Order.</i>	<i>Native.</i>	<i>Cultiv.</i>	<i>Flowers.</i>	<i>Ref. to Figures.</i>
CANNA. W.	INDIAN SHOT.	Canneæ. B. P.				
1 Indica. Ros.	common.		India.	1570.	1.12. S. 2.	Red. lil. 201.
2 coccinea. Ros.	scarlet.		S. America.	1731.	— S. 2.	Bot. reg.
3 patens. Ros.	spreading.		Rjo Janeiro.	1778.	— G. 2.	Bot. reg.
4 lutea. Ros.	yellow.		E. Ind.	1629.	— S. 2.	
5 glauca. Ros.	glaucous.		S. America.	1732.	6.8. S. 2.	Ex. bot. 2. t. 102.
6 flaccida. Ros.	flaccid.		S. Carolina.	1788.	7. S. 2.	Sal. stirp. rar. 3. t. 2.
7 gigantea. R. L.	gigantic.				12.2. S. 2.	Bot. reg. 206.
MARANTA. W.	ARROW-ROOT.	Canneæ. B. P.				
1 arundinacea. W.	Indian.		S. Amer.	1732.	7.8. S. 2.	Red. lil. 57.
2 obliqua. Ru.	oblique.		Guiana.	1803.	12. S. 2.	{ Rudge pl. guian, p. 8. t. 2.
3 lutea. W. en.	yellow.		Caracas.	1809.	6.7. S. 2.	Jac. ic. rar. 2. t. 20.
4 comosa. W.	close-spiked.		Surinam.	1812.	6.7. S. 2.	
5 zebrina. B. M.	striped-leaved.		Brasil.	1815.	— S. 2.	Bot. mag. 1926.
THALIA. W.	THALIA.	Canneæ. B. P.				
dealbata. Ros.	mealy.		S. Carolina.	1791.	7.8. G. 2.	Bot. mag. 1690.
PHRYNIUM. W.	PHRYNIUM.	Canneæ. B. P.				
1 capitatum. W.	headed.		E. Ind.	1807.	 S. 2.	Asiat. res. 11. t. 3.
2 dichotomum.	forked.			1810.	7.8. S. 2.	
HEDYCHIMUM. W.	GARLAND FLOW.	Scitamineæ. B. P.				
1 coronarium.	sweet-scented.		E. Ind.	1791.	7.9. S. 2.	Bot. mag. 708.
2 angustifolium. B. R.	scarlet.			1815.	— S. 2.	Bot. reg. 157.
ALPINIA. W.	ALPINIA.	Scitamineæ. B. P.	<i>Alpinia et Renealmia species IV.</i>			
1 racemosa. Ros.	clustered.		W. Ind.	1752.	— S. 2.	Plum. ic. 11. t. 20.
2 comosa. W.	close-spiked.		Caracas.		 S. 2.	Jac. ic. rar. v. 3.
3 occidentalis. W.	occidental.		Jamaica.	1793.	 S. 2.	
4 nutans. Ros.	nodding.		E. Ind.	1792.	4.6. S. 2.	Ex. bot. 2. t. 106.
5 cernua. B. M.	drooping.				— S. 2.	Bot. mag. 1900.
6 calcarata. Ros.	upright.			1804.	9. S. 2.	Bot. rep. 421.
HELLENIA. W.	HELLENIA.	Scitamineæ. B. P.	<i>Alpinia species Roscoe.</i>			
Allughas. W.	Ceylon.		E. Ind.	1796.	2.3. S. 2.	Bot. rep. 501.
ZINGIBER. Ros.	GINGER.	Scitamineæ. B. P.	<i>Amomi species W.</i>			
1 officinale. Ros.	narrow-leaved.		E. Ind.	1605.	6.8. S. 2.	Jac. vind. 1. t. 75.
2 Zerumbet. Ros.	broad-leaved.		E. Ind.	1690.	9.11. S. 2.	Ex. bot. 2. t. 112.
3 Casumunar. B. M.	downy-leaved.		E. Ind.	1807.	8. S. 2.	Bot. mag. 1426.
4 sylvestre. Sw.	wood.		Jamaica.	1804.	5.7. S. 2.	{ Sloan. hist. 1. t. 105. f. 2.
5 Mioga. Ros.	Japanese.		Japan.	1796.	 G. 2.	
6 purpureum. Ros.	purple-bracted.		E. Ind.	—	9. S. 2.	
Elettaria. L. T.	CARDAMOM.	Scitamineæ. B. P.	<i>Amomi species L.</i>			
Cardamomum. L. T. true.			E. Ind.	1815.	— S. 2.	{ Linn. trans. v. 10. t. 4. 5.
COSTUS. W.	COSTUS.	Scitamineæ. B. P.				
1 speciosus. Ros.	large-flowered.		E. Ind.	1794.	8.9. S. 2.	Jac. ic. 1. t. 1.
2 arabicus. Ros.	Arabian.		India.	1752.	8. S. 2.	
3 spicatus. Ros.	spiked.		S. Amer.	1793.	6. S. 2.	Jac. am. 1. t. 1.

DIANDRIA MONOGYNIA.

KÆMPFERIA. W.	GALANGALE.	Scitamineæ. B. P.					
1 rotunda. Ros.	round-rooted.	_____	E. Ind.	1768.	7.8.	S. 2.	Bot. mag. 920.
2 Galanga. Ros.	official.	_____	E. Ind.	1724.	6.9.	S. 2.	Bot. mag. 850.
3 angustifolia. Ros.	narrow-leaved.	_____	E. Ind.	1797.	3.4.	S. 2.	
4 pandurata. B. Reg.	fiddle-shaped.	_____			4.6.	S. 2.	Bot. reg. 173.
AMOMUM. Ros.	AMOMUM.	Scitamineæ. B. P.					
1 Afzelii. Ros.	sweet-scented.	_____	Sierra Leone.	1795.	5.6.	S. 2.	Ann. bot. 1. t. 13.
2 grandiflorum. Ex. B.	large-flowered.	_____			6.7.	S. 2.	Ex. bot. t. 111.
CURCUMA. W.	TURMERIC.	Scitamineæ. B. P.					
1 Zedoaria. Ros.	broad-leaved.	_____	E. Ind.	1797.	4.8.	S. 2.	Bot. mag. 1546.
2 Zerumbet. Roxb.	Zedoary.	_____		1807.		S. 2.	Rum. amb. 5. t. 68.
3 æruginea. Roxb.	rusty.	_____				S. 2.	
4 rotunda. W.	round-rooted.	_____		1803.	8.	S. 2.	Rheed. mal. 11. t. 10.
5 longa. Ros.	long-rooted.	_____		1759.	8.	S. 2.	Jac. vind. 3. t. 4.
6 rubescens. Roxb.	reddish.	_____		1805.	3.9.	S. 2.	
GLOBBA. Ros.	GLOBBA.	Scitamineæ. B. P.					
1 marantina. Ros.	marantine.	_____	E. Ind.	1800.	7.8.	S. 2.	Ex. bot. 2. t. 103.
2 purpurea. B. R.	purple.	_____			7.9.	S. 2.	Bot. rep. t. 228.
3 sessiliflora. B. M.	sessile-flowered.	_____		1807.	8.	S. 2.	Bot. mag. 1428.
4 radicalis. Roxb.	opera girl's.	_____	E. Ind.	1808.	6.	S. 2.	Bot. mag. 1320.
<i>Mantisia saltatoria.</i>	B. M.						
PHILYDRUM. B. P.	PHILYDRUM.	Junceæ. B. P.					
lanuginosum. B. P.	woolly.	_____	China.	1801.	6.7.	S. 2.	Bot. mag. 783.
LOPEZIA. Cav.	LOPEZIA.	Onagrarie. J.					
1 hirsuta. H. K.	hairy.	_____	Mexico.	1796.	9.11.	S. 2.	Jac. c. sup. 5. t. 15. f. 4.
2 racemosa. H. K.	smooth.	_____		1792.	8.10.	S. 2.	Bot. mag. 254.
3 coronata. H. K.	coronet-flowering.	_____		1805.	7.9.	H. 2.	Bot. rep. 551.
BOERHAAVIA. W.	HOGWEED.	Nyctagineæ. B. P.					
1 erecta. W.	upright.	_____	India.	1733.	7.9.	S. 2.	Jac. vind. 1. t. 5, 6.
2 diffusa. W.	spreading.	_____		1690.	8.9.	S. 2.	
3 hirsuta. W.	scarlet-trailing.	_____	Jamaica.	1733.	5.8.	S. 2.	Jac. vind. 1. t. 7.
4 scandens. W.	climbing.	_____		1691.	4.9.	S. 2.	Jac. vind. 1. t. 4.
POLLICHIA. W.	POLLICHIA.						
campestris. W.	whorl-leaved.	_____	C. B. S.	1780.	9.	G. 2.	Sm. spicil. 1. t. 1.
SALICORNIA. W.	GLASSWORT.	Chenopodæ. B. P.					
1 arabica. W.	Arabian.	_____	Arabia.	1758.		G. 2.	Moris. h. 2. t. 33. f. 7.
2 fruticosa. W.	shrubby.	_____	Britain.		8.9.	H. 2.	
3 radicans. E. B.	rooting.	_____			9.	H. 2.	Eng. bot. 1691.
4 herbacea. W.	marsh.	_____			8.9.	H. 2.	Eng. bot. 415.
5 procumbens. E. B.	procumbent.	_____	England.		8.	H. 2.	Eng. bot. 1691.
HIPPURIS. W.	MARESTAIL.	Naiades. J.					
vulgaris.	common.	_____	Britain.		5.	H. 2.	Eng. bot. 763.

DIGYNIA.

CORISPERMUM. W.	TICKSEED.	Chenopodæ. B. P.					
1 hyssopifolium. W.	hyssop-leaved.	_____	Europe.	1739.	7.	H. 2.	Fl. græc. 1. t. 1.
2 squarrosum. W.	rough-spiked.	_____	Russia.	1759.	8.9.	H. 2.	Pal. ros. 2. t. 99.
CALLITRICHE. W.	{ WATER STAR- WORT.	Naiades. J.					
aquatica. E. B.	common.	_____	Britain.		4.10.	H. 2.	Eng. bot. 722.
BLITUM. W.	{ STRAWBERRY BLITE.	Chenopodæ. B. P.					
1 capitatum. W.	berry-headed.	_____	Austria.	1633.	5.8.	H. 2.	Poit. et T. fl. p. 1. t. 2.
2 virgatum. W.	sleuder.	_____	S. Europe.	1680.	5.9.	H. 2.	Bot. mag. 276.

CLASS II.

DIANDRIA MONOGYNIA.

NYCTANTHES. W.	NYCTANTHES.	Jasmineæ. B. P.					
arbor tristis. W.	square-stalked.	_____	E. Ind.	1781.		S. 2.	Lam. ill. t. 6.
JASMINUM. W.	JASMINE.	Jasmineæ. B. P.					
1 Sambac. W.	single Arabian.	_____	E. Ind.	1665.	1.12.	S. 2.	Bot. reg. 1.
β flo. pleno.	double ditto.	_____		1700.	1.12.	S. 2.	Bot. rep. 497.
γ tryfoliatum.	Tuscan.	_____		1730.		S. 2.	Bot. mag. 1786.

2 hirsutum. Ex. B.	hairy Indian.	Jasmine. B. P.	E. Ind.	1759.	5.8.	S. h.	Ex. bot. 2. t. 118.
3 gracile. B. P.	slender.	_____	Norfolk Is.	1791.	1.12.	G. h.	Bot. rep. 127. Rec. 600
4 glaucum. W.	glaucous.	_____	C. B. S.	1774.	8.	G. h.	Sat. strip. rar. t. 8.
5 trinerve. W.	three-nerved.	_____	Java.	1804.		S. h.	2. 3. 4.
6 auriculatum. W.	auriculated.	_____	E. Ind.	1790.	5.9.	S. h.	Bot. reg. 254
7 azoricum. W.	Azorian.	_____	Madeira.	1724.	4.11.	G. h.	Bot. reg. 89.
8 fruticans. W.	common yellow.	_____	S. Eur.	1570.	4.10.	H. h.	Bot. mag. 461.
9 humile. W.	Italian.	_____		1656.	6.9.	H. h.	Bot. reg. 255
10 odoratissimum. W.	sweet-scented.	_____	Madeira.	1656.	5.11.	G. h.	Bot. mag. 285.
11 revolutum. B. M.	curled-flowered.	_____	China.	1812.	3.10.	G. h.	Bot. reg. 178.
12 officinale. W.	common white.	_____		1548.	6.10.	H. h.	Bot. mag. 31.
13 grandiflorum. W.	Catalonian.	_____	E. Ind.	1629.	6.10.	G. h.	Bot. reg. 91.
GALIPEA. Ju.	GALIPEA.	_____					
trifoliata. W.	three-leaved.	_____	Guiana.	1803.		S. h.	Aub. gui. 662. t. 269.
LIGUSTRUM. W.	PRIVET.	Oleinae. B. P.	_____	_____	_____	_____	_____
1 vulgare. W.	common.	_____	Britain.		6.7.	H. h.	Eng. bot. 764.
β sempervirens.	evergreen.	_____	Italy.			H. h.	
2 lucidum. H. K.	Wax-tree.	_____	China.	1794.	6.9.	G. h.	
OLEA. B. P.	{ OLIVE & PHIL- LYREA. }	Oleinae. B. P.	Olea et Phillyrea, L.	_____	_____	_____	_____
1 europaea. W.	European olive.	_____	S. Eur.	1570.	6.8.	G. h.	Fl. græc. 1. t. 3.
β longifolia.	long-leaved.	_____	_____	_____	_____	_____	_____
γ latifolia.	broad-leaved.	_____	_____	_____	_____	_____	_____
δ ferruginea.	iron-coloured.	_____	_____	_____	_____	_____	_____
ε obliqua.	twisted-leaved.	_____	_____	_____	_____	_____	_____
ζ burifolia.	box-leaved.	_____	_____	_____	_____	_____	_____
2 capensis. W. en.	leathery-leaved.	_____	C. B. S.	1730.	6.9.	G. h.	Burm. afr. t. 81. f. 2. P. 613
3 undulata. W. en.	wave-leaved.	_____	_____	_____	4.5.	G. h.	Jac. sch. 1. t. 2.
4 verrucosa. W.	warted.	_____	_____	1814.		G. h.	
5 americana. W.	American.	_____	N. Amer.	1758.	6.	G. h.	Cat. car. 1. t. 61.
6 excelsa. W.	laurel-leaved.	_____	Madeira.	1784.	5.	G. h.	
7 fragrans. W.	fragrant.	_____	China.	1771.	6.8.	G. h.	Bot. mag. 1552.
8 angustifolia. W. en.	{ narrow-leaved Phillyrea. }	_____	S. Eur.	1597.	5.6.	H. h.	
9 media. W. en.	twiggy.	_____	_____	_____	_____	H. h.	
10 virgata. W. en.	privet-leaved.	_____	_____	_____	_____	H. h.	
11 pendula. W. en.	drooping.	_____	_____	_____	_____	H. h.	
12 oleæfolia. W. en.	olive-leaved.	_____	_____	_____	_____	H. h.	
13 lævis. W. en.	smooth-leaved.	_____	_____	_____	_____	H. h.	
14 ilicifolia. W. en.	holly-leaved.	_____	_____	_____	_____	H. h.	
15 latifolia. W. en.	broad-leaved.	_____	_____	_____	_____	H. h.	
16 obliqua. W. en.	oblique-leaved.	_____	_____	_____	_____	H. h.	
NOTELEA. B. P.	NOTELEA.	Oleinae. B. P.	_____	_____	_____	_____	_____
1 longifolia. B. P.	long-leaved.	_____	N. S. W.	1790.	3.6.	G. h.	Vent. choix. 25.
2 ligustrina. B. P.	privet-leaved.	_____	Van Die.	1807.	7.8.	G. h.	 25. b.
CHIONANTHUS. W.	FRINGE-TREE.	Oleinae. B. P.	_____	_____	_____	_____	_____
1 virginica. W.	smooth-leaved.	_____	N. Amer.	1736.	5.7.	H. h.	Cates. car. 1. t. 68.
2 maritima. Ph.	pubescent.	_____	_____	_____	_____	H. h.	
LINOCIERA. B. P.	LINOCIERA.	Oleinae. B. P.	Chionanthi sp. W.	_____	_____	_____	_____
compacta. B. P.	Caribbean.	_____	W. Ind.	1793.		S. h.	Jac. col. 2. t. 6. f. 1.
ORNUS. P. S.	FLOWERING ASH	Oleinae. B. P.	Fraxini sp. L.	_____	_____	_____	_____
1 europaea. P. S.	European.	_____	Italy.	1710.	5.6.	H. h.	Fl. græc. 1. t. 4.
2 rotundifolia. P. S.	Manna.	_____	_____	1697.	4.	H. h.	
SYRINGA. W.	LILAC.	Oleinae. B. P.	_____	_____	_____	_____	_____
1 vulgaris. W.	common.	_____	Persia.	1597.	5.	H. h.	Schku. hand. 1. t. 2.
β violacea.	purple.	_____	_____	_____	_____	H. h.	Bot. mag. 183.
γ alba.	white.	_____	_____	_____	_____	H. h.	
2 chinensis. W.	Chinese.	_____	China.	1795.	5.6.	H. h.	
3 persica. W.	Persian.	_____	Persia.	1640.	5.	H. h.	Bot. mag. 486.
β alba.	white.	_____	_____	_____	_____	H. h.	
γ laciniata.	cut-leaved.	_____	_____	_____	_____	H. h.	Schmidt arb. 2. t. 79.
CATALPA. Ju.	CATALPA.	Bignoniaceae. B. P.	_____	_____	_____	_____	_____
1 Syringifolia. H. K.	common.	_____	N. Amer.	1726.	6.8.	H. h.	Bot. mag. 1094.
2 longissima. H. K.	wave-leaved.	_____	W. Ind.	1777.		S. h.	Plum. ic. t. 57.
PIMELEA. B. P.	PIMELEA.	Thymelaeae. B. P.	_____	_____	_____	_____	_____
1 linifolia. B. P.	flax-leaved.	_____	N. S. W.	1793.	2.8.	G. h.	Bot. mag. 891.
2 rosea. B. P.	rose-coloured.	_____	N. Holl.	1800.	3.9.	G. h.	Bot. mag. 1458.
3 pauciflora. B. P.	few-flowered.	_____	Van Die.	1812.		G. h.	
FONTANESIA. W.	FONTANESIA.	_____	_____	_____	_____	_____	_____
phillyræoides. W.	Phillyrea-leaved.	_____	Syria.	1787.	8.	H. h.	Lab. syr. 1. t. 1.

CIRCÆA. W.

{ ENCHANTER'S
NIGHTSHADE. }

Onagrarie. J.

1 lutetiana. W.	common.	Britain.		6.8.	H. 2.	Eng. bot. 1056.
2 alpina. W.	mountain.			6.9.	H. 2.	1057.
VERONICA. W.	SPEEDWELL.	Scrophularine. B.P.				
1 sibirica. W.	Siberian.	Siberia.	1779.	7.8.	H. 2.	Amm. ruth. 20. t. 4.
2 virginica. W.	Virginian.	Virginia.	1714.	7.9.	H. 2.	Hoff. got. 15. t. 1.
β incarnata.	flesh-coloured.					
3 neglecta. W. en.	canescent.	Siberia.	1797.	7.8.	H. 2.	
4 incana. Sc.	hoary.	Russia.	1759.	7.9.	H. 2.	Hoff. got. 15. t. 6.
5 spicata. Sc.	spiked.	England.			H. 2.	Eng. bot. 2.
6 hybrida. Sc.	Welsh.				H. 2.	673.
7 arguta. Sc.	sharp-notched.	S. Eur.	1812.		H. 2.	{ Schr. ver. p. 22. t. 2. f. 2.
8 media. Sc.	long-spiked.	Germany.	1804.		H. 2.	—, p. 23. t. 1. f. 2.
9 australis. Sc.	pubescent.	S. Eur.	1812.		H. 2.	—, p. 24. t. 2. f. 3.
10 glabra. Sc.	smooth.	S. Eur.	1804.		H. 2.	—, p. 25. t. 1. f. 4.
β alba.	white.					
11 amethystina. W. en.	fine blue.		1812.		H. 2.	
12 elatior. W. en.	tall.	S. Eur.	1808.		H. 2.	
13 longifolia. Sc.	long-leaved.		1731.		H. 2.	{ Schr. ver. p. 26. t. 2. f. 1.
14 maritima. Sc.	sea-side.	Sweden.	1570.		H. 2.	—, p. 29. t. 1. f. 1.
15 complicata. W. en.	bundled.	S. Eur.	1812.	9.10.	H. 2.	
16 crenulata. Vahl.	notch-flowered.		1804.	7.9.	H. 2.	
17 villosa. Sc.	villose.				H. 2.	{ Schr. ver. p. 31. t. 1. f. 3.
18 foliosa. Sc.	leafy.	Hungary.	1805.		H. 2.	—, p. 35. t. 2. f. 5.
19 spuria. Sc.	bastard.	Siberia.	1731.		H. 2.	Gmel. it. 1. t. 39.
20 pinnata. Sc.	wing-leaved.		1776.	6.8.	H. 2.	Hoff. got. 15. t. 10.
21 laciniata. Sc.	jagged-leaved.		1780.		H. 2.	Jung. ic. rar. f. 2.
22 incisa. Sc.	cut-leaved.		1779.		H. 2.	
23 aphylla. W.	naked-stalked.	Italy.	1775.	5.	H. 2.	Segu. ver. 1. t. 3. f. 2.
24 bellidioides. W.	Daisy-leaved.	Switzerland.		6.7.	H. 2.	Hall. hist. t. 15. f. 1.
25 gentianoides. W.	Gentian-leaved.	Levant.	1748.	5.6.	H. 2.	Bot. mag. 1002.
26 fruticulosa. W.	flesh-coloured.	Scotland.		6.8.	H. 2.	Eng. bot. 1028.
27 saxatilis. W.	blue Rock.			7.	H. 2.	1027.
28 alpina. W.	Alpine.			5.	H. 2.	484.
29 serpyllifolia. W.	smooth.	Britain.		4.7.	H. 2.	1075.
30 officinalis. W.	official.				H. 2.	765.
31 Allionii. W.	shining-leaved.	S. Eur.	1748.	6.8.	H. 2.	{ Allion. ped. 1. t. 46. f. 3.
32 decussata. W.	cross-leaved.	Falkland Isl.	1776.		G. 2.	Bot. mag. 242.
33 integrifolia. W.	entire-leaved.	Silesia.	1814.	5.6.	H. 2.	Krock. sil. 28. t. 3.
39 Beccabunga. W.	Brook-lime.	Britain.		5.6.	H. 2.	Eng. bot. 655.
40 labiata. B. P.	labiated.	N. Holl.	1802.	4.7.	G. 2.	Bot. mag. 1660.
41 Anagallis. W.	long-leav. water.	Britain.		7.	H. 2.	Eng. bot. 781.
42 scutellata. W.	marsh.			6.8.	H. 2.	782.
43 Teucrium. P. S.	rugged-leaved.	Germany.	1596.		H. 2.	Rivin. t. 95.
44 prostrata. W.	trailing.		1774.	5.6.	H. 2.	Riv. mon. 95.
45 perfoliata. B. P.	perfoliate.	N. S. W.	1815.	7.8.	G. 2.	Bot. mag. 1030.
46 montana. W.	mountain.	Britain.			H. 2.	Eng. bot. 766.
47 Chamædrys. W.	Germander.				H. 2.	623.
48 orientalis. W.	various-leaved.	Levant.	1748.	6.8.	H. 2.	Sal. stirp. rar. 7. t. 4.
49 austriaca. Jac.	Austrian.	Austria.	1748.		H. 2.	Jac. aust. 4. t. 329.
50 multifida. W.	fine-cut.	Siberia.		5.7.	H. 2.	Bot. mag. 1679.
51 urticæfolia. W.	Nettle-leaved.	Austria.	1776.	6.7.	H. 2.	Jac. aust. 1. t. 59.
52 latifolia. W.	broad-leaved.		1748.	5.6.	H. 2.	 t. 60.
53 paniculata. W.	panicked.	Russia.	1797.	6.7.	H. 2.	
54 agrestis. W.	field.	Britain.		3.7.	H. 2.	Eng. bot. 783.
55 arvensis. W.	wall.			4.7.	H. 2.	734.
56 hederifolia. W.	Ivy-leaved.			3.6.	H. 2.	784.
57 triphyllus. W.	fingered.			4.5.	H. 2.	26.
58 verna. W.	vernal.				H. 2.	25.
59 digitata. W.	digitated.	S. Eur.	1805.	7.	H. 2.	
60 filiformis. W.	long-stalked.	Levant.	1780.	5.	H. 2.	Bux. cen. 1. t. 40. f. 1.
61 acinifolia. W.	Basil-leaved.	S. Eur.	1788.	4.5.	H. 2.	Poit. et. T. fl. p. 1. t. 23.
62 peregrina. W.	Knot-grass leav.	N. Eur.	1680.	5.6.	H. 2.	Fl. dan. 407.
ELYTRARIA. M.	ELYTRARIA.	Acanthaceæ. B. P.				
virgata. M.	twiggy.	Carolina.	1813.	7.	H. 2.	Mich. am. 1. t. 1.

JUSTICIA. W.	JUSTICIA.	Acanthaceæ. B. P.					
1 bicalyculata. W.	Malabar.	E. Ind.	1785.	8.	S. ⊙.	Ret. stoc. 1775.	t. 9.
2 sexangularis. W.	Chickweed-leav.	S. Amer.	1733.	7.	S. ⊙.		
3 Ecobolium. W.	long-spiked.	E. Ind.	1759.	3.8.	S. h.	Bot. mag. 1847.	
4 coccinea. W.	scarlet.	S. Amer.	1770.	2.	S. h.	432.	
5 quadrifida. H. K.	twiggy.	Mexico.	1795.	3.9.	S. h.	Par. lon. 50.	
6 nitida. W.	glossy.	W. Ind.	1790.	—	S. h.	Bot. rep. 570.	
7 picta. W.	painted.	E. Ind.	1780.	7.8.	S. h.	Rheed. mal. 6. t. 60.	
8 lucida. Va.	shining-leaved.	W. Ind.	1795.	—	S. h.	Bot. mag. 1014.	
9 secunda. Va.	side-flowering.	—	1793.		S. h.	2069	
10 ciliaris. W.	ciliated.	—	1780.	7.8.	S. ⊙.	Jac. vind. 2. t. 104.	
11 Gendarussa. W.	Willow-leaved.	E. Ind.	1800.	6.7.	S. h.	Rheed. mal. 9. t. 42.	635
12 carthaginensis. W.	Carthaginian.	Carthageria.	1792.	—	S. h.	Jac. amer. 5. t. 5.	207
13 americana. W.	American.	N. Amer.	1759.	7.8.	H. 2.	Pluck. alm. t. 423. f. 5	
14 procumbens. W.	procumbent.	E. Ind.	1798.	—	S. 2.	—	t. 56. f. 3.
15 comata. W.	Balsam-herb.	Jamaica.	1795.	7.8.	S. 2.	Slo. jam. 1. t. 103. f. 2.	
16 eustachiana. W.	Eustachian.	St. Eustachia	1799.	8.9.	S. h.	Jac. amer. 4. t. 4.	207
17 nastuta. W.	white-flowering.	E. Ind.	1790.	2.10.	S. h.	Bot. mag. 325.	
18 pectoralis. W.	Garden Balsam.	W. Ind.	1787.	5.6.	S. 2.	Jac. amer. 3. t. 3.	
19 periplocifolia. W.	Periplocia-leaved.	S. Amer.	1799.	6.	S. h.	Jac. eol. sup. t. 7. f. 2.	
20 lithospermifolia. W.	Gromwell-leav.	Peru.	1796.	4.8.	S. h.	Jac. schœn. 1. t. 4.	
21 furcata. Va.	forked.	—	1795.	—	S. h.	Bot. mag. 430.	
22 scorpioides. L.	scorpion-like.	Vera Cruz.	1802.		S. h.	B. Houst. p. 3. t. 1.	
23 paniculata. Va.	panicle.	E. Ind.	1811.	7.8.	S. h.	Rheed. mal. 9. t. 56.	
24 resupinata. W.	resupinate.	—	1805.	7.	S. ⊙.		
25 Adhatoda. W.	Malabar-nut.	Ceylon.	1699.	5.7.	G. h.	Bot. mag. 861.	
26 pectinata. Va.	small-flowered.	E. Ind.	1798.	6.7.	S. h.	Roxb. cor. 2. t. 153.	
27 Betonica. Va.	Betony-leaved.	—	1737.		S. h.	Rheed. mal. 2. t. 21.	
28 hyssopifolia. W.	Snap-tree.	Canaries.	1690.	3.8.	G. h.	Mill. ic. 9. t. 13.	
29 orchioides. W.	Broom-leaved.	C. B. S.	1774.	8.	G. h.	Vent. mal. 51.	
ERANTHEMUM. B. P.	ERANTHEMUM.	Acanthaceæ. B. P.	<i>Justicia species Vahl.</i>				
1 spinosum. B. P.	thorny.	W. Ind.	1733.	7.8.	S. h.	Jac. amer. 2. t. 2. f. 1.	
2 pulchellum. B. R.	nervose.	E. Ind.	1796.	1.10.	S. h.	Bot. rep. 88.	
3 bicolor. B. M.	two-coloured.	Luconia.	1802.	5.8.	S. h.	Bot. mag. 1423.	
GRATIOLA. Mich.	HEDGE-HYSSOP.	Scrophularinæ. B. P.					
1 officialis. W.	official.	Europe.	1568.	5.8.	H. 2.	Fl. dan. 363.	
2 veronicifolia. W.	Speedwell-leav.	E. Ind.	1798.	6.9.	S. 3.	Rheed. mal. 9. t. 59.	
3 virginica. W.	Virginian.	Virginia.	1759.	8.	H. 2.		
SCHWENKIA. W.	SCHWENKIA.	Scrophularinæ. B. P.					
1 americana. W.	Guinea.	Guinea.	1781.	8.9.	S. 3.	Schw. bes. p. 328. t. 1.	
CALCEOLARIA. W.	SLIPPERWORT.	Scrophularinæ. B. P.					
1 pinnata. W.	wing-leaved.	Peru.	1773.	7.9.	G. ⊙.	Bot. mag. 41.	
2 Fothergillii. W.	Fothergill's.	Falkland Isl.	1777.	5.8.	G. 2.	348.	
PINGICULA. W.	BUTTERWORT.	Lentibulariæ. B. P.					
1 lusitanica. W.	pale.	Britain.		6.7.	H. 2.	Eng. bot. 145.	
2 vulgaris. W.	common.	—		5.	H. 2.	70.	
3 alpina. W.	Alpine.	Germany.	1794.	4.	H. 2.	Fl. dan. 453.	
4 grandiflora. W.	large-flowered.	Britain.		4.5.	H. 2.	Eng. bot. 1128.	
5 lutea. M.	yellow.	Carolina.	1816.	6.7.	G. ⊙.	Bot. reg. 126.	
UTRICULARIA. W.	{ HOODED MIL-FOIL. }	Lentibulariæ. B. P.					
1 vulgaris. W.	common.	Britain.		6.7.	H. 2.	Eng. bot. 253.	
2 minor. W.	lesser.	—		7.	H. 2.	254.	
3 intermedia. P. S.	intermediate.	—		5.6.	H. 2.	2489.	
GHINIA. W.	GHINIA.	Verbenaceæ. B. P.	<i>Tamonea. Pers. Syn.</i>				
1 spinosa. W.	thorny-fruited.	W. Ind.	1733.	8.	S. ⊙.	Banks. r. Hous. t. 2.	
{ STACHYTAR-PHETA. Va. }	{ BASTARD Vervain. }	Verbenaceæ. B. P.	<i>Cymburus. Sol. par. lon.</i>				
1 indica. Va.	Indian.	Ceylon.	1732.	8.9.	S. ⊙.		
2 urticifolia. B. M.	Nettle-leaved.	—		5.9.	S. 3.	Bot. mag. 1848.	
3 jamaicensis. Va.	Jamaica.	W. Ind.	1714.	6.9.	S. 3.	1860.	
4 orubica. Va.	Orubian.	Panama.	1699.	6.8.	G. 3.	Ehr. pict. t. 5. f. 1.	
5 mutabilis. Va.	changeable-flow ^d	S. Amer.	1801.	3.9.	S. h.	Bot. mag. 976.	
6 prismatica. Va.	Germander-leav.	W. Ind.	1699.	5.6.	S. 3.	Jac. ic. 2. t. 208.	
LYCOPUS. W.	{ WATER-HOREHOUND. }	Labiata. B. P.					
1 europæus. W.	common.	Britain.		7.8.	H. 2.	Eng. bot. 1105.	
2 exaltatus. W.	tall.	Italy.	1739.	—	H. 2.	Fl. græc. 1. t. 12.	
3 virginicus. W.	Virginian.	Virginia.	1760.	8.9.	H. 2.		
AMETHYSTEA. W.	AMETHYSTEA.	Labiata. B. P.					
1 carulea. W.	blue-flowering.	Siberia.	1759.	6.7.	H. ⊙.	Hall. ups. 1742. t. 4.	

CUNILA. P. S.	CUNILA.	Labiatae. B. P.			
1 mariana. Ph.	Mint-leaved.	_____	N. Amer.	1759. 7.9. H. ½.	Moris. h. 3. t. 19. f. 7.
2 capitata. P. S.	headed.	_____	Siberia.	1799. 7.8. H. ½.	
ZIZIPHORA. W.	ZIZIPHORA.	Labiatae. B. P.			
1 capitata. W.	oval-leaved.	_____	Syria.	1752. 7.8. H. ½.	Fl. græc. 1. t. 13.
2 hispanica. W.	Spanish.	_____	Spain.	1759. 6. H. ½.	Lam. ill. t. 18. f. 1.
3 tenuior. W.	spear-leaved.	_____	Levant.	1752. 6.7. H. ½.	_____ t. 18. f. 2.
4 acinoides. W.	Thyme-leaved.	_____	Siberia.	1786. 7.8. H. ½.	
5 serpyllacea. B. M.	sweet-scented.	_____	Caucasus.	1803. 7.8. H. ½.	Bot. mag. 906.
6 dasyantha. W. en.	hairy-flowering.	_____	Siberia.	1814. 6.8. H. ½.	
7 Pouschkini. B. M.	hairy-headed.	_____	Caucasus.	1803. 8. H. ½.	Bot. mag. 1093.
8 taurica. W. en.	Taurian.	_____	Tauria.	1816. 7.9. H. ½.	
HEDEOMA. P. S.	HEDEOMA.	Labiatae. B. P.	<i>Cunila species. H.</i>		
1 pulegioides. Ph.	Pennyroyal-leav.	_____	N. Amer.	1777. 6.8. H. ½.	
2 thymoides. P. S.	Thyme-leaved.	_____	France.	1699. — H. ½.	Moris. his. 3. t. 19. f. 6
MONARDA. W.	MONARDA.	Labiatae. B. P.			
1 didyma. W.	Oswego Tea.	_____	N. Amer.	1752. 6.8. H. ½.	Bot. mag. 546.
2 Kalmiana. Ph.	pubescent-flow ^d .	_____	_____	1813. — H. ½.	Pursh. flor. am. t. 1.
3 rugosa. Ph.	white.	_____	_____	1761. 7.9. H. ½.	
4 clinopodia. Ph.	Wild Basil leav.	_____	_____	1771. 7. H. ½.	
5 purpurea. Ph.	crimson.	_____	_____	1789. 6.8. H. ½.	Bot. mag. 145.
6 media. W. en.	purple-bracted.	_____	_____	 6.9. H. ½.	
7 oblongata. Ph.	long-leaved.	_____	_____	1761. 7.9. H. ½.	
8 mollis. Ph.	soft.	_____	_____	 6.9. H. ½.	
9 fistulosa. Ph.	hollow-stalked.	_____	_____	1656. 6.8. H. ½.	Mill. ic. t. 122. f. 2.
10 punctata. Ph.	spotted.	_____	_____	1714. 6.10. H. ½.	Bot. reg. 87.
11 ciliata. Ph.	blue-flowered.	_____	_____	1798. 7. H. ½.	Fluk. alm. t. 164. f. 3.
12 hirsuta. Ph.	hairy.	_____	_____	7.9. H. ½.	
ROSMARINUS. W.	ROSEMARY.	Labiatae. B. P.			
1 officinalis. W.	common.	_____	S. Eur.	1548. 1.4. H. ½.	Fl. græc. 1. t. 14.
2 chilensis. W.	Chili.	_____	Chili.	1795. 7. G. ½.	
SALVIA. W.	SAGE.	Labiatae. B. P.			
1 ægyptiaca. W.	Egyptian.	_____	Egypt.	1770. 6.7. H. ½.	Jac. vind. 2. t. 103.
2 dentata. W.	tooth-leaved.	_____	C. B. S.	1774. 12.1. G. ½.	
3 cretica. W.	Cretan.	_____	Crete.	1760. 6.8. H. ½.	Riv. mon. t. 128.
4 angustifolia. Ca.	narrow-leaved.	_____	Mexico.	1806. 6.7. G. ½.	Cav. ic. t. 317.
5 azurea. Ph.	azure-flowered.	_____	Carolina.	8. H. ½.	Bot. mag. 1728.
6 lyrata. W.	lyre-leaved.	_____	N. Amer.	1728. 6.7. H. ½.	Mor. h. 3. t. 13. f. 27.
7 Hablitziana. W.	Siberian.	_____	Siberia.	1795. 8. H. ½.	Bot. mag. 1429.
8 officinalis. W.	garden.	_____	S. Eur.	1597. 6.7. H. ½.	Ger. herb. 623. f. 1.
9 grandiflora. W.	great-flowered.	_____	_____	1616. 6.9. H. ½.	
10 triloba. W.	three-lobed.	_____	_____	1596. 6.7. H. ½.	Fl. græc. 1. t. 17.
11 pomifera. W.	Apple-bearing.	_____	Candia.	1699. 7.8. H. ½.	_____ t. 15.
12 urticifolia. W.	Nettle-leaved.	_____	N. Amer.	1799. 6.7. H. ½.	Mor. h. 3. t. 13. f. 31.
13 tiliaefolia. W.	Lime-leaved.	_____	S. Amer.	1793. 6.8. G. ½.	Jac. schœn. 3. t. 254.
15 viridis. W.	green-topped.	_____	Italy.	1759. 7.8. H. ½.	Fl. græc. 1. t. 19.
16 Horminum. W.	annual Clary.	_____	S. Europe.	1596. 6.7. H. ½.	_____ t. 20.
<i>α violacea.</i>	<i>purple-topped.</i>	_____			
<i>β rubra.</i>	<i>red-topped.</i>	_____			
17 truncata. W. en.	truncated.	_____	_____	1800. 7.8. H. ½.	
18 serotina. W.	late-flowering.	_____	Chio.	1803. 8. G. ½.	Jac. ic. rar. 1. t. 3.
19 virgata. W.	long-branched.	_____	Armenia.	1758. 7.11. H. ½.	Jac. schœn. 1. t. 37.
20 campestris. W. en.	field.	_____	Tauria.	1813. 6.7. H. ½.	
21 amplexicaulis. W. en.	stem-clasping.	_____	Levant.	7.9. H. ½.	
22 sylvestris. W.	spotted-stalked.	_____	Germany.	1759. 6.10. H. ½.	Jac. aus. 3. t. 212.
23 nemorosa. W.	spear-leaved.	_____	_____	1728. 6.9. H. ½.	
24 syriaca. W.	Syrian.	_____	Levant.	1759. 7. G. ½.	Bauh. prodr. t. 114.
25 viscosa. W.	clammy.	_____	Italy.	1773. 5.6. H. ½.	Jac. ic. 1. t. 5.
26 læmatodes. W.	bloody-veined.	_____	_____	1699. 7.8. H. ½.	Jac. schœn. 3. t. 254.
27 pratensis. W.	meadow.	_____	England.	 5.11. H. ½.	Eng. bot. 153.
28 variegata. W. en.	variegated.	_____	Hungary.	1814. 6.8. H. ½.	
29 bicolor. W.	two-coloured.	_____	Barbary.	1793. 6.7. H. ½.	Bot. mag. 1774.
30 crassifolia. P. S.	thick-leaved.	_____		1804. — H. ½.	
31 indica. W.	Indian.	_____	India.	1731. 5.7. H. ½.	Bot. mag. 395.
32 hirsuta. W. en.	hirsute.	_____		1801. 5.6. H. ½.	Jac. schœn. 3. t. 252.
33 lanceolata. W. en.	lanceolate.	_____		1813. 5.9. H. ½.	
34 dominica. W.	Dominica.	_____	W. Ind.	1759. 7. S. ½.	Swart. ob. 18. t. 1. f. 1.
35 verbenaca. W.	wild Clary.	_____	Britain.	 6.10. H. ½.	Eng. bot. 154.
36 Spielmanni. W. en.	Spielman's.	_____		1813. 6.7. H. ½.	
37 scabra. W.	rough-leaved.	_____	C. B. S.	1774. 4.9. G. ½.	

DIANDRIA MONOGYNIA.

7

38 runcinata. W.	runcinated.	Labiata. B. P.	C. B. S.	1795. 6.7. G. h.	Jac. schoen. 1. t. 8.
39 clandestina. W.	cut-leaved.	_____	Italy.	1739. 4.7. H. ♂.	Fl. græc. 1. p. 18. t. 24
40 austriaca. W.	Austrian.	_____	Austria.	1776. 6.7. H. 2.	Jac. aust. 2. t. 112.
41 bullata. W. en.	blistered.	_____	Portugal.	1804. 7.8. H. 2.	_____
42 disermas. W.	long-spiked.	_____	Syria.	1773. 7. H. 2.	Arduin. spec. 1. t. 1.
43 rugosa. W.	wrinkle-leaved.	_____	C. B. S.	1775. 7.8. G. h.	_____
44 nubia. W.	Nubian.	_____	Africa.	1784. 6.7. G. 2.	Murr. gott. 1778. t. 3
45 nilotica. W.	Nilotic.	_____	Egypt.	1780. 6.8. H. ♂.	Jac. vind. 3. t. 92.
46 mexicana. W.	Mexican.	_____	Mexico.	1724. 5.7. G. h.	Cav. ic. 1. t. 26.
47 cesia. W. en.	grey.	_____	S. Amer.	1813. 6.9. G. h.	_____
48 reptans. W. en.	linear-leaved.	_____	Mexico.	1799. 5.8. G. 2.	_____
49 forinosa. W.	shining-leaved.	_____	Peru.	1783. 4.10. G. h.	Bot. mag. 376.
50 coccinea. W.	scarlet-flowered.	_____	S. Amer.	1774. 4.10. G. h.	Murr. gott. 1778. t. 1
51 pseudococcinea. W.	pale-scarlet.	_____	_____	1797. 6.8. S. h.	Jac. ic. 2. t. 209.
52 amarissima. H. K.	bitter.	_____	Mexico.	1803. 7.8. G. 2.	Cav. ic. 4. t. 318.
53 hispanica. W.	Spanish.	_____	Spain.	1739. 6.8. H. ♂.	Ard. spec. 1. t. 2.
54 abyssinica. W.	Abyssinian.	_____	Africa.	1775. 6.7. G. 2.	Jac. ic. 1. t. 6.
55 verticillata. W.	whorl-flowered.	_____	Germany.	1658. 6.11. H. 2.	_____
56 napifolia. W.	Rape-leaved.	_____	Italy.	1776. 6.7. H. 2.	Jac. vind. 2. t. 252.
57 glutinosa. W.	glutinous.	_____	Germany.	1596. 6.9. H. 2.	Mor. h. 3. t. 13. f. 18.
58 amona. B. M.	violet-flowered.	_____	W. Ind.	1793. 4.5. S. h.	Bot. mag. 1294.
59 canariensis. W.	Canary.	_____	Canaries.	1697. 6.9. G. h.	Trew. pl. rar. 2. t. 19.
60 aurita. W.	eared-leaved.	_____	C. B. S.	1795. 5.6. G. h.	_____
61 africana. W.	African.	_____	_____	1731. 4.6. G. h.	Comm. hort. 2. t. 91.
62 aurea. W.	golden-flowered.	_____	_____	4.11. G. h.	Bot. mag. 182.
63 colorata. W.	coloured-calyxed	_____	_____	1758. 7.8. G. h.	Mill. ic. t. 225. f. 2.
64 chamædryoides. Va.	Germander.	_____	Mexico.	1795. 6.9. G. h.	Bot. mag. 808.
65 paniculata. W.	panicked.	_____	C. B. S.	1758. 6.8. G. h.	Mill. ic. t. 225. f. 1.
66 spinosa. W.	thorny-calyxed.	_____	Egypt.	1789. 6. G. ♂.	Jac. ic. 1. t. 7.
67 tiugitana. W.	Tangier.	_____	Barbary.	1796. 7. G. h.	Riv. mon. t. 62.
68 odorata. W. en.	sweet-scented.	_____	Bagdad.	1804. — G. h.	_____
69 Sclarea. W.	common Clary.	_____	Italy.	1562. 7.9. H. ♂.	Fl. græc. 1. t. 25.
70 ceratophylla. W.	horn-leaved.	_____	Persia.	1699. 7.8. H. ♂.	Pluk. alm. t. 194. f. 5.
71 argentea. W.	silvery.	_____	Crete.	1759. 5.7. H. 2.	Fl. græc. 1. t. 27.
72 patula. W. en.	spreading.	_____	Portugal.	1805. — H. ♂.	_____
73 Æthiopis. W.	woolly.	_____	Austria.	1570. 5.6. H. ♂.	Jac. aus. 3. t. 211.
74 phlomoides. W.	Mullein-leaved.	_____	Spain.	1805. — H. 2.	{ Rœm. pl. hisp. lus. t. 1. f. 1.
75 pinnata. Va.	winged-leaved.	_____	Levant.	1731. 7. H. ♂.	Boer. lugd. 1. t. 167.
76 interrupta. Va.	Ash-leaved.	_____	Barbary.	1798. 4.9. H. h.	Schons. moroc. 6. t. 1
77 ceratophylloides. W.	branchy.	_____	Egypt.	1771. 6.8. H. ♂.	Arduin. spec. 2. t. 2.
78 Forskohlii. W.	Forskohl's.	_____	Levant.	1800. 6.8. H. 2.	Bot. mag. 988.
79 nutans. W.	nodding.	_____	Russia.	1780. — H. 2.	Kniph. cent. 7. t. 79.
80 betonicaefolia. W.	Betony-leaved.	_____	_____	1804. — H. 2.	_____
COLLINSONIA. W.		Labiata. B. P.	_____	_____	_____
1 canadensis. W.	Nettle-leaved.	_____	N. Amer.	1735. 8.10. H. 2.	Linn. hort. cliff. t. 5.
2 scabriuscula. W.	rough-stalked.	_____	E. Florida.	1776. 7.9. G. 2.	_____
3 ovalis. Ph.	oval-leaved.	_____	Carolina.	1812. 8. H. 2.	_____
4 tuberosa. Ph.	tuberous.	_____	_____	1806. — H. 2.	_____
5 aniseta. B. M.	Anise-scented.	_____	_____	10. H. 2.	Bot. mag. 1213.
MORINA. W.		Dipsacæ. J.	_____	_____	_____
persica. W.	Persian.	_____	Persia.	1740. 7.8. G. 2.	Fl. græc. 1. t. 28.
ACÆNA. Vahl.		Rosacæ. J.	_____	_____	_____
1 latebrosa. Va.	Acæna.	_____	_____	_____	_____
2 sanguiscribæ. Va.	hairy.	_____	C. B. S.	1774. 4.6. G. 2.	_____
3 ovalifolia. Va.	Burnet-leaved.	_____	New Zealand.	1796. 6. H. 2.	Lam. ill. t. 12. f. 1.
4 lucida. Va.	creeping.	_____	Peru.	1802. 5.6. H. 2.	Vent. cels. 6.
5 lavigata. H. K.	shining.	_____	Falkland Isl.	1777. 5.6. G. 2.	Lap. ill. 1. t. 22. f. 3.
_____	smooth.	_____	Magellan.	1790. 6.8. H. 2.	_____

DIGYNIA.

ANTHOXAN-THUM. W.	} SPRING-GRASS.	Gramineæ. B. P.	_____	_____	_____
1 odoratum. W.			_____	Britain.	 5. H. 2. Eng. bot. 647.
2 amarum. Brot.			_____	Morocco.	1810. 7. H. 2.

TRIGYNIA.

PIPER. W.	PEPPER.	Urticæ? J.	_____	_____	_____
1 peltatum. W.	peltated.	_____	W. Ind.	1748. S. 2.	Plum. amer. 56. t. 74
2 umbellatum. W.	umbelled.	_____	_____	5.7. S. h.	53. t. 73

3 macrophyllum. W.	broad-leaved.	Urticæ? J.	W. Ind.	1800.	S. h.	
4 aduncum. W.	hooked.	—————	Jamaica.	1748. 5.	S. h.	Jac. ic. 2. t. 210.
5 reticulatum. W.	netted.	—————	W. Ind.	————	8. S. h.	Plum. amer. 57. t. 75
6 Amalago. W.	rough-leaved.	—————	Jamaica.	1759.	S. h.	Sloa. hist. 1. t. 87. f. 1.
7 nigrum. W.	black.	—————	E. Ind.	1790.	S. h.	Lam. ill. 79. t. 23.
8 Betle. W.	Betle.	—————	—————	1804.	S. h.	Rheed. mal. 7. t. 15.
9 longum. P. S.	long.	—————	—————	1788.	S. h.	{ Rumph. amb. 5. t. 116. f. 2.
10 clusiefolium. H. K.	Clusia-leaved.	—————	W. Ind.	1793. 4.5.	S. h.	Jac. ic. 2. t. 212.
11 maculosum. L.	spot-stalked.	—————	Pillao.	1790. 9.	S. h.	Plum. amer. 60. t. 66.
12 nitidum. W.	shining-leaved.	—————	Jamaica.	1793. 5.6.	S. h.	
13 distachyon. P. S.	two-rowed.	—————	S. Amer.	————	6.7. S. 2.	Plum. amer. 51. t. 67.
14 alatum. P. S.	winged.	—————	—————	1812.	S. h.	Fl. per. 31. t. 48.
15 hispidum. W.	hairy-leaved.	—————	Jamaica.	1793. 7.	S. h.	
16 pellicidum. W.	pellucid.	—————	S. Amer.	1748. 4.9.	S. O.	Plum. amer. 54. t. 72.
17 cuneifolium. W. en.	wedge-leaved.	—————	Caracas.	1809.	S. h.	Jac. ic. 2. t. 214.
18 acuminatum. W. en.	acuminate.	—————	W. Ind.	1812.	S. 2.	Bot. mag. 1882.
19 amplexicaule. W.	stem-clasping.	—————	—————	1793. 6.9.	S. 2.	
20 magnoliaefolium. Va	Magnolia-leaved.	—————	—————	————	1.3. S. 2.	Jac. ic. 2. t. 213.
21 obtusifolium. W.	obtus-leaved.	—————	—————	1739. 4.7.	S. 2.	Trew ehret. 54. t. 96.
22 blandum. W.	villous.	—————	Caracas.	1802. 5.11.	S. 2.	
23 pubescens. H. S.	pubescent.	—————		1809. 7.10.	S. 2.	
24 polystachion. W.	many-spiked.	—————	Jamaica.	1775. 6.7.	S. 2.	Jac. ic. 1. t. 9.
25 trifolium. P. S.	three-leaved.	—————	S. Amer.	1802. 6.8.	S. 2.	Plum. amer. 52. t. 68
26 pulchellum. W.	small-leaved.	—————	Jamaica.	1778. 7.10.	S. 2.	
27 stellatum. P. S.	starry.	—————	—————	1802. 5.7.	S. 2.	Jac. vind. ? t. 217.
28 inaequalifolium.	unequal-leaved.	—————	Peru.	1800. 7.8.	S. 2.	Fl. per. 1. t. 46. a.

CLASS III.

TRIANDRIA MONOGYNIA.

VALERIANA. W.	VALERIAN.	Dipsacæ. J.				
1 rubra. W.	red.	—————	England.	 6.10.	H. 2.	Eng. bot. 1531.
2 angustifolia. W.	narrow-leaved.	—————	S. Eur.	1731. 5.7.	H. 2.	Fl. græc. 1. t. 29.
3 Calcitrapa. W.	cut-leaved.	—————	Portugal.	1570. ———	H. O.	———— 1. t. 30.
4 dioica. W.	diœcious.	—————	Britain.	 5.7.	H. 2.	Eng. bot. 628.
5 officinalis. W.	great wild.	—————	—————	 6.7.	H. 2.	———— 698.
6 Phu. W.	garden.	—————	Germany.	1597. 5.7.	H. 2.	Blacw. t. 250.
7 tripteris. W.	three-leaved.	—————	Switzerland.	1752. 3.5.	H. 2.	Jac. aus. 3. t. 268.
8 montana. W.	mountain.	—————	—————	1748. 6.7.	H. 2.	———— 3. t. 269.
9 celtica. W.	Celtic.	—————	—————	————	6. H. 2.	Jac. coll. 1. t. 1.
10 tuberosa. W.	tuberous-rooted.	—————	S. Eur.	1629. 5.6.	H. 2.	
11 saxatilis. W.	rock.	—————	Austria.	1748. 7.	H. 2.	Jac. aus. 3. t. 267.
12 elongata. J. a.	elongated.	—————	—————	1812. 6.7.	H. 2.	———— 3. t. 219.
13 pyrenaica. W.	heart-leaved.	—————	Scotland.	 5.6.	H. 2.	Eng. bot. 1591.
FEDIA. Gart.	FEDIA.	Dipsacæ. J. Valeriana species L.				
1 sibirica. W.	Siberian.	—————	Siberia.	1759. 5.6.	H. O.	Gmel. sib. 3. t. 24.
2 ruthenica. W.	Russian.	—————	—————	1801. 6.	H. 2.	Amm. ruth. 18. t. 3.
3 Cornucopie. W.	purple.	—————	S. Eur.	1596. 5.8.	H. O.	Fl. græc. 1. t. 32.
4 echinata. W.	prickly capsuled.	—————	—————	1807. 7.8.	H. O.	Col. ceph. 1. t. 206.
5 olitoria. W.	Lamb's Lettuce.	—————	Britain.	 4.5.	H. O.	Eng. bot. 811.
6 dentata. W.	oval-fruited.	—————	—————	 4.6.	H. O.	———— 1370.
7 vesicaria. W.	bladdered.	—————	Candia.	1739. 4.5.	H. O.	Fl. græc. 1. t. 34.
8 coronata. W.	prickly-seeded.	—————	Portugal.	1731. 4.6.	H. O.	Col. ceph. 1. t. 209.
9 discoidea. W.	discoid.	—————	Italy.	————	4.7. H. O.	Mor. his. 3. t. 16. f. 29
OXYBAPHUS. W.	{ UMBRELLA- WORT. }	Nyctagines. J. Calhymenia. Pers. Syn.				
1 viscosus. W.	viscid.	—————	Peru.	1793. 5.9.	S. 2.	Bot. mag. 434.
2 aggregatus. Cav.	aggregate.	—————	New Spain.	1811. 7.8.	S. O.	Cav. ic. t. 437.
3 glabrifolius. W. en.	smooth-leaved.	—————	—————	————	S. 2.	———— t. 379.
CNEORUM. W.	WIDOW-WAIL.	Terebintacæ. J.				
1 tricecum. W.	smooth.	—————	S. Eur.	1793. 4.9.	G. h.	Lam. ill. t. 27.
COMOCLADIA. W.	MAIDEN PLUM.	Terebintacæ. J.				
1 integrifolia. W.	entire-leaved.	—————	Jamaica.	1778.	S. h.	{ Sloan. jam. 2. f. 222. f. 1.

2 dentata. W.	tooth-leaved.	Terebintaceæ. J.	W. Ind.	1790.	7.	S. h.	Jac. am. 13. t. 173. f. 4
3 ilicifolia. W.	holly-leaved.	—	Caribbee Isl.	1789.		S. h.	{ Plum. ic. 108. t. 118. f. 1.
MELOTHRIA. W.	MELOTHRIA.	Cucurbitaceæ. J.	—	—	—	—	—
pendula. W.	pendulous.	—	America.	1752.	6.7.	H. ☉	Plum. ic. t. 66. f. 2.
ORTEGIA. W.	ORTEGIA.	Caryophyllæ. J.	—	—	—	—	—
1 hispanica. W.	Spanish.	—	Spain.	1768.	6.7.	H. 2.	Cav. ic. 1. t. 47.
2 dichotoma. W.	forked.	—	Italy.	1781.	8.9.	H. 2.	Allio. tauri. 3. t. 4. f. 1
LOEFLINGIA. W.	LOEFLINGIA.	Caryophyllæ. J.	—	—	—	—	—
hispanica. W.	Spanish.	—	Spain.	1770.	6.	H. ☉	Cav. ic. 1. t. 94.
POLYCNEMUM. W.	POLYCNEMUM.	Chenopodeæ. B. P.	—	—	—	—	—
arvense. W.	trailing.	—	S. Eur.	1640.	7.	H. ☉	Jac. aus. 4. t. 365.
HIPPOCRATEA. W.	HIPPOCRATEA.	Acereæ. J.	—	—	—	—	—
volubilis. W.	climbing.	—	S. Amer.	1739.		S. h.	Jac. amer. t. 9.
CROCUS. Ker.	CROCUS.	Irideæ. B. P.	—	—	—	—	—
1 vernus. E. B.	spring.	—	England.		2.4.	H. 2.	Eng. bot. 344.
2 versicolor. H. K.	party-coloured.	—	S. Eur.	1629.	2.3.	H. 2.	Bot. mag. 1110.
3 biflorus. H. K.	Scotch.	—	Crimea.	—	—	H. 2.	845.
4 susianus. H. K.	Cloth of Gold.	—	Turkey.	1605.	—	H. 2.	652.
5 sulphureus. H. K.	sulphur-colour'd	—	S. Eur.	1629.	—	H. 2.	938.
β flavus.	pale Yellow.	—	—	—	—	H. 2.	1384.
6 masiacus. H. K.	common yellow.	—	Turkey.	—	—	H. 2.	1111. & 45
7 sativus. W.	saffron.	—	England.		9.10.	H. 2.	Eng. bot. 343.
8 serotinus. H. K.	late-flowered.	—	S. Eur.	1629.	9.11.	H. 2.	Bot. mag. 1267.
9 nudiflorus. H. K.	naked-flowered.	—	England.		10.11.	H. 2.	Eng. bot. 491.
TRICHONEMA. Ker.	TRICHONEMA.	Irideæ. B. P.	<i>Ixia species Willd.</i>	—	—	—	—
1 Bulbocodium. H. K.	channel-leaved.	—	S. Eur.	1739.	3.4.	H. 2.	Bot. mag. 265.
2 cruciatum. H. K.	square-leaved.	—	C. B. S.	1758.	5.	G. 2.	575.
3 caulescens. B. M.	caulescent.	—	—	1810.	6.7.	G. 2.	1392.
4 pudicum. B. M.	blush.	—	—	1808.	8.	G. 2.	1244.
5 speciosum. B. M.	crimson.	—	—	—	3.4.	G. 2.	1476.
6 roseum. B. M.	rose-coloured.	—	—	—	7.	G. 2.	1225.
GEISSORHIZA. Ker.	TILE-ROOT.	Irideæ. B. P.	<i>Ixia species Willd.</i>	—	—	—	—
1 Rochensis. H. K.	plaid.	—	C. B. S.	1790.	5.	G. 2.	Bot. mag. 598.
2 setacea. B. M.	bristle-leaved.	—	—	1809.	6.7.	G. 2.	1255.
3 obtusata. H. K.	yellow-flowered.	—	—	1801.	5.	G. 2.	672.
4 secunda. H. K.	one-ranked.	—	—	1795.	—	G. 2.	597. 1105.
5 excisa. H. K.	short-leaved.	—	—	1789.	4.5.	G. 2.	584.
6 ciliaris. Sal.	ciliated.	—	—		—	G. 2.	—
HESPERANTHA. } Ker. }	{ EVENING FLOWER. }	Irideæ. B. P.	<i>Ixia species Willd.</i>	—	—	—	—
1 radiata. H. K.	nodding-flower'd	—	C. B. S.	1794.	4.6.	G. 2.	Bot. mag. 573.
2 pilosa. B. M.	hairy.	—	—	1811.	4.5.	G. 2.	1475.
3 graminifolia.	grass-leaved.	—	—	1808.	8.9.	G. 2.	1254.
4 falcata. H. K.	sickle-leaved.	—	—	1787.	4.5.	G. 2.	566.
5 cinnamomea. H. K.	curled-leaved.	—	—	—	—	G. 2.	1054.
SPARAXIS. Ker.	SPARAXIS.	Irideæ. B. P.	<i>Ixia species Willd.</i>	—	—	—	—
1 tricolor. H. K.	three-coloured.	—	C. B. S.	1789.	5.	G. 2.	Bot. mag. 381.
β sanguineo-purpurea.	various-coloured.	—	—	1811.	4.5.	G. 2.	1482.
γ violaceo-purpurea	dark-coloured.	—	—	—	—	G. 2.	1482. f. 2.
δ roseo-alba.	light-coloured.	—	—	—	—	G. 2.	1482. f. 3.
2 bicolor. H. K.	two-coloured.	—	—	1786.	3.4.	G. 2.	548.
3 grandiflora. H. K.	purple-flowered.	—	—	1758.	4.	G. 2.	541.
β striata.	streak-flowered.	—	—	—	—	G. 2.	779.
γ Liliago.	lily-flowered.	—	—	—	—	G. 2.	Bot. reg. 252.
4 bulbifera. H. K.	bulb-bearing.	—	—	—	5.5.	G. 2.	Bot. mag. 545.
IXIA. Ker.	IXIA.	Irideæ. B. P.	—	—	—	—	—
1 linearis. H. K.	slender.	—	C. B. S.	1796.	4.5.	G. 2.	Bot. mag. 570.
2 capillaris. B. M.	capillary.	—	—	1774.	—	G. 2.	617.
3 aulica. W.	rose-coloured.	—	—	—	—	G. 2.	1013.
4 fucata. Ker.	painted.	—	—		6.7.	G. 2.	1379.
5 patens. W.	spreading-flow.	—	—	1779.	4.	G. 2.	522.
6 leucantha. P. S.	white-flowered.	—	—	—	5.	G. 2.	Jac. ic. 2. t. 278.
7 flexuosa. H. K.	bending-stalked.	—	—	1757.	4.5.	G. 2.	Bot. mag. 624.
8 hybrida. Ker.	spurious.	—	—	—	—	G. 2.	128.
9 conica. H. K.	orange-coloured.	—	—	—	—	G. 2.	539.
10 monadelpha. H. K.	monadelphous.	—	—	1792.	—	G. 2.	607.
11 curta. B. R.	short.	—	—	—	—	G. 2.	1378.
12 columellaris. H. K.	variegated.	—	—	1790.	8.	G. 2.	630.

13	maculata. W.	spotted.	Iridææ. B. P.	C. B. S.	1780.	5.6.	G. 2.	Bot. rep. 196.
14	capitata. P. S.	headed.					G. 2.	159.
15	ovata. B. R.	ovate.					G. 2.	23.
16	viridiflora. P. S.	green-flowered.					G. 2.	29.
17	ochroleuca.	cream-coloured.			1809.		G. 2.	Bot. mag. 1285.
18	erecta. H. K.	upright.			1757.		G. 2.	623. 1173.
19	crateroides. H. K.	crimson.			1778.		G. 2.	594.
20	refusa. H. K.	sweet-scented.			1793.	1.2.	G. 2.	629.
21	scillaris. H. K.	squill-flowered.			1787.		G. 2.	542.
22	crispa. H. K.	curled-leaved.				4.5.	G. 2.	599.
ANOMATHECA. Ker			Iridææ. B. P.	<i>Gladioli species Willd.</i>				
	juncea. H. K.	cut-leaved.		C. B. S.	1791.	4.5.	G. 2.	Bot. mag. 606.
TRITONIA. Ker.			Iridææ. B. P.	<i>Ixia & Gladioli species Willd.</i>				
	1 crispa. H. K.	curled-leaved.		C. B. S.	1787.	4.5.	G. 2.	Bot. mag. 678.
	2 viridis. H. K.	green-flowered.			1788.	7.	G. 2.	1275.
	3 rosea. H. K.	rosy.			1793.	6.7.	G. 2.	618.
	4 capensis. B. M.	Cape.			1811.	8.10.	G. 2.	1531.
	5 longiflora. H. K.	long-flowered.			1774.	4.6.	G. 2.	256.
	6 tenuiflora. Va	slender-tubed.			1811.		G. 2.	1502. f.
	7 concolor.	self-coloured.					G. 2.	1502. f.
	8 Rochensis. B. M.	bending-flower'd				8.	G. 2.	1503.
	9 pallida. Ker.	pale-flowered.			1806.		G. 2.	Jac. ic. rar. 2. t. 262.
	10 lineata. H. K.	pencilled.			1774.	5.	G. 2.	Bot. mag. 487.
	11 securigera. H. K.	copper-coloured.					G. 2.	383.
	12 flava. H. K.	yellow.			1780.	2.3.	G. 2.	
	13 squalida. H. K.	sweet-scented.			1774.	5.	G. 2.	Bot. mag. 581.
	14 fenestrata. H. K.	open-flowered.			1801.	5.6.	G. 2.	704.
	15 crocata. H. K.	crocus-flowered.			1758.	5.6.	G. 2.	184.
	16 deusta. H. K.	spotted.			1774.	5.	G. 2.	622.
	17 miniata. H. K.	late-flowered.			1795.	8.	G. 2.	609.
	18 refracta. B. Reg.	reflexed.			1815.	5.6.	G. 2.	Bot. reg. 135.
WATSONIA. Ker.			Iridææ. B. P.	<i>Ixia & Gladioli species Willd.</i>				
	1 spicata. H. K.	hollow-leaved.		C. B. S.	1791.	5.	G. 2.	Bot. mag. 523.
	2 plantaginea. H. K.	Fox-tail.			1774.	6.7.	G. 2.	553.
	3 punctata. H. K.	dotted-flowered.			1800.	4.5.	G. 2.	Bot. rep. 177.
	4 roseo-alba. B. M.	two-coloured.				7.8.	G. 2.	Bot. mag. 537.
	β variegata.	variegated.					G. 2.	1193.
	5 marginata. H. K.	broad-leaved.			1774.	6.	G. 2.	608.
	β minor.	shining-leaved.			1812.	10.	G. 2.	1530.
	6 strictiflora. B. M.	upright-flowered			1810.	6.	G. 2.	1406.
	7 rosea. H. K.	pyramidal.			1803.	7.8.	G. 2.	1072.
	8 brevifolia. H. K.	short-leaved.			1794.	5.	G. 2.	601.
	9 iridifolia. Ja.	iris-leaved.			1795.	5.	G. 2.	Jac. ic. 2. t. 234.
	10 fulgida. Sal.	scarlet.					G. 2.	Bot. mag. 600.
	11 Meriana. H. K.	red-flowered.			1750.	5.6.	G. 2.	418. 1194.
	12 humilis. H. K.	lake-coloured.			1754.	5.7.	G. 2.	631. 1195.
	13 aletroides. H. K.	aletris-like.			1774.		G. 2.	441.
	β variegata.	variegated-flow.					G. 2.	533.
GLADIOLUS. Ker.			Iridææ. B. P.					
	1 Cunonia. H. K.	scarlet-flowered.		C. B. S.	1756.	5.6.	G. 2.	Bot. mag. 343.
	2 watsonius. H. K.	Watson's.			1791.	2.4.	G. 2.	450. 569.
	3 quadrangularis. H. K.	four-channelled.			1799.	3.4.	G. 2.	567.
	4 viperatus. H. K.	perfumed.			1787.	4.5.	G. 2.	688.
	5 alatus. H. K.	winged-flowered			1795.	5.6.	G. 2.	586.
	6 namaquensis. H. K.	helmet-flowered			1800.		G. 2.	592.
	7 brevifolius. H. K.	short-leaved.			1802.	12.1.	G. 2.	727. 992.
	8 hirsutus. H. K.	hairy.			1795.	4.6.	G. 2.	574.
	9 versicolor. H. K.	various-coloured			1794.	5.6.	G. 2.	α. 1042.
	10 binevis. B. M.	two-nerved.			1806.		G. 2.	α. 1042.
	11 edulis. B. Reg.	eatable.			1816.		G. 2.	Bot. reg. 169.
	12 hastatus. B. M.	spade.				4.5.	G. 2.	Bot. mag. 1564.
	13 tristis. B. M.	square-leaved.			1745.	5.6.	G. 2.	Bot. mag. 272.
	14 concolor. Sal.	self-coloured.			1790.		G. 2.	Par. Lon. 8.
	15 trichonemifolius. B. M.	violet-scented.			1810.		G. 2.	Bot. mag. 1483.
	16 gracilis. H. K.	slender.			1800.	3.4.	G. 2.	562.
	17 recurvus. H. K.	spotted-sheathed			1758.	4.5.	G. 2.	578.

18 carneus. H. K.	flesh-coloured.	Irideæ. B. P.	C. B. S.	1796. 5.6.	G. 2.	Bot. mag. 591.	
19 cuspidatus. H. K.	tall.	_____	_____	1795. 4.5.	G. 2.	582.	
20 blandus. H. K.	blush.	_____	_____	1774. 6.	G. 2.	625.	
21 campanulatus. P.S.	bell-flowered.	_____	_____	1794. 5.	G. 2.	Bot. rep. 188.	
22 angustus. H. K.	narrow-leaved.	_____	_____	1757. 5.6.	G. 2.	Bot. mag. 602.	
23 involutus. Ker.	involute.	_____	_____	_____	G. 2.	Roche, Diss. 2. t. 3.	
24 undulatus. H. K.	wave-flowered.	_____	_____	1760. 4.5.	G. 2.	Bot. mag. 538.	
25 floribundus. H. K.	large-flowered.	_____	_____	1788. 5.7.	G. 2.	610.	
26 Milleri. H. K.	Miller's.	_____	_____	1751. 4.5.	G. 2.	632.	
27 cardinalis. H. K.	superb.	_____	_____	1789. 7.8.	G. 2.	135.	
28 byzantinus. H. K.	Turkish.	_____	Turkey.	1629. 6.7.	H. 2.	874.	
29 communis. H. K.	common.	_____	S. Europe.	1596.	H. 2.	86.	
MELASPHÆRULA. Ker.	MELASPHÆRULA. Irideæ. B. P. <i>Gladioli species Willd.</i>						
graminea. H. K.	grass-leaved.	_____	C. B. S.	1787. 4.8.	G. 2.	Bot. mag. 615.	
ANTHOLYZA. Ker.	ANTHOLYZA.	Irideæ. B. P.	_____	_____	_____	_____	
1 vittigera. Sal.	riband.	_____	C. B. S.	 1.2.	G. 2.	Bot. mag. 1172.	
2 æthiopica. H. K.	flag-leaved.	_____	C. B. S.	1759. 5.6.	G. 2.	Bot. mag. 561.	
3 segetum. Ker.	European.	_____	S. Eur.	1596. 6.7.	H. 2.	719.	
BABIANA. Ker.	BABIANA.	Irideæ. B. P.	<i>Isiæ & Gladioli species Willd.</i>				
1 Thunbergii. H. K.	many-spiked.	_____	C. B. S.	1774. 4.	G. 2.	_____	
2 ringens. H. K.	gaping-flowered.	_____	_____	1752. 5.6.	G. 2.	Comm. hort. 1. t. 41.	
3 tubiflora. W.	tube-flowered.	_____	_____	1774. 6.	G. 2.	Bot. mag. 847.	
4 tubata. W.	long-tubed.	_____	_____	_____	G. 2.	680.	
5 spathacea. H. K.	stiff-leaved.	_____	_____	1801.	G. 2.	638.	
6 sambucina. H. K.	elder-scented.	_____	_____	1799. 4.5.	G. 2.	1019.	
7 disticha. H. K.	two-ranked.	_____	_____	1774. 6.7.	G. 2.	626.	
8 plicata. H. K.	sweet-scented.	_____	_____	_____	5.6.	G. 2.	576.
9 stricta. H. K.	upright.	_____	_____	1757.	G. 2.	621.637	
10 purpurea. W.	purple.	_____	_____	1806. 5.6.	G. 2.	1052.	
11 villosa. H. K.	dark-red.	_____	_____	1778. 8.	G. 2.	583.	
12 rubro-cyanea. H. K.	red and blue.	_____	_____	1794. 4.6.	G. 2.	410.	
ARISTEA. Ker.	ARISTEA.	Irideæ. B. P.	_____	_____	_____	_____	
1 cyanea. H. K.	woolly headed.	_____	C. B. S.	1759. 4.6.	G. 2.	Bot. mag. 458.	
2 capitata. H. K.	tallest.	_____	_____	1790. 7.8.	G. 2.	605.	
3 spiralis. H. K.	spiral-flowered.	_____	_____	1795. 4.5.	G. 2.	520.	
4 melaleuca. H. K.	three-coloured.	_____	_____	1786. 5.6.	G. 2.	1277.	
5 pusilla. B. M.	flat-stemmed.	_____	_____	1806. 6.7.	G. 2.	1231.	
WITSENIA. Ker.	WITSENIA.	Irideæ. B. P.	_____	_____	_____	_____	
1 maura. H. K.	downy-flowered.	_____	C. B. S.	1790. 11.1.	G. 2.	Bot. reg. 5.	
2 corymbosa. H. K.	corymbose.	_____	_____	1803. 4.9.	G. 2.	Bot. mag. 895.	
LAPEYROUSIA. Ker.	LAPEYROUSIA.	Irideæ. B. P.	<i>Isiæ species Willd.</i>				
1 corymbosa. H. K.	level-topped.	_____	C. B. S.	1791. 5.6.	G. 2.	Bot. mag. 595.	
2 fissifolia. B. M.	leafy-spiked.	_____	_____	1809. 8.9.	G. 2.	1246.	
MORÆA. Ker.	MORÆA.	Irideæ. B. P.	_____	_____	_____	_____	
1 flexuosa. H. K.	flexuose.	_____	C. B. S.	1803. 4.5.	G. 2.	Bot. mag. 695.	
2 collina. B. M.	equal-flowered.	_____	_____	1768. 5.	G. 2.	1033.	
3 miniata. B. R.	spot-flowered.	_____	_____	_____	5.6.	G. 2.	Bot. rep. 404.
4 pavonia. H. K.	Peacock.	_____	_____	1790.	G. 2.	Bot. mag. 1247.	
5 tripetala. H. K.	three-petaled.	_____	_____	1802. 4.5.	G. 2.	702.	
6 angusta. B. M.	narrow-leaved.	_____	_____	1790. 5.6.	G. 2.	1276.	
7 tricuspis. H. K.	trident-petaled.	_____	_____	1776. 6.	G. 2.	696 & 772.	
8 tenuis. H. K.	brown-flowered.	_____	_____	1807. 5.6.	G. 2.	1047.	
9 unguiculata. H. K.	long-clawed.	_____	_____	1802.	G. 2.	593.	
10 edulis. H. K.	long-leaved.	_____	_____	1792.	G. 2.	613 & 1238	
11 longiflora. H. K.	long-flowered.	_____	_____	1801.	G. 2.	712.	
12 spicata. B. M.	spiked.	_____	_____	1785.	G. 2.	1283.	
13 tristis. H. K.	dull-coloured.	_____	_____	1768.	G. 2.	577.	
14 crispa. H. K.	short-spathed.	_____	_____	1803.	G. 2.	1284.	
15 bituminosa. H. K.	clammy.	_____	_____	1787. 4.5.	G. 2.	1045.	
16 viscaria. H. K.	bird-limbed.	_____	_____	1800. 6.	G. 2.	587.	
17 ramosa. H. K.	branching.	_____	_____	1789. 5.6.	G. 2.	771.	
18 villosa. B. M.	villous.	_____	_____	_____	4.5.	G. 2.	571.
19 barbiger. Sal.	bearded.	_____	_____		G. 2.	1012.	
20 ciliata. H. K.	fringed-leaved.	_____	_____	1787. 4.6.	G. 2.	1061.	
21 Sisyrinchium. H. K.	Spanish-nut.	_____	S. Europe.	1597. 5.6.	H. 2.	1407.	
22 papilionacea. H. K.	Butterfly.	_____	C. B. S.	1795.	G. 2.	750.	
23 epathacea. W.	sheathed.	_____	_____	1798. 7.	G. 2.	_____	
IRIS. Ker.	IRIS.	Irideæ. B. P.	_____	_____	_____	_____	
1 pumila. H. K.	dwarf.	_____	Austria.	1596. 4.5.	H. 2.	Bot. mag. 6. 1209.	

2 lutescens. W.	pale yellow.	Iridæ. B. P.	Germany.	1748.	4.5.	H. 2.	
3 cristata. W.	crested.		N. America.	1756.	5.	H. 2.	Bot. mag. 412.
4 arenaria. W. en.	sand.		Hungary.	1802.	6.	H. 2.	{ Bot. mag. 91. hung. 1. t. 57. 519
5 susiana. W.	Chalcedonian.		Levant.	1596.	3.4.	H. 2.	Bot. mag. 91.
6 florentina. W.	Florentine.		S. Europe.	—	5.6.	H. 2.	671.
7 flavissima. W.	bright yellow.		Siberia.	1814.	—	H. 2.	Jac. ic. 3. t. 220.
8 biflora. W.	two-flowered.		S. Europe.	1596.	4.5.	H. 2.	—
9 apylla. W.	naked-stalked.			1748.	5.6.	H. 2.	Bot. mag. 870.
10 variegata. W.	variegated.		Hungary.	1597.	—	H. 2.	16.
11 squalens. W.	brown-flowered.		S. Europe.	1768.	6.	H. 2.	787.
12 sambucina. W.	elder-scented.		—	1658.	—	H. 2.	187.
13 lurida. W.	dingy.		—	1758.	4.	H. 2.	669. 986
14 ambriata. Ven.	Chinese.		China.	1792.	5.6.	H. 2.	373.
15 subbiflora. H. K.	double-bearing.		Portugal.	1596.	4.5.	H. 2.	1130.
16 germanica.	German.		Germany.	1573.	5.6.	H. 2.	670.
17 pallida. W.	pale Turkey.		Turkey.	1596.	—	H. 2.	685.
18 hungarica. W. en.	Hungarian.		Hungary.	1815.	5.	H. 2.	{ Walds. et Kit. hung. 3. t. 226.
19 dichotoma. W.	forked.		Dauria.	1784.	8.	H. 2.	Bot. reg. 246.
20 moræoides. Ker.	Moræa-flowered.		C. B. S.	1758.	4.8.	G. 2.	Bot. mag. 693.
21 Pseud-Acorus. W.	yellow water.		Britain.		6.	H. 2.	Eng. bot. 578. 5139
22 ochroleuca. W.	sulphur-colour ^d .		Levant.	1757.	7.	H. 2.	Bot. mag. 61.
23 halophila. W.	long-leaved.		Siberia.	1780.	7.9.	H. 2.	1131.
24 spuria. W.	spurious.		—	1759.	7.	H. 2.	875.
25 spathulata.	spathulate-flow ^d .		Germany.	—	7.8.	H. 2.	58.
26 desertorum. Fl. C.	sweet-scented.		Russia.	1811.	7.	H. 2.	1514.
27 stenogyna. Red.	cream-coloured.		Siberia.	1804.	—	H. 2.	1515.
28 fœtidissima. W.	Gladwyn.		Britain.		6.	H. 2.	Eng. bot. 596.
29 graninea. W.	grass-leaved.		Austria.	1597.	—	H. 2.	Bot. mag. 681.
30 sibirica. W.	Siberian.		Siberia.	1596.	5.6.	H. 2.	50 & 1163.
31 prismatica. Ph.	New Jersey.		N. America.	1812.	—	H. 2.	1504.
32 orientalis. W.	red-leaved.		China.	1790.	—	H. 2.	1604.
33 fulva. B. M.	copper-coloured.		N. America.	1812.	6.7.	H. 2.	1496.
34 virginica. W.	Virginian.		—	1758.	—	H. 2.	703.
35 versicolor. W.	various-coloured.		—	1732.	5.6.	H. 2.	21.
36 verna. W.	spring.		Virginia.	1748.	4.5.	H. 2.	Pluk. alm. t. 196. f. 6.
37 ruthenica. Ker.	pigmy.		Siberia.	1804.	5.	H. 2.	Bot. m. 1123 & 1393.
38 tenuifolia. W.	slender-leaved.		Dauria.	1796.	—	H. 2.	Pall. it. 3. t. C. f. 2.
39 ventricosa. W.	bellied.		—	1800.	6.	H. 2.	t. B. f. 1.
40 Xiphium. W.	small bulbous.		Spain.	1596.	—	H. 2.	Bot. mag. 686.
41 Xiphoides. W.	great bulbous.		—	1571.	—	H. 2.	687.
42 lusitanica. H. K.	Portuguese.		Portugal.	1596.	4.	H. 2.	679.
43 alata. Lam.	long-tubed.		Algiers.	1801.		H. 2.	Desf. Atl. 1. t. 6.
44 persica. W.	Persian.		Persia.	1629.	3.	H. 2.	Bot. mag. 1.
45 tuberosa. W.	Snake's-head.		Levant.	1597.	3.4.	H. 2.	531.
MARICA. Ker.	MARICA.	Iridæ. B. P.					
1 northiana. H. K.	broad-stemmed.		Brazil.	1789.	4.3.	S. 2.	Bot. mag. 654.
2 martinicensis. H. K.	Martinico.		Martinico.	1782.	6.	S. 2.	416.
3 gladiata. B. Reg.	Cape.		C. B. S.	1816.	6.7.	G. 2.	Bot. reg. 229.
4 paludosa. H. K.	marsh.		Guiana.	1792.	7.8.	S. 2.	Bot. mag. 646.
5 plicata. B. M.	broad-leaved.		W. Ind.	1737.	6.8.	S. 2.	655.
6 californica. B. M.	yellow.		California.	1796.	5.9.	F. 2.	983.
7 palmifolia. W.	palm-leaved.		Brazil.	1779.	2.3.	S. 2.	—
8 striata. B. M.	streaked.		Mexico.	1788.	4.9.	H. 2.	Bot. mag. 701.
PARDANTHUS. Ker.	PARDANTHUS.	Iridæ. B. P.	Belamcanda. Redouté.				
chinensis. H. K.	Chinese.		China.	1759.	6.7.	H. 2.	Bot. mag. 171.
COMMELINA. B. P.	COMMELINA.	Commelineæ. B. P.					
1 communis. W.	common.		America.	1732.	6.7.	H. 2.	Red. lil. 206.
2 africana. W.	African.		C. B. S.	1759.	5.10.	G. 2.	Bot. mag. 1431.
3 bengalensis. W.	Bengal.		Bengal.	1794.	6.	S. 2.	Murr. gott. p. 18. t. 5.
4 erecta. W.	upright.		Virginia.	1732.	8.9.	H. 2.	Dil. elt. 94. t. 77. f. 88.
5 virginica. W.	Virginian.		—	1779.	6.	H. 2.	{ Pluk. alm. 135. t. 174. f. 4.
6 longicaulis. W.	long-stalked.		Caracas.	1806.	8.	S. 2.	Jac. ic. 2. t. 294.
7 mollis. W.	soft.		—	1804.	—	S. 2.	2. t. 293.
8 tuberosa. W. en.	tuberous-rooted.		Mexico.	1732.	6.7.	S. 2.	Bot. rep. 399.
9 cælestis. W. en.	sky-blue.			1813.	—	S. 2.	Bot. mag. 1695.
ANEILEMA. B. P.	ANEILEMA.	Commelineæ. B. P.	Commelineæ species L.				
spirata. B. P.	spear-leaved.		E. Ind.	1733.	7.8.	S. 2.	

CALLISIA. W.	CALLISIA.	Commelineæ. B.P.					
repens. W.	creeping.	_____	W. Ind.	1776.	6.7.	S. 2.	Jac. amer. 11. t. 11.
LEPTANTHUS. Mich.	LEPTANTHUS.	_____	_____	_____	_____	_____	_____
reniformis. M.	kidney-leaved.	_____	N. America.	1812.	6.7.	H. 2.	_____
WACHENDORFIA. Ker.	WACHENDORFIA.	Hæmodoracæ. B.P.					
1 thyrsiflora. W.	tall-flowered.	_____	C. B. S.	1759.	5.6.	G. 2.	Bot. mag. 1060.
2 paniculata. W.	panicked.	_____	_____	1700.	2.	G. 2.	616.
3 graminea. W.	grass-leaved.	_____	_____		6.	G. 2.	_____
4 hirsuta. W.	hairy.	_____	_____	1687.	_____	G. 2.	614.
5 brevifolia. H. K.	short-leaved.	_____	_____	1795.	3.4.	G. 2.	1166.
XIPHIDIUM. W.	XIPHIDIUM.	Hæmodoracæ. B.P.					
1 album. W.	white.	_____	W. Ind.	1787.		S. 2.	_____
2 cœruleum. W.	blue.	_____	Guiana.	1793.		S. 2.	Aub. Gui. 1. t. 11.
DILATRIS. Ker.	DILATRIS.	Hæmodoracæ. B.P.					
1 corymbosa. W.	broad-petaled.	_____	C. B. S.	1790.	5.	G. 2.	Ex. bot. 1. t. 16.
2 viscosa. W.	clammy.	_____	_____	1795.		G. 2.	Lam. ill. t. 34.
HÆMODORUM. Sm.	HÆMODORUM.	Hæmodoracæ. B.P.					
planifolium. B. P.	plain-leaved.	_____	N. S. W.	1810.	7.11.	G. 2.	Bot. mag. 1610.
XYRIS. L.	XYRIS.	Restiacæ. B. P.					
1 operculata. B. P.	rush-leaved.	_____	N. S. W.	1804.	6.7.	G. 2.	Bot. mag. 1156.
2 brevifolia. P. S.	short-leaved.	_____	Carolina.	1812.	6.8.	H. 2.	_____
MARISCUS. Va.	MARISCUS.	Cyperacæ. B. P.					
1 umbellatus. W. en.	umbelled.	_____	Kyllingæ species L.	_____	_____	_____	_____
2 elatus. W. en.	tall.	_____	E. Ind.	1789.	6.8.	S. 2.	Rott. gram. t. 4. f. 2.
KYLLINGA. W.	KYLLINGA.	Cyperacæ. B. P.					
1 monocephala. W.	one-headed.	_____	India.	1793.	6.7.	S. 2.	Rott. gram. t. 4. f. 4.
2 triceps. W.	three-headed.	_____	_____	1776.	9.11.	S. 2.	t. 4. f. 6.
CYPERUS. W.	CYPERUS.	Cyperacæ. B. P.					
1 dubius. W.	bulbous-rooted.	_____	E. Ind.	1802.	7.	S. 2.	Rot. gram. 20. t. 4. f. 5.
2 pannonicus. W.	dwarf.	_____	Hungary.	1781.	7.8.	H. 2.	Host. gram. 3. t. 20.
3 Luzulæ. W.	compact-flowerd.	_____	W. Ind.		5.9.	S. 2.	Rott. gram. t. 13. f. 3.
4 viscosus. W.	clammy.	_____	Jamaica.	1781.	5.8.	S. 2.	Jac. ic. 2. t. 295.
5 fastigiatus. W.	lofty.	_____	E. Ind.	1800.	_____	S. 2.	Rot. gram. 32. t. 7. f. 2.
6 glomeratus. W. en.	round-headed.	_____	Italy.	1804.	_____	H. 2.	_____
7 elegans. W.	elegant.	_____	Jamaica.	1801.	5.9.	G. 2.	Sloan. ja. 1. t. 75. f. 1.
8 flavescens. W.	yellow.	_____	Germany.	1776.	6.9.	H. 2.	Host. gram. 3. t. 72.
9 fuscus. W.	brown.	_____	Europe.	1777.	7.9.	H. 2.	3. t. 73.
10 strigosus. W.	bristle-spiked.	_____	W. Ind.	1786.	_____	S. 2.	Rott. g. 40. t. 11. f. 3.
11 vegetus. W.	smooth.	_____	America.	1790.	5.9.	H. 2.	Jac. vind. 3. t. 12.
12 esculentus. W.	Rush-nut.	_____	S. Europe.	1597.	7.	H. 2.	Host. gram. 3. t. 75.
13 longus. W.	sweet.	_____	England.		_____	H. 2.	Eng. bot. 1309.
14 Iria. W.	tall.	_____	E. Ind.	1802.	_____	S. 2.	Rheed. mal. 12. t. 56.
15 Papyrus. W.	Paper.	_____	Egypt.	_____	7.9.	S. 2.	Mich. gen. 44. t. 19.
16 alopecuroides. P. S.	fox-tailed.	_____	C. B. S. &c.	1804.	5.8.	G. 2.	Rott. g. 38. t. 8. f. 2.
17 badius. P. S.	saw-leaved.	_____	Algiers.	1800.	7.	G. 2.	Desf. At. 1. t. 7. f. 2.
18 alternifolius. W.	alternate-leaved.	_____	Madagascar.	1781.	2.3.	S. 2.	Jac. ic. 2. t. 298.
IOLEPIS. B. P.	IOLEPIS.	Cyperacæ. B. P.					
1 fluitans. B. P.	floating.	_____	Scirpi species Willd.	_____	_____	_____	_____
2 setacea. B. P.	bristle-like.	_____	Britain.		7.8.	H. 2.	Eng. bot. 216.
SCIRPUS. B. P.	SCIRPUS.	Cyperacæ. B. P.					
1 multicaulis. E. B.	many-stalked.	_____	Britain.		7.	H. 2.	Eng. bot. 1187.
2 cæspitosus. W.	scaly-stalked.	_____	_____		_____	H. 2.	1029.
3 paniciflorus. E. B.	chocolate-headd.	_____	_____		8.	H. 2.	1122.
4 compressus. P. S.	compressed.	_____	_____		6.7.	H. 2.	791.
5 lacustris. W.	tall.	_____	_____		7.8.	H. 2.	666.
6 Holoschænus. W.	cluster-headed.	_____	England.		7.	H. 2.	1612.
7 romanus. W.	Roman.	_____	_____		_____	H. 2.	Jac. aust. 5. t. 448.
8 glaucus. E. B.	glaucous.	_____	_____		7.8.	H. 2.	Eng. bot. 2321.
9 triquetus. W.	triangular.	_____	_____		8.	H. 2.	1694.
10 mucronatus. W.	sharp-pointed.	_____	_____		_____	H. 2.	_____
11 carinatus. E. B.	blunt-edged.	_____	_____		7.8.	H. 2.	Eng. bot. 1983.
12 maritimus. W.	salt marsh.	_____	Britain.		7.9.	H. 2.	542.
13 Luzulæ. W.	clustered.	_____	E. Ind.	1776.	_____	S. 2.	Pluk. mant. 27. t. 417. f. 3.
14 sylvaticus. W.	wood.	_____	Britain.		_____	H. 2.	Eng. bot. 919.
ELEOCHARIS. B. P.	SPIKE-RUSH.	Cyperacæ. B. P.					
1 palustris. B. P.	marsh.	_____	Scirpi species Willd.	_____	_____	_____	_____
2 acicularis. B. P.	upright-needle.	_____	Britain.		7.	H. 2.	Eng. bot. 131.
		_____	_____		_____	H. 2.	749.

RHYNCHOSPORA. } RHYNCHOSPORA. Cyperaceæ. B. P. <i>Schrenk species L.</i>							
Va.							
1 alba. H. K.	white-headed.	_____	Britain.		8.	H. ½.	Eng. bot. 985.
2 fusca. H. K.	brown-headed.	_____	_____		_____	H. ½.	1575.
SCHUENUS. Va.	Bog-Rush.	Cyperaceæ. B. P.					
1 mucronatus. W.	clustered.	_____	S. Europe.	1781.	4.5.	H. ½.	Fl. græc. 1. t. 43.
2 nigricans. W.	black.	_____	Britain.		7.	H. ½.	Eng. bot. 1121.
3 rufus. E. B.	brown.	_____	Scotland.		_____	H. ½.	1010.
4 monoicus. E. B.	monœcious.	_____	England.		7.8.	H. ½.	1410.
CLADIUM. B. P.	CLADIUM.	Cyperaceæ. B. P.	<i>Schrenk species L.</i>				
Mariscus. B. P.	prickly.	_____	England.		7.8.	H. ½.	Eng. bot. 950.
TRICHOPHO- } { TRICHO- } Cyperaceæ. B. P. <i>Eriophori species Willd.</i>	PHORUM. }	_____	N. Amer.	1802.	5.9.	H. ½.	Pluk.mant.t.419.f.3
RUM. P. S.							
1 cyperinum. P. S.	cyperine.	_____	Scotland.		7.	H. ½.	Eng. bot. 311.
2 alpinum. P. S.	Alpine.	_____					
ERIOPHORUM. P. S.	CORTON-GRASS.	Cyperaceæ. B. P.					
1 vaginatum. W.	Hare's-tail.	_____	Britain.		3.4.	H. ½.	Eng. bot. 873.
2 polystachion. W.	broad-leaved.	_____	_____		6.7.	H. ½.	563.
3 angustifolium. W.	narrow-leaved.	_____	_____		4.	H. ½.	564.
4 virginicum. W.	Virginian.	_____	N. Amer.	1802.	5.8.	H. ½.	Pluk.alm. t.299.f.4.
5 gracile. P. S.	slender.	_____	Scotland.		7.8.	H. ½.	Eng. bot. 2402.
6 capitatum. E. B.	round-headed.	_____	_____		8.9.	H. ½.	2387.
NARDUS. W.	MAT-GRASS.	Gramineæ. B. P.					
1 stricta. W.	upright.	_____	Britain.		6.7.	H. ½.	Eng. bot. 290.
2 aristata. W.	awned.	_____	S. Europe.	1805.	_____	H. ½.	Vill. delph. 2. t. 2.
LYGEUM. W.	LYGEUM.	Gramineæ. B. P.					
Spartum. W.	rush-leaved.	_____	Spain.	1776.	5.6.	H. ½.	Clus. hist. 2. f. 2.
CORNUCOPIÆ. W.	CORNUCOPIÆ.	Gramineæ. B. P.					
cucullatum. W.	hooded.	_____	Levant.	1788.	8.	H. ½.	Fl. græc. 1. t. 51.
CENCHRUS. P. S.	CENCHRUS.	Gramineæ. B. P.					
1 lappaceus. W.	Bur.	_____	India.	1773.	7.	H. ½.	
2 echinatus. W.	rough-spiked.	_____	W. Ind.	1691.	8.12.	S. ½.	Cav.ic.5.p.39.t.462
SESLERIA. W. en.	SESLERIA.	Gramineæ. B. P.					
1 cœrulea. E. B.	blue.	_____	Britain.		4.5.	H. ½.	Eng. bot. 1613.
2 elongata. W. en.	long-spiked.	_____	Austria.		5.6.	H. ½.	Host. gram. 2. t.97.
LIMNETIS. P. S.	LIMNETIS.	Gramineæ. B. P.	<i>Dactylidis species L.</i>				
1 pungens. P. S.	upright.	_____	Britain.		8.	H. ½.	Eng. bot. 380.
2 cynosuroides. P. S.	Dog's-tail.	_____	N. Amer.	1781.	8.9.	H. ½.	Lin.fil.fa.1.p.17.t.9
3 polystachia. Ph.	many-spiked.	_____	_____	_____	_____	H. ½.	
4 juncea Ph.	spreading.	_____	_____	_____	7.8.	H. ½.	

DIGYNIA.

TRICHODIUM Mi.	TRICHODIUM.	Gramineæ. B. P.	<i>Agrostidis species L.</i>				
1 decumbens. Mi.	decumbent.	_____	N. Amer.	1786.	6.7.	H. ½.	Fraser.Mon.cum.ic
2 caninum. W. en.	brown.	_____	Britain.		7.8.	H. ½.	Eng. bot. 1856.
SPOROBOLUS. B. P.	SPOROBOLUS.	Gramineæ. B. P.	<i>Agrostidis species L.</i>				
indicus. B. P.	Indian.	_____	India.	1773.	8.10.	H. ½.	
AGROSTIS. W.	BENT-GRASS.	Gramineæ. B. P.					
1 Spica-venti. W.	silky.	_____	England.		6.7.	H. ½.	Eng. bot. 951.
2 retrofracta. W. en.	broad-leaved.	_____	N. Holland.	1806.	7.8.	H. ½.	
3 littoralis. E. B.	sea-side.	_____	England.		8.	H. ½.	Eng. bot. 1261.
4 setacea. E. B.	bristly.	_____	Britain.		7.8.	H. ½.	1188.
5 vulgaris. E. B.	fine.	_____	_____		_____	H. ½.	1671.
6 hispida. W.	hispid.	_____	Europe.	1805.	_____	H. ½.	
7 stolonifera. W.	creeping.	_____	Britain.		7.	H. ½.	Eng. bot. 1532.
8 alba. W.	marsh.	_____	_____		_____	H. ½.	1189.
9 Cinna. Ph.	reed-like.	_____	Canada.	1789.	_____	H. ½.	
10 mexicana. W.	Mexican.	_____	America.	1780.	6.9.	H. ½.	
11 tenacissima. W.	tough.	_____	E. Ind.	1801.	8.9.	S. ½.	
12 verticillata. W.	whorl-flowered.	_____	S. Europe.	1800.	6.7.	H. ½.	
13 sylvatica. L.	wood.	_____	Britain.		_____	H. ½.	
14 lenta. W.	forked.	_____	E. Ind.	1778.	7.10.	H. ½.	
KNAPPIA. E. B.	KNAPPIA.	Gramineæ. B. P.	<i>Agrostidis species L. Sternia P. S.</i>				
agrostidea. E. B.	small.	_____	Wales.		3.4.	H. ½.	Eng. bot. 1127.
PEROTIS. H. K.	PEROTIS.	Gramineæ. B. P.					
latifolia. W.	spiked.	_____	E. Ind.	1777.	8.9.	S. ½.	Rheed.mal.12.t.62.
POLYPOGON. W. en.	POLYPOGON.	Gramineæ. B. P.					
panicus.	panic-grass-like.	_____	Britain.		7.8.	H. ½.	Eng. bot. 1704.

STIPA. W.

- 1 pennata. W.
- 2 humilis. P. S.
- 3 juncea. W.
- 4 sibirica. P. S.
- 5 aristella. W.

TRisetum. P. S.

- 1 striatum. P. S.
- 2 hispanicum. P. S.
- 3 pratense. P. S.

AVENA. P. S.

- 1 pensylvanica. W.
- 2 strigosa. W.
- 3 brevis. W.
- 4 orientalis. W.
- 5 sativa. W.
- 6 nuda. W.
- 7 fatua. W.
- 8 pubescens. W.
- 9 sterilis. W.
- 10 fragilis. W.
- 11 planiculmis. E. B.
- 12 pratensis. W.
- 13 argentea. W. en.
- 14 distichophylla. W. en.

BROMUS. W.

- 1 secalinus. W.
- 2 commutatus. W. en.
- 3 multiflorus. W. en.
- 4 mollis. W.
- 5 lanceolatus. W.
- 6 squarrosus. W.
- 7 Alopecurus. W.
- 8 purgans. W.
- 9 inermis. W.
- 10 asper. W.
- 11 pratensis. E. B.
- 12 littoreus. W.
- 13 ciliatus. W.
- 14 sterilis. W.
- 15 arvensis. E. B.
- 16 erectus. E. B.
- 17 tectorum. W.
- 18 altissimus. Ph.
- 19 racemosus. W.
- 20 maximus. Roth.
- 21 madritensis. W.
- 22 sylvaticus. E. B.
- 23 pinnatus. W.
- 24 cristatus. W.
- 25 distachyos. W.

FESTUCA. W.

- 1 bromoides. W.
- 2 tenella. Ph.
- 3 ovina. W.
- 4 vivipara. E. B.
- 5 robra. W.
- 6 duriuscula. W.
- 7 amethystina. W.
- 8 casia. E. B.
- 9 dumetorum. W.
- 10 Myurus. W.
- 11 uniglumis. W.
- 12 gigantea. E. B.
- 13 calamaria. E. B.
- 14 triflora. E. B.
- 15 spadicca. W.
- 16 pratensis. E. B.
- 17 vaginata. W. en.

FEATHER-GRASS Gramineæ. B. P.

- common.
- low.
- rush-leaved.
- Siberian.
- awned.

Gramineæ. B. P.

- TRISETUM.
- striated.
- Lœfling's.
- yellowish.

Gramineæ. B. P.

- OAT-GRASS.
- Pennsylvanian.
- bristle-pointed.
- short.
- Tartarian.
- common.
- naked.
- wild.
- downy.
- bearded.
- brittle.
- flat-stalked.
- narrow-leaved.
- silvery.
- fan-leaved.

Gramineæ. B. P.

- BROME-GRASS.
- smooth Rye.
- downy Rye.
- many-flowered.
- soft.
- spear-leaved.
- corn.
- Fox-tail.
- purging.
- awnless.
- hairy wood.
- meadow.
- sea.
- ciliated.
- barren.
- field.
- upright.
- nodding.
- tallest.
- smooth.
- great.
- wall.
- wood.
- spiked-heath.
- crested.
- two-spiked.

Gramineæ. B. P.

- FESCUE-GRASS.
- barren.
- slender.
- sheep's.
- viviparous.
- creeping.
- hard.
- blue.
- gray.
- bushy.
- wall.
- single-husked.
- gigantic.
- reed-like.
- three-flowered.
- Gerard's.
- meadow.
- sheathed.

Britain.		7.9.	H. 2.	Eng. bot. 1356.
S. Amer.	1802.	—	H. 2.	Cav. ic. 5. t. 466. f. 1.
France.	1772.	7.	H. 2.	Fl. græc. 1. t. 85.
Siberia.	1777.	7.8.	H. 2.	Gmel. sib. 1. t. 22.
Montpelier.	1806.	—	H. 2.	—
<i>Avena species Willd.</i>				
S. Europe.	1804.	7.9.	H. 2.	—
Spain.	1770.	6.7.	H. 2.	Cav. ic. 1. t. 45. f. 1.
Britain.		—	H. 2.	Eng. bot. 952.
N. Amer.	1785.	6.7.	H. 2.	—
Britain.		—	H. 2.	Eng. bot. 1266.
Germany.	1804.	—	H. 2.	—
.....	1798.	—	H. 2.	—
S. Amer.		—	H. 2.	Host. gram. 2. t. 59.
.....		—	H. 2.	3. t. 43.
Britain.		8.	H. 2.	2. t. 58.
.....		7.8.	H. 2.	Eng. bot. 1640.
Barbary.	1640.	—	H. 2.	Host. gram. t. 2. 57.
S. Europe.	1770.	—	H. 2.	2. t. 54
Britain.		6.7.	H. 2.	Eng. bot. 2141.
.....		—	H. 2.	1204.
Switzerland.	1791.	—	H. 2.	Host. gram. 2. t. 53.
.....		—	H. 2.	{ Vill. delph. 2. t.
				4. f. 4.
England.		6.8.	H. 2.	Eng. bot. 1171.
Britain.		—	H. 2.	1881.
Germany.	1815.	—	H. 2.	—
Britain.		—	H. 2.	Eng. bot. 1078.
Caspia.	1798.	—	H. 2.	Buxb. cen. 5. f. ap. 19
England.		—	H. 2.	Eng. bot. 1885.
Barbary.	1799.	—	H. 2.	Desf. atl. 1. t. 25.
Canada.	1793.	—	H. 2.	—
Germany.	1794.	—	H. 2.	Host. gram. 1. t. 9.
England.		—	H. 2.	Eng. bot. 1172.
.....		—	H. 2.	920.
Europe.	1802.	—	H. 2.	—
Canada.	—	—	H. 2.	—
Britain.		—	H. 2.	Eng. bot. 1030.
.....		—	H. 2.	1984.
England.		—	H. 2.	471.
Europe.	1776.	—	H. 2.	Hort. gram. 1. t. 15.
N. Amer.	1812.	—	H. 2.	—
England.		—	H. 2.	Eng. bot. 1079.
Morocco.	1804.	—	H. 2.	—
.....		—	H. 2.	1006.
Britain.		—	H. 2.	729.
.....		—	H. 2.	730.
Scotland.		—	H. 2.	2267.
S. Europe.	1772.	—	H. 2.	Host. gram. 1. t. 20.
Britain.		6.	H. 2.	Eng. bot. 1411.
N. Amer.	1804.	7.8.	H. 2.	—
Britain.		6.	H. 2.	Eng. bot. 585.
.....		7.	H. 2.	1355.
.....		—	H. 2.	2056.
.....		6.	H. 2.	470.
S. Europe.	1804.	6.7.	H. 2.	—
England.		—	H. 2.	Eng. bot. 1917.
Britain.		—	H. 2.	Fl. dan. t. 700.
England.		—	H. 2.	Eng. bot. 1412.
.....		—	H. 2.	1430.
Britain.		7.8.	H. 2.	1820.
Scotland.		—	H. 2.	1005.
Britain.		—	H. 2.	1373.
Italy.	1775.	4.5.	H. 2.	Host. gram. 3. t. 20.
Britain.		6.7.	H. 2.	Eng. bot. 1592.
Hungary.	1804.	—	H. 2.	—

18 decidua. E. B.	deciduous.	Gramineæ. B. P.	England.		6.7. H. ½.	Eng. bot. 2266.
19 elatior. W.	tall.	_____	Britain.		— H. ½.	— 1593.
20 diandra. Ph.	diandrous.	_____	N. Amer.	1810.	— H. ½.	Mich. amer. t. 10.
21 loliaea. W.	spiked.	_____	England.		— H. ½.	Eng. bot. 1821.
22 grandiflora. Ph.	large-flowered.	_____	N. Amer.	1812.	— H. ½.	—
23 rubens. P. S.	Spanish.	_____	S. Europe.	1776.	6. H. ○.	Host. gram. 1. t. 18.
24 stipoides. P. S.	fine-leaved.	_____	Majorca.	1793.	6.7. H. ○.	Barrel. ic. t. 76. f. 1.
25 calycina. W.	bearded-leaved.	_____	Spain.	1781.	— H. ○.	Cav. ic. 1. t. 44. f. 2.
26 glauca. P. S.	glaucous.	_____	S. Europe.		— H. ½.	Lam. ill. 1. t. 46. f. 3.
27 ciliata. P. S.	ciliated.	_____	Portugal.	1802.	7.8. H. ½.	—
28 distichiphylla. Ph.	two-ranked.	_____	N. Amer.	1789.	6.7. H. ½.	—
29 nutans. Ph.	nodding.	_____	_____	1805.	— H. ½.	—
30 heterophylla. P. S.	various-leaved.	_____	France.	1812.	— H. ½.	Vaill. par. t. 19. f. 6.
31 unioides. Ph.	uniola-like.	_____	N. Amer.	1796.	— H. ½.	Willd. ber. t. 3.
TRITICUM. W.	WHEAT-GRASS.	Gramineæ. B. P.	_____	_____	_____	_____
1 æstivum. W.	summer.	_____	Baschiros.		6.7. H. ○.	—
2 hybernium. W.	Lammas.	_____	_____		— H. ○.	Host. gram. 3. t. 20.
3 compositum. W.	Egyptian.	_____	Egypt.	1799.	— H. ○.	Moris. his. 3. t. 1. f. 7.
4 turgidum. W.	turgid.	_____	_____		— H. ○.	Host. gram. 3. t. 28.
5 polonicum. W.	Polish.	_____	_____	1692.	— H. ○.	— 3. t. 31.
6 Spelta. W.	Spelt.	_____	_____		— H. ○.	— 3. t. 30.
7 monococcum. W.	one-grained.	_____	_____	1648.	— H. ○.	— 3. t. 32.
8 prostratum. W.	trailing.	_____	Siberia.	1780.	6. H. ○.	Jac. vind. 3. t. 44.
9 squarrosus. Roth.	Porcupine.	_____	Egypt.	1800.	6.7. H. ○.	—
10 junceum. W.	rushy.	_____	England.	_____	— H. ½.	Eng. bot. 814.
11 repens. W.	Couch-grass.	_____	Britain.		7.8. H. ½.	— 909.
12 caninum. E. B.	bearded.	_____	_____		— H. ½.	— 1372.
13 tenellum. W.	dwarf.	_____	Spain.	1781.	— H. ○.	Host. gram. 2. t. 26.
14 unioides. W.	linear-spiked.	_____	Italy.	1758.	7.9. H. ○.	Jac. ic. 2. t. 303.
15 loliaceum. W.	spiked sea.	_____	Britain.		6.7. H. ○.	Eng. bot. 221.
16 unilaterale. W.	one-sided.	_____	S. Europe.	1800.	— H. ○.	—
17 rigidum. W. en.	rigid.	_____	Germany.	1805.	— H. ½.	—
SECALE. W.	RYE.	Gramineæ. B. P.	_____	_____	_____	_____
1. cereale. W.	common.	_____	Crete.		6.7. H. ○.	Host. gram. 2. t. 48.
2 villosus. W.	villous.	_____	S. Europe.	1790.	— H. ○.	Buxb. cent. 5. t. 41.
3 orientale. W.	hairy-spiked.	_____	Levant.	1807.	— H. ♂.	{ Willd. N. Act. Ber. 2. t. 4. f. 3.
HORDEUM. W.	BARLEY.	Gramineæ. B. P.	_____	_____	_____	_____
1 vulgare. W.	spring.	_____	Sicily.		7. H. ○.	Host. gram. 3. t. 34.
2 hexastichon. W.	winter.	_____	_____		— H. ○.	— 3. t. 35.
3 distichon. W.	common.	_____	Tartary.		— H. ○.	— 3. t. 36.
4 Zeocriton. W.	Battledore.	_____	_____		8. H. ○.	— 3. t. 37.
5 bulbosum. W.	bulbous.	_____	Italy.	1770.	7. H. ½.	Fl. græc. 1. t. 98.
6 murinum. W.	wall.	_____	Britain.		4.8. H. ○.	Eng. bot. 1971.
7 pratense. Roth.	meadow.	_____	_____		6. H. ½.	— 409.
8 secalinum. Ro h.	rye-like.	_____	Europe.		— H. ○.	Host. gram. 1. t. 33.
9 maritimum. W.	sea.	_____	Britain.		6.7. H. ○.	Eng. bot. 1205.
10 jubatum. H. K.	long-bearded.	_____	N. Amer.	1782.	7.8. H. ♂.	—
ELYMUS. W.	LYME-GRASS.	Gramineæ. B. P.	_____	_____	_____	_____
1 arenarius. W.	upright sea.	_____	Britain.		4.6. H. ½.	Eng. bot. 1672.
2 geniculatus. E. B.	pendulous.	_____	England.		7. H. ½.	— 1586.
3 sabulosus. W. en.	glaucous.	_____	Siberia.	1806.	6.7. H. ½.	—
4 giganteus. W.	gigantic.	_____	N. Amer.	1790.	7.8. H. ½.	—
5 sibiricus. W.	Siberian.	_____	Siberia.	1758.	6.7. H. ½.	Schr. gra. 2. t. 21. f. 1.
6 tener. W.	tender.	_____	_____	1801.	— H. ½.	—
7 philadelphicus. W.	Philadelphian.	_____	N. Amer.	1790.	7.8. H. ½.	—
8 canadensis. W.	Canadian.	_____	_____	1699.	— H. ½.	Mor. his. 3. t. 2. f. 10.
9 virginicus. W.	Virginian.	_____	Virginia.	1781.	6.7. H. ½.	—
10 striatus. W.	striated.	_____	N. Amer.	1790.	— H. ½.	—
11 villosus. Ph.	villous.	_____	_____	1802.	— H. ½.	—
12 europæus. W.	wood.	_____	England.		— H. ½.	Eng. bot. 1317.
13 crinitus. Sch.	long-awned.	_____	Smyrna.	1806.	— H. ○.	Sch. gra. 15. t. 24. f. 3.
14 Caput-Medusæ. W.	Portuguese.	_____	Portugal.	1784.	— H. ○.	{ — 2. p. 17. t. 24. f. 2.
LOLIUM. W.	DARNEL.	Gramineæ. B. P.	_____	_____	_____	_____
1 perenne. W.	Rye-grass.	_____	Britain.		5.6. H. ½.	Eng. bot. 315.
2 tenue. W.	slender.	_____	S. Europe.	1590.	7.8. H. ½.	—
3 tenuileatum. W.	bearded.	_____	Britain.		— H. ○.	Eng. bot. 1124.
4 arvense. E. B.	beardless.	_____	England.		7. H. ○.	— 1125.

KÆLERIA. P. S.	KÆLERIA.	Gramineæ. B. P.			
1 cristata. P. S.	crested.		Europe.	 6.8. H. ½.	
2 tuberosa. P. S.	tuberos.		Britain.	 7.8. H. ½.	Eng. bot. 648.
3 pubescens.	pubescent.		S. Europe.	1800. 6.7. H. ½.	
GLYCERIA. B. P.	GLYCERIA.	Gramineæ. B. P.	<i>Festuca</i> sp. L.	<i>Poa</i> sp. Smith.	
fluitans. B. P.	floating.		Britain.	 5.8. H. ½.	Eng. bot. 1520.
POA. W.	MEADOW-GRASS.	Gramineæ. B. P.			
1 aquatica. W.	water.		Britain.	 7. H. ½.	Eng. bot. 1315.
2 procumbens. E. B.	procumbent.			 7.8. H. ½.	532.
3 alpina. W.	Alpine.		Scotland.	 6.7. H. ½.	1003.
4 flexuosa. E. B.	zigzag.			 H. ½.	1123.
5 laxa. W.	loose-spiked.		Germany.	1800. — H. ½.	Host. gram. 3. t. 15.
6 cæsia. E. B.	sea-green.		Scotland.	 — H. ½.	Eng. bot. 1719.
7 vivipara. W. en.	viviparous.		Switzerland.	1800. — H. ½.	
8 trivialis. W.	common.		Britain.	 6.8. H. ½.	Eng. bot. 1072.
9 angustifolia. W.	narrow-leaved.		Germany.	 — H. ½.	Leers, t. 6. f. 3.
10 pratensis. W.	smooth-stalked.		Britain.	 5.6. H. ½.	Eng. bot. 1073.
11 humilis. F. B.	short bluish.			 — H. ½.	1004.
12 annua. W.	annual.			 3.10. H. ½.	1141.
13 badensis. W.	turfy.		Baden.	1800. 7. H. ½.	
14 anabilis. W.	purple.		E. Ind.	1802. — H. ½.	
15 Eragrostis. W.	spreading.		Italy.	1699. — H. ½.	Host. gram. 2. t. 69.
16 sudetica. W.	broad-leaved.		Germany.	1802. 7.8. H. ½.	
17 cenisia. W. en.	soft.		Mt. Cenis.	1791. — H. ½.	
18 flava. W.	pale yellow.		N. America.	1804. — H. ½.	
19 serotina. W. en.	late-flowering.		Germany.	1800. 7.9. H. ½.	
20 festuceæformis. W. en.	Festuca-like.		Dalmatia.	— — H. ½.	
21 pilosa. W. en.	pilose.		Italy.	1804. 7.8. H. ½.	
22 abyssinica. W.	smooth upright.		Abyssinia.	1775. 8.10. H. ½.	Jac. ic. 1. t. 17.
23 capillaris. W.	hair-panicled.		N. America.	1781. 10.11. H. ½.	Moris. h. 3. t. 6. f. 33.
24 megastachya. P. S.	Love-grass.		S. Europe.	1776. 7.8. H. ½.	Schreb. gram. t. 38.
25 tenella. W.	small.		E. Ind.	1781. — S. ½.	Burm. zey. t. 47. f. 3.
26 maritima. W.	sea.		Britain.	 6.7. H. ½.	Eng. bot. 1140.
27 rigida. W.	hard.		England.	 — H. ½.	1371.
28 compressa. W.	flat-stalked.		Britain.	 6.8. H. ½.	365.
29 glauca. E. B.	glaucous.			 — H. ½.	1720.
30 nemoralis. W.	wood.			 6. H. ½.	1265.
31 amboinensis. W.	upright.		E. Ind.	1800. 6.7. S. ½.	{ Rumph. amb. 6. t. 7. f. 3.
32 bulbosa. W.	bulbous.		England.	 7. H. ½.	Eng. bot. 1071.
33 distans. W.	distant.		Austria.	1794. 7.8. H. ½.	986.
34 retroflexa. E. B.	reflexed.		Britain.	 — H. ½.	1532.
35 ægyptiaca. W. en.	Egyptian.		Egypt.	1812. — H. ½.	
36 elongata. W. en.	long-panicled.		E. Ind.	— — S. ½.	
37 divaricata. W.	divaricate.		S. Europe.	1802. — H. ½.	Gouan. ill. 4. t. 2. f. 1.
38 peruviana. W.	Peruvian.		Peru.	— — H. ½.	Jac. ic. 1. t. 18.
39 nervata. W.	nerved.		N. America.	1812. — H. ½.	
40 ciliaris. W.	ciliated.		Jamaica.	1776. — H. ½.	Jac. ic. 2. t. 304.
41 digitata. B. P.	fingered.		N. S. W.	1800. — H. ½.	
TRIODIA. B. P.	TRIODIA.	Gramineæ. B. P.	<i>Festuceæ species</i> L.		
decumbens.	decumbent.		Britain.	 7.8. H. ½.	Eng. bot. 792.
CALAMAGROS-TIS. With.	CALAMAGROSTIS.	Gramineæ. B. P.	<i>Arundinis species</i> L.		
1 epigejos. W.	wood.		Britain.	 7. H. ½.	Eng. bot. 403.
2 stricta. E. B.	upright.		Scotland.	 7.8. H. ½.	2160.
3 speciosa. W. en.	beautiful.		Germany.	1813. — H. ½.	
4 arundinacea. Roth.	Reed-like.			 — H. ½.	
5 vulgaris.	common.		England.	 7. H. ½.	Eng. bot. 2159.
6 arenaria. W.	Sea Mat-weed.		Britain.	 6.7. H. ½.	520.
ARUNDO. B. P.	REED.	Gramineæ. B. P.			
1. Donax. W.	manured.		S. Europe.	1648. 7.8. H. ½.	
β <i>versicolor</i> .	striped.			— — H. ½.	Moris. hist. 3. t. 8. f. 9
2 phragmites. W.	common.		Britain.	 7.9. H. ½.	Eng. bot. 401.
AIRA. W.	HAIR-GRASS.	Gramineæ. B. P.			
1 aquatica. W.	water.		Britain.	 5.6. H. ½.	Eng. bot. 1557.
2 glauca. W. en.	glaucous.		Saxony.	1800. 6.7. H. ½.	
3 semineutra. W. en.	half-barren.		Hungary.	1813. — H. ½.	
4 subspicata. W.	spike-flowered.		Switzerland.	1800. — H. ½.	
5 cæspitosa. W.	turfy.		Britain.	 8. H. ½.	Eng. bot. 1453.
6 lavigata. L. T.	smooth-sheathed		Scotland.	 6.7. H. ½.	2102.

7 flexuosa. W.	waved.	Gramineæ. B. P.	Britain.		7.8.	H. ½.	Eng. bot. 1519.
8 canescens. W.	grey.	_____	England.		_____	H. ½.	_____ 1190.
9 præcox. W.	early.	_____	Britain.		5.6.	H. ½.	_____ 1296.
10 caryophyllæa. W.	silver.	_____	_____		7.	H. ½.	_____ 812.
MELICA. W.	MELIC-GRASS.	Gramineæ. B. P.	_____	_____	_____	_____	_____
1 ciliata. W.	ciliated.	_____	Europe.	1771.	7.	H. ½.	Host. gram. 2. t. 12.
2 Bauhini. W. en.	Italian.	_____	Italy.	1806.	6.7.	H. ½.	_____
3 nutans. W.	mountain.	_____	Britain.		_____	H. ½.	Eng. bot. 1059.
4 uniflora. W.	wood.	_____	_____		5.6.	H. ½.	_____ 1058.
5 pyramidalis. P. S.	pyramidal.	_____	Barbary.	1804.	6.7.	H. ½.	_____
6 glabra. Ph.	smooth.	_____	N. Amer.	1812.	_____	H. ½.	Mor. his. 3. t. 7. f. 51.
7 altissima. W.	tallest.	_____	Siberia.	1770.	7.8.	H. ½.	Host. gram. 2. t. 9.
8 cerulea. W.	purple.	_____	Britain.		8.	H. ½.	Eng. bot. 750.
ECHINARIA. Des.	ECHINARIA.	Gramineæ. B. P.	_____	_____	_____	_____	_____
capitata. D.	headed.	_____	S. Europe.	1771.	5.8.	H. ½.	Host. gram. 3. t. 8.
LAPPAGO. W.	LAPPAGO.	Gramineæ. B. P.	_____	_____	_____	_____	_____
racemosa. W.	branching.	_____	S. Europe.	1771.	7.8.	H. ½.	Host. gram. 1. t. 36.
ELEUSINE. B. P.	ELEUSINE.	Gramineæ. B. P.	<i>Cynosuri species L.</i>	_____	_____	_____	_____
1 coracana. P. S.	thick-spiked.	_____	India.	1714.	7.9.	H. ½.	Schreb. gram. 2. t. 35.
2 ægyptia. P. S.	creeping.	_____	Egypt.	1770.	_____	H. ½.	_____
3 indica. P. S.	Indian.	_____	India.	1714.	_____	H. ½.	Rheed. mal. 12. t. 69.
4 virgata. W. en.	fine-spiked.	_____	Jamaica.	1727.	_____	H. ½.	Sloa. jam. 1. t. 70. f. 2.
CHRYSURUS. P. S.	CHRYSURUS.	Gramineæ. B. P.	<i>Cynosuri species L.</i>	_____	_____	_____	_____
cynosuroides. P. S.	golden-spiked.	_____	Levant.	1770.	7.	H. ½.	Host. gram. 3. t. 4.
CYNOSURUS. P. S.	{ DOG'S-TAIL GRASS. }	Gramineæ. B. P.	_____	_____	_____	_____	_____
1 cristatus. W.	crested.	_____	Britain.		8.	H. ½.	Eng. bot. 316.
2 echinatus. W.	rough.	_____	England.		_____	H. ½.	_____ 1333.
3 Lima. W.	imbricated.	_____	Spain.	1776.	7.8.	H. ½.	Cav. ic. 1. t. 91.
4 durus. W.	rigid.	_____	S. Europe.	_____	_____	H. ½.	Host. gram. 2. t. 73.
BECKMANNIA. Host.	BECKMANNIA.	Gramineæ. B. P.	<i>Cynosuri species Willd.</i>	_____	_____	_____	_____
eruceaformis. W. en.	linear-spiked.	_____	Europe.	1773.	7.	H. ½.	Host. gram. 3. t. 6.
DACTYLIS. W. en.	{ COCK'S-FOOT GRASS. }	Gramineæ. B. P.	_____	_____	_____	_____	_____
1 glomerata. W.	rough.	_____	Britain.		6.7.	H. ½.	Eng. bot. 335.
2 hispanica. W. en.	Spanish.	_____	Spain.	1814.	_____	H. ½.	_____
UNIOLA. W.	SEASIDE OAT.	Gramineæ. B. P.	_____	_____	_____	_____	_____
1 latifolia. Ph.	broad-leaved.	_____	N. Amer.	1809.	6.7.	H. ½.	_____
2 paniculata. Ph.	panicle.	_____	_____	1793.	_____	H. ½.	Cates. car. 1. t. 32.
BRIZA. W.	QUAKING GRASS	Gramineæ. B. P.	_____	_____	_____	_____	_____
1 minor. W.	small.	_____	England.		7.8.	H. ½.	Eng. bot. 1316.
2 virens. W.	green.	_____	Spain.	1800.	_____	H. ½.	_____
3 media. W.	common.	_____	Britain.		5.6.	H. ½.	Eng. bot. 340.
4 maxima. W.	greatest.	_____	S. Europe.	1633.	6.7.	H. ½.	Host. gram. 2. t. 30.
CYNODON. P. S.	CYNODON.	Gramineæ. B. P.	<i>Panicæ & Agrostidis species L.</i>	_____	_____	_____	_____
1 Dactylon. P. S.	creeping.	_____	England.		7.	H. ½.	Eng. bot. 850.
2 linearis. W. en.	linear-leaved.	_____	E. Ind.	1796.	7.8.	S. ½.	_____
MILIUM. W.	MILLET-GRASS.	Gramineæ. B. P.	_____	_____	_____	_____	_____
1 lendigerum. W.	Panic.	_____	England.		8.	H. ½.	Eng. bot. 1107.
2 effusum. W.	common.	_____	Britain.		6.7.	H. ½.	_____ 1106.
3 paradoxum. W.	black-seeded.	_____	France.	1771.	_____	H. ½.	Host. gram. 3. t. 23.
4 multiflorum. W. en.	many-flowered.	_____	S. Europe.	1778.	_____	H. ½.	_____ 3. t. 45.
LAGURUS. W.	{ HARE'S-TAIL GRASS }	Gramineæ. B. P.	_____	_____	_____	_____	_____
ovatus. W.	oval-spiked.	_____	Guernsey.		6.	H. ½.	Eng. bot. 1334.
ALOPECURUS. W.	{ FOX-TAIL GRASS. }	Gramineæ. B. P.	_____	_____	_____	_____	_____
1 indicus. W.	giant.	_____	Jamaica.	1739.	7.10.	H. ½.	_____
2 bulbosus. W.	bulbous.	_____	England.		7.	H. ½.	Eng. bot. 1249.
3 pratensis. W.	meadow.	_____	Britain.		5.	H. ½.	_____ 759.
4 alpinus. E. B.	Alpine.	_____	Scotland.		5.6.	H. ½.	_____ 1126.
5 agrestis. W.	slender.	_____	Britain.		7.8.	H. ½.	_____ 848.
6 geniculatus. W.	floating.	_____	_____		5.8.	H. ½.	_____ 1250.
7 fulvus. E. B.	Orange-spiked.	_____	England.		6.	H. ½.	_____ 1467.
PHLEUM. W.	{ CAT'S-TAIL GRASS. }	Gramineæ. B. P.	_____	_____	_____	_____	_____
1 pratense. W.	common.	_____	Britain.		7.	H. ½.	Eng. bot. 1076.
2 alpinum. W.	Alpine.	_____	Scotland.		_____	H. ½.	_____ 519.
3 nodosum. W.	knotted.	_____	Britain.		7.9.	H. ½.	Flor. dan. t. 380.
4 Buchmeri. W. en.	Phalaris-like.	_____	England.		_____	H. ½.	Eng. bot. 459.

8 Michxii. W. en.	slender-spiked.	Gramineæ. B. P.	Scotland.		6.7. H. ♀.	Eng. bot. 2265.
6 Bellardii. W. en.	bulbous.	-----	Spain.	1798.	— H. ♀.	-----
7 asperum. W. en.	rough.	-----	England.		— H. ♂.	Eng. bot. 1077.
CRYPsis. W.	CRYPsis.	Gramineæ. B. P.	-----	-----	-----	-----
aculeata. W.	prickly.	-----	S. Europe.	1783.	8. H. ♂.	Host. gram. 1. t. 31.
PHALARIS. W. en.	CANARY-GRASS.	Gramineæ. B. P.	-----	-----	-----	-----
1 arundinacea. P. S.	Reed-like.	-----	Britain.		7. H. ♀.	Eng. bot. 402.
2 canariensis. W.	common.	-----	-----		6.8. H. ♂.	----- 1310.
3 aquatica. W.	water.	-----	Egypt.	1778.	6.7. H. ♂.	Host. gram. 2. t. 38.
4 capensis. W.	Cape.	-----	C. B. S.	1804.	— H. ♂.	-----
5 arenaria. W.	sea.	-----	England.		7.8. H. ♂.	Eng. bot. 222.
6 paradoxa. W.	bristle-spiked.	-----	Levant.	1687.	6.7. H. ♂.	Host. gram. 2. t. 40.
TOZZETTIA. Savi.	TOZZETTIA.	Gramineæ. B. P.	-----	-----	-----	-----
pratensis. Sa.	bladdered.	-----	Italy.	1777.	7.8. H. ♂.	Host. gram. 3. t. 7.
PASPALUM. W.	PASPALUM.	Gramineæ. B. P.	-----	-----	-----	-----
1 scrobiculatum. W.	dimpled.	-----	E. Ind.	1778.	7.9. S. ♀.	{ Hout. nat. his. 13. t. 89. f. 3.
2 paniculatum. W.	panicled.	-----	Jamaica.	1782.	— S. ♂.	Sloa. hist. 1. t. 72. f. 2.
3 stoloniferum. W.	purple.	-----	Peru.	1794.	— G. ♀.	Jac. ic. 2. t. 302.
4 distichum. W.	two-spiked.	-----	Jamaica.	1776.	7. S. ♂.	Swar. obs. 35. t. 2. f. 1
DIGITARIA. P. S.	FINGER-GRASS.	Gramineæ. B. P.	-----	-----	-----	-----
1 sanguinalis. P. S.	slender-spiked.	-----	Britain.		8. H. ♂.	Eng. bot. 849.
2 villosa. P. S.	villous.	-----	N. Amer.	1781.	7.9. H. ♂.	-----
3 ægyptiaca. W. en.	Egyptian.	-----	Egypt.	1794.	7. H. ♂.	Jac. obs. 3. t. 70.
4 serotina. P. S.	decumbent.	-----	N. Amer.	1804.	7.8. H. ♂.	-----
5 ciliaris. P. S.	ciliated.	-----	China.	-----	— H. ♂.	-----
6 linearis. P. S.	linear.	-----	India.	-----	— H. ♂.	Bur. ind. 25. t. 10. f. 3.
PANICUM. B. P.	PANIC-GRASS.	Gramineæ. B. P.	-----	-----	-----	-----
1 polystachion. W.	many-spiked.	-----	E. Ind.	1804.	7.8. S. ♂.	-----
2 sericeum. W.	silky.	-----	W. Ind.	1780.	5.9. H. ♂.	-----
3 germanicum. W.	German.	-----	S. Europe.	1548.	7. H. ♂.	Host. gram. 2. t. 15.
4 stagninum. W.	pond.	-----	E. Ind.	1802.	7.8. H. ♂.	-----
5 Crus-corvi. W.	Crow's-foot.	-----	-----	1781.	— H. ♂.	-----
6 Crus-galli. W.	loose.	-----	England.		— H. ♂.	Eng. bot. 876.
7 colonum. W.	purple.	-----	E. Ind.	1699.	— H. ♂.	Ehret. pict. t. 3. f. 3.
8 brizoides. W.	Briza-like.	-----	-----	1801.	6.7. S. ♂.	{ Pluk. alm. 174. t. 191. f. 1.
9 fasciculatum. W.	fascicled.	-----	Jamaica.	-----	— H. ♂.	-----
10 hispidulum. W.	hispid.	-----	E. Ind.	1804.	7.8. H. ♂.	-----
11 cimicinum. W.	spotted.	-----	India.	1778.	7.9. H. ♂.	-----
12 coloratum. W.	coloured.	-----	Egypt.	1771.	— H. ♂.	Jac. ic. 1. t. 12.
13 repens. W.	slender.	-----	S. Europe.	1777.	— H. ♂.	Fl. græc. 1. t. 61.
14 miliaceum. W.	millet.	-----	E. Ind.	1596.	— H. ♂.	Host. gram. 2. t. 20.
15 muricatum. W.	prickly.	-----	-----	1805.	— H. ♂.	-----
16 capillare. W.	hair-panicled.	-----	America.	1758.	6.8. H. ♂.	-----
17 latifolium. W.	broad-leaved.	-----	N. Amer.	1765.	8.9. H. ♀.	Mor. his. 3. t. 5. f. 4.
18 clandestinum. W.	hidden-flowered.	-----	-----	1802.	7. H. ♀.	-----
19 arborescens. W.	tree.	-----	E. Ind.	1776.	3.4. S. ♀.	-----
20 virgatum. W.	long-panicled.	-----	N. Amer.	1781.	8.9. H. ♀.	-----
21 patens. P. S.	spreading.	-----	India.	1804.	7.8. S. ♂.	-----
22 brevifolium. W.	short-leaved.	-----	E. Ind.	1800.	— H. ♂.	Pluk. alm. 176. t. 189
23 divaricatum. W.	straddling.	-----	Jamaica.	1800.	— S. ♀.	Jac. schœn. 1. t. 25.
24 palmifolium.	Palm-leaved.	-----	E. Ind.	1804.	— S. ♀.	-----
<i>plicatum. W. en. different from plicatum. P. S.</i>						
ORTHOPOGON. B. P.	ORTHOPOGON.	Gramineæ. B. P.	-----	-----	-----	-----
hirtellus. B. P.	hairy.	-----	W. Ind.	1795.	6.7. S. ♂.	Host. gram. 3. t. 52.
PENNISETUM. B. P.	PENNISETUM.	Gramineæ. B. P.	-----	-----	-----	-----
1 verticillatum. B. P.	rough.	-----	England.		7.8. H. ♂.	Eng. bot. 874.
2 glaucum. B. P.	glaucous.	-----	S. Europe.	1771.	— H. ♂.	Host. gram. 2. t. 16.
3 viride. B. P.	green.	-----	England.		— H. ♂.	Eng. bot. 875.
4 italicum. B. P.	Italian.	-----	India.	1616.	— H. ♂.	Rum. am. 5. t. 76. f. 2.
5 typhoideum. P. S.	spiked.	-----	-----	1592.	6.7. H. ♂.	Pluk. alm. t. 32. f. 4.
6 cenchroides. P. S.	ciliated.	-----	C. B. S.	1777.	7.8. H. ♂.	Gisecke ic. t. 23.
7 setosum. P. S.	setose.	-----	W. Ind.	1804.	— H. ♂.	-----
SACCHARUM. W.	SUGAR-CANE.	Gramineæ. B. P.	-----	-----	-----	-----
officinatum. W.	common.	-----	India.	1597.	 S. ♀.	Sloan. jam. 1. t. 66.
ROTTBELLIA. W.	HARD-GRASS.	Gramineæ. B. P.	-----	-----	-----	-----
1 incurvata. Roth.	sea.	-----	Britain.		7. H. ♂.	Eng. bot. 760.
2 filiformis. Roth.	thready.	-----	Portugal.	1800.	— H. ♂.	Barr. ic. t. 117. f. 1
3 biflora. Roth.	two-flowered.	-----	Hungary.	1804.	— H. ♂.	-----

TETRANDRIA MONOGYNIA.

4 monandra. Roth.	monandrous.	Gramineæ. B. P.	Spain.	1804.	7.	H.⊙.	Cav. ic. t. 39. f. 1.
5 exaltata. W.	tall.	_____	E. Ind.	1806.	_____	S. ♂.	_____
MICHROCHLOA. B. P.	MICHROCHLOA.	Gramineæ. B. P.	_____	_____	_____	_____	_____
setacea. B. P.	bristly.	_____	E. Ind.	1806.	7.	H.⊙.	Roxb. c. 2. p. 13. t. 132
LEERSIA. B. P.	LEERSIA.	Gramineæ. B. P.	_____	_____	_____	_____	_____
1 oryzoides. Ph.	Virginian.	_____	N. America.	1793.	7.8.	H. 2.	Host. gram. 1. t. 35.
2 Hystrix.	rough.	_____	Levant.	1770.	_____	H.⊙.	Jac. ic. 2. t. 305.

TRIGYNIA.

ERIOCAULON. W.	PIPEWORT.	Restiaceæ. B. P.	_____	_____	_____	_____	_____
septangulare. E. B.	jointed.	_____	Scotland.		9.	H. 2.	Eng. bot. 733.
MONTIA. W.	CHICKWEED.	Portulacææ. J.	_____	_____	_____	_____	_____
fontana. W.	water.	_____	Britain.		4.5.	H.⊙.	Eng. bot. 1206.
KÖENIGIA. W.	KÖENIGIA.	Polygonææ. J.	_____	_____	_____	_____	_____
islandica. W.	Iceland.	_____	Iceland.	1773.	4.	H.⊙.	Lam. ill. gen. t. 51.
HOLOSTEUM. W.	HOLOSTEUM.	Caryophyllææ. J.	_____	_____	_____	_____	_____
umbellatum. W.	umbelliferous.	_____	England.		7.8.	H.⊙.	Eng. bot. 27.
POLYCARPON. W.	ALL-SEED.	Caryophyllææ. J.	_____	_____	_____	_____	_____
tetraphyllum. W.	four-leaved.	_____	England.		7.	H.⊙.	Eng. bot. 1031.
MOLLUGO. W.	MOLLUGO.	Caryophyllææ. J.	_____	_____	_____	_____	_____
verticillata. W.	whorled.	_____	Virginia.	1748.	6.8.	H.⊙.	Ehret. pict. t. 6.
MINUARTIA. W.	MINUARTIA.	Caryophyllææ. J.	_____	_____	_____	_____	_____
1 dichotoma. W.	forked.	_____	Spain.	1771.	6.7.	H.⊙.	{ Act. stockh. 1758. t. 1. f. 2.
2 campestris. W.	field.	_____	_____	1806.	_____	H.⊙.	_____ t. 1. f. 3.
3 montana. W.	mountain.	_____	_____	_____	_____	H.⊙.	_____ t. 1. f. 4.
QUERIA. W.	QUERIA.	Caryophyllææ. J.	_____	_____	_____	_____	_____
hispanica. W.	Spanish.	_____	Spain.	1800.	5.9.	H.⊙.	_____
LECHEA. W.	LECHEA.	Caryophyllææ. J.	_____	_____	_____	_____	_____
1 major. W.	greater.	_____	Canada.	1780.	7.8.	H. 2.	Lam. ill. 1. t. 52. f. 2.
2 minor. W.	lesser.	_____	_____	1802.	_____	H. 2.	_____ t. 52. f. 1.

CLASS IV.

TETRANDRIA MONOGYNIA.

PETROPHILA. L. T.	PETROPHILA.	Proteaceæ. B. P.	Protea species Willd.	_____	_____	_____	_____
1 pulchella. L. T.	Fennel-leaved.	_____	N. S. W.	1790.	7.8.	G. h.	Bot. mag. 796.
2 diversifolia. L. T.	various-leaved.	_____	N. Holland.	1803.		G. h.	_____
ISOPOGON. L. T.	ISOPOGON.	Proteaceæ. B. P.	Protea species Willd.	_____	_____	_____	_____
1 anethifolius. L. T.	Dill-leaved.	_____	N. Holland.	1796.	3.6.	G. h.	Cav. ic. 6. t. 549.
2 formosus. L. T.	handsome.	_____	_____	1805.	_____	G. h.	_____
3 anemonifolius. L. T.	Anemone-leaved.	_____	_____	1791.	7.8.	G. h.	Bot. mag. 697.
4 trilobus. L. T.	three-lobed.	_____	_____	1803.	5.6.	G. h.	_____
PROTEA. L. T.	PROTEA.	Proteaceæ. B. P.	Erodendri species Knts. Prot.	_____	_____	_____	_____
1 cynaroides. L. T.	Artichoke-flow ^d .	_____	C. B. S.	1774.	11.3.	G. h.	Bot. mag. 770.
2 latifolia. L. T.	ray-flowered.	_____	_____	1806.	7.9.	G. h.	_____ 1717.
3 compacta. L. T.	compact.	_____	_____	1810.		G. h.	_____
4 longiflora. L. T.	milk-coloured.	_____	_____	1795.	1.3.	G. h.	Ex. bot. 2. t. 81.
5 speciosa. L. T.	splendid.	_____	_____	1786.	3.6.	G. h.	Knight's prot. c. ic.
6 obtusa. Kn. P.	obtuse.	_____	_____	_____	_____	G. h.	Bot. rep. 110.
7 formosa. L. T.	crown-flowered.	_____	_____	1789.	5.6.	G. h.	Bot. mag. 1713.
8 melaleuca. L. T.	black-fringed.	_____	_____	1786.	3.7.	G. h.	Bot. rep. 103.
9 Lepidocarpon. L. T.	crested.	_____	_____	1806.	_____	G. h.	_____ 301. 2.
10 nerifolia. L. T.	Oleander-leaved.	_____	_____	_____	2.4.	G. h.	Bot. reg. 208.
11 pulchella. L. T.	wave-leaved.	_____	_____	1795.	3.8.	G. h.	Bot. reg. 20.
12 patens. L. T.	spreading.	_____	_____	1789.	3.6.	G. h.	Bot. rep. 543.
13 magnifica. Kn. P.	magnificent.	_____	_____	_____	_____	G. h.	_____ 438.
14 longifolia. L. T.	long-leaved.	_____	_____	1798.	3.8.	G. h.	Bot. reg. 47.
15 umbonalis. Kn. P.	embossed.	_____	_____	_____	_____	G. h.	Bot. rep. 144.
16 ligulæfolia. Kn. P.	strap-leaved.	_____	_____	_____	_____	G. h.	_____ 133.
17 mellifera. L. T.	honey-bearing.	_____	_____	1774.	12.5.	G. h.	Bot. mag. 346.
18 graudiflora. L. T.	great-flowered.	_____	_____	1787.	5.6.	G. h.	Wein. phyt. 4. t. 891.
19 Scolymus. L. T.	small-flowered.	_____	_____	1780.	_____	G. h.	Bot. mag. 698.
20 mucronifolia. L. T.	dagger-leaved.	_____	_____	1803.	7.12.	G. h.	_____ 933.

21 nana. L. T.	dwarf.	Proteaceæ. B. P.	C. B. S.	1787.	4.7.	G. h.	Ex. bot. 1. t. 44.
22 pendula. L. T.	pendulous.	_____	_____	1806.	3.6.	G. h.	_____
23 tenax. L. T.	tough.	_____	_____	1801.	2.5.	G. h.	Par. lond. 70.
24 canaliculata. L. T.	channel-leaved.	_____	_____	1800.	12.2.	G. h.	Bot. rep. 437.
25 acuminata. B. M.	sharp-pointed.	_____	_____	1809.	3.6.	G. h.	Bot. mag. 1694.
26 acaulis. L. T.	short-stalked.	_____	_____	1802.	5.9.	G. h.	{ Boerh. lugd. bat. 2068 2. p. 191.
27 glaucophylla. Kn. P.	glaucous-leaved.	_____	_____	_____	7.9.	G. h.	Par. lond. 11.
28 lavis. L. T.	smooth-leaved.	_____	_____	1806.		G. h.	3.70. 2439
29 scabra. L. T.	rough-leaved.	_____	_____	1809.		G. h.	_____
30 repens. L. T.	creeping.	_____	_____	1800.		G. h.	_____
31 turbiniflora. L. T.	turfy.	_____	_____	1803.	4.5.	G. h.	Par. lond. 103.
32 Scolopendrium. L. T.	Hart's-tongue.	_____	_____	1802.		G. h.	_____
33 cordata. L. T.	heart-leaved.	_____	_____	1790.	3.5.	G. h.	Bot. rep. 289.
34 amplexicaulis. L. T.	stem-clasping.	_____	_____	1802.	1.3.	G. h.	Par. lond. 67.
35 humilis. L. T.	low-flowering.	_____	_____	_____	6.8.	G. h.	Bot. rep. 532.
36 acerosa. L. T.	Pine-leaved.	_____	_____	1803.	3.5.	G. h.	577. 531
LEUCOSPERMUM L. T.		LEUCOSPERMUM. Proteaceæ. B. P.					
1 lineare. L. T.	linear-leaved.	_____	C. B. S.	1774.	8.9.	G. h.	{ Thunb. prot. n. 35. t. 4.
2 tottum. L. T.	smooth-bracted.	_____	_____	_____	6.8.	G. h.	_____
3 medium. L. T.	oval-leaved.	_____	_____	1794.		G. h.	_____
4 formosum. Kn. P.	handsome.	_____	_____	1784.	5.8.	G. h.	Bot. rep. 17.
5 ellipticum. L. T.	elliptic.	_____	_____	1803.		G. h.	_____
6 Conocarpum. L. T.	many-toothed.	_____	_____	1774.		G. h.	Pluk. phyt. t. 200. f. 2
7 grandiflorum. L. T.	great-flowered.	_____	_____	1800.	5.7.	G. h.	Par. lond. 116.
8 puberum. L. T.	downy-leaved.	_____	_____	1774.	5.8.	G. h.	_____
9 tomentosum. Kn. P.	cottony.	_____	_____	1789.	8.9.	G. h.	_____
10 parile. Kn. P.	matched.	_____	_____	_____	_____	G. h.	_____
11 candicans. B. R.	Rose-scented.	_____	_____	1790.		G. h.	Bot. rep. 294.
12 Hypophyllum. L. T.	trifid-leaved.	_____	_____	1787.		G. h.	Pluk. mant. t. 440. f. 3
MIMETES. L. T.		Proteaceæ. B. P. Proteæ species Willd.					
1 hirta. L. T.	hairy.	_____	C. B. S.	1774.	6.8.	G. h.	{ Wein. phyt. 4. t. 899. f. a.
2 palustris. Kn. P.	marsh.	_____	_____	1802.	_____	G. h.	{ Boerh. lugd. 2. p. 194. c. t.
3 cucullata. L. T.	three-toothed.	_____	_____	1789.		G. h.	{ Pluk. alm. 212. t. 304. f. 6.
4 divaricata. L. T.	divaricate.	_____	_____	1795.	6.9.	G. h.	_____
5 vacciniifolia.	Vaccinium-leav ^d .	_____	_____	1800.		G. h.	_____
<i>Diastella vacciniifolia. Knts. Prot.</i>		_____					
6 purpurea. L. T.	Heath-leaved.	_____	_____	1789.	11.12.	G. h.	_____
SERRURIA. L. T.		Proteaceæ. B. P. Proteæ species Willd.					
1 abrotanifolia. Kn. P.	Southernwood- ^{ld}	_____	C. B. S.	1803.	6.8.	H. h.	Bot. rep. 522.
2 millefolia. Kn. P.	thousand-leaved.	_____	_____	_____	_____	G. h.	337.
3 artemisiæfolia. Kn. P.	Wormwood- ^{ld} .	_____	_____	1789.	_____	G. h.	264.
4 pinnata. L. T.	slender.	_____	_____	1803.	_____	G. h.	512.
5 arenaria. L. T.	sand.	_____	_____	_____	_____	G. h.	_____
6 cyanoides. L. T.	trifid-leaved.	_____	_____	_____	_____	G. h.	{ Pluk. mant. 61. t. 345. f. 6.
7 pedunculata. L. T.	woolly-headed.	_____	_____	1789.	_____	G. h.	Bot. rep. 264.
8 Niveni. L. T.	Nivens.	_____	_____	1800.	_____	G. h.	349.
9 ciliata. L. T.	ciliated.	_____	_____	1803.	_____	G. h.	_____
10 phyllicoides. L. T.	Phylla-flowered	_____	_____	1788.	_____	G. h.	Bot. rep. 507. f. 4.
11 æmula. L. T.	grey-branched.	_____	_____	1803.	_____	G. h.	_____
12 parilis. Kn. P.	matched.	_____	_____	_____	_____	G. h.	Bot. rep. 507.
13 odorata.	sweet-scented.	_____	_____	_____	_____	G. h.	545.
14 emarginata.	emarginated.	_____	_____	1800.	_____	G. h.	536.
<i>Serruria arenaria. Knts. Prot.</i>		_____					
15 glomerata. L. T.	many-headed.	_____	_____	1789.	_____	G. h.	Burm. afr. t. 99. f. 2.
16 decipiens. L. T.	decipient.	_____	_____	1806.	_____	G. h.	_____
17 Roxburgii. L. T.	Roxburgh's.	_____	_____	_____	_____	G. h.	_____
18 Burmanni. L. T.	Burmah's.	_____	_____	1786.	_____	G. h.	Burm. afr. t. 99. f. 1.
19 triternata. L. T.	silvery-flowered.	_____	_____	1802.	_____	G. h.	Bot. rep. 447.
20 elongata. L. T.	long-peduncled.	_____	_____	1800.	_____	G. h.	_____
NIVENIA. L. T.		Proteaceæ. B. P. Paranomus. Knts. Prot. Proteæ species Willd.					
1 Sceptrum. L. T.	sceptre-like.	_____	C. B. S.	1790.	5.6.	G. h.	{ Sparr. act. st. 1777. p. 53. t. 1.
2 spatulata. L. T.	maiden-hair- ^{ld} .	_____	_____	_____	7.8.	G. h.	Thunb. diss. n. 58. t. 5
3 spicata. L. T.	spiked.	_____	_____	1786.	6.8.	G. h.	_____

TETRANDRIA MONOGYNIA.

4 crithmifolia. L. T.	Samphire-leaved.	Proteaceæ. B. P.	C. B. S.	1797.	6.8.	G. h.	Bot. rep. 245.
5 media. L. T.	middle.	_____	_____	1803.	_____	G. h.	_____
SOROCEPHALUS. } L. T.	SOROCEPHALUS.	Proteaceæ. B. P.	<i>Soranthæ. Knts. Prot. Proteæ species Willd.</i>	_____	_____	_____	_____
1 imberbis. L. T.	smooth.	_____	C. B. S.	1806.	6.8.	G. h.	_____
2 spatuloides. L. T.	club-bearing.	_____	_____	1803.	_____	G. h.	_____
3 tenuifolia. L. T.	slender-leaved.	_____	_____	1802.	_____	G. h.	_____
4 lanatus. L. T.	woolly.	_____	_____	1790.	6.9.	G. h.	Thunb. dis. n. 30. t. 3.
5 imbricatus. L. T.	imbricated.	_____	_____	1794.	4.7.	G. h.	Bot. rep. 517.
SPATALLA. L. T.	SPATALLA.	Proteaceæ. B. P.	<i>Proteæ species Willd.</i>	_____	_____	_____	_____
1 prolifera. L. T.	proliferous.	_____	C. B. S.	1800.	6.8.	G. h.	Thunb. diss. 27. t. 4.
2 incurva. L. T.	incurved-leaved.	_____	_____	1789.	5.6.	G. h.	22. t. 3.
3 Thunbergii. L. T.	Thunberg's.	_____	_____	1806.	_____	G. h.	_____
PERSOONIA. L. T.	PERSOONIA.	Proteaceæ. B. P.	<i>Linkia. Cav. ic.</i>	_____	_____	_____	_____
1 hirsuta. L. T.	hairy.	_____	N. S. W.	1800.	5.7.	G. h.	_____
2 linearis. L. T.	linear-leaved.	_____	_____	1794.	7.8.	G. h.	Bot. mag. 760.
3 lanceolata. L. T.	spear-leaved.	_____	_____	1791.	6.7.	G. h.	Bot. rep. 74.
4 salicina. L. T.	Willow-leaved.	_____	_____	1795.	_____	G. h.	_____
GREVILLEA. L. T.	GREVILLEA.	Proteaceæ. B. P.	<i>Stylurus. Lysanthæ & Grevillea. Knight's Prot. Emborrhii species Willd.</i>	_____	_____	_____	_____
1 sericea. L. T.	silky.	_____	N. S. W.	1790.	4.9.	G. h.	Bot. mag. 862.
2 linearis. L. T.	linear-leaved.	_____	_____	_____	_____	G. h.	Bot. rep. 272. 2661
3 riparia. L. T.	river-side.	_____	_____	1791.	_____	G. h.	_____
4 arenaria. L. T.	sand.	_____	_____	1803.	4.9.	G. h.	_____
5 acuminata. L. T.	acute-leaved.	_____	_____	1805.	_____	G. h.	_____
6 stylosa. Kn. P.	long-styled.	_____	_____	1809.	_____	G. h.	_____
7 mucronulata. L. T.	Podalyria-leav'd.	_____	_____	_____	_____	G. h.	_____
8 buxifolia. L. T.	Box-leaved.	_____	_____	1790.	2.9.	G. h.	Bot. rep. 218. 2663
9 collina. Kn. P.	hill.	_____	_____	1802.	3.7.	G. h.	_____
10 asplenifolia. L. T.	Asplenium-leav'd	_____	_____	1806.	_____	G. h.	_____
HAKEA. L. T.	HAKEA.	Proteaceæ. B. P.	<i>Conchium. Smith.</i>	_____	_____	_____	_____
1 pugioniformis. L. T.	dagger-fruited.	_____	N. S. W.	1796.	5.6.	G. h.	Cav. ic. 6. t. 535.
2 parilis. Kn. P.	matched.	_____	Van Diem.	_____	_____	G. h.	_____
3 obliqua. L. T.	oblique-flower'd.	_____	N. Holland.	1803.	1.1.	G. h.	_____
4 gibbosa. L. T.	gibbous-fruited.	_____	N. S. W.	1790.	5.6.	G. h.	Cav. ic. 6. t. 534.
5 acicularis. L. T.	needle-leaved.	_____	_____	1790.	_____	G. h.	Vent. mal. 111.
6 suaveolens. L. T.	sweet-smelling.	_____	N. Holland.	1803.	11.1.	G. h.	_____
7 florida. L. T.	many-flowered.	_____	_____	_____	5.6.	G. h.	2570
8 ilicifolia. L. T.	Holly-leaved.	_____	_____	_____	7.9.	G. h.	_____
9 nitida. L. T.	glossy.	_____	_____	_____	6.7.	G. h.	2546
10 amplexicaulis. L. T.	stem-clasping.	_____	_____	_____	_____	G. h.	_____
11 prostrata. L. T.	trailing.	_____	_____	_____	_____	G. h.	_____
12 ceratophylla. L. T.	horn-leaved.	_____	_____	_____	_____	G. h.	_____
13 undulata. L. T.	wave-leaved.	_____	_____	1803.	_____	G. h.	_____
14 oleifolia. L. T.	Olive-leaved.	_____	_____	1794.	6.7.	G. h.	_____
15 saligna. L. T.	Willow-leaved.	_____	_____	1791.	4.7.	G. h.	Bot. rep. 215.
16 cinerea. L. T.	hoary-leaved.	_____	_____	1803.	6.7.	G. h.	_____
17 dactyloides. L. T.	nerved-leaved.	_____	N. S. W.	1790.	6.8.	G. h.	Cav. ic. 6. t. 535.
18 elliptica. L. T.	oval-leaved.	_____	N. Holland.	1794.	_____	G. h.	_____
LAMBERTIA. L. T.	LAMBERTIA.	Proteaceæ. B. P.	_____	_____	_____	_____	_____
formosa. L. T.	handsome.	_____	N. S. W.	1788.	6.8.	G. h.	Bot. rep. 69. 2529
XYLOMELUM. L. T.	XYLOMELUM.	Proteaceæ. B. P.	_____	_____	_____	_____	_____
pyriforme. L. T.	Pear-fruited.	_____	N. S. W.	1789.		G. h.	Cav. ic. 6. t. 536.
TELOPEA. L. T.	WARATAH.	Proteaceæ. B. P.	<i>Embothrii species Willd.</i>	_____	_____	_____	_____
speciosissima. L. T.	splendid.	_____	N. S. W.	1789.	5.7.	G. h.	Bot. mag. 1123.
LOMATIA. L. T.	LOMATIA.	Proteaceæ. B. P.	<i>Embothrii species Willd.</i>	_____	_____	_____	_____
1 silaifolia. L. T.	cut-leaved.	_____	N. S. W.	1792.	6.8.	G. h.	Bot. mag. 1272.
2 longifolia. L. T.	long-leaved.	_____	_____	1816.		G. h.	Bot. mag. 542
RHOPALA. L. T.	RHOPALA.	Proteaceæ. B. P.	_____	_____	_____	_____	_____
1 dentata. L. T.	tooth-leaved.	_____	S. America.	1802.	5.8.	S. h.	_____
2 sessilifolia. L. T.	sessile-leaved.	_____	Guiana.	1803.		S. h.	Rudge guian. 1. t. 31
BANKSIA. L. T.	BANKSIA.	Proteaceæ. B. P.	_____	_____	_____	_____	_____
1 pulchella. L. T.	small-flowered.	_____	N. Holland.	1805.		G. h.	_____
2 sphærocarpa. L. T.	round-fruited.	_____	_____	1803.		G. h.	_____
3 nutans. L. T.	nodding-flower'd	_____	_____	1803.	6.9.	G. h.	_____
4 ericifolia. L. T.	Heath-leaved.	_____	N. S. W.	1788.	1.12.	G. h.	Bot. mag. 738.
5 spinulosa. L. T.	spiny.	_____	_____	_____	12.5.	G. h.	Bot. rep. 457.
6 collina. L. T.	hill.	_____	_____	1800.		G. h.	_____
7 occidentalis. L. T.	West-coast.	_____	N. Holland.	1803.		G. h.	_____
8 littoralis. L. T.	seaside.	_____	_____	_____		G. h.	_____

9 marginata. L. T.	various-leaved.	Proteaceæ. B. P.	N. S. W.	1804.	5.8.	G. h.	Cav. ic. 6. t. 544.
10 integrifolia. L. T.	entire-leaved.	_____	_____	1788.		G. h.	6.t.545 & 546
11 verticillata. L. T.	verticillate.	_____	N. Holland.	1794.	7.10.	G. h.	_____
12 coccinea. L. T.	scarlet-flowered.	_____	_____	1803.		G. h.	_____
13 paludosa. L. T.	marshy.	_____	N. S. W.	1805.	1.4.	G. h.	_____
14 oblongifolia. L. T.	oblong-leaved.	_____	_____	1788.	5.8.	G. h.	Cav. ic. 6. t. 542.
15 latifolia. L. T.	broad-leaved.	_____	N. S. W.	1802.	5.8.	G. h.	Cav. ic. 6. t. 543.
16 marcescens. L. T.	short-leaved.	_____	N. Holl.	1794.	1.12.	G. h.	Bot. rep. 258.
17 attenuata. L. T.	smooth-flower'd.	_____	_____	_____		G. h.	_____
18 serrata. L. T.	saw-leaved.	_____	N. S. W.	1788.	7.9.	G. h.	Bot. rep. 82.
19 æmula. L. T.	deeply-sawed.	_____	_____	_____		G. h.	_____
20 quercifolia. L. T.	Oak-leaved.	_____	N. Holland.	1805.		G. h.	_____
21 speciosa. L. T.	long-leaved.	_____	_____	_____	5.8.	G. h.	_____
22 grandis. L. T.	great-flowered.	_____	_____	1794.		G. h.	_____
23 repens. L. T.	creeping.	_____	_____	1803.		G. h.	Voya.deLab.1.t.23.
DRYANDRA. L. T.	DRYANDRA.	Proteaceæ. B. P.	_____	_____	_____	_____	_____
1 floribunda. L. T.	many-flowered.	_____	N. Holland.	1803.	1.12.	G. h.	Bot. mag. 1581.
2 cuneata. L. T.	wedge-leaved.	_____	_____	_____	1.12.	G. h.	_____
3 armata. L. T.	acute-leaved.	_____	_____	_____	1.12.	G. h.	_____
4 formosa. L. T.	splendid.	_____	_____	_____	_____	G. h.	_____
5 plumosa. L. T.	feathered.	_____	_____	_____		G. h.	_____
6 obtusa. L. T.	obtuse-leaved.	_____	_____	_____		G. h.	_____
7 nivea. L. T.	white-leaved.	_____	_____	_____	7.9.	G. h.	Voya.deLab.1.t.24.
8 longifolia. L. T.	long-leaved.	_____	_____	1805.	1.12.	G. h.	Bot. mag. 1582.
9 tenuifolia. L. T.	fine-leaved.	_____	_____	1803.	3.5.	G. h.	_____
GLOBULARIA. W.	GLOBULARIA.	Globulariæ.	_____	_____	_____	_____	_____
1 longifolia. W.	long-leaved.	_____	Madeira.	1775.	7.8.	G. h.	Sloan.jam.1.t.5.f.3.
2 Alypum. W.	three-toothed.	_____	S. Europe.	1640.	8.9.	G. h.	{ Nissolle in act. par. 1712. t. 18.
3 vulgaris. W.	common.	_____	Europe.	_____	5.6.	H. 2.	Schku.hand.1.t.21.
4 spinosa. W.	prickly-leaved.	_____	Spain.	_____	_____	G. 2.	_____
5 cordifolia. W.	wedge-leaved.	_____	Germany.	1633.	6.7.	H. 2.	Jac. aus. 3. t. 245.
6 nudicanlis. W.	naked-stalked.	_____	_____	1629.	_____	H. 2.	3. t. 230.
ADINA. P. L.	ADINA.	Globulariæ.	_____	_____	_____	_____	_____
globiflora. P. L.	globe-flowered.	_____	China.	1804.	7.8.	S. h.	Par. lon. 115.
CEPHALAN- THUS. W.	_____	BUTTON-WOOD.	Rubiaceæ. J.	_____	_____	_____	_____
occidentalis. W.	American.	_____	N. Amer.	1735.	8.	H. h.	Schmidt arb.1.t.45
DIPSACUS. W.	TEASEL.	Dipsaceæ. J.	_____	_____	_____	_____	_____
1 fullonum. W.	manured.	_____	Britain.		7.	H. 2.	Eng. bot. 2080.
2 sylvestris. W.	wild.	_____	_____	_____	7.	H. 2.	1032.
3 laciniatus. W.	cut-leaved.	_____	Germany.	1683.	7.8.	H. 2.	Jac. aust. 5. t. 403.
4 pilosus. W.	small.	_____	Britain.		8.	H. 2.	Eng. bot. 877.
SCABIOSA. W.	SCABIOUS.	Dipsaceæ. J.	_____	_____	_____	_____	_____
1 alpina. W.	Alpine.	_____	Switzerland.	1570.	6.7.	H. 2.	Bes.eyst.æst.t.8.f.1
2 albenscens. W. en.	whitish.	_____	Siberia.	1804.	_____	H. 2.	_____
3 rigida. W.	rough-leaved.	_____	C. B. S.	1731.	7.	G. h.	Comm.hort.2.t.93.
4 attenuata. W.	narrow-leaved.	_____	_____	1774.	7.9.	G. h.	_____
5 transylvanica. W.	Transylvanian.	_____	Transylvania.	1699.	7.	H. 2.	Jac. vind. 2. t.111.
6 syriaca. W.	Syrian.	_____	Syria.	1633.	_____	H. 2.	Mor.bis.3.t.14.f.14
7 leucantha. W.	white-flowered.	_____	France.	_____	9.10.	H. 2.	Ger.emac.721.f.8.
8 corniculata. P. S.	horned.	_____	Hungary.	1801.	7.8.	H. 2.	{ Pl. rar. hung. p. 11. t. 13.
9 dichotoma. W. en.	forked.	_____	Sicily.	1804.	6.8.	H. 2.	_____
10 Succisa. W.	Devil's-bit.	_____	Britain.		8.10.	H. 2.	Eng. bot. 878.
11 integrifolia. W.	red-flowered.	_____	France.	1748.	6.8.	H. 2.	_____
12 tatarica. W.	Tartarian.	_____	Russia.	1759.	_____	H. 2.	Act.upsal.1744.t.1.
13 arvensis. W.	field.	_____	Britain.	_____	7.10.	H. 2.	Eng. bot. 659.
14 uralensis. W.	Uralian.	_____	Siberia.	1789.	7.8.	H. 2.	{ Murr. com. got. 1782. t. 4.
15 sylvatica. W.	broad-leaved.	_____	Austria.	1633.	7.	H. 2.	Jac. aus. 4. t. 362.
16 longifolia. P. S.	long-leaved.	_____	Hungary.	1802.	7.8.	H. 2.	Pl. rar. hun. p.4.t.5.
17 canescens. P. S.	hoary.	_____	_____	_____	_____	H. 2.	p. 53. t. 52.
18 gramuntia. W.	cut-leaved.	_____	S. Europe.	1597.	7.8.	H. 2.	Ger.herb. 582. f. 2.
19 columbaria. W.	fine-leaved.	_____	Britain.		_____	H. 2.	Eng. bot. 1311.
20 grandiflora. P. S.	great-flowered.	_____	Barbary.	1804.	6.9.	H. 2.	Scop.del.ins.3.t.14.
21 lucida. P. S.	shining.	_____	Dauphiny.	1800.	_____	H. 2.	_____
22 scicula. W.	Sicilian.	_____	Sicily.	1783.	8.	H. 2.	Jac. vind. 1. t. 15.
23 rutæfolia. P. S.	Rue-leaved.	_____	_____	1804.	6.8.	H. 2.	Bocc. sic. t. 52.
24 maritima. W.	sea.	_____	Italy.	1693.	7.	H. 2.	_____

25 stellata. W.	starry.	Dipsacæ. J.	Spain.	1596.	7.8.	H.⊙.	Clus. hist. 2. p. 1. ic.
26 prolifera. W.	prolific.	_____	Egypt.	1683.	_____	H.⊙.	Herm. parad. t. 125.
27 atropurpurea. W.	sweet.	_____		1629.	7.9.	H.♂.	Bot. mag. 247.
28 argentea. W.	silvery.	_____	Levant.	1713.	6.10.	H.♀.	{ Desf. ann. mus. 11. t. 24.
29 urceolata. P. S.	jagged.	_____	Barbary.	1804.	7.8.	H.	Moris. 6. t. 13. f. 24.
30 africana. W.	African.	_____	Africa.	1690.	7.10.	G. h.	Herm. par. t. 219.
31 Massoni.	Masson's.	_____	Azores.	1779.	6.8.	H.♀.	_____
<i>Scabiosa lucida. Hort. Kew.</i>							
32 cretica. W.	Cretan.	_____	Crete.	1596.	6.10.	G. h.	Mor. his. 3. t. 15. f. 31.
33 graminifolia. W.	Grass-leaved.	_____	Switzerland.	1683.	6.	H.♀.	Pl. rar. hun. 2. t. 188. 83
34 caucasea. B. M.	Caucasian.	_____	Caucasus.	1803.	7.8.	H.♀.	Bot. mag. 886.
35 lyrata. W.	lyrate-leaved.	_____	Turkey.	1799.	_____	G. ♂.	_____
36 palestina. W.	Palestine.	_____	Palestine.	1771.	_____	H.⊙.	Jac. vind. 1. t. 96.
37 isetensis. W.	Siberian.	_____	Siberia.	1801.	_____	H. ♂.	Gmel. sib. 2. t. 88.
38 ucranica. W.	Ukraine.	_____	Ukraine.	1795.	9.	H.♀.	_____ 2. t. 87.
39 ochroleuca. W. en.	pale-flowered.	_____	Germany.	1597.	7.8.	H.♀.	Jac. aust. 5. t. 439.
40 banatica. P. S.	Hungarian.	_____	Hungary.	1800.	_____	H.♀.	Pl. rar. hun. 10. t. 12.
41 papposa. W.	downy-headed.	_____	S. Europe.	1739.	7.	H.⊙.	_____
KNAUTIA. W. Dipsacæ. J.							
1 orientalis. W.	red-flowered.	_____	Levant.	1713.	6.9.	H.⊙.	Schku. han. 1. t. 22.
2 propontica. W.	purple-flowered.	_____	_____	1768.	6.8.	H. ♂.	Till. pis. 153. t. 48.
ALLIONIA. W. Nyctagineæ. J. in Ann. Mus.							
1 linearis. Ph.	linear-leaved.	_____	Louisiana.	1812.	7.8.	H.	_____
2 hirsuta. Ph.	hairy.	_____	_____	_____	_____	H.	_____
OPERCULARIA. W. Nyctagineæ? J. in Ann. Mus.							
aspera. W.	rough-seeded.	_____	N. S. W.	1790.	6.7.	G. h.	{ Ann. du mus. 4. t. 70. f. 1.
CRYPTOSPERMUM. P. S. } { CRYPTO- } Nyctagineæ? J. Operculariæ species Young. in L. T.							
Youngii. P. S.	chaffy.	_____	N. S. W.	1793.	7.8.	G. ♀.	Linn. trans. 3. t. 5.
SPERMACOCE. W. RUBIACEÆ. J.							
1 tenuior. W.	slender.	_____	W. Ind.	1732.	6.8.	H.⊙.	Schku. hand. 1. t. 22.
2 latifolia. W.	broad-leaved.	_____	Guiana.	1803.	7.	S. ♂.	Aub. gui. 1. t. 19. f. 1.
3 strigosa. B. M.	Cross-wort.	_____	W. Ind.	1760.	7.8.	S.⊙.	Bot. mag. 1558.
4 radicans. W.	rooting.	_____	Guiana.	1803.	7.	S. ♀.	Aub. gui. 1. t. 20. f. 4.
5 verticillata. W.	whorl-flowered.	_____	Africa.	1732.	6.8.	S. h.	Dil. elt. t. 277. f. 358.
6 hispida. W.	bristly.	_____	E. Ind.	1781.	8.9.	S.⊙.	Mur. com. got. 3. t. 6.
7 rubra. W. en.	red.	_____		1804.	6.8.	S. ♂.	Jac. schœn. 3. t. 256.
SHEPARDIA. W. RUBIACEÆ. J.							
1 arvensis. W.	little.	_____	Britain.		4.9.	H.⊙.	Eng. bot. 891.
2 muralis. W.	wall.	_____	Italy.	1805.	6.8.	H.⊙.	All. ped. 34. t. 77. f. 1.
ASPERULA. W. RUBIACEÆ. J.							
1 odorata. W.	sweet-scented.	_____	Britain.		5.6.	H.♀.	Eng. bot. 755.
2 arvensis. W.	field.	_____	Europe.	1596.	7.	H.⊙.	_____
3 taurina. W.	broad-leaved.	_____	Italy.	1739.	4.6.	H.♀.	Moris. s. 9. t. 21. f. 1.
4 crassifolia. W.	thick-leaved.	_____	Levant.	1775.	6.	H.♀.	_____
5 tinctoria. W.	narrow-leaved.	_____	Europe.	1764.	6.7.	H.♀.	Tabern. ic. 151.
6 cynanchica. W.	small.	_____	England.		7.	H.♀.	Eng. bot. 33.
7 lævigata. W.	shining.	_____	S. Europe.	1775.	6.	H.♀.	Moris. his. t. 21. f. 4.
8 montana. W. en.	mountain.	_____	Hungary.	1801.	6.7.	H.♀.	_____
HOUSTONIA. W. RUBIACEÆ. J.							
1 cærulea. W.	blue-flowered.	_____	N. America.	1785.	5.3.	H.♀.	Bot. mag. 370.
2 purpurea. W.	purple-flowered.	_____	_____	1800.	_____	H.♀.	_____
GALIUM. W. RUBIACEÆ. J.							
1 rubioides. W.	Madder-leaved.	_____	S. Europe.	1775.	7.	H.♀.	_____
2 palustre. W.	water.	_____	_____		7.8.	H.♀.	Eng. bot. 1857.
3 Witheringii. E. B.	rough.	_____	England.		6.7.	H.♀.	_____ 2206.
4 austriacum. W.	Austrian.	_____	Europe.	1804.	_____	H.♀.	Jac. aust. t. 90.
5 Bocconi. W.	Boccone's.	_____	_____	1801.	5.6.	H.♀.	Boc. mus. 145. t. 101.
6 saxatile. W.	smooth Heath.	_____	Britain.		4.9.	H.♀.	Eng. bot. 815.
7 erectum. E. B.	upright.	_____	_____		6.7.	H.♀.	_____ 2067.
8 pusillum. W.	least.	_____	England.		7.8.	H.♀.	_____ 74.
9 verum. W.	Cheese-rennet.	_____	Britain.		_____	H.♀.	_____ 660.
10 Mollugo. W.	great hedge.	_____	_____		_____	H.♀.	_____ 1673.
11 sylvaticum. W.	wood.	_____	S. Europe.	1658.	_____	H.♀.	_____
12 linifolium. W.	Flax-leaved.	_____	_____	1759.	6.7.	H.♀.	Barrel. ic. 583.
13 rigidum. W.	rigid.	_____		1778.	_____	H.♀.	_____
14 aristatum. W.	awned.	_____	Italy.	1699.	_____	H.♀.	Boc. mus. 93. t. 75.
15 tyrolense. W. en.	Tyrolese.	_____	Tyrol.	1801.	7.	H.♀.	_____

16 glaucum. W.	glaucous.	Rubiaceæ. J.	S. Europe.	1710. 6.9.	H. 2.	Jac. aust. 1. t. 81.
17 purpureum. W.	purple.	_____	Switzerland.	1731. 6.7.	H. 2.	_____
18 rubrum. W.	red.	_____	Italy.	1597. _____	H. 2.	Ger. herb. 967. f. 3.
19 spurium. E. B.	spurious.	_____	Britain.	_____	H. 2.	Eng. bot. 1871.
20 uliginosum. W.	marsh.	_____	_____	 7.8.	H. 2.	_____ 1972.
21 anglicum. E. B.	wall.	_____	England.	_____	H. 2.	_____ 384.
22 boreale. W.	crssp-leaved.	_____	Britain.	 7.	H. 2.	Eng. bot. 105.
23 Aparine. W.	Cleaver's.	_____	_____	 5.8.	H. 2.	_____ 816.
24 pilosum. W.	hairy.	_____	N. America.	1778. 6.7.	H. 2.	_____
25 græcum. W.	Candian.	_____	Candia.	1798. _____	H. 2.	Alp. exo. 167. t. 166.
CRUCIANELLA. W.	Cross-wort.	Rubiaceæ. J.	_____	_____	_____	_____
1 angustifolia. W.	narrow-leaved.	_____	France.	1658. 6.7.	H. 2.	Ex. bot. 2. t. 109.
2 latifolia. W.	broad-leaved.	_____	_____	1633. _____	H. 2.	Schic. 67. t. 29. & 24.
3 ægyptiaca. W.	Egyptian.	_____	Egypt.	1800. _____	H. 2.	_____
4 patula. W.	spreading.	_____	Spain.	1798. _____	H. 2.	_____
5 pubescens. W.	pubescent.	_____	Candia.	1799. 7.8.	G. 2.	_____
6 ciliata. W.	ciliated.	_____	Levant.	1805. _____	H. 2.	_____
7 maritima. W.	sea.	_____	France.	1640. _____	G. 2.	_____
8 monspeliaca. W.	Mont'pelier.	_____	_____	1791. _____	H. 2.	_____
9 molluginoides. W. en. }	Mollugo-like.	_____	Caucasus.	1800. _____	H. 2.	_____
RUBIA. W.	MADDER.	Rubiaceæ. J.	_____	_____	_____	_____
1 tinctorum. W.	dyer's.	_____	S. Europe.	1596. 6.	H. 2.	_____
2 petegrina. W.	wild.	_____	England.	 7.	H. 2.	Eng. bot. 851.
3 lucida. W.	shining.	_____	Majorca.	1762. _____	G. 2.	_____
4 fruticosa. W.	prickly-leaved.	_____	Canaries.	1779. 9.	G. 2.	Jac. ic. 1. t. 25.
5 angustifolia. W.	narrow-leaved.	_____	Minorca.	1772. 7.8.	G. 2.	_____
6 cordifolia. W.	heart-leaved.	_____	Siberia.	1783. 7.	H. 2.	{ Pall. it. 3. p. 715, t. L. f. 1.
CATESBÆA. W.	LILY THORN.	Rubiaceæ. J.	_____	_____	_____	_____
1 spinosa. W.	spiny.	_____	I. Providence	1726. 5.9.	S. 2.	Bot. mag. 131.
2 parviflora. P. S.	small-flowered.	_____	Jamaica.	1810.	S. 2.	Sloa. his. 2. t. 207. f. 1.
IXORA. W.	_____	Rubiaceæ. J.	_____	_____	_____	_____
1 grandiflora.	sessile-leaved.	_____	E. Ind.	1814.	S. 2.	Bot. reg. 154.
2 coccinea.	scarlet.	_____	China.	1690. 7.8.	S. 2.	Bot. mag. 169.
3 parviflora. W.	small-flowered.	_____	E. Ind.	1800. 8.10.	S. 2.	Vah. sy. 3. p. 11. t. 52.
4 alba. W.	white.	_____	_____	1768. 6.	S. 2.	Rheed. mal. 2. t. 14.
5 blanda. B. Reg.	charming.	_____	_____		S. 2.	Bot. reg. 100.
PAVETTA. W.	PAVETTA.	Rubiaceæ. J.	_____	_____	_____	_____
indica. W.	Indian.	_____	E. Ind.	1791. 8.10.	S. 2.	Bot. reg. 198.
BOUWARDIA. H. K.	BOUWARDIA.	Rubiaceæ. J.	_____	_____	_____	_____
1 triphylla. H. K.	three-leaved.	_____	Mexico.	1794. 4.11.	G. 2.	Par. lond. 88.
2 versicolor. B. Reg.	various-coloured	_____	S. Amer.?	1814. 7.9.	G. 2.	Bot. reg. 245.
ZIERIA. Sm.	ZIERIA.	_____	_____	_____	_____	_____
Smithii. B. M.	Smith's.	_____	N. S. W.	1808. 4.7.	G. 2.	Bat. mag. 1395.
SIDERODENDRUM. W.	IRON-TREE.	Rubiaceæ. J.	_____	_____	_____	_____
triflorum. W.	three-flowered.	_____	W. Ind.	1792.	S. 2.	Jac. am. 19. t. 175. f. 9
CHOMELIA. W.	CHOMELIA.	Rubiaceæ. J.	_____	_____	_____	_____
spinosa. W.	spiny.	_____	W. Ind.	1793.	S. 2.	Jac. amer. 18. t. 13.
ÆGIPHILA. W.	ÆGIPHILA.	Verbenaceæ. B. P.	_____	_____	_____	_____
1 martinicensis. W.	Martinico.	_____	W. Ind.	1780. 11.	S. 2.	Jac. obs. 2. t. 27.
2 foetida. W.	fœtid.	_____	_____	1800. 6.7.	S. 2.	_____
3 diffusa. B. R.	diffuse.	_____	_____	1804. 7.8.	S. 2.	Bot. rep.
4 obovata. B. R.	oval-leaved.	_____	_____	_____	S. 2.	Bot. rep.
MITCHELLA. W.	MITCHELLA.	Rubiaceæ. J.	_____	_____	_____	_____
repens. W.	creeping.	_____	N. Amer.	1761. 6.	H. 2.	Cat. car. 1. t. 20.
COCCOCYPSILUM. W.	COCCOCYPSILUM	Rubiaceæ. J.	_____	_____	_____	_____
repens. W.	creeping.	_____	W. Ind.	1793. 5.	S. 2.	Brown. jam. t. 6. f. 1
CALLICARPA. W.	CALLICARPA.	Verbenaceæ. B. P.	_____	_____	_____	_____
1 americana. W.	American.	_____	N. Amer.	1724. 6.7.	G. 2.	Cat. car. 2. t. 47.
2 cana. W.	hoary.	_____	E. Ind.	1799.	S. 2.	_____
3 lanata. W.	woolly.	_____	_____	1788. 6.7.	S. 2.	_____
4 macrophylla. W.	long-leaved.	_____	India.	1808.	S. 2.	Vahl. symb. 3. t. 53.
5 ferruginea. W.	rusty.	_____	Jamaica.	1794. 6.7.	S. 2.	_____
WITHERINGIA. W.	WITHERINGIA.	_____	_____	_____	_____	_____
solanacea. W.	yellow-flowered.	_____	S. Amer.	1742. 5.9.	S. 2.	{ L'Her. sert. ang. 23. t. 1.
MANETTIA. W.	MANETTIA.	Rubiaceæ. J.	_____	_____	_____	_____

coccinea. W.	scarlet.	Rubiaceæ. J.	Guiana.	1806. 5.7.	S. h.	Aub.gui.1.t.37.f.2.
PENÆA. W.	PENÆA.					
1 mucronata. W.	heart-leaved.		C. B. S.	1787. 6.7.	G. h.	Vent. mal. 87.
2 squamosa. W.	scaly.				G. h.	Bot. reg. 106.
BLÆRIA. W.	BLÆRIA.	Ericææ. B. P.				
1 ericoides. W.	heath-leaved.		C. B. S.	1774. 8.10.	G. h.	{ Pet. gaz. 471. t. 2. f. 10.
2 articulata. W.	jointed.			1795. 5.6.	G. h.	
3 purpurea. W.	purple-flowered.			1791. —	G. h.	
4 muscosa. W.	Moss-leaved.			1774. 6.8.	G. h.	
5 ciliaris. W.	ciliated.			1795. —	G. h.	
BUDDLEA. W.	BUDDLEA.	Scrophularinææ. J.				
1 globosa. W.	round-headed.		Chili.	1774. 5.6.	H. h.	Bot. mag. 174.
2 salviafolia. W.	Sage-leaved.		C. B. S.	1760. 8.9.	G. h.	Jac. schœn.1. t. 28.
3 saligna. W. en.	Willow-leaved.			1816. —	G. h.	
EXACUM. W.	EXACUM.	Gentianææ. B. P.				
1 viscosum. Sm.	clammy.		Canaries.	1781. 6.7.	G. ♂.	Smith. ic. fas. 3. t. 18.
2 filiforme. W.	least.		Britain.		H. ⊙.	Eng. bot. 235.
SEBÆA. B. P.	SEBÆA.	Gentianææ. B. P.	Exaci species L.			
cordata. B. P.	heart-leaved.		C. B. S.	1815. 7.8.	H. ⊙.	Burm. afr. t. 74. f. 5.
FRASERA. Walt.	FRASERA.	Gentianææ. B. P.				
carolinensis. P. S.	Carolina.		Carolina.	1795. 7.8.	H. ♂.	
PLANTAGO. W.	PLANTAIN.	Plantaginææ. B. P.				
1 major. W.	greater.		Britain.	 5.7.	H. ♀.	Eng. bot. 1558.
2 crassa. W.	thick-leaved.		S. Europe.	1793. 6.7.	H. ♀.	Jac. col. sup. 34. t. 16.
3 asiatica. W.	broad-leaved.		Siberia.	1787. 7.	H. ♀.	
4 maxima. W.	hollow-leaved.			1763. 7.8.	H. ♀.	Jac. ic. 1. t. 26.
5 media. W.	hoary.		Britain.	 5.7.	H. ♀.	Eng. bot. 1559.
6 virginica. W.	Virginian.		N. America.	1688. 6.9.	H. ⊙.	Mor. his. 3. t. 15. f. 8.
7 altissima. W.	tall.		Italy.	1774. 6.7.	H. ♀.	Jac. obs. 4. t. 83.
8 lanceolata. W.	Rib-Grass.		Britain.	 5.7.	H. ♀.	Eng. bot. 507.
9 capensis. W.	Cape.		C. B. S.	1788. 5.8.	G. h.	
10 Lagopus. W.	round-headed.		Spain.	1683. 6.7.	H. ♀.	{ Wein. phyt. 4. t. 820. f. 2.
11 lusitanica. W.	Portugal.			1781. 7.8.	H. ♀.	Barrel. ic. 119. t. 745.
12 albicans. W.	woolly.		S. Europe.	1776. 6.9.	H. ♀.	Cav. ic. 2. t. 124?
13 patagonica. W.	Patagonian.		Patagonia.	1793. —	H. ⊙.	Jac. ic. 2. t. 306.
14 hirsuta. W.	hairy.		C. B. S.	1801. 6.7.	G. ♂.	Jac. schœn. 3. t. 253.
15 villosa. P. S.	villous.		Germany.	1804. —	H. ♂.	
16 Wulfeni. W. en.	Wulfen's.			1802. —	H. ♀.	
17 alpina. W.	Alpine.		Austria.	1774. —	H. ♀.	Jac. vind. 2. t. 125.
18 Bellardi. W.	Bellardi's.		S. Europe.	1797. —	H. ⊙.	Allio. ped. 1. t. 85. f. 3.
19 cretica. W.	Cretan.		Candia.	1711. 6.7.	H. ⊙.	
20 maritima. W.	sea.		Britain.	 7.	H. ♀.	Eng. bot. 175.
21 graminea. P. S.	Grass-leaved.		France.	1804. 6.7.	H. ♀.	
22 recurvata. W.	recurved-leaved.		S. Europe.	1799. —	H. ♂.	{ Murr. com. gott. 1780. t. 6.
23 subulata. W.	awl-leaved.			1596. 7.	H. ♀.	Lob. ic. 439.
24 macrorrhiza. W.	large-rooted.		Morocco.	1798. 7.8.	H. ♀.	Mor. his. t. 17. f. 2.
25 Serraria. W.	saw-leaved.		Barbary.	1640. 6.7.	H. ♀.	Col. cephr. t. 259.
26 Coronopus. W.	Star of the Earth		Britain.	 4.9.	H. ⊙.	Eng. bot. 892.
27 Lœflingii. W.	narrow-leaved.		Spain.	 7.8.	H. ⊙.	Jac. vind. 2. t. 126.
28 Cornuti. W.	cut-leaved.			1801. —	H. ♀.	Jac. ic. 1. t. 27.
29 amplexicaulis. W.	stem-leaved.		Spain.	1797. 6.7.	H. ⊙.	Cav. ic. 2. t. 125.
30 Psyllium. W.	Fleawort.		S. Europe.	1562. 7.8.	H. ⊙.	
31 arenaria. P. S.	sand.		Hungary.	1804. 5.8.	H. ⊙.	Pl. rar. hung. t. 51.
32 squarrosa. W.	leafy-spiked.		Egypt.	1787. 8.9.	H. ⊙.	Jac. ic. 1. t. 28.
33 indica. W.	Indian.		India.	1780. 7.8.	H. ⊙.	
34 stricta. P. S.	upright.		Morocco.	1804. —	H. ⊙.	Scous. mar. 1. ic. 145
35 pumila. W.	dwarf.		S. Europe.	1790. —	H. ⊙.	{ Murr. com. gott. 1778. t. 5.
36 Cynops. W.	shrubby.			1596. 5.8.	H. h.	{ Wein. phyt. 4. t. 837. f. a.
37 afro. W.	Barbary.		Sicily.	1640. 6.	H. ♂.	Mor. his. 3. t. 17. f. 4.
SCOPARIA. W.	SCOPARIA.	Scrophularinææ. B. P.				
dulcis. W.	sweet.		Jamaica.	1730. 6.9.	S. ⊙.	Herm. par. t. 241.
CENTUNCULUS. W.	{ BASTARD PIMPERNEL. }	Primulaceæ. B. P.				
minimus. W.	least.		Britain.	 6.7.	H. ⊙.	Eng. bot. 521.

SANGUISORBA. W.		GREAT BURNET. Rosaceæ. J.				
1 officinalis. W.	officinal.	Britain.		6.8. H. ½.	Eng. bot. 1312.	
β auriculata.	earcd.	Italy.		— H. ½.	Bocc. mus. 19. t. 9	
2 media. W.	short-spiked.	Canada.	1785.	7.9. H. ½.	Zan. his. 181. t. 138.	
3 canadensis. W.	Canadian.		1633.	— H. ½.	Cor. can. 175. t. 174.	
CISSUS. W.		CISSUS.	Vites. J.			
1 vitiginea. W.	Vine-leaved.	India.	1772.	 S. h.	{ Pluk. mant. 27. t. 337. f. 2.	
2 Ampelopsis. P. S.	heart-leaved.	N. Amer.	1803.	 H. h.		
3 antarctica. Ven.	Kanguru-Vine.	N. S. W.	1790.	6.8. G. h.	Vent. choix. 21. 2488.	
4 sicyoides. W.	naked-leaved.	Jamaica.	1768.	 S. h.	Jac. amer. 22. t. 15.	
5 quadrangularis. W.	square-stalked.	E. Ind.	1790.	 S. h.	Forsk. ic. t. 2.	
6 capensis. W.	Cape.	C. B. S.	1792.	 G. h.		
7 acida. W.	acid.	Jamaica.	1692.	 S. h.	Jac. schœn. 1. t. 33.	
8 trifoliata. W.	three-leaved.		1739.	 S. h.	Slo. jam. 1. t. 144. f. 2.	
9 hederacea. P. S.	{ Virginian Creeper. }	N. America.	1629.	6.7. H. h.	Corn. canad. t. 100.	
10 hirsuta. Ph.	hairy.		1806.	 H. h.		
11 pentaphylla. W.	five-leaved.	Japan.	1790.	4.9. G. h.		
12 quinata. H. K.	wedge-leaved.	C. B. S.	—	7. G. h.		
13 stans. P. S.	Pepper-Vine.	N. America.	1700.	7.9. H. h.	Pluc. mant. t. 412. f. 2	
EPIMEDIUM. W.		BERBERIDES. J.				
alpinum. W.	Alpine.	England.		4.5. H. ½.	Eng. bot. 438.	
CORNUS. W.		CAPRIFOLIAE. J.				
1 suecica. W.	Dogwood.	Britain.		4. H. ½.	Eng. bot. 310.	
2 canadensis. W.	dwarf.	Canada.	1774.	6.8. H. ½.	Bot. mag. 889.	
3 florida. W.	Canadian.	N. America.	1731.	4.5. H. h.	— 526.	
4 mascula. W.	great-flowered.					
	{ Cornelian Cherry. }	Austria.	1596.	2.4. H. h.	Schm. arb. 2. t. 63. 2675.	
5 sanguinea. W.	common.	Britain.		6.7. H. h.	Eng. bot. 249.	
6 alba. W.	white-berried.	Siberia.	1741.	6.9. H. h.	Sch. arb. 2. t. 65.	
7 sericea. W.	blue-berried.	N. America.	1683.	8. H. h.	— 2. t. 64.	
8 circinata. W.	Pennsylvanian.		1784.	7.8. H. h.	— 2. t. 69.	
9 stricta. W.	upright.		1758.	6.7. H. h.	— 2. t. 67.	
10 paniculata. W.	panicked.		—	H. h.	— 2. t. 68.	
11 alternifolia. W.	alternate-leaved.		1760.	9. H. h.	— 2. t. 70.	
FAGARA. W.		FAGARA.	Terebintaceæ. J.			
1 Pterota. W.	Lentiscus-leaved	Jamaica.	1768.	8.9. S. h.	Bro. jam. 146. t. 5. f. 1	
2 Piperita. W.	Ash-leaved.	Japan.	1773.	9. G. h.	Kemp. amœn. t. 893	
3 tragodes. W.	prickly-leaved.	W. Ind.	1759.	 S. h.	Jac. amer. 21. t. 14.	
MONETIA. W.		MONETIA.	<i>..... Azima. Lamarck & Pers. Syn.</i>			
barlerioides. W.	four-spined.	E. Ind.	1758.	7. S. h.	L. Ker. sti. nov. 1. t. 1.	
PTELEA. W.		{ SHRUBBY TREFOIL. }	Terebintaceæ. J.			
trifoliata. W.	three-leaved.	N. America.	1704.	6.7. H. h.	Schr. arb. 2. t. 76.	
LUDWIGIA. W.		LUDWIGIA.	Onagrarieæ. J.			
1 alternifolia. W.	large capsuled.	Virginia.	1752.	6.7. H. ⊙.	Lam. ill. 1. t. 77.	
2 hirsuta. Ph.	hairy.	N. America.	1812.	6.8. H. ½.		
ISNARDIA. W.		ISNARDIA.	Onagrarieæ. J.			
palustris. W.	marsh.	Europe, &c.	1776.	7. H. ⊙.	Sch. han. 1. t. 25.	
OLDENLANDIA. W.		OLDENLANDIA.	Rubiaceæ. J.			
1 umbellata. W.	Indian Madder.	E. Ind.	1792.	7.8. S. ½.	Roxb. cor. 1. t. 3.	
2 corymbosa. W.	Hyssop-leaved.	Jamaica.	1739.	6.10. S. ⊙.	{ Ehret. pict. t. 2. f. 1. & t. 4.	
AMMANNIA. W.		AMMANNIA.	Salicariæ. J.			
1 latifolia. W.	broad-leaved.	W. Ind.	1733.	7.3. S. ⊙.	Slo. u. jam. 1. t. 7. f. 4	
2 debilis. W.	cluster-flowered.	E. Ind.	1778.	— H. ⊙.		
3 ramosior. W.	branching.	Virginia.	1759.	— H. ⊙.		
4 sanguinolenta. W.	bloody.	Jamaica.	1803.	— H. ⊙.		
TRAPA. W.		{ WATER-CALTROPS. }	{ Hydrocharideæ B. P. }			
1 natans. W.	European.	Europe.	1781.	6.8. H. ⊙.	Bot. reg.	
2 bicornis. W.	Chinese.	China.	1790.	 G. ½.	Gært. sem. 2. t. 95.	
DORSTENIA. W.		DORSTENIA.	Urticeæ. J.			
1 brasiliensis. W.	Brazilian.	S. America.	1792.	3.4. S. ½.		
2 Houstoni. W.	Houstoun's.		1747.	6.7. S. ½.	{ Houst. phil. trans. 37. t. 2.	
3 Contrajerva. W.	{ Contrajerva Root. }		1748.	5.8. S. ½.	Jac. ic. 3. t. 614.	

POTHOS. W.	POTHOS.	Aroideæ. B. P.					
1 acaulis. W.	stemless.	_____	W. Ind.	1790.	4.7.	S. ½.	Jac. amer. 240. t. 153
2 lanceolata. W.	lance-leaved.	_____	Barbadoes.	_____	_____	S. ½.	Plum. amer. 47. t. 62
3 violacea. W.	blue-fruited.	_____	Jamaica.	1793.	4.6.	S. ½.	_____
4 cannaefolia. H. K.	sweet-scented.	_____	W. Ind.	1789.	4.5.	S. ½.	Bot. mag. 603.
5 crassinervia. W.	thick-nerved.	_____	S. America.	1796.		S. ½.	Jac. ic. 3. t. 609.
6 cordata. W.	heart-leaved.	_____	America.	1770.	4.	S. ½.	Plum. ic. 26. t. 38.
7 sagittata. B. M.	arrow-leaved.	_____	W. Ind.	1800.	8.	S. ½.	Bot. mag. 1584.
8 macrophylla. W.	large-leaved.	_____	_____	1794.	5.6.	S. ½.	Jac. ic. 3. t. 610.
9 obtusifolia. H. K.	blunt-leaved.	_____	Barbadoes.	1790.	_____	S. ½.	_____
10 fetida. H. K.	Scunkweed.	_____	N. America.	1735.	3.4.	H. ½.	Bot. mag. 836.
11 palmata. W.	palmated.	_____	S. America.	1803.	6.7.	S. ½.	Plum. amer. 49. t. 64
12 pentaphylla. W.	five-leaved.	_____	Cayenne.	_____	10.11.	S. ½.	Bot. mag. 1375.
CURTISIA. W.	HASSAGAY-TREE.	_____					
faginea. W.	Beech-leaved.	_____	C. B. S.	1775.		G. ½.	Burm. afr. 235. t. 82.
CHLORANTHUS. W.	CHULAN.	_____					
1 inconspicuus. W.	trailing.	_____	China.	1781.	5.9.	G. ½.	{ L'Herit. sert. ang. 35. t. 2.
2 erectus.	upright.	_____	_____	1809.	6.8.	G. ½.	_____
ELÆAGNUS. W.	OLÉASTER.	Elæagni. J.					
1 angustifolia. W.	narrow-leaved.	_____	S. Europe.	1633.	7.	H. ½.	Pall. ross. 1. t. 4.
2 argentea. Ph.	silvery.	_____	N. America.	1813.	7.3.	H. ½.	_____
3 orientalis. W.	oriental.	_____	Levant.	1748.	_____	G. ½.	{ Pafl. ross. 1. t. 5. Burm. zeyl. 92. t. 39. f. 2.
4 latifolia. W.	broad-leaved.	_____	E. Ind.	1712.	_____	S. ½.	_____
SANTALUM. W.	SANDAL-WOOD.	Santalaceæ. B. P.	Sirium. L. & Roxb.				
album. W.	white.	_____	E. Ind.	1804.		S. ½.	Roxb. cor. 1. t. 2.
STRUTHIOLA. W.	STRUTHIOLA.	Thymelææ. B. P.					
1 juniperina. W.	drooping.	_____	C. B. S.	1758.	4.9.	G. ½.	Bot. mag. 222.
2 erecta. W. en.	upright.	_____	_____	1798.	_____	G. ½.	_____
3 ovata. W.	oval-leaved.	_____	_____	1792.	2.6.	G. ½.	Bot. rep. 119.
4 imbricata. H. K.	tiled-leaved.	_____	_____	1794.	4.8.	G. ½.	_____ 113.
5 tomentosa. H. K.	downy-leaved.	_____	_____	1799.	8.9.	G. ½.	_____ 334.
6 virgata. H. K.	twiggy.	_____	_____	1779.	4.8.	G. ½.	_____ 139.
7 ciliata. B. R.	ciliated.	_____	_____	_____	_____	G. ½.	_____ 149.
8 pubescens. H. K.	downy.	_____	_____	1790.	_____	G. ½.	Bot. mag. 1812.
RIVINA. W.	RIVINA.	Chenopodææ. B. P.					
1 humilis. W.	downy.	_____	W. Ind.	1699.	1.10.	S. ½.	Bot. mag. 1781.
2 canescens. W.	hoary.	_____	_____	1804.	5.8.	S. ½.	_____
3 purpurascens. W. en.	purple.	_____	_____	1815.	_____	S. ½.	_____
4 levis. W.	smooth.	_____	_____	1733.	2.9.	S. ½.	Lam. ill. t. 81. f. 2. 2333
5 brasiliensis. W.	wave-leaved.	_____	Brazil.	1790.	6.7.	S. ½.	_____
6 octandra. W.	climbing.	_____	W. Ind.	1752.	5.6.	S. ½.	Brjam. 149. t. 23. f. 2
CAMPBOROSMA. W.	CAMPBOROSMA.	Chenopodææ. B. P.					
monspeliaca. W.	hairy.	_____	S. Europe.	1640.	8.9.	G. ½.	Schk. hand. 1. t. 26.
ALCHEMILLA. W.	LADIES-MANTLE.	Rosaceæ. J.					
1 vulgaris. W. en.	common.	_____	Britain.		6.8.	H. ½.	Eng. bot. 597.
2 montana. W. en.	mountain.	_____	Saxony.		_____	H. ½.	_____
3 pubescens. W. en.	pubescent.	_____	Caucasus.	1813.	_____	H. ½.	Hort. ber. 2. t. 79.
4 sericea. W. en.	silky.	_____	_____	_____	_____	H. ½.	_____
5 alpina. W.	silvery.	_____	Britain.		7.	H. ½.	Eng. bot. 244.
6 pentaphylla. W.	five-leaved.	_____	Switzerland.	1784.	_____	H. ½.	_____
7 Aphanes. W.	Parsley-piert.	_____	Britain.		4.6.	H. ½.	Eng. bot. 1011.

DIGYNIA.

BUFFONIA. W.	BUFFONIA.	Caryophyllææ. J.					
tenuifolia. W.	slender-leaved.	_____	England.		6.	H. ½.	Eng. bot. 1313.
HAMAMELIS. W.	WITCH-HAZEL.	Berberidææ. J.					
virginica. W.	Virginian.	_____	N. Amer.	1736.	11.5.	H. ½.	Dubam. arb. 1. t. 114
HYPECOUM. W.	HYPECOUM.	Papaveraceæ. J.					
1 procumbens. W.	procumbent.	_____	S. Europe.	1596.	6.7.	H. ½.	Schk. hand. 1. t. 27.
2 pendulum. W.	pendulous.	_____	S. France.	1640.	_____	H. ½.	Park. theat. 372. f. 2.
3 erectum. W.	erect.	_____	Siberia.	1759.	5.6.	H. ½.	Amm. ruth. 58. t. 9.

TETRAGYNIA.

MYGINDA. W.	MYGINDA.	Rhamni. J.					
1 uræoga. W.	saw-leaved.	_____	S. America.	1790.	8.9.	S. ½.	Jac. amer. 24. t. 16.
2 Rhacoma. W.	blunt-leaved.	_____	Jamaica.	1798.		S. ½.	Jac. ic. 2. t. 311.
3 latifolia. W.	broad-leaved.	_____	W. Ind.	1795.	4.5.	S. ½.	_____

ILEX. W.	HOLLY.	Rhamni. J.					
1 Aquifolium. W.	common.	Britain.		4.6.	H. h.	Eng. bot. 496.	
β heterophylla.	various-leaved.	_____		_____	_____	_____	
γ crassifolia.	thick-leaved.	_____		_____	_____	_____	
δ recurva.	slender.	_____		_____	_____	_____	
ε ferox.	hedge-hog.	_____		_____	_____	_____	
ζ flava.	yellow-berried.	_____		_____	_____	_____	
η albo-marginata.	silver-edged.	_____		_____	_____	_____	
θ aureo-marginata.	gold-edged.	_____		_____	_____	_____	
i medio picta.	painted.	_____		_____	_____	_____	
2 laxiflora. Ph.	loose-flowered.	Carolina.	1811.	—	H. h.		
3 opaca. W.	Carolina.	Carolina.	1744.	5.6.	H. h.	Meerb. ic. 2. t. 5.	
4 crocea. W.	African.	C. B. S.	1794.	—	G. h.		
5 Perado. W.	thick-leaved.	Madeira.	1760.	4.5.	G. h.	Meerb. ic. 2. t. 6.	
6 Prinoides. W.	deciduous.	N. America.	—	7.	H. h.		
7 Cassine. Ph.	broad-l'd. Dahoon.	Carolina.	1726.	8.	F. h.	Cat. car. 1. t. 31.	
8 Dahoon. Ph.	Dahoon.	_____	—	5.6.	F. h.		
9 angustifolia. W. en.	Myrtle-leaved.	_____	1806.	—	F. h.		
10 vomitoria. W.	South Sea Tea.	Florida.	1700.		F. h.	Cat. car. 2. t. 57.	
11 canadensis. Ph.	Canadian.	N. America.	1802.	4.5.	H. h.	Mich. amer. 2. t. 49.	
COLDENIA. W.	COLDENIA.	Boragineæ. J.					
procumbens. W.	trailing.	E. Ind.	1699.	7.8.	S. ☉.	Lam. ill. t. 89.	
POTAMOGETON. W.	POND-WEED.	Alismaceæ. B. P.					
1 natans. W.	broad-leaved.	Britain.		8.	H. ʒ.	Eng. bot. 1822.	
2 fluitans. W.	long-leaved.	_____		7.8.	H. ʒ.	1286.	
3 heterophyllum. W.	various-leaved.	_____		—	H. ʒ.	1285.	
4 perfoliatum. W.	perfoliate.	_____		—	H. ʒ.	168.	
5 densum. W.	close-leaved.	_____		5.7.	H. ʒ.	397.	
6 lucens. W.	shining.	_____		6.7.	H. ʒ.	376.	
7 crispum. W.	curled.	_____		—	H. ʒ.	1012.	
8 compressum. W.	flat-stalked.	_____		—	H. ʒ.	418.	
9 pectinatum. W.	Fennel-leaved.	_____		—	H. ʒ.	323.	
10 lanceolatum. E. B.	spear-leaved.	England.		7.8.	H. ʒ.	1985.	
11 gramineum. W.	Grass-leaved.	Britain.		—	H. ʒ.	2253.	
12 pusillum. W.	small.	_____		—	H. ʒ.	215.	
13 setaceum. W.	bristly.	_____		—	H. ʒ.		
RUPPIA. W.	RUPPIA.	Naiades. J.					
maritima. W.	sea.	Britain.		7.	H. ʒ.	Eng. bot. 136.	
SAGINA. W.	PEARLWORT.	Caryophyllæ. J.					
1 procumbens. W.	procumbent.	Britain.		5.9.	H. ☉.	Eng. bot. 880.	
2 apetala. W.	small-flowered.	_____		5.6.	H. ☉.	881.	
3 maritima. E. B.	sea-side.	Ireland.		5.8.	H. ☉.	2195.	
MÖNCHIA. P. S.	MÖNCHIA.	Caryophyllæ. J.					
glaucâ. P. S.	glaucous.	Britain.		4.5.	H. ☉.	Eng. bot. 609.	
TILLEA. W.	TILLEA.	Sempervivæ. J.					
muscosa. W.	moosy.	England.		6.10.	H. ☉.	Eng. bot. 116.	
RADIOILA Sm.	RADIOILA.	_____		—	Linæ species Willd.		
millegrana. Sm.	All-seed.	Britain.		7.8.	H. ☉.	Eng. bot. 893.	

CLASS V.

PENTANDRIA MONOGYNIA.

HELIOTROPIMUM. W. TURNSOLE.		Boraginæ. B. P.	
1 peruvianum. W.	Peruvian.	Peru.	1757. 5.9. G. h. Bot. mag. 141.
2 corymbosum. P. S.	large-flowered.	—	1808. — G. h. — 1609.
3 parviflorum. W.	small-flowered.	W. Ind.	1732. 7.9. S. f. Dill.elt.t.146.f.175
4 europæum. W.	European.	S. Europe.	1562. 6.10. H. c. Jac. aust. 3. t. 207.
5 curassavicum. W.	glaucous.	W. Ind.	1731. 6.7. S. f. Mor.s.11.t.31.f.12.
6 humile. B. P.	dwarf.	S. America.	1752. 5.6. S. h. Plum. ic. 227. f. 2.
<i>Tournefortia humilis Willd.</i>			
7 indicum. W.	Indian.	W. Ind.	1713. 6.8. S. c. Pluk. phyt. 245. f. 4.
8 supinum. W.	trailing.	S. Europe.	1640. 6.7. H. c. Gouan.m.17. c.tab.
MYOSOTIS. B. P.		SCORPION-GRASS. Boraginæ. B. P.	
1 scorpioides. W.	marsh.	Britain.	 4.8. H. H. Eng. bot. 1773.

2 arvensis. W.	field.	Boraginæ. B. P.	Britain.		4.8.	H.⊙.	Eng. bot. 480.
3 nana. W.	dwarf.	—	—		7.	H.2.	Hacq. pl. alp. t. 2. f. 6.
4 obtusa. W. en.	obtusely-calyc'd.	—	Hungary.	1815.	6.7.	H.2.	Pl. rar. hung. 1. t. 100
5 rupicola. E. B.	rock.	—	Scotland.		—	H.2.	Eng. bot. 2559.
LAPPULA. P. S.	LAPPULA.	Boraginæ. B. P.	<i>Myosotis species Willd.</i>				
1 virginiana. P. S.	Virginian.	—	Virginia.	1699.	6.7.	H. ♂.	Mor. h. s. 11. t. 30. f. 9.
2 vulgaris.	common.	—	Europe.	1656.	4.8.	H.⊙.	—
3 squarrosa. P. S.	squarrose.	—	Siberia.	1802.	—	H.⊙.	—
4 pectinata. P. S.	pectinated.	—	—	1797.	6.8.	H.2.	{ Pall. it. 3. app. n. 71. t. E. f. 4.
LITHOSPERMUM. W.	GROWELL.	Boraginæ. B. P.	—				
1 officinale. W.	officinal.	—	Britain.		5.8.	H.2.	Eng. bot. 134.
2 arvense. W.	corn.	—	—		5.6.	H.⊙.	— 123.
3 apulum. W.	small.	—	S. Europe.	1768.	6.7.	H.⊙.	Col. ecph. 1. t. 185.
4 purpureo-caruleum. W.	creeping.	—	England.		5.	H.2.	Eng. bot. 117.
5 fruticosum. W.	shrubby.	—	S. Europe.	1683.	5.6.	H.2.	Barr. ic. 1168.
6 distichum. P. S.	two-rowed.	—	Cuba.	1806.	—	G.2.	—
7 tenuiflorum. W.	slender-flowered.	—	Egypt.	1796.	—	H.⊙.	Jac. ic. 2. t. 313.
8 dispernum. W.	two-seeded.	—	Spain.	1799.	6.7.	H.⊙.	Lin. dec. 1. t. 7.
BATSCHIA. Mich.	BATSCHIA.	Boraginæ. B. P.	—				
1 Gmelini. Ph.	Gmelin's.	—	Carolina.	1812.	5.7.	H.2.	—
2 longiflora. Ph.	long-flowered.	—	Missouri.	—	—	H.2.	—
ONOSMODIUM. Mich.	ONOSMODIUM.	Boraginæ. B. P.	<i>Lithospermi species Willd.</i>				
1 hispidum. M.	Virginian.	—	N. America.	1759.	6.	H.2.	{ Moris. hist. 3. s. 11. t. 28. f. 3.
2 molle. M.	soft.	—	—	1812.	6.8.	H.2.	Mich. amer. t. 15.
ANCHUSA. W.	BUGLOSS.	Boraginæ. B. P.	—				
1 paniculata. W.	panicked.	—	Madeira.	1777.	5.6.	H. ♂.	—
2 capensis. W.	Cape.	—	C. B. S.	1800.	7.	G. ♂.	Bot. rep. 336. 2119
3 officinalis. W.	common.	—	Britain.		6.10.	H.2.	Eng. bot. 662.
4 ochroleuca. B. M.	pale-flowered.	—	M. Caucasus.	1810.	7.8.	H.2.	Bot. mag. 1608.
5 italica. W.	Italian.	—	S. Europe.	1597.	6.10.	H. ♂.	Trew. pl. rar. t. 13.
6 angustifolia. W.	narrow-leaved.	—	—	1640.	5.6.	H.2.	—
7 rupestris.	rock.	—	Siberia.	1802.	7.	H.2.	{ Pall. it. 3. ap. 71. t. E. f. 3.
<i>Myosotis rupestris.</i>	<i>Pallas.</i>	—	—				
8 undulata. W.	waved-leaved.	—	Spain.	1752.	6.8.	H.2.	Barrel. ic. 578.
9 tinctoria. W.	dycer's.	—	Montpellier.	1596.	6.10.	H.2.	Bot. rep. 576.
10 sempervirens. W.	evergreen.	—	Britain.		5.6.	H.2.	Eng. bot. 45.
11 Milleri. W. en.	yellow.	—	Levant.	1713.	—	H.2.	Bot. mag. 515.
CYNOGLOSSUM. W.	{ HOUND'S TONGUE. }	Boraginæ. B. P.	—				
1 officinale. W.	common.	—	Britain.		6.7.	H. ♂.	Eng. bot. 921.
2 sylvaticum. E. B.	green-leaved.	—	—		—	H. ♂.	1642.
3 pictum. W.	Madeira.	—	Madeira.	1658.	8.	G. ♂.	— 2119
4 amplexicaule. Ph.	stem-clasping.	—	N. America.	1812.	5.7.	H.2.	—
5 cheirifolium. W.	silvery-leaved.	—	Levant.	1596.	6.7.	H. ♂.	—
6 apenninum. W. en.	Apennine.	—	Italy.	1731.	4.7.	H. ♂.	—
7 hirsutum. W.	hirsute.	—	C. B. S.	1806.	7.8.	H.⊙.	—
8 glomeratum. Ph.	clustered.	—	N. America.	1812.		H.2.	—
9 linifolium. W.	{ Venus' Navelwort. }	—	Portugal.	1648.	6.8.	H.⊙.	{ Moris. s. 11. f. 30. f. 11.
10 lanatum. W.	woolly.	—	Levant.	1800.	6.	G.2.	—
11 nitidum. W. en.	shining.	—	Portugal.	1812.	4.6.	H.2.	H. & L. Fl. por. 1. t. 25
12 Omphalodes. W.	Comfrey-leaved.	—	S. Europe.	1633.	3.5.	H.2.	Bot. mag. 7.
PULMONARIA. W.	LUNGWORT.	Boraginæ. B. P.	<i>Pulmonaria & Mertensia. Roth.</i>				
1 angustifolia. W.	narrow-leaved.	—	Britain.		4.5.	H.2.	Eng. bot. 1628.
2 officinalis. W.	common.	—	England.		5.	H.2.	— 118.
3 davurica. B. M.	Daurian.	—	Dauria.	1812.	—	H.2.	Bot. mag. 1743.
4 paniculata. W.	panicked.	—	Huds.'s Bay.	1778.	5.6.	H.2.	— 2119
5 lanceolata. Ph.	spear-leaved.	—	Louisiana.	1813.	—	H.2.	—
6 virginica. W.	Virginian.	—	N. America.	1699.	3.5.	H.2.	Bot. mag. 160.
7 sibirica. W.	Siberian.	—	—	1801.	6.7.	H.2.	Gm. sib. 4. n. 15. t. 39.
8 maritima. E. B.	sea.	—	Britain.		—	H.2.	Eng. bot. 368.
SYMPHYTUM. W.	COMFREY.	Boraginæ. B. P.	—				
1 officinale. W.	common.	—	Britain.		5.7.	H.2.	Eng. bot. 817.
2 tuberosum. W.	tuberous.	—	Scotland.		5.10.	H.2.	— 1502.
3 bohemicum. Sch.	red-flowered.	—	Bohemia.		5.7.	H.2.	—

4 orientale. W. en.	eastern.	Boraginæ. B. P.	Turkey.	1752.	5.7.	H. 2.	Buxb. cent. 5. t. 68.
5 tauricum. W. en.	Taurian.	_____	Tauria.	1806.	_____	H. 2.	Bot. mag. 1787.
6 asperinum. H. K.	roughest.	_____	Caucasus.	1799.	5.9.	H. 2.	_____ 929.
7 cordatum. W.	heart-leaved.	_____	Transylvan.	1813.	5.7.	H. 2.	Pl. rar. hung. 6. t. 7.
CERINTHE. W.	HONEYWORT.	Boraginæ. B. P.					
1 major. W.	great.	_____	S. Europe.	1596.	7.3.	H. 2.	Bot. mag. 333.
2 aspera. W.	rough.	_____	_____	1633.	_____	H. 2.	_____
3 minor. W.	small.	_____	Austria.	1570.	6.10.	H. 2.	Jac. aus. 2. t. 124.
ONOSMA. W.	ONOSMA.	Boraginæ. B. P.					
1 simplicissima. W.	linear-leaved.	_____	Siberia.	1768.	4.6.	H. 2.	Gmel. sib. 4. t. 40.
2 taurica. H. K.	golden-flowered.	_____	Caucasus.	1801.	_____	H. 2.	Bot. mag. 889.
3 orientalis. W.	oriental.	_____	Levant.	1752.	5.6.	G. 2.	_____
4 echioides. W.	hairy.	_____	S. Europe.	1683.	3.6.	H. 2.	Jac. aust. 3. t. 295.
5 sericea. W.	silky-leaved.	_____	Levant.	1752.	6.7.	H. 2.	_____
BORAGO. W.	BORAGE.	Boraginæ. B. P.					
1 officinalis. W.	common.	_____	England.		6.9.	H. 2.	Eng. bot. 36.
2 orientalis. W.	oriental.	_____	Turkey.	1752.	3.5.	H. 2.	Mill. ic. 1. t. 68.
3 laxiflora. B. M.	bell-flowered.	_____	Corsica.	1813.	5.8.	H. 2.	Bot. mag. 1798.
TRICHODESMA. B. P.	TRICHODESMA.	Boraginæ. B. P.	<i>Boraginis species Willd.</i>				
1 indica. B. P.	Indian.	_____	E. Ind.	1759.	6.10.	H. 2.	{ Pluk. alm. 30. t. 76. f. 3.
2 africana. B. P.	African.	_____	C. B. S.	_____	7.3.	H. 2.	{ Isnard. act. par. 1718. t. 11.
3 zeylanica. B. P.	Ceylon.	_____	E. Ind.	1799.	_____	S. 2.	Jac. ic. 2. t. 314.
ASPERUGO. W.	{ GERMAN MADWORT. }	Boraginæ. B. P.					
procumbens. W.	procumbent.	_____	Britain.		4.5.	H. 2.	Eng. bot. 661.
LYCOPSIS. W.	WILD BUGLOSS.						
1 vesicaria. W.	bladdered.	_____	S. Europe.	1686.	5.7.	H. 2.	_____
2 pulla. W.	dark-flowered.	_____	Germany.	1648.	6.7.	H. 2.	Jac. aust. 2. t. 188.
3 ciliata. W.	ciliated.	_____	Levant.	1804.	_____	H. 2.	_____
4 variegata. W.	variegated.	_____	Candia.	1683.	_____	H. 2.	{ Moris. s. 11. t. 26. f. 10.
5 arvensis. W.	small.	_____	Britain.		5.8.	H. 2.	Eng. bot. 938.
6 lutea. W.	yellow-flowered.	_____		1805.	6.7.	H. 2.	_____
7 orientalis. W.	oriental.	_____	Levant.	1796.	_____	H. 2.	Buxb. cent. 5. t. 30.
ECHIU. W.	{ VIPER'S BU- GLOSS. }	Boraginæ. B. P.					
1 fruticosum. W.	shrubby.	_____	C. B. S.	1759.	5.6.	G. 2.	Bot. reg. 86. 21 1772
2 candelans. W.	hoary tree.	_____	Madeira.	1777.	_____	G. 2.	_____ 43.
3 grandiflorum. H. K.	great-flowered.	_____	_____	1787.	6.7.	G. 2.	_____ 124.
4 ferocissimum. B. R.	prickly-stalked.	_____	_____	1794.	_____	G. 2.	Bot. rep. 39.
5 giganteum. W.	gigantic.	_____	Canaries.	1779.	7.11.	G. 2.	Vent. mal. 71.
6 strictum. W.	upright.	_____	_____	_____	5.12.	G. 2.	Jac. schœn. 1. t. 35.
7 argenteum. W.	silvery.	_____	C. B. S.	1789.	6.7.	G. 2.	Bot. rep. 154.
8 lævigatum. W.	smooth-stalked.	_____	_____	1774.	_____	G. 2.	_____
9 glabrum. W.	sea-green-leaved.	_____	_____	1791.	5.6.	G. 2.	Jac. ic. 2. t. 312.
10 fastuosum. H. K.	fastuous.	_____	Canaries.	1779.	4.8.	G. 2.	_____
11 nervosum. H. K.	sinewy-leaved.	_____	Madeira.	1777.	6.8.	G. 2.	_____
12 spicatum. W.	spiked dwarf.	_____	C. B. S.	1799.	3.5.	G. 2.	_____
13 plantagineum. W.	Plantain-leaved.	_____	Italy.	1776.	7.10.	H. 2.	Barr. ic. t. 1026.
14 italicum. W.	white.	_____	Jersey.		7.	H. 2.	Eng. bot. 2081.
15 rubrum. W.	red.	_____	Hungary.	1791.	7.8.	H. 2.	Jac. aus. 5. t. ap. 3.
16 vulgare. W.	common.	_____	Britain.		_____	H. 2.	Eng. bot. 181.
17 violaceum. W.	Violet-flowered.	_____	Austria.	1658.	_____	H. 2.	_____
18 maritimum. W.	sea.	_____	Italy.	1815.	_____	H. 2.	Boc. mus. 2. t. 78.
19 pyrenaicum. W. en.	Pyrenean.	_____	Pyrenees.	_____	_____	H. 2.	_____
20 creticum. W.	Cretan.	_____	Levant.	1683.	7.9.	H. 2.	Bot. mag. 1934.
21 orientale. W.	oriental.	_____	_____	1780.	7.8.	H. 2.	Trew. pl. rar. 1. t. 1.
22 lusitanicum. W.	Portugal.	_____	S. Europe.	1731.	7.8.	H. 2.	_____
23 parviflorum. H. K.	small-flowered.	_____	Barbary.	1798.	_____	H. 2.	_____
TOURNEFORTIA. B. P.	TOURNEFORTIA.	Boraginæ. B. P.	<i>Tournefortia & Messerschmidia. Linn.</i>				
1 Messerschmidia.	shrubby.	_____	Canaries.	1779.	6.10.	G. 2.	_____
2 Arguzia.	herbaceous.	_____	Siberia.	1780.	_____	H. 2.	Heb. com. pet. 8. t. 11
3 foetidissima. B. P.	Tobacco-leaved.	_____	Jamaica.	1739.	9.	S. 2.	Plum. ic. 226. t. 230.
4 cymosa. B. P.	broad-leaved.	_____	_____	1777.	7.	S. 2.	Jac. ic. 1. t. 31.
5 bicolor. B. P.	two-coloured.	_____	_____	1812.		S. 2.	_____
6 suffruticosa. W.	hoary-leaved.	_____	_____	1759.		S. 2.	_____

7 volubilis. W.	climbing.	Boragineæ. B. P.	Jamaica.	1752. 7.8.	S. h.	Slo.jam.1.t.143.f.2
CORDIA. B. P.	CORDIA.	Boragineæ. B. P.	<i>Cordia & Varronia. L. & Willd.</i>			
1 Myxa. W.	smooth-leaved.	_____	E. Ind.	1640.	S. h.	Rheed. mal. 4. t. 37.
2 monoica. W.	Birch-leaved.	_____	_____	1799. 3.4.	S. h.	Roxb. cor. 1. t. 58.
3 Sebestena. W.	rough-leaved.	_____	India.	1728. 7.8.	S. 2.	Bot. mag. 794.
4 Geraschanthus. W.	Spanish Ehn.	_____	W. Ind.	1789. 5.	S. h.	Brown.jam. t. 29.f.3
5 macrophylla. W.	broad-leaved.	_____	_____	1752.	S. h.	{ Sloan. jam. 2. t. 221. f. 1.
6 Collococca. W.	long-leaved.	_____	Jamaica.	1759.	S. h.	—, 2. t. 203. f. 2.
7 hirsuta. W.	hairy.	_____	Guiana.	1803. 6.7.	S. h.	Anb. guia. 1. t. 36.
8 elliptica. Sw.	elliptic.	_____	W. Ind.	1804.	S. h.	_____
9 lineata. W.	round-spiked.	_____	_____	1793.	S. h.	Brown.jam. t. 13.f.2
10 mirabiloides. W.	jointed.	_____	Hispaniola.	1798. 9.	S. h.	Jac. amer. 41. t. 33.
11 martinicensis. W.	Martinico.	_____	Martinico.	1795. 8.9.	S. h.	_____ 41. t. 32.
12 curassavica. W.	long-spiked.	_____	S. America.	1759.	S. h.	_____
13 angustifolia. W.	narrow-leaved.	_____	Santa Cruz.	1808.	S. h.	_____
14 Patagonia. W.	spear-leaved.	_____	S. America.	1732. 6.8.	G. h.	Lam. ill. t. 96.
BOURRERIA. Gart.	BOURRERIA.	Boragineæ. B. P.	<i>Ehretia species Willd.</i>			
1 succulenta. Jac.	oval-leaved.	_____	W. Ind.	1758.	S. h.	Jac. obs. 2. p. 2. t. 26.
2 exsucca. Jac.	dry-fruited.	_____	_____	1804.	S. h.	Jac. ame. t. 173.f. 17.
EHRETIA. W.	EHRETIA. W.	Boragineæ. B. P.				
1 tinifolia. W.	Tinus-leaved.	_____	Jamaica.	1734. 6.7.	S. h.	Trew. ehret. 4. t. 25.
2 aspera. W.	rough-leaved.	_____	E. Ind.	1795.	S. h.	Roxb. cor. 1. t. 55.
HYDROPHYL- LUM. W.	WATER-LEAF.	Boragineæ. J.				
1 appendiculatum. Ph.	appendaged.	_____	N. America.	1813. 5.6.	H. 2.	_____
2 virginicum. W.	Virginian.	_____	_____	1789. —	H. 2.	Schku. hand. 1. t. 35.
3 canadense. W.	Canadian.	_____	Canada.	1759. —	H. 2.	Bot. reg. 242.
ELLISIA. W.	ELLISIA.	Boragineæ. J.				
Nyctelea. W.	cut-leaved.	_____	Virginia.	1755. 7.8.	H. 2.	Ehr. na. cur. 2. t. 7.f. 1
NOLANA. W.	NOLANA.	Boragineæ? J.				
prostrata. W.	trailing.	_____	Peru.	1761. 7.9.	H. 2.	Bot. mag. 731.
ARETIA. W.	ARETIA.	Primulaceæ. B. P.				
1 helvetica. W.	imbricated.	_____	Switzerland.	1775. 5.6.	H. 2.	Schk. hand. 1. t. 32.
2 alpina. W.	linear-leaved.	_____	_____	—	H. 2.	Jac. aust. 5. t. app. 18.
3 Vitaliana. W.	Grass-leaved.	_____	Pyrenees.	1787. —	H. 2.	Par. loud. 107.
ANDROSACE. W.	ANDROSACE.	Primulaceæ. B. P.				
1 maxima. W.	oval-leaved.	_____	Austria.	1597. 3.6.	H. 2.	Jac. aus. 4. t. 331.
2 elongata. W.	cluster-flowered.	_____	_____	1776. 4.5.	H. 2.	— 4. t. 330.
3 septentrionalis. W.	tooth-leaved.	_____	Russia.	1755. —	H. 2.	Flor. dan. t. 7. 2021
4 lactiflora. W. en.	milk-coloured.	_____	Siberia.	1815. 6.9.	H. 2.	_____
5 villosa. W.	villous.	_____	Pyrenees.	1790. 6.7.	H. 2.	Bot. mag. 743.
6 coronopifolia. B. R.	Buckshorn-leav ^d	_____	Siberia.	1806. 6.9.	H. 2.	Bot. rep. 647. 2022
7 Chamajasmæ. W.	Grass-leaved.	_____	Austria.	1768. 6.8.	H. 2.	_____
8 lactea. W.	white-flowered.	_____	_____	1752. —	H. 2.	Bot. mag. 868.
9 carnea. W.	awl-leaved.	_____	Switzerland.	1768. 7.8.	H. 2.	Pluk. alm. t. 108. f. 5.
PRIMULA. W.	PRIMROSE.	Primulaceæ. B. P.				
1 vulgaris. E. B.	common.	_____	Britain.	 3.5.	H. 2.	Eng. bot. 4.
β pleno-carnea. B.M.	flesh-col. double.	_____	_____		H. 2.	Bot. mag. 229.
γ pleno-alba.	double white.	_____	_____		H. 2.	_____
δ pleno-sulphurea.	double brimstone.	_____	_____		H. 2.	_____
ε pleno-rubra.	double red.	_____	_____		H. 2.	_____
ζ pleno-cuprea.	double copper.	_____	_____		H. 2.	_____
η pleno-atropurpurea.	double dark purple	_____	_____		H. 2.	_____
2 elatior. W.	Oxlip.	_____	_____		H. 2.	Eng. bot. 513.
3 veris. W.	Cowslip.	_____	_____	 5.6.	H. 2.	— 5.
4 farinosa. W.	Bird's-eye.	_____	_____	 6.7.	H. 2.	— 6.
5 intermedia. B. M.	Siberian Bird's-eye	_____	Siberia.	1806. 5.6.	H. 2.	Bot. mag. 1219.
6 cortusoides. W.	Cortusa-leaved.	_____	_____	1794. 5.7.	H. 2.	— 399.
7 dentiflora. B. R.	tooth-flowered.	_____	_____	1806. —	H. 2.	Bot. rep. 451.
8 longifolia. H. K.	long-leaved.	_____	Levant.	1790. 4.5.	H. 2.	Bot. mag. 392.
9 villosa. W.	villous-leaved.	_____	Switzerland.	1768. —	H. 2.	— 14.
β flore albo.	white-flowered.	_____	_____	—	H. 2.	— 1161.
10 nivalis. W.	snowy.	_____	Dauria.	1790. —	H. 2.	Pal. it. t. G.*f. 2.
11 marginata. W.	silver-edged.	_____	Switzerland.	1777. 3.4.	H. 2.	Bot. mag. 191.
12 Auricula. W.	Auricula.	_____	_____	1596. 4.5.	H. 2.	Jac. aus. 5. t. 415.
13 Palinuri. W. en.	flat-flowered.	_____	Palinuri.	1816. —	H. 2.	_____
14 integrifolia. W.	entire-leaved.	_____	Pyrenees.	1792. 6.7.	H. 2.	Bot. mag. 942.
15 finmarchica. W.	Norwegian.	_____	Norway.	1798. 5.6.	H. 2.	Flor. dan. 188.

16 viscosa. W.	clammy.	Primulaceæ. B. P.	Piedmont.	1792.	4.	H. 4.	Allion. ped. 1. t. 5. f. 1
17 decora. B. M.	comely.					H. 4.	Bot. mag. 1922.
CORTUSA. W.	{ BEAR'S-EAR. } SANICLE.	Primulaceæ. B. P.					
Mathioli. W.	short-calyxed.		Austria.	1596.	4.6.	H. 4.	Bot. mag. 987.
SOLDANELLA. W.	SOLDANELLA.	Primulaceæ. B. P.					
1 alpina. W. en.	Alpine.		Switzerland.	1656.	4.	H. 4.	Bot. mag. 49.
2 montana. W. en.	mountain.		Bohemia.	1816.		H. 4.	
DODECATHEON. W.	{ AMERICAN } COWSLIP.	Primulaceæ. B. P.					
Meadia. W.	Mead's.		Virginia.	1744.	4.6.	H. 4.	Bot. mag. 12.
CYCLAMEN. W.	CYCLAMEN.	Primulaceæ. B. P.					
1 coum. W.	round-leaved.		S. Europe.	1596.	1.4.	H. 4.	Bot. mag. 4.
2 europæum. W.	common.		Austria.		4.	H. 4.	Jac. aust. 5. t. 401.
3 persicum. W.	Persian.		Cyprus.	1731.	2.4.	G. 4.	Bot. mag. 44.
4 hederæfolium. W.	Ivy-leaved.		Britain.		4.	H. 4.	1001.
HOTTONIA. W.	WATER-VIOLET.	Primulaceæ. B. P.					
palustris. W.	marsh.		England.		7.8.	H. 4.	Eng. bot. 364.
LYSIMACHIA. W.	LOOSE-STRIPE.	Primulaceæ. B. P.					
1 vulgaris. W.	common.		Britain.		7.9.	H. 4.	Eng. bot. 761.
2 Ephemerum. W.	Willow-leaved.		Spain.	1730.		H. 4.	{ Mur. com. got. 1782. t. 42. f. 2. }
3 angustifolia. Mi.	narrow-leaved.		N. America.	1803.		H. 4.	
4 dubia. W.	purple-flowered.		Levant.	1759.		H. 4.	{ Mur. com. got. 1782. t. 1. }
5 stricta. W.	upright.		N. America.	1781.	7.8.	H. 4.	Bot. mag. 104.
6 thyrssiflora. W.	tufted.		England.		5.7.	H. 4.	Eng. bot. 176.
7 capitata. Ph.	headed.		N. America.	1813.		H. 4.	
8 punctata. W.	punctated.		Holland.	1658.	7.8.	H. 4.	Jac. aus. 4. t. 366.
9 quadrifolia. Ph.	four-leaved.		N. America.	1794.		H. 4.	Lam. ill. 1. t. 101. f. 2.
10 ciliata. Ph.	ciliated.			1732.		H. 4.	Walth. hort. t. 12.
11 quadriflora. H. K.	four-flowered.			1798.		H. 4.	Bot. mag. 660.
12 hybrida. Ph.	hybrid.			1806.		H. 4.	
13 Linum-stellatum. W.	small.		Italy.	1658.	6.	H. 4.	Magn. b. mon. t. 162
14 nemorum. W.	wood.		Britain.		5.7.	H. 4.	Eng. bot. 527.
15 Nummularia. W.	Moneywort.				6.7.	H. 4.	528.
ANAGALLIS. W.	PIMPERNELL.	Primulaceæ. B. P.					
1 arvensis. W.	common.		Britain.		6.9.	H. 4.	Eng. bot. 529.
2 cærulea. E. B.	blue.					H. 4.	1823.
3 fruticosa. H. K.	large-flowered.		Morocco.	1803.	5.7.	G. 4.	Bot. mag. 831.
4 latifolia. W.	broad-leaved.		Spain.	1759.		G. 4.	Meerb. ic. 1. t. 22.
5 Monelli. W.	blue Italian.		Italy.	1648.	5.9.	G. 4.	Bot. mag. 319.
6 linifolia. W.	Flax-leaved.		Portugal.	1796.	6.7.	G. 4.	
7 tenella. W.	bog.		Britain.		8.9.	H. 4.	Eng. bot. 530.
DIAPENSIA. W.	DIAPENSIA.	Ericææ. P. L.					
lapponica. W.	obtuse-leaved.		Lapland.	1801.	2.3.	H. 4.	Bot. mag. 1108.
PYXIDANTHERA } Mi.	PYXIDANTHERA.	Ericææ. J.					
barbulata. Mi.	barbed.		Carolina.	1806.	7.	H. 4.	Mich. amer. t. 17.
AZALEA. W.	AZALEA.	Rhodoracææ. J.					
1 procumbens. W.	trailing.		Britain.		4.5.	H. 4.	Eng. bot. 865.
2 indica. W.	Indian.		China.	1808.	3.5.	G. 4.	Bot. mag. 1480.
3 pontica. W.	yellow.		Turkey.	1798.	5.6.	H. 4.	438.
4 calendulacea. Ph.	Orange.		N. America.	1806.		H. 4.	1721.
β flammæa.	flame-coloured.			1812.		H. 4.	Bot. reg. 145.
5 canescens. Ph.	downy.					H. 4.	
6 nudiflora. W.	naked-flowered.			1734.		H. 4.	
α coccinea.	small scarlet.					H. 4.	Bot. mag. 180.
β speciosa.	large scarlet.					H. 4.	
γ aurantia.	orange.					H. 4.	
δ cuprea.	copper-coloured.					H. 4.	
ε rutilans.	deep red.					H. 4.	
ζ carnea.	pale red.					H. 4.	Bot. reg. 120.
η alba.	early white.					H. 4.	
θ papilionacea.	variegated.					H. 4.	
ι partita.	five parted.					H. 4.	
κ semiplena.	semidouble.					H. 4.	
λ flore pleno.	double-flowered.					H. 4.	
7 bicolor. Ph.	two-coloured.					H. 4.	Trew ehret. t. 48.
8 viscosa. Ph.	viscid.				7.8.	H. 4.	Meerb. ic. 2. t. 9.

<i>α odoratā.</i>	common white.	Rhodoracæ. J.	N. America.	1734.	7.8.	H. $\frac{1}{2}$.	
<i>β vittata.</i>	striped-flowered.	_____	_____	_____	_____	H. $\frac{1}{2}$.	
<i>γ fissa.</i>	narrow-petaled.	_____	_____	_____	_____	H. $\frac{1}{2}$.	
9 nitida. Ph.	shining-leaved.	_____	_____	1812.	_____	H. $\frac{1}{2}$.	
10 glauca. Ph.	dwarf glaucous.	_____	_____	1734.	6.	H. $\frac{1}{2}$.	
11 hispida. Ph.	tall glaucous.	_____	_____	_____	_____	H. $\frac{1}{2}$.	
SPRENGELIA. B. P.	SPRENGELIA.	Epacridæ. B. P.	_____	_____	_____	_____	
incarnata. B. P.	flesh-coloured.	_____	N. S. W.	1793.	4.6.	H. $\frac{1}{2}$.	Bot. mag. 1719.
ANDERSONIA. B. P.	ANDERSONIA.	Epacridæ. B. P.	_____	_____	_____	_____	
sprengelioides. B. P.	Sprengelia-like.	_____	N. Holland.	1803.	3.7.	G. $\frac{1}{2}$.	Bot. mag. 1645.
LYSINEMA. B. P.	LYSINEMA.	Epacridæ. B. P.	_____	_____	_____	_____	
pungens. B. P.	pungent.	_____	N. S. W.	1804.	2.4.	G. $\frac{1}{2}$.	
<i>α alba.</i>	white-flowered.	_____	_____	_____	_____	_____	Cav. ic. 4. t. 346.
<i>β rubra.</i>	red-flowered.	_____	_____	_____	_____	_____	Bot. mag. 1199.
EPACRIS. B. P.	EPACRIS.	Epacridæ. B. P.	_____	_____	_____	_____	
1 purpurascens. B. P.	rigid.	_____	N. S. W.	1803.	1.3.	G. $\frac{1}{2}$.	Bot. mag. 844.
2 pulchella. B. P.	sweet-scented.	_____	_____	1804.	4.6.	G. $\frac{1}{2}$.	1170.
3 grandiflora. B. P.	crimson.	_____	_____	1803.	1.6.	G. $\frac{1}{2}$.	982.
4 obtusifolia. B. P.	blunt-leaved.	_____	_____	1804.	4.6.	G. $\frac{1}{2}$.	Ex. bot. 1. t. 40.
5 exserta. B. P.	exserted.	_____	Van Diem.	1812.	_____	G. $\frac{1}{2}$.	
MONOTOCA. B. P.	MONOTOCA.	Epacridæ. B. P.	_____	_____	_____	_____	
1 elliptica. B. P.	elliptic.	_____	N. S. W.	1802.	5.8.	G. $\frac{1}{2}$.	
2 lineata. B. P.	lineated.	_____	Van Diem.	1804.	_____	G. $\frac{1}{2}$.	Lab. nov. holl. 1. t. 61
LEUCOPOGON. B. P.	LEUCOPOGON.	Epacridæ. B. P.	_____	_____	_____	_____	
1 lanceolatus. B. P.	small-flowered.	_____	N. S. W.	1790.	5.8.	G. $\frac{1}{2}$.	Bot. rep. 287.
2 ericoides. B. P.	Heath-leaved.	_____	_____	1815.		G. $\frac{1}{2}$.	Cav. ic. 4. t. 347. f. 1.
3 amplexicaulis. B. P.	stem-clasping.	_____	_____	_____		G. $\frac{1}{2}$.	Linn. trans. 8. t. 8.
4 juniperinus. B. P.	Juniper-leaved.	_____	_____	1804.	4.6.	G. $\frac{1}{2}$.	
STENANTHERA. B. P.	STENANTHERA.	Epacridæ. B. P.	_____	_____	_____	_____	
pinifolia. B. P.	Pine-leaved.	_____	N. S. W.	1811.	5.7.	G. $\frac{1}{2}$.	Bot. reg. 218.
ASTROLOMA. B. P.	ASTROLOMA.	Epacridæ. B. P.	_____	_____	_____	_____	
humifusum. B. P.	Juniper-leaved.	_____	N. S. W.	1807.	5.10.	G. $\frac{1}{2}$.	Bot. mag. 1439.
STYPHELIA. B. P.	STYPHELIA.	Epacridæ. B. P.	_____	_____	_____	_____	
1 longifolia. B. P.	long-leaved.	_____	N. S. W.	1807.	4.6.	G. $\frac{1}{2}$.	Bot. reg. 24.
2 viridiflora. B. P.	green-flowered.	_____	_____	1791.	_____	G. $\frac{1}{2}$.	Bot. rep. 312.
3 triflora. B. P.	three-flowered.	_____	_____	1796.	5.8.	G. $\frac{1}{2}$.	Bot. mag. 1297.
4 tubiflora. B. P.	crimson.	_____	_____	1802.	_____	G. $\frac{1}{2}$.	Smith n. holl. t. 14.
PLUMBAGO. W.	LEADWORT.	Plumbaginæ. B. P.	_____	_____	_____	_____	
1 europæa. W.	European.	_____	S. Europe.	1596.	9.10.	H. $\frac{1}{2}$.	Schk. handb. 1. t. 36.
2 zeylanica. W.	Ceylon.	_____	E. Ind.	1731.	4.9.	S. $\frac{1}{2}$.	Rheed. mal. 10. t. 8.
3 rosea. W.	Rose-coloured.	_____	_____	1777.	3.7.	S. $\frac{1}{2}$.	Bot. mag. 230.
4 scandens. W.	climbing.	_____	W. Ind.	1699.	7.8.	S. $\frac{1}{2}$.	Slo. jam. 1. t. 133. f. 1.
5 tristis. H. K.	dark-flowered.	_____	C. B. S.	1792.	5.6.	G. $\frac{1}{2}$.	
CONVOLVULUS. B. P.	BIND-WEED.	Convolvulacæ. B. P.	_____	_____	_____	_____	
1 arvensis. W.	small.	_____	Britain.		6.9.	H. $\frac{1}{2}$.	Eng. bot. 312.
2 Scammonia. W.	Scammony.	_____	Levant.	1596.	7.8.	H. $\frac{1}{2}$.	Mill. ic. 1. t. 102.
3 pannifolius. H. K.	cloth-leaved.	_____		1805.	6.9.	G. $\frac{1}{2}$.	Bot. reg. 222.
4 canariensis. W.	Canary.	_____	Canaries.	1690.	5.9.	G. $\frac{1}{2}$.	Bot. mag. 1228.
5 farinosus. W.	mealy-stalked.	_____	Madeira.	1777.	5.6.	G. $\frac{1}{2}$.	Par. lond. 45.
6 panduratus. W.	Virginian.	_____	N. America.	1732.	6.9.	H. $\frac{1}{2}$.	Dill. elt. t. 85. f. 99.
7 ciliatus. W. en.	hairy.	_____		1816.	7.9.	H. $\frac{1}{2}$.	
8 Batatas. W.	tuberous.	_____	India.	1597.		S. $\frac{1}{2}$.	Rheed. mal. 7. t. 50.
9 maximus. W.	great Ceylon.	_____	Ceylon.	1739.	7.	S. $\frac{1}{2}$.	11. t. 53.
10 suffruticosus. H. K.	shrubby.	_____	Madeira.	1788.	_____	G. $\frac{1}{2}$.	Bot. reg. 133.
11 Hermannia. W.	Peruvian.	_____	Peru.	1799.	8.9.	G. $\frac{1}{2}$.	Jac. ic. 2. t. 315.
12 erubescens. B. M.	Maiden Blush.	_____	N. S. W.	1803.	7.9.	G. $\frac{1}{2}$.	Bot. mag. 1067.
13 althæoides. W.	Althæa-leaved.	_____	Levant.	1597.	6.9.	H. $\frac{1}{2}$.	359.
14 bryoniaefolius. B. M.	Bryony-leaved.	_____	China.	1802.	7.8.	G. $\frac{1}{2}$.	943.
15 macrocarpus. W.	long-fruited.	_____	S. America.	1752.	_____	S. $\frac{1}{2}$.	Plum. ic. t. 91. f. 1.
16 glaber. W.	smooth.	_____	Cayenne.	1806.		S. $\frac{1}{2}$.	Aub. gui. t. 53.
17 siculus. W.	small-flowered.	_____	S. Europe.	1640.	6.8.	H. $\frac{1}{2}$.	Bocc. sic. t. 48.
18 pentapetaloides. W.	Majorca.	_____	Majorca.	1789.	6.	H. $\frac{1}{2}$.	Jac. col. 4. t. 22. f. 2.
19 lineatus. W.	dwarf.	_____	S. Europe.	1714.	_____	H. $\frac{1}{2}$.	Tri. obs. 91. t. 91. f. 2.
20 saxatilis. W.	rock.	_____	_____	1796.	_____	G. $\frac{1}{2}$.	Bocc. mus. 138. t. 96.
21 Cneorum. W.	silvery-leaved.	_____	Levant.	1640.	5.9.	G. $\frac{1}{2}$.	Bot. mag. 459.
22 linearis. W.	narrow-leaved.	_____		1770.	_____	G. $\frac{1}{2}$.	289.
23 Cantabrica. W.	Flax-leaved.	_____	S. Europe.	1680.	_____	H. $\frac{1}{2}$.	Jac. aus. 3. t. 296.
24 Dorycnium. W.	silky-leaved.	_____	Levant.	1806.	6.7.	H. $\frac{1}{2}$.	
25 scoparius. W.	Broom.	_____	Canaries.	1733.	8.9.	G. $\frac{1}{2}$.	Vent. choix. 24.

26 floridus. W.	many-flowered.	Convolvulaceæ. B.P. Canaries.	1779.	8.9.	G. h.	Jac. ic. 1. t. 84.
27 elongatus. W. en.	long-peduncled.	—————	1815.	7.8.	H. ○.	—————
28 tricolor. W.	three-coloured.	————— S. Europe.	1629.	————	H. ○.	Bot. mag. 27.
29 reptans. W.	creeping.	————— E. Ind.	1806.		S. h.	{ Rumph. amb. 5. t. 155. f. 1.
30 hirtus. W.	hairy-stalked.	—————	1804.	6.8.	S. ○.	—————
CALYSTEGIA. B. P.	BEARBIND.	Convolvulaceæ. B.P. <i>Convolvuli species</i> Willd.	—————	————	————	—————
1 sepium, B. P.	great hedge.	————— Britain.		6.9.	H. ½.	Eng. bot. 313.
β incarnata.	red-flowered.	————— N. America.		————	H. ½.	Bot. mag. 732.
2 sylvestris. W. en.	wood.	————— Hungary.	1815.	————	H. ½.	—————
3 spithamea. Ph.	small upright,	————— N. America.	1796.	7.	H. ½.	—————
4 Soldanella. B. P.	sea.	————— Britain.		6.7.	H. ½.	Eng. bot. 314.
IPOMŒA. B. P.	IPOMŒA.	Convolvulaceæ. B.P. <i>Ipomœæ & Convolvuli species</i> Willd.	—————	————	————	—————
1 Quamoclit. W.	wing-leaved.	————— E. Ind.	1629.	7.9.	S. ○.	Bot. mag. 244.
2 luteola. W. en.	common scarlet.	————— Carolina.	1759.	6.9.	H. ○.	————— 221.
3 coccinea. W. en.	bright scarlet.	————— W. Ind.	1713.	————	S. ○.	Bot. rep. 99.
4 dissecta. Ph.	cut-leaved.	————— Georgia.	1813.	————	G. ½.	Willd. phy. 1. t. 2. f. 3.
5 carolina. Ph.	Carolina.	————— Carolina.	1732.	7.8.	H. ½.	Dill. elt. t. 84. f. 98.
6 lacunosa. W.	starry.	————— N. America.	1640.	————	H. ○.	————— t. 87. f. 102.
7 solanifolia. W.	Nightshade-lea ^d .	————— America.	1759.	————	S. ½.	Plum. ic. t. 94. f. 1.
8 tuberosa. W.	tuberous-rooted.	————— W. Ind.	1731.		S. ½.	Sloa. jam. 1. t. 96. f. 2.
9 insignis. B. Reg.	splendid.	—————		6.9.	S. h.	Bot. reg. 75.
10 paniculata. B. Reg.	panicled.	————— E. Ind.	1799.	————	S. h.	————— 62.
11 Bona nox. W.	prickly.	————— W. Ind.	1773.	7.8.	S. ○.	Bot. mag. 752.
12 campanulata. W.	bell-flowered.	————— E. Ind.	1800.	8.9.	S. ○.	Rheed. mal. 11. t. 56
13 violacea. W.	purple-flowered.	————— S. America.	1732.	————	S. ○.	Plum. ic. t. 93. f. 1.
14 carnea. W.	flesh-coloured.	—————	1799.	————	S. ○.	Jac. am. 26. t. 18.
15 sanguinea. B. Reg.	blood-flowered.	————— W. Ind.	1812.	2.11.	S. h.	Bot. reg. 9.
16 repanda. W.	scalloped.	————— W. Ind.	1793.	8.	S. ½.	Par. lond. 81.
17 sibirica. P. S.	Siberian.	————— Siberia.	1779.	7.8.	H. ○.	Pall. it. 3. p. 723. t. K.
18 medium. W.	arrow-headed.	————— E. Ind.	1778.	————	S. ○.	—————
19 denticulata. B. P.	denticulate.	—————	————	————	S. ○.	Rheed. mal. 11. t. 55
20 tridentata. P. S.	trifid.	—————	————	————	S. ○.	————— 11. t. 65
21 speciosa. P. S.	broad-leaved.	—————	————	————	S. h.	Smith ic. pict. 17.
22 purpurea. P. S.	great purple.	————— America.	1629.	6.9.	H. ○.	Bot. mag. 113.
β incarnata.	flesh-coloured.	—————	————	————	H. ○.	—————
γ varia.	striped-flowered.	—————	————	————	H. ○.	Bot. mag. 1682.
23 discolor. Jac.	spotted-flowered.	—————		6.9.	H. ○.	————— 1005.
24 tamnifolia. W.	Tamnus-leaved.	————— Carolina.	1732.	7.	H. ○.	Dill. elt. t. 318. f. 410
25 glaucifolia. W.	glaucous-leaved.	————— Mexico.	————	5.7.	S. ½.	————— t. 87. f. 101.
26 angustifolia. Jac.	narrow-leaved.	————— India.	1800.	7.8.	S. ○.	Jac. ic. rar. t. 317.
27 triloba. W.	three-lobed.	————— W. Ind.	1752.	6.7.	H. ○.	—————
28 hederifolia. W.	Ivy-leaved.	————— S. America.	1773.	7.	H. ○.	Plum. ic. 92. t. 93. f. 2
29 Nil. P. S.	blue.	————— America.	1597.	7.9.	S. ○.	Bot. mag. 188.
30 hederacea. B. Reg.	five-lobed.	————— N. America.	1729.	————	H. ○.	Bot. reg. 85.
31 cuspidata. P. S.	sharp-pointed.	————— S. America.	1732.	6.7.	H. ○.	Fl. per. 2. t. 119. f. 2.
32 pentaphylla. Jac.	five-leaved.	————— W. Ind.	1739.	8.9.	S. ○.	Jac. ic. 2. t. 319.
33 mutabilis. B. Reg.	changeable.	————— S. America.	1812.	5.9.	G. h.	Bot. reg. 39.
34 candicans. B. M.	hoary.	————— N. America.		6.8.	G. ½.	Bot. mag. 1603.
35 grandiflora. B. R.	great-flowered.	————— E. Ind.	1802.	9.	S. h.	Bot. rep. 188.
36 Jalapa. Ph.	Jalap.	————— America.	1733.	8.9.	G. h.	Bot. mag. 1572.
37 umbellata.	umbel-flowered.	————— W. Ind.	1739.	6.7.	S. ½.	Plum. am. 88. t. 102.
38 muricata. Jac.	rough-stalked.	————— E. Ind.	1777.	7.8.	S. ○.	Jac. schœ. 3. t. 322.
39 tuberculata. B. Reg.	tuberled.	—————	1815.	8.9.	S. h.	Bot. reg. 86.
40 pendula. B. P.	pendulous.	————— N. S. W.	1808.	5.10.	G. ½.	Bot. rep. 613.
41 hepaticifolia. W.	Hepatica-leaved.	————— E. Ind.	1759.	8.9.	H. ○.	Bur. ind. 50. t. 20. f. 2
42 Pes-tigridis. W.	palmated.	—————	1732.	8.	S. ○.	Dill. elt. t. 318. f. 411
43 Pes-capræ.	thick-leaved.	—————	1770.	6.7.	S. ○.	Rheed. mal. 11. t. 57.
44 brasiliensis.	Brazilian.	————— S. America.	1726.	————	S. ½.	Plum. am. 89. t. 104
45 obscura. B. Reg.	hairy.	————— E. Ind.	1732.	6.8.	S. ○.	Bot. reg. 239.
RETZIA. Th.	RETZIA.	Convolvulaceæ? J.	—————	————	————	—————
spicata. Th.	spiked.	————— C. B. S.		5.6.	G. h.	Lam. ill. t. 103.
COBŒA. Cav.	COBŒA.	Bignoniaceæ. C.	—————	————	————	—————
scandens. Cav.	climbing.	————— Mexico.	1792.	5.10.	G. h.	Bot. mag. 851.
POLEMONIUM. W.	{ GREEK VA- LERIAN. }	Polemoniaceæ. J.	—————	————	————	—————
1 reptans. W.	creeping.	————— N. America.	1758.	4.5.	H. ½.	Mill. ic. 2. t. 209.
2 capruleum. W.	blue-flowered.	————— Britain.		6.	H. ½.	Eng. bot. 14.
β alba.	white-flowered.	—————		————	————	—————
γ maculata.	spotted-flowered.	—————		————	————	—————

PHLOX. W.	LYCHNIDEA.	Polemoniaceæ. J.					
1 paniculata. W.	panicled.	_____	N. America.	1732.	8.9.	H. 2.	Mill. ic. 2. t. 205. f. 2.
β alba.	white.	_____	_____	1813.	_____	_____	_____
2 undulata. W.	waved-leaved.	_____	_____	1759.	7.8.	H. 2.	_____
3 acuminata. Ph.	Lyons.	_____	_____	1812.	5.8.	H. 2.	_____
4 suaveolens. W.	white-flowered.	_____	_____	1766.	7.8.	H. 2.	_____
5 maculata. W.	spot-stalked.	_____	_____	1740.	_____	H. 2.	Jac. vind. 2. t. 127.
6 pyramidalis. H. K.	pyramidal.	_____	_____	1800.	6.8.	H. 2.	Ex. bot. 2. t. 87.
7 pilosa. W.	hairy-leaved.	_____	_____	1759.	5.6.	H. 2.	Bot. mag. 1307.
8 amœna. B. M.	Fraser's hairy.	_____	_____	1809.	6.7.	H. 2.	_____ 1308.
9 Carolina. W.	rough-stemmed.	_____	Carolina.	1728.	7.9.	H. 2.	_____ 1344.
10 triflora. Mi.	pubescent.	_____	_____	_____	_____	H. 2.	_____
11 suffruticosa. W. en.	shining-leaved.	_____	N. America.	1790.	_____	H. 2.	Bot. reg. 68.
12 glaberrima. W.	smooth.	_____	_____	1725.	6.8.	H. 2.	Dill. elt. t. 166. f. 202
13 divaricata. W.	early-flowering.	_____	_____	1746.	4.6.	H. 2.	Bot. mag. 163.
14 prostrata. H. K.	trailing.	_____	_____	1792.	_____	H. 2.	_____
15 stolonifera. H. K.	creeping.	_____	_____	1800.	6.9.	H. 2.	Bot. mag. 563.
16 ovata. W.	ovate-leaved.	_____	_____	1759.	5.7.	H. 2.	_____ 528.
17 subulata. W.	awl-leaved.	_____	_____	1786.	4.6.	H. 2.	_____ 411.
18 setacea. W.	fine-leaved.	_____	_____	_____	4.5.	H. 2.	_____ 415.
VESTIA. W. en.	VESTIA.	Polemoniaceæ. J.					
lycioides. W. en.	Box-thorn-like.	_____	Chili.	1815.		G. h.	_____ 2412
IPOMOPSIS. Mi.	IPOMOPSIS.	Polemoniaceæ. J.	<i>Cantua species Willd.</i>				_____ 299
1 elegans. Ex. B.	scarlet.	_____	Carolina.	1726.	8.9.	G. ♂.	Ex. bot. 1. t. 13.
2 inconspicua. H. K.	small blue.	_____	America.	1793.	9.11.	H. ♂.	_____ 1. t. 14.
CALDASIA. W. en.	CALDASIA.						
heterophylla. W. en.	various-leaved.	_____	New Spain.	1813.	5.12.	S. ♂.	Bot. reg. 92.
LIGHTFOOTIA. W.	LIGHTFOOTIA.	Campanulaceæ. B. P.					
1 oxyccoides. W.	lance-leaved.	_____	C. B. S.	1787.	7.	G. h.	Ex. bot. 2. t. 69.
2 subulata. W.	awl-leaved.	_____	C. B. S.	_____	8.	G. 2.	L'Hers. angl. 4. t. 5.
CAMPANULA. B. P.	BELL-FLOWER.	Campanulaceæ. B. P.					
1 cenisia. W.	ciliated.	_____	Switzerland.	1775.	6.7.	H. 2.	All. ped. 1. t. 6. f. 2.
2 Bellardi. All.	Bellardi's.	_____	Italy.	1813.	_____	H. 2.	_____ t. 85. f. 5.
3 pulla. W.	russet.	_____	Austria.	1779.	_____	H. 2.	Jac. aust. 3. t. 285.
4 gracilis. B. P.	slender.	_____	N. S. W.	1794.	4.8.	G. ♂.	Bot. mag. 691.
5 Zoysii. W.	blunt-leaved.	_____	Carniola.	1813.	6.8.	H. 2.	Jac. ic. 2. t. 334.
6 grandiflora. W.	great-flowered.	_____	Siberia.	1782.	_____	H. 2.	Bot. mag. 252.
7 carpatica. W.	Carpatian.	_____	Carp. Alps.	1774.	_____	H. 2.	_____ 117.
8 verticillata. W.	whorled-leaved.	_____	Siberia.	1783.	6.	H. 2.	Pall. it. 3. t. G. f. 1.
9 rotundifolia. E. B.	round-leaved.	_____	Britain.		6.8.	H. 2.	Eng. bot. 866.
10 pumila. B. M.	dwarf.	_____	Switzerland.		_____	H. 2.	Bot. mag. 512.
11 Scheuchzeri. Vill.	Scheuchzer's.	_____	Europe.	1813.	_____	H. 2.	{ Vill. delph. 2. p. 50. t. 16.
12 pubescens. W.	pubescent.	_____	Bohemia.	_____	_____	H. 2.	_____
13 Lobelioides. W.	small-flowered.	_____	Madeira.	1777.	7.8.	H. ♂.	_____
14 patula. W.	spreading.	_____	Britain.		_____	H. ♂.	Eng. bot. 42.
15 Rapunculus. W.	Rampion.	_____	_____		_____	H. ♂.	_____ 283.
16 persicifolia. W.	Peach-leaved.	_____	Europe.	1596.	7.9.	H. 2.	Fl. dan. 1087.
β maxima.	large Peach-leav.	_____	_____	_____	_____	_____	Bot. mag. 397.
17 pyramidalis. W.	pyramidal.	_____	Carniola.	_____	_____	H. 2.	_____
18 versicolor. H. K.	various-coloured.	_____	Greece.	1788.	_____	H. 2.	Bot. rep. 396.
19 americana. W.	American.	_____	Pensylvania.	1763.	7.	H. ♂.	_____
20 nitida. W.	smooth-leaved.	_____	N. America.	1731.	_____	H. 2.	Dodar. mem. 4. t. 113.
21 lilifolia. W.	Lily-leaved.	_____	Siberia.	1784.	5.9.	H. 2.	Bot. reg. 236.
22 rhomboidea. W.	Germander-leav ^d .	_____	Switzerland.	1775.	7.	H. 2.	Barrel. ic. 567.
23 obliqua. W. en.	oblique-flowered.	_____		1813.	6.7.	H. ♂.	_____
24 latifolia. W.	giant.	_____	Britain.		7.	H. 2.	Eng. bot. 302.
25 urticifolia. W.	Nettle-leaved.	_____	Germany.	1800.	8.	H. 2.	_____
26 Rapunculoides. W.	creeping.	_____	England.		6.7.	H. 2.	Eng. bot. 1369.
27 azurea. B. M.	azure.	_____	Switzerland.	1778.	_____	H. 2.	Bot. mag. 551.
28 collina. B. M.	Sage-leaved.	_____	Caucasus.	1803.	7.8.	H. 2.	_____ 927.
29 bononiensis. W.	panicled.	_____	Italy.	1773.	8.9.	H. 2.	Morh. 2. s. 5. t. 4. f. 33
30 ruthenica. W. en.	Russian.	_____	Caucasus.	1815.	6.8.	H. 2.	_____ 2643.
31 Trachelium. W.	Throatwort.	_____	Britain.		_____	H. 2.	Eng. bot. 12.
32 sarmatica. B. Reg.	Betony-leaved.	_____	Siberia.	1803.	_____	H. 2.	Bot. reg. 237.
33 glomerata. W.	clustered.	_____	Britain.		5.9.	H. 2.	Eng. bot. 90. 4. 678
34 Cervicaria. W.	wave-leaved.	_____	Germany.	1768.	7.	H. ♂.	Fl. dan. 787.
35 thyrsoides. W.	long-spiked.	_____	Switzerland.	1785.	6.8.	H. ♂.	Bot. mag. 1290.
36 peregrina. W.	rough-leaved.	_____	C. B. S.	1794.	_____	G. ♂.	_____ 1257.
37 cernua. Th.	nodding-flower ^d .	_____	_____	1804.	_____	G. ♂.	_____

38 capensis. W.	Cape.	Campanulaceæ.B.P.	C. B. S.	1803.	6.8.	G.⊙.	Bot. mag. 782.
39 hederacea. W.	Ivy-leaved.	_____	England.		5.6.	H.⌘.	Eng. bot. 73.
40 Erinus. W.	forked.	_____	S. Europe.	1768.	7.8.	H.⊙.	Mor.h.s.5. t.3.f.25.
41 divergens. W. en.	spreading.	_____	Hungary.	1814.	6.7.	H.♂.	_____
42 macrostachya. W. en.	large-spiked.	_____	_____	_____	_____	H.♂.	_____
43 caucasica. M. B.	Caucasian.	_____	Caucasus.	1804.	7.8.	H.⌘.	_____
44 lingulata. W. en.	tongue-leaved.	_____	Hungary.	_____	_____	H.⌘.	Plant. rar. hung. t. 64
45 capitata. B. M.	headed.	_____	Greece.	1768.	6.7.	H.⌘.	Bot. mag. 811.
46 punctata. W.	dotted-flowered.	_____	Siberia.	1813.	5.6.	H.⌘.	_____ 1723.
47 Medium. W.	Canterbury.	_____	Germany.	1597.	6.9.	H.♂.	Knorr. thes. 1. t. G. 2.
48 barbata. W.	bearded.	_____	Italy.	1752.	6.7.	H.⌘.	Bot. mag. 1258.
49 spicata. W.	spiked.	_____	Switzerland.	1786.	7.	H.♂.	All. ped. 1. t. 46. f. 2.
50 alpina. W.	Alpine.	_____	_____	1779.	_____	H.⌘.	Bot. mag. 957.
51 coronata. B. Reg.	crowned.	_____	Siberia.	1815.	_____	H.⌘.	Bot. reg. 149.
52 mollis. W.	soft.	_____	Syria.	1788.	5.8.	G.⌘.	Bot. mag. 404.
53 saxatilis. W.	rock.	_____	Candia.	1768.	_____	G.⌘.	Barr. ic. 79. t. 813.
54 laciniata. W.	jagged-leaved.	_____	Greece.	1788.	_____	G.⌘.	Bot. rep. 385.
55 lanuginosa. W. en.	woolly-leaved.	_____		1814.	_____	H.♂.	_____
56 alliarifolia. W.	Alliaria-leaved.	_____	Caucasus.	1803.	7.9.	H.⌘.	Par. lond. 26.
57 sibirica. W.	Siberian.	_____	Siberia.	1783.	_____	H.♂.	Bot. mag. 659.
58 lacticolor. M. B.	milk-coloured.	_____	_____	1814.	_____	H.⌘.	Bot. reg. 241.
59 aggregata. W. en.	crowded-flower ^d .	_____		1817.	_____	H.⌘.	_____
60 aurea. W.	golden-flowered.	_____	Madeira.	1777.	_____	G.⌘.	Bot. reg. 57.
61 fruticosa. W.	shrubby.	_____	C. B. S.	1787.	8.	G.⌘.	_____
62 Speculum. W.	Venus' Look ^g Glass.	_____	S. Europe.	1596.	5.8.	H.⊙.	Bot. mag. 102.
63 hybrida. W.	Corn.	_____	England.		_____	H.⊙.	Eng. bot. 375.
64 Prismaticarpus. W.	shining.	_____	C. B. S.	1787.	_____	G.⊙.	L'Her. ser. ang. 2. t. 3
65 pentagonia. W.	five-angled.	_____	Turkey.	1686.	_____	H.⊙.	Bot. reg. 56.
66 perfoliata. P. S.	perfoliate.	_____	N. America.	1680.	_____	H.⊙.	Mor. h. 2. s. 5. t. 2. f. 33
ROELLA. W.	ROELLA.	Campanulaceæ.B.P.	_____	_____	_____	_____	_____
1 ciliata. W.	ciliated.	_____	C. B. S.	1774.	6.9.	G.⌘.	Bot. mag. 378.
2 squarrosa. W.	trailing.	_____	_____	1787.	7.	G.⌘.	_____
3 decurrens. W.	decurrent.	_____	_____	_____	7.9.	G.⊙.	L'Her. ser. ang. 4. t. 6
4 muscosa. W.	Moss-like.	_____	_____	1802.	_____	G.⊙.	_____
PHYTEUMA. W.	RAMPION.	Campanulaceæ.B.P.	_____	_____	_____	_____	_____
1 hemisphærica. W.	linear-leaved.	_____	Switzerland.	1752.	7.	H.⌘.	Jac. ic. 2. t. 333.
2 Scheuchzeri. W.	Scheuchzer's.	_____	_____	1813.	5.6.	H.⌘.	Bot. mag. 1/97.
3 cordata. B. M.	heart-leaved.	_____	Hungary.	1804.	7.8.	H.⌘.	_____ 1466.
4 comosa. W.	tufted.	_____	Austria.	1752.	6.7.	H.♂.	Jac. aus. 5. t. app. 50.
5 orbicularis. W.	round-headed.	_____	England.		6.8.	H.⌘.	Eng. bot. 142.
6 spicata. W.	spiked.	_____	Europe.	1597.	_____	H.⌘.	Fl. dan. 362.
7 ovatum. W.	oval-spiked.	_____	_____	1814.	_____	H.⌘.	_____
8 canescens. W. en.	hoary.	_____	Hungary.	1804.	_____	H.⌘.	Pl. rar. hung. t. 14.
9 campanuloides. H. K.	Campanula-flor ^d .	_____	Caucasus.	_____	_____	H.⌘.	Bot. mag. 1015.
10 pinnata. W.	winged-leaved.	_____	Candia.	1640.	_____	G.⌘.	Vent. cels. 52.
TRACHELIUM. W.	THROATWORT.	Campanulaceæ.B.P.	_____	_____	_____	_____	_____
1 cæruleum. W.	blue.	_____	Italy.	1640.	7.9.	H.♂.	Bot. reg. 72.
2 diffusum. W.	shrubby.	_____	C. B. S.	1787.	_____	G.⌘.	_____
JASIONE. W.	{ SHEEP'S SCABIOUS. }	Campanulaceæ.B.P.	_____	_____	_____	_____	_____
1 montana. W.	mountain.	_____	Britain.		6.7.	H.⊙.	Eng. bot. 882.
2 perennis. W.	perennial.	_____	France.	1787.	_____	H.⌘.	Bot. reg. 505.
LOBELIA. W.	LOBELIA.	Campanulaceæ.B.P.	_____	_____	_____	_____	_____
1 simplex. W.	simple-stalked.	_____	C. B. S.	1794.	5.8.	G.♂.	_____
2 linearis. W.	linear-leaved.	_____	_____	1791.		G.⌘.	_____
3 pinifolia. W.	Pine-leaved.	_____	_____	1752.	5.8.	G.⌘.	Bot. rep. 240.
4 unidentata. H. K.	single-toothed.	_____	_____	1794.	_____	G.⌘.	Bot. mag. 1484.
5 Dortmanna. W.	water.	_____	Britain.		7.8.	H.⌘.	Eng. bot. 140.
6 salicifolia.	Willow-leaved.	_____	Chili.	1794.	6.8.	G.⌘.	Bot. mag. 1325.
<i>Tupa. H. K. gigantea. B. M. not gigantea Cav. & P. S.</i>							
7 bellidifolia. W.	Daisy-leaved.	_____	C. B. S.	1790.	5.8.	G.⌘.	_____
8 triquetra. W.	triangular.	_____	_____	1774.	_____	G.⌘.	_____
9 longiflora. W.	long-flowered.	_____	Jamaica.	1752.	_____	S.⌘.	Jac. vind. 1. t. 27.
10 secunda. W.	side-flowering.	_____	C. B. S.	1790.	_____	G.⌘.	_____
11 alata. B. P.	winged-stalked.	_____	N. S. W.	1804.	_____	G.⌘.	Lab. nov. holl. 1. t. 72
12 assurgens. W.	purple.	_____	W. Ind.	1787.	6.10.	S.⌘.	Bot. rep. 553.
13 fulgens. W. en.	fulgent.	_____	Mexico.	1809.	5.9.	F.⌘.	_____ 659.
14 splendens. W. en.	splendid.	_____	_____	1814.	_____	F.⌘.	Bot. reg. 60.
15 cardinalis. W.	Cardinal-flower.	_____	Virginia.	1629.	_____	F.⌘.	Bot. mag. 320.
16 debilis. W.	feeble.	_____	C. B. S.	1774.	7.8.	G.⊙.	_____

17 gracilis. B. P.	slender.	Campanulaceæ. B. P. N. S. W.	1801. 7.10. G. ☉	Bot. mag. 741.
18 purpurascens. B. P.	purplish.	_____	1809. 6.8. G. ♀	_____
19 siphilitica. W.	blue Cardinal.	_____ Virginia.	1665. 8.10. H. ♀	Jac. ic. 3. t. 597. 557
20 surinamensis. W.	shrubby.	_____ W. Ind.	1786. 1.7. S. ♀	Bot. mag. 225.
21 inflata. W.	bladder-podded.	_____ N. America.	1759. 7.8. H. ☉	Lin. act. up. 1741. t. 1
22 cliffortiana. W.	purple-flowered.	_____	1733. — H. ☉	Lin. h. clif. 426. t. 26.
23 urens. W.	acid.	_____ England.	 6.7. H. ♀	Eng. bot. 953.
24 goodenioides. H. K.	Goodenia-like.	_____ N. America.	1799. 6.8. H. ♀	Willd. hort. ber. 30
25 amœna. Mi.	beautiful-blue.	_____	1812. — H. ♀	_____
26 pallida. Roth.	pale-blue.	_____	1805. — H. ♀	_____
27 minuta. W.	small.	_____ C. B. S.	1772. 6.9. G. ♀	2500
28 Laurentia. W.	Italian.	_____ Italy.	1778. 7. G. ☉	Mich. gen. 18. t. 14.
29 Erinus. W.	ascending.	_____ C. B. S.	1752. 6.9. G. ♀	Bot. mag. 901.
30 erinoides. W.	trailing.	_____	1759. 6.8. G. ♂	Herm. lugdb. t. 109.
31 pubescens. W.	downy-leaved.	_____	1780. — G. ♀	Jac. schœn. 2. t. 178.
32 bicolor. H. K.	spotted.	_____	1795. — G. ☉	Bot. mag. 514.
33 lutea. W.	yellow.	_____	1774. 6.7. G. ♀	1319.
34 varifolia. B. M.	various-leaved.	_____	1812. — G. ♀	1692.
35 hirsuta. W.	hairy.	_____	1759. 5.9. G. ♀	Burm. afr. t. 40. f. 2.
36 coronopifolia. W.	Buck's-horn.	_____	1752. 7.8. G. ♀	Bot. mag. 644.
37 ilicifolia. B. M.	Holly-leaved.	_____	1815. 5.9. G. ♀	1896.
38 crenata. W.	notched-leaved.	_____	1794. 4.5. G. ♀	_____
39 Speculum. B. M.	Looking-glass.	_____	1812. 7.8. G. ☉	Bot. mag. 1499.
CYPHIA. W.	CYPHIA.	Campanulaceæ. B. P.	_____	_____
1 volubilis. W.	twining.	_____ C. B. S.	1795. G. ♀	_____
2 bulbosa. W.	bulbous.	_____	1791. 8.9. G. ♀	Burm. afr. t. 33. f. 2.
GOODENIA. B. P.	GOODENIA.	Goodenoviæ. B. P.	_____	_____
1 ovata. B. P.	oval-leaved.	_____ N. S. W.	1793. 6.10. G. ♀	Bot. rep. 68.
2 grandiflora. B. P.	large-flowered.	_____	1802. 6.8. G. ♀	Bot. mag. 890.
EUTHALES. B. P.	EUTHALES.	Goodenoviæ. B. P.	Goodeniæ species. B. Mag.	_____
1 trinervis. B. P.	three-nerved.	_____ New Holl.	1803. 5.9. G. ♀	Bot. mag. 1137.
SCÆVOLA. B. P.	SCÆVOLA.	Goodenoviæ. B. P.	_____	_____
1 Lobelia. H. K.	Purslane-leaved.	_____ W. Ind.	1724. S. ♀	Plum. ic. t. 165. f. 1.
2 crassifolia. B. P.	thick-leaved.	_____ New Holl.	1805. 8.10. G. ♀	Lab. nov. holl. 1. t. 79
3 micocarpa. B. P.	small-fruited.	_____ N. S. W.	1790. 5.9. G. ♀	Bot. mag. 287.
4 suaveolens. B. P.	sweet-scented.	_____	1793. 8.9. G. ♀	Bot. rep. 22.
DAMPIERA. B. P.	DAMPIERA.	Goodenoviæ. B. P.	_____	_____
1 stricta. B. P.	upright.	_____ N. S. W.	1814. 6.8. G. ♀	_____
SAMOLUS. W.	BROOK-WEED.	Primulaceæ ? B. P.	Sheffieldia. Labill.	_____
1 Valerandi. B. P.	common.	_____ Britain.	 6.8. H. ♀	Eng. bot. 703.
2 littoralis. B. P.	sea-side.	_____ N. S. W.	1806. 7.9. G. ♀	Lab. nov. hol. 1. t. 54.
CINCHONA. W.	CINCHONA.	Rubiaceæ. J.	_____	_____
1 caribæa. W.	Caribæan.	_____ W. Ind.	1780. 6.9. S. ♀	Bot. rep. 481.
2 floribunda. W.	many-flowered.	_____	1794. S. ♀	Lamb. cinch. 27. t. 7.
PINCKNEYA. Mi.	PINCKNEYA.	Rubiaceæ. J.	_____ Georgia.	1786. 6.7. F. ♀
1 pubens. Mi.	downy.	_____	_____ China.	1805. 5.9. G. ♀
MUSSENDIA. W.	MUSSENDIA.	Rubiaceæ. J.	_____	3m 2009-R-517
1 pubescens. H. K.	pubescent.	_____	_____ Jamaica.	1775. 6.8. S. ♀
PORTLANDIA. W.	PORTLANDIA.	Rubiaceæ. J.	_____	1812. S. ♀
1 grandiflora. W.	great-flowered.	_____	_____ Guiana.	1803. S. ♀
2 coccinea. P. S.	scarlet.	_____	_____	Aub. guian. 1. t. 122.
3 hexandra. W.	Laurel-leaved.	_____	_____	_____
Contarea speciosa.	Aublet. & Pers. syn.	_____	_____	_____
GENIPA. P. S.	GENIP-TREE.	Rubiaceæ. J.	Duroia & Gardenia species Willd.	_____
1 americana. P. S.	American.	_____ S. America.	1779. S. ♀	Plum. ic. 127. t. 136.
2 Meriana. P. S.	hairy.	_____ Cayenne.	1800. S. ♀	_____
GARDENIA. P. S.	GARDENIA.	Rubiaceæ. J.	_____	_____
1 radicans. W.	rooting.	_____ China.	1804. 3.6. G. ♀	Bot. reg. 73.
2 florida. W.	Cape Jasmine.	_____	1754. 7.10. S. ♀	Rum. am. 7. t. 14. f. 2.
β flore pleno.	double.	_____	_____	S. ♀
3 Thunbergia. W.	starry.	_____ C. B. S.	1773. 1.3. G. ♀	Ehret. pict. t. 15.
4 latifolia. W.	broad-leaved.	_____ E. Ind.	1787. S. ♀	Bot. mag. 1004.
5 Rothmannia. W.	spotted-flowered	_____ C. B. S.	1774. 7. G. ♀	Roxb. cor. 2. t. 134.
6 uliginosa. W.	marsh.	_____	_____	{ Thunb. act. stock.
7 armata. Sw.	armed.	_____ E. Ind.	1802. 7.9. S. ♀	{ 1776. t. 2.
8 spinosa. W.	thorny.	_____ W. Ind.	1813. S. ♀	Roxb. cor. 2. t. 135.
9 Dumetorum. W.	bushy.	_____ China.	1804. 7.9. G. ♀	Thu. gar. n. 7. t. 2. f. 4.
10 micranthus. W.	small-flowered.	_____ E. Ind.	1777. S. ♀	Roxb. cor. 2. t. 136.
11 amœna. B. M.	crimson-tipped.	_____ China.	1806. S. ♀	Thu. gar. n. 8. t. 1. f. 2.
_____	_____	_____	 6.8. S. ♀	Bot. mag. 1904.

OXYANTHUS. Dec.	OXYANTHUS.	Rubiaceæ. J.	<i>Gardenia species Andrews.</i>			
speciosus. H. K.	tube-flowered.	_____	Sierra Leone. 1789.	7. S. h.	Bot. rep. 183.	
RANDIA. P. S.	RANDIA.	Rubiaceæ. J.	<i>Gardenia species Willd.</i>			
1 longiflora. P. L.	long-flowered.	_____	Sierra Leone. 1796.	8.9. S. h.	Par. lond. 93.	
2 latifolia. P. S.	round-leaved.	_____	W. Ind. 1733.	5.6. S. h.	Bro. jam. 143. t. 8. f. 1	
WEBERA. W.	WEBERA.	Rubiaceæ. J.	<i>Canthium. Pers. Syn.</i>			
1 corymbosa. W.	corymbose.	_____	E. Ind. 1759.	 S. h.	Rheed. mal. 2. t. 23.	
2 cymosa. W.	cymose.	_____	_____	1811. S. h.	_____	
ERITHALIS. W.	ERITHALIS.	Rubiaceæ. J.	_____			
fruticosa. W.	shrubby.	_____	Jamaica. 1793.	7.8. S. h.	Brown. jam. t. 17. f. 3	
MORINDA. W.	MORINDA.	Rubiaceæ. J.	_____			
1 umbellata. W.	umbelled.	_____	E. Ind. 1809.	 S. h.	_____	
2 citrifolia. W.	broad-leaved.	_____	Otaheite. 1793.	5. S. h.	Rheed. mal. 1. t. 52.	
3 Royoc. W.	Laurel-leaved.	_____	W. Ind. _____	7.10. S. h.	Jac. vind. 1. t. 16.	
NAUCLEA. W.	NAUCLEA.	Rubiaceæ. J.	_____			
orientalis. W.	oriental.	_____	E. Ind. 1800.	 S. h.	Rheed. mal. 3. t. 33.	
CEPHAELIS. W.	CEPHAELIS.	Rubiaceæ. J.	_____			
1 elata. W.	tall.	_____	Jamaica. 1793.	 S. h.	_____	
2 pedunculata. P. L.	long-peduncled.	_____	Sierra Leone.	2. S. h.	Par. lond. 103.	
HAMELLIA. W.	HAMELLIA.	Rubiaceæ. J.	_____			
1 patens. W.	spreading.	_____	St. Domingo 1752.	7.8. S. h.	Ex. bot. 1. t. 24.	
2 sphaerocarpa. P. S.	round-fruited.	_____	Mexico. 1811.	_____ S. h.	Fl. par. 2. t. 221. f. b.	
3 ventricosa. W.	large-flowered.	_____	W. Ind. 1778.	9.11. S. h.	Par. lond. 55.	
RONDELETIA. W.	RONDELETIA.	Rubiaceæ. J.	_____			
1 americana. W.	American.	_____	W. Ind. 1752.	8. S. h.	Plum. ic. t. 242. f. 1.	
2 lævigata. H. K.	smooth-leaved.	_____	_____	1790. 7.8. S. h.	_____	
3 hirta. H. K.	hairy.	_____	Jamaica. 1776.	6.8. S. h.	_____	
MACROCNEUMUM } W.	MACROCNEUMUM	Rubiaceæ. J.	_____			
jamaicense. W.	Jamaica.	_____	Jamaica. 1806.	 S. h.	Swar. obs. 68. t. 3. f. 1.	
VANGUIERA. W.	VANGUIERA.	Rubiaceæ. J.	_____			
edulis. W.	eatable.	_____	India. 1809.	 S. h.	Lam. ill. t. 159.	
DENTELLA. W.	DENTELLA.	Rubiaceæ. J.	_____			
repens. W.	creeping.	_____	N. Holland. 1802.	7. H. ☉.	Lam. ill. t. 118.	
SERISSA. W.	SERISSA.	Rubiaceæ. J.	_____			
foetida. W.	Japanese.	_____	Japan. 1787.	5.9. G. h.	Bot. mag. 361.	
β flore pleno.	double-flowered.	_____	_____	_____	_____	
PSYCHOTRIA. W.	PSYCHOTRIA.	Rubiaceæ. J.	_____			
1 asiatica. W.	Indian.	_____	W. Ind. 1806.	 S. h.	_____	
2 citrifolia. W.	Citron-leaved.	_____	_____	1793. S. h.	_____	
3 parasitica. W.	parasitic.	_____	_____	1802. 5.8. S. h.	Jac. amer. t. 51. f. 1.	
4 brachiata. W.	cross-branched.	_____	_____	1793. S. h.	_____	
5 herbacea. W.	herbaceous.	_____	Jamaica. _____	4.6. S. h.	Jac. amer. t. 46.	
6 pubescens. W.	pubescent.	_____	_____	1812. S. h.	_____	
COFFEA. W.	COFFEE-TREE.	Rubiaceæ. J.	_____			
1 arabica. W.	Arabian.	_____	Yemen. 1696.	8.11. S. h.	Bot. mag. 1303.	
2 occidentalis. W.	western.	_____	W. Ind. 1793.	 S. h.	Jac. amer. t. 47.	
CHIOCOCCA. W.	SNOW-BERRY.	Rubiaceæ. J.	_____			
racemosa. W.	cluster-flowered.	_____	Jamaica. 1729.	2. S. h.	Bot. rep. 284.	
PÆDERIA. W.	PÆDERIA.	Rubiaceæ. J.	_____			
foetida. W.	stinking.	_____	China. 1806.	 G. h.	Icon. Kæmpf. 9.	
PLOCAMA. W.	PLOCAMA.	Rubiaceæ. J.	_____			
pendula. W.	pendulous.	_____	Canaries. 1779.	 G. h.	_____	
LONICERA. W.	HONEYSUCKLE.	Caprifoliæ. J.	<i>Caprifolium & Xylosteum. J.</i>			
1 Caprifolium. W.	early.	_____	England.	5.6. H. h.	Eng. bot. 739.	
β rubra.	early red.	_____	S. Europe.	_____ H. h.	Schmidt arb. t. 106.	
2 dioica. W.	small-flowered.	_____	N. America. 1766.	6.7. H. h.	Bot. reg. 138.	
3 sempervirens. W.	trumpet.	_____	_____	1656. 5.8. H. h.	Bot. mag. 781.	
β minor.	small trumpet.	_____	Carolina. _____	F. h.	1753. _____	
4 grata. W.	evergreen.	_____	N. America. 1730.	6.8. H. h.	{ Hort. angl. 15. n. 10. t. 8.	
5 flava. B. M.	bright yellow.	_____	Carolina. 1810.	5.6. F. h.	Bot. mag. 1318.	
6 implexa. W.	Minorca.	_____	Minorca. 1772.	6.9. H. h.	_____ 640.	
7 Periclymenum. W.	Woodbine.	_____	Britain.	5.7. H. h.	Eng. bot. 800.	
β serotina.	late red.	_____		_____ H. h.	Schmidt arb. t. 108.	
γ belgica.	Dutch.	_____		_____ H. h.	Hor. angl. 15. n. 5. t. 6	
δ quercifolia.	Oak-leaved.	_____		_____ H. h.	_____	
8 japonica. W.	Japanese.	_____	China. 1806.	7.9. F. h.	Bot. reg. 70.	
9 nigra. W.	black-berried.	_____	Switzerland. 1597.	3.4. H. h.	Schmidt arb. 110.	
10 tatarica. W.	Tartarian.	_____	Russia. 1752.	4.5. H. h.	Bot. reg. 81.	

11 Xylesteum. W.	fly.	Caprifoliæ. J.	England.		6.7.	H. h.	Eng. bot. 916.
12 pyrenaicum. W.	Pyrenean.	Pyrenees.	1739.	5.	H. h.	Mag. hor. mon. 209.	
13 alpigena. W.	red-berried.	Switzerland.	1596.	4.5.	H. h.	Schmidt arb. t. 112.	
14 cærulea. W.	blue-berried.		1629.	3.4.	H. h.	t. 114.	
15 flexuosa. W.	flexuose.	China.	1806.	7.9.	F. h.	R. 712	
SYMPHORIA. Ph.	{ ST. PETER'S } WORT.	Caprifoliæ. J.	Lonicera species Linn.				
glomerata. Ph.	common.	N. America.	1730.	3.9.	H. h.	Schmidt arb. t. 115.	
DIERVILLA. J.	DIERVILLA.	Caprifoliæ. J.	Lonicera species Linn.				
humilis. P. S.	yellow-flowered.	N. America.	1739.	6.7.	H. h.	Bot. mag. 1796.	
TRIOSTEUM. W.	FEVERWORT.	Caprifoliæ. J.					
1 perfoliatum. W.	perfoliate.	N. America.	1730.	6.7.	H. 2.	Schku. hand. 1. t. 4.	
2 angustifolium. W.	narrow-leaved.	Virginia.	1699.	—	H. 2.	Pluk. alm. t. 104. f. 2.	
CONOCARPUS. W.	BUTTON-TREE.	Combretaceæ. B. P.					
1 erecta. W.	upright.	Jamaica.	1752.		S. h.	Cat. car. 2. t. 33.	
2 procumbens. W.	procumbent.	Cuba.	1730.		S. h.	Jac. amer. t. 52. f. 2.	
THESIUM. W.	{ BASTARD } TOAD FLAX.	Santalaceæ. B. P.					
1 linophyllum. W.	common.	England.		6.7.	H. 2.	Eng. bot. 247.	
2 alpinum. P. S.	Alpine.	Germany.	1814.	—	H. 2.	Jac. aust. 5. t. 416.	
3 ebracteatum. P. S.	obtuse-leaved.	—	—	—	H. 2.	{ Schrad. bot. jour. 1800. t. 7.	
4 umbellatum. W.	umbelled.	N. America.	1782.	6.	H. 2.	Pluk. man. t. 342. f. 1.	
5 amplexicaule. W.	heart-leaved.	C. B. S.	1787.		G. h.		
MIRABILIS. W.	{ MARVEL OF } PERU.	Nyctagineæ. J.					
1 dichotoma. W.	forked.	Mexico.	1640.	7.8.	G. 2.		
2 Jalapa. W.	common.	India.	1596.	6.9.	G. 2.	Bot. mag. 371.	
β flava.	yellow-flowered.	—	—	—	—		
γ alba.	white-flowered.	—	—	—	—		
δ rubro-alba.	red and white.	—	—	—	—		
ε rubro-flava.	red and yellow.	—	—	—	—		
3 hybrida. W. en.	close-flowered.		1813.	6.9.	G. 2.		
4 longiflora. W.	long-flowered.	Mexico.	1759.	—	G. 2.	Ex. bot. 1. t. 23.	
CORIS. W.	CORIS.	Primulaceæ. B. P.					
monspeliensis. W.	Montpelier.	S. Europe.	1640.	6.7.	G. 2.	Park. theat. 571. f. 3.	
RAMONDA. P. S.	RAMONDA.	Solanæ. B. P.	Verbasci species Linn.			2151	
pyrenaica. W. en.	Borage-leaved.	Pyrenees.	1731.	5.	H. 2.	Bot. mag. 236.	
Verbascum Myconi. Linn.							
VERBASCUM. W.	MULLEIN.	Solanæ. B. P.					
1 Thapsus. W.	Shepherd's Club	Britain.		7.8.	H. 2.	Eng. bot. 549.	
2 Thapsoides. W.	bastard.	England.		—	H. 2.		
3 ovalifolium. H. K.	oval-leaved.	Caucasus.	1804.	7.9.	H. 2.	Bot. mag. 1037.	
4 Boerhaavii. W.	annual.	S. Europe.	1731.	7.8.	H. 2.	Mill. ic. 2. t. 273.	
5 elongatum. W. en.	long-stalked.		1813.	—	H. 2.		
6 pyramidalatum. W. en.	pyramidal.	Caucasus.	1804.	—	H. 2.		
7 hæmorrhoidale. W.	Madeira.	Madeira.	1777.	6.8.	G. 2.		
8 phlomoides. W.	woolly.	Italy.	1739.	6.7.	G. 2.	Mœnch. h. n. 170. t. 4.	
9 floccosum. P. S.	wool-bearing.	Hungary.	1805.	—	H. 2.	Pl. rar. hung. t. 79.	
10 Lychnites. W.	white.	Britain.		6.8.	H. 2.	Eng. bot. 58.	
11 pulverulentum. E. B.	powdered.	England.		—	H. 2.	— 487.	
12 ferrugineum. W.	rusty.	S. Europe.	1683.	5.8.	H. 2.	Bot. rep. 162.	
13 cupreum. B. M.	copper-coloured	Caucasus.	1798.	—	H. 2.	Bot. mag. 1226.	
14 nigrum. W.	black-rooted.	England.		—	H. 2.	Eng. bot. 59.	
15 phœniceum. W.	purple-flowered.	S. Europe.	1596.	—	H. 2.	Bot. mag. 885.	
16 virgatum. E. B.	slender.	Britain.		8.	H. 2.	Eng. bot. 550.	
17 Blattaria. W.	moth.			7.8.	H. 2.	— 393.	
18 glabrum. W. en.	smooth.		1805.	—	H. 2.		
19 repandam. W. en.	waved.		1813.	—	H. 2.		
20 sinuatum. W.	scollop-leaved.	S. Europe.	1570.	—	H. 2.		
21 pinnatifidum. W.	pinnatifid.	Archipelago.	1788.	5.	G. 2.		
22 bipinnatifidum. B. M.	cut-leaved.	Tauria.	1813.	7.8.	H. 2.	Bot. mag. 1777.	
23 Osbeckii. W.	Osbeck's.	Spain.	1752.	—	H. 2.	Tourn. it. 2. t. 83.	
DATURA. W.	THORN-APPLE.	Solanæ. B. P.					
1 ferox. W.	Chinese.	China.	1731.	7.9.	H. 2.	Zano. his. 212. t. 162	
2 Stramonium. W.	common.	England.		—	H. 2.	Eng. bot. 1288.	
3 Tatula. W.	blue.	N. America.	1629.	—	H. 2.	Meerb. ic. 2. t. 13.	
4 fastuosa. W.	purple.	Egypt.	—	—	H. 2.	Knor. thes. 1. t. S. 11.	
5 Metel. W.	downy.	Asia.	1596.	6.9.	H. 2.	Bot. mag. 1440.	
6 lævis. W.	smooth-fruited.	Africa.	1780.	—	H. 2.	Jac. vind. 3. t. 82.	

7 <i>ceratacula</i> . Jac.	horn-stalked.	Solanæ. B. P.	Cuba.	1805.	6.3.	H.⊙.	Bot. reg.
BRUGMANSIA. P.S.	BRUGMANSIA.	Solanæ. B. P.	<i>Datura species</i> Willd.				
1 <i>suaveolens</i> . W. en.	smooth-stalked.		Peru.	1733.	8.9.	S. h.	
2 <i>arbores</i> . W. en.	downy-stalked.			1813.		S. h.	
HYOSCYAMUS. W.	HENBANE.	Solanæ. B. P.					
1 <i>niger</i> . W.	common.		Britain.		6.7.	H.♂.	Eng. bot. 591.
2 <i>albus</i> . W.	white.		S. Europe.	1570.	7.8.	H.⊙.	
3 <i>reticulatus</i> . W.	Egyptian.		Egypt.	1640.		H.⊙.	Com. hort. 77. t. 22.
4 <i>pallidus</i> . W. en.	pale-flowered.		Hungary.	1815.		H.⊙.	
5 <i>Senecionis</i> . W. en.	yellow-flowered.		Egypt.	1812.	3.10.	G. ½.	
6 <i>aureus</i> . W.	golden.		Levant.	1640.		G. h.	Bot. mag. 87.
7 <i>canariensis</i> . B. Reg.	various-leaved.		Canaries.	1816.	1.12.	G. h.	Bot. reg. 180.
8 <i>pusillus</i> . W.	dwarf.		Persia.	1691.	7.	H.⊙.	Pluk. alm. t. 37. f. 5.
9 <i>physaloides</i> . W.	purple-flowered.		Siberia.	1777.	3.4.	H. ½.	Bot. mag. 852.
10 <i>Scopolia</i> . W.	Nightshade-leav ^d .		Carniola.	1780.	4.5.	H. ½.	1126.
NICOTIANA. W.	TOBACCO.	Solanæ. B. P.					
1 <i>Tabacum</i> . W. en.	Virginian.		America.	1570.	7.3.	H.⊙.	Blackw. t. 146.
2 <i>macrophylla</i> . W. en.	large-leaved.					H.⊙.	
3 <i>fruticosa</i> . W.	shrubby.		China.	1699.		G. h.	
4 <i>undulata</i> . B. P.	waved-leaved.		N. S. W.	1800.	5.9.	G. ½.	Bot. mag. 673.
5 <i>rustica</i> . W.	common.		America.	1570.	7.9.	H.⊙.	Blackw. t. 437.
6 <i>paniculata</i> . W.	papieted.		Peru.	1752.		H.⊙.	Flor. per. 2. t. 129.
7 <i>glutinosa</i> . W.	clammy.			1759.		H.⊙.	Bot. rep. 484.
8 <i>plumbaginifolia</i> . W. en.	curled-leaved.		America.	1816.		G. ½.	
9 <i>pusilla</i> . W.	Primrose-leaved.		Vera Cruz.	1733.	8.	S.♂.	Mill. ic. 2. t. 185. f. 2.
10 <i>quadrivalvis</i> . Ph.	four-valved.		N. America.	1811.	7.8.	H.⊙.	Bot. mag. 1778.
MANDRAGORA. W. en.	MANDRAKE.	Solanæ. B. P.	<i>Atropæ species</i> Linn.				
1 <i>officinalis</i> . W. en.	official.		Levant.	1548.	3.4.	H. ½.	Bull. herb. t. 145.
ATROPA. W.	ATROPA.	Solanæ. B. P.					
1 <i>Belladonna</i> . W.	{ Deadly Nightshade. }		Britain.		6.7.	H. ½.	Eng. bot. 592.
2 <i>frutescens</i> . W.	shrubby.		Spain.	1737.	1.3.	G. h.	Cav. ic. 2. t. 102.
SOLANDRA. W.	SOLANDRA.	Solanæ. B. P.					
1 <i>grandiflora</i> . W.	great-flowered.		Jamaica.	1781.	3.	S. h.	Jac. schœn. 1. t. 45.
PHYSALIS. W.	{ WINTER CHERRY. }	Solanæ. B. P.					
1 <i>somnifera</i> . W.	clustered.		Mexico.	1596.	7.8.	G. h.	Cav. ic. 2. t. 103.
2 <i>aristata</i> . W.	bearded.		Canaries.	1779.		G. h.	
3 <i>flexuosa</i> . W.	flexuose.		E. Ind.	1759.	7.8.	G. h.	Rheed. mal. 4. t. 55.
4 <i>arborescens</i> . W.	shrubby.		Campeachy.	1733.	6.8.	S. h.	Mill. ic. 2. t. 206. f. 2.
5 <i>curassavica</i> . W.	Curassavian.		S. America.	1699.	6.9.	S. ½.	Pluk. alm. t. 111. f. 5.
6 <i>viscosa</i> . W.	clammy.		America.	1732.	7.	H. ½.	Jac. vind. 2. t. 136.
7 <i>pensylvanica</i> . W.	Pensylvanian.		N. America.	1726.	7.9.	H. ½.	
8 <i>Alkekengi</i> . W.	common.		S. Europe.	1548.		H. ½.	
9 <i>Peruviana</i> . W.	eatable.		S. America.	1772.	4.10.	G. ½.	Bot. mag. 1068.
10 <i>pubescens</i> . W.	downy.		America.	1640.	7.8.	H.⊙.	Feuill. it. 3. t. 1.
11 <i>angulata</i> . W.	angular-branch.		India.	1732.	6.9.	H.⊙.	Dil. elt. 13. t. 12. f. 12
12 <i>chenopodiifolia</i> . W.	Goose-foot-leav ^d .			1798.	7.8.	H.⊙.	
13 <i>barbadensis</i> . W.	Barbadoes.		W. Ind.			H.⊙.	Jac. ic. 1. t. 39.
14 <i>minima</i> . W.	small.		E. Ind.	1759.		H.⊙.	Rheed. mal. 10. t. 71.
15 <i>pruinosa</i> . W.	hairy-annual.		America.	1726.		H.⊙.	Dill. elt. 10. t. 9. f. 9.
16 <i>prostrata</i> . W.	trailing.		Peru.	1782.		H.⊙.	Bot. rep. 75.
NICANDRA. J.	NICANDRA.	Solanæ. B. P.	<i>Calydermos Fl.</i> per. <i>Atropæ species</i> Linn.				
1 <i>physaloides</i> . P. S.	blue-flowered.		Peru.	1759.	7.9.	H.⊙.	Jac. obs. 4. t. 93.
SOLANUM. W.	NIGHTSHADE.	Solanæ. B. P.					
1 <i>verbascifolium</i> . W.	Mullein-leaved.		W. Ind.	1749.	6.7.	S. h.	Jac. vind. 1. t. 13.
2 <i>auriculatum</i> . W.	ear-leaved.		Madagascar.	1773.		S. h.	Scop. insub. 3. t. 8.
3 <i>Pseudo-capsicum</i> W.	Winter-cherry.		Madeira.	1596.	6.9.	G. h.	
4 <i>diphyllum</i> . W.	two-leaved.		W. Ind.	1699.	6.7.	S. h.	Jac. ic. 2. t. 323.
5 <i>Dulcamara</i> . W.	Bitter-sweet.		Britain.			H. h.	Eng. bot. 565.
6 <i>crassifolium</i> . W.	thick-leaved.		C. B. S.	1784.		G. h.	Dill. elt. t. 273. f. 352.
7 <i>quercifolium</i> . W.	Oak-leaved.		Peru.	1787.		H. ½.	Few. per. 772. t. 15.
8 <i>laciniatum</i> . W.	cut-leaved.		N. Holland.	1772.	7.8.	G. h.	Bot. mag. 849.
9 <i>radicans</i> . W.	rooting.		Peru.	1771.		G. ½.	Linn. fl. dec. 1. t. 19.
10 <i>havanense</i> . W.	Havannah.		W. Ind.	1793.		S. h.	Jac. amer. 49. t. 35.
11 <i>racemosum</i> . W.	wave-leaved.			1781.		S. h.	50. t. 36.
12 <i>corymbosum</i> . W.	corymbed.		Peru.	1786.		S. ½.	Jac. ic. 1. t. 40.

13 bonariense. W.	tree.	Solanæ. B. P.	Buen. Ayres.	1727.	6.9.	G. h.	{ Dill. elt. 364. t. 272. f. 351.
14 macrocarpon. W.	large-fruited.	—	Peru.	1759.	5.9.	S. h.	Mill. ic. 2. t. 294.
15 tuberosum. W.	Potatoe.	—	—	1597.	6.8.	H. 2.	Bauh. prod. 89. t. 89.
16 Lycopersicum. W.	Love-Apple.	—	S. America.	1596.	7.9.	H. O.	{ Rumph. amb. 5. t. 154. f. 1.
17 Pseudo-Lycopersicum. W.	round-fruited.	—	—	1800.	—	H. O.	Jac. host. 1. t. 11.
18 nigrum. W.	black-berried.	—	Britain.	—	6.9.	H. O.	Eng. bot. 566.
19 patulum. W.	spreading.	—	India.	—	—	H. O.	Dill. elt. t. 275. f. 355
20 villosum. W. en.	villous.	—	Barbadoes.	—	—	H. O.	t. 274. f. 353
21 guineense. W. en.	large-berried.	—	Guinea.	—	—	H. O.	t. 274. f. 354
22 melanocerasum. W. en.	small-berried.	—	Virginia.	—	—	H. O.	t. 275. f. 356
23 suffruticosum. W. en.	fringed-leaved.	—	Barbary.	1804.	5.9.	G. h.	—
24 Seaforthianum. B. R.	Seaforth's.	—	Barbadoes.	1804.	7.9.	S. h.	Bot. rep. 504. 1802
25 æthiopicum. W.	Æthiopian.	—	Æthiopia.	1597.	—	H. O.	Jac. vind. 1. t. 12.
26 betaceum. P. S.	Beet-leaved.	—	S. America.	1803.	6.7.	S. h.	Bot. rep. 511.
27 Melongena. W.	Egg-plant.	—	Africa, &c.	1597.	—	G. O.	Pluk. phyt. 226. f. 2
28 subinerme. W.	spear-leaved.	—	W. Ind.	1752.	7.8.	S. h.	Jac. amer. t. 40. f. 3.
29 muricatum. W.	warted.	—	Peru.	1785.	—	S. h.	Feuill. per. 2. t. 26.
30 ferox. W.	Malabar.	—	E. Ind.	1795.	8.9.	S. 2.	—
31 insanum. P. S.	insane.	—	—	1815.	—	H. O.	Pluk. alm. t. 226. f. 3.
32 campechiense. W.	purple-spined.	—	America.	1732.	7.	G. h.	Dill. elt. t. 268. f. 347
33 mammosum. W.	nipple.	—	W. Ind.	1699.	7.8.	S. h.	Pluk. alm. t. 226. f. 1.
34 virginianum. W.	Virginian.	—	Virginia.	1662.	5.8.	H. O.	Dill. elt. t. 267. f. 346
35 Jacquini. W.	Jacquin's.	—	E. Ind.	1804.	9.11.	S. O.	Jac. ic. 2. t. 332.
36 coagulans. W.	scollop-leaved.	—	Arabia Felix	1802.	7.	S. O.	—
37 indicum. W.	Indian.	—	India.	1732.	—	S. h.	Dill. elt. t. 270. f. 349
38 carolinense. W.	Carolina.	—	Carolina.	—	7.9.	G. 2.	Jac. ic. 2. t. 331.
39 sodomæum. W.	black-spined.	—	Africa.	1688.	6.7.	G. h.	Her. lud. 573. t. 575.
40 Pyracantha. Sm.	Orange-thorned.	—	Madagascar.	1789.	8.9.	S. h.	Ex. bot. 2. t. 64.
41 marginatum. W.	white-margined.	—	Africa.	1775.	6.9.	G. h.	Jac. ic. 1. t. 45.
42 stramolifolium. W.	broad-leaved.	—	W. Ind.	1778.	—	S. h.	— 1. t. 44.
43 tomentosum. W.	woolly.	—	C. B. S.	1662.	6.7.	G. h.	Boce. sic. 8. t. 5.
44 bahamense. W.	Bahama.	—	Bahama.	1732.	—	G. h.	Dill. elt. t. 271. f. 350
45 giganteum. W.	tall.	—	C. B. S.	1792.	—	G. h.	Jac. ic. 2. t. 328.
46 Milleri. W.	Miller's.	—	—	1762.	7.8.	G. h.	— 2. t. 330.
47 lanceolatum. W.	spear-leaved.	—	Mexico.	—	6.7.	S. h.	Cav. ic. 3. t. 245. 2173
48 igneum. W.	red-spined.	—	S. America.	1714.	3.11.	S. h.	Jac. vind. 1. t. 14.
49 trilobatum. W.	three-lobed.	—	India.	1759.	8.	S. h.	Bur. ind. 57. t. 22. f. 2
50 lycioides. W.	spiny.	—	Peru.	1791.	5.6.	S. h.	Jac. ic. 1. t. 46.
51 cerdifolium. Vent.	Canary.	—	Canaries.	1779.	3.4.	G. h.	Vent. malm. 85.
52 amazonium. B. M.	Lambert's.	—	Brazils.	1814.	5.9.	S. h.	Bot. reg. 71. 1801
53 Fontanesianum.	Desfontaines'.	—	—	1813.	7.9.	H. O.	— 177.
54 pinnatifidum.	pinnatifid.	—	—	—	—	H. O.	Pur. fl. am. sept. t. 7

Solanum heterandrum. Pursh. vol. ii. Supp.

CAPSICUM. W.	CAPSICUM.	Solanæ. B. P.	—	—	—	—	—
1 annuum. W.	long-podded.	—	India.	1548.	6.7.	H. O.	Knorr. thes. 2. t. C. 6.
2 sphericum. W. en.	globular-fruited.	—	—	1807.	4.7.	S. h.	—
3 baccatum. W.	Bird Pepper.	—	—	1731.	6.9.	S. h.	Sloa. jam. 1. t. 146. f. 2
4 sinense. W.	oval-fruited.	—	China.	1807.	—	G. h.	Jac. vind. 3. t. 67.
5 grossum. W.	heart-shaped.	—	India.	1759.	7.	S. 2.	{ Besl. cyst. aut. 1. t. 11. f. 1.
6 frutescens. W.	shrubby.	—	—	1656.	6.9.	S. h.	Rumph. amb. 5. t. 88
7 bicolor. Jac.	dark-fruited.	—	W. Ind.	1804.	—	S. h.	Bot. mag. 1835.
8 cerasiforme. W.	Cherry Pepper.	—	—	1759.	—	H. O.	—
9 pendulum. W. en.	pendulous.	—	—	1804.	4.7.	S. h.	—
CESTRUM. W.	CESTRUM.	Solanæ. J.	—	—	—	—	—
1 laurifolium. W.	Laurel-leaved.	—	W. Ind.	1691.	5.8.	S. h.	Smith spicil. 2. t. 2.
2 macrophyllum. P. S.	large-leaved.	—	—	1812.	—	S. h.	Vent. choix. 18.
3 foetidissimum. W. en.	stinking.	—	E. Ind.	—	—	S. h.	Jac. schœn. 3. t. 329.
4 nocturnum. W.	night-smelling.	—	—	1732.	11.	S. h.	Dill. elt. t. 153. f. 185
5 Parqui. W.	Willow-leaved.	—	Chili.	1787.	6.7.	G. h.	Bot. mag. 1770.
6 auriculatum. W.	ear-leaved.	—	Peru.	1774.	—	S. h.	{ L'Her. st. nov. 1. t. 35.
7 vespertinum. W.	cluster-flowered.	—	W. Ind.	1759.	5.7.	S. h.	Jac. schœn. 3. t. 328.
8 fastigiatum. B. M.	Honeysuckle.	—	—	—	11.	S. h.	Bot. mag. 1729.
9 diurnum. W.	day-smelling.	—	—	1732.	—	S. h.	Dill. elt. t. 154. f. 186

10 venenatum. W.	poisonous.	Solanææ. B. P.	C. B. S.	1787.	2.4.	G. h.	
11 salicifolium. Jac.	Sallow-leaved.	_____	Caracas.		4.6.	S. h.	Jac. schœn. 3. t. 326.
12 tomentosum. W.	downy.	_____	S. America.	1790.	6.7.	S. h.	
LYCIUM. W.	Box-THORN.	Solanææ. J.	_____	_____	_____	_____	
1 afrum. W.	African.	_____	C. B. S.	1712.	6.7.	S. h.	Trew ehret. 4. t. 24.
2 rigidum. W.	rigid.	_____	_____	1795.	4.5.	G. h.	_____ t. 24. f. 1.
3 ruthenicum. W.	Russian.	_____	Siberia.	1804.		H. h.	{ Murr. comm. goet. 1779. t. 2.
4 barbarum. P. S.	Willow-leaved.	_____	Barbary.	1696.	5.8.	H. h.	Schk. hand. 1. t. 46.
5 turbinatum. P. S.	top-shaped.	_____	China.	1709.	_____	H. h.	Duh. ed. n. 119. t. 31.
6 europæum. P. S.	European.	_____	S. Europe.	1730.	_____	H. h.	Mich. gen. t. 105. f. 1.
7 lanceolatum. P. S.	spear-leaved.	_____	_____		_____	H. h.	
8 chinense. P. S.	Chinese.	_____	China.		_____	H. h.	Duh. ed. nov. t. 30.
9 ovatum. P. S.	oval-leaved.	_____	_____	1696.	_____	H. h.	Lam. ill. t. 112. f. 2.
10 horridum. W.	succulent-leaved	_____	C. B. S.	1791.	7.8.	G. h.	
11 boerhaaviaefolium. W.	glaucesc-leaved.	_____	Peru.	1780.	4.5.	G. h.	L'Her. st. n. 45. t. 23
12 carolinianum. Ph.	Carolina.	_____	Carolina.	1806.	7.9.	H. h.	
ARDISIA. W.	ARDISIA.	Myrsinææ. B. P.	Anguillaria. Gart.	_____	_____	_____	
1 acuminata. W.	acuminated.	_____	Guiana.	1803.	7.8.	S. h.	Bot. mag. 1678.
2 solanacea. W.	Nightsshade-like.	_____	E. Ind.	1798.	6.9.	S. h.	_____ 1677.
3 crenulata. P. S.	crenulated.	_____	_____	1809.	_____	S. h.	Vent. choix. t. 5.
4 lateriflora. W.	side-flowering.	_____	W. Ind.	1793.		S. h.	
5 littoralis. B. R.	sea-side.	_____	E. Ind.	1809.	7.8.	S. h.	Bot. rep. 186.
6 elegans. B. R.	elegant.	_____	_____	_____	_____	S. h.	_____ 49.
7 excelsa. W.	Laurel-leaved.	_____	Madeira.	1784.	_____	G. h.	Gart. sem. 1. t. 77.
JACQUINIA. W.	JACQUINIA.	Sapotææ. J.	_____	_____	_____	_____	
1 armillaris. W.	obtus-leaved.	_____	W. Ind.	1768.		S. h.	Jac. amer. 53. t. 33.
2 aurantiaca. H. K.	Orange-flowered	_____	Sandwich Isl.	1796.	4.9.	S. h.	Bot. mag. 1639.
3 ruscifolia. W.	prickly.	_____	S. America.	1729.		S. h.	Dill. elt. t. 129. f. 149
ACHRAS. W.	SAPOTA.	Sapotææ. B. P.	_____	_____	_____	_____	
1 mammosa. W.	Mammeæ.	_____	S. America.	1739.		S. h.	Jac. amer. t. 182. f. 19
2 Sapota. W.	common.	_____	_____	1731.		S. h.	Jac. amer. 57. t. 41.
β Zapotilla.	Naseberry-tree.	_____	_____	_____		S. h.	_____ 57. t. 41. b
CHRYSOHYL- } LUM. W. }	STAR-APPLE.	Sapotææ. B. P.	_____	_____	_____	_____	
1 Cainito. W.	broad-leaved.	_____	W. Ind.	1737.	5.6.	S. h.	Jac. amer. 51. t. 37. f. 1
2 argenteum. W.	narrow-leaved.	_____	Martinico.	1758.		S. h.	_____ 53. t. 38. f. 1
SIDEROXYLON. W.	IRON-WOOD.	Sapotææ. B. P.	_____	_____	_____	_____	
inermis. W.	smooth.	_____	C. B. S.	1692.	7.	G. h.	Lam. ill. 2. t. 120. f. 1.
SERSALISIA. B. P.	SERSALISIA.	Sapotææ. B. P.	Sideroxyli species Willd.	_____	_____	_____	
sericea. B. P.	silky-leaved	_____	N. Holl.	1772.		G. h.	
BUMELIA. W.	BUMELIA.	Sapotææ. B. P.	Sideroxyli species Linn.	_____	_____	_____	
1 lycioides. Ph.	Boxthorn-leaved.	_____	N. America.	1758.	8.	H. h.	Duham. arb. 2. t. 68.
2 tenax. W.	silvery-leaved.	_____	Carolina.	1765.	7.8.	H. h.	Jac. obs. 3. t. 54.
3 salicifolia. W.	Willow-leaved.	_____	S. America.	1758.		S. h.	Cat. car. 2. t. 75.
4 nigra. W.	black.	_____	W. Ind.	1806.		S. h.	
5 lanuginosa. Ph.	woolly-leaved.	_____	Carolina.	_____		H. h.	
6 reclinata. Ph.	reclined.	_____	_____	_____		H. h.	Vent. choix. 22.
7 serrata. Ph.	serrated.	_____	Missouri.	1812.		H. h.	
TECTONA. W.	TEAK-WOOD.	Verbenacææ. J.	_____	_____	_____	_____	
grandis. W.	great.	_____	E. Ind.	1777.		S. h.	Roxb. cor. 1. t. 6.
ELÆODENDRUM. W.	OLIVE-WOOD.	Rhamni. J.	_____	_____	_____	_____	
1 Argam. W.	spiny.	_____	Morocco.	1711.	7.	H. h.	Comm. hort. 1. t. 83.
2 orientale. W.	oriental.	_____	Mauritius.	1771.		S. h.	Jac. ic. 1. t. 48.
3 australe. H. K.	thick-leaved.	_____	N. S. W.	1796.	6.8.	G. h.	Vent. malm. 117.
RHAMNUS. W.	BUCKTHORN.	Rhamni. J.	_____	_____	_____	_____	
1 catharticus. W.	purgings.	_____	England.		5.6.	H. h.	Eng. bot. 1629.
2 infectorius. W.	yellow-berried.	_____	S. Europe.	1683.	6.7.	H. h.	Ardui. mem. 78. t. 14
3 lycioides. W.	Boxthorn-like.	_____	Spain.	1752.	9.12.	G. h.	Cav. ic. 2. t. 182.
4 oleoides. W.	Olive-leaved.	_____	_____	_____	6.7.	H. h.	
5 crenulatus. W.	Teneriffe.	_____	Teneriffe.	1778.	3.	G. h.	
6 saxatilis. W.	rock.	_____	Europe.	1752.	5.6.	H. h.	Jac. aust. 1. t. 53.
7 Theezans. W.	Theæ.	_____	China.		_____	G. h.	
8 tetragonus. W.	square-branched.	_____	C. B. S.	1816.		G. h.	
9 lanceolatus. Ph.	spear-leaved.	_____	N. America.	1812.		H. h.	
10 alpinus. W.	Alpine.	_____	Switzerland.	1752.	5.6.	H. h.	Hall. hist. 1. t. 40.
11 pumilus. W.	dwarf.	_____	Carniola.	_____	7.	H. h.	Jac. coll. 2. t. 11.
12 Frangula. W.	{ berry-bear ^s Alder. }	_____	Britain.	_____	4.5.	H. h.	Eng. bot. 250.
13 latifolius. W.	broad-leaved.	_____	Azores.	1778.	7.	G. h.	L'Her. ser. ang. t. 8.

14 glandulosus. W.	Madeira.	Rhamni. J.	Canaries.	1785.	6.7.	G. h.	Vent. malm. 34.
15 prinoides. W.	Winter-berry-1 ^d .	_____	C. B. S.	1778.	8.9.	G. h.	L'Her. sert. t. 9.
16 mystacinus. W.	wiry.	_____	Africa.	1775.	11.	S. h.	_____
17 alnifolius. W.	Alder-leaved.	_____	N. America.	1778.	5.	H. h.	_____
franguloides. Ph.	_____	_____	_____	_____	_____	_____	_____
18 hybridus. P. S.	hybrid.	_____	_____	_____	5.6.	H. h.	_____
19 Alaternus. W. en.	{ broad-leaved Alaternus. }	_____	S. Europe.	1629.	4.6.	H. h.	_____
20 Clusii. W. en.	narrow-leaved.	_____	_____	_____	_____	H. h.	_____
ZIZYPHUS. W.	ZIZYPHUS.	Rhamni. J.	_____	_____	_____	_____	_____
1 lineatus. W.	lined.	_____	China.	1804.		G. h.	Osborne. it. t. 7.
2 volubilis. W.	twining.	_____	Carolina.	1714.	6.7.	H. h.	Jac. ic. 2. t. 336.
3 Paliurus. W.	Christ's-thorn.	_____	S. Europe.	1596.		H. h.	Pall. ross. 2. t. 64.
4 Lotus. W.	Barbary.	_____	Africa.	1731.		G. h.	Desf. ac. s. 1788. t. 21
5 Naepa. W.	oblique-leaved.	_____	Ceylon.	1816.		S. h.	Rumph. amb. 2. t. 37
6 Jujuba. W.	blunt-leaved.	_____	E. Ind.	1759.	4.5.	S. h.	_____ t. 36.
7 vulgaris. W.	common.	_____	S. Europe.	1640.	8.9.	G. h.	Pall. ross. 2. t. 59.
CELASTRUS. W.	STAFF-TREE.	Rhamni. J.	_____	_____	_____	_____	_____
1 lucidus. W.	shining.	_____	C. B. S.	1722.	4.9.	G. h.	Meerb. ic. 1. t. 12.
2 bullatus. W.	Virginian.	_____	Virginia.	1759.	7.	H. h.	Pluk. alm. t. 28. f. 5.
3 octogonus. W.	angular-leaved.	_____	Peru.	1786.	10.11.	G. h.	_____
4 scandens. W.	climbing.	_____	N. America.	1736.	5.6.	H. h.	Schu. handb. 1. t. 47.
5 cassinioides. W.	crenated.	_____	Canaries.	1779.	8.9.	G. h.	L'Her. sert. 6. t. 10.
6 cernuus. W.	drooping.	_____	C. B. S.	1815.		G. h.	_____
7 tetragonus. P. S.	four-sided.	_____	_____	1816.		G. h.	_____
8 buxifolius. W.	Box-leaved.	_____	_____	1752.	5.6.	G. h.	Hout. nat. h. t. 21. f. 1
9 pyracanthos. W.	Pyracantha-1 ^d .	_____	_____	1742.		G. h.	Bot. mag. 1167.
SENACIA. P. S.	SENACIA.	Rhamni. J.	Celastris species Willd.	_____	_____	_____	_____
undulata. P. S.	wave-leaved.	_____	Bourbon.	1785.		S. h.	_____
EUONYMUS. W.	SPINDLE-TREE.	Rhamni. J.	_____	_____	_____	_____	_____
1 japonicus. W.	Japan.	_____	Japan.	1804.	6.8.	G. h.	Kämpf. ic. t. 8.
2 europæus. W.	European.	_____	Britain.		5.7.	H. h.	Eng. bot. 362.
3 verrucosus. W.	warted.	_____	Austria.	1763.	5.6.	H. h.	Schmidt arb. t. 72.
4 latifolius. W.	broad-leaved.	_____	_____	1730.	6.7.	H. h.	_____ t. 74.
5 atropurpureus. W.	purple.	_____	N. America.	1756.		H. h.	_____ t. 73.
6 americanus. W.	evergreen.	_____	_____	1683.		H. h.	_____ t. 75.
7 angustifolius. Ph.	narrow-leaved.	_____	_____	1806.		H. h.	_____
HOVENIA. Th.	HOVENIA.	Rhamni. J.	_____	_____	_____	_____	_____
dulcis. Th.	sweet.	_____	Japan.	1812.		G. h.	Lam. ill. t. 131.
CEANOTHUS. W.	CEANOTHUS.	Rhamni. J.	_____	_____	_____	_____	_____
1 americanus. W.	New Jersey Tea.	_____	N. America.	1713.	7.10.	H. h.	Schmidt arb. 132.
2 intermedius. Ph.	intermediate.	_____	_____	1812.	6.7.	H. h.	Pluk. alm. t. 28. f. 5.
3 sanguineus. Ph.	red-stalked.	_____	Missouri.	_____	5.7.	H. h.	_____
4 microphyllus. Ph.	small-leaved.	_____	N. America.	1806.	6.7.	G. h.	_____
5 asiaticus. W.	Asiatic.	_____	Ceylon.	1691.	7.8.	S. h.	Cav. ic. 5. t. 440. f. 1.
6 colubrinus. P. S.	{ Bahama Red- wood. }	_____	Bahama.	1726.	6.	S. h.	Jac. vind. 3. t. 50.
Rhamnus colubrinus. W.	_____	_____	_____	_____	_____	_____	_____
7 reclinatus. P. S.	oval-leaved.	_____	Jamaica.	1758.	8.	S. h.	Brown. jam. t. 29. f. 2
Rhamnus ellipticus. W.	_____	_____	_____	_____	_____	_____	_____
8 africanus. W.	African.	_____	C. B. S.	1712.	3.4.	G. h.	Pluk. phyt. 126. f. 1.
9 globulosus. H. K.	round-headed.	_____	N. Holland.	1803.	4.5.	G. h.	Lab. nov. holl. 1. t. 85
POMADERIS. Lab.	POMADERIS.	Rhamni. J.	_____	_____	_____	_____	_____
1 apetala. H. K.	petalless.	_____	N. Holland.	1803.	5.6.	G. h.	Lab. nov. holl. 1. t. 87
2 elliptica. H. K.	oval-leaved.	_____	_____	1805.	5.7.	G. h.	Bot. mag. 1510.
3 lanigera. B. M.	woolly.	_____	_____	1806.	4.6.	G. h.	_____ 1823.
PHYLICA. W.	PHYLICA.	Rhamni. J.	C. B. S.	_____	_____	_____	_____
1 ericoides. W.	Heath-leaved.	_____	_____	1731.	9.4.	G. h.	Bot. mag. 224.
2 parviflora. W.	small-flowered.	_____	_____	1790.	4.7.	G. h.	_____
3 lanceolata. W.	lance-leaved.	_____	_____	_____	4.5.	G. h.	_____
4 capitata. W. en.	headed.	_____	_____	1800.	5.8.	G. h.	_____
5 pubescens. W.	downy.	_____	_____	1774.	2.4.	G. h.	Burm. afr. t. 44. f. 5.
6 eriophoros. P. S.	pale-flowered.	_____	_____	11.	G. h.	G. h.	Pluk. amat. t. 445. f. 1
7 rosmarinifolia. P. S.	Rosemary-leav'd.	_____	_____	1815.		G. h.	_____
8 axillaris. P. S.	axillary-flowered.	_____	_____	1812.	5.6.	G. h.	_____
9 plumosa. W.	feathered.	_____	_____	1752.	3.5.	G. h.	Pluk. mant. t. 342. f. 5
10 villosa. W.	villous.	_____	_____	1790.	5.	G. h.	_____
11 stipularis. W.	horned.	_____	_____	1786.	5.9.	G. h.	Burm. afr. t. 43. f. 2.
12 cordata. W.	heart-leaved.	_____	_____	1789.	5.6.	G. h.	Comm. rar. 62. t. 12.
13 buxifolia. W.	Box-leaved.	_____	_____	1759.	5.9.	G. h.	Burm. afr. t. 44. f. 1.

14 <i>spicata</i> . W.	spiked.	Rhamni. J.	C. B. S.	1774. 11.12. G. h.	Lam. ill. t. 127. f. 3.
15 <i>myrtifolia</i> . P. S.	Myrtle-leaved.	_____	_____	1816. G. h.	_____
16 <i>callosa</i> . W.	callous-leaved.	_____	_____	1774. 3.4. G. h.	_____
17 <i>paniculata</i> . W.	panicled.	_____	_____	1812. 4.6. G. h.	_____
18 <i>imbricata</i> . W.	imbricated.	_____	_____	1801. 8.11. G. h.	_____
19 <i>cylindrica</i> . W. en.	cylindrical.	_____	_____	 4.8. G. h.	_____
20 <i>racemosa</i> . W.	cluster-flowered.	_____	_____	1790. 5.9. G. h.	_____
21 <i>pinifolia</i> . W.	Pine-leaved.	_____	_____	1789. 5. G. h.	_____
BRUNIA. W.	BRUNIA.	Rhamni? J.	_____	_____	_____
1 <i>nodiflora</i> . W.	imbricated.	_____	C. B. S.	1786. 7.8. G. h.	Breyn. cent. 22. t. 16
2 <i>paleacea</i> . W.	chafly.	_____	_____	1791. 6.8. G. h.	_____
3 <i>lanuginosa</i> . W.	woolly.	_____	_____	1774. G. h.	Pluk. alm. t. 318. f. 4.
4 <i>verticillata</i> . W.	whorled.	_____	_____	1794. G. h.	_____
5 <i>deusta</i> . Th.	black-tipped.	_____	_____	1804. G. h.	_____
6 <i>microphylla</i> . Th.	small-leaved.	_____	_____	 G. h.	_____
7 <i>laxa</i> . Th.	spiked.	_____	_____	1803. G. h.	_____
8 <i>alopecuroides</i> . Th.	Fox-tail.	_____	_____	1816. G. h.	_____
9 <i>abrotanoides</i> . W.	Thyme-leaved.	_____	_____	1787. 5.7. G. h.	Burm. afr. t. 100. f. 1.
10 <i>superba</i> . W.	superb.	_____	_____	1791. G. h.	_____
11 <i>fragarioides</i> . W.	Strawberry-like.	_____	_____	1794. G. h.	_____
12 <i>ciliata</i> . L.	ciliated.	_____	_____	1812. G. h.	_____
STAAVIA. W.	STAAVIA.	Rhamni? J.	_____	_____	_____
1 <i>radiata</i> . W.	rayed.	_____	C. B. S.	1787. 5.6. G. h.	Breyn. cen. 165. t. 82
2 <i>glutinosa</i> . W.	clammy.	_____	_____	1793. 4.5. G. h.	_____
PLECTRONIA. W.	PLECTRONIA.	Rhamni? J.	_____	_____	_____
corymbosa. P. S.	corymbend.	_____	C. B. S.	1816. G. h.	_____
ADENANDRA. W. en.	ADENANDRA.	Diosmææ.	<i>Diosmæ species Linn.</i>	_____	_____
1 <i>uniflora</i> . W. en.	one-flowered.	_____	C. B. S.	1775. 4.7. G. h.	Bot. mag. 273.
2 <i>umbellata</i> . W. en.	umbel-flowered.	_____	_____	1789. G. h.	1271.
3 <i>fragrans</i> . B. M.	red-flowered.	_____	_____	1812. 5.7. G. h.	1519.
4? <i>tetragona</i> . W.	tetragonal.	_____	_____	1789. 7.8. G. h.	_____
BAROSMA. W. en.	BAROSMA.	Diosmææ.	<i>Diosmæ species Linn.</i>	_____	_____
1 <i>serratifolia</i> . W. en.	saw-leaved.	_____	C. B. S.	1789. 3.6. G. h.	Bot. mag. 456.
2 <i>latifolia</i> . W.	broad-leaved.	_____	_____	7.8. G. h.	Bot. rep. 33.
3 <i>crenata</i> . W.	crenated.	_____	_____	1774. 1.3. G. h.	_____
4 <i>ovata</i> . W.	oval-leaved.	_____	_____	1790. 2.9. G. h.	Bot. mag. 1616.
DIOSMA. W. en.	DIOSMA.	Diosmææ.	_____	_____	_____
1 <i>oppositifolia</i> . W.	opposite-leaved.	_____	C. B. S.	1752. 3.7. G. h.	Comm. rar. 1. t. 1.
2 <i>linearis</i> . W.	linear-leaved.	_____	_____	1800. G. h.	_____
3 <i>alba</i> . Th.	white-flowered.	_____	_____	 G. h.	_____
4 <i>hirsuta</i> . W.	hairy-leaved.	_____	_____	1731. G. h.	Comm. rar. 3. t. 3.
5 <i>rubra</i> . W.	red-calyxed.	_____	_____	1752. 2.5. G. h.	2. t. 2.
<i>ericifolia</i> . B. R. 451.	_____	_____	_____	_____	_____
6 <i>pectinata</i> . W. en.	pectinated.	_____	_____	1812. 4.6. G. h.	Wend. coll. pl. 1. t. 8.
7 <i>ericoides</i> . W.	Heath-leaved.	_____	_____	1756. 3.7. G. h.	Mill. ic. 1. t. 124. f. 2.
8 <i>cupressina</i> . W.	Cypress-leaved.	_____	_____	1790. 6.7. G. h.	Pluk. alm. t. 279. f. 2.
9 <i>tenuifolia</i> . W. en.	slender-leaved.	_____	_____	 4.6. G. h.	_____
10 <i>succulenta</i> . W. en.	succulent-leaved.	_____	_____	 G. h.	Wend. coll. pl. 1. t. 1.
AGATHOSMA. W. en.	AGATHOSMA.	Diosmææ.	<i>Diosmæ species Linn.</i>	_____	_____
1 <i>hispida</i> . W.	rough-leaved.	_____	C. B. S.	1786. 6.8. G. h.	_____
2 <i>ciliata</i> . W.	ciliated.	_____	_____	1774. 4.5. G. h.	301. 266
3 <i>capitata</i> . W.	pale purple.	_____	_____	1790. 5.6. G. h.	_____
4 <i>villosa</i> . W.	shaggy.	_____	_____	1786. 6.8. G. h.	Wend. coll. pl. 1. t. 2.
5 <i>imbricata</i> . W.	imbricated.	_____	_____	1774. 4.6. G. h.	pl. 1. t. 9.
6 <i>acuminata</i> . W. en.	acuminate.	_____	_____	1812. G. h.	pl. 1. t. 28
7 <i>marginata</i> . Th.	marginate.	_____	_____	1806. G. h.	Pluk. alm. t. 411. f. 3.
8 <i>cerefolia</i> . Ven.	Chervil-scented.	_____	_____	1790. G. h.	Vent. malm. 93.
9 <i>pubescens</i> . W. en.	pubescent.	_____	_____	1798. 5.8. G. h.	{ Wend. coll. pl. 1.
10 <i>pulchella</i> . W.	blunt-leaved.	_____	_____	1787. 2.9. G. h.	{ t. 13 et 14.
LASIOPETALUM. } Vent.	LASIOPETALUM.	_____	_____	_____	Bot. mag. 1357.
1 <i>parviflorum</i> . L. T.	small-flowered.	_____	N. Holland.	1810. 4.7. G. h.	{ Linn. trans. v. 10.
2 <i>ferrugineum</i> . B. R.	rusty.	_____	_____	1791. G. h.	{ t. 19. f. 2.
3 <i>purpureum</i> . H. K.	purple.	_____	_____	1803. G. h.	Bot. mag. 1766.
4 <i>arborescens</i> . H. K.	Nettle-tree-leav ^d	_____	_____	1802. G. h.	1755.
5 <i>solanaceum</i> . B. M.	Solanum-like.	_____	_____	1803. G. h.	Bot. mag. 1486.
6 <i>quercifolium</i> . H. K.	Oak-leaved.	_____	_____	 G. h.	1485.

BURSARIA. Cav. sp.iosa. Cav.	BURSARIA. thorny.	Pittosporææ. Br.	N. S. W.	1793. 8.12. G. h.	Bot. mag. 1767.
BILLARDIERA. Sm.	APPLE-BERRY.	Pittosporææ. Br.	N. S. W.	1790. 6.8. G. h.	Bot. mag. 801.
1 scandens. W.	climbing.		1795. 6.9. G. h.	1313.	
2 mutabilis. H. K.	changeable.		Van Diem.	1810. — G. h.	1507.
3 longiflora. B. M.	blue-berried.				
PITOSPORUM. W.	PITOSPORUM.	Pittosporææ. Br.	Madeira.	1787. 5. G. h.	Bot. rep. 151.
1 coriaceum. W.	thick-leaved.		C. B. S.	1806. 5.6. G. h.	Bot. mag. 1684.
2 viridiflorum. B. M.	green-flowered.		China.	1804. 3.8. G. h.	1396.
3 Tobira. H. K.	glossy-leaved.		N. S. W.	1789. 2.6. G. h.	Bot. reg. 16.
4 undulatum. H. K.	wave-leaved.		1795. 2.4. G. h.	186.	
5 revolutum. H. K.	downy-leaved.		Guinea.	1787. 2.5. S. h.	2015
6 ferrugineum. H. K.	rusty-leaved.				
CYRILLA. L.	CYRILLA.	Ericææ. J.	Carolina.	1765. 6.8. G. h.	Jac. ic. 1. t. 47. 2456
caroliniana. Ph.	Carolina.				
BROSSÆA. L.	BROSSÆA.	Ericææ. J.	S. America.	 S. h.	Plu.gen.7.ic.64.f.2.
1 coccinea. L.	scarlet.				
ITEA. L.	ITEA.	Saxifragææ. P. S.	N. America.	1744. 6.8. H. h.	Trew. ehret. 55. t. 98
virginica. W.	Virginian.		Blandfordia. B. Rep.		2409
GALAX. W.	GALAX.		N. America.	1786. 6.7. H. h.	Bot. mag. 754.
aphylla. W.	heart-leaved.				
CEDRELA. W.	BASTARD CEDAR.	Meliææ? J.	W. Ind.	1739. S. h.	{ Brown. jam. 158. t. 10. f. 1.
odorata. W.	Barbadoes.				
CALODENDRUM. W.	CALODENDRUM.		C. B. S.	1789. G. h.	Hout. nat. his. 4. t. 22
capense. W.	Calo.				
MANGIFERA. W.	MANGO-TREE.	Terebintaceæ. J.	E. Ind.	1690. 6.9. S. h.	Bot. rep. 425.
indica. W.	Indian.		W. Ind.	1782. S. h.	Aub. guian. 1. t. 98.
HIRTELLA. W.	HIRTELLA.	Rosacææ. J.	Britain.	 4.5. H. h.	Eng. bot. 1289.
americana. W.	American.		 H. h.		
RIBES. W.	CURRENT.	Cacti. J.	England.	 5. H. h.	Eng. bot. 705.
1 rubrum. W.	red.		Dauria.	1804. 5.6. H. h.	Pall. ross. 2. t. 65.
β album.	white.		N. America.	1777. 4.5. H. h.	L'Her. stirp. 1. t. 2.
2 petraum. W.	rock.		1800. — H. h.	Bot. mag. 1583.	
3 procumbens. W.	trailing.		Britain.	 H. h.	Eng. bot. 704.
4 prostratum. Ph.	glandulous.		England.	 H. h.	1290.
5 resinosum. Ph.	clammy.		Britain.	 H. h.	1291.
6 alpinum. W.	Alpine.		Missouri.	1812. — H. h.	Bot. reg. 125.
7 spicatum. Sm.	acid.		N. America.	1729. — H. h.	Dill. elt. t. 244. f. 315
8 nigrum. W.	black.		1812. — H. h.		
9 aureum. Ph.	golden.		— H. h.		
10 floridum. W.	Pensylvanian.		— H. h.		
11 laxiflorum. Ph.	loose-flowered.		— H. h.		
12 hirtellum. Ph.	hairy.		— H. h.		
13 gracile. Ph.	slender.		— H. h.		
14 triflorum. Ph.	three-flowered.		— H. h.		Will. bor. ber. 1. t. 61
15 Diacantha. W.	two-spined.		Siberia.	1781. 5.6. H. h.	Schmidt arb. t. 97.
16 reclinatum. W.	procumbent.		Germany.	1683. 4.5. H. h.	
17 Grossularia. W.	{ rough Goose- berry.		England.	 3.4. H. h.	Eng. bot. 1292.
18 Uva-crispa. W.	{ smooth Gooseberry.		 H. h.	2057.	
19 oxyacanthoides. W.	Hawthorn-leav ^d .		N. America.	1705. 4.5. H. h.	Dill. elt. t. 139. f. 166.
20 lacustris. Ph.	swamp.		1812. — H. h.		
21 Cynosbati. W.	prickly-fruited.		Canada.	1759. 4. H. h.	Schmidt arb. 98.
HIEDERA. W.	Ivy.	Caprifoliææ. J.	Britain.	 10.11. H. h.	Eng. bot. 1267.
Helix. W.	common.				
VITIS. P. S.	VINE.	Vites. J.	Various.	 6.7. H. h.	Jac. ic. 1. t. 50.
1 vinifera. W.	common Grape.		Indies.	1692. S. h.	Rheed. mal. 7. t. 6.
2 indica. W.	Indian.		N. America.	1656. H. h.	Jac. schæn. 426.
3 Labrusca. W.	downy-leaved.		 H. h.	425.	
β baccis albis.	Bland's Grape.		1806. H. h.	427.	
4 vulpina. W.	Fox-grape.		 5.6. H. h.	2425	
5 cordifolia. Ph.	Winter-grape.		 H. h.		
6 riparia. Ph.	sweet-scented.		 H. h.		
7 rotundifolia. Ph.	Bull-grape.		1648. 6.7. H. h.	Schmidel ic. 34. t. 8.	
8 laciniosa. W.	Parsley-leaved.				
LEEÆ. W.	LEEÆ.	Meliææ. J.	E. Ind.	1790. S. h.	Cav. diss. 7. t. 218.
1 sambucina. W.	Elder-leaved.		1777. S. h.		
2 æquata. W.	shrubby.				

3 crispa. W.	fringed-stalked.	Meliæ. J.	Bengal.	1676. 8.10. S. 2.	Bot. rep. 355.
GRONOVIA. W.	GRONOVIA.	Cucurbitaceæ. J.			
scandens. W.	climbing.		Jamaica.	1731. 6.7. S. 2.	Jac. ic. 2. t. 338.
IMPATIENS. W.	BALSAM.	Geraniæ? J.			
1 Balsamina. W.	garden.		E. Ind.	1596. 7.10. S. 2.	Blackw. t. 583.
2 coccinea. H. K.	glandular-leaved			1808. 6.9. H. 2.	Bot. mag. 1256.
3 biflora. Ph.	two-flowered.		N. America.	 — H. 2.	
4 Nolitangere. W.	Touch me not.		England.	 — H. 2.	Eng. bot. 937.
LAGECIA. W.	CUMIN.	Umbelliferæ. J.			
cuminoides. W.	wild.		Levant.	1640. 6.7. H. 2.	Lam. ill. t. 242.
CLAYTONIA. W.	CLAYTONIA.	Portulacæ. J.			
1 virginica. Ph.	Virginian.		N. America.	1748. 3.5. H. 2.	Bot. mag. 941.
2 caroliniana. H. K.	spatula-leaved.			1789. — H. 2.	Par. lond. 71.
3 lanceolata. Ph.	spear-leaved.			1812. — H. 2.	
4 sibirica. W.	Siberian.		Siberia.	1768. 5.8. H. 2.	Act.stock.1746.t.5.
5 alsinoides. Ph.	Chickweed-like.		Nootka Sd.	1794. 3.6. H. 2.	Bot. mag. 1309.
6 perfoliata. W.	small-flowered.		N. America.	1794. 5.8. H. 2.	1336.
VIOLA. W.	VIOLET.	Violæ.			
1 palmata. W.	palmated.		N. America.	1752. 5.6. H. 2.	Bot. mag. 535.
2 pedata. W.	cut-leaved.			1759. — H. 2.	89.
3 pinnata. W.	winged-leaved.		S. Europe.	1752. — H. 2.	Gmel.sib.4.t.49.f.4.
4 sagittata. W.	arrow-leaved.		N. America.	1775. 7. H. 2.	
5 lanceolata. W.	spear-leaved.			1759. 6.7. H. 2.	Gmel.sib.4.t.49.f.2.
6 obliqua. W.	oblique-flowered.			1762. 5.6. H. 2.	
7 cucullata. W.	hollow-leaved.			1772. 5.7. H. 2.	Bot. mag. 1795.
8 blanda. Ph.	white-flowered.			1802. — H. 2.	Willd.hort.ber. 24.
9 primulifolia. Ph.	Primrose-leaved.			1783. 4.6. H. 2.	
10 sororia. Ph.	white-rooted.			1802. — H. 2.	Willd.hort.ber. 72.
11 hirta. W.	hairy.		England.	 4.5. H. 2.	Eng. bot. 894.
12 papilionacea. Ph.	variegated.		N. America.	1800. 5.6. H. 2.	
13 clandestina. Ph.	small-flowered.		Pensylvania.	 5. H. 2.	
14 palustris. W.	marsh.		Britain.	 5.6. H. 2.	Eng. bot. 444.
15 odorata. W.	sweet.			 3.5. H. 2.	619.
α purpurea.	purple-flowered.				
β alba.	white-flowered.				
γ cærulea.	blue-flowered.				
δ purpureo-plena.	double purple.				
ε albo-plena.	double white.				
ζ cæruleo-plena.	double blue.				
η pallido-plena.	Neapolitan.				
16 canina. W.	dog's.		Britain.	 4.6. H. 2.	Eng. bot. 620.
17 lactea. E. B.	cream-coloured.		England.	 5. H. 2.	445.
18 montana. W.	mountain.		Alps of Eur.	1683. 5.6. H. 2.	Bot. mag. 1595.
19 cenisia. W.	Alpine.		Mt. Cenis.	1759. 6.7. H. 2.	All.ped.2.t.22.f.6.
20 valderia. W. en.	fringed-leaved.			1805. 5.6. H. 2.	t.24.f.3.
21 canadensis. W.	Canadian.		N. America.	1783. — H. 2.	
22 striata. W.	streaked.			1772. 6.7. H. 2.	
23 pubescens. W.	downy.			— H. 2.	
24 mirabilis. W.	broad-leaved.		Germany.	1732. 6.8. H. 2.	Flor. dan. 1045.
25 biflora. W.	two-flowered.		Alps of Eur.	1752. 4.5. H. 2.	46.
26 uniflora. W.	Siberian.		Siberia.	1774. 6.7. H. 2.	Gmel.sib.4.t.48.f.5.
27 Nuttallii. Ph.	Nuttall's.		Missouri.	1812. 5.6. H. 2.	
28 concolor. L. T.	green-flowered.		N. America.	1788. 6.7. H. 2.	Linn. trans. 6. t.28.
29 Zoysii. W.	crenated.		Carinthia.	 7.9. H. 2.	Jac. coll.4.t.11.f.1.
30 altaica. B. Reg.	Tartarian.		Siberia.	1805. 3.6. H. 2.	Bot. reg. 54.
31 arvensis. P. S.	corn.		Britain.	 4.9. H. 2.	
32 tricolor. P. S.	Heart's-ease.			 — H. 2.	
33 amœna. E. B.	purple.			 5.7. H. 2.	Eng. bot.
34 rothomagensis. P.S.	Rouen.		France.	1783. 5.8. H. 2.	Bot. mag. 1498.
35 sudetica. W. en.	tooth-flowered.			1805. — H. 2.	
36 lutea. E. B.	yellow-flowered.		Britain.	 — H. 2.	Eng. bot. 721.
37 grandiflora. L.	great-flowered.		Switzerland.	 — H. 2.	Hall.helv.566.t.17
38 calcarata. W.	spurred.			1752. 3.6. H. 2.	
39 cornuta. W.	horned.		Pyrenees.	1776. 5.6. H. 2.	Bot. mag. 791.
40 arborescens. W.	shrubby.		Spain.	1779. 4.5. G. 2.	Barr. ic. 568.
IONIDIUM. Vent.	IONIDIUM.	Violæ. Viola species W.			
polygalifolium. V.	whorl-leaved.		S. America.	1797. 4.8. G. 2.	Vent. malm. 27.
HELICONIA. W.	HELICONIA.	Musacæ. P. S.			
1 Bibai. W.	Plantain-leaved.		W. Ind.	1786. 4.5. S. 2.	Swart.ob.96.t.5.f.2
2 humilis. W.	dwarf.		Caracas.	1798. 5.6. S. 2.	Jac.schæ.1.t.48.49

3 Psittacorum. W.	Parrot-beaked.	Musaceæ. P. S.	W. Ind.	1797.	8.9.	S. 2.	Bot. mag. 562.
STRELITZIA. H. K.	STRELITZIA.	Musaceæ. P. S.					
1 angusta. H. K.	angust.		C. B. S.	1791.	2.5.	S. 2.	
2 reginæ. H. K.	Canna-leaved.			1773.	4.5.	S. 2.	Red. lil. 77. 78.
3 ovata. H. K.	ovate-leaved.			1777.	2.4.	S. 2.	Bot. mag. 119. 120.
4 farinosa. H. K.	mealy-stalked.			1795.	2.3.	S. 2.	
5 angustifolia. H. K.	narrow-leaved.			1778.	5.6.	S. 2.	
6 parvifolia. H. K.	rush-leaved.			1796.	5.7.	S. 2.	
GOMPHRENA. B. P.	{ GLOBE AMARANTH. }	Amaranthaceæ. B. P.					
1 globosa. W.	annual.		India.	1714.	5.10.	S. 2.	Rheed. mal. 10. t. 37.
2 perennis. W.	perennial.		S. America.	1732.	7.10.	S. 2.	Dill. elt. 24. t. 20. f. 22.
3 arborescens. W.	tree.			1802.		S. 2.	
4 interrupta. W.	trailing.		W. Ind.	1733.	7.8.	S. 2.	Jac. ic. 1. t. 51.
PHILOXERUS. B. P.	PHILOXERUS.	Amaranthaceæ. B. P.	<i>Gomphrenæ species Linn.</i>				
1 vermiculatus. B. P.	creeping.		S. America.		7.10.	S. 2.	Herm. parad. t. 15.
2 brasiliensis. B. P.	upright.		Brasil.	1790.		S. 2.	Jac. ic. 2. t. 346.
ACHYRANTHES. W.	ACHYRANTHES.	Amaranthaceæ. B. P.					
1 argentea. W.	upright.		Sicily.	1713.	5.10.	S. 2.	Bocc. sic. 16. t. 9.
2 aspera. W.	rough.		India.	1751.		S. 2.	Mill. ic. 1. t. 11. f. 2.
3 muricata. W.	prickly.			1777.	8.11.	S. 2.	Rumph. amb. 5. t. 83.
4 alternifolia. W.	alternate-leaved.		E. Ind.	1789.	7.8.	S. 2.	Pluk. alm. t. 260. f. 1.
5 porrigens. H. K.	crimson-flower'd.			1802.	4.8.	S. 2.	Bot. mag. 830.
6 nivea. W.	white.		Canaries.	1780.	5.7.	G. 2.	
PUPALIA. Juss.	PUPALIA.	Amaranthaceæ. B. P.	<i>Achyranthis species W.</i>				
1 lappacea. J.	Burry.		E. Ind.	1759.	8.10.	S. 2.	Rheed. mal. 10. t. 59.
2 prostrata. B. P.	prostrate.			1793.	7.8.	S. 2.	
DEERINGIA. B. P.	DEERINGIA.	Amaranthaceæ. B. P.	<i>Celosia species W.</i>				
celosioides. B. P.	Berry-bearing.		E. Ind.	1804.	8.10.	S. 2.	
CELOSIA. B. P.	COCK'S-COMB.	Amaranthaceæ. B. P.					
1 argentea. W.	silvery-spiked.		China.	1714.	6.9.	S. 2.	Mart. dec. 1. t. 7.
2 cristata. W.	common.		Asia.	1570.		S. 2.	Lam. ill. t. 168. f. 1.
3 comosa. W.	tufted.		E. Ind.	1802.		S. 2.	
4 coccinea. W.	scarlet.		China.	1597.		S. 2.	
5 cernua. B. R.	drooping.		E. Ind.	1809.	7.8.	S. 2.	Bot. rep.
6 castrensis. W.	branched.			1739.	7.9.	S. 2.	Bar. ray. t. 1195.
7 Monsoniæ. W.	downy.			1778.		S. 2.	{ Pluk. alm. 11. t. 384. f. 4.
8 nodiflora. W.	knotted.			1780.		S. 2.	Jac. vind. 1. t. 98.
LESTIBUDESIA. B. P.	LESTIBUDESIA.	Amaranthaceæ. B. P.	<i>Celosia species W.</i>				
1 paniculata. B. P.	panicle.		Jamaica.	1733.	6.9.	S. 2.	Sloa. jam. 1. t. 91. f. 1.
2 trigyna. B. P.	oval-leaved.		Senegal.	1777.	8.10.	S. 2.	Jac. vind. 3. t. 15.
3 virgata. B. P.	wave-leaved.			1815.		S. 2.	Jac. ic. 2. t. 339.
ALTERNANTHERA. B. P.	{ ALTERNANTHERA. }	Amaranthaceæ. B. P.	<i>Illecebræ species Linn.</i>				
1 Achyrantha. B. P.	creeping.		Buenos Ayres.	1732.	6.8.	S. 2.	Dill. elt. 8. t. 7. f. 7.
2 polygonoides. B. P.	Persicaria-leaved.		America.	1731.		G. 2.	Herm. par. 17.
3 sessile. B. P.	sessile-flowered.		E. Ind.	1778.	7.10.	S. 2.	Rheed. mal. 10. t. 11.
ÆRUA. Juss.	ÆRUA.	Amaranthaceæ. B. P.	<i>Illecebræ species W.</i>				
1 lanata. J.	woolly.		E. Ind.	1691.	4.8.	S. 2.	Mill. ic. 1. t. 11. f. 1.
2 javanica. J.	spear-leaved.			1768.		S. 2.	Burm. ind. t. 65. f. 2.
ILLECEBRUM. Juss.	KNOT-GRASS.	Amaranthaceæ. Juss.					
verticillatum. W.	whorled.		England.		7.	H. 2.	Eng. bot. 895.
PARONYCHIA. G.	PARONYCHIA.	Amaranthaceæ. Juss.	<i>Illecebræ species W.</i>				
1 nitida. G.	mountain.		S. Europe.	1640.	5.8.	H. 2.	
2 capitata. Juss.	Spanish.		Spain.	1683.	6.8.	G. 2.	Lobel. ic. 420. f. 1.
3 nivea. P. S.	villous.			1812.		G. 2.	
4 alsinifolia. J.	Chickweed-leav'd.					H. 2.	Scop. del. ins. t. 13.
ANYCHIA. Mich.	ANYCHIA.	Amaranthaceæ. J.					
dichotoma. Ph.	forked.		N. America.	1806.	5.8.	H. 2.	Ort. dec. t. 15. f. 2.
Querica canadensis.	W.						
MOLLIA. W.	MOLLIA.	Amaranthaceæ. J.	<i>Polycarpea. Lam. Hagea. P. S.</i>				
1 diffusa. H. K.	forked.		Canaries.	1779.	7.8.	G. 2.	Willd. hort. ber. 11.
2 aristata. H. K.	bearded.			1780.	6.7.	G. 2.	
CHENOLEA. W.	CHENOLEA.	Chenopodæ. B. P.					
diffusa. W.	silky.		C. B. S.	1758.	8.9.	G. 2.	
GLAUX. W.	BLK.-SALTWORT.	Salicariæ. J.					
maritima. W.	sea.		Britain.		5.6.	H. 2.	Eng. bot. 13.
MENYANTHES. B. P.	BUCK-BEAN.	Gentianæ? B. P.					
trifoliata. W.	common.		Britain.		7.	H. 2.	Eng. bot. 495.

VILLARSIA. B. P.	VILLARSIA.	Gentianeæ. B. P.	<i>Menyanthes species W.</i>			
1 nymphoides. W.	fringed.	_____	England.	 6.7.	H. 2.	Eng. bot. 217.
2 lacunosa. V.	smooth-flowered.	_____	N. America.	1812. —	G. 2.	Vent. choix. 9.
3 sarmetosa. B. M.	running.	_____	N. Holland.	1806. —	G. 2.	Bot. mag. 1323.
4 indica. W.	Indian.	_____	C. B. S.	1792. 5.8.	S. 2.	_____ 658.
5 parnassifolia. B. P.	tall.	_____	N. S. W.	1805. 6.10.	G. 2.	_____ 1029.
6 ovata. V.	oval-leaved.	_____	C. B. S.	1786. 5.7.	G. 2.	Vent. choix. 9.
LOGANIA. B. P.	LOGANIA.	Gentianeæ. B. P.	<i>Euosma. B. Rep.</i>			
1 latifolia. B. P.	broad-leaved.	_____	N. Holland.	1816.	G. 2.	Lab. nov. holl. 1. t. 51
2 floribunda. B. P.	many-flowered.	_____	N. S. W.	1797. 4.5.	G. 2.	Bot. rep. 520.
<i>Euosma albiflora.</i>	<i>B. R.</i>					
SPIGELIA. W.	WORM-GRASS.	Gentianeæ. B. P.				
1 Anthelmia. W.	annual.	_____	W. Ind.	1759. 7.	S. 2.	Brown. jam. t. 37. f. 3
2 marilandica. W.	perennial.	_____	N. America.	1694. 7.8.	H. 2.	Bot. mag. 80.
LISIANTHUS. W.	LISIANTHUS.	Gentianeæ. B. P.				
1 longifolius. W.	long-leaved.	_____	Jamaica.	1793. 6.7.	S. 2.	Brown. jam. t. 9. f. 1.
2 glaucifolius. Jac.	glaucous-leaved.	_____			S. 2.	Jac. ic. rar. 1. t. 33.
3 exsertus. W.	oval-leaved.	_____	W. Ind.	1793.	S. 2.	_____
4 cordifolius. W.	heart-leaved.	_____	Jamaica.	1816.	S. 2.	_____
CHIRONIA. B. P.	CHIRONIA.	Gentianeæ. B. P.				
1 jasminoides. L. T.	Jasmine-leaved.	_____	C. B. S.	1812. 4.7.	G. 2.	Bot. reg. 197.
2 lychnoides. L. T.	Lychnis-flower ^d .	_____	_____	1816.	G. 2.	_____
3 linoides. W.	Flax-leaved.	_____	_____	1787. 7.9.	G. 2.	Bot. mag. 511.
4 baccifera. W.	berry-bearing.	_____	_____	1759. 6.7.	G. 2.	_____ 233.
5 angustifolia. H. K.	narrow-leaved.	_____	_____	1800. 6.8.	G. 2.	_____ 818.
6 frutescens. W.	shrubby.	_____	_____	1756. 6.9.	G. 2.	_____ 37.
7 decussata. H. K.	cross-leaved.	_____	_____	1789. —	G. 2.	_____ 707.
SABBATIA. P. L.	SABBATIA.	Gentianeæ. B. P.	<i>Chironia species W.</i>			
1 gracilis. Ph.	slender.	_____	N. America.	 7.	H. 2.	Par. lond. 32.
2 calycosa. Ph.	dichotomous.	_____	_____	1812. 6.8.	H. 2.	Bot. mag. 1600.
3 chloroides. Ph.	Chlora-like.	_____	_____	1817.	H. 2.	_____
ERYTHRÆA. P. S.	ERYTHRÆA.	Gentianeæ. B. P.	<i>Chironia species W.</i>			
1 Centaurium. P. S.	common.	_____	Britain.	 7.8.	H. 2.	Eng. bot. 417.
2 pulchella. E. B.	dwarf-branched.	_____	England.	 8.9.	H. 2.	_____ 458.
3 littoralis. E. B.	dwarf-simple.	_____	Britain.	 6.7.	H. 2.	_____ 2305.
4 maritima. P. S.	procumbent.	_____	S. Europe.	1777. 7.8.	G. 2.	Cav. ic. 3. t. 296. f. 1.
EUSTOMA. P. L.	EUSTOMA.	Gentianeæ. B. P.				
1 silenifolium. P. L.	Silene-leaved.	_____	I. Providence	1804. 7.	H. 2.	Par. lond.
SCOPOLIA. W.	SCOPOLIA.	Gentianeæ. B. P.	<i>Toddalia P. S.</i>			
1 aculeata. W.	prickly.	_____			S. 2.	_____
BUTNERIA. W.	BUTNERIA.	Malvaceæ. J.				
1 scabra. W.	rough-leaved.	_____	W. Ind.	1793. 7.	S. 2.	Cav. diss. 5. t. 148. f. 1
2 microphylla. W.	small-leaved.	_____	S. America.	1816.	S. 2.	_____ t. 148. f. 2.
AYENIA. W.	AYENIA.	Malvaceæ. J.				
1 pusilla. W.	small.	_____	Jamaica.	1756. 7.9.	S. 2.	Mill. ic. 79. t. 118.
2 lævigata. P. S.	smooth.	_____			S. 2.	_____
STRYCHNOS. W.	STRYCHNOS.	Apocynæ. B. P.				
1 Nux-vomica. W.	Poison-nut.	_____	E. Ind.	1778.	S. 2.	Roxb. cor. 1. t. 4.
2 potatorum. W.	Clearing-nut.	_____	_____	1794.	S. 2.	_____ 1. t. 5.
GELSEMIUM. J.	GELSEMIUM.	Apocynæ. B. P.	<i>Bignonia species L.</i>			
1 sempervirens. H. K.	evergreen.	_____	N. America.	1640. 6.7.	H. 2.	Cates. car. 1. t. 53.
RAUWOLFIA. W.	RAUWOLFIA.	Apocynæ. B. P.				
1 nitida. W.	shining.	_____	S. America.	1752. 6.9.	S. 2.	Plum. ic. t. 236. f. 1.
2 canescens. W.	hoary.	_____	Jamaica.	1739.	S. 2.	_____ t. 236. f. 2.
CARISSA. W.	CARISSA.	Apocynæ. B. P.				
1 Carandas. W.	Jasmine-flower ^d .	_____	E. Ind.	1790. 7.	S. 2.	Rox. cor. 1. t. 77.
2 spinarum. W.	spiny.	_____	_____	1809. 8.12.	S. 2.	Lam. ill. t. 118. f. 2.
ARDUINA. W.	ARDUINA.	Apocynæ. B. P.				
1 bispinosa. W.	two-spined.	_____	C. B. S.	1760. 3.8.	G. 2.	Mill. ic. 2. t. 300.
CERBERA. W.	CERBERA.	Apocynæ. B. P.				
1 Abouai. W.	oval-leaved.	_____	Brasil.	1739. 6.7.	S. 2.	Bot. mag. 737.
2 Manghas. W.	spear-leaved.	_____	India.	1759. 9.	S. 2.	Rheed. mal. 1. t. 39.
3 maculata. W.	waved-leaved.	_____	Bourbon.	1782. 6.7.	S. 2.	Bot. rep. 130.
4 ovata. W.	oval-leaved.	_____	N. Spain.		S. 2.	Cav. ic. 3. t. 270.
5 Thevetia. W.	linear-leaved.	_____	S. America.	1735.	S. 2.	Jac. amer. 48. t. 34.
ALLAMANDA. W.	ALLAMANDA.	Apocynæ. B. P.				
1 cathartica. W.	Willow-leaved.	_____	Guiana.	1785. 6.7.	S. 2.	Bot. mag. 338.
VINCA. W.	PERIWINKLE.	Apocynæ. B. P.				
1 herbacea. W. en.	herbaceous.	_____	Hungary.	1816. 6.7.	H. 2.	Pl. rar. hung. 1. t. 9.
2 minor. W.	lesser.	_____	Britain.	 3.9.	H. 2.	Eng. bot. 917.

PENTANDRIA DIGYNIA.

3 major. W.	greater.	Apocynæ. B. P.	England.		3.9.	H. h.	Eng. bot. 514.
4 parviflora. W.	small-flowered.	_____	E. Ind.	1778.	8.	S. ☉.	{ Murr. comm. gott. t. 2. f. 1.
5 rosea. W.	Madagascar.	_____	_____	1756.	3.10.	S. h.	Bot. mag. 248.
β alba.	white-flowered.	_____	_____	_____	_____	_____	_____
γ ocellata.	red-eyed.	_____	_____	_____	_____	_____	_____
NERIUM. B.	OLEANDER.	Apocynæ. B. P.	_____	_____	_____	_____	_____
1 tinctorium. A. R.	dyer's.	_____	E. Ind.	1812.		S. h.	_____
2 Oleander. W.	common.	_____	S. Europe.	1596.	6.10.	G. h.	Lam. ill. t. 174.
β alba.	white-flowered.	_____	_____	_____	_____	_____	_____
γ splendens.	double-hybrid.	_____	_____	1814.	_____	G. h.	_____
3 odorum. W.	sweet-scented.	_____	E. Ind.	1683.	6.8.	G. h.	Rheed. mal. 9. t. 2.
β carnea.	fresh-coloured.	_____	_____	_____	_____	_____	_____
γ plena.	double-flowered.	_____	_____	_____	_____	S. h.	Bot. reg. 74.
WRIGHTIA. B.	WRIGHTIA.	Apocynæ. B. P.	Nerii species Willd.	_____	_____	_____	_____
1 antidysenterica. B.	oval-leaved.	_____	E. Ind.	1778.		S. h.	Rheed. mal. 1. t. 47.
2 zeylanica. B.	spear-leaved.	_____	_____			S. h.	Burm. zeyl. t. 12. f. 2.
ECHITES. B.	ECHITES.	Apocynæ. B. P.	_____	_____	_____	_____	_____
1 biflora. W.	twin-flowered.	_____	W. Ind.	1793.	7.	S. h.	Jac. amer. 30. t. 21.
2 suberecta. W.	Savanna-flower.	_____	Jamaica.	1759.	6.8.	S. h.	Bot. mag. 1064.
3 torulosa. W.	climbing.	_____	_____	1778.	_____	S. h.	Jac. amer. 33. t. 27.
4 umbellata. W.	umbelled.	_____	_____	1733.	7.	S. h.	30. t. 22.
5 difformis. Ph.	deformed.	_____	Carolina.	1806.	_____	G. h.	_____
6 bispinosa. W.	twin-spined.	_____	C. B. S.	1795.	7.11.	S. h.	_____
ICHNOCARPUS. B.	ICHNOCARPUS.	Apocynæ. B. P.	Apocyni species W.	_____	_____	_____	_____
frutescens. H. K.	shrubby.	_____	E. Ind.	1759.	7.8.	S. h.	Burm. zeyl. t. 12. f. 1.
PLUMERIA. W.	PLUMERIA.	Apocynæ. B. P.	_____	_____	_____	_____	_____
1 rubra. W.	red.	_____	Jamaica.	1690.	7.8.	S. h.	Bot. mag. 279.
2 acuminata. H. K.	acuminated.	_____	E. Ind.	1790.	6.9.	S. h.	Bot. reg. 114.
3 alba. W.	white.	_____	Jamaica.	1733.	7.8.	S. h.	Jac. amer. t. 174. f. 2
4 obtusa. W.	blunt-leaved.	_____	W. Ind.	_____	_____	S. h.	Cat. car. 1. t. 93.
5 pudica. Jac.	wax-flowered.	_____	S. America.		7.8.	S. h.	_____
CAMERARIA. W.	{ BASTARD MANGENEEL }	Apocynæ. B. P.	_____	_____	_____	_____	_____
1 latifolia. W.	broad-leaved.	_____	Havannah.	1733.	8.	S. h.	Bot. rep. 261.
2 lutea. W.	yellow-flowered.	_____	Cayenne.	1793.	10.11.	S. h.	Aub. guian. 1. t. 102.
3 dubia. B. M.	doubtful.	_____	E. Ind.		5.8.	S. h.	Bot. mag. 1646.
4 angustifolia. W.	narrow-leaved.	_____	S. America.	1752.	9.	S. h.	Plum. ic. t. 72. f. 2.
TABERNÆMON. } TANA. W. }	{ TABERNÆ- MONTANA. }	Apocynæ. B. P.	_____	_____	_____	_____	_____
1 citrifolia. W.	Citron-leaved.	_____	Jamaica.	1734.		S. h.	Plum. ic. t. 248. f. 2.
2 laurifolia. W.	Laurel-leaved.	_____	W. Ind.	1768.		S. h.	{ Sloan. jam. 2. t. 186. f. 2. 716
3 coronaria. H. K.	Rose-bay like.	_____	E. Ind.	1770.	5.9.	S. h.	Bot. mag. 1865.
AMSONIA. Mich.	AMSONIA.	Apocynæ. B. P.	Tabernæmontana species L.	_____	_____	_____	_____
1 latifolia. Ph.	broad-leaved.	_____	N. America.	1759.	5.6.	H. ½.	Bot. reg. 151.
2 salicifolia. Ph.	Willow-leaved.	_____	_____	1812.	_____	H. ½.	Bot. mag. 1873.
3 angustifolia. Ph.	hairy-stalked.	_____	_____	1774.	_____	H. ½.	Vent. choix. 29.

DIGYNIA.

APOCYNUM. B.	DOG'S-BANE.	Apocynæ. B. P.	_____	_____	_____	_____	_____
1 androsæmifolium. W.	Tutsan-leaved.	_____	N. America.	1688.	7.9.	H. ½.	Bot. mag. 280.
2 cannabinum. W.	Hemp-like.	_____	_____	1699.	_____	H. ½.	Mor. hist. 3. t. 3. f. 14.
3 hypericifolium. W.	Hypericum-leav.	_____	_____	1758.	6.7.	H. ½.	Jac. vind. 3. t. 66.
4 venetum. W.	Venetian.	_____	Adriatic Isl.	1690.	_____	H. ½.	Lobel. ic. 372.
MELODINUS. W.	MELODINUS.	Apocynæ. B. P.	_____	_____	_____	_____	_____
scandens. W.	climbing.	_____	N. Caledonia.	1775.		S. h.	Lam. ill. t. 179.
PERIPLOCA. B.	PERIPLOCA.	Asclepiadæ. B. P.	_____	_____	_____	_____	_____
1 græca. W.	common.	_____	Syria.	1597.	7.8.	H. h.	Lam. ill. t. 177.
2 lavigata. W.	smooth.	_____	Canaries.	1779.		G. h.	Cav. ic. 3. t. 217.
HEMIDESMUS. B.	HEMIDESMUS.	Asclepiadæ. B. P.	Periploca species W.	_____	_____	_____	_____
indicus. H. K.	Indian.	_____	Ceylon.	1796.		S. h.	Burm. zeyl. t. 83. f. 1.
SECAMONE. B.	SECAMONE.	Asclepiadæ. B. P.	Periploca species W.	_____	_____	_____	_____
1 ægyptiaca. H. K.	Egyptian.	_____	Egypt.	1752.	7.	G. h.	{ Alp. ægypt. 133. t. 134.
2 emetica. B. P.	narrow-leaved.	_____	India.	1816.		S. h.	Willd. phy. 1. t. 5. f. 2.
MICROLOMA. B.	MICROLOMA.	Asclepiadæ. B. P.	Ceropegia species W.	_____	_____	_____	_____
sagittatum. H. K.	arrow-leaved.	_____	C. B. S.	1775.	7.8.	G. h.	Jac. schœn. 1. t. 38.
SARCOSTEMMA. B.	SARCOSTEMMA.	Asclepiadæ. B. P.	Cynanchi species W.	_____	_____	_____	_____
viguale. H. K.	twisting.	_____	E. Ind.	1731.	7.	S. h.	Alp. ægypt. t. 190.

DÆMIA. B.	DÆMIA.	Asclepiadæ. B. P.	<i>Cynanchi species</i> <i>W.</i>				
extensa. H. K.	smooth-leaved.	E. Ind.	1777.	7.8.	S. h.	Jac. ic. 1. t. 54.	
CYNANCHUM. B.	CYNANCHUM.	Asclepiadæ. B. P.					
1 acutum. B.	acute-leaved.	Spain.	1596.	7.	H. 2.	Trew ehret. 44. t. 82	
2 nionspeliacum. B.	Montpelier.	S. Europe.	—	8.9.	H. 2.	Jac. ic. 2. t. 340.	
3 obtusifolium. B.	obtusely-leaved.	C. B. S.	1816.		G. h.		
4 pilosum. B.	hairy.	—	1726.	6.9.	G. h.	Bot. reg. 111.	
5 vincetoxicum. B.	official.	Europe.	1596.	5.8.	H. 2.	Flor. dan. 849.	
β lutea.	yellow-flowered.	—	—	—	—	—	
6 nigrum. B.	black.	S. Europe.	—	6.8.	H. 2.	2390	
7 sibiricum. B.	Siberian.	Siberia.	1775.	7.8.	H. 2.	Murr. gott. 2. t. 7.	
8 davuricum. B.	Davurian.	Davuria.	1816.	—	H. 2.		
9 undatum. B. R.	wave-leaved.	W. Ind.	1803.	—	S. h.	Bot. rep. c. ic.	
10 mucronatum. B. R.	sharp-pointed.	Trinidad.	1804.	—	S. h.	c. ic.	
11 viridiflorum. B. M.	green-flowered.	E. Ind.	1814.	10.12.	S. h.	Bot. mag. 1929.	
OXYSTELMA. B.	OXYSTELMA.	Asclepiadæ. B. P.	<i>Periplocæ species</i> <i>L.</i>				
esculentum. B.	esculent.	E. Ind.	1816.		S. 2.	Roxb. cor. 1. t. 11.	
GYMNEA. B.	GYMNEA.	Asclepiadæ. B. P.	<i>Periplocæ species</i> <i>W.</i>				
1 sylvestris. B.	netted-leaved.	Ceylon.	1816.		S. h.	Willd. phy. 1. t. 5. f. 3	
CALOTROPIS. B.	CALOTROPIS.	Asclepiadæ. B. P.	<i>Asclepiadis species</i> <i>W.</i>				
1 procera. H. K.	bell-flowered.	Persia.	1714.	7.9.	S. h.	Bot. rep. 271.	
2 gigantea. H. K.	curled-flowered.	E. Ind.	1690.	—	S. h.	Bot. reg. 58.	
XYSMALOBIMUM. B.	XYSMALOBIMUM.	Asclepiadæ. B. P.	<i>Asclepiadis species</i> <i>W.</i>				
undulatum. H. K.	waved-leaved.	C. B. S.	1783.	7.	G. h.	Comm. rar. t. 16.	
GOMPHOCARPUS. B.	GOMPHOCARPUS.	Asclepiadæ. B. P.	<i>Asclepiadis species</i> <i>W.</i>				
1 arborescens. H. K.	broad-leaved.	C. B. S.	1714.	12.	G. h.	Jac. schren. 1. t. 50.	
2 crispus. H. K.	curled-leaved.	—	1774.	7.	G. h.	Comm. rar. t. 17.	
3 fruticosus. H. K.	Willow-leaved.	—	1714.	6.9.	G. h.	Bot. mag. 1628.	
ASCLEPIAS. B.	SWALLOW-WORT.	Asclepiadæ. B. P.					
1 syriaca. W.	Virginian.	N. America.	1629.	7.8.	H. 2.	Blackw. t. 521.	
2 phytolaccoides. Ph.	Phytolacca-like.	—	1812.	—	H. 2.		
3 amœna. W.	oval-leaved.	—	1732.	—	H. 2.	Dill. elt. t. 27. f. 30.	
4 purpurascens. W.	purple.	—	—	—	H. 2.	— t. 28. f. 31.	
5 variegata. W.	variegated.	—	1597.	—	H. 2.	Bot. mag. 1182.	
6 curassavica. W.	Curassavian.	S. America.	1692.	6.9.	H. 2.	Bot. reg. 81.	
7 nivea. W.	Almond-leaved.	N. America.	1730.	7.9.	H. 2.	Bot. mag. 1181.	
8 parviflora. W.	small-flowered.	—	1774.	7.10.	G. 2.		
9 incarnata. W.	flesh-coloured.	—	1710.	7.8.	H. 2.	Bot. reg. 250.	
10 pulchra. W. en.	hairy.	—		—	H. 2.		
11 decumbens. W.	decumbent.	—	1731.	—	H. 2.		
12 verticillata. W.	whorl-leaved.	—	1759.	—	H. 2.	Pluk. mant. 336. f. 3	
13 longifolia. Ph.	long-leaved.	—	1816.	—	H. 2.		
14 tuberosa. W.	tuberous-rooted.	—	1690.	7.9.	H. 2.	Bot. reg. 76.	
15 linaria. W.	Flax-leaved.	Mexico.	1802.		G. 2.	Cav. ic. 1. t. 57.	
GONOLOBUS. B.	GONOLOBUS.	Asclepiadæ. B. P.	<i>Cynanchi species</i> <i>W.</i>				
1 hirsutus. M.	hairy.	N. America.	1806.	6.	H. 2.		
2 laevis. M.	smooth.	—	—	—	H. 2.		
3 suberosus. H. K.	Cork-barked.	America.	1732.	7.9.	S. h.	Dill. elt. t. 229. f. 296	
4 discolor. B. M.	Virginian.	N. America.	1809.	7.8.	H. 2.	Bot. mag. 1273.	
5 crispiflorus. H. K.	curled-flowered.	S. America.	1741.	—	S. h.	Plum. ic. t. 216. f. 1.	
6 diadematus.	red-crowned.	Mexico.	1812.	9.10.	S. 2.	Bot. reg. 252.	
PERGULARIA. B.	PERGULARIA.	Asclepiadæ. B. P.					
1 odoratissima. H. K.	large.	E. Ind.	1784.	6.7.	S. h.	Bot. rep. 185.	
2 minor. H. K.	small.	—	1790.	5.8.	S. h.	Bot. mag. 755.	
MARSDENIA. B.	MARSDENIA.	Asclepiadæ. B. P.	<i>Cynanchi species</i> <i>W.</i>				
1 erecta. B.	upright.	Syria.	1597.	7.8.	S. h.	Jac. vind. 1. t. 38.	
2 suaveolens. B.	sweet-scented.	N. S. W.	1816.		G. h.	Lin. tran. 10. t. 21. f. 1	
HOYA. B.	HOYA.	Asclepiadæ. B. P.	<i>Asclepiadis species</i> <i>W.</i>				
1 carnosa. B.	fleshy-leaved.	Asia.	1802.	7.8.	S. h.	Bot. mag. 788.	
STAPELIA. B.	STAPELIA.	Asclepiadæ. B.					
1 ciliata. W.	ciliated.	C. B. S.	1795.10.12.	D.S. h.	Mass. stap. 9. t. 1.		
2 revoluta. W.	revolute-flowerd.	—	1790.	6.9.	D.S. h.	Bot. mag. 724.	
3 glauca. W. en.	glaucous.	—	1799.	6.11.	D.S. h.	Jac. stap. c. ic.	
4 lepida. W. en.	pretty.	—		7.8.	D.S. h.	c. ic.	
5 hirsuta. W.	hairy.	—	1710.	6.8.	D.S. h.	Jac. misc. 1. t. 3.	
6 grandiflora. M. S.	great-flowered.	—	1795.	9.12.	D.S. h.	Mass. stap. 13. t. 11.	
7 spectabilis. H. S.	showy.	—	1802.	11.1.	D.S. h.	Bot. mag. 585.	
grandiflora. B. M.							
8 ambigua. W.	ambiguous.	—	1795.	6.11.	D.S. h.	Mass. stap. 13. t. 12.	
9 pulvinata. W.	cushioned.	—	—	—	D.S. h.	Bot. mag. 1240.	
10 Asterias. W.	Star-fish.	—	—	5.11.	D.S. h.	536.	

11 sororia. W. en.	sister.	Asclepiadæ. B. P. C. B. S.	1797.	6.8.	D.S. $\frac{1}{2}$.	Mass. stap. 23. t. 35.
12 patula. W. en.	spreading.	_____	_____	_____	D.S. $\frac{1}{2}$.	Jac. stap. c. ic.
13 deflexa. J. S.	deflexed.	_____	1806.	_____	D.S. $\frac{1}{2}$.	Bot. mag. 1890.
14 gemmiflora. M. S.	gem-flowered.	_____	1795.	10.11.	D.S. $\frac{1}{2}$.	Mass. stap. 14. t. 15.
15 hirsuta. W. en.	stinking.	_____	_____	6.8.	D.S. $\frac{1}{2}$.	Jac. stap. c. ic.
16 Juvencula. W. en.	short-flowered.	_____	_____	_____	D.S. $\frac{1}{2}$.	_____ c. ic.
17 divaricata. W.	straddling.	_____	1793.	6.11.	D.S. $\frac{1}{2}$.	Bot. mag. 1007.
18 rufa. W.	rusty brown.	_____	1795.	_____	D.S. $\frac{1}{2}$.	Mass. stap. 16. t. 20.
19 acuminata. W.	acuminated.	_____	_____	7.9.	D.S. $\frac{1}{2}$.	_____ 15. t. 17.
20 radiata. H. K.	starry.	_____	_____	_____	D.S. $\frac{1}{2}$.	Bot. mag. 619.
21 Jacquin.	Jacquin's.	_____	1802.	_____	D.S. $\frac{1}{2}$.	Jac. stap. c. ic.
<i>radiata. J. S.</i>						
22 reclinata. W.	reclining.	_____	1795.	_____	D.S. $\frac{1}{2}$.	Mass. stap. 19. t. 28.
23 roridua. W. en.	dew-bearing.	_____	1802.	_____	D.S. $\frac{1}{2}$.	Jac. stap. c. ic.
24 elegans. W.	elegant.	_____	1795.	_____	D.S. $\frac{1}{2}$.	Bot. mag. 1184.
25 hirtella. W. en.	small hairy.	_____	_____	_____	D.S. $\frac{1}{2}$.	Jac. stap. c. ic.
26 cespitosa. W.	tufted.	_____	1790.	5.8.	D.S. $\frac{1}{2}$.	Mass. stap. 20. t. 29.
27 arida. W.	dry.	_____	1795.	8.	D.S. $\frac{1}{2}$.	_____ 21. t. 33.
28 parviflora. W.	small-flowered.	_____	_____	6.8.	D.S. $\frac{1}{2}$.	_____ 22. t. 35.
29 serrulata. W. en.	sawed.	_____	1805.	_____	D.S. $\frac{1}{2}$.	Jac. stap. c. ic.
30 concinna. W.	spruce.	_____	1795.	_____	D.S. $\frac{1}{2}$.	Mass. stap. 15. t. 18.
31 glanduliflora. W.	gland-flowered.	_____	_____	8.11.	D.S. $\frac{1}{2}$.	_____ 16. t. 19.
32 glandulifera. H. S.	hairy-glanded.	_____	_____	_____	D.S. $\frac{1}{2}$.	_____
33 pedunculata. W.	long-peduncled.	_____	1790.	6.11.	D.S. $\frac{1}{2}$.	Bot. mag. 793.
34 aperta. W.	open-flowered.	_____	1795.	7.8.	D.S. $\frac{1}{2}$.	Mass. stap. 23. t. 37.
35 pilifera. W.	hairy-tubercled.	_____	1790.	6.8.	D.S. $\frac{1}{2}$.	_____ 17. t. 23.
36 articulata. W.	jointed.	_____	1774.	7.11.	D.S. $\frac{1}{2}$.	_____ 20. t. 30.
37 Gordoni. M. S.	Gordon's.	_____	1796.	_____	D.S. $\frac{1}{2}$.	_____ 24. t. 40.
38 mammillaris. W.	prickly.	_____	1774.	6.7.	D.S. $\frac{1}{2}$.	Burm. afr. 27. t. 11.
39 pruinosa. W.	frosted.	_____	1795.	_____	D.S. $\frac{1}{2}$.	Mass. stap. 24. t. 41.
40 ramosa. W.	branched.	_____	_____	_____	D.S. $\frac{1}{2}$.	_____ 21. t. 32.
41 incarnata. W.	flesh-coloured.	_____	1793.	4.8.	D.S. $\frac{1}{2}$.	_____ 22. t. 34.
42 punctata. W.	purple-dotted.	_____	1795.	7.11.	D.S. $\frac{1}{2}$.	_____ 18. t. 24.
43 geminata. W.	twin-flowered.	_____	_____	5.11.	D.S. $\frac{1}{2}$.	Bot. mag. 1326.
44 decora. W.	neat.	_____	_____	_____	D.S. $\frac{1}{2}$.	Mass. stap. 19. t. 26.
45 Vetula. W.	{ purple smooth-flow'd }	_____	1793.	_____	D.S. $\frac{1}{2}$.	_____ 15. t. 16.
46 Simsii. H. S.	Sims's.	_____	1800.	_____	D.S. $\frac{1}{2}$.	Bot. mag. 1234.
<i>Vetula. B. M.</i>						
47 pulchella. W.	beautiful.	_____	1795.	_____	D.S. $\frac{1}{2}$.	Mass. stap. 22. t. 36.
48 verrucosa. W.	warty-flowered.	_____	_____	8.10.	D.S. $\frac{1}{2}$.	_____ 11. t. 8.
49 irrorata. W.	dewy.	_____	_____	7.9.	D.S. $\frac{1}{2}$.	_____ 12. t. 9.
50 pulchra. H. S.	beautiful sulphur	_____	1800.	8.10.	D.S. $\frac{1}{2}$.	Bot. mag. 786.
51 picta. H. K.	painted.	_____	1799.	6.9.	D.S. $\frac{1}{2}$.	_____ 1169.
52 marginata. W. en.	margin'd.	_____	1805.	_____	D.S. $\frac{1}{2}$.	_____
53 obliqua. W. en.	oblique-flowered	_____	_____	_____	D.S. $\frac{1}{2}$.	_____
54 paniculata. W. en.	panicled.	_____	_____	_____	D.S. $\frac{1}{2}$.	_____
55 clavigera. J. S.	clubbed.	_____	1795.	_____	D.S. $\frac{1}{2}$.	Jac. stap. c. ic.
56 maculosa. J. S.	spotted.	_____	1804.	_____	D.S. $\frac{1}{2}$.	Bot. mag. 1833.
57 bufonia. W. en.	toad.	_____	1806.	_____	D.S. $\frac{1}{2}$.	_____ 1676.
58 variegata. H. S.	variegated	_____	1727.	_____	D.S. $\frac{1}{2}$.	Bradl. succ. 3. t. 22.
59 Curtisii. H. S.	Curtis's.	_____	1690.	_____	D.S. $\frac{1}{2}$.	Bot. mag. 26.
<i>variegata. B. M.</i>						
60 orbicularis. B. R.	orbicular.	_____	1799.	7.11.	D.S. $\frac{1}{2}$.	Bot. rep. 448.
61 planiflora. W. en.	plain-flowered.	_____	1805.	_____	D.S. $\frac{1}{2}$.	Jac. stap. c. ic.
62 rugosa. W. en.	wrinkled.	_____	_____	5.8.	D.S. $\frac{1}{2}$.	_____ c. ic.
63 conspurcata. W. en.	dirty'd.	_____	1795.	6.10.	D.S. $\frac{1}{2}$.	_____ c. ic.
PIARANTHUS. B.	PIARANTHUS.	Asclepiadæ. B. P.	<i>Stapelie species W.</i>			
pullus. H. S.	many-flowered.	C. B. S.	1774.	8.9.	D.S. $\frac{1}{2}$.	Bot. mag. 1648.
HUERNIA. B.	HUERNIA.	Asclepiadæ. B. P.	<i>Stapelie species W.</i>			
1 reticulata. H. S.	netted.	C. B. S.	1793.	7.8.	D.S. $\frac{1}{2}$.	Bot. mag. 1662.
2 campanulata. H. S.	bell-shaped.	_____	1795.	7.10.	D.S. $\frac{1}{2}$.	_____ 1227.
3 venusta. H. S.	handsome.	_____	_____	6.7.	D.S. $\frac{1}{2}$.	Mass. stap. 10. t. 3.
4 lentiginosa. H. S.	freckled.	_____	_____	7.11.	D.S. $\frac{1}{2}$.	Bot. mag. 506.
5 guttata. H. S.	red-spotted.	_____	1795.	8.11.	D.S. $\frac{1}{2}$.	Mass. stap. 10. t. 4.
6 humilis. H. S.	humble.	_____	_____	_____	D.S. $\frac{1}{2}$.	_____ 10. t. 5.
7 tubata. W. en.	tube-flowered.	_____	1805.	_____	D.S. $\frac{1}{2}$.	Jac. stap. c. ic.
8 barbata. H. S.	bearded.	_____	1795.	_____	D.S. $\frac{1}{2}$.	Mass. stap. 11. t. 7. 2401
CARALLUMA. B.	CARALLUMA.	Asclepiadæ. B. P.	<i>Stapelie species W.</i>			
1 adscendens. H. S.	ascending.	E. Ind.	1804.	7.	D.S. $\frac{1}{2}$.	Roxb. cor. 1. t. 30.

2 umbellata. H. S.	tumbled.	Asclepiadæ. B. P. E. Ind.	1804. D.S. h.	
HERNARIA. W.	RUTURE-WORT	Amaranthacæ. J.		
1 glabra. W.	smooth.	England.	 7. H. 2.	Eng. bot. 206.
2 hirsuta. W.	hairy.		 7.8. H. 2.	 1879.
3 fruticosa. W.	shrubby.	Spain.	1814. 5.8. H. 2.	Lob. ic. 85.
4 polygonoides. W.	Knot-grass.	S. Europe.	1752. G. h.	Cav. ic. 2. t. 131.
CHENOPODIUM. W.	GOOSE-FOOT.	Chenopodæ. B. P.		
1 Bonus-Henricus. W.	English Mercury	Britain.	 5.8. H. 2.	Eng. bot. 1033.
2 urbicum. W.	upright.		 8. H. 2.	 717.
3 Atriplicis. W.	purple.	China.	1780. 8.9. H. 2.	Jac. vind. 3. t. 80.
4 rubrum. W.	red.	Britain.	 H. 2.	Eng. bot. 1721.
5 guineense. W.	Guinea.	Guinea.	1790. H. 2.	Jac. ic. rar. 2. t. 345.
6 murale. W.	nettle-leaved.	Britain.	 H. 2.	Eng. bot. 1722.
7 album. W.	white.		 7.9. H. 2.	 1723.
8 ficifolium. H. K.	Fig-leaved.	England.	 8.9. H. 2.	 1724.
9 hybridum. W.	Maple-leaved.	Britain.	 H. 2.	 1919.
10 rhombifolium. W. en	angular-leaved.	N. America.	1807. 7.9. H. 2.	
11 Botrys. W.	cut-leaved.	S. Europe.	1548. 6.9. H. 2.	Zorn. ic. 225.
12 botryoides. E. B.	many-clustered.	Britain.	 6.8. H. 2.	Eng. bot. 2247.
13 ambrosioides. W.	Mexican.	Mexico.	1640. 6.10. H. 2.	Moris. s. 5. t. 35. f. 8.
14 multiadum. W.	Buenos Ayres.	Buen. Ayres.	1732. G. 2.	Dill. elt. t. 66. f. 77.
15 anthelminticum. W.	American.	America.	 7.8. G. h.	 t. 66. f. 76.
16 glaucum. W.	Oak-leaved.	England.	 H. 2.	Eng. bot. 1454.
17 acutifolium. E. B.	acute-leaved.	Britain.	 H. 2.	 1481.
18 Vulvaria. W.	stinking.		 H. 2.	 1034.
19 polyspermum. W.	Allseed.		 H. 2.	 1480.
20 caudatum. W.	oval-leaved.	Guinea.	1806. H. 2.	Jac. ic. 2. t. 344.
21 laterale. W.	oblong-leaved.		1781. 8.9. S. 2.	
22 Scoparia. W.	SummerCypress.	Greece.	1629. 6.9. H. 2.	
23 aristatum. W.	bearded.	Virginia.	1771. H. 2.	Gmel. sib. 3. t. 15. f. 1
24 lanceolatum. W. en.	spear-leaved.	Pensylvania.	1809. 7. H. 2.	
25 maritimum. W.	Sea Blite.	Britain.	 8. H. 2.	Eng. bot. 633.
26 altissimum. W. en.	Grass-leaved.	Italy.	1775. 7.8. H. 2.	Forsk. ic. t. 9.
	<i>Salsola altissima. W.</i>			
27 salsum. B. P.	Saltwort.	Astracan.	1782. 8.9. H. 2.	Jac. vind. 3. t. 83.
	<i>Salsola salsa. W.</i>			
28 fruticosa. W. en.	shrubby.	England.	 H. 2.	Eng. bot. 635.
	<i>Salsola fruticosa. E. B.</i>			
BETA. W.	BET.	Chenopodæ. B. P.		
1 vulgaris. W.	common.	S. Europe.	1548. 8. H. 2.	Schkuh. han. 1. t. 56.
2 patula. W.	spreading.	Madeira.	1778. G. 2.	
3 cicla. W.	white.	Portugal.	1570. H. 2.	
4 trigyna. H. K.	Hungarian.	Hungary.	1796. 7.8. H. 2.	Pl. rar. hung. 1. t. 35.
5 maritima. W.	sea.	Britain.	 8. H. 2.	Eng. bot. 285.
SALSOLA. W.	SALTWORT.	Chenopodæ. B. P.		
1 Kali. W.	prickly.	Britain.	 7.8. H. 2.	Eng. bot. 634.
2 rosacea. W.	rose-coloured.	Asia.	1759. H. 2.	Schkuh. han. 1. t. 57.
3 Soda. W.	long fleshy-lea ^d .	S. Europe.	1683. H. 2.	Jac. vind. 1. t. 68.
4 sativa. W.	cultivated.	Spain.	1783. H. 2.	Cav. ic. 3. t. 291.
5 trigyna. W.	slender-leaved.		1804. H. 2.	 3. t. 289.
6 hirsuta. W.	hairy.	Denmark.	1791. H. 2.	Fl. dan. 187.
7 laniflora. W.	woolly.	Siberia.	1797. 6.8. H. 2.	Pall. it. 2. p. 786. t. P.
8 prostrata. W.	trailing.	S. Europe.	1780. G. h.	Jac. aust. 3. t. 294.
9 vermiculata. W.	small-leaved.	Siberia.	1759. 7.8. H. 2.	Cav. ic. 3. t. 287.
10 muricata. W.	Egyptian.	Egypt.	1773. H. 2.	Al. mis. tau. 3. t. 4. f. 2
KOCHIA. Roth.	KOCHIA.	Chenopodæ. B. P.		
1 hyssopifolia. R.	Hyssop-leaved.	Siberia.	1801. 6.8. H. 2.	Pall. it. 1. p. 491. t. H.
2 dentata. Ph.	tooth-leaved.	N. America.	1803. H. 2.	Will. hor. ber. 1. t. 28
ANABASIS. W.	ANABASIS.	Chenopodæ. B. P.		
tamariscifolia. W.	Tamarisk-leaved	Spain.	1752. 6.7. G. h.	Cav. ic. 3. t. 283.
BOSEA. W.	GOLDEN ROD.	Chenopodæ. B. P.		
Yervamora. W.	tree.	Canaries.	1728. G. h.	Walth. hort. 24. t. 10
ULMUS. W.	ELM-TREE.	Amentacæ. J.		
1 campestris. W.	common English	Britain.	 4.5. H. 2.	Eng. bot. 1886.
2 suberosa. W.	cork-barked.		 H. 2.	 2161.
3 glabra. E. B.	smooth.		 H. 2.	 2248.
4 effusa. W.	Wych.		 H. 2.	 1887.
	<i>montana. E. B.</i>			
5 americana. Ph.	white.	N. America.	1752. H. 2.	Mich. arb. t. ..
6 pendula. W. ea.	drooping.		 H. 2.	

7 nemoralis. W.	Hornbeam-lea ^d .	Amentaceæ. J.	N. America.	1760.	4.5.	H. h.	
8 fulva. Ph.	slippery.	_____	_____	_____	_____	H. h.	Mich. arb. t. . .
9 pumila. W.	dwarf.	_____	Siberia.	1771.	_____	H. h.	Pall. ross. 1. t. 48.
10 chinensis. P. S.	China.	_____	China.	_____	_____	G. h.	
HEUCHERA. W.	HEUCHERA.	Saxifragæ. J.					
1 americana. W.	viscid.	_____	N. America.	1656.	5.7.	H. 2.	Pluk. alm. t. 58. f. 3.
2 pubescens. Ph.	pubescent.	_____	_____	1812.	_____	H. 2.	
3 villosa. Ph.	villous.	_____	_____	_____	_____	H. 2.	
4 caulescens. Ph.	caulescent.	_____	_____	_____	_____	H. 2.	
VELEZIA. W.	VELEZIA.	Caryophyllæ. J.					
rigida. W.	rigid.	_____	Spain.	1683.	7.	H. ○.	Barr. rar. t. 1018.
SWERTIA. W.	FELWORT.	Gentianæ. B. P.					
perennis. W.	marsh.	_____	England.	_____	7.8.	H. 2.	Eng. bot. 1441.
GENTIANA. W.	GENTIAN.	Gentianæ. B. P.					
1 lutea. W.	yellow.	_____	Alps of Eur.	1596.	6.7.	H. 2.	Rene. spec. 64. t. 63.
2 purpurea. W.	purple.	_____	_____	1768.	_____	H. 2.	Bot. rep. 117.
3 pannonica. W.	round-petalled.	_____	_____	_____	_____	H. 2.	Jac. aus. 2. t. 136.
4 punctata. W.	spotted-flowered	_____	_____	1775.	_____	H. 2.	5. t. app. 28.
5 septemfida. W.	crested.	_____	Levant.	1804.	_____	H. 2.	Bot. mag. 1239.
6 asclepiadea. W.	Swallow-wort- ^{ld} .	_____	Austria.	1629.	7.8.	H. 2.	1078.
7 macrophylla. W.	long-leaved.	_____	Siberia.	1796.	_____	H. 2.	Pall. ross. 2. t. 96.
8 cruciata. W.	Crosswort.	_____	Austria.	1596.	6.7.	H. 2.	Jac. aus. 4. t. 372.
9 ochroleuca. W.	pale-flowered.	_____	N. America.	1803.	8.9.	H. 2.	Bot. mag. 1551.
10 incarnata. B. M.	flesh-coloured.	_____	_____	1812.	10.	H. 2.	1856.
11 Saponaria. W.	barrel-flowered.	_____	_____	1776.	8.9.	H. 2.	1039.
12 Catesbai. H. K.	Catesby's.	_____	_____	1803.	6.7.	H. 2.	Bot. rep. 418.
13 Pneumonanthe. W.	Calathian Violet.	_____	England.	_____	8.9.	H. 2.	Eng. bot. 20.
14 caucasea. H. K.	Caucasian.	_____	Caucasus.	1804.	7.	H. 3.	Bot. mag. 1038.
15 adscendens. W.	porcelain-flow ^d .	_____	Siberia.	1799.	6.7.	H. 2.	705. & 723
16 triflora. Pall.	three-flowered.	_____	_____	1807.	_____	H. 2.	Pall. ross. t. 93. f. 1.
17 algida. W.	narrow-leaved.	_____	_____	1808.	_____	H. 2.	2. t. 95.
18 acaulis. W.	dwarf.	_____	Wales.	_____	3.5.	H. 2.	Eng. bot. 1594.
19 verna. W.	spring.	_____	England.	_____	4.5.	H. 2.	493.
20 bavaria. W.	Bavarian.	_____	Germany.	1775.	7.	H. 2.	Vill. delph. 2. t. 10.
21 nivalis. W.	small Alpine.	_____	Scotland.	_____	8.	H. ○.	Eng. bot. 896.
22 Amarella. W.	autumnal.	_____	Britain.	_____	_____	H. ○.	236.
23 campestris. W.	field.	_____	_____	_____	_____	H. ○.	237.
24 ciliata. W.	fringe-flowered.	_____	Germany.	1759.	8.9.	H. 2.	Bot. mag. 639.
25 crinita. Ph.	jagged-flowered.	_____	N. America.	1804.	6.7.	H. 3.	Bot. rep. 509. 2031.
FALKIA. P. S.	FALKIA.	Convolvulacæ. B. P.					
repens. W.	creeping.	_____	C. B. S.	1774.	5.8.	G. 2.	Bot. rep. 257. 2228
DICHONDRA. W.	DICHONDRA.	Convolvulacæ. B. P.					
1 repens. B. P.	creeping.	_____	N. S. W.	1803.	6.8.	G. 2.	Smith ined. 1. t. 8.
2 sericea. W.	silky.	_____	Jamaica.	1793.	_____	S. 2.	
EVOLVULUS. W.	EVOLVULUS.	Convolvulacæ. B. P.					
1 emarginatus. W.	kidney-leaved.	_____	E. Ind.	1816.	10.	S. ○.	Burm. ind. t. 30. f. 1.
2 nummularius. W.	round-leaved.	_____	Jamaica.	_____	_____	S. ○.	Jac. amer. t. 260. f. 23
3 alsinoides. W.	Chickweed-leav ^d .	_____	E. Ind.	1783.	6.7.	S. ○.	Rheed. mal. 11. t. 64.
4 linifolius. W.	Flax-leaved.	_____	Jamaica.	1782.	8.9.	S. ○.	Brown. jan. t. 10. f. 2
HYDROLEA. W.	HYDROLEA.	Convolvulacæ. J.					
spinosa. W.	thorny.	_____	S. America.	1791.	_____	S. h.	Aub. guian. 1. t. 10. 56
CUSCUTA. W.	DODDER.	Convolvulacæ. B. P.					
1 europæa. H. K.	great.	_____	England.	_____	8.9.	H. ○.	Eng. bot. 378.
2 Epithymum. H. K.	lesser.	_____	_____	_____	_____	H. 2.	55.
3 chinensis. W.	Chinese.	_____	China.	1803.	_____	G. ○.	
PHYLLIS. W.	{ BASTARD HARE'S EAR. }	Rubiaceæ. J.					
Nobla. W.	Canary.	_____	Canaries.	1699.	6.7.	G. h.	Dil. elt. t. 299. f. 386.
CUSSONIA. W.	CUSSONIA.	Araliæ. J.					
1 thyrsoflora. W.	Thyrse-flowered.	_____	C. B. S.	1795.	_____	G. h.	{ Thunb. in nov. act. ups. 3. t. 12.
2 spicata. W.	spike-flowered.	_____	_____	1789.	_____	G. h.	3. t. 13.
ERYNGIUM. W.	ERYNGO.	Umbellifereæ. J.					
1 foetidum. W.	stinking.	_____	W. Ind.	1714.	8.10.	S. 2.	Herm. lugd. t. 237.
2 aquaticum. W.	marsh.	_____	N. America.	1699.	7.9.	H. 2.	Jac. ic. 2. t. 347. 372
3 virginianum. Ph.	Virginian.	_____	_____	_____	_____	H. 2.	Delar. eryng. t. 19.
4 virgatum. Ph.	oval-leaved.	_____	_____	1810.	6.7.	H. 2.	t. 20.
5 planum. W.	flat-leaved.	_____	Europe.	1596.	7.9.	H. 2.	Jac. aust. 4. t. 391.
6 pusillum. W.	dwarf.	_____	Spain.	1640.	6.8.	H. 2.	Delar. eryng. t. 16.
7 tricuspidatum. W.	trifid.	_____	_____	1699.	9.	H. 3.	t. 9.

8 corniculatum. B.M.	horned.	Umbelliferae. J.	Portugal.	1803.	6.8.	H. 2.	Bot. mag. 1427.
9 maritimum. W.	Sea-holly.	_____	Britain.		7.10.	H. 2.	Eng. bot. 718.
10 campestre. W.	field.	_____	_____		7.8.	H. 2.	57.
11 galioides. P. S.	Galium-leaved.	_____	Portugal.	1810.	—	H. 2.	—
12 anethystinum. W.	anethystine.	_____	Styria.	1648.	—	H. 2.	Moris. s.7. t. 35. f.2.
13 caeruleum. P. S.	blue-flowered.	_____	Caspia.	1816.	—	H. 2.	— t.37. f.13
14 rigidum. P. S.	stiff.	_____	France.	—	—	H. 2.	—
15 alpinum. W.	Alpine.	_____	Switzerland.	1597.	—	H. 2.	Bot. mag. 922.
16 Bourgati. W.	cut-leaved.	_____	S. France.	1731.	6.8.	H. 2.	Gouan. ill. 7. t. 3.
HYDROCOTYLE. W.	PENNYWORT.	Umbelliferae. J.					
1 vulgaris. W.	marsh.	_____	Britain.		5.6.	H. 2.	Eng. bot. 751.
2 americana. Ph.	American.	_____	N. America.	1790.	5.8.	H. 2.	—
3 umbellata. Ph.	umbelled.	_____	_____	1795.	7.8.	H. 2.	—
4 asiatica. W.	thick-leaved.	_____	C. B. S.	1690.	—	G. 2.	Rheed. mal. 10. t. 36.
5 repanda. Ph.	Pilewort-leaved.	_____	N. America.	1806.	6.7.	G. 2.	—
6 villosa. W.	hairy-leaved.	_____	C. B. S.	1795.	8.	G. 2.	—
SPANANTHE. Jac.	SPANANTHE.	Umbelliferae. J.	<i>Hydrocotyles species W.</i>				
paniculata. P. S.	panicked.	_____	Caracas.	1795.	7.8.	S. 3.	Jac. ic. 2. t. 350.
SANICULA. W.	SANICLE.	Umbelliferae. J.					
1 europea. W.	wood.	_____	Britain.		6.7.	H. 2.	Eng. bot. 98.
2 canadensis. W.	Canadian.	_____	Canada.	1800.	—	H. 2.	—
3 marilandica. W.	Maryland.	_____	N. America.	1765.	—	H. 2.	Jac. ic. 2. t. 348.
ASTRANTIA. W.	MASTERWORT.	Umbelliferae. J.					
1 maxima. B. M.	Hellebore-leav ^d .	_____	Caucasus.	1804.	6.7.	H. 2.	Bot. mag. 1553.
2 major. W.	great black.	_____	Alps of Eur.	1596.	5.9.	H. 2.	Exot. bot. 2. t. 76.
3 minor. W.	small.	_____	Switzerland.	1686.	5.6.	H. 2.	— 2. t. 77.
4 carniolica. W.	Carniolian.	_____	Carniola.	1812.	—	H. 2.	Jac. aust. 6. app. t. 10.
BUPLEURUM. W.	HARE'S EAR.	Umbelliferae. J.					
1 rotundifolium. W.	round-leaved.	_____	England.		6.7.	H. 2.	Eng. bot. 99.
2 stellatum. W.	starry.	_____	Switzerland.	1775.	5.7.	H. 2.	Hal. bel. n. 771. t. 18.
3 petraeum. W.	rock.	_____	_____	1768.	—	H. 2.	Pluk. phyt. t. 50. f. 5.
4 grauinifolium. W.	Grass-leaved.	_____	_____	—	—	H. 2.	Jac. ic. 1. t. 56.
5 angulosum. W.	angular-leaved.	_____	_____	1759.	—	H. 2.	—
6 pyrenaicum. W.	Pyrenian.	_____	Pyrenees.	1814.	—	H. 2.	Gouan. ill. t. 4. f. 1. 2.
7 longifolium. W.	long-leaved.	_____	Switzerland.	1713.	—	H. 2.	Camer. hort. t. 38.
8 scorzoneraefolium. W. en. }	{ Scorzoncr- leaved. }	_____	Baical.	1816.	—	H. 2.	—
9 falcatum. W.	twisted-stalked.	_____	Germany.	1739.	5.9.	H. 2.	Jac. aust. 2. t. 158.
10 exaltatum. P. S.	tall.	_____	Tauria.	1807.	7.	H. 2.	—
11 odontites. W.	narrow-leaved.	_____	Italy.	1749.	6.8.	H. 2.	Jac. vind. 3. t. 91.
12 semicompositum. W.	dwarf.	_____	Spain.	1778.	—	H. 2.	Gouan. ill. t. 7. f. 1.
13 ranunculoides. W.	Crowfoot-like.	_____	Pyrenees.	1790.	7.8.	H. 2.	Park. theatr. f. 7.
14 tenuissimum. W.	slender.	_____	England.		—	H. 2.	Eng. bot. 478.
15 Gerardi. W.	branching.	_____	S. Europe.	1804.	—	H. 2.	Jac. aus. 3. t. 256.
16 juncum. W.	linear-leaved.	_____	_____	1722.	—	H. 2.	—
17 nudum. W.	naked-stalked.	_____	C. B. S.	1778.	10.	G. 2.	—
18 fruticosum. W.	shrubby.	_____	S. Europe.	1596.	7.8.	H. 2.	—
19 coriaceum. W.	thick-leaved.	_____	Gibraltar.	1784.		G. 2.	Jac. ic. 2. t. 351.
20 frutescens. W.	Grass-1 ^d shrubby	_____	Spain.	1752.	8.9.	G. 2.	Cav. ic. 2. t. 106.
21 canescens. P. S.	hoary.	_____	Barbary.	1809.	—	G. 2.	—
22 spinosum. W.	thorny.	_____	Spain.	1752.	—	G. 2.	Gouan. ill. s. t. 2. f. 3.
23 difforme. W.	various-leaved.	_____	C. B. S.	—	—	G. 2.	—
ECHINOPHORA. W.	SEA-PARSNEP.	Umbelliferae. J.					
1 spinosa. W.	prickly.	_____	England.		7.	H. 2.	Eng. bot. 2413.
2 tenuifolia. W.	fine-leaved.	_____	Apulia.	1731.	7.8.	H. 2.	Moris. s. 9. t. 1. f. 2.
HASSELQUISTIA. W.	HASSELQUISTIA.	Umbelliferae. J.					
1 aegyptiaca. W.	Egyptian.	_____	Egypt.	1768.	7.	H. 2.	Jac. vind. 1. t. 37.
2 cordata. W.	heart-leaved.	_____		1787.	—	H. 2.	— 2. t. 193.
TORDYLIUM. W.	HARTWORT.	Umbelliferae. J.					
1 syriacum. W.	Syrian.	_____	Syria.	1597.	7.	H. 2.	Jac. vind. 1. t. 54.
2 officinale. W.	officinal.	_____	England.		—	H. 2.	Eng. bot. 2440.
3 peregrinum. W.	oriental.	_____	Levant.	1596.	—	H. 2.	Camer. hort. 37. t. 11.
4 apulum. W.	small.	_____	Italy.	1739.	—	H. 2.	Jac. vind. 1. t. 53.
5 maximum. W.	great.	_____	England.		6.7.	H. 2.	Eng. bot. 1173.
6 siifolium. W.	red-flowered.	_____	Carniola.	1816.	—	H. 2.	Scop. car. 194. t. 8.
7 absinthifolium. P.S.	Wormwood-lea ^d .	_____	Persia.	—	7.8.	H. 2.	Vent. choix. t. 22.
CAUCALIS. W.	BUR-PARSLEY.	Umbelliferae. J.					
1 grandiflora. W.	great-flowered.	_____	S. Europe.	1648.	7.8.	H. 2.	Jac. aus. 1. t. 54.
2 daucoides. W.	small.	_____	England.		6.	H. 2.	Eng. bot. 197.
3 latifolia. W.	broad-leaved.	_____	_____		7.8.	H. 2.	— 198.

4 pumilia. W.	dwarf,	Umbelliferae. J.	S. Europe.	1640.	7.8.	H. ☉	Cav. ic. 2. t. 101.
5 orientalis. W.	oriental.	_____	Levant.	1699.	6.7.	H. ☉	Moris. s.9. t. 14. f. 5.
6 pulcherrima. W. en.	beautiful.	_____	Caucasus.	1816.	_____	H. ☉	Buxb. cent. 3. t. 33.
7 platycarpus. W.	broad-seeded.	_____	S. Europe.	1800.	7.8.	H. ☉	Moris. s.9. t. 14. f. 2.
8 leptophylla. W.	fine-leaved.	_____	Europe.	1739.	_____	H. ☉	Schk. handb. 1. t. 61.
9 humilis. Desf.	long-seeded.	_____	Barbary.	1804.	_____	H. ☉	Jac. hort. 2. t. 195.
10 Anthriscus. W.	upright.	_____	Britain.		_____	H. ☉	Eng. bot. 987.
11 infesta. H. K.	spreading.	_____	_____		_____	H. ☉	1814.
arvensis. W.	_____	_____	_____	_____	_____	_____	_____
12 nodosa. W.	knotted.	_____	_____		5.7.	H. ☉	199.
ARTEDIA. W.	ARTEDIA.	Umbelliferae. J.	_____	_____	_____	_____	_____
squamata. P. S.	Fennel-leaved.	_____	Levant.	1740.	7.	H. ☉	Lam. ill. t. 193.
DAUCUS. W.	CARROT.	Umbelliferae. J.	_____	_____	_____	_____	_____
1 Carota. W.	wild,	_____	Britain.		6.7.	H. ☉	Eng. bot. 1174.
α lutea.	yellow garden.	_____	_____	_____	_____	_____	_____
β aurantia.	long Orange.	_____	_____	_____	_____	_____	_____
γ præcox.	early horn.	_____	_____	_____	_____	_____	_____
2 maritimus. P. S.	sea-side.	_____	_____		_____	H. ☉	Eng. bot. 2560.
3 mauritanicus. W.	fine-leaved.	_____	Spain.	1768.	_____	H. ☉	All. ped. 2. t. 61. f. 1.
4 lucidus. W.	shining.	_____	S. Europe.	1807.	7.8.	H. ☉	Moris. s.9. t. 13. f. 4.
5 crinitus. P. S.	whorl-leaved.	_____	Barbary.	1804.	6.7.	H. ☉	Desf. atl. t. 62.
6 Gingidium. W.	shining-leaved.	_____	France.	1722.	_____	H. ☉	Moris. s.9. t. 9. f. 10.
7 muricatus. W.	prickly-seeded.	_____	Barbary.	1683.	_____	H. ☉	t. 14. f. 4.
8 hispidus. P. S.	hispid.	_____	_____	1804.	_____	H. ☉	Desf. atl. t. 63.
9 copticus. P. S.	Egyptian.	_____	Egypt.	1773.	_____	H. ☉	Jac. vind. 2. t. 196.
VISNAGA. G.	TOOTHPICK.	Umbelliferae. J.	Dauci species W.	_____	_____	_____	_____
daucoides. G.	Carrot-like.	_____	S. Europe.	1596.	6.8.	H. ☉	Gærtn. de fr. 1. t. 107
AMMI. W.	BISHOP'S-WEED	Umbelliferae. J.	_____	_____	_____	_____	_____
1 majus. W.	great.	_____	S. Europe.	1551.	6.7.	H. ☉	Blackw. t. 447.
2 glaucifolium. P. S.	glaucous-leaved.	_____	France.	1816.	_____	H. ☉	_____
3 glaucifolium. W.	Carrot-leaved.	_____	Pyrenees.	1734.	7.8.	H. ☉	Scop. carn. t. 10.
BUNUM. W.	EARTH-NUT.	Umbelliferae. J.	_____	_____	_____	_____	_____
1 Bulbocastanum. W.	great.	_____	Britain.		5.6.	H. ☉	Flor. dan. 220.
2 flexuosum. H. K.	common.	_____	England.		_____	H. ☉	Eng. bot. 988.
CONIUM. W.	HEMLOCK.	Umbelliferae. J.	_____	_____	_____	_____	_____
1 maculatum. W.	common.	_____	Britain.		6.7.	H. ☉	Eng. bot. 1191.
2 rigens. W.	fine-leaved.	_____	C. B. S.	1787.	_____	G. ☉	_____
3 africanum. W.	Rue-leaved.	_____	_____	1759.	6.9.	G. ☉	Jac. vind. 2. t. 194.
4 dichotomum. P. S.	dichotomous.	_____	Barbary.	1800.	6.7.	H. ☉	Desf. atl. 1. t. 66.
SELINUM. W.	MILK-PARSLEY.	Umbelliferae. J.	_____	_____	_____	_____	_____
1 palustre. W.	marsh.	_____	Britain.		7.8.	H. ☉	Eng. bot. 229.
2 montanum. W. en.	mountain.	_____	Switzerland.	1816.	_____	H. ☉	_____
3 austriacum. W.	Austrian.	_____	Austria.	1804.	_____	H. ☉	Jac. aust. 1. t. 71.
4 Carvifolia. W.	Caraway-leaved.	_____	_____	1774.	_____	H. ☉	1. t. 16.
5 Chabrai. W.	fine-leaved.	_____	_____	1791.	_____	H. ☉	1. t. 72.
6 Seguieri. W.	Fennel-leaved.	_____	Italy.	1774.	_____	H. ☉	Jac. vind. 1. t. 61.
7 Monnier. W.	annual.	_____	S. Europe.	1771.	_____	H. ☉	1. t. 62.
8 latifolium. M. B.	broad-leaved.	_____	Caucasus.	1816.	_____	H. ☉	_____
9 decipiens. W.	shrubby.	_____	Madeira.	1785.	6.7.	G. ☉	Schr. sert. han. 3. t. 13.
ATHAMANTA. W.	SPIGNELL.	Umbelliferae. J.	_____	_____	_____	_____	_____
1 Libanotis. W.	mountain.	_____	England.		6.7.	H. ☉	Eng. bot. 138.
2 Cervaria. W.	broad-leaved.	_____	Europe.	1597.	7.8.	H. ☉	Jac. aust. 1. t. 69.
3 sibirica. W.	Siberian.	_____	Siberia.	1771.	_____	H. ☉	{ Gmel. sib. 1. t. 40.
4 condensata. W.	close-headed.	_____	_____	1773.	7.9.	H. ☉	Gouan. ill. 83. t. 26.
5 incana. W.	hoary.	_____	_____	1802.	7.8.	H. ☉	_____
6 Oreoselinum. W.	divaricated.	_____	Germany.	1768.	_____	H. ☉	Jac. aust. 1. t. 68.
7 sicula. W.	Flixweed-leaved.	_____	Sicily.	1686.	6.7.	H. ☉	Zanon. hist. 70. t. 43
8 Matthioli. W.	fine-leaved.	_____	Carniola.	1802.	_____	H. ☉	Jac. ic. rar. 1. t. 57.
9 cretensis. W.	Candy-carrot.	_____	Austria.	1596.	_____	H. ☉	Jac. aust. 1. t. 62.
10 annua. W.	annual.	_____	Canidia.	1731.	_____	H. ☉	_____
PEUCEDANUM. W.	SULPHURWORT.	Umbelliferae. J.	_____	_____	_____	_____	_____
1 officinale. W.	offical.	_____	England.		5.7.	H. ☉	Eng. bot. 1767.
2 arenarium. P. S.	sand.	_____	Hungary.	1816.	6.7.	H. ☉	Pl. rar. hung. 1. t. 20.
3 italicum. P. S.	Italian.	_____	Italy.		5.7.	H. ☉	_____
4 alpestre. W.	Alpine.	_____	France.	1739.	6.7.	H. ☉	_____
5 sibiricum. W.	Siberian.	_____	Siberia.	1804.	_____	H. ☉	Pl. rar. hung. 1. t. 60.
6 Silaus. W.	meadow.	_____	England.		6.8.	H. ☉	Eng. bot. 2142.
7 alsaticum. W.	small-headed.	_____	Austria.	1774.	_____	H. ☉	Jac. aust. 1. t. 79.
8 aureum. W.	golden.	_____	Canaries.	1779.	6.	G. ☉	_____

CRITHMUM. W.	SAMPHIRE.	Umbellifereæ. J.				
1 maritimum. W.	sea.	_____	Britain.	 7.9.	H. 2.	Eng. bot. 819.
2 latifolium. W.	wedge-leaved.	_____	Canaries.	1780. 7.	G. 3.	
CACHRYS. W.	CACHRYS.	Umbellifereæ. J.				
1 Libanotis. W.	smooth-seeded.	_____	Sicily.	1570. 7.8.	H. 2.	Schku. hand. 1. t. 65.
2 Morisoni. W.	Morison's.	_____	S. Europe.	1710. —	H. 2.	Moris. umb. t. 3. f. 1.
3 sicula. W.	hairy-seeded.	_____	Sicily.	1640. —	H. 2.	— t. 3. f. 2.
4 panacisfolia. W.	Parsnep-leaved.	_____	_____	1752. —	H. 2.	Boc. sic. 1. t. 1.
FERULA. W.	GIANT-FENNEL.	Umbellifereæ. J.				
1 communis. W.	common.	_____	S. Europe.	1597. 6.7.	H. 2.	Moris. s. 9. t. 15. f. 3.
2 sibirica. W.	Siberian.	_____	Siberia.	1816. —	H. 2.	Pall. it. 2. app. t. N.
3 glauca. W.	glaucous.	_____	Italy.	1596. —	H. 2.	
4 tingitana. W.	Tangier.	_____	Barbary.	1680. —	H. 3.	Herm. par. t. 165.
5 orientalis. W.	eastern.	_____	Levant.	1759. 7.8.	H. 2.	Tourn. it. 3. t. 239.
6 nodiflora. W.	knotted.	_____	S. Europe.	1596. 6.7.	H. 2.	Jac. aust. 5. t. app. 5.
7 persica. W.	stinking.	_____	Persia.	1782. 7.8.	H. 2.	Bot. rep. 558.
LASERPITIUM. W.	LASERWORT.	Umbellifereæ. J.				
1 latifolium. W.	broad-leaved.	_____	Europe.	1640. 6.7.	H. 2.	Jac. aust. 2. t. 146.
2 trilobum. W.	three-lobed.	_____	Levant.	— 5.7.	H. 2.	
3 aquilegifolium. W.	Columbine-leav ^d	_____	Austria.	1796. —	H. 2.	Jac. aust. 2. t. 147.
4 gallicum. W.	French.	_____	S. Europe.	1683. 6.7.	H. 2.	Pluk. phyt. t. 198. f. 6
5 triquetrum. P. S.	winged.	_____	{ Constantinople. }	1816. —	H. 2.	Vent. hor. cels. t. 97.
6 angustifolium. W.	narrow-leaved.	_____	S. Europe.	1738. —	H. 2.	Moris s. 9. t. 19. f. 9.
7 prutenicum. W.	Prussian.	_____	Germany.	1759. 7.8.	H. 2.	Jac. aust. 2. t. 153.
8 silaifolium. W.	Sulphurwort-1 ^d .	_____	Italy.	1791. 6.7.	H. 2.	Jac. aust. 5. t. app. 44
9 peucedanoides. W.	fine-leaved.	_____	_____	 —	H. 2.	Jac. ic. 2. t. 350.
10 Siler. W.	mountain.	_____	Austria.	1640. 5.7.	H. 2.	Jac. aust. 2. t. 145.
11 lucidum. W.	shining.	_____	Switzerland.	1775. 7.	H. 3.	
12 ferulaceum. W.	Fennel-leaved.	_____	Levant.	1752. 6.	H. 2.	Tourn. it. 2. t. 121.
13 pilosum. W. en.	sulphur-colour ^d .	_____		1759. 6.7.	H. 3.	
14 hirsutum. W. en.	hairy.	_____	Alps.	— —	H. 2.	
HERACLEUM. W.	COW-PARSNEP.	Umbellifereæ. J.				
1 Sphondylium. W.	common.	_____	Britain.	 5.6.	H. 2.	Eng. bot. 939.
2 flavescens. W.	yellowish.	_____	Austria.	1789. 6.7.	H. 2.	Jac. aust. 2. t. 173.
3 angustifolium. W.	narrow-leaved.	_____	Britain.	 5.6.	H. 2.	— 2. t. 174.
4 elegans. W.	rough-leaved.	_____	Austria.	1800. —	H. 2.	
5 sibiricum. W.	Siberian.	_____	Siberia.	1768. —	H. 2.	Gmel. sib. 1. t. 50.
6 Panaces. W.	Fig-leaved.	_____	_____	1596. 7.8.	H. 2.	Lobel. ic. 701.
7 austriacum. W.	Austrian.	_____	Austria.	1752. 6.7.	H. 2.	Jac. aust. 1. t. 61.
8 alpinum. W.	Alpine.	_____	Switzerland.	1739. —	H. 2.	Barr. ic. 55.
9 pyrenaicum. W. en.	Pyrenean.	_____	Pyrenees.	1798. —	H. 2.	
10 pumilum. P. S.	dwarf.	_____	Dauphiny.	1800. 5.7.	H. 2.	Vill. delp. 2. t. 14.
LIGUSTICUM. W.	LOVAGE.	Umbellifereæ. J.				
1 Levisticum. W.	common.	_____	Italy.	1596. 6.7.	H. 2.	Blackw. t. 275.
2 scoticum. W.	Scotch.	_____	Britain.	 —	H. 2.	Eng. bot. 1207.
3 peloponense. W.	Hemlock-leaved.	_____	Switzerland.	1596. 5.7.	H. 2.	Jac. aust. 5. t. app. 13.
4 austriacum. W.	Austrian.	_____	Austria.	— 6.8.	H. 2.	— 2. t. 151.
5 cornubiense. W.	Cornish.	_____	England.	— 7.8.	H. 2.	Eng. bot. 683.
6 pyrenaicum. W.	Pyrenean.	_____	Pyrenees.	1804. —	H. 2.	Gouan. ill. p. 14. t. 10
7 candicans. W.	pale.	_____		1780. —	H. 2.	
8 peregrinum. W.	Parsley-leaved.	_____	Portugal.	1633. 6.7.	H. 3.	Jac. vind. 3. t. 18.
9 balearicum. W.	Minorca.	_____	Minorca.	1804. —	H. 2.	
10 longifolium. W.	long-leaved.	_____	Siberia.	— —	H. 2.	Moris. s. 9. t. 15. f. 1.
ANGELICA. W.	ANGELICA.	Umbellifereæ. J.				
1 Archangelica. W.	garden.	_____	England.	 6.8.	H. 3.	Flor. dan. t. 206.
2 sylvestris. W.	wild.	_____	Britain.	 —	H. 2.	Eng. bot. 1128.
3 Razoulii. P. S.	decurrent-leaf ^d .	_____	Pyrenees.	1816. —	H. 2.	Gouan. ill. 13. t. 6.
4 verticillaris. W.	whorled-flower ^d .	_____	Italy.	1683. 7.	H. 2.	Jac. vind. 2. t. 130.
5 atropurpurea. W.	dark purple.	_____	Canada.	1759. 7.8.	H. 2.	Corn. canad. t. 199.
6 lucida. W.	shining.	_____	_____	1640. —	H. 3.	Jac. vind. 3. t. 24.
SIUM. W.	WATER-PARSNEP.	Umbellifereæ. J.				
1 latifolium. W.	broad-leaved.	_____	Britain.	 7.8.	H. 2.	Eng. bot. 204.
2 angustifolium. W.	narrow-leaved.	_____	_____	 —	H. 2.	— 139.
3 nodiflorum. W.	procumbent.	_____	_____	 —	H. 2.	— 639.
4 repens. W.	creeping.	_____	_____	 6.	H. 2.	— 1431.
5 Sisarum. W.	Skirret.	_____	China.	1548. 7.8.	H. 2.	Schku. hand. 1. t. 69.
6 rigidius. W.	Virginian.	_____	Virginia.	1774. —	H. 2.	Moris. s. 9. t. 7. f. 1.
7 Falcaria. W.	decurrent.	_____	Europe.	1726. —	H. 2.	Jac. aust. 3. t. 257.
8 siculum. W.	Sicilian.	_____	Sicily.	1686. —	H. 2.	Jac. vind. 2. t. 133.

SISON. W.	HONEWORT.	Umbellifereæ. J.					
1 Amomum. W.	hedge.	_____	Britain.		7.8. H.☉	Eng. bot. 954.	
2 segetum. W.	corn.	_____	England.		— H.☉	— 228.	
3 inundatum. W.	water.	_____	Britain.		5.6. H.☉	— 227.	
4 verticillatum. W.	whorled-leaved.	_____	_____		7.8. H.☉	— 395.	
5 salsum. W.	fine-leaved.	_____	Siberia.	1804.	— H.☉	{ Pall. act. pet. 1779. t. s. f. 1. 3.	
BUBON. W.	BUBON.	Umbellifereæ. J.					
1 macedonicum. W.	Macedonian.	_____	Greece.	1596.	6.8. G. ♂	Blackw. t. 382.	
2 rigidus. W.	stiff-leaved.	_____	Sicily.	1710.	— H. ♂	Bocc. mus. 2. t. 76.	
3 Galbanum. W.	Lovage-leaved.	_____	C. B. S.	1596.	7.8. G. h.	Jac. vind. 3. t. 36	490
4 lavigatum. W.	smooth.	_____	_____	1774.	12.3. G. h.	—	
5 gummiferum. W.	gum-bearing.	_____	_____	1731.	7. G. h.	Comm. hort. 2. t. 58.	
CUMINUM. W.	CUMIN.	Umbellifereæ. J.					
Cuminum. W.	official.	_____	Egypt.	1594.	6.7. H.☉	Cav. ic. 4. t. 360.	
CENANTHE. W.	{ WATER-DROPWORT. }	Umbellifereæ. J.					
1 fistulosa. W.	common.	_____	Britain.		6.8. H.☉	Eng. bot. 363.	
2 crocata. W.	Hemlock.	_____	_____		— H.☉	— 2313.	
3 prolifera. W.	proliferous.	_____	Italy.	1739.	— H.☉	Jac. vind. 3. t. 62.	
4 globulosa. W.	globe-headed.	_____	Portugal.	1710.	— H. ♂	Gouan. ill. 18. t. 9.	
5 apiifolia. W. en.	Parsley-leaved.	_____	_____	1806.	— H.☉	—	
6 peucedanifolia.	Sulphurwort.	_____	England.		— H.☉	Eng. bot. 348.	
7 pimpinelloides. W.	Burnet-Saxifrage.	_____	_____		— H.☉	— 347.	
8 incubrians. Th.	various-leaved.	_____	C. B. S.	1816.	8.9. G.☉	—	
PHELLANDRIUM. W.	WATERHEMLOCK	Umbellifereæ. J.					
aquaticum. W.	common.	_____	Britain.		6.7. H. ♂	Eng. bot. 684.	
CICUTA. W.	COWBANE.	Umbellifereæ. J.					
1 virosa. W.	long-leaved.	_____	Britain.		7. H.☉	Eng. bot. 479.	
2 maculata. W.	spotted.	_____	N. America.	1759.	7.8. H.☉	Pluk. alm. t. 76. f. 1.	
ÆTHUSA. P. S.	FOOL'S-PARSLEY.	Umbellifereæ. J.					
1 Cynapium. W.	common.	_____	Britain.		7.9. H.☉	Eng. bot. 1192.	
2 fatua. W.	fine-leaved.	_____	_____	1781.	— H.☉	—	
MEUM. G.	BAWD-MONEY.	Umbellifereæ. J.	<i>Æthuse species W.</i>				
1 Bunius.	Coriander-leav ^d .	_____	Pyrenees.	1778.	7. H. ♂	Jac. vind. 2. t. 198.	
2 Mutellina. P. S.	Alpine.	_____	Austria.	1774.	7.8. H.☉	Gært. de fruct. 1. t. 23.	
3 athamanticum. J.	common.	_____	Britain.		4.6. H.☉	Jac. aust. 4. t. 303.	
CORIANDRUM. W.	CORIANDER.	Umbellifereæ. J.					
1 sativum. W.	common.	_____	England.		6. H.☉	Eng. bot. 67.	
2 testiculatum. W.	twin-fruited.	_____	S. Europe.	1640.	6.7. H.☉	Pluk. alm. t. 169. f. 2.	
MYRRHIS. P. S.	MYRRH.	Umbellifereæ. J.	<i>Scandicis species W.</i>				
odorata. P. S.	sweet-scented.	_____	Britain.		5.6. H.☉	Eng. bot. 697.	
SCANDIX. P. S.	CICELY.	Umbellifereæ. J.					
1 Pecten. W.	Venus's Comb.	_____	Britain.		6.7. H.☉	Eng. bot. 1397.	
2 australis. W.	radiated.	_____	S. Europe.	1713.	5.6. H.☉	Col. cephr. 1. t. 90.	
3 pinnatifida. P. S.	cut-leaved.	_____	Persia.	1805.	— H.☉	Vent. cels. 14.	
OLIVERIA. V.	OLIVERIA.	Umbellifereæ. J.					
decumbens. V.	Thyme-scented.	_____	Bagdad.	1816.	5.7. H.☉	Vent. cels. 21.	
ANTHRISCUS. P. S.	ROUGH-CHEVIL.	Umbellifereæ. J.	<i>Scandicis species W.</i>				
1 vulgaris. P. S.	common.	_____	Britain.		5.6. H.☉	Eng. bot. 818.	
2 nodosa. P. S.	knotted.	_____	Sicily.	1656.	— H.☉	Jac. vind. 3. t. 25.	
CHÆROPHYLLUM. P. S. }	CHEVIL.	Umbellifereæ. J.					
1 sylvestre. W.	smooth.	_____	Britain.		5.6. H.☉	Eng. bot. 752.	
2 sativum. P. S.	garden.	_____	England.		— H.☉	— 1268.	
3 procumbens. Ph.	procumbent.	_____	Virginia.	1699.	6.7. H.☉	Moris. s. 9. t. 11. f. ult.	
4 bulbosum. W.	bulbous-rooted.	_____	Europe.	1726.	— H. ♂	Jac. aust. 1. t. 63.	
5 temulum. W.	rough.	_____	Britain.		7.8. H. ♂	Eng. bot. 1521.	
6 hirsutum. W.	hairy-leaved.	_____	Switzerland.	1759.	6.7. H.☉	Jac. aust. 2. t. 148.	
7 aromaticum. W.	aromatic.	_____	Germany.	1726.	6.8. H.☉	— 2. t. 150.	
8 canadense. Ph.	three-leaved.	_____	N. America.	1699.	7.8. H.☉	Riv. pent. t. 53.	
<i>Sison canadense. W.</i>							
9 Claytoni. Ph.	sweet-rooted.	_____	_____	1806.	— H.☉	—	
10 coloratum. W.	yellow.	_____	Illyria.	—	— H.☉	Moris. s. 9. t. 10. f. 6.	
11 aureum. W.	golden.	_____	Scotland.		— H.☉	Eng. bot. 2103.	
IMPERATORIA. W.	MASTERWORT.	Umbellifereæ. J.					
Ostruthium. W.	common.	_____	Scotland.		5.7. H.☉	Eng. bot. 1380.	
SESELI. W.	{ MEADOW-SAXIFRAGE. }	Umbellifereæ. J.					
1 pimpinelloides. W.	nodding-flower ^d .	_____	S. Europe.	1796.	7. H.☉	—	

2 leucospermum. W.	en. woolly-headed.	Umbellifereæ. J.	Hungary.	1805.	7.	H. 2.	Pl. rar. hung. 89.
3 montanum. W.	mountain.	_____	Italy.	1658.	6.7.	H. 2.	Jac. vind. 2. t. 129.
4 glaucum. W.	glaucous.	_____	France.	1759.	7.8.	H. 2.	Jac. aust. 2. t. 144.
5 aristatum. W.	bearded.	_____	Pyrenees.	1739.	6.7.	H. 2.	_____
6 annoides. W.	Milfoil-leaved.	_____	S. Europe.	1759.	_____	H. ☉	Jac. vind. 1. t. 52.
7 tortuosum. W.	crooked.	_____	_____	1597.	10.	H. ♂	_____
8 divaricatum. Ph.	shining-leaved.	_____	N. America.	1812.	6.7.	H. 2.	Bot. mag. 1742.
9 Hippomarathrum. W.	} various-leaved.	_____	Austria.	1656.	7.	H. 2.	Jac. aust. 2. t. 143.
10 pyrenæum. W.		_____	Pyrenees.	1731.	6.7.	H. 2.	Gouan. ill. 11. t. 5.
11 gracile. W. en.	Pyrenean.	_____	Hungary.	1805.	_____	H. 2.	Pl. rar. hung. 2. t. 117
12 elatum. W.	tall.	_____	Austria.	1710.	7.8.	H. 2.	Gouan. ill. 16. t. 8.
13 gummiferum. Ex. B.	gum-bearing.	_____	Crimæa.	1804.	7.9.	H. ♂	Exot. bot. t. 120.
THAPSIA. W.	DEADLY CARROT	Umbellifereæ. J.	_____	_____	_____	_____	_____
1 villosa. W.	villosus.	_____	S. Europe.	1710.	6.7.	H. 2.	Moris. s. 9. t. 18. f. 3.
2 foetida. W.	stinking.	_____	Spain.	1596.	7.8.	H. 2.	_____ t. 18. f. 7.
3 Asclepium. W.	oriental.	_____	Levant.	_____	_____	H. 2.	_____ t. 18. f. 9.
4 gargarica. W.	Garganian.	_____	Barbary.	1683.	_____	H. 2.	Gouan. ill. 18. t. 10.
PASTINACA. W.	PARSNEP.	Umbellifereæ. J.	_____	_____	_____	_____	_____
1 lucida. W.	shining-leaved.	_____	S. Europe.	1771.	6.7.	H. ♂	Jac. vind. 2. t. 199.
2 sativa. W.	garden.	_____	_____	_____	7.	H. ♂	Flor. dan. t. 1206.
β arvensis. P. S.	field.	_____	England.	_____	_____	H. ♂	Eng. bot. 556.
3 Opopanax. W.	rough.	_____	S. Europe.	1640.	6.7.	H. 2.	Gou. ill. 19. t. 13. 14.
4 dissecta. V.	cut-leaved.	_____	Levant.	1816.	_____	H. ♂	Vent. cels. t. 78.
SMYRNIUM. W.	ALEXANDERS.	Umbellifereæ. J.	_____	_____	_____	_____	_____
1 perfoliatum. W.	perfoliate.	_____	Italy.	1596.	5.	H. 2.	Pl. rar. hung. 1. t. 23.
2 Olusatrum. W.	common.	_____	Britain.	_____	5.6.	H. ♂	Eng. bot. 230.
3 apiifolium. W.	Smallage-leaved.	_____	Candia.	1731.	5.7.	H. 2.	_____
4 cordatum. Ph.	heart-leaved.	_____	N. America.	1759.	6.7.	H. 2.	_____
Thapsia trifoliata. W.	_____	_____	_____	_____	_____	_____	_____
5 aureum. W.	golden.	_____	_____	1699.	5.6.	H. 2.	_____
6 integerrimum. W.	entire-leaved.	_____	_____	1759.	6.	H. 2.	_____
ANETHUM. W.	DILL.	Umbellifereæ. J.	_____	_____	_____	_____	_____
1 graveolens. W.	common.	_____	Spain.	1570.	6.7.	H. ♂	_____
2 segetum. W.	Portugal.	_____	Portugal.	1796.	_____	H. ☉	_____
3 Sowa. Roxb.	Indian.	_____	E. Ind.	1810.	_____	H. ☉	_____
4 Feniculum. W.	Fennel.	_____	England.	_____	7.8.	H. 2.	Eng. bot. 1208.
CARUM. W.	CARAWAY.	Umbellifereæ. J.	_____	_____	_____	_____	_____
1 Carvi. W.	common.	_____	Britain.	_____	5.6.	H. ♂	Eng. bot. 1503.
2 simplex. W.	simple-stalked.	_____	Siberia.	1816.	_____	H. ♂	_____
PIMPINELLA. W.	{ BURNET	} Umbellifereæ. J.	_____	_____	_____	_____	_____
1 Saxifraga. W.	{ SANIFRAGE. }		_____	_____	_____	_____	_____
2 nigra. W.	common.	_____	Britain.	_____	6.8.	H. 2.	Eng. bot. 407.
3 magna. W.	black-rooted.	_____	Germany.	1683.	_____	H. 2.	_____
4 dissecta. W.	great.	_____	England.	_____	_____	H. 2.	Eng. bot. 408.
5 peregrina. W.	cut-leaved.	_____	France.	_____	_____	H. 2.	Retz. obs. 3. t. 2.
6 Anisum. W.	nodding.	_____	Italy.	1640.	_____	H. 2.	Jac. vind. 2. t. 131.
7 bubonoides. P. S.	Anise.	_____	Egypt.	1551.	_____	H. ☉	_____
8 dichotoma. W.	Bubon-like.	_____	Portugal.	1814.	_____	H. 2.	_____
9 dioica. W.	dichotomous.	_____	Spain.	1798.	_____	H. 2.	_____
10 glauca. W.	dwarf.	_____	England.	_____	5.6.	H. 2.	Eng. bot. 1209.
APIUM. W.	glaucous.	_____	Hungary.	1803.	6.8.	H. 2.	Pl. rar. hung. t. 72.
1 Petroselinum. W.	PARSLEY.	Umbellifereæ. J.	_____	_____	_____	_____	_____
2 graveolens. W.	garden.	_____	Sardinia.	1548.	6.7.	H. ♂	_____
ÆGOPODIUM. W.	Celery.	_____	Britain.	_____	6.8.	H. ♂	Eng. bot. 1210.
Podagraria. W.	GOUT-WEED.	Umbellifereæ. J.	_____	_____	_____	_____	_____
_____	common.	_____	Britain.	_____	5.7.	H. 2.	Eng. bot. 940.

TRIGYNIA.

RHUS. W.	SUMACH.	Tercintaceæ. J.	_____	_____	_____	_____	_____
1 Coriaria. W.	Elm-leaved.	_____	S. Europe.	1596.	7.	H. h.	Lindw. etc. t. 122.
2 typhinum. W.	Virginian.	_____	N. America.	1629.	7.8.	H. h.	Park. par. t. 609. f. 6.
3 javanicum. W.	Java.	_____	Java.	1799.	7.9.	S. h.	_____
4 glabrum. W.	smooth.	_____	N. America.	1726.	_____	H. h.	Dil. elt. t. 243. f. 314.
5 elegans. W.	scarlet.	_____	_____	_____	7.	H. h.	Catesb. car. 3. t. 4.
6 viridiflorum. Ph.	green-flowered.	_____	_____	_____	_____	H. h.	_____
7 pumilum. Ph.	dwarf poisonous.	_____	_____	1806.	_____	H. h.	_____
8 Vernix. W.	Varnish.	_____	_____	1713.	_____	H. h.	Dil. elt. t. 292. f. 377.
9 succedaneum. W.	red Lac.	_____	China.	1768.	6.	G. h.	Kæmpf. amœ. t. 795.

10 semialatum. W.	Service-leaved.	Umbelliferae. J.	Macao.	1780.	G. h.	Murr.com.got.6.t.5
11 Copallinum. W.	Lentiscus-leaved	_____	N. America.	1688. 8.9.	H. h.	Jac.schoen.3.t.341.
12 Toxicodendron. Ph.	Poison Oak.	_____	_____	1640. 6.7.	H. h.	Bot. mag. 1806.
<i>α vulgare.</i>	common.	_____	_____	_____	_____	_____
<i>β quercifolium.</i>	sinuate-leaved.	_____	_____	_____	_____	_____
<i>γ microcarpon.</i>	small-fruited.	_____	_____	_____	_____	_____
13 aromaticum. Ph.	sweet.	_____	_____	1759. 5.	H. h.	{ Turp. in Ann. mus. 5. t. 30.
<i>aromaticum & suaveolens W. is male and female of the same species Ph.</i>						
14 pendulinum. W. en.	pendulous.	_____	C. B. S.		G. h.	_____
15 dentatum. W.	rough-stalked.	_____	_____	1798.	G. h.	_____
16 cuneifolium. W.	wedge-leaved.	_____	_____	1816.	G. h.	_____
17 incisum. W.	cut-leaved.	_____	_____	1789.	G. h.	_____
18 tomentosum. W.	woolly-leaved.	_____	_____	1691.	G. h.	Comm. hort. 1. t. 92.
19 villosum. W.	hairy.	_____	_____	1714. 7.	G. h.	Pluk. alm. t. 219. f. 8.
20 pubescens. W.	pubescent.	_____	_____	1800.	G. h.	_____
21 viminale. W.	Willow-leaved.	_____	_____	1774.	G. h.	Jac.schoen.3.t.344.
22 angustifolium. W.	narrow-leaved.	_____	_____	1714.	G. h.	Pluk. alm. t. 219. f. 6.
23 rosmarinifolium. W.	Rosemary-leav ^d .	_____	_____	1800.	G. h.	Burm. afr. t. 91. f. 1.
24 pentaphyllum. W.	various-leaved.	_____	Barbary.	1816.	G. h.	Desf. atl. 1. t. 77.
25 laevigatum. W.	polished-leaved.	_____	C. B. S.	1758.	G. h.	_____
26 lucidum. W.	shining-leaved.	_____	_____	1697. 7.8.	G. h.	Burm. afr. t. 91. f. 2.
<i>β minor.</i>	small shining-le.	_____	_____	_____	G. h.	Comm. hort. 1. t. 93.
27 Cofinus. W.	Venice.	_____	S. Europe.	1656. 6.7.	H. h.	Jac. aust. 3. t. 210.
VIBURNUM. W.	VIBURNUM.	Caprifoliae. J.	_____	_____	_____	_____
1 Tinus. P. S.	{ common Laurestine. }	_____	S. Europe.	1596. 12.3.	H. h.	Bot. mag. 38.
2 lucidum. P. S.	{ shining-lea ^d Laurestine. }	_____	Spain.	_____	H. h.	Clus. hist. 49.
3 strictum.	{ upright Lau- restine. }	_____	S. Europe.	_____	H. h.	_____
4 rugosum. P. S.	{ large-leaved Laurestine. }	_____	Canaries.	1796.	G. h.	376, 2002
5 prunifolium. W.	Plum-leaved.	_____	N. America.	1731. 5.6.	H. h.	Duham. 2. t. 38.
6 pyrifolium. Ph.	Pear-leaved.	_____	_____		H. h.	_____
7 Lentago. W.	tree.	_____	_____	1761. 7.	H. h.	_____
8 nudum. W.	oval-leaved.	_____	_____	1752. 5.6.	H. h.	Mill. ic. 2. t. 274. 2281
9 dauricum. W.	Siberian.	_____	Dahuria.	1785. 6.7.	H. h.	Pall. ross. 1. t. 38.
10 obovatum. Ph.	obovate-leaved.	_____	N. America.	1812. 5.6.	H. h.	_____
11 cassinoides. W.	thick-leaved.	_____	_____	1761. 6.7.	H. h.	_____
12 laevigatum. W.	{ Cassioberry- Bush. }	_____	_____	1724. 7.8.	H. h.	{ Mill. ic. 1. t. 83. f. i.
13 nitidum. W.	shining-leaved.	_____	_____	1758. 5.6.	H. h.	_____
14 dentatum. Ph.	tooth-leaved.	_____	_____	1736. 6.7.	H. h.	Jac. vind. 1. t. 36.
15 pubescens. Ph.	downy tooth-le ^d .	_____	_____	_____	H. h.	_____
16 lantanoides. Ph.	Lantana-like.	_____	_____	 5.6.	H. h.	_____
17 Lantana. W.	Wayfaring-tree.	_____	Britain.		H. h.	Eng. bot. 331.
18 molle. Ph.	soft.	_____	N. America.	1812. 6.7.	H. h.	_____
19 acerifolium. W.	Maple-leaved.	_____	_____	1736. —	H. h.	Vent. cels. 72.
20 Opulus. W.	Guelder Rose.	_____	Britain.	 5.6.	H. h.	Eng. bot. 332.
<i>β rosea.</i>	Snowball-tree.	_____	_____	_____	_____	_____
21 Oxycoccus. Ph.	Cranberry-like.	_____	N. America.	 7.	H. h.	_____
22 edule. Ph.	eatable-fruited.	_____	_____	1812. —	H. h.	_____
CASSINE. W.	CASSINE.	Rhamni. J.	_____	_____	_____	_____
1 capensis. W.	Cape Phillyrea.	_____	C. B. S.	1629. 7.8.	G. h.	Burm. afr. t. 85.
2 Colpoon. W.	Colpoon-tree.	_____	_____	1791.	G. h.	_____
3 Maurocenia. W.	{ Hottentot Cherry. }	_____	_____	1690. —	G. h.	{ Dill. elt. t. 121. f. 147.
4 laevigata. W.	smooth.	_____	_____	1816.	G. h.	_____
5 xyl. carpa. P. S.	bony-seeded.	_____	Antilles.	_____	S. h.	Vent. choix. t. 23.
SAMBUCUS. W.	ELDER.	Caprifoliae. J.	_____	_____	_____	_____
1 Ebulus. W.	dwarf.	_____	Britain.	 6.7.	H. h.	Eng. bot. 475.
2 nigra. W.	common.	_____	_____	 5.7.	H. h.	476.
<i>β viridis.</i>	green-fruited.	_____	_____	_____	_____	_____
<i>γ lociniata.</i>	Parsley-leaved.	_____	_____	_____	_____	_____
3 canadensis. W.	Canadian.	_____	N. America.	1761. 6.8.	H. h.	Schmidt arb. 142.
4 pubescens. Ph.	pubescent.	_____	_____	1812.	H. h.	_____
5 racemosa. W.	red-berried.	_____	S. Europe.	1596. 5.6.	H. h.	Jac. ic. 1. t. 59.
SPATHELIA. W.	SPATHELIA.	Terebintaceae. J.	_____	_____	_____	_____
simplex. W.	Sumach-leaved.	_____	Jamaica.	1778.	S. h.	Sloan. jam. t. 171.

STAPHYLEA. W.	BLADDER-NUT.	Rhamni. J.							
1 pinnata. W.	five-leaved.	_____	England.		4.6.	H. h.	Eng. bot. 1560.		
2 trifolia. W.	three-leaved.	_____	N. America.	1640.	5.6.	H. h.	Schmidt arb. t. 80.		
TAMARIX. W.	TAMARISK.	Portulacææ. J.							
1 gallica. W.	French.	_____	England.		5.10.	H. h.	Eng. bot. 1318.		
2 articulata. W.	Indian.	_____	E. Ind.			S. h.	Vahl symb. 2. t. 32.		
3 germanica. W.	German.	_____	Germany.	1582.	6.9.	H. h.	Mill. ic. t. 262. f. 2.		
XYLOPHYLLA. W. en.	XYLOPHYLLA.	Euphorbiæ. J.							
1 ramiflora. W. en.	oval-leaved.	_____	Siberia.	1785.	7.8.	H. h.	Pall. it. 3. t. E. f. 2.		
2 obovata. W. en.	obovate-leaved.	_____			—	H. h.			
TURNERA. W.	TURNERA.	Portulacææ. J.							
1 ulmifolia. W.	Elm-leaved.	_____	Jamaica.	1733.	6.9.	S. h.	Hort. cliff. t. 10.		
2 angustifolia. B. M.	narrow-leaved.	_____	_____	—	4.9.	S. h.	Bot. mag. 281.		
3 Pumilea. W.	Nettle-leaved.	_____	_____	1796.	7.	S. ⊙	Slo. jam. 1. t. 127. f. 6.		
4 eistoides. W.	Betony-leaved.	_____	America.	1774.	6.10.	H. ⊙	Plum. ic. t. 150. f. 1.		
5 racemosa. W.	clustered.	_____		1789.	7.8.	S. ⊙	Jac. vind. 3. t. 94.		
TELEPHIUM. W.	ORPINE.	Portulacææ. J.							
Imperati. W.	true.	_____	S. Europe.	1658.	6.8.	H. 2.	Lam. ill. t. 213.		
CORRIGIOLA. W.	STRAPWORT.	Portulacææ. J.							
littoralis. W.	sand.	_____	England.		7.8.	H. ⊙	Eng. bot. 668.		
PHARNACEUM. W.	PHARNACEUM.	Caryophyllææ. J.							
1 Cerviana. W.	umbelled.	_____	Russia.	1771.	6.	H. ⊙	Gmel. sib. 3. t. 20. f. 2.		
2 lineare. W.	linear-leaved.	_____	C. B. S.	1795.	5.6.	G. h.	Bot. rep. 326.		
3 Mollugo. W.	Ladies' Bedstraw	_____	E. Ind.	1752.	7.8.	S. h.	Burm. ind. t. 5. f. 4.		
4 incanum. W.	hoary.	_____	C. B. S.	1782.	5.10.	G. h.	Bot. mag. 1883.		
5 dichotomum. W.	forked.	_____	_____	1783.	7.	G. ⊙			
DRYPIS. W.	DRYPIS.	Caryophyllææ. J.							
spinosa. W.	prickly.	_____	Italy.	1775.	6.7.	H. ♂.	Jac. vind. 1. t. 49.	2016	
BASELLA. W.	MALABAR NIGHT-SHADE.	Chenopodææ. B. P.							
1 rubra. W.	red.	_____	E. Ind.	1731.	7.9.	S. ♂.	Rheed. mal. 7. t. 24		
2 alba. W.	white.	_____	_____	1688.	7.11.	S. ♂.	Pluk. alm. t. 63. f. 1.		
3 lucida. W.	shining.	_____	_____	1802.	—	S. ⊙.			
4 cordifolia. P. S.	heart-leaved.	_____	_____	—	—	S. ⊙.			
PORTULACARIA. W.	PURSLANE-TREE.	Portulacææ. J.							
afr. W.	African.	_____	Africa.	1732.		G. h.	Jac. coll. 1. t. 22.		

TETRAGYNIA.

PARNASSIA. W.	{ GRASS OF PARNASSUS. }	Capparides ? J.							
1 palustris. W.	marsh.	_____	Britain.		7.8.	H. 2.	Eng. bot. 82.		
2 caroliniana. Ph.	Carolina.	_____	N. America.	1802.	5.6.	H. 2.	Bot. mag. 1459.		
3 asarifolia. Ph.	Asarum-leaved.	_____	_____	1812.	7.8.	H. 2.	Vent. malm. t. 39.		

PENTAGYNIA.

ARALIA. W.	ARALIA.	Araliææ. J.							
1 capitata. W.	cluster-flowered.	_____	W. Ind.	1777.	8.	S. h.	Smith ic. pict. 4.		
2 Sciodaphyllum. W.	long-spiked.	_____	Jamaica.	1793.	6.8.	S. h.	Bro. jam. t. 19. f. 1. 2.		
3 spinosa. W.	Angelica-tree.	_____	Virginia.	1688.	9.	H. h.	Comm. hort. 1. t. 47.		
4 hispida. Ph.	hispid.	_____	N. America.	1799.	6.7.	H. h.	Bot. mag. 1085.		
5 racemosa. Ph.	berry-bearing.	_____	_____	1658.	6.9.	H. 2.	Moris. s. 1. t. 2. f. 9.		
6 nudicaulis. Ph.	naked-stalked.	_____	_____	1731.	6.7.	H. 2.	Pluk. alm. t. 238. f. 5.		
ARMERIA. W. en.	THRIFT.	Plumbaginææ. B. P.	<i>Statice species L.</i>						
1 vulgaris. W. en.	common.	_____	Europe.		6.8.	H. 2.			
2 maritima. W. en.	sea-side.	_____	Britain.		5.7.	H. 2.	Eng. bot. 226.		
3 alpina. W. en.	flat-stemmed.	_____	Carinthia.		5.8.	H. 2.			
4 arenaria. P. S.	sand.	_____	France.		—	H. 2.			
5 littoralis. W. en.	ciliated.	_____	S. Europe.		—	H. 2.			
6 alliacea. W.	Garlic-leaved.	_____	Spain.	1798.	5.6.	H. 2.	Cav. ic. 2. t. 109.		
7 denticulata. Sch.	toothed.	_____		1816.	—	H. 2.			
8 plantaginea. W. en.	Plantain-leaved.	_____	S. Europe.	—	—	H. 2.			
9 scorzoneraefolia. W. en.	large-headed.	_____	_____	—	—	H. 2.			
10 latifolia. W. en.	broad-leaved.	_____	Algarbia.	1740.	5.7.	H. 2.	Jac. vind. 1. t. 42.		
Statice cephalotes. W.									
11 fasciculata. W. en.	bundled.	_____	Portugal.		4.8.	H. h.	Vent. cels. t. 38.		

STATICE. W. en.	SEA-LAVENDER. Plumbaginæ. B.P.				
1 graminifolia. W.	Grass-leaved.	Siberia.	1780. 6.7.	H. ½.	
2 Limonium. W.	common.	England.		5.8.	H. ½. Eng. bot. 102.
3 Gmelini. W.	Gmelin's.	Siberia.	1796. 6.8.	H. ½.	Gmel. sib. 2. t. 90.
4 scoparia. W.	Broom.	—	—	—	H. ½.
5 latifolia. W.	broad-leaved.	—	1791. 5.7.	H. ½.	
6 oleaefolia. W.	Olive-leaved.	Italy.	1688. 5.8.	H. ½.	Scop. ins. 1. t. 10.
7 auriculæfolia. W.	Auricula-leaved.	Barbary.	1781. 7.8.	F. ½.	
8 emarginata. W. en.	emarginate.	Gibraltar.		5.7.	F. ½.
9 cordata. W.	blunt-leaved.	S. Europe.	1752. —	F. ½.	Barr. ic. 805.
10 scabra. W.	rough-branched.	C. B. S.	1788. —	G. ½.	
11 virgata. W. en.	twiggy.	Spain.		6.8.	H. ½.
12 reticulata. W. en.	matted.	England.		7.8.	H. ½. Eng. bot. 328.
13 caspia. W. en.	Caspian.	Caspian Sea.		H. ½.	Gmel. sib. 2. t. 89. f. 2.
14 echioides. W.	rough-leaved.	S. Europe.	1752. —	G. ½.	Gouan. ill. t. 2. f. 4.
15 spathulata. P. S.	spatula-leaved.	Barbary.	1804. 6.8.	F. ½.	Bot. mag. 1617.
16 speciosa. W.	Plantain-leaved.	Russia.	1776. 7.8.	F. ½.	— 656.
17 conspicua. B. M.	showy.	—	1804. —	F. ½.	— 1629.
18 tatarica. W.	Tartarian.	—	1731. 6.	H. ½.	Gmel. sib. 2. t. 92.
19 flexuosa. W.	zigzag.	Siberia.	1791. 7.8.	H. ½.	
20 purpurata. W.	purple.	C. B. S.	1800. 6.7.	G. ½.	
21 minuta. W.	small.	{ Mediter- ranean. }	1658. —	H. ½.	Pluk. alm. t. 200. f. 3.
22 pectinata. W.	triangular-stalk ^d .	Canaries.	1780. 9.10.	G. ½.	
23 suffruticosa. W.	narrow-leaved.	Siberia.	1779. 5.9.	G. ½.	Gmel. s. 2. t. 88. f. 2. 3.
24 monopetala. W.	Sicilian shrubby.	Sicily.	1751. 7.8.	G. ½.	Boc. sic. t. 16. 17.
25 ferulacea. W.	Fennel-leaved.	Siberia.	1796. 5.	H. ½.	Pluk. alm. t. 28. f. 4.
26 sinuata. W.	scalloped-leaved.	Levant.	1629. 5.9.	G. ½.	Bot. mag. 71.
27 alata. W. en.	winged.	—	1806. 6.8.	G. ½.	
28 mucronata. W.	curled.	Barbary.	1784. —	G. ½.	L'Her. stirp. t. 18.
LINUM. W.	FLAX.	Caryophyllæ? J.			
1 usitatissimum. W.	common.	Britain.		6.7.	H. ⊙. Eng. bot. 1357.
2 perenne. W.	perennial.	England.		6.8.	H. ½. — 40.
3 trigynum. H. K.	three-styled.	E. Ind.	1799. 10.1.	G. ½.	Bot. mag. 1100.
4 hirsutum. W.	hairy.	Austria.	1759. 7.8.	H. ½.	Jac. aust. 1. t. 31.
5 hypericifolium. H. K.	Mallow-flowered.	Caucasus.	1807. 6.7.	H. ½.	Bot. mag. 1048.
6 ascyrifolium. H. K.	blue and white.	Portugal.	1800. 7.8.	H. ½.	— 1087.
7 narbonne. W.	Narbonne.	S. France.	1759. 5.7.	F. ½.	
8 reflexum. W.	reflex-leaved.	S. Europe.	1777. 7.	H. ½.	
9 tenuifolium. W.	slender-leaved.	Europe.	1759. 6.7.	H. ½.	Jac. aust. 3. t. 218.
10 angustifolium. H. K.	narrow-leaved.	England.		7.	H. ½. Eng. bot. 381.
11 gallicum. W.	annual yellow.	France.	1777. 7.8.	H. ⊙.	Ger. prov. t. 15. f. 1.
12 maritimum. W.	sea.	S. Europe.	1596. —	H. ½.	Jac. vind. 2. t. 154.
13 alpinum. W.	Alpine.	Austria.	1739. —	H. ½.	Jac. aust. 4. t. 321.
14 austriacum. W.	Austrian.	—	1775. 6.7.	H. ½.	Bot. mag. 1086.
15 virginianum. W.	Virginian.	N. America.	1807. 7.	H. ½.	
16 rigidum. Ph.	stiff-leaved.	Missouri.	—	H. ⊙.	
17 flavum. W.	yellow.	Austria.	1793. 6.8.	H. ½.	Bot. mag. 312.
18 tauricum. W. en.	Taurian.	Tauria.	1795. —	H. ½.	
19 campanulatum. W.	glaucous-leaved.	Europe.	—	H. ½.	
20 strictum. W.	upright.	S. Europe.	1759. 5.7.	H. ½.	
21 suffruticosum. W.	Spanish.	Spain.	—	8.	G. ½. Cav. ic. 2. t. 108.
22 arboreum. W.	tree.	Candia.	1788. 5.8.	G. ½.	Bot. mag. 234.
23 africanum. W.	African.	C. B. S.	1771. 6.7.	G. ½.	— 403.
24 nodiflorum. W.	knotted.	Italy.	1759. 7.8.	H. ½.	Moris. s. 5. t. 6. f. 11.
25 catharticum. W.	purgin.	Britain.		6.8.	H. ⊙. Eng. bot. 382.
26 quadrifolium. W.	four-leaved.	C. B. S.	1787. 5.6.	G. ½.	Bot. mag. 431.
DROSERÆ. W.	SUNDEW.	Capparides? J.			
1 rotundifolia. W.	round-leaved.	Britain.		7.8.	H. ½. Eng. bot. 867.
2 longifolia. W.	long-leaved.	—		—	H. ½. — 868.
3 anglica. H. K.	great.	England.		—	H. ½. — 869.
4 filiformis. Ph.	thready-leaved.	New Jersey.	1811. 5.6.	H. ½.	
GISEKIA. W.	GISEKIA.	Portulacæ. J.			
pharnacioides. W.	trailing.	E. Ind.	1783. 6.	S. ⊙.	Roxb. cor. 2. t. 183.
LAROCHEA. P. S.	LAROCHEA.	Sempervivæ. J.			
1 falcata. P. S.	sickle-leaved.	Crassulæ species W.			
2 coccinea. P. S.	scarlet.	C. B. S.	1785. 6.9.	G. ½.	Dec. pl. grass. 103. 2635
3 cymosa. H. S.	cymose.	—	1710. 6.8.	G. ½.	Bot. mag. 495.
4 flava. H. S.	yellow.	—	1800. 8.	G. ½.	
5 odoratissima. H. S.	sweet-scented.	—	1802. 8.9.	G. ½.	Pluk. alm. t. 314. f. 2.
		—	1793. 6.7.	G. ½.	Bot. rep. 26.

CRASSULA. W.	CRASSULA.	Sempervivæ. J.				
1 perfoliata.	perfoliate.	_____	C. B. S.	1725.	7.8.	G. h. Plant. grass. 13.
2 ramosa. W.	branching.	_____	_____	1774.	—	G. h.
3 tetragona. W.	square-leaved.	_____	_____	1711.	8.	G. h. Plant. grass. 19.
4 mollis. W.	soft.	_____	_____	1774.	—	G. h.
5 acutifolia. P. S.	acute-leaved.	_____	Greece?	1795.	9.11.	G. h. Plant. grass. t. 2.
6 arborescens. W.	tree.	_____	C. B. S.	1739.	5.6.	G. h. Bot. mag. 384.
<i>Cotyledon. B. M.</i>						
7 oblqua. W.	oblique-leaved.	_____	_____	1759.	4.5.	G. h. Plant. grass. 79.
8 lactea. W.	white.	_____	_____	1774.	9.10.	G. h. Bot. mag. 1771.
9 ciliata. W.	ciliated.	_____	_____	1732.	7.8.	G. h. Plant. grass. 7.
10 undulata. H. S.	wave-leaved.	_____	_____	1797.	8.11.	G. h.
11 scabra. W.	rough-leaved.	_____	_____	1730.	6.7.	G. h. Dill.elt. t. 99. f. 117.
12 biconvexa. H. S.	double-convex.	_____	_____	1800.	8.	G. h.
13 columnaris. W.	columnar.	_____	_____	1789.	...	G. h. Burm. afr. t. 9. f. 2.
14 imbricata. W.	imbricated.	_____	_____	1760.	6.7.	G. h.
15 perfilata. P. S.	filed.	_____	_____	1785.	9.	G. h. Scop. del. ins. 3. t. 6.
16 punctata. W.	dotted.	_____	_____	1759.	4.8.	G. h.
17 marginalis. W.	marginated.	_____	_____	1774.	7.8.	G. h.
18 pellucida. W.	pellucid.	_____	_____	1732.	6.9.	G. h. Dill.elt. t. 100. f. 119
19 spatulata. W.	notched-leaved.	_____	_____	1774.	7.9.	G. h. Plant. grass. 49.
20 cordata. W.	heart-leaved.	_____	_____	—	5.8.	G. h. — 121.
21 cultrata. W.	sharp-leaved.	_____	_____	1732.	7.8.	G. h. Trew. pl. rar. 2. t. 12.
22 obvallata. W.	Houscleek-leav ^d	_____	_____	1795.	—	G. h. Plant. grass. 61.
23 canescens.	grey.	_____	_____	1800.	—	G. h.
<i>Globulea canescens. H. S.</i>						
24 nudicaulis. W.	naked-stemmed.	_____	_____	1732.	5.9.	G. h. Plant. grass. 133.
25 tomentosa. W.	downy.	_____	_____	1790.	4.5.	G. h.
26 linguæfolia. H. S.	tongue-leaved.	_____	_____	1803.	8.	G. h.
27 Cotyledon. W.	Cotyledon-leav ^d .	_____	_____	1800.	...	G. h.
28 orbicularis. W.	starry.	_____	_____	1731.	7.9.	G. h.
29 retroflexa. W.	Orange-flowered	_____	_____	1788.	6.	G. h.
30 lineolata. W.	channelled.	_____	_____	1774.	6.8.	G. h.
31 centauroides. W.	Centaury-flow ^d .	_____	_____	—	5.6.	G. h. Bot. mag. 1765.
32 dichotoma. W.	forked.	_____	_____	—	6.7.	G. h. Herm. lugdb. t. 553.
33 glomerata. W.	rough, cluster'd.	_____	_____	—	8.10.	G. h. Plant. grass. 67.
34 glabra. H. S.	smooth, cluster'd	_____	_____	—	6.10.	G. h.
35 Alooides. W.	Aloe-like.	_____	_____	—	6.8.	G. h.
36 capitella. W.	square-spiked.	_____	_____	1774.	7.8.	G. h.
37 rubens. W.	annual red.	_____	Italy.	1759.	5.6.	H. h. Plant. grass. 55.
38 verticillaris. W.	whorl-flowered.	_____	S. Europe.	1788.	7.	H. h.
39 expansa. W.	awl-leaved.	_____	C. B. S.	1774.	6.7.	G. h.
40 sparsa. W.	alternate-leaved.	_____	_____	—	—	G. h.
41 diffusa. W.	diffuse.	_____	_____	—	—	G. h.
42 moschata. W.	musky.	_____	N. S. W.	1794.	5.11.	G. h.
MAHERNIA. W.	MAHERNIA.	Tiliacæ? J.				
1 pinnata. W.	winged-leaved.	_____	C. B. S.	1752.	6.8.	G. h. Bot. mag. 277.
2 diffusa. W.	procumbent.	_____	_____	1774.	—	G. h. Jac. schoen. 2. t. 201.
3 incisa. W.	cut-leaved.	_____	_____	1792.	7.9.	G. h. Bot. mag. 353.
4 pulchella. W.	neat.	_____	_____	—	—	G. h. Cav. diss. t. 77. f. 3.
5 glabrata. W.	sweet-scented.	_____	_____	1789.	4.5.	G. h. Bot. rep. 85.
6 grandiflora. B. Reg.	large-flowered.	_____	_____	1791.	5.8.	G. h. Bot. reg. 224.
COMMERSONIA. W.	COMMERSONIA.					
1 platyphylla. B. M.	broad-leaved.	_____	Moluccas.	1806.	6.7.	S. h. Bot. mag. 1813.
2 dasphylla. B. R.	hairy-leaved.	_____	N. Holland.	1803.	4.5.	G. h. Bot. rep. 603.
SIBBALDIA. W.	SIBBALDIA.	Rosacæ. J.				
1 procumbens. P. S.	procumbent.	_____	Britain.		6.8.	H. h. Eng. bot. 897.
2 parviflora. P. S.	small-flowered.	_____	Cappadocia.		—	H. h.
3 erecta. W.	upright.	_____	Siberia.	1806.	—	H. h. Am. ruth. 112. t. 15.

POLYGYNIA.

MYOSURUS. W.	MOUSE-TAIL.	Ranunculacæ. J.				
minimus. W.	small.	_____	Britain.		4.5.	H. h. Eng. bot. 435.
CERATOCEPHA-	{ CERATOCE-	Ranunculacæ. J.				
LUS. P. S. }	PHALUS. }	_____				
falcatus. P. S.	sickle-seeded.	_____	S. Europe.	1739.	5.	H. h. Jac. aust. t. 43.
<i>Ranunculus falcatus. W.</i>						
ZANTHORHIZA. W.	YELLOW-ROOT.	Ranunculacæ. J.				
apiifolia. W.	Parsley-leaved.	_____	N. America.	1766.	9.4.	H. h. Bot. mag. 1736.

CLASS VI.

HEXANDRIA MONOGYNIA.

MUSA. W.		PLANTAIN-TREE. Musaceæ. P. S.				
1	paradiaciaca. W.	common.	India.	1690. 10.12. S. h.	Trew. ehr. 3. t. 18. 20	
2	sapientum. W.	Banana-tree.	W. Ind.	1729. 10.3. S. h.	— 4. t. 21. 23	
3	roseacea. W.	rose-coloured.	Mauritius.	1805. 2.5. S. h.	Jac. schœn. 4. t. 445.	706
4	coccinea. W.	scarlet-flowered.	China.	1792. 12.3. S. h.	Bot. mag. 1559.	
URANIA. W.		URANIA.	Musaceæ. P. S.	<i>Ravenaia. Juss.</i>		
	speciosa. W.	Plantain-leaved.	Madagascar.	 S. h.	Jac. schœn. 1. t. 93.	
BROMELIA. W.		PINE-APPLE.	Bromeliæ. J.			
1	Ananas. W.	common.	S. America.	1690. 1.12. S. h.	Bot. mag. 1554.	
2	semiserrata. W. en.	half-sawed-leaf.	 S. h.	 S. h.		
3	lucida. W. en.	shining-leaved.	 S. h.	 S. h.	Dil. elt. 25. t. 21. f. 22.	
4	Pinguin. W.	broad-leaved.	W. Ind.	1690. 3.4. S. h.	Jac. am. ed. pict. t. 91.	
5	Karatas. W.	upright-leaved.	1739. S. h.	1739. S. h.	Jac. vind. 1. t. 31. 32.	
6	nudicaulis. W.	naked-stalked.	Rio Janeiro.	 2.3. S. h.	Bot. reg. 203.	
7	lingulata. W.	tongue-leaved.	S. America.	1759. 5.6. S. h.	Plum. ic. t. 64. f. 1.	
8	bracteata. W.	red-bracted.	Jamaica.	1785. 9.10. S. h.	Par. lond. 40.	
9	humilis. W.	dwarf.		1789. 3. S. h.	Jac. ic. 1. t. 60.	
PITCAIRNIA. W.		PITCAIRNIA.	Bromeliæ. J.			
1	bromeliæfolia. W.	scarlet.	Jamaica.	1781. 6. S. h.	Bot. mag. 824.	
2	angustifolia. W.	narrow-leaved.	Santa Cruz.	1777. 12.1. S. h.	1547.	
3	integrifolia. B. M.	entire-leaved.	W. Ind.	1800. 8. S. h.	1462.	
4	latifolia. W.	broad-leaved.	1785. 8.9. S. h.	1785. 8.9. S. h.	356.	
5	bracteata. H. K.	large bracted-red.	1799. 4.5. S. h.	1799. 4.5. S. h.	Redouté lilia. 73. 74	
6	sulphurea. B. R.	yellow-flowered.	1797. 6.8. S. h.	1797. 6.8. S. h.	Bot. mag. 1416.	
7	furfuracea. W. en.	drooping-leaved.	S. America.	1816. S. h.	1816. S. h.	
TILLANDSIA. W.		TILLANDSIA.	Bromeliæ. J.			
1	utriculata. W.	bottle.	S. America.	1793. S. h.	 S. h.	
2	serrata. W.	saw-leaved.	Jamaica.	6. S. h.	Plum. ic. 63. t. 75. f. 1	
3	lingulata. W.	tongue-leaved.	1776. 6.7. S. h.	1776. 6.7. S. h.	Jac. amer. t. 62.	
4	flexuosa. W.	flexuose.	W. Ind.	1790. S. h.	t. 63. 749	
5	nutans. W.	nodding.	Jamaica.	1793. 8. S. h.	1793. 8. S. h.	
6	stricta. B. M.	stiff-leaved.	Brazil.	1810. 11. S. h.	Bot. mag. 1529.	
7	recurvata. W.	recurve-leaved.	Jamaica.	1793. 7. S. h.	Slojam. 1. t. 121. f. 1.	
8	xiphioides. B. Reg.	Air-plant.	Buen. Ayres.	 S. h.	Bot. reg. 105.	
TRADESCANTIA. W.		SPIDERWORT.	Commelineæ. B. P.			
1	virginica. W.	common.	N. America.	1629. 5.10. H. h.	Bot. mag. 105.	
2	rosea. Ph.	rose-flowered.	Carolina.	1802. H. h.	Vent. cels. t. 24.	
3	subaspera. B. M.	Lyon's.	N. America.	1812. H. h.	Bot. mag. 1597.	
4	crassifolia. W.	thick-leaved.	Mexico.	1796. 7.10. H. h.	1598.	
5	erecta. W.	upright.	1794. 7.8. H. h.	1794. 7.8. H. h.	1340.	
6	discolor. W.	purple-leaved.	S. America.	1783. 4.9. S. h.	1192.	
7	malabarica. W.	Grass-leaved.	E. Ind.	1776. 7.8. S. h.	Rheed. mal. 9. t. 63.	
8	geniculata. W.	knotted.	W. Ind.	1783. S. h.	Jac. amer. t. 64.	
9	cristata. W.	crested.	Ceylon.	1770. 7.9. S. h.	Bot. mag. 1435.	
10	Zanobia. W.	Gentian-leaved.	W. Ind.	1759. 7.12. S. h.	Red. lil. 192.	
<i>Zanobia bibracteata. Cramer enum. pl. p. 75.</i>						
PONTERERIA. W.		PONTERERIA.	Asphodeleæ ?			
1	cordata. Ph.	heart-leaved.	N. America.	1759. 6.8. H. h.	Bot. mag. 1156.	
2	angustifolia. Ph.	narrow-leaved.	1806. H. h.	1806. H. h.		
3	dilatata. H. K.	spreading.	E. Ind.	5. S. h.	Bot. rep. 490.	
HEMANTHUS. W.		BLOOD-FLOWER.	Amaryllideæ. B. P.			
1	coccineus. W.	salmon-coloured.	C. B. S.	1629. 8.10. G. h.	Bot. mag. 1075.	
2	coarctatus. W.	compressed.	1795. 2.3. G. h.	1795. 2.3. G. h.	Bot. reg. 181.	
3	rotundifolius. B. M.	round-leaved.	1790. 6.10. G. h.	1790. 6.10. G. h.	Bot. mag. 1618.	
4	puniceus. W.	waved-leaved.	1722. 5.9. G. h.	1722. 5.9. G. h.	1315.	
5	multiflorus. W.	many-flowered.	Sierra Leone.	1783. S. h.	961.	
6	tigrinus. W.	tiger-spotted.	C. B. S.	1790. 12.2. G. h.	1705.	
7	quadrivalvis. W.	four-valved.	9.10. G. h.	9.10. G. h.	1523.	
8	pubescens. W.	pubescent.	1774. 6. G. h.	1774. 6. G. h.	Bot. rep. 202	
	<i>β albiflos. W.</i>	white-flowered.	1791. 4.8. G. h.	1791. 4.8. G. h.	Jac. schœn. 1. t. 59.	
9	maculatus. J.	spotted-leaved.	1790. G. h.	1790. G. h.		
10	lanceæfolius. W.	spear-leaved.	1794. 9.10. G. h.	1794. 9.10. G. h.	Jac. schœn. 1. t. 60.	
11	carinatus. W.	keel-leaved.	1759. 8.9. G. h.	1759. 8.9. G. h.		
12	pumilio. W.	dwarf.	1789. G. h.	1789. G. h.	Jac. schœn. 1. t. 61.	

GALANTHUS. W.	SNOWDROP.	Amaryllideæ. B. P.					
<i>nivalis. W.</i>	common.	Britain.		1.3.	H. 2.	Eng. bot. 19.	
LEUCOCJUM. W.	SNOW-FLAKE.	Amaryllideæ. B. P.					
1 <i>vernum. W.</i>	spring.	Germany.	1596.	1.3.	H. 2.	Bot. mag. 46.	
2 <i>astivum. W.</i>	summer.	England.		4.5.	H. 2.	Eng. bot. 621.	
3 <i>pulchellum. P. L.</i>	neat.			—	H. 2.	Par. lond.	
4 <i>autumnale. W.</i>	autumnal.	Portugal.	1629.	9.	H. 2.	Bot. mag. 960.	
5 <i>trichophyllum. P. S.</i>	winter.	Barbary.	1812.	1.2.	H. 2.	Red. lil. 150. f. 2.	
STRUMARIA. Jac.	STRUMARIA.	Amaryllideæ. B. P.					
1 <i>truncata. W.</i>	truncated.	C. B. S.	1795.	4.5.	G. 2.	Jac. ic. 2. t. 357.	
2 <i>rubella. W.</i>	pale red.	—	—	5.6.	G. 2.	— 2. t. 358.	
3 <i>angustifolia. W.</i>	narrow-leaved.	—	—	4.5.	G. 2.	— 2. t. 359.	
4 <i>linguæfolia. W.</i>	tongue-leaved.	—		—	G. 2.	— 2. t. 356.	
5 <i>filifolia. H. K.</i>	fine-leaved.	—	1774.	11.	G. 2.	— 2. t. 361.	
6 <i>spiralis. H. K.</i>	spiral.	—	—	4.8.	G. 2.	Bot. mag. 1383.	
7 <i>crispa. B. M.</i>	curled-flowered.	—	1790.	—	G. 2.	— 1363.	
8 <i>stellaris. B. M.</i>	starry.	—	1794. 10. 11.	G. 2.	Jac. schœn. 1. t. 71.		
9 <i>gemmata. B. M.</i>	gynandrous.	—	1812.	8.	G. 2.	Bot. mag. 1620.	
CRINUM. W.	CRINUM.	Amaryllideæ. B. P.					
1 <i>americanum. W.</i>	American.	S. America.	1752.	7.3.	S. 2.	Bot. mag. 1034.	
2 <i>erubescens. W.</i>	blush-coloured.	W. Ind.	1789.	6.8.	S. 2.	— 1232.	
3 <i>Commelin. K. R.</i>	Commelin's.	S. America.	1798.	—	S. 2.	Jac. schœn. 2. t. 202.	
4 <i>defixum. K. R.</i>	marsh.	E. Ind.	1810.		S. 2.	Rheed. mal. 11. t. 38.	
5 <i>amœnum. K. R.</i>	delightful.	—	—		S. 2.	—	
6 <i>sumatranum. K. R.</i>	Sumatra.	—	—		S. 2.	—	
7 <i>longifolium. K. R.</i>	long-leaved.	Bengal.	—		S. 2.	—	
8 <i>cruentum. K. R.</i>	red-flowered.	E. Ind.	—	6.8.	S. 2.	Bot. reg. 171.	
9 <i>asiaticum. W.</i>	Poison-bulb.	China.	1732.	—	S. 2.	Bot. mag. 1073.	
10 <i>amabile. K. R.</i>	beautiful.	E. Ind.	1810.	—	S. 2.	— 1605.	
11 <i>bracteatum. W.</i>	bracteated.	Mauritius.	—	—	S. 2.	Bot. reg. 179.	
12 <i>canaliculatum. K. R.</i>	channel-leaved.		—		S. 2.	—	
13 <i>pedunculatum. B. R.</i>	long-peduncled.	N. S. W.	1790.	6.8.	G. 2.	Bot. reg. 52.	
CYRTANTHUS. H. K.	CYRTANTHUS.	Amaryllideæ. B. P.					
1 <i>angustifolius. W.</i>	narrow-leaved.	C. B. S.	1774.	5.6.	G. 2.	Bot. mag. 271.	
2 <i>collinus. B. Reg.</i>	hill.	—	1816.	5.8.	G. 2.	Bot. reg. 162.	
3 <i>spiralis. B. Reg.</i>	spiral-leaved.	—	1790.	—	G. 2.	— 167.	
4 <i>obliquus. W.</i>	oblique-leaved.	—	1774.	—	G. 2.	Bot. mag. 1133.	
5 <i>uniflorus. B. Reg.</i>	one-flowered.	—	1816.	—	G. 2.	Bot. reg. 168.	
BRUNSVIGIA. Ker.	BRUNSVIGIA.	Amaryllideæ. B. P.					
1 <i>Josephine. R. L.</i>	Josephine's.	C. B. S.	1814.	6.8.	G. 2.	{ Lil. à Redouté, t. 370. 372.	
<i>β minor. B. Reg.</i>	smaller.	—	—	—	G. 2.	Bot. reg. 192 & 193.	
2 <i>multiflora. H. K.</i>	many-flowered.	—	1752.	—	G. 2.	Bot. mag. 1619.	
3 <i>marginata. H. K.</i>	red-margined.	—	1795.	9.10.	G. 2.	Jac. schœn. 1. t. 65.	
4 <i>Radula. H. K.</i>	rasp-leaved.	—	1790.	4.8.	G. 2.	— 1. t. 68.	
5 <i>striata. H. K.</i>	striated.	—	1795.	9.10.	G. 2.	— 1. t. 70.	
6 <i>falcata. B. M.</i>	sickle-leaved.	—	1774.	5.6.	G. 2.	Bot. mag. 1443.	
<i>Amaryllis falcata. W.</i>							
7 <i>toxicaria. B. Reg.</i>	Poison-bulb.	—	—	9.10.	G. 2.	Bot. mag. 1217.	
<i>Hæmanthus toxicarius. W.</i>							
8 <i>ciliaris. B. Reg.</i>	fringed.	—	1752.		G. 2.	Breyn. cent. t. 39.	
<i>Hæmanthus ciliaris. W.</i>							
AMARYLLIS. W.	AMARYLLIS.	Amaryllideæ. B. P.					
1 <i>colchiciflora. K. R.</i>	Colchicum-flow ^d	Hungary.	1816.	9.10.	H. 2.	Pl. rar. hung. 2. t. 157	
2 <i>Clusiana. K. R.</i>	Clusius's.	{ Constan- tinople. }		—	H. 2.	Clus. hist. 1. t. 163.	
3 <i>lutea. W.</i>	yellow.	S. Europe.	1596.	—	H. 2.	Bot. mag. 290.	
4 <i>chloroleuca. K. R.</i>	one-leaved.			5.8.	G. 2.	Ker's rev. pl. 8. f. 2.	
5 <i>Pumilio. W.</i>	dwarf.	C. B. S.	1774.	11.	G. 2.	—	
6 <i>pudica. K. R.</i>	modest.	—	1795.	5.7.	G. 2.	Ker's rev. pl. 8. f. 8.	
7 <i>tubispatha. K. R.</i>	tube-sheathed.	S. America.		—	S. 2.	Bot. mag. 1586.	
8 <i>Atamasco. W.</i>	Atamasco Lily.	N. America.	1629.	5.6.	H. 2.	— 239.	
9 <i>formosissima. W.</i>	Jacoba Lily.	S. America.	1658.	—	G. 2.	— 47.	
10 <i>aulica. K. R.</i>	crowned.	Brazil.		5.8.	S. 2.	—	
11 <i>psittacina. B. Reg.</i>	parrot-like.	—	1816.	—	S. 2.	Bot. reg. 199.	
12 <i>calyptrata. K. R.</i>	green-flowered.	—	—	—	S. 2.	— 164.	
13 <i>equestris. W.</i>	Barbadoes Lily.	W. Ind.	1710.	7.10.	S. 2.	Bot. mag. 303.	
<i>β major.</i>	larger.	—	—	—	S. 2.	Bot. reg. 234.	
14 <i>reginæ. W.</i>	Mexican Lily.	America.	1725.	5.6.	S. 2.	— 453.	
15 <i>advena. B. M.</i>	streaked-flower ^d .	S. America.	1807.	—	S. 2.	— 1126.	

16 reticulata. W.	netted-veined.	Amaryllideæ. B. P. Brazil.	1777.	4.5.	S. 2.	Bot. reg. 657.
<i>β major. K. R.</i>	<i>striped-leaved.</i>	_____	1815.	_____	S. 2.	_____
17 crocata. K. R.	saffron-coloured.	_____	_____	_____	S. 2.	Bot. reg. 38.
18 rutila. K. R.	fiery.	_____	_____	_____	S. 2.	_____ 23.
19 fulgida. B. Reg.	striped-tubed.	_____	_____	_____	S. 2.	_____ 226.
20 blanda. K. R.	charming.	C. B. S.	1754.	5.6.	G. 2.	Bot. mag. 1450.
21 Belladonna. W.	Belladonna Lily.	W. Ind.	1712.	7.9.	H. 2.	_____ 733.
<i>β pallida.</i>	<i>pale-flowered.</i>	C. B. S.	_____	_____	G. 2.	Red. lil. 470. 714.
22 vittata. W.	superb.		1769.	4.5.	G. 2.	Bot. mag. 129.
23 purpurea. W.	beautiful.	C. B. S.	1774.	5.7.	G. 2.	_____ 1430. 552
24 coranica. K. R.	sickle-leaved.	_____	1816.	7.8.	G. 2.	Bot. reg. 139.
25 aurea. W.	golden.	China.	1777.	8.9.	G. 2.	Bot. mag. 409. 260
26 curvifolia. W.	Fothergill's.	C. B. S.	_____	5.9.	G. 2.	_____ 725.
27 corusca. B. M.	glittering.	_____	1809.	7.8.	G. 2.	_____ 1089.
28 sarniensis. W.	Guernsey.	Japan.	1659.	9.10.	G. 2.	_____ 294.
29 venusta. B. M.	Poppy-coloured.	C. B. S.	1806.	6.7.	G. 2.	_____ 1090.
30 radiata. W.	Snowdrop-leav'd	China.	1758.	_____	G. 2.	Bot. rep. 95. 576
31 undulata. W.	waved-flowered.	C. B. S.	1767.	4.6.	G. 2.	Bot. mag. 369.
32 humilis. W.	small.	_____	1795.	6.7.	G. 2.	_____ 726.
33 flexuosa. W.	zigzag.	_____	_____	9.10.	G. 2.	Bot. reg. 172.
34 longifolia. W.	long-leaved.	_____	1752.	7.	G. 2.	Bot. mag. 661. 222
35 revoluta. W.	revolute.	_____	1774.	9.	G. 2.	_____ 915. 1178. 656
36 zeylanica. W.	Ceylon.	Ceylon.	1771.	7.8.	S. 2.	_____ 1171. 1
37 ornata. W.	Yucca-flowered.	Guinea.	1740.	6.7.	S. 2.	_____ 1253.
38 gigantea. K. R.	gigantic.	Sierra Leone.	1792.	7.8.	S. 2.	_____ 923.
39 latifolia. W.	broad-leaved.	E. Ind.	1806.	7.9.	S. 2.	Rheed. mal. 11. t. 39.
40 hyacinthina. K. R.	hyacinthine.	Brazil.	1815.	6.9.	S. 2.	Bot. reg. 163.
NARCISSUS. W.	NARCISSUS.	Amaryllideæ. B. P.	_____	_____	_____	_____
1 poeticus. Sal.	Poet's.	S. Europe.		5.	H. 2.	Park. par. 76.
2 recurvus. H. S.	drooping-leaved.	_____	_____	_____	H. 2.	_____
3 patellaris. Sal.	spreading-flow'd.	England.		_____	H. 2.	Eng. bot. 275.
<i>poeticus. E. B.</i>	_____	_____	_____	_____	_____	_____
4 angustifolius. H. K.	narrow-leaved.	S. Europe.	1570.	4.5.	H. 2.	Bot. mag. 193.
5 biflorus. W.	two-flowered.	Britain.		_____	H. 2.	Eng. bot. 276.
6 tenuior. H. K.	slender.		1789.	5.	H. 2.	Bot. mag. 379.
7 crenulatus. L. T.	Bazelman minor	Spain.		3.4.	H. 2.	_____
8 Trewianus. B. M.	Bazelman major.	_____		_____	H. 2.	Bot. mag. 940.
<i>Hermione grandiflora. H. S.</i>	_____	_____	_____	_____	_____	_____
9 floribundus. Sal.	Primo Citronier.	_____		_____	H. 2.	_____
10 fistulosus. H. S.	hollow-stalked.			4.	H. 2.	_____
11 cerinus. H. S.	waxen-cupped.	_____		_____	H. 2.	_____
12 Tazetta. W.	Polyanthus.	Spain.	1759.	3.4.	H. 2.	Bot. mag. 925.
13 orientalis. L.	oriental.	Levant.		_____	H. 2.	_____ 948.
14 papyraceus. B. M.	paper.		_____	_____	H. 2.	_____ 947.
15 italicus. B. M.	Italian.	S. Europe.		_____	H. 2.	_____ 1188.
16 tereticaulis. L. T.	round-stalked.	Spain.		_____	H. 2.	_____
17 compressus. L. T.	flat-stalked.	_____		_____	H. 2.	_____
18 bifrons. B. M.	Jonquil-scented.	S. Europe.		_____	H. 2.	Bot. mag. 1186.
19 primulinus. H. S.	Cowslip-cupped.			_____	H. 2.	_____ 1299.
20 Jonquilla. W.	Jonquil.	Spain.	1596.	4.5.	H. 2.	_____ 15.
<i>β flore pleno.</i>	<i>double.</i>	_____	_____	_____	H. 2.	_____
21 viridiflorus. B. M.	green-flowered.	Barbary.	1629.	8.10.	H. 2.	Bot. mag. 1687.
22 serotinus. P. S.	late-flowered.	_____	_____	_____	H. 2.	Clus. hist. t. 252.
23 calatrinus. L.	great Jonquil.	S. Europe.	1629.	4.5.	H. 2.	Bot. mag. 78.
<i>odorus. B. M. latus. K. H.</i>	_____	_____	_____	_____	_____	_____
24 odorus. L.	sweet-scented.	_____	_____	_____	H. 2.	Bot. mag. 934.
<i>calathinus. B. M.</i>	_____	_____	_____	_____	_____	_____
25 nutans. H. K.	nodding.	_____	1789.	3.5.	H. 2.	Bot. mag. 945.
<i>trilobus. B. M.</i>	_____	_____	_____	_____	_____	_____
26 infundibulus.	funnel-flowered.			_____	H. 2.	Park. par. 92.
27 pulchellus. S. P.	neat.	Spain.		_____	H. 2.	Bot. mag. 1262.
28 triandrus. B. M.	Rush-leaved.	Portugal.	1629.	4.5.	H. 2.	_____ 48.
29 capax. Sal.	capacious.			_____	H. 2.	Red. lil. 177.
30 montanus. B. Reg.	mountain.	Portugal.		_____	H. 2.	Bot. reg. 123.
31 galanthifolius. H. S.	Snowdrop-leav'd.			5.	H. 2.	Park. par. 73.
32 albianus. H. S.	whiteish.		1789.	3.4.	H. 2.	_____ 106.
33 Bulbocodium. W.	Hoop-petticoat.	Portugal.	1629.	_____	H. 2.	Bot. mag. 88.
34 inflatus. L. T.	inflated.	_____	_____	_____	H. 2.	_____
35 lobulatus. M. N.	lobed.	_____	_____	4.5.	H. 2.	_____
36 tenuifolius. L. T.	slender-leaved.			_____	H. 2.	_____

37	incomparabilis. W.	peerless.	Amaryllideæ. B. P.	Portugal.	1629.	4.5.	H. 2.	Bot. mag. 121.
38	tortuosus. M. N.	twisted-petaled.	_____	Spain.	_____	4.	H. 2.	_____ 924.
39	moschatus. L.	musk.	_____	_____	1759.	3.4.	H. 2.	_____ 1300.
40	serratus. M. N.	serrated.	_____	S. Europe.	_____	_____	H. 2.	_____
41	spurius. H. S.	spurious.	_____	England.	_____	4.	H. 2.	_____
42	Pseudo-Narcissus.	Daffodil.	_____	_____	_____	3.4.	H. 2.	Eng. bot. 17.
43	tubiflorus. S. P.	tube-flowered.	_____	_____	_____	3.4.	H. 2.	_____
44	bicolor. B. M.	two-coloured.	_____	Spain.	1629.	4.5.	H. 2.	Bot. mag. 1187.
45	obvallaris. S. P.	Sibthorp's.	_____	_____	_____	3.4.	H. 2.	_____ 1301.f.inf.
	major γ. B. M. 1301. f. inf.	_____	_____	_____	_____	_____	_____	_____
46	major. B. M.	large.	_____	_____	1629.	_____	H. 2.	_____ 51.
47	propinquus. S. P.	allied.	_____	_____	_____	_____	H. 2.	_____ 1301.f.sup.
	major β. B. M. 1301. f. sup.	_____	_____	_____	_____	_____	_____	_____
48	nobilis. H. S.	noble.	_____	_____	_____	_____	H. 2.	_____
49	Ajax.	great.	_____	_____	_____	_____	H. 2.	_____
	Ajax Telamon. H. S.	_____	_____	_____	_____	_____	_____	_____
50	pumilus. S. P.	low.	_____	Spain.	_____	_____	H. 2.	Pass. hort. 8.
51	minor. W.	small.	_____	_____	1629.	3.5.	H. 2.	Bot. mag. 6.
PANCRATIUM. W. PANCRATIUM. Amaryllideæ. B. P.								
1	zeylanicum. W.	one-flowered.	_____	Ceylon.	1752.	6.7.	S. 2.	Par. lond. 86.
2	verecundum. K. R.	Narcissus-leaved.	_____	E. Ind.	1776.	6.8.	S. 2.	Rheed. mal. 11 t. 46.
3	maritimum. K. R.	sea.	_____	S. Europe.	1597.	5.7.	H. 2.	Bot. reg. 161.
4	carolinianum. K. R.	Carolina.	_____	Carolina.	1759.	6.7.	G. 2.	Cat. car. 3. t. 5.
5	canariense. K. R.	Canary.	_____	Canaries.	1815.	_____	G. 2.	Bot. reg. 174.
6	illyricum. K. R.	Illyrian.	_____	S. Europe.	1615.	5.6.	H. 2.	Bot. mag. 718.
7	amboinense. W.	heart-leaved.	_____	Amboyna.	1759.	_____	S. 2.	_____ 1419.
8	Amancaes. K. R.	Narcissus-flow ^d .	_____	Peru.	1804.	6.7.	S. 2.	_____ 1224.
9	calathinum. K. R.	cup-flowered.	_____	Brazils.	_____	_____	S. 2.	Bot. reg. 215.
10	nutans. K. R.	nodding.	_____	_____	_____	_____	S. 2.	Bot. mag. 1561.
11	undulatum. K. R.	wave-leaved.	_____	S. America.	_____	_____	S. 2.	_____
12	littorale. K. R.	fan-leaved.	_____	_____	1758.	5.8.	S. 2.	Bot. mag. 1879.
13	Dryandri. K. R.	tall.	_____	_____	_____	_____	S. 2.	_____ 825.
14	angustum. K. R.	narrow-leaved.	_____	_____	_____	_____	S. 2.	Bot. reg. 221.
15	rotatum. K. R.	large-crowned.	_____	Carolina.	1803.	7.9.	S. 2.	Bot. ma. 1082 & 827.
16	mexicanum. K. R.	Mexican.	_____	Mexico.	1732.	8.	S. 2.	Dill. elt. t. 222. f. 289
17	caribæum. K. R.	Caribbean.	_____	W. Ind.	1730.	5.8.	S. 2.	Bot. mag. 826.
18	amœnum. K. R.	handsome.	_____	Guiana.	1790.	_____	S. 2.	_____ 1467.
19	ovatum. K. R.	oval-leaved.	_____	W. Ind.	_____	_____	S. 2.	Bot. reg. 43.
20	speciosum. K. R.	large.	_____	_____	1759.	_____	S. 2.	Bot. mag. 1453.
EUCROSIA. B. Reg. EUCROSIA. Amaryllideæ. B. P.								
1	bicolor. B. Reg.	two-coloured.	_____	Cape Horn.	1816.	4.5.	S. 2.	Bot. reg. 207.
DORYANTHES. B. P. DORYANTHES. Amaryllideæ. B. P.								
	excelsa. B. P.	gigantic.	_____	N. S. W.	1800.	7.8.	G. 2.	Bot. mag. 1685.
GETHYLLIS. H. K. GETHYLLIS. Amaryllideæ. B. P.								
1	spiralis. W.	spiral-leaved.	_____	C. B. S.	1780.	6.7.	G. 2.	Bot. mag. 1088.
2	ciliaris. W.	fringed.	_____	_____	1788.	_____	G. 2.	Jac. schœn. 1. t. 79.
3	villosa. W.	hairy.	_____	_____	1787.	_____	G. 2.	_____
4	lanceolata. W.	spear-leaved.	_____	_____	1790.	6.	G. 2.	_____
BLANDFORDIA. B. P. BLANDFORDIA. Hemerocallideæ. B. P.								
1	nobilis. B. P.	noble.	_____	N. S. W.	1803.	7.8.	G. 2.	Exot. bot. 1. t. 4.
2	grandiflora. B. P.	large-flowered.	_____	_____	1812.	_____	G. 2.	Lab. nov. ho. 1. t. 111
AGAPANTHUS. W. AFRICAN LILY. Hemerocallideæ. B. P.								
1	umbellatus. W.	large-flowered.	_____	C. B. S.	1692.	8.1.	G. 2.	Bot. mag. 500.
2	præcox. W. en.	small-flowered.	_____	_____	_____	_____	G. 2.	_____
HEMEROCALLIS. W. DAY LILY. Hemerocallideæ. B. P.								
1	graminea. H. K.	narrow-leaved.	_____	Siberia.	1759.	6.7.	H. 2.	Bot. mag. 873.
2	flava. H. K.	yellow.	_____	_____	1596.	6.	H. 2.	_____ 19.
3	disticha. B. M.	fan-like.	_____	China.	1798.	5.7.	H. 2.	Kæmp. am. exot. 872
4	fulva. W.	copper-coloured.	_____	Levant.	1596.	6.8.	H. 2.	Bot. mag. 64.
5	Liliastrium. W. en.	Savoy-Spiderwort.	_____	Switzerland.	1629.	5.6.	H. 2.	_____ 318.
	Anthericum Liliastrium. L.	_____	_____	_____	_____	_____	_____	_____
6	Japonica. B. M.	white-flowered.	_____	Japan.	1790.	8.9.	H. 2.	_____ 1433.
7	cærulea. H. K.	blue-flowered.	_____	_____	_____	5.7.	H. 2.	_____ 894.
ALETIS. W. ALETIS. Hemerocallideæ. B. P.								
1	farinosa. W.	Colic-root.	_____	N. America.	1768.	6.	H. 2.	Bot. mag. 1418.
2	aurea. Ph.	golden-tipped.	_____	_____	1811.	7.8.	H. 2.	Willd. hort. ber. 8.
TRITOMA. B. M. TRITOMA. Hemerocallideæ. B. P.								
1	Uvaria. H. K.	great.	_____	C. B. S.	1707.	8.9.	F. 2.	Bot. mag. 758.
2	media. H. K.	lesser.	_____	_____	1789.	12.6.	F. 2.	_____ 744.
3	pumila. H. K.	least.	_____	_____	1774.	9.11.	F. 2.	_____ 764.

VELTHEIMIA. H. K.	VELTHEIMIA.	Hemerocallideæ. B. P.			
1 viridifolia. W.	green-leaved.	_____ C. B. S.	1768. 11.4. G. 2.	Bot. mag. 501.	
2 glauca. W.	glaucous.	_____	1781. 1.4. G. 2.	_____ 1091.	
POLIANTHES. L.	TUBEROSE.	Hemerocallideæ. B. P.			
tuberosa. W.	common.	_____ E. Ind.	1629. 8.9. G. 2.	Bot. reg. 63.	<i>m. 1317</i>
β <i>stere pleno.</i>	<i>double.</i>				
SANSEVIERA. W.	SANSEVIERA.	Hemerocallideæ. B. P.			
1 glauca. H. S.	spread ^g -glaucous.	_____	 S. 2.		
2 polyphylla. H. S.	upright-glaucous.	_____	 S. 2.		
3 guineensis. W.	Guinea.	_____	1690. 6.11. S. 2.	Bot. mag. 1180.	
4 læte-virens. H. S.	light-green.	_____	 S. 2.		
5 spicata. H. S.	spiked.	_____ E. Ind.	1790. S. 2.	Cav. ic. 3. t. 246.	
6 zeylanica. W.	Ceylon.	_____	1731. 6.11. S. 2.	Bot. reg. 160.	
7 lanuginosa. W.	woolly.	_____ E. Ind.	 S. 2.	Rheed. 11. t. 42.	
8 grandicuspis. H. S.	large-pointed.	_____	 S. 2.		
9 pumila. H. S.	dwarf.	_____ C. B. S.	1796. S. 2.		
10 carnea. H. K.	flesh-coloured.	_____ China.	1792. 3.6. H. 2.	Bot. rep. 361.	
_____ <i>sessiliflora. B. M.</i>					
TULBAGIA. W.	TULBAGIA.	Hemerocallideæ. B. P.			
1 alliacea. W.	Narcissus-leav'd.	_____ C. B. S.	1774. 5.7. G. 2.	Bot. mag. 806.	
2 cepacea. W.	Onion-scented.	_____	1795. 4. G. 2.		
EUCOMIS. W.	EUCOMIS.	Asphodeleæ. J.			
1 nana. W.	dwarf.	_____ C. B. S.	1774. 5. G. 2.	Bot. mag. 1495.	
2 purpureocaulis. H. K.	purple-stalked.	_____	1794. 3.4. G. 2.	Bot. rep. 369.	
3 bifolia. W.	two-leaved.	_____	1792. 4.5. G. 2.	Bot. mag. 840.	
4 regia. W.	tongue-leaved.	_____	1702. 3.5. G. 2.	Dill. elt. t. 92. f. 109.	
5 undulata. W.	waved-leaved.	_____	1760. G. 2.	Bot. mag. 1083.	
6 punctata. W.	spotted.	_____	1783. 7. G. 2.	_____ 913.	
7 striata. H. K.	streaked.	_____	1790. 6.12. G. 2.	_____ 1539.	
FRITILLARIA. W.	FRITILLARY.	Liliæ. J.			
1 Imperialis. W.	Crown Imperial.	_____ Persia.	1596. 3.4. H. 2.		
α <i>rubra.</i>	<i>red-flowered.</i>	_____		Bot. mag. 194.	
β <i>flava.</i>	<i>yellow-flowered.</i>	_____		_____ 1215.	
2 persica. W.	Persian.	_____	4.5. H. 2.	_____ 1537.	
β <i>minor.</i>	<i>dwarf Persian.</i>	_____		_____ 962.	
3 obliqua. B. M.	oblique-leaved.	_____ Caucasus.	 4. H. 2.	_____ 857.	
4 pyrenaica. H. K.	cluster-flowered.	_____	1605. 5.6. H. 2.	_____ 952.	
5 nigra. B. M.	Pyrenean.	_____ Pyrenees.	1596. 5. H. 2.	_____ 664.	
6 nervosa. W. en.	nerved-leaved.	_____ Caucasus.	4.5. H. 2.		
7 lutea. M. B.	yellow-flowered.	_____	1812. G. 2.	Bot. mag. 1538.	
8 latifolia. W.	broad-leaved.	_____	1604. H. 2.	_____ 853.	
9 Meleagris. W.	chequered.	_____ Britain.	 3.5. H. 2.	Eng. bot. 622.	
10 lanceolata. Ph.	spear-leaved.	_____ Cantschatka	1759. 5. H. 2.	Linn. trans. 10. t. 11.	
_____ <i>Lilium camschatcense. H.</i>					
LILIUM. W.	LILY.	Liliæ. J.			
1 candidum. W.	white.	_____ Levant.	1596. 6.7. H. 2.	Bot. mag. 278.	
2 japonicum. W.	Japan.	_____ China.	1804. 7.8. H. 2.	_____ 1591.	
3 bulbiferum. W.	Orange.	_____ Italy.	1596. 6.7. H. 2.	_____ 36.	
β <i>umbellatum.</i>	<i>umbel-fl. Orange.</i>	_____	 H. 2.	_____ 1018.	
4 dauricum. Ker.	Daurian.	_____ Dauria.	1754. H. 2.	_____ 1210, in note.	
_____ <i>pensylvanicum. B. M. 872.</i>					
5 concolor. H. K.	self-coloured.	_____ China.	1806. 7. H. 2.	_____ 1165.	
6 Catesbaei. W.	Catesby's.	_____ Carolina.	1787. 7.8. H. 2.	_____ 259.	
7 philadelphicum. W.	Philadelphian.	_____ N. America.	1757. H. 2.	_____ 519.	
8 canadense. W.	Canadian.	_____	1629. H. 2.	_____ 800.	
β <i>rubra.</i>	<i>red-flowered.</i>	_____		_____ 853.	
9 superbum. W.	superb.	_____	1727. 6.8. H. 2.	_____ 936.	
10 Martagon. W.	Turk's Cap.	_____ Germany.	1596. 6.7. H. 2.	_____ 893.	
11 chalcedonicum. W.	Scarlet Martagon.	_____ Levant.	 H. 2.	_____ 30.	
12 pyrenaicum. W. en.	Pyrenean.	_____ Pyrenees.	 H. 2.	Red. lil. 145.	
13 pomponium. W.	ScarletPompone.	_____ Siberia.	1629. 5.6. H. 2.	Bot. mag. 971.	
14 monadelphum. B. M.	monadelphous.	_____ Caucasus.	1800. 6.7. H. 2.	_____ 1405.	
15 tigrinum. H. K.	tiger-spotted.	_____ China.	1804. 7.9. H. 2.	_____ 1237.	
16 pumilum. R. L.	dwarf.	_____	1816. 6. H. 2.	Bot. reg. 132.	
TULIPA. W.	TULIP.	Liliæ. J.			
1 sylvestris. W.	wild.	_____ England.	 4.5. H. 2.	Eng. bot. 63.	
2 turcica. W. en.	narrow waved-l ^d .	_____	 H. 2.		
3 oculus solis. R. L.	Sun's-eye.	_____ Italy.	1816. 4. H. 2.	Bot. reg. 204.	
4 Gesneriana. W.	common.	_____ Levant.	1577. 4.5. H. 2.	Bot. mag. 1135.	
5 suaveolens. W.	V in Toil.	_____ S. Europe.	1603. 2.4. H. 2.	_____ 839.	

6 Clusiana. B. M.	Clusius's.	Liliæ. J.	Sicily.	1636.	6.	H. 2.	Bot. mag. 1390.
7 Celsiana. P. S.	Cels's.	_____	Levant.		6.7.	H. 2.	717.
8 cornuta. R. L.	horned.	_____	_____	1816.	5.	H. 2.	Bot. reg. 127.
9 biflora. L.	two-flowered.	_____	Russia.	1806.	4.	H. 2.	{ Pall. it. 3. app. 86. t. D. f. 3.
ERYTHRONIUM. W.	{ DOG'S-TOOTH VIOLET.	Liliæ. J.	_____	_____	_____	_____	_____
1 Dens canis. W.	common.	_____	Europe.	1596.	3.	H. 2.	Bot. mag. 5.
2 americanum. H. K.	yellow-flowered.	_____	N. America.	1665.	4.5.	H. 2.	1113.
GLORIOSA. W.	GLORIOSA.	Liliæ. J. Methonica. J.	_____	_____	_____	_____	_____
1 superba. W.	superb.	_____	E. Ind.	1690.	7.8.	S. 2.	Bot. reg. 77.
2 simplex. L.	blue-flowered.	_____	Senegal.	1756.	_____	S. 2.	_____
BULBOCODIUM. W.	BULBOCODIUM.	Melanthaceæ. B. P.	_____	_____	_____	_____	_____
vernum. W.	spring-flowering.	_____	Spain.	1629.	2.3.	H. 2.	Bot. mag. 153.
UVULARIA. W.	UVULARIA.	Melanthaceæ. B. P.	_____	_____	_____	_____	_____
1 perfoliata. W.	perfoliate.	_____	N. America.	1710.	5.6.	H. 2.	Ex. bot. 1. t. 49.
2 flava. Ph.	yellow-flowered.	_____	_____		_____	H. 2.	1. t. 50.
3 lanceolata. W.	spear-leaved.	_____	_____	1710.	6.8.	H. 2.	Corn. canad. t. 41.
4 grandiflora. H. K.	large yellow.	_____	_____	1802.	5.6.	H. 2.	Ex. bot. 1. t. 51.
5 sessilifolia. W.	sessile-leaved.	_____	_____	1790.	6.	H. 2.	1. t. 52.
6 chinensis. B. M.	brown-flowered.	_____	China.	1801.	9.11.	G. 2.	Bot. mag. 916.
BRODIEA. L. T.	BRODIEA.	Hemerocallidæ? B. P. Hookera. P. L.	_____	_____	_____	_____	_____
1 grandiflora. L. T.	large-flowered.	_____	Georgia.	1806.	6.	G. 2.	Par. lond. t. 98.
2 congesta. L. T.	close-headed.	_____	_____	_____	5.	G. 2.	Linn.trans.v.10.t.1.
PELIOSANTHES. B. R.	PELIOSANTHES.		_____	_____	_____	_____	_____
1 humilis. B. R.	small.	_____	E. Ind.	1809.	5.6.	S. 2.	Bot. mag. 1532.
2 Teta. B. R.	green-flowered.	_____	_____	1807.	4.	S. 2.	1302.
APHYLLANTHES W.	LILY PINK.	Asphodeleæ. B. P.	_____	_____	_____	_____	_____
monspeliensis. W.	Rush-like.	_____	France.	1791.	6.7.	H. 2.	Bot. mag. 1132.
SOWERBÆA. L. T.	SOWERBÆA.	Asphodeleæ. B. P.	_____	_____	_____	_____	_____
juncæa. B. P.	Rush-leaved.	_____	N. S. W.	1792.	5.7.	G. 2.	Bot. mag. 1104.
ALLIUM. W.	GARLIC.	Asphodeleæ. B. P.	_____	_____	_____	_____	_____
1 Ampeloprasum. W.	{ great round- headed.	_____	England.		7.8.	H. 2.	Eng. bot. 1657.
2 Porrum. W.	Leek.	_____	Switzerland.	1562.	4.5.	H. 2.	Blackw. t. 421.
3 lineare. W.	linear-leaved.	_____	Siberia.	1752.	6.7.	H. 2.	{ Gmel. sib. 1. t. 13. 14. f. 1.
4 suaveolens. W.	sweet-smelling.	_____	Austria.	1801.	_____	H. 2.	Jac. ic. 2. t. 364.
5 Victorialis. W.	long-rooted.	_____	_____	1739.	5.	H. 2.	Bot. mag. 1222.
6 subhirsutum. W.	hairy.	_____	S. Europe.	1596.	_____	H. 2.	774.
7 obliquum. W.	oblique-leaved.	_____	Siberia.	1759.	6.7.	H. 2.	1408.
8 acutangulum. W. en	acute-angled.	_____		1816.	_____	H. 2.	_____
9 magicum. B. M.	Homer's Moly.	_____	Austria.	1596.	_____	H. 2.	Bot. mag. 1148.
10 tataricum. W.	Tartarian.	_____	Siberia.	1787.	_____	H. 2.	1142.
11 roseum. W.	Rose-coloured.	_____	France.	1752.	6.	H. 2.	978.
12 spirale. W. en.	spiral.	_____	Germany.	1802.	6.7.	H. 2.	_____
13 controversum. W. en	unequal-spathed	_____		1816.	_____	H. 2.	_____
14 sativum. W.	cultivated.	_____	Sicily.	1548.	_____	H. 2.	Moris. s. 4. t. 15. f. 9.
15 Scorodoprasum. W.	Rocambole.	_____	Denmark.	1596.	7.	H. 2.	_____
16 arenarium. W.	sand.	_____	Britain.		6.	H. 2.	Eng. bot. 1358.
17 carinatum. W.	mountain.	_____	England.		5.6.	H. 2.	1658.
18 sphærocephalon. W.	small-headed.	_____	Europe.	1759.	7.	H. 2.	Bot. mag. 1764.
19 parviflorum. W.	small-flowered.	_____	S. Europe.	1781.	6.7.	H. 2.	_____
20 carneum. W. en.	flesh-coloured.	_____		1816.	_____	H. 2.	_____
21 descendens. W.	purple-headed.	_____	Switzerland.	1766.	7.	H. 2.	Bot. mag. 251.
22 flavum. W.	sulphur-colour'd	_____	Austria.	1759.	6.7.	H. 2.	1330.
23 pallens. W.	pale-flowered.	_____	S. Europe.	1779.	_____	H. 2.	1420.
24 paniculatum. W.	panicled.	_____	_____	1780.	_____	H. 2.	1432.
25 caucasicum. B. M.	Caucasian.	_____	Caucasus.		_____	H. 2.	978.
26 vineale. W.	crow.	_____	Britain.		6.	H. 2.	Eng. bot. 1974.
27 oleraceum. W.	purple-striped.	_____	England.		7.	H. 2.	488.
28 nutans. W.	nodding.	_____	Siberia.	1785.	7.8.	H. 2.	Bot. mag. 1143.
29 ascalonicum. W.	Shallot.	_____	Palestine.	1548.	6.7.	H. 2.	Mor. his. s. 4. t. 14. f. 3
30 senescens. W.	Narcissus-leav'd.	_____	Germany.	1596.	_____	H. 2.	Bot. mag. 1150.
31 gracile. W.	Carolina.	_____	Carolina.	1776.	3.4.	H. 2.	1129.
inodorum. W. & fragrans. Vent.	_____	_____	_____	_____	_____	_____	_____
32 angulosum. W.	angular-stalked.	_____	Germany.	1739.	6.7.	H. 2.	Bot. mag. 1149.

33 ochroleucum. W.en.	pale yellow.	Asphodeleæ. B. P.	Hungary.	1816.	6.7.	H. 2.	Pl. rar. hun. 2. t. 186.
34 striatum. W.	streaked-leaved.	_____	America.	1800.	5.6.	H. 2.	Bot. m. 1035 & 1524
35 narcissiflorum. W.	Narcissus-flow ^d .	_____	France.		7.8.	H. 2.	Vill. delph. 2. t. 6.
36 canadense. W.	Canadian.	_____	N. America.	1739.	6.7.	H. 2.	
37 ursinum. W.	Ramson.	_____	Britain.		4.5.	H. 2.	Eng. bot. 122.
38 triquetrum. W.	triangular-stalk ^d	_____	Spain.	1759.	5.6.	H. 2.	Bot. mag. 869.
39 Clusianum. W.	Clusius's.	_____	S. Europe.	1803.	6.8.	H. 2.	Clus. hist. 1. p. 192.
40 Cepa. W.	common Onion.	_____			6.7.	H. 3.	
<i>β bulbifera.</i>	<i>tree Onion.</i>	_____			—	H. 2.	Bot. mag. 1469.
41 Moly. W.	great-yellow.	_____	S. Europe.	1604.	6.	H. 2.	Bot. mag. 499.
42 tricoccum. W.	three-seeded.	_____	N. America.	1770.	7.	H. 2.	
43 fistulosum. W.	Welsh Onion.	_____	Siberia.	1629.	4.5.	H. 2.	Bot. mag. 1230.
44 Schœnoprasum. W.	Chives.	_____	Britain.		5.6.	H. 2.	Eng. bot. 2438.
45 sibiricum. W.	Siberian.	_____	Siberia.	1777.	7.8.	H. 2.	Bot. mag. 1141.
46 setaceum. P. S.	bristly.	_____	Hungary.	1805.	—	H. 2.	Pl. rar. hung. t. 68.
47 cernuum. B. M.	drooping.	_____	N. America.	1806.	6.	H. 2.	Bot. mag. 1324.
48 stellatum. B. M.	Missouri.	_____	_____	1811.	—	H. 2.	1576.
49 bisulcum. B. M.	furrowed.	_____	Siberia.		7.	H. 2.	1381.
50 baicalense. W. en.	Baical.	_____	_____	1816.	6.7.	H. 2.	
51 rubens. W. en.	red.	_____	Germany.	1805.	—	H. 2.	
52 Chamæ-Moly. W.	dwarf Moly.	_____	S. Europe.	1774.	1.2.	F. 2.	Bot. mag. 1203.
ALBUCA. W.	ALBUCA.	Asphodeleæ. B. P.					
1 altissima. W.	tall.	_____	C. B. S.	1780.	4.5.	G. 2.	Jac. ic. 1. t. 63.
2 major. W.	great.	_____	_____	1759.	—	G. 2.	Bot. mag. 804.
3 minor. W.	small.	_____	_____	1768.	5.6.	G. 2.	720.
4 flaccida. Jac.	flaccid.	_____	_____	1791.	—	G. 2.	Jac. ic. 2. t. 444.
5 viridiflora. W.	green-flowered.	_____	_____	1794.	6.7.	G. 2.	Bot. mag. 1656.
6 coarctata. W.	channel-leaved.	_____	_____	1774.	5.6.	G. 2.	
7 fastigiata. W.	level-topped.	_____	_____	—	—	G. 2.	Bot. rep. 450.
8 caudata. W.	upright-flowered	_____	_____	1791.	5.7.	G. 2.	Jac. ic. 2. t. 442.
9 setosa. W.	bristly.	_____	_____	1795.	—	G. 2.	Bot. mag. 1481.
10 vittata. B. M.	ribbon.	_____	_____	1802.	7.8.	G. 2.	1329.
11 physodes. B. M.	dingy-flowered.	_____	_____	1804.	6.7.	G. 2.	1046.
12 exuviata. B. M.	Adder-skin.	_____	_____	1795.	5.7.	G. 2.	871.
13 Anthericoides.	stripe-flowered.	_____	_____	1788.	8.	G. 2.	
<i>Anthericum albucoides. IV.</i>							
14 fragrans. W.	sweet-scented.	_____	_____	1791.	6.7.	G. 2.	Jac. schœn. 1. t. 81.
15 viscosa. W.	clammy-leaved.	_____	_____	1779.	5.6.	G. 2.	Jac. ic. 2. t. 445.
16 spiralis. W.	spiral-leaved.	_____	_____	1795.	6.	G. 2.	2. t. 439.
XANTHOR- RHÆA. B. P. }	XANTHORRHÆA	Asphodeleæ. B. P.					
1 hostile. B. P.	yellow-gum.	_____	N. S. W.	1803.	4.5.	G. 2.	
2 minor. B. P.	small.	_____	_____	1804.		G. 2.	
3 bracteata. B. P.	long-bracted.	_____	_____	1810.	—	G. 2.	
THYSANOTUS. B. P.	THYSANOTUS.	Asphodeleæ. B. P.	<i>Chlamysporum. P. L.</i>				
<i>juncus. B. P.</i>	Rush-like.	_____	N. S. W.	1804.	8.9.	G. 2.	Par. lond. 103.
ERIOSPERMUM. W.	ERIOSPERMUM.	Asphodeleæ. B. P.					
1 latifolium. W.	broad-leaved.	_____	C. B. S.	1800.	6.8.	G. 2.	Bot. mag. 1382.
2 lanceæfolium. W.	spear-leaved.	_____	_____	1795.	—	G. 2.	Jac. ic. 2. t. 421.
3 parvifolium. W.	small-leaved.	_____	_____	—	—	G. 2.	2. t. 422.
4 folioliferum. B. R.	leaflet-bearing.	_____	_____	1806.	—	G. 2.	Bot. rep. 521.
GAGEA. Sal.	GAGEA.	Asphodeleæ. B. P.	<i>Ornithogali species. IV.</i>				
1 lutea. B. M.	bundle-flowered.	_____	Britain.		3.4.	H. 2.	Bot. mag. 1200.
2 sylvatica. W. en.	wood.	_____	Europe.		—	H. 2.	{ Pers. in ust. N. An. 5. t. 1. f. 1.
3 spathacea. W.	sheathed.	_____	Germany.	1759.	5.	H. 2.	{ Hayne in ust. an. 15. t. 1.
4 minima. P. S.	starry.	_____	Sweden.	—	—	H. 2.	{ Pers. in ust. ann. t. 1. f. 2.
<i>stellaris. Sal.</i>							{ Pall. it. 3. app. t. D. f. 2.
5 circinata. L.	netted.	_____	Siberia.	1789.	5.6.	H. 2.	{
6 serotina. B. M.	mountain.	_____	Wales.		6.	H. 2.	Eng. bot. 793.
<i>Anthericum serotinum. E. B.</i>							
ORNITHOGA- LUM. W. }	{ STAR OF BETHLEHEM }	Asphodeleæ. B. P.					
1 uniflorum. W.	one-flowered.	_____	Siberia.	1781.	5.6.	H. 2.	{ Nov. com. pet. 18. t. 6. f. 3.
2 ixioides. H. K.	Ixia-like.	_____	California.	1796.	—	F. 2.	
3 niveum. W.	snowy.	_____	C. B. S.	1774.	—	G. 2.	Bot. reg. 235.
4 umbellatum. W.	common.	_____	England.		4.6.	H. 2.	Eng. bot. 130.

5 pyrenaicum. W.	spiked.	Asphodeleæ. B. P.	England.		6.7.	H. 2.	Eng. bot. 499.
6 stachyodes. W.	close-spiked.	_____	S. Europe.	1771.	4.7.	H. 2.	Reuealm. spec. t. 90.
7 lacteum. W.	milk-white.	_____	C. B. S.	1796.	6.7.	G. 2.	Bot. mag. 1134.
8 revolutum. W.	revolute-flower ^d .	_____	_____	1795.	3.6.	G. 2.	_____ 653.
9 elatum. B. R.	tall.	_____	Egypt.	1804.	6.7.	G. 2.	Bot. rep. 528.
10 latifolium. W.	broad-leaved.	_____	_____	1629.	—	F. 2.	Bot. mag. 876.
11 scilloides. W.	squill-like.	_____	C. B. S.	1795.	—	G. 2.	Jac. schœn. 1. t. 838
12 prasinum. B. Reg.	green-flowered.	_____	_____	1816.	—	G. 2.	Bot. reg. 158.
13 comosum. W.	short-spiked.	_____	Austria.	1596.	6.8.	H. 2.	Jac. ic. 2. t. 426.
14 pyramidale. W.	pyramidal.	_____	Spain.	1752.	6.7.	H. 2.	_____ 2. t. 425.
15 odoratum. W.	sweet-scented.	_____	C. B. S.	1795.	5.6.	G. 2.	Bot. rep. 260.
16 barbatum. W.	bearded.	_____	_____	—	5.7.	G. 2.	Jac. schœn. 1. t. 91.
17 juncifolium. W.	Rush-leaved.	_____	_____	1794.	7.8.	F. 2.	Bot. mag. 972.
18 rupestre. W.	rock.	_____	_____	1795.	5.8.	G. 2.	_____
19 arabicum. W.	great-flowered.	_____	Egypt.	1629.	3.4.	F. 2.	Bot. mag. 728.
20 thyrsoides. W.	thyrsse-flowering.	_____	C. B. S.	1757.	6.7.	H. 2.	_____ 1164.
21 aureum. W.	golden.	_____	_____	1790.	—	G. 2.	Bot. mag. 190.
22 flavissimum. Jac.	great yellow.	_____	_____	1804.	—	G. 2.	Jac. ic. t. 436.
23 coarctatum. W.	close-flowered.	_____	_____	—	—	G. 2.	_____ t. 435.
24 caudatum. W.	long-spiked.	_____	_____	1774.	2.8.	G. 2.	Bot. mag. 805.
25 unifolium. B. M.	one-leaved.	_____	Gibraltar.	1805.	6.7.	G. 2.	_____ 953 & 935
26 Squilla. B. M.	official Squill.	_____	S. Europe.	1629.	4.5.	F. 2.	_____ 918.
<i>Scilla maritima. W.</i>							
SCILLA. B. M.	SQUILL.	Asphodeleæ. B. P.					
1 italica. W.	Italian.	_____	Switzerland.	1605.	4.7.	H. 2.	Bot. mag. 663.
2 peruviana. W.	corymbose.	_____	Spain.	1607.	5.	H. 2.	_____ 749.
3 lusitanica. W.	Portugal.	_____	Portugal.	1777.	—	H. 2.	Rud. clys. 2. f. 4.
4 Lilio-Hyacinthus } W.	Lily-rooted.	_____	S. Europe.	1597.	5.7.	H. 2.	Red. lil. 205.
5 amœna. W.	nodding.	_____	Levant.	1596.	3.4.	H. 2.	Bot. mag. 341.
6 sibirica. H. K.	Siberian.	_____	Siberia.	1796.	2.3.	H. 2.	Bot. mag. 1325.
7 præcox. W.	early-flowering.	_____		1790.	3.4.	H. 2.	_____
8 verna. W.	vernal.	_____	Britain.		4.5.	H. 2.	Eng. bot. 23.
9 monophylla. Link.	one-leaved.	_____	Portugal.		5.6.	H. 2.	_____
10 hyacinthoides. W.	Hyacinth.	_____	Madeira.	1585.	8.	H. 2.	Bot. mag. 1140.
11 autumnalis. W.	autumnal.	_____	England.		8.9.	H. 2.	Eng. bot. 78.
12 bifolia. W.	two-leaved.	_____	_____		2.4.	H. 2.	_____ 24.
13 campanulata. W.	Spanish.	_____	Spain.	1633.	5.6.	H. 2.	Bot. mag. 127 & 1102
14 non scripta. W.	Harebells.	_____	Britain.		3.6.	H. 2.	Eng. bot. 377.
β carnea.	flesh-coloured.	_____	_____		—	H. 2.	Bot. mag. 1461.
15 brevifolia. B. M.	short-leaved.	_____	C. B. S.	1811.	1.	G. 2.	_____ 1463.
16 corymbosa. B. M.	Cape.	_____	_____	1793.	8.12.	H. 2.	{ Bot. mag. 1478 in note.
<i>Massonia corymbosa. B. M. 991.</i>							
17 esculenta. B. M.	Quamash.	_____	N. America.	1811.	5.7.	H. 2.	Bot. mag. 1574.
18 romana. B. M.	Roman.	_____	Italy.	1596.	5.	H. 2.	_____ 939.
<i>Bellevalia operculata. Picot.</i>							
MASSONIA. W.	MASSONIA.	Asphodeleæ. B. P.					
1 latifolia. W.	broad-leaved.	_____	C. B. S.	1775.	3.4.	G. 2.	Bot. mag. 848.
2 muricata. H. K.	prickly-leaved.	_____	_____	1790.	4.5.	G. 2.	_____ 559.
3 pustulata. B. M.	chagreen-leaved.	_____	_____	—	1.4.	G. 2.	_____ 642.
scabra. H. K.	_____	_____	_____	—	—	—	_____
4 echinata. W.	rough-leaved.	_____	_____	—	5.	G. 2.	_____
5 pauciflora. H. K.	few-flowered.	_____	_____	—	—	G. 2.	_____
6 angustifolia. W.	narrow-leaved.	_____	_____	1775.	3.4.	G. 2.	Bot. mag. 736.
7 undulata. W.	waved-leaved.	_____	_____	1791.	4.	G. 2.	_____
8 ensifolia. B. M.	trumpet-flower ^d .	_____	_____	1790.	9.2.	G. 2.	Bot. mag. 554.
ASPHODELUS. W.	ASPHODEL.	Asphodeleæ. B. P.					
1 luteus. W.	yellow.	_____	Sicily.	1596.	5.6.	H. 2.	Bot. mag. 773.
2 tauricus. W. en.	Taurian.	_____	Tauria.	1812.	—	H. 2.	_____
3 ramosus. W.	branched.	_____	S. Europe.	1551.	5.	H. 2.	Bot. mag. 799.
4 albus. W.	upright.	_____	_____	—	—	H. 2.	Blackw. t. 238.
5 fistulosus. W.	Onion-leaved.	_____	_____	1596.	6.9.	H. 2.	Bot. mag. 984.
6 altaicus. W.	channel-leaved.	_____	Siberia.	1800.	5.6.	H. 2.	Act. petr. 1779. t. 10
ANTHERICUM. J.	ANTHERICUM.	Asphodeleæ. B. P.					
1 frutescens. P. S.	shrubby.	_____	C. B. S.	1702.	3.8.	G. 2.	Bot. mag. 816.
2 rostratum. P. S.	beaked.	_____	_____	1812.	—	G. 2.	Jac. ic. 2. t. 403.
3 alooides. P. S.	Aloe-leaved.	_____	_____	1732.	4.8.	G. 2.	Bot. mag. 1317.
4 nutans. P. S.	nodding.	_____	_____	1812.	—	G. 2.	Jac. ic. 2. t. 407.
5 latifolium. P. S.	broad-leaved.	_____	_____	—	—	G. 2.	_____ 2. t. 408.

6 pugioniforme. P. S.	dagger-leaved.	Asphodeleæ. B. P. C. B. S.	1793. 4.6.	G. ½.	Bot. mag. 1454.
7 asphodeloides. P. S.	upright-leaved.	_____	1759. 6.8.	G. ½.	Jac. viind. t. 181.
8 longiscapum. B. M.	glaucous-leaved.	_____	_____ 4.8.	G. ½.	Bot. mag. 1839.
9 annuum. P. S.	annual.	_____	1731. 5.6.	H. ½.	_____ 1451.
10 hispidum. P. S.	hairy-leaved.	_____	1774. _____	G. ½.	Jac. ic. 2. t. 409.
11 fragrans. W.	sweet-scented.	C. B. S.	1795. 4.5.	G. ½.	Jac. schœn. 1. t. 86.
12 flexifolium. W.	flexuous-leaved.	_____	_____ 5.6.	G. ½.	Jac. ic. 2. t. 412.
13 filiforme. W.	thread-leaved.	_____	1774. 4.	G. ½.	_____
14 floribundum. W.	thick-spiked.	_____	_____ 3.4.	G. ½.	_____
15 revolutum. W.	curled-flowered.	_____	1731. 9.12.	G. ½.	Bot. mag. 1044.
16 vespertinum. W.	afternoon-flow ^g .	C. B. S.	1803. 5.9.	G. ½.	_____ 1040.
17 graminifolium. W.	waved-leaved.	_____	1794. 6.	G. ½.	Jac. ic. 2. t. 411.
18 triflorum. W.	three-flowered.	_____	1782. 8.10.	G. ½.	_____ 2. t. 410.
19 canaliculatum. W.	channel-leaved.	C. B. S.	1774. 4.5.	G. ½.	Bot. mag. 1124. 877
ARTHROPODIUM. B. P.					
paniculatum. B. P.	panicked.	_____ N. S. W.	1800. 5.9.	G. ½.	Bot. mag. 1421.
PHALANGIUM. J.	PHALANGIUM.	Asphodeleæ. B. P. <i>Anthiericum. H. K.</i>	_____	_____	_____
1 ramosum. B. M.	branching.	S. Europe.	1570. 5.6.	H. ½.	_____ 1055.
2 Liliago. P. S.	Grass-leaved.	S. Europe.	1598. 5.6.	H. ½.	_____ 914.
CHLOROPHYTUM. B. M.					
1 inornatum. B. M.	green-flowered.	_____ Sierra Leone.	 6.8.	S. ½.	Bot. mag. 1071.
2 elatum. B. P.	tall.	_____ C. B. S.	1751. 8.9.	G. ½.	Red. lil. 191.
<i>Anthiericum elatum. H. K.</i>					
CÆSIA. B. P.	CÆSIA.	Asphodeleæ. B. P.	_____	_____	_____
vittata. B. P.	nodding-flower ^d .	_____ N. S. W.	1816. 7.3.	G. ½.	_____
NARTHECIUM. B. M.					
1 ossifragum. E. B.	{ Lancashire Asphodel. }	Asphodeleæ. B. P. <i>Anthierici species H. K.</i>	_____	_____	_____
2 americanum. B. M.		_____ Britain.	 7.8.	H. ½.	Eng. bot. 535.
DIANELLA. B. P.	American.	_____ N. America.	1811. _____	H. ½.	Bot. mag. 1505.
1 ensifolia. W.	DIANELLA.	Asphodeleæ. B. P.	_____	_____	_____
2 cærulea. B. P.	sword-leaved.	_____ E. Ind.	1731. 8.	S. ½.	Bot. mag. 1404.
3 divaricata. B. P.	blue.	_____ N. S. W.	1783. 5.8.	G. ½.	_____ 505.
EUSTREPHUS. B. P.	divaricated.	_____ 1805. 7.8.	G. ½.	_____	_____
latifolius. B. P.	EUSTREPHUS.	Asphodeleæ. B. P.	_____	_____	_____
ASPARAGUS. W.	broad-leaved.	_____ N. S. W.	1800. 6.7.	G. ½.	Bot. mag. 1245.
1 officinalis. W.	ASPARAGUS.	Asphodeleæ. B. P.	_____	_____	_____
2 sylvaticus. W. en.	common.	_____ England.	 6.8.	H. ½.	Eng. bot. 339.
3 verticillaris. M. B.	wood.	_____ _____	 _____	H. ½.	Pl. rar. hun. 3. t. 201.
4 declinatus. W.	whorl-leaved.	_____ Caucasus.	1752. _____	H. ½.	Buxb. cent. 5. t. 37
5 decumbens. W.	long-leaved.	_____ C. B. S.	1759.	G. ½.	_____
6 scandens. W.	decumbent.	_____	1792. 5.	G. ½.	Jac. schœn. 1. t. 97.
7 falcatus. W.	climbing.	_____	1795.	G. ½.	_____
8 racemosus. W.	sickle-leaved.	_____ E. Ind.	1792.	S. ½.	Burm. zeyl. t. 13. f. 2.
9 retrofractus. W.	branching.	_____ 1808.	S. ½.	_____	_____
10 asiaticus. W.	Larch-leaved.	_____ Africa.	1759. 8.9.	G. ½.	Pluk. alm. t. 375. f. 3.
11 athiopicus. W.	Asiatic.	_____ Asia.	_____	G. ½.	Pluk. alm. t. 15. f. 4.
12 albus. W.	angular-stalked.	_____ C. B. S.	1816.	G. ½.	_____
13 acutifolius. W.	white.	_____ Spain.	1540.	F. ½.	Moris. s. 1. t. 1. f. 3.
14 flexuosus. W.	needle-leaved.	_____	1640.	F. ½.	Park. theat. f. 3.
15 aphyllus. W.	flexuous.	_____ C. B. S.	 7.8.	G. ½.	_____
16 subulatus. W.	prickly.	_____ S. Europe.	1640.	G. ½.	Moris. s. 1. t. f. 2.
17 capensis. W.	awl-leaved.	_____ C. B. S.	1811.	G. ½.	_____
18 sarmentosus. W.	Cape.	_____	1691. 4.5.	G. ½.	Jac. schœn. 3. t. 266.
DRIMIA. Jac.	linear-leaved.	_____ Ceylon.	1710. 8.	S. ½.	Rheed. mal. 10. t. 10.
1 altissima. B. M.	DRIMIA.	Asphodeleæ. B. P.	_____	_____	_____
2 elata. B. M.	tallest.	_____ C. B. S.	1791. 8.9.	G. ½.	Bot. mag. 1074.
3 ciliaris. B. M.	tall.	_____	1799. 10.11.	G. ½.	_____ 822.
4 pusilla. W.	ciliated.	_____	 9.	G. ½.	_____ 1444.
5 lanceæfolia. B. M.	dwarf.	_____	1793. 5.6.	G. ½.	Jac. ic. 2. t. 374.
6 revoluta.	Copperas-leaved	_____	1800. 9.10.	G. ½.	Bot. mag. 643.
	reflex-flowered.	_____	1774. 8.	G. ½.	_____ 1380.
<i>Hyacinthus revolutus. H. K.</i>					
UROPETALON. B. } Reg.					
1 viride. B. Reg.	UROPETALON.	Asphodeleæ. B. P. <i>Zuccagnia. W. en.</i>	_____	_____	_____
2 glaucum. B. Reg.	green-flowered.	_____ C. B. S.	1774. 8.	G. ½.	Red. lil. 203.
3 crispum. B. Reg.	glaucous-leaved.	_____	1816. 7.8.	G. ½.	Bot. reg. 156.
4 serotinum. B. Reg.	curled-leaved.	_____		G. ½.	_____
	late-flowering.	_____ Spain.	1629. 6.8.	F. ½.	Bot. mag. 859.

5. fulvum.	tile-red.	Asphodeleæ. B. P. Mogador.	1808. 6.8. F. 2.	Bot. mag. 1185
<i>Hyacinthus fulvus.</i> Cav.				
HYACINTHUS. B. M.	HYACINTH.	Asphodeleæ. B. P.		
1 amethystinus. W.	Amethyst-colour'd.	S. Europe.	1759. 4.5. H. 2.	Red. lil. 14.
2 orientalis. W.	garden.	Levant.	1596. 3.4. H. 2.	Bot. mag. 937
MUSCARI. B. M.	{ GRAPE HYACINTH. }	Asphodeleæ. B. P. <i>Hyacinthi species L.</i>		
1 moschatum. B. M.	musk.	Levant.	1596. 4.5. H. 2.	Bot. mag. 734.
β flavum. B. M.	yellow.			1565.
2 comosum. R. L.	purple.	S. Europe.		133.
β monstrosum.	feathered.			Moris. s. 4. t. 11. f. 2.
3 botryoides. B. M.	blue.	Italy.		Bot. mag. 157.
4 racemosum. B. M.	starch.	Britain.	 4. H. 2.	122.
LACHENALIA. W.	LACHENALIA.	Asphodeleæ. B. P.		
1 glaucina. W.	sea-green.	C. B. S.	1795. 3.4. G. 2.	Jac. ic. 2. t. 391.
2 orchoides. W.	Orchis-like.		1752. 2.4. G. 2.	Bot. mag. 1269.
3 pallida. W.	pale-flowered.		1782. 3.4. G. 2.	Red. lil. 22.
4 hyacinthoides. W.	Hyacinth-flower'd.		1812. — G. 2.	Jac. ic. 2. t. 382.
5 angustifolia. W.	narrow-leaved.		1793. 4.5. G. 2.	Bot. mag. 735.
6 contaminata. W.	contaminated.		1774. 2.3. G. 2.	1401.
7 patula. W.	spreading-flower'd.		1795. 4.5. G. 2.	Jac. ic. 2. t. 384.
8 fragrans. W.	sweet-scented.		1798. 3.5. G. 2.	Jac. schœn. 1. t. 82.
9 unicolor. B. M.	self-coloured.		1806. 5.6. G. 2.	Bot. mag. 1373.
10 lucida. B. M.	glossy-leaved.		1798. 3.5. G. 2.	1372.
11 racemosa. B. M.	starch.		1811. 5. G. 2.	1517.
12 pustulata. W.	blistered.		1790. 1.4. G. 2.	817.
13 purpureo-carulea. B. M.	purple-blue.		1798. 4.5. G. 2.	745.
14 nervosa. B. M.	nerved-leaved.		1810. 6. G. 2.	1497.
15 violacea. W.	violet.		1795. 3.4. G. 2.	Jac. ic. 2. t. 394.
16 bifolia. B. M.	cowled-leaved.		1813. — G. 2.	Bot. mag. 1611.
17 rosea. B. R.	rose-coloured.		1800. 4.5. G. 2.	Bot. rep. t. 296.
18 unifolia. W.	one-leaved.		1795. 3.4. G. 2.	Bot. mag. 766.
19 sessiliflora. B. R.	sessile-flowered.		1804. 5.6. G. 2.	Bot. rep. 460.
20 isopetala. W.	equal-flowered.			Jac. ic. 2. t. 401.
21 tricolor. W.	three-coloured.		1774. 4.5. G. 2.	Bot. mag. 82.
22 luteola. Jac.	yellow.			Jac. ic. 2. t. 395.
23 quadricolor. B. M.	four-coloured.		1789. 3.5. G. 2.	{ Bot. mag. 588 and 1097.
24 rubida. W.	dotted-flowered.		1803. 9.10. G. 2.	993.
25 pendula. B. M.	pendulous.		1774. 3.4. G. 2.	590.
DRACÆNA. W.	DRAGON-TREE.	Asphodeleæ. B. P.		
1 Draco. W.	common.	E. Ind.	1640. S. h.	Blackw. t. 358.
2 ensifolia. H. S.	sword-leaved.		1800. S. h.	
3 umbraculifera. W.	umbel-flowered.	Mauritius.	1788. S. h.	Jac. schœn. 1. t. 95.
4 cernua. W.	drooping.		 S. h.	1. t. 96.
5 ferrea. H. K.	purple.	China.	1771. 3.4. S. h.	Red. lil. 91. 2083
6 fragrans. H. K.	sweet-scented.	Africa.	1768. 2.5. S. h.	Bot. mag. 1081.
7 ovata. B. M.	oval-leaved.	Sierra Leone.	 8.9. S. h.	1180.
PHYLLOMA. B. M.	PHYLLOMA.	Asphodeleæ. B. P.		
aloiflorum. B. M.	Aloe-leaved.	Bourbon.	1766. 4. S. h.	Bot. mag. 1555.
<i>Dracæna marginata.</i> H. K.				
ALSTRÆMERIA. W.	ALSTRÆMERIA.	Asphodeleæ. B. P.		
1 Pelegrina. W.	spotted-flower'd.	Peru.	1753. 6.9. G. 2.	Bot. mag. 139.
2 Ligtu. W.	striped-flowered.		1776. 2.3. S. 2.	125.
3 Salsilla. B. M.	eatable-rooted.	S. America.	1806. 6.7. S. 2.	1613.
PHORMIUM. W.	FLAX-LILY.	Asphodeleæ. B. P.		
tenax. W.	Iris-leaved.	New Zealand	1788. 8. G. 2.	Cook. it. v. 2. t. 96.
HYPOXIS. W.	HYPOXIS.	Asphodeleæ. B. P.		
1 erecta. W.	upright.	N. America.	1752. 6.7. H. 2.	Bot. mag. 710.
2 sobolifera. W.	creeping.	C. B. S.	1774. 6.9. G. 2.	711.
3 villosa. W.	villous.			Jac. ic. 2. t. 307.
4 decumbens. W.	decumbent.	Jamaica.	1755. — S. 2.	Mill. ic. 1. t. 39. f. 2.
5 obliqua. W.	oblique-leaved.	C. B. S.	1795. 6.7. G. 2.	Bot. rep. 195.
6 aquatica. W.	water.		1787. — G. 2.	
7 alba. W.	white.		1806. 6. G. 2.	Jac. coll. 4. t. 2. f. 1.
8 obtusa. B. Reg.	obtuse.		1816. — G. 2.	Bot. reg. 159.
9 ovata. W.	smooth-leaved.		1806. 2.5. G. 2.	Bot. mag. 1010.
10 stellata. W.	star-flowered.		1752. 4.6. G. 2.	662.
<i>elegans.</i> R. S.	<i>white star-flow.'d.</i>			1222.

11	veratrifolia. W.	plaited-leaved.	Asphodeleæ. B. P. C. B. S	1788. 6.7. G. 2.	Jac. ic. 2. t. 367.
12	linearis. B. R.	linear-leaved.	_____	1792. 4.5. G. 2.	Bot. rep. 171.
13	serrata. W.	saw-leaved.	_____	1788. 6.7. G. 2.	Bot. mag. 709.
14	junceæ. W.	rushy.	_____ Carolina.	1787. — F. 2.	Smith spic. 15. t. 16.
CURCULIGO. H. K.					
	CURCULIGO.		Asphodeleæ. B. P.		
1	plicata. H. K.	plaited-leaved.	C. B. S.	1788. 6.7. G. 2.	Jac. schœn. l. t. 80. 355
2	orchoides. W.	narrow-leaved.	E. Ind.	1800. — S. 2.	Roxb. cor. 1. t. 13.
3	brevifolia. H. K.	short-leaved.	_____	1804. 5.7. S. 2.	Bot. mag. 1076.
4	latifolia. H. K.	broad-leaved.	_____ Poolo Pinang	1804. 5.8. S. 2.	Rumph. amb. 6. t. 53. 203
5	recurvata. H. K.	recurved-leaved.	_____ Bengal.	1805. S. 2.	_____ 770
CYANELLA. W.					
	CYANELLA.		Asphodeleæ. J.		
1	capensis. W.	purple-flowered.	C. B. S.	1768. 7.8. G. 2.	Bot. mag. 568.
2	lutea. W.	yellow-flowered.	_____	1788. — G. 2.	_____ 1252.
YUCCA. W.					
	ADAM'S NEEDLE		Liliæ. J.		
1	gloriosa. W.	superb.	_____ America.	1596. 7.8. H. 2.	Bot. mag. 1260.
2	aloifolia. W.	Aloe-leaved.	S. America.	1696. 8.9. G. 2.	_____ 1700.
3	draconis. W.	drooping-leaved.	_____	1732. — G. 2.	Dill. elt. t. 324. f. 417
4	obliqua. H. S.	oblique-leaved.	_____	 S. 2.	
5	serrulata. H. S.	rough-edged.	_____ Carolina.	1808. G. 2.	
6	recurvifolia. Ph.	recurved-leaved.	_____ Georgia.	1795. 8. H. 2.	Par. lond. 31.
7	filamentosa. W.	thready.	_____ Virginia.	1675. 9.10. H. 2.	Bot. mag. 900.
8	angustifolia. Ph.	narrow-leaved.	_____ Missouri.	1811. 7.8. H. 2.	_____ 2236
BUONAPARTEA. F. P.					
	BUONAPARTEA.				
	junceæ. Fl. P.	Rush-leaved.	_____ Peru.	1800. S. 2.	Fl. peruv. 3. t. 242.
ALOE. W.					
	ALOE.		Hemerocallideæ. B. P.		
1	vulgaris. H. K.	yellow-flowered.	_____ Levant.	1596. 5.8. D.S. 2.	Plant. grass. 27.
2	purpurascens. H. K.	purple.	C. B. S.	1789. 7.10. G. 2.	Bot. mag. 1474.
3	soccotrina. H. K.	succotrine.	_____	1731. 2.4. G. 2.	_____ 472.
4	arborescens. H. K.	tree.	_____	_____ 11.3. G. 2.	_____ 1306.
5	ferox. H. K.	great hedgehog.	_____	1759. 4.5. G. 2.	Plant. grass. 32. 1975
6	supralævis. H. K.	upright hedgehog.	_____	1731. G. 2.	Com. præl. 71. t. 20.
7	flavispina. H. S.	yellow-spined.	_____	1790. 8. G. 2.	
8	picta. H. K.	great soap.	_____	1727. 8.10. G. 2.	Bot. mag. 1323.
9	latifolia. H. S.	broad-leav'd soap.	_____	1795. 7.8. G. 2.	_____ 1346.
10	saponaria. H. S.	common soap.	_____	1727. — G. 2.	_____ 1460.
11	serrulata. H. K.	saw-leaved.	_____	1789. — G. 2.	
12	mitraformis. H. S.	common mitre.	_____	1732. 8. G. 2.	Bot. mag. 1270.
13	nobilis. H. S.	great mitre.	_____	1800. — G. 2.	
14	distans. H. S.	small mitre.	_____	1732. — G. 2.	Bot. mag. 1362.
15	albispina. H. S.	white-spined.	_____	1796. ... D.S. 2.	
16	brevifolia. H. K.	short-leaved.	_____	1731. 6.8. G. 2.	Plant. grass. 81.
17	depressa. H. K.	flat-leaved.	_____	8. G. 2.	Bot. mag. 1332.
18	suberecta. H. S.	lesser hedgehog.	_____	1789. 3.6. G. 2.	
19	acuminata. H. S.	middle hedgehog.	_____	1795. 3.5. G. 2.	Bot. mag. 757.
20	tuberculata. H. S.	{ tubercled hedgehog. }	_____	1796. — G. 2.	
21	humilis. H. S.	dwarf hedgehog.	_____	1731. 3.6. G. 2.	Plant. grass. 39.
22	incurva. H. S.	incurv'd hedgehog.	_____	1796. — G. 2.	Bot. mag. 828.
23	striata. H. K.	streaked.	_____	1795. G. 2.	
24	lineata. H. K.	lined red-spined.	_____	1789. ... D.S. 2.	
25	glauca. H. K.	glaucous.	_____	1731. 1.9. G. 2.	Bot. mag. 1278.
26	spicata. W.	spike-flowered.	_____	1795. ... D.S. 2.	
27	africana. H. K.	African.	_____	1731. 7. G. 2.	
28	virens. H. S.	Apple-green.	_____	1790. 8.9. G. 2.	Bot. mag. 1355.
29	dichotoma. W.	smooth-stem'd.	_____	1780. ... D.S. 2.	
30	plicatilis. W.	fan.	_____ Africa.	1723. 6.7. G. 2.	Bot. mag. 457.
31	variegata. W.	partridge-breast.	C. B. S.	1720. 3.9. G. 2.	_____ 513.
32	obliqua. H. S.	broad-marbled.	_____	1759. 6.8. D.S. 2.	_____ 979.
33	maculata. H. K.	narrow-marbled.	_____	_____ 7.8. D.S. 2.	_____ 765.
<i>Gasteria pulchra. H. S.</i>					
34	nigricans. H. S.	dark-tongue.	_____	1790. 6.7. G. 2.	_____ 838.
35	glabra. H. S.	smooth-keeled.	_____	1796. — G. 2.	
36	carinata. H. S.	rough-keeled.	_____	1731. — G. 2.	Bot. mag. 1331.
37	lingua. W.	common-tongue.	_____	 3.11. G. 2.	
<i>Gasteria latifolia. H. S.</i>					
38	angulata. H. S.	retuse-tongue.	_____	1791. — G. 2.	
39	angustifolia. H. S.	narrow-tongue.	_____	1731. — G. 2.	Bot. mag. 1322.
40	longifolia. H. S.	long-l'd. tongue.	_____	1796. — G. 2.	

41 obtusifolia.	short- ^{1d} . tongue.	Hemerocallideæ.	B.P. C. B. S.	1809.	7.8.	G. 2.	
<i>Gasteria brevifolia.</i> H. S.							
42 intermedia. H. S.	middle-tongue.	_____	_____	1790.	3.11.	G. 2.	
43 verrucosa. W.	warted.	_____	_____	1731.	_____	G. 2.	Bot. mag. 837.
44 spiralis. H. S.	great-spiral.	_____	_____	1790.	8.9.	G. 2.	
45 spirella. H. S.	small-spiral.	_____	_____	1808.	8.	G. 2.	
46 pentagona. H. S.	five-sided.	_____	_____	1731.	6.7.	G. 2.	Bot. mag. 1338.
47 imbricata. H. S.	rough-flowered.	_____	_____	_____	_____	G. 2.	1455.
<i>spiralis.</i> B. M.							
48 foliolosa. H. S.	small-leaved.	_____	_____	1795.	6.8.	G. 2.	Bot. mag. 1352.
49 tortuosa. H. S.	twisted.	_____	_____	1797.	5.9.	G. 2.	1337.
50 rigida. Pl. gr.	rigid.	_____	_____	1795.	_____	G. 2.	Plant. grass. 62.
51 aspera. H. S.	rough.	_____	_____	_____	6.	D.S. 2.	
52 viscosa. H. S.	clammy.	_____	_____	1727.	6.7.	G. 2.	Bot. mag. 814.
53 albicans. H. K.	white-edged.	_____	_____	1795.	7.	D.S. 2.	1452.
54 cymbiformis. H. S.	boat-leaved.	_____	_____	1795.	5.8.	G. 2.	802.
55 reticulata. H. S.	netted.	_____	_____	1794.	_____	G. 2.	1314.
56 recurva. H. S.	recurve-leaved.	_____	_____	1795.	8.	S. 2.	1353.
57 retusa. W.	smooth cushion.	_____	_____	1720.	5.7.	G. 2.	455.
58 mirabilis. H. S.	rough cushion.	_____	_____	1795.	5.8.	G. 2.	1354.
59 translucens. H. K.	transparent.	_____	_____	_____	_____	D.S. 2.	1417.
60 pumila. H. S.	small cobweb.	_____	_____	1752.	5.	G. 2.	1361.
61 arachnoides. H. S.	cobweb.	_____	_____	1727.	8.	D.S. 2.	756.
62 radula. H. S.	raspy-pearl.	_____	_____	1805.	_____	G. 2.	Jac. schoen. t. 35.
63 attenuata. H. S.	chalky-pearl.	_____	_____	1790.	5.8.	G. 2.	Bot. mag. 1345.
<i>radula.</i> B. M.							
64 minima. H. S.	least-pearl.	_____	_____	1725.	5.9.	G. 2.	Bot. mag. 1360.
65 minor. H. S.	lesser-pearl.	_____	_____	_____	5.8.	G. 2.	815.
66 margaritifera. H. K.	larger-pearl.	_____	_____	1739.	5.9.	G. 2.	Bradl. succ. 3. t. 21.
67 Haworthii.	largest-pearl.	_____	_____	1801.	8.	G. 2.	
<i>Haworthia maxima.</i> H. S.							
AGAVE. H. K.	AGAVE.	Bromeliæ. J.					
1 americana. W.	common Amer.	S. America.	1640.	8.10.	G. 2.	Bot. rep. 438.	
2 Milleri. H. S.	Miller's.	_____	_____	1768.	_____	G. 2.	
3 flaccida. H. S.	flaccid.	S. America.	1790.	...	D.S. 2.		
4 lurida. W.	Vera Cruz.	Vera Cruz.	1731.	6.7.	D.S. 2.	Bot. mag. 1522.	
5 angustifolia. H. S.	narrow-leaved.	_____	_____	1790.	...	G. 2.	
6 Karatto. H. S.	Karatto.	S. America.	1768.	...	D.S. 2.		
7 vivipara. W.	viviparous.	_____	_____	1731.	8.10.	D.S. 2.	Comm. præl. t. 15.
8 virginica. W.	Virginian.	N. America.	1765.	9.	F. 2.	Bot. mag. 1157.	
9 geminiflora.	pair-flowered.	America.	1810.	...	G. 2.	Jour. of sc. No. 3. t. 1.	
FURCRÆA. V.	FURCRÆA.	Bromeliæ. J.					
1 gigantea. Vent.	gigantic.	S. America.	1690.	9.1.	D.S. 2.	Plant. grass. 126.	
2 tuberosa. H. K.	tubercous.	_____	_____	1739.	8.9.	D.S. 2.	
3 cubensis. H. S.	Cuba.	_____	_____	_____	...	D.S. 2.	Jac. amer. t. 260. f. 25
4 rigida. H. S.	rigid.	_____	_____	1768.	...	D.S. 2.	
5 australis. H. S.	entire-leaved.	_____	_____	1811.	...	D.S. 2.	
STREPTOPUS. M.	STREPTOPUS.	Smilacæ. B. P.					
1 amplexifolius. R. L.	heart-leaved.	<i>Uvulariæ species IV.</i>	Hungary.	1752.	5.	H. 2.	Red. lil. 259.
2 roseus. Ph.	rose-coloured.	_____	N. America.	1806.	6.7.	H. 2.	Bot. mag. 1489.
3 lanuginosus. Ph.	woolly.	_____	_____	1812.	_____	H. 2.	1490.
CONVALLARIA. } { LILY OF THE } Smilacæ. B. P.	Desf. } VALLEY. }						
1 majalis. W.	common.	_____	Britain.		5.6.	H. 2.	Eng. bot. 1035.
2 rubra.	red-flowered.	_____	_____	_____	_____	_____	
3 flore pleno.	double.	_____	_____	_____	_____	_____	
SMILACINA. D.	SMILACINA.	Smilacæ. B. P.					
1 umbellata. D.	umbel-flowered.	<i>Convallariæ species IV.</i>	N. America.	1778.	5.6.	H. 2.	Bot. mag. 1155.
2 borealis. D.	oval-leaved.	_____	_____	_____	_____	H. 2.	1403.
3 bifolia. D.	least.	_____	N. Europe.	1596.	_____	H. 2.	510.
4 trifolia. D.	three-leaved.	_____	N. America.	1812.	6.7.	H. 2.	Gmel. sib. 1. t. 6.
5 stellata. D.	star-flowered.	_____	_____	1633.	5.6.	H. 2.	Bot. mag. 1043.
6 racemosa. D.	cluster-flowered.	_____	_____	1640.	_____	H. 2.	899.
POLYGONATUM. D.	SOLOMON'S-SEAL.	Smilacæ. B. P.					
1 verticillatum. D.	whorl-leaved.	<i>Convallariæ species IV.</i>	Scotland.		5.6.	H. 2.	Eng. bot. 1035.
2 canaliculatum. Ph.	channelled.	_____	N. America.	1812.	6.	H. 2.	
3 pubescens. Ph.	pubescent.	_____	_____	_____	5.6.	H. 2.	Willd. hort. ber. 45.
4 vulgare. D.	angular.	_____	England.		_____	H. 2.	Eng. bot. 280.
5 multiflorum. D.	common.	_____	Britain.		_____	H. 2.	279.
6 latifolium. D.	broad-leaved.	_____	Germany.	1802.	_____	H. 2.	Jac. aust. 3. t. 232.

OPHIOPOGON. B. M.	SNAKE'S BEARD.	Smilacæ. B. P.	<i>Slatertia. Desv. Fluggea. Rich.</i>				
japonicus. B. M.	Japan.		Japan.	1784.	6.	F. 4.	Bot. mag. 1053.
LOPHIOLA. B. M.	LOPHIOLA.	Hæmodoracæ. B. P.	<i>Conostylis. Ph.</i>				
aurea. B. M.	golden-flowered.		N. America.	1811.	5.7.	H. 4.	Bot. mag. 1596.
LANARIA. W.	LANARIA.	Hæmodoracæ. B. P.	<i>Argolasia. J.</i>				
plumosa. W.	woolly.		C. B. S.	1787.		G. 4.	
ANIGOZANTHOS. B. P.	ANIGOZANTHOS.	Hæmodoracæ. B. P.					
flavida. B. P.	russet-green-flod.		N. Holland.	1803.	5.9.	G. 4.	Bot. mag. 1151.
LEONTICE. W.	LEONTICE.	Berberides. J.					
1 Chrysogonum. W.	Oak-leaved.		Levant.	1740.	3.6.	H. 4.	Moris. s.3. t.15.f.7.
2 Leontopetalon. W.	Lion's-leaf.			1597.	4.5.	G. 4.	t.15.f.6.
CAULOPHYLLUM. Mi.	CAULOPHYLLUM.	Berberides. J.					
thalictroides. Ph.	Columbine-leavd		N. America.	1755.	5.	H. 4.	Mich. amer. 1.t.21.
DIPHYLLEIA. Mi.	DIPHYLLEIA.						
cymosa. Mi.	blue-berried.		N. America.	1812.	5.6.	H. 4.	Bot. mag. 1666.
ACORUS. W.	ACORUS.	Aroideæ. B. P.					
1 Calamus. W.	Sweet-flag.		Britain.		6.7.	H. 4.	Eng. bot. 356.
2 gramineus. W.	grass-leaved.		China.	1786.	2.	H. 4.	Smith spic.15.t.17.
ORONTIUM. W.	ORONTIUM.	Aroideæ. B. P.					
1 aquaticum. W.	aquatic.		N. America.	1775.	6.	H. 4.	Lam. ill. t. 251.
2 japonicum. W.	Japan.		Japan.	1783.	1.4.	H. 4.	Bot. mag. 898.
TUPISTRA. B. M.	TUPISTRA.	Aroideæ. B. P.	<i>Asphodelacæ</i>				
squalida. B. M.	Amboyina.		Amboyina.	1810.	4.	S. 4.	Bot. mag. 1655. 704
TACCA. W.	TACCA.	Aroideæ? B. P.					
1 pinnatifida. W.	Salep.		E. Ind.	1793.		S. 4.	Lam. ill. t. 232.
2 integrifolia. B. M.	entire-leaved.			1810.	5.7.	S. 4.	Bot. mag. 1488.
CORYPHA. W.	FAN PALM.	Palmae. B. P.					
umbraculifera. W.	great.		E. Ind.	1742.		S. 4.	{ Rheed. mal. 3. t. 1-12.
LICUALA. W.	LICUALA.	Palmae. B. P.					
spinosa. W.	spiny.		E. Ind.	1802.		S. 4.	Rumph. amb. 1. t. 9.
THRINAX. W.	THRINAX.	Palmae. B. P.					
parviflora. W.	small.		Jamaica.	1778.		S. 4.	
CALAMUS. W.	CALAMUS.	Palmae. B. P.					
1 albus. P. S.	common.		E. Ind.	1812.		S. 4.	Rumph. amb. 5. t. 52.
2 Zolacca. W.	Java.				S. 4.		Gart. fr. 2. t. 139. f. 2.
JUNCUS. B. P.	RUSH.	Junceæ. B. P.					
1 acutus. W.	great sharp sea.		Britain.		7.8.	H. 4.	Eng. bot. 1614.
2 maritimus. P. S.	lesser sharp sea.				8.	H. 4.	1725.
3 conglomeratus. W.	common.				6.7.	H. 4.	835.
4 effusus. W.	soft.				5.8.	H. 4.	836.
5 glaucus. W.	hard.		England.		7.	H. 4.	665.
6 filiformis. W.	least.		Britain.		8.	H. 4.	1175.
7 trifidus. W.	three-leaved.		Scotland.		7.	H. 4.	1482.
8 squarrosus. W.	Goose-corn.		Britain.		6.7.	H. 4.	933.
9 gracilis. E. B.	slender.		Scotland.		7.8.	H. 4.	2174.
10 lampocarpus. L. T.	shining-fruited.		Britain.		6.8.	H. 4.	2143.
11 acutiflorus. L. T.	sharp-flowered.				7.8.	H. 4.	238.
12 obtusiflorus. L. T.	blunt-flowered.				8.	H. 4.	2144.
13 uliginosus. H. K.	little bulbous.		England.		6.7.	H. 4.	801.
14 supinus. W.	supine.				7.8.	H. 4.	Flor. dan. t. 1099.
15 bulbosus. W.	bulbous-rooted.		Britain.		H. 4.		Eng. bot. 934.
16 bufonius. W.	toad.				H. 4.		802.
17 triglumis. W.	three-flowered.				7.	H. 4.	899.
18 biglumis. W.	two-flowered.		Scotland.		8.	H. 4.	898.
19 castaneus. H. K.	black-spiked.				7.	H. 4.	900.
LUZULA. B. P.	LUZULA.	Junceæ. B. P.	<i>Junci species L.</i>				
1 pilosa. W.	hairy.		Britain.		3.5.	H. 4.	Eng. bot. 736.
2 Forsteri. E. B.	Forster's.		England.		5.6.	H. 4.	1293.
3 maxima. W.	wood.		Britain.		5.	H. 4.	737.
4 lutea. W.	yellow.		Switzerland.		5.6.	H. 4.	
5 albida. W.	white.				H. 4.		Leers. herb. t. 13. f. 6.
6 nivea. W.	snowy.			1770.	H. 4.		Scheu. gram. t. 7. f. 7.
7 campestris. W.	field.		Britain.		4.5.	H. 4.	Eng. bot. 672.
8 congesta. P. S.	close-headed.		France.	1805.	6.	H. 4.	
9 spicata. W.	spiked.		Scotland.		7.	H. 4.	Eng. bot. 1176.
PRINOS. W.	WINTER BERRY.	Rhamni. J.					
1 verticillatus. W.	deciduous.		N. America.	1736.	7.8.	H. 4.	Duham. arb. 1. t. 23.

HEXANDRIA DIGYNIA.

77

2 ambiguus. Ph.	Carolina.	Rhamni. J.	Carolina.	1812. H. h.	
3 lævigatus. Ph.	smooth.	_____	N. America.	 7.8. H. h.	
4 lanceolatus. Ph.	scarlet-berried.	_____	Carolina.	1811. 6.7. H. h.	
5 glaber. W.	evergreen.	_____	Canada.	1759. 7.8. H. h.	
6 lucidus. W.	shining.	_____		1778. 6.7. F. h.	
BERBERIS. W.	BARBERRY.	Berberides. J.			
1 vulgaris. W.	common.	_____	England.	 4.5. H. h.	Eng. bot. 49.
β violacea.	purple-fruited.	_____			
2 canadensis. Ph.	Canada.	_____	Canada.	1759. — H. h.	
3 ilicifolia. W.	Holly-leaved.	_____	{ Tierra- del- Fuego }	1791. 7.8. H. h.	
4 cretica. W.	Cretan.	_____	Candia.	1759. 4.5. H. h.	Alp. exot. 21. t. 20.
5 sibirica. W.	Siberian.	_____	Siberia.	1790. 6.7. H. h.	Pall. ross. 2. t. 67.
6 emarginata. W. en.	{ emarginate- petalled. }	_____	_____	4.5. H. h.	
NANDINA. W.	NANDINA.				
domestica. W.	garden.	_____	China.	1804. 6.7. G. h.	Bot. mag. 1109.
HILLIA. W.	HILLIA.	Rubiaceæ. J.			
1 longiflora. W.	long-flowered.	_____	W. Ind.	1789. 2.3. S. h.	Bot. mag. 721.
2 tetrandra. W.	mountain.	_____	Jamaica.	1793. 6.7. S. h.	
RICHARDIA. L.	RICHARDIA.	Rubiaceæ. J.			
scabra. L.	rough.	_____	Vera Cruz.	 S. h.	Lam. ill. t. 254.
CANARINA. W.	CANARINA.	Campanulaceæ. J.			
Campanula. W.	Canary.	_____	Canaries.	1696. 1.3. G. ½.	Bot. mag. 444.
FRANKENIA. W.	SEA HEATH.	Caryophylleæ? J.			
1 laevis. W.	smooth.	_____	England.	 7.8. H. ½.	Eng. bot. 205.
2 Nothria. W.	Cape.	_____	C. B. S.	1816. 6.8. G. ½.	{ Berg. cap. 171. f. 2.
3 hirsuta. W.	hairy.	_____	Siberia.	1789. 6.7. H. ½.	Mich. gen. t. 22. f. 2.
4 pulverulenta. W.	powdery.	_____	England.	 7. H. ½.	Eng. bot. 2222.
PEPLIS. W.	{ WATER PURSLANE. }	Salicariæ. J.			
Portula. W.	common.	_____	Britain.	 7.9. H. ⊙.	Eng. bot. 1211.
BAMBUSA. W.	BAMBOO CANE.	Gramineæ. J.			
1 arundinacea. W.	common.	_____	India.	1730. S. h.	Roxb. cor. 1. t. 79.
2 verticillata. W.	whorl-flowered.	_____	_____	1802. S. h.	1. t. 80.
EHRHARTA. W.	EHRHARTA.	Gramineæ. B. P.			
panicea. W.	Panic-grass.	_____	C. B. S.	1790. 5.7. G. ½.	Smith ined. 1. t. 9.

DIGYNIA.

ORYZA. W.	RICE.	Gramineæ. J.			
sativa. W.	common.	_____	Ethiopia.	1596. 7. S. ⊙.	
FALKIA. W.	FALKIA.	Convolvulaceæ. B. P.			
repens. W.	creeping.	_____	C. B. S.	1774. 5.8. G. ½.	Bot. rep. 257. 2220.
ATRAPAXIS. W.	ATRAPAXIS.	Polygoneæ. J.			
1 spinosa. W.	prickly.	_____	Levant.	1732. 8. G. ½.	L'Her. stirp. 1. t. 14.
2 undulata. W.	waved-leaved.	_____	C. B. S.	— 6.7. G. h.	Dill. elt. t. 32. f. 36.

TRIGYNIA.

RUMEX. W.	Dock.	Polygoneæ. J.			
1 Patientia. W.	Patience.	_____	Italy.	1573. 6.7. H. ½.	
2 sanguineus. W.	bloody-veined.	_____	England.	 — H. ½.	Eng. bot. 1533.
3 crispus. W.	curled.	_____	Britain.	 — H. ½.	— 1998.
4 Britannicus. W.	Virginian.	_____	N. America.	 — H. ½.	
5 persicarioides. W.	Persicaria-like.	_____	_____	1773. — H. ⊙.	
6 ægyptiacus. W.	Egyptian.	_____	Egypt.	1734. — H. ⊙.	Till. pis. t. 37. f. 1.
7 dentatus. W.	dentated.	_____	_____	1732. 7.8. H. ⊙.	Dill. elt. t. 158. f. 191.
8 maritimus. W.	golden.	_____	Britain.	— H. ½.	Eng. bot. 725.
9 palustris. H. K.	yellow marsh.	_____	England.	 — H. ½.	— 1932.
10 aquaticus. H. K.	great water.	_____	Britain.	 — H. ½.	— 2104.
11 divaricatus. W.	spreading.	_____	Italy.	1793. — H. ⊙.	Till. pis. t. 37. f. 2.
12 acutus. W.	sharp.	_____	Britain.	 6.7. H. ½.	Eng. bot. 724.
13 obtusifolius. W.	broad-leaved.	_____		6.8. H. ½.	— 1999.
14 pulcher. W.	Fiddle.	_____		— H. ½.	— 1576.
15 bucephalophorus } W. }	Basil-leaved.	_____	Italy.	1683. 6. H. ⊙.	Cav. ic. 1. t. 41. f. 1.
16 Lunaria. W.	tree.	_____	Canaries.	1698. 6.7. G. h.	Pluk. alm. t. 252. f. 3.
17 vesicarius. W.	bladder.	_____	Africa.	1656. 7.8. H. ⊙.	Moris. s. 5. t. 28. f. 7.
18 roseus. W.	rose.	_____	Egypt.	1737. — H. ⊙.	

19 tingitanus. W.	Tangier.	Polygonæ. J.	Barbary.	1680.	6.8.	H. 2.	Zanon. hist. 9. t. 6.
20 scutatus. W.	French Sorrel.	_____	France.	1596.	6.7.	H. 2.	_____
21 dignus. W.	mountain.	_____	Britain.		6.7.	H. 2.	Eng. bot. 910.
22 alpinus. W.	Alpine.	_____	France.	1597.	—	H. 2.	Zorn. ic. 261.
23 confertus. W. en.	heart-leaved.	_____		1796.	7.	H. 2.	_____
24 spinosus. W.	prickly-seeded.	_____	Candia.	1656.	6.7.	H. 2.	_____
25 giganteus. H. K.	tall.	_____	Sandwich Isl.	1796.	6.8.	G. 2.	_____
26 tuberosus. W.	tuberous-rooted.	_____	Italy.	1752.	—	H. 2.	_____
27 Acetosa. W.	common Sorrel.	_____	Britain.		6.7.	H. 2.	Eng. bot. 127.
28 Acetosella. W.	Sheep's Sorrel.	_____	_____		5.7.	H. 2.	1674.
29 arifolius. W.	halberd-leaved.	_____	Africa.	1775.	12.4.	G. 2.	Jac. vind. 3. t. 93.
FLAGELLARIA. W.	FLAGELLARIA.	Juncæ? B. P.	_____	_____	_____	_____	_____
indica. W.	Indian.	_____	India.	1782.	6.7.	S. 2.	Red. lil. 257.
SCHEUCHZERIA. W.	SCHEUCHZERIA.	Alismacæ. B. P.	_____	_____	_____	_____	_____
palustris. W.	marsh.	_____	England.		5.6.	H. 2.	Eng. bot. 1801.
TRIGLOCHIN. W.	ARROW-GRASS.	Alismacæ. B. P.	_____	_____	_____	_____	_____
1 palustre. W.	marsh.	_____	Britain.		7.8.	H. 2.	Eng. bot. 366.
2 bulbosum. B. M.	bulbous-rooted.	_____	C. B. S.	1806.	10.	G. 2.	Bot. mag. 1445.
3 maritimum. W.	sea.	_____	Britain.		5.8.	H. 2.	Eng. bot. 255.
TOFIELDIA. H. K.	TOFIELDIA.	Melanthacæ. J.	Narthecium. J.	_____	_____	_____	_____
1 palustris. H. K.	Scotch.	_____	Britain.		7.8.	H. 2.	Eng. bot. 536.
2 pubens. H. K.	downy.	_____	N. America.	1790.	4.5.	H. 2.	Pluk. man. t. 342. f. 3.
MYRSIPHYLLUM. } { MYRSIPHYLLUM. }	_____	Smilacæ? B. P.	Medeola sp. H. K.	_____	_____	_____	_____
W. en.	_____	_____	_____	_____	_____	_____	_____
1 asparagoides. W. en.	broad-leaved.	_____	C. B. S.	1702.	10.3.	G. 2.	Herm. lugd. t. 681.
2 angustifolium. W.	narrow-leaved.	_____	_____	1752.	12.3.	G. 2.	Till. pis. 17. t. 12. f. 2.
MELANTHIUM. B. M.	MELANTHIUM.	Melanthacæ. B. P.	_____	_____	_____	_____	_____
1 monopetalum. B. M.	bell-flowered.	_____	C. B. S.	1788.	5.6.	G. 2.	Bot. mag. 1291.
_____	Wurmbea campanulata. H. K.	_____	_____	_____	_____	_____	_____
2 spicatum. B. M.	spiked.	_____	_____	1788.	—	G. 2.	Bot. mag. 694.
3 pumilum. B. M.	dwarf.	_____	_____	1800.	—	G. 2.	_____
4 longiflorum. B. M.	long-flowered.	_____	_____	—	—	G. 2.	_____
5 junceum. H. K.	Rush-leaved.	_____	_____	1788.	6.11.	G. 2.	Bot. mag. 558.
6 secundum. W.	side-flowering.	_____	_____	1812.	—	G. 2.	Lam. ill. t. 269. f. 2.
7 capense. W.	spotted-flowered.	_____	_____	1768.	5.6.	G. 2.	_____
8 uniflorum. H. K.	yellow.	_____	_____	1787.	6.7.	G. 2.	Bot. mag. 767.
9 eucomoides. W.	dwarf.	_____	_____	1794.	3.5.	G. 2.	641.
10 viride. B. M.	branching.	_____	_____	1788.	10.11.	G. 2.	994.
_____	Ornithoglossum viride. H. K.	_____	_____	_____	_____	_____	_____
MEDEOLA. W. en.	MEDEOLA.	Smilacæ. B. P.	_____	_____	_____	_____	_____
virginica. W.	{ Indian Cucumber. }	_____	Virginia.	1759.	6.	H. 2.	Bot. mag. 1316.
TRILLIUM. W.	TRILLIUM.	Smilacæ. B. P.	_____	_____	_____	_____	_____
1 sessile. W.	sessile-leaved.	_____	N. America.	1759.	4.5.	H. 2.	Bot. mag. 40.
2 petiolatum. Ph.	Plantain-leaved.	_____	_____	1811.	—	H. 2.	_____
3 erythrocarpum. Mi.	painted-flowered.	_____	_____	—	5.6.	H. 2.	_____
_____	* pictum. Ph. undulatum. W. Hort. Ber.	_____	_____	_____	_____	_____	_____
4 ovatum. Ph.	purple-flowered.	_____	_____	1812.	—	H. 2.	_____
5 pumilum. Ph.	dwarf.	_____	Carolina.	—	—	G. 2.	_____
6 cernuum. W.	drooping-flower ^d	_____	N. America.	1758.	4.5.	H. 2.	Bot. mag. 954.
7 erectum. W.	stinking.	_____	_____	1759.	—	H. 2.	470.
8 pendulum. Ph.	pendulous.	_____	_____	1805.	—	H. 2.	W. hort. ber. 1. t. 35.
9 grandiflorum. Ph.	large-flowered.	_____	_____	1799.	4.6.	H. 2.	Par. lond. 1.
COLCHICUM. W.	{ MEADOW SAFFRON. }	Melanthacæ. B. P.	_____	_____	_____	_____	_____
1 autumnale. W.	common.	_____	Britain.		9.10.	H. 2.	Eng. bot. 133.
2 arenarium. W. en.	sand.	_____	Hungary.	1816.	—	H. 2.	Pl. rar. hung. 2. t. 179
3 byzantinum. B. M.	broad-leaved.	_____	Levant.	1629.	9.10.	H. 2.	Bot. mag. 1122.
4 variegatum. W.	chequer-flower ^d .	_____	Greece.	—	8.10.	H. 2.	1028.
HELONIAS. B. M.	HELONIAS.	Melanthacæ. B. P.	_____	_____	_____	_____	_____
1 lutea. B. M.	spiked-flowering.	_____	N. America.	1759.	7.8.	H. 2.	Bot. mag. 1062.
2 bullata. W.	spear-leaved.	_____	_____	1758.	4.5.	H. 2.	747.
3 lata. B. M.	channel-leaved.	_____	_____	1770.	6.	H. 2.	803.
4 glaberrima. B. M.	smooth.	_____	_____	1811.	5.6.	H. 2.	1680.
5 bracteata. B. M.	large-bracted.	_____	_____	—	—	H. 2.	1703.
6 tenax. Ph.	tough-leav ^d .	_____	_____		—	H. 2.	Ph. amer. 1. t. 9.
7 asphodeloides. W.	Grass-leaved.	_____	_____	1765.	5.6.	H. 2.	Bot. mag. 748.
8 graminea. B. M.	panicled.	_____	_____	1812.	—	H. 2.	1599.
NOLINA. Mi.	NOLINA.	Melanthacæ. B. P.	_____	_____	_____	_____	_____
georgiana. Mi.	Georgian.	_____	Georgia.	1812.	7.8.	H. 2.	Pluk. man. t. 342. f. 1.

HEPTANDRIA MONOGYNIA.

9

APONOGETON. W.	APONOGETON.	Naiades. J.				
1 monostachyon. W.	simple-spiked.	_____	E. Ind.	1803. 8.10.	S. 2.	Bot. rep. 406.
2 distachyon. W.	broad-leaved.	_____	C. B. S.	1788. 5.7.	G. 2.	Bot. mag. 1293.
3 angustifolium. W.	narrow-leaved.	_____	_____	_____	4.9. G. 2.	_____ 1268.
SABAL. P. S.	SABAL.	Palmae. B. P.				
Adansoni. B. M.	Adanson's.	_____	Florida.	1810. 6.8.	S. 2.	Bot. mag. 1434.

POLYGYNIA.

WENDLANDIA. W.	WENDLANDIA.	Menispermæ. J.				
populifolia. W.	Poplar-leaved.	_____	N. America.	1759. 6.7.	H. 2.	Wen. hor. her. 3. t. 16.
DAMASONIUM. W.	DAMASONIUM.	Hydrocharidæ. B. P.	Ottelia. P. S.			
indicum. W.	Indian.	_____	E. Ind.	1800. 7.9.	S. 2.	Bot. mag. 1201.
ACTINOCARPUS. } B. P.	ACTINOCARPUS.	Alismaceæ. B. P.	Damasonium. J.	Alismæ sp. L.		
1 minor. B. P.	small.	_____	N. S. W.	 5.8.	G. 2.	
2 Damasonium.	common.	_____	England.	 6.8.	H. 2.	Eng. bot. 1615.
ALISMA. W.	{ WATER PLANTAIN. }	Alismaceæ. B. P.				
1 Plantago. W.	greater.	_____	Britain.	 6.7.	H. 2.	Eng. bot. 837.
2 lanceolata. With.	spear-leaved.	_____	_____		H. 2.	
3 trivialis. Ph.	blunt-leaved.	_____	N. America.	1816.	H. 2.	
4 natans. W.	floating.	_____	Wales.	 7.8.	H. 2.	Eng. bot. 775.
5 ranunculoides. W.	lesser.	_____	Britain.	 8.	H. 2.	_____ 326.

CLASS VII.

HEPTANDRIA MONOGYNIA.

TRIENTALIS. W.	WINTER-GREEN.	Primulaceæ. B. P.				
1 europæa. W.	oval-leaved.	_____	Britain.	 5.6.	H. 2.	Eng. bot. 15.
2 americana. Ph.	spear-leaved.	_____	N. America.	1816. 7.8.	H. 2.	
DISANDRA. W.	DISANDRA.	Pedicularæ. J.				
prostrata. W.	trailing.	_____	Madeira.	1771. 5.8.	G. 2.	Bot. mag. 218.
PISONIA. W.	PISONIA.	Nyctagines. B. P.				
1 aculeata. W.	prickly.	_____	Jamaica.	1739. 3.4.	S. 2.	Lam. ill. t. 861.
2 nigricans. W.	black.	_____	W. Ind.	1806.	S. 2.	
3 grandis. B. P.	superb.	_____	N. Holland.	1805.	G. 2.	
PETIVERIA. W.	PETIVERIA.	Chenopodeæ. B. P.				
1 alliacea. W.	Garlic-scented.	_____	Jamaica.	1759. 6.7.	S. 2.	Trew. ehret. 33. t. 67
2 octandra. W.	dwarf.	_____	W. Ind.	1737. _____	S. 2.	Plum. ic. 213. t. 219.
ÆSCULUS. W.	HORSECHESNUT	Acerae. J.				
1 Hippocastanum. W.	common.	_____	Asia.	1629. 4.5.	H. 2.	Schmidt arb. 1. t. 38.
2 Pavia. W.	red-flowered.	_____	N. America.	1711. 5.6.	H. 2.	_____ 1. t. 39.
3 discolor. Ph.	dwarf.	_____	Georgia.	1812. 5.	H. 2.	
4 flava. W.	yellow-flowered.	_____	N. America.	1764. 5.6.	H. 2.	Sch. arb. 1. t. 40.
5 glabra. W. en.	smooth-leaved.	_____	_____	1812. _____	H. 2.	
6 pallida. W. en.	pale-flowered.	_____	_____	_____ 6.	H. 2.	
7 parviflora. H. K.	small-flowered.	_____	_____	1786. 7.8.	H. 2.	
JONESIA. W.	JONESIA.					
pinnata. W.	winged-leaved.	_____	E. Ind.	1796.	S. 2.	Rheed. mal. 5. t. 59.
DRACONTIUM. W.	DRAGON.	Aroideæ. B. P.				
1 polyphyllum. W.	purple-stalked.	_____	India.	1759. 3.6.	S. 2.	Herm. parad. 93. 8700
2 spinosum. W.	prickly.	_____	Ceylon.	_____ 4.5.	S. 2.	
3 pertusum. W.	perforated.	_____	W. Ind.	1752. 4.6.	S. 2.	Jac. sch. 2. t. 184. 5.
CALLA. W.	CALLA.	Aroideæ. B. P.				
1 æthiopia. W.	Ethiopian.	_____	C. B. S.	1731. 1.5.	G. 2.	Bot. mag. 832.
2 palustris. W.	marsh.	_____	N. Europe.	1763. 7.8.	H. 2.	_____ 1821.

DIGYNIA.

LIMEUM. W.	LIMEUM.	Portulacææ. J.				
africanum. W.	African.	_____	C. B. S.	1774. 6.7.	G. 2.	

TETRAGYNIA.

SAURURUS. W.	LIZARD'S TAIL.	Naiades. J.				
cernuus. W.	drooping.	_____	Virginia.	1759. 9.	H. 2.	Lam. ill. t. 1.

HEPTAGYNIA.

Sempervivæ. J.

SEPTAS. W.

SEPTAS.

1 capensis. W.	Cape.	C. B. S.	1774.	8.9.	G. 2.	Bot. rep. 90.
2 globifera. B. M.	globe-flowered.	_____	1809.	3.4.	G. 2.	Bot. mag. 1472.
3 umbella. H. S.	skreen.	_____	1800.	7.	G. 2.	Jac. vind. 2. t. 352.

CLASS VIII.

OCTANDRIA MONOGYNIA.

TROPÆOLUM. W.

INDIAN CRESS. Geraniæ? J.

1 minus. W.	small.	Peru.	1596.	6.10.	H. 2.	Bot. mag. 98.
β flore pleno.	double-flowered.	_____	_____	_____	G. h.	_____
2 majus. W.	great.	_____	1686.	_____	H. 2.	Bot. mag. 23.
β flore pleno.	double-flowered.	_____	_____	_____	G. h.	_____
3 peregrinum. W.	fringe-flowered.	_____	1775.	_____	G. 2.	Bot. mag. 1351.
4 pinnatum. B. R.	pinnate-flowered	_____	_____	_____	G. 2.	Bot. rep. 535.
5 hybridum. W.	hybrid.	_____	_____	6.8.	G. 2.	Berg.act.hol.32.t.1.

OSBECKIA. W.

OSBECKIA.

Melastomæ. J.

zeylanica. W.	Ceylon.	Ceylon.	1799.	7.8.	S. 2.	Pluk.alm.t.173.f.4.
RHEXIA. W.	RHEXIA.	Melastomæ. J.	_____	_____	_____	_____
1 mariana. W.	Maryland.	N. America.	1759.	6.8.	H. 2.	Lam. ill. t. 283.f.1.
2 ciliosa. Ph.	ciliated.	Carolina.	1812.	_____	F. 2.	Ph. amer. 1. t. 10.
3 virginica. W.	Virginian.	N. America.	1759.	_____	H. 2.	Bot. mag. 968.
4 aquatica. W.	marsh.	S. America.	1793.	_____	S. h.	Aub.guian.1.t.169.

CENOTHERA. W.

CENOTHERA.

Onagrarie. J.

1 biennis. W.	common.	N. America.	1629.	6.9.	H. 2.	Flor. dan. 446.
2 grandiflora. W.	great-flowered.	_____	1778.	6.8.	H. 2.	_____
3 parviflora. W.	small-flowered.	_____	1757.	_____	H. 2.	Meerb. ic. 1. t. 34.
4 muricata. W.	prickly-stalked.	_____	1789.	7.8.	H. 2.	Mur.com.got.6.t.1.
5 longiflora. W.	long-flowered.	Buen. Ayres.	1776.	7.9.	H. 2.	Bot. mag. 365.
6 mollissima. W.	soft wave-leaved.	_____	1732.	6.10.	H. 2.	Sch.handb.1.t.105.
7 odorata. P. S.	sweet-scented.	S. America.	1790.	4.8.	H. 2.	Bot. reg. 147.
8 nocturna. W.	night-smelling.	C. B. S.	_____	_____	G. 2.	Jac. ic. 3. t. 455.
9 villosa. W.	villous.	_____	1791.	7.8.	G. 2.	_____
10 sinuata. W.	scollop-leaved.	N. America.	1770.	7.	H. 2.	Mur.com.got.5.t.9.
11 tetraptera. W.	white-flowered.	Mexico.	1796.	6.8.	H. 2.	Bot. mag. 468.
12 cæspitosa. B. M.	turfy.	N. America.	1811.	6.7.	H. 2.	_____ 1593.
13 missouriensis. B. M.	Missouri.	_____	_____	_____	H. 2.	_____ 1592.
14 glauca. Ph.	glaucous.	_____	1812.	5.10.	H. 2.	_____ 1606.
15 Fraseri. Ph.	Fraser's.	_____	1811.	_____	H. 2.	_____ 1674.
16 tetragona. Roth.	obtuse-leaved.	_____	_____	6.8.	H. 2.	_____
17 fruticosa. W.	shrubby.	_____	1737.	_____	H. 2.	Bot. mag. 332.
18 pumila. W.	dwarf.	_____	1757.	5.9.	H. 2.	_____ 355.
19 rosea. W.	rosy-flowered.	Peru.	1783.	5.8.	F. 2.	_____ 347.
20 purpurea. W.	purple-flowered.	N. America.	1794.	_____	H. 2.	_____ 352.
21 albicaulis. Ph.	white-stalked.	_____	1811.	_____	H. 2.	_____

GAURA. W.

GAURA.

Onagrarie. J.

1 biennis. W.	biennial.	N. America.	1762.	8.10.	H. 2.	Bot. mag. 389.
2 coccinea. Ph.	scarlet.	Louisiana.	1811.	_____	H. 2.	_____
3 fruticosa. W.	shrubby.	S. America.	1816.	_____	S. h.	Jac. ic. 3. t. 457.
4 mutabilis. W.	changeable.	_____	1795.	7.8.	F. 2.	Bot. mag. 388.
5 tripetala. Cav.	three-petalled.	Mexico.	1804.	8.	H. 2.	Cav. ic. 4. t. 396.f.1.

EPILOBIUM. W.

WILLOW HERB.

Onagrarie. J.

1 angustifolium. W.	Rose-bay.	Britain.	_____	7.8.	H. 2.	Eng. bot. 1947.
2 angustissimum. W.	linear-leaved.	Alps of Eur.	1775.	_____	H. 2.	Bot. mag. 76.
3 latifolium. W.	Orache-leaved.	N. Europe.	1779.	_____	H. 2.	Par. lond. 58.
4 hirsutum. W.	Codlins & Cream.	Britain.	_____	_____	H. 2.	Eng. bot. 838.
5 parviflorum. E. B.	small-flowered.	_____	_____	_____	H. 2.	_____ 795.
6 villosum. W.	Cape.	C. B. S.	1799.	_____	G. 2.	_____
7 montanum. W.	broad smooth-l ^d .	Britain.	_____	6.7.	H. 2.	Eng. bot. 1177.
8 roseum. H. K.	pale smooth-le ^d .	England.	_____	7.	H. 2.	_____ 693.
9 alsinifolium. H. K.	Chickweed-leav ^d .	Britain.	_____	_____	H. 2.	_____ 2000.
10 tetragonum. W.	square-stalked.	_____	_____	_____	H. 2.	_____ 1943.
11 coloratum. Ph.	Pink-flowered.	N. America.	1805.	_____	H. 2.	_____

12 palustre. W.	round-stalked.	Onagrarice. J.	Britain.		7.	H. 2.	Eng. bot. 346.
13 alpinum. W.	Alpine.				6.	H. 2.	2001.
GRISLEA. W.	GRISLEA.	Salicariæ. J.	Woodfordia. Par. Lond.				
tomentosa. W.	downy.		E. Ind.	1804.	5.6.	S. h.	Bot. reg. 30.
ROXBURGHIA. W.	ROXBURGHIA.						
gloriosa. P. S.	Gloriosa-leaved.		E. Ind.	1803.	4.	S. 2.	Bot. mag. 1500.
BORONIA. Sm.	BORONIA.						
1 pinnata. Sm.	Hawthorn-scent ^d .		N. S. W.	1794.	2.5.	G. h.	Bot. mag. 1763.
2 serrulata. Sm.	Rose-scented.			1816.		G. h.	Smith's tracts, t. 5. 042
TETRATHECA. W.	TETRATHECA.						
junceæ. W.	rushy.		N. S. W.	1803.	7.8.	G. h.	Sm. nov. holl. 1. t. 2.
CORRÆA. W.	CORRÆA.	Diosmaceæ.					
1 alba. H. K.	white-flowered.		N. S. W.	1793.	4.7.	G. h.	Bot. rep. 18.
2 speciosa. B. R.	red-flowered.			1806.	—	G. h.	Bot. reg. 26.
3 virens. H. K.	green-flowered.			1800.	11.5.	G. h.	— 3. 1001.
MINUSOPS. W.	MINUSOPS.	Sapotæ. B. P.					
1 Eleni. W.	pointed-leaved.		E. Ind.	1796.		S. h.	Roxb. cor. 1. t. 14.
2 Kauki. W.	obtuse-leaved.			—		S. h.	Rumph. amb. 3. t. 8.
3 dissecta. B. P.	oval-leaved.		India.	1804.		S. h.	
ORNITROPHE. W.	ORNITROPHE.	Sapindi. J.					
1 serrata. W.	saw-leaved.		E. Ind.	1804.		S. h.	Roxb. cor. 1. t. 61.
2 Cominia. W.	yellow-berried.		Jamaica.	1759.		S. h.	Slo. jam. 2. t. 208. f. 1.
DIMOCARPUS. W.	DIMOCARPUS.	Sapindi. J.	Euphoria. J.				
1 Litchi. W.	Lee-Chee.		China.	1786.	5.6.	S. h.	Lam. ill. t. 306.
2 Longan. H. K.	many-petalled.			—	—	S. h.	Buchoz. ic. t. 99.
MELICOCCA. W.	HONEY-BERRY.	Sapindi. J.					
bijuga. W.	winged-leaved.		Jamaica.	1778.		S. h.	Jac. amer. 108. t. 72.
BLIGHIA. H. K.	AKEE-TREE.	Sapindi. J.	Akeesia. Tus.				
sapida. H. K.	Ash-leaved.		Africa.	1793.		S. h.	Ann. bot. 2. t. 16, 17.
EPHIELIS. W.	EPHIELIS.	Sapindi? J.	Mutaiba. Aub.				
fraxinea. W.	Ash-leaved.		Guiana.	1803.		S. h.	Aub. guian. 1. t. 128.
KOELREUTERIA. W.	KOELREUTERIA.	Sapindi. J.					
paniculata. W.	panicled.		China.	1763.	7.8.	H. h.	Laxm. com. pet. t. 18.
GUAREA. W.	GUAREA.	Meliæ. J.					
trichilioides. W.	Ash-leaved.		S. America.	1752.	5.6.	S. h.	Cav. diss. 7. t. 210.
AMYRIS. W.	AMYRIS.	Terebintaceæ. J.					
1 polygama. W.	simple-leaved.		Chili.	1790.	6.7.	S. h.	Cav. ic. 3. t. 239.
2 sylvatica. W.	wood.		Carthagera.	1793.	—	S. h.	{ Jac. amer. ed. pict. t. 188.
XIMENIA. W.	XIMENIA.	Aurantia. J.					
americana. W.	American.		W. Ind.	1759.		S. h.	Jac. amer. pict. t. 107
FUCHSIA. W.	FUCHSIA.	Santalaceæ. B. P.					
1 coccinea. W.	scarlet.		Chili.	1788.	5.8.	G. h.	Bot. mag. 97.
2 lycioides. W.	Boxthorn-leaved.			1796.	4.10.	G. h.	1024.
JAMBOLIFERA. W.	JAMBOLIFERA.						
pedunculata. W.	peduncled.		E. Ind.	1800.		S. h.	Vahl symb. 3. t. 61.
BÆCKIA. L. T.	BÆCKIA.	Myrti. J.					
1 frutescens. Sm.	Chinese.		China.	1806.	9.12.	G. h.	Osb. iter. t. 1.
2 virgata. Sm.	twiggy.		N. S. W.	—	8.10.	G. h.	Bot. rep. 598.
3 densifolia. Sm.	close-leaved.				—	G. h.	
CHLORA. W.	YELLOW-WORT.	Gentianeæ. J.					
perfoliata. W.	perfoliate.		Britain.		6.7.	H. 0.	Eng. bot. 60.
MEMECYLON. W.	MEMECYLON.	Santalaceæ. B. P.					
capitellatum. W.	Ceylon.		E. Ind.	1796.	7.	S. h.	Burm. zeyl. 76. t. 30.
MICHAUXIA. W.	MICHAUXIA.	Campanulaceæ. J.	Mindium. J.				
campanuloides. W.	rough-leaved.		Levant.	1787.	6.8.	G. 3.	Bot. mag. 219.
JEFFERSONIA. Ph.	JEFFERSONIA.	Papaveraceæ. J.					
diphylla. Ph.	two-leaved.		N. America.	1792.	5.	H. 2.	Bot. mag. 1513.
DODONÆA. W.	DODONÆA.	Terebintaceæ? J.					
1 viscosa. W.	clammy.		S. America.	1690.	6.7.	S. h.	Cav. ic. pl. 4. t. 327.
2 triquetra. W.	three-sided.		N. S. W.	1790.	6.8.	G. h.	Bot. rep. 230.
3 angustifolia. W.	narrow-leaved.		C. B. S.	1758.	5.8.	G. h.	
LAWSONIA. W.	LAWSONIA.	Salicariæ. J.					
1 inermis. W.	smooth.		Egypt.	1759.		S. h.	Rauw. ic. 60. t. 7.
2 spinosa. W.	prickly.		E. Ind.	—		S. h.	Rheed. mal. 1. t. 40.
OXYCOCCUS. P. S.	CRANBERRY.	Ericæ. J.	Vaccinii species W.				
1 palustris. P. S.	common.		Britain.		5.6.	S. h.	Eng. bot. 319.
2 macrocarpus. Ph.	large-fruited.		N. America.	1760.	—	H. h.	Hort. Kew. 2. t. 7.
3 erythrocarpus. P. S.	upright.			1806.	—	H. h.	

CALLUNA. W. en. vulgaris. W. en. <i>β alba</i> . <i>γ flore pleno</i> .	CALLUNA. common. white-flowered. double-flowered.	Ericææ. J. <i>Erica</i> sp. H. K. Britain.		6.8.	H. h.	Eng. bot. 1013.
ERICA. W.	HEATH.	Ericææ. J.				
1 Plukenetiana. H. K.	Plukenet's.	C. B. S.	1774.	4.7.	G. h.	Andr. heaths, vol. 1.
2 penicillata. A. H.	pencilled.	—	—	—	G. h.	— vol. 2.
3 Banksii. H. K.	Banks's.	—	1787.	2.7.	G. h.	— vol. 1.
4 monadelphæ. B. M.	monadelphous.	—	1789.	5.6.	G. h.	Bot. mag. 1370.
5 Petiveriana. H. K.	Petiver's.	—	1774.	3.7.	G. h.	Lam. ill. t. 288. f. 3.
6 follicularis. H. K.	yellow-pencilled.	—	1794.	2.7.	G. h.	And. heaths, vol. 1.
7 melastoma. A. H.	black-anthered.	—	1795.	4.7.	G. h.	— vol. 1.
8 Sebana. H. K.	Seba's.	—	1774.	3.6.	G. h.	— vol. 1.
9 socciflora. H. K.	green-pencilled.	—	1799.	4.5.	G. h.	— vol. 1.
10 furfuræ. H. K.	columnar-thread ^d .	—	1789.	8.12.	G. h.	— vol. 1.
11 penicilliflora. H. K.	white-pencilled.	—	1792.	5.8.	G. h.	{ Wendl. eric. 4. p. 5. c. ic.
12 leucanthera. H. K.	white-tipped.	—	1803.	1.5.	G. h.	—
13 melanthera. W.	dark-anthered.	—	—	6.	G. h.	—
14 cristæflora. L. T.	crested.	—	—	2.5.	G. h.	—
15 flexuosa. H. K.	zigzag.	—	1792.	4.7.	G. h.	And. heaths, vol. 1.
16 villosa. H. K.	villous.	—	1800.	2.6.	G. h.	— vol. 3.
17 spumosa. H. K.	spumous.	—	1786.	5.8.	G. h.	—
18 sexfaria. H. K.	six-angled.	—	1774.	—	G. h.	And. heaths, vol. 2.
19 imbricata. H. K.	imbricated.	—	1786.	—	G. h.	—
20 tiaræflora. H. K.	turban-flowered.	—	1800.	—	G. h.	And. heaths, vol. 3.
21 velleriflora. H. K.	woolly-flowered.	—	1774.	2.6.	G. h.	— vol. 1.
22 Bruniades. H. K.	Brunia-like.	—	1790.	4.6.	G. h.	{ Wend. eric. 16. p. 53. c. ic.
23 umbellata. H. K.	umbelld.	Portugal.	1782.	5.7.	G. h.	And. heaths, vol. 2.
24 staminea. H. K.	reflex'd-stamen'd.	C. B. S.	1799.	6.9.	G. h.	— vol. 3.
25 latifolia. H. K.	broad-leaved.	—	1800.	5.8.	G. h.	— vol. 2.
26 nudiflora. H. K.	small-bracted.	—	1783.	7.8.	G. h.	Smith ined. 3. t. 57.
27 carnea. H. K.	early-fl ^o . dwarf.	Germany.	1763.	1.4.	H. h.	Bot. mag. 11.
28 mediterranea. W.	Mediterranean.	Portugal.	1648.	3.5.	H. h.	— 471.
29 vagans. W. <i>β alba</i> .	Cornish. white-flowering.	Cornwall.		7.8.	H. h.	Eng. bot. 3.
30 multiflora. W.	many-flowered.	France.	1781.	6.11.	G. h.	And. heaths, vol. 2.
31 grandiflora. H. K.	great-flowered.	C. B. S.	1775.	5.9.	G. h.	Bot. mag. 189.
32 Ewerana. H. K.	Ewer's.	—	1793.	7.11.	G. h.	And. heaths, vol. 2.
33 cruenta. H. K.	bloody-flowered.	—	1774.	9.5.	G. h.	— vol. 1.
34 speciosa. H. K.	specious.	—	1800.	6.9.	G. h.	— vol. 2.
35 discolor. H. K.	different-colour ^d .	—	1788.	11.3.	G. h.	— vol. 1.
36 mutabilis. H. K.	mutable.	—	1798.	2.10.	G. h.	— vol. 3.
37 mammosa. A. H.	nipple.	—	1762.	7.10.	G. h.	— vol. 1.
38 verticillata. A. H.	verticillate.	—	1774.	—	G. h.	— vol. 1.
39 densifolia. W.	dense-leaved.	—	1811.	3.8.	G. h.	—
40 gelida. H. K.	green-verticillate.	—	1790.	4.7.	G. h.	And. heaths, vol. 2.
41 clavæflora. H. K.	club-flowered.	—	1799.	8.10.	G. h.	— vol. 2.
42 spicata. H. K.	spiked.	—	1789.	1.12.	G. h.	— vol. 1.
43 Patersoni. H. K.	Paterson's.	—	1791.	3.8.	G. h.	— vol. 1.
44 fascicularis. H. K.	cluster-flowered.	—	1787.	2.6.	G. h.	— vol. 1.
45 perspicua. H. K.	clear-flowered.	—	1790.	3.6.	G. h.	Wen. eric. 1. p. 7. c. ic.
46 versicolor. H. K.	various-colour'd.	—	—	11.5.	G. h.	And. heaths, vol. 1.
47 costata. H. K.	ribbed-flowered.	—	1795.	2.6.	G. h.	— vol. 1.
48 Aitoniana. H. K.	Aiton's.	—	1790.	6.9.	G. h.	Bot. mag. 429.
49 Niveni. H. K.	Niven's.	—	1799.	2.7.	G. h.	And. heaths, vol. 2.
50 tubiflora. H. K.	tube-flowered.	—	1775.	4.7.	G. h.	— vol. 1.
51 lanata. W.	woolly.	—	—	2.5.	G. h.	Wen. eric. 5. p. 5. c. ic.
52 cylindrica. A. H.	cylindric.	—	1798.	5.6.	G. h.	And. heaths, c. ic.
53 ignescens. H. K.	fiery.	—	1792.	3.6.	G. h.	— vol. 2.
54 splendens. P. S.	splendid.	—	—	4.9.	G. h.	Wen. eric. 8. p. 5. c. ic.
55 simpliciflora. H. K.	single-flowered.	—	1774.	3.7.	G. h.	— 17. p. 69.
56 spuria. H. K.	spurious.	—	1796.	4.8.	G. h.	And. heaths, vol. 1.
57 procera. W.	lofty.	—	1791.	4.6.	G. h.	—
58 conspicua. H. K.	conspicuous.	—	1774.	5.8.	G. h.	And. heaths, vol. 2.
59 sordida. H. K.	sordid.	—	1790.	8.3.	G. h.	— vol. 1.
60 flammea. H. K.	flame-flowered.	—	1798.	10.5.	G. h.	— vol. 2.
61 concinna. H. K.	blush.	—	1773.	9.10.	G. h.	— vol. 2.
62 curviflora. H. K.	curve-flowered.	—	1774.	7.10.	G. h.	— vol. 1.

63 serratifolia. H. K.	saw-leaved.	Ericææ. J.	C. B. S.	1790. 8.12.	G. h.	And. heaths, vol. 1.
64 transparens. W.	transparent.	_____	_____	1800. 5.	G. h.	_____
65 pellucida. H. K.	pellucid.	_____	_____	1800. 11.6.	G. h.	And. heaths, vol. 3.
66 glandulosa. W.	glandular-haired.	_____	_____	1801. 5.6.	G. h.	_____
67 Sparrmanni. H.K.	Sparmann's.	_____	_____	1794. 9.3.	G. h.	And. heaths, vol. 3.
68 Linnaæana. H. K.	Linnaeus's.	_____	_____	1790. 1.5.	G. h.	_____ vol. 2.
69 erubescens. H. K.	reddish.	_____	_____	1800. 3.7.	G. h.	_____ vol. 3.
70 Lecæna. H. K.	Lee's.	_____	_____	1788. 8.1.	G. h.	_____ vol. 1.
71 onosmaeflora. H.K.	Onosma-flowered.	_____	_____	1789. 9.3.	G. h.	_____ vol. 1.
72 viridis. H. K.	green-flowered.	_____	_____	1800. 5.9.	G. h.	_____ vol. 2.
73 longifolia. H. K.	long-leaved.	_____	_____	1787. 2.7.	G. h.	Icon. hort. kew. 4.
74 pinea. H. K.	Pine-tree-leaved.	_____	_____	1790. 8.12.	G. h.	_____
75 aurea. H. K.	gold-coloured.	_____	_____	1799. 7.9.	G. h.	And. heaths, vol. 2.
76 purpurea. H. K.	purple-flowered.	_____	_____	1789. 1.12.	G. h.	_____ vol. 2.
77 coccinea. H. K.	scarlet-flowered.	_____	_____	1783. _____	G. h.	_____ vol. 1.
78 Archeriana. H. K.	Lady Archer's.	_____	_____	1796. 8.11.	G. h.	_____ vol. 2.
79 Hibbertiana. H.K.	Hibbert's.	_____	_____	1800. 6.9.	G. h.	_____ vol. 3.
80 Massoni. H. K.	Masson's.	_____	_____	1787. 7.10.	G. h.	Bot. mag. 386.
81 elata. H. K.	tall.	_____	_____	1790. 7.9.	G. h.	And. heaths, vol. 2.
82 exurgens. H. K.	quiver-formed.	_____	_____	1792. 1.12.	G. h.	_____ vol. 1.
83 vestita. H. K.	tremulous.	_____	_____	1789. _____	G. h.	_____
α alba.	white.	_____	_____	_____	G. h.	And. heaths, vol. 1.
β incarnata.	flesh-coloured.	_____	_____	_____	G. h.	_____ vol. 2.
γ purpurea.	purple.	_____	_____	_____	G. h.	_____ vol. 1.
δ rosca.	rose-coloured.	_____	_____	_____	G. h.	_____ vol. 2.
ϵ fulgida.	bright-red.	_____	_____	_____	G. h.	_____ vol. 2.
ζ coccinea.	scarlet.	_____	_____	_____	G. h.	_____ vol. 1.
η lutea.	yellow.	_____	_____	_____	G. h.	_____ vol. 3.
84 radiata. H. K.	radiated.	_____	_____	1798. 8.11.	G. h.	_____ vol. 1.
85 rosea. H. K.	rose-coloured.	_____	_____	_____ 6.10.	G. h.	_____ vol. 2.
86 inflata. H. K.	inflated.	_____	_____	1800. 5.9.	G. h.	{ Thunb. eric. 67. t. 2. f. 2.
87 ventricosa. H. K.	Porcelain.	_____	_____	1787. 4.9.	G. h.	Bot. mag. 350.
88 prægnans. A. H.	swelled.	_____	_____	1796. 5.7.	G. h.	And. heaths, c. ic.
89 blanda. H. K.	charming.	_____	_____	1800. 4.9.	G. h.	_____ vol. 3.
90 Monsoniæ. H. K.	Lady Monson's.	_____	_____	1787. _____	G. h.	Bot. mag. 1915.
91 Halicacaba. H. K.	bladder-flowered.	_____	_____	1780. 5.8.	G. h.	And. heaths, vol. 2.
92 lanuginosa. H. K.	large brown-fl ^d .	_____	_____	1803. 9.1.	G. h.	_____ vol. 3.
93 tetragona. H. K.	square-flowered.	_____	_____	1789. 7.9.	G. h.	_____ vol. 3.
94 jasminiflora. H.K.	Jasmine-flower'd.	_____	_____	1794. 6.11.	G. h.	_____ vol. 1.
95 ampullacea. H. K.	flask.	_____	_____	1790. 6.8.	G. h.	Bot. mag. 303.
96 retorta. H. K.	recurved-leaved.	_____	_____	1787. 5.8.	G. h.	_____ 362.
97 ferruginea. H. K.	rusty.	_____	_____	1798. 5.7.	G. h.	And. heaths, vol. 3.
98 princeps. H. K.	fine red.	_____	_____	1800. _____	G. h.	_____ vol. 2.
99 metuleflora. H.K.	nine-pin.	_____	_____	1798. 6.8.	G. h.	Bot. mag. 612.
100 cerinthoides. H.K.	Honeywort-flow ^d .	_____	_____	1774. 5.11.	G. h.	_____ 220.
101 tumida. B. Reg.	tumid.	_____	_____	1812. 5.9.	G. h.	Bot. reg. 65.
102 tenuiflora. A. H.	yellow slender-fl ^d .	_____	_____	1800. 4.6.	G. h.	And. heaths, vol. 3.
103 fistulæflora. L. T.	white slender-fl ^l .	_____	_____	_____ 9.	G. h.	_____ vol. 3.
104 Lawsoni. B. M.	red slender-fl ^d .	_____	_____	1802. 4.6.	G. h.	Bot. mag. 1720.
105 Hyacinthoides. } H. K. }	Hyacinth-flow'd.	_____	_____	1798. 6.8.	G. h.	And. heaths, vol. 3.
106 aristata. H. K.	awned.	_____	_____	1801. 3.8.	G. h.	_____ vol. 3.
107 tricolor.	three-coloured.	_____	_____	1803. 7.	G. h.	_____ vol. 3.
aristata minor. A. H.	_____	_____	_____	_____	_____	_____
108 obbata. H. K.	bottle.	_____	_____	1796. 4.7.	G. h.	And. heaths, vol. 2.
109 acuminata. H. K.	pointed-leaved.	_____	_____	1800. 7.10.	G. h.	_____ vol. 3.
110 Irbyana. A. H.	Irby's.	_____	_____	_____ 6.10.	G. h.	_____ vol. 3.
111 corifolia. H. K.	Coris-leaved.	_____	_____	1774. 8.12.	G. h.	Bot. mag. 423.
112 glauca. H. K.	glaucous.	_____	_____	1792. 5.7.	G. h.	_____ 580.
113 andromedæflora } H. K. }	{ Andromeda- } flowered. }	_____	_____	1803. 3.6.	G. h.	_____ 1250.
114 pyrolæflora. L. T.	Pyrola-flowered.	_____	_____	1790. 5.7.	G. h.	_____
115 elegans. H. K.	elegant.	_____	_____	1799. 11.3.	G. h.	Bot. mag. 966.
116 triflora. H. K.	three-flowered.	_____	_____	1774. 3.6.	G. h.	Wendl.eric. 12. p.13
117 laxa. H. K.	loose-flowered.	_____	_____	1800. 9.2.	G. h.	And. heaths, vol. 3.
118 lucida. H. K.	lucid.	_____	_____	_____ 4.6.	G. h.	_____ vol. 2.
119 squamosa. H. K.	scaly-cupped.	_____	_____	1794. _____	G. h.	_____
120 togata. B. M.	large-cupped.	_____	_____	1812. 6.7.	G. h.	Bot. mag. 1626.
121 lachnææfolia. H.K.	Lachnea-leaved.	_____	_____	1793. 5.7.	G. h.	And. heaths, vol. 3.

122 nigrita. H. K.	black-tipped.	Ericæ. J.	C. B. S.	1790. 3.6.	G. h.	And. heaths, vol. 1.
123 baccans. H. K.	Arbutus-flower ^d .	_____	_____	1774. 4.6.	G. h.	Bot. mag. 358.
124 oppositifolia. A. H.	opposite-leaved.	_____	_____	1804. 3.5.	G. h.	And. heaths.
125 tenuifolia. H. K.	slender-leaved.	_____	_____	1794. 4.5.	G. h.	Seb. mus. 1. t. 78. f. 6.
126 canaliculata. H. K.	channelled.	_____	_____	1799. 8.2.	G. h.	And. heaths, vol. 3.
127 patens. A. H.	spreading.	_____	_____	1800. 3.6.	G. h.	_____ vol. 3.
128 Thunbergii. H. K.	Thunberg's.	_____	_____	1794. 5.8.	G. h.	Bot. mag. 1214.
129 taxifolia. H. K.	Yew-leaved.	_____	_____	1788. 7.11.	G. h.	And. heaths, vol. 1.
130 petiolata. H. K.	Rosemary-leav ^d .	_____	_____	1774. 3.7.	G. h.	_____ vol. 3.
131 capitata. H. K.	downy-headed.	_____	_____	_____	G. h.	_____ vol. 1.
132 horizontalis. H. K.	horizontal-leav ^d .	_____	_____	1800. 7.9.	G. h.	_____ vol. 2.
133 globosa. H. K.	globular-flower ^d .	_____	_____	1789.	G. h.	_____
134 nitida. H. K.	nitid.	_____	_____	1800. 7.10.	G. h.	And. heaths, vol. 3.
135 ardens. H. K.	ardent.	_____	_____	_____ 4.6.	G. h.	Bot. reg. 115.
136 physodes. H. K.	sticky.	_____	_____	1788. 3.7.	G. h.	Bot. mag. 443.
137 obliqua. H. K.	oblique-leaved.	_____	_____	1789. 8.10.	G. h.	And. heaths, vol. 1.
138 resinosa. H. K.	varnished.	_____	_____	1803. 5.8.	G. h.	Bot. mag. 1139.
139 Lambertiana. H. K.	Lambert's.	_____	_____	1800.	G. h.	And. heaths, vol. 2.
140 odorata. H. K.	perfumed.	_____	_____	1804. 4.7.	G. h.	_____ vol. 3.
141 flava. H. K.	three-le ^d . yellow	_____	_____	1795. 9.4.	G. h.	_____ vol. 2. 1815
142 Blandfordiana. H. K.	} Lord Blandford's.	_____	_____	1803. 3.6.	G. h.	_____ vol. 3. 1813
143 decora. H. K.		graceful.	_____	1790. 11.1.	G. h.	_____ vol. 3.
144 cinerea. H. K.	} fine-leaved.	_____	Britain.	 6.9.	H. h.	Eng. bot. 1015.
β alba.		white-flowered.	_____	_____	_____	_____
145 stricta. H. K.	straight-branch ^d	_____	S. Europe.	1765. 8.11.	H. h.	And. heaths, vol. 2.
146 Tetralix. H. K.	cross-leaved.	_____	Britain.	 6.8.	H. h.	Eng. bot. 1014.
β alba.	white-flowered.	_____	_____	_____	_____	_____
147 lutea. H. K.	yellow.	_____	C. B. S.	1774. 2.5.	G. h.	And. heaths, vol. 1.
148 urceolaris. H. K.	pitcher-flowered.	_____	_____	1778. 5.7.	G. h.	Icon. hort. kew. 16.
149 glutinos. A. H. K.	glutinous.	_____	_____	1787. 7.10.	G. h.	_____ 17.
150 ciliaris. H. K.	ciliated.	_____	Portugal.	1759. 7.9.	H. h.	Bot. mag. 484.
151 albens. H. K.	pallid.	_____	C. B. S.	1789. 3.8.	G. h.	_____ 440.
152 flexicaulis. H. K.	crook-stalked.	_____	_____	1800. 5.1.	G. h.	And. heaths, vol. 2.
153 fastigiata. W.	Walker's.	_____	_____	1792. 2.7.	G. h.	_____ vol. 1. 2004
154 primuloides. A. H.	Cowslip-flower ^d .	_____	_____	1802. 4.7.	G. h.	Bot. mag. 1548.
155 daphnæflora. L. T.	Daphne-flower ^d .	_____	_____	1791. 4.5.	G. h.	_____
156 comosa. H. K.	tufted.	_____	_____	1787. 4.8.	G. h.	Icon. hort. kew. 18.
α rubra..	red-flowered.	_____	_____	_____	_____	{ Wendl. eric. 12. p. 7. c. ic.
β alba.	white-flowered.	_____	_____	_____	_____	
157 Muscari. H. K.	musk.	_____	_____	1790. 3.7.	G. h.	_____ vol. 1.
158 australis. H. K.	Spanish.	_____	Spain.	1769.	H. h.	_____ vol. 3.
159 depressa. H. K.	depressed.	_____	C. B. S.	1789. 6.8.	G. h.	_____ vol. 2.
160 nana. L. T.	dwarf.	_____	_____	1792. 5.8.	G. h.	_____
161 propendens. H. K.	pendent.	_____	_____	1800. 7.8.	G. h.	And. heaths, vol. 2. 2150
162 palustris. H. K.	marsh.	_____	_____	1799. 5.10.	G. h.	_____ vol. 2.
163 pyramidalis. H. K.	pyramidal.	_____	_____	1787. 2.5.	G. h.	Bot. mag. 866.
164 cubica. H. K.	cube-flowered.	_____	_____	1790. 4.7.	G. h.	And. heaths, vol. 1.
165 echiniflora. H. K.	Echium-flower ^d .	_____	_____	1798. 2.6.	G. h.	_____ vol. 3.
166 viscaria. H. K.	clammy-flower ^d .	_____	_____	1774. 3.7.	G. h.	Icon. hort. kew. 1.
167 filamentosa. H. K.	long-peduncled.	_____	_____	1800. 1.12.	G. h.	Bot. reg. 6.
168 pulchella. H. K.	neat.	_____	_____	1792. 6.9.	G. h.	Thun. eric. n. 24. t. 4.
169 formosa. H. K.	beautiful.	_____	_____	1795.	G. h.	_____ n. 82. t. 3.
α alba.	white-flowered.	reflexa alba. Hort.	_____	_____	_____	_____
β rubra.	red-flowered.	reflexa rubra. Hort.	_____	_____	_____	_____
170 cernua. H. K.	drooping-flower ^d .	_____	C. B. S.	1791. 6.12.	G. h.	{ Montin. act. ups. 2. t. 9. f. 3.
171 Solandri. H. K.	Solander's.	_____	_____	1800. 3.9.	G. h.	
172 acuta. H. K.	pointed-cupped.	_____	_____	1799. 5.7.	G. h.	_____ vol. 2.
173 empetroides. H. K.	close-flowered.	_____	_____	1788. 5.8.	G. h.	_____ vol. 2.
174 pendula. H. K.	pendulous.	_____	_____	1791. 7.8.	G. h.	{ Wend. eric. 10. p. 13. c. ic.
175 turrigera. L. T.	Cypress.	_____	_____	1796. 6.9.	G. h.	
176 Bergiana. H. K.	Bergius's.	_____	_____	1787. 4.8.	G. h.	And. heaths, vol. 2.
177 barbata. H. K.	bearded.	_____	_____	1799. 5.8.	G. h.	_____ vol. 2.
178 empetrifolia. H. K.	Crowberry-lea ^d .	_____	_____	1774. 4.6.	G. h.	Bot. mag. 447.
179 margaritacea. H. K.	pearl-flowered.	_____	_____	1775. 5.9.	G. h.	And. heaths, vol. 1.
180 lateralis. H. K.	side-flowered.	_____	_____	1791. 3.7.	G. h.	_____ vol. 1.

181 retroflexa. H. K.	jointed.	Ericææ. J.	C. B. S.	1787. 7.9.	G. h.	{ Wendl. eric. 8. p. 7. c. ic.
182 planifolia. H. K.	flat-leaved.	_____	_____	1795. _____	G. h.	_____ -16. p. 59. c. ic.
183 thymifolia. H. K.	Thyme-leaved.	_____	_____	1789. 5.8.	G. h.	And. heaths, vol. 2.
184 marifolia. H. K.	Marum-leaved.	_____	_____	1773. 5.6.	G. h.	_____ vol. 1.
185 bicolor. H. K.	two-coloured.	_____	_____	1790. 10.3.	G. h.	_____
186 tenuis. W. en.	slender-flowered.	_____	_____	_____ 10.2.	G. h.	_____
187 arborea. W.	tree.	_____	S. Europe.	1658. 2.6.	G. h.	_____
<i>β stylosa. P. S.</i> long-styled.						
188 paniculata. H. K.	panicked.	_____	C. B. S.	1774. 2.4.	G. h.	_____
189 pubescens. H. K.	pale downy.	_____	_____	1790. 2.12.	G. h.	_____
190 hirta. H. K.	hairy-leaved.	_____	_____	1795. 4.6.	G. h.	Thun. eric. n. 56. f. 2.
191 amoena. H. K.	feathery.	_____	_____	_____ 3.7.	G. h.	{ Wendl. eric. 17. p. 73. c. ic.
192 strigosa. H. K.	dwarf downy.	_____	_____	1775. 3.4.	G. h.	_____
193 racemifera. H. K.	compact-flower ^d .	_____	_____	1803. 4.6.	G. h.	And. heaths, vol. 2.
194 imbecilla.	feeble.	_____	_____	1793. 6.7.	G. h.	_____
<i>gracilis. L. T.</i>						
195 gracilis. H. K.	gracile.	_____	_____	1794. 2.6.	G. h.	Wen. eric. 8. p. 9. c. ic.
196 persoluta. H. K.	garland.	_____	_____	1774. 2.5.	G. h.	Bot. mag. 342.
197 ramentacea. H. K.	slender-branch ^d .	_____	_____	1786. 7.12.	G. h.	And. heaths, vol. 1.
198 mucosa. H. K.	mucous.	_____	_____	1787. 2.8.	G. h.	_____ vol. 1.
199 pilulifera. H. K.	ball-bearing.	_____	_____	1789. 4.5.	G. h.	_____
200 hirtiflora. B. M.	hairy-flowered.	_____	_____	1790. 4.6.	G. h.	Bot. mag. 481.
201 catervæfolia. L. T.	huddled-leaved.	_____	_____	_____	G. h.	_____
202 tardiflora. L. T.	pubescent.	_____	_____	_____ 3.9.	G. h.	Bot. mag. 480.
203 parviflora. L. T.	small-fl ^d . downy.	_____	_____	_____	G. h.	_____
204 exigua. L. T.	small downy.	_____	_____	_____	G. h.	_____
205 florida. H. K.	florid.	_____	_____	1803. 5.8.	G. h.	Thun. eric. n. 64. t. 6
206 mollearris. L. T.	soft-leaved.	_____	_____	_____ 4.10.	G. h.	Schneerogt. ic. n. 17.
207 cordata. H. K.	heart-leaved.	_____	_____	1799. 4.6.	G. h.	And. heaths, vol. 3.
208 hispida. H. K.	bristly-stemmed.	_____	_____	1791. 6.8.	G. h.	_____
209 Passerina. H. K.	Sparrow-wort.	_____	_____	1800. 11.5.	G. h.	Petiv. gaz. t. 3. f. 7.
210 canescens. H. K.	hoary.	_____	_____	1790. 5.8.	G. h.	And. heaths, vol. 2.
<i>eriocephala. A. H.</i>						
211 setacea. H. K.	bristly-leaved.	_____	_____	1796. 2.4.	G. h.	And. heaths, vol. 1.
212 absinthoides. H. K.	Wormwood-like.	_____	_____	1792. 3.6.	G. h.	_____
213 fragrans. H. K.	fragrant.	_____	_____	1803. _____	G. h.	And. heaths, vol. 2. 2181
214 tenuissima. P. S.	slender.	_____	_____	_____ 2.8.	G. h.	Wen. eric. 6. p. 9. c. ic.
215 campanulata. H. K.	bell-flowered.	_____	_____	1791. 4.8.	G. h.	And. heaths, vol. 1.
216 scoparia. H. K.	small green-fl ^d .	_____	_____	1770. 4.5.	F. h.	{ Linn. eric. n. 14. c. fig. fl.
217 racemosa. H. K.	racemed.	_____	_____	1795. _____	G. h.	{ Wendl. eric. 10. p. 3. c. ic.
218 tenella. H. K.	delicate.	_____	_____	1791. 8.5.	G. h.	And. heaths, vol. 2.
219 conferta. H. K.	crowded-flower ^d .	_____	_____	1800. 10.2.	G. h.	_____ vol. 2.
220 viridipurpurea. W.	green and purple.	_____	Portugal.	 5.8.	G. h.	{ Linn. eric. n. 9. c. fig. fl.
221 regerminans. W.	cluster-flowered.	_____	C. B. S.	1791. _____	G. h.	_____
222 phyllicoides. W.	Phylla-like.	_____	_____	1800. 4.6.	G. h.	_____
223 gnaphalodes. Th.	Gnaphalium-like.	_____	_____	1812. 2.8.	G. h.	{ Pluk. mant. 68. t. 346. f. 11.
224 scariosa. Th.	many-flowered.	_____	_____	1800. 6.7.	G. h.	_____
225 bracteolaris. P. S.	many-bracted.	_____	_____	_____ 3.7.	G. h.	_____
226 rubens. W.	red-flowered.	_____	_____	1798. 6.9.	G. h.	_____
227 incarnata. Th.	flesh-coloured.	_____	_____	1791. 5.8.	G. h.	And. heaths, c. ic.
228 lanceolata. P. S.	spear-leaved.	_____	_____	1791. 6.12.	G. h.	{ Wendl. eric. 8. p. 13. c. ic.
229 bracteata. Th.	red-bracted.	_____	_____	1800. 5.6.	G. h.	_____
230 calyculata. P. S.	rusty-flowered.	_____	_____	_____ 5.8.	G. h.	Wen. eric. 4. p. 5. c. ic.
231 cephalotes. W.	purple-headed.	_____	_____	1812. 3.7.	G. h.	_____
232 pectinifolia. L. T.	pectinated.	_____	_____	1800. 11.6.	G. h.	_____
233 incurva. W.	incurved.	_____	_____	1802. 3.5.	G. h.	And. heaths, c. ic.
234 pallens. A. H.	pale-flowered.	_____	_____	1801. 2.5.	G. h.	_____ c. ic.
235 Broadleyana. A. H.	Broadley's.	_____	_____	1806. 7.9.	G. h.	_____ c. ic.
236 Caffra. A. H.	sweet-scented.	_____	_____	1774. 8.2.	G. h.	_____ c. ic.
237 Savilli. A. H.	Savile's.	_____	_____	1800. 6.7.	G. h.	_____ c. ic.
238 axillaris. W.	axil-flowered.	_____	_____	1798. 5.7.	G. h.	_____
239 fimbriata. A. H.	fringed.	_____	_____	1800. 3.6.	G. h.	And. heaths, c. ic.
240 emarginata. A. H.	hairy-cupped.	_____	_____	_____ 6.10.	G. h.	_____ c. ic.

241	moschata. A. H.	musk-scented.	Ericæ. J.	C. B. S.	1805.	5.7.	G. h.	And. heaths, c. ic.
242	hispid. A. H.	hispid.	_____	_____	1791.	7.9.	G. h.	_____ c. ic.
243	magnifica. A. H.	magnificent.	_____	_____	1800.	6.	G. h.	_____ c. ic.
244	Sainsburyana. A. H.	Sainsbury's.	_____	_____	1804.	7.9.	G. h.	_____ c. ic.
245	Shannoni. A. H.	Shannon's.	_____	_____	1800.	6.	G. h.	_____ c. ic.
246	rugosa. A. H.	wrinkled.	_____	_____	_____	7.11.	G. h.	_____ c. ic.
247	Swainsoniana. A. H.	} Swainson's.	_____	_____	_____	6.7.	G. h.	_____ c. ic.
248	densa. A. H.		_____	_____	1804.	_____	G. h.	_____ c. ic.
249	cinerascens. W. en.	greyish.	_____	_____	_____	5.9.	G. h.	_____
250	coarctata. W. en.	crowded.	_____	_____	1801.	_____	G. h.	_____
251	divaricata. W. en.	divaricate.	_____	_____	1800.	3.5.	G. h.	_____
252	fugax. W. en.	fugacious.	_____	_____	_____	3.4.	G. h.	_____
253	oxycoccifolia. L. T.	Oxycoccus-leav ^d .	_____	_____	1791.	2.5.	G. h.	_____
254	sicæfolia. L. T.	dagger-leaved.	_____	_____	_____	2.7.	G. h.	_____
255	fausta. L. T.	bristly-leaved.	_____	_____	1795.	4.6.	G. h.	_____
256	tomentosa. L. T.	woolly-flowered.	_____	_____	_____	2.4.	G. h.	_____
257	auricularis. L. T.	eared.	_____	_____	_____	3.7.	G. h.	_____
258	helianthemifolia. L. T.	} plain-leaved.	_____	_____	1796.	6.9.	G. h.	_____
259	glomiflora. L. T.		_____	_____	_____	4.9.	G. h.	_____
260	carduifolia. L. T.	Carduus-leaved.	_____	_____	1806.	5.9.	G. h.	_____
261	tubercularis. L. T.	tubercled.	_____	_____	1790.	2.4.	G. h.	_____
262	lavandulæfolia. L. T.	} Lavender-leaved.	_____	_____	1795.	5.8.	G. h.	_____
263	humifusa. L. T.		_____	_____	_____	6.7.	G. h.	_____
264	corydalis. L. T.	winged-anthered.	_____	_____	_____	2.5.	G. h.	_____
265	azaleæfolia. L. T.	Azalea-leaved.	_____	_____	_____	5.8.	G. h.	_____
266	vesicularis. L. T.	bladdered.	_____	_____	1796.	2.8.	G. h.	_____
267	verniciflua. L. T.	viscous-leaved.	_____	_____	1804.	3.9.	G. h.	_____
268	lyrigera. L. T.	lyre-bearing.	_____	_____	1790.	2.5.	G. h.	_____
269	salax. L. T.	broad-stigmaed.	_____	_____	1796.	5.9.	G. h.	_____
270	cumuliflora. L. T.	heap-flowered.	_____	_____	1801.	5.9.	G. h.	_____
271	genistæfolia. L. T.	Genista-leaved.	_____	_____	_____	10.5.	G. h.	_____
272	periplocæfolia. L. T.	Periploca-leaved.	_____	_____	_____	8.12.	G. h.	_____
273	munda. L. T.	neat-flowered.	_____	_____	_____	5.7.	G. h.	_____
274	fabrilis. L. T.	tiled-leaved.	_____	_____	1791.	4.8.	G. h.	_____
275	dianthifolia. L. T.	Pink-leaved.	_____	_____	1796.	3.8.	G. h.	_____
276	brevifolia. L. T.	short-leaved.	_____	_____	_____	8.1.	G. h.	_____
277	chlamydiffora. L. T.	cloaked-flowered.	_____	_____	1801.	5.9.	G. h.	_____
278	selaginifolia. L. T.	Selago-leaved.	_____	_____	_____	2.6.	G. h.	_____
279	pannosa. L. T.	cloth-flowered.	_____	_____	_____	_____	G. h.	_____
280	diotæflora. L. T.	Diotis-flowered.	_____	_____	1795.	3.8.	G. h.	_____
281	nutans. W.	nodding-flower ^d .	_____	_____	1790.	2.6.	G. h.	Wen.eric.3.p.5.c.ic.
282	filiformis. L. T.	filiform.	_____	_____	_____	2.5.	G. h.	_____
283	turgida. L. T.	turgid.	_____	_____	1800.	3.6.	G. h.	_____
284	vestiflua. L. T.	clothed.	_____	_____	_____	_____	G. h.	_____
285	squamæflora. L. T.	scaly-flowered.	_____	_____	_____	5.11.	G. h.	_____
286	cæsia. L. T.	grey.	_____	_____	1795.	2.5.	G. h.	_____
287	lasciva. L. T.	imbricate-calyx ^d .	_____	_____	1800.	1.4.	G. h.	_____
288	stylosa. L. T.	long-styled.	_____	_____	1789.	_____	G. h.	_____
289	diosmæfolia. L. T.	Diosma-leaved.	_____	_____	1792.	3.6.	G. h.	_____
290	palliflora. L. T.	pale-flowered.	_____	_____	_____	2.8.	G. h.	_____
291	tegulæfolia. L. T.	tile-flowered.	_____	_____	_____	1.5.	G. h.	_____
292	modesta. L. T.	modest.	_____	_____	_____	3.8.	G. h.	_____
293	holosericea. L. T.	velvety.	_____	_____	_____	2.6.	G. h.	_____
294	sacciflora. L. T.	sack-flowered.	_____	_____	_____	3.6.	G. h.	_____
295	cyrillæflora. L. T.	Cyrilla-flowered.	_____	_____	1800.	2.8.	G. h.	_____
296	velitaris. L. T.	javelin-flowered.	_____	_____	1790.	1.6.	G. h.	_____
297	cuspidigera. L. T.	cuspidate.	_____	_____	_____	2.5.	G. h.	_____
298	stagnalis. L. T.	stagnant.	_____	_____	_____	3.6.	G. h.	_____
299	cerviciflora. L. T.	stag's-horn-flo ^d .	_____	_____	_____	_____	G. h.	_____
300	pulviniformis. L. T.	cushion.	_____	_____	_____	2.5.	G. h.	_____
301	sceptriformis. L. T.	sceptre-like.	_____	_____	1790.	5.9.	G. h.	_____
302	brachialis. L. T.	armed.	_____	_____	1792.	3.8.	G. h.	_____
303	doliiformis. L. T.	tun-bellied.	_____	_____	1798.	5.9.	G. h.	_____
304	nolæflora. L. T.	bell-shaped.	_____	_____	_____	2.5.	G. h.	_____
305	fest. L. T.	angular-stalked.	_____	_____	_____	3.5.	G. h.	_____
306	fallax. L. T.	viscous flowered.	_____	_____	_____	11.3.	G. h.	_____
307	parilis. L. T.	matched.	_____	_____	1789.	5.8.	G. h.	_____

308 pubigera. L. T.	pubescent-flow ^d .	Ericææ. J.	C. B. S.	1792.	1.5.	G. h.	
309 pusilla. L. T.	low.	_____	_____		6.7.	G. h.	
310 tragulifera. L. T.	broad-anthered.	_____	_____		5.8.	G. h.	
311 curvirostris. L. T.	declined.	_____	_____	1790.	7.9.	G. h.	
312 intervallaris. L. T.	distant-leaved.	_____	_____		5.11.	G. h.	
313 turbiniflora. L. T.	top-flowered.	_____	_____	1793.	10.2.	G. h.	
314 squarrosa. L. T.	squarrose.	_____	_____		3.8.	G. h.	
315 embotriifolia. L. T.	Embothrium-le ^d .	_____	_____		2.5.	G. h.	
316 capax. L. T.	capacious.	_____	_____	1806.	5.8.	G. h.	
317 pavettaflora. L. T.	Pavetta-flowered	_____	_____		_____	G. h.	
318 nidiflora. L. T.	nest-flowered.	_____	_____		11.5.	G. h.	
319 borboniæflora. L. T.	Borbonia-flow ^d .	_____	_____		5.9.	G. h.	
320 hyssopifolia. L. T.	Hyssop-leaved.	_____	_____	1800.	_____	G. h.	
MENZIESIA. Sm.	MENZIESIA.	Rhodoracææ. J.					
1 ferruginea. Ph.	ferrugineous.	_____	N. America.	1811.	5.6.	H. h.	Sm. ic. ined. 1. t. 56.
2 globularis. Ph.	globular-flower ^d .	_____	_____	1806.	_____	H. h.	Par. lond. 44.
3 polifolia. H. K.	Irish.	_____	Ireland.		6.9.	H. h.	Eng. bot. 35.
<i>β nana.</i>	<i>dwarf.</i>	_____	_____		_____	H. h.	
4 cærulea. L. T.	Yew-leaved.	_____	Scotland.		6.7.	H. h.	Eng. bot. 2169.
LAGEÛTA. J.	LAGEÛTA.	Thymelææ. B. P.	<i>Daphnææ sp. H.</i>				
linteria. P. S.	lace-bark.	_____	Jamaica.	1793.	12.1.	S. h.	Lam. ill. t. 289.
DAPHNE. W.	DAPHNE.	Thymelææ. B. P.					
1 Mezereum.	Mezereon.	_____	England.		2.4.	H. h.	Eng. bot. 1381.
<i>α rubrum.</i>	<i>red-flowered.</i>	_____					
<i>β album.</i>	<i>white-flowered.</i>	_____					
2 Thymelæa. W.	smooth-leaved.	_____	Spain.	1815.	_____	H. h.	Pluk. alm. t. 229. f. 2.
3 Tarton-raira. W.	silvery-leaved.	_____	France.	1640.	5.7.	H. h.	_____ t. 318. f. 6.
4 alpina. W.	Alpine.	_____	Italy.	1759.	_____	H. h.	Schmidt arb. 1. t. 19.
5 Laureola. W.	Spurge Laurel.	_____	Britain.		1.3.	H. h.	Eng. bot. 119.
6 pontica. W.	Pontic.	_____	Pontus.	1759.	4.5.	H. h.	Bot. mag. 1282.
7 tinifolia. W.	Bonace-bark.	_____	Jamaica.	1733.		S. h.	
8 Guidium. W.	Flax-leaved.	_____	Spain.	1597.	6.8.	H. h.	
9 odora. W.	sweet-scented.	_____	China.	1771.	12.3.	G. h.	Bot. mag. 1587.
10 Cneorum. W.	trailing.	_____	Austria.	1752.	4.9.	H. h.	_____ 313.
11 altaica. W.	Altaic.	_____	Siberia.	1796.	4.5.	H. h.	_____ 1875.
12 oleoides. B. M.	Olive-leaved.	_____	Crete.	1815.	1.12.	H. h.	_____ 1917.
13 collina. W.	hairy.	_____	Italy.	1752.	1.6.	H. h.	_____ 428.
DIRCA. W.	LEATHER-WOOD.	Thymelææ. B. P.					
palustris. W.	marsh.	_____	Virginia.	1750.	3.4.	H. h.	Lam. ill. t. 293.
GNIDIA. W.	GNIDIA.	Thymelææ. B. P.					
1 pinifolia. W.	Pine-leaved.	_____	C. B. S.	1768.	5.6.	G. h.	Bot. reg. 19.
2 imberbis. H. K.	smooth-scaled.	_____	_____	1792.	8.4.	G. h.	Bot. mag. 1463.
3 simplex. H. K.	Flax-leaved.	_____	_____	1786.	5.6.	G. h.	_____ 812.
4 capitata. W.	purple-twiggd.	_____	_____	1788.	6.7.	G. h.	
5 oppositifolia. H. K.	opposite-leaved.	_____	_____	1783.	5.7.	G. h.	Bot. reg. 2.
6 sericea. H. K.	silky.	_____	_____	1786.	_____	G. h.	Bot. rep. 225.
STELLERA. W.	STELLERA.	Thymelææ. B. P.					
Passerina. W.	Flax-leaved.	_____	S. Europe.	1759.	7.8.	H. h.	Jac. ic. 1. t. 68.
PASSERINA. W.	SPARROW-WORT.	Thymelææ. B. P.					
1 filiformis. W.	filiform.	_____	C. B. S.	1752.	6.8.	G. h.	Wendl. obs. t. 2. f. 15.
2 hirsuta. W.	shaggy.	_____	S. Europe.	1759.	6.9.	G. h.	_____ t. 2. f. 16.
3 tenuiflora. W. en.	slender-flowered.	_____	C. B. S.		_____	G. h.	
4 capitata. W.	headed.	_____	_____	1789.	6.10.	G. h.	Wendl. obs. t. 2. f. 17.
5 uniflora. W.	one-flowered.	_____	_____	1759.	4.5.	G. h.	_____ t. 2. f. 18.
6 grandiflora. W.	great-flowered.	_____	_____	1789.	5.6.	G. h.	Bot. mag. 292.
7 spicata. W.	spiked.	_____	_____	1787.	_____	G. h.	Wendl. obs. t. 2. f. 19.
8 laxa. W.	loose.	_____	_____	1804.	6.7.	G. h.	_____ t. 2. f. 20.
LACHNÆA. W.	LACHNÆA.	Thymelææ. B. P.					
1 conglomerata. W.	clustered.	_____	C. B. S.	1773.	6.7.	G. h.	
2 eriocephala. W.	woolly-headed.	_____	_____	1793.	_____	G. h.	Bot. mag. 1295.
3 purpurea. H. K.	purple-flowered.	_____	_____	1800.	_____	G. h.	_____ 1594.
4 glauca. H. K.	glaucous.	_____	_____	_____	5.7.	G. h.	_____ 1658.
5 buxifolia. Lam.	green Box-leav ^d .	_____	_____	_____	_____	G. h.	_____ 1657.
DIGYNIA.							
GALENIA. W.	GALENIA.	Chenopodeæ. B. P.					
africana. W.	African.	_____	C. B. S.	1752.	6.8.	G. h.	Lam. ill. t. 314.
MÆHRINGIA. W.	MÆHRINGIA.	Caryophyllææ. J.					
muscosa. W.	mossy.	_____	S. Europe.	1775.	6.7.	H. h.	Schku. han. 1. t. 108

TRIGYNIA.

POLYGONUM. W.		PERSICARIA.		Polygonæ. B. P.	
1	frutescens. W.	shrubby.		Siberia.	1770. 7.8. H. h. Bot. reg. 255.
2	crispulum. B. M.	upright.		1800. — H. h. Bot. mag. 1065.	
3	Bistorta. W.	Snake's-weed.		Britain.	 5.9. H. h. Eng. bot. 509.
4	viviparum. W.	Alpine Bistort.		 — H. h. — 669.	
5	lappathifolium. W.	pale-flowered.		England.	 6.9. H. o. — 1382.
6	amphibium. W.	amphibious.		Britain.	 6.8. H. h. — 436.
7	ocreatum. W.	spear-leaved.		Siberia.	1780. 6.9. H. h. Gmel. sib. 3. t. 8.
8	Hydropiper. W.	Water Pepper.		Britain.	 7.9. H. o. Eng. bot. 989.
9	tinctorium. W.	dyer's.		China.	1776. 7.8. G. f. —
10	virginianum. W.	Virginian.		N. America.	1640. 8.9. H. h. Park. theat. 857. f. 6.
11	minus. W.	small.		England.	 — H. o. Eng. bot. 1043.
12	Persicaria. W.	spotted.		Britain.	 7.8. H. o. — 756.
13	incanum. W.	hoary.		Germany.	1804. — H. o. Pet. H. Brit. t. 3. f. 5.
14	orientale. W.	common.		E. Ind.	1707. 7.10. H. o. Bot. mag. 213.
	<i>β</i> album.	white-flowered.		1781. — H. o. —	
15	aviculare. W.	Knot-grass.		Britain.	 4.10. H. o. Eng. bot. 1252.
16	arenarium. P. S.	sand.		Hungary.	1807. 5.8. H. o. Pl. rar. hung. t. 67.
17	elegans. H. K.	elegant.		E. Ind.	1796. 4.8. S. h. —
18	erectum. W.	upright.		N. America.	1792. 7.8. H. h. —
19	divaricatum. W.	divaricated.		Siberia.	1759. — H. h. Gmel. sib. 3. t. 11. f. 1.
20	undulatum. W.	wave-leaved.		1789. 6.7. H. h. — 3. t. 10.	
21	acidulum. W. en.	narrow-leaved.		1816. — H. h. —	
22	salignum. W. en.	Willow-like.		 5.8. H. h. —	
23	chinese. W.	Chinese.		China.	1795. 7.8. H. o. Burm. ind. t. 30. f. 3.
24	sagittatum. W.	arrow-leaved.		N. America.	1759. — H. o. Linn. hort. cliff. t. 12.
25	arifolium. W.	Arum-leaved.		1816. 5.10. H. o. Pluk. amal. t. 398. f. 3	
26	tataricum. W.	Tartarian.		Siberia.	1759. 7.8. H. o. Gmel. sib. 3. t. 13. f. 1.
27	emarginatum. W.	notch-seeded.		China.	1796. 7.8. H. o. —
28	Fagopyrum. W.	Buck-Wheat.		England.	 — H. o. Eng. bot. 1044.
29	Convolvulus. W.	{ common } climbing.		Britain.	 5.9. H. o. — 941.
30	dumetorum. W.	bush.		S. Europe.	1803. — H. o. Flor. dan. t. 759.
31	scandens. W.	{ American } climbing.		N. America.	1749. 7.9. H. h. Pluk. alm. t. 177. f. 7.
COCCOLOBA. W.		SEASIDE GRAPE. Polygonæ. J.			
1	uvifera. W.	round-leaved.		W. Ind.	1690. S. h. Jac. amer. t. 73.
2	latifolia. Lam.	broad-leaved.		S. America.	1812. S. h. Lam. ill. t. 316. f. 4.
3	pubescens. W.	downy.		W. Ind.	1690. S. h. Pluk. phyt. 222. f. 8.
4	excoriata. W.	oval-leaved.		1733. S. h. Plum. ic. t. 146. f. 1.	
5	punctata. W.	spear-leaved.		 S. h. Jac. amer. 114. t. 77.	
6	barbadensis. W.	Barbadoes.		Barbadoes.	1790. S. h. Jac. obs. 1. t. 8.
PAULLINIA. W.		PAULLINIA. Sapindi. J.			
1	pinnata. W.	winged-leaved.		W. Ind.	1752. S. h. Jac. obs. 3. t. 62. f. 12.
2	curassavica. W.	shining-leaved.		S. America.	1739. S. h. — t. 61. f. 8.
3	barbadensis. W.	Barbadoes.		W. Ind.	1786. S. h. — t. 62. f. 9.
4	polyphylla. W.	Supple-Jack.		1739. S. h. — t. 61. f. 10.	
5	caribæa. Jac.	Caribbean.		 S. h. — t. 62. f. 7.	
SERIANA. W.		SERIANA. Sapindi. J.			
1	sinuata. W.	sinuate-leaved.		S. America.	 S. h. Jac. obs. 3. t. 61. f. 2.
2	caracasana. W.	tooth-leaved.		Caracas.	1816. S. h. Jac. schœn. 1. t. 99.
CARDIOSPERMUM. W. }		HEART-SEED. Sapindi. J.			
1	Halicacabum. W.	smooth-leaved.		India.	1594. 7. S. o. Bot. mag. 1049.
2	Corindum. W.	Parsley-leaved.		Brasil.	1750. 7.8. S. o. —
SAPINDUS. W. }		SOAP-BERRY. Sapindi. J.			
1	Saponaria. W.	common.		W. Ind.	1697. S. h. Comm. hort. t. 94.
2	marginatus. W. en.	marginated.		Carolina.	 G. h. —
3	rigidus. W.	Ash-leaved.		America.	1759. 7.9. G. h. Pluk. alm. t. 217. f. 7.

TETRAGYNIA.

CALANCHOE. P. S.		CALANCHOE. Sempervivæ. J.		Verea. B. R. Cotyledonis sp. L.	
1	laciniata. P. S.	cut-leaved.		E. Ind.	1731. 7.8. D.S. h. Plant. grass. 100.
2	Verea. P. S.	Vere's.		Sierra Leone.	1793. 7.9. D.S. h. Bot. mag. 1436.
	<i>Verea crenata. B. rep. 21.</i>				
3	acutiflora. H. S.	white-flowered.		E. Ind. ?	1806. — D.S. h. Bot. rep. 566.
BRYOPHYLLUM. P. L. }		BRYOPHYLLUM. Sempervivæ. J.		Cotyledonis sp. L.	
	calycinum. P. L.	large-cupped.		E. Ind.	1800. 4.7. D.S. h. Par. lond. 3.

PARIS. W.	PARIS.	Smilacæ. B. P.					
quadrifolia. W.	herb.		Britain.		5.6.	H. 2.	Eng. bot. 7.
ADOXA. W.	MOSCHATEL.	Saxifragæ. J.					
Moschatellina. W.	tuberos.		Britain.		3.5.	H. 2.	Eng. bot. 453.
ELATINE. W.	WATER-WORT.	Caryophyllæ. J.					
Hydropiper. W.	small.		England.		8.	H. 2.	Eng. bot. 955.
HALORAGIS. W.	HALORAGIS.	Onagraræ. J.	Cercodia. J.				
Cercodia. W.	whorl-flowered.		N. Zealand.	1772.	4.9.	G. 2.	Jac. ic. 1. t. 69.
FORSKOHLEA. W.	FORSKOHLEA.	Urticæ. J.					
1 tenacissima. W.	clanmy.		Egypt.	1767.	7.8.	H. 2.	Jac. vind. 1. t. 48.
2 candida. W.	rough.		C. B. S.	1774.	6.7.	G. 2.	
3 angustifolia. W.	narrow-leaved.		Teneriffe.	1779.	7.8.	H. 2.	Murr. c. got. p. 24. t. 2

CLASS IX.

ENNEANDRIA MONOGYNIA.

LAURUS. W.	LAUREL.	Laurinæ. B. P.					
1 Cinnamomum. W.	Cinnamon.		Ceylon.	1763.	6.9.	S. 2.	Bot. rep. 596.
2 Cassia. W.	{ Bastard Cin- namon. }		E. Ind.	1768.	5.9.	S. 2.	Bot. mag. 1636,
3 Malabathrum. P. S.	tall.			1805.		S. 2.	Rheed. mal. 5. t. 53,
4 Camphora. W.	Camphire-tree.		Japan.	1727.	3.6.	G. 2.	Jac. coll. 4. t. 3. f. 2.
5 Chloroxylon. W.	Cogwood-tree.		Jamaica.	1778.		S. 2.	Brown. jam. t. 7. f. 1,
6 glauca. W.	glaucous.		Japan.	1806.		G. 2.	
7 nobilis. W.	Sweet Bay.		Italy.	1561.	4.5.	H. 2.	Zorn. ic. 52.
β undulata.	wave-leaved.						
γ salicifolia.	Willow-leaved.						
8 indica. W.	Royal Bay.		Madeira.	1665.	10.3.	G. 2.	Pluk. alm. t. 304. f. 1.
9 foetens. W.	Madeira, or Til.			1760.		G. 2.	
10 canariensis. W. en.	Canary.		Canaries.	1815.		G. 2.	
11 Persea. W.	Alligator Pear.		W. Ind.	1739.		S. 2.	Pluk. alm. t. 267. f. 1.
12 Borbonia. W.	{ broad-leaved Carolina. }		N. America.	—	4.5.	G. 2.	Cat. car. 1. t. 63.
13 carolinensis. P. S.	long-l ^d . Carolina.			1806.		G. 2.	
14 geniculata. Ph.	flexuose.			1759.		H. 2.	Bot. mag. 1471.
15 Diospyrus. Ph.	twiggy.			1810.		H. 2.	— 1470.
16 Benzoin. W.	Benjamin-tree.			1683.		H. 2.	Com. hort. 1. t. 97.
17 Sassafras. W.	Sassafras-tree.			1633.	5.6.	H. 2.	Cat. car. 1. t. 55.
ANACARDIUM. W.	CASHEW-NUT.	Terebintacæ. J.					
occidentale. W.	common.		India.	1699.		S. 2.	Cat. car. 3. t. 9.
ERIOGONUM. Mi.	ERIOGONUM.	Polygonæ. J.					
1 tomentosum. Ph.	woolly.		Carolina.	1811.	5.6.	H. 2.	Mich. amer. t. 24.
2 sericeum. Ph.	silky.		Missouri.	—	7.	H. 2.	

TRIGYNIA.

RHEUM. W.	RHUBARB.	Polygonæ. J.					
1 Rhaponticum. W.	common.		Asia.	1573.	5.6.	H. 2.	Sabb. hort. 1. t. 34.
2 undulatum. W.	waved-leaved.		China.	1734.		H. 2.	Amoen. acad. 3. t. 4.
3 palmatum. W.	official.		Bucharia.	1763.	4.5.	H. 2.	Lin. fasc. 7. t. 4.
4 compactum. W.	thick-leaved.		Tartary.	1758.	5.6.	H. 2.	Mill. ic. 2. t. 218.
5 tataricum. W.	Tartarian.			1793.		H. 2.	
6 Ribes. W.	warted-leaved.		Levant.	1724.		H. 2.	Ann. mus. 1. t. 49.
7 hybridum. W.	bastard.		Asia.	1778.		H. 2.	Murr. com. gott. t. 1.

HEXAGYNIA.

BUTOMUS. W.	{ FLOWERING RUSH. }	Hydrocharidæ. B. P.					
umbellatus. W.	umbelled.		Britain.		6.7.	H. 2.	Eng. bot. 651.

CLASS X.

DECANDRIA MONOGYNIA.

EDWARDSIA. L. T.	EDWARDSIA.	Leguminosæ. J.	<i>Sophora</i> sp. <i>W.</i>				
1 grandiflora. L. T.	large-flowered.	_____	N. Zealand.	1772.	5.6.	F. h.	Bot. mag. 167.
2 chrysophylla. L. T.	golden-leaved.	_____	_____		_____	F. h.	1442.
3 microphylla. L. T.	small-leaved.	_____	_____	1772.	_____	F. h.	1442.
SOPHORA. H. K.	SOPHORA.	Leguminosæ. J.					
1 tomentosa. W.	downy.	_____	India.	1690.		S. h.	Trew. ehret. t. 59.
2 japonica. W.	Japanese.	_____	Japan.	1753.	8.9.	H. h.	Bot. rep. 585.
3 alopecuroides. W.	Fox-tail.	_____	Levant.	1781.	7.8.	H. h.	Pall. astr. t. 87.
4 flavescens. W.	Siberian.	_____	Siberia.	1785.	5.7.	H. h.	
ORMOSIA. L. T.	ORMOSIA.	Leguminosæ. J.	<i>Sophora</i> sp. <i>W.</i>				
dasycarpa. L. T.	smooth-leaved.	_____	W. Ind.	1793.	6.7.	S. h.	Linn.trans.10.t.26.
ANAGYRIS. W.	BEAN-TREFOIL.	Leguminosæ. J.					
1 foetida. W.	stinking.	_____	Spain.	1570.	4.5.	F. h.	Lam. ill. t. 328.
2 latifolia. W. en.	broad-leaved.	_____	Teneriffe.	1815.	_____	G. h.	
THERMOPSIS. H. K.	THERMOPSIS.	Leguminosæ. J.					
lanceolata. H. K.	sharp-leaved.	_____	Siberia.	1776.	6.7.	H. h.	Bot. mag. 1389.
<i>Podalyria lupinoides. W.</i>							
VIRGILIA. H. K.	VIRGILIA.	Leguminosæ. J.	<i>Podalyria</i> sp. <i>W.</i>				
1 lutea. Ph.	yellow-flowered.	_____	N. America.	1812.	6.7.	H. h.	Mich. arb. c. ic.
2 aurea. H. K.	great-flowered.	_____	Abyssinia.	1777.	7.	G. h.	L'Her. st. nov. 1. t. 75
3 intrusa. H. K.	small-flowered.	_____	C. B. S.	1790.	5.8.	G. h.	2017
4 capensis. H. K.	Vetch-leaved.	_____	_____	1767.	7.8.	G. h.	Bot. mag. 1590.
CYCLOPIA. H. K.	CYCLOPIA.	Leguminosæ. J.	<i>Ibbetsonia. B. M.</i>				
genistoides. H. K.	Genista-leaved.	_____	C. B. S.	1787.	7.8.	G. h.	Bot. mag. 1259.
BAPTISIA. H. K.	BAPTISIA.	Leguminosæ. J.	<i>Podalyria</i> sp. <i>W.</i>				
1 perfoliata. H. K.	perfoliate.	_____	Carolina.	1732.	8.	G. h.	Dill. elt. t. 102. f. 122
2 villosa. Ph.	villous.	_____	N. America.	1811.	6.7.	H. h.	
3 australis. H. K.	blue-flowered.	_____	_____	1758.	_____	H. h.	Bot. mag. 509.
4 alba. H. K.	white-flowered.	_____	_____	1724.	_____	H. h.	1177.
5 tinctoria. H. K.	dyer's.	_____	_____	1759.	7.8.	H. h.	1099.
PODALYRIA. H. K.	PODALYRIA.	Leguminosæ. J.					
1 myrtillifolia. W.	Myrtle-leaved.	_____	C. B. S.	1795.	4.7.	G. h.	
2 sericea. H. K.	silky.	_____	_____	1778.	10.1.	G. h.	Bot. mag. 1923.
3 cuneifolia. V.	wedge-leaved.	_____	_____	1804.	5.8.	G. h.	Vent. cels. t. 99.
4 biflora. W.	two-flowered.	_____	_____	1789.	2.6.	G. h.	Bot. mag. 753.
5 calyptrata. H. K.	one-flowered.	_____	_____	1792.	4.7.	G. h.	
6 styracifolia. B. M.	Storax-leaved.	_____	_____		5.7.	G. h.	Bot. mag. 1580.
7 buxifolia. W.	Box-leaved.	_____	_____	1790.	_____	G. h.	Lam. ill. t. 317. f. 4. 369
8 oleæfolia. P. L.	Olive-leaved.	_____	_____	1804.	5.	G. h.	Par. lond. 114.
9 hirsuta. H. K.	hairy.	_____	_____	1774.	7.8.	G. h.	
10 cordata. H. K.	heart-leaved.	_____	_____	1794.	5.7.	G. h.	
CHORIZEMA. H. K.	CHORIZEMA.	Leguminosæ. J.					
1 ilicifolia. H. K.	Holly-leaved.	_____	N. Holland.	1803.	3.10.	G. h.	Lab. voy. 1. t. 21.
2 nana. H. K.	dwarf.	_____	_____	_____	_____	G. h.	Bot. mag. 1032.
3 rhombæa. H. K.	few-flowered.	_____	_____	_____	4.6.	G. h.	
PODOLOBIUM. H. K.	PODOLOBIUM.	Leguminosæ. J.	<i>Chorizema</i> sp. <i>Smith.</i>				
trilobatum. H. K.	common.	_____	N. S. W.	1791.	4.7.	G. h.	Bot. mag. 1477.
OXYLOBIUM. H. K.	OXYLOBIUM.	Leguminosæ. J.					
1 arborescens. H. K.	tall.	_____	Van Diem.	1805.	4.6.	G. h.	2022, 2042
2 ellipticum. H. K.	oval-leaved.	_____	_____	_____	5.9.	G. h.	Lab. n. holl. 1. t. 135.
3 cordifolium. H. K.	heart-leaved.	_____	N. S. W.	1807.	4.9.	G. h.	Bot. rep. 492.
CALLISTACHYS. V.	CALLISTACHYS.	Leguminosæ. J.					
1 lanceolata. V.	spear-leaved.	_____	N. Holland.	1815.	6.8.	G. h.	Bot. reg. 216.
2 ovata. B. M.	oval-leaved.	_____	_____	_____	_____	G. h.	Bot. mag. 1925.
BRACHYSEMA. H. K.	BRACHYSEMA.	Leguminosæ. J.					
latifolium. H. K.	broad-leaved.	_____	N. Holland.	1803.	4.7.	G. h.	Bot. reg. 118. 2008
GOMPHOLOBIUM. H. K.	GOMPHOLOBIUM.	Leguminosæ. J.					
1 latifolium. H. K.	broad-leaved.	_____	N. S. W.	1803.	3.9.	G. h.	Par. lond. 6.
2 grandiflorum. L. T.	large-flowered.	_____	_____	_____	_____	G. h.	1835.
3 marginatum. H. K.	small-flowered.	_____	N. Holland.	_____	_____	G. h.	
4 polymorphum. H. K.	variable.	_____	_____	1803.	3.3.	G. h.	Bot. mag. 1533.

5 minus. L. T.	hairy-stalked.	Leguminosæ. J.	N. S. W.	1812.	3.8.	G. h.	
6 tomentosum. H. K.	tomentose.	_____	N. Holland.	1803.	4.7.	G. h.	Lab.n.holl.1.t.134.
7 venustum. H. K.	purple-flowered.	_____	_____	_____	_____	G. h.	
BURTONIA. H. K.	BURTONIA.	Leguminosæ. J.	_____	_____	_____	_____	
scabra. H. K.	rough-leaved.	_____	N. Holland.	1803.	5.7.	G. h.	
JACKSONIA. H. K.	JACKSONIA.	Leguminosæ. J.	_____	_____	_____	_____	
1 scoparia. H. K.	Broom-like.	_____	N. S. W.	1803.	6.8.	G. h.	
2 spinosa. H. K.	spinous.	_____	N. Holland.	_____	4.9.	G. h.	Lab.n.holl.1.t.136.
VIMINARIA. H. K.	RUSH-BROOM.	Leguminosæ. J.	_____	_____	_____	_____	
denudata. H. K.	leafless.	_____	N. Holland.	1789.	6.9.	G. h.	Bot. mag. 1190.
SPHÆROLOBIUM. H. K.	SPHÆROLOBIUM.	Leguminosæ. J.	_____	_____	_____	_____	
1 vimineum. H. K.	yellow-flowered.	_____	N. Holland.	1802.	5.8.	G. h.	Bot. mag. 969.
2 medium. H. K.	red-flowered.	_____	_____	1803.	6.8.	G. h.	
AOTUS. H. K.	AOTUS.	Leguminosæ. J.	_____	_____	_____	_____	
villosa. H. K.	villous.	_____	N. Holland.	1790.	4.6.	G. h.	Bot. mag. 949.
DILLWYNIA. H. K.	DILLWYNIA.	Leguminosæ. J.	_____	_____	_____	_____	
1 floribunda. H. K.	close-flowered.	_____	N. S. W.	1794.	4.7.	G. h.	Exot. bot. t. 26.
2 ericifolia. H. K.	Heath-leaved.	_____	_____	_____	3.7.	G. h.	t. 25.
3 glaberrima. H. K.	smooth.	_____	_____	1800.	3.7.	G. h.	Bot. mag. 944.
4 parvifolia. B. M.	small-leaved.	_____	_____	_____	_____	G. h.	1527.
EUTAXIA. H. K.	EUTAXIA.	Leguminosæ. J.	_____	_____	_____	_____	
myrtifolia. H. K.	Myrtle-leaved.	_____	N. Holland.	1803.	3.6.	G. h.	Bot. mag. 1274.
SCLEROTHAMNUS. H. K.	SCLEROTHAMNUS.	Leguminosæ. J.	_____	_____	_____	_____	
microphyllus. H. K.	small-leaved.	_____	N. Holland.	1803.	5.6.	G. h.	
GASTROLOBIUM. H. K.	GASTROLOBIUM.	Leguminosæ. J.	_____	_____	_____	_____	
bilobum. H. K.	two-lobed.	_____	N. Holland.	1803.	3.5.	G. h.	For. 411. 2212
EUCHILUS. H. K.	EUCHILUS.	Leguminosæ. J.	_____	_____	_____	_____	
obcordatus. H. K.	heart-leaved.	_____	N. Holland.	1803.	3.6.	G. h.	Bot. rep. 574.
PULTENÆA. H. K.	PULTENÆA.	Leguminosæ. J.	_____	_____	_____	_____	
1 daphnoides. H. K.	Daphne-leaved.	_____	N. S. W.	1792.	6.7.	G. h.	Bot. mag. 1394.
2 obcordata. H. K.	heart-leaved.	_____	Van Diem.	1808.	5.7.	G. h.	Bot. rep. 574.
3 scabra. H. K.	rough-leaved.	_____	N. S. W.	1803.	_____	G. h.	
4 retusa. H. K.	blunt-leaved.	_____	_____	1789.	4.5.	G. h.	301. 246. 2081.
5 stricta. B. M.	upright.	_____	_____	1803.	4.6.	G. h.	Bot. mag. 1588.
6 linophylla. H. K.	Flax-leaved.	_____	_____	1789.	5.7.	G. h.	Schrad.s.han.3.t.13
7 paleacea. L. T.	chaffy.	_____	_____	_____	4.7.	G. h.	
8 stipularis. H. K.	scaly.	_____	N. S. W.	1792.	4.7.	G. h.	Bot. mag. 435.
9 vestita. H. K.	awned.	_____	N. Holland.	1803.	_____	G. h.	2080. 2081.
10 villosa. H. K.	villous.	_____	N. S. W.	1790.	4.5.	G. h.	Bot. mag. 967.
11 flexilis. H. K.	shining-leaved.	_____	_____	1801.	4.6.	G. h.	
DAVIESIA. T. L.	DAVIESIA.	Leguminosæ. J.	_____	_____	_____	_____	
1 acicularis. L. T.	needle-leaved.	_____	N. S. W.	1804.	6.7.	G. h.	2081.
2 ulicina. L. T.	Furze-leaved.	_____	_____	1792.	4.8.	G. h.	Bot. rep. 304.
3 corymbosa. L. T.	glaucous-leaved.	_____	_____	1804.	5.8.	G. h.	
4 mimosoides. H. K.	green-leaved.	_____	_____	1809.	6.8.	G. h.	Bot. rep. 526.
5 latifolia. H. K.	broad-leaved.	_____	_____	1805.	5.8.	G. h.	Bot. mag. 1757.
MIRBELIA. L. T.	MIRBELIA.	Leguminosæ. J.	_____	_____	_____	_____	
1 reticulata. L. T.	reticulated.	_____	N. S. W.	1792.	5.8.	G. h.	Bot. mag. 1211.
2 dilatata. H. K.	lobed-leaved.	_____	N. Holland.	1803.	_____	G. h.	
CERCIS. W.	JUDAS-TREE.	Leguminosæ. J.	_____	_____	_____	_____	
1 Siliqua-trum. W.	European.	_____	S. Europe.	1596.	5.6.	H. h.	Bot. mag. 1138.
2 canadensis. W.	American.	_____	N. America.	1730.	_____	H. h.	
BAUHINIA. W.	{ MOUNTAIN-EBONY. }	Leguminosæ. J.	_____	_____	_____	_____	
1 scandens. W.	small-1 ^d . climbing.	_____	E. Ind.	1799.		S. h.	Rheed. mal. 8. t. 29.
2 racemosa. W.	great-leaved.	_____	_____	1790.		S. h.	Vahl. symb. 3. t. 62.
3 aculeata. W.	prickly-stalked.	_____	W. Ind.	1737.	6.8.	S. h.	Plum. ic. t. 44. f. 1.
4 divaricata. W.	dwarf.	_____	_____	1742.	6.9.	S. h.	L. Hort. clif. t. 15.
5 aurita. W.	long-eared.	_____	Jamaica.	1756.	9.	S. h.	Mill. ic. 1. t. 61.
6 porrecta. W.	smooth-leaved.	_____	W. Ind.	1737.	7.	S. h.	Bot. mag. 1708.
7 parviflora. W.	small-flowered.	_____	E. Ind.	1808.		S. h.	
8 variegata. W.	variegated.	_____	_____	1690.	6.7.	S. h.	Rheed. mal. 1. t. 32.
9 candida. W.	white-leaved.	_____	_____	1777.	5.6.	S. h.	
10 purpurea. W.	purple.	_____	_____	1778.		S. h.	Rheed. mal. 1. t. 33.
11 tomentosa. W.	tomentose.	_____	_____	1803.		S. h.	1. t. 35.
12 acuminata. W.	acute-leaved.	_____	_____	_____		S. h.	1. t. 35.

HYMENÆA. W.	LOCUST-TREE.	Leguminosæ. J.				
1 Courbaril. W.	leathery-leaved.	_____	W. Ind.	1688.	S. h.	Lam. ill. t. 330. f. 1.
2 verrucosa. W.	warted-podded.	_____	Madagascar.	1808.	S. h.	_____ t. 330. f. 2.
CYNOMETRA. W.	CYNOMETRA.	Leguminosæ. J.				
cauliflora. W.	stem-flowering.	_____	E. Ind.	1804.	S. h.	Lam. ill. t. 331.
CASSIA. W.	CASSIA.	Leguminosæ. J.				
1 diphylla. W.	two-leaved.	_____	W. Ind.	1781. 5.7.	S. g.	Cav. ic. 5. t. 600. f. 1.
2 Absus. W.	four-leaved.	_____	India.	1777. 6.7.	S. o.	Burm. zeyl. t. 97.
3 viminea. W.	twiggy.	_____	W. Ind.	1786.	S. h.	Sljam. 2. t. 189. f. 67.
4 Tagera. W.	long-podded.	_____	E. Ind.	1803. 7.	S. g.	
5 Tora. W.	oval-leaved.	_____	E. Ind.	1693. 8.	S. o.	Dill. elt. t. 63. f. 73.
6 bicapsularis. W.	six-leaved.	_____	W. Ind.	1739. 5.6.	S. h.	Plum. ic. t. 76. f. 1.
7 mollissima. W. en.	soft-leaved.	_____	S. America.	1816.	S. h.	
8 emarginata. W.	notch-leaved.	_____	Jamaica.	1759. 5.6.	S. h.	Sl. hist. 2. t. 180. f. 1.4
9 obtusifolia. H. K.	blunt-leaved.	_____	_____	1732. 7.8.	S. o.	Dill. elt. t. 62. f. 72.
10 sennoides. W.	Senna-leaved.	_____	E. Ind.	1808.	S. h.	Jac. ic. 1. t. 70.
11 corymbosa. W.	corymbose.	_____	Buenos Ayres.	1796. 7.	G. h.	Bot. mag. 633.
12 sericea. W.	silky-leaved.	_____	Jamaica.	1731. 5.8.	S. o.	Jac. ic. 3. t. 459.
13 occidentalis. W.	occidental.	_____	W. Ind.	1759.	S. h.	Bot. reg. 83.
14 lævigata. W. en.	smooth.	_____	_____	_____	S. h.	
15 patula. W.	shining.	_____	W. Ind.	1778. 8.9.	S. h.	
16 arborescens. W.	tree.	_____	E. Ind.	1800. 6.7.	S. h.	Rheed. mal. 6. t. 9. 10
17 Senna. H. K.	Senna.	_____	Egypt.	1640. 7.8.	S. o.	
18 orientalis. P. S.	oriental.	_____	Levant.	_____	H. o.	Tabern. ic. 507.
19 ruscifolia. W.	Ruscus-leaved.	_____	Madeira.	1816. 5.7.	G. h.	Jac. ic. 1. t. 71.
20 biflora. W.	two-flowered.	_____	W. Ind.	1766. 12.4.	S. h.	Bot. mag. 810.
21 chinensis. W.	Chinese.	_____	China.	1807.	G. h.	Jac. ic. 1. t. 73.
22 multiglandulosa. W.	glandulous.	_____	Teneriffe.	1779. 6.8.	G. h.	_____ 1. t. 72.
23 hirsuta. H. K.	woolly.	_____	America.	1778. 7.	S. g.	
24 ligustrina. W.	Privet-leaved.	_____	Bahama Isl.	1726.	S. h.	Bot. reg. 109.
25 stipulacea. W.	large-stipuled.	_____	Chili.	1786.	S. h.	Feuill. per. 3. t. 42.
26 alata. W.	broad-leaved.	_____	W. Ind.	1731.	S. h.	Jac. obs. 2. t. 45. f. 2.
27 marilandica. W.	Maryland.	_____	N. America.	1723. 8.10.	H. 2.	Dill. elt. t. 260. f. 339.
28 frondosa. W.	smooth-shrubby.	_____	W. Ind.	1769. 3.4.	S. h.	Jac. ic. 1. t. 74.
29 Sophera. W.	round-podded.	_____	E. Ind.	1658. 7.9.	S. h.	Rheed. mal. 2. t. 52.
30 auriculata. W.	eared.	_____	_____	1777.	S. h.	Pluk. alm. t. 314. f. 4.
31 Chamæcrista. W.	dwarf.	_____	America.	1699. 6.9.	S. g.	Bot. mag. 157.
32 mimosoides. W.	Mimosa-leaved.	_____	Ceylon.	1806.	S. g.	
33 capensis. Th.	Cape.	_____	C. B. S.	1816.	G. h.	
34 nictitans. W.	Virginian.	_____	N. America.	1800. 7.	G. g.	Pluk. alm. t. 314. f. 5.
35 procumbens. W.	procumbent.	_____	_____	1806. 6.7.	H. o.	Comm. pet. t. 11.
CATHARTOCAR- PUS. P. S.	CATHARTO- CARPUS.	Leguminosæ. J.	<i>Bactyrilobium. W. en.</i>			
1 Fistula. P. S.	purging.	_____	E. Ind.	1731. 6.7.	S. h.	Rheed. mal. 1. t. 22.
2 javanicus. P. S.	Java.	_____	_____	1779.	S. h.	Com. hort. 1. t. 111.
PARKINSONIA. W.	PARKINSONIA.	Leguminosæ. J.				
aculeata. W.	prickly.	_____	W. Ind.	1739.	S. h.	Jac. amer. t. 80.
POINCIANA. H. K.	POINCIANA.	Leguminosæ. J.	<i>Cæsalpinia sp. W.</i>			
1 pulcherrima. H. K.	Flower-fence.	_____	E. Ind.	1691. 6.9.	S. h.	Bot. mag. 995.
2 elata. H. K.	smooth.	_____	_____	1778.	S. h.	
CÆSALPINIA. H. K.	BRASILETTO.	Leguminosæ. J.				
1 bijuga. W.	broad-leaved.	_____	Jamaica.	1770.	S. h.	Sl. hist. 2. t. 181. f. 2.3
2 brasiliensis. W.	smooth.	_____	_____	1739.	S. h.	
3 Sappan. W.	narrow-leaved.	_____	E. Ind.	1773.	S. h.	Roxb. cor. 1. t. 16.
4 Crista. Sw.	oval-leaved.	_____	Jamaica.		S. h.	Plum. gen. t. 68.
5 mimosoides. W.	Mimosa-leaved.	_____	E. Ind.	1806.	S. h.	Rheed. mal. 6. t. 8.
6 Nuga. H. K.	acute-leaved.	_____	_____	1801.	S. h.	Rumph. amb. 5. t. 50
GUILANDINA. H. K.	NICKER-TREE.	Leguminosæ. J.				
Bonduc. H. K.	oval-leaved.	_____	India.	1640.	S. h.	Lam. ill. t. 336.
HYPERANTHE- RA. W.	HORSE-RA- DISH-TREE.	Leguminosæ. J.	<i>Moringa. P. S.</i>			
Moringa. W.	smooth.	_____	E. Ind.	1759.	S. h.	Jac. ic. 3. t. 461.
HOFFMANSEG- GIA. Cav.	HOFFMAN- SEGIA.	Leguminosæ. J.				
falcaria. Cav.	sickle-leaved.	_____	Chili.	1806. 7.8.	S. h.	Cav. ic. t. 392.
ADENANTHERA. W.	ADENANTHERA.	Leguminosæ. J.				
1 Pavonina. W.	yellow-flowered.	_____	E. Ind.	1759. 5.8.	S. h.	Jac. coll. 4. t. 23.
2 falcata. W.	woolly-leaved.	_____	_____	1812.	S. h.	Rumph. amb. 3. t. 11
CADIA. W.	CADIA.	Leguminosæ. J.				
purpurea. W.	purple.	_____	Arabia.	1755. 7.1.	S. h.	Pic. hort. pan. 9. c. ic.

PROSOPIS. Rox. spicigera. L.	PROSOPIS. eatable-podded.	Leguminosæ. J.	E. Ind.	1812.	S. h.	Roxb. cor. 1. t. 63.
HEMATOXY- LON. W. }	LOGWOOD.	Leguminosæ. J.				
campechianum. W.	common.		S. America.	1724.	S. h.	Cat. car. 2. t. 66.
COPAIFERA. W.	{ BALSAM OF CAPEVI. }	Leguminosæ. J.				
officinalis. W.	official.		S. America.	1774.	S. h.	Jac. amer. t. 86.
SCHOTIA. W.	SCHOTIA.	Leguminosæ. J.				
1 speciosa. H. K.	small-leaved.		C. B. S.	1759. 7.12.	S. h.	Bot. rep. 348.
2 tamarindifolia. H. K.	Tamarind-leav'd.			1795. 5.9.	S. h.	Bot. mag. 1153.
3 stipulata. H. K.	large-stipuled.			1794. —	S. h.	
GUAIACUM. W.	{ LIGNUM- VITE-TREE. }	Rutaceæ. J.				
officinale. W.	official.		W. Ind.	1694. 7.9.	S. h.	Lam. ill. t. 342.
ZYGOPHYLLUM. W.	BEAN-CAPER.	Rutaceæ. J.				
1 cordifolium. W.	heart-leaved.		C. B. S.	1774. 10.	G. h.	
2 Fabago. W.	common.		Syria.	1596. 7.9.	H. 2.	Lam. ill. t. 345. f. 1.
3 fœtidum. W.	fœtid.		C. B. S.	1790. 6.8.	G. h.	Bot. mag. 372.
4 maculatum. W.	spotted-flower'd.			1782. 10.11.	G. h.	
5 album. W.	white.		Canaries.	1779. —	D. S. h.	Linn. dec. 1. t. 6.
6 Morgsana. W.	four-leaved.		C. B. S.	1732. 5.9.	G. h.	Dill. elt. t. 116. f. 141
7 sessilifolium. W.	sessile-leaved.			1713. 7.8.	G. h.	t. 116. f. 142.
FAGONIA. W.	FAGONIA.	Rutaceæ. J.				
1 cretica. W.	Cretan.		Candia.	1739. 6.8.	G. ①.	Bot. mag. 241.
2 arabica. W.	Arabian.		Arabia.	1759. —	G. ②.	
TRIBULUS. W.	CALTROPS.	Rutaceæ. J.				
1 maximus. W.	great.		Jamaica.	1728. 6.7.	S. ①.	Jac. ic. 3. t. 462.
2 terrestris. W.	small.		S. Europe.	1596. —	H. ①.	Lam. ill. t. 346. f. 1.
3 cistoides. W.	Cistus-like.		S. America.	1752. 7.	S. 2.	Jac. schœn. 1. t. 103.
DICTAMNUS. W.	FRAXINELLA.	Rutaceæ. J.				
Fraxinella. P. S.	common.		Germany.	1596. 5.7.	H. 2.	Jac. aust. 5. t. 428.
α alba.	white-flowered.					
β rubra.	red-flowered.					
RUTA. W.	RUE.	Rutaceæ. J.				
1 graveolens. W.	common.		S. Europe.	1562. 6.9.	H. h.	Lam. ill. 345. t. 1.
2 montana. W.	mountain.			1596. 8.9.	H. 2.	Jac. ic. 1. t. 76.
3 chalepensis. P. S.	broad-l'd. African.		Africa.	1722. 6.9.	G. h.	
4 angustifolia. P. S.	narrow-leaved.			—	G. h.	Mor. hist. 2. t. 35. f. 8.
5 pinnata. W.	winged-leaved.		Canaries.	1780. 3.8.	G. h.	
6 pubescens. W. en.	pubescent.		Spain.	1816. 5.8.	H. 2.	
7 linifolia. W.	Flax-leaved.			1752. 6.9.	H. h.	Bot. rep. 565.
CROWEA. L. T.	CROWEA.					
saligna. L. T.	Willow-leaved.		N. S. W.	1790. 7.12.	G. h.	Bot. mag. 989.
CODON. W.	CODON.					
Royeni. W.	prickly.		C. B. S.	1801. 9.	G. ②.	Bot. rep. 325.
GOMPHIA. W.	BUTTON-FLOWER.	Guttiferæ. J.				
1 nitida. W.	glossy-leaved.		Jamaica.	1803.	S. h.	
2 lævigata. P. S.	obtuse-leaved.				S. h.	
QUASSIA. W.	QUASSIA.	Magnolîæ? J.				
1 amara. W.	bitter.		Guiana.	1790. 6.7.	S. h.	Bot. mag. 497.
2 Simaruba. W.	winged-leaved.		W. Ind.	1737.	S. h.	Aub. gui. 2. t. 331, 2.
LIMONIA. W.	LIMONIA.	Aurantîæ. J.				
1 monophylla. W.	simple-leaved.		E. Ind.	1777.	S. h.	Rox. cor. 1. t. 83.
2 citrifolia. W. en.	various-leaved.		China.	 6.8.	S. h.	
3 trifoliata. W.	three-leaved.			1787. 7.8.	S. h.	Bot. rep. 143.
4 crenulata. H. K.	crenulate.		E. Ind.	1808.	S. h.	Rox. cor. 1. t. 86.
5 pentaphylla. W.	five-leaved.			1790. 6.7.	S. h.	1. t. 84.
6 arborea. W.	tree.			1796. 5.8.	S. h.	1. t. 85.
MURRAYA. W.	MURRAYA.	Aurantîæ. J.				
exotica. W.	Ash-leaved.		India.	1771. 8.9.	G. h.	Lam. ill. t. 352.
COOKIA. W.	WAMPEE-TREE.	Aurantîæ. J.				
punctata. W.	Chinese.		China.	1795.	S. h.	Jac. schœn. 1. t. 101.
GÆRTNERA. W.	GÆRTNERA.	Malpighiaceæ. J.				
racemosa. W.	clustered.		E. Ind.	1796. 3.4.	S. h.	Bot. rep. 600.
TRICHILIA. W.	TRICHILIA.	Meliæ. J.				
1 glabra. W.	smooth.		W. Ind.	1794. 6.7.	S. h.	Jac. amer. t. 175. f. 33
2 odorata. B. R.	sweet-scented.			1801. —	S. h.	Bot. rep. 637.
EKEBERGIA. W.	EKEBERGIA.	Meliæ. J.				
capensis. W.	Cape.		C. B. S.	1789. 7.8.	G. h.	Lam. ill. t. 353.

HEYNEA. Rox.	HEYNEA.	Meliæ. J.					
tijuga. B. M.	Walnut-like.	_____	Napaul.	1812.	9.	S. h.	Bot. mag. 1738.
MELIA. W.	BEAD-TREE.	Meliæ. J.					
1 Azedarach. W.	common.	_____	Syria.	1656.	6.8.	G. h.	Bot. mag. 1066.
2 sempervirens. W.	evergreen.	_____	Jamaica.	_____	_____	S. h.	Com. hort. t. 176.
3 Azadirachta. W.	Ash-leaved.	_____	E. Ind.	1759.	_____	S. h.	Cav. dis. 7. t. 208.
SWIETENIA. W.	{ MAHOGANY- TREE. }	Meliæ. J.					
1 Mahagoni. W.	common.	_____	W. Ind.	1734.		S. h.	Cav. dis. 7. t. 209.
2 febrifuga. W.	Febrifuge.	_____	E. Ind.	1796.		S. h.	Rox. cor. 1. t. 17.
MONOTROPA. W.	{ YELLOW BIRD'S-NEST }						
Hypopithys. W.	common.	_____	Britain.		6.7.	H. 2.	Eng. bot.
DIONÆA. W.	DIONÆA.						
Muscipula. W.	Venus's Flytrap.	_____	Carolina.	1768.	7.8.	G. 2.	Bot. mag. 785.
GARUGA. Rox.	GARUGA.						
pinnata. H. K.	winged-leaved.	_____	E. Ind.	1808.		S. h.	Rox. cor. 3. t. 208.
JUSSIEUA. W.	JUSSIEUA.	Onagrea. J.					
1 grandiflora. W.	great-flowered.	_____	Carolina.	1812.	7.10.	G. 2.	B. m. 2122.
2 suffruticosa. W.	tall.	_____	India.	1808.	8.9.	S. 2.	Bot. rep. 621.
3 octovalvis. P. S.	spear-leaved.	_____	S. America.		7.9.	S. 3.	
4 erecta. W.	upright.	_____		1739.	_____	S. 3.	Plum. ic. t. 175. f. 2.
5 scabra. W. en.	rough.	_____		1816.	_____	S. 2.	
GETONIA. Rox.	GETONIA.	Combretaceæ. B. P.					
floribunda. P. S.	many-flowered.	_____	E. Ind.	1815.		S. h.	Roxb. cor. t. 87.
QUISQUALIS. W.	QUISQUALIS.	Combretaceæ. B. P.					
1 indica. W.	Indian.	_____	E. Ind.	1815.	5.8.	S. h.	Rumph. amb. 5. t. 38.
2 pubescens.	pubescent.	_____		_____		S. h.	
DAIS. W.	DAIS.	Thymelææ.					
cotinifolia. W.	Cotinus-leaved.	_____	C. B. S.	1776.	6.7.	G. h.	Bot. mag. 147.
MELASTOMA. W.	MELASTOMA.	Melastomeæ. J.					
1 aspera. W.	rough.	_____	E. Ind.	1815.	8.11.	S. h.	Burm. zeyl. t. 72.
2 velutina. W.	velvety-leaved.	_____	W. Ind.	_____	7.10.	S. h.	
3 trinervia. W.	three-nerved.	_____	Jamaica.	1793.	7.	S. h.	
4 octandra. W.	octandrous.	_____	Ceylon.	1815.		S. h.	
5 tetrandra. W.	tetrandrous.	_____	Jamaica.	_____		S. h.	
6 hirta. W.	hairy.	_____		1740.	9.12.	S. h.	Pluk. alm. t. 264. f. 1.
7 Acinodendron. W.	oval-leaved.	_____		1804.		S. h.	Plum. ic. 142. f. 2.
8 cymosa. W.	cyme-flowered.	_____	S. America.	1792.	4.8.	S. h.	Sert. han. t. 8.
9 rubra. W.	red.	_____	Guiana.	1793.	5.6.	S. h.	Aub. gui. 1. t. 161.
10 purpurea. W.	purple.	_____		1804.		S. h.	1. t. 154.
11 grossa. W.	large-leaved.	_____	S. America.			S. h.	
12 malabathrica. W.	bristly.	_____	E. Ind.	1793.	6.8.	S. h.	Bot. mag. 529.
13 corymbosa. H. K.	corymb-flower'd.	_____	Sierra Leone.	1792.	3.10.	S. h.	904.
14 ecostata. H. K.	ribless.	_____	Jamaica.	1793.	5.6.	S. h.	
15 Fothergilla.	Fothergill's.	_____	S. America.	1815.		S. h.	Aub. gui. 1. t. 175.
16 albicans. P. S.	white-leaved.	_____	Jamaica.	_____		S. h.	
17 lævigata. W.	smooth.	_____	S. America.	_____		S. h.	
18 discolor. W.	two-coloured.	_____	W. Ind.	1793.		S. h.	
ACISANTHERA. J.	ACISANTHERA.	Salicariæ. J.					
quadrata. P. S.	four-sided.	_____	Jamaica.	1804.		S. h.	Brown. jam. t. 22. f. 1
KALMIA. W.	KALMIA.	Rhodoraceæ. P. S.					
1 latifolia. W.	broad-leaved.	_____	N. America.	1734.	5.7.	H. h.	Bot. mag. 175.
2 angustifolia. W.	narrow-leaved.	_____		1736.	_____	H. h.	331.
β rubra.	red-flowered.	_____					
3 glauca. W.	glaucous.	_____		1767.	4.5.	H. h.	177.
4 rosmarinifolia. Ph.	Rosemary-leav'd	_____		1812.	_____	H. h.	
5 hirsuta. W.	hairy.	_____		1786.	8.9.	F. h.	Bot. mag. 138.
LEDUM. W.	LEDUM.	Rhodoraceæ. P. S.					
1 palustre. W.	marsh.	_____	Europe.	1762.	4.5.	H. h.	Fl. dan. 1031.
β decumbens.	dwarf.	_____	Hudson's Bay	_____	_____	H. h.	
2 latifolium. W.	broad-leaved.	_____	N. America.	1763.	_____	H. h.	Jac. ic. 3. t. 464.
3 buxifolia. W.	Box-leaved.	_____		1736.	_____	H. h.	Lam. ill. t. 363. f. 2.
Ammyrsine buxifolia. Ph.							B. m. 531.
RHODORA. W.	RHODORA.	Rhodoraceæ. J.					
canadensis. W.	Canadian.	_____	N. America.	1767.	4.5.	H. h.	Bot. mag. 474.
RHODODEN- DRON. W.	{ RHODODEN- DRON. }	Rhodoraceæ. J.					
1 ferrugineum. W.	rusty-leaved.	_____	Switzerland.	1752.	5.7.	H. h.	Jac. aust. 3. t. 255.
2 hirsutum. W.	hairy-leaved.	_____		1656.	_____	H. h.	Bot. mag. 1853.

3 dauricum. W.	Daurian.	Rhodoracæ. J.	Siberia.	1780.	12.3.	G. h.	Bot. mag. 636.
β atrovirens.	dark-leaved.	_____	_____		2.4.	H. h.	Bot. reg. 194.
4 camtschaticum. W.	Kamtschatka.	_____	Kamtschatka.	1802.		H. h.	Pall. ross. 1. t. 33.
5 chamacistus. W.	Thyme-leaved.	_____	Siberia.	1786.	5.6.	F. h.	Bot. mag. 488.
6 caucasicum. W.	Caucasian.	_____	Caucasus.	1803.	8.	H. h.	_____ 1145.
7 chrysanthum. W.	yellow.	_____	Siberia.	1796.	6.7.	H. h.	Par. lond. 80.
8 punctatum. W.	dotted-leaved.	_____	N. America.	1786.	6.8.	H. h.	Bot. rep. 36. 2235
β major.	large dotted-lea.	_____	_____	_____	_____	H. h.	Bot. reg. 37.
9 maximum. W.	large.	_____	_____	1736.	_____	H. h.	Bot. mag. 951.
10 album. Ph.	white.	_____	_____	1811.	_____	H. h.	_____
11 purpureum. Ph.	tree.	_____	_____		_____	H. h.	_____
12 catawbiense. Ph.	Catawba.	_____	_____	1809.	_____	H. h.	Bot. mag. 1671.
13 ponticum. W.	common.	_____	Gibraltar.	1763.	5.6.	H. h.	_____ 650.
14 subdeciduum.	{ Thompson's }	_____	_____		6.8.	H. h.	Bot. rep. 379.
15 hybridum. B. reg.	hybrid.	_____	_____		_____	H. h.	Bot. reg. 195.
EPIGÆA. W.	Herbert's hybrid	Rhodoracæ. J.	Am. mus.	_____	_____	_____	_____
repens. W.	creeping.	_____	N. America.	1736.	7.8.	H. h.	Bot. reg. 201.
VACCINIUM. P. S.	{ WHORTLE- BERRY. }	Ericæ. J.	_____	_____	_____	_____	_____
1 Myrtillus. W.	bleaberry.	_____	Britain.		4.6.	H. h.	Eng. bot. 456.
2 pallidum. W.	pale.	_____	N. America.	1772.	5.6.	H. h.	_____
3 stamineum. Ph.	long-stamened.	_____	_____	_____	_____	H. h.	Pluk.alm. t.339.f.3.
4 album. Ph.	white-flowered.	_____	_____	_____	_____	H. h.	Bot. rep. 263.
5 uliginosum. W.	great Bilberry.	_____	Britain.		4.5.	H. h.	Eng. bot. 591.
6 diffusum. W.	shining-leaved.	_____	Carolina.	1765.	5.7.	H. h.	_____
7 angustifolium. W.	narrow-leaved.	_____	N. America.	1776.	4.5.	H. h.	_____
8 dumosum. W.	bushy.	_____	_____	1774.	5.6.	H. h.	Bot. mag. 1106.
9 fuscum. W.	clustered-flow ^d .	_____	_____	1770.	5.6.	H. h.	Bot. rep. 97.
10 frondosum. W.	blunt-leaved.	_____	_____	1761.	_____	H. h.	_____ 140.
11 venustum. W.	red-twigged.	_____	_____	1770.	_____	H. h.	_____
12 ramulosum. W. en.	branching.	_____	_____		_____	H. h.	_____
13 ligustrinum. W.	Privet-leaved.	_____	_____		_____	H. h.	_____
14 resinosum. W.	clammy.	_____	_____	1772.	5.6.	H. h.	Wang.am.t.30.f.69.
β rubescens.	red-flowered.	_____	_____	_____	_____	H. h.	Bot. mag. 1288.
15 parviflorum. P. S.	small-flowered.	_____	_____	1804.	_____	H. h.	Bot. rep. 125.
16 hirtellum. H. K.	large-bracted.	_____	_____	1782.	6.7.	H. h.	_____
17 corymbosum. Ph.	corymbose.	_____	_____	1806.	5.	H. h.	_____
18 amœnum. W.	broad-leaved.	_____	_____	1765.	5.6.	H. h.	Bot. rep. 138. Aug 300
19 virgatum. W.	twiggy.	_____	_____	1767.	4.5.	H. h.	_____ 181.
20 galeans. Ph.	Gale-leaved.	_____	_____	1806.	5.6.	H. h.	_____
21 tenellum. W.	Pennsylvanian.	_____	_____	1772.	_____	H. h.	_____
22 Arctostaphylos. W.	Madeira.	_____	Madeira.	1777.	6.8.	H. h.	Bot. mag. 974.
23 meridionale. W.	Jamaica.	_____	Jamaica.	1778.	3.6.	G. h.	_____
24 humile. W. en.	dwarf.	_____	N. America.		5.7.	H. h.	_____
25 myrtifolium. Ph.	Myrtle-leaved.	_____	Carolina.	1812.	_____	F. h.	_____
26 crassifolium. Ph.	thick-leaved.	_____	_____	1787.	6.7.	H. h.	Bot. mag. 1152.
27 Vitis Idæa. W.	Cow-berry.	_____	Britain.		4.6.	H. h.	Eng. bot. 598.
28 nitidum. Ph.	glossy.	_____	Carolina.	1794.	5.6.	G. h.	Bot. reg. 480.
β decumbens.	decumbent.	_____	_____	_____	_____	G. h.	Bot. mag. 1550.
29 myrsintès. Ph.	Myrsine-leaved.	_____	_____		_____	G. h.	_____
30 buxifolium. Ph.	Box-leaved.	_____	N. America.	1794.	_____	H. h.	Bot. mag. 928.
ANDROMEDA. W.	ANDROMEDA.	Ericæ. J.	_____	_____	_____	_____	_____
1 hypnoides. W.	Moss-like.	_____	Lapland.	1798.	6.7.	H. h.	Fl. dan. 10.
2 mariana. W.	Maryland.	_____	N. America.	1736.	_____	H. h.	Pluk.man.t. 448.f.6
α ovalis.	oval-leaved.	_____	_____	_____	_____	H. h.	Bot. mag. 1579.
β oblonga.	oblong-leaved.	_____	_____	_____	_____	_____	_____
3 ferruginea. Ph.	rusty-leaved.	_____	_____	1784.	_____	H. h.	Vent. malm. 80.
4 rigida. Ph.	rigid.	_____	_____	1774.	4.5.	H. h.	_____
5 jamaicensis. W.	Jamaica.	_____	Jamaica.	1793.		S. h.	_____
6 speciosa. Ph.	large-flowered.	_____	Carolina.	1800.	6.9.	H. h.	_____
α nitida.	smooth-leaved.	_____	_____	_____	_____	_____	Bot. mag. 970.
β pulverulenta.	mealy-leaved.	_____	_____	_____	_____	_____	_____ 667.
7 polifolia. W.	marsh.	_____	_____		5.9.	H. h.	_____
α latifolia.	broad-leaved.	_____	N. America.		_____	H. h.	_____
β media.	Wild Rosemary.	_____	Britain.		_____	H. h.	Eng. bot. 713.
γ angustifolia.	narrow-leaved.	_____	N. America.		_____	H. h.	Pall.ross.2.t.70.f.B.
δ subulata.	owl-leaved.	_____	_____		_____	H. h.	_____
8 japonica. W.	Japan.	_____	Japan.	1806.		G. h.	Th. jap. t. 22.
9 paniculata. Ph.	panicked.	_____	N. America.	1748.	5.6.	H. h.	Pluk.alm. t.236.f.3.

10 frondosa. Ph.	bristly-flowered.	Ericææ. J.	N. America.	1806.	5.6.	H. h.	
11 arborea. W.	Sorrel-tree.			1752.	7.9.	H. h.	Bot. mag. 905.
12 racemosa. W.	branching.			1736.	7.	H. h.	
13 Catesbaei. W.	Catesby's.			1793.	6.7.	H. h.	Cat. car. 2. t. 43.
14 axillaris. W.	axil-flowering.			1765.	5.8.	H. h.	
<i>β longifolia.</i>	long-leaved.						2357
15 coriacea. W.	thick-leaved.				6.8.	H. h.	Bot. mag. 1095.
16 acuminata. W.	acute-leaved.				8.	H. h.	Ex. bot. 2. t. 89.
17 floribunda. Ph.	many-flowered.			1812.	5.6.	H. h.	Bot. mag. 1566.
18 hirta. W. en.	hairy.					H. h.	
19 calyculata. Ph.	Box-leaved.			1748.	2.4.	H. h.	Pall. ross. 2. t. 72. f. 1.
<i>α ventricosa.</i>	globe-flowered.		Russia.			H. h.	Bot. mag. 1286.
<i>β latifolia.</i>	broad-leaved.		Newfoundl ^d .			H. h.	
20 angustifolia. Ph.	narrow-leaved.		N. America.			H. h.	
ENKIANTHUS. B. M.	ENKIANTHUS.	Ericææ. J.					
quinqueflora. B. M.	Canton.		China.	1812.	10.2.	G. h.	Bot. mag. 1649.
GAULTHERIA. W.	GAULTHERIA.	Ericææ. J.					
1 procumbens. W.	trailing.		N. America.	1762.	7.9.	H. h.	Bot. rep. 116.
2 serpyllifolia. Ph.	Thyme-leaved.			1776.	5.7.	H. h.	Mich. am. 1. t. 23.
<i>Vaccinium hispidulum W. et Arbutus thymifolia Ait.</i>							
ARBUTUS. W.	{ STRAWBER- RY-TREE. }	Ericææ. J.					
1 Unedo. W.	common.		Ireland.		9.12.	H. h.	Eng. bot. 2377.
<i>β rubra.</i>	red-flowered.						2319
<i>γ plena.</i>	double-flowered.						
2 canariensis. B. M.	long-leaved.		Canaries.	1796.	5.6.	G. h.	Bot. mag. 1577.
3 Andrachne. W.	oriental.		Levant.	1724.	3.4.	H. h.	Bot. reg. 113.
4 alpina. W.	black-berried.		Scotland.		4.5.	H. h.	Eng. bot. 2030.
5 Uva-ursi. W.	Bear-berry.		Britain.		4.6.	H. h.	714.
6 phillyreaefolia. P. S.	Phillyrea-leaved.		Peru.	1812.		G. h.	
CLETHRA. W.	CLETHRA.	Ericææ. J.					
1 alnifolia. Ph.	Alder-leaved.		N. America.	1731.	8.10.	H. h.	Lam. ill. t. 369.
2 tomentosa. Ph.	woolly-flowered.					H. h.	
3 scabra. Ph.	rough-leaved.		Georgia.	1806.		H. h.	
4 paniculata. W.	panicled.		N. America.	1770.		H. h.	
5 acuminata. Ph.	acute-leaved.		Carolina.	1806.		H. h.	
6 arborea. W.	tree.		Madeira.	1784.		G. h.	Bot. mag. 1057.
<i>β minor.</i>	dwarf.						
MYLOCARYUM. W. en.	{ BUCKWHEAT- TREE. }	Ericææ. J.					
ligustrinum. Ph.	Privet-like.		Georgia.		5.6.	H. h.	Bot. mag. 1625.
PYROLA. W.	WINTER-GREEN.	Ericææ. J.					
1 rotundifolia. W.	round-leaved.		Britain.		6.7.	H. h.	Eng. bot. 213.
2 media. E. B.	intermediate.		England.			H. h.	945.
3 minor. W.	lesser.		Britain.			H. h.	158.
4 secunda. W.	serrated.					H. h.	517.
5 rosea. E. B.	rose-coloured.		England.		7.8.	H. h.	2543.
6 uniflora. W.	single-flowered.		Britain.		6.7.	H. h.	146.
CHIMAPHILA. Ph.	CHIMAPHILA.	Ericææ. J.	<i>Pyrola sp. W.</i>				
1 maculata. Ph.	spotted-leaved.		N. America.	1752.	6.	H. h.	Bot. mag. 897.
2 corymbosa. Ph.	corymb-flowered.					H. h.	778.
<i>Pyrola umbellata.</i>	<i>B. M.</i>						
BUCIDA. W.	{ OLIVE-BARK TREE. }	Santalacææ. B. P.					
Buceras. W.	Jamaica.		Jamaica.	1793.	8.9.	S. h.	Lam. ill. t. 356.
SAMYDA. W.	SAMYDA.						
1 nitida. W.	glossy.		W. Ind.	1793.		S. h.	Br. jam. t. 23. f. 3.
2 pubescens. W.	pubescent.				5.8.	S. h.	
3 serrulata. W.	Elm-leaved.			1723.	7.	S. h.	Jac. col. 2. t. 17. f. 1.
4 rosea. H. K.	rose-coloured.			1793.	6.7.	S. h.	Bot. mag. 550.
INOCARPUS. W.	{ OTAHEITE- CHESTNUT. }	Sapotææ? J.					
edulis. W.	eatable.		South Sea Isl.	1793.		S. h.	Lam. ill. t. 362.
STYRAX. W.	STORAX.	Ebenacææ. B. P.					
1 officinale. W.	officinal.		Italy.	1597.	7.	H. h.	Bot. rep. 631.
2 grandifolium. W.	great-leaved.		N. America.	1765.		H. h.	
3 pulverulentum. Ph.	powdery.			1794.	6.7.	H. h.	
4 lavigatum. W.	smooth.			1765.	7.8.	H. h.	Cav. dis. 6. t. 188. f. 1.

DIGYNIA.

ROYENA. W.	ROYENA.	Ebenaceæ. B. P.					
1 lucida. W.	shining-leaved.	C. B. S.	1690.	5.6.	G. h.	Lam. ill. t. 370. f. 1.	
2 villosa. W.	heart-leaved.	—	1774.	6.7.	G. h.	—	
3 pallens. W.	pale.	—	1789.	—	G. h.	—	
4 glabra. W.	Myrtle-leaved.	—	1731.	9.	G. h.	Com. hort. 1. t. 65.	
5 pubescens. W. en.	pubescent.	—	1752.	7.8.	G. h.	Jac. coll. s. t. 13. f. 1.	
6 hirsuta. W. en.	hairy-leaved.	—	—	—	G. h.	Lam. ill. t. 370. f. 2.	
7 angustifolia. W.	Willow-leaved.	—	1789.	6.7.	G. h.	—	
8 ambigua. V.	obovate-leaved.	—	1815.	—	G. h.	Vent. malm. t. 17.	
9 polyandra. W.	oval-leaved.	—	1774.		G. h.	—	
TRIANTHEMA. W.	TRIANTHEMA.	Portulacææ. J.					
1 monogyna. W.	Purslane-leaved.	Jamaica.	1710.	7.8.	S. O.	Plant. grass. 109.	
2 decandra. W.	trailing.	India.	1762.	—	S. O.	Burm. ind. t. 31. f. 3.	
SCLERANTHUS. W.	KNAWEL.	Portulacææ. J.					
1 annuus. W.	annual.	Britain.		7.8.	H. O.	Eng. bot. 351.	
2 perennis. W.	perennial.	—		8.9.	H. 2.	— 352.	
CUNONIA. W.	CUNONIA.	Cunoniaceæ. Br.					
capensis. W.	Cape.	C. B. S.	1816.		G. h.	Burm. afr. t. 96.	020
HYDRANGEA. W.	HYDRANGEA.	Saxifragææ? J.					
1 arborescens. W.	shrubby.	Virginia.	1736.	7.8.	H. h.	Bot. mag. 437.	
2 cordata. Ph.	heart-leaved.	Carolina.	1806.	—	H. h.	—	
3 radiata. W.	white-leaved.	—	1786.	—	H. h.	Lam. ill. t. 370. f. 2	
nivea. Ph.	—	—	—	—	—	—	
4 quercifolia. W.	Oak-leaved.	Florida.	1803.	6.9.	F. h.	Bot. mag. 975.	
5 hortensis. W.	changeable.	China.	1788.	4.9.	F. h.	— 438.	
CHRYSOPL- } { GOLDEN							
NIUM. W. } { SAXIFRAGÆ.		Saxifragææ. J.					
1 alternifolium. W.	alternate-leaved	Britain.		4.5.	H. 2.	Eng. bot. 54.	
2 oppositifolium. W.	opposite-leaved.	—		—	H. 2.	— 490.	
SAXIFRAGA. W.	SAXIFRAGÆ.	Saxifragææ. J.					
1 crassifolia. W.	thick-leaved.	Siberia.	1765.	3.5.	H. 2.	Bot. mag. 196.	
2 cordifolia. M. n.	heart-leaved.	—	1779.	—	H. 2.	—	
3 Cotyledon. W.	pyramidal.	Alps of Eur.	1596.	5.7.	H. 2.	Fl. dan. 241.	
4 ligulata. M. n.	strap-leaved.	—		—	H. 2.	—	
5 recta. P. S.	straight-leaved.	—		—	H. 2.	Pluk. phyt. t. 221. f. 1	
6 Aizoon. P. S.	large-margined.	—	1731.	—	H. 2.	Jac. aust. 5. t. 438.	
7 intacta. W. en.	small-margined.	Tyrol.		—	H. 2.	Hort. ber. 2. t. 75.	
8 mutata. W.	Saffron-coloured	Switzerland.	1779.	6.7.	F. 2.	Bot. mag. 351.	
9 pennsylvanica. W.	Pennsylvanian.	N. America.	1732.	5.6.	H. 2.	Dil. elt. t. 253. f. 328.	
10 semipubescent. H. S.	semi-pubescent.			—	H. 2.	—	
11 hieracifolia. W.	Hawkweed-leaf.	Hungary.	1789.	—	H. 2.	Pl. rar. hung. 1. t. 18.	
12 erosa. Ph.	jagged-leaved.	N. America.	1812.	—	H. 2.	—	
13 punctata. W.	dotted-flowered.	Siberia.	1699.	—	H. 2.	Mor. his. 3. t. 9. f. 17.	
14 serrata. H. S.	sawed-leaved.	Ireland.		5.	H. 2.	—	
15 polita. H. S.	polished.	Scotland.		—	H. 2.	—	
16 umbrosa. W.	London Pride.	Britain.		4.6.	H. 2.	Eng. bot. 663.	
17 hirsuta. W.	hirsute.	Ireland.		5.6.	H. 2.	— 2322.	
18 sphaeroidea. H. S.	sphaeroid.		1800.	—	H. 2.	—	
19 crenata. H. S.	crenated.		1796.	—	H. 2.	—	
20 dentata. H. S.	toothed.	Scotland.		—	H. 2.	—	
21 Geum. W.	kidney-leaved.	Ireland.		6.7.	H. 2.	Eng. bot. 1561.	
22 cuneifolia. W.	wedge-leaved.	Switzerland.	1768.	5.6.	H. 2.	Pl. rar. hung. 1. t. 44.	
23 leucanthemifolia. Ph.	Stock-leaved.	N. America.	1812.	6.	H. 2.	—	
24 sarmentosa. W.	Chinese.	China.	1771.	6.7.	F. 2.	Bot. mag. 92.	
25 virginicensis. Ph.	Virginian.	N. America.	1790.	5.7.	F. 2.	— 1664.	
26 congesta.	close-flowered.	—	1812.	—	F. 2.	—	
nivalis. Ph. excl. syn.	—	—	—	—	—	—	
27 nivalis. W.	clustered Alpine.	Britain.		6.7.	F. 2.	Eng. bot. 440.	
28 stellaris. W.	starry.	—		—	F. 2.	— 167.	
29 bryoides. W.	thread-moss-like	Switzerland.	1752.	—	F. 2.	Jac. mis. 2. t. 5. f. 1.	
30 caesia. W.	gray.	—	—	5.6.	F. 2.	Jac. aust. 4. t. 374.	
31 androsacea. W.	Androsace-leaf.	Austria.	1792.	—	F. 2.	— 4. t. 389.	
32 oppositifolia. W.	opposite-leaved.	Britain.		3.4.	F. 2.	Eng. bot. 9.	
33 aspera. W.	rough.	Switzerland.	1752.	8.	F. 2.	Jac. aust. 5. t. 31.	
34 Hirculus. W.	yellow marsh.	England.		—	F. 2.	Eng. bot. 1009.	
35 Aizoides. M. n.	{ smaller	Britain.		7.8.	F. 2.	—	
	mountain.	—	—	—	—	—	
36 autumnalis. M. n.	larger mountain.	—		—	F. 2.	Eng. bot. 39.	
37 rotundifolia. W.	round-leaved.	Austria.	1596.	5.6.	H. 2.	Bot. mag. 424.	

38 granulata. W.	grain-rooted.	Saxifrageæ. J.	Britain.		5.	H. ½.	Eng. bot. 500.
β plena.	double-flowered.	_____	_____	_____	_____	_____	_____
39 cernua. W.	drooping.	_____	Scotland.		7.	F. ½.	661.
40 rivularis. W.	Alpine brook.	_____	_____		6.7.	F. ½.	2275.
41 hederacea. W.	Ivy-leaved.	_____	Levant.	1752.	7.	F. ☉.	_____
42 pentadactyla. W. en.	five-fingered.	_____	Pyrenees.	1815.	5.6.	H. ½.	Lapey. Fl. t. 40.
43 geranioides. W.	Crane's-bill-lea ^d .	_____	_____	1770.	4.5.	H. ½.	t. 43.
44 pedatifida. L. T.	pedatifid.	_____	Scotland.		5.6.	H. ½.	Eng. bot. 2278.
45 ceratophylla. H. K.	shining-calyxed.	_____	Spain.	1804.	_____	F. ½.	Bot. mag. 1651.
46 lanceolata. H. S.	spear-leaved.	_____	Scotland.		_____	H. ½.	_____
47 quinquedens. H. S.	five-toothed.	_____			_____	H. ½.	_____
48 ajugifolia. W.	Bugle-leaved.	_____	Pyrenees.	1770.	6.7.	H. ½.	Lapey. Fl. t. 31.
49 platypetala. L. T.	broad-petalled.	_____	Scotland.		6.	H. ½.	Eng. bot. 2276.
50 sibirica. W.	Siberian.	_____	Siberia.	1802.	5.6.	H. ½.	_____
51 tridactylites. W.	Rue-leaved.	_____	Britain.		4.5.	H. ☉.	Eng. bot. 501.
52 petraea. W.	rock.	_____	Norway.	1752.	_____	H. ½.	Fl. dan. 68.
53 adscendens. W.	ascending.	_____	Pyrenees.	_____	5.	H. ½.	Jac. ic. 1. t. 81.
54 Sternbergii. W. en.	large-flowered.	_____	Germany.		_____	H. ½.	_____
55 hirta. E. B.	hairy.	_____	Scotland.		6.	H. ½.	Eng. bot. 2291.
56 Haworthii.	Haworth's hairy.	_____	Britain.		5.6.	H. ½.	_____
hirta. M. n.	_____	_____	_____	_____	_____	_____	_____
57 hybrida. M. n.	hybrid.	_____			_____	H. ½.	_____
58 palmata. E. B.	palmate.	_____	Wales.		_____	H. ½.	Eng. t. 455.
59 viscosa. M. n.	clammy.	_____	Siberia.	1790.	5.6.	H. ½.	_____
60 trifida. M. n.	trifid.	_____	Britain.		_____	H. ½.	_____
61 tridens. H. S.	three-toothed.	_____	Scotland.		_____	H. ½.	_____
62 septifida. H. S.	septifid.	_____	Wales.		_____	H. ½.	_____
63 elongella. L. T.	long-stalked.	_____	Scotland.		4.5.	H. ½.	Eng. bot. 2277.
64 carnosa.	fleshy-leaved.	_____	_____		_____	H. ½.	_____
spatulata. M. n. not	of Pers. syn.	_____	_____	_____	_____	_____	_____
65 laevis. M. n.	smooth.	_____	Britain.		_____	H. ½.	_____
66 hypnoides. W.	mossy.	_____	_____		4.6.	H. ½.	Eng. bot. 454.
67 angustifolia. M. n.	narrow-leaved.	_____	Wales.		5.6.	H. ½.	_____
68 densa. M. n.	close.	_____	Britain.		_____	H. ½.	_____
69 canescens. H. S.	canescent.	_____			_____	H. ½.	_____
70 moschata. W.	musky.	_____	Pyrenees.		_____	H. ½.	Lapey. Fl. t. 37, 38.
71 odorata.	sweet-scented.	_____	Scotland.		_____	H. ½.	_____
elongella. M. n.	_____	_____	_____	_____	_____	_____	_____
72 pygmaea. M. n.	pigmy.	_____	_____		_____	H. ½.	Eng. bot. 2214.
moschata. E. B.	_____	_____	_____	_____	_____	_____	_____
73 caespitosa. W.	tufted.	_____	Wales.		_____	H. ½.	794.
74 groenlandica. H. K.	Greenland.	_____	Pyrenees.	1732.	7.	H. ½.	Lapey. Fl. t. 19.
75 muscoides. W.	Moss-like.	_____	_____		5.6.	H. ½.	t. 34.
TIARELLA. W.	TIARELLA.	Saxifrageæ. J.	_____	_____	_____	_____	_____
1 cordifolia. Ph.	heart-leaved.	_____	N. America.	1731.	4.5.	H. ½.	Bot. mag. 1589.
2 Menziesii. Ph.	leafy-stemmed.	_____	_____	1812.	_____	H. ½.	_____
3 biternata. Ph.	biternate.	_____	Carolina.	_____	5.6.	F. ½.	_____
MITELLA. W.	MITELLA.	Saxifrageæ. J.	_____	_____	_____	_____	_____
1 diphylla. W.	two-leaved.	_____	N. America.	1731.	4.5.	H. ½.	Bot. reg. 166.
2 cordifolia. Ph.	heart-leaved.	_____	_____	1812.	_____	H. ½.	Lam. ill. t. 373. f. 3.
3 nuda. W.	kidney-leaved.	_____	_____	1758.	6.8.	H. ½.	t. 373. f. 2.
GYPSOPHILA. W.	GYPSOPHILA.	Caryophyllææ. J.	_____	_____	_____	_____	_____
1 repens. W.	creeping.	_____	Siberia.	1774.	7.9.	H. ½.	Bot. mag. 1448.
2 prostrata. W.	trailing.	_____	_____	1759.	_____	H. ½.	1281.
3 paniculata. W.	panicked.	_____	_____	_____	6.7.	H. ½.	Jac. aust. 5. t. ap. 1.
4 viscosa. W.	clammy.	_____	Levant.	1773.	_____	H. ☉.	Mur. com. g. t. 3.
5 serotina. W. en.	late-flowering.	_____	Magdeburg.	1816.	_____	H. ☉.	_____
6 altissima. W.	upright.	_____	Siberia.	1759.	7.8.	H. ½.	Gmel. sib. 4. t. 60.
7 arenaria. W.	sand.	_____	Hungary.	1801.	_____	H. ½.	Pl. rar. hung. t. 41.
8 Struthium. W.	fleshy-leaved.	_____	Spain.	1729.	7.8.	H. ½.	Bar. ic. t. 119.
9 dubia. W. en.	doubtful.	_____		1815.	5.9.	H. ½.	_____
10 fastigiata. W.	one-rowed.	_____	Germany.	1759.	6.7.	H. ½.	Gmel. sib. 4. t. 61. f. 1.
11 perfoliata. W.	perfoliate.	_____	Spain.	1732.	7.8.	H. ½.	Dill. elt. t. 276.
β tomentosa.	woolly.	_____	_____	_____	_____	H. ½.	Bar. ic. t. 1002.
12 muralis. W.	wall.	_____	Germany.	1739.	6.10.	H. ½.	Lam. ill. t. 375. f. 1.
13 rigida. W.	rigid.	_____	France.	1769.	6.8.	H. ½.	_____
14 saxifraga. W.	small.	_____	Germany.	1774.	7.8.	H. ½.	Ex. bot. 2. t. 90.
SAPONARIA. W.	SOAPWORT.	Caryophyllææ. J.	_____	_____	_____	_____	_____
1 officinalis. W.	common.	_____	England.		7.10.	H. ½.	Eng. bot. 1060.
β plena.	double-flowering.	_____	_____	_____	_____	_____	_____

2	vaecaria. W.	perfoliate.	Caryophyllæ. J.	Germany.	1596.	7.8.	H. ☉	B. m. 2200
3	porrigens. W.	hairy.	—	Levant.	1680.	—	H. ☉	Jac. vind. 2. t. 109.
4	ocymoides. W.	Basil-leaved.	—	France.	1768.	5.7.	H. 2.	Bot. mag. 154.
5	orientalis. W.	small annual.	—	Levant.	1732.	6.8.	H. 2.	Dill. elt. t. 167. f. 204
6	lutea. W.	yellow.	—	Switzerland.	1804.	—	H. 2.	Smith. spic. t. 5.
DIANTHUS. W.								
1	barbatus. W.	PINK.	Caryophyllæ. J.	—	—	—	—	—
2	carthusianorum. W.	Sweet-William.	—	Germany.	1573.	6.7.	H. 2.	Bot. mag. 207.
3	collinus. H. K.	Carthusian.	—	—	—	7.8.	H. 2.	Loes. pruss. t. 7.
4	atrorubens. W.	hill.	—	Hungary.	1800.	7.9.	H. 2.	Par. lond. 62.
5	latifolius. W. en.	dark-red.	—	Italy.	1802.	—	H. 2.	Jac. ic. 3. t. 467.
6	asper. W. en.	broad-leaved.	—	—	—	—	H. 2.	—
7	ferrugineus. W.	rough-stalked.	—	Switzerland.	—	—	H. 2.	—
8	Armeria. W.	rusty.	—	Italy.	1756.	—	H. 3.	Mill. ic. 1. t. 81. f. 1.
9	japonicus. W.	Deptford.	—	England.	—	—	H. ☉	Eng. bot. 317.
10	prolifer. W.	Japanese.	—	China.	1804.	6.10.	F. 2.	Thunb. jap. t. 23.
11	suffruticosus. W. en.	proliferous.	—	England.	—	7.8.	H. ☉	Eng. bot. 956.
12	sylvaticus. W. en.	shrubby.	—	Siberia.	1804.	6.7.	H. 2.	—
13	diminutus. W.	wood.	—	Ratisbon.	1815.	6.9.	H. 2.	—
14	Caryophyllus. W.	small-flowered.	—	S. Europe.	1771.	7.	H. ☉	—
	β flore pleno.	Clove.	—	England.	—	6.8.	H. 2.	Eng. bot. 214.
	γ fruticosus.	Carnation.	—	—	—	—	H. 2.	Bot. mag. 39.
	δ imbricatus.	tree Carnation.	—	—	—	—	H. 2.	—
		wheat-car.	—	—	—	—	H. 2.	Bot. mag. 1622.
15	carolinianus. Ph.	Carolina.	—	N. America.	1811.	6.9.	F. 2.	—
16	fruticosus. W.	fleshy-leaved.	—	Greece.	1815.	—	G. 2.	Tourn. it. 1. t. 9.
17	pomeridianus. W.	afternoon.	—	Levant.	1804.	6.7.	H. 2.	Par. lond. 57.
18	leptopetalus. W. en.	narrow-petalled.	—	Caucasus.	1814.	7.	H. 2.	Bot. mag. 1739.
19	campestris. M. B.	field.	—	Tauria.	1815.	7.8.	H. 2.	— 1876.
20	procumbens. P. S.	procumbent.	—	Levant.	—	6.7.	H. 2.	Vent. cels. t. 39.
21	virginus. W.	virgin.	—	S. Europe.	1732.	—	H. 2.	Bot. mag. 1740.
22	deltoides. W.	maiden.	—	Britain.	—	6.10.	H. 2.	Eng. bot. 61.
23	glaucus. P. S.	glaucous-leaved.	—	—	—	—	H. 2.	Dill. elt. t. 298. f. 348.
24	albens. W.	Cape.	—	C. B. S.	1787.	8.	G. 2.	—
25	crenatus.	long-cupped.	—	—	1817.	8.	G. 2.	Bot. reg. 256.
26	chinensis. W.	China.	—	China.	1713.	7.9.	H. 3.	Bot. mag. 28.
27	guttatus. W. en.	rough-leaved.	—	Caucasus.	1816.	—	H. 2.	—
28	rigidus. M. B.	rigid.	—	Caspian Sea.	1802.	6.10.	H. 2.	—
29	monsipeliacus. W.	Montpelier.	—	Montpelier.	1764.	7.8.	H. 2.	—
30	caucasicus. H. K.	Caucasian.	—	Caucasus.	1803.	6.9.	H. 2.	Bot. mag. 795.
31	discolor. H. K.	two-coloured.	—	—	—	—	H. 2.	— 1162.
32	petraeus. H. K.	rock.	—	Hungary.	1804.	7.8.	H. 2.	— 1204.
33	hortensis. W. en.	garden.	—	—	1805.	—	H. 2.	—
34	fragrans. P. L.	fragrant.	—	Austria.	1804.	6.	H. 2.	Par. lond. 112. 2067
35	plumarius. W.	feathered.	—	Europe.	1629.	6.8.	H. 2.	—
36	serotinus. W. en.	late-flowering.	—	Hungary.	1804.	7.	H. 2.	Pl. rar. hung. 2. t. 172
37	fimbriatus. W. en.	fringed.	—	Iberia.	1815.	6.8.	H. 2.	—
38	superbus. W.	superb.	—	Europe.	1596.	7.9.	H. 2.	Bot. mag. 297.
39	pungens. W.	pungent.	—	Spain.	1781.	8.10.	H. 2.	—
40	orientalis. H. K.	Georgian.	—	Russia.	1802.	6.7.	H. 2.	Bot. mag. 1069.
41	cæsius. W.	mountain.	—	Britain.	—	—	H. 2.	Eng. bot. 62.
42	alpinus. W.	Alpine.	—	Austria.	1759.	—	H. 2.	Bot. mag. 1205.

TRIGYNIA.

CUCUBALUS. H. K.	CAMPION.	Caryophyllæ. J.	—	—	—	—	—	—
baccifer. H. K.	berry-bearing.	—	England.	—	6.7.	H. 2.	Eng. bot. 1577.	—
SILENE. H. K.	CATCHFLY.	Caryophyllæ. J.	Silene. IV. et Cucubali sp. IV.	—	—	—	—	—
1 inflata. H. K.	bladder.	—	Britain.	—	5.9.	H. 2.	Eng. bot. 164.	—
2 fabaria. H. K.	thick-leaved.	—	Sicily.	1731.	6.8.	F. 2.	Boc. mus. 133. t. 92.	—
3 pilosa. W. en.	pilose.	—	Hungary.	1816.	—	H. 3.	—	—
4 viscosa. H. K.	clammy.	—	Levant.	1739.	7.	H. 3.	Tourn. it. 2. p. 361.	—
5 stellata. H. K.	four-leaved.	—	N. America.	1696.	6.8.	H. 2.	Bot. mag. 1107.	—
6 ægyptiaca. H. K.	Egyptian.	—	Egypt.	1800.	7.8.	H. ☉	—	—
7 italica. H. K.	Italian.	—	Italy.	1759.	5.6.	H. 3.	Jac. obs. 4. t. 79.	—
8 multiflora. H. K.	many-flowered.	—	Hungary.	1794.	6.8.	H. 3.	Pl. rar. hung. 1. t. 56.	—
9 tatarica. H. K.	Hyssop-leaved.	—	Russia.	1769.	—	H. 2.	—	—
10 sibirica. H. K.	Siberian.	—	Siberia.	1773.	—	H. 2.	{ Hall. goett. 1. p. 150. ic.	—
12 catholica. H. K.	panicked.	—	Italy.	1711.	7.9.	H. 2.	Jac. vind. 1. t. 59.	—
13 mollissima. H. K.	velvet.	—	—	1739.	—	H. 2.	—	—
14 Otites. H. K.	Spanish.	—	England.	—	7.8.	H. 2.	Eng. bot. 85.	—

15	parviflora. H. K.	small-flowered.	Caryophyllææ. J.	Hungary.	1796.	7.8.	H. ½.	
16	reflexa. H. K.	reflexed.	_____	S. Europe.	1736.	_____	H. ½.	Magn.mons.171.ic.
17	anglica. W.	English.	_____	Britain.		6.7.	H. ½.	Eng. bot. 1178.
18	lusitanica. W.	Portugal.	_____	Portugal.	1732.	_____	H. ½.	Dill.elt.t.311.f.401
19	geminiflora. W. en.	twin-flowered.	_____		1816.	_____	H. ½.	
20	quinquerulnera. W.	variegated.	_____	England.		6.8.	H. ½.	Eng. bot. 86.
21	nyctantha. W. en.	various-leaved.	_____		1815.	_____	H. ½.	
22	nocturna. W.	spiked.	_____	S. Europe.	1683.	_____	H. ½.	Dill.elt.t.310.f.400
23	ciliata. W.	ciliated.	_____	Crete.	1804.	_____	H. ½.	
24	gallica. W.	French.	_____	France.	1683.	5.6.	H. ½.	Dill.elt.t.310.f.399
25	cerastoides. W.	Cerastium-leav ^d .	_____	S. Europe.	1732.	7.8.	H. ½.	_____t.309.f.397
26	linifolia. W. en.	Flax-leaved.	_____		1817.	_____	H. ½.	
27	jeniseensis. W. en.	two-coloured.	_____	Siberia.	_____	6.7.	H. ½.	
28	mutabilis. W.	changeable.	_____	S. Europe.	1688.	_____	H. ½.	
29	chlorantha. W.	pale-flowered.	_____	Germany.	1732.	6.8.	H. ½.	Dill.elt.t.316.f.408
30	supina. M. B.	trailing.	_____	Caucasus.	1804.	_____	H. ½.	
31	maritima. W.	sea.	_____	Britain.		8.9.	H. ½.	Eng. bot. 957.
32	nutans. W.	Nottingham.	_____	_____		6.7.	H. ½.	_____465.
33	amœna. W.	Tartarian.	_____	Tartary.	1779.	7.	H. ½.	
34	paradoxa. W.	Dover.	_____	England.		_____	H. ½.	Jac. vind. 3. t. 84.
35	tenuis. W. en.	slender.	_____	Baical.	1816.	_____	H. ½.	
36	fruticosa. W.	shrubby.	_____	Sicily.	1629.	6.7.	F. ½.	Com. hort. t. 33.
37	bupleuroides. W.	spear-leaved.	_____	Persia.	1801.	_____	H. ½.	Tourn. it. t. 154.
38	longiflora. W.	long-flowered.	_____	Hungary.	1793.	7.9.	H. ½.	Pl. rar. hung. 1. t. 8.
39	saxatilis. H. K.	stone.	_____	Siberia.	1800.	6.7.	H. ½.	Bot. mag. 689.
40	livida. W. en.	livid.	_____	Carniola.	1816.	_____	H. ½.	
41	infracta. W. en.	smooth.	_____	Hungary.	_____	_____	H. ½.	Pl. rar. hung. 3. t. 213
42	gigantea. W.	gigantic.	_____	Africa.	1738.	_____	G. ½.	Walt. hort 32. t. 11.
43	crassifolia. W.	thick-leaved.	_____	C. B. S.	1774.	7.8.	G. ½.	
44	viridiflora. W.	green-flowered.	_____	Spain.	1739.	6.7.	H. ½.	Herm. par. 199.
45	reticulata. P. S.	netted.	_____	Barbary.	1804.	7.8.	H. ½.	Desf. atl. 1. t. 99.
46	conoidea. W.	conoid.	_____	S. Europe.	1683.	6.7.	H. ½.	Mor. s. 5. t. 36. f. 6.
47	conica. W.	corn.	_____	England.		_____	H. ½.	Eng. bot. 922.
48	bellidifolia. W.	Daisy-leaved.	_____		1794.	_____	H. ½.	Jac. vind. 3. t. 81.
49	dichotoma. W.	dichotomous.	_____	Hungary.	1791.	_____	H. ½.	Pl. rar. hung. t. 29.
50	disticha. W. en.	two-ranked.	_____		1817.	_____	H. ½.	
51	vespertina. W.	evening.	_____	Barbary.	1796.	7.8.	H. ½.	Bot. mag. 677.
52	Behen. W.	bladder.	_____	Crete.	1713.	6.7.	H. ½.	Dill.elt.t.397.f.409
53	stricta. W.	upright.	_____	Spain.	1802.	_____	H. ½.	
54	pendula. W.	pendulous.	_____	Sicily.	1731.	5.7.	H. ½.	Bot. mag. 114.
55	noctiflora. W.	night-flowering.	_____	England.		7.	H. ½.	Eng. bot. 291.
56	ornata. W.	dark-coloured.	_____	C. B. S.	1775.	5.9.	G. ½.	Bot. mag. 382.
57	undulata. W.	wave-leaved.	_____	_____	_____	8.	G. ½.	
58	pensylvanica. Ph.	Pennsylvanian.	_____	N. America.	1806.	6.7.	H. ½.	Bot. reg. 247.
59	virginica. Ph.	Virginian.	_____	_____	1783.	5.8.	H. ½.	Pluk.alm. t. 203. f. 1.
60	regia. B. M.	splendid.	_____	_____	1811.	_____	H. ½.	Bot. mag. 1724.
61	antirrhina. W.	Snap-dragon.	_____	_____	1732.	6.7.	H. ½.	Dil.elt.t.313.f.403.
62	rubella. W.	small red.	_____	Portugal.	_____	5.6.	H. ½.	_____t.314.f.406.
63	sedoides. W.	Sedum-like.	_____	Crete.	1804.	7.	H. ½.	Jac. col. s. t. 14. f. 1.
64	apetala. W.	petalless.	_____		1801.	6.7.	H. ½.	
65	clandestina. W.	hidden-flowered.	_____	C. B. S.	_____	_____	H. ½.	Jac. col. s. t. 3. f. 3.
66	inaperta. W.	unopen-flowered	_____	Madeira.	1732.	_____	H. ½.	Dil.elt.t.315.f.407.
67	portensis. W.	Oporto.	_____	Portugal.	1759.	7.8.	H. ½.	
68	fimbriata. H. K.	fringed-flowered	_____	Caucasus.	1803.	5.8.	H. ½.	Bot. mag. 908.
69	cretica. W.	Cretan.	_____	Candia.	1732.	_____	H. ½.	{ Dil. elt. t. 314. f. 404, 5.
70	Muscipula. W.	Spanish.	_____	Spain.	1596.	7.8.	H. ½.	
71	polyphylla. W.	many-leaved.	_____	Germany.		6.7.	H. ½.	Clus. hist. 1. t. 290.
72	Armeria. W.	Lobel's.	_____	England.		7.9.	H. ½.	Eng. bot. 1398.
73	orchidea. W.	Orchis-flowered.	_____	Levant.	1781.	5.7.	H. ½.	Jac. vind. 3. t. 32.
74	ægyptiaca. W.	Egyptian.	_____	Egypt.	1800.	7.8.	G. ½.	
75	chloræfolia. W.	Armenian.	_____	Armenia.	1796.	8.9.	H. ½.	Bot. mag. 807.
76	flavescens. W. en.	yellowish.	_____	Hungary.	1804.	6.7.	H. ½.	Pl. rar. hung. 2. t. 175
77	pusilla. W. en.	dwarf.	_____	_____	_____	_____	H. ½.	_____3. t. 212
78	alpestris. W.	Austrian.	_____	Austria.	1774.	5.7.	H. ½.	Jac. aus. 1. t. 96.
79	rupestris. W.	rock.	_____	Switzerland.	_____	_____	H. ½.	Fl. dan. 4.
80	Saxifraga. W.	Saxifrage.	_____	France.	1640.	6.8.	H. ½.	Pl. rar. hung. 2. t. 163
81	sericea. W.	silky.	_____	S. Europe.	1801.	_____	H. ½.	All. ped. t. 79. f. 3.
82	vallesia. W.	woolly-leaved.	_____	Switzerland.	1765.	_____	H. ½.	Boc. mus. t. 54.
83	acaulis. W.	stemless.	_____	Britain.		_____	H. ½.	Eng. bot. 1081.

STELLARIA. W.	STITCH-WORT.	Caryophyllæ. J.					
1 nemorum. W.	wood.	Britain.		4.6.	H. ♀.	Eng. bot. 92.	
2 latifolia. P. S.	broad-leaved.	Germany.	1816.	6.8.	H. ♀.		
3 dichotoma. W.	forked.	Siberia.	1774.	—	H. ♀.	Sm. ined. t. 14.	
4 Holostea. W.	greater.	Britain.		4.6.	H. ♀.	Eng. bot. 511.	
5 graminea. W.	lesser.	—		—	H. ♀.	— 803.	
6 glauca. H. K.	glaucous marsh.	—		5.8.	H. ♀.	— 825.	
7 media. E. B.	Chickweed.	—		1.12.	H. ♂.	— 537.	
<i>Alsine media. W.</i>							
8 uliginosa. H. K.	bog.	—		6.7.	H. ♂.	— 1074.	
9 cerastoides. W.	Alpine.	Scotland.		—	H. ♀.	— 911.	
10 multicaulis. W.	many-stalked.	Carinthia.	1815.	6.8.	H. ♀.	Jac. col. 1. t. 19.	
11 Arenaria. W.	sand.	Spain.	1799.	6.	H. ♂.	— 1745.	
12 scapigera. W.	naked-stalked.	Scotland.		6.7.	H. ♀.	Eng. bot. 1269.	
ARENARIA. W.	SANDWORT.	Caryophyllæ. J.					
1 peploides. W.	Sea Chickweed.	Britain.		5.7.	H. ♀.	Eng. bot. 189.	
2 tetraquetra. W.	square.	Pyrenees.	1731.	8.	H. ♀.	All. ped. 2. t. 89. f. 1.	
3 trinervis. W.	Plantain-leaved.	Britain.		5.6.	H. ♂.	Eng. bot. 1483.	
4 ciliata. W.	fringed.	Ireland.		3.8.	H. ♀.	— 1745.	
5 balearica. W.	Majorca.	Majorca.	1787.	—	H. ♀.	L. H. stirp. 1. t. 15.	
6 multicaulis. W.	many-stalked.	Europe.	1794.	7.8.	H. ♀.	Jac. col. 1. t. 17. f. 1.	
7 serpyllifolia. W.	Thyme-leaved.	Britain.		6.7.	H. ♂.	Eng. bot. 923.	
8 procumbens. W.	procumbent.	Egypt.	1801.	7.8.	G. ♀.	Vahl. sym. 2. t. 33.	
9 montana. W.	mountain.	France.	1800.	4.7.	H. ♀.	Bot. mag. 1118.	
10 triflora. W.	three-flowered.	S. Europe.	1816.	—	H. ♀.	Cav. ic. 3. t. 249. f. 2.	
11 saxatilis. W.	rock.	Germany.	1732.	7.8.	H. ♀.	Gmel. sib. 4. t. 63. f. 2.	
12 verna. W.	vernal.	Britain.		5.8.	H. ♀.	Eng. bot. 512.	
13 stricta. Ph.	upright.	N. America.	1812.	5.6.	H. ♀.	—	
14 austriaca. W.	Austrian.	Austria.	1793.	6.9.	H. ♀.	Jac. aus. 3. t. 270.	
15 grandiflora. W.	great-flowered.	Switzerland.	1783.	—	H. ♀.	All. ped. 10. f. 1.	
16 cherlerioides. P. S.	Cherleria-leaved.	France.		7.8.	H. ♀.	—	
17 juniperina. W.	Juniper-leaved.	Armenia.	1800.	6.7.	H. ♀.	Sm. ined. 1. t. 35.	
18 laricifolia. W.	Larch-leaved.	Britain.		8.	H. ♀.	Jac. aust. 3. t. 272.	
19 striata. W.	striated.	Switzerland.	1683.	6.8.	H. ♀.	All. ped. 2. t. 26. f. 4.	
20 fastigiata. H. K.	level-topped.	Scotland.		6.	H. ♂.	Eng. bot. 1744.	
21 tenuifolia. W.	fine-leaved.	England.		6.7.	H. ♂.	— 219.	
22 rostrata. W. en.	beaked.	Hungary.	1816.	—	H. ♀.	—	
23 filifolia. W.	thread-leaved.	Arabia.		—	H. ♀.	Vahl. sym. 1. t. 12.	
24 graminifolia. W. en.	grass-leaved.	Siberia.	1815.	—	H. ♀.	—	
25 fasciculata. W.	dense-flowered.	Austria.	—	—	H. ♂.	Jac. ans. 2. t. 182.	
26 pendula. W. en.	pendulous.	Hungary.	1816.	—	H. ♀.	Pl. rar. hung. 2. t. 87.	
27 segetalis. Vai.	corn.	France.	1805.	6.10.	H. ♂.	Vail. par. t. 3. f. 3.	
<i>Alsine segetalis. W.</i>							
28 mucronata.	bristly.	S. Europe.	1777.	6.	H. ♂.	Hall. hist. 1. t. 17.	
<i>Alsine mucronata. W.</i>							
29 media. W.	downy.	France.	1795.	7.	H. ♂.	—	
30 pubescens. H. S.	pubescent.	England.		—	H. ♂.	—	
31 marina. E. B.	marine.	Britain.		6.7.	H. ♀.	Eng. bot. 958.	
32 canadensis. Ph.	Canada.	N. America.	1812.	—	H. ♂.	—	
33 rubra. E. B.	purple.	Britain.		6.8.	H. ♂.	Eng. bot. 852.	
CHERLERIA. W.	CHERLERIA.	Caryophyllæ. J.					
sedoides. W.	dwarf.	Scotland.		7.8.	H. ♀.	Eng. bot. 1212.	
BRUNNICHIA. W.	BRUNNICHIA.	Polygoneæ. P. S.					
cirrhusa. W.	Carolina.	Carolina.	1787.		G. ♀.	Gert. s. 1. t. 45. f. 2	
GARIDELLA. W.	GARIDELLA.	Ranunculacæ. J.					
Nigellastrum. W.	Nigella-leaved.	France.	1736.	6.7.	H. ♂.	Bot. mag. 1266.	
MALPIGHIA. W.	{ BARBADOS CHERRY. }	Malpigiaceæ. J.					
1 glabra. W.	smooth-leaved.	W. Ind.	1757.	3.7.	S. ♀.	Bot. mag. 813.	
2 punicifolia. W.	Pomegranate-ld.	—	1690.		S. ♀.	Plum. ic. t. 166. f. 2.	
3 polystachia. H. K.	many-spiked.	—	1806.	3.5.	S. ♀.	Bot. rep. 604.	
4 media. H. K.	intermediate.	—	1790.	—	S. ♀.	—	
5 glandulifera. H. K.	quadriglandular.	—	1806.	—	S. ♀.	Jac. ic. 3. t. 469.	
6 glandulosa. W.	biglandular.	—	1804.		S. ♀.	Cav. dis. 8. t. 239. f. 2.	
7 nitida. W.	glossy-leaved.	—	1733.	3.8.	S. ♀.	— t. 239. f. 1.	
8 fucata. B. reg.	painted.	—		1814.	S. ♀.	Bot. reg. 189.	
9 urens. W.	stinging.	S. America.	1737.	7.10.	S. ♀.	— 94.	
10 angustifolia. W.	narrow-leaved.	W. Ind.	—	7.8.	S. ♀.	Cav. dis. 8. t. 236. f. 1.	
11 canescens. W.	downy-leaved.	—	1742.		S. ♀.	—	
12 crassifolia. W.	thick-leaved.	S. America.	1793.	8.	S. ♀.	Aub. gui. 1. t. 182.	

13 lucida. W.	wedge-leaved.	Malpighiaceæ. J.	W. Ind.	1759. 5.8.	S. h.	2462
14 coriacea. W.	leathery-leaved.	_____	Jamaica.	1814. —	S. h.	Slo. his. 2. t. 163. f. 1.
15 volubilis. H. K.	twining.	_____	W. Ind.	1793. 8.9.	S. h.	Bot. mag. 809.
16 aquifolium. W.	Holly-leaved.	_____	S. America.	1759. —	S. h.	Cav. dis. 8. t. 236. f. 2.
17 coccifera. W.	Kermes' Oak-ld.	_____	W. Ind.	1733.	S. h.	Jac. ic. 3. t. 470. 58
BANISTERIA. W.	BANISTERIA.	Malpighiaceæ. J.				
1 ciliata. W.	ciliated.	_____	Brazil.	1796.	S. h.	Cav. dis. 9. t. 254.
2 purpurea. W.	purple.	_____	W. Ind.	1759.	S. h.	— t. 246. f. 1.
3 chrysophylla. W.	Star-apple-leav ^d .	_____	Brazil.	1793.	S. h.	Jac. schæn. 1. t. 105.
4 laurifolia. W.	Bay-leaved.	_____	Jamaica.	1733. 7.8.	S. h.	2037
5 nitida. W.	glossy.	_____	S. America.	1809.	S. h.	Cav. diss. t. 244.
6 sericea. P. S.	silky.	_____	Brazil.	1810.	S. h.	— 9. t. 250.
7 fulgens. W.	shining-fruited.	_____	W. Ind.	1759.	S. h.	
8 heterophylla. W.	various-leaved.	_____	S. America.	1812.	S. h.	Cav. diss. t. 283.
9 brachiata. W.	cross-branched.	_____	W. Ind.	1759.	S. h.	

PENTAGYNIA.

AVERROHOA. W.	AVERROHOA.	Terebintaceæ? J.				
1 Bilimbi. W.	Bilimbi-tree.	_____	E. Ind.	1791. 5.7.	S. h.	Cav. dis. 7. t. 219.
2 Carambola. W.	Carambola-tree.	_____	_____	1793.	S. h.	— 7. t. 220.
SPONDIAS. W.	HOG PLUM.	Terebintaceæ. J.				
1 Mombin. W.	flat-stemmed.	_____	W. Ind.	1817.	S. h.	Sloan. his. 2. t. 219.
2 Myrobalanus. W.	yellow.	_____	_____	1739.	S. h.	Merian. surin. t. 13.
3 dulcis. W.	Otaheite Apple.	_____	Society Isles.	1793.	S. h.	Lam. ill. t. 384.
COTYLEDON. W.	NAVEL-WORT.	Sempervivæ. J.				
1 orbiculata. H. S.	round-leaved.	_____	C. B. S.	1789. 7.8.	G. h.	
2 ovata. H. S.	ovate-leaved.	_____	_____	7.10.	G. h.	Bot. mag. 321.
3 oblonga. H. S.	oblong-leaved.	_____	_____	1690. 7.9.	G. h.	
4 ramosissima. H. S.	many-branched.	_____	_____	1768.	G. h.	
5 fascicularis. W.	cluster-leaved.	_____	_____	1759. 7.9.	G. h.	Burm. afr. t. 18.
6 hemisphærica. W.	thick-leaved.	_____	_____	1731. 6.7.	G. h.	Plant. grass. 87.
7 spuria. W.	narrow-leaved.	_____	_____	7.8.	G. h.	Com. rar. t. 23.
8 cæspitosa. H. S.	tongue-leaved.	_____	California.	1796. 6.8.	G. h.	
<i>linguaformis. H. K.</i>						
9 serrata. W.	notch-leaved.	_____	Siberia.	1732. 6.7.	H. h.	Dill. elt. t. 95. f. 112.
10 hispanica. W.	Spanish.	_____	Spain.	1796. —	H. h.	Plant. grass. 122.
11 Malocophyllum. W.	annual.	_____	Davuria.	1815. —	H. h.	Pall. it. 3. ap. t. G. f. 1.
12 Umbilicus. W.	Pennywort.	_____	Britain.		H. h.	Eng. bot. 325.
13 lutea. W.	yellow.	_____	England.		H. h.	— 1522.
SEDUM. W.	STONE-CROP.	Sempervivæ. J.				
1 verticillatum. W.	whorl-leaved.	_____	S. Europe.	 7.9.	H. h.	Amœn. ac. 2. t. 4. f. 14
2 maximum. H. S.	great purple.	_____	Spain.	1794. —	H. h.	
3 albicans. H. S.	great white.	_____	Europe.	1794. —	H. h.	
4 triphyllum. H. S.	three-le ^d purple.	_____	Portugal.	—	H. h.	
5 Telephium. E. B.	common Orpine.	_____	Britain.		H. h.	Eng. bot. 1319.
6 Telephioides. Ph.	Rhodiola-leaved.	_____	N. America.	1810. —	H. h.	
7 Anacamperos. W.	evergreen.	_____	France.	1596. 7.8.	H. h.	Bot. mag. 118.
8 divaricatum. W.	spreading.	_____	Madeira.	1777. 6.7.	G. h.	
9 Aizoon. W.	yellow.	_____	Siberia.	1757. 7.9.	H. h.	Plant. grass. 101.
10 spurium. W. en.	fringed.	_____	Caucasus.	1816. —	H. h.	Bux. cent. 5. t. 61. f. 2
<i>Anacamperos ciliaris. H. S.</i>						2370
11 oppositifolium. B. M.	opposite-leaved.	_____			H. h.	Bot. mag. 1807.
12 hybridum. W.	Germander-lea ^d .	_____	Siberia.	1766. 5.7.	H. h.	Mur. c. got. 6. t. 5.
13 populifolium. W.	Poplar-leaved.	_____	_____	1780. 7.8.	H. h.	Bot. mag. 211.
14 ternatum. Ph.	Purslane-leaved.	_____	N. America.	1789. —	H. h.	Bot. reg. 142. 1977
15 stellatum. W.	starry.	_____	S. Europe.	1640. 6.7.	H. h.	Cam. hort. 7. ic. 2.
16 spatulatum. W. en.	spatulate.	_____	Hungary.	1815. —	H. h.	Pl. rar. hung. 2. t. 104
17 Cepæa. W.	panicled.	_____	France.	1640. 7.8.	H. h.	
18 spinosum. W. en.	spiny.	_____	Siberia.	1790. 8.	F. h.	Gmel. sib. t. 67. f. 2
<i>Crassula spinosa. W. et Sempervivum cuspidatum. H. S.</i>						
19 dasyphyllum. W.	thick-leaved.	_____	England.	 6.7.	H. h.	Eng. bot. 656.
20 reflexum. E. B.	reflex-leaved.	_____	Britain.		H. h.	— 695.
21 glaucum. E. B.	glaucous.	_____	England.	 7.8.	H. h.	— 2477.
22 collinum. W. en.	hill.	_____		1815. 6.8.	H. h.	Plant. grass. 115.
23 virescens. W. en.	greenish-flower ^d .	_____		—	H. h.	
24 septangulare. H. S.	seven-rowed.	_____		1795. 6.7.	H. h.	
25 virens. W.	green.	_____	Portugal.	1774. —	H. h.	
26 rupestre. W.	rock.	_____	England.	 7.8.	H. h.	Eng. bot. 170.
27 Forsterianum. H. K.	Forster's.	_____	Wales.		H. h.	— 1802.

28 altissimum. P. S.	tall.	Sempervivæ. J.	S. Europe.	1769. 7.8.	H. 2.	Jac. vind. 1. t. 81.
ochroleucum. L. T.	v. 10. et Sempervivum sedifforme. W.					
29 quadrifidum. W.	four-cleft.	—	N. Asia.	1800. 7.	H. 2.	Pall. it. 3. a. t. P. f. 1.
30 hispanicum. W.	Spanish.	—	Spain.	1732. 6.7.	H. 2.	Jac. aus. 5. t. a. 47.
31 album. W.	white.	—	England.		H. 2.	Eng. bot. 1578.
32 acre. W.	biting.	—	Britain.	 6.	H. 2.	839.
33 sexangulare. W.	insipid.	—	England.	 6.7.	H. 2.	1946.
34 anglicum. W.	English.	—	Britain.	 7.8.	H. 2.	171.
35 annuum. W.	annual.	—	N. Europe.	1739. 8.	H. 2.	Eng. bot. 394.
36 villosum. W.	hairy.	—	Britain.	 6.7.	H. 2.	Balbis. Mfs. t. 6.
37 monregalense. P. S.	clammy.	—	S. Europe.	1816.	H. 2.	Jac. aust. 1. t. 8.
38 atratum. W.	dark-annual.	—	Italy.	1795. 8.	H. 2.	1777. 7.8. G. h.
39 nudum. W.	naked-branched.	—	Madeira.	1777. 7.8.	G. h.	
PENTHORUM. W.	PENTHORUM.	Sempervivæ? J.				
sedoides. W.	American.	—	Virginia.	1768. 7.8.	H. 2.	Lam. ill. t. 390.
GRIELUM. W.	GRIELUM.					
tenuifolium. W.	slender-leaved.	—	C. B. S.	1790. 4.5.	G. 2.	Lam. ill. t. 388.
OXALIS. W.	WOOD-SORREL.	Geraniæ? J.				
1 monophylla. W.	simple-leaved.	—	C. B. S.	1774. 10.11.	G. 2.	Jac. ox. t. 79. f. 3.
2 rostrata. W.	beaked.	—	—	1795.	G. 2.	t. 22.
3 asinina. W.	ass's-eared.	—	—	1792. 11.12.	G. 2.	t. 24.
4 lanceaefolia. W.	spear-leaved.	—	—	1795. 10.11.	G. 2.	t. 26.
5 leporina. W.	hare's-eared.	—	—	1795. 10.11.	G. 2.	t. 25.
6 crispa. W.	curled.	—	—	1793.	G. 2.	t. 23.
7 fabæfolia. W.	Bean-leaved.	—	—	1794.	G. 2.	t. 27.
8 laburnifolia. W.	Laburnum-lea ^d .	—	—	1793. 9.10.	G. 2.	t. 28.
9 sanguinea. W.	bloody-leaved.	—	—	1795. 10.12.	G. 2.	t. 29.
10 ambigua. W.	ambiguous.	—	—	1790. 9.12.	G. 2.	t. 43.
11 undulata. W.	wave-leaved.	—	—	1795. 10.11.	G. 2.	t. 44.
12 fuscata. W.	brown-spotted.	—	—	5.6.	G. 2.	t. 45.
13 tricolor. W.	three-coloured.	—	—	1794. 10.12.	G. 2.	t. 47.
14 variabilis. W.	variable.	—	—	1795.	G. 2.	t. 52.
15 grandiflora. W.	great-flowered.	—	—	1790.	G. 2.	t. 54.
16 sulphurea. W.	sulphur-colour ^d .	—	—	1795. 10.11.	G. 2.	t. 63.
17 flaccida. W.	flaccid.	—	—	1812.	G. 2.	t. 51.
18 purpurea. W.	purple.	—	—	—	G. 2.	t. 56.
19 speciosa. W.	specious.	—	—	1690. 9.11.	G. 2.	t. 60.
20 Acetosella. W.	common.	—	Britain.	 4.5.	H. 2.	Eng. bot. 762.
21 marginata. W.	green-margined.	—	C. B. S.	1812. 9.12.	G. 2.	Jac. ox. t. 68.
22 pulchella. W.	beautiful.	—	—	1795. 10.11.	G. h.	t. 69.
23 obtusa. W.	blunt-leaved.	—	—	1812.	G. 2.	t. 79. f. 1.
24 lanata. W.	woolly-leaved.	—	—	1791.	G. 2.	t. 77. f. 2.
25 tenella. W.	slender.	—	—	1793. 4.5.	G. 2.	t. 19.
26 compressa. W.	compressed.	—	—	1794. 12.1.	G. 2.	t. 78. f. 3.
27 sericea. W.	silky.	—	—	4.5.	G. 2.	t. 77. f. 1.
28 violacea. W.	violet-coloured.	—	N. America.	1772. 5.6.	H. 2.	t. 80. f. 2.
29 caprina. W.	Goat's-foot.	—	C. B. S.	1757. 3.6.	G. 2.	t. 76. f. 1.
30 cernua. W.	drooping.	—	—	2.5.	G. 2.	t. 6.
31 dentata. W.	toothed.	—	—	1793. 11.12.	G. 2.	t. 7.
32 livida. W.	livid.	—	—	10.11.	G. 2.	t. 8.
33 ciliaris. W.	ciliate-leaved.	—	—	—	G. 2.	t. 30.
34 arcuata. W.	gland-covered.	—	—	1795.	G. 2.	t. 31.
35 linearis. W.	linear-leaved.	—	—	9.11.	G. 2.	t. 32.
36 cuneifolia. W.	wedge-shaped.	—	—	1793. 4.5.	G. 2.	t. 41.
37 glabra. W.	smooth.	—	—	1795. 5.6.	G. 2.	t. 76. f. 3.
38 bifida. W.	cloven-leaved.	—	—	1791. 9.10.	G. 2.	t. 79. f. 4.
39 filicaulis. W.	bilobed-leaved.	—	—	1815.	G. 2.	Jac. schœn. 2. t. 203.
40 natans. W.	floating.	—	—	1795. 9.12.	G. 2.	Jac. ox. t. 76. f. 2.
41 convexula. W.	convex-leaved.	—	—	1789. 11.1.	G. 2.	t. 55.
42 versicolor. W.	striped-flowered.	—	—	1774. 1.3.	G. 2.	Bot. mag. 155.
43 elongata. W.	elongated.	—	—	1791. 9.10.	G. 2.	Jac. ox. t. 37.
44 reclinata. W.	reclining.	—	—	1795. 9.11.	G. 2.	t. 34.
45 polyphylla. W.	many-leaved.	—	—	1791. 9.1.	G. 2.	t. 39.
46 tenuifolia. W.	fine-leaved.	—	—	1790. 10.11.	G. 2.	t. 38.
47 macrostylis. W.	long-styled.	—	—	1793.	G. 2.	t. 9.
48 hirta. W.	hairy-stalked.	—	—	1787.	G. 2.	t. 13.
49 tubiflora. W.	tube-flowered.	—	—	1790.	G. 2.	t. 10.
50 secunda. W.	side-flowering.	—	—	—	G. 2.	t. 12.
51 multiflora. W.	many-flowered.	—	—	1789. 2.3.	G. 2.	t. 15.
52 rubella. W.	branching-red.	—	—	1791. 9.11.	G. 2.	t. 16.

53 rosacea. W.	rose-coloured.	Geraniæ? J.	C. B. S.	1793. 9.11. G. 2.	Jac. ox. t. 17.
54 repens. W.	creeping-stalk'd.	_____	_____	3.4. G. 2.	_____ t. 78. f. 1.
55 reptatrix. W.	creeping-rooted.	_____	_____	1795. 11.12. G. 2.	_____ t. 20.
56 incarnata. W.	flesh-coloured.	_____	_____	1739. 4.6. G. 2.	_____ t. 71.
57 stricta. W.	upright.	_____	N. America.	1658. 6.10. H. 2.	_____ t. 4.
58 Dillenii. W.	annual.	_____	America.	1798. 5.8. H. 2.	Dill. elt. t. 221.
59 corniculata. W.	procumbent.	_____	Britain.	 5.10. H. 2.	Eng. bot. 1726.
60 perennans. M. n.	perennial.	_____	N. S. W.	 5.9. G. 2.	_____
61 rubens. M. n.	red-flowered.	_____	_____	 G. 2.	_____
62 pentaphylla. B. M.	five-leaved.	_____	C. B. S.	1800. 11.2. G. 2.	Bot. mag. 1549.
63 tomentosa. W.	downy-leaved.	_____	_____	1791. 4.5. G. 2.	Jac. ox. t. 81.
64 lupinifolia. W.	Lupine-leaved.	_____	_____	10.11. G. 2.	_____ t. 72.
65 pectinata. W.	pectinated.	_____	_____	1790. 9.11. G. 2.	_____ t. 75.
66 flabellifolia. W.	fan-leaved.	_____	_____	1789. _____ G. 2.	_____ t. 74.
67 flava. W.	narrow-leaved.	_____	_____	1775. 3.4. G. 2.	Bot. reg. 117.
AGROSTEMMA. W.	ROSE-CAMPION.	Caryophyllæ. J.	_____	_____	_____
1 Githago. W.	Corn-cockle.	_____	Britain.	 6.7. H. 2.	Eng. bot. 741.
2 niceensis. W.	Italian.	_____	Italy.	1794. _____ H. 2.	_____
3 coronaria. W.	common.	_____	_____	1596. 6.9. H. 2.	Bot. mag. 24.
<i>β alba.</i>	<i>white-flowered.</i>	_____	_____	_____	_____
<i>γ plena.</i>	<i>double-flowered.</i>	_____	_____	_____	_____
4 Flos-jovis.	umbelled.	_____	Germany.	1726. 7. H. 2.	Bot. mag. 398.
5 Coeli-rosa.	smooth-leaved.	_____	Levant.	1713. 7.8. H. 2.	_____ 295.
LYCHNIS. W.	LYCHNIS.	Caryophyllæ. J.	_____	_____	_____
1 chalcedonica. W.	scarlet.	_____	Russia.	1596. 6.7. H. 2.	Bot. mag. 257.
<i>β alba.</i>	<i>white-flowered.</i>	_____	_____	_____	_____
<i>γ plena.</i>	<i>double-flowered.</i>	_____	_____	_____	_____
2 Flos-cuculi. W.	Ragged Robin.	_____	Britain.	 6.9. H. 2.	Eng. bot. 573.
3 coronata. W.	Chinese.	_____	China.	1774. 6.9. G. 2.	Bot. mag. 223.
4 quadridentata. W.	four-toothed.	_____	Italy.	1783. 5.6. H. 2.	Jac. aust. 2. t. 120.
5 viscaria. W.	viscid.	_____	Britain.	 _____ H. 2.	Eng. bot. 788.
6 alpina. W.	Alpine.	_____	Scotland.	 4.5. H. 2.	_____ 2254.
7 lœta. W.	small.	_____	Portugal.	1778. 7. H. 2.	_____
8 diurna. With.	red-flowered.	_____	Britain.	 6.7. H. 2.	Eng. bot. 1579.
<i>sylvestris. W. en. dioica rubra. E. B.</i>	_____	_____	_____	_____	_____
9 respertina. With.	white-flowered.	_____	_____	 _____ H. 2.	_____ 1530.
<i>dioica. W. en. dioica alba. E. B.</i>	_____	_____	_____	_____	_____
CERASTIUM. W.	{ MOUSE-EAR CHICKWEED }	Caryophyllæ. J.	_____	_____	_____
1 perfoliatum. W.	perfoliate.	_____	Greece.	1725. 6.7. H. 2.	Dill. elt. t. 217. f. 284
2 vulgatum. W.	common.	_____	Britain.	 4.6. H. 2.	Eng. bot. 789.
3 viscosum. W.	narrow-leaved.	_____	_____	 4.9. H. 2.	_____ 790.
4 diffusum. P. S.	spreading.	_____	_____	 _____ H. 2.	_____
5 brachypetalum. P. S.	small-flowered.	_____	_____	1816. 4.5. H. 2.	_____
6 semidecandrum. W.	least.	_____	Britain.	 3.4. H. 2.	Eng. bot. 1630.
7 tetrandrum. H. K.	tetrandrous.	_____	Scotland.	 5.6. H. 2.	_____ 166.
8 anomalum. W.	linear-leaved.	_____	Hungary.	1804. 7. H. 2.	_____
9 arvense. W.	field.	_____	Britain.	 5.8. H. 2.	Eng. bot. 93.
10 dichotomum. W.	forked.	_____	Spain.	1725. 6.7. H. 2.	_____
11 alpinum. W.	Alpine.	_____	Britain.	 _____ H. 2.	Eng. bot. 472.
12 ovatum. W. en.	oval-leaved.	_____	Carinthia.	1816. _____ H. 2.	_____
13 repens. W.	creeping.	_____	S. Europe.	1759. 5.7. H. 2.	Lam. ill. t. 392. f. 2.
14 strictum. W.	upright.	_____	Austria.	1793. _____ H. 2.	Scop. carn. t. 19. f. 1.
15 suffruticosum. W.	suffruticose.	_____	S. Europe.	1796. _____ H. 2.	_____
16 maximum. W.	greatest.	_____	Siberia.	1792. 6.7. H. 2.	Gmel. sib. 4. t. 62. f. 2.
17 amplexicaule. B. M.	glaucous.	_____	_____	1815. 5.9. H. 2.	Bot. mag. 1789.
18 aquaticum. W.	water.	_____	Britain.	 7. H. 2.	Eng. bot. 538.
<i>Stellaria aquatica. P. S.</i>	_____	_____	_____	_____	_____
19 dioicum. W.	Spanish.	_____	Spain.	1766. 6.7. H. 2.	_____
20 latifolium. W.	broad-leaved.	_____	Britain.	 _____ H. 2.	Eng. bot. 473.
21 tomentosum. W.	white.	_____	S. Europe.	1648. _____ H. 2.	_____
22 manticum. W.	long-peduncled.	_____	Hungary.	1801. _____ H. 2.	Pl. rar. hung. t. 96.
SPERGULA. W.	SPURGEY.	Caryophyllæ. J.	_____	_____	_____
1 arvensis. W.	rough-seeded.	_____	Britain.	 7.8. H. 2.	Eng. bot. 1535.
2 pentandra. W.	smooth-seeded.	_____	England.	 6.7. H. 2.	_____ 1536.
3 nodosa. W.	knotted.	_____	Britain.	 7.8. H. 2.	_____ 694.
4 saginoides. W.	{ smooth awl- shaped. }	_____	Scotland.	 6.8. H. 2.	_____ 2105.
5 subulata. W.	{ ciliated awl- shaped. }	_____	Britain.	 6.7. H. 2.	_____ 1082.

DECAGYNIA.

PHYTOLACCA. W.	PHYTOLACCA.	Chenopodeæ. B. P.					
1 octandra. W.	white-flowered.	_____	Mexico.	1732.	7.11.	S. 2.	Dill.elt.t.239.f.303
2 abyssinica. W.	African.	_____	Africa.	1775.	5.6.	S. 2.	Hoff. c. goet. t. 2.
3 dodecandra. W. en.	recurved-leaved.	_____			5.6.	S. 2.	
4 decandra. W.	Virginian Poke.	_____	Virginia.	1615.	8.9.	H. 2.	Bot. mag. 931.
5 icosandra. W.	red.	_____	E. Ind.	1758.	7.11.	S. 2.	Mill. ic. t. 207.
6 dioica. W.	tree.	_____	S. America.	1768.		S. 2.	L'Her.st.nov.t.70.

CLASS XI.

DODECANDRIA MONOGYNIA.

ASARUM. W.	ASARABACCA.	Aristolochiæ. J.					
1 europæum. W.	common.	_____	England.		5.	H. 2.	Eng. bot. 1083.
2 canadense. W.	Canadian.	_____	Canada.	1713.	4.7.	H. 2.	Lam. ill. t. 394. f. 2.
3 virginicum. W.	sweet-scented.	_____	Virginia.	1759.	4.5.	H. 2.	Pluk. alm. t. 78. f. 2.
BOCCONIA. W.	BOCCONIA.	Papaveracæ. J.					
1 frutescens. W.	Tree Celandine.	_____	W. Ind.	1739.	1.4.	S. 2.	Lam. ill. t. 394.
2 cordata. W.	heart-leaved.	_____	China.	1795.	5.8.	H. 2.	Bot. mag. 1905.
BASSIA. W.	BASSIA.	Sapotæ. J.					
1 longifolia. W.	long-leaved.	_____	E. Ind.	1811.		S. 2.	Lam. ill. t. 398.
2 latifolia. W.	broad-leaved.	_____	_____	1799.		S. 2.	Rox. cor. 1. t. 19.
BLAKEA. W.	BLAKEA.	Melastomæ. J.					
trinervia. W.	three-ribbed.	_____	Jamaica.	1789.	6.7.	S. 2.	Bot. mag. 451.
BEJARIA. Ph.	BEJARIA.	Rhodoracæ. J.					
racemosa. Ph.	sweet-scented.	_____	Florida.	1810.	6.7.	G. 2.	Vent. cels. t. 51.
GARCINIA. W.	MANGOSTEEN.	Guttiferæ. J.					
Mangostana. W.	common.	_____	Java.	1789.		S. 2.	Lam. ill. t. 405.
HALESIA. W.	SNOWDROP-TREE.	Ebenacæ. B. P.					
1 tetraptera. W.	four-winged.	_____	Carolina.	1756.	4.5.	H. 2.	Bot. mag. 910.
2 diptera. W.	two-winged.	_____	N. America.	1758.	—	H. 2.	Cav. dis. 6. t. 187.
DECUMARIA. W.	DECUMARIA.	Myrti. J.					
1 barbara. Ph.	smaller.	_____	Carolina.	1785.	7.8.	H. 2.	
2 sarmentosa. Ph.	larger.	_____	_____	1758.	—	H. 2.	Act. par. 1. t. 13.
ARISTOTELIA. W.	ARISTOTELIA.						
Macqui. W.	shining-leaved.	_____	Chili.	1773.	4.5.	H. 2.	Lam. ill. t. 399.
CANELLA. W.	CANELLA.	Meliæ. J.					
alba. W.	Laurel-leaved.	_____	W. Ind.	1735.		S. 2.	Linn. trans. 1. t. 8.
CRATÆVA. W.	GARLICK-PEAR.	Capparides. J.					
1 gynandra. W.	thin-leaved.	_____	Jamaica.	1789.		S. 2.	Pluk.alm.t.147.f.6.
2 Tapia. W.	smooth.	_____	India.	1752.		S. 2.	Com. hort. 1. t. 67.
3 fragrans. H. K.	sweet-scented.	_____	Sierra Leone.	1795.	6.7.	S. 2.	Bot. mag. 596.
TRIUMFETTA. W.	TRIUMFETTA.	Tiliacæ. J.					
1 Lappula. W.	prickly-seeded.	_____	Jamaica.	1739.	7.8.	S. 2.	Plum. ic. t. 255.
2 Bartramia. W.	Currant-leaved.	_____	E. Ind.	—	6.7.	S. 2.	Rump.am.6.t.25.f.2
3 semitriloba. W.	Mallow-leaved.	_____	W. Ind.	1773.	7.	S. 2.	Jac. vind. 3. t. 76.
4 grandiflora. W.	large-flowered.	_____	_____	1810.		S. 2.	
5 annua. W.	annual.	_____	E. Ind.	1760.	8.9.	S. 2.	Mill. ic. 2. t. 298.
PEGANUM. W.	PEGANUM.	Rutacæ. J.					
1 Harmala. W.	Syrian-Rue.	_____	Spain.	1570.	7.8.	H. 2.	Lam. ill. 401.
2 dauricum. P. S.	Milkwort-leav'd.	_____	Siberia.	1816.	—	H. 2.	Gmel. sib. 4. t. 68.
HUDSONIA. W.	HUDSONIA.	Ericæ? J.					
ericoides. W.	Heath-leaved.	_____	N. America.	1805.	5.7.	F. 2.	Hort. ber. 15.
NITRARIA. W.	NITRARIA.	Ficoideæ. J.					
Schoberi. W.	thick-leaved.	_____	Siberia.	1778.	5.8.	H. 2.	Bot. rep. 529.
PORTULACA. W.	PURSLANE.	Portulacæ. J.					
1 sativa. H. S.	garden.	_____	S. America.	1652.	8.9.	H. 2.	
β aurea.	golden.	_____					
2 oleracea. H. S.	small.	_____	Europe.	1562.	6.7.	H. 2.	Plant. grass. 123.
3 parvifolia. H. S.	small-leaved.	_____	Jamaica.	1799.	8.	S. 2.	
4 pilosa. W.	bairy.	_____	W. Ind.	1690.	6.	S. 2.	Herm. par. t. 215.
5 quadrifida. W.	creeping.	_____	E. Ind.	1773.	8.9.	S. 2.	Jac. col. 2. t. 17. f. 4.
6 meridiana. W.	moonday.	_____	_____	1791.	5.6.	S. 2.	

TALINUM. H. S.	TALINUM.	Portulacææ. J.					
1 triangulare. W.	triangular.	_____	W. Ind.	1739.	8.9.	S. h.	Jac. obs. 1. t. 23.
2 crassifolium. W.	thick-leaved.	_____	_____	1800.	_____	S. h.	Jac. vind. 3. t. 52.
3 patens. W.	spreading-flow ^d .	_____	S. America.	1776.	8.10.	S. g.	Jac. vind. 1. t. 151.
4 reflexum. H. S.	yellow-flowered.	_____	_____	1800.	_____	S. g.	Bot. mag. 1543.
ANACAMPSEROS. L.	ANACAMPSEROS.	Portulacææ. J.	Rulingia. H. S.	Talini sp. W.			
1 rotundifolia.	round-leaved.	_____	C. B. S.	1732.	7.9.	G. h.	Plant. grass. 3.
<i>Talinum Anacampseros. W.</i>							
2 arachnoides. B. M.	cobweb.	_____	_____	1790.	_____	G. h.	Bot. mag. 1368.
3 rubens. H. S.	red-leaved.	_____	_____	1796.	_____	G. h.	
4 filamentosa. B. M.	thready.	_____	_____	1795.	8.9.	G. h.	Bot. mag. 1367.
5 lanceolata. H. S.	spear-leaved.	_____	_____	1796.	_____	G. h.	
LYTHRUM. W.	LYTHRUM.	Salicariæ. J.					
1 Salicaria. W.	common.	_____	Britain.		7.8.	H. h.	Eng. bot. 1061.
2 verticillatum. W.	whorl-flowered.	_____	N. America.	1759.	7.9.	H. h.	
3 virgatum. W.	fine-branched.	_____	Anstria.	1776.	6.9.	H. h.	Bot. mag. 1003.
4 triflorum. W.	three-flowered.	_____	America.	1802.	8.	H. h.	
5 alatum. Ph.	winged-stalked.	_____	N. America.	1812.	5.11.	G. h.	Bot. mag. 1812.
6 lineare. W.	white-flowered.	_____	_____	_____	7.8.	H. h.	
7 hyssopifolium. W.	Hyssop-leaved.	_____	England.		8.	H. c.	Eng. bot. 292.
CUPHEA. Jac.	CUPHEA.	Salicariæ. J.					
1 viscosissima. W.	clammy.	_____	America.	1776.	7.8.	G. g.	Jac. vind. 2. t. 177.
2 procumbens. Cav.	procumbent.	_____	Mexico.	1816.	7.9.	G. c.	Bot. reg. 132. <i>m. 1831</i>
3 lanceolata. H. K.	smooth-styled.	_____	_____	1796.		S. c.	
4 decandra. H. K.	decandrous.	_____	Jamaica.	1789.	6.10.	S. h.	
KLEINHOFIA. W.	KLEINHOFIA.	Malvaceæ. J.					
Hospita. W.	heart-leaved.	_____	E. Ind.	1800.		S. h.	Cav. dis. 5. t. 146.

DIGYNIA.

CALLICOMA. B. R.	CALLICOMA.	Cunoniaceæ. Br.					
serratifolia. B. R.	saw-leaved.	_____	N. S. W.	1793.	5.8.	G. h.	Bot. rep. 566. <i>1814</i>
HELIOCARPUS. W.	HELIOCARPUS.	Tiliaceæ. J.					
americanus. W.	American.	_____	Vera Cruz.	1733.		S. h.	Lam. ill. t. 409.
AGRIMONIA. W.	AGRIMONY.	Rosaceæ. J.					
1 Eupatoria. W.	common.	_____	Britain.		6.7.	H. h.	Eng. bot. 1335.
2 odorata. W.	sweet-scented.	_____	Italy.	1640.	7.	H. h.	
3 repens. W.	creeping.	_____	Levant.	1737.	7.9.	H. h.	
4 parviflora. W.	small-flowered.	_____	N. America.	1766.	7.	H. h.	
5 striata. Ph.	white-flowered.	_____	_____	1812.	6.8.	H. h.	
6 Agrimonoides. W.	three-leaved.	_____	Italy.	1739.	_____	H. h.	Col. ecphr. 1. t. 144.

TRIGYNIA.

RESEDA. W.	RESEDA.	Capparides? J.					
1 Luteola. W.	Dyer's-weed.	_____	Britain.		6.7.	H. c.	Eng. bot. 320.
2 canescens. W.	hoary.	_____	Spain.	1597.	5.7.	H. h.	Clus. hist. 1. t. 295.
3 glauca. W.	glaucous.	_____	S. Europe.	1700.	_____	G. h.	Pluk. alm. t. 107. f. 2.
4 dipetala. W.	Flax-leaved.	_____	C. B. S.	1774.	8.	G. g.	
5 scoparia. W. en.	Broom-like.	_____	Teneriffe.	1815.	8.9.	G. h.	
6 sesamoides. W.	spear-leaved.	_____	France.	1787.	7.8.	H. c.	All. ped. 2. t. 88. f. 3.
7 fruticulosa. W.	shrubby.	_____	Spain.	1794.	9.	G. h.	Jac. ic. 3. t. 474.
8 alba. W.	upright white.	_____	S. Europe.	1596.	5.10.	H. g.	Lob. ic. 222.
9 undata. W.	wave-leaved.	_____	Spain.	1739.	6.8.	H. h.	Bar. rar. t. 587.
10 bipinnata. W. en.	bipinnate-leaved.	_____	_____	1816.	_____	G. h.	
11 stricta. P. S.	rock.	_____	_____	_____	_____	H. h.	
<i>saxatilis. W. en.</i>							
12 ramosissima. W. en.	branching.	_____	_____	_____	_____	H. h.	
13 lutea. W.	Base-rocket.	_____	Britain.		7.8.	H. g.	Eng. bot. 321.
14 Phyteuma. W.	trifid.	_____	S. Europe.	1752.	6.9.	H. c.	Jac. aust. 2. t. 132.
15 mediterranea. W.	Mediterranean.	_____	Palestine.	1791.	_____	H. c.	Jac. ic. 3. t. 475.
16 odorata. W.	Mignonette.	_____	Egypt.	1752.	6.10.	H. c.	Bot. mag. 29.
<i>β frutescens.</i>	<i>tree Mignonette.</i>	_____	_____	_____	_____	G. h.	Bot. reg. 227.
EUPHORBIA. W.	SPURGE.	Euphorbiæ. J.					
1 uncinata. H. K.	twin-spined.	_____	C. B. S.	1795.	6.3.	D.S. h.	Plant. grass. 151.
2 trigona. H. S.	upright triangul ^r .	_____	E. Ind.	1768.	7.8.	D.S. h.	
3 antiquorum. H. S.	spread ^d triangul ^r .	_____	_____	1688.	_____	D.S. h.	Rheed. mal. 2. t. 42.
4 lactea. H. S.	marbled.	_____	_____	1804.	_____	D.S. h.	
5 canariensis. W.	Canary.	_____	Canaries.	1697.	3.4.	D.S. h.	Plant. grass. 140.
6 heptagona. W.	seven-angled.	_____	C. B. S.	1731.	7.11.	D.S. h.	Brad. suc. 2. t. 13.
7 enneagona. W.	nine-angled.	_____	_____	1790.	7.10.	D.S. h.	
8 mammillaris. W.	warty-angled.	_____	_____	1759.	7.8.	D.S. h.	Com. præ. t. 8.

9 cereiformis. W.	naked.	Euphorbia. J.	C. B. S.	1731. 6.7. D.S. h.	Burm. afr. t. 9. f. 3.
10 officinarum. W.	officinal.	_____	Africa.	1597. — D.S. h.	Plant. grass. 7".
11 polygona. H. S.	many-angled.	_____	C. B. S.	1790. 7.9. D.S. h.	_____
12 nerifolia. W.	Oleander-leaved.	_____	India.	1690. 6.7. D.S. h.	Plant. grass. 46.
13 Hystrix. W.	Porcupine.	_____	C. B. S.	1695. 6.8. D.S. h.	Jac. schœn. 2. t. 207.
14 varians. H. S.	variable-stemm'd.	_____	E. Ind.	1800. ... D.S. h.	_____
15 grandifolia. H. S.	great-leaved.	_____	Sierra Leone.	1798. ... D.S. h.	_____
16 cucumerina. W.	Cucumber-like.	_____	C. B. S.	 D.S. h.	Vail. it. t. 5.
17 meloformis. W.	Melon-like.	_____	_____	1774. 5.9. D.S. h.	Bot. rep. 617.
18 Caput-medusæ. W.	{ Great Medusa's Head. }	_____	Africa.	1731. 8. G. h.	Com. præl. t. 7.
19 tessellata. H. S.	Chequer'd M. Hd.	_____	_____	1788. — G. h.	_____
20 fructuspina. H. S.	Small M. Head.	_____	C. B. S.	1731. — G. h.	Plant. grass. 150.
21 procumbens. H. S.	Least M. Head.	_____	_____	1768. — G. h.	Burm. afr. t. 10. f. 1.
22 patula. H. S.	spreading.	_____	_____	— G. h.	_____
23 anacantha. W.	scaly.	_____	_____	1727. 9.10. G. h.	Plant. grass. 144. 2520
24 clava. W.	club.	_____	_____	1774. 3.8. G. h.	Jac. ic. 1. t. 85.
25 bupleurifolia. W.	cone-shaped.	_____	_____	1791. 6.7. D.S. h.	Jac. schœn. 1. t. 106.
26 mauritanica. W.	Barbary.	Africa.	_____	1732. 6.8. G. h.	Dill. elt. t. 289. f. 373
27 Lamarckii.	Lamarck's.	_____	_____	1808. G. h.	_____
<i>mauritanica. Lam. virgata. P. S.</i>					
28 hamata. H. S.	hooked.	_____	C. B. S.	1795. G. h.	Burm. afr. t. 6. f. 3.
29 Ornithopus. W. en.	Bird's-foot.	_____	_____	1816. 6.8. G. h.	Jac. frag. t. 120.
30 aphylla. W. en.	leafless.	_____	Teneriffe.	1815. — G. h.	_____
31 balsamifera. W.	Balsam.	_____	Canaries.	1779. G. h.	_____
32 Tirucalli. W.	Indian Tree.	_____	India.	1690. D.S. h.	Rheed. mal. 2. t. 44.
33 atropurpurea. W. en.	dark purple.	_____	Teneriffe.	1815. G. h.	_____
34 piscatoria. W.	smooth spear-l'd.	_____	Canaries.	1777. G. h.	_____
35 bracteata. H. S.	bracteated.	_____	_____	1809. S. h.	Jac. schœn. 2. t. 276.
36 pendula. H. S.	pendulous.	_____	_____	1808. D.S. h.	_____
37 Tithymaloides. W.	Myrtle-leaved.	_____	S. America.	1699. 6.7. D.S. h.	Herm. par. 234.
38 padifolia. H. S.	Laurel-leaved.	_____	_____	— D.S. h.	Dil. elt. t. 298. f. 372.
39 cordellata. H. S.	small heart-leaf'd.	_____	_____	1795. D.S. h.	_____
40 heterophylla. W.	various-leaved.	_____	W. Ind.	1690. 4.9. S. h.	Plum. ic. t. 251. f. 3
41 dendroides. W.	tree-like.	_____	Italy.	1768. H. h.	_____
42 cyathophora. W.	coloured.	_____	S. America.	1806. 7.8. S. h.	Jac. ic. 3. t. 480. 2765
43 repanda. H. S.	waved.	_____	E. Ind.	1808. 8. S. ♂.	_____
44 biglandulosa. H. S.	twin-glanded.	_____	Is. Bourbon.	— 9. S. h.	_____
45 nudiflora. Jac.	naked-flowered.	_____	_____	1800. 8. S. h.	Jac. ic. 3. t. 470.
46 cotinifolia. W.	Cotinus-leaved.	_____	S. America.	1690. 7.8. S. h.	Com. hort. 1. t. 15.
47 petiolaris. H. K.	long-stalked.	_____	W. Ind.	1800. 5.6. D.S. h.	Bot. mag. 883.
48 mellifera. W.	honey-bearing.	_____	Madeira.	1784. 4.5. G. h.	— 1305.
49 linarifolia. W.	Toad-flax-leaved	_____	_____	1794. S. h.	Jac. ic. 1. t. 86.
50 variegata. B. M.	pye-balled.	_____	Louisiana.	1811. 9. H. ♂.	Bot. mag. 1747.
51 prunifolia. H. K.	Plum-leaved.	_____	_____	1799. 6.7. G. ♂.	Jac. schœn. 3. t. 277.
52 ocymoidea. W.	Basil-leaved.	_____	S. America.	1733. 6.8. S. ♂.	_____
53 dentata. Ph.	toothed.	_____	N. America.	1806. 6.7. H. ♂.	_____
54 hypericifolia. W.	Hypericum-lea'd.	_____	America.	1727. 6.9. H. ♂.	Com. præl. t. 10.
55 Humboldtii. W. en.	Humboldt's.	_____	S. America.	1809. 7.10. S. ♀.	_____
56 prostrata. W.	trailing red.	_____	W. Ind.	1758. — S. ♂.	_____
57 rosea. W.	rosy.	_____	E. Ind.	1808. 8. S. ♂.	_____
58 maculata. W.	spotted.	_____	S. America.	1660. 7. H. ♂.	Jac. vind. 2. t. 186.
59 picta. W.	painted.	_____	_____	1789. 5.7. S. ♀.	Jac. ic. 3. t. 477.
60 pilulifera. W.	globular.	_____	E. Ind.	1800. 6.8. S. ♀.	— 3. t. 478.
61 hyssopifolia. W.	Hyssop-leaved.	_____	W. Ind.	1787. 8.9. S. ♂.	_____
62 thymifolia. W.	Thyme-leaved.	_____	India.	1699. 7.8. S. ♂.	Pluk. alm. t. 113. f. 2.
63 Chamæsyce. W.	scollop-leaved.	_____	S. Europe.	1752. — H. ♂.	Moris. 10. t. 2. f. 19.
64 Peplis. W.	purple.	_____	England.	 — H. ♂.	Eng. bot. 2002.
65 polygonifolia. W.	Knot-grass-lea'd.	_____	N. America.	1704. 6.7. H. ♂.	Jac. col. s. t. 13. f. 3.
66 Ipecacuanhæ. Ph.	Ipecacuanha.	_____	_____	1812. — H. ♀.	Bot. mag. 1494.
67 Peplus. W.	petty.	_____	Britain.	 7.8. H. ♂.	Eng. bot. 959.
68 falcata. W.	sickle-leaved.	_____	S. Europe.	1699. 6.8. H. ♂.	Jac. aust. 2. t. 121.
69 exigua. W.	dwarf.	_____	Britain.	 7. H. ♂.	Eng. bot. 1336.
70 minima. H. S.	least.	_____	_____	1800. 7.9. H. ♂.	_____
71 micrantha. W.	small-flowered.	_____	Persia.	1803. — H. ♂.	_____
72 tuberosa. W.	tuberous.	_____	Ethiopia.	1800. 10.12. G. h.	Burm. afr. 9. t. 4.
73 Lathyris. W.	Caper.	_____	England.	 5.10. H. ♂.	Eng. bot. 2255.
74 valentina. P. S.	Spanish.	_____	Spain.	1804. 7.8. H. ♂.	_____
75 diffusa. W.	diffuse.	_____	Austria.	1798. — H. ♂.	Jac. ic. 1. t. 88.
76 Apios. W.	Pear-rooted.	_____	Candia.	1596. 6.7. H. ♀.	_____

77 laeta. W.	Mezereon-leaved.	Euphorbia. J.	1758.	6.7.	G. h.	Jac. ic. 1. t. 87.
78 genistoides. W.	Genista-like.	C. B. S.	1808.	7.3.	G. h.	
79 spinosa. W.	prickly.	Levant.	1710.	5.9.	F. h.	Herm. lugd. t. 601.
80 nummulariæfolia } W. en.	Moneywort-l ^d .		1800.	7.	G. h.	
81 epithymoides. W.	broad-leaved.	Austria.	1805.	5.6.	H. 2.	Bot. rep. 616.
82 dulcis. W.	sweet.	S. Europe.	1759.	—	H. 2.	Jac. aus. 3. t. 213.
83 carnioleia. W.	Carniolian.	Carniola.	1795.	8.	H. 2.	Scop. carn. t. 21.
84 Pithyusa. W.	Juniper-leaved.	S. Europe.	1741.	6.7.	F. h.	Bocc. sic. t. 5.
85 portlandica.	Portland.	Britain.		5.9.	H. 2.	Eng. bot. 441.
86 Paralias. W.	sea.	England.		7.9.	F. 2.	— 195.
β suffruticosa.	shrubby sea.			—	F. h.	
87 rigida. H. S.	rigid.		1795.	7.8.	H. h.	
88 juncea. W.	rushy.	Madeira.	1779.	—	G. 2.	Jac. schœn. 1. t. 107.
89 aleppica. W.	Aleppo.	Crete.	1739.	—	F. 2.	Alp. exot. t. 64.
90 segetalis. W.	corn.	S. Europe.	1699.	—	H. 2.	Jac. aus. 5. t. 450.
91 biumbellata. P. S.	double-umbelled	Barbary.	1780.	8.	H. 2.	Poir. it. ed. germ. t. 1.
92 angustifolia. H. S.	narrow-leaved.		—	7.	H. 2.	
93 multicorymbosa. } H. S.	many-flowered.		1805.	7.	H. 2.	
94 provincialis. W.	linear-leaved.	S. Europe.	1800.	8.11.	H. 2.	
95 juncoides. H. S.	Rush-like.		—	7.	S. 2.	
96 helioscopia. W.	Wartwort.	Britain.		7.8.	H. 2.	Eng. bot. 883.
97 serrata. W.	narrow notch-l ^d .	S. Europe.	1710.	7.	G. 2.	Jac. ic. 3. t. 483.
98 cretica. H. S.	Cretan hoary.	Levant.	1768.		H. 2.	
99 punicea. W.	scarlet-flowered.	Jamaica.	1778.	1.9.	S. h.	Bot. reg. 190.
100 verrucosa. W.	warted.	France.	1800.	6.	H. 2.	Moriss. 10. t. 3. f. 3.
101 corollata. W.	great-flowered.	N. America.	1803.	7.9.	H. 2.	Pluk. man. t. 446. f. 3
102 spathulæfolia. H. S.	spatula-leaved.		1800.	8.	G. h.	
103 corallioides. W.	Coral-stalked.	S. Europe.	1752.	6.9.	H. 2.	
104 androsæmifolia. } H. S.	Tutsan-leaved.	Hungary.	1804.	7.9.	H. 2.	
105 pilosa. W.	laury.	Siberia.	1758.	5.8.	H. 2.	Gmel. sib. 2. t. 93.
106 orientalis. W.	oriental.	Levant.	1739.	6.7.	H. 2.	
107 platyphyllos. W.	annual warty.	England.		7.8.	H. 2.	Jac. aust. t. 376.
108 stricta. E. B.	upright warty.			—	H. 2.	Eng. bot. 333.
109 literata. W.	blotch-leaved.		1790.	8.	H. 2.	Jac. ic. 3. t. 482.
110 Esula. W.	leafy-branched.	Britain.		5.7.	H. 2.	Eng. bot. 1399.
111 sylvatica. W.	wood.	S. Europe.	1768.	7.9.	F. h.	
112 Gerardiana. W.	Gerard's.	Germany.	1801.	7.	H. 2.	Jac. aust. t. 436.
113 Cyparissias. W.	Cypress.	England.		5.9.	H. 2.	Eng. bot. 840.
114 virgata. W. en.	twiggy.	Hungary.	1807.	7.	H. 2.	Pl. rar. hung. t. 162.
115 myrsinites. W.	glaucous.	S. Europe.	1570.	4.6.	H. 2.	
116 imbricata. P. S.	imbricated.	Portugal.	1804.	8.9.	F. h.	
117 nicænsis. W.	sharp-leaved.	Spain.	1809.		F. 2.	Jac. ic. 3. t. 485.
118 palustris. W.	marsh.	Sweden.	1570.	5.8.	H. 2.	Fl. dan. 866.
119 emarginata. W.	freckled.	Italy.	1758.	7.8.	H. 2.	
120 hiberna. W.	Irish.	Britain.		5.6.	H. 2.	Eng. bot. 1337.
121 salicifolia. W.	Willow-leaved.	Hungary.	1804.	—	H. 2.	Pl. rar. hung. t. 55.
122 amygdaloides. W.	Almond-leaved.	England.		3.6.	H. 2.	Eng. bot. 256.
123 Characias. W.	upright red.			—	F. h.	442.
VISNEA. W.	VISNEA.	Ebenacæ. J.	Mocanera. J.			
Mocanera. W.	Canary.	Canaries.	1815.		G. h.	

TETRAGYNIA.

CALLIGONUM. W.	CALLIGONUM.	Polygonæ. J.	Pallasia. L.			
Pallasia. W.	Caspian.	Caspian Sea.	1780.	8.	H. h.	Pall. ros. 2. t. 77. 78.

PENTAGYNIA.

GLINUS. W.	GLINUS.	Ficoideæ. J.				
lotoides. W.	laury.	S. Europe.	1788.	7.	G. 2.	Boc. sic. 21. t. 11.

DODECAGYNIA.

SEMPERVIVUM. W.	HOUSELEEK.	Sempervivæ. J.				
1 arboreum. W.	tree.	Levant.	1640.	12.3.	G. h.	Bot. reg. 99.
β variegata.	striped-leaved.					
2 canariense. W.	Canary.	Canaries.	1699.	6.7.	G. h.	Plant. grass. 141.
3 glutinosum. W.	clammy.	Madeira.	1777.	7.8.	G. h.	Bot. reg. 270.
4 glandulosum. W.	glandulous-leav ^d				3.5.	G. h.
5 ciliatum. W. en.	white-flowered.	Teneriffe.	1815.		G. h.	

6 tortuosum. W.	gouty.	Sempervivæ. J.	Canaries.	1779. 7.8. G. h.	Bot. mag. 296.
7 villosum. W.	villous.	_____	Madeira.	1777. 6.7. H. ⊙.	1809.
8 stellatum. L. T.	starry.	_____	M. Baldo.	1790. 7.8. G. ⊙.	
9 tectorum. W.	common.	_____	Britain.	 6.9. H. ½.	Eng. bot. 1320.
10 africanum. H. S.	African.	_____	C. B. S.	1768. G. ¼.	
11 dodrantale. W. en.	{ smooth-leaved annual.	_____	Teneriffe.	1815. 7.8. G. ⊙.	
12 hirtum. P. S.		_____	Italy.	1804. 6.7. H. ½.	Schmidt. ic. t. 17.
13 soboliferum. B. M.	Hen & Chicken.	_____	Germany.	 — H. ½.	Bot. mag. 1457.
14 globiferum. W.	globiferous.	_____	_____	1731. — H. ½.	507. 2115.
15 montanum. W.	mountain.	_____	Switzerland.	1752. — H. ½.	Plant. grass. 105.
16 arachnoideum. W.	cobweb.	_____	Italy.	1699. — H. ½.	Bot. mag. 68.
17 monanthos. W.	one-flowered.	_____	Canaries.	1777. 7.9. G. ½.	93.

CLASS XII.

ICOSANDRIA MONOGYNIA.

CACTUS. W.	CACTUS.	Cacti. J.			
1 Melocactus. H. S.	Turk's Cap.	_____	W. Ind.	1688. 7.8.D.S. h.	Plant. grass. 112.
2 depressus. H. S.	depressed.	_____	S. America.	1789. ... D.S. h.	
3 gibbosus. H. S.	gibbous.	_____		1808. 7.8.D.S. h.	Bot. reg. 137.
4 nobilis. W.	crook-spined.	_____	Mexico.	1796. ... D.S. h.	
5 intortus. H. S.	twisted.	_____	Antigua.	1768. ... D.S. h.	
6 mammillaris. W.	small red-spined.	_____	W. Ind.	1688. 7.8. D.S. h.	Plant. grass. 111.
7 proliferus. H. S.	white-spined.	_____	_____	— — D.S. h.	
8 discolor. H. S.	two-coloured.	_____		1800. ... D.S. h.	
9 stellatus. W. en.	starry.	_____	S. America.	1815. ... D.S. h.	
10 viviparus. Ph.	viviparous.	_____	Louisiana.	1811. ... D.S. h.	
11 cylindricus. W.	cylindric.	_____	Peru.	1799. ... D.S. h.	
12 serpentinus. W. en.	serpentine.	_____	_____	 D.S. h.	
13 hexagonus. W.	seven-angled.	_____	W. Ind.	1728. 7. D.S. h.	
14 hexagonus. W.	six-angled.	_____	Surinam.	1690. 7.8. D.S. h.	Bot. rep. 513.
15 tetragonus. W.	four-angled.	_____	S. America.	1710. 7. D.S. h.	
16 speciosus. W. en.	purple-flowered.	_____	_____	1816. — D.S. h.	
17 speciosissimus.	beautiful.	_____	_____	— — D.S. h.	Bot. rep. 436. 2220.
18 pentagonus. W.	five-angled.	_____	_____	1769. — D.S. h.	
19 prismaticus. W. en.	prismatic.	_____	_____	1816. ... D.S. h.	
20 repandus. W.	wavy-angled.	_____	W. Ind.	1728. 8. D.S. h.	Trew. chret. 3. t. 14.
21 fulvispinosus. H. S.	tawny-spined.	_____	S. America.	1795. ... D.S. h.	
22 griseus. H. S.	grey-spined.	_____	_____	1809. 9.10. D.S. h.	
23 lanuginosus. W.	woolly.	_____	W. Ind.	1690. 7. D.S. h.	Herm. par. t. 115.
24 peruvianus. W.	Peruvian.	_____	Peru.	1728. 8. D.S. h.	Plant. grass. 58.
25 multangularis. W. en.	{ many-angled.	_____	S. America.	1816. ... D.S. h.	
26 Royeni. W.		_____	_____	1728. ... D.S. h.	
27 grandiflorus. W.	night-flowering.	_____	Jamaica.	1700. 6.8. D.S. h.	Bot. rep. 508.
28 flagelliformis. W.	creeping.	_____	Peru.	1690. 3.6. G. h.	Bot. mag. 17.
29 triangularis. W.	great triangular.	_____	W. Ind.	1690. 7.8. D.S. h.	1884.
30 quadrangularis. H. S.	quadrangular.	_____	S. America.	1809. ... D.S. h.	Plum. am. t. 199. f. 1.
31 trigonus. H. S.	small triangular.	_____	_____	 D.S. h.	— t. 200. f. 2.
32 triquetus. H. S.	least triangular.	_____	_____	1794. ... D.S. h.	
33 brasiliensis. W. en.	thin-branched.	_____	Brazil.	1816. 7.8. D.S. h.	
34 monacanthos. W. en.	single-spined.	_____	S. America.	— ... D.S. h.	
35 Opuntia. W.	Indian Fig.	_____	S. Europe.	1596. 7.8. G. h.	Knor. thes. 1. t. F. a. 2393.
36 stricta. M. n.	oval upright.	_____		1796. — D.S. h.	Plant. grass. c. ic.
<i>stricta, W. en. is a very different species.</i>					
37 maxima. H. S.	great oblong.	_____	S. America.	1768. ... D.S. h.	
38 Ficus-indica. W.	white-spined.	_____	_____	1731. 7.8. D.S. h.	
39 elatior. H. S.	{ great black- spined.	_____	_____	— — D.S. h.	Dill. elt. t. 294. f. 379
40 Tuna. H. S.		_____	_____	— — D.S. h.	Plant. grass. 138.
41 Dillenii. B. reg.	Dillenius's.	_____		— — D.S. h.	Bot. reg. 255.
42 nigricans. H. S.	{ lesser black- spined.	_____	_____	1795. 8. D.S. h.	Bot. mag. 1557.
43 humilis. H. S.		_____		— ... D.S. h.	
44 polyanthos. H. S.	many-flowered.	_____	S. America.	1811. 7.8. D.S. h.	Plant. grass. c. ic.

45 cochiniifer. W.	Cochineal Fig.	Cacti. J.	S. America.	1688. 7.9. D.S. h.	Bot. rep. 533.
46 triacanthos. W. en.	three-spined.	_____	_____	 D.S. h.	_____
47 lanceolatus. M. n.	spear-shaped.	_____	_____	1796. 7. D.S. h.	_____
48 ferox. W. en.	ferocious.	_____	_____	1817. ... D.S. h.	_____
49 spinosissimus. W.	cluster-spined.	_____	Jamaica.	1732. 7. D.S. h.	_____
50 pusillus. M. n.	Small Indian Fig.	_____	S. America.	1805. 6. D.S. h.	_____
51 curassavicus. W.	Pin-pillow.	_____	Curassao.	1690. 6.7. D.S. h.	Knor.thes. 2. t.O.2.
52 foliosus. W. en.	glaucous.	_____	S. America.	1817. ... D.S. h.	_____
53 alatus. W. en.	winged.	_____	Jamaica.	... D.S. h.	364. 2092
54 Phyllanthus. W.	Spleenwort.	_____	S. America.	1710. 6. D.S. h.	Plant. grass. 145. 9692
55 Pereskia. W.	{ Barbadoes Gooseberry. }	_____	W. Ind.	1696. 10.11. S. h.	{ Dill. elt. t. 227. f. 294.
56 longispinus. H. S.	long-spined.	_____	S. America.	1808. S. h.	_____
57 portulacifolius. W.	Purslane-leaved.	_____	_____	1806. S. h.	Plum. ic. 6. f. 1.
RHIPSALIS. Gært.	RHIPSALIS.	Cacti. J.	Cacti sp. H.	_____	_____
1 Cassuth. G.	naked.	_____	W. Ind.	1758. 9. D.S. h.	Gært.sem. 1. t. 28. f. 1
Cactus pendulus. H.	_____	_____	_____	_____	_____
2 parasiticus. H. S.	parasitic.	_____	S. America.	1800. ... D.S. h.	Plant. grass. 59.
3 fasciculatus. W. en.	bundled.	_____	_____	1817. ... D.S. h.	_____
BARTONIA. Ph.	BARTONIA.	Loaseæ. J. in Ann. mus.	_____	_____	_____
1 ornata. Ph.	naked-seeded.	_____	Missouri.	1811. 7.9. G. f.	Bot. mag. 1487.
2 nuda. Ph.	winged-seeded.	_____	_____	_____ G. f.	_____
PHILADELPHUS. W.	SYRINGA.	Myrti. J.	_____	_____	_____
1 coronarius. W.	common.	_____	S. Europe.	1596. 5.6. H. h.	Bot. mag. 391.
β nanus.	dwarf.	_____	_____	_____	_____
2 inodorus. W.	scentless.	_____	Carolina.	1738. 6.7. H. h.	Bot. mag. 1473.
3 grandiflorus. Ph.	large-flowered.	_____	_____	1811. ... H. h.	383. 389
LEPTOSPERMUM. W.	LEPTOSPERMUM.	Myrti. J.	_____	_____	_____
1 scoparium. W.	New Zealand Tea	_____	N. Zealand.	1772. 6.7. G. h.	Bot. rep. 622.
2 flavescens. H. K.	yellowish.	_____	N. S. W.	1787. 5.7. G. h.	Sch.s.hann. 24. t. 14.
3 attenuatum. W.	fine-branched.	_____	_____	1795. ... G. h.	_____
4 lanigerum. H. K.	hoary.	_____	_____	1774. 6.7. G. h.	_____
5 pubescens. W.	pubescent.	_____	_____	_____ G. h.	_____
6 grandifolium. L. T.	large-leaved.	_____	_____	1803. ... G. h.	Bot. mag. 1810.
7 parvifolium. W.	small-leaved.	_____	_____	1789. ... G. h.	_____
8 stellatum. P. S.	short-leaved.	_____	_____	1790. ... G. h.	Cav. ic. 4. t. 330.
9 arachnoides. W.	cobweb.	_____	_____	1795. 5.7. G. h.	Gært. sem. 1. t. 35.
10 juniperinum. W.	Juniper-leaved.	_____	_____	1790. 6.7. G. h.	Vent. malm. 89.
11 baccatum. W.	berry-fruited.	_____	_____	_____ G. h.	Cav. ic. 4. t. 331. f. 2.
12 imbricatum. L. T.	imbricated.	_____	_____	1800. ... G. h.	_____
13 triloculare. V.	trilocular.	_____	_____	1816. ... G. h.	Vent. malm. 88.
14 ambiguum. W.	hook-leaved.	_____	_____	1791. ... G. h.	Exot. bot. 1. t. 59.
FABRICIA. W.	FABRICIA.	Myrti. J.	_____	_____	_____
1 myrtifolia. W.	opposite-leaved.	_____	N. Holland.	 G. h.	{ Gært. sem. 1. t. 6. 355. f. 4.
2 laevigata. W.	smooth-leaved.	_____	N. S. W.	1788. 5.6. G. h.	Bot. mag. 1304.
METROSIDEROS. W.	METROSIDEROS.	Myrti. J.	_____	_____	_____
1 hispida. W.	rough.	_____	N. S. W.	1789. 5.8. G. h.	Exot. bot. 1. t. 42. 1012
2 floribunda. W.	many-flowered.	_____	_____	1788. 7.8. G. h.	_____
3 costata. W.	ribbed.	_____	_____	1816. G. h.	Gært.sem. 1. t. 34. f. 2.
4 glomulifera. W.	cluster-flowered.	_____	_____	1805. 5.6. G. h.	_____
5 angustifolia. W.	narrow-leaved.	_____	C. B. S.	1787. G. h.	_____
6 marginata. P. S.	marginated.	_____	N. S. W.	1816. G. h.	Cav. ic. 4. t. 332.
7 linearis. W.	linear-leaved.	_____	_____	1788. 6.7. G. h.	Sert. han. 19. t. 11.
8 pinifolia. W. en.	Pine-leaved.	_____	_____	 G. h.	Wend. col. 1. t. 16.
9 viminalis. W.	long-leaved.	_____	_____	1800. 3.6. G. h.	Gært. sem. 1. t. 34. f. 4.
10 saligna. W.	Willow-leaved.	_____	_____	1788. 5.6. G. h.	Bot. mag. 1821.
11 lanceolata. W.	spear-leaved.	_____	_____	11.6. G. h.	260.
12 speciosa. B. M.	splendid.	_____	_____	1803. 3.6. G. h.	1761.
PSIDIUM. W.	GUAVA.	Myrti. J.	_____	_____	_____
1 pyrifera. W.	white.	_____	W. Ind.	1656. 6.7. S. h.	Rumph. amb. 1. t. 47.
2 pomifera. W.	red.	_____	_____	1692. ... S. h.	Rheed. mal. 3. t. 35.
3 aromaticum. W.	aromatic.	_____	_____	1779. S. h.	Aub. gui. 1. t. 191.
4 cordatum. B. M.	spice.	_____	_____	1811. 5.7. S. h.	Bot. mag. 1779.
5 montanum. W.	mountain.	_____	_____	1779. S. h.	_____
EUGENIA. W.	EUGENIA.	Myrti. J.	_____	_____	_____
1 malaccensis. W.	{ Malay Apple- tree. }	_____	E. Ind.	1768. 5.8. S. h.	Bot. rep. 458.
2 Jambos. W.	narrow-leaved.	_____	_____	2.7. S. h.	Bot. mag. 1696.
3 baruensis. W.	many-flowered.	_____	S. America.	 S. h.	Jac. ic. 3. t. 486.

4 axillaris. W.	axillary.	Myrti. J.	Jamaica.	1793.	9.	S. h.	
5 fragrans. W.	sweet-scented.			1790.	4.5.	S. h.	Bot. mag. 1242.
6 Mini. W.	small-fruited.		Guiana.	1803.		S. h.	Aub. gui. 1. t. 197.
7 elliptica. W.	round-fruited.		N. S. W.	1790.	5.9.	G. h.	Bot. mag. 1872.
8 ligustrina. W.	Privet-leaved.		Hispaniola.	1798.	8.	S. h.	
9 uniflora. W.	one-flowered.		Brazil.	1759.	1.3.	S. h.	Bot. mag. 473.
10 zeylanica. W.	Ceylon.		Ceylon.	1798.	6.7.	S. h.	Bot. rep. 619.
11 balsamica. W. en.	balsamic.			1816.		S. h.	Jac. frag. t. 45. f. 2.
12 latifolia. W.	broad-leaved.		Guiana.	1793.		S. h.	Aub. gui. 1. t. 199.
CARYOPHYLLUS.							
P. S.	CLOVE-TREE.	Myrti. J.					
aromaticus. P. S.	aromatic.		Moluccas.	1797.		S. h.	Rumph.amb.2.t.1.2
MYRTUS. W.	MYRTLE.	Myrti.					
1 communis. W.	common.		S. Europe.	1597.	7.8.	G. h.	Duh. arb. e. n. t. 43.
α romana.	broad-leaved.						Mill. ic. t. 184. f. 1.
β tarentina.	Box-leaved.						
γ italica.	{ Italian, or						
δ baetica.	upright.						
ε lusitanica.	Orange-leaved.						Blackwell. t. 114.
ζ belgica.	Portugal.						Clus. hist. 1. t. 1.
η mucronata.	{ broad-leaved						
	Dutch.						
2 tomentosa. W.	Rosemary-leaved.						
3 biflora. W.	woolly-leaved.		China.	1776.	6.7.	G. h.	Bot. mag. 250.
4 lucida. W.	two-flowered.		Jamaica.	1759.	4.5.	S. h.	Brown.jam. t. 25. f. 2
5 dumosa. W.	shining.		Surinam.	1793.		S. h.	
6 disticha. W.	bushy.		W. Ind.	—	6.7.	S. h.	
7 Gregii. W.	globe-berried.		Jamaica.	—	4.7.	S. h.	Bot. mag. 867.
8 virgultosa. W.	Greg's.		Dominica.	1776.		S. h.	Gertsen. 1. t. 33. f. 3
9 acris. W.	twisty.		Jamaica.	1787.	7.8.	S. h.	Plum. ic. t. 208. f. 1.
10 coriacea. W.	Wild Clove-tree.			1759.	5.7.	S. h.	Pluk. alm. t. 155. f. 3.
11 Piment. W.	Sumach-leaved.		Hispaniola.	—		S. h.	Plum. ic. t. 208. f. 2.
CALYPTRAN-	Allspice-Tree.		W. Ind.	1723.	5.7.	S. h.	Bot. mag. 1236.
THES. W.	{ CALYPTRAN-	Myrti. J.					
	THES.						
1 Zuzygium. W.	oval-leaved.		W. Ind.	1778.	5.7.	S. h.	Brown.jam. t. 7. f. 2.
2 Jambolana. W.	Jambolana-tree.		E. Ind.	1796.		S. h.	Rumph.amb. 1. t. 42
3 Chytraculia. W.	forked.		Jamaica.	1778.	3.5.	S. h.	Brown.jam. t. 37. f. 2
EUCALYPTUS.							
1 robusta. L. T.	Brown Gum-tree.	Myrti. J.					
2 rostrata. Cav.	beaked.		N. S. W.	1794.	8.9.	G. h.	Sm. nov. hol. t. 13.
3 pilularis. L. T.	narrow-leaved.			1804.		G. h.	Cav. ic. 4. t. 342.
4 tereticornis. L. T.	long-horned.			—		G. h.	
5 resinifera. L. T.	Red Gum-tree.			1788.	4.7.	G. h.	Bot. rep. 400.
6 marginata. L. T.	thick-edged.		N. Holland.	1794.	—	G. h.	
7 capitellata. L. T.	headed.			1804.		G. h.	
8 saligna. L. T.	Willow-like.		N. S. W.	—		G. h.	
9 globulus. Lab.	globose.			—		G. h.	Lab. nov. hol. 1. t. 12.
10 botryoides. L. T.	glaucous-leaved.		N. Holland.	1803.	4.7.	G. h.	Cav. ic. 4. t. 341.
11 hamastoma. L. T.	acute-leaved.			—		G. h.	
12 piperita. L. T.	Peppermint-tree		N. S. W.	1788.		G. h.	
13 obliqua. W.	oblique-leaved.		Van Diem.	1774.	7.8.	G. h.	Par. lond. 15.
14 corymbosa. W.	corymbus-flow ^d .		N. S. W.	1788.		G. h.	Cav. ic. 4. t. 340.
15 paniculata. L. T.	panicled.			1804.		G. h.	
16 cornuta. H. K.	horned.		N. Holland.	1803.		G. h.	Lab. voy. 1. t. 20.
PUNICA. W.							
1 nana. W.	POMEGRANATE.	Myrti. J.					
2 Granatum. W.	dwarf.		W. Ind.	1723.	7.9.	G. h.	Bot. mag. 634.
γ alba.	common.		S. Europe.	1548.	6.9.	H. h.	— 1832.
γ plena.	white-flowered.			—	—	H. h.	Bot. rep. 96.
	double-flowered.			—	—	H. h.	Trew. chret. t. 71. f. 2
AMYGDALUS. W.							
1 Persica. W.	ALMOND.	Rosaceæ. J.					
β Nectarina.	Common Peach.		Persia.	1562.	4.5.	H. h.	
γ plena.	Nectarine.						
2 communis. W.	double-flowered.						
3 amara. W.	Sweet Almond.		Barbary.	1548.	3.4.	H. h.	
4 nana. W.	Bitter Almond.			—	—	H. h.	Blackw. t. 195.
5 incana. W.	common dwarf.		Russia.	1683.	—	H. h.	Bot. mag. 161.
6 orientalis. W.	woolly.		Caucasus.		—	H. h.	Pall. ross. 1. t. 7.
7 pumila. W.	silvery-leaved.		Levant.	1756.	—	G. h.	
	double-dwarf.		Africa?	1633.	5.6.	H. h.	Pluk. phyt. t. 11. f. 4.
<i>Prunus sinensis. P. S.</i>							

PRUNUS. W.		PLUM & CHERRY. ROSACEÆ. J.	
1	Padus. W.	Bird Cherry.	Britain. 4.5. H. h. Eng. bot. 1833.
2	rubra. W.	Cornish Bird.	 H. h. Willd. arb. t. 4. f. 2.
3	virginiana. Ph.	Virginian.	Virginia. 1724. 5.6. H. h. t. 5. f. 1.
4	serotina. W.	American Bird.	N. America. 1629. — H. h. t. 5. f. 2.
5	occidentalis. W.	West Indian.	Jamaica. 1784. 12.1. S. h. —
6	lusitanica. W.	Portugal Laurel.	Portugal. 1648. 6. H. h. Mill. ic. t. 196. f. 1.
7	caroliniana. W.	Evergreen Bird.	Carolina. 1759. 5. H. h. —
8	Laurocerasus. W.	common Laurel.	Levant. 1629. 4.5. H. h. Dubam. arb. 1. t. 133
9	Mahaleb. W.	perfumed.	Austria. 1714. — H. h. Jac. aust. 3. t. 227.
10	pumila. W.	dwarf.	N. America. 1756. 5. H. h. Mill. ic. t. 89. f. 2.
11	hyemalis. P. S.	mountain.	1805. — H. h. —
12	Chamæcerasus. W.	bastard Cherry.	Austria. 1597. — H. h. Jac. ic. 1. t. 90.
13	Cerasus. W.	common Cherry.	England. 4.5. H. h. Eng. bot. 706.
14	avium. W.	pubescent-leav'd.	 H. h. Blackw. t. 425.
15	pensylvanica. W.	Pennsylvanian.	N. America. 1773. 5. H. h. Willd. arb. t. 3. f. 3.
16	nigra. W.	black.	 4.5. H. h. Bot. mag. 1117.
17	japonica. P. S.	Japan.	Japan. 1810. 3.5. G. h. Bot. reg. 27.
18	domestica. W.	common Plum.	England. 4. G. h. Eng. bot. 1783.
19	insititia. W.	Bullace-tree.	Britain. H. h. — 841.
20	cerasifera. W.	Myrobalan.	N. America. 1629. 4.5. H. h. —
21	depressa. Ph.	depressed.	1805. 5. H. h. —
22	Chicasa. Ph.	Chicasaw.	1806. 4.5. H. h. —
23	maritima. Ph.	sea.	1800. 5. H. h. —
24	Susquebanna. Ph.	glaucous-leaved.	1800. — H. h. —
25	spinosa. W.	Sloe-tree.	Britain. 3.4. H. h. Eng. bot. 842.
26	prostrata. W.	Birch-leaved.	1802. 4.5. F. h. Bot. reg. 136.
ARMENIACA. P. S.		APRICOT. Rosacæ. J. <i>Pruni sp. IV.</i>	
1	vulgaris. P. S.	common.	Levant. 1548. 2.3. H. h. Lam. ill. t. 431.
2	sibirica. P. S.	Siberian.	1788. 4. H. h. Pall. ross. 1. t. 8.
CHRYSOBALA- NUS. W. }		COCOA-PLUM. Rosacæ. J.	
1	Iceaco. W.	West Indian.	W. Ind. 1752. S. h. Jac. amer. t. 94.
2	oblongifolius. Ph.	American.	Georgia. 1812. G. h. Bartr. iter. c. ic.

DI-PENTAGYNIA.

WALDSTEINIA. W.		WALDSTEINIA. Rosacæ. J.	
	geoides. W.	Avens-like.	Hungary. 1804. 6.7. H. h. Pl. rar. hung. 1. t. 77.
MESPILUS. Sm.		MESPILUS. Rosacæ. J. <i>Cratægi et Mespili sp. L.</i>	
1	coccinea. W. en.	{ Scarlet-fruited }	N. America. 1683. 4.5. H. h. Pluk. alm. t. 46. f. 4.
		{ Hawthorn. }	
2	cordata. W. en.	Maple-leaved.	1738. 5. H. h. Mill. ic. t. 179.
3	pyrifolia. W. en.	Pear-leaved.	1765. 6. H. h. Mænnch. h. weis. t. 2.
4	elliptica. W. en.	oval-leaved.	5. H. h. —
5	glandulosa. W. en.	hollow-leaved.	1750. 5.6. H. h. Pall. ross. 1. t. 11.
6	flava. W. en.	{ yellow Pear-berried. }	1724. 5. H. h. Mænnch. weis. t. 4.
7	parvifolia. W. en.	Gooseberry-leav'd.	1704. 5.6. H. h. —
8	lavis. Th.	shining-leaved.	China. 1812. — G. h. —
9	glabra. H. K.	smooth-leaved.	1804. 4.7. G. h. —
10	arbutifolia. H. K.	Arbutus-leaved.	California. 1796. 7.8. G. h. —
11	punctata. W.	spotted-fruited.	N. America. 1746. 5. H. h. Jac. viind. 1. t. 23.
12	Crus-galli. W.	Cockspur-thorn.	1691. 5.6. H. h. Trew pl. rar. 2. t. 17.
	β pyracanthifolia.	<i>Pyracanthus</i> -ld.	
	γ salicifolia.	<i>Willow</i> -leaved.	
13	indica. W.	Indian.	China. 1806. 5.6. G. h. Bot. mag. 1726. 460
14	Pyracantha. W.	Evergreen-thorn.	S. Europe. 1629. 5. H. h. Schmidt. arb. t. 90.
15	spatulata. Ph.	spatula-leaved.	N. America. 1806. 5.6. H. h. —
16	apiifolia. Ph.	Parsley-leaved.	1812. — H. h. —
17	Oxyacantha. E. B.	comm. Hawthorn.	Britain. H. h. Eng. bot. c. ic.
	β rosea.	red-flowered.	
	γ major.	great-fruited.	
	δ præcox.	Glastonbury.	
	ε plena.	double-flowered.	
	ζ aurea.	yellow-berried.	
18	monogyna. W.	one-styled.	S. Europe. 1816. — H. h. Jac. aust. 3. t. 202. f. 1
19	Azarolus. W.	Azarole.	1640. — H. h. Bot. rep. 579.
20	tanacetifolia. B. R.	Tansy-leaved.	Greece. 1789. 5.6. H. h. Ex. bot. 2. t. 85.
21	odoratissima. B. R.	sweet-scented.	Crimea. H. h. Bot. rep. 590.
22	germauca. W.	common Medlar.	England. 5.7. H. h. Eng. bot. 1523.

23 grandiflora. H. K.	large-flowered.	Rosaceæ. J.		1800.	5.6.	H. h.	Ex. bot. 1. t. 18.
24 Chamae-Mespilus. W.	Bastard Quince.	Pyrenees.	1683.	—	H. h.	Schmidt. arb. t. 87.	
25 Cotoneaster. W.	dwarf.	Europe.	1656.	4.5.	H. h.	—	t. 89.
26 tomentosa. W.	Quince-leaved.		1759.	—	H. h.	—	
27 japonica. W.	Loquat.	Japan.	1787.	10.	F. h.	Vent. malm. 19.	365
PYRUS. Sm.	PYRUS.	Rosaceæ. J. <i>Pyrus et Sorbus. IV.</i>					
1 arbutifolia. Ph.	red-berried.	N. America.	1700.	5.6.	H. h.	Mill. ic. 100.	
2 melanocarpa. Ph.	black-fruited.	—	—	—	H. h.	Schmidt. arb. t. 86.	
3 Botryapium. W.	snowy.	—	1746.	4.5.	H. h.	—	t. 84.
<i>Mespilus canadensis. L.</i>							
4 ovalis. W.	oval-leaved.	—	1800.	—	H. h.	—	
5 Amelanchier. W.	Alpine.	S. Europe.	1596.	4.5.	H. h.	Schmidt. arb. t. 85.	2430
6 edulis. W. en.	edatle.	France.	1816.	—	H. h.	—	
7 sanguinea. Ph.	red-branched.	N. America.	1812.	—	H. h.	—	
8 communis. W.	common Pear.	England.		4.	H. h.	Eng. bot. 1784.	
9 Pollveria. W.	woolly-leaved.	Germany.	1786.	4.5.	H. h.	—	
10 salicifolia. W.	Willow-leaved.	Russia.	1780.	5.6.	H. h.	Pall. ross. 1. t. 9.	
11 nivalis. W.	white-leaved.	Austria.		5.	H. h.	Jac. aust. 2. t. 107.	
12 Malus. W.	Apple-tree.	Britain.		4.5.	H. h.	Eng. bot. 179.	
13 spectabilis. W.	Chinese Apple.	China.	1780.	5.	H. h.	Bot. mag. 267.	
14 prunifolia. W.	Siberian Crab.	Siberia.	1753.	4.5.	H. h.	Mill. ic. 2. t. 269.	
15 baccata. W.	small-fruited.	—	1784.	—	H. h.	Pall. ros. 1. t. 10.	
16 coronaria. W.	{ Sweet-scented } Crab.	Virginia.	1724.	5.	H. h.	—	681
17 angustifolia. W.	narrow-leaved.	N. America.	1750.	—	H. h.	Wang. am. t. 21. f. 47.	
18 Aria. W.	White Beam-tree.	Britain.		5.6.	H. h.	Eng. bot. 1858.	
19 intermedia. W.	Swedish.	Sweden.	1789.	4.5.	H. h.	Fl. dan. 301.	
20 torminalis. W.	Wild Service.	England.		—	H. h.	—	298.
21 hybrida. W. en.	hybrid.			—	H. h.	—	
22 pyramidalis. E. B.	Bastard Service.	England.		5.6.	H. h.	Eng. bot. 2331.	
<i>Sorbus hybrida. IV.</i>							
23 domestica. E. B.	True Service.	—		—	H. h.	—	350.
24 aucuparia. E. B.	Mountain Ash.	Britain.	—	—	H. h.	—	337.
25 americana. Ph.	purple-berried.	Canada.	1782.	—	H. h.	—	
26 microcarpa. Ph.	small-fruited.	N. America.		—	H. h.	—	
CYDONIA. J.	QUINCE.	Rosaceæ. J. <i>Pyræ sp. Linn.</i>					
1 vulgaris. W. en.	common.	Austria.	1573.	5.6.	H. h.	Jac. aust. 4. t. 342.	
2 japonica. P. S.	solitary-flowered.	Japan.	1815.	—	F. h.	—	
3 speciosa.	cluster-flowered.	—	1796.	1.12.	F. h.	Bot. mag. 622.	
<i>Pyrus japonica, Bot. mag. not of Thunberg.</i>							
SPIRÆA. W.	SPIRÆA.	Rosaceæ. J.					
1 laevigata. W.	smooth-leaved.	Siberia.	1774.	4.6.	H. h.	Schmidt. arb. 1. t. 49.	
2 salicifolia. W. en.	Willow-leaved.	Britain.		6.8.	H. h.	Eng. bot. 1468.	
β alba.	white-flowered.	N. America.		—	H. h.	Mill. ic. t. 257. f. 2.	
3 carpinifolia. W. en.	Hornbeam-leav ^d .	—		—	H. h.	—	
4 tomentosa. W.	tomentose.	—	1736.	8.9.	H. h.	Schmidt. arb. 1. t. 51.	
5 alpina. W.	Alpine.	Siberia.	1806.	7.	H. h.	Pall. ros. 1. t. 20.	
6 hypericifolia. W.	Hypericum-leav ^d .	N. America.	1640.	4.5.	H. h.	Schmidt. arb. 1. t. 26.	
7 chamaedrifolia. W.	Germander-leav ^d .	Siberia.	1789.	6.7.	H. h.	Pall. ros. 1. t. 15.	
8 ulmifolia. W.	Elm-leaved.	Carniola.	1790.	—	H. h.	Jac. vind. 2. t. 140.	
9 betulifolia. Ph.	Birch-leaved.	N. America.	1812.	6.7.	H. h.	Pall. ros. 1. t. 16.	
10 crenata. W.	Hawthorn-leav ^d .	Siberia.	1739.	4.5.	H. h.	Schmidt. arb. 1. t. 55.	
11 oblongifolia. W. en.	oblong-leaved.	Hungary.	1816.	5.6.	H. h.	Pl. rar. hung. 3. t. 235.	
12 triloba. W.	three-lobed.	Siberia.	1801.	5.	H. h.	Pall. ros. 1. t. 17.	
13 thalictroides. W.	Meadow-Rue-1 ^d .	—	1790.	—	H. h.	—	1. t. 18.
14 obovata. W. en.	obovate-leaved.	Hungary.	1816.	5.6.	H. h.	—	
15 opulifolia. W.	Gelder-Rose-1 ^d .	N. America.	1690.	6.7.	H. h.	Schmidt. arb. 1. t. 52.	
16 sorbifolia. W.	Service-tree-1 ^d .	Siberia.	1759.	8.	H. h.	—	1. t. 58.
β nana.	dwarf.	—	1817.	—	H. h.	Pall. ros. 1. t. 25.	
17 Aruncus. W.	Goat's-beard.	—	1633.	6.7.	H. h.	—	1. t. 26.
18 Filipendula. W.	Dropwort.	Britain.		6.10.	H. h.	Eng. bot. 284.	
β plena.	double-flowered.	—	—	—	H. h.	—	
19 Ulmaria. W.	Meadow-sweet.	—		—	H. h.	—	960.
β plena.	double-flowered.	—	—	—	H. h.	—	
20 lobata. W.	palmed.	Siberia.	1765.	7.8.	H. h.	Jac. vind. 1. t. 88.	
21 trifoliata. W.	three-leaved.	N. America.	1713.	6.7.	H. h.	Bot. mag. 489.	
22 stipulacea. Ph.	large-stipuled.	—	1805.	—	H. h.	—	
SESUVIUM. W.	SESUVIUM.	Ficoideæ. J.					
1 Portulacastrum. W.	Purslane-leaved.	W. Ind.	1692.	6.8.	S. h.	Lam. ill. t. 434. f. 1.	
2 sessile. P. S.	sessile-flowered.	—		—	S. h.	Plant. grass. 9.	

3	revolutifolium. W. en.	revolute-leaved.	Ficoideæ. J.	S. America.		7.8.	S. ½.	Bot. mag. 1701.
4	longifolium. W. en.	long-leaved.	_____	_____	1816.	_____	S. ½.	_____
5	repens. W. en.	creeping.	_____	E. Ind.	_____	_____	S. ½.	Rum. am. 5. t. 72. f. 1.
TETRAGONIA. W. TETRAGONIA. Ficoideæ. J.								
1	expansa. W.	horned.	_____	N. Zealand.	1772.	8.9.	G. ½.	Plant. grass. 113. 2362
2	crystallina. W.	Diamond.	_____	Peru.	1788.	6.	G. ½.	_____ 34.
3	fruticosa. W.	shrubby.	_____	C. B. S.	1712.	7.9.	G. ½.	Müll. ic. 2. t. 263. f. 2.
4	decumbens. W.	trailing.	_____	_____	1758.	_____	G. ½.	Plant. grass. 23.
5	Tetrapteris. H. S.	winged-seeded.	_____	_____	1795.	_____	G. ½.	_____
6	spicata. W.	spiked.	_____	_____	_____	7.	G. ½.	_____
7	herbacea. W.	herbaceous.	_____	_____	1752.	6.7.	G. ½.	Com. hort. 2. t. 102.
8	echinata. W.	Hedge-hog.	_____	_____	1774.	5.8.	G. ½.	Plant. grass. 113.
MESEMBRYAN- THEMUM. } FIG-MARYGOLD. Ficoideæ. J.								
1	minutum. H. S.	minute.	_____	C. B. S.	1795.	9.11.	G. ½.	Bot. mag. 1376.
2	minimum. H. S.	small.	_____	_____	1776.	9.12.	G. ½.	_____
3	obcordellum. H. S.	obcordate.	_____	_____	_____	10.2.	G. ½.	Bot. mag. 1647.
4	obconellum. H. S.	conical.	_____	_____	1794.	_____	G. ½.	_____
5	truncatellum. H. S.	truncated.	_____	_____	1795.	_____	G. ½.	_____
6	fibuliforme. H. S.	cloth-button.	_____	_____	_____	11.	G. ½.	_____
7	nuciforme. H. S.	Nut-shaped.	_____	_____	1790.		G. ½.	_____
8	testiculare. H. S.	short white-lea ^d .	_____	_____	1774.	11.	G. ½.	Bot. mag. 1573.
9	fissum. H. S.	cleft-leaved.	_____	_____	1776.		G. ½.	_____
10	obtusum. H. S.	obtuse cloven.	_____	_____	1792.	3.4.	G. ½.	_____
11	pisiforme. H. S.	Pea-shaped.	_____	_____	1796.		G. ½.	_____
12	moniliforme. H. S.	bracelet.	_____	_____	1791.	3.4.	G. ½.	_____
13	acutum. H. S.	great awl-leaved.	_____	_____	1793.	11.4.	G. ½.	_____
14	bellidiflorum. H. S.	Daisy-flowered.	_____	_____	1717.	6.8.	G. ½.	Dill. elt. 224. t. 223.
15	subulatum. H. S.	pale Daisy-flow ^d .	_____	_____	1768.		G. ½.	Plant. grass. 41.
16	calamiforme. H. S.	quill-shaped.	_____	_____	1717.	7.9.	G. ½.	_____ 5.
17	obsulatum. H. S.	reverse-quilled.	_____	_____	1796.		G. ½.	_____
18	teretiusculum. H. S.	turgid.	_____	_____	1794.		G. ½.	_____
19	cylindricum. H. S.	cylindrical.	_____	_____	1792.	9.2.	G. ½.	_____
20	teretifolium. H. S.	round-quilled.	_____	_____	1794.	_____	G. ½.	_____
21	digitatum. H. S.	finger-leaved.	_____	_____	1775.		G. ½.	_____
22	robustum. H. S.	robust.	_____	_____	1795.		G. ½.	_____
23	compactum. H. S.	compact.	_____	_____	1780.	11.	G. ½.	_____
24	quadrifidum. H. S.	quadrifid.	_____	_____	1795.	_____	G. ½.	_____
25	bifidum. H. S.	bifid.	_____	_____	_____	_____	G. ½.	_____
26	bibracteatum. H. S.	double-bracted.	_____	_____	1803.	4.11.	G. ½.	_____
27	rostratum. H. S.	heron-beaked.	_____	_____	1732.	4.	G. ½.	Dill. elt. t. 186. f. 229
28	ramulosum. H. S.	{ small heron- beaked. }	_____	_____	1791.	3.11.	G. ½.	_____
29	denticulatum. H. S.	toothed.	_____	_____	1793.	4.	G. ½.	_____
30	tigrinum. H. S.	tiger-chap.	_____	_____	1790.	9.11.	G. ½.	Bot. reg. 260.
31	felinum. H. S.	cat-chap.	_____	_____	1730.	8.11.	G. ½.	Plant. grass. 152.
32	murinum. H. S.	mouse-chap.	_____	_____	1790.	9.	G. ½.	_____
33	caninum. H. S.	dog-chap.	_____	_____	1717.	8.10.	G. ½.	Plant. grass. 95.
34	vulpinum. H. S.	fox-chap.	_____	_____	1795.	_____	G. ½.	_____
35	hybridum. H. S.	bastard.	_____	_____			G. ½.	_____
36	albidum. H. S.	white.	_____	_____	1714.	7.8.	G. ½.	Bot. mag. 1824.
37	canum. H. S.	hoary.	_____	_____	1795.		G. ½.	_____
38	dolabriforme. H. S.	hatchet-leaved.	_____	_____	1705.	5.11.	G. ½.	Plant. grass. 6.
39	scalpratum. H. S.	great tongue.	_____	_____	1714.	8.10.	G. ½.	Dill. elt. t. 183. f. 224
40	latum. H. S.	blunt tongue.	_____	_____	1732.	8.11.	G. ½.	_____ t. 184. f. 225
41	adscendens. H. S.	ascending tongue.	_____	_____	1805.	_____	G. ½.	_____
42	depressum. H. S.	depressed tongue.	_____	_____	1795.	9.11.	G. ½.	Bot. mag. 1866.
43	rufescens. H. S.	rufescent tongue.	_____	_____	1804.		G. ½.	_____
44	linguæforme. H. S.	common tongue.	_____	_____	1732.	11.3.	G. ½.	_____
45	longum. H. S.	long tongue.	_____	_____	1725.	8.10.	G. ½.	Plant. grass. 71.
46	angustum. H. S.	slender tongue.	_____	_____	1790.	3.10.	G. ½.	_____
47	præpingue. H. S.	soft tongue.	_____	_____	1792.	8.10.	G. ½.	_____
48	taurium. H. S.	Bull's horn.	_____	_____	1795.	9.11.	G. ½.	_____
49	cruciatum. H. S.	cross-leaved.	_____	_____	1792.	5.11.	G. ½.	_____
50	diforme. H. S.	deformed.	_____	_____	1732.	8.	G. ½.	Dill. elt. t. 194. f. 242
51	semicylindricum. H. S.	semi-cylindric.	_____	_____	_____	3.11.	G. ½.	_____ t. 194. f. 241
52	heterophyllum. H. S.	various-leaved.	_____	_____	1795.		G. ½.	_____
53	gibbosum. H. S.	gibbous.	_____	_____	1780.	1.4.	G. ½.	_____
54	lyteo-viride. H. S.	yellow-green.	_____	_____	1795.	1.	G. ½.	_____

55	perviride. H. S.	dark green.	Ficoideæ. J.	C. B. S.	1792.	1.5.	G. ½.	
56	pubescens. H. S.	downy.					G. ½.	
57	elongatum. H. S.	dwarf tuberous.			1793.	5.	G. ½.	
58	capitatum. H. S.	short dagger-le ^d .			1717.	7.9.	G. ½.	Brad. suc. 2. t. 14.
59	pugioniforme. H. S.	long dagger-le ^d .			1714.		G. ½.	Plant. grass. 72.
60	loreum. H. S.	leathery-stalked.			1732.	9.	G. ½.	Dill.elt. t. 200. f. 255
61	diversifolium. H. S.	short horned-le ^d .			1726.	3.10.	G. ½.	t. 198. f. 252
62	diminutum. H. S.	diminished.			1789.	4.	G. ½.	
63	dubium. H. S.	round-stalked.			1800.	11.5.	G. ½.	Brad. suc. 4. t. 40.
64	corniculatum. H. S.	long-horned.			1732.	3.5.	G. ½.	Plant. grass. 108.
65	tricolorum. H. S.	three-coloured.			1794.	10.	G. ½.	Bot. rep. 508.
66	acinaciforme. H. S.	Cymeter-leaved.			1714.	8.9.	G. ½.	
67	lævigatum. H. S.	polished.			1802.	6.	G. ½.	
68	rubro-cinctum. H. S.	red-bordered.			1811.		G. ½.	
69	edule. H. S.	Hottentot's Fig.			1690.	7.8.	G. ½.	Dill.elt. t. 212. f. 272
70	subalatam. H. S.	wing-stalked.			1802.		G. ½.	
71	dimidiatum. H. S.	{ Lesser Hot- tentot's Fig. }			1811.		G. ½.	
72	glaucescens. H. S.	glaucescent.		N. Holland.	1804.	7.	G. ½.	
73	virescens. H. S.	virescent.				6.	G. ½.	
74	æquilaterale. H. S.	equal-sided.			1791.		G. ½.	
75	sarmentosum. H. S.	sarmentose.			1805.	4.	G. ½.	
76	filamentosum. H. S.	thready.		C. B. S.	1732.	3.4.	G. ½.	Dill.elt. t. 212. f. 273
77	serrulatum. H. S.	saw-leaved.			1795.	11.12.	G. ½.	
78	rubricaulis. H. S.	red-stalked.			1802.	12.2.	G. ½.	
79	spectabile. H. S.	showy.			1787.	5.8.	G. ½.	Bot. mag. 396.
80	conspicuum. H. S.	dark showy.			1806.	9.10.	G. ½.	
81	australe. H. S.	New Zealand.		N. Zealand.	1773.	7.8.	G. ½.	
82	crassifolium. H. S.	thick-leaved.		C. B. S.	1727.	5.8.	G. ½.	Dill.elt. t. 201. f. 257
83	clavellatum. H. S.	club-leaved.		N. Holland.	1803.	6.7.	G. ½.	
84	reptans. H. S.	creeping.		C. B. S.	1774.	7.8.	G. ½.	
85	crystallinum. H. S.	Ice-plant.		Greece.	1727.	5.8.	G. ½.	Plant. grass. 123.
86	pinnatifidum. H. S.	jagged-leaved.		C. B. S.	1774.	5.10.	G. ½.	Bot. mag. 67.
87	glabrum. H. S.	smooth-leaved.			1787.	7.8.	G. ½.	Bot. rep. 57.
88	Helianthoides. H. S.	Sun-flower.			1774.	8.10.	G. ½.	Plant. grass. 135.
89	pomeridianum. H. S.	great yellow-fl ^d .				7.8.	G. ½.	Bot. mag. 540.
90	pilosum. H. S.	hairy yellow.			1800.	6.8.	G. ½.	
91	limpidum. H. S.	transparent.			1774.	7.	G. ½.	Jac. ic. 3. t. 488.
92	lanceolatum. H. S.	spear-leaved.			1795.	5.8.	G. ½.	
93	sessiliflorum. H. S.	sessile-flowered.			1774.	7.	G. ½.	
94	Aitonis. H. S.	Aiton's.				6.10.	G. ½.	Jac. vind. 3. t. 7.
95	Tripolium. H. S.	Aster-leaved.			1700.		G. ½.	Dill.elt. t. 179. f. 220
96	humifusum. H. S.	narrow-lea ^d icy.			1774.	7.8.	G. ½.	
97	cordifolium. H. S.	heart-leaved.				5.9.	G. ½.	Plant. grass. 102.
98	expansum. H. S.	Houscleek-lea ^d .			1705.	7.8.	G. ½.	94.
99	anatomicum. H. S.	skeleton-leaved.			1803.		G. ½.	
100	varians. H. S.	varying.			1706.	7.10.	G. ½.	Pet. gaz. t. 78. f. 10.
101	tortuosum. H. S.	twisted-leaved.			1705.	6.10.	G. ½.	Dill.elt. t. 181. f. 222
102	pallens. H. S.	pale-flowered.			1774.	7.8.	G. ½.	Plant. grass. 47.
103	nodiflorum. H. S.	knot-flowered.		Egypt.	1739.	8.10.	G. ½.	88.
104	apetalum. H. S.	dwarf spreading.		C. B. S.	1774.	7.8.	G. ½.	Jac. vind. 3. t. 6.
105	caducum. H. S.	deciduous.					G. ½.	
106	tuberosum. H. S.	tuberous-rooted.			1714.	6.10.	G. ½.	Plant. grass. 78.
107	spinuliferum. H. S.	spinulescent.			1794.		G. ½.	
108	grossum. H. S.	gouty.			1774.	8.10.	G. ½.	
109	viridiflorum. H. S.	green-flowered.				7.11.	G. ½.	Bot. mag. 326.
110	nitidum. H. S.	nitid.			1790.	7.10.	G. ½.	
111	cauliculatum. H. S.	channel-leaved.			1794.	7.10.	G. ½.	
112	villosum. H. S.	villous.			1759.	7.	G. ½.	
113	brachiatum. H. S.	three-forked.			1774.	6.8.	G. ½.	
114	geniculiflorum. H. S.	joint-flowering.			1727.	7.9.	G. ½.	Plant. grass. 17.
115	juncum. H. S.	Rush-leaved.			1800.	8.10.	G. ½.	
116	ciliatum. H. S.	ciliated.			1774.		G. ½.	
117	fastigiatum. H. S.	level-topped.			1794.	7.9.	G. ½.	
118	reflexum. H. K.	reflexed.			1792.	8.9.	G. ½.	
119	micranthum. H. S.	small-blossomed.			1804.		G. ½.	
120	flexuosum. H. S.	zigzag.			1795.	7.8.	G. ½.	
121	splendens. H. S.	shining.			1716.	6.8.	G. ½.	Plant. grass. 35.

122	veruculatum. H. S.	spit-leaved.	Ficoidea. J.	C. B. S.	1731. 5.6.	G. h.	Plant. grass. 36.
123	purpureo-cro-	{ purple and safron. }	-----	-----	1780. 8.10.	G. h.	
	ceum. H. S.						
124	noctiflorum. H. S.	night-flowering.	-----	-----	1714. 6.8.	G. h.	Plant. grass. 10.
125	stramineum. H. S.	straw-coloured.	-----	-----	1732. ---	G. h.	
126	horizontale. H. S.	horizontal-leav ^d .	-----	-----	1795. ---	G. h.	
127	molle. H. S.	soft-leaved.	-----	-----	1774. 10.	G. h.	
128	strictum. H. S.	erect.	-----	-----	1795.	G. h.	
129	cymbiforme. H. S.	boat-leaved.	-----	-----	1793.	G. h.	
130	graniforme. H. S.	grain-leaved.	-----	-----	1727. 9.10.	G. h.	Brad. suc. 2. t. 20.
131	aureum. H. S.	golden-flowered.	-----	-----	1750. 3.10.	G. h.	Bot. mag. 262.
132	glaucum. H. S.	glaucous-leaved.	-----	-----	1696. 6.7.	G. h.	Plant. grass. 146.
133	aurantium. H. S.	Orange-flowered.	-----	-----	1793. 6.8.	G. h.	
134	coccineum. H. S.	scarlet-flowered.	-----	-----	1696. 5.9.	G. h.	Bot. mag. 59.
135	bicolorum. H. S.	two-coloured.	-----	-----	1732. ---	G. h.	Dill.elt. t. 202. f. 258
136	inæquale. H. S.	unequal-cupped.	-----	-----	1716. ---	G. h.	Brad. suc. 1. f. 7.
137	variabile. H. S.	variable.	-----	-----	1796. 6.8.	G. h.	
138	tenuifolium. H. S.	slender-leaved.	-----	-----	1700. 6.9.	G. h.	Plant. grass. 82.
139	scabrum. H. S.	scabrous.	-----	-----	1731. 7.	G. h.	Dill.elt. t. 197. f. 251
140	versicolor. H. S.	changeable-flo ^d .	-----	-----	1795. 5.8.	G. h.	
141	emarginatum. H. S.	notch-flowered.	-----	-----	1732. 6.8.	G. h.	Dill.elt. t. 197. f. 250
142	retroflexum. H. S.	white-barked.	-----	-----	1794. 5.10.	G. h.	
143	deflexum. H. S.	deflexed.	-----	-----	1774. 7.10.	G. h.	
144	polyanthon. H. S.	copious-flowered.	-----	-----	1803. 8.	G. h.	
145	speciosum. H. S.	specious.	-----	-----	1793. 5.10.	G. h.	
146	micans. H. S.	glittering.	-----	-----	1704. 5.3.	G. h.	Bot. mag. 448.
147	maculatum. H. S.	spotted-stalked.	-----	-----	1792.	G. h.	
148	pulverulentum. H. S.	dusty-leaved.	-----	-----	5.	G. h.	
149	brevifolium. H. S.	short-leaved.	-----	-----	1777. 7.10.	G. h.	
150	subglobosum. H. S.	globular.	-----	-----	1795. ---	G. h.	
151	hispidum. H. S.	hispid.	-----	-----	1704. 5.10.	G. h.	Plant. grass. 66.
152	floribundum. H. S.	pale bristly.	-----	-----	---	G. h.	Dill.elt. t. 214. f. 280
153	hirtellum. H. S.	dwarf bristly.	-----	-----	1792. 5.11.	G. h.	
154	striatum. H. S.	striped bristly.	-----	-----	1727. 5.10.	G. h.	Dill.elt. t. 215. f. 281
155	echinatum. H. S.	hedgohog.	-----	-----	1774. 7.10.	G. h.	Plant. grass. 24.
156	barbatum. H. S.	trailing bearded.	-----	-----	1705. 6.8.	G. h.	--- 28.
157	stelligerum. H. S.	lesser bearded.	-----	-----	1793. 5.10.	G. h.	Bot. mag. 70.
158	hirsutum. H. S.	small bearded.	-----	-----	1716. 9.10.	G. h.	Plant. grass. 29.
159	densum. H. S.	dwarf bearded.	-----	-----	1732. 5.8.	G. h.	Bot. mag. 1220.
160	geminatum. H. S.	twin-shooted.	-----	-----	1792.	G. h.	
161	forficatum. H. S.	scissar-leaved.	-----	-----	1758. 9.10.	G. h.	Jac. vind. 1. t. 26.
162	perfoliatum. H. S.	great perfoliate.	-----	-----	1714. 6.8.	G. h.	Dill.elt. t. 192. f. 240
163	uncinatum. H. S.	lesser perfoliate.	-----	-----	1725. 8.	G. h.	Plant. grass. 54.
164	viride. H. S.	green perfoliate.	-----	-----	1792. 7.	G. h.	
165	tenellum. H. S.	least perfoliate.	-----	-----	8.	G. h.	
166	rigidum. H. S.	rigid.	-----	-----	1793. ---	G. h.	
167	parviflorum. H. S.	small-flowered.	-----	-----	1800. 8.	G. h.	
168	vaginatum. H. S.	sheathed.	-----	-----	1802. 7.8.	G. h.	
169	curtum. H. S.	short-sheathed.	-----	-----		G. h.	
170	imbricatum. H. S.	imbricated.	-----	-----	1792. 7.	G. h.	
171	multiflorum. H. S.	many-flowered.	-----	-----	7.9.	G. h.	Pluk. phyt. t. 117. f. 1
172	foliosum. H. S.	leafy.	-----	-----	1802. 9.	G. h.	
173	tumidulum. H. S.	tumid.	-----	-----	3.	G. h.	
174	umbellatum. H. S.	umbel-flowered.	-----	-----	1727. 6.9.	G. h.	Dill.elt. t. 208. f. 266
175	bracteatum. H. S.	bracted.	-----	-----	1774. 7.10.	G. h.	
176	radiatum. H. S.	rayed.	-----	-----	1732. 8.11.	G. h.	Dill.elt. t. 197. f. 249
177	patulum. H. S.	spreading.	-----	-----	1811.	G. h.	
178	compressum. H. S.	compressed.	-----	-----	1792. 7.9.	G. h.	
179	anceps. H. S.	two-edged.	-----	-----	1811. 9.10.	G. h.	
180	stellatum. H. S.	starry.	-----	-----	1794. 8.11.	G. h.	
181	virgatum. H. S.	twiggy.	-----	-----	1793. 2.4.	G. h.	
182	curvifolium. H. S.	crooked-leaved.	-----	-----	1799. 10.	G. h.	
183	spiniforme. H. S.	Thorn-leaved.	-----	-----	1793. 9.10.	G. h.	
184	aduncum. H. S.	hook-leaved.	-----	-----	1795. 2.3.	G. h.	
185	flicaulle. H. S.	thread-stalked.	-----	-----	1800. 9.	G. h.	
186	maximum. H. S.	moon-leaved.	-----	-----	1787. 3.8.	G. h.	
187	lacerum. H. S.	purple serrate.	-----	-----	1792. 6.	G. h.	
188	serratum. H. S.	saw-keeled.	-----	-----	1707. 6.7.	G. h.	Dill.elt. t. 192. f. 228
189	heteropetalum. H. S.	various-petaled.	-----	-----	1794. 5.8.	G. h.	

190 mutabile. H. S.	changeable.	Ficoideæ. J.	C. B. S.	1792. 7.9.	G. h.	Plant. grass. 60.
191 marginatum. H. S.	white-edged.	_____	_____	1793.	G. h.	_____
192 inclaudens. H. S.	open-flowered.	_____	_____	1805. 6.9.	G. h.	Bot. rep. 388.
193 caulescens. H. S.	smooth delta-l ^d .	_____	_____	1731. 5.7.	G. h.	{ Dill. elt. t. 195. f. 243, 4.
194 deltoides. H. S.	great delta-leaf ^d .	_____	_____	_____ 5.	G. h.	Plant. grass. 53.
195 muricatum. H. S.	small delta-leaf ^d .	_____	_____	_____	G. h.	Dill. elt. t. 195. f. 246
196 microphyllum. H. S.	small-leaved.	_____	_____	1795.	G. h.	_____
197 mucronatum. H. S.	mucronated.	_____	_____	1794.	G. h.	_____
198 pulchellum. H. S.	neat.	_____	_____	1793. 4.	G. h.	_____
199 falcatum. H. S.	sickle-leaved.	_____	_____	1727. 6.8.	G. h.	{ Dill. elt. t. 213. f. 275, 6.
200 glomeratum. H. S.	clustered.	_____	_____	1732.	G. h.	_____ t. 213. f. 274
201 falciforme. H. S.	sickle-shaped.	_____	_____	1805. 7.8.	G. h.	_____
202 decumbens. H. S.	decumbent.	_____	_____	1759. 5.10.	G. h.	_____
203 incurvum. H. S.	incurved.	_____	_____	1802. 6.	G. h.	_____
204 confertum. H. S.	crowded-leaved.	_____	_____	1805. 9.10.	G. h.	_____
205 stipulaceum. H. S.	upright-shrubby.	_____	_____	1723. 5.6.	G. h.	{ Dill. elt. t. 209. f. 267, 8.
206 Haworthii. H. S.	Haworth's.	_____	_____	1793. 6.1.	G. h.	_____
207 læve. H. S.	white-wooded.	_____	_____	1774. 7.9.	G. h.	_____
208 spinosum. H. S.	thorny.	_____	_____	1714. 6.9.	G. h.	Dill. elt. t. 208. f. 265
209 dilatatum. H. S.	dilated.	_____	_____	1795. 7.	G. h.	_____
ALZOOX. W. Arzoon. Ficoideæ. J.						
1 canariense. W.	Purslane-leaved.	_____	Canaries.	1731. 7.8.	G. ⊙.	Bot. rep. 201.
2 glinoides. W.	hairy.	_____	C. B. S.	1774. 6.8.	G. h.	_____
3 hispanicum. W.	Spanish.	_____	Spain.	1728. 7.8.	G. ⊙.	Plant. grass. 30.
4 lanceolatum. W.	spear-leaved.	_____	C. B. S.	1752. 8.	G. ♂.	_____

POLYGYNIA.

ROSA. W. Rose.		Rosaceæ. J.				
1 berberifolia. W.	Berberry-leaved.	_____	Persia.	1790. 6.7.	F. h.	Par. lond. 101.
2 lutea. W.	single yellow.	_____	Germany.	1596. 6.	H. h.	Bot. mag. 363.
3 bicolor. B. M.	red and yellow.	_____	_____	_____	H. h.	1077.
4 sulphurea. W.	double yellow.	_____	Levant.	1629. 7.	H. h.	Bot. reg. 46.
5 Banksiæ. H. K.	Lady Banks's.	_____	China.	1807. 6.7.	G. h.	Bot. mag. 1954.
6 blanda. W.	Hudson's Bay.	_____	Newfoundl ^d .	1773. 5.8.	H. h.	MissLawr. ros. t. 27.
7 cinnamomea. W.	Cinnamon.	_____	England.	 5.	H. h.	Eng. bot. 2388.
β plena.	double.	_____	_____		_____	MissLawr. ros. t. 34.
8 Kamchatka. H. S.	Kamtschatka.	_____	Kamtschatka.	1802. 7.8.	H. h.	Vent. cels. 68.
9 arvensis. W.	white dog.	_____	Britain.	 6.7.	H. h.	Eng. bot. 188.
10 spinosissima. W.	Scotch.	_____	_____		H. h.	187.
β — striped-flowered Scotch.	_____	_____	_____		H. h.	MissLawr. ros. t. 15.
γ — red Scotch.	_____	_____	_____		H. h.	t. 62.
δ — double Scotch.	_____	_____	_____		H. h.	t. 63.
ε — tall Scotch.	_____	_____	_____		H. h.	t. 19.
ζ — marbled Scotch.	_____	_____	_____		H. h.	t. 78.
11 pimpinellifolia. W.	{ Burnet-Saxi- frage-leaved. }	_____	S. Europe.	 5.6.	H. h.	_____
12 altaica. W. en.	Pallas's.	_____	Siberia.		H. h.	Pall. ross. 2. t. 75.
13 hispida. B. M.	hispid-stemmed.	_____		1780.	H. h.	Bot. mag. 1570.
14 involuta. E. B.	Dr. Walker's.	_____	Hebrides.	 6.7.	H. h.	Eng. bot. 2063.
15 lutescens. Ph.	window.	_____	Carolina.	1810. 5.6.	H. h.	_____
16 nitida. Ph.	glossy.	_____	N. America.	1807. 6.8.	H. h.	_____
17 parviflora. Ph.	small-flowered.	_____	_____	1724.	H. h.	_____
18 lucida. Ph.	shining-leaved.	_____	_____	_____	H. h.	Dill. elt. t. 245. f. 316
19 gemella. Ph.	twin-flowering.	_____	_____	1800. 7.8.	H. h.	_____
20 Lyonii. Ph.	Lyon's.	_____	Tennessee.	1812.	H. h.	_____
21 setigera. Ph.	marsh.	_____	N. America.	1800. 6.7.	H. h.	_____
22 carolina. W.	Carolina.	_____	_____	1726.	H. h.	Dill. elt. t. 245. f. 316
α — single Burnet-leaved.	_____	_____	_____	_____	H. h.	MissLawr. ros. t. 24.
β — double Burnet-leaved.	_____	_____	_____	_____	H. h.	t. 3.
γ — single Pennsylvanian.	_____	_____	_____	_____	H. h.	t. 68.
δ — double Pennsylvanian.	_____	_____	_____	_____	H. h.	t. 66.
ε — spreading Carolina.	_____	_____	_____	_____	H. h.	t. 54.
ζ — upright Carolina.	_____	_____	_____	_____	H. h.	t. 36.
23 rubifolia. H. K.	Bramble-leaved.	_____	_____	1800.	H. h.	_____
24 villosa. W.	Apple-bearing.	_____	Britain.		H. h.	Eng. bot. 583.
β plena.	{ double Apple- bearing. }	_____	_____		H. h.	MissLawr. ros. t. 29.

25	hibernica. E. B.	Irish.	Rosaceæ. J.	Ireland.		6.11.	H. h.	Eng. bot. 2196.
26	sinica. H. K.	three-ld China.	_____	China.	1759.	5.7.	F. h.	
27	provincialis. H. K.	Provins.	_____	S. Europe.	1596.	6.8.	H. h.	
	<i>α</i> — common Provins.		_____				H. h.	Miss Lawr. ros. t. 8.
	<i>β</i> — scarlet Provins.		_____				H. h.	t. 22.
	<i>γ</i> — blush Provins.		_____				H. h.	t. 1.
	<i>δ</i> — white Provins.		_____				H. h.	t. 4.
	<i>ε</i> — Rose de Meaux.		_____				H. h.	t. 31.
	<i>ζ</i> — Pomponc.		_____				H. h.	t. 50.
	<i>η</i> — Rose de Rheims.		_____				H. h.	t. 71.
	<i>θ</i> — Childing's Provins.		_____				H. h.	t. 43.
	<i>ι</i> — Blandford, or Portugal.		_____				H. h.	t. 21.
	<i>κ</i> — Rose St. Francis.		_____				H. h.	t. 88.
	<i>λ</i> — Shailer's Provins.		_____				H. h.	t. 76.
	<i>μ</i> muscosa. single Moss.		_____		1724.		H. h.	Bot. reg. 53.
	<i>ν</i> — common Moss.		_____				H. h.	Bot. mag. 69.
	<i>ξ</i> — white Moss.		_____				H. h.	Bot. reg. 101.
28	ferox. H. K.	hedgehog.	_____	Caucasus.	1796.	6.8.	H. h.	Miss Lawr. ros. t. 42.
29	dumetorum. E. B.	bushy.	_____	England.		6.7.	H. h.	Eng. bot. 2579.
30	scabriuscula. F. B.	roughish.	_____				H. h.	1896.
31	rubella. E. B.	reddish.	_____				H. h.	2521.
32	micrantha. E. B.	small.	_____	Britain.		5.7.	H. h.	2499.
33	mollis. E. B.	soft.	_____			6.7.	H. h.	2459.
34	reversa. W. en.	reversed.	_____	Hungary.			H. h.	
35	pulchella. W. en.	neat.	_____				H. h.	
36	adenophylla. W. en.	glandulous.	_____		1816.		H. h.	
37	centifolia. W.	hundred-leaved.	_____		1596.		H. h.	
	<i>α</i> — Dutch hundred-leaved.		_____				H. h.	Miss Lawr. ros. t. 11.
	<i>β</i> — blush hundred-leaved.		_____				H. h.	t. 40.
	<i>γ</i> — Singleton's hundred-leaved.		_____				H. h.	t. 85.
	<i>δ</i> — Burgundy.		_____				H. h.	t. 44.
	<i>ε</i> — single velvet.		_____				H. h.	t. 51.
	<i>ζ</i> — double velvet.		_____				H. h.	t. 2.
	<i>η</i> — Sultan.		_____				H. h.	t. 35.
	<i>θ</i> — Stepney.		_____				H. h.	t. 46.
	<i>ι</i> — Lisbon.		_____				H. h.	t. 67.
	<i>κ</i> — Bishop.		_____				H. h.	t. 20.
	<i>λ</i> — Cardinal.		_____				H. h.	t. 59.
	<i>μ</i> — blush royal.		_____				H. h.	t. 47.
	<i>ν</i> — petit hundred-leaved.		_____				H. h.	t. 55.
	<i>ξ</i> — Pluto.		_____				H. h.	t. 39.
	<i>ο</i> — monstrous hundred-leaved.		_____				H. h.	t. 73.
	<i>π</i> — fringe.		_____				H. h.	t. 82.
	<i>ρ</i> — plicate.		_____				H. h.	t. 87.
	<i>σ</i> — two-coloured hundred-leaved.		_____				H. h.	t. 79.
	<i>τ</i> — shell.		_____				H. h.	t. 89.
38	gallica. W.	official.	_____	S. Europe.	1596.		H. h.	
	<i>α</i> — red official.		_____				H. h.	Miss Lawr. ros. t. 16.
	<i>β</i> — Mundi.		_____				H. h.	t. 13.
	<i>γ</i> — marbled.		_____				H. h.	t. 57.
	<i>δ</i> — royal virgin.		_____				H. h.	t. 7.
	<i>ε</i> — Giant.		_____				H. h.	t. 49.
39	lævigata. Ph.	smooth-leaved.	_____	Georgia.			H. h.	
40	damascena. W.	red damask.	_____	S. Europe.	1573.	6.7.	H. h.	Miss Lawr. ros. t. 38.
	<i>β</i> — blush damask.		_____				H. h.	t. 52.
	<i>γ</i> — York and Lancaster.		_____				H. h.	t. 10.
	<i>δ</i> — red monthly.		_____				H. h.	t. 5.
	<i>ε</i> — white monthly.		_____				H. h.	t. 17.
	<i>ζ</i> — blush Belgic.		_____				H. h.	t. 70.
	<i>η</i> — great royal.		_____				H. h.	t. 58.
	<i>θ</i> — blush monthly.		_____				H. h.	t. 18.
	<i>ι</i> — red Belgic.		_____				H. h.	t. 83.
	<i>κ</i> — Goliath.		_____				H. h.	t. 80.
	<i>λ</i> — imperial blush.		_____				H. h.	t. 90.
41	sempervirens. W.	evergreen.	_____	Germany.	1629.	6.8.	H. h.	t. 45.
42	repens. W. en.	creeping.	_____	Hungary.	1817.		H. h.	
43	polyphylla. W. en.	many-leaved.	_____				H. h.	
44	pumila. W.	dwarf.	_____	Austria.	1773.	6.7.	H. h.	Jac. aust. 2. t. 198.
45	turgida. P. S.	turgid.	_____			6.8.	H. h.	
46	turbinata. W.	Frankfort.	_____		1629.		H. h.	Miss Lawr. ros. t. 69.

47	suavis. W. en.	sweet.	Rosaceæ. J.		1817.	6.7.	H. h.	
48	rubiginosa. W.	Sweet-briar.	Britain.		5.6.	H. h.	Eng. bot. 992.	
	β —	Semidouble Sweet-briar.				H. h.	MissLawr.ros. t.65.	
	γ —	Double mossy Sweet-briar.				H. h.	t. 72.	
	δ —	Manning's-blush Sweet-briar.				H. h.	t. 41.	
	ε —	Double-red Sweet-briar.				H. h.	t. 61.	
	ζ —	Royal Sweet-briar.				H. h.	t. 74.	
49	suaveoleus. Ph.	{ American Sweet-briar. }	N. America.		—	H. h.	Andr. ros. c. ic.	
50	moschata. W.	musk.	Barbary.	1596.	7.10.	H. h.	MissLawr. ros.t.64.	
	β plena.	double musk.				H. h.	t. 53.	
51	alpina. W.	Alpine.	Switzerland.	1683.	6.7.	H. h.	t. 30. 37	
	β —	red Alpine.				H. h.	t. 75.	
52	pendulina. W.	{ smooth pen- dulous. }	N. America.	1726.	5.6.	H. h.	t. 9.	
53	multidora. W.	Bramble-flower ^d	China.	1804.	6.7.	H. h.	Bot. mag. 1059.	
54	cæsia. E. B.	gray-leaved.	Scotland.			H. h.	Eng. bot. 2367.	
55	canina. E. B.	dog, or Hip.	Britain.			H. h.	992.	
	β plena.	double dog.				H. h.	MissLawr.ros. t.60.	
56	tomentosa. E. B.	downy-le ^d . dog.	England.			H. h.	Eng. bot. 990.	
57	collina. W.	hill.	Britain.			H. h.	1895.	
58	caucasica. M. B.	Caucasian.	Caucasus.	1798.		H. h.		
59	parvifolia. W.	small-leaved.	Europe.			H. h.		
60	fraxinea. W. en.	Ash-leaved.				H. h.		
61	semperflorens. W.	ever-blowing.	China.	1789.	1.12.	F. h.	Exot. bot. 2. t. 91.	
	β plena.	dark Chinese.				F. h.	Bot. mag. 284.	
62	Lawranceana.	Miss Lawrence's.	Mauritius.	1810.		G. h.	Bot. mag. 1762.	
	semperflorens γ minima. B. M.							
63	indica. W.	blush Chinese.	China.	1789.		H. h.	MissLawr.ros. t.26.	
	β minor.	small Chinese.				H. h.		
	γ centifolia.	large Chinese.				H. h.		
	δ albiflora.	white Chinese.				H. h.		
64	odorata.	sweet Chinese.		1810.	2.8.	G. h.	Andr. ros. c. ic.	
	indica odorata. Andr. ros.							
65	bracteata. W.	Macartney.		1795.	8.10.	H. h.	Bot. mag. 1377.	
66	alba. W.	single white.	Europe.	1597.	6.7.	H. h.	MissLawr.ros. t.37.	
	β —	double white.				H. h.	t. 25.	
	γ —	Cluster Maiden's-blush.				H. h.	t. 23.	
	δ —	Great Maiden's-blush.				H. h.	t. 32.	
RUBUS. W.			Rosaceæ. J.					
1	rosæfolius. Sm.	Rose-leaved.	Mauritius.	1811.	10.4.	G. h.	Smith ic. 3. t. 60.	
	β coronarius.	double-flowered.				G. h.	Bot. mag. 1783.	
2	pinnatus. W.	pinnate.	C. B. S.	1789.	6.7.	G. h.		
3	læus. W.	Raspberry.	Britain.		5.6.	H. h.	Eng. bot. 2442.	
4	occidentalis. W.	Virginian.	N. America.	1696.		H. h.	Dill.elt.t.247.f.319	
5	cuneifolius. Ph.	plaited-leaved.		1811.	6.7.	H. h.		
6	canadensis. W.	purple-stalked.				H. h.		
7	hispidus. W.	bristly.	Canada.	1768.	8.	H. h.		
8	cæsius. W.	Dewberry.	Britain.		6.7.	H. h.	Eng. bot. 826.	
9	corylifolius. E. B.	Hazel-leaved.			7.	H. h.	827.	
10	fruticosus. W.	common.			6.9.	H. h.	715.	
	β albus.	white-fruited.				H. h.		
	γ plenus.	double-flowered.				H. h.		
	δ inermis.	smooth.				H. h.		
11	tomentosus. W. en.	woolly-leaved.	Germany.			H. h.		
12	glandulosus. W. en.	glandulous.		1816.		H. h.		
13	hirtus. W. en.	hairy.	Hungary.			H. h.	Pl.rar.hung.2.t.141	
14	laciniatus. W. en.	jag-leaved.				H. h.	W.hort.ber.2.t.82.	
15	trivialis. Ph.	procumbent.	N. America.	1789.	6.7.	H. h.		
16	villosus. W.	shaggy.		1777.	7.8.	H. h.		
17	strigosus. Ph.	strigose.			6.7.	H. h.		
18	flagellaris. Ph.	shining-leaved.		1789.		H. h.		
19	inermis. W. en.	smooth.		1805.		H. h.		
20	odoratus. W.	flowering.		1700.		H. h.	Bot. mag. 323.	
21	suberectus. E. B.	upright.	Britain.		6.9.	H. h.	Eng. bot. 2572.	
22	moluccanus. W.	Molucca.	E. Ind.	1810.	7.8.	S. h.	{ Rumph.amb. 5. t. 47. f. 2.	
23	saxatilis. W.	stone.	Britain.		6.	H. h.	Eng. bot. 2233.	
24	pistillatus. Ph.	close-styled.	Labrador.	1802.	6.7.	H. h.	Exot. bot. 2. t. 86.	

25 arcticus. E. B.	dwarf crimson.	Rosaceæ. J.	Scotland.		5.8.	H. 2.	Eng. bot. 1585.
26 Chamæmorus. W.	Cloud-berry.		Britain.	—	5.6.	H. 2.	716.
DALIBARDA. Mi.	DALIBARDA.	Rosaceæ. J.	<i>Rubi species IV.</i>				
1 violæoides. Mi.	Violet-leaved.		N. America.	1768.	5.6.	H. 2.	Mich. amer. 1. t. 27.
repens. Ph.							
2 fragarioides. Mi.	Strawberry-leav ^d .			1803.	—	H. 2.	1. t. 28.
FRAGARIA. W.	STRAWBERRY.	Rosaceæ. J.					
1 vesca. W.	wood.		Britain.		4.5.	H. 2.	Eng. bot. 1524.
2 monophylla. W.	one-leaved.			1773.	5.6.	H. 2.	Bot. mag. 63.
3 collina. W.	Alpine.		Germany.	1768.	4.11.	H. 2.	
4 elatior. W.	Hautboy.		Britain.		4.5.	H. 2.	Eng. bot. 2197.
5 canadensis. Ph.	Canada.		N. America.		—	H. 2.	
6 virginiana. Ph.	scarlet.			1629.	—	H. 2.	Duham. arb. 1. t. 5.
7 grandiflora. W.	Pine.		Surinam.	1759.	—	H. 2.	Mill. ic. 2. t. 288.
8 chilensis. W.	Chili.		S. America.	1727.	5.6.	H. 2.	Duham. arb. 1. t. 3.
9 indica. H. K.	yellow-flowered.		India.	1805.	5.10.	H. 2.	Bot. reg. 61.
COMARUM. W.	COMARUM.	Rosaceæ. J.					
1 palustre. W.	Marsh Cinquefoil		Britain.		6.7.	H. 2.	Eng. bot. 172.
2 fragarioides. W. en.	Strawberry-like.				3.5.	H. 2.	1785.
<i>Fragaria sterilis.</i>	<i>E. B.</i>						
POTENTILLA. W.	CINQUEFOIL.	Rosaceæ. J.					
1 fruticosa. W.	shrubby.		England.		6.8.	H. 2.	Eng. bot. 88.
2 floribunda. Ph.	cluster-flowered.		N. America.	1811.	6.10.	H. 2.	Amm. ruth. 1. 18. f. 1.
3 Anserina. W.	Wild Tansey.		Britain.		5.9.	H. 2.	Eng. bot. 861.
4 hispida. W. en.	hispid.		Dauria.	1797.	7.8.	H. 2.	
5 sericea. W.	silky.		Siberia.	1780.	5.6.	H. 2.	
6 multifida. W.	cut-leaved.			1759.	—	H. 2.	
7 fragarioides. W.	Strawberry-lea ^d .			1773.	—	H. 2.	Gmel. sib. 3. t. 34. f. 2.
8 ruthenica. W.	Russian.			1799.	—	H. 2.	Moris. s. 2. t. 20. f. 2.
9 rupestris. W.	rock.		England.		5.9.	H. 2.	Eng. bot. 2058.
10 bifurca. W.	bifid-leaved.		Siberia.	1773.	6.7.	H. 2.	Gmel. it. 1. t. 27. f. 1.
11 pimpinelloides. W.	Burnet-leaved.		Levant.	1758.	6.8.	H. 2.	Buxb. cent. 1. t. 48.
12 pensylvanica. W.	Pennsylvanian.		N. America.	1725.	—	H. 2.	Jac. vind. 2. t. 189.
13 supina. W.	trailing.		Siberia.	1696.	7.8.	H. 2.	Jac. aust. 5. t. 406.
14 recta. W.	upright.		S. Europe.	1648.	6.7.	H. 2.	4. t. 383.
15 argentea. W.	silvery.		Britain.		6.8.	H. 2.	Eng. bot. 89.
16 intermedia. W.	various-leaved.		Switzerland.	1786.	5.9.	H. 2.	
17 adscendens. W. en.	ascending.		Hungary.	1806.	6.7.	H. 2.	
18 hirta. W.	hairy.		S. Europe.	1725.	5.9.	H. 2.	
19 stipularis. W.	stipular.		Siberia.	1797.	7.8.	H. 2.	
20 opaca. W.	small rough.		S. Europe.	1680.	5.6.	H. 2.	Jac. ic. 1. t. 91.
21 verna. W.	spring.		Britain.		3.5.	H. 2.	Eng. bot. 37.
22 aurea. W.	golden.		Scotland.		5.7.	H. 2.	561.
23 astracantha. W.	Astracan.		Siberia.	1787.	6.8.	H. 2.	Jac. ic. 1. t. 92.
24 alba. W.	white.		Wales.		2.8.	H. 2.	Eng. bot. 1384.
25 caulescens. W.	Alpine.		Austria.	1759.	5.6.	H. 2.	Jac. aust. 3. t. 220.
26 Clusiana. W.	Clusius's.			1806.	7.8.	H. 2.	Bot. mag. 1327.
27 lupinoides. W.	close-flowered.		Alps of Eur.	1739.	6.7.	H. 2.	
28 nitida. W.	shining.		Austria.	1798.	6.7.	H. 2.	Jac. aus. 5. t. ap. 25.
29 reptans. W.	common.		Britain.		6.9.	H. 2.	Eng. bot. 862.
30 sarmentosa. W. en.	sarmentose.		N. America.	1804.	7.	H. 2.	
31 diffusa. W. en.	various-leaved.			1817.	6.8.	H. 2.	
32 mohspeliensis. W.	Montpelier.		France.	1680.	7.8.	H. 2.	Moris. h. s. 2. t. 20. f. 2
33 nivea. W.	snowy.		Siberia.	1816.	6.8.	H. 2.	Gmel. sib. 3. t. 36. f. 1.
34 norvegica. W.	Norwegian.		N. Europe.	1764.	6.7.	H. 2.	Fl. dan. 171.
35 tridentata. W.	trifid-leaved.		Scotland.		—	H. 2.	Eng. bot. 2389.
36 grandiflora. W.	great-flowered.		Siberia.	1640.	—	H. 2.	Bot. mag. 75.
TORMENTILLA. W.	SEPTFOIL.	Rosaceæ. J.					
1 reptans. W.	large-flowered.		Britain.		6.7.	H. 2.	Eng. bot. 864.
2 erecta. W.	common.				5.10.	H. 2.	863.
<i>officinalis. E. B.</i>							
GEUM. W.	AVENS.	Rosaceæ. J.					
1 strictum. Ph.	upright.		N. America.	1778.	5.6.	H. 2.	Jac. ic. 1. t. 93.
2 agrimonoides. Ph.	Agrimony-leav ^d .			1811.	6.7.	H. 2.	
3 album. Ph.	white-flowered.			1730.	7.8.	H. 2.	Jac. vind. 2. t. 175.
4 virginianum. Ph.	small white-fl ^d .				—	H. 2.	
5 macrophyllum. W. en.	large-leaved.		Kamtschatka	1804.	6.7.	H. 2.	
6 urbanum. W.	common.		Britain.		5.8.	H. 2.	Eng. bot. 1400.
7 intermedium. W. en.	wood.		Europe.	1794.	—	H. 2.	W. hort. ber. 1. t. 69.

8 rivale. W.	water.	Rosaceæ. J.	Britain.		6.7.	H. 2.	Eng. bot. 106.
9 hybridum. Jac.	hybrid.	_____	Europe.		—	H. 2.	Jac. ic. 1. t. 94.
10 pyrenaicum. W.	Pyrenean.	_____	Pyrenees.	1804.	—	H. 2.	Lam. ill. t. 44.
11 potentilloides. W.	Siberian.	_____	Siberia.	1780.	6.	H. 2.	Jac. vind. 3. t. 68.
12 montanum. W.	mountain.	_____	Austria.	1597.	5.9.	H. 2.	Jac. aust. 4. t. 373.
<i>β minor.</i>	<i>small mountain.</i>	_____	_____	_____	—	H. 2.	Bar. rar. t. 399.
13 reptans. W.	creeping.	_____	Switzerland.	1775.	6.8.	H. 2.	Jac. aus. 5. t. ap. 22.
DRYAS. W.	DRYAS.	Rosaceæ. J.	_____	_____	_____	_____	_____
<i>octopetala.</i> W.	mountain.	_____	Britain.		6.8.	H. 2.	Eng. bot. 451.
CALYCANTHUS. W.	ALLSPICE.	Rosaceæ? J.	_____	_____	_____	_____	_____
1 floridus. W.	Carolina.	_____	Carolina.	1726.	5.8.	H. 2.	Bot. mag. 503.
2 glaucus. W. en.	glaucous-leaved.	_____	_____		—	H. 2.	Bot. rep. 539.
3 lavigatus. W. en.	smooth-leaved.	_____	N. America.	1806.	5.7.	H. 2.	_____
4 præcox. W.	Japan.	_____	Japan.	1766.	12.3.	H. 2.	Bot. mag. 466.
<i>β lutea.</i>	<i>yellow-flowered.</i>	_____	_____		—	H. 2.	_____

CLASS XIII.

POLYANDRIA MONOGYNIA.

CAPPARIS. W.	CAPER-TREE.	Capparides. J.	_____	_____	_____	_____	_____
1 spinosa. W.	common.	_____	S. Europe.	1596.	5.8.	S. h.	Bot. mag. 291.
2 ovata. W.	acute-leaved.	_____	_____		—	S. h.	Boc. sic. t. 42. f. 3.
3 frondosa. W.	large-leaved.	_____	Carthagea.	1800.		S. h.	Jac. amer. t. 153.
4 ferruginea. W.	ferrugineous.	_____	Jamaica.			S. h.	Brown. j. t. 28. f. 1.
5 jamaicensis. W.	Jamaica.	_____	_____	1793.		S. h.	Jac. amer. e. p. t. 101.
6 odoratissima. W.	sweet-scented.	_____	Caracas.	1814.		S. h.	Jac. schoen. 1. t. 110.
7 cynophallophora. W.	Bay-leaved.	_____	W. Ind.	1752.		S. h.	Jac. amer. t. 98.
8 saligna. P. S.	Willow-leaved.	_____	Santa Cruz.	1807.		S. h.	_____
9 linearis. W.	linear-leaved.	_____	W. Ind.	1793.		S. h.	Jac. amer. t. 102.
10 Breynia. W.	Oleaster-leaved.	_____	_____	1752.		G. h.	_____ t. 103.
MARGRAVIA. W.	MARGRAVIA.	Capparides? J.	_____	_____	_____	_____	_____
<i>umbellata.</i> W.	umbelled.	_____	W. Ind.	1792.		S. h.	Jac. amer. t. 96.
ACTÆA. Ph.	ACTÆA.	Ranunculacæ. J.	_____	_____	_____	_____	_____
1 spicata. W. en.	Bane-berry.	_____	Britain.		4.6.	H. 2.	Eng. bot. 918.
2 americana. Ph.	American.	_____	N. America.		—	H. 2.	Corn. canad. t. 77.
<i>α alba.</i>	<i>white-berried.</i>	_____	_____	_____	_____	_____	_____
<i>β rubra.</i>	<i>red-berried.</i>	_____	_____	_____	_____	_____	_____
SANGUINARIA. W.	PUCCOON.	Papaveracæ. J.	_____	_____	_____	_____	_____
<i>canadensis.</i> W.	Bloodwort.	_____	N. America.	1680.	3.4.	H. 2.	Bot. mag. 162.
PODOPHYLLUM. W.	DUCK'S-FOOT.	Papaveracæ. P. S.	_____	_____	_____	_____	_____
<i>peltatum.</i> W.	May-Apple.	_____	N. America.	1664.	5.	H. 2.	Bot. mag. 1819.
CHELIDONIUM. W.	CELANDINE.	Papaveracæ. J.	_____	_____	_____	_____	_____
1 majus. W.	common.	_____	Britain.		4.10.	H. 2.	Eng. bot. 1581.
2 laciniatum. W. en.	jagged.	_____	S. Europe.		—	H. 2.	Mill. ic. 1. t. 92. f. 2.
GLAUCIUM. J.	HORN-POPPY.	Papaveracæ. J.	_____	_____	_____	_____	_____
1 luteum. H. K.	yellow.	_____	Britain.		6.10.	H. 2.	Eng. bot. 8.
2 fulvum. H. K.	orange.	_____	S. Europe.	1802.	8.9.	H. 2.	Ex. bot. 1. t. 7.
3 phœniceum. H. K.	red.	_____	England.		6.7.	H. 2.	Eng. bot. 1433.
4 violaceum. H. K.	violet.	_____	_____		5.7.	H. 2.	201.
PAPAVER. W.	POPPY.	Papaveracæ. J.	_____	_____	_____	_____	_____
1 hybridum. W.	mongrel.	_____	England.		6.7.	H. 2.	Eng. bot. 43.
2 Argemone. W.	rough.	_____	Britain.		—	H. 2.	643.
3 alpinum. W.	Alpine.	_____	Austria.	1759.	—	H. 2.	Jac. aus. 1. t. 83.
4 nudicaule. W.	naked-stalked.	_____	Siberia.	1730.	6.8.	H. 2.	Fl. dan. t. 41.
<i>β lutea.</i>	<i>yellow-flowered.</i>	_____	_____	_____	_____	_____	Bot. mag. 1633.
5 Rhœas. W.	common Corn.	_____	Britain.		6.7.	H. 2.	Eng. bot. 645.
6 dubium. W.	smooth.	_____	_____		—	H. 2.	644.
7 caucasicum. M. B.	Caucasian.	_____	Caucasus.	1813.	—	H. 2.	Bot. mag. 1675.
8 floribundum. B. Reg.	many-flowered.	_____	Levant.	1815.	—	H. 2.	Bot. reg. 134.
9 somniferum. W.	garden.	_____	England.		7.8.	H. 2.	Eng. bot. 2145.
10 cambricum. W.	Welsh.	_____	_____		5.8.	H. 2.	— 66.
11 orientale. W.	oriental.	_____	Levant.	1714.	5.6.	H. 2.	Bot. mag. 57.
ARGEMONE. W.	ARGEMONE.	Papaveracæ. J.	_____	_____	_____	_____	_____
1 mexicana. W.	Mexican.	_____	America.	1592.	7.8.	H. 2.	Bot. mag. 243.
2 armeniaca. P. S.	Armenian.	_____	Armenia.	1815.	6.9.	H. 2.	—

SARRACENIA. W.		{ SIDE-SADDLE- FLOWER. }					
1 flava. W.	yellow.		_____	N. America.	1752.	6.7.	F. 2. Bot. mag. 780.
2 variolaris. Ph.	hook-leaved.		_____	_____	1803.	_____	F. 2. _____ 1710.
<i>adunca. Ex. bot. t. 53.</i>							
3 rubra. W.	red.		_____	_____	1786.	_____	F. 2. Pluk. alm. t. 152. f. 3.
<i>psittacina. Ph.</i>							
4 purpurea. W.	purple.		_____	N. America.	1640.	_____	F. 2. Bot. mag. 849.
NYPHÆA. W.		WATER-LILY.	Hydrocharideæ. J.				
1 alba. W.	white.		_____	Britain.	_____	6.7.	H. 2. Eng. bot. 160.
2 odorata. W.	sweet-scented.		_____	N. America.	1786.	7.	H. 2. Bot. mag. 819.
<i>β minor.</i>		{ smaller sweet scented. }	_____	_____	1812.	_____	H. 2. _____ 1652.
3 nitida. B. M.	cup-flowered.		_____	Siberia.	1809.	7.8.	H. 2. _____ 1359.
4 pygmaea. H. K.	pigmy.		_____	China.	1805.	5.9.	H. 2. _____ 1525.
5 Lotus. W.	Egyptian Lotus.		_____	Egypt.	1802.	6.9.	S. 2. _____ 797.
6 pubescens. W.	Indian Lotus.		_____	E. Ind.	1803.	5.8.	S. 2. Bot. rep. 391.
7 rubra. B. M.	red-flowered.		_____	_____	_____	7.8.	S. 2. Bot. mag. 1280.
8 rosea. B. M.	rose-coloured.		_____	_____	_____	_____	S. 2. _____ 1364.
9 versicolor. H. K.	changeable.		_____	_____	1807.	8.	S. 2. _____ 1189.
10 caerulea. H. K.	blue.		_____	C. B. S.	1792.	6.9.	S. 2. _____ 552.
11 stellata. W.	star-flowered.		_____	E. Ind.	1803.	_____	S. 2. Bot. rep. 330. 2058
NUPHAR. H. K.		NUPHAR.	Hydrocharideæ. J.				
1 lutea. H. K.	common yellow.		_____	Britain.	_____	6.7.	H. 2. Eng. bot. 159.
2 Kalmiana. H. K.	Canadian.		_____	Canada.	1807.	7.8.	H. 2. Bot. mag. 1243.
3 minima. E. B.	least yellow.		_____	Scotland.	_____	_____	H. 2. Eng. bot. 2292.
4 advena. H. K.	three-coloured.		_____	N. America.	1772.	_____	H. 2. Bot. mag. 684.
EURYALE. H. K.		EURYALE.	Hydrocharideæ. J.	<i>Ameslea. B. R. 618.</i>			
ferox. H. K.	prickly.		_____	India.	1809.	7.9.	S. 2. Bot. mag. 1447.
BIXA. W.		ANOTTA.	Tiliaceæ? J.				
Orellana. W.	heart-leaved.		_____	W. Ind.	1690.	5.8.	S. h. Bot. mag. 1456.
SLOANEA. W.		SLOANEA.	Tiliaceæ. J.				
dentata. W.	Chestnut-leaved.		_____	S. America.	1752.	_____	S. h. Plum. ic. 244.
AUBLETIA. W.		AUBLETIA.	Tiliaceæ. J.	<i>Apeiba. Aub.</i>			
1 Tibourbou. W.	hairy.		_____	S. America.	1756.	_____	S. h. Aub. gui. 1. t. 213.
2 Petoumo. W.	hoary.		_____	_____	1817.	_____	S. h. _____ 1. t. 215.
3 aspera. W.	prickly-capsuled.		_____	Cayenne.	1792.	_____	S. h. _____ 1. t. 216.
4 laevis. W.	smooth-leaved.		_____	_____	1817.	_____	S. h. _____ 1. t. 214.
SPARRMANNIA. W.		SPARRMANNIA.	Tiliaceæ. J.				
africana. W.	African.		_____	C. B. S.	1790.	3.7.	G. h. Bot. mag. 516.
MUNTINGIA. W.		MUNTINGIA.	Tiliaceæ. J.				
Calabura. W.	Jamaica.		_____	Jamaica.	1690.	6.7.	S. h. Jac. amer. t. 107.
GREWIA. W.		GREWIA.	Tiliaceæ. J.				
1 hirsuta. W.	soft-leaved.		_____	E. Ind.	1816.	_____	S. h. _____
2 Mallocoeca. W.	rough-fruited.		_____	_____	1792.	8.9.	S. h. _____
3 Microcos. H. K.	panicled.		_____	_____	1779.	_____	S. h. Rheed. mal. 1. t. 56.
4 occidentalis. W.	Elm-leaved.		_____	C. B. S.	1690.	7.9.	G. h. Bot. mag. 422.
5 orientalis. W.	oriental.		_____	E. Ind.	1767.	7.8.	S. h. Rheed. mal. 5. t. 46.
6 pilosa. P. S.	pilose.		_____	_____	1804.	_____	S. h. _____
7 asiatica. W.	Asiatic.		_____	_____	1792.	7.8.	S. h. Sonn. it. 2. t. 138.
8 tiliaefolia. W.	Lime-tree-leav ^d .		_____	_____	1812.	_____	S. h. _____
TILIA. W.		LIME-TREE.	Tiliaceæ. J.				
1 europæa. W.	common.		_____	Britain.	_____	6.8.	H. h. Eng. bot. 610.
2 parvifolia. E. B.	small-leaved.		_____	_____	_____	8.9.	H. h. _____ 1705.
3 americana. W.	broad-leaved.		_____	N. America.	1752.	6.7.	H. h. Vent. sc. phys. 4. t. 2.
4 pubescens. W.	pubescent.		_____	_____	1726.	7.8.	H. h. _____ 4. t. 3.
5 alba. W.	white.		_____	Hungary.	1767.	6.8.	H. h. _____ 4. t. 4.
CORCHORUS. W.		CORCHORUS.	Tiliaceæ. J.				
1 olitorius. W.	bristly-leaved.		_____	India.	1640.	6.8.	S. O. Camer. hort. t. 12.
2 trilocularis. W.	three-celled.		_____	Arabia.	1790.	7.8.	S. O. Jac. vind. 2. t. 173.
3 æstuanus. W.	Hornbeam-lea ^d .		_____	S. America.	1731.	6.7.	S. O. _____ 1. t. 85.
4 acutangulus. W.	acute-angled.		_____	E. Ind.	1816.	_____	S. h. Pluk. phyt. t. 44. f. 1.
5 capsularis. W.	heart-leaved.		_____	_____	1725.	_____	S. O. Rum. am. 5. t. 78. f. 1.
6 hirsutus. W.	woolly-capsuled.		_____	S. America.	1752.	_____	S. h. Jac. vind. 3. t. 57.
7 japonicus. W.	Japan.		_____	China.	1804.	5.9.	F. h. Bot. mag. 1296.
8 siliquosus. W.	Germander-lea ^d .		_____	W. Ind.	1732.	6.8.	S. h. Jac. vind. 3. t. 59.
GRIS. W.		ANCHOUY PEAR.	Guttiferæ. J.				
cauliflora. W.	stem-flowering.		_____	Jamaica.	1768.	_____	S. h. { Sloan. his. 2. t. 217. f. 1. 2.
CALOPHYLLUM. W.		CALOPHYLLUM.	Guttiferæ. J.				
1 Inophyllum. W.	sweet-scented.		_____	E. Ind.	1793.	_____	S. h. Rheed. mal. 4. t. 38.
2 Calaba. W.	Calaba-tree.		_____	India.	1780.	_____	S. h. Jac. amer. t. 165.

MAMMEA. W.	MAMMEE-TREE. <i>Guttiferae</i> . J.								
americana. W.	American.		S. America.	1737.		S. h.	Jac. am. t. 182. f. 82.		
OCHNA. W.	OCHNA. <i>Guttiferae</i> . J.								
1 squarrosa. W.	yellow-flowered.		E. Ind.	1790.	7.8.	S. h.	Roxb. cor. 1. t. 89.		
2 africana.	purple-flowered.		C. B. S.	1816.		G. h.	Pluk. alm. 263. f. 1. 2.		
ELÆOCARPUS. W.	ELÆOCARPUS. <i>Guttiferae</i> ? J.								
1 serratus. W.	saw-leaved.		E. Ind.	1774.		S. h.	Burm. zeyl. t. 40.		
2 cyaneus. B. M.	blue-fruited.		N. Holland.	1803.	6.8.	G. h.	Bot. mag. 1737.		
ALANGIUM. J.	ALANGIUM. <i>Myrti</i> . J.								
decapetalum. W.	Sage-leaved.		E. Ind.	1779.		S. h.	Rheed. mal. 4. t. 17.		
MENTZELIA. W.	MENTZELIA. <i>Loaseae</i> . J. in <i>Ann. Mus.</i>								
1 aspera. W.	rough.		America.	1733.	7.8.	S. ⊙.	Plum. ic. 174. f. 1.		
2 oligosperma. B. M.	few-seeded.		Louisiana.	1812.	5.6.	G. h.	Bot. mag. 1760.		
LAGERSTRÆMIA } W.	LAGERSTRÆMIA. <i>Salicariae</i> . J.								
1 indica. W.	Indian.		E. Ind.	1759.	8.10.	S. h.	Bot. mag. 405.		
2 Reginae. W.	oblong-leaved.			1792.		S. h.	Roxb. cor. 1. t. 65.		
ÆGLE. H. K.	BENGALQUINCE. <i>Aurantia</i> . J. <i>Crataeva</i> sp. <i>IV</i> .								
Marmelos. H. K.	thorny.		E. Ind.	1759.		S. h.	Rox. cor. 2. t. 143.		
CISTUS. J.	Rock-ROSE. <i>Cisti</i> . J.								
1 villosus. W.	villous.		S. Europe.	1640.	6.7.	F. h.	Duham. arb. 1. t. 64.		
2 populifolius. W.	Poplar-leaved.		Spain.	1656.	5.6.	H. h.	Cav. ic. 3. t. 215.		
3 Corborensis. P. S.	small Poplar-ld.					H. h.			
4 vaginatus. W.	oblong-leaved.		Teneriffe.	1779.	4.6.	F. h.	Bot. reg. 225.		
5 laurifolius. W.	Laurel-leaved.		Spain.	1731.	6.7.	H. h.			
6 Ledon. W.	Many-fl ^d Gum.		France.	1730.	7.8.	F. h.	Duham. arb. 1. t. 66.		
7 ladaniferus. W.	Single-fl ^d Gum.		Spain.	1629.	6.7.	F. h.	Bot. mag. 112.		
β planifolius.	Flat-leaved Gum.								
8 monspeliensis. W.	Montpellier.		S. Europe.	1656.	—	F. h.			
9 laxus. W. en.	waved-leaved.		Spain.	—	—	F. h.			
10 hirsutus. W. en.	hairy.		Portugal.	—	—	F. h.			
11 salvifolius. W.	Sage-leaved.		S. Europe.	1548.	6.7.	F. h.	Jac. col. 2. t. 8.		
12 heterophyllus. P. S.	various-leaved.		Algiers.		—	F. h.	Desf. atl. 1. t. 104.		
13 incanus. W.	hoary-leaved.		S. Europe.	1596.	6.8.	F. h.	Bot. mag. 43.		
14 creticus. W.	Cretan.		Levant.	1731.	—	F. h.	Jac. ic. 1. t. 95.		
15 purpureus. P. S.	purple.				5.7.	F. h.			
16 albidus. W.	white-leaved.		Spain.	1640.	6.7.	F. h.	Park. theat. f. 1.		
17 crispus. W.	curled-leaved.		Portugal.	1656.	—	F. h.	Cav. ic. 2. t. 174.		
HELIANTHEMUM. J.	SUN-ROSE. <i>Cisti</i> . J. <i>Cisti</i> sp. <i>Linn.</i>								
1 formosum.	beautiful.		Portugal.	1780.	5.7.	F. h.	Bot. mag. 264.		
2 atriplicifolium. P. S.	Orache-leaved.		Spain.	1656.	6.7.	F. h.			
3 halimifolium. P. S.	Sea-Purslane-ld.					F. h.	Cav. ic. 2. t. 138.		
4 elongatum. P. S.	long-peduncled.			1800.	7.	F. h.			
5 algarvense. H. K.	Algarvian.		Portugal.	—	7.8.	F. h.	Bot. mag. 627.		
6 Libanotis. W.	Rosemary-leav ^d .		Spain.	1752.	6.	F. h.			
7 umbellatum. P. S.	umbel-flowered.		S. Europe.	1731.	6.8.	F. h.			
8 lappaceus. P. S.	cluster-leaved.		France.	1690.	—	F. h.	Bot. mag. 1782.		
9 Fumana. P. S.	Heath-leaved.			1752.	6.7.	F. h.	Jac. aust. 3. t. 252.		
10 canum. W. en.	hoary.		S. Europe.	1772.	—	F. h.	All. ped. 2. t. 45. f. 3.		
11 scabrosum. P. S.	rough.		Italy.	1775.	—	F. h.			
12 sampsucifolium.	bristly-stalked.		France.		—	H. h.	Bot. mag. 1803.		
13 italicum. P. S.	Italian.		Italy.	1779.	7.9.	F. h.	Barr. rar. t. 366.		
14 marifolium. P. S.	Marum-leaved.		Britain.		5.6.	H. h.	Eng. bot. 396.		
15 organifolium. P. S.	Marjoram-leav ^d .		Spain.	1795.	6.7.	F. h.	Cav. ic. 3. t. 262.		
16 celandicum. P. S.	smooth-leaved.		Germany.	1816.	—	H. h.	Jac. aust. t. 399.		
17 Tuberaria. P. S.	Plantain-leaved.		S. Europe.	1752.	—	F. h.	Cav. ic. 1. t. 67.		
18 serratum. P. S.	saw-petalled.		Spain.	1804.	—	H. ⊙.	— 2. t. 175. f. 1.		
19 guttatum. P. S.	spotted-flowered.		England.		—	H. ⊙.	Eng. bot. 544.		
20 canadense. P. S.	Canadian.		N. America.	1799.	—	H. h.			
21 punctatum. P. S.	punctated.			1816.	—	H. ⊙.			
22 ledifolium. P. S.	Ledum-leaved.		England.		—	H. ⊙.	Eng. bot. 2414.		
23 salicifolium. P. S.	Willow-leaved.		S. Europe.	1759.	6.8.	H. ⊙.	Cav. ic. 2. t. 144.		
24 ægyptiacum. P. S.	Egyptian.		Egypt.	1764.	6.7.	H. ⊙.	Jac. obs. 3. t. 68.		
25 squamatum. P. S.	scaly.		Spain.	1815.	—	H. h.	Cav. ic. 2. t. 139.		
26 surrejanum. P. S.	dotted-leaved.		England.		7.10.	H. h.	Eng. bot. 2207.		
27 glaucum. P. S.	glaucous-leaved.		Spain.	1815.	6.8.	H. h.	Cav. ic. 3. t. 261.		
28 nummularium. P. S.	Moneywort-lea ^d .			1752.	—	H. h.	— 2. t. 142.		
29 canariense. P. S.	Canary.		Canaries.	1790.	6.7.	G. h.	Jac. ic. 1. t. 97.		
30 serpyllifolium. P. S.	Wild Thyme-ld.		Austria.	1731.	5.9.	H. h.			
31 glutinosum. P. S.	clammy.		S. Europe.	1790.	—	F. h.	Cav. ic. 2. t. 145. f. 2.		

32 thymifolium. P. S.	Thyme-leaved.	Cisti. J.	Spain.	1658.	6.7.	F. h.	Barrel. ic. 444.
33 pilosum. P. S.	hairy.	_____	S. Europe.	1731.	6.8.	F. h.	All. ped. 2. t. 45. f. 1. 2
34 aureum. P. S.	golden.	_____	Montpelier.		_____	H. h.	_____
35 lavandulæfolium. } P. S.	Lavender-leaved.	_____	Levant.	1739.	6.7.	F. h.	Jac. ic. 1. t. 96.
36 angustifolium. P. S.	narrow-leaved.	_____		1800.	_____	H. h.	Jac. hort. 3. t. 53.
37 vulgare. P. S.	common dwarf.	_____	Britain.		5.9.	H. h.	Eng. bot. 1321.
β flore pleno.	double-flowered.	_____	_____	_____	_____	_____	_____
38 grandiflorum. P. S.	large-flowered.	_____	Italy.	1800.	6.7.	H. h.	Scop. carn. t. 25.
39 tomentosum. E. B.	tomentose.	_____	Scotland.		7.8.	H. h.	Eng. bot. 2208.
40 mutabile. P. S.	changeable.	_____	France.	1795.	6.7.	H. h.	Jac. ic. 1. t. 99.
41 sulphureum. W. en.	stilphur-colour'd.	_____	Spain.	1815.	_____	H. h.	_____
42 croceum. P. S.	Saffron-colour'd.	_____	_____		_____	H. h.	Desf. alt. 1. t. 110.
43 hirtum. P. S.	bristly-calyxed.	_____	_____	1759.	_____	F. h.	Barrel. rar. t. 488.
44 pulverulentum. P. S.	powdered.	_____	France.		_____	H. h.	_____
45 apenninum. P. S.	Apennine.	_____	Italy.	1731.	6.8.	H. h.	Tabern. ic. 1062.
46 roseum. P. S.	Rose-coloured.	_____	S. Europe.		_____	H. h.	Jac. hort. 3. t. 65.
47 polifolium. P. S.	white-mountain.	_____	England.		5.7.	H. h.	Eng. bot. 1322.

DIGYNIA.

BAUERA. H. K.	BAUERA.	_____	_____	_____	_____	_____	_____
1 rubiæfolia. H. K.	Madder-leaved.	_____	N. S. W.	1793.	7.12.	G. h.	Bot. mag. 715.
2 humilis.	dwarf.	_____	_____	1804.	_____	G. h.	_____
FOTHERGILLA. W.	FOTHERGILLA.	Amentaceæ. J.	_____	_____	_____	_____	_____
1 alnifolia. W.	obtuse-leaved.	_____	N. America.	1765.	4.6.	H. h.	Bot. mag. 1341.
2 major. B. M.	large-leaved.	_____	_____	_____	5.6.	H. h.	_____ 1342.
3 Gardeni. Jac.	acute-leaved.	_____	_____	_____	_____	H. h.	Jac. ic. 1. t. 100.
4 serotina. B. M.	green-leaved.	_____	_____	_____	8.	H. h.	_____
CURATELLA. W.	CURATELLA.	Magnolîæ? J.	_____	_____	_____	_____	_____
americana. W.	American.	_____	S. America.			S. h.	Aub. gui. 1. t. 232.
PÆONIA. W.	PÆONY.	Ranunculacææ. J.	_____	_____	_____	_____	_____
1 Moutan. H. K.	Chinese-tree.	_____	China.	1789.	4.6.	H. h.	_____ 379
α papaveracæa.	Poppy-flowered.	_____	_____	_____	_____	_____	Bot. rep. c. ic. 2775
β Banksii.	common.	_____	_____	_____	_____	_____	Bot. mag. 1154.
γ rosea.	Rose-coloured.	_____	_____	_____	_____	_____	_____
2 edulis. P. L.	eatable-rooted.	_____	Siberia.	1784.	5.6.	H. 2.	_____
α albiflora.	white-flowered.	_____	_____	_____	_____	_____	Bot. mag. 1756.
β tatarica.	Tartarian.	_____	_____	_____	_____	_____	_____
γ sibirica.	Siberian.	_____	_____	_____	_____	_____	_____
δ rubescens.	blush-coloured.	_____	_____	_____	_____	_____	Bot. reg. 42.
ε uniflora.	single-flowered.	_____	_____	_____	_____	_____	_____
ζ Whiteji.	double-white.	_____	China.	_____	_____	_____	Bot. rep. 612. 4630
η Humii.	double-crimson.	_____	_____	_____	_____	_____	Bot. mag. 1768.
θ fragrans.	Rose-scented.	_____	_____	_____	_____	_____	Hort. trans. c. ic. 405
3 daurica. H. K.	Daurian.	_____	Siberia.	1790.	5.6.	H. 2.	Bot. mag. 1441.
4 corallina. W.	entire-leaved.	_____	England.		_____	H. 2.	Eng. bot. 1513.
5 officinalis. W.	common.	_____	Switzerland.	1548.	_____	H. 2.	Bot. mag. 1784.
β rosea.	Rose-coloured.	_____	_____	_____	_____	_____	_____
γ blanda.	blush.	_____	_____	_____	_____	_____	_____
δ rubra.	double-red.	_____	_____	_____	_____	_____	_____
ε carnescent.	flesh-coloured.	_____	_____	_____	_____	_____	_____
ζ albicans.	whitish.	_____	_____	_____	_____	_____	_____
6 peregrina. H. K.	Turkish.	_____	Levant.	1629.	5.6.	H. 2.	Bot. mag. 1050.
β compacta.	compact.	_____	_____	_____	_____	_____	_____
γ Grevillii.	Greville's.	_____	_____	_____	_____	_____	_____
7 paradoxa.	paradoxical.	_____	_____		_____	H. 2.	_____
β fimbriata.	double-fringed.	_____	_____	_____	_____	_____	_____
8 mollis.	soft.	_____			_____	H. 2.	Bot. 200 1574
9 arietina.	Anderson's.	_____			_____	H. 2.	_____
β oxoniensis.	Oxford.	_____	_____	_____	_____	_____	_____
10 decora.	comely.	_____			_____	H. 2.	_____
α Pallasii.	Pallas's.	_____	_____	_____	_____	_____	_____
β elatior.	tall.	_____	_____	_____	_____	_____	_____
11 humilis. W.	dwarf.	_____	Spain.	1633.	5.	H. 2.	Bot. mag. 1422.
12 anomala. W.	jagged-leaved.	_____	Siberia.	1788.	5.6.	H. 2.	_____ 1754.
laciniata. Pall. ross. 2. t. 85.	_____	_____	_____	_____	_____	_____	_____
13 hybrida. W.	mule.	_____	_____	_____	_____	H. 2.	Pall. ross. 2. t. 86.
14 tenuifolia. W.	fine-leaved.	_____	_____	1765.	_____	H. 2.	Bot. mag. 926.

TRIGYNIA.

HIBBERTIA. H. K.		HIBBERTIA.		Magnoliæ? J. <i>Dilleniæ</i> sp. W.	
1	volubilis. H. K.	twining.	_____	N. S. W.	1790. 5.10. G. h. Bot. rep. 126.
2	grossulariæfolia. H. K.	} Gooseberry-lea ^d .	_____	N. Holland.	1803. 3.8. G. h. Bot. mag. 1218.
	<i>crenata. B. R.</i>		_____	_____	_____
DELPHINIUM. W.		LARKSPUR.		Ranunculacæ. J.	
1	Consolida. W.	field.	_____	England.	 6.7. H.⊙ Eng. bot. c. ic.
2	Ajacis. W.	Rocket.	_____	Switzerland.	1573. — H.⊙
3	aconiti. W.	Aconite-like.	_____	Levant.	1801. — H.⊙ Vahl. symb. 1. t. 13.
4	ambiguum. W.	doubtful.	_____	Barbary.	1759. 7.8. H.⊙
5	peregrinum. W.	broad-l ^d . annual.	_____	Levant.	1629. 6.7. H.⊙ All. ped. 2. t. 25. f. 3.
6	grandiflorum. W.	great-flowered.	_____	Siberia.	1741. 6.9. H.⊙ Bot. mag. 1686. 472
	<i>β flore pleno.</i>	<i>double-flowered.</i>	_____	_____	_____
7	intermedium. W.	Palmed Bee.	_____	Silesia.	1710. 7. H.⊙ Mill. ic. t. 119.
8	elatum. W.	Common Bee.	_____	Siberia.	1597. 6.9. H.⊙ Schk. hand. 2. t. 145.
9	hybridum. W.	hairy.	_____	_____	1794. — H.⊙
	<i>hirsutum. P. S.</i>	_____	_____	_____	_____
10	exaltatum. W.	American.	_____	N. America.	1758. 7.8. H.⊙ Mill. ic. t. 250. f. 2.
11	azureum. Ph.	azure.	_____	Carolina.	1805. — H.⊙
12	tricornæ. Ph.	three-horned.	_____	N. America.	1806. — H.⊙
13	urceolatum. W.	hollow-leaved.	_____		1801. — H.⊙ Bot. mag. 1791.
14	punicum. W.	scarlet-flowered.	_____	Siberia.	1785. 7. H.⊙
15	staphisagria. W. en.	Stavesacre.	_____	S. Europe.	1596. 4.8. H.⊙
16	pictum. W. en.	painted.	_____	_____	1816. — H.⊙
17	fissum. P. S.	cloven.	_____	Hungary.	— 6.8. H.⊙ Pl. rar. hung. t. 81.
ACONITUM. W.		WOLF'S-BANE.		Ranunculacæ. J.	
1	lycotonum. W.	great yellow.	_____	Alps of Eur.	1596. 7.8. H.⊙ Jac. aust. 4. t. 380.
2	japonicum. W.	Japan.	_____	Japan.	1790. 6.9. H.⊙
3	pyrenaicum. W.	Pyrenean.	_____	Pyrenees.	1739. 6.7. H.⊙
4	ochroleucum. W.	pale-white.	_____	Caucasus.	1794. 6.9. H.⊙
5	Anthora. W.	wholesome.	_____	Pyrenees.	1596. 6.8. H.⊙ Jac. aust. 4. t. 382.
6	album. W.	white.	_____	Levant.	1752. 7.8. H.⊙
7	barbatum. P. S.	hairy.	_____	Siberia.	1807. 6.7. H.⊙
8	variegatum.	variegated.	_____	S. Europe.	1597. 6.8. H.⊙
9	septentrionale. W.	northern.	_____	N. Europe.	1800. 7.8. H.⊙ Flor. dan. t. 123. 3196
10	Napellus. W.	Monk's-hood.	_____	Europe.	1596. 5.7. H.⊙
11	pyramidale. Mil.	long-spiked.	_____	_____	6.7. H.⊙
12	neomontanum. W.	mountain.	_____	_____	1799. 7.8. H.⊙
13	tauricum. W.	Taurian.	_____	Tauria.	1752. 6.7. H.⊙ Jac. ic. 3. t. 492.
14	volubile. W.	twining.	_____	Siberia.	1799. 7.8. H.⊙
15	tortuosum. W. en.	twisting.	_____		1812. — H.⊙
16	Cammarum. W.	purple.	_____	Germany.	1752. 7. H.⊙ Jac. aust. 5. t. 424.
17	uncinatum. W.	American.	_____	N. America.	1768. 7.8. H.⊙ Bot. mag. 1119.

PENTAGYNIA.

CIMICIFUGA. Ph.		BUGWORT.		Ranunculacæ. J.	
1	Serpentaria. Ph.	Black Snakeroot.	_____	N. America.	1732. 6.7. H.⊙ Dill. elt. t. 67. f. 78.
	<i>Actæa racemosa. W.</i>	_____	_____	_____	_____
2	fetida. W.	stinking.	_____	Siberia.	1777. — H.⊙ Lam. ill. 487.
3	cordifolia. Ph.	heart-leaved.	_____	N. America.	1812. — H.⊙
4	palmata. Ph.	palmated.	_____	_____	7.8. H.⊙ Bot. mag. 1630.
AQUILEGIA. W.		COLUMBINE.		Ranunculacæ. J.	
1	viscosa. W.	clammy.	_____	Montpelier.	1752. 5.6. H.⊙ Gouan. ill. t. 19. f. 1.
2	vulgaris. E. B.	common.	_____	Britain.	 5.7. H.⊙ Eng. bot. 297.
	<i>β flore pleno.</i>	<i>double-flowered.</i>	_____	_____	_____
3	bicolor. P. S.	two-coloured.	_____	Siberia.	 — H.⊙ Bot. mag. 1221.
	<i>hybrida. B. M.</i>	_____	_____	_____	_____
4	alpina. W.	Alpine.	_____	Switzerland.	1731. 5.6. H.⊙ All. ped. 2. t. 66.
5	canadensis. W.	Canadian.	_____	N. America.	1640. 4.5. H.⊙ Bot. mag. 246.
6	atropurpurea. W. en.	dark purple.	_____	Siberia.	 5.6. H.⊙
7	viridiflora. W.	green-flowered.	_____	_____	1780. — H.⊙ Jac. ic. 1. t. 102.
NIGELLA. W.		{ FENNEL- FLOWER. }		Ranunculacæ. J.	
1	damascena. W.	common.	_____	S. Europe.	1570. 6.9. H.⊙ Bot. mag. 22.
2	coarctata.	dwarf.	_____	_____	1793. — H.⊙
3	sativa. W.	small.	_____	Egypt.	1548. — H.⊙ Zorn. ic. 119.
4	arvensis. W.	field.	_____	Germany.	1683. — H.⊙ Schk. hand. 2. t. 146.
5	hispanica. W.	Spanish.	_____	Spain.	1629. — H.⊙ Bot. mag. 1265.
6	orientalis. W.	yellow.	_____	Syria.	1699. — H.⊙ — 1264.

REAUMURIA. W. hypericoides. W. linifolia. P. L.	REAUMURIA. Hypericum-like.	Ficoideæ. J.	Syria.	1800. 7.10. F. h.	Par. lond. 18.	2057 045
POLYGYNIA.						
NELUMBIUM. J. 1 speciosum. W. 2 lutum. W.	SACRED BEAN. Indian. yellow-flowered.	Hydrocharideæ. J.	Cyanus. Smith. India. Carolina.	1787. 6.8. S. 2. 1810. S. 2.	Bot. mag. 903.	
DILLENIA. W. 1 speciosa. W. 2 pentagyna. W.	DILLENIA. large-flowered. five-styled.	Magnoliæ? J.	E. Ind.	1800. S. 2. 1803. S. 2.	Exot. bot. 1. t. 2. 3. Roxb. cor. 1. t. 20.	
ILLICIUM. W. 1 floridanum. W. 2 parviflorum. W.	ANISEED-TREE. red-flowered. yellow-flowered.	Magnoliæ. J.	Florida.	1766. 4.6. F. h. 1790. 5.6. F. h.	Bot. mag. 439. Vent. cels. 22.	
LIRODIODENDRON. W. tulipifera. W. β obtusiloba.	TULIP-TREE. common. obtusely-lobed.	Magnoliæ. J.	N. America. Pensylvania.	1663. 6.7. H. h.	Bot. mag. 275.	
MAGNOLIA. W. 1 grandiflora. W. α elliptica. β obovata. γ lanceolata.	MAGNOLIA. Laurel-leaved. ferrugineous. broad-leaved. long-leaved.	Magnoliæ. J.	Carolina.	1734. 6.10. H. h. — H. h. — H. h. — H. h.	Bot. rep. 518. Mich. arb. t. 1.	1052
2 glauca. Ph.	{ deciduous swamp.		N. America.	1688. 6.9. H. h.	t. 2.	2164
3 longifolia. Ph.	evergreen swamp		—	— H. h.		
4 conspicua. H. K.	Youlan.	China.	1789. 2.4. F. h.	Bot. mag. 1621.		
5 obovata. W.	purple.	—	1790. 4.6. F. h.	390.		
6 tomentosa. W.	slender.	—	1804. 3.4. F. h.	Par. lond. 87.		
7 pumila. W.	dwarf.	—	1786. 1.12. G. h.	Bot. mag. 977.		
8 fuscata. H. K.	brown-stalked.	—	1789. 4.5. G. h.	1008.		
9 annonaefolia. P. L.	small-flowered.	—	1804. — G. h.	Par. lond. 5.		
10 cordata. Ph.	heart-leaved.	N. America.	1801. 6.7. H. h.	Mich. arb. t. 4.		205
11 acuminata. W.	bluish-flowered.	—	1736. 5.7. H. h.	t. 3.	2427	
12 tripetala. W.	umbrella.	—	1732. 5.6. H. h.	t. 5.		
13 macrophylla. Ph.	long-leaved.	—	1800. 6.7. H. h.	t. 7.	2180	
14 auriculata. W.	ear-leaved.	Carolina.	1786. 4.5. H. h.	Bot. mag. 1206.		
15 pyramidata. Ph.	pyramidal.	—	1811. — H. h.	300 107		
MICHELIA. W. Champaca. W.	MICHELIA. sweet-scented.	Magnoliæ. J.	E. Ind.	1779. S. h.	Rheed. mal. 1. t. 19.	
UVARIA. W. 1 zeylanica. W. 2 lanceolata. W. 3 odorata. W.	UVARIA. Ceylon. Lance Wood. sweet-scented.	Annonæ. J.	E. Ind. Jamaica. Java.	1794. S. h. 1793. S. h. 1804. 5.7. S. h.	Rheed. mal. 2. t. 10. Rumph. amb. 2. t. 65	
ANNONA. P. S. 1 muricata. W. 2 tripetala. W. 3 squamosa. W. 4 paludosa. W. 5 reticulata. W. 6 hexapetala. W. 7 palustris. W. 8 glabra. W.	CUSTARD APPLE. Sour Sop. broad-leaved. Sweet Sop. marsh. netted. long-leaved. shining-leaved. smooth-fruited.	Annonæ. J.	W. Ind. S. America. Guiana. S. America. China. W. Ind. Carolina.	1656. S. h. 1739. 7.8. S. h. 1731. S. h. 1803. S. h. 1690. S. h. 1758. 6.7. S. h. 1731. S. h. 1774. 7.8. S. h.	Jac. obs. 1. t. 5. Trew. ehret. t. 49. Rheed. mal. 3. t. 29. Aub. gui. 1. t. 246. Rheed. m. 3. t. 30, 31 Pluk. alm. t. 240. f. 6. Cat. car. 2. t. 64.	
PORCELIA P. S. 1 triloba. Ph. 2 parviflora. Ph. 3 pygmaea. Ph.	PORCELIA. trifid-fruited. small-flowered. dwarf.	Annonæ. J.	Orchidocarpon. Mich. Annonæ sp. W. N. America.	1736. 8. H. h. 1806. 4.5. H. h. 1812. H. h.	Cat. car. 2. t. 83. Bartr. trav. t. 1.	
XYLOPIA. W. 1 muricata. W. 2 glabra. W.	XYLOPIA. rough-fruited. smooth-fruited.	Annonæ. J.	W. Ind. Jamaica.	1793. S. h. S. h.	Brown. jam. t. 5. f. 2. Pluk. alm. t. 238. f. 4.	
HEPATICA. W. en. triloba. W. en. α carulea. β caruleo-plena. γ rubra. δ rubro-plena. ε alba. ζ nivea.	HEPATICA. common. blue. double blue. red. double red. { red-anthered white. snowy white.	Ranunculaceæ. J.	Anemone sp. W. Europe.	1573. 2.4. H. 2.	Bot. mag. 10.	
ANEMONE. W. en. 1 coronaria. W. β plena.	ANEMONE. Poppy. double-flowered.	Ranunculaceæ. J.	Levant.	1596. 4.5. H. 2.	Bot. mag. 841.	

2 hortensis. W.	star.	Ranunculaceæ. J.	Italy.	1597.	4.5.	H. 2.	Bot. mag. 123.
3 palmata. W.	palmated.	_____	Portugal.	_____	5.6.	H. 2.	Bot. reg. 200.
4 sibirica. W.	Siberian.	_____	Siberia.	1804.	6.	H. 2.	_____
5 baldensis. W.	Strawberry-like.	_____	Switzerland.	1792.	5.	H. 2.	Jac. ic. 1. t. 103.
6 sylvestris. W.	Snowdrop.	_____	Germany.	1596.	4.5.	H. 2.	Bot. mag. 54.
7 virginiana. W.	Virginian.	_____	N. America.	1722.	5.6.	H. 2.	Herm. par. t. 18.
8 pensylvanica. Ph.	Pennsylvanian.	_____	_____	1766.	_____	H. 2.	_____
9 dichotoma. Ph.	forked.	_____	_____	1768.	_____	H. 2.	Lin. fil. d. 2. t. 15.
10 trifolia. W.	three-leaved.	_____	France.	1597.	4.5.	H. 2.	Moris. s. 4. t. 25. f. 1.
11 nemorosa. W.	wood.	_____	Britain.		3.5.	H. 2.	Eng. bot. 355.
12 apennina. W.	blue mountain.	_____	England.		3.4.	H. 2.	_____ 1062.
13 ranunculoides. W.	yellow wood.	_____	_____		_____	H. 2.	_____ 1484.
14 narcissiflora. W.	Narcissus-flow ^d .	_____	Siberia.	1773.	5.	H. 2.	Bot. mag. 1120.
15 thalictroides. W.	Meadow-Rue-1 ^d .	_____	N. America.	1768.	4.5.	H. 2.	_____ 866.
PULSATILLA. W. en. PARS-QUE FLOWER. Ranunculaceæ. J. <i>Anemonis</i> sp. IV.							
1 alpina. W. en.	Alpine.	_____	Austria.	1658.	7.	H. 2.	Jac. aust. 1. t. 85. <i>2008</i>
2 pratensis. W. en.	meadow.	_____	Germany.	1731.	5.	H. 2.	Fl. dan. t. 611. <i>1863</i>
3 obsoleta.	pale-flowered.	_____	_____		_____	H. 2.	Bot. mag. 1863.
4 vulgaris. W. en.	common.	_____	England.		4.5.	H. 2.	Eng. bot. 51.
5 Halleri. W. en.	Haller's.	_____	Switzerland.	1816.	_____	H. 2.	All. ped. t. 80. f. 2.
6 vernalis. W. en.	spring.	_____	_____	1752.	4.	H. 2.	Fl. dan. t. 29.
7 cernua. W.	drooping.	_____	Japan.	1806.	5.6.	H. 2.	_____
8 patens. W. en.	spreading.	_____	Siberia.	1752.	6.7.	H. 2.	Breyn. cent. t. 61. <i>1923</i>
ATRAGENE. W. Ranunculaceæ. J.							
1 austriaca. H. K.	Austrian.	_____	Austria.	1792.	5.7.	H. 2.	Bot. rep. 180.
2 sibirica. H. K.	Siberian.	_____	Siberia.	1753.	6.7.	H. 2.	Pall. ros. 2. t. 76. <i>1051</i>
3 americana. H. K.	American.	_____	N. America.	1797.	5.6.	H. 2.	Bot. mag. 887.
4 capensis. W.	Cape.	_____	C. B. S.	1795.	3.4.	G. 2.	_____ 716.
5 zeylanica. W.	Ceylon.	_____	Ceylon.	1796.		S. 2.	Rox. cor. 2. t. 188.
CLEMATIS. W. { VIRGIN'S BOWER. } Ranunculaceæ. J.							
1 cirrhosa. W.	evergreen.	_____	Spain.	1596.	3.4.	H. 2.	Bot. mag. 1070.
2 florida. W.	large-flowered.	_____	Japan.	1776.	4.9.	H. 2.	_____ 834.
β flore pleno.	double-flowered.	_____	_____	_____	_____	_____	_____
3 viticella. W.	purple.	_____	Spain.	1569.	6.9.	H. 2.	_____ 565.
β plena.	double purple.	_____	_____	_____	_____	_____	_____
4 Viorna. W.	leathery-flower ^d .	_____	N. America.	1730.	_____	H. 2.	Dill. elt. t. 118. f. 144
5 reticulata. Ph.	netted.	_____	_____	1812.	_____	H. 2.	_____
6 cylindrica. H. K.	long-flowered.	_____	_____	1802.	7.9.	H. 2.	Bot. mag. 1160.
7 crispa. B. M.	curled-flowered.	_____	_____	1726.	_____	H. 2.	_____ 1892.
8 calycina. W.	Minorca.	_____	Minorca.	1783.	2.3.	G. 2.	_____ 959.
9 orientalis. W.	oriental.	_____	Levant.	1731.	7.10.	H. 2.	Dill. elt. t. 119. f. 145
10 virginiana. W.	Virginian.	_____	N. America.	1767.	6.8.	H. 2.	Pluk. man. t. 379. f. 4
11 dioica. W.	Jamaica.	_____	W. Ind.	1733.	5.6.	S. 2.	Slo. jam. 1. t. 128. f. 1.
12 aristata. B. Reg.	awned-anthered.	_____	N. Holland.	1812.	5.3.	G. 2.	Bot. reg. 238.
13 brachiata. B. Reg.	armed.	_____	C. B. S.		10.12.	G. 2.	Bot. reg. 97.
14 Massoni.	Masson's.	_____	_____			G. 2.	_____
15 Vitalba. W.	Traveller's Joy.	_____	England.		7.9.	H. 2.	Eng. bot. 612.
16 Flammula. W.	sweet-scented.	_____	France.	1596.	7.10.	H. 2.	Knor. thes. 2. t. C. 9
β latifolia.	broad-leaved.	_____	_____	_____	_____	_____	_____
17 maritima. W.	sea.	_____	S. Europe.		6.9.	H. 2.	_____
18 erecta. W.	upright.	_____	Austria.	1597.	6.8.	H. 2.	Jac. aust. 3. t. 291.
19 angustifolia. W.	narrow-leaved.	_____	_____	1787.	5.9.	H. 2.	Jac. ic. 1. t. 104.
20 ochroleuca. W.	silky.	_____	N. America.	1767.	6.7.	H. 2.	Pluk. man. t. 379. f. 5
21 integrifolia. W.	entire-leaved.	_____	Hungary.	1596.	6.8.	H. 2.	Bot. mag. 65.
β angustifolia.	narrow entire-le.	_____	_____	_____	_____	_____	_____
THALICTRUM. W. MEADOW-RUE. Ranunculaceæ. J.							
1 alpinum. W.	Alpine.	_____	Britain.		5.7.	H. 2.	Eng. bot. 262. <i>2237</i>
2 foetidum. W.	foetid.	_____	France.	1640.	_____	H. 2.	Pl. rar. hun. 2. t. 174.
3 tuberosum. W.	tuberous-rooted.	_____	Spain.	1713.	6.	H. 2.	Mill. ic. 2. t. 265. f. 2.
4 Cornuti. W.	Canadian.	_____	N. America.	1640.	5.7.	H. 2.	Corn. can. t. 187.
5 dioicum. W.	diœcious.	_____	_____	1759.	6.7.	H. 2.	_____
6 elatum. W.	tall.	_____	Hungary.	1794.	6.3.	H. 2.	Jac. vind. 3. t. 95.
7 majus. W.	greater.	_____	England.		6.7.	H. 2.	Eng. bot. 611.
8 medium. W.	middle.	_____	Hungary.	1789.	6.3.	H. 2.	Jac. vind. 3. t. 96.
9 minus. W.	lesser.	_____	Britain.		6.7.	H. 2.	Eng. bot. 11.
10 concinnum. W. en.	neat.	_____			_____	H. 2.	_____
11 rugosum. W.	rough.	_____	N. America.	1774.	7.	H. 2.	_____
12 sibiricum. W.	Siberian.	_____	Siberia.	1775.	6.7.	H. 2.	_____
13 squarrosum. W.	squarrose.	_____	_____	1806.	_____	H. 2.	_____

14 pubescens. Ph.	pubescent.	Ranunculaceæ. J.	N. America.	1806.	6.7.	H. 2.	
15 purpurascens. W.	purple.			1699.		H. 2.	
16 angustifolium. W.	narrow-leaved.		Germany.	1739.		H. 2.	Jac. vind. 3. t. 43.
17 lucidum. W.	shining.		Spain.		5.7.	H. 2.	Pluk. alm. t. 65. f. 5.
18 flavum. W.	common.		Britain.			H. 2.	Eng. bot. 367.
19 nigricans. W.	black.		Austria.	1793.		H. 2.	Jac. aus. 5. t. 421.
20 speciosum. W. en.	glaucous-leaved.		Spain.		6.7.	H. 2.	
21 ranunculinum. W. en.	{ Ranunculus-leaved. }		N. America.	1806.		H. 2.	
22 simplex. W.			Sweden.	1778.	5.6.	H. 2.	Fl. dan. 244.
23 aquilegifolium. W.	Columbine-lea ^d .		Austria.	1731.	5.7.	H. 2.	Jac. aust. t. 318.
<i>β atro-purpureum.</i>	dark purple.					H. 2.	Bot. mag. 1818.
24 galioides. W. en.	sweet-scented.		Alsatia.	1816.		H. 2.	
25 contortum. W.	crook-seeded.		Siberia.	1796.	6.7.	H. 2.	
26 petaloideum. W.	Daurian.		Dauria.	1799.		H. 2.	
ADONIS. H. K.	ADONIS.	Ranunculaceæ. J.					
1 aestivalis. W.	tall.		S. Europe.	1629.	6.7.	H. 2.	Knor.thes.2.t.A.12
2 autumnalis. W.	Pheasant's-eye.		Britain.		5.10.	H. 2.	Eng. bot. 308.
3 flammea. W.	flame-coloured.		Austria.	1800.	6.7.	H. 2.	Jac. aust. 4. t. 355.
4 vernalis. W.	perennial.		Europe.	1629.	3.4.	H. 2.	Bot. mag. 134.
KNOWLTONIA. H. K.	KNOWLTONIA.	Ranunculaceæ. J.	<i>Ananemia. Vent.</i>				
1 rigida. H. K.	thick-leaved.		C. B. S.	1780.	3.5.	G. 2.	Vent. malm. 22.
2 vesicatoria. H. K.	blistering.			1691.	2.4.	G. 2.	Bot. mag. 775. 2936
FICARIA. P. S.	PILEWORT.	Ranunculaceæ. J.	<i>Ranunculi sp. IF.</i>				
<i>verna. P. S.</i>	vernal.		Britain.		3.5.	H. 2.	Eng. bot. 584.
<i>β plena.</i>	double-flowered.						
RANUNCULUS. W.	CROW-FOOT.	Ranunculaceæ. J.					
1 Flammula. W.	Lesser Spearwort.		Britain.		6.9.	H. 2.	Eng. bot. 387.
2 reptans. W.	Least Spearwort.					H. 2.	Fl. dan. 108.
3 Lingua. W.	Great Spearwort.				6.8.	H. 2.	Eng. bot. 100.
4 nodiflorus. W.	knot-flowered.		Sicily.	1714.	5.7.	H. 2.	Pl. rar. hung. 2. t. 176 2171
5 gramineus. W.	grassy.		Wales.		4.6.	H. 2.	Eng. bot. 2306.
6 parnassifolius. W.	Parnassia-leav'd.		S. Europe.	1769.	6.7.	H. 2.	Bot. mag. 386.
7 amplexicaulis. W.	Plantain-leaved.		Pyrenees.	1633.	4.5.	H. 2.	266.
8 bullatus. W.	Portugal.		S. Europe.	1640.	5.6.	H. 2.	
9 Thora. W.	kidney-leaved.		Austria.	1710.		H. 2.	Jac. aust. 5. t. 442.
10 creticus. W.	Cretan.		Candia.	1658.	4.5.	H. 2.	
11 cassubicus. W.	Cassubian.		Siberia.	1794.	6.7.	H. 2.	Lœs. prus. t. 72. 26
12 auricomus. W.	wood.		Britain.		4.5.	H. 2.	Eng. bot. 624.
13 abortivus. W.	three-flowered.		N. America.	1713.	5.8.	H. 2.	
14 sceleratus. W.	Celery-leaved.		Britain.		5.6.	H. 2.	Eng. bot. 681.
15 aconitifolius. W.	Aconite-leaved.		Alps of Eur.	1596.		H. 2.	
<i>β flore pleno.</i>	double-flowered.						Bot. mag. 204.
16 platanifolius. W.	Plane-tree-leav ^d .		Germany.	1769.	6.7.	H. 2.	Fl. dan. 111.
17 pedatus. W. en.	pedate.		Hungary.	1806.	5.6.	H. 2.	Pl. rar. hung. 2. t. 108. 222
18 illyricus. W.	Illyrian.		S. Europe.	1596.		H. 2.	Jac. aust. 3. t. 222.
19 asiaticus. W.	common garden.		Levant.			H. 2.	Mill. ic. 2. t. 216.
20 gregarius. P. S.	villous.		Portugal.			H. 2.	
21 rutæfolius. W.	Rue-leaved.		Austria.	1759.	5.7.	H. 2.	Jac. col. 1. t. 6, 7.
22 glacialis. W.	two-flowered.		Lapland.	1775.	6.8.	H. 2.	Fl. dan. 19.
23 nivalis. W.	snowy.					H. 2.	Fl. lap. t. 3. f. 2.
24 montanus. W.	mountain.					H. 2.	Jac. aust. t. 325. 6.
25 alpestris. W.	Alpine.		Scotland.			H. 2.	Eng. bot. 2390.
26 pennsylvanicus. W.	Pennsylvanian.		N. America.	1785.	6.7.	H. 2.	Jac. ic. 1. t. 105.
27 bulbosus. W.	bulbous.		Britain.		5.6.	H. 2.	Eng. bot. 515.
28 hirsutus. H. K.	pale hairy.		England.		6.10.	H. 2.	1504.
29 marylandicus. Ph.	Maryland.		N. America.	1811.	5.7.	H. 2.	
30 repens. W.	creeping.		Britain.		5.8.	H. 2.	Eng. bot. 516.
<i>β flore pleno.</i>	double-flowered.						
31 polyanthemus. W.	many-flowered.		N. Europe.	1596.	5.6.	H. 2.	Lob. ic. 666.
32 acris. W.	upright.		Britain.		6.7.	H. 2.	Eng. bot. 652.
<i>β flore pleno.</i>	double-flowered.						Bot. mag. 215.
33 lanuginosus. W.	woolly-leaved.		S. Europe.	1683.		H. 2.	Fl. dan. 397.
34 sericeus. W. en.	silky-leaved.		Caucasus.	1816.		H. 2.	
35 parvulus. W.	little upright.		England.		7.8.	H. 2.	Col. ephr. t. 316. f. 1.
36 hederaceus. W.	Ivy-leaved.		Britain.		5.8.	H. 2.	Eng. bot. 2003.
37 aquatilis. W.	various-leaved.				4.8.	H. 2.	101.
38 rigidus. P. S.	rigid-leaved.					H. 2.	
39 fluviatilis. W.	long-leav ^d . water.					H. 2.	Fl. dan. 376.
40 arvensis. W.	corn.				6.8.	H. 2.	Eng. bot. 135.

41 muricatus. W.	prickly-seeded.	Ranunculaceæ. J.	S. Europe.	1683.	7.8.	H.⊙.	Alp. exot. t. 262.
42 parviflorus. W.	small-flowered.	_____	England.		5.6.	H.⊙.	Eng. bot. 120.
TROLIUS. W.	GLOBE-FLOWER.	Ranunculaceæ. J.	_____	_____	_____	_____	_____
1 laxus. Ph.	American.	_____	N. America.	1805.	5.7.	H. 2.	_____
2 europæus. W.	European.	_____	Britain.		5.6.	H. 2.	Eng. bot. 28.
3 asiaticus. W.	Asiatic.	_____	Siberia.	1759.	—	H. 2.	Bot. mag. 235.
β intermedius.	intermediate.	_____	_____	_____	_____	_____	_____
γ hybridus.	hybrid.	_____	_____	_____	_____	_____	_____
ISOPYRUM. W.	ISOPYRUM.	Ranunculaceæ. J.	_____	_____	_____	_____	_____
1 fumarioides. W.	Fumatory-leav'd.	_____	Siberia.	1741.	6.	H.⊙.	Am. ruth. 74. t. 12.
2 thalictroides. W.	Meadow-Rue-1 ^d .	_____	Italy.	1759.	3.4.	H. 2.	Jac. aust. 2. t. 105.
ERANTHIS. L. T.	{ WINTER- ACONITE. }	Ranunculaceæ. J.	<i>Hellebori sp. W.</i>	_____	_____	_____	_____
hyemalis. L. T.	common.	_____	Italy.	1596.	1.3.	H. 2.	Bot. mag. 3.
HELLEBORUS. W.	HELLEBORE.	Ranunculaceæ. J.	_____	_____	_____	_____	_____
1 niger. W.	Christmas-Rose.	_____	Austria.	1596.	1.3.	H. 2.	Bot. mag. 8.
2 viridis. W.	green.	_____	Britain.		3.4.	H. 2.	Eng. bot. 200.
3 purpurascens. P. S.	purplish.	_____	Hungary.	1817.	—	H. 2.	Pl. rar. hung. 2. t. 101
4 odorus. W. en.	sweet-scented.	_____	_____	_____	_____	H. 2.	_____
5 dumetorum. W. en.	bushy.	_____	_____	_____	_____	H. 2.	_____
6 foetidus. W.	Bear's-foot.	_____	England.		2.4.	H. 2.	Eng. bot. 613.
7 lividus. W.	three-leaved.	_____		1710.	1.5.	F. 2.	Bot. mag. 72.
COPTIS. L. T.	COPTIS.	Ranunculaceæ. J.	<i>Hellebori sp. W.</i>	_____	_____	_____	_____
trifolia. Ph.	three-leaved.	_____	N. America.	1782.	6.7.	H. 2.	Fl. dan. 566.
CALTHA. W.	{ MARSH MARYGOLD. }	Ranunculaceæ. J.	_____	_____	_____	_____	_____
1 radicans. L. T.	creeping.	_____	Scotland.		4.5.	H. 2.	Linn. trans. 8. t. 17.
2 palustris. W.	common.	_____	Britain.		—	H. 2.	Eng. bot. 506.
β flore pleno.	double-flowered.	_____	_____	_____	_____	_____	_____
HYDROPELTIS. H. K.	HYDROPELTIS.	Ranunculaceæ. J.	<i>Brasenia. Ph.</i>	_____	_____	_____	_____
purpurea. H. K.	purple.	_____	N. America.	1798.	7.8.	F. 2.	Bot. mag. 1147.
HYDRASTIS. W.	HYDRASTIS.	Ranunculaceæ. J.	_____	_____	_____	_____	_____
canadensis. W.	Canadian.	_____	Canada.	1759.	5.6.	H. 2.	Mill. ic. 2. t. 285.

CLASS XIV.

DIDYNAMIA GYMNOSPERMIA.

AJUGA. B. P.	BUGLE.	Labiatae. J.	_____	_____	_____	_____	_____
1 orientalis. W.	oriental.	_____	Levant.	1732.	5.6.	H. 2.	Dill. elt. t. 53. f. 61.
2 pyramidalis. W.	pyramidal.	_____	Britain.		—	H. 2.	Eng. bot. 1270.
3 alpina. W.	Alpine.	_____	England.		5.7.	H. 2.	— 477.
4 genevensis. W.	Geneva.	_____	Switzerland.	1656.	5.6.	H. 2.	Bull. herb. t. 361.
5 reptans. W.	common.	_____	Britain.		—	H. 2.	Eng. bot. 489.
β alba.	white-flowered.	_____	_____	_____	_____	_____	_____
γ rubra.	red-flowered.	_____	_____	_____	_____	_____	_____
6 Chamæpitys. W.	Ground Pine.	_____	England.		4.7.	H.⊙.	Eng. bot. 77.
7 Iva. W.	musky.	_____	S. Europe.	1759.	7.8.	H.⊙.	Cav. ic. 2. t. 120.
ANISOMELES. B. P.	ANISOMELES.	Labiatae. J.	_____	_____	_____	_____	_____
ovata. H. K.	broad-leaved.	_____	E. Ind.	1783.	7.8.	S.⊙.	Burm. zeyl. t. 71. f. 1.
TEUCRIUM. W.	GERMANDER.	Labiatae. J.	_____	_____	_____	_____	_____
1 campanulatum. W.	small-flowered.	_____	Levant.	1728.	7.8.	H. 2.	_____
2 orientale. W.	great-flowered.	_____	_____	1752.	—	H. 2.	Bot. mag. 1279.
3 Botrys. W.	cut-leaved.	_____	S. Europe.	1633.	7.9.	H.⊙.	Ger. emac. 525. f. 2.
4 nissolianum. W.	Nissolle's.	_____	Spain.	1752.	6.7.	F. 2.	Mor. s. 11. t. 22. f. 19.
5 trifidum. W.	trifid-leaved.	_____	C. B. S.	1791.	6.8.	G. h.	_____
6 fruticans. W.	narrow-1 ^d . tree.	_____	Spain.	1640.	6.9.	G. h.	Dill. elt. t. 284. f. 366
7 latifolium. B. M.	broad-leav ^d . tree.	_____	_____	_____	_____	G. h.	Bot. mag. 245.
8 Marum. W.	Cat-thyme.	_____	Spain.	1640.	7.9.	F. h.	Park. theat. 17. f. 2.
9 multiflorum. W.	many-flowered.	_____	_____	1731.	—	H. 2.	Boec. mus. t. 117.
10 regium. W.	royal.	_____	_____	1699.	5.10.	F. h.	Pluk. alm. t. 65. f. 1.
11 Laxmanni. W.	Laxmann's.	_____	Siberia.	1800.	6.8.	H. 2.	Pl. rar. hung. 1. t. 69.
12 sibiricum. W.	Siberian.	_____	_____	1804.	7.	H. 2.	_____
13 asiaticum. W.	Asiatic.	_____		1777.	6.10.	G. h.	Jac. vind. 3. t. 41.

14 cubense. W.	Cuba.	Labiatae. J.	Cuba.	1733. 5. S. ♂.	Jac. obs. 2. t. 30.
15 canadense. W.	Nettle-leaved.		N. America.	1768. 8.9. H. ♀.	
16 virginicum. W.	Virginian.			— 5.6. H. ♀.	
17 inflatum. W.	thick-spiked.		Jamaica.	1778. 8.10. S. ♀.	
18 lycanicum. W.	Betony-leaved.		Persia.	1763. — H. ♀.	Arduin. spec. 13. t. 4. 2013
19 Abutiloides. W.	Mulberry-leav'd.		Madeira.	1777. 4.5. G. h.	Jac. schoen. 3. t. 358.
20 Scorodonia. W.	Wood Sage.		Britain.	 7. H. ♀.	Eng. bot. 1543.
21 betonicum. W.	hoary.		Madeira.	1775. 5.8. G. h.	Bot. mag. 1114.
22 resupinatum. W.	resupinate.		Barbary.	1801. 7.8. H. ☉.	Desf. atl. 2. t. 117.
23 massiliense. W.	sweet-scented.		France.	1731. 6.7. F. h.	Jac. vind. 1. t. 94.
24 Scordium. W.	water.		England.	 7.8. H. ♀.	Eng. bot. 828.
25 Chamædrys. W.	wall.			 5.8. H. ♀.	— 680.
26 heterophyllum. W.	various-leaved.		Madeira.	1759. 6.7. G. h.	
27 lucidum. W.	shining.		S. Europe.	1730. 6.9. H. ♀.	Magn. hort. 52.
28 flavum. W.	yellow-flowered.			1640. 7.9. F. h.	Park. theat. 109. f. 1.
29 montanum. W.	dwarf mountain.			1710. 7.10. F. h.	
30 supinum. W.	procumbent.		Austria.	1752. 6.10. H. h.	Jac. aust. 5. t. 417.
31 thymifolium. P. S.	Thyme-leaved.		Spain.	1816. — H. ♀.	
32 pyrenaicum. W.	Pyrenean.		Pyrenees.	1731. 6.8. H. ♀.	
33 aureum. W.	Golden Poley.		S. Europe.	— 6.7. F. h.	Cav. ic. 2. t. 117.
34 Polium. W.	Poley.			1562. 7.9. F. h.	Barr. rar. t. 1074.
35 flavescens. P. S.	Yellow Poley.			 — F. h.	— t. 1073.
36 gnaphalodes. P. S.	woolly-calixed.		Spain.	1816. — F. h.	— t. 1083.
37 Pseudohyssopus. W.	Hyssop-leaved.		Italy.	1804. 6.7. H. h.	Col. cephr. 1. t. 67.
38 capitatum. W.	round-headed.		Spain.	1731. 7.8. F. h.	Cav. ic. 2. t. 119.
39 pycnophyllum. P. S.	clustered.			1816. — H. ♀.	Barr. rar. 1096.
40 pumilum. W.	small.			— F. h.	— t. 1092.
41 spinosum. W.	thorny.			1640. 5.6. H. ☉.	Cav. ic. 1. t. 31.
42 subspinosum. W. en.	Minorca.		Minorca.	1816. G. h.	
WESTRINGIA. B. P.	WESTRINGIA.	Labiatae. J.			
1 rosmariniformis.	Rosemary-leav'd.		N. S. W.	1791. 5.8. G. h.	Bot. rep. 214.
2 Dampieri. B. P.	Dampier's.		N. Holland.	1803. 5.7. G. h.	
SAFUREJA. W.	SAVORY.	Labiatae. J.			
1 juliana. W.	linear-leaved.		Italy.	1596. 5.9. F. ♀.	Lam. ill. t. 504. f. 1.
2 Thymbra. W.	whorl-flowered.		Candia.	1640. 5.7. G. h.	Barr. ic. t. 898.
3 græca. W.	Grecian.		Greece.	1759. 6.7. F. ♀.	Alp. exot. t. 264.
4 montana. W.	winter.		S. Europe.	1562. — H. h.	
5 rupestris. W.	rock.		Carniola.	1793. — H. ♀.	Jac. ic. 3. t. 494.
6 hortensis. W.	summer.		Italy.	1652. 6.8. H. ☉.	Lam. ill. it. 504. f. 1.
7 capitata. W.	ciliated.		Levant.	1596. 6.10. H. h.	Barr. ic. t. 897.
8 vininea. W.	Pennyroyal-tree.		Jamaica.	1783. S. h.	
THYMBRA. W.	THYMBRA.	Labiatae. J.			
1 spicata. W.	spike-flowered.		Levant.	1699. 6.7. G. h.	Pluk. alm. t. 116. f. 5.
2 verticillata. W.	whorl-flowered.		Spain.	1702. — G. h.	
HYSSOPUS. W.	HYSSOP.	Labiatae. J.			
1 officinalis. W.	common.		S. Europe.	1548. 6.9. H. h.	Jac. aust. 3. t. 254.
2 orientalis. W. en.	oriental.		Caucasus.	 — H. h.	1589. 2200
3 Lophanthus. W.	Mint-leaved.		Siberia.	1752. 8.9. H. ♀.	Jac. vind. 2. t. 182.
4 nepetoides. W.	square-stalked.		N. America.	1692. 8.10. H. ♀.	— 1. t. 68.
5 scrophularifolius.	Figwort-leaved.			1800. 7.8. H. ♀.	Herm. parad. t. 106.
PYCNANTHE-					
MUM. Ph. }	PYCNANTHEMUM.	Labiatae. J.	Pycnanthemum & Brachystemum. Mich.		
1 incanum. Ph.	hoary.		N. America.	1732. 7.10. H. ♀.	Dill. elt. t. 74. f. 85.
2 aristatum. Ph.	awned.			1752. 8. H. ♀.	Mich. amer. 2. t. 33.
3 linifolium. Ph.	Flax-leaved.			1739. 7.8. H. ♀.	Herm. parad. t. 218.
Thymus virginicus. W.					
4 lanceolatum. Ph.	spear-leaved.			1812. — H. ♀.	
NEPETA. W.	CATMINT.	Labiatae. J.			
1 Cataria. W.	common.		Britain.	 7.9. H. ♀.	Eng. bot. 137.
2 angustifolia. W.	narrow-leaved.		Spain.	1798. 6.7. H. ♀.	
3 crispa. W.	curl-leaved.		Levant.	1800. 7.8. H. ♀.	
4 pannonica. W.	Hungarian.		Hungary.	1683. 8.10. H. ♀.	Jac. aust. 2. t. 129.
5 ærula. W.	blue.			1777. 5.6. H. ♀.	
6 violacea. W.	violet-coloured.		Spain.	1723. 7.9. H. ♀.	Boc. mus. t. 36.
7 longiflora. H. K.	long-flowered.		Persia.	1802. 6.8. H. ♀.	
8 Mussini. H. K.	scolloped-leaved.		Siberia.	1804. 5.8. H. ♀.	Bot. mag. 923v
9 incana. W.	hoary.		Levant.	1723. 8. H. ♀.	
10 ucranica. W.	Ukranian.		Ukraine.	1789. 7.8. H. ♀.	
11 Nepetella. W.	small.		S. Europe.	1758. — H. ♀.	
12 graveolens. W.	strong-smelling.			1804. — H. ♀.	All. ped. t. 2. f. N.

13 nuda. W.	naked.	Labiatae. J.	S. Europe.	1710	7.8.	H. 2.	Jac. aus. 1. t. 24.
14 colorata. W. en.	Nettle-leaved.	_____	Caucasus.	1806.	_____	H. 2.	_____
15 melissæfolia. W. en.	Balm-leaved.	_____	Candia.	1752.	_____	H. 2.	_____
16 italica. W.	Italian.	_____	Italy.	1640.	6.8.	H. 2.	Jac. vind. 2. t. 112.
17 marrubioides. W. en.	Horehound-le ^d .	_____	_____	_____	_____	H. 2.	_____
18 reticulata. W.	netted.	_____	Morocco.	1801.	7.8.	H. 2.	Desf. atl. 2. t. 124.
19 lamiifolia. W. en.	Lamium-leaved.	_____	Armenia.	1806.	_____	H. 2.	_____
20 teucrifolia. W. en.	Teucrium-leav ^d .	_____	_____	1816.	_____	H. 2.	_____
21 tuberosa. W.	tuberous-rooted.	_____	Spain.	1683.	6.8.	H. 2.	Barr. ic. t. 602.
22 lanata. W.	woolly.	_____	S. Europe.	1774.	5.6.	H. 2.	Jac. obs. 3. t. 75.
23 multifida. W.	multifid.	_____	Siberia.	1796.	7.8.	H. 2.	Gmel. sib. 3. t. 55.
24 botryoides. W.	annual.	_____	_____	1779.	6.7.	H. 2.	Cav. ic. 1. t. 49.
ELSHOLTZIA. W.	ELSHOLTZIA.	Labiatae. J.	_____	_____	_____	_____	_____
cristata. W.	crested.	_____	Siberia.	1789.	5.7.	H. 2.	Lam. ill. t. 592. f. 1.
LA'VANDULA. W.	LAVENDER.	Labiatae. J.	_____	_____	_____	_____	_____
1 Spica. W.	common.	_____	S. Europe.	1568.	7.9.	H. 2.	Schk. hand. 2. t. 157.
<i>β alba.</i>	<i>white-flowered.</i>	_____	_____	_____	_____	H. 2.	_____
2 latifolia. W. en.	broad-leaved.	_____	_____	_____	_____	H. 2.	_____
3 Stoechas. W.	French.	_____	_____	1562.	5.7.	G. 2.	Barrel. ic. t. 301.
4 viridis. W.	Madeira.	_____	Madeira.	1777.	_____	G. 2.	Hoß. et L. Ins. 1. t. 4.
5 dentata. W.	tooth-leaved.	_____	Spain.	1597.	6.9.	G. 2.	Bot. mag. 101.
6 pinnata. W.	pinnated.	_____	Madeira.	1777.	4.8.	G. 2.	_____ 400.
7 multifida. W.	cut-leaved.	_____	Canaries.	1597.	7.9.	G. 2.	Lob. ic. 432.
8 abrotanoides. W.	{ Southern- wood-leav ^d . }	_____	_____	1699.	6.9.	G. 2.	Comm. rar. t. 27.
9 carnosæ. W.	thick-leaved.	_____	E. Ind.	1788.	6.7.	S. 2.	Lin. amc. ac. 10.
SIDERITIS. W.	IRONWORT.	Labiatae. J.	_____	_____	_____	_____	_____
1 canariensis. W.	Canary.	_____	Canaries.	1697.	5.8.	G. 2.	Jac. vind. 3. t. 30.
2 candicans. W.	Mullein-leaved.	_____	Madeira.	1714.	4.7.	G. 2.	Comm. hort. 2. t. 99.
3 montana. W.	mountain.	_____	Austria.	1752.	7.8.	H. 2.	Jac. aust. 5. t. 434
4 elegans. W.	dark-flowered.	_____	_____	1787.	7.	H. 2.	Mur. com. gnet. 1. t. 4
5 romana. W.	Roman.	_____	Italy.	1740.	6.8.	H. 2.	Cav. ic. 2. t. 187.
6 syriaca. W.	Syrian.	_____	Levant.	1597.	6.9.	G. 2.	Sabb. hort. 3. t. 40.
7 perfoliata. W.	perfoliate.	_____	_____	1731.	8.11.	H. 2.	_____
8 incana. W.	Lavender-leaved	_____	Spain.	1752.	7.8.	F. 2.	Cav. ic. 2. t. 186.
9 ilicifolia. W. en.	Holly-leaved.	_____	Levant.		6.9.	H. 2.	_____
10 spinosa. W. en.	spiny.	_____	Spain.		_____	H. 2.	_____
11 hyssopifolia. W.	Hyssop-leaved.	_____	Pyrenees.	1597.	6.11.	H. 2.	Schk. hand. 2. t. 158.
12 scordioides. W.	scollop-leaved.	_____	France.	_____	8.11.	H. 2.	Barr. ic. t. 343.
13 hirsuta. W.	hairy.	_____	S. Europe.	1731.	6.7.	H. 2.	Cav. ic. 4. t. 302.
14 crispata. W. en.	curled-leaved.	_____	Gibraltar.	1816.	6.9.	F. 2.	_____
BYSTROPOGON. W.	BYSTROPOGON.	Labiatae. J.	_____	_____	_____	_____	_____
1 plumosum. W.	woolly-flowered.	_____	Canaries.	1779.	6.7.	G. 2.	_____
2 origanifolium. W.	entire-leaved.	_____	_____	1815.	7.8.	G. 2.	_____
3 canariense. W.	Canary.	_____	_____	1714.	6.8.	G. 2.	Comm. hort. 2. t. 65
4 punctatum. W.	cluster-flowered.	_____	Madeira.	1775.	7.9.	G. 2.	_____
MENTHA. W.	MINT.	Labiatae. J.	_____	_____	_____	_____	_____
1 Auricularia. W.	Indian.	_____	E. Ind.	1796.	7.8.	S. 2.	Rumph. amb. 6. t. 16
2 villosa. W.	horse.	_____	Britain.		7.	H. 2.	_____
3 sylvestris. W.	wild.	_____	_____		7.8.	H. 2.	Eng. bot. 636.
4 nemorosa. W. en.	wood.	_____	_____		_____	H. 2.	Fl. dan. t. 484.
5 rotundifolia. W.	round-leaved.	_____	England.		8.9.	H. 2.	Eng. bot. 446.
<i>β variegata.</i>	<i>variegated.</i>	_____	_____	_____	_____	_____	_____
6 gratissima. W.	oblong-leaved.	_____	Germany.	1799.	7.8.	H. 2.	_____
7 balsamea. W. en.	Balsam-scented.	_____	Italy.	1804.	_____	H. 2.	_____
8 niliaca. W.	Egyptian.	_____	Egypt.	1796.	_____	H. 2.	Jac. hort. 3. t. 87.
9 capensis. W.	Cape.	_____	C. B. S.	1816.	_____	G. 2.	_____
10 viridis. W.	spear.	_____	Britain.		8.	H. 2.	Eng. bot. 2424.
11 palustris. S. M.	marsh.	_____	_____		9.	H. 2.	_____
12 piperita. W.	pepper.	_____	England.		8.9.	H. 2.	Eng. bot. 687.
13 crispa. W.	curled.	_____	Siberia.	1640.	7.8.	H. 2.	_____
14 crispata. W. en.	crumpled.	_____	_____	1807.	_____	H. 2.	_____
15 glabrata. W.	smooth.	_____	Egypt.	1802.	_____	H. 2.	_____
16 incana. W. en.	hoary.	_____	_____	1790.	_____	H. 2.	_____
17 undulata. W. en.	wave-leaved.	_____	_____	1816.	_____	H. 2.	_____
18 odorata. H. K.	Bergamot.	_____	England.		_____	H. 2.	Eng. bot. 1025.
19 hirsuta. H. K.	hairy water.	_____	Britain.		7.9.	H. 2.	_____ 447.
20 acutifolia. H. K.	sharp-leaved.	_____	England.		9.	H. 2.	_____ 2415.
21 sativa. W.	tall red.	_____	_____		8.9.	H. 2.	_____ 448.
22 rubra. H. K.	common red.	_____	Britain.		9.	H. 2.	_____ 1413.

23 gracilis. H. K.	narrow-leaved.	Labiatae. J.	Britain.		8.	H. ½.	Eng. bot. 449.
24 gentilis. H. K.	bushy red.	_____	_____		6.8.	H. ½.	_____ 2118.
25 arvensis. H. K.	corn.	_____	_____		7.9.	H. ½.	_____ 2119.
26 agrestis. S. M.	field.	_____	_____		7.8.	H. ½.	_____ 2120.
27 præcox. S. M.	early-flowering.	_____	_____		6.	H. ½.	Sole's Mints, c. ic.
28 pratensis. S. M.	meadow.	_____	_____		8.	H. ½.	_____ t. 17.
29 rivalis. S. M.	river.	_____	_____		_____	H. ½.	_____
30 paludosa. S. M.	brook.	_____	_____		9.	H. ½.	_____
31 dentata. W. en.	toothed.	_____	Germany.	1816.	7.8.	H. ½.	_____
32 canadensis. W.	Canadian.	_____	N. America.	1801.	7.	H. ½.	_____
33 Pulegium. W.	Pennyroyal.	_____	Britain.		8.9.	H. ½.	Eng. bot. 1026.
34 cervina. W.	Hyssop-leaved.	_____	France.	1648.	6.8.	H. ½.	Mor. hist. 3. t. 7. f. 7.
PERILLA. W.	PERILLA.	Labiatae. J.	_____	_____	_____	_____	_____
ocymoides. W.	Basil-leaved.	_____	India.	1770.	7.8.	H. ½.	Arduin. spec. 2. t. 13.
HYPTIS. Poit.	HYPTIS.	Labiatae. J.	_____	_____	_____	_____	_____
1 capitata. H. K.	Jamaica.	_____	W. Ind.	1714.	6.7.	S. ½.	{ Poit. An. mus. 7. t. 27. f. 1.
2 radiata. H. K.	Carolina.	_____	Carolina.	1690.	_____	G. ½.	_____ 7. t. 27. f. 2.
3 ebracteata. H. K.	small-headed.	_____	W. Ind.	1778.	10.1.	S. ½.	_____ 7. t. 29. f. 2.
4 pectinata. H. K.	Balm-leaved.	_____	_____	1776.	12.1.	S. ½.	_____ 7. t. 30.
5 persica. P. S.	Persian.	_____	Persia.	1800.	7.	G. ½.	Linn. trans. 6. t. 12.
LEPECHINIA. W.	LEPECHINIA.	Labiatae. J.	Horminum P. S.	_____	_____	_____	_____
spicata. W.	spiked.	_____	Mexico.	1800.	7.8.	H. ½.	_____
Horminum caulescens. P. S.							
GLECHOMA. W.	GROUND IVY.	Labiatae. J.	_____	_____	_____	_____	_____
1 hederacea. W.	common.	_____	Britain.		3.5.	H. ½.	Eng. bot. 853.
2 hirsuta. P. S.	hairy.	_____	Hungary.		_____	H. ½.	Pl. rar. hung. t. 119.
LAMIUM. W.	ARCHANGEL.	Labiatae. J.	_____	_____	_____	_____	_____
1 Orvala. W.	Balm-leaved.	_____	Italy.	1596.	5.7.	H. ½.	Bot. mag. 172.
2 lævigatum. W.	smooth.	_____	_____	1711.	3.10.	H. ½.	Pluk. alm. t. 198. f. 1.
3 rugosum. W.	rough.	_____	_____	1766.	7.8.	H. ½.	Bocc. mus. 5. t. 23.
4 garganicum. W.	woolly.	_____	_____	1729.	_____	H. ½.	Exot. bot. 1. t. 48.
5 maculatum. W.	spotted.	_____	_____	1683.	6.7.	H. ½.	Col. ephr. 1. t. 185.
6 album. W.	white.	_____	Britain.		4.9.	H. ½.	Eng. bot. 768.
7 moschatum. H. K.	musk-scented.	_____	Levant.	1739.		H. ½.	_____
8 molle. W.	Pellitory-leaved.	_____		1683.	4.5.	H. ½.	_____
9 purpureum. W.	purple.	_____	Britain.		5.8.	H. ½.	Eng. bot. 769.
10 incisum. H. K.	cut-leaved.	_____	_____		5.7.	H. ½.	_____ 1933.
11 amplexicaule. W.	Henbit.	_____	_____		3.6.	H. ½.	_____ 770.
12 multifidum. W.	multifid-leaved.	_____	Levant.	1752.	4.5.	H. ½.	Comm. rar. t. 26.
GALEOPSIS. W.	HEMP-NETTLE.	Labiatae. J.	_____	_____	_____	_____	_____
1 Ladanum. W.	red.	_____	Britain.		7.9.	H. ½.	Eng. bot. 884.
2 villosa. E. B.	downy.	_____	_____		7.8.	H. ½.	_____ 2353.
3 Tetrahit. W.	common.	_____	_____		_____	H. ½.	_____ 207.
4 versicolor. H. K.	large-flowered.	_____	_____		_____	H. ½.	_____ 667.
GALEOBDOLON. E. B.	DEAD-NETTLE.	Labiatae. J.	_____	_____	_____	_____	_____
luteum. H. K.	yellow.	_____	Britain.		5.6.	H. ½.	Eng. bot. 787.
BETONICA. W.	BETONY.	Labiatae. J.	_____	_____	_____	_____	_____
1 officinalis. W.	wood.	_____	Britain.		7.8.	H. ½.	Eng. bot. 1142.
2 stricta. W.	Danish.	_____	Denmark.	1592.	6.7.	H. ½.	Park. theat. 615. f. 4.
3 incana. W.	boary.	_____	Italy.	1759.	_____	H. ½.	_____ 36 m. 21 f.
4 orientalis. W.	oriental.	_____	Levant.	1737.	_____	H. ½.	Lam. ill. t. 507. f. 2.
5 alopecurus. W.	fox-tail.	_____	S. Europe.	1759.	7.	H. ½.	Jac. aus. 1. t. 78.
6 hirsuta. W.	hairy.	_____	Italy.	1710.	6.7.	H. ½.	Mur. com. get. 2. t. 3
7 grandiflora. W.	great-flowered.	_____	Siberia.	1800.	_____	H. ½.	Bot. mag. 700.
STACHYS. W.	HEDGE-NETTLE.	Labiatae. J.	_____	_____	_____	_____	_____
1 sylvatica. W.	common.	_____	Britain.		7.8.	H. ½.	Eng. bot. 416.
2 mollissima. W. en.	soft-leaved.	_____	Corfu.	1806.	_____	H. ½.	W. Hort. ber. t. 60.
3 circinata. W.	blunt-leaved.	_____	Barbary.	1777.	5.7.	H. ½.	L'Her. s. nov. t. 26.
4 decumbens. P. S.	decumbent.	_____		1816.	_____	H. ½.	_____
5 nepetifolia. P. S.	Cat-mint-leaved.	_____		1805.	6.8.	H. ½.	_____
6 coccinea. W.	scarlet.	_____	S. America.	1798.	_____	G. ½.	Bot. mag. 666.
7 palustris. W.	{ Clown's All- heal.	_____	Britain.		8.	H. ½.	Eng. bot. 1675.
8 ambigua. H. K.	ambiguous.	_____	_____		6.7.	H. ½.	_____ 2089.
9 alpina. W.	Alpine.	_____	Germany.	1597.	6.8.	H. ½.	Lap. pyr. 1. t. 8.
10 germanica. W.	downy.	_____	England.		7.	H. ½.	Eng. bot. 829.
11 intermedia. W.	oblong-leaved.	_____	Carolina.	1762.	6.7.	H. ½.	_____
12 lanata. W.	woolly.	_____	Siberia.	1782.	6.9.	H. ½.	Jac. ic. 1. t. 107.

13 cretica. W.	Cretan.	Labiatae. J.	Candia.	1640. 6.8. H. 2.	Walt.hort.108.t.19
14 glutinosa. W.	clammy.	_____	_____	1729. 6.7. H. 2.	Mor.h.s.11.t.4.f.17
15 spinosa. W.	thorny.	_____	_____	1640. 7. F. h.	— s.11.t.10.f.9.
16 orientalis. W.	oriental.	_____	Levant.	1768. 6.7. H. 2.	_____
17 maritima. W.	sea.	_____	S. Europe.	1714. 7. H. 2.	Jac. vind. 1. t. 70.
18 obliqua. P. S.	oblique-leaved.	_____	Hungary.	1816. 6.7. H. 2.	Pl.rar.hung.t.133.
19 betonicaefolia. P. S.	Betony-leaved.	_____	Rochelle.	1812. — H. 2.	_____
20 aethiopica. W.	Ethiopian.	_____	C. B. S.	1770. 4.7. G. 2.	Jac. obs. 4. t. 77.
21 hirta. W.	procumbent.	_____	Spain.	1725. 6.8. H. 2.	All. ped. 1. t. 2. f. 3.
22 rugosa. W.	rough.	_____	C. B. S.	1774. 7.8. G. h.	Jac. ic. 3. t. 493.
23 scordifolia. W. en.	wedge-leaved.	_____	_____	1816. — H. 2.	_____
24 recta. W. en.	upright.	_____	S. Europe.	1683. 6.8. H. 2.	Jac. aust. 4. t. 359.
25 diffusa. H. R.	spreading.	_____	Levant.	1804. 7. H. 2.	Jac. aust. 4. t. 360.
26 annua. W.	annual.	_____	S. Europe.	1713. 6.8. H. 2.	Eng. bot. 1154.
27 arvensis. W.	corn.	_____	Britain.	 7.8. H. 2.	_____
28 latifolia. W.	broad-leaved.	_____	_____	1775. 6.7. H. h.	_____
29 phlomoides. W. en.	Phlomis-leaved.	_____	_____	1816. — H. 2.	_____
BALLOTA. W.	{ STINKING HOREHOUND. }	Labiatae. J.	_____	_____	_____
1 nigra. W.	black.	_____	Britain.	 7.9. H. 2.	Eng. bot. 46.
2 alba. W.	white.	_____	_____	 — H. 2.	_____
3 lanata. W.	woolly.	_____	Siberia.	1752. 6.8. H. 2.	Gmel. sib. 3. t. 54.
<i>Panzeria multifida.</i> Muench.	_____	_____	_____	_____	_____
MARRUBIUM. W.	HOREHOUND.	Labiatae. J.	_____	_____	_____
1 Alyssum. W.	plaited-leaved.	_____	Spain.	1597. 7.8. H. 2.	Ger. herb.379. f. 1.
2 astracanicum. W.	Astracan.	_____	Levant.	1816. — H. 2.	Jac. ic. 1. t. 109.
3 peregrinum. W.	Sicilian.	_____	Sicily.	1640. 7.9. H. 2.	Jac. aust. 2. t. 160.
4 creticum. W.	Cretan.	_____	Levant.	1596. — H. 2.	_____
5 candidissimum. W.	woolly-white.	_____	_____	1732. — H. 2.	Dill.elt.t.274.f.214
6 supinum. W.	procumbent.	_____	S. Europe.	1714. 8.10. H. 2.	Bocc. mus. 2. t. 96.
7 vulgare. W.	common white.	_____	Britain.	 6.9. H. 2.	Eng. bot. 410.
8 africanum. W.	African.	_____	C. B. S.	1710. 7.9. G. 2.	Comm.hort.2.t.90.
9 crispum. W.	curl-leaved.	_____	S. Europe.	1714. 7.8. H. 2.	Herm.parad.t.200.
10 hirsutum. W.	hirsute.	_____	_____	 6.7. H. 2.	_____
11 hispanicum. W.	Spanish.	_____	Spain.	1714. 7.8. H. 2.	Herm. parad. t.201.
12 Pseudo-Dictamnus. W.	shrubby white.	_____	Candia.	1596. — F. h.	Lam. ill. t. 508. f. 2.
13 acetabulosum. W.	saucer-leaved.	_____	_____	1676. 6.8. F. 2.	Barr. ic. 129.
LEONURUS. B. P.	MOTHERWORT.	Labiatae. J.	_____	_____	_____
1 crispus. W.	curl-leaved.	_____	Siberia.	1658. 7.8. H. 2.	Murr. c. gœt. 8. t. 4.
2 Cardiac. W.	common.	_____	Britain.	 — H. 2.	Eng. bot. 286.
3 tataricus. W.	Tartarian.	_____	Russia.	1756. 8.10. H. 2.	Mill. ic. 1. t. 80.
4 sibiricus. W.	Siberian.	_____	Siberia.	1759. 6.8. H. 2.	Exot. bot. 2. t. 94.
5 marrubiasum. W.	small-flowered.	_____	Austria.	1710. — H. 2.	Jac. aust. 5. t. 405.
6 supinus. W.	procumbent.	_____	Siberia.	1816. — H. 2.	_____
PHLOMIS. B. P.	PHLOMIS.	Labiatae. J.	_____	_____	_____
1 fruticosa. W. en.	Jerusalem Sage.	_____	Spain.	1596. 6.7. H. h.	Bot. mag. 1843.
2 lanata. W. en.	small-shrubby.	_____	_____	— H. h.	_____
3 purpurea. W.	purple.	_____	S. Europe.	1661. 6.8. H. h.	Smith spicil. 6. t. 3.
4 italica. W.	Italian.	_____	Italy.	— H. h.	_____
5 Nissolii. W.	Nissolle's.	_____	Levant.	1757. 6.7. F. 2.	Mill. ic. 2. t. 204.
6 Lychnites. W.	lamp-wick.	_____	S. Europe.	1658. 6.8. G. h.	Bot. mag. 999.
7 Samia. W.	Samian.	_____	N. Africa.	1714. 6.7. H. 2.	— 1891.
8 Herba-venti. W.	rough-leaved.	_____	S. Europe.	1596. 7.9. H. 2.	_____
9 alpina. W.	Alpine.	_____	Siberia.	1802. 6.9. H. 2.	Pall. act. pet. 2. t. 13.
10 tuberosa. W.	tuberous.	_____	_____	1759. 6.10. H. 2.	Bot. mag. 1555.
11 laciniata. W.	jagged-leaved.	_____	Levant.	1731. 7. H. 2.	_____
LEUCAS. B. P.	LEUCAS.	Labiatae. J.	<i>Phlomis sp. W.</i>	_____	_____
1 zeylanica. B. P.	Ceylon.	_____	E. Ind.	1777. 6.10. S. 2.	Jac. ic. 1. t. 111.
2 martinicensis. B. P.	West-Indian.	_____	W. Ind.	1781. 7.9. S. 2.	— 1. t. 110.
3 urticifolia. B. P.	Nettle-leaved.	_____	E. Ind.	1810. — S. 2.	_____
4 indica. B. P.	Indian.	_____	_____	1789. 7.8. S. 2.	_____
LEONOTIS. B. P.	LION'S-TAIL.	Labiatae. J.	<i>Phlomis sp. W.</i>	_____	_____
1 nepetifolia. H. K.	Catmint-leaved.	_____	E. Ind.	1778. 9.10. S. 2.	Herm. lugdb. t. 117.
2 Leonurus. H. K.	narrow-leaved.	_____	C. B. S.	1712. 10.12. G. h.	Bot. mag. 478.
3 Leonitis. H. K.	dwarf-shrubby.	_____	_____	1713. 6.7. G. h.	Mill. ic. 2. t. 162. f. 1.
MOLUCCELLA. W.	MOLUCCA-BALM	Labiatae. J.	_____	_____	_____
1 prickle. W.	prickly.	_____	Levant.	1596. 7.8. H. 2.	Lam. ill. t. 510.
2 laevis. W.	smooth.	_____	Syria.	1570. — H. 2.	Bot. mag. 1852.
3 tuberosa. W.	tuberous-rooted.	_____	Tartary.	1796. 7. H. 2.	Pall. it. 3. t. T.

CLINOPODIUM. W.		WILD-BASIL.	Labiatae. J.				
1	vulgare. W.	common.	Britain.		6.8.	H. ♀.	Eng. bot. 1401.
2	ægyptiacum. W.	Egyptian.	Egypt.	1759.	—	H. ♀.	
ORIGANUM. W.		MARJORAM.	Labiatae. J.				
1	ægyptiacum. W.	Egyptian.	Egypt.	1731.	6.8.	G. ♀.	Alp. ægypt. t. 95.
2	Dictamnus. W.	Dittany of Crete.	Candia.	1551.	—	G. ♀.	Bot. mag. 298.
3	sipyleum. W.	Mount Sipylus.	Levant.	1699.	6.9.	G. ♀.	Herm. logd. t. 463.
4	Tournefortii. W.	Tournefort's.	Amorgos.	1788.	8.9.	G. ♀.	Bot. rep. 537.
5	creticum. W.	Cretan.	S. Europe.	1596.	7.8.	H. ♀.	Schh. hand. 2. t. 164.
6	smyrnæum. W.	Smyrna.	Smyrna.	1722.	6.7.	G. ♀.	
7	heracleoticum. W.	winter sweet.	S. Europe.	1640.	6.11.	H. ♀.	Lob. ic. 492.
8	vulgare. W.	common.	Britain.		6.10.	H. ♀.	Eng. bot. 1143.
9	Onites. W.	pot.	Sicily.	1759.	7.11.	H. ♀.	Bocc. mus. t. 38.
10	Majorana. W.	knotted.	Portugal.	1573.	6.7.	F. ♂.	Moris. s. 11. t. 3. f. 1.
11	salvifolium. Roth.	Sage-leaved.				F. ♀.	
12	majoranoides. W.	shrubby sweet.				F. ♀.	
THYMUS. P. S.		THYME.	Labiatae. J.				
1	Serpyllum. W.	wild.	Britain.		6.8.	H. ♀.	Eng. bot. 1514.
2	lanuginosus. W.	woolly.				H. ♀.	
3	citriodorus. P. S.	Lemon.				H. ♀.	
4	angustifolius. P. S.	narrow-leaved.				H. ♀.	
5	vulgaris. W.	garden.	S. Europe.	1548.	5.8.	H. ♀.	
6	ericefolius. Roth.	Heath-leaved.	Spain.	1806.	6.8.	H. ♀.	
7	acicularis. P. S.	needle-leaved.	Hungary.	—	—	H. ♀.	Pl. rar. hung. 2. t. 147
8	lucidus. W. en.	shining-leaved.		1816.	—	H. ♀.	
9	Mastichina. W.	Mastick.	Spain.	1596.	7.9.	F. ♀.	Blackw. t. 134.
10	montanus. W.	mountain.	Hungary.	1800.	6.7.	H. ♀.	Pl. rar. hung. 1. t. 71.
11	tomentosus. W. en.	toméntose.	Spain.	1816.	6.8.	H. ♀.	
12	Zygis. W.	Spanish.	—	1771.	8.	H. ♀.	Barrel. ic. 777.
13	croaticus. P. S.	oval-leaved.	Hungary.	1892.	7.8.	H. ♀.	Pl. rar. hung. 2. t. 156
14	cephalotus. W.	great-headed.	Portugal.	1759.	—	F. ♀.	Hof. et Lin. lus. 1. 13
15	villosus. W.	hairy.	—	—	6.7.	F. ♀.	1. t. 14.
16	Tragoriganum. W.	goat's.	Candia.	1640.	5.6.	F. ♀.	Alp. exot. t. 78.
17	filiformis. W.	Minorca.	Minorca.	1779.	6.7.	G. ♀.	
ACYNOS. P. S.		ACYNOS.	Labiatae. J.	<i>Thymi sp. W.</i>			
1	vulgaris. P. S.	Basil-leaved.	Britain.		6.8.	H. ♂.	Eng. bot. 411.
<i>Thymus Acinos. W.</i>							
2	villosus. P. S.	villous.	Germany.	1817.	—	H. ♂.	
3	alpinus. P. S.	Alpine.	Austria.	1731.	6.9.	F. ♂.	Jac. aust. 1. t. 97.
4	patavinus. P. S.	Marjoram-leav'd.	S. Europe.	1776.	6.8.	H. ♂.	Jac. obs. 4. t. 87.
CALAMINTHA. Ph.		CALAMINT.	Labiatae. J.	<i>Melisse sp. W.</i>	<i>Thymi sp. Smith.</i>		
1	grandiflora. P. S.	great-flowered.	Italy.	1596.	6.9.	H. ♀.	Bot. mag. 208.
2	caroliniana.	Carolina.	Carolina.	1804.	6.7.	F. ♀.	997.
<i>grandiflora. Ph.</i>		<i>Thymus grandiflorus. B. M.</i>					
3	vulgaris.	common.	England.		7.8.	H. ♀.	Eng. bot. 1676.
4	Nepeta. Ph.	lesser.	—		7.10.	H. ♀.	1414.
5	marifolia. P. S.	Marum-leaved.	Spain.	1788.	6.7.	H. ♀.	Cav. ic. 6. t. 576.
6	cretica. P. S.	Cretan.	S. Europe.	1596.	—	F. ♀.	Barr. ic. 1166.
7	fruticosa. P. S.	shrubby.	Spain.	1752.	7.9.	F. ♀.	
MELISSA. W.		BALM.	Labiatae. J.				
	officinalis. W.	common.	S. Europe.	1573.	6.10.	H. ♀.	
	<i>β romana.</i>	<i>hairy.</i>					
DRACOCEPHA-		DRAGON'S HEAD.	Labiatae. J.				
LUM. W.							
1	virginianum. W.	Virginian.	N. America.	1683.	7.9.	H. ♀.	Bot. mag. 467.
2	denticulatum. W.	Carolina.	Carolina.	1787.	8.9.	H. ♀.	214.
3	variegatum. Ph.	variegated.	—	1812.	—	H. ♀.	Vent. cels. t. 44.
4	canariense. W.	Balm of Gilead.	Canaries.	1697.	7.9.	G. ♀.	Comm. hort. 2. t. 41.
5	palmatum. W.	palmated.	Siberia.	1815.	6.8.	H. ♀.	
6	peregrinum. W.	prickly-leaved.	—	1759.	7.8.	H. ♀.	Bot. mag. 1084.
7	austriacum. W.	Austrian.	Austria.	1597.	6.7.	H. ♀.	Jac. ic. 1. t. 112.
8	Ruyschiana. W.	Hyssop-leaved.	N. Europe.	1699.	—	H. ♀.	Fl. dan. 121.
9	grandiflorum. W.	great-flowered.	Siberia.	1759.	7.	H. ♀.	Bot. mag. 1009.
10	altaianse. W.	Betony-leaved.	Georgia.	1787.	7.8.	H. ♀.	{ Nov. com. pet. t. 29. f. 3.
11	sibiricum. W.	Siberian.	Siberia.	1760.	6.9.	H. ♀.	Gmel. sib. 3. t. 51.
12	Moldavica. W.	Moldavian.	Moldavia.	1596.	7.8.	H. ♂.	Lam. ill. t. 513. f. 1.
13	canescens. W.	hoary.	Levant.	1711.	—	H. ♂.	Mill. ic. 1. t. 129.
14	pelatium. W.	Willow-leaved.	—	1711.	—	H. ♂.	Lam. ill. t. 513. f. 2.

15 nutans. W.	nodding.	Labiatae. J.	Siberia.	1731. 7.8. H. ♀.	Gmel. sib. 3. t. 49.	041
16 thymiflorum. W.	small-flowered.			1752. 6.9. H. ♂.	3. t. 50.	
MELITISS. W.	BASTARD-BALM.	Labiatae. J.				
1 Melissophyllum. W.	common.		England.	 5.6. H. ♀.	Eng. bot. 577.	
β alpina.	Alpine.		Switzerland.	 H. ♀.		
2 grandiflora. H. K.	great-flowered.		England.	 5. H. ♀.	Eng. bot. 636.	
OCYIMUM. W.	BASIL.	Labiatae. J.				
1 thyrseiflorum. W.	thyrse-flowered.		E. Ind.	1806. 7.8. S. ♂.	Jac. vind. 3. t. 72.	
2 suave. W. en.	sweet-scented.			1816. 7.9. S. h.		
3 viride. W. en.	green.			 S. h.		
4 monachorum. W.	monk's.		E. Ind.	1796. 7.8. S. ♂.		
5 gratissimum. W.	shrubby.			1752. — S. h.	Jac. ic. 3. t. 495.	
6 grandiflorum. W.	great-flowered.		Abyssinia.	1802. 9.10. G. h.	L'Her. s. nov. t. 43.	
7 Basilicum. W.	common sweet.		India.	1548. 7.8. H. ♂.	Blackw. t. 104.	
8 minimum. W.	bush.		E. Ind.	1573. — H. ♂.	Schk. hand. 2. t. 166.	
9 sanctum. W.	purple-stalked.			1758. 7.9. S. ♂.	Rheed. mal. 10. t. 92.	
10 pilosum. W. en.	ciliated.			1816. — S. ♂.		
11 americanum. W.	American.		India.	1789. 7.8. S. ♂.	Jac. vind. 3. t. 86.	
12 tenuiflorum. W.	slender-spiked.		E. Ind.	1708. — S. ♂.	Rum. am. 5. t. 92. f. 2.	
13 polystachion. W.	many-spiked.			1783. — S. ♂.	Murr. com. got. 3. t. 3.	
14 menthoides. W.	Mint-leaved.			 S. ♂.		
15 micranthum. W. en.	small-flowered.			1816. — S. ♂.		
16 molle. W.	heart-leaved.		E. Ind.	1781. 9.10. S. ♂.		
17 capitellatum. W.	small-headed.		China.	1806. 7.8. H. ♂.		
PLECTRANTHUS. W.	PLECTRANTHUS.	Labiatae. J.				
1 fruticosus. W.	shrubby.		C. B. S.	1774. 6.9. G. h.	L'Her. stirp. 85. t. 41	
2 Forskohlæi. W.	Forskohl's.		Abyssinia.	1806. 10.11. S. h.	Bot. rep. 594. 2036	
3 parviflorus. W. en.	small-flowered.		S. America.	1805. 6.9. G. h.	W. hort. ber. 1. t. 65.	
	parviflorus. B. P. is a different species.					
4 scutellarioides. B. P.	skullcap-like.		E. Ind.	1764. 7.8. S. ♂.	Bot. mag. 1446.	
	Ocimum scutellarioides. H. K.					
5 punctatus. W.	dotted.		Africa.	1775. 1.5. G. ♂.	L'Her. stirp. 87. t. 41	
TRICHOSTEMA. W.	TRICHOSTEMA.	Labiatae. J.				
1 dichotoma. W.	Marjoram-leav'd.		N. America.	1759. 6.7. H. ♂.		
2 brachiata. W.	sessile-leaved.			1732. 6.8. H. ♂.	Dill. elt. t. 285. f. 369	
PROSTANTHERA } B. P.	PROSTANTHERA.	Labiatae. J.				
lasianthos. B. P.	villous-flowered.		N. S. W.	1808. 6.7. G. h.	Bot. reg. 143. 2231	
SCUTELLARIA. W.	SKULL-CAP.	Labiatae. J.				
1 orientalis. W.	yellow-flowered.		Levant.	1729. 7.9. H. ♀.	2123	
2 grandiflora. P. S.	large-flowered.		Siberia.	1804. 7.8. H. ♀.	Bot. mag. 635.	
3 alba. W.	hairy.		Levant.	1771. 6.7. H. ♀.	Sab. hort. 3. t. 29.	
4 alpina. W.	Alpine.		Hungary.	1752. 6.10. H. ♀.	Pl. rar. hung. 2. t. 137.	
5 lupulina. W.	Tartarian.		Tartary.	1739. 6.9. H. ♀.	Schmidel ic. t. 73.	
6 lateriflora. W.	Virginian.		N. America.	1752. — H. ♀.		
7 pilosa. Ph.	pubescent.			1805. 7.8. H. ♀.		
8 galericulata. W.	common.		Britain.	 6.9. H. ♀.	Eng. bot. 523.	
9 minor. W.	lesser.			 7.8. H. ♀.	524.	
10 hastifolia. W.	hastate-leaved.		Germany.	1798. 6.7. H. ♀.		
11 caroliniana. Ph.	Carolina.		Carolina.	1811. — H. ♀.	Lam. ill. t. 515. f. 3.	
12 integrifolia. Ph.	entire-leaved.		N. America.	1731. 6.9. H. ♀.	Fluk. alm. t. 441. f. 6.	
13 serrata. Ph.	saw-leaved.			1800. — H. ♀.	Bot. rep. 494.	
14 havanensis. W.	Havannah.		Havannah.	1793. 5.6. S. ♀.	Jac. obs. 2. t. 29.	
15 peregrina. W.	Florentine.		Italy.	1683. 6.10. H. ♀.	Pl. rar. hun. 2. t. 125.	
16 Columnæ. W.	heart-leaved.			1806. 6.8. H. ♀.	Colum. exp. 1. t. 189	
17 altissima. W.	tall.		Levant.	1731. 7.8. H. ♀.	2508	
18 cretica. W.	Cretan.		Crete.	1729. 6.7. G. h.		
PRUNELLA. W.	SELF-HEAL.	Labiatae. J.				
1 vulgaris. W.	common.		Britain.	 7.8. H. ♀.	Eng. bot. 961.	
β alba.	white-flowered.					
2 ovata. P. S.	oval-leaved.		America.	 — H. ♂.		
3 pennsylvanica. W.	Pennsylvanian.		N. America.	1801. 7.9. H. ♀.	W. hort. ber. t. 9.	
4 hyssopifolia. W.	Hyssop-leaved.		France.	1731. — H. ♀.	Mor. s. 11. t. 5. f. 7.	
5 grandiflora. W.	great-flowered.		Austria.	1596. — H. ♀.	Bot. mag. 337. 2013	
6 laciniata. P. S.	yellow-flowered.			1713. — H. ♂.	Lam. ill. t. 516. f. 2.	
7 intermedia. P. S.	various-leaved.		Portugal.	1790. — H. ♀.		
CLEONIA. W.	CLEONIA.	Labiatae. J.				
lusitanica. W.	sweet-scented.		Portugal.	1710. 6.7. H. ♂.	Mill. ic. 1. t. 70.	
PRASIUM. W.	PRASIUM.	Labiatae. J.				
1 majus. W.	great Spanish.		Spain.	1699. 6.8. F. h.	Lam. ill. t. 516.	
2 minus. W.	small Sicilian.		Sicily.	1752. — F. h.		

PHRYMA. W.	PHRYMA.	Labiatae. J.			
Leptostachya. W.	slender-spiked.		N. America.	1802. 8.9. H. 2.	
SELAGO. W.	SELAGO.	Verbenaceae. J. in Ann. Mus.			
1 corymbosa. W.	fine-leaved.		C. B. S.	1699. 7.8. G. h.	Com. hort. 2. t. 40.
2 canescens. W.	canescent.			1812. 7.11. G. h.	
3 diffusa. Th.	spreading.			1807. 7.8. G. h.	
4 ovata. W.	oval-headed.			1774. 6.7. G. h.	Bot. mag. 186.
5 polygaloides. Th.	Milkwort-like.			1807. 7.10. G. h.	
6 spuria. W.	linear-leaved.			1779. 7.10. G. h.	
7 fasciculata. W.	cluster-flowered.			1774. 6.7. G. h.	Bot. reg. 184.
8 lucida. P. S.	shining-leaved.			1812. — G. h.	Vent. malm. t. 10.

ANGIOSPERMIA.

HEBENSTRETIA. W.	HEBENSTRETIA.	Verbenaceae. J. in Ann. Mus.			
1 dentata. W.	toothed.		C. B. S.	1739. 5.9. G. ①.	Bot. mag. 483.
2 integrifolia. W.	entire-leaved.			1792. 5.6. G. h.	Bot. rep. 252.
	<i>aurea. B. Rep.</i>				
3 ciliata. W.	ciliated.			1815. 5.7. G. h.	
4 spicata. W.	spiked.			— G. 2.	
5 erinoides. Th.	Erinus-leaved.			1816. 5.11. G. h.	<i>B. 1970. puber</i>
6 cordata. W.	heart-leaved.			1774. 7.8. G. h.	
CLERODENDRUM } CLERODENDRUM.	Verbenaceae. B. P.				
B. P.					
1 fragrans. H. K.	fragrant.		China.	1790. 12.8. S. h.	Vent. malm. 70.
	<i>β flore pleno.</i>				S. h. Bot. mag. 1834.
2 viscosum. H. K.	clammy.		E. Ind.	1796. 5.8. S. h.	1805. <i>4629</i>
3 infortunatum. P. S.	long-flowered.			 S. h.	
4 fortunatum. W.	spear-leaved.			1784. 7. S. h.	Osborne. it. t. 11.
5 squamatum. H. K.	scarlet.		China.	1790. 6.9. S. h.	Jac. ic. 3. t. 500. <i>642</i>
6 paniculatum. W.	panicled.		Java.	1809. 7.10. S. h.	Bot. rep. 628. <i>19 500</i>
7 trichotomum. W.	three-forked.		Japan.	1800. G. h.	
8 tomentosum. B. P.	downy.		N. S. W.	1794. 3.4. G. h.	Bot. mag. 1518.
9 ligustrinum. H. K.	Privet-leaved.		Mauritius.	1789. 8.11. S. h.	Jac. col. sup. t. 5. f. 1.
10 heterophyllum. H. K.	various-leaved.			1805. 8.9. S. h.	Bot. rep. 554.
11 inerme. H. K.	smooth.		E. Ind.	1692. 8.11. S. h.	Jac. col. sup. t. 4. f. 1.
12 Siphonanthus. H. K.	whorl-leaved.			1796. S. h.	Burm. ind. t. 43. f. 1.
VOLKAMERIA. H. K.	VOLKAMERIA.	Verbenaceae. B. P.			
aculeata. H. K.	prickly.		W. Ind.	1739. 8.10. S. h.	Brown. jam. t. 20. f. 2
HOLMSKIOLDIA. } HOLMSKIOLDIA.	Verbenaceae. P. S.		<i>Platunium. J. Hastingsia. Ex. bot.</i>		
H. K.					
sanguinea. W.	scarlet.		India.	1796. S. h.	Exot. bot. 2. t. 80.
VITEX. W.	CHASTE-TREE.	Verbenaceae. B. P.			<i>2. 692</i>
1 ovata. W.	oval-leaved.		China.	1796. 7.8. S. h.	
2 altissima. W.	tall.		Ceylon.	1802. S. h.	
3 Agnus-Castus. W.	common.		Sicily.	1570. 9. F. h.	
	<i>β latifolia.</i>				
4 incisa. W.	cut-leaved.		China.	1758. 7.9. G. h.	Bot. mag. 364.
5 Leucoxydon. W.	white-wooded.		Ceylon.	1793. S. h.	
6 Negundo. W.	quadrangular.		E. Ind.	1812. S. h.	Rumph. amb. 4. t. 19
7 bicolor. W. en.	two-coloured.			1810. S. h.	
8 trifolia. W.	three-leaved.			1759. S. h.	Rheed. mal. 2. t. 11. <i>717</i>
CORNUTIA. P. S.	CORNUTIA.	Verbenaceae. B. P.			
pyramidalata. P. S.	pyramidal.		W. Ind.	1733. S. h.	Lam. ill. t. 541.
HOSTA. Jac.	HOSTA.	Verbenaceae. B. P.	<i>Cornutia sp. W.</i>		
cærulea. Jac.	blue-flowered.		S. America.	 S. h.	Jac. schœn. 1. t. 114.
GMBELINA. W.	GMBELINA.	Verbenaceae. B. P.			<i>2611</i>
1 asiatica. W.	oval-leaved.		E. Ind.	1792. S. h.	Lam. ill. t. 542.
2 parviflora. Rox.	obovate-leaved.			1817. S. h.	Roxb. cor. t. 32.
PETRÆA. W.	PETRÆA.	Verbenaceae. P. S.			
volubilis. W.	climbing.		Vera Cruz.	1733. 7.3. S. h.	Bot. mag. 628.
CITHAREXYLUM. W.	FIDDLE-WOOD.	Verbenaceae. P. S.			
1 cinereum. W.	ash-coloured.		W. Ind.	1739. S. h.	Jac. amer. t. 118.
2 caudatum. W.	oval-leaved.		Jamaica.	1763. S. h.	Jac. ic. 3. t. 501.
3 villosum. W.	hairy-leaved.		St. Domingo.	1784. S. h.	— t. 118.
4 pentandrum. P. S.	pentandrous.		Portorico.	1815. S. h.	Vent. cels. t. 47.
5 quadrangulare. W.	square-stalked.		Jamaica.	1759. S. h.	Jac. vind. 1. t. 22.
DURANTA. W.	DURANTA.	Verbenaceae. P. S.			
1 Plumieri. W.	smooth.		S. America.	1733. 10. S. h.	Bot. reg. 244.
2 Ellisia. W.	prickly.		W. Ind.	1739. 8. S. h.	Bot. mag. 1759.

LANTANA. W.	LANTANA.	Verbenaceæ. P. S.			
1 mista. W.	Nettle-leaved.	W. Ind.	1732. 8.10.	S. h.	Dill. elt. t. 56. f. 64.
2 trifolia. W.	three-leaved.	—	1733. 6.9.	S. h.	Bot. mag. 1449.
3 annua. W.	annual.	S. America.	—	7.8.	— 1022.
4 stricta. W.	narrow-leaved.	Jamaica.	—	S. h.	Slojam. 2. t. 195. f. 4.
5 Radula. W.	Rasp-leaved.	W. Ind.	1803.	S. h.	—
6 Camara. W.	various-coloured.	—	1691. 4.9.	S. h.	Dill. elt. t. 56. f. 65.
7 involucreta. W.	round-leaved.	—	1690. 5.7.	S. h.	Pluk. alm. t. 114. f. 5.
8 recta. W.	upright.	Jamaica.	1758. 6.8.	S. h.	Jac. schæn. 3. t. 360.
9 odorata. W.	sweet-scented.	W. Ind.	—	5.11.	S. h. Plum. ic. t. 71. f. 2.
10 melissæfolia. W.	Balm-leaved.	—	1732. 7.9.	S. h.	Dill. elt. t. 57. f. 66.
11 scabrida. W.	rough.	—	1774. 9.	S. h.	—
12 nivea. P. S.	white-flowered.	E. Ind.		7.9.	S. h. Vent. malm. t. 8.
13 aculeata. W.	changeable-col'd.	W. Ind.	1692. 4.11.	S. h.	Bot. mag. 96.
SPIELMANNIA. W.	SPIELMANNIA.	Verbenaceæ. J.			
africana. W.	læx-leaved.	C. B. S.	1710. 2.11.	G. h.	Bot. mag. 1893.
ZAPANIA. J.	ZAPANIA.	Verbenaceæ. B. P.			
1 stœchadifolia. P. S.	oval-spiked.	<i>Verbenæ sp. Linn.</i>	—	—	—
2 nodiflora. Ph.	knot-flowered.	W. Ind.	1732. 8.9.	S. 2.	Brown. jam. t. 3. f. 1.
PRIVA. P. S.	PRIVA.	Verbenaceæ. P. S.			
1 mexicana. P. S.	Mexican.	<i>Blæria. Gært.</i>	—	—	—
<i>Verbenæ mexicana. W.</i>	—	Mexico.	1726. 8.9.	S. 2.	Dill. elt. t. 302. f. 389.
2 leptostachya. P. S.	rough.	E. Ind.	1799. 7.8.	S. 2.	Rox. cor. 2. t. 146.
<i>Tortula aspera. W.</i>	<i>Streptium asperum. Roxb.</i>	—	—	—	—
ALOYSIA. P. S.	ALOYSIA.	Verbenaceæ. P. S.			
citriodora. P. S.	Lemon-scented.	<i>Verbenæ sp. W.</i>	—	—	—
<i>Verbenæ triphylla. B. M.</i>	—	Chili.	1784. 5.9.	G. h.	Bot. mag. 367.
VERBENA. B. P.	VERVAIN.	Verbenaceæ. B. P.			
1 bonariensis. W.	cluster-flowered.	Buenos Ayres.	1732. 7.10.	H. 3.	Dill. elt. t. 300. f. 387.
2 hastata. W.	halberd-leaved.	Canada.	1710. 6.8.	H. 2.	Herm. parad. t. 242.
3 paniculata. P. S.	panicked.	N. America.	1800. 7.8.	H. 2.	—
4 angustifolia. H. K.	narrow-leaved.	—	1802. 6.8.	H. 2.	—
5 caroliniana. W.	Carolina.	—	1732. 6.9.	H. 2.	Dill. elt. t. 301. f. 388.
6 urticifolia. W.	Nettle-leaved.	—	1683. 7.9.	H. 2.	Rob. ic. 26.
7 stricta. Ph.	upright.	—	1802. 7.8.	H. 2.	Vent. cels. 53.
8 Aubletia. W.	Rose.	—	1774. 6.8.	F. 3.	Bot. mag. 308.
9 bracteosa. Ph.	long-bracted.	—	1812. 7.	H. 2.	—
10 spuria. W.	jagged-leaved.	—	1731. 7.8.	H. 3.	—
11 officinalis. W.	common.	Britain.		6.9.	H. 2. Eng. bot. 769.
12 supina. W.	trailing.	Spain.	1640. 6.7.	H. 2.	Park. theat. 675. f. 2.
13 prostrata. H. K.	prostrate.	N. America.	1794. —	H. 2.	—
MYOPORUM. B. P.	MYOPORUM.	Myoporinæ. B. P.			
1 ellipticum. B. P.	smooth-leaved.	<i>Pogonia. Bot. rep.</i>	—	—	—
2 acuminatum. B. P.	acuminate.	N. S. W.	1789. 1.3.	G. h.	Bot. rep. 283.
3 parvifolium. B. P.	small-leaved.	—	1812.	G. h.	—
4 tuberculatum. B. P.	tubercled.	N. Holland.	1803. 1.12.	G. h.	Bot. mag. 1691.
5 viscosum. B. P.	viscid.	—	1803.	G. h.	—
6 debile. B. P.	procumbent.	—		G. h.	—
7 diffusum. B. P.	diffuse.	N. S. W.	1793. 5.8.	G. h.	Bot. mag. 1832.
8 oppositifolium. B. P.	opposite-leaved.	N. Holland.		8.2.	G. h.
STENOCHILUS. B. P.	STENOCHILUS.	Myoporinæ. B. P.			
glaber. B. P.	smooth-leaved.	N. Holland.	1803. 1.12.	G. h.	Bot. mag. 1942.
BONTIA. B. P.	BONTIA.	Myoporinæ. B. P.			
daphnoides. W.	Barbadoes.	W. Ind.	1690. 6.	S. h.	Dill. elt. t. 49. f. 57.
AVICENNIA. B. P.	AVICENNIA.	Myoporinæ. B. P.			
tomentosa. B. P.	downy-leaved.	India.	1793.	S. h.	Palis. d'Owar. t. 47.
PEDALIMUM. W.	PEDALIMUM.	Pedalinæ. B. P.			
Murex. W.	prickly-fruited.	E. Ind.	1778. 8.9.	S. 2.	Lam. ill. t. 528.
BIGNONIA. W.	{ TRUMPET- FLOWER. }	Bignoniaceæ. B. P.			
1 Unguis. W.	Barbadoes.	<i>Bignonia & Tecoma. J.</i>	—	—	—
2 æquinoctialis. W.	equinoctial.	W. Ind.	1759.	S. h.	Plum. amer. t. 94.
3 alliacea. W.	Garlick-scented.	Guiana.	1768.	S. h.	Plum. ic. t. 55. f. 1.
4 laurifolia. W.	Laurel-leaved.	W. Ind.	1790.	S. h.	—
5 paniculata. W.	panicked.	Guiana.	1804.	S. h.	—
6 crucigera. W.	cross-bearing.	W. Ind.	1738.	S. h.	Plum. ic. 56. f. 1.
7 uncata. B. M.	hooked.	S. America.	1759.	S. h.	— t. 58.
8 capreolata. W.	four-leaved.	Guiana.	1804. 6.9.	S. h.	Bot. mag. 1611.
9 pubescens. W.	downy.	N. America.	1710. 6.7.	H. 2.	— 864.
		Campeachy.	1759. —	S. h.	—

10 venusta. B. reg.	comely.	Bignoniaceæ. B. P.	S. America.	1816.	9.12.	S. h.	Bot. reg. 249.	2450
11 echinata. W.	bristly-fruited.	_____	Guiana.	1804.		S. h.	Aub. gui. 2. t. 264.	
12 triphylla. W.	three-leaved.	_____	S. America.	1733.	_____	S. h.	_____	
13 pentaphylla. W.	five-leaved.	_____	Jamaica.	_____		S. h.	Marcg. bras. t. 118.	
14 Lencoxylon. W.	white-wooded.	_____	W. Ind.	1759.	6.7.	S. h.	Bot. rep. 43.	
15 radicans. W.	Ash-leaved.	_____	N. America.	1640.	7.8.	H. h.	_____	
<i>a major.</i>	<i>Great Ash-leaf'd.</i>	_____	_____	_____	_____	_____	Bot. mag. 485.	
<i>β minor.</i>	<i>Small Ash-leaf'd.</i>	_____	_____	_____	_____	_____	Cates. car. 1. t. 65.	
16 grandiflora. W.	large-flowered.	_____	China.	1800.	7.8.	G. h.	Bot. mag. 1398.	
17 stans. W.	branching.	_____	America.	1730.	8.	S. h.	Plum. ic. t. 54.	
18 chelonoides. W.	tree.	_____	E. Ind.	1808.		S. h.	Rheed. mal. 6. t. 26.	
19 spathacea. W.	salver-shaped.	_____	_____	1794.		S. h.	Rox. cor. 2. t. 144.	
<i>Spathodea longiflora. P. S.</i>	_____	_____	_____	_____	_____	_____	_____	
20 australis. H. K.	New South Wales.	_____	N. S. W.	1793.	4.7.	G. h.	Bot. mag. 865.	
<i>Pandoræ. B. M.</i>	<i>Tecoma australis. B. P.</i>	_____	_____	_____	_____	_____	_____	
21 indica. W.	Indian.	_____	India.	1775.		S. h.	Rheed. mal. 1. t. 43.	
22 procera. W.	Box-leaved.	_____	Guiana.	1793.		S. h.	Aub. gui. 2. t. 265.	
23 cerulea. W.	blue-flowered.	_____	Bahama Isl ^s .	1724.	7.8.	G. h.	Cat. car. 1. t. 42.	
<i>Jacaranda caroliniana. P. S.</i>	_____	_____	_____	_____	_____	_____	_____	
SESAMUM. W.	OILY-GRAIN.	Bignoniaceæ? J.	_____	_____	_____	_____	_____	
1 orientale. W.	oriental.	_____	E. Ind.	1731.	7.	S. ⊙.	Rheed. mal. 9. t. 54.	
2 indicum. W.	Indian.	_____	_____	_____	_____	S. ⊙.	Bot. mag. 1788.	
PENTSTEMON. W.	PENTSTEMON.	Bignoniaceæ? J.	_____	_____	_____	_____	_____	
1 campanulata. W.	bell-flowered.	_____	Mexico.	1794.	3.10.	F. h.	Bot. mag. 1878.	
2 laevigata. W.	smooth.	_____	N. America.	1776.	8.9.	H. 2.	_____ 1425.	
3 hirsuta. W.	narrow- ^{1d} . hairy.	_____	_____	1758.	_____	H. 2.	Mor. h. s. 11. t. 21. f. 3.	
4 pubescens. W.	broad- ^{1d} . hairy.	_____	_____	_____	_____	H. 2.	Bot. mag. 1424.	
5 erianthera. Ph.	dwarf.	_____	Louisiana.	1811.	_____	H. 2.	_____	
6 angustifolia. Ph.	narrow-leaved.	_____	_____	_____	7.9.	H. 2.	_____	
7 glabra. Ph.	Nuttal's.	_____	_____	_____	_____	H. 2.	Bot. mag. 1672.	
8 Bradburii. Ph.	large-flowered.	_____	_____	_____	_____	H. 2.	_____	
CHELONE. W.	CHELONE.	Bignoniaceæ? J.	_____	_____	_____	_____	_____	
1 glabra. W.	white-flowered.	_____	N. America.	1730.	8.10.	H. 2.	Trew. elret. t. 83.	
2 obliqua. W.	red-flowered.	_____	_____	1752.	_____	H. 2.	Bot. reg. 175.	
3 Lyoni. Ph.	Lyon's.	_____	_____	1812.	7.9.	H. 2.	Bot. mag. 1864.	
4 barbata. W.	scarlet.	_____	Mexico.	1794.	6.9.	H. 2.	Bot. reg. 116.	
TOURRETTIA. J.	TOURRETTIA.	Bignoniaceæ? J.	<i>Dombeya. Sal.</i>	_____	_____	_____	_____	
lappacea. W.	scarlet-flowered.	_____	Peru.	1788.	6.8.	S. ⊙.	Sal. stirp. rar. 5. t. 3.	
MARTYNIA. W.	MARTYNIA.	Bignoniaceæ? J.	_____	_____	_____	_____	_____	
1 diandra. W.	two-stamened.	_____	New Spain.	1731.	7.8.	S. ⊙.	Bot. rep. 575.	
2 craniolaria. W.	white-flowered.	_____	S. America.	1733.	_____	S. ⊙.	Jac. amer. t. 110.	
3 Proboscidea. W.	horn-capsuled.	_____	America.	1738.	6.8.	G. ⊙.	Bot. mag. 1056.	
4 longiflora. W.	long-flowered.	_____	C. B. S.	1781.	7.8.	G. ⊙.	Meerb. ic. 1. t. 7.	
GLOXINIA. W.	GLOXINIA.	Bignoniaceæ?	_____	_____	_____	_____	_____	
1 maculata. W.	spotted-stalked.	_____	S. America.	1739.	7.10.	S. 2.	Bot. mag. 1191.	
2 speciosa. B. reg.	many-flowered.	_____	_____	1815.	6.11.	S. 2.	Bot. reg. 213.	1037
GESNERIA. W.	GESNERIA.	Bignoniaceæ?	_____	_____	_____	_____	_____	
1 acaulis. W.	stemless.	_____	Jamaica.	1793.		S. h.	Sloa. jam. 1. t. 102. f. 1.	
2 tomentosa. W.	woolly.	_____	S. America.	1752.	11.6.	S. h.	Bot. mag. 1023.	
LATHRÆA. W.	TOOTHWORT.	Orobanchæ. Vent.	_____	_____	_____	_____	_____	
squamarum. W.	scaly.	_____	Britain.		4.	H. 2.	Eng. bot. c. ic.	
OROBANCHE. W.	BROOM-RAPE.	Orobanchæ. Vent.	_____	_____	_____	_____	_____	
1 major. E. B.	greater.	_____	Britain.		6.7.	H. 2.	Eng. bot. 421.	
2 elatior. E. B.	taller.	_____	_____		7.8.	H. 2.	_____ 568.	
3 minor. E. B.	smaller.	_____	_____		_____	H. 2.	_____ 422.	
4 rubra. E. B.	red.	_____	_____		8.	H. 2.	_____ c. ic.	
5 cærulea. E. B.	blue.	_____	_____		7.	H. 2.	_____ 423.	
6 ramosa. E. B.	branching.	_____	_____		8.9.	H. 2.	_____ 84.	
ACANTHUS. W.	BEAR'S-BREECH	Acanthaceæ. B. P.	_____	_____	_____	_____	_____	
1 mollis. W.	smooth.	_____	Italy.	1548.	7.9.	H. 2.	Lam. ill. t. 550.	
2 nigra. Mill.	shining-leaved.	_____	Portugal.	1759.	_____	H. 2.	_____	
3 spinosus. P. S.	prickly-leaved.	_____	Italy.	1629.	_____	H. 2.	Bot. mag. 1808.	
4 spinosissimus. P. S.	white-spined.	_____	S. Europe.	_____	_____	H. 2.	_____	
5 ilicifolius. B. P.	Holly-leaved.	_____	E. Ind.	1759.		S. h.	Rheed. mal. 2. t. 48.	
THUNDERBERGIA. W.	THUNDERBERGIA.	Acanthaceæ. B. P.	_____	_____	_____	_____	_____	
fragens. W.	twining.	_____	E. Ind.	1796.	5.9.	S. h.	Bot. mag. 1881.	
BARLERIA. W.	BARLERIA.	Acanthaceæ. B. P.	_____	_____	_____	_____	_____	
1 longifolia. W.	long-leaved.	_____	E. Ind.	1781.	7.9.	S. ♂.	Pluk. alm. t. 138. f. 4.	
2 Prionitis. W.	thorny.	_____	_____	1759.	7.8.	S. h.	Rheed. mal. 9. t. 41.	
3 buxifolia. W.	Box-leaved.	_____	_____	1768.	6.7.	S. 2.	_____ 2. t. 47.	

4 cristata. W.	crested.	Acanthaceæ. B. P. E. Ind.	1796. 6.9.	S. h.	Bot. mag. 1615.
5 mitis. B. reg.	yellow-flowered.	_____	1816. _____	S. h.	Bot. reg. 191.
6 longiflora. W.	long-flowered.	_____	_____	S. h.	Vahl. symb. 1. t. 16.
RUELLIA. J.	RUELLIA.	Acanthaceæ. B. P.			
1 ovata. W.	oval-leaved.	_____ Mexico.	1800. 7.8.	S. 2.	Cav. ic. 3. t. 254.
2 strepens. W.	whorl-flowered.	_____ N. America.	1726. _____	G. 2.	Schik. hand. 2. t. 177.
3 ocyroides. Cav.	Basil-like.	_____ Mexico.	1815. _____	S. h.	Cav. ic. 5. t. 456.
4 patula. W.	spreading.	_____ E. Ind.	1774. _____	S. h.	Jac. ic. 1. t. 119.
5 lactea. W.	white.	_____ Mexico.	1796. 6.8.	G. 2.	Cav. ic. 3. t. 255.
6 clandestina. W.	three-flowered.	_____ Barbadoes.	1728. 7.8.	S. 2.	Dill. elt. t. 248. f. 320
7 paniculata. W.	panicled.	_____ W. Ind.	1768. 8.	S. 2.	Slojam. 1. t. 100. f. 2. 585
8 tuberosa. W.	tuberous-rooted.	_____ Jamaica.	1752. 7.8.	S. 2.	_____ 1. t. 95. f. 1.
9 biflora. W.	two-flowered.	_____ Carolina.	1765. 7.	G. 2.	
10 formosa. H. K.	splendid.	_____ Brazil.	1808. 6.9.	S. h.	Bot. mag. 1400.
11 fulgida. H. K.	bright-flowered.	_____ W. Ind.	1804. 7.8.	S. h.	Bot. rep. 527.
12 ciliata. W. en.	ciliated.	_____ E. Ind.	1806. 7.	S. h.	
13 ringens. W.	gaping-flowered.	_____ E. Ind.	1807. 7.8.	S. h.	
<i>Hygrophilæ sp. B. P.</i>					
BLECHUM. B. P.	BLECHUM.	Acanthaceæ. B. P.			
Browni. H. K.	dense-spiked.	_____ W. Ind.	1780. 6.	S. 2.	Slojam. 1. t. 109. f. 1
APHELANDRA. B. P.	APHELANDRA.	Acanthaceæ. B. P.			
cristata. H. K.	dense-spiked.	_____ W. Ind.	1733. 6.9.	S. h.	Bot. mag. 1578.
CROSSANDRA. P. L.	CROSSANDRA.	Acanthaceæ. B. P. <i>Harrachia. Jac.</i>			
undulatifolia. P. S.	waved-leaved.	_____ E. Ind.	1800. 6.1.	S. h.	Bot. reg. 69. 2156
LIMOSELLA. W.	MUDWORT.	Scrophularinæ. B. P.			
aquatica. W.	water.	_____ Britain.	 7.9.	H. ☉	Eng. bot. 357.
BROWALLIA. W.	BROWALLIA.	Scrophularinæ. B. P.			
1 demissa. W.	spreading.	_____ S. America.	1735. 6.9.	G. ☉	Bot. mag. 1136.
2 elata. W.	upright.	_____ Peru.	1768. _____	G. ☉	34.
STEMODIA. W.	STEMODIA.	Scrophularinæ. B. P.			
parviflora. H. K.	small-flowered.	_____ S. America.	1759. 7.8.	S. 2.	
MAZUS. B. P.	MAZUS.	Scrophularinæ. B. P.			
rugosus. H. K.	China.	_____ China.	1780. 5.9.	F. ☉	
LINDERNIA. B. P.	LINDERNIA.	Scrophularinæ. B. P.			
Pyxidaria. W.	European.	_____ S. Europe.	1789. 6.8.	H. ☉	Lam. ill. t. 522.
HERPESTIS. B. P.	HERPESTIS.	Scrophularinæ. B. P. <i>Monnieria. Mich. Gratioli sp. IV.</i>			
1 Monnieria.	Thyme-leaved.	_____ India.	1772. 7.9.	S. 2.	Rox. cor. 2. t. 178.
2 cuneifolia. Ph.	wedge-leaved.	_____ N. America.	1812. 8.	H. 2.	
CAPRARIA. P. S.	CAPRARIA.	Scrophularinæ. B. P.			
1 biflora. W.	{ Shrubby Goat-weed.	_____ S. America.	1752. 7.8.	S. h.	Jac. amer. t. 115.
2 cuneata. H. K.	wedge-leaved.	_____	1759.	S. h.	
3 lanceolata. W.	spear-leaved.	_____ C. B. S.	1774.	G. h.	
4 undulata. W.	wave-leaved.	_____	3.7.	G. h.	Bot. mag. 1556.
5 humilis. W.	dwarf.	_____ E. Ind.	1781. 7.8.	S. ☉	
TEEDIA. P. S.	TEEDIA.	Scrophularinæ. B. P. <i>Borchhausenia. Roth.</i>			
1 lucida. P. S.	shining.	_____ C. B. S.	1774. 4.7.	G. ♂	Bot. reg. 210.
2 pubescens. B. reg.	pubescent.	_____	1816. 5.10.	G. ♂	214.
BESLERIA. W.	BESLERIA.	Scrophularinæ. B. P.			
1 melittifolia. W.	Balm-leaved.	_____ Guiana.	1739. 6.7.	S. h.	Exot. bot. 1. t. 54.
2 lutea. W.	yellow-flowered.	_____	7.8.	S. h.	Plum. ic. 49. f. 1.
3 serrulata. W.	saw-leaved.	_____ W. Ind.	1806.	S. h.	Jac. schœn. 3. t. 290.
4 pulchella. H. K.	striped-flowered.	_____ Trinidad.	1806. 7.8.	S. h.	Bot. mag. 1146.
5 cristata. W.	crested.	_____ W. Ind.	1739. 6.8.	S. h.	Jac. amer. t. 119.
TREVIRANA. W. en.	TREVIRANA.	Scrophularinæ. B. P. <i>Achimenes. P. S.</i>			
coccinea. W. en.	scarlet.	_____ Jamaica.	1778. 8.10.	S. 2.	Bot. mag. 374.
<i>Cyrtilla pulchella. B. M.</i>					
COLUMNÆA. W.	COLUMNÆA.	Scrophularinæ. B. P.			
1 scandens. H. K.	climbing.	_____ W. Ind.	1759. 8.9.	S. h.	Bot. mag. 1614.
2 hirsuta. W.	hairy.	_____ Jamaica.	1780. 8.11.	S. h.	Brown. jam. t. 30. f. 3
RUSSELLIA. W.	RUSSELLIA.	Scrophularinæ. B. P.			
multiflora. B. M.	many-flowered.	_____ S. America.	1812. 6.8.	S. h.	Bot. mag. 1528.
DODARTIA. W.	DODARTIA.	Scrophularinæ. B. P.			
orientalis. W.	oriental.	_____ Levant.	1752. 7.8.	H. 2.	Lam. ill. t. 530. 2129
HALLERIA. W.	HALLERIA.	Scrophularinæ. B. P.			
lucida. W.	shining-leaved.	_____ C. B. S.	1752. 6.8.	G. h.	Bot. mag. 1744.
MIMULUS. W.	MONKEY-FLOW ^r .	Scrophularinæ. B. P.			
1 ringens. W.	gaping.	_____ N. America.	1759. 7.8.	H. 2.	Bot. mag. 283.
2 glutinosus. W.	Orange-coloured.	_____ California.	1794. 1.12.	G. h.	354.

3 alatus. W.	oval-leaved.	Scrophularinæ. B.P.	N. America.	1783.	7.8.	H. 2.	
4 luteus. W.	yellow-flowered.	—	America.	1812.	6.9.	F. 2.	Bot. mag. 1501.
HORNEMANNIA.		Scrophularinæ. B. P.					
W. en. }							
bicolor. W. en.	two-coloured.	—	E. Ind.	1816.	6.9.	S. 2.	
DIGITALIS. W.	FOX-GLOVE.	Scrophularinæ. B. P.					
1 purpurea. W.	purple.	—	Britain.		6.9.	H. 3.	Eng. bot. 1297.
β alba.	white.	—					
2 minor. W.	dwarf.	—	Spain.	1789.	6.7.	H. 2.	m. 2160
3 Thapsi. W.	Mullein.	—		1752.	5.8.	H. 2.	Exot. bot. 1. t. 43.
4 ambigua. W.	greater yellow.	—	Switzerland.	1596.	7.8.	H. 2.	Bot. reg. 64.
5 intermedia. P. S.	middle yellow.	—	Germany.	1816.	—	H. 2.	
6 lutea. W.	small yellow.	—	France.	1629.	—	H. 2.	Bot. reg. 251.
7 erubescens. H. K.	blush-flowered.	—	Italy.	1776.	6.7.	H. 2.	
8 parviflora. W.	small-flowered.	—		1798.	6.8.	H. 2.	Bot. reg. 257.
9 lanata. W.	woolly.	—	Hungary.	1789.	6.7.	H. 2.	Bot. mag. 1159.
10 leucophæa. H. K.	broad-lipped.	—	Greece.	1788.	6.10.	H. 2.	
11 ferruginea. W.	iron-coloured.	—	Italy.	1597.	7.8.	H. 2.	B. mag. 1829
12 lævigata. P. S.	shining-leaved.	—	Hungary.	1816.	—	H. 2.	Pl. rar. hung. 2. t. 158
13 obscura. W.	Willow-leaved.	—	Spain.	1778.	—	H. 2.	Jac. vind. 1. t. 91. 2157
14 canariensis. W.	Canary.	—	Canaries.	1698.	6.7.	G. 2.	Bot. reg. 48.
15 Sceptum. W.	Madeira shrubby	—	Madeira.	1777.	7.8.	G. 2.	Exot. bot. 2. t. 73.
SCROPHULARIA. W.	FIGWORT.	Scrophularinæ. B. P.					
1 marilandica. W.	Maryland.	—	N. America.	1759.	5.7.	H. 2.	
2 nodosa. W.	knotty-rooted.	—	Britain.		—	H. 2.	Eng. bot. 1544.
3 aquatica. W.	water.	—	—		—	H. 2.	— 854.
4 appendiculata. W. en.	heart-leaved.	—	Morocco.	1805.	7.	H. 2.	
5 auriculata. W.	ear-leaved.	—	Spain.	1772.	7.8.	H. 2.	Lob. ic. 533.
6 Scarodonia. W.	Balm-leaved.	—	Britain.		—	H. 2.	Eng. bot. 2209.
7 glabrata. W.	spear-leaved.	—	Canaries.	1779.	4.5.	G. 3.	Jac. schœn. 2. t. 209.
8 betonicifolia. W.	Betony-leaved.	—	Spain.	1752.	6.8.	H. 2.	Barr. ic. 274.
9 biserrata. W. en.	doubly-sawed.	—		1816.	—	H. 2.	
10 glandulosa. W. en.	glandular.	—	Hungary.	1806.	6.9.	H. 2.	Pl. rar. hung. t. 214.
11 orientalis. W.	Hemp-leaved.	—	Levant.	1710.	7.8.	H. 2.	Schk. hand. 2. t. 173.
12 adscendens. W. en.	ascending.	—		1816.		H. 2.	
13 frutescens. W.	shrubby.	—	Portugal.	1763.	6.8.	F. 2.	Herm. lugdb. t. 547.
14 altaica. W.	white-flowered.	—	Siberia.	1786.	5.6.	H. 2.	Mur. com. got. 4. t. 2.
15 vernalis. W.	yellow.	—	Britain.		3.5.	H. 3.	Eng. bot. 567.
16 arguta. W.	slender upright.	—	Canaries.	1778.	5.6.	G. 2.	
17 trifoliata. W.	three-leaved.	—	Africa.	1731.	5.9.	H. 3.	Jac. schœn. 2. t. 286.
18 sambucifolia. W.	Elder-leaved.	—	Spain.	1640.	7.9.	F. 2.	Mill. ic. 2. t. 231.
19 laciniata. W. en.	jag-leaved.	—	Hungary.	1806.	7.	H. 2.	Pl. rar. hung. 2. t. 170
20 lyrata. W. en.	lyrate-leaved.	—	Portugal.	1816.	7.8.	H. 2.	W. hort. ber. 1. t. 55.
21 tanacetifolia. W. en.	Tansy-leaved.	—	Tauria.	1804.	7.9.	H. 2.	— 1. t. 56.
22 mellifera. W.	Barbary.	—	Barbary.	1786.	7.8.	F. 2.	Desf. atl. 2. t. 143.
23 canina. W.	wing-leaved.	—	S. Europe.	1683.	6.8.	H. 2.	Lob. ic. 2. p. 55.
24 lucida. W.	shining-leaved.	—	Levant.	1596.	—	H. 2.	W. hort. ber. 57.
25 variegata. M. B.	variegated.	—	Caspian Shores	1816.	—	H. 2.	
26 multifida. W. en.	multifid-leaved.	—		—	—	H. 2.	W. hort. ber. 1. t. 58.
27 chrysanthemifolia. W. en. }	{ Chrysanthemum-leaved. }						
28 peregrina. W.	Nettle-leaved.	—	Tauria.	—	—	H. 2.	— 1. t. 59.
MAURANDIA. W.	MAURANDIA.	Scrophularinæ. B. P.					
1 semperflorens. W.	red-flowered.	—	Italy.	1640.	—	H. 3.	Camer. hort. t. 43.
2 antirrhiniflora. W. en. }	blue-flowered.	—	Mexico.	1796.	1.12.	G. 2.	Bot. mag. 460.
CYMBARIA. W.	CYMBARIA.	Scrophularinæ. B. P.					
danica. W.	Daurian.	—	—	1814.	—	G. 2.	— 1643.
NEMESIA. Vent.	NEMESIA.	Scrophularinæ. B. P. Antirrhini sp. W.					
1 chamædrifolia. V.	Chamædrys-1 ^d .	—	Dauria.	1796.	6.7.	H. 2.	Amm. ruth. t. 1. f. 2.
2 foetens. V.	foetid.	—	C. B. S.	1787.	4.9.	G. 2.	
3 bicorne. P. S.	horned.	—	—	1798.	—	G. 2.	Vent. malm. t. 41.
ANARRHINUM.	ANARRHINUM.	Scrophularinæ. B.P. Antirrhini sp. L.					
Desf. }							
bellidifolium. W.	Daisy-leaved.	—	France.	1629.	6.8.	H. 3.	Bauh. prod. t. 106. 2056
ANTIRRHINUM. J.	SNAP-DRAGON.	Scrophularinæ. B.P.					
1 majus. W.	great.	—	England.		6.8.	H. 2.	Eng. bot. 129.
β coccinea.	scarlet-flowered.						
γ bicolor.	two-coloured.						
δ flore pleno.	double-flowered.						

2 siculum. W.	Sicilian.	Scrophularinæ.B.P. Sicily.	1804. 7.8. H. ½.	
3 orontium. W.	lesser.	Britain.	 7.9. H. ½.	Eng. bot. 1155.
4 Asarina. W.	heart-leaved.	Italy.	1699. 7. F. ½.	Bot. mag. 902.
5 molle. W.	soft-leaved.	Spain.	1752. 7.10. F. ½.	
LINARIA. J.	TOAD-FLAX.	Scrophularinæ.B.P. <i>Antirrhini</i> sp. L.		
1 Cymbalaria. H. K.	Ivy-leaved.	England.	 5.11. H. ½.	Eng. bot. 502.
2 pilosa. H. K.	hairy-leaved.	Pyrenees.	1800. 6.9. H. ½.	Jac. obs. 2. t. 48.
3 Elatine. H. K.	sharp-pointed.	England.	 7.11. H. ½.	Eng. bot. 692.
4 spuria. H. K.	round-leaved.		 7.9. H. ½.	691.
5 cirrhosa. H. K.	tendrilled.	Egypt.	1777. 7. H. ½.	Jac. vind. 1. t. 82.
6 ægyptiaca. H. K.	Egyptian.		1771. — H. ½.	
7 triphylla. H. K.	three-leaved.	Sicily.	1596. 6.9. H. ½.	Bot. mag. 324.
8 latifolia. H. K.	broad-leaved.	N. America.	1800. 6.7. H. ½.	Desf. atl. 2. t. 134.
9 triornithophora. H. K. }	three-bird's.	Portugal.	1710. 6.9. F. ½.	Bot. mag. 523.
10 bipartita. P. S.	two-parted.	Barbary.	1815. — F. ½.	Vent. cels. t. 82.
11 purpurea. H. K.	purple.	S. Europe.	1648. 7.9. H. ½.	Bot. mag. 99.
12 versicolor. H. K.	various-coloured.	France.	1777. — H. ½.	Jac. ic. 1. t. 116.
13 repens. H. K.	creeping-rooted.	England.	 7.10. H. ½.	Eng. bot. 1253.
14 spartea. H. K.	branching.	Spain.	1772. 6.10. H. ½.	Bot. mag. 200.
15 bipunctata. H. K.	two-spotted.		1749. 6.8. H. ½.	
16 Hælava. W.	hairy-calixed.	Egypt.	1803. 7. H. ½.	
17 tristis. H. K.	melancholy.	Spain.	1727. 7.8. F. ½.	Bot. mag. 74.
18 supina. H. K.	trailing.		1728. 7. H. ½.	
19 simplex. P. S.	upright.	S. Europe.	1816. 7.8. H. ½.	Jac. ic. 3. t. 499.
20 arvensis. P. S.	corn.		 — H. ½.	
21 pelisseriana. H. K.	violet-coloured.		1640. 6.9. H. ½.	Barrel. ic. 1162.
22 viscosa. H. K.	clammy.	Spain.	1786. 7. H. ½.	Bot. mag. 368.
23 multicaulis. H. K.	many-stalked.	Levant.	1728. 5.7. H. ½.	Boc. sic. t. 19. f. 1.
24 reticulata. H. K.	net-flowered.	Algiers.	1788. — F. ½.	Smith. ic. pict. 2.
25 glauca. H. K.	glaucous-leaved.	S. Europe.	1800. 6.8. H. ½.	Buxb. cent. 4. t. 37.
26 alpina. H. K.	Alpine.	Austria.	1570. 7.11. F. ½.	Bot. mag. 205.
27 villosa. H. K.	villous.	Spain.	1786. 7.8. F. ½.	Barrel. ic. 597.
28 origanifolia. H. K.	Marjoram-leaf ^d .	S. Europe.	1785. 6.9. F. ½.	598.
29 minor. H. K.	least erect.	England.	 6.11. H. ½.	Eng. bot. 2014.
30 dalmatica. H. K.	Dalmatian.	Levant.	1731. 6.7. H. ½.	Buxb. cent. 1. t. 24.
31 hirta. H. K.	shaggy-leaved.	Spain.	1759. 6.9. H. ½.	Jac. ic. 1. t. 117.
32 genistifolia. H. K.	Broom-leaved.	Austria.	1704. 7.8. H. ½.	Jac. aus. 3. t. 244. 2193
33 juncea. H. K.	Rush-stalked.	Spain.	1780. — H. ½.	
34 vulgaris. H. K.	yellow.	Britain.	 6.9. H. ½.	Eng. bot. 658.
β Peloria.	regular-flowered.		 — H. ½.	260.
35 canadensis. P. S.	Canada.	N. America.	1812. 6.8. H. ½.	Vent. cels. 49.
36 chalepensis. H. K.	white-flowered.	Levant.	1680. 6.7. H. ½.	Moris. s. 5. t. 35. f. 9.
GERARDIA. W.	GERARDIA.	Scrophularinæ.B.P.		
1 delphinifolia. W.	Larkspur-leaved.	E. Ind.	1800. 6.7. S. ½.	Rox. cor. 1. t. 90.
2 purpurea. Ph.	purple.	N. America.	1772. 7.8. H. ½.	Pluk. mant. 388. f. 1.
3 tenuifolia. Ph.	slender-leaved.		1812. — H. ½.	Pluk. alm. t. 12. f. 4.
4 flava. Ph.	yellow.		1796. — H. ½.	Pluk. amal. t. 389. f. 3.
5 quercifolia. Ph.	Oak-leaved.		1812. — H. ½.	Pursh. amer. t. 19.
PEDICULARIS. W.	LOUSEWORT.	Scrophularinæ.B.P.		
1 palustris. W.	marsh.	Britain.	 6.7. H. ½.	Eng. bot. 399.
2 sylvatica. W.	common.		 5.7. H. ½.	400.
3 euphrasioides. W.	Eyebright-leaf ^d .	Siberia.	1816. F. ½.	Gmel. sib. 3. t. 43.
4 myriophylla. W.	Milfoil-leaved.	Dauria.	— 5.7. F. ½.	Pall. it. 3. app. t. 8. f. 1.
5 resupinata. W.	resupinate.	Siberia.	— — F. ½.	Gmel. sib. 3. t. 44.
6 Sceptum Carolinum. W. }	sceptred.	Sweden.	1793. 8. F. ½.	Flor. dan. t. 26.
7 recutita. W.	jagged-leaved.	Austria.	1787. 7.8. F. ½.	Jac. aust. 3. t. 258.
8 foliosa. W.	leafy.		1786. 7. F. ½.	2. t. 139.
9 canadensis. W.	Canadian.	N. America.	1800. 7.8. H. ½.	2506.
10 incarnata. W.	flesh-coloured.	Austria.	1796. 6.7. H. ½.	Jac. aust. 2. t. 140.
11 uncinata. W.	hooked-flowered	Siberia.	1815. 7.8. F. ½.	Gmel. sib. 3. t. 45.
12 verticillata. W.	whorled.	Austria.	1790. 5.6. F. ½.	Jac. aust. 3. t. 206.
13 flammea. W.	upright.	Switzerland.	1775. 7. F. ½.	Hall. helv. t. 8. f. 3.
14 tuberosa. W.	tuberos.		1799. 7.8. F. ½.	n. 323. t. 10.
15 compacta. W.	close-headed.	Siberia.	1815. — F. ½.	
16 comosa. W.	spiked.	Italy.	1775. — F. ½.	All. ped. 1. t. 4. f. 1.
MELAMPYRUM. W.	Cow-WHEAT.	Scrophularinæ.B.P.		
1 cristatum. W.	crested.	England.	 7.8. H. ½.	Eng. bot. 41.
2 arvense. W.	purple.		 6.7. H. ½.	53.

3 pratense. W.	common.	Scrophularinæ. B.P. Britain.		7.8.	H. ☉	Eng. bot. 113.
4 sylvaticum. W.	wood.			—	H. ☉	804.
RHINANTHUS. W.	YELLOW RATTLE	Scrophularinæ. B.P.				
Crista-galli. W.	Cock's Comb.	 Britain.		6.8.	H. ☉	Eng. bot. 657.
BARTSIA. W.	BARTSIA.	Scrophularinæ. B.P.				
1 coccinea. W.	scarlet.	 N. America.	1787.	7.	H. ♀	Pluk. alm. t. 102. f. 5.
2 pallida. W.	pale-flowered.	 Siberia.	1782.	6.9.	H. ♀	Gmel. sib. 3. t. 42.
3 viscosa. W.	yellow viscid.	 Britain.		7.8.	H. ☉	Eng. bot. 1045.
4 Odontites. H. K.	red.			7.9.	H. ☉	1415.
5 alpina. W.	Alpine.			7.8.	H. ☉	361.
CASTILLEJA. Sm.	CASTILLEJA.	Scrophularinæ. B.P.				
sessiliflora. Ph.	sessile-flowered.	 Louisiana.	1811.	7.8.	H. ♀	
EUPHRASIA. W.	EYE-BRIGHT.	Scrophularinæ. B.P.				
1 officinalis. W.	common.	 Britain.		7.9.	H. ☉	Eng. bot. 1416.
2 lutea. W.		 S. Europe.	1816.	—	H. ☉	Jac. aust. t. 398.
BUCHNERA. B. P.	BUCHNERA.	Scrophularinæ. B.P.				
americana. W.	American.	 N. America.	1733.	6.8.	H. ♀	
MANULEA. W. en.	MANULEA.	Scrophularinæ. B.P. <i>Buchneræ</i> sp. H. K.				
1 foetida. P. S.	stinking.	 C. B. S.	1794.	6.9.	G. ☉	Bot. rep. 80.
2 villosa. P. S.	villos.		1783.	6.7.	G. ☉	Burm. afr. t. 50. f. 2.
<i>Buchnera capensis.</i> W.						
3 pedunculata. P. S.	solitary-flower ^d .		1790.	6.11.	G. ♀	Bot. rep. 84.
4 viscosa. W. en.	clammy.		1774.	—	G. ♀	Bot. mag. 217.
5 rubra. W.	red.		1790.	4.9.	G. ♀	
6 tomentosa. W.	woolly.		1774.	5.11.	G. ♀	Bot. mag. 322.
7 Cheiranthus. W.	Wall Flower.		1795.	6.8.	G. ♂	Com. hort. 2. t. 42.
8 argentea. W.	silvery.		1801.	7.11.	G. ☉	
ERINUS. W.	ERINUS.	Scrophularinæ. B.P.				
1 alpinus. P. S.	smooth-leaved.	 Pyrenees.	1739.	3.4.	F. ♀	
2 hispanicus. P. S.	hairy-leaved.	 Spain.	—	—	F. ♀	
3 fragrans. W.	fragrant.	 C. B. S.	1776.	5.6.	G. ♀	Burm. afr. t. 49. f. 4.
SIBTHORPIA. W.	SIBTHORPIA.	Scrophularinæ. B. P.				
europæa. W.	Cornish.	 England.		7.8.	H. ♀	Eng. bot. 619.
BRUNFELSIA. W.	BRUNFELSIA.	Solanææ? J.				
1 undulata. W.	wave-flowered.	 Jamaica.	1780.	6.7.	S. ♀	Bot. reg. 228.
2 americana. W.	American.	 W. Ind.	1735.	—	S. ♀	Bot. mag. 393.
<i>α latifolia.</i>	broad-leaved.					
<i>β angustifolia.</i>	narrow-leaved.					
CRESCENTIA. W.	CALABASH TREE.	Solanææ? J.				
1 Cujete. W.	oval-fruited.	 Jamaica.	1690.		S. ♀	Jac. amer. t. 111.
2 cucurbitina. W.	round-fruited.	 W. Ind.	1733.		S. ♀	Plum. ic. t. 109.
CELSIA. W.	CELSIA.	Solanææ. J.				
1 orientalis. W.	oriental.	 Levant.	1713.	7.8.	H. ☉	Lam. ill. t. 532.
2 Arcturus. W.	scallop-leaved.	 Candia.	1780.	7.9.	F. ♂	Jac. vind. 2. t. 117.
3 coromandelina. W.	Coromandel.	 E. Ind.	1783.	7.8.	S. ☉	
4 viscosa. W. en.	clammy.		1816.	—	S. ☉	
5 cretica. W.	great-flowered.	 Crete.	1752.	7.9.	F. ♂	Bot. mag. 964.
6 lanceolata. P. S.	spear-leaved.	 Levant.	1816.	—	F. ♂	Vent. cels. t. 27.
ALONSOA. H. K.	ALONSOA.	Solanææ. J. <i>Hemimeridis</i> sp. W.				
1 acutifolia. P. S.	acute-leaved.	 Peru.	1790.	5.10.	G. ♀	
2 incisifolia. H. K.	Nettle-leaved.	 Chili.	1795.	—	G. ♀	Bot. mag. 417.
<i>Hemimeris urticifolia.</i> W.	<i>Celsia urticifolia.</i> B. M.					
3 linearis. H. K.	linear-leaved.	 Peru.	1790.	—	G. ♀	210.
ANTHOCERCIS. B.P.	ANTHOCERCIS.	Solanææ. B. P.				
littorea. B. P.	yellow.	 N. Holland.	1803.	5.8.	G. ♀	Bot. reg. 212.
LINNÆA. W.	LINNÆA.	Caprifoliæ. J.				
borealis. W.	two-flowered.	 Scotland.		5.8.	H. ♀	Eng. bot. 433.
MELIANTHUS. W.	HONEY-FLOWER	Rutaceæ? J.				
1 major. W.	great.	 C. B. S.	1688.	5.7.	G. ♀	Bot. reg. 45.
2 minor. W.	small.		1696.	8.	G. ♀	Bot. mag. 301.

CLASS XV.

TETRADYNAMIA SILICULOSA.

CAKILE. H. K.	CAKILE.	Cruciferae. J.				
1 maritima. H. K.	Sea Rocket.	 Britain.		6.9.	H. ☉	Eng. bot. 231.
2 perennis. H. K.	perennial.	 Germany.	1789.	7.	H. ♀	Jac. aust. 5. t. 414.
3 rugosa. H. K.	wrinkled.	 S. Europe.	1739.	6.7.	H. ☉	All. ped. 1. t. 78.

CRAMBE. W.	COLEWORT.	Cruciferae. J.			
1 maritima. W.	Sea Kale.	—————	Britain.	 5.6. H. ♀.	Eng. bot. 924.
2 pinnatifida. H. K.	smooth-winged.	—————	Siberia.	1759. 6.7. H. ♀.	Jac. ic. 1. t. 128.
3 orientalis. W.	oriental.	—————	Levant.	1752. ——— H. ♀.	
4 tatarica. W.	Tartarian.	—————	Siberia.	1789. ——— H. ♀.	Jac. ic. 1. t. 129.
5 hispanica. W.	Spanish.	—————	Spain.	1683. ——— H. ♂.	Schk. hand. 2. t. 189.
6 fruticosa. W.	Madeira.	—————	Madeira.	1777. 5.11. G. h.	
7 strigosa. W.	Canary.	—————	Canaries.	1779. 5.6. G. h.	Jac. ic. 1. t. 120.
8 filiformis. W.	Patagonian.	—————	Patagonia.	1796. 7.8. H. ♀.	——— 3. t. 504.
MYAGRUM. H. K.	MYAGRUM.	Cruciferae. J.			
1 perfoliatum. W.	perfoliate.	—————	France.	1648. 6.7. H. ♂.	Schk. hand. 2. t. 178.
2 orientale. P. S.	oriental.	—————	Levant.	1795. 7. H. ♂.	
EUCLIDIUM. H. K.	EUCLIDIUM.	Cruciferae. J.			
1 syriacum. H. K.	Syrian.	—————	Levant.	1778. 7.8. H. ♂.	Jac. aus. 1. t. 6.
RAPISTRUM. G.	RAPISTRUM.	Cruciferae. J.	<i>Myagri sp. W.</i>		
1 ægyptiacum. H. K.	Egyptian.	—————	Egypt.	1787. 8. H. ♂.	Jac. vind. 2. t. 145.
2 paniculatum. H. K.	panicked.	—————	Europe.	1683. 7.8. H. ♂.	Gart. de fr. 2. t. 141.
BUNIAS. W.	BUNIAS.	Cruciferae. J.			
1 Erucago. W.	prickly-podded.	—————	Austria.	1640. 6.7. H. ♂.	Jac. aust. 4. t. 340.
2 orientalis. W.	oriental.	—————	Levant.	1731. 5.7. H. ♀.	Gmel. sib. 3. t. 57.
CORONOPUS. G.	WART CRESS.	Cruciferae. J.	<i>Scuiberae sp. P. S.</i>		
1 Ruellii. H. K.	common.	—————	Britain.	 6.8. H. ♂.	Eng. bot. 1660.
2 didyma. H. K.	lesser.	—————	England.	 7.8. H. ♂.	——— 248.
BISCUTELLA. W.	{ BUCKLER MUSTARD. }	Cruciferae. J.			
1 auriculata. W.	ear-podded.	—————	S. Europe.	1683. 6.7. H. ♂.	Lam. ill. t. 560. f. 2.
2 apula. W.	spear-leaved.	—————	Italy.	1710. ——— H. ♂.	——— t. 560. f. 1.
3 lyrata. W.	lyre-leaved.	—————	Spain.	1799. ——— H. ♂.	
4 didyma. W. en.	distant-toothed.	—————	Italy.	1816. ——— H. ♂.	
5 coronopifolia. W. en.	buck's-horn-le ^d .	—————	—————	1790. ——— H. ♂.	Dec. an. mus. 18. t. 14
6 laevigata. W.	smooth-podded.	—————	—————	1777. ——— H. ♀.	Jac. aust. 4. t. 339.
7 alpestris. W. en.	Hungarian.	—————	Hungary.	1816. ——— H. ♀.	Pl. rar. hun. 3. t. 228.
8 sempervirens. W.	downy-leaved.	—————	Spain.	1784. ——— F. h.	Barr. ic. t. 841.
PELTARIA. W.	PELTARIA.	Cruciferae. J.			
1 alliacea. W.	Garlic-scented.	—————	Austria.	1601. 5.7. H. ♀.	Jac. aust. 2. t. 123.
CLYPEOLA. W.	{ TREACLE MUSTARD. }	Cruciferae. J.			
1 Ionthislasi. W.	annual.	—————	S. Europe.	1710. 5.7. H. ♂.	Cav. ic. 1. t. 34. f. 2.
ISATIS. W.	WOAD.	Cruciferae. J.			
1 tinctoria. W.	common dyer's.	—————	England.	 5.7. H. ♂.	Eng. bot. 97.
2 alepica. H. K.	oriental.	—————	Levant.	1739. 6.7. H. ♂.	Scop. ins. 2. t. 16.
3 alpina. W.	Alpine.	—————	Italy.	1800. ——— H. ♀.	All. ped. t. 86. f. 2.
SUCCOWIA. P. S.	SUCCOWIA.	Cruciferae. J.			
1 balearica. P. S.	Minorca.	—————	Minorca.	1781. 6.7. H. ♂.	Jac. vind. 2. t. 144.
VELLA. W.	CRESS ROCKET.	Cruciferae. J.			
1 annua. W.	annual.	—————	England.	 6.7. H. ♂.	Eng. bot. 1441.
2 Pseudo-Cytisus. W.	shrubby.	—————	Spain.	1759. 4.5. F. h.	Cav. ic. 1. t. 42.
ANASTATICA. W.	{ ROSE OF JERICHO. }	Cruciferae. J.			
1 hierochuntica. W.	common.	—————	Levant.	1597. 6.8. H. ♀.	Jac. vind. 1. t. 68.
ÆTHIONEMA. H. K.	ÆTHIONEMA.	Cruciferae. J.			
1 saxatile. H. K.	rock.	—————	S. Europe.	1759. 6.7. H. ♂.	Jac. aust. 3. t. 236.
2 monospermum. H. K.	one-seeded.	—————	Spain.	1778. 7.8. H. ♂.	
THLASPI. W.	{ SHEPHERD'S PURSE. }	Cruciferae. J.			
1 arvense. W.	Penny Cress.	—————	Britain.	 6.7. H. ♂.	Eng. bot. 1659.
2 alliaceum. W.	Garlic-scented.	—————	S. Europe.	1714. 5.7. H. ♂.	Jac. ic. 1. t. 121.
3 ceratocarpum. W.	Siberian.	—————	Siberia.	1779. 7. H. ♂.	Scop. ins. 1. t. 4.
4 Bursa pastoris. W.	common.	—————	Britain.	 2.11. H. ♂.	Eng. bot. 1485.
5 hirtum. W.	hairy.	—————	—————	 6.7. H. ♂.	——— 1803.
6 perfoliatum. W.	perfoliate.	—————	England.	 4.7. H. ♀.	Eng. bot. 2354.
7 alpestre. W.	Alpine.	—————	—————	 5.7. H. ♀.	——— 81.
8 montanum. W.	mountain.	—————	Austria.	 7. H. ♂.	Jac. aust. 3. t. 287.
HUTCHINSIA. H. K.	HUTCHINSIA.	Cruciferae. J.	<i>Lepidii sp. W.</i>		
1 rotundifolia. H. K.	round-leaved.	—————	Switzerland.	1759. 5.7. H. ♀.	All. ped. 1. t. 55. f. 2.
2 alpina. H. K.	Alpine.	—————	Germany.	1775. 4.6. H. ♀.	Jac. aust. 2. t. 137.
3 petraea. H. K.	rock.	—————	England.	 3.5. H. ♂.	Eng. bot. 111.
TEESDALIA. H. K.	TEESDALIA.	Cruciferae. J.	<i>Iberidis sp. W.</i>		
1 nudicaulis. H. K.	naked-stalked.	—————	Britain.	 5.7. H. ♂.	Eng. bot. 927.

IBERIS. H. K.		CANDY TUFT.	Cruciferae. J.			
1	semperflorens. W.	broad-leaved.	_____	Sicily.	1679. 1.12. G. h.	Zanon. hist. t. 165.
2	sempervirens. W.	narrow-leaved.	_____	Candia.	1731. 4.6. H. h.	Riv. tetr. 224. f. 2.
3	gibbaltaria. W.	Gibraltar.	_____	Spain.	1732. 5.6. G. h.	Bot. mag. 124.
4	saxatilis. W.	rock.	_____	S. Europe.	1739. 4.6. H. h.	Garid. prov. t. 101.
	<i>β corifolia.</i>	<i>smooth-leaved.</i>	_____	_____	H. h.	Bot. mag. 1642.
5	ciliata. W.	ciliate-leaved.	_____	Caucasus.	1802. 6.7. F. 2.	1030.
6	umbellata. W.	purple.	_____	S. Europe.	1596. — H. ○	106.
7	violacea. H. K.	blunt-le ^d purple.	_____		1782. — H. ○	
8	amara. W.	bitter.	_____	England.	 — H. H. ○	Eng. bot. 52.
9	linifolia. W.	Flax-leaved.	_____	S. Europe.	1759. 7.8. H. ♂	Garid. prov. t. 105.
10	odorata. W.	sweet-scented.	_____	Geneva.	1800. — H. ○	
11	pinnata. W.	wing-leaved.	_____	S. Europe.	1596. 6.8. H. H. ○	Lob. ic. 218.
LEPIDIDIUM. H. K.		PEPPERWORT.	Cruciferae. J.			
1	latifolium. W.	broad-leaved.	_____	Britain.	 6.7. H. 2.	Eng. bot. 182.
2	lyratum. W.	lyre-leaved.	_____	Levant.	1759. — H. ○	Tourn. it. 2. t. 339.
3	Draba. H. K.	Whitlow.	_____	Europe.	1596. 5.6. H. 2.	Jac. aust. 4. t. 315.
4	graminifolia. H. K.	bushy.	_____	_____	1683. 8.9. H. 2.	Bauh. b. 2. p. 918. ic.
5	Iberis. Roth.	diandrous.	_____	Germany.	1793. 7.8. H. ○	Lob. ic. 223.
6	divaricatum. W.	close-spiked.	_____	C. B. S.	1774. 5.8. G. h.	
7	rudérale. W.	narrow-leaved.	_____	Britain.	 6.7. H. ○	Eng. bot. 1595.
8	bonariense. W.	Buenos Ayres.	_____	S. America.	1732. 5.6. H. ○	Dill. elt. t. 286. f. 370
9	Cardamines. W.	Spanish Cress.	_____	Spain.	1739. 6.7. F. ♂	Arduin. sp. 1. t. 18.
10	subulatum. W.	awl-leaved.	_____	_____	1739. 7.8. F. h.	D. Asso arr. t. 6. f. 3.
11	piscidium. W.	South Sea.	_____	Society Isl.	1779. 9. H. ○	
12	perfoliatum. W.	various-leaved.	_____	Austria.	1640. 7. H. ○	Jac. aust. 4. t. 346.
13	spinosum. W.	prickly.	_____	Levant.	1787. 9. H. ○	
14	campestre. H. K.	hoary-field.	_____	Britain.	 6.7. H. H. ○	Eng. bot. 1385.
15	sativum. W.	Common Cress.	_____		1548. — H. ○	Zorn. ic. 16.
	<i>β crispum.</i>	<i>Curled Cress.</i>	_____			
16	virginicum. W.	Virginian.	_____	America.	1713. — H. ○	Schk. hand. 2. t. 180.
17	chalepense. W.	Aleppo.	_____	Aleppo.	1798. 5.7. H. ○	
COCHLEARIA. H. K.		SCURVY-GRASS.	Cruciferae. J.			
1	officinalis. W.	common.	_____	Britain.	 4.5. H. ○	Eng. bot. 550.
2	anglica. W.	English.	_____	_____	 5. H. ○	552.
3	danica. W.	Danish.	_____	_____	 5.6. H. ○	696.
4	glastifolia. W.	Wood-leaved.	_____	Germany.	1648. 5.7. H. ♂	Moris. his. 2. t. 21. f. 3
5	groenlandica. E. B.	Greenland.	_____	Scotland.	 5.6. H. 2.	Eng. bot. 2403.
6	saxatilis. W.	rock.	_____	Austria.	1775. 6.7. H. 2.	Jac. aust. 2. t. 129.
7	macrocarpa. W.	large-capsuled.	_____	Hungary.	1806. 7. H. 2.	
8	Armoracia. W.	Horse-Radish.	_____	England.	 5. H. 2.	Eng. bot. 2223.
SUBULARIA. W.		AWLWORT.	Cruciferae. J.			
	aquatica. W.	water.	_____	Britain.	 7. H. ○	Eng. bot. 732.
DRABA. W.		{ WHITLOW- }	Cruciferae. J.			
		GRASS. }				
1	verna. W.	common.	_____	Britain.	 3.4. H. ○	Eng. Bot. 586.
2	rupestris. H. K.	rock.	_____	Scotland.	 5.7. H. 2.	1338.
	<i>hirta. E. B.</i>					
3	incana. W.	twisted-podded.	_____	Britain.	 5.6. H. ♂	388.
4	muralis. W.	Speedwell-leaved.	_____	England.	 5. H. ○	912.
5	memoralis. W.	wood.	_____	Europe.	1759. 5.6. H. ○	Hout. sys. 4. t. 60. f. 1
6	aizoides. W.	sen-green.	_____	Wales.	 2.4. H. 2.	Eng. bot. 1271.
7	ciliaris. W.	ciliate-leaved.	_____	Switzerland.	1731. — H. 2.	Bot. mag. 170.
PETROCALLIS. H. K.		PETROCALLIS.	Cruciferae. J. Drabæ sp. IV.			
	pyrenaica. H. K.	Pyrenean.	_____	Pyrenees.	1759. 5.6. H. 2.	Bot. mag. 713.
CAMELINA. P. S.		CAMELINA.	Cruciferae. J. Myagri et Alyssi sp. IV.			
1	sativa. H. K.	cultivated.	_____	Britain.	 5.7. H. ○	Eng. bot. 1254.
2	dentata. P. S.	tooth-leaved.	_____	Europe.	1806. — H. ○	Lind. alsat. p. 49. f. 1.
3	austriaca. H. K.	Austrian.	_____	Austria.	1795. 6.7. H. ○	Jac. aust. 2. t. 111.
ALYSSUM. H. K.		MADWORT.	Cruciferae. J.			
1	calycinum. H. K.	calycine.	_____	Austria.	1740. 7.8. H. ○	Jac. aust. t. 339.
2	campestre. W.	field.	_____	France.	1768. — H. ○	
3	montanum. W.	mountain.	_____	Germany.	1713. — H. 2.	Bot. mag. 419.
4	saxatile. W.	rock.	_____	Candia.	1710. 4.5. H. h.	159.
5	alpestre. W.	Italian.	_____	Italy.	1777. 6.10. H. h.	Jac. col. 4. t. 4. f. 1.
6	spinosum. W.	thorny.	_____	S. Europe.	1683. 6.8. F. h.	Barr. ic. 808.
7	tortuosum. W.	twisted.	_____	Hungary.	1804. 6.7. H. 2.	Pl. rar. hung. t. 91.
8	minimum. W.	small.	_____	Spain.	1791. 7. H. ○	
9	maritimum. W.	sweet.	_____	England.	 6.9. H. h.	Eng. bot. 1729.

FARSETIA. H. K.	FARSETIA.	Cruciferae. J. <i>Alyssi sp. W.</i>			
1 Cheiranthoides. H. K.	Stock.	Levant.	1788. 6.7.	G. $\frac{1}{2}$.	Desf. atl. 2. t. 160.
2 lunarioides. H. K.	oriental.	Archipelago.	1781. —	H. $\frac{1}{2}$.	Tourn. it. 1. p. 242.
3 clypeata. H. K.	buckler-podded.	S. Europe.	1596. —	H. $\odot$.	
4 mutabilis. H. K.	changeable.	Levant.	1802. 7.8.	H. $\frac{1}{2}$.	Vent. cels. 85.
5 incana. H. K.	hoary.	Europe.	1740. 7.9.	H. $\frac{1}{2}$.	
6 deltoidea. H. K.	purple.	Levant.	1710. 3.5.	H. $\frac{1}{2}$.	Bot. mag. 126.
VESICARIA. Lam.	VESICARIA.	Cruciferae. J. <i>Alyssi sp. W.</i>			
1 utriculata. H. K.	smooth.	Levant.	1739. 4.6.	H. $\frac{1}{2}$.	Bot. mag. 130.
2 cretica. P. S.	Cretan.	Crete.	—	5.8. H. $\frac{1}{2}$.	Alp. exot. t. 118.
3 sinuata. H. K.	sinuate-leaved.	Spain.	1596. 4.6.	H. $\frac{1}{2}$.	
LUNARIA. W.	HONESTY.	Cruciferae. J.			
1 rediviva. W.	perennial.	Germany.	1596. 5.6.	H. $\frac{1}{2}$.	Lam. ill. t. 561. f. 1.
2 annua. W.	annual.	—	1570. —	H. $\frac{1}{2}$.	t. 561. f. 2.
RICOTIA. W.	RICOTIA.	Cruciferae. J.			
ægyptiaca. W.	Egyptian.	Egypt.	1757. 6.7.	H. $\odot$.	Bot. reg. 49.

SILIQUOSA.

HELIOPHILA. W.	HELIOPHILA.	Cruciferae. J.			
1 incana. W.	hoary.	C. B. S.	1774. 5.8.	G. $\frac{1}{2}$.	
2 filiformis. W.	awl-podded.	—	1786. 7.8.	G. $\odot$.	
3 platysilqua. H. K.	broad-podded.	—	1774. —	G. $\frac{1}{2}$.	
4 pilosa. H. K.	hairy.	—	1768. 5.9.	H. $\odot$.	Jac. ic. 3. t. 526.
<i>β incisa.</i>	cut-leaved.	—	—	—	Bot. mag. 496.
5 amplexicaulis. W.	opposite-leaved.	—	1774. 6.9.	H. $\odot$.	
6 foeniculacea. H. K.	Fennel-leaved.	—	—	H. $\odot$.	
7 pinnata. H. K.	wing-leaved.	—	1792. —	H. $\odot$.	Vent. malm. t. 118.
8 crithmifolia. W. en.	Samphire-leaved	—	1816. —	H. $\odot$.	
9 coronopifolia. W.	Buck's-horn-le ^d .	—	1778. 6.7.	G. $\frac{1}{2}$.	Herm. lugdb. t. 367.
CARDAMINE. H. K.	LADY'S SMOCK.	Cruciferae. J. <i>Cardamine et Dentaria. W.</i>			
1 enneaphylla. H. K.	nine-leaved.	Austria.	1656. 5.6.	H. $\frac{1}{2}$.	Jac. aust. 4. t. 316.
2 pentaphylla. H. K.	five-leaved.	Switzerland.	—	H. $\frac{1}{2}$.	Garid. prov. t. 29.
3 pinnata. H. K.	seven-leaved.	—	1683. —	H. $\frac{1}{2}$.	t. 28.
4 bulbifera. H. K.	bulbiferous.	England.	 4.5.	H. $\frac{1}{2}$.	Eng. bot. 309.
5 polyphylla. P. S.	many-leaved.	Hungary.	1817. 5.6.	H. $\frac{1}{2}$.	Pl. rar. hung. 2. t. 169
6 glandulosa. P. S.	glandular.	—	1815. —	H. $\frac{1}{2}$.	
7 diphylla. P. S.	two-leaved.	N. America.	1810. —	H. $\frac{1}{2}$.	Bot. mag. 1465.
8 asarifolia. W.	kidney-leaved.	Italy.	1710. 6.7.	H. $\frac{1}{2}$.	— 1735.
9 bellidifolia. W.	Daisy-leaved.	Scotland.	 4.6.	H. $\frac{1}{2}$.	Eng. bot. 2355.
10 trifolia. W.	three-leaved.	Switzerland.	1629. 3.4.	H. $\frac{1}{2}$.	Bot. mag. 452.
11 africana. W.	African.	C. B. S.	1691. 5.6.	G. $\frac{1}{2}$.	Herm. parad. 202.
12 chelidonia. W.	Celandine-leav ^d .	Italy.	1739. 6.8.	H. $\frac{1}{2}$.	Pl. rar. hung. 2. t. 140
13 græca. W.	Grecian.	S. Europe.	1710. 6.7.	H. $\odot$.	Boc. sic. t. 44. f. 2.
14 amara. W.	bitter.	Britain.	 4.5.	H. $\frac{1}{2}$.	Eng. bot. 1000.
15 latifolia. W.	broad-leaved.	Spain.	1710. 6.8.	H. $\frac{1}{2}$.	Herm. parad. 203.
16 pratensis. W.	Cuckoo-flower.	Britain.	 4.5.	H. $\frac{1}{2}$.	Eng. bot. 776.
<i>β plena.</i>	double-flowered.	—	—	—	—
17 impatiens. W.	impatiant.	—	 4.6.	H. $\odot$.	— 80.
18 hirsuta. W.	hairy.	—	 1.12.	H. $\odot$.	— 492.
19 resedifolia. W.	Rocket-leaved.	Germany.	1658. 7.	H. $\odot$.	All. ped. 1. t. 57. f. 2.
ARABIS. H. K.	WALL CRESS.	Cruciferae. J.			
1 carulea. W.	blue.	Switzerland.	1793. 6.7.	H. $\frac{1}{2}$.	All. ped. 1. t. 40. f. 2.
2 nutans. W.	nodding.	—	1658. 3.4.	H. $\frac{1}{2}$.	Jac. aust. 3. t. 281.
3 bellidifolia. W.	Daisy-leaved.	—	1773. 5.6.	H. $\frac{1}{2}$.	3. t. 280.
4 caucasica. W. en.	early-flowering.	Caucasus.	1798. 1.10.	H. $\frac{1}{2}$.	—
5 grandiflora. W.	naked-stalked.	Siberia.	—	3.5. H. $\frac{1}{2}$.	Lamœn. ac. t. 4. f. 20
6 alpina. W.	Alpine.	Switzerland.	1596. —	H. $\frac{1}{2}$.	Bot. mag. 226.
7 crispata. W. en.	curled-leaved.	Carniola.	1816. 3.4.	H. $\frac{1}{2}$.	
8 verna. H. K.	vernal.	France.	1710. 5.6.	H. $\odot$.	Barr. ic. 476.
9 stricta. W.	Bristol.	England.	 5.6.	H. $\frac{1}{2}$.	Eng. bot. 614.
10 arenosa. H. K.	purple.	Germany.	1798. 6.7.	H. $\odot$.	Scop. carn. t. 40.
11 hispida. H. K.	short-podded.	Britain.	 5.7.	H. $\frac{1}{2}$.	Eng. bot. 469.
12 thaliana. W.	common.	—	 4.5.	H. $\odot$.	— 901.
13 ciliata. H. K.	ciliated.	Ireland.	 6.7.	H. $\frac{1}{2}$.	— 1746.
<i>Turritis alpina. E. B.</i>		—	—	—	—
14 hirsuta. H. K.	hairy.	Britain.	 5.7.	H. $\frac{1}{2}$.	— 587.
15 pendula. W.	pendulous.	Siberia.	1759. —	H. $\odot$.	Jac. vind. 3. t. 34.
16 Turrita. W.	tower.	England.	 4.5.	H. $\frac{1}{2}$.	Eng. bot. 178.

17 canadensis. W.	sickle-podded.	Cruciferae. J.	N. America.	1768.	5.7.	H. 2.	
18 lucida. W. en.	shining-leaved.	_____	Hungary.	1790.	6.7.	H. 2.	
19 incana. W. en.	hispid-stalked.	_____	Switzerland.	1816.	5.6.	H. 3.	
MACROPODIUM.							
H. K.		Cruciferae. J.	<i>Cardaminis sp. W.</i>				
nivalis. H. K.	Siberian.	_____	Siberia.	1796.	6.9.	H. 2.	Pall. it. 2. ap. t. U.
TURRITIS. H. K.	{ TOWER MUSTARD. }	Cruciferae. J.					
1 arvensis. H. K.	Cabbage-flow ^d .	_____	S. Europe.	1739.	6.	H. 2.	Bocc. sic. t. 25. f. 3. 4.
2 glabra. H. K.	long-podded.	_____	England.		5.6.	H. 2.	Eng. bot. 777.
3 stricta. W.	upright.	_____	Italy.	1804.	—	H. 2.	
4 Loeselii. H. K.	Loeselius's.	_____	Germany.	1683.	8.	H. 2.	Jac. aust. 4. t. 324.
BARBAREA. H. K.	WINTER CRESS.	Cruciferae. J.	<i>Erysini sp. W.</i>				
1 vulgaris. H. K.	common.	_____	Britain.		5.8.	H. 2.	Eng. bot. 443.
2 præcox. H. K.	early.	_____	England.		4.10.	H. 2.	— 1129.
NASTURTIIUM. H. K.	NASTURTIIUM.	Cruciferae. J.	<i>Sisymbrii sp. W.</i>				
1 officinale. H. K.	Water Cress.	_____	Britain.		5.7.	H. 2.	Eng. bot. 855.
2 sylvestre. H. K.	creeping.	_____	—		6.9.	H. 2.	— 2324.
3 terrestre. H. K.	marsh.	_____	—		—	H. 2.	— 1747.
4 amphibium. H. K.	amphibious.	_____	—		6.8.	H. 2.	— 1840.
5 pyrenaicum. H. K.	Pyrenean.	_____	Pyrenees.	1775.	5.6.	H. 2.	Act. helv. 4. t. 15.
6 sagittatum. H. K.	arrow-leaved.	_____	Siberia.	1780.	—	H. 2.	Jac. ic. 1. t. 122.
SISYMBRIUM. H. K.	SISYMBRIUM.	Cruciferae. J.					
1 officinale. H. K.	Hedge Mustard.	_____	Britain.		5.7.	H. 2.	Eng. bot. 725.
2 Irio. W.	London Rocket.	_____	England.		5.8.	H. 2.	— 1631.
3 Columnæ. W.	Columna's.	_____	Italy.	1796.	6.7.	H. 2.	Jac. aust. 4. t. 323.
4 orientale. W.	oriental.	_____	Levant.	1739.	7.8.	H. 2.	
5 pannonicum. W.	Hungarian.	_____	Hungary.	1787.	—	H. 2.	Jac. ic. 1. t. 123.
6 Barbarea. W.	Winter-Cress-1 ^d .	_____	Levant.	1799.	7.9.	H. 2.	
7 austriacum. W.	Austrian.	_____	Austria.	—	6.8.	H. 2.	Jac. aust. 3. t. 262.
8 sinapoides. H. K.	Pyrenean.	_____	Pyrenees.	1791.	6.7.	H. 2.	Jac. vind. 3. t. 97.
9 altissimum. W.	tall.	_____	Siberia.	1759.	8.	H. 2.	Walth. hort. t. 22.
10 eckartsbergense. W.	Austrian.	_____	Austria.	1799.	6.7.	H. 2.	
11 asperum. W.	rough-podded.	_____	S. France.	1778.	5.6.	H. 2.	
12 supinum. W.	dwarf.	_____	S. Europe.	—	6.7.	H. 2.	Isnard. act. part. t. 18.
13 polyceratum. W.	Dandelion-leav ^d .	_____	—	1633.	—	H. 2.	Jac. vind. 1. t. 79.
14 bursifolium. W.	various-leaved.	_____	—	1732.	—	H. 2.	Dill. elt. t. 148. f. 177
15 tanacetifolium. W.	Tansy-leaved.	_____	Italy.	1731.	—	H. 2.	Zanon. hist. t. 72.
16 Barrelieri. W.	small.	_____	S. Europe.	1770.	—	H. 2.	Barr. ic. 1016.
17 Sophia. W.	Flix Weed.	_____	Britain.		7.	H. 2.	Eng. bot. 963.
18 millefolium. W.	Milfoil-leaved.	_____	Canaries.	1779.	5.9.	G. 2.	Jac. ic. 1. t. 127.
19 strictissimum. W.	spear-leaved.	_____	Switzerland.	1658.	6.8.	H. 2.	Jac. aust. 2. t. 194.
ERYSIMUM. H. K.	{ HEDGE MUSTARD. }	Cruciferae. J.	<i>Erysimum. W. et Cheiranthi sp. W.</i>				
1 cheiranthoides. W.	treacle.	_____	Britain.		7.8.	H. 2.	Eng. bot. 942.
2 repandum. W.	small-flowered.	_____	Spain.	1772.	5.6.	H. 2.	Jac. aust. 1. t. 22.
3 diffusum. H. K.	Alpine.	_____	S. Europe.	1731.	5.7.	H. 2.	— 1. t. 75. 388
4 angustifolium. W.	narrow-leaved.	_____	Hungary.	1800.	7.8.	H. 2.	Pl. rar. hung. 1. t. 98.
5 sessiliflorum. H. K.	sessile-flowered.	_____	Siberia.	1794.	6.7.	H. 2.	L'Her. stirp. 1. t. 44.
6 lanceolatum. H. K.	spear-leaved.	_____	S. Europe.	1597.	5.7.	H. 2.	Jac. aust. 1. t. 74. 2423
7 helveticum. H. K.	Swiss.	_____	Switzerland.	1793.	5.6.	H. 2.	Jac. vind. 3. t. 9.
8 odoratum. W.	fragrant.	_____	Austria.	1795.	7.8.	H. 2.	Jac. aust. 1. t. 73.
9 virgatum. W.	twiggy.	_____	Portugal.	1807.	7.	H. 2.	
10 Alliaria. W.	Garlick-scented.	_____	Britain.		5.	H. 2.	Eng. bot. 796.
11 orientale. H. K.	Hare's Ear.	_____	England.		6.	H. 2.	— 1804.
NOTOCERAS. H. K.	NOTOCERAS.	Cruciferae. J.	<i>Erysini sp. W.</i>				
canariensis. H. K.	Canary.	_____	Canaries.	1779.	8.9.	G. 2.	
CHEIRANTHUS. H. K.	{ WALL FLOWER. }	Cruciferae. J.					
1 Cheiri. W.	garden.	_____	S. Europe.	1573.	4.7.	H. 2.	
β flore pleno.	double-flowered.	_____	—	—	—	—	
γ Chameleon.	various-coloured.	_____	—	—	—	—	Bot. reg. 219.
2 fruticosus. E. B.	common.	_____	Britain.		—	H. 2.	Eng. bot. 1934.
β flore pleno.	double.	_____	—	—	—	—	
3 strictus. W.	upright.	_____	C. B. S.	1802.	7.	G. 2.	
4 mutabilis. W.	changeable.	_____	Madeira.	1777.	3.5.	G. 2.	Bot. mag. 195.
5 longifolius. Vent.	long-leaved.	_____	—	1815.	9.12.	G. 2.	
6 frutescens. Vent.	entire-leaved.	_____	Teneriffe.	—	3.7.	G. 2.	Vent. malm. t. 83.
7 scoparius. W. en.	{ crowded- branched. }	_____	—	1815.	3.8.	G. 2.	

8 linifolius. W. en.	Flax-leaved.	Cruciferae. J.	Spain.	1815.	3.8.	G. h. 7	
9 semperflorens. W. en.	ever-blowing.	—————	Barbary.	—————	1.12.	G. h.	
10 silenifolius. W. en.	Catchfly-leaved.	—————	—————	—————	—————	G. h.	
11 tenuifolius. H. K.	fine-leaved.	—————	Madeira.	1777.	5.6.	G. h.	
12 armeniacus. B. M.	Armenian.	—————	Armenia.	1803.	5.	H. 2.	Bot. mag. 835.
13 ibericus. W. en.	Barbarea-leaved.	—————	Iberia.	1816.	5.8.	H. 2.	
MATHIOLA. H. K.	Strock.	Cruciferae. J.	Cheiranthi sp. W.				
1 incana. H. K.	Gilly Flower.	—————	England.		5.11.	H. h.	Eng. bot. 1935.
β coccinea.	Brompton.						
γ alba.	white branching.						
2 annua. W.	ten-week.	—————	S. Europe.	1731.	—————	H. 0.	
3 græca. P. S.	Wall-flower-le ^d .	—————	—————		—————	H. 0.	
4 fenestralis. H. K.	window.	—————	—————	1759.	7.8.	G. δ.	Jac. vind. 2. t. 179.
5 taraxacifolia. W.	Dandelion-leav ^d .	—————	Siberia.	1795.	6.	H. δ.	
6 sinuata. H. K.	greater sea.	—————	England.		5.8.	H. δ.	Eng. bot. 462.
7 odoratissima. H. K.	Persian.	—————	Persia.	1797.	6.7.	G. h.	Bot. mag. 1711.
8 tristis. H. K.	dark-flowered.	—————	S. Europe.	1768.	5.7.	G. h.	————— 729.
9 tricuspidata. H. K.	three-forked.	—————	Barbary.	1739.	7.	H. 0.	Lam. ill. t. 564. f. 2.
10 parviflora. H. K.	small-flowered.	—————	Morocco.	1799.	7.8.	H. 0.	
MALCOMIA. H. K.	MALCOMIA.	Cruciferae. J.	Cheiranthi et Hesperidis sp. W.				
1 maritima. H. K.	dwarf annual.	—————	S. Europe.	1713.	5.6.	H. 0.	Bot. mag. 166.
2 Chius. W.	dwarf branching	—————	Chio.	1732.	6.	H. 0.	Dill. elt. t. 147. f. 178
3 africana. H. K.	African.	—————	Africa.	1747.	6.7.	H. 0.	Bocc. sic. t. 42. f. 1.
4 littorea. H. K.	small sea.	—————	S. Europe.	1683.	6.11.	H. 0.	
HESPERIS. H. K.	ROCKER.	Cruciferae. J.					
1 tristis. W.	night-smelling.	—————	Austria.	1629.	4.6.	H. δ.	Bot. mag. 730.
2 matronalis. W.	common.	—————	Italy.	1597.	5.8.	H. 2.	Lam. ill. t. 564. f. 1.
β albo-plena.	double white.						
γ purpureo-plena.	double purple.						
3 inodora. W.	scentless.	—————	Britain.		5.6.	H. 2.	Eng. bot. 731.
4 runcinata. W. en.	runcinate.	—————	Hungary.	1804.	6.7.	H. δ.	Pl. rar. hung. 2. t. 200
5 bituminosa. W. en.	clammy.	—————	—————	1816.	—————	H. δ.	
6 arenaria. W.	sand.	—————	Algiers.	1804.	—————	H. 0.	Desf. atl. 2. t. 162.
ERUCARIA. G.	ERUCARIA.	Cruciferae. J.	Cordylocarpi sp. W.				
aleppica. Vent.	Aleppo.	—————	Levant.	1680.	7.8.	H. 0.	Gært. se. 2. t. 143. f. 9.
BRASSICA. H. K.	CABBAGE.	Cruciferae. J.					
1 Napus. W.	Rape.	—————	Britain.		5.	H. δ.	Eng. bot. 2146.
2 Rapa. W.	Turnep.	—————	England.		4.	H. δ.	Eng. bot. 2176.
3 oleracea. W.	common.	—————	—————		4.6.	H. δ.	————— 637.
α capitata.	white.						
β rubra.	red.						
γ sabauda.	Savoy.						
δ sabellica.	Borecole.						
ε botrytis.	Cauliflower.						
ζ —	Broccoli.						
η napobrassica.	Turnep-rooted.						
4 chinensis. W.	Chinese.	—————	China.	1770.	7.	H. 0.	
5 polymorpha. W.	various-leaved.	—————	Hungary.	1804.	—————	H. 2.	Pl. rar. hung. t. 90.
6 Erucastrum. W.	runcinate-leav ^d .	—————	S. Europe.	1790.	6.8.	H. 0.	Fusch. hist. 262. ic.
7 Eruca. W.	stripe-flowered.	—————	Austria.	1573.	7.	H. 0.	Schk. hand. 2. t. 186.
8 mouensis. H. K.	Isle of Man.	—————	Britain.		6.8.	H. 0.	Eng. bot. 962.
9 elongata. W.	stalk-leaved.	—————	Hungary.	1801.	5.6.	H. δ.	Pl. rar. hung. 1. t. 28.
10 campestris. W.	field.	—————	England.		6.	H. 0.	Eng. bot. 2234.
11 alpina. W.	Alpine.	—————	Germany.	1793.	5.6.	H. 2.	Vill. dauph. 3. t. 36.
SINAPIS. H. K.	MUSTARD.	Cruciferae. J.					
1 arvensis. W.	Charlock.	—————	Britain.		5.7.	H. 0.	Eng. bot. 1748.
2 orientalis. W.	oriental.	—————	Levant.	1778.	6.7.	H. 0.	Schk. hand. 1. t. 186.
3 alba. W.	white.	—————	Britain.		—————	H. 0.	Eng. bot. 1677.
4 Allioni. W.	Allioni's.	—————	—————	1789.	—————	H. 0.	Jac. vind. 2. t. 168.
5 chinensis. W.	Chinese.	—————	China.	1782.	7.	H. 0.	Arduin. spec. 1. t. 10.
6 juncea. W.	fine-leaved.	—————	—————	1710.	6.7.	H. 0.	Jac. vind. 2. t. 171.
7 brassicata. W.	Cabbage-leaved.	—————	—————	1801.	—————	H. 0.	
8 laevigata. W.	smooth.	—————	Spain.	1769.	—————	H. δ.	
9 nigra. W.	common.	—————	Britain.		5.6.	H. 0.	Eng. bot. 969.
10 pubescens. W.	downy.	—————	Sicily.	1789.	6.7.	H. 2.	Arduin. spec. 1. t. 9.
11 hispida. W.	hispid.	—————	Morocco.	1804.	7.	H. 0.	Schous. Maroc. t. 4.
12 eruroides. W.	dwarf.	—————	S. Europe.	1736.	6.7.	H. 0.	Jac. vind. 2. t. 170.
13 pyrenaica. W.	Pyrenean.	—————	Pyrenees.	1799.	7.	H. δ.	All. ped. t. 55. f. 1.
14 frutescens. W.	shrubby.	—————	Madeira.	1777.	12.6.	G. h.	
15 tenuifolia. H. K.	fine-leaved.	—————	England.		7.10.	H. 2.	Eng. bot. 525.

16 muralis. H. K.	sand.	Cruciferae. J.	England.		7.9.	H.⊙.	Eng. bot. 1090.
17 incana. H. K.	hoary-jointed.	_____	S. Europe.	1771.	7.	H.♂.	Jac. vind. 2. t. 169.
18 hispanica. W.	Spanish.	_____	Spain.	1710.	5.7.	H.⊙.	_____
19 integrifolia. W.	entire-leaved.	_____	E. Ind.	1804.	7.8.	H.⊙.	_____
RAPHANUS. H. K.	RADISH.	Cruciferae. J.	_____	_____	_____	_____	_____
1 sativus. W.	common.	_____	China.	1548.	5.6.	H.⊙.	Lam. ill. t. 566.
2 caudatus. W.	long-podded.	_____		1815.	5.8.	H.⊙.	Linn. dec. 3. t. 10.
3 Raphanistrum. W.	wild.	_____	Britain.		6.7.	H.⊙.	Eng. bot. 856.
4 maritimus. H. K.	sea.	_____	_____		5.7.	H.♂.	_____ 1643.
5 cheiranthifolius. W.	Stock-leaved.	_____	Spain.	1806.	6.8.	H.♂.	W. hort. ber. t. 19.
CHORISPERMUM } H. K.	CHORISPERMUM.	Cruciferae. J.	<i>Raphani sp. W.</i>	_____	_____	_____	_____
• tenellum. H. K.	purple.	_____	Siberia.	1780.	6.7.	H.⊙.	Pall. it. 3. t. L. f. 3.
CLEOME. W.	CLEOME.	Capparides. J.	_____	_____	_____	_____	_____
1 Chelidonii. W.	Celandine-flow ^d .	_____	E. Ind.	1790.	6.7.	S.⊙.	_____
2 viscosa. W.	viscid.	_____	Ceylon.	1730.	_____	S.⊙.	Rheed. mal. 9. t. 23.
3 dodecandra. W.	three-leaved.	_____	India.	1795.	_____	S.⊙.	Bur. zeyl. t. 100. f. 1.
4 pentaphylla. W.	five-leaved.	_____	_____	1640.	_____	S.⊙.	Jac. vind. 1. t. 21.
5 gigantea. W.	gigantic.	_____	S. America.	1774.	_____	S. h.	Jac. obs. 4. t. 76.
6 spinosa. W.	white-fl ^d prickly.	_____	W. Ind.	1731.	_____	S.♂.	Marcgr. bras. t. 34.
7 pungens. W.	red-fl ^d prickly.	_____	_____	1812.	7.8.	S.♂.	W. hort. ber. 1. t. 18.
<i>spinosa. B. M.</i> 1640.	_____	_____	_____	_____	_____	_____	_____
8 Houstoni. H. K.	Houstoun's.	_____	_____	1730.	7.	S.⊙.	_____
9 violacea. W.	Violet-coloured.	_____	Portugal.	1776.	6.7.	H.⊙.	{ Schk. hand. 2. t. 189. b.
10 ornithopodioides. W.	bird's-foot.	_____	Levant.	1732.	_____	H.⊙.	Dill. elt. t. 266. f. 345
11 arabica. W.	Arabian.	_____	Arabia.	1794.	_____	H.⊙.	Lin. fil. fasc. t. 8.
12 monophylla. W.	simple-leaved.	_____	E. Ind.	1759.	_____	S.⊙.	Burm. zey. t. 100. f. 2
13 procumbens. W.	procumbent.	_____	W. Ind.	1798.	_____	S.♂.	Jac. amer. t. 120.
14 pubescens. B. M.	pubescent.	_____		1815.	7.	H.⊙.	Bot. mag. 1857.

CLASS XVI.

MONADELPHIA TRIANDRIA.

TAMARINDUS. W.	TAMARIND TREE.	Leguminosae. J.	_____	_____	_____	_____	_____
indica. W.	common.	_____	India.	1633.	6.7.	S. h.	Jac. amer. t. 19.
PATERSONIA. B. P.	PATERSONIA.	Irideae. B. P.	_____	_____	_____	_____	_____
1 sericea. B. P.	silky.	_____	N. S. W.	1803.	5.7.	G.♂.	Bot. mag. 1041.
2 glabrata. B. P.	smooth.	_____	_____	1814.	_____	G.♂.	Bot. reg. 50.
FERRARIA. Ker.	FERRARIA.	Irideae. B. P.	_____	_____	_____	_____	_____
1 undulata. W.	curled.	_____	C. B. S.	1755.	3.4.	G.♂.	Bot. mag. 144.
2 antherosa. Ker.	variegated.	_____	_____	1800.	3.7.	G.♂.	751.
TIGRIDIA. J.	TIGER FLOWER.	Irideae. B. P.	<i>Ferraria sp. W.</i>	_____	_____	_____	_____
pavonia. P. S.	Mexican.	_____	Mexico.	1796.	5.9.	H.♂.	Bot. mag. 532.
GALAXIA. W.	GALAXIA.	Irideae. B. P.	_____	_____	_____	_____	_____
1 ovata. W.	oval-leaved.	_____	C. B. S.	1799.	5.9.	G.♂.	Bot. rep. 94.
2 grandiflora. B. R.	great-flowered.	_____	_____	_____	_____	G.♂.	164.
3 mucronularis. Sal.	mucronated.	_____	C. B. S.	_____	_____	G.♂.	{ Jac. ic. t. 291. f. inf. ad sinis.
4 versicolor. Sal.	various-coloured.	_____	_____	_____	_____	G.♂.	—, f. inf. ad dextr.
5 graminea. W.	narrow-leaved.	_____	_____	1795.	7.8.	G.♂.	Bot. mag. 1292.
WALTHERIA. W.	WALTHERIA.	PENTANDRIA.	_____	_____	_____	_____	_____
1 americana. W.	American.	Tiliaceae? J.	_____	_____	_____	_____	_____
2 indica. W.	Indian.	_____	S. America.	1691.	5.10.	S.♂.	Jac. ic. 1. t. 130.
3 elliptica. W.	woolly.	_____	E. Ind.	1759.	6.8.	S. h.	Burm. zeyl. t. 68.
HERMANNIA. W.	HERMANNIA.	Tiliaceae? J.	_____	_____	_____	_____	_____
1 althaeifolia. W.	Althaea-leaved.	_____	C. B. S.	1728.	3.7.	G. h.	Bot. mag. 307.
2 plicata. W.	plaited-leaved.	_____	_____	1774.	11.12.	G. h.	Jac. schœn. 2. t. 218.
3 candicans. W.	white.	_____	_____	_____	4.6.	G. h.	1. t. 117.
4 disticha. W.	round-leaved.	_____	_____	1789.	5.8.	G. h.	1. t. 118.
5 salviafolia. W.	Sage-leaved.	_____	_____	1795.	4.6.	G. h.	Cav. dis. 6. t. 180. f. 2.
6 micans. W.	glittering.	_____	_____	1790.	5.8.	G. h.	Jac. schœn. 1. t. 119.

7 involucreta. W.	involucred.	Tiliaceæ. J.	C. B. S.	1794. 5.6.	G. h.	Cav. dis. 6. t. 177. f. 1.
8 scordifolia. W.	Germander-lea ^d .	_____	_____	_____	4.11. G. h.	Jac. schœn. 1. t. 120.
9 mollis. W. en.	soft-leaved.	_____	_____	1814. 5.6.	G. h.	_____
10 denudata. W.	smooth.	_____	_____	1774. 5.7.	G. h.	Jac. schœn. 1. t. 122.
11 disermatofolia. W.	simple-flowered.	_____	_____	1795. 3.4.	G. h.	_____ 1. t. 121.
12 aluifolia. W.	Alder-leaved.	_____	_____	1728. 2.5.	G. h.	Bot. mag. 299.
13 cuneifolia. W.	wedge-leaved.	_____	_____	1791. 8.9.	G. h.	Jac. schœn. 1. t. 124.
14 holosericea. W.	velvet-leaved.	_____	_____	1792. 5.6.	G. h.	_____ 3. t. 292.
15 hirsuta. W.	hairy-branched.	_____	_____	1790. _____	G. h.	Schrad. s. ban. 1. t. 4.
16 scabra. W.	rough-leaved.	_____	_____	1789. 3.4.	G. h.	Jac. schœn. 1. t. 127.
17 multiflora. W.	many-flowered.	_____	_____	1791. 3.5.	G. h.	_____ 1. t. 128.
18 flammœa. W.	flame-flowered.	_____	_____	1794. 1.12.	G. h.	Bot. mag. 1349.
19 angularis. W.	angular.	_____	_____	1791. 4.5.	G. h.	Jac. schœn. 1. t. 126.
20 hyssopifolia. W.	Hyssop-leaved.	_____	_____	1725. 4.6.	G. h.	Cav. dis. 6. t. 181. f. 3.
21 trifurcata. W.	three-forked.	_____	_____	1789. 4.7.	G. h.	Jac. schœn. 1. t. 125.
22 odorata. W.	sweet-scented.	_____	_____	1780. 2.10.	G. h.	_____
23 lavandulifolia. W.	Lavender-leaved.	_____	_____	1732. 5.9.	G. h.	Bot. mag. 304.
24 filifolia. W.	thread-leaved.	_____	_____	1816. 5.8.	G. h.	Jac. schœn. 1. t. 123.
25 trifoliata. W.	three-leaved.	_____	_____	1752. _____	G. h.	Cav. dis. 6. t. 182. f. 2.
26 procumbens. W.	procumbent.	_____	_____	1792. 5.6.	G. h.	_____ 6. t. 177. f. 2.
27 grossularifolia. W.	Gooseberry-lea ^d .	_____	_____	1731. 4.5.	G. h.	_____
28 pulverulenta. B. R.	powdered.	_____	_____	1800. 5.8.	G. h.	Bot. rep. 161.
29 incisa. W.	cut-leaved.	_____	_____	1806. 6.7.	G. h.	_____
30 tenuifolia. B. M.	slender-leaved.	_____	_____		G. h.	Bot. mag. 1348.
MELOCHIA. W.	MELOCHIA.	Malvaceæ. J.	_____	_____	_____	_____
1 pyramidata. W.	pyramidal.	_____	Brazil.	1768. 7.8.	S. h.	Jac. vind. 1. t. 30.
2 tomentosa. W.	downy.	_____	W. Ind.	_____	5.6. S. h.	{ Cav. dis. 6. t. 172. f. 2.
3 corchorifolia. W.	Corchorus-leav ^d .	_____	E. Ind.	1732. 7.8.	S. C.	Dill. elt. t. 176. f. 217
MELHANIA. J.	MELHANIA.	Malvaceæ. J.	<i>Dombeyæ sp. II.</i>	_____	_____	_____
1 Erythroxylon. H. K.	red-wood.	_____	St. Helena.	1772. 5.8.	S. h.	Bot. mag. 1000.
2 Melanoxylon. H. K.	black-wood.	_____	_____	1800. 7.8.	S. h.	Pluk. man. t. 333. f. 5
OCHROMA. W.	OCHROMA.	Malvaceæ. J.	_____	_____	_____	_____
1 tomentosa. W. en.	woolly-leaved.	_____	S. America.	1816.	S. h.	_____
2 Lagopus. W. en.	downy-leaved.	_____	Jamaica.	1802.	S. h.	Cav. dis. 5. t. 153.
PASSIFLORA. W.	PASSIFLORA.	Passifloræ. J.	in Ann. Mus.	_____	_____	_____
1 serratifolia. W.	notched-leaved.	_____	W. Ind.	1731. 5.10.	S. h.	Bot. mag. 651.
2 cuprea. W.	copper-coloured.	_____	Bahama Isl.	1724. 7.8.	S. h.	Jac. ic. 3. t. 606.
3 maliformis. W.	Apple-fruited.	_____	W. Ind.	1731. 7.11.	S. h.	Bot. reg. 95.
4 quadrangularis. W.	square-stalked.	_____	Jamaica.	1768. 8.9.	S. h.	_____ 14. 2011
5 alata. W.	wing-stalked.	_____	W. Ind.	1772. 4.8.	S. h.	Bot. mag. 66.
6 laurifolia. W.	Laurel-leaved.	_____	_____	1690. 6.7.	S. h.	Bot. reg. 13.
7 multiflora. W.	many-flowered.	_____	Vera Cruz.	1731. 6.9.	S. h.	Plum. amer. t. 90.
8 Murucuja. W.	purple.	_____	W. Ind.	1739. 7.8.	S. h.	_____ t. 87. 501
9 perfoliata. W.	perfoliate-leaved.	_____	_____	1806. _____	S. h.	Bot. reg. 78.
10 rubra. W.	red-fruited.	_____	_____	1731. 4.9.	S. h.	_____ 96.
11 normalis. W.	linear-lobed.	_____	Vera Cruz.	1771. 5.6.	S. h.	_____
12 lunata. W.	crenate-leaved.	_____	Jamaica.	1733. 6.8.	S. h.	Smith ic. pict. 1. 503
13 Vespertilio. W.	bat-winged.	_____	W. Ind.	1732. 5.6.	S. h.	Dill. elt. t. 137. f. 164.
14 rotundifolia. W.	round-leaved.	_____	_____	1779. 5.8.	S. h.	Cav. dis. 10. t. 290.
15 punctata. W.	dotted-leaved.	_____	Peru.	1784. 5.6.	S. h.	_____ 6. t. 269.
16 lutea. W.	yellow.	_____	America.	1714. _____	S. h.	Bot. reg. 79.
17 angustifolia. W.	narrow-leaved.	_____	W. Ind.	1773. 6.9.	S. h.	_____ 188.
18 minima. W.	small.	_____	Curassao.	1690. 7.8.	S. h.	_____ 144.
19 suberosa. W.	Cork-barked.	_____	W. Ind.	1759. 6.9.	S. h.	Exot. bot. 1. t. 28.
20 peltata. W.	peltate.	_____	_____	1778. 8.9.	S. h.	Cav. diss. 10. t. 274.
21 hederacea. W.	Ivy-leaved.	_____	_____	 6.7.	S. h.	Plum. amer. t. 84.
22 glauca. W.	glaucous-leaved.	_____	Cayenne.	1779. 8.9.	S. h.	Bot. reg. 88.
23 stipulata. W.	large-stipuled.	_____	Guiana.	1815. _____	S. h.	Aub. gui. 3. t. 325.
24 holosericea. W.	silky-leaved.	_____	Vera Cruz.	1733. 5.8.	S. h.	Bot. reg. 59. 2011
25 hirsuta. W.	hairy.	_____	W. Ind.	1778. 9.	S. h.	Plum. amer. t. 88. f. A
26 fœtida. W.	stinking.	_____	_____	1731. 7.8.	S. h.	Cav. dis. 10. t. 289.
27 ciliata. W.	ciliated.	_____	Jamaica.	1783. 7.9.	S. h.	Bot. mag. 288.
28 adiantifolia. B. Reg.	Adiantum-leav ^d .	_____	Norfolk Isl.	1792. 6.8.	G. h.	Bot. reg. 233.
29 peduncularis. Cav.	long-peduncled.	_____	Peru.	1815.	S. h.	Cav. ic. 5. t. 426.
30 incarnata. W.	Rose-coloured.	_____	America.	1629. 7.8.	G. h.	Miss Lawr. pass.
β major.	larger.	_____	Brazil.		G. h.	Bot. reg. 152.
31 cærulea. W.	common.	_____	_____	1699. 6.10.	H. h.	Bot. mag. 28.
32 serrata. W.	saw-leaved.	_____	Martinique.	1800.	S. h.	Plum. amer. t. 79.
33 pedata. W.	curl-flowered.	_____	W. Ind.	1781.	S. h.	_____ t. 81.

ERODIUM. W.		HERON'S BILL. Geraniæ. J. <i>Geranii</i> sp. Linn.	
1	crassifolium. W.	thick-leaved.	Cyprus. 1788. 3.8. G. ½. Bot. rep. 136.
2	petraeum. W.	rock.	S. Europe. 1640. 6.7. H. ½. Gouan. ill. t. 21. f. 1.
3	glandulosum. W.	glandulous.	Spain. 1798. — F. ½. Lapey. pyr. 1. t. 1.
4	bipinnatum. W.	Numidian.	Numidia. 1803. 5.6. G. ½. Cav. diss. 5. t. 126. f. 3.
5	alpinum. W.	Alpine.	Italy. 1814. 5.8. H. ½. L'Her. ger. t. 3.
6	ciconium. W.	long-beaked.	S. Europe. 1711. 6.7. H. ½. Jac. vind. 1. t. 18.
7	cicutarium. W.	Hemlock-leav'd.	Britain. 4.9. H. ½. Eng. bot. 1768.
8	romanum. W.	Roman.	Rome. 1724. 5.6. H. ½. Bot. mag. 377.
9	moschatum. W.	musky.	England. 5.7. H. ½. Eng. bot. 902.
10	laciniatum. W.	lacinated.	Crete. 1794. 5.8. G. ½. Cav. diss. 4. t. 113. f. 3.
11	gruinum. W.	broad-leaved.	— 1596. 6.7. H. ½. — 4. t. 88. f. 2.
12	chium. W.	Chion.	Levant. 1724. — H. ½. — 4. t. 92. f. 1.
13	hymenodes. W.	three-leaved.	Barbary. 1789. 1.12. G. ½. Bot. mag. 1174.
14	glaucocephyllum. W.	glaucous-leaved.	Egypt. 1732. 7.8. H. ½. Dil. elt. t. 124. f. 150.
15	incarnatum. W.	flesh-coloured.	C. B. S. 1787. 5.7. G. ½. Bot. mag. 261.
16	malacoides. W.	Mallow-leaved.	S. Europe. 1596. — H. ½. Cav. diss. 4. t. 91. f. 2.
17	maritimum. W.	sea.	England. 5.9. H. ½. Eng. bot. 646.
18	chaniadryoides. W.	dwarf.	Minorca. 1783. 4.9. F. ½. Bot. mag. 18.

HEPTANDRIA.

PELARGONIUM. W. STORK'S BILL. Geraniæ. J. <i>Geranii</i> sp. Linn.			
1	longifolium. W.	long-leaved.	C. B. S. 1812. 5.6. G. ½. Jac. ic. 3. t. 518.
2	longiflorum. W.	long-flowered.	— G. ½. — 3. t. 521.
3	dipetalum. W.	two-petalled.	— 1795. 4.5. G. ½. L'Her. ger. t. 43.
4	ciliatum. W.	ciliated.	— 4.6. G. ½. — t. 7.
5	undulatum. H. K.	wave-flowered.	— 5.7. G. ½. Bot. rep. 292.
6	auriculatum. W.	ear-leaved.	 4.6. G. ½. Jac. ic. 3. t. 519.
7	radicatum. Vent.	fleshy-fringe-le ^d .	— 1802. 6.7. G. ½. Bot. mag. 1718.
	<i>ciliatum. B. R. concavifolium. P. S.</i>		
8	spatulatum. H. K.	spatula-leaved.	— 1795. 4.5. G. ½. Bot. rep. 152.
9	affine. P. S.	fringed spatula- ^{ld} .	— G. ½. — 282.
10	radiatum. H. K.	ray-leaved.	— 1801. 6.8. G. ½. — 222.
11	lineare. H. K.	linear-petalled.	— 1800. 6.7. G. ½. Bot. rep. 193.
12	punctatum. W.	dotted-flowered.	— 1794. 4.5. G. ½. — 60.
13	roseum. H. K.	Rose-coloured.	— 1792. 3.5. G. ½. — 173.
14	laciniatum. P. S.	jag-leaved.	— 1800. 5.6. G. ½. — 131.
15	penniforme. P. S.	winged.	— G. ½. — 269.
16	purpurascens. P. S.	purple-flowered.	— G. ½. — 204.
17	hirsutum. W.	various-leaved.	— 1788. 3. G. ½. Cav. diss. 4. t. 101. f. 2.
18	virgineum. P. S.	virgin.	— 1795. 5.7. G. ½. Bot. rep. 317.
19	atrum. W.	dark-brown.	— 1793. G. ½. L'Her. ger. t. 44.
20	dioicum. H. K.	diœcious.	— 1795. 6.7. G. ½. Bot. rep. 209.
	<i>Geranium melananthum. B. R.</i>		
21	revolutum. H. K.	revolute.	— 1800. 7.8. G. ½. — 354.
22	oxalidifolium. H. K.	Wood-Sorrel- ^{ld} .	— 1801. 5.8. G. ½. — 300.
23	pictum. P. S.	painted.	— 1800. 4.5. G. ½. — 160.
24	triphyllum. W.	three-leaved.	— 1812. — G. ½. Jac. ic. 3. t. 515.
25	nervifolium. W.	nerved-leaved.	— 5.8. G. ½. — 3. t. 517.
26	reflexum. H. K.	reflex-leaved.	— 1800. 6.7. G. ½. Bot. rep. 224.
27	astragalifolium. P. S.	Astragalus-lea ^d .	— 1788. 7. G. ½. — 190.
28	coronillaefolium. P. S.	Coronilla-leav ^d .	— 1795. 6.7. G. ½. — 305.
29	pinnatum. W.	wing-leaved.	— 1779. 4.6. G. ½. Bot. mag. 579.
30	floribundum. H. K.	many-flowered.	— 1795. 3.5. G. ½. Bot. rep. 420.
31	fissifolium. H. K.	cloven-leaved.	— 4.8. G. ½. — 378.
32	bubonifolium. H. K.	Bubon-leaved.	— 1800. 3.7. G. ½. — 328.
33	luteum. B. R.	small yellow.	— 6.7. G. ½. — 123.
34	nummularifolium.	Moneywort.	— 1801. 5.8. G. ½. Par. lond. t. 23.
35	barbatum. W.	bearded.	— 1790. 7.8. G. ½. Bot. rep. 323.
36	pilosum. H. K.	hairy.	— 1801. 5.7. G. ½. — 259.
37	melananthum. W.	black-flowered.	— 1790. 5.6. G. ½. Jac. ic. 3. t. 514.
38	rapaceum. W.	Fumitory-flow ^d .	— 1788. 4.6. G. ½. Bot. rep. 239.
	<i>β luteum.</i>	<i>yellow-flowered.</i>	— G. ½. Bot. mag. 1877.
39	carneum. W.	flesh-coloured.	— 1812. — G. ½. Jac. ic. 3. t. 512.
40	Grenvillianum. A. G.	Lady Grenville's.	 4.5. G. ½. And. ger. c. ic.
41	incrassatum. H. K.	fleshy-leaved.	— 1801. 6.7. G. ½. Bot. mag. 761.
42	lobatum. W.	Cow-Parsnep- ^{ld} .	— 1710. 7.8. G. ½. Cav. diss. 4. t. 114. f. 2.
43	triste. W.	night-smelling.	— 1632. 5.10. G. ½. — 4. t. 107. f. 1.
44	filipendulifolium.	Dropwort-leav ^d .	— 1812. — G. ½. Bot. mag. 1641.
45	flavum. W.	Carrot-leaved.	— 1724. 7.9. G. ½. Jac. ic. 3. t. 522.

46 pulchellum. H. K.	nonesuch.	Geraniæ. J.	C. B. S.	1795. 3.5.	G. 2.	Bot. mag. 524.
47 ardens.	burnished.	_____	_____	1812. 3.6.	G. 2.	_____
48 ignescens.	fiery-flowered.	_____	_____	_____	G. 2.	_____
49 Enotheræ. W.	Enothera-like.	_____	C. B. S.	_____	G. 2.	Jac. ic. 3. t. 525.
50 chamædrifolium. W.	Chamædrys-lea ^d .	_____	_____	1812. 5.6.	G. 2.	Jac. ic. 3. t. 523.
51 ovale. W.	oval-leaved.	_____	_____	1774. 5.7.	G. 2.	L'Her. ger. t. 28.
52 blattarium. W.	downy-leaved.	_____	_____	1790. 6.8.	G. 2.	Jac. schœn. 2. t. 131.
53 eriostemon. W.	velvet-leaved.	_____	_____	1794. 3.6.	G. 2.	_____ 2. t. 132.
54 elegans. W.	elegant.	_____	_____	1795. _____	G. 2.	Bot. rep. 28.
55 tabulare. W.	rough-stalked.	_____	_____	1775. 5.8.	G. 2.	L'Her. ger. t. 9.
56 alchimilloides. W.	mantle-leaved.	_____	_____	1693. 5.10.	G. 2.	Cav. diss. 4. t. 98. f. 1.
57 odoratissimum. W.	sweet-scented.	_____	_____	1724. _____	G. 2.	_____ 4. t. 103. f. 1.
58 fragrans. W. en.	Nutmeg-scented.	_____	_____	_____	G. 2.	W. hort. ber. 2. t. 77.
59 inodorum. W. en.	scentless.	_____	_____	1796. _____	G. 2.	_____ 1. t. 34.
60 grossularioides. W.	Gooseberry-lea ^d .	_____	_____	1731. 4.8.	G. 2.	Cav. diss. 4. t. 119. f. 2
61 anceps. W.	flat-stalked.	_____	_____	1788. 5.7.	G. 2.	Jac. coll. 4. t. 22. f. 2.
62 althæoides. W.	Althæa-leaved.	_____	_____	1724. 4.6.	G. 2.	_____ 4. t. 21. f. 2.
63 columbinum. W.	Dove's-foot.	_____	_____	1795. 6.10.	G. 2.	Jac. schœn. 2. t. 133.
64 coronopifolium. W.	Buck's-horn-l ^d .	_____	_____	1791. _____	G. 2.	Bot. rep. 338.
65 tricolor. W.	three-coloured.	_____	_____	_____	1.12. G. 2.	Bot. mag. 240.
<i>violarium. Jac. ic. 3. t. 527.</i>						
66 senecioides. W.	small white-flow ^d .	_____	_____	1775. 6.7.	G. 2.	L'Her. ger. t. 11.
67 humifusum. W. en.	trailing.	_____	_____	1801. 5.7.	G. 2.	_____
68 procumbens. H. K.	procumbent.	_____	_____	_____	4.5. G. 2.	Bot. rep. 234.
69 myrrhifolium. W.	Myrrh-leaved.	_____	_____	1696. 5.8.	G. 2.	Jac. ic. 3. t. 531.
70 lacerum. W.	torn-leaved.	_____	_____	1731. 6.8.	G. 2.	_____ 3. t. 532.
71 multicaule. W.	many-stalked.	_____	_____	1802. _____	G. 2.	_____ 3. t. 534.
72 coriandrifolium. W.	Coriander-leav ^d .	_____	_____	1724. 3.9.	G. 2.	_____ 3. t. 523.
73 caucalifolium. W.	Caucalus-leaved.	_____	_____	1812. _____	G. 2.	_____ 3. t. 529.
74 glaucum. W.	glaucous-leaved.	_____	_____	1775. 6.8.	G. 2.	Bot. mag. 56.
75 lanceolatum. A. G.	spear-leaved.	_____	_____	_____	6.7. G. 2.	And. ger. c. ic.
76 dentatum. A. G.	tooth-leaved.	_____	_____	_____	7. G. 2.	_____ c. ic.
77 diversifolium. W.	different-leaved.	_____	_____	1794. 6.8.	G. 2.	_____
78 cuspidatum. W. en.	sharp-pointed.	_____	_____	_____	G. 2.	_____
79 penicillatum. W. en.	pencilled.	_____	_____	1794. _____	G. 2.	W. hort. ber. 1. t. 37.
80 betulium. W.	Birch-leaved.	_____	_____	1759. _____	G. 2.	Bot. mag. 148.
81 formosum. A. G.	handsome.	_____	_____	_____	G. 2.	And. ger. c. ic.
82 acetosum. W.	Sorrel-leaved.	_____	_____	1710. 5.9.	G. 2.	Bot. mag. 103.
83 hybridum. W.	bastard.	_____	_____	1732. _____	G. 2.	Cav. diss. 4. t. 105. f. 2
84 reniforme. H. K.	kidney-leaved.	_____	_____	1791. 1.12.	G. 2.	Bot. mag. 493.
85 stenopetalum. W.	narrow-petalled.	_____	_____	1800. 6.7.	G. 2.	_____
86 pumilum. W. en.	dwarf.	_____	_____	_____	G. 2.	_____
87 scandens. W.	climbing.	_____	_____	_____	6.8. G. 2.	_____
88 lateritium. W. en.	brick-coloured.	_____	_____	_____	G. 2.	_____
89 zonale. W.	{ common horse-shoe.	_____	_____	1710. 4.12.	G. 2.	Cav. diss. 4. t. 98. f. 2.
<i>β marginatum. white-margined.</i>						
90 Grevillianum. A. G.	Greville's.	_____	_____	_____	4.5. G. 2.	And. ger. c. ic.
91 crenatum. A. G.	Cape scarlet.	_____	_____	_____	G. 2.	_____ c. ic.
92 inquinans. W.	scarlet-flowered.	_____	_____	1714. 5.9.	G. 2.	Cav. diss. 4. t. 106. f. 2
93 heterogamum. W.	six-stamened.	_____	_____	1786. _____	G. 2.	L'Her. ger. t. 18.
94 monstrum. W.	cluster-leaved.	_____	_____	1784. 7.8.	G. 2.	_____
95 crassicaule. W.	thick-stalked.	_____	Africa.	1786. _____	S. 2.	Bot. mag. 477.
96 peltatum. W.	peltated.	_____	C. B. S.	1701. 6.8.	G. 2.	_____ 20.
97 lateripes. W.	Ivy-leaved.	_____	_____	1787. _____	G. 2.	L'Her. ger. t. 24.
98 tetragonum. W.	square-stalked.	_____	_____	1774. _____	G. 2.	Plant. grass. 96.
<i>β variegatum. variegated.</i>						
99 cordatum. W.	heart-leaved.	_____	_____	_____	G. 2.	Bot. mag. 136.
100 conduplicatum. W. en.	{ curl'd-heart-lea ^d .	_____	_____	3.7. G. 2.	_____	165.
101 Barringtonii. W. en.	Barrington's.	_____	C. B. S.	_____	G. 2.	_____
102 cucullatum. W. en.	hooded-leaved.	_____	_____	1690. _____	G. 2.	Cav. diss. 4. t. 106. f. 1
103 angulosum. W.	Marshmallow-l ^d .	_____	_____	1724. 7.9.	G. 2.	_____ 4. t. 112. f. 2.
104 cochleatum. W. en.	conclave-leaved.	_____	_____	_____	3.7. G. 2.	_____
105 acerifolium. W.	Maple-leaved.	_____	C. B. S.	1784. 4.5.	G. 2.	L'Her. ger. t. 21.
106 sidæfolium. W. en.	Sida-leaved.	_____	_____	_____	4.7. G. 2.	_____
107 speciosum. W. en.	specious.	_____	_____	1794. _____	G. 2.	_____
108 amplissimum. W. en.	{ stately.	_____	_____	_____	G. 2.	_____
109 pubescens. A. G.	pubescent.	_____	C. B. S.	_____	6.7. G. 2.	And. ger. c. ic.

110 rugosum. A. G.	wrinkled.	Geraniæ. J.	C. B. S.		5.7.	G. h.	And. ger. c. ic.
111 rubens. W. en.	red-flowered.					G. h.	
112 papilionaceum. W.	Butterfly.		C. B. S.	1724.	4.7.	G. h.	Cav. diss. 4. t. 112. f. 1.
113 Beaufortianum. P. S.	Beaufort.				1798.	5.8.	G. h.
114 cortusæfolium. W.	Cortusa-leaved.		Africa.	1786.	7.8.	S. h.	Bot. rep. 121.
115 quinatum. H. K.	five-fingered.		C. B. S.	1793.	3.7.	G. h.	Bot. mag. 547.
116 fuscum. W.	dark-marked.			1812.	4.7.	G. h.	Jac. ic. 3. t. 540.
117 patulum. W.	spreading.					G. h.	3. t. 541.
118 sororium. W. en.	sister.					G. h.	
119 grandiflorum. W.	great-flowered.		C. B. S.	1794.		G. h.	Bot. rep. 12.
120 variegatum. W.	variegated-flow ^d .			1812.		G. h.	Cav. diss. 4. t. 118. f. 3.
121 delphinifolium. W. en.	Larkspur-leaved.					G. h.	
122 cynosbatifolium W. en.						G. h.	W. hort. ber. 2. t. 78.
123 saniculæfolium. W.	Sanicle-leaved.		C. B. S.	1806.	6.8.	G. h.	Jac. ic. t. 539.
124 Cotyledonis. W.	Hollyhock-leav ^d .		St. Helena.	1765.	5.7.	S. h.	L'Her. ger. t. 27.
125 discipes. H. S.	central-stalked.		Africa.	1808.		S. h.	
126 echinatum. W.	prickly-stalked.		C. B. S.	1789.	5.8.	S. h.	Bot. mag. 309.
127 australe. W.	Botany-Bay.		N. S. W.	1792.		G. h.	
128 vitifolium. W.	Vine-leaved.		C. B. S.	1724.	4.8.	G. h.	Cav. diss. 4. t. 111. f. 2.
129 capitatum. W.	Rose-scented.			1690.	4.8.	G. h.	And. ger. c. ic.
130 glutinosum. W.	clammy.			1777.	5.6.	G. h.	Bot. mag. 143.
131 hispidum. W.	hispid.			1790.	5.7.	G. h.	Cav. diss. 4. t. 110. f. 1.
132 tomentosum. W.	Pennyroyal.				6.7.	G. h.	Bot. mag. 518.
133 ribifolium. W.	Currant-leaved.			1798.	5.6.	G. h.	Jac. ic. 3. t. 538.
134 quercifolium. W.	Oak-leaved.			1774.	3.8.	G. h.	L'Her. ger. t. 14.
135 candidum.	white-leaved.			1812.	12.8.	G. h.	
136 graveolens. W.	Odour of Rose.			1774.	3.7.	G. h.	L'Her. ger. t. 17.
137 asperum. W.	rough multifid.			1795.	7.9.	G. h.	Roth. abhand. t. 10.
138 balsameum. W.	balsamic.			1790.		G. h.	Jac. ic. 3. t. 543.
139 Radula. W.	Rasp-leaved.			1774.	3.7.	G. h.	Bot. mag. 95.
140 denticulatum. W.	tooth-leaved.			1789.	6.7.	G. h.	Jac. schœn. 2. t. 135.
141 quinquevuln- rum. P. S.	dark-flowered.			1796.	5.10.	G. h.	Bot. rep. t. 114.
142 bicolor. W.				1778.	7.8.	G. h.	Bot. mag. 201.
143 canariense. W.	Canary.		Canaries.	1802.	7.9.	G. h.	W. hort. ber. t. 17.
144 tricuspidatum. W.	three-pointed.		C. B. S.	1780.	5.8.	G. h.	L'Her. ger. t. 30.
145 scabrum. W.	rough wedge-lea ^d .			1775.	8.4.	G. h.	Jac. ic. 3. t. 542.
146 spinosum. W.	thorny.			1795.	5.6.	G. h.	Paters. it. t. ad. p. 67.
147 spurium. W. en.	spurious.				4.7.	G. h.	
148 nothum. W. en.	mixed.					G. h.	
149 alnifolium. W. en.	Alder-leaved.					G. h.	
150 crispum. W.	curl-leaved.		C. B. S.	1774.	7.11.	G. h.	L'Her. ger. t. 32. 33.
151 gratum. W. en.	Citron-scented.				4.8.	G. h.	
152 consanguineum. W. en.	kindred.					G. h.	
153 pallidum. W. en.						G. h.	
154 obtusilobum. W. en.	blunt-lobed.					G. h.	
155 hermannifolium. W.	Hermannia-lea ^d .		C. B. S.		4.6.	G. h.	Jac. ic. 3. t. 545.
156 adulterinum. W.	hoary-trifid-lea ^d .			1785.		G. h.	L'Her. ger. t. 34.
157 tripartitum. W.	glauconstrifid-l ^d .			1794.	4.8.	G. h.	Jac. schœn. 2. t. 134.
158 semitrilobum. W.	three-lobed.			1800.	4.7.	G. h.	2. t. 139.
159 splendens. W. en.	splendid.					G. h.	W. hort. ber. 2. t. 76.
160 fulgidum. W.	Celandine-leav ^d .			1723.		G. h.	Cav. diss. 4. t. 116. f. 3.
161 gibbosum. W.	gouty.			1712.		G. h.	And. ger. c. ic.
162 exstipulatum. W.	soft-trifid-leav ^d .			1779.	5.8.	G. h.	L'Her. ger. t. 35.
163 ternatum. W.	ternate-leaved.			1789.		G. h.	Bot. mag. 413.
164 unicolorum. W. en.	self-coloured.					G. h.	
165 Willdenowii.	Willdenow's.					G. h.	
<i>pulchellum. W. enum. sup. not B. M.</i>							
166 lævigatum. W.	{ glaucous ter- nate-leav ^d . }					G. h.	Cav. diss. 4. t. 121. f. 1.
167 fragile. W.				1789.		G. h.	Bot. rep. 37.
168 incisum. W.	cut-leaved.			1791.	5.8.	G. h.	67.
169 carnosum. W.	fleshy-stalked.			1724.	6.8.	G. h.	Cav. diss. 4. t. 99. f. 1.
170 ceratophyllum. W.	horn-leaved.		Africa.	1786.	5.6.	S. h.	Bot. mag. 315.
171 alternans. W.	Parsley-leaved.		C. B. S.	1791.	5.8.	G. h.	Wendl. herr. 2. t. 9.
172 dasycaulis. H. S.	thick-stemmed.			1795.	7.12.	G. h.	12. 2339
173 crithmifolium. W.	Sapphire-leav ^d .			1790.	5.6.	G. h.	Smith. ic. pict. 13.

174 abrotanifolium. W.	Southernwood- ¹ d.	Geraniæ. J.	C. B. S.	1791. 5.7.	G. h.	Jac. schæn. 2. t. 136.
175 tenuifolium. W.	fung-leaved.	_____	_____	1768. —	G. h.	L'Her. ger. t. 12.

OCTANDRIA.

AITONIA. W.	AITONIA.	Meliæ. J.	_____	C. B. S.	1774. 4.9.	G. h.	Bot. mag. 173.
capensis. W.	Cape.	_____	_____	_____	_____	_____	_____

DECANDRIA.

GERANIUM. W.	CRANE'S-BILL.	Geraniæ. J.	_____	C. B. S.	1790. 7.	G. h.	Cav. diss. 4. t. 75. f. 2.
1 spinosum. W.	spiny.	_____	_____	Siberia.	1758. 6.7.	H. 2.	Jac. vind. 1. t. 19.
2 sibiricum. W.	Siberian.	_____	_____	Britain.	 6.9.	H. 2.	Eng. bot. 272.
3 sanguineum. W.	bloody.	_____	_____	_____		H. 2.	Cav. diss. 4. t. 76. f. 3.
4 lancastricæ. With.	Lancashire.	_____	_____	Italy.	1596. 5.8.	H. 2.	4. t. 78. f. 1.
5 tuberosum. W.	tuberous-rooted.	_____	_____	Madeira.	1778. —	G. h.	Bot. mag. 206.
6 anemonefolium. W.	Anemone-leav ^d .	_____	_____	Italy.	1576. 5.6.	H. 2.	Jac. ic. 1. t. 134.
7 macrorhizum. W.	long-rooted.	_____	_____	England.	 4.6.	H. 2.	Eng. bot. 322.
8 phæum. W.	dasky.	_____	_____	Italy.	1758. 5.6.	H. 2.	Cav. diss. 4. t. 81. f. 1.
9 reflexum. W.	reflex-flowered.	_____	_____	Switzerland.	1775. 6.7.	H. 2.	L'Her. ger. t. 39.
10 lividum. W.	wrinkle-leaved.	_____	_____	S. Europe.	1759. 7.	H. 2.	_____
11 fuscum. W.	brown.	_____	_____	England.	 5.10.	H. 2.	Eng. bot. 1091.
12 nodosum. W.	knotty.	_____	_____	Italy.	1629. —	H. 2.	Bot. mag. 55.
13 striatum. W.	streaked.	_____	_____		1789. 5.6.	H. 2.	203.
14 angulatum. W.	angular-stalked.	_____	_____	Levant.	1802. 6.9.	H. 2.	1386.
15 ibericum. W.	Iberian.	_____	_____	Britain.	 5.6.	H. 2.	Eng. bot. 121.
16 sylvaticum. W.	wood.	_____	_____		1816. —	H. 2.	_____
17 parviflorum. W. en.	small-flowered.	_____	_____	Germany.	1732. 6.8.	H. 2.	Flor. dan. 596.
18 palustre. W.	marsh.	_____	_____	Switzerland.	1775. 5.6.	H. 2.	L'Her. ger. t. 40.
19 aconitifolium. W.	Aconite-leaved.	_____	_____	Siberia.	1815. 5.8.	H. 2.	_____
20 collinum. W.	hill.	_____	_____	Britain.	 5.7.	H. 2.	Eng. bot. 404.
21 pratense. W.	Crowfoot-leaved.	_____	_____	N. America.	1732. 5.8.	H. 2.	Cav. diss. 4. t. 86. f. 2.
22 maculatum. W.	spotted.	_____	_____	C. B. S.	1787. 5.6.	G. 2.	L'Her. ger. t. 38.
23 canescens. W.	silky-leaved.	_____	_____	_____	1701. 5.7.	G. 2.	Cav. diss. 4. t. 82. f. 2.
24 incanum. W.	hoary multifid.	_____	_____	S. Europe.	1699. 6.7.	F. 2.	Bot. mag. 504.
25 argenteum. W.	silvery-leaved.	_____	_____	Pyrenees.	 6.8.	H. 2.	L'Her. ger. t. 37.
26 varium. W.	grey.	_____	_____	Britain.	 5.8.	H. 2.	Eng. bot. 405.
27 pyrenaicum. W.	mountain.	_____	_____	Hungary.	1804. 6.9.	H. 2.	Pl. rar. hung. 2. t. 124
28 umbrosum. P. S.	naked-stalked.	_____	_____	Bohemia.	1683. 6.8.	H. 2.	Cav. diss. 4. t. 81. f. 2.
29 bohemicum. W.	Bohemian.	_____	_____	Hungary.	1799. 7.8.	H. 2.	Pl. rar. hun. 2. t. 123.
30 divaricatum. W.	straddling.	_____	_____	Britain.	 5.8.	H. 2.	Eng. bot. 75.
31 lucidum. W.	shining.	_____	_____		 4.8.	H. 2.	778.
32 molle. W.	Dove's-foot.	_____	_____	N. America.	1725. 7.8.	H. 2.	Cav. diss. 4. t. 84. f. 1.
33 carolinianum. Ph.	spreading.	_____	_____			H. 2.	Jac. schæn. 2. t. 140
34 lanuginosum. W. en.	upright.	_____	_____	Britain.	 6.7.	H. 2.	Eng. bot. 259.
35 columbinum. W.	long-stalked.	_____	_____		 5.7.	H. 2.	753.
36 dissectum. W.	jagged-leaved.	_____	_____	England.	 6.7.	H. 2.	157.
37 rotundifolium. W.	round-leaved.	_____	_____		 6.9.	H. 2.	385.
38 pusillum. W.	small-flowered.	_____	_____	Britain.	 4.10.	H. 2.	1486.
39 robertianum. W.	Herb-Robert.	_____	_____			H. 2.	Vill. delph. 3. t. 40.
40 purpureum. W.	purple.	_____	_____	_____	_____	_____	_____
BROWNEA. W.	BROWNEA.	Leguminosæ? J.	_____	W. Ind.	1793. 7.8.	S. h.	Jac. amer. t. 121.
coccinea. W.	scarlet-flowered.	_____	_____	_____	_____	_____	_____

DODECANDRIA.

MONSONIA. W.	MONSONIA.	Geraniæ. J.	_____	C. B. S.	1774. 4.5.	G. 2.	Bot. mag. 73.
1 speciosa. W.	large-flowered.	_____	_____	_____	1778. 7.8.	G. 2.	Bot. rep. 276.
2 pilosa. W. en.	hairy.	_____	_____	_____	1774. 4.5.	G. 2.	Bot. mag. 385.
3 lobata. W.	broad-leaved.	_____	_____	_____	8.	G. 2.	L'Her. ger. t. 40.
4 ovata. W.	oval-leaved	_____	_____	_____	1790. 5.6.	G. h.	t. 42.
5 spinosa. W.	thorny.	_____	_____	_____	_____	_____	_____
HELICTERES. W.	SCREW-TREE.	Malvaceæ. J.	_____	W. Ind.	1739. 9.10.	S. h.	Jac. amer. t. 149.
1 baruensis. W.	small-fruited.	_____	_____	Jamaica.	6.7.	S. h.	Jac. vind. 2. t. 143.
2 jamaicensis. W.	great-fruited.	_____	_____	E. Ind.	1733. —	S. h.	Rum. am. 7. t. 17. f. 1.
3 Isora. W.	East-Indian.	_____	_____	_____	_____	_____	_____
DOMBEYA. J.	DOMBEYA.	Malvaceæ. J.	_____	Mauritius.	1815.	S. h.	Cav. diss. 3. t. 42. f. 2.
ferruginea. W.	ferrugineous.	_____	_____	_____	_____	_____	_____
PENTAPETES. W.	PENTAPETES.	Malvaceæ. J.	_____	India.	1690. 7.8.	S. 2.	Mill. ic. t. 201.
1 phœnicea. W.	scarlet-flowered.	_____	_____	New Spain.	1805. 6.9.	S. h.	Cav. ic. t. 433.
2 ovata. P. S.	oval-leaved.	_____	_____	_____	_____	_____	_____

PTEROSPERMUM. W. PTEROSPERMUM. Malvaceæ. J.

1 suberifolium. W.	various-leaved.	E. Ind.	1783. 9.10	S. h.	Bot. mag. 1526.
2 acerifolium. W.	Maple-leaved.	—	1790. 7.9.	S. h.	620.

POLYANDRIA.

CAROLINEA. W.	CAROLINEA.	Malvaceæ. J.			
1 princeps. W.	digitated.	W. Ind.	1787.	S. h.	Aub.gui.2.t.291.2.
2 minor. H. K.	lesser.	Guiana.	1798. 7.8.	S. h.	Bot. mag. 1412.
3 insignis. W.	great-flowered.	W. Ind.	1796.	S. h.	Cav. diss. 5. t. 154.
ADANSONIA. W.	ADANSONIA.	Malvaceæ. J.			
digitata. W.	Sour-Gourd.	Senegal.	1724.	S. h.	Cav. diss. 5. t. 157.
BOMBAX. W.	{ SILK-COTTON- TREE. }	Malvaceæ. J.			
1 pentandrum. W.	five-stamened.	E. Ind.	1789.	S. h.	Jac. amer. pict. t. 176
2 Ceiba. W.	five-leaved.	India.	1692.	S. h.	Cav. diss. 5. t. 152. f. 2
3 heptaphyllum. W.	seven-leaved.	America.	1699.	S. h.	Pluk. alm. t. 188. f. 4.
LAGUNEA. W.	LAGUNEA.	Malvaceæ. J. Solandra. Cav.			
lobata. W.	Maple-leaved.	Bourbon.	1787. 7.8.	S. ☉	Cav. diss. 5. t. 136. f. 1
NAPÆA. L.	NAPÆA.	Malvaceæ. J. Side sp. H.			
1 laevis. P. S.	smooth.	Virginia.	1748. 8.9.	H. ♀	Cav. diss. 5. t. 132. 1. 1243
2 scabra. P. S.	rough.	—	1759. —	H. ♀	5. t. 132. f. 2.
SIDA. W.	SIDA.	Malvaceæ. J.			
1 angustifolia. W.	narrow-leaved.	Brazil.	1726. 7.9.	S. ♀	L'Her. stirp. t. 52.
2 spinosa. W.	prickly.	E. Ind.	1680. —	S. ♂	Cav. diss. 1. t. 1. f. 9.
3 carpinifolia. W.	Hornbeam-leaf'd.	Canaries.	1774. —	G. h.	Jac. ic. 1. t. 135.
4 suberosa. W.	corky.	Hispaniola.	1798.	S. h.	L'Her. stirp. t. 54
5 rhombifolia. W.	rhomboid-leaved.	India.	1732. 6.8.	S. h.	Cav. diss. 1. t. 3. f. 12
6 alnifolia. W.	Alder-leaved.	E. Ind.	— 7.9.	S. ♂	Dill. elt. t. 172. f. 211
7 ciliaris. W.	ciliate d.	Jamaica.	1759. 6.9.	S. ♂	Cav. diss. 1. t. 3. f. 9.
8 periplocifolia. W.	Periploca-leaf'd.	India.	1691. 7.8.	S. ♂	Dill. elt. 4. t. 3. f. 2.
9 hernandioides. W.	Hernandia-leaf'd.	Hispaniola.	1798.	S. h.	L'Her. stirp. 1. t. 58.
10 nudiflora. W.	naked-flowered.	Peru.	1731. 5.6.	S. h.	— 1. t. 59.
11 periptera. B. M.	Shuttlecock.			S. h.	Bot. mag. 1644.
12 triquetra. W.	triangular.	W. Ind.	1775. 7.8.	S. h.	Jac. vind. 2. t. 118.
13 reflexa. W.	reflex'd-flower'd.	Peru.	1789. —	S. h.	L'Her. stirp. 1. t. 64.
14 patens. H. K.	spreading.	Abyssinia.	1806. 7.9.	S. h.	Bot. rep. 571.
15 humilis. W.	dwarf.	E. Ind.	1800. 7.8.	S. ☉	—
16 foetida. W.	stinking.	Peru.	1795. —	S. ☉	L'Her. stirp. 1. t. 53.
17 crispa. W.	curled.	Carolina.	1726. —	S. ☉	Cav. diss. 5. t. 135. f. 2
18 arborea. W.	great-flowered.	Peru.	1772. —	S. h.	L'Her. stirp. 1. t. 63.
19 mauritiana. W.	Mauritius.	Mauritius.	1789. 7.9.	S. ☉	Jac. ic. 1. t. 137.
20 occidentalis. W.	downy.	America.	1732. 7.8.	S. ☉	Dill. elt. 7. t. 6. f. 6.
21 americana. W.	woolly.	Jamaica.	1730. 7.8.	S. ☉	—
22 Abutilon. W.	broad-leaved.	India.	1596. 6.8.	S. ☉	Houtt. syst. t. 61.
23 asiatica. W.	small-flowered.	E. Ind.	1768. 7.8.	S. ☉	Cav. diss. 1. t. 7. f. 2.
24 populifolia. W.	Poplar-leaved.	—	1796. —	S. ☉	— 1. t. 7. f. 9.
25 indica. W.	rough-capsuled.	India.	1731. —	S. ☉	— 1. t. 7. f. 10.
26 mollissima. W.	soft-leaved.	Peru.	1789. 6.7.	S. ♂	— 2. t. 14. f. 1.
27 Sonneratiana. W.	Sonnerat's.	C. B. S.	1806. —	G. ♂	— 1. t. 6. f. 4.
28 arguta. W.	smooth sharp-1'd.	W. Ind.	1732. 7.8.	S. h.	—
29 pilosa. W.	pilose.	St. Domingo.	1793. 7.9.	S. ♂	— 1. t. 1. f. 8.
30 alba. W.	white-flowered.	E. Ind.	1732. 6.7.	S. ☉	Dill. elt. t. 171. f. 210.
31 cordifolia. W.	heart-leaved.	C. B. S.	— 6.9.	S. ☉	— t. 179. f. 209.
32 urens. W.	stinging.	Jamaica.	1781. 7.9.	S. h.	Cav. diss. 1. t. 2. f. 7.
33 umbellata. W.	umbell'd.	—	1788. —	S. ♂	Jac. vind. 1. t. 16.
34 paniculata. W.	panicled.	—	1795. —	S. ♂	Cav. diss. 1. t. 12. f. 5.
35 vesicaria. W.	bladdered.	Mexico.	1796. —	S. h.	— 2. t. 14. f. 3.
36 hastata. W.	halberd-leaved.	—	1799. 6.7.	S. ☉	Bot. mag. 1541.
37 cristata. W.	crested.	—	1720. 7.9.	G. ☉	Cav. diss. 1. t. 10. f. 3.
38 Dilleniana. W.	Dillenian's.	—	1725. 6.11.	G. ☉	Dill. elt. 3. t. 2. f. 2.
39 triloba. W.	three-lobed.	C. B. S.	1794. 7.9.	G. ♂	Jac. schœn. 2. t. 142.
40 sericea. P. S.	silky.		1804. —	S. ♂	—
41 jatrophoides. W.	Physic-Nut-like.	S. America.	1787. 8.	S. ♂	L'Her. stirp. 1. t. 56.
CRISTARIA. Cav.	CRISTARIA.	Malvaceæ. J.			
coccinea. Ph.	scarlet.	Missouri.	1811. 7.9.	H. ♀	Bot. mag. 1673.
PALAVIA. W.	PALAVIA.	Malvaceæ. J.			
malvifolia. W.	Mallow-leaved.	Peru.	1794. 6.8.	H. ☉	Cav. diss. 1. t. 11. f. 4
MALACHRA. W.	MALACHRA.	Malvaceæ. J.			
1 capitata. W.	headed.	W. Ind.	1759. 8.9.	S. ☉	Cav. dis. 2. t. 33. f. 1. 2.

2 <i>alceaefolia</i> . W.	Hollyhock-leaf ^d . Malvaceæ. J.	Caracas.	1805. 8.9.	S. ☉.	Jac. ic. 3. t. 549.
3 <i>radiata</i> . W.	rayed.	St. Domingo.	1794. 7.8.	S. ☿.	Cav. diss. 2. t. 33. f. 3.
ALTHEA. W.	MARSH MALLOW. Malvaceæ. J.				
1 <i>officinalis</i> . W.	common.	Britain.	 7.9.	H. ♀.	Eng. bot. 147.
2 <i>narbonensis</i> . W.	Narbonne.	S. Europe.	1780. 8.9.	H. ♀.	Jac. ic. 1. t. 138.
3 <i>cannabinata</i> . W.	Hemp-leaved.		1597. 6.7.	H. ♀.	Jac. aust. 2. t. 101.
4 <i>hirsuta</i> . W.	hairy.		1683.	H. ☉.	2. t. 170.
5 <i>Ludwigii</i> . W.	Ludwig's.	Sicily.	1791.	H. ☉.	Cav. diss. 2. t. 30. f. 3.
6 <i>acaulis</i> . W.	stemless.	Aleppo.	1680.	H. ☉.	2. t. 27. f. 3.
7 <i>rosea</i> . W.	Hollyhock.	China.	1573. 7.9.	H. ☿.	2. t. 23. f. 1.
8 <i>pallida</i> . W.	pale-flowered.	Hungary.	1805. 7.8.	H. ☿.	
9 <i>caribæa</i> . B. M.	West Indian.	W. Ind.	1816. 3.4.	S. ☿.	Bot. mag. 1916.
10 <i>flexuosa</i> . B. M.	Seringapatam.	E. Ind.	1803. 6.8.	S. ♀.	892.
11 <i>ficifolia</i> . W.	Fig-leaved.	Levant.	1597. 6.9.	H. ☿.	Cav. diss. 2. t. 28. f. 2.
MALVA. W.	MALLOW. Malvaceæ. J.				
1 <i>spicata</i> . W.	simple-spiked.	Jamaica.	1726. 9.10.	S. ♀.	Cav. diss. 2. t. 20. f. 4.
2 <i>polystachia</i> . W.	many-spiked.	Peru.	1798. 7.8.	G. ♀.	5. t. 138. f. 3.
3 <i>borbonica</i> . W. en.	Bourbon.	Mauritius.	1816.	S. ♀.	
4 <i>scoparia</i> . W.	Birch-leaved.	Peru.	1782. 8.9.	S. ♀.	Jac. ic. 1. t. 139.
5 <i>tricuspidata</i> . H. K.	Jamaica.	W. Ind.	1726. 7.8.	S. ☿.	Cav. diss. 2. t. 22. f. 2.
<i>coronandelliana</i> . W.	<i>americana</i> . Cav.				
6 <i>americana</i> . W.	American.		1756. 6.7.	H. ☉.	
7 <i>calycina</i> . W.	large-calixed.	C. B. S.	1812. 5.8.	G. ♀.	Cav. diss. 2. t. 22. f. 4.
8 <i>angustifolia</i> . W.	narrow-leaved.	Mexico.	1780. 8.	G. ♀.	Cav. ic. 1. t. 68.
9 <i>scabra</i> . W.	rough-stemmed.	Peru.	1798. 6.7.	S. ♀.	Cav. diss. 5. t. 138. f. 1
10 <i>leprosa</i> . W. en.	leprous.	Cuba.	1815. 5.7.	S. ♀.	
11 <i>peruviana</i> . W.	Peruvian.	Peru.	1759. 6.8.	H. ☉.	Jac. vind. 2. t. 156.
12 <i>limensis</i> . W.	blue-flowered.		1768. 7.	H. ☉.	2. t. 141.
13 <i>capitata</i> . W.	various-leaved.		1798. 11.12.	S. ♀.	Cav. diss. 5. t. 137. f. 1
14 <i>bryonifolia</i> . W.	Bryony-leaved.	C. B. S.	1731. 7.8.	G. ♀.	Wen. hort. her. 1. t. 4
15 <i>asperma</i> . W. en.	roughest.		1796. 6.9.	G. ♀.	Jac. schœn. 2. t. 39.
16 <i>procumbens</i> . W. en.	procumbent.	S. America.	1815.	G. ♀.	
17 <i>abutiloides</i> . W.	Bahama.	Bahama Isl.	1725.	G. ♀.	Jac. schœn. 3. t. 293.
18 <i>stricta</i> . W.	upright.	C. B. S.	1805. 5.8.	G. ♀.	3. t. 294.
19 <i>lactea</i> . W.	panicked white.	Mexico.	1780. 1.2.	G. ♀.	Cav. ic. 1. t. 20.
20 <i>operculata</i> . W.	lid-capsuled.	Peru.	1795. 7.8.	G. ♀.	Cav. diss. 2. t. 35. f. 1.
21 <i>fragrans</i> . W.	fragrant.	C. B. S.	1759. 5.7.	G. ♀.	Jac. vind. 3. t. 33.
22 <i>capensis</i> . W.	Cape.		1713. 1.12.	G. ♀.	Cav. diss. 2. t. 24. f. 3.
23 <i>balsamica</i> . W.	balsamic.		1800. 5.9.	G. ♀.	Jac. ic. 1. t. 140.
24 <i>grossularifolia</i> . W.	Gooseberry-leaf ^d .		1732.	G. ♀.	Cav. diss. 2. t. 24. f. 2.
25 <i>virgata</i> . W.	twiggy.		1727. 5.7.	G. ♀.	2. t. 18. f. 2.
26 <i>miniata</i> . W.	painted.	S. America.	1798.	G. ♀.	Cav. ic. 3. t. 278.
27 <i>retusa</i> . W.	blunt-leaved.	C. B. S.	1803. 3.5.	G. ♀.	Cav. diss. 2. t. 21. f. 1.
28 <i>tridactylides</i> . W.	reflex-flowered.		1791. 6.8.	G. ♀.	Pot. rep. 135.
29 <i>divaricata</i> . H. K.	straddling.		1792. 6.9.	G. ♀.	182.
30 <i>caroliniana</i> . W.	creeping.	Carolina.	1723. 6.7.	H. ☉.	Cav. diss. 2. t. 15. f. 1.
31 <i>prostrata</i> . W.	trailing.	Brazil.	1806. 6.8.	G. ♀.	2. t. 16. f. 3.
32 <i>parviflora</i> . W.	small-flowered.	Barbary.	1779. 6.7.	H. ☉.	Jac. vind. 1. t. 39.
33 <i>rotundifolia</i> . W.	round-leaved.	Britain.	 6.9.	H. ☉.	Eng. bot. 1092.
<i>β pusilla</i> .	dwarf.				241.
34 <i>sylvestris</i> . W.	common.	Britain.	 5.10.	H. ♀.	Eng. bot. 671.
35 <i>mauritiana</i> . W.	Ivy-leaved.	S. Europe.	1768. 6.7.	H. ☉.	Cav. diss. 2. t. 25. f. 2.
36 <i>hispanica</i> . W.	Spanish.	Spain.	1710. 7.	H. ☉.	Desf. atl. 2. t. 170.
37 <i>verticillata</i> . W.	whorl-flowered.	China.	1683. 6.7.	H. ☉.	Jac. vind. 1. t. 40.
38 <i>crispa</i> . W.	curled.	Syria.	1573. 6.8.	H. ☉.	Cav. diss. 2. t. 23. f. 1.
39 <i>stipulacea</i> . W.	long-stipuled.	Spain.	1815.	H. ☉.	2. t. 15. f. 2.
40 <i>Alcea</i> . W.	Vervain.	Germany.	1597. 7.10.	H. ♀.	2. t. 17. f. 2.
41 <i>moschata</i> . W.	musk.	Britain.	 7.8.	H. ♀.	Eng. bot. 754.
42 <i>elegans</i> . W.	elegant.	C. B. S.	1791. 5.8.	G. ♀.	Jac. col. 4. t. 6. f. 1.
43 <i>Tournefortiana</i> . W.	Tournefort's.	Spain.	1759. 7.8.	H. ☉.	Cav. diss. 2. t. 17. f. 3.
44 <i>egyptia</i> . W.	Egyptian.	Egypt.	1739. 6.7.	H. ☉.	2. t. 17. f. 1.
45 <i>trifida</i> . W.	large-flowered.	Spain.	1815.	H. ☉.	5. t. 137. f. 2.
LAVATERA. W.	LAVATERA. Malvaceæ. J.				
1 <i>arborea</i> . W.	Tree Mallow.	Britain.	 7.10.	H. ☿.	Eng. bot. 1841.
2 <i>micans</i> . W.	glittering.	Spain.	1796. 6.7.	G. ♀.	Mor. his. 1. t. 17. f. 9.
3 <i>Olbia</i> . W.	downy-leaved.	France.	1570. 6.10.	G. ♀.	Cav. diss. 2. t. 32. f. 2.
4 <i>unguiculata</i> . P. S.	clawed.		1807. 7.9.	G. ♀.	
5 <i>hispida</i> . P. S.	hispid.	Algiers.	1804. 6.7.	G. ♀.	Desf. atl. 2. t. 171.
6 <i>triloba</i> . W.	three-lobed.	Spain.	1759.	G. ♀.	Jac. vind. 1. t. 74.
7 <i>lusitana</i> . W.	Portugal.	Portugal.	1731. 5.9.	G. ♀.	

8 maritima. W.	sea-side.	Malvaceæ. J.	S. Europe.	1597. 4.6.	G. h.	Cav. diss. 2. t. 32. f. 3.
9 thuringiaca. W.	large-flowered.	_____	Germany.	1731. 7.9.	H. 2.	Bot. mag. 517.
10 cretica. W.	Cretan.	_____	Candia.	1723. _____	H. 2.	Jac. vind. 1. t. 41.
11 punctata. W.	spotted-stalked.	_____	Italy.	1800. _____	H. 2.	_____
12 trimestris. W.	common annual.	_____	S. Europe.	1633. _____	H. 2.	Bot. mag. 109.
RUIZIA. W.	RUIZIA.	Malvaceæ. J.	_____	_____	_____	_____
variabilis. W.	various-leaved.	_____	Bourbon.	1792. 5.	S. h.	Jac. schœn. 3. t. 295.
MALOPE. W.	MALOPE.	Malvaceæ. J.	_____	_____	_____	_____
1 malacoides. W.	Barbary.	_____	Barbary.	1710. 6.7.	G. 3.	Cav. diss. 2. t. 27. f. 1.
2 trifida. W.	trifid.	_____	_____	1808. 7.	H. 2.	_____ 2. t. 27. f. 2.
KITAIBELIA. W.	KITAIBELIA.	Malvaceæ. J.	_____	_____	_____	_____
vitifolia. W.	Vine-leaved.	_____	Hungary.	1801. 7.9.	H. 2.	Bot. mag. 821.
URENA. W.	URENA.	Malvaceæ. J.	_____	_____	_____	_____
1 lobata. W.	angular-leaved.	_____	China.	1731. 6.7.	G. h.	Cav. diss. 6. t. 185. f. 1.
2 americana. W.	American.	_____	Surinam.	1816.	S. h.	Sloan. his. 1. t. 11. f. 2.
3 sinnata. W.	cut-leaved.	_____	E. Ind.	1759. 7.8.	S. h.	Cav. diss. 6. t. 185. f. 2.
4 multifida. W.	multifid.	_____	_____	1817. 10.1.	S. h.	_____ 6. t. 184. f. 2.
GOSSYPIUM. W.	Corron.	Malvaceæ. J.	_____	_____	_____	_____
1 herbaceum. W.	common.	_____	E. Ind.	1594. 7.	S. 2.	Cav. dis. 6. t. 164. f. 2.
2 arborescens. W.	tree.	_____	_____	1694. 7.8.	S. h.	_____ 6. t. 193.
3 vitifolium. W.	Vine-leaved.	_____	_____	1805.	S. h.	_____ 6. t. 166.
4 hirsutum. W.	hairy.	_____	S. America.	1731. 7.8.	S. 3.	_____ 6. t. 167.
5 religiosum. W.	spotted barked.	_____	India.	1777. 7.	S. h.	_____ 6. t. 164. f. 1.
6 barbadosense. W.	Barbadoes.	_____	Barbadoes.	1759. 9.	S. 3.	Bot. reg. 84.
HIBISCUS. W.	HIBISCUS.	Malvaceæ. J.	_____	_____	_____	_____
1 Moscheutos. Ph.	swamp.	_____	N. America.	 8.10.	H. 2.	Cav. diss. 3. t. 65. f. 1.
2 palustris. Ph.	marsh.	_____	_____	1759. 7.9.	H. 2.	_____ 3. t. 65. f. 2.
3 Patersonii. H. K.	Norfolk Island.	_____	Norfolk Isl.	1792. 6.8.	G. h.	Bot. rep. 286.
Lagunæa Patersonia. B. M. 769.	_____	_____	_____	_____	_____	_____
4 incanus. Ph.	hoary.	_____	Carolina.	1806. 9.	G. 2.	Wend. hort. her. t. 24.
5 militaris. Ph.	smooth.	_____	Louisiana.	1804. 8.9.	G. 2.	Cav. diss. 6. t. 198. f. 2.
6 populneus. W.	Poplar-leaved.	_____	E. Ind.	1770.	S. h.	Rheed. mal. 1. t. 29.
7 tiliaceus. W.	Lime-tree-leav ^d .	_____	_____	1739. 7.8.	S. h.	Bot. reg. 232.
8 elatus. Sw.	tall.	_____	Jamaica.	1790.	S. h.	_____
9 Lampas. W.	three-pointed.	_____	E. Ind.	1806.	S. h.	Cav. diss. 3. t. 56. f. 2.
10 membranaceus. W.	leafy-calyxed.	_____		1816.	S. h.	_____ 3. t. 57. f. 2.
11 lunarifolius. W.	Lunaria-leaved.	_____	E. Ind.		S. h.	_____
12 Rosa-sinensis. W.	China Rose.	_____	_____	1731. 7.8.	S. h.	Bot. mag. 158.
β rubro-plenus.	double red.	_____	_____	_____	_____	_____
γ flavo-plenus.	double buff.	_____	_____	_____	_____	_____
δ variegato-plenus.	double striped.	_____	_____	_____	_____	_____
13 phœniceus. W.	purple-flowered.	_____	_____	1796. _____	S. h.	Bot. reg. 280.
14 micranthus. H. K.	small-flowered.	_____	_____	1794.	S. h.	Cav. diss. 3. t. 66. f. 1.
15 æthiopicus. W.	dwarf wedge-le ^d .	_____	C. B. S.	1774. 8.	G. h.	_____ 3. t. 61. f. 1.
16 mutabilis. W.	changeable.	_____	E. Ind.	1690. 10.12.	S. h.	Bot. rep. 228. 380
β flore pleno.	double-flowered.	_____	_____	_____	_____	_____
17 syriacus. W.	Althæa frutex.	_____	Syria.	1596. 8.9.	H. h.	Bot. mag. 83.
α purpureus.	purple-flowered.	_____	_____	_____	_____	_____
β ruber.	red-flowered.	_____	_____	_____	_____	_____
γ albus.	white-flowered.	_____	_____	_____	_____	_____
δ variegatus.	striped-flowered.	_____	_____	_____	_____	_____
ε albo-plenus.	double white.	_____	_____	_____	_____	_____
ζ purpureo-plenus.	double purple.	_____	_____	_____	_____	_____
18 acerifolius. P. L.	Maple-leaved.	_____	China.	1798. 3.6.	G. h.	Par. lond. c. ic.
19 diversifolius. W.	different-leaved.	_____	E. Ind.	_____ 6.7.	S. h.	Jac. ic. 3. t. 551. 381
20 ficulneus. W.	Fig-leaved.	_____	Ceylon.	1732. 6.7.	S. h.	Cav. diss. 3. t. 52. f. 2.
21 Sabdariffa. W.	Indian.	_____	E. Ind.	1596. 6.9.	S. 3.	_____ 6. t. 198. f. 1.
22 speciosus. W.	superb.	_____	Carolina.	1778. 6.8.	G. 2.	Bot. mag. 360.
23 pruriens. B. R.	stinging.	_____	E. Ind.	1804. 7.9.	S. 3.	Bot. rep. 498.
24 heterophyllum. H. K.	various-leaved.	_____	N. S. W.	1803. 8.9.	G. h.	Bot. reg. 29.
25 cannabinus. W.	Hemp-leaved.	_____	E. Ind.	1759. 6.7.	S. 3.	Rox. cor. 2. t. 190.
26 surattensis. W.	priekly-stalked.	_____	_____	1731. 7.9.	S. 2.	Bot. mag. 1356.
27 radiatus. W.	rayed.	_____	_____	1790. 6.8.	S. 2.	_____ 1911.
28 Manihot. W.	palmated.	_____	China.	1712. 7.9.	S. h.	_____ 1702.
29 scaber. Ph.	scabrous.	_____	Carolina.	1810. 7.9.	G. 2.	_____
30 furcatus. W. en.	forked-calyxed.	_____	E. Ind.	1816. _____	S. 2.	_____
31 Abelmoschus. W.	Musk Okro.	_____	India.	1640. _____	S. h.	Rheed. mal. 2. t. 38.
32 pedunculatus. W.	long-peduncled.	_____	C. B. S.	1812. 5.12.	S. h.	Bot. reg. 231.
33 esculentus. W.	eatable.	_____	W. Ind.	1692. 6.7.	S. 2.	Cav. diss. 3. t. 61. f. 2.
34 clypeatus. W.	shield-capsuled.	_____	Jamaica.	1759. 7.8.	S. 3.	_____ 3. t. 58. f. 1.

35 tubulosus. W.	tubular.	Malvaceæ. J.	E. Ind.	1796. 7.10. S. ♂.	Cav. diss. 3. t. 68. f. 2.
36 vitifolius. W.	Vine-leaved.	_____	_____	1690. — S. ♂.	Rheed. mal. 6. t. 46.
37 virginicus. W.	Virginian.	_____	Virginia.	1798. 7.9. H. ♀.	Jac. ic. 1. t. 142.
38 pentacarpus. W.	angular-fruited.	_____	Venice.	1752. — G. ♀.	— 1. t. 143.
39 vesicarius. W.	African.	_____	Africa.	1713. 7.8. H. ♂.	Cav. diss. 3. t. 64. f. 2.
40 Trionum. W.	Bladder Ketmia.	_____	Italy.	1596. 6.9. H. ♂.	Bot. mag. 209.
41 hispidus. Mill.	hispid.	_____	C. B. S.	 — G. ♂.	— 320.
PAVONIA. W.	PAVONIA.	Malvaceæ. J.	_____	_____	_____
1 præmorsa. W.	bitten-leaved.	_____	C. B. S.	1774. 6.8. G. h.	Bot. mag. 436.
2 spinifex. W.	prickly-seeded.	_____	W. Ind.	1778. 7.8. S. h.	Jac. vind. 2. t. 103.
3 odorata. W.	fragrant.	_____	E. Ind.	1807. S. h.	_____
4 coccinea. W.	scarlet.	_____	St. Domingo.	1816. S. h.	Cav. diss. 3. t. 47. f. 1.
5 columella. W.	angular-leaved.	_____	Bourbon.	1807. 7. S. h.	— 3. t. 48. f. 3.
6 urens. W.	stinging.	_____	Mauritius.	1801. S. h.	Jac. ic. 3. t. 522.
7 zeylanica. W.	Ceylon.	_____	E. Ind.	1790. 7.9. S. ♂.	Cav. diss. 3. t. 48. f. 2.
ACHANIA. W.	ACHANIA.	Malvaceæ. J.	_____	_____	_____
1 Malvaviscus. W.	scarlet.	_____	Jamaica.	1714. 1.12. S. h.	Cav. diss. 3. t. 48. f. 1.
2 mollis. W.	woolly.	_____	America.	1780. 8.9. S. h.	Bot. reg. 11. 297.
3 pilosa. W.	hairy.	_____	Jamaica.	— 10.11. S. h.	_____
MYRODIA. W.	MYRODIA.	Malvaceæ. J.	_____	_____	_____
turbinata. W.	short-flowered.	_____	W. Ind.	1793. S. h.	_____
GORDONIA. W.	GORDONIA.	Malvaceæ. J.	_____	_____	_____
1 Lasianthus. W.	smooth.	_____	N. America.	1739. 8.11. G. h.	Bot. mag. 668.
2 pubescens. W.	pubescent.	_____	Carolina.	1774. — F. h.	Vent. malm. t. 1.
	<i>Lacathea florida. P. L. 56.</i>	_____	_____	_____	_____
STUARTIA. W.	STUARTIA.	Tiliaceæ. J.	_____	_____	_____
1 Malachodendron. W.	common.	_____	N. America.	1742. 5.8. H. h.	Bot. rep. 397.
2 pentagyna. W.	curled.	_____	_____	1785. 7.3. H. h.	Exot. bot. 2. t. 110.
	<i>Malachodendron ovatum. Cav.</i>	_____	_____	_____	_____
CAMELLIA. Ker.	CAMELLIA.	Aurantiaæ. J.	<i>Camellia & Thea. H.</i>	_____	_____
1 Bohea.	Bohea Tea.	_____	China.	1768. 8.12. G. h.	Bot. mag. 998.
	<i>Thea Bohea. α. laxa. H. K. T. chinensis. β. B. M.</i>	_____	_____	_____	_____
2 viridis.	Green Tea.	_____	_____	11.2. G. h.	Hill exot. t. 22.
	<i>Thea Bohea. β. stricta. H. K. certainly a distinct species.</i>	_____	_____	_____	_____
3 Sasanqua. W.	Lady Banks's.	_____	_____	1811. 11.2. G. h.	Bot. reg. 12.
4 japonica. W.	common.	_____	_____	1739. 12.5. G. h.	_____
α rubra.	single red.	_____	_____	— G. h.	Bot. mag. 42.
β alba.	single white.	_____	_____	 — G. h.	_____
γ semiduplex.	semi-double red.	_____	_____	 — G. h.	Bot. rep. 559.
δ rubro-plena.	double red.	_____	_____	 — G. h.	— 199.
ε carneo-plena.	{ Middlemist's red. }	_____	_____	 — G. h.	_____
ζ myrtifolia.	Myrtle-leaved.	_____	_____	 — G. h.	Bot. mag. 1670.
η atrorubens.	Loddiges' red.	_____	_____	 — G. h.	_____
θ anemoniflora.	{ W'aratah-flowered. }	_____	_____	 — G. h.	Bot. mag. 1654.
ι pæoniflora.	Pæony-flowered	_____	_____	 — G. h.	_____
κ variegata.	double-striped.	_____	_____	 — G. h.	Bot. rep. 91.
λ pomponia.	Kew blush.	_____	_____	 — G. h.	Bot. reg. 22.
μ flavesces.	{ Hume's-blush or buff. }	_____	_____	 — G. h.	— 112.
ν albo-plena.	double white.	_____	_____	 — G. h.	Bot. rep. 25.
ξ longifolia.	long-leaved.	_____	_____	 — G. h.	_____
ο rubricaulis.	{ Lady (Adl.) Campbell's. }	_____	_____	 — G. h.	_____
BARRINGTONIA. W.	BARRINGTONIA.	Myrti. J.	<i>Butonica. Lam.</i>	_____	_____
speciosa. W.	Laurel-leaved.	_____	E. Ind.	1786. S. h.	Rumph. am. 3. t. 114
GUSTAVIA. W.	GUSTAVIA.	Myrti. J.	<i>Pirigari. J.</i>	_____	_____
augusta. W.	august.	_____	Guiana.	1794. S. h.	Aub. gui. 1. t. 192.
CAREYA. Roxb.	CAREYA.	_____	_____	_____	_____
herbacea. Rox.	herbaceous.	_____	E. Ind.	1803. 7.8. S. ♀.	Rox. cor. 3. t. 217.

CLASS XVII.

DIADELPHIA PENTANDRIA.

MONNIERIA. W.	MONNIERIA.					
trifolia. W.	three-leaved.	Guiana.	1792.	7.8.	S. ☉.	Aub. gui. 2. t. 293.
PETALOSTEMUM } Mi.	PETALOSTEMUM. Leguminosæ. J. <i>Dalea sp. W.</i>					
1 candidum. Ph.	white.	N. America.	1811.	7.8.	H. ♀.	Mich. am. 2. t. 37. f. 1.
2 carneum. Ph.	flesh-coloured.	—	—	—	H. ♀.	—
3 violaceum. Ph.	purple.	—	—	7.9.	H. ♀.	Bot. mag. 1707.
4 corymbosum. Ph.	corymbose.	—	—	—	H. ♀.	—
<i>Dalea Kuhnistera. W.</i>						

HEXANDRIA.

CORYDALIS. Vent.	CORYDALIS.	Papaveraceæ. J. <i>Fumariae sp. L.</i>				
1 Cucullaria. P. S.	naked-stalked.	N. America.	1731.	6.7.	H. ♀.	Bot. mag. 1127.
2 formosa. Ph.	blush.	—	1796.	—	H. ♀.	— 1335.
3 eximia. B. Reg.	choice.	—	1812.	—	H. ♀.	Bot. reg. 51.
4 fungosa. Ph.	spongy-flowered.	—	1778.	6.9.	H. ♂.	Vent. choix. t. 19.
5 nobilis. P. S.	great-flowered.	Siberia.	1783.	5.	H. ♀.	Bot. rep. 614. 239
6 bulbosa. P. S.	hollow-rooted.	Europe.	1596.	2.4.	H. ♀.	Bot. mag. 232.
7 fabacea. W. en.	Bean-leaved.	Germany.	1815.	—	H. ♀.	—
8 Halleri. W. en.	solid-rooted.	Britain.		2.5.	H. ♀.	Eng. bot. 1471.
<i>Fumaria solida. B. mag. 231.</i>						
9 sempervirens. P. S.	glaucous.	N. America.	1683.	7.8.	H. ☉.	Bot. mag. 179.
10 aurea. W. en.	golden.	—	1812.	5.7.	H. ♂.	Bot. reg. 66.
11 lutea. P. S.	yellow.	England.		4.10.	H. ♀.	Eng. bot. 588.
12 capnoides. P. S.	white-flowered.	S. Europe.	1596.	5.10.	H. ♂.	—
13 claviculata. W.	climbing.	Britain.		6.7.	H. ☉.	Eng. bot. 103.
CYSTICAPNOS. W. en.	CYSTICAPNOS.	Papaveraceæ. J.				
africana. W. en.	African.	C. B. S.	1696.	6.7.	H. ☉.	Boerh. lugd. 1. t. 300
<i>Fumaria vesicaria. H. K.</i>						
FUMARIA. P. S.	FUMITORY.	Papaveraceæ. J.				
1 enneaphylla. P. S.	nine-leaved.	Spain.	1714.	5.7.	H. ♀.	Boc. mus. 2. t. 73. f. 1.
2 officinalis. P. S.	common.	Britain.		5.8.	H. ☉.	Eng. bot. 589.
3 capreolata. P. S.	ramping.	—		5.9.	H. ☉.	— 943.
4 parviflora. P. S.	small-flowered.	England.		8.9.	H. ☉.	— 590.
5 spicata. P. S.	narrow-leaved.	S. Europe.	1714.	7.8.	H. ☉.	—

OCTANDRIA.

POLYGALA. W.	MILKWORT.	Pedicularæ. J.				
1 incarnata. W.	flesh-coloured.	N. America.	1812.	6.7.	H. ☉.	—
2 amara. W.	bitter.	Europe.	1775.	6.	H. ♀.	Jac. aust. 5. t. 412. 2437
3 vulgaris. W.	common.	Britain.		5.6.	H. ♀.	Eng. bot. 76.
4 major. W.	large Austrian.	Austria.	1739.	7.8.	H. ♀.	Jac. aust. 5. t. 413.
5 paucifolia. W.	naked-stalked.	N. America.	1812.	5.8.	H. ♀.	—
6 bracteolata. W.	spear-leaved.	C. B. S.	1713.	5.10.	G. h.	Bot. mag. 345.
7 speciosa. B. M.	showy.	—	1814.	—	G. h.	Bot. reg. 150. 1780
8 teretifolia. W.	columnar-leaved	—	1791.	5.8.	G. h.	Bot. rep. 370.
9 purpurea. H. K.	purple.	N. America.	—	5.6.	H. h.	—
10 virgata. Th.	twiggly.	C. B. S.	1812.	5.8.	G. h.	—
11 myrtifolia. W.	Myrtle-leaved.	—	1707.	—	G. h.	Com. hort. 1. t. 46. 64
12 oppositifolia. W.	opposite-leaved.	—	1790.	—	G. h.	Bot. mag. 492. 2635
13 cordifolia. W.	heart-leaved.	—	1791.	3.8.	G. h.	— 2480
14 tomentosa. W.	woolly-leaved.	—	1812.	—	G. h.	—
15 spinosa. W.	spiny.	—	1780.	1.5.	G. h.	—
16 Chamæbuxus. W.	Box-leaved.	Austria.	1658.	5.8.	H. h.	Bot. mag. 316.
17 alopecuroides. W.	Fox Tail.	C. B. S.	1800.	5.6.	G. h.	— 1006.
18 Heisteria. W.	Furze-leaved.	—	1787.	1.12.	G. h.	— 340.
19 mixta. W.	Heath-leaved.	—	1791.	—	G. h.	— 1714.
20 filiformis. W.	filiform.	—	1812.	5.12.	G. h.	—
21 micrantha. W.	small-flowered.	—	1800.	1.12.	G. h.	Bot. rep. 324.
22 stipulacea. W.	stipuled.	—	1801.	4.9.	G. h.	Bot. mag. 1715.
23 Senega. W.	Rattlesnake Root.	N. America.	1739.	7.	H. ♀.	— 1051.
24 lutea. W.	golden.	—	—	6.7.	H. ☉.	Pluk. amal. t. 438. f. 6
25 viridescens. W.	greenish-flower'd.	—	1815.	7.8.	H. ☉.	—

26 sanguinea. W.	purple-spiked.	Pediculares. J.	N. America.	1739.	7.9.	H.⊙.	Pluk.man.t.438.f.5
27 verticillata. W.	whorl-leaved.	_____	_____	_____	7.8.	H.⊙.	_____t.438.f.4.
28 cruciata. W.	four-leaved.	_____	_____	_____	6.7.	H.⊙.	_____
SECURIDACA. W.	SECURIDACA.	Leguminosæ? J.	_____	_____	_____	_____	_____
volubilis. W.	climbing.	_____	W. Ind.	1739.		S. h.	Jac.amer.t.183.f.38

DECANDRIA.

NISSOLIA.	Leguminosæ. J.	_____	_____	_____	_____	_____	_____
fruticosa. W.	shrubby.	_____	S. America.	1766.	7.11.	S. h.	Jac. vind. 2. t. 167.
DALBERGIA. W.	DALBERGIA.	Leguminosæ. J.	_____	_____	_____	_____	_____
1 latifolia. W.	broad-leaved.	_____	E. Ind.	1811.		S. h.	Rox. cor. 2. t. 113.
2 rubiginosa. W.	climbing.	_____	_____	_____		S. h.	_____2. t. 115.
3 paniculata. W.	panicked.	_____	_____	_____		S. h.	_____2. t. 114.
PONGAMIA. Vent.	PONGAMIA.	Leguminosæ. J. <i>Dalbergiæ sp. W.</i>	_____	_____	_____	_____	_____
glabra. P. S.	smooth-leaved.	_____	E. Ind.	1699.		S. h.	Vent. malm. t. 28.
PTEROCARPUS. W.	PTEROCARPUS.	Leguminosæ. J.	_____	_____	_____	_____	_____
1 Marsupium. W.	emarginate-lea ^d .	_____	E. Ind.	1811.		S. h.	Rox. cor. 2. t. 116.
2 lunatus. W.	crenate-podded.	_____	S. America.	1792.		S. h.	Lam. ill. t. 602. f. 5.
3 santalinus. W.	Red Sandal Wood	_____	E. Ind.	1800.		S. h.	_____
4 Ecataphyllum. W.	oval-leaved.	_____	W. Ind.	1733.		S. h.	Brown.jam.t.32.f.1.
AMERIMNUM. W.	AMERIMNUM.	Leguminosæ. J.	_____	_____	_____	_____	_____
1 Brownei. W.	Browne's.	_____	W. Ind.	1793.		S. h.	Jac.amer.t.180.f.58
2 latifolium. W.	broad-leaved.	_____	S. America.	1814.		S. h.	_____t.177.f.50
3 Ebenus. W.	Jamaica Ebony.	_____	W. Ind.	1713.	7.8.	S. h.	Brown.jam.t.31.f.2
DIPTERIX. W.	TONQUIN BEAN.	Leguminosæ. J. <i>Baryosma. Gært.</i>	_____	_____	_____	_____	_____
odorata. W.	sweet-scented.	_____	Guiana.	1793.		S. h.	Aub. gui. 2. t. 296.
ABRUS. W.	{ WILD LIQUORICE. }	Leguminosæ. J.	_____	_____	_____	_____	_____
precatorius. W.	Jamaica.	_____	W. Ind.	1680.	3.5.	S. h.	Rheed. mal. 3. t. 39.
ERYTHRINA. W.	CORAL TREE.	Leguminosæ. J.	_____	_____	_____	_____	_____
1 herbacea. W.	herbaceous.	_____	Carolina.	1724.	6.9.	G. h.	Bot. mag. 877.
2 carnea. W.	flesh-coloured.	_____	Vera Cruz.	1733.	5.	S. h.	Trew. chret. t. 8.
3 Corallodendrum. W.	smooth-leaved.	_____	W. Ind.	1690.	5.6.	S. h.	Comm.hort.1.t.105
4 indica. W.	Indian.	_____	E. Ind.	1814.		S. h.	Rheed. mal. 6. t. 7.
5 fusca. W.	brown-flowered.	_____	_____	1800.		S. h.	Rumph.amb.2.t.78.
6 caffra. W.	Cape.	_____	C. B. S.	1816.		G. h.	_____2431
7 picta. W.	prickly-leaved.	_____	E. Ind.	1696.		S. h.	Rumph.amb.2.t.77
8 speciosa. H. K.	large-flowered.	_____	W. Ind.	1805.	8.10.	S. h.	Bot. rep. 443.
9 Crista-galli. W.	Cock's Comb.	_____	Brazil.	1771.	3.7.	S. h.	Exot. bot. 2. t. 95.
BUTEA. W.	BUTEA.	Leguminosæ. J.	_____	_____	_____	_____	_____
1 frondosa. W.	downy-branched	_____	E. Ind.	1796.		S. h.	Roxb. cor. 1. t. 21.
2 superba. W.	smooth-branch ^d .	_____	_____	1798.		S. h.	_____1. t. 22.
PISCIDIA. W.	PISCIDIA.	Leguminosæ. J.	_____	_____	_____	_____	_____
Erythrina. W.	{ Jamaica Dogwood. }	_____	W. Ind.	1690.		S. h.	Lam. ill. t. 605.
BORBONIA. W.	BORBONIA.	Leguminosæ. J.	_____	_____	_____	_____	_____
1 ericifolia. W.	Heath-leaved.	_____	C. B. S.	1812.	7.8.	G. h.	_____
2 trinervia. W.	three-nerved.	_____	_____	1759.	---	G. h.	Pluk.alm.t.297.f.4.
3 lanceolata. W.	many-nerved.	_____	_____	1752.	---	G. h.	Jac.schœn.2.t.217.
4 perfoliata. W.	perfoliate.	_____	_____	1812.	---	G. h.	_____
5 undulata. W.	wave-leaved.	_____	_____	---	---	G. h.	_____
6 cordata. W.	heart-leaved.	_____	_____	1759.	7.9.	G. h.	Jac.schœn.2.t.218.
7 crenata. W.	notch-leaved.	_____	_____	1774.	6.3.	G. h.	Bot. mag. 274.
SPARTIUM. W.	BROOM.	Leguminosæ. J.	_____	_____	_____	_____	_____
1 junceum. W.	Spanish.	_____	S. Europe.	1548.	7.9.	H. h.	Bot. mag. 85.
β flore pleno.	double-flowered.	_____	_____	_____	_____	_____	_____
2 monospermum. W.	{ white single- seeded. }	_____	_____	1690.	6.7.	G. h.	_____683.
3 sphærocarpon. W.	{ yellow single-seeded }	_____	_____	1731.	---	G. h.	Renealm.spec.t.33.
4 procerum. W. en.	tall.	_____	Portugal.	1816.	---	G. h.	_____
5 congestum. W. en.	close-branched.	_____	Teneriffe.		4.7.	G. h.	_____
6 virgatum. W.	long-twigged.	_____	Madeira.	1777.	3.6.	G. h.	Jac. ic. 1. t. 147.
7 purgans. W.	purgings.	_____	S. France.	1768.	6.7.	H. h.	Bulliard herb.t.115
8 umbellatum. W.	umbelled.	_____	Barbary.	1799.	4.6.	G. h.	Desf. atl. 2. t. 180.
9 Scorpion. W.	Scorpion.	_____	S. Europe.	1570.	3.4.	H. h.	_____
10 sericeum. Vent.	silky.	_____	Mogadore.	1812.	5.8.	G. h.	Vent. choix. t. 17.
11 multiflorum. W.	white Portugal.	_____	Portugal.	1752.	5.	H. h.	Duham. arb. t. 23.
12 angulatum. W.	small-flowered.	_____	Levant.	1739.	5.6.	H. h.	Vent. cels. 87.
13 patens. W.	woolly-podded.	_____	Portugal.	1752.	6.7.	H. h.	Car. ic. 2. t. 176.

14 nubigenum. W.	cluster-flowered.	Leguminosæ. J.	Teneriffe.	1779. 5.8.	G. h.	
15 linifolium. W.	Flax-leaved.		Spain.	1739. 1.6.	G. h.	Bot. mag. 442.
16 scoparium. W.	common.		Britain.	 4.6.	H. h.	Eng. bot. 1339.
17 radiatum. W.	starry.		Italy.	1758. 6.7.	H. h.	Mill. ic. 2. t. 259. f. 1. 226
18 ferox. W.	fierce.		Barbary.	1800. —	G. h.	Desf. atl. 2. t. 182. 329
19 spinosum. W.	prickly.		S. Europe.	1596. —	G. h.	Lob. ic. 2. p. 95.
GENISTA. W.	GENISTA.	Leguminosæ. J.				
1 canariensis. W.	Canary.		Canaries.	1656. 5.9.	G. h.	Bot. reg. 217.
2 candicans. W.	hoary.		Spain.	1735. 4.7.	H. h.	
3 viscosa. W.	clammy.		Canaries.	1815. —	G. h.	
4 triquetra. W.	triangular.		Corsica.	1770. 5.6.	H. h.	Bot. mag. 314.
5 sagittalis. W.	jointed.		Germany.	1570. —	H. h.	Jac. aust. 3. t. 209.
6 triangularis. W.	three-sided.		Hungary.	1815. —	H. h.	Pl. rar. hung. 2. t. 153
7 tinctoria. W.	Green Weed.		Britain.	 6.8.	H. h.	Eng. bot. 44.
8 sibirica. W.	Siberian.		Siberia.	1785. —	H. h.	Jac. vind. 2. t. 190.
9 ovata. W.	oval-leaved.		Hungary.	1816. 6.8.	H. h.	Pl. rar. hung. t. 83.
10 florida. W.	Spanish.		Spain.	1752. —	H. h.	
11 procumbens. W.	procumbent.		Hungary.	1816. —	H. h.	
12 decumbens. W.	trailing.		France.	1775. 5.6.	H. h.	
13 pilosa. W.	hairy green-weed.		England.	 —	H. h.	Eng. bot. 208.
14 diffusa. W.	diffuse.		Italy.	1816. —	H. h.	Jac. ic. 3. t. 555.
15 sericea. W.	silky.		Austria.	1812. —	H. h.	— 3. t. 556.
16 anglica. W.	Petty Whin.		Britain.	 —	H. h.	Eng. bot. 132.
17 germanica. W.	German.		Germany.	1773. 6.8.	H. h.	
18 hispanica. W.	dwarf prickly.		Spain.	1759. 6.7.	H. h.	Cav. ic. 3. t. 211.
19 lusitanica. W.	Portugal.		Portugal.	1771. 3.5.	H. h.	Bot. rep. 419.
LEBECKIA. W.	LEBECKIA.	Leguminosæ. J.				
1 contaminata. W.	narrow-leaved.		C. B. S.	1787. 4.5.	G. h.	
2 sericea. W.	silky.			1774. 4.	G. h.	
3 cytoides. W.	Cytisus-leaved.			— —	G. h.	Comm. hort. 2. t. 107
RAFIA. Th.	RAFIA.	Leguminosæ. J.				
triflora. W.	three-flowered.		C. B. S.	1786. 6.7.	G. ♂.	Bot. mag. 482.
ASPALATHUS. W.	ASPALATHUS.	Leguminosæ. J.				
1 Chenopoda. W.	Goose-foot.		C. B. S.	1759. 7.8.	G. h.	Breyn. cent. t. 11. 2223
2 albens. W.	silky.			1774. —	G. h.	
3 pedunculata. H. K.	small-leaved.			1775. —	G. h.	Bot. mag. 344.
4 ericifolia. W.	Heath-leaved.			1789. —	G. h.	Pluk. mant. 4. 13. f. 6.
5 asparagoides. W.	Asparagus-leav'd.			1812. —	G. h.	
6 carnosa. W.	fleshy-leaved.			1795. 5.6.	G. h.	Bot. mag. 1289.
7 crassifolia. B. R.	bristle-pointed.			1800. 7.8.	G. h.	Bot. rep. 351.
8 ciliaris. W.	ciliated.			1799. —	G. h.	3233
9 uniflora. W.	single-flowered.			1812. —	G. h.	Pluk. mant. 4. 14. f. 7.
10 subulata. W.	awl-leaved.			1799. —	G. h.	
11 globosa. B. R.	globular.			1802. 6.7.	G. h.	Bot. rep. c. ic.
12 araucoosa. W.	cobweb.			1795. —	G. h.	Bot. mag. 829.
13 indica. W.	Indian.		E. Ind.	1759. 7.8.	S. h.	Rheed. mal. 9. t. 37.
14 argentea. W.	silver-leaved.		C. B. S.	— —	G. h.	
15 candicans. H. K.	white.			1774. 6.7.	G. h.	
16 callosa. W.	oval-spiked.			1812. 7.8.	G. h.	Pluk. mant. 3. 45. f. 4.
17 mucronata. W.	thorny-branch'd.			1796. 6.7.	G. h.	
SARCOPHYLLUM } Th.	SARCOPHYLLUM.	Leguminosæ. J.				
carnosum. Th.	jointed-leaved.		C. B. S.	1812. 5.8.	G. h.	2502.
STAUROCAN- } THUS. W. en.	{ STAUROCAN- } THUS.	Leguminosæ. J.				
aphyllus. W. en.	leafless.		Portugal.	1815. 6.7.	F. h.	
ULEX. W.	FURZE.	Leguminosæ. J.				
1 europæus. W.	common.		Britain.	 4.5.	H. h.	Eng. bot. 742.
2 nanus. W.	dwarf.			 8.12.	H. h.	743.
AMORPHA. W.	BASTARD-INDIGO.	Leguminosæ. J.				
1 fruticosa. W.	shrubby.		Carolina.	1724. 6.7.	H. h.	Schmidt. arb. 1. t. 30. 227
β emarginata.	emarginate-leav.			— —	H. h.	
2 microphylla. Ph. 7702.	dwarf.		Missouri.	1811. 7.8.	F. h.	3m. 2112.
3 pubescens. Ph.	pubescent.		Carolina.	1803. 6.7.	F. h.	
4 canescens. Ph.	canescent.		Missouri.	1812. 7.8.	F. h.	
PLATYLOBIMUM. Sm.	FLAT-PEA.	Leguminosæ. J.				
1 formosum. H. K.	large-flowered.		N. S. W.	1790. 6.8.	G. h.	Bot. mag. 469.
2 parviflorum. H. K.	small-flowered.			1792. 5.9.	G. h.	1520.
3 triangulare. H. K.	triangular-leav'd.		VanDiem. Isl.	1805. 6.9.	G. h.	1508.

BOSSIAEA. Sm.	BOSSIAEA.	Leguminosæ. J.	<i>Platylobii sp. B. R.</i>		
1 Scolopendrium. H. K.	Plank-plant.	_____	N. S. W.	1792. 5.7.	G. h. Bot. rep. 191.
2 rufa. H. K.	red-flowered.	_____	N. Holland.	1803. 6.9.	G. h.
3 heterophylla. V.	various-leaved.	_____	N. S. W.	1792. 5.12.	G. h. Bot. mag. 1144.
4 linophylla. H. K.	narrow-leaved.	_____	N. Holland.	1803. 7.9.	G. h. Bot. mag. 1493.
5 prostrata. H. K.	procumbent.	_____	N. S. W.	_____	G. h. Bot. mag. 1493.
6 cinerea. H. K.	downy-sharp-l'd.	_____	VanDiem. Isl.	1805. 5.7.	G. h. Bot. mag. 863.
7 microphylla. H. K.	small-leaved.	_____	N. S. W.	1803. 5.9.	G. h. Bot. mag. 863.
SCOTTIA. H. K.	SCOTTIA.	Leguminosæ. J.	_____	_____	_____
dentata. H. K.	tooth-leaved.	_____	N. Holland.	1803. 6.9.	G. h.
TEMPLETONIA. H. K.	TEMPLETONIA.	Leguminosæ. J.	_____	_____	_____
retusa. H. K.	wedge-leaved.	_____	N. Holland.	1803. 3.6.	G. h. Vent. malm. 53.
GOODIA. P. L.	GOODIA.	Leguminosæ. J.	_____	_____	_____
1 lotifolia. H. K.	smooth.	_____	VanDiem. Isl.	1793. 4.7.	G. h. Bot. mag. 958.
2 pubescens. H. K.	downy.	_____	_____	1805. _____	G. h. 1310.
LODDIGESIA. B. M.	LODDIGESIA.	Leguminosæ. J.	_____	_____	_____
oxalidifolia. B. M.	Oxalis-leaved.	_____	C. B. S.	1802. 5.9.	G. h. Bot. mag. 965.
WIBORGIA. W.	WIBORGIA.	Leguminosæ. J.	_____	_____	_____
sericea. W.	silky.	_____	C. B. S.	1780. 7.8.	G. h.
CROTALARIA. W.	CROTALARIA.	Leguminosæ. J.	_____	_____	_____
1 sagittalis. W.	Virginian.	_____	America.	1731. 6.7.	S. O. Pluk. alm. t. 169. f. 6.
2 prostrata. W. en.	prostrate.	_____	E. Ind.	1804. 7.	S. O.
3 rubiginosa. W.	ferrugineous.	_____	_____	1807. _____	S. O.
4 anthylloides. H. K.	{ large-flower- cupped. }	_____	_____	1789. 8.9.	S. h.
5 tetragona. H. K.	square-stalked.	_____	_____	1806. 10.11.	S. J. Bot. rep. 593.
6 benghalensis. P. S.	Bengal.	_____	_____	6.7.	S. O. Pluk. alm. t. 169. f. 5.
7 juncea. W.	striated-stalked.	_____	_____	1700. _____	S. O. Bot. rep. 422.
8 fenestrata. B. M.	window-calyxed.	_____	_____	1815. _____	S. O. Bot. mag. 1933.
9 sericea. W.	silky.	_____	_____	1807. _____	S. O.
10 retusa. W.	wedge-leaved.	_____	_____	1731. _____	S. O. Bot. reg. 253.
11 verrucosa. W.	blue-flowered.	_____	_____	7.8.	S. O. Bot. rep. 308.
12 pulchra. H. K.	short-podded.	_____	_____	1800. 3.5.	S. h. 601.
13 semperflorens. P. S.	ever-blowing.	_____	_____	1816. 3.9.	S. h. Vent. cels. t. 17.
14 hirta. W. en.	hairy.	_____	_____	6.8.	S. O.
15 biflora. W.	two-flowered.	_____	_____	1790. 7.8.	S. O. Burm. ind. t. 48. f. 2.
16 paniculata. W.	panicked.	_____	_____	1807.	S. h.
17 lotifolia. W.	Lotus-leaved.	_____	Jamaica.	1732. 6.7.	S. O. Dill. elt. t. 102. f. 121
18 laburnifolia. W.	Laburnum-leav'd.	_____	E. Ind.	1739. 7.9.	S. J. Rheed. mal. 9. t. 27.
19 cordifolia. W.	heart-leaved.	_____	C. B. S.	1790. 4.6.	G. h.
20 purpurea. H. K.	dark-purple.	_____	_____	3.5.	G. h. Bot. reg. 128.
21 pulchella. H. K.	large-flowered.	_____	_____	1800. 7.8.	G. h. Bot. mag. 1699.
22 Saltiana. B. R.	Salt's.	_____	Abyssinia.	1810. 6.7.	S. h. Bot. rep. 648.
23 axillaris. W.	axil-flowered.	_____	Guinea.	1781. 7.8.	S. O.
24 orixensis. W. en.	strigose.	_____	E. Ind.	1816. _____	S. O.
25 incanescens. W.	spreading.	_____	C. B. S.	1774. 6.10.	G. h. Jac. vind. 3. t. 64.
26 incana. W.	hoary.	_____	W. Ind.	1714. 6.7.	S. O. 322. 277
27 pallida. W.	pale-flowered.	_____	Africa.	1775. _____	S. O.
28 angustifolia. W.	narrow-leaved.	_____	C. B. S.	1815. 5.9.	G. h. Jac. schœn. 2. t. 219.
29 quinquefolia. W.	five-leaved.	_____	E. Ind.	1792. 6.7.	S. O. Rheed. mal. 9. t. 28.
HOVEA. H. K.	HOVEA.	Leguminosæ. J.	<i>Pairetia. L. T.</i>	_____	_____
1 linearis. H. K.	linear-leaved.	_____	N. S. W.	1796. 3.7.	G. h. 222. 463
2 longifolia. H. K.	long-leaved.	_____	_____	1805. 6.9.	G. h. 222. 463
3 lanceolata. B. M.	spear-leaved.	_____	N. Holland.	_____	3.7. G. h. Bot. mag. 1624.
4 ovata. L. T.	oval-leaved.	_____	_____	1817. _____	G. h.
ONONIS. W.	REST-HARROW.	Leguminosæ. J.	_____	_____	_____
1 antiquorum. W.	tall.	_____	S. Europe.	1790. 6.7.	H. J.
2 spinosa. W.	Cammock.	_____	Britain.	 6.8.	H. J. Eng. bot. 682.
3 hircina. W.	stinking.	_____	Italy.	1596. 5.8.	H. J. Jac. vind. 1. t. 93.
4 repens. W.	creeping.	_____	Britain.	 6.8.	H. J. Dill. elt. t. 25. f. 28.
5 Columnæ. W.	small-flowered.	_____	S. Europe.	1732. 6.7.	H. J. Jac. aust. 3. t. 240.
6 mitissima. W.	cluster-flowered.	_____	Portugal.	1732. _____	H. O. Dill. elt. t. 24. f. 27.
7 alopecuroides. W.	Fox-tail.	_____	_____	1696. 7.8.	H. O. Lap. pyr. 1. t. 9.
8 variegata. W.	variegated.	_____	Spain.	1784. _____	H. O. Desf. atl. 2. t. 185.
9 pubescens. W.	downy.	_____	S. Europe.	1680. 6.8.	H. O.
10 cernua. W.	hanging-podded.	_____	C. B. S.	1774. 7.9.	G. h. Comm. hort. 2. t. 82.
11 geminata. W.	two-flowered.	_____	_____	1787. _____	G. J.
12 reclinata. W.	spreading.	_____	S. Europe.	1800. 6.8.	H. O.
13 cenisia. W.	narrow-leaved.	_____	Italy.	1759. _____	H. J. All. ped. 1. t. 10. f. 2.
14 vaginalis. P. S.	sheathed.	_____	Egypt.	1815. _____	G. h. Vent. cels. t. 32.

15 Cherleri. W.	dwarf.	Leguminosæ. J.	S. Europe.	1771. 6.7.	H. ½.	
16 viscosa. W.	clammy.			1759. 7.8.	H. ①.	Barr. ic. 1289.
17 ornithopodioides. W.	Bird's-foot.		Sicily.	1713. —	H. ①.	Cav. ic. 2. t. 192.
18 pinguis. W.	greasy.		S. Europe.	1739. 7.	G. ½.	
19 Natrix. W.	yellow-shrubby.			1683. 5.9.	G. ½.	Bot. mag. 329.
20 hispanica. W.	Spanish.		Spain.	1799. —	G. ½.	Barr. ic. 775.
21 tridentata. W.	three-toothed.			1752. 6.8.	G. ½.	Cav. ic. 2. t. 152.
22 crispa. W.	curl-leaved.			1739. —	G. ½.	Magn. mons. t. 17.
23 fruticosa. W.	shrubby.		S. France.	1680. 5.6.	H. ½.	Bot. mag. 317.
24 rotundifolia. W.	round-leaved.		Switzerland.	1570. 5.7.	H. ½.	335.
ANTHYLLIS. W.	KIDNEY-VECH.	Leguminosæ. J.				
1 tetraphylla. W.	four-leaved.		S. Europe.	1640. 7.8.	H. ①.	Bot. mag. 108.
2 Vulneraria. W.	common.		Britain.	 5.8.	H. ½.	Eng. bot. 104.
β rubra.	red-flowered.					
3 montana. W.	mountain.		S. Europe.	1759. 6.7.	H. ½.	Jac. aust. 4. t. 334.
4 sericea. W.	wing-leaved.		Barbary.	1786. 7.8.	G. ½.	Desf. act. par. 1. t. 3.
5 cornicina. W.	horny.		Spain.	1759. —	H. ①.	Cav. ic. 1. t. 39. f. 2.
6 lotoides. W.	Lotus-like.			1739. 6.7.	H. ①.	1. t. 40.
7 Gerardi. W.	Gerard's.		Provence.	1806. 6.8.	H. ①.	Ger. prov. t. 18.
8 Barba-jovis. W.	Jupiter's-beard.		S. Europe.	1640. 3.5.	G. ½.	Bot. mag. 1927.
9 cretica. W.	Cretan.		Candia.	1737. 6.7.	G. ½.	1092.
10 heterophylla. W.	various-leaved.		S. Europe.	1768. —	G. ½.	
11 cytisoides. W.	downy-leaved.		Spain.	1731. 4.5.	G. ½.	Barr. ic. 1182.
12 Hermannia. W.	Lavender-leav'd.		Levant.	1739. 4.7.	F. ½.	Alp. exot. t. 26.
13 tragacanthoides. P. S.	Goat's-thorn-like.		Barbary.	 6.7.	G. ½.	Desf. atl. 2. t. 194.
14 Erinacea. W.	prickly.		Spain.	1759. 4.5.	F. ½.	Bot. mag. 676.
ARACHIS. W.	EARTH-NUT.	Leguminosæ. J.				
hypogæa. W.	American.		S. America.	1712. 5.6.	S. ①.	Trew. pl. rar. 3. t. 3.
LUPINUS. W.	LUPINE.	Leguminosæ. J.				
1 perennis. Ph.	smooth perennial.		N. America.	1658. 5.7.	H. ½.	Bot. mag. 202.
2 nootkatensis. Ph.	hairy perennial.		Nootka Sound	1794. 6.8.	H. ½.	1311.
3 albus. W.	white.		Levant.	1596. 7.8.	H. ①.	
4 Termis. W.	Egyptian.		Egypt.	1802. 6.7.	H. ①.	
5 varius. W.	small blue.		S. Europe.	1596. 7.8.	H. ①.	
6 hirsutus. W.	great blue.			1629. —	H. ①.	
7 pilosus. W.	rose.			1710. —	H. ①.	
8 angustifolius. W.	narrow-leaved.		Spain.	1686. —	H. ①.	Knorr. del. 2. t. L.7.
9 limifolius. W.	Flax-leaved.			1799. —	H. ①.	Roth. abhand. 14. t. 5
10 luteus. W.	yellow.		Sicily.	1596. —	H. ①.	Bot. mag. 140.
11 villosus. W.	villous.		Carolina.	1787. —	F. ½.	
12 arboreus. H. K.	trec.			1793. —	F. ½.	Bot. mag. 682.
CARPOPOGON. Rox.	CARPOPOGON.	Leguminosæ. J.				
1 giganteum. Rox.	gigantic.		E. Ind.	1815.	S. ½.	
2 imbricatum. Rox.	imbricated.				S. ½.	
PHASEOLUS. W.	KIDNEY-BEAN.	Leguminosæ. J.				
1 vulgaris. W.	common.		India.	1597. 6.9.	H. ①.	Lob. ic. 2. p. 59.
2 multiflorus. W.	scarlet.		S. America?	1633. 7.9.	H. ①.	Schk. han. 2. t. 199. a.
3 lunatus. W.	cimetre-podded.		E. Ind.	1779. 6.7.	S. ①.	Hon. h. 10. t. 63. f. 1.
4 inamœnus. W.	various-coloured.		Africa.	1794. 7.8.	H. ①.	Jac. vind. 1. t. 66.
5 farinosus. W.	mealy.		E. Ind.	1759. —	S. ½.	{ Niss. act. par. 1730. t. 42.
6 vexillatus. W.	sweet-scented.		W. Ind.	1732. —	S. ①.	Jac. vind. 2. t. 102.
7 helvolus. W.	pale-red.		Carolina.	—	H. ①.	Dill. elt. t. 233. f. 300
8 semierectus. W.	dark-red.		W. Ind.	— 7.	S. ①.	— t. 233. f. 301.
9 alatus. W.	winged.		Carolina.	—	S. ①.	— t. 235. f. 303.
10 Caracalla. W.	Snail-flower.		India.	1690. 8.9.	S. ½.	Bot. rep. 341.
11 aconitifolius. W.	Aconite-leaved.		E. Ind.	1731. 6.8.	S. ①.	Jac. obs. 3. t. 52.
12 trilobus. W.	three-lobed.			1777. 7.8.	S. ①.	Burm. ind. t. 50. f. 1.
13 stipularis. W.	large stipuled.		Peru.	1805. —	H. ①.	
14 nanus. P. S.	common dwarf.		India.	 6.9.	H. ①.	
15 radiatus. W.	rayed.		China.	1732. 6.7.	H. ①.	Dill. elt. t. 235. f. 305
16 Max. W.	hairy-podded.		India.	1758. —	H. ①.	Rumph. am. 5. t. 140.
17 Mungo. W.	small-fruited.			1790. —	H. ①.	
18 diversifolius. P. S.	various-leaved.		N. America.	1806. —	H. ①.	
trilobus. Ph.	Glycine angulosa. W. ex. Ph.					
19 lathyroides. W.	Lathyrus-like.		Jamaica.	1786. 7.8.	S. ①.	Slo. jam. 1. t. 116. f. 1.
DOLICHOS. W.	DOLICHOS.	Leguminosæ. J.				
1 Lablab. W.	black-seeded.		Egypt.	1694. 6.7.	S. ①.	Bot. mag. 896.
2 sinensis. W.	Chinese.		India.	1776. 7.8.	H. ①.	Jac. vind. 3. t. 71.
3 luteolus. Ph.	yellow.		America.	1805. —	H. ①.	Jac. hort. t. 98.

4 unguiculatus. W.	Bird's-foot.	Leguminosæ. J.	W. Ind.	1780. 6.7.	S. ☉	Jac. vind. 1. t. 23.
5 tranquebaricus. W.	Tranquebar.	_____	E. Ind.	1801. 6.7.	S. ☉	Jac. vind. 3. t. 70.
6 gladius. W.	sabre-podded.	_____	_____	1790. 8.	S. ☉	Jac. ic. 3. t. 560.
7 tetragonolobus. W.	square-podded.	_____	_____	1816. 9.11.	S. ☉	_____
8 sesquipedalis. W.	long-podded.	_____	W. Ind.	1781. 8.	S. ☉	Jac. vind. 1. t. 67.
9 hirsutus. W.	hirsute.	_____	China.	1802. 6.	G. h.	Kæmpf. ic. t. 41.
10 pilosus. W.	hairy-podded.	_____	E. Ind.	1790. 8.	S. ☉	_____
11 niuinus. W.	small.	_____	Jamaica.	1776. 7.8.	S. ☉	Jac. obs. 1. t. 22.
12 tetraspermus. W.	four-seeded.	_____	E. Ind.	1816. 5.8.	S. ☉	_____
13 scarabæoides. W.	silver-leaved.	_____	_____	1773. 6.7.	S. ☉	Pluk. aim. t. 53. f. 3.
14 reticulatus. W.	net-leaved.	_____	N. S. W.	1781. —	G. h.	_____
15 bulbosus. W.	bulbous.	_____	W. Ind.	—	S. 2.	Rumph. am. 5. t. 132.
16 purpureus. W.	purple.	_____	E. Ind.	1790. 8.9.	S. 2.	Exot. bot. 2. t. 74. 830.
17 lignosus. W.	woody.	_____	_____	1776. 7.8.	G. h.	Bot. mag. 380.
18 luteus. W.	yellow-flowered.	_____	Jamaica.	1812. —	S. h.	_____
19 ensiformis. W.	cimeter-podded.	_____	E. Ind.	1778. —	S. ☉	Jac. ic. 3. t. 559.
20 Soja. W.	Soy.	_____	_____	1790. —	S. ☉	— 1. t. 145.
21 Catiang. W.	small-fruited.	_____	_____	1793. —	S. ☉	Rheed. mal. 3. t. 41.
22 biflorus. W.	two-flowered.	_____	_____	1776. —	S. ☉	Pluk. alm. t. 213. f. 4.
23 roseus. W.	Rose-coloured.	_____	Jamaica.	1812. —	S. ☉	_____
STIZOLOBIUM. P. S.	Cow-ITCH.	Leguminosæ. J.	Negretia. Fl. Per.	_____	_____	_____
1 altissimum. P. S.	tall.	_____	Martinico.	1779.	S. h.	Jac. amer. t. 182. f. 85
2 urens. P. S.	broad-podded.	_____	W. Ind.	1691. 6.7.	S. h.	Plum. amer. t. 107.
3 pruriens. P. S.	common.	_____	India.	1680.	S. h.	Jac. amer. t. 192.
GLYCINE. P. S.	GLYCINE.	Leguminosæ. J.	_____	_____	_____	_____
1 sarmentosa. W.	sarmentose.	_____	Carolina.	1805. 6.8.	H. ☉	Schk. bot. ann. 12. t. 2
2 monoica. W.	pale-flowered.	_____	N. America.	1781. 9.	H. 2.	{ Wendl. in Rœm. Arch. 3. t. 2.
3 angustifolia. W.	narrow-leaved.	_____	C. B. S.	1795. 6.8.	G. h.	Jac. schœn. 2. t. 231.
4 debilis. W.	hairy.	_____	E. Ind.	1778. 6.7.	S. ☉	_____
5 comosa. W.	tufted.	_____	N. America.	1812. 7.9.	H. 2.	_____
6 tomentosa. Ph.	downy.	_____	_____	1732. 6.9.	H. 2.	Dill. elt. t. 26. f. 29.
7 reniformis. Ph.	kidney-leaved.	_____	Carolina.	1806. 7.8.	F. 2.	_____
8 suaveolens. W.	sweet-scented.	_____	E. Ind.	1816. 7.9.	S. h.	_____
9 reticulata. W.	net-leaved.	_____	Jamaica.	1779. —	S. h.	_____
10 caribæa. W.	trailing.	_____	W. Ind.	1742. 9.10.	S. h.	Jac. ic. 1. t. 146.
11 bituminosa. W.	clammy.	_____	C. B. S.	1774. 4.9.	G. h.	Bot. reg. 261.
12 parviflora. P. S.	small-flowered.	_____	E. Ind.	1812. 7.	S. ☉	_____
13 sagittata. W. en.	arrow-leaved.	_____	Havannah.	1815. 5.8.	S. h.	_____
14 rhombifolia. W.	rhomb-leaved.	_____	E. Ind.	—	S. h.	_____
APIOS. Ph.	APIOS.	Leguminosæ. J.	Glycinis sp. IV.	_____	_____	_____
1 tuberosa. Ph.	tuberous-rooted.	_____	N. America.	1640. 8.9.	H. 2.	Bot. mag. 1198.
2 frutescens. Ph.	shrubby.	_____	_____	1724. 6.9.	H. h.	Hort. angl. t. 15. 2108
KENNEDIA. Vent.	KENNEDIA.	Leguminosæ. J.	Glycinis sp. IV.	_____	_____	_____
1 rubicunda. V.	dingy-flowered.	_____	N. S. W.	1788. 3.8.	G. h.	Bot. mag. 268.
2 coccinea. V.	many-flowered.	_____	N. Holland.	1803. 5.8.	G. h.	Vent. malm. 105. 2663
3 prostrata. H. K.	single-flowered.	_____	N. S. W.	1790. 3.6.	G. h.	Bot. mag. 270.
4 Comptoniana. B. R.	Comptonian.	_____	N. Holland.	1803. —	G. h.	Bot. rep. c. ic. 272
5 monophylla. V.	simple-leaved.	_____	N. S. W.	1790. —	G. h.	Bot. mag. 263.
CYLISTA. W.	CYLISTA.	Leguminosæ. J.	_____	_____	_____	_____
1 villosa. H. K.	Cape.	_____	C. B. S.	1776. 4.5.	S. h.	Bot. rep. 446.
2 albiflora. B. M.	white-flowered.	_____	Mauritius.	 —	S. h.	Bot. mag. 1859.
3 scariosa. W.	Coromandel.	_____	E. Ind.	1806.	S. h.	Rox. cor. 1. t. 92.
CLITORIA. W.	CLITORIA.	Leguminosæ. J.	_____	_____	_____	_____
1 Ternata. W.	wing-leaved.	_____	E. Ind.	1739. 7.8.	S. h.	Bot. mag. 1542.
2 heterophylla. V.	various-leaved.	_____	_____	1812. —	S. ☉	Vent. choix. t. 26. 2111
3 brasiliانا. W.	Brazilian.	_____	Brazil.	1759. —	S. ☉	Breyn. cent. t. 32.
4 virginica. W.	small-flowered.	_____	America.	1732. —	S. 2.	Par. lond. 51.
5 mariana. W.	Maryland.	_____	N. America.	1759. 8.	H. 2.	_____
6 arborescens. H. K.	tree.	_____	Trinidad.	1804.	S. h.	_____
7 Plumieri. B. reg.	Plumier's.	_____	W. Ind.	 9.11.	S. h.	Bot. reg. 268.
GALACTIA. Mi.	GALACTIA.	Leguminosæ. J.	Clitoria sp. IV.	_____	_____	_____
pendula. B. reg.	pendulous.	_____	Jamaica.	1794. 7.8.	S. h.	Bot. reg. 269.
PISUM. W.	PEA.	Leguminosæ. J.	_____	_____	_____	_____
1 sativum. W.	common.	_____	S. Europe.	 6.9.	H. ☉	Lam. ill. t. 633.
2 arvense. W.	field.	_____	_____	 —	H. ☉	_____
3 maritimum. W.	sea.	_____	England.	 7.	H. 2.	Eng. bot. 1046.
OCHRUS. P. S.	OCHRUS.	Leguminosæ. J.	_____	_____	_____	_____
pallida. P. S.	yellow-flowered.	_____	S. Europe.	1633. 6.7.	H. ☉	Schk. hand. 2. t. 280.
Pisum Ochrus. W. Lathyrus Ochrus. Dec.						

OROBUS. W.		BITTER-VETCH. Leguminosæ. J.					
1	lathyroides. W.	upright.	Siberia.	1758.	6.	H. ½.	Amm. ruth. t. 7. f. 2.
2	luteus. W.	yellow.	_____	1759.	6.7.	H. ½.	Gmel. sib. 4. t. 4.
3	vernus. W.	spring.	Europe.	1629.	3.4.	H. ½.	Bot. mag. 521.
4	tuberosus. W.	tuberosus.	Britain.		5.6.	H. ½.	Eng. bot. 1153.
5	albus. W.	white-flowered.	Austria.	1794.	—	H. ½.	Jac. aust. 1. t. 39.
6	varius. H. K.	parti-coloured.	Italy.	1759.	5.6.	H. ½.	Bot. mag. 675.
7	angustifolius. W.	narrow-leaved.	Siberia.	1766.	—	H. ½.	Gmel. sib. 4. t. 5.
8	niger. W.	black.	Europe.	1596.	6.7.	H. ½.	Flor. dan. t. 1170.
9	pyrenaicus. W.	Pyrenean.	Spain.	1699.	5.6.	H. ½.	Pluk. alm. t. 210. f. 2.
10	sylvaticus. W.	wood.	Britain.		5.7.	H. ½.	Eng. bot. 518.
11	ochroleucus. P. S.	sulphur-colour ^d .	Hungary.	1816.	—	H. ½.	Pl. rar. hung. 2. t. 118
LATHYRUS. W.		LATHYRUS. Leguminosæ. J.					
1	Aphaca. W.	Yellow Vetchling.	England.		6.7.	H. ○.	Eng. bot. 1167.
2	Nissolia. W.	crimson.	_____		5.	H. ○.	— 112.
3	amphicarpos. W.	Earth Pea.	Levant.	1680.	6.7.	H. ○.	Mor. his. 2. t. 23. f. 1.
4	Cicera. W.	flat-podded.	S. Europe.	1633.	—	H. ○.	Ger. emac. f. 3.
5	sativus. W.	Chickling Vetch.	_____	1640.	—	H. ○.	Bot. mag. 115.
6	inconspicuus. W.	small-flowered.	Levant.	1739.	7.8.	H. ○.	Jac. vind. 1. t. 86?
7	setifolius. W.	bristle-leaved.	S. Europe.	—	6.7.	H. ○.	—
8	coccineus. P. S.	scarlet.	Italy.	1800.	—	H. ○.	—
9	sphæricus. W.	round-seeded.	S. Europe.	1801.	—	H. ○.	—
10	angulatus. W.	angular-seeded.	_____	1683.	—	H. ○.	Bux. cent. 3. t. 42. f. 2
11	spurius. W. ex.	bastard.		1815.	—	H. ○.	—
12	monanthos. W.	one-flowered.	Russia.	1731.	5.7.	H. ○.	—
13	articulatus. W.	joint-podded.	S. Europe.	1640.	7.8.	H. ○.	Bot. mag. 253.
14	odoratus. W.	Sweet Pea.	Sicily.	1700.	6.7.	H. ○.	— 60.
15	grandiflorus. B. M.	perennial.	S. Europe.	1814.	6.8.	H. ½.	— 1938.
16	annuus. W.	two-flowered.	_____	1621.	—	H. ○.	—
17	tingitanus. W.	Tangier.	Barbary.	1680.	—	H. ○.	Bot. mag. 100.
18	Clymenum. W.	various-flowered.	Levant.	1713.	6.7.	H. ○.	Pluk. alm. t. 114. f. 6.
19	hirsutus. W.	rough-podded.	England.		7.	H. ○.	Eng. bot. 1255.
20	magellanicus. W.	Lord Anson's Pea.	Cape Horn.	1744.	6.7.	H. ○.	—
21	tuberosus. W.	tuberosus.	Holland.	1596.	7.8.	H. ½.	Bot. mag. 111.
22	pratensis. W.	meadow.	Britain.		6.8.	H. ½.	Eng. bot. 670.
23	sylvestris. W.	{ Wood Ever- lasting Pea.	_____		7.9.	H. ½.	— 805.
24	latifolius. W.	{ broad-leaved everlasting.	England.		—	H. ½.	— 1103.
25	heterophyllus. W.	various-leaved.	Europe.	1731.	—	H. ½.	—
26	palustris. W.	marsh.	Britain.		7.8.	H. ½.	Eng. bot. 169.
27	incurvus. W.	curve-podded.	Russia.	1802.	—	H. ½.	Buxb. cent. 4. t. 46.
28	pisiformis. W.	Siberian.	Siberia.	1759.	6.7.	H. ½.	Lin. fil. dec. t. 20.
VICIA. W.		VETCH. Leguminosæ. J.					
1	pisiformis. W.	Pea-shaped.	Austria.	1739.	7.8.	H. ½.	Jac. aust. 4. t. 364.
2	dumetorum. W.	great wood.	France.	1752.	5.6.	H. ½.	Spreng. fl. hal. t. 7.
3	sylvatica. W.	common wood.	Britain.		7.8.	H. ½.	Eng. bot. 79.
4	cassubica. W.	Cassubian.	Germany.	1711.	6.7.	H. ½.	Jac. aust. 3. t. 229.
5	atropurpurea. W.	dark purple.	Algiers.	1815.	—	H. ½.	Vent. cels. t. 84. 871.
6	villosa. W.	villous.	Germany.	—	—	H. ○.	—
7	Cracca. W.	tufted.	Britain.		6.8.	H. ½.	Eng. bot. 1168.
8	tenuifolia. W.	slender-leaved.	Germany.	1799.	6.7.	H. ½.	—
9	onobrychioides. W.	Saintfoin.	S. Europe.	1789.	—	H. ○.	All. ped. 1. t. 42. f. 1. 2206
10	biennis. W.	biennial.	Siberia.	1753.	7.9.	H. ½.	Gmel. sib. 4. t. 2.
11	nissoliana. W.	red-flowered.	Levant.	1773.	6.7.	H. ○.	—
12	benghalensis. W.	Bengal.	E. Ind.	1792.	—	S. ○.	Herm. lugd. t. 625.
13	canescens. W.	hoary.	Libanus.	1800.	6.8.	H. ○.	Labill. syr. t. 7.
14	capensis. W.	Cape.	C. B. S.	1802.	—	G. ½.	—
15	pellucida. W.	pellucid.	_____	1812.	—	G. ½.	Jac. schœn. 2. t. 222.
16	Ervilia. W.	officinal.	S. Europe.	1596.	6.7.	H. ○.	Blackw. t. 208. f. 3.
17	biflora. W.	two-flowered.	Algiers.	1801.	6.8.	H. ○.	Desf. atl. 2. t. 197.
18	globosa. W.	globular.		1804.	—	H. ○.	—
19	sativa. W.	common.	Britain.		5.6.	H. ○.	Eng. bot. 334.
	β segetalis.	hedge.	_____	—	—	—	—
	γ nemoralis.	wood.	_____	—	—	—	—
20	angustifolia. P. S.	narrow-leaved.	Germany.		—	H. ○.	—
21	amphicarpos. P. S.	subterraneous.	France.	1815.	—	H. ○.	Clus. exot. t. 88.
22	lathyroides. W.	spring.	Britain.		4.6.	H. ○.	Eng. bot. 30.
23	lutea. W.	yellow.	_____		6.8.	H. ½.	— 481.
24	hybrida. W.	hairy-flowered.	England.		—	H. ½.	— 482.

25 lævigata. W.	smooth-podded.	Leguminosæ. J.	England.		7.8.	H. 4.	Eng. bot. 483.
26 megalosperma. W. en.	} Taurian.	—	Tauria.	1798.	—	H. 0.	
27 articulata. W. en.							
28 pannonica. W.	jointed.	—		—	—	H. 0.	
29 sordida. W.	Hungarian.	—	Hungary.	1658.	6.7.	H. 0.	Jac. aust. 1. t. 34.
30 Michauxii. W. en.	sordid.	—	—	1802.	—	H. 0.	Pl. rar. hung. 2. t. 184
31 peregrina. W.	white-flowered.	—		1803.	7.8.	H. 0.	
32 monantha. W.	broad-podded.	—	France.	1779.	—	H. 0.	Pluk. alm. t. 233. f. 6.
33 sepium. W.	single-flowered.	—	Barbary.	1790.	—	H. 0.	
34 bithynica. W.	bush.	—	Britain.		5.6.	H. 4.	Eng. bot. 1515.
35 platycarpus. W.	purple.	—	England.		7.8.	H. 4.	Jac. vind. 2. t. 147.
36 narbonensis. W.	flat-podded.	—	Germany.	1723.	—	H. 0.	Roth. abhand. t. 1.
37 serratifolia. W.	broad-leaved.	—	France.	1596.	6.7.	H. 0.	— t. 2.
38 Faba. W.	saw-leaved.	—	Hungary.	1723.	—	H. 0.	Jac. aust. app. t. 8.
β equina.	Garden Bean.	—	Egypt.		—	H. 0.	
ERVUM. W.	Horse Bean.	—	—	—	—	—	
1 Lens. L.	TARE.	Leguminosæ. J.	—	—	—	—	
Cicer Lens. W. Lens esculenta. Manch.	Lentil.	—	France.	1548.	5.	H. 0.	
2 tetraspermum. W.	smooth.	—	Britain.		6.	H. 0.	Eng. bot. 1223.
3 hirsutum. W.	hairy.	—	—		6.7.	H. 0.	— 970.
4 dispernum. W. en.	two-seeded.	—	E. Ind.	1802.	—	H. 0.	
CICER. W.	CHICK PEA.	Leguminosæ. J.	—	—	—	—	
arietinum. W.	common.	—	S. Europe.	1548.	7.8.	H. 0.	Schk. hand. 2. t. 202.
LIPARIA. W.	LIPARIA.	Leguminosæ. J.	—	—	—	—	
1 sphaerica. W.	globe-flowered.	—	C. B. S.	1794.	7.8.	G. h.	Bot. mag. 1241.
2 capitata. W.	headed.	—	—	1812.	—	G. h.	
3 tomentosa. W.	downy.	—	—	—	—	G. h.	
4 vestita. W.	concave-leaved.	—	—	1800.	5.6.	G. h.	Bot. rep. 382. 2223
5 graminifolia. W.	narrow-leaved.	—	—	—	6.7.	G. h.	
6 villosa. W.	woolly.	—	—	1774.	—	G. h.	{ Houtt. nat. his. 5. t. 29. f. 1.
7 hirsuta. W.	shaggy-stemmed.	—	—	1792.	12.4.	G. h.	
8 sericea. W.	silky-leaved.	—	—	1794.	6.7.	G. h.	Bot. reg. 8.
CYTISUS. W.	CYTISUS.	Leguminosæ. J.	—	—	—	—	
1 Laburnum. W.	{ Common Laburnum.	—	Switzerland.	1596.	5.6.	H. h.	Bot. mag. 176.
2 alpinus. W. en.	{ Scotch Laburnum.	—	Europe.	—	6.	H. h.	
3 tomentosus. B. R.	tomentose.	—	C. B. S.	1798.	7.8.	G. h.	Bot. rep. 237.
4 nigricans. W.	black-rooted.	—	Austria.	1730.	6.7.	H. h.	Jac. aust. t. 387.
5 foliolosus. W.	leafy.	—	Canaries.	1779.	7.8.	G. h.	Bot. mag. 426.
6 divaricatus. W.	clammy.	—	S. Europe.	1656.	—	F. h.	— 1387.
7 sessilifolius. W.	common.	—	Italy.	1629.	5.6.	H. h.	— 255.
8 wolgaricus. W.	wing-leaved.	—	Siberia.	1786.	—	H. h.	Pall. ross. 1. t. 47.
9 Cajan. W.	Pigeon Pea.	—	E. Ind.	1687.	7.8.	S. 3.	Rheed. mal. 6. t. 13.
10 nanus. W. en.	dwarf.	—	Levant.	1816.	5.6.	G. h.	
11 hirsutus. W.	hairy.	—	S. Europe.	1739.	6.8.	H. h.	Jac. obs. 4. t. 96.
12 capitatus. W.	cluster-flowered.	—	Austria.	1774.	6.7.	H. h.	Schmidt arb. 1. t. 29.
13 austriacus. W.	Austrian.	—	—	1741.	6.9.	H. h.	Jac. aust. 1. t. 21.
14 leucanthus. W.	cream-coloured.	—	Hungary.	1806.	6.7.	H. h.	Bot. mag. 1438.
15 purpureus. W.	purple-flowered.	—	Austria.	1792.	5.8.	H. h.	— 1176.
16 supinus. W.	trailing.	—	S. Europe.	1755.	—	H. h.	Jac. aust. 1. t. 20.
17 biflorus. W.	two-flowered.	—	Hungary.	1760.	5.6.	H. h.	Pl. rar. hung. 2. t. 166
18 falcatus. W. en.	sickle-shaped.	—	—	1816.	6.8.	H. h.	— 3. t. 238
19 triflorus. W.	three-flowered.	—	Spain.	1640.	6.7.	H. h.	
20 elongatus. W. en.	long-branched.	—	Hungary.	1804.	5.6.	H. h.	Pl. rar. hung. 2. t. 183
21 rhombifolius. Ph.	rhomb-leaved.	—	Louisiana.	1811.		H. h.	
22 proliferus. W.	silky.	—	Canaries.	1779.	4.5.	G. h.	Bot. reg. 121.
23 argenteus. W.	silver-leaved.	—	France.	1739.	8.	H. h.	
MULLERA. W.	MULLERA.	Leguminosæ. J.	—	—	—	—	
meniliformis. W.	bracelet.	—	Guiana.	1792.		S. h.	
GEOFFROYA. W.	{ BASTARD CAP- PAGE-TREE.	Leguminosæ. J.	—	—	—	—	
inermis. W.	smooth.	—	Jamaica.	1778.		S. h.	Phil. tran. 1777. t. 10
ROBINIA. W.	ROBINIA.	Leguminosæ. J.	—	—	—	—	
1 Pseudacacia. W.	Common Acacia.	—	N. America.	1640.	5.6.	H. h.	Schmidt arb. 1. t. 32.
β inermis.	smooth large-ld.	—	—	—	—	—	
2 viscosa. W.	clammy.	—	—	1797.	6.8.	H. h.	Bot. mag. 560.
3 violacea. W.	Ash-leaved.	—	W. Ind.	1759.		S. h.	

4 hispida. W.	Rose-acacia.	Leguminosæ. J.	Carolina.	1743.	5.9.	H. h.	Bot. mag. 311.
<i>β rosea.</i>	<i>upright.</i>						
5 Caragana. W.	Caragana.	_____	Siberia.	1752.	4.5.	H. h.	Schmidt arb. 1. t. 33.
6 arenaria.	sand.	_____	_____	1802.	6.7.	H. h.	Bot. mag. 1886.
7 Altagana. W.	flat-podded.	_____	_____	1789.	4.6.	H. h.	L'Her. stirp. t. 76.
8 jubata. W.	bearded.	_____	_____	1796.	...	H. h.	Pall. act. pet. 10. t. 6.
9 tragacanthoides. W.	Goat's-thorn-like.	_____	_____	1816.	_____	H. h.	_____ 10. t. 7.
10 spinosa. W.	thorny.	_____	_____	1775.	4.5.	H. h.	Schmidt arb. 1. t. 36
11 Halodendron. W.	Salt-tree.	_____	_____	1779.	5.6.	H. h.	Bot. mag. 1016.
12 Chamlagu. W.	shining.	_____	China.	1773.	_____	H. h.	L'Her. stirp. t. 77.
13 frutescens. W.	shrubby.	_____	Siberia.	1752.	4.5.	H. h.	Schmidt arb. 1. t. 34.
14 pygmæa. W.	dwarf.	_____	_____	1751.	_____	H. h.	_____ 1. t. 37.
15 candida. Rox.	white-leaved.	_____	E. Ind.	1810.		S. h.	
COLUTEA. H. K.	BLADDER-SENNA.	Leguminosæ. J.					
1 arborescens. W. en.	common.	_____	France.	1568.	6.8.	H. h.	Bot. mag. 81.
2 media. W. en.	smaller.	_____		_____	_____	H. h.	
3 cruenta. W. en.	oriental.	_____	Levant.	1710.	6.7.	H. h.	Schmidt arb. t. 119.
4 Pcockii. W. en.	Pocock's.	_____	_____	1752.	5.10.	H. h.	_____ t. 120.
SWAINSONA. H. K.	SWAINSONA.	Leguminosæ. J.	<i>Loxidium. Vent.</i>				
1 galegifolia. H. K.	red-flowered.	_____	N. S. W.	1800.	7.8.	G. h.	Bot. mag. 792.
2 coronillifolia. H. K.	purple-flowered.	_____	_____	1802.	_____	G. h.	_____ 1725.
SUTHERLANDIA. } H. K.	SUTHERLANDIA.	Leguminosæ. J.	<i>Colutea sp. W.</i>				
frutescens. H. K.	scarlet.	_____	C. B. S.	1683.	6.7.	G. h.	Bot. mag. 181.
LESSERTIA. H. K.	LESSERTIA.	Leguminosæ. J.	<i>Colutea sp. W.</i>				
1 annua. H. K.	annual.	_____	C. B. S.	1731.	6.7.	G. ⊙	Comm. hort. 2. t. 44.
2 diffusa. H. K.	procumbent.	_____	_____	1792.	7.8.	G. ⊙	Jac. ic. 3. t. 576.
3 perennans. H. K.	perennial.	_____	_____	1753.	8.	G. 2.	Jac. vind. 3. t. 3.
GLYCYRRHIZA. W.	LIQUORICE.	Leguminosæ. J.					
1 echinata. W.	prickly-headed.	_____	Italy.	1596.	6.9.	H. 2.	Jac. vind. 1. t. 95. 215
2 glandulifera. W.	glandulous.	_____	Hungary.	1805.	6.8.	H. 2.	Pl. rar. hung. 1. t. 21.
3 lepidota. Ph.	silky-leaved.	_____	Missouri.	1811.	7.8.	H. 2.	_____ 216
4 glabra. W.	common.	_____	S. Europe.	1562.	_____	H. 2.	Lam. ill. t. 625. f. 2.
5 asperima. W.	rough.	_____	Siberia.	1795.	_____	H. 2.	Pall. it. app. t. M. f. 3.
6 hirsuta. W.	hairy.	_____	Levant.	1739.	_____	H. 2.	
SESBANA. H. K.	SESBANA.	Leguminosæ. J.	<i>Coronilla sp. W.</i>				
1 grandiflora. H. K.	great-flowered.	_____	E. Ind.	1768.	7.8.	S. h.	Rheed. mal. 1. t. 51.
2 ægyptiaca. H. K.	Egyptian.	_____	Egypt.	1680.	_____	S. ♂	Alp. ægypt. 81. t. 82.
3 aculeata. H. K.	prickly.	_____	E. Ind.	1690.	_____	S. ⊙	Jac. ic. 3. t. 564.
4 cannabina. P. S.	Hemp.	_____	_____	1800.	_____	S. ⊙	
CORONILLA. H. K.	CORONILLA.	Leguminosæ. J.					
1 Emerus. W.	Scorpion Senna.	_____	France.	1596.	4.6.	H. h.	Bot. mag. 445.
2 juncea. W.	Rush.	_____	_____	1656.	6.7.	G. h.	Barr. ic. 133. 217
3 valentina. W.	nine-leaved.	_____	S. Europe.	1596.	11.3.	G. h.	Bot. mag. 185.
4 glauca. W.	seven-leaved.	_____	France.	1722.	9.5.	G. h.	_____ 13.
5 viminalis. H. K.	slender.	_____	Mogador.	1798.	5.11.	G. h.	Par. lond. 13.
6 coronata. W.	large-headed.	_____	S. Europe.	1776.	6.7.	F. 2.	Bot. mag. 907.
7 minima. W.	least.	_____	_____	1658.	7.	F. 2.	Jac. aust. 3. t. 271. 217
8 argentea. W.	silvery-leaved.	_____	Crete.	1664.	5.6.	G. h.	Mill. ic. 2. t. 239. f. 1.
9 varia. W.	purple.	_____	Europe.	1597.	6.11.	H. 2.	Bot. mag. 258.
10 cretica. W.	Cretan.	_____	Candia.	1731.	6.7.	H. ⊙	Jac. vind. 1. t. 25.
11 Securidaca. W.	Hatchet-vetch.	_____	Spain.	1562.	7.8.	H. ⊙	{ Gart. de fr. 2. t. 153. f. 3.
ORNITHOPUS. W.	BIRD'S-FOOT.	Leguminosæ. J.					
1 perpusillus. W.	common.	_____	Britain.		5.8.	H. ⊙	Eng. bot. 369.
2 ebracteatus. H. K.	round-podded.	_____	Portugal.		5.6.	H. ⊙	
3 compressus. W.	hairy.	_____	S. Europe.	1730.	6.7.	H. ⊙	
4 durus. W.	perennial.	_____	Spain.	1805.	_____	H. 2.	Cav. ic. 1. t. 41.
5 scorpioides. W.	Purslane-leaved.	_____	S. Europe.	1596.	_____	H. ⊙	_____ 1. t. 37.
6 repandus. P. S.	repand.	_____	Barbary.	1805.	_____	H. ⊙	Lam. ill. t. 631. f. 2.
HIPPOCREPIS. W.	{ HORSESHOE- VETCH. }	Leguminosæ. J.					
1 unisiliquosa. W.	single-podded.	_____	Italy.	1570.	6.7.	H. ⊙	Lam. ill. t. 630.
2 multisiliquosa. W.	many-podded.	_____	S. Europe.	1683.	7.8.	H. ⊙	Schk. hand. 2. t. 206.
3 balearica. W.	shrubby.	_____	Minorea.	1776.	5.6.	G. h.	Bot. mag. 427.
4 comosa. W.	tufted.	_____	England.		4.8.	H. 2.	Eng. bot. 31.
SCORPIURUS. W.	CATERPILLAR.	Leguminosæ. J.					
1 vermiculata. W.	common.	_____	S. Europe.	1621.	6.7.	H. ⊙	Mor. hist. 2. t. 11. f. 3.
2 muricata. W.	two-flowered.	_____	_____	1640.	_____	H. ⊙	_____ 2. t. 11. f. 4.

3 sulcata. W.	three-flowered.	Leguminosæ. J.	S. Europe.	1596. 6.7.	H.⊙.	Desf. atl. 2. f. 4.
4 subvillosa. W.	four-flowered.			1731. —	H.⊙.	Mor.hist. 2. t. 11. f. 2.
SMITHIA. W.	SMITHIA.	Leguminosæ. J.				
sensitiva. W.	annual.		E. Ind.	1785. 7.10.	S.⊙.	Par. lond. 92.
ÆSCHYNOMENE. } H. K.	ÆSCHYNOMENE.	Leguminosæ. J.				
1 sensitiva. W.	shrubby.		W. Ind.	1733.	S. h.	Plum. ic. t. 149.
2 aspera. W.	rough-stemmed.		E. Ind.	1759. 6.7.	S.⊙.	Breyn. cent. t. 52.
3 hispida. W.	hispid.		N. America.	1803. 8.	H.⊙.	
4 americana. W.	hairy.		Jamaica.	1732. 7.3.	S.⊙.	Sloan. h. 1. t. 118. f. 3.
5 indica. W.	Indian.		E. Ind.	1799. 6.7.	S.⊙.	Rheed. mal. 9. t. 18.
HALLIA. Th.	HALLIA.	Leguminosæ. J.				
1 flaccida. W.	long-leaved.		C. B. S.	1789. 8.9.	G. ♂.	
2 cordata. W.	heart-leaved.			1787. 8.	G. ♀.	Jac. schœn. 3. t. 296.
3 imbricata. W.	imbricated.			1812. —	G. h.	Bot. mag. 1850. 2596
LESPEDEZA. Mich.	LESPEDEZA.	Leguminosæ. J.	Hedysari sp. H.			
1 fruticosa. P. S.	shrubby.		Virginia.	1739. 7.8.	H. h.	Jac. vind. 3. t. 89.
2 sessiliflora. Ph.	sessile-flowered.		N. America.	 7.	H. ♀.	
3 juncea. P. S.	slender-branch'd.		India.	1776. 7.8.	S. ♀.	Linn. fil. dec. 1. t. 4.
4 capitata. Ph.	headed.		N. America.	1789. 6.7.	H. ♀.	
5 polystachia. Ph.	hairy.			 6.8.	H. ♀.	Mich. amer. 2. t. 40.
6 violacea. Ph.	Violet-flowered.			 7.8.	H. ♀.	
7 lagopodioides. P. S.	Hare's-foot-like.		China.	1790. 5.6.	G. ♀.	Burm. ind. t. 53. f. 2.
HEDYSARUM. W.	HEDYSARUM.	Leguminosæ. J.				
1 Alhagi. W.	prickly-stem'd.		Levant.	1714. 7.8.	G. h.	Rauw. it. 94. t. 14.
2 bupleurifolium. W.	Hare's-ear-leav'd.		India.	1793. —	S. ♂.	Roxb. cor. 2. t. 194.
3 nummularifolium. W.	Moneywort-lea'd.			1777. 7.9.	S.⊙.	Pet. gaz. t. 26. f. 4.
4 styracifolium. W.	Storax-leaved.		E. Ind.	1796.	S. h.	
5 gaugeticum. W.	oval-leaved.			1762. 7.8.	S.⊙.	Burm. zel. t. 49. f. 2.
6 triquetrum. W.	triangular-stalk'd.			1802. —	S. ♂.	Burm. ind. t. 52. f. 2.
7 maculatum. W.	spotted.		India.	1732. 6.8.	S.⊙.	Dill. elt. t. 141. f. 163
8 vaginale. W.	sheathed.		E. Ind.	1790. 7.8.	S.⊙.	Burm. zeyl. t. 49. f. 1.
9 sagittatum. P. S.	arrow-leaved.			1807.	S. h.	
10 vespertilionis. W.	bat-winged.		Cochinchina	1780. 7.8.	S. ♂.	Jac. ic. 3. t. 566.
11 tomentosum. W.	woolly.		China.	1782. 6.7.	G. ♀.	
12 umbellatum. W.	umbel-flowered.		E. Ind.	1801.	S. h.	Jac. schœn. 3. t. 297.
13 biarticulatum. W.	jointed.			1808.	S. h.	Burm. zeyl. t. 50. f. 2.
14 gyrans. W.	Moving-plant.			1775. 7.8.	S. ♂.	Jac. ic. 3. t. 565.
15 trigonum. W.	three-sided.		Jamaica.	1733. —	S. h.	
16 canadense. W.	Canadian.		N. America.	1640. —	H. ♀.	Corn. canad. t. 45.
17 canescens. Ph.	hoary.			1733. —	H. ♀.	
18 marilandicum. W.	Maryland.			1725. 7.10.	H. ♀.	Dill. elt. t. 144. f. 171
19 obtusum. Ph.	obtuse.			1805. 7.8.	H. ♀.	
20 capitatum. W.	headed.		Ceylon.	 7.	S. h.	Burm. ind. t. 54. f. 1.
21 tortuosum. W.	twisted-podded.		Jamaica.	1781. 7.8.	S. h.	Slo jam. 1. t. 116. f. 2.
22 viridiflorum. W.	green-flowered.		N. America.	1787. 7.9.	H. ♀.	Pluk. alm. t. 308. f. 5.
23 paniculatum. W.	panicled.			1781. 7.	H. ♀.	Pluk. man. t. 432. f. 6
24 tuberosum. W.	tuberous.		E. Ind.	1806.	S. h.	
25 cuspidatum. W.	sharp-pointed.		N. America.	 7.8.	H. ♀.	
26 glutinosum. W.	glutinous.			1805. —	H. ♀.	
27 serotinum. W. en.	late-flowering.			 7.9.	H. ♀.	
28 triflorum. W.	three-flowered.		India.	1796. 6.7.	S. ♂.	Burm. md. t. 54. f. 2.
29 pictum. W.	painted-leaved.		E. Ind.	1788.	S. h.	Jac. ic. 3. t. 567.
30 argenteum. W.	silver-leaved.		Siberia.	1796. 7.8.	H. ♀.	Pall. it. 2. t. 9.
31 fruticosum. W.	Siberian shrubby.			1782. 6.7.	H. h.	 9. t. 5. f. 1.
32 alpinum. W.	Alpine.			1793. —	H. ♀.	{ Gmel. sib. 4. n. 35. t. 10.
33 obscurum. W.	creeping-rooted.		Alps of Eur.	1640. 7.8.	H. ♀.	Bot. mag. 28?
34 tauricum. W.	Taurian.		Tauria.	1804. 7.	H. ♀.	
35 rosem. H. K.	Rose-coloured.		Caucasus.	1803. 7.8.	H. ♀.	Bot. mag. 996.
36 coronarium. W.	{ French Honey- suckle.		Italy.	1596. 6.7.	H. ♂.	
37 flexuosum. W.	wave-podded.		Asia.	1680. 7.8.	H.⊙.	Schlk. hand. 2. t. 207.
38 humile. W.	dwarf.		Spain.	1640. —	H. ♀.	
39 muricatum. W.	prickly-podded.		Patagonia.	1793. 6.7.	F. ♀.	Jac. ic. 3. t. 568.
40 spinosissimum. W.	thorny.		Spain.	1731. 7.8.	H.⊙.	Pluk. alm. t. 50. f. 2.
41 Onobrychis. W.	Brant-foin,		Britain.	 6.7.	H. ♀.	Eng. bot. 96.
42 saxatile. W.	rock.		S. Europe.	1790. 6.8.	H. ♀.	All. ped. 1. t. 19. f. 1.
43 album. P. S.	white.		Hungary.	1804. —	H. ♀.	Pl. rar. hung. 2. t. 114

44 Caput-galli. W.	Cock's-head.	Leguminosæ. J.	France.	1731. 7.8.	H.⊙.	
45 Crista-galli. W.	Cock's-comb.	_____	S. Europe.	1710. 6.8.	H.⊙.	
46 crinitum. W.	crook-podded.	_____	E. Ind.	1780. 7.9.	S. h.	Burm. ind. t. 56.
ZORNIA. Mich.	ZORNIA.	Leguminosæ. J.	<i>Hedysari sp. IV.</i>			
1 pulchella. P. S.	neat Indian.	_____	E. Ind.	1799. 7.8.	S. h.	Burm. zeyl. t. 52.
2 diphylla. P. S.	two-leaved.	_____	India.	1733. —	S.⊙.	Rheed. mal. 9. t. 62.
FLEMINGIA. Rox.	FLEMINGIA.	Leguminosæ. J.	<i>Hedysari sp. W.</i>			
1 stricta. H. K.	straight.	_____	India.	1798. 7.9.	S. ½.	
2 semialata. H. K.	many-spiked.	_____	Nepaul.	1805. 7.8.	S. h.	
2 congesta. H. K.	crowded-spiked.	_____	India.	1802. 7.9.	S. h.	
4 nana. H. K.	dwarf.	_____	_____	1804. 8.	S. h.	
5 lineata. H. K.	branch-spiked.	_____	_____	1793. 7.8.	S. ½.	Burm. ind. t. 53. f. 1.
6 strobilifera. H. K.	Beech-leaved.	_____	E. Ind.	1787. —	S. h.	Lian. zeyl. t. 3 <i>617</i>
INDIGOFERA. W.	INDIGO.	Leguminosæ. J.				
1 filifolia. W.	naked-stalked.	_____	C. B. S.	1812. 7.10.	G. h.	Bot. reg. 104.
1 filifolia. W.	Flax-leaved.	_____	E. Ind.	1792. 7.8.	S.⊙.	Rox. cor. 2. t. 194.
3 psoraloides. W.	long-spiked.	_____	C. B. S.	1758. 7.9.	G. h.	Bot. mag. 476.
4 caudicans. W.	white-leaved.	_____	_____	1774. 5.9.	G. h.	198.
5 amœna. W.	scarlet-flowered.	_____	_____	3.4.	G. h.	Jac. schœn. 2. t. 234. <i>367</i>
6 incaua. W.	hoary.	_____	_____	1812. 5.7.	G. h.	
7 sarmentosa. W.	dwarf.	_____	_____	1786. 6.7.	G. ½.	
8 denudata. W.	smooth-leaved.	_____	_____	1790. 5.7.	G. h.	Jac. schœn. 2. t. 233.
9 trita. W.	oval-leaved.	_____	E. Ind.	1802. 6.7.	S. ½.	
10 microphylla. P. S.	small-leaved.	_____	C. B. S.	1812. 1.12.	G. h.	
11 coriacea. W.	leathery-leaved.	_____	_____	1774. 7.8.	G. h.	
12 enneaphylla. W.	trailing.	_____	E. Ind.	1776. —	S.⊙.	Burm. ind. t. 55. f. 1.
13 cytisoides. W.	angular-stalked.	_____	C. B. S.	1774. —	G. h.	Bot. mag. 742.
14 stricta. W.	upright.	_____	_____	1812. —	G. h.	Jac. schœn. 2. t. 236.
15 hirsuta. W.	hairy-leaved.	_____	E. Ind.	1759.	S. h.	Burm. zeyl. t. 14.
16 angustifolia. W.	narrow-leaved.	_____	C. B. S.	1774. 6.10.	G. h.	Bot. mag. 465.
17 australis. W.	Botany Bay.	_____	N. S. W.	1790. 3.6.	G. h.	Vent. malm. 45. <i>386</i>
18 viscosa. W.	clammy.	_____	E. Ind.	1806. 6.7.	S.⊙.	Sert. han. 2. t. 12.
19 Anil. W.	West Indian.	_____	W. Ind.	1731. 7.8.	S. ½.	
20 tinctoria. W.	East Indian.	_____	E. Ind.	_____	S. h.	Rheed. mal. 1. t. 54.
21 argentea. W.	silver-leaved.	_____	W. Ind.	1776. —	S. h.	L'Her. stirp. t. 79.
TEPHROSIA. P. S.	TEPHROSIA.	Leguminosæ. J.	<i>Galega sp. IV.</i>			
1 toxicaria. P. S.	Fish Poison.	_____	S. America.	1791.	S. h.	Plum. ic. t. 135.
2 virginiana. Ph.	Virginian.	_____	N. America.	1765. 6.8.	H. ½.	Pluk. alm. t. 23. f. 2.
3 grandiflora. P. S.	Rose-coloured.	_____	C. B. S.	1774. 5.9.	G. h.	
4 stricta. P. S.	upright.	_____	_____	1774. 5.6.	G. h.	Scop. insub. 1. t. 3.
5 pallens. P. S.	pale-flowered.	_____	_____	1787. 6.8.	G. h.	
6 villosa. P. S.	villous.	_____	E. Ind.	1779. 6.7.	S. h.	Pluk. alm. t. 59. f. 6.
7 piscatoria. P. S.	woolly.	_____	India.	1778. —	S. ½.	
8 purpurea. P. S.	purple.	_____	E. Ind.	1768. 7.8.	S. ½.	Burm. zeyl. t. 32.
GALEGA. P. S.	GOAT'S RUE.	Leguminosæ. J.				
1 officinalis. W.	official.	_____	Spain.	1568. 6.9.	H. ½.	Sch. hand. 2. t. 208. a.
α carulea.	blue-flowered.	_____	_____	_____	_____	
β alba.	white-flowered.	_____	_____	_____	_____	
2 orientalis. W.	oriental.	_____	Levant.	1801. 6.8.	H. ½.	<i>385. 2192</i>
3 caribæa. W.	Caribbean.	_____	Caribees.	1786. 6.7.	S. h.	Jac. amer. t. 125.
4 ochroleuca. W.	sulphur-colour'd	_____		1799.	S. h.	Jac. ic. 1. t. 150.
5 Heyniaua. Rox.	Heyne's.	_____	E. Ind.	1807. 7.	S. ½.	
PHACA. W.	BASTARD VETCH	Leguminosæ. J.				
1 bætica. W.	hairy.	_____	Spain.	1640. 7.	H. ½.	Moris. s. 2. t. 8. f. 1.
2 frigida. W.	small.	_____	Austria.	1795. —	H. ½.	Jac. aust. t. 166.
3 alpina. W.	smooth Alpine.	_____	_____	1759. —	H. ½.	Jac. ic. 1. t. 151.
4 australis. W.	trailing.	_____	S. Europe.	1779. 5.6.	H. ½.	Jac. misc. 2. t. 3.
5 arenaria. W.	sand.	_____	Siberia.	1796. 7.8.	H. ½.	Pall. it. 3. t. Cc. f. 1. 2.
6 astragalina. P. S.	procumbent.	_____	N. Europe.	1771. 6.7.	H. ½.	Fl. dan. 51.
<i>Astragalus alpinus. W.</i>						
ONYTROPIS. Dec.	ONYTROPIS.	Leguminosæ. J.	<i>Astragali sp. W.</i>			
1 montana. P. S.	mountain.	_____	Austria.	1581. 7.8.	H. ½.	Bot. mag. 843.
2 Lambertii. Ph.	Lambert's.	_____	Missouri.	1811. 8.9.	H. ½.	<i>2147</i>
3 uralensis. P. S.	silky.	_____	Siberia.	1800. 7.	H. ½.	Pall. astrag. t. 42.
4 sordida. P. S.	hairy mountain.	_____	Scotland.	 5.8.	H. ½.	Eng. bot. 466.
<i>Astragalus uralensis. E. B.</i>						
5 campestris. P. S.	field.	_____	Germany.	1778. 6.7.	H. ½.	Pl. rar. hung. 2. t. 130
6 uncata. P. S.	Aleppo.	_____	Aleppo.	1768. 7.8.	H.⊙.	
7 altaica. P. S.	Altaic.	_____	Siberia.	1802. 7.9.	H. ½.	Pall. astrag. t. 45.
8 cymbicarpos. P. S.	boat-podded.	_____	Portugal.	1800. 7.8.	H.⊙.	

9 pilosa. P. S.	pale-flowered.	Leguminosæ. J.	Siberia.	1732.	6.8.	H. 2.	Jac. aust. 1. t. 51.	2483
10 dealbata. P. S.	mealy.	—	Caucasus.	1803.	7.8.	H. 2.	Pall. astrag. t. 23. f. 2.3	
11 deflexa. P. S.	small-flowered.	—	Siberia.	1800.	6.7.	H. 2.	Jac. ic. 1. t. 153.	
<i>Astragalus parviflorus. IV.</i>								
12 dichoptera. P. S.	pubescent.	—	—	1815.	—	H. 2.	Pall. astrag. t. 39.	
ASTRAGALUS. Dec.		Milk Vetch.	Leguminosæ. J.					
1 christianus. W.	great yellow.	—	Armenia.	1737.	7.	H. 2.	Tourn. it. 2. t. 254.	
2 tomentosus. W.	downy-leaved.	—	Egypt.	1800.	7.	G. 2.	Dec. astrag. t. 29.	
3 alopecuroides. W.	Fox-tail-like.	—	Spain.	1737.	6.7.	H. 2.	Pall. astrag. t. 8.	
4 vulpinus. W.	Fox-tail.	—	Siberia.	1815.	—	H. 2.	— t. 7.	
5 narbonensis. W.	French.	—	S. Europe.	1789.	—	H. 2.	— t. 10.	
6 capitatus. W.	headed.	—	Levant.	1759.	7.8.	H. 2.	—	
7 sulcatus. W.	furrowed.	—	Siberia.	1785.	7.	H. 2.	Jac. vind. 3. t. 40.	
8 melilotoides. W.	Melilot-like.	—	—	—	6.7.	H. 2.	Pall. astrag. t. 41.	
9 virgatus. W.	twiggy.	—	—	1806.	5.8.	H. 2.	— t. 18.	
10 tenuifolius. W.	fine-leaved.	—	—	1780.	7.8.	H. 2.	—	
11 asper. W.	rough Astracan.	—	Astracan.	1796.	—	H. 2.	Jac. ic. t. 152.	
12 galegiformis. W.	Goat's-Rue-lea ^d .	—	Siberia.	1729.	6.8.	H. 2.	Pall. astrag. t. 29.	
13 chinensis. W.	upright Chinese.	—	China.	1795.	6.7.	G. 2.	Linn. fil. dec. t. 3.	
14 virescens. Dec.	green-flowered.	—	Siberia.	1737.	—	H. 2.	—	
15 falcatus. Dec.	sickle-podded.	—	—	—	—	H. 2.	Dec. astrag. t. 26.	
16 uliginosus. W.	marsh.	—	—	1752.	6.8.	H. 2.	Pall. astrag. t. 26.	
17 carolinianus. W.	Carolina.	—	N. America.	1732.	7.8.	H. 2.	Dill. clt. t. 39. f. 45.	
18 canadensis. W.	woolly.	—	—	—	6.7.	H. 2.	Dodart. mem. t. 64.	
19 semibilocularis. P. S.	semibilocular.	—	Siberia.	1804.	6.8.	H. 2.	Dec. astrag. t. 23.	
20 Cicer. W.	bladdered.	—	Europe.	1570.	6.7.	H. 2.	Jac. aus. t. 251.	
21 carnosus. Ph.	fleshy-podded.	—	Louisiana.	1811.	—	H. 2.	—	
22 caryocarpus. B. reg.	swelled-podded.	—	N. America.	—	—	H. 2.	Bot. reg. 176.	
23 glycyphyllos. W.	sweet.	—	Britain.	—	—	H. 2.	Eng. bot. 203.	
24 microphyllus. W.	small-leaved.	—	Siberia.	1773.	—	H. 2.	—	
25 trimestris. W.	Egyptian.	—	Egypt.	1739.	—	H. 2.	Jac. vind. 2. t. 174.	
26 Bucas. W. en.	horned.	—	—	1816.	—	H. 2.	—	
27 hamosus. W.	hook-podded.	—	Spain.	1633.	—	H. 2.	Lam. ill. t. 622. f. 4.	
28 canaliculatus. W. en.	channel-podded.	—	—	1816.	—	H. 2.	—	
29 contortuplicatus. W.	wave-podded.	—	Siberia.	1764.	7.8.	H. 2.	Pall. astrag. t. 79.	
30 boticus. W.	triangular-pod ^d .	—	S. Europe.	1759.	6.7.	H. 2.	Bocc. sic. 7. t. 4.	
31 Stella. W.	star-podded.	—	—	1658.	7.8.	H. 2.	Pluk. alm. t. 79. f. 4.	
32 sesameus. W.	Sesama.	—	—	1616.	6.7.	H. 2.	Garid. prov. t. 12.	
33 annularis. W.	ring-podded.	—	Egypt.	1800.	—	H. 2.	—	
34 pentaglottis. W.	rough Spanish.	—	Spain.	1739.	—	H. 2.	Cav. ic. 2. t. 188.	
35 epiglottis. W.	heart-podded.	—	S. Europe.	1737.	—	H. 2.	Herm. lugd. t. 77.	
36 hypoglottis. W.	purple mountain.	—	Britain.	—	—	H. 2.	Eng. bot. 274.	
37 austriacus. W.	Austrian.	—	Austria.	1640.	—	H. 2.	Jac. aus. 2. t. 195.	
38 fruticosus. W.	woody.	—	Siberia.	1804.	—	H. 2.	Pall. astrag. t. 19.	
39 arenarius. W.	sand.	—	Germany.	1798.	—	H. 2.	Retz. obs. 3. t. 3.	
40 leucophæus. W.	dwarf white.	—	—	1776.	5.8.	H. 2.	—	
41 depressus. W.	depressed.	—	Europe.	1772.	5.6.	H. 2.	All. ped. 1. t. 19. f. 3.	
42 leontinus. Jac.	Lion's-tail.	—	Austria.	1816.	—	H. 2.	Jac. ic. 1. t. 154.	
43 Glaux. W.	small Spanish.	—	Spain.	1596.	6.7.	H. 2.	—	
44 sinicus. W.	Chinese annual.	—	China.	1763.	7.8.	H. 2.	Bot. mag. 1350.	
45 albidus. W.	white Italian.	—	Europe.	1737.	7.8.	H. 2.	Pl. rar. hung. 1. t. 40.	
46 Onobrychis. W.	purple-spiked.	—	Austria.	1640.	6.7.	H. 2.	Jac. aus. 1. t. 38.	
47 Laxmanni. P. S.	Laxmann's.	—	Siberia.	1804.	6.8.	H. 2.	Jac. vind. 3. t. 37.	
48 physodes. W.	inflated yellow.	—	—	1759.	6.7.	H. 2.	Dec. astrag. t. 3.	
49 halicacabus. P. S.	bladdered.	—	Armenia.	1806.	6.	H. 2.	Schreb. decad. t. 3.	
<i>Phaca vesicaria. IV.</i>								
50 caprinus. W.	scented.	—	Barbary.	1683.	6.7.	H. 2.	Mor. his. 2. t. 24. f. 3.	
51 longiflorus. W.	long-flowered.	—	Tartary.	1806.	—	H. 2.	Pall. astrag. t. 60.	
52 monspessulanus. W.	Montpelier.	—	France.	1710.	7.8.	H. 2.	Bot. mag. 375.	
53 incanus. W.	hoary.	—	Montpelier.	1759.	6.7.	H. 2.	—	
54 exscapus. W.	hairy-podded.	—	Hungary.	1787.	5.7.	H. 2.	Jac. ic. 3. t. 581.	
55 tragacanthoides. W.	Armenian.	—	Armenia.	1791.	—	H. 2.	Bux. cent. 3. t. 33. f. 2	
56 aristatus. W.	awned.	—	Pyrenees.	—	—	H. 2.	Pall. astrag. t. 3.	
57 Tragacantha. W.	{ Great Goat's } Thorn.	—	S. Europe.	1640.	—	H. 2.	{ W. act. ber. 1794. t. 1. f. 5.	
58 Poterium. W.	{ Small Goat's } Thorn.	—	Levant.	—	6.7.	H. 2.	Park. theat. f. 2.	
BISERRULA. W.		{ HATCHET } { VETCH. }	Leguminosæ. J.					
Pelecinus. W.	bastard.	—	S. Europe.	1640.	7.8.	H. 2.	Lam. ill. t. 622.	

DALEA. P. S.

- 1 Cliffortiana. W.
- 2 alopecuroides. Ph.
- 3 aurea. Ph.
- 4 laxiflora. Ph.
- 5 enneaphylla. W.
- 6 citriodora. W.
- 7 Lagopus. W.

PSORALEA. W.

- 1 pinnata. W.
- 2 odoratissima. W.
- 3 verrucosa. W.
- 4 aculeata. W.
- 5 bracteata. W.
- 6 spicata. W.
- 7 aphylla. W.
- 8 multicaulis. W.
- 9 tenuifolia. W.
- 10 decumbens. W.
- 11 hirta. W.
- 12 Stachydis. W.
- 13 repens. W.
- 14 bituminosa. W.
- 15 glandulosa. W.
- 16 pedunculata. B. reg.
- 17 palestina. W.
- 18 americana. W.
- 19 capitata. W.
- 20 corylifolia. W.
- 21 esculenta. Ph.
- 22 cuspidata. Ph.
- 23 Lupinellus. Ph.

MELILOTUS. J.

- 1 caerulea. P. S.
- 2 indica. P. S.
- 3 rugulosa. W. en.
- 4 parviflora. P. S.
- 5 messanensis. P. S.
- 6 sulcata. P. S.
- 7 polonica. P. S.
- 8 macrorrhiza. P. S.
- 9 dentata. P. S.
- 10 officinalis. W. en.
- 11 vulgaris. W. en.
- 12 Kochiana. W. en.
- 13 Petitpierreana. W. en.
- 14 italica. P. S.
- 15 cretica. P. S.
- 16 ornithopodioides }
P. S.

LUPINASTER. Ph.

- pentaphyllus.

TRIFOLIUM. J.

- 1 reflexum. W.
- 2 angulatum. W.
- 3 strictum. W.
- 4 hybridum. W.
- 5 Michelianum. P. S.
- 6 cæspitosum. W.
- 7 repens. W.
- 8 comosum. W.
- 9 alpinum. W.
- 10 pallescens. P. S.
- 11 subterraneum. W.
- 12 globosum. W.
- 13 Cherleri. W.
- 14 pictum. W.
- 15 lappaceum. W.
- 16 diffusum. W.

DALEA.

- Vera Cruz.
- Fox-tail.
- golden.
- loose-flowered.
- nine-leaved.
- leafy.
- downy-spiked.

PSORALEA.

- wing-leaved.
- fragrant.
- warted.
- prickly.
- oval-spiked.
- long-spiked.
- leafless.
- many-stalked.
- fine-leaved.
- trailing.
- hairy.
- Stachys-leaved.
- creeping.
- bituminous.
- stripe-flowered.
- flat-headed.
- Palestine.
- Madeira.
- headed.
- Hazel-leaved.
- Bread-root.
- large-rooted.
- small-flowered.

MELILOT.

- blue.
- Indian.
- White Indian.
- small-flowered.
- Sicilian.
- Barbary.
- Polish.
- long-rooted.
- toothed.
- common.
- white-flowered.
- smooth-podded.
- rough-podded.
- Italian.
- Cretan.
- Bird's-foot.

BASTARDLUPINE.

- five-leaved.

TREFOIL.

- reflexed.
- angular.
- upright.
- mule.
- Italian.
- turfy.
- White Clover.
- tufted.
- Alpine.
- pale.
- subterraneous.
- globular.
- hairy.
- painted.
- burr.
- diffuse.

Leguminosæ. J.

- Vera Cruz. 1737. 7.8. H.⊙. Linn. hort. cliff. t. 22.
- Mississippi. 1812. — H.⊙. Mich. amer. t. 232.
- Louisiana. 1811. — H.⊙.
- W. Ind. 1772. — S.⊙.
- N. Spain. 1780. 10.11. S.⊙. Cav. ic. 3. t. 271.
- Mexico. — G.⊙. — 1. t. 86.

Leguminosæ. J.

- C. B. S. 1690. 5.7. G. h. Bot. rep. 474.
1795. — G. h. Jac. schœn. 2. t. 229.
1774. 5.8. G. h. — 2. t. 226.
- 6.7. G. h. Bot. rep. 146. 2148
1731. — G. h. Bot. mag. 446.
1774. 7.8. G. h. Bot. rep. 411.
- C. B. S. 1790. 6.7. G. h. Bot. mag. 1727.
1793. 8.10. G. h. Jac. schœn. 2. t. 230.
- 5.7. G. h. — 2. t. 225.
1774. 4.5. G. h.
1713. 5.8. G. h. Jac. schœn. 2. t. 228.
1793. 4.5. G. h.
1774. 7.8. G. h.
- S. Europe. 1570. 4.9. G. h. Lam. ill. t. 614. f. 1.
- Peru. 1770. 5.8. G. h. Bot. mag. 990.
- C. B. S. 1815. 10.8. G. h. Bot. reg. 223.
- Levant. 1771. 4.9. G. h. Jac. vind. 2. t. 184.
- Madeira. 1640. 7.8. G. h. Jac. schœn. 2. t. 227.
- C. B. S. 1793. — G. h.
- India. 1739. 6.7. S. ♂. Bot. mag. 665.
- Missouri. 1811. — H.⊙. Pursh. amer. t. 22.
- Louisiana. — H.⊙.
- Carolina. 1812. — H.⊙.

Leguminosæ. J. Trifolii sp. W.

- Germany. 1562. 8.9. H.⊙. 2203
- India. 1680. 6.8. H.⊙. Pluk. alm. t. 45. f. 4.
1810. — H.⊙.
- Barbary. 1798. — H.⊙.
- Sicily. 1680. — H.⊙.
- Barbary. 1798. — H.⊙.
- Poland. 1778. — H.⊙.
- Hungary. 1801. 7.8. H.⊙. Pl. rar. hung. 1. t. 26.
1802. 6.8. H.⊙. — 1. t. 42.
- Britain. 7.9. H.⊙. Eng. bot. 1340.
- Europe. — H. ♂.
- Germany. 1816. 6.9. H. ♂.
- Italy. 1596. 6.8. H.⊙. Camer. hort. t. 29.
- Candia. 1713. — H.⊙. Baulh. prodr. t. 142.
- Britain. 6.7. H.⊙. Eng. bot. 1047.

Leguminosæ. J. Pentaphyllon. P. S. Trifolii sp. W.

- Siberia. 1741. 7.8. H.⊙. Bot. mag. 879.
- Virginia. 1794. 6.8. H.⊙.
- Hungary. 1803. — H.⊙. Pl. rar. hung. 1. t. 27.
- S. Europe. 1805. 7.8. H.⊙. — 1. t. 37.
- Europe. 1777. — H.⊙. Mich. gen. t. 25. f. 2. 6
- Italy. 1815. — H.⊙. { Mich. N. G. Pl. t. 25. f. 2.
- Switzerland. — 6.8. H.⊙. Vill. delph. 3. t. 41.
- Britain. 5.9. H.⊙. Eng. bot. 1769.
- America. 1798. 6.7. H.⊙.
- Italy. 1775. 6.8. H.⊙.
- Carinthia. 1804. — H.⊙.
- England. 5. H.⊙. Eng. bot. 1048.
- Levant. 1713. 6.8. H.⊙.
- Montpelier. 1750. 5.6. H.⊙. Barr. ic. 859.
- 1800. 7.8. H.⊙.
- Montpelier. 1787. 6.8. H.⊙.
- Hungary. 1801. 7.8. H.⊙. Pl. rar. hung. 1. t. 50.

17 saxatile. W.	rock.	Leguminosæ. J.	Switzerland.	1816.	5.7.	H. ♂.	All. ped. t. 59. f. 3.
18 rubens. W.	long-spiked.	_____	S. Europe.	1633.	6.9.	H. ♀.	Jac. aust. 4. t. 385.
19 pratense. W.	Common Clover.	_____	Britain.		5.9.	H. ♀.	Eng. bot. 1770.
20 pensylvanicum. Ph.	Buffalo Clover.	_____	N. America.	1811.	6.9.	H. ♀.	_____
21 medium. W.	Cow Grass.	_____	England.		6.7.	H. ♀.	Eng. bot. 190.
22 alpestre. W.	oval-spiked.	_____	Europe.	1789.	7.	H. ♀.	Jac. aust. 5. t. 433.
23 bracteatum. W. en.	large-bracted.	_____	Morocco.	1804.	6.7.	H. ♂.	_____
24 paannonicum. W.	Hungarian.	_____	Hungary.	1752.	—	H. ♀.	Jac. obs. 2. t. 42.
25 canescens. W.	gray.	_____	Caucasus.	1803.	5.6.	H. ♀.	Bot. mag. 1168.
26 maritimum. W.	teasel-headed.	_____	Britain.		6.7.	H. ♂.	Eng. bot. 220.
27 squarrosus. W.	various-leaved.	_____	Spain.	1640.	7.	H. ♂.	Mor. hist. 2. t. 13. f. 1.
28 incarnatum. W.	flesh-coloured.	_____	Italy.	1596.	—	H. ♂.	Bot. mag. 328.
29 pallidum. W.	pale-flowered.	_____	Hungary.	1803.	6.7.	H. ♂.	Pl. rar. hung. 1. t. 36.
30 ochroleucum. W.	sulphur-colour'd.	_____	England.		5.7.	H. ♀.	Eng. bot. 1224.
31 armenium. W. en.	Armenian.	_____	Armenia.	1816.	—	H. ♀.	_____
32 angustifolium. W.	narrow-leaved.	_____	S. Europe.	1640.	6.8.	H. ♂.	Barr. ic. t. 698.
33 arvensis. W.	Hare's-foot.	_____	Britain.		7.8.	H. ♂.	Eng. bot. 944.
34 stellatum. W.	starry.	_____	England.		7.	H. ♂.	— 1546.
35 clypeatum. W.	oriental.	_____	Levant.	1711.	6.8.	H. ♂.	Alp. exot. t. 306.
36 albidum. W.	white.	_____		1796.	7.8.	H. ♂.	_____
37 scabrum. W.	rough.	_____	Britain.		5.6.	H. ♂.	Eng. bot. 903.
38 glomeratum. W.	round-headed.	_____	England.		6.	H. ♂.	— 1063.
39 striatum. W.	soft-knotted.	_____	Britain.		6.	H. ♂.	— 1343.
40 alexandrinum. W.	Egyptian.	_____	Egypt.	1798.	6.7.	H. ♂.	_____
41 suffocatum. W.	suffocated.	_____	England.		—	H. ♂.	Eng. bot. 1049.
42 spumosum. W.	bladdered.	_____	France.	1771.	6.7.	H. ♂.	_____
43 resupinatum. W.	Salamanca.	_____	Germany.	1713.	—	H. ♂.	Barr. ic. t. 872.
44 recurvum. P. S.	recurved.	_____	Hungary.	1805.	—	H. ♂.	Pl. rar. hung. 2. t. 165.
45 tomentosum. W.	woolly.	_____	S. Europe.	1640.	—	H. ♂.	Mag. mons. t. 264.
46 fragiferum. W.	{ Strawberry- headed. }	_____	England.		7.8.	H. ♀.	Eng. bot. 1050.
47 montanum. W.	mountain.	_____	Europe.	1786.	—	H. ♀.	Flor. dan. t. 1172.
48 badium. P. S.	villous-stalked.	_____	Pyrenees.		6.8.	H. ♀.	Barr. ic. 1024.
49 spadicum. P. S.	day-coloured.	_____	Europe.	1778.	—	H. ♀.	Bot. mag. 557.
50 speciosum. W.	large-flowered.	_____	Candia.	1752.	6.7.	H. ♀.	_____
51 agrarium. W.	golden.	_____	Europe.	1815.	—	H. ♂.	Flor. dan. t. 553.
52 procumbens. H. K.	Hop.	_____	Britain.		—	H. ♂.	Bot. mag. 945.
campestre. P. S.	_____	_____	_____	_____	_____	_____	_____
53 minus. H. K.	lesser yellow.	_____	_____		—	H. ♂.	Eng. bot. 1256.
procumbens. P. S.	_____	_____	_____	_____	_____	_____	_____
54 filiforme. W.	slender yellow.	_____	_____		5.7.	H. ♂.	Eng. bot. 1257.
LOTUS. W.	{ BIRD'S-FOOT TREFOIL. }	Leguminosæ. J.	_____	_____	_____	_____	_____
1 maritimus. W.	sea.	_____	Europe.	1683.	5.10.	H. ♀.	Fl. dan. 800.
2 siliquosus. W.	square-podded.	_____	S. Europe.	—	7.8.	H. ♀.	Jac. aust. 4. t. 361.
3 tetragonolobus. W.	Winged Pea.	_____	Sicily.	1796.	—	H. ♂.	Bot. mag. 151.
4 conjugatus. W.	twin-podded.	_____	Montpelier.	1754.	—	H. ♂.	_____
5 edulis. W.	esulent.	_____	Italy.	1710.	—	H. ♂.	Cav. ic. 2. t. 157.
6 peregrinus. W.	flat-podded.	_____	S. Europe.	1713.	—	H. ♂.	_____
7 glaucus. W.	glaucous.	_____	Madeira.	1777.	6.8.	G. ♂.	_____
8 anthylloides. V.	Anthyllis-like.	_____	C. B. S.	1812.	—	G. ♀.	Vent. malm. t. 92.
9 angustissimus. W.	narrow-podded.	_____	France.	1683.	7.8.	H. ♂.	Bauh. hist. 2. f. 2.
10 difusus. W.	slender-podded.	_____	England.		5.6.	H. ♂.	Eng. bot. 925.
11 coimbrensis. W.	Portugal.	_____	Portugal.	1800.	6.7.	H. ♂.	_____
12 arabicus. W.	red-flowered.	_____	Arabia.	1773.	7.9.	H. ♂.	Jac. vind. 2. t. 155.
13 australis. H. K.	New Holland.	_____	N. S. W.	1803.	5.9.	G. ♀.	Bot. mag. 1365.
14 Dioscoridis. W.	Dioscorides's.	_____	Crete.	1658.	6.7.	H. ♂.	All. ped. 1. t. 59. f. 1.
15 ornithopodioides. W. }	claw-podded.	_____	Sicily.	1683.	6.8.	H. ♂.	Cav. ic. 2. t. 163.
16 jacobæus. W.	dark-flowered.	_____	Cape Verd Isl.	1714.	1.12.	G. ♀.	Bot. mag. 79.
17 creticus. W.	silver-leaved.	_____	Levant.	1680.	6.9.	G. ♀.	Cav. ic. 2. t. 156.
18 tennis. W. en.	slender.	_____	Hungary.	1816.	6.8.	H. ♀.	_____
19 hirsutus. W.	hairy.	_____	S. Europe.	1683.	6.8.	G. ♀.	Bot. mag. 336.
20 rectus. W.	upright.	_____	—	1640.	—	H. ♀.	Moris. s. 2. t. 18. f. 13.
21 odoratus. H. K.	sweet-scented.	_____	Barbary.	1804.	—	F. ♀.	Bot. mag. 1233.
22 pedunculatus. W.	long-peduncled.	_____	Spain.	1814.	—	H. ♀.	Cav. ic. 2. t. 164.
23 major. E. B.	greater.	_____	Britain.		—	H. ♀.	Eng. bot. 2091.
24 corniculatus. E. B.	common.	_____	—		—	H. ♀.	— 2090.
25 cýtisoides. W.	downy.	_____	S. Europe.	1752.	7.8.	H. ♀.	All. ped. 1. t. 20. f. 1.

DORYCNium. W.	DORYCNium.	Leguminosæ. J.					
1 monspeliense. W.	shrubby.		S. Europe.	1640.	7.9.	G. h.	Park. theat. 360. f. 1.
2 herbaceum. W.	herbaceous.			1802.	6.9.	H. 2.	Vill. dauph. 3. t. 41.
TRIGONELLA. W.	FENUGREEK.	Leguminosæ. J.					
1 ruthenica. W.	small.		Siberia.	1741.	6.7.	H. 2.	Gmel. sib. 4. t. 8.
2 platycarpus. W.	round-leaved.				6.9.	H. 3.	4. t. 9.
3 hybrida. P. S.	hybrid.		France.	1806.		H. 2.	
4 polycerata. W.	broad-leaved.		S. Europe.	1640.	7.9.	H. 2.	
5 hamosa. W.	Egyptian.		Egypt.		7.8.	H. 2.	Alp. ægypt. t. 124.
6 spinosa. W.	thorny.		Candia.	1710.		H. 2.	Lam. ill. t. 611. f. 2.
7 corniculata. W.	horse-shoe.		S. Europe.	1597.	6.7.	H. 2.	Moris. s. 2. t. 16. f. 11.
8 monspeliaca. W.	Montpelier.		Montpelier.	1710.		H. 2.	Pl. rar. hung. 2. t. 142
9 pinnatifida. W.	cut-leaved.		Spain.	1801.	6.3.	H. 2.	Cav. ic. 1. t. 38.
10 Fœnum-græcum. W.	common.		Montpelier.	1597.		H. 2.	Schk. s. han. 2. t. 211.
11 esculenta. W. en.	esculent.		E. Ind.	1815.		S. 2.	
12 indica. W.	Indian.			1793.		S. 2.	Pluk. alm. t. 200. f. 7.
MEDICAGO. W.	MEDICK.	Leguminosæ. J.					
1 arborea. W.	Moon Trefoil.		Italy.	1596.	5.11.	F. h.	Lob. ic. 2. p. 46. f. 2.
2 crucea. W. en.	shrubby.		Tauria.	1805.	7.	H. h.	
3 radiata. W.	ray-podded.		Italy.	1629.	6.7.	H. 2.	Lob. ic. 2. p. 38. f. 2.
4 circinnata. W.	kidney-podded.			1640.	7.8.	H. 2.	Gært. sem. 2. t. 155.
5 sativa. W.	Lucerne.		England.		6.7.	H. 2.	Eng. bot. 1749.
6 glomerata. W. en.	clustered.		Italy.			H. 2.	
7 prostrata. W.	prostrate.			1793.		H. 2.	Jac. vind. 1. t. 89.
8 falcata. W.	yellow.		England.		7.	H. 2.	Eng. bot. 1016.
9 lupulina. W.	nonesuch.		Britain.		5.8.	H. 2.	971.
10 obscura. W.	doubtful.			1734.	7.8.	H. 2.	Retz. obs. 1. p. 24. t. 1.
11 orbicularis. W.	flat-podded.		S. Europe.	1638.		H. 2.	Moris. s. 2. t. 15. f. 1.
12 marginata. W. en.	marginated.			1816.		H. 2.	
13 elegans. W.	elegant.		Sicily.	1680.		H. 2.	Moris. s. 2. t. 15. f. 4.
14 scutellata. W.	Snail.		S. Europe.	1562.	6.8.	H. 2.	2. t. 15. f. 3.
15 Helix. W.	many-flo ^d Snail.			1816.	6.8.	H. 2.	
16 tornata. W.	smooth-podded.		S. Europe.	1658.		H. 2.	
17 turbinata. W.	Turban.			1680.		H. 2.	Moris. s. 2. t. 15. f. 5.
18 tuberculata. W.	wart-podded.			1658.		H. 2.	2. t. 15. f. 6.
19 aculeata. W.	spiny.			1802.		H. 2.	
20 granadensis. W. en.	Spanish.		Spain.	1816.		H. 2.	Jac. coll. t. 15. f. 2.
21 Murex. W.	Burdock-podded			1802.		H. 2.	
22 intertexta. W.	hedgohog.		S. Europe.	1629.		H. 2.	Moris. s. 2. t. 15. f. 7.
23 ciliaris. W.	fringed.		France.	1686.	7.8.	H. 2.	
24 carstiensis. W.	creeping-rooted.		Carinthia.	1739.	6.7.	H. 2.	Bot. mag. 909.
25 maculata. W.	heart.		England.		5.6.	H. 2.	Eng. bot. 1616.
26 coronata. W.	crowned.		S. Europe.	1660.	6.7.	H. 2.	Moris. s. 2. t. 15. f. 16.
27 apiculata. W.	tufted.			1800.		H. 2.	
28 denticulata. W.	toothed.					H. 2.	
29 muricata. W.	prickly.		England.		5.6.	H. 2.	Moris. s. 2. t. 15. f. 11.
30 Gerardi. W.	Gerard's.		Hungary.	1816.	6.8.	H. 2.	2. t. 15. f. 18.
31 marina. W.	sea.		S. Europe.	1596.		H. 2.	Cav. ic. 2. t. 130.
32 Terebellum. W.	short-spined.			1798.		H. 2.	
33 tribuloides. W.	Caltrops-like.			1730.		H. 2.	
34 rigidula. W.	thorny-podded.					H. 2.	
35 minima. W.	least.		England.		5.6.	H. 2.	Fl. dan. 211.
36 nigra. W.	black.		S. Europe.	1789.	7.8.	H. 2.	Moris. s. 2. t. 15. f. 19.
37 græca. W. en.	villous.		Greece.	1804.		H. 2.	
38 laciniata. W.	cut-leaved.		S. Europe.	1633.		H. 2.	Breyn. cent. t. 34.

CLASS XVIII.

POLYADELPHIA DECANDRIA.

THEOBROMA. W.	CHOCOLATE NUT. Malvaceæ. J.						
1 Cacao. W.	smooth-leaved.		S. America.	1739.		S. h.	Cates. car. 3. t. 6.
2 guianensis. W.	woolly-leaved.		Guiana.	1803.		S. h.	Aub. gui. 2. t. 275.

DODECANDRIA.

BUBROMA. W.	BASTARD CEDAR. Malvaceæ. J.	<i>Guazuma. P. S.</i>					
Guazuma. W.	Elm-leaved.	Jamaica.	1739.	8.9.	S. h.	Trew. ehret. t. 76.	
ABROMA. W.	ABROMA. Malvaceæ. J.						
1 angusta. H. K.	smooth-stalked.	E. Ind.	1770.	8.	S. h.	Jac. vind. 3. t. 1.	
2 fastuosa. H. K.	prickly-stalked.	N. S. W.	1800.	6.10.	S. h.	Par. lond. 102.	

ICOSANDRIA.

MELALEUCA. H. K.	MELALEUCA. Myrti. J.						
1 Leucadendron. W.	Caju Puti Tree.	E. Ind.	1796.		S. h.	Rumph. amb. 2. t. 16.	
2 viridiflora. W.	green-flowered.	N. S. W.	1798.		G. h.	Cav. ic. 4. t. 333.	
3 paludosa. H. K.	long-leaved red.	N. Holland.	1803.	7.9.	G. h.		
4 globifera. H. K.	globe-fruited.				G. h.		
5 diosmifolia. H. K.	Diosma-leaved.		1794.	6.7.	G. h.	Bot. rep. 476.	
6 stypheloides. H. K.	Styphelia-leaved	N. S. W.	1793.	5.6.	G. h.		
7 genistifolia. H. K.	Broom-leaved.				G. h.		
8 striata. H. K.	striated.	N. Holland.	1803.		G. h.	Lab. nov. ho. 2. t. 165	
9 thymoides. H. K.	yellow spear-le ^d .				G. h.	— 2. t. 167	
10 squamea. H. K.	scaly-branched.	Van Diem.	1805.	6.7.	G. h.	— 2. t. 168	
11 nodosa. H. K.	Whin-leaved.	N. S. W.	1790.	—	G. h.	Ex. bot. 1. t. 35.	
12 ericifolia. H. K.	Heath-leaved.		1788.	7.9.	G. h.	— 1. t. 34.	
13 armillaris. H. K.	pale-flowered.			6.7.	G. h.	Bot. rep. 175.	
14 uncinata. H. K.	hook-leaved.	N. Holland.	1803.		G. h.		
15 scabra. H. K.	rough-leaved.			6.7.	G. h.		
16 pulchella. H. K.	neat.			6.9.	G. h.		
17 thymifolia. H. K.	Thyme-leaved.	N. S. W.	1792.	2.9.	G. h.	Bot. mag. 1868.	
18 decussata. H. K.	decussate.	N. Holland.	1803.	6.9.	G. h.		
19 fulgens. H. K.	splendid.			—	G. h.	Bot. reg. 103.	
20 linariifolia. H. K.	Toad-Flax-leav ^d .	N. S. W.	1793.	7.9.	G. h.	Exot. bot. 1. t. 56.	
21 hypericifolia. H. K.	Hypericum-lea ^d .		1792.	—	G. h.	Bot. rep. 200.	
22 squarrosa. H. K.	Myrtle-leaved.		1794.	6.8.	G. h.	Bot. mag. 1935.	
23 calycina. H. K.	permanent-cup ^d .	N. Holland.	1803.	—	G. h.		
24 densa. H. K.	whorl-leaved.				G. h.		
TRISTANIA. H. K.	TRISTANIA. Myrti. J. <i>Melaleuca sp. W.</i>						
1 nereifolia. H. K.	Oleander-leaved.	N. S. W.	1804.	6.9.	G. h.	Bot. mag. 1938.	
2 laurina. H. K.	Laurel-leaved.		1798.		G. h.		
3 conferta. H. K.	Pittosporum-le ^d .		1805.	7.9.	G. h.		

Pittosporum hirtum. W. en.

CALOTHAMNUS. H. K. } CALOTHAMNUS. Myrti. J.

1 quadrifida. H. K.	four-cleft.	N. Holland.	1803.	7.9.	G. h.	Bot. mag. 1506.	
2 villosa. H. K.	hairy.				G. h.		
3 gracilis. H. K.	slender-leaved.				G. h.		

BEAUFORTIA. H. K. } BEAUFORTIA. Myrti. J.

1 decussata. H. K.	splendid.	N. Holland.	1803.	7.5.	G. h.	Bot. reg. 18.	
2 sparsa. H. K.	alternate-leaved.				G. h.		

POLYANDRIA.

HOPEA. L.	HOPEA. Ebenaceæ. J.						
tinctoria Ph.	Laurel-leaved.	Carolina.	1780.		G. h.	Cat. car. 1. t. 54.	
<i>Symplocos tinctoria. W.</i>							
CITRUS. W.	ORANGE-TREE. Aurantiæ. J.						
1 acida. Rox.	Lemon-Tree.	Asia.	1648.	5.7.	G. h.	Gær. fru. 2. t. 121. f. 2	
2 limonia.	Lime-Tree.				G. h.	Blackw. t. 362.	
3 Aaurantium. P. S.	common.	India.	1595.	—	G. h.	Lam. ill. t. 639. f. 2.	
4 sinensis. P. S.	Myrtle-leaved.	China.		—	G. h.	Tourn. inst. t. 390.	
5 buxifolia. P. S.	Box-leaved.				G. h.		
6 nobilis. H. K.	Mandarin.		1805.	—	G. h.	Bot. rep. 608.	
β minor.	smaller.			—	G. h.	Bot. reg. 211.	
7 decumana. W.	Shaddock-Tree.	India.	1724.	—	G. h.	Rum. am. 2. t. 24. f. 2.	
XANTHOCHY-	{ XANTHO-						
MUS. Rox.	CHYMUS. }						
pictorius. H. K.	painter's.	E. Ind.	1796.		S. h.	Roxb. cor. 2. t. 196.	
HYPERICUM. W.	St. JOHN'S WORT. Hypericinæ. J.						
1 balcaricum. W.	warted.	Majorca.	1714.	3.9.	G. h.	Bot. mag. 137.	
2 Kalmianum. W.	Kalmia-leaved.	N. America.	1759.	6.7.	H. h.		
3 monogynum. W.	Chinese.	China.	1753.	8.9.	G. h.	Bot. mag. 334.	
4 calycinum. W.	large-flowered.	Ireland.		6.9.	H. h.	Eng. bot. 2017.	
5 ascyroides. Ph.	large-capsuled.	N. America.	1812.	6.7.	H. h.		
6 Ascyron. W.	Siberian.	Siberia.	1774.	6.9.	H. h.	Gmel. sib. 4. t. 69.	

7	pyramdatum. W.	pyramidal.	Hypericinæ. J.	Canada.	1759.	7.8.	H. 2.	Vent. maln. 113.
8	Androsæmum. W.	Tutsan.	_____	Britain.		7.9.	H. 2.	Eng. bot. 1225.
9	olympicum. W.	Olympian.	_____	Levant.	1706.	_____	H. 2.	Exot. bot. 2. t. 96.
10	foliosum. H. K.	shining.	_____	Azores.	1778.	8.	G. 2.	_____
11	floribundum. W.	many-flowered.	_____	Madeira.	1779.	_____	G. 2.	Com. hort. 2. t. 62.
12	canariense. W.	Canary.	_____	Canaries.	1699.	7.9.	G. 2.	_____
13	ægypiticum. W.	Egyptian.	_____	Egypt.	1787.	6.7.	G. 2.	Bot. reg. 196.
14	elatum. W.	tall.	_____	N. America.	1762.	7.8.	H. 2.	{ Juss. in ann. mus. 3. t. 17.
15	frondosum. Ph.	green.	_____	_____	1806.	_____	H. 2.	_____
16	amœnum. Ph.	elegant.	_____	Carolina.	1812.	_____	H. 2.	_____
17	hircinum. W.	stinking.	_____	S. Europe.	1640.	7.9.	H. 2.	Dill. elt. t. 151. f. 182
	<i>β minus.</i>	<i>smell stinking.</i>	_____	_____	_____	_____	H. 2.	_____ t. 151. f. 181
18	prolificum. W.	prolific.	_____	N. America.	1758.	6.8.	H. 2.	Jac. schœn. 3. t. 299.
19	canadense. W.	Canadian.	_____	_____	1770.	7.9.	H. 2.	_____
20	angulosum. Ph.	toothed-flowered	_____	_____	1812.	6.7.	H. 2.	_____
21	setosum. H. K.	unbranched.	_____	Carolina.	1759.	7.8.	F. 2.	Pluk. alm. t. 245. f. 6.
22	mutilum. H. K.	small-flowered.	_____	N. America.	_____	6.9.	F. 2.	_____
23	virginicum. W.	Virginian.	_____	_____	1800.	7.9.	H. 2.	Bot. rep. 552.
	<i>Elodea campanulata. Ph.</i>	_____	_____	_____	_____	_____	_____	_____
24	lævigatum. H. K.	smooth.	_____	_____	1772.	_____	H. 2.	_____
25	nudiflorum. Ph.	naked-panicled.	_____	_____	1811.	9.10.	F. 2.	_____
26	glaucum. Ph.	glaucous.	_____	_____	1812.	7.8.	F. 2.	_____
27	rosmarinifolium. W.	Rosemary-leaved.	_____	Carolina.	_____	6.8.	F. 2.	_____
28	aspalathoides. W.	Aspalathus-like.	_____	_____	1811.	_____	F. 2.	_____
29	fasciculatum. Ph.	clustered.	_____	N. America.	1806.	7.	F. 2.	_____
30	reflexum. W.	hanging-leaved.	_____	Teneriffe.	1778.	6.9.	G. 2.	_____
31	quadrangulare. W.	square-stalked.	_____	Britain.		7.8.	H. 2.	Eng. bot. 370.
32	dubium. W.	imperforate.	_____	_____		_____	H. 2.	_____ 296.
33	maculatum. Mi.	spotted.	_____	N. America.	1789.	_____	F. 2.	_____
	<i>corymbosum. W.</i>	_____	_____	_____	_____	_____	_____	_____
34	perforatum. W.	perforated.	_____	Britain.		_____	H. 2.	Eng. bot. 295.
35	humifusum. W.	trailing.	_____	_____		_____	H. 2.	_____ 1226.
36	crispum. W.	curl-leaved.	_____	Greece.	1688.	_____	F. 2.	Bocc. mus. t. 12.
37	undulatum. W. en.	wave-leaved.	_____	Barbary.	1802.	_____	F. 2.	_____
38	barbatum. W.	bearded.	_____	Scotland.		6.10.	H. 2.	Eng. bot. 1985.
39	perfoliatum. W.	perfoliate.	_____	Italy.	1785.	5.6.	F. 2.	_____
40	heterophyllum. P.S.	various-leaved.	_____	Persia.	1812.	7.8.	G. 2.	Vent. cels. t. 68.
41	ciliatum. W.	fringe-flowered.	_____	Levant.	1739.	7.	F. 2.	Bocc. mus. t. 127.
42	montanum. W.	mountain.	_____	Britain.		7.8.	H. 2.	Eng. bot. 371.
43	glandulosum. W.	glandulous.	_____	Madeira.	1777.	5.8.	G. 2.	_____
44	hirsutum. W.	hairy.	_____	Britain.		6.7.	H. 2.	Eng. bot. 1156.
45	elodes. W.	marsh.	_____	_____		7.8.	H. 2.	_____ 109.
46	tomentosum. W.	woolly.	_____	S. Europe.	1648.	7.9.	F. 2.	_____
47	pulchrum. W.	small upright.	_____	Britain.		7.	H. 2.	Eng. bot. 1227.
48	serpyllifolium. W.	Thyme-leaved.	_____	Levant.	1688.	7.8.	H. 2.	Mor. hi. 2. s. 5. t. 6. f. 2
49	Coris. W.	Heath-leaved.	_____	_____	1640.	5.9.	G. 2.	Bot. mag. 178.
50	verticillatum. W.	whorl-leaved.	_____	C. B. S.	1784.	6.8.	G. 2.	_____
	ASCYRUM. W.	ASCYRUM.	Hypericinæ. J.	_____	_____	_____	_____	_____
1	pumilum. Ph.	dwarf.	_____	Georgia.	1806.	6.8.	G. 2.	_____
2	Crux Andreae. Ph.	{ St. Andrew's Cross. }	_____	N. America.	1759.	7.	G. 2.	_____
3	hypericoides. Ph.	Hypericum-like.	_____	_____	_____	7.9.	G. 2.	_____
4	stans. W.	large-flowered.	_____	_____	1806.	_____	G. 2.	Vent. maln. 90.
	<i>amplexicaule. Ph.</i>	_____	_____	_____	_____	_____	_____	_____

CLASS XIX.

SYNGENESIA POLYGAMIA ÆQUALIS.

GEROPOGON. W.	{ OLD MAN'S BEARD. }	Cichoraceæ. J.	_____	_____	_____	_____	_____	_____
1	glaber. W.	smooth.	_____	Italy.	1704.	7.8.	H. 2.	Bot. mag. 479.
2	hirsutus. W.	hirsute.	_____	_____	1759.	_____	H. 2.	Oel. exph. t. 251.
3	calyculatus. W.	perennial.	_____	_____	1774.	6.8.	H. 2.	Jac. rind. 2. t. 168.

TRAGOPOGON. W.		GOAT'S BEARD.	Cichoraceæ. J.				
1	pratensis. W.	yellow.	—————	Britain.		5.6. H. ♂.	Eng. bot. 434.
2	mutabilis. Jac.	changeable.	—————	Siberia.	1816.	— H. ♂.	Jac. ic. 1. t. 157.
3	undulatus. W.	wave-leaved.	—————	Crimea.	1790.	— H. ♂.	— 1. t. 158.
4	orientalis. W.	oriental.	—————	Levant.	1787.	6.7. H. ♂.	—
5	major. W.	great.	—————	Austria.	1788.	5.6. H. ♂.	Jac. aust. 1. t. 29.
6	floccosus. W.	woolly.	—————	Hungary.	1816.	— H. ♂.	Pl. rar. hung. 2. t. 112
7	porrifolius. W.	purple.	—————	England.		— H. ♂.	Eng. bot. 638.
8	crocifolius. W.	Crocus-leaved.	—————	Italy.	1739.	6.7. H. ♂.	Col. eclpr. 1. t. 230.
9	villosus. W.	hairy.	—————	Spain.	1794.	5.6. H. ♂.	—
TROXIMON. Ph.		TROXIMON.	Cichoraceæ. J.				
1	glaucum. Ph.	glaucous-leaved.	—————	Missouri.	1811.	5.6. H. ♀.	Bot. mag. 1667.
2	virginicum. Ph.	Virginian.	—————	N. America.	1799.	7.8. H. ♀.	—
ARNOPOGON. W.		SHEEP'S BEARD.	Cichoraceæ. J. Urospermum. J.				
1	Dalechampii. W.	great-flowered.	—————	S. Europe.	1739.	6.10. H. ♀.	Bot. mag. 1623.
2	picroides. W.	prickly-cupped.	—————	—	1683.	7.8. H. ♂.	Lam. ill. t. 646. f. 3.
3	asper. W.	rough.	—————	Montpelier.	1774.	— H. ♂.	—
SCORZONERA. W.		VIPER'S GRASS.	Cichoraceæ. J.				
1	tomentosa. W.	white.	—————	Armenia.	1789.	6.7. H. ♀.	—
2	humilis. Jac.	dwarf.	—————	Europe.	1597.	8. H. ♀.	Jac. aust. 1. t. 36.
3	hispanica. W.	garden.	—————	Spain.	1576.	6.9. H. ♀.	Lam. ill. t. 647. f. 5.
4	glastifolia. W.	Wood-leaved.	—————	Germany.	1816.	— H. ♀.	—
5	caricifolia. W.	Carex-leaved.	—————	Siberia.	1805.	— H. ♀.	Pal. it. 3. ap. t. J. f. 1.
6	purpurea. W.	purple-flowered.	—————	Austria.	1759.	5.6. H. ♀.	Jac. aust. 1. t. 35.
7	rosea. W.	Rose coloured.	—————	Hungary.	1807.	7. H. ♀.	Pl. rar. hung. 2. t. 121
8	graminifolia. W.	Grass-leaved.	—————	Portugal.	1759.	6.8. H. ♀.	Jac. obs. 4. t. 100.
9	angustifolia. W.	narrow-leaved.	—————	S. Europe.	—	— H. ♀.	Pl. rar. hung. 2. t. 122
10	eriosperma. W.	woolly-seeded.	—————	Siberia.	1805.	— H. ♀.	—
11	resedifolia. W.	spreading.	—————	Spain.	1729.	6.7. H. ♂.	Bocc. sic. 13. t. 7. f. 4.
12	laciniata. W.	cut-leaved.	—————	S. Europe.	1640.	— H. ♂.	Jac. aust. 4. t. 356.
13	taraxacifolia. W.	Dandelion-leav'd.	—————	Bohemia.	1801.	6.8. H. ♀.	Jac. ic. 1. t. 106.
PICRIDIIUM. P. S.		PICRIDIIUM.	Cichoraceæ. J. Richardia. Roth. Sunchi sp. W.				
1	vulgare. P. S.	various-leaved.	—————	France.	1773.	6.8. H. ♂.	All. ped. 1. t. 16. f. 1
<i>Sonchus picroides. W.</i>							
2	tingitanum. P. S.	Tangier.	—————	Barbary.	1713.	6.9. H. ♂.	Bot. mag. 142.
3	albidum. P. S.	pale-flowered.	—————	France.	1731.	7.10. H. ♀.	Jac. ic. 1. t. 164.
<i>Crepis albida. W.</i>							
SONCHUS. W.		Sow THISTLE.	Cichoraceæ. J.				
1	maritimus. W.	sea.	—————	S. Europe.	1748.	7.9. H. ♀.	All. ped. 1. t. 16. f. 2.
2	fruticosus. W.	shrubby.	—————	Madeira.	1777.	4.7. G. h.	Jac. ic. 1. t. 161.
3	pinnatus. W.	wing-leaved.	—————	—		G. h.	—
4	lævigatus. W. en.	smooth.	—————	—	1816.	 G. h.	—
5	lyratus. W. en.	lyre-leaved.	—————	—		G. h.	—
6	radicatus. W.	long-rooted.	—————	Canaries.	1780.	7. G. h.	—
7	palustris. W.	tall marsh.	—————	England.		7.8. H. ♀.	Eng. bot. 935.
8	arvensis. W.	corn.	—————	Britain.		— H. ♀.	— 674.
9	oleraceus. W.	common.	—————	—		6.8. H. ♂.	— 843.
10	tenerimus. W.	clammy.	—————	S. Europe.	1691.	7.8. H. ♂.	Pluk. alm. t. 93. f. 3.
11	Plumieri. W.	Plumier's.	—————	Pyrenees.	1794.	— H. ♀.	—
12	alpinus. W.	blue-flowered.	—————	Scotland.		— H. ♀.	Eng. bot. 2425.
13	lapponicus. W.	Lapland.	—————	Lapland.	1804.	— H. ♀.	Smith ic. ined. t. 21.
14	floridanus. W.	small-flowered.	—————	N. America.	1713.	7. H. ♂.	—
15	acuminatus. W.	acuminate.	—————	—	1812.	8.9. H. ♂.	—
16	pallidus. Ph.	Canadian.	—————	Canada.	1704.	7.9. H. ♀.	Rob. ic. 148 & 151.
17	sibiricus. W.	Siberian.	—————	Siberia.	1759.	— H. ♀.	Gmel. sib. 2. f. 2.
18	tataricus. W.	Tartarian.	—————	—	1784.	6.7. H. ♀.	—
LACTUCA. W.		LETTUCE.	Cichoraceæ. J.				
1	sativa. W.	garden.	—————		1562.	6.7. H. ♂.	—
2	crispa. W.	curled.	—————		1570.	— H. ♂.	—
3	palmata. W.	Savoy.	—————		1683.	— H. ♂.	—
4	intybasea. W.	Endive-leaved.	—————	S. America.	1781.	6.8. H. ♂.	Jac. ic. 1. t. 162.
5	quercina. W.	Oak-leaved.	—————	Sweden.	1686.	5.7. H. ♂.	—
6	stricta. W.	upright.	—————	Hungary.	1805.	6.7. H. ♂.	Pl. rar. hung. 1. t. 49.
7	elongata. W.	elongated.	—————	Pensylvania.	—	— H. ♂.	—
8	Scariola. W.	prickly.	—————	England.		7.8. H. ♂.	Eng. bot. 268.
9	virosa. W.	strong-scented.	—————	Britain.		7.9. H. ♂.	— 1957.
10	angustata. W.	entire-leaved.	—————	Italy.	1791.	7.8. H. ♂.	All. ped. 1. t. 52. f. 1.
11	sagittata. W.	arrow-leaved.	—————	Hungary.	1805.	— H. ♂.	Pl. rar. hung. 1. t. 1.
12	saligna. W.	least.	—————	England.		— H. ♂.	Eng. bot. 707.
13	indica. W.	Indian.	—————	E. Ind.	1784.	— S. ♂.	—

14 tenerrima. W.	purple-flowered.	Cichoraceæ. J.	S. Europe.	1815. 7.8. H. 2.	
15 perennis. W.	perennial.	Germany.	1596. 6.8. H. 2.	Mill. ic. 2. t. 157.	213
CHONDRILLA. W.	GUM-SUCCORY.	Cichoraceæ. J.			
juncea. W.	common.	France.	1633. 9.10. H. 2.	Jac. aust. 5. t. 427.	
PRENANTHES. W.	PRENANTHES.	Cichoraceæ. J.			
1 purpurea. W.	purple-flowered.	Germany.	1658. 7.9. H. 2.	Jac. aust. 4. t. 317	
2 alba. W.	white-flowered.	N. America.	1762. 7.8. H. 2.	Bot. mag. 1079.	
3 altissima. Ph.	tall.		1696. — H. 2.	Pluk. alm. t. 317. f. 2.	
4 cordata. Ph.	heart-leaved.		1816. — H. 2.		
5 spinosa. W.	prickly.	Barbary.	1640. 3.5. F. 2.	Park. theat. 804. f. 7.	
6 viminea. W.	rushy-twigged.	Austria.	1789. 7.8. H. 2.	Jac. aust. 1. t. 9.	
7 muralis. W.	wall.	Britain.	 7. H. 2.	Eng. bot. 457.	
LEONTODON. W.	DANDELION.	Cichoraceæ. J.			
1 Taraxacum. W.	common.	Britain.	 4.7. H. 2.	Eng. bot. 510.	
2 serotinum. W.	late-flowering.	Hungary.	1816. 7.9. H. 2.	Pl. rar. hung. 2. t. 114	
3 palustre. E. B.	marsh.	Britain.	 6.7. H. 2.	Eng. bot. 553.	
lividus. W.					
4 obovatum. W.	obovate-leaved.	Spain.	1805. 7. H. 2.		
APARGIA. W.	APARGIA.	Cichoraceæ. J.	<i>Hedynoidis</i> sp. E. B.		
1 aurantiaca. W.	Orange-coloured.	Hungary.	1816. 5.6. H. 2.		
2 alpina. W.	Alpine.	Austria.	— H. 2.	Jac. aust. 1. t. 93.	
3 hastilis. W.	shining-leaved.	S. Europe.	1796. 7.8. H. 2.	— 2. t. 164.	
4 dubia. W.	tooth-leaved.	Germany.	 8. H. 2.		
5 tuberosa. W.	knotty-rooted.	France.	1683. 5.7. H. 2.	Leb. ic. 232. f. 1.	
6 incana. W.	hoary.	S. Europe.	1784. 5.6. H. 2.	Jac. aust. 3. t. 287.	
7 Taraxaci. W.	Dandelion-leav ^d .	Britain.	 8. H. 2.	Eng. bot. 1109.	
8 autumnalis. W.	autumnal.	— H. 2.	— 830.		
9 crispa. W.	curled.	France.	1803. 7.3. H. 2.	Vill. dauph. 3. t. 25.	
10 hispida. W.	rough.	Britain.	 7.9. H. 2.	Eng. bot. 554.	
11 aspera. W.	hairy.	Hungary.	1805. 6.7. H. 2.	Pl. rar. hung. 2. t. 110	
THRINCIA. W.	THRINCIA.	Cichoraceæ. J.	<i>Hedynoidis</i> sp. E. B.		
1 hirta. W.	simple-haired.	Britain.	 7.8. H. 2.	Eng. bot. 555.	
2 hispida. W.	hispid.	S. Europe.	1815. 6.8. H. 2.		
3 maroccana. P. S.	Morocco.	Morocco.	1799. 7.3. H. 2.		
<i>Hyoseris hispida. W.</i>					
PICRIS. W.	OX-TONGUE.	Cichoraceæ. J.			
1 hieracioides. W.	Hawkweed-like.	England.	 7.8. H. 2.	Eng. bot. 196.	
2 asplenoides. W.	Spleenwort-lea ^d .	Barbary.	1805. — H. 2.	L'Her. stirp. t. 82.	
3 hispida. H. K.	hispid.	Levant.	1789. — H. 2.		
4 sprengeriana. P. S.	branched.	Portugal.	1783. 6.7. H. 2.	Moris. s. 7. t. 5. f. 17.	
HIERACIUM. W.	HAWKWEED.	Cichoraceæ. J.			
1 aureum. W.	golden.	Italy.	1769. 5.7. H. 2.	Jac. aust. 3. t. 297.	
2 eriophyllum. W. en.	villous.		 6.8. H. 2.		
3 alpinum. W.	Alpine.	Britain.	 7.8. H. 2.	Eng. bot. 1110.	
4 pumilum. W.	small.	Germany.	1804. — H. 2.		
5 Pilosella. W.	Mouse-ear.	Britain.	 5.7. H. 2.	Eng. bot. 1093.	
6 flagellare. W. en.	creeping.		1816. — H. 2.		
7 dubium. W.	branching.	Britain.	 7.8. H. 2.	Eng. bot. 2332.	
8 Auricula. W.	{ Umbelled Mouse-ear. }	England.	— H. 2.	— 2368.	
9 florentinum. W.	Florentine.	Germany.	1796. — H. 2.		
10 cymosum. W.	small-flowered.	Europe.	1739. 5.6. H. 2.	Col. ecphr. 1. t. 249.	
11 staticifolium. W.	Thrift-leaved.	—	1804. 6.7. H. 2.	Vill. dauph. 3. t. 27.	
12 incarnatum. W.	flesh-coloured.	Carniola.	1815. — H. 2.	Jac. ic. t. 578.	
13 aurantiacum. W.	Orange.	Scotland.	 — H. 2.	Eng. bot. 1469.	
14 venosum. W.	veined.	N. America.	1790. — H. 2.		
15 Gronovii. W.	Gronovius's.	—	1798. — H. 2.		
16 Gmelini. W.	Gmelin's.	Siberia.	— H. 2.	Gmel. sib. 2. t. 8. f. 2.	
17 Lawsoni. W.	Lawson's.	Britain.	 — H. 2.	Eng. bot. 2083.	
18 pallescens. W. en.	pale.	Hungary.	1815. — H. 2.	Pl. rar. hung. 3. t. 217	
19 paniculatum. W.	panicled.	Canada.	1800. — H. 2.		
20 chondrilloides. W.	Gum-succory.	Austria.	1640. — H. 2.	Jac. aust. 5. t. 429.	
21 nigrescens. W.	dark-coloured.		1801. 7.8. H. 2.	W. hort. ber. 10.	
22 montanum. W.	mountain.	S. Europe.	1775. 6.7. H. 2.	Jac. aust. 2. t. 190.	
23 porrifolium. W.	Leek-leaved.	Austria.	1640. 7.8. H. 2.	— 3. t. 286.	
24 saxatile. W.	rock.	—	1801. — H. 2.	Jac. ic. 1. t. 163.	
25 glaucum. W.	glaucous.	S. Europe.	1807. 6.7. H. 2.		
26 molle. W.	soft-leaved.	Scotland.	 7.8. H. 2.	Eng. bot. 2210.	
27 murorum. W.	wall.	Britain.	 7. H. 2.	— 2082.	
28 maculatum. E. B.	stained-leaved.	England.	 7.8. H. 2.	— 2121.	

29 pulmonarium. E.B.	Lungwort.	Cichoraceæ. J.	Scotland.		7.8.	H. 2.	Eng. bot. 2307.
30 sylvaticum. W.	wood.	_____	Britain.		8.	H. 2.	2031.
31 ramosum. W.	branching.	_____	Hungary.	1805.	—	H. 2.	—
32 paludosum. W.	Succory-leaved.	_____	Britain.		7.8.	H. 2.	Eng. bot. 1094.
33 lapsanoides. W.	Lapsana-like.	_____	Pyrenees.	1812.	—	H. 2.	Gouan. ill. t. 21. f. 3.
34 lyratum. W.	Lyre-leaved.	_____	Siberia.	1777.	—	H. 2.	Gmel. sib. 2. t. 9.
35 cerinthoides. W.	Honeywort-leav'd.	_____	Scotland.		7.9.	H. 2.	Eng. bot. 2378.
36 flexuosum. W.	bending-stalk'd.	_____	Hungary.	1804.	7.8.	H. 2.	—
37 cydoniæfolium. } W. en. }	Quince-leaved.	_____	France.	1816.	—	H. 2.	—
38 amplexicaule. W.	heart-leaved.	_____	Pyrenees.	1739.	7.8.	H. 2.	All. ped. 1. t. 15. f. 1.
39 pyrenaicum. W.	Pyrenean.	_____	Pyrenees.	1723.	—	H. 2.	—
β pilosum.	pilose.	_____	_____	—	—	H. 2.	Herm. parad. t. 184.
γ austriacum.	Austrian.	_____	_____	—	—	H. 2.	Jac. aust. 5. t. 441.
40 sibiricum. W.	Siberian.	_____	Siberia.	1755.	—	H. 2.	Gmel. sib. 2. t. 10.
41 grandiflorum. W.	great-flowered.	_____	Switzerland.	1791.	—	H. 2.	Pl. rar. hung. 1. t. 99.
42 intybaceum. W.	Endive-leaved.	_____	Europe.	1794.	—	H. 2.	Jac. aust. 5. t. app. 43.
43 villosum. W.	shaggy Alpine.	_____	Scotland.		—	H. 2.	Eng. bot. 2379.
44 Halleri. W.	Haller's.	_____	Europe.	1802.	—	H. 2.	Vill. dauph. 3. t. 26.
45 echioides. W.	Viper's-bugloss.	_____	Hungary.	—	—	H. 2.	Pl. rar. hung. 1. t. 85.
46 undulatum. W.	wave-leaved.	_____	Spain.	1778.	—	H. 2.	—
47 glutinosum. W.	clammy.	_____	S. Europe.	1796.	—	H. 2.	—
48 Kalmii. W.	Kalm's.	_____	Pensylvania.	1794.	8.	H. 2.	—
49 fasciculatum. Ph.	bundled.	_____	Canada.		7.8.	H. 2.	—
50 foliosum. W.	leafy.	_____	Hungary.	1805.	—	H. 2.	Pl. rar. hung. 2. t. 145
51 fallax. W. en.	hairy spear-leav'd.	_____		1816.	—	H. 2.	—
52 sabaudum. W.	shrubby.	_____	Britain.		—	H. 2.	Eng. bot. 349.
53 denticulatum. E. B.	small-toothed.	_____	Scotland.		—	H. 2.	2122.
54 prenanthoides. W.	rough-bordered.	_____	_____		6.9.	H. 2.	2235.
55 umbellatum. W.	narrow-leaved.	_____	Britain.		7.9.	H. 2.	Eng. bot. 1771.
56 lævigatum. W.	smooth.	_____		1804.	8.9.	H. 2.	W. hort. ber. t. 16.
57 fruticosum. W.	shrubby.	_____	Madeira.	1785.	6.7.	G. 2.	—
CREPIS. W.	CREPIS.	Cichoraceæ. J.	_____	_____	_____	_____	_____
1 nemansensis. W.	Palestine.	_____	S. Europe.	1794.	6.7.	H. 2.	All. ped. 1. t. 75. f. 1.
2 leontodontoides. W.	Dandelion-like.	_____	Italy.	1804.	7.8.	H. 2.	—
3 alpina. W.	Alpine.	_____	_____	1739.	7.	H. 2.	Gmel. sib. 2. t. 5.
4 pulchra. L. T.	small-flowered.	_____	Scotland.		6.9.	H. 2.	Eng. bot. 2325.
5 rigida. W.	rigid.	_____	Hungary.	1805.	5.7.	H. 2.	Pl. rar. hung. 1. t. 19.
6 rigens. W.	bristle-leaved.	_____	Azores.	1778.	7.8.	G. 2.	—
7 rubra. W.	purple.	_____	Italy.	1632.	6.7.	H. 2.	—
8 aspera. W.	rough.	_____	Sicily.	1797.	7.8.	H. 2.	—
9 hieracioides. W.	Hawkweed-like.	_____	Hungary.	1816.	—	H. 2.	Pl. rar. hung. 1. t. 70.
10 hispida. W.	hispid.	_____	S. Europe.	1798.	—	H. 2.	1. t. 43.
11 tectorum. P. S.	smooth.	_____	Britain.		6.9.	H. 2.	Eng. bot. 1111.
12 cinerea. P. S.	red-stalked.	_____	_____		—	H. 2.	—
13 agrestis. W.	field.	_____	Hungary.	1801.	7.8.	H. 2.	—
14 biennis. W.	biennial.	_____	England.		6.8.	H. 2.	Eng. bot. 149.
15 virens. W.	green.	_____	Switzerland.	1796.	6.7.	H. 2.	—
16 intybacea. W. en.	Endive-leaved.	_____	Portugal.	1816.	—	H. 2.	—
17 Dioscoridis. W.	Dioscorides's.	_____	France.	1772.	—	H. 2.	Schk. hand. 3. t. 222.
18 raphanifolia. W. en.	Radish-leaved.	_____		1816.	—	H. 2.	—
19 coronopifolia. W.	fleshy-leaved.	_____	Madeira.	1777.	8.9.	H. 2.	Desf. act. par. 38. t. 9.
20 filiformis. W.	fine-leaved.	_____	_____	—	6.7.	G. 2.	—
HELMINTHIA. J.	HELMINTHIA.	Cichoraceæ. J.	Picridis sp. L.	_____	_____	_____	_____
echioides. W.	bristly.	_____	Britain.		6.7.	H. 2.	Eng. bot. 972.
TOLPIS. W.	TOLPIS.	Cichoraceæ. J.	Crepidis sp. L.	_____	_____	_____	_____
barbata. W.	purple-eyed.	_____	France.	1620.	6.7.	H. 2.	Bot. mag. 35.
ANDRYALA. W.	ANDRYALA.	Cichoraceæ. J.	_____	_____	_____	_____	_____
1 cheiranthifolia. W.	various-leaved.	_____	Madeira.	1777.	5.10.	G. 2.	L'Her. stirp. 35. t. 18
2 pinnatifida. W.	wing-leaved.	_____	_____	1778.	7.8.	G. 2.	—
3 crithmifolia. W.	Samphire-leav'd.	_____	_____	—	6.8.	G. 2.	—
4 nigricans. W.	dark-flowered.	_____	Barbary.	1804.	—	H. 2.	—
5 ragusina. W.	downy.	_____	Archipelago.	1753.	—	G. 2.	Mill. ic. 1. t. 146. f. 2.
6 lanata. W.	woolly.	_____	S. Europe.	1732.	5.6.	H. 2.	1. t. 146. f. 1.
Hieracium verbascifolium. P. S.	_____	_____	_____	_____	_____	_____	_____
ROTHIA. W.	ROTHIA.	Cichoraceæ. J.	Andryalæ sp. P. S.	_____	_____	_____	_____
1 andryaloides. W.	Andryala-like.	_____	Spain.	1810.	8.	H. 2.	Gært. sem. 2. t. 174.
2 cheiranthifolia. W.	Stock-leaved.	_____	S. Europe.	1768.	7.8.	H. 2.	—
3 runcinata. W.	hoary.	_____	_____	1711.	—	H. 2.	—

KRIGIA. W.	KRIGIA.	Cichoraceæ. J. <i>Hyoseridis</i> sp. P. S.			
virginica. W.	Virginian.	_____	N. America.	1811. 5.7. H.⊙.	{ Lam. journ. hist. nat. 1. t. 12.
HYOSERIS. W.	{ SWINE'S- SUCCORY. }	Cichoraceæ. J.			
1 radiata. W.	starry.	_____	S. Europe.	1640. 6.7. H.⊙.	Pluk. alm. t. 37. f. 2.
2 lucida. W.	shining.	_____	Levant.	1770. 6.8. H.⊙.	Schmid. ic. t. 39. 41.
3 scabra. W.	rugged.	_____	Sicily.	1789. 7.8. H.⊙.	Boc. mus. 146. t. 106
4 arenaria. W.	sand.	_____	Morocco.	1800. — H.⊙.	
HEDYPNOIS. W.	HEDYPNOIS.	Cichoraceæ. J.			
1 monspeliensis. W.	branching.	_____	S. Europe.	1633. 6.7. H.⊙.	
2 rhagadioloides. W.	Nipplewort.	_____	_____	1773. 7.8. H.⊙.	Cav. ic. 1. t. 43.
3 cretica. W.	Cretan.	_____	Candia.	1731. 6.7. H.⊙.	
SERIOLOA. W.	SERIOLOA.	Cichoraceæ. J.			
1 laevigata. W.	smooth.	_____	Candia.	1772. 7.8. H.⊙.	Desf. atl. 2. t. 216.
2 athensis. W.	rough.	_____	Italy.	1763. — H.⊙.	Jac. obs. 4. t. 79.
3 urens. W.	stinging.	_____	S. Europe.	1773. — H.⊙.	Schmid. ic. t. 32.
HYPOCHERIS. W.	CAT'S-EAR.	Cichoraceæ. J.			
1 helvetica. W.	one-flowered.	_____	Switzerland.	1799. 6.7. H.⊙.	Jac. ic. 1. t. 165.
2 maculata. W.	spotted.	_____	England.	 — H.⊙.	Eng. bot. 225.
3 minima. W.	least.	_____	Barbary.	1797. 7.8. H.⊙.	
4 hispida. W. en.	bristly.	_____	S. Europe.	1804. — H.⊙.	W. hort. ber. 1. t. 46.
5 glabra. W.	smooth.	_____	Britain.	 — H.⊙.	Eng. bot. 575.
6 radicata. W.	long-rooted.	_____	_____	 6.9. H.⊙.	881.
LAPSANA. W.	NIPPLEWORT.	Cichoraceæ. J.			
1 foetida. W.	stinking.	_____	Italy.	1722. 7.8. H.⊙.	Pl. rar. hung. 1. t. 49.
<i>Hyoseris foetida.</i> P. S.					
2 pusilla. W.	least.	_____	Britain.	 5.6. H.⊙.	Eng. bot. 95.
<i>Hyoseris minima.</i> E. B.					
3 communis. W.	common.	_____	Britain.	 6.7. H.⊙.	Eng. bot. 844.
4 crispa. W.	curled.	_____		1799. 7.8. H.⊙.	
5 lyrata. W. en.	lyrate.	_____	Caspian Sea.	1816. — H.⊙.	
ZACINTHA. W.	ZACINTHA.	Cichoraceæ. J. <i>Lapsana</i> sp. L.			
verrucosa. W.	warted.	_____	S. Europe.	1633. 6.7. H.⊙.	{ Gært. sem. 2. t. 157. f. 7.
RHAGADIOLUS. W.	RHAGADIOLUS.	Cichoraceæ. J. <i>Lapsana</i> sp. L.			
1 stellatus. W.	starry.	_____	S. Europe.	1633. 6.7. H.⊙.	
2 edulis. W.	heart-leaved.	_____	Levant.	1633. 6.7. H.⊙.	Schk. hand. 3 t. 225.
3 Koelpinia. W.	small.	_____	_____	1788. 7. H.⊙.	Pall. it. 3. t. Ll. f. 2.
CATANANCHE. W.	CATANANCHE.	Cichoraceæ. J.			
1 carulea. W.	blue.	_____	S. Europe.	1596. 7.10. H.⊙.	Bot. mag. 293.
2 lutea. W.	yellow.	_____	Candia.	1640. 6.7. H.⊙.	Alp. exot. t. 296.
CICHORIUM. W.	SUCCORY.	Cichoraceæ. J.			
1 litybus. W.	wild.	_____	Britain.	 6.8. H.⊙.	Eng. bot. 539.
2 pumilum. W.	dwarf.	_____		1799. 7.8. H.⊙.	Jac. obs. 4. t. 80.
3 Endivia. W.	Endive.	_____	E. Ind.	1548. — H.⊙.	
4 divaricatum. W.	branching.	_____	Barbary.	1798. — H.⊙.	
5 spinosum. W.	prickly.	_____	Candia.	1638. — F. ♂.	Bauh. prodr. 1. 62.
SCOLYMUS. W.	{ GOLDEN- THISTLE. }	Cichoraceæ. J.			
1 maculatus. W.	annual.	_____	S. Europe.	1633. 7.8. H.⊙.	Lam. ill. t. 659.
2 hispanicus. W.	perennial.	_____	_____	1658. 7.9. H.⊙.	
ARCTIUM. W.	BURDOCK.	Cynarocephalæ. J.			
1 Lappa. W.	smooth-headed.	_____	Britain.	 7.8. H. ♂.	Eng. bot. 1228.
2 Bardana. W.	woolly-headed.	_____	_____	 — H. ♂.	2478.
SERRATULA. W.	SAW-WORT.	Cynarocephalæ. J.			
1 tinctoria. W.	common.	_____	Britain.	 7.10. H.⊙.	Eng. bot. 38.
2 coronata. W.	Siberian.	_____	Siberia.	1789. 7.8. H.⊙.	Gmel. sib. 2. t. 20.
3 quinquefolia. W.	five-leaved.	_____	Persia.	1804. — H.⊙.	Bot. mag. 1871.
4 pygmaea. W.	Pigmy.	_____	Austria.	1816. — H.⊙.	Jac. aust. t. 440.
5 alpina. W.	Alpine.	_____	Britain.	 — H.⊙.	Eng. bot. 599.
6 angustifolia. W.	narrow-leaved.	_____	Siberia.	1816. — H.⊙.	Gmel. sib. 2. t. 33.
7 sabicifolia. W.	Willow-leaved.	_____	_____	1796. — H.⊙.	2. t. 27.
8 centaurioides. W.	Centaury-like.	_____	_____	1804. — H.⊙.	2. n. 38. t. 17.
CARDUUS. W.	THISTLE.	Cynarocephalæ. J.			
1 leucographus. W.	white-spotted.	_____	Italy.	1752. 6.7. H.⊙.	Jac. vind. 3. t. 23.
2 crassifolius. W. en.	thick-leaved.	_____		1805. 7. H.⊙.	
3 arabicus. W.	Arabian.	_____	Arabia.	1789. 7.8. H.⊙.	Jac. ic. 1. t. 166.
4 nutans. W.	musk.	_____	Britain.	 — H.⊙.	Eng. bot. 1112.
carlinoides. W.	Pyrenean.	_____	Pyrenees.	1784. — H. ♂.	Gouan. ill. t. 23.

6 carlinaefolius. W.	Carline-leaved.	Cynarocephalæ. J.	Pyrenees.	1804.	7.8.	H. ♂.	
7 acanthoides. W.	welted.		Britain.		6.8.	H. ♂.	Eng. bot. 973.
8 tenuiflorus. W.	slender-flower'd.					H. ♂.	412.
9 crispus. W.	curled.		Europe.	1804.	7.8.	H. ♂.	Flor. dan. t. 621.
10 hamulosus. W.	spiny-hooked.		Hungary.	1802.	6.7.	H. ♂.	
11 candicans. W.	hoary.		Hungary.	1805.	7.8.	H. ♂.	Pl. rar. hung. 1. t. 83.
12 personata. W.	cut-leaved.		Austria.	1776.		H. ♂.	Jac. aust. 4. t. 348.
13 polyanthemus. W.	many-flowered.		Rome.	1739.	6.7.	H. ♂.	Triumf. obs. t. 103.
14 orientalis. W. en.	oriental.		Iberia.	1804.	7.	H. 2.	
15 paniculatus. W.	panicked.		S. Europe.	1781.	6.7.	H. 2.	
16 pyenocephalus. W.	Italian.			1739.	7.9.	H. 2.	Jac. vind. 1. t. 44.
17 argentatus. W.	White Egyptian.		Egypt.	1789.	6.8.	H. ♂.	2. t. 192.
18 cyanoides. W.	blue-bottle-lea ^d .		Siberia.	1778.	7.8.	H. 2.	Gmel. sib. 2. t. 15.
19 arctioides. W.	pinnated.		Carniola.	1804.		H. 2.	
20 alpestris. W.	Alpine.		Croatia.	1805.		H. 2.	
21 defloratus. W.	various-leaved.		Austria.	1570.	7.9.	H. 2.	Jac. aust. 1. t. 89.
22 pannonicus. W.	Hungarian.			1816.		H. 2.	3. t. 5.
23 parviflorus. W.	small-flowered.		S. Europe.	1781.	6.7.	H. 2.	
24 radiatus. W.	rayed.		Hungary.	1800.	7.	H. ♂.	Pl. rar. hung. 1. t. 11.
25 marianus. W.	milk.		Britain.			H. ♂.	Eng. bot. 976.
26 nitidus. W.	glossy.		Hungary.	1806.		H. 2.	Pl. rar. hung. 1. t. 52.
27 cerinthoides. W.	Honeywort-lea ^d .		S. Europe.	1739.	7.8.	H. 2.	Cav. ic. 3. t. 226.
CNICUS. W.	HORSETHISTLE.	Cynarocephalæ. J.	Cardui sp. P. S.				
1 palustris. W.	marsh.		Britain.		7.8.	H. ♂.	Eng. bot. 974.
2 canus. W.	hoary.		Austria.	1633.		H. 2.	Jac. aust. 1. t. 42. 3.
3 Acarna. W.	yellow.		Spain.	1683.	7.9.	H. ♂.	Cav. ic. 1. t. 53.
4 monspessulanus. W.	Montpelier.		Montpelier.	1596.	6.7.	H. 2.	
5 lanceolatus. W.	common.		Britain.		6.9.	H. ♂.	Eng. bot. 107.
6 ferox. W.	prickly.		S. Europe.	1683.	7.8.	H. ♂.	Ahl. ped. 1. t. 50.
7 ciliatus. W.	fringed.		Siberia.	1787.	8.	H. 2.	Mur. com. got. 6. t. 5.
8 eriophorus. W.	woolly-headed.		Britain.		7.8.	H. ♂.	Eng. bot. 386.
9 discolor. W.	two-coloured.		N. America.	1803.		H. ♂.	
10 altissimus. W.	giant.			1726.	3.9.	H. 2.	Dil. elt. t. 69. f. 80.
11 pratensis. W.	meadow.		Britain.		6.	H. 2.	Eng. bot. 177.
12 heterophyllus. W.	melancholy.				7.8.	H. 2.	675.
13 helenioides. W.	Elecampane-le ^d .		Siberia.	1804.		H. 2.	
14 serratuloides. W.	Saw-wort-like.			1752.	6.10.	H. 2.	Jac. aust. 2. t. 127.
15 arvensis. Ph.	corn or way.		Britain.		7.	H. 2.	Eng. bot. 975.
<i>Scarratula arvensis. W. Carduus arvensis. E. B.</i>							
16 rivularis. W.	river.		Hungary.	1804.	7.8.	H. 2.	Jac. aust. 1. t. 91.
17 pauciflorus. W.	few-flowered.			1816.		H. ♂.	Pl. rar. hung. 2. t. 161
18 tataricus. W.	Tartarian.		Siberia.	1775.		H. 2.	Jac. aust. 1. t. 90.
19 rigens. W.	upright Alpine.		Switzerland.	1775.	7.8.	H. 2.	{ La Chen. act. helv. 4. t. 16.
20 carniolicus. W.	Carniola.		Carniola.	1792.		H. 2.	{ Scop. carn. n. 1005. t. 54.
21 oleraceus. W.	pale-flowered.		Europe.	1570.		H. 2.	Fl. dan. 860.
22 munitus. W. en.	armed.		Caucasus.	1816.		H. 2.	
23 obvallatus. W. en.	crowded-flower ^d .					H. 2.	
24 Erisithales. W.	clammy.		France.	1752.	6.8.	H. 2.	Jac. aust. 4. t. 310.
25 ochroleucus. W.	pale yellow.		Switzerland.	1801.	7.	H. 2.	
26 tuberosus. W.	tuberous.		England.		8.10.	H. 2.	Lob. ic. t. 10. f. 2.
27 acaulis. W.	dwarf.		Britain.		7.8.	H. 2.	Eng. bot. 161.
28 Casabonæ. W.	Fish-bone.		S. Europe.	1714.	6.8.	F. ♂.	Schmid. ic. t. 51. 52.
29 afer. W.	Barbary.		Barbary.	1800.	6.7.	F. ♂.	Jac. schen. 2. t. 145.
30 diacanthus. Lab.	two-spined.		Syria.	—		F. ♂.	Lab. ic. pl. syr. 1. t. 3.
31 stellatus. W.	starry.		Italy.	1665.		H. ♂.	Triumf. obs. t. 96.
32 syriacus. W.	Syrian.		Levant.	1771.	7.8.	H. ♂.	Camer. hort. t. 10.
33 spinosissimus. W.	feathery-headed.		Switzerland.	1759.	6.8.	H. 2.	Bot. mag. 1366.
34 centauroides. W.	Artichoke-leav ^d .		Pyrenees.	1640.	7.8.	H. 2.	Moris. s. 7. t. 25. f. 2.
35 uniflorus. W.	one-flowered.		Siberia.	1796.		H. 2.	Gmel. sib. 2. t. 38.
36 cernuus. W.	nodding.			1755.	6.7.	H. 2.	Mill. ic. 2. t. 248.
ONOPORDUM. W.	{ COTTON THISTLE. }	Cynarocephalæ. J.					
1 Acanthium. W.	woolly.		Britain.		7.8.	H. ♂.	Eng. bot. 977.
2 tauricum. W.	Taurian.		Tauria.	1800.		H. ♂.	
3 macrocanthum. W.	long-spined.		Barbary.	1798.		H. ♂.	Schous. maroc. t. 5.
4 illyricum. W.	Illyrian.		S. Europe.	1648.		H. ♂.	Jac. vind. 2. t. 148.
5 deltoides. W.	Siberian.		Siberia.	1784.	8.	H. 2.	
6 græcum. W.	Grecian.		Levant.	1799.	6.7.	H. ♂.	Gouan. ill. t. 25.

7 arabicum. W.	Arabian.	Cynarocephalæ. J. S. Europe.	1686.	7.	H. ♂.	Jac. vind. 2. t. 149.
8 acaulon. W.	dwarf.		1739.	7.8.	H. ♂.	Jac. ic. 1. t. 167.
BERARDIA. Vill.	BERARDIA.	Cynarocephalæ. J. <i>Onopordi</i> sp. <i>W.</i>				
subacaulis. P. S.	round-leaved.	Italy.	1791.	7.8.	H. ♀.	Vill. dauph. 3. t. 22.
<i>Arctium lanuginosum</i> . Dec.	<i>Onopordum rotundifolium</i> . <i>W.</i>					
CYNARA. W.	ARTICHOKE.	Cynarocephalæ. J.				
1 Scolymus. W.	garden.	S. Europe.	1548.	8.9.	H. ♀.	Blackw. t. 458.
2 horrida. W.	Madeira.	Madeira.	1778.	—	G. ♀.	—
3 Cardunculus. W.	Cardoon.	Candia.	1658.	—	H. ♀.	Tabern. ic. 696.
4 humilis. W.	dwarf.	Spain.	1613.	7.8.	H. ♀.	Pluk. alm. t. 81. f. 2.
5 acaulis. W.	stemless.	Barbary.	1799.	7.	H. ♀.	Desf. alt. 2. t. 223.
6 glomerata. Th.	Cape.	C. B. S.	1816.	7.8.	G. ♀.	—
CARLINA. W.	{ CARLINE THISTLE. }	Cynarocephalæ. J.				
1 acaulis. W.	dwarf.	Italy.	1640.	6.	H. ♀.	Knorr. thes. 2. t. c. 1.
2 simplex. P. S.	single-flowered.	Hungary.	1816.	6.7.	H. ♀.	Pl. rar. hung. 2. t. 152
3 aggregata. W.	clustered.	—	1804.	6.9.	H. ♀.	—
4 lanata. W.	woolly.	S. Europe.	1683.	6.7.	H. ♂.	Garid. aix. t. 21.
5 corymbosa. W.	corymbed.	—	1640.	7.8.	H. ♀.	Col. ecphr. t. 27. f. 1
6 vulgaris. W.	common.	Britain.		6.9.	H. ♂.	Eng. bot. 1144.
7 racemosa. W.	racemed.	Spain.	1658.	6.8.	H. ♂.	—
8 pyrenaica. W.	Pyrenean.	Pyrenees.	1788.	6.	H. ♀.	—
ATRACTYLIS. W.	ATRACTYLIS.	Cynarocephalæ. J.				
humilis. W.	dwarf.	Spain.	1759.	6.7.	H. ♀.	Cav. ic. 1. t. 54.
ACARNA. W.	ACARNA.	Cynarocephalæ. J. <i>Attractylidis</i> sp. <i>Cav.</i>				
1 gummifera. W.	gummy-rooted.	S. Europe.	1640.	6.8.	H. ♀.	Cav. ic. 3. t. 228.
2 cancellata. W.	netted.	—	—	6.7.	H. ♂.	Lam. ill. t. 662. f. 1.
STOKESIA. W.	STOKESIA.	Cynarocephalæ. J.				
cyanea. W.	blue-flowered.	Carolina.	1766.	8.	G. ♀.	L'Her. sert. 27. t. 38.
STOBÆA. Th.	STOBÆA.	Cynarocephalæ. J.				
pinnata. Th.	Carthamus-like.	C. B. S.	1812.	1.12.	G. ♀.	Bot. mag. 1788.
CARTHAMUS. W.	CARTHAMUS.	Cynarocephalæ. J.				
1 tinctorius. W.	official.	Egypt.	1551.	6.7.	H. ♂.	Bot. reg. 170.
2 lanatus. W.	woolly.	S. Europe.	1596.	7.8.	H. ♂.	Schk. hand. 3. t. 233. 2142
3 creticus. W.	Cretan.	Candia.	1781.	6.7.	H. ♂.	—
4 tingitanus. W.	Tangier.	Barbary.	1759.	—	H. ♀.	Cav. ic. 2. t. 128.
5 cœruleus. W.	blue-flowered.	Spain.	1640.	—	H. ♀.	2293.
6 mitissimus. W.	small.	France.	1776.	—	H. ♀.	—
7 Carduncellus. W.	mountain.	—	1734.	5.6.	H. ♀.	—
8 arborescens. W.	tree.	Spain.	1781.	7.8.	G. ♀.	—
9 salicifolius. W.	Willow-leaved.	Madeira.	1784.	8.	G. ♀.	—
STÆHELINA. W.	STÆHELINA.	Cynarocephalæ. J.				
1 dubia. W.	Rosemary-leaved.	S. Europe.	1640.	6.7.	H. ♀.	Lam. ill. t. 666. f. 4.
2 arborescens. W.	Storax-leaved.	Candia.	1739.	7.9.	G. ♀.	Schreb. dec. 1. t. 1.
3 Chamæpence. W.	Pine-leaved.	—	1640.	7.11.	G. ♀.	Pluk. alm. t. 94. f. 3.
PTERONIA. W.	PTERONIA.	Cynarocephalæ. J.				
1 camphorata. W.	aromatic.	C. B. S.	1774.	6.7.	G. ♀.	Pluk. mant. 345. f. 2
2 stricta. W.	cluster-flowered.	—	—	4.6.	G. ♀.	—
3 flexicaulis. W.	bending-stalked.	—	1812.	6.8.	G. ♀.	—
4 oppositifolia. W.	opposite-leaved.	—	1774.	7.	G. ♀.	Lam. ill. t. 667. f. 2.
5 scariosa. W.	Window-calyxed.	—	1815.	6.8.	G. ♀.	—
VERNONIA. W.	VERNONIA.	Corymbiferae. J.				
1 noveboracensis. W.	long-leaved.	N. America.	1710.	9.11.	H. ♀.	Dill. elt. t. 263. f. 342.
2 præalta. W.	tall.	—	1732.	—	H. ♀.	— t. 264. f. 343.
3 angustifolia. Ph.	narrow-leaved.	—	1817.	—	H. ♀.	—
4 glauca. W.	glaucous-leaved.	—	1710.	—	H. ♀.	Dill. elt. t. 262. f. 341
5 anthemintica. W.	purple.	E. Ind.	1770.	8.9.	S. ♂.	Rheed. mal. 2. t. 24.
LIATRIS. W.	LIATRIS.	Corymbiferae. J.				
1 squarrosa. W.	rough-cupped.	N. America.	1732.	7.8.	H. ♀.	Dill. elt. t. 71. f. 82.
2 scariosa. W.	scarious-cupped.	—	1739.	9.10.	H. ♀.	Bot. mag. 1709. 530
3 sphaeroidea. Ph.	globular-cupped.	—	1817.	8.10.	H. ♀.	—
4 elegans. W.	hairy-cupped.	—	1787.	9.10.	H. ♀.	Bot. reg. 267.
5 pilosa. W.	hairy-leaved.	—	1783.	—	H. ♀.	—
6 cylindracea. Ph.	cylindrical-cup ^d .	—	1811.	8.10.	H. ♀.	—
7 heterophylla. Ph.	various-leaved.	—	1790.	7.8.	H. ♀.	—
8 pycnostachya. Ph.	pubescent-leav ^d .	—	1732.	8.10.	H. ♀.	Dill. elt. t. 72. f. 83.
9 spicata. W.	long-spiked.	—	1732.	—	H. ♀.	Bot. rep. 401.
10 odoratissima. W.	sweet-scented.	Carolina.	1786.	—	G. ♀.	— 633.
MIKANIA.	MIKANIA.	Corymbiferae. J.				
1 Houstoni. W.	Houstoun's.	Jamaica.	1733.	7.3.	S. ♀.	—

2 hastata. W.	halbert-leaved.	Corymbiferae. J.	Jamaica.		S. h.	Brown. jam. t. 34. f. 3
3 scandens. W.	climbing.	_____	N. America.	1714.	8.9.	G. 2. Jac. ic. 1. t. 169.
EUPATORIUM. W.	EUPATORIUM.	Corymbiferae. J.	_____	_____	_____	_____
1 Dalea. W.	shrubby.	_____	Jamaica.	1773.	8.	S. h. Jac. schœn. 2. t. 146
2 fœniculaceum. Ph.	Fennel-leaved.	_____	N. America.	1807.	6.9.	H. 2. _____
3 hyssopifolium. W.	Hyssop-leaved.	_____	_____	1699.	8.9.	H. 2. Dill. elt. t. 115. f. 140
4 sessilifolium. W.	sessile-leaved.	_____	_____	1777.	9.10.	H. 2. _____
5 teucrifolium. W.	Teucrium-leaved.	_____	_____	1816.	8.11.	H. 2. W. hort. ber. 32.
6 rotundifolium. W.	round-leaved.	_____	_____	1699.	7.8.	H. 2. Pluk. alm. t. 88. f. 4.
7 altissimum. W.	tall.	_____	_____	_____	9.10.	H. 2. Jac. vind. 2. t. 164.
8 trifoliatum. W.	three-leaved.	_____	_____	1768.	8.10.	H. 2. _____
9 cannabinum. W.	Hemp Agrimony.	_____	Britain.		7.10.	H. 2. Eng. bot. 428.
10 syriacum. W.	Syrian.	_____	Syria.	1807.	7.9.	H. 2. Jac. ic. 1. t. 170.
11 purpureum. W.	purple-stalked.	_____	N. America.	1640.	9.10.	H. 2. Corn. canad. t. 72.
12 maculatum. Ph.	spotted-stalked.	_____	_____	1656.	8.9.	H. 2. Herm. parad. t. 158.
13 punctatum. Ph.	punctated.	_____	_____	1815.	_____	H. 2. _____
14 verticillatum. W.	whorl-leaved.	_____	_____	1811.	_____	H. 2. _____
15 perfoliatum. Ph.	Feverwort.	_____	_____	1699.	8.10.	H. 2. Pluk. alm. t. 87. f. 6.
16 cœlestinum. W.	blue-flowered.	_____	_____	1732.	7.11.	H. 2. Dill. elt. t. 114. f. 139
17 urticæfolium. W.	Nettle-leaved.	_____	S. America.	1803.	7.8.	F. 2. Smith ined. t. 68.
18 aromaticum. W.	aromatic.	_____	N. America.	1739.	_____	H. 2. Pluk. alm. t. 88. f. 3.
19 ageratoides. W.	Ageratum-like.	_____	_____	1640.	8.10.	H. 2. Corn. canad. t. 21.
20 odoratum. W.	sweet-scented.	_____	Jamaica.	1752.	_____	S. h. Pluk. alm. t. 177. f. 3.
21 ivæfolium. W.	Iva-leaved.	_____	_____	1794.	6.7.	S. 2. _____
AGERATUM. W.	AGERATUM.	Corymbiferae. J.	_____	_____	_____	_____
1 conyzoides. W.	hairy.	_____	America.	1714.	7.8.	H. 2. Schk. hand. 3. t. 238.
2 latifolium. W.	broad-leaved.	_____	Peru.	1800.	_____	H. 2. Cav. ic. 4. t. 357.
3 cœlestinum. B. M.	blue-flowered.	_____			7.10.	G. h. Bot. mag. 1730.
STEVIA. W.	STEVIA.	Corymbiferae. J.	_____	_____	_____	_____
1 purpurea. W. en.	purple.	_____	Mexico.	1812.	8.9.	H. 2. Pot. reg. 93.
2 Eupatoria. W.	entire-leaved.	_____	_____	1798.	7.9.	H. 2. Bot. mag. 1849.
3 hyssopifolia. B. M.	Hyssop-leaved.	_____	_____		8.9.	H. 2. _____ 1861.
4 salicifolia. W.	Willow-leaved.	_____	_____	1803.	_____	F. 2. Cav. ic. 4. t. 354.
5 serrata. W.	saw-leaved.	_____	_____	1799.	7.9.	H. 2. Jac. schœn. 3. t. 300.
6 ivæfolia. W. en.	Iva-leaved.	_____	_____	1816.	_____	H. 2. _____
7 ovata. W. en.	oval-leaved.	_____	_____	_____	8.9.	H. 2. _____
8 pedata. W.	multifid.	_____	_____	1803.	7.9.	H. 2. Cav. ic. 4. t. 356. 2040
CEPHALOPHORA. W.	CEPHALOPHORA.	Corymbiferae. J.	_____	_____	_____	_____
1 glauca. W.	glaucous.	_____	Chili.	1798.	7.8.	F. 2. Cav. ic. 6. t. 599.
HYMENOPAPPUS. J.	HYMENOPAPPUS.	Corymbiferae. J.	_____	_____	_____	_____
1 tenuifolius. Ph.	slender-leaved.	_____	Louisiana.	1811.	6.8.	F. 2. _____
MELANANTHERA. Mi.	MELANANTHERA.	Corymbiferae. J.	Bidentis sp. IV.	_____	_____	_____
1 hastata. Ph.	snowy.	_____	N. America.	1732.	6.7.	G. 2. Dill. elt. t. 47. f. 55.
2 β pandurata.	fiddle-leaved.	_____	_____	_____	_____	G. 2. _____ t. 46. f. 54.
2 deltoidea. Mi.	rough-leaved.	_____	S. America.	1799.	7.8.	S. 2. Jac. ic. 3. t. 583.
Calca aspera. W.	_____	_____	_____	_____	_____	_____
MARSHALLIA. Ph.	MARSHALLIA.	Corymbiferae. J.	Persoonia. Mi. Trattenickia. P. S.	_____	_____	_____
1 lanceolata. Ph.	spear-leaved.	_____	Carolina.	1812.	6.7.	F. 2. _____
2 latifolia. Ph.	broad-leaved.	_____	_____	1806.	_____	F. 2. Mich. amer. 2. t. 43.
SPILANTHES. W.	SPILANTHES.	Corymbiferae. J.	_____	_____	_____	_____
1 Pseudo-Acmella. W.	spear-leaved.	_____	Ceylon.	1768.	7.	S. 2. Pluk. alm. t. 159. f. 4.
2 alba. W.	white-flowered.	_____	Peru.	1783.	6.7.	S. 2. L'Her. stirp. 7. t. 4.
3 oleracea. W.	esulent.	_____	E. Ind.	1770.	7.9.	S. 2. Jac. vind. 2. t. 135.
4 crocata. B. M.	saffron-coloured.	_____	S. America.	1812.	1.3.	S. 2. Bot. mag. 1627.
BIDENS. W.	BIDENS.	Corymbiferae. J.	_____	_____	_____	_____
1 nodiflora. W.	sessile-flowered.	_____	E. Ind.	1732.	7.8.	S. 2. Dill. elt. t. 44. f. 52.
2 tripartita. W.	trifid.	_____	Britain.		7.9.	H. 2. Eng. bot. 1113.
3 cernua. W.	nodding.	_____	_____		_____	H. 2. _____ 1114.
4 heterophylla. W.	various-leaved.	_____	Mexico.	1803.	8.9.	G. 2. Orteg. dec. 8. t. 12.
5 frondosa. W.	smooth-stalked.	_____	N. America.	1710.	7.8.	H. 2. Moris. s. 6. t. 5. f. 21.
6 leucantha. W.	white-flowered.	_____	S. America.		_____	H. 2. _____
7 chinensis. W.	Chinese.	_____	China.	1801.	6.7.	H. 2. {Rumph. amb. 6. t. 15. f. 2.
8 pilosa. W.	hairy.	_____	N. America.	1732.	7.	H. 2. Dill. elt. t. 43. f. 51.
9 sambucifolia. W.	Elder-leaved.	_____	S. America.	1801.	7.8.	H. 2. Cav. ic. 3. t. 229.
10 bipinnata. W.	Hemlock-leav'd.	_____	N. America.	1687.	_____	H. 2. Herm. parad. t. 123.
11 bullata. W.	rough-leaved.	_____	_____	1759.	_____	H. 2. Arduin. spect. 2. t. 18

LAGASCA. Cav.	LAGASCA.	Corymbiferae. J.					
mollis. Cav.	soft.		S. America.	1815.	6.9.	S. ☉.	Bot. mag. 1804.
LAVENIA. W.	LAVENIA.	Corymbiferae. J.					
erecta. W.	upright.		E. Ind.	1739.	7.9.	S. ☉.	Burm. zeyl. t. 42.
CACALIA. W.	CACALIA.	Corymbiferae. J.					
1 papillaris. W.	rough-stalked.		C. B. S.	1727.		G. h.	Dill. elt. t. 55. f. 63.
2 Anteu-phorbium. W.	oval-leaved.			1596.	2.3.	G. h.	— t. 55. f. 2.3.
3 Kleinia. W.	Oleander-leaved.		Canaries.	1732.	9.10.	G. h.	Plant. grass. 12.
4 Ficoides. W.	flat-leaved.		C. B. S.	1710.	6.11.	G. h.	— 90.
5 carnosa. W.	narrow-leaved.			1757.	6.	G. h.	
6 repens. W.	glaucous-leaved.			1759.	6.10.	G. h.	Plant. grass. 42.
7 Haworthii.	woolly-leaved.			1795.		G. h.	
tomentosa. M. n. not of Thunberg.							
8 articulata. W.	jointed.			1775.	9.11.	G. h.	Plant. grass. 18.
9 tomentosa. Th.	tomentose.			1795.		G. h.	
10 appendiculata. W.	appendaged.		Teneriffe.	1815.		G. h.	
11 bicolor. W.	two-coloured.		E. Ind.	1804.	9.5.	S. h.	Bot. reg. 110.
12 ovalis. B. reg.	oval-leaved.				—	S. —	— 102.
13 sonchifolia. W.	Sow-thistle-lea ^d .		E. Ind.	1768.	7.	S. ☉.	Rheed. mal. 10. t. 68.
14 coccinea. H. K.	scarlet-flowered.			1799.	6.7.	H. ☉.	Bot. mag. 564.
15 saraceniaca. W.	creeping-rooted.		France.	1772.	8.10.	H. h.	
16 hastata. W.	spear-leaved.		Siberia.	1780.	—	H. h.	Gmel. sib. 2. t. 66.
17 rhombifolia. W.	rhomb-leaved.			1816.	—	H. h.	
18 suaveolens. W.	sweet-scented.		N. America.	1752.	—	H. h.	
19 atriplicifolia. W.	Orache-leaved.			1699.	8.	H. h.	Pluk. alm. t. 101. f. 2.
20 reniformis. W.	kidney-leaved.			1801.	7.8.	H. h.	
21 alpina. W.	Alpine.		Austria.	1739.	—	H. h.	Jac. aust. 3. t. 234.
22 albifrons. W.	white-leaved.			—	—	H. h.	— 3. t. 235.
23 scandens. W.	climbing.		C. B. S.	1774.	4.	G. h.	
24 pinnata. W. en.	wing-leaved.		Iberia.	1816.	7.8.	H. h.	
KLEINIA. W.	KLEINIA.	Corymbiferae. J.					
porophyllum. W.	perforated.		N. America.	1699.	6.10.	S. ☉.	Cav. ic. 3. t. 222. 2695
ETHULIA. W.	ETHULIA.	Corymbiferae. J.					
1 conyzoides. W.	panicled.		India.	1776.	7.8.	S. ☉.	Linn. fil. dec. t. 1.
2 divaricata. W.	spreading.			1815.	—	S. ☉.	Lam. ill. t. 699.
PIQUERIA. W.	PIQUERIA.	Corymbiferae. J.					
trinervia. W.	three-nerved.		Mexico.	1798.	7.8.	G. h.	Cav. ic. 3. t. 235.
CHRYSO-COMA. W.	GOLDY-LOCKS.	Corymbiferae. J.					
1 Comaurea. W.	great-shrubby.		C. B. S.	1731.	6.8.	G. h.	Volk. norib. t. 148. 2652
2 cernua. W.	small-shrubby.			1712.	5.9.	G. h.	Comm. hort. 2. t. 45.
3 ciliaris. W.	Heath-leaved.			1759.	7.10.	G. h.	— 2. t. 48.
4 scabra. W.	rugged.			1732.	8.9.	G. h.	Dill. elt. t. 88. f. 103.
5 denticulata. W.	toothed.				—	G. h.	Jac. schœn. 3. t. 368.
6 Linosyris. W.	German.		Europe.	1596.	9.10.	H. h.	Schk. hand. 3. t. 238.
7 dracunculoides. W.	Siberian.		Siberia.		—	H. h.	
8 biflora. W.	two-flowered.			1741.	8.9.	H. h.	Gmel. sib. 2. t. 82. f. 1
9 villosa. W.	hairy-leaved.		Hungary.	1799.	—	H. h.	Pl. rar. hung. 1. t. 58.
TARCHONANTHUS. W.	{ AFRICAN FLEA- BANE. }	Corymbiferae. J.					
camphoratus. W.	shrubby.		C. B. S.	1690.	6.10.	G. h.	Lam. ill. t. 671.
CALEA. W.	CALEA.	Corymbiferae. J.					
1 Jamaicensis. W.	purple-flowered.		W. Ind.	1739.	6.7.	S. h.	Slo. jam. 1. t. 151. f. 3.
2 oppositifolia. W.	opposite-leaved.			—	7.8.	S. h.	
3 lobata. W.	Halberd-weed.			1733.	6.7.	S. h.	Bot. mag. 1734.
HUMEA. Sm.	HUMEA.	Corymbiferae. J.	Calomera, Vent. malm.	73.			
elegans. H. K.	rose-coloured.		N. S. W.	1800.	6.10.	G. h.	Exot. bot. 1. t. 1.
CÆSULIA. W.	CÆSULIA.	Corymbiferae. J.					
axillaris. W.	axillary-flower ^d .		E. Ind.	1804.	7.9.	S. h.	Bot. rep. 431.
IXODIA. H. K.	IXODIA.	Corymbiferae. J.					
aciliæ-læoides. H. K.	Milfoil-like.		N. Holland.	1803.	3.9.	G. h.	Bot. mag. 1534.
SANTOLINA. W.	{ LAVENDER- COTTON. }	Corymbiferae. J.					
1 Chamæ-Cyparissus. W.	common.		S. Europe.	1573.	7.	H. h.	Lam. ill. t. 671. f. 3.
2 squarrosa. W.	hoary.			1570.	7.8.	H. h.	Moris. s. 6. t. 3. f. 17.
3 viridis. W.	dark-green.			1727.	7.	H. h.	
4 rosmarinifolia. W.	Rosemary-leav ^d .			1683.	7.9.	H. h.	Exot. bot. 2. t. 62.
5 maritima. W.	sea.		England.		—	H. h.	Eng. bot. 141.
6 alpina. W.	Alpine.		Italy.	1798.	—	H. h.	Barr. rar. t. 522.
7 anthemoides. W.	Chamomile-lea ^d .			1727.	7.8.	H. h.	

ATHANASIA. W.	ATHANASIA.	Corymbiferae. J.					
1 capitata. W.	hairy.	_____	C. B. S.	1774.	1.3.	G. h.	Moris. s. 6. t. 3. f. 48.
2 pubescens. W.	villous-leaved.	_____	_____	1768.	6.8.	G. h.	Comm. hort. 2. t. 47.
3 annua. W.	annual.	_____	Barbary.	1686.	7.8.	H. ☉.	Sch. hand. 3. t. 239.
4 dentata. W.	tooth-leaved.	_____	C. B. S.	1759.	_____	G. h.	Comm. rar. t. 41.
5 trifurcata. W.	trifid-leaved.	_____	_____	1710.	_____	G. h.	Comm. hort. 2. t. 149.
6 virgata. W.	twiggy.	_____	_____	1815.	_____	G. h.	Jac. schœn. 2. t. 148.
7 tomentosa. W.	Lavender-leav'd.	_____	_____	1774.	5.6.	G. h.	_____
8 filiformis. W.	fine-leaved.	_____	_____	1787.	8.	G. h.	_____
9 crithmifolia. W.	Samphire-leav'd.	_____	_____	1723.	7.8.	G. h.	Comm. hort. 2. t. 50.
10 parviflora. W.	small-flowered.	_____	_____	1731.	4.	G. h.	Jac. schœn. 2. t. 149.
11 pectinata. W.	pectinated.	_____	_____	1774.	5.6.	G. h.	_____
BALSAMITA. W.	COSTMARY.	Corymbiferae. J.					
1 virgata. W.	twiggy.	_____	Italy.	1791.	6.7.	H. 2.	Jac. obs. 4. t. 81.
2 ageratifolia. W.	Ageratum-leav'd.	_____	Candia.	1605.	6.10.	G. h.	Alp. exot. t. 326.
3 vulgaris. W.	common.	_____	Italy.	1568.	8.9.	H. 2.	Sch. hand. 3. t. 240.
PENTZIA. Th.	PENTZIA.	Corymbiferae. J.	<i>Tanacetii sp. L.</i>				
fabelliformis. W.	fan-leaved.	_____	C. B. S.	1774.	5.8.	G. h.	Bot. mag. 212.

SUPERFLUA.

TANACETUM. W.	TANSY.	Corymbiferae. J.					
1 linifolium. W.	Flax-leaved.	_____	C. B. S.	1774.	8.	G. h.	_____
2 suffruticosum. W.	shrubby.	_____	_____	1751.	5.9.	G. h.	Comm. hort. 2. t. 100.
3 argenteum. W.	silvery.	_____	Levant.	1812.	_____	H. 2.	_____
4 annuum. W.	annual.	_____	Spain.	1629.	7.8.	H. ☉.	Mill. ic. 2. t. 227. f. 1.
5 vulgare. W.	common.	_____	Britain.		_____	H. 2.	Eng. bot. 1229.
	<i>β crispum.</i>						
	<i>curled.</i>						
ARTEMISIA. W.	WORMWOOD.	Corymbiferae. J.					
1 judaica. W.	Judean.	_____	Levant.	1688.	8.	G. h.	Pluk. alm. t. 73. f. 2.
2 valentina. W.	Spanish.	_____	Spain.	1739.	7.8.	F. h.	Barr. ic. t. 485.
3 subcanescens. W. en	hoary-leaved.	_____	S. Europe.		_____	F. h.	_____
4 Abrotanum. W.	Southernwood.	_____	_____	1548.	8.10.	H. h.	Blackw. t. 555.
5 humilis. W. en.	dwarf.	_____	Carniola.		_____	H. h.	_____
6 tenuifolia. W.	slender-leaved.	_____		1732.	9.12.	G. h.	Dill. elt. t. 33. f. 37.
7 arborescens. W.	tree.	_____	Levant.	1640.	6.8.	H. h.	Lob. ic. 753.
8 argentea. W.	silvery.	_____	Madeira.	1777.	6.7.	G. h.	_____
9 glacialis. W.	silky.	_____	Switzerland.	1739.	7.8.	H. 2.	Jac. aus. 5. t. ap. 35.
10 mutellina. W.	Alpine.	_____	Alps of Eur.	1815.	_____	H. 2.	Vill. daup. 3. t. 35.
11 caucasica. W.	Caucasian.	_____	Caucasus.	1804.	6.7.	H. 2.	_____
12 spicata. W.	spiked.	_____	Switzerland.	1790.	_____	H. 2.	Jac. aust. 5. t. ap. 34.
13 pectinata. W.	comb-leaved.	_____	Dauria.	1806.	_____	H. ☉.	Pall. it. 3. t. Hh. f. 2.
14 tanacetifolia. W.	Tansy-leaved.	_____	Siberia.	1768.	7.8.	H. 2.	All. ped. 1. t. 10. f. 3.
15 Santonica. W.	Tartarian.	_____	_____	1596.	9.11.	H. h.	Gmel. sib. 2. t. 51.
16 scoparia. W.	besom.	_____	Hungary.	1796.	7.9.	H. ☉.	Pl. rar. hung. 1. t. 65.
17 campestris. W.	field.	_____	England.		8.	H. 2.	Eng. bot. 338.
18 pauciflora. W.	few-flowered.	_____	Siberia.	1800.	_____	H. 2.	_____
19 palustris. W.	marsh.	_____	_____	1804.	7.8.	H. ☉.	Gmel. sib. 2. t. 55.
20 neglecta. W. en.	neglected.	_____	_____	1815.	_____	H. 2.	_____
21 crithmifolia. W.	Samphire-leav'd.	_____	Portugal.	1739.	8.10.	H. h.	_____
22 saxatilis. W.	rock.	_____	Hungary.	1816.	6.8.	H. 2.	_____
23 glauca. W.	glaucous.	_____	Hungary.	1806.	_____	H. 2.	_____
24 monogyna. W.	one-styled.	_____	Hungary.	1816.	_____	H. 2.	Pl. rar. hung. 1. t. 75.
25 palmata. W.	palmated.	_____	S. Europe.	1739.	6.7.	G. h.	_____
26 nivca. W. en.	snowy.	_____	Siberia.	1815.	_____	H. 2.	_____
27 maritima. W.	drooping-flow'd.	_____	Britain.		8.9.	H. 2.	Eng. bot. 1706.
28 gallica. W.	upright-flow'r'd.	_____	_____		_____	H. 2.	1001.
29 fragrans. W.	Lavender-leaved.	_____	Armenia.	1739.	6.7.	H. 2.	_____
30 austriaca. W.	Austrian.	_____	Austria.	1597.	8.10.	H. 2.	Jac. aust. 1. t. 100.
31 vallesiaca. W.	downy.	_____	Italy.	1739.	7.8.	H. 2.	_____
32 rupestris. W.	nodding-flow'r'd.	_____	Siberia.	1748.	8.	H. 2.	Flor. dan. t. 801.
33 sericea. W.	silky-leaved.	_____	_____	1796.	6.7.	H. 2.	Gmel. sib. t. 64. f. 1.
34 repens. W.	creeping.	_____	_____	1805.	6.7.	H. 2.	_____
35 balsamica. W. en.	Balsam-scented.	_____		1816.	_____	H. 2.	_____
36 pontica. W.	Roman.	_____	Austria.	1570.	9.	H. 2.	Jac. aust. 1. t. 99.
37 chamamelifolia. W.	Chamomile-le'd.	_____	S. Europe.	1739.	7.8.	F. 2.	Vill. dauph. 3. t. 35.
38 annua. W.	annual.	_____	Siberia.	1741.	_____	H. ☉.	Am. ruth. t. 196. f. 23.
39 biennis. Ph.	biennial.	_____	Missouri.	1804.	_____	H. 2.	Jac. ic. 1. t. 172.
40 Absinthium. W.	common.	_____	Britain.		7.10.	H. 2.	Eng. bot. 1230.
41 Siversiana. W.	Sivers's.	_____	Siberia.	1800.	7.8.	H. 2.	_____
42 vulgaris. W.	Mugwort.	_____	Britain.		8.9.	H. 2.	Eng. bot. 978.

43 indica. W.	Indian.	Corymbiferae. J.	E. Ind.	1796. 9.10. F. 2.	Rheed. mal. 10. t. 45.
44 integrifolia. W.	entire-leaved.	—	Siberia.	1759. 7.8. H. 2.	Gms. sib. 2. t. 48. f. 1. 2.
45 japonica. W.	Japanese.	—	Japan.	1804. 10. 11. H. 2.	—
46 caerulescens. W.	bluish.	—	England.	 8.10. H. 2.	Eng. bot. 2426.
47 inodora. W. en.	inodorous.	—	Siberia.	1548. 7.8. H. 2.	{ Gmel. sib. 2. t. 59 & 60. f. 1.
48 Dracunculus. W.	Tarragon.	—	S. Europe.	— — H. 2.	
GNAPHALIUM. W.	EVERLASTING.	Corymbiferae. J.	—	—	—
1 eximium. W.	giant.	—	C. B. S.	1793. 7.8. G. 2.	Bot. rep. 654.
2 crispum. W.	curled.	—	—	1809. G. 2.	—
3 arboreum. W.	tree.	—	—	1770. 2.8. G. 2.	—
4 grandiflorum. W.	great-flowered.	—	—	1731. 6.8. G. 2.	Bot. rep. 489.
5 fruticans. W.	shrubby.	—	—	1779. — G. 2.	Bot. mag. 1802.
6 congestum. W.	close-headed.	—	—	1791. 5.6. G. 2.	Bot. reg. 243.
7 patulum. W.	spreading.	—	—	1771. 8.1. G. 2.	—
8 discolorum. W.	two-coloured.	—	—	1815. 5.8. G. 2.	Burm. afr. t. 97. f. 4.
9 cephalotes. W.	large-headed.	—	—	1789. 11.1. G. 2.	Pluk. phyt. t. 410. f. 2
10 fastigiatum. W.	close-flowered.	—	—	1812. 5.8. G. 2.	Pet. gaz. 12. t. 7. f. 3.
11 milleflorum. W.	many-flowered.	—	—	1802. 6.9. G. 2.	—
12 diosmæfolium. P. S.	Diosma-leaved.	—	—	1812. 3.8. G. 2.	Vent. malm. t. 74.
13 ericoides. W.	Heath-leaved.	—	—	1774. — G. 2.	Bot. mag. 435.
14 teretifolia. W.	round-leaved.	—	—	1812. — G. 2.	Burm. afr. t. 77. f. 3.
15 Stœchas. W.	common shrubby.	—	Europe.	1629. 6.10. H. 2.	Barr. ic. 410.
16 ignescens. W.	red-flowered.	—	C. B. S.	1731. — G. 2.	—
17 crassifolium. W.	thick-leaved.	—	Balearic Isl.	1774. 7.9. G. 2.	—
18 maritimum. W.	sea.	—	C. B. S.	1772. 6.8. G. 2.	Burm. afr. t. 77. f. 2.
19 dasyanthum. W. en.	hairy-flowered.	—	—	1812. — G. 2.	—
20 orientale. W.	eastern.	—	Africa.	1629. 4.8. G. 2.	Comm. hort. 2. t. 55.
21 cymosum. W.	branching.	—	—	1731. — G. 2.	Dill. elt. t. 107. f. 128
22 rutilans. W.	shining-flowered.	—	C. B. S.	1731. 6.7. G. 2.	— t. 107. f. 127
23 arenarium. W.	sand.	—	Europe.	1739. 7.9. H. 2.	— 2189
24 luteo-album. W.	Jersey.	—	England.	 7.8. H. 2.	Eng. bot. 1002.
25 albescens. W.	white Jamaica.	—	Jamaica.	1793. S. 2.	—
26 apiculatum. H. K.	New Holland.	—	Van Diem. Isl.	1804. 1.12. G. 2.	Bot. reg. 240.
27 odoratissimum. W.	sweet-scented.	—	C. B. S.	1691. 4.8. G. 2.	Mill. ic. 1. t. 131. f. 2.
28 sanguineum. W.	bloody.	—	Egypt.	1768. 5.7. H. 2.	Rauw. it. 285. t. 37.
29 foetidum. W.	strong-scented.	—	C. B. S.	1692. 6.9. F. 2.	Comm. hort. 2. t. 56.
30 undulatum. W.	wave-leaved.	—	Africa.	1732. — H. 2.	Dill. elt. t. 108. f. 130
31 helianthemifolium. W. }	Sun-rose-leaved.	—	C. B. S.	1774. 7.10. G. 2.	Volck. norib. t. 194.
32 squarrosus. W.	squarrose.	—	—	1816. — G. 2.	Jac. frag. t. 3. f. 4.
33 obtusifolium. W.	blunt-leaved.	—	N. America.	1699. 7.9. H. 2.	Dill. elt. t. 108. f. 131
34 margaritaceum. W.	pearly.	—	England.	 — H. 2.	Eng. bot. 2018.
35 plantaginifolium. W.	Plantain-leaved.	—	Virginia.	1759. 6.7. H. 2.	Pluk. alm. t. 348. f. 9.
36 dioicum. W.	dicious.	—	Britain.	 5.7. H. 2.	Eng. bot. 267.
37 alpinum. W.	Alpine.	—	Alps of Eur.	1775. 6.7. H. 2.	Flor. dan. t. 332.
38 purpureum. W.	purple-flowered.	—	S. America.	1732. 6.9. G. 2.	Dill. elt. t. 109. f. 132
39 americanum. W. en.	Jamaica.	—	Jamaica.	1815. S. 2.	—
40 pensylvanicum. W. en. }	American.	—	N. America.	— 7.9. H. 2.	—
41 sylvaticum. W.	highland.	—	Britain.	 8. H. 2.	Eng. bot. 913.
42 rectum. W.	upright wood.	—	—	 — H. 2.	— 124.
43 supinum. W.	dwarf.	—	Scotland.	 6.7. H. 2.	— 1193.
44 declinatum. W.	creeping.	—	C. B. S.	1787. 7.9. G. 2.	—
45 uliginosum. W.	marsh.	—	Britain.	 8. H. 2.	Eng. bot. 1194.
46 glomeratum. W.	cluster-flowered.	—	C. B. S.	1774. 3.9. G. 2.	—
47 Leontopodium. W.	Lion's-foot.	—	Austria.	1776. 6.7. H. 2.	Bot. mag. 1958.
48 germanicum. W.	common.	—	Britain.	 6.8. H. 2.	Eng. bot. 948.
49 gallicum. W.	narrow-leaved.	—	England.	 — H. 2.	— 2369.
50 pyramidalum. W.	pyramidal.	—	S. Europe.	1779. — H. 2.	—
51 minimum. W.	least.	—	Britain.	 7.8. H. 2.	Eng. bot. 1157.
52 arvense. W.	corn.	—	Europe.	1804. — H. 2.	—
XERANTHEMUM }	XERANTHEMUM	Corymbiferae. J.	—	—	—
W.	—	—	—	—	—
1 annuum. W.	annual.	—	S. Europe.	1570. 7.8. H. 2.	Jac. aust. 4. t. 388.
2 inapertum. W.	small-flowered.	—	—	1620. — H. 2.	Moris. s. 6. t. 12. f. 1.
3 orientale. W.	oriental.	—	Levant.	1713. — H. 2.	—
ELICHRYSUM. W.	ELICHRYSUM.	Corymbiferae. J.	Xeranthemi sp. L.	—	—
1 vestitum. W.	upright.	—	C. B. S.	1774. 7.9. G. 2.	Burm. afr. t. 66. f. 1.
2 spirale. W.	spiral-leaved.	—	—	1801. 7.10. G. 2.	Bot. rep. 262.

3 speciosissimum. W.	showy.	Corymbiferae. J.	C. B. S.	1691. 7.9.	G. h.	Bot. rep. 51.
4 dealbatum. P. S.	herbaceous.		VanDiemIsl.	1812. 1.12.	G. 2.	Lab. nov. ho. 2. t. 190
5 fulgidum. W.	great yellow.		C. B. S.	1774. 2.10.	G. h.	Bot. mag. 414.
6 variegatum. W.	large globular-fl ^d .			1801. 5.6.	G. h.	
7 proliferum. W.	proliferous.			1789. 5.11.	G. h.	Bot. reg. 21. 2365
8 canescens. W.	elegant.			1794. 8.4.	G. h.	Bot. mag. 420.
9 argenteum. W.	silvery.			1800. 4.7.	G. h.	
10 tetortum. W.	trailing.			1732. 7.8.	G. h.	Dill. elt. t. 322. f. 415
11 humile. B. R.	low.			1812. 6.9.	G. h.	Bot. rep. c. ic.
12 sesamoides. W.	superb.			1739. 4.6.	G. h.	Bot. mag. 425.
13 fasciculatum. W.	bundle-leaved.			1799. 3.9.	G. h.	Bot. rep. 242.
β album.	white-flowered.				G. h.	279.
γ rubrum.	red-flowered.				G. h.	650.
14 rigidum. H. K.	rigid-leaved.			1801. 5.6.	G. h.	387.
15 ericoides. P. S.	filiform.			1796. 4.6.	G. h.	Lam. ill. t. 693. f. 2.
16 Stæbelina. W.	Stæbelina-like.			1801. 12.1.	G. h.	Bot. rep. 428.
17 fragrans. B. R.	fragrant.			1803. 7.	G. h.	c. ic.
18 herbaceum. B. R.	shining-flowered.			1802. 7.9.	G. 2.	Bot. rep. 487.
splendens. B. M.	1773.					
19 paniculatum. W.	corymb-flowered.			1800. 6.9.	G. h.	Burm. afr. t. 67. f. 1.
20 bracteatum. W.	wave-leaved.		N. Holland.	1799. 7.10.	H. ○.	Bot. rep. 375.
CARPESIMUM. W.	CARPESIMUM.	Corymbiferae. J.				
1 cernuum. W.	drooping.		Austria.	1739. 7.8.	H. 2.	Jac. aust. 3. t. 204.
2 abrotanoides. W.	{ Southern- wood-like. }		China.	1768. —	H. 2.	Osb. it. t. 10.
BACCHARIS. W.	{ PLOWMAN'S SPIKENARD. }	Corymbiferae. J.				
1 angustifolia. Ph.	narrow-leaved.		N. America.	1812. 7.9.	G. h.	
2 ivæfolia. W.	Peruvian.		America.	1696. 7.8.	G. h.	Schk. hand. 3. t. 244.
3 nerifolia. W.	Oleander-leaved.		C. B. S.	1752. 8.11.	G. h.	
4 halimifolia. W.	Groundsel Tree.		N. America.	1683. 10.11.	H. h.	Schmidt arb. t. 82.
CONYZA. W.	FLEA-BANE.	Corymbiferae. J.				
1 squarrosa. W.	great.		Britain.	 7.8.	H. ♂.	Eng. bot. 1195.
2 marylandica. Ph.	Maryland.		N. America.	 8.10.	H. ○.	Dill. elt. t. 88. f. 104.
3 camphorata. Ph.	Camphor-scent ^d .			1704. —	G. 2.	— t. 89. f. 105.
4 patula. W.	spreading.		China.	1758. 7.9.	H. ○.	Mill. ic. 2. t. 247.
5 bifrons. W.	oval-leaved.		N. America.	1739. 8.9.	H. 2.	Pluk. alm. t. 87. f. 4.
6 candida. W.	woolly.		Candia.	1714. 6.7.	F. h.	Barr. ic. t. 217.
7 chinensis. W.	Chinese.		China.	1796. 7.8.	S. ♂.	Rum. am. 6. t. 14. f. 2.
8 verbascifolia. W.	Mullein-leaved.		Sicily.	1808.	G. h.	Bocc. sic. t. 31. f. 2.
9 hirsuta. W.	shaggy.		China.	1767. 8.9.	G. ♂.	
10 ægyptiaca. W.	Egyptian.		Egypt.	1778. 7.	S. ○.	Jac. vind. 3. t. 19.
11 Gouani. W.	Gouan's.		Canaries.	1772. 7.8.	G. ♂.	— 3. t. 79.
12 sicala. W.	red-stalked.		Sicily.	1779. 8.9.	H. ○.	Bocc. sic. t. 31. f. 4.
13 foetida. W.	stinking.		Africa.	1724. —	G. 2.	Mill. ic. 2. t. 233.
14 sordida. W.	small-flowered.		S. Europe.	1570. 7.9.	G. h.	Barr. ic. t. 368.
15 saxatilis. W.	stone.			1640. 7.8.	G. h.	Schk. hand. 3. t. 241.
16 rupestris. W.	rock.		Arabia.	1790.	G. h.	Schmidel. ic. t. 36.
17 sericea. W.	snowy.		Canaries.	1779.	G. h.	
18 inuloides. W.	cluster-flowered.		Teneriffe.	1780. 7.8.	G. h.	Jac. ic. 1. t. 171.
19 odorata. W.	sweet-scented.		India.	1759. 6.8.	S. h.	Plum. ic. t. 97.
20 arborescens. W.	tree.		Jamaica.	1733. 11.12.	S. h.	
21 incisa. W.	ear-leaved.		C. B. S.	1774. 6.8.	G. h.	
22 thapsoides. W.	Thapsus-leaved.		Caspian Sea.	1806. 7.9.	H. h.	
23 virgata. W.	wing-stalked.		America.	1783. 8.9.	G. 2.	Slo. hist. 1. t. 152. f. 5.
24 rugosa. H. K.	St. Helena.		St. Helena.	1772. 11.	G. h.	
MADIA. W.	MADIA.	Corymbiferae. J.				
viscosa. W.	clammy.		Chili.	1794. 7.8.	H. ○.	Jac. schoen. 3. t. 302. 257
ERIGERON. W.	ERIGERON.	Corymbiferae. J.				
1 graveolens. W.	strong-smelling.		S. Europe.	1633. 7.8.	H. ○.	Ger. emac. 481. f. 2.
2 compositum. Ph.	Daisy-flowered.		N. America.	1811. —	H. 2.	
3 carolinianum. W.	Hyssop-leaved.			1727. —	H. 2.	Dill. elt. t. 306. f. 394
4 canadense. W.	Canada.		England.	 8.9.	H. ○.	Eng. bot. 2019.
5 bonariense. W.	Buck's-horn.		S. America.	1732. 7.8.	H. ○.	Dill. elt. t. 257. f. 334
6 linifolium. W.	Flax-leaved.			 —	H. ○.	
7 philadelphicum. W.	spreading.		N. America.	1778. —	H. 2.	
8 nudicaule. Ph.	naked-stalked.			1812. 7.	H. 2.	
9 purpureum. W.	purple.		Huds.'s Bay.	1776. 7.8.	H. 2.	
10 bellidifolium. Ph.	Plantain-leaved.		N. America.	1790. —	H. 2.	330. 2402
11 heterophyllum. Ph.	various-leaved.			1640. 7.9.	H. ♂.	Fl. dan. 486.

12 Villarsii. W.	Villars's.	Corymbiferae. J.	Piedmont.	1804.	7.8.	H. 2.	Bellar. ap. fl. ped. t. 7. 533
13 acre. W.	blue.	_____	Britain.		—	H. 3.	Eng. bot. 1158.
14 alpinum. W.	Alpine.	_____	Scotland.		7.	H. 2.	— 464.
15 uniflorum. W.	dwarf.	_____	_____		8.9.	H. 2.	— 2416.
16 glaucum. B. reg.	shrubby.	_____		1812.	1.12.	G. h.	Bot. reg. 10.
17 delphinifolium. W. en.	Larkspur-leaved.	_____	S. America.	1816.	7.9.	G. 3.	_____
TUSSILAGO. W.	Colt's Foot.	Corymbiferae. J.	_____	_____	_____	_____	_____
1 nutans. W.	drooping-flow ^d .	_____	W. Ind.	1793.	6.7.	S. 3.	Plum. ic. t. 41. f. 1.
2 alpina. W.	Alpine.	_____	Austria.	1710.	3.5.	H. 2.	Bot. mag. 84.
3 discolor. W.	two-coloured.	_____	_____	1633.	4.5.	H. 2.	Jac. anst. 3. t. 247.
4 sylvestris. W.	wood.	_____	_____	1816.	—	H. 2.	— 5. ap. t. 12.
5 farfara. W.	common.	_____	Britain.		3.4.	H. 2.	Eng. bot. 429.
6 frigida. W.	Lapland.	_____	Lapland.	1710.	5.	H. 2.	Fl. dan. t. 61.
7 fragrans. W.	sweet-scented.	_____	Italy.	1806.	1.3.	F. 2.	Bot. mag. 1388.
8 alba. W.	White Butter Bur.	_____	Europe.	1683.	1.4.	H. 2.	Fl. dan. 524.
9 nivea. W.	downy-leaved.	_____	Switzerland.	1713.	4.	H. 2.	Retz. obs. 2. t. 3.
10 Petasites. E. B.	{ Common Butter Bur. }	_____	Britain.		3.4.	H. 2.	Eng. bot. 431.
11 hybrida. E. B.	hybrid.	_____	_____		—	H. 2.	— 430.
12 spuria. W.	lobe-leaved.	_____	Germany.	1790.	—	H. 2.	Retz. obs. 1. t. 2.
13 palmata. W.	cut-leaved.	_____	Labrador.	1778.	4.	H. 2.	Hort. Kew. 3. t. 11.
SENECIO. W.	GROUNDSEL.	Corymbiferae. J.	_____	_____	_____	_____	_____
1 reclinatus. W.	Grass-leaved.	_____	C. B. S.	1774.	6.8.	G. 3.	Jac. ic. 1. t. 174.
2 hieracifolius. W.	Hawkweed.	_____	N. America.	1699.	8.	H. 2.	Herm. parad. t. 226.
3 purpureus. W.	purple.	_____	C. B. S.	1774.	7.9.	G. 2.	Bot. ic. 3. t. 580.
4 cernuus. W.	drooping.	_____	E. Ind.	1780.	7.8.	H. 2.	Jac. vind. 3. t. 98.
5 erubescens. W.	blush-coloured.	_____	C. B. S.	1774.	6.10.	G. 3.	_____
6 divaricatus. W.	straddling.	_____	China.	1801.	7.	G. 3.	_____
7 croaticus. W.	Croatian.	_____	Hungary.	1805.	7.8.	H. 2.	Pl. rar. hun. 2. t. 143.
8 Pseudo-China. W.	Chinese.	_____	E. Ind.	1732.	6.8.	S. 2.	Dill. elt. t. 258. f. 335
9 hœmatophyllus. W. en.	purple-leaved.	_____		1789.	4.	S. 2.	_____
10 japonicus. W.	jagged-leaved.	_____	Japan.	1774.	8.	H. 2.	_____
11 vulgaris. W.	common.	_____	Britain.		1.12.	H. 2.	Eng. bot. 747.
12 arabicus. W.	Arabian.	_____	Egypt.	1804.	7.8.	H. 3.	_____
13 verbenæfolius. W.	Vervain-leaved.	_____	_____	1803.	6.7.	H. 2.	Jac. vind. 1. t. 3.
14 triflorus. W.	three-flowered.	_____	_____	1776.	7.9.	H. 2.	_____
15 ægyptius. W.	Egyptian.	_____	_____	1771.	7.8.	H. 2.	_____
16 crassifolius. W.	thick-leaved.	_____	S. Europe.	1815.	—	H. 2.	_____
17 lividus. W.	livid.	_____	Spain.	1801.	—	H. 2.	Schk. hand. 3. t. 245.
18 trilobus. W.	three-lobed.	_____	_____	1728.	6.8.	H. 2.	_____
19 cinerascens. W.	gray.	_____	C. B. S.	1774.	5.7.	G. h.	Jac. schœn. 2. t. 150.
20 viscosus. W.	stinking.	_____	Britain.		6.10.	H. 2.	Eng. bot. 32.
21 sylvaticus. W.	mountain.	_____	_____		7.8.	H. 2.	— 748.
22 nebrodensis. W.	Nebrodes.	_____	S. Europe.	1704.	6.8.	H. 2.	Barr. rar. 401.
23 glaucus. W.	sea-green.	_____	Egypt.	1739.	6.8.	H. 2.	_____
24 hastatus. W.	halberd-leaved.	_____	C. B. S.	1722.	5.8.	G. 2.	Dil. elt. t. 152. f. 184.
25 vernalis. W.	spring.	_____	Hungary.	1803.	4.6.	H. 2.	Pl. rar. hung. 1. t. 24.
26 rupestris. W.	rock.	_____	_____	1805.	6.7.	H. 2.	— 2. t. 128
27 venustus. W.	wing-leaved.	_____	C. B. S.	1774.	7.9.	G. 3.	_____
28 elegans. W.	elegant.	_____	_____	1700.	6.8.	H. 2.	_____
β flore pleno.	double-flowered.	_____	_____		1.12.	G. h.	Bot. mag. 238.
29 squalidus. W.	inelegant.	_____	England.		6.10.	H. 2.	Eng. bot. 600.
30 speciosus. W.	red-flowered.	_____		1789.	7.8.	G. 2.	Bot. reg. 41.
31 erucafolius. W.	Eruca-leaved.	_____	Europe.	1816.	—	H. 2.	_____
32 uniflorus. W.	Alpine.	_____	Alps of Eur.	1799.	—	H. 2.	All. ped. t. 17. f. 8.
33 incanus. W.	downy.	_____	_____	1759.	—	H. 2.	Pluk. alm. t. 39. f. 6.
34 abrotanifolius. W.	Southernwood- ^{ld}	_____	_____	1640.	7.10.	H. 2.	Jac. aust. 1. t. 79.
35 tenuifolius. W.	slender-leaved.	_____	Britain.		7.8.	H. 2.	Eng. bot. 574.
36 Jacobæa. W.	{ Common Ragwort }	_____	_____		—	H. 2.	— 1130.
37 aquaticus. W.	marsh.	_____	_____		5.6.	H. 2.	— 1131.
38 aureus. W.	golden.	_____	N. America.	1758.	7.8.	H. 2.	_____
39 rosmarinifolius. W.	Rosemary-leaf ^d .	_____	C. B. S.		—	G. h.	Jac. ic. 3. t. 587.
40 asper. W.	rough.	_____	_____	1774.	—	G. h.	_____
41 rigescens. W.	stiff-leaved.	_____	_____	1815.	—	G. h.	Jac. coll. 5. t. 6. f. 1.
42 paludosus. W.	bird's-tongue.	_____	England.		6.8.	H. 2.	Eng. bot. 650.
43 nemorensis. W.	branching.	_____	Austria.	1785.	7.8.	H. 2.	Jac. aust. 2. t. 184.
44 sarracenicus. W.	creeping-rooted.	_____	Britain.		7.10.	H. 2.	Eng. bot. 2211.

45 umbrosus. W. en.	various-leaved.	Corymbiferae. J.	Hungary.	1815. 7.8.	H. 2.	
46 coriaceus. W.	leathery-leaved.	—	Levant.	1728. —	H. 2.	Dill. elt. t. 105. f. 125
47 Doria. W.	broad-leaved.	—	Austria.	1570. 7.9.	H. 2.	Jac. aust. 2. t. 185.
48 Doronicum. W.	Leopard's Bane.	—	S. Europe.	1705. —	H. 2.	— 5. t. ap. 45.
49 lanceus. W.	spear-leaved.	—	C. B. S.	1774. 7.10.	G. 2.	
50 longifolius. W.	long-leaved.	—	—	1775. 8.11.	G. 2.	Comm. hort. 2. t. 71.
51 halimifolius. W.	succulent-leaf'd.	—	—	1723. 7.	G. 2.	Dill. elt. t. 104. f. 124
52 ilicifolius. W.	Ilex-leaved.	—	—	1731. 6.7.	G. 2.	Comm. rar. t. 42.
53 rigidus. W.	hard-leaved.	—	—	1704. 6.9.	G. 2.	Com. hort. 2. t. 75.
ASTER. W.	STARWORT.	Corymbiferae. J.				
1 reflexus. W.	reflexed-leaved.	—	C. B. S.	1759. 2.9.	G. 2.	Bot. mag. 884.
2 tomentosus. W.	tooth-leaved.	—	N. S. W.	1793. 5.7.	G. 2.	Bot. rep. 61.
3 sericeus. W.	silky-leaved.	—	Missouri.	1802. 5.11.	G. 2.	Vent. cel. 33.
4 Cymbalariae. W.	Ivy-leaved.	—	C. B. S.	1786. —	G. 2.	Vent. malm. 95.
5 liratus. B. M.	fluted-stemmed.	—	N. S. W.	1812. 5.7.	G. 2.	Bot. mag. 1509.
6 argophyllus. H. K.	Musk-scented.	—	Van Diem Isl	1804. 5.7.	G. 2.	— 1863.
7 angustifolius. W.	narrow-leaved.	—	C. B. S.	—	G. 2.	Jac. schœn. 3. t. 370.
8 villosus. Th.	villous.	—	—	1812. —	G. 2.	
9 obtusatus. W.	obtusely-leaved.	—	—	1793. —	G. 2.	
10 fruticosus. W.	shrubby.	—	—	1759. 3.7.	G. 2.	Jac. frag. 9. t. 5. f. 4. 2285
11 filifolius. V.	thread-leaved.	—	—	1812. —	G. 2.	Vent. malm. t. 82.
12 alpinus. W.	Alpine.	—	Alps of Eur.	1658. 5.8.	H. 2.	Bot. mag. 199.
13 caucasicus. W.	Caucasian.	—	Caucasus.	1804. 7.8.	H. 2.	
14 altaicus. W. en.	dwarf.	—	Siberia.	— 5.8.	H. 2.	
15 tenellus. W.	slender.	—	C. B. S.	1769. 4.10.	G. 2.	Bot. mag. 33.
16 nemoralis. H. K.	wood.	—	N. America.	1778. 8.9.	H. 2.	
ledifolius. Ph.						
17 hyssopifolius. W.	Hyssop-leaved.	—	—	1683. 9.10.	H. 2.	Dodart. mem. t. 60.
18 punctatus. W.	dotted.	—	Hungary.	1815. 8.9.	H. 2.	Pl. rar. hung. 2. t. 109
19 acris. W.	acid.	—	S. Europe.	1731. —	H. 2.	Pluk. alm. t. 271. f. 3
20 canus. W.	hoary-leaved.	—	Hungary.	1816. —	H. 2.	Pl. rar. hung. 1. t. 30.
21 solidaginoides. W.	Solidago-like.	—	N. America.	1699. —	H. 2.	Pluk. alm. t. 79. f. 2.
22 rigidus. Ph.	stiff-leaved.	—	—	1759. 8.10.	H. 2.	— t. 14. f. 7.
23 linariifolius. Ph.	Toad-flax-leaf'd.	—	—	1699. 9.10.	H. 2.	
24 linifolius. W.	Flax-leaved.	—	—	1739. 7.8.	H. 2.	
25 pilosus. W.	hairy.	—	—	1812. 8.10.	H. 2.	
26 foliolosus. W.	leafy.	—	—	1732. 10.	H. 2.	Dil. elt. t. 35. f. 89.
27 tenuifolius. W.	slender-leaved.	—	—	1725. 9.10.	H. 2.	Pluk. alm. t. 78. f. 5.
28 dumosus. W.	bushy.	—	—	1734. —	H. 2.	Herm. parad. 95.
29 ericoides. W.	Heath-leaved.	—	—	1758. 9.	H. 2.	
30 multiflorus. W.	many-flowered.	—	—	1732. 9.10.	H. 2.	Dill. elt. t. 36. f. 40.
31 ciliatus. W.	ciliated.	—	—		H. 2.	
32 canescens. Ph.	canescent.	—	—	1812. —	H. 2.	
33 sparsiflorus. Ph.	scattered-flower'd.	—	—	1798. 9.11.	H. 2.	
34 coridifolius. W.	Coris-leaved.	—	—	 8.11.	H. 2.	
35 squarrosus. W.	ragged.	—	—	1801. 6.7.	H. 2.	
36 argenteus. H. K.	silver-leaved.	—	—	— 7.9.	H. 2.	
37 concolor. W.	self-coloured.	—	—	1759. 8.11.	H. 2.	
38 reticulatus. Ph.	netted-leaved.	—	—	1812. 8.10.	H. 2.	
39 cornifolius. W.	Cornus-leaved.	—	—	1811. —	H. 2.	
40 humilis. Ph.	low.	—	—	1699. —	H. 2.	Willd. hort. ber. 67.
41 amygdalinus. Ph.	Almond-leaved.	—	—	1759. 7.9.	H. 2.	
umbellatus. W.						
42 salicifolius. W.	Willow-leaved.	—	—	1760. 9.10.	H. 2.	Rob. ic. 307.
43 æstivus. W.	summer.	—	—	1776. 7.8.	H. 2.	
44 pannonicus. W.	Hungarian.	—	Hungary.	1815. —	H. 2.	Jac. vind. 1. t. 8.
45 Amellus. W.	Italian.	—	Italy.	1596. 8.9.	H. 2.	Jac. aust. 5. t. 425.
46 novæ anglæ. W.	New England.	—	N. America.	1710. 9.10.	H. 2.	Bot. reg. 183.
β rubrus.	red-flowered.	—	—	1812. —	H. 2.	— 183. f. inf.
47 spurius. W.	beautiful blue.	—	—	1789. —	H. 2.	Hoff. phyt. 1. t. B. f. 1.
cyaneus. Ph. rubricaulis. Lan.						
48 paludosus. W.	marsh.	—	—	1784. —	H. 2.	
49 carolinianus. W.	tall.	—	Carolina.	 8.9.	H. 2.	
50 grandiflorus. W.	great-flowered.	—	N. America.	1720. 10.11.	H. 2.	Bot. reg. 273.
51 phlogifolius. W.	Phlox-leaved.	—	—	1797. 7.10.	H. 2.	
52 patens. W.	spreading-hairy.	—	—	1773. 9.11.	H. 2.	
53 undulatus. W.	wave-leaved.	—	—	1699. 8.10.	H. 2.	Herm. parad. 96.
54 paniculatus. W.	panicked.	—	—	1640. 9.10.	H. 2.	Corn. canad. t. 65.
55 cordifolius. W.	heart-leaved.	—	—	1759. 7.8.	H. 2.	
56 corymbosus. W.	corymbed.	—	—	1765. 9.	H. 2.	

57	macrophyllus. W.	large-leaved.	Corymbifera. J.	N. America.	1739.	7.9.	H. 2.	
58	heterophyllus. W. en.	various-leaved.	_____	_____	1811.	_____	H. 2.	
59	chinensis. W.	Chinese.	_____	China.	1731.	7.9.	H. 2.	Dill. elt. t. 34. f. 38.
60	Tripolium. W.	sea.	_____	Britain.		8.9.	H. 2.	Eng. bot. 87.
61	salignus. W.	Sallow-leaved.	_____	Germany.	1815.	_____	H. 2.	
62	puniceus. W.	red-stalked.	_____	N. America.	1710.	7.10.	H. 2.	Herm. lugd. t. 651.
63	hispidus. W.	rough-stalked.	_____	China.	1804.	9.10.	H. 2.	1c. Kämpf. t. 29.
64	sibiricus. W.	Siberian.	_____	Siberia.	1768.	7.10.	H. 2.	Gmel. sib. 2. t. 80. f. 1.
65	elegans. W.	elegant.	_____		1790.	8.10.	H. 2.	
66	amplexicaulis. W.	stem-clasping.	_____	N. America.		9.11.	H. 2.	
67	adulterinus. W. en.	bastard.	_____	_____		8.10.	H. 2.	
68	laevigatus. W.	smooth-stemm'd.	_____	_____	1794.	9.11.	H. 2.	
69	longifolius. P. S.	long-leaved.	_____	_____	1798.	10.	H. 2.	
70	versicolor. W.	various-colour'd.	_____	_____	1790.	8.9.	H. 2.	
71	mutabilis. W.	changeable.	_____	_____	1710.	9.10.	H. 2.	Herm. lugd. t. 67.
72	laevis. W.	smooth.	_____	_____	1758.	_____	H. 2.	
73	concinus. W. en.	neat.	_____	_____	1800.	_____	H. 2.	
74	floribundus. W.	abundant-flow'r ^e .	_____	_____		_____	H. 2.	
75	pallens. W. en.	pale-flowered.	_____	_____		_____	H. 2.	
76	novi-belgii. W.	New York.	_____	_____	1710.	_____	H. 2.	Herm. lugd. t. 69.
77	bellidiflorus. W. en.	Daisy-flowered.	_____	_____		_____	H. 2.	
78	præcox. W. en.	early-flowering.	_____		1800.	7.8.	H. 2.	
79	spectabilis. W.	showy.	_____	N. America.	1777.	8.9.	H. 2.	
80	serotinus. W.	late-flowering.	_____	_____		9.11.	H. 2.	
81	tardiflorus. W.	spear-leaved.	_____	_____	1775.	7.9.	H. 2.	
82	blandus. Ph.	charming.	_____	_____	1800.	10.11.	H. 2.	
83	acuminatus. Ph.	acuminate.	_____	_____	1806.	8.10.	H. 2.	
84	conyzoides. W.	Conyza-like.	_____	_____	1778.	8.9.	H. 2.	
85	Radula. W.	rasp-leaved.	_____	_____	1785.	9.11.	H. 2.	
86	strictus. Ph.	upright dwarf.	_____	_____	1806.	_____	H. 2.	
87	Tradescanti. W.	Michaelmas Daisy.	_____	_____	1633.	7.9.	H. 2.	Moris. s. 7. t. 21. f. 42
88	recurvatus. W.	recurved.	_____	_____	1800.	8.9.	H. 2.	
89	eminens. Ph.	eminent.	_____	_____		9.11.	H. 2.	
90	laxus. Ph.	loose-stalked.	_____	_____		_____	H. 2.	
91	simplex. W. en.	single-stalked.	_____	_____		8.10.	H. 2.	
92	polyphyllus. W. en.	many-leaved.	_____	_____		_____	H. 2.	
93	junceus. W.	slender-stalked.	_____	_____	1758.	9.10.	H. 2.	
94	lanceolatus. W.	lanceolate.	_____	_____	1811.	8.11.	H. 2.	
95	dracunculoides. W.	Tarragon-like.	_____	_____	_____	9.11.	H. 2.	
96	fragilis. W.	brittle.	_____	_____	1800.	9.	H. 2.	
97	miser. W.	meager-flower'd.	_____	_____	1759.	9.10.	H. 2.	
98	divergens. W.	spreading downy.	_____	_____	1758.	_____	H. 2.	
99	diffusus. W.	diffuse.	_____	_____	1777.	_____	H. 2.	
100	pendulus. W.	pendulous.	_____	_____	1758.	_____	H. 2.	
SOLIDAGO. W.		GOLDEN-ROD.	Corymbifera. J.					
1	canadensis. W.	Canadian.	_____	N. America.	1648.	7.9.	H. 2.	Schk. handb. 2. f. 246.
2	fragrans. W. en.	fragrant.	_____	_____		_____	H. 2.	
3	procera. W.	great.	_____	_____	1758.	9.10.	H. 2.	
4	serotina. W.	upright smooth.	_____	_____	_____	7.8.	H. 2.	
5	gigantea. W.	gigantic.	_____	_____	1758.	8.9.	H. 2.	
6	ciliaris. W.	ciliated.	_____	_____	1811.	_____	H. 2.	
7	reflexa. W.	hanging-leaved.	_____	_____	1758.	_____	H. 2.	
8	lateriflora. W.	lateral-flowered.	_____	_____	_____	_____	H. 2.	
9	aspera. W.	rough-leaved.	_____	_____	1732.	9.	H. 2.	Dill. elt. t. 305. f. 392
10	altissima. Ph.	tall.	_____	_____	1696.	8.9.	H. 2.	Mart. cent. 14.
11	rugosa. Ph.	wrinkle-leaved.	_____	_____	1732.	_____	H. 2.	Dill. elt. t. 308. f. 396
12	villosa. Ph.	villous.	_____	_____	_____	_____	H. 2.	
13	scabra. W.	rough.	_____	_____	1811.	_____	H. 2.	
14	nemoralis. W.	woolly-stalked.	_____	_____	1769.	9.	H. 2.	
15	patula. W.	spreading.	_____	_____	1805.	9.10.	H. 2.	
16	ulmifolia. W.	Elm-leaved.	_____	_____	_____	8.10.	H. 2.	
17	arguta. W.	sharp-notched.	_____	_____	1758.	7.8.	H. 2.	
18	junceus. W.	Rush-stalked.	_____	_____	1769.	8.9.	H. 2.	
19	elliptica. W.	oval-leaved.	_____	_____	1759.	_____	H. 2.	
20	recurvata. W. en.	recurved.	_____	_____		9.11.	H. 2.	
21	sempervirens. W.	evergreen.	_____	_____	1699.	9.10.	H. 2.	Corn. canad. t. 169.
22	odora. W.	sweet-smelling.	_____	_____	_____	7.8.	H. 2.	Pluk. alm. t. 116. f. 6.
23	pauciflosculosa. Ph.	slender-flowered.	_____	_____	1811.	8.10.	H. 2.	
24	bicolor. W.	two-coloured.	_____	_____	1759.	8.9.	H. 2.	Pluk. alm. t. 114. f. 8.

25 petiolaris. W.	late-flowered.	Corymbiferae. J.	N. America.	1758. 10. 12.	H. 2.	
26 stricta. W.	Willow-leaved.	—	—	—	9.	H. 2.
27 lanceolata. Ph.	Grass-leaved.	—	—	—	10.	H. 2.
28 tenuifolia. Ph.	slender-leaved.	—	—	—	9. 10.	H. 2.
29 caesia. W.	Maryland.	—	—	1732.	—	H. 2.
30 livida. W. en.	livid.	—	—		—	H. 2.
31 hirta. W. en.	hairy.	—	—		—	H. 2.
32 lithospermifolia. Ph.	Gromwell-leav'd.	—	—	1811.	8. 10.	H. 2.
33 laevigata. W.	fleshy-leaved.	—	—	1699.	10. 11.	H. 2.
34 mexicana. W.	Mexican.	—	—	1683.	7. 10.	H. 2.
35 vininea. W.	twiggy.	—	—	1759.	9.	H. 2.
36 erecta. Ph.	upright.	—	—		8. 10.	H. 2.
37 macrophylla. Ph.	large-leaved.	—	—		—	H. 2.
38 flexicaulis. W.	crook-stalked.	—	—	1725.	9.	H. 2.
39 latifolia.	broad-leaved.	—	—	—	11.	H. 2.
40 ambigua. W.	angular-stalked.	—	—	1759.	7. 8.	H. 2.
41 axillaris. Ph.	axillary.	—	N. America.	1811.	8. 10.	H. 2.
42 Virgaurea. W.	common.	—	Britain.		7. 9.	H. 2.
43 cambrica. W.	Welch.	—	Wales.		7. 8.	H. 2.
44 multiradiata. W.	Labrador.	—	Labrador.	1776.	—	H. 2.
45 minuta. W.	least.	—	Pyrenees.	1772.	—	H. 2.
46 humilis. Ph.	dwarf.	—	N. America.	1811.	—	H. 2.
47 elata. Ph.	tall hairy.	—	—	—	8. 10.	H. 2.
48 rigida. W.	hard-leaved.	—	—	1710.	9.	H. 2.
CINERARIA. W.		Corymbiferae. J.				
1 geifolia. W.	Kidney-leaved.	—	C. B. S.	1710.	4. 8.	G. 2.
2 parviflora. H. K.	small-flowered.	—	—	1790.	—	G. 2.
3 aurita. W.	purple-flowered.	—	Madeira.	1777.	6. 7.	G. 2.
4 lactea. W. en.	milk-coloured.	—	—	1816.	—	G. 2.
5 cruenta. W.	purple-leaved.	—	Canaries.	1777.	2. 5.	G. 2.
6 hybrida. W. en.	hybrid.	—	—		—	G. 2.
7 populifolia. H. K.	Poplar-leaved.	—	Canaries.	1780.	6. 9.	G. 2.
8 lobata. W.	lobed.	—	C. B. S.	1774.	6. 8.	G. 2.
9 malvaefolia. W.	Mallow-leaved.	—	Azores.	1777.	8.	G. 2.
10 petasites. B. M.	Butter-bur-leav'd.	—	Mexico.	1812.	12. 2.	G. 2.
11 discolor. W.	white-leaved.	—	Jamaica.	1804.	7. 8.	S. 2.
12 sibirica. W.	Siberian.	—	Siberia.	1784.	6. 8.	H. 2.
13 gigantea. H. K.	gigantic.	—	Cape Horn.	1801.	7. 8.	H. 2.
14 glauca. W.	glaucous-leav'd.	—	Siberia.	1790.	6. 7.	H. 2.
15 palustris. W.	marsh.	—	England.		—	H. 2.
16 campestris. W.	mountain.	—	—		5. 6.	H. 2.
integrifolia. E. B.		—	—	—	—	152.
17 longifolia. W.	long-leaved.	—	Austria.	1792.	6. 8.	H. 2.
18 cordifolia. W.	heart-leaved.	—	—	1739.	7. 8.	H. 2.
19 alpina. W.	Alpine.	—	—	1683.	6. 8.	H. 2.
20 maritima. W.	Sea Ragwort.	—	S. Europe.	1633.	7. 9.	F. 2.
21 canadensis. W.	Canadian.	—	Canada.	1739.	6. 8.	H. 2.
22 linifolia. W.	Flax-leaved.	—	C. B. S.		—	G. 2.
23 humifusa. W.	trailing.	—	—	1704.	7. 8.	G. 2.
24 viscosa. W.	clammy.	—	—	1774.	6. 8.	G. 2.
25 lanata. W.	woolly.	—	Canaries.	1780.	5. 9.	G. 2.
26 amelloides. W.	blue-flowered.	—	C. B. S.	1753.	2. 9.	G. 2.
INULA. W.		Corymbiferae. J.				
1 Helenium. W.	Elecampane.	—	Britain.		7. 8.	H. 2.
2 Oculus-Christi. W.	hoary.	—	Austria.	1759.	7. 9.	H. 2.
3 britannica. W.	creeping-rooted.	—	Germany.	—	—	H. 2.
4 dysenterica. W.	meadow.	—	England.		8. 9.	H. 2.
5 undulata. W.	wave-leaved.	—	Egypt.	1739.	7. 10.	H. 2.
6 indica. W.	Indian.	—	E. Ind.	—	—	S. 2.
7 Pulicaria. W.	Small Fleawort.	—	England.		8. 9.	H. 2.
8 squarrosa. W.	net-leaved.	—	Italy.	1768.	7. 9.	H. 2.
9 viscosa. W.	clammy.	—	S. Europe.	1596.	7. 8.	G. 2.
10 tuberosa. P. S.	tuberous-rooted.	—	—	1640.	7. 8.	H. 2.
Erigeron tuberosum. W.		—	—	—	—	19. f. 20.
11 salicina. W.	Willow-leaved.	—	N. Europe.	1648.	8. 9.	H. 2.
12 glandulosa. W.	glandulous.	—	Georgia.	1804.	7. 8.	H. 2.
13 Bubonium. W.	Austrian.	—	Austria.	1801.	7. 9.	H. 2.
14 hirta. W.	hairy.	—	—	1759.	6. 9.	H. 2.
15 suaveolens. W.	woolly-leaved.	—	S. Europe.	1758.	6. 8.	H. 2.
16 Vaillantii. W.	Vaillant's.	—	France.	1739.	6. 8.	H. 2.

17 mariana. W.	American.	Corymbiferae. J.	N. America.	1742. 7.8. H. 2.	Mill. ic. 1. t. 57. f. f.
18 germanica. W.	German.	_____	Germany.	1759. 6.7. H. 2.	Jac. aust. 2. t. 134.
19 ensifolia. W.	sword-leaved.	_____	Austria.	1793. 7.9. H. 2.	_____ 2. t. 162.
20 crithmifolia. W.	Samphire-leav'd.	_____	England.	 8.9. H. 2.	Eng. bot. 63.
21 provincialis. W.	oval-leaved.	_____	France.	1778. 7.8. H. 2.	_____
22 montana. W.	mountain.	_____	S. Europe.	1759. — H. 2.	Garid aix. t. 10.
23 bifrons. W.	Italian.	_____	_____	1713. 6.8. H. 2.	Herm. parad. t. 127.
24 saturoideis. W.	Savory-leaved.	_____	Vera Cruz.	1733. S. h.	Reliq. Houst. 8. t. 13
25 fœtida. W.	stinking.	_____	Malta.	1688. 6.8. H. 2.	Boc. sic. 26. t. 13.
GRINDELIA. W. en.	GRINDELIA.	Corymbiferae. J.	Donia. H. K. et Ph.	_____	_____
1 glutinosa. H. K.	glutinous.	_____	Mexico.	1803. 1.12. G. h.	Bot. reg. 187.
2 inuloides. W. en.	Inula-like.	_____	_____	1815. 6.9. G. h.	_____ 248.
3 squarrosa. Ph.	Snakes-headed.	_____	Missouri.	1811. 7.9. G. 2.	Bot. mag. 1706.
PODOLEPIS. H. K.	PODOLEPIS.	Corymbiferae. J.	Scalia. B. M.	_____	_____
1 rugata. H. K.	wrinkle-scaled.	_____	N. Holland.	1803. 7.8. G. 2.	Lab. no. hol. 2. t. 203
2 acuminata. H. K.	sharp-scaled.	_____	N. S. W.	— 5.8. G. 2.	Bot. mag. 956.
ARNICA. W.	ARNICA.	Corymbiferae. J.	_____	_____	_____
1 montana. W.	mountain.	_____	Europe.	1731. 7.8. H. 2.	Bot. mag. 1749.
2 scorpioides. W.	alternate-leaved.	_____	Austria.	1710. — H. 2.	Jac. aust. 4. t. 349.
3 Doronicum. W.	Alpine.	_____	_____	1816. — H. 2.	_____ 1. t. 92.
4 Bellidistrum. W.	Daisy-leaved.	_____	_____	1570. 6.8. H. 2.	Bot. mag. 1196.
DORONICUM. W.	LEOPARD'S-BANE.	Corymbiferae. J.	_____	_____	_____
1 Pardalianches. W.	great.	_____	Britain.	 5. H. 2.	Eng. bot. 630.
2 scorpioides. W.	mountain.	_____	Germany.	 4.6. H. 2.	_____
3 austriacum. W.	Austrian.	_____	Austria.	1816. — H. 2.	Jac. aust. t. 130.
4 altaicum. W.	Siberian.	_____	Siberia.	1783. 6.8. H. 2.	{ Pall. act. pet. 1779.
5 orientale. W. en.	oriental.	_____	Caucasus.	1815. — H. 2.	{ t. 16.
6 plantagineum. W.	Plantain-leaved.	_____	S. Europe.	1570. 5. H. 2.	_____
PERDICUM. H. K.	PERDICUM.	Corymbiferae. J.	_____	_____	_____
Anandria. H. K.	Siberian.	_____	Siberia.	1759. 3. H. 2.	Gmel. sib. 2. t. 68. f. 1.
TETRAGONO- THECA. W.	{ TETRAGONO- THECA. }	Corymbiferae. J.	_____	_____	_____
helianthoides. W.	Sunflower-like.	_____	Virginia.	1726. 8.10. H. 2.	Schk. hand. 3. t. 263.
XIMENESIA. W.	XIMENESIA.	Corymbiferae. J.	_____	_____	_____
encelioides. W.	Mexican.	_____	Mexico.	1795. 6.11. G. 3.	Cav. ic. 2. t. 178.
HELENIMUM. W.	HELENIMUM.	Corymbiferae. J.	_____	_____	_____
1 autumnale. W.	smooth.	_____	N. America.	1729. 8.10. H. 2.	Sck. hand. 3. t. 250.
2 pubescens. W.	downy.	_____	_____	1776. 8.9. H. 2.	_____
3 quadridentatum. W.	wing-stalked.	_____	Louisiana.	1790. 5.10. F. 2.	Jac. ic. 3. t. 593.
BELLIS. W.	DAISY.	Corymbiferae. J.	_____	_____	_____
1 perennis. W.	common.	_____	Britain.	 3.8. H. 2.	Eng. bot. 424.
β hortensis.	large double.	_____	_____	 — H. 2.	Bot. mag. 228.
γ fistulosa.	double quilled.	_____	_____	 — H. 2.	_____
δ prolifera.	Hen and Chicken.	_____	_____	 — H. 2.	_____
2 sylvestris. W.	large Portugal.	_____	Portugal.	1797. 5.7. H. 2.	Cyrl. neap. 2. t. 4.
3 annua. W.	annual.	_____	S. Europe.	1759. 3.7. H. 2.	Bocc. mus. t. 35.
BELLIUM. W.	BELLIUM.	Corymbiferae. J.	_____	_____	_____
1 bellidioides. W.	small.	_____	Italy.	1796. 6.9. H. 2.	Lam. ill. t. 684.
2 minutum. W.	dwarf.	_____	Levant.	1772. 6.10. H. 2.	{ Schreb. act. ups. 1.
DAHLLIA. Cav.	DAHLLIA.	Corymbiferae. J.	Georgina. W.	_____	{ t. 5. f. 2.
1 superflua. H. K.	fertile-rayed.	_____	Mexico.	1789. 7.11. H. 2.	Cav. ic. 1. t. 80.
α purpurea.	purple-flowered.	_____	_____	— H. 2.	Ann. mus. 3. t. 37. f. 1.
β lilacina.	rose-coloured.	_____	_____	— H. 2.	Par. lond. 16.
γ pallida.	pale-flowered.	_____	_____	— H. 2.	_____
δ alba.	white-flowered.	_____	_____	— H. 2.	_____
ε ochroleuca.	sulphur-coloured.	_____	_____	— H. 2.	_____
ζ flava.	yellow-flowered.	_____	_____	— H. 2.	_____
η fulva.	tawny.	_____	_____	— H. 2.	_____
θ cuprea.	copper-coloured.	_____	_____	— H. 2.	_____
ι lateritia.	brick-coloured.	_____	_____	— H. 2.	_____
κ rubra.	red-flowered.	_____	_____	— H. 2.	Bot. mag. 1885. A.
λ atro-rubra.	dark-red.	_____	_____	— H. 2.	_____
μ punicea.	{ Pomegranate- coloured. }	_____	_____	— H. 2.	Bot. reg. 55.
ν atro-purpurea.	dark-purple.	_____	_____	— H. 2.	_____
ξ nigra.	very dark.	_____	_____	— H. 2.	_____
o variegata.	stripe-flowered.	_____	_____	— H. 2.	_____
π nana.	double-lilac.	_____	_____	— H. 2.	Bot. rep. 468.
q purpureo-plena.	double-purple.	_____	_____	— H. 2.	Bot. mag. 1885. B.

2	frustranea. H. K.	barren-rayed.	Corymbiferae. J.	Mexico.	1802. 9.11.	H. 2.	Cav. ic. t. 266.
	<i>α coccinea.</i>	scarlet.				H. 2.	Bot. mag. 762.
	<i>β fulgens.</i>	bright scarlet.				H. 2.	
	<i>γ aurantia.</i>	Orange-coloured.				H. 2.	
	<i>δ crocea.</i>	Saffron-coloured.				H. 2.	
	<i>ι lutea.</i>	yellow.				H. 2.	
TAGETES. W.		TAGETES.	Corymbiferae. J.				
1	lucida. W.	sweet-scented.		S. America.	1798. 7.11.	G. 2.	Bot. mag. 740.
2	patula. W.	French Marygold.		Mexico.	1573. 7.10.	H. 2.	150.
3	erecta. W.	African Marygold.			1596. 6.9.	H. 2.	Lam. ill. t. 684.
4	minuta. W.	small-flowered.		Chili.	1728. 8.10.	H. 2.	Dill. elt. t. 280. f. 362
5	tenuifolia. W.	fine-leaved.		Peru.	1797. 7.10.	H. 2.	Cav. ic. 2. t. 169.
HETEROSPER-		HETEROSPER-					
MUM. W. }		MUM. }	Corymbiferae. J.				
	pinnatum. W.	wing-leaved.		New Spain.	1799. 8.9.	H. 2.	Cav. ic. 3. t. 267.
SCHKUHRIA. W.		SCHKUHRIA.	Corymbiferae. J.				
	abrotanoides. W.	Wormwood-lea ^d .		Mexico.	1798. 7.9.	H. 2.	Schk. han. 3. t. 250. b
PECTIS. W.		PECTIS.	Corymbiferae. J.				
1	ciliaris. W.	ciliated.		Hispaniola.	1793. 7.	S. 2.	Plum. ic. 151. f. 2.
2	linifolia. W.	Flax-leaved.		Jamaica.	1732. 7.8.	S. 2.	Slojam. 1. t. 149. f. 3.
LEYSERA. W.		LEYSERA.	Corymbiferae. J.				
1	gnaphalodes. W.	woolly.		C. B. S.	1774. 7.9.	G. 2.	Jac. ic. 3. t. 588.
2	squarrosa. W.	squarrose.			1815. —	G. 2.	Pluk. alm. t. 302. f. 3.
RELHANIA. W.		RELHANIA.	Corymbiferae. J.				
	squarrosa. W.	cross-leaved.		C. B. S.	1774. 5.6.	G. 2.	
ZINNIA. W.		ZINNIA.	Corymbiferae. J.				
1	pauciflora. W.	yellow-flowered.		Peru.	1753. 7.8.	H. 2.	Mill. ic. 1. t. 64.
2	multiflora. W.	red-flowered.		N. America.	1770. 6.10.	H. 2.	Bot. mag. 149.
3	verticillata. W.	whorl-leaved.		Mexico.	1789. 7.8.	H. 2.	Bot. rep. 189.
4	elegans. W.	purple-flowered.			1796. 6.9.	H. 2.	Bot. mag. 527.
5	tenuiflora. W.	slender-flower'd.			1799. 7.8.	H. 2.	555.
CHRYSANTHE-		CHRYSANTHE-					
MUM. W. }		MUM. }	Corymbiferae. J.				
1	pinnatifidum. W.	cut-leaved.		Madeira.	1777. 5.8.	G. 2.	
2	atrata. W.	fleshy-leaved.		Austria.	1731. 7.8.	H. 2.	
3	heterophyllum, W. en. }	various-leaved.		Switzerland.	1806. —	H. 2.	
4	Leucanthemum. W.	Ox-eye Daisy,		Britain.	 6.7.	H. 2.	Eng. bot. 601.
5	montanum. W.	mountain.		France.	1759. —	H. 2.	Jac. obs. 4. t. 91.
6	ceratophylloides.	Buck's-horn.		Piedmont.	1803. —	H. 2.	All. ped. 1. t. 37. f. 1.
7	graminifolium. W.	Grass-leaved.		Montpellier.	1739. 5.7.	H. 2.	Jac. obs. 4. t. 92.
8	monsperiense. W.	Montpelier.			— 6.9.	H. 2.	— 4. t. 93.
9	Achilleæ. W.	Milfoil-leaved.		Italy.	1775. 6.8.	H. 2.	Mich. gen. 34. t. 29.
10	argenteum. W.	silver-leaved.		Levant.	1731. 7.8.	H. 2.	
11	arcticum. W.	northern.		Kamtschatka	1801. 6.8.	H. 2.	W. hort. ber. 33.
12	carinatum. W.	three-coloured.		Barbary.	1796. 7.10.	H. 2.	Bot. mag. 508.
13	pumilum. W. en.	small.			1806. —	H. 2.	
14	sylvestre. W. en.	field.			1804. 6.7.	H. 2.	
15	segetum. W.	corn.		Britain.	 6.8.	H. 2.	Eng. bot. 540.
16	Myconis. W.	tongue-leaved.		Italy.	1775. 7.8.	H. 2.	Jac. obs. 4. t. 94.
17	italicum. W.	Italian.			1796. 6.7.	H. 2.	
18	coronarum. W.	garden.		Sicily.	1629. 7.9.	H. 2.	Lam. ill. t. 678. f. 6.
PYRETHRUM. W.		FEVERFEW.	Corymbiferae. J.	Chrysanthemi sp. P. S.			
1	fœniculaceum. W. en.	Fennel-leaved.		Teneriffe.	1815. 1.12.	G. 2.	Bot. reg. 272.
2	crithmifolium. W. en.	Samphire-leaved.			—	G. 2.	
3	anethifolium. W. en.	Dill-leaved.			—	G. 2.	
4	frutescens. W. en.	shrubby.		Canaries.	1699. —	G. 2.	
5	coronopifolium. W. en. }	Buckshorn-leav ^d .				G. 2.	
6	grandiflorum. W. en.	great-flowered.			1815. —	G. 2.	
7	speciosum. W. en.	large-flowered.			—	G. 2.	
8	ptarmicæfolium. W.	Sneezewort-lea ^d .		Caucasus.	1803. 7.8.	H. 2.	
9	serotinum. W.	creeping-rooted.		N. America.	1731. 9.10.	H. 2.	Jac. obs. 4. t. 94.
10	uliginosum. W.	marsh.		Hungary.	1816. 7.9.	H. 2.	
11	alpinum. W.	Alpine.		Switzerland.	1759. 7.8.	H. 2.	
12	Balsamita. W.	various-leaved.		Levant.	1779. —	H. 2.	Jac. obs. 4. t. 89.
13	macrophyllum. W.	large-leaved.		Hungary.	1803. —	H. 2.	Pl. rar. hung. 1. t. 94.
14	roseum. W. en.	scarlet-flowered.		Caucasus.	1804. 8.9.	H. 2.	Bot. mag. 1080.
	Chrysanthemum coccineum. B. M.						
15	corymbosum. W.	mountain.		Germany.	1596. 6.8.	H. 2.	Jac. aust. 4. t. 379.

16 pulverulentum. } W. en.	powdered.	Corymbiferae. J.	Iberia.	1806.	6.8.	H. 4.	
17 Parthenium. W. β flore pleno.	common. double-flowered.	_____	Britain.		6.9.	H. 4.	Eng. bot. 1231.
18 parthenifolium. W.	Parthenium-le ^d .	_____	Caucasus.	1804.	6.7.	H. 4.	Vent. cels. t. 43.
19 caucasicum. W.	Caucasian.	_____	_____	_____	7.8.	H. 4.	_____
20 tenuifolium. W. en.	slender-leaved.	_____	_____	1806.	_____	H. 4.	_____
21 inodorum. W.	scentless.	_____	Britain.		8.9.	H. 4.	Eng. bot. 676.
22 maritimum. W.	sea.	_____	_____		6.10.	H. 4.	979.
23 millefoliatum. W.	Milfoil-leaved.	_____	Siberia.	1731.	5.9.	H. 4.	Mill. ic. 1. t. 9.
24 bipinnatum. W.	wing-leaved.	_____	_____	1796.	6.7.	H. 4.	Gmel.sib.2.t.85.f.1.
25 indicum. H. K.	Indian.	_____	E. Ind.	1810.	6.9.	H. 4.	Bot. mag. 1521.
MATRICARIA. W.	MATRICARIA.	Corymbiferae. J.	_____	_____	_____	_____	_____
1 suaveolens. W.	sweet.	_____	Europe.	1781.	6.8.	H. 4.	_____
2 Chamomilla. W.	Wild Chamomile.	_____	Britain.		5.7.	H. 4.	Eng. bot. 1232.
3 capensis. W.	Cape.	_____	C. B. S.	1699.	7.9.	G. 3.	Seb.thcs.1.t.16.f.2.
4 pusilla. W. en.	small.	_____	_____	_____	_____	H. 4.	_____
BOLTONIA. W.	BOLTONIA.	Corymbiferae. J.	_____	_____	_____	_____	_____
1 asteroides. W.	Starwort-flower ^d .	_____	N. America.	1758.	8.10.	H. 4.	_____
2 glastifolia. W.	glaucous-leaved.	_____	_____	_____	9.	H. 4.	_____
LIDBECKIA. W.	LIDBECKIA.	Corymbiferae. J.	_____	_____	_____	_____	_____
1 pectinata. W.	silver-leaved.	_____	C. B. S.	1774.	5.6.	G. 4.	Ber.cap.306.t.5.f.9.
CENIA. J.	CENIA.	Corymbiferae. J.	<i>Lidbeckia sp. II'.</i>	_____	_____	_____	_____
1 turbinata. P. S.	turbinated.	_____	C. B. S.	1713.	7.8.	H. 4.	Lam.ill. t. 701. f. 1.
COTULA. W.	COTULA.	Corymbiferae. J.	_____	_____	_____	_____	_____
1 anthemoides. W.	Anthemis-like.	_____	St. Helena.	1696.	7.8.	S. 4.	Dill. elt. t. 23. f. 25
2 coronopifolia. W.	Buck's Horn.	_____	C. B. S.	1683.	_____	G. 4.	Lam. ill. t. 700. f. 1
3 viscosa. W.	clammy.	_____	Vera Cruz.	1739.	8.	S. 4.	_____
4 tanacetifolia. W.	Tansy-leaved.	_____	C. B. S.	1780.	6.8.	H. 4.	Pluk.man.t.430.f.7.
GRANGEA. J.	GRANGEA.	Corymbiferae. J.	<i>Cotula sp. II'.</i>	_____	_____	_____	_____
1 cuneifolia. Lam.	wedge-leaved.	_____	China.	1816.	7.9.	H. 4.	Lam. ill. t. 699. f. 2.
2 minima. W.	least.	_____	_____	1768.	_____	H. 4.	Burm.ind. t.58.f.3.
3 maderaspatana. } Lam.	Madras.	_____	E. Ind.	1780.	7.8.	S. 4.	Lam. ill. t. 699. f. 3.
4 latifolia. Desf.	two-coloured.	_____	_____	1804.	_____	S. 4.	t. 699. f. 1.
	<i>Cotula bicolor. II'.</i>	_____	_____	_____	_____	_____	_____
ANACYCLUS. W.	ANACYCLUS.	Corymbiferae. J.	_____	_____	_____	_____	_____
1 creticus. W.	trailing.	_____	Candia.	1759.	6.8.	H. 4.	Ann. mus. 11. t. 22.
2 orientalis. W.	oriental.	_____	Levant.	1731.	_____	H. 4.	Boer.lugd.1.t.110.
3 aureus. W.	golden-flowered.	_____	_____	1570.	_____	H. 4.	Lam. ill. t. 700. f. 2.
4 valentinus. W.	fine-leaved.	_____	Spain.	1656.	6.7.	H. 4.	Schk.khan.3.t.254.b
ANTHEMIS. W.	CHAMOMILE.	Corymbiferae. J.	_____	_____	_____	_____	_____
1 rigescens. W. en.	rigid.	_____	Caucasus.	1805.	7.9.	H. 4.	W.hort.ber.1.t.62.
2 Cota. W.	Venetian.	_____	Italy.	1714.	7.8.	H. 4.	Pluk.alm. t.17.f.5.
3 altissima. W.	tall.	_____	S. Europe.	1731.	8.	H. 4.	_____
4 maritima. W.	sea.	_____	England.		7.8.	H. 4.	Eng. bot. 2370.
5 clavata. W.	clubbed.	_____	Barbary.	1801.	_____	H. 4.	_____
6 tomentosa. W.	downy.	_____	Levant.	1795.	7.10.	H. 4.	_____
7 pubescens. W.	pubescent.	_____	S. Europe.	1803.	7.8.	H. 4.	_____
8 mixta. W.	simple-leaved.	_____	France.	1731.	_____	H. 4.	Mich. gen. t.30. f.1.
9 saxatilis. W. en.	rock.	_____	Hungary.	1807.	_____	H. 4.	_____
10 Chamomilla. W. en.	various-leaved.	_____	S. Europe.	_____	_____	H. 4.	_____
11 chia. W.	cut-leaved.	_____	Chio.	1731.	6.10.	H. 4.	_____
12 nobilis. W.	common.	_____	Britain.		7.9.	H. 4.	Eng. bot. 980.
13 arvensis. W.	corn.	_____	_____		6.8.	H. 4.	602.
14 austriaca. W.	Austrian.	_____	Austria.	1759.	5.8.	H. 4.	Jac. aust. 5. t. 444.
15 Cotula. W.	stinking.	_____	Britain.		6.9.	H. 4.	Eng. bot. 1772.
16 fuscata. W.	brown-scaled.	_____	Portugal.	1805.	7.8.	H. 4.	_____
17 montana. W.	mountain.	_____	Italy.	1759.	7.10.	H. 4.	Ger. prov. t. 8.
18 Pyrethrum. W.	Pellitory of Spain.	_____	S. Europe.	1570.	6.7.	H. 4.	Bot. mag. 462.
19 globosa. W.	globe.	_____	_____	_____	8.9.	G. 4.	Jac.schæn.3.t.371.
20 valentina. W.	purple-stalked.	_____	S. Europe	1596.	7.8.	H. 4.	Breyn. cent. t. 75.
21 tinctoria. W.	Ox Eye.	_____	Britain.		6.11.	H. 4.	Eng. bot. 1472.
22 discoidea. W.	saw-leaved.	_____	Italy.	1800.	7.8.	H. 4.	_____
23 arabica. W.	Arabian.	_____	Barbary.	1759.	_____	H. 4.	Smith. spic. 9. t.10.
24 artemisiaefolia. W.	Indian.	_____	China.	1764.	9.11.	H. 4.	_____
	<i>Chrysanthemum indicum. H. K.</i>	_____	_____	_____	_____	_____	_____
	α aurea.	golden yellow.	_____	_____	_____	H. 4.	_____
	β flava.	straw-coloured.	_____	_____	_____	H. 4.	_____

γ —	{ quilled straw- coloured. }	Corymbiferae. J.	China.		9.11.	H. 2.	Bot. reg. 4.
δ alba.	white.	—	—		—	H. 2.	—
ε —	quilled white.	—	—		—	H. 2.	Bot. reg. 4.
ζ purpurea.	{ semi-double purple. }	—	—		—	H. 2.	—
η —	quilled purple.	—	—		—	H. 2.	Bot. mag. 327.
θ lilacina.	Lilac-coloured.	—	—		—	H. 2.	—
ι cuprea.	copper-coloured.	—	—		—	H. 2.	—
κ fulva.	brown.	—	—		—	H. 2.	—
SANVITALIA. Cav.	SANVITALIA.	Corymbiferae. J.	—	—	—	—	—
procumbens. W.	trailing.	—	Mexico.	1798.	7.8.	H. 2.	Cav. ic. 4. t. 351.
ACHILLEA. W.	MILFOIL.	Corymbiferae. J.	—	—	—	—	—
1 lingulata. W.	tongue-leaved.	—	Hungary.	1815.	7.8.	H. 2.	Pl. rar. hung. 1. t. 2.
2 Herba-rota. W.	Herbarota.	—	France.	1640.	6.7.	H. 2.	All. ped. 1. t. 9. f. 3.
3 grandiflora. M. B.	great-flowered.	—	Caucasus.	1815.	7.8.	H. 2.	—
4 Ptarmica. W.	Sneezewort.	—	Britain.		7.11.	H. 2.	Eng. bot. 757.
β flore pleno.	double-flowered.	—	—	—	—	—	—
5 cristata. W.	slender-branch ^d .	—	Italy.	1784.	7.8.	H. 2.	—
6 Ageratum. W.	Sweet Maudlin.	—	S. Europe.	1570.	8.10.	H. 2.	—
7 decolorans. W. en.	pale yellow.	—	—	1798.	6.8.	H. 2.	—
8 speciosa. W. en.	spear-leaved.	—	—	1804.	7.9.	H. 2.	—
9 alpina. W.	Alpine.	—	Siberia.	1731.	7.11.	H. 2.	Boc. mus. 144. t. 101
10 serrata. W.	saw-leaved.	—	Switzerland.	1686.	8.9.	H. 2.	—
11 Clavenna. W.	silver-leaved.	—	Austria.	1656.	6.7.	H. 2.	Bot. mag. 1287.
12 impatiens. W.	impatiant.	—	Siberia.	1759.	6.9.	H. 2.	Gmel. sib. 2. t. 33. f. 1.
13 pectinata. W.	comb-leaved.	—	Hungary.	1801.	8.9.	H. 2.	Pl. rar. hung. 1. t. 34.
schrolicuca. W. ald.	—	—	—	—	—	—	—
14 squarrosa. W.	rough-headed.	—	—	1775.	7.8.	H. 2.	—
15 falcata. W.	sickle-leaved.	—	Levant.	1739.	6.9.	H. 2.	Lam. ill. t. 683. f. 3.
16 tenuifolia. W.	slender-leaved.	—	—	1733.	6.8.	H. 2.	—
17 Santolina. W.	{ Lavender- cotton-lea ^d . }	—	—	1759.	—	H. 2.	—
18 anthemoides. W.	Chamomile-like.	—	—		—	H. 2.	—
19 atrata. W.	black-cupped.	—	Austria.	1596.	7.9.	H. 2.	Jac. aust. 1. t. 77.
20 moschata. W.	musk.	—	Italy.	1775.	6.7.	H. 2.	— 5. t. ap. 33.
21 nana. W.	dwarf.	—	—	1759.	6.8.	H. 2.	All. ped. 1. t. 9. f. 3.
22 cretica. W.	Cretan.	—	Candia.	1739.	7.8.	H. 2.	Bocc. mus. t. 34.
23 ægyptiaca. W.	Egyptian.	—	Levant.	1640.	7.9.	G. 2.	Tourn. it. 1. t. 87.
24 macrophylla. W.	large-leaved.	—	Italy.	1710.	7.8.	H. 2.	Triumf. obs. t. 23.
25 aurea. W.	golden-flowered.	—	Levant.	1739.	6.9.	H. 2.	—
26 Eupatorium. W.	Caspian.	—	Caspian Sh ^{res} .	1803.	7.8.	H. 2.	—
27 compacta. W.	compact.	—	—		—	H. 2.	—
28 pubescens. W.	downy.	—	Levant.	1739.	6.9.	H. 2.	—
29 crithmifolia. W.	Samphire-leav ^d .	—	Hungary.	1804.	7.8.	H. 2.	Pl. rar. hung. 1. t. 66.
30 tanacetifolia. W.	Tansy-leaved.	—	Switzerland.	1658.	—	H. 2.	Moris. s. 6. t. 11. f. 14.
31 distans. W.	branching.	—	Italy.	1804.	7.8.	H. 2.	All. ped. t. 53. f. 1.
32 lanata. W. en.	woolly.	—	—		—	H. 2.	—
33 magna. W.	great.	—	S. Europe.	1683.	6.11.	H. 2.	—
34 Millefolium. W.	Yarrow.	—	Britain.		6.10.	H. 2.	Eng. bot. 758.
β rubra.	red-flowered.	—	—	—	—	—	—
35 asplenifolia. P. S.	Rose-coloured.	—	N. America.	1803.	6.8.	H. 2.	Vent. cels. t. 93.
36 micrantha. W.	small-flowered.	—	Levant.	1805.	6.10.	H. 2.	—
37 tomentosa. W.	tomentose.	—	S. Europe.	1648.	5.10.	H. 2.	Bot. mag. 498.
38 ochroleuca. W.	cream-coloured.	—	—	1804.	7.9.	H. 2.	—
39 microphylla. W.	small-leaved.	—	Spain.	1800.	—	H. 2.	Barr. ic. 1114.
40 ligustica. W.	Ligurian.	—	Italy.	1791.	6.8.	H. 2.	All. ped. 1. t. 53. f. 2.
41 nobilis. W.	showy.	—	Germany.	1640.	—	H. 2.	Schk. hand. 3. t. 255.
42 myriophylla. W. en.	many-leaved.	—	—	1798.	7.9.	H. 2.	—
43 odorata. W.	sweet-scented.	—	Spain.	1729.	6.8.	H. 2.	Jac. col. 1. t. 21.
44 setacea. W.	bristly.	—	Hungary.	1805.	—	H. 2.	Pl. rar. hung. 1. t. 80
45 abrotanifolia. W.	Southernwood-1 ^d .	—	Levant.	1739.	—	H. 2.	—
BALBISIA. W.	BALBISIA.	Corymbiferae. J.	—	—	—	—	—
elongata. W.	long-stalked.	—	Mexico.	1804.	7.8.	H. 2.	—
AMELLUS. W.	AMELLUS.	Corymbiferae. J.	—	—	—	—	—
1 Lychnitis. W.	trailing.	—	C. B. S.	1768.	6.7.	G. 2.	Jac. col. sup. t. 10. f. 1
2 villosus. Ph.	villos.	—	Missouri.	1811.	8.9.	H. 2.	—
3 spinulosus. Ph.	spiny.	—	—	—	—	H. 2.	—
STARKEA. W.	STARKEA.	Corymbiferae. J.	—	—	—	—	—
umbellata. W.	umbel-flowered.	—	Jamaica.	1768.	6.7.	S. 2.	Lam. ill. t. 682. f. 2.

ECLIPTA. W.	ECLIPTA.	Corymbiferae. J.			
1 erecta. W.	upright.	_____	America.	1690. 7.9. H.⊙.	Dill.elt.t.113.f.137
2 prostrata. W.	trailing.	_____	E. Ind.	1732. — S.⊙.	— t.113.f.139
CHRYSAN- THUS. P. S.	{ CHRYSAN- THELLUM. }	Corymbiferae. J			
procumbens. P. S.	procumbent.	_____	W. Ind.	1768. 6.7. S.⊙.	Swa.obs.314.t.8.f.1
<i>Verbesina mutica.</i> W.	<i>IV.</i>				
SIEGESBECKIA. W.	SIEGESBECKIA.	Corymbiferae. J.			
1 orientalis. W.	oriental.	_____	India.	1730. 8.10. H.⊙.	Schk.hand.3.t.256.
2 flosculosa. W.	small-flowered.	_____	Peru.	1784. 6.7. H.⊙.	L'Her. stirp. t. 19.
VERBESINA. W.	VERBESINA.	Corymbiferae. J.			
1 alata. W.	wing-stalked.	_____	S. America.	1699. 5.10. G.⊙.	Bot. mag. 1716.
2 virginica. W.	white-flowered.	_____	N. America.	1812. 7.9. H.⊙.	
3 gigantea. W.	tree.	_____	W. Ind.	1758. . . . S.⊙.	Jac. ic. 1. t. 175.
4 Siegesbeckia. W.	American.	_____	Virginia.	1731.10.11. H.⊙.	
5 Coreopsis. Ph.	Coreopsis-like.	_____	N. America.	1640. 9.11. H.⊙.	Jac. vind. 2. t. 110.
<i>Coreopsis alternifolia.</i> W.	<i>IV.</i>				
6 serrata. W.	saw-leaved.	_____	Mexico.	1803. 7.10. G.⊙.	Cav. ic. 3. t. 214.
7 sativa. H. K.	Oil-seed.	_____	E. Ind.	1806. 8.9. S.⊙.	Bot. mag. 1017.
8 calandulacea. W.	Ceylon.	_____	Ceylon.	1739. 7.9. S.⊙.	Burm.zeyl.t.22.f.1.
9 dichotoma. W.	forked.	_____	E. Ind.	1789. 6.7. S.⊙.	{ Murr. com. goet. 1779. t. 4.
10 fruticosa. W.	shrubby.	_____	W. Ind.	1759. 6.8. S.⊙.	Plum. ic. t. 52.
SYNEDRELLA. P. S.	SYNEDRELLA.	Corymbiferae. J.			
nodiflora. P. S.	sessile-flowered.	_____	W. Ind.	1726. 6.7. S.⊙.	Dill.elt.t.45.f.53.
GALINSOGEA. W.	GALINSOGEA.	Corymbiferae. J.			
1 parviflora. W.	small-flowered.	_____	S. America.	1796. 5.9. H.⊙.	Cav. ic. 3. t. 281.
2 trilobata. W.	three-lobed.	_____	Peru.	1797. 8.11. H.⊙.	Bot. mag. 1895.
ACMELLA. P. S.	ACMELLA.	Corymbiferae. J.			
1 mauritiana. P. S.	Balm-leaved.	_____	Mauritius.	1768. 7.8. S.⊙.	Rumph.am.6.t.65.
<i>Spilanthes Acmeila.</i> W.	<i>IV.</i>				
2 bupththalmoides. P. S.	oval-leaved.	_____	S. America.	1798. 7.9. H.⊙.	Jac.schoen.2.t.151.
ZALUZANIA. P. S.	ZALUZANIA.	Corymbiferae. J.			
triloba. P. S.	three-lobed.	_____	Mexico.	1798. 7.9. F.⊙.	
PASCALIA. W.	PASCALIA.	Corymbiferae. J.			
glauca. W.	glaucous-leaved.	_____	Chili.	1799. 6.8. H.⊙.	Bot. rep. 549.
HELIOPSIS. P. S.	HELIOPSIS.	Corymbiferae. J.			
laevis. P. S.	Sunflower-leaved.	_____	N. America.	1714. 7.10. H.⊙.	L'Her. stirp. t. 45.
<i>Bupththalmum helianthoides.</i> W.	<i>IV.</i>				
BUPHTHALMUM. W.	{ Ox EYE. }	Corymbiferae. J.			
1 frutescens. W.	shrubby.	_____	America.	1696. 6.8. G.⊙.	Dill.elt.t.28.f.44.
2 arborescens. W.	tree.	_____	Bermudas.	1699. 5.9. G.⊙.	— t.38.f.43.
3 sericeum. W.	silky.	_____	Canaries.	1779. 5.7. G.⊙.	Bot. mag. 1836.
4 spinosum. W.	prickly.	_____	Spain.	1570. 6.9. H.⊙.	
5 aquaticum. W.	sweet-scented.	_____	S. Europe.	1731. 7.8. H.⊙.	Breyn. cent. t. 77.
6 maritimum. W.	sea.	_____	Sicily.	1640. 7.9. F.⊙.	Bocc. mus. t. 129.
7 salicifolium. W.	Willow-leaved.	_____	Austria.	1759. 6.10. H.⊙.	Jac. aust. 4. t. 370.
8 grandiflorum. W.	great-flowered.	_____	_____	1722. — H.⊙.	Moris. s.6.t.7.f.52.
9 cordifolium. W.	heart-leaved.	_____	Hungary.	1739. 6.3. H.⊙.	Pl.rar.hung.2.t.113
FRUSTRANEA.					
HELIANTHUS. W.	SUN FLOWER.	Corymbiferae. J.			
1 annuus. W.	annual.	_____	S. America.	1596. 6.10. H.⊙.	
2 indicus. W.	dwarf annual.	_____	Egypt.	1785. — H.⊙.	Tabern. ic. 764.
3 tubaeformis. W.	tube-flowered.	_____	Mexico.	1799. 7.8. H.⊙.	Jac.schoen.3.t.375.
4 dentatus. W.	tooth-leaved.	_____	_____	1798. 9.11. G.⊙.	Cav. ic. 3. t. 220.
5 multiflorus. W.	many-flowered.	_____	N. America.	1597. 8.10. H.⊙.	Bot. mag. 227.
<i>β plenus.</i>	<i>double-flowered.</i>				
6 tuberosus. W.	{ Jerusalem Artichoke. }	_____	Brazil.	1617. 9.10. H.⊙.	Jac. vind. 2. t. 161.
7 angustifolius. Ph.	narrow-leaved.	_____	N. America.	1789. — H.⊙.	Meerb. ic. 1. t. 49.
8 macrophyllus. Ph.	large-leaved.	_____	_____	1800. 8.10. H.⊙.	W.hort.ber. t. 70.
9 mollis. Ph.	soft.	_____	_____	1805. 7.10. H.⊙.	
10 decapetalus. Ph.	ten-petalled.	_____	_____	1759. 8.11. H.⊙.	Rob. ic. 235.
11 prostratus. Ph.	rough.	_____	_____	1800. 7.9. H.⊙.	
12 strumosus. Ph.	Carrot-rooted.	_____	_____	1710. — H.⊙.	Bocc. sic. t. 27.f.4.
13 altissimus. Ph.	tall.	_____	_____	1731. — H.⊙.	Jac. vind. 2. t. 160.
14 giganteus. Ph.	gigantic.	_____	_____	1714. 9.10. H.⊙.	Moris. s.6. t.7.f.66.
15 longifolius. Ph.	long-leaved.	_____	Georgia.	1812. 8.10. H.⊙.	

16 divaricatus. Ph.	divaricate.	Corymbiferae. J.	N. America.	1759. 8.10. H. 2.	
17 pubescens. Ph.	downy.			1795. 7.10. H. 2.	
18 atrorubens. Ph.	dark-purple-eyed.			1732. — H. 2.	Dill. elt. t. 94. f. 110.
GALARDIA. W.	GALARDIA.	Corymbiferae. J.	Virgilia. Smith.		
bicolor. W.	two-coloured.		Carolina.	1787. 7.10. H. 2.	Bot. mag. 1602.
RUDBECKIA. W.	RUDBECKIA.	Corymbiferae. J.			
1 pinnata. Ph.	fragrant.		N. America.	1803. 8.9. H. 2.	Exot. bot. 1. t. 38.
2 digitata. Ph.	narrow jagged-le ^d .			1759. — H. 2.	Moris. s. 6. t. 6. f. 54.
3 laciniata. Ph.	broad jagged le ^d .			1640. 7.9. H. 2.	— s. 6. t. 6. f. 53.
4 columnaris. Ph.	high-crowned.			1811. 8.9. H. 2.	Bot. mag. 1601.
5 subtomentosa. Ph.	downy-lobed.			1802. — H. 2.	
6 triloba. Ph.	three-lobed.			1699. — H. 2.	Pluk. alm. t. 22. f. 2.
7 hirta. Ph.	great hairy.			1714. 6.11. H. 2.	Dill. elt. t. 218. f. 295
8 fulgida. Ph.	small hairy.			1760. 7.8. H. 2.	
9 laevigata. Ph.	smooth.		Carolina.	1812. — F. 2.	
10 amplexifolia. Ph.	stem-clasping.		Louisiana.	1793. — H. 2.	Jac. ic. 3. t. 592.
11 purpurea. Ph.	purple.		N. America.	1699. 7.10. H. 2.	Bot. mag. 2.
COSMEA. W.	COSMEA.	Corymbiferae. J.	Cosmos. Cav. ic.		
1 lutea. B. M.	yellow-flowered.		Mexico.	1811. 10.11. G. 2.	Bot. mag. 1689.
2 sulphurea. W.	Southernwood-le ^d .			1799. 7.8. H. 2.	Jac. ic. 3. t. 595.
3 bipinnata. W.	purple-flowered.			— G. 2.	Bot. mag. 1535.
4 parviflora. W.	white-flowered.			1800. — H. 2.	Jac. schœn. 3. t. 374.
COREOPSIS. W.	COREOPSIS.	Corymbiferae. J.			
1 ferulaefolia. W.	Fennel-leaved.		Mexico.	1799. 10.11. F. 2.	Jac. schœn. 3. t. 373.
2 verticillata. W.	whorl-leaved.		N. America.	1759. 7.10. H. 2.	Bot. mag. 156.
3 tenuifolia. W.	slender-leaved.			1780. 7.8. H. 2.	Pluk. man. t. 344. f. 4.
4 chrysanth. W.	Angelica-leav ^d .		W. Ind.	1752. 7.9. S. 2.	Plum. ic. 53. f. 1.
5 aurea. W.	Hemp-leaved.		N. America.	1785. 8.9. H. 2.	
6 tripteris. Ph.	three-leaved.			1737. 8.10. H. 2.	Moris. s. 6. t. 3. f. 44.
7 senifolia. Ph.	sessile-leaved.			1812. — H. 2.	
8 amplexicaulis. Cav.	stem-clasping.			1806. 7.8. H. 2.	
9 foetida. W.	stinking.		Mexico.	1799. — H. 2.	Cav. ic. 1. t. 77.
10 alba. W.	climbing.		Jamaica.	1699. 6.7. S. 2.	Hern. parad. 124.
11 incis. B. reg.	jagged-leaved.		W. Ind.	... 9.12. S. 2.	Bot. reg. 7.
12 reptans. W.	trailing.			1792. 7.9. S. 2.	Smith spic. t. 22.
13 auriculata. W.	ear-leaved.		N. America.	1699. 8.10. H. 2.	Schk. han. 3. t. 260.
14 latifolia. W.	broad-leaved.			1786. 8.9. H. 2.	
15 arguta. Ph.	sharp-notched.		Carolina.	... — H. 2.	
16 lanceolata. W.	spear-leaved.			1724. 7.9. H. 2.	Dill. elt. t. 48. f. 56.
17 crassifolia. W.	thick-leaved.			1786. 8.10. H. 2.	
18 angustifolia. W.	narrow-leaved.		N. America.	1778. 6.8. H. 2.	
19 alata. W.	wing-stalked.		Mexico.	1803. 7.8. H. 2.	Cav. ic. 3. t. 260.
20 procera. W.	tall.		N. America.	1765. 9.10. H. 2.	
OSMITES. W.	OSMITES.	Corymbiferae. J.			
camphorata. W.	Camphire-scent ^d .		C. B. S.	1794. 4.7. G. 2.	Seb. mus. 1. t. 90. f. 2.
PALLASIA. W.	PALLASIA.	Corymbiferae. J.	Encelia. P. S.		
halimifolia. W.	downy-leaved.		Peru.	1786. 7. G. 2.	Jac. ic. 3. t. 594.
SCLEROCARPUS. W.	SCLEROCARPUS.	Corymbiferae. J.			
africanus. W.	African.		Guinea.	1812. 7.8. G. 2.	Jac. ic. 1. t. 176.
CULLUMIA. H. K.	CULLUMIA.	Corymbiferae. J.	Gorteria sp. L.		
1 ciliaris. H. K.	ciliated.		C. B. S.	1774. 5.6. G. 2.	Burm. afr. t. 54. f. 1.
2 setosa. H. K.	{ recurved } { smooth-lea ^d . }			1780. 6.8. G. 2.	
3 squarrosa. H. K.	recurv ^d awl-lea ^d .			1786. — G. 2.	Th. act. hafn. 3. t. 5.
BERCKHEYA. H. K.	BERCKHEYA.	Corymbiferae. J.	Gorteria sp. L.		
1 cynaroides. W.	Artichoke-cupp ^d .		C. B. S.	1789. 6. G. 2.	
2 obovata. W.	smooth shrubby.			1794. 6.8. G. 2.	Hout. n. h. 6. t. 34. f. 2.
3 incana. W.	hoary.			1739. 7.8. G. 2.	Jac. ic. 3. t. 591.
4 cuneata. W.	wedge-leaved.			1812. 6.8. G. 2.	Th. act. hafn. 3. t. 10.
5 palmata. W.	palmated.			1800. — G. 2.	— 3. t. 13.
6 grandiflora. W.	large-flowered.			1812. — G. 2.	Bot. mag. 1844.
7 uniflora. W.	single-flowered.			1815. — G. 2.	Th. act. hafn. 3. t. 7.
8 cernua. H. K.	drooping-flower ^d .			1774. 5.7. G. 2.	Meerb. ic. 1. t. 40.
DIDELTA. H. K.	DIDELTA.	Corymbiferae. J.			
1 carnosum. H. K.	alternate-leaved.		C. B. S.	1774. 6.7. G. 2.	L'Her. stirp. t. 28.
2 spinosum. H. K.	opposite-leaved.			— G. 2.	Wendl. obs. t. 4. f. 32.
GORTERIA. H. K.	GORTERIA.	Corymbiferae. J.			
personata. H. K.	procumbent.		C. B. S.	1774. 7.8. G. 2.	Jac. coll. 4. t. 21. f. 1.
GAZANIA. H. K.	GAZANIA.	Corymbiferae. J.	Gorteria sp. W.		
1 rigens. H. K.	great-flowered.		C. B. S.	1755. 5.9. G. 2.	Bot. mag. 90.

2 Pavonia. H. K.	Peacock.	Corymbiferae. J.	C. B. S.	1804. 6.7.	G. 2.	Bot. reg. 35.
3 subulata. H. K.	awl-leaved.			1792. 7.8.	G. 2.	
CRYPTOSTEMMA		Corymbiferae. J.	<i>Arctotidis sp. W.</i>			
H. K.						
1 calendulaceum.	Marygold-flow ^d .		C. B. S.	1752. 6.8.	H. ①.	Jac. schœn. 2. t. 157. 2252
H. K.						
2 hypochondria-	divided-rayed.			1731. 7.8.	H. ①.	
cum. H. K.						
3 runcinatum. H. K.	Dandelion-leav ^d .			1794. —	H. ①.	
ARCTOTHECA. W.	ARCTOTHECA.	Corymbiferae. J.	<i>Arctotidis sp. Jac.</i>			
repens. W.	creeping.		C. B. S.	1793. 7.8.	G. 2.	Jac. schœn. 3. t. 306.
SPHENOGYNE. H. K.	SPHENOGYNE.	Corymbiferae. J.	<i>Arctotidis sp. W.</i>			
1 anthemoides. H. K.	white-crowned.		C. B. S.	1774. 7.9.	H. ①.	Bot. mag. 544.
2 crithmifolia. H. K.	Samphire-leav ^d .			1763. 4.8.	G. 2.	Burm. afr. t. 65. f. 1.
3 scariosa. H. K.	scaly-cupped.			1774. —	G. 2.	
4 abrotanifolia. H. K.	Southernwood-l ^d .			1789. 5.8.	G. 2.	
5 dentata. H. K.	small-leaved.			1787. 6.7.	G. 2.	Burm. afr. t. 64.
6 odorata. H. K.	smooth-seeded.			1774. 4.6.	G. 2.	
ZÆGEA. W.	ZÆGEA.	Cynarocephalæ. J.				
Leptaurea. W.	yellow-flowered.		Levant.	1779. 7.8.	H. ①.	Jac. ic. 1. t. 177.
CENTAUREA. W.	CENTAURY.	Cynarocephalæ. J.				
1 Crupina. W.	black-seeded.		Italy.	1596. 6.7.	H. ①.	Col. ecphr. 1. t. 34.
2 Lippii. W.	Lippi's.		Egypt.	1739. —	H. ①.	Isn. a. par. 1719. t. 10
3 moschata. W.	Sweet Sultan.		Persia.	1629. 7.10.	H. ①.	Knor. thes. 2. t. C. 4.
4 glauca. W.	glaucous.		Caucasus.	1805. 6.7.	H. 2.	
5 suaveolens. W.	Yellow Sultan.		Levant.	1683. 7.10.	H. ①.	Moris. s. 7. t. 25. f. 9.
6 alpina. W.	Alpine.		Italy.	1640. 7.8.	H. 2.	Corn. can. 69. t. 70.
7 Centaurium. W.	great.			1596. —	H. 2.	
8 ruthenica. W.	Russian.		Russia.	1806. —	H. 2.	Gmel. sib. 2. t. 41.
9 phrygia. W.	feathery-calyx ^d .		Switzerland.	1633. 6.10.	H. 2.	Fl. dan. 520.
10 rivularis. P. S.	river-side.		Portugal.	1812. 7.9.	H. 2.	
11 austriaca. W.	Austrian.		Austria.	1815. 6.10.	H. 2.	
12 pectinata. W.	pectinated.		France.	1727. 7.10.	H. 2.	
13 nervosa. W. en.	nerved.		S. Europe.	1815. 6.9.	H. 2.	
14 trichoccephala. W.	downy-calixed.		Siberia.	1805. 7.8.	H. 2.	Gmel. s. 2. t. 45. f. 1. 2.
15 hyssopifolia. W.	Hyssop-leaved.		Spain.	1812. —	F. 2.	Barr. ic. 306.
16 coronopifolia. W.	Buck's-horn.		Levant.	1739. 6.7.	H. ①.	
17 nigra. W.	Black Knapweed.		Britain.	 5.8.	H. 2.	Eng. bot. 278.
18 nigrescens. W.	dark.		Hungary.	1805. 6.8.	H. 2.	
19 ochroleuca. W.	Caucasian.		Caucasus.	1801. 7.8.	H. 2.	Bot. mag. 1175.
20 montana. W.	mountain.		Austria.	1596. 6.8.	H. 2.	— 77.
21 Cyanus. W.	Blue-bottle.		Britain.	 —	H. ①.	Eng. bot. 277.
22 pullata. W.	various-coloured.		S. Europe.	1759. —	H. 2.	Lob. ic. t. 542. f. 2.
23 orina. W.	small-flowered.		Caucasus.	1802. 7.11.	H. 2.	
24 paniculata. W.	panicked.		Europe.	1640. 7.8.	H. 2.	Jac. aus. 4. t. 320.
25 intybacea. H. K.	Succory-leaved.		S. Europe.	1778. 7.9.	H. 2.	
26 spinosa. W.	prickly-branched.		Candia.	1640. —	F. 2.	Alp. exot. t. 162. 2493
27 ragusina. W.	white-leaved.			1710. 6.7.	G. 2.	Bot. mag. 494.
28 Cineraria. W.	hoary-leaved.		Italy.	— 7.8.	F. 2.	Moris. s. 7. t. 26. f. 20.
29 cinerea. W.	gray.			— 6.7.	H. 2.	Jac. vind. 1. t. 92.
30 dealbata. W.	mealy.		Caucasus.	1804. 7.8.	H. 2.	
31 argentea. W.	silver-leaved.		Candia.	1739. —	F. 2.	Barr. ic. t. 218.
32 maculosa. P. S.	spotted-calixed.		Siberia.	1816. —	H. 2.	Gmel. s. 2. t. 44. f. 1. 2
33 sempervirens. W.	evergreen.		Spain.	1683. —	F. 2.	Bocc. sic. t. 39. f. 3.
34 coriacea. W.	leathery-leaved.		Hungary.	1804. 6.7.	H. 2.	Pl. rar. hung. 2. t. 195
35 Scabiosa. W.	{ Greater Knap- weed. }		Britain.	 6.8.	H. 2.	Eng. bot. 56.
36 tatarica. W.	Tartarian.		Tartary.	1801. 7.8.	H. 2.	
37 Stœbe. W.	wing-leaved.		Austria?	1759. 6.7.	H. 2.	
38 Fischeri. W. en.	Fischer's.		Siberia.	1816. —	H. 2.	
39 macrocephala. W.	large-headed.		Caucasus.	1805. 6.8.	H. 2.	Bot. mag. 1248.
40 atropurpurea. W.	dark-purple.		Hungary.	1802. —	H. 2.	Pl. rar. hung. 2. t. 116
41 calocephala. W. en.	smooth-stalked.		Levant.	1816. —	H. 2.	
42 canariensis. W. en.	Canary.		Teneriffe.	1815.	G. 2.	
43 orientalis. W.	oriental.		Siberia.	1759. 7.8.	H. 2.	
44 sibirica. W.	Siberian.			1782. —	H. 2.	Gmel. sib. 2. t. 42. f. 2.
45 diluta. H. K.	pale-flowered.		S. Europe.	1781. —	H. 2.	
46 alata. W.	winged-stalked.		Tartary.	— 8.9.	H. 2.	Vent. cels. 80.
47 Behen. W.	saw-leaved.		Levant.	1797. 7.8.	H. ①.	
48 repens. W.	creeping.			1739. 6.8.	H. 2.	

49 Jacea. W.	Brown Knapweed.	Cynarocephalæ. J.	England.		7.9.	H. 2.	Eng. bot. 1678.
50 decumbens. P. S.	decumbent.	_____	France.	1815.	—	H. 2.	
51 amara. W.	bitter.	_____	Italy.		7.8.	H. 2.	Bocc. mus. 31. t. 17.
52 alba. W.	white-flowered.	_____	Spain.	1597.	6.9.	H. 2.	
53 splendens. W.	shining.	_____	_____	_____	7.8.	H. 3.	
54 tagana. W.	Portugal.	_____	Portugal.	1640.	—	H. 2.	Brot. phyt. lus. t. 3.
55 Rhapontica. W.	Swiss.	_____	Switzerland.	_____	—	H. 2.	Bot. mag. 1752.
56 babylonica. W.	Babylonian.	_____	Levant.	1710.	6.9.	H. 2.	Alp. exot. t. 282.
57 glastifolia. W.	Woad-leaved.	_____	Siberia.	1731.	—	H. 2.	Bot. mag. 62.
58 conifera. W.	cone.	_____	S. Europe.	1683.	—	H. 2.	Ann. mus. 16. t. 14.
59 sonchifolia. W.	Sow-thistle-lea ^d .	_____	Mediterran.	1780.	8.10.	H. 2.	Pluk. phyt. 39. f. 1.
60 seridis. W.	purple-flowered.	_____	Spain.	1686.	6.8.	H. 2.	Pluk. alm. t. 38. f. 1.
61 cruenta. W. en.	obovate-leaved.	_____	_____	1816.	—	H. 2.	
62 romana. W.	Roman.	_____	Rome.	1739.	7.9.	H. 3.	Barr. rar. t. 504.
63 ferox. W.	hedgohg.	_____	Barbary.	1790.	—	F. 2.	Desf. atl. 2. t. 242.
64 solstitialis. W.	{ St. Barnaby's } Thistle.	_____	England.		7.8.	H. 2.	Eng. bot. 243.
65 sulphurea. W. en.	sulphur-colour ^d .	_____	_____	1815.	—	H. 2.	
66 melitensis. W.	cluster-headed.	_____	Malta.	1710.	—	H. 2.	Bocc. sic. t. 35.
67 Adami. W.	Adami's.	_____	Siberia.	1804.	—	H. 2.	
68 scula. W.	Sicilian.	_____	Sicily.	1710.	—	H. 2.	Bocc. sic. t. 8. f. 1.
69 sphærocephala. W.	globe-headed.	_____	S. Europe.	1683.	—	H. 2.	Cyril. neap. 1. t. 8.
70 Isnardi. W.	Jersey.	_____	Jersey.		—	H. 2.	Eng. bot. 2256.
71 polyacantha. W.	many-spined.	_____	Portugal.	1804.	—	H. 2.	
72 straminea. W.	straw-coloured.	_____	Egypt.	1801.	—	H. 2.	W. hort. ber. 26.
73 napifolia. W.	Turnip-leaved.	_____	Candia.	1691.	7.9.	H. 2.	Herm. parad. t. 189.
74 aspera. W.	rough.	_____	S. Europe.	1772.	6.10.	H. 2.	Bocc. mus. 35. t. 26.
75 benedicta. W.	Blessed Thistle.	_____	Spain.	1548.	—	H. 2.	Zorn. ic. 122.
76 eriophora. W.	woolly-headed.	_____	Portugal.	1714.	—	H. 2.	
77 ægyptiaca. W.	Egyptian.	_____	Egypt.	1790.	6.9.	F. 2.	
78 Calcitrapa. W.	Star-thistle.	_____	England.		7.8.	H. 2.	Eng. bot. 125.
79 calcitrapoides. W.	Phœnician.	_____	Levant.	1683.	6.7.	H. 2.	
80 reflexa. W.	crook-spined.	_____	Iberia.	1801.	7.8.	H. 2.	
81 centauroides. W.	lyre-leaved.	_____	S. Europe.	1739.	5.7.	H. 2.	Col. ecphr. 1. t. 35.
82 collina. W.	hill.	_____	_____	1596.	6.7.	H. 2.	
83 rupestris. W.	rock.	_____	Italy.	1804.	7.8.	H. 2.	Col. ecphr. 1. t. et f. 2.
84 pubescens. W.	downy.	_____	_____	—	—	H. 2.	
85 verutum. W.	dwarf.	_____	Levant.	1780.	8.9.	H. 2.	Jac. ic. 1. t. 178.
86 salmantica. W.	Ragwort-leaved.	_____	S. Europe.	1596.	7.8.	H. 3.	Jac. vind. 1. t. 64.
87 aurea. W.	great golden.	_____	_____	1758.	7.9.	H. 2.	Bot. mag. 421.
88 muricata. W.	muricated.	_____	Spain.	1621.	7.8.	H. 2.	
89 peregrina. W.	soft-leaved.	_____	S. Europe.	1749.	—	H. 3.	
90 radiata. W.	rayed.	_____	Siberia.	1804.	—	H. 2.	Gmel. sib. 2. t. 47. f. 1.
91 Crocodylium. W.	blush-flowered.	_____	Levant.	1777.	—	H. 2.	Barr. rar. t. 503.
GALACTITES. P. S.	GALACTITES.	Cynarocephalæ. J.	Centaureæ sp. W.	_____	_____	_____	
tomentosa. P. S.	woolly.	_____	S. Europe.	1738.	7.8.	H. 2.	Ann. mus. 16. t. 16.

NECESSARIA.

MILLERIA. P. S.	MILLERIA.	Corymbiferae. J.	_____	_____	_____	_____	
1 quinqueflora. W.	five-flowered.	_____	Vera Cruz.	1731.	7.10.	S. 2.	Cav. ic. 1. t. 82.
2 biflora. W.	two-flowered.	_____	Campeachy.	1730.	—	S. 2.	Mart. dec. 47. f. 1.
FLAVERIA. J.	FLAVERIA.	Corymbiferae. J.	Milleria sp. W.	_____	_____	_____	
Contrayerba. W. en.	Peruvian.	_____	Peru.	1794.	7.9.	S. 3.	Cav. ic. 1. t. 4.
BALTIMORA. W.	BALTIMORA.	Corymbiferae. J.	_____	_____	_____	_____	
recta. W.	upright.	_____	Vera Cruz.	1699.	6.7.	H. 2.	Schk. ha. 3. t. 261. C.
SILPHIUM. W.	SILPHIUM.	Corymbiferae. J.	_____	_____	_____	_____	
1 laciniatum. W.	jagged-leaved.	_____	N. America.	1781.	7.9.	H. 2.	Lin. fil. fas. 1. t. 3.
2 compositum. W.	scollop-leaved.	_____	_____	1789.	—	H. 2.	
3 therebinthina- ceum. W. }	broad-leaved.	_____	_____	1765.	8.9.	H. 2.	Jac. vind. 1. t. 43.
4 perfoliatum. W.	perfoliate.	_____	_____	1766.	7.10.	H. 2.	
5 conjunctum. W. en.	conjoined.	_____	_____		—	H. 2.	
6 connatum. W.	round-stalked.	_____	_____	1765.	—	H. 2.	
7 Asteriscus. W.	hairy-stalked.	_____	_____	1782.	7.9.	H. 2.	Dill. elt. t. 37. f. 42.
8 trifoliatum. W.	three-leaved.	_____	_____	1755.	7.10.	H. 2.	Moris. s. 6. t. 3. f. 68.
9 ternatum. W.	various-leaved.	_____	_____	1806.	—	H. 2.	
10 atropurpureum. W.	purple-stalked.	_____	_____	1812.	—	H. 2.	
ALCINA. Cav.	ALCINA.	Corymbiferae. J.	_____	_____	_____	_____	
perfoliata. P. S.	perfoliate.	_____	Mexico.	1796.	7.8.	G. 2.	Cav. ic. 1. t. 15.

POLYMNIA. W.		POLYMNIA.	Corymbiferae. J.				
1 canadensis. W.		Canadian.		N. America.	1768. 7.8. H. 4.	Lin. am. ac. 3. t. 1. f. 5.	
2 Uvedalia. W.		broad-leaved.			1699. 8.10. H. 4.	Cav. ic. 3. t. 227.	
3 abyssinica. W.		upright.		Africa.	1775. 4.5. S. 3.		
MELAMPODIUM. W.		MELAMPODIUM.	Corymbiferae. J.				
1 americanum. W.		American.		Vera Cruz.	1733. 8.10. S. 3.	Reliq. Houst. 9. t. 21	
2 humile. W.		dwarf.		Jamaica.	1782. 6.10. S. 3.		
CHAPTALIA. Vent.		CHAPTALIA.	Corymbiferae. J.				
tomentosa. Ph.		woolly.		N. America.	1806. 5.6. H. 4.	3. 4. 2256	
<i>Tussilago integrifolia. Mich.</i>							
CALENDULA. W.		MARYGOLD.	Corymbiferae. J.				
1 arvensis. W.		field.		Europe.	1597. 5.9. H. 3.		
2 sicula. W. en.		Sicilian.		Sicily.	1816. — H. 3.		
3 stellata. W.		starry.		Barbary.	1795. 6.9. H. 3.	Schk. hand. 3. t. 265.	
4 officinalis. W.		common.		S. Europe.	1573. — H. 3.		
β plena.		double-flowered.					
5 sancta. W.		pale-flowered.		Levant.	1731. 5.9. H. 3.		
6 incana. W.		hoary.		Barbary.	1796. 6.8. H. 3.	Desf. alt. 2. t. 245.	
7 pluvialis. W.		Small Cape.		C. B. S.	1699. — H. 3.	Mill. ic. t. 75. f. 2.	
8 hybrida. W.		Great Cape.			1752. 6.7. H. 3.	Schk. hand. 3. t. 264.	
9 nudicaulis. W.		naked-stalked.			1731. 6.8. H. 3.	Comm. hort. 2. t. 33.	
10 graminifolia. W.		Grass-leaved.			— 5.9. G. 4.	Mill. ic. 1. t. 76. f. 1.	289
11 Tragus. W.		bending-stalked.			1774. 5.6. G. 4.	Bot. mag. 408.	
β flaccida. V.		flaccid.			— G. 4.	Bot. reg. 28.	1981
12 viscosa. H. K.		viscous.			1790. 6.9. G. 4.	Bot. rep. 412.	
13 dentata. B. R.		tooth-leaved.			1790. 5.6. G. 4.	Bot. rep. c. ic.	
14 oppositifolia. W.		glaucous-leaved.			1774. 8. G. 4.		
15 fruticosa. W.		shrubby.			1752. 6.7. G. 4.	Mill. ic. 2. t. 283.	
16 chrysanthemifolia. V.		large-flowered.			1790. 3.8. G. 4.	Bot. reg. 40.	2210.
17 arborecens. W.		rough-leaved.			1774. 12. G. 4.	Jac. ic. 3. t. 596.	
ARCTOTIS. H. K.		ARCTOTIS.	Corymbiferae. J.				
1 acaulis. W.		dwarf.		C. B. S.	1759. 4.7. G. 4.	Bot. reg. 122.	
2 tricolor. W.		three-coloured.			1794. 5.7. G. 4.	— 131.	
3 undulata. W.		wave-leaved.			1795. 4.6. G. 4.	Jac. schœn. 2. t. 160.	
4 grandiflora. H. K.		great-flowered.			1774. 3.5. G. 3.		
5 glaucophylla. W.		Sea-green-leav'd.			1794. 5.8. G. 4.	Jac. schœn. 2. t. 170.	
6 plantaginea. W.		Plantain-leaved.			1768. 6.8. G. 4.		
7 argentea. W.		silver-leaved.			1774. 8. G. 3.		
8 rosea. W.		Rose.			1793. 7.9. G. 4.	Jac. schœn. 2. t. 162.	
9 decumbens. W.		decumbent.			1790. — G. 4.	— 3. t. 381.	
10 angustifolia. W.		narrow-leaved.			1739. — G. 4.		
11 flaccida. W.		bending-stalked.			1794. 5.7. G. 3.	Jac. schœn. 2. t. 163.	
12 decurrens. W.		decurrent.			— 6.7. G. 4.	— 2. t. 165.	
13 melanocicla. W. en.		various-colour'd.			1812. — G. 4.		
14 reptans. W.		creeping.			1795. 7.9. G. 4.	Jac. schœn. 3. t. 382.	
15 auriculata. W.		ear-leaved.			— 6.8. G. 4.	— 2. t. 169.	
16 fastuosa. W.		Orange-flowered.			— 5.7. G. 3.	— 2. t. 166.	
17 spinulosa. W.		thorny-leaved.			— 5.8. G. 3.	— 2. t. 167.	
18 maculata. W.		spotted.			1812. — G. 4.	Bot. reg. 130.	
19 aspera. B. reg.		broad rough-l'd.			1710. 7.9. G. 4.	— 34.	
20 aureola. B. reg.		narrow rough-l'd.			— G. 4.	— 32.	
21 bicolor. W. en.		two-coloured.			1812. — G. 4.		
OSTEOSPERMUM W.		OSTEOSPERMUM.	Corymbiferae. J.				
1 spinosum. H. K.		rough-leaved.		C. B. S.	1700. 2.10. G. 4.	Com. hort. 2. t. 43.	
2 spinescens. H. K.		smooth-leaved.			1793. 3.6. G. 4.	Jac. schœn. 3. t. 377.	
3 pisiferum. W.		smooth.			1757. 3.5. G. 4.	Mill. ic. 2. t. 194. f. 1.	
4 moniliferum. W.		Poplar-leaved.			1714. 7.8. G. 4.	Dill. elt. t. 68. f. 79.	
5 ilicifolium. W.		Holly-leaved.			1816. — G. 4.	Burm. afr. 172. t. 62.	
6 rigidum. W.		rigid.			1774. 4.7. G. 4.		
7 cœruleum. W.		blue-flowered.			— 6.9. G. 4.	Jac. ic. 1. t. 179.	
8 polygaloides. W.		Milkwort-leav'd.			1759. — G. 4.	Pluk. mant. t. 382.	
OTHONNA. W.		RAGWORT.	Corymbiferae. J.				
1 pinnata. W.		wing-leaved.		C. B. S.	1759. 4.6. G. 4.	Bot. mag. 768.	
2 pectinata. W.		Wormwood-l'd.			1731. — G. 4.	— 306.	
3 Athanasia. W.		Athanasia-like.			1795. 11.12. G. 4.	Jac. schœn. 2. t. 242.	
4 abrotanifolia. W.		Southernwood-l'd.			1692. 1.3. G. 4.	Bot. reg. 108.	
5 retrofracta. W.		bending-stalked.			1812. 3.8. G. 4.	Jac. schœn. 3. t. 376.	
6 coronopifolia. W.		Buckshorn-leav'd.			1731. 7.9. G. 4.	Comm. hort. 2. t. 70.	
7 cheirifolia. W.		Stick-leaved.		Barbary.	1752. 4.6. F. 4.	Bot. reg. 266.	

8 crassifolia. W.	thick-leaved.	Corymbiferæ. J.	C. B. S.	1710. 9.10. G. h.	Mill. ic. 2. t. 245. f. 2.
9 denticulata. W.	tooth-leaved.	_____	_____	1774. 4. 7. G. h.	_____
10 heterophylla. W.	various-leaved.	_____	_____	1812. _____ G. h.	_____
11 Lingua. W.	tongue-leaved.	_____	_____	1787. 5. 9. G. h.	Jac. schœn. 2. t. 238.
12 filicaulis. W.	Yam-rooted.	_____	_____	1791. 4. 5. G. h.	_____ 2. t. 241.
13 bulbosa. W.	bulbous.	_____	_____	1774. 5. 6. G. h.	Breyn. cent. t. 66.
14 perfoliata. Jac.	perfoliate.	_____	_____	1789. 5. 7. G. h.	Bot. mag. 1312.
15 parviflora. W.	small-flowered.	_____	_____	1704. 7. 8. G. h.	Volk. norib. t. 226.
16 ericoides. W.	Heath-leaved.	_____	_____	1815. _____ G. h.	_____
17 tenuissima. W.	fine-leaved.	_____	_____	1759. 4. 7. G. h.	Jac. schœn. 2. t. 239.
18 arborescens. W.	tree.	_____	_____	1723. 7. 8. G. h.	Dil. elt. t. 103. f. 123.
19 cacalioides. W.	tuberous.	_____	_____	1774. 5. 9. G. h.	_____
HIPPIA. W.	HIPPIA.	Corymbiferæ. J.	_____	_____	_____
1 frutescens. W.	shrubby.	_____	C. B. S.	1710. 2. 8. G. h.	Bot. mag. 1855.
2 integrifolia. W.	annual.	_____	E. Ind.	1777. 7. 8. S. ☉	Hout. nat. h. t. 67. f. 2
GYMNOSTYLES. J.	GYMNOSTYLES.	Corymbiferæ. J.	_____	_____	_____
anthemifolia. J.	Chamomile-lea ^d .	_____	S. America.	1812. 4. 12. G. ☉	J. ann. mus. t. 61. f. 1.
PSIADIA. W.	PSIADIA.	Corymbiferæ. J.	_____	_____	_____
glutinosa. W.	glutinous.	_____	Mauritius.	1796. 6. 8. S. h.	Jac. schœn. 2. t. 152.
ERIOCEPHALUS. W.	ERIOCEPHALUS.	Corymbiferæ. J.	_____	_____	_____
1 africanus. W.	cluster-leaved.	_____	C. B. S.	1732. 1. 3. G. h.	Bot. mag. 833.
2 racemosus. W.	silver-leaved.	_____	_____	1739. 3. 4. G. h.	_____
FILAGO. W.	COTTON-ROSE.	Corymbiferæ. J.	Evax. Gært.	_____	_____
pygmæa. W.	pigmy.	_____	S. Europe.	1629. 7. 8. H. ☉	Cav. ic. 1. t. 86.
MICROPUS. W.	MICROPUS.	Corymbiferæ. J.	_____	_____	_____
1 supinus. W.	trailing.	_____	S. Europe.	1710. 6. 9. H. ☉	Schk. hand. 3. t. 267.
2 erectus. W.	upright.	_____	_____	1683. 6. 9. H. ☉	Lœf. hisp. t. 1. f. 3.
PARTHENIUM. W.	PARTHENIUM.	Corymbiferæ ? J.	_____	_____	_____
1 Hysterophorus. W.	cut-leaved.	_____	Jamaica.	1728. 7. 10. H. ☉	Cav. ic. 4. t. 378.
2 integrifolium. W.	entire-leaved.	_____	Virginia.	1661. 6. 10. H. h.	W. hort. ber. 4.
IVA. W.	IVA.	Corymbiferæ ? J.	_____	_____	_____
1 annua. W.	annual.	_____	S. America.	1768. 7. 8. S. ☉	Schmidel. ic. t. 16.
2 frutescens. W.	shrubby.	_____	N. America.	1711. 8. H. h.	Pluk. alm. t. 27. f. 1.

SEGREGATA.

ELEPHANTOPUS. } { ELEPHANT'S } W. } FOOT.	Corymbiferæ. J.	_____	_____	_____	_____
1 scaber. W.	rough-leaved.	_____	E. Ind.	1695. 6. 9. S. h.	Rheed. mal. 10. t. 7.
2 carolinianus. W.	Carolina.	_____	America.	1732. 7. 9. G. h.	Dill. elt. t. 106. f. 126
3 tomentosus. W.	woolly.	_____	W. Ind.	1733. 7. 8. G. h.	_____
CEDERA. W.	CEDERA.	Corymbiferæ. J.	_____	_____	_____
prolifera. W.	proliferous.	_____	C. B. S.	1789. 5. 6. G. h.	Bot. mag. 1637.
STÆBE. W.	STÆBE.	Corymbiferæ. J.	Seriphium. P. S.	_____	_____
1 aethiopica. W.	Juniper-leaved.	_____	C. B. S.	1759. 8. G. h.	_____
2 cinerea. W.	Heath-leaved.	_____	_____	1774. 7. 9. G. h.	Pluk. mant. 297. f. 1
NAUENBURGIA. W.	NAUENBURGIA.	Corymbiferæ ?	Brotera. P. S.	_____	_____
trinervata. W.	three-nerved.	_____	S. America.	1799. 7. 8. H. ☉	{ Schrad. bot. j. 1800. 2. t. 5.
CASSINIA. H. K.	CASSINIA.	_____	_____	_____	_____
aurea. H. K.	yellow.	_____	N. Holland.	1803. 7. 8. G. h.	842 764.
SPHÆRANTHUS. W.	SPHÆRANTHUS.	Cynarocephalæ ? J.	_____	_____	_____
1 indicus. W.	Indian.	_____	E. Ind.	1699. 8. 12. S. h.	Burm. zeyl. t. 94. f. 3.
2 africanus. W.	African.	_____	C. B. S.	1759. 7. 8. G. ☉	Pluk. mant. t. 108. f. 7
ECHINOPS. W.	GLOBE-THISTLE	Cynarocephalæ ? J.	_____	_____	_____
1 sphærocephalus. W.	great.	_____	Austria.	1596. 7. 8. H. h.	_____
2 spinosus. W.	thorny-headed.	_____	Egypt.	1597. _____ H. h.	Moris. s. 7. t. 35. f. 4.
3 Ritro. W.	small.	_____	Europe.	1570. 7. 9. H. h.	Bot. mag. 932.
4 strigosus. W.	annual.	_____	Spain.	1729. _____ H. ☉	Herm. parad. t. 224.
5 lanuginosus. W.	woolly.	_____	Levant.	1736. 6. 7. H. h.	_____
ROLANDRA. W.	ROLANDRA.	Cynarocephalæ ? J.	_____	_____	_____
argentea. W.	silver-leaved.	_____	W. Ind.	1714. 7. S. h.	Sloan. jam. 1. t. 7. f. 3.
BROTERA. W.	BROTERA.	Cynarocephalæ ? J.	Cardopatum. P. S.	_____	_____
corymbosa. W.	umbelled.	_____	S. Europe.	1640. 6. 7. H. h.	Moris. s. 7. t. 33. f. 17.
GUNDELIA. W.	GUNDELIA.	Cynarocephalæ ? J.	_____	_____	_____
Tournefortii. W.	Turnefort's.	_____	Levant.	1739. 6. 8. H. h.	Mill. ic. t. 287.

CLASS XX.

GYNANDRIA MONANDRIA.

ORCHIS. B. P.	ORCHIS.	Orchideæ. B. P.							
1 Morio. W.	meadow.	_____	Britain.		5.6.	H. 2.	Eng. bot. 2059.		
2 longicornu. P. S.	flat-spurred.	_____	Barbary.	1815.	4.5.	G. 2.	Bot. reg. 202.		
3 mascula. W.	early purple.	_____	Britain.		—	H. 2.	Eng. bot. 631.		
4 ustulata. W.	dwarf.	_____	England.		5.6.	H. 2.	—	18.	
5 fusca. W.	brown.	_____	_____		—	H. 2.	—	16.	
6 militaris. W.	military.	_____	_____		—	H. 2.	—	1873.	
7 acuminata. W.	pointed-flower'd.	_____	Barbary.	1815.	4.5.	G. 2.	Bot. mag. 1932.	367	
8 globosa. W.	round-spiked.	_____	Austria.	1792.	6.7.	H. 2.	Jac. aust. 3. t. 265.		
9 pyramidalis. W.	pyramidal.	_____	Britain.		—	H. 2.	Eng. bot. 110.		
10 hircina. W.	Lizard.	_____	England.		—	H. 2.	—	34.	
11 latifolia. W.	marsh.	_____	Britain.		5.6.	H. 2.	—	2308.	
12 unculata. W.	spotted palmate.	_____	_____		6.7.	H. 2.	—	632.	
13 spectabilis. W.	showy.	_____	N. America.	1801.	—	H. 2.	—	—	
14 papilionacea. W.	papilionaceous.	_____	S. Europe.	1788.	—	H. 2.	—	—	
GYMNADENIA. H. K.	GYMNADENIA.	Orchideæ. B. P.	Orchidis sp. IV.						
conopsea. H. K.	fragrant.	_____	Britain.		6.7.	H. 2.	Eng. bot. 10.		
ACERAS. H. K.	ACERAS.	Orchideæ. B. P.	Ophrydis sp. IV.						
anthropophora.	Greenman.	_____	England.		6.	H. 2.	Eng. bot. 29.		
HERMINIUM. H. K.	HERMINIUM.	Orchideæ. B. P.	Ophrydis sp. IV.						
Monorchis. H. K.	musk.	_____	England.		6.7.	H. 2.	Eng. bot. 71.		
HABENARIA. B. P.	HABENARIA.	Orchideæ. B. P.	Orchidis sp. IV.						
1 nigra. H. K.	dark-flowered.	_____	Austria.	1759.	6.7.	H. 2.	Flor. dan. t. 998.		
2 viridis. H. K.	Frog.	_____	Britain.		—	H. 2.	Eng. bot. 94.		
3 bracteata. H. K.	long-bracted.	_____	N. America.	1805.	5.6.	H. 2.	Par. lond. 110.		
4 albida. H. K.	small white.	_____	Britain.		6.7.	H. 2.	Eng. bot. 505.		
5 hyperborea. H. K.	northern.	_____	Iceland.	1805.	—	H. 2.	—	—	
6 bifolia. H. K.	Butterfly.	_____	Britain.		5.6.	H. 2.	Eng. bot. 22.		
7 herbiola. H. K.	American.	_____	N. America.	1789.	6.7.	H. 2.	—	—	
8 fimbriata. H. K.	purple-fringed.	_____	Canada.	—	—	H. 2.	—	300 400	
9 cristata. H. K.	yellow-crested.	_____	N. America.	1806.	9.	H. 2.	—	—	
10 ciliaris. H. K.	yellow-fringed.	_____	_____	1796.	6.7.	H. 2.	Bot. mag. 1668.		
BARTHOLINA. H. K.	BARTHOLINA.	Orchideæ. B. P.	Orchidis sp. IV.						
pectinata. H. K.	pectinated.	_____	C. B. S.	1787.	10.	G. 2.	{ Journ. Sc. & Arts,		
SERAPIAS. H. K.	SERAPIAS.	Orchideæ. B. P.	Helleborinis sp. P. S.				v. 4. t. 8. f. 2.		
1 Lingua. W.	tongue-lipped.	_____	S. Europe.	1786.	5.6.	G. 2.	Mor.s. 12. t. 14. f. 21.		
2 cordigera. W.	heart-lipped.	_____	_____	1806.	7.8.	G. 2.	Bot. rep. 475.		
OPHRYS. B. P.	OPHRYS.	Orchideæ. B. P.							
1 apifera. W.	Bee.	_____	England.		6.7.	H. 2.	Eng. bot. 383.		
2 tenthredinifera. W.	Saw-fly.	_____	Barbary.	1815.	4.5.	G. 2.	Bot. reg. 205.	m 1930	
3 aranifera. W.	Spider.	_____	England.		—	H. 2.	Eng. bot. 65.		
4 muscifera. H. K.	Fly.	_____	_____		5.6.	H. 2.	—	64.	
SATYRIUM. H. K.	SATYRIUM.	Orchideæ. B. P.	Diplecthrum. P. S.						
1 cucullatum. W.	cucullate.	_____	C. B. S.	1787.	6.9.	G. 2.	Bot. rep. 315.	406	
2 carneum. H. K.	great-flowered.	_____	_____	—	—	G. 2.	Bot. mag. 1512.		
DISA. Sw.	DISA.	Orchideæ. B. P.							
1 cornuta. W.	horned.	_____	C. B. S.	1805.	6.7.	G. 2.	—		
2 spatulata. W.	spoon-lipped.	_____	_____	—	—	G. 2.	{ Journ. Sc. & Arts,		
3 prasinata. B. reg.	green-flowered.	_____	_____	1815.	—	G. 2.	v. 4. t. 8. f. 3.		
PTERYGODIUM. Sw.	PTERYGODIUM.	Orchideæ. B. P.							
1 volucris. W.	arrow-lipped.	_____	C. B. S.	1797.	6.7.	G. 2.	—		
DISPERIS. Sw.	DISPERIS.	Orchideæ. B. P.							
secunda. W.	side-flowering.	_____	C. B. S.	1797.	6.7.	G. 2.	—		
GOODYERA. H. K.	GOODYERA.	Orchideæ. B. P.	Neottia sp. IV.						
1 repens. H. K.	creeping.	_____	_____		7.8.	H. 2.	Eng. bot. 289.		
2 pubescens. H. K.	downy.	_____	N. America.	1802.	7.	H. 2.	—		
3 discolor. B. reg.	purple-leaved.	_____	S. America.	1815.	11.12.	S. 2.	Bot. reg. 271.	2055	
NEOTTIA. B. P.	NEOTTIA.	Orchideæ. B. P.							
1 speciosa. W.	showy.	_____	W. Ind.	1790.	4.6.	S. 2.	Bot. mag. 1374.		
2 orchioidea. W.	frosted-flowered.	_____	Jamaica.	1806.	5.	S. 2.	—	1036.	701
3 picta. H. K.	Lemon-scented.	_____	Trinidad.	1805.	4.6.	S. 2.	—	1562.	
4 elata. W.	tall.	_____	W. Ind.	1790.	—	S. 2.	Red. lil. 164.	2026	

5 cernua. W.	noddng-flower'd. Orchideæ. B. P.	N. America.	1796.	7.	H. ½.	Bot. mag. 1568.	213
6 spiralis. W.	Ladies-traces.	Britain.		8.9.	H. ½.	Eng. bot. 541.	
PONTHIEVA. H. K.	PONTHIEVA.	Orchideæ. B. P.	<i>Neottia sp. B. M.</i>				
1 glandulosa. H. K.	glandular.	W. Ind.	1800.	1.3.	S. ½.	Bot. mag. 842.	
DIURUS. B. P.	DIURUS.	Orchideæ. B. P.					
aurea. B. P.	golden-flowered.	N. S. W.	1810.		G. ½.	Exot. bot. 1. t. 9.	
THELYMITRA. B. P.	THELYMITRA.	Orchideæ. B. P.					
ixioides. B. P.	spotted blue.	N. S. W.	1810.		G. ½.	Exot. bot. 1. t. 29.	
LISTERA. H. K.	LISTERA.	Orchideæ. B. P.	<i>Ophrydis sp. E. B.</i>				
1 ovata. H. K.	Twayblade.	Britain.		5.6.	H. ½.	Eng. bot. 1548.	
2 cordata. H. K.	heart-leaved.			6.7.	H. ½.	358.	
EPIPACTIS. Sw.	EPIPACTIS.	Orchideæ. B. P.	<i>Serapias. E. B.</i>				
1 Nidus-avis. W.	bird's nest.	Britain.		5.	H. ½.	Eng. bot. 48.	
2 latifolia. W.	broad-leaved.			7.8.	H. ½.	269.	
3 palustris. W.	marsh.				H. ½.	270.	
4 pallens. W.	white.			6.	H. ½.	271.	
5 ensifolia. W.	narrow-leaved.				H. ½.	494.	
6 rubra. W.	purple.			6.7.	H. ½.	437.	
POGONIA. H. K.	POGONIA.	Orchideæ. B. P.	<i>Arethusa sp. Ph.</i>				
1 ophioglossoides. B. reg.	Adder's-tongue.	N. America.	1816.	6.7.	G. ½.	Bot. reg. 148.	
2 divaricata. H. K.	Lily-leaved.		1787.	—	H. ½.	Lam. ill. t. 729. f. 3.	
CALADENIA. B. P.	CALADENIA.	Orchideæ. B. P.					
alba. B. P.	white.	N. S. W.	1810.	7.8.	G. ½.		
GLOSSODIA. B. P.	GLOSSODIA.	Orchideæ. B. P.					
major. B. P.	larger.	N. S. W.	1810.		G. ½.		
PTEROSTYLIS. B. P.	PTEROSTYLIS.	Orchideæ. B. P.					
obtusa. B. P.	blunt-lipped.	N. S. W.	1810.	7.8.	G. ½.		
CALEYA. H. K.	CALEYA.	Orchideæ. B. P.	<i>Caleana. B. P.</i>				
major. H. K.	smooth-lipped.	N. S. W.	1810.		G. ½.		
CALOPOGON. H. K.	CALOPOGON.	Orchideæ. B. P.	<i>Cymbidii sp. IV.</i>				
pulchellus. H. K.	tuberous-rooted.	N. America.	1771.	7.8.	F. ½.	Bot. mag. 116.	
	<i>Limodorum tuberosum. B. M.</i>						
ARETHUSA. H. K.	ARETHUSA.	Orchideæ. B. P.					
bulbosa. H. K.	bulbous.	N. America.		5.6.	G. ½.	Pluk. man. t. 346. f. 7	
BLETIA. H. K.	BLETIA.	Orchideæ. B. P.	<i>Limodori et Cymbidii sp. IV.</i>				
1 Tankervilleæ. H. K.	Tankerville's.	China.	1778.	3.4.	S. ½.	Bot. mag. 1924.	
2 verecunda. H. K.	tall.	W. Ind.	1733.	1.5.	S. ½.	930.	
3 florida. H. K.	purple.		1786.	7.8.	S. ½.	Redouté lil. 83.	
4 hyacinthina. H. K.	hyacinthine.	China.	1802.	3.6.	S. ½.	Bot. mag. 1492.	
5 capitata. H. K.	headed.	W. Ind.	1795.	6.7.	S. ½.		
GEODORUM. H. K.	GEODORUM.	Orchideæ. B. P.	<i>Limodori sp. Roxb.</i>				
1 purpureum. H. K.	purple.	E. Ind.	1800.	6.8.	S. ½.	Roxb. cor. 1. t. 40.	
2 citrinum. H. K.	Lemon-colour'd.			10.12.	S. ½.	Bot. rep. 626.	
3 dilatatum. H. K.	shovel-lipped.			5.8.	S. ½.	Roxb. cor. 1. t. 39.	
CALYPSO. P. L.	CALYPSO.	Orchideæ. B. P.					
americana. H. K.	American.	N. America.	1805.	5.6.	H. ½.	Par. lond. 89.	
MALAXIS. H. K.	MALAXIS.	Orchideæ. B. P.					
1 paludosa. W.	marsh.	England.		7.	H. ½.	Eng. bot. 72.	
2 Loeselii. W.	Loesel's.			7.	H. ½.	47.	
3 lilifolia. W.	Lily-leaved.	N. America.	1758.	6.7.	H. ½.	Bot. rep. 65.	
CORALLORRHIZA. H. K.	CORALLORRHIZA.	Orchideæ. B. P.	<i>Ophrydis sp. E. B.</i>				
innata. H. K.	spurless.	Scotland.		6.7.	H. ½.	Eng. bot. 1547.	
ISOCHILUS. H. K.	ISOCHILUS.	Orchideæ. B. P.	<i>Cymbidii sp. IV.</i>				
1 linearis. H. K.	linear.	W. Ind.	1791.	5.7.	S. ½.	Jac. amer. t. 131. f. 1.	
2 prolifer. H. K.	proliferous.		1793.		S. ½.		
ORNITHIDIUM. H. K.	ORNITHIDIUM.	Orchideæ. B. P.	<i>Cymbidii sp. IV.</i>				
coccineum. H. K.	scarlet-flowered.	W. Ind.	1790.	1.12.	S. ½.	Bot. mag. 1437.	
STELIS. H. K.	STELIS.	Orchideæ. B. P.					
1 ophioglossoides. W.	Adder's-tongue-lea'd.	W. Ind.	1791.	5.6.	S. ½.	Jac. amer. t. 133. f. 2.	
2 micrantha. W.	small-flowered.	Jamaica.	1805.	11.12.	S. ½.	Exot. bot. 2. t. 75.	
PLEUROTHALLIS. H. K.	PLEUROTHALLIS.	Orchideæ. B. P.	<i>Epidendri sp. Jac.</i>				
ruscifolia. H. K.	Butcher's-broom-leav'd.	W. Ind.	1791.	5.6.	S. ½.	Jac. amer. t. 133. f. 3.	
OCTOMERIA. H. K.	OCTOMERIA.	Orchideæ. B. P.	<i>Dendrobii sp. IV.</i>				
graminifolia. H. K.	Grass-leaved.	W. Ind.	1793.	6.7.	S. ½.	Plum. ic. 176. f. 1.	

AERIDES. Sw.	AIR-PLANT.	Orchideæ. B. P.	<i>Epidendri sp. L.</i>				
1 paniculatum. B. reg.	panicled.	_____	China.		5.8.	S. 2.	Bot. reg. 220.
2 odoratum. H. K.	fragrant.	_____	_____	1800.		S. 2.	
3 arachnites. Sw.	common.	_____	Japan.	1793.		S. 2.	
CRYPTARRHENA } B. reg.	CRYPTARRHENA.	Orchideæ. B. P.					
1 lunata. B. reg.	crescent-lipped.	_____	W. Ind.	1815.	5.8.	S. 2.	Bot. reg. 153.
DENDROBIUM. H. K.	DENDROBIUM.	Orchideæ. B. P.					
1 speciosum. B. P.	showy.	_____	N. S. W.	1801.	6.8.	G. 2.	Exot. bot. 1. t. 10.
2 linguiforme. B. P.	tongue-leaved.	_____	_____	1810.		G. 2.	1. t. 11.
3 Barringtonia. W.	large-flowered.	_____	W. Ind.	1790.	6.8.	S. 2.	Smith ic. pict. 25.
GOMESA. B. M.	GOMESA.	Orchideæ. B. P.					
1 recurva. B. M.	recurved.	_____	Brazil.	1814.	5.6.	S. 2.	Bot. mag. 1748.
CYMBIDIUM. H. K.	CYMBIDIUM.	Orchideæ. B. P.	<i>Epidendri sp. L.</i>				
1 aloifolium. W.	Aloe-leaved.	_____	E. Ind.	1789.	5.6.	S. 2.	Bot. mag. 387.
2 ensifolium. W.	sword-leaved.	_____	China.	1780.	6.10.	S. 2.	1751.
3 sinense. W.	Chinese.	_____	_____	1793.	9.10.	S. 2.	888.
4 præmorsum. W.	snip-leaved.	_____	E. Ind.	1800.	6.	S. 2.	Roxb. cor. 1. t. 43.
5 tripterum. W.	triangular-fruit ^d .	_____	Jamaica.	1790.	6.7.	S. 2.	Smith ic. pict. 14.
BRASSIA. H. K.	BRASSIA.	Orchideæ. B. P.					
1 maculata. H. K.	spotted-flower'd.	_____	Jamaica.	1806.	6.7.	S. 2.	Bot. mag. 1691.
ONCIDIUM. Sw.	ONCIDIUM.	Orchideæ. B. P.	<i>Epidendri sp. L.</i>				
1 altissimum. W.	sharp-petaled.	_____	W. Ind.	1793.	8.9.	S. 2.	Jac. amer. t. 141.
2 carthagenense. W.	Spread-eagle.	_____	_____	1791.	5.6.	S. 2.	Bot. mag. 777.
3 bifolium. H. K.	two-leaved.	_____	S. America.	1811.	7.	S. 2.	1491.
4 triquetrum. H. K.	triangular-leav ^d .	_____	Jamaica.	1793.	7.8.	S. 2.	
CYRTOPODIUM. } H. K.	CYRTOPODIUM.	Orchideæ. B. P.					
1 Andersonii. H. K.	Anderson's.	_____	W. Ind.	1804.	5.8.	S. 2.	Bot. mag. 1800.
2 Woodfordii. B. M.	Woodford's.	_____	S. America.	1814.	10.	S. 2.	1814.
BRASSAVOLA. H. K.	BRASSAVOLA.	Orchideæ. B. P.	<i>Cymbidii sp. W.</i>				
1 cucullata. H. K.	single-flowered.	_____	W. Ind.	1793.	6.9.	S. 2.	Bot. mag. 543.
BROUGHTONIA. } H. K.	BROUGHTONIA.	Orchideæ. B. P.	<i>Dendrobii sp. W.</i>				
1 sanguinea. H. K.	blood-coloured.	_____	Jamaica.	1793.	6.7.	S. 2.	Slojam. 1. t. 121. f. 2.
EPIDENDRUM. H. K.	EPIDENDRUM.	Orchideæ. B. P.					
1 cochleatum. W.	dark-purple.	_____	W. Ind.	1786.	12.2.	S. 2.	Bot. mag. 572.
2 fragrans. W.	sweet-scented.	_____	Jamaica.	1778.	10.	S. 2.	1669.
3 secundum. W.	side-flowering.	_____	W. Ind.	1793.	6.7.	S. 2.	Jac. amer. t. 137.
4 fuscum. W.	brown.	_____	_____	1790.	—	S. 2.	Bot. reg. 67.
5 elongatum. W.	long-stalked.	_____	_____	1798.	5.8.	S. 2.	Bot. mag. 611.
6 umbellatum. W.	umbelld.	_____	Jamaica.	1793.	6.7.	S. 2.	Bot. reg. 80. 2030
7 nutans. W.	nodding.	_____	_____	—	—	S. 2.	17.
8 conopseum. H. K.	Florida.	_____	Florida.	1775.	8.	S. 2.	
9 ciliare. W.	fringed.	_____	W. Ind.	1790.	3.8.	S. 2.	Bot. mag. 463. 2702
VANILLA. Sw.	VANILLA.	Orchideæ. B. P.	<i>Epidendri sp. L.</i>				
1 aromatica. H. K.	aromatic.	_____	S. America.	1739.	6.8.	S. 2.	Plum. ic. 183. t. 188.
2 planifolia. H. K.	fragrant.	_____	W. Ind.	1800.	4.6.	S. 2.	Bot. rep. 538.

DIANDRIA.

CYPRIPEDIUM. W.	LADIES-SLIPPER.	Orchideæ. B. P.					
1 Calceolus. W.	common.	_____	England.		5.7.	H. 2.	Eng. bot. 1.
2 parviflorum. W.	small-flowered.	_____	N. America.	1759.	5.6.	H. 2.	Bot. mag. 911.
3 pubescens. W.	yellow-downy.	_____	_____	1790.	—	H. 2.	W. hort. ber. 13.
4 spectabile. W.	white petalled.	_____	_____	1731.	6.7.	H. 2.	Bot. mag. 216.
5 humile. W.	two-leaved.	_____	_____	1786.	5.6.	H. 2.	192.
6 arietinum. H. K.	Ram's-head.	_____	_____	1808.	5.	H. 2.	1569.
STYLIDIUM. B. P.	STYLIDIUM.	Stylideæ. B. P.	<i>Ventenatia. Ex. B. Candollea. Lab.</i>				
1 graminifolium. B. P.	Grass-leaved.	_____	N. S. W.	1803.	4.8.	G. 2.	Bot. reg. 90. 1910
2 fruticosum. B. P.	shrubby.	_____	N. Holland.	—	5.10.	G. 2.	Par. lond. 77.
3 scandens. B. P.	climbing.	_____	_____	—	7.8.	G. 2.	
GUNNERA. W.	GUNNERA.	Urticæ? J.					
1 perpersa. W.	{ Marsh-mary- gold-leaved. }	_____	C. B. S.	1688.		G. 2.	Pluk. alm. t. 18. f. 2. 2370

HEXANDRIA.

ARISTOLOCHIA. W.	BIRTHWORT.	Aristolochiæ. J.					
1 trilobata. W.	three-lobed.	_____	S. America.	1775.	6.7.	S. 2.	
2 maxima. W.	greatest.	_____	New Spain.	1759.	7.	S. 2.	Jac. amer. t. 146.

2 Sipho. W.	broad-leaved.	Aristolochiæ. J.	N. America.	1763.	6.7.	H. h.	Bot. mag. 534.
4 tomentosa. B. M.	downy-leaved.	_____	_____	1799.	_____	H. h.	_____ 1869.
5 odoratissima. W.	sweet-scented.	_____	Jamaica.	1737.	7.	S. h.	Slo.jam. t. t. 104. f. 1.
6 barbata. W.	bearded.	_____	Caracas.	1796.		S. 2.	Jac. ic. 3. t. 608.
7 indica. W.	Indian.	_____	E. Ind.	1780.	6.7.	S. h.	Rheed. mal. 8. t. 25.
8 boetica. W.	Spanish.	_____	Spain.	1596.	5.6.	H. 2.	Moris. s. 12. t. 17. f. 6
9 glauca. W.	glaucous-leaved.	_____	Barbary.	1785.	7.	G. h.	Bot. mag. 1115.
10 sempervirens. W.	evergreen.	_____	Candia.	1727.	5.6.	G. h.	_____ 1116.
11 longa. W.	long-rooted.	_____	S. Europe.	1548.	6.10.	H. 2.	Mill. ic. t. 51. f. 2.
12 Serpentaria. W.	Snake-root.	_____	N. America.	1632.	6.7.	H. 2.	Jac. schœn. 3. t. 385.
13 bracteata. W.	bracteated.	_____	E. Ind.	1793.	7.	S. 2.	_____
14 Pistolochia. W.	small.	_____	S. Europe.	1597.	6.7.	H. 2.	_____
15 rotunda. W.	round-rooted.	_____	_____	1596.	3.10.	G. 2.	_____
16 pallida. W.	pale-flowered.	_____	Italy.	1640.	5.8.	H. 2.	Moris. s. 12. t. 18. f. 2.
17 hirta. W.	hairy.	_____	Chio.	1759.	5.6.	G. 2.	Tourn. it. 1. t. 147.
18 Clematitis. W.	common.	_____	England.		5.8.	H. 2.	Eng. bot. 399.
19 arborescens. W.	tree.	_____	America.	1737.	6.7.	G. h.	_____

CLASS XXI.

MONÆCIA MONANDRIA.

ZANNICHELLIA. W.	POND WEED.	Naiades. J.	_____	_____	_____	_____	_____
palustris. W.	horned.	_____	Britain.		7.	H. ⊙.	Eng. bot. 1844.
CHARA. W.	CHARA.	Naiades. J.	_____	_____	_____	_____	_____
1 vulgaris. W.	common.	_____	Britain.		7.8.	H. ⊙.	Eng. bot. 336.
2 gracilis. H. K.	slender.	_____	England.		_____	H. ⊙.	_____ 2140.
3 hispida. W.	prickly.	_____	Britain.		6.9.	H. ⊙.	_____ 463.
4 tomentosa. W.	tomentose.	_____			6.7.	H. ⊙.	Moris. s. 15. t. 4. f. 9.
5 flexilis. W.	smooth.	_____	England.		7.8.	H. ⊙.	Eng. bot. 1070.
6 translucens. H. K.	great transparent	_____	_____		_____	H. ⊙.	_____ 1855.
7 nidifica. H. K.	proliferous.	_____	_____		_____	H. ⊙.	_____ 1703.
CERATOCARPUS. W.	CERATOCARPUS.	Chenopodææ. B. P.	_____	_____	_____	_____	_____
arenarius. W.	sand.	_____	Tartary.	1757.	6.7.	H. ⊙.	Bux. in act. pet. 1. t. 9
ARTOCARPUS. W.	BREAD FRUIT.	Urticææ. J.	_____	_____	_____	_____	_____
1 incisa. W.	true.	_____	S. Sea Isl.	1793.		S. h.	Rumph. amb. 1. t. 33
2 integrifolia. W.	Jaca Tree.	_____	E. Ind.	1778.	6.	S. h.	{ Rheed. mal. 3. t. 26-28.
CASUARINA. W.	CASUARINA.	Coniferææ. J.	_____	_____	_____	_____	_____
1 equisetifolia. W.	Horse-tail.	_____	S. Sea Isl.	1766.	10.11.	G. h.	Rumph. amb. 3. t. 57
2 stricta. W.	upright.	_____	N. S. W.	1775.	11.2.	G. h.	Bot. rep. 346.
3 distyla. W.	two-styled.	_____	N. Holland.	1812.		G. h.	{ Vent. desc. pl. nov. t. 62.
4 torulosa. W.	Cork-barked.	_____	N. S. W.	1772.		G. h.	_____
5 quadrivalvis. P. S.	four-valved.	_____	_____	1812.		G. h.	{ Lab. nov. holl. 2. t. 218.

DIANDRIA.

ANGURIA. W.	ANGURIA.	Cucurbitacææ. J.	_____	_____	_____	_____	_____
trilobata. W.	three-lobed.	_____	Carthagera.	1793.	6.7.	S. 2.	Jac. amer. t. 156.
LEMNA. W.	DUCK WEED.	Naiades. J.	_____	_____	_____	_____	_____
1 trisulca. W.	Ivy-leaved.	_____	Britain.		5.6.	H. ⊙.	Eng. bot. 926.
2 minor. W.	lesser.	_____	_____		6.7.	H. ⊙.	_____ 1095.
3 gibba. W.	gibbous.	_____	_____		_____	H. ⊙.	_____ 1233.
4 polyrhiza. W.	greater.	_____	_____		5.9.	H. ⊙.	_____ 2458.

TRIANDRIA.

TYPHA. W.	CAT'S-TAIL.	Aroideææ. B. P.	_____	_____	_____	_____	_____
1 latifolia. W.	great.	_____	Britain.		7.	H. 2.	Eng. bot. 1455.
2 minor. W.	dwarf.	_____	England.		7.	H. 2.	_____ 1457.
3 angustifolia. W.	lesser.	_____	Britain.		6.7.	H. 2.	_____ 1456.
SPARGANIUM. W.	BUR REED.	Aroideææ. B. P.	_____	_____	_____	_____	_____
1 ramosum. W.	branched.	_____	Britain.		7.8.	H. 2.	Eng. bot. 744.
2 simplex. W.	unbranched.	_____	_____		_____	H. 2.	_____ 745.
3 natans. W.	floating.	_____	England.		7.	H. 2.	_____ 273.

ZEA. W.	INDIAN CORN.	Gramineæ. J.					
Mays. W.	common.		America.	1562.	6.7.	H. ☉.	Lam. ill. t. 749.
TRIPSACUM. W.	TRIPSACUM.	Gramineæ. J.					
1 dactyloides. W.	rough-seeded.		Virginia.	1640.	8.	H. ♀.	Lam. ill. t. 750.
2 monostachyon. W.	single-spiked.		N. America.	1815.	—	H. ♀.	W. hort. ber. t. 1.
3 hermaphroditum. W.	hermaphrodite.		Jamaica.	1776.	8.9.	S. ☉.	
COIX. W.	JOE'S TEARS.	Gramineæ. J.					
1 Lachryma. W.	common.		E. Ind.	1596.	6.7.	S. ♀.	Rumph. am. t. 75. f. 2
2 agrestis. W.	round-fruited.			1812.	—	S. ♀.	6. t. 9. f. 1.
OLYRA. W.	OLYRA.	Gramineæ. J.					
paniculata. W.	broad-leaved.		W. Ind.	1783.	7.	S. ♀.	Sloa. jam. 1. t. 64. f. 2
CAREX. W.	CAREX.	Cyperacæ. B. P.					
1 dioica. W.	dioecious.		Britain.		5.6.	H. ♀.	Eng. bot. 543.
2 Davalliana. W.	Davall's.				—	H. ♀.	— 2123.
3 Fraseriana. H. K.	Fraser's.		N. America.	1809.	4.6.	H. ♀.	Bot. mag. 1891.
4 pauciflora. W.	few-flowered.		Britain.		6.	H. ♀.	Eng. bot. 2041.
5 pulicaris. W.	Flea.				6.7.	H. ♀.	— 1051.
6 cyperoides. W.	Bohemian.		Bohemia.	1801.	—	H. ♀.	Schk. car. t. A. f. 5.
7 foetida. W.	stinking.		Switzerland.	1791.	7.8.	H. ♀.	{ t. Rh. f. 96.
8 incurva. W.	curved.		Scotland.		—	H. ♀.	Eng. bot. 927.
9 atrata. W.	black.		Britain.		6.7.	H. ♀.	— 2044.
10 arenaria. W.	sand.				—	H. ♀.	— 928.
11 intermedia. W.	soft brown.				5.7.	H. ♀.	— 2042.
12 Schreberi. W.	Schreber's.		Germany.	1800.	6.7.	H. ♀.	Host. gram. 1. t. 46.
13 ovalis. W.	oval-spiked.		Britain.		—	H. ♀.	Eng. bot. 306.
14 lagopodioides. W.	Hare's Foot.		N. America.	1805.	—	H. ♀.	Sch. car. t. Yyy. f. 177
15 scoparia. W.	Broom.			1812.	—	H. ♀.	— t. Xxx. f. 175
16 vulpina. W.	great-spiked.		Britain.		5.8.	H. ♀.	Eng. bot. 307.
17 appressa. B. P.	close-spiked.		N. S. W.	1802.	—	G. ♀.	
18 divisa. W.	bracteated.		Britain.		5.7.	H. ♀.	Eng. bot. 1096.
19 brizoides. W.	Briza-like.		Germany.	1815.	—	H. ♀.	Host. gram. 36. t. 47
20 muricata. W.	greater prickly.		Britain.		5.6.	H. ♀.	Eng. bot. 1097.
21 divulsa. W.	gray.				5.	H. ♀.	— 629.
22 stellulata. W.	little prickly.				5.6.	H. ♀.	— 806.
23 rosea. W.	Rose.		N. America.	1812.	—	H. ♀.	Sch. car. t. Zzz. f. 179
24 axillaris. W.	axillary.		England.		—	H. ♀.	Eng. bot. 993.
25 remota. W.	remote.		Britain.		—	H. ♀.	— 832.
26 elongata. W.	elongated.		England.		5.6.	H. ♀.	— 1920.
27 curta. W.	white.		Britain.		6.	H. ♀.	— 1386.
28 straminea. W.	slender-stalked.		N. America.	1803.	6.7.	H. ♀.	{ Schk. car. t. Xxx f. 174.
29 teretiuscula. W.	lesser-panicled.		Britain.		5.6.	H. ♀.	Eng. bot. 1065.
30 paniculata. W.	great-panicled.		England.		6.7.	H. ♀.	— 1064.
31 clandestina. W.	dwarf silvery.				4.5.	H. ♀.	— 2124.
32 digitata. W.	fingered.				5.6.	H. ♀.	— 615.
33 plantaginea. W.	broad-leaved.		N. America.	1805.	—	H. ♀.	Schk. car. t. U. f. 70.
34 pilulifera. W.	round-headed.		Britain.		4.6.	H. ♀.	Eng. bot. 885.
35 præcox. W.	vernal.				4.	H. ♀.	— 1099.
36 tomentosa. W.	downy-fruited.		England.		6.	H. ♀.	— 2046.
37 extensa. W.	long-bracted.		Britain.		—	H. ♀.	— 833.
38 flava. W.	yellow.				5.6.	H. ♀.	— 1294.
39 (Ederi. E. B.	(Ederian.		England.		6.7.	H. ♀.	— 1773.
40 fulva. W.	tawny.		Britain.		—	H. ♀.	— 1295.
41 distans. W.	loose.				6.	H. ♀.	— 1234.
42 binervis. W.	green-ribbed.				—	H. ♀.	— 1235.
43 rigida. W.	rigid.				6.7.	H. ♀.	— 2047.
44 pulla. W.	russet.		Scotland.		7.	H. ♀.	— 2045.
45 alpestris. W.	Alpine.		Europe.	1804.	5.6.	H. ♀.	Schk. car. t. G. f. 35.
46 vitida. W.	glossy.		Austria.	1805.	—	H. ♀.	Host. gram. 1. t. 71.
47 Mellichhoferi. W.	loose-spiked.		Scotland.		7.8.	H. ♀.	Eng. bot. 2293.
48 depauperata. W.	starved wood.		England.		6.7.	H. ♀.	— 1098.
49 granularis. W.	grain-seeded.		N. America.	1807.	—	H. ♀.	Sch. car. t. Vvv. f. 169
50 anceps. W.	two-edged.			1805.	7.8.	H. ♀.	— t. Fff. f. 128.
51 panicea. W.	Pink-leaved.		Britain.		5.7.	H. ♀.	Eng. bot. 1505.
52 cæspitosa. W.	tufted bog.				5.6.	H. ♀.	— 1507.
53 stricta. W.	straight-leaved.				4.5.	H. ♀.	— 914.
54 pendula. W.	great pendulous.				5.6.	H. ♀.	— 2315.
55 strigosa. W.	loose pendulous.		England.		4.5.	H. ♀.	— 994.

56 capillaris. W.	capillary.	Cyperaceæ. B. P.	Britain.		7.8.	H. 2.	Eng. bot. 2069.
57 pallescens. W.	pale.	_____	_____		4.6.	H. 2.	_____ 2185.
58 ustulata. W.	scorched Alpine.	_____	Scotland.		6.7.	H. 2.	_____ 2404.
59 limosa. W.	green and gold.	_____	Britain.		6.	H. 2.	_____ 2043.
60 rariflora. E. B.	loose-flowered.	_____	Scotland.		_____	H. 2.	_____ 2516.
61 levigata. W.	smooth-stalked.	_____	Britain.		5.6.	H. 2.	_____ 1387.
62 Pseudo-Cyperus. W.	Bastard Cyperus.	_____	Britain.		6.7.	H. 2.	_____ 242.
63 flexuosa. W.	bending.	_____	N. America.	1807.	_____	H. 2.	{ Schk. car. t. Ddd. et Aaaa. f. 124.
64 sylvatica. E. B.	wood.	_____	Britain.		5.6.	H. 2.	Eng. bot. 995.
65 recurva. W.	glaucous Heath.	_____	England.		_____	H. 2.	_____ 1506.
66 nutans. W.	nodding.	_____	Austria.	1815.	6.7.	H. 2.	Host. gram. 1. t. 83.
67 salina. W.	salt marsh.	_____	Norway.		6.	H. 2.	_____
68 filiformis. W.	slender-leaved.	_____	Britain.		6.7.	H. 2.	Eng. bot. 904.
69 crinita. W.	haired.	_____	N. America.	1807.	_____	H. 2.	Sch. car. t. Eee f. 125
70 acuta. W.	slender-spiked.	_____	Britain.		5.6.	H. 2.	Eng. bot. 580.
71 paludosa. W.	lesser common.	_____	_____		_____	H. 2.	_____ 807.
72 riparia. W.	great common.	_____	_____		4.6.	H. 2.	_____ 579.
73 ambleocarpa. W.	short-fruited.	_____	_____		6.7.	H. 2.	{ Mich. gen. 62. t. 32. f. 12.
74 vesicaria. W.	short-spiked.	_____	_____		5.6.	H. 2.	Eng. bot. 779.
75 ampullacea. W.	slender-beaked.	_____	_____		_____	H. 2.	_____ 780.
76 bullata. W.	blistered.	_____	N. America.	1811.	6.	H. 2.	{ Schk. car. t. Uuu. f. 166.
77 hordeiformis. W.	Barley-form.	_____	France.	1805.	6.7.	H. 2.	_____ t. Ddd. f. 121.
78 hirta. W.	hairy.	_____	Britain.		5.6.	H. 2.	Eng. bot. 685.
COMPTONIA. W.	COMPTONIA.	Amentaceæ. J.	_____	_____	_____	_____	_____
asplenifolia. W.	Fern-leaved.	_____	N. America.	1714.	3.5.	H. 2.	Plu. alm. t. 100. f. 6.7
AXYRIS. W.	AXYRIS.	Chenopodeæ. B. P.	_____	_____	_____	_____	_____
1 aquarantoides. W.	simple-spiked.	_____	Siberia.	1758.	6.7.	H. 2.	Gmel. sib. t. 2. f. 2.
2 hybrida. W.	bastard.	_____	_____	1780.	6.8.	H. 2.	_____ t. 4. f. 1.
3 prostrata. W.	trailing.	_____	_____	1798.	7.3.	H. 2.	_____ t. 4. f. 2.
TRAGIA. W.	TRAGIA.	Euphorbiaceæ. J.	_____	_____	_____	_____	_____
1 volubilis. W.	twining.	_____	W. Ind.	1739.	6.7.	S. 2.	Trew. pl. rar. 2. t. 15.
2 involucreta. W.	involved.	_____	E. Ind.	1759.	_____	S. 2.	Jac. ic. 1. t. 190.
3 urcens. W.	stinging.	_____	Virginia.	1699.	8.	H. 2.	Pluk. alm. t. 107. f. 5.
4 Chamælea. W.	lance-leaved.	_____	E. Ind.	1793.	6.7.	S. 2.	Rheed. mal. 2. t. 34.
5 cannabina. W.	Hemp-leaved.	_____	_____	1699.	_____	S. 2.	Burm. ind. t. 63. f. 1.
HERNANDIA. W.	JACK IN A BOX.	Laurinæ? J.	_____	_____	_____	_____	_____
sonora. W.	peltate-leaved.	_____	W. Ind.	1693.		S. 2.	Rumph. amb. 2. t. 35
TETRANDRIA.							
AUCUBA. W.	AUCUBA.	Rhamni? J.	Eubasis. Sal.	_____	_____	_____	_____
japonica. W.	blotch-leaved.	_____	Japan.	1783.	5.7.	H. 2.	Bot. mag. 1197.
EMPLEURUM. W.	EMPLEURUM.	Diosmaceæ.	_____	_____	_____	_____	_____
serrulatum. W.	Cape.	_____	C. B. S.	1774.	6.7.	G. 2.	Exot. bot. 2. t. 63.
SERPICULA. W.	SERPICULA.	Onagraceæ. J.	_____	_____	_____	_____	_____
repens. W.	creeping.	_____	C. B. S.	1789.	7.8.	G. 2.	Lam. ill. t. 758.
LITTORELLA. W.	SHORE WEED.	Plantaginæ. B. P.	_____	_____	_____	_____	_____
lacustris. W.	Plantain-leaved.	_____	Britain.		6.8.	H. 2.	Eng. bot. 468.
ALNUS. W.	ALDER.	Amentaceæ. J.	Betula sp. E. B.	_____	_____	_____	_____
1 glutinosa. W.	common.	_____	Britain.		3.4.	H. 2.	Eng. bot. 1508.
β laciniata.	cut-leaved.	_____	_____		_____	H. 2.	Willd. arb. 44.
2 oblongata. W.	oblong-leaved.	_____	_____	_____	_____	H. 2.	_____
β elliptica.	elliptic-leaved.	_____	_____	_____	_____	H. 2.	_____
3 incana. W.	hoary-leaved.	_____	Europe.	1780.	6.	H. 2.	_____
β angulata.	Elm-leaved.	_____	_____	_____	_____	H. 2.	_____
4 undulata. W.	curl-leaved.	_____	N. America.	1782.	5.6.	H. 2.	_____
5 serrulata. W.	notch-leaved.	_____	_____	1769.	3.	H. 2.	Abb. ins. 2. t. 92.
CICCA. W.	Cicca.	Euphorbiaceæ. J.	_____	_____	_____	_____	_____
disticha. W.	long-leaved.	_____	E. Ind.	1796.		S. 2.	Jac. schoen. 2. t. 194.
BUXUS. W.	BOX TREE.	Euphorbiaceæ. J.	_____	_____	_____	_____	_____
1 balearica. W.	Minorca.	_____	Minorca.	1780.	7.	H. 2.	_____
2 sempervirens. W.	common.	_____	England.		4.	H. 2.	Eng. bot. 1341.
β angustifolia.	narrow-leaved.	_____	_____	_____	_____	H. 2.	_____
γ suffruticosa.	dwarf.	_____	_____	_____	_____	H. 2.	_____
PACHYSANDRA. Mi.	PACHYSANDRA.	Euphorbiaceæ. J.	_____	_____	_____	_____	_____
procumbens. W.	trailing.	_____	N. America.	1800.	3.4.	H. 2.	Bot. reg. 33.
DIOTIS. W.	DIOTIS.	Chenopodeæ. B. P.	Ceratosperrum. P. S.	_____	_____	_____	_____
ceratoides. W.	shrubby.	_____	Siberia.	1780.	2.	H. 2.	Jac. ic. 1. t. 189.

URTICA. W.	NETTLE.	Urticæ. J.				
1 pilulifera. W.	Roman.	_____	England.	 6.8.	H.⊙	Eng. bot. 148.
2 balearica. W.	Balearic.	_____	Balearic Isl.	1731. 6.7.	H.⊙	Blackw. t. 321. f. 1.
3 Dodartii. W.	Dodart's.	_____	S. Europe.	1683. 7.8.	H.⊙	
4 grandifolia. W.	great-leaved.	_____	Jamaica.	1793.	S. h.	Sloa.jam.1.t.83.f.2.
5 reticulata. W.	net-leaved.	_____	Jamaica.	1793. 6.8.	S. h.	2567
6 rufa. W.	rusty.	_____	_____	6.9.	S. h.	
7 urens. W.	small.	_____	Britain.	 6.10.	H.⊙	Eng. bot. 1236.
8 dioica. W.	common.	_____	_____	 7.9.	H.⊙	1750.
9 cannabina. W.	Hemp-leaved.	_____	Siberia.	1749.	H.⊙	Am.ruth.249.t.25.
10 rugosa. W.	rough-leaved.	_____	Jamaica.	1793. 5.7.	S. ♂.	
11 nudicaulis. W.	naked-stalked.	_____	_____	_____	S. h.	
12 gracilis. W.	slender-stalked.	_____	Huds.'s Bay.	1782. 6.8.	H.⊙	
13 Parietaria. W.	Pellitory-leaved.	_____	Jamaica.	1793. 7.9.	S. h.	Sloa.jam.1.t.93.f.1.
14 ciliata. W.	ciliated.	_____	_____	1815.	S. h.	
15 microphylla. W.	small-leaved.	_____	W. Ind.	1793. 4.5.	S.⊙	Sloa.jam.1.t.93.f.2.
16 scabrella. Rox.	rough.	_____	E. Ind.	1815.	S. h.	
17 aestuans. W.	Surinam.	_____	Surinam.	1803. 6.7.	S. ♂.	Jac.schoen.3.t.388.
18 canadensis. W.	Canada.	_____	Canada.	1656. 8.10.	H.⊙	Plu.alm.t.239.f.2.
19 nivea. W.	white-leaved.	_____	China.	1739. 8.9.	F.⊙	Jac.vind.2.t.166.
20 baccifera. W.	berry-bearing.	_____	S. America.	1793. 7.8.	S. h.	Bot. rep. 454.
BEHMERIA. W.	BEHMERIA.	Urticæ. J.				
1 cylindrica. W.	cylindrical.	_____	Virginia.	1759. 6.8.	H.⊙	Sloa.jam.1.t.82.f.2.
2 rubescens. W.	tree.	_____	Canaries.	1779. 2.5.	G. h.	Jac.frag.t.5.f.1.
MORUS. W.	MULBERRY.	Urticæ. J.				
1 alba. W.	white.	_____	China.	1596. 6.	H. h.	Schk.hand.3.t.290.
2 tatarica. W.	Tartarian.	_____	Tartary.	1784.	H. h.	Pall. ros. 2. t. 52.
3 nigra. W.	common.	_____	Italy.	1548.	H. h.	
4 rubra. W.	red.	_____	N. America.	1629. 6.7.	H. h.	
5 tinctoria. W.	Fustick-wood.	_____	W. Ind.	1739.	S. h.	Plum. ic. t. 204.
PENTANDRIA.						
SCHISANDRA. W.	SCHISANDRA.	Menispermæ? D.				
coccinea. W.	scarlet-flowered.	_____	N. America.	1806. 6.7.	G. h.	Bot. mag. 1413.
NEPHELIUM. W.	NEPHELIUM.	Corymbifera? J.				
lappaceum. W.	But-seeded.	_____	E. Ind.	1809.	S. h.	Lam. ill. t. 764.
XANTHIUM. W.	XANTHIUM.	Corymbifera? J.				
1 Strumarium. W.	Small Burdock.	_____	England.	 7.9.	H.⊙	Eng. bot. 2544.
2 orientale. W.	oriental.	_____	China.	1685.	H.⊙	Sch. hand. 3. t. 291.
3 spinosum. W.	spiny.	_____	S. Europe.	1713.	H.⊙	Herm. parad. 246.
AMBROSIA. W.	AMBROSIA.	Corymbifera? J.				
1 integrifolia. Ph.	entire-leaved.	_____	N. America.	1816. 7.9.	H.⊙	
2 trifida. Ph.	trifid-leaved.	_____	_____	1699.	H.⊙	Moris. s. 6. t. 1. f. 4.
3 elatior. Ph.	tall.	_____	_____	1696. 7.8.	H.⊙	Herm. lugdb. t. 35.
4 artemisifolia. Ph.	Mugwort-leav'd.	_____	_____	1759.	H.⊙	
5 paniculata. Ph.	panicked.	_____	_____	1811. 7.9.	H.⊙	Pluk. alm. t. 10. f. 5.
6 maritima. W.	sea.	_____	Italy.	1570. 7.8.	H.⊙	Schk.hand.3.t.292.
FRANSERIA. Cav.	FRANSERIA.	Corymbifera? J.				
1 artemisioides. W.	Mugwort-leav'd.	_____	Pern.	1759. 7.9.	G. h.	W. hort. ber. 2.
2 ambrosioides. W.	Ambrosia-leav'd.	_____	Mexico.	1796.	G. h.	Cav. ic. 2. t. 200.
LUFFA. Cav.	LUFFA.	Cucurbitaceæ. J.				
foetida. P. S.	stinking.	_____	India.	1812. 6.10.	F.⊙	Bot. mag. 1638.
AMARANTHUS. W.	AMARANTH.	Amaranthaceæ. B. P.				
1 tenuifolius. W.	fine-leaved.	_____	E. Ind.	1801. 7.9.	H.⊙	
2 angustifolius. W.	narrow-leaved.	_____	Levant.	1723.	H.⊙	
3 albus. W.	white.	_____	N. America.	1778.	H.⊙	W. amar. 9. t. 1. f. 2.
4 græciæns. W.	Pellitory-leaved.	_____	_____	1759. 7.9.	H.⊙	8. t. 4. f. 7.
5 melancholicus. W.	melancholy.	_____	E. Ind.	1731. 6.9.	H.⊙	15. t. 9. f. 18.
6 tricolor. W.	three-coloured.	_____	_____	1548.	S.⊙	Knor.the.2.t.A.3.5.
7 bicolor. W.	two-coloured.	_____	_____	1802. 7.9.	H.⊙	
8 polygamus. W.	hermaphrodite.	_____	_____	1780.	H.⊙	Rumph. amb. 5. t. 82.
9 gangeticus. W.	oval-spiked.	_____	_____	1778.	H.⊙	W. amar. 16. t. 6. f. 11.
10 mangostanus. W.	rhomb-leaved.	_____	_____	1801.	H.⊙	13. t. 12.
11 polystachyus. W.	many-spiked.	_____	_____	1816.	H.⊙	
12 tristis. W.	round-headed.	_____	China.	1759. 6.8.	H.⊙	W. amar. 21. t. 5. f. 10.
13 lividus. W.	livid.	_____	N. America.	7.9.	H.⊙	20. t. 1. f. 1.
14 oleraceus. W.	eatable.	_____	E. Ind.	1764. 7.8.	H.⊙	17. t. 5. f. 9.
15 Blitum. W.	wild.	_____	England.	 6.8.	H.⊙	Eng. bot. 2212.
16 prostratus. W.	trailing.	_____	France.	1739. 7.9.	H.⊙	
17 spicatus. P. S.	spiked.	_____	Europe.		H.⊙	

18 viridis. W.	green.	Amaranthaceæ. B. P.	Brazil.	1768.	8.9.	H. ⊙.	W. amar. 18. t. 8. f. 16
19 scandens. W.	climbing.	—	America.	1796.	7.8.	H. ⊙.	—
20 deflexus. W.	bending.	—		1805.	—	H. ⊙.	W. am. 10. t. 10. f. 20.
21 polygonoides. W.	spotted-leaved.	—	Jamaica.	1778.	—	H. ⊙.	— 11. t. 6. f. 12.
22 hybridus. W.	clustered.	—	N. America.	1656.	6.9.	H. ⊙.	— 26. t. 9. f. 17.
23 heticus. W.	oval-leaved.	—		1796.	8.	H. ⊙.	— 25. t. 7. f. 13.
24 strictus. W.	upright.	—		1793.	7.9.	H. ⊙.	— 27. t. 3. f. 5.
25 paniculatus. W.	panicked.	—	N. America.	1798.	—	H. ⊙.	— 32. t. 2. f. 4.
26 sanguineus. W.	spreading.	—	Bahama Isl.	1775.	—	H. ⊙.	— 31. t. 2. f. 3.
27 retroflexus. W.	hairy.	—	Pennsylvania.	1759.	—	H. ⊙.	— 33. t. 11. f. 21.
28 lætus. W.	blunt-leaved.	—		1799.	—	H. ⊙.	— 28. t. 8. f. 15.
29 flavus. W.	pale.	—	India.	1759.	—	H. ⊙.	— 35. t. 3. f. 6.
30 chlorostachys. W.	nodding.	—		1796.	—	H. ⊙.	— 34. t. 10. f. 19.
31 hypochondriacus. W.	Prince's Feather.	—	Virginia.	1684.	—	H. ⊙.	—
32 cruentus. W.	various-leaved.	—	China.	1728.	6.8.	H. ⊙.	—
33 candelatus. W.	Love lies bleed ^g .	—	E. Ind.	1596.	8.9.	H. ⊙.	—
β maximus.	tree.	—	—	—	—	—	—
34 spinosus. W.	prickly.	—	India.	1683.	7.9.	H. ⊙.	W. amar. 38. t. 4. f. 8.

HEXANDRIA.

ZIZANIA. W.	ZIZANIA.	Gramineæ. J.	—	N. America.	1790.	7.9.	H. ⊙.	Linn. trans. 7. t. 13.
aquatica. H. K.	Canada Rice.	—	—	—	—	—	—	—
PHARUS. W.	PHARUS.	Gramineæ. J.	—	Jamaica.	1793.	7.8.	S. 2.	Br. jam. t. 38. f. 3.
latifolius. W.	broad-leaved.	—	—	—	—	—	—	—
GUETTARDA. W.	GUETTARDA.	Rubiaceæ. J.	—	E. Ind.	1771.		S. h.	—
1 speciosa. W.	great-flowered.	—	—	W. Ind.	1793.		S. h.	—
2 rugosa. W.	rough-leaved.	—	—	—	—	—	—	—
COCOS. W.	{ COCOA-NUT- }	Palmae. B. P.	—	—	—	—	—	—
1 nucifera. W.	TREE.	—	—	E. Ind.	1690.		S. h.	Roxb. cor. 1. t. 73.
2 aculeata. W.	common.	—	—	W. Ind.	1796.		S. h.	Jac. amer. 278. t. 169
3 fusiformis. W.	prickly.	—	—	—	—	—	—	—
	{ Great Ma- }	—	—	Jamaica.	1731.		S. h.	—
	caw-tree.	—	—	—	—	—	—	—
BACTRIS. W.	BACTRIS.	Palmae. B. P.	—	—	—	—	—	—
1 minor. W.	lesser.	—	—	S. America.	1691.		S. h.	Jac. amer. t. 171. f. 1.
2 major. W.	greater.	—	—	Carthagera.	1800.		S. h.	— t. 171. f. 2.
ELATE. W.	ELATE.	Palmae. B. P.	—	—	—	—	—	—
1 sylvestris. W.	prickly-leaved.	—	—	E. Ind.	1763.	4.6.	S. h.	Reed. mal. 3. t. 22-25
SAGO. G.	SAGO-PALM.	Palmae. B. P.	—	—	—	—	—	—
Rumphii. W.	Rumphius's.	—	—	E. Ind.	1800.		S. h.	Rum. amb. 1. t. 17. 18

POLYANDRIA.

CERATOPHYLLUM. W.	{ } HORNWORT.	Naiades. J.	—	—	—	—	—	—
1 demersum. W.	common.	—	—	Britain.		7.9.	H. 2.	Eng. bot. 947.
2 submersum. W.	unarmed.	—	—	—		—	H. 2.	— 679.
MYRIOPHYLLUM. W.	{ WATER- MILFOIL. }	Naiades. J.	—	—	—	—	—	—
1 spicatum. W.	spiked.	—	—	Britain.		6.8.	H. 2.	Eng. bot. 83.
2 verticillatum. W.	verticillate.	—	—	England.		7.	H. 2.	— 218.
SAGITTARIA. W.	ARROW-HEAD.	Alismaceæ. B. P.	—	—	—	—	—	—
1 sagittifolia. W.	common.	—	—	England.		6.8.	H. 2.	Eng. bot. 84.
2 sinensis. B. M.	Chinese.	—	—	China.	1812.	9.11.	G. 2.	Bot. mag. 1631.
3 obtusifolia. W.	blunt-leaved.	—	—	—	1804.	7.8.	S. 2.	Rheed. mal. 11. t. 45.
4 lancifolia. W.	lance-leaved.	—	—	W. Ind.	1787.	6.7.	G. 2.	Bot. mag. 1792.
5 rigida. B. M.	brittle-leaved.	—	—	N. America.	1806.	—	H. 2.	— 1632.
6 graminea. Ph.	Grass-leaved.	—	—	Carolina.	1812.	7.8.	G. 2.	—
BEGONIA. W.	BEGONIA.	Hydrocharideæ. P. L.	—	—	—	—	—	—
1 nitida. W.	shining-leaved.	—	—	Jamaica.	1777.	5.12.	S. h.	Par. lond. 72.
2 dichotoma. W.	forked.	—	—	Caracas.	1800.	7.8.	S. h.	Jac. ic. 3. t. 619.
3 Evansiana. B. R.	two-coloured.	—	—	China.	1804.	5.9.	S. 2.	Bot. mag. 1473.
4 macrophylla. W.	large-leaved.	—	—	Jamaica.	1793.	—	S. h.	Plum. ic. 34. t. 45. f. 1.
5 tuberosa. W.	tuberous.	—	—	Amboyna.	1810.	7.9.	S. 2.	{ Rumph. amb. 5. t. 169. f. 2.
6 acuminata. W.	pointed-leaved.	—	—	Jamaica.	1790.	5.12.	S. h.	{ Linn. trans. 1. t. 14. f. 5. 6.
7 humilis. W.	small.	—	—	W. Ind.	1788.	10.	S. 3.	— 1. t. 15.
8 hirsuta. W.	shaggy-leaved.	—	—	—	1789.	5.6.	S. 3.	Aub. gui. 2. t. 348.

ACIDOTON. W.	ACIDOTON.								
urens. W.	stinging.		Jamaica.	1793.		S. h.	Sloa.jam.	1.t.83.f.1.	
THELYGONUM. W.	THELYGONUM.	Urticæ. J.							
Cynocrambe. W.	Dog's-cabbage.		S. Europe.	1710.	7.	H. ☉	Schk. hand. 3. t. 299.		
POTERIUM. W.	BURNET.	Rosacæ. J.							
1 Sanguisorba. W.	common.		England.		7.	H. 2.	Eng. bot. 860.		
2 polygamum. W.	Hungarian.		Hungary.	1803.	7.8.	H. 2.	Pl. rar. hung. 2. t. 198		
3 hybridum. W.	sweet.		France.	1683.	6.7.	H. 2.	Barr. ic. t. 632.		
4 caudatum. W.	smooth shrubby.		Canaries.	1779.	1.4.	G. h.	2841		
5 spinosum. W.	prickly shrubby.		Levant.	1595.	4.8.	G. h.	Moris. s. 8. t. 18. f. 5.		
JUGLANS. W.	WALNUT.	Terebintacæ? J.							
1 regia. W.	common.		Persia.	1562.	4.5.	H. h.	Lam. ill. 781.		
2 nigra. W.	black.		N. America.	1629.	—	H. h.	Jac. ic. 1. t. 191.		
3 cinerea. W.	shell-bark.			1656.	—	H. h.	— 1. t. 192.		
4 olivæformis. H. K.	Olive-fruited.				—	H. h.	Mich. arb. 1. t. 3.		
5 angustifolia. H. K.	narrow-leaved.			1766.	—	H. h.	—		
6 sulcata. W.	channelled.			1804.	—	H. h.	Mich. arb. 1. t. 8.		
7 alba. W.	white.			1629.	—	H. h.	— 1. t. 6.		
8 compressa. W.	flat-fruited.			1730.	—	H. h.	— 1. t. 7.		
9 amara. Ph.	bitter.			1800.	5.	H. h.	—		
10 obcordata.	obcordate.			1812.	—	H. h.	Mich. arb. 1. t. 9. f. 3. 4		
11 glabra. W.	smooth.			1799.	—	H. h.	— 1. t. 9. f. 1. 2.		
QUERCUS. W.	OAK.	Amentacæ. J.							
1 Phellos. Ph.	Willow-leaved.		N. America.	1723.	5.6.	H. h.	Mich. arb. 1. t. 12.		
2 maritima. Ph.	sea.			1811.	—	H. h.	Mich. querc. t. 13. f. 1		
3 sericea. Ph.	running.			1724.	—	H. h.	Mich. arb. 2. t. 15.		
4 virens. Ph.	live.			1739.	5.	H. h.	— 2. t. 11.		
5 cinerea. Ph.	ash-coloured.			1789.	5.6.	H. h.	— 2. t. 14.		
6 imbricaria. Ph.	tile-cupped.			1786.	—	H. h.	— 2. t. 13.		
7 laurifolia. Ph.	Laurel-leaved.				5.	H. h.	Mich. querc. t. 17.		
β obtusa.	blunt-leaved.				—	H. h.	— t. 18.		
8 gramuntia. W.	Holly-leaved.		France.	1730.	6.	H. h.	—		
9 ilex. W.	evergreen.		S. France.	1581.	5.6.	H. h.	—		
α integrifolia.	common.				—	H. h.	Duham. arb. 1. t. 123		
β serrata.	notched-leaved.				—	H. h.	— 1. t. 124.		
γ oblonga.	long-leaved.				—	H. h.	— 2. t. 80.		
10 Suber. W.	Cork-tree.			1699.	6.	H. h.	—		
11 coccifera. W.	Kermes.			1683.	5.	H. h.	—		
12 Prinus. Ph.	Chesnut-leaved.		N. America.	1730.	5.6.	H. h.	Mich. arb. 2. t. 7.		
13 bicolor. Ph.	white swamp.			1811.	5.	H. h.	— 2. t. 6.		
14 montana. Ph.	Rock Chesnut.			1800.	—	H. h.	— 2. t. 8.		
15 heterophylla. Ph.	various-leaved.				—	H. h.	— 2. t. 16.		
16 aquatica. Ph.	water.			1723.	—	H. h.	— 2. t. 17.		
17 nana. Ph.	dwarf.			1738.	—	H. h.	Abb. ins. 2. t. 59.		
18 triloba. Ph.	three-lobed.			1800.	—	H. h.	Mich. querc. t. 26.		
19 nigra. Ph.	black.			1739.	5.	H. h.	Mich. arb. 2. t. 18.		
20 tinctoria. Ph.	dyer's.			1800.	—	H. h.	Mich. querc. t. 24.		
21 discolor. Ph.	two-coloured.			1763.	—	H. h.	— t. 25.		
22 coccinea. Ph.	scarlet.			1691.	—	H. h.	Mich. arb. 2. t. 23.		
23 ambigua. Ph.	gray.			1800.	—	H. h.	— 2. t. 24.		
24 rubra. Ph.	champion.			1739.	—	H. h.	— 2. t. 26.		
25 falcata. Ph.	downy-leaved.			1763.	—	H. h.	— 2. t. 21.		
26 palustris. Ph.	marsh.			1800.	—	H. h.	— 2. t. 25.		
27 Banisteri. Ph.	Banister's.				—	H. h.	— 2. t. 19.		
28 Ægilops. W.	Velanida.		Levant.	1731.		H. h.	Mill. dict. n. 7. t. 215.		
29 Esculus. W.	Italian.		S. Europe.	1739.	5.	H. h.	—		
30 Robur. W.	sessile-fruited.		Britain.		4.5.	H. h.	Eng. bot. 1845.		
31 pedunculata. W.	common.				—	H. h.	— 1342.		
32 pubescens. W.	durmast.				—	H. h.	Sec. du chen. p. 3. t. 5		
33 obtusiloba. Ph.	starred.		N. America.	1800.	5.	H. h.	Mich. arb. 2. t. 4.		
34 olivæformis. Ph.	mossy-cup.			1811.	—	H. h.	— 2. t. 2.		
35 lyrata. Ph.	lyre-leaved.			1786.	—	H. h.	— 2. t. 5.		
36 alba. Ph.	white.			1724.	—	H. h.	— 2. t. 1.		
37 macrocarpa. Ph.	over-cup white.			1800.	—	H. h.	— 2. t. 3.		
38 Cerris. W.	Turkey.		S. Europe.	1735.	—	H. h.	Du Roi. 2. t. 5. f. 1.		
β bullata.	rough-leaved.				—	H. h.	—		
γ sinuata.	narrow-leaved.				—	H. h.	—		
δ exoniensis.	Lucombe.				—	H. h.	—		
ε sempervirens.	Fulham.				—	H. h.	—		

FAGUS. W.	BEECH.	Amentaceæ. J.				
1 <i>sylvatica. W.</i>	common.	—————	Britain.		4.5. H. h.	Eng. bot. 1846.
<i>β purpurea.</i>	<i>purple-leaved.</i>					
<i>γ asplenifolia.</i>	<i>Fern-leaved.</i>					
2 <i>ferruginea. W.</i>	American.	—————	N. America.	1766.	5.6. H. h.	Mich. arb. 2. t. 9.
CASTANEA. W.	CHESNUT.	Amentaceæ. J.				
1 <i>vesca. W.</i>	common.	—————	England.		5.6. H. h.	Eng. bot. 886.
2 <i>pumila. W.</i>	dwarf.	—————	N. America.	1699.	7. H. h.	Mich. arb. 2. t. 7.
BETULA. W.	BIRCH.	Amentaceæ. J.				
1 <i>alba. W.</i>	common.	—————	Britain.		4.6. H. h.	Eng. bot. 2198.
<i>β pendula.</i>	<i>weeping.</i>					
2 <i>populifolia. W.</i>	Poplar-leaved.	—————	N. America.	1750.	7. H. h.	Mich. arb. 2. t. 2.
3 <i>excelsa. W.</i>	tall.	—————		1767.	5. H. h.	Willd. arb. t. 2. f. 2.
4 <i>daurica. W.</i>	Daurian.	—————	Siberia.	1786.	7. H. h.	Pall. ross. 1. t. 39.
5 <i>nigra. W.</i>	black.	—————	N. America.	1736.	7.8. H. h.	Willd. arb. t. 2. f. 6.
6 <i>papyracea. W.</i>	paper.	—————		1750.	6. H. h.	— t. 2. f. 1.
7 <i>lenta. W.</i>	soft.	—————		1759.	7. H. h.	{ Mich. arb. 2. p. 145.
8 <i>nana. W.</i>	smooth dwarf.	—————	Scotland.		5. H. h.	{ t. 4.
9 <i>pumila. W.</i>	hairy dwarf.	—————	N. America.	1762.	4.5. H. h.	Eng. bot. 2326.
CARPINUS. W.	HORNBEAM.	Amentaceæ. J.				
1 <i>Betulus. W.</i>	common.	—————	Britain.		3.5. H. h.	Jac. vind. 2. t. 122.
<i>β incisa.</i>	<i>cut-leaved.</i>					
2 <i>americana. W.</i>	American.	—————	N. America.	1812.	 H. h.	Mich. arb. 3. t. 8.
3 <i>orientalis. W.</i>	eastern.	—————	Levant.	1739.	 H. h.	Scop. carn. 2. t. 60.
OSTRYA. W.	HOP-HORNBEAM.	Amentaceæ. J.				
1 <i>vulgaris. W.</i>	common.	—————	Italy.	1724.	5. H. h.	{ Mich. gen. t. 104.
2 <i>virginica. W.</i>	American.	—————	N. America.	1692.	5.6. H. h.	{ f. 1. 2.
CORYLUS. W.	NUT-TREE.	Amentaceæ. J.				Abb. ins. 2. t. 75.
1 <i>Avellana. W.</i>	Common Hazel.	—————	Britain.		2.4. H. h.	Eng. bot. 723.
<i>β alba.</i>	<i>White Filbert.</i>					
<i>γ rubra.</i>	<i>Red Filbert.</i>					
<i>δ grandis.</i>	<i>Cob.</i>					
<i>ε glomerata.</i>	<i>clustered.</i>					
2 <i>tubulosa. W.</i>	Lambert's.	—————	S. Europe.	1759.	3.4. H. h.	Lam. ill. t. 780.
3 <i>americana. W.</i>	Dwarf Cuckold.	—————	N. America.	1798.	— H. h.	{ Wang. amer. t. 29.
4 <i>rostrata. W.</i>	Common Cuckold.	—————		1745.	— H. h.	{ f. 63.
5 <i>Columna. W.</i>	Constantinople.	—————	Constantin ^{ple} .	1665.	— H. h.	Willd. arb. t. 1. f. 2.
PLATANUS. W.	PLANE-TREE.	Amentaceæ. J.				
1 <i>orientalis. W.</i>	oriental.	—————	Levant.	1548.	4.5. H. h.	Lam. ill. t. 783.
2 <i>cuneata. W.</i>	wave-leaved.	—————		1739.	— H. h.	
3 <i>acerifolia. W.</i>	Maple-leaved.	—————		1724.	— H. h.	
4 <i>occidentalis. W.</i>	American.	—————	N. America.	1640.	— H. h.	Cat. car. 1. t. 56.
LIQUIDAMBAR. W.	LIQUIDAMBAR.	Amentaceæ. J.				
1 <i>Styraciflua. W.</i>	Sweet-gum.	—————	N. America.	1683.	3.4. H. h.	{ Mich. arb. 3. p. 194.
2 <i>imberbe. W.</i>	oriental.	—————	Levant.	1759.	 H. h.	{ t. 4.
SALISBURIA. L. T.	SALISBURIA.	 Ginkgo. P. S.				
<i>adiantifolia. L. T.</i>	Maiden-hair-1 ^d .	—————	Japan.	1754.	4.5. H. h.	Kämpf. am. ent. 813
ARUM. W.	ARUM.	Aroideæ. B. P.				
1 <i>crinitum. W.</i>	hairy-sheathed.	—————	Minorca.	1777.	3.4. F. 2.	931
2 <i>Dracunculus. W.</i>	Common Dragon.	—————	S. Europe.	1548.	6.7. H. 2.	Moris. s. 13. t. 5. f. 46.
3 <i>Dracontium. W.</i>	Green Dragon.	—————	N. America.	1759.	6. H. 2.	668
4 <i>venosum. W.</i>	purple-flowered.	—————		1774.	3. S. 2.	
5 <i>triphylum. W.</i>	three-leaved.	—————	N. America.	1664.	5.6. H. 2.	Bot. mag. 950.
6 <i>atrorubens. W.</i>	purple-stalked.	—————		1758.	6.7. H. 2.	Pluk. alm. t. 77. f. 5.
7 <i>ternatum. W.</i>	Japan.	—————	Japan.	1774.	5.7. F. 2.	
8 <i>Colocasia. W.</i>	Egyptian.	—————	Levant.	1551.	 S. 2.	
9 <i>macrorhizon. W.</i>	long-rooted.	—————	E. Ind.	1803.	 S. 2.	Herm. parad. 73.
10 <i>divaricatum. W.</i>	divaricated.	—————		1759.	6.7. S. 2.	Rheed. mal. 11. t. 20.
11 <i>trilobatum. W.</i>	three-lobed.	—————	Ceylon.	1714.	5.6. S. 2.	Bot. mag. 339.
12 <i>maculatum. W.</i>	common.	—————	Britain.		5.7. H. 2.	Eng. bot. 1298.
13 <i>orixense. B. P.</i>	Orixian.	—————	E. Ind.	1802.	8.10. S. 2.	Bot. rep. 356.
14 <i>italicum. W.</i>	Italian.	—————	Italy.	1683.	5.6. H. 2.	3. m. 2432
15 <i>minutum. W.</i>	small.	—————	E. Ind.	1812.	5.7. S. 2.	Rheed. mal. 11. t. 17.
16 <i>virginicum. W.</i>	Virginian.	—————	N. America.	1759.	6.7. H. 2.	
17 <i>Arisarum. W.</i>	Friar's Cowl.	—————	S. Europe.	1596.	4.6. F. 2.	Jac. schœn. 2. t. 192.
18 <i>tenuifolium. W.</i>	Grass-leaved.	—————		1570.	— H. 2.	Moris. s. 13. t. 6. f. 21.

19 hederaceum. W.	Ivy-leaved.	Aroideæ. B. P.	W. Ind.	1793.	5.6.	S. h.	Jac. amer. t. 152.
20 lingulatum. W.	tongue-leaved.	_____	_____	_____	_____	S. h.	Plum. ic. 26. t. 37.
CALADIUM. W.	CALADIUM.	Aroideæ. B. P.	_____	_____	_____	_____	_____
1 helleborifolium. W.	Hellebore-leav'd.	_____	Caracas.	1796.	6.7.	S. 2.	Jac. ic. 3. t. 613.
2 bicolor. W.	two-coloured.	_____	Madeira.	1773.	_____	S. 2.	Bot. mag. 820.
3 nymphaeifolium. W.	Water-Lily-lea ^d .	_____	E. Ind.	1800.		S. 2.	Rheed. mal. 11. t. 23.
4 esculentum. W.	esculent.	_____	America.	1739.		S. 2.	Slojam. 1. t. 106. f. 1.
5 sagittifolium. W.	arrow-leaved.	_____	W. Ind.	1710.		S. 2.	Jac. vmd. 2. t. 157.
6 pinnatifidum. W.	pinnatifid.	_____	Caracas.	1817.		S. 2.	Jac. schœn. 2. t. 187.
7 seguinum. W.	Dumb-Cane.	_____	America.	1759.	5.	S. h.	Mill. ic. 2. t. 295.
8 grandifolium. W.	great-leaved.	_____	Caracas.	1803.	5.7.	S. h.	Jac. schœn. 2. t. 189.
9 arborescens. W.	tree.	_____	W. Ind.	1759.	6.7.	S. h.	Plum. amer. 44. t. 60.
10 tripartitum. W.	ternate-leaved.	_____	Caracas.	1816.		S. h.	Jac. schœn. 2. t. 190.
11 auritum. W.	ear-leaved.	_____	America.	1739.		S. h.	_____ 2. t. 191.
PARIANA. W.	PARIANA.		_____	_____	_____	_____	_____
campestris. W.	Cayenne.	_____	Cayenne.	1802.		S. h.	Aub. gui. 2. t. 337.
CARYOTA. W.	CARYOTA.	Palmæ. B. P.	_____	_____	_____	_____	_____
urens. W.	torn-leaved.	_____	E. Ind.	1788.		S. h.	Rheed. mal. 1. t. 11.

MONADELPHIA.

ARECA. W.	CABBAGE-TREE.	Palmæ. B. P.	_____	_____	_____	_____	_____
1 Catechu. W.	medicinal.	_____	E. Ind.	1690.		S. h.	Rox. cor. 1. t. 75.
2 humilis. W.	dwarf.	_____	_____	1814.		S. h.	Rumph. amb. 1. t. 7.
3 oleracea. W.	esculent.	_____	W. Ind.	1656.		S. h.	Jac. amer. t. 170.
PINUS. W.	PINE OF FIR.	Coniferæ. J.	_____	_____	_____	_____	_____
1 sylvestris. W.	Scotch.	_____	Scotland.		5.	H. h.	Lamb. pin. 1. t. 1.
2 Pumilio. W.	Mugho.	_____	Carniola.	1779.	4.5.	H. h.	_____ 5. t. 2.
3 Laricio. P. S.	Corsican.	_____	Corsica.	1814.		H. h.	_____
4 pungens. Ph.	pungent.	_____	N. America.	1804.		H. h.	Mich. arb. 1. p. 61. t. 5.
5 Banksiana. Ph.	Hudson's Bay.	_____	Hudson's Bay.	1785.	5.6.	H. h.	Lamb. pin. 7. t. 3.
6 Pinaster. W.	cluster.	_____	S. Europe.	1596.	4.5.	H. h.	_____ 9. t. 4. 5.
7 Pinex. W.	stone.	_____	_____	1548.	5.	H. h.	_____ 11. t. 6. 7. 8.
8 maritima. W.	maritime.	_____	_____	1759.	5.6.	H. h.	_____ 13. t. 9. 10.
9 halepensis. W.	Aleppo.	_____	Levant.	1683.	5.	H. h.	_____ 15. t. 11.
10 inops. Ph.	Jersey.	_____	N. America.	1739.	_____	H. h.	_____ 18. t. 13.
11 resinosa. Ph.	pitch.	_____	_____	1756.	_____	H. h.	_____ 20. t. 14.
12 variabilis. Ph.	two and three-l ^d .	_____	_____	1739.	5.6.	H. h.	_____ 22. t. 15.
13 Tæda. Ph.	frankincense.	_____	_____	1713.	_____	H. h.	_____ 23. t. 16. 17.
14 serotina. Ph.	Fox-tail.	_____	_____	_____	_____	H. h.	Mich. arb. 1. p. 86. t. 7.
15 rigida. Ph.	three-leaved.	_____	_____	1759.	_____	H. h.	Lam. pin. 25. t. 18. 19.
16 palustris. Ph.	swamp.	_____	_____	1730.		H. h.	_____ 27. t. 20.
17 canariensis.	Canary.	_____	Canaries.	1815.		G. h.	_____
18 longifolia. W.	long-leaved.	_____	E. Ind.	1801.		G. h.	_____ 29. t. 21.
19 Strobis. W.	Weymouth.	_____	N. America.	1705.	4.	H. h.	_____ 31. t. 22.
20 Cembra. W.	Siberian.	_____	Siberia.	1746.	5.	H. h.	_____ 34. t. 23. 24.
21 Abies. W.	Norway Spruce.	_____	N. Europe.	1548.	4.	H. h.	_____ 37. t. 25.
22 alba. Ph.	White Spruce.	_____	N. America.	1700.	5.6.	H. h.	_____ 39. t. 26.
23 rubra. Ph.	Red Spruce.	_____	_____	1755.	5.	H. h.	_____ 43. t. 28.
24 nigra. Ph.	Black Spruce.	_____	_____	1700.	5.	H. h.	_____ 41. t. 27.
25 canadensis. Ph.	Hemlock Spruce.	_____	_____	1736.	_____	H. h.	_____ 50. t. 32.
26 Picea. W.	Silver Fir.	_____	Germany.	1603.	_____	H. h.	_____ 46. t. 30.
27 Balsamea. W.	Bahn of Gilead.	_____	N. America.	1696.	_____	H. h.	_____ 43. t. 31.
28 Fraseri. Ph.	Double Balsam.	_____	Pennsylvania.	1811.	_____	H. h.	_____
29 lanceolata. H. K.	lance-leaved.	_____	China.	1804.		G. h.	Lamb. pin. 52. t. 34.
30 Larix. W.	Common Larch.	_____	Germany.	1629.	3.4.	H. h.	_____ 53. t. 35.
31 pendula. W.	Black Larch.	_____	N. America.	1739.	5.	H. h.	_____ 56. t. 36.
32 microcarpa. W.	Red Larch.	_____	_____	1760.	_____	H. h.	_____ 58. t. 37.
33 Cedrus. W.	Cedar of Lebanon.	_____	Levant.	1683.	5.	H. h.	_____ 59. t. 37.
34 Dammar. W.	Dammar.	_____	Amboyna.	1804.		S. h.	_____ 61. t. 38.
THUJA. W.	ARBOR-VITÆ.	Coniferæ. J.	_____	_____	_____	_____	_____
1 occidentalis. W.	American.	_____	N. America.	1596.	5.	H. h.	Mich. arb. 3. p. 29. t. 3.
2 orientalis. W.	Chinese.	_____	China.	1752.	_____	H. h.	Lam. ill. t. 787. f. 2.
3 articulata. W.	jointed.	_____	Barbary.	1815.	2.5.	F. h.	Vahl. symb. 2. t. 43.
4 cypressoides. W.	African.	_____	C. B. S.	1799.		G. h.	_____
CUPRESSUS. W.	CYPRESS.	Coniferæ. J.	_____	_____	_____	_____	_____
1 sempervirens. W.	common.	_____	Candia.	1548.	5.	H. h.	Pall. ros. 2. t. 53.
α stricta.	upright.	_____	_____	_____	_____	_____	_____
β horizontalis.	spreading.	_____	_____	_____	_____	_____	_____
2 lusitanica. W.	Cedar of Goa.	_____	Goa.	1683.	4.5.	F. h.	Lamb. pin. 95. t. 42.

3 disticha. W.	deciduous.	Coniferæ. J.	N. America.	1640.	5.	H. h.	Mich. arb. 3. p. 4. t. 1.
β nutans.	long-leaved.						
4 thyoides. W.	White Cedar.			1736.	4.5.	H. h.	3. p. 20. t. 2.
5 juniperoides. W.	African.		C. B. S.	1756.		G. h.	
6 australis. P. S.	slender-branch'd.		N. Holland.			G. h.	
PODOCARPUS. L'Her.	PODOCARPUS.	Coniferæ. J.	Taxi sp. IV.				
1 macrophyllus. W.	long-leaved.		China.	1804.	7.8.	G. h.	Kæmpf. ic. t. 24.
2 verticillatus. W.	whorl-leaved.		Japaa.			G. h.	
3 elongatus. P. S.	African.		C. B. S.	1774.	7.	G. h.	
PLUKENETIA. W.	PLUKENETIA.	Euphorbiacæ. J.					
1 volubilis. W.	twining.		W. Ind.	1739.	7.8.	S. h.	Plum. ic. 220. t. 226.
DALECHAMPIA. W.	DALECHAMPIA.	Euphorbiacæ. J.					
1 scandens. W.	climbing.		W. Ind.	1739.	6.7.	S. h.	Jac. amer. 252. t. 160
ACALYPHA. W.	ACALYPHA.	Euphorbiacæ. J.					
1 virginica. W.	Virginian.		N. America.	1759.	7.3.	H. ⊙.	Schk. hand. 3. t. 311.
2 caroliniana. W.	Carolina.			1811.		H. ⊙.	Lam. ill. t. 789. f. 2.
3 ciliata. W.	ciliated.		E. Ind.	1799.		S. ⊙.	Vahl. symb. 1. t. 20.
4 pauciflora. W. en.	few-flowered.		China.	1816.		H. ⊙.	
5 brachystachya. W. en.	saw-leaved.					H. ⊙.	
6 indica. W.	Indian.		E. Ind.	1759.	7.9.	S. ⊙.	Rheed. mal. 10. t. 81.
7 alopecuroides. W.	Fox-tail.		Venezuela.	1804.		H. ⊙.	Jac. ic. 3. t. 620.
CROTON. W.	CROTON.	Euphorbiacæ. J.					
1 variegatum. W.	variegated.		E. Ind.	1804.		S. h.	Rheed. mal. 6. t. 61.
2 lineare. Jac.	Willow-leaved.		W. Ind.	1733.	7.	S. h.	Jac. amer. t. 162. f. 4.
3 maritimum. W.	sea-side.		Carolina.	1786.		G. h.	
4 palustre. W.	marsh.		Vera Cruz.	1731.	7.8.	S. ⊙.	Mart. dec. 4. t. 38.
5 glabellum. W.	Laurel-leaved.		Jamaica.	1778.		S. h.	Slo. jam. 2. t. 174. f. 2.
6 tinctorium. W.	official.		S. Europe.	1570.	7.	H. ⊙.	{ Nis. act. par. 1712. t. i 7.
7 argenteum. W.	silver-leaved.		S. America.	1733.	7.8.	S. ⊙.	
8 Tigilium. W.	purging.		E. Ind.	1796.	8.9.	S. h.	Rheed. mal. 2. t. 33.
9 Eluteria. W.	Sea-side Balsam.		Jamaica.	1748.		S. h.	
10 micans. Sw.	glittering.			1815.		S. h.	Pluk. alm. t. 220. f. 5.
11 pungens. W.	pungent.		Caracas.	1791.		S. h.	Jac. ic. 3. t. 622.
12 penicillatum. W.	pencilled.		Cuba.	1759.	7.8.	S. h.	Vent. choix. 12.
13 aromaticum. W.	aromatic.		Ceylon.	1793.		S. h.	Rumph. am. 3. t. 126
14 humile. W.	humble.		Jamaica.	1799.		S. h.	
15 moluccanum. W.	Molucca.		Ceylon.	1803.		S. h.	
Aleaites ambinuz, P. S.							
16 Astroites. W.	woolly.		W. Ind.	1782.	7.8.	S. h.	
17 lobatum. W.	various-leaved.		Vera Cruz.	1730.		S. ⊙.	Mart. dec. 5. t. 46.
JATROPHA. W.	PHYSIC-NUT.	Euphorbiacæ. J.					
1 gossypifolia. W.	Cotton-leaved.		W. Ind.	1690.	5.8.	S. h.	Sloan. jam. 1. t. 84.
2 integerrima. W.	spicy.		Cuba.	1809.		S. h.	Bot. mag. 1464.
3 panduræfolia. W.	fiddle-leaved.			1800.		S. h.	604.
4 Curcas. W.	angular-leaved.		S. America.	1731.		S. h.	Jac. vind. 3. t. 63.
5 multifida. W.	multifid.			1696.	6.8.	S. h.	Par. lond. 91.
6 Manihot. W.	Cassava.			1739.	7.8.	S. h.	Sloan. jam. 1. t. 85.
7 urens. W.	stinging.		Brazil.	1690.	5.7.	S. h.	Jac. vind. 1. t. 21.
8 herbacea. W.	annual.		Vera Cruz.	1759.	7.8.	S. ⊙.	Reliq. hous. 6. t. 15.
RICINUS. W.	PALMA-CHRISTI.	Euphorbiacæ. J.					
1 communis. W.	Castor-oil plant.		E. Ind.	1548.	7.3.	S. ♂.	Lam. ill. t. 792.
2 viridis. W.	green.			1802.	8.	S. ⊙.	W. hort. ber. 49.
3 africanus. W.	African.		Africa.		7.8.	G. h.	
4 lividus. W.	livid-leaved.		C. B. S.	1795.	7.	G. h.	Jac. ic. 1. t. 196.
5 inermis. W.	smooth-capsuled.		India.	1753.	7.8.	S. ♂.	1. t. 195.
6 armatus. B. R.	rough-capsuled.		Malta.	1807.	7.9.	S. ♂.	Bot. rep. 430.
7 Tanarius. W.	scollop-leaved.		E. Ind.	1810.		S. ♂.	Rumph. am. 3. t. 121
OMPHALEA. W.	OMPHALEA.	Euphorbiacæ. J.					
1 triandra. W.	long-leaved.		Jamaica.	1763.	6.7.	S. h.	
HIPPOMANE. W.	MANCHINEEL.	Euphorbiacæ. J.					
1 Mancinella. W.	common.		W. Ind.	1690.		S. h.	Cat. car. 2. t. 95.
SAPIUM. W.	SAPIUM.	Euphorbiacæ. J.	Hippomantis sp. L.				
1 aucuparium. W.	two-glanded.		W. Ind.	1692.		S. h.	Jac. amer. t. 158.
PHYLLANTHUS. W.	PHYLLANTHUS.	Euphorbiacæ. J.	Phyllanthus. L. et Xylophyllæ sp. L.				
1 obovatus. W.	annual.		N. America.	1803.	7.8.	H. ⊙.	
2 maderaspatensis. W.	Madras.		E. Ind.	1783.	7.	S. h.	
3 grandifolius.	great-leaved.		America.	1771.		S. h.	
4 virosus. W.	venomous.		E. Ind.	1802.		S. h.	
5 turbinatus. B. M.	shining-leaved.		China.		7.	S. h.	Bot. mag. 1862.

6 Conami. W.	Brazilian.	Euphorbiaceæ. J.	W. Ind.	1791.	7.	S. h.	Aub. gui. 2. t. 354.
7 racemosus. W.	racemed.	_____	E. Ind.	1793.	7.8.	S. h.	_____
8 Niruri. W.	Indian annual.	_____	_____	1692.	6.9.	S. ♂	Rheed. mal. 10. t. 15.
9 polyphyllus. W.	many-leaved.	_____	_____	1805.	7.9.	S. h.	_____
10 Emblica. W.	shrubby.	_____	_____	1768.		S. h.	Rheed. mal. 1. t. 38.
11 latifolius. W. en.	Sea-side Laurel.	_____	Jamaica.	1783.	8.10.	S. h.	Bot. mag. 1021.
12 angustifolius. W. en.	narrow-leaved.	_____	_____	1789.	7.8.	S. h.	_____
14 falcatus. W. en.	sickle-leaved.	_____	Bahama Isl.	1699.	7.8.	S. h.	Bot. rep. 331. 373
STILLINGIA. W.	STILLINGIA.	Euphorbiaceæ. J.	_____	_____	_____	_____	_____
1 sylvatica. W.	wood.	_____	Carolina.	1787.	7.8.	G. 2.	_____
2 ligustrina. W.	Privet-leaved.	_____	N. America.	1812.		H. h.	_____
3 sebifera. W.	Tallow-tree.	_____	China.	1703.	9.	S. h.	Plu. amal. t. 390. f. 2.
ALEURITES. W.	ALEURITES.	Euphorbiaceæ. J.	_____	_____	_____	_____	_____
triloba. W.	three-lobed.	_____	Society Isl.	1793.		S. h.	_____
HURA. W.	SANDEW-TREE.	Euphorbiaceæ. J.	_____	_____	_____	_____	_____
1 strepens. W. en.	unequal-toothed.	_____	S. America.			S. h.	_____
2 crepitans. W. en.	equal-toothed.	_____	_____	1733.		S. h.	Lam. ill. t. 793.
STERCULIA. W.	STERCULIA.	Sterculiaceæ. Vent.	_____	_____	_____	_____	_____
1 Balanghas. W.	coronet-flowered.	_____	E. Ind.	1787.	6.9.	S. h.	Bot. reg. 185.
2 crinita. W.	hairy-capsuled.	_____	W. Ind.	1793.		S. h.	Aub. gui. 2. t. 279.
3 urens. W.	stinging.	_____	E. Ind.	_____		S. h.	Rox. cor. 1. t. 24.
4 platanifolia. W.	Plane-tree-leav ^d .	_____	China.	1757.	7.	G. h.	Cav. diss. 5. t. 145.
5 fœtida. W.	fetid.	_____	E. Ind.	1690.		S. h.	Rheed. mal. 4. t. 36.
HERITIERA. W.	{ LOOKING-GLASS PLANT. }	_____	_____	_____	_____	_____	_____
littoralis. W.	Laurel-leaved.	_____	E. Ind.	1780.		S. h.	Rheed. mal. 6. t. 21.
TRICHOSANTHES. W. }	SNAKE-GOURD.	Cucurbitaceæ. J.	_____	_____	_____	_____	_____
1 Anguina. W.	common.	_____	China.	1755.	5.6.	F. ♂	Bot. mag. 722.
2 cucumerina. W.	Cucumber-like.	_____	E. Ind.	1804.	6.7.	F. ♂	Rheed. mal. 8. t. 15.
3 tuberosa. W.	tuberous.	_____	W. Ind.	1810.	—	S. 2.	Plum. ic. t. 24. 2703
MOMORDICA. W.	MOMORDICA.	Cucurbitaceæ. J.	_____	_____	_____	_____	_____
1 Balsamina. W.	Balsam Apple.	_____	India.	1568.	6.7.	F. ♂	_____
2 Charantia. W.	hairy.	_____	E. Ind.	1710.	—	F. ♂	Rheed. mal. 8. t. 9. 245
3 operculata. W.	rough-fruited.	_____	W. Ind.	1731.	6.9.	F. ♂	Comm. rar. t. 22.
4 Luffa. W.	Egyptian.	_____	E. Ind.	1739.	7.8.	F. ♂	Rumph. am. 5. t. 147
5 Elæterium. W.	{ Squirting Cucumber. }	_____	S. Europe.	1548.	6.7.	H. 2.	Bot. mag. 1914.
CUCURBITA. W.	GOURD.	Cucurbitaceæ. J.	_____	_____	_____	_____	_____
1 lagenaria. W.	bottle.	_____	India.	1597.	7.9.	H. ♂	Rumph. am. 5. t. 144
2 aurantia. W.	Orange-fruited.	_____		1802.	6.8.	F. ♂	_____
3 Pepo. W.	Pumpkin.	_____	Levant.	1570.	—	H. ♂	_____
4 verrucosa. W.	warted.	_____		1658.	6.7.	H. ♂	_____
5 Melopepo. W.	squash.	_____		1597.	5.9.	H. ♂	Moris. s. 1. t. 8.
6 Citrullus. W.	Water Melon.	_____	S. Europe.	—	—	F. ♂	Rumph. am. 5. t. 146
CUCUMIS. W.	CUCUMBER.	Cucurbitaceæ. J.	_____	_____	_____	_____	_____
1 Colocynthis. W.	bitter.	_____	C. B. S.	1551.	5.8.	F. ♂	_____
2 prophetarum. W.	globe.	_____	Levant.	1777.	6.9.	F. ♂	Jac. vind. 1. t. 9.
3 Anguria. W.	round prickly.	_____	Jamaica.	1692.	7.8.	F. ♂	Mill. ic. 1. t. 33.
4 acutangulus. W.	acute-angled.	_____	India.	—	6.9.	H. ♂	Jac. vind. 3. t. 73. 74.
5 Melo. W.	Melon.	_____		1570.	5.9.	F. ♂	_____
6 Dudaim. W.	Apple-shaped.	_____	Levant.	1705.	7.8.	F. ♂	Bot. rep. 548.
7 Chate. W.	hairy.	_____	_____	1759.	6.	F. ♂	Alp. ægypt. t. 117.
8 pubescens. W.	pubescent.	_____		1815.	6.9.	F. ♂	_____
9 sativus. W.	common.	_____	E. Ind.	1573.	7.9.	H. ♂	_____
10 flexuosus. W.	Snake.	_____	_____	1597.	5.9.	F. ♂	Ger. herb. 763. f. 3.
11 maderaspatanus. W.	Madras.	_____	_____	1805.	7.8.	F. ♂	Pluk. alm. t. 170. f. 2.
BRYONIA. W.	BRYONY.	Cucurbitaceæ. J.	_____	_____	_____	_____	_____
1 scabra. W.	globe-fruited.	_____	C. B. S.	1774.	9.10.	G. 2.	_____
2 verrucosa. W.	rough.	_____	Canaries.	1779.		G. 2.	_____
3 grandis. W.	great-flowered.	_____	E. Ind.	1783.	5.8.	S. 2.	{ Rumph. amb. 5. t. 166. f. 1.
4 epigæa. W.	umbel-flowered.	_____	_____	1815.		S. 2.	_____
5 scabrella. W.	bristly.	_____	_____	1781.	5.7.	S. ♂	_____
6 latebrosa. W.	hairy.	_____	Canaries.	1779.	6.	G. 2.	_____
7 dioica. W.	red-berried.	_____	Britain.		5.9.	H. 2.	Eng. bot. 439.
8 alba. W.	white.	_____	Europe.	1807.	6.7.	H. 2.	Lam. ill. t. 796.
9 cretica. W.	Cretan.	_____	Candia.	1759.	7.9.	G. 2.	Des. an. mus. 12. t. 17
10 quinqueloba. Th.	five-lobed.	_____	C. B. S.		6.10.	G. 2.	Bot. reg. 82. 77
11 ficifolia. W.	Fig-leaved.	_____	Buenos Ayres.	1726.		G. 2.	Dill. elt. t. 50. f. 58.

12 palmata. W.	palmated.	Cucurbitaceæ. J.	Ceylon.	1778.	7.8.	S. 2.	
13 laciniosa. W.	laciniated.	_____	E. Ind.	1710.	_____	S. 2.	Herm. ludg. t. 97.
14 africana. W.	African.	_____	C. B. S.	1759.	7.8.	G. 2.	Herm. parad. t. 708.
15 dissecta. W.	smooth-leaved.	_____	_____	1710.	_____	G. 2.	
SICYOS. W.	{ SINGLE-SEED- ED CUCUMBER }	Cucurbitaceæ. J.					
angulata. W.	angular-leaved.	_____	N. America.	1710.	7.9.	H. ①.	Lam. ill. t. 796.

GYNANDRIA.

ANDRACHNE. W.	BASTARD ORPINE.	Euphorbiaceæ. J.					
telephoides. W.	annual.	_____	Italy.	1732.	7.8.	H. ①.	Lam. ill. t. 797.

CLASS XXII.

DICECIA MONANDRIA.

PANDANUS. W.	SCREW-PINE.	Pandaneæ. B. P.					
1 odoratissimus. W.	green-spined.	_____	E. Ind.	1771.		S. h.	Roxb. cor. 1. t. 94-6.
2 utilis. W. en.	red-spined.	_____	_____			S. h.	Jac. frag. t. 13. 14. f. 1
3 spiralis. B. P.	spiral.	_____	N. S. W.	1805.		S. h.	
4 humilis. W.	dwarf.	_____	Mauritius.			S. h.	Jac. frag. t. 14. f. 2.

DIANDRIA.

CECROPIA. W.	SNAKE-WOOD.	Urticeæ. J.					
peltata. W.	peltated.	_____	Jamaica.	1778.		S. h.	Lam. ill. t. 800.
SALIX. W.	WILLOW.	Amentaceæ. J.					
1 triandra. W.	long-leaved.	_____	Britain.		5.8.	H. h.	Eng. bot. 1435.
2 lanceolata. E. B.	sharp-leaved.	_____	England.		4.5.	H. h.	1436.
3 amygdalina. W.	Almond-leaved.	_____	Britain.		_____	H. h.	1936.
4 decipiens. E. B.	varnished.	_____	England.		5.	H. h.	1937.
5 russelliana. W.	Bedford.	_____	_____		4.5.	H. h.	1808.
6 tetrasperma. W.	four-seeded.	_____	E. Ind.	1796.		S. h.	Rox. cor. 1. t. 97.
7 nigra. Ph.	black.	_____	N. America.	1811.	5.	H. h.	Ann. bot. 2. t. 5. f. 5.
8 lucida. Ph.	shining.	_____	_____	_____	_____	H. h.	2. t. 5. f. 7.
9 pentandra. W.	Bay-leaved.	_____	Britain.		3.6.	H. h.	Eng. bot. 1805.
10 nigricans. W.	dark broad-lea ^d .	_____	England.		4.	H. h.	1213.
11 phylicifolia. W.	Tea-leaved.	_____	Scotland.		5.	H. h.	1958.
12 laurina. W.	two-coloured.	_____	England.		4.5.	H. h.	1806.
13 tenuifolia. W.	thin-leaved.	_____	Britain.		5.6.	H. h.	2186.
14 hastata. W.	halbert-leaved.	_____	Lapland.	1780.	5.	H. h.	L. fl. lap. 354. t. 8. f. g.
15 petiolaris. Ph.	dark long-leav ^d .	_____	N. America.		4.	H. h.	Eng. bot. 1147.
16 myricoides. Ph.	Gale-like.	_____	_____	1811.	4.	H. h.	Ann. bot. 2. t. 5. f. 2.
17 prinoides. Ph.	Prinos-like.	_____	_____	_____	3.4.	H. h.	_____
18 discolor. Ph.	brown-branch'd.	_____	_____	_____	4.	H. h.	Ann. bot. 2. t. 5. f. 1.
19 angustata. Ph.	narrow-leaved.	_____	Pensylvania.	_____	3.4.	H. h.	_____
20 cordata. Ph.	heart-leaved.	_____	N. America.	_____	4.5.	H. h.	Ann. bot. 2. t. 5. f. 8.
21 rigida. Ph.	rigid.	_____	_____	_____	_____	H. h.	2. t. 5. f. 4.
22 vitellina. W.	yellow.	_____	England.		3.5.	H. h.	Eng. bot. 1389.
23 fragilis. W.	crack.	_____	Britain.		4.5.	H. h.	1807.
24 babylonica. W.	weeping.	_____	Levant.	1692.	5.	H. h.	Rauw. it. 183. t. 25.
25 pupurea. W.	bitter purple.	_____	England.		3.	H. h.	Eng. bot. 1388.
26 Helix. W.	Rose.	_____	Britain.		3.4.	H. h.	1343.
27 Lambertiana. W.	Boyton.	_____	England.		_____	H. h.	1359.
28 Forbyana. W.	Basket Osier.	_____	_____		4.	H. h.	1344.
29 rubra. W.	Green Osier.	_____	_____		4.5.	H. h.	1145.
30 Croweana. W.	Crowe's.	_____	_____		_____	H. 2.	1146.
31 malifolia. W.	Apple-leaved.	_____	_____		4.	H. h.	1617.
32 prunifolia. W.	Plum-leaved.	_____	Scotland.		4.5.	H. h.	1361.
33 vacciniifolia. E. B.	Bilberry-leaved.	_____	_____		_____	H. h.	2341.
34 venulosa. E. B.	veiny-leaved.	_____	_____		_____	H. h.	1362.
35 mysinites. W.	Whortle-leaved.	_____	_____		4.6.	H. h.	1360.
36 carinata. W.	folded-leaved.	_____	_____		4.5.	H. h.	1363.
37 arbuscula. W.	little-tree.	_____	_____		4.	H. h.	1366.
38 Houstoniana. Ph.	Houstoun's.	_____	Virginia.		4.5.	H. h.	_____
39 falcata. Ph.	sickle-leaved.	_____	N. America.	1811.		H. h.	_____
40 pedicellaris. Ph.	pedicellated.	_____	_____	_____	4.	H. h.	_____

41 planifolia. Ph.	flat-leaved.	Amentaceæ. J.	Labrador.	1811.	H. h.	
42 rupestris. E. B.	silky-rock.		Scotland.		4. H. h.	Eng. bot. 2342.
43 Andersoniana. E. B.	Anderson's.				4.5. H. h.	2343.
44 Forsteriana. E. B.	Forster's.				H. h.	2344.
45 Stuartiana. E. B.	Stuart's.				7.8. H. h.	2586.
46 fuscata. Ph.	brown-stemmed.		N. America.	1811.	4. H. h.	
47 herbacea. W.	least.		Britain.		6. H. h.	Eng. bot. 1907.
48 Uva-ursi. Ph.	Bearberry-like.		Labrador.		4.5. H. h.	
49 retusa. W.	blunt-leaved.		Italy.	1763.	5. H. h.	
50 reticulata. W.	wrinkled.		Britain.		6.7. H. h.	Eng. bot. 1908.
51 myrtilloides. W.	Myrtle-leaved.		Sweden.	1772.	5. H. h.	Vil.dau.3.t.50.f.11.
52 recurvata. Ph.	recurved-flow ^d .		N. America.	1811.	4. H. h.	
53 cordifolia. Ph.	cordate-leaved.				H. h.	
54 glauca. W.	glaucous.		Scotland.		5. H. h.	Eng. bot. 1810.
55 arenaria. W.	downy mountain.				5.6. H. h.	1809.
56 cinerea. W.	gray.		Britain.		5. H. h.	1897.
57 tristis. Ph.	linear-leaved.		N. America.	1765.	4. H. h.	
58 Muhlenbergiana Ph. }	Muhlenberg's.			1811.	H. h.	Ann.bot. 2. t.5. f.9.
59 argentea. W.	silky sand.		Britain.		5. H. h.	Eng. bot. 1364.
60 parvifolia. E. B.	small-leaved.		England.		4.5. H. h.	1961.
61 adscendens. E. B.	ascending.				H. h.	1962.
62 repens. W.	creeping.		Britain.		5. H. h.	183.
63 fusca. W.	brown.				H. h.	1960.
64 prostrata. W.	prostrate.				H. h.	1959.
65 hirta. W.	hairy-branched.		England.		4.5. H. h.	1404.
66 Dicksoniana. W.	Dickson's.		Scotland.		4. H. h.	1390.
67 incubacea. W.	trailing.		Europe.	1775.	5. H. h.	
68 rosmarinifolia. W.	Rosemary-leav ^d .		Britain.		4.5. H. h.	Eng. bot. 1865.
69 aurita. W. en.	eared.		Europe.		H. h.	Hoff. sal.1. t.22. f.1.
70 uliginosa. W. en. aurita. E. B.	marsh.		Britain.		4.6. H. h.	Eng. bot. 1487.
71 aquatica. W.	water.				4. H. h.	1437.
72 oleifolia. W.	Olive-leaved.				3. H. h.	1402.
73 cotinifolia. W.	Quince-leaved.				4. H. h.	1403.
74 sphacelata. W.	withered-pointe ^d		Scotland.		4.5. H. h.	2333.
75 caprea. W.	great round-le ^d .		Britain.		H. h.	1488.
76 acuminata. W.	acuminate.				4. H. h.	1434.
77 conifera. Ph.	Cone-bearing.		N. America.	1800.	5. H. h.	Wan.amet.31.f.72.
78 viminalis. W.	Common Osier.		Britain.		4.5. H. h.	Eng. bot. 1898.
79 Smithiana. W. en. mollissima. E. B.	Smith's.		England.		H. h.	1509.
80 stipularis. W.	auricled.				3.4. H. h.	1214.
81 candida. Ph.	hoary.		N. America.	1811.	4.5. H. h.	
82 alba. W.	common white.		Britain.		H. h.	2430.
83 cærulea. E. B.	blue.		England.		H. h.	2431.
BORYA. W.	BORYA.	Euphorbiaceæ. J.	Adelia sp. Mich.			
1 porulosa. W.	Florida.		Florida.	1806.		H. h.
2 ligustrina. W.	Privet-leaved.		N. America.	1812.		H. h.
3 acuminata. W.	pointed.				H. h.	Mich. amer. 2. t. 26

TRIANDRIA.

EMPETRUM. W.	CROW BERRY.	Ericæ? J.				
1 album. W.	white-berried.		Portugal.	1774.	4.6. G. h.	
2 nigrum. W.	black-berried.		Britain.		4.5. H. h.	Eng. bot. 526.
STILAGO. W.	STILAGO.					
1 Bunius. W.	Laurel-leaved.		E. Ind.	1757.	8. S. h.	Rheed. mal. 4. t.56.
2 diandra. W.	diandrous.			1800.		S. h. Rox. cor. 2. t. 166.
OSYRIS. W.	POET'S CASSIA.	Santalaceæ? B. P.				
alba. W.	white.		S. Europe.	1739.		G. h. Lam. ill. t. 802.
WILLDENOVIA. Th.	WILLDENOVIA.	Restiaceæ. B. P.				
teres. W.	round-stalked.		C. B. S.	1790.	6.7. G. h.	{ Th. in act. holm. 1790. t. 2. f. 2.
RESTIO. W.	ROPE GRASS.	Restiaceæ. B. P.				
tectorum. W.	thatch.		C. B. S.	1793.	5.6. G. h.	Rot.gram.10.t.3.f.2
ELEGIA. W.	ELEGIA.	Restiaceæ. B. P.				
1 juncea. W.	Rush-like.		C. B. S.	1789.	7.8. G. h.	Rott.gram.8.t.3.f.4
2 racemosa. W.	racemed.			1804.	5.6. G. h.	Lam. ill. t. 884. f. 4.

PHŒNIX. W.	DATE PALM.	Palmae. B. P.			
1 dactylifera. W.	common.	_____	Levant.	1597.	G. h. { Kæmpf. amœn. 686. t. 1. 2.
2 reclinata. W.	reclining.	_____	C. B. S.	1792.	G. h. Jac. frag. 27. t. 24.
3 farinifera. W.	small.	_____	E. Ind.	1800.	S. h. Rox. cor. 1. t. 74.

TETRANDRIA.

ANTHOSPER-	}	AMBER TREE.	Rubiaceae. J.		
MUM. W.					
æthiopicum. W.		Ethiopian.	_____	C. B. S.	1692. 6.7. G. h. Pluk.alm.t.183.f.1.
TROPHIS. W.		RAMOON TREE.			
1 americana. W.		American.	_____	W. Ind.	1789. 4.5. S. h. Brown.jam.t.37.f.1
2 aspera. W.		rough-leaved.	_____	E. Ind.	1802. S. h.
MONTINIA. W.		MONTINIA.	Onagrariae. J.		
caryophyllacea.	}	{ Sea-Purslane }	_____	C. B. S.	1774. 7. G. h. { Smith spic. 14. t. 15.
H. K.		{ leaved. }	_____		
VISCUM. W.		MISSLETOE.	Caprifoliae. J.		
album. W.		common.	_____	England.	 5. H. h. Eng. bot. 1470.
SCHÆFFERIA. W.		SCHÆFFERIA.			
completa. W.		white-flowered.	_____	W. Ind.	1793. S. h. Lam. ill. t. 809.
BRUCEA. W.		BRUCEA.	Terebintaceae. J.		
ferruginea. W.		Ash-leaved.	_____	Abyssinia.	1775. 4.5. S. h. Lam. ill. t. 810.
BROUSSONETIA. W		BROUSSONETIA.	Urticeae. J.		
papyrifera. W.		Paper Mulberry.	_____	Japan.	1751. 2.9. H. h. Bot. rep. 488. 2358
HIPPOPHAE. W.		SEABUCKTHORN.	Elæagni. J.		
1 rhamnoides. W.		common.	_____	England.	 4.5. H. h. Eng. bot. 425.
2 canadensis. W.		Canadian.	_____	N. America.	1759. — H. h.
MYRICA. W.		{ CANDLEBER-	Amentaceae. J.		
		RY MYRTLE. }	_____		
1 Gale. W.		Sweet Gale.	_____	Britain.	 5. H. h. Eng. bot. 562.
2 cerifera. W.		common.	_____	N. America.	1699. 5.6. H. h. Cat. car. 1. t. 69.
3 carolinensis. Ph.		broad-leaved.	_____		1730. 5. H. h. — 1. t. 13.
4 pensylvanica. Ph.		Pennsylvanian.	_____		 — H. h. Duh. arb. c. n. 2. t. 55.
5 Faya. W.		Azorian.	_____	Azores.	1777. 6.7. H. h. — 2. t. 56.
6 æthiopica. W.		African.	_____	C. B. S.	1795. — G. h. Pluk. alm. t. 48. f. 8.
7 serrata. W.		saw-leaved.	_____		1793. 8. G. h. Burm. afr. t. 98. f. 1.
8 laciniata. W. en.		smooth Oak-leav ^d .	_____		1752. 6.7. G. h. Jac. frag. 2. t. 1. f. 4.
9 quercifolia. W. en.		hairy Oak-leav ^d .	_____		— G. h.
10 cordifolia. W.		heart-leaved.	_____		1759. 5.7. G. h. Pluk.alm. t. 319. f. 7.
AULAX. L. T.		AULAX.	Proteaceae. B. P.		
1 pinifolia. L. T.		Pine-leaved.	_____	C. B. S.	1780. 7.9. G. h. Bot. rep. 76.
2 umbellata. L. T.		umbelled.	_____		1774. 6.8. G. h. — 248.
LEUCADEN-					
DRON. L. T.		LEUCADENDRON.	Proteaceae. B. P.	Protea. Euryspermum, &c. Kn. P.	
1 argenteum. L. T.		Silver Tree.	_____	C. B. S.	1693. 8. G. h. Lam. ill. t. 53. f. 1.
2 plumosum. L. T.		feather-flowered.	_____		1774. 6.8. G. h.
3 imbricatum. L. T.		imbricated.	_____		1790. G. h.
4 buxifolium. L. T.		Box-leaved.	_____		1812. G. h.
5 Levisanus. L. T.		short-leaved.	_____		1774. 4.6. G. h. Burm. afr. t. 100. f. 2.
6 linifolium. L. T.		Flax-leaved.	_____		 — G. h. Jac. schœn. 1. t. 26.
7 stellatum.		starred.	_____		 5.6. G. h. Bot. mag. 881.
Protea squarrosa.	Kn. P.	Protea stellaris. B. M.			
8 tortum. L. T.		twisted-leaved.	_____		1790. 3.5. G. h. 2026
9 cinereum. L. T.		gray.	_____		1774. 7.8. G. h.
10 corymbosum. L. T.		corymbed.	_____		1790. 4.7. G. h. Bot. rep. 495.
11 decorum. L. T.		decorous.	_____		 G. h.
12 concolor. L. T.		one-coloured.	_____		1774. 3.6. G. h. Bot. rep. 307.
13 grandiflorum. L. T.		great-flowered.	_____		1789. 4.6. G. h. Par. lond. 105.
14 decurrens. L. T.		decurrent.	_____		1812. G. h.
15 strictum. L. T.		upright.	_____		1795. 4.6. G. h. Par. lond. 75.
16 virgatum. L. T.		slender.	_____		 — G. h.
17 adscendens. L. T.		pale.	_____		1774. 6.8. G. h. Pluk. man. t. 229. f. 6
18 concinnum. L. T.		neat.	_____		1800. G. h.
19 salignum. L. T.		Willow-leaved.	_____		1774. 4.6. G. h. Boer. lugd. 2. t. 204.
20 uliginosum. L. T.		swamp.	_____		1795. — G. h. Breyn. cent. 21. t. 9.
21 floridum. L. T.		florid.	_____		— G. h. Bot. rep. 572.
22 æmulum. L. T.		incurved.	_____		1789. 6.9. G. h. — 429.
23 abietinum. L. T.		Pine-leaved.	_____		— 7.9. G. h. — 461.
24 scabrum. L. T.		rough.	_____		1812. G. h.

PENTANDRIA.

PISTACIA. W.	PISTACHIA TREE.	Terebintaceæ. J.			
1 officinarum. H. K.	officinal.	Levant.	1570.	4.5.	H. h. Rauw. if. 72. t. 9.
2 reticulata. W.	net-leaved.	_____	1752.	4.	H. h.
3 Terebinthus. W.	Turpentine Tree.	S. Europe.	1656.	6.7.	H. h.
4 atlantica. W.	Atlantic.	Barbary.	1790.		G. h.
5 Lentiscus. W.	Mastick Tree.	S. Europe.	1664.	5.	G. h. Bot. mag. 1967.
β massiliensis.	narrow-leaved.	_____	_____	_____	_____
ZANTHOXYLUM. W.	TOOTH-ACH TREE.	Terebintaceæ? J.			
1 emarginatum. W.	notch-leaved.	Jamaica.	1739.		S. h. Slojam. 2. t. 168. f. 4.
2 Clava Herculis. W.	Lentiscus-leav'd.	W. Ind.	_____	4.5.	G. h. Cat. car. 1. t. 26.
3 fraxineum. W.	common.	N. America.	1759.	3.4.	H. h. Duham. arb. 1. t. 97.
4 tricarpum. H. K.	three-capsuled.	_____	1806.		H. h.
SECURINEGA. J.	SECURINEGA.	Euphorbiaceæ. J.			
nitida. P. S.	Otaheite Myrtle.	Otaheite.	1793.	3.8.	S. h.
PIGRAMNIA. W.	PIGRAMNIA.	_____			
Antidesma. W.	Ash-leaved.	Jamaica.	1793.		S. h. Slojam. 2. t. 208. f. 2.
ANTIDESMA. W.	ANTIDESMA.	_____			
1 alexiteria. W.	Laurel-leaved.	E. Ind.	1793.	5.6.	S. h. Rheed. mal. 5. t. 11.
2 paniculata. W.	panicked.	_____	1800.		S. h.
IRELINE. W.	IRELINE.	Amaranthaceæ. B. P.			
celosioides. W.	Florida.	America.	1733.	7.8.	F. 2. Lam. ill. t. 813.
SPINACIA. W.	SPINAGE.	Chenopodeæ. B. P.			
oleracea. W.	common.	_____	1568.	3.10.	H. 0. Schk. hand 3. t. 324.
α spinosa.	prickly.	_____	_____	_____	_____
β inermis.	round.	_____	_____	_____	_____
ACNIDA. W.	{ VIRGINIAN }	Chenopodeæ. B. P.			
cannabina. W.	HEMP. 1 }	_____	_____	_____	_____
CANNABIS. W.	HEMP.	Urticæ. J.			
sativa. W.	common.	India.		6.7.	H. 0. Schk. hand. 3. t. 325.
HUMULUS. W.	HOP.	Urticæ. J.			
Lupulus. W.	common.	Britain.		6.8.	H. 2. Eng. bot. 427.

HEXANDRIA.

SMILAX. W.	SMILAX.	Smilacæ. B. P.			
1 aspera. W.	Rough Bindweed	S. Europe.	1648.	9.	H. h. Schk. hand. 3. t. 328.
β auriculata.	ear-leaved.	_____	_____	_____	H. h. Pluk. alm. t. 110. f. 3.
2 excelsa. W.	tall.	Syria.	1739.	8.9.	G. h. Buxb. cent. 1. t. 27.
3 zeylanica. W.	Ceylon.	E. Ind.	1778.		S. h. Rum. amb. 5. t. 161.
4 quadrangularis. W.	square-stalked.	N. America.	1812.	6.7.	H. h.
5 Sarsaparilla. W.	medicinal.	_____	1664.	7.8.	H. h.
6 China. W.	Chinese.	China.	1759.		G. h. Kämpf. amcæ. t. 782.
7 rotundifolia. W.	round-leaved.	N. America.	1760.	7.8.	H. h.
8 laurifolia. W.	Laurel-leaved.	_____	1739.	7.	H. h. Cat. car. 1. t. 15.
9 tamnoides. W.	Tamns-leaved.	_____	_____	6.7.	H. 2. 1. t. 52.
10 australis. B. P.	oblong-leaved.	N. S. W.	1815.		G. h.
11 caduca. W.	deciduous.	N. America.	1759.	6.7.	H. h.
12 Bona nox. W.	ciliated.	_____	1739.	_____	H. h. Pluk. alm. t. 111. f. 1.
13 latifolia. B. P.	broad-leaved.	N. Holland.	1791.		G. h.
14 herbacea. W.	herbaceous.	N. America.	1699.	7.	H. 2. Bot. mag. 1920?
15 lanceolata. W.	spear-leaved.	_____	1785.	5.6.	H. h. Cat. car. 2. t. 84.
16 glycyphylla. B. P.	Botany Bay Tea.	N. S. W.	1815.		G. h.
17 pubera. W.	downy.	N. America.	1806.		H. h.
18 Pseudo-china. W.	Bastard Chinese.	America.	1739.	5.6.	F. h. Slojam. 1. t. 143. f. 1.
19 peduncularis. W.	long-peduncled.	N. America.	1812.	5.7.	H. 2.
20 glauca. B. M.	glaucous-leaved.	_____	1811.	5.7.	H. h. Bot. mag. 1846.
TAMUS. W.	BLACK BRYONY.	Smilacæ?			
1 communis. W.	common.	England.		5.8.	H. 2. Eng. bot. 91.
2 Elephantipes. W.	Elephant's-foot.	C. B. S.	1774.	7.8.	G. h. Bot. mag. 1347.
3 cretica. W.	Cretan.	Candia.	1739.	_____	H. 2.
RAJANIA. W.	RAJANIA.	Dioscoreæ. B. P.			
cordata. W.	Tamus-leaved.	W. Ind.	1786.	7.	S. 2. Plum. ic. t. 155. f. 1.
DIOSCOREA. W.	DIOSCOREA.	Dioscoreæ. B. P.			
1 pentaphylla. W.	five-leaved.	E. Ind.	1768.		S. h. Rheed. mal. 7. t. 35.
2 aculeata. W.	prickly-stemmed	_____	1803.		S. 2. 7. t. 37.
3 alata. W.	wing-stalked.	India.	1739.		S. 2. 7. t. 38.
4 bulbifera. W.	bulb-bearing.	E. Ind.	1692.	7.8.	S. 2. Par. lond. 17.
5 sativa. W.	Yam.	W. Ind.	1733.	8.	S. 2. Rheed. mal. 8. t. 51.
6 quaternata. Ph.	four-leaved.	N. America.	1811.	7.	H. 2.

7 villosa. Ph.	pubescent.	Dioscoreæ. B. P.	N. America.	1752.	8.	H. 2.	Jac. ic. 3. t. 626.
8 oppositifolia. W.	opposite-leaved.	_____	E. Ind.	1803.		S. 2.	Pet. gaz. t. 31. f. 6.
MABA. J.	MABA.	Ebenaceæ. B. P.	<i>Ferreola. W. et Roxb.</i>	_____	_____	_____	_____
buxifolia. P. S.	Box-leaved.	_____	E. Ind.	1810.		S. 2.	Rox. cor. 1. t. 45.
ELAIS. W.	OILY PALM.	Palmae. B. P.	_____	_____	_____	_____	_____
guineensis. W.	Guinea.	_____	Guinea.	1730.		S. 2.	Jac. amer. t. 172.
CHAMÆDOREA. W.	CHAMÆDOREA.	Palmae. B. P.	<i>Borassi sp. Jac.</i>	_____	_____	_____	_____
gracilis. W.	slender.	_____	Caracas.	1803.		S. 2.	Jac. schæ. 2. t. 247. 8
BORASSUS. W.	BORASSUS.	Palmae. B. P.	_____	_____	_____	_____	_____
flabelliformis. W.	fan-leaved.	_____	E. Ind.	1771.		S. 2.	Roxb. cor. 1. t. 71. 72.

OCTANDRIA.

POPULUS. W.	POPLAR.	Amentaceæ. J.	_____	_____	_____	_____	_____
1 alba. W.	Abele Tree.	_____	Britain.		3.4.	H. 2.	Eng. bot. 1618.
2 canescens. W.	gray.	_____	England.		—	H. 2.	1619.
3 trepida. W.	{ Trembling } { American. }	_____	N. America.	1812.		H. 2.	Mich. arb. 3. t. 8. f. 1.
4 tremula. W.	Aspen.	_____	Britain.		3.4.	H. 2.	Eng. bot. 1909.
5 levigata. W.	smooth.	_____	N. America.	1769.	—	H. 2.	Mich. arb. 3. t. 11.
6 græca. W.	Athenian.	_____	Archipelago.	1779.	3.4.	H. 2.	Duba. arb. 184. t. 54.
7 nigra. W.	black.	_____	Britain.		—	H. 2.	Eng. bot. 1910.
8 betulifolia. Ph.	Black American.	_____	N. America.		—	H. 2.	Mich. arb. 3. t. 10. f. 1.
9 dilatata. W.	Lombardy.	_____	Italy.	1758.	—	H. 2.	_____
10 monilifera. W.	Canadian.	_____	Canada.	1772.	5.	H. 2.	Mich. arb. 3. t. 10. f. 2.
11 angulata. W.	Carolina.	_____	Carolina.	1738.	3.	H. 2.	— 3. p. 302. t. 12.
12 balsamifera. W.	Tacamahac.	_____	N. America.	1692.	4.	H. 2.	— 3. t. 13. t. 1.
13 candicans. W.	heart-leaved.	_____	_____	1772.	3.	H. 2.	Cat. car. 1. t. 34.
14 heterophylla. W.	various-leaved.	_____	_____	1765.	4.5.	H. 2.	Mich. arb. 3. t. 9.
RHODIOLA. W.	ROSE ROOT.	Sempervivæ. J.	_____	_____	_____	_____	_____
rosea. W.	common.	_____	Britain.		5.7.	H. 2.	Eng. bot. 508.

ENNEANDRIA.

MERCURIALIS. W.	MERCURY.	Euphorbiaceæ. J.	_____	_____	_____	_____	_____
1 perennis. W.	perennial.	_____	Britain.		4.5.	H. 2.	Eng. bot. 1872.
2 ambigua. W.	doubtful.	_____	Spain.	1806.	7.8.	H. 2.	Lin. fil. dec. 1. t. 8.
3 annua. W.	annual.	_____	Britain.		7.9.	H. 2.	Eng. bot. 559.
4 angulata. W.	oval-leaved.	_____	Portugal.	1802.	5.7.	G. 2.	Vent. cels. 12.
5 tomentosa. W.	woolly.	_____	Spain.	1640.	7.9.	H. 2.	_____
HYDROCHARIS. W.	FROG-BIT.	Hydrocharideæ. B. P.	_____	_____	_____	_____	_____
Morsus-ranæ. W.	common.	_____	Britain.		6.7.	H. 2.	Eng. bot. 808.

DECANDRIA.

CARICA. W.	PAPAW TREE.	Cucurbitaceæ. J.	_____	_____	_____	_____	_____
1 Papaya. W.	common.	_____	India.	1690.	7.	S. 2.	Ehret pict. t. 3. f. 1.
2 cauliflora. W.	stem-flowering.	_____	Caracas.	1806.		S. 2.	Jac. schæ. 3. t. 311.
3 microcarpa. W.	small-fruited.	_____	_____			S. 2.	3. t. 309. 10.
GYMNOCLADUS. W.	GYMNOCLADUS.	Leguminosæ. J.	<i>Guilandinae sp. L.</i>	_____	_____	_____	_____
canadensis. W.	Canadian.	_____	Canada.	1748.		H. 2.	Mich. amer. 2. t. 51.
KIGGELARIA. W.	KIGGELARIA.	Euphorbiaceæ. J.	_____	_____	_____	_____	_____
africana. W.	African.	_____	C. B. S.	1683.	5.6.	G. 2.	Lam. ill. t. 821.
SCHINUS. W.	SCHINUS.	Terebintaceæ. J.	_____	_____	_____	_____	_____
1 Molle. W.	Peruvian.	_____	Peru.	1597.	7.8.	G. 2.	Mill. ic. 2. t. 246.
2 dentata. H. K.	tooth-leaved.	_____	Owhyhee.	1795.	5.7.	G. 2.	Bot. rep. 620.
3 dependens. H. K.	entire-leaved.	_____	Chili.	1790.	—	H. 2.	Cav. ic. 3. t. 239.
<i>Anyris polygama. W.</i>	_____	_____	_____	_____	_____	_____	_____
CORIARIA. W.	CORIARIA.	_____	_____	_____	_____	_____	_____
myrtifolia. W.	Myrtle-leaved.	_____	S. Europe.	1629.	5.8.	H. 2.	Schk. hand. 3. t. 334.

DODECANDRIA.

STRATIOTES. W.	WATER SOLDIER.	Hydrocharideæ. B. P.	_____	_____	_____	_____	_____
aloides. W.	Aloe-like.	_____	England.		6.7.	H. 2.	Eng. bot. 379.
HYÆNANCHE. H. K.	HYÆNA POISON.	<i>Toxicodendron. W.</i>	_____	_____	_____	_____	_____
globosa. H. K.	_____	_____	C. B. S.	1783.	4.9.	G. 2.	Lamb. cinc. 52. t. 10.
EUCLEA. W.	EUCLEA.	_____	_____	_____	_____	_____	_____
1 racemosa. W.	round-leaved.	_____	C. B. S.	1722.	11.12.	G. 2.	Jac. frag. 3. t. 1. f. 5.
2 undulata. W.	wave-leaved.	_____	_____	1794.		G. 2.	_____
DATISCA. W.	DATISCA.	_____	_____	_____	_____	_____	_____
cannabina. W.	Hemp-like.	_____	Candia.	1640.	7.9.	H. 2.	Schk. hand. 3. t. 3. 6.
MENISPERMUM. D.	MOON SEED.	Menispermæ. D.	_____	_____	_____	_____	_____
1 canadense. W.	Canadian.	_____	N. America.	1691.	6.7.	H. 2.	Bot. mag. 1910.

2 virginicum. W.	Virginian.	Menispermæ. D.	N. America.	1732. 6.7.	H. h.	Dill. elt. t. 178. f. 219
3 smilacinum. D.	Smilax-leaved.	_____	Carolina.	1776.	G. h.	Jac. ic. 3. t. 629.
<i>Cissampelos smilacina. W.</i>						
COCCULUS. D.	COCCULUS.	Menispermæ. D.	<i>Menispermæ sp. W.</i>			
1 Plukenetii. D.	official.	_____	E. Ind.	1790.	S. h.	Pluk. man. t. 345. f. 2.
2 orbiculatus. D.	round-leaved.	_____	_____		S. h.	Rheed. mal. 1. t. 62.
3 villosus. D.	villous.	_____	_____	1800.	S. h.	Pluk. amal. t. 384. f. 3
β hirsutus.	hairy.	_____	_____		S. h.	_____ t. 384. f. 7

ICOSANDRIA.

FLACOURTIA. W.	FLACOURTIA.	Tiliacæ. J.				
1 Ramontchii. W.	shining-leaved.	_____	Madagascar.	1775. 6.7.	S. h.	L'Her. stirp. 59. t. 30
2 flavescens. W.	yellow-flowered.	_____	Guinea.	1780.	S. h.	_____
3 cataphracta. W.	many-spined.	_____	E. Ind.	1894.	S. h.	_____
4 sapida. W.	esulent.	_____	_____	1800.	S. h.	Roxb. cor. 1. t. 69.
GELONIUM. Rox.	GELONIUM.	_____				
bifarium. W.	oval-leaved.	_____	E. Ind.	1793. 6.8.	S. h.	_____
ROTTLEA. Rox.	ROTTLEA.	_____				
tinctoria. W.	dyer's.	_____	E. Ind.	1810.	S. h.	Roxb. cor. 2. t. 168.

POLYANDRIA.

TREWIA. W.	TREWIA.	_____	_____	_____	_____	_____
nudiflora. W.	naked-flowered.	_____	E. Ind.	1796.	S. h.	Rheed. mal. 1. t. 42.
EMBRYOPTERIS. W.	EMBRYOPTERIS.	Ebenacæ. B. P.	<i>Diospyri sp.</i>	P. S.		
glutinifera. W.	Indian.	_____	E. Ind.	1796.	S. h.	Roxb. cor. 1. t. 70.
CLIFFORTIA. W.	CLIFFORTIA.	Rosacæ. J.				
1 cuneata. W.	wedge-leaved.	_____	C. B. S.	1787. 4.	G. h.	_____
2 ilicifolia. W.	Ilex-leaved.	_____	_____	1714. 5.9.	G. h.	Dill. elt. t. 31. f. 35.
3 tridentata. W.	three-toothed.	_____	_____		G. h.	_____
4 ruscifolia. W.	Ruscus-leaved.	_____	_____	1752. 6.7.	G. h.	L. hort. cliff. t. 31.
5 cinerea. W.	cinereous.	_____	_____	1800.	G. h.	_____
6 pulchella. W.	beautiful.	_____	_____	1795. 4.5.	G. h.	_____
7 crenata. W.	notched-leaved.	_____	_____	1791. 7.8.	G. h.	_____
8 ericæfolia. W.	Heath-leaved.	_____	_____	1799. 7.9.	G. h.	_____
9 orbicdata. W.	heart-leaved.	_____	_____	1790. 6.8.	G. h.	_____
10 trifoliata. W.	three-leaved.	_____	_____	1752. 4.7.	G. h.	Pluk. alm. t. 319. f. 4.
11 sarmentosa. W.	twiggy.	_____	_____	1793. 6.8.	G. h.	_____
CYCAS. W.	CYCAS.	Cycadææ. B. P.				
1 circinalis. W.	broad-leaved.	_____	E. Ind.	1700.	S. h.	Rheed. mal. 3. t. 13. 21.
2 revoluta. W.	narrow-leaved.	_____	China.	1737. 7.8.	S. h.	Liun. trans. 6. t. 29.
ZAMIA. W.	ZAMIA.	Cycadææ. B. P.				
1 pungens. W.	needle.	_____	C. B. S.	1775.	G. h.	Till. pis. 129. t. 45.
2 cycadifolia. W.	Cycas-leaved.	_____	_____		G. h.	Jac. frag. 1. t. 25. 26.
3 angustifolia. Jac.	narrow-leaved.	_____	Bahama Isl.	 7.8.	S. h.	Jac. ic. 3. t. 636.
4 media. Jac.	intermediate.	_____	W. Ind.		S. h.	Bot. mag. 1838.
5 debilis. W.	long-leaved.	_____	_____	1777.	S. h.	Comm. hort. 1. t. 58.
6 integrifolia. W.	dwarf.	_____	_____	1768.	S. h.	Bot. mag. 1851.
7 pygmæa. B. M.	least.	_____	_____	 5.	S. h.	_____ 1741.
8 furfuracea. W.	broad-leaved.	_____	_____	1691. 7.8.	S. h.	Trew. ehret. t. 26.
9 spiralis. B. P.	spiral.	_____	N. S. W.	1796.	G. h.	_____ 1900
10 horrida. W.	gray.	_____	C. B. S.	1800.	G. h.	Jac. frag. 27. t. 27. 28
11 Cycadis. W.	Cycas-like.	_____	_____	1775.	G. h.	Th. act. ups. 2. t. 5.

MONADELPHIA.

ARAUCARIA. J.	ARAUCARIA.	Coniferæ. J.	<i>Dombeya. Lam.</i>			
1 imbricata. W.	imbricated.	_____	Chili.	1796.	G. h.	Lam. ill. t. 328.
2 excelsa. H. K.	Norfolk Island.	_____	Norfolk Isl.	1793.	G. h.	Lamb. pin. t. 39. 40.
JUNIPERUS. W.	JUNIPER.	Coniferæ. J.				
1 thurifera. W.	Spanish.	_____	S. Europe.	1752. 5.6.	H. h.	_____
2 bermudiana. W.	Bermudas Cedar.	_____	Bermudas.	1683.	F. h.	Herm. lugd. t. 347.
3 chinensis. W.	Chinese.	_____	China.	1804.	F. h.	_____
4 excelsa. W.	tall.	_____	Siberia.	1806.	H. h.	_____
5 Sabina. W.	Common Savin.	_____	S. Europe.	1548. 5.6.	H. h.	_____
6 tamariscifolia.	Tamarisk-leav'd.	_____	_____	1562.	H. h.	_____
7 prostrata. P. S.	prostrate.	_____	N. America.		H. h.	_____
8 daurica. H. K.	Daurian.	_____	Dauria.	1791. 6.8.	H. h.	Bot. rep. 534.
9 virginiana. W.	Red Cedar.	_____	N. America.	1664. 5.6.	H. h.	Mich. arb. 3. t. 5.
10 communis. W.	common.	_____	Britain.		H. h.	Eng. bot. 1100.
11 suecica.	Swedish.	_____	N. Europe.		H. h.	_____

12 nana. W.	mountain.	Coniferae. J.	Siberia.	 5.6.	H. h.	{ Pall. ross. 2. t. 54. f. A. B.
13 Oxycedrus. W.	brown-berried.	_____	Spain.	1739.	H. h.	Duham. arb. 2. t. 123
14 phœnicea. W.	Phœnician.	_____	S. Europe.	1683.	H. h.	Pall. ross. 2. t. 57.
15 lycia. W.	Lycian.	_____	_____	1693.	H. h.	2. t. 56.
16 barbadensis. W.	Barbadoes Cedar.	_____	Florida.	1811.	G. h.	Pluk. alm. t. 197. f. 4
TAXUS. W.	YEW-TREE.	Coniferae. J.	_____	_____	_____	_____
1 baccata. W.	common.	_____	Britain.	 2.4.	H. h.	Eng. bot. 746.
2 nucifera. W.	Acorn-bearing.	_____	China.	1764.	G. h.	Kæmp. amœn. t. 815
EPHEDRA. W.	EPHEDRA.	Coniferae. J.	_____	_____	_____	_____
1 distachya. W.	great.	_____	France.	1570. 6.7.	H. h.	Schk. han. 3. t. 339.
2 monostachya. W.	small.	_____	Siberia.	1772. 9.11.	H. h.	Pall. ross. 2. t. 83.
CISSAMPELOS. D.	CISSAMPELOS.	Menispermæ. D.	_____	_____	_____	_____
1 Pareira. D.	velvet-leaf.	_____	S. America.	1733. 7.8.	S. 2.	Lam. ill. t. 830.
2 Caapeba. D.	nervous-leaved.	_____	_____	_____	S. 2.	Plum. ic. 67. f. 2.
3 capensis. D.	Cape.	_____	C. B. S.	1775.	G. h.	_____
EXCŒCARIA. W.	EXCŒCARIA.	Euphorbiacæ. J.	_____	_____	_____	_____
serrata. H. K.	saw-leaved.	_____	Chili.	1796. 11.2.	G. h.	_____
ADELIA. W.	ADELIA.	Euphorbiacæ. J.	_____	_____	_____	_____
1 Bernardia. W.	villous-leaved.	_____	Jamaica.	1768. 7.8.	S. h.	_____
2 Ricinella. W.	smooth-leaved.	_____	_____	_____	6.8.	S. h.
3 Acidoton. W.	Box-leaved.	_____	Jamaica.	1768. 6.7.	S. h.	_____
LOUREIRA. W.	LOUREIRA.		Mozinna. Orteg.	_____	_____	_____
glandulosa. W.	glandulous.	_____	Mexico.	1799.	S. h.	Cav. ic. 5. t. 430.
MYRISTICA. W.	NUTMEG.	Myristicæ. B. P.	_____	_____	_____	_____
1 moschata. W.	true.	_____	E. Ind.	1795.	S. h.	Lam. ill. t. 832.
2 fatua. W.	tasteless.	_____	Surinam.	1812.	S. h.	Pluk. alm. t. 250. f. 6.
NEPENTHES. W.	PITCHER-PLANT.		_____	_____	_____	_____
distillatoria. W.	Chinese.	_____	China.	1789. 4.5.	S. 2.	Burm. zeyl. 42. t. 17.
RUSCUS. W.	{ BUTCHER'S- BROOM. }	Smilacæ?	_____	_____	_____	_____
1 aculeatus. W.	prickly.	_____	England.	 12.6.	H. h.	Eng. bot. 560.
2 laxus. L. T.	loose.	_____	Portugal.	 1.6.	H. h.	_____
3 Hypophyllum. W.	broad-leaved.	_____	Italy.	1640. 5.6.	H. h.	Col. ecp. 1. t. 165. f. 1.
4 Hypoglossum. W.	double-leaved.	_____	_____	1596. 4.5.	H. h.	Schk. hand. 3. t. 340.
5 androgynus. W.	climbing.	_____	Canaries.	1713. —	G. h.	Bot. mag. 1898.
6 racemosus. W.	{ Alexandrian Laurel. }	_____	Portugal.	— 6.	H. h.	Herm. ludg. t. 681.
LATANIA. J.	BOURBON PALM.	Palmæ. B. P.	_____	_____	_____	_____
rubra. W.	red.	_____	Mauritius.	1788.	S. h.	Jac. frag. 13. t. 8.

GYNANDRIA.

CLUYTIA. W.	CLUYTIA.	Euphorbiacæ. J.	_____	_____	_____	_____
1 alaternoides. W.	narrow-leaved.	_____	C. B. S.	1692. 12.3.	G. h.	Bot. mag. 1321.
2 polygonoides. W.	Polygonum-like.	_____	_____	1790. —	G. h.	W. hort. ber. 51.
3 daphnoides. W.	Daphne-leaved.	_____	_____	1731. 5.6.	G. h.	52.
4 ericoides. W.	Heath-leaved.	_____	_____	1790. 4.6.	G. h.	R 770
5 polifolia. W.	Poley-leaved.	_____	_____	—	G. h.	Jac. schœn. 2. t. 50
6 tomentosa. W.	tomentose.	_____	_____	1812. —	G. h.	_____
7 pulchella. W.	broad-leaved.	_____	_____	1739. 1.6.	G. h.	Bot. mag. 1945.
8 collina. W.	hill.	_____	E. Ind.	1807.	S. h.	Roxb. cor. 2. t. 169

CLASS XXIII.
POLYGAMIA MONŒCIA.

MUSA. W.	PLANTAIN-TREE. Musacæ. J.	_____	_____	_____	_____	_____
1 paradisiaca. W.	common.	_____	India.	1690. 10.12.	S. h.	{ Trew ehret. 3. t 18. 20.
2 sapientum. W.	Banana-tree.	_____	W. Ind.	1729. 10.3.	S. h.	4. t. 21. 23.
3 rosacea. W.	Rose-coloured.	_____	Mauritius.	1805. 3.6.	S. h.	Jac. schœn. 4. t. 445.
4 coccinea. W.	scarlet-flowered.	_____	China.	1792. 12.3.	S. h.	Bot. mag. 1559.
VERATRUM. W.	VERATRUM.	Melanthacæ. B. P.	_____	_____	_____	_____
1 album. W.	white.	_____	Europe.	1548. 6.8.	H. 2.	Fl. dan. 1120.
2 viride. W.	green-flowered.	_____	N. America.	1742. 7.8.	H. 2.	Bot. mag. 1096.

3 virginicum. H. K.	Virginian.	Melanthaceæ. B. P.	N. America.	1768.	6.7.	H. 2.	Bot. mag. 985.
4 nigrum. W.	dark-flowered.	_____	Siberia.	1596.	_____	H. 2.	_____ 963.
5 parviflorum. W.	small-flowered.	_____	Carolina.	1809.	_____	H. 2.	_____
ANDROPOGON. W.	ANDROPOGON.	Gramineæ. B. P.	_____	_____	_____	_____	_____
1 striatus. W.	nerve-glumed.	_____	E. Ind.	1793.	8.	S. 2.	_____
2 contortus. W.	twisted.	_____	_____	1779.	7.9.	S. 2.	Schlk.han.3.t.342.a.
3 Schoenanthus. W.	Lemon-grass.	_____	_____	1786.	...	S. 2.	Rum.am.5.t.72.f.2.
4 distachyos. W.	two-spiked.	_____	S. Europe.	1805.	7.8.	H. 2.	Fl. græc. 1. t. 69.
5 muticus. W.	smooth-spiked.	_____	C. B. S.	1794.	7.9.	G. 2.	_____
6 Ischæmum. W.	woolly.	_____	S. Europe.	1768.	8.	H. 2.	Schreb.gram.2.t.33
CHLORIS. W.	CHLORIS.	Gramineæ. B. P.	_____	_____	_____	_____	_____
1 petraea. W.	flat-stalked.	_____	Jamaica.	1779.	7.8.	S. 2.	Vahl. symb. 2. t. 27.
2 ciliata. W.	ciliated.	_____	_____	_____	7.9.	S. 2.	_____
3 radiata. W.	many-spiked.	_____	W. Ind.	1739.	8.9.	S. 2.	Moris. s.8.t.3.f.15.
4 barbata. W.	bearded.	_____	E. Ind.	1777.	6.7.	S. 2.	_____
5 curtipendula. Ph.	short-spiked.	_____	Illinois.	1808.	6.8.	H. 2.	_____
PENICILLARIA. } W. en. }	PENICILLARIA.	Gramineæ. B. P.	_____	_____	_____	_____	_____
1 spicata. W. en.	spiked.	_____	E. Ind.	1592.	6.7.	S. 2.	Pluk.alm.t.32.f.4.
2 ciliata. W. en.	ciliated.	_____	Jamaica.	1739.	7.10.	H. 2.	_____
<i>Alopecurus indicus. W.</i>	_____	_____	_____	_____	_____	_____	_____
SORGHUM. W. en.	SORGHUM.	Gramineæ. B. P.	<i>Holcus. B. P.</i>	_____	_____	_____	_____
1 Gryllus.	purple-flowered.	_____	S. Europe.	1791.	6.7.	H. 2.	Fl. græc. 1. t. 67.
<i>Andropogon Gryllus. W.</i>	<i>Holcus Gryllus. B. P.</i>	_____	_____	_____	_____	_____	_____
2 bicolor. W. en.	two-coloured.	_____	Persia.	1731.	7.	H. 2.	{ Mieg. act. helv. 8. t. 4. f. 4.
3 vulgare. W. en.	Indian Millet.	_____	India.	1596.	7.	H. 2.	_____ s. t. 4. f. 3.
4 rubens. W. en.	red-seeded.	_____	Africa.	1817.	_____	H. 2.	_____
5 saccharatum. W. en.	yellow-seeded.	_____	India.	1759.	7.8.	S. 2.	{ Ard. act. ac. pat. 1. t. 4. f. 2.
6 halepense. P. S.	panicked.	_____	Syria.	1691.	_____	H. 2.	Fl. græc. 1. t. 68.
HOLCUS. W. en.	SOFT-GRASS.	Gramineæ. B. P.	_____	_____	_____	_____	_____
1 mollis. W.	creeping.	_____	Britain.		7.8.	H. 2.	Eng. bot. 1170.
2 lanatus. W.	meadow.	_____	_____		6.7.	H. 2.	_____ 1169.
3 avenaceus. W. en.	Oat-like.	_____	_____		_____	H. 2.	_____ 813.
4 bulbosus. W. en.	bulbous-rooted.	_____	_____		_____	H. 2.	_____
5 odoratus. W.	sweet-scented.	_____	N. America.	1777.	_____	H. 2.	_____
ISCHÆMUM. W.	ISCHÆMUM.	Gramineæ. B. P.	_____	_____	_____	_____	_____
1 aristatum. W.	bearded.	_____	E. Ind.	1803.	6.7.	S. 2.	_____
2 rugosum. W.	rough.	_____	_____	1791.	7.8.	S. 2.	Sal. stirp. rar. 1. t. 1.
ÆGLOPS. W.	HARD-GRASS.	Gramineæ. B. P.	_____	_____	_____	_____	_____
1 ovata. W.	oval-spiked.	_____	S. Europe.	1683.	6.7.	H. 2.	Fl. græc. 1. t. 93.
2 triuncialis. W.	long-spiked.	_____	_____	1739.	7.8.	H. 2.	Schreb. gr. 1. t. 10. f. 1
3 cylindrica. W.	cylindrical.	_____	Hungary.	1805.	6.7.	H. 2.	Host. gram. 2. t. 7.
4 squarrosa. W.	rough-spiked.	_____	Levant.	1794.	_____	H. 2.	Schreb. gr. 2. t. 27. f. 2
5 candata. W.	Cretan.	_____	Candia.	1739.	_____	H. 2.	Fl. græc. 1. t. 95.
MANISURIS. W.	MANISURIS.	Gramineæ. B. P.	_____	_____	_____	_____	_____
granularis. W.	round-grained.	_____	E. Ind.	1784.	6.7.	S. 2.	Roxb. cor. 2. t. 118.
VALANTIA. W.	VALANTIA.	Rubiaceæ. J.	_____	_____	_____	_____	_____
1 cruciata. W.	Crosswort.	_____	Britain.		5.6.	H. 2.	Eng. bot. 143.
2 muralis. W.	wall.	_____	S. Europe.	1739.	5.7.	H. 2.	Col. ceph. t. 297.
3 hispida. W.	bristly.	_____	_____	1768.	_____	H. 2.	_____
4 filiformis. W.	least.	_____	Canaries.	1780.	7.9.	H. 2.	_____
5 pedemontana. W.	Piedmont.	_____	Hungary.	1799.	7.	H. 2.	Pl. rar. hung. 1. t. 33.
6 Cucullaria. W.	hooded.	_____	Levant.	1780.	5.6.	H. 2.	Bux. cent. 1. t. 19. f. 2
7 Aparine. W.	warty-fruited.	_____	Britain.		6.8.	H. 2.	Eng. bot. 2173.
<i>Galium verrucosum. E. B.</i>	_____	_____	_____	_____	_____	_____	_____
8 articulata. W.	jointed.	_____	Egypt.	1752.	7.8.	H. 2.	_____
9 glabra. W.	smooth.	_____	S. Europe.	1731.	_____	H. 2.	Pl. rar. hung. 1. t. 32.
10 aspera. W.	rough.	_____	Siberia.	1804.	6.7.	H. 2.	_____
PARIETARIA. W.	PELLITORY.	Urticæ. J.	_____	_____	_____	_____	_____
1 indica. W.	Indian.	_____	E. Ind.	1790.	4.5.	S. 2.	_____
2 officinalis. W.	wall.	_____	Britain.		6.9.	H. 2.	Eng. bot. 879.
3 judaica. W.	Basil-leaved.	_____	Germany.	1728.	_____	H. 2.	Schlk. hand. 3. t. 346.
4 urticaefolia. W.	Nettle-leaved.	_____	Bourbon.	1700.	_____	S. 2.	_____
5 lusitanica. W.	Chickweed-lea ^d .	_____	Spain.	1710.	7.8.	H. 2.	Bocc. sic. t. 24. f. B.
6 polygonoides. W.	Polygonum-lea ^d .	_____	Armenia.	1728.	_____	H. 2.	_____
ATRIPLEX. W.	ORACHE.	Chenopodeæ. B. P.	_____	_____	_____	_____	_____
1 Halimus. W.	tall shrubby.	_____	Spain.	1640.	7.8.	H. 2.	Park. theat. 724. f. 2.
2 portulacoides. W.	dwarf shrubby.	_____	Britain.		_____	H. 2.	Eng. bot. 261.

3 glauca. W.	glaucous.	Chenopodeæ. B. P.	S. Europe.	1732.	7.3.	G. h.	Dill. elt. t. 40. f. 46.
4 albicans. W.	white.	_____	C. B. S.	1774.	6.7.	G. h.	_____
5 rosea. W.	Rose.	_____	S. Europe.	1739.	_____	H. ☉	Schk. hand. 3. t. 350.
6 sibirica. W.	Siberian.	_____	Siberia.	1783.	7.8.	H. ☉	— 3. p. 538. t. 350.
7 tatarica. W.	Tartarian.	_____	Tartary.	1778.	_____	H. ☉	— 3. p. 539. t. 349.
8 hortensis. W.	garden.	_____	_____	1548.	_____	H. ☉	_____
β rubra.	red garden.	_____	_____	_____	_____	_____	_____
9 laciniata. W.	frosted sea.	_____	Britain.		_____	H. ☉	Eng. bot. 165.
10 patula. W.	spreading.	_____	_____		6.9.	H. ☉	_____ 936.
11 angustifolia. W.	narrow-leaved.	_____	_____		6.8.	H. ☉	_____ 1774.
12 erecta. W.	upright.	_____	England.		8.	H. ☉	_____ 2223.
13 littoralis. W.	Grass-leaved.	_____	Britain.		8.9.	H. ☉	_____ 703.
14 pedunculata. W.	pedunculated.	_____	England.		7.9.	H. ☉	_____ 232.
15 microsperma. W.	small-seeded.	_____		1800.	_____	H. ☉	_____
RHAGODIA. B. P.	RHAGODIA.	Chenopodeæ. B. P.	_____	_____	_____	_____	_____
hastata. B. P.	halberd-leaved.	_____	N. S. W.	1803.	6.7.	G. h.	_____
TERMINALIA. W.	TERMINALIA.	Combretaceæ. B. P.	_____	_____	_____	_____	_____
1 Catappa. W.	broad-leaved.	_____	E. Ind.	1778.		S. h.	Jac. ic. 1. t. 197.
2 moluccana. W.	Molucca.	_____	_____	1804.		S. h.	_____
3 Chebula. W.	oval-leaved.	_____	_____	1796.		S. h.	Roxb. cor. 2. t. 197.
4 angustifolia. W.	narrow-leaved.	_____	_____	1692.		S. h.	Jac. vind. 3. t. 100.
FUSANUS. L.	FUSANUS.	Santalaceæ. B. P.	Thesii sp. IV.	_____	_____	_____	_____
compressus. H. K.	flat-stalked.	_____	C. B. S.	1776.		G. h.	Berg. cap. 38. t. 1. f. 1.
BRABEJUM. W.	{ AFRICAN- ALMOND. }	Proteaceæ. B. P.	_____	_____	_____	_____	_____
stellulifolium. W.	common.	_____	C. B. S.	1731.	3.4.	G. h.	Breyn. cent. 1. t. 1.
FERONIA. L. T.	{ ELEPHANT- APPLE. }		_____	_____	_____	_____	_____
elephantum. W.	Indian.	_____	E. Ind.	1804.		S. h.	Roxb. cor. 2. t. 141.
AILANTHUS. W.	AILANTHUS.	Terebintaceæ. J.	_____	_____	_____	_____	_____
1 glandulosa. W.	Chinese.	_____	China.	1751.	8.	H. h.	L'Her. stirp. t. 84.
2 excelsa. W.	Indian.	_____	E. Ind.	1800.		S. h.	Roxb. cor. 1. t. 23.
CLUSIA. W.	BALSAM-TREE.	Guttiferæ. J.	_____	_____	_____	_____	_____
1 rosea. W.	Rose-coloured.	_____	Carolina.	1692.	7.3.	S. h.	Cat. car. 2. t. 99.
2 alba. W.	white-flowered.	_____	S. America.	1752.		S. h.	Jac. amer. t. 166.
3 flava. W.	yellow-flowered.	_____	Jamaica.	1759.	9.	S. h.	Bot. rep. 223.
4 venosa. W.	veiny-leaved.	_____	S. America.	1733.		S. h.	Plum. ic. 87. f. 2.
OPHIOXYLON. W.	OPHIOXYLON.	Apocynæ. B. P.	_____	_____	_____	_____	_____
serpentinum. W.	red-flowered.	_____	E. Ind.	1690.	5.6.	S. h.	Bot. mag. 784.
ACER. W.	MAPLE.	Acereæ. J.	_____	_____	_____	_____	_____
1 heterophyllum. W.	evergreen.	_____	Levant.	1759.	5.6.	H. h.	W. arb. 10. t. 1. f. 1.
2 tataricum. W.	Tartarian.	_____	Tartary.	_____	_____	H. h.	Schm. arb. 1. t. 9.
3 Pseudo-Platanus.	Sycamore.	_____	Britain.		4.5.	H. ☉	Eng. bot. 303.
4 rubrum. W.	scarlet-flowered.	_____	N. America.	1656.	_____	H. h.	Mich. arb. 2. t. 14.
5 dasycarpum. W.	Sir Chas. Wager's.	_____	_____	1725.	_____	H. h.	_____ 2. t. 13.
6 barbatum. Ph.	bearded.	_____	_____	1812.	_____	H. h.	_____
7 saccharinum. W.	Sugar.	_____	_____	1735.	_____	H. h.	Mich. arb. 2. t. 15.
8 nigrum. Ph.	black.	_____	_____	1812.	_____	H. h.	_____ 2. t. 16.
9 platanoides. W.	Norway.	_____	Europe.	1633.	5.7.	H. h.	Schm. arb. 1. t. 3. 4.
β laciniatum.	cut-leaved.	_____	_____	_____	_____	H. h.	_____ 1. t. 5.
10 striatum. Ph.	striped-barked.	_____	N. America.	1755.	5.6.	H. h.	Mich. arb. 2. t. 17.
11 montanum. Ph.	mountain.	_____	_____	1750.	4.5.	H. h.	Schm. arb. 1. t. 11.
12 campestre. W.	common.	_____	Britain.		5.6.	H. h.	Eng. bot. 304.
13 Opalus. W.	Italian.	_____	Italy.	1752.	_____	H. h.	_____
14 monspessulanum. W.	Montpelier.	_____	France.	1739.	5.	H. h.	Schm. arb. 1. t. 14.
15 creticum. W.	Cretan.	_____	Levant.	1752.	5.6.	H. h.	_____ 1. t. 15.
16 Negundo. W.	Ash-leaved.	_____	N. America.	1688.	4.	H. h.	_____ 1. t. 12.
CELTIS. W.	NETTLE-TREE.	Amentaceæ. J.	_____	_____	_____	_____	_____
1 australis. W.	European.	_____	S. Europe.	1796.	5.	H. h.	_____
2 Tournefortii. W.	Tournefort's.	_____	Levant.	1739.		H. h.	Tourn. it. 2. t. 41.
3 occidentalis. W.	American.	_____	N. America.	1656.	4.5.	H. h.	Mill. ic. 1. t. 88.
4 crassifolia. Ph.	thick-leaved.	_____	_____	1812.		H. h.	Duham. arb. 2. t. 9.
5 pumila. Ph.	dwarf.	_____	_____	_____	5.	H. h.	_____
6 micrantha. W.	smooth.	_____	Jamaica.	1739.	8.9.	S. h.	Plum. ic. t. 206. f. 1.
7 aculeata. W.	prickly.	_____	_____	1791.		S. h.	_____
GOUANIA. W.	GOUANIA.	Rhamni? J.	_____	_____	_____	_____	_____
1 domingensis. W.	Chaw-stick.	_____	W. Ind.	1739.		S. h.	Pluk. alm. t. 201. f. 4.
2 tiliaefolia.	Lime-tree-leav'd.	_____	E. Ind.	1810.		S. h.	Roxb. cor. 1. t. 98.

HERMAS. W.	HERMAS.	Umbellifera. J.					
1 depauperata. W.	hairy.	_____	C. B. S.	1795.	6.7.	G. 4.	Burm. afr. t. 71. f. 2.
2 gigantea. W.	gigantic.	_____	_____	1794.	_____	G. 4.	{ Th. in act. pet. 14. t. 11.
INGA. W.	INGA.	Leguminosæ. J.	Mimosæ sp. L.				
1 dulcis. W.	sweet.	_____	E. Ind.	1800.		S. h.	Roxb. cor. 1. t. 99.
2 Unguis-Cati. W.	four-leaved.	_____	W. Ind.	1690.		S. h.	Jac. schœn. 3. t. 392.
3 microphylla. W. en.	small-leaved.	_____	Cumana.	1815.		S. h.	
4 vera. W.	common.	_____	W. Ind.	1739.	7.8.	S. h.	Sl. jam. 2. t. 183. f. 1.
5 rhoifolia. W. en.	villous.	_____	Brazil.	1815.		S. h.	
6 alba. W.	white.	_____	E. Ind.	1804.		S. h.	
7 marginata. W.	Beech-leaved.	_____	W. Ind.	1752.		S. h.	Pluk. alm. t. 141. f. 2.
8 nodosa. W.	knobbed.	_____	Ceylon.	1690.		S. h.	_____ t. 211. f. 5.
9 latifolia. W.	broad-leaved.	_____	W. Ind.	1768.	3.4.	S. h.	Plum. ic. t. 9.
10 purpurea. W.	Soldier Wood.	_____	_____	1733.	_____	S. h.	Bot. reg. 129.
11 circinalis. W.	spiral-podded.	_____	_____	1726.		S. h.	Plum. ic. t. 5.
MIMOSA. W.	MIMOSA.	Leguminosæ. J.					
1 viva. W.	lively.	_____	Jamaica.	1739.	7.9.	S. 4.	Slo. jam. 2. t. 182. f. 7.
2 casta. W.	chaste.	_____	E. Ind.	1741.	7.	S. h.	Comm. hort. 1. t. 28.
3 sensitiva. W.	Sensitive Plant.	_____	Brazil.	1648.	4.9.	S. 3.	Bot. reg. 25.
4 obtusifolia. W. en.	blunt-leaved.	_____	_____	1816.		S. h.	
5 pudica. W.	Humble Plant.	_____	_____	1638.	4.9.	S. h.	Bot. rep. 544. <i>941</i>
6 pigra. H. K.	straight-spined.	_____	Vera Cruz.	1733.	6.7.	S. h.	Mill. ic. 2. t. 182. f. 3.
7 rubicanlis. W.	Bramble-stalked	_____	E. Ind.	1799.	_____	S. h.	Roxb. cor. 2. t. 200.
8 concinna. W.	neat.	_____	_____	1794.		S. h.	
9 polystachya. W. en.	many-spiked.	_____	Martinico.	1816.		S. h.	
SCHRANKIA. W.	SCHRANKIA.	Leguminosæ. J.	Mimosæ sp. L.				
1 aculeata. W.	hooked.	_____	Vera Cruz.	1733.	7.8.	S. 4.	Mill. ic. 2. t. 182. f. 1.
2 uncinata. W.	hooked.	_____	N. America.	1789.	_____	G. 4.	Vent. choix. 28.
DESMANTHUS. W.	DESMANTHUS.	Leguminosæ. J.	Mimosæ sp. L.				
1 natans. W.	floating.	_____	China.	1800.	7.9.	S. 0.	Bot. rep. 629.
2 plenus. W.	double yellow.	_____	Vera Cruz.	1733.	_____	S. 0.	Mill. ic. 2. t. 182. f. 2.
3 diffusus. W.	prostrate.	_____	W. Ind.	1731.	7.8.	S. h.	Pluk. alm. t. 307. f. 3.
4 virgatus. W.	long-twiggied.	_____	_____	1774.	_____	S. h.	Jac. vind. 1. t. 80. <i>245</i>
5 punctatus. W.	spotted-stalked.	_____	Jamaica.	1686.	_____	S. 3.	Comm. hort. 1. t. 31.
6 cinereus. W.	Ash-coloured.	_____	E. Ind.	1739.	6.7.	S. h.	Roxb. cor. 2. t. 174.
7 divergens. W. en.	divergent.	_____	Abyssinia.	1816.	_____	S. h.	
ACACIA. W.	ACACIA.	Leguminosæ. J.	Mimosæ sp. L.				
1 verticillata. W.	whorl-leaved.	_____	Van Diem Isl	1780.	3.5.	G. h.	Bot. mag. 110.
2 juniperina. W.	Juniper-leaved.	_____	N. S. W.	1790.	3.6.	G. h.	Vent. malm. 64.
3 acicularis. H. K.	needle-leaved.	_____	_____	1796.	3.8.	G. h.	
<i>acicularis. W. en. is a different species.</i>							
4 sulcata. H. K.	furrowed-leaved.	_____	N. Holland.	1803.	5.8.	G. h.	<i>920</i>
5 suaveolens. W.	sweet-scented.	_____	N. S. W.	1790.	2.6.	G. h.	Jac. schœn. 3. t. 391.
6 glaucescens. W. en.	blunt-leaved.	_____	_____	_____	_____	G. h.	
7 floribunda. W.	many-flowered.	_____	_____	1796.	5.6.	G. h.	Vent. choix. 13.
8 linifolia. W.	Flax-leaved.	_____	_____	1790.	_____	G. h.	Bot. rep. 394. <i>2168</i>
9 stricta. W.	double-headed.	_____	_____	_____	2.5.	G. h.	_____ 53.
10 longifolia. W.	long-leaved.	_____	_____	1792.	3.5.	G. h.	_____ 207. <i>322, 12</i>
11 falcata. W.	sickle-leaved.	_____	_____	1790.	5.6.	G. h.	<i>2165</i>
12 laurifolia. W.	Laurel-leaved.	_____	Tanna.	1775.		S. h.	
13 melanoxylon. H. K.	black-wooded.	_____	Van Diem. Isl	1808.	4.6.	G. h.	Bot. mag. 1659.
14 Sophoræ. H. K.	Sophora-podded.	_____	_____	1805.	_____	G. h.	Lab. nov. ho. 2. t. 237
15 marginata. H. K.	marginate-leav'd.	_____	N. S. W.	1803.	_____	G. h.	
16 myrtifolia. W.	Myrtle-leaved.	_____	_____	1789.	2.5.	G. h.	Bot. mag. 302.
17 hispidula. W.	little harsh.	_____	_____	1794.	4.5.	G. h.	Sm. n. holl. 53. t. 16.
18 decipiens. H. K.	paradoxical.	_____	N. Holland.	1803.	3.6.	G. h.	Bot. mag. 1745.
19 biflora. H. K.	two-flowered.	_____	_____	_____	_____	G. h.	
20 armata. H. K.	simple-l'd prickly	_____	_____	_____	4.6.	G. h.	Bot. mag. 1653.
21 alata. H. K.	wing-stalked.	_____	_____	_____	4.7.	G. h.	<i>346</i>
22 scandens. W.	climbing.	_____	India.	1780.		S. h.	Rheed. mal. 9. t. 77.
23 pulchella. H. K.	zigzag spiny.	_____	N. Holland.	1803.	4.7.	G. h.	
24 ciliata. H. K.	ciliate-winged.	_____	_____	_____	3.6.	G. h.	
<i>ciliata. W. en. is a different species.</i>							
25 nigricans. H. K.	unequal-winged.	_____	_____	_____	5.7.	G. h.	Lab. n. hol. 2. t. 238. <i>218</i>
26 guianensis. W.	Guiana.	_____	Cayenne.	_____		S. h.	Aub. gui. 2. t. 357.
27 Houstoni. W.	Houston's.	_____	Vera Cruz.	1729.	9.11.	S. h.	Bot. reg. 98.
28 odoratissima. W.	fragrant.	_____	E. Ind.	1790.		S. h.	Roxb. cor. 2. t. 120.
29 venusta. W. en.	charming.	_____	S. America.	1816.		S. h.	
30 arborea. W.	tree.	_____	Jamaica.	1768.		S. h.	Pluk. al. 6. t. 251. f. 2.

21 Julibrissin. W.	smooth tree.	Leguminosæ. J.	Levant.	1745.	8.	H. h.	Scop. in. 1. t. 8.
22 speciosa. W.	splendid.	_____	E. Ind.	1742.	8.9.	S. h.	Jac. ic. 1. t. 198.
33 latisiliqua. W.	broad-podded.	_____	W. Ind.	1777.	3.6.	S. h.	Plum. ic. 3. t. 6.
24 discolor. W.	two-coloured.	_____	N. S. W.	1798.	_____	G. h.	Bot. rep. 235.
25 pubescens. H. K.	hairy-stemmed.	_____	N. S. W.	1790.	3.6.	G. h.	Bot. mag. 1263.
36 lophantha. W.	two-spiked.	_____	N. Holland.	1803.	5.7.	G. h.	Bot. rep. 563.
27 brachyloba. W.	Illinois.	_____	N. America.	_____		G. h.	_____
28 glandulosa. W.	glandulous.	_____	_____	1806.		G. h.	Vent. choix. 27.
39 decurrens. W.	decurrent.	_____	N. S. W.	1790.	5.7.	G. h.	Vent. malm. 61.
40 pernambucana. W.	slothful.	_____	W. Ind.	1786.	7.8.	S. h.	Pluk.alm. t.307.f.3.
41 peregrina. W.	white-flowered.	_____	S. America.	1780.	7.	S. h.	_____
42 grandiflora. W.	great-flowered.	_____	E. Ind.	1769.	6.9.	S. h.	Bot. rep. 592.
43 glauca. W.	glaucous.	_____	America.	1690.	6.8.	S. h.	Cat. car. 2. t. 42.
44 reticulata. W. en.	netted.	_____	C. B. S.	1816.		G. h.	Pluk.alm. t.123.f.2.
45 juliflora. W.	long-flowered.	_____	Jamaica.	1793.		S. h.	_____
46 Giraffæ. W. en.	camelopard's.	_____	C. B. S.	1816.		S. h.	_____
47 Cafra. W.	Hottentot.	_____	_____	1800.		G. h.	_____
48 Chundra. W.	hook-spined.	_____	E. Ind.	1789.		S. h.	_____
49 Catechu. W.	medicinal.	_____	_____	1790.		S. h.	Roxb. cor. 2. t.175.
50 leucophlœa. W. en.	panicked.	_____	_____	1812.		S. h.	_____ 2. t.150.
51 cornigera. W.	Cuckold Tree.	_____	S. America.	1692.		S. h.	Pluk.al.3. t.122.f.1.
52 eburnea. W.	ivory-thorned.	_____	E. Ind.	1792.		S. h.	Roxb. cor. 2. t.199.
53 hæmatoxylon. W. en.	hoary.	_____	C. B. S.	1816.		S. h.	_____
54 farnesiana. W.	Sponge Tree.	_____	St. Domingo	1656.	6.8.	S. h.	Duh. arb. ed. n. t.28.
55 vera. W.	Egyptian Thorn.	_____	Egypt.	1596.	7.	S. h.	Pluk.al.3. t.123.f.1.
56 casia. W.	gray.	_____	E. Ind.	1773.		S. h.	Pl. man. 1. t.330.f.1.
57 pennata. W.	fine-leaved.	_____	_____	_____		S. h.	Burm. zeyl. 2. t. 1.
58 Intsia. W.	angular-stalked.	_____	_____	1778.		S. h.	Rheed. mal. 6. t. 4.
59 Ceratonia. W.	round-leaved.	_____	S. America.	1800.		S. h.	Plum. ic. t. 8.
60 tamarindifolia. W.	Tamarind-leav ^d .	_____	W. Ind.	1774.		S. h.	Jac. schœn. 3. t.396.
RHAPIS. W.	RHAPIS.	Palmæ. B. P.	_____	_____	_____	_____	_____
1 flabelliformis. W.	creeping-rooted.	_____	China.	1774.	8.	S. h.	Bot. mag. 1371.
2 arundinacea. W.	simple-leaved.	_____	Carolina.	1765.	9.	G. h.	_____

DICECIA.

GLEDITSCHIA. W.	GLEDITSCHIA.	Leguminosæ. J.	_____	_____	_____	_____	_____
1 triacanthos. Ph.	three-thorned.	_____	N. America.	1700.	6.7.	H. h.	Duham. arb. 1. t.195
β inermis.	smooth.	_____	_____	_____	_____	H. h.	_____
2 brachycarpa. Ph.	curved-spined.	_____	_____		_____	H. h.	_____
3 monosperma. Ph.	single-seeded.	_____	_____	1723.	_____	H. h.	Cat. car. 1. t. 43.
4 horrida. W.	strong-spined.	_____	China.	1774.	_____	H. h.	_____
5 sinensis. P. S.	Chinese.	_____	_____	1812.		F. h.	_____
CERATONIA. W.	CAROB TREE.	Leguminosæ. J.	_____	_____	_____	_____	_____
Siliqua. W.	St. John's Bread.	_____	Levant.	1570.	9.10.	G. h.	Bot. rep. 567.
FRAXINUS. W.	ASH TREE.	Oleina. B. P.	_____	_____	_____	_____	_____
1 simplicifolia. W.	various-leaved.	_____	England.		4.5.	H. h.	Eng. bot. 2476.
2 excelsior. W.	common.	_____	Britain.		_____	H. h.	_____ 1692.
β pendula.	weeping.	_____	_____	_____	_____	_____	_____
3 sambucifolia. W.	Elder-leaved.	_____	N. America.	1800.		H. h.	_____
4 oxycarpa. W.	Caucasian.	_____	N. Caucasus.	1815.		H. h.	_____
5 lentiscifolia. W.	Aleppo.	_____	Aleppo.	1710.	5.6.	H. h.	Pluk.alm. t.132.f.4.
6 americana. W.	white.	_____	N. America.	1723.	5.	H. h.	_____
acuminata. Ph.	_____	_____	_____	_____	_____	_____	_____
7 caroliniana. Ph.	shining.	_____	_____	1811.		H. h.	_____
8 pubescens. W.	black.	_____	_____	1783.	5.	H. h.	Du Roi. ed. 2. t. 1.
9 juglandifolia. W.	Walnut-leaved.	_____	_____	_____	5.6.	H. h.	_____
10 aurea. W. en.	yellow-barked.	_____	_____	_____	_____	H. h.	_____
11 nana. W. en.	dwarf.	_____	_____	_____	_____	H. h.	_____
12 atrovirens. P. S.	green curled-le ^d .	_____	_____	_____	_____	H. h.	_____
BROSIMUM. W.	BREAD NUT.	_____	_____	_____	_____	_____	_____
1 Alicastrum. W.	Jamaica.	_____	Jamaica.	1776.		S. h.	Sw. fl. ind. oc. 1. t. 1. f1
2 spurium. W.	Milkwood.	_____	_____	1789.		S. h.	_____
DIOSPYROS. W.	DATE PLUM.	Ebenaceæ. B. P.	_____	_____	_____	_____	_____
1 Lotus. W.	European.	_____	Italy.	1596.	6.7.	H. h.	Mill. ic. t. 116.
2 virginiana. W.	American.	_____	N. America.	1629.	_____	H. h.	Cat. car. 2. t. 76.
3 pubescens. Ph.	pubescent.	_____	_____	1812.	4.	H. h.	_____
4 sylvatica. W.	wood.	_____	E. Ind.	_____		S. h.	Roxb. cor. 1. t. 47.
5 Ebenum. W.	smooth.	_____	_____	1792.		S. h.	{ Rotb. in act. hafn. 2. t. 5.
6 Kaki. W.	Japan.	_____	Japan.	1789.		G. h.	Kæmpf. amœt. t. 806.

7 cordifolia. W.	heart-leaved.	Ebenaceæ. J.	E. Ind.	1794.	S. h.	Roxb. cor. 1. t. 50.
8 obovata. W.	four-seeded.	_____	W. Ind.	1796.	S. h.	Jac. schœn. 3. t. 312.
MYRSINE. B. P.	MYRSINE.	Myrsineæ. B. P.	_____	_____	_____	_____
1 africana. W.	African.	_____	C. B. S.	1691. 3.5.	G. h.	Comm. hort. 1. t. 64.
2 retusa. W.	round-leaved.	_____	Azores.	1778. 6.	G. h.	Vent. cels. 86.
3 Samara.	oval-leaved.	_____	C. B. S.	1770. 11.2.	G. h.	_____
<i>Samara pentandra. W.</i>						
4 melanophleas.	Laurel-leaved.	_____	C. B. S.	1783.	G. h.	Jac. vind. 1. t. 71.
<i>Sideroxylon melanophleum. W.</i>						
NYSSA. W.	TUPELO.	Santalaceæ? B. P.	_____	_____	_____	_____
1 villosa. W.	hairy-leaved.	_____	N. America.	1806. 5.	H. h.	Mich. arb. 21.
2 biflora. W.	mountain.	_____	_____	1739. 4.5.	H. h.	_____ 22.
3 capitata. H. K.	round-headed.	_____	_____	1806.	H. h.	_____
4 candicans. W.	hoary.	_____	_____	1812.	H. h.	Mich. arb. 20.
5 denticulata. W.	water.	_____	_____	1735.	H. h.	Cat. car. 1. t. 60.
HAMILTONIA. W.	OIL NUT.	_____	<i>Pyrularia. Mich.</i>	_____	_____	_____
oleifera. W.	Olive-bearing.	_____	N. America.	1800.	G. h.	_____
LAUROPHYLLUS } W. }	LAUROPHYLLUS.	_____	_____	_____	_____	_____
capensis. W.	Cape.	_____	C. B. S.	1801.	G. h.	_____
BURSERA. W.	BURSERA.	Terebintaceæ. J.	_____	_____	_____	_____
gumifera. W.	Jamaica.	_____	W. Ind.	1690.	S. h.	Jac. amer. t. 65.
ARCTOPUS. W.	ARCTOPUS.	Umbellifera? J.	_____	_____	_____	_____
echinatus. W.	rough.	_____	C. B. S.	1774.	G. h.	Burm. afr. 1. t. 1. 705
PANAX. W.	PANAX.	Araliæ. J.	_____	_____	_____	_____
1 quinquefolium. W.	Ginseng.	_____	N. America.	1740. 6.	H. h.	Bot. mag. 1333.
2 trifolium. W.	lesser.	_____	_____	1759. 5.6.	H. h.	_____ 1334.
3 aculeatum. W.	prickly.	_____	China.	1773. 11.	S. h.	Jac. ic. 3. t. 634.
4 fruticosum. W.	shrubby.	_____	Ternate.	1800. 8.9.	S. h.	Bot. rep. 595.
FICUS. W.	FIG TREE.	Urticæ. J.	_____	_____	_____	_____
1 Carica. W.	common.	_____	S. Europe.	1548. 6.7.	H. h.	Trew. chret. t. 73. 4.
2 aquatica. W.	rough-leaved.	_____	E. Ind.	1758.	S. h.	Rheed. mal. 3. t. 62.
3 nymphaefolia. W.	Water-Lily-lea ^d .	_____	_____	1759.	S. h.	_____
4 religiosa. W.	Poplar-leaved.	_____	_____	1731.	S. h.	Rheed. mal. 1. t. 27.
5 benghalensis. W.	Bengal.	_____	_____	1690. 4.	S. h.	_____ 1. t. 28.
6 venosa. W.	vein-leaved.	_____	_____	1763.	S. h.	W. hort. ber. 1. t. 36.
7 coriacea. W.	leathery-leaved.	_____	_____	1772.	S. h.	_____
8 costata. W.	rib-leaved.	_____	_____	1762.	S. h.	_____
9 lucida. W.	shining-leaved.	_____	_____	1772.	S. h.	_____
10 martinicensis. W.	round-fruited.	_____	W. Ind.	1759.	S. h.	Sloan. jam. 2. t. 223.
11 infectoria. W.	veiny.	_____	E. Ind.	1763.	S. h.	Rheed. mal. 3. t. 64.
12 pedunculata. W.	Willow-leaved.	_____	S. America.	1776.	S. h.	Pluk. alm. t. 178. f. 4.
13 cordata. W.	heart-leaved.	_____	C. B. S.	1802.	G. h.	Thunb. diss. c. ic.
14 macrophylla. P. S.	large-leaved.	_____	N. Holland.		G. h.	_____
15 australis. W.	ferrugineous.	_____	N. S. W.	1789. 3.6.	G. h.	Vent. malm. t. 114.
16 elastica. Rox.	elastic-gum.	_____	E. Ind.	1815.	G. h.	_____
17 stipulata. W.	trailing.	_____	China.	1771.	G. h.	_____
18 pumila. W.	dwarf.	_____	_____	1759.	G. h.	Kæmp. amœn. t. 804
19 tinctoria. W.	Otaheite.	_____	Society Isl.	1793. 5.6.	S. h.	_____
20 benjaminia. W.	oval-leaved.	_____	E. Ind.	1757.	S. h.	Rheed. mal. 1. t. 26.
21 pertusa. W.	Laurel-leaved.	_____	S. America.	1780.	S. h.	_____
22 nitida. W.	glossy-leaved.	_____	E. Ind.	1786. 3.6.	S. h.	Rheed. mal. 3. t. 55.
23 indica. W.	Banyan Tree.	_____	_____	1759.	S. h.	_____ 3. t. 63.
24 racemosa. W.	clustered.	_____	_____		S. h.	_____ 1. t. 25.
25 retusa. W.	blunt-leaved.	_____	_____	1793.	S. h.	_____
26 repens. W.	creeping-stemm ^d .	_____	_____	1805.	S. h.	_____
27 aspera. W.	rough-leaved.	_____	N. Holland.	1807. 3.6.	G. h.	_____
28 oppositifolia. W.	opposite-leaved.	_____	E. Ind.	1802.	S. h.	Roxb. cor. 2. t. 124.
<i>scabra. P. S.</i>						
29 capensis. W.	Cape.	_____	C. B. S.	1816.	G. h.	_____
CHAMÆROPS. W.	CHAMÆROPS.	Palmæ. B. P.	_____	_____	_____	_____
1 humilis. W.	Dwarf Fan Palm.	_____	S. Europe.	1731. 2.3.	G. h.	Bot. rep. 599. 2152
2 serrulata. W.	saw-leaved.	_____	N. America.	1809.	G. h.	_____
3 Hystrix. Ph.	Porcupine.	_____	Georgia.	1801.	G. h.	_____
4 Palmetto. W.	smooth-stemmed.	_____	Carolina.	1809.	G. h.	_____

CLASS XXIV.

CRYPTOGAMIA GONOPTERIDES.

EQUISETUM. W.	HORSE-TAIL.						
1 arvense. W.	corn.	—————	Britain.		3.4. H. ½.	Eng. bot.	2020.
2 fluviatile. W.	great water.	—————	—————		4.5. H. ½.	—————	2022.
3 sylvaticum. W.	wood.	—————	—————		—————	H. ½.	1874.
4 limosum. W.	smooth naked.	—————	—————		6.7. H. ½.	—————	929.
5 palustre. W.	marsh.	—————	—————		—————	H. ½.	2021.
6 variegatum. W.	variegated.	—————	Scotland.		—————	H. ½.	1987.
7 hyemale. W.	Shave Grass.	—————	Britain.		7.8. H. ½.	—————	915.

STACHYOPTERIDES.

LYCOPODIUM. W.	CLUB-MOSS.	Lycopodineæ. B. P.					
1 clavatum. W.	common.	—————	Britain.		7.8. H. ½.	Eng. bot.	224.
2 complanatum. W.	Arbor-vitæ-lea ^d .	—————	N. America.	1770.	—————	H. ½.	Fl. dan. 78.
3 alpinum. W.	Savin-leaved.	—————	Britain.		8. H. ½.	Eng. bot.	234.
4 dendroideum. W.	fan.	—————	N. America.	1770.	7. H. ½.	Schk. fil. t.	164.
5 annotinum. W.	interrupted.	—————	Britain.		6.8. H. ½.	Eng. bot.	1727.
6 inundatum. W.	marsh.	—————	—————		6.7. H. ½.	—————	239.
7 Selaginoides. W.	prickly.	—————	—————		8. H. ½.	—————	1148.
8 ornithopodioides. W.	Bird's-claw.	—————		1812.	6.8. H. ½.	Dill. M. t.	66. f. 1. B.
9 helveticum. W.	Swiss.	—————	Switzerland.	1779.		H. ½.	t. 64. f. 2.
10 denticulatum. W.	toothed.	—————	—————	7.	H. ½.	—————	t. 66. f. 1. A.
11 Selago. W.	Fir.	—————	Britain.		8. H. ½.	Eng. bot.	233.
PSILOTUM. Sw.	PSILOTUM.	Lycopodineæ. B. P. Bernhardtia. W.					
triquetrum. W.	triangular.	—————	W. Ind.	1793.	7.8. S. ½.	Schk. fil. t.	165. b
OPHIOGLOSSUM. W.	Adder's-tongue.	Filices. B. P.					
1 vulgatum. W.	common.	—————	Britain.		5.6. H. ½.	Eng. bot.	103.
2 reticulatum. W.	netted.	—————	W. Ind.	1793.	—————	S. ½.	Plum. fil. t. 164.
BOTRYCHIUM. Sw.	MOONWORT.	Filices. B. P. Osmundæ sp. L.					
1 Lunaria. W.	common.	—————	Britain.		5.6. H. ½.	Eng. bot.	318.
2 fumarioides. W.	Fumitory-leav'd.	—————	Carolina.	1806.	7.8. H. ½.	Schk. fil. t.	157.
3 dissectum. W.	cut-leaved.	—————	N. America.	—————	7. H. ½.	—————	t. 158.
4 virginicum. W.	Virginian.	—————	—————	1790.	8. H. ½.	—————	t. 156.

POROPTERIDES.

MARATTIA. Sw.	MARATTIA.	Filices. B. P. Myriothea. J.					
alata. W.	winged.	—————	Jamaica.	1793.		S. ½.	Sm. ined. t. 46.

SCHISMATOPTERIDES.

LYGODIUM. Sw.	{ SNAKE'S- TONGUE. }	Filices. B. P. Hydroglossum. W. Ugena. Cav.					
scandens. Sw.	climbing.	—————	E. Ind.	1793.	5.9. S. ½.	—————	
ANEMIA. Sw.	ANEMIA.	Filices. B. P.					
1 hirsuta. W.	hairy.	—————	Jamaica.	1794.		S. ½.	Plum. fil. t. 162.
2 adiantifolia. W.	Maiden-hair-1 ^d .	—————	W. Ind.	1793.	8.9. S. ½.	—————	t. 158.
OSMUNDA. B. P.	OSMUNDA.	Filices. B. P.					
1 cinnamomea. Ph.	woolly.	—————	N. America.	1772.	6. H. ½.	Schk. fil. t.	146.
2 regalis. W.	Flowering-Fern.	—————	Britain.		7.8. H. ½.	Eng. bot.	209.
3 Claytoniana. Ph.	Clayton's.	—————	N. America.	1772.	8. H. ½.	—————	
4 interrupta. Ph.	interrupted.	—————	—————		6.7. H. ½.	Schk. fil. t.	144.
5 spectabilis. Ph.	showy.	—————	—————	1811.	7. H. ½.	Pluk. alm. t.	184. f. 4
6 barbata. B. P.	African.	—————	C. B. S.	1805.	5.8. G. ½.	Schk. fil. t.	147.

Todea africana. W.

FILICES.

ACROSTICHUM. W.	ACROSTICHUM.	Filices. B. P.					
1 simplex. W.	simple.	—————	Jamaica.	1798.		S. ½.	
2 lingua. W.	tongue-leaved.	—————	China.	1817.	5.7. G. ½.	Th. fl. Jap. t.	33.
3 crinitum. W.	hairy.	—————	W. Ind.	1793.		S. ½.	Plum. fil. t. 125.
4 alicorne. B. P.	Elk's-horn.	—————	N. S. W.	1808.	8.10. G. ½.	Bot. reg.	262-3.
5 sorbifolium. W.	Sorbus-leaved.	—————	W. Ind.	1793.		S. ½.	Plum. fil. t. 117.
6 velleum. W.	woolly.	—————	Madeira.	1778.	8.9. G. ½.	Desf. alt. 2. t.	256.
7 calomelanos. W.	mealy.	—————	W. Ind.	1790.	7.8. S. ½.	W. hort. ber.	41.

G g

HEMIONITIS. W.	HEMIONITIS.	Filices. B. P.					
1 lanceolata. W.	spear-leaved.	_____	W. Ind.	1793.		S. 2.	Schk. fil. t. 6.
2 palmata. W.	palmated.	_____	_____	_____	6.8.	S. 2.	Plum. fil. t. 151.
3 rufa. W.	rusty-haired.	_____	Jamaica.	_____	_____	S. 2.	Schk. fil. t. 17. 2f.
MENISCIUM. W.	MENISCIUM.	Filices. B. P.					
reticulatum. W.	netted.	_____	Martinico.	1793.		S. 2.	Plum. fil. t. 110.
GRAMMITIS. Sw.	GRAMMITIS.	Filices. B. P.					
Ceterach. Sw.	common.	_____	Britain.		5.10.	H. 2.	Eng. bot. 1244.
POLYPODIUM. Sw.	POLYPODY.	Filices. B. P.					
1 piloselloides. W.	Mouse-ear.	_____	W. Ind.	1793.		S. 2.	Plum. fil. t. 118.
2 lycopodioides. W.	Club-moss.	_____	_____	_____		S. 2.	Schk. fil. t. 8. c. p.
3 phyllitidis. W.	Hart's-tongue.	_____	_____	6.9.	S. 2.	Plum. fil. t. 130.	
4 aureum. W.	golden.	_____	_____	1742.	3.4.	S. 2.	_____ t. 76.
5 vulgare. W.	common.	_____	Britain.		5.10.	H. 2.	Eng. bot. 1149.
β cambricum.	Welsh.	_____	_____		_____	H. 2.	Bolt. fil. t. 2. f. 5. a.
6 virginianum. W.	Virginian.	_____	N. America.		7.	H. 2.	Plum. fil. t. 77.
7 pectinatum. W.	comb-leaved.	_____	W. Ind.	1793.	6.9.	S. 2.	Schk. fil. t. 17. b.
8 asplenifolium. W.	Spleenwort-leaf ^d .	_____	Martinico.	1790.		S. 2.	Plum. fil. t. 102. A.
9 incanum. Ph.	hoary.	_____	N. America.	1811.	7.	H. 2.	Schk. fil. t. 11. b.
10 Phegopteris. W.	Sun-fern.	_____	Britain.		6.7.	H. 2.	Eng. bot. 2224.
11 hexagonopterum. W.	triangular.	_____	N. America.	1811.	7.	H. 2.	Pluk. alm. t. 284. f. 2.
12 pruinatum. W.	white-leaved.	_____	Jamaica.	1793.		S. 2.	
13 effusum. W.	spreading.	_____	_____	1769.	11.	S. 2.	Sloa. jam. 1. t. 57. f. 3.
14 Dryopteris. W.	tender-branch'd.	_____	Britain.		6.9.	H. 2.	Eng. bot. 616.
15 calcareum. W.	rigid-branched.	_____	_____		7.	H. 2.	_____ 1525.
WOODSIA. L. T.	WOODSIA.	Filices. B. P.					
1 hyperborea. Ph.	hairy Alpine.	_____	Scotland.		7.9.	H. 2.	Eng. bot. 2023.
2 ilvensis. Ph.	rock.	_____	N. America.	1812.	6.7.	H. 2.	Schk. fil. t. 19.
NEPHRODIUM. B. P.	KIDNEY-FERN.	Filices. B. P.	<i>Aspidii sp. W. Aspidium. Spreng.</i>				
1 trifoliatum. W.	three-leaved.	_____	W. Ind.	1769.	4.8.	S. 2.	Jac. ic. 3. t. 638.
2 Lonchitis. W.	rough Alpine.	_____	Britain.		5.8.	H. 2.	Eng. bot. 797.
3 auriculatum. W.	eared.	_____	E. Ind.	1793.	7.	S. 2.	{ Burm. zeyl. 98. t. 44. f. 2.
4 exaltatum. B. P.	lofty.	_____	Jamaica.	_____	_____	S. 2.	Schk. fil. t. 32. b.
5 unitum. B. P.	smooth-united.	_____	E. Ind.	_____		S. 2.	{ Burm. zeyl. 98. t. 44. f. 1.
6 propinquum. B. P.	pubescent.	_____	_____		_____	S. 2.	
7 patens. W.	downy.	_____	Jamaica.	1784.	7.9.	S. 2.	Schk. fil. t. 334.
8 noveboracense. W.	river-side.	_____	N. America.	1812.	7.	H. 2.	_____ t. 46.
9 Oreopteris. W.	Heath.	_____	Britain.		_____	H. 2.	Eng. bot. 1019.
10 Thelypteris. W.	Lady-fern.	_____	_____		7.8.	H. 2.	_____ 1018.
11 cristatum. W.	lesser crested.	_____	England.		6.8.	H. 2.	_____ 2125.
12 aculeatum. W.	common prickly.	_____	Britain.		_____	H. 2.	_____ 1562.
13 marginale. W.	marginal-flower ^g .	_____	N. America.	1772.	6.9.	H. 2.	Schk. fil. t. 45. b.
14 Filix-mas. W.	Male Fern.	_____	Britain.		6.8.	H. 2.	Eng. bot. 1458.
15 lobatum. W.	close-leaved.	_____	England.		_____	H. 2.	_____ 1563.
16 spinulosum. W.	crested prickly.	_____	Britain.		_____	H. 2.	_____ 1460.
17 dilatatum. W.	great-crested.	_____	_____		_____	H. 2.	_____ 1461.
18 elongatum. W.	cut-leaved.	_____	Madeira.	1779.	7.8.	G. 2.	
19 villosum. W.	villous.	_____	W. Ind.	1793.	7.	S. 2.	Schk. fil. t. 46. b.
ALLANTODIA. B. P.	ALLANTODIA.	Filices. B. B.	<i>Aspidii sp. W.</i>				
umbrosa. B. P.	Madeira.	_____	Madeira.	1779.	6.9.	G. 2.	Schk. fil. t. 61.
ASPIDIUM. B. P.	SHIELD-FERN.	Filices. B. P.	<i>Athyrium. Spreng.</i>				
1 dentatum. W.	toothed.	_____	Wales.		7.	H. 2.	Eng. bot. 1588.
2 bulbiferum. W.	bulbiferous.	_____	N. America.	1638.	7.8.	H. 2.	
3 axillare. W.	slender.	_____	Madeira.	1779.	6.9.	G. 2.	
4 fragile. W.	brittle.	_____	Britain.		6.8.	H. 2.	Eng. bot. 1587.
5 regium. W.	lacinated.	_____	_____		6.	H. 2.	_____ 163.
6 rheticum. W.	stone.	_____	_____		6.7.	H. 2.	
7 irriguum. E. B.	brook.	_____	_____		_____	H. 2.	
8 emulum. W.	dwarf.	_____	Madeira.	1779.		G. 2.	
ASPLENIUM. B. P.	SPLEENWORT.	Filices. B. P.					
1 fontanum. B. P.	smooth rock.	_____	England.		6.8.	H. 2.	Eng. bot. 2024.
<i>Aspidium fontanum. E. B.</i>							
2 Filix-femina. B. P.	female.	_____	Britain.		6.9.	H. 2.	_____ 1459.
3 Adiantum-nigrum } black.		_____	_____		4.10.	H. 2.	_____ 1950.
4 montanum. W.	mountain.	_____	N. America.	1812.	7.	H. 2.	
5 lanceolatum. W.	lanceolate.	_____	England.		6.10.	H. 2.	Eng. bot. 240.
6 fragrans. W.	fragrant.	_____	Jamaica.	1793.	7.	S. 2.	

7	Ruta-muraria. W.	Wall-rue.	Filices. B. P.	Britain.		6.10. H. 2.	Eng. bot. 150.
8	præmorsum. W.	snip-leaved.	_____	Jamaica.	1793.	S. 2.	Pluk. alm. t. 73. f. 5.
9	striatum. W.	striated.	_____	W. Ind.	_____	6.8. S. 2.	Plum. fil. t. 18. 19.
10	rhizophorum. W.	root-bearing.	_____	Jamaica.	_____	S. 2.	{ Sloan. jam. 1. t. 29. 30. f. 1.
11	viride. W.	green.	_____	Britain.		6.9. H. 2.	Eng. bot. 2257.
12	melanocaulon. Ph.	black-stalked.	_____	N. America.	1812. 6. 7.	H. 2.	_____
13	Trichomanes. W.	Maiden-hair.	_____	Britain.		5.10. H. 2.	Eng. bot. 576.
14	Brennii. Sw.	alternate-leaved.	_____	Scotland.		6.10. H. 2.	_____ 2258.
15	ebenenum. Ph.	ivory-striped.	_____	N. America.	1779. 9.	H. 2.	Schk. fil. t. 73.
16	monanthemum. W.	one-flowered.	_____	C. B. S.	1790. 7.	G. 2.	Smith ined. t. 73.
17	marinum. W.	sea.	_____	Britain.		6.10. H. 2.	Eng. bot. 392.
18	angustifolium. W.	narrow-leaved.	_____	N. America.	1812. 6.7.	H. 2.	Schk. fil. t. 67. 69.
19	septentrionale. W.	forked.	_____	Britain.		6.10. H. 2.	Eng. bot. 1017.
20	Hemiaionitis. W.	Mules-fern.	_____	Madeira.	1779. 6.7.	G. 2.	Schk. fil. t. 66.
21	rhizophyllum. W.	rooting-leaved.	_____	N. America.	1680. —	H. 2.	Pluk. alm. t. 105. f. 3.
22	serratum. W.	saw-leaved.	_____	W. Ind.	1793.	S. 2.	Schk. fil. t. 64.
SCOLOPEN-							
DRIUM. W. } { HART'S- } { TONGUE. }			Filices. B. P.				
	officinatum. W.	common.	_____	Britain.		7.8. H. 2.	Eng. bot. 1150.
	β crispum.	curled-leaved.	_____	_____		H. 2.	_____
	γ undulatum.	wave-leaved.	_____	_____		H. 2.	Pluk. phyt. 248. f. 1.
	δ multifidum.	clustered.	_____	_____		H. 2.	_____
	ε ramosum.	branching.	_____	_____		H. 2.	Pluk. phyt. 248. f. 2.
DIPLAZIUM. Sw.	DIPLAZIUM.	Filices. B. P.					
	grandifolium. W.	large-leaved.	_____	Jamaica.	1793.	S. 2.	_____
PTERIS. W.	BRAKE.	Filices. B. P.					
1	longifolia. W.	long-leaved.	_____	W. Ind.	1770. 7.9.	S. 2.	Jac. sch. 3. t. 399. 400
2	grandifolia. W.	large-leaved.	_____	_____	1793.	S. 2.	Schk. fil. t. 89.
3	serrulata. W.	various-leaved.	_____	India.	1770. 8.9.	S. 2.	_____ t. 91.
4	atropurpurea. W.	purple.	_____	N. America.	_____	H. 2.	_____ t. 101.
5	arguta. W.	sharp-notched.	_____	Madeira.	1778. —	G. 2.	Pluk. alm. t. 290. f. 2.
6	crispa. W.	curled.	_____	Britain.		7.8. H. 2.	Eng. bot. 1130.
7	aculeata. W.	prickly-stem'd.	_____	W. Ind.	1793.	S. 2.	Plum. fil. t. 5. et 11.
8	esculenta. B. P.	esculent.	_____	N. S. W.	1815.	G. 2.	Lab. n. holl. 2. t. 244.
9	caudata. W.	American.	_____	N. America.	1777. 9.12.	H. 2.	Jac. ic. 3. t. 645.
10	aquilina. W.	common.	_____	Britain.		7.8. H. 2.	Eng. bot. 1679.
11	podophylla. W.	pedated.	_____	Jamaica.	1793. 6.7.	S. 2.	Brown. jam. 89. t. 1.
VITTARIA. Sm.	VITTARIA.	Filices. B. P.					
	lineata. W.	linear-leaved.	_____	America.	1793.	S. 2.	Schk. fil. t. 101. b.
ONOCLEA. Sw.	ONOCLEA.	Filices. B. P.					
1	sensibilis. W.	sensitive.	_____	Virginia.	1799. 8.	H. 2.	Schk. fil. t. 102.
2	obtusilobata. Ph.	obtusely-lobed.	_____	N. America.	1812. 7.	H. 2.	_____ t. 103.
3	Struthiopteris. Sw.	Russian.	_____	Europe.	1760. 7.8.	H. 2.	_____ t. 105.
BLECHNUM. Sw.	BLECHNUM.	Filices. B. P.					
1	boreale. W.	northern.	_____	Britain.		7. H. 2.	Eng. bot. 1159.
2	australe. W.	Cape.	_____	C. B. S.	1691. 3.9.	G. 2.	Schk. fil. t. 110. b.
3	occidentale. W.	American.	_____	S. America.	1777. —	S. 2.	Jac. ic. 3. t. 644.
WOODWARDIA. Sm.	WOODWARDIA.	Filices. B. P.					
1	onocleoides. Ph.	Onoclea-like.	_____	N. America.	1812. 8.	H. 2.	Schk. fil. t. 111.
2	virginica. Ph.	Virginian.	_____	_____	1774. 8.9.	H. 2.	Pluk. alm. t. 179. f. 2.
3	radicans. W.	rooting-leaved.	_____	Madeira.	1779. 9.	G. 2.	Schk. fil. t. 112.
DOODIA. B. P.	DOODIA.	Filices. B. P.					
	aspera. B. P.	rough-stalked.	_____	N. S. W.	1808. 3.9.	G. 2.	_____
ADIANTUM. W.	MAIDENHAIR.	Filices. B. P.					
1	reniforme. W.	kidney-leaved.	_____	Madeira.	1699. 6.9.	G. 2.	Pluk. alm. t. 287. f. 5.
2	radiatum. W.	radiated.	_____	W. Ind.	1776. 4.8.	S. 2.	Plum. fil. t. 100.
3	macrophyllum. W.	large-leaved.	_____	Jamaica.	1793.	S. 2.	Brown. jam. t. 38. f. 1
4	pedatum. W.	Canadian.	_____	N. America.	1640. 8.9.	H. 2.	Schk. fil. t. 115.
5	villosum. W.	hairy-stalked.	_____	Jamaica.	1775. 6.9.	S. 2.	_____ t. 120.
6	pulverulentum. W.	dusty.	_____	W. Ind.	1793.	S. 2.	_____ t. 119.
7	trapeziforme. W.	rhomb-leaved.	_____	_____		S. 2.	_____ t. 122.
8	Capillus-veneris. W.	true.	_____	Britain.		5.9. H. 2.	Eng. bot. 1564.
9	tenerum. W.	tender.	_____	Jamaica.	1793. 7.	S. 2.	Pluk. alm. t. 254. f. 1.
CHEILANTHES. Sw.	CHEILANTHES.	Filices. B. P.					
1	vestita. W.	hairy.	_____	N. America.	1812. 7.	H. 2.	Schk. fil. t. 124.
2	pteroides. W.	Pteris-like.	_____	C. B. S.	1775. 7.9.	G. 2.	Hout. n. his. t. 96. f. 3.
3	fragrans. W.	sweet-scented.	_____	Madeira.	1778.	G. 2.	Sw. sym. fil. t. 3. f. 6.
LONCHITIS. W.	LONCHITIS.	Filices. B. P.					
	hirsuta. W.	hairy.	_____	W. Ind.	1793.	S. 2.	Schk. fil. t. 86.

DAVALLIA. Sm.	DAVALLIA.	Filices. B. P.			
1 pyxidata. B. P.	shining.	_____	N. S. W.	1808. 4.9. G. h.	
2 canariensis. W.	Hare's-foot.	_____	Canaries.	1699. — G. 4.	Jac. ic. 1. t. 206.
DICKSONIA. W.	DICKSONIA.	Filices. B. P.			
1 arborescens. H. K.	tree.	_____	St. Helena.	1786. 6.12. S. h.	
2 Culcita. W.	shining-leaved.	_____	Madeira.	1779. 9.10. G. 4.	
3 dissecta. W.	cut-leaved.	_____	Jamaica.	1793. — S. 4.	
4 pilosiuscula. W.	hairy.	_____	N. America.	1811. 7.9. H. 4.	Schk. fil. t. 131.
CYATHEA. W.	CYATHEA.	Filices. B. P.			
arborea. W.	tree.	_____	W. Ind.	1793. S. 4.	Plum. fil. 1. t. 1. 2.
TRICHOMANES. B. P.	TRICHOMANES.	Filices. B. P.			
brevisetum. H. K.	short-styled.	_____	Britain.	 5.6. H. 4.	Eng. bot. 1417.
<i>Hymenophyllum alatum. E. B.</i>					
HYMENOPHYLL- } LUM. Sm. }	FILMY-LEAF.	Filices. B. P.			
tunbridgense. W.	Tunbridge.	_____	Britain.	 5.6. H. 4.	Eng. bot. 162.

HYDROPTERIDES.

ISOETES. W.	QUILLWORT.	Marsileaceæ. B. P.			
lacustris. W.	marsh.	_____	Britain.	 5.10. H. 4.	Eng. bot. 1084.
PILULARIA. W.	PILLWORT.	Marsileaceæ. B. P.			
globulifera. W.	Pepper-grass.	_____	Britain.	 6.9. H. 4.	Eng. bot. 521.

ADDENDA ET CORRIGENDA.

MONANDRIA MONOGYNIA.

CANNA.	INDIAN SHOT.	Cannææ.							
8 iridiflora. P. S.	nodding-flower ^d .	_____	Peru.	1816.	12.1.	S. 2.	Bot. mag.	1968.	9. 609
ALPINIA.	ALPINIA.	Scitamineæ.							
7 spiralis. Jac.	spiral.	_____			10.12.	S. 2.	Jac. schæn.	1. t. 1.	
8 Galanga. W.	loose-flowered.	_____	E. Ind.			S. 2.	Rumph. amb.	5. t. 63	
AMOMUM.	AMOMUM.	Scitamineæ.							
3 augustifolium. Rox.	narrow-leaved.	_____	E. Ind.			S. 2.	Sonn. it.	2. t. 137.	
4 Granum Paradisi. W.	Grain of Paradise.	_____	Madagascar.		2.3.	S. 2.	Rheed. mal.	11. t. 6.	

DIANDRIA MONOGYNIA.

JASMINUM.	JASMINE.	Jasmineæ.							
14 simplicifolium. B.M.	simple-leaved.	_____	Society Isles.		3.6.	S. 2.	Bot. mag.	980.	
CODARIUM. Vahl.	CODARIUM.	_____	<i>Dialii sp. W.</i>						
nitidum. Vahl.	glossy-leaved.	_____	Guinea.	1800.		S. 2.	Rœm. archiv.	1. t. 6.	
VERONICA.	SPEEDWELL.	Scrophularinæ.							
63 polymorpha. W. en.	variable.	_____		1817.	6.8.	H. 2.			
WULFENIA. Jac.	WULFENIA.	Scrophularinæ.							
carinthiaca. Jac.	annual.	_____	Carinthia.	1817.	6.9.	H. 2.	Jac. ic.	1. t. 2.	2500.

TRIANDRIA MONOGYNIA.

MARICA. B. reg.	MARICA.	Irideæ.	<i>Marica and Sisyrinchium. H. K.</i>						
9 Bermudiana. Ker.	Iris-leaved.	_____	Bermudas.	1732.	5.7.	G. 2.	Bot. mag.	94.	
10 anceps. Ker.	narrow-leaved.	_____	N. America.	1693.	6.7.	H. 2.	_____	464.	
11 convoluta. Ker.	convolute.	_____	S. America.	1816.	5.7.	G. 2.	W. hort. ber.	91.	
12 tenuifolia. Ker.	slender-leaved.	_____	_____	_____	_____	G. 2.	_____	92.	
13 spathacea. Ker.	sheathed.	_____	C. B. S.	1798.	7.	G. 2.			
<i>Morea spathacea.</i>	page 11.								
GYROTHECA. Sal.	GYROTHECA.	Hæmodoraceæ. B. P.							
tinctoria.	red-rooted.	_____	N. America.	1812.	6.7.	G. 2.	Mich. amer.	1. t. 4.	
<i>Dilatris tinctoria.</i>	<i>Ph. Herietiera Gmelini. Mi.</i>								

TETRANDRIA MONOGYNIA.

HEDYOTIS. G.	HEDYOTIS.	Rubiaceæ. J.							
herbacea. P. S.	herbaceous.	_____	E. Ind.	1816.	6.9.	S. 2.	{	Burm. ind.	37. t.
								14. f. 1.	
GONIOCARPUS. Th.	GONIOCARPUS.	Onagraræ. J.							
micranthus. Th.	small-flowered.	_____	China.	1805.	6.9.	G. 2.	Th. jap.	69. t. 15.	

PENTANDRIA MONOGYNIA.

ALDÆA. W. en.	ALDÆA.	Boragineæ. B. P.							
circinata. W. en.	woolly.	_____	Magellan.	1816.	6.10.	H. 2.	{	Lam. journ. his.	
								10. t. 19.	
<i>Hydrophyllum magellanicum. Lam.</i>		<i>Heliotropium pinnatum. Vahl.</i>							
ANDROSACE.	ANDROSACE.	Primulaceæ.							
10 obtusifolia. W.	blunt-leaved.	_____	Italy.	1817.	4.7.	H. 2.	All. ped.	t. 46. f. 1.	
IPOMŒA.	IPOMŒA.	Convolvulaceæ.							
46 cœrulea. B. reg.	Roxburgh's.	_____	E. Ind.	1817.	6.10.	S. 2.	Bot. reg.	276.	
47 chrysoides. B. reg.	golden.	_____	China.	_____	_____	G. 2.	_____	270.	
48 Turpehum. B. reg.	square-stalked.	_____	Ceylon.	1752.	3.4.	S. 2.	_____	279.	
GARDENIA.	GARDENIA.	Rubiaceæ.							
12 campanulata. Rox.	bell-flowered.	_____	E. Ind.	1815.		S. 2.			
13 longispina. Rox.	long-spined.	_____	_____	_____	_____	S. 2.			
SOLANDRA.	SOLANDRA.	Solaneæ.							
2 viridiflora. B. M.	green-flowered.	_____	S. America.	1816.	5.8.	S. 2.	Bot. mag.	1948	

SOLANUM.	NIGHTSHADE.	Solanææ.					
55 decurrens. B. reg.	decurrent.	_____	S. America.	1816.	4.9.	G. h.	Bot. reg. 146.
56 aculeatissimum. W.	prickly.	_____				G. h.	Jac. ic. 1. t. 41.
ARDISIA.	ARDISIA.	Myrsinææ.					
8 crenata. B. M.	crenated.	_____	China.	1809.	6.9.	G. h.	Bot. mag. 1950.
SCLEROXYLON.	SCLEROXYLON.	Sapoteæ.					
W. en. }							
Jacquini.	spear-leaved.	_____	C. B. S.		6.9.	G. h.	Bot. mag. 1858.
<i>Sideroxylon mite.</i>	<i>B. M. Mangilla Milleriana. P. S.</i>						
SABBATIA.	SABBATIA.	Gentianææ.					
4 paniculata. Ph.	panicled.	_____	N. America.	1817.	7.8.	H. 2.	
ECHITES.	ECHITES.	Apocynææ.					
7 caryophyllata. B.M.	Clove-scented.	_____	E. Ind.	1812.	10.	S. h.	Bot. mag. 1919.

DIGYNIA.

NAMA. L.	NAMA.	Convolvulacææ. J.					
jamaicensis. W.	Jamaica.	_____	Jamaica.	1812.	6.9.	S. ☉.	Lam. ill. t. 184.
BUMALDA. Th.	BUMALDA.	Rhamni? J.					
trifolia. Th.	three-leaved.	_____	Japan.	1812.	6.9.	G. h.	

HEXANDRIA MONOGYNIA.

PANCRATIUM.	PANCRATIUM.	Amaryllidææ.					
21 guianenese. B. reg.	long-tubed.	_____	Guiana.	1803.	6.9.	S. 2.	Bot. reg. 265.
NARTHECIUM.	p. 72.	Junceæ. B. P.					
BUNAPARTEA.	p. 74.	Bromeliææ. J.					

OCTANDRIA MONOGYNIA.

CENOTHERA.	CENOTHERA.	Onagrarîææ.					
22 corymbosa. B. M.	corymbd.	_____	Mexico.	1816.	9.10.	G. J.	Bot. mag. 1974.
ERICA.	HEATH.	Ericææ.					
321 sulphurea. B. M.	sulphur-colour'd.	_____	C. B. S.	1800.	5.9.	G. h.	Bot. mag. 1984.

ENNEANDRIA TRIGYNIA.

PLEEA. Mi.	PLEEA.	Junceæ. B. P.					
tenuifolia. Mi.	slender-leaved.	_____	Carolina.	1812.	5.8.	G. 2.	Bot. mag. 1956.

DECANDRIA MONOGYNIA.

CACUCIA. Aub.	CACUCIA.	Onagrarîææ. J. Schousboeæ. W.					
coccinea. P. S.	scarlet.	_____	Guiana.			S. h.	Aub. gui. 1. t. 179.

DODECANDRIA MONOGYNIA.

GARCINIA.	GARCINIA.	Guttiferææ.					
2 cornea. W.	nodding-flower'd.	_____	E. Ind.	1817.		S. h.	Rum. amb. 2. t. 30.

TRIGYNIA.

EUPHORBIA.	SPURGE.	Euphorbiacææ.					
124 rigida. M. B.	rigid.	_____	Siberia.	1816.	1.3.	G. 2.	Bot. reg. 274.

DODECAGYNIA.

SEMPERVIVUM.	HOUSELEEK.	Sempervivææ.					
18 Smithii. B. M.	hispid-stemmed.	_____	Canaries.	1815.	9.	G. h.	Bot. mag. 1980.
19 Simsii.	ciliated.	_____			9.4.	G. 2.	Bot. mag. 1978.
<i>ciliatum. B. M. not of W. en.</i>							

ISCOSANDRIA MONOGYNIA.

PSIDIUM.	GUAVA.	Myrti.					
6 polycarpum. L. T.	many-fruited.	_____	W. Ind.		1.12.	S. h.	

POLYANDRIA TRIGYNIA.

HIBBERTIA.	HIBBERTIA.	Dilleniaceææ. D. Magnoliææ? p. 125.					
3 dentata. D.	toothed.	_____	N. Holland.	1814.	1.8.	G. 2.	Bot. reg. 282.

DELPHINIUM.	LARKSPUR.	Ranunculaceæ.			
18 chinense.	Chinese.	_____	China.	1816. 6.9. H. 4.	
<i>grandiflorum</i> β.	<i>chinense</i> . D.	_____			
19 ochroleucum. D.	sulphur-coloured.	_____	Iberia.	1817. 7.9. H. 4.	
20 revolutum. D.	revolute.	_____		 H. 4.	
21 cuneatum. D.	wedge-leaved.	_____	Siberia.	1815. — H. 4.	
22 flexuosum. D.	flexuose.	_____	Caucasus.	1817. — H. 4.	
ACONITUM.	WOLF'S-BANE.	Ranunculaceæ.			
18 neubergense. D.	Clusius's.	_____	Europe.	 6.8. H. 4. Clus. his. 2. p. 96. f. 1.	

PENTAGYNIA.

COLBERTIA. D.	COLBERTIA.	Dilleniaceæ. D.			
coromandeliana. D.	Coromandel.	_____	E. Ind.	1803. S. h. Roxb. cor. 1. t. 20.	
<i>Dillenia pentagynia</i> . p. 126.					

POLYGYNIA.

DILLENIA. D.	DILLENIA.	Dilleniaceæ. D.	<i>Magnoliæ</i> ? p. 126.		
UNONA. D.	UNONA.	Anonaceæ. D.			
odorata. D.	sweet-scented.	_____	Java.	1804. 5.7. S. h. Rumph. amb. 2. t. 65.	
<i>Uvaria odorata</i> . p. 126.					
GUATTERIA. D.	GUATTERIA.	Anonaceæ. D.			
virgata. D.	Lance-wood.	_____	Jamaica.	1793. S. h. Dunal. mon. t. 31.	
<i>Uvaria lanceolata</i> . p. 126.					

POLYANDRIA POLYGYNIA.

ASIMINA. D.	ASIMINA.	Anonaceæ. D.	<i>Porcelia</i> . p. 126.		
1 parviflora. D.	small-flowered.	_____	N. America.	1806. 4.5. H. h. Dunal. mon. t. 9.	
<i>Porcelia parviflora</i> . p. 126.					
2 triloba. D.	trifid-fruited.	_____		1736. 7.8. H. h. Mich. arb. 3. t. 9.	
<i>Porcelia triloba</i> . p. 126.					
3 pygmæa. D.	dwarf.	_____		1812. H. h. Dunal. mon. t. 10.	
ANEMONE.	ANEMONE.	Ranunculaceæ.			
16 pavonina. D.	acute-petalled.	_____	Europe.	 4.5. H. 4. Lob. ic. t. 278.	
<i>β flore pleno</i> .	<i>double-flowered</i> .				
NARAVELIA. D.	NARAVELIA.	Ranunculaceæ.			
zeylanica. D.	Ceylon.	_____	Ceylon.	1796. S. h. Roxb. cor. 2. t. 189.	
<i>Atragene zeylanica</i> . p. 127.					
CLEMATIS.	VIRGIN'S-BOWER	Ranunculaceæ.			
22 triternata. D.	triternate.	_____		1806. H. h.	
THALICTRUM.	MEADOW-RUE.	Ranunculaceæ.			
27 glaucescens. D.	glaucous.	_____	Russia.	 6. H. 4.	
28 nutans. D.	nodding.	_____	Italy.	 6.4. H. h.	
29 saxatile. D.	rock.	_____		6.8. H. 4.	
ADONIS.	ADONIS.	Ranunculaceæ.			
5 flava. D.	yellow.	_____	France.	 6.8. H. 4. Tab. ic. 790. f. 1.	
6 pyrenaica. D.	Pyrenean.	_____	Pyrenees.	1817. 6.7. H. 4.	
RANUNCULUS.	Crow-Foot.	Ranunculaceæ.			
43 tripartitus. D.	three-parted.	_____	Britain.	 5.8. H. 4. Dic. Gall. rar. 1. t. 49.	
44 fumariæfolius. D.	Fumitory-leav'd.	_____		 H. 4. { Desf. ic. pict. h. par. t. 74.	

DIDYNAMIA ANGIOSPERMIA.

HEBENSTRETIA.	HEBENSTRETIA.	Verbenaceæ.			
7 fruticosa. B. M.	shrubby.	_____	C. B. S.	1816. 5.11. G. h. Bot. mag. 1970.	

MONADELPHIA PENTANDRIA.

PASSIFLORA.	PASSION-FLOWER.	Passifloræ.			
34 mexicana. J.	spotted-leaved.	_____	Mexico.	1812. S. h. { J. ann. mus. p. 108. t. 38. f. 2.	
35 racemosa. L. T.	scarlet-flowered.	_____	S. America.	1816. 11.6. S. h. Bot. reg. 285.	

DIADELPHIA DECANDRIA.

HOVEA.	HOVEA.	Leguminosæ.			
5 Celsi. B. reg.	Cels's.	_____	N. Holland.	1817. 3.4. G. h. Bot. reg. 280.	
GALACTIA.	GALACTIA.	Leguminosæ.			
2 mollis. Ph.	soft.	_____	Carolina.	1812. 7.8. G. 4.	

POLYADELPHIA POLYANDRIA.

CITRUS.	CITRUS.	Aurantiaë.
1 Medica. W.	Lemon-tree.	
<i>acida. p. 173. errata.</i>		
2 <i>acida. Rox.</i>	Lime-tree.	
<i>limonia. p. 173.</i>		

GYNANDRIA MONANDRIA.

LIMODORUM. Sw.	LIMODORUM.	Orchideæ. B. P.		
falcatum. Sw.	sickle-leaved.	<u> </u>	Japan.	1816. 3.4. G. 4. Bot. reg. 283.

MONŒCIA POLYANDRIA.

BEGONIA.	BEGONIA.	Hydrocharideæ.		
9 <i>spathulata. B. reg.</i>	<i>spathulate.</i>	<u> </u>		1816. 3.6. S. 2.

POLYGAMIA MONŒCIA.

BRIDELIA. W.	BRIDELIA.	Euphorbiaceæ. J.		
<i>scandens. W.</i>	<i>climbing.</i>	<u> </u>	E. Ind.	1804. S. 2. Rox. cor. 2. t. 173.

INDEX GENERUM.

- ABROMA, Page 173. Aleurites, Page 212. Anthriscus, Page 58. Athanasia, Page 183. Elakea, Page 105.
 Abrus, 159. Alisma, 79. Anthyllis, 162. Atractylis, 180. Blandfordia, 67.
 Acacia, 222. Allamanda, 49. Antidesma, 216. Atragene, 127. Blechnum, 227.
 Acæna, 7. Allantodia, 226. Antirrhinum, 140. Atraphaxis, 77. Blechnum, 139.
 Acalypha, 211. Allionia, 24. Anychia, 48. Atriplex, 220. Bletia, 201.
 Acanthus, 138. Allium, 69. Aotus, 91. Atropa, 41. Blighia, 81.
 Acarna, 180. Aluus, 205. Apargia, 176. Aubletia, 132. Blitum, 2.
 Acer, 221. Aloe, 74. Aphelandra, 139. Aucuba, 205. Pocconia, 105.
 Aceras, 200. Alonsoa, 142. Aphyllanthes, 69. Aulax, 215. Bœhmeria, 206.
 Achania, 157. Alopecurus, 18. Apios, 163. Arena, 15. Boerhaavia, 2.
 Achillea, 193. Aloysia, 137. Apium, 59. Averrhoa, 102. Boronia, 81.
 Achras, 43. Alpinia, 1. Apocynum, 50. Avicennia, 137. Bombax, 154.
 Achyranthes, 48. Alstroemeria, 73. Aponogeton, 79. Axyris, 205. Bontia, 137.
 Acidoton, 208. Alternanthera, 48. Aquilegia, 125. Ayenia, 49. Borago, 31.
 Acisanthera, 94. Althæa, 155. Arabis, 145. Azalea, 33. Borassus, 217.
 Acmella, 194. Alyssum, 144. Arachis, 162. Babiana, 11. Borbonia, 159.
 Acuiua, 216. Amaranthus, 206. Aralia, 61. Baccharis, 185. Boronia, 81.
 Aconitum, 125. Amaryllis, 65. Araucaria, 218. Bactris, 207. Borya, 214.
 Acorus, 76. Ambrosia, 206. Arbutus, 96. Bæckia, 81. Bosea, 53.
 Acrostichum, 225. Amellus, 193. Arctium, 178. Balbisia, 193. Bossia, 161.
 Actæa, 121. Amerinum, 159. Arctopus, 224. Ballota, 133. Botrychium, 22.
 Actinocarpus, 79. Amethystea, 5. Arctotheca, 196. Balsamita, 183. Bourveria, 85.
 Acynos, 134. Ammannia, 27. Aretotis, 193. Baltimora, 197. Bouvardia, 25.
 Adansonia, 154. Anmni, 56. Ardisia, 43. Bambusa, 77. Brabejum, 221.
 Adelia, 219. Amomum, 2. Arduina, 49. Banisteria, 102. Brachysema, 90.
 Adenandra, 45. Amorpha, 160. Areca, 210. Banksia, 22. Brassavola, 202.
 Adenanthera, 92. Amsonia, 50. Arenaria, 101. Baptisia, 90. Brassia, 202.
 Adiantum, 227. Amygdalus, 111. Arethusa, 201. Barbarea, 146. Brassica, 147.
 Adina, 23. Amyris, 81. Aretia, 32. Barleria, 138. Briza, 18.
 Adonis, 128. Anabasis, 53. Argemone, 121. Barrosmia, 45. Brodiaea, 69.
 Adoxa, 89. Anacampteros, 106. Aristea, 11. Barringtonia, 157. Bromelia, 64.
 Ægilops, 220. Anacardium, 89. Aristolochia, 202. Bartholina, 200. Bromus, 15.
 Ægiphila, 25. Anacyclus, 192. Aristotelia, 105. Bartonja, 110. Brosimum, 223.
 Ægle, 123. Anagallis, 33. Armenia, 112. Bartia, 142. Brossæa, 46.
 Ægopodium, 59. Anagyris, 90. Armeria, 61. Basella, 61. Brotera, 199.
 Aerides, 202. Anarrhinum, 140. Arnica, 190. Bassia, 105. Broughtonia, 202.
 Ærua, 48. Anastatica, 143. Arnopogon, 175. Batschia, 30. Broussonetia, 215.
 Æschynomene, 167. Anchusa, 30. Artedia, 56. Baucera, 124. Browallia, 139.
 Æsculus, 79. Andersonia, 34. Artemisia, 183. Baubinia, 91. Brownea, 153.
 Æthionema, 143. Andracine, 213. Arthropodium, 72. Beaufortia, 173. Brucea, 215.
 Æthusa, 58. Andromeda, 95. Artocarpus, 203. Beckmannia, 18.
 Agapanthus, 67. Andropogon, 220. Arum, 209. Begonia, 207. Eugmansia, 41.
 Agathosma, 45. Androsace, 32. Arundo, 17. Bejaria, 105. Brunia, 45.
 Agave, 75. Andryala, 177. Asarum, 105. Bellia, 190. Brunnichia, 101.
 Ageratum, 181. Anemia, 225. Asclepias, 51. Bellum, 190. Brunsfelsia, 142.
 Agrimonia, 106. Anemone, 126. Ascyrum, 174. Berardia, 180. Brunsvigia, 65.
 Agrostemma, 104. Anethum, 59. Asimina, 231. Berberis, 77. Bryonia, 212.
 Agrostis, 14. Angelica, 57. Aspalathus, 160. Berckheya, 195. Bryophyllum, 88.
 Ailanthus, 221. Anguria, 203. Asparagus, 72. Besleria, 139. Bubon, 58.
 Aira, 17. Anigozanthus, 76. Asperugo, 31. Bignonia, 132. Bubroma, 173.
 Aitonia, 153. Anisomeles, 129. Asperula, 24. Betonica, 132. Buchnera, 142.
 Aizoon, 117. Anona, 126. Asphodelus, 71. Betula, 209. Bucida, 96.
 Ajuga, 129. Anomatheca, 10. Aspidium, 226. Bidens, 181. Buddlea, 26.
 Alangium, 123. Anthemis, 192. Asplenium, 226. Bignonia, 137. Buffonia, 28.
 Albuca, 70. Anthericum, 71. Aster, 187. Billardiera, 46. Bulbocodium, 69.
 Alchemilla, 28. Anthocercis, 142. Astragalus, 169. Biscutella, 143. Bumalda, 230.
 Alcina, 197. Antholyza, 11. Astrantia, 55. Biscutella, 143. Bumelia, 43.
 Aldæa, 229. Anthospermum, 215. Astroloma, 34. Bixia, 122. Bunias, 143.
 Aletris, 67. Anthoxanthum, 7. Athamanta, 56. Blæria, 26. Bunium, 56.
 Bonapartea, 74.

- Buphthalmum, Page 194.
 Bupleurum, 55.
 Bursaria, 46.
 Bursera, 224.
 Burtonia, 91.
 Butea, 159.
 Butomus, 89.
 Buttneria, 49.
 Buxus, 205.
 Bystropogon, 131.
 Cacalia, 182.
 Cachrys, 57.
 Cactus, 109.
 Cacucia, 230.
 Cadia, 92.
 Cæsalpinia, 92.
 Cæsia, 72.
 Cæsulia, 182.
 Cakile, 142.
 Caladenia, 201.
 Caladium, 210.
 Calamagrostis, 17.
 Calamintha, 134.
 Calamus, 76.
 Calceolaria, 5.
 Caldasia, 36.
 Calea, 182.
 Calenchoe, 88.
 Calendula, 198.
 Caleyia, 201.
 Calistachys, 90.
 Calla, 79.
 Callicarpa, 25.
 Callicoma, 106.
 Calligonum, 108.
 Callisia, 13.
 Callitriche, 2.
 Calluna, 82.
 Calodendrum, 46.
 Calophyllum, 122.
 Calopogon, 201.
 Calothamnus, 173.
 Calotropis, 51.
 Caltha, 129.
 Calycanthus, 121.
 Calypso, 201.
 Calyptranthes, 111.
 Calystegia, 35.
 Camelina, 144.
 Camellia, 157.
 Cameraria, 50.
 Campanula, 36.
 Camporosma, 28.
 Canarina, 77.
 Canella, 105.
 Canna, 1.
 Cannabis, 216.
 Capparis, 121.
 Capraria, 139.
 Capsicum, 42.
 Caralluma, 52.
 Cardamine, 145.
 Cardiospermum, 88.
 Carduus, 178.
 Carex, 204.
 Careya, 157.
 Carica, 217.
 Carissa, 49.
 Carlina, 180.
 Carolina, Page 154.
 Carpesium, 185.
 Carpinus, 209.
 Carpopogon, 162.
 Carthamus, 180.
 Carum, 59.
 Caryophyllus, 111.
 Caryota, 210.
 Cassia, 92.
 Cassine, 60.
 Cassinia, 199.
 Castanea, 209.
 Castilleja, 142.
 Casuarina, 203.
 Castalpa, 3.
 Catananche, 178.
 Catesbea, 25.
 Cathartocarpus, 92.
 Caucais, 55.
 Caulophyllum, 76.
 Ceanothus, 44.
 Cecropia, 213.
 Cedrela, 46.
 Celastrus, 44.
 Celosia, 48.
 Celsia, 142.
 Celtis, 221.
 Cenchrus, 14.
 Cenia, 192.
 Centaurea, 196.
 Centunculus, 26.
 Cephaelis, 39.
 Cephalanthus, 23.
 Cephalophora, 181.
 Cerastium, 104.
 Ceratocarpus, 203.
 Ceratocephalus, 63.
 Ceratonia, 223.
 Ceratophyllum, 207.
 Cerbera, 49.
 Cercis, 91.
 Cercintlie, 31.
 Cestrum, 42.
 Chærophyllum, 58.
 Chamaedorea, 217.
 Chamaerops, 224.
 Chaptalia, 198.
 Chara, 203.
 Cheilanthes, 227.
 Cheiranthus, 146.
 Chelidonium, 121.
 Chelone, 138.
 Chenolea, 48.
 Chenopodium, 53.
 Cherleria, 101.
 Chieraphila, 96.
 Chiococca, 39.
 Chionanthus, 3.
 Chironia, 49.
 Chlora, 81.
 Chloranthus, 28.
 Chloris, 220.
 Chlorophytum, 72.
 Chomelia, 25.
 Chondrilla, 176.
 Chorispermum, 148.
 Chorizema, 90.
 Chrysanthellum, 193.
 Chrysanthemum, 191.
 Chrysobalanus, 112.
 Chrysocoma, Page 182.
 Chrysophyllum, 43.
 Chrysosplenium, 97.
 Chrysurus, 18.
 Cicca, 205.
 Cicer, 165.
 Cichorium, 178.
 Cicuta, 58.
 Cimicifuga, 125.
 Cinchona, 38.
 Cineraria, 189.
 Circea, 4.
 Cissampelos, 219.
 Cissus, 27.
 Cistus, 123.
 Citharexylum, 136.
 Citrus, 173.
 Cladium, 14.
 Claytonia, 47.
 Clematis, 127.
 Cleome, 148.
 Cleonia, 135.
 Clerodendrum, 136.
 Clethra, 96.
 Cliffortia, 218.
 Clinopodium, 134.
 Clitoria, 163.
 Clusia, 221.
 Cluytia, 219.
 Clypeola, 143.
 Cnecorum, 8.
 Cnicus, 179.
 Cobæa, 35.
 Coccocypsilum, 25.
 Coccoleba, 88.
 Cocculus, 218.
 Cochlearia, 144.
 Cocos, 207.
 Codarium, 229.
 Codon, 93.
 Coffea, 39.
 Coix, 204.
 Colbertia, 231.
 Colchicum, 78.
 Coldenia, 29.
 Collinsonia, 7.
 Columnnea, 139.
 Colutea, 166.
 Comarum, 120.
 Commelina, 12.
 Commersonia, 63.
 Conocladia, 8.
 Comptonia, 205.
 Conium, 56.
 Conocarpus, 40.
 Convallaria, 75.
 Convolvulus, 34.
 Conyza, 185.
 Cookia, 93.
 Copaifera, 93.
 Coptis, 129.
 Corallorhiza, 201.
 Corchorus, 122.
 Cordia, 32.
 Coreopsis, 195.
 Coriandrum, 58.
 Coriaria, 217.
 Coris, 40.
 Corispermum, 2.
 Cornucopia, 14.
 Cornus, Page 27.
 Cornutia, 136.
 Coronilla, 166.
 Coronopus, 143.
 Correa, 81.
 Corrigiola, 61.
 Cortusa, 33.
 Corydalis, 158.
 Corylus, 209.
 Corypha, 76.
 Cosmea, 195.
 Costus, 1.
 Cotula, 192.
 Cotleddon, 102.
 Crambe, 143.
 Crassula, 63.
 Crataeva, 105.
 Crepis, 177.
 Crescentia, 142.
 Crinum, 65.
 Cristaria, 154.
 Crithmum, 57.
 Crocus, 9.
 Crossandra, 139.
 Crotalaria, 161.
 Croton, 211.
 Crowea, 93.
 Crucianella, 25.
 Crypsis, 19.
 Cryptarrhena, 202.
 Cryptospermum, 24.
 Cryptostemma, 196.
 Cucubalus, 99.
 Cucumis, 212.
 Cucurbita, 212.
 Cullumia, 195.
 Cuminum, 58.
 Cunila, 6.
 Cunonia, 97.
 Cuphea, 106.
 Cupressus, 210.
 Curatella, 124.
 Curculigo, 74.
 Curcuma, 2.
 Curetia, 28.
 Cuscuta, 54.
 Cussonia, 54.
 Cyanella, 74.
 Cyathea, 228.
 Cycas, 218.
 Cyclamen, 33.
 Cyclopia, 90.
 Cydonia, 113.
 Cylistia, 163.
 Cymbaria, 140.
 Cymbidium, 202.
 Cynanchum, 51.
 Cynara, 180.
 Cynodon, 18.
 Cynoglossum, 30.
 Cynometra, 92.
 Cynosurus, 18.
 Cyperus, 13.
 Cyphia, 38.
 Cyripedium, 202.
 Cyrrilla, 46.
 Cyrtanthus, 65.
 Cyrtopodium, 202.
 Cysticapnos, 158.
 Cytisus, 165.
 Dactylis, Page 18.
 Dæmia, 51.
 Dahlia, 190.
 Dais, 94.
 Dalbergia, 159.
 Dalea, 170.
 Dalechampia, 211.
 Dalibarda, 120.
 Damasonium, 79.
 Dampiera, 38.
 Daphne, 87.
 Datisca, 217.
 Datura, 40.
 Daucus, 56.
 Davallia, 228.
 Daviesia, 91.
 Decumaria, 105.
 Deeringia, 48.
 Delphinium, 125.
 Dendrobium, 202.
 Dentella, 39.
 Desmanthus, 222.
 Dianella, 72.
 Dianthus, 99.
 Diapensia, 33.
 Dichondra, 54.
 Dicksonia, 228.
 Dictamnus, 93.
 Didelta, 195.
 Diervilla, 40.
 Digitalis, 140.
 Digitaria, 19.
 Dilatris, 13.
 Dillenia, 126.
 Dillwynia, 91.
 Dimocarpus, 81.
 Dionaea, 94.
 Dioscorea, 206.
 Diosma, 45.
 Diospyros, 223.
 Diotis, 205.
 Diphyllia, 76.
 Diplazium, 227.
 Dipsacus, 23.
 Diterix, 159.
 Dirca, 87.
 Disa, 200.
 Disandra, 79.
 Disperis, 200.
 Diuris, 201.
 Dodartia, 139.
 Dodecatheon, 35.
 Dodonaea, 81.
 Dolichos, 162.
 Dombeya, 153.
 Doodia, 227.
 Doronicum, 190.
 Dorstenia, 27.
 Doryanthes, 67.
 Dorycnium, 172.
 Draba, 144.
 Dracæna, 73.
 Dracocephalum, 134.
 Dracontium, 79.
 Drimys, 72.
 Drosera, 62.
 Dryandra, 23.
 Dryas, 120.
 Drypis, 61.
 Duranta, 136.

- Echinaria, Page 13.
Echinophora, 55.
Echinops, 199.
Echites, 50.
Echium, 31.
Eclipta, 194.
Edwardsia, 90.
Ehretia, 32.
Ehrharta, 77.
Ekebergia, 93.
Elaeagnus, 28.
Elaeocarpus, 123.
Elaeocharis, 13.
Elaeodendrum, 43.
Elais, 217.
Elate, 207.
Elatine, 89.
Elegia, 214.
Elephantopus, 199.
Elettaria, 1.
Eleusine, 18.
Elichrysium, 184.
Ellisia, 32.
Elsholtzia, 131.
Elymus, 16.
Elytraria, 4.
Embryopteris, 218.
Empetrum, 214.
Empleurum, 205.
Enkianthus, 96.
Epacris, 34.
Ephedra, 219.
Ephelis, 81.
Epidendrum, 202.
Epigaea, 95.
Epilobium, 80.
Epimedium, 27.
Epipactis, 201.
Equisetum, 225.
Eranthemum, 5.
Eranthis, 129.
Erica, 82.
Erigeron, 185.
Erinus, 142.
Eriocaulon, 20.
Eriocephalus, 199.
Eriogonum, 89.
Eriophorum, 14.
Eriospermum, 70.
Erithalis, 39.
Erodium, 150.
Ervum, 165.
Erucaria, 147.
Eryngium, 54.
Erysimum, 146.
Erythraea, 49.
Erythrina, 159.
Erythronium, 69.
Ethulia, 182.
Eucalyptus, 111.
Euchilus, 91.
Euclea, 217.
Euclidium, 143.
Eucomis, 67.
Eucremia, 68.
Eugenia, 110.
Eupatorium, 181.
Euphorbia, 107.
Euphrasia, 142.
Euryale, 122.
- Eustoma, Page 49.
Eustrephus, 72.
Eutaxia, 91.
Euthales, 38.
Evolvulus, 54.
Evonymus, 44.
Exacum, 26.
Excoecaria, 219.
Fabricia, 110.
Fagara, 27.
Fagonia, 93.
Fagus, 209.
Falkia, 77.
Farsetia, 145.
Fedia, 3.
Feronia, 221.
Ferraria, 148.
Ferula, 57.
Festuca, 15.
Ficaria, 128.
Ficus, 224.
Filago, 199.
Flacourtia, 218.
Flagellaria, 78.
Flaveria, 197.
Flemingia, 168.
Fontanesia, 3.
Forskohlea, 89.
Fothergilla, 124.
Fragaria, 120.
Frankenia, 77.
Franseria, 206.
Fraseria, 26.
Fraxinus, 223.
Fritillaria, 68.
Fuchsia, 81.
Fumaria, 158.
Furcraea, 75.
Fusanus, 221.
Gærtnera, 93.
Gagea, 70.
Galactia, 163.
Galactites, 197.
Galanthus, 65.
Galardia, 195.
Galax, 46.
Galaxia, 148.
Galea, 168.
Galenia, 87.
Galeobdolon, 132.
Galeopsis, 132.
Galinsogea, 194.
Galipea, 3.
Galium, 24.
Garcinia, 105.
Gardenia, 38.
Garidella, 101.
Garuga, 94.
Gastrolobium, 91.
Gaultheria, 96.
Gaura, 80.
Gazania, 195.
Geissorhiza, 9.
Gelonium, 218.
Gelsemium, 49.
Genipa, 38.
Genista, 160.
Gentiana, 54.
Geodorum, 201.
Geoffroya, 165.
- Geranium, Page 153.
Gerardia, 141.
Geropogon, 174.
Gesneria, 138.
Gethyllis, 67.
Getonia, 94.
Geum, 120.
Glinia, 5.
Gisekia, 62.
Gladiolus, 10.
Glaucium, 121.
Glaux, 43.
Glechoma, 132.
Gleditschia, 223.
Glinus, 108.
Globba, 2.
Globularia, 23.
Glossodia, 201.
Gloriosa, 69.
Gloxinia, 138.
Glyceria, 17.
Glycine, 163.
Glycyrrhiza, 166.
Gmelina, 136.
Gnaphalium, 154.
Gnidia, 87.
Gomesa, 202.
Gomphia, 93.
Gomphocarpus, 51.
Gompholobium, 90.
Gomphrena, 48.
Goniocarpus, 229.
Gonolobus, 51.
Goodenia, 38.
Goodia, 161.
Goodyera, 200.
Gordonia, 157.
Gorteria, 195.
Gossypium, 156.
Gouania, 221.
Grammitis, 226.
Grangea, 192.
Gratiola, 5.
Grevillea, 22.
Grewia, 122.
Grias, 122.
Grielum, 103.
Grindelia, 190.
Grislea, 81.
Gronovia, 47.
Guaiacum, 93.
Guarea, 81.
Guatteria, 230.
Guettarda, 207.
Guilandina, 92.
Gundelia, 199.
Gunnera, 202.
Gustavia, 157.
Gymnadenia, 200.
Gymnema, 51.
Gymnocladus, 217.
Gymnostyles, 199.
Gypsophila, 98.
Gyrotheca, 229.
Habenaria, 200.
Hæmanthus, 64.
Hæmatoxylon, 93.
Hæmodorum, 13.
Hakea, 22.
Halesia, 105.
- Halleria, Page 139.
Hallia, 167.
Haloragis, 89.
Hamamelis, 28.
Hamellia, 39.
Hamiltonia, 224.
Hasselquistia, 55.
Hebenstretia, 136.
Hedcoma, 6.
Hedera, 46.
Hedychium, 1.
Hedyotis, 229.
Heliopsis, 178.
Hedysarum, 167.
Helenium, 190.
Helianthemum, 123.
Helianthus, 194.
Heliconia, 47.
Helicteres, 153.
Heliocarpus, 106.
Heliophila, 145.
Heliopsis, 194.
Heliotropium, 29.
Helleborus, 129.
Hellenia, 1.
Helminthia, 177.
Helonias, 78.
Hemerocallis, 67.
Hemidesmus, 50.
Hemionitis, 226.
Hepatica, 126.
Heracleum, 57.
Heritiera, 212.
Hermannia, 148.
Hermas, 222.
Hermidium, 200.
Hernandia, 205.
Herniaria, 53.
Hesperis, 139.
Hesperantha, 9.
Hesperis, 147.
Heterospermum, 191.
Heuchera, 54.
Heynea, 94.
Hibbertia, 125.
Hibiscus, 156.
Hieracium, 176.
Hillia, 77.
Hippia, 199.
Hippocratea, 9.
Hippocrepis, 166.
Hippomane, 211.
Hippophae, 215.
Hippuris, 2.
Hirtella, 46.
Hoffmanseggia, 92.
Holcus, 220.
Holmskioldia, 136.
Holosteum, 20.
Hopea, 173.
Hordeum, 16.
Hornemannia, 140.
Hosta, 136.
Hottonia, 33.
Hovea, 161.
Hovenia, 44.
Houstonia, 24.
Hoya, 51.
Hudsonia, 105.
Huernia, 52.
- Humea, Page 182.
Humulus, 216.
Hura, 212.
Hutchinsia, 143.
Hyacinthus, 73.
Hyænanche, 217.
Hydrangea, 97.
Hydrastis, 129.
Hydrocharis, 217.
Hydrocotyle, 55.
Hydrolea, 54.
Hydropeltis, 129.
Hydrophyllum, 32.
Hymenaea, 92.
Hymenopappus, 181.
Hymenophyllum, 228.
Hyoscyamus, 41.
Hyosier, 178.
Hypocissum, 28.
Hyperanthera, 92.
Hypericum, 173.
Hypochaeris, 178.
Hypoxis, 73.
Hyptis, 132.
Hysopus, 130.
Iberis, 144.
Ichnocarpus, 50.
Ilex, 29.
Illecebrum, 48.
Illicium, 126.
Impatiens, 47.
Imperatoria, 58.
Indigofera, 168.
Inga, 222.
Inocarpus, 96.
Inula, 189.
Ionidium, 47.
Ipomoea, 35.
Ipomopsis, 36.
Iresine, 216.
Iris, 11.
Isatis, 143.
Ischæmum, 220.
Isnardia, 27.
Ischilus, 201.
Isoetes, 228.
Isoplepis, 13.
Isopogon, 20.
Isopyrum, 129.
Itca, 46.
Iva, 199.
Ixia, 9.
Ixodia, 182.
Ixora, 25.
Jacksonia, 91.
Jacquinia, 43.
Jambolifera, 81.
Jasione, 37.
Jasminum, 2.
Jatropha, 211.
Jeffersonia, 81.
Jonesia, 79.
Juglans, 208.
Juncus, 76.
Juniperus, 218.
Jussieuia, 94.
Justicia, 5.
Kæmpferia, 2.
Kalmia, 94.
Kennedia, 163.

- Kiggelaria, Page 217.
 Kitaibelia, 156.
 Kleinhofia, 106.
 Kleinia, 182.
 Knappia, 14.
 Knautia, 24.
 Knowltonia, 128.
 Kochia, 53.
 Koeleria, 17.
 Koelreuteria, 81.
 Koenigia, 20.
 Krigia, 178.
 Kyllinga, 13.
 Lachenalia, 73.
 Lachnæa, 87.
 Lactuca, 175.
 Lagasca, 182.
 Lagerstroemia, 123.
 Lagetta, 87.
 Lagœcia, 47.
 Lagunæa, 154.
 Lagurus, 18.
 Lambertia, 22.
 Lamium, 132.
 Lanaria, 76.
 Lantana, 137.
 Lapeyrousia, 11.
 Lappago, 18.
 Lappula, 30.
 Lapsana, 178.
 Larochea, 62.
 Laserpitium, 57.
 Lasiopetalum, 45.
 Latania, 219.
 Lathraea, 138.
 Lathyrus, 164.
 Lavandula, 131.
 Lavatera, 155.
 Lavenia, 182.
 Laurophyllus, 224.
 Laurus, 89.
 Lawsonia, 81.
 Lebeckia, 160.
 Lechea, 20.
 Ledum, 94.
 Leea, 46.
 Leersia, 20.
 Lemna, 203.
 Leonotis, 133.
 Leontice, 76.
 Leontodon, 176.
 Leonurus, 133.
 Lepechinia, 132.
 Lepidium, 144.
 Leptanthus, 13.
 Leptospermum, 110.
 Lessertia, 166.
 Lestibudesia, 48.
 Leucadendron, 215.
 Leucas, 183.
 Leucocjum, 65.
 Leucopogon, 34.
 Leucospermum, 21.
 Leyseria, 191.
 Liatris, 180.
 Licuala, 76.
 Lidbeckia, 192.
 Lightfootia, 36.
 Ligusticum, 57.
 Ligustrum, 3.
 Lilium, Page 68.
 Limeum, 79.
 Limnæia, 14.
 Limodorum, 232.
 Limonia, 93.
 Limosella, 139.
 Linaria, 141.
 Linderia, 139.
 Linnaea, 142.
 Linociera, 3.
 Linum, 62.
 Liparia, 165.
 Liquidambar, 209.
 Lirodendron, 126.
 Lisianthus, 49.
 Listera, 201.
 Lithospermum, 30.
 Littorella, 205.
 Lobelia, 37.
 Loddigesia, 161.
 Lœflingia, 9.
 Logania, 49.
 Lolium, 16.
 Lomatia, 22.
 Lonchitis, 227.
 Lonicera, 39.
 Lopezia, 2.
 Lophiola, 76.
 Lotus, 171.
 Loureira, 219.
 Ludwigia, 27.
 Luffa, 206.
 Lunaria, 145.
 Lupinaster, 170.
 Lupinus, 162.
 Luzula, 76.
 Lychnis, 104.
 Lycium, 43.
 Lycopodium, 225.
 Lycopsis, 5.
 Lycopus, 31.
 Lygum, 14.
 Lygodium, 225.
 Lysimachia, 33.
 Lysinoma, 34.
 Lythrum, 106.
 Maba, 217.
 Macrocnemum, 39.
 Macropodium, 146.
 Madia, 185.
 Magnolia, 126.
 Mahernia, 63.
 Malachra, 154.
 Malaxis, 201.
 Malcomia, 147.
 Malope, 156.
 Malpighia, 101.
 Malva, 155.
 Mammea, 123.
 Mandragora, 41.
 Manttia, 25.
 Mangifera, 46.
 Manisuris, 220.
 Manulea, 142.
 Maranta, 1.
 Marattia, 225.
 Marcgravia, 121.
 Marica, 12.
 Mariscus, 13.
 Marrubium, 133.
 Marsdenia, Page 51.
 Marshallia, 181.
 Martynia, 138.
 Massonia, 71.
 Mathiola, 147.
 Matricaria, 192.
 Maurandia, 140.
 Mazus, 139.
 Medeola, 73.
 Medicago, 172.
 Melaleuca, 173.
 Melampodium, 193.
 Melampyrum, 141.
 Melananihera, 181.
 Melanthium, 78.
 Melasphaerula, 11.
 Melastoma, 94.
 Melhania, 149.
 Melia, 94.
 Melianthus, 142.
 Melica, 18.
 Melicocca, 81.
 Melilotus, 170.
 Melissa, 134.
 Melittis, 135.
 Melochia, 149.
 Melodinus, 50.
 Melothria, 9.
 Memecylon, 81.
 Menisium, 226.
 Menispermum, 217.
 Mentha, 131.
 Mentzelia, 123.
 Menyanthes, 48.
 Menziesia, 87.
 Mercurialis, 217.
 Mesembryanthemum, 114.
 Mespilus, 112.
 Metrosideros, 110.
 Meum, 58.
 Michauxia, 81.
 Michelia, 126.
 Microchloa, 20.
 Microlooma, 50.
 Micropus, 199.
 Mikania, 180.
 Milium, 18.
 Milleria, 197.
 Mimetes, 21.
 Mimosa, 222.
 Mimulus, 139.
 Mimulus, 81.
 Minuartia, 20.
 Mirabilis, 40.
 Mirbelia, 91.
 Mitchellia, 25.
 Mitella, 98.
 Mœhringia, 87.
 Moenchia, 29.
 Mollia, 48.
 Mollugo, 20.
 Moluccella, 133.
 Momordica, 212.
 Monarda, 6.
 Monetia, 27.
 Monnæria, 158.
 Monotoca, 34.
 Monotropa, 94.
 Monsonia, 153.
 Montia, Page 20.
 Montinia, 215.
 Morea, 11.
 Morina, 7.
 Morinda, 39.
 Morus, 206.
 Mullera, 165.
 Muntingia, 122.
 Murraya, 93.
 Musa, 64.
 Muscari, 78.
 Mussænda, 38.
 Myagrum, 143.
 Myginda, 28.
 Mylocaryum, 96.
 Myoporum, 137.
 Myosotis, 29.
 Myosurus, 169.
 Myrica, 215.
 Myrsiphyllum, 207.
 Myristica, 219.
 Myrodia, 157.
 Myrrhis, 53.
 Myrsine, 224.
 Myrsiphyllum, 78.
 Myrtus, 111.
 Nama, 230.
 Nandina, 77.
 Napea, 154.
 Naravelia, 231.
 Narcissus, 66.
 Nardus, 14.
 Nardheicum, 72.
 Nasturtium, 146.
 Nauclea, 39.
 Nauenbergia, 199.
 Nelumbium, 126.
 Nemesia, 140.
 Neottia, 200.
 Nepenthes, 219.
 Nepeta, 130.
 Nephelium, 206.
 Nephrodium, 226.
 Nerium, 50.
 Nephelia, 41.
 Nicotiana, 41.
 Nigella, 125.
 Nissolia, 159.
 Nitraria, 105.
 Nivenia, 21.
 Nolana, 32.
 Nolina, 73.
 Notelæa, 3.
 Nottœra, 146.
 Nuphar, 122.
 Nyctanthus, 2.
 Nyctapha, 122.
 Nyssa, 224.
 Ochna, 123.
 Ochroma, 149.
 Ochrus, 163.
 Ocymum, 135.
 Octomeria, 201.
 Oedera, 199.
 Oenanthe, 58.
 Cenothera, 80.
 Oldenlandia, 27.
 Olea, 3.
 Oliveria, 58.
 Olyra, 204.
 Omphalea, Page 211.
 Oncidium, 202.
 Onoclea, 227.
 Ononis, 161.
 Onopordum, 179.
 Onosma, 31.
 Onosmodium, 30.
 Opercularia, 24.
 Ophioglossum, 223.
 Ophiopogon, 76.
 Ophioxylon, 221.
 Ophrys, 200.
 Orchis, 200.
 Origanum, 134.
 Ormosia, 90.
 Ornithidium, 201.
 Ornithogalum, 70.
 Ornithopus, 166.
 Ornithopse, 81.
 Ornus, 3.
 Orobanchæ, 138.
 Orobus, 164.
 Orontium, 76.
 Ortega, 9.
 Orthopogon, 19.
 Oryza, 77.
 Osbeckia, 80.
 Osmites, 195.
 Osmunda, 225.
 Osteospermum, 193.
 Ostrya, 209.
 Othys, 214.
 Othonna, 198.
 Oxalis, 103.
 Oxyanthus, 39.
 Oxybaphus, 8.
 Oxycoocus, 81.
 Oxylobium, 90.
 Oxytelma, 51.
 Oxytropis, 168.
 Pachysandra, 205.
 Paderia, 39.
 Pæonia, 124.
 Palavia, 154.
 Pallasia, 195.
 Panax, 224.
 Paneratum, 67.
 Pandanus, 213.
 Panicum, 19.
 Papaver, 121.
 Pardanthus, 12.
 Pariana, 210.
 Parietaria, 220.
 Paris, 89.
 Parkinsonia, 92.
 Parnassia, 61.
 Paronychia, 48.
 Parthenium, 199.
 Pascalia, 194.
 Paspalum, 19.
 Passerina, 87.
 Passiflora, 149.
 Pastinaca, 59.
 Patersonia, 148.
 Pavetta, 25.
 Paullinia, 88.
 Pavonia, 157.
 Pectis, 191.
 Pedalum, 137.
 Pedicularis, 141.

- Peganium, Page 105.
 Pelargonium, 150.
 Peliosanthes, 69.
 Peltaria, 143.
 Penaea, 26.
 Penicillaria, 220.
 Pennisetum, 19.
 Pentapetes, 153.
 Penthorum, 103.
 Pentstemon, 138.
 Pentzia, 183.
 Peplis, 77.
 Perdicium, 190.
 Pergularia, 51.
 Perilla, 132.
 Periploca, 50.
 Perotis, 14.
 Persoonia, 22.
 Petalostemum, 158.
 Petiveria, 79.
 Petrea, 136.
 Petrocallis, 144.
 Petrophila, 20.
 Peucedanum, 56.
 Phaca, 168.
 Phalangium, 72.
 Phalaris, 19.
 Pharnaceum, 61.
 Pharus, 207.
 Phaseolus, 162.
 Phellandrium, 58.
 Philadelphus, 110.
 Philoxerus, 48.
 Philydium, 2.
 Phleum, 18.
 Phlomis, 133.
 Phlox, 36.
 Phoenix, 215.
 Phormium, 73.
 Phryma, 136.
 Phrynium, 1.
 Phylla, 44.
 Phyllanthus, 211.
 Phyllis, 54.
 Phylloma, 73.
 Physalis, 41.
 Phyteuma, 37.
 Phytolacca, 105.
 Piaranthus, 52.
 Picramnia, 216.
 Picridium, 175.
 Picris, 176.
 Pilularia, 228.
 Pimelea, 3.
 Pimpinella, 59.
 Pinckneya, 38.
 Pinguicula, 5.
 Pinus, 210.
 Piper, 7.
 Piqueria, 182.
 Piscidia, 159.
 Pisonia, 79.
 Pistacia, 216.
 Pistum, 163.
 Pitcairnia, 64.
 Pittosporum, 46.
 Plantago, 26.
 Platanus, 209.
 Platylobium, 160.
 Plectranthus, 135.
 Plectronia, Page 45.
 Pleea, 230.
 Pleurothallis, 201.
 Plocama, 39.
 Plukenetia, 211.
 Plumbago, 34.
 Plumeria, 50.
 Poa, 17.
 Podalyria, 90.
 Podolepis, 190.
 Podocarpus, 211.
 Podolobium, 90.
 Podophyllum, 121.
 Pogonia, 201.
 Poinciana, 92.
 Polemonium, 35.
 Pollichia, 2.
 Polianthes, 68.
 Polycarpon, 20.
 Polycnemum, 9.
 Polygala, 158.
 Polygonatum, 75.
 Polygonum, 88.
 Polynum, 198.
 Polypodium, 226.
 Polypogon, 14.
 Pomaderis, 44.
 Pongamia, 159.
 Pontederia, 64.
 Pontiaeva, 201.
 Populus, 217.
 Porcelia, 126.
 Portlandia, 38.
 Portulaca, 105.
 Portulacaria, 61.
 Potamogeton, 29.
 Potentilla, 120.
 Poterium, 208.
 Pothos, 28.
 Prasium, 135.
 Prenanthes, 176.
 Primula, 32.
 Prinos, 76.
 Priva, 137.
 Prosopis, 93.
 Prostanthera, 135.
 Protea, 20.
 Prunella, 135.
 Prunus, 112.
 Psiadia, 199.
 Psidium, 110.
 Psilotum, 225.
 Psoralea, 170.
 Psychotria, 39.
 Ptelea, 27.
 Pteris, 227.
 Pterocarpus, 159.
 Pteronia, 180.
 Pterospermum, 154.
 Pterostylis, 201.
 Pterygodium, 200.
 Pulmonaria, 30.
 Pulsatilla, 127.
 Pultenaea, 91.
 Punica, 111.
 Pupalia, 48.
 Pycnanthemum, 130.
 Pyrethrum, 191.
 Pyrola, 96.
 Pyrus, 113.
 Pyxidanthera, Page 33.
 Quassia, 93.
 Quercus, 208.
 Queria, 20.
 Quisqualis, 94.
 Ra'hola, 29.
 Rafnia, 160.
 Rajaria, 216.
 Ramonda, 40.
 Randia, 39.
 Ranunculus, 128.
 Raphanus, 148.
 Rapistrum, 143.
 Rauwolfia, 49.
 Reaumuria, 126.
 Relhania, 191.
 Reseda, 106.
 Restio, 214.
 Retzia, 35.
 Rhagadiolus, 178.
 Rhagodia, 221.
 Rhamnus, 43.
 Rhaps, 223.
 Rheum, 89.
 Rhexia, 80.
 Rhinanthus, 142.
 Rhipsalis, 110.
 Rhodiola, 217.
 Rhododendron, 94.
 Rhodora, 94.
 Rhopala, 22.
 Rhus, 59.
 Rhynchospora, 14.
 Ribes, 46.
 Richardia, 77.
 Ricinus, 211.
 Ricotia, 145.
 Rivina, 28.
 Robinia, 165.
 Roella, 37.
 Rolandra, 199.
 Rondeletia, 39.
 Rosa, 117.
 Rosmarinus, 6.
 Rothia, 177.
 Rotthoellia, 19.
 Rottlera, 218.
 Roxburghia, 81.
 Royena, 97.
 Rubia, 25.
 Rubus, 119.
 Rudbeckia, 195.
 Ruellia, 139.
 Ruizia, 156.
 Rumex, 77.
 Ruppia, 29.
 Ruscus, 219.
 Russelia, 139.
 Ruta, 93.
 Sabal, 79.
 Sabbatia, 49.
 Saccharum, 19.
 Sagina, 29.
 Sagittaria, 207.
 Sagus, 207.
 Salicornia, 2.
 Salisburia, 209.
 Saix, 213.
 Salsola, 58.
 Salvia, Page 6.
 Sambucus, 60.
 Samolus, 38.
 Samyda, 96.
 Sanguinaria, 121.
 Sanguisorba, 27.
 Sanicula, 55.
 Sansevieria, 68.
 Santalum, 28.
 Santolina, 182.
 Sanvitalia, 193.
 Sapindus, 88.
 Sapium, 211.
 Saponaria, 98.
 Sarcophyllum, 160.
 Sarcostemma, 50.
 Sarracenia, 122.
 Satureja, 130.
 Satyrium, 200.
 Saururus, 79.
 Saxifraga, 97.
 Scabiosa, 23.
 Scævola, 38.
 Scandix, 58.
 Schæfferia, 215.
 Scheuchzeria, 78.
 Schinus, 217.
 Schisandra, 206.
 Schukuhria, 191.
 Schœnus, 14.
 Schotia, 93.
 Schrankia, 222.
 Schwenkia, 5.
 Scilla, 71.
 Scirpus, 13.
 Scleranthus, 97.
 Sclerocarpus, 195.
 Sclerothamnus, 91.
 Scleroxylon, 230.
 Scolopendrium, 227.
 Scolymus, 178.
 Scoparia, 26.
 Scopolia, 49.
 Scorpiurus, 166.
 Scorzonera, 175.
 Scottia, 161.
 Scrophularia, 140.
 Scutellaria, 135.
 Sebæa, 26.
 Secale, 16.
 Secamone, 50.
 Securidaca, 159.
 Securinea, 216.
 Sedum, 102.
 Selago, 136.
 Selinum, 56.
 Sempervivum, 108.
 Senacia, 44.
 Senecio, 186.
 Septas, 80.
 Serapias, 200.
 Seriana, 88.
 Seriola, 178.
 Serissa, 39.
 Serpicula, 205.
 Serratula, 178.
 Serruria, 21.
 Sersalasia, 43.
 Sesamum, 138.
 Sesbana, 166.
 Seseli, Page 53.
 Sesleria, 14.
 Sesuvium, 113.
 Sherardia, 24.
 Sibbaldia, 63.
 Sibthorpia, 142.
 Sicyos, 213.
 Sida, 154.
 Sideritis, 131.
 Siderodendrum, 25.
 Sideroxylon, 43.
 Sigesbeckia, 194.
 Sileue, 99.
 Silphium, 197.
 Sisinapis, 147.
 Sison, 58.
 Sisymbrium, 146.
 Sium, 57.
 Sloanca, 122.
 Smilacina, 75.
 Smilax, 216.
 Smithia, 167.
 Smyrnium, 59.
 Solandra, 41.
 Solanum, 41.
 Soldanella, 33.
 Solidago, 183.
 Sonchus, 175.
 Sophora, 90.
 Sorghum, 220.
 Soroccephalus, 22.
 Sowerbæa, 69.
 Spananthe, 55.
 Sparaxis, 9.
 Sparganium, 203.
 Sparrmannia, 122.
 Spartium, 159.
 Spatalla, 22.
 Spathelia, 60.
 Spergula, 104.
 Spermacoce, 24.
 Sphæranthus, 199.
 Sphærolobium, 91.
 Sphenogyne, 196.
 Spielmannia, 137.
 Spigelia, 49.
 Spilanthes, 181.
 Spinacia, 216.
 Spiraæa, 113.
 Spondias, 102.
 Sporobolus, 14.
 Sprengelia, 34.
 Staavia, 145.
 Stachys, 132.
 Stachytarpheta, 5.
 Stæhelia, 180.
 Stapelia, 51.
 Staphylea, 61.
 Starkea, 193.
 Statice, 62.
 Stauracanthus, 160.
 Stelis, 201.
 Stellaria, 101.
 Stellera, 87.
 Stemodia, 139.
 Stenanthera, 34.
 Stenochilus, 137.
 Sterculia, 212.
 Stevia, 181.
 Stilago, 214.

- Stillingia, Page 212. Templetonia, Page 161.
 Stipa, 15. Tephrosia, 168.
 Stizolobium, 163. Terminalia, 221.
 Stobæa, 180. Tetragonia, 114.
 Stœbe, 199. Tetragnotheca, 190.
 Stokesia, 180. Tetratheca, 81.
 Stratiotes, 217. Teucrium, 129.
 Strelitzia, 48. Thalia, 1.
 Streptopus, 75. Thalictrum, 127.
 Strumaria, 65. Thapsia, 59.
 Struthiola, 28. Thelygonum, 208.
 Strychnos, 49. Thelymitra, 201.
 Stuartia, 157. Theobroma, 172.
 Stylidium, 202. Thermopsis, 90.
 Syphelia, 34. Thesium, 40.
 Styra, 96. Thlaspi, 143.
 Subularia, 144. Thrinax, 76.
 Succowia, 143. Thrinia, 176.
 Sutherlandia, 166. Thuja, 210.
 Swainsona, 166. Thunbergia, 138.
 Swertia, 54. Thymbra, 130.
 Swietenia, 94. Thymus, 134.
 Symphoria, 40. Thysanotus, 70.
 Symphytum, 30. Tiarella, 93.
 Synedrella, 194. Tigridia, 148.
 Syringa, 3. Tilia, 122.
 Tabernæmontana, 50. Tillæa, 29.
 Tacca, 76. Tillandsia, 64.
 Tagetes, 191. Tofieldia, 78.
 Talinum, 106. Tolpis, 177.
 Tamarindus, 148. Tordylium, 55.
 Tamarix, 61. Tormentilla, 120.
 Tamus, 216. Tournefortia, 31.
 Tanacetum, 183. Tourretia, 138.
 Tarchonanthus, 182. Tozzettia, 19.
 Taxus, 219. Trachelium, 37.
 Tectona, 43. Tradescantia, 64.
 Teedia, 139. Tragia, 205.
 Teesdalia, 143. Tragopogon, 175.
 Telephium, 61. Trapa, 27.
 Telopea, 22.
- Trevirana, Page 139.
 Trewia, 218.
 Trianthema, 97.
 Tribulus, 93.
 Trichilia, 93.
 Trichodesma, 31.
 Trichodium, 14.
 Trichomanes, 228.
 Trichonema, 9.
 Trichophorum, 14.
 Trichosanthos, 212.
 Trichostema, 135.
 Trientalis, 79.
 Trifolium, 170.
 Triglochin, 78.
 Trigonella, 172.
 Trillium, 78.
 Triodia, 17.
 Triosteum, 40.
 Tripsacum, 204.
 Trisetum, 15.
 Tristania, 173.
 Triticum, 16.
 Tritoma, 67.
 Tritonia, 10.
 Triumphetta, 105.
 Trollius, 129.
 Tropæolum, 80.
 Trophis, 215.
 Troximom, 175.
 Tulbagia, 68.
 Tulipa, 68.
 Tupistra, 76.
 Turnera, 61.
 Turritis, 146.
 Tussilago, 186.
 Typha, 203.
 Ulex, 160.
 Ulmus, 53.
 Uniola, 18.
 Unona, 231.
- Urania, Page 64.
 Urena, 156.
 Uropetalon, 72.
 Urtica, 206.
 Utricularia, 5.
 Uvaria, 126.
 Uvularia, 69.
 Vaccinium, 95.
 Valantia, 220.
 Valeriana, 8.
 Vanguiera, 39.
 Vanilla, 202.
 Velezia, 54.
 Vella, 143.
 Veltheimia, 68.
 Veratrum, 219.
 Verbascum, 40.
 Verberna, 137.
 Verbesina, 194.
 Vernonia, 180.
 Veronica, 4.
 Vesicaria, 145.
 Vestia, 86.
 Viburnum, 60.
 Vicia, 164.
 Villarsia, 49.
 Viminaria, 91.
 Vinca, 49.
 Viola, 47.
 Virgilia, 90.
 Viscum, 215.
 Visnaga, 56.
 Visnea, 108.
 Vitex, 136.
 Vitis, 46.
 Vittaria, 227.
 Volkameria, 136.
 Wachendorfia, 13.
 Waldsteinia, 112.
 Waltheria, 148.
 Watsonia, 10.
 Webera, 39.
- Wendlandia, Page 79.
 Westringia, 130.
 Wiborgia, 161.
 Willdenovia, 214.
 Witheringia, 25.
 Witsenia, 11.
 Woodsia, 226.
 Woodwardia, 227.
 Wrightia, 50.
 Wulfenia, 229.
 Xanthium, 206.
 Xanthochymus, 173.
 Xanthorrhœa, 70.
 Xeranthemum, 184.
 Ximenesia, 190.
 Ximenia, 81.
 Xiphidium, 13.
 Xylomelum, 22.
 Xylophylla, 61.
 Xylopia, 126.
 Xyris, 13.
 Xysmalobium, 51.
 Yucca, 74.
 Zacintha, 178.
 Zaluzania, 194.
 Zamia, 218.
 Zannichellia, 203.
 Zanthorhiza, 63.
 Zanthoxylum, 216.
 Zapania, 137.
 Zea, 204.
 Zieria, 25.
 Zingiber, 1.
 Zinnia, 191.
 Zizania, 207.
 Ziziphora, 6.
 Zizyphus, 44.
 Zœgea, 196.
 Zornia, 168.
 Zygophyllum, 93.

ENGLISH INDEX.

- ABELE TREE**, Page 217.
Adder's Needle, 74.
Adder's-tongue, 225.
African Almond, 221.
African Fleabane, 182.
African Lily, 67.
African Marygold, 191.
Agrimony, 106.
Air Plant, 202.
Akee Tree, 81.
Alaternus, 44.
Alder, 205.
Alexanders, 59.
Alexandrian Laurel, 219.
Alligator Pear, 89.
Allseed, 20.
Allspice, 121.
Allspice Tree, 111.
Almond, 106.
Althæa-frutex, 156.
Amaranth, 206.
Amber Tree, 215.
American Cowslip, 33.
Anchovy Pear, 122.
Angelica, 57.
Angelica Tree, 61.
Anise, 59.
Aniseed Tree, 126.
Apple, 113.
Apple-berry, 46.
Apricot, 112.
Arbor-vitæ, 210.
Archangel, 132.
Arrow Grass, 78.
Arrowhead, 207.
Arrow Root, 1.
Artichoke, 180.
Asarabacca, 105.
Ash Tree, 223.
Aspen, 217.
Asphodel, 71.
Auricula, 32.
Avens, 120.
Awlwort, 144.
Azrole, 112.
Bahama Red Wood, 44.
Balm, 124.
Balm of Gilead, Page 134.
Balsam, 47.
Balsam Apple, 212.
Balsam Herb, 5.
Balsam of Capevi, 93.
Balsam Tree, 221.
Bamboo Cane, 77.
Banana, 64.
Bane Berry, 121.
Banyan Tree, 224.
Barbadoes Bastard Cedar, 173.
Barbadoes Cherry, 101.
Barberry, 77.
Barley, 16.
Barrenwort, 27.
Base Rocket, 106.
Basil, 135.
Bastard Balm, 135.
Bastard Cabbage Tree, 165.
Bastard Cedar, 46.
Bastard Hare's-ear, 54.
Bastard Indigo, 160.
Bastard Lupine, 170.
Bastard Mangeneel, 50.
Bastard Orpine, 213.
Bastard Pimpernell, 26.
Bastard Toad Flax, 40.
Bastard Vervain, 5.
Bastard Vetch, 168.
Bawd-money, 58.
Bay, 89.
Bead Tree, 94.
Bean, 165.
Bean Caper, 93.
Bean Trefoil, 90.
Bear-bind, 35.
Bear Berry, 96.
Bear's-breech, 138.
Bear's-ear Sanicle, 33.
Bed Straw, 24.
Beech, 209.
Beet, 53.
Bell Flower, 36.
Benjamin Tree, 89.
Bent Grass, Page 14.
Berry-bearing Alder, 43.
Betony, 132.
Bindweed, 34.
Birch, 209.
Bird Pepper, 42.
Bird's-eye, 32.
Bird's-foot, 166.
Bird's-foot Trefoil, 171.
Birthwort, 202.
Bishop's Weed, 56.
Bitter-sweet, 41.
Bitter Vetch, 164.
Black Bryony, 216.
Black Saltwort, 48.
Black Snakeroot, 125.
Bladder Nut, 61.
Bladder Senna, 166.
Blood Flower, 64.
Bog Rush, 14.
Borage, 31.
Bourbon Palm, 219.
Box Tree, 205.
Box Thorn, 43.
Brake, 227.
Bramble, 119.
Brasiletto, 92.
Bread Fruit, 203.
Bread Nut, 223.
Bread Root, 170.
Brome Grass, 15.
Brooklime, 4.
Brookweed, 38.
Broom, 159.
Broom Rape, 138.
Bryony, 212.
Buck Bean, 48.
Buckler Mustard, 143.
Buck Thorn, 43.
Buck Wheat, 88.
Buck Wheat Tree, 96.
Bugle, 129.
Bugloss, 30.
Bugwort, 125.
Burdock, 178.
Burnet, 208.
Burnet Saxifrage, 59.
Bur Parsley, Page 55.
Bur Reed, 203.
Butcher's Broom, 219.
Butter Bur, 186.
Butterwort, 5.
Button Tree, 40.
Button Flower, 93.
Button Weed, 24.
Button Wood, 23.
Cabbage, 147.
Cabbage Tree, 210.
Calabash Tree, 142.
Calamint, 134.
Calathian Violet, 54.
Caltrops, 93.
Camphire Tree, 89.
Campion, 99.
Canada Rice, 207.
Canary Grass, 19.
Candleberry Myrtle, 215.
Candy Carrot, 56.
Candytuft, 144.
Canterbury Bell, 37.
Cape Jasmine, 38.
Caper Tree, 121.
Caraway, 59.
Cardamom, 1.
Cardinal Flower, 37.
Cardoon, 180.
Carlina Thistle, 180.
Carnation, 99.
Carob Tree, 223.
Carrot, 56.
Cashew Nut, 89.
Cassava, 211.
Castor Oil Plant, 211.
Catchfly, 99.
Cat Mint, 130.
Cat's-ear, 178.
Cat's-tail, 203.
Cat's-tail Grass, 18.
Cat Thyme, 129.
Cedar of Goa, 210.
Cedar of Lebanon, 210.
Celandine, 121.
Celery, 59.
Centaury, 196.
Chamomile, 192.
Chaste Tree, Page 136.
Chawstick, 221.
Cheese Rennet, 24.
Cherry, 112.
Cherry Pepper, 42.
Chervil, 58.
Chesnut, 209.
Chick Pea, 165.
Chickweed, 101.
Chocolate Nut, 172.
Christmas Rose, 129.
Christ's Thorn, 44.
Chulan, 28.
Cicely, 58.
Cinnamon, 89.
Cinquefoil, 120.
Clary, 7.
Clearing Nut, 49.
Cleavers, 25.
Cloud Berry, 120.
Clover, 171.
Clove Tree, 111.
Clown's All-heal, 132.
Club Moss, 225.
Club Rush, 13.
Cock's-comb, 48.
Cock's-foot Grass, 18.
Cocoa Nut, 207.
Cocoa Plum, 112.
Codlins and Cream, 80.
Coffee Tree, 39.
Cogwood Tree, 89.
Colewort, 143.
Colpoon Tree, 60.
Colt's-foot, 186.
Columbine, 125.
Comfrey, 30.
Common Acacia, 165.
Common Dragon, 209.
Contrajerva Root, 27.
Coral Tree, 159.
Coriander, 58.
Cork Tree, 208.
Cornelian Cherry, 27.
Corn Flag, 10.
Costmary, 183.
Cotton, 156.
Cotton Grass, 14.
Cotton Rose, 199.

- Cotton Thistle, Page 179.
 Couch Grass, 16.
 Cowbane, 58.
 Cowitch, 163.
 Cow Parsnep, 57.
 Cowslip, 32.
 Cow Wheat, 141.
 Cranberry, 81.
 Crane's-bill, 153.
 Cress, 144.
 Cress Rocket, 143.
 Crosswort, 220.
 Crowberry, 214.
 Crowfoot, 128.
 Cuckoo Flower, 145.
 Cucumber, 212.
 Cumin, 58.
 Currant, 46.
 Custard Apple, 126.
 Cypress, 210.
 Daffodil, 67.
 Daisy, 190.
 Dandelion, 176.
 Darnel, 16.
 Date Palm, 215.
 Date Plum, 223.
 Day Lily, 67.
 Deadly Carrot, 59.
 Deadly Nightshade, 41.
 Devil's Bit, 23.
 Dill, 59.
 Dittany, 134.
 Dock, 77.
 Dodder, 54.
 Dog's-bane, 50.
 Dog's Cabbage, 208.
 Dog's-tail Grass, 18.
 Dog's-tooth Violet, 69.
 Dogwood, 27.
 Dragon, 79.
 Dragon's-head, 134.
 Dragon Tree, 73.
 Dropwort, 113.
 Duck's-foot, 121.
 Duck-weed, 203.
 Dumb Cane, 210.
 Dwarf Fan Palm, 224.
 Earth Nut, 56.
 Earth Pea, 164.
 Egg Plant, 42.
 Elder, 60.
 Elecampane, 189.
 Elephant Apple, 221.
 Elephant's-foot, 216.
 Elm Tree, 53.
 Enchanter's Nightshade, 4.
 Endive, 178.
 Eryngo, 54.
 Evening Flower, 9.
 Everlasting, 184.
 Everlasting Pea, 164.
 Eyebright, 142.
 Feather Grass, 15.
 Felwort, Page 54.
 Fennel, 59.
 Fennel Flower, 125.
 Fenugreek, 172.
 Fescue Grass, 15.
 Feverfew, 191.
 Feverwort, 40.
 Fiddlewood, 186.
 Field Madder, 24.
 Fig Marygold, 114.
 Fig Tree, 224.
 Figwort, 140.
 Filmy Leaf, 228.
 Finger Grass, 19.
 Fir Tree, 210.
 Flax, 62.
 Flax Lily, 73.
 Flat Pea, 160.
 Fleabane, 185.
 Fleawort, 189.
 Flixweed, 146.
 Flower Fence, 92.
 Flowering Ash, 3.
 Flowering Fern, 225.
 Flowering Rush, 89.
 Fool's Parsley, 58.
 Foxglove, 140.
 Fox-tail Grass, 18.
 Fraxinella, 93.
 French Honeysuckle, 167.
 French Marygold, 191.
 Friar's Cowl, 209.
 Fringe Tree, 3.
 Fritillary, 68.
 Frog Bit, 217.
 Fumitory, 153.
 Furze, 160.
 Galangale, 2.
 Garland Flower, 1.
 Garlick, 69.
 Garlick Pear, 105.
 Genip Tree, 38.
 Gentian, 54.
 Germander, 129.
 German Madwort, 31.
 Giant Fennel, 57.
 Ginger, 1.
 Ginseng, 224.
 Gladwyn, 12.
 Glasswort, 2.
 Globe Amaranth, 48.
 Globe Flower, 129.
 Globe Thistle, 199.
 Goat's Beard, 175.
 Goat's Rue, 168.
 Goat's Thorn, 169.
 Goat Weed, 142.
 Golden Rod, 188.
 Golden Rod Tree, 53.
 Golden Saxifrage, 97.
 Golden Thistle, 178.
 Goldylocks, 182.
 Gooseberry, 46.
 Goosefoot, 53.
 Gourd, Page 212.
 Goutweed, 59.
 Grass of Parnassus, 61.
 Grape, 46.
 Grape Hyacinth, 78.
 Great Burnet, 27.
 Greek Valerian, 35.
 Green Dragon, 209.
 Gromwell, 30.
 Ground Ivy, 132.
 Ground Pine, 129.
 Groundsel, 186.
 Groundsel Tree, 185.
 Guelder Rose, 60.
 Gum Succory, 176.
 Hair Grass, 17.
 Hard Grass, 19.
 Hare's Ear, 55.
 Hare's Foot Fern, 228.
 Hare's Tail Grass, 18.
 Hart's Tongue, 227.
 Hartwort, 55.
 Hassagay Tree, 28.
 Hatchet Vetch, 169.
 Hawkweed, 176.
 Hawthorn, 112.
 Heart's Ease, 47.
 Heart Seed, 88.
 Heath, 82.
 Hedge Hyssop, 5.
 Hedge Mustard, 146.
 Hedge Nettle, 132.
 Hemlock, 56.
 Hemp, 216.
 Hemp Nettle, 132.
 Henbane, 41.
 Henbit, 132.
 Herb Robert, 153.
 Heron's Bill, 150.
 Hog Plum, 102.
 Hogweed, 2.
 Holly, 29.
 Hollyhock, 155.
 Honesty, 145.
 Honewort, 58.
 Honey Berry, 81.
 Honey Flower, 142.
 Honeysuckle, 39.
 Honeywort, 31.
 Hooded Milfoil, 5.
 Hop, 216.
 Hop Hornbeam, 209.
 Hornbeam, 209.
 Horned Poppy, 121.
 Hornwort, 207.
 Horse Chesnut, 79.
 Horse Radish, 144.
 Horse Radish Tree, 92.
 Horseshoe Vetch, 166.
 Horsetail, 225.
 Horsetail Tree, 207.
 Horse Thistle, 179.
 Hottentot Cherry, Page 60.
 Hound's Tongue, 30.
 Houseleek, 108.
 Humble Plant, 222.
 Hyacinth, 73.
 Hyana Poison, 217.
 Hyssop, 130.
 Ice Plant, 115.
 Indian Corn, 204.
 Indian Cress, 80.
 Indian Cucumber, 78.
 Indian Fig, 109.
 Indian Madder, 27.
 Indian Millet, 220.
 Indian Shot, 1.
 Indigo, 168.
 Iron Tree, 25.
 Ironwort, 131.
 Ivy, 46.
 Jaca Tree, 203.
 Jack in a Box, 205.
 Jalap, 35.
 Jasmine, 2.
 Jerusalem Artichoke, 194.
 Jerusalem Sage, 133.
 Job's Tears, 204.
 Jonquil, 66.
 Judas Tree, 91.
 Juniper, 218.
 Kanguru Vine, 27.
 Kidney Bean, 162.
 Kidney Vetch, 162.
 Knapweed, 196.
 Knawel, 97.
 Knot Grass, 48.
 Laburnum, 165.
 Ladies' Mantle, 28.
 Ladies' Slipper, 202.
 Ladies' Smock, 145.
 Lady Fern, 226.
 Lamb's Lettuce, 8.
 Lancashire Asphodel, 72.
 Larch, 210.
 Larkspur, 125.
 Laserwort, 57.
 Lavender, 131.
 Lavender Cotton, 182.
 Laurel, 112.
 Laurestine, 60.
 Leadwort, 34.
 Leather Wood, 87.
 Lee Chee, 81.
 Leek, 69.
 Lemon Grass, 220.
 Lentil, 165.
 Leopard's Bane, 191.
 Lettuce, 175.
 Lignum Vitæ, 93.
 Lilac, 3.
 Lily, 68.
 Lily of the Valley, 75.
 Lily Pink, 69.
 Lily Thorn, Page 25.
 Lime Tree, 122.
 Lion's Tail, 133.
 Liquorice, 166.
 Lizard's Tail, 79.
 Locust Tree, 92.
 Logwood, 93.
 Looking-glass Plant, 212.
 Loose Strife, 33.
 Loquat, 113.
 Lovage, 57.
 Love Apple, 42.
 Love Grass, 17.
 Louisewort, 141.
 Lungwort, 30.
 Lupine, 162.
 Lychnidea, 36.
 Lyme Grass, 16.
 Macaw Tree, 207.
 Madder, 25.
 Madwort, 144.
 Mahogany, 94.
 Maidenhair, 227.
 Maiden Plum, 8.
 Malabar Nightshade, 60.
 Malabar Nut, 5.
 Malay Apple, 110.
 Mallow, 155.
 Mammee Tree, 123.
 Manchineel, 211.
 Mandrake, 41.
 Mangosteen, 105.
 Mango Tree, 46.
 Maple, 221.
 Mare's Tail, 2.
 Marjoram, 134.
 Marsh Mallow, 155.
 Marsh Marygold, 129.
 Martagon, 68.
 Marvel of Peru, 40.
 Marygold, 198.
 Masterwort, 55.
 Mastick Tree, 216.
 Mat Grass, 14.
 May Apple, 121.
 Meadow Grass, 17.
 Meadow Rue, 127.
 Meadow Saxifrage, 58.
 Medick, 172.
 Medlar, 112.
 Melic Grass, 18.
 Melilot, 170.
 Melon, 212.
 Mercury, 217.
 Mignonette, 106.
 Milfoil, 193.
 Milk Parsley, 56.
 Milk Vetch, 169.
 Milk Wood, 223.
 Milkwort, 153.
 Millet Grass, 18.
 Mint, 131.
 Misseltoe, 215.
 Moluca Balm, 133.

- Moneywort, Page 33. Pea, Page 163.
 Monkey Flower, 139. Peach Tree, 111.
 Monkshood, 125. Pearlwort, 29.
 Moon Seed, 217. Pear Tree, 113.
 Moon Trefoil, 172. Pellitory, 220.
 Moonwort, 225. Pennyroyal, 132.
 Moschatel, 89. Pennywort, 55.
 Motherwort, 133. Pepper, 7.
 Moving Plant, 167. Pepper Vine, 27.
 Mountain Ebony, 91. Pepperwort, 144.
 Mouse-ear Chickweed, Periwinkle, 49.
 104. Persicaria, 88.
 Mouse Tail, 63. Phillyrea, 3.
 Mudwort, 139. Physic Nut, 211.
 Mugwort, 183. Pilewort, 128.
 Mulberry, 206. Pillwort, 228.
 Mule's Fern, 227. Pimpernell, 33.
 Mullein, 40. Pine Apple, 64.
 Mustard, 147. Pine Tree, 210.
 Myrrh, 58. Pink, 99.
 Myrtle, 111. Pipewort, 20.
 Naseberry Tree, 43. Pistachia Tree, 216.
 Navelwort, 102. Pitcher Plant, 219.
 Nettle, 206. Plane Tree, 209.
 Nettle Tree, 221. Plank Plant, 161.
 New Jersey Tea, 44. Plantain, 26.
 New Zealand Tea, 110. Plantain Tree, 64.
 Nicker Tree, 92. Plowman's Spikenard, 185.
 Nightshade, 41. Plum Tree, 112.
 Nipplewort, 178. Poet's Cassia, 214.
 Nutmeg, 219. Poison Nut, 49.
 Nut Tree, 209. Poison Oak, 60.
 Oak, 208. Polypody, 226.
 Oat, 15. Pomegranate, 111.
 Oil Nut, 224. Pond Weed, 29.
 Oily Grain, 138. Poplar, 217.
 Oily Palm, 217. Poppy, 121.
 Old Man's Beard, 174. Potatoe, 42.
 Oleander, 50. Primrose, 32.
 Oleaster, 28. Prince's Feather, 207.
 Olive, 3. Privet, 3.
 Olive-bark Tree, 96. Puccoon, 121.
 Olive Wood, 43. Pumpkin, 212.
 Onion, 70. Purslane, 105.
 Orache, 220. Purslane Tree, 61.
 Orange Tree, 173. Quaking Grass, 18.
 Orpine, 61. Quillwort, 228.
 Osier, 214. Quince Tree, 113.
 Oswego Tea, 6. Radish, 148.
 Otaheite Chesnut, 96. Ragged Robin, 104.
 Otaheite Myrtle, 216. Ragwort, 198.
 Ox-eye, 194. Ramon, 70. Ramon Tree, 215.
 Ox-eye Daisy, 191. Rape, 147.
 Oxlip, 32. Raspberry, 119.
 Ox-tongue, 176. Red Cedar, 218.
 Peony, 124. Reed, 17.
 Palma Christi, 211. Rest Harrow, 161.
 Panic Grass, 19. Rhubarb, 89.
 Papaw Tree, 217. Rib Grass, 26.
 Paper Mulberry, 215. Rice, 77.
 Parsley, 59. Rocambole, 69.
 Parsley Piert, 28. Rocket, 147.
 Parsnep, 59. Rock Rose, 123.
 Pasque Flower, 127. Rope Grass, 214.
 Passion Flower, 149. Rose, 117.
 Rose Acacia, Page 166.
 Rose Campion, 104.
 Rosemary, 6.
 Rose of Jericho, 143.
 Rose Root, 217.
 Rough Chervil, 58.
 Rue, 93.
 Rupturewort, 53.
 Rush, 76.
 Rush Broom, 91.
 Rush Nut, 13.
 Rye, 16.
 Rye Grass, 16.
 Sacred Bean, 126.
 Sage, 6.
 Sago Palm, 207.
 St. Andrew's Cross, 174.
 Saintfoin, 167.
 St. John's-wort, 173.
 St. Peter's-wort, 40.
 Salt Tree, 166.
 Saltwort, 53.
 Samphire, 57.
 Sandal Wood, 28.
 Sandbox Tree, 212.
 Sandwort, 101.
 Sanicle, 55.
 Sassafras Tree, 89.
 Savanna Flower, 50.
 Savin, 218.
 Savory, 130.
 Saw-wort, 178.
 Saxifrage, 97.
 Scabious, 23.
 Scammony, 34.
 Scorpion Grass, 29.
 Scorpion Senna, 166.
 Screw Pine, 213.
 Screw Tree, 153.
 Scunk Weed, 28.
 Scurvy Grass, 144.
 Sea Buckthorn, 215.
 Sea Heath, 77.
 Sea Holly, 55.
 Sea Kale, 143.
 Sea Lavender, 62.
 Sea Parsnep, 55.
 Sea Rocket, 142.
 Seaside Grape, 88.
 Seaside Laurel, 212.
 Seaside Oat, 18.
 Self Heal, 135.
 Sensitive Plant, 222.
 Septfoil, 120.
 Service Tree, 113.
 Shallot, 69.
 Sheep's Beard, 175.
 Sheep's Scabious, 37.
 Shepherd's Purse, 143.
 Shepherd's Club, 40.
 Shield Fern, 226.
 Shoreweed, 205.
 Shrubby Trefoil, 27.
 Side-saddle Flower, Page 122.
 Silk-cotton Tree, 154.
 Silver Tree, 215.
 Single-seeded Cucum-ber, 213.
 Skirret, 57.
 Skull Cap, 135.
 Slipperwort, 5.
 Snake's Beard, 76.
 Snake's Tongue, 225.
 Snake Wood, 213.
 Snap Dragon, 140.
 Snap Tree, 5.
 Sneezewort, 193.
 Snowberry, 39.
 Snowdrop, 65.
 Snowdrop Tree, 105.
 Snowflake, 65.
 Soapberry, 83.
 Soapwort, 98.
 Soft Grass, 220.
 Soldier Wood, 222.
 Solomon's Seal, 75.
 Sorrel, 78.
 Sour Gourd, 154.
 Southernwood, 183.
 South Sea Tea, 29.
 Sow Thistle, 175.
 Spanish Elm, 32.
 Spanish Nut, 11.
 Sparrow-wort, 87.
 Speedwell, 4.
 Spiderwort, 64.
 Spigniel, 56.
 Spike Rush, 13.
 Spinage, 216.
 Spindle Tree, 44.
 Spleenwort, 226.
 Spring Grass, 7.
 Spurge, 106.
 Spurrey, 104.
 Squash, 212.
 Squill, 71.
 Staff Tree, 44.
 Star Apple, 43.
 Star of Bethlehem, 70.
 Star of the Earth, 26.
 Star Thistle, 197.
 Starwort, 187.
 Stinking Horehound, 133.
 Stitchwort, 101.
 Stock, 147.
 Stonecrop, 102.
 Storax, 96.
 Stork's Bill, 150.
 Strapwort, 61.
 Strawberry, 120.
 Strawberry Blite, 2.
 Strawberry Tree, 96.
 Stramonium, 40.
 Succory, 178.
 Sugar Cane, 19.
 Sulphurwort, 56.
 Sumach, Page 59.
 Sundew, 62.
 Sun Fern, 226.
 Sunflower, 194.
 Sun Rose, 123.
 Supple Jack, 88.
 Swallow-wort, 51.
 Sweet Flag, 76.
 Sweet Gale, 215.
 Sweet Gum Tree, 209.
 Sweet Pea, 164.
 Swine's Succory, 178.
 Syrian Rue, 105.
 Syringa, 110.
 Tacamahac, 217.
 Tallow Tree, 112.
 Tamarind, 148.
 Tamarisk, 61.
 Tansy, 183.
 Tare, 165.
 Tea Tree, 157.
 Teak Wood, 43.
 Teasel, 23.
 Thistle, 178.
 Thorn Apple, 40.
 Thrift, 61.
 Throatwort, 37.
 Thyme, 134.
 Tickseed, 2.
 Tiger Flower, 148.
 Tile Root, 9.
 Toad Flax, 141.
 Tobacco, 41.
 Tenuin Bean, 159.
 Toothach Tree, 216.
 Toothpick, 56.
 Toothwort, 138.
 Touch me not, 47.
 Tower Mustard, 146.
 Treacle Mustard, 143.
 Tree Celandine, 105.
 Tree Mallow, 155.
 Trefoil, 170.
 Trumpet Flower, 137.
 Tuberosc, 68.
 Tulip, 68.
 Tulip Tree, 126.
 Tupelo, 224.
 Turneric, 2.
 Turnep, 147.
 Turnsole, 29.
 Twayblade, 201.
 Umbrella-wort, 8.
 Valerian, 8.
 Venus's Comb, 58.
 Venus's Flytrap, 94.
 Vervain, 137.
 Vetch, 164.
 Vine, 46.
 Violet, 47.
 Viper's Bugloss, 31.
 Viper's Grass, 175.
 Virginian Poke, 105.
 Virgin's Bower, 127.
 Wall Cress, 145.

Wallflower, Page 146.	Water Leaf, Page 32.	White Cedar, Page 211.	Winter Berry, Page 76.	Worm Grass, Page 49.
Walnut, 208.	Water Lily, 122.	White Thorn, 112.	Winter Cherry, 41.	Wormwood, 183.
Wampee Tree, 93.	Water Milfoil, 207.	Whitlow Grass, 144.	Winter Cress, 146.	Yam, 216.
Warratah, 22.	Water Parsnep, 57.	Whortle Berry, 95.	Winter Green, 79.	Yarrow, 193.
Wart Cress, 143.	Water Plantain, 79.	Widow Wail, 8.	Witch Hazel, 28.	Yellow Bird's Nest, 94.
Wartwort, 108.	Water Soldier, 217.	Wild Basil, 134.	Woad, 143.	Yellow Rattle, 142.
Water Caltrops, 27.	Water Starwort, 2.	Wild Bugloss, 31.	Wolfsbane, 125.	Yellow Root, 63.
Water Chickweed, 20.	Water Violet, 33.	Wild Cumin, 47.	Woodbine, 39.	Yellow-wort, 61.
Water Dropwort, 58.	Waterwort, 89.	Wild Liquorice, 159.	Woodruff, 24.	Yew Tree, 219.
Water Hemlock, 58.	Wax Tree, 3.	Willow, 213.	Wood Sage, 130.	Zedoary, 2.
Water Horehound, 5.	Wayfaring Tree, 60.	Willow Herb, 80.	Wood Sorrel, 99.	
	Wheat, 16.	Winter Aconite, 129.		

THE END.