590.5

FI

v.2:2

cop.3

UNIVERSITY OF
ILLINOIS LIBRARY
AT URBANA-CHAMPAIGN
NATURAL HIST. SURVEY

FIELD COLUMBIAN MUSEUM

PUBLICATION 57.

ZOOLOGICAL SERIES.

VOL. II, No. 2.

A LIST
OF THE
LAND AND SEA MAMMALS
OF
NORTH AMERICA

NORTH OF MEXICO.

SUPPLEMENT TO THE SYNOPSIS.

BY

D. G. ELLIOT, F.R.S.E., ETC.

Curator of Department.

CHICAGO, U. S. A.

June, 1901.

590.6
(773)

1

V. 2

70.2

590:5

FI

v. 2²

cop. 3

n. H. S.

PREFACE.

The present List contains all the named forms of North American mammals on land or in the adjacent seas described up to this date, that, under the most lenient treatment, are entitled to any consideration. The various forms that were included in the Appendix to the "Synopsis of North American Mammals" have been placed in their proper positions.

Five species that were omitted from that work, and such forms as have been named since it passed through the press, have been added with their descriptions, and will be found under their respective genera.

A few changes in genera and species, affected by the rule of priority, have been made, and typographical errors in names, which, in spite of every care have appeared in the "Synopsis," have been corrected, and the spelling in this List should be adopted whenever differing from that in the book just mentioned. This publication, therefore, may serve as a Check List of our Mammals, as a guide for labeling specimens, and as a Supplement to the "Synopsis," to be bound with it, and bringing it to date.

The pagination given is that of the "Synopsis."

Especial thanks are due to Dr. F. W. True of the U. S. Nat. Museum, Washington, for photographs of the skulls of *Kogia breviceps* and *Berardius bairdi* in the National collection, from which the plates accompanying this publication were taken.

D. G. E.

June 10, 1901.

CLASS MAMMALIA.

Order I. **Marsupialia.**

Fam. I. **Didelphyidae.**

1. **Didelphys.** Linn., 1758.

	PAGE
1. * <i>Didelphys virginiana</i> . Kerr.	I
<i>Didelphys virginiana pigra</i> . Bangs.	I
2. <i>Didelphys californica</i> . Bennett.	3

Order II. **Edentata.**

Fam. I. **Dasypodidae.**

2. †**Tatu.** Blumenbach, 1799.

3. *Tatu novemcinctus*. (Linn.).....

Order III. **Sirenia.**

Fam. I. **Hydrodamalidae.**

3. **Hydrodamalis.** Retzius, 1794.

4. *Hydrodamalis gigas*. (Zimm.).... 5

Fam. II. **Manatidae.**

4. **Manatus.** Storr, 1780.

5. *Manatus latirostris*. Harl. 6

* Regarding the adoption of this specific name, see Thomas, Amer. Nat., 1901, p. 144.

† See Palmer, Proc. Biol. Soc. Wash., 1897, p. 174.

Mr. Witmer Stone has called my attention to the fact that this generic term was published by Blumenbach in the Handbuch der Naturgeschichte, Göttingen, in 1799, p. 73, four years previous to the edition quoted by Dr. Palmer, thus taking precedence by many years over any generic term proposed for the nine-banded Armadillo. *Novemcinctus* is the only species included in *Tatu*, and therefore represents the genus.

Order IV. **Cetacea.**Fam. I. **Balaenidae.**5. **Balaena.** Linn., 1766.

	PAGE.
6. <i>Balaena glacialis.</i> Bonnat.	8
7. <i>Balaena sieboldi.</i> (Gray.).....	8
8. <i>Balaena mysticetus.</i> Linn.	8
9. <i>Balaena kuzira.</i> (Gray.)	9

6. ***Rhachianectes.** Cope, 1869.

10. <i>Rhachianectes glaucus.</i> (Cope.)	9
---	---

7. **Megaptera.** Gray, 1864.

11. <i>Megaptera nodosa.</i> (Bonn.)	10
<i>Megaptera nodosa osphyia.</i> (Cope.).....	10
12. <i>Megaptera versabilis.</i> (Cope.).....	10

8. **Agaphelus.** Cope, 1868.

13. <i>Agaphelus gibbosus.</i> (Erxleb.)	11
--	----

9. **Balaenoptera.** Lacép., 1804.

14. <i>Balaenoptera acuto-rostrata.</i> Lacép.	11
15. <i>Balaenoptera davidsoni.</i> Scamm.	12
16. <i>Balaenoptera velifera.</i> Cope.	12
<i>Balaenoptera velifera copei.</i> Elliot.	13
17. <i>Balaenoptera physalus.</i> (Linn.)	13
18. <i>Balaenoptera borealis.</i> Less.	13
19. <i>Balaenoptera musculus.</i> (Linn.).....	13
20. <i>Balaenoptera sulfurea.</i> (Cope.).....	14

Fam. II. **Physeteridae.**10. **Physeter.** Linn., 1766.

21. <i>Physeter macrocephalus.</i> Linn.	15
---	----

11. **Hyperoödon.** Lacép., 1804.

22. <i>Hyperoödon rostratus.</i> (Müll.).....	16
---	----

*ῥάχις = *Rhachianectes*, nec *Rachianectes*.

LIBRARY
UNIVERSITY OF ILLINOIS
URBANA

KOGIA BREVICEPS.

Superior surface.

No. 21627 U. S. Nat. Mus. About $\frac{1}{2}$ nat. size.

LIBRARY
UNIVERSITY OF ILLINOIS
URBANA

KOGIA BREVICEPS.

Inferior surface.

No. 21627 U. S. Nat. Mus. About $\frac{1}{2}$ nat. size.

LIBRARY
UNIVERSITY OF ILLINOIS
URBANA

KOGIA BREVICEPS.

No. 21627, U. S. Nat. Mus. About $\frac{1}{2}$ nat. size.

12. *Kogia.

$$\frac{0-0}{9-9} \text{ to } \frac{0-0}{12-12} = 18 \text{ to } 24.$$

Kogia. Gray, Voy. Erebus and Terror. Zool., 1846, p. 22.

"Teeth of the upper jaw absent, or reduced to a rudimentary pair in front; in the lower jaw 9 to 12 on each side, rather long, slender, pointed and curved, with a coating of enamel. Upper surface of cranium concave, with thick, raised posterior and lateral margins, massive and rounded at their anterior terminations above the orbits. Upper edge of the methesmoid forming a prominent sinuous ridge, constituting a kind of longitudinal septum to the base of the great supra-cranial cavity. Rostrum not longer than the cranial portion of the skull, broad at the base, and rapidly tapering to the apex. Vertebrae: C. 7, D. 13 or 14, L. and C. 30; total, 50 or 51. All the cervical vertebrae united by their bodies and arches." (Flower.)

23. breviceps. (*Physeter*), Blainv., Ann. Anat. and Phys., 11, 1838, p. 337.

?*floweri*, Gill, Amer. Nat., iv, 1871, p. 738, fig. 172.

Type locality. Cape of Good Hope.

Geogr. Distr. Indian and Pacific Oceans, coast of southern California and Atlantic coast of North America.

Genl. Char. Blainville's description of a skull of this species in the Paris Museum, from an individual taken at the Cape of Good Hope, translated is as follows: "Skull extremely wide and greatly elevated, having the frontal crests very high and consequently the nasal cavities very deep, something like those of the Cachelots, and terminate abruptly by the very short and pointed maxillaries, therefore the total length is barely an inch greater than the occipital length. The lower jaw has necessarily two branches approaching each other evenly, like a bellows, and have a considerable symphysis, with a narrow extremity, but rounded termination. It is nearly certain that there are no teeth in the upper jaw, but the lower has 14 or 15 on each side, all of which are not in place, 5 only on the left side and 4 on the right remain still in their alveoli; some have been replaced by others; they are narrow, slender, conical, pointed, slightly curved interiorly, and 6 to 8 lines in length. Length of lower jaw, 13 inches; distance between condyles, 12 inches. Length of skull, 14½ inches. Another peculiarity of the skull is the inequality of the nasal cavities, the right being in nearly a rudimentary condition, and some twenty times smaller than the other."

* Omitted in the Synopsis.

Color. Black.

Measurements. Total length, 20 feet.

13. *Ziphius*. Cuv., 1823.

24. *Ziphius cavirostris*. Cuv. 17

25. **grebnitzkii*. (*Ziphius*), Stejneger, Proc. U. S. Nat. Mus., 1883,
p. 77.

Type locality. Bering Island.

Genl. Char. "The tip of the beak is obtuse, with a vertical furrow in the middle, the lower jaw with the two terminal teeth protruding considerably beyond the upper one. From about the middle of the beak towards the tip, the mesethmoidal, ossified in its whole length, arises, like a rounded staff, between and above the premaxillaries, following these to the tip and being totally fused together with them. The nasal groove is very unsymmetrical, owing to a very prominent asymmetry of the premaxillaries and the nasals, so that the direction of the oblique nares forms an angle of not less than 20 degrees with the vertical plane through the longitudinal axis of the skull. The right os nasale and the premaxilla of the same side are by far the larger ones, and form the principal part of the roof above the nares, the nasal not reaching, however, so far forward as the premaxilla. The ante-nasal groove is large, and in the anterior half partly vaulted over by the edges of the premaxillaries, which are somewhat bent inwards. The zygomatic process of the squamosals touches the orbital of the frontals without coalescing however. The jugale is not narrower in the fore part, which, consequently, is not dilated and does not reach the posterior maxillary notch. This is not particularly deep, and the anterior one is still more shallow. The visible part of the vomer is long and narrow, commencing 124 mm. from the tip of the beak. The supraoccipital is rather inclined forwards, forming an angle of about 40 degrees, with a line parallel to the vertical axis of the skull."

Measurements. "Length of the skull in straight line, 983; greatest breadth, 600; length of beak from anterior maxillary notch to tip, 485; length of right nasal, 135; of left nasal, 128; length of lower jaw, 845; length of symphysis, 180; longitudinal diameter of tooth at base, 26; height of tooth, 36." (Stejneger, l. c.)

14. *Mesoplodon*. Gerv., 1850.

26. *Mesoplodon bidens*. (Sowerby.) 18

* Omitted in the Synopsis.

LIBRARY
UNIVERSITY OF ILLINOIS
URBANA

BERARDIUS BAIRDI.

Superior surface of skull $\frac{1}{4}$ nat. size. No. 20992, U. S. Nat. Mus. Type specimen.

LIBRARY
UNIVERSITY OF ILLINOIS
URBANA

BERARDIUS BAIRDI.

Inferior surface of skull $\frac{1}{2}$ nat. size. No. 20992, U. S. Nat. Mus. Type specimen.

LIBRARY
UNIVERSITY OF ILLINOIS
URBANA

BERARDIUS BAIRDI.

1. Lateral view of skull, about $\frac{1}{2}$ nat. size. 2. Lateral view of mandible, about $\frac{1}{2}$ nat. size.
No. 20992, U. S. Nat. Mus. Type specimen.

	PAGE.
27. * <i>Mesoplodon stejnegeri</i> . True.	14

15. †*Berardius*.

$$\frac{0-0}{2-2} = 4.$$

Berardius. Duvernoy, Ann. Scien. Nat. Zoöl., xv, 1851, p. 41.

Frontal portion of skull elevated; rostrum, subcylindrical, slender, long and narrow; maxillaries slightly swollen and expanded at upper ends; two teeth on each side of the symphysis of lower jaw, the anterior the larger and near the end compressed, triangular, similar but smaller than those of *Ziphius*. Nasals broad, flattened in front. Mesethmoid partly ossified.

28. ‡*bairdi*. (*Berardius*), Stejneger, Proc. U. S. Nat. Mus., 1883, p. 75.

Type locality. Stare Gavan, Bering Island.

Genl. Char. Skull only preserved. "Very low and scarcely incurved maxillary crests; the shortest distance of which is $2\frac{2}{3}$ times greater than their greatest height. * * * The groove between the maxillary and the nuchal crest is very shallow. The maxillary notch is deep. The beak is long, making only little less than half the length of the entire skull. Nares straight; right nasal larger than the left one, but not very much. The occipital condyles do not come in contact beneath the foramen magnum; the symphysis of the lower jaw is very short, amounting to only one-fifth of the whole length of the jaw. Teeth are situated on the tip of the lower jaw."

Measurements. "Length of skull, 1405; greatest breadth, 698; length from process of supramaxillaries before orbit to posterior edge of condyles, 610; from same process to tip of beak, 890; greatest height of maxillary crests, 86; length of lower jaw, 1292; length of symphysis, 257. Total length of animal about 18 feet." (Stejneger, l. c.)

Fam. III. **Delphinidae.**

16. *Monodon*. Linn., 1766.

29. <i>Monodon monoceros</i> . Linn.	19
---	----

17. *Delphinapterus*. Lacép., 1804.

30. <i>Delphinapterus leucas</i> . (Pall.).....	19
---	----

* Misplaced on page 14 of the Synopsis. Should go after *M. bidens*, p. 18.

† Omitted in the Synopsis.

‡ Probably merely a straggler on our Pacific coast.

18. Phocaena. Cuv., 1817.

	PAGE.
31. * <i>Phocaena phocaena</i> . (Linn.).....	20
32. <i>Phocaena dalli</i> . True.	21

19. Orcinus. Fitzin., 1860.

33. <i>Orcinus gladiator</i> . (Bonnat.).....	22
34. <i>Orcinus rectipinnus</i> . (Cope.).....	22

20. Pseudorca. Reinh., 1862.

35. <i>Pseudorca crassidens</i> . (Owen.).....	23
--	----

21. Globiocephalus. Less., 1842.

36. <i>Globiocephalus melas</i> . (Traill.).....	23
37. <i>Globiocephalus brachypterus</i> . Cope.	24
38. <i>Globiocephalus scammoni</i> . Cope.	24

22. Grampus. Gray, 1846.

39. <i>Grampus griseus</i> . (Cuv.).....	25
--	----

23. Lagenorhynchus. Gray, 1846.

40. <i>Lagenorhynchus acutus</i> . (Gray.).....	25
41. <i>Lagenorhynchus thicolea</i> . Gray.	26
42. <i>Lagenorhynchus albirostris</i> . (Gray.).....	26
43. <i>Lagenorhynchus obliquidens</i> . Gill.	27

24. Delphinus. Linn., 1758.

44. <i>Delphinus delphis</i> . Linn.	28
---	----

25. Tursiops. Gerv., 1855.

45. <i>Tursiops tursio</i> . (Fabric.).....	29
46. <i>Tursiops gilli</i> . Dall.	29

26. Lissodelphis. Glog., 1841.

47. <i>Lissodelphis borealis</i> . (Peale.).....	30
--	----

27. Prodelphinus. Gerv., 1880.

48. <i>Prodelphinus euphrosine</i> . (Gray.).....	30
49. <i>Prodelphinus crotaphiscus</i> . (Cope.).....	31
50. <i>Prodelphinus plagiodon</i> . (Cope.).....	31
51. <i>Prodelphinus frenatus</i> . (Cuv.).....	32

* By an oversight called in the Synopsis *communis*.

Order V. **Ungulata.**Fam. I. **Tayassuidae.**28. ***Tayassu.** Fisch., 1814.

PAGE.

- 52.
- Tayassu tajacu.**
- (Linn.)..... 33

Fam. II. **Cervidae.**Sub. Fam. I. **Cervinae.**29. **Cervus.** Linn., 1758.

- 53.
- Cervus canadensis.**
- Erxl., 1777. 34
-
- Cervus canadensis occidentalis.*
- H. Smith. 34

30. **Rangifer.** H. Smith, 1827.

- 54.
- Rangifer caribou.**
- (Gmel.)..... 35
-
- 55.
- Rangifer terraenovae.**
- Bangs. 36
-
- 56.
- Rangifer montanus.**
- E. S. Thompson. 36
-
57. †
- Rangifer stonei.**
- Allen, Bull. Amer. Mus. Nat. Hist., N. Y.,
-
- 1901, p. 143.

Type locality. Kenai Peninsula, Alaska.*Genl. Char.* Skull narrow, slender; antlers slender, palmation narrow; brow and beztines well developed. Fringe of white hairs on front of neck. Head and horns alone preserved.*Color.* Nose and middle of nostrils, chin and edges of lower lip grayish white; top of nose to eyes black; sides of head dark brown; space around eyes grayish; top and sides of neck grayish brown, lighter at base of neck; front of neck white, with a white fringe 100 to 130 mm. wide and 200 to 225 mm. long.*Measurements.* Total length, 2159; tail, 152; tarsus, 584; height at elbow, 711; at brisket, 712; at withers, 1321. Taken from the animal in the flesh. (Ex. Allen, l. c.)

- 58.
- Rangifer dawsoni.**
- E. S. Thompson. 36
-
- 59.
- Rangifer groenlandicus.**
- (Gmel.)..... 37
-
- 60.
- Rangifer arcticus.**
- (Rich.)..... 37

31. **Alces.** H. Smith, 1827.

- 61.
- Alces americanus.**
- Jard. 38
-
- 62.
- Alces gigas.**
- Miller. 38

* Fisch. Zoognosia, llii, 1814, pp. 284-289. antedates Dicotyles, Cuv., 1817.

† Published after the Synopsis was issued.

32. Odocoileus. Rafin., 1832.

	PAGE.
63. <i>Odocoileus americanus</i> . (Erxleb.).....	39
<i>Odocoileus americanus macrourus</i> . (Rafin.).....	39
<i>Odocoileus americanus texensis</i> . (Mearns.).....	40
<i>Odocoileus americanus osceola</i> . (Bangs.).....	40
<i>Odocoileus americanus couesi</i> . (Coues & Yarrow.).....	40
64. <i>Odocoileus crooki</i> . (Mearns.).....	41
65. <i>Odocoileus columbianus</i> . (Rich.).....	41
<i>Odocoileus columbianus sitkensis</i> . (Merr.).....	42
<i>Odocoileus columbianus scaphiotus</i> . (Merr.).....	42
66. <i>Odocoileus hemionus</i> . (Rafin.).....	42
67. <i>Odocoileus californicus</i> . (Caton.).....	43

Fam. III. **Antilocapridae.****33. Antilocapra.** Ord., 1818.

68. <i>Antilocapra americana</i> . (Ord.).....	43
--	----

Fam. IV. **Bovidae.**Sub. Fam. I. **Rupricaprinae.****34. Oreamnus.** Rafin., 1817.

69. <i>Oreamnus montanus</i> . (Ord.).....	44
70. <i>Oreamnus kennedyi</i> . Elliot.	44

35. Ovis. Linn., 1766.

71. * <i>Ovis cervina</i> . Desm.	46
<i>Ovis cervina nelsoni</i> . (Merr.).....	46
<i>Ovis cervina auduboni</i> . Merr., Proc. Biol. Soc. Wash., 1901, p. 31.	
<i>Type locality</i> . "Upper Missouri." Bad Lands of South Da- kota?	

* As there is no positive date known for Shaw's plate (610) of the Mountain Sheep, that of 1827 being established purely upon the supposed hypothesis that the work appeared at uniformly regular intervals throughout the twenty-four years of its publication (and of which there is no proof whatever), there should be no hesitation in accepting Desmarest's name *O. cervina* for the species, bestowed without question in 1804, of which Shaw's name *O. canadensis* would be a synonym. A date that is well established should always have precedence over one founded merely upon a supposition.

Published after the Synopsis was issued.

Genl. Char. "Size large; skull and horns broad and massive; molar teeth much larger than in any known American sheep, the upper tooth row in adult males measuring 96 mm. or more, and the three upper molars 63–65 mm. Under jaw (in type specimen) massive, heavy posteriorly, deeply bellied (depth under last molar 52 mm.); angle broadly rounded. In *canadensis* (*cervina*), the jaw is light throughout and the angle, while small, is marked. Horns narrower, and as a rule larger than in *canadensis* (*cervina*)."* (Merr., l. c.) No skins examined.

PAGE.

72. <i>Ovis stonei</i> . Allen.	47
73. <i>Ovis dalli</i> . Nelson.	47
74. <i>Ovis fannini</i> . Hornaday.	425

36. *Ovibos*. De Blainv., 1816.

75. <i>Ovibos moschatus</i> . (Zimm.).....	48
--	----

†*Ovibos moschatus wardi*. Lydekker, Nature, lxiii, Dec., 1900, p. 157.

Type locality. East Greenland.

Geogr. Distr. "Southern border of Ellesmere Land northward through Grinnell Land to the Polar Sea, and on the Greenland coast from about latitude 78° on the western side northward to and around the northern end of Greenland to about latitude 75° N. on the east coast." (Allen.)

Genl. Char. Basal portion of horns narrow. White on face and top of head, and lighter legs.

Color. Similar to *O. moschatus*, but with a white area on the front of the head forming a face spot; ear and patch below the ears gray; between the ears on top of head whitish; saddle mark of light brown; rest of body dark brown.

(Adult bulls have the head and neck almost jet black; visible portion of legs whitish, but sometimes marked with dark brown. The white on head seems very variable, for out of seven specimens supposed to be of this variety in the Field Columbian Museum, none have any white on the *face* except the old cow. The old bull has no white at all upon the head, and the next bull, one in his prime, has a jet black head and neck, with but a little white about the horn bases;

*Relative sizes of molar teeth and parts of crania are properly classed in the majority of cases, with those differences resulting simply from individual variation, and it would seem unlikely that the Dakotas and Montana, contiguous States, would each contain a distinct variety of mountain sheep. The greater depth and massiveness of lower jaw is apparently restricted to the *type specimen*.

† Published after the Synopsis was issued.

the two-year-old animals and two calves have white between the horns, but none on the face. These were stated to have been all members of one herd and killed in the Hudson Bay region.)

37. *Bison*. H. Smith, 1827.

	PAGE.
76. * <i>Bison bison</i> . (Linn.).....	49
<i>Bison bison athabasca</i> . Rhoads.	49

Order VI. **Rodentia.**

Fam. I. **Sciuridae.**

Sub. Fam. I. **Sciurinae.**

38. *Sciurus*. Linn., 1758.

A. *Parasciurus*.

77. <i>Sciurus niger</i> . Linn.	51
78. <i>Sciurus ludovicianus</i> . Custis.	52
<i>Sciurus ludovicianus neglectus</i> . (Gray), (antedates <i>vicinus</i> , Bangs.)	52 and 426
<i>Sciurus ludovicianus limitis</i> . Baird.	53

B. *Neosciurus*.

79. <i>Sciurus carolinensis</i> . Gmel.	53
<i>Sciurus carolinensis leucotis</i> . Gapper.	53
<i>Sciurus carolinensis hypophaeus</i> . Merr.	54
<i>Sciurus carolinensis fuliginosus</i> . Bachm.	55
<i>Sciurus carolinensis extimus</i> . Bangs.	55

C. *Hesperosciurus*.

80. † <i>Sciurus griseus</i> . Ord.	55
<i>Sciurus griseus nigripes</i> . Bryant.	56

D. *Otosciurus*.

81. <i>Sciurus aberti</i> . Woodh.	57
<i>Sciurus aberti ferreus</i> . True=‡concolor. True.	57

E. *Araeosciurus*.

82. <i>Sciurus apache</i> . Allen.	58
83. <i>Sciurus arizonensis</i> . Coues.	59
84. <i>Sciurus huachuca</i> . Allen.	60

* Called *Bison americanus* in the Synopsis. **Bos bison**, Linn. Syst. Nat., 1, 1766, p. 99, antedates *americanus*, Gmel.

† *Sciurus griseus anthonyi*, 74, b, p. 57 of the Synopsis, is not separable from **S. griseus**, and therefore becomes a synonym. (Vide Nelson, Proc. Acad. Scien. Wash., 1, 1900, p. 83.)

‡ Preoccupied. Vide True, Proc. Biol. Soc. Wash., xiii, 1900, p. 183.

F. *Tamiasciurus*.

	PAGE.
85. <i>Sciurus hudsonius</i> . Erxl.	60
<i>Sciurus hudsonius gymnicus</i> . Bangs.	61
<i>Sciurus hudsonius loquax</i> . Bangs.	62
<i>Sciurus hudsonius minnesota</i> . Allen.	62
<i>Sciurus hudsonius dakotensis</i> . Allen.	62
<i>Sciurus hudsonius baileyi</i> . Allen.	63
<i>Sciurus hudsonius ventorum</i> . Allen.	63
<i>Sciurus hudsonius richardsoni</i> . Bachm.	64
<i>Sciurus hudsonius streatori</i> . Allen.	64
<i>Sciurus hudsonius vancouverensis</i> . Allen.	64
<i>Sciurus hudsonius petulans</i> . Osgood.	426
86. <i>Sciurus douglasi</i> . Bachm.	65
<i>Sciurus douglasi mollipilosus</i> . Aud. and Bach.	65
<i>Sciurus douglasi cascadiensis</i> . Allen.	66
<i>Sciurus douglasi albolimbatus</i> . Allen.	66
87. <i>Sciurus fremonti</i> . Aud. and Bach.	66
<i>Sciurus fremonti mogollonensis</i> . Mearns.	67
<i>Sciurus fremonti neomexicanus</i> . Allen.	67
<i>Sciurus fremonti grahamensis</i> . Allen.	67

39. *Tamias*. Illig., 1811.A. *Eutamias*.

88. <i>Tamias dorsalis</i> . Baird.	68
<i>Tamias dorsalis utahensis</i> . (Merr.).....	69
89. <i>Tamias palmeri</i> . (Merr.).....	69
90. <i>Tamias townsendi</i> . Bachm.	69
<i>Tamias townsendi hindsi</i> . Gray.	70
<i>Tamias townsendi pricei</i> . Allen.	70
<i>Tamias townsendi ochrogenys</i> . (Merr.).....	71
91. <i>Tamias merriami</i> . Allen.	71
92. <i>Tamias quadrimaculatus</i> . Gray.	71
93. <i>Tamias senex</i> . Allen.	72
94. <i>Tamias speciosus</i> . Allen.	72
95. <i>Tamias callipeplus</i> . Merr.	73
<i>Tamias callipeplus inyoensis</i> . Merr.	73
96. <i>Tamias frater</i> . Allen.	73
97. <i>Tamias panamintinus</i> . Merr.	74
98. <i>Tamias amoenus</i> . Allen.	74
99. <i>Tamias caurinus</i> . Merr.	74
100. <i>Tamias cinereicollis</i> . Allen.	75

	PAGE.
101. <i>Tamias umbrinus</i> . Allen.	75
102. <i>Tamias quadrivittatus</i> . Say.	75
<i>Tamias quadrivittatus gracilis</i> . Allen.	76
<i>Tamias quadrivittatus luteiventris</i> . Allen.	76
<i>Tamias quadrivittatus felix</i> . Rhoads.	76
<i>Tamias quadrivittatus affinis</i> . Allen.	77
<i>Tamias quadrivittatus borealis</i> . Allen.	77
<i>Tamias quadrivittatus neglectus</i> . Allen.	78
103. <i>Tamias caniceps</i> . (Osgood.).....	426
104. * <i>Tamias minimus</i> . Bachm.	78
<i>Tamias minimus consobrinus</i> . Allen.	78
<i>Tamias minimus alpinus</i> . Merr.	79
105. <i>Tamias oreocetes</i> . (Merr.).....	80
106. <i>Tamias striatus</i> . (Linn.).....	80
<i>Tamias striatus lysteri</i> . Rich.	80
<i>Tamias striatus griseus</i> . Mearns.	81
<i>Tamias striatus venustus</i> . Bangs.	81

40. *Spermophilus*. F. Cuv., 1822.

A. *Callospermophilus*.

107. <i>Spermophilus lateralis</i> . (Say.).....	83
<i>Spermophilus lateralis saturatus</i> . (Rhoads.).....	83
108. <i>Spermophilus cinerascens</i> . (Merr.).....	83
109. <i>Spermophilus castanurus</i> . (Merr.)....	84
110. <i>Spermophilus chrysodeirus</i> . (Merr.)	84
<i>Spermophilus chrysodeirus bernardinus</i> . Nelson.	84
111. <i>Spermophilus wortmani</i> . (Allen.).....	84

B. *Ammospermophilus*.

112. <i>Spermophilus harrisi</i> . Aud. and Bachm.	85
<i>Spermophilus harrisi saxicola</i> . Mearns.	86
113. <i>Spermophilus leucurus</i> . (Merr.).....	86
<i>Spermophilus leucurus cinnamomeus</i> . (Merr.)	86
115. <i>Spermophilus interpret</i> . (Merr.)	86
114. <i>Spermophilus nelsoni</i> . (Merr.).....	87

C. *Otospermophilus*.

116. <i>Spermophilus grammurus</i> . (Say.).....	88
<i>Spermophilus grammurus beecheyi</i> . (Richard.).....	88

**Tamias minimus melanurus*, Merr., 96 b, p. 79 in the Synopsis, is a synonym of *T. minimus*. See Merriam, N. Am. Faun., No. 5, 1895, p. 46. (Foot-note.)

	PAGE.
<i>Spermophilus grammurus fisheri</i> . Merr.	88
<i>Spermophilus grammurus douglasi</i> . (Rich.)	89
<i>Spermophilus grammurus buckleyi</i> . Slack.	89

D. Colobotis.

117. <i>Spermophilus empetra</i> . (Pall.)	89
<i>Spermophilus empetra plesius</i> . Osgood.	427
<i>Spermophilus empetra kadiacensis</i> . Allen.	90
118. <i>Spermophilus beringensis</i> . Merr.	91
119. <i>Spermophilus osgoodi</i> . Merr.	91
120. <i>Spermophilus barrowensis</i> . Merr.	91
121. <i>Spermophilus columbianus</i> . (Ord.)	91
122. <i>Spermophilus richardsoni</i> . (Sabine)	92
123. <i>Spermophilus townsendi</i> . Bachm.	92
124. <i>Spermophilus mollis</i> . Kennicott.	92
<i>Spermophilus mollis stephensi</i> . Merr.	93
<i>Spermophilus mollis yakimensis</i> . Merr.	93
<i>Spermophilus mollis canus</i> . Merr.	93
125. <i>Spermophilus armatus</i> . Kennicott.	93
126. <i>Spermophilus elegans</i> . Kennicott.	94
127. <i>Spermophilus beldingi</i> . Merr.	94
128. <i>Spermophilus oregonus</i> . Merr.	94

E. Xerospermophilus.

129. <i>Spermophilus obsoletus</i> . Kennicott.	95
130. <i>Spermophilus spilosoma</i> . Bennett.	96
<i>Spermophilus spilosoma macropsilotus</i> . Merr.	96
<i>Spermophilus spilosoma major</i> . Merr.	96
<i>Spermophilus spilosoma pratensis</i> . Merr.	96
<i>Spermophilus spilosoma obsidianus</i> . Merr.	97
<i>Spermophilus spilosoma annectens</i> . Merr.	97
131. <i>Spermophilus cryptospilotus</i> . Merr.	97
132. <i>Spermophilus canescens</i> . Merr.	97
133. <i>Spermophilus mohavensis</i> . Merr.	98
134. <i>Spermophilus tereticaudus</i> . Baird.	98
135. <i>Spermophilus neglectus</i> . Merr.	98
136. <i>Spermophilus mexicanus</i> . (Licht.)	98
<i>Spermophilus mexicanus parvidens</i> . Mearns.	99

F. Ictidomys.

137. <i>Spermophilus tridecemlineatus</i> . (Mitch.)	100
<i>Spermophilus tridecemlineatus pallidus</i> . Allen.	100

	PAGE.
<i>Spermophilus tridecemlineatus olivaceus</i> . Allen.	100
<i>Spermophilus tridecemlineatus parvus</i> . Allen.	100
<i>Spermophilus tridecemlineatus alleni</i> . Merr.	101
<i>Spermophilus tridecemlineatus texensis</i> . Merr.	101
<i>Spermophilus tridecemlineatus badius</i> . Bangs.	101
138. <i>Spermophilus franklini</i> . (Sabine.).....	101

41. *Cynomys*. Rafin., 1817.

139. <i>Cynomys ludovicianus</i> . (Ord.).....	102
140. <i>Cynomys gunnisoni</i> . Baird.	103
141. <i>Cynomys lewisi</i> . Aud. and Bachm.	104
142. <i>Cynomys arizonensis</i> . Mearns.	104

42. *Arctomys*. Schreb., 1792.

143. <i>Arctomys monax</i> . (Linn.).....	105
<i>Arctomys monax ignavus</i> . Bangs.	105
<i>Arctomys monax canadensis</i> . (Erxl.).....	106
144. <i>Arctomys pruinosus</i> . Gmel.	106
145. <i>Arctomys flaviventer</i> . Aud. and Bachm.	106
<i>Arctomys flaviventer avarus</i> . Bangs.	427
146. <i>Arctomys dacota</i> . □ Merr.	106
147. <i>Arctomys olympus</i> . Merr.	107

Sub. Fam. II. *Pteromyinae*.

43. *Sciuropterus*. F. Cuv., 1825.

148. <i>Sciuropterus sabrinus</i> . (Shaw.).....	107
<i>Sciuropterus sabrinus macrotis</i> . Mearns.	108
<i>Sciuropterus sabrinus silus</i> . Bangs.	108
149. <i>Sciuropterus volans</i> . (Linn.).....	109
<i>Sciuropterus volans querceti</i> . Bangs.	109
<i>Sciuropterus volans alpinus</i> . Rich.	109
<i>Sciuropterus volans lascivus</i> . Bangs.	428
<i>Sciuropterus volans californicus</i> . Rhoads.	110
<i>Sciuropterus volans oregonensis</i> . Bachm.	110
<i>Sciuropterus volans olympicus</i> . Elliot.	110
<i>Sciuropterus volans fuliginosus</i> . Rhoads.	111
<i>Sciuropterus volans klamathensis</i> . Merr.	111
150. <i>Sciuropterus stephensi</i> . Merr.	111

Fam. II. **Haplodontidae.**

44. **Haplodontia.** Rich., 1829.

	PAGE.
151. Haplodontia rufa. (Rafin.)	112
<i>Haplodontia rufa californica.</i> Peters.	112
152. Haplodontia raineri. Merr.	112
153. Haplodontia pacifica. Merr. ..	114
154. Haplodontia phaea. Merr.	114
155. Haplodontia olympica. Merr.	114

Fam. III. **Castoridae.**

45. **Castor.** Linn., 1766.

156. Castor canadensis. Kuhl.	116
<i>Castor canadensis carolinensis.</i> Rhoads.	116
<i>Castor canadensis fondator.</i> Mearns.	116
<i>Castor canadensis pacificus.</i> Rhoads. ...	117

Fam. IV. **Muridae.**

Sub. Fam. I. **Murinae.**

46. **Mus.** Linn., 1766.

157. Mus rattus. Linn.	117
158. Mus norvegicus. Erxl. (antedates <i>decumanus</i> . Pall.)....	117 and 428
159. Mus alexandrinus. Is. Geoff.	118
160. Mus musculus. Linn.	118

47. **Onychomys.** Baird, 1857.

161. Onychomys leucogaster. (Wied.).....	119
<i>Onychomys leucogaster brevicaudus.</i> Merr.	120
<i>Onychomys leucogaster longipes.</i> Merr.	120
<i>Onychomys leucogaster melanophrys.</i> Merr.	120
<i>Onychomys leucogaster pallescens.</i> Merr.	121
162. Onychomys arcticeps. Rhoads.	121
163. Onychomys longicaudus. Merr.	121
164. Onychomys ramona. Rhoads.	121
165. Onychomys torridus. Coues.	122
<i>Onychomys torridus arenicola.</i> Mearns.	122
<i>Onychomys torridus perpallidus.</i> Mearns.	122
166. Onychomys fuliginosus. Merr.	123

48. *Peromyscus*. Glog., 1842.

	PAGE.
167. * <i>Peromyscus leucopus</i> . Rafin.	124
<i>Peromyscus leucopus noveboracensis</i> . (Fisch.).....	125
<i>Peromyscus leucopus deserticola</i> . (Mearns.).....	125
<i>Peromyscus leucopus sonoriensis</i> . (Le Conte.).....	125
<i>Peromyscus leucopus arizonae</i> . (Allen.)	125
<i>Peromyscus leucopus artemisiae</i> . (Rhoads.).....	126
168. <i>Peromyscus tornillo</i> . Mearns.	126
169. <i>Peromyscus rufinus</i> . (Merr.)... ..	126
170. <i>Peromyscus gossypinus</i> . (Le Conte.).....	126
<i>Peromyscus gossypinus mississippiensis</i> . Rhoads.	127
<i>Peromyscus gossypinus palmarius</i> . Bangs.	127
<i>Peromyscus gossypinus nigriculus</i> . Bangs.	127
171. <i>Peromyscus anastasiae</i> . Bangs.	128
172. <i>Peromyscus insulanus</i> . Bangs.	128
173. <i>Peromyscus canadensis</i> . (Miller.).....	128
<i>Peromyscus canadensis abietorum</i> . Bangs.	128
<i>Peromyscus canadensis umbrinus</i> . Miller.	129
<i>Peromyscus canadensis nubiterrae</i> . Rhoads.	129
174. <i>Peromyscus akeleyi</i> . Elliot.	129
175. <i>Peromyscus texensis</i> . (Woodh.).....	130
<i>Peromyscus texensis medius</i> . Mearns.	130
<i>Peromyscus texensis clementis</i> . Mearns.	130
<i>Peromyscus texensis gambeli</i> . (Baird.).....	130
<i>Peromyscus texensis nebrascensis</i> . (Mearns.).....	130
<i>Peromyscus texensis saturatus</i> . Bangs.	131
<i>Peromyscus texensis arcticus</i> . (Mearns.).....	131
<i>Peromyscus texensis subarcticus</i> . Allen.	131
176. <i>Peromyscus maniculatus</i> . (Wagn.).....	131
177. <i>Peromyscus austerus</i> . (Baird.).....	132
178. <i>Peromyscus mearnsi</i> . (Allen.)	132
179. <i>Peromyscus canus</i> . Mearns.	132
180. <i>Peromyscus boylii</i> . (Baird.).....	132
<i>Peromyscus boylii penicillatus</i> . Mearns.	133
181. <i>Peromyscus keeni</i> . (Rhoads.)	133
182. <i>Peromyscus macrorhinus</i> . (Rhoads.).....	133
183. <i>Peromyscus sitkensis</i> . Merr.	134
184. <i>Peromyscus oreas</i> . Bangs.	134

* The name *americanus*, Kerr, retained in the Synopsis, having been bestowed by that author on an undeterminable species four pages earlier in his work, cannot be again employed, although his *Mus agrarius americanus* is undoubtedly the same as *P. leucopus*, Rafin. (See Allen, Bull. Am. Mus. Nat. Hist., N. Y., 1895, p. 108. Foot-note.) *P. leucopus* will therefore be the proper appellation for the white-footed mouse, nec *americanus*, Kerr.

	PAGE.
185. <i>Peromyscus auripectus</i> . (Allen.).....	134
186. <i>Peromyscus rowleyi</i> . (Allen.).....	134
<i>Peromyscus rowleyi pinalis</i> . (Miller.).....	135
187. <i>Peromyscus attwateri</i> . Allen.	135
188. <i>Peromyscus bellus</i> . Bangs.	135
189. <i>Peromyscus insolatus</i> . (Rhoads.)	135
190. <i>Peromyscus fraterculus</i> . (Miller.).....	136
191. <i>Peromyscus eremicus</i> . (Baird.).....	136
<i>Peromyscus eremicus arenarius</i> . Mearns.	136
192. <i>Peromyscus stephensi</i> . Mearns.	136
193. <i>Peromyscus major</i> . (Rhoads.)	137
194. <i>Peromyscus herroni</i> . (Rhoads.).....	137
<i>Peromyscus herroni nigellus</i> . (Rhoads.).....	137
195. <i>Peromyscus californicus</i> . (Gambel.) ...	137
196. <i>Peromyscus insignis</i> . Rhoads.	138
197. <i>Peromyscus dyselii</i> . Elliot.	138
198. <i>Peromyscus robustus</i> . (Allen.)	138
199. <i>Peromyscus floridanus</i> . (Chapman.).....	138
200. <i>Peromyscus megalotis</i> . (Merr.).....	139
201. <i>Peromyscus truei</i> . (Shufeldt.)	139
<i>Peromyscus truei nasutus</i> . (Allen.).....	139
<i>Peromyscus truei crinitus</i> . (Merr.).....	140
<i>Peromyscus truei scitulus</i> . Bangs.	429
202. <i>Peromyscus nuttalli</i> . (Harl.).....	140
203. <i>Peromyscus michiganensis</i> . (Aud. and Bachm.)	140
<i>Peromyscus michiganensis pallescens</i> . Allen.	140
204. <i>Peromyscus anthonyi</i> . (Merr.)	141
205. <i>Peromyscus taylori</i> . (Thomas.).....	141
206. <i>Peromyscus niveiventris</i> . (Chapman.).....	141
207. <i>Peromyscus phasma</i> . Bangs.	142
208. <i>Peromyscus subgriseus</i> . (Chapman.).....	142
<i>Peromyscus subgriseus rhoadsi</i>	142
<i>Peromyscus subgriseus baliolus</i> . Bangs. .	142

49. *Sigmodon*. Say and Ord., 1825.

209. <i>Sigmodon hispidus</i> . Say and Ord.	144
<i>Sigmodon hispidus littoralis</i> . Chapman.	144
<i>Sigmodon hispidus texensis</i> . (Aud. and Bachm.)	144
<i>Sigmodon hispidus arizonae</i> . Mearns.	144
<i>Sigmodon hispidus pallidus</i> . Mearns.	145
<i>Sigmodon hispidus eremicus</i> . Mearns.	145

	PAGE.
210. <i>Sigmodon spadicipygus</i> . Bangs.	145
211. <i>Sigmodon minimus</i> . Mearns.	146

50. *Oryzomys*. Baird, 1857.

212. <i>Oryzomys palustris</i> . (Harlan.).....	147
<i>Oryzomys palustris natator</i> . Chapman.	147
<i>Oryzomys palustris texensis</i> . Allen.	147
213. <i>Oryzomys aquaticus</i> . Allen.	147
<i>Oryzomys aquaticus coloratus</i> . Bangs.	148

51. **Rhithrodontomys*. Giglioli, 1873.

214. <i>Rhithrodontomys lecontei</i> . (Aud. & Bachm.).....	148
<i>Rhithrodontomys lecontei impiger</i> . Bangs.	149
<i>Rhithrodontomys lecontei dickinsoni</i> . Rhoads. ...	150
215. <i>Rhithrodontomys merriami</i> . Allen.	150
216. <i>Rhithrodontomys dychei</i> . Allen.	150
<i>Rhithrodontomys dychei nebrascensis</i> . Allen.	150
217. <i>Rhithrodontomys montanus</i> . (Baird.).....	151
218. <i>Rhithrodontomys megalotis</i> . (Baird.).....	151
219. <i>Rhithrodontomys longicaudus</i> . (Baird.).....	151
<i>Rhithrodontomys longicaudus pallidus</i> . Rhoads.	152
220. <i>Rhithrodontomys chrysotis</i> . Elliot.	152
221. <i>Rhithrodontomys klamathensis</i> . Merr.	152
222. <i>Rhithrodontomys arizonensis</i> . Allen.	153
223. <i>Rhithrodontomys mexicanus intermedius</i> . Allen.	153
<i>Rhithrodontomys mexicanus aurantius</i> . Allen.	153
224. <i>Rhithrodontomys laceyi</i> . Allen.	153

Sub. Fam. II. *Neotominae*.

52. *Neotoma*. Say and Ord, 1825.

A. *Neotoma*.

225. <i>Neotoma cumulator</i> . Mearns.	154
226. <i>Neotoma micropus</i> . Baird.	155
<i>Neotoma micropus surberi</i> . Elliot.	156
227. <i>Neotoma</i> † <i>baileyi</i> . Merr.	156
<i>Neotoma baileyi campestris</i> . Allen.	156
<i>Neotoma baileyi rubida</i> . Bangs.	157

* ρ^7 $\epsilon\iota\theta\rho\upsilon$ = *Rhithrodontomys* nec *Reithrodontomys*.

† *baileyi* having a brief priority over *campestris*, the latter becomes the subspecies, reversing the arrangement in the Synopsis.

	PAGE.
228. <i>Neotoma floridana</i>	157
<i>Neotoma floridana attwateri</i> . Mearns.	157
229. <i>Neotoma pennsylvanica</i> . Stone.	157
230. <i>Neotoma mexicana</i> . Baird.	158
<i>Neotoma mexicana bullata</i> . Merr.	158
231. <i>Neotoma pinetorum</i> . Merr.	158
232. <i>Neotoma fuscipes</i> . Baird.	158
<i>Neotoma fuscipes macrotis</i> . Thomas.	159
<i>Neotoma fuscipes streator</i> . Merr.	159
<i>Neotoma fuscipes dispar</i> . Merr.	160
<i>Neotoma fuscipes annectens</i> . Elliot.	160
<i>Neotoma fuscipes affinis</i> . Elliot.	160
233. <i>Neotoma fallax</i> . Merr.	161
234. <i>Neotoma bella</i> . Bangs.	429
235. <i>Neotoma intermedia</i> . Rhoads.	161
236. <i>Neotoma gilva</i> . Rhoads.	162
237. <i>Neotoma albigula</i> . Hartley.	162
238. <i>Neotoma angusticeps</i> . Merr.	162

B. *Neotoma*.

239. <i>Neotoma cinerea</i>	163
<i>Neotoma cinerea lepida</i> (antedates <i>desertorum</i> . Merr. Thomas.)	164 and 429
<i>Neotoma cinerea sola</i> . Merr.	161
<i>Neotoma cinerea drummondi</i> . (Rich.)	164
<i>Neotoma cinerea saxamans</i> . Osgood.	429
<i>Neotoma cinerea occidentalis</i> . Baird.	164
<i>Neotoma cinerea fusca</i> . True.	165
<i>Neotoma cinerea columbiana</i> . Elliot.	165
240. <i>Neotoma arizonae</i> . Merr.	165
241. <i>Neotoma grangeri</i> . Allen.	165
242. <i>Neotoma orolestes</i> . Merr.	166
243. <i>Neotoma rupicola</i> . Allen.	166
244. <i>Neotoma cinnamomea</i> . Allen.	166

Sub. Fam. III. **Microtinae.****53. Phenacomys.** Merr., 1889.

245. <i>Phenacomys intermedius</i> . Merr.	167
246. <i>Phenacomys orophilus</i> . Merr.	168
247. <i>Phenacomys olympicus</i> . Elliot.	168
248. <i>Phenacomys preblei</i> . Merr.	168

	PAGE.
249. <i>Phenacomys celatus</i> . Merr.	169
<i>Phenacomys celatus crassus</i> . Bangs.	430
250. <i>Phenacomys constablei</i> . Allen.	169
251. <i>Phenacomys longicaudus</i> . True.	169

54. *Evotomys*. Coues, 1874.

252. <i>Evotomys rutilus</i> . (Pall.).	170
253. <i>Evotomys wrangeli</i> . Bailey.	171
254. <i>Evotomys caurinus</i> . Bailey.	171
255. <i>Evotomys dawsoni</i> . Merr.	172
256. <i>Evotomys orca</i> . Merr.	172
257. <i>Evotomys gapperi</i> . Vigors.	172
<i>Evotomys gapperi ochraceus</i> . Miller.	172
<i>Evotomys gapperi rhoadsi</i> . Stone.	173
<i>Evotomys gapperi loringi</i> . Bailey.	173
<i>Evotomys gapperi galei</i> . Merr.	173
<i>Evotomys gapperi saturatus</i> . Rhoads.	174
258. <i>Evotomys brevicaudus</i> . Merr.	174
259. <i>Evotomys carolinensis</i> . Merr.	174
260. <i>Evotomys ungava</i> . Bailey.	175
261. <i>Evotomys idahoensis</i> . Merr.	175
262. <i>Evotomys mazama</i> . Merr.	175
263. <i>Evotomys obscurus</i> . Merr.	176
264. <i>Evotomys californicus</i> . Merr.	176
265. <i>Evotomys occidentalis</i> . Merr.	176
266. <i>Evotomys nivarius</i> . Bailey.	177
267. <i>Evotomys proteus</i> . Bailey.	177
268. <i>Evotomys alascensis</i> . Miller.	177

55. *Microtus*. Schrank, 1798.

A. *Microtus*.

269. <i>Microtus pennsylvanicus</i> . (Ord.).	179
<i>Microtus pennsylvanicus nigrans</i> . Rhoads.	180
<i>Microtus pennsylvanicus acadicus</i> . Bangs.	180
<i>Microtus pennsylvanicus modestus</i> . (Baird.).	180
<i>Microtus pennsylvanicus fontigenus</i> . Bangs.	181
<i>Microtus pennsylvanicus labradorius</i> . Bailey.	181
270. <i>Microtus drummondi</i> . (Aud. and Bachm.).	181
271. <i>Microtus aztecus</i> . (Allen.)	182
272. <i>Microtus enixus</i> . (Bangs.).	182
273. <i>Microtus terraenovae</i> . Bangs.	182

	PAGE.
274. <i>Microtus breweri</i> . (Baird.).....	183
275. <i>Microtus nesophilus</i> . Bailey.	183
276. <i>Microtus montanus</i> . (Peale.).....	183
<i>Microtus montanus arizonensis</i> . Bailey.	184
<i>Microtus montanus rivularis</i> . Bailey.	184
277. <i>Microtus nanus</i> . (Merr.).....	184
<i>Microtus nanus canescens</i> . Bailey.	185
278. <i>Microtus canicaudus</i> . Miller.	185
279. <i>Microtus dutcheri</i> . Bailey.	185
280. <i>Microtus nevadensis</i> . Bailey.	185
281. <i>Microtus californicus</i> . (Peale.).....	186
<i>Microtus californicus vallicola</i> . Bailey.	186
<i>Microtus californicus constrictus</i> . Bailey.	186
282. <i>Microtus edax</i> . (Le Conte.).....	187
283. <i>Microtus scirpensis</i> . Bailey.	187
284. <i>Microtus operarius</i> . (Nelson.).....	187
285. <i>Microtus macfarlandi</i> . Merr.	187
286. <i>Microtus yakutatensis</i> . Merr.	188
287. <i>Microtus kadiacensis</i> . Merr.	188
288. <i>Microtus unalascensis</i> . Merr.	188
<i>Microtus unalascensis popofensis</i> . Merr.	188
289. <i>Microtus sitkensis</i> . Merr.	189
290. <i>Microtus innuitus</i> . Merr.	189
291. <i>Microtus abbreviatus</i> . Miller.	189
<i>Microtus abbreviatus fisheri</i> . Merr.	190
292. <i>Microtus townsendi</i> . (Bachm.).....	190
293. <i>Microtus tetramerus</i> . (Rhoads.).....	190
294. <i>Microtus longicaudus</i> . (Merr.).....	191
295. <i>Microtus mordax</i> . (Merr.).....	191
296. <i>Microtus macrourus</i> . Merr.	191
297. <i>Microtus angusticeps</i> . Bailey.	192
298. <i>Microtus alticola</i> . (Merr.).....	192
<i>Microtus alticola leucophaeus</i> . (Allen.).....	192
299. <i>Microtus mogollonensis</i> . (Mearns.).....	192
300. <i>Microtus xanthognathus</i> . (Leach.).....	193
301. <i>Microtus chrotorrhinus</i> . Miller.	193
<i>Microtus chrotorrhinus rarus</i> . Bangs.	193
302. <i>Microtus borealis</i> . (Richards.).....	194

B. *Lagurus*.

303. <i>Microtus pauperrimus</i> . (Cooper.).....	195
---	-----

	PAGE.
304. <i>Microtus curtatus</i> . (Cope.)	195
305. <i>Microtus pallidus</i> . (Merr.)	195

C. *Pedomys*.

306. <i>Microtus austerus</i> . (Le Conte.)	196
307. <i>Microtus ludovicianus</i> . Bailey.	197
308. <i>Microtus haydeni</i> . (Baird.)	197
309. <i>Microtus minor</i> . (Merr.)	197

D. *Pitymys*.

310. <i>Microtus pinetorum</i> . (Le Conte.)	198
<i>Microtus pinetorum scalopsoides</i> . (Aud. and Bachm.)	198
<i>Microtus pinetorum auricularis</i> . Bailey.	198
311. <i>Microtus nemoralis</i> . Bailey.	199

E. *Chilotus*.

312. <i>Microtus oregoni</i> . (Bachm.)	200
313. <i>Microtus serpens</i> . (Merr.)	200
314. <i>Microtus bairdi</i> . Merr.	200

F. *Arvicola*.

315. <i>Microtus richardsoni</i> . (De Kay.)	200
<i>Microtus richardsoni macropus</i> . (Merr.)	201
<i>Microtus richardsoni arvicoloides</i> . (Rhoads.)	202

G. *Neofiber*.

316. <i>Microtus alleni</i> . True.	203
-------------------------------------	-----

56. *Synaptomys*. Baird, 1857.A. *Synaptomys*.

317. <i>Synaptomys cooperi</i> . Baird.	203
<i>Synaptomys cooperi* gossi</i> .	204
318. <i>Synaptomys fatuus</i> . Bangs.	204
319. <i>Synaptomys helaletes</i> . Merr.	204

B. *Mictomys*.

320. <i>Synaptomys innuitus</i> . True.	205
<i>Synaptomys innuitus medioxinus</i> . Bangs.	430

*This, being a western form, would seem to be more properly a subspecies of *S. cooperi*, which extends its range from the Atlantic coast to Iowa, than to be associated with *S. helaletes*, only known from the Dismal Swamp, Va., as Dr. Merriam has arranged it.

	PAGE.
321. <i>Synaptomys sphagnicola</i> . Preble.	206
322. <i>Synaptomys wrangeli</i> . Merr.	206
323. <i>Synaptomys dalli</i> . Merr.	206
324. <i>Synaptomys truei</i> . Merr.	207

57. Lemmus. Link, 1795.

325. <i>Lemmus trimucronatus</i> . (Rich.).....	207
<i>Lemmus trimucronatus helvolus</i> . (Rich.).....	208
<i>Lemmus trimucronatus yukonensis</i> . Merr.	208
326. <i>Lemmus nigripes</i> . True.	209

58. Dicrostonyx. Glog., 1841.

327. <i>Dicrostonyx hudsonius</i> . (Pallas.).....	209
<i>Dicrostonyx hudsonius unalascensis</i>	210
<i>Dicrostonyx hudsonius nelsoni</i>	210
<i>Dicrostonyx hudsonius richardsoni</i>	211

59. Fiber. Cuv., 1800.

328. <i>Fiber zibethicus</i> . (Linn.).....	212
<i>Fiber zibethicus pallidus</i> . Mearns.	213
<i>Fiber zibethicus rivalicius</i> . Bangs.	213
<i>Fiber zibethicus aquilonius</i> . Bangs.	213
329. <i>Fiber spatulus</i> . Osgood.	214
330. <i>Fiber obscurus</i> . Bangs.	214
331. <i>Fiber macrodon</i> . Merr.	214

Fam. V. **Geomyidae.**

60. Geomys. Rafn., 1817.

332. <i>Geomys tuza</i> . (Ord.).....	215
<i>Geomys tuza floridanus</i> . (Aud. and Bachm.).....	215
<i>Geomys tuza mobilensis</i> . Merr.	216
<i>Geomys tuza austrinus</i> . Bangs.	217
333. <i>Geomys colonus</i> . Bangs.	217
334. <i>Geomys cumberlandius</i> . Bangs.	217
335. <i>Geomys bursarius</i> . (Shaw.).....	217
336. <i>Geomys lutescens</i> . Merr.	218
337. <i>Geomys breviceps</i> . Baird.	218
<i>Geomys breviceps sagittalis</i> . Merr.	218
<i>Geomys breviceps attwateri</i> . Merr.	219

	PAGE.
338. <i>Geomys texensis</i> . Merr.	219
339. <i>Geomys arenarius</i> . Merr.	219
340. <i>Geomys personatus</i> . True.	220
<i>Geomys personatus fullax</i> . Merr.	220

61. *Cratogeomys*. Merr., 1895.

341. <i>Cratogeomys castanops</i> . (Baird.)	220
--	-----

62. *Thomomys*. Max., 1839.

342. <i>Thomomys bulbivorus</i> . (Richardson.)	222
343. <i>Thomomys nevadensis</i> . Merr.	223
344. <i>Thomomys leucodon</i> . Merr.	223
345. <i>Thomomys operarius</i> . Merr.	223
346. <i>Thomomys bottae</i> . (Eyd. and Gerv.)	223
<i>Thomomys bottae pallescens</i> . Rhoads.	224
347. <i>Thomomys laticeps</i> . Baird.	224
348. <i>Thomomys townsendi</i> . (Richards.)	224
349. <i>Thomomys monticola</i> . Allen.	225
<i>Thomomys monticola pinetorum</i>	225
350. <i>Thomomys mazama</i> . Merr.	225
351. <i>Thomomys quadratus</i> . Merr.	225
352. <i>Thomomys nasicus</i> . Merr.	226
353. <i>Thomomys douglasi</i> . (Richards.)	226
<i>Thomomys douglasi fuscus</i> . Merr.	226
<i>Thomomys douglasi yelmensis</i> . Merr.	226
354. <i>Thomomys talpoides</i> . (Richards.)	227
<i>Thomomys talpoides rufescens</i> . Wied.	227
355. <i>Thomomys melanops</i> . Merr.	227
356. <i>Thomomys fulvus</i> . (Woodh.)	227
<i>Thomomys fulvus nigricans</i> . Rhoads.	228
<i>Thomomys fulvus intermedius</i> . Mearns.	228
357. <i>Thomomys angularis</i> . Merr.	228
358. <i>Thomomys alpinus</i> . Merr.	229
359. <i>Thomomys clusius</i> . Coues.	229
360. <i>Thomomys aureus</i> . Allen.	229
361. <i>Thomomys perpallidus</i> . Merr.	229
362. <i>Thomomys cervinus</i> . Allen.	230
363. <i>Thomomys altivallis</i> . Rhoads.	230
364. <i>Thomomys fossor</i> . Allen.	230

Fam. VI. **Heteromyidae.**Sub. Fam. I. **Dipodomysinae.****63. Dipodomys.** Gray, 1841.

	PAGE.
365. <i>Dipodomys merriami</i> . Mearns.	232
<i>Dipodomys merriami nevadensis</i> . Merr.	232
<i>Dipodomys merriami nitratus</i> . Merr.	233
<i>Dipodomys merriami nitratoides</i> . Merr.	233
<i>Dipodomys merriami exilis</i> . Merr.	233
<i>Dipodomys merriami ambiguus</i> . Merr.	234
<i>Dipodomys merriami parvus</i> . Rhoads.	234
<i>Dipodomys merriami similis</i> . Rhoads.	234
<i>Dipodomys merriami simiolus</i> . Rhoads.	234
366. <i>Dipodomys deserti</i> . Steph.	235
367. <i>Dipodomys spectabilis</i> . Merr.	235
368. <i>Dipodomys montanus</i> . Baird. (antedates <i>elutor</i> . Merr.) .	
.....	235 and 431
369. <i>Dipodomys californicus</i> . Merr.	236
<i>Dipodomys californicus pallidulus</i> . Bangs.	431

64. Perodipus. Fitzin., 1867.

370. <i>Perodipus agilis</i> . (Gambel.)	236
371. <i>Perodipus streator</i> . Merr.	237
372. <i>Perodipus chapmani</i> . (Mearns.)	237
373. <i>Perodipus ordi</i> . (Woodh.)	238
<i>Perodipus ordi columbianus</i> . Merr.	238
374. <i>Perodipus richardsoni</i> . (Allen.)	238
375. <i>Perodipus sennetti</i> . (Allen.)	239
376. <i>Perodipus panamintinus</i> . (Merr.)	239
377. <i>Perodipus longipes</i> . (Merr.)	239
378. <i>Perodipus compactus</i> . True.	240

65. Microdipodops. Merr., 1891.

379. <i>Microdipodops megacephalus</i> . Merr.	241
---	-----

Sub. Fam. II. **Heteromyinae.****66. Perognathus.** Wied, 1839.A. *Perognathus*.

380. <i>Perognathus fasciatus</i> . Wied.	242
<i>Perognathus fasciatus infraluteus</i> . Thomas.	242

	PAGE.
381. <i>Perognathus flavescens</i> . Merr.	243
382. <i>Perognathus merriami</i> . Allen.	243
<i>Perognathus merriami gilvus</i> . Osgood.	243
383. <i>Perognathus flavus</i> . Baird.	244
<i>Perognathus flavus bimaculatus</i> . Merr.	244
<i>Perognathus flavus fuliginosus</i> . Merr.	244
384. <i>Perognathus apache</i> . Merr.	244
385. <i>Perognathus callistus</i> . Osgood.	245
386. <i>Perognathus panamintinus</i> . Merr.	245
<i>Perognathus panamintinus bangsi</i> . Mearns.	245
<i>Perognathus panamintinus arenicola</i> . Stephens.	246
<i>Perognathus panamintinus brevinasus</i> . Osgood.	246
387. <i>Perognathus nevadensis</i> . Merr.	246
388. <i>Perognathus pacificus</i> . Mearns.	246
389. <i>Perognathus amplus</i> . Osgood.	247
390. <i>Perognathus longimembris</i> . (Coues.)	247
391. <i>Perognathus parvus</i> . (Peale.)	247
392. <i>Perognathus monticola</i> . Baird.	248
<i>Perognathus monticola mollipilosus</i> . Coues.	249
<i>Perognathus monticola olivaceus</i> . Merr.	249
<i>Perognathus monticola magruderensis</i> . Osgood.	249
393. <i>Perognathus alticola</i> . Rhoads.	249
394. <i>Perognathus lordi</i> . (Gray.)	250
<i>Perognathus lordi columbianus</i> . Merr.	250
395. <i>Perognathus formosus</i> . Merr.	250

B. *Chaetodipus*.

396. <i>Perognathus baileyi</i> . Merr.	251
397. <i>Perognathus hispidus</i> . Baird.	251
<i>Perognathus hispidus paradoxus</i> . Merr.	252
398. <i>Perognathus penicillatus</i> . Woodh.	252
<i>Perognathus penicillatus angustirostris</i> . Osgood.	252
<i>Perognathus penicillatus pricei</i> . Allen.	253
399. <i>Perognathus eremicus</i> . Mearns.	253
400. <i>Perognathus stephensi</i> . Merr.	253
401. <i>Perognathus intermedius</i> . Merr.	253
402. <i>Perognathus fallax</i> . Merr.	254
403. <i>Perognathus femoralis</i> . Allen.	254
404. <i>Perognathus californicus</i> . Merr.	254
<i>Perognathus californicus dispar</i> . Osgood.	255
405. <i>Perognathus spinatus</i> . Merr.	255

67. Heteromys. Desm., 1822.

	PAGE.
406. <i>Heteromys alleni</i> . Coues.	256

Fam. VII. **Zapodidae.**Sub. Fam. I. **Zapodinae.****68. Zapus.** Coues, 1875.A. *Zapus*.

407. <i>Zapus hudsonius</i> . (Zimm.).....	257
<i>Zapus hudsonius ladas</i> . Bangs.	258
<i>Zapus hudsonius alascensis</i> . Merr.	259
<i>Zapus hudsonius americanus</i> . (Barton.).....	259
<i>Zapus hudsonius campestris</i> . Preble.	259
408. <i>Zapus tenellus</i> . Merr.	259
409. <i>Zapus princeps</i> . Allen.	260
410. <i>Zapus minor</i> . Preble.	260
<i>Zapus minor oregonus</i> . Preble.	260
411. <i>Zapus major</i> . Preble.	260
412. <i>Zapus nevadensis</i> . Preble.	261
413. <i>Zapus trinotatus</i> . Rhoads.	261
<i>Zapus trinotatus alleni</i> . Elliot.	261
<i>Zapus trinotatus montanus</i> . Merr.	262
414. <i>Zapus orarius</i> . Preble.	262
415. <i>Zapus pacificus</i> . Merr.	262
416. <i>Zapus saltator</i> . Allen.	262

B. *Napeozapus*.

417. <i>Zapus insignis</i> . Miller.	263
<i>Zapus insignis roanensis</i> . Preble.	263
<i>Zapus insignis abietorum</i> . Preble.	264

Fam. VIII. **Erethizontidae.**Sub. Fam. I. **Erethizontinae.****69. Erethizon.** F. Cuv., 1822.

418. <i>Erethizon dorsatus</i> . (Linn.).....	264
<i>Erethizon dorsatus picinus</i> . Bangs.	431
419. <i>Erethizon epixanthus</i> . Brandt.	265
<i>Erethizon epixanthus couesi</i> . Mearns.	265
<i>Erethizon epixanthus myops</i> . Merr.	266

Fam. IX. **Ochotonidae.****70. Ochotona.** Link, 1795.

	PAGE.
420. <i>Ochotona princeps</i> . (Richards.)	267
421. <i>Ochotona schisticeps</i> . (Merr.)	267
422. <i>Ochotona collaris</i> . (Nelson.)	268
423. <i>Ochotona cuppes</i> . Bangs.	268
424. <i>Ochotona saxatilis</i> . Bangs.	268
425. <i>Ochotona minima</i> . (Lord.)	269

Fam. X. **Leporidae.****71. Lepus.** Linn., 1758.

426. <i>Lepus arcticus</i> . Leach.	270
<i>Lepus arcticus bangsi</i> . Rhoads.	270
427. <i>Lepus labradorius</i> . Miller.	271
428. <i>Lepus groenlandicus</i> . Rhoads.	271
429. <i>Lepus tschukschorum</i> . Nordquist.	271
430. <i>Lepus othus</i> . Merr.	272
431. <i>Lepus poadromus</i> . Merr.	272
432. <i>Lepus americanus</i> . Erxleb.	273
<i>Lepus americanus phaeonotus</i> . Allen.	273
<i>Lepus americanus virginianus</i> . Harlan.	273
<i>Lepus americanus struthopus</i> . Bangs.	274
<i>Lepus americanus bairdi</i> . Hayden.	274
<i>Lepus americanus washingtoni</i> . Baird.	274
<i>Lepus americanus columbiensis</i> . Rhoads.	275
<i>Lepus americanus dalli</i> . Merr.	275
<i>Lepus americanus macfarlani</i> . Merr.	275
433. <i>Lepus saliens</i> . Osgood.	276
434. <i>Lepus bishopi</i> . Allen.	276
435. <i>Lepus klamathensis</i> . Merr.	276
436. <i>Lepus campestris</i> . Bachm.	277

A. **Limnolagus.**

437. <i>Lepus aquaticus</i> . Bachm.	277
<i>Lepus aquaticus attwateri</i> . Allen.	278
438. <i>Lepus telmalemonus</i> . Elliot.	278
439. <i>Lepus palustris</i> . Bachm.	279
<i>Lepus palustris paludicola</i> . Miller.	279

B. *Silvilagus*.

	PAGE.
440. <i>Lepus floridanus</i> . Allen.	280
<i>Lepus floridanus mallurus</i> . Thomas.	280
<i>Lepus floridanus mearnsi</i> . Allen.	280
<i>Lepus floridanus transitionalis</i> . Bangs.	281
<i>Lepus floridanus alacer</i> . Bangs.	282
<i>Lepus floridanus ubericolor</i> . Miller.	282
<i>Lepus floridanus chapmani</i> . Allen.	282
<i>Lepus floridanus caniculus</i> . Miller.	283
441. <i>Lepus auduboni</i> . Baird.	283
<i>Lepus auduboni sanctidiegi</i> . Miller.	283
442. <i>Lepus holzerni</i> . Mearns.	284
443. <i>Lepus nuttalli</i> . Bachm.	284
444. <i>Lepus baileyi</i> . Merr.	284
445. <i>Lepus grangeri</i> . Allen.	285
<i>Lepus grangeri pinetis</i> . Allen.	285
446. <i>Lepus arizonae</i> . Allen.	285
<i>Lepus arizonae major</i> . Mearns.	286
<i>Lepus arizonae minor</i> . Mearns.	286

C. *Brachylagus*.

447. <i>Lepus idahoensis</i> . Merr.	287
---	-----

D. *Microlagus*.

448. <i>Lepus bachmani</i> . Waterh.	281
449. <i>Lepus cinerascens</i> . Allen.	287

E. **Macrotolagus*.

450. <i>Lepus alleni</i> . Mearns.	288
451. <i>Lepus callotis</i> . Wagl.	288
452. <i>Lepus gaillardi</i> . Mearns.	289
453. <i>Lepus merriami</i> . Mearns.	289
454. <i>Lepus melanotis</i> . Mearns.	290
455. <i>Lepus texensis</i> . Waterh.	290
<i>Lepus texensis eremicus</i> . Allen.	291
<i>Lepus texensis griseus</i> . Mearns.	291
<i>Lepus texensis deserticola</i> . Mearns.	291
456. <i>Lepus californicus</i> . Bachm.	291

* *μάκροτης* — *λάγως*.

Order VII. **Carnivora.**Fam. I. **Felidae.****72. Felis.** Linn., 1766.

	PAGE.
457. <i>Felis concolor.</i> Linn.	293
? <i>Felis concolor oregonensis.</i> Rafin.	294

A. *Leopardus.*

458. <i>Felis onca.</i> Linn.	294
459. <i>Felis pardalis.</i> Linn.	294
460. <i>Felis jaguarondi.</i> Fisch.	295
461. <i>Felis eyra.</i> Fisch.	295

B. *Lynx.*

462. <i>Felis canadensis.</i> Desm.	295
<i>Felis canadensis mollipilosa.</i> (Stone.)	295
<i>Felis canadensis subsolana.</i> (Bangs.)	296
463. <i>Felis rufa.</i> Guldenst.	296
<i>Felis rufa texensis.</i> (Allen.)	298
<i>Felis rufa fasciata.</i> (Rafin.)	297
<i>Felis rufa pallescens.</i> (Merr.)	297
<i>Felis rufa oculatea.</i> (Bangs.)	297
<i>Felis rufa baileyi.</i> (Merr.)	297
<i>Felis rufa eremica.</i> (Mearns.)	298
<i>Felis rufa californica.</i> (Mearns.)	298
<i>Felis rufa floridana.</i> (Rafin.)	299
464. <i>Felis gigas.</i> (Bangs.)	299

Fam. II. **Canidae.**Sub. Fam. I. **Caninae.****73. Canis.** Linn., 1766.

465. <i>Canis occidentalis.</i> Rich.	300
466. <i>Canis nubilus.</i> Say.	300
467. <i>Canis latrans.</i> Say.	301

* No. 448 a. *Felis rufa maculata*, Vig. & Horsf., of the Synopsis, should be changed to *texensis*, Allen, and stand as follows:

Felis rufa texensis (Allen), Bull. Am. Mus. Nat. Hist. 1895, p. 188.

maculata, Vig. & Horsf., Zool. Journ., 18, 1829, p. 381, pl. 13. (nec Kerr.)

rufus, var *maculatus*, Aud. & Bach., N. Am. Quad., 11, 1851, p. 293.

And 448 h. *Felis rufa texensis* (Allen), should be omitted. Kerr's species, *Felis vulgaris maculatus* not being determinable.

	PAGE.
468. <i>Canis nebrascensis</i> . Merr.	301
469. <i>Canis lestes</i> . Merr.	301
470. <i>Canis frustror</i> . Woodh.	302
471. <i>Canis mearnsi</i> . Merr.	302
472. <i>Canis estor</i> . Merr.	302
473. <i>Canis ochropus</i> . Eschsch.	303

74. *Vulpes*. Briss., 1758.

474. <i>Vulpes harrimani</i> . Merr.	303
475. <i>Vulpes kenaiensis</i> . Merr.	482
476. <i>Vulpes regalis</i> . Merr.	482
477. <i>Vulpes necator</i> . Merr.	483
478. <i>Vulpes cascadenis</i> . Merr.	483
479. <i>Vulpes pennsylvanica</i> . (Bodd.)	304
<i>Vulpes pennsylvanica argentata</i> . (Shaw.)	304
<i>Vulpes pennsylvanica macrura</i> . Baird.	305
<i>Vulpes pennsylvanica rubricosa</i> . Bangs.	305
<i>Vulpes pennsylvanica bangsi</i> . Merr.	484
<i>Vulpes pennsylvanica alascensis</i> . Merr.	484
<i>Vulpes pennsylvanica abietorum</i> . Merr.	484
480. <i>Vulpes deletrix</i> . Bangs.	305
481. <i>Vulpes velox</i> . (Say.)	306
482. <i>Vulpes macrotis</i> . Merr.	306
483. <i>Vulpes lagopus</i> . (Linn.)	306
484. <i>Vulpes hallensis</i> . Merr.	307

75. *Urocyon*. Baird, 1857.

485. <i>Urocyon cinereo-argenteus</i> . (Müll.)	307
<i>Urocyon cinereo-argenteus floridanus</i> . Rhoads.	307
<i>Urocyon cinereo-argenteus scotti</i> . Mearns.	308
<i>Urocyon cinereo-argenteus texensis</i> . Mearns.	308
<i>Urocyon cinereo-argenteus californicus</i> . Mearns.	308
<i>Urocyon cinereo-argenteus townsendi</i> . Merr.	309
<i>Urocyon cinereo-argenteus ocythous</i> . Bangs.	309
<i>Urocyon cinereo-argenteus *littoralis</i> . Baird, N. Am. Mamm.,	

1857, p. 143.

Type locality. San Miguel Island, coast of California.

Geogr. Distr. Known only from type locality.

*Omitted in the Synopsis.

Genl. Char. Size very small, half that of *U. cinereo-argenteus*. Tail one-third as long as body without head.

Color. Diminutive miniature of the gray fox. Upper parts mixed grayish white and black; under parts brownish white; base of ears, sides of neck, lower portions of sides of the body and fore legs, cinnamon; chin and sides of muzzle black; lower part of face and throat white; tail with a black stripe above, sides grayish; beneath rusty.

Measurements. Total length, 622; tail vertebræ, 152; hind foot, 89.

Fam. III. **Ursidae.**

Sub. Fam. I. **Ursinae.**

76. Ursus. Linn., 1758.

A. *Thalassarcus.*

	PAGE.
486. <i>Ursus maritimus.</i> Desm.	310

B. *Ursus.*

487. <i>Ursus middendorffi.</i> Merr.	310
488. <i>Ursus dalli.</i> Merr.	311

C. *Danis.*

489. <i>Ursus horribilis.</i> Ord.	312
<i>Ursus horribilis alascensis.</i> Merr.	312
<i>Ursus horribilis horriaeus.</i> Baird.	312
490. <i>Ursus richardsoni.</i> Mayne-Reid.	313

D. *Euarctus*

491. <i>Ursus americanus.</i> Pallas.	313
<i>Ursus americanus sornborgeri.</i> Bangs.	314
492. <i>Ursus luteolus.</i> Griff.	314
493. <i>Ursus floridanus.</i> Merr.	314
494. <i>Ursus emmonsii.</i> Dall.	315

Fam. IV. **Procyonidae.**

Sub. Fam. I. **Procyoninae.**

77. Bassariscus. Coues, 1887.

495. <i>Bassariscus astutus.</i> Licht.	316
<i>Bassariscus astutus raptor.</i> Baird.	316
<i>Bassariscus astutus flavus.</i> Rhoads.	316
<i>Bassariscus astutus oregonus.</i> Rhoads.	317

LIBRARY
UNIVERSITY OF ILLINOIS
URBANA

CONEPATUS MAPURITO.
No. 5437 Field Columbian Museum Coll. Nat. size.

78. Procyon. Storr, 1780.

	PAGE.
496. <i>Procyon lotor</i> . (Linn.)	317
<i>Procyon lotor hernandezii</i> . Wagl.	317
<i>Procyon lotor pallidus</i> . Merr.	318
<i>Procyon lotor pacificus</i> . Merr.	319
<i>Procyon lotor elucus</i> . Bangs.	319

Fam. V. **Mustelidae.**

Sub. Fam. I. **Melinae.**

79. Taxidea. Waterh., 1838.

497. <i>Taxidea americana</i> . (Bodd.)	320
<i>Taxidea americana neglecta</i> . Mearns.	321
<i>Taxidea americana berlandieri</i> . Baird.	321

80. Mephitis. Cuv., 1800.

498. <i>Mephitis mephitis</i> . (Shaw.)	322
<i>Mephitis mephitis hudsonia</i> . Rich.	322
<i>Mephitis mephitis scrutator</i> . Bangs.	324
499. <i>Mephitis elongata</i> . Bangs.	324
500. <i>Mephitis occidentalis</i> . Baird.	324
501. <i>Mephitis milleri</i> . Mearns.	325
502. <i>Mephitis mesomelas</i> . Licht.	325
503. <i>Mephitis estor</i> . Merr.	326
504. <i>Mephitis spissigrada</i> . Bangs.	326
505. <i>Mephitis faetulenta</i> . Elliot.	326
506. <i>Mephitis avia</i> . Bangs.	327

81. *Conepatus.

$$I. \frac{3-3}{3-3}; C. \frac{1-1}{1-1}; P. \frac{2-2}{3-3}; M. \frac{1-1}{2-2} = 32.$$

Conepatus. Gray, Ann. Mag. Nat. Hist., Ser. 2nd; 1, 1837, p. 581.

Body stouter than *Mephitis*; nostrils opening downward and forward, not laterally. First premolar absent. Pterygoid fossæ short and rather narrow; palate extending beyond posterior border of molar. Postorbital processes generally absent. Superior outline of skull a gradual curve from occiput to end of premaxillaries. Fore claws large and strong.

* Omitted in Synopsis.

507. *mapurito. (*Viverra*), Gmel. Syst. Nat., 1, 1788, p. 88.

Type locality. Unknown.

Geogr. Distr. Texas to Arizona, Mexico, Central America, and South America to Patagonia.

Color. Entire upper parts from crown of head to end of tail white, or yellowish white; sides and legs shining black; under parts dull black except a narrow line between jaws and throat which are white. Tail white above and below. Claws white.

Measurements. Total length (dried skin), 790; tail to end of hair, 370.

82. *Spilogale*. Gray, 1865.

	PAGE.
508. <i>Spilogale putorius</i> . (Linn.).....	327
509. <i>Spilogale interrupta</i> . (Rafn.).....	328
510. <i>Spilogale ringens</i> . Merr.	329
511. <i>Spilogale indianola</i> . Merr.	329
512. <i>Spilogale leucoparia</i> . Merr.	329
513. <i>Spilogale gracilis</i> . Merr.	330
514. <i>Spilogale saxatilis</i> . Merr.	330
515. <i>Spilogale phenax</i> . Merr.	331
<i>Spilogale phenax latifrons</i> . Merr.	331
<i>Spilogale phenax arizonae</i> . Mearns.	331
516. <i>Spilogale olympica</i> . Elliot.	332
517. <i>Spilogale ambarvalis</i> . Bangs.	332

Sub. Fam. II. *Mustelinae*.

83. *Gulo*. Storr, 1780.

518. <i>Gulo luscus</i> . (Linn.).....	333
--	-----

84. *Mustela*. Linn., 1766.

519. <i>Mustela americana</i> . Turton.	334
520. <i>Mustela</i> † <i>caurina</i> . Merr.	335
<i>Mustela caurina atrata</i> . Bangs.	335
<i>Mustela caurina brumalis</i> . Bangs.	336
<i>Mustela caurina actiosa</i> . Osgood.	336
521. <i>Mustela pennanti</i> . Erxleb.	337
<i>Mustela pennanti pacifica</i> . Rhoads. ...	337

* This tropical species is occasionally met with in certain portions of United States territory bordering on Mexico. The specimen here described was captured in Pinal County, Arizona.

† *caurina* has priority over *atrata* and should be the species, reversing the order in the Synopsis.

85. *Putorius*. Cuv., 1817.

*Bangs, O., *A Review of the Weasels of Eastern North America*, *Proc. Biol. Soc. Wash.*, Feb., 1896, pp. 11-24.

Merriam, C. H., *Synopsis of the Weasels of North America*, *N. Am. Fauna*, No. 11, June, 1896, pp. 5-36.

A. *Lutreola*.

PAGE.

522. *Putorius vison*. (Briss.)..... 338
Putorius vison lutrecephalus. Harlan. 339
Putorius vison vulgivaqus. Bangs. 340
Putorius vison energumenus. Bangs. 340
Putorius vison ingens. Osgood. 340
523. *Putorius lutensis*. (Bangs.) 340

B. †*Cynomyanax*.

524. *Putorius nigripes*. Aud. and Bach. 335

C. *Arctogale*.

525. *Putorius cicognani*. (Bon.)..... 344
Putorius cicognani richardsoni. (Bon.) 344
Putorius cicognani alascensis. Merr. 344
526. *Putorius streatori*. Merr. 345
527. *Putorius muricus*. Bangs. 434

528. ‡*Putorius alleghenensis*. Rhoads, *Proc. Acad. Nat. Scien. Phil.*, 1901, p. 751.

Type locality. Beallsville, Washington County, Pennsylvania.

Geogr. Distr. Only known from Washington and Allegheny Counties, Pennsylvania.

Genl. Char. Size small, somewhat larger than *P. rixosus*. "Skull broader and flatter with interorbital space high, tumid and constricted posteriorly. No supra-orbital ridges."

Color. Summer Pelage. Upper parts and limbs walnut brown; under parts white. Lower foreleg and feet white; hind feet white on toes. Tail like back, walnut brown, tip blackish.

Winter Pelage. Pure white; blackish and brown hairs at tip of tail.

Measurements. Total length, 175; tail, 22; hind foot, 20.

* Citation of these two papers were inadvertently omitted in the Synopsis.

† Nec ωραζ sed, αρα, αραζ. = *Cynomyanax*.

‡ Published after the Synopsis.

	PAGE.
529. <i>Putorius rixosus</i> . Bangs.	345
<i>Putorius rixosus eskimo</i> . Stone.	345
530. <i>Putorius arcticus</i> . Merr.	345
<i>Putorius arcticus kadiacensis</i> . Merr.	346
531. <i>Putorius noveboracensis</i> . DeKay.	346
<i>Putorius noveboracensis notius</i> . Bangs.	346
<i>Putorius noveboracensis occisor</i> . Bangs.	347
532. <i>Putorius washingtoni</i> . Merr.	347
533. <i>Putorius peninsulae</i> . Rhoads.	347
534. <i>Putorius longicaudus</i> . (Bon.).....	348
<i>Putorius longicaudus oribasus</i> . Bangs.	348
535. <i>Putorius spadix</i> . Bangs.	348
536. <i>Putorius saturatus</i> . Merr.	348
537. <i>Putorius arizonensis</i> . Mearns.	349
538. <i>Putorius alleni</i> . Merr.	349
539. <i>Putorius xanthogenys</i> . (Gray.).....	349
<i>Putorius xanthogenys oregonensis</i> . Merr.	350
<i>Putorius xanthogenys mundus</i> . Bangs.	350
540. <i>Putorius frenatus</i> . (Licht.).....	350
<i>Putorius frenatus neomexicanus</i> . Bart. and Cockerell..	351
541. <i>Putorius haidarum</i> . Preble.	351

Sub. Fam. III. **Lutrinae.**

86. Lutra. Erxleb., 1777.

542. <i>Lutra canadensis</i> . (Kerr.).....	352
<i>Lutra canadensis latavina</i> . F. Cuv.	352
<i>Lutra canadensis vaga</i> . Bangs.	352
<i>Lutra canadensis pacifica</i> . Rhoads.	353
<i>Lutra canadensis sonora</i> . Rhoads.	353
543. <i>Lutra degener</i> . Bangs.	353

87. Latax. Gloger, 1827.

544. <i>Latax lutris</i> . (Linn.).....	354
---	-----

Order VIII. **Pinnipedia.**

Fam. I. **Otariidae.**

88. **Eumetopias.** Gill, 1866.

PAGE.

545. **Eumetopias stelleri.** (Less.)..... 355

89. **Zalophus.** Gill, 1866.

546. **Zalophus californianus.** (Less.) 356

90. **Callotaria.** Palmer, 1892.

547. **Callotaria ursina.** (Linn.)..... 357

Fam. II. **Trichechidae.**

91. ***Trichechus.** Linn., 1766.

548. **Trichechus rosmarus.** Linn. 358

549. **Trichechus obesus.** Illig. 358

Fam. III. **Phocidae.**

Sub. Fam. I. **Cystophorinae.**

92. **Macrorhinus.** F. Cuv., 1824.

550. **Macrorhinus angustirostris.** Gill. 359

93. **Cystophora.** Nills, 1820.

551. **Cystophora cristata.** (Erxleb.) 360

* Three genera have been employed for the Walrus: **Rosmarus**, applied to it in the sixteenth century by Gesner, &c.; **Odobænus**, Linnaeus in 1735, and **Trichechus**, Linnaeus in 1766. For those who take the 12th edition of the *Systema Naturae* as the starting point, there is no difficulty about a selection, for **Trichechus** is made to include both Walrus and Manatees, and as **Manatus** was taken for a genus of Sirenians, **Trichechus** naturally becomes the term for the Walrus. It is those who reject Linnaeus' more matured and completed edition of 1776, and select that of 1758 for their starting point, that trouble begins, and they are obliged to search for a generic term. In the 10th edition **Trichechus** includes the Manatees, and the Walrus is placed among the seals in **Phoca**. The edition of 1735 offers **Odobænus**, passing over, however, to reach it, **Rosmarus**, employed for the Walrus, as stated, in the sixteenth century, and used generically by Klein in 1751, and Scopoli in 1777. Authors have at various times employed all of these terms, and there has been much discussion as to which should be preferred, but no agreement has been reached, and there is not likely to be any until it is finally decided and accepted generally which edition of Linnaeus shall be the starting point, and how many years previous to that shall genera be recognized, and what authors shall be authorities for them. At present it would seem that the advocates for the 12th edition have the best of the argument, for there appears no doubt as to their genus for the Walrus, **Manatus** having been eliminated, and as it may be said that probably the majority of Naturalists still employ **Trichechus**, it would seem more advisable to continue that term, the one finally adopted by Linnaeus himself, and also the one most familiar to all, than to select either of the others with their contested claims.

Sub. Fam. II. **Phocinae.****94. Halichoerus.** Nills, 1820.

	PAGE.
552. <i>Halichoerus grypus.</i> (Fabr.)	361

95. Phoca. Linn., 1758.A. *Erignathus.*

553. <i>Phoca barbata.</i> Fabr.	362
---------------------------------------	-----

B. *Histiophoca.*

554. <i>Phoca fasciata.</i> Zimm.	362
--	-----

C. *Phoca.*

555. <i>Phoca vitulina.</i> Linn.	363
556. <i>Phoca largha.</i> Pall.	363

D. *Pusa.*

557. <i>Phoca hispida.</i> Schreb.	364
---	-----

E. *Pagophilus.*

558. <i>Phoca groenlandica.</i> Fabr.	364
--	-----

Order IX. **Insectivora.**Fam. I. **Soricidae.**Sub. Fam. I. **Soricinae.****96. Sorex.** Linn., 1755.

559. <i>Sorex personatus.</i> Geoff.	366
<i>Sorex personatus streatori.</i> Merr.	367
<i>Sorex personatus *miscix.</i> Bangs.	376
560. <i>Sorex richardsoni.</i> Bachm.	368
561. <i>Sorex tundrensis.</i> Merr.	368
562. <i>Sorex sphagnicola.</i> Coues.	368
563. <i>Sorex fumeus.</i> Miller.	369
564. <i>Sorex macrurus.</i> Batchelder.	369
565. <i>Sorex setosus.</i> Elliot.	369

* Misplaced in the Synopsis.

	PAGE.
566. <i>Sorex vagrans</i> . Baird.	370
<i>Sorex vagrans dobsoni</i> . Merr.	370
<i>Sorex vagrans monticola</i> . Merr.	371
567. <i>Sorex amoenus</i> . Merr.	371
568. <i>Sorex vancouverensis</i> . Merr.	371
569. <i>Sorex nevadensis</i> . Merr.	371
570. <i>Sorex obscurus</i> . Merr.	371
<i>Sorex obscurus longicaudus</i> . Merr.	372
571. <i>Sorex glacialis</i> . Merr.	372
<i>Sorex glacialis alascensis</i> . Merr.	372
<i>Sorex glacialis shumaginensis</i> . Merr.	373
572. <i>Sorex bairdi</i> . Merr.	373
573. <i>Sorex trowbridgii</i> . Baird.	373
574. <i>Sorex montereyensis</i> . Merr.	373
575. <i>Sorex ornatus</i> . Merr.	374
576. <i>Sorex californicus</i> . Merr.	374
577. <i>Sorex shastensis</i> . Merr.	374
578. <i>Sorex tenellus</i> . Merr.	374
<i>Sorex tenellus nanus</i> . Merr.	375
579. <i>Sorex longirostris</i> . Bachm.	375
580. <i>Sorex fisheri</i> . Merr.	375
581. <i>Sorex pacificus</i> . Baird.	375
582. <i>Sorex pribilofensis</i> . Merr.	376
583. * <i>Sorex merriami</i> . Dobson.	376

97. *Microsorex*. Baird, 1857.

584. <i>Microsorex hoyi</i> . Baird.	377
---	-----

98. *Neosorex*. Baird, 1857.

585. <i>Neosorex palustris</i> . Richards.	378
<i>Neosorex palustris navigator</i> . Baird.	379
<i>Neosorex palustris alaskanus</i> . Merr.	379
586. <i>Neosorex albibarbis</i> . Cope.	379
587. <i>Neosorex hydromus</i> . (Dobson.)	379

99. *Atophyrax*. Merr., 1884.

588. <i>Atophyrax bendirii</i> . Merr.	381
<i>Atophyrax bendirii palmeri</i> . (Merr.)	381
<i>Atophyrax bendirii albiventer</i> . (Merr.)	381

* Possibly an Old World shrew. See Merr., N. Am. Faun., No. 10, 1895, p. 89.

100. Blarina. Gray, 1837.

	PAGE.
589. <i>Blarina brevicauda</i> . (Say.)	382
<i>Blarina brevicauda carolinensis</i> . (Bachm.)	383
<i>Blarina brevicauda hulo-phaga</i> . Elliot.	383
<i>Blarina brevicauda peninsulæ</i> . Merr.	383
590. <i>Blarina telmalestes</i> . Merr.	384

A. Cryptotis.

591. <i>Blarina parva</i> . (Say.)	384
592. <i>Blarina floridana</i> . Merr.	385

101. Notiosorex. Baird, 1877.

593. <i>Notiosorex crawfordi</i> . (Baird.)	385
---	-----

Fam. II. Talpidae.**Sub. Fam. I. Myogalinae.****102. Neürotrichus.** Gunth., 1880.

594. <i>Neürotrichus gibbsi</i> . Baird.	387
<i>Neürotrichus gibbsi major</i> . Merr.	387
<i>Neürotrichus gibbsi hyacinthinus</i> . Bangs.	388

Sub. Fam. II. Talpinae.**103. Scalops.** Cuv., 1800-I.

595. <i>Scalops aquaticus</i> . (Linn.)	388
<i>Scalops aquaticus machrinus</i> . (Rafin.)	389
<i>Scalops aquaticus intermedius</i> . Elliot.	390
<i>Scalops aquaticus *australis</i> . Chapman.	390
<i>Scalops aquaticus texensis</i> . Allen.	390
596. <i>Scalops aereus</i> . Bangs.	390
597. <i>Scalops anastasiae</i> . Bangs.	391

104. Scapanus. Pomel., 1848.

598. <i>Scapanus townsendi</i> . (Bachm.)	391
599. <i>Scapanus orarius</i> . True.	392
600. <i>Scapanus californicus</i> . (Ayres.)	392
<i>Scapanus californicus minusculus</i> . Bangs.	435
601. <i>Scapanus alpinus</i> . Merr.	393

* Antedates *parvus*, Rhoads. Transferred in the Synopsis.

	PAGE.
602. <i>Scapanus truei</i> . Merr.	393
603. <i>Scapanus anthonyi</i> . Allen.	393

105. Parascalops. True, 1894.

604. <i>Parascalops breweri</i> . (Bachm.)	394
--	-----

106. Condylura. Illig., 1811.

605. <i>Condylura cristata</i> . (Linn.)	395
--	-----

Order X. **Chiroptera.**

Fam. I. **Vespertilionidae.**

Sub. Fam. I. **Antrozoinae.**

107. Antrozous. H. Allen, 1862.

606. <i>Antrozous pallidus</i> . (Le Conte.)	396
<i>Antrozous pallidus pacificus</i> . Merr.	397

Sub. Fam. II. **Plecotinae.**

108. Euderma. H. Allen, 1891.

607. <i>Euderma maculata</i> . (J. A. Allen.)	398
---	-----

109. Corynorhinus. H. Allen, 1865.

608. <i>Corynorhinus macrotis</i> . (Le Conte.)	399
<i>Corynorhinus macrotis pallescens</i> . Miller.	399
<i>Corynorhinus macrotis townsendi</i> . (Cooper.)	400

110. Myotis. Kaup., 1829.

609. <i>Myotis velifer</i> . Allen.	401
610. <i>Myotis lucifugus</i> . (Le Conte.)	402
<i>Myotis lucifugus alascensis</i> . Miller.	402
<i>Myotis lucifugus longicrus</i> . (True.)	402
611. <i>Myotis yumanensis</i> . (H. Allen.)	403
<i>Myotis yumanensis saturatus</i> . Miller.	403
612. <i>Myotis californicus</i> . (Aud. and Bachm.)	403
<i>Myotis californicus caurinus</i> . Miller.	404
<i>Myotis californicus ciliolabrum</i> . Merr.	404
<i>Myotis californicus pallidus</i> . Steph.	405

	PAGE.
613. <i>Myotis subulatus</i> . (Say.).....	405
<i>Myotis subulatus keeni</i> . Merr.	405
614. <i>Myotis evotis</i> . H. Allen.	406
<i>Myotis evotis thysanodes</i> . Miller.	406
 111. Lasionycteris. Peters, 1865. 	
615. <i>Lasionycteris noctivagans</i> . (Le Conte.)	407
 112. Pipistrellus. Kaup., 1829. 	
616. <i>Pipistrellus hesperus</i> . (H. Allen.).....	409
617. <i>Pipistrellus subflavus</i> . (F. Cuv.)	409
<i>Pipistrellus subflavus obscurus</i> . (Miller.)	409
 113. Vespertilio. Linn., 1758. 	
618. <i>Vespertilio fuscus</i> . (Beauv.).....	410
 114. Lasiurus. Gray, 1831. 	
619. <i>Lasiurus borealis</i> . (Müll.).....	411
<i>Lasiurus borealis seminolus</i> . Rhoads.	413
<i>Lasiurus borealis teliotis</i> . H. Allen.	413
620. <i>Lasiurus cinereus</i> . (Beauv.).....	413
 115. Dasypterus. Peters, 1871. 	
621. <i>Dasypterus intermedius</i> . (H. Allen.).....	414
 116. Nycticejus. Rafin., 1819. 	
622. <i>Nycticejus humeralis</i> . (Rafin.).....	415
 117. Nyctinomus. Geoff., 1812. 	
<i>Nyctinomus macrotis nevadensis</i> . H. Allen.	417
623. <i>Nyctinomus brasiliensis</i> . Geoff.	417
624. <i>Nyctinomus femorosaccus</i> . Merr.	417
625. <i>Nyctinomus mohavensis</i> . Merr.	418

Fam. II. **Phyllostomatidae.**

Sub. Fam. I. **Lobostominae.**

118. Mormops. Leach, 1820-22.

	PAGE.
626. <i>Mormops megalophylla</i> . Peters.	418

119. Otopterus. Gray, 1843.

627. <i>Otopterus californicus</i> . Baird.	420
--	-----

Fam. III. **Noctilionidae.**

Sub. Fam. I. **Molossinae.**

120. Promops. Gerv., 1855.

628. <i>Promops californicus</i> . Merr.	421
---	-----

NOTE.—As this List is going to press the following description is received:

***Didelphys marsupialis texensis*.**

D. m. texensis. Allen, Bull. Am Mus. Nat. Hist., 1901, p. 172.

Type locality. Brownsville, Texas.

Geogr. Distr. Neuces Bay southward, and Rio Grande Valley as far as Del Rio, Val Verde County.

Differences from *D. marsupialis* consist in: "relatively longer tail, longer nasals. usually terminating posteriorly in an acute angle."

Measurements. Total length, 698-820; tail, 255-410; tarsus, 58-73.

INDEX.

	PAGE.		PAGE.
Agaphelus.....	478	Geomys.....	499
Alces.....	483	Globiocephalus.....	482
Antilocapra.....	484	Grampus.....	482
Antrozous.....	517	Gulo.....	510
Arctomys.....	490		
Atophyrax.....	515	Halichoerus.....	514
		Haplodontia.....	491
Balaena.....	478	Heteromys.....	503
Balaenoptera.....	478	Hydrodamalis.....	477
Bassariscus.....	508	Hyperoödon.....	478
Berardius.....	481		
Bison.....	486	Insectivora.....	514
Blarina.....	516		
		Kogia.....	479
Callotaria.....	513		
Canis.....	506	Lagenorhynchus.....	482
Carnivora.....	506	Lasionycteris.....	518
Castor.....	491	Lasiurus.....	518
Cervus.....	483	Latax.....	512
Cetacea.....	478	Lemmus.....	499
Chiroptera.....	516	Lepus.....	504
Condylura.....	517	Lissodelphis.....	482
Conepatus.....	509	Lutra.....	512
Corynorhinus.....	517		
Cratogeomys.....	500	Macrorhinus.....	513
Cynomys.....	490	Manatus.....	477
Cystophora.....	513	Marsupialia.....	477
		Megaptera.....	478
Dasypterus.....	518	Mephitis.....	509
Delphinapterus.....	481	Mesoplodon.....	480
Delphinus.....	482	Microdipodops.....	501
Dicrostonyx.....	499	Microsorex.....	515
Didelphys.....	477	Microtus.....	496
Dipodomys.....	501	Monodon.....	481
		Mormops.....	519
Edentata.....	477	Mus.....	491
Erethizon.....	503	Mustela.....	510
Euderma.....	517	Myotis.....	517
Eumetopias.....	513		
Evotomys.....	496	Neosorex.....	515
		Neotoma.....	494
Felis.....	506	Neörotrichus.....	516
Fiber.....	499	Notiosorex.....	516

	PAGE.		PAGE.
Nycticejus.....	518	Rhithrodontomys.	494
Nyctinomus.....	518	Rodentia.....	486
Ochotona.....	504	Scalops.....	516
Odocoileus.....	484	Scapanus.....	516
Onychomys.....	491	Sciuropterus.....	490
Oreamnus.....	484	Sciurus.....	486
Orcinus.....	482	Sigmodon.....	493
Oryzomys.....	494	Sirenia.....	477
Otopterus.....	519	Sorex.....	514
Ovibos.....	485	Spermophilus.....	488
Ovis.....	484	Spilogale.....	510
		Synaptomys.....	498
Parascalops.	517	Tamias.....	487
Perodipus.....	501	Tatu.....	477
Perognathus.....	501	Tayassu.....	483
Peromyscus.....	492	Taxidea.....	509
Phenacomys... . .	495	Thomomys.....	500
Phoca.....	514	Trichechus.....	513
Phocaena.....	482	Tursiops.....	482
Physeter.....	478		
Pinnipedia.....	513	Ungulata.....	483
Pipistrellus.....	518	Urocyon.....	507
Procyon.....	509	Ursus.....	508
Prodelphinus.....	482		
Promops.....	519	Vespertilio.....	518
Pseudorca.....	482	Vulpes.....	507
Putorius.....	511		
		Zalophus.....	513
Rangifer.....	483	Zapus... ..	503
Rhachianectes.....	478	Ziphius.....	480

UNIVERSITY OF ILLINOIS-URBANA

3 0112 027923710