Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

FEB 23 1917

INDEXED.

PRICE LIST

Grafted Paper Shell Pecan Trees

SEASON 1916-1917

	SUCCESS	STUART	DELMAS	VAN DEMAN
Size	Each	Ten	Hundred	
1 to 2 Feet	\$.35	\$ 3.00	\$20.00	
2 to 3 Feet	.60	4.00	30.00	
3 to 4 Feet	.80	6.00	45.00	
4 to 5 Feet	1.00	7.00	60.00	
5 to 6 Feet	1.30	8.50	75.00	
6 to 7 Feet	1.50	9.50	90.00	
7 to 8 Feet	1.65	11.50	100.00	
8 to 9 Feet	1.75	12.50	115.00	

And a limited supply of Russell, Frotscher, Schley and Pabst

Will quote prices on larger trees.

Grafting and budding wood for sale.

In lots of five, at the ten tree rate; in lots of fifty, at the hundred tree rate.

W. P. Ramsay Pecan Nursery

OCEAN SPRINGS, MISS.

DELMAS

A very fine, large nut, well flavored. The tree is a strong and vigorous grower and prolific bearer.

SUCCESS

A very fine nut. Tree fruits well and is quite a favorite.

STUART

A large, excellent nut. Tree young and a heavy bearer; adapted to a larger territory than any other nut.

VAN DEMAN

Fine meat and a first class nut in every way.

FROTSCHER

Nut large, quality good, shell very thin.

PABST

Thrifty grower, nuts medium large quality the best.

SCHLEY

One of the best; medium size; shell very thin.

RUSSELL

One of the thinnest shelled varieties, well flavored and a prolific bearer.

IMPORTANT NOTES

All orders accepted are subjected to stock being sold weather and other conditions beyond our control.

A Certificate of Inspection will accompany each shipment, showing nurseries to be free from disease.

Trees will not be dug before order is received, thereby insuring absolutely fresh roots. We dig them with long tap roots.

Every tree grafted with bearing wood and guaranteed true to name.

Any information not contained herein will be furnished gladly upon request.

References: Cashier of Ocean Springs State Bank or any business house in Ocean Springs.

Terms: Cash with order.

HOW TO PLANT TREES

Plant from December to the end of February. Never allow roots to be exposed to sunshine or wind; heel them in or keep covered with a wet sack, and only uncover as needed.

Trim all broken or bruised roots with a sharp knife and set the tree in hole about as deep as it grew in nursery, preferably a little deeper rather than too shallow.

Fill in hole with top soil. If any fertilizer is used at all, use only a small amount of bone meal, well mixed with the soil. Any cultivated crop may be grown between the trees.

All correspondence answered the same day as received.

LET ME BOOK YOUR ORDER NOW

W. P. RAMSAY

OCEAN SPRINGS, MISS.