Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

A93.6
P69
Cop. 2

SERIES I. EVALUATION OF FOREIGN FRUITS AND NUTS

NO. 10. WALNUTS

EVALUATION OF PERSIAN WALNUT INTRODUCTIONS

by

R. L. SMITH, L. E. JOLEY AND W. E. WHITEHOUSE

U. S. PLANT INTRODUCTION STATION, CHICO, CALIFORNIA
New Crops Research Branch
Crops Research Division
Agricultural Research Service
United States Department of Agriculture

July 1960

CR 44-60

THE UNIVERSITY OF CHICAGO

 

1911

This is a progress report on the evaluation of foreign fruits prepared as a cooperative service to state and federal experiment stations, the interpretation of which may be modified with additional experimentation. Varietal names listed are those under which the material was introduced. Publication, display or distribution of any data or any statement herein should not be made without prior written approval of the Crops Research Division, A.R.S., U.S. Department of Agriculture.

Evaluation of Persian Walnut Introductions
U. S. Plant Introduction Station
Chico, California

R. L. Smith¹, L. E. Joley¹, and W. E. Whitehouse²

INTRODUCTION

This report summarizes evaluation data on a collection of Walnuts (Juglans regia L.) growing at the U. S. Plant Introduction Station, Chico, California, with special reference to climatic variations. This collection, averaging 20 years of age or older, consists of 149 seedlings representing 67 introductions from 12 countries, plus varieties Manregian (P.I. 18256), Sorrentina (P.I. 33189), and Wheeler Franquette. For comparison purposes, nuts of the varieties Eureka, Franquette, Hartley, and Payne have been included.

PROCEDURE

The data compiled for this paper were taken during 1943 to 1946 with additional information added in 1958 and 1959. Factors evaluated were dates of first terminal leafing and full bloom, dichogamy, yield, harvest season, average diameter and shape of nut, separation, percentage, average weight and color of kernels, and eating quality. The first terminal leafing dates were determined when approximately 5 percent of the terminal leaves over the entire tree had grown to approximately one-fourth inch. Dates of full male bloom were determined when about 75 percent of the catkins were shedding pollen and full female bloom when about 75 percent of the pistillate flowers were expanded.

The countries of source (Table 1) are listed alphabetically and under each the seedlings are arranged from earliest to latest average date of first terminal leafing for 1948 and 1949. Dates of first terminal leafing are used since it is felt that they are a more reliable index of the end of the dormant period than are blossoming dates.

Under dichogamy (Table 1) the flowering of individuals is considered protandrous (Pa) when pollen shedding occurs before the pistillate flowers are receptive and protogynous (Pg) when the pistillate flowers are receptive before pollen shedding.

The harvest season of each introduction was designated, early (E) for those ripening with Payne, generally the last week of September; mid-season (M) for individuals ripening with Hartley and Eureka, usually Mid-October, or late (L) for those maturing with Franquette, often the last week of October.

¹/ Horticulturist, Chico, California

²/ Horticulturist, Supervisory, Beltsville, Maryland

Any which ripened later than November 1 were designated very late (VL).

The nut and kernel characteristics were averages of 10 or more nuts in most instances and represent a particular year when the information could be obtained.

The average diameter was based on measurements taken at the widest cross-sectional area of the nut.

The shapes of these walnuts, with but few exceptions, were compared either with Payne (P) which is nearly round, Franquette (F) which is slightly oblong or Eureka (E) which is oblong.

Separation refers to the ease with which the kernel cracks out of the shell. This ranges from poor (P) where broken pieces of kernel remain tightly wedged in the shell; through fair (F), where whole kernels or large pieces can be cracked out but often with some difficulty, to good (G), where whole kernels can be cracked out with comparative ease.

Percentage of kernel expresses the weight of the kernel in relation to the weight of the whole nut, while the kernel weight is an indication of its relative size.

The color classification for kernels was based on the U.S.D.A. Agricultural Marketing Service, Walnut Control Board Color Chart (11). They were classified by this chart as either extra light, light, light amber or amber when over 50 percent of the kernels of any selection would fall into one of the color classifications.

Table 2 was arranged to indicate the relationship between source and date of first terminal leafing for each seedling in 1948 and 1949.

The weather data presented in Table 3 was compiled from official weather bureau records taken at a weather station located approximately 1/2 mile from the walnut introductions. This table shows the average temperatures with departure from normal, total precipitation with departure from normal and cumulative summations of hours of temperature below 45°F. in monthly periods from September to April 30 for 1947-48 and 1948-49.

PHENOLOGY

In the spring of 1948 there was a spread of 55 days from the time the earliest seedling showed first terminal leaves to the latest (Table 2), whereas in 1949 all of the seedlings started growth within a 23 day period.

As indicated in Table 3, October, November, and December of 1947 had below normal average monthly temperatures followed by a warm January which averaged 48.8°F. or 2.9°F. above normal. This was the warmest January in 34 years with 7 days during the month that had maximum temperatures of 65°F. or over. February turned cool again with an average temperature of 46.8°F. or 2.3°F. below the February normal. The dormant season for

1948-49 was unusually cold. Both November and December had below average temperatures and January 1949 was one of the coldest months on record for Chico, averaging 37.5°F., a deficiency of 8.4°F. February and March were also below normal by 3.5 and 2.9°F. respectively.

EVALUATION

In the following summary the walnut introductions are discussed by country of source listing both the average characteristics within each group along with observations pertaining to selections of special interest.

Afghanistan

The trend, although variable, was toward earliness of leafing and blossoming among the introductions from Afghanistan with generally early to mid-season harvest. General size, appearance and quality of the nuts was good, comparing favorably with commercial varieties grown in the Chico area. The average crackout percentage and kernel size would also meet commercial standards. Although kernel color tends to be dark, with the majority classified light amber, the following four seedlings produced light colored kernels: P.I. 127460 at orchard location D 42-13¹, P.I. 159562, P.I. 159566, and P.I. 163539. Of special interest among the lightkerneled selections is P.I. 159562, for its lateness of bloom, good quality of kernel, kernel separation, and cropping record. The parent tree of P.I. 163539 is reported to have grown at 7000 ft. where minimum temperatures of -30°F. have been recorded. It produces paper shell nuts of good flavor (10). Others of interest are P.I. 159558, a protogynous selection with an early harvest season producing large nuts of good kernel size and quality, and P.I. 159568 that also matures early and has good nut and kernel size. This latter selection has also shown evidence of blight resistance at Davis, California (7).

Although the introductions from Afghanistan are known to come from areas with considerable cold, seedlings of 5 selections from this source have failed to survive at Morden, Canada (9). Clones of 5 accessions were killed at Hermiston, Oregon, by a November freeze (4) and at Norris, Tennessee, the trial of 3 clones proved they were too susceptible to spring frosts (14). Seedlings of 23 selections grown at Cheyenne, Wyoming, since 1950 were killed to the ground by a December 1959 freeze of -24°F. (3). One seedling at Salem, Ohio, shows some promise of being cold hardy (8).

¹/ The orchard location is given to identify the seedling described where there is more than one seedling of an introduction under evaluation.

Algeria

There was only a single representative from Algeria. It is about mid-season in bloom and produces nuts of good size, although many of the kernels darken and shrivel under Chico conditions.

Bulgaria

The introductions from Bulgaria tend to bloom in mid-season and produce nuts with small dark kernels of only fair quality.

Chile

The one introduction from this source P.I. 265716 may be of interest for its apparent low chilling requirements and early maturing nuts of good kernel size and quality.

China

The four introductions from China tend to leaf out and bloom early. One from this source, P.I. 125248, is of interest for its good cropping record, large size nuts of good quality, and kernels which are mostly light colored. A seedling selection P.I. 18256, of particular merit from this source, has been named Manregian and has demonstrated cold hardiness in Oregon. Its seedlings have also been reported to withstand -20°F. in the New England states (6). The indications in Michigan, however, are that Manregian and some of its seedlings are less hardy than Carpathian types (5).

In a search for better walnut rootstocks conducted by Oregon State College, Manregian rated the highest of all the English walnuts tested for germination, seedling height, caliper, and uniformity of growth (15).

Estonia

Trees from this source tended to leaf out and bloom later than the average accession. As a group the Estonian walnuts averaged the smallest size of those tested at Chico. The typical kernel was small and light amber in color. Selection P.I. 265719 is of interest for its light colored kernels and very good separation.

Although walnuts from Estonia should possess cold hardiness seedlings of 7 introductions failed to survive at Morden, Canada. Two clonal selections

were killed by a November freeze at Hermiston, Oregon, and at Norris, Tennessee, 2 clones proved too susceptible to late spring frosts. However, seedling progeny of two selections show some cold hardiness at Salem, Ohio (8).

India

Introductions from India were mid-season or earlier in showing first terminal leaves and bloom. Size of nuts and kernels from this source was good but in general some difficulty was experienced in extracting the kernels from the shell. Selection P.I. 265718 is noted for its very small irregularly shaped nut much resembling the nuts produced by the paradox hybrid walnut J. regia x J. hindsii.

Iran

Iranian introductions tended to leaf out and bloom early under Chico conditions. Nuts from this group tended to be large and yielded light amber kernels of good quality. Of particular interest is P.I. 125243 D38-3, for its large nuts, better than average kernel separation, and light colored meats.

Italy

The variety Sorrentina, P.I. 33189, a single introduction from Italy, yielded good crops of fair sized Eureka shaped nuts, having light amber colored kernels of good quality.

A tree of the Sorrentina variety budded to the Chinese wingnut Pterocarya stenoptera (13) planted in 1940 measures 7 feet 2 inches in circumference one foot above the bud union and is about 40 feet in height. Another tree of this variety propagated on J. hindsii, and planted in the same orchard in 1934, measures 9 feet in circumference one foot above the bud union and is about 50 feet in height. The tree on J. hindsii shows moderate overgrowth of the root, whereas the tree on P. stenoptera is still showing no overgrowth of either scion or stock.

Manchuria

The one introduction from Manchuria is early leafing and blooming, and has large size nuts with large light amber kernels of good quality.

Poland

The Polish introductions, from areas other than the Carpathian Mountains were the latest to show terminal leafing in the spring of any of the populations tested at Chico. Most of the nuts from this source were small. Some of the better selections are: P.I. 142327 with light colored kernels of good size and quality; P.I. 142331 with unusually large square shaped late maturing nuts somewhat like the Wilson Wonder type; P.I. 159548 with good nut quality and early maturity and P.I. 228149 with early maturity.

Seedlings representing 15 Polish selections have been killed by low temperatures at Morden, Canada, and frozen to the ground at Cheyenne, Wyoming. Some of the progeny of 5 of these same accessions are showing cold resistance at Salem, Ohio (8).

Walnuts from the Carpathian Mountains on the other hand are quite variable as to date of leafing and blossoming, season of maturity, and nut characteristics. As a group, however, they tended to be slightly later than mid-season for first terminal leafing. The average size of the nuts from this source was somewhat smaller than present commercial varieties. Their appearance, except for size, was generally good. Kernel color, however, tended to be dark, with 20 percent classified amber, 77 percent light amber, and 3 percent light. Selections from this source, of interest are: P.I. 265717 which combines late leafing with good nut and kernel size; P.I. 145967 bearing nuts of good size and very good quality; P.I. 145974 producing nuts notable for large kernels and early maturity; and P.I. 145979 an early maturing type with nuts of commercial size and good quality.

While seedlings of 12 accessions from this source failed to survive at Morden, Canada, a tree at Salem, Ohio, and three at Cheyenne, Wyoming, are showing some promise of being cold hardy.

USSR SOCHI DISTRICT

As a group the introductions from this area were about mid-season in terminal leafing. Selections of particular interest are P.I. 265715, P.I. 265712, and P.I. 265713 which bore nuts and kernels of large size and P.I. 265714 which is noted for early maturity and high percentage of kernel.

DISCUSSION

Bennett (2) studying the chilling requirements of pears found that alternating periods of cold and warm temperatures were not as effective in breaking the rest of leaf buds as continued cold without interruption, even though the total cumulative exposure was the same. In an experiment with the peach variety Sullivan Elberta Weinberger (12) likewise found that at certain periods during the dormant season, particularly December at Fort Valley, Georgia, the occurrence of high temperatures would prolong dormancy of this variety. In addition Serr (7) has recognized that some walnut varieties are capable of starting growth in the spring at lower temperatures than others.

Considering these findings of Bennett, Weinberger, and Serr, it appears that two separate factors were responsible for the prolonged leafing and blossoming period of 1948. First, the high temperatures of January apparently offset some of the previous chilling and tended to prolong the rest period. Secondly, the below average growing temperatures of March 48.6°F. as compared with an average of 54.5°F. delayed the early leafing of some individuals and slowed the growth rate for others, which then tended to lengthen the leafing and blossoming season.

Many of the seedlings which had leafed out early in 1948 apparently had their rest period broken by February 1, 1949, with an accumulation of 1480 hours below 45°F. The early-leafing seedlings were held back, however, by the low temperatures and cloudy wet weather which persisted from February 1 to March 21, there being only 11 clear days during this period. Ackerman et al., (1) recorded a similar delay in the blossoming of low chilling peaches and nectarines during this same season (1948-49). The additional accumulation of 501 hours of temperature below 45°F. between February and the end of March was apparently sufficient to break the rest period of the higher chilling types. With the advent of warm weather during the last part of March and early April all seedlings were able to leaf out and bloom during a relatively short period.

While most of these walnut introductions are inferior in one or more respects to commercial varieties grown in California, they are of increasing interest for potential cold hardiness. This is especially true of those from countries having severe winters such as Afghanistan, Bulgaria, Estonia, Manchuria, Poland, and the USSR. Although individual seedling characteristics are variable, a trend towards late leafing and blossoming can be noted in the Polish introductions. Also each of the four accessions from China produce large nuts with plump kernels and good crack out percentages. At least one from this source P.I. 125248 has shown blight resistance (7), and two others P.I. 125249 and P.I. 18256 produce large size and sometimes very good kernel quality when used in crosses (7). These data suggest the desirability of continuing to introduce walnuts from these sources for continued testing and potential use as breeding stock.

REFERENCES

1. Ackerman, W. L., Joley, L. E. and Halsey, D. 1955 Blossoming and leafing responses of foreign and domestic peaches and nectarines to temperature. Multilithed report prepared by the Division of Plant Exploration and Introduction U.S.D.A.
2. Bennett, J. P. 1949 Temperature and bud rest period effect of temperature and exposure on the rest period of deciduous plant leaf buds investigated. Calif. Agr. 3(11)9
3. Brown, G. B. 1960 Private correspondence
4. Davidson, T. P. 1960 Private correspondence
5. Michigan Nut Growers Association News Letter, December 1959 Stick with the Carpathians.
6. Pike, R. B. 1960 Private correspondence.
7. Serr, E. F. 1960 Private correspondence.
8. Spencer, C. A. 1958, 1960 Private correspondence.
9. Ure, C. R. 1960 Private correspondence.
10. United States Department of Agriculture. 1940 Plant Inventory No. 142:52, P.I. 135697.
11. Walnut Control Board Federal Marketing Order No. 84 Walnut Color Chart.
12. Weinberger, J. H. 1954 Effects of high temperatures during the breaking of the rest of Sullivan Elberta peach buds. Proc. Amer. Soc. Hort. Sci. 63: 157-162.
13. Whitehouse, W. E. and Joley, L. E. 1948 Notes on the growth of Persian walnut propagated on rootstocks of the Chinese wing-nut Pterocarya stenoptera Proc. Amer. Hort. Sci. 52: 103-106
14. Zager, T. G. 1956 Status of tree crops investigations in the Tennessee valley region. From the report of the Forty-Seventh annual meeting of the Northern Nut Growers Association.
15. Zielinski, Q. B. 1956 A three-year comparison of walnut rootstocks. Proceedings of the Forty-Second Annual Meeting of the Nut Society of Oregon and Washington, Forty-eighth Annual Report of the Oregon State Horticultural Society, Corvallis Oregon. pp. 215-216.

TABLE 1

Source, dates of first terminal leafing, full male and female bloom, dichogamy, yield, harvest season, and nut characteristics of a group of seedling walnut introductions grown at Chico, California

Source	P.I.No.	Location	Average date first terminal leaf	Date of first terminal leaf		Date of full bloom				Dichogamy ^a	Yield ^b			Harvest season ^c	Average diameter of nut in mm	Shape of nut ^d	Separation of kernel ^e	Percent kernel	Average kernel weight in grams	Color of kernel ^f	Quality ^g
				1948	1949	1948	1949	1948	1949		19	19	19								
											48	49	58								
Afghanistan																					
"	159560	D 42-6	3/17	3/8	3/25	4/5	4/6	4/20	4/9	--	F	E	P	M	33	P	F	51	6	LA	G
"	127460	D 37-25	3/19	3/10	3/27	4/17	4/10	4/17	4/6	Pg	P	VG	P	M	31	F	P	--	-	A	F
"	127458	D 37-9	3/19	3/10	3/28	4/12	4/7	4/23	4/8	--	P	P	P	M	--	-	-	--	-	-	-
"	159567	D 42-14	3/19	3/10	3/28	4/5	4/5	4/23	4/13	Pa	F	G	P	E	33	F	F	45	7	LA	G
"	159559	D 42-3	3/20	3/10	3/30	4/20	4/15	4/17	4/9	Pg	P	VG	P	M	35	F	F	47	6	A	VG
"	127459	D 37-20	3/21	3/15	3/27	4/12	4/4	4/20	4/12	Pa	F	VG	G	E	32	P	F	47	5	LA	G
"	127460	D 42-22	3/21	3/15	3/27	4/12	4/3	4/26	4/12	Pa	P	G	P	L	34	P	F	52	7	A	VG
"	127461	D 37-36	3/22	3/15	3/29	----	---	----	4/15	--	-	P	P	-	33	P	F	50	5	LA	G
"	127459	D 42-9	3/23	3/19	3/27	4/10	4/4	4/20	4/14	Pa	P	P	P	E	31	P	G	--	-	LA	G
"	127459	D 42-7	3/23	3/15	3/30	4/8	4/8	4/20	4/15	Pa	P	P	P	M	34	P	F	46	6	LA	G

Key ^aDichogamy Pa- Protandrous - Shedding pollen before female flowers on the same tree are receptive
Pg- Protogynous - Female flowers receptive before pollen is shed
^bYield P-Poor F-Fair G-Good VG-Very Good E-Excellent
^cHarvest season E-Early M-Mid L-Late VL-Very Late
^dShape F-Franquette E-Eureka P-Payne
^eSeparation of kernel P-Poor F-Fair G-Good VG-Very Good
^fKernel color EL-Extra Light L-Light LA-Light Amber A-Amber
^gQuality P-Poor F-Fair G-Good VG-Very Good E-Excellent

Table 1 (Cont.)

Source	P. I. No.	Location	Average date first terminal leaf	Date of first terminal leaf		Date of full bloom		Dichogamy ^a	Yield ^b			Harvest season ^c	Average diameter of nut in mm	Shape of nut ^d	Separation of kernel ^e	Percent kernel	Average kernel weight in grams	Color of kernel ^f	Quality ^g		
				1948	1949	1948	1949		1948	1949	19									19	19
Afghanistan																					
"	127458	D 37-12	3/23	3/19	3/27	4/10	4/6	4/26	4/14	Pa	F	G	P	M	33	F	F	41	5	A	G
"	127461	D 37-32	3/24	3/19	3/28	4/17	4/9	4/20	4/8	Pg	F	G	P	M	34	P	F	--	-	-	G
"	159563	D 37-14	3/24	3/19	3/29	4/23	4/9	4/20	4/8	Pg	P	G	P	M	33	P	F	51	7	LA	G
"	127459	D-42-2	3/24	3/19	3/29	----	4/10	4/20	4/9	Pg	P	G	P	M	33	P	G	45	6	LA	G
"	159566	D 42-12	3/24	3/19	3/28	4/12	4/5	4/23	4/13	Pa	F	F	P	E	31	F	G	44	4	L	G
"	159561	D 42-8	3/24	3/19	3/28	4/12	4/6	4/23	4/16	Pa	F	P	P	E	26	P	F	56	4	LA	G
"	127459	D 37-18	3/24	3/19	3/28	4/12	4/5	4/26	4/15	Pa	F	G	F	M	33	F	F	46	6	LA	G
"	159572	D 42-21	3/24	3/19	3/29	4/12	4/5	4/26	4/17	Pa	P	P	P	E	31	F	G	50	6	LA	G
"	159571	D 42-20	3/24	3/19	3/29	4/10	---	4/23	----	Pa	P	-	P	E	31	F	F	--	-	LA	P
"	127460	D 42-13	3/25	3/19	3/30	4/17	4/12	4/17	4/12	--	F	VG	P	E	30	P	F	48	5	L	G
"	127459	D 37-19	3/25	3/19	3/30	4/17	----	4/20	4/15	Pg	P	P	P	M	37	P	VG	44	5	LA	F
"	127459	D 42-4	3/25	3/19	3/30	4/10	4/8	4/23	4/15	Pa	F	VG	P	M	31	F	F	48	5	LA	G
"	159558	D 37-11	3/27	3/26	3/28	4/17	4/8	4/20	4/8	Pg	G	G	F	E	34	F	F	49	8	LA	G
"	127460	D 42-19	3/28	3/26	3/30	4/26	4/14	4/20	4/8	Pg	P	G	P	E	36	P	G	45	6	LA	G
"	127459	D 42-5	3/28	3/26	3/29	4/23	4/13	4/20	4/13	Pg	G	VG	P	M	33	P	F	38	5	A	G
"	127461	D 37-31	3/28	3/26	3/29	4/12	4/7	4/28	4/14	Pa	P	G	P	E	29	F	G	53	5	A	F
"	127461	D 37-34	3/29	3/30	3/28	----	---	4/20	4/12	--	P	P	G	M	37	P	-	--	-	-	G
"	159581	D 42-42	3/30	3/30	3/29	4/26	4/14	4/22	4/14	Pg	F	G	P	M	31	F	F	--	-	-	G
"	163538	D 42-43	3/30	3/30	3/30	5/1	4/16	4/23	4/12	Pg	F	P	P	E	36	P	F	48	6	LA	G
"	127459	D 37-17	3/30	3/30	3/29	----	4/6	4/26	4/12	Pa	P	G	G	M	33	P	F	51	6	A	G
"	127460	D 42-11	3/30	3/30	3/30	4/26	----	4/23	4/14	Pg	P	P	P	L	32	F	P	41	6	LA	F
"	159573	D 37-33	3/30	3/30	3/30	----	----	4/26	4/13	--	P	P	P	E	32	P	G	48	5	LA	G
"	127460	D 37-24	3/30	3/30	3/30	4/17	4/8	4/26	4/15	Pa	P	F	P	M	35	P	G	55	7	A	P

Time (hours)	Distance (miles)
0	0
1	10
2	20
3	30
4	40
5	50
6	70
7	90
8	110
9	130
10	150

Table 1 (Cont.)

Source	P. I. No.	Location	Average date first terminal leaf	Date of first terminal leaf		Date of full bloom				Dichogamy ^a	Yield ^b			Harvest season ^c	Average diameter of nut in mm	Shape of nut ^d	Separation of kernel ^e	Percent kernel	Average kernel weight in grams	Color of kernel ^f	Quality ^g											
				1948	1949	Male		Female			1948	1949	1948									1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949
Afghanistan																																
"	159568	D 42-15	3/30	3/30	3/29	4/12	4/4	4/26	4/16	Pa	F	VG	P	E	33	F	G	53	7	LA	F											
"	159569	D 42-16	3/31	3/30	4/1	5/4	4/15	4/20	4/13	Pg	P	F	P	E	33	F	F	54	7	LA	G											
"	127460	D 37-29	3/31	3/30	4/1	4/12	4/8	4/26	4/13	Pa	P	G	P	E	28	F	F	41	4	LA	G											
"	127460	D 42-17	3/31	3/30	3/31	4/23	4/13	4/23	4/12	Pg	P	F	P	E	34	P	F	47	6	LA	F											
"	116932	D 37-38	4/1	3/30	4/2	4/12	----	4/26	4/7	Pa	-	P	P	-	--	-	-	--	-	--	-											
"	127460	D 37-28	4/3	4/7	3/30	4/26	4/13	4/26	4/11	Pg	P	F	P	E	32	P	F	46	6	LA	G											
"	159557	D 37-10	4/3	4/7	3/30	4/26	4/14	4/26	4/18	Pg	G	G	P	E	36	P	F	--	-	LA	VG											
"	159562	D 37-13	4/4	4/7	4/1	4/26	4/8	4/26	4/15	--	G	E	VG	M	33	P	G	47	5	L	G											
"	265720	D 42-45	4/4	4/7	4/1	----	4/10	4/26	4/18	Pg	P	F	P	M	34	F	VG	42	6	LA	G											
"	163539	D 42-44	4/5	4/10	3/31	----	4/10	5/4	4/17	Pa	P	F	P	E	36	F	F	47	7	L	G											
"	127460	D 37-30	4/6	4/10	4/2	4/20	4/8	5/5	4/18	Pa	F	G	P	M	35	F	P	40	6	LA	G											
"	127460	D 37-26	4/7	4/12	4/2	4/26	4/10	5/6	4/16	Pa	P	P	P	M	32	P	G	54	6	LA	F											
Algeria																																
"	61855	D 35-9	3/25	3/19	3/30	4/17	4/7	5/1	4/14	Pa	F	G	F	E	34	F	-	48	6	A	G											
Bulgaria																																
"	107627	D 35-12	3/30	3/30	3/30	5/1	4/17	4/23	4/13	Pg	F	P	P	M	28	F	G	50	4	A	F											
"	107627	D 35-11	3/31	3/30	4/1	4/23	4/12	5/1	4/12	--	P	-	F	E	32	F	F	43	4	A	F											
Chile																																
"	265716	D 35-7	3/24	3/19	3/29	4/10	4/7	4/23	4/14	Pa	F	VG	P	E	30	F	F	52	6	LA	G

Table 1: Data Series 1															Total	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68
69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85
86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102
103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119
120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136
137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153
154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170
171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187
188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204
205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221
222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238
239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255
256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272
273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289
290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306
307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323
324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340
341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357
358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374
375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391
392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408
409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425
426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442
443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459
460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476
477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493
494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510
511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527
528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544
545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561
562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578
579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595
596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612
613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629
630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646
647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663
664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680
681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697
698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714
715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731
732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748
749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765
766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782
783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799
800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816
817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833
834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850
851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867
868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884
885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901
902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918
919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935
936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952
953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969
970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986
987	988	989	990	991	992	993	994	995	996	997	998	999	1000	1001	1002	1003

Table 1 (Cont.)

Source	P. I. No.	Location	Average date first terminal leaf	Date of first terminal leaf		Date of full bloom		Dichogamy ^a	Yield ^b			Harvest season ^c	Average diameter of nut in mm	Shape of nut ^d	Separation of kernel ^e	Percent kernel	Average kernel weight in grams	Color of kernel ^f	Quality ^g
				1948	1949	1948	1949		19	19	19								
						Male	Female		48	49	58								
China																			
"	125248	D 18-5	3/22	3/15	3/28	4/7	4/7	4/26	4/11	--	VG VG G	E	38	F	G	49	7	L	G
"	125249	D 18-6	3/24	3/19	3/29	4/17	4/11	4/17	4/10	Pg	VG G F	E	36	P	G	54	8	LA	G
"	125239	D 36-34	3/26	3/26	----	4/28	----	4/20	----	Pg	E - G	M	40	P	G	48	7	A	G
Estonia																			
"	159578	D 42-33	3/30	3/30	3/30	4/17	4/7	4/26	4/15	Pa	G G P	L	27	P	F	45	4	LA	G
"	265719	D 42-30	4/3	4/7	3/29	4/17	4/8	5/6	4/15	Pa	G F P	L	27	F	VG	55	4	L	F
"	131353	D 42-31	4/4	4/7	3/31	4/17	4/9	5/6	4/18	Pa	G F P	L	30	F	F	52	6	LA	G
"	131353	D 42-35	4/6	4/10	4/1	4/22	4/11	4/28	4/15	Pa	G F P	L	27	F	F	49	4	LA	G
"	131353	D 42-34	4/7	4/12	4/2	5/1	4/17	4/26	4/11	Pg	P F P	M	34	F	F	43	6	A	G
"	131353	D 42-32	4/12	4/17	4/6	5/4	----	4/26	4/18	Pg	F P P	M	--	-	F	--	-	LA	G
India																			
"	54788	D 35-42	3/17	3/10	3/23	3/30	4/2	----	4/18	Pa	- P P	-	35	F	P	--	-	LA	P
"	125246	D 36-41	3/19	3/19	----	4/23	----	4/17	----	Pg	VG - P	M	32	F	G	51	7	LA	F
"	63430	D 36-42	3/24	3/24	----	4/11	----	4/17	----	Pa	P - P	M	30	F	F	51	6	LA	G
"	63430	D 36-43	3/26	3/26	----	----	----	----	----	--	P - P	M	32	F	F	43	7	A	G
"	265718	D 35-43	4/8	4/10	4/5	----	----	5/2	4/12	--	- F P	-	Irregular	P	P	--	-	LA	F
Iran																			
"	125247	D 38-5	3/22	3/19	3/25	4/12	4/6	4/26	4/13	Pa	G F P	L	33	F	F	52	7	LA	G
"	125247	D 38-6	3/23	3/19	3/27	4/10	4/5	4/26	4/13	Pa	VG G P	L	31	F	F	--	-	LA	F
"	125243	D 38-3	3/23	3/19	3/27	4/17	4/9	4/17	4/10	Pg	G G P	M	38	P	VG	53	9	L	G

Table 1 (Cont.)

Source	P. I. No.	Location	Average date first terminal leaf	Date of first terminal leaf		Date of full bloom		Dichogamy ^a	Yield ^b			Harvest season ^c	Average diameter of nut in mm	Shape of nut ^d	Separation of kernel ^e	Percent kernel	Average kernel weight in grams	Color of kernel ^f	Quality ^g		
				1948	1949	Male	Female		19	19	19										
				1948	1949	1948	1949		48	49	58										
Iran																					
"	125243	D 38-4	3/24	3/19	3/28	4/17	4/10	4/17	4/10	Pg	F	F	P	M	35	P	G	51	5	LA	G
"	125245	D 18-10	3/30	3/30	3/29	4/17	4/9	4/26	4/15	Pa	P	VG	P	L	30	F	VG	50	5	LA	G
Manchuria																					
"	125240	D 18-3	3/24	3/19	3/28	4/7	4/6	4/20	4/11	Pa	VG	E	P	M	35	P	G	45	7	LA	G
Poland																					
"	159555	D 37-1	3/28	3/26	3/30	4/12	4/8	4/26	4/17	Pa	G	E	P	L	28	F	F	34	3	A	F
"	142325	D 36-29	3/29	3/26	3/ 1	4/23	4/14	4/23	4/17	Pg	F	P	F	L	32	F	P	45	5	LA	F
"	125194	D 35-4	3/31	3/30	3/31	4/23	4/12	4/23	4/12	Pg	P	P	P	M	30	F	VG	47	4	LA	G
"	142331	D 38-9	3/31	3/30	3/31	----	4/14	4/23	4/13	Pg	G	F	P	L	40 square	F		29	6	LA	G
"	142330	D 37-4	3/31	3/30	4/1	4/23	4/17	4/26	4/12	Pg	F	P	P	M	28	P	P	--	-	LA	G
"	159543	D 35-3 N. limb	3/31	3/30	3/31	4/20	4/10	4/23	4/17	Pg	P	P	P	E	--	-	-	--	-	-	G
"	159548	D 36-15	4/2	3/30	4/4	4/28	4/20	4/23	4/14	Pg	F	P	P	E	30	F	F	50	5	LA	G
"	159549	D 36-18	4/3	4/5	4/1	4/28	4/17	4/23	4/11	Pg	VG	P	G	L	31	P	F	42	4	A	G
"	125193	D 36-9	4/4	4/7	4/1	4/28	4/15	4/23	4/11	Pg	P	P	P	L	--	-	G	--	-	LA	F
"	159556	D 42-39	4/5	4/7	4/2	----	4/15	4/26	4/15	--	G	G	P	L	30	F	F	34	4	LA	G
"	159554	D 36-32	4/5	4/5	----	4/23	----	4/23	----	Pg	P	-	F	L	29	F	F	43	4	LA	G
"	142321	D 36-25	4/5	4/11	3/29	4/23	4/7	5/6	4/14	Pa	F	P	F	L	29	F	F	41	5	LA	G
"	159550	D 36-19	4/5	4/5	4/4	----	4/9	5/6	4/16	--	P	P	F	E	27	F	P	--	-	LA	G
"	142323	D 36-27	4/6	4/10	4/1	5/4	4/18	5/3	4/11	Pg	P	P	F	M	31	F	F	52	6	LA	G
"	125194	D 36-10	4/6	4/10	4/1	4/23	4/9	5/3	4/16	Pa	F	G	P	L	27	P	P	--	-	LA	G

Table 1 (Cont.)

Source	P. I. No.	Location	Average date first terminal leaf	Date of first terminal leaf		Date of full bloom		Dichogamy ^a	Yield ^b			Harvest season ^c	Average diameter of nut in mm	Shape of nut ^d	Separation of kernel ^e	Percent kernel	Average kernel weight in grams	Color of kernel ^f	Quality ^g			
				1948	1949	Male	Female		1948	1949	1948									1949	1948	1949
Poland																						
"	125194	D 36-13	4/6	4/11	4/1	4/23	4/9	5/4	4/14	Pa	P	P	P	M	30	F	F	38	3	LA	G	
"	142320	D 36-24	4/6	4/11	4/1	4/20	4/10	5/6	4/17	Pa	F	F	F	M	28	F	F	48	5	LA	G	
"	159545	D 36-11	4/6	4/10	4/1	4/23	4/9	5/5	4/17	Pa	G	G	P	M	28	F	P	--	-	LA	G	
"	142328	D 37-2	4/6	4/10	4/2	4/22	4/8	5/6	4/18	Pa	F	VG	F	L	32	F	G	43	5	LA	G	
"	142322	D 36-26	4/7	4/12	4/1	5/6	4/18	4/23	4/15	Pg	P	P	P	M	34	P	F	49	6	A	F	
"	142329	D 37-3	4/7	4/7	4/6	4/22	4/12	5/6	4/19	Pa	F	F	F	L	25	P	P	--	-	LA	F	
"	159552	D 36-22	4/8	4/11	4/4	5/5	4/17	4/23	4/14	Pg	G	F	G	L	29	F	F	49	5	LA	G	
"	142324	D 36-28	4/8	4/11	4/4	4/23	4/10	5/5	4/16	Pa	G	F	G	L	--	-	F	--	-	A	P	
"	125194	D 36-17	4/10	4/19	3/31	----	4/8	5/6	4/17	Pa	G	F	F	VL	28	P	F	36	3	LA	G	
"	142327	D 36-31	4/10	4/10	----	5/3	----	5/8	----	Pg	P	-	-	L	35	F	VG	43	6	L	G	
"	159551	D 36-20	4/11	4/17	4/4	4/28	4/12	----	4/18	Pa	F	P	F	M	31	F	P	50	6	LA	G	
"	142326	D 36-30	4/11	4/17	4/3	5/6	4/18	5/6	4/14	Pg	P	P	P	M	33	P	F	--	-	-	G	
"	125194	D 36-16	4/11	4/17	4/4	5/6	4/17	5/6	4/16	Pg	P	P	P	M	31	F	VP	--	-	LA	G	
"	159553	D 36-23	4/11	4/17	4/5	4/23	4/11	5/6	4/17	Pa	F	G	G	L	30	P	F	33	4	LA	G	
"	159546	D 36-12	4/12	4/17	4/6	4/23	4/14	5/6	4/16	Pa	F	F	F	M	31	F	P	29	4	LA	G	
"	159547	D 36-14	4/12	4/17	4/6	5/5	----	5/5	4/17	Pg	P	P	P	M	36	F	G	--	-	--	G	
"	159544	D 36-7	4/13	4/19	4/6	----	4/15	5/6	4/19	Pa	F	G	G	E	27	F	F	45	4	LA	G	
"	228149	D 36-21	4/14	4/19	4/8	5/5	----	5/6	4/18	Pg	P	P	P	E	30	F	G	47	5	LA	F	
Carpathian Mountains																						
"	110036	D 35-34	3/19	3/10	3/27	4/17	4/11	4/17	4/7	--	F	G	P	E	33	F	P	42	5	A	F	
"	145973	D 35-25	3/23	3/19	3/27	4/7	4/6	4/23	4/9	Pa	F	VG	P	M	31	P	G	54	6	LA	G	

Table 1 (Cont.)

Source	P. I. No.	Location	Average date first terminal leaf	Date of first terminal leaf		Date of full bloom		Dichogamy ^a	Yield ^b			Harvest season ^c	Average diameter of nut in mm	Shape of nut ^d	Separation of kernel ^e	Percent kernel	Average kernel weight in grams	Color of kernel ^f	Quality ^g		
				1948	1949	1948	1949		1948	1949	19									19	19
Carpathian Mountains																					
"	145971	D 35-22	3/25	3/19	3/30	4/19	4/10	4/23	4/16	Pa	G	G	F	M	32	F	F	50	5	LA	F
"	145976	D 35-31	3/27	3/26	3/28	4/26	4/12	4/23	4/8	Pg	F	P	P	L	32	P	P	54	7	LA	G
"	145968	D 35-15	3/27	3/26	3/28	4/17	----	5/6	4/15	Pa	G	G	P	M	33	F	P	46	7	LA	F
"	110049	D 36-3	3/28	3/26	3/29	4/7	4/6	4/23	4/11	Pa	F	P	P	M	32	F	F	40	5	LA	F
"	145974	D 35-26	3/28	3/26	3/30	5/1	4/14	4/20	4/13	Pg	F	P	P	E	31	E	G	49	7	LA	F
"	159542	D 35-35	3/30	3/30	3/29	----	4/14	4/20	4/15	Pg	F	F	F	L	31	F	F	34	5	LA	G
"	110044	D 35-39	3/30	3/30	3/30	4/23	4/15	4/23	4/15	Pg	-	-	G	-	31	F	G	41	4	LA	P
"	145972	D 35-24	3/30	3/30	3/29	4/19	4/7	5/1	4/15	Pa	F	G	P	M	31	F	F	36	4	LA	G
"	110026	D 35-20	3/30	3/30	3/30	4/19	----	5/3	4/16	Pa	F	F	P	M	30	F	F	43	5	LA	G
"	110048	D 36-1	3/31	3/30	4/1	4/20	4/15	4/20	4/14	--	F	P	P	L	34	F	P	44	6	LA	G
"	145979	D 36-4	3/31	3/30	4/1	4/20	4/12	4/23	4/10	Pg	F	P	P	E	33	E	G	48	6	LA	G
"	110037	D 35-36	3/31	3/30	4/1	----	4/16	4/23	4/12	--	P	P	F	E	31	F	G	54	5	LA	F
"	145967	D 35-13	3/31	3/30	3/31	4/23	4/13	4/23	4/13	Pg	G	P	F	L	32	F	G	44	6	LA	VG
"	110028	D 35-23	3/31	3/30	3/31	4/19	----	4/23	4/14	Pa	VG	VG	F	M	28	F	F	--	-	LA	G
"	145978	D 36-2	3/31	3/30	4/1	4/19	4/9	5/1	4/15	Pa	F	G	P	E	34	F	G	55	5	LA	G
"	110032	D 35-30	4/2	4/5	3/29	4/28	4/12	4/23	4/13	Pg	F	F	P	M	31	F	P	45	6	A	G
"	110031	D 35-29	4/3	4/5	3/31	4/26	4/17	4/26	4/13	Pg	F	-	P	L	29	P	F	39	4	A	P
"	110045	D 35-40	4/3	4/5	3/31	4/15	4/10	5/4	4/17	Pa	F	P	G	L	30	F	P	36	5	A	F
"	110033	D 35-33	4/4	4/7	4/1	----	4/11	5/6	4/18	Pa	F	F	P	E	27	F	F	41	3	A	F
"	145970	D 35-19	4/6	4/10	4/1	5/3	4/17	4/23	4/13	Pg	G	VG	P	E	32	F	G	45	5	LA	G
"	110051	D 36-5	4/6	4/7	4/4	4/20	4/9	5/4	4/16	Pa	G	VG	G	M	29	F	P	40	3	LA	F
"	110022	D 35-14	4/6	4/10	4/1	4/17	----	5/6	4/18	Pa	F	G	P	L	26	F	F	42	4	LA	G
"	145977	D 35-32	4/6	4/10	4/1	5/1	4/12	5/6	4/18	--	F	VG	F	M	31	F	F	45	5	LA	G
"	265717	D 35-38	4/6	4/7	4/4	---	----	5/6	----	Pa	P	F	F	M	32	F	G	50	6	LA	G
"	110024	D 35-17	4/8	4/10	4/6	4/23	----	5/6	----	Pa	F	VG	P	M	27	P	P	32	3	LA	F

STATE OF NEW YORK IN SENATE January 1, 1897

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000	1001	1002	1003	1004	1005	1006	1007	1008	1009	1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1020	1021	1022	1023	1024	1025	1026	1027	1028	1029	1030	1031	1032	1033	1034	1035	1036	1037	1038	1039	1040	1041	1042	1043	1044	1045	1046	1047	1048	1049	1050	1051	1052	1053	1054	1055	1056	1057	1058	1059	1060	1061	1062	1063	1064	1065	1066	1067	1068	1069	1070	1071	1072	1073	1074	1075	1076	1077	1078	1079	1080	1081	1082	1083	1084	1085	1086	1087	1088	1089	1090	1091	1092	1093	1094	1095	1096	1097	1098	1099	1100	1101	1102	1103	1104	1105	1106	1107	1108	1109	1110	1111	1112	1113	1114	1115	1116	1117	1118	1119	1120	1121	1122	1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139	1140	1141	1142	1143	1144	1145	1146	1147	1148	1149	1150	1151	1152	1153	1154	1155	1156	1157	1158	1159	1160	1161	1162	1163	1164	1165	1166	1167	1168	1169	1170	1171	1172	1173	1174	1175	1176	1177	1178	1179	1180	1181	1182	1183	1184	1185	1186	1187	1188	1189	1190	1191	1192	1193	1194	1195	1196	1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207	1208	1209	1210	1211	1212	1213	1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224	1225	1226	1227	1228	1229	1230	1231	1232	1233	1234	1235	1236	1237	1238	1239	1240	1241	1242	1243	1244	1245	1246	1247	1248	1249	1250	1251	1252	1253	1254	1255	1256	1257	1258	1259	1260	1261	1262	1263	1264	1265	1266	1267	1268	1269	1270	1271	1272	1273	1274	1275	1276	1277	1278	1279	1280	1281	1282	1283	1284	1285	1286	1287	1288	1289	1290	1291	1292	1293	1294	1295	1296	1297	1298	1299	1300	1301	1302	1303	1304	1305	1306	1307	1308	1309	1310	1311	1312	1313	1314	1315	1316	1317	1318	1319	1320	1321	1322	1323	1324	1325	1326	1327	1328	1329	1330	1331	1332	1333	1334	1335	1336	1337	1338	1339	1340	1341	1342	1343	1344	1345	1346	1347	1348	1349	1350	1351	1352	1353	1354	1355	1356	1357	1358	1359	1360	1361	1362	1363	1364	1365	1366	1367	1368	1369	1370	1371	1372	1373	1374	1375	1376	1377	1378	1379	1380	1381	1382	1383	1384	1385	1386	1387	1388	1389	1390	1391	1392	1393	1394	1395	1396	1397	1398	1399	1400	1401	1402	1403	1404	1405	1406	1407	1408	1409	1410	1411	1412	1413	1414	1415	1416	1417	1418	1419	1420	1421	1422	1423	1424	1425	1426	1427	1428	1429	1430	1431	1432	1433	1434	1435	1436	1437	1438	1439	1440	1441	1442	1443	1444	1445	1446	1447	1448	1449	1450	1451	1452	1453	1454	1455	1456	1457	1458	1459	1460	1461	1462	1463	1464	1465	1466	1467	1468	1469	1470	1471	1472	1473	1474	1475	1476	1477	1478	1479	1480	1481	1482	1483	1484	1485	1486	14
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	----

Table 1 (Cont.)

Source	P.I.No.	Location	Average date first terminal leaf	Date of first terminal leaf		Date of full bloom		Dichogamy ^a	Yield ^b			Harvest season ^c	Average diameter of nut in mm	Shape of nut ^d	Separation of kernel ^e	Percent kernel	Average kernel weight in grams ^f	Color of kernel ^f	Quality ^g											
				1948	1949	1948	1949		1948	1949	1948									1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949
Carpathian Mountains																														
"	110027	D 35-21	4/8	4/10	4/6	4/23	4/12	5/6	4/18	Pa	G	VG	F	L	28	F	G	52	5	LA	G									
"	145969	D 35-16	4/8	4/10	4/5	4/23	----	5/6	4/18	Pa	G	VG	P	E	28	F	G	44	4	L	G									
"	159541	D 35-18	4/8	4/10	4/5	5/1	4/18	4/23	4/15	Pg	G	G	P	E	30	P	G	35	4	A	F									
USSR																														
"	128825	D 42-41	3/30	3/30	3/30	4/17	4/9	4/26	4/17	--	G	VG	P	M	30	E	G	50	5	LA	F									
"	98238	D 18-1	4/12	4/20	4/4	----	----	----	----	--	P	P	P	VL	33	P	F	48	5	LA	F									
USSR Sochi Dist.																														
"	102089	D 18-21	3/23	3/19	3/27	4/10	4/8	4/26	4/12	Pa	P	G	P	L	30	P	F	45	3	A	G									
"	102091	D 18-22	3/23	3/19	3/27	4/23	4/10	4/26	4/13	Pg	F	P	P	L	28	F	P	38	4	LA	G									
"	265714	D 18-24	3/24	3/19	3/29	4/10	4/8	4/20	4/13	Pa	P	F	P	E	31	F	F	55	5	LA	G									
"	102091	D 19-10	3/26	3/26	----	4/10	----	4/26	----	Pa	-	-	P	-	30	F	G	46	5	A	G									
"	265712	D 18-20	3/27	3/26	3/28	4/26	4/11	4/20	4/12	Pg	P	P	P	M	34	F	F	50	6	LA	G									
"	145984	D 18-17	3/28	3/26	3/29	4/15	4/6	4/26	4/12	Pa	F	-	P	M	31	P	F	47	5	LA	F									
"	265713	D 18-23	3/29	3/26	4/1	4/17	4/9	4/26	4/16	Pa	P	P	P	M	32	F	F	49	6	LA	G									
"	102096	D 19-17	3/30	3/30	----	----	----	4/26	----	Pa	P	-	P	M	29	P	F	52	5	LA	F									
"	102095	D 18-25	4/3	4/5	3/31	----	4/9	4/26	4/15	--	F	F	P	M	30	P	P	42	4	LA	G									
"	102094	D 19-14	4/5	4/5	----	----	----	4/26	----	--	F	-	F	L	31	F	P	54	6	LA	F									
"	102092	D 19-11	4/7	4/7	----	5/3	----	4/26	----	--	G	-	P	L	33	P	P	--	-	LA	G									
"	102087	D 19-9	4/10	4/10	----	4/26	----	5/6	----	Pa	F	-	P	L	30	P	F	51	5	A	G									
"	265715	D 19-8	4/10	4/10	----	4/22	----	4/20	----	--	F	-	P	L	35	P	VG	52	6	LA	F									
"	102092	D 19-12	4/17	4/17	----	4/26	----	5/6	----	Pa	P	-	P	VL	27	F	F	39	3	LA	F									
USSR Caucasus region																														
"	100276	D 18-15	4/3	4/5	4/1	4/15	4/11	5/6	4/16	Pa	P	F	P	M	31	F	G	50	5	LA	F									

Table 1 (Cont.)

Source	P. I. No.	Location	Average date first terminal leaf	Date of first terminal leaf		Date of full bloom		Dichogamy ^a		Yield ^b			Harvest season ^c	Average diameter of nut in mm	Shape of nut ^d	Separation of kernel ^e	Percent kernel	Average kernel weight in grams	Color of kernel ^f	Quality ^g
				1948	1949	1948	1949	1948	1949	19	19	19								
										48	49	58								
STANDARDS																				
Wheeler Franquette																				
"	C19447	D 38-2	4/20	4/26	4/14	----	----	----	----	--	P	F	F	L	31	F	G	45	5	LA G
"	C19447	D 38-1	4/21	4/26	4/15	----	----	----	----	--	P	F	-	L	31	F	F	43	4	LA G
"	C19447	D 35-45	4/22	4/30	4/14	----	4/18	----	----	--	VG	VG	F	L	33	F	G	51	5	L G
Manregian ¹																				
"	18256	D 35-1	3/27	3/26	3/28	4/10	4/7	4/23	4/11	Pa	P	P	P	M	42	F	G	53	9	LA G
Sorrentina ²																				
"	33189	D 42-1	3/31	3/30	3/31	4/23	4/8	4/28	4/17	Pa	P	VG	-	M	29	E	F	37	4	L G
Hartley ³																				
"	-----	-----	----	----	----	----	---	----	----	--	-	-	-	-	35	-	G	47	6	L G
Franquette ³																				
"	-----	-----	----	----	----	----	---	----	----	--	-	-	-	-	31	-	G	46	5	LA G
Eureka ³																				
"	-----	-----	----	----	----	----	---	----	----	--	-	-	-	-	33	-	G	48	8	LA G
Payne ³																				
"	-----	-----	----	----	----	----	---	----	----	--	-	-	-	-	33	-	VG	48	5	LA G

¹on Juglans honorii rootstock²on Pterocarya stenoptera rootstock - see reference (5)³1958 crop from local sources

1911 1912

															1911					1912				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125
126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150
151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175
176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200
201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225
226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250
251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275
276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300
301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325
326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350
351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375
376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400
401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425
426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450
451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475
476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500

Approved: _____
 Secretary of the Board
 1911

Table 2

Relationship between source and number of seedlings showing first terminal leafing by date for 1948 and 1949

[illegible][illegible]

Table 2 (Cont.)

Relationship between source and number of seedlings showing first terminal leafing by date for 1948 and 1949

[illegible]

Table 3

Weather data in monthly periods
between September 1st and April 30th
during the years 1947-48 and 1948-49

Month	Average Temperature Degrees Fahrenheit with departure from normal				Total Precipitation (inches) and departures from normal				Accumulative Summa- tions of hours of temp. below 45°F	
	1947-48		1948-49		1947-48		1948-49		1947-48	1948-49
	Temp.	Departure	Temp.	Departure	Precip.	Departure	Precip.	Departure		
Sept.	74.9	2.1	70.3	-2.5	T	-0.50	.22	-0.28	2	12
Oct.	62.2	-1.7	62.7	-1.2	5.38	4.11	.33	-0.94	10	61
Nov.	49.4	-3.8	51.6	-1.6	1.98	-0.71	1.33	-1.36	312	316
Dec.	43.9	-2.6	42.5	-4.0	2.05	-2.48	4.73	.20	798	838
Jan.	48.8	2.9	37.5	-8.4	2.51	-2.35	.91	-3.95	1107	1480
Feb.	46.8	-2.3	45.6	-3.5	1.56	-2.69	1.84	-2.41	1444	1814
Mar.	48.6	-5.9	51.6	-2.9	5.18	2.03	8.38	5.23	1710	1981
April	52.9	-7.1	62.5	2.5	5.37	1.97	T	-1.76	1829	2021