Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

FOREWORD

Through the McSweeney-McNary Act of 1928, Congress authorized the Secretary of Agriculture to conduct a comprehensive survey of the forest resources of the United States. The Forest Survey was organized by the Forest Service to carry out the provisions of the Act through the Regional Forest Experiment Stations. In the Southeastern states the Forest Survey is an activity of the Division of Forest Economics of the Southeastern Forest Experiment Station, Asheville, North Carolina.

The five-fold purpose of the Forest Survey is (1) to make a field inventory of the present supply of standing timber, (2) to ascertain the rate at which this supply is being increased through growth, (3) to determine the rate at which it is being reduced through industrial and domestic uses, fire, and other causes, (4) to determine the present consumption and the probable future trend in requirements for forest products, and (5) to interpret and correlate these finds to aid in the formulation of private and public policies regarding forest land management.

The original inventory of forest resources in Florida was made by the Forest Survey during the period 1934-36. Since then, forest growth, use of forest products, changes in land use, more intensive management practices, and other factors have caused changes in the growing stock that can only be measured accurately by on-the-ground surveys. A resurvey of the forest resources in Florida was started in June 1948 and completed in August 1949. Forest area and timber volume statistics for individual Survey Units have already been published. This progress report summarizes the forest area and timber volume statistics of the resurvey, and also presents growth and commodity drain data. When all of the statistical data have been analyzed, a State report will be prepared which will interpret the findings and focus attention upon the principal forest problems.

ACKNOWLEDGMENTS

The author gratefully acknowledges the assistance received from C. H. Coulter, State Forester, and his staff in facilitating the Survey work and in providing additional personnel to augment and intensify the collection of data in the field.

The Division of Forest Economics is under the direction of James W. Cruikshank. The timber inventory field work was under the supervision of Mackay B. Bryan. Photo interpretation work was done by N. F. Force, R. C. Aldrich, and R. W. Cooper. Sample plot work was under the direction of Fritz Lorentzen, E. W. Vetter, M. W. McClure, W. A. McCarty, H. W. Allen, E. A. Schluter, Ben Juskie, and F. S. Hill.

Office compilation of the data was under the direction of Miss Agnes Creasman, assisted by Mrs. Christine Paxton, Miss Priscilla Walker, and Miss Camilla Young.

CONTENTS

	<u>Page</u>
1949 FACTS AND SIGNIFICANT CHANGES	
Forest land area decreases slightly - - - - -	1
Hardwood forest types increase - - - - -	2
Saw-timber volume decreases 17 percent - - - - -	3
Hardwood saw timber of poor quality - - - - -	7
Primary growing stock decreases 9 percent - - - - -	7
One-fourth of the total volume in cull trees - - - - -	9
Three-fourths of the forest land understocked - - - - -	9
Planting required on large areas - - - - -	10
Turpentining activity declines - - - - -	10
Saw-timber growth about one billion board feet in 1948 - - - - -	10
Commodity drain 937 million board feet in 1948 - - - - -	11
Timber growth exceeds drain in 1948 - - - - -	12
SUMMARY TABLES	
A. Forest area by survey unit, 1949 - - - - -	2
B. Change in volume of saw timber, 1934-36 to 1949 - - - - -	4
C. Saw-timber volume by survey unit, 1949 - - - - -	5
D. Volume of saw timber by stand-size class, 1949 - - - - -	6
E. Primary growing stock by survey unit, 1949 - - - - -	7
F. Change in volume of all trees 5.0 inches d.b.h. and larger, 1934-36 to 1949 - - - - -	8
G. Net annual growth by survey unit, 1948 - - - - -	10
H. Current annual growth per acre by stand-size class - - - - -	11
I. Commodity drain by survey unit, 1948 - - - - -	11
J. Net change in primary growing stock, 1948 - - - - -	13
DETAILED TABLES FOR THE STATE - - - - -	14--45
TABLES FOR COUNTIES - - - - -	46--52
STANDARD FOREST SURVEY TABLES - - - - -	54--64
DEFINITION OF TERMS - - - - -	65
RELIABILITY OF FOREST SURVEY DATA - - - - -	71
HOW THE FOREST INVENTORY IS MADE - - - - -	72

DETAILED TABLES FOR THE STATE

<u>No.</u>	<u>Page</u>
AREA	
1. Gross area by broad use class, 1949 - - - - -	14
2. Ownership of land, 1949 - - - - -	15
3. Commercial forest area by forest type and stand-size class, 1949 -	16
NET VOLUME OF SAW TIMBER, 1949	
4. By species and stand-size class - - - - -	17
5. By species and diameter class - - - - -	18
6. By forest type and stand-size class - - - - -	19
NET VOLUME OF ALL TIMBER (in thousand cords), 1949	
7. By species and stand-size class - - - - -	20
8. By species and diameter class - - - - -	21
9. By species and class of material - - - - -	22
10. By forest type and stand-size class - - - - -	23
NET VOLUME OF POLE-TIMBER TREES (in thousand cords), 1949	
11. By forest type and stand-size class - - - - -	24
NET VOLUME OF ALL TIMBER (in thousand cubic feet), 1949	
12. By species and diameter class - - - - -	25
13. By species and class of material - - - - -	26
AVERAGE VOLUME PER ACRE, 1949	
14. Of saw timber by forest type, species group, and stand-size class -	27
15. Of all timber by forest type, species group, and stand-size class -	28
NAVAL STORES, 1949	
16. Number of turpentine pine trees by working status and tree size - -	29
17. Area of turpentine timber crops by working status - - - - -	29
18. Area of stump land and tonnage of wood naval stores by availability class - - - - -	30
STOCKING, 1949	
19. Number of trees by species group, quality class, and tree size - -	31
20. Area of poorly-stocked stands and unstocked areas by plantability class - - - - -	32
21. Commercial forest area by forest type and degree of stocking - - -	33
GROWTH, 1948	
22. Net annual growth of saw timber by stand-size class, species group, and survey unit - - - - -	34
23. Net annual growth of primary growing stock by stand-size class, species group, and survey unit - - - - -	35
24. Average growth of saw timber per acre by forest type, stand-size class, and survey unit - - - - -	36
25. Average growth of primary growing stock per acre by forest type, stand-size class, and survey unit - - - - -	37
COMMODITY DRAIN, 1948	
26. From saw timber by species group and survey unit - - - - -	38
27. From all timber by species group and survey unit - - - - -	40
NET CHANGE, 1948	
28. In saw-timber growing stock by species group and survey unit - - -	42
29. In primary growing stock by species group and survey unit - - - -	44

TABLES FOR COUNTIES

<u>No.</u>	<u>Page</u>
30. County area by broad use class, 1949 - - - - -	46
31. Ownership of commercial forest land by county, 1949 - - - - -	47
32. Net volume of saw timber by county and species group, 1949 - - - -	48
33. Net volume of saw timber by county, species group, and diameter- class group, 1949 - - - - -	49
34. Net volume of all timber by county, pulping species group, and tree-diameter group, 1949 - - - - -	50
35. Commodity drain from primary growing stock by county and species group, 1948 - - - - -	52

STANDARD FOREST SURVEY TABLES

36. Land area by major classes of forest land. Florida, 1949 - - - -	54
37. Commercial forest land area by ownership class by stand-size class. Florida, 1949 - - - - -	55
38. Volume of live saw timber and primary growing stock on commercial forest land by stand-size class. Florida, 1949 - - - - -	56
39. Volume of live saw timber and primary growing stock on commercial forest land by ownership class. Florida, 1949 - - - - -	57
40. Volume of live saw timber and primary growing stock on commercial forest land by species. Florida, 1949 - - - - -	58
41. All-timber volume on commercial forest land by kind of material. Florida, 1949 - - - - -	59
42. Net growth and normal mortality of live saw timber and primary growing stock on commercial forest land by species group. Florida, 1948 - - - - -	60
43. Commodity drain of live saw-timber volume and primary growing stock on commercial forest land by species group. Florida, 1948	60
44. Commodity production by timber products in cubic volume and in standard units. Florida, 1948 - - - - -	61
45. Area of commercial forest land by generalized forest type. Florida, 1949 - - - - -	62
46. Live all-timber volume on commercial forest land by kind of growing stock, species group, tree-size class, and class of material. Florida, 1949 - - - - -	63
47. Volume of live saw timber on commercial forest land by diameter- class group by species. Florida, 1949 - - - - -	64
48. Net growth, normal mortality, and commodity drain on primary growing stock on commercial forest land by tree-size class. Florida, 1948 - - - - -	64

Figure 1.--Forest Survey Units in Florida

FOREST STATISTICS FOR FLORIDA, 1949

This report summarizes the statistical data on forest area and timber volumes for the State of Florida which have been published in individual survey unit releases. It also presents growth and commodity drain data. These statistics were obtained from a resurvey of the forest resources in the State which started in July 1948 and finished in August 1949. The field work was based on the combined use of aerial photographs from which the area of forest land and the areas of timber stands by broad size classes were determined, and on the examination of quarter-acre ground plots from which tree sizes, species, timber volumes, forest type, growth, and other data were obtained.

The original Forest Survey of Florida was made in 1934-36, and by comparing the current statistics with those obtained in the first survey, the trends and changes which have taken place during the interim can be determined.

1949 FACTS AND SIGNIFICANT CHANGES

Forest land area decreases slightly: Forests occupy 23 million acres, or 67 percent, of the 34.5 million acres of land in Florida. The remaining one-third of the total land area is almost equally divided between agricultural and urban uses which make up 16 percent, and marsh, grassland, and sandy coastal strips which occupy 17 percent of the area. The extent of the forest area is illustrated in figure 2.

The acreage of commercial forest land for the State as a whole decreased approximately two percent during the period between surveys. This decrease occurred in Central and South Florida, and is apparently due to land clearing in these areas for pasture and other agricultural uses.

Figure 2.--Land use in Florida, 1949

Northern Florida, including the Northeast and Northwest survey units, is the most important timber-producing section of the State, with more than 80 percent of the land in forest use. Central and South Florida contain very large areas of marsh and grassland, and the current agricultural development activity will probably further reduce the amount of land in forests.

Approximately 1.5 million acres, or seven percent, of the forest land is classified as noncommercial because of its inability to produce timber of commercial size, or because the areas are so inaccessible the timber could not be economically harvested. Nearly three-fourths of this noncommercial forest acreage is located in South Florida, in or adjacent to the Everglades, and the remainder is principally on sandy coastal areas.

Forty-six thousand acres of productive forest land are in State Parks and other public areas where the timber stands are reserved from cutting. Such areas are excluded from the commercial forest land acreage since they are not available for the production of forest products.

Table A.--Forest area by survey unit, 1949

Survey unit	Total land area	Forest area		
		Total	Commercial	
	<u>Thousand acres</u>	<u>Thousand acres</u>	<u>Thousand acres</u>	<u>Percent</u> ^{1/}
Northeast	9,526	7,694	7,602	80
Northwest	7,320	6,060	5,928	81
Central	9,779	5,979	5,747	59
South	7,854	3,314	2,174	28
State	34,479	23,047	21,451	62

^{1/} Percent of total land area.

Hardwood forest types increase: The most striking change which has occurred in the composition of the forests is the shift in area from softwood to hardwood types. This trend is found throughout the State, and during the period between surveys the acreage of softwood types decreased 14 percent while the acreage of hardwood types increased 64 percent (fig. 3).

These type area changes are primarily due to cutting practices used in harvesting timber. Where stands of pine and cypress are mixed with hardwood species, or where an understory of hardwood trees exists, the preferred softwood species are usually cut leaving the hardwoods to occupy the site. The scrub oak type increased from 1.3 to 1.9 million acres, and the area in other hardwood types increased from 2.0 to 3.5 million acres. During the same period, softwood types decreased from 18.6 to 16.1 million acres.

Pine types predominate throughout the State, occurring on 14.8 million acres, or 69 percent of the commercial forest land. Hardwood types occupy 5.4 million acres, or 25 percent, and cypress types occupy the remaining 1.3 million acres, or six percent (fig. 4).

Figure 3.--Change in forest type areas on commercial forest land, 1934-36 to 1949

Figure 4.--Commercial forest land by broad types, 1949

Saw-timber volume decreases 17 percent: The total volume of sound saw-timber size trees in 1949 was 20.6 billion board feet. Softwoods made up over three-fourths of this volume with 12.7 billion board feet in pines and 3.2 billion in cypress. The hardwood volume amounted to 4.7 billion feet, or 23 percent of the total.

A comparison of the present saw-timber volume with the volume found in the first survey shows a decline of 17 percent. In making this comparison (table B), the present volume in hardwood trees 12 inches d.b.h. has been omitted since 12-inch hardwood trees were not considered saw timber in the original survey.

Table B.--Change in volume of saw timber, 1934-36 to 1949

Species group	1934-36	1949	Change
	<u>Million</u> <u>bd. ft.</u>	<u>Million</u> <u>bd. ft.</u>	<u>Percent</u>
Pine	13,987	12,691	- 9
Hardwood ^{1/}	5,562	3,551	-36
Cypress ^{2/}	3,873	3,186	-18
All species	23,422	19,428	-17

^{1/} Excludes volume of hardwoods 12 inches d.b.h.

^{2/} Includes volume of cedar.

The decrease in saw-timber volume was fairly uniform over the northern and central portions of the State, ranging from 14 to 18 percent, but it amounted to 45 percent, or nearly half, of the volume in South Florida. The heavier decrease in board-foot volume in the southern unit can be attributed in part to heavy cutting operations which have removed much of the merchantable timber in the Big Cypress Swamp in Collier County and surrounding areas. The growing livestock industry has also contributed to the decrease of timber volumes in this section through clearing and development of land for pasture and grazing use.

Slash pine is the only major species in which the saw-timber volume increased during the period between surveys. It increased two percent in volume, while longleaf pine decreased 11 percent, and the volume of other pines decreased 32 percent. Hardwood and cypress species also showed a marked decline, being down 36 and 18 percent respectively.

Pine timber makes up 62 percent of the present saw-timber volume with hardwoods accounting for 23 percent and cypress 15 percent. In 1949, the volume of slash pine was 6.3 billion board feet, making it the most abundant individual species (fig. 5). The volume of this species amounted to nearly half the entire volume of pine timber and to 31 percent of the total saw-timber volume in the State. Longleaf pine was the second species in importance with a volume of 4.5 billion board feet, or 22 percent of the State total.

Figure 5.--Board-foot volume by species, 1949

Nearly half, 49 percent, of the total saw-timber volume in the State is located in Northeast Florida, where the average volume per acre is 1,326 board feet. Of the 10.1 billion board feet in this unit, 8.3 billion, or 82 percent, is softwood. Northwest Florida contains 6.3 billion board feet, or 31 percent of the State total, with an average of 1,069 board feet per acre. Central Florida has 3.3 billion board feet, or 16 percent of the total timber, averaging 587 board feet per acre, and South Florida has the remaining four percent (table C).

Table C.--Saw-timber volume by survey unit, 1949

Survey unit	Pine	Hardwood	Cypress	Total	
	<u>Million</u> <u>bd. ft.</u>	<u>Million</u> <u>bd. ft.</u>	<u>Million</u> <u>bd. ft.</u>	<u>Million</u> <u>bd. ft.</u>	<u>Percent</u>
Northeast	6,640	1,769	1,655	10,064	49
Northwest	3,823	2,146	369	6,338	31
Central	1,794	800	733	3,327	16
South	434	2	429	865	4
State	12,691	4,717	3,186	20,594	100

The size of the average pine and cypress saw-timber tree is only 11.4 inches in diameter at breast height, as 65 percent of the present saw-timber volume is in the 10- and 12-inch diameter classes. Softwood trees in the 14- to 18-inch diameter class contain 31 percent of the volume, and the remaining four percent is in the larger, more desirable trees (fig. 6). By comparison, only 44 percent of the pine and cypress volume was in the 10- to 12-inch diameter class in 1934-36.

Figure 6.--Distribution of saw-timber volume by tree-diameter class, 1949

In addition to being concentrated in small size trees, much of the saw-timber volume is scattered throughout stands of pole timber, or in trees which have been left as remnants on seedling and sapling or poorly-stocked areas. Thirty-four percent of the saw-timber volume, or 7.0 billion board feet, is contained in stands having less than 1,500 board feet per acre (table D). This volume is scattered and mixed with immature trees in young or poorly-stocked stands over more than 18 million acres. The average volume per acre for timber in these conditions is only 388 board feet, making the economical harvesting of much of this volume either difficult or impossible.

Table D.--Volume of saw timber by stand-size class, 1949

Species group	Saw-timber stands	Pole-timber stands	Other stands	All stands
	<u>Million</u> <u>bd. ft.</u>	<u>Million</u> <u>bd. ft.</u>	<u>Million</u> <u>bd. ft.</u>	<u>Million</u> <u>bd. ft.</u>
Pine	7,419	1,973	3,299	12,691
Hardwood	3,561	629	527	4,717
Cypress	2,537	373	276	3,186
All species	13,517	2,975	4,102	20,594
Percent	66	14	20	100

Two-thirds of the saw-timber volume is in stands containing 1,500 board feet per acre or more. However, saw-timber size stands occupy only 3.2 million acres, or 15 percent, of the commercial forest area. Stands of large saw timber are very scarce. They contain 2.6 billion board feet of timber and are found on only two percent of the forest land. These larger stands have an average volume of 5,450 board feet per acre. The remaining 53 percent of the board-foot volume is in stands of small saw timber, which occupy 13 percent of the commercial forest land and average 3,960 board feet per acre.

Hardwood saw timber of poor quality: The remaining hardwood saw timber in Florida is composed largely of low-grade material. Only 12 percent of the hardwood volume is of select or number 1 quality, and 20 percent of the volume was grade 2. The remaining 68 percent is almost equally divided between grade 3A logs, which will produce only low-quality lumber, and grade 3B logs, which are primarily suitable for cross ties and timbers.

Primary growing stock decreases 9 percent: Saw-timber volumes in board feet are computed only on trees large enough to produce sawlogs (9 inches d.b.h. for softwoods and 11 inches d.b.h. for hardwoods). The cubic-foot volumes published in this release include the sound wood in pole-size trees (5.0 inches d.b.h. to saw-timber size) as well as the wood in the saw-timber trees. Trees below five inches in diameter are considered saplings or seedlings and are not assigned cubic-foot volumes. The cubic volume in all sound live trees five inches d.b.h. and larger is referred to as the primary growing stock.

In 1949, the cubic-foot volume of primary growing stock was 7.4 billion cubic feet, of which 4.2 billion, or 56 percent, was pine, 2.0 billion, or 27 percent, was hardwood, and the remaining 1.2 billion, or 17 percent, was cypress (table E).

Table E.--Primary growing stock by survey unit, 1949

Survey unit	Pine	Hardwood	Cypress	Total	
	<u>Million cu. ft.</u>	<u>Million cu. ft.</u>	<u>Million cu. ft.</u>	<u>Million cu. ft.</u>	<u>Percent</u>
Northeast	2,060	799	579	3,438	47
Northwest	1,321	854	110	2,285	31
Central	610	327	343	1,280	17
South	160	3	191	354	5
State	4,151	1,983	1,223	7,357	100

During the period between surveys, Florida has lost nine percent of its sound-tree or primary growing stock. The cubic volume of sound pine timber decreased four percent; hardwoods and cypress were down 15 and 14 percent respectively. Meanwhile, the cubic volume of sound material in cull trees, or secondary growing stock, increased sharply (table F).

Table F.--Change in volume of all timber, 1934-36 to 1949

Species group	Primary growing stock			Secondary growing stock		
	1934-36	1949	Change	1934-36	1949	Change
	<u>Million</u> <u>cu. ft.</u>	<u>Million</u> <u>cu. ft.</u>	<u>Percent</u>	<u>Million</u> <u>cu. ft.</u>	<u>Million</u> <u>cu. ft.</u>	<u>Percent</u>
Pine	<u>1</u> /4,332	4,151	- 4	71	100	+41
Hardwood	2,329	1,983	-15	1,313	2,393	+82
Cypress	1,420	1,223	-14	172	249	+45
All species	8,081	7,357	- 9	1,556	<u>2</u> /2,742	+76

1/ Excludes 102 million cubic feet in turpentine butts.

2/ Excludes 169 million cubic feet of noncommercial hardwoods and 1,009 million cubic feet of palms, species not tallied on the 1934-36 survey. Also excludes 45 million cubic feet in limbs of 12-inch hardwoods.

Some of the changes which have brought about the over-all decline in sound timber are interesting and significant. In North Florida the sound cubic volume of pine has increased two percent, from 3,306 to 3,381 million cubic feet. In contrast with a slight decline in saw-timber volume for the same area, this change indicates that the number and volume of pole-size trees has increased sufficiently to offset the decrease which has taken place in the number of larger saw-timber trees. In Central and South Florida the volume of pine species decreased 25 percent in terms of cubic feet and 36 percent in board feet, indicating a general decline in the number of sound pine trees in all size classes. The sound cubic volumes of hardwood and cypress show general declines throughout the State except in Central Florida, where the hardwood volumes are about unchanged and the cypress volumes increased 20 percent.

For the State as a whole, the only increase in sound tree volumes was in trees of pole size (fig. 7). The heavy cutting of both softwood and hardwood trees of saw-timber size has overbalanced this increase in pole-timber volume, creating a net decrease in the volume of all sound trees combined. Hardwood trees in the 12-inch diameter group were classified as pole timber during the original survey. For comparison, the 1949 cubic volume of 12-inch hardwood trees has been included with the pole-timber volumes shown in figure 7.

Figure 7.--Change in all-timber volume, 1934-36 to 1949

One-fourth of the total volume in cull trees: In 1949, the net cubic volume in cull trees amounted to 27 percent of the total net cubic volume, compared to 16 percent in the original survey. The change in cull hardwood volume is particularly significant. The volume increase in cull hardwood trees was 1.1 billion cubic feet, making the present volume 82 percent greater than was found in the first survey.

This increase is due, in part, to an increase of nearly 200 million cubic feet in the volume of scrub oak. Another 200 million cubic feet can be attributed to the increase of sound cull trees of other species. Thus, the major change was in the volume of rotten cull trees. Many hardwood trees which contained some degree of rotten material during the first survey have since become too rotten to qualify as sound trees. This condition is aggravated by cutting practices which seldom remove hardwoods with any marked degree of rotten cull from the stand.

Three-fourths of the forest land understocked: One outstanding feature of the commercial forest land in Florida is the degree of understocking in sound trees of desirable species. Stocking classifications are based on trees of all sizes, and they indicate the extent to which the available growing space is effectively utilized.

In 1949, there were 15.6 million acres of commercial forest land which were less than 40 percent stocked with sound trees. This area of poorly-stocked timberland amounts to nearly three-fourths of the commercial forest area and represents a serious deficiency in the timber-producing capacity of the State. Breaking this area down further, it was found that more than 9.7 million acres, or 45 percent, of the commercial forest land is seriously understocked or denuded, having less than 10 percent stocking in sound trees.

Planting required on large areas: Slightly over 60 percent of the poorly-stocked forest area in the pine and upland hardwood types will require planting if the land is to be restocked with trees. Over six million acres are suitable for the use of tractor-drawn planting machines. Approximately one million acres would require hand planting because the planting areas are less than 10 acres in size, or because ground conditions would prohibit the use of planting machinery.

Sites are poor over much of the poorly-stocked land, and commercially profitable plantations may be limited to only a part of the seven million acres.

Turpentine activity declines: The period between surveys has been marked by a considerable decrease in turpentine activity. The number of slash and longleaf pine trees 9 inches or larger being worked for gum decreased from nearly 36 million during the first survey to 13 million in 1949. The area supporting crops of working turpentine trees likewise decreased from nearly 2.5 million acres to 600 thousand acres. Most of the worked-out timber which characterized the turpentine belt in Florida some years ago has been removed from the stands.

Saw-timber growth about one billion board feet in 1948: The net annual growth of saw timber in Florida for 1948 was 1.1 billion board feet (table G). This growth includes the increase in volume of all sound saw-timber trees plus the volume of trees reaching saw-timber size during the year. It excludes the volume of trees dying from natural causes. The calendar year 1948 was chosen as a basis for computing growth so that comparison could be made with 1948 drain data. Growth of pine timber amounted to more than 800 million board feet, or 74 percent of the total. Geographically, the volume of growth is roughly in proportion to the distribution of the growing stock. The forests of Northeast Florida produced 589 million board feet of saw timber, or 52 percent of the total. Northwest Florida produced 358 million board feet and Central and South Florida combined produced 178 million.

Table G.--Net annual growth by survey unit, 1948

(in million board feet)				
Survey unit	Pine	Hardwood	Cypress	Total
Northeast	471	71	47	589
Northwest	260	86	12	358
Central & South	106	33	39	178
State	837	190	98	1,125
(in million cubic feet)				
Northeast	132	33	15	180
Northwest	90	33	2	125
Central & South	36	13	16	65
State	258	79	33	370

The growth of all sound trees 5.0 inches d.b.h. and larger, both pole and saw-timber trees, amounted to 370 million cubic feet in 1948. This volume also includes trees reaching 5.0 inches in size during the year and excludes mortality.

The average current annual growth of saw timber per acre in Florida is only 65 board feet (table H). The average growth per acre of all sound trees 5.0 inches and larger is correspondingly low, being 20 cubic feet or approximately three-tenths of a standard cord. Saw-timber stands are growing at the much faster rate of 265 board feet per acre per year, or eight-tenths of a cord, with the highest rates of increment in the loblolly pine and slash pine types. The low average rate of growth for all stands of timber is primarily due to the large area of forest land which is in a poorly-stocked condition.

Table H.--Current annual growth per acre by stand-size class

Stand size	Saw-timber trees	All sound trees 5.0" d.b.h. and larger	
	Board feet	Cubic feet	Cords
Saw-timber stands	265	57	0.8
Pole-timber stands	68	40	0.6
Other stands	19	7	0.1
All stands	65	20	0.3

Commodity drain 937 million board feet in 1948: Timber cutting for the production of various forest products created a drain of 937 million board feet on the saw-timber growing stock (table I). The drain on all sound trees 5.0 inches d.b.h. and larger amounted to 232 million cubic feet. These commodity drain estimates have been adjusted for waste and overutilization in cutting operations according to Forest Survey inventory standards. They apply only to the sound-tree growing stock. Approximately 88 percent of the total drain was on softwood timber, and about half of the drain took place in Northeast Florida. Ninety percent of the drain came from saw-timber trees and ten percent from pole-size trees.

Table I.--Commodity drain by survey unit, 1948

(in million board feet)

Survey unit	Pine	Hardwood	Cypress	Total
Northeast	397	40	23	460
Northwest	164	49	12	225
Central & South	169	24	59	252
State	730	113	94	937

(in million cubic feet)

Northeast	105	9	5	119
Northwest	43	11	3	57
Central & South	38	6	12	56
State	186	26	20	232

The leading forest products are shown in figure 8. Sawlogs used for lumber, sawn ties, and timbers made up 41 percent of the total. In terms of cubic feet, the drain created by pulpwood cutting nearly equaled the sawlog drain, being 38 percent of the total drain. Veneer logs and bolts accounted for 8 percent of the drain; hewn ties, 6 percent; fuel wood, 2 percent; poles, 3 percent; and all other forest products, 2 percent.

Figure 8.--Commodity drain by forest product, 1948

Timber growth exceeds drain in 1948: The net increase in volume on the sound-tree growing stock during 1948 exceeded drain in terms of both board feet and cubic feet (table J). For the State the net change resulting from board-foot growth of saw-timber trees amounted to an increase of 188 million board feet. However, in Central and South Florida the board-foot volume decreased 74 million board feet mainly because of heavy timber cutting operations and land clearing activity.

The cubic volume increase of all sound trees 5.0 inches and larger amounted to 138 million feet with the heavier increases in northern survey units and a slight increase in Central and South Florida. These changes during 1948 caused increases of about one percent in the State's saw-timber growing stock during the year and two percent in the total sound tree growing stock.

Table J.--Net change in primary growing stock, 1948^{1/}

(in million board feet)

Item	Pine	Hardwood	Cypress	Total
Growth on original stand ^{2/}	658	144	58	860
Ingrowth	248	73	49	370
Total growth	906	217	107	1,230
Mortality	69	27	9	105
Net growth	837	190	98	1,125
Commodity drain	730	113	94	937
Net change	+107	+77	+4	+188

(in million cubic feet)

Growth on original stand ^{2/}	245	70	32	347
Ingrowth	33	18	8	59
Total growth	278	88	40	406
Mortality	20	9	7	36
Net growth	258	79	33	370
Commodity drain	186	26	20	232
Net change	+72	+53	+13	+138

^{1/} See table 28 for change in board-foot volume by survey unit.

^{2/} Growth on trees included in the growing stock at the beginning of the year.

Table 1.--Gross area^{1/} by broad use class, 1949

Class of use	Area	
	<u>Acres</u>	<u>Percent</u>
Forest land:		
Commercial	21,451,100	57.2
Noncommercial	1,267,600	3.4
Reserved		
Commercial	46,400	0.1
Noncommercial	281,900	0.8
Total forest	23,047,000	61.5
Nonforest land:		
Agriculture - active	3,346,800	8.9
Agriculture - idle	1,121,900	3.0
Marsh	5,899,700	15.7
Dunes and beaches	71,300	0.2
Urban and other ^{2/}	991,900	2.7
Total nonforest	11,431,600	30.5
Total land area	34,478,600	92.0
Total water area ^{3/}	2,999,800	8.0
All classes	37,478,400	100.0

^{1/} From U. S. Bureau of the Census, 1940.

^{2/} Includes urban, suburban residential, and rural industrial areas, rights-of-way, cemeteries, schools, etc.

^{3/} Includes 249 thousand acres of water according to Survey standards of area classification, but defined by the Bureau of the Census as land.

Table 2.--Ownership of land, 1949

Class of ownership	All land		Commercial forest land	
	<u>Acres</u>	<u>Percent</u>	<u>Acres</u>	<u>Percent</u>
Public land:				
Federal				
National forest	1,063,600	3.1	1,025,500	4.8
Indian	78,500	0.2	36,100	0.1
Other	1,896,900	5.5	919,600	4.3
Total Federal	3,039,000	8.8	1,981,200	9.2
State	1,145,900	3.3	223,300	1.0
County & municipal	146,900	0.5	55,600	0.3
Total public	4,331,800	12.6	2,260,100	10.5
Private land	30,146,800	87.4	19,191,000	89.5
All classes	34,478,600	100.0	21,451,100	100.0

Table 3.--Commercial forest area by forest type and stand-size class, 1949

Forest type ^{1/}	Large saw-timber stands	Small: saw-timber stands	Pole- timber stands	Seedling & sapling stands	Poorly stocked stands & unstocked areas	All stands
	<u>Acres</u>	<u>Acres</u>	<u>Acres</u>	<u>Acres</u>	<u>Acres</u>	<u>Acres</u>
Longleaf pine	5,200	525,900	1,381,800	358,200	5,041,400	7,312,500
Slash pine	96,300	873,000	752,600	901,000	3,415,300	6,038,200
Loblolly pine	64,500	120,400	124,300	121,100	239,400	669,700
Pond pine	5,900	47,900	55,500	57,700	215,300	382,300
Sand pine	--	15,600	92,500	144,000	136,000	388,100
Cypress	31,400	499,000	381,700	142,100	227,900	1,282,100
All sftwd. types	203,300	2,081,800	2,788,400	1,724,100	9,275,300	16,072,900
Lowland hardwoods	280,100	660,200	654,500	505,200	655,700	2,755,700
Upland hardwoods	2,700	5,400	87,300	66,300	425,000	586,700
Scrub oak	--	--	--	--	1,894,700	1,894,700
All hdwd. types	282,800	665,600	741,800	571,500	2,975,400	5,237,100
Palm	--	--	--	--	141,100	141,100
All types	486,100	2,747,400	3,530,200	2,295,600	12,391,800	21,451,100
Percent	2.3	12.8	16.4	10.7	57.8	100.0

^{1/} See description of forest types and stand-size classes in appendix.

Table 4.--Net volume^{1/} of saw timber by species and stand-size class, 1949

(in thousand board feet)

Species ^{2/}	Large saw-timber stands	Small saw-timber stands	Pole- timber stands	Seedling & sapling stands	Poorly stocked stands & unstocked areas	All stands
Softwoods:						
Longleaf pine	13,900	1,876,900	1,026,400	183,400	1,362,100	4,462,700
Slash pine	649,100	3,453,800	770,400	395,500	1,036,900	6,305,700
Loblolly pine	319,600	727,100	100,400	56,400	98,000	1,301,500
Pond pine	21,100	159,500	38,800	25,800	98,700	343,900
Other pines	123,900	73,900	36,300	22,900	19,700	276,700
Total	1,127,600	6,291,200	1,972,300	684,000	2,615,400	12,690,500
Cypress	225,400	2,262,800	364,400	95,000	147,400	3,095,000
Cedar	19,100	29,600	8,300	--	34,200	91,200
Total sftwds.	1,372,100	8,583,600	2,345,000	779,000	2,797,000	15,876,700
Hardwoods:						
Tupelo	441,100	852,400	171,900	78,800	33,700	1,577,900
Sweetgum	196,900	294,100	54,600	56,300	27,200	629,100
Soft maple	38,400	125,000	15,400	4,900	6,000	189,700
Other soft hdwds.	144,600	367,300	107,400	26,900	38,800	685,000
Total	821,000	1,638,800	349,300	166,900	105,700	3,081,700
Red oaks	147,900	334,600	128,400	62,400	94,300	767,600
White oaks	146,700	70,800	63,100	16,300	21,800	318,700
Hickory	37,300	52,000	35,200	22,500	10,000	157,000
Ash	46,300	122,200	28,300	4,500	7,100	208,400
Other hard hdwds.	77,000	67,000	25,000	3,700	11,200	183,900
Total	455,200	646,600	280,000	109,400	144,400	1,635,600
Total hdwds.	1,276,200	2,285,400	629,300	276,300	250,100	4,717,300
All species	2,648,300	10,869,000	2,974,300	1,055,300	3,047,100	20,594,000
Percent	12.9	52.8	14.4	5.1	14.8	100.0

^{1/} Log scale, International 1/4-inch rule.

^{2/} See appendix for species combined with others.

Table 7.--Net volume^{1/} of all timber by species and stand-size class, 1949

PRIMARY GROWING STOCK (in thousand cords)

Species	Large saw-timber stands	Small saw-timber stands	Pole- timber stands	Seedling & sapling stands	Poorly stocked stands & unstocked areas	All stands
Softwoods:						
Longleaf pine	35	7,210	8,830	991	7,182	24,248
Slash pine	1,641	12,863	6,303	2,048	4,514	27,369
Loblolly pine	788	2,090	677	416	351	4,322
Pond pine	61	524	255	140	385	1,365
Other pines	282	242	604	166	70	1,364
Total	2,807	22,929	16,669	3,761	12,502	58,668
Cypress	556	9,734	4,085	521	650	15,546
Cedar	49	74	35	20	112	290
Total sftwds.	3,412	32,737	20,789	4,302	13,264	74,504
Hardwoods:						
Tupelo	1,367	4,814	2,136	596	229	9,142
Sweetgum	635	1,272	867	353	173	3,300
Soft maple	206	871	406	149	119	1,751
Other soft hwdws.	661	1,902	1,159	242	320	4,284
Total	2,869	8,859	4,568	1,340	841	18,477
Red oaks	487	1,554	1,226	335	478	4,080
White oaks	409	277	383	73	182	1,324
Hickory	138	199	262	146	43	788
Ash	250	828	478	49	87	1,692
Holly, dogwood	118	44	142	19	33	356
Other hard hwdws.	271	337	270	41	124	1,043
Total	1,673	3,239	2,761	663	947	9,283
Total hwdws.	4,542	12,098	7,329	2,003	1,788	27,760
Total primary	7,954	44,835	28,118	6,305	15,052	102,264
Percent	7.8	43.8	27.5	6.2	14.7	100.0

SECONDARY GROWING STOCK (in thousand cords)

Sound culls						
Softwoods	31	724	788	145	778	2,466
Hardwoods	2,150	5,153	4,109	1,790	9,502	22,704
Rotten culls	1,905	4,889	3,746	1,679	2,826	15,045
Palms	631	1,627	1,137	910	5,621	9,926
Total secondary	4,717	12,393	9,780	4,524	18,727	50,141

^{1/} Sound wood and bark.

Table 8.--Net volume^{1/} of all timber by species and diameter class, 1949

PRIMARY GROWING STOCK (in thousand cords)

Species	Pole trees		Saw-timber trees				All diameters
	6 inches	8 inches	10 inches	12 inches	14-18 inches	20+ inches	
Softwoods:							
Longleaf pine	4,733	7,044	6,671	3,825	1,894	81	24,248
Slash pine	4,736	5,500	6,141	5,216	5,272	504	27,369
Loblolly pine	434	610	573	695	1,683	327	4,322
Pond pine	164	306	186	291	397	21	1,365
Other pines	382	295	145	154	234	154	1,364
Total	10,449	13,755	13,716	10,181	9,480	1,087	58,668
Cypress	3,659	4,139	2,888	2,459	2,210	191	15,546
Cedar	33	43	52	47	96	19	290
Total sftwds.	14,141	17,937	16,656	12,687	11,786	1,297	74,504
Hardwoods:							
Tupelo	1,542	1,589	1,730	1,255	2,225	801	9,142
Sweetgum	684	478	489	420	954	275	3,300
Soft maple	454	431	357	159	278	72	1,751
Other soft hdwds.	656	874	917	552	1,078	207	4,284
Total	3,336	3,372	3,493	2,386	4,535	1,355	18,477
Red oaks	617	773	640	471	1,067	512	4,080
White oaks	85	232	195	125	273	414	1,324
Hickory	133	118	120	126	213	78	788
Ash	383	419	321	208	313	48	1,692
Holly, dogwood	226	87	30	10	3	--	356
Other hard hdwds.	160	194	222	113	228	126	1,043
Total	1,604	1,823	1,528	1,053	2,097	1,178	9,283
Total hdwds.	4,940	5,195	5,021	3,439	6,632	2,533	27,760
Total primary	19,081	23,132	21,677	16,126	18,418	3,830	102,264
Percent	18.7	22.6	21.2	15.8	18.0	3.7	100.0

SECONDARY GROWING STOCK (in thousand cords)

Sound culls							
Softwoods	725	549	526	255	274	137	2,466
Hardwoods	5,090	3,793	3,450	3,161	4,607	2,603	22,704
Rotten culls	978	1,546	1,450	1,444	4,183	5,444	15,045
Palms	196	1,050	4,200	3,655	825	--	9,926
Total secondary	6,989	6,938	9,626	8,515	9,889	8,184	50,141

^{1/} Sound wood and bark.

Table 9.--Net volume^{1/} of all timber by species and class of material, 1949

(in thousand cords)

Species	PRIMARY				SECONDARY	
	Saw-timber trees		Pole-timber trees	Total sound trees	Sound culls ^{2/}	Rotten culls
	Sawlog portion	Upper stems				
Softwoods:						
Longleaf pine	10,148	2,323	11,777	24,248	174	39
Slash pine	13,824	3,309	10,236	27,369	446	85
Loblolly pine	2,616	662	1,044	4,322	198	62
Pond pine	733	162	470	1,365	125	45
Other pines	554	133	677	1,364	200	9
Total	27,875	6,589	24,204	58,668	1,143	240
Cypress	6,170	1,578	7,798	15,546	1,269	1,716
Cedar	172	42	76	290	54	45
Total sftwds.	34,217	8,209	32,078	74,504	2,466	2,001
Hardwoods:						
Tupelo	3,466	815	4,861	9,142	2,669	3,591
Sweetgum	1,328	321	1,651	3,300	956	682
Soft maple	408	101	1,242	1,751	1,282	1,147
Other soft hwdws.	1,493	344	2,447	4,284	1,862	1,817
Total	6,695	1,581	10,201	18,477	6,769	7,237
Red oaks	1,677	373	2,030	4,080	2,673	2,824
White oaks	658	154	512	1,324	3,835	1,672
Hickory	336	81	371	788	269	175
Ash	466	103	1,123	1,692	1,185	838
Holly, dogwood	13	--	343	356	23	44
Scrub oak	--	--	--	--	7,341	--
Other hard hwdws.	372	95	576	1,043	609	254
Total	3,522	806	4,955	9,283	15,935	5,807
Total hwdws.	10,217	2,387	15,156	27,760	22,704	13,044
All species	44,434	10,596	47,234	102,264	25,170	15,045
Percent	43.4	10.4	46.2	100.0	62.6	37.4

^{1/} Sound wood and bark, excluding volume of palms shown in tables 7 and 8.

^{2/} Includes limb volume of sound hardwood saw-timber trees.

Table 10.--Net volume^{1/} of all timber by forest type and stand-size class, 1949

PRIMARY GROWING STOCK (in thousand cords)

Forest type	Large saw-timber stands	Small saw-timber stands	Pole- timber stands	Seedling & sapling stands	Poorly stocked stands & unstocked areas	All stands
Longleaf pine	54	7,008	9,055	795	6,912	23,824
Slash pine	1,935	13,501	6,148	2,182	4,554	28,320
Loblolly pine	972	2,292	931	461	314	4,970
Pond pine	52	523	228	98	312	1,213
Sand pine	--	153	594	57	58	862
Cypress	536	10,580	3,928	387	481	15,912
All sftwd. types	3,549	34,057	20,884	3,980	12,631	75,101
Lowland hdwds.	4,383	10,744	6,775	2,102	1,639	25,643
Upland hdwds.	22	34	459	223	321	1,059
Scrub oak	--	--	--	--	461	461
All hdwd. types	4,405	10,778	7,234	2,325	2,421	27,163
All types	7,954	44,835	28,118	6,305	15,052	102,264
Percent	7.8	43.8	27.5	6.2	14.7	100.0

SECONDARY GROWING STOCK (in thousand cords)

Longleaf pine	5	333	462	98	2,006	2,904
Slash pine	275	1,122	494	250	695	2,836
Loblolly pine	213	469	405	351	452	1,890
Pond pine	11	62	22	32	27	154
Sand pine	--	14	116	12	45	187
Cypress	229	1,902	956	154	451	3,692
All sftwd. types	733	3,902	2,455	897	3,676	11,663
Lowland hdwds.	3,346	6,815	5,829	2,394	4,547	22,931
Upland hdwds.	7	49	359	323	1,726	2,464
Scrub oak	--	--	--	--	3,157	3,157
All hdwd. types	3,353	6,864	6,188	2,717	9,430	28,552
All types	4,086	10,766	8,643	3,614	13,106	40,215
Percent	10.1	26.8	21.5	9.0	32.6	100.0

^{1/} Sound wood and bark, excluding volume of palms shown in tables 7 and 8.

Table 11.--Net volume^{1/} of pole-timber trees by forest type and stand-size class,
1949

PRIMARY GROWING STOCK (in thousand cords)

Forest type	Large saw-timber stands	Small saw-timber stands	Pole- timber stands	Seedling & sapling stands	Poorly stocked stands & unstocked areas	All stands
Longleaf pine	10	2,077	6,059	439	3,291	11,876
Slash pine	338	4,038	4,335	1,034	1,973	11,718
Loblolly pine	114	502	662	308	134	1,720
Pond pine	6	115	133	20	111	385
Sand pine	--	29	504	55	7	595
Cypress	84	4,500	3,019	229	199	8,031
All sftwd. types	552	11,261	14,712	2,085	5,715	34,325
Lowland hdwds.	948	4,294	4,870	1,272	813	12,197
Upland hdwds.	3	19	312	113	109	556
Scrub oak	--	--	--	--	156	156
All hdwd. types	951	4,313	5,182	1,385	1,078	12,909
All types	1,503	15,574	19,894	3,470	6,793	47,234
Percent	3.2	33.0	42.1	7.3	14.4	100.0

SECONDARY GROWING STOCK (in thousand cords)

Longleaf pine	3	257	292	79	1,248	1,879
Slash pine	135	487	302	121	388	1,433
Loblolly pine	64	174	178	112	102	630
Pond pine	5	28	20	1	5	59
Sand pine	--	6	70	12	11	99
Cypress	92	880	644	63	269	1,948
All sftwd. types	299	1,832	1,506	388	2,023	6,048
Lowland hdwds.	730	1,895	2,288	1,022	1,924	7,859
Upland hdwds.	4	9	219	109	603	944
Scrub oak	--	--	--	--	2,456	2,456
All hdwd. types	734	1,904	2,507	1,131	4,983	11,259
All types	1,033	3,736	4,013	1,519	7,006	17,307
Percent	5.9	21.6	23.2	8.8	40.5	100.0

^{1/} Sound wood and bark, excluding volume of palms shown in tables 7 and 8.

Table 12.--Net volume^{1/} of all timber by species and diameter class, 1949

PRIMARY GROWING STOCK (in thousand cubic feet)							
Species	Pole trees		Saw-timber trees				All diameters
	6 inches	8 inches	10 inches	12 inches	14-18 inches	20+ inches	
Softwoods:							
Longleaf pine	277,911	474,081	482,643	289,482	150,495	7,017	1,681,629
Slash pine	278,411	369,363	444,879	394,564	420,234	42,429	1,949,880
Loblolly pine	25,513	41,474	41,313	52,781	134,520	28,089	323,690
Pond pine	9,684	20,859	13,569	22,169	31,881	1,747	99,909
Other pines	22,600	19,757	10,424	11,715	18,667	13,268	96,431
Total	614,119	925,534	992,828	770,711	755,797	92,550	4,151,539
Cypress	240,386	309,252	230,258	207,541	193,382	18,059	1,198,878
Cedar	2,193	3,278	4,175	4,410	8,935	816	23,807
Total sftwds.	856,698	1,238,064	1,227,261	982,662	958,114	111,425	5,374,224
Hardwoods:							
Tupelo	93,459	104,215	120,233	95,288	176,135	65,115	654,445
Sweetgum	41,464	32,227	33,915	31,597	75,406	22,620	237,229
Soft maple	27,302	28,914	24,926	11,951	21,786	5,928	120,807
Other soft hwdws.	39,622	58,644	63,523	42,302	86,005	16,904	307,000
Total	201,847	224,000	242,597	181,138	359,332	110,567	1,319,481
Red oaks	37,267	50,918	43,898	35,816	85,054	42,059	295,012
White oaks	5,087	15,282	13,074	9,551	21,658	33,850	98,502
Hickory	7,998	7,899	8,186	9,429	16,922	6,383	56,817
Ash	23,001	27,224	22,049	15,747	24,781	3,773	116,575
Holly, dogwood	13,522	6,080	2,084	738	218	--	22,642
Other hard hwdws.	9,776	12,716	14,803	8,512	18,126	10,267	74,200
Total	96,651	120,119	104,094	79,793	166,759	96,332	663,748
Total hwdws.	298,498	344,119	346,691	260,931	526,091	206,899	1,983,229
Total primary	1,155,196	1,582,183	1,573,952	1,243,593	1,484,205	318,324	7,357,453
Percent	15.7	21.5	21.4	16.9	20.2	4.3	100.0
SECONDARY GROWING STOCK (in thousand cubic feet)							
Sound culls							
Softwoods	46,242	39,672	40,416	20,083	22,552	12,638	181,603
Hardwoods	308,723	249,602	239,976	233,964	362,533	212,272	1,607,070
Rotten culls	59,972	100,251	103,551	111,218	337,847	454,357	1,167,196
Palms	18,355	103,515	424,824	376,136	86,442	--	1,009,272
Total secondary	433,292	493,040	808,767	741,401	809,374	679,267	3,965,141

^{1/} Excluding bark.

Table 13.--Net volume^{1/} of all timber by species and class of material, 1949

(in thousand cubic feet)

Species	PRIMARY				SECONDARY	
	Saw-timber trees		Pole-timber trees	Total sound trees	Sound culls ^{2/}	Rotten culls
	Sawlog portion	Upper stems				
Softwoods:						
Longleaf pine	767,291	162,346	751,992	1,681,629	12,960	2,947
Slash pine	1,065,346	236,760	647,774	1,949,880	30,994	6,131
Loblolly pine	207,446	49,257	66,987	323,690	15,271	4,326
Pond pine	56,477	12,889	30,543	99,909	8,916	3,656
Other pines	43,592	10,482	42,357	96,431	14,315	529
Total	2,140,152	471,734	1,539,653	4,151,539	82,456	17,589
Cypress	532,555	116,685	549,638	1,198,878	93,840	146,205
Cedar	14,816	3,520	5,471	23,807	5,307	3,905
Total sftwds.	2,687,523	591,939	2,094,762	5,374,224	181,603	167,699
Hardwoods:						
Tupelo	276,482	60,056	317,907	654,445	192,019	275,605
Sweetgum	105,862	23,761	107,606	237,229	68,408	52,193
Soft maple	32,537	7,128	81,142	120,807	90,267	85,726
Other soft hwdws.	119,283	25,928	161,789	307,000	133,732	138,629
Total	534,164	116,873	668,444	1,319,481	484,426	552,153
Red oaks	134,049	28,880	132,083	295,012	196,767	220,360
White oaks	52,937	12,122	33,443	98,502	286,669	130,903
Hickory	26,808	5,926	24,083	56,817	20,005	13,709
Ash	36,344	7,957	72,274	116,575	80,127	61,201
Holly, dogwood	956	--	21,686	22,642	1,562	2,779
Scrub oak	--	--	--	--	493,850	--
Other hard hwdws.	29,892	7,013	37,295	74,200	43,664	18,392
Total	280,986	61,898	320,864	663,748	1,122,644	447,344
Total hwdws.	815,150	178,771	989,308	1,983,229	1,607,070	999,497
All species	3,502,673	770,710	3,084,070	7,357,453	1,788,673	1,167,196
Percent	47.6	10.5	41.9	100.0	60.5	39.5

^{1/} Excluding bark and volume of palms shown in table 12.^{2/} Includes limb volume of sound hardwood saw-timber trees.

Table 14.--Average volume $\frac{1}{2}$ per acre of saw timber by forest type, species group, and stand-size class, 1949

(in board feet)

Forest type and species group	Large saw-timber stands	Small saw-timber stands	Pole-timber stands	Seedling & sapling stands	Poorly stocked stands & unstocked areas	All stands
Longleaf pine						
Softwood	3,692	3,386	753	359	256	582
Hardwood	--	13	12	2	2	4
Slash pine						
Softwood	6,355	3,855	829	462	280	989
Hardwood	517	63	30	2	1	22
Loblolly pine						
Softwood	5,177	5,113	523	211	275	1,652
Hardwood	509	609	274	260	18	263
Pond pine						
Softwood	2,954	3,159	674	514	345	811
Hardwood	--	60	--	--	--	7
Sand pine						
Softwood	--	2,833	235	6	137	220
Hardwood	--	--	95	--	--	23
Cypress						
Softwood	5,199	4,395	883	411	478	2,232
Hardwood	1,102	332	8	19	14	163
Lowland hardwoods						
Softwood	809	656	323	219	211	406
Hardwood	4,108	2,994	765	410	274	1,457
Upland hardwoods						
Softwood	--	190	86	135	84	90
Hardwood	2,988	828	506	484	114	234
Scrub oak						
Softwood	--	--	--	--	58	58
Hardwood	--	--	--	--	1	1
All types						
Softwood	2,823	3,124	664	339	228	745
Hardwood	2,625	832	178	120	20	221

$\frac{1}{2}$ Log scale, International 1/4-inch rule.

Table 15.--Average volume^{1/} per acre of all timber by forest type, species group,
and stand-size class, 1949

(in standard cords)

Forest type and species group	Large saw-timber stands		Small saw-timber stands		Pole- timber stands		Other stand sizes		All stands	
	Sound ^{2/}	Cull ^{2/}	Sound	Cull	Sound	Cull	Sound	Cull	Sound	Cull
Longleaf pine										
Softwood	10.4	--	13.2	0.1	6.4	0.1	1.4	(3/)	3.2	(3/)
Hardwood	--	1.0	0.1	0.5	0.1	0.3	(3/)	0.4	(3/)	0.4
Slash pine										
Softwood	16.3	0.3	14.6	0.3	7.9	0.2	1.5	0.1	4.4	0.1
Hardwood	3.8	2.6	0.9	1.0	0.3	0.4	(3/)	0.1	0.3	0.3
Loblolly pine										
Softwood	12.6	0.1	14.9	0.5	4.7	0.4	1.5	0.2	5.6	0.3
Hardwood	2.5	3.2	4.2	3.4	2.8	2.9	0.6	2.0	1.8	2.5
Pond pine										
Softwood	8.8	0.8	10.5	0.3	3.9	0.4	1.5	0.2	3.1	0.2
Hardwood	--	1.0	0.4	1.0	0.2	--	--	(3/)	0.1	0.2
Sand pine										
Softwood	--	--	9.8	0.9	5.7	1.1	0.4	0.1	2.0	0.4
Hardwood	--	--	--	--	0.7	0.1	--	0.1	0.2	0.1
Cypress										
Softwood	12.0	1.6	18.7	1.7	9.7	2.1	2.2	1.2	11.1	1.7
Hardwood	5.0	5.7	2.5	2.1	0.6	0.4	0.1	0.4	1.3	1.2
Lowland hardwoods										
Softwood	1.9	0.4	1.9	0.3	1.4	0.2	0.8	0.1	1.3	0.2
Hardwood	13.7	11.6	14.4	10.1	9.0	8.7	2.4	5.8	8.0	8.1
Upland hardwoods										
Softwood	--	--	0.6	--	0.4	--	0.2	(3/)	0.2	(3/)
Hardwood	7.9	2.5	5.8	9.2	4.9	4.1	0.7	3.2	1.2	3.4
Scrub oak										
Softwood	--	--	--	--	--	--	0.2	(3/)	0.2	(3/)
Hardwood	--	--	--	--	--	--	(3/)	1.7	(3/)	1.7
All types										
Softwood	7.0	0.4	11.9	0.5	5.9	0.4	1.2	0.1	3.5	0.2
Hardwood	9.3	8.0	4.4	3.4	2.1	2.1	0.3	1.0	1.3	1.7

1/ Sound wood and bark, excluding volume of palms.

2/ Sound trees; cull trees.

3/ Less than 0.05 cords per acre.

Table 16.--Number^{1/} of turpentine pine trees by working status
and tree size, 1949
(in thousands of trees)

Working status	Pole- size trees	Small saw-timber trees	Large saw-timber trees	All trees
Round timber	306,118	102,246	3,925	412,289
Working timber	734	12,803	355	13,892
Resting timber	1,486	13,639	750	15,875
Abandoned timber	936	6,246	603	7,785
Worked-out timber	586	6,627	564	7,777
All classes	309,860	141,561	6,197	457,618

^{1/} Includes sound cull trees.

Table 17.--Area of turpentine timber crops by working status,
1949

Crop working status	Area	
	<u>Acres</u>	<u>Percent</u>
Round timber	1,542,300	49.1
Working timber		
Front-faced	372,300	11.8
Back-faced	256,600	8.2
Resting timber	514,100	16.4
Abandoned timber	255,400	8.1
Worked-out timber	202,700	6.4
All classes	3,143,400	100.0

Table 18. -- Area of stump land and tonnage of wood naval stores stumps
by availability class, 1949

Availability class	Area	Tonnage ^{1/}
	<u>Acres</u>	<u>Thousand</u> <u>tons</u>
Merchantable area	9,870,200	^{4/} 26,551
Marginal area ^{2/}	401,500	1,065
Potential area ^{3/}	548,000	1,489
Inaccessible area	228,800	629
All classes	11,048,500	29,734

^{1/} Includes stumps on agricultural land.

^{2/} Stump-land areas less than 25 acres in extent and partially worked areas.

^{3/} Unworkable at present due to density of timber stands.

^{4/} A check on the tons of stumps harvested under existing practices indicates the recoverable tonnage is approximately two-thirds of the merchantable volume shown.

Table 19.--Number of trees^{1/} by species group, quality class, and tree size,
1949

(in thousands of trees)

Species group and quality class	Sapling- size trees	Pole- size trees	Small saw-timber trees	Large saw-timber trees	All trees
Yellow pines:					
Sound trees	1,169,968	338,729	155,749	8,632	1,673,078
Sound culls	67,791	6,159	2,868	343	77,161
Rotten culls	45,413	1,617	1,083	185	48,298
Total	1,283,172	346,505	159,700	9,160	1,798,537
Other softwoods:					
Sound trees	310,301	117,088	42,838	2,080	472,307
Sound culls	53,389	12,762	2,907	141	69,199
Rotten culls	29,691	11,158	7,058	1,898	49,805
Total	393,381	141,008	52,803	4,119	591,311
Soft-textured hwdws.:					
Sound trees	590,848	126,737	27,200	4,581	749,366
Sound culls	211,056	39,872	6,772	779	258,479
Rotten culls	83,736	42,085	14,717	5,155	145,693
Total	885,640	208,694	48,689	10,515	1,153,538
Hard-textured hwdws.:					
Sound trees	386,315	65,950	13,944	3,605	469,814
Sound culls	1,063,902	170,990	18,234	3,609	1,256,735
Rotten culls	55,661	27,534	8,643	4,739	96,577
Total	1,505,878	264,474	40,821	11,953	1,823,126
Palms	(2/)	17,943	51,917	119	69,979
All species	4,068,071	978,624	353,930	35,866	5,436,491

^{1/} All trees 1.0 inch d.b.h. and larger.

^{2/} Data not recorded.

Table 20.--Area of poorly stocked stands and unstocked areas by plantability class, 1949

Forest type ^{1/}	No planting required ^{2/}	Suitable for machine planting	Hand planting required	All classes
	<u>Acres</u>	<u>Acres</u>	<u>Acres</u>	<u>Acres</u>
Longleaf pine	2,291,200	2,618,800	131,400	5,041,400
Slash pine	1,298,400	1,661,000	455,900	3,415,300
Loblolly pine	137,000	73,700	28,700	239,400
Pond pine	124,100	63,000	28,200	215,300
Sand pine	39,100	71,300	25,600	136,000
Upland hardwoods	230,200	98,000	96,800	425,000
Scrub oak	176,500	1,433,600	284,600	1,894,700
All types	4,296,500	6,019,400	1,051,200	11,367,100
Percent	37.8	53.0	9.2	100.0

^{1/} Lowland types not classified.

^{2/} Sufficient seed trees present or area is restocking naturally.

Table 21.--Commercial forest area by forest type and degree of stocking, 1949

STOCKING IN SOUND TREES

Forest type	Degree of stocking ^{1/}					Total area
	0-9 percent	10-39 percent	40-69 percent	70-99 percent	100+ percent	
	<u>Acres</u>	<u>Acres</u>	<u>Acres</u>	<u>Acres</u>	<u>Acres</u>	<u>Acres</u>
Longleaf pine	3,859,500	2,441,100	648,100	224,700	139,100	7,312,500
Slash pine	2,753,800	1,750,400	630,300	374,100	529,600	6,038,200
Loblolly pine	165,700	201,200	150,000	42,200	110,600	669,700
Pond pine	149,600	179,800	47,400	5,500	--	382,300
Sand pine	115,400	125,400	43,600	23,500	80,200	388,100
Cypress	158,400	212,200	221,300	275,300	414,900	1,282,100
Lowland hdwds.	337,000	662,100	828,500	407,700	520,400	2,755,700
Upland hdwds.	308,300	152,700	47,600	53,800	24,300	586,700
Scrub oak	1,748,500	123,000	23,200	--	--	1,894,700
Palm	141,100	--	--	--	--	141,100
All types	9,737,300	5,847,900	2,640,000	1,406,800	1,819,100	21,451,100
Percent	45.4	27.3	12.3	6.5	8.5	100.0

STOCKING IN TREES OF ALL QUALITY CLASSES^{2/}

Longleaf pine	3,312,700	2,362,100	906,500	450,800	280,400	7,312,500
Slash pine	2,555,700	1,734,600	665,500	389,800	692,600	6,038,200
Loblolly pine	73,300	184,900	111,400	112,700	187,400	669,700
Pond pine	141,700	171,800	54,100	3,700	11,000	382,300
Sand pine	90,800	58,700	72,500	41,800	124,300	388,100
Cypress	112,900	168,200	132,600	232,100	636,300	1,282,100
Lowland hdwds.	116,900	225,600	368,200	613,900	1,431,100	2,755,700
Upland hdwds.	74,900	163,400	104,000	123,000	121,400	586,700
Scrub oak	347,500	800,100	493,600	127,900	125,600	1,894,700
Palm	54,200	52,600	10,200	11,500	12,600	141,100
All types	6,880,600	5,922,000	2,918,600	2,107,200	3,622,700	21,451,100
Percent	32.1	27.6	13.6	9.8	16.9	100.0

^{1/} Includes trees 1.0 inch d.b.h. and larger.^{2/} Includes sound trees, cull trees, and palms.

Table 22.--Net annual growth^{1/} of saw timber by stand-size class, species, group, and survey unit, 1948

STATE					
Stand-size class	Softwoods		Gum, maple, bay, and magnolia	Other hardwoods	All species
	Yellow pine	Other			
	<u>Thousand</u> <u>bd. ft.</u>	<u>Thousand</u> <u>bd. ft.</u>	<u>Thousand</u> <u>bd. ft.</u>	<u>Thousand</u> <u>bd. ft.</u>	<u>Thousand</u> <u>bd. ft.</u>
Saw-timber stands	492,600	75,500	103,700	44,600	716,400
Pole-timber stands	135,700	14,100	15,200	17,400	182,400
Other stands	208,500	8,500	5,100	4,400	226,500
All stands	836,800	98,100	124,000	66,400	1,125,300

NORTHEAST					
Saw-timber stands	311,200	34,400	40,300	17,500	403,400
Pole-timber stands	84,000	9,100	6,100	5,100	104,300
Other stands	76,300	3,400	300	1,600	81,600
All stands	471,500	46,900	46,700	24,200	589,300

NORTHWEST					
Saw-timber stands	139,900	8,400	45,100	19,900	213,300
Pole-timber stands	35,500	2,300	6,000	9,500	53,300
Other stands	84,400	1,000	3,400	2,600	91,400
All stands	259,800	11,700	54,500	32,000	358,000

CENTRAL AND SOUTH					
Saw-timber stands	41,500	32,700	18,300	7,200	99,700
Pole-timber stands	16,200	2,700	3,100	2,800	24,800
Other stands	47,800	4,100	1,400	200	53,500
All stands	105,500	39,500	22,800	10,200	178,000

^{1/} Log scale, International 1/4-inch rule, on sound saw-timber growing stock.

Table 23.--Net annual growth^{1/} of primary growing stock by stand-size class, species group, and survey unit, 1948

STATE					
Stand-size class	Softwoods		Gum, maple, bay, and magnolia	Other hardwoods	All species
	Yellow pine	Other			
	<u>Thousand cords</u>	<u>Thousand cords</u>	<u>Thousand cords</u>	<u>Thousand cords</u>	<u>Thousand cords</u>
Saw-timber stands	1,312	268	407	182	2,169
Pole-timber stands	1,187	122	216	164	1,689
Other stands	881	7	68	45	1,001
All stands	3,380	397	691	391	4,859
NORTHEAST					
Saw-timber stands	830	114	187	79	1,210
Pole-timber stands	563	53	92	58	766
Other stands	343	3	24	13	383
All stands	1,736	170	303	150	2,359
NORTHWEST					
Saw-timber stands	370	20	163	79	632
Pole-timber stands	477	5	82	77	641
Other stands	341	1	21	23	386
All stands	1,188	26	266	179	1,659
CENTRAL AND SOUTH					
Saw-timber stands	112	134	57	24	327
Pole-timber stands	147	64	42	29	282
Other stands	197	3	23	9	232
All stands	456	201	122	62	841

^{1/} Sound wood and bark.

Table 24.--Average growth^{1/} of saw timber per acre by forest type, stand-size class, and survey unit, 1948

(in board feet)

Forest type	Saw-timber stands				Pole-timber stands			
	State	North-east	North-west	Central and South	State	North-east	North-west	Central and South
Longleaf pine	298	327	287	231	83	108	75	51
Slash pine	317	337	304	238	62	65	60	59
Loblolly pine	388	429	361	231	96	34	142	119
Pond pine	157	158	188	98	30	33	18	41
Sand pine	68	68	--	--	23	18	38	6
Cypress	241	290	173	180	42	58	67	31
Lowland hardwoods	195	181	222	181	67	68	79	49
Upland hardwoods	41	27	53	--	58	35	90	--
Scrub oak	--	--	--	--	--	--	--	--
All types	265	287	267	201	68	76	76	47

	Other stands				All stands			
	State	North-east	North-west	Central and South	State	North-east	North-west	Central and South
Longleaf pine	25	24	39	17	56	81	64	28
Slash pine	19	30	26	13	72	137	74	27
Loblolly pine	28	13	19	124	140	152	131	138
Pond pine	21	22	31	9	42	51	40	15
Sand pine	1	--	--	2	9	9	16	2
Cypress	18	20	13	16	117	160	75	79
Lowland hardwoods	24	24	41	12	93	98	121	56
Upland hardwoods	10	12	28	1	18	17	49	1
Scrub oak	3	3	3	4	3	3	3	4
All types	19	20	29	13	65	94	71	32

^{1/} Applies to timber stands in which no cutting occurred during the year.

Table 25.--Average growth^{1/} of primary growing stock per acre by forest type,
stand-size class, and survey unit, 1948

(in cords)

Forest type	Saw-timber stands				Pole-timber stands			
	State	North-east	North-west	Central and South	State	North-east	North-west	Central and South
Longleaf pine	0.8	0.8	0.8	0.6	0.6	0.6	0.7	0.5
Slash pine	0.9	1.0	1.0	0.6	0.6	0.6	0.7	0.5
Loblolly pine	1.0	1.1	0.9	0.8	0.9	0.4	1.2	0.4
Pond pine	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.5
Sand pine	0.1	0.1	--	--	0.3	0.4	0.1	0.6
Cypress	0.7	0.7	0.4	0.7	0.5	0.5	0.4	0.5
Lowland hardwoods	0.7	0.6	0.8	0.6	0.6	0.6	0.7	0.5
Upland hardwoods	0.3	0.3	0.3	--	0.4	0.2	0.7	--
Scrub oak	--	--	--	--	--	--	--	--
All types	0.8	0.8	0.8	0.6	0.6	0.5	0.7	0.5

	Other stands				All stands			
Longleaf pine	0.1	0.1	0.2	0.1	0.2	0.3	0.3	0.1
Slash pine	0.1	0.1	0.2	0.1	0.3	0.5	0.4	0.1
Loblolly pine	0.2	0.1	0.2	0.4	0.5	0.5	0.6	0.4
Pond pine	0.1	0.1	0.1	(<u>2/</u>)	0.1	0.2	0.1	0.1
Sand pine	(<u>2/</u>)	(<u>2/</u>)	(<u>2/</u>)	(<u>2/</u>)	0.1	0.1	0.1	(<u>2/</u>)
Cypress	0.1	0.1	0.1	0.1	0.5	0.5	0.3	0.5
Lowland hardwoods	0.2	0.2	0.2	0.1	0.4	0.5	0.6	0.3
Upland hardwoods	(<u>2/</u>)	(<u>2/</u>)	0.2	(<u>2/</u>)	0.1	0.1	0.3	(<u>2/</u>)
Scrub oak	(<u>2/</u>)	(<u>2/</u>)	(<u>2/</u>)	(<u>2/</u>)	(<u>2/</u>)	(<u>2/</u>)	(<u>2/</u>)	(<u>2/</u>)
All types	0.1	0.1	0.1	0.1	0.3	0.4	0.3	0.2

^{1/} Sound wood and bark. Applies to stands in which no cutting occurred during the year.

^{2/} Less than 0.05 cords per acre.

Table 26.--Commodity drain^{1/} from saw timber by species group and survey unit,

1948

STATE

Commodity	Softwoods		Gum, maple, bay, and magnolia	Other hardwoods	All species	
	Yellow pine	Other				
	<u>Thousand bd. ft.</u>	<u>Thousand bd. ft.</u>	<u>Thousand bd. ft.</u>	<u>Thousand bd. ft.</u>	<u>Thousand bd. ft.</u>	<u>Percent</u>
Sawlogs ^{2/}	398,231	83,201	23,353	10,003	514,788	54.9
Veneer bolts	14,417	1,105	67,576	2,140	85,238	9.1
Cooperage bolts	10,509	--	51	--	10,560	1.1
Dimension	3,934	176	631	69	4,810	0.5
Pulpwood bolts	219,627	--	215	--	219,842	23.4
Fuel wood	10,398	--	255	2,321	12,974	1.4
Piling	2,884	384	--	385	3,653	0.4
Poles	25,956	18	--	--	25,974	2.8
Posts	--	--	--	--	--	--
Hewn ties	44,044	6,920	1,018	3,883	55,865	6.0
Miscellaneous ^{3/}	297	1,814	1,249	362	3,722	0.4
All commodities	730,297	93,618	94,348	19,163	937,426	100.0

NORTHEAST

Sawlogs ^{2/}	193,969	14,061	6,813	2,524	217,367	47.3
Veneer bolts	9,039	659	23,804	1,881	35,383	7.7
Cooperage bolts	2,089	--	--	--	2,089	0.4
Dimension	1,581	--	631	30	2,242	0.5
Pulpwood bolts	130,107	--	181	--	130,288	28.3
Fuel wood	3,703	--	--	688	4,391	1.0
Piling	2,216	92	--	4	2,312	0.5
Poles	18,900	11	--	--	18,911	4.1
Posts	--	--	--	--	--	--
Hewn ties	35,881	6,199	21	3,223	45,324	9.9
Miscellaneous ^{3/}	46	1,358	--	79	1,483	0.3
All commodities	397,531	22,380	31,450	8,429	459,790	100.0

^{1/} Log scale, International 1/4-inch rule.^{2/} For lumber, timbers, and sawn ties.

Table 26.--Commodity drain^{1/} from saw timber by species group and survey unit,
1948 (cont'd.)

NORTHWEST

Commodity	Softwoods		Gum, maple, bay, and magnolia	Other hardwoods	All species	
	Yellow pine	Other				
	<u>Thousand bd. ft.</u>	<u>Thousand bd. ft.</u>	<u>Thousand bd. ft.</u>	<u>Thousand bd. ft.</u>	<u>Thousand bd. ft.</u>	<u>Percent</u>
Sawlogs ^{2/}	84,124	11,921	15,131	6,778	117,954	52.4
Veneer bolts	108	68	22,238	131	22,545	10.0
Cooperage bolts	8,420	--	51	--	8,471	3.8
Dimension	--	--	--	39	39	(<u>4/</u>)
Pulpwood bolts	55,609	--	32	--	55,641	24.7
Fuel wood	5,759	--	229	1,633	7,621	3.4
Piling	--	4	--	--	4	(<u>4/</u>)
Poles	6,681	--	--	--	6,681	3.0
Posts	--	--	--	--	--	--
Hewn ties	2,770	255	750	633	4,408	1.9
Miscellaneous ^{3/}	228	126	1,249	214	1,817	0.8
All commodities	163,699	12,374	39,680	9,428	225,181	100.0

CENTRAL AND SOUTH

Sawlogs ^{2/}	120,138	57,219	1,409	701	179,467	71.1
Veneer bolts	5,270	378	21,534	128	27,310	10.8
Cooperage bolts	--	--	--	--	--	--
Dimension	2,353	176	--	--	2,529	1.0
Pulpwood bolts	33,911	--	2	--	33,913	13.4
Fuel wood	936	--	26	--	962	0.4
Piling	668	288	--	381	1,337	0.5
Poles	375	7	--	--	382	0.2
Posts	--	--	--	--	--	--
Hewn ties	5,393	466	247	27	6,133	2.4
Miscellaneous ^{3/}	23	330	--	69	422	0.2
All commodities	169,067	58,864	23,218	1,306	252,455	100.0

^{3/} Products such as handles, shuttle blocks, excelsior, shingles, etc.

^{4/} Less than 0.05 percent.

Table 27.--Commodity drain^{1/} from all timber by species group and survey unit,
1948

STATE

Primary Growing Stock

Commodity	Softwoods		Gum, maple, bay, and magnolia	Other hardwoods	All species	
	Yellow pine	Other				
	Standard cords	Standard cords	Standard cords	Standard cords	Standard cords	Percent
Sawlogs ^{2/}	766,400	190,200	49,900	21,400	1,027,900	37.9
Veneer bolts	36,600	2,800	187,100	5,900	232,400	8.6
Cooperage bolts	22,300	--	100	--	22,400	0.8
Dimension	9,400	400	1,500	200	11,500	0.4
Pulpwood bolts	1,110,400	--	1,100	--	1,111,500	41.0
Fuel wood	38,000	--	1,200	11,500	50,700	1.9
Piling	8,700	1,100	--	1,300	11,100	0.4
Poles	76,500	100	--	--	76,600	2.8
Posts	1,200	400	300	400	2,300	0.1
Hewn ties	122,700	19,300	2,800	10,800	155,600	5.7
Miscellaneous ^{3/}	1,300	4,300	3,100	1,100	9,800	0.4
All commodities	2,193,500	218,600	247,100	52,600	2,711,800	100.0

Secondary Growing Stock

All commodities	6,400	16,300	15,400	90,400	128,500	--
-----------------	-------	--------	--------	--------	---------	----

NORTHEAST

Primary Growing Stock

Sawlogs ^{2/}	373,300	32,100	14,600	5,400	425,400	30.4
Veneer bolts	23,000	1,600	65,900	5,200	95,700	6.8
Cooperage bolts	4,400	--	--	--	4,400	0.3
Dimension	3,800	--	1,500	100	5,400	0.4
Pulpwood bolts	657,800	--	900	--	658,700	47.0
Fuel wood	13,500	--	--	3,400	16,900	1.2
Piling	6,700	300	--	(4/)	7,000	0.5
Poles	55,700	100	--	--	55,800	4.0
Posts	700	200	(4/)	300	1,200	0.1
Hewn ties	100,000	17,300	100	8,900	126,300	9.0
Miscellaneous ^{3/}	500	3,300	--	200	4,000	0.3
All commodities	1,239,400	54,900	83,000	23,500	1,400,800	100.0

Secondary Growing Stock

All commodities	3,000	7,600	7,100	41,900	59,600	--
-----------------	-------	-------	-------	--------	--------	----

^{1/} Sound wood and bark.

^{2/} For lumber, timbers, and sawn ties.

^{3/} Products such as handles, shuttle blocks, excelsior, shingles, etc.

Table 27.--Commodity drain^{1/} from all timber by species group and survey unit,
1948 (cont'd.)

NORTHWEST

Primary Growing Stock						
Commodity	Softwoods		Gum, maple, bay, and magnolia	Other hardwoods	All species	
	Yellow pine	Other				
	<u>Standard cords</u>	<u>Standard cords</u>	<u>Standard cords</u>	<u>Standard cords</u>	<u>Standard cords</u>	<u>Percent</u>
Sawlogs ^{2/}	161,900	27,300	32,300	14,500	236,000	35.5
Veneer bolts	200	200	61,600	400	62,400	9.4
Cooperage bolts	17,900	--	100	--	18,000	2.7
Dimension	--	--	--	100	100	(5/)
Pulpwood bolts	281,100	--	200	--	281,300	42.3
Fuel wood	21,100	--	1,100	8,100	30,300	4.5
Piling	--	(4/)	--	--	(4/)	(5/)
Poles	19,700	--	--	--	19,700	3.0
Posts	200	(4/)	300	100	600	0.1
Hewn ties	7,700	700	2,000	1,800	12,200	1.8
Miscellaneous ^{3/}	800	200	3,100	700	4,800	0.7
All commodities	510,600	28,400	100,700	25,700	665,400	100.0

Secondary Growing Stock

All commodities	1,500	3,900	3,700	21,700	30,800	--
-----------------	-------	-------	-------	--------	--------	----

CENTRAL AND SOUTH

Primary Growing Stock						
Sawlogs ^{2/}	231,200	130,800	3,000	1,500	366,500	56.8
Veneer bolts	13,400	1,000	59,600	300	74,300	11.5
Cooperage bolts	--	--	--	--	--	--
Dimension	5,600	400	--	--	6,000	0.9
Pulpwood bolts	171,500	--	(4/)	--	171,500	26.6
Fuel wood	3,400	--	100	--	3,500	0.5
Piling	2,000	800	--	1,300	4,100	0.6
Poles	1,100	(4/)	--	--	1,100	0.2
Posts	300	200	--	(4/)	500	0.1
Hewn ties	15,000	1,300	700	100	17,100	2.6
Miscellaneous ^{3/}	(4/)	800	--	200	1,000	0.2
All commodities	443,500	135,300	63,400	3,400	645,600	100.0

Secondary Growing Stock

All commodities	1,900	4,800	4,600	26,800	38,100	--
-----------------	-------	-------	-------	--------	--------	----

^{4/} Less than 50 cords.

^{5/} Less than 0.05 percent.

Table 28.--Net change^{1/} in saw-timber growing stock by species group and survey unit, 1948

Item	STATE				
	Softwoods		Gum, maple, bay, and magnolia	Other hardwoods	Total
	Yellow pine	Other			
	<u>Thousand bd. ft.</u>	<u>Thousand bd. ft.</u>	<u>Thousand bd. ft.</u>	<u>Thousand bd. ft.</u>	<u>Thousand bd. ft.</u>
Growing stock, Jan. 1, 1948	12,584,000	3,181,700	3,052,000	1,588,400	20,406,100
Net growth	836,800	98,100	124,000	66,400	1,125,300
Commodity drain	730,300	93,600	94,300	19,200	937,400
Net change	+106,500	+4,500	+29,700	+47,200	+187,900
Growing stock, Jan. 1, 1949	12,690,500	3,186,200	3,081,700	1,635,600	20,594,000
Percent change	+0.8	+0.1	+1.0	+3.0	+0.9

NORTHEAST					
Growing stock, Jan. 1, 1948	6,565,200	1,630,600	1,191,000	547,500	9,934,300
Net growth	471,500	46,900	46,700	24,200	589,300
Commodity drain	397,600	22,300	31,400	8,500	459,800
Net change	+73,900	+24,600	+15,300	+15,700	+129,500
Growing stock, Jan. 1, 1949	6,639,100	1,655,200	1,206,300	563,200	10,063,800
Percent change	+1.1	+1.5	+1.3	+2.9	+1.3

Table 28.--Net change^{1/} in saw-timber growing stock by species group and survey unit, 1948 (cont'd.)

NORTHWEST

Item	Softwoods		Gum, maple, bay, and magnolia	Other hardwoods	Total
	Yellow pine	Other			
	<u>Thousand bd. ft.</u>	<u>Thousand bd. ft.</u>	<u>Thousand bd. ft.</u>	<u>Thousand bd. ft.</u>	<u>Thousand bd. ft.</u>
Growing stock, Jan. 1, 1948	3,726,800	369,800	1,330,300	778,200	6,205,100
Net growth	259,800	11,700	54,500	32,000	358,000
Commodity drain	163,700	12,400	39,700	9,400	225,200
Net change	+96,100	-700	+14,800	+22,600	+132,800
Growing stock, Jan. 1, 1949	3,822,900	369,100	1,345,100	800,800	6,337,900
Percent change	+2.6	-0.2	+1.1	+2.9	+2.1

CENTRAL AND SOUTH

Growing stock, Jan. 1, 1948	2,292,000	1,181,300	530,700	262,700	4,266,700
Net growth	105,500	39,500	22,800	10,200	178,000
Commodity drain	169,000	58,900	23,200	1,300	252,400
Net change	-63,500	-19,400	-400	+8,900	-74,400
Growing stock, Jan. 1, 1949	2,228,500	1,161,900	530,300	271,600	4,192,300
Percent change	-2.8	-1.6	-0.1	+3.4	-1.7

^{1/} Log scale, International 1/4-inch rule on sound saw-timber growing stock.

Table 29.--Net change in primary growing stock by species group and survey unit,

1948

STATE

Item	Softwoods		Gum, maple, bay, and magnolia	Other hardwoods	Total
	Yellow pine	Other			
	<u>Thousand cords</u>	<u>Thousand cords</u>	<u>Thousand cords</u>	<u>Thousand cords</u>	<u>Thousand cords</u>
Growing stock, Jan. 1, 1948	57,481	15,658	18,033	8,945	100,117
Net growth:					
On trees 5.0" and larger, Jan. 1, 1948	2,952	293	544	289	4,078
Trees recruiting to 5.0" in 1948	428	104	147	102	781
Total	3,380	397	691	391	4,859
Commodity drain	2,193	219	247	53	2,712
Net change	+1,187	+178	+444	+338	+2,147
Growing stock, Jan. 1, 1949	58,668	15,836	18,477	9,283	102,264
Percent change	+2.1	+1.1	+2.5	+3.8	+2.1

NORTHEAST

Growing stock, Jan. 1, 1948	28,459	7,345	7,341	3,540	46,685
Net growth:					
On trees 5.0" and larger, Jan. 1, 1948	1,547	127	236	114	2,024
Trees recruiting to 5.0" in 1948	189	43	67	36	335
Total	1,736	170	303	150	2,359
Commodity drain	1,239	55	83	24	1,401
Net change	+497	+115	+220	+126	+958
Growing stock, Jan. 1, 1949	28,956	7,460	7,561	3,666	47,643
Percent change	+1.7	+1.6	+3.0	+3.6	+2.1

Table 29.--Net change in primary growing stock by species group and survey unit,
1948 (cont'd.)

NORTHWEST					
Item	Softwoods		Gum, maple, bay, and magnolia	Other hardwoods	Total
	Yellow pine	Other			
	<u>Thousand cords</u>	<u>Thousand cords</u>	<u>Thousand cords</u>	<u>Thousand cords</u>	<u>Thousand cords</u>
Growing stock, Jan. 1, 1948	18,113	1,365	7,678	3,881	31,037
Net growth:					
On trees 5.0" and larger Jan. 1, 1948	1,011	20	213	130	1,374
Trees recruiting to 5.0" in 1948	177	6	53	49	285
Total	1,188	26	266	179	1,659
Commodity drain	510	28	101	26	665
Net change	+678	-2	+165	+153	+994
Growing stock, Jan. 1, 1949	18,791	1,363	7,843	4,034	32,031
Percent change	+3.7	-0.1	+2.1	+3.9	+3.2

CENTRAL AND SOUTH					
Growing stock, Jan. 1, 1948	10,909	6,948	3,014	1,524	22,395
Net growth:					
On trees 5.0" and larger Jan. 1, 1948	394	146	95	45	680
Trees recruiting to 5.0" in 1948	62	55	27	17	161
Total	456	201	122	62	841
Commodity drain	444	136	63	3	646
Net change	+12	+65	+59	+59	+195
Growing stock, Jan. 1, 1949	10,921	7,013	3,073	1,583	22,590
Percent change	+0.1	+0.9	+2.0	+3.9	+0.9

Table 30.--County area by broad use class, 1949

County	Total areal/ Acres	Non-forest area		Forest land		
		Land	Water	Non- commercial ^{2/}	Commercial	
		Acres	Acres	Acres	Acres	Percent
Alachua	615,000	207,000	37,700	300	370,000	64.1
Baker	376,300	18,900	1,100	--	356,300	95.0
Bay	551,000	50,600	60,700	11,200	428,500	87.4
Bradford	195,200	43,400	7,500	--	144,300	76.9
Brevard	839,000	373,500	190,500	37,100	237,900	36.7
Broward	780,800	666,800	2,600	63,200	48,200	6.2
Calhoun	362,900	32,700	1,700	--	328,500	90.9
Charlotte	532,500	86,800	88,600	47,500	309,600	69.7
Citrus	423,100	59,200	50,000	3,700	310,200	83.1
Clay	412,100	32,700	29,100	1,000	349,300	91.2
Collier	1,356,100	302,000	92,000	300,500	661,600	52.3
Columbia	505,000	107,600	4,100	1,200	392,100	78.3
Dade	1,349,800	1,113,900	19,700	141,900	74,300	5.6
De Soto	416,600	242,000	3,700	17,400	153,500	37.2
Dixie	453,800	49,800	9,100	--	394,900	88.8
Duval	537,600	133,800	56,200	1,400	346,200	71.9
Escambia	491,500	101,000	41,600	2,900	346,000	76.9
Flagler	322,600	20,700	17,000	1,700	283,200	92.7
Franklin	361,600	29,800	16,500	21,800	293,500	85.0
Gadsden	334,700	100,800	6,000	3,200	224,700	68.4
Gilchrist	222,700	69,000	4,100	--	149,600	68.4
Glades	574,700	360,700	4,400	65,900	143,700	25.2
Gulf	369,900	31,600	7,500	7,500	323,300	89.2
Hamilton	329,600	59,100	3,500	1,300	265,700	81.5
Hardee	403,200	113,000	6,800	2,800	280,600	70.8
Hendry	761,000	465,500	2,600	71,800	221,100	29.2
Hernando	325,100	45,000	16,200	1,700	262,200	84.9
Highlands	716,200	331,800	56,800	24,800	302,800	45.9
Hillsborough	679,700	233,100	22,300	8,800	415,500	63.2
Holmes	309,800	83,900	2,000	--	223,900	72.7
Indian River	350,700	211,500	20,100	20,800	98,300	29.7
Jackson	606,700	261,800	8,300	900	335,700	56.1
Jefferson	389,800	96,500	4,300	--	289,000	75.0
Lafayette	352,600	58,100	4,300	--	290,200	83.3
Lake	744,300	177,900	143,200	29,500	393,700	65.5
Lee	643,200	81,200	99,300	86,700	376,000	69.1
Leon	445,500	94,700	16,300	100	334,400	77.9
Levy	727,700	155,400	37,100	800	534,400	77.4
Liberty	540,800	6,500	3,100	16,800	514,400	95.7
Madison	453,100	143,600	6,000	(3/)	303,500	67.9
Manatee	502,400	153,300	40,600	3,100	305,400	66.1
Marion	1,057,300	223,400	41,700	--	792,200	78.0
Martin	372,400	103,900	37,700	22,900	207,900	62.1
Monroe	907,500	388,400	271,400	243,200	4,500	0.7
Nassau	429,400	49,400	15,200	1,500	363,300	87.7
Okaloosa	634,900	77,800	40,500	6,600	510,000	85.8
Okeechobee	499,200	325,300	61,000	8,600	104,300	23.8
Orange	641,900	115,800	63,900	12,200	450,000	77.9
Osceola	938,900	358,900	88,600	7,100	484,300	57.0
Palm Beach	1,649,900	970,900	455,500	96,200	127,300	10.7
Pasco	494,100	98,900	36,100	9,100	350,000	76.4
Pinellas	197,800	81,400	37,900	3,400	75,100	47.0
Polk	1,310,700	403,700	113,200	22,800	771,000	64.4
Putnam	562,600	50,000	65,300	--	447,300	89.9
St. Johns	422,400	53,400	43,800	1,400	323,800	85.5
St. Lucie	400,600	184,000	54,400	--	162,200	46.9
Santa Rosa	737,300	95,400	72,600	6,400	562,900	84.7
Sarasota	396,800	143,000	37,100	8,100	208,600	58.0
Seminole	225,300	65,300	26,100	--	133,900	67.2
Sumter	367,400	83,200	25,500	11,000	247,700	72.4
Suwannee	439,700	180,000	7,200	700	251,800	58.2
Taylor	673,300	48,200	15,700	18,300	591,100	89.9
Union	156,800	27,000	2,100	--	127,700	82.5
Volusia	772,500	101,400	83,900	62,400	524,800	76.2
Wakulla	406,400	42,400	14,900	50,200	298,900	76.3
Walton	726,400	82,800	31,900	4,500	607,200	87.4
Washington	391,000	71,500	12,400	--	307,100	81.1
Total	37,478,400	11,431,600	2,999,800	1,595,900	21,451,100	62.2

^{1/} Gross area from Bureau of the Census.^{2/} Non-productive forest land plus forest land withdrawn from commercial use.^{3/} Less than 50 acres.

Table 31.--Ownership of commercial forest land by county, 1949

County	Private		Public					
			National forest	Other federal	State	County, city, town	Total public	
	Acres	Percent	Acres	Acres	Acres	Acres	Acres	Percent
Alachua	362,600	98.0	--	500	5,700	1,200	7,400	2.0
Baker	278,100	78.1	77,500	500	200	--	78,200	21.9
Bay	398,800	93.1	--	21,300	8,000	400	29,700	6.9
Bradford	133,000	92.2	--	300	11,000	--	11,300	7.8
Brevard	227,900	95.8	--	1,200	5,300	3,500	10,000	4.2
Broward	32,400	67.2	--	400	14,500	900	15,800	32.8
Calhoun	328,200	99.9	--	100	100	100	300	0.1
Charlotte	260,800	84.2	--	200	47,000	1,600	48,800	15.8
Citrus	267,500	86.2	--	40,700	2,000	--	42,700	13.8
Clay	282,500	80.9	--	42,700	24,100	(1/)	66,800	19.1
Collier	651,700	98.5	--	400	9,500	--	9,900	1.5
Columbia	313,900	80.1	76,200	400	1,300	300	78,200	19.9
Dade	60,400	81.3	--	200	13,200	500	13,900	18.7
De Soto	152,700	99.5	--	100	500	200	800	0.5
Dixie	393,700	99.7	--	400	700	100	1,200	0.3
Duval	330,900	95.6	--	12,200	1,400	1,700	15,300	4.4
Escambia	345,000	99.7	--	600	--	400	1,000	0.3
Flagler	282,100	99.6	--	300	500	300	1,100	0.4
Franklin	271,900	92.6	21,400	--	200	--	21,600	7.4
Gadsden	223,200	99.3	--	100	1,300	100	1,500	0.7
Gilchrist	148,800	99.5	--	500	300	--	800	0.5
Glades	137,300	95.5	--	6,100	300	--	6,400	4.5
Gulf	321,100	99.3	--	2,200	(1/)	--	2,200	0.7
Hamilton	265,300	99.8	--	400	(1/)	(1/)	400	0.2
Hardee	279,600	99.6	--	--	1,000	(1/)	1,000	0.4
Hendry	187,900	85.0	--	30,000	3,200	--	33,200	15.0
Hernando	223,500	85.2	--	36,600	600	1,500	38,700	14.8
Highlands	272,400	90.0	--	26,400	3,000	1,000	30,400	10.0
Hillsborough	412,300	99.2	--	1,200	--	2,000	3,200	0.8
Holmes	222,700	99.5	--	300	600	300	1,200	0.5
Indian River	91,100	92.7	--	600	4,500	2,100	7,200	7.3
Jackson	331,800	98.8	--	400	3,300	200	3,900	1.2
Jefferson	282,900	97.9	--	4,400	1,500	200	6,100	2.1
Lafayette	289,600	99.8	--	300	300	--	600	0.2
Lake	319,700	81.2	65,500	1,000	3,300	4,200	74,000	18.8
Lee	368,300	98.0	--	1,800	1,300	4,600	7,700	2.0
Leon	232,700	69.6	100,600	500	100	500	101,700	30.4
Levy	532,900	99.7	--	900	500	100	1,500	0.3
Liberty	249,600	48.5	263,000	300	800	700	264,800	51.5
Madison	303,200	99.9	--	100	200	--	300	0.1
Manatee	297,800	97.5	--	100	7,400	100	7,600	2.5
Marion	541,700	68.4	241,700	3,800	4,700	300	250,500	31.6
Martin	204,900	98.6	--	--	2,900	100	3,000	1.4
Monroe	4,500	100.0	--	--	--	--	--	--
Nassau	358,600	98.7	--	(1/)	3,400	1,300	4,700	1.3
Okaloosa	242,800	47.6	--	264,000	3,200	(1/)	267,200	52.4
Okeechobee	103,400	99.1	--	(1/)	600	300	900	0.9
Orange	448,200	99.6	--	400	900	500	1,800	0.4
Osceola	483,300	99.8	--	100	500	400	1,000	0.2
Palm Beach	111,500	87.6	--	1,600	900	13,300	15,800	12.4
Pasco	342,700	97.9	--	6,800	400	100	7,300	2.1
Pinellas	74,000	98.5	--	200	200	700	1,100	1.5
Polk	745,600	96.7	--	21,600	100	3,700	25,400	3.3
Putnam	414,800	92.7	21,900	3,400	6,600	600	32,500	7.3
St. Johns	321,800	99.4	--	700	1,000	300	2,000	0.6
St. Lucie	160,400	98.9	--	--	1,000	800	1,800	1.1
Santa Rosa	389,300	69.2	--	171,800	700	1,100	173,600	30.8
Sarasota	204,000	97.8	--	100	4,100	400	4,600	2.2
Seminole	131,500	98.2	--	600	400	1,400	2,400	1.8
Sumter	214,100	86.4	--	32,700	900	--	33,600	13.6
Suwannee	251,600	99.9	--	200	--	--	200	0.1
Taylor	589,900	99.8	--	200	900	100	1,200	0.2
Union	121,800	95.4	--	800	5,100	--	5,900	4.6
Volusia	520,000	99.1	--	800	2,600	1,400	4,800	0.9
Wakulla	97,900	32.8	157,700	43,200	100	--	201,000	67.2
Walton	440,900	72.6	--	165,700	600	--	166,300	27.4
Washington	304,000	99.0	--	300	2,800	--	3,100	1.0
Total	19,191,000	89.5	1,025,500	955,700	223,300	55,600	2,260,100	10.5

1/ Less than 50 acres.

Table 32.--Net volume^{1/} of saw timber by county and species group, 1949

(in thousand board feet)				
County	Softwoods ^{2/}	Gum, maple, bay and magnolia ^{3/}	Other hardwoods	All species
Alachua	499,000	83,700	81,000	663,700
Baker	706,400	50,100	1,000	757,500
Bay	157,100	18,300	13,700	189,100
Bradford	250,500	9,400	2,100	262,000
Brevard	88,700	1,500	700	90,900
Broward	9,300	--	--	9,300
Calhoun	100,600	67,100	107,300	275,000
Charlotte	54,200	--	--	54,200
Citrus	195,800	76,200	21,400	293,400
Clay	255,800	54,700	13,500	324,000
Collier	442,500	--	--	442,500
Columbia	599,800	46,000	25,700	671,500
Dade	30,400	--	--	30,400
De Soto	50,000	3,600	400	54,000
Dixie	290,300	90,700	77,600	458,600
Duval	257,600	89,200	27,300	374,100
Escambia	262,400	34,100	9,900	306,400
Flagler	471,000	44,400	7,100	522,500
Franklin	153,200	137,600	4,900	295,700
Gadsden	162,100	61,500	33,000	256,600
Gilchrist	135,100	600	5,900	141,600
Glades	74,700	400	--	75,100
Gulf	220,800	71,100	26,300	318,200
Hamilton	356,100	37,300	10,400	403,800
Hardee	61,600	35,900	14,300	111,800
Hendry	128,100	--	--	128,100
Hernando	139,700	53,600	55,500	248,800
Highlands	68,800	26,500	--	95,300
Hillsborough	181,100	27,700	45,100	253,900
Holmes	111,500	83,600	84,800	279,900
Indian River	56,500	1,200	--	57,700
Jackson	197,700	124,500	122,700	444,900
Jefferson	309,200	231,800	79,900	620,900
Lafayette	489,700	16,600	13,300	519,600
Lake	191,900	49,400	9,800	251,100
Lee	60,500	--	--	60,500
Leon	426,500	83,500	36,300	546,300
Levy	617,700	86,400	96,000	800,100
Liberty	508,500	177,100	113,900	799,500
Madison	372,600	74,900	13,900	461,400
Manatee	74,800	33,400	1,700	109,900
Marion	563,800	65,100	61,700	690,600
Martin	20,300	1,500	--	21,800
Monroe	5,200	--	--	5,200
Nassau	348,700	96,000	35,000	479,700
Okaloosa	384,200	31,200	10,200	425,600
Okeechobee	94,400	9,000	4,100	107,500
Orange	256,100	20,000	5,900	282,000
Osceola	174,700	32,500	2,600	209,800
Palm Beach	38,200	--	--	38,200
Pasco	130,500	19,300	18,900	168,700
Pinellas	29,600	--	--	29,600
Polk	342,400	47,800	19,000	409,200
Putnam	382,100	91,700	8,600	482,400
St. Johns	314,700	66,000	16,500	397,200
St. Lucie	81,700	7,300	--	89,000
Santa Rosa	552,200	54,300	34,100	640,600
Sarasota	99,900	100	--	100,000
Seminole	59,700	42,000	17,400	119,100
Sumter	149,100	41,400	54,800	245,300
Suwannee	175,800	31,600	5,800	213,200
Taylor	529,700	54,500	38,900	623,100
Union	252,900	59,300	5,600	317,800
Volusia	425,000	58,100	16,300	499,400
Wakulla	321,400	23,300	30,000	374,700
Walton	205,600	94,400	47,600	347,600
Washington	119,000	51,700	46,200	216,900
Total	15,876,700	3,081,700	1,635,600	20,594,000

^{1/} Log scale, International 1/4-inch rule.^{2/} Includes pine, cypress, and cedar.^{3/} Includes other soft-textured hardwoods.

Table 33.--Net volume^{1/} of saw timber by county, species group, and diameter-class group, 1949

County	Softwoods		Hardwoods		All species	
	9-14 inches	15+ inches	11-16 inches	17+ inches	Soft- woods	Hard- woods
	<u>Thousand bd. ft.</u>	<u>Thousand bd. ft.</u>	<u>Thousand bd. ft.</u>	<u>Thousand bd. ft.</u>	<u>Percent</u>	<u>Percent</u>
Alachua	459,200	39,800	114,700	50,000	75.2	24.8
Baker	609,900	96,500	30,400	20,700	93.3	6.7
Bay	110,300	46,800	29,900	2,100	83.1	16.9
Bradford	225,000	25,500	9,300	2,200	95.6	4.4
Brevard	80,700	8,000	400	1,800	97.6	2.4
Broward	9,300	--	--	--	100.0	--
Calhoun	92,200	8,400	115,800	58,600	36.6	63.4
Charlotte	32,600	21,600	--	--	100.0	--
Citrus	177,900	17,900	51,100	46,500	66.7	33.3
Clay	225,400	30,400	32,300	35,900	79.0	21.0
Collier	346,100	96,400	--	--	100.0	--
Columbia	533,700	66,100	49,300	22,400	89.3	10.7
Dade	30,400	--	--	--	100.0	--
De Soto	48,700	1,300	4,000	--	92.6	7.4
Dixie	283,500	6,800	106,400	61,900	63.3	36.7
Duval	218,900	38,700	79,200	37,300	68.9	31.1
Escambia	255,500	6,900	27,100	16,900	85.6	14.4
Flagler	421,500	49,500	36,000	15,500	90.1	9.9
Franklin	124,600	28,600	123,600	18,900	51.8	48.2
Gadsden	112,100	50,000	77,600	16,900	63.2	36.8
Gilchrist	121,700	13,400	4,000	2,500	95.4	4.6
Glades	73,400	1,300	400	--	99.5	0.5
Gulf	169,700	51,100	56,200	41,200	69.4	30.6
Hamilton	326,800	29,300	42,000	5,700	88.2	11.8
Hardee	57,900	3,700	18,300	31,900	55.1	44.9
Hendry	86,900	41,200	--	--	100.0	--
Hernando	124,300	15,400	60,600	48,500	56.1	43.9
Highlands	59,500	9,300	16,100	10,400	72.2	27.8
Hillsborough	172,200	8,900	42,500	30,300	71.3	28.7
Holmes	87,500	24,000	109,400	59,000	39.8	60.2
Indian River	54,800	1,700	1,200	--	97.9	2.1
Jackson	144,000	53,700	156,700	90,500	44.4	55.6
Jefferson	242,700	66,500	216,800	94,900	49.8	50.2
Lafayette	460,900	28,800	18,300	11,600	94.2	5.8
Lake	156,500	35,400	43,200	16,000	76.4	23.6
Lee	48,800	11,700	--	--	100.0	--
Leon	319,700	106,800	46,600	73,200	78.1	21.9
Levy	531,800	85,900	129,100	53,300	77.2	22.8
Liberty	314,400	194,100	158,000	133,000	63.6	36.4
Madison	332,200	40,400	76,700	12,100	80.8	19.2
Manatee	45,500	29,300	23,900	11,200	68.1	31.9
Marion	455,100	108,700	84,400	42,400	81.6	18.4
Martin	20,300	--	1,500	--	93.1	6.9
Monroe	5,200	--	--	--	100.0	--
Nassau	322,200	26,500	102,800	28,200	72.7	27.3
Okaloosa	283,900	100,300	19,500	21,900	90.3	9.7
Okeechobee	84,800	9,600	5,100	8,000	87.8	12.2
Orange	192,800	63,300	22,300	3,600	90.8	9.2
Osceola	161,700	13,000	29,600	5,500	83.3	16.7
Palm Beach	38,200	--	--	--	100.0	--
Pasco	129,500	1,000	16,300	21,900	77.4	22.6
Pinellas	20,700	8,900	--	--	100.0	--
Polk	311,200	31,200	46,700	20,100	83.7	16.3
Putnam	281,800	100,300	79,700	20,600	79.2	20.8
St. Johns	253,400	61,300	49,600	32,900	79.2	20.8
St. Lucie	77,700	4,000	7,300	--	91.8	8.2
Santa Rosa	434,000	118,200	46,200	42,200	86.2	13.8
Sarasota	87,200	12,700	100	--	99.9	0.1
Seminole	44,000	15,700	46,800	12,600	50.1	49.9
Sumter	131,000	18,100	57,400	38,800	60.8	39.2
Suwannee	132,900	42,900	28,300	9,100	82.5	17.5
Taylor	489,000	40,700	61,900	31,500	85.0	15.0
Union	220,100	32,800	40,200	24,700	79.6	20.4
Volusia	355,200	69,800	54,700	19,700	85.1	14.9
Wakulla	293,600	27,800	46,000	7,300	85.8	14.2
Walton	142,300	63,300	108,600	33,400	59.1	40.9
Washington	113,000	6,000	62,400	35,500	54.9	45.1
Total	13,409,500	2,467,200	3,124,500	1,592,800	77.1	22.9

^{1/} Log scale, International 1/4-inch rule.

Table 34.--Net volume^{1/} of all timber by county, pulping species group, and tree diameter group, 1949

PRIMARY GROWING STOCK (in thousand cords)							
County	Yellow pines		Gum, maple, bay and magnolia ^{2/}		Other species		All species
	5-12 inches	13+ inches	5-12 inches	13+ inches	5-12 inches	13+ inches	
Alachua	1,582	361	207	173	273	205	2,801
Baker	2,020	424	183	111	427	102	3,267
Bay	1,077	122	186	30	161	40	1,616
Bradford	889	96	42	16	198	55	1,296
Brevard	364	26	3	4	18	2	417
Broward	40	--	--	--	9	--	49
Calhoun	399	20	241	118	259	244	1,281
Charlotte	87	62	--	--	73	10	232
Citrus	484	89	108	167	277	128	1,253
Clay	948	249	106	122	137	14	1,576
Collier	416	100	12	--	1,266	310	2,104
Columbia	2,090	345	514	81	448	109	3,587
Dade	267	--	--	--	--	--	267
De Soto	187	2	53	--	151	15	408
Dixie	772	101	454	165	730	254	2,476
Duval	794	161	221	176	271	74	1,697
Escambia	1,626	79	204	62	64	14	2,049
Flagler	987	194	231	80	872	164	2,528
Franklin	594	143	248	285	111	16	1,397
Gadsden	498	207	350	103	146	61	1,365
Gilchrist	223	71	9	--	225	42	570
Glades	171	4	--	1	187	14	377
Gulf	845	31	119	169	221	183	1,568
Hamilton	1,228	115	281	52	304	23	2,003
Hardee	332	21	151	78	55	38	675
Hendry	285	138	--	--	186	11	620
Hernando	278	98	159	96	350	141	1,122
Highlands	392	31	133	50	68	--	674
Hillsborough	574	48	86	51	291	131	1,181
Holmes	521	87	357	174	200	181	1,520
Indian River	149	13	6	--	64	17	249
Jackson	740	177	710	202	431	245	2,505
Jefferson	783	229	657	458	384	192	2,703
Lafayette	974	417	103	34	339	56	1,923
Lake	546	153	150	104	412	48	1,413
Lee	225	26	1	--	350	9	611
Leon	1,159	483	260	182	138	82	2,304
Levy	1,482	293	402	158	1,332	319	3,986
Liberty	1,319	443	463	377	413	380	3,395
Madison	782	237	425	115	535	58	2,152
Manatee	341	71	44	70	14	4	544
Marion	1,770	607	215	129	171	141	3,033
Martin	167	--	12	2	15	--	196
Monroe	1	--	--	--	52	3	56
Nassau	1,399	276	357	191	255	77	2,555
Okaloosa	704	628	161	67	47	23	1,630
Okeechobee	346	13	40	15	122	64	600
Orange	525	213	152	42	524	59	1,515
Osceola	424	24	172	44	645	97	1,406
Palm Beach	274	22	--	--	18	--	314
Pasco	449	25	65	36	349	52	976
Pinellas	69	32	--	--	17	1	119
Polk	1,010	151	280	89	810	110	2,450
Putnam	1,103	344	326	191	288	56	2,308
St. Johns	873	275	197	155	187	78	1,765
St. Lucie	187	38	75	9	169	44	522
Santa Rosa	2,215	395	181	105	153	127	3,176
Sarasota	201	125	--	--	1	--	327
Seminole	109	46	135	65	127	49	531
Sumter	375	75	225	88	479	140	1,382
Suwannee	536	183	100	56	65	19	959
Taylor	1,805	303	357	112	648	122	3,347
Union	632	136	205	121	182	47	1,323
Volusia	679	200	292	96	1,026	198	2,491
Wakulla	1,267	231	141	22	161	55	1,877
Walton	1,022	204	724	121	170	143	2,384
Washington	489	54	296	70	257	95	1,261
Total	48,101	10,567	12,587	5,890	19,328	5,791	102,264

^{1/} Sound wood and bark, excluding volume of palms. Limbs of sound sawlog-size hardwoods are included in secondary growing stock volumes.

^{2/} Includes other soft-textured hardwoods.

Table 34.--Net volume^{1/} of all timber by county, pulping species group, and tree diameter group, 1949 (cont'd.)

SECONDARY GROWING STOCK (in thousand cords)							
County	Yellow pines		Gum, maple, bay and magnolia ^{2/}		Other species		All species
	5-12 inches	13+ inches	5-12 inches	13+ inches	5-12 inches	13+ inches	
Alachua	34	--	123	180	308	364	1,009
Baker	46	22	143	65	57	8	341
Bay	18	3	33	34	70	8	166
Bradford	7	4	60	19	84	21	195
Brevard	20	4	--	4	63	35	126
Broward	6	--	--	--	5	1	12
Calhoun	11	--	49	84	323	242	709
Charlotte	--	4	--	--	34	23	61
Citrus	2	--	61	71	444	369	947
Clay	1	11	91	158	313	204	778
Collier	--	--	51	--	606	206	863
Columbia	9	2	153	95	187	139	585
Dade	--	--	--	--	--	--	--
De Soto	--	--	55	9	140	45	249
Dixie	3	--	210	186	486	566	1,451
Duval	1	9	146	191	152	229	728
Escambia	2	6	113	86	285	10	502
Flagler	22	24	76	45	108	134	409
Franklin	12	26	66	306	70	8	488
Gadsden	9	--	316	205	177	200	907
Gilchrist	3	--	19	--	342	84	448
Glades	--	--	--	--	23	12	35
Gulf	16	--	214	487	148	120	985
Hamilton	25	16	108	94	207	131	581
Hardee	4	--	27	25	118	77	251
Hendry	7	9	4	--	58	40	118
Hernando	--	--	94	68	454	211	827
Highlands	10	--	69	23	14	11	127
Hillsborough	16	--	59	24	334	247	680
Holmes	3	--	99	95	66	118	381
Indian River	1	--	10	--	93	13	117
Jackson	19	2	265	258	304	354	1,202
Jefferson	28	9	232	337	156	255	1,017
Lafayette	6	--	42	6	156	36	246
Lake	82	33	169	127	459	230	1,100
Lee	6	--	--	--	125	8	139
Leon	8	6	94	95	154	170	527
Levy	4	8	128	180	462	618	1,400
Liberty	11	--	196	399	344	265	1,215
Madison	23	20	173	106	405	201	928
Manatee	8	--	30	25	74	63	200
Marion	100	9	130	196	530	555	1,520
Martin	10	--	32	--	116	8	166
Monroe	--	--	--	--	4	1	5
Nassau	8	4	210	152	207	321	902
Okaloosa	68	--	157	311	199	45	780
Okeechobee	1	--	34	22	26	34	117
Orange	1	--	139	79	467	32	718
Osceola	13	--	188	110	328	395	1,034
Palm Beach	3	--	--	--	20	--	23
Pasco	--	--	59	33	338	103	533
Pinellas	1	--	--	--	8	14	23
Polk	52	--	253	73	376	116	870
Putnam	3	18	193	286	591	206	1,297
St. Johns	23	16	151	157	210	133	690
St. Lucie	25	--	56	8	13	40	142
Santa Rosa	4	4	168	163	522	87	948
Sarasota	5	18	4	1	51	40	119
Seminole	13	--	43	51	143	146	396
Sumter	6	--	333	158	236	396	1,129
Suwannee	5	--	35	67	408	156	671
Taylor	52	30	175	145	419	281	1,102
Union	8	4	66	84	46	32	240
Volusia	70	29	229	107	447	291	1,173
Wakulla	34	--	61	70	239	188	592
Walton	37	8	412	314	316	160	1,247
Washington	--	--	172	254	196	106	728
Total	1,025	358	7,078	6,928	14,864	9,962	40,215

^{1/} Sound wood and bark, excluding volume of palms. Limbs of sound sawlog-size hardwoods are included in secondary growing stock volumes.

^{2/} Includes other soft-textured hardwoods.

Table 35.--Commodity drain from primary growing stock by county and species group, 1948

County	Saw timber			All sound trees five inches d.b.h. and larger		
	Softwoods	Hardwoods	Total	Softwoods	Hardwoods	Total
	<u>Thousand bd. ft.</u>	<u>Thousand bd. ft.</u>	<u>Thousand bd. ft.</u>	<u>Cords</u>	<u>Cords</u>	<u>Cords</u>
Alachua	32,442	4,420	36,862	95,500	12,300	107,800
Baker	18,885	273	19,158	61,900	800	62,700
Bay	4,722	66	4,788	19,600	300	19,900
Bradford	12,388	569	12,957	50,000	1,600	51,600
Brevard	3,792	1	3,793	9,400	(2/)	9,400
Broward	353	(1/)	353	800	(2/)	800
Calhoun	6,578	6,626	13,204	22,800	17,900	40,700
Charlotte	823	(1/)	823	1,700	(2/)	1,700
Citrus	4,035	1,087	5,122	11,900	2,900	14,800
Clay	12,565	1,925	14,490	39,300	4,700	44,000
Collier	44,950	(1/)	44,950	101,100	(2/)	101,100
Columbia	18,010	2,682	20,692	56,400	7,300	63,700
Dade	1,600	1	1,601	3,800	(2/)	3,800
De Soto	4,869	626	5,495	12,000	1,700	13,700
Dixie	3,866	1,316	5,182	10,300	3,700	14,000
Duval	31,186	1,070	32,256	102,200	3,000	105,200
Escambia	18,147	2,288	20,435	60,600	5,600	66,200
Flagler	7,436	7	7,443	29,200	(2/)	29,200
Franklin	4,103	28	4,131	10,800	100	10,900
Gadsden	12,671	7,386	20,057	36,600	17,200	53,800
Gilchrist	7,756	290	8,046	22,200	800	23,000
Glades	164	(1/)	164	400	(2/)	400
Gulf	15,667	2,143	17,810	37,400	4,800	42,200
Hamilton	12,384	649	13,033	40,200	1,900	42,100
Hardee	8,243	1,059	9,302	25,400	2,700	28,100
Hendry	949	(1/)	949	1,900	(2/)	1,900
Hernando	12,605	2,021	14,626	31,500	5,200	36,700
Highlands	1,067	(1/)	1,067	3,100	(2/)	3,100
Hillsborough	16,231	11,172	27,403	45,200	30,900	76,100
Holmes	17,987	2,476	20,463	45,900	6,300	52,200
Indian River	1,093	1	1,094	3,700	(2/)	3,700
Jackson	14,478	7,467	21,945	45,200	18,900	64,100
Jefferson	10,074	5,554	15,628	26,000	15,500	41,500
Lafayette	24,944	112	25,056	58,100	300	58,400
Lake	18,904	662	19,566	55,900	2,000	57,900
Lee	2,280	(1/)	2,280	5,900	(2/)	5,900
Leon	6,969	2,177	9,146	21,600	6,100	27,700
Levy	25,473	5,945	31,418	67,500	14,600	82,100
Liberty	11,996	4,511	16,507	36,400	10,700	47,100
Madison	19,836	4,644	24,480	55,700	12,900	68,600
Manatee	2,417	110	2,527	6,200	300	6,500
Marion	46,447	5,332	51,779	158,100	14,700	172,800
Martin	856	(1/)	856	1,700	(2/)	1,700
Monroe	36	4	40	100	(2/)	100
Nassau	21,479	559	22,038	70,100	1,600	71,700
Okaloosa	13,839	1,012	14,851	47,000	2,900	49,900
Okeechobee	3,140	(1/)	3,140	7,500	(2/)	7,500
Orange	6,619	419	7,038	19,900	1,200	21,100
Osceola	22,754	384	23,138	52,700	900	53,600
Palm Beach	2,585	1	2,586	5,100	(2/)	5,100
Pasco	22,468	4,434	26,902	53,300	12,100	65,400
Pinellas	2,250	1	2,251	5,200	(2/)	5,200
Polk	29,134	1,219	30,353	71,700	3,200	74,900
Putnam	26,554	4,768	31,322	85,500	11,900	97,400
St. Johns	18,775	2,989	21,764	60,600	7,400	68,000
St. Lucie	588	(1/)	588	1,100	(2/)	1,100
Santa Rosa	9,278	720	9,998	34,700	2,300	37,000
Sarasota	3,395	(1/)	3,395	6,700	(2/)	6,700
Seminole	4,002	285	4,287	14,400	800	15,200
Sumter	5,729	1,037	6,766	19,500	2,900	22,400
Suwannee	24,340	395	24,735	75,800	1,400	77,200
Taylor	22,838	1,032	23,870	52,800	2,900	55,700
Union	10,397	390	10,787	38,400	1,200	39,600
Volusia	21,910	512	22,422	64,500	1,500	66,000
Wakulla	5,840	2,048	7,888	15,900	5,400	21,300
Walton	12,258	2,555	14,813	40,600	6,800	47,400
Washington	11,466	2,051	13,517	37,900	5,600	43,500
Total	823,915	113,511	937,426	2,412,100	299,700	2,711,800

1/ Less than 500 board feet.

2/ Less than 50 cords.

STANDARD FOREST SURVEY TABLES

As each state throughout the Nation is reported upon by the Forest Survey following initial or resurveys, a standard set of tables presenting information on forest area, ownership, timber volume, growth and drain will be prepared. With such tables, forest statistics for any region or group of states can easily be compiled. Standard tables prepared for the State of Florida, based on the 1949 survey, appear on the following pages.

Table 36.--Land area by major classes
of forest land. Florida, 1949

Class of land	Land area
	<u>Thousand acres</u>
Forest land	
Commercial	21,451
Noncommercial	1,268
Reserved	
Commercial	46
Noncommercial	282
Total forest land	23,047
Nonforest land ^{1/}	11,681
Total land	34,728

^{1/} Includes 249 thousand acres of water according to Survey standards of area classification but defined by the Bureau of Census as land.

Table 37.--Commercial forest land area by ownership class by stand-size
class. Florida, 1949

Ownership class	Total	Saw- timber stands	Pole- timber stands	Seedling & sapling stands	Nonstocked & other areas n.e.c.
	<u>Thousand acres</u>	<u>Thousand acres</u>	<u>Thousand acres</u>	<u>Thousand acres</u>	<u>Thousand acres</u>
Federally owned or managed					
National forest	1,025	212	327	213	273
Indian	36	(<u>1</u> /)	(<u>1</u> /)	1	35
Other	920	141	110	56	613
Total Federal	1,981	353	437	270	921
State	223	35	16	7	165
County & municipal	56	6	4	2	44
Private	19,191	2,839	3,073	2,017	11,262
Total all ownerships	21,451	3,233	3,530	2,296	12,392

1/ Less than 500 acres.

Table 38.--Volume of live saw timber and primary growing stock
on commercial forest land by stand-size class. Florida, 1949

Stand-size class	Volume	
	Live saw timber	Primary growing stock
	<u>Million bd. ft.</u>	<u>Million cu. ft.</u>
Saw-timber stands	13,517	3,933
Pole-timber stands	2,975	1,914
Seedling and sapling stands	1,055	442
Nonstocked and other areas not elsewhere classified	3,047	1,068
Total all stands	20,594	7,357

Table 39.--Volume of live saw timber and primary growing stock on commercial forest land by ownership class. Florida, 1949

Ownership class	Volume	
	Live saw timber	Primary growing stock
	<u>Million bd. ft.</u>	<u>Million cu. ft.</u>
Federally owned or managed		
National forest	1,331	520
Indian	12	6
Other	948	346
Total Federal	2,291	872
State	201	71
County and municipal	39	15
Private		
Farm	(<u>1</u> /)	(<u>1</u> /)
Industrial and other	(<u>1</u> /)	(<u>1</u> /)
Total private	18,063	6,399
Total all ownerships	20,594	7,357

1/ Data not available.

Table 40.--Volume of live saw timber and primary growing stock on
commercial forest land by species. Florida, 1949

Species	Volume	
	Live saw timber	Primary growing stock
	<u>Million bd. ft.</u>	<u>Million cu. ft.</u>
Softwoods:		
Longleaf and slash pines	10,768	3,631
Shortleaf and loblolly pines	1,302	324
Other southern yellow pines	621	196
Spruce and balsam fir	--	--
White and red pines	--	--
Jack pine	--	--
Hemlock	--	--
Cypress	3,095	1,199
Other eastern softwoods	91	24
Total softwoods	15,877	5,374
Hardwoods:		
White oaks	319	98
Red oaks	768	295
Yellow birch	--	--
Sugar maple	--	--
Soft maples	190	121
Beech	--	--
Sweetgum	629	237
Tupelo and black gum	1,578	654
Ash	208	117
Hickory	157	57
Cottonwood and aspen	--	--
Basswood	25	10
Yellow-poplar	40	19
Black walnut	--	--
Other eastern hardwoods	803	375
Total hardwoods	4,717	1,983
Total all species	20,594	7,357

Table 41.--All-timber volume on commercial forest
land by kind of material. Florida, 1949

Kind of material	Volume
	<u>Million cubic feet</u>
Live all timber	
Primary growing stock	7,357
Secondary growing stock	<u>1/</u> 3,965
Total	11,322
Salvable dead all timber	--
Total all timber	11,322

1/ Includes 1,009 million cu. ft. of palm.

Table 42.--Net growth and normal mortality of live saw timber and primary growing stock on commercial forest land by species group. Florida, 1948

Species group	Live saw-timber volume		Primary growing stock	
	Current annual net growth	Current annual normal mortality	Current annual net growth	Current annual normal mortality
	<u>Million</u> <u>bd. ft.</u>	<u>Million</u> <u>bd. ft.</u>	<u>Million</u> <u>cu. ft.</u>	<u>Million</u> <u>cu. ft.</u>
Softwoods	935	78	291	27
Hardwoods	190	27	79	9
Total	1,125	105	370	36

Table 43.--Commodity drain of live saw-timber volume and primary growing stock on commercial forest land by species group. Florida, 1948

Species group	Live saw-timber volume			Primary growing stock		
	Cutting drain	Logging waste	Commodity drain ^{1/}	Cutting drain	Logging waste	Commodity drain ^{1/}
	<u>Million</u> <u>bd. ft.</u>	<u>Million</u> <u>bd. ft.</u>	<u>Million</u> <u>bd. ft.</u>	<u>Million</u> <u>cu. ft.</u>	<u>Million</u> <u>cu. ft.</u>	<u>Million</u> <u>cu. ft.</u>
Softwoods	859	-35	824	198	8	206
Hardwoods	111	2	113	18	8	26
Total	970	-33	937	216	16	232

^{1/} Total of cutting drain and logging waste.

Table 44.--Commodity production by timber products in cubic volume and
in standard units. Florida, 1948

Timber products class	Quantity		
	Cubic volume	Standard units	
		Unit	Number
	<u>M cu. ft.</u>		
Sawlogs (for lumber, timber and saw ties)	88,820	M board feet ^{1/}	546,900
Veneer bolts	13,590	M board feet ^{1/}	86,200
Cooperage bolts	1,640	M board feet ^{1/}	10,500
Pulpwood bolts	96,960	Standard cords ^{2/}	1,221,200
Fuel wood	28,400	Standard cords ^{2/}	351,700
Chemical wood	39,560	Standard cords ^{2/}	608,700
Piling	740	Linear feet	1,048,500
Poles	5,330	Pieces	373,200
Posts (round and split)	1,120	Pieces	1,710,400
Hewn ties	8,340	Pieces	1,402,100
Round mine timbers	--	Pieces	--
Miscellaneous	1,520	Cubic feet	1,520
Total all products	286,020	--	--

^{1/} Board feet, International 1/4-inch rule.

^{2/} Standard cords--rough wood (unpeeled). A pile of stacked wood 4 feet by 8 feet within its outside surface.

Table 45.--Area of commercial forest land by generalized forest type. Florida, 1949

Forest type ^{1/}	Area
	<u>Thousand acres</u>
Longleaf-slash pine	12,993
Loblolly-shortleaf pine	1,144
Spruce-fir	--
White-red-jack pine (No. pine)	--
Maple-beech birch (No. hardwood)	--
Oak-hickory	2,481
Hardwood-pine	654
Mixed hardwoods	--
Aspen birch	--
Swamp and bottomland forests	4,179
Total	21,451

^{1/} Forest type acreages in this table were computed on a cubic-volume basis except for seedling and sapling stands, where number of stems were the criteria. Specifications required 50 percent of the cubic volume or number of stems of the indicated species except for the hardwood-pine type which required 25 percent pine.

Table 46.--Live all-timber volume on commercial forest land by
kind of growing stock, species group, tree size
class, and class of material. Florida, 1949

Kind of growing stock, tree-size class, and class of material	Total	Softwoods	Hardwoods
	<u>Million</u> <u>cu. ft.</u>	<u>Million</u> <u>cu. ft.</u>	<u>Million</u> <u>cu. ft.</u>
Primary growing stock			
Live saw-timber trees			
Sawlog portion	3,502	2,687	815
Top portion	771	592	179
Total live saw timber trees	4,273	3,279	994
Live pole-timber trees	3,084	2,095	989
Total primary growing stock	7,357	5,374	1,983
Secondary growing stock			
Sound cull trees			
Saw-timber size	1,086	96	990
Pole-timber size	1,431	86	1,345
Total sound cull trees	2,517	182	<u>1/</u> 2,335
Rotten cull trees	1,167	168	999
Limbs	281	--	281
Total secondary growing stock	3,965	350	3,615
Grand total	11,322	5,724	5,598

1/ Includes 1,009 million cu. ft. of palm.

Table 47.--Volume of live saw timber on commercial forest land by diameter class group by species. Florida, 1949

Species	Diameter class groups		
	9.0-12.9" d.b.h. ^{1/}	13.0-18.9" d.b.h.	19.0" and larger d.b.h.
	<u>Million bd. ft.</u>	<u>Million bd. ft.</u>	<u>Million bd. ft.</u>
Longleaf & slash pines	7,592	2,905	271
Shortleaf & loblolly pines	449	696	157
White & chestnut oaks	44	105	170
Tupelo & blackgum	424	834	320
Sweetgum	143	370	116
Yellow-poplar	12	28	--

^{1/} 10" diameter class not included for eastern hardwoods.

Table 48.--Net growth, normal mortality, and commodity drain on primary growing stock on commercial forest land by tree-size class. Florida, 1948

Tree size class	Current annual net growth	Current annual normal mortality	Current annual commodity drain
	<u>Million cu. ft.</u>	<u>Million cu. ft.</u>	<u>Million cu. ft.</u>
Saw-timber trees	355	22	209
Pole-timber trees	15	14	23
Total all trees	370	36	232

DEFINITION OF TERMS

Land-Use Classes

Forest land. Includes (a) lands which are at least 5 percent stocked with trees of any size and capable of producing saw timber or other wood products, and (b) lands from which the trees described in (a) have been removed to less than 5-percent stocking but which have not been developed for other use; subdivided into the following classes:

Commercial: Forest land which is (a) producing, or physically capable of producing, usable crops of wood (usually saw timber), (b) economically available now or in the future, and (c) not withdrawn from timber use.

Noncommercial: Forest land which is (a) incapable of yielding wood products (usually saw timber) because of adverse site conditions, or (b) so inaccessible as to be permanently unavailable economically, and (c) not withdrawn for specific purposes.

Reserved: Public forest land that has been withdrawn from timber utilization through statute, ordinance, or administrative order.

Reserved commercial: Reserved forest land that otherwise qualifies as commercial forest land.

Reserved noncommercial: Reserved forest land that otherwise qualifies as noncommercial forest land.

Non-forest land. Includes land in any of the following classes:

Active agriculture: Land under cultivation or in pasture including farm yards and work lots.

Idle agriculture: Land previously cultivated or pastured but now idle or abandoned and having less than a five-percent stocking of trees.

Marsh: Low, wet areas characterized by a heavy growth of grass and reeds and an absence of timber.

Sand dunes and beaches: Non-forested sand dunes and coastal beaches.

Urban and other areas: Includes towns, residential and industrial suburban areas, school yards, cemeteries, roads, railroads, power lines, and other rights-of-way.

Water: Includes lakes, bays, and estuaries over 40 acres in size and streams, canals, and sloughs at least one-eighth of a mile in width which are classed as "inland water" by the Bureau of the Census. Smaller lakes and ponds between one acre and 40 acres in size, and waterways between 120 feet and 660 feet in width, which are classed as land area by the Bureau of the Census, are also included as water areas.

Forest Types

Pine types. Stands in which softwood species comprise at least 25 percent of the dominant and codominant trees with the named pine species predominating. Scattered stands of shortleaf pine and spruce pine are included with the loblolly pine type.

Cypress. Stands in which softwood species comprise at least 25 percent of the dominant and codominant trees with cypress or white cedar predominating.

Lowland hardwoods. Stands in which mixed hardwoods such as tupelo gum, black-gum, sweetgum, white oak, water oak, red maple, and ash comprise at least 75 percent of the dominant and codominant trees. Found along rivers, small streams, and in swamps and bays.

Upland hardwoods. Stands in which mixed hardwoods such as red oak, white oak, post oak, hickory, ash, sweetgum, elm, and yellow-poplar comprise at least 75 percent of the dominant and codominant trees. Found on the drier upland sites and on low rolling hills bordering the flatwood zone.

Scrub oak. Stands in which scrub species such as blackjack, bluejack, turkey and laurel oaks predominate and in which sound commercial species comprise less than five percent of satisfactory stocking.

Palms. Stands in which there is at least a five-percent stocking of merchantable palm trees and less than five-percent stocking of other sound commercial species.

Stand-Size Classes

Saw timber. Stands containing at least 1,500 board feet net, International 1/4-inch log rule, per acre in sound, live, softwood trees 9.0 inches d.b.h. or larger or hardwood trees 11.0 inches d.b.h. or larger. Two classes of saw-timber stands are recognized:

Large saw timber: Stands of saw timber having more than 50 percent of the net board-foot volume in softwood trees 15.0 inches d.b.h. or larger, or hardwood trees 17.0 inches d.b.h. or larger.

Small saw timber: Stands of saw timber having 50 percent or less of the net board-foot volume in softwood trees 15.0 inches d.b.h. or larger, or hardwood trees 17.0 inches d.b.h. or larger.

Pole timber. Stands at least 10 percent stocked with pole-size or larger timber, with at least one-half the minimum stocking in pole sizes, and which have less than 1,500 board feet net per acre of saw timber.

Seedling and sapling. Stands less than 10 percent stocked by pole-size or larger trees and with less than 1,500 board feet net per acre, but at least 40 percent stocked with commercial species. Eight hundred seedlings or saplings per acre are considered full stocking.

Poorly stocked and unstocked. Stands of pole-size or larger trees that are less than 10 percent stocked, seedling or sapling stands less than 40 percent stocked, or nonstocked forest land.

Diameters

D.b.h. (diameter at breast height). Stem diameter in inches, outside bark, measured at 4-1/2 feet above the ground.

Diameter class. All trees were tallied by 2-inch diameter classes, each class including diameters 1.0 inch below and 0.9 inch above the stated midpoint, e.g., trees 7.0 to and including 8.9 inches are in the 8-inch class.

Growing Stock Classification

Primary Growing Stock

Sound saw-timber trees: Live softwood trees at least 9.0 inches d.b.h. and hardwood trees at least 11.0 inches d.b.h., with not less than one merchantable log 12 feet long, or with less than 50 percent of the gross volume of the tree in sound saw timber.

Sound pole-timber trees: Straight-boled trees between 5.0 inches d.b.h. and saw-timber size.

Sound sapling-size trees: Trees 1.0 inch to 4.9 inches d.b.h. which will grow into pole- or saw-timber size trees of sound quality.

Secondary Growing Stock

Sound cull trees: Live trees of all sizes that fail to qualify as sound timber because of poor form, excessive limbiness, or other sound defect. Volumes shown for sound cull trees also include the limbs, in sections four feet long and at least 4.0 inches in diameter inside bark, of sound saw-timber size hardwoods. Scrub oak and noncommercial species such as ironwood, blue beech, sassafras, etc., are included in this group.

Rotten cull trees: Live trees of all sizes that fail to qualify as sound timber because of rotten defect.

Palms: All species of Sabal 5.0 inches d.b.h. and larger with at least 12 feet of clear stem. All palm trees were considered to be free of rotten defect.

Species Groups

Softwoods. All of the pines, eastern redcedar, Atlantic white-cedar, pond cypress, and baldcypress.

Soft-textured hardwoods. Black and water tupelos, sweetgum, soft maple, magnolia, and sweetbay. The other soft-textured hardwoods include cottonwood, willow, basswood, and yellow-poplar.

Hard-textured hardwoods. All of the oaks, hickories, ash, river birch, elm, hackberry, and sycamore.

Volume Estimates

Board-foot volume. The volume in board feet, measured by the International 1/4-inch rule, exclusive of defect, of that portion of sound saw-timber trees between the stump and the upper limit of merchantability for sawlogs.

Volume in cords. For sound trees the volume in standard cords (including bark) of the sound portion of trees 5.0 inches d.b.h. and larger, between stump and a minimum top-stem diameter of 4.0 inches inside bark. Similar volumes are given for cull trees. The volume in limbs, in sections four feet long and at least 4.0 inches in diameter inside bark, of sound saw-timber size hardwoods is included as sound cull material.

Volume in cubic feet. Same as volume shown in cords except bark is not included.

International 1/4-inch log rule. A rule for estimating the board-foot volume of 4-foot log sections, according to the formula $V = .905 (0.22D^2 - 0.71D)$. The taper allowance for computing the volume in log lengths greater than four feet is 0.5 inch per 4-foot section. Allowance for saw kerf is 1/4 inch.

Standard cord. A stacked pile, 4 x 4 x 8 feet, of round or split bolts, estimated to contain, on the average in Florida, 72 cubic feet of softwoods (wood only) or 71 cubic feet of hardwoods (wood only).

Gum Naval Stores Conditions

Round timber. A minimum of 15 longleaf and slash pine trees 9.0 inches d.b.h. or larger per acre that have never been worked for naval stores.

Working. Longleaf and slash pine trees that are now being worked for naval stores.

Front-faced: Turpentine tree species on which the front or first face is now being worked.

Back-faced: Turpentine tree species on which the front face has been worked out and on which a back (second or third, etc.) face is being worked.

Resting. Longleaf and slash pine trees with a worked-out front face at least 5 feet high and on which back-facing has not been started.

Abandoned. Longleaf and slash pine trees on which faces less than 5 feet high were discontinued.

Worked-out. Longleaf and slash pine trees on which two or more faces at least 5 feet high have been worked out and with no possibility of supporting another face.

Stocking

Stocking is the extent to which growing space is effectively utilized by trees. The number of stems present by d.b.h. classes was used as a basis for stocking classification. Areas having the minimum numbers of trees listed below, either in a single diameter class or in combinations, were considered fully stocked.

<u>DBH</u>	<u>Minimum number trees per acre</u>
2 inches	800
4 inches	600
6 inches	450
8 inches	300
10 inches	200
12 inches	150
14 inches	110

Growth and Drain

Net growth. The volume of net growth was computed only on trees in the primary growing stock group. Cull trees and other trees in the secondary growing stock group were not included.

Board foot: The change during the calendar year in the saw-timber growing stock resulting from tree growth and mortality losses. Includes the gains accruing from the growth of small trees into saw-timber sizes during the year.

Cord or cubic foot: The change during the calendar year in the stem volume of all sound trees 5.0 inches and larger resulting from tree growth and mortality losses. Includes the gains accruing from the growth of saplings into pole sizes during the year.

Mortality

Board foot: The net volume lost from the saw-timber growing stock during the calendar year by the death of individual trees through the normal action of fire, tree competition, disease, insects, drought, and wind. Catastrophic losses did not occur during the growth period.

Cord or cubic foot: The net volume lost from the all-timber growing stock during the calendar year by the death of individual trees through natural causes.

Commodity drain

Board foot: The net volume removed from the saw-timber growing stock through cutting of timber products and logging waste during the calendar year.

Cord or cubic foot: The net volume removed from the all-timber growing stock through cutting of timber products and logging waste during the calendar year.

RELIABILITY OF FOREST SURVEY DATA

In general, the errors which affect the accuracy of Forest Survey area and timber volume estimates arise from two sources. These may be described as (1) sampling errors which result from using sampling procedures rather than making a complete inventory or canvass, and (2) non-sampling errors which arise from human mistakes in judgment, measurement, recording or arithmetic.

In Forest Survey work a diligent effort is made to maintain a high degree of accuracy in the collection and compilation of data. The sampling errors are held to a specified minimum through survey design and sampling technique. These errors are the only measurable errors involved in computing the reliability of the data. The non-sampling errors are minimized or eliminated through training, supervision, field check cruises, and complete editing and machine verification in compiling the data.

Forest area. The sampling intensity of the 1949 survey was sufficient to provide an estimate of the total forest acreage in the State with a standard error of ± 0.4 percent. The probabilities are two out of three that the estimated forest acreage is within ± 0.4 percent of the actual acreage.

Timber volume. The standard error of estimate of the 1949 board-foot volume in the State was ± 1.7 percent. Here again, the probabilities are two out of three that the estimated volume is within ± 1.7 percent of the actual volume. Standard errors for the volumes in cords or cubic feet were not computed but they should be smaller.

Drain volumes. The 1948 commodity drain volumes were computed from the production records of all primary wood-using plants which drew on the State's timber supplies, and from an area sample of the production of fuel wood and fence posts. The reported production of the various commodities were converted into drain on the growing stock through drain-to-production adjustment ratios covering waste, over-utilization, mill overrun, and other factors. The sampling error for the total cubic-foot commodity drain estimate was ± 1.8 percent.

Use of county data. The tables showing area and timber volumes by county are included to permit grouping of county data in any desired combination. Statistics for individual counties have standard errors for forest area ranging from ± 1.4 percent to ± 12.0 percent, and for total board-foot volumes, from ± 7.0 to ± 18.6 percent. Obviously, detailed comparisons between county statistics are subject to considerable error and should be avoided. Grouping the data for a number of counties will increase the reliability of the estimates and make these data sufficiently accurate for most general purposes.

HOW THE FOREST INVENTORY IS MADE

The present system of inventory is based upon interpretation of aerial photographs supplemented by cruising of randomly selected ground plots. The county is the basic work unit. Steps in the procedure are as follows:

1. Acreages of forest land are estimated with the use of a dot grid placed on every third contact print along flight lines in each county. The proportion of dots falling on forest areas when applied to the gross area of the county yields a preliminary estimate of the acreage of forest land. This is later revised after certain field checks.

2. Every 3rd plot listed as forest in Step 1 is classified into forest type, stand class, and density class by careful stereoscopic analysis of the photographs. The proportion of plots falling in each classification when applied to the forest area of the county gives a preliminary estimate of the area in each classification. These areas are revised following ground checking.

3. Timber cruisers make a detailed on-the-ground tally of a proportion of the photo plots in each stand class to obtain volume, growth, cull, and mortality data, and to check accuracy of photo classification. Proportions vary according to distribution of stand classes. Every 3rd large saw-timber photo plot, every 4th small saw-timber, every 6th pole-timber, and every 13th seedling and sapling, and every 26th denuded plot were taken in Florida. Samples of idle and agricultural plots were also checked to determine the area reverting to forest.

4. Growth estimates are based on increment borings taken from trees of the various diameters and species in each forest type and stand class.

5. Estimates of the amount of wood produced as primary forest products are obtained from sawmills, pulpmills, veneer plants, and other wood-using industries. Other surveys are made to determine the amount of fuelwood and fence-post production. In addition, studies of wood utilization are made to adjust reported production of the various commodities to drain in terms of inventory volumes.

6. All field data are sent to Asheville for editing and are placed on punch cards for machine tabulation. Final estimates are based on statistical summaries.

FOREST SURVEY REPORTS PUBLISHED SINCE 1945

Southeastern Forest Experiment Station

- No. 21 - 1945 Pulpwood Production by County in the Carolinas and Virginia.
- No. 22 - Southern Forests as a Source of Pulpwood.
- No. 23 - 1946 Pulpwood Production by County in the Southeast.
- No. 24 - Southern Pulpwood Production and the Timber Supply.
- No. 25 - Forest Resources of the Lower Coastal Plain of South Carolina.
- No. 26 - 1946 Commodity Drain by County from South Carolina Forests.
- No. 27 - 1947 Pulpwood Production by County in the Southeast.
- No. 28 - South Carolina's Forest Resources, 1947.
- No. 29 - 1948 Pulpwood Production by County in the Southeast.
- No. 30 - Forest Resources of Northeast Florida, 1949.
- No. 31 - Forest Resources of Central Florida, 1949.
- No. 32 - Forest Resources of Northwest Florida, 1949.
- No. 33 - Forest Resources of South Florida, 1949.
- No. 34 - Timber Production and Commodity Drain from Florida's Forests,
1948.
- No. 35 - 1949 Pulpwood Production in the South.

USDA MISCELLANEOUS PUBLICATION

- No. 681 - Virginia Forest Resources and Industries, 1949.