3 2044 106 355 886

Library
Arnold Arboretum

of
Harvard University

Rebound Jan 1962

1063
8
Catalogus Systematicus
PLANTARUM
INDIGENARUM

IN
COMITATU DUBLINENSI

INVENTARUM.

Pars Prima.

AUCTORE GUALTERO WADE, M.D.

COLLEGII MEDICORUM REGIS ET REGINÆ IN HIBERNIA
E FERMISSIS, REI BOTANICÆ PRÆLECTORE, SOCIETATIS
LINNÆANÆ LONDINENSIS, UT ET MEDICÆ
DUBLINENSIS SOCIO, &c.

DUBLINI:

APUD GUL. SLEATER, TYPOGRAPHUM
SOCIETATIS DUBLINENSIS, IN VICO DICTO DAME-STREET.

M.DCC.XCIV.

Apr. 1909
19461

VIRO PRÆHONORABILI

JOANNI FOSTER,

PROLOCUTORI DOM^{us} COM^{itum} PARL^{amenti}

PERMITTAS me, quæso, spectate vir, libellum huncce amico patriæ nostræ æque strenuo ac liberali dicare et consecrare.

Labores tuos haud minus proferos quam indefessos ad agriculturam, artes, et commercium Hiberniæ

A 2 promovenda

promovenda directos, nunquam in
memoria non tenebit populus
gratus, consiliis tuis parendo ditatus
et felix.

Patrocinium tuum rei botanicæ,
utilis adeo ac jucundæ naturalis
historiæ partis, ut ad tenues hosce
conatus erga ejus in hac insula
cultum solita benignitate extendas,
etiam atque etiam rogo et precor,

devinctissimus tuus,

atque humillimus,

GUALTERUS WADE.

P R Æ F A T I O.

CATALOGUM plantarum instruenti opus erat methodum aliquam systematicam adhibere. Mihi præ alijs arridebat Linnæana, utpote non solum facile excellentissima, sed omnibus fere botanicis nunc dierum recepta.

Illustris Linnæi *Specie Plantarum*, editionis tertiæ, anno 1764 impressæ, ut plurimum utor. Ad alios scriptores, paucos, recentiores, et Britannos quidem omnes lectorem refero; quorum tamen ductu e fonte botanico satis superque haurire est. In eximio isto Domini *Curtis* opere citando, difficultate quadam peculiari pressus, omnes plantarum icones collegi, et eas secundum ordinem quo in publicum prodire numeravi: Nota *Ic.* ad hanc numerationem spectat, *N.* ad istam fasciculorum.

Numeri majores Romani, descriptionibus plantarum subjuncti, tempora earum florendi, more botanico, designant; I. Januarium, II. Februarium, III. Martem, &c. Numeri parvi, nominibus genericis præfixi, numerum generum plantarum
rum

rum in hocce catalogo notatorum solummodo respiciunt. Accentus ex accurato opere Doctoris Withering ut plurimum deprompti sunt.

Synonyma, Anglicis Hibernisque exceptis, prætermisi; cavendo scilicet ne ultra modum augeatur materies libelli, peregrinanti potiusquam sedentario studenti opem allaturi.

In nominibus plantarum Anglicis recensendis, varios auctores, et vivum populi sermonem consului. Quod vero ad nomina Hibernica, quanquam ea qua potui diligentia collegi, linguæ tamen parum peritus, de quibusdam animi pendeo, alia penitus silentio præterire visum est.

Quoniam huncce genuinum esse catalogum decrevi plantarum a memetipso visarum e solo Eblanenfi sponte surgentium, verbum *Inveni* ubique præ usitatori *Habitat* usurpavi. Adeoque prima hæcce mei incepti pars, quamvis non omnibus numeris absoluta, nunquam non fidelis habeatur.

Familix numerosæ caricum et plantarum cryptogamicarum secundæ parti reservantur, quæ quantum potest sequetur.

ABBREVIATIONES EXPLICATAE.

Annal. Agric. Annals of Agriculture, &c.
by Arthur Young, Esq. F. R. S. &c.
Bury St. Edmund's, 1784, &c. 8vo.

English Botany. English Botany, by James
Sowerby, 1790, &c. 8vo.

Fl. Ang. Gul. Hudsoni Flora Anglica :
edit. 1. 1768, ed. 2. 1778, Lond. 8vo.

Fl. Lond. Flora Londinensis, by William
Curtis, Lond. fol. 1777, &c.

Fl. Rust. Flora Rustica, by Thomas
Martyn, B. D. and F. R. S. & Frederick
P. Nodder, Lond. 1792, &c. 8vo.

Fl. Scot. Flora Scotica, by the Rev.
John Lightfoot, 2 volumes, Lond.
1777, 8vo.

Hunt. Ev. Sylv. Silva : or a Discourse
of Forest Trees, by John Evelyn, Esq.
with notes by A. Hunter, M. D. F. R. S.
ed. 2. York, 2 volumes. 4to. 1786.

Lin.

Lin. Sp. Pl. Linnæi Species Plantarum:
edit. 3. Vindobonæ, 1764, 8vo.

Lin. Sys. Veg. Caroli Linnæi systema
vegetabilium : curante Jo. Andrea
Murray, Gott. 1784, 8vo.

Med. Bot. Doctor William Woodville's
Medical Botany, in 3 volumes, 4to,
1790, &c.

Mus. rust. Museum Rusticum et com-
merciale, Lond. 1764, &c. 8vo. 6
volumes.

Still. Misc. Observations on Grasses by
Benjamin Stillingfleet, published with
his miscellaneous tracts, ed. 2. Lond.
8vo. 1762.

With. Arrang. A Botanical Arrangement
of British Plants, by William Wither-
ing, M. D. F. R. S. &c. and Jonathan
Stokes, M. D. &c. Birming. 1787,
&c. ed. 2. 3 volumes, 8vo.

MONANDRIA MONOGYNIA.

MONANDRIA

MONOGYNIA.

1. HIPPU'RIS.

vulgáris. 1. HIPPU'RIS. *Lin. Sp. Pl. ed. 3. 6. Fl.*
Ang. ed. 2. 2. Fl. Scot. 70. Wither.
Arrang. ed. 2. 2. Fl. Lond. No. 48.
Ic. 288.

Anglis, mare's tail, paddow pipe.

Hibernis,

Inveni in stagnis, et rivulis, prope Irish-
town, Sandymount, Clontarf juxta Char-
ter-school, et Cardiff's bridge. VII.

B

2. SALICOR'NIA.

2. *SALICOR'NIA*.

herbacea. 1. *SALICOR'NIA* patula, articulis apice compressis emarginato-bifidis. *Lin. Sp. pl. ed. 3. 5. Fl. Ang. ed. 2. 1. Fl. Scot. 69. Wither. Arrang. ed. 2. 3.*

Anglis, *marsh samphire, sea-grass, salt-wort, jointed glass-wort.*

Hibernis,

Inveni in littoribus maritimis apud *Rings-end, Irishtown, Howth, Malabide, North-wall, et Balldoyle.* IX.

MONANDRIA DIGYNIA.

DIGYNIA.

3. *CALLIT'RICHE*.

ver'na. 1. *CALLIT'RICHE* foliis superioribus, floribus androgynis. *Lin. Sp. Pl. ed. 3. 6. Fl. Ang. ed. 2. 439. C. aquatica var. β. Fl. Scot. 70. Wither. Arrang. ed. 2. 4.*

Anglis,

Anglis, *water star-wort*, *water fennel*, *star-headed water chickweed*.

Hibernis,

Inveni in fossis, et aquis lutosis, frequenter. IV.

autumnalis. 2. CALLITR'ICHE foliis omnibus linearibus apice bifidis, floribus hermaphroditis. *Lin. Sp. pl. ed. 3. 6. Fl. Scot. 70. Wither. Arrang. ed. 2. 5. Fl. Ang. ed. 2. 440. C. aquatica var. 7.*

Anglis, *autumnal star-wort*.

Hibernis,

Inveni cum priore. IX.

DIANDRIA MONOGYNIA.

D I A N D R I A .

M O N O G Y N I A .

4. LIGUS'TRUM.

vulgare. 1. LIGUS'TRUM, *Lin. Sp. Pl. ed. 3. 10. Fl. Ang. ed. 2. 3. Fl. Scot. 72. Wither. Arrang. ed. 2. 7. Fl. Lond. N. 51. Ic. 305.*

Anglis, *privet*.

Hibernis,

Inveni in sepibus passim, circa *Chapel-izod*, *Lucan*, *Booterstown*, *Black-rock*, *Clontarf*, &c. VI.

5. VERONI'CA.

officinális. 1. VERONI'CA spicis lateralibus pedunculatis, foliis oppositis, caule procumbente. *Sp. Pl. ed.* 3. 14. *Fl. Ang. ed.* 2. 4. *Fl. Scot.* 72. *Wither. Arrang. ed.* 2. 9. *Fl. Lond. N.* 33. *Ic.* 196.

Anglis, *male speedwell*, *fluellin*.

Hibernis, *Lus cre'*. *Seamar cre'*.

Inveni in ericetis, et inter lapides, super montes et prope eorundum radices *Dublin Mountains* dictos, apud *Grange-hill*, *Killgobbin*, et in pascuis ficcioribus circa *Killbarrick*. VI. VII. VIII.

serpylli-folia. 2. VERONI'CA racemo terminali subspicato, foliis ovatis glabris. *Sp. Pl. ed.* 3. 15. *Fl. Ang. ed.* 2. 4. *Fl. Scot.* 73. *Fl. Lond. N.* 5. *Ic.* 27. *Wither. Arrang. ed.* 2. 11.

Anglis,

Anglis, *smooth speedwell*, *Paul's betony*.

Hibernis,

Inveni in paludosis locis, apud *Santry-wood* copiose. V.

Beccabunga. 3. VERONICA racemis lateralibus, foliis ovatis planis, caule repente. *Lin. Sp. Pl. ed. 3. 16. Fl. Ang. ed. 2. 5. Fl. Scot. 73. With. Arrang. ed. 2. 12. Fl. Lond. N. 15. Ic. 87. Med. Bot. p. 20. Ic. 7.*

Anglis, *brooklime*.

Hibernis, *Biolar Duire*, *Biolar Uisge*,
Lochall, *Lochall Gorthair*.

Inveni in fossis et rivulis frequenter. VII.

Anagallis. 4. VERONICA racemis lateralibus, foliis lanceolatis ferratis, caule erecto. *Lin. Sp. Pl. ed. 3. 10. Fl. Ang. ed. 2. 5. Fl. Scot. 73. With. Arrang. ed. 2. 12. Fl. Lond. N. 56. Ic. 332.*

Anglis, *long leaved brook-lime*, *water speedwell*.

Hibernis, *Fualachtar*.

Inveni in fossis et rivulis passim. VII.

Chamædrys.

Chamæ'drys. 5. VERONI'CA racemis lateralibus, foliis ovatis rugosis dentatis sessilibus, caule debili. *Lin. Sp. Pl. ed. 3.* 17. *Fl. Ang. ed. 2.* 6. *Fl. Scot.* 74. *Wither. Arrang. ed. 2.* 13. *Fl. Lond. N.* 4. *Ic.* 24. *Fl. Russ. N.* 22. *Ic.* 66.

Anglis, *wild germander, speedwell.*

Hibernis, *An Ualach, Ealcab Anolurach.*

Inveni in pratis, sepibus, et pascuis passim, ut nihil magis vulgare. IV. V.

montana. 6. VERONI'CA racemis lateralibus paucifloris, calycibus hirsutis, foliis ovatis rugosis crenatis petiolatis, caule debili. *Lin. Sp. Pl. ed. 3.* 17. *Fl. Lond. N.* 37. *Ic.* 218. *Fl. Ang. ed. 2.* 6. *Fl. Scot.* 74. *Wither. Arrang. ed. 2.* 12.

Anglis, *mountain speedwell, madwort.*

Hibernis,

Inveni in sylvis, præcipue apud *Luttrel's-town*, juxta murum in viâ ad *Lucan* ducente. VI.

arvensis. 7. VERONI'CA floribus solitariis, foliis cordatis incisis sessilibus. *Fl. Ang. ed. 1.* 6. *et ed. 2.* 6. *Lin. Sp. Pl. ed. 3.* 18. *Fl. Scot.* 75. *Wither. Arrang. ed. 2.* 14. *Fl. Lond. N.* 23. *Ic.* 135.

Anglis,

Anglis, *wall speedwell, corn speedwell.*

Hibernis,

Inveni in muris vetustis, nonnunquam.

IV.

- agres'tis.* 8. VERONICA floribus solitariis, foliis cordatis incisfis, petiolatis. *Fl. Ang. ed. 1. 6. ed. 2. 7. Lin. Sp. Pl. ed. 3. 18. Fl. Scot. 75. With. Arrang. ed. 2. 14. Fl. Lond. N. 7. Ic. 37.*

Anglis, *germander-speedwell, chickweed.*

Hibernis,

Inveni in cultis, frequenter, verno tempore.

- bederi-folia.* 9. VERONICA floribus solitariis, foliis cordatis planis quinquelobis. *Sp. Pl. ed. 3. 19. Fl. Ang. ed. 2. 7. Fl. Scot. 76. Wither. Arrang. ed. 2. 15. Fl. Lond. N. 19. Ic. 109.*

Anglis, *ivy-leaved speedwell, small henbit.*

Hibernis,

Inveni in cultis frequenter. IV. V.

6. PINGUIC'ULA.

vulgáris. 1. PINGUIC'ULA nectario cylindraceo, longitudine petali. *Sp. Pl. ed.* 3. 25. *Fl. Ang. ed.* 2. 8. *Fl. Scot.* 76. *Wither. Arrang. ed.* 2. 16. *English Botany* 70.

Anglis, *common butterwort*, *Yorkshire fanicle*.

Hibernis, *Bodan Measgan*, *uachdar*, *geroin*.

Inveni in paludosis, juxta scholam reverendi Meares, apud *Black-rock*, australi parte; apud *Howth*, australi parte; et in prato uliginoso apud *Scriblestown*, pone *Uranoscopium*, copiose; ut et in locis variis uliginosis ad radices montium Dublinensium. VI.

7 LYC'OPUS

Europæus. 1. LYC'OPUS foliis sinuato-ferratis. *Lin. Sp. Pl. ed.* 3. 30. *Fl. Ang. ed.* 2. 9. *Fl. Scot.* 79. *Wither. Arrang. ed.* 2. 20. *Fl. Lond. N.* 34. *lc.* 199.

Anglis,

Anglis, *water borehound*.

Hibernis, *Feoran Curraigh*.

Inveni ad margines fossarum in vivario
Phœnix Park dicto, copiose. VIII.

8. *S A L 'V I A*.

verbenáca. 1. *SAL'VIA* foliis ferratis læviusculis, corollis calyce angustioribus. *Lin. Sp. Pl. ed. 3. 35. Fl. Ang. ed. 2. 10. Fl. Scot. 79. Wither. Arrang. ed. 2. 22.*

Anglis, *wild clary*.

Hibernis,

Inveni prope muros vetustos inter *Long Meadows* et *Chapelizod*; in glareosis inter *Rathmines* et *Miltown* copiose; ut et in locis variis ruderatis. VI.

9. *C I R C Æ 'A*.

tutetiána. 1. *CIRCÆ'A* caule erecto, racemis pluribus, foliis ovatis. *Lin. Sp. Pl. ed. 3. 12. Fl. Ang. ed. 2. 10. Fl. Scot. 80. Wither. Arrang. ed. 2. 23. Fl. Lond. N. 34. Ic. 200.*

C

Anglis,

DIANDRIA MONOGYNIA.

Anglis, *common enchanter's night-shade.*

Hibernis, *Fuinseach, Fuinseagach.*

Inveni in locis umbrosis sylvæ *Luttrell's-town* copiose, præsertim in australi regione. VI.

DIGYNIA.

10. ANTHOXAN'THUM.

odoratum. 1. ANTHOXAN'THUM spica oblonga, flosculis subpedunculatis arista longioribus. *Lin. Sp. Pl. ed. 3. 40. Fl. Ang. ed. 2. 11. Fl. Scot. 81. Wither. Arrang. ed. 2. 25. Fl. Lond. N. 9. Ic. 51. Fl. Rustica. Ic. 23.*

Anglis, *sweet smelling vernal grass.*

Hibernis,

Inveni in pratis, pascuis, sylvis, et arvis, frequenter. V.

TRIANDRIA

TRIANDRIA
MONOGYNIA

11. VALERIA'NA.

rúbra. 1. VALERIA'NA floribus monandris caudatis, foliis lanceolatis, (*amplexicaulibus dentatis,*) integerrimis. *Lin. Sp. Pl. ed.* 3. 44. *Fl. Ang. ed.* 2. 12. *Wither. Arrang. ed.* 2. 35.

Anglis, *red valerian.*

Hibernis,

Inveni in ruderalis inter *Chapelizod* et *Lucan*, et super muros vetustos saxofos passim. VII.

officinális. 2. VALERIA'NA floribus triandris, foliis omnibus pinnatis. *Lin. Sp. Pl. ed.* 3. 45. *Fl. Ang. ed.* 2. 12. *Fl. Scot.* 84. *Wither. Arrang. ed.* 2. 36. *Med. Bot.* p. 262. *Ic.* 96.

Anglis, *wild officinal valerian.*

Hibernis, *Carthán Curaigh.*

Inveni in sepibus humidis inter *Cardiff's-bridge* et *Ash-town*, apud *Howth*, ad ripas fluviorum inter *Long Meadows* et *Lucan*, circa *Blue Bell*, et alibi. VII.

Locus'ta. 3. VALERIA'NA floribus triandris, caule dichotomo, foliis linearibus *Lin. Sp. Pl. ed. 3. 47. Fl. Ang. ed. 2. 13. Fl. Scot. 85. Wither. Arrang. ed. 2. 37. Fl. Lond. N. 54. Ic. 324. Fl. Rusf. 24.*

Anglis, *corn valerian*, *corn sallet*, *lamb's-lettuce*.

Hibernis,

Inveni in agris apud *Roebuck*, et juxta pontes *Glasnevin*, et *Donnybrook*. IV.

12. I' R I S.

Pseud- 8. I'RIS corollis imberbibus, petalis interioribus stigmatibus minoribus, foliis ensiformibus. *Lin. Sp. Pl. ed. 3. 56. Fl. Ang. ed. 2. 14. Fl. Scot. 86. Wither. Arrang. ed. 2. 39. Fl. Lond. N. 33. Ic. 198. Med. Bot. p. 114. Ic. 400.*

Anglis,

Anglis, *flower de luce, water-flag.*

Hibernis, *Feleaslar, Feleastrum.*

Inveni in locis palustribus copiose in
Phœnix Park, et alibi. VI.

13. S C H O E ' N U S.

nigricans. 1. SCHOE'NUS culmo tereti nudo capitulo ovato, involucri diphylli valvula altera subulata longa. *Lin. Sp. Pl. ed. 3. 64. Fl. Ang. ed. 2. 15. Fl. Scot. 86. Wither. Arrang. ed. 2. 42.*

Anglis, *round black-headed bog rush.*

Hibernis, *Sibhne, Sifin, Seimhin.*

Inveni in locis palustribus, solo spongioso, ad radices montium *Dublinensium*, præsertim juxta *Stag's-toren.* VI.

14. S C I R' P U S.

palustris. 1. SCIR'PUS culmo tereti nudo, spica sub-ovali terminali. *Lin. Sp. Pl. ed. 3. 70. Fl. Ang. ed. 2. 17. Fl. Scot. 87. Wither. Arrang. ed. 2. 46. Eng. Bot. N. 34. Ic. 131.*

Anglis,

Anglis, *club rush, aglet-headed rush.*

Hibernis, *Luachair.*

Inveni in locis palustribus frequenter, præcipue juxta pontes *Finglass, Glanskeagh,* illumque *Cardiff's bridge* dictum. VI.

cæspitosus 2. SCIR'PUS culmo striato nudo, spica bivalvi terminali longitudine calycis, radicibus squamula interstinctis. *Lin. Sp. Pl. ed. 3. 71. Fl. Ang. ed. 2. 18. Fl. Scot. 87. Wither. Arrang. ed. 2. 47.*

Anglis, *dwarf club rush, deer's hair.*

Hibernis, *Cruagh luachair.*

Inveni in pratis et ericetis udis, et locis palustribus passim, præcipue circa *Stag's town, Clondalkin, et Kilmasbogue.* VI. VII.

lacustris. 3. SCIR'PUS culmo tereti nudo, spicis ovatis pluribus pedunculatis terminalibus. *Lin. Sp. Pl. ed. 3. 72. Fl. Ang. ed. 2. 19. Fl. Scot. 88. Wither. Arrang. ed. 2. 48.*

Anglis, *bulrush.*

Hibernis, *Luigiu, bogheimhin.*

Inveni

Inveni in stagnis majoribus, et fluminibus frequenter, præsertim inter *Cardiff's bridge* et *Ash-town* copiose. VII.

marit'imus. 4. SCIR'PUS culmo triquetro, panicula conglobata foliacea, spicularum squamis trifidis : intermedia subulata. *Lin. Sp. Pl. ed. 3. 51. Fl. Ang. ed. 2. 21. Fl. Scot. 89. Wither. Arrang. ed. 2. 50. Fl. Lond. N. 48. Ic. 285.*

Anglis, *round-rooted bastard cyprus*.

Hibernis, *Brobh*.

Inveni in paludibus juxta mare, inter *Sandymount* et *Merrion* copiose, et alibi. VIII.

15. ERIOPH'ORUM.

polysta'chion. 1. ERIOPH'ORUM culmis teretibus, foliis planis, spicis pedunculatis. *Lin. Sp. Pl. ed. 3. 76. Fl. Ang. ed. 2. 21. Fl. Scot. 89. Wither. Arrang. ed. 2. 53. Fl. Lond. N. 37. Ic. 119.*

Anglis, *common cotton grass, moor grass, moss crops, bog down*.

Hibernis,

Hibernis, Ceanabhan mona, sioda
mona, ceanach na mona, sga-
thoga fiona.

Inveni in locis paludosis et cœnosis fre-
quenter, præsertim ad radices *mon-*
tium Dublinensium copiose. VII.

D I G Y N I A.

16. P H A L' A R I S.

arundinacea. 1. PHAL'ARIS panicula oblonga ventrico-
sa. *Lin. Sp. Pl. ed. 3.* 80. *Fl. Ang. ed. 2.*
23. *Fl. Scot. 90. With. Arrang. ed. 2.* 67.

Anglis, reed Canary grafs.

Hibernis,

Inveni ad fluviorum ripas passim. VII.

17. P H L E 'U M.

pratense. 1. PHLE'UM spica cylindrica longissima,
culmo recto. *Lin. Sp. Pl. ed. 3.* 87. *Fl.*
Ang. ed. 2. 25. *Fl. Scot. 91. Wither.*
Arrang. ed. 2. 63. *Mus. Rust. VII.*
Annal. Agric. V. 12. 446. *Fl. Rust. N.*
2. *Ic. 5.*

Anglis,

Anglis, *Timothy grass, herd grass, meadow cat's tail grass.*

Hibernis,

Inveni in pratis et pascuis, ad semitas et inter sepes frequenter. VII.

18. *A L O P E C U ' R U S*.

pratensis. 1. *ALOPECU'RUS* culmo spicato erecto, glumis villosis. *Lin. Sp. Pl. ed. 3. 88. Fl. Ang. ed. 2. 27. Fl. Scot. 91. Mus. Rust. Vol. 4. t. 2. f. 9. Wither. Arrang. ed. 2. 59. Annal. Agric. Vol. 12. 415. Vol. 16. 129. Fl. Lond. N. 50. Ic. 300. Fl. Rust. N. 2. Ic. 6.*

Anglis, *meadow fox-tail grass.*

Hibernis,

Inveni in pratis humidis ubique. V.

geniculatus. 2. *ALOPECU'RUS* culmo spicato infraeto. *Lin. Sp. Pl. ed. 3. 89. Fl. Ang. ed. 2. 27. Fl. Scot. 92. With. Arrang. ed. 2. 60. Fl. Lond. N. 57. Ic. 340.*

D

Anglis,

Anglis, *spiked float grafs, spiked water grafs, float fox-tail grafs.*

Hibernis,

Inveni in stagnis passim, istis præsertim muro boreali, viæ circulari, canalique magno vicinis. VI.

19. *A G R O S' T I S.*

canina. 1. AGROS'TIS calycibus elongatis, petalorum arista dorsali recurva, culmis prostratis subramosis. *Lin. Sp. Pl. ed.* 3. 92. *Fl. Ang. ed.* 2. 30. *Fl. Scot.* 92. *With. Arrang. ed.* 2. 70.

Anglis, *brown bent grafs.*

Hibernis,

Inveni in pratis, pascuis, et ericetis cæspitosis, atque montosis ubique, præsertim ad radices *montium Dublinensium.* VII.

capillaris. 2. AGROS'TIS panicula capillari patente, calycibus subulatis æqualibus hispidiusculis coloratis, flosculis muticis.
Lin.

Lin. Sp. Pl. ed. 3. 93. Fl. Ang. ed. 2. 31. A. polymorpha: var. α. Fl. Scot. 93. Wither. Arrang. ed. 2. 73. Annal. Agric. V. 17. 38.

Anglis, *fine bent grass.*

Hibernis,

Inveni cum priore, et ad sepes frequenter. VII.

stolonifera. 3. AGROS'TIS paniculæ ramulis divaricatis muticis, culmo repente, calycibus æqualibus. *Lin. Sp. Pl. ed. 3. 93. Fl. Ang. ed. 2. 31. Fl. Scot. 93. Wither. Arrang. ed. 2. 72.*

Anglis, *creeping bent grass.*

Hibernis,

Inveni in locis humidis, vadosis, et arenosis super montes *Dublinenses*, juxta *Bullock*, et alibi. VII.

20. A 'I R A.

cærulea. 1. A'IRA panicula coarctata, floribus pedunculatis muticis convoluto-subulatis, foliis planis. *Lin. Sp. Pl. ed. 3. 95. Fl. Ang. ed. 2. 33. Mel'ica cærulea : Fl. Scot. 96. Wither. Arrang. ed. 2. 82. Fl. Lond. N. 60. Ic. 355.*

Anglis, *purple hair grass, purple melic grass.*

Hibernis,

Inveni in pratis paludosis agrorum *Scriblestown*, et alibi. VI.

aquat'ica. 2. A'IRA panicula patente, floribus muticis lævibus obtusis calyce longioribus, foliis planis. *Lin. Sp. Pl. ed. 3. 95. Fl. Ang. ed. 2. 33. Fl. Scot. 94. Wither. Arrang. ed. 2. 76. Fl. Lond. N. 10. Ic. 60.*

Anglis, *water hair grass.*

Hibernis,

Inveni in aquosis ; in fossis passim. VI.

cæspit'osa.

caespitosa. 3. A'IRA foliis planis, panicula patente, petalis basi villosis aristatisque: arista recta brevi. *Lin. Sp. Pl. ed. 3.* 96. *Fl. Ang. ed. 2.* 34. *Fl. Scot.* 94. *Wither. Arrang. ed. 2.* 77.

Anglis, *turfy hair grass*.

Hibernis,

Inveni in pratis et pascuis humidis ad radices *montium Dublinensium*; præsertim circa *Hill of the Grange, Stag's-town, King's town*, et *Lugmore*. VII.

21. M E L' I C A.

nutans. 1. MEL'ICA petalis imberbibus, panicula secunda nutante simplici. *Lin. Sp. Pl. ed. 3.* 98. *Fl. Ang. ed. 2.* 37. *gluma uniflora*. *Fl. Scot.* 95. *M. uniflora*. *With. Arrang. ed. 2.* 81. *Fl. Lond. N.* 51. *lc.* 303. *Fl. Rust. N.* 22. *lc.* 64.

Anglis, *wood melic grass*.

Hibernis,

Inveni in sylva *Luttrel's-town*, in aggeribus sepium umbrosis occidentem versus. VII.

22. B R I' Z A.

22. B R I' Z A.

média. 1. BRI'ZA spiculis ovatis calyce flosculis
breviore. *Lin. Sp. pl. ed. 3. 103.*
Fl. Ang. ed. 2. 38. Fl. Scot. 99.
Wither. Arrang. ed. 2. 92. Fl. Rust. N.
13. Ic. 39.

Anglis, *cow-quakes, lady's hair, quaking*
grafs, wag wanton, trembling grafs.

Hibernis,

Inveni in pratis et pascuis ubique. VII.

23. P O' A.

pratensis. 1. PO'A panicula diffusa, spiculis quinque-
floris glabris, culmo erecto tereti. *Lin.*
Sp. Pl. ed. 3. 99. Fl. Ang. ed. 2. 39.
Fl. Scot. 97. Wither. Arrang. ed. 2.
87. Fl. Lond. N. 14. Ic. 82.

Anglis, *great meadow grafs, smooth-stalked*
meadow grafs.

Hibernis,

Inveni in pratis et pascuis ubique. VI.

trivialis.

trivialis. 2. PO'A panicula diffusa, spiculis subtrifloris basi pubescentibus, culmo erecto tereti. *Lin. Sp. Pl. ed.* 3. 99. *Fl. Ang. ed.* 2. 39. *Fl. Scot.* 97. *Wither. Arrang. ed.* 2. 85. *Fl. Lond.* N. 15. Ic. 90. *Annal. Agricul. V.* 5. 115. *V.* 6. 54.

Anglis, *common meadow grass, rough-stalked meadow grass, bird grass, fowl grass.*

Hibernis,

Inveni cum priore. VI.

compressa. 3. PO'A panicula coarctata secunda, culmo obliquo compresso. *Lin. Sp. Pl. ed.* 3. 101. *Fl. Ang. ed.* 2. 41. *Fl. Scot.* 97. *Wither. Arrang. ed.* 2. 89.

Anglis, *flat-stalked meadow grass, creeping meadow grass.*

Hibernis,

Inveni super muros vetustos, et in locis ficcissimis nonnunquam. VI.

an'nua. 4. PO'A panicula diffusa, angulis rectis, spiculis obtusis, culmo obliquo compresso. *Lin. Sp. pl. ed.* 3. 99. *Fl. Ang. ed.*

ed. 2. 42. Fl. Scot. 97. Wither. Arrang. ed. 2. 88. Fl. Lond. N. 2. Ic. 8. Mus. Rust. V. 4. 2. 8. Annal. Agricul. V. 6. 52.

Anglis, *annual meadow grass, Suffolk grass, common dwarf poa.*

Hibernis,

Inveni ubique in pascuis, ad femitas, et agrorum limites. I. XII.

maritima. 5. PO'A panicula coarctata secunda ramosa, ramis binatis, spiculis oblongis, flosculis obtusis, culmo obliquo tereti. *Fl. Ang. ed. 2. 42. Fl. Scot. 98. Wither. Arrang. ed. 2. 88.*

Anglis, *sea meadow grass.*

Hibernis,

Inveni in littoribus maritimis arenosis inter *Sandymount et Merrion*, et alibi. VII.

rig'ida. 6. PO'A panicula lanceolata, subramosa secunda, ramulis alternis secundis. *Lin. Sp. Pl. ed. 3. 101. Fl. Ang. ed. 2. 42. Fl. Lond. N. 24. Ic. 139. Wither. Arrang. ed. 2. 89.*

Anglis,

Anglis, *hard meadow grafs.*

Hibernis,

Inveni super muros vetustos frequenter.

VII.

24. *D A C ' T Y L I S.*

glomeráta. 1. DAC'TYLIS panicula fecunda glomerata. *Lin. Sp. Pl. ed. 3. 104. Fl. Ang. ed 2. 43. Fl. Scot. 99. Wither. Arrang. ed. 2. 94. Fl. Rust. N. 5. Ic. 14. Mus. Rust. V. 5. 1. 5.*

Anglis, *rough cock's-foot grafs, orchard grafs.*

Hibernis,

Inveni ubique fere. VI.

25. *F E S T U' C A.*

ovína. 1. FESTU'CA panicula fecunda coarctata subaristata, glumis acuminatis, culmo tetragono nudiusculo, foliis fetaceis.

E

Lin.

Lin. Sp. Pl. ed. 3. 108. Fl. Ang. ed. 2. 44. Fl. Scot. 101. Wither. Arrang. ed. 2. 97. Mus. Rust. 4. 2. 4. Still. Misc. t. 8.

Anglis, *sheep's fescue grass.*

Hibernis,

Inveni in pascuis ficcioribus arenosis passim. VII.

duriuscula. 2. FESTU'CA panicula secunda, oblonga, spiculis sexfloris oblongis lævibus, foliis setaceis. *Lin. Sp. Pl. ed. 3. 108. Fl. Ang. ed. 2. 45. Fl. Scot. 101. Wither. Arrang. ed. 2. 98.*

Anglis, *hard fescue grass.*

Hibernis,

Inveni cum priore frequenter, præcipue circa ædes *warren house* dictas. VI.

rúbra. 3. FESTU'CA panicula secunda scabra, spiculis sexfloris aristatis, flosculo ultimo mutico, culmo semitereti. *Lin. Sp. Pl. ed. 3. 109. Fl. Ang. ed. 2. 45. Fl. Scot. 102. With. Arrang. ed. 2. 97.*

Anglis,

Anglis, *purple fescue grass*.

Hibernis,

Inveni cum priore. VI.

- fluitans*. 4. FESTU'CA panicula ramosa erecta spiculis subseffilibus teretibus muticis. *Lin. Sp. Pl. ed. 3.* 111. *Fl. Ang. ed. 2.* 46 *Fl. Scot.* 103. *Wither Arrang. ed 2* 100. *Fl. Lond. N. 6.* *Ic.* 36. *Mus. Rust. V. 4.* 1. 6.

Anglis, *common flote fescue grass, flote grass*.

Hibernis,

Inveni in rivulis et fossis aquosis frequenter. V. VI.

- pratensis*. 5. FESTU'CA panicula secunda, erecta, spiculis linearibus muticis, foliis planis. *Fl. Ang. ed. 2.* 47. *Wither. Arrang. ed. 2.* 101. *Fl Lond N.* 66. *Ic.* 393. *Annal. Agric. V.* 20. 167.

Anglis, *meadow fescue grass*.

Hibernis,

Inveni in pratis et pascuis humidis passim. VI.

- elatior.* 6. FESTU'CA panicula secunda ramosa erecta, spiculis subaristatis; exterioribus teretibus, *Lin. Sp. Pl. ed. 3.* 111. *Fl. Ang. ed. 2.* 47. *Fl. Scot.* 102. *Wither. Arrang. ed. 2.* 100. *Fl. Lond.* N. 66. *Ic.* 392.

Anglis, *tall fescue grass.*

Hibernis,

Inveni cum priore et ad sepium latera. VI.

26. B R O' M U S.

- mollis.* 1. BRO'MUS panicula erectiuscula, spicis ovatis aristis rectis, foliis mollissime villosis. *Lin. Sp. Pl. ed. 3.* 112. *Fl. Ang. ed. 2.* 48. *B. polymorpha. var. α.* *Fl. Scot.* 103. *Wither. Arrang. ed. 2.* 105. *Fl. Lond.* N. 3. *Ic.* 17.

Anglis, *field brome grass, soft brome or broom grass.*

Hibernis,

Hibernis,

Inveni in pratis, pascuis, et arvis ubique.

VI.

ster'ilis. 2. BRO'MUS panicula patula, spiculis oblongis distichis, glumis subulato-aristatis. *Lin. Sp. Pl. ed. 3.* 113. *Fl. Ang. ed. 2.* 50. *Fl. Scot.* 104. *Wither. Arrang. ed. 2.* 108. *Fl. Lond. N.* 4. *Ic.* 21.

Anglis, *barren brome grass*.

Hibernis,

Inveni ad fepes, et in agrorum marginibus frequenter. VI.

gigantéus. 3. BRO'MUS panicula nutante, spiculis quadrifloris aristis brevibus. *Lin. Sp. Pl. ed. 3.* 114. *Fl. Ang. ed. 2.* 51. *Fl. Scot.* 104. *Wither. Arrang. ed. 2.* 110. *Fl. Lond. N.* 58. *Ic.* 348.

Anglis, *tall brome grass*.

Hibernis,

Inveni in sepibus frequenter, præsertim inter *Glasnevin* et *Finglass bridge*. VII.

27. A V E' N A.

flaves'cens. 1. AVE'NA panicula laxa, calycibus trifloris brevibus; flosculis omnibus aristatis. *Lin. Sp Pl ed 3* 118. *Fl. Ang. ed. 2.* 53 *Fl. Scot* 106 *With. Arrang. ed. 2.* 114. *Fl. Lond. N.* 35. *Ic.* 206:

Anglis, *yellow oat grass.*

Hibernis,

Inveni in pascuis et pratis ficcis ubique fere. VI.

elátior. 2. AVE'NA paniculata, calycibus trifloris, flosculo hermaphrodito submutico, mauculo aristato. *Lin. Sp. Pl. ed. 3.* 116. *Fl. Ang. ed. 2.* 53. *Fl. Scot.* 105. *Wither. Arrang. ed. 2.* 112. *Fl. Lond. N.* 32. *Ic.* 192. *Fl. Rust. N. 3.* *Ic.* 7.

Anglis, *tall oat grass.*

Hibernis,

Inveni cum priore, et ad sepes frequenter. VI.

28. A R U N' D O.

28. ARUN'DO.

phragmites. 1. ARUN'DO calycibus quinquefloris,
 panicula laxa. *Lin Sp Pl ed.* 3.
 120. *Fl. Ang. ed.* 2. 53 *Fl. Scot.*
 106. *Wither. Arrang. ed.* 2. 116.

Anglis, *common reed grass*.

Hibernis, *Biorrach Lachan, cruif-
 giornach*.

Inveni in fluviis et in aquis resedibus,
 ad fluviorum ripas et in foliis, frequen-
 ter. VI.

arenaria. 2. ARUN'DO calycibus unifloris, foliis
 involutis mucronato-pungentibus *Lin.*
Sp Pl ed 3. 121. *Fl. Ang. ed.* 2.
 54. *Fl. Scot.* 107. *Wither. Arrang.*
ed. 2. 118. *Fl. Rust. N.* 11. *Ic.* 32.

Anglis, *sea reed grass, sea mat-weed, mar-
 ram, helme*.

Hibernis, *Quiriunach, Gaithine',
 Quirneach, Weahain*.

Inveni

Inveni in arenosis tumulis et aggeribus ad maris littus, abundanter circa *Baldoyle*, præsertim apud *the Burrow of Kilmarnock*. V. VI.

29. L O' L I U M.

peren'ne. 1. LO'LIUM spica mutica, spiculis compressis multifloris. *Lin. Sp. Pl. ed. 3.* 122. *Fl. Ang. ed. 2.* 55. *Fl. Scot.* 107. *Wither. Arrang. ed. 2.* 120. *Fl. Rust. N. 2.* Ic. 4. *Annal. Agric. V.* 6. 49.

Anglis, *perennial darnel grass, ray grass, rye grass, crap, red darnel grass.*

Hibernis, *Breallan, Baidhleabh.*

Inveni ubique. VI.

30. H O R' D E U M.

murinum. 1. HOR'DEUM flosculis lateralibus masculis aristatis, involucris intermediis ciliatis. *Lin. Sp. Pl. ed. 3.* 126. *Fl. Ang.*

*Ang. ed. 2. 56. Fl. Scot. 108. With.
Arrang. ed. 2. 126. Fl. Lond. N. 55.
Ic. 327. Fl. Rust. N 15 Ic. 43.*

*Anglis, wall barley, way bennet, wild
rye, rye grass.*

Hibernis,

*Inveni super muros, et ad macerias se-
mitasque ubique fere. VII.*

31. *TRIT'ICUM.*

*répens. 1. TRIT'ICUM calycibus quadrifloris su-
bulatis acuminatis foliis planis. Lin.
Sp. Pl. ed. 3. 128. Fl. Ang. ed 2.
57. Fl. Scot. 109. Wither. Arrang.
ed. 2. 129.*

*Anglis common wheat grass, dog's grass,
squitch grass, couch grass, quick grass.*

*Hibernis, Bruimsean, Fiothran
Braim=fhear.*

Inveni ubique. VII.

- far'ceum.* 2. TRITICUM calycibus truncatis quinquefloris, foliis involutis. *Lin. Sp. Pl. ed. 3. 128. Fl. Ang. ed. 2. 58. Fl. Scot. 109. Wither. Arrang. ed. 2. 128.*

Anglis, *sea wheat grafs.*

Hibernis,

Inveni in littoribus maritimis arenosis nonnunquam, præsertim inter *Sandy-mount* et *Merrion.* VII.

32. CYNOSU'RUS.

- crístatus.* 1. CYNOSU'RUS bracteis pinnatifidis. *Lin. Sp. Pl. ed. 3. 105. Fl. Ang. ed. 2. 59. Fl. Scot. 100. With. Arrang. ed. 2. 95.*

Anglis, *crested dog's-tail grafs.*

Hibernis,

Inveni in pascuis ficcis, et pratis ubique fere. VI.

T R I A N D R I A.

T R I G Y N I A.

33. M O N' T I A.

fontána. 1. MON'TIA. *Lin. Sp. Pl. ed. 3.* 129.
Fl. Ang. ed. 2. 60. *Fl. Scot.* 110.
Wither. Arrang. ed. 2. 131. *Fl. Lond.*
N 32. *lc.* 188.

Anglis, small water chickweed or purslane,
blinks.

Hibernis,

Inveni ad scaturigines, et in locis limosis
humidis apud Howth et alibi. IV.

T E T R A N D R I A.

M O N O G Y N I A.

34. D I P' S A C U S.

- fullonum.* 1. DIP'SACUS foliis sessilibus ferratis.
sylvestris. *Lin. Sp. Pl. ed. 3. 140. Fl. Ang. ed.*
 2. 61. *Fl. Scot. 113. Wither.*
Arrang. ed. 2. 137. Fl. Lond. N.
 34. *lc. 203.*

Anglis, *teasel, wild teasel.*

Hibernis, *Leadan.*

Inveni in incultis circa lapicidinam appellatam *Black quarries* via ad *Rabeny* ducente, et alibi ad vias orasque fossarum. VIII.

35. S C A B I O' S A.

- fuccisa.* 1. SCABIO'SA corollulis quadrifidis æqualibus, caule simplici, ramis approximatis, foliis lanceolato-ovatis integerrimis.

mis. *Lin. Sp. Pl. ed. 3.* 142. *Fl. Ang. ed. 2.* 62. *Fl. Scot.* 114. *With. Arrang. ed. 2.* 139. *Fl. Lond. N.* 32. *lc.* 187.

Anglis, *devil's-bit scabious.*

Hibernis, *Urachalach, Greim a Diaubail.*

Inveni in pratis et pascuis udis abunde
juxta *Santry wood*, circa *Kilgobbin*,
et alibi. VIII.

arven'sis. 2. SCABIO'SA corollulis quadrifidis radian-
tibus, caule hispido, foliis pinnatifidis :
lobis distantibus *Lin. Sp. Pl. ed. 3.*
143 *Fl. Ang. ed. 2.* 62. *Fl. Scot.*
114. *With. Arrang. ed. 2.* 140. *Fl.*
Lond. N. 48. *lc.* 286.

Anglis, *field or corn scabious.*

Hibernis, *Caba Desain.*

Inveni in pascuis frequenter, nec minus
inter segetes ; equidem, fere ubique.
VII.

36. *P L A N T A' G O.*

máior. 1. *PLANTA'GO* foliis ovatis glabris, scapo tereti, spica flosculis imbricatis. *Lin. Sp. Pl. ed. 3. 163. Fl. Ang. ed. 2. 63. Fl. Scot. 117. Wither. Arrang. ed. 2. 142. Fl. Lond. N. 16. Ic. 95. Med. Bot. p. 39. Ic. 14.*

Anglis, *great besom plantain, way bread.*

Hibernis, *Cruach Phadruig.*

Inveni ad vias ubique. VI.

média. 2. *PLANTA'GO* foliis ovato-lanceolatis pubescentibus, scapo tereti, spica cylindrica. *Lin. Sp. Pl. ed. 3. 163. Fl. Ang. ed. 2. 64. Fl. Scot. 117. Wither. Arrang. ed. 2. 143. Fl. Lond. N. 43. Ic. 258.*

Anglis, *hoary plantain, lamb's-tongue.*

Hibernis,

Inveni in glareosis, et ad vias passim.
VI.

lançeolata. 3. *PLANTA'GO* foliis lanceolatis, spica subovata nuda, scapo angulato. *Lin. Sp. Pl. ed. 3. 164. Fl. Ang. ed. 2. 64.*

64. *Fl. Scot.* 118. *Wither. Arrang.*
ed. 2. 143. *Fl. Lond. N.* 15. *Ic.*
 85. *Fl. Rust. N.* 23. *Ic.* 67.

Anglis, *rib-wort plantain*, *rib grafs.*

Hibernis, *Slan Lus.*

Inveni in pratis, pascuis, et ad vias ubique.
 VI.

- marit'ima*. 4. PLANTA'GO foliis femicylindraceis
 integerrimis basi lanatis, scapo tereti.
Lin. Sp. Pl. ed. 3. 165. *Fl. Ang.*
ed. 2. 64. *Fl. Scot.* 118. *Wither.*
Arrang. ed. 2. 144. *Plantago scapo*
spicato, foliis linearibus subtus convexis.
Lin. Sp. Pl. ed. 3. 166. *Fl. Ang. ed.*
 2. 64. *var. β.*

Anglis, *sea narrow-leaved plantain.*

Hibernis,

Inveni inter rupes, et in palustribus mariti-
 mis copiose apud *Killeny bay*, et alibi.
 VIII.

- corónopus*. 5. PLANTA'GO foliis linearibus *pinnato-*
dentatis, scapo tereti. Fl. Ang. ed. 1.
 52. *ed.* 2. 64. *Lin. Sp. Pl. ed.* 3.
 166.

166. *Fl. Scot.* 118. *Wither. Arrang.*
ed. 2. 145

Anglis, *buck's-horn plantain, star of the earth.*

Hibernis,

Inveni in locis arenosis abunde apud
North wall et South wall. VI.

37. R U 'B I A.

peregrina. 1. RU'BIA foliis quaternis. *Lin. Sp. pl.*
ed. 3. 158. *Fl. Ang. ed.* 1. 54. *ed.* 2.
 65. *With. Arrang. ed.* 2. 148.

Anglis, *wild madder.*

Hibernis,

Inveni in ericetis, et locis montosis saxosis,
 sed raro, juxta fodinas plumbeas *Dal-*
key, versus finem *Killeney* dictum. VII.

38. S H E R A R' D I A.

38. SHERAR'DIA.

arven'sis. 1. SHERAR'DIA foliis omnibus verticillatis, floribus terminalibus. *Lin. Sp. Pl. ed. 3.* 149. *Fl. Ang. ed. 2.* 66. *Fl. Scot.* 114. *Wither. Arrang. ed. 2.* 159. *Fl. Lond. N.* 53. *Ic.* 315.

Anglis, *little field madder*.

Hibernis,

Inveni in arvis præfertim requietis in
Inchicore road, Knockmaroon hill et circa
Warren-house juxta *Howth*. VI.

39. ASPER'ULA.

doráta. 1. ASPER'ULA foliis octonis lanceolatis, florum fasciculis pedunculatis. *Lin. Sp. Pl. ed. 3.* 150. *Fl. Ang. ed. 2.* 66. *Fl. Scot.* 115. *Wither. Arrang. ed. 2.* 158. *Fl. Lond. N.* 43. *Ic.* 253.

Anglis, *woodroof, woodrow, woodrowell, woodruffe*.

G

Hibernis,

Hibernis,

Inveni in sylvis *Luttrell's-town*, et *Santry*,
et in clivis umbrosis inter *Rathmines* et
portam orientalem *Rathfarnham park*
comitis *Ely*, copiose. V.

40. G A L' I U M.

palus'tre. 1. GAL'IUM foliis quaternis obovatis in-
æqualibus, caulibus diffusis. *Lin. Sp.*
Pl. ed. 3. 153. Fl. Ang. ed. 2. 67.
Fl. Scot. 115. Wither. Arrang. ed. 2.
149.

Anglis, *white lady's bed straw*.

Hibernis,

Inveni in locis humidis, et ad rivulos,
apud *Long Meadows*, *Phœnix Park*,
Circular-road, et alibi. VI.

montanum. 2. GAL'IUM foliis fenis obovatis mu-
cronatis glabris, caule prostrato, pedun-
culis trichotomis. *Fl. Ang. ed. 1. 56.*
ed. 2. 67. Wither. Arrang. ed. 2. 151.
G. procumbens.

Anglis, *mountain lady's bed-straw*.

Hibernis,

Hibernis,

Inveni in ericetis circa *Howth*, et *Dublin mountains* copiose. VI.

uliginosum. 3. GAL'IUM foliis fenis lanceolatis retrorsum ferrato-aculeatis mucronatis rigidis, corollis fructu majoribus. *Lin. Sp. Pl. ed. 3. 153. Fl. Ang. ed. 2. 68. Fl. Scot. 115. Wither. Arrang. ed. 2. 151.*

Anglis, *marsh lady's bed-straw*.

Hibernis,

Inveni in pratis humidis, et ad sepes circa *Templeoge*; et *Terrenure*. VII.

Mollúgo. 4. GAL'IUM foliis octonis ovato-linearibus subserratis patentissimis mucronatis, caule flaccido, ramis patentibus. *Lin. Sp. Pl. ed. 3. 155. Fl. Ang. ed. 2. 68. Fl. Scot. 116. With. Arrang. ed. 2. 155.*

Anglis, *great lady's bed-straw*, *great bastard madder*, *wild madder*.

Hibernis,

Inveni in dumetis, et ad sepes, frequenter. VII.

verum. 5. GAL'IUM foliis octonis linearibus sulcatis, ramis floriferis brevibus. *Lin. Sp. Pl. ed. 3. 155. Fl. Ang. ed. 2. 69. Fl. Scot. 116. Wither. Arrang. ed. 2. 155. Fl. Lond. N. 63. Ic. 376. Fl. Rust. N. 18. Ic. 54.*

Anglis, *yellow lady's bed-straw, cheese ren-
ing, petty maguet.*

Hibernis, *Balath Enis, Cuchullon,
Madra or Bada Fraeigh.*

Inveni in pascuis ficcioribus, et colliculis
ad agrorum margines ubique. VI.

Aparine. 6. GAL'IUM foliis octonis lanceolatis carinatis scabris retrorsum aculeatis, geniculis villosis, fructu hispido. *Lin. Sp. Pl. ed. 3. 157. Fl. Ang. ed. 2. 70. Fl. Scot. 117. Wither. Arrang. ed. 2. 157. Fl. Lond. N. 17. Ic. 101.*

Anglis, *goose grass, cleavers, clivers, catch-
weed.*

Hibernis, *Airmeirigh, Garabh Luss,
Luss Garabh.*

Inveni in ruderatis, et ad sepes frequenter.
VI.

41. *ALCHEMIL'LA*.

vulgáris. 1. *ALCHEMIL'LA* foliis lobatis. *Lin. Sp.*
Pl. ed. 3. 178. *Fl. Ang. ed.* 2. 71.
Fl. Scot. 120. *Wither. Arrang. ed.* 2.
 162.

Anglis, *common lady's mantle*.

Hibernis, *Leathach buidhe, Crub*
Leoin, Dearna Ohuire, Fail-
ing Ohuire.

Inveni in pascuis montosis super collem
Knockmaron, apud Scribble's-town cum
pinguicula vulgari, et alibi. V.

T E T R A N D R I A.

T E T R A G Y N I A.

42. S A G I' N A.

procumbens. 1. SAGI'NA ramis procumbentibus petalis brevissimis. *Lin. Sp. Pl. ed. 3.* 158. *Fl. Ang. ed. 2.* 7. *Fl. Scot.* 125. *With. Arrang. ed. 2.* 169. *Fl. Lond. N.* 27. *Ic.* 157.

Anglis, *procumbent pearlwort, chickweed, breakstone.*

Hibernis,

Inveni in pratis arenosis sterilioribus, circa *Howth, Dalkey*, et alibi. VII.

43. P O T A M O G E' T O N.

lucens. 1. POTAMOGE'TON foliis lanceolatis planis in petiolis definentibus. *Lin. Sp. Pl. ed. 3.* 183. *Fl. Ang. ed. 2.* 74. *Fl.*

Fl. Scot. 122. *Wither. Arrang. ed.* 2.
173.

Anglis, long leaved shining pondweed.

Hibernis,

*Inveni in lacubus apud Phoenix Park, et
alibi. VII.*

natans. 2. POTAMOGE'TON foliis oblongo-
ovatis petiolatis natantibus. *Lin. Sp.*
Pl. ed. 3. 182. *Fl. Ang. ed.* 2. 74.
Fl. Scot. 121. *With. Arrang. ed.* 2.
171.

Anglis, broad leaved pondweed.

*Hibernis, Duileasg na habhan, Liach
Roda, Liach Briada.*

*Inveni in stagnis, piscinis, et fluviis tran-
quillioribus fere ubique. VI.*

cris'pum. 3. POTAMOGE'TON foliis lanceolatis
alternis undulatis ferratis. *Lin. Sp.*
Pl. ed. 3. 183. *Fl. Ang. ed.* 2. 75.
Fl. Scot. 122. *Wither. Arrang. ed.*
2. 174. *Fl. Lond. N.* 49. *Ic.* 291.

*Anglis, curled pondweed, greater water
caltrops.*

Hibernis,

Hibernis,

Inveni in lacubus *Phœnix Park*, et alibi.
VI.

44. I 'L E X.

Aquifolium. 1. I'LEX foliis ovatis acutis spinosis.
- *Lin. Sp. Pl. ed. 3. 181. Fl. Ang.*
ed. 2. 444. Fl. Scot. 121. Wither.
Arrang. ed. 2. 168. Hunter's Ev.
Sylv. ed. 2. V. 1. 262.

Anglis, *common holly*.

Hibernis, *Cuillin*.

Inveni in sylvis, sepibus, et ericetis ubique
fere. VI.

P E N T A N D R I A.

M O N O G Y N I A.

45. MYOSO'TIS.

scorpioides. 1. MYOSO'TIS feminibus nudis, foliorum apicibus callosis. *Lin. Sp. Pl. ed. 3.* 188. *Fl. Ang. ed. 2.* 78. *Fl. Scot.* 132. *Wither. Arrang. ed. 2.* 188. *Fl. Lond. N.* 28. *lc.* 163. *M. Scorpioides palustris.*

Anglis, *mouſe-ear ſcorpion graſs.*

Hibernis, *Lus Ghide', Lus Ghila, Cotharach.*

Inveni hujusce plantæ varietates omnes paſſim: in arvis, et hortis, præſertim ſterilioribus, et requietis; ſuper muros; in paſcuis ſiccioribus et arenofis; ad rivulos, et in ſoſſis paluſtribus. V.

46. *LITHOSPER'MUM*.

officinále. 1. *LITHOSPER'MUM* feminibus lævibus,
corollis vix calycem superantibus, foliis
lanceolatis. *Lin. Sp. Pl. ed. 3.* 189.
Fl. Ang. ed. 2. 79. *Fl. Scot.* 132.
Wither. Arrang. ed. 2. 189. *Eng. Bot.*
N. 35. Ic. 134.

Anglis, *gromill, gromwell, graymill.*

Hibernis,

Inveni in agrorum marginibus ficciori-
bus, vel glareosis ripis, et ad vias pub-
licas, prope *Old Abbey Howth, Fing-*
lafs-bridge juxta lapicidinam parvam,
et alibi frequenter. VI.

47. *ANCHU'SA*.

Jempervirens. 1. *ANCHU'SA* pedunculis diphyllis ca-
pitatis. *Lin. Sp. Pl. ed. 3.* 192. *Fl.*
Ang. ed. 2. 80. *Fl. Scot.* 133. *With.*
Arrang. ed. 2. 191. *Engliff Botany,*
Ic. 45.

Anglis,

Anglis, *evergreen alkanet.*

Hibernis,

Inveni in ruderalis juxta *Finglass.* VI.

48. CYN OGLOSS'UM.

officinale. 1. CYN OGLOSS'UM flaminibus corolla brevioribus, foliis lato-lanceolatis tomentosis sessilibus. *Lin. Sp. Pl. ed. 3.* 192. *Fl. Ang. ed. 2* 80. *Fl. Scot.* 133. *Wither. Arrang. ed. 2.* 192. *Fl. Lond.* N. 43 *Ic.* 256.

Anglis, *bound's tongue.*

Hibernis, *Teanga Con.*

Inveni in locis ruderalis, et ad vias abunde circa *Kilbarrick*, in via ad *Howth* ducente, prope *Warren House*, in *Phænix Park*, *Merrion*, et alibi frequenter. VI.

49. SYM'PHYTUM.

officinále. 1. SYM'PHYTUM foliis ovato-lanceolatis decurrentibus. *Lin. Sp. Pl. ed.* 3. 125. *Fl. Ang. ed.* 2. 81. *Fl. Scot.* 134. *Wither. Arrang. ed.* 2. 195. *Fl. Lond. N.* 38. *Ic.* 227.

Anglis, *common comfrey.*

Hibernis, *Lusna Canabh Brisde.*

Inveni juxta murum Domini *Buckley* secus
viam publicam *Ash-town.* VI.

50. B O R A' G O.

officinális. 1. BORA'GO foliis omnibus alternis, calycibus patentibus. *Lin. Sp. Pl. ed.* 3. 197. *Fl. Ang. ed.* 2. 82. *Wither. Arrang. ed.* 2. 197. *English Botany, Ic.* 36.

Anglis, *common borage.*

Hibernis, *Barraiste.*

Inveni in ruderatis frequenter, juxta *Old Abbey Howth*, et alibi. VI.

51. LYCOP'SIS.

51. *LYCOP'SIS*.

arven'sis. 1. *LYCOP'SIS* foliis lanceolatis hispidis, calycibus florecentibus erectis. *Lin. Sp. Pl. ed. 3.* 199. *Fl. Ang. ed. 2.* 82. *Fl. Scot.* 135. *Wither. Arrang. ed. 2.* 198. *Fl. Lond. N.* 57. *Ic.* 337.

Anglis, *small wild bugloss*.

Hibernis, *Boglus, Bog-glas*.

Inveni in arvis requietis, inter segetes, et ad vias passim. VI.

52. *EC'H I U M*.

vulgare. 1. *EC'H I U M* caule tuberculato hispido, foliis caulinis lanceolatis hispidis, floribus spicatis lateralibus. *Sp. Pl. ed. 3.* 200. *Ec'hium Anglicum* caule simplici erecto, foliis lanceolato-linearibus hispidis, floribus spicatis lateralibus, staminibus corolla longioribus. *Fl. Ang. ed. 1.* 70. *ed. 2.* 83. *var. β.*

Anglis,

Anglis, *common viper's bugloss.*

Hibernis,

Inveni in arvis sterilioribus, et ad vias; sed raro. VII.

53. P R I M U L A.

véris. I. PRI'MULA foliis dentatis rugosis. *Lin.*
Sp. Pl. ed. 3. 204. Fl. Scot 136.
Scapo subuniflora Sc. Fl. Ang P. vul-
garis. ed. 2. 83. Wither Arrang. ed. 2.
202, 204. English Botany N. 2. Ic.
4. P. acaulis. Fl. Lond. N. 65. Ic.
390.

Anglis, *common primrose, oxslip.*

Hibernis, Seichearalan, Seichgheir-
gin, Baine' bo bleacht, Baine
bo buidhe, Buidheaca'n bo
bleacht.

Inveni in sylvis, sepibus, et dumetis, verno
tempore frequenter.

véris.

véris offici- 2. PRIMULA. *Lin. Sp. Pl. ed. 3. 204.*
na'lis. *Fl. Ang. ed. 2. 84. Fl. Scot. 136.*
var. β. Wither. Arrang. ed. 2. 203.
P. officinalis. English Botany, N. 2.
Ic. 5.

Anglis, *common cowslip, pagils, paigles.*

Hibernis,

Inveni in pascuis et pratis inter *Booter's-*
town et *Black-rock*, circa *Stillorgan*,
 et *Ashstown* copiose, et alibi. IV.

54. MENYAN'THES.

trifoliata. 1. MENYAN'THES foliis ternatis. *Lin.*
Sp. Pl. ed. 3. 208. Fl. Ang. ed. 2.
85. Fl. Scot. 137. Wither. Arrang.
ed. 2. 206. Fl. Lond. N. 40. Ic. 240.
Med. Bot. p. 5. Ic. 2.

Anglis, *marsh trefoil, buck-bean, water*
trefoil, marsh cleaver.

Hibernis, *Bonain Capuill, Pacharan,*
Capuill, Ponra Curraigh.

Inveni

Inveni in palustribus apud *Howth*, ad radices montium Dublinensium, et in fossis variis paludosis. VI.

55. *LYSIMACHIA*.

ne'morum. 1. *LYSIMACHIA* foliis ovatis acutis, floribus solitariis, caule procumbente. *Lin. Sp. pl. ed. 3. 211. Fl. Ang. ed. 2. 86. Fl. Scot. 138. Wither. Arrang. ed. 2. 209. Fl. Lond. N. 56. Ic. 336.*

Anglis, *yellow wood-loosestrife*, or *pimpernel*.

Hibernis, *Seamar muire*, *Lus Choilim Chille*.

Inveni ad radices montium Dublinensium in rivulis umbrosis; in fylvis *Phænix Park*, *Luttrel's-town*, *Santry*, et alibi. VI.

nummularia. 2. *LYSIMACHIA* foliis subcordatis, floribus solitariis, caule repente. *Lin. Sp. Pl. ed. 3. 211. Fl. Ang. ed. 2. 87.*

17. *Fl. Scot.* 138. *With. Arrang. ed.*
2. 209. *Fl. Lond. N.* 25. *lc.* 150.

*Anglis, creeping loosestrife or moneywort,
herb two-pence.*

Hibernis,

*Inveni juxta scrobes et fluentia apud Kil-
masnoge. VI.*

- tenel'la.* 3. **LYSIMA'CHIA** foliis acutiusculis, pe-
dunculis folio longioribus, caule re-
pente. *Lin Sp. Pl. ed.* 3. 211. *Fl.*
Ang. ed. 2. 87. *Anagal'lis tenel'la.*
Wither. Arrang. ed. 2. 211. *Fl. Scot.*
139. *Fl. Lond. N.* 32. *lc.* 190.

*Anglis, purple-flowered loosestrife or money
wort.*

Hibernis,

*Inveni in locis palustribus turfosis apud
Howth, meridiem versus; super montes
Dublinenses, et prope eorundem ra-
dices copiose; in Portmarnock burrow
juxta Baldoyle copiosissime. VII.*

56. *ANAGAL' LIS.*

arven'fis. 1. *ANAGAL' LIS* foliis indivisis, caule
procumbente. *Lin. Sp. Pl. ed. 3.*
211. *Fl. Ang. ed. 2. 87. Fl. Scot.*
139. *Wither. Arrang. ed. 2. 210. Fl.*
Lond. N. 1. Ic. 4.

Anglis, male pimperl.

Hibernis, Falcaire fiodhain, Ruinn
ruise, Falcaire fuar.

Inveni (var. α.) in hortis, arvis, et locis
arenosis frequenter. V.

57. *CONVOL'VULUS.*

arven'fis. 1. *CONVOL'VULUS* foliis sagittatis u-
trinque acutis, pedunculis unifloris.
Lin. Sp. Pl. ed. 3. 218. Fl. Ang.
ed. 2. 88 Fl. Scot. 140. Wither.
Arrang. ed. 2. 213. Fl. Lond. N. 20.
Ic. 117.

Anglis,

Anglis, *small bindweed*.

Hibernis,

Inveni in arvis, et ad semitas juxta *Old Abbey, Howth*; inter *Long Meadows* et *Chapelizod*, et alibi. V.

sépium. 2. CONVOL'VULUS foliis sagittatis pectice truncatis, pedunculis tetragonis unifloris. *Lin. Sp. Pl. ed.* 3. 218. *Fl. Ang. ed.* 2. 88. *Fl. Scot.* 140. *Wither. Arrang. ed.* 2. 213. *Fl. Lond.* N. 6. Ic. 34.

Anglis, *great bindweed*.

Hibernis,

Inveni in sepibus fere omnibus abunde, sed præcipue apud *Rathmines*, et *Circular Road*. VII.

soldanel'la. 3. CONVOL'VULUS foliis reniformibus, pedunculis unifloris. *Lin. Sp. Pl. ed.* 3. 159. *Fl. Ang. ed.* 2. 89. *Fl. Scot.* 140. *Wither. Arrang. ed.* 2. 214.

Anglis, *sea bindweed*, *Scotch scurvy-grass*.

Hibernis,

Inveni in arenosis maris littoribus apud
Killeney Bay. VII.

58. *VERBAS' CUM.*

thap'sus. 1. *VERBAS' CUM* foliis decurrentibus utrinque tomentosis, caule simplici. *Lin. Sp. Pl. ed. 3. 252. Fl. Ang. ed. 2. 89. Fl. Scot. 143. Wither. Arrang. ed. 2. 223. Med. Bot. p. 342 l. 125.*

Anglis, great white mullein, high taper, cow's lungwort, hag's taper, lady's fox-glove.

Hibernis, *Quineal-muire.*

Inveni in aggeribus fossarum juxta pontem *Tubbercunagh*, in via altiore ad *Luttrell's-town* ducente. VIII.

59. *VIN' CA.*

59. *V I N' C A.*

mi' nor. 1. VIN'CA caulibus procumbentibus, foliis lanceolato-ovatis, floribus pedunculatis. *Lin. Sp. Pl. ed* 3. 304. *Fl. Ang. ed* 1. 91. *Fl. Scot.* 147. *With. Arrang. ed.* 2. 248. *Fl. Lond. N.* 29. *Ic,* 169.

Anglis, *less periwinkle.*

Hibernis,

Inveni in aggeribus fossarum apud
Picker's-town prope Forest. III.

60. *H Y O S C Y' A M U S.*

ni' ger. 1. HYOSCY'AMUS foliis amplexicaulibus sinuatis, floribus sessilibus. *Lin. Sp. Pl. ed.* 3. 257. *Fl. Ang. ed.* 2. 92. *Fl. Scot.* 144. *Wither. Arrang. ed.* 2. 131. *Med. Bot. p.* 143. *Ic.* 52.

Anglis, *common henbane.*

Hibernis,

Hibernis, *Gaffan, Caoch na ccearc.*

Inveni in incultis, ruderatis, et ad vias
apud *Kilmainham* juxta novum car-
cerem ; circa *Sandymount, Irish-town,*
Clontarf, World's-end-Lane, Rathmines,
Howth, et alibi. VI.

61. SOLA'NUM.

dulcamára. 1. SOLA'NUM caule inermi frutescente
flexuoso, foliis superioribus hastatis,
racemis cymosis. *Lin. Sp. Pl. ed. 3.*
264. Fl. Ang. ed. 2. 93. Fl. Scot.
145. With. Arrang. ed 2. 235. Fl.
Lond. N. 1. Ic. 2. Med. Bot. p. 97.
Ic. 33.

Anglis, *woody nightshade, bitter-sweet.*

Hibernis, *Slat gorom, Withaghuisge,*
Drumire Gorm, Diogbuidhe,
Suath Ghorm.

Inveni in sepibus abunde, et ubique fere.
VI.

62. SAMO'LUS.

62. S A M O' L U S.

valeran'di. 1. SAMO'LUS. *Lin. Sp. Pl. ed. 3.* 243.
Fl. Ang. ed. 2. 94. *Fl. Scot.* 142.
Wither. Arrang. ed. 2. 221. *Fl. Lond.*
N. 45. Ic. 267.

Anglis, round-leaved water pimpernel.

Hibernis,

Inveni in littoribus glareosis humidis
 propelavacra in *Howth*, in pratis humi-
 dis juxta *Bullock, Dunleary, Sandy-*
mount, et alibi. VII.

63. L O N I C E' R A.

pericly'm- 1. LONICE'RA capitulis ovatis imbrica-
enum. tis terminalibus, foliis omnibus distinc-
 tis. *Lin. Sp. Pl. ed. 3.* 247. *Fl. Ang.*
ed. 2. 94. *Fl. Scot.* 143. *Fl. Lond.*
N. 1. Ic. 6. With. Arrang. ed. 2.
 222.

Anglis, common honey-suckle, woodbine.

Hibernis,

Hibernis, Feathog fa chrann, Cas
fa chrann, Feathlead.

Inveni in ericetis petrosis copiose apud
Howth, et ad radices montium Dub-
linensium, ut et in sylvis et sepibus pas-
sim. VI.

64. CAMPAN'ULA.

rotundifolia. 1. CAMPAN'ULA foliis radicalibus re-
niformibus, caulinis linearibus. *Lin.*
Sp. Pl. ed. 3. 232. *Fl. Ang. ed. 2.*
95. *Fl. Scot.* 141. *Fl. Lond. N.*
38. *Ic.* 223. *With. Arrang. ed. 2.*
216.

Anglis, *round-leaved bell flower*.

Hibernis,

Inveni in agrorum marginibus, aggeri-
bus fossarum, et pascuis sterilioribus
circa *Warren House* prope *Howth*.
VIII.

65. HED'ERA.

65. H E D' E R A.

bélix. 1. HED'ERA foliis ovatis lobatisque. *Lin. Sp. Pl. ed. 3. 292. Fl. Ang. ed. 2. 100. Fl. Scot. 146. Fl. Lond. N. 8. Ic. 44. Wither. Arrang. ed. 2. 245.*

Anglis, *common ivy.*

Hibernis, *Eadhan, Eadhadnan.*

Inveni super muros antiquos ; in sepibus et sylvis, apud *Phœnix Park, Luttrell's-town, Santry, &c.* arbores passim vetustiores amplectentem, perque terram repentem. XI.

66. G L A U' X.

maritima. 1. GLAU'X. *Lin. Sp. Pl. ed. 3. 301. Fl. Ang. ed. 2. 101. Fl. Scot. 147. Wither. Arrang. ed. 2. 246. English Botany. N. 5. Ic. 13.*

Anglis, *sea milkwort, black saltwort.*

K

Hibernis,

Hibernis,

Inveni in falsis palustribus mari conterminis, apud *North Wall, Irish-town, Ring's-end*, et *Brick-fields* ultra *Sheds-of-Clontarf*; et super rupes humidas in littoribus *Blackrock*, et *Dunleary*.
VI.

PENTANDRIA.

DIGYNIA.

67. GENTIANA.

centaurium. I. GENTIANA corollis quinquefidis infundibuliformibus, caule dichotomo. *Lin. Sp. Pl. ed 3. 332. Fl. Ang. ed. 2. 102. Fl. Scot. 152. Fl. Lond. N. 42. Ic. 247. Chirónia Centaurium. Wither. Arrang. ed. 2. 237. Chirónia Centaurium. Med. Bot. p. 435. Ic. 157.*

Anglis, *less centaury*.

Hibernis,

Hibernis, Dreimire Muire.

Inveni in pascuis ficcioribus et sterilioribus abunde circa *Kilbarrick*, in via ad *Howth* ducente, super montes Dublinenses, et alibi copiose. VII.

campes'tris. 2. GENTIA'NA corollis quadrifidis fauce barbatis. *Lin. Sp. Pl. ed. 3* 334. *Fl. Ang. ed. 2.* 103. *Fl. Scot.* 152. *Wither. Arrang. ed. 2.* 262.

Anglis, *field gentian.*

Hibernis,

Inveni in pascuis juxta *Warren-house* via ad *Howth* ducente. VIII.

amarel'la. 3. GENTIA'NA corollis quiquefidis hypocrateriformibus fauce barbatis *Lin. Sp. Pl. ed. 3.* 334 *Fl. Ang. ed. 2.* 103. *Fl. Scot.* 152. *Wither. Arrang. ed. 2.* 262.

Anglis, *fell-wort, autumnal gentian.*

Hibernis,

Inveni in submontanis pascuis apud *Bar-nikeula* juxta *Kilgobbin.* VIII.

68. CHENOPO'DIUM.

- bónus-* 1. CHENOPO'DIUM foliis triangulari-
Henricus. sagittatis integerrimis, spicis compo-
 fitis aphyllis axillaribus. *Lin. Sp. Pl.*
ed. 3. 318. Fl. Ang. ed. 2. 104.
Fl. Scot. 147. Fl. Lond. N. 31. Ic.
185. Wither. Arrang. ed. 2. 251.

Anglis, *common English mercury, all-good,*
good Henry, good King Henry, wild
spinach.

Hibernis, *Práiseach Brathar.*

Inveni in locis ruderatis ad semitas juxta
Glasnevin-bridge, Carrickmines-bridge,
Artane, Dalkey, et alibi. VI.

- ur'bicum.* 2. CHENOPO'DIUM foliis triangulari-
 bus subdentatis, racemis confertis
 strictissimis, caule approximatis lon-
 gissimis. *Lin. Sp. Pl. ed. 3. 318. Fl.*
Ang. ed. 2. 104. Fl. Scot. 148. With.
Arrang. ed. 2. 152.

Anglis, *upright goosefoot, sowbane.*

Hibernis,

Inveni

Inveni in fimetis, et ad margines fossarum
per vias publicas passim. VII.

- rubrum.* 3. CHENOPO'DIUM foliis cordato-trian-
gularibus obtusiusculis dentatis, ra-
cemis erectis compositis subfoliosis,
caule brevioribus. *Lin. Sp. Pl. ed.*
3. 318. *Fl. Ang. ed.* 2. 105. *Fl. Scot.*
148. *Wither. Arrang. ed.* 2. 252.

Anglis, *red goosefoot.*

Hibernis,

Inveni in fimetis passim. VIII.

- murale.* 4. CHENOPO'DIUM foliis ovatis acutis,
dentatis, racemis ramosis nudis. *Lin.*
Sp. Pl. ed. 3. 318. *Fl. Ang. ed.* 2. 105.
Fl. Scot. 148. *Fl. Lond. N.* 61. *Ic.* 362.
With. Arrang. ed. 2. 253.

Anglis, *wall goosefoot.*

Hibernis,

Inveni in ruderatis et fimetis cum priore.
VIII.

- album.* 5. CHENOPO'DIUM foliis rhomboideo-
triangulis erosius postice integris, sum-
mis

mis oblongis, racemis erectis. *Lin.*
Sp. Pl. ed. 3. 319. Fl. Ang. ed. 2.
106. Fl. Scot. 148. Fl. Lond. N. 16.
Ic. 96. Wither. Arrang. ed. 2. 253.

Anglis, *common wild goosefoot, orache.*

Hibernis,

Inveni in fimetis et ruderatis, etiamque
 in hortis. IX.

serotinum. 6. CHENOPO'DIUM foliis deltoideis
 sinuato-dentatis rugosis glabris uni-
 formibus, racemis terminalibus. *Lin.*
Sp. Pl. ed. 3. 319 Fl. Ang. ed. 2.
106. Fl. Lond. N. 18. Ic. 103. C.
viride.

Anglis, *fig-leaved goosefoot.*

Hibernis,

Inveni cum priore frequenter. IX.

polyspermum. 7. CHENOPO'DIUM foliis ovatis in-
 tegerrimis, caule decumbente, cy-
 mis aphyllis axillaribus. *Lin. Sp. Pl.*
ed. 3. 321. Fl. Ang. ed. 2. 107.
Fl. Scot. 150. Fl. Lond. N. 20. Ic.
115. With. Arrang. ed. 2. 256.

Anglis,

Anglis, *round-leaved goosefoot, upright blite, allseed.*

Hibernis,

Inveni in finetis, hortis, et arvis pinguioribus, ut et in paludibus maritimis juxta *North Wall.* IX.

maritimum. 8. CHENOPO'DIUM foliis subulatis semicylindricis. *Lin. Sp. Pl. ed. 3. 321. Fl. Ang. ed. 2. 107. Fl. Scot. 150. Wither. Arrang. ed. 2. 256.*

Anglis, *sea goosefoot, small white glasswort, small glasswort.*

Hibernis,

Inveni in littoribus maritimis, et falsis palustribus, apud *Ring's-end, Irish-town, Sandymount, Clontarf, Howth,* et *North Wall.* IX.

69. S A L' S O L A.

Káli. 1. SAL'SOLA herbacea decumbens, foliis subulatis spinosis scabris, calycibus marginatis axillaribus. *Lin. Sp. Pl. ed. 2.*

322. *Fl. Ang. ed. 2. 107. Fl. Scot.*
 151. *Wither. Arrang. ed. 2. 257. Med.*
Bot. p. 386. Ic. 143.

Anglis, prickly saltwort, prickly glass-
wort.

Hibernis,

Inveni in arenosis maris littoribus, apud
Irish-town, Howth, Clontarf, North
Wall, &c. IX.

70. *B E' T A.*

marit'ima. 1. BE'TA caulibus decumbentibus, flori-
bus geminis. Lin. Sp. Pl. ed. 3. 322.
Fl. Ang. ed. 2. 108. Fl. Scot. 150.
Wither. Arrang. ed. 2. 257.

Anglis, sea beet.

Hibernis, an luibh Biatas.

Inveni cum priore frequenter. VIII.

71. *U L' M U S.*

71. *U L' M U S*.

campes'tris. 1. *UL'MUS* foliis duplicato-ferratis, basi inæqualibus. *Lin. Sp. Pl. ed.* 3. 225. *Fl. Ang. ed.* 2. 109. var. 2. *Fl. Scot.* 151. *With. Arrang. ed.* 2. 258. *Med. Bot. p.* 540. *Ic.* 197.

Anglis, *common elm*.

Hibernis, *Ailín na Crannailme, ailme'og Leamh or Leamhan*.

Inveni in fylvis et sepibus apud *Phænix Park* et alibi. IV.

72. *ERYNG' IUM*.

marit'imum. 1. *ERYNG'IUM* foliis radicalibus subrotundis plicatis spinosis, capitulis pedunculatis. *Lin. Sp. Pl. ed.* 3. 337. *Fl. Ang. ed.* 2. 109. *Fl. Scot.* 153. *Wither. Arrang. ed.* 2. 264. *Med. Bot p.* 281. *Ic.* 102.

Anglis, *sea eryngo, sea holly*.

L

Hibernis,

Hibernis, *Cuíl cann tragra*.

Inveni in littoribus maris arenosis inter
Clontarf et *Howth*, *Irish toren* et *Black-*
Rock, et *Killeny Bay* copiose. VIII.

73. *HYDROCOT'YLE*.

vulgaris. 1. *HYDROCOT'YLE* foliis peltatis, um-
bellis quinquefloris. *Lin. Sp Pl ed.*
3. 338. *Fl. Ang. ed.* 2. 110. *Fl Scot.*
153. *Fl. Lond. N.* 63. *Ic.* 375 *Wither.*
Arrang. ed. 2. 265.

Anglis, *marsh pennywort*, *white rot*.

Hibernis, *Lus na pingine'*.

Inveni in palustribus frequenter, præcipue
in vivario *Portmarnock* juxta *Balldoyle*,
super montes *Dublinenses* et prope
eorundem radices. V.

74. *SANIC'ULA*.

Europæ'a. 1. *SANIC'ULA* foliis radicalibus simplicibus, flosculis omnibus sessilibus. *Lin. Sp. Pl. ed. 3* 339. *Fl. Ang. ed. 2.* 110. *Fl. Scot.* 154 *Wither Arrang. ed. 2.* 266. *English Botany*, N. 29. *Ic.* 98.

Anglis, *common sanicle*.

Hibernis, *Feagam*, *Buine*, *Bema*,
Reaga maighe.

Inveni in sylvis *Luttrel's-town*, et *Santry*,
abunde ; in sepibus ad semitas juxta
Dunfink, et *Capock* copiose, et alibi.
VI.

75. *TORDYL'IUM*.

anthris'cus. 1. *TORDYL'IUM* umbellis confertis,
foliolis ovato-lanceolatis pinnatifidis.
Lin. Sp. Pl. ed. 3. 346. *Calcalis*
anthris'cus. *Fl. Ang. ed. 2.* 114. *Fl.*
Scot. 155 *Fl. Lond.* N 63. *Ic.* 378.
With. Arrang. ed. 2. 272.

Anglis, *hedge parsley*.

Hibernis,

Inveni in dumetis, fylvis cæduis, et inter
sepes passim. VII.

nodo'sum. 2. TORDYL'IUM umbellis simplicibus
sessilibus, feminibus exterioribus his-
pidis. *Lin. Sp. Pl. ed. 3.* 346. *Fl.*
Scot. 154. *Calcalis nodósa Fl.*
Ang. ed. 2. 114. *Wither. Arrang.*
ed. 2. 273.

Anglis, *knotted parsley*.

Hibernis,

Inveni in aggeribus terrenis juxta Kil-
gobbin, et secus viam publicam prope
Milltown. VII.

76. D A U C U S.

caróta. 1. DAU'CUS feminibus hispidis, petiolis
subtus nervosis *Lin. Sp. Pl. ed. 3.*
348. *Fl. Scot.* 156. *Wither. Arrang.*
ed. 2. 274. *Calcalis Caróta. Fl. Ang.*
ed. 2. 114. *Med. Bot. p.* 443. *Ic.* 161.

Anglis,

Anglis, *wild carrot, bird's nest.*

Hibernis, *Diódhlucan, Dugoman, mioibogan.*

Inveni in pratis et pascuis ubique fere, et ad vias. VI.

77. CO'NIUM.

maculatum. 1. CO'NIUM feminibus striatis. *Lin. Sp. Pl. ed. 3. 349. Fl. Ang. ed. 2. 115. Fl. Scot. 157. Fl. Lond. N. 7. Ic. 74. Wither. Arrang. ed. 2. 277. Med. Bot. p. 62. Ic. 22.*

Anglis, *common hemlock.*

Hibernis, *Bin-mhear.*

Inveni circa pagos, in sepibus, ruderatis, et cultis. VI.

78. CRITH' MUM

78. CRITH' MUM.

maritimum. 1. CRITH'MUM foliolis lanceolatis car-
 nosis *Lin. Sp. Pl. ed. 3. 354 Fl.*
Ang. ed. 2. 117. Fl. Scot. 158.
Wither. Arrang. ed. 2. 286.

Anglis, *sampfire*.

Hibernis, *Geirgin, Grioloigin, Gre-
 nuig.*

Inveni in clivis maritimis juxta *Light-
 House Howth*, in *Ireland's Eye*, et prope
plumbi fodinas Dalkey. VIII.

79. HERACLE' UM.

sphondylium. 1. HERACLE'UM foliolis pinnatifidis.
Lin. Sp. pl. ed. 3. 358. Fl. Ang. ed.
2. 117. Fl. Scot. 158. Wither. Arrang.
ed. 2. 287.

Anglis, *common cow parsnep, madnep,
 bogweed.*

Hibernis,

Hibernis,

Inveni in pascuis, ad agrorum margines, in pratis, et ad rivulos.
VII.

80. *ANGELICA*.

sylves'tris. 1. ANGEL'ICA foliis æqualibus ovato-lanceolatis ferratis *Lin Sp. Pl. ed.* 3. 361. *Fl. Ang. ed.* 2 118. *Fl. Scot.* 160. *Wither. Arrang. ed.* 2. 290.

Anglis, *wild Angelica*.

Hibernis, *Calluran, Glecran, Bonun leana, Tuinnog mighe*.

Inveni in aquosis, et ad rivulorum ripas passim. VIII.

81. S I U M.

- angustifolium.* 1. SI'UM foliis pinnatis, umbellis axillaribus pedunculatis, involucro universalis pinnatifido. *Lin Sp Pl. ed. 3. 1672. Fl. Ang. ed. 1. 103. ed. 2. 119. Fl. Scot. 160. Wither. Arrang. ed. 2. 292. Eng. Bot. N. 36. Ic. 139.*

Anglis, *narrow-leaved water parsnep.*

Hibernis,

Inveni in aquosis passim. VII.

- nodiflorum.* 2. SI'UM foliis pinnatis, umbellis axillaribus sessilibus. *Lin. Sp. Pl. ed. 3. 361. Fl. Ang. ed. 2. 119. Fl. Scot. 161. Wither. Arrang. ed. 2. 292. Med. Bot. p. 494. Ic. 182.*

Anglis, *creeping water parsnep.*

Hibernis, *Jualachtar.*

Inveni cum priore in rivulis, et ad fluviorum ripas fere ubique. VII.

82. OENAN'THE.

82. O E N A N' T H E.

pimpinel- 1. OENAN'THE foliis radicalibus cunea-
loïdes. tis fissis, caulinis integris linearibus
 longissimis canaliculatis. *Lin. Sp. Pl.*
ed. 3. 367. Fl. Ang. ed. 2. 121.
Wither. Arrang. ed. 2. 297.

Anglis, *parsley water-dropwort.*

Hibernis,

Inveni in fossis et palustribus copiose,
 circa *Sandymount* et *Merrion.* VII.

crocata. 2. OENAN'THE foliis omnibus multi-
 fidis obtusis subæqualibus. *Lin. Sp.*
Pl. ed. 3. 365. Fl. Ang. ed. 2. 121.
Fl. Scot. 162. With. Arrang. ed. 2.
297.

Anglis, *hemlock water-dropwort, dead*
tongue.

Hibernis, *Cathu, Cathu ban.*

Inveni in aquosis, præsertim super fluvio-
 rum ripas *Cardiff's Bridge, Ash-town, et*
Scribble's-town vicinas, abundanter VII.

83. *B U' N I U M.*

bulbocas'- 1. BU'NIUM. *Lin. Sp. Pl. ed. 3. 349.*
tanum. *Fl. Ang. ed. 2. 122. Fl. Scot. 156.*
Fl. Lond. N. 46. Ic. 275. Wither.
Arrang. ed. 2. 275. et 276. B. flex-
uósum.

Anglis, earth kipper, pig-nut, hawk-nut,
jur-nut, earth chestnut.

Hibernis, Cúinían, Colrearan, Coir-
earain mhuc.

Inveni in sylvis, pratis, et pascuis fre-
quenter. V.

84. *Æ T H U' S A.*

cynápium. 1. ÆTHU'SA. *Lin. Sp. Pl. ed. 3. 367.*
Fl. Ang. ed. 2. 123. Fl. Scot. 165.
Fl. Lond. N. 6. Ic. 33. With. Arrang.
ed. 2. 300.

Anglis, fool's parsley, less hemlock.

Hibernis,

Hibernis,

Inveni in hortis oleraceis, arvis pingui-
oribus, aliisque locis cultis passim.

VIII.

85. S C A N' D I X.

pec'ten 1.

Veneris.

SCAN'DIX feminibus lævibus, rostro
longissimo. *Lin Sp Pl. ed* 3. 368.
Fl Ang. ed 2. 123. *Fl. Scot.* 166.
Wither. Arrang. ed. 2. 304. *Fl.*
Lond. N. 59. *Ic.* 353. *Fl. Rustica*
38.

Anglis, *shepherd's needle*, *Venus's comb*,
corn cicely, *crake needle*.

Hibernis,

Inveni in ruderatis, et ad vias inter *Cha-
pelizod* et *Luttrel's-town*, circa *Ra-
heny County* quoque, et *Balldoyle*, in
arvis copiose. V.

odorata. 2. SCAN'DIX feminibus fulcatis angulatis.
Lin. Sp. Pl. ed. 3. 368. Fl. Ang. ed. 2. 124. Fl. Scot. 166. Wither. Arrang. ed. 2. 303.

Anglis, sweet cicely, great sweet cicely, sweet myrrh, sweet chervil, sweet fern.

Hibernis,

Inveni in sepibus, et pomariis nonnunquam. VI.

anthris'cus. 3. SCAN'DIX feminibus ovatis hispidis, corollis uniformibus, caule lævi. *Lin. Sp. Pl. ed. 3. 368. Fl. Ang. ed. 2. 124. Fl. Scot. 166. Wither. Arrang. ed. 2. 305. Fl. Lond. N. 3. Ic. 18. Fl. Rust. N. 25. Ic. 75.*

Anglis, rough cicely, rough chervil, small hemlock chervil with rough seeds.

Hibernis,

Inveni juxta murum apud Mount Prospect via ad Milltown ducente, copiose. V.

86. CHÆROPHYL'LUM.

sylves'tre. 1. CHÆROPHYL'LUM caule lævi
 striato, geniculis tumidiuſculis. *Lin.*
Sp. Pl. ed. 3. 369. Fl. Ang. ed 2.
124. Fl. Scot. 167. Wither. Arrang.
ed. 2. 306. Fl. Lond. N. 46. Ic.
274.

Anglis, *wild chervil, wild cicely, cow weed,*
cow parsley.

Hibernis,

Inveni ad ſepes ubique. V.

87. PASTINA'CA.

ſativa. 1. PASTINA'CA foliis ſimpliciter pinnatis.
Lin. Sp. Pl. ed. 3. 376. Fl. Ang.
ed. 2. 125. P. Sylveſtris. With. Arrang.
ed. 2. 309.

Anglis, *common parſnep.*

Hibernis, *Deacan Righ, Cuirſdin*
ba'n,

Inveni

Inveni in agrorum marginibus, solo calcareo, copiose, circa lapidinam prope *Finglass Bridge*. VI.

88. SMYR'NIUM.

olusatrum. 1. SMYR'NIUM foliis caulinis ternatis petiolatis serratis. *Lin. Sp. Pl. ed. 3.* 376. *Fl. Ang. ed. 2.* 126. *Fl. Scot.* 168. *With. Arrang. ed. 2.* 310.

Anglis, *Alexanders*.

Hibernis, *Lussaranan gran duh*.

Inveni in aquosis, præsertim super ripas fossarum, et ad vias frequenter. V.

89. ANE'THUM.

feniculum. 1. ANE'THUM fructibus ovatis. *Lin. Sp. Pl. ed. 3.* 377. *Fl. Ang. ed. 2.* 126. *Wither. Arrang. ed. 2.* 311.

Anglis, *common fennel, finckle, dill*.

Hibernis,

Hibernis, *fineal cubhra*.

Inveni in agerribus maritimis circa *Old Church* apud *Killeney*, et *Old Abbey* apud *Howth*; in clivis calcareis juxta *Rathfarnham Bridge* copiose, in ruderatis et ad vias prope *Chapelized*, *Clonskeagh*, et alibi. VII.

90. *PIMPINEL'LA*.

saxifraga. 1. *PIMPINEL'LA* folliis pinnatis, foliolis radicalibus subrotundis, summis linearibus. *Lin. Sp. Pl. ed. 3.* 378. *Fl. Ang. ed. 2.* 127. *Fl. Scot.* 169. *With. Arrang. ed. 2.* 313. *Med. Bot. p.* 488. *lc.* 178.

Anglis, *small burnet saxifrage*, *less pimpinel*.

Hibernis,

Inveni in pratis, locisque aridis, et inter sepes passim. VIII.

91. *APIUM*.

91. *A' P I U M.*

gravéolens. 1. *A'PIUM* foliis caulinis cuneiformibus,
umbellis sessilibus *Lin. Sp. Pl. ed.*
3. 379. *Fl. Scot.* 169. *Fl. Aug.*
ed. 2. 129. *Wither. Arrang. ed.* 2.
316.

Anglis, *smallage.*

Hibernis,

Inveni in paludosis, et fossis majoribus,
præsertim ad mare *Ring's-end, Irish-*
town, North et South Walls, copiose.
VI.

P E N T A N D R I A.

T R I G Y N I A.

92. *V I B U R' N U M.*

opúlus. 1. *VIBUR'NUM* foliis lobatis petiolis glan-
dulosis. *Lin. Sp. Pl. ed.* 3. 384. *Fl.*
Ang. ed. 2. 130. *Fl. Scot.* 170. *With.*
Arrang. ed. 2. 318.

Anglis,

Marrubium

Anglis, *water viburnum*, or *elder*, *guelder rose*.

Hibernis,

Inveni in sepibus humidis, solo maxime inculto et argilloso circa *Cardiff's-Bridge*, et alibi. VI.

93. *S A M B U' C U S*.

nigra. 1. SAMBU'CUS cymis quinquepartitis, caule arboreo. *Lin. Sp. Pl. ed. 3.* 385. *Fl. Ang. ed. 2.* 130. *Fl. Scot.* 171. *Wither. Arrang. ed. 2.* 320. *Med. Bot. p.* 219. *Ic.* 78.

Anglis, *common elder*.

Hibernis, *Trom Crann Trommain*, *Troman*.

Inveni prope macerias, et fepes, inque dumetis et incultis, præsertim humectis et umbrosis passim. VI.

94. *ALSINE*.

média. 1. *ALSINE* petalis bipartitis, foliis ovato-cordatis. *Lin. Sp. Pl. ed.* 3. 389. *Fl. Ang. ed.* 2. 131. *Fl. Scot.* 172. *With. Arrang. ed.* 2. 323. *Fl. Lond.* N. 12. *Ic.* 68.

Anglis, *common chickweed.*

Hibernis, *Fluch, Flicch.*

Inveni in uliginosis ad sepes et vias,
inque hortis inter olera frequenter.
II. XI.

PENTANDRIA.

TETRAGYNIA.

95. *PARNASSIA*.

palustris. 1. *PARNASSIA.* *Lin. Sp. Pl. ed.* 3. 391. *Fl. Ang. ed.* 2. 131. *Fl. Scot.* 192. *Wither. Arrang. ed.* 2. 325. *English Botany* *Ic.* 82.

Anglis,

Anglis, *grafs of Parnassus*.

Hibernis,

Inveni in palustribus apud *Howth, Clugh*
ad radices montium Dublinensium, circa
Kilgobbin copiose, et ultra *Sheds of*
Clontarf. VIII.

P E N T A N D R I A.

P E N T A G Y N I A.

96. S T A T' I C E.

arméria. 1. STAT'ICE scapo simplici capitato, fo-
liis linearibus. *Lin. Sp. Pl. ed.* 3. 394.
Fl. Ang. ed. 2 132. *Fl. Scot.* 173.
Wither. Arrang. ed. 2. 326.

Anglis, *thrift, sea gilly-flower, sea cush-*
ion.

Hibernis,

Inveni in fissuris rupium in littoribus, et
pratis maritimis, prope *Black-Rock*,
Dunleary, *Bullock*, et *Dalkey* copiose.
VII.

limonium. 2. STATICE scapo paniculato tereti,
foliis lævibus enerviis. *Lin. Sp. Pl.*
ed. 3. 394. *Fl. Ang. ed.* 2. 132.
With. Arrang. ed. 2. 327. *English*
Botany N. 29. *Ic.* 102.

Anglis, *sea thrift*, or *lavender*.

Hibernis,

Inveni cum priore copiose. VII.

97. L I N U M.

usitatissimum. 1. LINUM calycibus capsulisque muc-
ronatis, petalis crenatis, foliis lanceo-
latis, caule subsolitario. *Lin Sp Pl.*
ed. 3. 397. *Fl. Ang. ed.* 2. 133. *Fl.*
Scot. 173. *Wither. Arrang. ed.* 2.
328. *Fl Lond N* 55. *Ic.* 330. *Mied.*
Bot. p. 303. *Ic.* 111.

Anglis,

Anglis, *common flax*.

Hibernis, *Lin.*

Inveni in arenosis inter *Sandymount* et *Merrion*, supra collem *Knockmaron* et alibi. VII.

catbar'ti- 2. LINUM foliis oppositis ovato-lanceo-
cum. tis, caule dichotomo, corollis acutis.
Lin. Sp. Pl. ed. 3. 401. Fl. Ang.
ed. 2. 134. Fl. Scot. 174. Fl. Lond.
N. 26. Ic. 151. Wither. Arrang. ed. 2.
330.

Anglis, *purging flax, mill-mountain, dwarf*
wild flax, fairy flax.

Hibernis, *Teolagh, Miosach, Lion*
ha mban Sighe.

Inveni in pratis et pascuis ficcioribus,
præsertim montanis apud *Howth, Knock-*
maron-hill ultra *Chapelizod, Phoenix*
Park, et alibi copiose. VI.

PENTANDRIA.

HEXAGYNIA.

98. DRO'SERA.

rotundifolia. 1. DRO'SERA foliis orbiculatis, scapis radicatis. *Lin. Sp Pl. ed. 3. 402.*
Fl. Ang. ed. 2. 135. Fl. Scot. 175.
Wither. Arrang. ed. 2. 331.

Anglis, *round-leaved sun dew, rosa solis,*
red rot, youth-wort, moor-grafs.

Hibernis, *Duracdin Bona, Geal-*
drugh.

Inveni in paludosis, et inter muscos aqua-
 ticos, apud *Howth, Stag's-town*, circa
Kilgobbin, et alibi super montes Dub-
 linenses, et prope eorundem radices.
 VII.

longifolia. 2. DRO'SERA scapis radicatis, foliis ob-
 longis. *Lin. Sp. Pl. ed. 3. 403. Fl. Ang.*
ed. 2. 135. Fl. Scot. 175. Wither.
Arrang. ed. 2. 332.

Anglis,

Anglis, *long-leaved sun dew.*

Hibernis,

Inveni in paludosis cum priore. VII.

HEXANDRIA.

MONOGYNIA.

99. A L' L I U M.

vineale. 1. AL'LIUM caule teretifolia bulbifero
staminibus tricuspidatis. *Lin. Sp. Pl.*
ed. 3. 428. *Fl. Ang. ed.* 2. 139. *Fl.*
Scot. 179. *Wither. Arrang. ed.* 2.
343.

Anglis, *crow garlick.*

Hibernis, *Gairleog Muire.*

Inveni in arvis juxta uranoscopium
Scribe's-town copiose, inter *Drumcondra*
et *Santry*, ad semitam campestrem
inter *Rathmines* et *Milltown*, et alibi.
VII.

100. NARCIS'SUS.

poet'icus. 1. NARCIS'SUS spatha uniflora, nectario
rotato brevissimo scariofo crenulato.
Lin. Sp. Pl. ed. 3. 414. Fl. Ang. ed. 2.
141. Wither. Arrang. ed. 2. 341.

Anglis, *pale narcissus, or daffodil.*

Hibernis,

Inveni in pascuis faxosis circa obeliscum
apud *Killeney* copiose, et in pratis hu-
midis prope *Newtown Park*, et *Cabin-*
teely. V.

pseudo- 2. NARCIS'SUS spatha uniflora, nectario
narcis'sus. campanulato erecto crispo æquante
petala ovata. *Lin. Sp. Pl. ed. 3. 414.*
Fl. Ang. ed. 2. 141. Wither. Arrang.
ed. 2. 342. English Bot. N. 6. Ic. 17.

Anglis, *common narcissus, or daffodil.*

Hibernis,

Inveni in pascuis apud *Simmon's Court*
inter *Ball's-bridge* et *Merrion*, *Bally-*
gall prope *Glassnevin*, juxta *Drumcon-*
dra, et alibi. III.

101. *HYACIN'THUS*.

non scrip'tus. 1. *HYACIN'THUS* corollis campanulatis sexpartitis apice revolutis. *Lin. Sp. Pl. ed* 3 453. *Fl Ang. ed* 2. 141. *Fl. Scot* 182. *With. Arrang. ed.* 2. 356. *Fl. Lond. N.* 24. *Ic.* 142.

Anglis, *common hyacinth, harebells.*

Hibernis, *Butha Bhuck Lus na, Eccinle, acarach.*

Inveni in pascuis saxosis, dumosis, et paludosis, scholam juxta Reverendi Meares vicinam *Black-Rock*, IV.

102. *ANTHER'ICUM*.

offisfragum. 1. *ANTHER'ICUM* foliis ensiformibus, filamentis lanatis. *Lin. Sp. Pl. ed.* 3. 446. *Fl. Scot* 181. *Narthécium offisfragum. Fl. Ang. ed.* 2. 145 *With. Arrang. ed.* 2. 351.

O

Anglis,

Anglis, *Lancashire, or bastard asphodel.*

Hibernis,

Inveni in palustribus putridis, cæspitosis, et aquosis, in regione australi *Howth*, copiose, apud *Stag's-town*, circa *Kilgobbin*, super montes *Dublinenses*, et ad eorum radices frequenter. VII.

103. I U N' C U S.

conglomeratus. 1. IUN'CUS culmo nudo stricto, capitulo laterali. *Lin. Sp. Pl. ed. 3. 464. Fl. Ang. ed. 2. 148. Fl. Scot. 183. With. Arrang. ed. 2. 359.*

Anglis, *common round headed-rush.*

Hibernis, *Broghe Braighe.*

Inveni in pascuis ericetis, sylvis, et locis humidioribus passim. VII.

effusus. 2. IUN'CUS culmo nudo stricto, panicula laterali. *Lin. Sp. Pl. ed. 3. 464. Fl. Ang. ed. 2. 148. Fl. Scot. 183. Wither. Arrang. ed. 2. 359.*

Anglis,

Anglis, *soft rush, seaves.*

Hibernis, *Brogh Braighe.*

Inveni cum priore, et in vadosis, aut juxta
aquas. VII

inflex'us. 3. IUN'CUS culmo nudo, apice membra-
naceo incurvo, panicula laterali. *Lin. Sp. Pl. ed. 3. 464. Fl. Scot. 183. With. Arrang. ed. 2. 359.*

Anglis, *hard rush.*

Hibernis,

Inveni in pascuis, et ad vias publicas,
præsertim solo humidior frequenter.
VII.

trif'idus. 4. IUN'CUS culmo nudo, foliis floribus-
que tribus terminalibus. *Lin. Sp. Pl. ed. 3. 465. Fl. Ang. ed. 2. 149. Fl. Scot. 183. Wither. Arrang. ed. 2. 360.*

Anglis, *trifid rush.*

Hibernis,

Inveni in palustribus prope *Bullock*, et
super monte *Kilmasbouge.* VII.

articulatus. 5. IUN'CUS foliis nodoso-articulatis, petalis obtusis. *Lin. Sp. Pl. ed. 3.* 465. *Fl. Ang. ed. 2.* 149 *Fl. Scot.* 184. *Witber. Arrang. ed. 2.* 361.

Anglis, *jointed rush*.

Hibernis,

Inveni in pratis humidis juxta *Bullock* copiose, et alibi. VIII.

bufonius. 6. IUN'CUS culmo dichotomo, foliis angulatis, floribus solitariis sessilibus. *Lin. Sp. Pl. ed. 3.* 466 *Fl. Ang. ed. 2.* 150. *Fl. Scot.* 185. *Witber. Arrang. ed. 2.* 362.

Anglis, *toad rush, toad grass*.

Hibernis,

Inveni cum priore abundanter. VII.

biglumis. 7. IUN'CUS folio subulato, gluma biflora terminali. *Lin. Sp. Pl. ed. 3.* 467. *Witber. Arrang. ed. 2.* 363.

Anglis, *two-flowered rush*.

Hibernis,

Inveni in locis paludosis juxta *Kilgobbin*, sed parcissime. VII.

pilosus.

pilófus. 8. IUN'CUS foliis planis pilosis, corymbo
ramoso. *Lin Sp. Pl. ed. 3.* 468. *Fl.*
Ang. ed. 2. 151. *Fl. Scot.* 186. *With.*
Arrang. ed. 2. 363. *Fl. Lond. N.*
59. *Ic.* 351. et *N.* 59. *Ic.* 352. *I.*
sylvaticus.

Anglis, *hairy wood rush.*

Hibernis,

Inveni in sylvis *Luttrell's-town*, et *Santry*,
in umbrosis super monte *Kilgobbin*, et
alibi. VI.

campestris. 9. IUN'CUS foliis planis pilosis, spicis ses-
silibus pedunculatisque. *Lin. Sp. Pl.*
ed. 3. 468. *Fl. Ang. ed. 2.* 152. *Fl.*
Scot. 186. *Fl. Lond. N.* 26. *Ic.* 143.

Anglis, *field rush.*

Hibernis,

Inveni in pratis et pascuis aridis, inque
paludosis copiose circa *Stillorgan*, et
alibi. IV.

H E X A N D R I A.

T R I G Y N I A.

104. T R I G L O ' C H I N.

palustre. 1. TRIGLO'CHIN capsulis trilocularibus
 sublinearibus. *Lin. Sp. Pl. ed. 3.* 482.
Fl. Ang. ed. 2 152. *Fl. Scot.* 191.
Wither. Arrang. ed. 2. 378.

Anglis, *arrow-beaded grass*.

Hibernis,

Inveni in pratis et pascuis paludosis circa
Ash-town, Scrible's-town, Dunsink,
Stag's-town, et alibi. VI.

105. R U ' M E X.

crispus. 1. RU'MEX floribus hermaphroditis, val-
 vulis integerrimis, foliis lanceolatis un-
 dulatis acutis *Lin. Sp. Pl. ed. 3.* 476.
Fl.

Fl. Ang. ed. 2. 153. Fl. Scot. 188.
Witber. Arran ed. 2. 370. Fl. Lond.
N. 18. Ic. 105.

Anglis, *curled dock.*

Hibernis,

Inveni in pratis, pascuis, locis humidioribus, et ad vias. VI.

- obtusifolius.* 2. RUMEX floribus hermaphroditis, valvulis dentatis graniferis, foliis cordato-oblongis obtusiusculis, crenulatis.
Lin. Sp. Pl. ed. 3. 478. Fl. Ang. ed. 2. 155. Fl. Scot. 189. Witber. Arrang. ed. 2. 372. Fl. Lond. N. 29. Ic. 174.

Anglis, *broad-leaved dock.*

Hibernis,

Inveni in locis humidis, et ruderalis cum
R. crispo, nec illo minus frequentem.
 VI.

- acutus.* 3. RUMEX floribus hermaphroditis, valvulis dentatis graniferis, foliis cordato-oblongis acuminatis. *Lin. Sp. Pl. ed. 3. 478. Fl. Ang. ed. 2. 155. Fl. Scot. 188. Witber. Arrang. ed. 2. 371. Fl. Lond. N. 31. Ic. 182.*

Anglis,

Anglis, *sharp-pointed dock*.

Hibernis, *Capog Ithraide*.

Inveni in incultis, et aquosis cum priore
passim. VI.

- acetósa*. 4. RU'MEX floribus dioicis, foliis oblongis faggittatis. *Lin. Sp. Pl. ed. 3.* 481. *Fl. Ang. ed. 2.* 156. *Fl. Scot.* 191. *Wither. Arrang. ed. 2.* 375. *English Botany N.* 34. *Ic.* 127. *Med. Bot. p.* 193. *Ic.* 69.

Anglis, *common sorrel*.

Hibernis, *Samha bo Sealgan*.

Inveni in pratis et pascuis passim. V.

- acetosel'la*. 5. RU'MEX floribus dioicis foliis lanceolato-hastatis. *Lin. Sp. Pl. ed. 3.* 481. *Fl. Ang. ed. 2.* 156. *Fl. Scot.* 191. *Wither. Arrang. ed. 2.* 376. *Fl. Lond. N.* 52. *Ic.* 309.

Anglis, *sheep's sorrel*.

Hibernis, *Samha Cairach*.

Inveni in pratis, pascuis arenosis, et ficcioribus passim. VII.

H E X A N D R I A.

P O L Y G Y N I A.

106. A L I S' M A.

plantago. 1. ALIS'MA foliis ovatis acutis, fructibus obtuse trigonis. *Lin. Sp. Pl. ed. 3.* 468. *Fl Ang. ed. 2.* 158. *Fl. Scot.* 193. *With Arrang. ed. 2.* 381. *Fl. Lond.* N. 54. *Ic.* 323.

Anglis, greater water-plantain.

Hibernis, *Tor Chopog.*

Inveni in stagnis et palustribus abundanter fere ubique; præsertim apud *Phanix Park, Ball's-bridge, Merrion et Black-rock roads.* VII.

ranuncu- 2. ALIS'MA foliis lineari-lanceolatis, fructibus globofo-squarrosis *Lin Sp Pl.* *ed. 3* 487. *Fl Aug. ed. 2.* 158. *Fl. Scot.* 193. *Wither. Arrang. ed.* 2. 382.

Anglis, *less water-plantain.*

Hibernis,

Inveni in palustribus prope *Bullock.*
VIII.

OCTANDRIA.

MONOGYNIA.

107. *EPILOBIUM.*

hirsutum. 1. *EPILOBIUM* foliis oppositis lanceolatis
ferratis decurenti-amplexicaulibus. *Lin.*
Sp. Pl. ed. 3. 494. *Fl. Ang. ed. 2.*
161. et 162. *E. ramosum.* *Fl. Scot.*
197. *Wither. Arrang. ed. 2.* 388. *Fl.*
Lond. N. 20. Ic. 120. et var β. Linnæi.
N. 21. Ic. 123. E. villosum.

Anglis, *great hairy willow herb, codlings*
and cream.

Hibernis,

Inveni juxta scrobium, fossarum, fluvio-
rum, rivulorumque margines passim.
VII.

montanum.

montanum. 2. EPILOBIUM foliis oppositis ovatis dentatis. *Lin. Sp. Pl. ed. 3. 494. Fl. Ang. ed. 2. 162. Fl. Scot. 198. Wither. Arrang. ed. 2. 390. Fl. Lond. N. 23. Ic. 197.*

Anglis, smooth-leaved willow herb, mountain epilobium.

Hibernis,

Inveni in sylvis, sepibus umbrosis, et ad ripas fossarum passim, solo glareoso; sed præsertim super montes Dublinenses et prope eorundem radices. VII.

tetragonum. 3. EPILOBIUM foliis lanceolatis denticulatis imis oppositis, caule tetragono. *Lin. Sp. Pl. ed. 3. 494. Fl. Ang. ed. 2. 162. Fl. Scot. 198. Wither. Arrang. ed. 2. 390. Fl. Lond. N. 22. Ic. 132.*

Anglis, square epilobium, narrow-leaved willow herb.

Hibernis,

Inveni in palustribus et locis humidioribus passim. VII.

palus'tre. 4. **EPILO'BIIUM** foliis oppositis lanceolatis integerrimis, petalis emarginatis, caule erecto. *Lin. Sp. Pl. ed. 3.* 495. *Fl. Ang. ed. 2.* 163. *Fl. Scot.* 199. *Wither. Arrang. ed. 2.* 391.

Anglis, *marsh epilobium* or *willow herb*.

Hibernis,

Inveni in uliginosis apud *King's-town*, et *Clugh* ad radices montium Dublinensium. VII.

108. **VACCIN'IUM.**

myrtil'lus. 1. **VACCIN'IUM** pedunculis unifloris, foliis ferratis ovatis deciduis, caule angulato *Lin. Sp. Pl. ed. 3.* 498. *Fl. Scot.* 200 *Fl. Ang. ed. 2.* 163. *Wither. Arrang. ed. 2.* 393.

Anglis, *black worts*, *black whortle-berries*, *hurtle-berries*, *bilberries*, *wind-berries*, *blea-berries*.

Hibernis, *Fraochog*, *Fraochan*, *crann Fraochain*.

Inveni in ericetis apud *Howth*, et super montes Dublinenses. VII.

109. E R I C A.

vulgaris. 1. ERI'CA antheris bicornibus inclusis, corollis inæqualibus campanulatis mediocribus, foliis oppositis sagittatis. *Lin. Sp. Pl. ed. 3. 501. Fl. Ang. ed. 2. 165. Fl. Scot. 203. Wither. Arrang. ed. 2. 396. Fl. Lond. N. 50. Ic. 297.*

Anglis, *common heath, ling, grig, hather.*

Hibernis, *Sraoch.*

Inveni in ericetis apud *Howth*, et super montes Dublinenses. VII.

cinérea. 2. ERI'CA antheris bicornis inclusis, corollis ovatis racemosis, foliis ternis glabris linearibus. *Lin. Sp. Pl. ed. 3. 501. Fl. Ang. ed. 2. 165. Fl. Scot. 204. Wither. Arrang. ed. 2. 399. Fl. Lond N. 13. Ic. 77.*

Anglis, *fine-leaved heath.*

Hibernis,

Inveni cum priore. VII.

tet'ralix.

- tet'ralix.* 3. ERI'CA antheris bicornibus inclusis,
corollis subglobosis confertis folio
longioribus, foliis quaternis ciliatis
patentibus. *Lin. Sp. Pl. ed.* 3. 502.
Fl. Ang. ed. 2. 166: *Fl. Scot.* 205.
Wither. Arrang. ed. 2. 398. *Fl. Lond.*
N. 12. *Ic.* 67.

Anglis, *cross-leaved heath.*

Hibernis,

Inveni cum priore. VII.

110. C H L O' R A

- perfoliata.* 1. CHLO'RA foliis perfoliatis. *Sys. Nat. ed.*
12. *Vol.* 2. 267. *Sys. Veget. ed.* 13.
299. *Fl. Ang. ed.* 2. 168. et *ed.* 1. 146.
Blackstonia. perfoliata. Fl. Scot. 200.
Wither. Arrang. ed. 2. 392. *English*
Botany N. 20. *Ic.* 60. *Gentiana perfoli-*
ata. Lin. Sp. Pl. ed. 3. 335.

Anglis, *yellow centaury, perfoliate yellow-*
wort.

Hibernis, *Deagha buidhe, Dreimre*
buidhe.

Inveni

Inveni in montosis et ficcioribus pratis,
super *Knockmaroon-hill* ultra *Chapelizod*,
et inter *Clontarf* et *Howth* copiose; in
clivosis arenosis maritimis apud *Kill-*
eny Bay abundanter, et alibi. VIII.

O C T A N D R I A.

T R I G Y N I A.

III. P O L Y G' O N U M.

amphib'ium. 1. POLYG'ONUM floribus pentandris
semidigynis, staminibus corolla lon-
gioribus *Lin. Sp. Pl. ed. 3. 517.*
Fl. Ang. ed. 2. 169. Fl. Scot. 207.
Wither. Arrang. ed. 2. 407. Fl. Lond.
N 40 Ic. 238.

Anglis, *amphibious knot-grass* or *perfi-*
caria.

Hibernis,

Inveni in aquis tum stagnantibus, cum
fluentibus ut in piscinis; imo etiam in
terris incultis non minus quam cultis
passim. VII.

perficaria.

persicaria. 2. POLYG'ONUM floribus hexandris digynis, spicis ovato-oblongis, foliis lanceolatis, stipulis ciliatis. *Lin. Sp. Pl. ed. 3.* 518. *var. α. β. et γ.* *Fl. Ang. ed. 2.* 169. *Fl. Scot.* 207. *Wither. Arrang. ed. 2.* 410. *Fl. Lond. N. 5.* Ic. 30. *N. 11.* Ic. 66. *P. minus.*

Anglis, *dead or spotted knot-grass, persicaria, or arsmart.*

Hibernis, Glunneagh mo'r, Glunach Dhearg.

Inveni in agris, hortis, fossis, et ad vias ubique fere. VII.

hydropiper 3. POLYG'ONUM floribus hexandris semidigynis, foliis lanceolatis, stipulis submuticis. *Lin. Sp. Pl. ed. 3.* 517. *Fl. Ang. ed. 2.* 170. *Fl. Scot.* 207. *Wither. Arrang. ed. 2.* 408. *Fl. Lond. N. 11.* Ic. 63.

Anglis, *water knot-grass, pepper, or arsmart, lakeweed.*

Hibernis, Glunach Dhearg.

Inveni in aquosis, ad rivulos et fossas, atque in ruderatis. VII.

aviculare.

aviculare. 4. POLYG'ONUM floribus octandris trigynis axillaribus, foliis lanceolatis, caule procumbente. *Lin Sp. Pl ed.* 3. 519. *Fl. Ang. ed.* 2. 171. *Fl. Scot.* 208. *Wither Arrang. ed.* 2. 413. *Fl. Lond.* N. 10. *Ic.* 57.

Anglis, *common knot-grass*.

Hibernis, *Glunach bheag*.

Inveni in incultis, præsertim glareosis, æque ac in locis cultis ubique. VI.

convolvulus. 5. POLYG'ONUM foliis cordatis, caule volubili, floribus planiusculis. *Lin. Sp. Pl. ed.* 3. 522. *Fl. Ang. ed.* 2. 171. *Fl. Scot.* 208. *Wither. Arrang. ed.* 2. 415 *Fl. Lond.* N. 44. *Ic.* 262.

Anglis, *climbing knot-grass, black bind-weed*.

Hibernis,

Inveni ad vias juxta nosocomium Dominæ *Stephens*; inter segetes, in arvis, et sepibus frequenter. VII.

D E C A N D R I A.

D I G Y N I A.

112. CHRYSOSPLENIUM.

oppositifolium. 1. CHRYSOSPLENIUM foliis oppositis. *Lin. Sp. Pl. ed. 3. 569. Fl. Ang. ed. 2. 178. Fl. Scot. 220. Wither. Arrang. ed. 2. 485.*

Anglis, *opposite-leaved goldensaxifrage.*

Hibernis, *Clabhras, Lus na laogh.*

Inveni ad rivulos, in locis humidis, umbrosis, et in palustribus prope *Luttrell's-town*, super *Mill-pound* juxta *Old Abbey Howth*, et in sylvis *Santry* et *Luttrell's-town* copiosissime. IV.

113. SAXIF-

113. *SAXIF' R A G A.*

tridaētyli'tes. 1. *SAXIF' R A G A* foliis caulinis cuneiformibus trifidis alternis, caule erecto ramofo. *Lin. Sp. Pl. ed. 3.* 578. *Fl. Ang. ed. 2.* 182. *Fl. Scot.* 224. *Wither. Arrang. ed. 2.* 434. *Fl. Lond. N. 22. Ic.* 127.

Anglis, *rue-leaved saxifrage, or whitlow-grass.*

Hibernis,

Inveni super tecta et muros antiquos, præfertim lutamenta juxta *Lucan-turnpike*, in *Long-lane* inter *Camden-street* et *New-street* prope *New-street*, et circa *Sandy-mount.* V.

114. *S A P O N A' R I A.*

officinális. 1. *SAPONA'RIA* calycibus cylindricis foliis ovato-lanceolatis. *Lin. Sp. Pl. ed 3.* 584. *Fl. Lond. N. 17. Ic.* 100. *Fl. Ang. ed. 2.* 183. *Wither. Arrang. ed. 2.* 438.

Anglis, *common soap-wort, bruise-wort.*

Hibernis,

Inveni in fossarum aggeribus arenosis
inter *Beggar's Bush* et *Ball's-bridge*, in
viis quoque ficcis et ruderosis *Dodder*
vicinis abunde. VII.

DECANDRIA.

TRIGYNIA.

115. CUCU' BALUS.

béhen. 1. CUCU' BALUS calycibus subglobosis
glabris reticulato-venosis, capsulis tri-
locularibus, corollis subnudis. *Lin. Sp.*
Pl. ed. 3. 591. *Fl. Ang. ed.* 2. 186.
Fl. Scot. 226. *Wither. Arrang. ed.* 2.
445.

Anglis, *spatling poppy, white bottle, bladder*
campion, white corn campion.

Hibernis,

Inveni

Inveni in arvis ficcioribus frequenter, et inter rupes et petras circiter *Bullock* copiose, ut et *Kilmasbouge*, *Blue-bell*, et alibi. VI.

116. STELLARIA.

holóstea. 1. STELLARIA foliis lanceolatis ferrulatis, petalis bifidis *Lin. Sp. Pl. ed. 3. 603. Fl. Ang. ed. 2. 190. Fl. Scot. 229. Wither. Arrang. ed. 2. 455. Fl. Lond. N. 14. Ic. 80.*

Anglis, *greater stitch-wort*.

Hibernis, *Tur Sacain*.

Inveni in sylvis, dumetis, et sepibus passim; præsertim in clivis umbrosis inter *Rathmines* et portam orientalem comitis *Ely*, prope flumen *Dodder*, abundanter, et alibi. IV.

gramin'ea. 2. STELLARIA foliis linearibus integerrimis, floribus paniculatis *Lin. Sp. Pl. ed. 3. 604. Fl. Ang. ed. 2. 190. Fl. Scot. 229. Wither. Arrang. ed. 2. 456. Fl. Lond. N. 62. Ic. 370. S. uliginósa.*

Anglis,

Anglis, *less stitch-wort*.

Hibernis, *Tur Sacainin*.

Inveni in pratis, sepibus, et vepretis passim, præsertim solo arenoso, et inter ulicem Europæam interdum. VII.

117. ARENAR'IA.

peplioïdes. 1. ARENAR'IA foliis ovatis acutis carnosiss. *Lin. Sp. Pl. ed. 3. 605. Fl. Ang. ed. 2. 191. Fl. Scot. 229. Wither. Arrang. ed. 2. 458.*

Anglis, *sea sand-wort*.

Hibernis,

Inveni in littoribus maris arenosis frequenter apud *Howth, Killeny Bay, Irish-town* et *Clontarf*, in arvis arenosis *North Wall* propinquis, copiose, et alibi. VI.

serpyllifolia. 2. ARENAR'IA foliis subovatis acutis sessilibus, corollis calyce brevioribus.
Lin.

Lin. Sp. Pl. ed. 3. 606. Fl. Ang. ed. 2. 191. Fl. Scot. 230. Wither. Arrang. ed. 2. 459. Fl. Lond. N. 45. Ic. 265.

Anglis, *least chickweed, thyme-leaved sand-wort.*

Hibernis,

Inveni in muros arenosos frequenter.
V.

rúbra. 3. ARENA'RIA foliis filiformibus, stipulis membranaceis vaginantibus. *Lin. Sp. Pl. ed. 3. 606. Fl. Ang. ed. 2. 192. Fl. Scot. 230. With. Arrang. ed. 2. 459.*

Anglis, *purple sand-wort, sea spurry.*

Hibernis,

Inveni in littoribus maris arenosis abundanter cum arenaria peploide. VI.

D E C A N D R I A.

P E N T A G Y N I A.

118. C O T Y L E' D O N.

umbilicus. 1. COTYLE'DON foliis cucullato-peltatis ferrato-dentatis alternis, caule ramoso, floribus erectis. *Lin. Sp. Pl. ed. 3. 615 var. β . Fl. Scot. 233. C. foliis peltatis crenatis, caule subsimplici, floribus pendulis, bracteis integris. Fl. Ang. ed. 2. 194. Wither. Arrang. ed. 2. 463.*

Anglis, *common navel-wort, wall penny-wort, kidney-wort.*

Hibernis, Carnan Caissil, Lamhan Cait Leacan.

Inveni inter saxa et parietes ruinosos circa montes Dublinenses, *Howth, Killeny, Dalkey, Bullock, Scalp*, et alibi abundanter. VI.

119. S E' D U M.

119. *S E' D U M.*

reflex'um. 1. *SE'DUM* foliis subulatis sparsis basi solutis, inferioribus recurvatis *Lin. Sp. Pl. ed. 3. 618. Fl. Ang. ed. 2. 195. Fl. Scot. 234. With. Arrang. ed. 2. 466.*

Anglis, yellow stone-crop, prick madam.

Hibernis,

Inveni super veteres muros circa Chapel-izod copiose. VII.

acre. 2. *SE'DUM* foliis subovatis adnato-seffilibus gibbis erectiusculis alternis, cyma trifida. *Lin. Sp. Pl. ed. 3. 619. Fl. Ang. ed. 2. 196. Fl. Scot. 235. With. Arrang. ed. 2. 467. Fl. Lond. N. 4. Ic. 19.*

Anglis, stone-crop, wall pepper.

Hibernis, Grafsan na Ceolck.

Inveni super veteres muros, rupes, tecta-que domuum passim; etiamque in littoribus maritimis copiose. VI.

R

Ang'licum.

Ang'licum. 3. SE'DUM foliis subovatis adnato-fessilibus gibbis alternis, cyma ramosa bifida. *Fl. Ang ed.* 2. 196. *Wither. Arrang. ed.* 2. 468. *Fl. Scot* 235. *S. rubens. Lin. Sp. Pl. ed.* 3. 620. *S. annuum?* *Eng. Botany N.* 41. *Ic.* 171.

Anglis, *English stone-crop*.

Hibernis,

Inveni in saxosis, arenosis, et sterilioribus pratis, circa plumbi fodinas *Dalkey* copiose; super montes *Howth*, et *Dublin*, et alibi. VII

120. O X' A L I S.

acetosel'la. 1. OX'ALIS scapo unifloro, foliis ternatis, radice squamosa articulata. *Lin. Sp. Pl. ed.* 3. 620. *Fl. Ang ed.* 2. 198. *Fl. Scot.* 237. *With. Arrang. ed.* 2. 469. *Fl. Lond. N.* 19. *Ic.* 110. *Med. Bot. p.* 56. *Ic.* 20.

Anglis, *common wood-sorrel, cuckow-bread, four trefoil, cuckow-meat, cuckow-sorrel, stub-wort*.

Hibernis,

Hibernis, Seamfog, Samha fear-
na.

Inveni in fylvis; et ad arborum radices
Luttrel's-town, Santry, Phœnix-Park,
et alibi; et in ericetis umbrosis passim.
IV.

121. AGROSTEM' MA.

githágo. 1. AGROSTEM' MA hirsuta calycibus co-
rollam æquantibus, petalis integris nu-
dis. *Lin. Sp. Pl. ed. 3. 624. Fl. Ang.*
ed. 2. 198. Fl. Scot. 238. Wither.
Arrang. ed. 2. 471. Fl. Lond. N. 35.
Ic. 210.

Anglis, *cockle.*

Hibernis, *Cogal.*

Inveni inter fegetes prope lavacrum
Howth, circa Warren House in itinere
ad *Howth*, et alibi. VI.

122. L Y C H' N I S.

flos cuculi. 1. LYCH'NIS petalis quadrifidis, fructu subrotundo. *Lin. Sp. Pl. ed.* 3. 625. *Fl. Ang. ed.* 2. 199. *Fl. Scot.* 239. *Wither. Arrang. ed.* 2. 473. *Fl. Lond.* N. 2. *Ic.* 12.

Anglis, *meadow pinks, wild Williams, lychnis cuckow-flower, ragged Robbin, crow-flower.*

Hibernis,

Inveni in palustribus circa lavacrum *Howth*; in pratis, et pascuis humidis, juxta *King's-town, Stag's-town, Wood-town, Killmasbouge*, et alibi ad radices et latera montium Dublinensium; in *Scrible's-town* agris; et prope *Blue-bell*, locis uliginosis copiose. VI.

dreica. 2. LYCH'NIS floribus dioicis. *Lin. Sp. Pl. ed.* 3. 626. *Fl. Ang. ed.* 2. 199. *Fl. Scot.* 240. *Wither. Arrang. ed.* 2. 474. *Fl. Lond.* N. 14. *Ic.* 79.

Anglis, *wild campion.*

Hibernis,

Hibernis, Coirearan Coilleach.

Inveni in arvis arenosis, et ficcioribus circa *Warren-House* via ad *Howth* ducente copiose, et ubique in vicinitate *Baldoyle*. VI.

123. CERASTIUM.

vulgatum. 1. CERASTIUM foliis ovatis, petalis calyce æqualibus, caulibus diffusis. *Lin. Sp. Pl. ed. 3.* 627. *Fl. Ang. ed. 2.* 200. *Fl. Scot.* 240. *With. Arrang. ed. 2.* 476. *Fl. Lond. N.* 22. *Ic.* 131.

Anglis, *common mouse-ear chickweed*.

Hibernis,

Inveni in pratis, pascuis, ruderatis, et ad vias ubique. V.

arven'se. 2. CERASTIUM foliis linearì-lanceolatis obtusis, corollis calyce majoribus. *Lin. Sp. Pl. ed. 3.* 628. *Fl. Ang. ed. 2.* 201. *Fl. Scot.* 241. *With. Arrang. ed. 2.* 478. *Fl. Lond. N.* 62. *Ic.* 368. *English Botany N.* 28. *Ic.* 93.

Anglis,

Anglis, *corn mouse-ear chickweed*.

Hibernis,

Inveni in arvis arenosis, et ad vias inter
Clontarf et *Howth* abunde. IV.

124. SPER'GULA.

arven'sis. 1. SPER'GULA foliis verticillatis (*fructibus pendulis Hudson.*) floribus decandris. *Lin. Sp. Pl. ed. 3. 630. Fl. Ang. ed. 2. 202. Fl. Scot. 243. With. Arrang. ed. 2. 481. Fl. Lond. N. 52. Ic. 310.*

Anglis, *corn spurrey*.

Hibernis, *Corran lin, Cluan lin, cabrois*.

Inveni in arvis arenosis, et inter segetes apud *Warren-House* non longe ab *Howth*, super monte *Kilmasbouge*, *Knockmarron*, et alibi. VI.

nodósa. 2. SPER'GULA foliis oppositis subulatis levibus, caulibus simplicibus.
Lin.

Lin. Sp. Pl. ed. 3. 630. Fl. Ang. ed. 2. 203. Fl. Scot. 244. Wither Arrang. ed. 2. 483. Fl. Lond. N. 44. Ic. 259.

Anglis, *knotted spurrey, English marsh saxifrage.*

Hibernis,

Inveni in arenosis juxta rivulos *Sandymount*, et *Templeouge*, et rivos *Rathfarnam*; in palustribus circa *Killgobbin*, prope rivulos *Phænix-Park*, et alibi. VI.

D O D E C A N D R I A.

M O N O G Y N I A.

125. L Y' T H R U M.

falicária. 1. LY'THRUM foliis oppositis cordato-lanceolatis, floribus spicatis dodecandris. Lin. Sp. Pl. ed. 3. 640. Fl. Lond. N. 31. Ic. 186. Fl. Ang. ed. 2. 205. Fl. Scot. 247. Wither. Arrang. ed. 2. 489.

Angl.

Anglis, *purple spiked willow-herb, or loosestrife.*

Hibernis, *Brealan leana.*

Inveni in palustribus, et ad fluviorum ripas frequenter. VI.

D O D E C A N D R I A.

D I G Y N I A.

126. AGRIMO'NIA.

eupatória. 1. AGRIMO'NIA foliis caulinis pinnatis impari-petiolatis, fructibus hispidis. *Lin. Sp. Pl. ed. 3. 643 Fl. Ang. ed. 2. 206. Fl. Scot. 247. Wither. Arrang. ed. 2. 491. Fl. Lond. N. 53. Ic. 316. Fl. Rustica N. 13. Ic. 37.*

Anglis, *common agrimony.*

Hibernis, *Marabh dhroighean.*

Inveni in locis nemorosis, et in pascuis ad sepes passim. VII.

T R I G Y N I A.

DODECANDRIA.

TRIGYNIA.

127. RESE'DA.

lutéola. 1. RESE'DA foliis lanceolatis integris basi utrinque unidentatis, calycibus quadrididis. *Lin. Sp. Pl. ed. 3. 643. Fl. Ang. ed. 2. 207. Fl. Scot. 248. With. Arrang. ed. 2. 492. Fl. Russica N. 14. Ic. 40.*

Anglis, wild woad, dyer's weed, yellow weed.

Hibernis, Buidhe mor.

Inveni super muros, et in locis ruderalis, etiam in pratis et arvis requietis frequenter. IV.

Vitea. 2 RESE'DA foliis omnibus trifidis, inferioribus pinnatis. *Lin. Sp. Pl. ed. 3. 645. Fl. Ang. ed. 2. 207. Fl. Scot. 249. With. Arrang. ed. 2. 493.*

Anglis, *base rocket*.

Hibernis,

Inveni in arvis arenosis apud *Sandy-mount*.

VI.

128. *EUPHOR'BIA*.

péplus. 1. *EUPHOR'BIA* umbella trifida dichotoma, involucellis ovatis, foliis integerrimis obovatis petiolatis. *Lin Sp. Pl. ed. 3.* 653. *Fl. Ang. ed. 2.* 208. *Fl. Scot.* 249. *Wither. Arrang. ed. 2.* 495. *Fl. Lond. N. 6.* 1c. 32.

Anglis, *petty spurge*.

Hibernis, *Gear neimh*.

Inveni in hortis oleraceis, et arvis pinguioribus, inque agris neglectis frequenter. IV.

belioscopia, 2. *EUPHOR'BIA* umbella quinquefida, trifida dichotoma, involucellis obovatis, foliis cuneiformibus serratis. *Lin. Sp. Pl. ed. 3.* 658. *Fl. Ang. ed. 2.* 209. *Fl. Scot.* 250. *With. Arrang. ed. 2.* 497. *Fl. Lond. N. 12.* 1c. 71.

Anglis,

Anglis, *sun spurge, wart-wort, churn-staff, cat's milk, fairy's milk.*

Hibernis,

Inveni cum priore copiose. VI.

- exig'ua.* 3. EUPHOR'BIA umbella trifida, dichotoma, involucellis lanceolatis, foliis linearibus. *Lin Sp Pl ed* 3. 654. *Fl. Ang. ed.* 2. 208. *Fl. Scot.* 250. *With. Arrang. ed.* 2. 495. *Fl. Lond. N.* 41. *Ic.* 243.

Anglis, *dwarf spurge.*

Hibernis,

Inveni in arvis montosis ficcioribus, præsertim super *Knockmaroon-hill*, inter *Chapelizod* et *Luttrell's-town*; in arenosis *Rabeny-strand*, et alibi. VI.

- parálias.* 4. EUPHOR'BIA umbella subquinquefida bifida, involucellis cordato-reniformibus foliis sursum imbricatis. *Lin. Sp. Pl. ed.* 3. 657. *Fl. Aug. ed.* 2. 209. *Wither. Arrang. ed.* 2. 496.

Anglis, *sea spurge.*

Hibernis,

Inveni in littore arenoso apud *Killeny-bay* copiose. VII.

D O D E C A N D R I A.

D O D E C A G Y N I A.

129. S E M P E R V I V U M.

teſtorum. 1. SEMPERVIVUM foliis ciliatis, propaginibus patentibus. *Lin. Sp. Pl. ed. 3. 664. Fl. Ang. ed. 2. 211. Fl. Scot. 251. Wither. Arrang. ed. 2. 502. Fl. Lond. N. 27. Ic. 162.*

Anglis, *common house-leek.*

Hibernis, *Feinne Gabhla, Sinne
Cinne, Toirpin.*

Inveni fere ubique super ſtraminea caſarum tecta, ſed præſertim apud *Rabeny* abundanter. VII.

I C O S A N D R I A.

ICOSANDRIA.

MONOGYNIA.

130. PRU'NUS.

spinósa. 1. PRU'NUS pedunculis folitariis, foliis lanceolatis glabris, ramis spinosis. *Lin. Sp. Pl. ed. 3.* 681. *Fl. Ang. ed. 2.* 212. *Fl. Scot.* 254. *Wither. Arrang. ed. 2.* 509. *Med. Bot. p.* 233. *Ic.* 84.

Anglis, *black-thorn, sloe tree, scrogs.*

Hibernis, *Airneog, draine'og, Bran airneadh, no draighean.*

Inveni in fylvis *Phœnix Park, Luttrell's-town*, et in sepibus passim. IV.

I C O S A N D R I A .

D I G Y N I A .

131. C R A T Æ' G U S .

oxyacantha. 1. CRATÆ'GUS foliis obtusis subtrifidis ferratis. *Lin. Sp. Pl. ed. 3.* 683. *Fl. Scot.* 255. *Hunt. Ev. Sylv. ed. alt. Vol. 1.* 178. *Cum floribus monogynis. Fl. Ang. ed. 2.* 214. *C. monogy'na. Wither. Arrang. ed. 2.* 511.

Anglis, *white-thorn, haw-thorn, may.*

Hibernis, Sgeagh, Uath, Sgeach,
Sgeach Gheal.

Inveni in fylvis et sepibus ubique.
V.

P E N T A G Y N I A .

ICOSANDRIA.

PENTAGYNIA.

132. PYRUS.

málus. 1. PYRUS foliis ferratis umbellis sessilibus.
Lin. Sp. Pl. ed. 3. 686. Fl. Ang. ed. 2. 216. Fl. Scot. 258. Wither. Arrang. ed. 2. 517.

Anglis, *crab tree, wilding.*

Hibernis, *Gairteog, Abhale Fíad-
 hain.*

Inveni in sylvis et sepibus passim. V.

133. SPIRÆA.

almária. 1. SPIRÆA foliis pinnatis impari majore lobato, floribus cymosis. *Lin. Sp. Pl. ed. 3. 702. Fl. Ang. ed. 2. 217. Fl. Scot. 259. Wither. Arrang. ed. 2. 519. Fl. Lond. N. 58. Ic. 343.*

Anglis,

Anglis, *meadow-sweet, queen, of the meadows.*

Hibernis, *Airgiod Luachra.*

Inveni in pratis humidis, et ad rivulorum ripas frequenter. VI.

ICOSANDRIA.

POLYGYNIA.

134. R O' S A.

spinosissima. 1. RO'SA germinibus globosis glabris, pedunculis hispidis, caule petiolisque aculeatissimis. *Lin. Sp. Pl. ed. 3* 705. *Fl. Ang. ed. 2.* 218. *Fl. Scot.* 260. *Wither. Arrang. ed. 2.* 524.

Anglis, *burnet rose, pimpernel rose.*

Hibernis,

Inveni in sabulosis inter *Sheds-of-Clontarf* et *Howth* copiose, et alibi. V.

arven'sis.

arven'sis. 2. RO'SA germinibus globosis, pedunculisque glabris, caule petiolisque aculeatis, floribus subcymosis. *Sys. Veget. ed.* 13. 394. *Fl. Ang. ed.* 1. 192. *ed.* 2. 219. *Fl. Scot.* 261. *Wither. Arrang. ed.* 2. 521.

Anglis, *white-flowered dog rose*.

Hibernis,

Inveni in sepibus frequenter. VI.

canina. 3. RO'SA germinibus ovatis, pedunculisque glabris, caule petiolisque aculeatis. *Lin. Sp. Pl. ed.* 3. 704. *Fl. Ang. ed.* 2. 219. *Fl. Scot.* 262. *Wither. Arrang. ed.* 2. 523. *Fl. Lond. N.* 51. *Id.* 301. *Med. Botany p.* 377. *Id.* 139.

Anglis, *dog rose, hep tree, wild briar*.

Hibernis, *Fora dhrios, tgeach mha-dra*.

Inveni in sepibus passim. VI.

135. R U B U S.

fruticósus. 1. RU'BUS foliis quinato-digitatis ternatisque, caule petiolisque aculeatis.
Lin. Sp. Pl. ed. 3. 707. Fl. Ang. ed. 2. 220. Fl. Scot. 264. Wither. Arrang. ed. 2. 527.

Anglis, *common bramble, blackberry bush, bumble-kites.*

Hibernis, *Dreseog, Drios, Sgcach talmhan.*

Inveni in sepibus et dumetis ubique.
 VII.

136. F R A G A' R I A.

ves'ca. 1. FRAGA'RIA flagellis reptantibus. *Lin. Sp. Pl. ed. 3. 708. Fl. Ang. ed. 2. 221. Fl. Scot. 267. Wither. Arrang. ed. 2. 529.*

Anglis, *common strawberry.*

Hibernis, *Suth talmhan.*

Inveni in sylvis, dumetis, et ad sepes frequenter. IV.

ster'ilis.

ster'ilis. 2. FRAGA'RIA caule decumbente, ramis floriferis laxis. *Sys. Veget. ed.* 13. 396. *Lin. Sp. Pl. ed.* 3. 709. *caule repente.* *Fl. Ang. ed.* 2. 222. *Fl. Scot.* 268. *Wither. Arrang. ed.* 2. 530. *Fl. Lond. N.* 29. *Ic.* 170.

Anglis, *barren strawberry.*

Hibernis, *Suth talmhan.*

Inveni in pascuis et ericetis sterilioribus passim ; ad fossarum aggeres copiose circa *Killester, Raheny,* et alibi.
III.

137. POTENTIL'LA.

anserina. 1. POTENTIL'LA foliis pinnatis ferratis, caule repente. *Lin. Sp. Pl. ed.* 3. 710. *pedunculis unifloris.* *Sys. Veget. ed.* 13. 396. *Fl. Ang. ed.* 2. 222. *Fl. Scot.* 268. *Wither. Arrang. ed.* 2. 532. *Fl. Lond. N.* 34. *Ic.* 204.

Anglis, *silver-weed, wild tansey, goose-grass, goosetansey.*

Hibernis, *Brioscian.*

Inveni ubique. VI.

rep'tans. 2. **POTENTIL'LA** foliis digitatis, caule repente, pedunculis unifloris. *Lin. Sp. Pl. ed. 3. 714. Fl. Ang. ed. 2. 224. Fl. Scot. 271. Wither. Arrang. ed. 2. 534, 536. Tormentil'la rep'tans. Fl. Lond. N. 5. Ic. 29. Med. Bot. p. 160. Ic. 59.*

Anglis, *common cinquefoil, five leaved-grass.*

Hibernis, *Cuigheag, Cuighnear
Guirre, Deangach.*

Inveni in pascuis sterilioribus frequenter,
et ad semitas. VI.

138. *TORMENTIL'LA*.

erecta. 1. *TORMENTIL'LA* caule erectiusculo,
foliis sessilibus. *Lin. Sp. Pl. ed. 3.*
716. *Fl. Ang. ed. 2.* 225. *Fl. Scot.*
272. *Wither. Arrang. ed. 2.* 536.
et 535. *Potentilla Tormentil'la. Fl.*
Lond. N. 58. *Ic.* 344. *T. officinalis.*
Med. Bot. p. 27. *Ic.* 9.

Anglis, *common tormentil, septfoil.*

Hibernis, *Deanaidin, Benedin,*
Leamhuacht.

Inveni in pascuis ubique fere, præsertim
montosis, et in ericetis. VI.

139. *G E' U M*.

arbatum. 1. *GE'UM* floribus erectis, fructu glo-
bofo villoso : aristis uncinatis nudis,
foliis lyratis. *Lin. Sp. Pl. ed. 3.*
716. *Fl. Ang. ed. 2.* 226. *Fl. Scot.*
273, *Wither. Arrang. ed. 2.* 537. *Fl.*
Lond. N. 19. *Ic.* 113.

Anglis,

Anglis, *common avens*, herb bennet.

Hibernis, *Machall*.

Inveni in dumetis, et ad sepes frequenter V.

riuale. 2. GE'UM floribus nutantibus, fructu oblongo, ariftis plumosis tortis. *Lin. Sp. Pl. ed. 3. 717. Fl. Ang. ed. 2. 226. Fl. Scot. 274. Wither. Arrang. ed. 2. 538, English Botany N. 30. Ic. 106.*

Anglis, *water avens*.

Hibernis,

Inveni in locis subhumidis fylvæ Santry, occidentem versus. V.

P O L Y A N D R I A.

M O N O G Y N I A.

140. CHELIDO'NIUM.

glau'cium. 1. CHELIDO'NIUM pedunculis unifloris, foliis amplexicaulibus sinuatis, caule glabro. *Lin. Sp. Pl. ed. 3.* 724. *Fl. Ang. ed. 2.* 229. *Fl. Scot.* 279. *Wither. Arrang. ed. 2.* 548. *English Bot. N. 3. Ic. 8.*

Anglis, *sea celandine*, *yellow horned poppy.*

Hibernis,

Inveni in littoribus arenosis apud *Killeny-Bay*, inter *Sheds-of-Clontarf* et *Howth*, inter *Sandy-Mount* et *Merrion*, et alibi.
VI.

141. P A P A' V E R.

141. P A P A' V E R.

rhoe'as. 1. PAPA'VER capsulis glabris globosis, caule piloso multifloro, foliis pinnatifidis incis. *Lin. Sp. Pl. ed 3.* 726. *Fl. Ang. ed. 2.* 230. *Fl. Scot.* 279. *Wither. Arrang. ed. 2.* 551. *Fl. Lond. N.* 36. *Ic.* 216. *Med. Bot. p.* 512. *Ic.* 186.

Anglis, *red poppy, corn rose, cop-rose, bead-wark.*

Hibernis, *Blaith na mbodagb, Cau-keach Dhearg, Paipin.*

Inveni inter segetes, ad agrorum margines &c. fere ubique. V.

foamif'erum. 2. PAPA'VER calycibus capsulisque glabris, foliis amplexicaulibus incis. *Lin. Sp. Pl. ed. 3.* 726. *Fl. Ang. ed. 2.* 231. *Wither. Arrang. ed. 2.* 553. *Med. Bot. p.* 503. *Ic.* 185.

Anglis, *white poppy.*

Hibernis, *Collaidin, Poipin.*

Inveni in sterilioribus circa *Warren-house* juxta *Howth*, apud *Blue-bell*, et in locis incultis et neglectis passim. VI.

142. N Y M P H Æ' A.

142. NYMPHÆA.

lutea. 1. NYMPHÆA foliis cordatis integerri-
 mis, calyce pentaphyllo majore. *Lin.*
Sp. Pl. ed. 3. 729. *Fl. Ang. ed. 2.*
 234. *Fl. Scot.* 282. *Wither. Arrang.*
ed. 2. 554. *English Botany N.* 39. *Ic.*
 159.

Anglis, *yellow water-lily*.

Hibernis, Cabhan Abhan, Duilleog
 bhaite, Liach Loghar.

Inveni in stagnis majoribus profundis,
 prope pontem *Glasnevin*, australi parte.
 VII.

P O L Y A N D R I A .

P E N T A G Y N I A .

143. A Q U I L E ' G I A .

vulgáris. 1. AQUILE'GIA nectariis incurvis. *Lin.*
Sp. Pl. ed. 3. 752. Fl. Ang. ed. 2.
235. Fl. Scot. 284. Wither. Arrang.
ed. 2. 562.

Anglis, *columbines.*

Hibernis, *Cruba Lefin.*

Inveni in pascuis, et ad sepes, copiose
 circa *Cappoge*, et *Dunfink*, et super
 apice et ad latera collis *Knockmaroon*
 inter *Chapelizod* et *Luttrell's-town.*
 V.

P O L Y G Y N I A .

P O L Y A N D R I A.

P O L Y G Y N I A.

144. A N E M O' N E.

nemorósa. 1. ANEMO'NE feminibus acutis, foliolis
 incis, caule unifloro *Lin Sp Pl.*
ed. 3. 762. *Fl. Ang. ed.* 2. 236.
Fl. Scot. 284. *Wither. Arrang ed.* 2.
 566. *Fl Lond. N.* 13. *Ic.* 75.

Anglis, *wood anemone*.

Hibernis, *Head Cailleach*.

Inveni in dumetis juxta scholam rever-
 endi *Mears* apud *Black rock*, australi
 parte; et in sylvis passim. IV.

145. A D O' N I S.

autumnális. 1. ADO'NIS floribus octopetalis, fruc-
 tibus subcylindricis. *Lin Sp. Pl.*
ed. 3. 771. *Fl. Ang. ed.* 2. 239.
 U 2 *Wither.*

*Wither. Arrang. ed. 2. 570. Fl. Lond.
N. 23. Ic. 133.*

Anglis, *corn flos-adonis*, *pheasant's eye*,
red mathies, *red Morocco*.

Hibernis,

Inveni inter fegetes nonnunquam. VII.

146. RANUN' CULUS.

flam'mula. 1. RANUN' CULUS foliis ovato-lanceo-
latis petiolatis, caule declinato. *Lin.*
Sp. Pl. ed. 3. 772. Fl. Ang. ed. 2.
239. Fl. Scot. 288. Wither. Arrang.
ed. 2. 571. Fl. Lond. N. 66. Ic.
396.

Anglis, *less spearwort*.

Hibernis, *Lassair Leana*, *Lonaigh*.

Inveni in pratis uliginosis, et vadis ad ri-
vulos fere ubique. VII.

lin'gua. 2. RANUN' CULUS foliis lanceolatis,
caule erecto. *Lin. Sp. Pl. ed. 3. 773.*
Fl.

Fl. Ang. ed. 2. 240. Fl. Scot. 287.
With. Arrang. ed. 2. 572. English
Botany N. 29. Ic. 100.

Anglis, *greater spearwort.*

Hibernis,

Inveni in pratis uliginosis *Scribble's-town,*
 et alibi cum priore nonnunquam.
 VI.

ficaria. 3. RANUNCULUS foliis cordatis angu-
 latis petiolatis. *Lin. Sp. Pl. ed. 3.*
774. Fl. Scot. 289. Fl. Lond. N.
13. Ic. 76. Flora Rustica N. 7. Ic.
21. Ficaria Ver'na. Fl. Ang. ed.
2. 244. Wither. Arrang. ed. 2.
579.

Anglis, *common pilewort, less celandine.*

Hibernis, *Grain Aigain.*

Inveni in sylvis, pratis, et ad sepes pas-
 sim; præsertim apud *Phœnix-Park,*
Rathmines, Killester, Finglass-Bridge,
 et alibi. III.

repens.

- repens.* 4. RANUN'CULUS calycibus patulis, pedunculis fulcatis, sarmentis repentibus, foliis compositis. *Lin Sp. Pl. ed. 3. 779. Fl Ang ed 2. 240. Fl. Scot. 292. With Arrang. ed 2. 575. Fl. Lond. N 39. Ic. 229. Fl. Rustica N 10 Ic. 29.*

Anglis, *creeping crowfoot or butter-cups.*

Hibernis, *Íearban, Baírgin.*

Inveni in pratis, pascuis, fossis, hortis, et ruderalis, locis humidioribus. V.

- bulbósus.* 5. RANUN'CULUS calycibus retroflexis, pedunculis fulcatis, caule erecto, foliis compositis. *Lin. Sp. Pl. ed. 3. 778. Fl. Ang ed. 2 241. Fl. Scot. 292. Wither. Arrang. ed. 2. 574. Fl. Lond N. 7. Ic. 38. Flora Rustica N. 10. Ic. 28.*

Anglis, *bulbous crowfoot, butter-flower, butter-cups or gold-cup.*

Hibernis, *Tuille talmhan.*

Inveni in pascuis ficcioribus frequenter, etiamque in hortis, pratis, et ad vias. V.

ácris.

ácris. 6. RANUN'CULUS calycibus patulis,
pedunculis teretibus, foliis tripartito-
multifidis summis linearibus. *Lin.*
Sp. Pl. ed. 3. 779. *Fl. Ang. ed. 2.*
241. *Fl. Scot.* 293. *With. Arrang.*
ed. 2. 576. *Fl. Lond. N. 4.* *Ic.* 20.
Flora Rustica N. 10. *Ic.* 30.

Anglis, *upright crowfoot, butter-flower or*
butter-cups.

Hibernis,

Inveni in pratis et pascuis frequenter.
V.

scelerátus. 7. RANUN'CULUS foliis inferioribus
palmatis, summis digitatis, fructibus
oblongis *Lin Sp. Pl. ed. 3.* 776.
Fl Ang. ed 2. 241. *Fl. Scot* 291.
With. Arrang ed. 2. 573. *Fl. Lond.*
N. 17. *Ic.* 99.

Anglis, *celery-leaved crowfoot.*

Hibernis, *Torachas biadhain.*

Inveni in aquosis, inque aquis ipsis ubi-
que. V.

auricomus.

auriculatus 8. RANUN'CULUS foliis radicalibus reniformibus crenatis incisfis, caulibus digitatis linearibus, caule multifloro. *Lin. Sp. Pl. ed. 3. 775. Fl. Ang. ed. 2. 242. Fl. Scot. 290. Wither. Arrang. ed. 2. 573. Fl. Lond. N. 16. Ic. 91.*

Anglis, *wood crowfoot, goldilocks.*

Hibernis,

Inveni in sylvis *Luttrell's-town, Santry, Rathfarnham, Phœnix-Park* et alibi, locis umbrosis. IV.

hederaceus. 9. RANUN'CULUS foliis subrotundis trilobis integerrimis, caule repente. *Lin. Sp. Pl. ed. 3. 781. Fl. Ang. ed. 2. 243. Fl. Scot. 294. Wither. Arrang. ed. 2. 577. Fl. Lond. N. 42. Ic. 251.*

Anglis, *ivy-leaved crowfoot.*

Hibernis,

Inveni in vadis limosis, et ad scaturigines apud *Howth*, et alibi copiose. IV.

aquatilis.

aquatilis. 10. RANUN'CULUS foliis submersis capillaceis, emerfis subpeltatis. *Lin. Sp. Pl. ed.* 3. 781. *Fl. Ang. ed.* 2. 243. *Fl. Scot.* 295. *Wither. Arrang. ed.* 2. 577. *English Botany* N. 29. Ic. 101.

Anglis, *various-leaved water crowfoot*.

Hibernis, *Deal Uisge, Lionan Abhan, Fleann Uisge, Leananach Snaithe baite'*.

Inveni in fossis aqueis, lente rivulis decurrentibus, fluviis, et stagnis variis copiose, ubique. IV.

147. C A L' T H A.

palustris. 1. CAL'THA. *Lin. Sp. Pl. ed.* 3. 784. *Fl. Ang. ed.* 2. 245. *Fl. Scot.* 298. *Wither. Arrang. ed.* 2. 583. *Fl. Lond.* N. 8. Ic. 47.

Anglis, *marsh marigold, meadow bouts*.

Hibernis, Plubairsin, Bearnan,
Bealtaine, Luf buih Beal-
taine.

Inveni in locis aquosis, et ad fluviorum ri-
pas, apud *Long Meadows*, &c. in pratis
et pascuis montosis humidis apud
Howth, prope *Wood-town* et *Stag's-*
town ad radices montium Dublinensium,
et alibi copiose. III.

D I D Y N A M I A.

GYMNOSPERMIA.

148. TEU'CRIMUM.

chamæ'drys. 1. TEU'CRIMUM foliis cuneiformi-ova-
tis inciso-crenatis petiolatis, floribus
ternis, caulibus procumbentibus sub-
pilosis. *Sp. Pl. ed.* 3. 790. *Fl.*
Ang. ed. 2. 247. *Witber. Arrang.*
ed. 2. 592.

Anglis, 'common germander.

Hibernis,

Hibernis,

Inveni in marginibus agrorum fatis ab
ædibus remotum apud *Green-hills* via
ad *Tallaght* ducente. VII.

scorodónia. 2. TEU'CRIUM foliis cordatis ferratis
petiolatis, racemis lateralibus fecun-
dis, caule erecto. *Lin. Sp. Pl. ed.*
3. 789. *Fl. Ang. ed.* 2. 248. *Fl.*
Scot. 303. *With. Arrang. ed.* 2. 591.
Fl. Lond. N. 50. *Ic.* 299.

Anglis, *wood germander*, *wood sage*.

Hibernis,

Inveni in ericetis, et inter rupes abunde,
apud *Howth*, et ad latera et radices
montium Dublinensium ubique. VII.

149. A' J U G A.

rep'tans. 1. A'JUGA glabra, stolonibus reptantibus.
Lin. Sp. Pl. ed. 3. 785. *Fl. Ang.*
ed. 2. 248. *Fl. Scot.* 302. *Wither.*
Arrang. ed. 2. 589. *Fl. Lond. N.*
14. *Ic.* 81.

X 2

Anglis,

Anglis, *common bugle*.

Hibernis, *Glaſſar heile*.

Inveni in ſylva *Luttrell's-town* abunde,
et ad foſſarum latera inter *Finglas* et
Cappogh, et alibi. V.

150. *VERBENA*.

officinális. 1. VERBENA ſpicis filiformibus pani-
culatis, foliis multifido-lanceolatis,
caule ſolitario. *Lin. Sp. Pl. ed. 3.*
29. Fl. Ang. ed. 2. 249. Wither.
Arrang. ed. 2. 595. Fl. Lond. N. 5.
Ic. 28.

Anglis, *common vervain, ſimpler's joy*.

Hibernis, *Cruba Leoin*.

Inveni ſecundum vias publicas prope *Lut-
trell's-town*, et ad radices collis *Knockma-
roon*, apud *Dalkey* juxta muros templi
antiqui, prope *Swords*, in paſtibus com-
munibus prope *Bray*, juxta pontem *Fing-
las* occidentem verſus, et alibi. VII.

151. *MENTHA*.

151. M E N' T H A.

aquat'ica. 1. MEN'THA spicis capitatis; foliis ovatis ferratis petiolatis, flaminibus corolla longioribus. *Lin. Sp. Pl. ed. 3.* 805. *Fl. Ang. ed. 2.* 252. *Fl. Scot.* 305. *Wither. Arrang. ed. 2.* 598.

Anglis, *water mint*.

Hibernis, *Cartloinn*.

Inveni passim secundum rivos et in locis humidioribus, præsertim apud *Phoenix-Park* abundanter. VII.

152. G L E C O' M A.

hederacea. 1. GLECO'MA foliis reniformibus crenatis. *Lin. Sp. Pl. ed. 3.* 807. *Fl. Ang. ed. 2.* 254. *Fl. Scot.* 307. *With. Arrang. ed. 2.* 603. *Fl. Lond. N.* 24. *Ic.* 141. *Fl. Rustica N.* 21. *Ic.* 61. *Med. Bot. p.* 84. *Ic.* 28.

Anglis,

Anglis, *common ground ivy, cat's foot, ale-hoof, tun-hoof.*

Hibernis, *Athair Lus.*

Inveni in fylva *Luttrel's-sown* copiosissime, et ad fepes et macerias alibi frequenter. IV.

153. *L A' M I U M.*

album. 1. *LA'MIUM* foliis cordatis acuminatis ferratis petiolatis, verticillis vigintifloris. *Lin. Sp. Pl. ed. 3. 809. Fl. Ang. ed. 2. 255. Fl. Scot. 308. Wither. Arrang. ed. 2. 604. Fl. Lond. N. 20. Ic. 119. Fl. Rustica N. 9. Ic. 26.*

Anglis, *white archangel, white dead nettle.*

Hibernis, *Deantog Gharabh, Deantog chaech.*

Inveni in arvis requietis, ad fepes et macerias, inque locis ruderatis et hortorum areis. IV.

purpureum.

purpureum. 2. LA'MIUM foliis cordatis obtusis petiolatis. *Lin. Sp. Pl. ed. 3.* 809. *Fl. Ang. ed. 2.* 255 *Fl. Scot.* 309. *Wither. Arrang. ed. 2.* 605 *Fl. Lond. N. 8. Ic.* 45. *Fl. Rustica N. 9 Ic.* 25.

Anglis, *red archangel, red dead nettle, dee-nettle.*

Hibernis, *Deantog Ogharabh.*

Inveni cum priore frequenter. III.

amplexicaule. 3. LA'MIUM foliis floralibus sessilibus amplexicaulibus obtusis. *Lin. Sp. Pl. ed. 3.* 809. *Fl. Ang. ed. 2.* 255. *Fl. Scot.* 309. *Wither. Arrang. ed. 2.* 606. *Fl. Lond. N. 19. Ic.* 114.

Anglis, *perfoliate archangel, great hen-bit.*

Hibernis, *Deantog Chaech.*

Inveni cum priore, sed rarius. V.

'154. GALEOP'SIS.

lad'anum. 1. GALEOP'SIS internodiis caulinis æqualibus, verticillis omnibus remotis. *Lin. Sp. Pl. ed. 3. 810. Fl. Ang. ed. 2. 256. Wither. Arrang. ed. 2. 607.*

Anglis, *red dead nettle or nettle hemp.*

Hibernis,

Inveni inter fegetes apud *Malahide* juxta littus abundanter, et alibi; ad viam publicam in aggeribus sepium et agrorum marginibus inter *Chapelizod* et *Luttrel's-town*, et alibi copiose. VIII.

tet'rabit. 2. GALEOP'SIS internodiis caulinis fuperne incrassatis, verticillis summis contiguis. *Lin. Sp. Pl. ed. 3. 810. Fl. Ang. ed. 2. 257. Fl. Scot. 310. With. Arrang. ed. 2. 608.*

Anglis, *common dead nettle or nettle hemp.*

Hibernis,

Inveni cum priore frequenter. VII.

galeob'dclon.

galeob'dolon. 3. GALEOP'SIS verticillis sexfloris involucro tetraphyllo. *Lin. Sp. Pl. ed. 3.* 810. *Fl. Scot.* 310. *Galeob'dolon luteum.* *Fl. Ang. ed. 2.* 258. *Wither. Arrang. ed. 2.* 610. *Galeob'dolon Galeop'fis.* *Fl. Lond. N.* 42. *Ic.* 248.

Anglis, yellow archangel, yellow dead-nettle.

Hibernis,

Inveni in fylva *Luttrel's-town*, et ad sepas inter *Ballibogil-Bridge* et *Ash-Town*, et juxta *Cardiff's-Bridge*, australi parte. V.

155. S T A' C H Y S.

fylvat'ica. 1. STA'CHYS verticillis sexfloris, foliis cordatis petiolatis. *Lin. Sp. Pl. ed. 3.* 811. *Fl. Ang. ed. 2.* 259. *Fl. Scot.* 312. *Wither. Arrang. ed. 2.* 612. *Fl. Lond. N.* 31. *Ic.* 184.

Anglis, *hedge nettle*.

Hibernis,

Inveni in sylvis et sepibus frequenter.

VI.

palus'tris. 2. STA'CHYS verticillis sexfloris, foliis lineari-lanceolatis femiamplexicaulibus. *Lin. Sp. Pl. ed.* 3. 811. *Fl. Ang. ed.* 2. 259. *Fl. Scot.* 313. *Wither. Arrang. ed.* 2. 613. *Fl. Lond.* N. 35. *Ic.* 207.

Anglis, *clown's all-beal, cloven's woundwort*.

Hibernis,

Inveni ad fluvios et in locis aquosis nonnunquam, præsertim inter *Milltown* et *Rathmines*, prope *Mueden* juxta *Swords*, inter *Knockmaroon* et *Lucan*, et alibi. VII.

156. *B A L L O' T A.*

nigra. 1. *BALLO'TA* foliis cordatis indivisis serratis, calycibus acuminatis. *Lin. Sp. Pl. ed. 3.* 814. *Fl. Ang. ed. 2.* 260. *Fl. Scot.* 314. *With. Arrang. ed. 2.* 615. *English Botany* N. 16. *Ic.* 46.

Anglis, *stinking borehound.*

Hibernis, *Graſan.*

Inveni in ruderatis et ad ſepes, præſertim apud *Howth* prope cænobium vetuſtum, juxta *Kilgobbin*, *Rathmines*, *Bullock*, et alibi. VII.

alba. 2. *BALLO'TA* foliis cordatis indivisis serratis, calycibus ſubtruncatis. *Lin. Sp. Pl. ed. 3.* 814. *B. nigra var. β.* *Fl. Ang. ed. 2.* 260.

Anglis, *white ſtinking borehound.*

Hibernis,

Inveni in ruderatis nonnunquam cum priore. VII.

157. ORIG'ANUM.

vulgäre. 1. ORIG'ANUM spicis subrotundis, paniculis conglomeratis, bracteis calyce longioribus ovatis. *Lin. Sp. Pl. ed.* 3. 824. *Fl. Ang. ed.* 2. 262. *Fl. Scot.* 317. *Wither. Arrang. ed.* 2. 621. *Fl. Lond. N.* 57. *Ic.* 341. *Med. Bot.* p. 451. *Ic.* 164.

Anglis, *wild marjoram.*

Hibernis,

Inveni in sepibus copiosissime circa *Roe-buck*, super monte *Knockmaroon*, et alibi. VIII.

158. THY'MUS.

serpyllum. 1. THY'MUS floribus capitatis, caulibus decumbentibus, foliis planis obtusis. *Lin. Sp. Pl. ed.* 3. 825. *Fl. Ang. ed.* 2. 262. *Fl. Scot.* 318. *Wither. Arrang. ed.* 2. 623. *Flora Lond. N.* 13. *Ic.* 74. *Med. Bot.* p. 301. *Ic.* 110.

Anglis

Anglis, *wild thyme, mother of thyme.*

Hibernis,

Inveni in montosis, pascuis ficcioribus,
ericetis, et in formicarum tumulis ubi-
que. VI.

159. PRUNEL'LA.

vulgaris. 1. PRUNEL'LA foliis omnibus ovato-
oblongis petiolatis. *Lin. Sp. Pl. ed.*
3. 837. *Fl. Ang. ed.* 2. 264. *Fl.*
Scot. 321. *Wither. Arrang. ed.* 2.
631. *Fl. Lond. N.* 38. *Ic.* 226.

Anglis, *common self-heal.*

Hibernis, Ceannabhan beag, Dub-
han Ceannchosach, Dubha-
muith.

Inveni in pratis, pascuis, et ad vias ubi-
que. VI.

160. *M E L I S' S A.*

calamin'tha. 1. MELIS'SA pedunculis axillaribus
dichotomis longitudine foliorum. *Lin.*
Sp. Pl. ed. 3. 827. *Fl. Ang. ed. 2.*
263. *Wither. Arrang. ed. 2.* 626.

Anglis, *mountain calamint.*

Hibernis,

Inveni in aggeribus sepium prope *Lut-*
trel's-town, et in ruderosis ad sepes
viasque copiose circa radices montis
Knockmaroon. VIII.

D I D Y N A M I A.

A N G I O S P E R M I A.

161. *E U P H R A' S I A.*

edontites. 1. EUPHRA'SIA foliis linearibus om-
nibus serratis. *Lin. Sp. Pl. ed. 3.*
841. *Fl. Scot.* 324. *Wither. Arrang.*
ed.

ed. 2. 636. Fl. Lond. N. 11. Ic. 64.
Bart'sia odontites. Fl. Ang. ed. 2. 268.
Fl. Rust. N. 14. Ic. 42.

Anglis, *red eye-bright.*

Hibernis,

Inveni in pratis et pascuis humidis juxta
Sandymount, Kilgebbin, Swords, et alibi
abundanter. VII.

officinális. 2. EUPHRA'SIA foliis ovatis lineatis ar-
 gute dentatis. *Lin. Sp. Pl. ed. 3.*
841. Fl. Ang. ed. 2. 269. Fl. Scot.
323. Wither. Arrang. ed. 2. 635.
Fl. Lond. N. 57. Ic. 338.

Anglis, *common eye-bright.*

Hibernis, *Raidhircin, Bactmin Raid-*
hrc, Buifnin Raidhrc Lin Raid-
hrc, Glan ruisce.

Inveni in pratis et pascuis ficcioribus, præ-
 fertim apud *Phanix-Park, Killbar-*
rick, Howeth, super Dublin-Mountains
et prope eorundem radices, at alibi
abundanter. VII.

162. RHINAN'THUS.

cris'ta-galli. 1. RHINAN'THUS corollarum labio superiore compresso brevior. *Lin. Sp. Pl. ed. 3. 840. Fl. Ang. ed. 2. 268. Fl. Scot. 322. Wither Arrang. ed. 2. 634. Fl. Lond. N. 55. Ic. 326.*

Anglis, *yellow rattle, penny-grafs, coxcomb, cockscomb.*

Hibernis, *Bodanae Chloigin.*

Inveni in pratis et pascuis sterilioribus abundanter. V.

163. MELAMPY'RUM.

sylvaticum. 1. MELAMPY'RUM floribus secundis lateralibus, conjugationibus remotis, corollis hiantibus. *Lin. Sp. Pl. ed. 3. 843. Fl. Ang. ed. 2. 270. Fl. Scot. 325. Wither. Arrang. ed. 2. 641.*

Anglis,

Anglis, *yellow cow-wheat*.

Hibernis,

Inveni super montes Dublinenses copiose,
et in sylvis *Luttrel's-town*, *Santry*, et
Phœnix-Park. VI.

164. P E D I C U L A' R I S.

palus'tris. 1. PEDICULA'RIS caule ramoso, caly-
cibus calloso-punctatis, corollis labio
obliquis. *Lin. Sp. Pl. ed.* 3. 845.
Fl. Ang. ed. 2. 270. *Fl. Scot.* 326.
Wither. Arrang. ed. 2. 643.

Anglis, *marsh louse-wort*.

Hibernis,

Inveni in paludosis udisque pratis, super
montes Dublinenses, et alibi copiose.
VI.

sylvat'ica. 2. PEDICULA'RIS caule ramoso, caly-
cibus oblongis angulatis lævibus, co-
rollis labio cordato. *Lin. Sp. Pl. ed.*
3. 845. *Fl. Ang. ed.* 2. 271. *Fl. Scot.*
327. *With. Arrang. ed.* 2. 644.

Z

Anglis,

Anglis, *common louse-wort*.

Hibernis, *Maethlan mona, Lus ri-
abhach, Lus an giolla, Riab-
haigh, Milhan Monah.*

Inveni cum priore frequenter. IV.

165. *ANTIRRHINUM*.

linaria. I. *ANTIRRHINUM* foliis lanceolato-
linearibus confertis, caule erecto,
spicis terminalibus sessilibus, flori-
bus imbricatis. *Lin. Sp. Pl. ed. 3.*
858. Fl. Ang. ed. 2. 273. Fl. Scot.
328. Wither. Arrang. ed. 2. 648.
Fl. Lond. N. 5. Ic. 25.

Anglis, *common toad-flax*.

Hibernis,

Inveni ad viam publicam inter *Rath-
mines* et *Milltown*, juxta flumen
Dodder boream versus, et in steri-
lioribus arenosis apud *Liffon-hall* ad-
versus *Malabide*. VII.

major.

május. 2. ANTIRRHI'NUM corollis ecaudatis,
floribus spicatis, capsulis rotundatis.
Lin Sp. Pl. ed. 3. 859. *Fl. Ang.*
ed. 2. 274. *Wither. Arrang. ed. 2.*
650. *English Botany N.* 34. *Ic.* 129.

Anglis, *snappedragon*.

Hibernis, *Sríumb na Laogh*.

Inveni in muros antiquos hortis vicinos
frequenter; ortum vero, ut suspicor,
feminibus hortensibus trahens. VI.

166. SCROPHULA'RIA.

vodósa. 1. SCROPHULA'RIA foliis cordatis tri-
nervatis, caule obtusangulo. *Lin.*
Sp. Pl. ed. 3. 863. *Fl. Ang. ed.*
2. 274. *Fl. Scot.* 329. *With. Arrang.*
ed. 2. 651.

Anglis, *great fig-wort, kernel-wort*.

Hibernis, *Fothrum, Dun Lus, Sa-*
tach dubh, Lus na Ccnapan.

Inveni in sylvis, dumetis, et sepibus pas-
sim. VI.

aquatica. 2. SCROPHULARIA foliis cordatis petiolatis decurrentibus obtusis, caule membranis angulato, racemis terminalibus. *Lin. Sp. Pl. ed. 3.* 864. *Fl. Ang. ed. 2.* 275. *Fl. Scot.* 329. *Wither. Arrang. ed. 2.* 652. *Fl. Lond. N. 49. Ic.* 290.

Anglis, *water betony*.

Hibernis,

Inveni ad ripas fluviorum et in ipsis aquis in *Long-Meadows*, inter *Cardiff's-Bridge* et *Ash-Town*, et alibi, copiose. VI.

167. DIGITALIS.

purpurea. 1. DIGITALIS calycinis foliolis ovatis acutis, corollis obtusis, labio superiore integro. *Lin. Sp. Pl. ed. 3.* 866. *Fl. Ang. ed. 2.* 275. *Fl. Scot.* 330. *Wither. Arrang. ed. 2.* 654. *Fl. Lond. N. 11. Ic.* 65. *Med. Bot. p. 71. Ic.* 24.

Anglis,

Anglis, *purple foxglove*.

Hibernis, *Hearacan, Siiothan Hear-
acan na mna Sighe*.

Inveni ad vias et fepes inter *Killgobbin Scalp*
et *Glancullen* copiose, apud collem
Grange ad radices montium Dublin-
ensium, et apud collem *Tallaght* juxta
viam ad *Blessington* ducentem. VI.

TETRADYNAMIA.

SILICULOSA.

168. *D R A' B A.*

ver'na. 1. DRA'BA scapis nudis, foliis lanceolatis
subincisis. *Lin. Sp. Pl. ed. 3.* 896.
Fl. Ang. ed. 2. 278. *Fl. Scot.* 337.
Wither. Arrang. ed. 2. 668. *Fl. Lond.*
N. 2. Ic. 7.

Anglis, *common whitlow-grass*.

Hibernis,

Hibernis,

Inveni super muros antiquos in australo-occidentali parte, *Phœnix-Park*, inter *Sarah's-Bridge* et *Chapelizod* abundanter, in aggeribus ficcioribus *North Wall* copiose, et alibi.
III.

169. *THLASPI*.

campestre. 1. *THLASPI* filiculis subrotundis, foliis sagittatis dentatis incanis. *Lin. Sp. Pl. ed.* 3. 903. *Fl. Ang. ed.* 2. 281. *Fl. Scot.* 341. *Witker. Arrang. ed.* 2. 674. *Fl. Lond. N.* 51. *lc.* 304.

Anglis, *bastard cress*, *mithridate mustard*.

Hibernis, *Garbh raithesoch*.

Inveni in locis apricis, solo arenoso gaudens apud *Howth*, *Dublin Mountains*, inter *Killgobbin* et *Glancullen*, et alibi. VI.

arvense. 2. *THLASPI* filiculis orbiculatis, foliis oblongis dentatis glabris. *Lin. Sp. Pl.*

*Pl. ed. 3. 901. Fl. Ang. ed. 2. 281.
Fl. Scot. 340. Wither. Arrang. ed. 2.
673. Fl. Lond. N. 62. Ic. 367*

*Anglis, treacle mustard, penny cress, bast-
ard cress or mustard.*

*Hibernis, Praiseach Siabh, Prais-
each na Ccaeragh.*

*Inveni in agris requietis copiose
Bray, et alibi. VI.*

*burfa pastóris. 3. THLASPI filiculis obcordatis, fo-
liis radicalibus pinnatifidis. Lin. Sp.
Pl. ed. 3. 905. Fl. Scot. 342. Fl.
Ang. ed. 2. 283. Wither. Arrang. ed.
2. 679. Fl. Lond. N. 9. Ic. 52.*

Anglis, sheperd's purse, sheperd's pouch.

*Hibernis, Sraidin, Lus a sparain,
Lus na foia.*

*Inveni fecus vias, in locis desertis et in-
cultis, super muris antiquis, inque
rueribus ubique. II. XI.*

170. COCHLEA'RIA.

officinális. 1. COCHLEA'RIA foliis radicalibus subrotundis, caulinis oblongis subfinuatis. *Lin. Sp. Pl. ed. 3. 903. Fl. Ang. ed. 2. 283. Fl. Scot. 342. With. Arrang. ed. 2. 677. Med. Bot. p. 86. Ic. 29.*

Anglis, *scurvy grafs, scrooby grafs.*

Hibernis, *Biolar Cragha.*

Inveni ad litus maris variis in locis, præsertim apud *Black Rock, Dunleary, Bullock, Dalkey, Howth, &c.* ubi e scopulorum fissibus exit. IV.

Groenlan'dica. 2. COCHLEA'RIA foliis reniformibus carnosissimis integerrimis. *Lin. Sp. Pl. ed. 3. 904. Fl. Ang. ed. 2. 383. var. γ. Fl. Scot. 344. With. Arrang. ed. 2. 678, 679.*

Anglis, *Greenland scurvy grafs.*

Hibernis,

Inveni cum priore passim. IV.

Dánica.

Dánica. 3. COCHLEA'RIA foliis hastatis angulatis. *Lin. Sp. Pl. ed. 3. 903. Fl. Ang. ed. 2. 284. Fl. Scot. 343. With. Arrang. ed. 2. 679.*

Anglis, *Danish scurvy grafs.*

Hibernis,

Inveni cum cochlearia officinali interdum, in littoribus maritimis solo lutoſo gaudentem abundanter, inter *Beggar's-buſh* et *Irish-town* prope pontem *Ring's-end.* V.

corónopus. 4. COCHLEA'RIA foliis pinnatifidis. *Lin. Sp. Pl. ed. 3. 904. Fl. Ang. ed. 2. 284. Fl. Scot. 345. Wither. Arrang. ed. 2. 680.*

Anglis, *ſwine's creſſes or ſcurvy grafs.*

Hibernis,

Inveni in locis uliginofis, et ad vias paſſim, præfertim viam ad *Rathfarnham* ducentem. VII.

TETRADYNAMIA.

SILIQUOSA.

171. *ERYSIMUM*.

officinále. 1. *ERYSIMUM* filiquis spicæ adpressis,
foliis runcinatis. *Lin. Sp. Pl. ed. 3.*
922. *Fl. Ang. ed. 2.* 286. *Fl. Scot.*
354. *Wither. Arrang. ed. 2.* 695. *Fl.*
Lond. N. 55. Ic. 328.

Anglis, *common hedge-mustard, bank cresses,*
scrambling rocket.

Hibernis, *Gael* *Isa Garb raith-*
cath.

Inveni ad fepes et muros, inque locis ru-
deratis ubique. IV.

barbárea. 2. *ERYSIMUM* foliis lyratis, extimo
subrotundo. *Lin. Sp. Pl. ed. 3.*
922. *Fl. Ang. ed. 2.* 286. *Fl.*
Scot. 355. *Wither. Arrang. ed. 2.*
696.

Anglis,

Anglis, *winter cresses, winter rocket.*

Hibernis, *Crabach.*

Inveni in muros, aggeres juxta rivulos
ubique, non raro etiam in campestri-
bus cultis IV.

alliaria. 3. ERYSIMUM foliis cordatis. *Lin. Sp.*
Pl. ed. 3. 922. *Fl Ang. ed.* 2. 286.
Fl. Scot. 356. *With. Arrang. ed.* 2.
696. *Fl. Lond. N.* 24. *Ic.* 140.

Anglis, *stinking hedge-mustard, Jack-by-
the-hedge, sauce-alone.*

Hibernis, *Ba Cuineall, Garb Raith-
each, Gairealach Collain.*

Inveni in sepibus, umbrosis, et ruderosis
passim. IV.

172. CHEIRANTHUS.

cheiri. 1. CHEIRANTHUS foliis lanceolatis acu-
tis glabris, ramis angulatis. *Lin. Sp.*
Pl. ed. 3. 924. *Fl Ang. ed.* 2. 287.
Fl. Scot. 357. *Wither. Arrang. ed.* 2.
699.

Anglis, *common wall-flower*.

Hibernis,

Inveni super muros vetustos juxta pontem
Milltown copiose, et alibi. IV.

173. R A P H' A N U S.

raphanistrum. I. RAPH'ANUS filiquis teretibus articulatis lævibus unilocularibus. *Lin. Sp. Pl. ed. 3. 935. Fl. Ang. ed. 2. 289. Fl. Scot. 362. With. Arrang. ed. 2. 715. Fl. Lond. N. 45. Ic. 270. Fl. Rustica N. 24. Ic. 71.*

Anglis, *corn radish, charlock*.

Hibernis, *Práiseach*.

Inveni inter segetes frequenter. VI.

174. *BRAS'SICA*.

nápus. 1. *BRAS'SICA* radice caulescente fusiforme.
Lin. Sp. Pl. ed. 3. 931. Fl. Ang. ed. 2. 290. Fl. Scot. 359. Wither. Arrang. ed. 2. 707.

Anglis, *wild cabbage, rape, nape, navew.*

Hibernis, *Práiseach buidhe.*

Inveni in aggeribus fossarum ubique.
 IV.

175. *CARDAM'INE*.

praten'sis. 1. *CARDAM'INE* foliis pinnatis, foliolis radicalibus subrotundis, caulinis lanceolatis. *Lin. Sp. Pl. ed. 3. 915. Fl. Ang. ed. 2. 294. Fl. Scot. 349. Wither. Arrang. ed. 2. 688. Fl. Lond. N. 30, Ic. 178. Med. Bot. p. 89. Ic. 30.*

Anglis, *common lady's smock, cuckow-flower.*

Hibernis,

Hibernis, Gleoran, Billar Grian-
gain.

Inveni in pratis, locis humidis, et ad ri-
vulos ubique. IV.

hirsuta. 2. CARDAM'INE foliis pinnatis, flori-
bus tetrandis. *Lin. Sp. Pl. ed. 3.*
915. *Fl. Ang. ed. 2.* 295. *Fl. Scot.*
348. *Wither. Arrang. ed. 2.* 688. *Fl.*
Lond. N. 47. *Ic.* 277.

Anglis, *hairy leaved lady's smock.*

Hibernis, Gleoran.

Inveni super muros antiquos, in pratis
et pascuis, inque locis umbrosis humi-
dis ubique. III.

176. SISYM'BRIUM.

acutifolium 1. SISYM'BRIUM filiquis declinatis,
equale. foliis pinnatis, foliolis subrotundis.
Lin. Sp. Pl. ed. 3. 916. *Fl. Scot.*
350. *Fl. Ang. ed. 2.* 296. *Wither.*
Arrang. ed. 2. 690. *Fl. Lond. N.*
61. *Ic.* 366. *Med. Botany p.* 134.
 Ic. 48.

Anglis,

Anglis, *common water cress*.

Hibernis, *Biolar*.

Inveni in vadis, et prope rivulos ubique.
V.

sóphia. 2. SISYM'BRIUM petalis calyce minori-
bus, foliis decomposito-pinnatis. *Lin.*
Sp. Pl. ed. 3. 920. *Fl. Ang. ed. 2.*
297. *Fl. Scot.* 354. *Wither. Arrang.*
ed. 2. 693. *Flora Rustica N.* 19.
Ic. 57.

Anglis, *flix weed*.

Hibernis, *fineal Guire*.

Inveni in ruderatis locis, lapidosis et
arenosis, et super vetustas macerías
frequenter. VI.

177. SINA'PIS.

arven'sis. 1. SINA'PIS filiquis multangulis toroso-
turgidis rostro longioribus. *Lin. Sp.*
Pl. ed. 3. 933. *Fl. Ang. ed. 2.* 298.
Fl. Scot. 360. *Wither. Arrang. ed. 2.*
712. *Fl. Lond. N.* 54. *Ic.* 322.

Anglis,

Anglis, *wild mustard, charlock, chadlock, corn cale.*

Hibernis, *Praitheagh Garuh, Gas na Cconnachta, Garabhog, Garbh Baitheach.*

Inveni in locis ruderosi ubique. IV.

178. B U' N I A S.

cakile. 1. BU'NIAS filiquis ovatis lævibus ancipitibus. *Lin. Sp. Pl. ed. 3. 936. Fl. Ang. ed. 2. 298. Fl. Scot. 363. Wither. Arrang. ed. 2. 716.*

Anglis, *sea rocket.*

Hibernis,

Inveni in arenosis littoribus inter *Sandymount* et *Merrion*, apud *Sheds-of-Clontarf* et *Howth*, et apud *Killenny-Bay*. VI.

179. C R A M' B E.

179. C R A M' B E.

marit'ima. 1. CRAM'BE foliis cauleque glabris.
Lin. Sp. Pl. ed. 3. 937. Foliis sub-
rotundo-ovatis undulatis carnosis. Fl.
Ang. ed. 2. 299. Fl. Scot. 364.
Wither. Arrang. ed. 2. 718.

Anglis, *sea colewort.*

Hibernis, *Baitheach Tragha, Prais-*
each tragha.

Inveni in arenosis littoribus apud
Merrion, Dunleary, et juxta War-
ren-House via ad Howth ducente.
 V.

MONADELPHIA.

DECANDRIA.

180. GERA'NIUM.

cicutarium. 1. GERA'NIUM pedunculis multifloris,
 floribus pentandris, foliis pinnatis in-
 cisis obtusis. *Lin. Sp. Pl. ed.* 3. 951.
Fl. Ang. ed. 2. 300. *Fl. Scot.* 366.
Wither. Arrang. ed. 2. 722. *Fl. Lond.*
N. 9. Ic. 53.

Anglis, *hemlock crane's bill*.

Hibernis,

Inveni in pratis et aggeribus arenosis,
 prope littus inter *Sheds-of-Clontarf*
 et *Howth* copiosissime, et alibi. IV.

moschatum. 2. GERA'NIUM pedunculis multifloris,
 floribus pentandris, foliis pinnatis in-
 cisis, cotyledonibus pinnatifidis. *Lin.*
Sp. Pl. ed. 3. 951. *Fl. Ang. ed.* 2.
 300. *Wither. Arrang. ed.* 2. 725.

Anglis,

Anglis, *musked crane's bill*.

Hibernis,

Inveni ad radices muri hortensis domini *Donnellan*, fecus viam publicam *Artane*, et prope *Dunleary*; in muros antiquos cum draba verna, inter *Sarab's-Bridge* et *Chapelizod*; apud pastus communes *Bray*, et juxta *Warren-House*. IV.

mol'le. 3. GERA'NIUM pedunculis bifloris, foliisque floralibus alternis, caule ramoso erectiusculo, calycibus muticis. *Lin. Sp. Pl. ed. 3.* 955. *Fl. Ang. ed. 2.* 303. *Fl. Scot.* 370. *Wither. Arrang. ed. 2.* 731. *Fl. Lond. N.* 24. *lc.* 144. et *N.* 64. *lc.* 381.

Anglis, *common dove's foot crane's bill*.

Hibernis,

Inveni ad sepes et semitas, inque locis sabulosis passim. IV.

Columbinum. 4. GERA'NIUM pedunculis bifloris, folio longioribus, foliis quinquepartito-multifidis, laciniis acutis, arillis glabris, calycibus aristatis. *Lin. Sp.*

Pl. ed. 3. 956. Fl. Ang. ed. 2. 304. Fl. Scot. 371. Wither. Arrang. ed. 2. 731.

Anglis, *long-stalked dove's foot crane's bill.*

Hibernis, *Creachtach dhcarg.*

Inveni in pascuis, arvis, et ad sepēs passim.
V.

dissec'tum. 5. GERA'NIUM pedunculis bifloris, foliis quinquepartito-trifidis, petalis emarginatis longitudine calycis, arillis villosis. *Lin. Sp. Pl. ed. 3. 956. Fl. Ang. ed. 2. 304. Wither. Arrang. ed. 2. 732. Fl. Lond. N. 65. Ic. 387.*

Anglis, *jagged-leaved dove's foot crane's bill.*

Hibernis,

Inveni in pascuis sterilioribus, locis glareosis, et ad sepēs passim, nec non in arvis requietis præsertim inter *Knockmaroon* et *Luttrel's-town*. VI.

Robertianum. 6. GERA'NIUM pedunculis bifloris, calycibus pilosis decemangularibus. *Lin. Sp. Pl. ed. 3. 955. Fl. Ang. ed.*

*ed. 2. 305. Fl. Scot. 369. Wither.
 Arrang. ed. 2. 729. Fl. Lond. N.
 10. Ic. 57.*

*Anglis, sinking crane's bill, herb Robert,
 stock-bill.*

*Hibernis, Earbal Bigh, Bial Cuil,
 Rian Bigh, Creachtach.*

*Inveni ad fepes ubique, super saxofos mu-
 ros, et in locis ruderatis. IV.*

*sanguineum. 7. GERA'NIUM pedunculis unifloris,
 foliis quinquepartitis trifidis orbicu-
 latis. Lin. Sp. Pl. ed. 3. 958. Fl.
 Ang. ed. 2. 305. Fl. Scot. 372. Wither.
 Arrang. ed. 2. 734.*

Anglis, bloody crane's bill.

Hibernis, Creachtach dhearg.

*Inveni in dumetis, præsertim montosis
 adjacente solo arenoso, ad littus in
 Howth prope lavacrum, et in Killeny-
 Bay copiose. VII.*

MONADELPHIA.

POLYANDRIA.

181. MAL'VA.

folioef'tris. 1. MAL'VA caule erecto herbaceo, foliis septemlobatis acutis, pedunculis petiolisque pilosis. *Lin. Sp. Pl. ed. 3.* 969. *Fl. Ang. ed. 2.* 307. *Fl. Scot.* 375. *Witber. Arrang. ed. 2.* 738. *Fl. Lond. N.* 15. *Ic.* 89. *Med. Bot. p.* 148. *Ic.* 54.

Anglis, *common mallow.*

Hibernis, *Ucas Siihain*, Lus na míol
Mer.

Inveni ad sepes et semitas, inque locis ruderatis ubique. VI.

rotundifolia. 2. MAL'VA caule prostrato foliis cordato-orbiculatis obsolete quinquelobis, pedunculis fructiferis declinatis. *Lin. Sp. Pl. ed. 3.* 969. *Fl. Ang. ed. 2.* 307. *Fl. Scot.* 374. *Witber. Arrang.*

*Arrang ed. 2. 737. Fl. Lond. N. 27.
Ic. 159.*

Anglis, *dwarf mallow.*

Hibernis, *Ucas Francach.*

Inveni cum priore frequenter, sed præcipue circa *Warren House, North-Wall, Rabeny, Howth*, et alibi. VI.

DI A D E L P H I A.

HE X A N D R I A.

182. F U M A' R I A.

officinális. 1. FUMA'RIA pericarpis monospermis racemosis, caule diffuso. *Lin. Sp. Pl. ed. 3. 984. Fl. Ang. ed. 2. 309. Fl. Scot. 379. Wither. Arrang. ed. 2. 751. Fl. Lond. N. 19. Ic. 112. Fl. Rustica N. 23. Ic. 68. Med. Bot. p. 241. Ic. 88.*

Anglis, *officinal fumitory.*

Hibernis, *Camian Scarraigh, Derag talnhan, Mantatach, Fusain a tflorraigh.*

Inveni in sepibus, aggeribus, terrenis hortis, et ad muros frequenter. IV.

DI A D E L

D I A D E L P H I A.

O C T A N D R I A.

183. P O L Y G ' A L A.

vulgaris. 1. POLYG'ALA floribus cristatis racemosis, caulibus herbaceis simplicibus procumbentibus, foliis linearilanceolatis. *Lin. Sp. Pl. ed.* 3. 986. *Fl. Ang. ed.* 2. 310. *Fl. Scot.* 381. *Wither. Arrang. ed.* 2. 744. *English Botany* N. 25. *Ic.* 76.

Anglis, *milk-wort.*

Hibernis, Lus Baine, Lus an Chaine.

Inveni in pascuis ficcioribus et montosis ubique. IV.

DI A D E L P H I A.

DECANDRIA.

184. SPAR'TIUM.

scoparium. 1. SPAR'TIUM foliis ternatis solitariisque, ramis inermibus angulatis.
Lin. Sp. Pl. ed. 3 996. *Fl. Ang. ed. 2.* 310 *Fl. Scot.* 382. *Wither. Arrang. ed. 2.* 756. *Fl. Lond. N.* 60. *Ic.* 356 *Med. Bot. p.* 243. *Ic.* 89.

Anglis, *common broom.*

Hibernis, Giolcach, Giolcach Shleithe.

Inveni circa *Simmon's-court* inter *Ball's-bridge* et *Merrion* copiose, et alibi.
 V.

185. U' L E X.

Europæ'us. 1. U'LEX foliis villosis acutis, spinis sparsis. *Lin. Sp. Pl. ed. 3.* 1045. *Fl. Ang. ed. 2.* 312. *Fl. Scot.* 385. *With. Arrang. ed. 2.* 760.

Anglis, *common furze, whin, gorse.*

Hibernis, *Aiteann.*

Inveni in locis fabulosis sterilioribus, in ericetis et pascuis ubique. II. XI.

186. O N O' N I S.

spinosa. 1. ONO'NIS floribus racemosis geminis, foliis ternatis superioribus solitariis, ramis *inermibus*, subvillosis. *Lin. Sp. Pl. ed. 3.* 1006. *var. α. O. inermis. Fl. Ang. ed. 2.* 312. *var. α. O. arven'sis. Fl. Scot.* 386. *Wither. Arrang. ed. 2.* 763.

Anglis, *rest-harrow, cammock.*

Hibernis,

Hibernis, *Sreann bo, Sreann tear-
ran, Triantaran.*

Inveni in agrorum marginibus, in arvis
et pascuis sterilioribus, inque litto-
ribus maritimis arenosis ubique fere.
VI.

187. *ANTHYL' LIS.*

vulneraria. 1. *ANTHYL' LIS* herbacea, foliis pinna-
tis inæqualibus, capitulo duplicato.
Lin. Sp. Pl. ed. 3. 1012. Fl. Ang.
ed. 2. 312. Fl. Scot. 387. Wither.
Arrang. ed. 2. 765. English Botany
N. 30. Ic. 104.

Anglis, kidney-vetch, ladies-finger.

Hibernis,

Inveni in arvis arenosis apud *North* et
South Walls, juxta *Finglafs* pontem,
super collem *Knockmaroon*, et alibi
copiose. VI.

183. O R' O B U S.

tuberósus. 1. OR'OBUS foliis pinnatis lanceolatis,
 sti

lis
 ulis semisagittatis, caule simplici.
Lin. Sp. Pl. ed. 3. 1028 Fl. Ang.
ed. 2. 314. Fl. Scot. 388. With. Arrang. ed. 2. 76. Fl. Lond. N.
4. 1c. 22.

Anglis, wood pease, heath pease.

Hibernis,

Inveni in dumetis, præsertim montosis,
 juxta *Wood-town* et *Stag's-town* *Dublin* Mountains. V.

189. L A T H Y R U S.

pratensis. 1. LATHYRUS pedunculis multifloris,
 cirrhis diphyllis simplicissimis; foliis
 lanceolatis. *Lin. Sp. Pl. ed. 3.*
1033. Fl. Ang. ed. 2. 317. Fl. Scot.
391. With. Arrang. ed. 2. 771.
Fl. Lond. N. 29. 1c. 173. Fl. Rustica
N. 18. 1c. 52.

Anglis,

Anglis, *tare everlasting, common yellow*
vet. bling.

Hibernis, *Dis Ehuiche.*

Inveni in dumetis et sepibus, haud raro
etiam in pratis et pascuis. VII.

190. *V I C I A.*

cracca. 1. *VICIA* pedunculis multifloris, flori-
bus imbricatis, foliis lanceolatis
pubescentibus, stipulis integris. *Lin.*
Sp. Pl. ed. 3. 1035. Fl. Ang. ed.
2. 317. Fl. Scot. 394. Wither.
Arrang. ed. 2. 775. Fl. Lond. N.
54. Ic. 319.

Anglis, *tufted vetch.*

Hibernis,

Inveni inter fegetes, in dumetis et se-
pibus, etiamque in pratis frequenter.
VI.

flavata. 2. *VICIA* pedunculis multifloris, foliolis
ovalibus, stipulis denticulatis. *Lin.*
Sp. Pl. ed. 3. 1035. Fl. Ang. ed.

2. 318. *Fl. Scot.* 393. *Wither.*
Arrang. ed. 2. 774. *English Botany*
N. 26. *Ic.* 79.

Anglis, tufted wood vetch.

Hibernis,

Inveni in dumetis, præsertim montosis
inter Dalkey et obeliscum Malpas.
VII.

fativa. 3. *VICIA* leguminibus sessilibus erectis,
 foliis retusis, stipulis notatis. *Lin.*
Sp Pl. ed. 3. 1037. *Fl Ang. ed.* 2.
 318. *Fl. Scot.* 395. *With. Arrang.*
ed. 2. 776.

Anglis, vetch, fetch, tare.

Hibernis, Pí is capuill, Pí is dub, Pí is
Pí brachain.

Inveni in dumetis, agris, pratis ficciori-
bus, sepibus, et inter segetes passim,
sed præsertim fecus flumen Dodder
copiose. IV.

lathyroïdes.

latbyroïdes. 4. VIC'IA leguminibus fessilibus folitariis erectis glabris, foliolis senis, inferioribus obcordatis. *Lin. Sp. Pl. ed. 3. 1037. an Ervum soloniense 1040? Fl. Ang. ed. 2. 318. var. γ. Fl. Scot. 396. With. Arrang. ed. 2. 777. English Botany N. 10. Ic. 30.*

Anglis, *spring vetch.*

Hibernis,

Inveni cum priore nonnunquam. V.

191. E R' V U M.

divsūtum. 1. ER'VUM pedunculis multifloris, seminibus globosis binis. *Lin. Sp. Pl. ed. 3. 1039. Fl. Ang. ed. 2. 321. Fl. Scot. 398. With. Arrang. ed. 2. 781. Fl Lond. N. 8. Ic. 48.*

Anglis, *wild tare, fine tare, hairy tare.*

Hibernis,

Inveni inter segetes, et in pratis et arvis arenosis nonnunquam. VI.

192. O R N I-

192 ORNITHOPUS.

perpusillus. 1. ORNITHOPUS foliis pinnatis leguminibus incurvis *Lin Sp. Pl. ed.* 3. 1049. *Fl. Ang. ed.* 2. 321 *Fl. Scot.* 399. *Wither. Arrang. ed.* 2. 728. *Fl. Lond. N* 64 *Ic.* 380.

Anglis, *common bird's foot.*

Hibernis,

Inveni in locis arenosis et glareosis nonnunquam. VII.

193. TRIFO'LIUM.

melilotus. 1. TRIFO'LIUM leguminibus racemosis nudis dispermis rugosis acutis, caule erecto. *Lin. Sp. Pl. ed.* 3. 1078. *Fl. Ang. ed.* 2. 323. *Fl. Scot.* 400. *With. Arrang. ed.* 2. 790. *Flora Rustica N.* 24. *Ic.* 72.

Anglis, *common melilot, king's claver, hart's claver.*

Hibernis, *Blucin Seangan.*

Inveni

Inveni in arvis circa lapicidinam prope pontem *Linglass* copiose, in aggeribus arenosis et dumosis apud *Killeny Bay*, circa pontem *Mayne* appellatam juxta *Balldoyle* abunde, et alibi. IV.

M.

ornithopodioides.

2. TRIFO'LIUM leguminibus nudis octospermis subternis, calyce duplo longioribus, caulibus declinatis. *Lin. Sp. Pl. ed. 3. 1078. Fl. Ang. ed. 2. 324. Fl. Scot. 403. Wither. Arrang. ed. 2. 791. Fl. Lond. N. 21. Ic. 125.*

Anglis, *bird's foot*.

Hibernis, *Crohb eain*.

Inveni in arenosis prope murum borealem dictum, cum arenaria rubra. VI.

répens.

3. TRIFO'LIUM capitulis umbellaribus, leguminibus tetraspermis, caule repente. *Lin. Sp. Pl. ed. 3. 1080. Fl. Scot. 404. Fl. Ang. ed. 2. 324. Wither. Arrang. ed. 2. 792. Fl. Lond. N. 33. Ic. 193. Flora Rustica N. 12. Ic. 34.*

Anglis, *creeping white trefoil, Dutch trefoil, white honey suckle.*

Hibernis, *Seamair bhan, Seamrog.*

Inveni in pratis et pascuis ubique. V.

pratense. 4. TRIFO'LIUM spicis globosis villosis, cinctis stipulis oppositis membrana-ceis, corollis monopetalis. *Lin. Sp. Pl. ed. 3. 1082. Fl. Ang. ed. 2. 325. Fl. Scot. 404. With. Arrang. ed. 2. 794. Flora Rustica N. 1. Ic. 3.*

Anglis, *purple trefoil, broad clover.*

Hibernis, *Seamair Capuill.*

Inveni in pratis et pascuis. V.

alpestre. 5. TRIFO'LIUM spicis subglobosis villosis terminalibus sessilibus, caule erecto, foliis lanceolatis ferrulatis. *Lin. Sp. Pl. ed. 3. 1082. Fl. Ang. ed. 2. 326. Fl. Scot. 406. Wither. Arrang. ed. 2. 796. Fl. Rustica N. 1. Ic. 1.*

Anglis, *mountain clover, marle grass, perennial trefoil.*

Hibernis,

Hibernis, *Plurín Seangan.*

Inveni in pratis super montes Dublinenses, et prope eorundem radices.
VI.

fragiferum. 6. TRIFO'LIUM capítulis subrotundis, calycibus inflatis bidentatis reflexis, caulibus repentibus. *Lin Sp. Pl. ed. 3. 1086 Fl. Ang. ed. 2. 328. Wither. Arrang. ed. 2. 801. Fl. Lond. N. 16. Ic. 93.*

Anglis, *strawberry trefoil.*

Hibernis,

Inveni in locis humidis nonnunquam.
VI.

agrarium. 7. TRIFO'LIUM spicis ovalibus imbricatis, vexillis deflexis persistentibus, calycibus nudis, caule erecto. *Lin. Sp. Pl. ed. 3. 1087. Fl. Ang. ed. 2. 328. Fl. Scot. 409 Wither. Arrang. ed. 2. 801. Fl. Lond. N. 27. Ic. 161.*

Anglis, *hop trefoil.*

Hibernis,

Inveni inter fegetes, et in agris arenosis
ubique. V.

procumbens. 8. TRIFO'LIUM spicis ovalibus im-
bricatis, vexillis deflexis persistenti-
bus caulibus procumbentibus. *Lin.*
Sp. Pl. ed. 3. 1088 Fl. Ang. ed.
2. 328 Fl. Scot. 409. Wither.
Arrang. ed. 2. 802. Fl. Lond. N.
52. Ic. 311.

Anglis, *lesser hop trefoil, procumbent tre-*
foil.

Hibernis,

Inveni cum priore nonnunquam. VI.

194. L O' T U S.

corniculatus. 1. LO'TUS capitulis depresso, caulibus
decumbentibus, leguminibus cylin-
dricis patentibus *Lin. Sp. Pl. ed.*
3. 1092 Fl. Scot. 411. Fl. Ang.
ed. 2. 329. Wither. Arrang. ed. 2.
804.

804. *Fl. Lond. N. 18. Ic. 108. Fl. Rust. N. 18. Ic. 53.*

Anglis, *bird's foot trefoil.*

Hibernis,

Inveni in pascuis ubique. V.

195. *M E D I C A' G O.*

lupulina. 1. MEDICA'GO spicis ovalibus, leguminibus reniformibus monospermis, caule procumbente. *Lin. Sp. Pl. ed. 3. 1097. Fl. Ang. ed. 2. 330. Fl. Scot. 412. Wither. Arrang. ed. 2. 807. Fl. Lond. N. 20. Ic. 116.*

Anglis, *melilot trefoil, black medick, none such.*

Hibernis,

Inveni in agris arenosis montanis frequenter. V.

POLYADELPHIA.

POLYANDRIA.

196. *HYPER'ICUM*.

Androsa'num. 1. *HYPER'ICUM* floribus trigynis, fructibus baccatis, caule fruticoso ancipiti. *Lin. Sp. Pl. ed.* 3. 1102. *Fl. Ang. ed.* 2. 332. *Fl. Scot.* 416. *With. Arrang. ed.* 2. 812. *Fl. Lond.* N. 35. *lc.* 208.

Anglis, *tulcan*, *park-leaves*.

Hibernis, *Deasfark keoil*, *Deasfark caoil*, *Deasfark alta*.

Inveni ad fepes inter *Santry* et *Clansab*, circa *Kilgobbin*, et alibi; in sylvis *Luttrel's-town*, *Santry*, et *Phænix-Park*. VI.

Humifusum. 2. *HYPER'ICUM* floribus trigynis axillaribus solitariis, caulibus ancipitibus prostratis filiformibus, foliis glabris. *Lin. Sp. Pl. ed.* 3. 1105. *Fl. Ang. ed.*

ed. 2. 332. Fl. Scot. 418. Wither.
Arrang. ed. 2. 814. Fl. Lond. N.
28. Ic. 167

Anglis, *trailing Saint John's wort.*

Hibernis,

Inveni in pascuis arenosis, et sterilioribus agris apud *Killeney*, præcipue dextrorsum viæ ad fornacem calcariam ducentis. VII.

pul'chrum. 3. HYPER'ICUM floribus trigynis, calycibus serrato-glandulosis, caule tereti, foliis perfoliatis cordatis glabris. *Lin. Sp. Pl. ed. 3. 1106.*
Fl. Ang. ed. 2. 333. Fl. Scot. 420.
Wither. Arrang. ed. 2. 817. Fl. Lond.
N. 1. Ic. 1.

Anglis, *upright Saint John's wort.*

Hibernis,

Inveni cum priore, et in ericetis et dumetis ad radices montium *Dublinensium*, apud *Howth*, juxta *Bullock*, et alibi VII.

perforatum. 4. HYPER'ICUM floribus trigynis, caule ancipiti, foliis obtusis pellucido punctatis.

tatis. *Lin. Sp. Pl. ed. 3. 1105. Fl. Ang. ed. 2. 333. Fl. Scot 416. Wither. Arrang. ed 2. 813 Fl. Lond. N. 2. Ic. 10 Med. Botany p. 29. Ic. 10.*

Anglis, *officinal Saint John's wort.*

Hibernis, *Allas Muire, Beahnoba
Caed Colum Bille, Beahnua
Bicininn, Beabhnuad Firinn.*

Inveni in sepibus frequenter. VI.

montanum. 5. HYPER'ICUM floribus trigynis, calycibus ferraturis glandulosis, caule tereti erecto glabro, foliis ovatis. *Lin. Sp. Pl. ed. 3. 1105. Fl. Ang. ed. 2. 333. Fl. Scot. 418. Wither. Arrang. ed. 2. 815.*

Anglis, *mountain Saint John's wort.*

Hibernis,

Inveni in dumetis montosis apud *Howth*, super montes Dublinenses, et alibi.
VI

quadrangulum. 6. HYPER'ICUM floribus trigynis, caule quadrato herbaceo. *Lin. Sp. Pl. ed. 3. 1104. Fl. Ang. ed. 2.*

334. *Fl. Scot.* 416. *With. Arrang.*
ed. 2. 813. *Fl. Lond. N.* 38. *lc.*
 224.

Anglis, *Saint Peter's wort.*

Hibernis,

Inveni in sepibus humidis apud *Kilgob-*
bin, et alibi. VII.

elódes, 7. HYPER'ICUM floribus trigynis,
 caule tereti repente foliisque vil-
 losis subrotundis. *Lin. Sp. Pl. ed.*
 3. 1106. *Fl. Ang. ed.* 2. 334. *Fl.*
Scot. 419. *Wither. Arrang. ed.* 2.
 815. *English Botany N.* 31. *lc.*
 109.

Anglis, *marsh Saint John's wort*, *marsh*
hoary Saint Peter's wort.

Hibernis,

Inveni in palustribus cum *parnassia* vul-
 gari circa radicem montis *Killgobbin* co-
 piose occidentem versus. VII.

S Y N G E N E S I A.

POLYGAMIA ÆQUALIS.

197. TRAGOPO'GON.

pratense. 1. TRAGOPO'GON calycibus corollæ radium æquantibus, foliis integris stric-
tis. *Lin. Sp. Pl. ed. 3.* 1109. *Fl.*
Ang. ed. 2. 335. *Fl. Scot.* 426. *With.*
Arrang. ed. 2. 827.

Anglis, *yellow goat's beard, go-to-bed-at-*
noon.

Hibernis,

Inveni in pratis et pascuis passim. VI.

198. SON'CHUS.

oleraceus. 1. SON'CHUS pedunculis tomentosis,
calycibus glabris. *Lin. Sp. Pl. ed. 3.*
1116. *Fl. Ang. ed. 2.* 336. *Fl. Scot.*
428. *Wither. Arrang. ed. 2.* 832. *Fl.*
Lond. N. 21. Ic. 126.

Anglis,

Anglis, *common fow-thistle*.

Hibernis, Baine muc, Blioght Shoc-
hadan, Shofannan, Fofannan
min.

Inveni varietates omnes in cultis, hor-
tis, locis ruderatis, arvis, &c. præ-
fertim lætiori solo ubique fere.
VII.

arven'sis. 2. SON'CHUS pedunculis calycibusque
hispidis subumbellatis, foliis runcin-
atis basi cordatis. *Lin. Sp. Pl. ed.*
3. 1116. *Fl. Ang. ed.* 2. 337. *Fl.*
Scot. 427. *With. Arrang. ed.* 2. 832.
Fl. Lond. N 45. *Ic.* 266.

Anglis, *corn fow-thistle, tree fow-this-*
tle.

Hibernis,

Inveni inter segetes passim. VII.

199. LEON'TODON.

tarax'acum. 1. LEON'TODON calyce squamis inferne reflexis, foliis runcinatis denticulatis lævibus. *Lin. Sp. Pl. ed. 3.* 1122. *Fl. Ang. ed. 2.* 339. *Fl. Scot.* 432. *Wither. Arrang. ed. 2.* 838. *Fl. Lond. N. 3.* *Ic.* 14. *Med. Bot.* p. 7. *Ic.* 3.

Anglis, *common dandelion, piss-a-bed.*

Hibernis, *Cas tscarbhan, Bearnan Bearnach.*

Inveni varietates omnes in pratis, pascuis, hortis, locis umbrosis humidis, areis, &c. III.

hispidum. 2. LEON'TODON calyce toto erecto hispido, foliis dentatis integerrimis hispidis, setis furcatis. *Lin. Sp. Pl. ed. 3.* 1124. *Fl. Scot.* 433. *Wither. Arrang. ed. 2.* 842. *Fl. Lond. N.* 53. *Ic.* 314. *Hedypnois hispidum.* *Fl. Ang. ed. 2.* 340.

Anglis, *rough dandelion.*

Hibernis,

Hibernis,

Inveni in pratis nonnunquam, sed præfertim apud *Blue-Bell*. VI.

200. *HIERA'C IUM*.

pilosel'la. 1. *HIERA'C IUM* foliis integerrimis ovatis, subtus tomentosis, caule repente, scapo unifloro. *Lin. Sp. Pl. ed. 3.* 1125. *Fl. Ang. ed. 2.* 343. *Fl. Scot.* 436. *Witber. Arrang. ed. 2.* 845. *Fl. Lond. N.* 47. *Ic.* 278.

Anglis, *creeping mouse-ear hawkweed*.

Hibernis, *Cluas Liath, Cluas Luch*.

Inveni in pascuis ficcioribus et sterilioribus frequenter. V.

paludosum. 2. *HIERA'C IUM* caule paniculato, foliis amplexicaulibus dentatis glabris, calycibus hilpidis. *Lin. Sp. Pl. ed. 3.* 1129. *Fl. Ang. ed. 2.* 345. *Fl. Scot.* 438. *Witber. Arrang. ed. 2.* 849.

Anglis,

Anglis, *marsh hawkweed*.

Hibernis,

Inveni in paludosis, et juxta rivulos super
montem *Killmasboge*. VI.

201. C R E' P I S.

teclorum. 1. CRE'PIS foliis lanceolato-runcinatis,
sessilibus lævibus; inferioribus den-
tatis caule glabro. *Lin. Sp. Pl.*
ed. 3. 1135. *Fl. Scot.* 440. *Wither.*
Arrang. ed. 2. 853. *Fl. Lond N.* 55.
Ic. 325. *Fl. Ang. ed.* 2. 341. *Hedyp'*
nois teclorum.

Anglis, *smooth succory hawkweed*.

Hibernis,

Inveni in pratis, pascuis, et super muros
vetustos ubique fere. V.

bien'nis. 2. CRE'PIS foliis runcinato-pinnatifidis
scabris basi superne dentatis, calyci-
bus muricatis. *Lin. Sp. Pl. ed.* 3.
1136. *Wither. Arrang. ed.* 2. 855.
English

English Botany N. 37. *Ic.* 149. *Fl.*
Ang. ed. 2. 342. *Hedyp'nois bien-*
nis.

Anglis, rough succory hawkweed.

Hibernis,

Inveni in agrorum marginibus juxta
Balldoyle, Knockmaroon-Hill, et alibi.
VI.

202. *P I' C R I S.*

echioides. 1. *PI'CRIS* perianthiis exterioribus pen-
 taphyllis, interiore aristato majoribus.
Lin. Sp. Pl. ed. 3. 1114. *Fl. Ang. ed.*
 2. 342. *Wither. Arrang. ed.* 2. 829.
Fl. Lond. N. 25. *Ic.* 149.

Anglis, rough picris, lang de boeuf.

Hibernis,

Inveni ad agrorum margines, præcipue
inter Beggar's-bush et Sandymount, non
raro et in fylvis cæduis, ac sepium ag-
geribus. VI.

203. *H Y S P O C H Æ'.*

203. *HYPOCHÆRIS*.

radicata. 1. *HYPOCHÆRIS* foliis runcinatis obtusis scabris, caule ramofo nudo lævi, pedunculis squamofis. *Lin. Sp. Pl. ed. 3.* 1140. *Fl. Ang. ed. 2.* 347. *Fl. Scot.* 443. *Wither. Arrang. ed. 2.* 860. *Fl. Lond. N.* 26. *lc.* 152.

Anglis, *long rooted hawkweed*.

Hibernis,

Inveni in pratis, pascuis, ericetis, et fuper tumulos aridiores. V.

204. *LAP'SANA*.

communis. 1. *LAP'SANA* calycibus fructus angulatis, pedunculis tenuibus ramosiffimis. *Lin. Sp. Pl. ed. 3.* 1141. *Fl. Ang. ed. 2.* 347. *Fl. Scot.* 444. *With. Arrang. ed. 2.* 861. *Fl. Lond. N.* 10. *lc.* 59.

Anglis, *nipple wort, dock cresses*.

Hibernis,

Hibernis, Son Duilleog, Duilleog
Bride, Duilleog mhaith, Duil-
leog mhin.

Inveni in hortis, cultis, sylvis, ruderalis,
et sepibus ubique. VI.

205. *A R C' T I U M*.

lap'pa. 1. *A R C' T I U M* foliis cordatis inermibus
petiolatis. *Lin. Sp. Pl. ed. 3.* 1143.
Fl. Ang. ed. 2. 348. *Fl. Scot.* 445.
Wither. Arrang. ed. 2. 863. *Fl.*
Lond. N. 40. *Ic.* 239. *Med. Bot.*
p. 41. *Ic.* 15.

Anglis, *burdock*, *burr*, *clottbur*, *burr-*
burr.

Hibernis, *Copog thnaithil*, *Cocoil*.

Inveni ad vias sepesque, inque locis ru-
deratis frequenter. VI.

206. C I C H O' R I U M.

in'tybus. 1. C I C H O' R I U M floribus geminis sessilibus, foliis runcinatis. *Lin. Sp. Pl. ed. 3. 1142. Fl. Ang. ed. 2. 348. Wither. Arrang. ed. 2. 862. Fl. Lond. N. 41. Ic. 241.*

Anglis, wild succory, cichory.

Hibernis,

Inveni in incultis locis juxta carcerem novum apud Kilmainham, boream versus. VII.

207. S E R R A' T U L A.

arven'fis. 1. S E R R A' T U L A foliis dentatis spinosis. *Lin. Sp. Pl. ed. 3. 1149. Fl. Ang. ed. 2. 349. Fl. Scot. 449. Wither. Arrang. ed. 2. 867. Carduus arvensis. Fl. Lond. N. 63. Ic. 374.*

Anglis,

Anglis, *common way; thistle, corn thistle.*

Hibernis, *feochadan, fothanan.*

Inveni in arvis, et inter segetes nimis
frequenter, nec minus in pascuis, et
ad vias. VI.

208. *C A R' D U U S.*

palustris. 1. *CAR'DUUS* foliis decurrentibus den-
tatis; margine spinosis, floribus ra-
cemosis erectis, pedunculis inermibus.
Lin. Sp. Pl. ed. 3. 1151. Fl. Ang.
ed. 2. 352. Fl. Scot. 453. Wither.
Arrang. ed. 2. 873. Fl. Lond. N.
62. Ic. 369.

Anglis, *marsh thistle.*

Hibernis,

Inveni in locis palustribus nemorosis, et
in pratis humidis frequenter. VI.

lanceolatus. 2. *CAR'DUUS* foliis decurrentibus pin-
natifidis hispidis, laciniis divaricatis,
calycibus ovatis spinosis villosis, caule
F f 2 piloso.

piloso. *Lin. Sp. Pl. ed. 3.* 1149.
Fl. Ang. ed. 2. 350. *Fl. Scot.* 450.
Wither. Arrang. ed. 2. 868. *English*
Botany N. 30. Ic. 107.

Anglis, *spear thistle.*

Hibernis,

Inveni in locis cultis, ad fepes, et ad vias
 publicas ubique fere. VII.

crispus. 3. CAR'DUUS foliis decurrentibus sinu-
 atis, margine spinosis; floribus ag-
 gregatis terminalibus, squamis iner-
 mibus subaristatis patulis. *Lin. Sp.*
Pl. ed. 3. 1150. *Fl. Scot.* 452.
Wither. Arrang. ed. 2. 870, 871. *Fl.*
Lond. N. 67. Ic. 399. et 400. *Fl.*
Ang. ed. 2. 351. *C. acanthoides?*

Anglis, *thistle upon thistle.*

Hibernis,

Inveni in aggeribus fossiarum, ad fepes
 et vias. VI.

Mariánus. 4. CAR'DUUS foliis amplexicaulibus
 hastato-pinnatifidis spinosis, calycibus
 aphyllis, spinis canaliculatis dupli-
 cato-

cato-spinosis. *Lin. Sp. Pl. ed. 3.*
 1152. *Fl. Ang. ed. 2. 353. Fl.*
Scot. 454. Wither. Arrang. ed. 2.
 874. *Fl. Lond. N. 25. Ic. 145.*

Anglis, *milk thistle, lady's thistle.*

Hibernis,

Inveni ad agrorum margines, in aggeribus fossarum et in ruderatis nonnunquam, præsertim circa *Warren-house* via ad *Horwth* ducente. VII.

209. C A R L I N A.

vulgâris. 1. CARLI'NA caule multifloro corymbofo, floribus terminalibus, calycibus radio albis. *Lin. Sp. Pl. ed. 3. 1161. Fl. Ang. ed. 2. 355. Fl. Scot. 460. Wither. Arrang. ed. 2. 880.*

Anglis, *common carline thistle.*

Hibernis,

Inveni

Inveni in pascuis et pratis ficcioribus
 montosis et sterilioribus frequenter,
 præsertim super collem *Knockmaroon*
 inter *Chapelizod* et *Luttrel's-town*, et
 apud *Burrow-of-Portmarnock* juxta
Baldoyle. VI.

210. *B I' D E N S*.

tripartita. 1. *BI'DENS* foliis trifidis, calycibus subfoli-
 ofis, feminibus erectis *Lin. Sp. Pl.*
ed. 3. 1165. *Fl. Ang. ed.* 2. 355. *Fl.*
Scot. 461. *Wither. Arrang. ed.* 2.
 882. *Fl. Lond. N.* 40. *Ic.* 235.

Anglis, *trifid water hemp*, *bidens*, *water*
agrimony.

Hibernis, *Scabhog Muire*.

Inveni cum eupatorio cannabino ad
 ripas fluviorum inter *Knockmaroon* et
Lucan. VII.

cernua. 2. *BI'DENS* foliis lanceolatis amplexi-
 caulibus, floribus cernuis, femini-
 bus erectis. *Lin. Sp. Pl. ed.* 3.
 1165. *Fl. Ang. ed.* 2. 356. *Fl.*
Scot.

Scot. 462. *Wither. Arrang. ed. 2.*
883. *Fl. Lond. N. 32. Ic. 191.*

Anglis, *noddling bidens, water hemp agri-*
mony, bur-marygold.

Hibernis, *Sgcachog muire, Garbhe*
dhroighean.

Inveni cum priore nonnunquam. VII.

211. EUPATO'R IUM.

cannabimum. 1. EUPATO'R IUM foliis digitatis. *Lin.*
Sp. Pl. ed. 3. 1173. Fl. Ang. ed. 2.
356. Fl. Scot. 464. Wither. Arrang.
ed. 2. 885.

Anglis, *water agrimony, hemp agrimony,*
Dutch agrimony, water hemp, common
eupatorium.

Hibernis, *Sgcachog Muire.*

Inveni ad fluminum et rivulorum ripas,
scrobium et stagnantium aquarum
margines, præcipue apud *Long Mea-*
dows, Cardiff's-bridge, Ashtown, circa
lavacrum in *Howeth,* et alibi. VI.

SYNGENESIA.

POLYGAMIA SUPERFLUA.

212. TANACETUM.

vulgare. 1. TANACETUM foliis bipinnatis incisis ferratis. *Lin. Sp. Pl. ed. 3.* 1183. *Fl. Ang. ed. 2.* 357. *Fl. Scot.* 465. *Wither. Arrang. ed. 2.* 887. *Med. Botany p.* 314. *Ic.* 115.

Anglis, *common tansey.*

Hibernis, *Lus na ffranc, bean-seadh.*

Inveni in pratis montanis apud *Kilma-shoge*, fecus vias et in agrorum marginibus copiose inter *Baldoyle* et *Portmarnock*, apud *Killeny*, juxta delubrum vetustum in *Howth*, et alibi.

VII.

213. ARTEMISIA.

213. *ARTEMIS'IA*.

vulgáris. 1. *ARTEMIS'IA* foliis pinnatifidis planis incisís subtus tomentosis, racemis simplicibus recurvatis, floribus ovatis, radio quinquefloro. *Lin. Sp. Pl. ed. 3.* 1188. *Fl. Ang. ed. 2.* 359. *Fl. Scot.* 468. *With. Arrang. ed. 2.* 891. *Med. Botany p.* 331. *Ic.* 121.

Anglis, *mugwort*.

Hibernis, Bofulan Ban, Bofulan Liath, Liath lus, Mongach Measga, Buachalan, Buafanan.

Inveni ad sepes, agrorum margines, super muros vetustos, et in ruderatis frequenter; sed abundanter circa munimentum vetustum apud *Castleknock*. VII.

214. GNAPHAL'IUM.

uliginosum. 1. GNAPHAL'IUM caule ramoso herbaceo diffuso, floribus confertis terminalibus. *Lin. Sp. Pl. ed. 3.* 1200. *Fl. Ang. ed. 2.* 361. *Fl. Scot.* 473. *Wither. Arrang. ed. 2.* 896.

Anglis, *marsh cudweed*.

Hibernis,

Inveni in scrobibus paludosis juxta mare, inter *Baldoyle* et *Portmarnock*.
VII.

215. ERIG'ERON.

acre. 1. ERIG'ERON pedunculis alternis unifloris. *Lin. Sp. Pl. ed. 3.* 1211. *Fl. Ang. ed. 2.* 363. *Fl. Scot.* 474. *Wither. Arrang. ed. 2.* 903. *Fl. Lond. N. 5. Ic.* 26.

Anglis, *blue erigeron*, *blue flea-bane*.

Hibernis,

Hibernis,

Inveni super muros vetustos apud murum borealem, non procul a ponte novo *Annesley* dicto; ad ripas fossarum aridas juxta *Rathfarnham*, et inter *Sandymount* et *Merrion*. V.

216. TUSSILA'GO.

far'fara. 1. TUSSILA'GO. scapo imbricato unifloro, foliis subcordatis angulatis dentatis. *Lin. Sp. Pl. ed.* 3. 1214. *Fl. Ang. ed.* 2. 364. *Fl. Scot.* 475. *Wither. Arrang. ed.* 2. 904. *Fl. Lond. N.* 13. *Ic.* 78. *Med. Eot.* p. 37. *Ic.* 13.

Anglis, *colt's-foot*.

Hibernis, *Fathan*, *Duilliur Spunc*, *Fothannan*, *Athan*, *Luibh an aghaidh Tosachtarche*.

Inveni in pascuis, locis humidis, ruderalibus calcariis, et ubi aquæ subsunt, solo lutofo præsertim. III.

petasites. 2. TUSSILA'GO thyrsis ovato, flosculis
omnibus hermaphroditis. *Lin. Sp.*
Pl. ed. 3. 1214. *Fl. Ang. ed.* 2.
364. *Fl. Scot.* 477. *With Arrang.*
ed. 2. 906. *Fl. Lond. N.* 23. *Ic.*
138.

Anglis, *butter-bur*, *pestilent-wort*.

Hibernis, *Piobol*, *Gallan*.

Inveni in pratis et pascuis humidis, et
prope fluminum et lacuum ripas fre-
quenter. III.

217. SENE'CIO.

vulgaris. 1. SENE'CIO corollis nudis, foliis pin-
nato-sinuatis amplexicaulibus, flori-
bus sparsis. *Lin. Sp. Pl. ed.* 3.
1217. *Fl. Ang. ed.* 2. 365. *Fl. Scot.*
478. *Wither. Arrang. ed.* 2. 908.
Fl. Lond. N. 8. *Ic.* 43.

Anglis, *groundsel*, *simson*.

Hibernis,

Hibernis, Crannlus, Boglus, Bu-
achalan na heafgaran.

Inveni in locis tum ruderatis tum cultis,
hortis, areis, et arvis. III.

viscósus. 2. SENE'CIO corollis revolutis, foliis pin-
natifidis viscidis, squamis calycinis
laxis longitudine perianthii. *Lin.*
Sp. Pl. ed. 3. 1217. *Fl. Ang. ed.*
2. 365. *Fl. Scot.* 479. *Wither.*
Arrang. ed. 2. 909. *English Botany*
N. 11. Ic. 32.

Anglis, *clammy groundsel*.

Hibernis,

Inveni in arenosis maritimis, præsertim
inter *Clontarf* et *Howth*. VII.

sylvaticus. 3. SENE'CIO corollis revolutis, foliis pin-
natifidis denticulatis, caule corym-
bofo erecto. *Lin. Sp. Pl. ed.* 3.
1217. *Fl. Scot.* 480. *With. Arrang.*
ed. 2. 910. *Fl. Ang. ed.* 2. 365.
S. viscósus var. β.

Anglis, *stinking small-flowered ground-
sel*.

Hibernis,

Hibernis,

Inveni cum priore, in sepibus, et super
muros vetustos. VII.

Jacobæ'a. 4. SENE'CIO corollis radiantibus, foliis
pinnato-lyratis, laciniis lacinulatis,
caule erecto. *Lin. Sp. Pl. ed. 3.*
1219. *Fl. Ang. ed. 2.* 365. *Fl. Scot.*
480. *Wither. Arrang. ed. 2.* 911.
Fl. Rust. N. 29. *lc.* 85.

Anglis, ragwort, ragweed, seggrum, Saint
James's wort.

Hibernis, Buidhe Bhailscéan, Bua-
chalan na heascaran.

Inveni in pascuis, præsertim humidio-
ribus, inque incultis, ad vias, &c.
copiose, et moleste fere ubique.
VII.

erucifolius. 5. SENE'CIO corollis radiantibus, foliis
pinnatifidis dentatis subhirtis, caule
erecto. *Lin. Sp. Pl. ed. 3.* 1218.
Fl. Ang. ed. 2. 366. *Wither. Arrang.*
ed. 2. 910. *Fl. Lond. N.* 50. *lc.*
298.

Anglis,

Anglis, *hoary groundsel.*

Hibernis,

Inveni in pascuis sterilioribus frequenter.
VII.

paludósus. 6. SENE'CIO corollis radiantibus foliis
ensiformibus acute ferratis, subtus
subvillosis, caule stricto. *Lin. Sp.*
Pl. ed. 3. 1220. Fl. Ang. ed. 2.
366. With. Arrang. ed. 2. 913.

Anglis, *bird's tongue.*

Hibernis, *Boglus.*

Inveni in palustribus apud *Howth*, et
alibi copiose. VII.

218. SOLIDA'GO.

virgaúrea. 1. SOLIDA'GO caule subflexuoso angu-
lato, racemis paniculatis erectis con-
fertis. *Lin. Sp. Pl. ed. 3. 1235. Fl.*
Ang. ed. 2. 367. Fl. Scot. 482. With.
Arrang. ed. 2. 917.

Anglis,

Anglis, *common golden-rod.*

Hibernis,

Inveni in ericetis montosis apud *Howth*,
copiose. VIII.

219. A S' T E R.

tripólium. 1. AS'TER foliis lanceolatis integerri-
mis carnosis glabris, ramis inæqua-
tis, floribus corymbosis. *Lin. Sp.*
Pl. ed. 3. 1226. *Fl. Ang. ed.* 2.
368. *Fl. Scot.* 482. *Wither. Arrang.*
ed. 2. 915. *Englisch Botany* N. 27.
Ic. 87.

Anglis, *sea starwort.*

Hibernis,

Inveni in falsis maritimis paludosis juxta
Ringfend copiose, in littoribus ma-
ritimis inter *Black-Rock* et *Dunleary*,
apud finem *Killeny* et in *Howth* australi
parte. VI.

220. I N' U L A.

dysenter'ica. 1. IN'ULA foliis amplexicaulibus cordato-oblongis subtomentosis, caule villoso paniculato, squamis calycinis fetaceis. *Lin. Sp. Pl. ed. 3.* 1237. *Fl. Ang. ed. 2.* 368. *Witber. Arrang. ed. 2.* 923. *Fl. Lond. N.* 28. *Ic.* 165.

Anglis, *middle fleabane*.

Hibernis,

Inveni in locis aquosis, et ad rivos fere ubique, præcipue inter *Ball's-Bridge* et *Merrion* abundanter. VII.

crithmoides. 2. IN'ULA foliis linearibus carnosissimis tricuspidatis. *Lin. Sp. Pl. ed. 3.* 1240. *Fl. Ang. ed. 2.* 369. *With. Arrang. ed. 2.* 924. *English Botany N.* 23. *Ic.* 68.

Anglis, *golden samphire*.

Hibernis,

Inveni in rimis petrarum humidis infra pharos apud *Howth*. VII.

221. B E L' L I S.

perennis. 1. BEL'LIS scapo nudo. *Lin. Sp. Pl.*
ed. 3. 1248. *Fl. Ang. ed.* 2. 370.
Fl. Scot. 487. *Wither. Arrang. ed.*
 2. 926. *Fl. Lond. N.* 3. *Ic.* 13.

Anglis, *daify*.

Hibernis, *Doínín*.

Inveni in pratis, pascuis, &c. abundanter
 ubique. III.

222. C H R Y S A N' T H E M U M.

segetum. 1. CHRYSAN'THEMUM foliis amplexi-
 caulibus, superne laciniatis, inferne
 dentato-ferratis. *Lin. Sp. Pl. ed.*
 3. 1254. *Fl. Ang. ed.* 2. 371. *Fl.*
Scot. 489. *Wither. Arrang. ed.* 2.
 930. *Fl. Lond. N.* 63. *Ic.* 377.

Anglis, *corn marigold*, *goulans*, *goldins*.

Hibernis, *Buachalan buidhe*, *Lia-*
than.

Inveni

Inveni inter fegetes solo arenoso frequenter. VI.

leucanthemum. 2. CHRYSANTHEMUM foliis amplexicaulibus oblongis : superne serratis, inferne dentatis. *Lin. Sp. Pl. ed. 3. 1251. Fl. Ang. ed. 2. 371. Fl. Scot. 488. Wither. Arrang. ed. 2. 928. Fl. Lond. N. 59 Ic. 350.*

Anglis, greater daisy, ox eye.

Hibernis, Caspag beain, Moinin mor.

Inveni in pratis, arvis, et pascuis ficcis ubique, non raro et inter fegetes. V.

223. MATRICARIA.

parthénium. 1. MATRICARIA foliis compositis planis, foliolis ovatis incis, pedunculis ramosis. *Lin. Sp. Pl. ed. 3. 1255. Fl. Ang. ed. 2. 371. Fl. Scot. 490. Wither. Arrang. ed. 2. 931.*

Anglis, *feverfew*.

Hibernis, *Deadh Duach*.

Inveni ad sepes et in locis ruderatis passim. VI.

suavéolens. 2. MATRICARIA receptaculis conicis, raddiis deflexis, feminibus nudis, squamis calycinis margine æqualibus. *Lin. Sp. Pl. ed. 3.* 1256. *Fl. Ang. ed. 2.* 372. *M. Chamomilla var. β. Fl. Scot.* 493. *Witber. Arrang. ed. 2.* 933.

Anglis, *sweet-scented feverfew*.

Hibernis,

Inveni in arvis et ad vias juxta *Balldoyle*, versus *Portmarnock*. VII.

224. AN'THEMIS.

arven'sis. 1. AN'THEMIS receptaculis conicis, paleis setaceis, feminibus coronato-marginatis. *Lin. Sp. Pl. ed. 3.* 1261. *Fl. Ang. ed. 2.* 373. foliis villosiusculis.

*culis. Fl. Scot. 494. With Arrang.
ed. 2. 937. Flora Rustica N. 25 Ic.
73.*

Anglis, *corn chamomile.*

Hibernis, *Coman mionla.*

Inveni in arvis passim. VI.

marit'ima. 2. AN'THEMIS foliis pinnatis denticu-
latis carnosis nudispunctatis, caule
prostrato, calycibus subtomentosis.
*Lin. Sp. Pl. ed. 3. 1259 Fl. Ang.
ed. 2. 374. With. Arrang. ed. 2.
935.*

Anglis, *sea chamomile.*

Hibernis,

Inveni in pascuis, pratis, et locis arenosis
maritimis frequenter. VII.

225. *ACHILLE'A.*

millefolium. 1. ACHILLE'A foliis bipinnatis nudis;
laciniis linearibus dentatis, caulibus
sulcatis. *Lin. Sp. Pl. ed. 3. 1267.
Fl.*

Fl. Ang. ed. 2. 374. Fl. Scot. 496.
Wither. Arrang. ed. 2. 941. Fl. Lond.
N. 63. Ic. 373. Med. Botany p. 179.
Ic. 64.

Anglis, *yarrow, milfoil.*

Hibernis, *Athaic talmhun.*

Inveni ubique fere. VI.

SYNGENESIA.

POLYGAMIA FRUSTRANEA.

226. CENTAURE' A.

nigra. 1. CENTAURE'A calycibus ciliatis, squamula ovata, ciliis capillaribus erectis, foliis lyrato-angulatis, floribus flosculosis. *Lin. Sp. Pl. ed. 3. 1288. Fl. Ang. ed. 2. 375. Fl. Scot. 498. Wither. Arrang. ed. 2. 943.*

Anglis, *knap-weed, knop-weed, horse-knops, matfellow.*

Hibernis,

Hibernis, *Diansgoth, Dianscoich,*
Bulach dubh, Bulaighe Dubha.

Inveni in pratis, pascuis, &c. nimis frequenter. VII.

cy'anus. 2. CENTAURE'A calycibus ferratis, foliis linearibus integerrimis infimis dentatis. *Lin. Sp. Pl. ed. 3. 1289. Fl. Ang. ed. 2. 375. Fl. Scot. 498. With. Arrang. ed. 2. 944.*

Anglis, *blue bottles, corn-flower, hurt-suckle.*

Hibernis, *Gorman.*

Inveni inter segetes passim, sed præsertim in arvis arenosis lutosiis juxta mare apud *Malabide* abunde. VII.

scabiósa. 3. CENTAURE'A calycibus ciliatis, foliis pinnatifidis, pinnis lanceolatis. *Lin. Sp. Pl. ed. 3. 1291. Fl. Ang. ed. 2. 376. Fl. Scot. 500. Wither. Arrang. ed. 2. 945. English Botany N. 45. Ic. 56.*

Anglis, *great knap-weed.*

Hibernis,

Inveni ad margines agrorum nonnunquam, præcipue inter *Chapelizod* et *Lucan*, et juxta pontem *Glassnevin.* VII.

SYNGENESIA.

POLYGAMIA NECESSARIA.

227. FILA'GO.

German'ica. 1. FILA'GO panicula dichotoma, floribus rotundatis axillaribus hirsutis, foliis acutis. *Lin. Sp. Pl. ed. 3.* 1311. *Fl. Scot.* 501. *Gnaphal'ium germanicum.* *Fl. Ang. ed. 2.* 362. *Wither. Arrang. ed. 2.* 898, 948.

Anglis, common cudweed, chafeweed, child-ing cudweed.

Hibernis, Liath Lus roid.

Inveni in locis ficcioribus, sterilioribus, et viis publicis, præcipue inter *Clontarf* et *Howth*, *Burrow-of-Portmarnock* juxta *Baldoyle*, juxta mare apud *Killeney*, super montes *Dublinenses* et alibi.

VI.

SYNGENESIA.

MONOGAMIA.

228. IASIO'NE.

montana. 1. IASIO'NE. *Lin. Sp. Pl. ed. 3.* 1316.
Fl. Ang. ed. 2. 377. *Fl. Scot.* 504.
Wither. Arrang. ed. 2. 949. *Fl. Lond.*
N. 41. Ic. 244.

Anglis, *hairy sheep's scabious, scabious ram-*
pion.

Hibernis,

Inveni in ericetis arenosis, et steriliori-
 bus requietis agris passim, præfer-
 tim juxta *Bullock, Dunleary*, apud
Howth, et super montes Dublinenses.
 VI.

229. VIOLA.

odorata. 1. VIOLA acaulis, foliis cordatis, stolonibus reptantibus. *Lin. Sp. Pl. ed.* 3. 1324. *Fl. Ang. ed.* 2. 378. *Fl. Scot.* 507. *Wither. Arrang. ed.* 2. 954. *Fl. Lond. N.* 9. *Ic.* 54. *Med. Bot. p.* 225. *Ic.* 81.

Anglis, *sweet violet*.

Hibernis, *Sail Chuach*.

Inveni *var. β.* cum flore albo in aggeribus fossarum copiose apud *Goose-Green* juxta *Richmond*. III.

hirta. 2. VIOLA acaulis, foliis cordatis pilosohispidis. *Lin. Sp. Pl. ed.* 3. 1324. *Fl. Ang. ed.* 2. 379. *Wither. Arrang. ed.* 2. 952. *Fl. Lond. N.* 10. *Ic.* 56.

Anglis, *hairy violet*.

Hibernis,

Inveni in pascuis montosis et dumosis, solo arenoso prope littus *Raheny*. III.

canina.

- canina.* 3. VI'OLA caule adultiore adscendente,
foliis oblongo-cordatis. *Lin. Sp. Pl.*
ed. 3. 1324. *Fl. Ang. ed.* 2 379.
Fl. Scot. 508. *Wither. Arrang. ed.*
2. 955. *Fl. Lond N.* 18. *Ic.*
104

Anglis, *dog's violet.*

Hibernis, *flanaigse naigse, bíodh a
leithid, Sair chuach.*

Inveni ad sepes, et in nemorosis erice-
tis et dumetis abundanter fere ubi-
que, sed præcipue inter *Killester* et
Raheny, *Artane* et *Glanfah* cum pri-
mula. III.

- tricolor.* 4. VI'OLA caule triquetro diffuso, foliis
oblongis incisis, stipulis pinnatifidis.
Lin. Sp. Pl. ed 3. 1326. *Fl Ang.*
ed. 2. 380. *Fl. Scot.* 509. *Wither.*
Arrang. ed. 2. 957. *Fl. Lond. N.*
6. *Ic.* 35.

Anglis, *pansies, heart's-ease, three-faces-
under-a-hood, love-in-idleness, kiss-at-
the-garden-gate, call-me-to-you, herb
trinity.*

Hibernis, Gorman-scaraigh, Sail
chuach.

Inveni in aggeribus arenosis abundanter,
fecus totam viam inter *Rabeny* et
Howth, prope littus, et alibi. IV.

G Y N A N D R I A.

D I A N D R I A.

230. O R' C H I S.

bifolia. 1. OR'CHIS bulbis indivisis, nectarii
labio lanceolato integerrimo, cornu
longissimo, petalis patentibus. *Lin.*
Sp. Pl. ed. 3. 1331. Fl. Ang. ed.
2. 382. Fl. Scot. 512. Wither.
Arrang. ed. 2. 967. English Botany
N. 8. Ic. 22.

Anglis, *butterfly orchis*.

Hibernis,

Inveni

Inveni in pascuis altioribus, non ita copiose in regione occidentale *Stag's-town*, inter *Lug-more* et *Kilty-loones* juxta montem *Tallaght* dictum. VII.

pyramidális. 2. OR'CHIS bulbis indivisis, nectarii labio bicorni trifido æquali integerrimo, cornu longo, petalis sublanceolatis. *Lin. Sp. Pl. ed.* 3. 1332. *Fl. Ang. ed.* 2. 382. *Fl. Scot.* 513. *Wiher. Arrang. ed.* 2. 969. *English Botany N.* 31. *Jc.* 110.

Anglis, *late-flowering purple*, *pyramidal orchis*.

Hibernis,

Inveni in pratis et pascuis frequenter, præcipue in agris *Scriblestown*, pascuis ficcioribus circa fontem cui nomen *Nannikin Rabeny-Strand*, inter *Sandymount* et *Merrion* copiose, *Dunleary* et *Bullock*. VII.

mas'cula. 3. OR'CHIS bulbis indivisis, nectarii labio quadrilobo crenulato, cornu obtuso, petalis dorsalibus reflexis. *Lin. Sp. Pl. ed.* 3. 1333. *Fl. Ang. ed.*

ed. 2. 383. Fl. Scot. 515. With. Arrang. ed. 2. 971. Fl. Lond. N. 21. Ic. 122. Med. Botany p. 246. Ic. 90.

Anglis, early male fool's stones.

Hibernis, Bagarlin meadhach.

Inveni in pascuis, pratis, et inter vepres inter *Black-rock* et *Cabinteely*, in sylvis *Luttrel's-town*, *Santry*, et *Bracken's-town*, in agris *Scribble's-town*, juxta *Cardiff's-bridge* et alibi. IV.

mória. 4.

OR'CHIS bulbis indivisis, nectarii labio quadrifido crenulato, cornu obtuso adscendente, petalis obtusis conniventibus. *Lin. Sp. Pl. ed. 3. 1333. Fl. Ang. ed. 2. 383. Fl. Scot. 514. With. Arrang. ed. 2. 970. Fl. Lond. N. 30. Ic. 175.*

Anglis, female fool's stones.

Hibernis,

Inveni cum priore. VII.

usulata. 5.

OR'CHIS bulbis indivisis, nectarii labio quadrifido punctis scabro, cornu obtuso, petalis distinctis. *Lin. Sp. Pl.*

Pl. ed. 3. 1333. Fl. Ang. ed. 2. 384. Wilber. Arrang. ed. 2. 973. English Botany N. 6. Ic. 18.

Anglis, *dwarf orchis.*

Hibernis,

Inveni in collibus ficcioribus et sterilioribus
inter *Sandymount* et *Merrion*. V.

maculata. 6. OR'CHIS bulbis palmatis patentibus,
nectarii cornu germinibus brevioribus,
labio plano, petalis dorsalibus patulis. *Lin. Sp. Pl. ed. 3. 1335. Fl. Ang. ed. 2. 385. Fl. Scot. 517. With. Arrang. ed. 2. 976.*

Anglis, *female handed orchis, spotted orchis.*

Hibernis,

Inveni in pratis humidis fere ubique.
VII.

conopsea. 7. OR'CHIS bulbis palmatis, nectarii
cornu fetaceo germinibus longiore,
labio trifido, petalis duobus patentissimis. *Lin. Sp. Pl. ed. 3. 1335. Fl. Ang. ed. 2. 385. Fl. Scot. 518. Wilber.*

*Wither. Arrang. ed. 2. 976. English
Botany N. 4. Ic. 10.*

Anglis, long-spur'd sweet banded orchis.

Hibernis,

*Inveni circa lavacrum apud Howth cum
geranio sanguineo; in pratis et pas-
cuis humidis Scribble's-town; in palus-
tribus juxta Templeoge, ultra Dun-
leary inter viam publicam et mare.
VI.*

231. O' P H R Y S.

ovata. 1. O'PHRYS bulbo fibroso, caule bifolio,
foliis ovatis, nectarii labio bifido.
*Lin. Sp. Pl. ed. 3. 1340. Fl. Ang.
ed. 2. 388. Fl. Scot. 523. Wither.
Arrang. ed. 2. 986. Fl. Lond. N.
30. Ic. 180.*

Anglis, great twayblade.

Hibernis,

Inveni

Inveni in pratis uliginosis in agris *Scriblestown* copiose, et in locis turfosis juxta *Killmasbouge* orientem versus.
VI.

insectifera. 2. O'PHRYS bulbis subrotundis, scapo folioso, nectarii labio subquinquelobo. *Lin. Sp Pl ed.* 3. 1343. *var.* 1. *O. apifera*. *Fl. Ang ed.* 2. 391. *With Arrang. ed.* 2. 993 *Fl. Lond N* 3. *lc.* 15.

Anglis, *bee orchis*, *bee flower*.

Hibernis,

Inveni in pascuis ficcioribus, sed parce, pone scholam Reverendi domini *Dowling*, *Black-rock*. VII.

G Y N A N D R I A.

POLYANDRIA.

232. A' R U M.

maculatum. 1. A'RUM acaule foliis hastatis integerimis, spadice clavato. *Lin. Sp. Pl. ed.* 3. 1370. *Fl. Ang. ed.* 2. 395. *Fl. Scot.* 528. *Wither. Arrang. ed.* 2. 1012. *Fl. Lond. N.* 19. *Ic.* 111. *Med. Botany p.* 74. *Ic.* 25.

Anglis, *wake-robin*, *cuckow pint*, *lords and ladies*.

Hibernis, *Cluas chaicin*, *Geathur*,
Gaoicin cuithigh.

Inveni ad fepes, et in locis umbrosis fere
ubique, sed præcipue apud *Phænix-Park*
abundanter. V.

MONOECIA.

M O N O E C I A.

D I A N D R I A.

233. L E M' N A.

min'or. 1. LEM'NA foliis sessilibus utrinque planiusculis, radicibus solitariis. *Lin. Sp. Pl. ed. 3.* 1376. *Fl. Ang. ed. 2.* 399. *Fl. Scot.* 537. *Witber. Arrang. ed. 2.* 1020.

Anglis, *least duck-meat.*

Hibernis, *Gran Lachan, Abhran donog Mac gan Athair, Ros Lachan.*

Inveni aquarum stagnantium superficei innatantem, et persæpe eas totas operientem. VIII.

MONOECIA.

TRIANDRIA.

234. TY'PHA.

latifolia. 1. TY'PHA foliis subensiformibus, spica mascula feminæque approximatis. *Lin. Sp. Pl. ed. 3. 1377. Fl. Ang. ed. 2. 400. Fl. Scot. 538. With. Arrang. ed. 2. 1021. Fl. Lond. N. 29. Ic. 171. T. major.*

Anglis, *great cat's tail* or *reed mace*.

Hibernis, *Bodan Dubh, Toigeal na mban Sighe*.

Inveni in stagnis et piscinis majoribus apud *Santry*, et alibi. VII.

angustifolia. 2. TY'PHA foliis subcylindricis, spica mascula feminæque remotis. *Lin. Sp. Pl. ed. 3. 1377. Wither. Arrang. ed. 2. 1022. Fl. Lond. N. 29. Ic. 172. T. minor.*

Anglis,

Anglis, *small cat's tail or reed mace.*

Hibernis, *Bodan.*

Inveni in stagnis inter *Sandymount* et *Mer-*
riou abundanter, et alibi. VII.

235. SPARGANIUM.

erectum. 1. SPARGANIUM foliis erectis trique-
tris. *Lin. Sp. Pl. ed. 3.* 1378. *Fl.*
Scot. 539. *Wither. Arrang. ed. 2.*
1023. *S. ramosum Fl. Ang. ed. 2.*
401. *Fl. Lond. N.* 58. *Ic.* 345.

Anglis, *upright or greater burr-reed.*

Hibernis, *Seisg Gadradh, Bigh*
Seisg.

Inveni in aquis ad fluviorum ripas, inque
palustribus passim, præsertim apud
Phoenix-Park. VII.

MONOECIA.

TETRANDRIA.

236. BET'ULA.

alba. 1.

BET'ULA foliis ovatis acuminatis ferratis. *Lin. Sp. Pl. ed.* 3. 1393. *Fl. Ang. ed.* 2. 416. *Fl. Scot.* 572. *Wither. Arrang. ed.* 2. 1065. *Hunter's Ev. Sylv. ed.* 2. V. 1. p. 218.

Anglis, *birch tree, birk.*

Hibernis, *Beith, Beithe.*

Inveni in sylvis humidis, et sepibus frequenter. VI.

alnus. 2.

BET'ULA pedunculis ramosis. *Lin. Sp. Pl. ed.* 3. 1394. *Fl. Ang. ed.* 2. 416. *Fl. Scot.* 576. *With. Arrang. ed.* 2. 1067. *Hunter's Ev. Sylv. ed.* 2. V. 1. p. 220, 233.

Anglis, *common alder tree.*

Hibernis,

Hibernis, *Fearna Fiarnog*.

Inveni in aquosis inter *Luttrell's-town* et
Lucan, et alibi. VII.

237. *U R T I C A*.

urens. 1. *URTICA* foliis oppositis ovalibus.
Lin. Sp. Pl. ed. 3. 1396. Fl. Ang. ed. 2. 417. Fl. Scot. 578. Wither. Arrang. ed. 2. 1070. Fl. Lond. N. 64. Ic. 384.

Anglis, *less stinging nettle*.

Hibernis, *Caoil fhail, Deanta Dean-*
tog.

Inveni ad fepes, in locis ruderatis et cul-
tis fere ubique. VII.

dioica. 2. *URTICA* foliis oppositis cordatis, ra-
cemis geminis. *Lin. Sp. Pl. ed. 3. 1396. Fl. Ang. ed. 2. 417. Fl. Scot. 578. Wither. Arrang. ed. 2. 1071. Fl. Lond. N. 64. Ic. 383. Med. Bot. p. 396. Ic. 146.*

Anglis,

Anglis, *common stinging nettle.*

Hibernis, *Deantog Leisneach.*

Inveni cum priore. VII.

MONOECIA.

POLYANDRIA.

238. MYRIOPHYLLUM.

spicatum. 1. MYRIOPHYLLUM floribus masculis interrupte spicatis. *Lin. Sp. Pl. ed. 3. 1409. Fl. Ang. ed. 2. 419. Fl. Scot. 581 Wither. Arrang. ed. 2. 1077. English Botany N. 26. Ic. 83.*

Anglis, *spiked water milfoil.*

Hibernis,

Inveni ad margines stagnorum et in stagnis ipsis *Phænix-Park.* VII.

239. POTERIUM.

239. POTE'RIUM.

sanguisor'ba. 1. POTE'RIUM inerme, caulibus subangulosis. *Lin. Sp. Pl. ed* 3. 1411. *Fl. Ang. ed.* 2. 421. *Wither. Arrang. ed.* 2. 1081. *Fl. Lond. N.* 15. *Ic.* 88. *Fl. Rust. N.* 33. *Ic.* 69.

Anglis, *burnet*.

Hibernis,

Inveni in montosis pratis et pascuis, præsertim solo arenoso, frequenter, sed præcipue in clivis umbrosis copiose juxta flumen *Dodder* australi parte, inter *Rathmines* et januam comitis *Ely*, super collem *Knockmaroon*, et alibi. V.

240. QUER'CUS.

robur. 1. QUER'CUS foliis deciduis oblongis superne latioribus, sinubus acutioribus, angulis obtusis. *Lin. Sp. Pl. ed.* 3. 1414. *Fl. Ang. ed.* 2. 421. *Fl. Scot.*

581. *Hunter's Ev Syl. ed. 2. V. 1.*
p. 67. Flora Rustica N. 4. Ic. 10,
11, 12. Med. Botany p. 344. Ic.
126

Anglis, *common oak.*

Hibernis, Dair Crann Darrach,
 Farcán, Furrán.

Inveni in sylvis et sepibus frequenter.
 V.

241. F A' G U S.

sylvat'ica. 1. FA'GUS foliis ovatis obsolete ferratis.
Lin. Sp. Pl. ed. 3. 1416. Fl. Ang.
ed. 2. 422. Fl. Scot. 484 Wither.
Arrang. ed. 2. 1087. Hunter's Ev.
Syl. ed. 2. V. 1. p. 131.

Anglis, *beech tree.*

Hibernis, Beith na meas.

Inveni cum priore frequenter. V.

242. CAR'PINUS.

242. CAR'PINUS.

bet'ulus. 1. CAR'PINUS squamis strobilorum planis. *Lin. Sp. Pl. ed. 3.* 1416. *Fl. Ang. ed. 2.* 422. *Fl. Scot.* 585. *With. Arrang. ed. 2.* 1089. *Hunter's Ev. Sylv. ed. 2. V. 1. p.* 138.

Anglis, *horn-beam tree, hard-beam tree, horfe or horn-beech tree.*

Hibernis, *Crann Sleamhain, Leamhan bog.*

Inveni cum fago sylvatica frequenter.
V.

243. COR'YLUS.

avellana. 1. COR'YLUS stipulis ovatis obtusis. *Lin. Sp. Pl. ed. 3.* 1417. *Fl. Ang. ed. 2.* 423. *Fl. Scot.* 586. *Wither. Arrang. ed. 2.* 1090. *Hunter's Ev. Sylv. ed. 2. V. 1. p.* 213.

Anglis, *basel-nut tree*.

Hibernis, *Coll.*

Inveni in sylvis et sepibus frequenter.

III.

DIOECIA.

DIANDRIA.

244. S A' L I X.

trian'dria. 1. SA'LIX foliis ferratis glabris, floribus
triandris. *Lin. Sp. Pl. ed.* 3. 1442.
Fl. Ang. ed. 2. 425. *Wither.*
Arrang. ed. 2. 1100. *Fl. Lond. N.*
62. *Ic.* 373.

Anglis, *smooth willow*.

Hibernis,

Inveni in salicetis et sepibus humidis
nonnunquam. V.

pentan'dria.

pentan'dria. 2. SA'LIX foliis ferratis glabris, flosculis pentandris. *Lin. Sp. Pl. ed.* 3. 1442. *Fl. Ang. ed.* 2. 426. *Fl. Scot.* 595. *With. Arrang. ed.* 2. 1101.

Anglis, *sweet willow, bay-leaved willow.*

Hibernis,

Inveni in sylvis *Luttrel's-town*, et *Santry*, in sepibus humidis circa *Chapelizod*, et alibi. V.

amygdalina. 3. SA'LIX foliis ferratis glabris lanceolatis petiolatis, stipulis trapeziformibus. *Lin. Sp. Pl. ed.* 3. 1443. *Fl. Ang. ed.* 2. 426. *Fl. Scot.* 596 *With. Arrang. ed.* 2. 1102.

Anglis, *almond-leaved willow.*

Hibernis,

Inveni cum priore, et ad ripas fluviorum. V.

frag'ilis. 4. SA'LIX foliis ferratis glabris ovato-lanceolatis, petiolis dentato-glandulosis. *Lin. Sp. Pl. ed.* 3. 1443. *Fl. Ang. ed.* 2. 426. *Fl. Scot.* 597. *Wither. Arrang. ed.* 2. 1102. *Hunter's Ev. Sylv.*

*Sylv. ed. 2. V. 1. p. 238, 240. Med.
Bot. p. 542. Ic. 198.*

Anglis, *crack willow*.

Hibernis,

Inveni in aquosis et falicetis-passim, præ-
fertim circa *Chapelizod*. V.

purpurea. 5. SA'LIX foliis ferratis glabris lanceola-
tis, inferioribus oppositis. *Lin. Sp.
Pl. ed. 3. 1444. Fl. Ang. ed. 2. 427.
Fl. Scot. 598. Wither. Arrang. ed.
2. 1102.*

Anglis, *purple willow*.

Hibernis,

Inveni in falicetis passim. V.

reticulata. 6. SA'LIX foliis integerrimis glabris ova-
tis obtusis. *Lin. Sp. Pl. ed. 3. 1446.
Fl. Ang. ed. 2. 428. Fl. Scot. 601.
Wither. Arrang. ed. 2. 1103.*

Anglis, *wrinkled willow*.

Hibernis,

Inveni super montes Dublinenses nonnun-
quam. V.

arenaria.

- arenaria*. 7. SA'LIX foliis integris ovatis acutis, supra subvillosis, subtus tomentosis. *Lin. Sp. Pl. ed. 3. 1447. Fl. Scot. 604. With. Arrang. ed. 2. 1104.*

Anglis, *sand willow*.

Hibernis,

Inveni in arena apud *Burrow-of-Portmarnock*, adversus *Baldoyle*. IV.

- fusca*. 8. SA'LIX foliis integerrimis ovatis, subtus villosis nitidis. *Lin. Sp. Pl. ed. 3. 1447. Fl. Ang. ed. 2. 429. var. δ. Fl. Scot. 606. S. repens. With. Arrang. ed. 2. 1105.*

Anglis, *brown willow*.

Hibernis,

Inveni prope priorem, sed in paludibus. IV.

- caprea*. 9. SA'LIX foliis ovatis rugosis, subtus tomentosis, undatis superne denticulatis. *Lin. Sp. Pl. ed. 3. 1448. Fl. Ang. ed. 2. 429. Fl. Scot. 607. With. Arrang. ed. 2. 1106.*

Anglis,

Anglis, *common willow or fallow, mountain osier.*

Hibernis, *Saileach.*

Inveni in sylvis et sepibus passim, præsertim humidioribus. V.

viminális. 10. SA'LIX foliis subintegerrimis lanceolato-linearibus longissimis acutis subtus sericeis, ramis virgatis. *Lin. Sp. Pl. ed. 3. 1448. Fl. Ang. ed. 2. 430. Fl. Scot. 608. Wither. Arrang. ed. 2. 1107.*

Anglis, *osier.*

Hibernis, *Biorraide.*

Inveni in salicetis, aquis, et sepibus humidis, præsertim juxta pagos. IV.

al'ba. 11. SA'LIX foliis lanceolatis acuminatis ferratis utrinque pubescentibus, ferratis infimis glandulosis. *Lin. Sp. Pl. ed. 3. 1449. Fl. Ang. ed. 2. 430. Fl. Scot. 609. Wither. Arrang. ed. 2. 1108.*

Anglis, *common white willow.*

Hibernis, *Sail Soileog, Saileach.*

Inveni juxta aquas passim, præsertim circa *Chapelizod.* IV.

D I O E C I A.

O C T A N D R I A.

245. P O P' U L U S.

- alba.* 1. POP'ULUS foliis subrotundis dentato-angulatis, subtus tomentosis. *Lin. Sp. Pl. ed. 3* 1463. *Fl. Ang. ed. 2.* 433. *Fl. Scot.* 616. *Wither. Arrang. ed. 2.* 1121. *Hunter's Evyl. Sylv. ed. 2. Vol. 1. p.* 201.

Anglis, *white poplar*, *ābele tree*.

Hibernis,

Inveni in fylvis, sepibus, ad fluvios et in aquosis passim. III.

- tremula* 2. POP'ULUS foliis subrotundis, dentato-angulatis utrinque glabris. *Lin. Sp. Pl. ed. 3.* 1464. *Fl. Ang. ed. 2.* 434. *Fl. Scot.* 616. *Wither. Arrang. ed. 2.* 1121.

M m

Anglis,

Anglis, *asp, aspen, aspin tree, trembling poplar.*

Hibernis, Crann crith, Crann crithir,
Crann Critheach.

Inveni in sylvis humidis, et locis uliginosis frequenter. III.

nigra. 3. POP'ULUS foliis deltoïdibus acuminatis ferratis. *Lin. Sp. Pl. ed. 3. 1464. Fl. Ang. ed. 2. 434. Fl. Scot. 618. Wither. Arrang. ed. 2. 1122.*

Anglis, *black poplar.*

Hibernis,

Inveni in iisdem locis cum *P. alba.*
III.

D I O E C I A.

E N N E A N D R I A.

246. M E R C U R I A' L I S.

peren'nis. 1. MERCURIA'LIS caule simplicissimo,
 foliis scabris. *Lin. Sp. Pl. ed. 3.*
1465. Fl. Ang. ed. 2. 435. Fl.
Scot. 620. With. Arrang. ed. 2.
1125. Fl. Lond. N. 14. Ic. 84.

Anglis, *dog's mercury.*

Hibernis,

Inveni ad fepes juxta *Finglafs.* V.

an'nua. 2. MERCURIA'LIS caule brachiato, foliis
 glabris, floribus spicatis. *Lin. Sp. Pl.*
ed. 3. 1465. Fl. Ang. ed. 2. 435.
Fl. Scot. 620. With. Arrang. ed. 2.
1126. Fl. Lond. N. 57. Ic. 342.

Anglis, *French mercury.*

Hibernis,

Inveni in locis ruderatis et cultis copiose.

VII.

P O L Y G A M I A.

M O N O E C I A.

247. H O L' C U S.

lanátus. 1. HOL'CUS glumis bifloris villosis, hermaphrodito mutico, masculo arista recurva. *Lin. Sp. Pl. ed. 3. 1485. Fl. Ang. ed. 2. 440. Fl. Scot. 631. With Arrang. ed. 2. 1138. Fl. Lond. N. 38. Ic. 225.*

Anglis, meadow soft grass.

Hibernis,

Inveni in pratis et pascuis, et locis umbrosis humidisque frequenter. VII.

mol'lis 2. HOL'CUS glumis bifloris nudiusculis, flosculo hermaphrodito mutico, masculo arista geniculata. *Lin. Sp. Pl. ed. 3. 1485. Fl. Ang. ed. 2. 440. Fl. Scot. 631. Wither. Arrang.*

Arrang. ed. 2. 1137. Fl. Lond. N.
54. Ic. 320.

Anglis, *corn soft grass, creeping soft*
grass.

Hibernis,

Inveni in pratis, inter fegetes, et ad se-
 pes. VII.

248. PARIETARIA.

officinalis. 1. PARIETARIA foliis lanceolato-ova-
tis, pedunculis dichotomis, calyci-
bus diphyllis. Lin. Sp. Pl. ed. 3.
1492. Fl. Ang. ed. 2. 442. Fl.
Scot. 634. Wither. Arrang. ed. 2.
1141. Fl. Lond. N. 39. Ic. 234.
Med. Botany p. 384. Ic. 142.

Anglis, *pellitory of the wall.*

Hibernis, *Gliontas Chaisil.*

Inveni in muros antiquos ubique fere;
 præcipue autem apud delubrum ve-
 tustum

tustum in promontorio *Howth*, super
pontes quoque *Glassnevin*, *Finglass*
et *Clonskeagh*, in turrim rotundam
Clondalkin, et alibi. VII.

249. A T R I P L E X.

basifolia. 1. A'TRIPLEX caule herbaceo, calycis
valvulis femineis magnis deltoidibus
sinuatis. *Lin. Sp. Pl. ed. 3.* 1494.
Fl. Ang. ed. 2. 443. *Fl. Scot.* 636.
Witber. Arrang. ed. 2. 1144. *Fl.*
Lond. N. 20. Ic. 118.

Anglis, *wild orache*, *fat hen*, *lamb's quar-*
ters.

Hibernis, *Ceathramha Luain Gri-*
ollog, *Praiseach mhin*, *Ceath-*
ramha chaerach.

Inveni in hortis oleraceis, litoribus ma-
ritimis, inque ruderibus et fimetis.
VIII.

patula. 2. A'TRIPLEX caule herbaceo patulo,
foliis subdeltoideo-lanceolatis, caly-
cibus feminum disco-dentatis. *Lin.*
Sp.

*Sp. Pl. Pl. ed. 3. 1494. Fl. Ang.
ed. 2. 443. Fl. Scot. 637. With.
Arrang. ed. 2. 1145.*

Anglis, spreading spear orache.

Hibernis,

Inveni in ruderatis passim. VIII.

*portulacoides. 3. A'TRIPLEX caule fructicofo, fo-
liis ovatiis. Lin. Sp. Pl. ed. 3.
1493. Fl. Ang. ed. 2. 442. Fl.
Scot. 635. With. Arrang. ed. 2.
1143.*

Anglis, sea purslane.

Hibernis,

*Inveni in palustribus putridis et mariti-
mis passim, etiamque in aggeribus
vetustis juxta South Cumberland-street ;
in civitate Dublin. VII.*

250. *A' C E R.*

*pseudoplatanus 1. A'CER foliis quinquelobis inæqua-
liter ferratis, floribus racemosis.
Lin.*

Lin. Sp. Pl. ed. 3. 1495. Fl. Ang. ed. 2. 445. Fl. Scot. 639. Wither. Arrang. ed. 2. 1147. Hunter's Ev. Syl. ed. 2. V. 1. 193.

Anglis, *sycamore tree.*

Hibernis, Crann bann, Cran fionn, fir-chrann.

Inveni in coemeteriis, circa ædes, et in sepibus passim. V.

campestre. 2. A'CER foliis lobatis obtusis emarginatis. Lin. Sp. Pl. ed. 3. 1497. Fl. Ang. ed. 2. 445. Fl. Scot. 640. Wither. Arrang. ed. 2. 1148. Hunter's Ev. Sylv. ed. 2. Vol. 1. 183.

Anglis, *common maple.*

Hibernis, Crann.

Inveni cum priore, sed præcipue in sepibus. V.

P O L Y G A M I A.

D I O E C I A.

251. F R A X' I N U S.

excel'fior. 1. FRAX'INUS foliis ferratis, floribus
 apetalis. *Lin. Sp. Pl. ed. 3.* 1509.
Fl. Ang. ed. 2. 446. *Fl. Scot.*
 641. *Wither. Arrang. ed. 2.* 1149.
Hunter's Ev. Sylv. ed. 2. Vol. 1.
 145.

Anglis, *common ash tree.*

Hibernis, *Fuinse, Fuinseog, Crann
 Fuinsean, Crann Fuinnseoige.*

Inveni in sylvis *Luttrel's-town, Phœnix-
 Park,* et alibi frequenter. III.

A P P E N D I X.

CICHO'R IUM in'tybus, pag. 218, copiose
in agris *Scriblestown*.

Convol'vulus se'pium, pag. 59, *Fl. Rust. N.* 30.
lc. 88.

Dau'cus caro'ta, pag. 76, *Fl. Rustica N.* 28.
lc. 82.

Hyacin'thus non scrip'tus, pag. 97, copiose in
agris inter *Drumcondra* et *Santry*; et in sylvis
Bracken's-town, et *Rathfarnham-park*.

Parnaf'sia paluf'tris, pag. 90, copiose in agris
comitis *Beelive* apud *Scriblestown*, præcipue
in prato uliginoso juxta pomarium et adi-
tum, et pone Uranoscopium cum pinguicula
vulgari.

Pastina'ca sati'va, pag. 85, *Fl. Rustica N.* 28.
lc. 83.

Pri'mula ve'ris officina'lis, pag. 55, *Fl. Lond.*
N. 67. *lc.* 402.

Sal'via verbenaca, pag. 9, *English Botany N.*
38. *lc.* 154.

Scan'dix anthrif'cus, pag. 84, abundanter inter
Foster's-avenue et *Stillorgan*, et inter *Merrion*
et *Booter's-town*, juxta murum secus viam
publicam.

Valeria'na officina'lis, pag. 11, *Fl. Lond. N.*
67. *lc.* 401.

I N D E X

N O M I N U M

L A T I N O R U M.

A.

A CER campestre	272
——— pseudo-platanus	271
Achillea millefolium	237
Adonis autumnalis	147
Æthusa cynapium	82
Agrimonia eupatoria	128
Agrostemma githago	123
Agrostis canina	18
——— capillaris	18
——— stolonifera	19
Aira aquatica	20
——— cœrulea	20
——— cœspitosa	21
Ajuga reptans	155
Alchemilla vulgaris	45
Alisma plantago	105
——— ranunculoides	105
Allium vineale	95
Alopecurus geniculatus	17
——— pratenfis	17
Alfina media	90

A

Anagallis arvensis	58
——— tenella	57
Anchusa sempervirens	50
Anemone nemorum	147
Anethum fœniculum	86
Angelica sylvestris	97
Anthemis arvensis	236
——— maritima	237
Anthericum ossifragum	97
Anthoxanthum odoratum	10
Anthyllis vulneraria	195
Antirrhinum linaria	170
——— majus	171
Apium graveolens	88
Aquilegia vulgaris	146
Arctium lappa	217
Arenaria peploides	118
——— rubra	119
——— serpyllifolia	118
Artemisia vulgaris	225
Arum maculatum	250
Arundo arenaria	31

O o

Arundo

INDEX NOMINUM LATINORUM.

A.

Arundó phragmites	31
Asperula odorata	41
After tripolium	232
Atriplex hastata	270
—— patula	270
—— portulacoides	271
Avena elatior	30
—— flavescens	30

B.

Ballota alba	163
—— nigra	163
Bartfia. odontites	167
Bellis perennis	234
Beta maritima	72
Betula alba	254
—— alnus	254
Bidens cernua	222
—— tripartita	222
Borago officinalis	52
Brassica napus	181
Briza media	22
Bromus giganteus	29
—— mollis	28
—— sterilis	29
Bunias cakile	184
Bunium bulbocastanum	82

C.

Callitriche autumnalis	3
—— verna	2
Caltha palustris	153
Campanula rotundifolia	64
Cardamine hirsuta	182
—— pratensis	181
Carduus crispus	220
—— lanceolatus	219
—— Marianus	220
—— palustris	219
Carlina vulgaris	221
Carpinus betulus	259
Caucalis anthriscus	75
—— carota	76
—— nodosa	76
Centaurea cyanus	239

C.

Centaurea nigra	238
—— scabiosa	239
Cerastium arvense	125
—— vulgatum	125
Chærophyllum sylvestre	85
Cheiranthus cheiri	179
Chelidonium glaucium	143
Chenopodium album	69
—— bonus Heh-	
ricus	68
—— maritimum	71
—— murale	69
—— polyspermum	70
—— rubrum	69
—— ferotinum	70
—— urbicum	68
Chlora perfoliata	110
Chironia centaurium	66
Chrysanthemum leucanthemum	235
—— segetum	234
Chrysosplenium oppositifolium	114
Cichoreum intybus	218
Circœa Lutetiana	9
Cochlearia coronopus	177
—— Danica	177
—— Grœnlandica	176
—— officinalis	176
Conium maculatum	77
Convolvulus arvensis	58
—— sepium	59, 275
—— soldanella	59
Corylus avellana	259
Cotyledon umbilicus Veneris	[120
Crambe maritima	185
Cratœgus oxyacantha	134
Crepis biennis	214
—— tectorum	214
Crithmum maritimum	78
Cucubalus behen	116
Cynoglossum officinale	51

Cynofurus

INDEX NOMINUM LATINORUM.

C.		F.	
Cynofurus cristatus	34	Fragaria vesca	138
D.		Fraxinus excelsior	273
Dactylis glomerata	25	Fumaria officinalis	191
Daucus carota	76, 275	G.	
Digitalis purpurea	172	Galeobdolon luteum	161
Dipsacus fullonum	36	Galeopsis galeobdolon	161
Draba verna	173	———— ladanum	160
Drosera longifolia	94	———— tetrahit	160
———— rotundifolia	94	Galium aparine	44
E.		———— mollugo	43
Echium vulgare	53	———— montanum	42
Epilobium hirsutum	106	———— palustre	42
———— montanum	107	———— uliginosum	43
———— palustre	108	———— verum	44
———— tetragonum	107	Gentiana amarella	67
Erica cinerea	109	———— campestris	67
———— tetralix	110	———— centaurium	66
———— vulgaris	109	Geranium cicutarium	186
Erigeron acris	226	———— columbinum	187
Eriophorum polystachion	15	———— dissectum	188
Ervum hirsutum	199	———— molle	187
Eryngium maritimum	73	———— moschatum	186
Erysimum alliaria	179	———— Robertianum	188
———— barbarea	178	———— sanguineum	189
———— officinale	178	Geum rivale	142
Eupatorium cannabinum	223	———— urbanum	141
Euphorbia exigua	131	Glaux maritima	65
———— helioscopia	130	Glechoma hederacea	157
———— paralias	131	Gnaphalium uliginosum	226
———— peplus	130	H.	
Euphrasia odontites	166	Hedera helix	65
———— officinalis	167	Heracleum sphondylium	78
F.		Hieracium paludosum	213
Fagus sylvatica	258	———— pilosella	213
Festuca duriuscula	26	Hippuris vulgaris	1
———— elatior	28	Holcus lanatus	263
———— fluitans	27	———— mollis	268
———— ovina	25	Hordeum murinum	32
———— rubra	26	Hyacinthus non scriptus	97,
———— pratensis	27		[275
Ficaria verna	149	Hydrocotyle vulgaris	74
Filago Germanica	240	Hyoscyamus niger	61
Fragaria sterilis	139	Hypericum androsaemum	206

INDEX NOMINUM LATINORUM.

H.		L.	
Hypericum	elodes 209	Lyfimachia	nummularia 56
————	humifusum 206	————	tenella 57
————	montanum 208	Lythrum	salicaria 127
————	perforatum 207	M.	
————	pulchrum 207	Malva	rotundifolia 190
————	quadrangulum 208	————	sylvestris 190
Hypochæris	radicata 216	Matricaria	parthenium 235
I.		————	suaveolens 236
Jassione	montana 241	Medicago	lupulina 205
Ilex	aquifolium 48	Melampyrum	sylvaticum 168
Inula	crithmoides 233	Melica	cœrulea 20
————	dysenterica 233	————	nutans 21
Iris	pseudacorus 12	————	uniflora 21
Iuncus	articulatus 191	Melissa	calamintha 166
————	biglumis 100	Mentha	aquatica 157
————	bufonius 100	Menyanthes	trifoliata 57
————	campestris 191	Mercurialis	annua 267
————	conglomeratus 98	————	perennis 267
————	effusus 98	Montia	fontana 35
————	inflexus 99	Myosotis	scorpioides 49
————	pilosus 101	Myriophyllum	spicatum 256
————	trifidus 99	N.	
L.		Narcissus	poeticus 96
Lamium	album 158	————	pseudo-narcissus 96
————	amplexicaule 159	Narthecium	ossifragum 97
————	purpureum 159	Nymphæa	lutea 145
Lapfana	communis 216	O.	
Lathyrus	pratensis 196	Oenanthe	crocata 81
Lemna	minor 251	————	pimpinelloides 81
Leontodon	hispidum 212	Ononis	spinosa 194
————	taraxacum 212	Ophrys	insectifera 249
Ligustrum	vulgare 3	————	ovata 248
Linum	catharticum 93	Orchis	bifolia 244
————	ufitatiffimum 92	————	conopfea 247
Lithospermum	officinale 50	————	maculata 247
Lolium	perenne 32	————	mafcula 245
Lonicera	periclymenum 63	————	morio 246
Lotus	corniculatus 204	————	pyramidalis 245
Lychnis	dioica 124	————	uftulata 246
————	flos cuculi 124	Origanum	vulgare 164
Lycopfis	arvenfis 53	Ornithopus	perpusillus 200
Lycopus	Europæus 8	Orobis	tuberosus 196
Lyfimachia	nemorum 56	Oxalis	acetofella 122

Papaver

INDEX NOMINUM LATINORUM.

P.

Papaver rhœas	144
—— somniferum	144
Parietaria officinalis	269
Parnassia palustris	90
Pastinaca sativa	85, 275
Pedicularis palustris	169
—— sylvatica	169
Phalaris arundinacea	16
Phleum pratense	16
Picris echioides	215
Pimpinella saxifraga	87
Pinguicula vulgaris	8
Plantago coronopus	39
—— lanceolata	38
—— major	38
—— maritima	39
—— media	38
Poa annua	23
—— compressa	23
—— maritima	24
—— pratensis	22
—— rigida	24
—— trivialis	23
Polygala vulgaris	192
Polygonum amphibium	111
—— aviculare	113
—— convolvulus	ib.
—— hydropiper	112
—— persicaria	ib.
Populus alba	265
—— nigra	266
—— tremula	265
Potamogeton crispum	47
—— lucens	46
—— natans	47
Potentilla anserina	139
—— reptans	140
Poterium sanguisorba	257
Primula veris	54
—— officinalis	55, 275
Prunella vulgaris	165
Prunus spinosa	133
Pyrus malus	135

Q.

Quercus robur	257
R.	
Ranunculus acris	151
—— auricomus	152
—— aquatilis	153
—— bulbosus	150
—— ficaria	149
—— flammula	148
—— hederaceus	152
—— lingua	148
—— repens	150
—— sceleratus	151
Raphanus raphanistrum	180
Reseda lutea	129
—— luteola	ib.
Rhinanthus cristagalli	168
Rosa arvensis	137
—— canina	ib.
—— spinosissima	136
Rubia peregrina	40
Rubus fruticosus	138
Rumex acetosa	104
—— acetosella	ib.
—— acutus	103
—— crispus	102
—— obtusifolius	103

S.

Sagina procumbens	46
Salicornia herbacea	2
Salix alba	264
—— amygdalina	261
—— arenaria	263
—— caprea	ib.
—— fragilis	261
—— fusca	263
—— pentandria	261
—— purpurea	262
—— reticulata	ib.
—— triandria	260
—— viminalis	264
Salisolia kali	71
Salvia verbenaca	9, 275
Sambucus nigra	89

Samolus

INDEX NOMINUM LATINORUM.

S.		S.	
Samolus valerandi	63	Spiræa ulmaria	135
Sanicula Europæa	75	Stachys palustris	162
Saponaria officinalis	115	——— sylvatica	161
Saxifraga tridactylites	ib.	Statice armeria	91
Scabiosa arvensis	37	——— limonium	92
——— succisa	36	Stellaria graminea	117
Scandix anthriscus	84, 275	——— holostea	ib.
——— odorata	84	Symphytum officinale	52
——— pecten Veneris	83	T.	
Schœnus nigricans	13	Tanacetum vulgare	224
Scirpus cæspitosus	14	Teucrium chamædrys	154
——— lacustris	ib.	——— scorodonia	155
——— maritimus	15	Thlaspi arvense	174
——— palustris	13	——— bursa pastoris	175
Scrophularia aquatica	172	——— campestre	174
——— ——— nodosa	171	Thymus serpyllum	164
Sedum acre	121	Tragopogon pratense	210
——— Anglicum	122	Tritolium agrarium	203
——— reflexum	121	——— alpestre	202
Sempervivum tectorum	132	——— fragiferum	203
Senecio erucifolius	230	——— melilotus offi-	
——— Jacobæa	ib.	cinalis	200
——— paludosus	231	——— melilotus or-	
——— sylvaticus	229	nithopodioides	201
——— viscosus	ib.	——— pratense	202
——— vulgaris	228	——— procumbens	204
Serratula arvensis	218	——— repens	201
Sherardia arvensis	41	Triglochin palustre	102
Sinapis arvensis	183	Triticum junceum	34
Sisymbrium nasturtium		——— repens	33
aquaticum	182	Tordylium anthriscus	75
——— fophia	183	——— nodosum	76
Sium angustifolium	80	Tormentilla erecta	141
——— nodiflorum	ib.	Tussilago farfara	227
Smyrniolum olusatrum	86	——— petasites	228
Solanum dulcamara	62	Typha angustifolia	252
Solidago virgaurea	231	——— latifolia	ib.
Sonchus arvensis	211	U.	
——— oleraceus	210	Ulex Europæus	194
Sparganium erectum	253	Ulmus campestris	73
Spartium scoparium	193	Urtica dioica	255
Spergula arvensis	126	——— urens	ib.
——— nodosa	ib.	Vaccinium myrtillus	108

Valeriana

INDEX NOMINUM LATINORUM.

V.		V.	
Valeriana locusta	12	Veronica officinalis	4
———— officinalis	11, 275	———— serpyllifolia	ib.
———— rubra	11	Viburnum opulus	88
Verbascum thapsus	60	Vicia cracca	197
Verbena officinalis	156	———— lathyroides	199
Veronica agrestis	7	———— sativa	198
———— anagallis	5	———— sylvatica	197
———— arvensis	6	Vinca minor	61
———— beccabunga	5	Viola canina	243
———— chamædrys	6	———— hirta	242
———— hederifolia	7	———— odorata	ib.
———— montana	6	———— tricolor	243

I N D E X

N O M I N U M

A N G L I C A N O R U M.

A.	Page	A	Page
A BELE tree	265	Arsmart, dead	112
Adonis flower	148	——— water	ib.
Aglet-headed rush	14	Ash tree, common	273
Agrimony, common	128	Asp	265
——— Dutch	223	Asphodel, Lancashire	98
——— hemp	ib.	Aspin tree	265
——— water	222, ib.	Avens, common	142
Alder tree, common	254	——— water	ib.
Alehoof	158	B.	
Alexanders	86	Bank cresses	178
Alkanet, evergreen	51	Barley, wall	33
Allgood	68	Base rocket	130
Allheal, clown's	162	Bastard asphodel	98
Allseed	71	——— cress	174, 175
Anemone, wood	147	Bay-leaved willow, sweet	261
Angelica, wild	79	Bed-straw, great lady's	43
Archangel, perfoliate	159	——— marsh lady's	ib.
——— red	ib.	——— mountain lady's	42
——— white	158	——— white lady's	ib.
——— yellow	161	——— yellow lady's	44
Arrowheaded grafs	102.	Beech tree	258
		Bee flower	249
	P p		Bee-

INDEX NOMINUM ANGLICANORUM.

B.	Page	B.	Page
Bee orchis	249	Brome grafs, barren	29
Beet, sea	72	———— field	28
Bellflower, round-leaved	64	———— foft	ib.
Bennet, way	33	———— tall	29
Bentgrafs, brown	18	Brooklime	5
———— creeping	19	———— long-leaved	5
———— fine	ib.	Broome, common	193
Betony, Paul's	5	Bruisewort	116
———— water	172	Buckbean	55
Befom plantain, great	38	Buck's-horn plantain	40
Bilberries	108	Buck wheat	55
Bindweed, black	113	Bugle, common	156
———— great	59	Buglofs, fmall wild	53
———— sea	ib.	———— viper's	54
———— fmall	ib.	Bullruff	14
Birch tree	254	Bumblekites	138
Bird's foot	201	Burdock	217
———— common	200	Burnet	257
———— trefoil	205	———— rofe	136
Bird's neft	77	Burr	217
———— tongue	231	———— marygold	223
Bird grafs	23	Burr reed, greater	253
Birk	254	———— upright	ib.
Bittersweet	62	Butterburr	228
Blackberry bufh	138	Buttercups	150, 151
Black bindweed	113	Butterflower	ib. ib.
———— medick	205	Butterfly orchis	244
———— poplar	266	Butterwort, common	8
———— faltwort	65	C.	
———— thorn	132	Cabbage, wild	181
———— whortleberries	108	Calamint, mountain	166
———— worts	108	Caltrops, great water	47
Bladder campion	116	Call-me-to-you	243
Bleaberries	108	Cammock	194
Blinks	35	Campion, bladder	116
Blite, upright	71	———— white corn	ib.
Bluebottles	239	———— wild	124
Bogdown	15	Canary grafs, reed	16
Bogruff, black headed	13	Carline thistle, common	221
Borage, common	52	Carrot, wild	77
Bramble, common	138	Catchweed	44
Breakftone	46	Cat's foot	158
		Cat's	

INDEX NOMINUM ANGLICANORUM.

C.	Page	C.	Page
Cat's milk	130	Codlings and cream	106
— tail, great	252	Colewort, sea	185
— — small	253	Coltsfoot	227
— — grafs, meadow	17	Columbine	146
Celadine, lefs	49	Comfrey, common	52
— — sea	143	Cop rofe	144
Centaury, lefs	66	Corn cale	184
— — yellow	110	— chamomile	237
Chadlock	184	— cicely	83
Charlock	180, 184	— flos Adonis	148
Chamomile, corn	237	— flower	239
— — sea	ib.	— marygold	234
Chafeweed	240	— radifh	180
Cheefe-renning	44	— rofe	144
Chervil, common	84	— foft grafs	269
— small hemlock	ib.	— fallad	12
— wild	85	— fow thiftle	211
Chickweed, common	90	— fpeedwell	7
— — leaf	119	— thiftle	219
— — small water	35	Cotton grafs, common	15
— — ftar-headed wa-		Couch grafs	33
ter	3	Cow's lungwort	60
Childing cudweed	240	— parfley	85
Churn-ftaff	131	— parfnep, common	78
Cicely, corn	84	— quakes	22
— great sweet	ib.	Cowflip, common	55
— fweet	ib.	Cow weed	85
— rough	85	— wheat, yellow	169
— wild	ib.	Coxcomb	168
Cinquefoil, common	140	Crab tree	135
Clary, wild	9	Crake needle	83
Cleavers	44	Crane's bill, bloody	189
Clivers	ib.	— — common-dove's	
Clotburr	217	foot	187
Clover, broad	202	— — hemlock	186
— mountain	ib.	— — jagged leaved	
Clown's allheal	162	dove's foot	188
— woundwort	ib.	— — mufked	187
Clubruff	14	— — ftinking	189
— dwarf	ib.	Crap	32
Cockle	123	Creeping meadow grafs	23
Cock's comb	168	— — moufe ear hawk-	
— foot grafs, rough	25	weed	213

INDEX NOMINUM ANGLICANORUM.

C.	Page	D.	Page
Creeping soft grass	269	Dock, broad-leaved	103
— water parsnep	80	— curled	ib.
Crested dog's tail grass	34	— sharp-pointed	104
Cross-leaved heath	110	Dock cresses	216
Crow flower	124	Dog's grass	33
Crowfoot, bulbous	150	Dog's mercury	267
— celery leaved	151	Dog rose	137
— creeping	150	— rose, white-flowered	ib.
— ivy-leaved	152	Dog's tail grass, crested	34
— upright	151	Dog's violet	242
— water	153	Dove's foot	187
— wood	152	Dropwort, hemlock water	81
— various-leaved	153	— parsley water	ib.
Crow garlick	93	Duck meat, least	251
Cuckow bread	122	Dutch agrimony	223
— flower	18	— clover	202
— meat	122	— trefoil	ib.
— pint	250	Dwarf clubmoss	14
— sorrel	122	— orchis	247
Cudweed, childing	240	— spurge	131
— common	240	— wild flax	93
— marsh	226	Dyer's weed	129
Cyperus, round-rooted			
bastard	15	E.	
		Earth chestnut	82
D.		— kipper	ib.
Daffodil, common	96	— nut	ib.
— pale	ib.	Elder, common	89
Daisy, common	234	— water	89
— greater	235	Elm, common	73
Dandelion, common	212	Enchanter's nightshade	10
— rough	213	Endive	218
Darnel grass, perennial	32	English marsh saxifage	127
— red	ib.	Bryngo, sea	73
Dead arsmart	112	Eyebright, common	167
Dead tongue	81	— red	167
Dead nettle, common	160	F.	
— red	159, 160	Fairy flax	93
— white	158	Fairy's milk	131
— yellow	161	Fat hen	270
Dee nettle	159	Felwort	67
Deer's hair	14	Female foolstones	246
Devil's bit scabious	37	— handed orchis	247
Dill	86	Fennel, common	86

Fennel,

INDEX NOMINUM ANGLICANORUM.

F.	Page	F.	Page
Fennel, water	3	French Mercury	267
Fern, sweet	84	Fumitory, official	191
Fescue grass, common flote	27	Furze, common	194
————— hard	26	G.	
————— meadow	27	Garlick, crow	95
————— purple	27	Gentian, autumnal	67
————— sheep's	26	————— field	ib.
————— tall	28	Germander, common	154
Fetch	198	————— ivy-leaved	7
Feverfew	236	————— speedwell	ib.
————— sweet scented	ib.	————— wild	6
Field brome grass	28	————— wood	155
————— madder	41	Glaswort, jointed	2
————— rush	101	————— prickly	72
————— scabious	37	————— small	71
Figwort, great	171	————— white	ib.
Fig-leaved goosefoot	70	Goat's beard, yellow	210
Fine-leaved heath	109	Gold cup	150
Finkle	85	Golden rod, common	232
Five-leaved grass	140	————— samphire	233
Flag, water	13	————— saxitrage, opposite-	
Flax, common	93	leaved	114
————— dwarf wild	ib.	Goldilocks	152
————— fairy	ib.	Goldins	234
————— purging	ib.	Good Henry	68
Fleabane, blue	226	Good king Henry	ib.
————— middle	233	Goosefoot, common wild	70
Flxweed	183	————— fig leaved	ib.
Float foxtail grass	18	————— red	69
Flote grass	27	————— round-leaved	71
Flos Adonis, corn	148	————— sea	ib.
Flower de luce	13	————— upright	68
Fluellin	4	————— wall	69
Fold meadow grass	23	Goosegrass	44, 140
Fool's parsley	82	Goose tansey	140
Foolstones, early male	246	Gorze	194
————— female	10.	Go-to-bed-at-noon	210
Fowl grass	23	Goulans	234
————— meadow grass	ib.	Grass of Parnassus	91, 275
Foxglove, lady's	60	Graymill	50
————— purple	173	Great bastard madder	43
Foxtail grass, float	18	————— bindweed	59
————— meadow	17	————— burr reed	253
		Great	

INDEX NOMINUM ANGLICANORUM.

G.	Page	H.	Page
Great cat's tail	252	Hawkweed, creeping mouse-	
— daify	235	ear	213
— figwort	171	— long-rooted	216
— hairy willowherb	106	— marsh	214
— henbit	159	— rough succory	215
— knapweed	239	— smooth succory	214
— lady's bedstraw	43	Hawthorn	134
— plantain	105	Headwark	144
— spearwort	149	Heart's ease	243
— sweet chervil	84	Heath, common	109
— stitchwort	117	— cross-leaved	110
— twayblade	248	— fine-leaved	109
— water caltrops	47	— pease	196
— white mullein	60	Hedge mustard, common	178
Grig	109	— — — — — stinking	179
Gromill	50	Hedge nettle	162
Gromwell	ib.	Hedge parsley	76
Ground ivy, common	158	Helne	31
Groundfel	228	Hemlock, common	77
— clammy	229	— — — — — less	82
— hoary	231	Hemlock water dropwort	81
— stinking small-		Hemp agrimony	223
flowered	229	Hemp, trifid water	222
Guelder rose	89	Hemp, water	223
H.		Henbane, common	61
Hag's taper	60	Henbit, great	159
Hairgrafs, purple	20	— — — — — small	7
— turty	21	Heptree	137
— water	20	Herb bennet	142
Hairy-leaved lady's smock	182	— Robert	189
Hairy sheep's scabious	241	— trinity	243
— willowherb, great	106	— twopence	57
— woodruff	101	Herd grafs	17
— violet	242	High taper	60
Hard beam tree	259	Hogweed	78
— fescue grafs	26	Holly, common	48
— meadow grafs	25	— — — — — sea	73
— rush	99	Honeyfuckle, common	63
Harebells	97	— — — — — white	201
Hart's clover	200	Hop trefoil	203
Hazel nut tree	260	— — — — — less	204
Hather	109	Horehound, black stinking	163
Hawk nut	28	— — — — — water	9

Horehound,

INDEX NOMINUM ANGLICANORUM.

H.	Page	L.	Page
Horehound, white stinking	163	Lady's finger	195
Horned poppy, yellow	143	———— foxglove	60
Hornbeam tree	259	———— hair	22
Hornbeech tree	ib.	———— mantle, common	45
Horse beech tree	ib.	———— smock, common	[181
Horseknops	238	———— hairy-leaved	[182
Hound's tongue	51	Lady's thistle	221
Houfeleek, common	132	Lakeweed	112
Hurr burr	217	Lamb's lettuce	12
Hurtleberries	108	———— quarters	271
Hurtfickle	239	———— tongue	38
Hyacinth, common	97	Lancashire asphodel	98
I.		Lang de boeuf	215
Jack-by-the-hedge	179	Late-flowering orchis	245
Jointed glasswort	2	Least chickweed	119
———— rush	100	———— duckmeat	251
Ivy, common	65	———— stitchwort	118
Jur nut	82	Less celandine	149
K.		———— centaury	66
Kernel wort	171	———— hemlock	82
Kidney vetch	195	———— periwinkle	61
Kidneywort	120	———— pimpernel	87
King's claver	200	———— spearwort	148
Kipper nut	82	———— water plantain	106
Kiss-at-the-garden-gate	243	Lily, yellow water	145
Knapweed	238	Ling	109
———— great	239	Little field madder	41
Knopweed	238	Long-leaved shining pond-	
Knotgrafs, amphibious	111	weed	47
———— climbing	113	———— fundew	95
———— common	ib.	Long-rooted hawkweed	216
———— dead	112	Loofetrife, creeping	57
———— spotted	ib.	———— purple-flowered	ib.
———— water	ib.	———— purple-spiked	128
Knotted parsley	76	———— yellow wood	56
———— spurrey	127	Lords-and-ladies	250
L.		Loufewort, common	170
Lady's bedstraw, great	43	———— marsh	163
———— marsh	ib.	Love-in-idleness	243
———— mountain	42	Lychnis cuckow-flower	124
———— white	ib.	Madder,	
———— yellow	44		

INDEX NOMINUM ANGLICANORUM.

M.	Page	M.	Page
Madder, great bastard	43	Meadow grafs, rough-stalked	[23
—— little field	41	—— sea	24
—— wild	40, 43	—— smooth-stalked	[22
Madnep	78	—— soft	268
Madwort, mountain	6	Meadow pinks	124
Male foolstones, early	246	Meadowsweet	136
—— pimpernel	56	Melick, black	205
—— speedwell	4	Melic grafs, purple	20
Mallow, common	190	—— wood	21
—— dwarf	191	Melilot, common	200
Mantle, lady's	45	Meliot trefoil	205
Maple, common	272	Mercury, common English	68
Mare's tail	1	—— dog's	267
Marygold, corn	234	—— French	ib.
Marjoram, wild	164	Milfoil	238
Marle grafs	202	Milk thistle	221
Marram	31	Milkwort, common	192
Marsh cleaver	55	Milkwort, sea	65
—— cudweed	226	Mill mountain	93
—— hawkweed	214	Mint, water	157
—— lady's bedstraw	43	Mithridate mustard	174
—— louse wort	169	Moneywort	57
—— marygold	153	Moor grafs	15, 94
—— pennywort	74	Mofs crops	15
—— samphire	2	Mother-of-thyme	165
—— saxifrage, English	127	Moufe-ear chickweed, com-	
—— trefoil	55	mon	125
—— thistle	219	Moufe-ear chickweed, corn	126
—— willow herb	108	—— scorpion grafs	49
Matfelon	238	Mountain calamint	166
Matweed, sea	31	—— clover	202
May	134	—— epilobium	107
Meadow bouts	153	—— lady's bedstraw	42
—— cat's tail grafs	17	—— oſier	264
—— fescue grafs	26	—— speedwell	6
—— fox tail grafs	17	Mugwort	225
Meadow grafs, annual	24	Mullein, great white	60
—— common	23	Musk cranesbill	186
—— creeping	ib.	Mustard, bastard	175
—— flat-stalked	ib.	—— common hedge	174
—— great	22	Mustard	
—— hard	25		

INDEX NOMINUM ANGLICANORUM.

M.	Page	P.	Page
Mustard, mithridate	174	Pansies	243
—— stinking hedge	179	Parkleaves	206
—— treacle	175	Parnassus, grafs of	91, 275
—— wild	184	Parsley, fool's	82
N.		—— hedge	76
Nipe	181	—— knotted	ib.
Narrow-leaved water		—— water-dropwort	81
parsnep	80	Parsnep, common	85
—— leaved willow herb	107	—— cow	ib.
Narcissus, common	96	—— creeping water	80
—— pale	ib.	—— narrow-leaved water	80
Navelwort, common	120	Paul's betony	5
Navew	181	Pease, heath	196
Nettle, common stinging	256	—— wood	ib.
—— less stinging	255	Pearlwort, procumbent	46
Nettle hemp	160	Pellitory of the wall	269
Nightshade, enchanters	10	Penny cress	175
—— woody	62	—— grafs	168
Nipplewort	216	—— wort, wall	120
Nonefuch	205	Perennial darnel grafs	32
O.		Periwinkle, less	61
Oak, common	258	Pestilentwort	228
Oat grafs, tall	30	Petty maguet	44
—— yellow	ib.	—— spurge	130
Orchard grafs	25	Pheasant's eye	148
Orache	70	Picris, rough	215
Orache, spreading spear	271	Pignut	82
—— wild	270	Pilewort, common	149
Orchis, butterfly	244	Pimpernel	56
—— dwarf	247	Pimpernel, less	87
—— female handed	ib.	—— male	58
—— late-flowering purple		Pimpernel rose	136
pyramidal	245	Pimpernel, round-leaved	
—— long-spur'd sweet-		water	63
handed	248	—— water	5
—— spotted	247	Pinks, meadow	124
Osier	264	Piss-a-bed	212
Osier, mountain	ib.	Plaintain, buck's horn	40
Oxeye	235	—— great besom	38
P.		—— greater water	105
Paddowpipe	1	—— hoary	38
Pagils	55	—— less	106
Paigles	ib.	—— ribwort	39

INDEX NOMINUM ANGLICANORUM.

P.	Page	R.	Page
Plaintain, sea narrow-leaved	39	Ragged Robin	124
Poa, common dwarf	24	Ragweed	230
— common meadow	23	Ragwort	230
— great meadow	22	Rape	181
— hard meadow	25	Rattle, yellow	168
— flat-stalked meadow	23	Raygrafs	32
— sea meadow	24	Red eye bright	167
Pondweed, curled	47	— darnel grafs	32
— broad-leaved	ib.	— deadnettle	159, 160
— long-leaved	ib.	— goosefoot	69
Poplar, black	266	— mairthes	148
— trembling	ib.	— Morocco	ib.
— white	265	— poppy	144
Poppy, red	144	— rot	94
— spatling	116	Reed grafs, common	31
— white	144	— sea	ib.
— yellow-horned	143	Reedmace	252, 253
Prickly glaswort	72	Restharrow	194
— saltwort	ib.	Ribgrafs	39
Prick-madam	121	Ribwort plantain	ib.
Primrose, common	54	Rocket, base	130
Privet	4	— sea	184
Procumbent pearlwort	46	Rosa folis	94
— trefoil	204	Rose, burnet	136
Purging flax	93	— dog	137
Purple fescue grafs	27	— pimpernel	136
— flowered moneywort	57	— white-flowered dog	137
— foxglove	173	Rot, white	75
— hair grafs	20	Rough chervil	84
— melic grafs	ib.	— Cicely	ib.
— sandwort	119	— cock's-foot grafs	25
— sea spurry	ib.	Rough-stalked meadow grafs	[23
— spiked loofestife	128	— succory hawkweed	215
— willowherb	ib.	— black-headed bog	
— spurrey	119	— rush	13
— trefoil	202	— headed common rush	[98
Purslane	35	— rooted bastard cyprus	[13
Purslane, sea	271	Round-leaved bell flower	64
		— water goosefoot	[71

Q.

Quaking grafs	22
Queen of the meadows	136
Quick grafs	33

Round-

INDEX NOMINUM ANGLICANORUM.

R.	Page	S.	Page
Round-leaved water pimperi- nel	[63	Scrogs	133
— fundew	94	Scurvygrafs	176
Rue-leaved whilow grafs	15	Scurvygrafs, Danish	177
Ruth, common round-headed	[98	— Greenland	176
— field	101	Sea beet	72
— hairywood	ib.	— bindweed	59
— hard	99	— celandine	143
— jointed	100	— colewo t	185
— foft	99	— cushion	91
— toad	100	— eryngo	73
— trifid	99	— gilliflower	91
— two-flowered	100	— goofefoot	71
Ryegrafs	32, 33	— grafs	2
Ryegrafs, wild	33	— lavender	92
S.		— holy	73
Sallow, common	264	— matweed	31
Saltwort	2	— meadowgrafs	24
— black	65	— milkwort	65
— prickly	72	— narrow-leaved plantain	39
Samphire	78	— purflane	271
Samphire, golden	233	— reedgrafs	31
— marth	2	— rocket	184
Sandwort, purple	119	— fandwort	118
— fea	118	— ftarwort	232
— thyme-leaved	119	— fpurge	131
Sanicle, common	75	— thruft	92
— Yorkfhire	8	— wheatgrafs	34
Saucealone	179	Seaves	99
Saxifrage, English marth	127	Seggrum	230
— oppofite-leaved		Self-heal, common	165
— golden	114	Septioil	141
— rue-leaved	115	— heep's fefcue grafs	26
Scabious, corn	37	— fcabious	241
— devil's-bit	ib.	— forrel	104
— field	ib.	Shepherds needle	83
— hairy fheep's	241	— pouch	175
— rampion	ib.	— purfe	ib.
Scorpiongrafs, moufe-ear	49	Silverweed	140
Scottifh fcurvy grafs	59	Simpier's joy	156
Scrambling rocket	178	Simfon	228
Scrooby grafs	176	Sloetree	133
		Smallage	88
		Small bindweed	59

INDEX NOMINUM ANGLICANORUM.

S.	Page	S:	Page
Small burnet saxifrage	87	Spurge, sun	ib.
— cat's tail	253	Spurrey, corn	126
— glasswort	71	— knotted	127
— hemlock chervil with		Squitch grafs	33
rough feeds	84	Star-headed water chick-	
— water purflane	35	weed	3
— chickweed	ib.	Star of the earth	40
— white glass wort	71	Starwort	3
— wild bugloss	53	Starwort, autumnal	ib.
Snapdragon	171	Starwort, sea	232
Soapwort, common	116	St. James's wort	230
Softgrafs, corn	269	St. John's wort, officinal	208
— creeping	269	— marsh hoary	209
— meadow	268	— mountain	208
Softtrush	99	— quadrangu-	
Sorrel, common	104	lar	209
— cuckow's	122	— trailing	207
— sheep's	104	— upright	ib.
— wood	122	Stinking groundfel	229
Sowthistle, common	211	— horehound	163
— corn	ib.	Stitchwort, greater	117
— tree	ib.	— less	118
Spatting poppy	116	Stock bill	189
Spearwort, greater	149	Stone crop	121
— less	148	Stone crop, English	122
Spear thistle	220	— yellow	121
Speedwell	6	St. Peter's wort	209
Speedwell, corn	7	St. Peter's wort, marsh hoary	ib.
— germander	7	Strawberry, barren	139
— ivy-leaved	7	— common	138
— male	4	— trefoil	203
— mountain	6	Stubwort	122
— smooth	5	Succory hawkweed	214, 215
— wall	7	Succory, wild	218, 275
— water	5	Suffolkgrafs	24
Spiked-water milfoil	256	Sundew, long-leaved	95
Spotted arsmart	112	— round-leaved	94
— orchis	247	Sunspurge	131
Spreading spear orache	271	Sweet smelling vernal grafs	10
Springgrafs	10	Sweet Cicely	84
Spurge, petty	130	— fern	84
— sea	131	— woodroef	41
		Sweet	

INDEX NOMINUM ANGLICANORUM.

T.	Page	T.	Page
Sweet violet	242	Trefoil, four	122
Swine's cresses	177	——— strawberry	203
Sycamore tree	272	Trembling grafs	22
Tall bromegrafs	29	——— poplar	266
—— fescuegrafs	28	Trifidrush	99
—— oatgrafs	30	——— water hemp	222
Tansey, common	224	Tufted vetch	197
——— goose	140	——— wood vetch	198
——— wild	ib.	Tunhoof	158
Tare	198	Turfy hairgrafs	21
—— everlasting	197	Tutian	206
Tare, fine	199	Twayblade, great	248
Tare, hairy	ib.	Two-flowered ruth	100
Tar, wild	ib.	U.	
Teasel, wild	36	Upright blite	71
Thistle, common carline	221	——— burrreed	253
——— common way	219	——— goose foot	68
——— corn	ib.	V.	
——— lady's	221	Valerian, corn	12
——— marsh	219	——— red	11
——— milk	221	——— wild officinal	11
——— spear	220	Venus comb	83
——— upon thistle	ib.	Vernal grafs, sweet-smelling	[10
Three-faces-under-a-hood	243		156
Thrift	91	Vervain, common	198
Thyme-leaved sandwort	119	Vetch	199
Thyme, wild	165	Vetch, spring	197
Timothygrafs	17	Vetch, tufted	198
Toadflax, common	170	Vetch, tufted wood	[197
—— grafs	100	Vetching, common yellow	89
—— rush	ib.		243
Tormentil, common	141	Viburnum, water	242
Treacle mustard	175	Violet, dog's	ib.
Trefoil, bird's foot	205	——— hairy	54
——— creeping-white	201	——— sweet	
——— Dutch	ib.	Viper's bugloss, common	W.
——— hop	203		
——— less hop	204	Wagwanton	22
——— marsh	55	Wake-Robin	33
——— melilot	205	Wall barley	180
——— perennial	202	—— flower, common	69
——— procumbent	204	—— goosfoot	120
——— purple	202	—— pennywort	Wall

INDEX NOMINUM ANGLICANORUM.

W.	Page	W.	Page
Wall pepper	121	White archangel	158
— speedwell	7	— bottle	116
Wart wort	131	— corn-campion	ib.
Water agrimony	222, 223	— dead-nettle	158
— arismet	112	— dog's rose	137
— avens	142	— glass wort, small	71
— betony	172	— honey-suckle	201
— caltrops, greater	47	— lady's bedstraw	42
— chickweed, small	35	— mullein, great	60
— cress, common	183	— poplar	265
— crow foot, various-		— rot	74
leaved	153	— thorn	134
— dropwort, hemlock	81	— trefoil	201
— dropwort, parsley	ib.	Whitlow grass, common	173
— elder	89	— rue-leaved	[115
— fennel	3	Wild Angelica	79
— flag	13	— briar	137
— grass, spiked	18	— bugloss, small	53
— hair grass	20	— cabbage	181
— hemp	222, 223	— campion	124
— horehound	9	— carline thistle	221
— knot grass	112	— carrot	77
— millfoil, spiked	256	— chervil	85
— mint	157	— Cicely	ib.
— parsnep, creeping	80	— cichory	218, 275
— narrow-leaved	[ib.	— clary	9
— pepper	112	— germander	6
— pimpernel, round-		— goosefoot, common	70
leaved	63	— madder	40, 43
— plantain, greater	105	— marjoram	164
— — — less	106	— mustard	184
— speedwell	5	— orache	270
— star wort	3	— poppy	144
— trefoil	55	— rye	33
— viburnum	89	— spinage	68
Waybennett	33	— fuccory	218
— bread	38	— tansey	140
— thistle, common	219	— tare	199
Whortleberries, black	108	— teasel	36
Wheatgrass, common	33	— thyme	165
— — — sea	34	— valerian, officinal	11
Whins	194	— Williams	124
		Wild	

INDEX NOMINUM ANGLICANORUM.

W.	Page	W.	Page
Wild woad	129	Woodrow	41
Wilding	135	Woodruffe	ib.
Willow herb, purple-spiked	[128	Woodrowell	ib.
Willow, almond-leaved	261	Wood rush	101
—— bay-leaved	ib.	—— fage	155
—— brown	263	—— forrel	122
—— common	264	—— vetch	198
—— common white	ib.	Woody nightshade	62
—— crack	262	Worts, black	108
—— purple	ib.	Y.	
—— sand	263	Yarrow	238
—— smooth	260	Yellow, archangel	161
—— sweet	261	—— centaury	110
—— wrinkled	262	—— cowwheat	169
Willow herb, great hairy	106	—— deadnettle	161
—— marsh	108	—— goat's-beard	210
—— narrow-leaved	107	—— horned poppy	143
—— smooth-leaved	ib.	—— lady's bedstraw	44
Wind berries	108	—— oatgrafs	30
Winter cresses	179	—— pimpernel	56
—— rockett	ib.	—— rattle	168
Woad, wild	129	—— stonecrop	121
Wood anemone	147	—— water lilly	145
—— peafe	196	—— weed	129
Woodbine	63	—— wood loofestripe	56
Woodloofestripe, yellow	56	—— wort	110
Woodmelic grafs	21	—— vetchling, common	197
Woodroofe	41	Youthwort	94

I N D E X

N O M I N U M

H I B E R N I C O R U M.

A.	Page	B.	Page
A BHALE fiadhain	135	Beachnua bicimonn	108
Abran donog	251	Beadhnuaa firionn	208
Ahair talmhun	238	Beahnoba caed coluim kille	ib.
Ailmeog leamh, leamhan	73	Bearnan bealtaine	154
Ailm no crannailme	73	—— bearnach	212
Airgiod luachra	130	Beith	254
Airmeirigh	44	Beithe	ib.
Airneog	133	Beith na meas	258
Aiteann	194	Benedin	141
Allas muire	208	Billar griag in	182
An luibh biatas	72	Blo dh a leithid	243
An ulach	6	Biolar	183
Athair lus	158	Biolar muire	5
Athan	227	—— tragha	176
		—— uisge	5
B.		Biorrach lachan	31
Baine bo bleacht	54	Biorraide	264
Baine bo buidhe	ib.	Blaith na mbodagh	144
Baine muc	211	Blioght fhochadan	211
Bairgin	150	Bo cuineall	179
Balath gnis	44	Bodan	253
Barraiste	52	Bodan dubh	252
	R r		Bodan

INDEX NOMINUM HIBERNICORUM.

B.	Page	C.	Page
Bodan meafgan	8	Ceannaban beag	165
Bodance chloigin	168	Ceatramha luain griollog	270
Bofulan ban	225	———— chaorach	ib.
———— liath	255	Ceolagh	93
Boglus	53, 229, 230	Clabras	114
Bog glafs	53	Cluan lin	126
Bog fheimhin	14	Cluas liath	213
Bonain capuil	ib.	———— luch	ib.
Ponun leana	79	———— chaicin	250
Braim fhear	33	Cocoil	217
Breallan	32	Cogal	123
Breallan leana	128	Coigeal na mban fighe	252
Brios clan	140	Coirearan coilleach	125
Brogh braighe	98, 99	Coirearain mhuc	82
Brovh	15	Coirearan	ib.
Bruimfean	33	Coll	260
Buachalan	225	Collaidin	144
Buachalan na keafgaran	229, [230]	Coman mionla	237
———— buidhe	234	Copog thnaithil	217
Buafanan	225	Cor chopog	105
Buidhe bhailfcean	230	Corran lin	126
Buidheacan bo bleacht	54	Crann crither	266
Buidhe mor	129	———— critheach	ib.
Buigiuin	14	Crann paochain	108
Buine	75	Crann	272
Butha muck	97	———— bann	ib.
		———— fuinfean	273
		———— fionn	272
		———— crith	266
		———— fuinnfeoise	273
Caba defain	37	Crannlus	229
Cabhan abhan	145	Crann fleamhain	259
Cabrois	126	Creachtach dhearg	188, 189
Caman scarraigh	191	Creatach	189
Caoch na cceare	62	Crob eain	202
Caoil fhail	255	Cruach phadruig	38
Capog fhraide	104	Cruagh luachair	14
Capuil	55	Crub leoin	45
Carthan curaigh	11	Cruba leoin	156
Carnan caifil	120	———— lefin	146
Cartloinn	157	Cruisgiornah	31
Cas fa chrann	64	Cuchullon	44
Cas tfearbhan	212	Cuigheag	140
Cauleach dhearg	144	Cuighnear muirre	ib.
Ceanabhan mona	16		Cuilen
Ceanach na mona	16		

INDEX NOMINUM HIBERNICORUM.

C.	Page	F.	Page
Cuilin	48	Feinne gabhla	132
Cuil cann tragma	74	Feleastar	13
Cuineal muire	60	Feleastrum	13
Cuinnog mighe	79	Feochadan	219
Cuiridin ban	84	Feor n curraigh	9
Cunlan	82	Fineal cubhra	87
		Fineal muire	183
D.		Finne cainn	132
Dair crann darrach	258	Fiothran	33
Deagha buidhe	110	Firchrann	272
Dearna mhuire	45	Fleann uisge	153
Derag talnhan	19	Flioch	90
Draineog	133	Fliuch	ib.
Dreimire buidhe	110	Fofannan min	211
Dreimire muire	67	Fora dhrios	137
Diseog	138	Fothrum	171
Drios	ib.	Fothanan	219, 227
Drumire gorm	62	Fraoch	109
Dubhan ceannebosach	165	Fraochan	108
Dubhamuith	ib.	Fraochog	ib.
Duilleasgna habhan	47	Fuaim a tsiorraigh	191
Duilleog bhaite	145	Fualachtar	5, 80
Duilleog bride	217	Fuath ghoram	62
—— mhaith	ib.	Fuinse	273
Duilleogh mhin	ib.	Fuinseach	10
Dailiur spunc	227	Fuinseog	273
Dun lus	171	Fuinseogach	10
Duracdin mona	94	Furran	258
		G.	
E.		Gaerealach collain	179
Eadhadnan	65	Gaffan	62
Eadhan	ib.	Gairleog muire	95
Earbal righ	189	Gairteog	135
		Galcach anolurach	6
F.		Gallan	228
Failing mhuire	45	Galluran	79
Fa.caire fiodhain	58	Gaoicin cuithigh	250
—— fuar	ib.	Garahog	184
Fanaigshe naigse	243	Garabh lufs	44
Farach dubh	171	Garbh raitheoch	174
Farcan	258	Garb raitheach	179, 184
Fathan	227	Gas na cconnachta	184
Fearban	150	Gaspag beain	235
Fearna fiarnog	255		
Feathlead	64		
Feathog fa chrann	ib.		
		R r 2	Gealdruigh

INDEX NOMINUM HIBERNICORUM.

G.	Page	L.	Page
Gealdrúigh	94	Liathan	234
Gear neimh	130	Liach roda	47
Geathur	250	Lin	93
Geirgin	78	Lin raidhrc	167
Gioltcach	193	Lion ha mban fighe	93
Gioltcach fhleibhe	ib.	Lochall	5
Glan ruisc	167	Lionan abhan	153
Glassar heile	156	Lochall mothair	5
Gleoran	79, 182	Luachair	14
Glunach bheag	113	Luibh an aghaidh cofachtarche	[227
Glunach dhearg	112		
Glunneagh mor	ib.	Lus a sparain	175
Gorman	239	Lus an chainé	192
Gorman searaigh	244	Lus an giolla	170
Goroin	8	Lus baine	192
Gotharach	49	Lus buih bealtaine	154
Grafan	163	Lus choluin chille	56
Grafan na cclock	121	Lus na ffranc	224
Grain aigain	149	Lus cre	4
Gran lachan	251	Lus na cenapan	171
Greim a diabhail	37	Lus na canabh brisde	52
Grenuig	78	Lusaranan gran duh	86
Grioloigin	ib.	Lus na ccainle ccarach	97
Groman	89	Lus na fola	175
Grom crann grommair	ib.	Lus garabh	44
	H.	Lus na laogh	114
Heanfeadh	224	Lus mide	49
	I.	Lus mila	49
Ionaigh	148	Lus na miol mor	190
	K.	Lus na pingine	74
Kran airneadh	133	Lus riabhach	170
	L.		M.
Lamhan caite leacan	120	Macgan athair	251
Laisair leana	148	Machall	142
Leadán	36	Mada fraeigh	44
Leamhan bog	259	Madra fraeigh	44
Leamhnacht	141	Magarlin meadhreach	246
Leananach snaithe baite	153	Mantatach	191
Leathach buidhe	45	Mael isa garb raitheath	178
Liach briada	47	Maithine	31
Liach loghar	145	Maorthlan mona	170
Liath lus	225	Marabh dhroighean	128
Liath lus roid	240	Marbhe dhroighean	223

Meacan

INDEX NOMINUM HIBERNICORUM.

M.	Page	P.	Page
Meacan Righ	84	Plubairfin	154
Meadh duach	235	Plurin feangan	203
Meahain	31	Poipin	144
Meanaidin	141	Ponra curraigh	55
Meangach	140	Praifeach	180
Mearacan	173	———— brathar	68
Meastorc alta	206	———— buidhe	181
Meastorc caoil	206	———— fiadh	175
Meastorc keeil	206	———— garuh	184
Milthan monah	170	———— na ccaoragh	175
Miogbuidhe	62	———— mhin	270
Mithaghuisge	62	———— tragha	185
Minnhear	77	R.	
Miodhlucan	77	Raeimin raidhrc	167
Mioibogan	77	Raitheach tragha	185
Miontas chaifil	269	Raidhircin	167
Miofach	93	Raidhleadh	32
Mongach measga	225	Reagam	75
Mugoman	77	Reaga maighe	ib.
Mairuinach	31	Rema	ib.
Muirneach	31	Riahhaigh	170
Mulach dubh	239	Rial cuil	189
Mulaighe dubha	ib.	Righ seifg	253
N.		Rian righ	189
Nead cailleach	147	Ros lachan	251
Neal uifge	153	Ruinn ruife	58
Neanta neantog	255	Ruifnin raidhrc	167
Neantog leifneach	256	S.	
Neantog chaech	158, 159	Sail chuach	242, 243, 244
Neantog mharabh	ib. ib.	Sail foileog	264
Niansgoth	239	Saileach	ib.
Nianscoich	ib.	Samha bo fealgan	104
No draighean	133	Samha cairach	ib.
Noinin	234	Samha fearna	123
Noinin mor	235	Sahog muire	222, 223
P.		Seamar cre	4
Pacharan	55	———— muire	56
Paipin	144	Seamair bhan	201
Piobol	228	———— capuil	202
Pis bhuidhe	197	Seamrog	201
Pis capuil	198	Seamfog	123
Pis duh	ib.	Seichearalan	54
Pis phreachain	ib.	Seichgheirgin	ib.

Seimhim

INDEX NOMINUM HIBERNICORUM.

S.	Page	S.	Page
Seimhin	13	Sriumb na laogh	171
Seisg madradh	253	Suth talmhan	138, 139
Sgathoga fiona	16	T.	
Sgcachog muire	223	Tathu	81
Sgeach	134	Tathu ban	ib.
—— talmhan	138	Teanga con	51
Sgeagh	134	Toirpin	132
Sgeach gheal	ib.	Torachas biadhain	151
—— mhadra	137	Trabach	179
Sibhne	13	Triantaran	195
Sifin	ib.	Tuile talmhan	150
Sioda mona	16	Tur facain	117
Siothan mearacan na mna		—— facainin	ib.
fighe	173	U.	
Slan Lus	39	Uachdar	8
Slat gorom	62	Uath	134
Son duilleog	217	Ucas fihain	190
Sraidin	175	—— francach	191
Sreann bo	195	Urachalach	37
—— tearran	ib.		

F I N I S.