Cross Edition Book

376

KEUFFEL & ESSER CO.
DRAWING MATERIALS
AND
SURVEYING INSTRUMENTS.
NEW YORK.

CHICAGO. ST. LOUIS. SAN FRANCISCO. MONTREAL.

TABLES FOR EXCAVATIONS AND EMBANKMENTS.

DISTANCES FROM CENTER OF ROADWAY FOR CROSS-SECTIONING.

ROADWAY 18 FEET WIDE. SIDE SLOPES 1 TO 1.
FOR SINGLE TRACK EXCAVATION.

"Copyright, 1895, by Keuffel & Esser Co".

	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
0	9.0	9.1	9.2	9.3	9.4	9.5	9.6	9.7	9.8	9.9	0
1	10.0	10.1	10.2	10.3	10.4	10.5	10.6	10.7	10.8	10.9	1
2	11.0	11.1	11.2	11.3	11.4	11.5	11.6	11.7	11.8	11.9	2
3	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	12.9	3
4	13.0	13.1	13.2	13.3	13.4	13.5	13.6	13.7	13.8	13.9	4
5	14.0	14.1	14.2	14.3	14.4	14.5	14.6	14.7	14.8	14.9	5
6	15.0	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	6
7	16.0	16.1	16.2	16.3	16.4	16.5	16.6	16.7	16.8	16.9	7
8	17.0	17.1	17.2	17.3	17.4	17.5	17.6	17.7	17.8	17.9	8
9	18.0	18.1	18.2	18.3	18.4	18.5	18.6	18.7	18.8	18.9	9
10	19.0	19.1	19.2	19.3	19.4	19.5	19.6	19.7	19.8	19.9	10
11	20.0	20.1	20.2	20.3	20.4	20.5	20.6	20.7	20.8	20.9	11
12	21.0	21.1	21.2	21.3	21.4	21.5	21.6	21.7	21.8	21.9	12
13	22.0	22.1	22.2	22.3	22.4	22.5	22.6	22.7	22.8	22.9	13
14	23.0	23.1	23.2	23.3	23.4	23.5	23.6	23.7	23.8	23.9	14
15	24.0	24.1	24.2	24.3	24.4	24.5	24.6	24.7	24.8	24.9	15
16	25.0	25.1	25.2	25.3	25.4	25.5	25.6	25.7	25.8	25.9	16
17	26.0	26.1	26.2	26.3	26.4	26.5	26.6	26.7	26.8	26.9	17
18	27.0	27.1	27.2	27.3	27.4	27.5	27.6	27.7	27.8	27.9	18
19	28.0	28.1	28.2	28.3	28.4	28.5	28.6	28.7	28.8	28.9	19
20	29.0	29.1	29.2	29.3	29.4	29.5	29.6	29.7	29.8	29.9	20
21	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	21
22	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	22
23	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9	23
24	33.0	33.1	33.2	33.3	33.4	33.5	33.6	33.7	33.8	33.9	24
25	34.0	34.1	34.2	34.3	34.4	34.5	34.6	34.7	34.8	34.9	25
26	35.0	35.1	35.2	35.3	35.4	35.5	35.6	35.7	35.8	35.9	26
27	36.0	36.1	36.2	36.3	36.4	36.5	36.6	36.7	36.8	36.9	27
28	37.0	37.1	37.2	37.3	37.4	37.5	37.6	37.7	37.8	37.9	28
29	38.0	38.1	38.2	38.3	38.4	38.5	38.6	38.7	38.8	38.9	29
30	39.0	39.1	39.2	39.3	39.4	39.5	39.6	39.7	39.8	39.9	30
31	40.0	40.1	40.2	40.3	40.4	40.5	40.6	40.7	40.8	40.9	31
32	41.0	41.1	41.2	41.3	41.4	41.5	41.6	41.7	41.8	41.9	32
33	42.0	42.1	42.2	42.3	42.4	42.5	42.6	42.7	42.8	42.9	33
34	43.0	43.1	43.2	43.3	43.4	43.5	43.6	43.7	43.8	43.9	34
35	44.0	44.1	44.2	44.3	44.4	44.5	44.6	44.7	44.8	44.9	35
36	45.0	45.1	45.2	45.3	45.4	45.5	45.6	45.7	45.8	45.9	36

Calculated by Julien A. Hall, M. Am. Soc. C. E.

No. 271.

To Whitmore

Louis L. Ray

Geological Museum

Harvard University

Cambridge, Mass.

Smithsonian Institute

Washington, D.C.

1936

If lost, please return

EXTRA FINE ENGINEERS' TRANSIT
No. 5060 S
KEUFFEL & ESSER CO., N.Y.

ALSO MADE WITH
INTERNAL FOCUSING TELESCOPE
PRACTICALLY DUST AND MOISTURE PROOF.

1 June 30th Ludman Site
Fort Collins, Colorado.

For a general description of this
archaeological site, see Dr. Frank
H. H. Roberts, Smithsonian Inst.
Pub. 1935.

Folsom points are coming from
a black earth layer about 24" ^{thick}
thick, which lies below a grayish
surface layer which is about
24-30" thick. The black layer
carries few pebbles. A minute
fauna of gastropods, etc. found
in black layer.

Small vertical masses of a soft
caliche found in both layers.
This apparently has formed about
plant roots. It is soft, porous and
"fluffy". In the black layer a large
mass of caliche, approximately
3" in diameter was found. It was
more compact than that of the
tubules but still easily broken and
scraped away with the fingernail.

2

Generalized
Sketch of
Layout.

3 The valley immediately to the north of the camp - tributary to the former stream draining the Lindenmire Valley is probably of the same age and possibly contained the same black earth layer, covered more deeply by later wash. No Tolson points have been found in this valley.

Altitude + location P.P. 116
Cave stage - made by deposit of
Dunsmuir - yellow of later which are
interbedded with the cave &
in some places - formed means
by which the valley from
Dunsmuir

July 2 Linderum Site

4

4 Reconnaissance trip to end of Linderum Valley. Upper end of valley cut off by pirate stream which has cut down probably 200'. There is what may be a possible continuation of the old valley across the pirate stream. Several tributary valleys enter the L-valley from the north. In some places these are being captured by modern gorges cutting pouring debris into the L Valley. Stratigraphy is apparently and according to Light, Bull clay overlain by Arikara, arkose and conglomerate, into which L has been cut. Artifact bearing horizon is valley fill, overlain by later wash.

5 Walking north from end of L-valley about 1 mile into Wyoming taking one up on to the relatively undisturbed surface. Here one can see twin mts. and granite mts directly to the north which rise as monadnocks above the surface. One can also see the summit of Table Mt. to the SW - at about the same elevation. Two apparent surfaces could be seen to the east of the Mummy Range - Long Peak rising above all in the distance.

6 The Linderum Valley lies below the high surface (Medicine Rock?) and the lower surfaces due to the S. Platte. There are two terraces on the side of the L-valley, due, I think to more resistant conglomerate beds.

7 Note - In going down the L-valley 5
there is a sloping surface from the
north valley wall which cuts across
the whole valley, with the exception
of one point. This about a mile below
the camp.

8 About 3 mi. east of camp a high surface
can be seen, with the lower Tennessees which
seem to slope to the E or SE.

9 Sketch looking to north from a pt.
about 4 mi SE camp.

Sherman - Cheyenne

10 From a point near Jack Spring Ranch
one can see that the bunch of the L
valley belong to a series immediately
below the Sherman - Cheyenne (middle
row surface). Apparently the bottom of
the L-valley belongs to a third surface.
A fourth valley phase has cut into
this and still another recent one is
cutting into the fourth. Thus far it would
seem there are 5 surfaces.

11 Near camp (see blueprint map)
are small brush covered mounds
of the Brink clay at the base of the
outcrops. My first impression was
to call them dunes, as on the map.
However I don't think them due to
wind deflation. Land slides would
not account for the vegetation just on
the mounds. The final conclusion seems
to be that they are the result of
differential soil wash, mounds of -

6
veloping where the clay was
protected by the vegetation. The
bushes were as in size a crop
down over the sides of the mounds.
The appearance is deceptive.

July 3 Lindenmire Site

7

12 Trip to Round Butte. Summit seems to be at the same level as surface #3. This is tentative. Sides are covered with loose sandstone blocks, rounded cobbles, and fragments of flint, Jasper, etc. Some of the siliceous material is well rounded and polished. At the summit there seems to be an outcrop of Arkose arkose and conglomerate. Lower portion is made up of clay, in some places horizontal and in some vertical. The Butte and the surrounding plains are underlain by vertical beds with resistant yellow sandstone layers which rise 2 to 3 feet above the plains. The trend is NE-SW. Some of the clay near the base looks like Boulder formation. From the summit I still think that I can see 5 surfaces. It is the second which is a little higher and the 5th can probably not be called a surface.

13 Taking main road to Buford crossing and going west, one can see to the north along the mt. front what appears to be numerous terraces, but I think they are mostly landslips. However, there are two pronounced benches below the upper surface.

July 4th Greeley

8

14 Shuman Greeley site by Forest Powers, who with his son Wayne were the discoverers. Site is located on south side of South Platte river about 2 miles west of Greeley, just south of irrigation ditch on sandy sloped South Platte river nearly dry, for most of the water is removed for irrigation.

Location of the Folsom site as shown on the above sketch. Possibly higher terraces which have not been detected on the brief visit. The general opinion of Bryan and Roberts seems to be that these artifacts are not in place, but have come down from a higher level. In view of the position of the finds this is probably true and excavations on the higher terraces would reveal the actual site.

15 Blument to the south of site. Sand ridge with large depression apparently due to wind action. Look further into this matter and inquire of the natives if new ones have formed recently. The sand deposit is close bedded.

16 The general plan of attack for the work seems to be: 1) determine up which stream the terraces can be carried to the S. cirque, 2) detailed mapping

to be carried from the Gully area 9
to the of. cirque and 3) the drying
in of the Lindenmeyer site with the
terraces of the South Platte.

Streams to prospect for terraces -

Big Thompson

Little Thompson

Sache la Poudre

Boulder Creek

St. Vrain Creek

Clear Creek (Golden to Mt. Evans)

From the appearance of the maps it
looks as though Clear Creek to the cirque
of Mt. Evans would be a good bet, however
if something nearer the site can be located,
so much the better. It is to be hoped that
something can be found in the Rocky Mt.
Nat. Park area.

July 5 Laramie Site

10

17 The "clay dunes" which Dr. Bryan mentions, I think, are not dunes but erosional remnants of Brule clay which are preserved because of a protective vegetation cover. While there is constantly a strong wind blowing, the clay is packed so hard that it does not seem reasonable that deflation could be active. Moreover, rain which falls here is often in the form of cloudburst proportions, capable of washing away material which could not otherwise be easily moved.

18 The Brule clay is a hard, compact clay, well jointed, in some places concretionary. Small iron, calcite nodules are to be found locally as well as lenses of old arkosic material similar to the overlying arkosic foundation.

Miocene - Arkosic cong.
Oligocene - Brule clay
Eocene - Chadron shale
Pliocene - Pierre shale

July 6th Cheyenne

11

19 Picture #1 pack 2 from Highway 30 NW to Igou mountains rising above the plains. Highway follows N.P. tracks up the plains into the mts. Picture about 2 mi. west of Ogden. These are the Sherman mts.

20 Photo 2-2 shows view of mts. & the surface cut on rock in foreground. Ex F16 K10 sec with K2

21 Photo 3-2 decomposed granite lying beneath the Sherman surface. The material is dug with shovels.

Photo 4-2 Decomposed quartz and erosional remnant in distance rising above the surface

22 Photograph of Ames Monument
Photograph of erosional remnant on Sherman surface from the Ames monument.

(Note - Sign - Ames Monument - a grateful industry memorial to Oliver & Oakley Ames of Mass.; the two men who led in the epochal achievement of constructing the Union Pacific RR. Built 1881-82. Cost \$80,000, length 60' - elevation 8,235 ft.

23 Close view of Sherman granite monoliths. Looking south towards Rang's Peak one can see a well defined surface below the Peak and 2 more, not so well defined below that. The lowest one probably be correlated with the Sherman surface.

24 The Sherman Mountains seem to be
erosional remnants lying above a
piedmont developed on the Sher-
man granite. There is practically
no section this surface, which
is continuous with the surface
of the high plains. The granite
is weathered to depths of over 20
feet. Highway 30 near the Rust
Monument is the best locality
seen for these features. A good
back cross section through this
region would be something
like this —

To the north of Cheyenne on Limber
out to the great plains surface which
is well dissected and shows no
distinct terraces, from casual obser-
vation.

July 7 Fort Collins

3

25th Picked up Stapt at the ranch
in the morning. Fernando, etc. and
then to camp for lunch. In the
afternoon we examined the site
and the surrounding country.

July 9th. Carhula Pueblo

26. As we ascend up the valley as far as the Canyon Pass. The terraces seem to be well defined though discontinuous as we enter on the valley walls. They are some steep enough to climb which they could be traced, but this is only for a mile or very slightly more. It appears that we could make this stream.

27. At same P.O. there is a terminal unconformable valley. Along this the valley has a characteristic appearance and in some places the valley has a sharp post glacial canyon cut in it.

28. At Canyon Pass the Flattop Surface can be seen on the top of the high peaks and several other peaks. There is also a lower surface which can be seen in the vicinity but which is unidentified. Ask Randolph about this.

29. In some of the narrow canyons where the surfaces are lost the small tributary valleys may show quick points which would aid in carrying the terraces through.

Surface of
Mormon Mts

Cirque Lake

mon - ok
 Tues - cat
 wed - 23
 Thurs -
 Fri -
 Sat -

July 10th

16

31 Fort Collins to Seward and up the
 Big Thompson River. In several spots
 there are excellent terraces preserved
 but on most of the canyon the walls
 are almost vertical with no traces of
 terraces or flats. This looks like a
 very unimposing stream to work. Much
 more unimposing than Cache la Poudre
 the canyon is long and lack even
 well defined steep off slopes.

32 Estes Park - Trail Highway followed
 to an altitude of 12,183 ft. All the
 excellent (crinoid) rock strata (caliche
 thin) and this well preserved
 surface. The higher on the mt. tops and
 into which the rivers are cut as per-
 viding the flat top surface. The lower
 one is a plain surface to the. Saw a
 very lake. The fur. "Big Lake" etc.
 The cuts, stand out. A remarkable
 even summit elevation - although
 the surface is quite rolling. I wonder
 how much of this surface is covered
 on the round slopes about timber
 line. Excellent large moraine seen
 down in moraine Park (see map).

33 Estes to Lyons and up into St. Vrain
 Canyon. There are undoubtedly fine
 surfaces to be seen in this canyon which
 is without doubt the poorest seen.
 Its beauty is superior, but for our
 purposes it can't be looked. Camped
 near mouth of canyon.

July 11

19

34 Trip with Van Teyl to see the
surfaces in the region of Golden,
where they seem to be well developed.
His surfaces up the valley seem to
be of the same general character as
those we have seen in Cache la Poudre.
The surfaces are all easy to see in the
field and look convincing. The Pe-
diment surface along the cut part.
The structure is complex. The
mountain valley stage of the Mt. Morrison
series stands out very nicely and is
convincing. Diabase and traces were
seen in the Dakota near Morrison.

35 The 5 (or possibly 6) terraces of Rabbit
Creek are beautifully developed. The
highest may possibly correlate with
the Onondell. It appears to be a
pediment for the gravel cover is in
most places only a few inches to
2 feet in depth, although in one
spot 20 feet of gravel was seen. Some
of the gravel is well disintegrated,
especially the granite gneiss. The
gravel is deposited on the gently
undulating surface of the plains
of bedrock. Very much like the
Shuman Mt. surface. This may be
the Onondell. Some of the later terraces
are said by Van Teyl to be developed
only in gravel fill. He correlates
the last and greatest advance of the
glaciers with the Wisconsin. V.T.
thinks our work ought to determine if the
highest terrace is Onondell - also if they are
pediments.

- 36 V.T. hopes that we may run our terraces down to the Rabbit Creek area, but at present I think we can take them up the Cache la Poudre. It will be a good plan to carry the South Platte terraces from east of Greeley past the mouth of S. St. Vrain.
- 37 Guard against the spars which may be only dikes between streams which have no significance. Also remember that the position of the stream in its valley affects the terraces on either side of the valley.
- 38 V.T. finds no evidence of differential flexure in the lower terraces. If there have been movements they have been of an isostatic character.
- 39 It would appear that we would not be interested at the moment in anything older than the Orodell (Alford) surface.

4588.2
 4588.2
 4579.2

23.95
 9.35
 4621.00

4629.6
 4611.5
 4606.0

8.25
 1.4
 1.35

11

4587.6
 4588.0

4588.0
 4580.7

12.1
 4.4
 16.5

14.75

x = 5.8 +
 + 4.35

4608.1
 4605.5
 4597.6

20.25

4588.0
 4580.8

4580.00
 15.12
 4595.12

3.3

3.0
 6.2
 1.0
 3.0
 5.3

7.2

4
 3.2
 3.4
 11.2
 2.8

July 14
 BM -

Rod 0.56" above ground
 BM 4628.2
 HI = 4628.2 + 1.6

21

Shot 5 Dist 1220' Elev 4' $\angle 30^{\circ}28'$ True elev.
 (center of road)

Shot 6
 (west side of the road)

	560'	4'	Hor -	
Shot 7	520'	1.4'	"	HI 3.25'
8	620'	12.6	"	"
9	640'	9'	$\angle 31^{\circ}$	" 3.3'
10	930	5.8'	$\angle 29^{\circ}05'$	
11	620'	3.8'	Hor	" 3.4'
12	680'	9.2	"	
13	520'	8'	$\angle 30^{\circ}40'$	" 3.6'
14	460	28'	Hor	
15	520	8'	$\angle 30^{\circ}41'$	" 3.5'

(u.s.g.s. BM - Datum - 90' toward bridge
 + 2.2' including on rd.)

16	660'	4'	$\angle 31^{\circ}20'$	HI 3.3
17	880'	4'	$\angle 29^{\circ}32'$	HI 3.3
18	670'	3.5'	Hor	
19	970'	5'	Hor	HI 3.4
20	1000'	2'	Hor	
21	980'	4'	"	HI 3.3
22	660'	2.2	"	
23	800'	1.5'	"	

BM 4616
 HI 3.3

24

960'

2.4'

Hav

— With Mr. Powers

Possible Yuma camp site just west of Yuma School house from River Station. Yuma north to Plate River. F. P. measuring almost 2nd terrace is relatively narrow. Steep bluffs to 3rd terrace with gravel deposits which have been worked. Soil layer on top of gravel. On 4th ter. soil goes right to shale (as pediment).

counted shots for profile

Elev. 24

5-		
6-	560'	4625.60
7-	520'	4623.95
8-	620'	4614.40
9-	640'	4608.10
10-	930'	4588.60
11-	620'	4588.00
12-	650'	4580.80
13-	520'	4579.20
14-	460'	4575.00
15-	520'	4574.00
16-	660'	4585.00
17-	880'	4593.80
18-	670'	4596.00
19-	970'	4597.60
20-	1000'	4599.30
21-	980'	4605.90
22-	660'	4600.80
23-	800'	4610.30

July 15th

BM 4616 = 4617.23

24	1000'	9.5'	< 30°	4608.5
25	860'	6.2	HI 3.4	4611.3
26	920'	1.5	"	4613.2
27	880'	4'	< 28° 5' HI 3.3	4642.9
28	1140'	11.8'	HI 3.3	4634.4
29	660'	12	" HI 3.3	4643.1
30	880'	9.3	"	4639.1
31	890'	5.3	"	4644.1
32	660'	7.6	"	4638.8
33	980'	1.1	"	4645.3
34	1220'	2'	< 30° 10' HI 3.4	4643.3
35	540'	4'	< 30° 45'	4649.7
36	720'	8'	< 30° 52'	4649.5
37	1080'	5'	< 30° 45'	4655.8
38	640'	9'	< 29° 20' HI 3.3	4666.9
39	1160'	8'	< 30° 55'	4680.7
40	660'	8'	HI 3.3	4685.4

- 5 - The private road seems to run along the section line. At this point there is a well developed slope between the #2 + #3 surfaces. The upper surface of #3 appears to be sandy and undulating as if small dunes had developed.
- 6 - Gravel pit on highway and private road
 - 8" - 1' brownish sandy clay
 - 6" - 8" black to gray earth
 - 1' yellow sandy clay
 - 6" gray sand in some places heavily lignite stained. "Wavy" & "crumpled"
 - ↓ 10' + of crossbedded red felspathic gravel.

This wavy & crumpled layer may be the result of periglacial siltation. The is cut into the #3 surface. There are quite irregularities on this surface which appear to be due to wind action.

7 - Following on to River find extensive flats of #3. The River site is a bluff on the #3 terrace in what appears to be a wind blown material. Crossing the river one finds remnants of the 3 flats. This is not shown on the topog. map.

8 - In making a general trip about the country it would seem that surface #3 is the best developed and has the largest remnants. As a general rule in the field I should say that surface #3 is the one which goes through Eaton & Ant up to the Lindgren site. If this is true, both the Powers and the Lindgren

near also the River site would be
easily either above or on the 3rd surface.
The layers are between 34 an upper
one and Poyano and River lie in same
material which is developed on #3.
As far as I can see, the best plan will be
to dig in only the outer edge of the
traces. This, with cross profiles of
the road will give a good idea of the
traces of the region.

5 M	4628 + 2.7	6.7	HI 3.5
9	1060	4	
9	380	6.4	
9	200		
9	500		
9	1340		
9	1380		
9	440		
9	700		
9	400		
9	640		
9	900		
9	240		
9	13.5		

checked

5	4628
1	4629.5
1	4618.1
1	4412.9
1	4607.9
1	4599.6
1	4599.2
1	4590.2
1	4593.4
1	4600.0
1	4600.0
1	4600.0

Re-reading

HI	3.5
HI	3.3
HI	3.2
HI	3.3

July 16

28

- 1 - The edge of the third terrace comes within 100' of the road junction, 1 mile north of the 4612 B.M. at Kersy. Toward the river there is a slight break which would be the #2a. This should show up on the profile which we have made.
- 2 - Following road to west at 0.6 mi. the slope cut back again to the road. There is no indication of a 2a surface. That apparently dropped out very quickly. The break is well marked but also well eroded.
- 3 - Out on this "point" the break in slope is unusually well defined. There is a large meander cut eroded into the terrace.
- 4 - As one begins to go down to the river along the road there is a very slight break in slope below the #3. This may indicate what we have called #2c although it is very poorly defined.
- 5 - There is this lower 2c level, with no real break in slope up where the road goes down to the river. Following this to the south one finds that there is a lower surface, but no real break in slope.

After breakfast a general reconnaissance to Fort Lupton. The route see map.

6 From Kersy to LaSalle we stayed on the same #3 surface. Very extensive and flat with only a few spots of a relief of 2 or 3 feet over wide areas. West of LaSalle a ridge on the front of the #3 surface. It is composed of coarse sand. On the surface are a few well rounded cobbles, similar to the "Indian stones" of Iowa. Found 2 fragments which may be flakes and some flat

polished pieces of sandstone which may be "polishing or grinding rocks". 29

7 Depression in surface $3\frac{1}{4}$ mi north of Nantua or Gilchrist. We still have the very broad flat, but near the hills to the east it is becoming gently rolling.

8 In the vicinity of Plattville the #3 surface is more or less dissected and the escarpment is not as well defined as in other regions. 1 mile N. of Plattville, crossing the river one goes from #3 to #2 on a well defined escarpment. The #2 surface is probably 12' below the #3. Dropping from the #2 by about a 5' escarpment #1, which may be the river floodplain in this district. The river has cut only about 2 feet below this surface, is braided and carries gravel similar to that near Kurey.

9 Gravel pit on rd $\frac{1}{2}$ mi N. Plattville, leading to the river. It is at the base of the #3 slope.

10 The #3 surface comes from Kurey to Ft. Lupton and apparently might be traced along the Platte to Denver and beyond.

11 The top of long hill SE of Ft. Lupton at elevation of 5220 feet is covered with a

30
very coarse but well rounded
gravel, ranging in size from less
than 1" to more than 2" in diameter
with high hills appearing in places
on the high surface. There is an
abrupt break in slope below these
hills, then a very gentle and some-
what undulating surface which
ends in a valley with #3.

2 west of top river in road cut on hill
is a high and similar gravel deposit
with a layer of white shell under
lying them. The white material
is thought to be Bentonite and I think
the gravel is also 2' thick at the west.

3 The surface on the west side of the
river seems to be more complex than
that on the east, possibly because of
the influence of the main tributaries
from the west. It was difficult to keep
the surface straight and to try and
follow it. Another outcrop of the
Bentonite seen. However no gravel
on top. Numerous terraces or without
gravel appears. In general there
seems to be a black earth layer beneath
the #3 surface.

Resumé - Three fac-

- 1 High surface sloping to the east - probably
a pediment.
- 2 Development of very broad material valley
which was later dissected into
at least four surfaces.

Sta

1	1340'	0'	BM 4628 + 2.5
2	1000'	4'	Hor -
3	1380'	1.5'	" HI 3.3
4	1680'	0	" L 29° 45' HI 3.8
5	860'	8.9	Hor. from 4
6	1340'	4'	L 30° 40'
7	1460'	7.3'	L 29° 57' HI 3.7
8	960	4.8'	L 30° 22'
9	1280	12	Hor HI 3.5
10	1560	0	L 30° 52'
11	1060	12'	L 30° 37' HI 3.7
12	1430	4'	L 31°
13	1490	12'	L 29° 35' HI 3.7
14	1260	12'	L 31° 3'
15	1020	12	L 29° 33' HI 3.6
16	1380'	4	L 30° 53'
17	1140'	4'	L 28° 58' HI 3.3

A great deal of discrepancy as to the number of terraces. There is no doubt as to the continuity of what we have been calling #3 - which stretches from River through Keweenaw to Ft. Davenport. It is also recognizable along the north side of the Platte. It possibly stretches through Eaton and out and on north to the Chalk cliffs. Above #3 with an indefinite boundary is a 4th broad valley phase and on top of that a 5th gravel covered bench which slopes to the east. This should be investigated to see if it can be correlated with the Ogallala. Below #3 lies the difficult one we are now going to change and call the wide surface just 4 or 5 above the river level the #1 surface. Between this and #3 lie either 1 or 2 surfaces and only a slight possibility of more.

July 17

Kuiper profile

1	1010'	4'	Hor	
2			BM Kuiper (RR track at station)	
	3.9 HI above general level of ground			
	HI 3.3			
3	320'	5.3'	Hor	
4	900'	0'	L 32° 40'	H.I. 3.4
5	95'	3.6	Hor	
6	350'	8.7	"	
7	700'	8.1	"	
8	500'	9.5	" H.I. 8.3	
9	1080	9.5	Hor	
10	960'	7	Hor HI 3.4	
11	1310'	4	L 29° 53'	
12	900	12	Hor HI 3.5	
13	770'	1	L 30° 40'	
14	2020	0	L 30° 55'	

From above profile, it is seen that the Kuiper profile is a smooth curve, and the general level of ground is about 3.3 HI above the general level of ground. The profile is a smooth curve, and the general level of ground is about 3.3 HI above the general level of ground.

Traveling To Lincoln Site.

Leaving Greeley we were able to pick up the #3 surface to the north of town immediately after crossing the Table Land. The displacement is similar to that found in the River-Kersey area. Following the Union Pacific tracks north through Eaton, Olathe, Pierre and Wray we continued on the surface with no change in the general slope although there were small undulations where the surface has been cut into by the streams. The southern portion of the surface lies to the east, but no direct road follows it.

Traveled east to Wildhorse Twp to get a better outcrop there. Along Little Owl Cr. a few miles north of B.M. 5230 found well rounded gravel of medium size. One mile north of a good outcrop on a hill. Found an outcrop of dark red brown sandstone with large rounded pore spaces up to 1" in diameter. These appear to be filled with a yellow calc. It was underlain by what appears to be Brule.

Wildhorse Twp appears to be underlain by Brule. The top is covered by a coarse but well rounded gravel deposit made up of all varieties of igneous rocks with a scattering of sandstones.

Back to Dorr and on the #3 surface to Carr following the Union Pacific tracks. At Carr the #3 has been succeeded by Little Owl Cr. Photo taken from #3 looking toward Lincoln Site from pt. 3 mi. SE of Carr. Also photo taken 1 mi. SE of Carr showing the displacement up to the #3 surface.

At Sam there are numerous yellow 35
terraces developed in Lone Tree Creek.

The #3 surface continues on to Gause, which
we think is an old farm that point on the
surface is so well dissected and the remnants
evident that on the rapid trip it could not be
captured through to the summer site. It is
my present belief that this site is either on
the or just on the slope above it.

July 18 - Lindenmier Camp (Sunday) 31

Two Eastern Scientists Work at Indian Camps East of Here

Recent discoveries in northern Colorado of stone implements and weapons made by a race of men antedating modern Indians has aroused widespread scientific speculation as to the exact age in which the Folsom man lived, the circumstances under which he lived and the type of culture he had developed.

Discovery of a Folsom man campsite on the Lindenmier farm 30 miles north of Fort Collins gave impetus to the investigation of Folsom man which has been spurred by Folsom discoveries in the vicinity of Kersey by Forrest Powars, former Weld county commissioner.

The Folsom campsite north of Fort Collins was the scene of excavation work last summer by representatives of the Smithsonian Institute which is continuing its excavation work this summer with a group of scientists directed by Dr. F. H. H. Roberts, Jr.

As a supplementary investigation, the Smithsonian Institute has sent two investigators into Weld county to check upon Folsom discoveries here and, thru geological investigations, ascertain, if possible, the approximate date when Folsom man roamed this part of the country.

Two Investigators Here

The two investigators, Louis L. Ray, of St. Louis, teaching assistant in geology at Harvard University and Thomas W. Steptoe of Martinsburg, W. V., Harvard student, have been at work in the vicinity of Kersey and Kuner since July 1 and plan to continue their studies until September. It may take another summer for them to complete the terrain study they have commenced.

The problem of the two investigators here is to make a study of the

age-old river terraces in this part of the country with relation to the finding of Folsom artifacts. If the Folsom discoveries north of Fort Collins, at Kersey and at other points, are found to be upon the same geological terrace, it will serve to identify the age in which Folsom man lived.

They were formed at various periods of the Pleistocene or ice age and if a correlation can be made between certain terraces here and the known invasions of the ice age in other sections, as in Wisconsin, the age at which Folsom man was active here can be fairly closely estimated. At present estimates of the period of Folsom man's residence here vary from 12,000 to 20,000 years ago, but these estimates are admitted guesses.

Discoveries West of Kersey

The Folsom discoveries by Forrest Powars are a mile and three quarters west of Kersey. From this site Powars and his son, Wayne, who is working this summer with the Smithsonian group at the Lindenmier site north of Fort Collins discovered by Major Roy Coffin of Fort Collins, have taken 105 scrapers, more than 500 chips, 36 pieces of broken arrow points. Some of the material taken from the Kuner site has been identified as of Yuma origin. Some ochre and charcoal also has been found at the Kersey site. At Kuner a Yuma arrow point has been taken from a small sand dune where it was found about two and a half feet below the surface when a posthole was being dug.

The Smithsonian scientists have made some preliminary investigations of the Kersey site which is on land leased by Powars, but owned by Sears Brothers of Cambridge, Mass.

Two Eastern Scientists Work at Indian Camps East of Here

Recent discoveries in northern Colorado of stone implements and weapons made by a race of men antedating modern Indians has aroused widespread scientific speculation as to the exact age in which the Folsom man lived, the circumstances under which he lived and the type of culture he had developed.

Discovery of a Folsom man campsite on the Lindenmier farm 30 miles north of Fort Collins gave impetus to the investigation of Folsom man which has been spurred by Folsom discoveries in the vicinity of Kersey by Forrest Powars, former Weld county commissioner.

The Folsom campsite north of Fort Collins was the scene of excavation work last summer by representatives of the Smithsonian Institute which is continuing its excavation work this summer with a group of scientists directed by Dr. F. H. H. Roberts, Jr.

As a supplementary investigation, the Smithsonian Institute has sent two investigators into Weld county to check upon Folsom discoveries here and, thru geological investigations, ascertain, if possible, the approximate date when Folsom man roamed this part of the country.

Two Investigators Here

The two investigators, Louis L. Ray, of St. Louis, teaching assistant in geology at Harvard University and Thomas W. Steptoe of Martinsburg, W. V., Harvard student, have been at work in the vicinity of Kersey and Kuner since July 1 and plan to continue their studies until September. It may take another summer for them to complete the terrain study they have commenced.

The problem of the two investigators here is to make a study of the

age-old river terraces in this part of the country with relation to the finding of Folsom artifacts. If the Folsom discoveries north of Fort Collins, at Kersey and at other points, are found to be upon the same geological terrace, it will serve to identify the age in which Folsom man lived.

They were formed at various periods of the Pleistocene or ice age and if a correlation can be made between certain terraces here and the known invasions of the ice age in other sections, as in Wisconsin, the age at which Folsom man was active here can be fairly closely estimated. At present estimates of the period of Folsom man's residence here vary from 12,000 to 20,000 years ago, but these estimates are admitted guesses.

Discoveries West of Kersey

The Folsom discoveries by Forrest Powars are a mile and three quarters west of Kersey. From this site Powars and his son, Wayne, who is working this summer with the Smithsonian group at the Lindenmeier site north of Fort Collins discovered by Major Roy Coffin of Fort Collins, have taken 105 scrapers, more than 500 chips, 36 pieces of broken arrow points. Some of the material taken from the Kuner site has been identified as of Yuma origin. Some ochre and charcoal also has been found at the Kersey site. At Kuner a Yuma arrow point has been taken from a small sand dune where it was found about two and a half feet below the surface when a posthole was being dug.

The Smithsonian scientists have made some preliminary investigations of the Kersey site which is on land leased by Powars, but owned by Sears Brothers of Cambridge, Mass.

province.

The rebels lay claim to their own successes notably in the Guadarrama mountains north of Madrid but this was disputed by the government.

A serious battle was reported in progress between loyalists and insurgents in the ancient Gothic city of Toledo.

Tho at a standstill for the moment, fascist armies were reported to be threatening Madrid both from the northwest and south. Madrid's civil life gradually was returning to normal, the populace apparently unaware of imminent danger.

More Candidates Are Designated by Justice Precincts

Additional justice and constable candidates designated at the republican assembly here Saturday were reported to Secretary H. O. Luther Monday as follows:

J. P. precinct 2: A. H. Borgman of Longmont route four and James G. Jardine of Frederick for justice; Jesse Powell of Longmont route four and W. B. Collier of Frederick for constable.

J. P. precinct 25, Nunn, Dover, Carr and Gault; Ed B. Van Why for constable.

Justice Precinct 28: Names of Tim De Votie and James Hubbard of Gilcrest, first listed for justice and constable, were stricken later and names of Dr. Pestal for justice and Albert Lorenz for constable substituted.

J. P. Precinct 31: Charles L. Douglass of Grover and Mark Byers of Hereford for justice; Guy Palmer of Grover and Clarence Moreland of Sli-go for constable.

J. P. Precinct 42: W. R. Barker of New Raymer for justice.

Several precincts failed to designate.

tourists are entering the state weekly thru the Julesburg port of entry.

Man and Wife Arrested for Drunk Driving

Paul H. Taylor, 38, of St. Paul, Minn., was arrested for drunken driving by the state courtesy patrol officers near Nunn Sunday evening and lodged in the county jail.

Mrs. Taylor was also arrested as being drunk. Another occupant of the car, Jesse Bates, 20, of Locust Grove, Okla., was not arrested.

Patrolman E. A. Beavers who was one of the arresting officers, said it is probable that a suspended sentence may be recommended for Taylor if he will leave the state immediately. None of the party had any money. They have been working on a dairy farm near Denver but have not established residence in Colorado. If Taylor is jailed, his wife will have no place to go and is not eligible for relief. None are able to pay a fine.

The party was en route to near St. Paul to work on a dairy. They had stopped near Brighton Sunday night and took on too much liquor.

Two Die of Burns in Fire at Fraser

(Associated Press)

Denver, July 27.—Hazel McQueary, 20, of Denver, and her nephew, Charles Weinholdt, Jr., 12 of Fraser, Colo., died in a hospital today of burns suffered in a fire at Fraser yesterday.

Fire enveloped a combination store, dance hall and dwelling when Weinholdt poured kerosene into a stove in starting a fire.

July 18 - Lander's Camp (Sunday) 31

July 19 -

Fort Collins to Greeley via Snake Lake Ranch
valley. Good surface, which looks as if
it might be #3 from Ft. Collins to
Windsor. It is easy to stay on this broad flat
surface. There are well defined scarp
between this surface and the lower one
near Fossil Cr. This scarp is much lower
due undoubtedly to the fact that the upper
surface has been slightly reduced. The
#3 surface does not cross the river
as the river indicates a higher surface.
Actually there appear to be 2 surfaces
above #3 south of the river. ————— #5?
There are well defined. ————— #4?

#5?

#4?

July 20

Profile west of Keneby to Greeley
BM 4659 H.I. 2.5

1	810	3.	Horizontal	
2	520	0.	"	
3	1340	0.	$\angle 30^{\circ} 10'$	HI 3.5
4	1080	0.	$\angle 30^{\circ} 2'$	
5	990	7.8	Hrv	HI 3.6
6	1300	4.	"	
7	1160	5.8	"	HI 3.5
8	1140	9.	"	HI 3.1
9	1120	8.6	"	
10	810	0	"	
11	720	5.1	"	HI 3.6
12	1020	0	"	
13	810	9.7	"	HI 3.6
14	880	2.	"	
15	940	0	$\angle 30^{\circ} 30'$	
16	1540	0	Hrv	
17	1700	12	$\angle 31^{\circ} 10'$	HI 3.6
18	1300	0	$\angle 31^{\circ} 5'$	
19	1200	6.6	Hrv	HI 3.5
20	1260	1	"	HI 3.6
21	1200	3.5	"	
22	1120	2.	"	HI 3.5
23	720	0.6	"	
24	440	3	"	

25 540
26 740
27 1060
28 980
29 180
30 790
31 665
32 680

6.1 Hm.
12 $\angle 30^\circ 4'$
12 $\angle 30^\circ 2'$
4 $\angle 30^\circ 45'$ HI 3.6
4 $\angle 31^\circ 45'$
4 Hm
2.9 Hm HI 3.8
8.6 $\angle 30^\circ 19'$

38

July 21

33 700
34 260
35 360
36 980
37 940
38 1480
39 1360
40 1160
41 1220
42 920
43 1200
44 1160
45 420
46 1020
47 1040
48 360

8.5 $\angle 30^\circ 15'$ HI 3.6
2.8 Hm
3 " HI 3.6
6.4 "
5.1 " HI 3.6
0 $\angle 30^\circ 43'$
3.3 Hm HI 3.5
5.8 "
3.9 " HI 3.5
7.4 "
6.1 $\angle 30^\circ 48'$ HI 3.5
8.1 $\angle 30^\circ 25'$
5 Hm HI 3.7
Stream level shot 9.65
2 Hm
8.2
6 Hm HI 3.5

49	800'	8'	$\angle 32^{\circ} 8'$	39
50	1160	7.3	NW	HI 3.5
51	850	4	"	
52	900	5.4	"	HI 3.6
53	480'	2.5	"	
54	820	6.2	"	HI 3.6
55	1010	0	"	
56	1300	2.7	"	HI 3.7
57	980'	0	"	
58	580'	6.4	"	HI 3.5
59	1010	2.1	"	
60	1300	3.5	"	HI 3.6
61	1030	0	$\angle 30^{\circ} 13'$	
62	960	11.8	NW	HI 3.5
63	880	3.7	"	HI 3.7
64	1440	4	"	
65	980	8	$\angle 28^{\circ} 52'$	(Stream has average 50' width & 11 ft deep. That made in bridge.)
66	1020'	0	NW	
67	990	7.1	"	HI 3.6
68	620	9	"	
69	1260	12	$\angle 29^{\circ} 53'$	
70	900	8.2	NW	HI 3.6
71	680	10.1	"	(Depth stream from bridge 4')
72	480	4.9	"	
73	1300	4	$\angle 31^{\circ} 14'$	

73
31
36
720

July 22
74 1500
75 1040
76 720
77 880
78 680

4.5
2.6
8.4
7.6
8

$\angle 31^{\circ} 41'$
 $\angle 32^{\circ}$
 $\angle 31^{\circ} 20'$
Hv
 $\angle 30^{\circ} 22'$

40
H.I. 3.6
(about 1.5
above
original surface)

H.I. 3.5

July 22 Profile across S. Platte near Evans -
Starting at BM 4675 - H.I. 2.3

1 2080 06.8
2 1060 6.7
3 530 10
4 830 3
5 1180 4.8
6 270 6
7 720 3.7
8 520 9.2
9 320 3
10 370 8
11 1040 2.7
12 510 2.9
13 320 7.2
14 300 4.3
15 160 4
16 200 (approx) 5'

Hv

$30^{\circ} 30'$

$27^{\circ} 4'$

Hv

Hv

$\angle 30^{\circ} 46'$

Hv

Hv

Hv

Hv

$\angle 30^{\circ} 41'$

Hv

"

"

"

"

"

"

$\angle 31^{\circ} 5'$

Hv

Hv

Hv

$\angle 31^{\circ} 57'$

$\angle 27^{\circ} 52'$

$\angle 32^{\circ} 16'$

H.I. 3.5

H.I. 3.6

H.I. 3.4

H.I. 3.5

H.I. 3.5

H.I. 3.2

BK of main channel. Pt. is 5' above the stream.

(Taken on post across river - should be about 2' lower) H.I. 3.5

H.I. 3.6

17 520 10'
18 550 2.8'
19 1440 8'

July 25

42

22	890	3.5	Hor	H.I. 3.6
23	2000 (?)	12	$\angle 30^{\circ} 38'$	(This shot taken to pt. on hay wire which was 17' above the level of the ground. The horizontal distance had better be checked with the base map.)
24	1200	4 (+17 for hay)	$\angle 31^{\circ} 30'$	H.I. 3.6
25	1120	6.4	$\angle 29^{\circ} 55'$	
26	1360	5.2	Hor	H.I. 5.4
27	920	11.5	Hor -	
28	960	3.4	"	H.I. 3.6
29	760	9'	"	
30	970	9.4	"	H.I. 6.6
31	1000	5.4	"	
32	1920	5.7	"	H.I. 5.0'

This last station is 10 north of 3rd big cottonwood tree, west side of rd, south of small house - 1/4 mile south of woods.

We do not seem advisable to carry this section any farther, for we are crossing the #2 canyon and going up a very steep slope to a rugged hill top which is without doubt a buried surface. We must not now do any particular reconnaissance.

July 27 Plattville Station
BM 4976 is missing
one end of on the track road.
crossing road 37.08

HI 3.3
above the
road level

1	240	3.5	Hor.	
2	1400	5.4		
3	720	8.4	$\angle 29^{\circ} 28'$	HI 3.6
4	1060	6.0	$\angle 30^{\circ} 14'$	
5	830	5.9		HI 3.5
6	1010	12	$\angle 29^{\circ} 19'$	
7	1780	0	$\angle 30^{\circ} 14'$	HI 3.6
8	1360	0	$\angle 28^{\circ} 15'$	HI 3.5
9	610	3.2		
10	1270	5		
11	940	5.3		HI 3.5
12	200	2		
13	960	3		HI 3.5
14	1100	4	$\angle 29^{\circ} 9'$	
15	740	0	$\angle 30^{\circ} 55'$	HI 3.6
16	510	4.5		

Just below the bridge the stream is small and rapid
about 200 yds. below the bridge it is a small stream.

1	1060	5.6	Hor.	
2	1650	3.9		HI 3.6
3	830	7.5	"	
4	640	3.9		HI 3.6
5	640	4.8	"	
6	880	10.5	"	mouth of stream made of stream opp bank
7	940	5.7		
8	590	1	$\angle 28^{\circ}$ top of slope	HI 3.5
9	1300	4	$\angle 30^{\circ} 20'$	

July 25

26	1610	7	$\angle 30^{\circ} 21'$	HI 32
27	1240	4	$\angle 30^{\circ} 15'$	
28	1180	0	$\angle 30^{\circ} 30'$	HI 35
29	1100	9.1	100	
East bank of river is almost high as a single cliff. The only part of flat of creek is at 1100.				
30	130	10.3	100	
Edge of the main level is at 1100.				
31	1000	7	100	
32	1220	13.2		HI 34
Height of summit of ground is 1100 ft. - 2 inches				
33	1110	8	100	
34	1520	0	$\angle 30^{\circ} 27'$	
35	1520	4	$\angle 34^{\circ} 45'$	HI 37
36	1470	4	$\angle 30^{\circ} 33'$	
37	1040	8	$\angle 21^{\circ} 51'$	HI 35
38	1270	2	$\angle 31^{\circ} 15'$	

28

125

46

Ft. Lupton profile
Initial pt. BM 4872 HI 2.8 above BM

1	540	1.3	Hor	
2	1000	1	"	
3	940	4.7	"	HI 3.5
4	1020	0	$\angle 30^{\circ} 55'$	
5	1480	4	$\angle 28^{\circ}$	HI 3.6
6	300	2	$\angle 30^{\circ} 52'$	
7	1120	8	$\angle 30^{\circ} 50'$	
8	1240	5.8	$\angle 29^{\circ} 26'$	HI 3.6
9	1300	0	$\angle 30^{\circ} 15'$	
10	1600	4	$\angle 29^{\circ} 30'$	HI 3.5
11	330	8.1	Hor	
12	1080	1	$\angle 30^{\circ} 44'$	
13	1320	5.4	$\angle 29^{\circ}$	HI 3.3
14	1200	4	$\angle 30^{\circ} 55'$	
15	1280	4'	$\angle 28^{\circ} 37'$	HI 3.5
16	1220	0'	$\angle 31^{\circ} 24'$	
17	960	8'	$\angle 28^{\circ} 51'$	HI 3.5
(Note - the upper surface of this country is all covered with fine, light sand and there are low dunes - from about #3)				
18	220	1.9	Hor	
19	1040	1	$\angle 32^{\circ} 10'$	
20	990	12	$\angle 30^{\circ} 30'$	HI 3.5
21	580	12	$\angle 28^{\circ} 30'$	
22	460	0	Hor	HI 3.2
23	240	10.5	$\angle 28^{\circ} 48'$	
24	780	4	$\angle 29^{\circ} 21'$	

47
The high hill on which there is a triangulation station
marked has a very interesting gravel pit
on its summit - where the first pit was
taken. The pit is about 12-15 ft deep and
shows coarse caliche covered gravel
derived from the pits and crossbedded
layers of a very coarse coarse sand.
The gravel is similar to that seen on
the hill to the south which has the 10 ft.
It is also similar to the coarse gravel
seen on the high hills to the south of
Kersey. The gravel covers the surface of
the ground. It is nearly all well
rounded as if by stream action.

2.4
2.4

10.4
2.4
8.0

25 960 4.0 Hor H.I 3.6 48
Detour from a straight section because of
thickness of material & width of hole
26 320 9.4 $\angle 31^\circ 2'$ (shot on
edge of dam, not related to surface)
27 240 3 $\angle 31^\circ 18'$

May 29

49

Brighton Falls
 2.5 mi. W. BM 4939 at RR tracks N 35

1	640	4.7	Htv	
2	640	10.4	- 30° 38'	
3	1200	8.5	Htv	HI 3.4
4	1440	0	- 30° 14'	
5	1540	4	- 28° 32'	HI 3.3
6	240	10.8	- 25° 02'	
7	720	0	- 29° 35'	
8	720	0	- 31° 55'	
9	1560	0	- 28° 30'	HI 3.5
10	1300	4	- 20° 30'	
11	300	0	- 30° 30'	
12	1920	7	- 22° 55'	HI 3.5
13	440	0	- 29° 40'	
14	1200	1	- 30° 21'	
15	200	5.1	- 28° 53'	HI 3.3
16	600	1	- 29° 35'	
17	1620	5.1	- 31° 20'	
18	580	0	- 31° 54'	
19	1260	4	- 33° 53'	
20	1220	3.2	Htv	HI 3.3
21	1260	3.4	Htv	
22	1060	4	- 30° 30'	HI 3.2
23	820	6	Htv	

Note - river very high, the above marks of level are
 special datum. This datum is cell phone line - about
 at water level would be 4 to 5 ft above water level below
 the dam.

24	120	1.2	Htv	
----	-----	-----	-----	--

1120 5.9
1180

1180
1180

1180
1180

1180

25	1180	6.1	Hor	50
26	1260	3.5	"	H.I 3.5
27	1160	1	"	
28	1180	11.4	"	H.I 3.8
29	1240	1	L 30° 13'	
30	790	4	L 30° 2'	H.I 2.7
31	1080	6.6	L 30° 53'	
32	980	6.6	Hor	H.I 3.5
33	1180	0	Hor	
34	1140	4	L 29° 3'	H.I 3.6
35	780	0.6	Hor	
36	660	4.9	Hor	H.I 3.5
37	1260	0	"	
38	2600	4	L 29° 25'	H.I 3.6
39	560	4	L 28° 43'	
40	720	0	L 30° 24'	
41	240	9.4	Hor	H.I 3.6
42	1420	2.4	"	
43	1180	4	L 29° 7'	H.I 3.4
44	1260	0	L 30° 54'	
45	1000	4	L 29°	H.I 3.6
46	1160	0	L 30° 35'	
47	940	4	L 29°	H.I 3.5
48	1260	0	L 31° 5'	
49	840	10.6	Hor	H.I 3.5
50	980	0	L 30° 25'	

The top of this hill is a large sandy
soil with a good deal of gravel. Some gravel
has been placed on the hill for the
purpose of making a road. The gravel
is from the quarry at the foot of the hill
and is of the same size as the gravel
used in the road. The gravel is
very coarse and is of a light color.

42.9
48.8

1300
420
880

10.0
3.3
13.3
2.8

24.1
10.2
14.9

19.2
23.1

7.8
12.4
20.2

19.5
20.5
39.0

9.4
1.3
10.7
4
14.7

260.2
14.7
274.9

002.
23.3
23.7

10.1
20.1

17.3
22.7
39.0

19.5
20.5
39.0

264.4
14.7
279.1

260.2
11.5
271.7

89
13.9
103.9

25
3.5
28.5

16.8
1.2
18.0

4.8
3.5
8.3
4
12.3

11.5

Ft. Lupton profile — starting at the high hill to the west of the river about 3 miles. Initial pt H.I. = 3.6

1	380'	4'	L 30° 58'	
2	1100	4'	L 27° 45'	
3	1180	4'	L 30° 30'	H.I. 3.5
4	330'	4'	L 28° 35'	
5	430'	4'	L 27° 33'	
6	1140'	4'	L 28° 34'	
7	860'	12'	L 31° 5'	HI 3.3
8	1000	5'	L 29°	
9	1080	0	L 31°	HI 3.5

Between 9 & 10 the ground is undulating very gently with sand dunes.

10	3000	4.5	L 29° 39'	This pt. on bridge platform by RR and is much only for calculation
11	380	4'	L 30° 48'	HI 3.5
12	380	0	L 28° 14'	Drainage of 4 to 5 feet comes at this pt., giving to and the water surface probably the ground line
13	840	4'	L 29° 16'	
14	1140	4'	L 29° 28'	
15	980	5	HI	HI 3.5

Cont next page

92

153.9	8.6
9.7	.7
143.2	9.3
	13.3
	+9.8

July 30

53

Starting at #15 on rd. HI 3.4

16	760	3	Hor.	
17	740	1.5	"	HI 3.5
18	280	5.5	"	
19	190	5.1	"	HI 3.5

This pt. is on river bank about 4 ft. above the level of the river, which is high. The river only rarely covers its flood plain here. As at this other places the flood plain is channelled and covered with sand and gravel.

20	310	4'	L 31° 43'
----	-----	----	-----------

This station is on a little artificial hill and it should be disregarded in the profile.

21	2160'	4	L 29° 45'
----	-------	---	-----------

This is same setup as #22 on other side of river.

22	1590	12	L Hor - (?) max is less
To BM.	1400	4	L 30° 10'

In afternoon drove over to region about Hudson. On the highest hills there was nothing seen of gravel, only wind blown sand. On crossing river from Ft. Duxton we found on gravel in the draw between the gravel capped hills.

Sand dunes and blowouts some north of Hudson. These are very characteristic in shape and whole formation are similar to those on the coast. There is evidence of recent shift in the water plants which have been uprooted around and then left over. There are some forms of vegetation mat and a sand mound visible. No signs of gravel.

Shant subject to wind, and 500 north of
Touville de Burlington. Coarser sand to hillside
up to 6" in diameter (pieces). The mass is
partially consolidated by caliche which
coats the rocks. They are of igneous derivation
and in general similar to those lying on
the hill to the west. 2.5-3' of sandy
covering.

Profile at Henderson

Initial pt. on U.P. RR. Tracks 250' south of
station H.I. 3.5

1	220	6.9	Hor	This is the actual direction of surface.
2	960	5.6	"	
3	840	7	∠ 20°33'	H.I. 1.6 (approx)
4	180	6.1	Hor	(Bull. sample)
5	1480	1	∠ 30°5'	
6	1660	3.7	∠ 29°41'	H.I. 3.0 (approx)
7	960	4	∠ 29°28'	(Weathered slope in road from 6 to 7, but this does not show up in the hills, that is, there is no marked break in slope.)
8	630	3.15	Hor	
9	960	8	"	
10	1440	2	∠ 29°45'	
11	1240	8.9	Hor	H.I. 3.5
12	1080	4	∠ 30°45'	
13	540	3.4	Hor	H.I. 3.5

11.1
6.6
4.5

15.2
7.4
7.8

7.7
3.6
4.1

July 31 Can't of Henderson profile 55				
14	900	6.6	Hor	HI at summit pt 3.1
15	680	8	$\angle 30^\circ 28'$	H.I. 10.25
Break in slope just east of #15 which is greatly accentuated by an escarpment.				
16	1120	6.4	$\angle 29^\circ 55'$	
17	960	0	Hor	H.I. 3.3
18	660	7.4	Hor	
19	160	3.3	Hor	
20	90	3.7	"	H.I. 3.3 (This is return point in old man's garden.)
21	400'	2.2	Nw.	
22	1020	4	$\angle 30^\circ 35'$	H.I. 6' above ground
23	680	4	$\angle 31^\circ 49'$	
24	520	2.6	Hor	
25	900	7.5	"	H.I. 9.2 above ground
26	1160	7.4	"	
27	280	3.5	"	(This seems to be the first terrace above plantation.)
28	820	3.6	"	
29	980	4.9	"	H.I. 3.5
30	740	0	$\angle 31^\circ 8'$	
31	480 (460)	12	$\angle 18^\circ 39'$	H.I. 3.5
32	300 (290)	12	$\angle 19^\circ 25'$	
33	480 (470)	12	$\angle 22^\circ 37'$	? natural surface

34	660	12	$\angle 24^{\circ} 42'$
35	740	12	$\angle 27^{\circ} 26'$
36	520	0	hor
37	420	2.1	

These hills are covered with very coarse gravel - larger in fact than any I have before. The gravel seems to be composed of fragments of the same material which the gravel which is found in the upper part of the section. The hills to the south show that the underlying mountains are clay, shale and thin layers of limestone, and that the gravel is composed of a little of the (crystalline) of the same material, and of fragments of the same.

In south of the hills about 2 miles there is a small hill of the same material. It is a little higher than the others and is composed of the same material. It is a little higher than the others and is composed of the same material. It is a little higher than the others and is composed of the same material.

Aug 9th

57

Ft Morgan & Vicinity

High plains surface appears as a
scarp, well dissected. 8 mi W + 4 N of
Ft. Morgan on highest summit got exposure
(photo) of a coarse sandstone and coarse
conglomerate which look very much as
if they might be Arkansian. Gravel all
well rounded and $\frac{1}{2}$ - 4 in. in diameter.
This is underlain to the east by a friable
fine yellow sandstone interbedded with
shale. Found some cone-in-cone
structure. A thin gravel covers the
surface of the hill. There are poorly
developed ventifacts. The sandstone
is probably either the sandy Breckinridge
or Chadron.

12
10.4

8.8

2.8
10.4

8
2.2
5.8

1160

48
5.8

39

Aug. 10		Ft. Morgan Profile		58
1	Initial Pt.	HI	2.9'	
2	960'	7.2'	$\angle 34^{\circ} 45'$	(Ht. Plains surface, probably very slightly reduced. Gravelly with a formation which may be calcareous.)
3	660'	4.7'	$\angle 33^{\circ}$	
4	740'	8.3'	$\angle 28^{\circ} 23'$	
5	700'	4	$\angle 33^{\circ} 3'$	HI 3'
6	500'	5.5	$\angle 28^{\circ} 43'$	
7	990'	7'	$\angle 28^{\circ} 45'$	
8	640'	8.8'	$\angle 28^{\circ} 10'$	
9	1040'	8	$\angle 30^{\circ} 30'$	HI 3.4
10	680'	4	$\angle 31^{\circ} 32'$	
11	880'	4	$\angle 30^{\circ} 6'$	
12	1500'	4.5	$\angle 30^{\circ} 17'$	HI 3.7
13	1040'	6.8	$\angle 29^{\circ}$	
14	1160'	6.2	$\angle 30^{\circ} 49'$	HI 3.7
15	840'	4.2	$\angle 31^{\circ}$	
16	1160'	2.2	Hrv	
17	940'	8.3	$\angle 29^{\circ} 24'$	HI 3.6
18	780'	5.9	Hrv	
19	1040'	0	$\angle 31^{\circ} 16'$	HI 3.7
20	1020'	6.9	$\angle 28^{\circ} 33'$	
21	1720'	4	$\angle 30^{\circ} 8'$	HI 3.3

22	1360'	4'	L 29° 35'	
23	1260'	4'	L 28° 30'	
24	1640'	3.8	L 29° 10'	HI 3.1
25	1040'	6.8	L 29° 25'	(small undulations in surface by small streams.)
26	1100'	6.5	L 29° 41'	HI 3.2
27	1220'	4	L 28° 20'	
28	1140'	4	L 31° 10'	HI 3.3
29	360'	5.2	Hrv	
30	1660'	3.7	L 31° 10'	HI 3.2
31	1400'	4	L 29° 14'	
32	1600'	4	L 30° 35'	HI 3.5
33	1320'	5.4	L 29° 15'	
34	1520'	9	Hrv	HI 3.4
35	1420'	4.9	L 31° 22'	
36	1000'	1.4	Hrv	HI 3.5
37	1300'	5.5	L 31°	
38	900'	1	L 30° 16'	HI 3.5
39	1420'	4.9	L 29° 4'	
40	800'	3	Hrv	HI 3.3

Slope here covered with coarse gravel and boulders 18" in diameter and arkose material of coarse sand size.

41	360'	10.2	L 22½°	
----	------	------	--------	--

42 1140' 12 $\angle 25^{\circ} 14'$ 60

43 1200' 12 $\angle 24^{\circ} 35'$ (Shot on

U.P. RR. which is on embankment.
RR less than 50' from river and 15' apart about it.
102.42 mileage from Denver probably. There is a white fine sandstone in place on Knoll which is shot 42.

Aug 11

41

2nd Ft. Morgan Profile

1 Dentist pt. on gravel covered spur above S. Platte. H.I. 3.5. The gravel is well cemented with caliche especially at depth. Gravel from coarse sand to 12" diameter well rounded & polished.

2 420' 0' $\angle 30^{\circ} 15'$

3 240' 12' $\angle 21^{\circ} 35'$

4 440' 12' $\angle 26^{\circ} 3'$

5 1040' 12' $\angle 26^{\circ} 53'$

6 1280' 12' $\angle 25^{\circ} 17'$

7 1320' 12' $\angle 24^{\circ} 50'$

8 180' 12' $\angle 27^{\circ} 18'$ (This is using #7 in RR tracks as station. H.I. 33. edge of floodplain)

9 260 12' $\angle 26^{\circ}$ This is the level of the top of the S. Platte at this point. The RR tracks are between 2 cuts and on a slight fill, but I think they may be assumed to be on the gravel bank.

The highest surface is underlain by 20-25' of gravel with no sand covering at the edge of the slope. Underneath is a gray shell with numerous beds of gypsum and concretions of a gray blue limestone which weathers to a yellowish color, and breaks with a conchoidal fracture. The gravel on the lower surfaces seems to have been let down from above. The pt. on the RR tracks

is at mile 103.09. The sand which covers the high surface back from the edge of the slope has probably been removed from the edge by the wind and possibly aided by rain wash. On the south side of the river Bigon Creek enters and all surfaces have been so reduced that they are of no significance to us.

Profile across the river at Wildona to show the surface on the south side. The top surface is sand covered and undulating, due to low sand dunes.

1 On Rd south from Wildona H.I. 3.7
at top of hill south of river

2 1180' 6.4' Hrv

3 1320' 4' $\angle 30^{\circ} 8'$

4 1100' 4' $\angle 33^{\circ} 55'$ HI 3.6

5 720' 0' $\angle 33^{\circ} 30'$

Between 4 & 5 there is a slope which may possibly represent the #3 surface.

6 290 12' $\angle 29^{\circ} 23'$ (marks base of slope & beginning of M.K.)

7 1340' 12' $\angle 29^{\circ} 50'$

8 1640' 3.8' Hrv HI 3.5

The ridge lies between 7 & 8 and has a sp into which the present stream has cut about 5' a portion of the plain continues over toward Wildona with only a very gentle rise.

9 1220' 1' Nov 63
 10 1620 12 L 28° 22' HI. 3.5
 HI. 65.3' above U.S.C. & B.S. B.M.
 which is 4347.823

Driving east through brush to the
 Washington Co line, all the high points
 sum of sand dunes. no gravel or hill
 rock seen. Good viewpoints.

Bryan's Pass -

- 1) Sherman plain
- 2) Surface immediately below which is represented in the diagram by a wavy line.
- 3) Surface represented by top of rock terrace SE of camp.
- 4) Surface represented by surface stage between the terrace and the lower stage.
- 5) Surface represented by the lower stage.
- 6) Slopes which run all up to the south foot of the range.
- 7) Camp lying on the stage.
- 8) Road below the surface.
- 9) Boulder range cutting

All of these surfaces held up at the bottom of the road valley to the south.

Let us fill in the diagram with the representation of the various geological features.

- 1) Sherman
- 2) North West
- 3) San Ranch
- 4) Lower
- 5) Underneath
- 6) Sand over
- 7) Road

Summer out and fill to north of
the artificial bearing layer. South of
Bear Ranch there is a cut and fill into
near recent dissection.

Placing Bear Ranch house on K.B. map.

Setting up on hilltop 5 of cornfield at 81.

Tied in with shot to Knoll a station 93'

also station NW of cornfield corner.

Station 81 ties in beautifully with the other
two points.

1) To fence corner — 6.1 1220' $\angle 26'23''$
or $3^\circ 42'$

- 64.0

14.1

- 78.1

6.1

HI 3.3

96

81.
3.3

84.3

3.3

84.3

HI

87.5

87.5

- 3.2 Junction of fence corner. or 96.8

2) Station in field east of corn.

Shot to fence corner —

Dist 750' Elev 4.75 $\angle 27'40''$

HI 3.5

or $2^\circ 20'$

6434.5 HI

81

7.9
3.5
11.4

53
1.9
45.1

14.1
64.0
78.1

84.2
- 84.3

30.25
3.5
4.75

129
48

345.1
45.4
79.6

6434.5
138.3
6573.3

110
32.8
142.8

6.1
84.2

105
33.5
138.5

00
6434.5
122.3

38.50
+ 5
38.

3.5
35

175
171
6494.5

3) Corner Bear's house

4' 900' $\angle 33^\circ 35'$

11.3

58

54

6434.5

6487.5

4) 4' 945' $\angle 33^\circ 29'$ Barn garage.

52.7
6434.5
6487.2

5) 4' 1380' $\angle 37^\circ 23'$ Hill behind Barn house

6605.5

6) 4' 1320 $\angle 36^\circ 5'$ 6568.5

7) 4 1300 $\angle 31^\circ 20'$ 6573.3

8) 4 1160 $\angle 31^\circ 15'$ 1150 + 122.3 or 6556.3

9) 7.9 820 $\angle 33^\circ 43'$ Elev 80' HI 3.2

10) 11.7 75 $\angle 21.5'$ - 23' - HI or - 19.8

11) 12' 110 $\angle 31^\circ$ - 1.9 + 12 - 3.2 73.2

12) .55' 120 $\angle 31^\circ 12'$ 2.5

Aug 18 Farmer's Spur Profile
 Initial Pt. at crossroads N of RR.
 Assume BM for RR of 4706. The IP is
 9.8 or 4715.8 - HI of 3.5 or 4712.3

1 420 4706 Hor
 2 540' L Hor 4714.8

Aug 19th

Check River, Kinney & Guley profile
 #3 at River about 31' above river. The
 mileages do not check very well in
 all cases, so recheck profile.

Between Eaton乡 and Farmer's Spur
 where G. & P. comes up to rd. the #3 surface
 is approx 30' + above river level. It is
 composed of fine material clay and
 coarse sand with only a few pebbles.
 No coarse gravel found. Mantled with
 alluvium and sand. No gravel has been
 found north of the river.

Profile at Farmer's Spur not carried to the
 north because it would run along on a
 flat surface for several miles. Surface
 covered with alluvium. North of the river
 the land is much reduced here so that the
 #3 is not distinctive.

3 1240 10.3 Hor HI 3' 4712.1
 4 890 5.2 Hor 4719.9

Low hills to the west about 500' which is
 about 8' higher. No gravel exposure only sand.

5 1500 0 Hor HI 5.9 4700.1
 Hand of budge on clef. It is a bank of
 6' drop off to level of stream. From
 RR to this pt a flood plain. There is no
 real indication of a low terrace. The
 RR tracks are 5.5' above the level of
 the ground.

6 1540 3.5 Hor 4702.5

7 1390 12 $\angle - 6' (-3.4)$ HI 3.6
 Elevation $15.4 - 3.6 + 4702.5 = 4914.3$
 This pt taken to foot of #3 slope. The
 slope is very even & gravel, well
 rounded. Beautiful scarp.

8 130 0 $\angle + 9' 30'$ 21 + 3.6
 Correction for distance 12.2' 24.6
 $4714.3 + 24.6 = 4738.9$

Photo taken base of gravel pit #2
 Some caliche & sand. Sand seems to
 trend to the north in general.

9 1680 8 $\angle 29^\circ 25'$ HI 3.3 4761

4738.9 Now flat between

8 and 9

4764.3 Slope covered with sand

10 1440 4 $\angle 31^\circ 45'$ 4803.8

11 160 7.6' Hy HI 3.5 4807.9

A slope up from here would indicate
 a transition from #3 to #4

12 1470 0 $\angle 31^\circ 50'$ 4856.9

4807.9 This terrace would seem
 to be #4.

4856.9

13 2100 12 $\angle - 10'$ HI 3.9 4868.8
 Topography between 12 + 13 a deep valley
 which should be generalized. This is the
 #4 surface, steeper with coarse gravel
 which lies on a buff ss. with limonite
 bands. Gravel mostly slopes. It is about
 20' ft thick.

14 1280 12 $\angle - 8'$
 This is below level of #4

15 740 4 $\angle 30^\circ 50'$
 Also #4 gravel covering

16 1340 10.4 Hor HI 3.6
 #4 possibly slightly reduced. Valley between
 15 + 16.

17 1620 8 $\angle 28^\circ 10'$
 This in valley of no mpt.

18 1380 12 Hor HI 3.6

19 1560 4 $\angle 31^\circ 40'$

20 1000 12 $\angle 28^\circ 23'$ HI 3.6

From crossroads up to this pt. all sand. Now gravel
 in sand.

21 360 8 $\angle 36^\circ$

Surface of knoll covered with coarse gravel &
 caliche. There are numerous small abundant
 knolls in vicinity with a higher ridge to the west.
 Top rounded & about $\frac{1}{4}$ acre in extent.

High hill 5060' in NW corner of study area which is presumably #4 on the slope from #4 to #5 has no gravel on it. It is simply covered with a compact sandy soil. It is in an area with several hills to the N.E. & looking to the N.W. it might slope up to the high surface and be one of the high spots surface of Colorado Plateau Canyon.

High pt with good gravel cap of coarse well rounded material with much caliche. The gravel shows no bottom. This may represent the #5 surface. It simply seems to be about the highest pt (incl. the surrounding hills) in the area. If this is #5 - then #4 is represented by wide valleys between the hills.

31°40'

Aug 21 Profile W of Windsor.

Setting up over 4800 PM. HI 2.8'

1 220' 8' $\angle 30^{\circ}45'$

This on the bank of C & P which is $4\frac{1}{2}'$ lower.

2 1640' 8.2' $\angle 33^{\circ}14'$ 4885.7

This on high pt on span across river (#4)
Setting up on this station with HI 3.6

3 500' 6.5' $\angle 20^{\circ}$

Bed rock underlies this span with no gravel at all. It is lower than true #4, possibly through dissection. I think it is a little on high for the typical #3. Underlying rock is shaly sandstone which breaks in shaly pieces.

4 1400' 4' $\angle 32^{\circ}8'$ 4937.3

5 540' 4' $\angle 29^{\circ}45'$ HI 3.2 4934.2

Only a few scattered gravel. This seems to be the slope of #4 from #4 which also lies to the east and is higher. Gravel has caliche on it.

6 1400' 5' $\angle 29^{\circ}51'$ up soil covered slope. 4929.4

7 2320' 4' $\angle 29^{\circ}$ HI 3.5 along straight slope
Instrument on fence line which is about
general level because of wind blown material. 4970.5

The high pt which we are aiming for seems to be lower in the ground than on the actual fence. 4963.2

8 1740' 3.3' $\angle 29^{\circ}45'$

9 3000' 4.5' HI 3.5 $\angle 29^{\circ}40'$

10 1180' 0' $\angle 31^{\circ}25'$ 4993.7 4981.6

11 1400' 3.5' HI 3.2 4994.0
shaly alluvium.

12 2200' L.5' $\angle$ 30°30'

4994
158
5007.8

Two pt. on hilltop on road.
The pt. to west is probably only 1 or 2 ft. higher.
pt. to SE may be 20' higher. No gravel
only the sand alluvium.

Windsor Profile

- 2 1140' 4' $\angle$ 30°8' HI 3.4
- 1 is initial pt. at crossroads a highest pt.
no elevation. Surface carries the
gravel but thick covering of sandy soil.
- 3 1400 8.5 $\angle$ 29°8'
- 4 1120 8 $\angle$ 30°57' HI 3.5
- 5 1100 4 $\angle$ 30°10'
- 6 1220 1.8 Hrv HI 3.5
- 7 920 10.2 Hrv
- 8 Over USC & SS Against marker Leonard
1935.
1360' 4' $\angle$ 30°20' HI 3.2
- 9 1400 8 $\angle$ 31°6' (C & GS BM - Leonard 1935)
- 10 650 8.7 $\angle$ 29°58' No gravel yet - sandy soil
- 11 820 5.2 $\angle$ 30°45' HI 3.3
- Start of profile probably 5 - we are on slope
between 4 & 5.
- 12 1300 5.5 $\angle$ 28°22'
- 13 1700' 3.5 $\angle$ 30°17' HI 3.5
- 14 1600 12 $\angle$ 29°37'
- 15 880 7.6 $\angle$ 32°4' HI 3.4
- 16 780 0 $\angle$ 31°50'
- 17 210 2.4 Hrv
- 18 1340' 12 $\angle$ 29°53'
- 19 1040' 5.2 $\angle$ 31°40' HI 3.6

Between 18 & 19 slope with gravel this seems to be
slightly below the #4 on the east and according to the
inst. of to east is bed rock hill possibly 20' higher

Plan area mapped. Shows a hotel at
 location of this spec. Below 19 are a
 series of sand and gravel opens which I think
 represent the #3.

- 20 350 1.75 $\angle 26^{\circ}20'$
- 21 1300 6.5 $\angle 26^{\circ}10'$ This on
 surface just slightly above floodplain
 + at cross roads.
- 22 2350 4 $\angle 30^{\circ}15'$ HI 5.3
 at 21 was away 20' deep. Coarser
 gravel appears at very bottom - sides
 composed of alluvium.
- 23 1300' 7' Hor.
 Taken on ridge 9' above river 4' above
 floodplain
- 24 1640' 3.2 Hor HI 6.1
- 25 1680' 7.1 Hor
- 26 1600 12 $\angle 29^{\circ}45'$ HI 4.6
 This seems to be the edge of a low terrace
 probably #2 of floodplain is #1.
- 27 1180' 0 0 $\angle 30^{\circ}15'$
- 28 1520 12 $\angle 30^{\circ}5'$ HI 7.1
- 29 1020' 2.5 Hor
- 30 1180' 12 $\angle 29^{\circ}38'$ HI 3
 all these RR tracks are on filled ground
 and this whole slope can be dissected.
- 31 1200' 9.4 Hor Crossroads.
- 32 1080' 4 $\angle 30^{\circ}31'$ HI 4.3
 Less than 5' rise just N of 31 - then drop
 to level in about 200 ft from 31.
- 33 1100' 1.5 Hor
- 34 840' 7.9 Hor HI 4.6

35 860' 7.9 $\angle 30^{\circ}40'$

Aug 22nd

- 36 2120 6.7 $\angle 29^{\circ}2'$ HI 3.4
 Stream at 35 seems to have cut #3 surface
 from pt. 31. The #3 was probably continuous.
 at 36 excellent gravel to exposed
 depth of 15' - caliche well rounded,
 coarse. Comes to surface with caliche
 cap. Sanif worked part.
- 37 500 4 $\angle 31^{\circ}19'$
- 38 1920 4 $\angle 29^{\circ}30'$ HI 3.5
 Sandy soil cap over gravel - this is thought to
 be #3.
- 39 2600 4 $\angle 30^{\circ}50'$
- 40 2060' 12 $\angle 29^{\circ}55'$ HI 3.2
 Slopes of no significance between 39 & 40 - they
 are cut by recent dissection.
- 41 1260' 4 $\angle 30^{\circ}47'$
- 42 760' 1.9 Hor HI 3.2
- 43 160' 3.4 Hor BM 4924
- 44 1960' 12' $\angle 32^{\circ}10'$

This is top of hill with smooth slope all the way
 up, which undoubtedly represents a somewhat
 lowered part of the #4 surface. Some sandstone flat
 with thin gravel cap. Coarse & well rounded.

can't profile from W of Windsor
at BM 4881.

1 Rd. crossing which is below level of nearly
gravel covered spine. BM 4881 is 20' E NE.
HI is 2.4 above BM - actual elevation.
Much wind blown sand covers gravel.

2 1180 12 $\angle 30^\circ 35'$
Surface of river spine. Sand, coarse with
rounded, calcareous covered gravel beneath.

3 1100 12 $\angle 29^\circ 35'$
This represents base of spine.

4 1800 12 $\angle 32^\circ 1'$ This is gravel
covered surface which slopes up
from the spine.

5 800' 10.3 Horv HI 3.2

This on spine slope at base of slope
up to high gravel covered hill #6.
Nothing higher than 6 to mts.

6 870 4' $\angle 34^\circ 50'$

7 1120 4 $\angle 30^\circ 53'$ H.I. 3.4

8 1220 10.1 $\angle 29^\circ 40'$

9 1060 7.3 Horv HI 3.5

This is a gently undulating surface -
Question as to what it is. It seems to be
below the #3. May be dissected & reduced
#3.

10 1380' 12 $\angle 29^\circ 50'$

11 1220 4 $\angle 30^\circ 25'$ HI 3.4

12 1280 0.6 Horv

13 1060 0' $\angle 30^\circ 12'$ HI 2.2

14 1280 8' $\angle 29^\circ 50'$

15 980 2.1 Horv HI 3.5

16 1280 12 Horv

There seems to be low terrace between 15
& 16, artificially modified by agriculture.
Land at 15 flat, flat at 16. 16' terrace.

17 1320 8 $\angle 30^\circ 15'$ HI 3.7

18 500 4 Horv

19 990 6 Horv HI 3.5

20 520 5.7 " BM 4880 -

Excellent terrace 1 mi NE Timm
rising from #3 surface to #4. Thick gravel cap on
bed rock of shale and sandstone. Photo #3.

Hill and SW River mouth (Ft. Collins) -
Coarse arkosic sand & pebbles - a few lenses
of coarse gravel - Some gravel lenses not
consolidated. This probably #4.

Hill NW Rocky Hill Res - coarse gravel, whose
material, calcareous & limestone nodules apparently
from Blue shale.

Aug 24 Peterom Lake -
 Trail from Lake to Cache la Poudre river
 trail bridge shows that along the W side
 of the river there are two very distinct
 terraces. One 4 feet above the river appears
 and one 45 approx above the river. On
 the east side there are only small
 remnants near the summit of 1 & 2. There
 might possibly be a 3rd, although it is
 doubtful.

Along stream entering CLP from W
 the valley narrows to steep walled
 gorge. No evidence of terraces. Above
 the river is at first filled with
 sand boulders and a large house
 terrace (?) 10 feet above river. Portions
 of it are bedrock. Above this
 stream ditch across a smooth
 stretch of water. Gravel underlies
 terrace about 5 or 6' above river.
 Gravel well rounded, fresh appearing
 uniform - 3" diameter. Terrace seems
 to be a couple of hundred feet wide.
 No evidence of it on W side of river.
 The higher surface appears to be
 lost.

Profile across CLP just below Trail
 Bridge - Profile only on W side
 of river.

5' 10" 25' from river
 10' 8" 90' from river
 42' 8" 100' from river. This terrace 30 feet wide

Aug 25
 9 - Mountain Corral Creek (Long stream)
 10 - Mountain
 11 - Mountain
 Drains all Lake at head of Long Lake
 with fresh sand and gravel at head of
 stream. The stream is very wide
 with a gravel bar, log pile, etc.
 and a large pile of gravel. The gravel is
 well sorted and is probably the highest.

Full sample from mountain, which is
 a long, thin, yellowish, light brown
 and light brown. The gravel is
 following Corral Creek from a small
 stream. The gravel is light brown
 Corral Creek and Drains there are possible
 to be. Some are boulders. The gravel is
 this does not, however, seem to be
 15-30-40-55-65 feet

just below Long Lake & below the river
 excellent terraces show - continuing
 up the Poudre. Good evidence of terraces

The old plan
 terrace 15 above stream, which
 is rather well developed. A lot
 of gravel is visible. The gravel is
 very coarse and is very
 light brown. The gravel is

Aug 31 - Darius Camp, etc

[Faint handwritten notes at the bottom of the page]

Sept 1 - Lindemann Site

" 2 - " CHW

[Faint handwritten signature]

3 - View to south from west on Q#3 above
Round Point - section

Sept. 2 Great Creek.

Photo 1 - View across outwash plain up to
crag. Kettle holes in foreground.

Photo 2 - View across outwash plain & over
Coral Creek. Terminal moraine in
background.

Plate 3 - View down outwash on left and
high outwash, dissected, on right.

Photo 4 - closer view of argon

Photos - rest of photo taken in cage, 100m

There is a possible occasional moraine below the last mentioned level. It is not well defined, simply a continuation in the valley with bedrock on one side and what appears to be till on the other. It is heavily forested and on left or right side rests on rock spine I don't think it a moraine.

Coming out to the flat the low terrace grows higher (possibly because of the change in gradient of depositing strata). To the west of the valley I conclude the low terrace with the outwash plain and the high one to the high remnants above the outwash plain.

The outwash plain is underlain partially by bedrock. It is 35-40' above the stream. I believe may earlier deposition was made and that this is the highest level of depositing, for below the outwash plain there is another level about 10-15' above the stream. These are probably due to a change in subject matter time. Above the outwash is the highest gravel bench at about 60' above the stream.

Sept 3rd - Canal Creek

junction Canal Cr. & Long Draw - well defined. Outwash terraces on many levels. There are probably all from the same deposition. Boulder pavements, from bottom up there are 9 terraces. #1 well defined and about 10-15' above stream. #2 well defined but quickly grades into #1. #3 & #4 rapid grade into #2. They are only about 8' apart. The slope of all is to the Sacchara River. Higher levels thickly covered with forest. There is apparently a moraine below the gravel Canal Cr. moraine, just 100 yds. It has an outwash plain. Both #3 & #4 are underlain by bedrock. The

creases flow through a bedrock canyon and into a flat to join the sea. The top of the canyon is #3 & #4. A broad pavement starts at the canyon and rises to terrace level #5, in this count. It is 4-7' above stream. #4 is here about 15' and #3 is 35-40'.

at the point in the high terrace have been washed away, except for an occasional rock spine where the moraine remains. The flat at the junction seems to be #5. It is 4-9' above the stream and is composed of well rounded boulders, up to 4' in diameter. On the flat are remnants of sand 5-20' above the stream. These seem to fit in with #4. There are composed of well rounded coarse boulders up to 4' in diameter. They run also up the slope and is probably outwash from the last of which some sand remains. There is also another remnant on the slope 200 yds above the junction which stands 10-12' higher than the so-called #4. It may be #3.

Sketch map -

Going on up the Clap the #4 level persists. There is a higher level about 50 feet above the stream which I think is #3. This is just upstream from Hague Cr. 1/2 mile upstream the high terrace persists - varying narrow to gaps with the waterfalls. The gorge cannot be entirely part of a the lower terrace could not have been developed. Gorge is about 35' deep. I saw high level above gorge. Certain remnants 30' high - with a whole series of stream channel remnants above. They do not appear to have any individual significance. Above the gorge the valley gradually opens out and there is a rather poorly defined 10' level, a 25-30 level. Further upstream the 10' level is well preserved.

Near mouth of creek coming in from west are excellent remnants 5-10' level, 25' remnants, good 20-50' remnants and ridges and one highest good remnant at about 75'. The ridge in the east side has a top which is quite hummocky and due to the valley wall, but it is good and not till. No sign of a terminal moraine seen. In general there are 3 levels, viz: 50, 30' + 10'.

Going from Hague Cr. Ranger Station a beautiful development of the 25-30 terrace, which slopes to the river and downstream. In spots it is 200' wide - a grassy meadow. At certain spots it may be as low as 20'. All north of base of a bank is the 10' level. Between these and gorge it was not noticed. A good may be part of it.

It would seem that #5 at Long Island = 10' terrace. #4 = 20-30 terrace and rock spurs = high 50 terrace. The flat at Hague Cr. is the same stage as the well defined one downstream from junction. #3 is probably of no special significance.

The low terrace persists up Central Cr., but is not well defined. The #4 & 3 are easily traceable. #4 and #3 near junction are underlain by bedrock.

1/2 mile from junction, elevations are: - #5-5' #4-12'

#3 - 22' 1/4 mi further upstream the #5 terrace to have disappeared. The #4 is still 12' above stream and the #3 is 15' (?) higher. Continuing up Cr. the #5 is still present, also the #4, but the #3 has disappeared and a very high, gently undulating surface has taken its place. This may be a moraine - see later notes. I am sure it is a terminal moraine. The #3 appears again on the Cr side, but there is no objection to its being so and yet being related to this glaciation. A low surface, 15-20' above the stream is well defined behind the moraine and along the Cr in the north. This is #4. #5 has again disappeared.

After more inspection I don't believe that there are two distinct moraines, but one and a recession which is well developed with a gap between. The terrace is 21' above the stream and appears to wrap around the first moraine and tie to the forest and well defined moraine. If this be true it is #3 of the main river. This #4 would represent material from the outwash fan above and #5 partial. This is only tentative and to be studied.

Another change of mind - check with photos for the terrace remnants back of junction up to outwash plain seem to be 25'

三十一

Dam of the M + P Liquefaction Co. just above this dam a good
fresh till exposure through which the river cuts. A
terrace seems to come from this till. Checking of the
terrace will prove or disprove this. $\frac{1}{4}$ mile upstream
there is outwash or lake material. Fresh looking
at top and quite stained at bottom. Samples.
Going up to Wright Cr. to Cameron Pass see
about 1000 ft hummocky moraine topography
near Chambers Lake. Some of fluvial material
in the moraine. Up at dam + downstream see a
well developed low terrace at about 25' and
high accordant spurs at 500 and 700 ft.
See. Jinnaman Lake on accordant spur.
The dam is probably partially a terminal
moraine. Is about at 9,900'. Alt ± 50 feet.

Camarou Pass - the spray which surges out from the
North Crags probably has some significance as
evidence of the surface.

On the Whiff Cr. the 25' level remains in
 view of a 25' level remains to Canyon Pass.
 The 25' level is the lower Pass. The level is
 associated with the normal fault. In places
 it seems much higher because it is covered
 by alluvial cones from tributary creeks. The
 level about 2 miles below divide. A portion of the
 for Whiff Pass is below - seems to have
 been a part of gray. The level appears
 50'. 1.2 mi below divide deposited of glacial
 sand and gravel, alluvial level. In places much
 stained. The where the tributary stream enters
 from west. This may be from material from off the west
 Rd. to Long Point just below this. Here where
 the old for Whiff Cr. Camp there are a
 few 10' lower or 30' higher and a possible
 higher one. At the pt. where the Whiff Cr. enters
 Chambers Lake there are 3 terraces 10' -
 20' and one about 125' ± Actually the 125' is on

till and is probably till from a previous gl. On the
S. side there are the 3 levels at about
10 - 30 - 50'. This I feel is the general sequence
in this region. The 125 mm. represents the
old terrace. remains although I don't see
the river, cutting channels in a hanging valley
1000 ft. from the old terrace. The river is
the divide is high, narrow and rocky and although
200 ft. position seems to be checked with the old
the terrace now rd. one can see the Shambles dam
is built on back slope of terrace. From
down is the outline of plain from this dam which
makes a terrace at least 50' high
This has later been cut into by retreating stream
and on S. side of river the terrace is only
25' high.

U.P. - Omaha 1416 Dodge St.

DISTANCES FROM CENTER OF ROADWAY FOR CROSS-SECTIONING.

ROADWAY 14 FEET WIDE. SIDE SLOPES $1\frac{1}{2}$ TO 1.

FOR SINGLE TRACK EMBANKMENT.

	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
0	7.0	7.2	7.3	7.5	7.6	7.8	7.9	8.1	8.2	8.4	0
1	8.5	8.7	8.8	9.0	9.1	9.3	9.4	9.6	9.7	9.9	1
2	10.0	10.2	10.3	10.5	10.6	10.8	10.9	11.1	11.2	11.4	2
3	11.5	11.7	11.8	12.0	12.1	12.3	12.4	12.6	12.7	12.9	3
4	13.0	13.2	13.3	13.5	13.6	13.8	13.9	14.1	14.2	14.4	4
5	14.5	14.7	14.8	15.0	15.1	15.3	15.4	15.6	15.7	15.9	5
6	16.0	16.2	16.3	16.5	16.6	16.8	16.9	17.1	17.2	17.4	6
7	17.5	17.7	17.8	18.0	18.1	18.3	18.4	18.6	18.7	18.9	7
8	19.0	19.2	19.3	19.5	19.6	19.8	19.9	20.1	20.2	20.4	8
9	20.5	20.7	20.8	21.0	21.1	21.3	21.4	21.6	21.7	21.9	9
10	22.0	22.2	22.3	22.5	22.6	22.8	22.9	23.1	23.2	23.4	10
11	23.5	23.7	23.8	24.0	24.1	24.3	24.4	24.6	24.7	24.9	11
12	25.0	25.2	25.3	25.5	25.6	25.8	25.9	26.1	26.2	26.4	12
13	26.5	26.7	26.8	27.0	27.1	27.3	27.4	27.6	27.7	27.9	13
14	28.0	28.2	28.3	28.5	28.6	28.8	28.9	29.1	29.2	29.4	14
15	29.5	29.7	29.8	30.0	30.1	30.3	30.4	30.6	30.7	30.9	15
16	31.0	31.2	31.3	31.5	31.6	31.8	31.9	32.1	32.2	32.4	16
17	32.5	32.7	32.8	33.0	33.1	33.3	33.4	33.6	33.7	33.9	17
18	34.0	34.2	34.3	34.5	34.6	34.8	34.9	35.1	35.2	35.4	18
19	35.5	35.7	35.8	36.0	36.1	36.3	36.4	36.6	36.7	36.9	19
20	37.0	37.2	37.3	37.5	37.6	37.8	37.9	38.1	38.2	38.4	20
21	38.5	38.7	38.8	39.0	39.1	39.3	39.4	39.6	39.7	39.9	21
22	40.0	40.2	40.3	40.5	40.6	40.8	40.9	41.1	41.2	41.4	22
23	41.5	41.7	41.8	42.0	42.1	42.3	42.4	42.6	42.7	42.9	23
24	43.0	43.2	43.3	43.5	43.6	43.8	43.9	44.1	44.2	44.4	24
25	44.5	44.7	44.8	45.0	45.1	45.3	45.4	45.6	45.7	45.9	25
26	46.0	46.2	46.3	46.5	46.6	46.8	46.9	47.1	47.2	47.4	26
27	47.5	47.7	47.8	48.0	48.1	48.3	48.4	48.6	48.7	48.9	27
28	49.0	49.2	49.3	49.5	49.6	49.8	49.9	50.1	50.2	50.4	28
29	50.5	50.7	50.8	51.0	51.1	51.3	51.4	51.6	51.7	51.9	29
30	52.0	52.2	52.3	52.5	52.6	52.8	52.9	53.1	53.2	53.4	30
31	53.5	53.7	53.8	54.0	54.1	54.3	54.4	54.6	54.7	54.9	31
32	55.0	55.2	55.3	55.5	55.6	55.8	55.9	56.1	56.2	56.4	32
33	56.5	56.7	56.8	57.0	57.1	57.3	57.4	57.6	57.7	57.9	33
34	58.0	58.2	58.3	58.5	58.6	58.8	58.9	59.1	59.2	59.4	34
35	59.5	59.7	59.8	60.0	60.1	60.3	60.4	60.6	60.7	60.9	35
36	61.0	61.2	61.3	61.5	61.6	61.8	61.9	62.1	62.2	62.4	36

Calculated by Julien A. Hall, M. Am. Soc. C. E.

MADE IN GERMANY.
R.