Manual
of
Botanic Terms

M. C. Cooke.

11337255

Library
of the
University of Toronto

Paul L. Chapman.

70

AR 2

71 Billingham

First ed A Cooke's ^{second} ~~first~~ book
many later editions

A MANUAL
OF
BOTANIC TERMS.

BY M. C. COOKE,
AUTHOR OF "A MANUAL OF STRUCTURAL BOTANY," ETC.

WITH ILLUSTRATIONS.

LONDON:
ROBERT HARDWICKE, 192, PICCADILLY;
AND ALL BOOKSELLERS.

[1862]

Digitized by the Internet Archive
in 2017 with funding from
University of Toronto

PREFACE.

THE production of another work of this character whilst one or two already existed, may at first appear to be presumptuous, or, at the best, unnecessary. Without attempting to detract from the labours of my predecessors, I think that the present will be found to possess advantages for those who have not had the benefit of a classical education. The Terms are written in their Anglicised forms, under which they are commonly employed; and the derivations are recovered from the mysticism of a Greek alphabet. Both these innovations, it is confidently hoped, will commend the work to such of the operative classes as are cultivating the study of BOTANY. In the following pages will be found a complete Glossary of all the technicalities of the science in present use. Such only have been excluded as are either obsolete, or, not being special, may be found

in any good dictionary. The numbers interspersed through the letter-press refer to the illustrations at the end. The advantages accruing from the collection of the Woodcuts, under approximate headings, will, it is believed, more than compensate for their omission in the body of the work.

M. C. C.

TWICKENHAM ECONOMIC MUSEUM,
February, 1862.

A MANUAL OF BOTANIC TERMS.

- ABERRANT** (*ab*, Lat. from ; *erro*, I wander), differing from the customary structure of related groups.
- ABNORMAL** (*ab*, Lat. from ; *norma*, law), deviating from the natural condition.
- ABORTION** (*aborto*, Lat. I miscarry), non-formation or incomplete formation of a part.
- ABRUPT** (*ab*, Lat. from ; *rumpo*, I break), terminating suddenly.
- ABRUPTLY-PINNATE**, a pinnate leaf terminating with a pair of leaflets (115, 116).
- ACAULESCENT** (*a*, Lat. without ; *caulis*, a stem), with a very short stem, apparently none.
- ACCRESCENT** (*ad*, Lat. to ; *cresco*, I grow), growing larger after flowering.
- ACCUMBENT** (*ad*, Lat. to ; *cubo*, I lie down), lying against another body (254).
- ACEPHALOUS** (*a*, Gr. without ; *kephalē*, a head), when the style does not surmount the ovary, but is lateral.
- ACEROSE** (*acus*, Lat. a needle), needle-shaped, as pine leaves (103).
- ACETABULIFORM** (*acetabulum*, Lat. a cup), shaped like a cup (267).

ACHÆNIUM (*a*, Gr. not; *chaino*, I open), small indehiscent monospermous fruit, with the seed free in the interior (231).

ACHLAMYDEOUS (*a*, Gr. without; *chlamus*, a coat), without floral envelopes.

ACICULAR (*acus*, Lat. a needle), needle-shaped (79).
(See ACEROSE.)

ACINACIFORM (*acinaces*, Lat. a scymetar), scymetar-shaped (88).

ACOTYLEDONOUS (*a*, Gr. without; *kotyledon*, a seed-leaf), without cotyledons.

ACROGEN (*akros*, Gr. the summit; *gennao*, I produce), increasing at the summit, applied to ferns, &c. (38).

ACROGENOUS (*akros*, Gr. summit; *gennao*, I produce), when applied to fungi, attached to the tips of threads.

ACROSPIRE (*akros*, Gr. summit; *speira*, a cord), the first sprouting leaves of corn.

ACTINENCHYMA (*aktin*, Gr. a ray; *cheuma*, tissue), the cellular tissue of medullary rays, stellate cellular tissue (8).

ACULEATE (*aculeus*, Lat. a prickle), armed with prickles.

ACUMINATE (*acumen*, Lat. a point), tapering to a point (127).

ACUTE (*acutus*, Lat. sharp), sharp-pointed.

ADHERENT (*ad*, Lat. to; *hæreo*, I stick), sticking to, or grown to, another body.

ADNATE (*adnascor*, Lat. I grow to), grown to another

portion by the whole surface, attached to the stem (186 *c*).

ADNEXED (*ad*, Lat. to; *necto*, I join), just reaching the stem; applied to the gills of Agarics (275).

ADRESSED (*ad*, Lat. to; *pressus*, pressed), in close contact, but not adherent.

ADVENTITIOUS (*ad*, Lat. to; *venio*, I come), developed in an unusual position.

ADVERSE (*ad*, Lat. towards; *verto*, I turn), opposite.

ÆQUILATERAL (*æquus*, Lat. equal; *lateralis*, belonging to a side), equal-sided (82).

ÆROPHYTES (*aër*, Gr. air; *phuton*, plant), plants growing entirely in the air.

ÆSTIVATION (*æstivum*, Lat. summer), the manner of folding in flower-buds.

AGGLOMERATE (*agglomero*, Lat. I crowd together), heaped up, or crowded together (229).

AGGLUTINATE (*agglutino*, Lat. I glue), glued together.

AGGREGATE (*aggrego*, Lat. I assemble), collected together (237). (*See* AGGLOMERATE.)

ALA (Lat. a wing), a lateral petal of a papilionaceous flower (181 *a*).

ALABASTRUS (Lat. rose-bud), applied to a flower-bud.

ALATE-PINNATE (*ala*, Lat. a wing), pinnate leaf, with a winged petiole.

ALBUMEN (Lat. the white of an egg), a substance found in many seeds, surrounding the embryo.

ALBUMINOUS (*albumen*, Lat. white of an egg), furnished with albumen.

ALBURNUM (Lat. sapwood), white, or sap, wood of a tree.

ALGOLOGY (*alga*, Lat. a sea-weed), that branch of botany which treats of algæ, or sea-weeds.

ALLIACEOUS (*allium*, Lat. garlic), pertaining to the *allium*, or garlic family ; smelling like garlic.

ALTERNATE (*alternus*, Lat. one after another), two organs so placed as not to be opposite each other (106).

ALTERNATELY-PINNATE, when the leaflets of a pinnate leaf are alternately inserted on the petiole (106).

ALTERNATIVE (*alternus*, Lat. one after another), in æstivation, where the inner whorl alternates with the outer (159).

ALVEOLATE (*alveolus*, Lat. a hollow vessel), socketed or honeycombed.

AMENTUM (Lat. a thong), a deciduous spike or catkin.

AMNIOS (*amnios*, Gr. a foetal membrane), fluid of the rudimentary embryo-sac.

AMORPHOUS (*a*, Gr. without ; *morphe*, form), without definite form.

AMPHICARPOUS (*ampho*, Gr. both ; *karpos*, fruit), possessing two kinds of fruit.

AMPHIGASTRIA (*amphi*, Gr. about ; *gaster*, the belly), scale-like stipules of mosses.

AMPHIGENOUS (*amphi*, Gr. about ; *gennao*, I produce), applied to fungi when the hymenium is not restricted to a particular surface.

AMPHISARCA (*ampho*, Gr. both ; *sarx*, flesh), a com-

pound, many-celled, superior fruit, with a woody or indurated shell inclosing an internal pulp.

AMPHITROPAL (*amphi*, Gr. about; *trepo*, I turn), applied to an embryo curved so that both ends are brought together.

AMPLEXICAUL (*amplector*, Lat. I embrace; *caulis*, a stem), embracing the stem (120).

AMPLEXUS (Lat. a surrounding), in veneration, used synonymously with *Equitant* (61).

AMPULLACEOUS (*ampulla*, Lat. a vessel), resembling a bladder or flask.

AMYLACEOUS (*amulon*, Gr. flour), starch-like.

ANALOGY (*ana*, Gr. according to; *logos*, definition), resemblance of form, but not of function.

ANANTHERUM (*ana*, Gr. without; *anēr*, a man), filaments without anthers.

ANASTOMOSE (*anastomosis*, Gr.), passing of one vein into another, by means of branches (17).

ANATROPAL (*ana*, Gr. over; *trepo*, I turn), an ovule turned down with the foramen to the hilum (207).

ANCIPITAL (*anceps*, Lat. two-edged), two-edged and flattened (41).

ANDRŒCEUM (*anēr*, Gr. a man), the male organs of a flower.

ANDROGYNOUS (*anēr*, a man; *gunē*, a woman), having an inflorescence of male and female flowers.

ANDROPHORUM (*anēr*, Gr. a man; *phero*, I bear), tube formed by united filaments around the pistil.

ANFRACTUOSE (*anfractus*, Lat. a turning), presenting sinuosities (192).

ANGIENCHYMA (*aggos*, Gr. a vessel; *cheuma*, tissue), a term applied to vascular tissue (12).

* ANGIOCARPOUS (*aggeion*, Gr. a vessel; *karpos*, fruit), having the fruit covered by an envelope or cupule (273).

ANGIOSPERMOUS (*sperma*, Gr. a seed), with the seeds inclosed in an ovary.

ANGULAR (*angulus*, Lat. an angle), with projecting angles.

ANISOMEROUS (*anisos*, Gr. unequal; *meros*, a part), the same as *unsymmetrical*.

ANISOSTAMENOUS (*stēmon*, Gr. a stamen), when the stamens are not of the same number as the petals.

ANNUAL (*annuus*, Lat. yearly), lasting but one year.

ANNULAR (*annulus*, Lat. a ring), having the form of a ring (9 b).

ANNULATE (*annulus*, Lat. a ring), ringed, or with the appearance of rings (31).

ANNULUS (Lat. a ring), the ring round the theca of ferns, the peristome of mosses, or stipe of agarics (287 2).

ANOMALOUS (*α*, Gr. not; *omalos*, equal), contrary to rule.

ANTERIOR (*ante*, Lat. before), placed in front, or outwards.

ANTHER (*antheros*, Gr. belonging to a flower), the pollen-cases of plants (186).

ANTHERIDIA (*antheros*, Gr. an anther; *oidos*, resemblance), certain organs in cryptogamic plants analogous to anthers.

ANTHERIFEROUS (*fero*, Lat. I bear), bearing anthers.

ANTHESIS (*anthēsis*, Gr. flower-opening), the period of opening of flowers.

ANTHOCARPOUS (*karpos*, Gr. fruit), bearing a fruit resulting from many flowers.

ANTHODIUM (*anthos*, Gr. a flower), the flowering head of composites (154). (See CAPITULUM.)

ANTHOTAXIS (*taxis*, Gr. order), the arrangement of flowers on an inflorescence.

ANTITROPAL (*anti*, Gr. opposite; *trepo*, I turn) (205). (See ORTHOTROPAL.)

APETALOUS (*a*, Gr. without; *petalon*, a petal), without petals.

APEX (Lat. the top), the opposite extremity to the point of attachment.

APICULATE (*apex*, Lat. a point), ending with a little point (126).

APOCARPOUS (*apo*, Gr. apart; *karpos*, fruit), not having the carpels united (216).

APOPHYSIS (*apophuo*, I spring from), any irregular swelling; inflation of seta below the theca of mosses.

APOTHECIA (*apothekē*, Gr. a repository), the shields of lichens bearing the spores (273, 274).

APPENDAGES (*appendo*, Lat. I hang up), a part super-added to another, as hairs to leaves, &c.

APPENDICULATE (*appendo*, Lat. I hang up), having appendages.

APPOSITE (*appositus*, Lat. placed near), placed side by side.

APPRESSED. (*See* ADRESSED.)

APPROXIMATE (*ad*, Lat. to; *proximo*, I approach), close together, but not united.

APTEROUS (*a*, Gr. without; *pteron*, a wing), without wings.

ARACHNOID (*arachnēs*, Gr. a spider), cobweb-like in structure or appearance.

ARBORESCENT (*arbor*, Lat. a tree), growing into a tree.

ARCHEGONIUM (*archos*, Gr. chief, primary; *gunē*, a female) early condition of a spore-case.

ARCUATE (*arcuo*, Lat. I bend like a bow), curved like a bow.

ARCUATE-AREOLATE (*arcuo*, Lat. I bend), divided into spaces by curves.

ARDELLÆ (*ardo*, Gr. to sprinkle), dust-like, small apothecia (271*a*) of such lichens as *Arthonia* (271*b* *sect. mag.*).

AREOLATE (*areola*, Lat. a little bed), divided into spaces, often angular.

AREOLUS (*areola*, Lat. a little bed), the tessellated spaces in the thallus of some lichens.

ARIL (*arillus*, Lat. a wrapper), an extension of the placentæ encompassing the seed, as the mace of the nutmeg (248).

ARILLATE (*arillus*, Lat. a wrapper), possessed of an aril.

ARILLODE (*arillus*, Lat. a wrapper), a false aril.

ARISTA (Lat. an awn), the beard of corn.

ARISTATE (*arista*, Lat. the beard of corn), having a beard or awn.

AROMATIC (*aroma*, Lat. sweet spice), having a spicy taste or smell.

ARTICULATE (*articulus*, Lat. a joint), jointed, separating freely.

ASCENDING (*ascendens*, Lat. ascending), directed upwards (212).

ASCI (*askos*, Gr. a leather bottle), spore-cases; imbedded tubular cells containing sporules.

ASCIDIA (*askidion*, Gr. a small bottle), spore-cases of certain fungi.

ASCIDIUM (*askidion*, Gr. a small bottle), a pitcher-like leaf modification (132).

ASCOSPORE (*askos*, Gr. a bag; *spora*, a seed), spores borne within asci.

ASTOMOUS (*a*, Gr. without; *stoma*, a mouth), without aperture.

ATRACTENCHYMA (*atraktos*, Gr. a spindle; *cheuma*, tissue), fusiform or spindle-shaped cells. (See PROSENCHYMA.)

ATROPAL (*a*, Gr. not; *trepo*, I turn), an ovule in its original erect position (205).

ATTENUATE (*attenuo*, Lat. I diminish), tapering gradually to a point.

AURICLES (*auricula*, Lat. an ear), ear-like appendages.

AURICULATE (*auricula*, Lat. an ear), having a pair of lobes or ears (94).

AWN (see **ARISTA**), the beard of corn.

AWNED (see **ARISTATE**), having an awn or beard.

AXIL (*axilla*, Lat. the armpit), the angle between the axis and any part produced from it.

AXILE (*axis*, Lat. an axle-tree), belonging to the axis.

AXILLARY (*axis*, Lat. an axle-tree), growing in the axils.

AXIS (Lat. an axle-tree), the centre of growth; the stem and root.

AXIS, ASCENDING, the stem.

AXIS, DESCENDING, the root.

B.

BACCA (Lat. a berry), an indehiscent pulpy fruit resulting from an inferior ovary (223).

BACCATE (*bacca*, Lat. a berry), berry-like or pulpy.

BACILLI (*bacillum*, Lat. a stick), the narrow plates of diatoms.

BALAUSTA (*balaustion*, Gr. pomegranate-flower), the fruit of the pomegranate (231).

BARBS (*barba*, Lat. a beard), double-hooked hairs (48).

BARBULA (Lat. a little beard), the inner teeth of the peristome of mosses.

BARK. The integument of the stems of exogens.

BASAL, BASILAR (*basis*, Lat. the base), growing at the base (204).

BASIDIA (Lat. a little pedestal), cellular processes in fungi bearing spores (281 *b*).

BASIDIOSPORE (*basidia*, Lat. a little pedestal), a spore borne upon a basidia.

BEAKED, ending in a long sharp angle.

BELL-SHAPED. (*See* CAMPANULATE.)

BERRIED. (*See* BACCATE.)

BI-ACUMINATE (*bis*, Lat. twice; *acuminatus*, Lat. pointed), two-pointed, with the points diverging.

BI-ARTICULATE (*articulatus*, jointed), two-jointed.

BI-CARINATE (*carina*, Lat. a keel), two-keeled.

BI-CONJUGATE (*conjungo*, Lat. I join together), two secondary petioles, each with a pair of leaflets (113).

BI-CORNUTE (*cornu*, Lat. a horn), with two horn-like processes (247).

BI-DENTATE (*dentatus*, Lat. toothed), with two teeth.

BIENNIAL (*biennis*, Lat. of two years' continuance), growing one year, flowering and fruiting the succeeding.

BIFID (*findo*, Lat. I divide), split in two half-way down (96).

BI-FOLIATE (*foliatus*, Lat. leafed), compound leaves with two leaflets (112).

BI-FOLLICULAR (*folliculus*, Lat. a little bag), with a double follicle.

BIFORINES (*biforis*, Lat. having a double door), oblong raphidian cells with an opening at each end.

BI-FURCATE (*furca*, Lat. a fork), doubly forked.

BI-JUGATE (*bijugus*, Lat. coupled), a compound leaf, with two pairs of leaflets (114).

BI-LABIATE (*labium*, Lat. a lip), two-lipped.

BI-LAMELLATE (*lamella*, Lat. a thin plate), formed of two plates.

BI-LOBATE (*loba*, Lat. a lobe), two-lobed (96).

BINATE (*binus*, by couples), in pairs.

BI-PALEOLATE (*palea*, Lat. chaff), with two paleæ, or scales.

BI-PARTITE (*pars*, Lat. a part), divided in two nearly to the base.

BI-PINNATE (*pinna*, Lat. a feather), doubly pinnate (116, 117).

BI-PINNATIFID (*pinna*, Lat. a feather ; *findo*, I divide), doubly pinnatifid.

BI-PPLICATE (*plico*, Lat. I fold), with two folds or plaits.

BI-POROSE (*porus*, Lat. a pore), opening by two pores.

BI-SEPTATE (*septum*, Lat. a partition), with two partitions.

BI-SERIAL (*series*, Lat. an order), arranged in two parallel rows.

BI-SERRATE (*serratus*, Lat. sawed), serratures again serrated (72).

BI-TERNATE (*ternus*, Lat. three and three together), a compound leaf divided into three, each division bearing three leaflets (111).

BITTEN. (See EROSE.)

BI-VITTATE (*vitta*, Lat. a canal), having two canals, or vittæ.

BLADDERY, inflated.

BLADE. (See LAMINA.)

BLASTEMA (*blastanō*, Gr. I germinate), the axis of an embryo.

BOAT-SHAPED, resembling a little boat.

BOSSED. (See UMBONATE.)

BOTHRENCHYMA (*bothros*, Gr. a pit ; *cheuma*, tissue), pitted, dotted, or porous tissue (5).

BRACHIATE (*brachium*, Lat. the arm), opposite branches alternating at right angles.

BRACTEATE (*bractea*, Lat. a thin leaf), with bracts.

BRACTEOLAS (*bracteola*, diminutive of *bractea*), secondary bracts, between the true bracts and the flowers.

BRACTS (*bractea*, Lat. a thin leaf), leaves generally modified in form, at the base of the flower-stalk.

BRANCHES, divisions of the axis.

BRISTLE-POINTED, terminating in a bristle.

BRISTLES, stiff pointed hairs.

BRISTLY, covered with stiff-pointed hairs.

BRYOLOGY (*bruon*, Gr. moss ; *logos*, a discourse), the division of botany relating to mosses.

BUD, elementary folded leaves or flowers.

BULB (*bulbus*, Lat. a bulb), modified leaf-bud, with fleshy scales generally upon, or partly immersed in the soil (64).

BULB, TUNICATED, a bulb with thin membranaceous scales, forming successive coats.

BULBILS (diminutive of *bulbus*), small axillary bulbs (63).

BULBOSE (*bulbus*, Lat. a bulb), with the structure of a bulb.

BULLATE (*bulla*, Lat. a bubble), blistered or puckered, as the leaf of a Savoy cabbage.

BURSICULATE (*bursa*, Lat. a purse), purse-like.

BYSSACEOUS (*byssus*, Lat. fine flax), consisting of fine entangled threads.

BYSSOID (*byssus*, Lat. fine flax), resembling fine matted threads.

BYSSUS (Lat. fine flax), the thread-like stipes of some fungi.

C.

CADUCOUS (*caducus*, Lat. ready to fall), dropping off.

CÆSPITOSE (*cæspes*, Lat. turf), growing in tufts.

CALCARATE (*calcar*, Lat. a spur), spurred (163).

CALCEOLATE (*calceolus*, Lat. a little shoe), having the form of a slipper (176).

CALYCIFLORAL (*calyx*, Lat. a flower-cup; *flora*, a flower), having the petals and stamens inserted in the throat of the calyx.

CALYCINE (*kalux*, Gr. the cup of a flower), belonging to a calyx.

CALYCOID (*kalux*, Gr. a flower-cup; *eidos*, appearance), resembling a calyx.

CALYCVLUS (Lat. a little bud), a partial involucre; an involucre containing but one or two flowers.

CALYPTRA (*kaluptra*, Gr. a veil), the hood of a moss theca, &c. (284 2).

CALYPTRATE (*kaluptra*, Gr. a veil), hooded (165).

CALYX (*kalux*, Gr. the the cup of a flower), the external whorl of floral leaves.

CAMBIUM, the formative fluid found between the wood and bark of exogens in the spring.

CAMPANULATE (*campanula*, Lat. a little bell), bell-shaped (168).

- CAMPTOTROPAL (*kamptos*, Gr. curved; *trepo*, I turn), applied to curved ovules when each portion beyond the curve is of equal length (206).
- CAMPYLOSPERMOUS (*kampulos*, Gr. curved; *sperma*, a seed), having the albumen of the seed curved at the margin so as to form a longitudinal furrow.
- CAMPYLOTROPAL (*kampulos*, Gr. curved; *trepo*, I turn), when the ovule is so bent that the apex is brought to the hilum, but the two portions are of unequal length (208).
- CANALICULATE (*canalicula*, Lat. a little canal), channelled.
- CANCELLATE (*cancellatus*, Lat. latticed), with an appearance resembling lattice-work.
- CAP, the pileus of agarics (276 *p*). (See PILEUS.)
- CAPILLARY (*capillus*, Lat. a hair), thread-like.
- CAPILLITIUM (*capillitus*, Lat. like hair), the threads of puff-balls.
- CAPITATE (*caput*, Lat. a head), furnished with a globose head (44).
- CAPITULUM (Lat. a little head), the inflorescence of composite flowers (148), the globular-stalked apothecia of such lichens as *Cladonia* (267, 268).
- CAPRIFICATION (*caprificatio*, Lat. a husbanding of wild figs), the fertilization of the flowers of the fig, and other plants, by means of insects.
- CAPSULAR (*capsula*, Lat. a chest), relating to a capsule.
- CAPSULE (*capsula*, Lat. a chest), a dry dehiscent seed-vessel, or fruit (236).
- CAPSULIFEROUS (*capsula*, Lat. a chest; *fero*, I bear), bearing capsules.

CARBONIZED (*carbo*, Lat. coal), blackened so as to appear as if burnt.

CARCERULE (*carcer*, Lat. a gaol), a name given to a dry indehiscent fruit, with the carpels adherent around an axis, as in *Malva* (245).

CARCITHIUM, the mycelium of certain fungi.

CARINA (Lat. a keel), the lower petals of pea-flowers; parts having a keel-like shape (181 c).

CARIOPSIS (*karē*, Gr. a head; *opsis*, appearance), a dry one-seeded indehiscent fruit, with the endocarp adherent to the spermoderm.

CARIOUS (*cariosus*, Lat. rotten), decayed.

CARPEL (*karpōs*, Gr. a fruit), one of the modified leaves composing a pistil.

CARPELLARY (*karpōs*, Gr. a fruit), belonging to a carpel.

CARPOCLONIUM (*karpōs*, Gr. fruit), a free receptacle or spore-case in certain algæ (260). (See STICHIDIA.)

CARPOLOGY (*karpōs*, Gr. a fruit; *logos*, a discourse), that part of botany which treats of fruit structure.

CARPOPHORE (*karpōs*, Gr. a fruit; *phero*, I bear), a stalk elevating the fruit, or the ovary (225). (See GYNOPHORE.)

CARTILAGINOUS (*cartilago*, Lat. a tendon), hard and tough.

CARUNCULA (Lat. a little piece of flesh), a protuberance near the hilum of a seed.

CARUNCULATE (*caruncula*, Lat. a little piece of flesh), having a caruncula.

CARYOPHYLLACEOUS, a corolla with long-clawed petals.

CASSIDEOUS (*cassis*, Lat. a helmet), having a helmet-shaped sepal or petal (166).

CATENULATE (*catena*, Lat. a chain), strung together like the links of a chain.

CATKIN, a deciduous spike of unisexual flowers.

CAUDEX (Lat. the trunk), the axis of a plant.

CAUDICLE (*cauda*, Lat. a tail), the process which unites pollen masses to the stigma; distinct in Orchids.

CAULINE (*caulis*, Lat. a stalk), belonging to the stem.

CAULIS (Lat. a stalk), the stem.

CELL (*cella*, Lat. a cellar), each of the vesicles of which cellular tissue is composed; a cavity (1).

CELLULAR, composed of cells.

CELLULOSE (*cellula*, Lat. a little cellar), the material of which cell-walls are composed.

CENTRIFUGAL (*centrum*, Lat. a centre; *fugio*, I fly from), applied to inflorescence, in which the flowering commences at the summit or the centre.

CENTRIPETAL (*centrum*, Lat. a centre; *peto*, I seek), applied to an inflorescence, in which the flowering commences at the base or the circumference.

CERAMIDIUM, the pear-shaped capsules of some algæ (258).

CERATOSTOMÆ (*keras*, Gr. a horn; *stoma*, a mouth), perithecia with elongated necks.

CERCIDIUM, the mycelium of some fungi.

CERIFEROUS (*cera*, Lat. wax), wax-bearing or producing.

CHALAZA (Gr. a spot on the skin), in a seed, where the nucleus joins the integuments (215 c).

CHANNELLED, hollowed out like a gutter.

CHLOROPHYLL (*chloros*, Gr. green ; *phyllon*, a leaf), the green colouring matter of plants.

CHLOROSIS (*chloros*, Gr. green), a loss of colour.

CHORIZATION (*chorizo*, Gr. I separate). (See UNLINING.)

CHROMISM (*chroma*, Gr. a colour), an unnatural colouring of plants or leaves.

CHROMULE (*chroma*, Gr. colour), colouring matter of plants other than green.

CICATRICE (*cicatrix*, Lat. a scar), a scar, as of a fallen leaf.

CICATRICOSE (*cicatrix*, Lat. a scar), marked with scars or cicatrices.

CILIA (*cilium*, Lat. an eyelash), a marginal hair.

CILIATE (*cilium*, Lat. an eyelash), fringed with hairs (77).

CINCINNUS, applied to inflorescence, a cyme developed in a scorpioid manner (153).

CINENCHYMA (*kineo*, Gr. I move ; *cheuma*, tissue), the laticiferous tissue of plants (17).

CIRCINATE (*circino*, Lat. I turn round), curled, as the young fronds of ferns (51, 252).

CIRCUMSCISSILE (*circum*, Lat. around ; *scindo*, I cut), cut around transversely (237).

CIRCUMSCRIPTION (*circumscriptio*, Lat. a bounding), the outline of a leaf or other organ.

CIRRHIFORM (*cirrhus*, Lat. a curl), with a tendril-like shape.

CIRRHOSE, CIRRHIFEROUS (*cirrhus*, Lat. a curl), having tendrils.

CIRRHUS (Lat. a curl), a tendril (130).

CISTELLA (Lat. a casket), the capsular shield of some lichens.

CISTOME (*kistē*, Gr. a bag; *stoma*, a mouth), a funnel-shaped prolongation of the cuticle into the openings of the stomata.

CISTOPHORUM (*kistē*, Gr. a bag; *phero*, I bear), applied to the stipe of certain fungi.

CLADENCHYMA (*klados*, Gr. a branch; *cheuma*, tissue), branched cells, as in some hairs.

CLATHRATE (*clathrus*, Lat. a lattice), latticed.

CLAVATE (*clava*, Lat. a club), gradually thickened upwards (46).

CLAVULA (*clavula*, Lat. a little nail), the receptacle of certain fungi.

CLAW, the lengthened base of petals in some flowers (185). (See UNGUIS.)

CLESTINES, cells containing raphides (15).

CLINANDRIUM (*klinē*, Gr. a bed; *anēr*, a man), a cavity at the apex of the column in orchids, containing the anthers.

CLINANTHIUM (*klinē*, Gr. a bed; *anthos*, a flower), the receptacle of a capitulum.

CLOVES, small bulbs formed within the parent bulb.

CLUB-SHAPED. (See CLAVATE.)

CLYPEATE. (See SCUTATE.)

COCODES (*kokkos*, Gr. a seed), spherical protuberances like pills.

COCCUS (*kokkos*, Gr. a seed), an elastically-dehiscing carpel.

COCHLEAR (*cochlearis*, Lat. belonging to a spoon), a form of æstivation in which one piece, being larger, covers all the others.

COCHLEARIFORM (*cochlearis*, Lat. belonging to a spoon), spoon-shaped.

COCHLEATE (*cochlea*, Lat. a snail-shell), twisted like a snail-shell (235).

CÆLOSPERM (*koilos*, Gr. hollow; *sperma*, a seed), a seed in which the albumen is curved, so that the base and apex approach.

CÆNANTHIUM. (See CLINANTHIUM.)

COLEORHIZA (*koleos*, Gr. a sheath; *rhiza*, a root), the sheath at the base of an endogenous embryo (257c).

COLLATERAL (*con*, Lat. together; *latus*, a side), side by side.

COLLENCHYMA, COLENCHYMA (*kolla*, Gr. glutinous; *cheuma*, tissue), cellular tissue of a cartilaginous or horny texture, which becomes glutinous when moistened.

COLLUM (Lat. a neck), point of union of radicle and plumule, or root and stem (256).

COLPENCHYMA (*kolpos*, Gr. a fold; *cheuma*, tissue), sinuous or waved cells (19).

COLUMELLA (Lat. a little pillar), the column in the centre of the theca of an urn moss.

COLUMELLA (Lat. a little pillar), the axis around which carpels are united (246).

COLUMN (*columna*, Lat. a pillar), consolidated stamens and style of orchids (188).

COLUMNAR (*columna*, Lat. a pillar), resembling a column.

COMA (Lat. a head of hair), hairs terminating certain seeds (164).

COMA (Lat. a head), bracts at the summit of a pineapple.

COMMISSURE (Lat. a knuckle-joint), the adhering faces of two carpels, as an Umbellifers.

COMOSE (*coma*, Lat. a head of hair), ending with hairs.

COMPLICATE (*con*, together; *plico*, I plait), folded up upon itself.

COMPRESSED (*compressus*, Lat. pressed together), flattened.

CONCATENATE (*con*, Lat. together; *catenatus*, chained), chained together.

CONCEPTACLE (*conceptaculum*, Lat. a receptacle), the thecæ of ferns (287); a double follicle.

CONDUPPLICATE (*conduplicatus*, Lat. doubled), in veneration, folded face to face (52).

CONE (*conus*, Lat. a cone), the scaly fruit of the fir (238).

CONENCHYMA (*konos*, Gr. a cone; *cheuma*, tissue), conical cellular tissue, as hairs, &c. (42).

CONFLUENT (*confluo*, Lat. I run together), gradually united.

CONGLOBATE (*conглоbo*, Lat. I gather into a ball), collected into a rounded form.

CONGLOMERATE (*conglomeratus*, Lat. heaped together), clustered together.

CONGLUTINATE (*conglutinated*, Lat. glued together), glued together in heaps.

CONICAL (*conus*, Lat. a cone), with the form of a geometric cone (23).

CONIDIA (*konis*, Gr. dust), dust-like secondary spores.

CONIOCYST (*konis*, Gr. dust; *kustis*, a bladder), spore-cases resembling tubercles, without openings.

CONJUGATE (*conjugo*, Lat. I couple together), paired (112).

CONNATE (*con*, Lat. together; *nascor*, I grow), when two leaves have their bases united. Any two parts, normally distinct, which become joined (123).

CONNECTIVE (*con*, Lat. together; *necto*, I bind), the intervening portion between the lobes of an anther (187).

CONNIVENT, having the points turned in (applied to petals or sepals).

CONOIDAL (*koneidēs*, Gr. formed like a cone), somewhat conical.

CONTINUOUS (*continuus*, Lat. without intermission), without joints or articulations.

CONTORTED (*contortus*, Lat. entangled), twisted. A form of æstivation (158).

CONTORTUPLICATE (*contortus*, Lat. entangled; *plico*, I fold), turned back on itself (253).

CONVOLUTE (*convolutus*, Lat. wrapped together)

rolled up. A form of vernation (54). Applied also to cotyledons (251).

CORALLIFORM, CORALLOID, resembling coral in form.

CORDATE (*cor*, Lat. the heart), heart-shaped—applied to leaves (91).

CORDATE-HASTATE	}	Between cordate and each of the others in form.
CORDATE-SAGITTATE		
CORDATE-OVATE		

CORIACEOUS (*corium*, Lat. leather), of a leathery consistency.

CORKY, with the texture of cork.

CORM (*kormus*, Gr. a stem), the swollen, succulent bulb-like base of certain stems (65).

CORNEOUS (*corneus*, Lat. horny), horny in texture.

CORNICULATE (*cornicula*, Lat. a little horn), having a horn-like appendage.

COROLLA (Lat. a little crown), the inner whorl of floral envelopes.

COROLLIFLORAL, having the petals and stamens inserted on the tube of the corolla.

CORONA (Lat. a crown), an appendage between the corolla and stamens, either cuplike or in rays (183).

CORONATE (*corona*, Lat. a crown), having a corona.

CORONULA (Lat. a little crown), small calyx-like bodies in *Chara*.

CORRUGATED (*corrugatus*, Lat. wrinkled), crumpled up without regularity.

CORTEX (Lat. rind or bark), the bark.

CORTICAL (*cortex*, Lat. the rind or bark), relating to the bark.

CORTINATE (*cortina*, Lat. a curtain), cobweb-like in texture.

CORYDALINE (from the generic name *Corydalis*), resembling the flower of *Corydalis*.

CORYMB (*korumbos*, Gr. the top), an inflorescence in which the pedicels originate at different heights on the axis, but elevate all the flowers to nearly the same level (144).

CORYMBOSE (*korumbos*, Gr. the top), resembling a corymb.

CORYNIDIA, processes containing spiral threads in ferns.

COSTA (Lat. a rib), the midrib.

COSTATE (*costa*, Lat. a rib), having a single rib; applied to leaves.

COTYLEDONS (*kotuledon*, Gr. a hollow vessel), rudimentary leaves of an embryo (256, *c*).

CRATERA (Lat. a goblet), a cup-shaped receptacle.

CRATERIFORM (*crater*, Lat. a goblet), concave or cup-shaped.

CREMOCARP (*kremao*, Gr. I hang; *karpos*, fruit), a fruit of two carpels, which, when ripe, separate and are suspended from a carpophore, as in Umbellifers (243).

CRENATE (*crena*, Lat. a notch), with convex teeth—applied to the margins of leaves (74).

CRENULATE (*crena*, Lat. a notch), synonymous with *crenate*.

CRESTED, having a ridge or crest.

CRIBROSE (*cribrum*, Lat. a sieve), pierced with small holes.

CRINITE (*crinis*, Lat. hair), bearded.

CRUCIATE (*crux*, Lat. a cross), arranged in the form of a cross (180).

CRUSTA (*crusta*, Lat. a piece of ice), the frosted appearance of the upper surface of the fronds of some lichens.

CRUSTACEOUS, having an appearance resembling hoar frost.

CRYPTOGAMIA (*krupto*, Gr. I hide; *gamos*, marriage), applied to all the lower orders of plants, or such as have no evident or true flowers.

CRYPTOSTOMATA (*krupto*, Gr. I hide; *stoma*, a mouth), circular nuclei on the surface of some algæ.

CUCULATE (*cucullus*, Lat. a hood), hooded.

CUCULLUS (Lat. a hood), a hood.

CULM (*culmus*, Lat. straw), the straw or stem of grasses.

CUNEATE (*cuneus*, Lat. a wedge), wedge-shaped (104).

CUNICULATE (*cuniculus*, Lat. a rabbit-hole), pierced with a long passage.

CUPULA (Lat. a little cup), the cup of an acorn (226).

CUPULIFORM (*cupula*, Lat. a little cup), like an acorn-cup.

CUSPIDATE (*cuspidatus*, Lat. pointed), tapering gradually to a sharp stiff point.

CUTICLE (*cuticula*, Lat. the outer skin), the outer pellicle of the epidermis.

CUTIS (Lat. a skin), the peridium of some fungi.

CYATHUS (Lat. a cup), the cup-like bodies of *Marchantia* (286).

CYCLE (*cyclicus*, Lat. circular), the turn of a spiral in leaf-order.

CYCLICAL (*cyclicus*, Lat. circular), rolled up or coiled up (252).

CYCLOGENS (*kuklos*, Gr. a circle; *gennao*, I produce), a nearly obsolete synonym of *Exogens*.

CYCLOSIS (*kuklos*, Gr. a circle), partial circulation of the latex of plants.

CYLINDRENCHYMA (*kulindros*, Gr. a cylinder; *cheuma*, tissue), a name applied to cylindrical cells.

CYMBELLÆ (*cymbula*, Lat. a little boat), reproductive locomotive bodies in algæ.

CYMBIFORM (*cymba*, Lat. a boat), boat-shaped.

CYME (*cyma*, Lat. a sprout), a kind of inflorescence developed in a centripetal manner (150, 151).

CYNARRHODON (Gr. fruits of the wild rose), a name given to the "hips," or fruits, of roses (241).

CYPHELLÆ (*kuphos*, Gr. bent in), urn-shaped soredia on the under-surface of the thallus of some lichens.

CYPSELA (Lat. a martin or swallow), a one-seeded indehiscent inferior fruit, resulting from a unilocular ovary, generally surmounted by the remains of the calyx (164).

CYST (*kustis*, Gr. a bladder), a sub-globose cell or cavity.

CYSTIDIA (*kustis*, Gr. a bladder), reproductive cells found with the asci of some fungi.

CYSTOCARP (*kustis*, Gr. a bladder), a spore-case of seaweeds.

CYTOBLAST (*kutos*, Gr. a cell; *blastos*, a germ), a cell-germ; synonym of *protoplasm*.

CYTOGENESIS (*kutos*, Gr. a cell; *genesis*, origin), cell development.

D.

DÆDALENCHYMA (*daidalos*, Gr. entangled; *cheuma*, tissue), entangled cells, as in some fungi.

DECANDROUS (*deka*, Gr. ten; *anēr*, a man), when a flower has ten stamens.

DECIDUOUS (*deciduus*, Lat. subject to falling), applied to plants the leaves of which are shed annually.

DECLINATE (*declinatus*, Lat. turned aside), bent downwards or on one side.

DECOMPOUND (*de*, Lat. from; *compositus*, compounded), having compound divisions.

DECUMBENT (*decumbens*, Lat. lying down), lying on the ground with a tendency to rise at the extremities.

DECURRENT (*decurrens*, Lat. running down), when the limb of a leaf (122) or the gills of an Agaric (280) are prolonged down the stem.

DECUSSATE (*decussatus*, Lat. cut crossways), in pairs alternately crossing.

DEDUPLICATION. (See UNLINING.)

DEFINITE (*definitus*, Lat. defined), applied to stamens when constant and not exceeding twenty.

DEFLEXED (*deflexus*, Lat. bent), bending downwards through the whole length.

DEFOLIATION (*de*, Lat. from ; *folium*, a leaf), the falling of leaves.

DEHISCENCE (*dehisco*, Lat. I gape), splitting into regular parts.

DELTOID (Δ *delta*, Gr. letter D), triangular in section or outline.

DENDROID (*dendron*, Gr. a tree), branched like a tree.

DENTATE (*dens*, Lat. a tooth), toothed as in *Fig. 75*.

DENUDATE (*denudatus*, Lat. made naked), a hairy or downy surface become naked.

DEPAUPERATE (*depauperatus*, Lat. impoverished), starved, or imperfectly developed.

DEXTORSE (*dexter*, Lat. the right hand), turned to the right.

DIACHYMA (*dia*, Gr. in the midst ; *cheuma*, tissue), applied sometimes to the parenchyma of leaves.

DIADELPHOUS (*dis*, Gr. twice ; *adelphos*, a brother), stamens in two bundles (190).

DIANDROUS (*dis*, Gr. twice ; *anēr*, man), when a flower has two stamens.

DIAPHANOUS (*dia*, Gr. through ; *phaino*, I show) nearly transparent.

DICHLAMYDEOUS (*dis*, Gr. twice ; *chlamus*, a cloak,, having both calyx and corolla.

DICHOTOMOUS (*dichotomos*, Gr. divided into two), forked or furcate (150).

DICLESIIUM, a small dry indehiscent pericarp, having the indurated perianth adherent to the carpel, and forming part of the shell.

DICLINOUS (*dis*, Gr. twice ; *klinē*, a bed), stamens in one flower, and pistil in another.

DICOCOUS (*dis*, Gr. twice ; *kokkos*, a kind of seed), splitting into two cocci.

DICOTYLEDONOUS (*dis*, Gr. twice ; *kotyledon*, seed-leaf), having two cotyledons.

DICTYGENS (*diktuon*, Gr. a net ; *gennao*, I produce), Lindley's fifth class of plants.

DIDYNAMOUS (*dis*, Gr. twice ; *dunamis*, power), stamens, two long and two short (189).

DIGITALIFORM (from the generic name *Digitalis*), like the corolla of *Digitalis* (172).

DIGITATE (*digitatus*, Lat. having fingers), with several leaflets radiating from a common point (109).

DIGITATE-PINNATE (*digitatus*, Lat. having fingers), a digitate leaf, with pinnate leaflets.

DILAMINATION (*dis*, Lat. separate ; *lamina*, a blade). (See UNLINING.)

DIMIDIATE (*dimidiatus*, Lat. halved), when half of an organ is much smaller than the other half. The calyptra of mosses split on one side (125). Applied to the gills of Agarics when they proceed only half-way to the stem.

DIOECIOUS (*dis*, Gr. twice ; *oikos*, house), when stamiferous flowers are borne on one plant, and pistilliferous on another. ♂ ♀

DIPETALOUS (*dis*, Gr. twice ; *petalon*, a petal), having two petals.

DIPLOSTEMONOUS (*diplos*, Gr. double ; *stemon*, stamen), with twice as many stamens as petals.

- DIPLOTEGIA** (*diplos*, Gr. double ; *stegos* a covering), an inferior capsule, dehiscing by valves or pores. A double covering, as of a calyx and epicalyx.
- DISCIFORM** (*discus*, Lat. a quoit), disk-shaped. Flat and circular.
- DISCOCARP** (*diskos*, Gr. a disk ; *karpōs*, a fruit), a collection of fruits in a hollow receptacle (241).
- DISCOIDAL** (*discus*, Lat. a quoit), round, with a convex face.
- DISK** (*discus*, Lat. a quoit), any organ between the stamens and ovary, generally scaly or annular (199).
- DISSEPIMENT** (*dissepio*, Lat. I separate), partitions in a fruit.
- DISTANT**, applied to the gills of Agarics when far away from each other.
- DISTICHOUS** (*dis*, Gr. twice ; *stichos*, a rank), in two rows, opposite each other.
- DISTRACTILE** (*distractus*, Lat. drawn asunder), divided in two parts ; torn asunder (87).
- DIVARICATE** (*divaricatus*, Lat. severed), straggling, spreading irregularly.
- DODECANDROUS** (*dodeka*, Gr. twelve ; *anēr*, a man), when a flower has twelve stamens.
- DORSAL** (*dorsum*, Lat. the back), fixed upon the back.
- DRUPE** (*drupæ*, Lat. unripe olives), succulent or fleshy fruit, with a hard-shelled seed (222).
- DRUPEL**, a little drupe. (See ETÆRIO.)
- DUCTS** (*duco*, Lat. I conduct), tubular vessels marked with lines or dots.
- DURAMEN** (*durus*, Lat. hard), heartwood of trees.

E.

EARED (*see* AURICULATE) having two rounded lobes at the base (94).

EBRACTEATE (*e*, Lat. without; *bractea*, a bract), without bracts.

ECHINATE (*echinatus*, Lat. set with bristles), furnished with stiff prickles.

EDENTATE (*e*, Lat. without; *dens*, a tooth), without teeth.

ELATER (*elater*, Gr. a driver), elastic spiral threads, found with spores in liverworts, &c. (284 4).

ELLIPTICAL (*elleipsis*, Gr. an oval figure), having the form of an ellipse, oval, rounded at the ends (85).

EMARGINATE (*e*, Lat. out of; *margo*, the margin), having a notch at the end (128). Applied to the gills of Agarics when they are notched or scooped out before reaching the stem (279).

EMBRYO (*embruon*, Gr. a foetus), rudimentary plant within its seed.

EMBRYO-BUDS (*embruon*, Gr. a foetus), a term sometimes applied to adventitious buds found beneath the bark in the trunks of some trees.

ENDOCARP (*endon*, Gr. within; *karpos*, fruit), lining of a carpel. Inner layer of pericarp.

ENDOCHROME (*endon*, Gr. within; *chromos*, colour), cell-contents of Algæ. Colouring matters.

ENDOGENOUS (*endon*, Gr. within; *gennao*, I produce), growing by additions in the centre (33).

ENDOPHLEUM (*endon*, Gr. within; *phloios*, bark), inner layer of bark. The liber.

ENDOPLEURA (*endon*, Gr. within; *pleura*, a side), the innermost skin of a seed-coat.

ENDORHIZAL (*endon*, Gr. within; *rhiza*, a root), in germination, when the root protrudes from the end of the radicle, the latter forming a sheath at its base (257).

ENDOSMOSE (*endon*, Gr. within; *osmos*, impulsion), the inward current established between fluids of different densities when separated by animal or vegetable membrane.

ENDOSPORE (*endon*, Gr. within), the inner integument of lichen-spores.

ENDOSTOME (*endon*, Gr. within; *stoma*, a mouth), an opening in the inner integument of an ovule.

ENDOTHECIUM (*endon*, Gr. within; *thekē*, a box), lining of an anther-lobe.

ENNEANDROUS (*ennea*, Gr. nine; *anēr*, a man), when a flower has nine stamens.

ENSIFORM (*ensis*, Lat. a sword; *forma*, shape), shaped like a broad-sword.

ENTIRE, having no marginal divisions or serratures (68, 69).

ENTOPHYTES (*endon*, Gr. within; *phuton*, a plant), plants growing within others.

EPIBLEMA (*epi*, Gr. upon; *blema*, a wound), a kind of imperfect epidermis covering the extremities of roots, &c.

EPICALYX (*epi*, Gr. upon; *calux*, the calyx), an external involucre to the calyx, as in mallows (245).

EPICARP (*epi*, Gr. upon; *karpōs*, fruit), the outer layer of a pericarp (230 E).

EPICHILIMUM (*epi*, Gr. upon; *cheilos*, a lip), the upper portion of the labellum of an orchid, when it is divided into two parts.

EPICLINAL (*epi*, Gr. upon; *klinē*, a bed), seated on the disk or receptacle.

EPIDERMIS (*epi*, Gr. upon; *derma*, skin), the true skin of plants.

EPIGONIUM (*epi*, Gr. upon; *gunē*, female), a bag inclosing the young spore-case of liverworts.

EPIGYNOUS (*epi*, Gr. upon; *gunē*, a female), appearing to grow upon the ovary (197).

EPIPETALOUS (*epi*, Gr. upon; *petalon*, a petal), growing upon the petals (198).

EPIPHLŒUM (*epi*, Gr. upon; *phloios*, bark), the outer layer of bark.

EPIPHRAGM (*epi*, Gr. upon; *phragma*, a division), a membrane closing the mouth of the theca in urn mosses.

EPIPHYLLONS (*epi*, Gr. upon; *phyllon*, a leaf), upon a leaf.

EPIPHYTAL (*epi*, Gr. upon; *phuton*, a plant), growing upon another plant.

EPIPHYTE (*epi*, Gr. upon; *phuton*, a plant), a plant growing upon, but not nourished by another.

EPISPERM (*epi*, Gr. upon; *sperma*, the seed), the seed-coat.

EPISPORANGIUM (*epi*, Gr. upon; *spora*, a seed; *aggos*, a vessel), an indusium overlying the spore-cases of a fern (*Aspidium*).

EPISPORE (*epi*, Gr. upon ; *spora*, a seed), the outer integument of lichen-spores.

EPITHELIUM (*epi*, Gr. upon ; *thēlē*, a nipple) a modified epidermis with thin cells, filled with transparent colourless fluid, lining the ovary, &c.

EPLIcate (*e*, Lat. not ; *plicatus*, plaited), not plaited.

EQUITANT (*equitans*, Lat. riding), in vernation, when leaves over-ride each other (61).

ERECT (*erectus*, Lat. upright), applied to ovules arising from the base of the ovary (211).

EROSE, ERODED (*erosus*, Lat. gnawed round about), having irregular serratures, as if bitten out.

ESTIVATION, arrangement of leaves in a flower-bud. (*See* ÆSTIVATION.)

ETÆRIO (*etairia*, Gr. a society), a fruit composed of agglomerated drupes (229).

ETIOLATED (*etiolatus*, Lat. blanched), blanched ; deprived of colour.

EVITTATE (*e*, Lat. without ; *vittæ*, bands), without vittæ.

EXALBUMINOUS (*ex*, Lat. without ; *albumen*), without albumen.

EXASPERATE (*exasperatus*, Lat. sharpened), clad with hard stiff short points.

EXCENTRIC (*ex*, Lat. without ; *centrum*, the centre), out of the centre.

EXCIPLE (*excipio*, Lat. I receive), the capsule or envelope of the thalamium in the apothecia of

lichens, being an expansion of the thallus (237, 274).

EXCURRENT (*excurrens*, Lat. sallying forth), central, as the stem of a fir, with branches disposed regularly around it.

EXINDUSIATE (*ex*, Lat. without; *indusium*, a shirt), not having an indusium.

EXINTINE (*ex*, Lat. outside; *internus*, the internal), middle coating of a pollen-grain.

EXOGENOUS (*exo*, Gr. outwards; *gennao*, I produce), growing by additions to the outside of the stem (32).

EXORHIZAL (*exo*, Gr. outwards; *rhiza*, a root), in germination, when the point of the radicle grows, and becomes the first root.

EXOSMOSE (*exo*, Gr. outwards; *osmos*, impulsion), the outward current between fluids of different densities, separated by animal or vegetable membrane.

EXOSTOME (*exo*, Gr. without; *stoma*, a mouth), the opening in the outer coating of the nucleus.

EXOSTOSIS (*exostosis*, Gr. a bony protuberance), a wart-like excrescence often developed on roots of leguminous plants.

EXSERTED (*exsertus*, Lat. thrust out), projecting beyond the orifice.

EXTINE (*ex*, Lat. outwards; *teneo*, I hold), outer coat of a pollen-grain.

EXTRORSE (*extra*, Lat. externally; *orsus*, originating), turned outwards.

F.

FALCATE (*falcatus*, Lat. hooked), sickle-shaped.

FAN-SHAPED, plaited like a fan, as some palm-leaves.
(See FLABELLIFORM.)

FARINACEOUS (*farina*, Lat. flour), with the texture of flour.

FARINOSE (*farina*, Lat. flour), covered with a white mealy powder.

FASCIATED (*fasciatus*, Lat. swathed), when a stem is flattened out.

FASCICLED, FASCICULATED (*fascicula*, Lat. a little bundle), in bundles proceeding from a common point (29).

FASCICULUS (Lat. a little bundle), in inflorescence, a cymose collection of nearly sessile flowers, forming a dense flat-topped bunch, as in the Sweet-william.

FASTIGIATE (*fastigiatus*, Lat. sharpened upwards), nearly parallel, pointing upwards.

FAVELLÆ (*favillæ*, Lat. white ashes), collections of spores resembling sori, found imbedded in the substance of the fronds of some algæ.

FAVOSE, FAVEOLATE (*favus*, Lat. honeycomb), honey-combed.

FEATHER-VEINED, where the primary veins are nearly straight, parallel, and run to the margin (67).

FEATHERY, hairs which are themselves hairy.

FENESTRATE (*fenestratus*, Lat. having windows), with openings like a window.

FIBRILLÆ (Lat. little filaments), the thread-like subdivisions of roots.

FIBRILLOSE (*fibra*, Lat. a filament), covered with loose fibres.

FIBRO-VASCULAR (*fibra*, Lat. a filament; *vasculus*, a vessel), vessels containing spiral fibres entire or broken.

FIDDLE-SHAPED. (See PANDURIFORM.)

FILAMENT (*filum*, Lat. a thread), the stalk of an anther (186).

FILIFORM (*filum*, Lat. a thread), slender as a thread.

FIMBRIATED (*fimbriatus*, Lat. fringed), fringed.

FISSIPAROUS (*fissus*, Lat. cleft), propagating by a subdivision of cells (10).

FISTULAR, FISTULOSE (*fistulosus*, Lat. hollow), hollow, and closed at each end (282).

FLABELLIFORM (*flabellum*, Lat. a fan), fan-shaped.

FLACCID (*flaccidus*, Lat. withered), wilted or relaxed.

FLAGELLIFORM (*flagellum*, Lat. a whip), tapering and supple like a whip.

FLAGELLUM (Lat. a whip), a runner; a small branch (35).

FLEXUOSE (*flexuosus*, Lat. full of turnings), zigzag; wavy.

FLOCCI (Lat. locks of wool), woolly hairs or threads.

FLOCCOSE (*floccus*, Lat. a lock of wool), covered with hairs which fall away in tufts.

FLORAL ENVELOPES, the calyx and corolla.

FLORETS (*Flora*, the goddess of flowers), the small flowers collected into a head in composite plants.

FOLIACEOUS (*folium*, Lat. a leaf), with the form or texture of a leaf.

FOLIATION (*folium*, Lat. a leaf), the act of leafing.

FOLIOLE (*folium*, Lat. a leaf), a leaflet.

FOLLICLE (*folliculus*, Lat. a little bag), a fruit of one carpel, dehiscing by the ventral suture (232).

FORAMEN (Lat. a hole), the aperture in the integuments of an ovule (215 *f*).

FORCIPATE (*forceps*, Lat. nippers), forked like pincers.

FORNIX (Lat. an arch), arched scales in the orifice of some flowers.

FOVEOLA (Lat. a little pit), the perithecium of fungi.

FOVEOLATE (*fovea*, Lat. a pitfall), pitted.

FOVILLA (*foveo*, Lat. I nourish), fluid contained in pollen-grains.

FREE, not adhering or adnate (277).

FROND (*frons*, Lat. a leaf), combination of leaf and stem.

FRUCTIFICATION (*fructus*, Lat. fruit), reproductive parts of a plant.

FRUSTULE (*frustum*, Lat. a fragment), the fragments into which Diatoms separate.

FRUSTULOSE (*frustum*, Lat. a fragment), consisting of fragments.

FUGACIOUS (*fugax*, Lat. fading), falling off rapidly.

FUNGIFORM (*fungus*, Lat. a mushroom), mushroom-shaped (276).

FUNICULUS (Lat. a little rope), thread connecting the ovule with placenta.

FUNNEL-SHAPED. (*See* INFUNDIBULIFORM.)

FURCATE (*furca*, Lat. a fork), forked (70).

FURFURACEOUS (*furfur*, Lat. bran), scurfy.

FUSIFORM (*fusus*, Lat. a spindle), spindle-shaped (24).

G.

GALBULUS (Lat. fruit of the cypress), a modification of strobilus with enlarged or fleshy scales (239).

GALEA (Lat. a helmet), the helmet of the flower of *Aconitum*, &c. (166).

GALL, a tumour produced by the puncture of an insect (290 3).

GAMOPETALOUS (*gamos*, Gr. wedding; *petalon*, petal), with the petals united (168-178). (*See* MONOPETALOUS.)

GAMOSEPALOUS (*gamos*, Gr. wedding), with the sepals united. (*See* MONOSEPALOUS.)

GANGLIA (*ganglion*, Lat. a swelling), the mycelium of some fungi.

GEMMÆ (*gemma*, Lat. a bud), reproductive buds found in liverworts.

GEMMATION (*gemma*, Lat. a bud), the act of budding (11).

GEMMULE (*gemma*, Lat. a bud). (*See* LEAF-BUD.)

GENICULATE (*geniculatus*, Lat. jointed), bent abruptly to a decided angle.

GERMEN (Lat. a branch). (*See* OVARY.)

GERMINATION (*germen*, Lat. a bud or branch), the first act of growth in an embryo.

GIBBER (*gibbus*, Lat. a swelling), a pouch at the base of a floral envelope (182).

GIBBOUS (*gibbus*, Lat. a swelling), having pouches or convex swellings.

GILLS, vertical plates radiating from the stipe on the under-surface of the pileus of fungi (276 *g*).

GLABROUS (*glaber*, Lat. smooth), destitute of hairs, smooth.

GLANDS, wart-like swellings. Receptacles of secretions.

GLANDULAR (*glandula*, Lat. a gland), covered with hairs possessed of glands.

GLANDULAR (*glandula*, Lat. a gland), applied to tissue with concave depressions on the walls of the vessels of which it is composed (13, 14).

GLANS (Lat. oak-mast), an indehiscent fruit seated in a cupule (226).

GLAUCOUS (*glaucus*, Lat. sea-green), covered with a bloom of a bluish-green tinge.

GLOBOSE (*globosus*, Lat.), nearly spherical.

GLOBULUS (*globulus*, Lat. a globule), the round deciduous shield of some lichens.

GLOCHIDIATE (*glochis*, Gr. a point), barbed like a fish-hook (48).

GLOMERATE (*glomero*, Lat. I heap up), collected into a close head.

GLOMERULI (*glomero*, Lat. I heap up), powdery masses on the surface of some lichens.

- GLOMERULUS** (*glomero*, Lat. I heap up), a form of inflorescence, in which the florets are arranged about a globose head or receptacle (146).
- GLUME** (*gluma*, Lat. chaff), exterior scales of the flower of grasses (137).
- GNOMONICAL** (*gnomonicus*, Lat. belonging to a dial), when a stalk is bent at right angles.
- GONIDIA** (*gonē*, Gr. generation; *eidōs*, resemblance), secondary reproductive green granules in the thallus of lichens immediately beneath the surface.
- GONOPHORUM** (*gonos*, Gr. generation; *phero*, I bear), an elongated receptacle, elevating the stamens and carpels.
- GRANULAR** (*granum*, Lat. a grain of corn), divided into little knots. Containing granules.
- GRANULES** (*granum*, Lat. a grain of corn), grains. Small bodies.
- GROSSIFICATION** (*grossificatio*, Lat.), the swelling of the ovary after impregnation.
- GRUMOUS** (*grumus*, Lat. a hillock), divided into little clustered grains. Clotted.
- GYMNOCARPOUS** (*gumnos*, Gr. naked; *karpos*, fruit), applied to the apothecia of lichens, when the thalamium *a* is not inclosed by the exciple *b* (274).
- GYMNOSPERMS** (*gumnos*, Gr. naked; *sperma*, a seed), ovules developed without the usual integuments.
- GYNANDROUS** (*gunē*, Gr. a woman; *anēr*, a man), having stamens and pistil united into one body.
- GYNOBASE** (*gunē*, a woman; *basis*, a base), a conical prolongation of the thalamus at the base of which the carpels are attached (246).

GYNÆCIUM (*gunē*, Gr. a woman ; *oikos*, a house), the pistil and its appendages.

GYNOPHORE (*gunē*, Gr. a woman ; *phero*, I bear), a pedicellary support to the ovary (225).

GYNOSTEMIUM (*gunē*, Gr. female ; *stemon*, stamen), the united stamens and pistil of orchids (188).

GYROMA (*gyrus*, Lat. a circle), the annulus around the spore-case of ferns (287 2).

GYROSE (*gyrus*, Lat. a circle), folded and waved ; marked with wavy lines (192).

H.

HABIT (*habitus*, Lat.), the general appearance of a plant.

HABITAT (*habitatio*, Lat. a habitation), the situation of a plant in its wild state.

HAIRS, delicate conical expansions of the epidermis (42).

HAIR-SHAPED. (*See* FILIFORM.)

HALBERT-SHAPED. (*See* HASTATE.)

HAMULOSE (*hamus*, Lat. a hook) covered with little hooks.

HAMULUS (*hamus*, Lat. a hook), a kind of hooked bristle.

HASTATE (*hastatus*, Lat. bearing spears), halbert-shaped (applied to leaves), (95).

HAUSTORIUM (*haustor*, Lat. a drawer), the root-like sucker of ivy, &c.

HEART-SHAPED. (*See* CORDATE.)

- HEART-WOOD (*see* DURAMEN), the central wood of Exogens.
- HELICOID (*elix*, Gr. a coil; *eidos*, resemblance), twisted like a snail shell (235).
- HEMIANATROPAL (*ēmīsus*, Gr. half; *trepo*, I turn), half anatropal (applied to ovules), (210).
- HEMITROPAL (*ēmīsus*, Gr. half; *trepo*, I turn), a modified anatropal ovule.
- HEPTANDROUS (*epta*, Gr. seven; *anēr*, man), when a flower has seven stamens.
- HERBACEOUS (*herbaceus*, Lat. belonging to herbs), green; producing an annual stem from a perennial root.
- HERBARIUM (*herba*, Lat. a plant), a collection of dried plants.
- HERMAPHRODITE (*hermaphroditus*, Lat. male and female), flowers with both stamens and pistil (♂₊).
- HESPERIDIUM (fruit of the Hesperides), fruits of the orange kind.
- HETEROCEPHALUS (*eteros*, Gr. another; *kephalos*, a head), bearing, separately, heads of male and female flowers.
- HETERODROMOUS (*eteros*, Gr. another; *dromos*, course), following a different direction, as of leaves on the stem and branches.
- HETEROGAMOUS (*eteros*, Gr. another; *gamos*, wedding), when the florets of the ray are neuter or female, and those of the disk male.
- HETERORHIZAL (*eteros*, Gr. diverse; *rhiza*, root),

rooting from no fixed point, applied to the roots of *Aerogens*.

HETEROTROPAL (*eteros*, Gr. another; *trepo*, I turn), parallel with the hilum (applied to the embryo).

HEXAGONIENCHYMA (*exagonios*, Gr. six-angled; *cheuma*, tissue), a term given to cellular tissue exhibiting hexagonal forms in section (7).

HEXANDROUS (*ex*, Gr. six; *anēr*, man), when a flower has six stamens.

HEXAPETALOID (*ex*, Gr. six; *petalon*, a petal), with six coloured parts, like petals.

HIDDEN-VEINED, with the veins buried in succulent leaves.

HILUM (Lat. the black scar of a bean), scar left by the separation of seed from its placenta.

HILUM (Lat. the black scar of a bean), the aperture in the extine of pollen-grains.

HIPPOCREPIFORM (*ippos*, Gr. a horse; *krepis*, a shoe), horse-shoe shaped.

HIRSUTE (*hirsutus*, Lat. hairy), hairy.

HISPID (*hispidus*, Lat. rough), covered with long stiff hairs.

HISTOLOGY (*istos*, Gr. a web or tissue; *logos*, a discourse), that branch of biology which treats of animal and vegetable tissues.

HOMOCARPOUS (*omos*, Gr. alike; *karpos*, fruit), with all the fruits of a flower-head alike.

HOMODROMOUS (*omoios*, Gr. similar; *dromos*, course), following the same direction, as of leaves on the stem and branches.

- HOMOGAMOUS** (*omos*, Gr. alike; *gamos*, wedding), with all the florets of a capitulum hermaphrodite.
- HOMOTROPAL** (*omos*, Gr. alike; *trepo*, I turn), applied to an embryo lying in the same direction as the seed, but not straight.
- HYALINE** (*ualos*, Gr. glass), transparent; a substance which, according to some, originates the cell nucleus.
- HYBRID** (*hybrida*, Lat. a mongrel), a plant obtained by the application of the pollen of one species to the stigma of another.
- HYDROPHYTES** (*hydor*, Gr. water; *phuton*, a plant), plants living totally in water.
- HYGROPHANOUS** (*ugron*, Gr. water), looking watery when moist, and opaque when dry.
- HYMENIUM** (*umēn*, Gr. a membrane), the part of fungi on which spores are borne; the fructifying surface.
- HYMENOPHORUM** (*umēn*, Gr. a membrane; *phero*, I bear), the structure which bears the hymenium.
- HYMENULUM** (*umēn*, Gr. a membrane), a shield containing asci.
- HYPANTHODIUM** (*upo*, Gr. under; *anthos*, a flower), a fleshy receptacle inclosing the flowers, as in the fig. (240).
- HYPHA** (*upha*, Gr. a web), the mycelium of certain fungi.
- HYPOCHILIUM** (*upo*, Gr. under; *cheilos*, the lip), the lower part of the labellum, when it is divided.
- HYPOCRATERIFORM** (*upo*, Gr. under; *kratēr*, a goblet), a flower of which the tube is long and the limb flat (169).

HYPODERMIS (*upo*, Gr. under; *derma*, the skin), inner layer of moss thecæ.

HYPOGÆOUS (*upo*, Gr. under; *gea*, the earth), subterranean.

HYPOGYNOUS (*upo*, Gr. under; *gunē*, a woman) growing from beneath the ovary (195).

HYPOPHYLLUS (*upo*, Gr. under; *phyllon*, a leaf), growing from the under-side of a leaf.

HYPOSPORANGIUM (*upo*, Gr. under; *spora*, seed; *aggos*, vessel), indusium of ferns growing from beneath the spore-case.

HYPOTHALLUS (*upo*, Gr. under; *thallus*, a frond), delicate fungoid filaments, upon which a lichen thallus is first developed.

HYPOTHECIUM (*upo*, Gr. under; *thekē*, a case), the cellular disk beneath the thalamium in lichens, bearing the thecæ (274).

HYSTEROPHYTES (*hystera*, Gr. the womb; *phuton*, a plant), plants living upon dead or living organic matter, as fungi.

I.

IDIOTHALAMUS (*idios*, Gr. peculiar; *thalamos*, a receptacle), possessed of a colour or texture differing from the thallus in lichens.

IMBRICATE (*imbricatus*, Lat. overlapped like tiles), overlapped, like the tiles of a house (60).

IMBRICATIVE (*imbricatus*, Lat. overlapped), in æstivation, overlapped at the edge (157).

IMMARGINATE (*in*, Lat. without; *margo*, a border), having no rim.

IMPARIPINNATE (*impar*, Lat. odd; *pinnatus*, winged), a pinnate leaf terminated by a single leaflet (105).

IMPERFORATE (*in*, Lat. without; *perforo*, I bore through), without a terminal opening.

IMPREGNATION, the fertilization of the ovules. (*See FERTILIZATION.*)

INCANESCENT (*incanescere*, Lat. I grow hoary), having a gray or hoary appearance.

INCONSPICUOUS (*inconspicuus*, Lat. not conspicuous), small in size; not easily observed.

INCRASSATE (*in* and *crassus*, Lat. thick), thickened.

INCUMBENT (*incumbens*, Lat. leaning upon), applied to embryo, when its radicle is folded upon the back of the cotyledons (255).

INCURVATE (*incurvus*, Lat. bent in), curved inwards.

INDEFINITE (*in*, Lat. not; *definitus*, defined) denotes uncertainty, or without limit, applied to stamens when more than twenty (∞).

INDEHISCENT (*in*, Lat. not; *dehisco*, I gape), not splitting when ripe (applied to fruits).

INDUMENTUM (Lat. a covering of skin or hair), a hairy covering.

INDUPLICATE (*in*, Lat. in; *duplicatus*, doubled), with the margins doubled inwards (59).

A form of vernation and æstivation (55).

INDUSIUM (Lat. a shirt), the involucre or covering of the thecæ of ferns (289).

INEMBRYONATE (*in*, Lat. not; *embryo*, an embryo), without an embryo.

INENCHYMA (*ines*, Gr. fibres; *cheuma*, tissue), cells with spiral fibres coiled up in their interior (9).

INFERIOR (Lat., lower), growing below, as when one organ is below another.

INFLEXED. (*See* INCURVED.)

INFLORESCENCE (*infloresco*, Lat. I flourish), the manner in which flowers are arranged upon the stem.

INFUNDIBULIFORM (*infundibulum*, Lat. a funnel), funnel-shaped (170).

INNATE (*innatus*, Lat. inbred), adhering to the apex (186 *b*).

INOSCULATION (*inoculo*, Lat. I engraft), grafting or budding.

INSERTION (*insertus*, Lat. put in), the *mode* in which one body is connected to another.

INTEGUMENT (*integumentum*, Lat. a covering), one portion investing another.

INTERCELLULAR (*inter*, Lat. between; *cellula*, a little cell), between cells.

INTERNODE (*inter*, Lat. between; *nodus*, a knot), the space between two nodes.

INTEXTINE (*in*, Lat. with; *externus*, the outside), in pollen-grains the coating next the extine.

INTINE (*internus*, Lat. internal), the inner lining of pollen-grains.

INTRAFOLIACEOUS (*intra*, Lat. within; *folium*, a leaf), within the axil of a leaf.

INTRAPETIOLARY (*intra*, Lat. within; *petiolus*, a stalk), between the bases of the petioles of opposite leaves (136 *s*).

INTROFLEXED. (*See* INCURVED.)

INTRORSE (*introrsus*, Lat. inwardly), turned towards the axis.

INVERTED (*inverto*, Lat. I turn in), applied to ovules attached to the top of the ovary (213).

INVOLUCELS (*involucrum*, Lat. a cover), secondary involucre.

INVOLUCRE (*involucrum*, Lat. a cover), a ring of bracts surrounding several flowers (154).

INVOLUTE (*involutus*, Lat. wrapped up), with the edges rolled inwards (55).

ISIDIOID (*isidos*, Lat. resembling coral), applied to the surface of lichens when covered with a dense mass of conical soredia.

ISIDIUM (Lat. resembling coral), coral-like soredia on the surface of some lichens.

ISOMEROUS (*isos*, Gr. equal; *meros*, a part), equal in number.

ISOSTEMONOUS (*isos*, Gr. equal; *stēmōn*, a stamen), when the number of stamens and petals are equal.

J.

JOINTED, having joints, or with the appearance of joints.

JUGA (*jugum*, Lat. a yoke), ridges on the fruits of Umbellifers.

K.

KEEL. (*See* CARINA.)

KIDNEY-SHAPED. (*See* RENIFORM.)

KNOTTED, cylindrical, uneven on the surface.

L.

LABELLUM (*labium*, Lat. a lip), the lip, or lower petal of an orchid, &c. (184).

LABIATE (*labium*, Lat. a lip), a monopetalous corolla, with two unequal divisions (173).

LABIUM (Lat. a lip), the lower lip of a labiate flower.

LACINIATE (*lacinia*, Lat. a fringe), fringed.

LACINULA (Lat. a little fringe), the inflected point of the petals of Umbellifers.

LACUNA (Lat. a little hole), a depression; an inter-cellular space.

LACUNOSE (*lacuna*, Lat. a little hole), pitted, or having cavities.

LAGENIFORM (*lagenae*, Lat. a flask), shaped like a Florence flask.

LAMELLÆ (Lat. thin plates of metal), the gills of fungi (276 g).

LAMINA (Lat. a thin plate), the blade of a leaf.

LANCEOLATE (*lancea*, Lat. a lance), having the form of a lance-head; elliptical, tapering to both ends (81).

LANUGINOSE (*lanuginosus*, Lat. downy), clad with curled and woolly hairs.

LATERAL (*lateralis*, Lat. of the side), attached to the side.

LATEX (Lat. juice), the viscid fluid contained in laticiferous vessels.

LATICIFEROUS VESSELS (*latex*, Lat. juice; *fero*, I bear), anastomosing tubes, containing the latex (17).

LEAF-BUDS, buds producing leaves.

LEAFLET, a division of a compound leaf.

LEGUME (*legumen*, Lat. pulse), a dehiscent two-valved carpel, bearing seeds on the ventral suture (233—235).

LENTICELS (*lenticella*, Lat. a little lentil), small lens-shaped spots on the bark, whence roots issue under favourable conditions.

LENTICULAR (*lens*, Lat. a lentil), resembling a double convex lens.

LENTIGINOSE (*lentiginosus*, Lat. covered with freckles), covered with dots as if dusted.

LEPIDOTE (*lepis*, Gr. a scale), scurfy with minute scales.

LEPIOTA (*lepis*, Gr. a scale), the annulus of some fungi.

LEPROUS (*lepra*, Lat. the leprosy), covered with a white mealy substance.

LIBER (Lat. inner bark, a book), the inner layer of the bark of Exogens.

LIGULA (Lat. a shoe-strap), the strap-shaped florets of Composites (175).

LIGULATE (*ligula*, Lat. a shoe-strap), strap-shaped (175).

LIGULE (*ligula*, Lat. a small slip), a prolongation at the upper portion of the sheath of grasses.

LIMB (*limbus*, Lat. a border), the upper expanded portion of a petal.

LINEAR (*linea*, Lat. a line), a narrow leaf with parallel sides (80).

LINGUÆFORM (*lingua*, Lat. a tongue), shaped like a tongue.

LIRELLA (Lat. a furrow), the linear apothecia of lichens, as in *Graphideæ* (272).

LOBULATE (*lobos*, Gr. the tip of the ear), divided into small lobes.

LOCELLUS (*loculus*, Lat. a little place), a secondary cell.

LOCULAMENT (*loculus*, Lat. a cell), a cell or cavity in a fruit or ovary.

LOCULICIDAL (*loculus*, Lat. a cell), mode of dehiscence through the backs of the carpels (219).

LOCUSTA (Lat. a locust); a spikelet of grasses (149).

LOMENTUM (Lat. bean meal), an indehiscent legume with transverse articulations between each seed.

LOPHIOSTOMATE (*lophao*, Gr. I wear a crest; *stoma*, a mouth), having the apertures or openings crested.

LUNULATE (*luna*, Lat. the moon), crescent-shaped.

LYCOTROPAL (*lukos*, Gr. a hollow disk; *trepo*, I turn), an orthotropal ovule curved downwards (209).

LYRATE (*lyra*, Lat. a harp), pinnatifid, with the upper lobes largest (101).

M.

MAMMILLÆ (Lat. teats), granular prominences on pollen-grains, &c.

MANICATE (*manicatus*, Lat. with gloves), covered with entangled hairs.

MARCESCENT (*marcesco*, Lat. I decay), withering, as petals after impregnation of the ovules.

MARGINATE (*margo*, Lat. an edge), having an edge of

a different texture to the body, so as to form a distinct border.

MATRIX (Lat. the womb), any body upon which a lichen or fungus grows.

MEDULLA (Lat. the marrow), the pith or central column of Exogens.

MEDULLARY RAYS (*medulla*, Lat. marrow), cellular plates passing from the medulla to the pith in exogenous stems (32).

MEDULLARY SHEATH (*medulla*, Lat. marrow), spiral vessels inclosing the medulla.

MEGASPORES (*megas*, Gr. great; *spora*, seed), the larger kind of reproductive spores found in Lycopods.

MEIOSTEMONOUS (*meiōn*, Gr. less; *stēmōn*, stamen), when the stamens are not so many as the petals.

MENISCOID (*meniskos*, Gr. a crescent), of the shape of a watch-glass.

MERENCHYMA (*meruo*, Gr. I revolve; *cheuma*, tissue), imperfect cellular tissue, composed of more or less rounded cells and abundant intercellular spaces.

MERICARP (*meris*, Gr. a portion; *karpōs*, fruit), one of the carpels of the fruit of an umbellifer (243).

MERISHAL, synonym of *Internode*.

MERISMATIC (*merismos*, Gr. division), dividing by the formation of internal partitions (10).

MESOCARP (*mesos*, Gr. middle; *karpōs*, fruit), the middle or intermediate layer of a pericarp (230 M).

MESOPHLÆUM (*mesos*, Gr. middle; *phloios*, bark), the

middle layer of the bark, between the liber and epiphylæum.

MESOPHYLLUM (*mesos*, Gr. middle; *phyllon*, a leaf), all the cellular portion of a leaf lying between the upper and lower epidermis.

MICROPYLE (*mikros*, Gr. small; *pulē*, gate), the aperture in the skin of seed which was the foramen in the ovule.

MICROSPORES (*mikros*, Gr. little; *spora*, a spore), reproductive spores produced in capsules in Lycopods.

MITRIFORM (*mitra*, Lat. a bonnet; *forma*, shape), conical or mitre-shaped.

MONANDROUS (*monos*, Gr. one; *anēr*, man), when a flower has but one stamen.

MONILIFORM (*monile*, Lat. a necklace; *forma*, shape), necklace-shaped; contracted at intervals (25).

MONOCARPOUS (*monos*, Gr. one; *karpos*, fruit), fruiting but once in its life.

MONOCHLAMYDEOUS (*monos*, Gr. one; *chlamus*, tunic), with only one floral envelope.

MONOCOTYLEDONOUS (*monos*, Gr. one; *kotyledōn*, seed-leaf), having but one cotyledon.

MONODELPHOUS (*monos*, Gr. one; *adelphos*, brother), having the filaments all united into a tube around the style.

MONODICHLAMYDEOUS (*monos*, Gr. one; *dis*, twice; *chlamus*, tunic), having either one or both floral envelopes.

MONÆCIOUS (*monos*, Gr. one; *oikos*, house), with male and female flowers on the same plants (♂ ♀).

MONOGYNOUS (*monos*, Gr. one ; *gunē*, female), with but one style, even with many carpels.

MONOLOCLAR. (See UNILOCLAR.)

MONOPETALOUS (*monos*, Gr. one ; *petalon*, petal), with the petals united by their edges into one organ (168—178).

MONOSEPALOUS (*monos*, Gr. one ; *sepalon*, sepal), having all the sepals united by their edges into one organ.

MONOSPERMOUS (*monos*, Gr. one ; *sperma*, seed), a fruit with but one seed.

MONOSTICHOUS (*monos*, Gr. one ; *stichos*, a rank), arranged in one row.

MORPHOLOGY (*morphē*, Gr. form ; *logos*, discourse), the study of forms, or the transformations of organs.

MORPHOSIS (*morphē*, Gr. form), the order or mode of development of any organ.

MOTHER-CELLS, cells in which others are generated.

MUCEDINOUS (*mukēs*, Gr. mould), like a mould.

MUCOUS (*mucosus*, Lat. slimy), slimy, or covered with a slimy secretion.

MUCRONATE (*mucronatus*, Lat. pointed), abruptly pointed by a sharp spine.

MULTIFID (*multus*, Lat. many ; *fidus*, cleft), cut into many segments.

MULTIJUGATE (*multus*, Lat. many ; *jugum*, a yoke), with many pairs of leaflets (116).

MURICATE (*muricatus*, Lat. full of sharp points), rough, with hard tubercles.

MURIFORM (*murus*, Lat. a wall ; *forma*, shape), ap-

plied to tissue of compressed tabular cells superimposed, or side by side, like bricks in building (4).

MYCELIUM (*mukēs*, Gr. a mould), the spawn of fungi (276 m).

MYCINA (*mukēs*, Gr. a mould), a variety of lichen-shield.

N.

NAKED-SEEDED, having no pericarp.

NAPIFORM (*napus*, Lat. a turnip; *forma*, shape), turnip-shaped (26).

NAVICULAR (*navicula*, Lat. a little boat), shaped like a boat.

NECTAR (*nectar*, Lat. honey), the honey of flowers.

NECTARIFEROUS (*nectar*, Lat. honey; *fero*, I bear), honey-bearing.

NEEDLE-SHAPED. (See ACICULAR.)

NEMATHECIUM (*nema*, Gr. a thread; *thekē*, a sac), a case containing threads in some species of *Sphærococcus*.

NEPHROIDEOUS. (See RENIFORM.)

NERVATION (*nervus*, Lat. a nerve), the arrangement of veins in leaves.

NERVED, NERVATE (*nervus*, Lat. a nerve), with several ribs.

NETTED, covered with projecting reticulated lines.

NIDULARIUM (*nidulus*, Lat. a little nest), mycelium of certain fungi.

NODE (*nodus*, Lat. a knot), that portion of a stem whence a bud is developed.

NODULOSE (*nodulus*, Lat. a little knot), knotted (30).

NORMAL (*normalis*, Lat. according to rule), when the ordinary structure is adhered to.

NUCLEOLI (Lat. little kernels), smaller bodies contained within a cell-nucleus (3).

NUCLEUS (Lat. a kernel), the centre of an ovule, where the embryo is engendered. The cytoblast, or central germ, around which a cell is formed (2). The hymenium of the *perithecia* of fungi.

NUCULANIUM (*nucula*, Lat. a small nut), a superior pulpy fruit, the flesh of which contains several seeds.

NUT. (*See* GLANS.)

O.

OBOVATE (*ob*, Lat. inversely; *ovatus*, egg-shaped), inversely ovate (83).

OBCORDATE (*ob*, Lat. inversely; *cor*, heart), inversely cordate (92).

OBLONG (*oblongus*, Lat.), an obtusely terminated ellipse.

OBTUSE (*obtusus*, Lat. blunt), blunt or rounded.

OBVALLATE (*ob*, Lat. about; *vallo*, I fence), walled up; applied to certain fungi, as some *Sphæriæ*.

OBVOLUTE (*obvolutus*, Lat. covered over), when the margins of one organ alternately overlap its opposite (62).

OCELLATED (*ocellus*, Lat. a little eye), a broad round spot of one colour, with a spot of another colour in the centre.

OCHREA (Lat. a boot), a membranous stipule sheathing the stem (140).

OCTANDROUS (*okto*, Gr. eight; *anēr*, a man), when a flower has eight stamens.

OFFSET, a short lateral shoot or runner, ending in a cluster of leaves.

OLEAGINOUS (*oleaginus*, Lat. of an olive-tree), fleshy and oily.

OLIGANDROUS (*oligos*, Gr. few; *anēr*, man), when a flower has less than twenty stamens.

OMPHALODIUM (*omphalos*, Gr. the navel; *eidos*, resemblance), the mark left in the hilum by the passage of the raphe.

OOPHORIDIUM, spore-case of Lycopodiums.

OPERCULUM (Lat. a cover or lid), the lid of a moss thecæ (284 3) and of some capsular fruits.

OPPOSITE (*oppositus*, Lat. set against), when similar organs are arranged in pairs over against each other (107).

OPPOSITELY-PINNATE, a pinnate leaf with the leaflets arranged in pairs (107).

ORBICULAR (*orbiculus*, Lat. a little ball), circular (89).

ORBICULUS (Lat. a little ball), one of the circular bodies found in the cups of *Nidularia*.

ORBILLA (Lat. a little orb), lichen-shields in the genera *Usnea* (266).

ORGANOGRAPHY (*organum*, Lat. a machine), study of the structure of plants.

ORGANOGENESIS (*organum*, Lat. a machine ; *genesis*, beginning), gradual development of an organ.

ORTHOTROPAL (*orthos*, Gr. straight ; *trepo*, I turn), an erect nucleus, with the foramen opposite the hilum (205).

OSTIOLUM (Lat. a little door), the orifice through which spores are discharged ; mouth of a perithecium.

OVARY (*ovum*, Lat. an egg), the lower portion of the pistil, containing the ovules (202 3).

OVATE (*ovatus*, Lat. egg-shaped), elliptical, broadest at the base (82).

OVENCHYMA (*oon*, Gr. an egg ; *cheuma*, tissue), oval cellular tissue.

OVOID (*ovum*, Lat. an egg ; *eidos*, Gr. likeness), synonym for *ovate* when applied to solids.

OVULE (*ovulum*, Lat. a little egg), the young seed, or seed-bud.

P.

PAGINÆ (*pagina*, Lat. a flat page), the surfaces of leaves.

PALÆ (Lat. chaff), chaffy inner scales of the flower of grasses (137).

PALÆACEOUS (*palea*, Lat. chaff), covered with chaffy scales.

PALATE (*palatum*, Lat. roof of the mouth), the lower lip of a ringent corolla.

PALLID (*pallidus*, Lat. pale), of a pale and undecided colour.

- PALMATE** (*palma*, Lat. the palm), having five lobes, with midribs diverging from a common centre.
- PALMATIFID** (*palma*, Lat. the palm), cut half down in a palmate manner, as many leaves (99).
- PALMI-NERVED**, when the veins of a leaf are arranged in a palmate manner.
- PANDURIFORM** (*pandura*, Lat. a musical instrument), fiddle-shaped (86).
- PANICLE** (*panicula*, Lat. the down of reeds), a branched raceme (143).
- PAPILIONACEOUS** (*papilio*, Lat. a butterfly), with a corolla like a pea-flower (181).
- PAPILLÆ** (*papilla*, Lat. the nipple), soft superficial glands.
- PAPILLOSE, PAPILLATE** (*papilla*, Lat. the nipple), covered with soft tubercles.
- PAPPUS** (Lat. thistle-down), the coronate calyx of Composites (164).
- PAPYRACEOUS** (*papyrus*, Lat. a kind of paper), paper-like in texture.
- PARALLEL-VEINED**, having the veins straight and nearly parallel along the leaf, or from the midrib to the margin (69).
- PARAPHYSES** (*para*, Gr. about; *phuō*, I grow), jointed threads found with the reproductive organs of some cryptogamic plants (285 a).
- PARASITIC** (*para*, Gr. beside; *sitos*, food), growing upon and deriving support from another plant.
- PARASPERMATIA** (*para*, Gr. about; *sperma*, seed), bodies resembling spores, found in some algæ.

PARENCHYMA (*para*, Gr. between; *cheuma*, tissue), compressed or hexagonal cellular tissue, composed of cells united by plane surfaces (6).

PARIETAL (*paries*, Lat. a wall), growing to the walls of an ovary (203).

PARIETES (*paries*, Lat. a wall), inside walls, generally applied to ovary or fruit.

PARIPINNATE (*par*, Lat. equal; *pinna*, a wing), equally pinnate (108).

PARTHENOGENESIS (*parthenos*, Gr. virgin; *genesis*, origin), the assumed production of fertile seeds without sexual impregnation.

PARTITE (*partitus*, Lat. equally divided), divided nearly to the base.

PATELLA (Lat. a dish), a round convex or semiglobular apothecium in lichens, as *Lecidea* (270).

PATELLIFORM (*patella*, Lat. a dish), having the form of a kneepan.

PEARSHAPED. (See PYRIFORM.)

PECTINATE (*pecten*, Lat. a comb), pinnatifid, with narrow close segments, like the teeth of a comb.

PEDATE (*pedatus*, Lat. having feet), where the parts have a palmate arrangement, the lateral portions being again subdivided.

PEDATIFID (*pedatus*, Lat. footed), when the veining of a leaf is pedate, but the divisions of the lobes extend only halfway to the midrib.

PEDATISECT (*pedatus*, Lat. footed; *seco*, I cut), when the veining of a leaf is pedate and the divi-

sions of the lobes extend nearly to the midrib (100).

PEDATI-NERVED, when the veins of a leaf are arranged in a pedate manner.

PEDATIPARTITE (*pedatus*, Lat. footed ; *partio*, I part), when the venation of a leaf is pedate and the lobes are almost free.

PEDICEL (*pes*, Lat. a foot), a secondary peduncle.

PEDICELLATE (*pediculus*, Lat. a little foot), having pedicels.

PEDUNCLE (*pes*, Lat. a foot), the stalk of a flower.

PELTA (Lat. a target). the target-like apothecium of such lichens as *Peltidea*, without a distinct exciple.

PELTATE (*pelta*, Lat. a target), attached by the centre, or nearly so.

PENDULOUS (*pendeo*, Lat. I hang on), hanging down.

PENICELLATE (*penicillus*, Lat. a painter's pencil), bordered or tipped with pencil-like hairs.

PENNINERVED (*penna*, Lat. a feather ; *nerva*, a nerve), with ribs running straight from the midrib to the margin (67).

PENTACOCOUS (*pente*, Gr. five), splitting into five cocci.

PENTANDROUS (*pente*, Gr. five ; *anēr*, man), when a flower has five stamens.

PENTAPTEROUS (*pente*, Gr. five ; *pteron*, a wing), with five wings.

PEPO (Lat. a gourd), a succulent, inferior, one-celled fruit, with seeds borne on three parietal placentæ.

PERENCHYMA (*pera*, Gr. a sac ; *cheuma*, tissue),

applied sometimes to cellular tissue containing starch.

PERENNIAL (*perennis*, Lat. durable), lasting some years and flowering annually.

PERFOLIATE (*per*, Lat. through; *folium*, a leaf), an amplexicaul leaf with the basal lobes united (121).

PERIANTH (*peri*, Gr. around; *anthos*, a flower), the calyx and corolla combined, being so alike as not to be readily distinguishable.

PERICARP (*peri*, Gr. around; *karpos*, a fruit), the covering, shell, or rind of fruits.

PERICHÆTIUM (*peri*, Gr. around; *chaitē*, the mane), leaves surrounding the base of the seta of mosses.

PERICLADIUM (*peri*, Gr. around; *klados*, a branch), the sheathing membranaceous stipules of Umbellifers (140).

PERICLINIUM (*peri*, Gr. around; *klinē*, a bed), a name given to the involucre of composite flowers.

PERIDERMIS. (*Also* EPIPHLÆUM.)

PERIDIOLA (diminutive of *peridium*), applied to a number of small peridia inclosed in a general covering.

PERIDIUM (*perideo*, Gr. I wrap round), general covering, as of a puff-ball.

PERIGONE (*peri*, Gr. around; *gunē*, female), synonym for *Perianth*.

PERIGYNIUM (*peri*, Gr. around; *gunē*, a female), the membranous perianth of sedges.

PERIGYNOUS (*peri*, Gr. around; *gunē*, a female), grow-

ing upon the calyx or some part which surrounds the ovary (196).

PERISPERM. (*See* ALBUMEN.)

PERISPORANGIUM (*peri*, Gr. around; *spora*, seed; *aggos*, a vessel), the indusium of ferns when it surrounds the sori.

PERISTOMATIC (*peri*, Gr. around; *stoma*, a mouth), around the stomata.

PERISTOME (*peri*, Gr. around; *stoma*, a mouth), the toothed fringe around the mouth of the urns of mosses (283).

PERITHECIUM (*peri*, Gr. around; *thēkē*, a box), a bottle-like receptacle containing asci. The exciple of the apothecium of angiocarpous lichens.

PERITROPAL (*peri*, Gr. around; *trepo*, I turn), where the axis of a seed is perpendicular to the axis of the pericarp.

PERONATE (*peronatus*, Lat. wearing high shoes), with a woolly or mealy coat.

PERSISTENT (*persistens*, Lat. remaining), not falling away.

PERSONATE (*persona*, Lat. a mask), a monopetalous corolla, resembling the mouth of an animal, as in *Antirrhinum* (178).

PERTUSATE (*pertundo*, Lat. I bore through), pierced at the apex.

PETALOID (*petalon*, Gr. an unfolded leaf), resembling petals.

PETALS (*petalon*, Gr. an unfolded leaf), corolline leaves.

PETIOLE (*petiolus*, Lat. a little foot), a leaf-stalk.

PHÆNOGAMOUS (*phaneros*, Gr. apparent; *gamos*, marriage), having conspicuous or positive flowers.

PHALANGES (*phalanx*, Lat. a brigade or battalion), bundles of stamens.

PHANEROGAMOUS. (See PHÆNOGAMOUS.)

PHLEBOIDAL (*phleps*, Gr. a vein), has been applied to spiral, annular, or porous moniliform vessels.

PHORANTHIUM (*phero*, Gr. I bear; *anthos*, a flower). (See RECEPTACLE.)

PHRAGMA (*phragma*, Gr. a fence), a spurious dissepiment.

PHYLLODIUM (*phullon*, Gr. a leaf; *eidon*, form), a leaf in which the petiole is expanded and the leaflets suppressed.

PHYLLOGEN (*phullon*, Gr. a leaf; *gennao*, I produce), synonym of PHYLLOPHOR.

PHYLLOPHOR (*phullon*, Gr. a leaf; *phero*, I bear), the terminal bud or growing-point in palms.

PHYLLOTAXIS (*phullon*, Gr. a leaf; *taxis*, order), leaf-order, or arrangement on the stem.

PHYTON (*phuton*, Gr. a plant), a rudimentary plant.

PHYTOZOA (*phuton*, Gr. a plant; *zoon*, an animal), minute reproductive bodies possessed of molecular movements. (See SPERMATIZOIDS.)

PILEATE (*pileus*, Lat. a cap), having a cap or pileus.

PILEORHIZA (*pileus*, Lat. a cap; Gr. *rhiza*, a root), a cap or hood found at the end of some roots.

PILEUS (Lat. a cap), the cap of Agarics, &c. (276 p).

PILIDIUM (*pilos*, Gr. a cap; *eidon*, resemblance), an orbicular lichen-shield.

PILOSE (*pilus*, Lat. hair), hairy.

PINENCHYMA (*pinax*, Gr. a table; *cheuma*, tissue), tabular cells.

PINNÆ (*penna*, Lat. a feather), the leaflets of a pinnate leaf.

PINNATE (*penna*, Lat. a feather), leaves divided in a feathery manner (112—119).

PINNATIFID (*penna*, Lat. a feather; *findo*, I cleave), divided halfway to the midrib in segments in a feathery manner (102).

PINNATIPARTITE (*penna*, Lat. a feather; *partio*, I part), if the separate lobes of a feathered leaf are almost free.

PINNATISECT (*penna*, Lat. a feather; *seco*, I cut), divided nearly to the midrib in a pinnate manner.

PINNULÆ (Lat. little feathers), the secondary divisions of a pinnate leaf.

PISIFORM (*pisum*, Lat. a pea), pea-shaped.

PISTIL (*pistillum*, Lat. a pestle), the female organ of flowering plants (201).

PISTILLIDIA (diminutive of *pistillum*), organs in cryptogamic plants having the apparent functions of pistils.

PITCHER, a leaf having the petiole expanded into a vase-like form, to which the blade is attached as a lid (132).

PITH. (*See* MEDULLA.)

PITS, depressions in cells or tubes resembling pores.

PITTED, having numerous depressions or pits.

PLACENTA (Lat. a cheese-cake), the infolded edge of a carpellary leaf bearing the ovules (5).

PLACENTATION (*placenta*, Lat. a cheese-cake), the manner in which the placentæ are developed.

PLAITED, folded lengthwise like a fan.

PLEIOTRACHEÆ (*pleion*, Gr. more; *trachus*, rough), membranous tubes or tracheæ containing a compound spiral fibre (22).

PLEURENCHYMA (*pleura*, Gr. a rib; *cheuma*, tissue), woody tissue (13).

PLICATE (*plica*, Lat. a plait), plaited in folds like a fan; applied to veneration (53).

PLICATIVE (*plico*, Lat. I knit together), plaited or folded together; applied to æstivation (161).

PLUMOSE (*pluma*, Lat. a feather), feathery.

PLUMULE (*plumula*, Lat. a little feather), the rudimentary bud of an embryo (256 *q*).

POCULIFORM (*poculum*, Lat. a cup), cup-shaped.

PODETIA (*pous*, Gr. a foot), stalk-like prolongations of the thallus bearing the fructification in some lichens (267).

PODOSPERMIUM. (*See* FUNICULUS.)

POLLEN (Lat. fine flour), powdery matter of anthers; the fertilizing principle (193).

POLLEN-CELLS, the cavities of anthers.

POLLEN-TUBES, thread-like tubular processes developed from pollen-grains after they have become attached to the stigma, and proceeding down the

PRÆFOLIATION. (*See* VERNATION.)

PREMORSE (*præmorsus*, Lat. bitten off), having an irregular termination, as if bitten off.

PRICKLES, sharp conical elevations of the epidermis.

PRIMINE (*primus*, Lat. first), the outer integument of an ovule.

PRIMORDIAL UTRICLE (*primordium*, Lat. beginning), the layer first deposited within a cell.

PRISMATIC (*prisma*, Gr. a prism), having the form of a prism.

PRISMENCHYMA (*prisma*, Gr. a prism; *cheuma*, tissue), cellular tissue of a prismatic form.

PROCUMBENT (*procumbens*, Lat. bending downwards), lying flat on the ground.

PROEMBRYO (*pro*, Lat. for; *embryo*), the reproductive part of a spore.

PROLIFEROUS (*proles*, Lat. a race; *fero*, I bear), an unusual development of parts, as of germinating buds, &c.

PROPAGULA (*propago*, Lat. a shoot), powdery grains of the soredia of lichens.

PROPAGULUM (*propago*, Lat. a shoot), a runner ending in an expanded bud.

PROSENCHYMA (*pros*, Gr. near; *cheuma*, tissue), tissue composed of elongated pointed cells, forming what is termed fibre (12).

PROTOPLASM (*protos*, Gr. first; *plasma*, a formed work), deposits upon the inner walls of cells.

PRUINOSE (*pruina*, Lat. hoar-frost), having the sur-

face covered with a coarse granular secretion as if frosted.

PSEUDO-BULB (*pseudēs*, Gr. false), resembling a bulb in appearance but not in structure; found at the base of the stems in some orchids.

PTERO- (*pteron*, Gr. a wing), as a prefix signifies winged.

PUBESCENT (*pubescens*, Lat. downy), downy.

PULVERULENT (*pulverulentus*, Lat. dusted), covered with dust.

PULVINATE (*pulvinus*, Lat. a cushion), like a cushion.

PULVINULI (*pulvinus*, Lat. a cushion), excrescences on the surface of the thallus of some lichens.

PULVINUS (Lat. a cushion), the cushion at the base of some leaves.

PUNCTATE (*punctum*, Lat. a point), dotted.

PUNCTATED TISSUE. (See GLANDULAR TISSUE.)

PUTAMEN (Lat. shell of a nut), the hard bony stone of certain fruits, as the peach.

PYCNIDEA (*puknotis*, Gr. denseness), cysts containing stylospores; found in some lichens.

PYRENA. (See PUTAMEN, 265.)

PYRIFORM (*pyrus*, Lat. a pear), pear-shaped.

PYXIDIUM (*pyxis*, Lat. a box), a capsule opening with a lid (237).

Q.

QUADRIFOLIATE (*quadrans*, Lat. a fourth; *folium*, leaf), when four leaflets diverge from the same point.

- QUADRIJUGATE (*quartus*, Lat. fourth; *jugum*, a yoke), a compound leaf with four pairs of leaflets (108).
- QUARTINE (*quartus*, Lat. fourth), a fourth integument in some ovules.
- QUATERNATE (*quatuor*, Lat. four), arranged in fours.
- QUINATE (*quinus*, Lat. five), arranged in fives.
- QUINCUNCIAL (*quincunx*, Lat. an arrangement of five), in æstivation, when, of five parts, two are exterior, two interior, and one half exterior and half interior (160).
- QUINQUANGULAR (*quinque*, Lat. five), having five angles, as some leaves (98).

R.

- RACEME (*racemus*, Lat. a bunch), in inflorescence, a pedicellated spike (142).
- RACHIS (*rachis*, Gr. the backbone), the axis of inflorescence.
- RADICAL (*radix*, Lat. a root), springing from the root.
- RADICIE (*radix*, Lat. a root), the first or elementary root of a plant.
- RAMENTA (*ramentum*, Lat. a shaving), a thin membranous scurf, formed on the surface of leaves, &c.
- RAMOSE (*ramus*, Lat. a branch), much branched.
- RAPHE (*raphē*, Gr. a seam), the fibro-vascular thread running from the placenta to the nucleus (215 r).
- RAPHIDES (*raphis*, Gr. a needle), crystals of salts found deposited in vegetable tissues (15).

RECEPTACLE (*receptaculum*, Lat. a storehouse), a support to one or more similar organs ; a chamber in which secretions are stored.

RECLINATE (*reclinatus*, Lat. lying all along), bent down upon (250) ; applied to leaves bent in veneration, with the apex downwards (50).

RECURVED (*recurvus*, Lat. crooked), bent backwards.

REDUPPLICATIVE (*retro*, Lat. back ; *plico*, I fold), in æstivation, when the arrangement is valvate, with the margins reflexed.

REFLEXED (*reflexus*, Lat. turned back), curved backwards.

REFRACTED (*refractus*, Lat. broken), bent back suddenly.

REGULAR (*regularis*, Lat. according to rule), having all the parts of the organ uniform.

REGMA, a dry fruit, resembling the *carcerule*, save that each coccus is dehiscent individually, as in *Geranium*.

REMOTE, applied to the gills of Agarics when their inner extremities do not reach the stem (278).

RENIFORM (*ren*, Lat. the kidneys ; *forma*, shape), kidney-shaped (90).

REPAND (*repandus*, Lat. bowed), with an uneven, wavy margin.

REPLICATE (*re*, Lat. back ; *plico*, I fold), having the upper part of a leaf curved back, and applied to the lower (50).

REPLUM (Lat. a door-cheek), the process left after

the valves of certain dehiscing fruits have fallen away, as in cruciferous plants (242, 244).

RESUPINATE (*resupinatus*, Lat. lying on the back), inverted by twisting of the stalk.

RETICULATE (*rete*, Lat. a net), having the appearance of network (68).

RETICULUM (*reticulatus*, Lat. made like a net), the fibrous *débris* at the base of the petioles of some palms.

RETINACULUM (Lat. a stay or holdfast), a viscid stigmatic gland.

RETROSE (*retrorsus*, Lat. backwards), directed backwards.

RETUSE (*retusus*, Lat. blunted), having the centre of a rounded end depressed (129).

REVOLUTE (*revolutus*, Lat. rolled back), rolled backwards.

REVOLUTIVE (*revolutus*, Lat. rolled back), in vernation, when the edges are rolled back spirally (56).

RHIZINÆ (*rhiza*, Gr. a root), minute fibrils on the under surface of the thallus of some lichens, by which they adhere (264).

RHIZOCARPOUS (*rhiza*, Gr. a root; *karpos*, fruit), with a perennial root and annual stem.

RHIZOGENS (*rhiza*, Gr. a root; *gennao*, I produce), parasitic plants, growing on the roots of others; the third class in Dr. Lindley's system.

RHIZOME (*rhiza*, Gr. a root), a prostrate or subterranean stem, emitting leaves at the growing-point, and rootlets along the under surface (36).

RHIZOMORPHOID (*rhiza*, Gr. a root; *morphē*, form), root-like in form.

RHOMBOID (*rhombus*, Lat. a rhomb), a quadrangular figure, with equal sides and unequal angles (87).

RIMOSE (*rima*, Lat. a cleft), marked by chinks or cracks.

RINGENT (*ringens*, Lat. grinning), applied to labiate corollas with widely-separated lips (173).

ROSACEOUS (*rosa*, Lat. a rose), arranged as the petals of a single rose (179).

ROSTELLATE (*rostellum*, Lat. a little beak), having a little elongated neck.

ROSTRATE (*rostrum*, Lat. a beak), terminating with a beak.

ROTATE (*rota*, Lat. a wheel), a monopetalous corolla, with a short tube and spreading limb (174).

ROTATION (*rotatio*, Lat. a wheeling about), the circulation of fluids in cells.

RUGOSE (*ruga*, Lat. a wrinkle), covered with wrinkled lines, the interspaces being convex.

RUNCINATE (*runcina*, Lat. a large saw), toothed like a pit-saw, with the teeth inclining backwards (73).

RUNNER, a slender prostrate stem, rooting at the nodes (35).

RUPTURING (*ruptus*, Lat. broken), an irregular mode of bursting.

S.

SAC of the embryo (*saccus*, Lat. a sack), applied to ovules, the vesicle of nucleus within which the embryo is formed.

SACCIFORM (*saccus*, Lat. a sack), like a bag.

SAGITTATE (*sagitta*, Lat. an arrow), shaped like an arrow-head (93).

SAMARA (*samera*, Lat. an elm-seed), a winged, indehiscent fruit (227).

SAP (*sapa*, Lat. sodden wine), the juice of a plant.

SARCOCARP (*sarx*, Gr. flesh; *karpos*, fruit), a fleshy mesocarp.

SARCODERM (*sarx*, Gr. flesh; *derma*, skin), a layer between the outer and inner integuments of a seed.

SARMENTUM (Lat. a twig), the slender woody stem of climbing plants.

SCABROUS (*scaber*, Lat. rough), rough.

SCALARIFORM (*scala*, Lat. a ladder), tissue barred or striated, like the steps of a ladder (16).

SCALES, rudimentary or metamorphosed leaves (60).

SCANDENT (*scandens*, Lat. climbing), climbing.

SCAPE (*scapus*, Lat. a stem), a long naked radical peduncle.

SCARIOUS (*scarus*, Lat. a kind of fish), with a thin, dry, shrivelled appearance.

SCLEROGEN (*sklēros*, Gr. hard; *gennao*, I generate), a hard deposit in cells, as in the vegetable ivory nut.

SCORPIOID (*skorpios*, Gr. a scorpion), rolled in a circinate manner, as in a cincinnus (153).

SCROBICULATE (*scrobiculus*, Lat. a little ditch), marked with little pits or depressions.

SCUTATE (*scutum*, Lat. a shield), buckler-shaped.

SCUTELLÆFORM (*scutellum*, Lat. a platter), shaped like a shield or dish.

SCUTELLUM (Lat. a platter), a round flattened lichen-shield, with a rim derived from the thallus, as in *Parmelia* (262).

SECTILE (*sectilis*, Lat. easy to be cut), cut into small pieces.

SECRETION (*secretio*, Lat. a separating), an abstracted portion of a nutritive fluid.

SECUND (*secundus*, Lat. second), having all the flowers or leaves turned towards one side.

SEMI (Lat. half), when employed as an affix, it signifies half or part.

SEMIANATROPAL. (*See* HEMIANATROPAL.)

SEPALs (by conversion of *petalon*, Gr. to *sepalon*), the divisions of a calyx.

SEPTATE (*septum*, Lat. a hedge), having partitions or divisions.

SEPTICIDAL (*septum*, Lat. a hedge; *cædo*, I cut), a mode of dehiscence along the sutures of the carpels, dividing the dissepiments (220).

SEPTIFRAGAL (*septum*, Lat. a hedge; *frango*, I break), a mode of dehiscence along the lines of the sutures and from the dissepiments (218).

SEPTUM (Lat. a hedge), a partition in an ovary or fruit.

SERICEUS (*sericus*, Lat. made of silk), silky, with fine hairs.

SERRATE (*serra*, Lat. a saw), toothed in a saw-like manner (71).

SESSILE (*sessilis*, Lat. sitting), sitting close ; without a stalk.

SETA (Lat. a bristle), a bristle, stiff hair, or straight prickle ; the stalk bearing the theca of mosses.

SILICULE (*silicula*, Lat. a little pod), a siliqua as broad as long (242).

SILIQUA (Lat. a bean-pod), a long pod with two valves, applied to a replum by their faces (244).

SINISTORSE (*sinister*, Lat. the left hand), twining to the left.

SINUATE (*sinuatus*, Lat. crooked), with a waved margin (78).

SOBOLES (Lat. a shoot), a creeping underground stem (37).

SOREDIA (*soros*, Gr. a heap), powdery masses of gonidia on the surface of a lichen-thallus.

SORI (*soros*, Gr. a heap), clusters of spore-cases in ferns (287).

SOROSIS (*soros*, Gr. a heap), a compound fleshy fruit, resulting from many flowers, as the pine-apple.

SPADIX (Lat. a musical instrument), a spike inclosed within a spathe (145).

SPATHE (*spatha*, Lat. flowery branch of the date-palm), a large bract, sheathing an inflorescence (145).

SPATHULATE (*spathula*, Lat. a spoon), spoon-shaped (84).

SPECIES (Lat. form), an assemblage of forms, which, it is assumed, might have emanated from one or more individuals ; a group of individuals without

deviation from each other, except such as might result from accidental circumstances.

SPERMAGONES (*sperma*, Gr. a seed ; *gonē*, generation), thalline capsules or cysts in lichens containing spermatia.

SPERMATIA (*sperma*, Gr. a seed), linear bodies found in the spermagones of lichens, supposed to be possessed of a fertilizing power.

SPERMATOZOIDS (*sperma*, Gr. a seed ; *zoon*, an animal), thread-like bodies, possessed of molecular motion, found in Algæ and other cryptogamic plants, supposed to possess a fecundative power (285 *b*).

SPERMODERM (*sperma*, Gr. seed ; *derma*, skin), the testa of a seed.

SPHÆRENCHYMA (*sphaira*, Gr. a sphere ; *cheuma*, tissue), spherical cellular tissue.

SPHALEROCARPUM (*sphallo*, Gr. I deceive ; *karpōs*, fruit), a small indehiscent one-seeded fruit, with a fleshy complex pericarp, as in *Hippophaë*.

SPHEROIDAL (*sphairioides*, Gr. spherical), a solid figure, nearly spherical.

SPICULES. (See **STERIGMATA**.)

SPIKE (*spica*, Lat. an ear of corn), an inflorescence of sessile flowers on a rachis (141).

SPIKELET (diminutive of *spike*), the secondary spikes or locustæ of grasses (149).

SPONGIOLES (diminutive of *spongia*, Lat. a sponge), the absorbing extremities of roots.

SPORANGIUM (*spora*, Gr. a seed ; *aggos*, a vessel), a spore-case, with spores produced in the centre.

SPORES, SPORULES (*spora*, Gr. a seed), the reproductive bodies of Cryptogams, analogous to seeds.

SPORIDIA (*spora*, Gr. a seed ; *eidon*, resemblance), reproductive cells produced within asci or sporangia, from a transformation of their endochrome.

SPOROPHORES (*spora*, Gr. a seed ; *phero*, I bear), cells surmounted by fertile spicules (also *Basidia*).

SPURRED. (See CALCARATE.)

SQUAMATE, SQUAMOSE (*squama*, Lat. a scale), scale-like, scaly.

SQUAMULÆ (*squama*, Lat. a scale), membranous scales sometimes found in the flowers of grasses.

SQUARROSE (*squarrosus*, Lat. rough), rough, with projecting or deflexed scales.

STAMEN (Lat. a distaff), the male organ of flowers (♂) (186).

STAMINIDIA. (See ANTHERIDIA.)

STAMINIFEROUS (*stamen*, Lat. a stamen ; *fero*, I bear), stamen-bearing.

STANDARD. (See VEXILLUM.)

STELLATE (*stella*, Lat. a star), starlike, radiating (8, 43).

STEM, the ascending axis of plants.

STEM, SUBTERRANEAN, a prostrate or underground stem.

STERIGMATA (*sterigma*, Gr. a prop) (281), points or threads to which spores or spermatia are attached (262 c).

STERILE (*sterilis*, Lat. barren), incapable of producing seeds.

STICHIDIA (*stichos*, Gr. a rank; *eidōs*, appearance), a free spore-case in Algae, the spores arranged in rows (260).

STIGMA (*stigma*, Gr. a point), that portion of the style to which the discharged pollen adheres (194).

STIGMATA (Lat. little points), points of the basidia of some fungi.

STIPE (*stipes*, Lat. a trunk of a tree), the petiole of ferns; stem of Agarics (276 s).

STIPELS (diminutive of *stipula*), secondary stipules at the base of leaflets.

STIPITATE (*stipes*, Lat. a stem), stalked.

STIPULES (*stipula*, Lat. a little straw), processes developed at the base of the petiole (135, 136).

STOLE (*stolo*, Lat. a shoot), a lax trailing and rooting branch.

STOMATES (*stoma*, Gr. the mouth), respiratory apertures in the epidermis (19, 20).

STRAP-SHAPED. (See LIGULATE.)

STRIATED (*striatus*, Lat. channelled), streaked with longitudinal lines.

STRIGOSE (*striga*, Lat. a row or ridge), covered with sharp rigid hairs.

STROBILUS (Lat. a fir-cone), an imbricated scaly inflorescence; a cone (238).

STROMA (*stroma*, Gr. a coverlet), the substance in which the perithecia of some fungi are immersed.

STROMBULIFORM (*strombus*, Lat. a kind of shell; *forma*, shape), twisted in a long spire (234).

STROPHIOLES (*strophiolum*, Lat. a little garland), aril-like appendages, which grow from the raphe in the fruits of *Viola*, &c.

STRUMA (Lat. a wen), a swelling at the base of the thecæ of some urn-mosses.

STUFFED, applied to the stems of fungi when filled with a spongy mass.

STUPOSE (*stupa*, Lat. tow), covered with long hairs.

STYLE (*stylus*, Lat. a pin), the prolongation of an ovary bearing the stigma (201).

STYLOPODIUM (*stulos*, Gr. a column; *pous*, a foot) a fleshy disk, bearing the styles in Umbellifers.

SUBEROUS (*suber*, Lat. cork), corky; the epiphlœum or external layer of bark.

SUBICULUM, the filamentous mycelium of *Sphæriæ*.

SUBULATE (*subula*, Lat. an awl), awl-shaped (79).

SUFFRUTICOSE (*sub*, Lat. under; *frutex*, a shrub), with the habit of a small shrub.

SULCATE (*sulcus*, Lat. a furrow), furrowed.

SUPERIOR (Lat. that is above), when one organ is placed above, and free of another.

SUPERVOLUTE (*super*, Lat. upon; *volutus*, rolled) rolled upon itself in vernation (54). (See CONVOLUTE.)

SUPRADECOMPOUND (*supra*, Lat. above), very much divided and subdivided.

SUSPENDED (*suspensus*, Lat. hung up), applied to ovules attached between the base and the apex of the ovary (214).

SUSPENSOR (*suspensus*, Lat. hung up), the cord suspending the embryo from the foramen in some seeds.

SUTURE (*sutura*, Lat. a seam), line of junction of two parts.

SYCONUS (*sukon*, Gr. a fig), such receptacles as that of the fig, which inclose the fruits (240).

SYNCARPIUM (*sun*, Gr. together; *karpos*, fruit), a fruit formed by the confluence of the carpels of a multiple ovary into a solid mass, with a slender receptacle.

SYNCARPOUS (*sun*, Gr. together; *karpos*, fruit), having a fruit with consolidated carpels (217).

SYNGENESIOUS (*sun*, Gr. together; *genesis*, origin), with the anthers united into a tube.

SYNOCHREATE (*sun*, Gr. together; *ochrea*, a boot), when stipules unite on the opposite side of the stem, inclosing it in a sheath (134).

T.

TAPHRENCHYMA (*taphros*, Gr. a pit; *cheuma*, tissue).
(See BOTHRENCHYMA.)

TAP-ROOT, a simple conical root, with branches proceeding from it.

TARTAREOUS (*tartarum*, Lat. the tartar crust on wine-vessels), with a rough and crumbling surface.

TENDRIL, a twining, threadlike process, by which a climbing plant supports itself (130).

TERMINAL (*terminus*, Lat. an end), proceeding from the end.

TERNATE (*ternus*, Lat. three and three), arranged by threes (110).

TESTA (Lat. a pot), the skin of a seed.

TESTICULATE, when two nearly spherical bodies are in proximity, as in the roots of some orchids (27).

TETRADYNAMOUS (*tetra*, Gr. four; *dunamis*, power), when, of six stamens, two are longer than the others.

TETRANDROUS (*tetra*, Gr. four; *anēr*, man), when a flower has four stamens.

TETRASPORE (*tetra*, Gr. four; *spora*, seed), reproductive bodies, composed of four spores or germs, found in Algæ (259).

THALAMIFLORAL, **THALAMIFLOROUS** (*thalamus*, Lat. a marriage-bed), having the petals and stamens inserted on the thalamus or receptacle. (See **HYPOGYNOUS**.)

THALAMIUM (*thalamos*, Gr. a receptacle), the layer of reproductive cells in the apothecia of lichens (262 *b*).

THALAMUS (*thalamus*, Lat. a marriage-bed), the receptacle of a flower.

THALLOGENS (*thallos*, Gr. a frond; *gennao*, I produce), cellular plants, bearing their fructification on a thallus.

THALLOPHYTES (*thallos*, Gr. a frond; *phuton*, a plant). (See **THALLOGENS**.)

THALLUS (*thallos*, Gr. a frond), the vegetative system of lichens, combining root, stem, and leaves in one organ (262 *a*).

THECA (*thekē*, Gr. a box), a spore-case (284, 287).

THYRSUS (an ancient staff), a branched raceme or panicle, in which the middle branches are longer than the upper and lower. A succulent and dense panicle.

TISSUE, the material composing elementary organs.

TOMENTOSE (*tomentum*, Lat. flocks of wool), downy, with short hairs.

TOMIPAROUS (*tomē*, Gr. a cutting), producing spores by division.

TORSIVE (*tortus*, Lat. twisted), twisted spirally.

TORULOSE (*torulus*, Lat. a ringlet), when a cylindrical body is swollen and restricted alternately.

TORUS (Lat. a bed). (See THALAMUS.)

TRACHEA, TRACHENCHYMA (*trachea*, Lat. a windpipe), spiral vessels (21, 22).

TRAMA (Lat. yarn), the substance intermediate between the hymenium in the gills of Agarics or pores of Polyporus.

TRAPEZIFORM (*trapezion*, Gr.), a quadrangular figures with unequal sides.

TREMELLOID (*tremo*, Lat. I tremble), jelly-like in substance.

TRIADELPHOUS (*treis*, Gr. three; *adelphos*, brother), having the stamens in three bundles (191).

TRIANDROUS (*tres*, Lat. three; *anēr*, man), when a flower has three stamens.

TRICHOTOMOUS (*treis*, Gr. three; *temno*, I cut), dividing in threes.

TRICOCCOUS (*treis*, Gr. three; *kokkos*, a seed), a

fruit consisting of three elastically dehiscent cocci (224).

TRIDENTATE (*tres*, Lat. three ; *dens*, a tooth), having three tooth-like divisions (104).

TRIFID (*tres*, Lat. three ; *fissus*, cleft), thrice cleft midway to the base (97).

TRIFOLIATE (*tres*, Lat. three ; *folium*, a leaf), a compound leaf of three leaflets.

TRIGONOUS (*treis*, Gr. three ; *gonia*, angle), applied to triangular stems, with three convex faces (40).

TRILOBATE (*tres*, Lat. three ; *lobus*, a lobe), three-lobed (97).

TRICEOUS (*treis*, Gr. three ; *oikos*, a house), with male, female, and hermaphrodite flowers, each on different plants (♂ ♂ ♀).

TRIPARTITE (*tres*, Lat. three ; *pars*, a part), parted to the base in three divisions.

TRIPINNATE (*tres*, Lat. three ; *penna*, a feather), when the pinnæ of a bipinnate leaf are again pinnate (118, 119).

TRIQUETROUS (*triquetrum*, Lat. a triangle), applied to triangular stems with three concave faces (39).

TRITERNATE (*tres*, Lat. three ; *ternus*, three and three), a twice-ternate petiole again divided in threes, each subdivision bearing a leaflet.

TROPIS. (See CARINA.)

TRUNCATE (*truncus*, Lat. a stump), terminating very abruptly.

TRYMA, a fruit resembling a drupe, with a fleshy or

fibrous epicarp and a bony endocarp, one-celled and one-seeded by abortion (228).

TUBER (Lat. an excrescence), a swollen succulent internode of an underground stem (34).

TUBERCLED (*tuberculum*, Lat. a pimple), covered with warts.

TUBERCULE (*tuberculum*, Lat. a pimple), succulent expansions of certain roots (27).

TUBULAR (*tubus*, Lat. a tube), with the edges united into a tube; hollow and cylindrical (171).

TURBINATE (*turbo*, Lat. a top), top-shaped (26).

TURIO (Lat. a young branch), a young shoot covered with scales, as in asparagus.

TWISTED, applied to æstivation when the parts are contorted or twisted (58).

TYMPANUM (Lat. a drum), a membrane closing the thecæ of urn-mosses.

U.

UMBEL (*umbella*, Lat. a tuft of fennel), an inflorescence in which the pedicels all proceed from the top of the peduncle (152, 147).

UMBILICATE (*umbilicus*, Lat. the navel), having a central depression.

UMBILICUS (Lat. the navel), the hilum of a seed.

UMBO (Lat. a boss), a central elevation like the boss of an ancient buckler.

UMBONATE (*umbo*, Lat. a boss), furnished with a boss or central elevation (282).

UMBRACULIFORM (*umbraculum*, Lat. an umbrella), umbrella-shaped.

UMBRACULUM (Lat. an umbrella), the cap borne on the seta of *Marchantia* (288).

UNCINATE (*uncus*, Lat. a hook), hooked, as some hairs (47).

UNEQUALLY-PINNATE, pinnate with a terminal leaflet (105). (See IMPARI-PINNATE.)

UNGUICULATE (*unguis*, Lat. a nail), clawed; applied to stalked petals (185).

UNGUIS (Lat. a nail), the stalk of a petal (185).

UNILATERAL (*unus*, Lat. one; *latus*, a side), one-sided.

UNILOCULAR (*unus*, Lat. one; *loculus*, a little place), one-celled.

UNISEXUAL (*unus*, Lat. one; *sexus*, a sex), bearing only male or female organs.

UNLINING, a separation of parts originally united.

URCEOLATE (*urceolus*, Lat. a little pitcher), a monopetalous corolla with a contracted orifice (177).

URN, the theca or spore-case of mosses (284 *f r*).

UTRICLE (*utriculus*, Lat. a little bottle), a superior, membranous, one-seeded fruit; an air-bladder or cell.

UVA (Lat. a grape), applied to such succulent indehiscent fruits as have a central placenta.

V.

VAGINA (Lat. a scabbard, a sheath), a sheath formed by the petiole around the stem (133).

VAGINULE (diminutive of *vagina*), sheath at the base of the seta of urn-mosses.

VALVATE (*valvæ*, Lat. doors), united by the margins only (156).

VALVES (*valvæ*, Lat. doors), distinct portions of organs which become detached by dehiscence in a definite manner.

VASCULAR (*vas*, Lat. a vessel), containing vessels; applied to tissue in which the length much exceeds the breadth.

VASCULUM (Lat. a little vessel), a pitcher-shaped leaf. (See ASCIDIUM.)

VEIL, in fungi, the partial covering of the stem or margin of the cap; applied also to the indusium of ferns.

VEINS, the fibro-vascular tissue of leaves.

VELLUS (Lat. a fleece), the stipe of certain fungi.

VENATION (*vena*, Lat. a vein), the arrangement of veins in a leaf.

VENTRAL (*venter*, Lat. the belly), used in contradistinction to dorsal.

VENTRICOSE (*venter*, Lat. the belly), unequally swelling on one side, or swelling in the middle.

VERMICULAR (*vermiculare*, Lat. worm-like), worm-shaped.

VERNATION (*vernatio*, Lat. a renewing), the arrangement of leaves in the bud.

VERRUCÆ (Lat. warts), warts or glandular elevations, wart-like sessile apothecia of some lichens (269).

VERRUCÆFORM (*verrucæ*, Lat. warts), shaped like warts.

VERRUCOSE (*verrucæ*, Lat. warts), covered with warts.

VERSATILE (*versatilis*, Lat. that turns easily), swinging freely, as some anthers (186 *a*).

VERSIFORM (*verto*, Lat. I turn about), varied in form.

VERTICEL (*verticellus*, Lat. a whorl), a whorl or circle of bodies around a stem (124).

VERTICELLATE (*verticellus*, Lat. a whorl), in whorls or verticels.

VESICLE (*vesicula*, Lat. a little bladder), a bladder-like cavity.

VESICULAR (*vesicula*, Lat. a little bladder), composed of cells.

VEXILLARY (*vexillum*, Lat. a standard), in æstivation, as of a pea-flower (162—*v* vexillum, *a* alæ, *c* carina).

VEXILLUM (Lat. a banner), the standard or erect petal of pea-flowers (181 *v*).

VILLOSE (*villus*, Lat. wool), covered with long weak hairs, or down.

VITELLUS (Lat. the yolk of an egg), the thickened sac within the nucleus containing the amnios.

VITICULA (*vitis*, Lat. a vine), a trailing stem, as of a cucumber.

VITÆ (*vitta*, Lat. a fillet), narrow ducts or canals in the coat of the fruits of Umbellifers containing oil (243 *b*).

VOLUBILE (Lat. easily turned), twining spirally.

VOLUTE (*volutus*, Lat. rolled), rolled up in any direction.

VOLVA (Lat. a wrapper), a general wrapper in fungi, sometimes membranous, sometimes gelatinous (276 v).

W.

WART, a firm glandular excrescence on the surface.
(See VERRUCA.)

WHORL. (See VERTICEL, 124.)

WINGED, furnished with membranous expansions.

WINGS. (See ALÆ.)

X.

XANTHOPHYLE (*xanthos*, Gr. yellow; *phullon*, a leaf), the yellow colouring matter of plants.

XIPHOPHYLLOUS (*xiphion*, Gr. a sword; *phullon*, a leaf), having ensiform leaves.

XYLOCARP (*xulon*, Gr. wood; *karpos*, fruit), a hard and woody fruit.

Z.

ZOOSPERM } (*zōon*, Gr. an animal), locomotive spores
ZOOSPORES } of some Algæ.

ILLUSTRATIONS.

The numbers in the alphabet refer to corresponding numbers in the Illustrations.

BY THE SAME AUTHOR.

Fully Illustrated, price 1s. ; cloth, 1s. 6d.

MANUAL OF STRUCTURAL BOTANY, for the Use of Classes, Schools, and Private Students. By M. C. COOKE, Author of "The Seven Sisters of Sleep," &c. Illustrated by 215 Woodcuts.

Fcap. 8vo., cloth, price 6s.

THE BRITISH FUNGI (a Plain and Easy Account of), with special reference to the Esculent and other Economic Species. By M. C. COOKE ; containing 24 Coloured Plates, illustrative of about 40 Species.

Fcap. 8vo., cloth, price 6s.

MICROSCOPIC FUNGI (a Plain and Easy Guide to the Study of). By M. C. COOKE. Plates of over 300 Figures, coloured by hand.

Fcap. 8vo., cloth, price 4s. plain, 6s. coloured.

OUR REPTILES. A Plain and Easy Account of the Lizards, Snakes, Newts, Toads, Frogs, and Tortoises indigenous to Great Britain. With accurately drawn figures of the whole of our British Reptiles. By M. C. COOKE.

London : ROBERT HARDWICKE, 192, Piccadilly.

ELEMENTARY TISSUES.

1.
Cells.

2.
Spheroidal cells
with nuclei.

3.
Cell with
nucleus and
nucleoli.

4.
Muriiform
cells.

5.
Pitted
tissue.

6.
Hexagonal cells.

7.
Hexagonenchyma.

8.
Stellate cells.

9.
Fibro-cellular tissue.
Inenchyma.

10.
Cell increase by
fissuration.

11.
Cell increase by
gemmation.

ELEMENTARY TISSUES—*continued.*

12.

Woody tissue or
Pleurenchyma.

13

and 14.

Glandular woody Tissue.

15.

Raphides.

16.

Scalariform vessels.

17.

Laticiferous vessels,
Cinenchyma.

18.

Starch granule.

19.

Epidermal cells with stomata
(*Exogen*).

20.

Epidermal cells with
stomata (*Endogen*).

21.

Simple Compound
spiral.

22.

Simple Compound
spiral.

ROOTS.

23.
Conical.

24.
Fusiform.

25.
Moniliform.

26.
Napiform or turbinate.

27.
Tubercular or testicular.

28.
Fibrous.

29.
Fasciculated.

30.
Nodulose.

31.
Annulated.

STEMS.

32.
Exogen.

33.
Endogen.

34.
Tuber.

35.
Flagellum or runner.

36.
Rhizome.

37.
Soboles.

38.
Acrogen.

STEMS—*continued.*

39.
Triquetrous.

40.
Trigonus.

41.
Ancipital.

HAIRS.

42.
Simple hairs.
Conenecyema.

43.
Stellate hairs.

44.
Capitate
hairs.

45.
Peltate hair.

46.
Clavate.

47.
Uncinate.

48.
Barbed or
Glochidiate.

49.
Sting.

LEAF-BUDS—VERNATION.

50.
Reclinate.

51.
Circinate.

52.
Conduplicate.

53.
Plicate.

54.
Convolute.

55.
Involute.

56.
Revolute.

57.
Valvate.

58.
Twisted.

59.
Induplicate.

60.
Imbricated.

61.
Equitant.

62.
Obvolute.

SCALY BUDS.

63.
Bulbils.

64.
Bulb.

65.
Corm.

LEAVES.

66.

Section of leaf with stomata and lacunæ.

67.

Feather-veined.

68.

Net-veined.

69.

Parallel-veined.

70.

Furcate-veined.

LEAVES—CIRCUMSCRIPTION.

71.

Serrate.

72.

Doubly serrate.

73.

Runcinate.

74.

Crenate.

75.

Dentate.

76.

Acute crenate.

77.

Ciliate.

78.

Sinuate.

LEAF-FORM—SIMPLE.

79.
Subulate.

80.
Linear.

81.
Lanceolate.

82.
Ovate.

83.
Obovate.

84.
Spathu-
late.

85.
Oval or
Elliptical.

86.
Panduriform.

87.
Rhomboidal.

88.
Acinaciform.

89.
Orbicular. Peltate.

90.
Reniform.

91.
Cordate.

92.
Ob-cordate.

93.
Sagittate.

94.
Auriculate.

95.
Hastate.

96.
Bifid. Bilobate.

97.
Trilobate. Trifid.

LEAF-FORM—SIMPLE—*continued.*

98.
Quinquangular.

99.
Palmatifid.

100.
Pedatisect.

101.
Lyrate.

102.
Pinnatifid.

103.
Acicular or
aciculate leaves.

104.
Tridentate.
Cuneate.

LEAF-FORM—COMPOUND.

105.
Impari-pinnate.

106.
Alternately
pinnate.

107.
Oppositely
pinnate.

108.
Quadrijugate
abruptly pinnate.

LEAF-FORM—COMPOUND—*continued.*

109.
Digitate.

110.
Ternate.

111.
Biternate.

112.
Conjugate.

113.
Biconjugate.

114.
Bijugate.

115.
Abruptly
pinnate.

116.
Bipinnate, pinnae
abruptly pinnate.

117.
Bipinnate.

118.
Tripinnate.

119.
Tripinnate.

LEAF ATTACHMENT.

120.
Amplexicaul.

121.
Perfoliate.

122.
Decurrent.

123.
Connate.

124.
Verticel or whorl.

125.
Dimidiate.

LEAF TERMINATION.

126.
Apiculate.

127.
Acuminate.

128.
Emarginate.

129.
Retuse.

STIPULES, &c.

130.
Cirrus or
Tendril.

131.
Ascidium.

132.
Pitcher or ascidium.

133.
Vagina.

134.
Synochreate.

135 s.
Stipule.

136 s.
Interpetiolar stipules.

137.
Glumes and palae.

138.
Stipularty horns.

139.
Pulvinate thorns.

140.
Pericladium.

INFLORESCENCE.

141.
Spike.

142.
Raceme.

143.
Panicle.

144.
Corymb.

145.
Spathe and Spadix.

146.
Glomerule.

147.
Compound umbel.

148.
Capitulum.

149.
Locustæ.

150.
Cyme.

INFLORESCENCE—*continued.*

151.
Cyme.

152.
Umbel.

153.
Scorpioid cyme or cincinnus.

154.
Capitulum.

ÆSTIVATION.

155.
Induplicate.

156.
Valvate.

157.
Imbricative.

158.
Contorted or
twisted.

159.
Alternate.

160.
Quincuncial.

161.
Plicative.

162.
Vexillary.
v. Vexillum.
a. Alæ.
c. Carina.

CALYX.

163.
Calcarate calyx.

164.
Pappus or coma.

165.
Calyptra.

166.
Gatea.

COROLLAS.

167.
Polypetalous corolla.

168.
Campanulate.

169.
Hypocrateriform.

COROLLAS—continued.

170.
Infundibuliform.

171.
Tubular.

172.
Digitaliform.

173.
Ringent.

174.
Rotate.

175.
Ligulate.

176.
Calceolate.

177.
Urceolate.

178.
Personate.

179.
Rosaceous.

180.
Cruciate.

181.
Papilionaceous.
v. Vexillum. a. Alæ. c. Carina.

COROLLAS—continued.

182.
Gibber.

183.
Corona.

184.
Labellum.

185.
Unguiculate
petal.

STAMENS.

a

b

c

186.
a. Versatile.
b. Innate.
c. Adnate.

187.
Distractile.

188.
Columna.
Gynostemium.

189.
Didynamous.

ANTHERS.

190.
Diadelphous.

191.
Triadelphous

192.
Anfractuose or
Gyrose anther.

193.
Pollen-grains.

194.
Stigma.

ANTHERS—continued.

195.
Hypogynous.

196.
Perigynous.

197.
Epigynous.

198.
Epipetalous.

199.
Petal with portion of disk attached.

O V A R Y.

200.
Apocarpous
ovary.

201.
Syncarpous.

202.
Central
placenta.

203.
Parietal
placenta.

204.
Basilar
style.

205.
Ortho-
tropal.

206.
Camp-
tropal.

207.
Anatropal.

208.
Campylo-
tropal.

209.
Lycotropal.

210.
Semiana-
tropal.

O V A R Y—continued.

211.
Erect.

212.
Ascending.

213.
Inverted.

214.
Suspended.

215.
c. Chalaza.
f. Foramen.
r. Raphe.

F R U I T S.

216.
Apocarpous fruit.

217.
Syncarpous fruit.

218.
Septifragal.

219.
Loculicidal.

220.
Septicidal.

221.
Achæmium.

222.
Drupe and section.

a

b

223.
a. Bacca or Berry.
b. Section of ditto.

FRUITS—continued.

224.
Tricoccus.

225.
Carpophore.

226.
Glans.

227.
Samara.

228.
Tryma.

229.
Etærio.

230
Pome. C. Stamens. T. Calyx tube.
E. Epicarp. M. Mesocarp.
N. Endocarp. S. Seeds.

231.
Section of Balausta.

FRUITS—continued.

232.
Follicle.

233.
Legume.

234.
Intorted or
Strombuliform legume.

235.
Helicoid or
Cochleate legume.

236.
Capsule and section.

237.
Pyxidium.

238.
Strobilus or cone.

239.
Galbulus.

240.
Section of
Syconus.

241.
Section of
Cynarrhodon,
or Discocarp.

FRUITS—continued.

244.
Siliqua.

242.
Silicula.

a. Cremocarp
borne on a
Carpophore.

243.
b. Section of
Cremocarp
showing vittæ.

245.
Carcerule.

246.
Gynobase.

247.
Bicornute fruit of *Trapa bicornis*.

248.
Mace or arillus
around nutmeg.

COTYLEDONS.

249.
Conduplicate.

250.
Reclinate.

251.
Convolute.

252.
Circinate.

253.
Contortuplicate.

COTYLEDONS—continued.

254.
Accumbent.

255.
Incumbent.

256.
c. Cotyledon.
r. Radicle.
q. Plumule.

257.
Endorhizal.
c. Coleorhiza.

CRYPTOGAMIC ORGANS.

258.
1. Portion of Branchlet
with Ceramidium.
2. Ditto magnified.

259.
1. Portion of Branchlet
with Tetraspores.
2. Tetraspore magnified.

260.
Carpoecolonium. Stichidia.

261.
Zoospores.

CRYPTOGAMIC ORGANS—*continued.*

262.

- a.* Thallus with scutellæ.
b. Thalamium.
c. Sterigmata with Spermata.

263.

- Section of Spermatogone.

264.

- Part of Thallus with
Rhizinæ or Fixuræ.

265.

- Section of Pycnides.

266.

- Pelta or Orbilla.

267.

- Podetia
bearing
Capitulum.

268.

- a.* Capitulum.
b. Section of do.

269.

- a.* Verruca.
b. Section of do.

270.

- Section of
Patella.

271.

- Ardellæ.
Magnified section.

CRYPTOGAMIC ORGANS—*continued.*

272.
a. Lirella.
b. Section of do.

273.
Section of Angiocarpous
Apothecium.
a. Exciple.
b. Thalamium.

274
Section of Gymnocarpous
Apothecium.
a. Exciple.
b. Thalamium.

F U N G I.

276.
p. Pileus. s. Stipe. a. Ring.
g. Gills. v. Volva. m. Mycelium.

275.
Adnexed.

277.
Free.

278.
Remote.

279.
Emarginate.

F U N G I—continued.

280.
Decurrent.

281.
a. Sterigmata.
b. Basidia.

282.
Fistulose stem.
Umbonate pileus.

M O S S E S.

1

283.
Peristome.

2

285.
a. Paraphyses.
b. Phytozoa.

3

284.

1. Theca of Split Moss.
2. Theca of Urn Moss with calyptra.
3. Operculum and Peristome.
4. Elaters with spores.

286.
Cyathus.

F E R N S.

1

3

2

287.

1. Frond with sori.
2. Theca of fern.
3. Spore.

288.

Umbraculum.

289.

Indusium.

G A L L S.

290.
Oak gall and section.

291.
Cupula gall.

292.
Leaf gall.

293.
Horny gall.

A MANUAL
OF
STRUCTURAL BOTANY,
FOR THE USE OF
CLASSES, SCHOOLS, & PRIVATE STUDENTS.
BY M. C. COOKE.

ILLUSTRATED BY MORE THAN 200 ILLUSTRATIONS.

Contents:

SECT.	PAGE	SECT.	PAGE
1. INTRODUCTORY	1	21. THE CALYX	61
2. ULTIMATE ELEMENTS ..	3	22. THE COROLLA.. ..	63
3. CARBONACEOUS COMPOUNDS	8	23. STAMENS	67
4. NITROGENOUS COMPOUNDS..	12	24. THE PISTIL	72
5. INORGANIC COMPOUNDS ..	14	25. THE OVULE, OE SEED-BUD..	75
6. CELLS	18	26. THE FRUIT	78
7. VASCULAR TISSUE	21	27. SEED	84
8. CELL DEVELOPMENT.. ..	23	28. GERMINATION.. ..	87
9. THE EPIDERMIS	25	29. REPRODUCTION OF ALGÆ ..	89
10. THE DESCENDING AXIS ..	29	30. DITTO LICHENS ..	91
11. ASCENDING AXIS—EXOGENS	32	31. DITTO FUNGI.. ..	94
12. DITTO ENDOGENS & ACROGENS	36	32. DITTO MOSSES ..	96
13. SUBTERRANEAN STEMS ..	38	33. DITTO FERNS.. ..	98
14. LEAF-BUDS	41	34. VEGETATIVE PHENOMENA ..	100
15. LEAF-STRUCTURE	43	35. EPIPHYTES AND PARASITES	103
16. LEAF-FORM	47	36. GALLS AND EXCRESCENCES	104
17. LEAF-ORDER	51	37. VITAL ACTION.. ..	106
18. LEAF-APPENDAGES	53	38. BOTAINCAL DESCRIPTION ..	139
19. FLOWER-BUDS	55	39. DESCRIPTIVE MODELS ..	111
20. INFLORESCENCE	58	40. SUMMARY	113

By the same Author.

Fcap. 8vo, price 6s.

A PLAIN AND EASY ACCOUNT OF THE
BRITISH FUNGI,

WITH
ESPECIAL REFERENCE TO THE ESCULENT AND OTHER
ECONOMIC SPECIES.

WITH 24 PAGES OF COLOURED PLATES.

LONDON :
ROBERT HARDWICKE, 192, PICCADILLY, W.

Publisher by Appointment

to the

Royal College of Surgeons.

Publisher by Appointment

to the

Ray Society.

INTERESTING AND USEFUL WORKS

PUBLISHED BY

ROBERT HARDWICKE,

192 PICCADILLY, W.

FOR FACILITY OF REFERENCE THE WORKS ARE ARRANGED
UNDER SUBJECTS, WITH INDEX TO AUTHORS.

CONTENTS :

	PAGE		PAGE
Sowerby's English Botany	3-5	Miscellaneous Literature	20-21
Natural History, Popular Science, and General Science	6-9	Educational Works	16-17
Publications of the Ray Society	10-11	Hardwicke's Elementary Books	16
Publications of the Royal College of Surgeons	11	Mackenzie's Educational Books	17
Genealogical, Heraldic, and County History	13-19	Domestic, Hygienic, &c.	22-23
		Medical and Surgical	24-28
		Popular Science Review Contribu- tors and Articles, Vol. 1-6	29-31

INDEX TO AUTHORS :

Adams, L. A., F.S.A.	29	Brande, Professor, D.C.L., F.R.S.L. ..	24
Alder and Hancock	10	Breen, James	29
Barker, Dr. S.	10	Briot, M. C.	17
Annandale, Thomas, F.R.C.S.	24	Brown, I. B., F.R.C.S.	24
Ansted, Professor, F.R.S.	12	Brown, I. B., jun.	22
Anstie, Dr.	29	Browne, Mrs.	17
Baird, Dr., F.L.S.	10, 29	Brown, Robert, D.C.L., F.R.S.	10
Baker, J. G., F.L.S.	6	Buckman, Professor, F.L.S., F.G.S.	13, 29
Ball, Edward	17	Burmeister, Professor	10
Barker, Dr. T. H., F.R.S. Edin.	24	Busk, G., F.R.S.	10
Barker, Dr. S.	22	Butcher, Dr., R.G.H.	24
Barrett, W. F.	29	Canton, E., F.R.C.S.	25
Barwell, R., F.R.C.S.	24	Carpenter, Dr., F.R.S.	10
Bastian, Dr., F.R.S.	29	Carruthers, W., F.L.S.	29
Bate, Spence, F.R.S.	29	Carter, R. B., F.R.C.S.	25
Bazire, Dr. P. V.	28	Chamisso, A. von	19
Beale, Dr. Lionel, F.R.S.	29	Chambers, G. F., F.R.A.S.	29
Beard, Dr. G. M.	28	Church, H. J., F.C.S.	25
Beigel, Dr. H., L.R.C.P.	24	Church, Professor	29
Blackwall, J., F.L.S.	10, 29	Cobbold, Dr. T. S., F.R.S.	11, 29
Bond, Dr. F., F.C.S.	29	Condy, H. B.	25
Boner, Charles	9	Cooke, M. C.	7, 8, 29
Bowerbank, Dr., F.R.S., F.L.S.	9	Cooley, A. J.	21, 25
Bowring, Sir John, LL.D.	19	Coote, Holmes, F.R.C.S.	25

INDEX TO AUTHORS—continued.

	PAGE		PAGE
Coultas, H.	29	Leighton, Rev. W. A., M.A.	10
Coulson, W., F.R.C.S.	25	Lewes, G. H.	31
Crookes, William, F.R.S.	25	Liebig, Baron	31
Cross, Dr.	22	Lord, J. K.	9
Currey, F., M.A., F.R.S.	10	Lukis, Captain J. H.	21
Darby, Rev. W. A., F.R.A.S.	14	Mackenzie, Dr. M., M.R.C.P.	27
Darwin, C., F.R.S.	10	Mackie, S. J., F.G.S.	12, 31
Davies, Thos.	8	Marsh, Dr. J. C. L., M.R.C.P.	21
Davis, Dr. J. H., F.R.C.P.	25	Marshall, G. W., LL.M.	19
Dawkins, W. B., F.R.S.	29	Masters, Dr. M., F.L.S.	31
Debus, H., F.R.S.	29	Milton, J. L.	13, 27
De Quatrefages, A.	13, 29	Monckhoven, D. Van, Ph.D.	14
Dick, Dr. H.	26	Morgan, Dr. C. E.	27
Divers, Dr.	29	Morris, Dr. E., F.R.C.S.	27, 31
Dougall, J. D.	19	Morris, Professor, F.R.S.	31
Douglas, J. W.	10	Morton, F., C.E.	16
Dowie, James	22	Murchison, Dr. C., F.R.S.	12
Drysdale, Dr. C.	26	Newton, J., F.R.H.S.	13
Duthie, W.	19	Norton, A. T., F.R.C.S.	27
Earl, Dr. L.	26	Nunn, T. W., F.R.C.S.	27
Edwards, F., jun.	21	Owen, Professor, F.R.S.	11
Ellis, Robert, M.R.C.S.	26	Parker, W. K., F.R.S.	11
Falconer, Hugh	12	Patterson, Robt., F.R.S.	31
Fleischmann, A., M.R.C.S.	22	Pennell, Chohnondeley	19
Flint, Dr. A.	26	Planché, J. It., Rouge-Croix	18
Flower, W. H., F.R.S.	11	Proctor, R. A., F.R.A.S.	14, 31
Forbes, D., F.R.S.	30	Quekett, Professor	11
Forbes, Professor, F.R.S.	10	Ransounett, Baron	22
Foster, Professor	30	Reddie, Jas.	12
Fox, Dr. Tilbury	25	Richardson, Dr. B. W., F.R.S.	31
Frazer, Dr. P.	26	Russell, C.	14
Frazier, Dr. W.	26	Samuelson, Jas.	31
Fripp, Dr. H., F.R.S.	30	Sanderson, Dr. J. B., F.R.S.	23
Fry, Herbert	17	Schaible, Dr. C. H., Ph.D.	23
Gamgee, J.	15	Schleiden, Professor	7
Glaisher, James, F.R.S.	30	Schwarzenberg, F. A.	12
Goodfellow, Dr. S. J., F.R.C.P.	25	Sclater, Dr., F.R.S.	11
Gore, G., F.R.S.	30	Scott, John	10
Gosse, P. H., F.R.S.	30	Seemann, Dr. E., Ph.D., F.L.S., F.R.G.S.	8, 31
Gray, Dr. J. E., F.R.S.	30	Sheen, J. R.	21
Grove, Dr. John, M.R.C.S.	26	Sheppard, Dr. E.	22
Gulliver, Professor, F.R.S.	30	Siebeck, R.	13
Günther, Dr., F.R.S.	10	Sims, Dr. J. Marion	28
Habershon, Dr. S. O., F.R.C.P.	26	Smith, John, A.L.S.	6
Hanks, H., L.R.C.P. Edin.	22	Smith, W. G., F.A.S.L.	7
Hartshorne, E. S.	18	Solly, S., F.R.S.	28
Henslow, Rev. G., F.L.S.	30	Somerville, A.	15
Hickman, W., M.B., F.R.C.S.	26	Sorby, H. C., F.R.S.	31
Hicks, Dr. B., F.R.S.	30	Sowerby, J. E.	3-6
Hofmeister, Dr., F.R.S.	10	Spear, J.	17
Hogg, J., F.L.S.	30	Spicer, Rev. W. W., M.A.	8
Hooker, Dr., F.R.S.	30	Steenstrup, Professor	10
Hooker, Sir W. J., K.H.	6	Stellwag, Dr. Carl von Carion	23
Houghton, Rev. W., F.L.S.	30	Strickland, H. E., F.R.S.	11
Howden, P., V.S.	15	Syme, J. T. B., F.L.S.	3
Hull, E., F.G.S.	30	Symonds, Rev. W. S.	12
Huine, H. T., M.R.C.S., F.L.S.	26	Tate, A. N., F.C.S.	14
Humboldt, A. von	12	Tate, R., F.R.G.S.	7
Hunt, Robert, F.R.S.	30	Taylor, Dr. A. S., F.R.S., F.R.C.P.	24
Huxley, Professor, F.R.S.	10, 30	Teevan, W. F., F.R.C.S.	28
Jesse, G. R.	21	Thomins, S.	15
Jones, Rev. H.	19	Tobold, Dr. A.	28
Jones, Professor T. R., F.G.S.	30	Trousseau, Professor A.	23
Jones, Dr. W. H., M.R.C.S.	27	Unwin, W. C.	31
Johnson, C. P.	6	Vincent, John	13
Johnson, Dr. Geo., M.R.C.P.	27	Voeleker, Professor, F.C.S.	31
Kemp, Dr. G.	14	Waite, S. C.	15
Kempton, H. T., F.L.S.	27	Walford, Rev. E.	18
Kennard, Rev. R. B., M.A.	19	Walker, C. V., F.R.S.	31
Langley, J. Baxter, M.R.C.S., F.L.S.	27	Webb, Dr. F. C., F.L.S.	27
Laakester, Dr., F.R.S.	7, 9, 23, 30	Westfield, T. C., F.S.A.	13
Laakester, E. Ray	30	Wilkinson, Professor, F.R.S.	10, 31
Laakester, Mrs.	3, 6, 7, 30	Winslow, Dr. Forbes, D.C.L. Oxon	24
Laurence, J. Z., M.B., F.R.C.S.	27	Wood, Jno., F.R.C.S.	28
Lawson, Dr.	13, 23, 30	Wynter, Dr. A.	20
Le Hardy, Miss.	22	Zander, Dr. A.	25

SOWERBY'S ENGLISH BOTANY:

Containing a Description and *Life-size* Drawing of every British Plant. Edited and brought up to the present standard of scientific knowledge by T. BOSWELL SYME, F.L.S., &c. With Popular Descriptions of the Uses, History, and Traditions of each Plant, by Mrs. LANKERSTER, Author of 'Wild Flowers worth Notice,' 'The British Ferns,' &c. The Figures by J. E. SOWERBY, JAMES SOWERBY, F.L.S., J. DE C. SOWERBY, F.L.S., and J. W. SALTER, A.L.S. In Parts, at 5s. each.

Sowerby's English Botany:—

Vol. 1 contains a description and life-size hand-coloured figure of each Species of the following Plants—

Aconites	Columbine	Ladies' smocks	Poppies
Alyssums	Coriawort	Larkspurs	Radishes
Anemones	Corydalises	Lilies	Rape
Awlwort	Cresses	Madwort	Rockets
Banebury	Crowfoots	Marigold	Rues
Barberry	Cuckoo flower	Mayflower	Scurvy grasses
Barrenwort	Earthsmoke	Monkshood	Spearworts
Bearsfoot	Figwort	Mousetails	Stocks
Brandybottle	Flixweed	Mustards	Toothwort
Buttercup	Fumitories	Nailwort	Traveller's joy
Cabbages	Gilliflowers	Nasturtiums	Turnips
Caltrops	Headwark	Naveas	Wallflowers
Candytuft	Hellebores	Old man's beard	Whitlow grasses
Celandines	Horseradish	Pasque flower	Woad
Charlocks	Hutchinsia	Peony	Wolfsbane
Coleseed	Jack-by-the-hedge	Pepperworts	
Colewort	Kingcup	Pheasant's eyes	

All the Plants ranked under the orders Ranunculaceæ, Berberidaceæ, Nymphæaceæ, Papaveraceæ, and Cruciferæ. 7 Parts, at 5s. each; complete in cloth, 38s.; half morocco, 42s.; whole morocco, 48s. 6d.

Sowerby's English Botany:—Vol. 2 contains the

Aaron's beard	Cyphel	Pansies	Spurreys
Alder	Dyer's weed	Pearlworts	Stitchworts
All-seed	Flaxes	Pinks	Storks' bills
Balsams	Fuller's herb	Purslane	Sun dew
Bladder-nut	Heartsease	Ragged Robin	Sun rose
Brusiswort	Herb Roberts	Red rot	Sycamore
Buckthorns	Holly	Rocket	Tamarisk
Campions	Limes	Rock roses	Tutsan
Carnation	Limewort	Rose of heaven	Violets
Catchflys	Lychinis	St. John's worts	Water blinks
Chickweeds	Mallows	Sandworts	Waterworts
Claytonia	Maples	Sea heath	Wild Williams
Corn cockle	Mignonettes	Soapwort	Yarr
Cranes' bills	Milkworts	Sorrels	
Cuckoo flower	Mönchia	Spindle tree	

All the Plants ranked under the orders Resedaceæ, Cistaceæ, Violaceæ, Droseraceæ, Polygalaceæ, Frankeniaceæ, Caryophyllaceæ, Portulacaceæ, Tamaricaceæ, Elatinaceæ, Hypericaceæ, Malvaceæ, Tiliaceæ, Linaceæ, Geraniaceæ, Illicineæ, Celastraceæ, Rhamnaceæ, Sapindaceæ, 7 Parts, at 5s. each; complete in cloth, 38s.; half morocco, 42s.; whole morocco, 48s. 6d.

Sowerby's English Botany:—Vol. 3 contains the

Agrimonies	Dewberry	Meadow-sweet	Service-trees
Apples	Dropwort	Medicks	Shamrock
Avens	Eglantine	Medlar	Sibbaldia
Beams	Fenugreek	Mellilots	Silver-weed
Birdsfoots	Furzes	Mountain-ashes	Spiræa
Blackberry	Gean	Nonsuch	Strawberries
Blackthorn	Gorse	Oxytropis	Sweetbriars
Brambles	Green-weeds	Parsley piert	Tares
Briars	Hawthorns	Pear	Tongue under tongue
Broom	Honey, stalks	Peas	Tormentils
Bullace	Ladies-finger	Plum	Trefoils
Burnets	Lady's mantles	Queen of the meadow	Vetches
Cherries	Lamb-toe	Raspberries	Vetchlings
Cinquefoils	Liquorice	Rest-harrows	Waxen-wood
Cloudberry	Lucernes	Roebuck-berry	Whins
Clovers	Marl-grass	Roses	Whitebeams
Cotoneaster	May	Saintfoin	Whitethorns

All the Plants ranked under the orders Leguminiferæ and Rosaceæ. 8 Parts at 5s. each; complete in cloth, 43s.; half morocco, 47s.; whole morocco, 53s. 6d.

Sir Wm. Hooker's Synopsis of all known Ferns.

Synopsis Filicum; including Osmundaceæ, Schizæaceæ, Marattiaceæ, and Ophioglossaceæ, accompanied by Figures representing the essential characteristics of each Genus. By the late Sir W. J. HOOKER, K.H., and JOHN GILBERT BAKER, F.L.S., Assistant Curator of the Kew Gardens. Price £1 2s. 6d. plain, £1 8s. coloured by hand.

This is the cheapest and most complete book which describes all the Ferns throughout the world. So full and clear are its details that anybody who will take the trouble to master a few botanical terms can with certainty name any fern he may meet with in any part of the world, whether growing wild or under cultivation in garden or hothouse.

*Sir W. Hooker began collecting a Fern Herbarium in 1811. For this study this enthusiastic and illustrious botanist had all his life extraordinary advantages. The positions he occupied—first as Professor of Botany at Glasgow, and then as Director of the Kew Gardens—were made the most of, not merely by amiability of character which made his pupils and friends willing assistants, but at Kew he possessed the finest herbarium of ferns, and, thanks to Mr. John Smith, the best collection of ferns in cultivation in the world. The names of travellers and botanists to whom he acknowledges obligations fill a page and a half of his Preface. When Sir W. Hooker died, his son, Dr. Hooker, requested Mr. J. G. Baker to carry it out, possessing as he did full access to the specimens, and being supplied with Sir William's notes and annotations. The result is the publication of such a work as the author designed—a *vade mecum* for the students, cultivators, and collectors of ferns.—*Athenæum*.

Ferns, British and Foreign.

Their History, Organography, Classification, Nomenclature, and Culture, with Directions showing which are the best adapted for the Hothouse, Greenhouse, Open-Air Fernery, or Wardian Case. With an Index of Genera, Species, and Synonyms. By JOHN SMITH, A.L.S., late Curator of the Royal Gardens, Kew. With 250 Woodcuts. Crown 8vo. cloth, fully illustrated, price 6s.

Mr. Smith is acknowledged to be one of the first authorities on Ferns, having been engaged nearly half a century in arranging them at Kew.

The Fern Collector's Album.

A Descriptive Folio for the reception of Natural Specimens; containing on the right-hand page a description of each Fern printed in colours, the opposite page being left blank for the collector to affix the dried specimen; forming, when filled, an elegant and complete collection of this interesting family of plants. Handsomely bound, price One Guinea, size 11½ in. by 8½ in. A Large Edition, size 17½ in. by 11 in., without Descriptive Letterpress, One Guinea.

The British Ferns

(A plain and easy Account of). Together with their Classification, Arrangement of Genera, Structure, and Functions, Directions for Out-door and In-door Cultivation, &c. By Mrs. LANKSTER. Fully illustrated, price 4s. coloured by hand; 2s. 6d. plain.

*Not only plain and easy, but elegantly illustrated.—*Athenæum*.

The Useful Plants of Great Britain.

A Treatise on the Principal Native Vegetables capable of Application as Food or Medicine, or in the Arts and Manufactures. By C. P. JOHNSON. Illustrated by J. E. SOWERBY. 300 Illustrations coloured by hand. Beautifully bound, bevelled edges, price 12s.

The Grasses of Great Britain,

Containing life-sized, full-coloured Drawings, with magnified Organs, of 144 British Grasses, and Observations on their Natural History and Uses. Described by CHARLES JOHNSON. Illustrated by J. E. SOWERBY. Royal 8vo. cloth, price £1 6s.

This is the most comprehensive Work on British Grasses, and is the only book which gives the magnified organ to enable the reader to recognise the various grasses.

The London Catalogue of British Plants,

Published under the direction of the London Botanical Exchange Club, adapted for Marking Desiderata in Exchanges of Specimens; for an Index Catalogue to British Herbaria; for Indicating the Species of Local Districts; and for a Guide to Collectors, by showing the comparative rarity or frequency of the several species. Second Edition, 8vo. sewed, price 6d.

Wild Flowers worth Notice.

A Selection from the British Flora of some of our Native Plants which are most attractive for their Beauty, Uses, or Associations. By Mrs. LANKESTER. Illustrated by J. E. SOWERBY. Fcp. 8vo. cloth, coloured by hand, price 4s.

'We could while away a long summer day talking of the pleasant things suggested by this little book. Although all intelligent persons cannot become botanists, not to know the wild flowers of our country is to be ignorant both of our country and ourselves. And this little book will, as a pocket companion during holiday rambles—the descriptions and plates being both good—destroy this ignorance in reference to at least a hundred plants. After mastering it, the student will be not a little astounded at his own learning, when he surveys it in the systematic chapter of contents.'—*Athenæum*.

The British Fungi

(A plain and easy Account of). With especial reference to the Esculent and other Economic Species. By M. C. COOKE. New and revised Edition, with Coloured Plates of 40 Species. Fcp. price 6s.

'A very readable volume upon the lowest and least generally understood race of plants. For popular purposes the book could not have been better done.'—*Athenæum*.

Microscopic Fungi.

(Rust, Smut, Mildew, and Mould.) An Introduction to the Study of Microscopic Fungi. By M. C. COOKE, Author of the 'British Fungi.' Fcp. 8vo. nearly 300 coloured Figures, price 6s.

'There is a thoroughness about Mr. Cooke's writings which always makes his communications welcome. He is not content to gather information from cyclopædias, classify and adapt, and then give a new form to the thoughts of others. On the contrary, he strikes out a new course of study, and after a laborious course of analysis, produces an entirely original work, one on which nothing of the kind had been before attempted.'

WESLEYAN TIMES.

Mushrooms and Toadstools:

How to Distinguish easily the Difference between Edible and Poisonous Fungi; with two large sheets, containing figures of 29 Edible and 31 Poisonous Species, drawn the natural size, and coloured from living specimens. By WORTHIN G. SMITH, F.A.S.L., &c. In sheets, with book, price 6s.; on canvass in cloth case, for pocket, 10s. 6d.; on canvass, with rollers and varnished, for hanging up, 10s. 6d.

Index Fungorum Britannicorum.

A complete List of Fungi found in the British Islands to the Present Date. Arranged so as to be applicable either as a check-list or for Herbarium Labels. By M. C. COOKE. Royal 8vo. price 2s. 6d. Also the same Work printed on only one side.

Part I. HYMENOMYCETES, 1s. Part II. GASTROMYCETES, CONIOMYCETES, and HYPHOMYCETES, 1s. Part III. ASCOMYCETES, 1s.

The British Reptiles.

A Plain and Easy Account of the Lizards, Snakes, Newts, Toads, Frogs, and Tortoises indigenous to Great Britain. By M. C. COOKE, Author of 'The British Fungi,' &c. Fcp. 8vo. cloth, fully illustrated, 4s. plain; 6s. coloured.

British Mollusks;

Or, Slugs and Snails, Land and Fresh-water. A Plain and Easy Account of the Land and Fresh-water Mollusks of Great Britain, containing Descriptions, Figures, and a Familiar Account of the Habits of each Species. By RALPH TATE, F.R.G.S. Fcp. 8vo. cloth, fully illustrated, 4s. plain; 6s. coloured.

Schleiden's Principles of Scientific Botany;

Or, Botany as an Inductive Science. Translated by Dr. LANKESTER. Demy 8vo. price 10s. 6d. Hundreds of Woodcuts, and 6 pages of Figures, beautifully engraved on Steel. Demy 8vo. price 10s. 6d.

Every Botanical Library should possess this work, as it contains the principles upon which all structural botany is based.

A Manual of Structural Botany.

By M. C. COOKE, Author of 'Seven Sisters of Sleep,' &c. Illustrated by more than 200 Woodcuts, price 1s.; bound, 1s. 6d.

'Condensed yet clear, comprehensive but brief, it affords to the learner a distinct view.' *Globe.*

'We are confidently able to recommend the little volume to public favour, its very low price (1s.) bringing it within the range of all purchasers.'—*Era.*

A Manual of Botanic Terms.

By M. C. COOKE. With more than 300 illustrations. Fcp, 8vo. cloth, price 2s. 6d.

'We do not hesitate to say that by a careful use of this book a sound knowledge of the theoretical portion of botany may be obtained without tedious labour.'—*Mining Journal.*

Journal of Botany, British and Foreign. Vols. 1 to 5.

Edited by BERTHOLD SEEMANN, Ph.D., F.L.S., F.R.G.S. Beautifully Illustrated by Fitch. Price £1 5s. each.

The Journal consists of two distinct sections: the one devoted to General Botany, the other to the Botany of the British Isles. In both divisions Original Papers on subjects new to Science are given, illustrated either in the Text or by special Plates.

The Collector's Handy-Book of Algæ, Diatoms, Desmids, Fungi, Lichens, Mosses, &c.

With Instructions for their Preparation and the Formation of an Herbarium. Translated and Edited by the Rev. W. W. SPICER, M.A. With 114 Illustrations. Fcp. 8vo. cloth, price 2s. 6d.

Collection Catalogue for Naturalists.

A Ruled Book for keeping a permanent Record of Objects in any branch of Natural History, with Appendix for recording interesting particulars, and lettered pages for general Index. Strongly bound, 200 pages, 7s. 6d.; 300 pages, 10s.; and 2s. 6d. extra for every additional 100 pages. Working Catalogues, 1s. 6d. each.

A really good Catalogue, upon a simple and inexpensive plan, has long been a desideratum with naturalists and collectors. Few will originate or prepare a Catalogue for themselves, and it is a frequent matter of regret that large and otherwise valuable collections are rendered comparatively useless for want of such a history. Again, how many naturalists pass through life, enriched with knowledge gleaned from Nature's inexhaustible store, but whose knowledge, alas! dies with them, for they leave behind them no record with their collections. This Catalogue commends itself to all naturalists, whether they be ornithologists, entomologists, botanists, conchologists, or mineralogists.

In addition to the ruled and printed form of Catalogue, there is a ruled and paged Appendix, and an Index lettered and ruled. The Appendix is intended to receive such notes and observations as are too long to be recorded in the column for remarks; and the Index at the end of the work is intended to furnish an easy means of reference to the contents of the Catalogue.

The Preparation and Mounting of Microscopic Objects.

By THOMAS DAVIES. Fcp. cloth, price 2s. 6d.

This Manual comprises all the most approved methods of mounting, together with the result of the Author's experience and that of many of his friends in every department of Microscopic Manipulation; and as it is intended to assist the beginner as well as the advanced student, the very rudiments of the art have not been omitted.

CHAP. I.—Apparatus. II.—To Prepare and Mount Objects Dry. III.—Mounting in Canada Balsam. IV.—Preservative Liquids. V.—Sections, and How to Cut them, with Remarks on Dissection. VI.—Injection. VII.—Miscellaneous.

'Nothing is more difficult to those who handle a microscope for the first time than to get their objects in a fit state for exhibition and preparation. They will, therefore, feel greatly indebted to Mr. Davies for a little book on 'The Preparation and Mounting of Microscopic Objects.' It is clear, full, and practical; and it soon reveals to the careful student the valuable fact that a great deal may be done with very simple appliances. We recommend it to young microscopists as a book which supplies a felt deficiency.'

Guardian.

Half-Hours with the Microscope.

By EDWIN LANKESTER, M.D. F.R.S. Illustrated by 250 Drawings from Nature by Tuffen West.

CONTENTS.

Half-an-hour on Structure.
Half-an-hour in the Garden.
Half-an-hour in the Country.

Half-an-hour at the Pond-side.
Half-an-hour at the Sea-side.
Half-an-hour In-doors.

Appendix.—The Preparation and Mounting of Objects.

Third Edition, much enlarged, with full description of the various parts of the Instrument, price 2s. 6d. plain; 4s. coloured.

'The beautiful little volume before us cannot be otherwise than welcome. It is, in fact, a very complete manual for the amateur microscopist.....The 'Half-Hours' are filled with clear and agreeable descriptions, whilst eight plates, executed with the most beautiful minuteness and sharpness, exhibit no less than 250 objects with the utmost attainable distinctness.'—*Critic*.

Hardwicke's Science-Gossip:

A Monthly Medium of Interchange and Correspondence for Students and Lovers of Nature. Monthly, 4d.; Quarterly, 1s.; Annual Volume, in cloth, price 5s.

Hardwicke's Science-Gossip consists of:—

1. Short Articles of an interesting and light character,
On Animals, Birds, Reptiles, &c., their Habits, Haunts, Peculiarities, and Migrations; and on Stuffing and Preserving.
On the Finding, Collecting, and Preserving of the Microscopic Plants and Animals.
On Fish, Fish Culture, and Fishing.
On Plants, their Habitats, Time of Flowering, Soils where likely to be found; Peculiarities of Structure, &c.
On Geology; Excursions in interesting districts, and any subject relating to the Wonders, Peculiarities, or History of the World's Crust.
On the Habits, Mode of Capture, and Preservation of all sorts of Insects.
On the Cultivation of Ferns, Mosses, &c.
On the Various Plants and Animals capable of being kept and bred in Aquaria and Closed Cases.
On the Uses and Application of the Microscope, and on Mounting Objects. Discussions on any New Invention, or Improvement upon Old Instruments.
In fact, on any subject which those who have a sincere love of nature delight to talk about, when they meet for a friendly gossip.
2. Hints and suggestions, too small for Articles, but such as may prove useful either in Hunting, Preserving, Observing, or Understanding the various objects of Study.
3. Notes and Queries.
4. Notices to Correspondents.

Vol. 4 commenced January 1868. Vols. 1 to 3, containing a vast store of information price 5s. each, in handsome cloth covers. All the back numbers kept in print. Communications and Suggestions are invited.

At Home in the Wilderness:

Being Adventures and Experiences in Uncivilised Regions, in which it is shown where and when to encamp; how to equip and manage a train of pack mules; break, gear, and saddle wild horses; cross streams, build log shanties, treenail a raft, dig out a canoe or build it with bark or hide, manage dog sleighs, tramp on snow shoes, &c. By J. KEAST LORD, late of the British North American Boundary Commission. Crown 8vo. cloth, price 6s.

In the Plain and on the Mountain.

Guide for Pedestrians and Mountain Tourists in the Plain and on the Mountain. By CHARLES BONER, author of 'Chamois Hunting in Bavaria,' 'Forest Creatures,' &c. With illustrations of dress requisites, &c. Fcp. 8vo. price 2s.

'A little book which compresses into a very small space a great deal of good advice.'

'We recommend Mr. Boner's book to all travellers, either on mountain or plain.'
Pall Mall Gazette.
Athenæum.

The Book of Knots.

Illustrated by 172 Examples, showing the manner of making every Knot, Tie, and Splice. Price 2s. 6d.

'It is an honourable characteristic of our literature that it contains numerous admirable and complete treatises on many special subjects. Mr. Robert Hardwicke, publisher of many pleasant and useful works, has sent forth a 'Book of Knots,' by Tom Bowling, illustrated with one hundred and seventy-two diagrams, showing the manner of making every knot, tie, and splice, for the moderate price of half-a-crown, or nearly six knots a penny.'—*All the Year Round*, 23rd May 1868.

Holiday Excursions of a Naturalist;

Forming a Guide-book to the Natural History of the Inland and Littoral. Crown 8vo. cloth, price 7s. 6d.

London: ROBERT HARDWICKE, 192 Piccadilly, W.

PUBLICATIONS OF THE RAY SOCIETY.

British Hemiptera-Heteroptera.

By J. W. DOUGLAS and JOHN SCOTT. £1 10s.

Cirripedia Family.

By C. DARWIN, Esq. 2 vols. £2 2s.

British Freshwater Polyzoa.

By Professor ALLMAN. £1 11s. 6d.

Recent Foraminifera.

By Professor WILLIAMSON. £1 11s. 6d.

Oceanic Hydrozoa.

By Professor HUXLEY. £1 11s. 6d.

Organization of Trilobites.

From the German of BURMEISTER. 15s.

British Naked-eyed Pulmograde Medusæ.

By Professor E. FORBES. £1 1s.

The Spiders of Great Britain and Ireland.

By J. BLACKWALL, F.L.S. 2 vols. £3 13s. 6d.

Foraminifera.

By Dr. CARPENTER. £1 11s. 6d.

Fructification of Higher Cryptogamia and Coniferæ.

From the German of HOFMEISTER. £1 5s. 6d.

Reptiles of India.

By Dr. GUNTHER. £2 2s.

British Spongiadæ.

By Dr. BOWERBANK. 2 vols. £2 11s.

Steenstrup on Alternation of Generations.

15s.

British Entomostracous Crustacea.

By Dr. BAIRD. £1 1s.

British Angiocarpous Lichens.

By Rev. W. A. LEIGHTON. 10s. 6d.

British Nudibranchiate Mollusca

A Monograph of the (with coloured drawings of every species). By Messrs. ALDER and HANCOCK.

Part	I. Imp.	4to.	£1	10	0
"	II.	"	1	10	0
"	III.	"	1	10	0
"	IV.	"	1	10	0

Part	V. Imp.	4to.	£1	10	0
"	VI.	"	1	1	0
"	VII.	"	1	1	0

Meyen's Geography of Plants.

Translated from the German by Miss MARGARET JOHNSTON. 8vo. pp. 422, 10s. 6d.

The Greenland Whale.

Being a Translation of the Treatise published in the Danish Language, entitled OM NORDHVALEN (*Balaena Mysticetus*, Linn.), of D. F. ESCHRICHT og J. REINHARDT. By Dr. REINHARDT. Imp. 4to. pp. 312, 6 plates, price 24s.

On Pterylography.

Translated from the German. Edited by PHILIP LUTLEY SCLATER, M.A., Ph.D., F.R.S. Imp. 4to. 10 plates, 16s.

Recent Memoirs on the Cetacea.

By Professors ESCHRICHT, REINHARDT, and LILLJEBORG. Edited by W. H. FLOWER, F.R.S., &c. Imp. 4to. pp. 312, 6 plates, £1 4s.

The Shoulder Girdle and the Sternum.

By W. K. PARKER, Esq., F.R.S. Imp. 4to. illustrated with 30 coloured plates, £1 11s. 6d.

PUBLICATIONS OF THE ROYAL COLLEGE OF SURGEONS.

Descriptive Catalogue of the Physiological Series of Comparative Anatomy, including the Organs of Motion and Digestion.

Edited by Professor OWEN. Second Edition. Vol. I. 8vo. pp. 253, price 7s. 6d. 1852. Of the Osteological Series. By Professor OWEN. 2 vols. 4to. pp. 914, price 15s. 1853. Of the Histological Series. By Professor QUEKETT. Vol. I. Elementary Tissues of Vegetables and Animals. 18 Plates. 4to. pp. 305, price 15s. 1850. Vol. II. By Professor QUEKETT. Structure of the Skeleton of Vertebrate Animals. 18 Plates. 4to. pp. 248, price 15s. 1855. The Third Volume (Structure of the Dental Tissues) is in preparation. Of the Fossil Organic Remains of Mammalia and Aves. By Professor OWEN. 10 Plates, illustrating the Osteology of *Glyptodon*, *Diprotodon*, and *Nototherium*. 4to. pp. 391, price 10s. 6d. 1845. Of Reptilia and Pisces. By Professor OWEN. 4to. pp. 184, price 5s. 1854. Of Invertebrata. By Professor JOHN MORRIS and Professor OWEN. 4to. pp. 260, price 5s. 1856. Of Plants. By Professor QUEKETT and Professor MORRIS. 4to. pp. 94, price 3s. 6d. 1855.

Catalogue of the Specimens of Vertebrate Natural History

in Spirit. Edited by Professor QUEKETT. 4to. pp. 147, price 3s. 6d. 1859. Of Plants and Invertebrate Animals in a Dried State. Edited by Professor QUEKETT. 4to. pp. 514, price 10s. 6d. 1860. Of the Specimens of Entozoa. By Dr. T. SPENCER COBBOLD, F.R.S. 8vo. sewed, price 1s.

Memoir on the Pearly Nautilus

(*Nautilus pompilius*, Linn.), with Illustrations of its External Form and Internal Structure. By Professor OWEN. 8 Plates. 4to. pp. 63, price 5s. 1832.

Descriptive Catalogue of the Pathological Specimens.

By Messrs. STANLEY and PAGET. 5 vols. 4to.

Descriptive and Illustrated Catalogue of the Calculi and

other Animal Concretions. By Mr. T. TAYLOR.

Memoirs of Dr. Hugh Falconer.

Palæontological Memoirs and Notes of the late Hugh Falconer, A.M., M.D., Vice-President of the Royal Society; Foreign Secretary of the Geological Society of London; and for many years Superintendent of the H.E.I. Company's Botanic Gardens at Suharunpoor and Calcutta. With Biographical Sketch of the Author. Compiled and Edited by C. MURCHISON, M.D., F.R.S. 2 vols. 8vo. profusely illustrated, price £2 2s.

Old Bones; or, Notes for Young Naturalists.

By the Rev. W. S. SYMONDS, Rector of Pendock, Author of 'Stones of the Valley,' &c. With References to the Typical Specimens in the British Museum. Second Edition, much improved and enlarged, fully illustrated, fcp. 8vo. price 2s. 6d.

'The plan pursued by Mr. Symonds is a very simple one. He adopts the classification of Professor Owen, and carries the young naturalist from family to family, beginning with man and ending with the lowest fishes, making his own remarks as he goes on. We recommend these notes. The volume is neatly got up, and deserves a sale amongst the class for whom it is intended.'—*Athenæum*.

The Applications of Geology to the Arts and Manufactures.

Six Lectures delivered before the Society of Arts. By Professor D. T. ANSTED, M.A., F.R.S. Fcp. 8vo. cloth, illustrated, price 4s.

I. On the Formation of Natural Soils by Derivation from Rocks, and on the Improvement of Soils by the admixture of Minerals.

II. On Natural and Artificial Springs, and on the various Sources of Water Supply for Towns and Cities, in connection with the Geological Structure of the Vicinity.

III. On Mineral Materials used for the Purposes of Construction: Plastic and Incoherent Materials (Clays and Sands).

IV. On Mineral Materials (*continued*):

Building Stones and Slates, and their Relative Value under given Circumstances of Exposure, and on Methods of Quarrying.

V. On Stratified Deposits of Minerals, as Coal and Iron Ore, usually obtained by Mining Operations, and on Mining Methods for such Deposits.

VI. On Metalliferous Veins for Lodes and their Contents, and on the Extraction of Metalliferous Minerals from Lodes.

'The science of geology largely engages the attention of the public; but persons are frequently deterred from the study of it by the dry and tedious style of writers dedicating their talent to its exposition. Professor Ansted has supplied a book which meets the public want. . . . The chapters relating to agricultural geology have an especial interest for farmers; but the whole are deeply interesting and worthy of recommendation.'

News of the World.

'Professor Ansted takes in hand a subject of some difficulty, but of universal importance. In this he describes the different kinds of mineral veins, their contents, and the methods adopted to extract those contents, and thus fitly concludes his labours in elucidation of the practical application of geological knowledge to economic purposes, especially in connection with the arts.'—*Daily News*.

The British Fossil Sponges

(An Illustrated Catalogue of). With Description and Figures of upwards of 200 Typical Specimens. By S. J. MACKIE. In 5 Parts at 5s. each. [*In preparation*].

Victoria Institute;

Or, Philosophical Society of Great Britain and Ireland: Journal of Transactions. Parts 1 to 4, 3s. 6d. each; Part 5, 4s.; Part 6, 3s. 6d.; Part 7, 5s.

Vis Inertia Victa;

Or, Fallacies affecting Science: an Essay towards increasing our knowledge of some Physical Laws, and a Review of certain Mathematical Principles of Natural Philosophy. By JAMES REDDIE. Together with The Mechanics of the Heavens and New Theories of the Sun's Electro-Magnetic and Repulsive Influence, by the same Author, bound together, demy 8vo. price 6s.

Alexander von Humboldt;

Or, What may be accomplished in a Lifetime. By F. A. SCHWARZENBERG. Crown 8vo. cloth, price 6s.

Metamorphoses of Man and Animals.

Describing the changes which Mammals, Batrachians, Insects, Myriapods, Crustacea, Annelids, and Zoophytes undergo whilst in the egg; also the series of Metamorphoses which these beings are subject to in after-life. Alternate Generation, Parthenogenesis, and General Reproduction treated *in extenso*. With Notes, giving references to the works of Naturalists who have written upon the subject. By A. De QUATREFAGES. Translated by HENRY LAWSON, M.D. Crown 8vo. cloth, price 6s.

'We have already said enough to show that the essay which Dr. Lawson has introduced to us in an English garb is one which marks a new era in the history of Embryology, and which presents to both general and scientific readers information which has been hitherto confined to the realms of dusty periodicals of all languages. "The Metamorphoses" is a work which tends to elevate the science of Biology, and deserves the attention of all classes of cultivated readers.'—*London Review*.

The Stream of Life on our Globe.

Its Archives, Traditions, and Laws, as revealed by Modern Discoveries in Geology and Palæontology. A Sketch in Untechnical Language of the Beginning and Growth of Life, and the Physiological Laws which govern its progress and operations. By J. L. MILTON, M.R.C.S. Second Edition, crown 8vo. cloth, 624 pp. price 6s.

CONTENTS.

The Beginning of Life
England long, long ago
The First Dwellers on Earth
The First Builders
The First Wanderers
The First Colonists of Sacred History
The First Language
The First Alphabet
The Battle of Life

Glances at the Laws of Life
Life in the Blood
Life in the Nerves
Life of a Giant
Life of Men of Genius
Influence of Smoking on Life and Race
Life in the Stars and Planets; or,
Coloured Stars and their Inhabitants,
&c. &c.

'A very agreeably-written record of some of the newest and most remarkable discoveries in geology, language, and physiology. The language is always untechnical and picturesque. It has the merit of inspiring interest in subjects often treated in a manner to repel the ordinary reader.'—*Lancet*.

Seven Essays on Universal Science,

A Series of; embracing some Investigations of the Mosaic Cosmogony, and the Interpretations of the Scriptures, with the object of Proving their Scientific Exactness. By THOMAS CLARK WESTFIELD, F.S.A. Price 7s. handsomely bound in cloth; or, in separate Essays, 1s. each.

Science and Practice in Farm Cultivation.

By Professor BUCKMAN, F.L.S., F.G.S.

CONTENTS.

1. How to Grow Good Root Crops	5. How to Grow Good Hedges
2. How to Grow Good Grass Crops	6. How to Grow Good Timber
3. How to Grow Good Clover Crops	7. How to Grow Good Orchards
4. How to Grow Good Corn Crops	

Fully Illustrated. Complete in One Volume, cloth, 7s. 6d.

Picturesque Garden Plans.

A Practical Guide to the Laying-out, Ornamentation, and Arrangement of Villa Gardens, Town Squares, and Open Spaces, from a quarter of an acre to four acres; for the use of practical Gardeners, Architects, Builders, and Amateurs. By R. SIEBECK, Superintendent of Public Gardens, Vienna. Adapted to English Gardens, &c., by JOSEPH NEWTON, F.R.H.S. Fcp. folio, cloth, with 24 Coloured Plans, price 21s.

'The arrangement is concise and completely descriptive, so that any expert gardener can, by a very short study of the examples set forth, arrange or adorn large or small plots encircling new abodes, on naked down or barren waste.'—*Builder*.

Country Cottages.

A series of Designs for an Improved Class of Dwellings for Agricultural Labourers. By JOHN VINCENT, Architect. With numerous Plans, Elevations, &c. New Edition, folio, fully illustrated, price 12s.

Photographic Optics :

Including the Description of Lenses and Enlarging Apparatus. By D. VAN MONCKHOVEN, Ph.D. Crown 8vo. cloth, with more than 200 Illustrations, price 7s. 6d.

Book I.—Photographic Lenses.

Preliminary Ideas
Refraction of Light
Chromatics
Lenses

Aberrations
Spherical Aberrations
Description of Photographic Objectives
Employment of Photographic Objectives

Book II.—Apparatus for Enlargements.

On the Negative intended for Enlargement
Description of Apparatus for Enlargements
Theory of Formation of Enlarged Image in Woodward's Apparatus
Imperfections of Woodward's Apparatus
The Dyalitic Apparatus
Description and Setting-up of Dyalitic Apparatus, and of all Apparatus for Enlargements
Management of Enlarging Apparatus
Setting-up Enlarging Apparatus in Winter

Setting-up of Movable Dyalitic Apparatus
Application of Heliostat to Enlarging Apparatus
Setting-up of Heliostat with Enlarging Apparatus
Parallel Solar-Light Apparatus of Bertsch
Indirect Enlargement by the Sun or by Diffused Light
Application of Artificial Light to Enlarging Apparatus

Petroleum and its Products.

An Account of the History, Origin, Composition, Properties, Uses, and Commercial Value of Petroleum; the Methods employed in Refining it, and the Properties, Uses, &c., of its Products. By A. NORMAN TATE, F.C.S., Analytical Chemist, Hon. Sec. to the Liverpool Chemists' Association. Post 8vo. price 2s. 6d.

The Tannin Process.

By C. RUSSELL. Second Edition, with Appendix, fcp. cloth, price 2s. 6d. The Appendix separate, price 1s.

A Description of certain Dry Processes in Photography.

Specially adapted to the use of the Tourist; with Supplementary Notice of Plans, useful to the Scientific Traveller and Missionary. By GEORGE KEMP, M.D., St. Peter's Coll. Cambridge, Fellow of the Cambridge Philosophical Society. Post 8vo. price 2s.

Half-Hours with the Telescope:

Being a Popular Guide to the Use of the Telescope as a means of Amusement and Instruction. Adapted to inexpensive Instruments. By R. A. PROCTOR, B.A., F.R.A.S. Fcp. 8vo. cloth, with Illustrations on Stone and Wood, price 2s. 6d.

CONTENTS.

Half an hour on Structure of Instrument.
Half an hour with Orion, Lepus, Taurus, &c.
Half an hour with Lyra, Hercules, Corvus, Crater, &c.

Half an hour with Bootes, Scorpio, Ophiuchus, &c.
Half an hour with Andromeda, Cygnus, &c.
Half hours with the Planets.

Half hours with the Sun, Moon, &c.

'It is crammed with starry plates on wood and stone, and among the celestial phenomena described or figured, by far the larger number may be profitably examined with small telescopes, and none are beyond the range of a good three-inch Achromatic. The work also treats of the construction of telescopes, the nature and use of Star Maps and other subjects connected with the requirements of amateurs The book is full of "useful and interesting information," and will form a valuable companion to the various admirable handbooks for which Mr. Hardwicke enjoys so good a reputation.'

Illustrated Times.

The Astronomical Observer:

A Handbook for the Observatory and the Common Telescope. By W. A. DARBY, M.A., F.R.A.S., Rector of St. Luke's, Manchester. Embraces 965 Nebulae, Clusters, and Double Stars. Royal 8vo. cloth, price 7s. 6d.

'I think the design of the work has been well carried out. The Catalogue will no doubt be very acceptable to the amateur observer desirous of obtaining a knowledge of practical astronomy, and it will also be useful in the library of the regular observatory.'

From the Earl of Rosse, K.P., F.R.S., &c.

Industries of Birmingham

And the Midland Hard-Ware Districts: their Resources, Products, and Industrial History. A Series of Reports collected by the Local Industries Committee of the British Association at Birmingham in 1865. Thick 8vo. pp. xiii.—721, price 14s.

‘Mr. Timmins has gathered together a very full and complete record of Midland industry. . . . It is a book in which everybody will find something to interest him, and something worth knowing. . . . Birmingham is far more interesting to the stranger than many other manufacturing centres, because there is nothing monotonous about her industry. She is a thorough Briareus with a hundred, nay a thousand, hands, and every hand doing something different and something ingenious. Those who know nothing of her multifarious cleverness, except by hearsay, should read this book. We promise them that they will find it quite as interesting, and far more wholesome, than many of the flimsy works of travel and still flimsier fictions with which we are inundated.’

The Times.

The *Examiner* says:—‘It is a work to be thankful for, and worth study at home and abroad. A wonderfully complete account of the trading life of a great English trading town, and is in its way the best addition that has been made to commercial literature for many a day.’

The *Society of Arts Journal* says:—‘As an addition to the libraries of Mechanics’ Institutions and Working Men’s Clubs, not forgetting free libraries, it will be valuable, and will be received on the Continent with a hearty welcome.’

Report of the Proceedings at the British Association (Birmingham Meeting), 1865.

Carefully Collated and Revised by the various Speakers. Crown 8vo. price 5s.

Report of the Meeting at Nottingham, 1866.

Super-royal 8vo. price 6s.

The Cattle Plague.

With Official Reports of the International Veterinary Congresses, held in Hamburg, 1863, and in Vienna, 1865. By JOHN GAMGEE, Principal of Albert Veterinary College. Demy 8vo. 860 pp. price 21s.

Horse Warranty.

A Plain and Comprehensive Guide to the various Points to be noted, showing which are Essential and which are Unimportant. With Forms of Warranty. By PETER HOWDEN, V.S. Fcp. 8vo. cloth, price 3s. 6d.

Graceful Riding.

A Pocket Manual for Equestrians. By S. C. WAITE. With Illustrations. Fcp. 8vo. cloth, price 2s. 6d.

In the school, on the road, on the course, or across country, this little book will be invaluable; and we heartily recommend it.—*Morning Post.*

Whist.

The Laws and Practice of Whist. By CŒLEBS. As played at the London Clubs. With coloured Frontispiece, 16mo. cloth, gilt edges, price 2s. 6d.

‘It is just the book that was required. The intrinsic worth of the book is to be found in the downright sensible practical advice contained throughout its pages, and to the lover of whist we strongly recommend the volume.’—*Field.*

One Hundred Double Acrostics.

A New Year’s Gift. Edited by ‘Myself.’ 16mo. cloth, price 2s. 6d.

Autobiography of a Working-Man.

By ALEXANDER SOMERVILLE, ‘One who has Whistled at the Plough.’ Fcp. 8vo. price 3s. 6d.

Hardwicke's Elementary Books. Price Twopence each.

Under the above title is presented to the public a complete Library of Elementary Works adapted for the use of the people.

Thousands of people at present skilled as handicraftsmen, and as workers in the various arts and sciences of life, plod on from day to day, with some vague notion that they can improve their own particular calling; but it generally ends in nothing, because they are ignorant of the first principles of those laws which regulate the things in which they are engaged. It is a rare occurrence to meet with workmen who know anything beyond what they picked up in their apprenticeship, or obtained by imitating others more skilled than themselves.

It will be the aim of HARDWICKE'S ELEMENTARY BOOKS to teach these first principles.

No labour or expense will be spared to make the information of a thoroughly reliable character; and, where advisable, a free use of authentic illustrations will be brought to bear.

'Hardwicke's series of "Elementary Books of Science" at present include Optics, Hydraulics, Hydrostatics, Geography, Chemistry, Mechanics, and the parts vary in price from twopence to sixpence. Each part is a very admirable epitome of the subject it treats, and there is more reliable information in any one of these little pamphlets of a few pence than there is in many a costly volume. The woodcuts are in outline, or only slightly shaded, and their subjects are exceedingly well selected.'—*London Review*.

NOW READY.

Mechanics.

Fully illustrated by nearly 100 cuts. Two parts, 2d. each; complete, 4d.; bound in cloth, 6d.

Hydrostatics.

Fully illustrated. Complete, 2d.; in cloth, 4d.

Chemistry.

Three Parts, 2d. each; complete, 6d.; cloth, 8d.

Hydraulics.

Fully illustrated. Complete, 2d.; cloth, 4d.

Optics.

Fully illustrated. Complete, 4d.; cloth, 6d.

Pneumatics.⁷

Fully illustrated, 2d.

Other Works of a similar character are in preparation, and will shortly be announced.

A Manual of Geography.

Being a Description of the Natural Features, Climate, and Productions of the various Regions of the Earth. By FRANCIS MORTON, C.E. Limp cloth, 1s.; bound in leather, with coloured Maps, 1s. 6d.; in paper, without Maps, 6d.

Mackenzie's Educational Books.

Intended for Schools or Self-instruction.

ALREADY PUBLISHED.

Mackenzie's Tables.

Commercial, Arithmetical, Miscellaneous, and Artificers'. Calculations in Bricklaying, Carpentry, Lathing, Masonry, Paper-hanging, Paving, Planting, Plastering, Slating, Tiling, Well-sinking, Digging, &c. &c. Fractions and Decimals. Forms of Receipts and Bills. Calculations on Man, Steam, Railways, Power, Light, Wind, &c. Language and Alphabets. Calendar of the Church. Scripture Money. Principal Foreign Monies and Measures. Geographical and Astronomical Tables, &c. &c. Complete, price 2d.; cloth, 6d.

Murray's English Grammar.

Complete, word for word with the Shilling Editions. Price 2d.; cloth, 4d.

Mavor's Spelling.

With numerous Cuts. Price 4d.; or, two parts, 2d. each.

Walkinghame's Arithmetic.

Same as the Half-crown Edition. Price 4d.; or, two parts, 2d. each; cloth, 6d.

Short-Hand.

With Phrases and Exercises, to gain facility in the use of all the characters, by which perfection may soon be attained. Complete, price 2d.

Phrenology

Explained and Exemplified. Complete, price 2d.

Bookkeeping

By Single Entry, with explanations of Subsidiary Books, being a useful system for the Wholesale and Retail Shopkeeper. Complete, price 2d.

Elements of Arithmetic.

From the French of M. C. BRIOT. Translated by J. SPEAR, Esq. Crown 8vo. cloth, price 4s.

'The little book before us is a translation of a French school arithmetic, and we notice it especially in reference to the metric system, which is clearly explained in its pages, and put forward in the introduction as one of the prominent features of the work.'

Morning Star.

Mangnall's Questions, Complete, 1s.

The Cheap Edition of this valuable School Book is now ready. It has been carefully revised and brought up to the present time. It is well printed and strongly bound.

'Published in a compact form, neatly bound, and being condensed without being abridged, comes before us in a greatly improved form. Few books contain so much information in so small a space.'—*Portsmouth Guardian.*

Inventive Drawing.

A Practical Development of Elementary Design. By EDWARD BALL. Folio, boards, price 6s.

'We recommend Mr. Ball's book especially to the instructors of the very young, because we believe that the system upon which it is founded will produce power which in more advanced life will be invaluable to the student of free-hand drawing and ornamental design.'—*Midland Counties Herald.*

Method for Teaching Plain Needlework in Schools.

By a LADY. Price 2s. 6d. Illustrated by Diagrams and Samplers.

This useful method is based on *steps* which are *gradual, well defined*, and clear to the *perception*. It is calculated to ensure the improvement of each individual child, and, while it offers the necessary instruction to the less talented pupil, it enables the more clever one to attain the highest degree of perfection.

Our Schools and Colleges:

Particulars respecting Endowed Grammar Schools, Collegiate Schools, Proprietary Schools, Middle-class Schools, and other important Institutions, where the Young are trained for the Naval, Military, Civil Service, or Middle-class, and similiar Examination; as also Information respecting Colleges and Universities. By HERBERT FRY. Crown 8vo. 3s. 6d.

The Royal Guide to London Charities.

Showing, in Alphabetical Order, the Name, Date of Foundation, Address, Object, Annual Income, Number of People benefited, Mode of Application to and Chief Officers of every Institution in London. By HERBERT FRY. Published Annually, price 1s.

Dedicated by Express Permission to H.R.H. the PRINCE OF WALES.

The County Families;

Or, Royal Manual of the Titled and Untitled Aristocracy of the Three Kingdoms. It contains a complete Peerage, Baronetage, Knightage, and Dictionary of the Landed Commoners of England, Scotland, Wales, and Ireland, and gives a brief notice of the Descent, Birth, Marriage, Education, and Appointments of each Person, his Heir Apparent or Presumptive, a Record of the Offices which he has held, together with his Town Address and Country Residences. By EDWARD WALFORD, M.A., late Scholar of Balliol College, Oxford. 1,200 pages, 11,000 families. Price £2 10s.

'It possesses advantages which no other work of the kind that we know of has offered hitherto. Containing all that is to be found in others, it furnishes information respecting families of distinction which are not to be found in the latter. It will prove to be invaluable in the library and drawing-room.'—*Spectator*.

'To produce such a work in the perfection which characterises "County Families" must have been an almost Herculean task. It is sufficient for us to say that accuracy even in the minutest details appears to have been the aim of Mr. Walford, and the errors are so few and slight that they may readily be passed over.'—*Weekly Register*.

By the same Author, published Annually,

Hardwicke's Crown Peerage:

Containing a Peerage, Baronetage, and Knightage, complete in one volume; and giving the Birth, Accession, and Marriage of each Personage, his Heir (Apparent or Presumptive), Family Name, Political Bias, and Patronage; as also a brief notice of the Offices which he has hitherto held, his Town Address and Country Residences. 540 pp. Elegantly bound, with gilt edges, price 5s. Also,

The Shilling Peerage,

The Shilling Baronetage,

The Shilling Knightage, and

The Shilling House of Commons.

Heraldry founded on Facts.

Or, *The Pursuivant of Arms*. By J. R. PLANCHE, Rouge Croix. Second Edition, with additional Notes and Illustrations. Demy 8vo. cloth, illuminated Frontispiece, and more than 200 Illustrations from the most authentic sources, price 6s.

'The increased interest taken of late years in heraldry is evinced by the number of works which have appeared to elucidate it. Among these the first place must be assigned to Planché's "Pursuivant of Arms," a rigorously scientific examination into the origin and early history of coat-armour, in which everything is submitted to the test of a stern criticism. The author is a distinguished member of the English College of Arms, and has performed the difficult task of producing an Essay on heraldry full of learning and research, yet written in a sufficiently lively style to be read with delight by many who are not heraldic enthusiasts.'—*Edinburgh Review*.

A Corner of Kent.

Some Account of the Parish of Ash-next-Sandwich: its Historical Sites and existing Antiquities. By J. R. PLANCHE, Rouge Croix. Demy 8vo. illustrated, price 15s.

Within the Parish of Ash-next-Sandwich the Gauls found their most commodious haven; the Romans erected their most famous fortalice; the pagan Jute established his dominion; the holy Augustine planted the Cross. Many of the most celebrated names in the roll of our Norman ancestors are connected with its manorial records, and the greatest sovereigns of this country made its now almost deserted road the highway to conquest, returned by it in triumph, or displayed on it the pageantry of a peaceful progress.

Enshrined Hearts.

Enshrined Hearts of Warriors and Illustrious People. By EMILY SOPHIA HARTS-HORNE. With Illuminated Initials, and Illustrated with numerous Engravings on Wood, Armorial Bearings, &c. &c. Beautifully printed in colours, price £1 1s.

How to Address Titled People.

Companion to the Writing-Desk; or, How to Address, Begin, and End Letters to Titled and Official Personages, together with Tables of Precedence, copious List of Abbreviations, Rules for Punctuation, and other useful information. Royal 32mo. price 1s.

'A word, and more than a word, of praise is due. Full information on every subject of importance to correspondents is afforded in it. The instructions on official points will not fail to be of importance to many persons unable to obtain the proper information from even much larger works of the same kind.'—*Court Journal*.

'This is one of the most useful little books we have for a long time seen.'—*Era*.

An Index to the Pedigrees contained in the printed Heralds' Visitations, &c. &c.

By GEORGE W. MARSHALL, LL.M., of the Middle Temple, Barrister-at-Law. Demy 8vo. cloth, price 6s.

Peter Schlemihl.

From the German of ADALBERT VON CHAMISSE. Translated by Sir JOHN BOWRING, LL.D., &c. Crown 8vo. cloth, with Illustrations by George Cruikshank, price 2s. 6d.; the illustrations on India paper, price 5s.

Hardwicke's Shilling Handy-Book of London.

An Easy and Comprehensive Guide to Everything worth Seeing and Hearing. Royal 32mo. cloth, price 1s.

CONTENTS.

Bazaars
Ball-rooms
Cathedrals
Dining-rooms
Exhibitions
Mansions of Nobility
Markets
Money-order Offices

Monuments and Statues
Museums
Music-halls and Concert-rooms
Out-door Amusements
Omnibuses
Palaces
Parks
Passport Offices

Picture Galleries' Regulations
Popular Entertainments
Police-courts
Prisons
Railway Stations
Steamboats
Theatres
Telegraph Offices, &c.

The Book of the Pike.

A Practical Treatise on the various methods of Jack Fishing, with an analysis of the Tackle employed, the History of the Fish, &c. Also a Chapter on Spinning for Trout in Lakes and Rivers. By H. CHOLMONDELEY-PENNELL, Author of 'The Angler Naturalist.' Crown 8vo. illustrated, price 5s.

Shooting Simplified.

A Concise Treatise on Guns and Shooting. By JAMES DALZIELL DOUGALL. Second Edition, Re-written and Enlarged, with a Special Chapter on Breech-Loaders. Fcp. 8vo. cloth, price 6s.

Essays and Reviews.

Their Origin, History, General Character, and Significance. Persecution, Prosecution, Judgment of the Arches Court, Review of Judgment. By the Rev. ROBERT BRUCE KENNARD, M.A., Rector of Marnhull, Dorset. Crown 8vo. cloth, price 6s.

A Tramp's Wallet.

Stored by an English Goldsmith during his Wanderings in Germany and France. By WILLIAM DUTHIE. Dedicated, by permission, to C. Dickens, Esq. Crown 8vo. cloth, price 3s. 6d.

Holiday Papers.

By HARRY JONES, M.A., Incumbent of St. Luke's, Berwick Street, Soho. Thirty-seven Papers. Crown 8vo. cloth, price 6s.

'Full of deep-toned feeling.'—*Bell's Messenger*.

'His anecdotes would have delighted White of Selborne.'—*London Review*.

'Easy and smart, sparkling and forcible, yet perfectly natural and sensible.'—*Patriot*.

Curiosities of Civilization.

Being Essays from the *Quarterly and Edinburgh Reviews*. By ANDREW WYNTER, M.D. Seventh Edition, crown 8vo. price 6s.

The London Commissariat
Food and its Adulterations
Advertisements
The Zoological Gardens
Rats
Woolwich Arsenal
Shipwrecks

Lodging, Food, and Dress of Soldiers
The Electric Telegraph
Fires and Fire Insurance
The Police and the Thieves
Mortality in Trades and Professions
Lunatic Asylums

'We shall look in vain, for example, two centuries back, for anything like an equivalent to the volume before us. Some of the articles are mainly derived from observations made in the course of professional studies; others are at least cognate to the subjects which occupy a physician's hourly thoughts; all are more or less instructive as to certain phases of our civilisation, and the strange elements it holds in suspension. Some of the incidents are of unparalleled magnitude, quite as striking as anything contained in the wonder-books of our ancestors.'—*Times*.

Our Social Bees.

Pictures of Town and Country, and other Papers. By ANDREW WYNTER, M.D.

Containing articles amongst which will be found—

Mock Auctions
Hyde Park
Our Peck of Dirt
Commercial Grief
Orchards in Cheapside
Needle-making
Preserved Meats
London Stout
Wenham Lake Ice

Candle-Making
Woman's Work
The Turkish Bath
Who is Mr. Reuter?
A Suburban Fair
The Englishman Abroad
A Gossip about the Lakes
Physical Antipathies
Brain Difficulties

Crown 8vo. price 6s. Eighth Edition.

Also, uniform in size and price,

Our Social Bees. New Series.

Containing, amongst other articles—

Hedging against Fate
London Omnibuses
Water Supply of London
Buried History
Our Furniture
Our once Fat Friend
My First Deal in Horse-flesh
Horses and Horse Copers
Our Great Iron-workers
Machin

The School of Cookery
Sweets for the Million
Death in the Match-box
Human Wasters
The City Companies
Photo-Sculpture
'Old Clo'
Longevity
A Word about Wines

'These papers are characterised by the same breadth of view, the same felicity of language, the same acuteness of thought, which distinguished the *'Curiosities of Civilisation.'* So long as Dr. Wynter continues to write papers similar to those in the volume before us, and in *"Curiosities of Civilisation,"* so long will the republication of those papers be welcomed by the public.'—*Standard*.

Subtle Brains and Lissom Fingers:

Being some of the Chisel-marks of our Industrial and Scientific Progress, and other Papers. By A. WYNTER, M.D. Crown 8vo. cloth, 6s.

Containing 39 Articles; amongst which will be found—

Fraudulent Trade Marks
A Day with the Coroner
Undersea Railroad
Vivisection
Restoration of our Soil
Railways the Great Civilisers
Physical Education
Clerk of the Weather

Village Hospitals
Air Traction
Illuminations
Boat-building by Machinery
Doctors' Stuff
Small-pox in London
Excursion Trains
Early Warnings, &c. &c.

Researches into the History of the British Dog.

From Ancient Laws, Charters, and Historical Records. With Original Anecdotes and Illustrations of the Nature and Attributes of the Dog, from the Poets and Prose Writers of Ancient, Mediæval, and Modern Times. By GEORGE R. JESSE. With 33 engravings, designed and etched by the Author. In two splendid Library volumes, price £1 12s.; India proofs, £3 3s.

A Treatise on Smoky Chimneys,

Their Cure and Prevention. By FREDERICK EDWARDS, Jun. Fifth Edition, revised and enlarged, price 1s. 6d. with Illustrations.

'We cordially recommend this successful attempt to teach a few plain, but too often neglected rules. The great charm of the treatise is its conciseness and practical usefulness. Attention to the facts Mr. Edwards has indicated in it will save landlords and householders a deal of trouble, expense, and anxiety.'—*Building News*.

On the Ventilation of Dwelling Houses,

And the Utilisation of Waste Heat from Open Fire-places. By FREDERICK EDWARDS, Jun. Royal 8vo. cloth, with numerous Illustrations, price 10s. 6d.

'The treatise has two great merits—it is thoroughly sensible and practical.'
Imperial Review.

The Influence of Railway Travelling on Public Health.

From the *Lancet*. Fcp. 8vo. cloth, price 1s.

'We strongly recommend the work to all who are connected with the management of railways, or in the habit of travelling by them. The mass of evidence goes to prove that whilst the actual danger of life in travelling by rail is comparatively small, that to health is, from various causes, considerable. But for the discussion of these and their remedies, we must refer the reader to the book itself.'—*Dispatch*.

Wines and other Fermented Liquors.

From the Earliest Ages to the Present Time. Dedicated to all Consumers in the United Kingdom. By JAMES RICHMOND SHEEN. Fcp. 8vo. cloth, price 5s.

The Common Sense of the Water Cure.

A Popular Description of Life and Treatment at a Hydropathic Establishment. By Captain J. H. LUKIS, late of the 61st Regiment, and the North Durham Militia. Crown 8vo. price 5s.

'We have seldom read a more amusing book than this. Capt. Lukis is a clever well-bred gentleman, who has found the greatest pleasure of his life in the strict discipline of hydropathy, and in this volume he chats pleasantly about his own experiences, and puts in a very popular form the chief arguments in favour of the water cure. There is not a dull page in the book.'—*Morning Herald*.

Special Therapeutics.

An Investigation into the Treatment of Acute and Chronic Disease by the Application of Water, the Hot-Air Bath, and Inhalation. By J. C. LORY MARSH, M.D., M.R.C.P. Crown 8vo. price 3s. 6d.

The Toilet and Cosmetic Arts

In Ancient and Modern Times; with a Notice of the Different Theories of Beauty, and allied Information, Social, Hygienic, and Medical, including Instructions and Cautions respecting the selection and use of Perfumes, Cosmetics, and other Toilet Articles, and very copious Formulæ for their Preparation. By A. J. COOLIDGE, Author of 'The Dictionary of Practical Receipts,' &c. One vol. crown 8vo. price 10s.

Also, in Two Vols. each Vol. sold separately.

Vol. I. History in Ancient and Modern Times. Price 5s.

Vol. II. Receipts for the Preparation of Skin Cosmetics, Hair Cosmetics, Tooth Cosmetics, Perfumes, and the various requisites connected with Health and Hygiene. Many hundreds of receipts. Crown 8vo. price 5s.

Bathing: How to do it, When to do it, and Where to do it.

By EDGAR SHEPPARD, M.D., Medical Superintendent of the Male Department, Colney Hatch Asylum. 8vo. sewed, price 1s.

Plain and Practical Medical Precepts.

Second Edition, revised and much enlarged. By ALFRED FLEISCHMANN, M.R.C.S. On a large sheet, price 4d.

The Home Nurse.

A Manual for the Sick Room. By ESTHER LE HARDY. Second Edition, fcp. 8vo. cloth, price 2s. 6d.

Air
Cleanliness
Dress
Diet and Cookery

Practical Duties
Moral Duties
The Patient
Visitors

Setons, Issues
Blisters and Plasters
Chamber of Death
&c. &c. &c.

'In our notice of the first edition, we expressed our approbation of the manner in which she had performed her task; and we are gratified to see that the useful lessons she inculcated both in regard to nursing and medical attendance have met with such general approval as to require another edition of her unpretending but really valuable volume.'
Lancet.

On Teething of Infants:

Its prevalent Errors, Neglects, and Dangers; their influence on the Health, and as causes of death of Children. Including the dangers of Teething Powders, Soothing Syrups, &c. By HENRY HANKS, L.R.C.P. Edinburgh, M.R.C.S. England, &c. Illustrated by Cases. Fcp. 8vo. cloth, price 3s. 6d.

The Domestic Management of Infants and Children,

In Health and Sickness. By S. BARKER, M.D., Brighton. 8vo. price 5s. Also,

The Diet of Infancy and Childhood.

By S. BARKER, M.D. Demy 8vo. sewed, price 1s.

The Gastric Regions, and the Victualling Department.

By AN OLD MILITIA SURGEON. The whole outward and inward man, from the crown of his head to the corns on his little toes, all tell the sad tale of the Gastric Regions' Wrongs. Crown 8vo. cloth, price 2s. 6d.

'This is a most useful, and by no means a dull or heavy book.....The Old Militia Surgeon gives some most useful advice, in a pleasant practical manner, respecting different varieties of food and their effects upon the system.'—*Observer.*

The Foot and its Covering.

With Dr. Camper's work on 'The Best Form of Shoe,' translated from the German. By JAMES DOWIE. Fcp. 8vo. cloth, illustrated, price 2s. 6d. [*Reprinting.*]

Australia for the Consumptive Invalid.

The Voyage, Climates, and Prospects for Residence. By I. BAKER BROWN, Jun. Crown 8vo. 5s.

Auvergne:

Its Thermo-Mineral Springs, Climate, and Scenery. A new Salutory 'Resort for Invalids. By ROBERT CROSS, M.D. With three tinted Lithographs, price 4s.

Sketches of Ceylon.

Sketches of the Inhabitants, Animal Life, and Vegetation, in the Lowlands and High Mountains of Ceylon, as well as the Submarine Scenery near the coast, taken in a Diving Bell. By BARON EUGENE DE RONSONNET. With 26 large Chromolithographs, taken from life by the Author. Folio, £2 10s.

First Help in Accidents.

Being a Surgical Guide in the absence or before the arrival of Medical Assistance. For the use of the Public, especially for Members of both Military and Naval Services, Volunteers, and Travellers. By CHARLES H. SCHAEBLE, M.D., Ph.D., Royal Military Academy, Woolwich. Fully Illustrated.

Bites
Bleeding
Broken Bones
Bruises

Burns
Choking
Cold
Dislocations

Drowning
Exhaustion
Hanging
Poisoning

Scalds
Sprains
Suffocation

And other Accidents where instant aid is needful. In Sup. royal 32mo. cloth, price 2s. 6d.

'A most useful and interesting little book, which is, besides, prettily got up, and contains some accurate and nice woodcuts. In 200 small pages we find, condensed, whatever can be done in case of accidents until the arrival of a professional helper; in fact, the work is a short but complete manual, and will prove of great service to military men, volunteers, and tourists. . . . The instructions are plain and to the point, and there is a welcome absence of technical terms.'—*Spectator*.

A Manual of Popular Physiology :

Being an Attempt to Explain the Science of Life in Untechnical Language. By HENRY LAWSON, M.D., Co-Lecturer on Physiology and Histological Anatomy in St. Mary's Hospital Medical School. Fcp. 8vo. with Ninety Illustrations, price 2s. 6d.

Man's Mechanism
Life
Force
Food

Digestion
Respiration
Heat
The Skin

The Kidneys
Nervous System
Organs of Sense
&c. &c. &c.

'Dr. Lawson has succeeded in rendering his manual amusing as well as instructive. All the great facts in human physiology are presented to the reader successively; and either for private reading or for classes, this manual will be found well adapted for initiating the uninformed into the mysteries of the structure and functions of their own bodies.'
Athenæum.

Dr. Lankester on Food.

A Course of Lectures delivered at the South Kensington Museum. By E. LANKESTER, M.D., F.R.S., F.L.S. Crown 8vo. cloth, pp. 400, fully illustrated, price 3s.

Water
Salt—Mineral Food
Heat-Givers—Oil, Butter, Fat
Flesh-formers—Animal Food

Alcohol—Wines, Spirits, and Beer
Condiments and Spices
Tea, Coffee, and Chocolate
Tobacco and Opium

'Full of sound science, curious anecdote, and quaint illustration. Dr. Lankester has a singular power of illustrative keenness; and in the discursive lessons which he delivers on so many subjects, there is an overflowing wealth of minute collateral information which is always brought to the level of the last achievements of science.'—*Lancet*.

Domestic Medicines, their Uses and Doses,

In the absence of professional assistance, with Tables of Weights and Measures; the preparation of Beverages suitable for the Sick Room. Poisons and their antidotes. Sixth Thousand, 32mo. cloth, price 1s.

Dr. Lankester on the Uses of Animals

In Relation to the Industry of Man. By EDWIN LANKESTER, M.D., F.R.S. A Course of Six Lectures, delivered at the South Kensington Museum. Crown 8vo. pp. 350, cloth, fully illustrated, price 3s.

Silk
Wool
Leather
Bone

Soap
Waste
Sponges and Corals
Shell-fish

Insects
Furs
Feathers, Horns, & Hair
Animal Perfumes

'The information is presented in the most lucid, graceful, and entertaining manner.'
Economist.

'Everyone who peruses them will be grateful to the author.' The history of those creatures whose products become through man's skill so useful to him is given with such charming feeling that the interest of the reader is attracted and enchained, whether he wills or no.'—*Era*.

MEDICAL & SURGICAL WORKS.

Surgical Appliances and Minor Operative Surgery.

By THOMAS ANNANDALE, F.R.C.S. Edinburgh. Fcp. 8vo. cloth, price 5s.

Chemistry.

By Professor BRANDE, D.C.L., F.R.S.L., and Professor ALFRED S. TAYLOR, M.D., F.R.S., F.R.C.P. Lond. Fcp. 8vo. cloth, 900 pages, price 12s. 6d.

'For clearness of language, accuracy of description, extent of information, and freedom from the pedantry and mysticism of modern Chemistry, no other text-book comes into competition with it. . . . The best guide to the study of Chemistry yet given to the world.'

Lancet.

'Conceived and worked out in the most sturdy common-sense method, this book gives, in the clearest and most summary method possible, all the facts and doctrines of Chemistry, with more especial reference to the wants of the Medical Student.'—*Medical Times.*

On the Cure of Clubfoot, without Cutting Tendons.

By RICHARD BARWELL, F.R.C.S., Surgeon and Lecturer on Anatomy, Charing Cross Hospital. With 28 Photographs. Second Edition, greatly enlarged, crown 8vo. 7s. 6d. By the same Author,

A Treatise on Diseases of the Joints.

Illustrated by Engravings on Wood. Demy 8vo. cloth, price 12s. Also,

Causes and Treatment of Spinal Curvature.

Crown 8vo. with Woodcuts, price 6s.

Essays and Reports on Operative and Conservative Surgery.

By R. G. H. BUTCHER, M.D., Surgeon and Lecturer on Clinical Surgery, Mercers' Hospital, Dublin. 8vo. cloth, profusely illustrated by Chromo-lithography, price £1 1s.

On Inhalation as a means of Local Treatment of the Organs of Respiration by Atomised Fluids and Gases.

By HERMANN BRIGEL, M.D., L.R.C.P. 8vo. cloth, illustrated, price 6s.

On Surgical Diseases of Women.

By I. BAKER BROWN, F.R.C.S. (by Exam.), Surgeon to the London Surgical Home. Third Edition, revised and enlarged, demy 8vo. price 15s. By the same Author,

On Ovarian Dropsy.

Its Nature, Diagnosis, and Treatment. The Result of Thirty Years' Experience. Post 8vo. cloth, price 7s. Also,

On Scarlatina and its Treatment.

Second Edition, fcp. 8vo. cloth, price 3s.

On Malaria and Miasmata,

And their Influence in the production of Typhus and Typhoid Fevers, Cholera, and the Exanthemata. Founded on the Fothergillian Prize Essay for 1859. By the late T. HERBERT BARKER, M.D., F.R.S. Edin. 8vo. cloth, price 8s. Also,

On the Hygienic Treatment of Infants and Children.

Diet, Temperature, Air, Sleep, Bathing, Light, Exercise and Amusements, Nursery and Nursemaids, Vaccination, Dentition, Education, &c. 8vo. cloth, price 5s.

The Ophthalmoscope :

Its Varieties and its Uses. Translated from the German of ZANDER by R. B. CARTER, F.R.C.S. Eng. (by Exam.). With Notes and Additions. 68 Woodcuts and 3 beautiful Coloured Chromo-lithographs, royal 8vo. cloth, price 8s.

On the Arcus Senilis ; or Fatty Degeneration of the Cornea.

By EDWIN CANTON, F.R.C.S., Surgeon to the Charing Cross Hospital. With numerous Illustrations. 8vo. cloth, price 10s. 6d.

Treatise on Diseases of the Eye.

Including the Anatomy of the Organ by CARL STELLWAG VON CARION, M.D., Professor of Ophthalmology in the Imperial University of Vienna. Translated from the German and Edited by CHARLES E. HOCKLEY, M.D., and D. B. ST. JOHN ROOSA, M.D. With Appendix. Demy 8vo. illustrated, price 36s.

The Pill-Book ;

Or, Pills, Boluses, Globules, Grains, and Granules—Pharmacopœial, Hospital, and Magistral ; their Preparation, Formulæ, Doses, Leading Uses, and Synonyms, including Quack Medicines. By ARNOLD J. COOLEY, Author of 'Toilet and Cosmetic Arts,' &c. Crown 8vo. cloth, price 2s.

By the same Author,

The Mixture-Book ;

Or, Mixtures Pharmacopœial, Hospital, and Magistral ; their Preparation, Formulæ, Doses, Leading Uses, and Synonyms. Crown 8vo. price 1s.

The Chemical Processes of the British Pharmacopœia,

And the Behaviour with Re-agents of their Products. By HENRY J. CHURCH, F.C.S. Fcp. 8vo. price 3s.

By the same Author,

Carbolic Acid as a Disinfectant,

And as a means of preventing the spread of the Cattle disease. 8vo. sewed, price 1s.

Disinfection and the Prevention of Disease.

By HENRY BOLLMAN CONDY. 8vo. sewed, price 1s.

Also,

Air and Water, their Impurities and Purification.

8vo. cloth, price 3s. 6d.

On*Joint Diseases,

Their Pathology, Diagnosis, and Treatment ; including the nature and treatment of Deformities and Curvatures of the Spine. By HELMES COOTE, F.R.C.S. 8vo. cloth, price 9s.

Varicocele

(Clinical Lecture on) Delivered at the Lock Hospital. By WALTER COULSON, F.R.C.S., Surgeon to the Lock Hospital and St. Peter's Hospital. Crown 8vo. price 2s. 6d.

Parturition and its Difficulties.

With Clinical Illustrations and Statistics of 13,783 Deliveries. By J. HALL DAVIS, M.D., F.R.C.P., President of the Obstetrical Society. New Edition, revised and enlarged, crown 8vo. cloth, price 7s. 6d. By the same Author,

Flexions of the Uterus.

With Notes of the Ovarian and other Diseases treated in the Fema'e Ward, Middlesex Hospital, July to July 1863-64. Price 2s. 6d.

Prostitution Medically Considered,

With some of its Social Aspects. Read before the Harveian Medical Society. By CHARLES DRYSDALE, M.D. 8vo. sewed, price 1s.

Gleet :

Its Pathology and Treatment. With Memoir on the Treatment of Stricture of the Urethra by Subcutaneous Division. By HENRY DICK, R.A., M.D., Surgeon to the National Orthopædic Hospital. Second Edition, with Woodcuts, price 5s. 6d.

On Flooding after Delivery,

And its Scientific Treatment. With a special Chapter on the Preventive Treatment. By LUMLEY EARL, M.D. Fcp. 8vo. price 5s.

On the Safe Abolition of Pain in Labour and Surgical Operations

by Anæsthesia with Mixed Vapours. By ROBERT ELLIS, M.R.C.S., L.S.A. Crown 8vo. cloth, price 2s. 6d.

On Penetrating Wounds of the Chest.

Founded on Actual Observations in the Camp General Hospital before Sebastopol. By PATRICK FRASER, M.D. Demy 8vo. cloth, price 5s.

Camp Diseases.

Contributions relating to the Causation and Prevention of Disease, and to Camp Diseases; together with a Report of the Diseases, &c. among the Prisoners at Andersonville, Ga. Edited by AUSTIN FLINT, M.D. In 1 vol. 8vo. bound in cloth, £1 10s.

Skin Diseases :

Their Description, Pathology, Diagnosis, and Treatment, with copious Formulæ. By TILBURY FOX, M.D., M.R.C.P. 8vo. cloth, price 7s. 6d. Also,

Skin Diseases of Parasitic Origin :

Their Nature and Treatment, including the Descriptions and Relations of the Fungi found in Man. With Plates, 8vo. cloth, price 7s. 6d.

Treatment of Diseases of the Skin.

By WILLIAM FRAZER, M.D. Fcp. 8vo. price 3s.

On Diseases of the Kidney, and Dropsy.

By Dr. S. J. GOODFELLOW, M.D., F.R.C.P., Senior Physician to the Middlesex Hospital, and Lecturer on Medicine at the Middlesex Hospital Medical School. Crown 8vo. price 7s. 6d. With Illustrations from Nature by Tuffen West.

On Epidemic Cholera and Diarrhœa :

Their Prevention and Treatment by Sulphur. Third Edition. By JOHN GROVE, M.D., M.R.C.S., &c. Price 1s. By the same Author,

Epidemics Examined and Explained.

8vo. cloth, price 5s.

Dr. Grove's System of Medical Book-Keeping.

Only three books required, and no posting necessary. The complete set, suitable to carry a large practice about three years, £1 11s. 6d. Prospectus and Examples gratis on application.

On Diseases of the Stomach :

By S. O. HABERSHON, M.D., F.R.C.P., Physician to and Lecturer on Materia Medica and Therapeutics at Guy's Hospital, &c. Crown 8vo. price 5s. Contents: Dyspepsia from—

An Essay on some Varieties and Effects of Cancerous Disease of Bone.

By WM. HICKMAN, M.B., F.R.C.S., Surgeon to the Western General Dispensary. 8vo. illustrated, 3s. 6d.

On the Use of Artificial Teeth,

In the Prevention of Indigestion, and the Cure of Diseases due to Imperfect Nutrition. By ROBERT T. HULME, M.R.C.S.E. Crown 8vo. cloth, price 2s. 6d.

The Laryngoscope.

Directions for its Use, and Practical Illustrations of its Value in the Diagnosis and Treatment of Disease of the Throat and Nose. By GEORGE JOHNSON, M.D., M.R.C.P., Professor of Medicine in King's College. Crown 8vo. price 2s. 6d.

On the Management of Labour in Contracted Pelvis.

A Thesis which obtained the first prize from the Faculty of Medicine of Paris. By WILLIAM H. JONES, M.D. Paris, M.R.C.S. Eng. Demy 8vo. cloth, price 4s.

Elements of the Anatomy and Physiology of the Teeth.

By HENRY T. KEMPTON, L.D.S.R.C.S., F.L.S. 8vo. cloth, price 7s. 6d.

Via Medica :

A Treatise on the Laws and Customs of the Medical Profession, in relation especially to Principals and Assistants, with Suggestions and Advice to Students on Preliminary Education. By J. BAXTER LANGLEY, M.R.C.S., F.L.S. Crown 8vo. cloth, price 3s.

The Optical Defects of the Eye.

Near Sight, Aged Sight, Weak Sight and Squint. By J. Z. LAURENCE, M.B., F.R.C.S. 80 woodcuts, 8vo. price 6s.

Ophthalmic Surgery.

A Handy-Book for Practitioners. By J. Z. LAURENCE and R. C. MOON. Illustrated, 8vo. cloth, price 6s.

Portrait of Baron Liebig.

From a Negative taken expressly for the Publisher. Mounted on cardboard, price 10s. 6d.; in elegant gilt frame, price 21s.

The Laryngoscope :

Its Use in Throat Diseases. With an Appendix on Rhinoscopy. By MORELL MACKENZIE, M.D. Lond., M.R.C.P., Physician to the Hospital for Diseases of the Throat, and Assistant-Physician and Co-Lecturer on Physiology at the London Hospital. New edition, full illustrated, cloth, price 6s.

Enlarged Tonsils,

And their Treatment without Cutting. Price 1s.

The Modern Treatment of Diseases of the Skin :

Being an Epitome of the Treatment now in use by the most eminent authorities on the subject, both in England and on the Continent. By J. L. MILTON, M.R.C.S., Surgeon to St. John's Hospital for Diseases of the Skin. Demy 8vo. price 3s. 6d.

Electro-Physiology and Therapeutics.

From a Study of the Electrical and other Physical Phenomena of the Muscular and other Systems during Health and Disease, including the phenomena of the Electrical Fishes. By CHARLES E. MORGAN, A.B., M.D. 8vo. cloth, price 30s.

On Shock after Surgical Operations and Injuries.

With special reference to Shock caused by Railway Accidents. By EDWIN MORRIS, M.D., F.R.C.S. Oxon. Crown 8vo. cloth, price 3s. 6d.

Osteology for Students :

A concise Description of the Human Skeleton, adapted for the use of Students in Medicine, accompanied by an Explanatory Atlas of Plates. By ARTHUR TREHERN NORRIS, Assistant-Surgeon to St. Mary's Hospital, and Assistant-Lecturer and Demonstrator of Anatomy at the Medical School. 8vo. cloth, price 7s. 6d. 2 vols. complete.

The Ward Manual ;

Or, Index of Surgical Disease and Injury. For the use of Students. By T. W. NUNN, F.R.C.S., Surgeon to the Middlesex Hospital. Limp cloth, price 3s.

Handbook of the Sphygmograph.

Being a Guide to its Use in Clinical Research. By J. BURDON SANDERSON, M.D. F.R.S., Physician to the Hospital for Consumption, Assistant-Physician to Middlesex Hospital, and Joint-Lecturer on Physiology in the Middlesex Hospital Medical College. Crown 8vo. cloth, price 3s. 6d. Illustrated.

Surgical Experiences :

The Substance of Clinical Lectures. By SAMUEL SOLLY, F.R.S., Senior Surgeon to St. Thomas's Hospital, Member of the Council, and late Professor of Anatomy and Surgery in the Royal College of Surgeons, &c., President of the Medico-Chirurgical Society, &c. Demy 8vo. cloth, price 12s. 6d. By the same Author,

The Human Brain :

Its Configuration, Structure, and Physiology; Illustrated by References to the Nervous System in the Lower Orders of Animals. By SAMUEL SOLLY, F.R.S., Senior Surgeon to St. Thomas's Hospital, Member of the Council, and late Professor of Anatomy and Surgery in the Royal College of Surgeons, &c. 8vo. cloth, 7s. 6d.

'We have perused the work with much attention and no inconsiderable degree of gratification.'—*London and Edinburgh Philological Magazine.*

'Excellent in its conception, perspicuous in its style, and lucid in its descriptions.'

Medical Chirurgical Review.

Clinical Notes on Uterine Surgery :

With Special Reference to the Management of the Sterile Condition. By J. MARION SIMS, M.D., late Surgeon to the Woman's Hospital, New York. 8vo. fully illustrated, price £1 1s.

On Lithotomy.

By WILLIAM F. TREVAN, B.A., F.R.C.S., Surgeon to the West London Hospital and to St. Peter's Hospital, and Lecturer on Anatomy at Westminster Hospital. Demy 8vo. price 1s.

Chronic Diseases of the Larynx,

With Special Reference to Laryngoscopic Diagnosis and Local Therapeutics. By Dr. ADELBERT TOBOLD, translated by G. M. BEARD, A.M., M.D. With 44 engravings on wood, price 16s.

Trousseau's Clinical Medicine.

Translated and Edited, with Notes and Appendices, by the late P. VICTOR BAZIRE, M.D. London and Paris, Assistant-Physician to the National Hospital for the Paralysed and Epileptic. Part 1 to 3, 4s. each; Vol. I. bound in cloth, price 14s.

A few copies of the first part are still on sale. The work is being now brought out by the New Sydenham Society. All who have bought the early parts as published by Mr. Hardwicke will be able to get the completion from him either direct or through their bookseller in the ordinary way.

Spinal Debility :

Its Prevention, Pathology, and Cure, in relation to Curvatures, Paralysis, Epilepsy, and various deformities. By EDWARD W. TUSON, F.R.C.S. Demy 8vo. cloth, price 5s. illustrated.

On Uncontrollable Drunkenness,

Considered as a form of Mental Disorder. With Suggestions for its Treatment, and the Organisation of Sanatoria for Dyspomanics. By FORBES WINSLOW, M.D., D.C.L. Oxon, &c. 8vo. 1s.

On Rupture, Inguinal, Crural, and Umbilical.

The Anatomy, Pathology, Diagnosis, Cause, and Prevention; with New Methods of effecting a Radical and Permanent Cure. Embodying the Jacksonian Prize Essay for 1861. By JNO. WOOD, F.R.C.S. Eng. (Exam.) Demonstrator of Anatomy at King's College, London; Assistant-Surgeon to King's College Hospital. With numerous Illustrations by Bagg. 8vo. cloth, 12s. 6d.

THE POPULAR SCIENCE REVIEW :

A Quarterly Summary of Scientific Progress and Miscellany of Entertaining and Instructive Articles on Scientific Subjects. Established 1861. Edited by HENRY LAWSON, M.D.

Articles by the following Contributors have already appeared:—

Adams, A. Leath, M.A., M.D., F.L.S.

Migrations of European Birds.
The Bone Caverns of Gibraltar, Malta, and Sicily.

Ansted, Professor, F.R.S., F.G.S.

Artificial Light.
Caverns and their Contents.
On the Physical Geography of the Ionian Islands.
Metamorphism of Rocks.
On Lake Basins, illustrated.
On the Solfataras and Fumaroles in the Neighbourhood of Naples.
The Eruption of Santorin, illustrated.
The Hurricane, the Typhoon, and the Tornado.

Anstie, Dr.

What is a Stimulant?

Baird, Dr., F.L.S.

Our Fresh-water Entomostracas, Shell-Insects or Water Fleas, illustrated.

Barrett, W. F.

Glaciers and Ice, illustrated.
On Sensitive Flames, illustrated.

Bastian, Dr., F.R.S.

Free Nematoids, illustrated.

Bate, Spence, F.R.S.

An Attempt to approximate the Date of the Flint Flakes of Devon and Cornwall, illustrated.

Beale, Dr. Lionel, F.R.S.

On the Highest Magnifying Powers and their Uses.
Entozoon-like Bodies in the Muscles of Animals destroyed by Cattle Plague, illustrated.

Blackwall, John, F.L.S.

Our House-Spiders.

Bond, Dr.

Bodily Work and Waste.
The Geology of Mineral Springs, illustrated.

Breen, the late James

The Great Comet of 1861, illustrated by the Author.
The Sun and Solar Phenomena, with a coloured plate.
Mars, with a tinted and coloured plate.
The Telescope.
The Moon, illustrated.

Buckman, Professor.

On Corn, illustrated.
On Grass, illustrated.
The British Oak, with two page illustrations.
On the Morphology of Vinca Minor (Small Periwinkle), with page plate.

Carruthers, Wm.

The Botany of a Coal Mine, illustrated.

Chambers, G. F., F.R.A.S.

Optical Phenomena of the Atmosphere.
Thermometry.
How to Study Meteorology, illustrated.
Fitzroy Weather Forecasts, illustrated.

Church, Professor.

— The Food of Plants.

Cobbold, Dr. Spencer, F.R.S.

Vegetables, Fruit, and Water as Sources of Intestinal Worms, illustrated.

Cooke, M. C.

Microscopic Fungi, Parasitic on Living Plants, with 7 pages of coloured illustrations.
Darwin's Observations on the Physiology of the Process of Fertilisation in Plants, illustrated.
How to Dissect a Flower, illustrated.

Coultas Harland.

Winter Life of Plants, illustrated.
On the Origin of our Kitchen-Garden Plants.

Crookes, Wm., F.R.S.

The Breath of Life.
Photographic Printing and Engraving, with a Photograph of a complete page of *The Times* printed from stone.

Dawkins, W. Boyd, M.A., F.R.S.

The Former Range of the Reindeer in Europe.
Range of the Mammoth.

Debus, H., F.R.S.

On the Absorption and Radiation of Heat, with two page illustrations.

De Quatrefage, A.

The Phosphorescence of the Sea, illustrated.

Divers, Dr.

What is a Tonic?
On Water Filters, illustrated.

Popular Science Review—continued.

Forbes, David, F.R.S.

The Microscope in Geology, illustrated.
Chemistry and Geology.

Foster, Professor.

On the Electrical Principles of the Atlantic Telegraph, illustrated.

Fripp, Dr.

On the Light-Emitting Apparatus of the Glowworm, illustrated.
Genesis or Parthenogenesis.
Recent Discoveries in Insect Embryogeny, illustrated.

Glaisher, James, F.R.S.

Balloon Ascents, and their Scientific Importance, illustrated.

Gore, George, F.R.S.

The Application of Science to Electro-Plating, with a page plate.

Gosse, P. H., F.R.S.

The Crown Animalcules, with illustrations by the author.
The Flower Animalcules, illustrated by the author.
The Builder Animalcules, with a page plate.
Contributions to the History of the Rotifera, or Wheel-Animalcules—The Flexible Creepers (Notommata), with page plate.

Gray, Dr. J. E., F.R.S.

Venus's Flower-Basket (Euplectella), illustrated.

Gulliver, Professor, F.R.S.

On the Nature and Diagnostic Value of Raphides and other Plant Crystals.
Plants Known by their Pollen-grains and other Cells.

Henslow, the Rev. G., M.A., F.L.S.

Botanical Exercises.
On the Phenomena of Motion and Sensitiveness in Climbing Plants, with page illustration.
On Hybridisation among Plants.

Hicks, Dr. Braxton, F.R.S.

On the Difficulties of Identifying many of the Lower Kinds of Algæ, with coloured plate.
On the Volvox Globator, with coloured plate.
On the Mode of Growth of some of the Algæ, illustrated.

Hogg, Jabez, F.L.S.

The Common Truffle, with a page plate.
The Vinegar Eel (Anquillula Aceti), with tinted plate.
Colour-Blindness, with page plate.

Hooker, Dr., F.R.S.

On the Struggle for Existence among Plants.

Houghton, the Rev. W., F.L.S.

Our Fresh-Water Polyzoa, two page plates.
Insects Injurious to the Turnip Crops, illustrated.
Hydræ; or, Fresh-Water Polypes, with page plate.
Caddis-Worms, and their Metamorphoses, with page plate.

Hull, Edward, F.G.S.

Raised Beaches, and their Origin, with page plate.
Modern Views of Denudation, illustrated.

Hunt, Robert, F.R.S.

Iron and Steel.
Solar Chemistry, with coloured plate.
Light and Colour, with coloured plate.
The Physics of a Sunbeam, with coloured plate.
The Source of Heat in the Sun, illustrated.
The Physical Phenomena of other Worlds, with coloured plate.
Atlantic Telegraphy, illustrated.
'A Message from the Stars.'
The Science of a Snowflake, illustrated.

Huxley, Professor, F.R.S.

Connecting Link between Reptiles and Birds, two page plates.

Jones, Professor T. Rupert, F.G.S.

On the Oldest Known Fossil (Eozoon Canadense), illustrated.

Lankester, Dr., F.R.S.

On Cotton, illustrated by Tuffen West.
On Fresh Air.
On Proper Clothing.
On Good Food.
On Pure Water.

Lankester, E. Ray.

Tubifex Rivulorum, the Red Worm of our Rivers, with coloured plate.
The Old Red Sandstone Fishes of England, with tinted illustration.
On the Microscopic Anatomy of an Insect Larva (Corethra Plumicornis), illustrated.
On the Movements of the Diatomaceæ, with coloured plate.
On the Planariæ of our Ponds and Streams, illustrated.

Lankester, Mrs.

The Daisy, illustrated.
The White Clover, with two page plates.
The Mistletoe and Parasitic Plants, with page plate.

Lawson, Dr.

Herrings and Herring-Fishing.
Oysters and Oyster-Culture, with page illustration.
Recent Investigations into the Natural History of the Red Coral, illustrated.
Is the Whitebait a Distinct Species? illustrated.
Photography, and some of its Applications.
The Graphotype, illustrated.
Ventilation and Ventilators, illustrated.

Popular Science Review—continued.

Lewes, G. H.

The Reflex Theory.

Liebig, Baron.

On the Action of Manures.

Soup for Children.

Artificial Mothers' Milk.

On Coffee.

Mackie, S. G., F.G.S.

Fossil Birds, with page plate.

The Metropolitan Main Drainage Works, with a map of the works.

The Pneumatic Despatch, illustrated.

Extraordinary Ships, illustrated.

The Eruption of Etna, with tinted plate.

New Electro-Magnetic Machines, illustrated.

Masters, Dr., F.L.S.

Why the Leaves Fall.

Sensitive Plants, with page plate.

Morris, Professor, F.G.S.

The Gems and Precious Stones of Great Britain, with coloured plate.

Patterson, Robert, F.R.S.

On Sponges, with page plate.

Proctor, Richard A., B.A., F.R.A.S.

How to Work with the Telescope, illus.

The Planet Mars in January 1867, illus.

Jupiter without his Satellites, illustrated.

The Total Eclipse of August 17th, 1868, illustrated.

Richardson, Dr. B. W., F.R.S.

Greek Fire: its Ancient and Modern History.

Waves of Heat and Waves of Death.

Ozone in relation to Health and Disease.

Sun Force and Earth Force.

Physics of the Brain.

Samuelson, James.

The Lowest Forms of Life. With illustrations by the author and Dr. J. B. Hicks.

The West Coast of Equatorial Africa, with a coloured map.

Primitive Astronomy, with two coloured illustrations by the author.

Barmouth and its Scientific Attractions, with a tinted illustration.

Seemann, Dr., F.L.S.

Australia and Europe formerly One Continent, with coloured plates.

Sorby, H. C., F.R.S.

On the Construction and Use of the Spectrum Microscope, with a page plate.

Unwin, W. C.

The Britannia and Conway Tubular Bridges, illustrated.

Voelcker, Professor, F.C.S.

On Milk and its Adulteration.

Walker, Charles V., F.R.S.

Train-Signalling in Theory and Practice, illustrated.

Williamson, Professor, F.R.S.

The Anatomy and Physiology of the Foraminifera, illustrated.

The Amœba: its Structure, Development, and Habits. Illustrated.

The Common Fresh-water Sponge, illus.

In addition to Articles which are of abiding interest, the Popular Science Review contains a complete Record of progress in every Department of Science, including

Astronomy

Botany

Chemistry

Ethnology

Geography

Geology

Mechanics

Medical Science

Metallurgy

Microscopy

Photography

Physics

Zoology

&c. &c. and

Sciences applied to the Arts, Manufactures, Commerce, and Agriculture.

The early numbers having been reprinted, Vols. 1 to 6 may be had, price £3 14s. 6d.; in cloth, £1 12s. 6d. Vol. 7 commenced January 1868.

Published Quarterly, price 2s. 6d.; Annual subscription, 10s.

Mr. HARDWICKE begs to inform Authors of Works on Natural History, Travel, General Science, and Miscellaneous Literature, that he has at his command the requisite means for bringing all Works published by him prominently before the Public, both at home and abroad. Being practically acquainted with printing, and having been many years engaged in business requiring an intimate knowledge of the best modes of Illustration, he is enabled to offer great facilities to Gentlemen who entrust their Works to him.

Estimates of Cost, Terms of Publishing, and other particulars, on application.

LONDON :

192 PICCADILLY, W.